

VITAL & HEALTH STATISTICS

Dietary Intake Source Data: United States, 1976-80

Findings of the Second National Health and Nutrition Examination Survey on dietary intake of grams of food consumed, calories, and selected nutrients are presented in this report. The data are based on 24-hour recalls of a probability sample of the U.S. population 6 months through 74 years of age by age, sex, and income levels for 1976-80.

**Data From the National Health
Survey
Series 11, No. 231**

DHHS Publication No. (PHS) 83-1681

U.S. Department of Health and Human Services
Public Health Service
National Center for Health Statistics
Hyattsville, Md.
March 1983

COPYRIGHT INFORMATION

All material appearing in this report is in the public domain and may be reproduced or copied without permission; citation as to source, however, is appreciated.

SUGGESTED CITATION

National Center for Health Statistics, M.D. Carroll, S. Abraham, and C.M. Dresser: Dietary intake source data: United States, 1976-80. *Vital and Health Statistics*. Series 11-No. 231. DHHS Pub. No. (PHS) 83-1681. Public Health Service. Washington. U.S. Government Printing Office, March 1983.

Library of Congress Cataloging in Publication Data

Carroll, Margaret D.

Dietary intake source data.

(Data from the national health survey ; no. 231) (DHHS publication ; no. (PHS) 83-1681)

Bibliography: p.

Supt. of Docs.: HE 20.6209:11/231

1. Nutrition surveys—United States. I. Abraham, Sidney. II. Dresser, Connie M. V. III. National Center for Health Statistics (U.S.) IV. Title. V. Series: Vital and health statistics. Series 11, Data from the national health survey ; no. 231. VI. Series: DHHS publication ; no. (PHS) 83-1681.

RA407.3.A347 no. 231 312'.0973s [363.8'2] 82-600251 [TX360.U6]
ISBN 0-8406-0265-0

National Center for Health Statistics

MANNING FEINLEIB, M.D., Dr.P.H., *Director*

ROBERT A. ISRAEL, *Deputy Director*

JACOB J. FELDMAN, Ph.D., *Associate Director for Analysis and Epidemiology*

GAIL F. FISHER, Ph.D., *Acting Associate Director for Program Planning, Evaluation, and Coordination*

GARRIE J. LOSEE, *Associate Director for Data Processing and Services*

ALVAN O. ZARATE, Ph.D., *Assistant Director for International Statistics*

E. EARL BRYANT, *Associate Director for Interview and Examination Statistics*

ROBERT L. QUAVE, *Acting Associate Director for Management*

MONROE G. SIRKEN, Ph.D., *Associate Director for Research and Methodology*

PETER L. HURLEY, *Associate Director for Vital and Health Care Statistics*

ALICE HAYWOOD, *Information Officer*

Interview and Examination Statistics Program

E. EARL BRYANT, *Associate Director*

MARY GRACE KOVAR, *Special Assistant for Data Policy and Analysis*

Division of Health Examination Statistics

ROBERT S. MURPHY, *Director*

SIDNEY ABRAHAM, *Chief, Nutrition Statistics Branch*

JEAN ROBERTS, *Chief, Medical Statistics Branch*

KURT R. MAURER, *Chief, Survey Planning and Development Branch*

RITA WEINBERGER, *Chief, Programming Staff*

Data Processing and Services Program

GARRIE J. LOSEE, *Associate Director*

ALAN K. KREGER, *Chief, Computer Users Staff*

Division of Data Services

JAMES C. JACKS, Ph.D., *Director*

PHILLIP R. BEATTIE, *Deputy Director*

DAVID L. LARSON, *Chief, Health Examination Field Operations Branch*

Cooperation of the U.S. Bureau of the Census

Under the legislation establishing the National Health Survey, the Public Health Service is authorized to use, insofar as possible, the services or facilities of other Federal, State, or private agencies. In accordance with specifications established by the National Center for Health Statistics, the U.S. Bureau of the Census participated in the design and selection of the sample and carried out the household interview stage of the data collection and certain parts of the statistical processing.

Contents

Introduction	1
Purpose	1
Source of data	1
Variables	2
Statistics	3
Table content	3
Related dietary intake information	3
References	4
List of detailed tables	6
Appendixes	
I. Statistical notes	479
II. Demographic and socioeconomic terms	483

Symbols

---	Data not available
...	Category not applicable
-	Quantity zero
0.0	Quantity more than zero but less than 0.05
Z	Quantity more than zero but less than 500 where numbers are rounded to thousands
*	Figure does not meet standards of reliability or precision
#	Figure suppressed to comply with confidentiality requirements

Dietary Intake Source Data: United States, 1976-80

by Margaret D. Carroll, M.S.P.H., Sidney Abraham, and Connie M. Dresser, R.D., Division of Health Examination Statistics

Introduction

Purpose

This report presents tables containing statistics on the intake of grams of food, calories, and related nutrients for the U.S. civilian noninstitutionalized population aged 6 months through 74 years. Statistics are presented for age, sex, and poverty status subgroups of the population. The data were collected by the National Center for Health Statistics through the Second National Health and Nutrition Examination Survey in 1976-80.

The statistics on intake of calories and 17 selected nutrients and grams of food consumed the day preceding the dietary interview are presented for reference by health and nutrition professionals. Estimates presented include mean intakes, intake at selected percentiles, and cumulative percent distributions. This information is relevant to the development of diets, to identification of population subgroups that are above or below widely used standards, to development of food fortification policies, and to aid in identifying areas in which standards can be reexamined. No interpretation or analysis of data is included in this report.

Source of data

The Second National Health and Nutrition Examination Survey (NHANES II) was an expansion of the Health Examination Survey begun in 1959 to collect data by direct standardized examinations of a sample of the population. Direct examinations, coupled with clinical tests and measurements, are the only source of prevalence data regarding unrecognized and untreated diseases and are the best source for standardized clinical, physical, and physiological data. The first three programs of the Health Examination Survey (1959-70) focused on selected aspects of illness and health for three age groups of the population.¹⁻³ For example, each survey obtained data on height, weight, and other body measurements; dental health; selected chronic conditions; vision and hearing levels; and other assessments of health status.

In 1971 responsibility for monitoring the nutritional status of the population was added, and the Health Examination Survey became the National Health and Nutrition Examination Survey. The First National Health and Nutrition Examination Survey (NHANES I), conducted from April 1971 through June 1974, was designed to assess overall health status with particular emphasis on dental health, skin problems, eye conditions, and the nutritional status of the population 1-74 years of age.⁴ For adults 25-74 years of age, examinations for determining the prevalence of chronic lung disease; disabling arthritis of the hip, knee, or lower spine; cardiovascular disease; and hearing levels were included. In addition, information on health care needs and general well-being was obtained. This segment of the NHANES I program was followed by a 15-month period (July 1974 through October 1975) in which an additional sample of persons 25-74 years of age was given the detailed examination to augment the size of the sample originally included in NHANES I. This study is referred to as the National Health and Nutrition Examination Survey, Augmentation Cycle.⁵

NHANES II (1976-80), the source of the data for this report, provides the opportunity both to assess the population's health and nutritional status and also to assess some aspects of change over time.⁶ Aspects of measuring nutritional status included a physician's examination, medical history information, body measurements, laboratory assessments on blood and serum, and a dietary interview. The dietary interview consisted of two parts for each sample person:

- A dietary interviewer recorded the item and the quantity of food or drink consumed during the previous day, so that the data yielded measures of calories, protein, carbohydrates, fat, specific vitamins and minerals, unsaturated fats, and cholesterol consumed during the recall period. The method of obtaining total dietary intake was the same as that used in NHANES I.
- The interviewer also recorded the usual pattern of food consumption to determine whether or not it included

any foods in various groupings, including milk, meat, fish, eggs, fat and oils, legumes and nuts, cereals, fruits, vegetables, and alcoholic beverages. Also recorded were the reported daily or weekly number of times each food was consumed and the use of salt, vitamin, and mineral supplements. The method of obtaining this information was similar to that used in NHANES I.

Since dietary interviews were done on Tuesdays through Saturdays, the 24-hour recall information presented in this report is of foods eaten on weekdays only. The data on usual patterns of food consumption are not presented in this report.

The data base used to calculate the nutrient contents of foods reported in the 24-hour recalls between 1976 and 1980 was obtained from the U.S. Department of Agriculture and manufacturers. Department of Agriculture data sources include the revised Handbook No. 8, sections 1-6⁷ and Handbook No. 456.⁸ If reported 20 or more times, commercial food items were updated with nutrient values from the appropriate manufacturer, when provided. For children 6-11 months of age, unusually high intakes of iron and vitamin A resulted from the information provided by the manufacturers. In part, this was due to the iron fortification of certain commercially prepared foods and to the selection of foods fed to the child during the 24-hour period prior to the child's examination.

For NHANES II, examinations began in February 1976 and ended in February 1980. During this period mobile examination centers were moved to 64 locations selected from the 1,924 primary sampling units (PSU's) into which the United States is divided. Each PSU is a standard metropolitan statistical area, a county, or a group of two or three contiguous counties. The areas and sample persons for the survey were chosen by complex sampling techniques, in cooperation with the U.S. Bureau of the Census, to provide a representative sample of the civilian noninstitutionalized population.

As in previous examination surveys, NHANES II consisted of two components. The household interview component involved collecting socioeconomic and demographic information on the family and on sample persons within the family. It also involved completing a medical history questionnaire for sample persons. The U.S. Bureau of the Census performed the initial household interviews and aided in the scheduling of appointments for examination.

The examination component consisted of interviews and a series of tests and procedures that included the following:

- A general medical examination and screening by a physician, including additional medical history information.
- Body measurements.
- A dietary interview.
- Laboratory tests on blood, serum, and urine specimens.
- Selected tests such as electrocardiograms and X-rays.

The examination component was performed in mobile examination centers specifically designed for this study. Thus, environment and equipment contributions to differences between examination findings from one sample location to another were minimized. The full-time examination teams were specifically trained to follow the study protocols that provided for standardization and evaluation of their performance.

The entire sample consisted of 27,801 persons aged 6 months through 74 years. Of these, 20,322 persons were examined, a sample response rate of 73.1 percent. More detailed discussion of the sample design and conduct of the survey is presented in appendix I.

Variables

Socioeconomic demographic variables

The data are presented by age, sex, and income level expressed by the poverty income ratio (appendix II). Two income levels are presented—income below poverty level, a ratio of less than 1, and income at and above poverty level, a ratio of 1 or more. Examined persons with unknown income are excluded from the two income groups but included in the total. Each of these variables is generally associated with quantity of dietary intake and a variety of eating patterns.

The data are not presented by race within age, sex, and income groups because the number of black persons within these groupings was too small to provide reliable estimates.

Dietary intake variables

Dietary intake variables presented in the detailed tables are listed below.

Grams of food consumed

Calories

Protein (grams and grams per 1,000 calories)

Fat (grams and grams per 1,000 calories)

Total carbohydrate (grams and grams per 1,000 calories)

Calcium (milligrams and milligrams per 1,000 calories)

Phosphorus (milligrams and milligrams per 1,000 calories)

Iron (milligrams and milligrams per 1,000 calories)

Sodium (milligrams and milligrams per 1,000 calories)

Potassium (milligrams and milligrams per 1,000 calories)

Vitamin A (International Units and International Units per 1,000 calories)

Thiamine (milligrams)

Riboflavin (milligrams)

Preformed niacin (milligrams)

Vitamin C (milligrams and milligrams per 1,000 calories)

Saturated fatty acid (grams and grams per 1,000 calories)

Oleic acid (grams and grams per 1,000 calories)

Linoleic acid (grams and grams per 1,000 calories)

Cholesterol (milligrams and milligrams per 1,000 calories)

Nutrient intakes per 1,000 calories were calculated by dividing the individual's nutrient intake by the caloric intake and multiplying the result by 1,000.

This report presents the basic data and allows the users to compare NHANES II data with standards such as the recommended dietary allowances of the Food and Nutrition Board, National Academy of Sciences, National Research Council.⁹

Most of the nutrition studies have referred to the recommended dietary allowances of the Food Nutrition Board as a guide. These allowances, first published in 1943, have been revised nine times. They allow for some margin above what is really needed by most healthy individuals, with the objective of maintaining good health for all. Thus, if the mean intakes for specific nutrients are below the standard, it does not necessarily follow that the persons in the study population are deficient in a specific nutrient. Inferences about the inadequacy of diet must depend on whether performance, health, and survival are adversely affected by an inadequate nutritional intake.

Statistics

The tabular dietary intake data presented here were weighted to be national population estimates. This was accomplished by inflating examination findings for each examined person by the reciprocal of selection probabilities adjusted to account for persons who were not examined and by poststratifying by race, sex, and age. As a result of poststratification adjustments, the population estimates closely approximate the independent U.S. Bureau of the Census estimates for the civilian noninstitutionalized population of the United States at the midpoint of the survey (March 1, 1978).

Estimates of the mean, standard error of the mean, and 7 selected percentiles (5th, 10th, 25th, 50th, 75th, 90th, and 95th) are presented. The estimates of the standard error of the mean take the complex multistage NHANES II sample into account. The estimates of the 5th and 95th percentiles are stable only if the sample size is sufficiently large, defined as a sample size of at least 80 examined persons for this report. The sample was sufficiently large for most subgroups, except for some age and sex subgroups that contained fewer than 80 persons. This situation occurred in the lower income group for boys and girls 6 through 11 months of age and for men aged 35-44 and 45-54 years. For males aged 6-11 months, 35-44 years, and 45-54 years with income below poverty level, only the 25th, 50th, and 75th percentiles are presented. For females aged 6-11

months, for whom the sample size was 36, only the 50th percentile is shown.

Cumulative percent distributions are also presented for all subgroups except for the four just mentioned. The cumulative distribution information allows the user to select intervals or cutoff points to make estimates of the percent of persons in the intervals or beyond the cutoff points. A more detailed description of the weighting process and other statistical considerations such as method of computing variances, potential nonresponse bias, and missing data are presented in appendix 1.

Table content

Tables 1-1 through 1-19 present basic summary statistics for grams of food consumed, intake of calories, and selected nutrients, by age, sex, and income level. In addition to the number of examined persons and estimated number in the U.S. population, the tables include means, standard errors of the means, and 7 percentiles from the 5th through the 95th.

Tables 2-1 through 2-14 present the basic summary statistics for 14 selected nutrients per 1,000 calories.

Tables 3-1 through 3-26 present cumulative distributions for grams of food consumed and intake of calories, respectively. Cumulative percent distributions for 14 selected nutrients are also presented in terms of units per 1,000 calories. There were four examined persons whose caloric intake was zero (appendix I). Hence the nutrient intake per 1,000 calories for these individuals is undefined. These four individuals are excluded from tables 2-1 through 2-14 and from tables 3-27 through 3-208.

The tables that present thiamine, riboflavin, and preformed niacin in terms of milligrams per 1,000 calories are available upon request from the National Center for Health Statistics.

Related dietary intake information

Dietary data on 1-day food and nutrient intakes of individuals have been published by the U.S. Department of Agriculture. The data are based on the Nationwide Food Consumption Survey, 1977-78.¹⁰

Dietary intake information from NHANES I has been published in *Vital and Health Statistics*¹¹⁻¹³ and in *Dietary Intake Source Data*.¹⁴ The dietary data from NHANES I and NHANES II are available on computer tapes for public use. Appendix I gives the information on how to obtain the tapes from the National Technical Information Service.

References

- ¹National Center for Health Statistics: Plan and initial program of the Health Examination Survey. *Vital and Health Statistics*. PHS Pub. No. 1000-Series 1-No. 4. Public Health Service. Washington. U.S. Government Printing Office, July 1965.
- ²National Center for Health Statistics: Plan, operation, and response results of a program of children's examinations. *Vital and Health Statistics*. PHS Pub. No. 1000-Series 1-No. 5. Public Health Service. Washington. U.S. Government Printing Office, Oct. 1967.
- ³National Center for Health Statistics: Plan and operation of a Health Examination Survey of U.S. youths 12-17 years of age. *Vital and Health Statistics*. PHS Pub. No. 1000-Series 1-No. 8. Public Health Service. Washington. U.S. Government Printing Office, Sept. 1969.
- ⁴National Center for Health Statistics, H.W. Miller: Plan and operation of the Health and Nutrition Examination Survey, United States, 1971-73. *Vital and Health Statistics*. Series 1-Nos. 10a and 10b. DHEW Pub. No. (PHS) 79-1310. Public Health Service. Washington. U.S. Government Printing Office, Jan. 1977.
- ⁵National Center for Health Statistics, A. Engel, R.S. Murphy, K. Maurer, and E. Collins: Plan and operation of the HANES I Augmentation Survey of adults 25-74 years, United States, 1974-75. *Vital and Health Statistics*. Series 1-No. 14. DHEW Pub. No. (PHS) 78-1314. Public Health Service. Washington. U.S. Government Printing Office, June 1978.
- ⁶National Center for Health Statistics, A. McDowell, A. Engel, J.T. Massey, and K. Maurer: Plan and operation of the Second National Health and Nutrition Examination Survey, 1976-80. *Vital and Health Statistics*. Series 1-No. 15. DHHS Pub. No. (PHS) 81-1317. Public Health Service. Washington. U.S. Government Printing Office, July 1981.
- ⁷Science and Education Administration, Consumer and Food Economic Institute: Composition of Foods, Handbook Nos. 8-1 through 8-6. Washington. U.S. Department of Agriculture, Nov. 1976-Feb. 1980.
- ⁸Agricultural Research Service, Consumer and Food Economic Institute: Agriculture Handbook No. 456, Data Sets 456-1, 456-2. Expansion of data published in *Nutritive Values of American Foods in Common Units*. Hyattsville, Md. U.S. Department of Agriculture, May 1977.
- ⁹National Academy of Sciences: *Recommended Dietary Allowances*, 9th ed. Washington. National Research Council, 1980.
- ¹⁰Science and Education Administration: *Food and Nutrient Intakes of Individuals in 1 day in the United States, Spring 1977*. Nationwide Food Consumption Survey, 1977-78. Washington. U.S. Department of Agriculture, Sept. 1980.
- ¹¹National Center for Health Statistics, S. Abraham, M.D. Carroll, C.M. Dresser, and C.L. Johnson: Dietary intake findings, United States, 1971-74. *Vital and Health Statistics*. Series 11-No. 202. DHEW Pub. No. (HRA) 77-1647. Health Resources Administration. Washington. U.S. Government Printing Office, July 1977.
- ¹²National Center for Health Statistics, S. Abraham, M.D. Carroll, C.M. Dresser, and C.L. Johnson: Caloric and selected nutrient values for persons 1-74 years of age, United States, 1971-74. *Vital and Health Statistics*. Series 11-No. 209. DHEW Pub. No. (PHS) 79-1657. Public Health Service. Washington. U.S. Government Printing Office, June 1979.
- ¹³National Center for Health Statistics, C.M. Dresser, M.D. Carroll, S. Abraham, and C.L. Johnson: Food consumption profiles of white and black persons ages 1-74 years by age, United States, 1971-74. *Vital and Health Statistics*. Series 11-No. 210. DHEW Pub. No. (PHS) 79-1658. Public Health Service. Washington. U.S. Government Printing Office, May 1979.
- ¹⁴National Center for Health Statistics, S. Abraham, M.D. Carroll, C.M. Dresser, and C.L. Johnson: *Dietary Intake Source Data, United States, 1971-74*. DHEW Pub. No. (PHS) 79-1221. Public Health Service. Hyattsville, Md. Sept. 1979.
- ¹⁵R. Goodman and L. Kish: Controlled selection—a technique in probability sampling. *J. Am. Stat. Assoc.* 45:350-72. 1950.
- ¹⁶National Center for Health Statistics, E.R. Black: Current estimates from the Health Interview Survey, United States, 1976. *Vital and Health Statistics*. Series 10-No. 119. DHEW Pub. No. (PHS) 78-1547. Public Health Service. Washington. U.S. Government Printing Office, Nov. 1977.
- ¹⁷R.N. Forthofer: "Investigation of Nonresponse Bias in NHANES II." Submitted for publication to *Am. J. Epidemiol.* The University of Texas School of Public Health. Houston, Tex. Available upon request.
- ¹⁸U.S. Department of Health, Education, and Welfare: *A Comparison and Analysis of Examined and Nonexamined Persons on Medical History Characteristics for the First Round of the Health and Nutrition Examination Survey*. HSM-110-73-371. Rockville, Md. Westat Inc. Jan. 24, 1974.
- ¹⁹Health Services and Mental Health Administration: *The HANES Study*. Final Report prepared by Institute for Survey Research, Temple University. Philadelphia, Pa. Apr. 1975.
- ²⁰National Center for Health Statistics, H. Miller and P. Williams: Factors related to response in the Health Examination Survey: United States, 1960-62. *Vital and Health Statistics*. Series 2-No. 36. DHEW Pub. No. (HSM) 73-1263. Health Services and Mental Health Administration. Washington. U.S. Government Printing Office, Aug. 1969.

²¹National Center for Health Statistics, W.L. Schaible: Memorandum. June 21, 1974.

²²B.V. Shah: Standard Errors Program for Computing of Standardized Rates From Sample Survey Data. Research Triangle Park, N.C. Mar. 1980.

²³R.S. Woodruff: Simple method for approximating variance of complicated estimates. *J. Am. Stat. Assoc.* 66:411-419, June 1971.

²⁴U.S. Bureau of the Census: Money income and poverty status of families and persons in the United States: 1976. *Current Population Reports*. Series P-60, No. 107. Washington. U.S. Government Printing Office, 1977.

²⁵U.S. Bureau of the Census: Money income and poverty status of families and persons in the United States: 1977. *Current Population Reports*. Series P-60, No. 116. Washington. U.S. Government Printing Office, 1978.

²⁶U.S. Bureau of the Census: Money income and poverty status of families and persons in the United States: 1978. *Current Population Reports*. Series P-60, No. 120. Washington. U.S. Government Printing Office, 1979.

²⁷U.S. Bureau of the Census: Money income and poverty status of families and persons in the United States: 1979. *Current Population*

Reports. Series P-650, No. 125. Washington. U.S. Government Printing Office, 1980.

²⁸U.S. Bureau of the Census: Money income and poverty status of families and persons in the United States: 1980. *Current Population Reports*. Series P-60, No. 127. Washington. U.S. Government Printing Office, 1981.

²⁹M. Orshansky: Counting the poor: Another look at the poverty profile. *Soc. Secur. Bull.* 28(7): 3-32, July 1965.

³⁰M. Orshansky: Who's who among the poor: A demographic view of poverty. *Soc. Secur. Bull.* 28(7): 3-32, July 1965.

³¹U.S. Bureau of the Census: Special studies. *Current Population Reports*. Series P-23, No. 28. Washington. U.S. Government Printing Office, Aug. 12, 1969.

³²Bureau of the Budget: Circular No. A-46, Transmittal Memorandum No. 9, and Exhibit L. Executive Office of the President, Aug. 29, 1969.

³³National Center for Health Statistics: Total nutrient intake, food frequency, and other related dietary data tapes. Public use data tape documentation. Tape No. 5701-NHANES, 1976-80. Public Health Service. Feb. 1982.

List of detailed tables

Tables 1-1 through 1-19. Grams of food consumed, calories, and 17 selected nutrients for persons aged 6 months-74 years, by income level, sex, and age: Mean, standard error of the mean, and selected percentiles, United States, 1976-80

1-1.	Grams of food consumed	10
1-2.	Caloric intake values	12
1-3.	Protein intake values in grams	14
1-4.	Fat intake values in grams	16
1-5.	Total carbohydrate intake values in grams	18
1-6.	Calcium intake values in milligrams	20
1-7.	Phosphorus intake values in milligrams	22
1-8.	Iron intake values in milligrams	24
1-9.	Sodium intake values in milligrams	26
1-10.	Potassium intake values in milligrams	28
1-11.	Vitamin A intake values in International Units	30
1-12.	Thiamine intake values in milligrams	32
1-13.	Riboflavin intake values in milligrams	34
1-14.	Prefomed niacin intake values in milligrams	36
1-15.	Vitamin C intake values in milligrams	38
1-16.	Saturated fatty acid intake values in grams	40
1-17.	Oleic acid intake values in grams	42
1-18.	Linoleic acid intake values in grams	44
1-19.	Cholesterol intake values in milligrams	46

Tables 2-1 through 2-14. 14 selected nutrients per 1,000 calories for persons aged 6 months-74 years, by income level, sex, and age: Mean, standard error of the mean, and selected percentiles, United States, 1976-80

2-1.	Protein intake values in grams per 1,000 calories	48
2-2.	Fat intake values in grams per 1,000 calories	50
2-3.	Total carbohydrate intake values in grams per 1,000 calories	52
2-4.	Calcium intake values in milligrams per 1,000 calories	54
2-5.	Phosphorus intake values in milligrams per 1,000 calories	56
2-6.	Iron intake values in milligrams per 1,000 calories	58
2-7.	Sodium intake values in milligrams per 1,000 calories	60
2-8.	Potassium intake values in milligrams per 1,000 calories	62
2-9.	Vitamin A intake values in International Units per 1,000 calories	64
2-10.	Vitamin C intake values in milligrams per 1,000 calories	66
2-11.	Saturated fatty acid intake values in grams per 1,000 calories	68
2-12.	Oleic acid intake values in grams per 1,000 calories	70
2-13.	Linoleic acid intake values in grams per 1,000 calories	72
2-14.	Cholesterol intake values in milligrams per 1,000 calories	74

Tables 3-1 through 3-208. Cumulative percent distribution of grams of food consumed, calories, and 14 selected nutrients per 1,000 calories for persons aged 6 months-74 years by sex and income level: United States, 1976-80

Tables 3-1 through 3-13. Grams of food consumed for persons aged—		
3-1.	6-11 months	76
3-2.	1-2 years	77
3-3.	3-5 years	78
3-4.	6-8 years	80
3-5.	9-11 years	82
3-6.	12-14 years	84
3-7.	15-17 years	86
3-8.	18-24 years	88
3-9.	25-34 years	90
3-10.	35-44 years	92
3-11.	45-54 years	94
3-12.	55-64 years	96
3-13.	65-74 years	98
Tables 3-14 through 3-26. Caloric intake values for persons aged—		
3-14.	6-11 months	100
3-15.	1-2 years	102
3-16.	3-5 years	104
3-17.	6-8 years	106
3-18.	9-11 years	108
3-19.	12-14 years	110
3-20.	15-17 years	112
3-21.	18-24 years	114
3-22.	25-34 years	116
3-23.	35-44 years	118
3-24.	45-54 years	120
3-25.	55-64 years	122
3-26.	65-74 years	124
Tables 3-27 through 3-39. Protein intake values in grams per 1,000 calories for persons aged—		
3-27.	6-11 months	126
3-28.	1-2 years	128
3-29.	3-5 years	130
3-30.	6-8 years	132
3-31.	9-11 years	134
3-32.	12-14 years	136
3-33.	15-17 years	138
3-34.	18-24 years	140
3-35.	25-34 years	142
3-36.	35-44 years	144
3-37.	45-54 years	146
3-38.	55-64 years	148
3-39.	65-74 years	150
Tables 3-40 through 3-52. Fat intake values in grams per 1,000 calories for persons aged—		
3-40.	6-11 months	152
3-41.	1-2 years	154
3-42.	3-5 years	156
3-43.	6-8 years	158

3-44.	9-11 years	160	3-112.	18-24 years	284
3-45.	12-14 years	162	3-113.	25-34 years	286
3-46.	15-17 years	164	3-114.	35-44 years	288
3-47.	18-24 years	166	3-115.	45-54 years	290
3-48.	25-34 years	168	3-116.	55-64 years	292
3-49.	35-44 years	170	3-117.	65-74 years	294
3-50.	45-54 years	172	Tables 3-118 through 3-130. Potassium intake values in milligrams per 1,000 calories for persons aged—		
3-51.	55-64 years	174	3-118.	6-11 months	296
3-52.	65-74 years	176	3-119.	1-2 years	298
Tables 3-53 through 3-65. Total carbohydrate intake values in grams per 1,000 calories for persons aged—			3-120.	3-5 years	300
3-53.	6-11 months	178	3-121.	6-8 years	302
3-54.	1-2 years	180	3-122.	9-11 years	304
3-55.	3-5 years	182	3-123.	12-14 years	306
3-56.	6-8 years	184	3-124.	15-17 years	308
3-57.	9-11 years	186	3-125.	18-24 years	310
3-58.	12-14 years	188	3-126.	25-34 years	312
3-59.	15-17 years	190	3-127.	35-44 years	314
3-60.	18-24 years	192	3-128.	45-54 years	316
3-61.	25-34 years	194	3-129.	55-64 years	318
3-62.	35-44 years	196	3-130.	65-74 years	320
3-63.	45-54 years	198	Tables 3-131 through 3-143. Vitamin A intake values in International Units per 1,000 calories for persons aged—		
3-64.	55-64 years	200	3-131.	6-11 months	322
3-65.	65-74 years	202	3-132.	1-2 years	324
Tables 3-66 through 3-78. Calcium intake values in milligrams per 1,000 calories for persons aged—			3-133.	3-5 years	326
3-66.	6-11 months	204	3-134.	6-8 years	328
3-67.	1-2 years	206	3-135.	9-11 years	330
3-68.	3-5 years	208	3-136.	12-14 years	332
3-69.	6-8 years	210	3-137.	15-17 years	334
3-70.	9-11 years	212	3-138.	18-24 years	336
3-71.	12-14 years	214	3-139.	25-34 years	338
3-72.	15-17 years	216	3-140.	35-44 years	340
3-73.	18-24 years	218	3-141.	45-54 years	342
3-74.	25-34 years	220	3-142.	55-64 years	344
3-75.	35-44 years	222	3-143.	65-74 years	346
3-76.	45-54 years	224	Tables 3-144 through 3-156. Vitamin C intake in milligrams per 1,000 calories for persons aged—		
3-77.	55-64 years	226	3-144.	6-11 months	348
3-78.	65-74 years	228	3-145.	1-2 years	350
Tables 3-79 through 3-91. Phosphorus intake values in milligrams per 1,000 calories for persons aged—			3-146.	3-5 years	352
3-79.	6-11 months	230	3-147.	6-8 years	354
3-80.	1-2 years	231	3-148.	9-11 years	356
3-81.	3-5 years	232	3-149.	12-14 years	358
3-82.	6-8 years	233	3-150.	15-17 years	360
3-83.	9-11 years	234	3-151.	18-24 years	362
3-84.	12-14 years	235	3-152.	25-34 years	364
3-85.	15-17 years	236	3-153.	35-44 years	366
3-86.	18-24 years	237	3-154.	45-54 years	368
3-87.	25-34 years	238	3-155.	55-64 years	370
3-88.	35-44 years	239	3-156.	65-74 years	372
3-89.	45-54 years	240	Tables 3-157 through 3-169. Saturated fatty acid intake values in grams per 1,000 calories for persons aged—		
3-90.	55-64 years	241	3-157.	6-11 months	374
3-91.	65-74 years	242	3-158.	1-2 years	376
Tables 3-92 through 3-104. Iron intake values in milligrams per 1,000 calories for persons aged—			3-159.	3-5 years	378
3-92.	6-11 months	244	3-160.	6-8 years	380
3-93.	1-2 years	246	3-161.	9-11 years	382
3-94.	3-5 years	248	3-162.	12-14 years	384
3-95.	6-8 years	250	3-163.	15-17 years	386
3-96.	9-11 years	252	3-164.	18-24 years	388
3-97.	12-14 years	254	3-165.	25-34 years	390
3-98.	15-17 years	256	3-166.	35-44 years	392
3-99.	18-24 years	258	3-167.	45-54 years	394
3-100.	25-34 years	260	3-168.	55-64 years	396
3-101.	35-44 years	262	3-169.	65-74 years	398
3-102.	45-54 years	264	Tables 3-170 through 3-182. Oleic acid intake values in grams per 1,000 calories for persons aged—		
3-103.	55-64 years	266	3-170.	6-11 months	400
3-104.	65-74 years	268	3-171.	1-2 years	402
Tables 3-105 through 3-117. Sodium intake values in milligrams per 1,000 calories for persons aged—			3-172.	3-5 years	404
3-105.	6-11 months	270	3-173.	6-8 years	406
3-106.	1-2 years	272	3-174.	9-11 years	408
3-107.	3-5 years	274	3-175.	12-14 years	410
3-108.	6-8 years	276	3-176.	15-17 years	412
3-109.	9-11 years	278	3-177.	18-24 years	414
3-110.	12-14 years	280	3-178.	25-34 years	416
3-111.	15-17 years	282	3-179.	35-44 years	418

3-180.	45-54 years	420
3-181.	55-64 years	422
3-182.	65-74 years	424
Tables 3-183 through 3-195. Linoleic acid intake values in grams per 1,000 calories for persons aged—		
3-183.	6-11 months	426
3-184.	1-2 years	428
3-185.	3-5 years	430
3-186.	6-8 years	432
3-187.	9-11 years	434
3-188.	12-14 years	436
3-189.	15-17 years	438
3-190.	18-24 years	440
3-191.	25-34 years	442
3-192.	35-44 years	444
3-193.	45-54 years	446
3-194.	55-64 years	448

3-195.	65-74 years	450
Tables 3-196 through 3-208. Cholesterol intake values in milligrams per 1,000 calories for persons aged—		
3-196.	6-11 months	452
3-197.	1-2 years	454
3-198.	3-5 years	456
3-199.	6-8 years	458
3-200.	9-11 years	460
3-201.	12-14 years	462
3-202.	15-17 years	464
3-203.	18-24 years	466
3-204.	25-34 years	468
3-205.	35-44 years	470
3-206.	45-54 years	472
3-207.	55-64 years	474
3-208.	65-74 years	476

Table 1-1. Grams of food consumed for persons aged 6 months-74 years, by income level, sex, and age: Mean, standard error of the mean, and selected percentiles, United States, 1976-80

Income level, sex, and age	Examined persons	Estimated population in thousands	Grams of food consumed								
			Mean	Standard error of the mean	Percentile						
					5th	10th	25th	50th	75th	90th	95th
All incomes											
Male											
6 months-74 years...	9,983	99,062	2,456	22	937	1,149	1,590	2,194	2,984	4,021	4,790
6-11 months.....	179	819	1,193	35	604	693	953	1,130	1,420	1,723	2,005
1-2 years.....	745	3,107	1,247	18	586	720	949	1,192	1,488	1,835	2,095
3-5 years.....	1,219	4,695	1,392	17	679	807	1,070	1,329	1,668	2,050	2,229
6-8 years.....	428	5,336	1,637	36	867	974	1,244	1,656	1,910	2,284	2,537
9-11 years.....	457	5,310	1,820	37	821	1,051	1,383	1,728	2,204	2,599	2,987
12-14 years.....	504	5,920	1,979	47	828	968	1,424	1,875	2,441	2,994	3,361
15-17 years.....	535	6,320	2,408	58	911	1,141	1,620	2,187	2,962	3,719	4,622
18-24 years.....	988	13,275	3,010	62	1,086	1,404	1,938	2,637	3,663	4,900	5,972
25-34 years.....	1,067	15,895	2,984	60	1,303	1,522	2,008	2,710	3,538	4,636	5,316
35-44 years.....	745	11,367	2,816	49	1,307	1,552	2,014	2,568	3,382	4,406	5,085
45-54 years.....	690	11,114	2,854	77	1,230	1,476	1,966	2,533	3,316	4,396	5,248
55-64 years.....	1,227	9,607	2,362	32	1,113	1,309	1,716	2,213	2,874	3,455	3,975
65-74 years.....	1,199	6,297	2,028	26	962	1,116	1,482	1,948	2,469	2,996	3,477
Female											
6 months-74 years...	10,339	104,492	1,767	17	772	936	1,234	1,628	2,128	2,732	3,203
6-11 months.....	177	780	1,165	27	679	769	888	1,109	1,388	1,678	1,837
1-2 years.....	672	2,970	1,178	25	548	647	851	1,087	1,419	1,752	2,134
3-5 years.....	1,126	4,491	1,298	21	672	779	982	1,222	1,546	1,907	2,176
6-8 years.....	415	4,877	1,542	34	851	959	1,208	1,472	1,817	2,144	2,412
9-11 years.....	425	5,357	1,545	40	798	967	1,207	1,460	1,821	2,143	2,514
12-14 years.....	487	5,712	1,521	22	719	877	1,097	1,445	1,903	2,235	2,558
15-17 years.....	449	6,131	1,546	38	685	842	1,098	1,450	1,876	2,429	2,777
18-24 years.....	1,066	14,173	1,729	26	673	871	1,193	1,608	2,094	2,668	3,117
25-34 years.....	1,170	16,856	1,957	35	798	968	1,322	1,775	2,391	3,075	3,669
35-44 years.....	844	12,284	2,104	40	945	1,134	1,476	1,915	2,520	3,338	3,889
45-54 years.....	763	11,918	1,975	45	967	1,097	1,428	1,835	2,366	2,945	3,354
55-64 years.....	1,329	10,743	1,854	24	886	1,046	1,357	1,732	2,230	2,827	3,146
65-74 years.....	1,416	8,198	1,668	20	822	976	1,251	1,585	2,000	2,412	2,721
Income below poverty level^{1/}											
Male											
6 months-74 years...	1,539	11,653	2,167	67	708	915	1,281	1,859	2,594	3,573	4,750
6-11 months.....	48	177	*	*	*	*	860	1,065	1,338	*	*
1-2 years.....	170	601	1,200	37	525	686	856	1,128	1,567	1,824	2,041
3-5 years.....	298	910	1,382	37	719	789	1,043	1,295	1,714	2,099	2,210
6-8 years.....	82	900	1,609	101	769	932	1,163	1,610	2,007	2,308	2,684
9-11 years.....	88	854	1,638	67	619	724	1,282	1,621	2,040	2,446	2,608
12-14 years.....	89	891	1,728	110	681	887	1,135	1,597	2,287	2,704	3,140
15-17 years.....	89	974	2,011	174	626	912	1,232	1,821	2,279	3,206	4,184
18-24 years.....	178	2,237	2,857	107	851	1,115	1,787	2,583	3,500	5,091	5,971
25-34 years.....	91	1,106	2,975	206	1,126	1,223	1,841	2,469	3,452	6,186	6,595
35-44 years.....	63	821	*	*	*	*	1,762	2,239	2,914	*	*
45-54 years.....	46	645	*	*	*	*	1,964	2,523	3,448	*	*
55-64 years.....	129	779	2,211	121	683	952	1,432	2,021	2,786	3,573	4,236
65-74 years.....	168	759	1,704	65	744	918	1,194	1,641	2,178	2,531	2,655

See footnotes at end of table.

Table 1-1. Grams of food consumed for persons aged 6 months-74 years, by income level, sex, and age: Mean, standard error of the mean, and selected percentiles, United States, 1976-80-Continued

Income level, sex, and age	Exam- ined persons	Esti- mated popula- tion in thou- sands	Grams of food consumed								
			Mean	Stand- ard error of the mean	Percentile						
					5th	10th	25th	50th	75th	90th	95th
Income below poverty level ^{1/}											
Female											
6 months-74 years...	1,910	15,951	1,590	29	623	788	1,071	1,455	1,919	2,499	3,005
6-11 months.....	36	138	*	*	*	*	*	1,084	*	*	*
1-2 years.....	153	562	1,201	56	517	552	808	1,088	1,492	1,913	2,246
3-5 years.....	272	945	1,301	53	588	705	928	1,243	1,625	2,016	2,204
6-8 years.....	95	869	1,538	54	765	1,048	1,223	1,467	1,816	2,169	2,526
9-11 years.....	102	1,113	1,452	51	658	808	1,140	1,376	1,753	2,139	2,331
12-14 years.....	104	1,072	1,394	67	691	756	997	1,280	1,772	2,300	2,596
15-17 years.....	88	1,099	1,478	67	586	673	1,121	1,458	1,833	2,203	2,520
18-24 years.....	253	3,072	1,574	46	632	809	1,054	1,410	1,973	2,552	2,833
25-34 years.....	162	1,997	1,964	97	721	819	1,227	1,725	2,443	3,379	3,812
35-44 years.....	119	1,543	1,851	147	578	836	1,091	1,578	2,178	3,131	4,488
45-54 years.....	82	1,115	1,632	93	521	709	1,168	1,590	2,091	2,593	2,691
55-64 years.....	188	1,181	1,571	56	714	893	1,122	1,474	1,885	2,257	2,659
65-74 years.....	256	1,245	1,562	53	628	815	1,083	1,470	1,862	2,417	2,805
Income above poverty level ^{1/}											
Male											
6 months-74 years...	8,084	83,681	2,501	21	981	1,198	1,638	2,240	3,035	4,072	4,799
6-11 months.....	121	614	1,225	45	604	693	1,007	1,156	1,448	1,898	2,053
1-2 years.....	551	2,416	1,260	19	595	738	975	1,202	1,494	1,869	2,161
3-5 years.....	892	3,683	1,398	19	664	814	1,081	1,345	1,662	2,036	2,232
6-8 years.....	336	4,254	1,645	30	887	1,005	1,260	1,667	1,888	2,268	2,453
9-11 years.....	356	4,321	1,857	43	905	1,089	1,427	1,746	2,214	2,646	3,041
12-14 years.....	399	4,841	2,033	51	847	1,064	1,485	1,913	2,495	3,006	3,408
15-17 years.....	418	5,003	2,502	66	960	1,191	1,699	2,315	3,071	3,844	4,771
18-24 years.....	770	10,508	3,038	75	1,141	1,413	1,961	2,637	3,734	4,846	5,951
25-34 years.....	945	14,355	2,993	60	1,340	1,543	2,026	2,740	3,565	4,620	5,258
35-44 years.....	658	10,195	2,859	49	1,368	1,613	2,076	2,604	3,388	4,451	5,158
45-54 years.....	603	9,738	2,867	76	1,237	1,486	1,962	2,542	3,353	4,481	5,135
55-64 years.....	1,048	8,443	2,373	33	1,182	1,336	1,744	2,214	2,874	3,448	3,974
65-74 years.....	987	5,312	2,069	27	980	1,142	1,532	1,985	2,485	3,122	3,506
Female											
6 months-74 years...	8,036	84,696	1,803	18	805	976	1,267	1,660	2,162	2,782	3,230
6-11 months.....	135	612	1,172	37	679	754	928	1,112	1,401	1,676	1,763
1-2 years.....	505	2,351	1,175	26	572	669	865	1,087	1,418	1,710	2,060
3-5 years.....	815	3,419	1,305	20	731	795	1,004	1,223	1,517	1,867	2,170
6-8 years.....	308	3,864	1,536	37	853	953	1,206	1,471	1,819	2,128	2,359
9-11 years.....	307	4,049	1,573	46	874	972	1,226	1,470	1,847	2,144	2,591
12-14 years.....	363	4,414	1,558	33	720	910	1,156	1,498	1,944	2,265	2,593
15-17 years.....	342	4,758	1,548	41	732	843	1,092	1,431	1,888	2,431	2,824
18-24 years.....	771	10,505	1,771	34	720	912	1,251	1,666	2,147	2,699	3,133
25-34 years.....	982	14,482	1,954	35	803	995	1,327	1,789	2,389	3,022	3,579
35-44 years.....	702	10,377	2,148	43	1,010	1,195	1,544	1,952	2,538	3,365	3,842
45-54 years.....	655	10,424	2,014	47	992	1,152	1,450	1,852	2,394	2,978	3,363
55-64 years.....	1,071	8,934	1,905	25	925	1,066	1,396	1,782	2,312	2,891	3,232
65-74 years.....	1,080	6,508	1,692	20	853	1,034	1,278	1,606	2,032	2,419	2,722

^{1/} Excludes unknown income.

Table 1-2. Caloric intake values for persons aged 6 months-74 years, by income level, sex, and age: Mean, standard error of the mean, and selected percentiles, United States, 1976-80

Income level, sex, and age	Examined persons	Estimated population in thousands	Calories								
			Mean	Standard error of the mean	Percentile						
					5th	10th	25th	50th	75th	90th	95th
All incomes											
Male											
6 months-74 years...	9,983	99,062	2,381	20	976	1,193	1,614	2,187	2,891	3,721	4,400
6-11 months.....	179	819	1,001	27	513	610	739	922	1,194	1,476	1,740
1-2 years.....	745	3,107	1,311	19	653	788	973	1,259	1,560	1,976	2,204
3-5 years.....	1,219	4,695	1,628	19	857	977	1,249	1,556	1,933	2,337	2,667
6-8 years.....	428	5,336	1,981	40	1,084	1,267	1,569	1,915	2,371	2,754	2,943
9-11 years.....	457	5,310	2,183	39	1,154	1,329	1,705	2,092	2,592	3,028	3,454
12-14 years.....	504	5,920	2,430	57	1,049	1,305	1,736	2,324	2,957	3,670	4,121
15-17 years.....	535	6,320	2,817	60	1,133	1,362	1,906	2,629	3,386	4,479	5,575
18-24 years.....	988	13,275	3,040	68	1,185	1,456	2,040	2,731	3,668	4,805	5,840
25-34 years.....	1,067	15,895	2,734	49	1,213	1,495	1,963	2,577	3,365	4,172	4,749
35-44 years.....	745	11,367	2,424	47	1,073	1,294	1,753	2,299	2,931	3,586	4,211
45-54 years.....	690	11,114	2,361	47	1,019	1,226	1,713	2,224	2,805	3,613	4,058
55-64 years.....	1,227	9,607	2,071	25	948	1,125	1,529	1,966	2,554	3,136	3,481
65-74 years.....	1,199	6,297	1,829	24	841	1,015	1,335	1,723	2,212	2,725	3,096
Female											
6 months-74 years...	10,339	104,492	1,578	12	683	825	1,116	1,493	1,925	2,408	2,768
6-11 months.....	177	780	991	25	530	639	762	949	1,146	1,525	1,592
1-2 years.....	672	2,970	1,262	30	649	727	918	1,170	1,516	1,822	2,115
3-5 years.....	1,126	4,491	1,508	20	807	947	1,146	1,433	1,796	2,172	2,426
6-8 years.....	415	4,877	1,807	33	1,010	1,155	1,424	1,755	2,142	2,451	2,789
9-11 years.....	425	5,357	1,857	39	1,024	1,166	1,426	1,768	2,156	2,667	2,958
12-14 years.....	487	5,712	1,813	33	863	999	1,337	1,772	2,217	2,699	2,899
15-17 years.....	449	6,131	1,731	51	710	888	1,204	1,636	2,120	2,682	3,152
18-24 years.....	1,066	14,173	1,687	21	670	804	1,158	1,593	2,091	2,578	3,009
25-34 years.....	1,170	16,856	1,643	25	677	837	1,177	1,547	2,001	2,546	2,889
35-44 years.....	844	12,284	1,579	31	686	844	1,140	1,510	1,909	2,292	2,708
45-54 years.....	763	11,918	1,439	27	632	767	1,052	1,377	1,726	2,155	2,402
55-64 years.....	1,329	10,743	1,401	20	606	735	1,010	1,308	1,705	2,131	2,448
65-74 years.....	1,416	8,198	1,295	17	607	745	972	1,221	1,570	1,881	2,172
Income below poverty level/											
Male											
6 months-74 years...	1,539	11,653	2,214	41	771	999	1,442	2,008	2,755	3,581	4,296
6-11 months.....	48	177	*	*	*	*	696	922	1,198	*	*
1-2 years.....	170	601	1,296	39	602	669	909	1,234	1,605	1,987	2,156
3-5 years.....	298	910	1,688	50	880	964	1,256	1,577	2,050	2,509	2,900
6-8 years.....	82	900	1,971	99	823	1,234	1,642	1,911	2,460	2,941	3,010
9-11 years.....	88	854	1,997	64	728	1,042	1,568	1,971	2,403	2,906	3,178
12-14 years.....	89	891	2,254	137	871	1,106	1,541	2,209	2,803	3,644	3,957
15-17 years.....	89	974	2,547	158	906	1,210	1,645	2,303	3,120	4,438	4,883
18-24 years.....	178	2,237	2,971	127	1,059	1,360	1,912	2,731	3,685	4,543	6,470
25-34 years.....	91	1,106	2,573	92	1,090	1,214	1,735	2,302	3,205	4,242	4,744
35-44 years.....	63	821	*	*	*	*	1,389	2,051	2,699	*	*
45-54 years.....	46	645	*	*	*	*	1,683	2,360	2,825	*	*
55-64 years.....	129	779	1,873	96	548	764	1,263	1,715	2,431	3,065	3,456
65-74 years.....	168	759	1,602	45	667	871	1,169	1,495	1,875	2,404	2,623

See footnotes at end of table.

Table 1-2. Caloric intake values for persons aged 6 months-74 years, by income level, sex, and age: Mean, standard error of the mean, and selected percentiles, United States, 1976-80-Continued

Income level, sex, and age	Exam- ined persons	Esti- mated popula- tion in thou- sands	Calories									
			Mean	Stand- ard error of the mean	Percentile							
					5th	10th	25th	50th	75th	90th	95th	
Income below poverty level ^{1/}												
Female												
6 months-74 years...	1,910	15,951	1,557	23	606	765	1,076	1,460	1,900	2,467	2,850	
6-11 months.....	36	138	*	*	*	*	*	908	*	*	*	
1-2 years.....	153	562	1,359	54	632	721	932	1,298	1,568	1,963	2,765	
3-5 years.....	272	945	1,572	47	714	909	1,113	1,499	1,928	2,333	2,596	
6-8 years.....	95	869	1,858	70	1,002	1,121	1,468	1,832	2,258	2,570	2,956	
9-11 years.....	102	1,113	1,806	82	951	1,056	1,342	1,680	2,156	2,668	2,960	
12-14 years.....	104	1,072	1,721	83	854	957	1,212	1,614	2,149	2,671	3,073	
15-17 years.....	88	1,099	1,771	81	765	977	1,256	1,650	2,107	2,683	3,064	
18-24 years.....	253	3,072	1,604	57	589	780	1,102	1,559	1,992	2,497	2,877	
25-34 years.....	162	1,997	1,711	89	621	787	1,163	1,575	2,051	2,667	3,334	
35-44 years.....	119	1,543	1,420	69	576	685	918	1,327	1,830	2,270	2,825	
45-54 years.....	82	1,115	1,331	46	543	667	964	1,293	1,700	1,962	2,200	
55-64 years.....	188	1,181	1,258	42	503	614	815	1,204	1,548	1,991	2,361	
65-74 years.....	256	1,245	1,223	31	464	628	882	1,163	1,461	1,865	2,030	
Income above poverty level ^{1/}												
Male												
6 months-74 years...	8,084	83,681	2,410	22	1,005	1,220	1,638	2,214	2,916	3,741	4,431	
6-11 months.....	121	614	1,013	36	507	619	764	914	1,209	1,500	1,827	
1-2 years.....	551	2,416	1,317	21	680	805	980	1,259	1,558	1,978	2,273	
3-5 years.....	892	3,683	1,620	22	860	988	1,254	1,554	1,911	2,291	2,589	
6-8 years.....	336	4,254	1,989	38	1,089	1,273	1,567	1,918	2,366	2,712	2,921	
9-11 years.....	356	4,321	2,217	46	1,189	1,359	1,723	2,122	2,622	3,011	3,452	
12-14 years.....	399	4,841	2,469	59	1,111	1,337	1,749	2,361	3,005	3,721	4,232	
15-17 years.....	418	5,003	2,892	74	1,155	1,386	1,996	2,675	3,446	4,542	5,612	
18-24 years.....	770	10,508	3,063	83	1,184	1,478	2,058	2,732	3,678	4,918	5,875	
25-34 years.....	945	14,355	2,751	51	1,277	1,516	1,974	2,592	3,374	4,162	4,788	
35-44 years.....	658	10,195	2,468	50	1,140	1,313	1,817	2,324	2,952	3,620	4,264	
45-54 years.....	603	9,738	2,378	52	997	1,236	1,706	2,226	2,815	3,676	4,123	
55-64 years.....	1,048	8,443	2,087	28	978	1,160	1,543	1,979	2,555	3,159	3,521	
65-74 years.....	987	5,312	1,858	26	859	1,032	1,367	1,744	2,245	2,769	3,137	
Female												
6 months-74 years...	8,036	84,696	1,582	12	695	843	1,123	1,501	1,930	2,407	2,761	
6-11 months.....	135	612	979	32	530	639	762	950	1,123	1,524	1,590	
1-2 years.....	505	2,351	1,240	30	649	738	916	1,163	1,484	1,804	2,053	
3-5 years.....	815	3,419	1,497	17	848	966	1,156	1,429	1,777	2,091	2,369	
6-8 years.....	308	3,864	1,794	39	1,030	1,178	1,415	1,755	2,114	2,436	2,693	
9-11 years.....	307	4,049	1,875	45	1,040	1,185	1,487	1,790	2,165	2,668	2,956	
12-14 years.....	363	4,414	1,846	39	919	1,025	1,384	1,831	2,240	2,703	2,912	
15-17 years.....	342	4,758	1,692	53	699	872	1,161	1,595	2,116	2,655	3,069	
18-24 years.....	771	10,505	1,713	25	689	832	1,169	1,636	2,119	2,614	3,010	
25-34 years.....	982	14,482	1,632	25	683	838	1,178	1,545	1,996	2,544	2,872	
35-44 years.....	702	10,377	1,598	33	744	871	1,149	1,531	1,924	2,344	2,709	
45-54 years.....	655	10,424	1,451	31	643	784	1,060	1,377	1,731	2,162	2,430	
55-64 years.....	1,071	8,934	1,428	22	623	780	1,050	1,352	1,712	2,172	2,466	
65-74 years.....	1,080	6,508	1,312	19	649	766	993	1,231	1,587	1,901	2,191	

1/ Excludes unknown income.

Table 1-3. Protein intake values in grams for persons aged 6 months-74 years, by income level, sex, and age: Mean, standard error of the mean, and selected percentiles, United States, 1976-80

Income level, sex, and age	Exam-ined persons	Esti-mated popula-tion in thou-sands	Protein in grams								
			Mean	Stand-ard error of the mean	Percentile						
					5th	10th	25th	50th	75th	90th	95th
All incomes											
Male											
6 months-74 years...	9,983	99,062	92	1.0	33	42	58	82	114	154	186
6-11 months.....	179	819	40	1.5	16	19	29	38	49	65	75
1-2 years.....	745	3,107	49	.9	21	25	34	46	58	75	88
3-5 years.....	1,219	4,695	58	.8	26	32	42	55	70	87	98
6-8 years.....	428	5,336	73	1.5	37	44	55	69	87	108	122
9-11 years.....	457	5,310	81	1.7	36	45	58	74	97	129	141
12-14 years.....	504	5,920	90	2.3	32	45	62	83	113	144	166
15-17 years.....	535	6,320	111	2.8	36	46	69	98	135	189	238
18-24 years.....	988	13,275	118	3.2	43	53	74	104	142	196	235
25-34 years.....	1,067	15,895	107	2.1	40	51	70	98	131	174	210
35-44 years.....	745	11,367	95	1.8	38	47	63	87	118	151	186
45-54 years.....	690	11,114	93	1.7	37	44	63	87	115	147	172
55-64 years.....	1,227	9,607	84	1.6	35	41	56	78	102	131	158
65-74 years.....	1,199	6,297	73	1.0	29	38	51	67	90	115	135
Female											
6 months-74 years...	10,339	104,492	60	.6	22	28	40	55	74	95	114
6-11 months.....	177	780	39	1.5	15	20	26	38	48	60	68
1-2 years.....	672	2,970	47	1.2	20	25	33	44	57	70	84
3-5 years.....	1,126	4,491	54	1.0	24	29	39	52	65	81	90
6-8 years.....	415	4,877	64	1.3	31	39	48	61	77	91	100
9-11 years.....	425	5,357	67	1.7	32	37	46	63	82	103	121
12-14 years.....	487	5,712	65	1.4	26	32	45	60	81	104	116
15-17 years.....	449	6,131	63	1.9	21	29	44	60	78	103	120
18-24 years.....	1,066	14,173	64	1.0	19	27	42	59	79	106	130
25-34 years.....	1,170	16,856	64	1.1	21	28	42	59	80	103	127
35-44 years.....	844	12,284	62	1.7	22	29	41	57	76	100	118
45-54 years.....	763	11,918	58	1.3	23	29	39	52	72	91	104
55-64 years.....	1,329	10,743	55	1.0	22	27	36	51	69	90	107
65-74 years.....	1,416	8,198	51	.7	21	26	36	48	63	81	92
Income below poverty level ^{1/}											
Male											
6 months-74 years...	1,539	11,653	84	2.3	25	33	51	73	104	144	167
6-11 months.....	48	177	*	*	*	*	25	35	49	*	*
1-2 years.....	170	601	50	2.1	20	26	35	49	60	80	91
3-5 years.....	298	910	59	1.6	27	32	43	57	73	92	98
6-8 years.....	82	900	71	3.2	27	40	59	70	83	102	112
9-11 years.....	88	854	75	3.0	31	34	56	68	95	128	133
12-14 years.....	89	891	81	5.0	26	34	56	80	104	131	143
15-17 years.....	89	974	96	5.3	32	36	61	93	121	167	179
18-24 years.....	178	2,237	118	9.3	31	48	65	103	149	181	222
25-34 years.....	91	1,106	95	4.5	25	33	59	86	120	166	205
35-44 years.....	63	821	*	*	*	*	49	76	99	*	*
45-54 years.....	46	645	*	*	*	*	64	83	116	*	*
55-64 years.....	129	779	67	3.4	23	29	45	60	82	121	131
65-74 years.....	168	759	65	2.0	21	30	45	63	82	113	115

See footnotes at end of table.

Table 1-3. Protein intake values in grams for persons aged 6 months-74 years, by income level, sex, and age: Mean, standard error of the mean, and selected percentiles, United States, 1976-80-Continued

Income level, sex, and age	Exam- ined persons	Esti- mated popula- tion in thou- sands	Protein in grams								
			Mean	Stand- ard error of the mean	Percentile						
					5th	10th	25th	50th	75th	90th	95th
Income below poverty level ^{1/}											
Female											
6 months-74 years...	1,910	15,951	57	1.0	19	25	37	53	72	93	110
6-11 months.....	36	138	*	*	*	*	*	29	*	*	*
1-2 years.....	153	562	51	2.3	18	25	37	46	60	86	104
3-5 years.....	272	945	57	2.2	24	29	40	56	69	85	92
6-8 years.....	95	869	64	2.0	32	39	48	67	76	86	100
9-11 years.....	102	1,113	67	3.9	28	39	44	60	82	100	126
12-14 years.....	104	1,072	59	3.2	22	26	34	54	75	106	116
15-17 years.....	88	1,099	63	2.9	24	26	45	60	79	100	111
18-24 years.....	253	3,072	59	2.4	18	22	35	55	70	90	113
25-34 years.....	162	1,997	66	4.0	18	26	42	57	84	112	141
35-44 years.....	119	1,543	53	2.4	14	19	34	49	67	93	103
45-54 years.....	82	1,115	48	2.4	21	25	32	48	58	80	91
55-64 years.....	188	1,181	48	1.9	21	23	28	43	57	78	98
65-74 years.....	256	1,245	48	1.5	16	22	31	43	62	75	87
Income above poverty level ^{1/}											
Male											
6 months-74 years...	8,084	83,681	94	1.0	35	43	60	84	115	156	189
6-11 months.....	121	614	41	1.8	16	19	30	38	51	65	75
1-2 years.....	551	2,416	48	1.0	21	25	33	45	58	75	88
3-5 years.....	892	3,683	58	1.0	26	32	42	55	70	86	98
6-8 years.....	336	4,254	74	1.6	39	44	54	69	87	111	123
9-11 years.....	356	4,321	82	2.0	38	47	59	75	98	127	147
12-14 years.....	399	4,841	92	2.5	34	46	63	83	117	148	169
15-17 years.....	418	5,003	114	3.4	36	48	72	101	139	200	248
18-24 years.....	770	10,508	118	3.3	45	55	75	104	139	199	238
25-34 years.....	945	14,355	109	2.2	43	52	71	99	132	174	218
35-44 years.....	658	10,195	98	2.0	39	48	64	88	120	155	191
45-54 years.....	603	9,738	94	1.8	37	47	63	88	116	150	179
55-64 years.....	1,048	8,443	85	1.6	37	43	58	80	104	133	161
65-74 years.....	987	5,312	74	1.1	30	39	52	68	90	117	139
Female											
6 months-74 years...	8,036	84,696	61	.6	23	29	41	56	75	96	115
6-11 months.....	135	612	39	1.7	18	22	28	39	48	59	66
1-2 years.....	505	2,351	46	1.2	20	25	32	43	56	67	80
3-5 years.....	815	3,419	53	.8	24	30	39	51	64	79	89
6-8 years.....	308	3,864	63	1.6	31	38	48	60	77	92	100
9-11 years.....	307	4,049	68	1.8	32	37	48	63	83	105	119
12-14 years.....	363	4,414	66	1.5	29	38	46	63	82	104	117
15-17 years.....	342	4,758	63	2.2	21	29	43	58	79	103	120
18-24 years.....	771	10,505	66	1.2	20	28	44	61	81	108	132
25-34 years.....	982	14,482	63	1.1	22	29	41	59	78	101	126
35-44 years.....	702	10,377	63	1.8	25	31	42	58	77	103	118
45-54 years.....	655	10,424	59	1.4	23	30	40	54	73	91	110
55-64 years.....	1,071	8,934	56	1.1	23	28	37	52	70	91	106
65-74 years.....	1,080	6,508	52	.8	21	26	36	49	63	81	93

^{1/} Excludes unknown income.

Table 1-4. Fat intake values in grams for persons aged 6 months-74 years, by income level, sex, and age: Mean, standard error of the mean, and selected percentiles, United States, 1976-80

Income level, sex, and age	Exam- ined persons	Esti- mated popula- tion in thou- sands	Fat in grams								
			Mean	Stand- ard error of the mean	Percentile						
					5th	10th	25th	50th	75th	90th	95th
All incomes											
Male											
6 months-74 years...	9,983	99,062	98	1.2	32	42	60	87	123	165	199
6-11 months.....	179	819	36	1.4	10	15	22	33	44	62	76
1-2 years.....	745	3,107	52	1.2	19	25	35	48	62	84	99
3-5 years.....	1,219	4,695	64	1.2	26	33	45	59	78	101	117
6-8 years.....	428	5,336	81	2.3	38	44	58	76	96	125	137
9-11 years.....	457	5,310	86	2.1	40	48	62	80	103	131	151
12-14 years.....	504	5,920	99	3.2	36	44	62	90	125	165	193
15-17 years.....	535	6,320	116	3.0	38	50	72	107	143	196	236
18-24 years.....	988	13,275	124	3.3	38	50	75	108	152	208	264
25-34 years.....	1,067	15,895	111	2.7	37	47	71	103	141	179	214
35-44 years.....	745	11,367	103	2.8	39	48	64	93	129	165	192
45-54 years.....	690	11,114	99	2.1	32	44	64	91	125	164	194
55-64 years.....	1,227	9,607	86	1.3	29	40	56	79	105	141	167
65-74 years.....	1,199	6,297	75	1.2	27	34	49	68	93	121	141
Female											
6 months-74 years...	10,339	104,492	64	.7	21	28	41	59	81	105	124
6-11 months.....	177	780	38	1.4	11	17	26	36	46	62	70
1-2 years.....	672	2,970	50	1.1	19	24	35	46	62	80	91
3-5 years.....	1,126	4,491	60	1.1	25	31	42	56	74	93	105
6-8 years.....	415	4,877	72	1.5	34	40	53	69	88	104	115
9-11 years.....	425	5,357	75	1.7	34	41	53	71	91	116	134
12-14 years.....	487	5,712	74	1.6	28	35	48	69	93	120	140
15-17 years.....	449	6,131	73	2.9	21	32	46	68	92	120	145
18-24 years.....	1,066	14,173	67	.9	18	27	42	62	85	110	127
25-34 years.....	1,170	16,856	68	1.2	21	28	42	63	84	112	130
35-44 years.....	844	12,284	66	1.6	22	30	42	60	82	105	131
45-54 years.....	763	11,918	60	1.5	19	26	38	54	74	98	109
55-64 years.....	1,329	10,743	57	1.0	18	23	35	52	73	95	113
65-74 years.....	1,416	8,198	50	1.0	16	23	33	46	62	81	99
Income below poverty level ^{1/}											
Male											
6 months-74 years...	1,539	11,653	92	2.4	23	35	53	78	115	164	196
6-11 months.....	48	177	*	*	*	*	23	34	47	*	*
1-2 years.....	170	601	54	2.0	19	22	36	50	67	89	101
3-5 years.....	298	910	71	3.1	26	35	50	65	88	110	137
6-8 years.....	82	900	80	4.5	42	46	59	78	93	121	138
9-11 years.....	88	854	81	3.7	21	40	59	74	95	128	145
12-14 years.....	89	891	97	7.4	34	41	58	84	124	174	197
15-17 years.....	89	974	110	8.2	31	38	64	98	142	182	236
18-24 years.....	178	2,237	124	7.0	32	45	68	103	162	209	287
25-34 years.....	91	1,106	103	4.2	20	47	64	89	142	180	220
35-44 years.....	63	821	*	*	*	*	48	70	113	*	*
45-54 years.....	46	645	*	*	*	*	61	93	141	*	*
55-64 years.....	129	779	77	4.7	17	21	44	71	99	126	157
65-74 years.....	168	759	66	2.6	18	23	42	61	80	105	135

See footnotes at end of table.

Table 1-4. Fat intake values in grams for persons aged 6 months-74 years, by income level, sex, and age: Mean, standard error of the mean, and selected percentiles, United States, 1976-80-Continued

Income level, sex, and age	Exam- ined persons	Esti- mated popula- tion in thou- sands	Fat in grams								
			Mean	Stand- ard error of the mean	Percentile						
					5th	10th	25th	50th	75th	90th	95th
Income below poverty level ^{1/}											
Female											
6 months-74 years...	1,910	15,951	64	1.2	18	26	39	58	82	108	133
6-11 months.....	36	138	*	*	*	*	*	38	*	*	*
1-2 years.....	153	562	58	2.5	19	28	40	54	68	92	104
3-5 years.....	272	945	66	2.1	23	35	45	62	80	100	119
6-8 years.....	95	869	76	3.1	37	40	55	75	93	108	140
9-11 years.....	102	1,113	74	4.5	27	35	47	69	93	114	133
12-14 years.....	104	1,072	72	4.1	32	34	46	62	89	115	155
15-17 years.....	88	1,099	78	5.4	26	36	48	71	96	137	142
18-24 years.....	253	3,072	63	2.5	17	21	38	58	83	103	120
25-34 years.....	162	1,997	71	4.3	18	26	43	63	83	126	155
35-44 years.....	119	1,543	63	4.2	11	21	35	53	79	118	164
45-54 years.....	82	1,115	59	3.0	14	23	36	55	79	90	107
55-64 years.....	188	1,181	52	2.3	16	21	32	47	65	84	99
65-74 years.....	256	1,245	46	1.6	14	18	30	43	57	75	91
Income above poverty level ^{1/}											
Male											
6 months-74 years...	8,084	83,681	99	1.3	33	42	60	88	124	165	201
6-11 months.....	121	614	35	1.7	8	12	22	32	44	62	75
1-2 years.....	551	2,416	51	1.3	20	25	34	47	62	82	96
3-5 years.....	892	3,683	63	1.2	26	34	44	58	75	101	111
6-8 years.....	336	4,254	81	2.4	38	44	58	76	96	125	137
9-11 years.....	356	4,321	87	2.2	42	49	63	81	103	131	151
12-14 years.....	399	4,841	99	3.4	36	44	62	92	125	165	195
15-17 years.....	418	5,003	119	3.7	41	51	74	109	143	202	236
18-24 years.....	770	10,508	124	3.9	38	50	76	109	150	208	262
25-34 years.....	945	14,355	112	2.8	38	47	73	103	142	178	214
35-44 years.....	658	10,195	106	3.0	41	50	67	95	132	170	198
45-54 years.....	603	9,738	99	2.2	32	44	64	91	125	165	196
55-64 years.....	1,048	8,443	87	1.4	30	40	57	81	105	144	169
65-74 years.....	987	5,312	76	1.4	29	35	49	69	95	122	141
Female											
6 months-74 years...	8,036	84,696	64	.7	21	28	41	59	81	105	123
6-11 months.....	135	612	36	1.6	11	17	25	35	45	61	68
1-2 years.....	505	2,351	49	1.1	18	23	33	44	61	77	87
3-5 years.....	815	3,419	59	.9	25	31	42	55	71	89	102
6-8 years.....	308	3,864	71	1.9	34	41	52	67	87	104	114
9-11 years.....	307	4,049	75	2.0	36	43	54	72	90	116	134
12-14 years.....	363	4,414	75	1.9	28	36	50	71	94	120	138
15-17 years.....	342	4,758	71	3.0	19	31	46	67	90	118	132
18-24 years.....	771	10,505	68	1.1	20	28	43	64	86	111	127
25-34 years.....	982	14,482	67	1.3	21	28	42	63	84	112	129
35-44 years.....	702	10,377	67	1.7	24	31	42	62	82	105	126
45-54 years.....	655	10,424	60	1.6	20	27	39	54	74	98	109
55-64 years.....	1,071	8,934	58	1.1	19	24	36	53	74	96	115
65-74 years.....	1,080	6,508	51	1.0	17	23	34	47	63	83	100

^{1/} Excludes unknown income.

Table 1-5. Total carbohydrate intake values in grams for persons aged 6 months-74 years, by income level, sex, and age: Mean, standard error of the mean, and selected percentiles, United States, 1976-80

Income level, sex, and age	Exam- ined persons	Esti- mated popula- tion in thou- sands	Total carbohydrate in grams								
			Mean	Stand- ard error of the mean	Percentile						
					5th	10th	25th	50th	75th	90th	95th
All incomes											
Male											
6 months-74 years...	9,983	99,062	262	2.0	101	128	176	242	322	418	487
6-11 months.....	179	819	130	4.2	67	76	92	121	157	198	226
1-2 years.....	745	3,107	166	2.3	74	91	120	159	202	256	292
3-5 years.....	1,219	4,695	208	2.1	100	122	157	200	249	301	344
6-8 years.....	428	5,336	244	4.8	130	154	194	239	284	341	394
9-11 years.....	457	5,310	276	5.1	129	161	203	261	338	404	435
12-14 years.....	504	5,920	299	6.1	133	155	205	289	367	450	522
15-17 years.....	535	6,320	330	7.4	121	157	217	312	412	502	598
18-24 years.....	988	13,275	321	6.1	122	154	213	294	391	514	600
25-34 years.....	1,067	15,895	291	5.2	120	147	200	263	357	458	540
35-44 years.....	745	11,367	248	5.4	105	127	174	237	309	380	431
45-54 years.....	690	11,114	244	6.7	100	123	167	228	291	374	434
55-64 years.....	1,227	9,607	216	3.5	82	109	150	205	272	340	387
65-74 years.....	1,199	6,297	204	3.3	72	97	141	193	253	316	366
Female											
6 months-74 years...	10,339	104,492	185	1.2	70	89	125	172	230	295	343
6-11 months.....	177	780	125	3.1	63	73	89	119	153	188	208
1-2 years.....	672	2,970	158	4.6	71	87	109	142	191	240	270
3-5 years.....	1,126	4,491	191	2.6	94	114	141	181	229	284	322
6-8 years.....	415	4,877	230	4.5	120	142	173	217	278	344	369
9-11 years.....	425	5,357	233	5.4	122	136	179	221	278	336	365
12-14 years.....	487	5,712	224	4.4	102	120	159	215	271	335	369
15-17 years.....	449	6,131	205	6.1	78	103	133	190	265	337	383
18-24 years.....	1,066	14,173	197	3.2	67	90	129	185	254	326	358
25-34 years.....	1,170	16,856	187	3.2	67	86	126	173	228	298	354
35-44 years.....	844	12,284	172	3.3	59	80	119	162	215	277	323
45-54 years.....	763	11,918	159	3.2	64	77	107	150	201	251	280
55-64 years.....	1,329	10,743	161	2.6	63	83	110	152	198	247	300
65-74 years.....	1,416	8,198	158	2.1	64	81	111	151	194	244	284
Income below poverty level ^{1/}											
Male											
6 months-74 years...	1,539	11,653	248	4.2	80	111	163	227	312	401	472
6-11 months.....	48	177	*	*	*	*	92	108	145	*	*
1-2 years.....	170	601	155	5.0	61	83	100	156	191	237	277
3-5 years.....	298	910	207	5.5	96	114	158	199	255	300	354
6-8 years.....	82	900	246	15.7	102	131	180	236	298	361	449
9-11 years.....	88	854	245	9.4	96	135	175	244	310	357	399
12-14 years.....	89	891	268	16.6	112	138	175	253	333	428	462
15-17 years.....	89	974	284	15.1	107	123	189	256	340	470	524
18-24 years.....	178	2,237	312	11.3	134	158	208	285	378	503	586
25-34 years.....	91	1,106	278	12.3	114	133	170	241	345	473	609
35-44 years.....	63	821	*	*	*	*	127	225	283	*	*
45-54 years.....	46	645	*	*	*	*	168	238	311	*	*
55-64 years.....	129	779	202	10.1	58	73	126	196	268	339	399
65-74 years.....	168	759	176	8.1	44	61	115	164	221	297	326

See footnotes at end of table.

Table 1-5. Total carbohydrate intake values in grams for persons aged 6 months-74 years, by income level, sex, and age: Mean, standard error of the mean, and selected percentiles, United States, 1976-80-Continued

Income level, sex, and age	Exam-ined persons	Esti-mated popula-tion in thou-sands	Total carbohydrate in grams								
			Mean	Stand-ard error of the mean	Percentile						
					5th	10th	25th	50th	75th	90th	95th
Income below poverty level ^{1/}											
Female											
6 months-74 years...	1,910	15,951	185	2.6	66	84	123	171	230	303	352
6-11 months.....	36	138	*	*	*	*	*	119	*	*	*
1-2 years.....	153	562	161	8.4	71	87	106	143	201	239	285
3-5 years.....	272	945	191	6.8	79	100	135	174	241	316	354
6-8 years.....	95	869	233	10.0	111	144	169	215	286	352	394
9-11 years.....	102	1,113	221	8.5	100	135	175	211	279	331	345
12-14 years.....	104	1,072	211	11.2	101	111	149	204	266	313	369
15-17 years.....	88	1,099	207	10.5	89	111	146	189	274	314	383
18-24 years.....	253	3,072	193	6.9	66	86	128	179	241	319	374
25-34 years.....	162	1,997	196	10.2	74	89	132	173	239	312	434
35-44 years.....	119	1,543	156	7.8	34	67	100	147	201	281	321
45-54 years.....	82	1,115	148	7.2	44	74	98	137	193	235	279
55-64 years.....	188	1,181	150	5.5	57	72	93	138	185	244	341
65-74 years.....	256	1,245	154	5.0	49	69	103	146	193	254	283
Income above poverty level ^{1/}											
Male											
6 months-74 years...	8,084	83,681	265	2.3	105	131	178	244	324	420	489
6-11 months.....	121	614	134	5.6	67	79	93	129	164	200	247
1-2 years.....	551	2,416	169	2.6	77	94	122	159	205	262	296
3-5 years.....	892	3,683	210	2.7	104	125	159	201	249	302	341
6-8 years.....	336	4,254	245	3.7	133	155	200	240	284	341	384
9-11 years.....	356	4,321	282	6.0	136	164	207	269	341	405	448
12-14 years.....	399	4,841	306	6.8	133	157	215	293	374	459	523
15-17 years.....	418	5,003	340	9.3	128	164	230	324	420	516	619
18-24 years.....	770	10,508	325	7.7	120	152	213	298	401	519	615
25-34 years.....	945	14,355	292	5.3	123	150	202	264	357	456	529
35-44 years.....	658	10,195	250	5.6	106	132	177	240	310	383	433
45-54 years.....	603	9,738	246	7.3	98	123	165	230	293	380	447
55-64 years.....	1,048	8,443	216	4.0	84	111	150	204	271	338	382
65-74 years.....	987	5,312	208	3.2	81	102	145	196	256	316	371
Female											
6 months-74 years...	8,036	84,696	185	1.2	71	90	125	172	230	294	340
6-11 months.....	135	612	125	4.4	66	75	94	119	154	188	199
1-2 years.....	505	2,351	158	4.5	71	87	110	143	191	240	260
3-5 years.....	815	3,419	192	2.3	102	118	144	182	227	281	312
6-8 years.....	308	3,864	229	5.0	120	142	176	217	277	337	368
9-11 years.....	307	4,049	237	6.6	124	143	182	225	278	339	365
12-14 years.....	363	4,414	229	5.6	102	126	169	220	276	339	373
15-17 years.....	342	4,758	201	6.1	78	97	131	187	257	323	369
18-24 years.....	771	10,505	199	3.4	67	91	129	188	258	326	357
25-34 years.....	982	14,482	186	3.4	66	84	124	173	227	293	346
35-44 years.....	702	10,377	174	3.3	62	83	120	163	218	278	325
45-54 years.....	655	10,424	160	3.5	67	77	108	151	202	253	280
55-64 years.....	1,071	8,934	163	2.7	64	85	115	154	204	251	300
65-74 years.....	1,080	6,508	160	2.4	67	85	113	152	194	244	286

^{1/} Excludes unknown income.

Table 1-6. Calcium intake values in milligrams for persons aged 6 months-74 years, by income level, sex, and age: Mean, standard error of the mean, and selected percentiles, United States, 1976-80

Income level, sex, and age	Exam-ined persons	Esti-mated popula-tion in thou-sands	Calcium in milligrams								
			Mean	Stand-ard error of the mean	Percentile						
					5th	10th	25th	50th	75th	90th	95th
All incomes											
Male											
6 months-74 years...	9,983	99,062	979	18	220	303	511	829	1,283	1,786	2,209
6-11 months.....	179	819	951	47	311	409	602	912	1,170	1,613	1,945
1-2 years.....	745	3,107	786	19	216	285	454	714	1,016	1,374	1,588
3-5 years.....	1,219	4,695	843	21	245	326	527	777	1,086	1,449	1,684
6-8 years.....	428	5,336	1,074	29	417	513	710	1,019	1,346	1,662	1,971
9-11 years.....	457	5,310	1,116	33	348	466	732	1,048	1,423	1,843	2,189
12-14 years.....	504	5,920	1,176	53	288	426	703	1,025	1,508	2,068	2,464
15-17 years.....	535	6,320	1,333	46	244	371	729	1,178	1,720	2,519	3,254
18-24 years.....	988	13,275	1,215	36	215	352	605	1,001	1,547	2,211	2,984
25-34 years.....	1,067	15,895	968	32	214	281	453	805	1,266	1,835	2,275
35-44 years.....	745	11,367	858	26	193	264	466	716	1,143	1,597	1,984
45-54 years.....	690	11,114	841	23	216	294	456	733	1,126	1,545	1,778
55-64 years.....	1,227	9,607	804	26	193	270	426	685	1,053	1,437	1,806
65-74 years.....	1,199	6,297	698	13	186	241	370	597	915	1,310	1,564
Female											
6 months-74 years...	10,339	104,492	679	12	146	198	337	574	907	1,281	1,554
6-11 months.....	177	780	910	40	264	366	561	900	1,199	1,466	1,674
1-2 years.....	672	2,970	753	29	220	290	454	701	966	1,245	1,493
3-5 years.....	1,126	4,491	791	18	229	305	488	730	1,029	1,355	1,527
6-8 years.....	415	4,877	978	29	276	434	646	924	1,230	1,574	1,751
9-11 years.....	425	5,357	944	42	276	383	574	844	1,227	1,619	1,915
12-14 years.....	487	5,712	859	30	201	274	495	793	1,140	1,552	1,740
15-17 years.....	449	6,131	764	36	115	197	392	622	1,000	1,450	1,747
18-24 years.....	1,066	14,173	679	18	126	178	313	565	915	1,301	1,670
25-34 years.....	1,170	16,856	636	21	137	178	295	535	858	1,219	1,511
35-44 years.....	844	12,284	603	23	135	186	289	508	768	1,144	1,402
45-54 years.....	763	11,918	576	18	135	190	299	474	735	1,075	1,261
55-64 years.....	1,329	10,743	561	12	140	178	275	475	743	1,060	1,250
65-74 years.....	1,416	8,198	542	11	141	181	298	475	714	1,004	1,156
Income below poverty level^{1/}											
Male											
6 months-74 years...	1,539	11,653	956	30	176	254	480	826	1,243	1,721	2,143
6-11 months.....	48	177	*	*	*	*	512	748	991	*	*
1-2 years.....	170	601	786	38	180	248	458	710	970	1,459	1,706
3-5 years.....	298	910	811	26	210	310	509	754	1,047	1,382	1,570
6-8 years.....	82	900	1,040	67	257	473	785	1,018	1,368	1,616	1,776
9-11 years.....	88	854	1,008	68	338	469	676	959	1,263	1,581	1,923
12-14 years.....	89	891	1,025	90	286	374	642	885	1,260	2,053	2,155
15-17 years.....	89	974	992	85	161	181	367	936	1,433	1,934	2,188
18-24 years.....	178	2,237	1,298	96	162	315	586	970	1,642	2,715	3,428
25-34 years.....	91	1,106	876	73	169	238	303	733	1,158	1,694	2,186
35-44 years.....	63	821	*	*	*	*	344	599	849	*	*
45-54 years.....	46	645	*	*	*	*	478	860	1,414	*	*
55-64 years.....	129	779	709	34	135	225	340	638	965	1,289	1,595
65-74 years.....	168	759	673	29	119	186	297	595	893	1,355	1,560

See footnotes at end of table.

Table 1-6. Calcium intake values in milligrams for persons aged 6 months-74 years, by income level, sex, and age: Mean, standard error of the mean, and selected percentiles, United States, 1976-80-Continued

Income level, sex, and age	Exam-ined persons	Esti-mated popula-tion in thou-sands	Calcium in milligrams								
			Mean	Stand-ard error of the mean	Percentile						
					5th	10th	25th	50th	75th	90th	95th
Income below poverty level ^{1/}											
Female											
6 months-74 years...	1,910	15,951	642	13	120	169	303	543	867	1,221	1,514
6-11 months.....	36	138	*	*	*	*	*	734	*	*	*
1-2 years.....	153	562	781	67	208	256	389	689	1,029	1,285	1,784
3-5 years.....	272	945	773	39	232	293	432	713	1,038	1,361	1,559
6-8 years.....	95	869	948	48	297	381	642	899	1,175	1,521	1,840
9-11 years.....	102	1,113	865	50	302	339	543	806	1,098	1,492	1,557
12-14 years.....	104	1,072	706	45	173	264	392	591	978	1,450	1,627
15-17 years.....	88	1,099	623	53	75	145	302	519	841	1,177	1,515
18-24 years.....	253	3,072	612	31	128	169	305	494	812	1,151	1,511
25-34 years.....	162	1,997	627	60	118	162	256	444	763	1,413	1,737
35-44 years.....	119	1,543	501	58	74	108	185	393	703	957	1,241
45-54 years.....	82	1,115	495	41	104	147	229	428	681	995	1,150
55-64 years.....	188	1,181	521	29	115	156	266	388	708	1,061	1,251
65-74 years.....	256	1,245	540	27	110	160	252	477	751	1,031	1,258
Income above poverty level ^{1/}											
Male											
6 months-74 years...	8,084	83,681	986	20	229	313	514	835	1,290	1,801	2,232
6-11 months.....	121	614	1,000	58	311	390	690	961	1,207	1,749	1,991
1-2 years.....	551	2,416	789	23	224	291	454	716	1,022	1,324	1,567
3-5 years.....	892	3,683	853	25	250	335	535	780	1,099	1,457	1,697
6-8 years.....	336	4,254	1,086	34	446	531	710	1,020	1,339	1,669	2,033
9-11 years.....	356	4,321	1,137	38	350	454	743	1,089	1,460	1,857	2,219
12-14 years.....	399	4,841	1,208	58	291	435	716	1,045	1,615	2,094	2,514
15-17 years.....	418	5,003	1,420	52	299	444	776	1,237	1,829	2,705	3,284
18-24 years.....	770	10,508	1,192	40	222	352	600	1,007	1,528	2,167	2,808
25-34 years.....	945	14,355	979	34	216	293	465	816	1,286	1,846	2,293
35-44 years.....	658	10,195	881	27	215	284	476	744	1,168	1,620	2,076
45-54 years.....	603	9,738	846	24	220	298	459	731	1,130	1,560	1,780
55-64 years.....	1,048	8,443	807	29	205	280	426	686	1,046	1,445	1,839
65-74 years.....	987	5,312	699	26	197	245	375	597	914	1,300	1,563
Female											
6 months-74 years...	8,036	84,696	687	13	150	201	345	583	913	1,289	1,564
6-11 months.....	135	612	954	42	271	497	627	929	1,215	1,467	1,693
1-2 years.....	505	2,351	745	27	222	304	457	700	935	1,233	1,438
3-5 years.....	815	3,419	800	20	240	315	499	731	1,029	1,359	1,527
6-8 years.....	308	3,864	983	35	276	440	646	941	1,243	1,541	1,689
9-11 years.....	307	4,049	968	51	276	397	593	860	1,275	1,665	2,022
12-14 years.....	363	4,414	900	36	203	324	535	839	1,175	1,589	1,749
15-17 years.....	342	4,758	791	43	119	199	403	656	1,019	1,470	1,804
18-24 years.....	771	10,505	699	21	126	178	313	576	949	1,379	1,700
25-34 years.....	982	14,482	636	19	137	179	301	547	858	1,217	1,486
35-44 years.....	702	10,377	619	24	149	200	306	528	779	1,163	1,448
45-54 years.....	655	10,424	585	20	138	195	309	474	757	1,077	1,297
55-64 years.....	1,071	8,934	571	14	146	181	288	490	751	1,062	1,255
65-74 years.....	1,080	6,508	541	12	147	188	305	473	708	984	1,137

^{1/} Excludes unknown income.

Table 1-7. Phosphorus intake values in milligrams for persons aged 6 months-74 years, by income level, sex, and age: Mean, standard error of the mean, and selected percentiles, United States, 1976-80

Income level, sex, and age	Exam- ined persons	Esti- mated popula- tion in thou- sands	Phosphorus in milligrams								
			Mean	Stand- ard error of the mean	Percentile						
					5th	10th	25th	50th	75th	90th	95th
All incomes											
Male											
6 months-74 years...	9,983	99,062	1,521	17	555	702	979	1,364	1,881	2,467	2,945
6-11 months.....	179	819	906	40	336	456	603	869	1,117	1,466	1,693
1-2 years.....	745	3,107	933	19	359	463	639	883	1,139	1,470	1,749
3-5 years.....	1,219	4,695	1,069	19	432	551	763	1,024	1,303	1,633	1,822
6-8 years.....	428	5,336	1,321	28	671	798	965	1,286	1,604	1,906	2,140
9-11 years.....	457	5,310	1,428	31	591	682	997	1,362	1,769	2,213	2,549
12-14 years.....	504	5,920	1,576	47	558	773	1,071	1,455	2,025	2,488	2,913
15-17 years.....	535	6,320	1,840	46	588	764	1,127	1,635	2,296	3,204	3,785
18-24 years.....	988	13,275	1,929	46	628	816	1,216	1,722	2,371	3,090	3,795
25-34 years.....	1,067	15,895	1,713	36	618	816	1,145	1,568	2,115	2,732	3,284
35-44 years.....	745	11,367	1,494	27	622	756	1,002	1,402	1,819	2,331	2,660
45-54 years.....	690	11,114	1,468	27	604	745	1,030	1,364	1,793	2,293	2,704
55-64 years.....	1,227	9,607	1,337	25	535	671	907	1,249	1,676	2,150	2,400
65-74 years.....	1,199	6,297	1,186	15	483	596	812	1,112	1,447	1,907	2,244
Female											
6 months-74 years...	10,339	104,492	1,004	11	365	464	659	920	1,259	1,625	1,907
6-11 months.....	177	780	862	36	345	440	544	868	1,107	1,341	1,465
1-2 years.....	672	2,970	895	28	368	450	613	830	1,080	1,359	1,590
3-5 years.....	1,126	4,491	993	18	425	540	702	942	1,224	1,521	1,703
6-8 years.....	415	4,877	1,180	27	536	649	869	1,143	1,455	1,686	1,907
9-11 years.....	425	5,357	1,203	36	557	622	827	1,122	1,504	1,940	2,103
12-14 years.....	487	5,712	1,130	29	410	526	745	1,064	1,472	1,836	2,026
15-17 years.....	449	6,131	1,061	35	300	473	650	983	1,334	1,712	2,168
18-24 years.....	1,066	14,173	1,045	15	319	429	673	958	1,318	1,719	2,105
25-34 years.....	1,170	16,856	1,021	21	349	448	658	942	1,283	1,677	1,985
35-44 years.....	844	12,284	991	24	377	457	655	901	1,226	1,572	1,894
45-54 years.....	763	11,918	930	18	378	476	623	848	1,138	1,489	1,718
55-64 years.....	1,329	10,743	905	14	341	428	591	841	1,134	1,474	1,710
65-74 years.....	1,416	8,198	854	13	344	416	585	809	1,051	1,375	1,539
Income below poverty level ^{1/}											
Male											
6 months-74 years...	1,539	11,653	1,419	35	442	587	866	1,255	1,781	2,340	2,831
6-11 months.....	48	177	*	*	*	*	513	859	1,069	*	*
1-2 years.....	170	601	943	39	338	489	620	872	1,167	1,519	1,749
3-5 years.....	298	910	1,056	33	423	553	744	1,014	1,307	1,693	1,804
6-8 years.....	82	900	1,294	64	544	756	1,018	1,270	1,618	1,816	2,107
9-11 years.....	88	854	1,288	68	568	613	894	1,220	1,741	2,019	2,135
12-14 years.....	89	891	1,381	94	413	673	978	1,216	1,810	2,240	2,371
15-17 years.....	89	974	1,548	106	460	608	1,001	1,397	2,030	2,837	3,357
18-24 years.....	178	2,237	1,975	126	520	714	1,141	1,740	2,476	3,090	3,905
25-34 years.....	91	1,106	1,590	74	462	601	983	1,413	2,015	2,606	3,139
35-44 years.....	63	821	*	*	*	*	865	1,190	1,528	*	*
45-54 years.....	46	645	*	*	*	*	1,047	1,517	1,952	*	*
55-64 years.....	129	779	1,152	54	448	485	740	1,040	1,475	2,007	2,160
65-74 years.....	168	759	1,079	29	418	489	711	994	1,326	1,786	2,241

See footnotes at end of table.

Table 1-7. Phosphorus intake values in milligrams for persons aged 6 months-74 years, by income level, sex, and age: Mean, standard error of the mean, and selected percentiles, United States, 1976-80-Continued

Income level, sex, and age	Exam- ined persons	Esti- mated popula- tion in thou- sands	Phosphorus in milligrams								
			Mean	Stand- ard error of the mean	Percentile						
					5th	10th	25th	50th	75th	90th	95th
Income below poverty level ^{1/}											
Female											
6 months-74 years...	1,910	15,951	962	14	327	401	602	875	1,223	1,626	1,913
6-11 months.....	36	138	*	*	*	*	*	707	*	*	*
1-2 years.....	153	562	954	60	323	433	640	851	1,164	1,541	2,093
3-5 years.....	272	945	1,026	37	410	506	702	965	1,289	1,643	1,856
6-8 years.....	95	869	1,179	44	521	709	881	1,165	1,457	1,767	1,852
9-11 years.....	102	1,113	1,155	62	536	573	787	1,056	1,481	1,946	2,047
12-14 years.....	104	1,072	996	64	320	410	577	863	1,354	1,878	2,058
15-17 years.....	88	1,099	1,004	53	370	416	616	997	1,307	1,591	2,054
18-24 years.....	253	3,072	970	33	328	406	628	834	1,203	1,673	1,914
25-34 years.....	162	1,997	1,040	67	326	397	610	913	1,321	1,946	2,544
35-44 years.....	119	1,543	858	50	264	332	515	791	1,056	1,446	1,697
45-54 years.....	82	1,115	794	37	263	380	531	713	1,092	1,272	1,448
55-64 years.....	188	1,181	815	29	295	362	508	750	1,017	1,358	1,664
65-74 years.....	256	1,245	835	29	299	365	532	791	1,027	1,462	1,664
Income above poverty level ^{1/}											
Male											
6 months-74 years...	8,084	83,681	1,541	19	580	718	997	1,383	1,902	2,502	2,993
6-11 months.....	121	614	934	48	336	447	615	900	1,124	1,603	1,758
1-2 years.....	551	2,416	934	21	372	463	646	889	1,140	1,465	1,739
3-5 years.....	892	3,683	1,075	22	432	569	766	1,028	1,304	1,634	1,839
6-8 years.....	336	4,254	1,333	32	673	803	966	1,291	1,602	1,926	2,156
9-11 years.....	356	4,321	1,456	36	598	729	1,015	1,375	1,797	2,309	2,568
12-14 years.....	399	4,841	1,613	50	632	778	1,115	1,515	2,068	2,567	3,004
15-17 years.....	418	5,003	1,917	52	617	836	1,185	1,684	2,361	3,283	4,055
18-24 years.....	770	10,508	1,918	51	640	845	1,230	1,715	2,351	3,108	3,794
25-34 years.....	945	14,355	1,729	38	660	842	1,157	1,580	2,122	2,755	3,292
35-44 years.....	658	10,195	1,527	30	631	776	1,025	1,440	1,874	2,372	2,697
45-54 years.....	603	9,738	1,483	29	617	745	1,030	1,364	1,825	2,341	2,715
55-64 years.....	1,048	8,443	1,352	26	587	694	919	1,253	1,684	2,154	2,409
65-74 years.....	987	5,312	1,198	16	499	621	832	1,119	1,455	1,907	2,265
Female											
6 months-74 years...	8,036	84,696	1,013	12	376	476	673	929	1,266	1,631	1,906
6-11 months.....	135	612	890	39	369	459	569	908	1,129	1,340	1,442
1-2 years.....	505	2,351	881	27	379	450	611	823	1,064	1,348	1,508
3-5 years.....	815	3,419	990	18	433	554	710	945	1,202	1,503	1,661
6-8 years.....	308	3,864	1,176	32	536	638	862	1,137	1,453	1,641	1,907
9-11 years.....	307	4,049	1,220	42	565	635	840	1,129	1,542	1,941	2,114
12-14 years.....	363	4,414	1,167	31	450	573	783	1,137	1,503	1,844	2,026
15-17 years.....	342	4,758	1,061	39	274	462	650	967	1,335	1,713	2,139
18-24 years.....	771	10,505	1,068	20	319	438	689	988	1,360	1,757	2,110
25-34 years.....	982	14,482	1,018	19	358	453	668	944	1,280	1,663	1,946
35-44 years.....	702	10,377	1,009	25	407	492	683	914	1,240	1,593	1,938
45-54 years.....	655	10,424	946	20	390	490	641	862	1,142	1,516	1,750
55-64 years.....	1,071	8,934	924	16	345	464	614	856	1,149	1,500	1,737
65-74 years.....	1,080	6,508	858	14	352	421	602	812	1,055	1,357	1,532

^{1/} Excludes unknown income.

Table 1-8. Iron intake values in milligrams for persons aged 6 months-74 years, by income level, sex, and age: Mean, standard error of the mean, and selected percentiles, United States, 1976-80

Income level, sex, and age	Exam- ined persons	Esti- mated popula- tion in thou- sands	Iron in milligrams								
			Mean	Stand- ard error of the mean	Percentile						
					5th	10th	25th	50th	75th	90th	95th
All incomes											
Male											
6 months-74 years...	9,983	99,062	15.54	.14	5.54	6.96	9.72	13.77	19.23	25.54	31.03
6-11 months.....	179	819	12.81	.94	2.23	2.58	4.26	8.25	17.90	30.50	43.79
1-2 years.....	745	3,107	8.66	.26	2.84	3.64	5.22	7.45	10.61	14.72	18.79
3-5 years.....	1,219	4,695	10.51	.16	4.23	5.20	6.99	9.23	12.91	16.99	20.45
6-8 years.....	428	5,336	12.53	.25	5.46	6.56	8.76	11.43	15.42	19.70	21.34
9-11 years.....	457	5,310	14.44	.38	5.93	7.17	9.09	13.12	17.93	25.00	28.18
12-14 years.....	504	5,920	15.88	.39	6.19	7.47	9.89	14.37	20.08	25.28	32.88
15-17 years.....	535	6,320	17.45	.45	5.64	7.23	10.56	15.01	20.84	31.47	37.54
18-24 years.....	988	13,275	17.78	.43	6.32	7.66	10.94	15.71	21.72	29.06	34.95
25-34 years.....	1,067	15,895	17.32	.40	6.71	8.02	11.25	15.60	20.87	28.67	33.53
35-44 years.....	745	11,367	16.06	.34	6.55	7.90	10.77	14.68	19.57	25.65	30.68
45-54 years.....	690	11,114	16.22	.32	6.41	8.09	11.23	14.53	19.63	25.76	31.67
55-64 years.....	1,227	9,607	14.77	.30	5.98	7.29	10.06	13.40	17.99	23.49	27.81
65-74 years.....	1,199	6,297	14.10	.24	5.49	6.72	9.13	12.31	17.05	22.68	27.92
Female											
6 months-74 years...	10,339	104,492	10.61	.10	3.91	4.95	6.92	9.55	12.83	17.14	20.62
6-11 months.....	177	780	12.88	.82	2.21	3.37	4.83	9.36	15.80	26.90	40.18
1-2 years.....	672	2,970	8.48	.47	2.96	3.60	5.06	7.02	9.92	14.03	18.54
3-5 years.....	1,126	4,491	9.51	.21	3.56	4.59	6.39	8.58	11.59	15.21	18.65
6-8 years.....	415	4,877	10.85	.25	4.92	5.91	7.84	10.09	12.78	15.75	18.84
9-11 years.....	425	5,357	11.45	.29	5.02	5.81	7.48	10.23	14.19	18.55	22.46
12-14 years.....	487	5,712	10.77	.35	4.10	5.28	6.78	9.91	12.94	17.79	21.01
15-17 years.....	449	6,131	9.86	.26	3.67	4.37	6.26	9.41	12.12	15.59	18.84
18-24 years.....	1,066	14,173	10.55	.19	3.50	4.61	6.78	9.72	13.15	17.26	20.57
25-34 years.....	1,170	16,856	10.90	.18	3.96	4.88	6.99	9.74	13.21	18.04	21.08
35-44 years.....	844	12,284	11.23	.33	4.17	5.32	7.52	10.02	13.09	17.58	22.72
45-54 years.....	763	11,918	10.44	.14	4.16	5.49	7.34	9.53	12.81	16.37	18.91
55-64 years.....	1,329	10,743	10.69	.20	3.96	5.18	7.07	9.37	13.22	17.41	21.02
65-74 years.....	1,416	8,198	10.22	.18	4.28	5.09	6.63	9.05	12.20	16.77	19.81
Income below poverty level ¹ / Male											
6 months-74 years...	1,539	11,653	14.04	.34	4.12	5.72	8.25	12.16	17.84	23.35	29.07
6-11 months.....	48	177	*	*	*	*	4.20	8.34	14.90	*	*
1-2 years.....	170	601	8.45	.53	2.35	3.39	4.92	7.27	10.64	15.60	19.72
3-5 years.....	298	910	10.86	.52	4.14	5.10	7.00	9.47	13.09	18.14	21.54
6-8 years.....	82	900	12.38	.71	4.54	5.67	8.67	11.44	15.24	19.49	20.25
9-11 years.....	88	854	12.51	.51	4.17	6.34	7.63	11.66	15.21	21.33	23.17
12-14 years.....	89	891	14.35	.93	5.77	6.31	8.13	11.66	17.52	23.93	31.53
15-17 years.....	89	974	15.50	.71	5.26	6.58	10.19	14.34	19.69	26.01	30.39
18-24 years.....	178	2,237	17.45	1.07	5.52	6.62	10.41	15.85	21.51	25.74	34.64
25-34 years.....	91	1,106	15.95	1.00	5.91	6.44	9.96	15.24	19.76	25.16	33.59
35-44 years.....	63	821	*	*	*	*	7.90	11.94	19.19	*	*
45-54 years.....	46	645	*	*	*	*	11.12	15.45	18.03	*	*
55-64 years.....	129	779	12.38	.70	3.30	5.27	8.08	11.13	14.74	21.26	24.95
65-74 years.....	168	759	11.42	.36	3.48	4.77	7.36	10.40	14.53	18.93	21.75

See footnotes at end of table.

Table 1-8. Iron intake values in milligrams for persons aged 6 months-74 years, by income level, sex, and age: Mean, standard error of the mean, and selected percentiles, United States, 1976-80-Continued

Income level, sex, and age	Exam- ined persons	Esti- mated popula- tion in thou- sands	Iron in milligrams									
			Mean	Stand- ard error of the mean	Percentile							
					5th	10th	25th	50th	75th	90th	95th	
Income below poverty level ^{1/}												
Female												
6 months-74 years...	1,910	15,951	9.99	.17	3.35	4.33	6.26	8.83	12.28	16.17	20.33	
6-11 months.....	36	138	*	*	*	*	*	7.82	*	*	*	
1-2 years.....	153	562	8.64	.59	2.79	3.40	5.02	7.12	10.25	14.65	19.79	
3-5 years.....	272	945	10.10	.53	2.72	4.41	6.35	9.05	12.30	17.26	22.01	
6-8 years.....	95	869	11.07	.53	4.34	5.48	7.63	9.79	13.18	15.64	17.27	
9-11 years.....	102	1,113	11.04	.69	4.67	5.70	6.89	9.63	13.85	17.75	23.76	
12-14 years.....	104	1,072	10.09	.68	4.10	4.70	6.46	8.49	12.27	16.27	22.27	
15-17 years.....	88	1,099	10.22	.45	3.98	4.95	6.77	9.82	12.38	15.62	18.05	
18-24 years.....	253	3,072	9.62	.34	2.88	3.83	6.14	8.80	11.87	15.62	20.32	
25-34 years.....	162	1,997	11.10	.61	3.39	4.50	6.38	10.26	13.94	18.05	21.26	
35-44 years.....	119	1,543	9.34	.33	3.19	4.15	6.03	8.61	12.10	15.09	17.21	
45-54 years.....	82	1,115	8.74	.32	3.17	4.49	6.04	8.41	10.69	14.64	15.53	
55-64 years.....	188	1,181	9.83	.60	3.83	3.96	5.53	7.80	12.06	16.62	21.74	
65-74 years.....	256	1,245	9.59	.35	3.77	4.34	6.05	7.96	11.39	16.64	22.87	
Income above poverty level ^{1/}												
Male												
6 months-74 years...	8,084	83,681	15.80	.15	5.79	7.19	9.95	14.01	19.39	26.02	31.58	
6-11 months.....	121	614	13.67	1.23	2.40	2.88	4.41	9.03	18.40	31.35	45.94	
1-2 years.....	551	2,416	8.78	.29	3.05	3.89	5.27	7.51	10.62	14.69	18.25	
3-5 years.....	892	3,683	10.47	.18	4.24	5.23	7.00	9.22	12.77	16.77	19.96	
6-8 years.....	336	4,254	12.67	.27	5.87	6.86	8.84	11.52	15.48	19.94	21.67	
9-11 years.....	356	4,321	14.85	.44	5.94	7.31	9.35	13.45	18.71	25.18	29.03	
12-14 years.....	399	4,841	16.23	.43	6.03	7.65	10.43	14.88	20.12	25.33	32.92	
15-17 years.....	418	5,003	17.99	.55	5.64	7.23	10.81	15.47	21.48	33.13	38.14	
18-24 years.....	770	10,508	17.88	.47	6.52	7.95	11.04	15.60	21.81	29.37	35.11	
25-34 years.....	945	14,355	17.48	.40	6.76	8.04	11.48	15.72	20.90	28.77	33.63	
35-44 years.....	658	10,195	16.27	.36	7.05	8.12	10.87	15.01	19.78	25.86	30.68	
45-54 years.....	603	9,738	16.34	.31	6.45	8.08	11.24	14.48	19.84	25.78	31.22	
55-64 years.....	1,048	8,443	15.00	.32	6.19	7.37	10.09	13.58	18.21	23.77	28.26	
65-74 years.....	987	5,312	14.46	.28	5.88	7.01	9.38	12.53	17.30	23.28	28.31	
Female												
6 months-74 years...	8,036	84,696	10.72	.11	4.02	5.09	7.06	9.67	12.90	17.29	20.85	
6-11 months.....	135	612	13.42	1.03	2.19	3.44	5.13	9.37	17.55	28.43	40.18	
1-2 years.....	505	2,351	8.42	.49	3.07	3.60	5.07	7.05	9.83	13.87	18.11	
3-5 years.....	815	3,419	9.39	.20	3.67	4.66	6.45	8.48	11.36	15.15	17.85	
6-8 years.....	308	3,864	10.73	.31	4.98	5.90	7.84	10.08	12.53	15.46	18.83	
9-11 years.....	307	4,049	11.64	.35	5.05	6.06	7.80	10.43	14.76	18.60	22.14	
12-14 years.....	363	4,414	10.98	.37	4.05	5.62	7.13	10.01	13.12	17.55	20.15	
15-17 years.....	342	4,758	9.64	.31	3.37	4.27	6.10	9.21	12.00	15.41	18.83	
18-24 years.....	771	10,505	10.83	.25	3.64	4.85	6.95	9.95	13.51	17.67	21.44	
25-34 years.....	982	14,482	10.87	.18	4.05	4.93	7.02	9.70	13.16	17.87	21.07	
35-44 years.....	702	10,377	11.45	.38	4.56	5.54	7.66	10.19	13.14	18.20	22.84	
45-54 years.....	655	10,424	10.63	.15	4.23	5.61	7.48	9.67	12.88	16.68	19.17	
55-64 years.....	1,071	8,934	10.86	.22	4.41	5.44	7.38	9.57	13.39	17.44	21.18	
65-74 years.....	1,080	6,508	10.37	.19	4.41	5.32	6.81	9.25	12.25	16.81	19.62	

^{1/} Excludes unknown income.

Table 1-9. Sodium intake values in milligrams for persons aged 6 months-74 years, by income level, sex, and age: Mean, standard error of the mean, and selected percentiles, United States, 1976-80

Income level, sex, and age	Exam- ined persons	Esti- mated popula- tion in thou- sands	Sodium in milligrams								
			Mean	Stand- ard error of the mean	Percentile						
					5th	10th	25th	50th	75th	90th	95th
All incomes											
Male											
6 months-74 years...	9,983	99,062	3,340	31	1,073	1,377	2,003	2,922	4,126	5,773	7,077
6-11 months.....	179	819	1,069	42	360	448	651	920	1,319	1,829	2,308
1-2 years.....	745	3,107	1,902	43	745	899	1,252	1,709	2,292	3,219	3,822
3-5 years.....	1,219	4,695	2,253	40	853	1,094	1,522	2,023	2,736	3,640	4,322
6-8 years.....	428	5,336	2,683	60	1,236	1,486	1,823	2,572	3,301	3,954	4,775
9-11 years.....	457	5,310	3,079	82	1,442	1,587	2,065	2,885	3,666	4,620	5,481
12-14 years.....	504	5,920	3,301	77	1,264	1,551	2,131	3,093	4,081	5,337	6,368
15-17 years.....	535	6,320	3,803	97	1,192	1,499	2,205	3,241	4,840	7,058	8,320
18-24 years.....	988	13,275	4,084	102	1,250	1,640	2,427	3,521	5,193	7,001	8,349
25-34 years.....	1,067	15,895	3,738	78	1,226	1,527	2,254	3,261	4,720	6,500	7,989
35-44 years.....	745	11,367	3,401	96	1,081	1,432	2,137	3,035	4,151	5,639	7,063
45-54 years.....	690	11,114	3,549	103	1,129	1,575	2,216	3,110	4,509	6,065	7,385
55-64 years.....	1,227	9,607	3,049	47	1,030	1,339	2,006	2,790	3,829	5,069	5,732
65-74 years.....	1,199	6,297	2,894	49	1,047	1,331	1,844	2,583	3,596	4,780	5,603
Female											
6 months-74 years...	10,339	104,492	2,298	23	729	945	1,411	2,060	2,902	3,927	4,617
6-11 months.....	177	780	1,022	52	299	342	545	865	1,246	1,696	2,473
1-2 years.....	672	2,970	1,751	49	613	839	1,149	1,541	2,184	2,865	3,419
3-5 years.....	1,126	4,491	2,089	34	864	1,013	1,416	1,937	2,609	3,364	3,826
6-8 years.....	415	4,877	2,510	68	1,089	1,301	1,770	2,290	3,113	3,966	4,342
9-11 years.....	425	5,357	2,577	75	1,069	1,368	1,754	2,318	3,176	4,307	4,912
12-14 years.....	487	5,712	2,567	51	883	1,111	1,632	2,318	3,208	4,167	5,048
15-17 years.....	449	6,131	2,405	85	657	911	1,460	2,116	3,067	4,249	5,096
18-24 years.....	1,066	14,173	2,383	41	649	944	1,445	2,173	3,041	4,127	4,873
25-34 years.....	1,170	16,856	2,401	51	756	927	1,429	2,139	3,053	4,148	4,848
35-44 years.....	844	12,284	2,380	53	764	972	1,408	2,068	3,028	4,020	4,998
45-54 years.....	763	11,918	2,182	52	701	880	1,366	1,955	2,682	3,742	4,431
55-64 years.....	1,329	10,743	2,186	44	717	909	1,384	1,965	2,715	3,716	4,399
65-74 years.....	1,416	8,198	1,988	38	678	899	1,269	1,812	2,425	3,331	3,891
Income below poverty level ^{1/}											
Male											
6 months-74 years...	1,539	11,653	3,122	102	701	1,098	1,722	2,737	3,915	5,554	6,780
6-11 months.....	48	177	*	*	*	*	528	779	1,508	*	*
1-2 years.....	170	601	1,813	59	586	796	1,107	1,670	2,167	3,268	3,789
3-5 years.....	298	910	2,360	100	884	1,137	1,524	2,016	2,942	4,114	5,113
6-8 years.....	82	900	2,699	166	1,042	1,147	2,035	2,681	3,348	3,918	4,275
9-11 years.....	88	854	2,715	134	1,001	1,249	1,727	2,523	3,352	4,294	4,943
12-14 years.....	89	891	3,026	231	796	1,295	1,967	2,849	3,861	5,211	6,128
15-17 years.....	89	974	3,625	295	978	1,194	2,110	3,188	4,644	6,198	8,818
18-24 years.....	178	2,237	4,183	276	911	1,582	2,462	3,543	5,440	7,263	9,134
25-34 years.....	91	1,106	3,642	243	1,009	1,437	2,093	3,316	4,605	6,105	8,172
35-44 years.....	63	821	*	*	*	*	1,305	2,545	3,584	*	*
45-54 years.....	46	645	*	*	*	*	2,250	3,260	4,753	*	*
55-64 years.....	129	779	2,697	159	561	1,080	1,543	2,536	3,550	4,873	5,488
65-74 years.....	168	759	2,396	122	707	908	1,412	2,070	3,053	4,179	4,790

See footnotes at end of table.

Table 1-9. Sodium intake values in milligrams for persons aged 6 months-74 years, by income level, sex, and age: Mean, standard error of the mean, and selected percentiles, United States, 1976-80-Continued

Income level, sex, and age	Exam- ined persons	Esti- mated popula- tion in thou- sands	Sodium in milligrams								
			Mean	Stand- ard error of the mean	Percentile						
					5th	10th	25th	50th	75th	90th	95th
Income below poverty level ^{1/}											
Female											
6 months-74 years...	1,910	15,951	2,233	43	627	861	1,388	1,984	2,840	3,919	4,748
6-11 months.....	36	138	*	*	*	*	*	783	*	*	*
1-2 years.....	153	562	1,836	90	592	847	1,146	1,586	2,292	2,983	3,908
3-5 years.....	272	945	2,252	80	815	1,009	1,556	2,122	2,895	3,546	3,941
6-8 years.....	95	869	2,700	129	972	1,455	1,921	2,568	3,405	4,159	5,173
9-11 years.....	102	1,113	2,440	87	824	1,348	1,754	2,192	2,770	4,303	4,808
12-14 years.....	104	1,072	2,670	159	834	1,057	1,613	2,126	3,489	4,757	5,563
15-17 years.....	88	1,099	2,421	182	536	840	1,387	2,121	3,166	4,801	4,960
18-24 years.....	253	3,072	2,224	90	551	820	1,360	1,947	2,862	4,194	4,538
25-34 years.....	162	1,997	2,323	160	677	815	1,345	1,985	2,813	3,893	5,006
35-44 years.....	119	1,543	2,069	109	514	715	1,232	1,846	2,640	3,922	4,707
45-54 years.....	82	1,115	2,074	151	659	889	1,328	1,839	2,851	3,762	4,367
55-64 years.....	188	1,181	1,905	85	540	740	1,297	1,738	2,386	3,158	3,612
65-74 years.....	256	1,245	2,020	79	676	870	1,196	1,825	2,451	3,377	4,057
Income above poverty level ^{1/}											
Male											
6 months-74 years...	8,084	83,681	3,376	30	1,120	1,433	2,045	2,952	4,160	5,804	7,104
6-11 months.....	121	614	1,066	48	370	457	677	942	1,291	1,802	2,221
1-2 years.....	551	2,416	1,927	551	790	938	1,276	1,714	2,314	3,219	3,929
3-5 years.....	892	3,683	2,234	892	853	1,084	1,523	2,026	2,723	3,545	4,154
6-8 years.....	336	4,254	2,687	336	1,261	1,504	1,820	2,565	3,269	3,979	5,065
9-11 years.....	356	4,321	3,167	356	1,504	1,671	2,125	3,022	3,715	4,704	5,489
12-14 years.....	399	4,841	3,366	399	1,282	1,611	2,195	3,107	4,115	5,373	6,382
15-17 years.....	418	5,003	3,887	418	1,268	1,577	2,265	3,279	4,921	7,266	8,376
18-24 years.....	770	10,508	4,076	770	1,320	1,656	2,407	3,536	5,202	6,969	8,143
25-34 years.....	945	14,355	3,738	945	1,246	1,537	2,282	3,253	4,747	6,488	7,943
35-44 years.....	658	10,195	3,474	658	1,140	1,506	2,180	3,072	4,216	5,812	7,186
45-54 years.....	603	9,738	3,563	603	1,174	1,580	2,228	3,140	4,508	6,108	7,257
55-64 years.....	1,048	8,443	3,056	1,048	1,079	1,407	2,029	2,782	3,827	5,072	5,731
65-74 years.....	987	5,312	2,962	987	1,171	1,397	1,902	2,623	3,642	4,825	5,720
Female											
6 months-74 years...	8,036	84,696	2,310	23	750	956	1,415	2,084	2,918	3,926	4,612
6-11 months.....	135	612	983	66	302	342	547	856	1,273	1,679	2,472
1-2 years.....	505	2,351	1,736	46	613	834	1,149	1,526	2,181	2,840	3,345
3-5 years.....	815	3,419	2,058	34	880	1,031	1,403	1,904	2,473	3,344	3,805
6-8 years.....	308	3,864	2,472	83	1,094	1,277	1,764	2,227	3,076	3,901	4,275
9-11 years.....	307	4,049	2,616	92	1,075	1,367	1,757	2,341	3,203	4,308	5,131
12-14 years.....	363	4,414	2,565	56	883	1,129	1,693	2,396	3,206	4,108	4,862
15-17 years.....	342	4,758	2,369	96	742	895	1,460	2,112	3,043	4,132	4,996
18-24 years.....	771	10,505	2,426	55	755	965	1,475	2,224	3,116	4,029	4,959
25-34 years.....	982	14,482	2,405	48	772	931	1,430	2,143	3,078	4,164	4,844
35-44 years.....	702	10,377	2,419	56	785	1,026	1,414	2,145	3,107	4,048	5,032
45-54 years.....	655	10,424	2,190	61	705	881	1,377	1,976	2,671	3,687	4,383
55-64 years.....	1,071	8,934	2,238	48	745	957	1,404	2,005	2,794	3,765	4,446
65-74 years.....	1,080	6,508	1,994	43	664	899	1,281	1,830	2,450	3,361	3,883

1/ Excludes unknown income.

Table 1-10. Potassium intake values in milligrams for persons aged 6 months-74 years, by income level, sex, and age: Mean, standard error of the mean, and selected percentiles, United States, 1976-80

Income level, sex, and age	Exam- ined persons	Esti- mated popula- tion in thou- sands	Potassium in milligrams								
			Mean	Stand- ard error of the mean	Percentile						
					5th	10th	25th	50th	75th	90th	95th
All incomes											
Male											
6 months-74 years...	9,983	99,062	2,867	34	1,008	1,313	1,850	2,609	3,523	4,668	5,446
6-11 months.....	179	819	1,552	60	711	818	1,151	1,458	1,872	2,463	2,697
1-2 years.....	745	3,107	1,787	34	736	851	1,213	1,687	2,221	2,804	3,216
3-5 years.....	1,219	4,695	1,998	39	752	984	1,383	1,884	2,494	3,179	3,644
6-8 years.....	428	5,336	2,386	53	1,095	1,320	1,710	2,304	2,976	3,462	3,966
9-11 years.....	457	5,310	2,633	59	1,026	1,267	1,780	2,481	3,267	4,171	4,861
12-14 years.....	504	5,920	2,911	84	940	1,366	1,919	2,683	3,620	4,922	5,460
15-17 years.....	535	6,320	3,284	83	931	1,349	1,966	2,905	4,211	5,589	6,528
18-24 years.....	988	13,275	3,450	81	1,052	1,409	2,152	3,087	4,255	5,630	6,734
25-34 years.....	1,067	15,895	3,184	61	1,140	1,531	2,121	2,932	4,005	5,073	5,819
35-44 years.....	745	11,367	2,984	64	1,215	1,512	2,066	2,851	3,596	4,585	5,221
45-54 years.....	690	11,114	2,887	60	1,165	1,509	2,002	2,712	3,521	4,459	5,257
55-64 years.....	1,227	9,607	2,664	49	1,104	1,376	1,821	2,474	3,394	4,203	4,665
65-74 years.....	1,199	6,297	2,393	34	863	1,179	1,605	2,261	2,985	3,670	4,336
Female											
6 months-74 years...	10,339	104,492	2,035	22	747	954	1,352	1,899	2,547	3,274	3,771
6-11 months.....	177	780	1,536	58	651	775	1,088	1,508	1,869	2,377	2,860
1-2 years.....	672	2,970	1,674	47	669	837	1,140	1,554	2,005	2,545	3,077
3-5 years.....	1,126	4,491	1,822	35	759	936	1,270	1,698	2,315	2,852	3,290
6-8 years.....	415	4,877	2,201	57	954	1,209	1,649	2,076	2,656	3,285	3,821
9-11 years.....	425	5,357	2,230	66	879	1,142	1,534	2,113	2,700	3,452	4,030
12-14 years.....	487	5,712	2,116	50	748	959	1,375	1,997	2,723	3,409	3,898
15-17 years.....	449	6,131	1,963	52	594	930	1,330	1,783	2,532	3,257	3,671
18-24 years.....	1,066	14,173	2,016	39	604	829	1,266	1,851	2,588	3,366	4,013
25-34 years.....	1,170	16,856	2,088	46	711	932	1,366	1,950	2,604	3,369	3,968
35-44 years.....	844	12,284	2,091	43	808	1,021	1,357	1,938	2,602	3,355	3,880
45-54 years.....	763	11,918	2,022	45	764	973	1,372	1,918	2,481	3,265	3,652
55-64 years.....	1,329	10,743	2,031	29	754	989	1,400	1,923	2,594	3,166	3,649
65-74 years.....	1,416	8,198	1,965	31	807	1,011	1,367	1,857	2,450	3,019	3,429
Income below poverty level ^{1/}											
Male											
6 months-74 years...	1,539	11,653	2,581	69	718	1,006	1,518	2,270	3,237	4,463	5,382
6-11 months.....	48	177	*	*	*	*	1,040	1,299	1,796	*	*
1-2 years.....	170	601	1,705	71	698	841	1,219	1,580	2,079	2,804	3,183
3-5 years.....	298	910	2,028	75	793	1,023	1,359	1,844	2,594	3,222	3,716
6-8 years.....	82	900	2,285	131	862	1,206	1,711	2,191	2,803	3,302	3,626
9-11 years.....	88	854	2,338	120	777	1,032	1,669	2,285	3,117	3,808	4,036
12-14 years.....	89	891	2,480	163	715	1,053	1,730	2,345	3,168	4,168	4,814
15-17 years.....	89	974	2,519	181	529	903	1,350	2,461	3,196	4,683	5,485
18-24 years.....	178	2,237	3,460	201	936	1,183	1,940	2,933	4,353	5,872	7,512
25-34 years.....	91	1,106	2,888	148	694	935	1,685	2,816	3,621	5,032	6,583
35-44 years.....	63	821	*	*	*	*	1,450	2,474	3,476	*	*
45-54 years.....	46	645	*	*	*	*	2,015	2,776	3,594	*	*
55-64 years.....	129	779	2,337	106	788	965	1,439	2,020	2,995	4,366	4,747
65-74 years.....	168	759	1,975	65	626	820	1,299	1,927	2,484	3,320	3,563

See footnotes at end of table.

Table 1-10. Potassium intake values in milligrams for persons aged 6 months-74 years, by income level, sex, and age: Mean, standard error of the mean, and selected percentiles, United States, 1976-80-Continued

Income level, sex, and age	Exam-ined persons	Esti-mated popula-tion in thou-sands	Potassium in milligrams								
			Mean	Stand-ard error of the mean	Percentile						
					5th	10th	25th	50th	75th	90th	95th
Income below poverty level ^{1/}											
Female											
6 months-74 years...	1,910	15,951	1,854	29	578	778	1,171	1,714	2,379	3,083	3,573
6-11 months.....	36	138	*	*	*	*	*	1,263	*	*	*
1-2 years.....	153	562	1,740	110	565	691	1,136	1,567	2,066	2,903	3,769
3-5 years.....	272	945	1,863	93	727	882	1,225	1,686	2,333	3,034	3,641
6-8 years.....	95	869	2,223	80	954	1,217	1,691	2,119	2,706	3,192	3,656
9-11 years.....	102	1,113	2,068	106	981	1,138	1,399	1,890	2,648	3,288	3,487
12-14 years.....	104	1,072	1,889	136	531	808	1,189	1,666	2,366	3,398	3,899
15-17 years.....	88	1,099	1,898	92	609	838	1,227	1,742	2,593	3,092	3,487
18-24 years.....	253	3,072	1,841	58	547	698	1,131	1,651	2,463	3,070	3,771
25-34 years.....	162	1,997	2,024	116	617	831	1,271	1,848	2,648	3,236	3,850
35-44 years.....	119	1,543	1,736	101	575	713	1,045	1,483	2,302	3,095	3,547
45-54 years.....	82	1,115	1,637	88	514	579	1,038	1,568	2,078	2,736	2,866
55-64 years.....	188	1,181	1,635	54	539	658	1,116	1,538	2,053	2,627	3,069
65-74 years.....	256	1,245	1,756	63	550	865	1,156	1,647	2,128	2,824	3,381
Income above poverty level ^{1/}											
Male											
6 months-74 years...	8,084	83,681	2,915	36	1,079	1,378	1,907	2,657	3,589	4,718	5,514
6-11 months.....	121	614	1,604	74	729	824	1,175	1,503	1,919	2,526	2,737
1-2 years.....	551	2,416	1,809	37	751	852	1,212	1,721	2,285	2,802	3,242
3-5 years.....	892	3,683	1,997	43	764	984	1,395	1,891	2,479	3,158	3,641
6-8 years.....	336	4,254	2,417	53	1,106	1,326	1,713	2,387	2,993	3,554	4,137
9-11 years.....	356	4,321	2,694	72	1,073	1,354	1,799	2,504	3,283	4,345	4,942
12-14 years.....	399	4,841	2,976	88	1,002	1,407	1,950	2,766	3,658	4,973	5,625
15-17 years.....	418	5,003	3,475	95	1,019	1,497	2,182	3,116	4,375	5,788	6,759
18-24 years.....	770	10,508	3,452	91	1,061	1,474	2,189	3,111	4,276	5,502	6,578
25-34 years.....	945	14,355	3,213	64	1,250	1,576	2,156	2,951	4,025	5,102	5,810
35-44 years.....	658	10,195	3,032	67	1,283	1,596	2,109	2,876	3,650	4,602	5,323
45-54 years.....	603	9,738	2,926	61	1,262	1,524	2,020	2,718	3,577	4,569	5,260
55-64 years.....	1,048	8,443	2,689	51	1,176	1,402	1,854	2,498	3,411	4,175	4,684
65-74 years.....	987	5,312	2,448	35	909	1,210	1,661	2,312	3,023	3,708	4,479
Female											
6 months-74 years...	8,036	84,696	2,070	24	794	992	1,389	1,933	2,578	3,300	3,803
6-11 months.....	135	612	1,596	67	765	909	1,130	1,599	1,925	2,379	2,817
1-2 years.....	505	2,351	1,660	50	707	854	1,142	1,559	1,997	2,492	2,957
3-5 years.....	815	3,419	1,819	31	770	954	1,293	1,700	2,317	2,818	3,163
6-8 years.....	308	3,864	2,182	67	978	1,209	1,635	2,025	2,637	3,275	3,821
9-11 years.....	307	4,049	2,286	73	880	1,145	1,587	2,225	2,774	3,486	4,126
12-14 years.....	363	4,414	2,173	56	768	1,042	1,500	2,067	2,752	3,442	3,896
15-17 years.....	342	4,758	1,970	59	585	936	1,336	1,783	2,506	3,255	3,670
18-24 years.....	771	10,505	2,070	48	648	894	1,308	1,899	2,677	3,401	4,090
25-34 years.....	982	14,482	2,097	44	712	964	1,376	1,964	2,604	3,395	3,999
35-44 years.....	702	10,377	2,140	46	859	1,074	1,400	1,982	2,648	3,376	4,013
45-54 years.....	655	10,424	2,064	49	840	1,009	1,416	1,941	2,535	3,305	3,669
55-64 years.....	1,071	8,934	2,088	33	848	1,077	1,456	1,971	2,705	3,217	3,678
65-74 years.....	1,080	6,508	2,003	32	830	1,064	1,431	1,902	2,497	3,050	3,481

1/ Excludes unknown income.

Table 1-11. Vitamin A intake values in International Units for persons aged 6 months-74 years, by income level, sex, and age: Mean, standard error of the mean, and selected percentiles, United States, 1976-80

Income level, sex, and age	Examined persons	Estimated population in thousands	Vitamin A in International Units								
			Mean	Standard error of the mean	Percentile						
					5th	10th	25th	50th	75th	90th	95th
All incomes											
Male											
6 months-74 years...	9,983	99,062	5,680	106	779	1,201	2,140	3,709	6,360	11,005	15,510
6-11 months.....	179	819	5,567	706	1,011	1,305	2,032	3,370	5,681	12,547	18,874
1-2 years.....	745	3,107	3,616	126	919	1,256	1,935	2,798	4,340	6,631	8,367
3-5 years.....	1,219	4,695	4,074	128	971	1,341	2,138	3,324	5,029	7,219	9,703
6-8 years.....	428	5,336	4,893	200	1,175	1,645	2,398	3,675	5,689	8,438	11,538
9-11 years.....	457	5,310	5,735	263	1,153	1,523	2,470	4,267	6,770	11,468	14,777
12-14 years.....	504	5,920	5,976	451	1,025	1,496	2,441	4,073	6,972	10,020	14,632
15-17 years.....	535	6,320	5,988	647	734	1,273	2,202	3,966	7,076	10,873	14,394
18-24 years.....	988	13,275	5,629	268	631	1,105	2,119	3,964	6,510	11,753	14,856
25-34 years.....	1,067	15,895	5,910	400	546	919	1,871	3,558	6,500	11,239	17,293
35-44 years.....	745	11,367	5,516	303	708	999	2,007	3,528	6,218	11,134	15,731
45-54 years.....	690	11,114	6,198	366	843	1,197	2,256	3,789	6,641	11,959	16,911
55-64 years.....	1,227	9,607	5,860	247	832	1,258	2,144	3,710	6,757	12,430	16,553
65-74 years.....	1,199	6,297	6,579	364	976	1,393	2,236	3,929	7,077	12,155	17,161
Female											
6 months-74 years...	10,339	104,492	4,637	81	596	909	1,674	2,948	5,187	9,122	13,306
6-11 months.....	177	780	4,237	324	1,250	1,539	2,047	3,052	4,816	7,949	13,122
1-2 years.....	672	2,970	3,619	181	971	1,266	1,889	2,647	4,489	6,872	9,093
3-5 years.....	1,126	4,491	3,940	135	992	1,261	1,991	2,963	4,636	7,445	9,915
6-8 years.....	415	4,877	4,593	154	1,203	1,490	2,236	3,629	5,502	8,754	12,325
9-11 years.....	425	5,357	4,704	329	935	1,285	2,121	3,193	5,512	9,408	12,097
12-14 years.....	487	5,712	3,977	202	677	947	1,722	2,900	4,648	7,800	10,510
15-17 years.....	449	6,131	3,636	180	419	671	1,351	2,616	4,295	7,498	10,148
18-24 years.....	1,066	14,173	3,951	172	413	785	1,395	2,693	4,791	7,991	11,997
25-34 years.....	1,170	16,856	4,665	301	425	773	1,486	2,782	5,002	8,778	13,140
35-44 years.....	844	12,284	4,820	413	552	787	1,448	2,678	5,071	9,595	14,353
45-54 years.....	763	11,918	5,219	304	599	894	1,721	3,161	5,515	10,328	14,819
55-64 years.....	1,329	10,743	5,507	229	634	1,084	1,925	3,341	6,149	11,315	15,869
65-74 years.....	1,416	8,198	5,481	249	832	1,226	1,987	3,346	6,225	10,808	15,500
Income below poverty level ^{1/}											
Male											
6 months-74 years...	1,539	11,653	5,197	219	456	950	1,853	3,267	5,755	10,784	14,244
6-11 months.....	48	177	*	*	*	*	1,955	3,046	4,963	*	*
1-2 years.....	170	601	3,196	224	920	1,220	1,817	2,518	3,719	5,679	7,171
3-5 years.....	298	910	4,125	249	827	1,033	2,108	3,095	5,031	7,889	11,213
6-8 years.....	82	900	4,428	388	1,174	1,635	2,235	3,674	5,530	7,069	10,815
9-11 years.....	88	854	5,371	634	912	1,213	2,135	3,349	5,522	10,948	13,022
12-14 years.....	89	891	6,011	1388	473	1,023	1,860	3,137	6,262	8,888	11,710
15-17 years.....	89	974	4,811	807	246	663	1,514	2,761	5,929	9,783	19,514
18-24 years.....	178	2,237	6,435	622	488	969	2,349	4,365	8,558	12,873	21,464
25-34 years.....	91	1,106	4,259	434	197	467	1,495	3,462	5,017	10,488	13,292
35-44 years.....	63	821	*	*	*	*	1,052	2,610	5,185	*	*
45-54 years.....	46	645	*	*	*	*	1,758	3,019	5,511	*	*
55-64 years.....	129	779	5,670	569	319	813	1,831	3,433	5,837	13,079	23,457
65-74 years.....	168	759	5,130	617	252	668	1,597	2,722	5,826	10,576	14,890

See footnotes at end of table.

Table 1-11. Vitamin A intake values in International Units for persons aged 6 months-74 years, by income level, sex, and age: Mean, standard error of the mean, and selected percentiles, United States, 1976-80-Continued

Income level, sex, and age	Examined persons	Estimated population in thousands	Vitamin A in International Units								
			Mean	Standard error of the mean	Percentile						
					5th	10th	25th	50th	75th	90th	95th
Income below poverty level ^{1/}											
Female											
6 months-74 years...	1,910	15,951	3,966	145	334	629	1,327	2,502	4,464	8,337	12,295
6-11 months.....	36	138	*	*	*	*	*	2,790	*	*	*
1-2 years.....	153	562	3,775	220	926	1,237	1,792	2,886	4,360	6,879	10,997
3-5 years.....	272	945	4,457	333	812	1,161	1,845	3,058	5,176	7,783	12,181
6-8 years.....	95	869	4,589	591	961	1,275	2,071	3,083	4,396	10,115	16,911
9-11 years.....	102	1,113	4,154	417	900	1,161	1,754	2,801	5,166	9,442	11,369
12-14 years.....	104	1,072	3,501	361	409	677	1,081	2,254	3,674	7,985	9,744
15-17 years.....	88	1,099	2,654	332	81	316	992	2,147	3,249	4,062	6,442
18-24 years.....	253	3,072	3,704	296	259	466	1,118	2,421	4,696	8,418	13,409
25-34 years.....	162	1,997	3,906	447	341	486	1,168	2,270	4,520	7,368	11,970
35-44 years.....	119	1,543	3,492	663	151	321	1,007	1,739	3,091	6,583	9,521
45-54 years.....	82	1,115	4,299	600	230	486	927	2,371	4,944	9,691	16,548
55-64 years.....	188	1,181	4,398	543	408	690	1,404	2,912	5,162	9,673	12,450
65-74 years.....	256	1,245	5,287	465	710	1,056	1,797	3,137	5,970	12,299	15,502
Income above poverty level ^{1/}											
Male											
6 months-74 years...	8,084	83,681	5,745	125	828	1,257	2,188	3,771	6,453	11,192	15,647
6-11 months.....	121	614	5,922	970	1,045	1,305	2,077	3,537	5,693	15,422	23,622
1-2 years.....	551	2,416	3,736	144	912	1,306	1,952	2,903	4,484	6,911	9,508
3-5 years.....	892	3,683	4,073	136	1,079	1,426	2,161	3,384	5,031	7,015	9,190
6-8 years.....	336	4,254	4,961	241	1,160	1,643	2,461	3,676	5,692	8,787	11,548
9-11 years.....	356	4,321	5,884	313	1,209	1,632	2,598	4,511	7,153	12,404	15,321
12-14 years.....	399	4,841	6,075	471	1,142	1,528	2,591	4,302	7,156	10,488	14,661
15-17 years.....	418	5,003	6,339	806	865	1,441	2,433	4,318	7,354	11,023	15,286
18-24 years.....	770	10,508	5,438	345	673	1,127	2,091	3,924	6,245	11,183	14,412
25-34 years.....	945	14,355	6,057	438	601	967	1,912	3,560	6,546	11,241	17,341
35-44 years.....	658	10,195	5,701	329	758	1,102	2,097	3,664	6,246	11,355	16,164
45-54 years.....	603	9,738	5,858	292	798	1,182	2,296	3,818	6,690	11,956	15,997
55-64 years.....	1,048	8,443	5,911	278	906	1,352	2,160	3,682	6,835	12,889	16,565
65-74 years.....	987	5,312	6,835	410	1,088	1,507	2,338	4,013	7,205	12,411	17,593
Female											
6 months-74 years...	8,036	84,696	4,765	104	676	968	1,750	3,023	5,340	9,297	13,547
6-11 months.....	135	612	4,389	388	1,250	1,586	2,021	3,051	4,835	8,545	13,945
1-2 years.....	505	2,351	3,558	205	975	1,248	1,890	2,589	4,465	6,759	8,744
3-5 years.....	815	3,419	3,820	131	1,033	1,313	2,061	2,960	4,576	7,243	9,686
6-8 years.....	308	3,864	4,545	184	1,230	1,526	2,311	3,667	5,534	7,797	11,776
9-11 years.....	307	4,049	4,894	401	951	1,299	2,364	3,434	5,597	9,410	12,120
12-14 years.....	363	4,414	4,138	266	773	1,007	1,825	2,998	4,757	7,937	11,895
15-17 years.....	342	4,758	3,871	217	533	746	1,448	2,707	4,829	8,065	10,261
18-24 years.....	771	10,505	4,045	181	510	822	1,435	2,730	4,834	7,958	12,000
25-34 years.....	982	14,482	4,787	353	497	814	1,546	2,812	5,147	9,173	13,539
35-44 years.....	702	10,377	4,938	481	623	877	1,590	2,838	5,227	10,159	14,369
45-54 years.....	655	10,424	5,334	319	737	982	1,778	3,195	5,647	10,532	14,511
55-64 years.....	1,071	8,934	5,669	258	720	1,130	2,031	3,493	6,304	11,525	16,028
65-74 years.....	1,080	6,508	5,542	272	893	1,267	2,028	3,383	6,298	10,748	15,182

^{1/} Excludes unknown income.

Table 1-12. Thiamine intake values in milligrams for persons aged 6 months-74 years, by income level, sex, and age: Mean, standard error of the mean, and selected percentiles, United States, 1976-80

Income level, sex, and age	Exam-ined persons	Esti-mated popula-tion in thou-sands	Thiamine in milligrams								
			Mean	Stand-ard error of the mean	Percentile						
					5th	10th	25th	50th	75th	90th	95th
All incomes											
Male											
6 months-74 years...	9,983	99,062	1.56	.01	0.52	0.66	0.93	1.34	1.89	2.66	3.34
6-11 months.....	179	819	.82	.04	.31	.36	.49	.72	.96	1.48	1.81
1-2 years.....	745	3,107	.94	.04	.36	.42	.59	.83	1.13	1.49	1.85
3-5 years.....	1,219	4,695	1.19	.02	.49	.60	.78	1.09	1.46	1.88	2.27
6-8 years.....	428	5,336	1.43	.03	.60	.76	1.01	1.34	1.74	2.17	2.42
9-11 years.....	457	5,310	1.63	.04	.60	.72	1.06	1.45	1.97	2.67	3.34
12-14 years.....	504	5,920	1.73	.04	.63	.80	1.13	1.57	2.13	2.74	3.50
15-17 years.....	535	6,320	1.87	.05	.63	.81	1.05	1.58	2.35	3.35	4.14
18-24 years.....	988	13,275	1.84	.05	.54	.69	1.07	1.53	2.23	3.19	4.24
25-34 years.....	1,067	15,895	1.69	.05	.54	.67	.95	1.40	2.04	2.90	3.79
35-44 years.....	745	11,367	1.55	.05	.49	.70	.95	1.34	1.83	2.51	3.27
45-54 years.....	690	11,114	1.51	.03	.58	.69	.96	1.36	1.87	2.52	3.02
55-64 years.....	1,227	9,607	1.40	.03	.50	.64	.92	1.28	1.70	2.32	2.73
65-74 years.....	1,199	6,297	1.33	.03	.47	.61	.82	1.13	1.57	2.25	2.77
Female											
6 months-74 years...	10,339	104,492	1.06	.01	.35	.46	.65	.92	1.29	1.77	2.16
6-11 months.....	177	780	.83	.03	.31	.35	.54	.73	1.06	1.50	1.75
1-2 years.....	672	2,970	.90	.04	.34	.41	.58	.79	1.08	1.48	1.82
3-5 years.....	1,126	4,491	1.09	.02	.42	.53	.75	.98	1.30	1.72	2.08
6-8 years.....	415	4,877	1.23	.03	.54	.64	.88	1.16	1.49	1.92	2.24
9-11 years.....	425	5,357	1.29	.04	.55	.68	.85	1.14	1.57	2.06	2.45
12-14 years.....	487	5,712	1.16	.03	.41	.51	.72	1.04	1.42	1.96	2.38
15-17 years.....	449	6,131	1.08	.03	.34	.46	.64	.95	1.39	1.88	2.17
18-24 years.....	1,066	14,173	1.06	.02	.31	.41	.63	.93	1.32	1.76	2.21
25-34 years.....	1,170	16,856	1.08	.03	.33	.42	.63	.92	1.32	1.82	2.15
35-44 years.....	844	12,284	1.05	.04	.34	.43	.60	.87	1.27	1.70	2.34
45-54 years.....	763	11,918	.98	.02	.35	.46	.61	.88	1.19	1.63	1.94
55-64 years.....	1,329	10,743	1.00	.02	.34	.43	.64	.88	1.19	1.62	1.98
65-74 years.....	1,416	8,198	.99	.02	.37	.45	.63	.85	1.15	1.58	1.96
Income below poverty level ^{1/}											
Male											
6 months-74 years...	1,539	11,653	1.48	.03	.43	.56	.85	1.26	1.89	2.70	3.38
6-11 months.....	48	177	*	*	*	*	.57	.74	.92	*	*
1-2 years.....	170	601	.89	.04	.35	.38	.54	.79	1.10	1.46	1.93
3-5 years.....	298	910	1.25	.05	.46	.62	.84	1.14	1.53	2.09	2.35
6-8 years.....	82	900	1.36	.08	.45	.60	.91	1.32	1.81	2.17	2.40
9-11 years.....	88	854	1.52	.10	.60	.67	.98	1.31	1.69	2.86	3.57
12-14 years.....	89	891	1.61	.11	.63	.77	.91	1.36	1.99	2.99	3.70
15-17 years.....	89	974	1.74	.14	.50	.57	.95	1.51	2.24	3.05	3.64
18-24 years.....	178	2,237	1.80	.08	.44	.64	1.05	1.53	2.15	3.40	4.00
25-34 years.....	91	1,106	1.68	.14	.42	.57	.93	1.23	2.29	2.80	3.84
35-44 years.....	63	821	*	*	*	*	.76	1.20	1.74	*	*
45-54 years.....	46	645	*	*	*	*	1.14	1.59	2.10	*	*
55-64 years.....	129	779	1.25	.07	.20	.49	.80	1.14	1.54	2.05	2.59
65-74 years.....	168	759	1.08	.05	.41	.48	.68	.97	1.35	1.86	2.23

See footnotes at end of table.

Table 1-12. Thiamine intake values in milligrams for persons aged 6 months-74 years, by income level, sex, and age: Mean, standard error of the mean, and selected percentiles, United States, 1976-80-Continued

Income level, sex, and age	Exam-ined persons	Esti-mated popula-tion in thou-sands	Thiamine in milligrams								
			Mean	Stand-ard error of the mean	Percentile						
					5th	10th	25th	50th	75th	90th	95th
Income below poverty level ^{1/}											
Female											
6 months-74 years...	1,910	15,951	1.05	.02	0.32	0.40	0.61	0.90	1.26	1.76	2.24
6-11 months.....	36	138	*	*	*	*	*	.62	*	*	*
1-2 years.....	153	562	1.01	.08	.37	.42	.61	.84	1.16	1.72	2.43
3-5 years.....	272	945	1.15	.04	.35	.49	.73	1.08	1.46	1.83	2.17
6-8 years.....	95	869	1.29	.06	.49	.70	.90	1.22	1.49	1.97	2.20
9-11 years.....	102	1,113	1.26	.07	.52	.61	.76	1.12	1.57	2.01	2.33
12-14 years.....	104	1,072	1.04	.06	.34	.41	.65	.92	1.25	1.96	2.34
15-17 years.....	88	1,099	1.07	.06	.29	.48	.68	.93	1.39	1.78	2.26
18-24 years.....	253	3,072	1.00	.04	.32	.37	.60	.88	1.25	1.76	2.08
25-34 years.....	162	1,997	1.24	.14	.25	.42	.68	.96	1.24	1.94	3.08
35-44 years.....	119	1,543	.87	.05	.20	.37	.52	.73	1.05	1.49	2.22
45-54 years.....	82	1,115	.89	.06	.30	.37	.58	.86	1.13	1.41	1.68
55-64 years.....	188	1,181	.94	.07	.27	.37	.53	.78	1.09	1.62	2.31
65-74 years.....	256	1,245	.90	.03	.31	.40	.56	.80	1.08	1.56	2.13
Income above poverty level ^{1/}											
Male											
6 months-74 years...	8,084	83,681	1.58	.02	.54	.67	.94	1.36	1.90	2.66	3.35
6-11 months.....	121	614	.84	.05	.31	.36	.47	.71	1.05	1.64	1.89
1-2 years.....	551	2,416	.96	.04	.37	.45	.61	.83	1.14	1.50	1.85
3-5 years.....	892	3,683	1.18	.02	.51	.61	.78	1.08	1.45	1.85	2.27
6-8 years.....	336	4,254	1.45	.03	.64	.80	1.02	1.37	1.75	2.19	2.45
9-11 years.....	356	4,321	1.66	.05	.61	.74	1.09	1.49	2.01	2.67	3.32
12-14 years.....	399	4,841	1.76	.04	.62	.80	1.14	1.62	2.15	2.71	3.50
15-17 years.....	418	5,003	1.92	.06	.69	.85	1.06	1.64	2.38	3.43	4.20
18-24 years.....	770	10,508	1.85	.06	.55	.69	1.07	1.54	2.25	3.11	4.27
25-34 years.....	945	14,355	1.69	.05	.55	.68	.95	1.40	2.03	2.91	3.79
35-44 years.....	658	10,195	1.57	.05	.52	.72	.97	1.35	1.83	2.53	3.27
45-54 years.....	603	9,738	1.52	.04	.59	.69	.97	1.35	1.87	2.55	3.02
55-64 years.....	1,048	8,443	1.41	.03	.52	.67	.91	1.28	1.70	2.34	2.76
65-74 years.....	987	5,312	1.35	.03	.47	.63	.83	1.16	1.60	2.28	2.97
Female											
6 months-74 years...	8,036	84,696	1.07	.01	.36	.46	.65	.93	1.30	1.78	2.15
6-11 months.....	135	612	.83	.03	.32	.36	.56	.74	1.07	1.31	1.71
1-2 years.....	505	2,351	.88	.04	.33	.39	.57	.78	1.04	1.43	1.75
3-5 years.....	815	3,419	1.08	.02	.42	.55	.76	.96	1.26	1.64	2.05
6-8 years.....	308	3,864	1.22	.04	.54	.64	.87	1.15	1.49	1.92	2.24
9-11 years.....	307	4,049	1.31	.04	.57	.71	.89	1.14	1.58	2.08	2.47
12-14 years.....	363	4,414	1.20	.04	.44	.51	.80	1.07	1.44	1.96	2.38
15-17 years.....	342	4,758	1.08	.04	.34	.46	.62	.94	1.35	1.88	2.17
18-24 years.....	771	10,505	1.08	.03	.31	.42	.66	.93	1.35	1.77	2.23
25-34 years.....	982	14,482	1.06	.03	.34	.42	.62	.90	1.32	1.81	2.12
35-44 years.....	702	10,377	1.07	.04	.35	.43	.62	.88	1.28	1.73	2.45
45-54 years.....	655	10,424	.99	.03	.37	.47	.61	.89	1.19	1.65	2.00
55-64 years.....	1,071	8,934	1.02	.03	.35	.45	.65	.89	1.23	1.65	1.98
65-74 years.....	1,080	6,508	1.01	.03	.39	.48	.65	.86	1.17	1.60	1.95

^{1/} Excludes unknown income.

Table 1-13. Riboflavin intake values in milligrams for persons aged 6 months-74 years, by income level, sex, and age: Mean, standard error of the mean, and selected percentiles, United States, 1976-80

Income level, sex, and age	Exam- ined persons	Esti- mated popula- tion in thou- sands	Riboflavin in milligrams								
			Mean	Stand- ard error of the mean	Percentile						
					5th	10th	25th	50th	75th	90th	95th
All incomes											
Male											
6 months-74 years...	9,983	99,062	2.27	.03	0.71	0.93	1.35	1.94	2.77	3.80	4.72
6-11 months.....	179	819	1.83	.08	.57	.85	1.28	1.65	2.21	3.18	3.55
1-2 years.....	745	3,107	1.58	.05	.58	.72	1.01	1.44	1.92	2.55	2.99
3-5 years.....	1,219	4,695	1.81	.03	.65	.85	1.22	1.70	2.24	2.94	3.37
6-8 years.....	428	5,336	2.24	.04	.95	1.22	1.65	2.13	2.73	3.38	3.70
9-11 years.....	457	5,310	2.46	.06	.85	1.12	1.61	2.26	3.03	4.15	4.75
12-14 years.....	504	5,920	2.60	.08	.86	1.18	1.66	2.33	3.20	4.25	5.10
15-17 years.....	535	6,320	2.91	.09	.69	1.01	1.62	2.53	3.66	5.23	6.16
18-24 years.....	988	13,275	2.76	.08	.81	1.01	1.56	2.37	3.28	4.70	6.15
25-34 years.....	1,067	15,895	2.37	.07	.69	.96	1.34	2.02	2.87	3.95	5.06
35-44 years.....	745	11,367	2.08	.06	.68	.87	1.27	1.83	2.53	3.45	4.13
45-54 years.....	690	11,114	2.07	.05	.74	.93	1.32	1.78	2.45	3.31	4.39
55-64 years.....	1,227	9,607	1.91	.04	.68	.88	1.17	1.72	2.36	3.16	3.99
65-74 years.....	1,199	6,297	1.84	.04	.57	.76	1.08	1.56	2.25	3.03	3.97
Female											
6 months-74 years...	10,339	104,492	1.53	.02	.45	.58	.87	1.30	1.90	2.63	3.22
6-11 months.....	177	780	1.73	.07	.57	.79	1.17	1.61	2.20	2.89	3.22
1-2 years.....	672	2,970	1.49	.04	.55	.69	.99	1.39	1.82	2.42	2.90
3-5 years.....	1,126	4,491	1.67	.03	.62	.81	1.13	1.60	2.11	2.64	2.97
6-8 years.....	415	4,877	1.99	.05	.80	.99	1.39	1.94	2.46	3.00	3.43
9-11 years.....	425	5,357	2.01	.07	.74	.85	1.28	1.80	2.57	3.32	4.01
12-14 years.....	487	5,712	1.73	.05	.50	.67	1.05	1.59	2.22	2.94	3.41
15-17 years.....	449	6,131	1.61	.06	.42	.63	.92	1.39	2.05	2.89	3.37
18-24 years.....	1,066	14,173	1.52	.03	.43	.57	.87	1.29	1.90	2.69	3.29
25-34 years.....	1,170	16,856	1.48	.04	.40	.54	.82	1.23	1.83	2.50	3.21
35-44 years.....	844	12,284	1.45	.07	.40	.56	.79	1.17	1.72	2.36	2.94
45-54 years.....	763	11,918	1.37	.04	.42	.55	.78	1.14	1.60	2.26	2.90
55-64 years.....	1,329	10,743	1.36	.03	.44	.52	.76	1.18	1.63	2.30	3.00
65-74 years.....	1,416	8,198	1.36	.04	.42	.54	.79	1.13	1.60	2.26	2.88
Income below poverty level ^{1/}											
Male											
6 months-74 years...	1,539	11,653	2.12	.05	.58	.78	1.28	1.85	2.65	3.64	4.41
6-11 months.....	48	177	*	*	*	*	.94	1.47	1.99	*	*
1-2 years.....	170	601	1.58	.08	.57	.70	.96	1.44	1.89	2.65	3.34
3-5 years.....	298	910	1.81	.06	.64	.88	1.19	1.65	2.26	2.90	3.40
6-8 years.....	82	900	2.16	.13	.59	1.06	1.58	2.00	2.77	3.39	3.70
9-11 years.....	88	854	2.25	.12	.82	1.11	1.51	2.16	2.75	3.63	4.69
12-14 years.....	89	891	2.30	.16	.76	.92	1.44	1.81	2.85	3.89	5.09
15-17 years.....	89	974	2.30	.20	.52	.63	1.28	2.08	2.87	4.09	5.09
18-24 years.....	178	2,237	2.82	.16	.63	.88	1.54	2.43	3.38	5.25	6.02
25-34 years.....	91	1,106	2.05	.11	.60	.73	1.19	1.87	2.56	3.33	4.31
35-44 years.....	63	821	*	*	*	*	.97	1.50	1.99	*	*
45-54 years.....	46	645	*	*	*	*	1.43	2.08	2.51	*	*
55-64 years.....	129	779	1.66	.08	.47	.53	1.02	1.43	2.18	2.65	3.64
65-74 years.....	168	759	1.52	.05	.47	.57	.88	1.41	1.93	2.70	2.93

See footnotes at end of table.

Table 1-13. Riboflavin intake values in milligrams for persons aged 6 months-74 years, by income level, sex, and age: Mean, standard error of the mean, and selected percentiles, United States, 1976-80-Continued

Income level, sex, and age	Exam- ined persons	Esti- mated popula- tion in thou- sands	Riboflavin in milligrams								
			Mean	Stand- ard error of the mean	Percentile						
					5th	10th	25th	50th	75th	90th	95th
Income below poverty level ^{1/}											
Female											
6 months-74 years...	1,910	15,951	1.46	.03	0.38	0.52	0.79	1.25	1.83	2.62	3.15
6-11 months.....	36	138	*	*	*	*	*	1.28	*	*	*
1-2 years.....	153	562	1.57	.09	.54	.67	1.03	1.41	1.83	2.57	3.53
3-5 years.....	272	945	1.71	.07	.58	.75	1.10	1.68	2.20	2.66	2.94
6-8 years.....	95	869	1.90	.09	.79	.92	1.34	1.80	2.32	2.74	3.47
9-11 years.....	102	1,113	1.84	.09	.67	.78	1.16	1.77	2.39	3.01	3.26
12-14 years.....	104	1,072	1.48	.07	.46	.46	.91	1.29	1.80	2.70	3.27
15-17 years.....	88	1,099	1.41	.08	.38	.48	.86	1.27	1.82	2.54	3.23
18-24 years.....	253	3,072	1.39	.06	.42	.58	.80	1.16	1.75	2.56	3.07
25-34 years.....	162	1,997	1.53	.13	.38	.51	.75	1.18	1.68	2.98	3.44
35-44 years.....	119	1,543	1.21	.11	.22	.37	.57	1.09	1.48	1.95	2.76
45-54 years.....	82	1,115	1.17	.06	.35	.43	.68	.97	1.53	1.96	2.57
55-64 years.....	188	1,181	1.30	.09	.41	.47	.68	.96	1.53	2.13	3.16
65-74 years.....	256	1,245	1.33	.05	.36	.48	.66	1.15	1.68	2.55	3.08
Income above poverty level ^{1/}											
Male											
6 months-74 years...	8,084	83,681	2.29	.03	.75	.95	1.36	1.96	2.80	3.84	4.77
6-11 months.....	121	614	1.92	.10	.56	.87	1.36	1.79	2.33	3.38	3.61
1-2 years.....	551	2,416	1.58	.06	.60	.73	1.02	1.44	1.92	2.47	2.88
3-5 years.....	892	3,683	1.82	.04	.65	.85	1.23	1.70	2.24	3.01	3.37
6-8 years.....	336	4,254	2.27	.05	.97	1.25	1.69	2.16	2.73	3.38	3.74
9-11 years.....	356	4,321	2.51	.08	.83	1.13	1.62	2.35	3.10	4.23	4.81
12-14 years.....	399	4,841	2.67	.09	.92	1.26	1.72	2.42	3.26	4.34	5.12
15-17 years.....	418	5,003	3.08	.11	.84	1.17	1.69	2.60	3.82	5.43	6.63
18-24 years.....	770	10,508	2.75	.09	.84	1.03	1.55	2.37	3.27	4.65	6.15
25-34 years.....	945	14,355	2.40	.07	.71	.99	1.36	2.04	2.89	3.96	5.11
35-44 years.....	658	10,195	2.13	.06	.71	.92	1.29	1.86	2.60	3.48	4.15
45-54 years.....	603	9,738	2.05	.05	.78	.94	1.31	1.78	2.45	3.33	4.39
55-64 years.....	1,048	8,443	1.93	.05	.73	.91	1.18	1.72	2.36	3.20	4.03
65-74 years.....	987	5,312	1.87	.05	.64	.78	1.11	1.57	2.26	3.10	4.06
Female											
6 months-74 years...	8,036	84,696	1.55	.02	.45	.60	.89	1.32	1.90	2.64	3.22
6-11 months.....	135	612	1.79	.07	.68	.93	1.31	1.65	2.21	2.80	3.22
1-2 years.....	505	2,351	1.47	.05	.55	.69	.99	1.38	1.81	2.35	2.70
3-5 years.....	815	3,419	1.67	.03	.66	.83	1.13	1.59	2.05	2.63	2.98
6-8 years.....	308	3,864	2.01	.06	.82	1.00	1.39	1.94	2.49	3.09	3.43
9-11 years.....	307	4,049	2.06	.08	.76	.86	1.30	1.82	2.61	3.51	4.10
12-14 years.....	363	4,414	1.80	.06	.53	.79	1.13	1.69	2.30	2.94	3.48
15-17 years.....	342	4,758	1.65	.07	.42	.65	.92	1.44	2.09	2.89	3.40
18-24 years.....	771	10,505	1.56	.04	.43	.57	.91	1.33	1.94	2.76	3.36
25-34 years.....	982	14,482	1.47	.04	.40	.54	.83	1.23	1.83	2.44	3.10
35-44 years.....	702	10,377	1.48	.07	.42	.60	.82	1.20	1.77	2.37	2.91
45-54 years.....	655	10,424	1.40	.04	.45	.56	.80	1.15	1.61	2.26	2.99
55-64 years.....	1,071	8,934	1.37	.03	.45	.54	.78	1.19	1.64	2.32	3.00
65-74 years.....	1,080	6,508	1.37	.05	.44	.56	.81	1.13	1.58	2.23	2.85

1/ Excludes unknown income.

Table 1-14. Preformed niacin intake values in milligrams for persons aged 6 months-74 years, by income level, sex, and age: Mean, standard error of the mean, and selected percentiles, United States, 1976-80

Income level, sex, and age	Exam-ined persons	Esti-mated popula-tion in thou-sands	Preformed niacin in milligrams									
			Mean	Stand-ard error of the mean	Percentile							
					5th	10th	25th	50th	75th	90th	95th	
All incomes												
Male												
6 months-74 years...	9,983	99,062	23.89	.18	7.58	9.83	14.19	20.85	29.66	41.21	49.81	
6-11 months.....	179	819	8.92	.40	2.84	3.64	4.73	8.39	11.61	15.26	19.16	
1-2 years.....	745	3,107	11.00	.32	3.58	4.62	6.73	9.72	13.50	18.49	21.90	
3-5 years.....	1,219	4,695	14.54	.26	5.37	7.10	9.64	13.03	18.17	23.92	28.13	
6-8 years.....	428	5,336	17.78	.33	7.27	9.19	13.00	16.66	22.09	27.50	31.43	
9-11 years.....	457	5,310	20.66	.52	7.52	8.96	13.31	18.59	25.52	34.31	40.32	
12-14 years.....	504	5,920	22.90	.61	8.06	10.20	14.72	20.89	27.52	37.29	44.99	
15-17 years.....	535	6,320	26.69	.93	8.05	10.42	14.91	22.15	32.96	48.71	65.19	
18-24 years.....	988	13,275	29.76	.83	9.71	11.42	17.13	25.98	36.96	49.09	62.08	
25-34 years.....	1,067	15,895	28.43	.50	10.35	13.14	17.54	25.15	35.33	47.53	58.89	
35-44 years.....	745	11,367	25.34	.46	9.60	11.45	16.77	23.24	31.59	40.71	48.74	
45-54 years.....	690	11,114	25.12	.48	9.33	11.89	16.27	22.41	31.51	41.40	48.21	
55-64 years.....	1,227	9,607	21.67	.38	8.66	10.58	13.97	19.58	26.24	37.18	41.77	
65-74 years.....	1,199	6,297	19.95	.33	6.56	8.88	12.48	17.68	24.14	33.72	40.24	
Female												
6 months-74 years...	10,339	104,492	15.45	.15	5.20	6.86	9.74	13.87	19.13	25.69	30.52	
6-11 months.....	177	780	8.55	.33	2.66	3.20	4.89	7.93	11.88	14.34	16.98	
1-2 years.....	672	2,970	10.62	.37	2.96	4.07	6.65	9.47	13.38	18.02	22.13	
3-5 years.....	1,126	4,491	13.28	.29	4.46	6.02	9.01	11.99	16.65	21.56	25.16	
6-8 years.....	415	4,877	14.99	.30	6.44	7.85	10.40	13.96	18.33	23.22	27.74	
9-11 years.....	425	5,357	16.43	.39	6.95	8.23	10.78	14.73	20.02	26.96	31.72	
12-14 years.....	487	5,712	15.26	.41	5.43	6.82	9.62	13.65	19.02	25.99	30.67	
15-17 years.....	449	6,131	14.67	.44	4.48	6.57	9.29	13.10	18.42	24.57	28.25	
18-24 years.....	1,066	14,173	15.89	.31	4.62	6.30	9.57	14.53	20.15	26.82	33.44	
25-34 years.....	1,170	16,856	16.48	.37	5.45	7.22	10.44	14.99	20.40	27.06	33.01	
35-44 years.....	844	12,284	16.94	.48	6.12	7.92	10.93	15.03	20.30	27.89	33.50	
45-54 years.....	763	11,918	15.61	.30	5.79	7.47	10.05	13.97	19.37	25.24	29.77	
55-64 years.....	1,329	10,743	15.17	.28	5.51	6.91	9.58	13.61	19.15	25.04	28.77	
65-74 years.....	1,416	8,198	14.42	.29	5.19	6.56	8.96	12.90	17.35	23.69	30.09	
Income below poverty level ^{1/}												
Male												
6 months-74 years...	1,539	11,653	20.52	.42	5.69	7.67	11.33	17.16	25.98	37.74	44.31	
6-11 months.....	48	177	*	*	*	*	6.05	8.03	11.34	*	*	
1-2 years.....	170	601	10.76	.62	3.05	3.97	6.39	9.17	13.55	19.27	24.53	
3-5 years.....	298	910	15.02	.70	5.30	7.05	9.64	12.99	18.19	26.16	31.75	
6-8 years.....	82	900	16.62	.74	6.75	8.07	11.43	15.73	21.37	25.68	30.53	
9-11 years.....	88	854	18.41	.79	5.95	8.41	10.84	18.06	23.29	28.95	34.26	
12-14 years.....	89	891	18.98	1.14	7.59	9.14	11.80	17.36	22.61	33.10	41.30	
15-17 years.....	89	974	23.11	1.87	5.54	7.96	13.62	18.48	27.94	45.07	55.43	
18-24 years.....	178	2,237	27.10	1.45	6.28	9.68	16.32	25.01	33.41	42.44	56.80	
25-34 years.....	91	1,106	25.58	1.27	9.14	10.77	15.25	19.57	34.82	46.30	52.30	
35-44 years.....	63	821	*	*	*	*	11.29	19.60	29.79	*	*	
45-54 years.....	46	645	*	*	*	*	13.94	21.65	32.09	*	*	
55-64 years.....	129	779	18.29	1.12	5.31	8.62	10.95	15.70	21.78	34.86	41.61	
65-74 years.....	168	759	14.91	.53	4.23	5.99	10.23	14.45	18.79	23.16	27.20	

See footnotes at end of table.

Table 1-14. Preformed niacin intake values in milligrams for persons aged 6 months-74 years, by income level, sex, and age: Mean, standard error of the mean, and selected percentiles, United States, 1976-80-Continued

Income level, sex, and age	Exam- ined persons	Esti- mated popula- tion in thou- sands	Preformed niacin in milligrams								
			Mean	Stand- ard error of the mean	Percentile						
					5th	10th	25th	50th	75th	90th	95th
Income below poverty level ^{1/}											
Female											
6 months-74 years...	1,910	15,951	14.37	.26	4.56	5.92	8.63	12.64	18.00	24.41	29.63
6-11 months.....	36	138	*	*	*	*	*	6.24	*	*	*
1-2 years.....	153	562	11.48	.62	3.24	4.96	6.68	9.88	14.60	20.32	25.23
3-5 years.....	272	945	13.92	.60	3.85	5.22	8.70	12.84	18.16	22.95	26.04
6-8 years.....	95	869	15.73	.65	5.87	7.58	10.71	14.70	18.89	22.23	29.11
9-11 years.....	102	1,113	16.15	.93	6.22	8.10	10.11	14.00	20.01	26.89	31.80
12-14 years.....	104	1,072	14.07	.82	5.29	5.88	7.69	12.06	16.86	25.57	33.14
15-17 years.....	88	1,099	14.64	.60	4.76	7.93	10.20	13.03	18.29	23.53	29.36
18-24 years.....	253	3,072	14.54	.70	3.86	5.93	8.75	12.78	18.38	24.51	33.16
25-34 years.....	162	1,997	16.97	.91	5.13	6.28	9.84	14.92	22.03	27.87	32.44
35-44 years.....	119	1,543	14.02	.58	4.56	6.12	8.86	12.68	18.11	23.20	28.21
45-54 years.....	82	1,115	12.36	.43	4.90	6.20	8.12	11.85	14.81	19.88	24.46
55-64 years.....	188	1,181	13.15	.79	5.32	5.69	7.81	10.82	16.17	22.00	29.47
65-74 years.....	256	1,245	12.96	.43	3.46	5.35	7.61	11.49	15.75	22.87	28.12
Income above poverty level ^{1/}											
Male											
6 months-74 years...	8,084	83,681	24.41	.21	7.97	10.23	14.72	21.33	30.27	41.53	50.52
6-11 months.....	121	614	9.25	.52	2.87	3.64	4.71	9.06	11.87	15.88	19.98
1-2 years.....	551	2,416	11.13	.41	3.86	4.69	6.90	9.86	13.57	18.52	21.52
3-5 years.....	892	3,683	14.51	.28	5.46	7.26	9.74	13.17	18.18	23.44	27.03
6-8 years.....	336	4,254	18.05	.44	8.02	9.63	12.99	17.04	22.20	27.74	31.72
9-11 years.....	356	4,321	21.19	.61	7.53	9.34	13.69	18.64	27.03	36.53	41.31
12-14 years.....	399	4,841	23.70	.60	8.20	11.05	15.57	21.77	28.72	39.11	47.00
15-17 years.....	418	5,003	27.59	1.12	9.02	11.10	15.55	23.75	33.54	50.33	67.84
18-24 years.....	770	10,508	30.30	.92	10.23	11.76	17.46	26.01	37.94	50.25	65.05
25-34 years.....	945	14,355	28.71	.52	10.74	13.53	17.99	25.22	35.35	47.73	59.31
35-44 years.....	658	10,195	25.83	.52	10.11	12.05	17.17	23.62	32.21	41.57	49.34
45-54 years.....	603	9,738	25.37	.55	9.36	12.19	16.45	22.70	31.57	41.42	48.68
55-64 years.....	1,048	8,443	22.02	.40	9.05	10.90	14.31	20.08	26.56	37.84	41.81
65-74 years.....	987	5,312	20.51	.36	7.40	9.03	12.93	18.33	25.05	34.17	42.65
Female											
6 months-74 years...	8,036	84,696	15.67	.17	5.28	7.07	9.98	14.14	19.35	25.90	30.75
6-11 months.....	135	612	8.48	.38	2.64	3.20	4.96	7.93	11.89	14.17	16.20
1-2 years.....	505	2,351	10.42	.42	2.96	3.89	6.73	9.41	12.78	17.94	21.00
3-5 years.....	815	3,419	13.13	.30	4.63	6.32	9.07	11.84	16.13	21.37	24.71
6-8 years.....	308	3,864	14.79	.39	6.44	7.85	10.33	13.72	18.32	23.20	26.93
9-11 years.....	307	4,049	16.58	.46	7.01	8.45	11.45	14.99	20.09	27.12	30.71
12-14 years.....	363	4,414	15.63	.45	5.43	7.29	10.37	13.86	19.36	26.14	30.51
15-17 years.....	342	4,758	14.68	.55	3.95	6.20	8.85	13.26	18.44	24.57	28.22
18-24 years.....	771	10,505	16.30	.36	4.73	6.48	9.96	14.86	20.69	27.53	33.53
25-34 years.....	982	14,482	16.43	.35	5.46	7.31	10.47	15.02	20.21	26.77	33.45
35-44 years.....	702	10,377	17.31	.53	6.53	8.16	11.20	15.25	20.53	28.32	34.14
45-54 years.....	655	10,424	15.98	.31	6.12	7.64	10.34	14.38	19.66	25.68	30.50
55-64 years.....	1,071	8,934	15.48	.30	5.67	7.13	10.12	14.08	19.51	25.05	29.12
65-74 years.....	1,080	6,508	14.75	.35	5.37	6.84	9.31	13.34	17.74	23.93	30.38

1/ Excludes unknown income.

Table 1-15. Vitamin C intake values in milligrams for persons aged 6-months-74 years, by income level, sex, and age: Mean, standard error of the mean, and selected percentiles, United States, 1976-80

Income level, sex, and age	Exam-ined persons	Esti-mated popula-tion in thou-sands	Vitamin C in milligrams								
			Mean	Stand-ard error of the mean	Percentile						
					5th	10th	25th	50th	75th	90th	95th
All incomes											
Male											
6 months-74 years...	9,983	99,062	108	2.1	8	15	33	73	144	237	317
6-11 months.....	179	819	63	5.7	11	14	23	51	81	120	170
1-2 years.....	745	3,107	90	3.9	8	13	28	64	121	192	252
3-5 years.....	1,219	4,695	104	4.1	10	16	34	76	136	226	285
6-8 years.....	428	5,336	105	7.5	13	19	34	68	142	222	322
9-11 years.....	457	5,310	119	6.1	13	20	41	88	158	265	336
12-14 years.....	504	5,920	123	7.5	11	15	32	72	167	295	384
15-17 years.....	535	6,320	112	7.2	7	16	33	69	150	244	359
18-24 years.....	988	13,275	129	5.8	7	14	35	76	166	303	430
25-34 years.....	1,067	15,895	108	4.4	8	13	31	66	138	251	340
35-44 years.....	745	11,367	96	4.5	7	15	28	66	137	211	268
45-54 years.....	690	11,114	102	4.6	7	13	34	76	147	215	263
55-64 years.....	1,227	9,607	103	2.8	8	15	34	82	144	229	273
65-74 years.....	1,199	6,297	100	3.5	5	11	33	79	140	212	271
Female											
6 months-74 years...	10,339	104,492	93	1.6	6	11	27	63	130	209	273
6-11 months.....	177	780	72	7.1	9	13	31	51	80	142	261
1-2 years.....	672	2,970	86	2.8	10	13	27	64	116	186	240
3-5 years.....	1,126	4,491	96	5.0	10	15	29	68	131	202	284
6-8 years.....	415	4,877	109	5.1	14	19	34	80	147	241	292
9-11 years.....	425	5,357	94	4.5	13	17	32	59	121	218	271
12-14 years.....	487	5,712	83	5.0	6	11	25	56	108	200	276
15-17 years.....	449	6,131	73	3.0	4	9	21	42	99	180	229
18-24 years.....	1,066	14,173	92	2.7	5	9	25	59	135	201	264
25-34 years.....	1,170	16,856	92	3.9	5	9	24	55	121	202	292
35-44 years.....	844	12,284	83	3.5	4	10	23	53	116	202	248
45-54 years.....	763	11,918	97	5.1	4	9	26	69	134	224	281
55-64 years.....	1,329	10,743	107	3.3	7	15	35	88	148	224	281
65-74 years.....	1,416	8,198	105	2.9	7	13	37	90	147	220	260
Income below poverty level ^{1/}											
Male											
6 months-74 years...	1,539	11,653	93	4.8	4	9	23	57	124	224	298
6-11 months.....	48	177	*	*	*	*	19	41	70	*	*
1-2 years.....	170	601	73	5.3	5	9	20	46	95	181	237
3-5 years.....	298	910	98	6.5	7	12	33	72	141	216	259
6-8 years.....	82	900	84	11.9	8	15	26	52	149	198	286
9-11 years.....	88	854	114	13.0	8	15	37	76	158	269	336
12-14 years.....	89	891	98	13.6	9	12	22	51	122	231	432
15-17 years.....	89	974	79	9.0	1	10	23	55	93	197	241
18-24 years.....	178	2,237	120	12.7	8	12	36	72	162	296	376
25-34 years.....	91	1,106	77	7.5	0	5	18	48	109	181	225
35-44 years.....	63	821	*	*	*	*	17	46	98	*	*
45-54 years.....	46	645	*	*	*	*	24	80	137	*	*
55-64 years.....	129	779	85	7.9	2	6	23	52	107	216	275
65-74 years.....	168	759	70	5.3	2	3	10	45	102	179	222

See footnotes at end of table.

Table 1-15. Vitamin C intake values in milligrams for persons aged 6 months-74 years, by income level, sex, and age: Mean, standard error of the mean, and selected percentiles, United States, 1976-80-Continued

Income level, sex, and age	Exam- ined persons	Esti- mated popula- tion in thou- sands	Vitamin C in milligrams								
			Mean	Stand- ard error of the mean	Percentile						
					5th	10th	25th	50th	75th	90th	95th
Income below poverty level ^{1/}											
Female											
6 months-74 years...	1,910	15,951	77	2.8	3	7	19	44	105	183	251
6-11 months.....	36	138	*	*	*	*	*	51	*	*	*
1-2 years.....	153	562	86	8.3	8	12	23	61	124	176	266
3-5 years.....	272	945	91	9.5	6	10	24	54	136	219	277
6-8 years.....	95	869	97	10.1	13	18	36	80	136	185	269
9-11 years.....	102	1,113	71	6.0	10	13	19	43	97	183	239
12-14 years.....	104	1,072	61	8.0	3	3	16	33	73	170	209
15-17 years.....	88	1,099	65	11.4	1	3	14	31	80	175	246
18-24 years.....	253	3,072	83	5.9	2	6	20	46	109	182	290
25-34 years.....	162	1,997	77	11.1	3	7	19	36	87	202	332
35-44 years.....	119	1,543	55	6.4	0	4	13	32	68	153	182
45-54 years.....	82	1,115	82	8.9	2	4	15	62	118	182	238
55-64 years.....	188	1,181	76	6.0	4	7	20	47	124	164	223
65-74 years.....	256	1,245	94	6.9	5	8	24	71	132	223	265
Income above poverty level ^{1/}											
Male											
6 months-74 years...	8,084	83,681	110	2.3	9	16	34	75	146	239	323
6-11 months.....	121	614	66	7.0	11	16	29	55	81	120	170
1-2 years.....	551	2,416	94	5.0	10	15	29	69	122	200	260
3-5 years.....	892	3,683	106	5.0	12	17	35	76	133	231	308
6-8 years.....	336	4,254	108	7.6	14	21	37	73	140	228	329
9-11 years.....	356	4,321	120	6.8	14	20	41	90	164	265	337
12-14 years.....	399	4,841	127	8.2	12	17	36	78	184	301	384
15-17 years.....	418	5,003	119	9.2	7	17	35	72	162	261	398
18-24 years.....	770	10,508	132	7.3	6	15	35	77	169	309	438
25-34 years.....	945	14,355	110	4.7	8	14	31	67	139	262	342
35-44 years.....	658	10,195	97	4.5	8	15	31	69	139	208	260
45-54 years.....	603	9,738	103	5.2	8	15	34	75	149	221	288
55-64 years.....	1,048	8,443	105	3.0	9	15	36	86	146	229	273
65-74 years.....	987	5,312	103	4.0	6	13	38	85	142	215	274
Female											
6 months-74 years...	8,036	84,696	96	1.6	6	12	28	66	134	211	275
6-11 months.....	135	612	72	8.9	9	12	29	50	77	152	261
1-2 years.....	505	2,351	86	2.9	11	15	28	68	117	186	234
3-5 years.....	815	3,419	98	4.6	12	17	31	71	129	203	284
6-8 years.....	308	3,864	112	6.4	15	19	33	80	155	259	341
9-11 years.....	307	4,049	101	5.5	15	21	36	66	132	224	276
12-14 years.....	363	4,414	88	6.1	9	13	28	60	117	207	293
15-17 years.....	342	4,758	75	4.3	5	11	22	44	105	180	229
18-24 years.....	771	10,505	94	3.4	6	12	26	59	143	202	253
25-34 years.....	982	14,482	93	3.8	5	10	24	56	124	200	291
35-44 years.....	702	10,377	88	4.1	4	11	26	55	122	210	262
45-54 years.....	655	10,424	99	5.6	5	11	27	70	138	227	284
55-64 years.....	1,071	8,934	111	3.4	7	18	38	93	151	224	285
65-74 years.....	1,080	6,508	107	3.4	8	14	40	92	150	219	261

^{1/} Excludes unknown income.

Table 1-16. Saturated fatty acid intake values in grams for persons aged 6 months-74 years, by income level, sex, and age: Mean, standard error of the mean, and selected percentiles, United States, 1976-80

Income level, sex, and age	Exam- ined persons	Esti- mated popula- tion in thou- sands	Saturated fatty acid in grams								
			Mean	Stand- ard error of the mean	Percentile						
					5th	10th	25th	50th	75th	90th	95th
All incomes											
Male											
6 months-74 Years...	9,983	99,062	36	.5	10	14	21	31	45	63	76
6-11 months.....	179	819	13	.6	0	1	8	12	18	25	30
1-2 Years.....	745	3,107	19	.5	6	8	12	18	24	32	39
3-5 Years.....	1,219	4,695	24	.5	8	11	15	22	29	39	46
6-8 Years.....	428	5,336	30	.9	13	16	21	28	37	47	55
9-11 Years.....	457	5,310	32	.8	13	16	22	29	40	52	60
12-14 Years.....	504	5,920	37	1.3	12	15	23	33	46	61	72
15-17 Years.....	535	6,320	44	1.2	13	17	26	37	56	78	96
18-24 Years.....	988	13,275	46	1.4	13	18	27	38	58	80	102
25-34 Years.....	1,067	15,895	40	1.0	12	15	24	37	52	66	80
35-44 Years.....	745	11,367	37	1.0	13	16	22	33	47	63	74
45-54 Years.....	690	11,114	36	.8	11	14	21	31	46	61	75
55-64 Years.....	1,227	9,607	31	.5	10	13	20	29	39	53	62
65-74 Years.....	1,199	6,297	27	.5	8	10	17	24	33	45	53
Female											
6 months-74 Years...	10,339	104,492	23	.3	6	9	14	21	29	39	47
6-11 months.....	177	780	14	.8	1	3	8	14	19	25	31
1-2 Years.....	672	2,970	19	.4	6	8	12	18	23	31	37
3-5 Years.....	1,126	4,491	22	.5	9	11	15	21	28	35	40
6-8 Years.....	415	4,877	26	.6	10	14	19	25	32	40	44
9-11 Years.....	425	5,357	27	.7	11	14	19	25	34	43	51
12-14 Years.....	487	5,712	27	.7	8	12	17	25	35	46	54
15-17 Years.....	449	6,131	26	1.1	7	10	15	24	34	43	56
18-24 Years.....	1,066	14,173	24	.4	6	9	14	21	31	41	50
25-34 Years.....	1,170	16,856	24	.5	6	9	14	22	31	40	48
35-44 Years.....	844	12,284	23	.7	7	9	14	21	29	40	49
45-54 Years.....	763	11,918	21	.7	5	7	12	19	26	34	44
55-64 Years.....	1,329	10,743	20	.4	5	7	11	17	25	34	41
65-74 Years.....	1,416	8,198	17	.4	4	7	11	15	21	29	36
Income below poverty level/											
Male											
6 months-74 Years...	1,539	11,653	34	.9	8	11	19	29	43	62	76
6-11 months.....	48	177	*	*	*	*	8	14	18	*	*
1-2 Years.....	170	601	21	.9	7	9	14	20	25	33	40
3-5 Years.....	298	910	26	1.1	8	11	18	25	33	43	51
6-8 Years.....	82	900	31	1.8	13	18	21	30	37	45	57
9-11 Years.....	88	854	30	1.4	8	14	22	29	36	47	61
12-14 Years.....	89	891	36	3.4	12	13	23	30	45	61	73
15-17 Years.....	89	974	41	3.2	9	13	22	36	55	69	85
18-24 Years.....	178	2,237	47	3.0	9	13	24	39	62	84	104
25-34 Years.....	94	1,106	38	1.4	6	17	23	34	53	65	79
35-44 Years.....	63	821	*	*	*	*	15	23	38	*	*
45-54 Years.....	46	645	*	*	*	*	22	32	46	*	*
55-64 Years.....	129	779	27	1.8	6	8	16	24	35	48	55
65-74 Years.....	168	759	24	1.0	5	8	15	21	30	42	52

See footnotes at end of table.

Table 1-16. Saturated fatty acid intake values in grams for persons aged 6 months-74 years, by income level, sex, and age: Mean, standard error of the mean, and selected percentiles, United States, 1976-80-Continued

Income level, sex, and age	Exam- ined persons	Esti- mated popula- tion in thou- sands	Saturated fatty acid in grams								
			Mean	Stand- ard error of the mean	Percentile						
					5th	10th	25th	50th	75th	90th	95th
Income below poverty level ^{1/}											
Female											
6 months-74 Years...	1,910	15,951	23	.5	5	8	14	20	30	40	48
6-11 months.....	36	138	*	*	*	*	14	*	*	*	*
1-2 Years.....	153	562	22	1.0	7	10	15	20	26	37	42
3-5 Years.....	272	945	24	.8	10	12	16	22	30	37	44
6-8 Years.....	95	869	29	1.3	12	15	20	29	35	43	49
9-11 Years.....	102	1,113	27	1.8	10	11	17	25	36	46	56
12-14 Years.....	104	1,072	25	1.6	7	9	15	22	33	45	56
15-17 Years.....	88	1,099	28	1.8	8	12	16	26	36	45	53
18-24 Years.....	253	3,072	22	1.0	4	6	13	19	31	39	46
25-34 Years.....	162	1,997	25	2.0	7	8	14	21	33	43	60
35-44 Years.....	119	1,543	22	1.5	3	7	14	19	26	39	58
45-54 Years.....	82	1,115	21	1.1	4	7	13	20	28	32	39
55-64 Years.....	188	1,181	18	1.0	6	7	11	16	23	31	40
65-74 Years.....	256	1,245	16	.7	4	5	10	15	20	27	33
Income above poverty level ^{1/}											
Male											
6 months-74 Years...	8,084	83,681	36	.5	11	14	21	31	46	63	76
6-11 months.....	121	614	13	.8	0	0	7	11	18	25	28
1-2 Years.....	551	2,416	19	.6	6	8	12	18	24	31	39
3-5 Years.....	892	3,683	23	.5	8	11	15	21	28	38	44
6-8 Years.....	336	4,254	30	1.0	13	15	21	28	37	48	55
9-11 Years.....	356	4,321	32	1.0	13	16	23	29	40	53	59
12-14 Years.....	399	4,841	37	1.4	12	15	23	33	46	62	74
15-17 Years.....	418	5,003	45	1.4	14	18	27	38	57	78	98
18-24 Years.....	770	10,508	46	1.6	14	18	27	39	57	79	102
25-34 Years.....	945	14,355	40	1.1	12	15	25	37	51	67	80
35-44 Years.....	658	10,195	38	1.1	13	16	24	33	48	63	75
45-54 Years.....	603	9,738	36	.9	11	14	21	32	45	64	75
55-64 Years.....	1,048	8,443	31	.5	10	13	20	29	39	54	63
65-74 Years.....	987	5,312	27	.6	8	11	17	25	33	45	53
Female											
6 months-74 Years...	8,036	84,696	23	.3	6	9	14	21	29	39	46
6-11 months.....	135	612	14	.9	0	1	8	14	19	25	29
1-2 Years.....	505	2,351	18	.4	6	8	12	17	23	30	35
3-5 Years.....	815	3,419	22	.4	9	11	15	20	27	34	39
6-8 Years.....	308	3,864	26	.7	10	13	18	24	31	39	43
9-11 Years.....	307	4,049	27	.8	12	15	19	26	34	41	50
12-14 Years.....	363	4,414	28	.7	10	13	18	25	35	46	54
15-17 Years.....	342	4,758	26	1.2	7	9	14	24	33	42	56
18-24 Years.....	771	10,505	25	.5	7	9	14	22	31	41	51
25-34 Years.....	982	14,482	23	.5	6	9	14	22	30	40	47
35-44 Years.....	702	10,377	23	.7	7	9	14	21	30	40	49
45-54 Years.....	655	10,424	21	.7	5	7	12	19	26	34	44
55-64 Years.....	1,071	8,934	20	.4	5	7	12	18	25	35	41
65-74 Years.....	1,080	6,508	17	.4	5	7	11	15	22	30	37

^{1/} Excludes unknown income.

Table 1-17. Oleic acid intake values in grams for persons aged 6 months-74 years, by income level, sex, and age: Mean, standard error of the mean, and selected percentiles, United States, 1976-80

Income level, sex, and age	Exam- ined persons	Esti- mated popula- tion in thou- sands	Oleic acid in grams								
			Mean	Stand- ard error of the mean	Percentile						
					5th	10th	25th	50th	75th	90th	95th
All incomes											
Male											
6 months-74 Years...	9,983	99,062	36	.5	10	14	21	32	46	63	76
6-11 months.....	179	819	10	.6	0	0	5	9	13	21	28
1-2 Years.....	745	3,107	18	.5	6	8	12	17	23	30	36
3-5 Years.....	1,219	4,695	23	.5	8	11	16	21	29	38	44
6-8 Years.....	428	5,336	30	1.0	13	15	20	27	35	47	53
9-11 Years.....	457	5,310	31	.8	12	16	22	29	37	49	57
12-14 Years.....	504	5,920	36	1.2	11	15	22	33	46	62	74
15-17 Years.....	535	6,320	43	1.2	14	17	26	38	55	75	90
18-24 Years.....	988	13,275	46	1.2	13	18	26	40	57	80	100
25-34 Years.....	1,067	15,895	41	1.1	13	16	25	37	53	70	84
35-44 Years.....	745	11,367	38	1.1	13	16	24	34	48	64	73
45-54 Years.....	690	11,114	37	.8	11	14	23	33	47	63	72
55-64 Years.....	1,227	9,607	33	.5	10	14	21	30	39	55	65
65-74 Years.....	1,199	6,297	28	.5	9	12	18	25	36	47	56
Female											
6 months-74 Years...	10,339	104,492	23	.3	6	9	14	21	30	40	47
6-11 months.....	177	780	10	.7	1	2	5	9	14	22	25
1-2 Years.....	672	2,970	18	.4	6	7	12	17	23	30	34
3-5 Years.....	1,126	4,491	22	.4	8	10	15	20	27	34	40
6-8 Years.....	415	4,877	26	.7	11	12	19	25	32	40	45
9-11 Years.....	425	5,357	27	.6	11	14	18	25	34	42	50
12-14 Years.....	487	5,712	27	.7	9	11	17	25	35	42	50
15-17 Years.....	449	6,131	27	1.2	7	10	16	23	34	45	53
18-24 Years.....	1,066	14,173	24	.4	6	8	14	22	31	41	48
25-34 Years.....	1,170	16,856	25	.5	7	10	15	23	31	42	50
35-44 Years.....	844	12,284	24	.6	7	10	14	22	30	40	49
45-54 Years.....	763	11,918	22	.6	5	9	13	20	28	36	44
55-64 Years.....	1,329	10,743	21	.5	6	8	12	19	26	37	44
65-74 Years.....	1,416	8,198	18	.4	5	7	12	17	23	32	38
Income below poverty level ^{1/}											
Male											
6 months-74 Years...	1,539	11,653	34	1.0	8	12	19	29	44	65	78
6-11 months.....	48	177	*	*	*	*	5	10	17	*	*
1-2 Years.....	170	601	19	.9	5	8	13	18	25	34	36
3-5 Years.....	298	910	26	1.2	8	12	17	24	32	43	52
6-8 Years.....	82	900	29	2.0	14	16	21	28	35	45	56
9-11 Years.....	88	854	30	1.3	8	11	20	28	37	49	60
12-14 Years.....	89	891	37	2.8	10	16	22	30	49	67	78
15-17 Years.....	89	974	42	3.4	12	18	26	37	55	74	80
18-24 Years.....	178	2,237	46	2.7	11	16	24	36	62	83	107
25-34 Years.....	91	1,106	39	1.8	9	17	23	32	53	76	85
35-44 Years.....	63	821	*	*	*	*	16	24	41	*	*
45-54 Years.....	46	645	*	*	*	*	21	38	54	*	*
55-64 Years.....	129	779	30	1.9	6	8	16	29	38	52	61
65-74 Years.....	168	759	26	1.2	7	8	15	23	32	43	53

See footnotes at end of table.

Table 1-17. Oleic acid intake values in grams for persons aged 6 months-74 years, by income level, sex, and age: Mean, standard error of the mean, and selected percentiles, United States, 1976-80-Continued

Income level, sex, and age	Exam- ined persons	Esti- mated popula- tion in thou- sands	Oleic acid in grams								
			Mean	Stand- ard error of the mean	Percentile						
					5th	10th	25th	50th	75th	90th	95th
Income below poverty level ^{1/}											
Female											
6 months-74 Years...	1,910	15,951	24	.6	6	9	14	21	31	40	51
6-11 months.....	36	138	*	*	*	*	*	10	*	*	*
1-2 Years.....	153	562	21	.9	8	10	14	19	26	36	39
3-5 Years.....	272	945	24	.8	9	12	16	24	30	38	45
6-8 Years.....	95	869	28	1.3	11	13	21	27	33	40	51
9-11 Years.....	102	1,113	27	1.6	10	12	16	24	36	45	49
12-14 Years.....	104	1,072	26	1.9	5	9	16	24	35	42	59
15-17 Years.....	88	1,099	29	2.0	9	11	18	24	38	51	53
18-24 Years.....	253	3,072	23	1.1	5	7	14	21	31	39	47
25-34 Years.....	162	1,997	27	1.8	7	10	16	24	33	52	63
35-44 Years.....	119	1,543	24	1.8	4	7	13	19	29	45	62
45-54 Years.....	82	1,115	22	1.2	5	8	14	21	29	34	39
55-64 Years.....	188	1,181	19	1.1	6	7	12	18	24	33	43
65-74 Years.....	256	1,245	17	.7	5	6	10	16	22	29	37
Income above poverty level ^{1/}											
Male											
6 months-74 Years...	8,084	83,681	36	.5	11	14	22	32	46	63	77
6-11 months.....	121	614	9	.6	0	0	5	9	13	20	26
1-2 Years.....	551	2,416	18	.551	6	8	11	16	23	30	36
3-5 Years.....	892	3,683	23	.892	8	11	15	21	28	36	43
6-8 Years.....	336	4,254	30	.336	13	15	20	27	35	48	53
9-11 Years.....	356	4,321	31	.356	13	16	22	29	37	48	57
12-14 Years.....	399	4,841	36	.399	11	15	22	33	46	62	74
15-17 Years.....	418	5,003	44	.418	14	17	26	39	55	77	97
18-24 Years.....	770	10,508	46	.770	13	18	27	40	56	80	100
25-34 Years.....	945	14,355	42	.945	13	16	25	37	54	71	84
35-44 Years.....	658	10,195	39	.658	13	17	24	35	50	65	74
45-54 Years.....	603	9,738	37	.603	11	15	23	32	47	61	71
55-64 Years.....	1,048	8,443	33	1,048	10	14	21	30	39	56	65
65-74 Years.....	987	5,312	29	.987	10	12	19	25	36	47	55
Female											
6 months-74 Years...	8,036	84,696	23	.3	7	9	14	21	30	39	46
6-11 months.....	135	612	10	.8	1	2	4	9	14	22	24
1-2 Years.....	505	2,351	17	.4	6	7	11	16	22	29	33
3-5 Years.....	815	3,419	21	.4	9	10	14	20	26	33	38
6-8 Years.....	308	3,864	26	.8	11	12	19	24	32	40	44
9-11 Years.....	307	4,049	27	.8	12	14	19	25	33	41	50
12-14 Years.....	363	4,414	27	.7	9	12	18	26	34	42	50
15-17 Years.....	342	4,758	26	1.1	7	10	15	23	33	44	49
18-24 Years.....	771	10,505	24	.4	6	8	15	22	31	41	47
25-34 Years.....	982	14,482	24	.5	7	10	15	22	31	41	48
35-44 Years.....	702	10,377	24	.6	7	10	15	22	31	40	48
45-54 Years.....	655	10,424	22	.7	5	9	13	20	28	36	44
55-64 Years.....	1,071	8,934	21	.5	6	8	13	19	26	37	45
65-74 Years.....	1,080	6,508	19	.4	5	8	12	17	23	32	39

^{1/} Excludes unknown income.

Table 1-18. Linoleic acid intake values in grams for persons aged 6 months-74 years, by income level, sex and age: Mean, standard error of the mean, and selected percentiles, United States, 1976-80

Income level, sex, and age	Exam- ined persons	Esti- mated popula- in thou- sands	Linoleic acid in grams								
			Mean	Stand- ard error of the mean	Percentile						
					5th	10th	25th	50th	75th	90th	95th
All incomes											
Male											
6 months-74 years...	9,983	99,062	13	.2	3	4	6	11	17	25	31
6-11 months.....	179	819	3	.2	0	0	1	2	4	8	9
1-2 years.....	745	3,107	6	.2	1	2	3	5	8	12	15
3-5 years.....	1,219	4,695	8	.2	2	3	5	7	11	15	19
6-8 years.....	428	5,336	11	.4	3	4	6	9	14	18	22
9-11 years.....	457	5,310	11	.4	3	4	6	9	14	19	25
12-14 years.....	504	5,920	14	.6	3	4	7	11	17	25	32
15-17 years.....	535	6,320	15	.6	3	4	8	12	20	28	37
18-24 years.....	988	13,275	17	.5	3	4	8	13	22	33	39
25-34 years.....	1,067	15,895	15	.4	3	4	9	14	21	28	33
35-44 years.....	745	11,367	14	.5	3	4	8	12	18	26	31
45-54 years.....	690	11,114	13	.4	3	4	7	11	17	25	29
55-64 years.....	1,227	9,607	12	.4	3	3	6	10	15	21	26
65-74 years.....	1,199	6,297	10	.2	2	3	5	8	13	18	23
Female											
6 months-74 years...	10,339	104,492	9	.1	2	3	5	8	12	17	22
6-11 months.....	177	780	3	.3	0	0	1	2	5	8	10
1-2 years.....	672	2,970	6	.2	1	2	3	5	8	12	14
3-5 years.....	1,126	4,491	8	.2	2	3	4	7	10	14	18
6-8 years.....	415	4,877	9	.3	3	3	6	8	12	16	19
9-11 years.....	425	5,357	10	.4	3	4	6	9	14	18	22
12-14 years.....	487	5,712	11	.3	2	3	6	10	14	20	27
15-17 years.....	449	6,131	11	.5	2	3	6	9	14	20	26
18-24 years.....	1,066	14,173	9	.2	1	2	5	8	13	17	22
25-34 years.....	1,170	16,856	10	.3	2	3	5	8	13	19	25
35-44 years.....	844	12,284	10	.4	2	3	5	8	13	18	23
45-54 years.....	763	11,918	9	.2	1	2	5	8	11	16	19
55-64 years.....	1,329	10,743	8	.2	2	2	4	7	11	15	18
65-74 years.....	1,416	8,198	8	.2	1	2	4	6	10	13	17
Income below poverty level ^{1/}											
Male											
6 months-74 years...	1,539	11,653	12	.4	2	3	5	9	15	24	30
6-11 months.....	48	177	*	*	*	*	1	3	7	*	*
1-2 years.....	170	601	6	.4	1	2	3	5	9	12	16
3-5 years.....	298	910	9	.5	2	3	5	8	12	18	25
6-8 years.....	82	900	9	.7	2	4	6	9	12	16	20
9-11 years.....	88	854	10	.7	2	4	5	9	13	18	24
12-14 years.....	89	891	13	1.1	4	5	7	11	17	24	30
15-17 years.....	89	974	13	1.3	2	2	6	10	19	26	36
18-24 years.....	178	2,237	16	1.0	3	4	7	12	21	36	38
25-34 years.....	91	1,106	12	1.1	2	3	6	10	17	24	30
35-44 years.....	63	821	*	*	*	*	5	9	16	*	*
45-54 years.....	46	645	*	*	*	*	7	11	18	*	*
55-64 years.....	129	779	10	.8	1	2	5	9	13	16	21
65-74 years.....	168	759	8	.5	1	2	4	7	11	14	16

See footnotes at end of table.

Table 1-18. Linoleic acid intake values in grams for persons aged 6 months-74 years, by income level, sex and age: Mean, standard error of the mean, and selected percentiles, United States, 1976-80-Continued

Income level, sex, and age	Examined persons	Estimated population in thousands	Linoleic acid in grams								
			Mean	Standard error of the mean	Percentile						
					5th	10th	25th	50th	75th	90th	95th
Income below poverty level ^{1/}											
Female											
6 months-74 years...	1,910	15,951	9	.2	1	2	4	8	12	18	22
6-11 months.....	36	138	*	*	*	*	*	4	*	*	*
1-2 years.....	153	562	8	.5	1	2	4	6	10	14	18
3-5 years.....	272	945	9	.3	2	3	5	7	11	16	20
6-8 years.....	95	869	10	.8	3	3	6	10	13	17	21
9-11 years.....	102	1,113	10	1.1	2	4	6	8	13	20	27
12-14 years.....	104	1,072	11	1.0	1	2	5	10	15	20	28
15-17 years.....	88	1,099	12	1.4	2	4	5	10	15	25	27
18-24 years.....	253	3,072	9	.5	1	2	4	8	12	17	21
25-34 years.....	162	1,997	11	.6	2	3	6	9	14	19	25
35-44 years.....	119	1,543	9	.8	1	2	4	7	12	20	25
45-54 years.....	82	1,115	9	.7	1	2	4	8	11	16	19
55-64 years.....	188	1,181	7	.4	1	2	4	6	9	14	19
65-74 years.....	256	1,245	6	.3	1	2	3	5	8	12	14
Income above poverty level ^{1/}											
Male											
6 months-74 years...	8,084	83,681	13	.2	3	4	7	11	17	26	31
6-11 months.....	121	614	3	.3	0	0	1	2	3	6	9
1-2 years.....	551	2,416	6	.3	1	2	3	5	8	12	15
3-5 years.....	892	3,683	8	.2	2	3	5	7	11	15	18
6-8 years.....	336	4,254	11	.4	4	4	6	9	14	18	24
9-11 years.....	356	4,321	11	.4	3	4	7	10	15	20	25
12-14 years.....	399	4,841	14	.7	3	4	7	11	17	26	32
15-17 years.....	418	5,003	16	.7	4	5	8	12	20	30	38
18-24 years.....	770	10,508	17	.5	3	4	8	14	22	33	39
25-34 years.....	945	14,355	16	.4	3	5	9	14	21	28	34
35-44 years.....	658	10,195	14	.6	3	5	8	12	19	27	32
45-54 years.....	603	9,738	13	.4	3	4	7	11	17	25	30
55-64 years.....	1,048	8,443	12	.5	3	4	6	10	15	22	27
65-74 years.....	987	5,312	10	.2	3	3	5	9	13	19	24
Female											
6 months-74 years...	8,036	84,696	9	.1	2	3	5	8	12	17	21
6-11 months.....	135	612	3	.4	0	0	1	2	5	9	10
1-2 years.....	505	2,351	6	.2	1	2	3	5	8	12	13
3-5 years.....	815	3,419	8	.2	2	3	4	7	10	14	17
6-8 years.....	308	3,864	9	.4	3	3	6	8	12	16	18
9-11 years.....	307	4,049	10	.4	3	4	6	9	12	17	21
12-14 years.....	363	4,414	11	.4	2	3	6	10	14	20	25
15-17 years.....	342	4,758	10	.4	2	3	6	9	14	18	23
18-24 years.....	771	10,505	10	.2	2	2	5	8	13	17	22
25-34 years.....	982	14,482	10	.3	2	3	5	8	13	19	25
35-44 years.....	702	10,377	10	.4	2	3	5	8	13	18	23
45-54 years.....	655	10,424	9	.2	2	3	5	7	11	16	19
55-64 years.....	1,071	8,934	8	.3	2	2	4	7	11	15	18
65-74 years.....	1,080	6,508	8	.3	1	3	4	6	10	14	17

^{1/} Excludes unknown income.

Table 1-19. Cholesterol intake values in milligrams for persons aged 6 months-74 years, by income level, sex and age: Mean, standard error of the mean and selected percentiles, United States, 1976-80

Income level, sex, and age	Examined persons	Estimated population in thousands	Cholesterol in milligrams								
			Mean	Standard error of the mean	Percentile						
					5th	10th	25th	50th	75th	90th	95th
All incomes											
Male											
6 months-74 years...	9,983	99,062	405	5.8	75	107	178	307	552	826	988
6-11 months.....	179	819	159	14.4	0	7	38	118	202	367	525
1-2 years.....	745	3,107	224	8.3	40	59	89	149	340	481	613
3-5 years.....	1,219	4,695	250	7.8	53	71	114	180	343	538	660
6-8 years.....	428	5,336	301	14.5	81	104	153	226	387	598	797
9-11 years.....	457	5,310	304	9.3	91	113	158	246	397	599	725
12-14 years.....	504	5,920	360	14.5	72	104	177	269	464	711	905
15-17 years.....	535	6,320	419	13.6	88	125	198	319	566	847	1,069
18-24 years.....	988	13,275	491	18.6	89	130	214	354	663	982	1,308
25-34 years.....	1,067	15,895	451	10.4	97	133	215	351	603	913	1,073
35-44 years.....	745	11,367	432	14.3	93	122	197	326	610	892	1,029
45-54 years.....	690	11,114	447	14.7	93	116	200	370	647	874	1,046
55-64 years.....	1,227	9,607	426	10.1	82	113	194	361	627	822	964
65-74 years.....	1,199	6,297	387	9.4	65	95	167	318	567	748	905
Female											
6 months-74 years...	10,339	104,492	266	3.7	46	68	115	194	363	580	699
6-11 months.....	177	780	174	16.8	4	12	51	132	263	372	448
1-2 years.....	672	2,970	231	7.6	33	54	93	164	336	488	644
3-5 years.....	1,126	4,491	240	8.3	54	72	107	169	341	533	636
6-8 years.....	415	4,877	255	11.3	63	82	134	194	325	476	652
9-11 years.....	425	5,357	248	7.6	72	89	132	193	329	487	581
12-14 years.....	487	5,712	252	9.3	48	77	127	188	320	499	688
15-17 years.....	449	6,131	247	12.0	48	72	112	185	313	505	712
18-24 years.....	1,066	14,173	272	7.4	32	58	117	194	375	620	723
25-34 years.....	1,170	16,856	278	7.1	44	68	118	201	374	619	731
35-44 years.....	844	12,284	296	8.7	55	75	126	215	407	636	749
45-54 years.....	763	11,918	283	12.0	52	70	116	212	389	622	710
55-64 years.....	1,329	10,743	266	7.2	48	66	107	195	362	577	706
65-74 years.....	1,416	8,198	240	6.4	37	58	97	169	344	500	606
Income below poverty level ^{1/}											
Male											
6 months-74 years...	1,539	11,653	423	14.5	55	93	169	305	595	896	1,094
6-11 months.....	48	177	*	*	*	*	30	115	190	*	*
1-2 years.....	170	601	277	19.3	37	65	119	222	412	549	654
3-5 years.....	298	910	282	15.4	54	74	140	217	393	585	666
6-8 years.....	82	900	318	30.7	104	134	176	221	429	573	897
9-11 years.....	88	854	330	19.6	55	112	144	273	452	675	761
12-14 years.....	89	891	436	50.1	43	97	187	293	557	905	1,191
15-17 years.....	89	974	433	40.3	55	98	184	315	658	911	1,167
18-24 years.....	178	2,237	556	54.5	63	119	191	378	734	1,130	1,525
25-34 years.....	91	1,106	471	31.6	58	128	191	426	657	927	985
35-44 years.....	63	821	*	*	*	*	157	296	599	*	*
45-54 years.....	46	645	*	*	*	*	207	449	846	*	*
55-64 years.....	129	779	422	32.8	57	100	176	341	643	832	903
65-74 years.....	168	759	390	18.4	58	73	162	319	567	726	1,014

See footnotes at end of table.

Table 1-19. Cholesterol intake values in milligrams for persons aged 6 months-74 years, by income level, sex and age: Mean, standard error of the mean and selected percentiles, United States, 1976-80-Continued

Income level, sex, and age	Exam- ined persons	Esti- mated popula- in thou- sands	Cholesterol in milligrams								
			Mean	Stand- ard error of the mean	Percentile						
					5th	10th	25th	50th	75th	90th	95th
Income below poverty level ^{1/}											
Female											
6 months-74 years...	1,910	15,951	281	6.9	31	56	111	195	394	644	743
6-11 months.....	36	138	*	*	*	*	*	159	*	*	*
1-2 years.....	153	562	272	17.2	46	84	113	197	379	604	707
3-5 years.....	272	945	297	15.5	55	81	122	223	448	618	700
6-8 years.....	95	869	267	14.4	82	108	143	219	334	539	712
9-11 years.....	102	1,113	271	23.3	57	81	131	187	402	587	708
12-14 years.....	104	1,072	259	30.4	26	40	97	179	342	635	802
15-17 years.....	88	1,099	265	32.4	36	45	112	184	338	712	742
18-24 years.....	253	3,072	287	19.3	25	42	100	191	414	678	743
25-34 years.....	162	1,997	313	25.7	34	57	115	217	470	716	852
35-44 years.....	119	1,543	300	24.5	18	31	102	219	499	712	777
45-54 years.....	82	1,115	286	22.3	43	64	112	223	433	635	663
55-64 years.....	188	1,181	266	23.9	41	60	100	172	378	569	805
65-74 years.....	256	1,245	246	16.2	24	43	94	171	362	585	671
Income above poverty level ^{1/}											
Male											
6 months-74 years...	8,084	83,681	402	5.9	78	108	179	308	550	821	983
6-11 months.....	121	614	143	13.8	0	5	38	111	202	332	462
1-2 years.....	551	2,416	211	551	40	53	84	141	312	450	599
3-5 years.....	892	3,683	241	892	50	69	109	170	325	518	649
6-8 years.....	336	4,254	298	336	81	103	145	226	378	607	796
9-11 years.....	356	4,321	299	356	93	113	158	246	386	571	725
12-14 years.....	399	4,841	344	399	72	108	176	263	449	681	854
15-17 years.....	418	5,003	419	418	92	125	202	319	565	845	1,075
18-24 years.....	770	10,508	479	770	92	137	215	346	652	958	1,215
25-34 years.....	945	14,355	450	945	98	133	216	348	602	905	1,074
35-44 years.....	658	10,195	431	658	101	125	202	326	611	900	1,028
45-54 years.....	603	9,738	442	603	93	113	201	369	633	865	1,047
55-64 years.....	1,048	8,443	425	1,048	83	115	196	363	626	807	965
65-74 years.....	987	5,312	387	987	66	100	167	307	568	748	898
Female											
6 months-74 years...	8,036	84,696	263	3.9	49	70	116	193	358	561	685
6-11 months.....	135	612	166	21.0	1	11	40	113	257	372	430
1-2 years.....	505	2,351	220	9.7	31	51	89	155	335	467	625
3-5 years.....	815	3,419	226	7.6	56	72	103	160	306	481	601
6-8 years.....	308	3,864	253	13.0	58	79	133	187	321	477	649
9-11 years.....	307	4,049	241	7.9	73	91	132	194	321	416	512
12-14 years.....	363	4,414	253	9.7	59	84	130	195	324	484	682
15-17 years.....	342	4,758	239	12.6	51	74	112	187	300	486	621
18-24 years.....	771	10,505	266	6.8	39	65	122	196	357	591	697
25-34 years.....	982	14,482	272	7.5	44	68	117	198	368	607	706
35-44 years.....	702	10,377	293	10.1	60	81	128	210	391	629	748
45-54 years.....	655	10,424	285	12.9	52	70	116	216	392	623	711
55-64 years.....	1,071	8,934	266	7.9	48	68	107	196	366	591	702
65-74 years.....	1,080	6,508	239	6.6	39	60	97	170	340	488	582

^{1/} Excludes unknown income.

Table 2-1. Protein intake values in grams per 1,000 calories for persons aged 6 months-74 years, by income level, sex, and age: Mean, standard error of the mean, and selected percentiles, United States, 1976-80

Income level, sex, and age	Exam-ined persons	Esti-mated population in thou-sands	Protein in grams per 1,000 calories								
			Mean	Stand-ard error of the mean	Percentile						
					5th	10th	25th	50th	75th	90th	95th
All incomes											
Male											
6 months-74 years...	1/9,981	99,048	39	.2	23	26	31	38	45	54	61
6-11 months.....	179	819	41	1.3	21	23	34	42	46	56	62
1-2 years.....	745	3,107	37	.4	23	25	31	37	43	49	53
3-5 years.....	1,219	4,695	36	.3	23	26	30	35	41	46	51
6-8 years.....	428	5,336	37	.5	24	27	31	37	42	48	51
9-11 years.....	457	5,310	37	.5	24	26	31	37	42	48	55
12-14 years.....	504	5,920	37	.4	23	26	30	36	43	49	54
15-17 years.....	2/534	6,309	39	.6	22	26	31	38	46	54	61
18-24 years.....	988	13,275	39	.4	23	26	31	38	45	54	63
25-34 years.....	1,067	15,895	40	.4	23	25	31	38	46	56	64
35-44 years.....	745	11,367	40	.6	23	26	31	39	46	55	62
45-54 years.....	690	11,114	40	.5	25	28	32	38	46	55	61
55-64 years.....	2/1,226	9,603	41	.5	24	27	33	40	47	56	66
65-74 years.....	1,199	6,297	41	.4	25	28	33	40	47	55	62
Female											
6 months-74 years...	1/10,337	104,470	39	.2	22	25	30	37	45	55	63
6-11 months.....	177	780	39	1.2	21	23	31	40	48	55	59
1-2 years.....	672	2,970	38	.4	23	26	31	37	43	50	53
3-5 years.....	1,126	4,491	36	.3	23	26	30	35	41	47	51
6-8 years.....	415	4,877	36	.4	22	25	30	35	40	46	50
9-11 years.....	425	5,357	37	.5	22	25	30	36	42	50	54
12-14 years.....	487	5,712	36	.5	22	24	30	35	42	48	53
15-17 years.....	449	6,131	37	1.0	19	23	29	35	44	54	59
18-24 years.....	2/1,065	14,164	39	.5	21	24	30	37	45	55	62
25-34 years.....	2/1,169	16,844	40	.4	21	24	30	37	47	58	66
35-44 years.....	844	12,284	40	.5	23	25	30	38	46	58	63
45-54 years.....	763	11,918	41	.6	24	27	32	39	48	60	69
55-64 years.....	1,329	10,743	40	.4	24	27	31	38	47	57	63
65-74 years.....	1,416	8,198	40	.3	23	26	32	38	47	57	65
Income below poverty level ^{3/}											
Male											
6 months-74 years...	2/1,538	11,649	38	.5	22	26	31	37	44	52	57
6-11 months.....	48	177	*	*	*	*	34	39	45	*	*
1-2 years.....	170	601	39	1.0	24	26	34	39	45	51	52
3-5 years.....	298	910	35	.6	24	26	29	35	41	46	51
6-8 years.....	82	900	37	1.1	24	28	31	36	40	48	57
9-11 years.....	88	854	38	1.0	23	26	31	37	42	49	57
12-14 years.....	89	891	36	.9	25	27	30	35	41	45	51
15-17 years.....	89	974	39	1.7	18	26	31	36	45	54	62
18-24 years.....	178	2,237	39	1.4	22	25	30	37	45	54	65
25-34 years.....	91	1,106	37	1.6	14	21	30	36	43	51	57
35-44 years.....	63	821	*	*	*	*	31	37	43	*	*
45-54 years.....	46	645	*	*	*	*	32	36	43	*	*
55-64 years.....	2/128	775	38	1.4	21	23	28	38	45	54	56
65-74 years.....	168	759	42	1.3	22	26	33	41	48	57	70

See footnotes at end of table.

Table 2-1. Protein intake values in grams per 1,000 calories for persons aged 6 months-74 years, by income level, sex, and age: Mean, standard error of the mean, and selected percentiles, United States, 1976-80-Continued

Income level, sex, and age	Exam- ined persons	Esti- mated popula- tion in thou- sands	Protein in grams per 1,000 calories								
			Mean	Stand- ard error of the mean	Percentile						
					5th	10th	25th	50th	75th	90th	95th
Income below poverty level ^{3/}											
Female											
6 months-74 years...	2/1,909	15,942	37	.4	22	24	29	36	43	52	58
6-11 months.....	36	138	*	*	*	*	*	32	*	*	*
1-2 years.....	153	562	38	.7	23	25	32	38	44	49	51
3-5 years.....	272	945	37	.6	24	26	30	36	41	49	52
6-8 years.....	95	869	35	.9	23	26	29	35	40	46	49
9-11 years.....	102	1,113	37	1.0	25	27	30	35	41	50	56
12-14 years.....	104	1,072	34	1.3	18	21	27	33	42	48	51
15-17 years.....	88	1,099	35	1.6	21	22	29	34	42	52	55
18-24 years.....	2/252	3,063	37	.9	21	22	28	36	43	52	58
25-34 years.....	162	1,997	39	1.4	22	23	29	36	47	56	63
35-44 years.....	119	1,543	38	1.8	22	24	29	37	45	54	61
45-54 years.....	82	1,115	37	1.5	23	25	28	35	42	57	67
55-64 years.....	188	1,181	39	1.3	24	27	31	36	45	55	58
65-74 years.....	256	1,245	40	.7	23	26	32	38	46	55	63
Income above poverty level ^{3/}											
Male											
6 months-74 years...	2/8,083	83,670	39	.2	24	27	31	38	45	54	61
6-11 months.....	121	614	41	1.5	18	23	33	43	47	59	63
1-2 years.....	551	2,416	37	.5	23	25	31	37	43	48	53
3-5 years.....	892	3,683	36	.3	23	25	30	35	41	46	51
6-8 years.....	336	4,254	37	.5	24	26	31	37	42	48	50
9-11 years.....	356	4,321	37	.5	24	26	31	37	42	47	52
12-14 years.....	399	4,841	37	.5	23	26	30	36	44	49	53
15-17 years.....	2/417	4,992	39	.6	23	27	32	39	46	53	57
18-24 years.....	770	10,508	39	.4	23	27	31	38	45	55	63
25-34 years.....	945	14,355	40	.4	23	26	31	39	46	57	65
35-44 years.....	658	10,195	40	.6	23	26	31	39	46	55	62
45-54 years.....	603	9,738	41	.6	26	28	32	39	47	56	61
55-64 years.....	1,048	8,443	42	.5	24	28	33	40	48	57	67
65-74 years.....	987	5,312	40	.5	25	28	33	40	47	55	61
Female											
6 months-74 years...	2/8,035	84,683	39	.2	22	25	31	37	45	55	63
6-11 months.....	135	612	41	1.3	23	25	32	41	48	55	62
1-2 years.....	505	2,351	37	.4	23	26	31	37	43	50	54
3-5 years.....	815	3,419	36	.4	22	26	30	35	41	47	51
6-8 years.....	308	3,864	36	.5	22	25	30	35	40	46	50
9-11 years.....	307	4,049	37	.6	22	24	30	36	43	50	54
12-14 years.....	363	4,414	36	.6	23	25	30	35	42	48	53
15-17 years.....	342	4,758	38	1.0	19	23	29	35	45	54	62
18-24 years.....	771	10,505	39	.6	21	24	30	37	46	56	63
25-34 years.....	2/981	14,469	40	.4	21	25	30	37	47	58	67
35-44 years.....	702	10,377	40	.5	23	25	30	38	46	58	64
45-54 years.....	655	10,424	42	.7	24	27	33	39	49	61	70
55-64 years.....	1,071	8,934	40	.5	24	26	31	38	46	57	63
65-74 years.....	1,080	6,508	40	.4	23	26	31	38	47	57	66

1/ Excludes 2 examined persons with zero calories.

2/ Excludes 1 examined person with zero calories.

3/ Excludes unknown income.

Table 2-2. Fat intake values in grams per 1,000 calories for persons aged 6 months-74 years, by income level, sex, and age: Mean, standard error of the mean, and selected percentiles, United States, 1976-80

Income level, sex, and age	Exam- ined persons	Esti- mated popula- tion in thou- sands	Fat in grams per 1,000 calories								
			Mean	Stand- ard error of the mean	Percentile						
					5th	10th	25th	50th	75th	90th	95th
All incomes											
Male											
6 months-74 years...	1/9,981	99,048	40	.2	25	29	34	40	47	52	56
6-11 months.....	179	819	35	1.0	13	21	27	35	43	48	51
1-2 years.....	745	3,107	39	.5	23	27	32	39	45	51	55
3-5 years.....	1,219	4,695	39	.4	26	29	34	39	44	49	53
6-8 years.....	428	5,336	40	.5	27	31	35	40	45	50	53
9-11 years.....	457	5,310	39	.4	27	30	34	39	45	49	52
12-14 years.....	504	5,920	40	.5	26	28	34	40	46	52	55
15-17 years.....	2/534	6,309	41	.5	28	30	35	41	46	52	55
18-24 years.....	988	13,275	40	.3	24	27	34	40	46	52	56
25-34 years.....	1,067	15,895	40	.4	24	28	34	40	47	53	56
35-44 years.....	745	11,367	42	.5	26	29	36	42	48	53	56
45-54 years.....	690	11,114	41	.4	25	29	35	41	48	54	58
55-64 years.....	2/1,226	9,603	41	.4	24	28	35	41	47	53	57
65-74 years.....	1,199	6,297	41	.4	24	27	34	41	46	53	57
Female											
6 months-74 years...	1/10,337	104,470	40	.2	23	28	34	40	46	52	56
6-11 months.....	177	780	37	.8	22	24	30	39	45	49	51
1-2 years.....	672	2,970	39	.5	23	27	33	40	45	51	55
3-5 years.....	1,126	4,491	39	.3	26	28	34	39	45	50	53
6-8 years.....	415	4,877	40	.4	28	30	35	40	45	49	52
9-11 years.....	425	5,357	40	.4	27	30	35	40	45	50	53
12-14 years.....	487	5,712	40	.4	26	29	35	40	46	51	55
15-17 years.....	449	6,131	41	.6	24	29	35	42	48	54	57
18-24 years.....	2/1,065	14,164	39	.3	22	26	33	39	46	52	55
25-34 years.....	2/1,169	16,844	40	.4	22	28	34	41	46	53	57
35-44 years.....	844	12,284	41	.3	24	28	35	41	47	53	57
45-54 years.....	763	11,918	40	.5	23	28	34	41	47	53	57
55-64 years.....	1,329	10,743	39	.3	22	27	32	40	46	53	57
65-74 years.....	1,416	8,198	38	.4	21	26	31	38	44	51	55
Income below poverty level ^{3/}											
Male											
6 months-74 years...	2/1,538	11,649	40	.4	25	28	34	41	47	53	56
6-11 months.....	48	177	*	*	*	*	29	38	46	*	*
1-2 years.....	170	601	41	.8	24	29	35	41	48	52	55
3-5 years.....	298	910	41	.7	26	29	36	41	46	53	55
6-8 years.....	82	900	41	1.2	31	31	34	41	46	50	51
9-11 years.....	88	854	40	1.0	27	29	34	40	46	50	55
12-14 years.....	89	891	42	1.3	27	30	35	43	50	53	56
15-17 years.....	89	974	42	1.0	26	31	36	43	48	53	58
18-24 years.....	178	2,237	40	.6	25	28	32	40	47	52	58
25-34 years.....	91	1,106	39	1.1	20	26	33	39	46	54	58
35-44 years.....	63	821	*	*	*	*	29	40	48	*	*
45-54 years.....	46	645	*	*	*	*	33	45	48	*	*
55-64 years.....	2/128	775	41	1.3	21	27	35	41	49	55	56
65-74 years.....	168	759	41	1.0	14	25	34	41	47	55	62

See footnotes at end of table.

Table 2-2. Fat intake values in grams per 1,000 calories for persons aged 6 months-74 years, by income level, sex, and age: Mean, standard error of the mean, and selected percentiles, United States, 1976-80-Continued

Income level, sex, and age	Exam- ined persons	Esti- mated popula- tion in thou- sands	Fat in grams per 1,000 calories								
			Mean	Stand- ard error of the mean	Percentile						
					5th	10th	25th	50th	75th	90th	95th
Income below poverty level ^{1/}											
Female											
6 months-74 years...	2/1,909	15,942	40	.3	24	28	34	41	47	53	57
6-11 months.....	36	138	*	*	*	*	*	42	*	*	*
1-2 years.....	153	562	42	1.0	24	30	36	42	48	53	55
3-5 years.....	272	945	41	.8	28	31	36	42	47	53	55
6-8 years.....	95	869	41	.6	29	32	37	40	46	49	51
9-11 years.....	102	1,113	40	.8	26	29	36	41	45	51	53
12-14 years.....	104	1,072	41	1.0	28	30	36	41	47	52	54
15-17 years.....	88	1,099	42	1.6	25	29	35	41	51	56	58
18-24 years.....	2/252	3,063	38	.7	20	24	31	39	45	52	55
25-34 years.....	162	1,997	40	.9	24	29	35	41	48	52	55
35-44 years.....	119	1,543	42	1.0	20	27	34	44	49	54	59
45-54 years.....	82	1,115	43	1.5	24	29	36	44	50	58	63
55-64 years.....	188	1,181	40	.7	23	29	33	40	47	54	59
65-74 years.....	256	1,245	38	1.0	22	24	29	37	45	53	57
Income above poverty level ^{1/}											
Male											
6 months-74 years...	2/8,083	83,670	40	.2	25	29	34	40	46	52	56
6-11 months.....	121	614	34	1.2	10	20	26	34	42	47	49
1-2 years.....	551	2,416	38	.6	23	27	32	39	44	51	55
3-5 years.....	892	3,683	38	.3	26	29	33	38	43	48	51
6-8 years.....	336	4,254	40	.5	27	32	35	40	45	50	54
9-11 years.....	356	4,321	39	.5	27	30	34	39	44	49	52
12-14 years.....	399	4,841	39	.6	25	28	33	40	45	52	55
15-17 years.....	2/417	4,992	41	.6	28	30	35	41	46	51	54
18-24 years.....	770	10,508	40	.4	23	27	34	40	46	52	56
25-34 years.....	945	14,355	40	.4	24	28	34	41	47	52	56
35-44 years.....	658	10,195	42	.5	26	30	36	42	48	53	56
45-54 years.....	603	9,738	41	.4	25	29	35	41	48	53	58
55-64 years.....	1,048	8,443	41	.4	24	29	35	41	47	52	57
65-74 years.....	987	5,312	41	.4	25	27	34	41	46	53	57
Female											
6 months-74 years...	2/8,035	84,683	40	.2	23	28	34	40	46	52	56
6-11 months.....	135	612	36	.9	18	24	29	38	44	48	50
1-2 years.....	505	2,351	39	.5	22	27	32	39	45	51	55
3-5 years.....	815	3,419	39	.3	25	28	34	39	44	49	52
6-8 years.....	308	3,864	39	.4	28	30	34	40	44	49	52
9-11 years.....	307	4,049	40	.5	28	30	34	39	45	50	53
12-14 years.....	363	4,414	40	.5	26	29	35	40	45	51	56
15-17 years.....	342	4,758	41	.7	24	29	35	42	47	54	57
18-24 years.....	771	10,505	39	.3	22	27	33	39	46	51	55
25-34 years.....	2/981	14,469	40	.4	22	28	34	40	46	53	57
35-44 years.....	702	10,377	41	.3	24	28	35	41	47	53	57
45-54 years.....	655	10,424	40	.5	22	28	34	40	47	53	56
55-64 years.....	1,071	8,934	39	.4	22	26	32	40	46	53	57
65-74 years.....	1,080	6,508	38	.4	21	26	32	38	44	51	54

- 1/ Excludes 2 examined persons with zero calories.
2/ Excludes 1 examined person with zero calories.
3/ Excludes unknown income.

Table 2-3. Total carbohydrate intake values in grams per 1,000 calories for persons aged 6 months-74 years, by income level, sex, and age: Mean, standard error of the mean, and selected percentiles, United States, 1976-80

Income level, sex, and age	Exam-ined persons	Esti-mated popula-tion in thou-sands	Total carbohydrate in grams per 1,000 calories									
			Mean	Stand-ard error of the mean	Percentile							
					5th	10th	25th	50th	75th	90th	95th	
All incomes												
Male												
6 months-74 years...	1/9,981	99,048	113	.5	69	79	95	113	130	146	156	
6-11 months.....	179	819	131	2.2	91	99	113	129	150	167	178	
1-2 years.....	745	3,107	128	1.3	83	95	110	128	144	160	170	
3-5 years.....	1,219	4,695	129	.9	91	100	115	129	143	157	165	
6-8 years.....	428	5,336	125	1.3	92	99	109	125	138	152	159	
9-11 years.....	457	5,310	126	1.1	92	99	113	127	140	154	163	
12-14 years.....	504	5,920	124	1.4	82	93	109	124	140	157	165	
15-17 years.....	2/534	6,309	119	1.3	80	89	102	118	134	150	160	
18-24 years.....	988	13,275	109	.8	68	77	92	109	125	138	149	
25-34 years.....	1,067	15,895	108	.8	64	74	90	109	125	141	150	
35-44 years.....	745	11,367	104	1.2	62	74	87	104	123	137	146	
45-54 years.....	690	11,114	105	1.1	64	73	87	105	122	136	148	
55-64 years.....	2/1,226	9,603	106	.9	62	71	88	107	124	137	145	
65-74 years.....	1,199	6,297	112	1.0	65	78	96	113	130	147	158	
Female												
6 months-74 years...	1/10,337	104,470	118	.4	71	84	101	119	136	152	162	
6-11 months.....	177	780	128	2.1	93	98	112	127	144	157	168	
1-2 years.....	672	2,970	126	1.2	83	92	108	124	143	160	170	
3-5 years.....	1,126	4,491	128	1.0	91	99	112	127	142	158	169	
6-8 years.....	415	4,877	127	1.0	92	100	114	127	141	154	161	
9-11 years.....	425	5,357	126	1.0	93	100	112	126	139	151	161	
12-14 years.....	487	5,712	125	1.2	87	93	110	125	142	155	166	
15-17 years.....	449	6,131	120	1.6	78	86	101	121	137	153	166	
18-24 years.....	2/1,065	14,164	118	1.1	72	83	100	119	137	151	161	
25-34 years.....	2/1,169	16,844	115	1.0	67	82	98	115	132	149	161	
35-44 years.....	844	12,284	110	1.0	60	73	93	112	129	147	157	
45-54 years.....	763	11,918	112	1.2	64	75	93	112	130	148	161	
55-64 years.....	1,329	10,743	117	.9	70	84	99	117	135	151	159	
65-74 years.....	1,416	8,198	123	1.0	74	86	105	124	141	158	170	
Income below poverty level ^{3/}												
Male												
6 months-74 years...	2/1,538	11,649	115	1.1	70	80	98	115	132	150	158	
6-11 months.....	48	177	*	*	*	*	102	127	145	*	*	
1-2 years.....	170	601	121	2.7	80	92	103	118	134	154	168	
3-5 years.....	298	910	125	2.0	86	96	111	123	139	154	167	
6-8 years.....	82	900	123	3.4	87	99	107	121	143	152	158	
9-11 years.....	88	854	125	2.7	85	92	108	128	140	157	163	
12-14 years.....	89	891	121	3.4	82	94	102	121	136	150	158	
15-17 years.....	89	974	114	2.1	72	80	96	116	132	149	153	
18-24 years.....	178	2,237	110	2.4	69	72	91	110	126	147	157	
25-34 years.....	91	1,106	109	2.8	60	76	97	107	127	149	153	
35-44 years.....	63	821	*	*	*	*	89	108	131	*	*	
45-54 years.....	46	645	*	*	*	*	92	107	126	*	*	
55-64 years.....	2/128	775	109	2.5	64	74	92	112	128	138	157	
65-74 years.....	168	759	109	3.5	51	67	88	111	133	149	171	

See footnotes at end of table.

Table 2-3. Total carbohydrate intake values in grams per 1,000 calories for persons aged 6 months-74 years, by income level, sex, and age: Mean, standard error of the mean, and selected percentiles, United States, 1976-80-Continued

Income level, sex, and age	Exam- ined persons	Esti- mated popula- tion in thou- sands	Total carbohydrate in grams per 1,000 calories								
			Mean	Stand- ard error of the mean	Percentile						
					5th	10th	25th	50th	75th	90th	95th
Income below poverty level ^{3/}											
Female											
6 months-74 years...	2/1,909	15,942	120	.8	76	85	103	120	138	153	167
6-11 months.....	36	138	*	*	*	*	*	125	*	*	*
1-2 years.....	153	562	119	2.7	84	88	104	116	132	150	165
3-5 years.....	272	945	122	1.8	78	91	107	122	136	151	163
6-8 years.....	95	869	125	1.8	92	98	112	126	138	149	153
9-11 years.....	102	1,113	125	2.3	92	97	109	125	136	147	163
12-14 years.....	104	1,072	125	2.9	83	93	107	125	141	157	168
15-17 years.....	88	1,099	121	3.8	71	80	95	123	142	149	176
18-24 years.....	2/252	3,063	122	2.4	77	88	106	121	141	157	170
25-34 years.....	162	1,997	117	2.6	77	83	98	115	133	150	167
35-44 years.....	119	1,543	111	2.7	59	71	89	109	137	150	172
45-54 years.....	82	1,115	113	3.2	69	77	97	115	129	140	172
55-64 years.....	188	1,181	119	1.7	76	82	103	118	139	153	167
65-74 years.....	256	1,245	126	2.4	74	87	105	127	146	165	175
Income above poverty level ^{3/}											
Male											
6 months-74 years...	2/8,083	83,670	112	.5	68	79	95	113	130	145	156
6-11 months.....	121	614	134	2.7	99	104	115	129	151	167	183
1-2 years.....	551	2,416	129	1.5	84	97	112	130	147	161	170
3-5 years.....	892	3,683	130	.8	94	102	117	130	144	158	165
6-8 years.....	336	4,254	125	1.3	92	98	110	125	137	152	159
9-11 years.....	356	4,321	127	1.1	96	101	114	128	139	154	163
12-14 years.....	399	4,841	126	1.7	82	93	110	124	141	158	167
15-17 years.....	2/417	4,992	119	1.6	86	89	104	119	134	150	162
18-24 years.....	770	10,508	108	.9	66	77	92	109	125	137	148
25-34 years.....	945	14,355	107	.8	65	75	90	109	125	139	149
35-44 years.....	658	10,195	104	1.2	62	74	87	103	123	137	145
45-54 years.....	603	9,738	105	1.4	63	73	87	105	122	138	149
55-64 years.....	1,048	8,443	105	1.1	60	71	87	106	123	136	144
65-74 years.....	987	5,312	113	1.2	67	79	97	113	130	147	158
Female											
6 months-74 years...	2/8,035	84,683	118	.4	70	84	100	119	136	152	162
6-11 months.....	135	612	129	2.3	93	98	113	129	146	158	176
1-2 years.....	505	2,351	127	1.2	83	93	109	127	145	161	170
3-5 years.....	815	3,419	129	.8	94	101	113	129	144	159	170
6-8 years.....	308	3,864	128	1.1	92	100	114	128	141	155	162
9-11 years.....	307	4,049	126	1.2	93	101	113	127	140	153	161
12-14 years.....	363	4,414	125	1.4	87	93	110	125	142	155	165
15-17 years.....	342	4,758	120	1.8	78	89	101	121	136	154	166
18-24 years.....	771	10,505	117	1.1	71	81	99	118	136	149	159
25-34 years.....	2/981	14,469	114	1.0	65	81	97	115	132	149	160
35-44 years.....	702	10,377	110	1.0	60	74	93	112	128	147	155
45-54 years.....	655	10,424	112	1.2	65	75	93	112	130	149	162
55-64 years.....	1,071	8,934	116	1.1	69	84	99	117	134	152	159
65-74 years.....	1,080	6,508	123	1.0	74	86	105	123	140	157	169

1/ Excludes 2 examined persons with zero calories.
2/ Excludes 1 examined person with zero calories.
3/ Excludes unknown income.

Table 2-4. Calcium intake values in milligrams per 1,000 calories for persons aged 6 months-74 years, by income level, sex, and age: Mean, standard error of the mean, and selected percentiles, United States, 1976-80

Income level, sex, and age	Exam-ined persons	Esti-mated popula-tion in thou-sands	Calcium in milligrams per 1,000 calories								
			Mean	Stand-ard error of the mean	Percentile						
					5th	10th	25th	50th	75th	90th	95th
All incomes											
Male											
6 months-74 years...	1/9,981	99,048	426	6	130	166	248	383	553	727	858
6-11 months.....	179	819	984	45	377	462	632	905	1,230	1,594	1,925
1-2 years.....	745	3,107	617	12	205	271	378	557	797	1,037	1,180
3-5 years.....	1,219	4,695	522	11	192	240	362	499	667	827	918
6-8 years.....	428	5,336	549	12	252	296	388	535	678	812	948
9-11 years.....	457	5,310	516	13	210	271	369	499	640	795	887
12-14 years.....	504	5,920	483	15	187	236	343	467	594	741	853
15-17 years.....	2/534	6,309	475	13	138	186	310	457	610	789	900
18-24 years.....	988	13,275	404	9	121	152	241	372	527	694	810
25-34 years.....	1,067	15,895	355	12	110	138	199	306	471	613	731
35-44 years.....	745	11,367	362	8	109	148	212	315	466	641	757
45-54 years.....	690	11,114	368	9	133	157	213	319	476	631	736
55-64 years.....	2/1,226	9,603	393	9	129	160	225	345	511	679	792
65-74 years.....	1,199	6,297	390	7	144	171	234	336	508	686	778
Female											
6 months-74 years...	1/10,337	104,470	435	6	132	164	249	393	569	758	885
6-11 months.....	177	780	939	36	352	457	625	908	1,168	1,474	1,696
1-2 years.....	672	2,970	615	14	194	253	406	592	784	977	1,153
3-5 years.....	1,126	4,491	529	9	180	238	354	512	681	816	916
6-8 years.....	415	4,877	546	13	186	267	398	523	677	833	927
9-11 years.....	425	5,357	509	15	201	233	351	484	653	811	912
12-14 years.....	487	5,712	474	14	158	203	324	459	606	748	825
15-17 years.....	449	6,131	436	16	98	158	240	389	584	777	878
18-24 years.....	2/1,065	14,164	409	12	109	141	221	354	536	759	945
25-34 years.....	2/1,169	16,844	390	10	125	153	221	348	501	696	805
35-44 years.....	844	12,284	386	11	120	147	217	334	495	708	805
45-54 years.....	763	11,918	402	10	132	159	229	362	537	686	792
55-64 years.....	1,329	10,743	403	9	139	175	240	354	517	703	843
65-74 years.....	1,416	8,198	425	8	155	182	257	379	545	737	867
Income below poverty level ^{3/}											
Male											
6 months-74 years...	2/1,538	11,649	445	8	124	170	261	414	580	756	902
6-11 months.....	48	177	*	*	*	*	593	829	1,010	*	*
1-2 years.....	170	601	622	24	157	266	382	586	796	1,059	1,231
3-5 years.....	298	910	486	14	174	216	316	469	609	783	913
6-8 years.....	82	900	532	24	206	259	393	551	643	793	866
9-11 years.....	88	854	523	27	254	329	388	488	626	746	852
12-14 years.....	89	891	454	20	202	220	349	440	554	679	764
15-17 years.....	89	974	388	29	88	118	210	406	536	620	743
18-24 years.....	178	2,237	423	22	113	159	244	392	563	742	856
25-34 years.....	91	1,106	331	25	97	124	179	288	416	602	697
35-44 years.....	63	821	*	*	*	*	186	298	477	*	*
45-54 years.....	46	645	*	*	*	*	260	388	495	*	*
55-64 years.....	2/128	775	394	20	127	167	209	330	527	702	817
65-74 years.....	168	759	421	19	133	167	236	368	536	759	907

See footnotes at end of table.

Table 2-4. Calcium intake values in milligrams per 1,000 calories for persons aged 6 months-74 years, by income level, sex, and age: Mean, standard error of the mean, and selected percentiles, United States, 1976-80-Continued

Income level, sex, and age	Exam-ined persons	Esti-mated popula-tion in thou-sands	Calcium in milligrams per 1,000 calories								
			Mean	Stand-ard error of the mean	Percentile						
					5th	10th	25th	50th	75th	90th	95th
Income below poverty level ^{3/}											
Female											
6 months-74 years...	2/1,909	15,942	413	8	119	153	237	373	547	718	863
6-11 months.....	36	138	*	*	*	*	*	701	*	*	*
1-2 years.....	153	562	583	34	166	199	333	576	753	1,007	1,161
3-5 years.....	272	945	507	20	169	214	325	474	646	819	903
6-8 years.....	95	869	519	21	144	233	399	527	633	699	903
9-11 years.....	102	1,113	487	19	192	233	331	494	606	759	913
12-14 years.....	104	1,072	410	23	137	173	248	398	555	610	714
15-17 years.....	88	1,099	341	24	58	97	204	293	454	683	732
18-24 years.....	2/252	3,063	383	19	113	148	233	336	486	655	827
25-34 years.....	162	1,997	348	18	117	138	206	302	432	617	734
35-44 years.....	119	1,543	357	35	102	112	177	298	457	695	887
45-54 years.....	82	1,115	372	29	131	143	198	314	505	657	728
55-64 years.....	188	1,181	413	15	154	201	253	334	534	742	864
65-74 years.....	256	1,245	446	17	146	182	254	406	592	761	921
Income above poverty level ^{3/}											
Male											
6 months-74 years...	2/8,083	83,670	424	6	131	166	248	380	549	725	858
6-11 months.....	121	614	1,018	*	377	478	639	999	1,239	1,648	2,064
1-2 years.....	551	2,416	618	16	211	271	374	561	813	1,035	1,172
3-5 years.....	892	3,683	530	12	208	245	367	507	677	834	921
6-8 years.....	336	4,254	555	14	269	302	397	535	684	838	976
9-11 years.....	356	4,321	515	14	204	259	363	499	642	798	916
12-14 years.....	399	4,841	490	17	196	237	342	471	598	745	878
15-17 years.....	2/417	4,992	495	14	145	192	340	473	641	829	936
18-24 years.....	770	10,508	398	9	121	150	238	368	515	684	798
25-34 years.....	945	14,355	358	12	111	138	201	306	473	624	732
35-44 years.....	658	10,195	365	9	109	151	222	318	467	640	751
45-54 years.....	603	9,738	367	10	133	165	214	317	475	631	736
55-64 years.....	1,048	8,443	392	10	129	160	226	345	505	670	795
65-74 years.....	987	5,312	384	10	147	171	231	327	502	678	763
Female											
6 months-74 years...	2/8,035	84,683	439	7	134	167	251	397	575	767	891
6-11 months.....	135	612	998	40	365	528	753	973	1,235	1,513	1,760
1-2 years.....	505	2,351	620	16	199	257	411	595	786	955	1,154
3-5 years.....	815	3,419	537	10	185	252	367	524	691	821	924
6-8 years.....	308	3,864	551	15	192	268	397	524	690	845	927
9-11 years.....	307	4,049	516	19	205	233	351	477	674	816	913
12-14 years.....	363	4,414	491	18	158	219	342	480	636	763	826
15-17 years.....	342	4,758	460	19	121	167	264	408	607	787	901
18-24 years.....	771	10,505	418	13	109	138	213	355	548	807	965
25-34 years.....	2/981	14,469	395	10	127	155	225	356	507	701	839
35-44 years.....	702	10,377	392	12	128	153	223	345	502	715	805
45-54 years.....	655	10,424	404	10	131	161	232	366	540	687	793
55-64 years.....	1,071	8,934	402	9	142	176	239	356	514	692	833
65-74 years.....	1,080	6,508	419	10	155	179	257	375	540	716	854

1/ Excludes 2 examined persons with zero calories.
2/ Excludes 1 examined person with zero calories.
3/ Excludes unknown income.

Table 2-5. Phosphorus intake values in milligrams per 1,000 calories for persons aged 6 months-74 years, by income level, sex, and age: Mean, standard error of the mean, and selected percentiles, United States, 1976-80

Income level, sex, and age	Exam-ined persons	Esti-mated popula-tion in thou-sands	Phosphorus in milligrams per 1,000 calories								
			Mean	Stand-ard error of the mean	Percentile						
					5th	10th	25th	50th	75th	90th	95th
All incomes											
Male											
6 months-74 years...	1/9,981	99,048	650	3	385	435	525	636	752	871	961
6-11 months.....	179	819	930	37	432	554	707	887	1,117	1,334	1,542
1-2 years.....	745	3,107	722	10	410	470	568	687	841	1,022	1,135
3-5 years.....	1,219	4,695	661	8	402	458	541	647	770	881	949
6-8 years.....	428	5,336	674	10	407	476	560	666	778	888	955
9-11 years.....	457	5,310	655	11	389	451	530	661	765	870	939
12-14 years.....	504	5,920	650	9	405	467	540	645	736	848	924
15-17 years.....	2/534	6,309	651	10	364	421	531	645	767	879	970
18-24 years.....	988	13,275	637	6	386	431	517	628	739	851	920
25-34 years.....	1,067	15,895	630	9	377	427	510	617	724	837	933
35-44 years.....	745	11,367	632	8	375	429	513	608	723	849	924
45-54 years.....	690	11,114	639	8	378	425	519	624	741	861	953
55-64 years.....	2/1,226	9,603	658	8	385	430	522	643	771	904	995
65-74 years.....	1,199	6,297	658	6	394	443	532	647	769	886	966
Female											
6 months-74 years...	1/10,337	104,470	647	5	360	415	506	623	762	904	1,006
6-11 months.....	177	780	885	30	375	511	645	830	1,070	1,353	1,508
1-2 years.....	672	2,970	721	10	409	467	570	698	849	995	1,084
3-5 years.....	1,126	4,491	662	7	388	448	539	654	782	880	942
6-8 years.....	415	4,877	658	9	375	437	548	649	759	893	973
9-11 years.....	425	5,357	650	10	399	443	521	646	767	869	948
12-14 years.....	487	5,712	622	11	347	394	499	627	729	845	892
15-17 years.....	449	6,131	615	13	319	374	462	602	739	889	983
18-24 years.....	2/1,065	14,164	628	10	349	402	485	598	750	899	1,007
25-34 years.....	2/1,169	16,844	632	8	352	407	491	599	745	902	999
35-44 years.....	844	12,284	641	10	353	407	498	616	743	885	1,012
45-54 years.....	763	11,918	656	8	364	429	522	631	778	911	1,004
55-64 years.....	1,329	10,743	655	7	377	441	514	626	766	918	1,025
65-74 years.....	1,416	8,198	672	7	389	436	524	651	783	940	1,055
Income below poverty level ^{3/}											
Male											
6 months-74 years...	2/1,538	11,649	648	6	367	425	519	637	758	889	958
6-11 months.....	48	177	*	*	*	*	655	836	1,005	*	*
1-2 years.....	170	601	735	19	445	494	597	714	850	1,029	1,135
3-5 years.....	298	910	632	11	378	432	513	620	737	845	909
6-8 years.....	82	900	668	19	426	471	551	662	786	861	962
9-11 years.....	88	854	652	25	361	457	513	660	747	920	1,038
12-14 years.....	89	891	611	14	396	474	527	587	696	815	845
15-17 years.....	89	974	619	29	285	387	478	609	744	840	948
18-24 years.....	178	2,237	646	21	367	427	512	627	762	887	928
25-34 years.....	91	1,106	613	19	338	381	497	623	722	818	926
35-44 years.....	63	821	*	*	*	*	508	599	702	*	*
45-54 years.....	46	645	*	*	*	*	531	664	782	*	*
55-64 years.....	2/128	775	640	20	323	413	506	622	773	914	929
65-74 years.....	168	759	682	14	362	415	537	677	813	930	1,068

See footnotes at end of table.

Table 2-5. Phosphorus intake values in milligrams per 1,000 calories for persons aged 6 months-74 years, by income level, sex, and age: Mean, standard error of the mean, and selected percentiles, United States, 1976-80-Continued

Income level, sex, and age	Examined persons	Estimated population in thousands	Phosphorus in milligrams per 1,000 calories								
			Mean	Standard error of the mean	Percentile						
					5th	10th	25th	50th	75th	90th	95th
Income below poverty level^{1/}											
Female											
6 months-74 years...	2/1,909	15,942	624	6	355	405	495	603	738	870	952
6-11 months.....	36	138	*	*	*	*	*	639	*	*	*
1-2 years.....	153	562	702	22	404	467	550	667	849	959	1,073
3-5 years.....	272	945	660	11	387	459	539	652	766	859	935
6-8 years.....	95	869	645	18	375	460	561	625	740	855	943
9-11 years.....	102	1,113	643	18	401	445	526	628	771	854	889
12-14 years.....	104	1,072	570	23	245	350	437	596	691	829	877
15-17 years.....	88	1,099	553	23	319	348	434	532	684	782	813
18-24 years.....	2/252	3,063	607	14	361	400	486	585	715	856	927
25-34 years.....	162	1,997	603	15	344	407	482	558	732	842	935
35-44 years.....	119	1,543	632	40	337	432	485	575	707	840	1,136
45-54 years.....	82	1,115	601	23	358	398	464	586	701	839	937
55-64 years.....	188	1,181	654	12	371	433	523	626	777	957	1,003
65-74 years.....	256	1,245	691	15	406	449	544	671	821	966	1,092
Income above poverty level^{1/}											
Male											
6 months-74 years...	2/8,083	83,670	651	4	389	437	527	637	752	870	962
6-11 months.....	121	614	948	43	375	526	712	906	1,135	1,414	1,719
1-2 years.....	551	2,416	721	14	406	464	565	682	856	1,014	1,140
3-5 years.....	892	3,683	666	8	405	464	550	656	774	883	952
6-8 years.....	336	4,254	677	11	405	476	566	673	779	889	955
9-11 years.....	356	4,321	657	11	389	442	534	662	770	870	938
12-14 years.....	399	4,841	656	11	407	467	549	648	738	864	933
15-17 years.....	2/417	4,992	560	10	378	439	539	653	775	883	973
18-24 years.....	770	10,508	634	7	386	428	517	625	733	841	911
25-34 years.....	945	14,355	633	10	388	428	514	618	724	845	937
35-44 years.....	658	10,195	635	9	378	434	515	609	729	856	928
45-54 years.....	603	9,738	640	9	394	427	522	624	739	853	951
55-64 years.....	1,048	8,443	660	8	390	432	521	645	770	904	1,007
65-74 years.....	987	5,312	654	6	400	446	530	644	764	882	951
Female											
6 months-74 years...	2/8,035	84,683	652	5	359	416	508	628	768	913	1,013
6-11 months.....	135	612	927	34	442	522	689	914	1,110	1,365	1,518
1-2 years.....	505	2,351	725	12	409	465	574	701	849	1,001	1,086
3-5 years.....	815	3,419	664	9	397	448	541	656	786	887	949
6-8 years.....	308	3,864	659	10	370	434	539	657	767	894	973
9-11 years.....	307	4,049	655	13	400	444	520	647	770	874	961
12-14 years.....	363	4,414	635	13	351	416	506	639	747	845	900
15-17 years.....	342	4,758	630	16	308	380	478	605	748	919	1,005
18-24 years.....	771	10,505	635	11	340	402	479	601	763	917	1,030
25-34 years.....	2/981	14,469	636	8	354	410	494	602	750	904	1,010
35-44 years.....	702	10,377	644	10	355	404	502	625	744	896	1,009
45-54 years.....	655	10,424	663	9	362	433	524	640	784	916	1,003
55-64 years.....	1,071	8,934	656	9	377	440	512	630	767	919	1,033
65-74 years.....	1,080	6,508	667	8	380	435	518	648	782	939	1,046

1/ Excludes 2 examined persons with zero calories.
2/ Excludes 1 examined person with zero calories.
3/ Excludes unknown income.

Table 2-6. Iron intake values in milligrams per 1,000 calories for persons aged 6 months-74 years, by income level, sex, and age: Mean, standard error of the mean, and selected percentiles, United States, 1976-80

Income level, sex, and age	Examined persons	Estimated population in thousands	Iron in milligrams per 1,000 calories									
			Mean	Standard error of the mean	Percentile							
					5th	10th	25th	50th	75th	90th	95th	
All incomes												
Male												
6 months-74 years...	1/9,981	99,048	6.77	.03	3.61	4.13	5.05	6.26	7.73	9.68	11.33	
6-11 months.....	179	819	13.07	.79	2.47	3.34	4.63	7.82	18.21	29.97	41.20	
1-2 years.....	745	3,107	6.57	.17	3.16	3.68	4.57	5.82	7.43	9.89	11.96	
3-5 years.....	1,219	4,695	6.46	.07	3.67	4.07	4.93	6.02	7.47	9.71	10.87	
6-8 years.....	428	5,336	6.36	.09	3.74	4.09	4.88	6.05	7.09	9.06	10.86	
9-11 years.....	457	5,310	6.64	.12	3.58	4.12	4.88	6.09	7.90	9.56	11.33	
12-14 years.....	504	5,920	6.66	.19	3.58	4.07	4.90	6.18	7.44	9.34	11.77	
15-17 years.....	2/534	6,309	6.29	.12	3.48	3.90	4.78	5.77	7.26	9.15	10.60	
18-24 years.....	988	13,275	6.00	.07	3.30	3.88	4.63	5.70	6.95	8.38	9.44	
25-34 years.....	1,067	15,895	6.44	.08	3.63	4.10	4.91	6.09	7.46	8.95	10.32	
35-44 years.....	745	11,367	6.96	.16	3.77	4.33	5.31	6.48	7.83	9.78	10.57	
45-54 years.....	690	11,114	7.17	.11	3.85	4.30	5.51	6.53	8.08	10.12	12.39	
55-64 years.....	2/1,226	9,603	7.36	.11	3.92	4.71	5.60	6.88	8.26	10.51	12.09	
65-74 years.....	1,199	6,297	7.88	.13	4.09	4.87	5.90	7.15	8.81	11.58	13.50	
Female												
6 months-74 years...	1/10,337	104,470	6.99	.04	3.69	4.21	5.13	6.34	7.99	10.13	12.13	
6-11 months.....	177	780	13.30	.86	3.12	3.61	5.12	8.32	18.83	28.53	37.12	
1-2 years.....	672	2,970	6.76	.24	3.11	3.99	4.74	5.80	7.40	10.41	11.76	
3-5 years.....	1,126	4,491	6.34	.12	3.29	3.90	4.79	5.90	7.33	9.10	10.59	
6-8 years.....	415	4,877	6.08	.13	3.56	4.03	4.78	5.68	6.94	8.20	9.32	
9-11 years.....	425	5,357	6.21	.10	3.54	3.84	4.66	5.82	7.23	8.82	10.14	
12-14 years.....	487	5,712	5.94	.13	3.27	3.79	4.58	5.59	6.67	8.70	9.86	
15-17 years.....	449	6,131	5.78	.13	3.07	3.58	4.32	5.49	6.78	8.39	9.28	
18-24 years.....	2/1,065	14,164	6.46	.09	3.41	3.92	4.88	6.04	7.50	9.37	10.45	
25-34 years.....	2/1,169	16,844	6.85	.07	3.85	4.32	5.18	6.30	7.89	9.68	11.29	
35-44 years.....	844	12,284	7.34	.14	3.98	4.65	5.50	6.62	8.24	10.50	12.69	
45-54 years.....	763	11,918	7.63	.14	4.19	4.70	5.55	6.91	8.78	11.53	13.09	
55-64 years.....	1,329	10,743	7.87	.11	4.21	4.85	5.91	7.14	8.92	11.54	13.81	
65-74 years.....	1,416	8,198	8.15	.11	4.43	4.97	5.92	7.32	9.12	12.07	14.92	
Income below poverty level ^{3/}												
Male												
6 months-74 years...	2/1,538	11,649	6.59	.11	3.46	4.04	4.86	5.99	7.48	9.51	11.37	
6-11 months.....	48	177	*	*	*	*	4.86	5.89	18.78	*	*	
1-2 years.....	170	601	6.55	.37	2.87	3.42	4.43	5.72	7.60	10.64	13.70	
3-5 years.....	298	910	6.38	.18	3.59	3.93	4.85	5.84	7.31	9.70	10.76	
6-8 years.....	82	900	6.30	.26	4.00	4.15	4.78	5.98	6.87	9.00	11.01	
9-11 years.....	88	854	6.27	.20	3.90	4.46	5.02	5.72	7.17	8.87	9.76	
12-14 years.....	89	891	6.38	.28	3.57	3.91	4.73	5.79	6.92	9.36	10.73	
15-17 years.....	89	974	6.50	.37	3.73	3.88	4.90	5.76	7.31	10.01	11.52	
18-24 years.....	178	2,237	5.90	.20	2.98	4.09	4.63	5.51	6.70	8.11	9.39	
25-34 years.....	91	1,106	6.34	.32	3.32	3.78	4.57	5.93	7.56	9.95	11.26	
35-44 years.....	63	821	*	*	*	*	4.83	6.44	8.55	*	*	
45-54 years.....	46	645	*	*	*	*	5.50	6.52	7.61	*	*	
55-64 years.....	2/128	775	7.10	.36	3.79	4.33	5.58	6.59	7.83	9.70	13.44	
65-74 years.....	168	759	7.32	.22	3.47	4.25	5.50	7.00	8.41	11.24	12.41	

See footnotes at end of table.

Table 2-6. Iron intake values in milligrams per 1,000 calories for persons aged 6 months-74 years, by income level, sex, and age: Mean, standard error of the mean, and selected percentiles, United States, 1976-80-Continued

Income level, sex, and age	Examined persons	Estimated population in thousands	Iron in milligrams per 1,000 calories									
			Mean	Standard error of the mean	Percentile							
					5th	10th	25th	50th	75th	90th	95th	
Income below poverty level ^{3/}												
Female												
6 months-74 years...	2/1,909	15,942	6.69	.09	3.48	4.03	4.92	6.02	7.55	9.69	11.65	
6-11 months.....	36	138	*	*	*	*	*	7.34	*	*	*	
1-2 years.....	153	562	6.36	.27	2.52	3.65	4.61	5.68	7.05	10.61	11.64	
3-5 years.....	272	945	6.37	.23	3.00	4.03	4.80	5.99	7.25	8.75	10.08	
6-8 years.....	95	869	6.03	.27	3.04	3.96	4.51	5.63	6.71	8.20	9.98	
9-11 years.....	102	1,113	6.18	.29	3.59	3.93	4.72	5.84	6.59	8.77	9.74	
12-14 years.....	104	1,072	5.82	.19	3.52	3.82	4.68	5.42	6.45	8.21	10.15	
15-17 years.....	88	1,099	5.67	.21	3.53	4.01	4.47	5.57	6.37	7.62	8.99	
18-24 years.....	2/252	3,063	6.30	.28	3.30	3.69	4.66	5.72	7.16	9.02	10.01	
25-34 years.....	162	1,997	6.66	.17	3.55	4.04	5.20	6.30	7.86	9.68	10.54	
35-44 years.....	119	1,543	7.45	.73	3.92	4.28	5.32	6.45	7.88	9.41	12.14	
45-54 years.....	82	1,115	6.87	.21	3.41	4.17	5.00	6.43	8.14	10.01	11.21	
55-64 years.....	188	1,181	7.81	.26	4.16	4.42	5.87	6.70	8.77	12.41	13.81	
65-74 years.....	256	1,245	8.15	.34	4.38	4.62	5.66	7.08	9.47	12.97	16.27	
Income above poverty level ^{3/}												
Male												
6 months-74 years...	2/8,083	83,670	6.81	.04	3.64	4.15	5.08	6.28	7.77	9.72	11.36	
6-11 months.....	121	614	13.45	.98	2.78	3.41	4.72	8.73	18.61	30.84	41.24	
1-2 years.....	551	2,416	6.61	.18	3.21	3.76	4.70	5.85	7.39	10.01	11.96	
3-5 years.....	892	3,683	6.48	.09	3.70	4.07	4.96	6.04	7.55	9.71	10.93	
6-8 years.....	336	4,254	6.41	.10	3.72	4.07	4.89	6.10	7.27	9.11	10.87	
9-11 years.....	356	4,321	6.73	.14	3.58	4.12	4.83	6.18	8.04	9.77	11.36	
12-14 years.....	399	4,841	6.73	.22	3.59	4.17	4.97	6.25	7.49	9.34	12.44	
15-17 years.....	2/417	4,992	6.26	.15	3.43	3.91	4.97	5.76	7.17	9.10	10.62	
18-24 years.....	770	10,508	6.03	.07	3.30	3.88	4.63	5.72	7.00	8.40	9.35	
25-34 years.....	945	14,355	6.46	.08	3.64	4.14	4.92	6.10	7.44	8.94	10.14	
35-44 years.....	658	10,195	6.94	.17	3.79	4.33	5.31	6.46	7.82	9.77	10.54	
45-54 years.....	603	9,738	7.19	.12	3.85	4.27	5.56	6.56	8.14	10.06	12.40	
55-64 years.....	1,048	8,443	7.41	.13	3.91	4.75	5.59	6.90	8.38	10.63	12.19	
65-74 years.....	987	5,312	7.95	.14	4.14	4.98	5.93	7.16	8.98	11.64	13.52	
Female												
6 months-74 years...	2/8,035	84,683	7.05	.05	3.73	4.27	5.17	6.40	8.06	10.26	12.26	
6-11 months.....	135	612	14.10	1.09	3.28	3.76	5.26	10.10	20.29	31.09	37.12	
1-2 years.....	505	2,351	6.85	.27	3.31	4.05	4.74	5.89	7.53	10.40	11.97	
3-5 years.....	815	3,419	6.33	.12	3.38	3.90	4.78	5.84	7.38	9.32	10.64	
6-8 years.....	308	3,864	6.05	.15	3.63	4.10	4.82	5.66	7.01	8.20	9.06	
9-11 years.....	307	4,049	6.26	.13	3.52	3.84	4.65	5.82	7.40	9.00	10.46	
12-14 years.....	363	4,414	5.95	.14	3.26	3.73	4.52	5.66	6.73	8.92	9.80	
15-17 years.....	342	4,758	5.81	.15	3.06	3.46	4.25	5.38	7.03	8.48	9.53	
18-24 years.....	771	10,505	6.50	.11	3.35	4.03	4.95	6.12	7.52	9.41	10.69	
25-34 years.....	2/981	14,469	6.89	.08	3.88	4.36	5.20	6.30	7.90	9.68	11.32	
35-44 years.....	702	10,377	7.31	.14	4.00	4.66	5.51	6.62	8.30	10.61	12.61	
45-54 years.....	655	10,424	7.72	.16	4.25	4.74	5.61	6.92	8.85	11.71	13.33	
55-64 years.....	1,071	8,934	7.89	.13	4.32	4.94	5.93	7.18	8.93	11.53	13.87	
65-74 years.....	1,080	6,508	8.15	.12	4.48	5.04	5.99	7.33	9.11	11.81	14.75	

1/ Excludes 2 examined persons with zero calories.
2/ Excludes 1 examined person with zero calories.
3/ Excludes unknown income.

Table 2-7. Sodium intake values in milligrams per 1,000 calories for persons aged 6 months-74 years, by income level, sex, and age: Mean, standard error of the mean, and selected percentiles, United States, 1976-80

Income level, sex, and age	Exam-ined persons	Esti-mated popula-tion in thou-sands	Sodium in milligrams per 1,000 calories								
			Mean	Stand-ard error of the mean	Percentile						
					5th	10th	25th	50th	75th	90th	95th
All incomes											
Male											
6 months-74 years...	1/9,981	99,048	1,439	13	668	799	1,038	1,353	1,730	2,152	2,498
6-11 months.....	179	819	1,072	38	421	503	750	1,009	1,371	1,655	1,811
1-2 years.....	745	3,107	1,465	31	778	872	1,090	1,376	1,715	2,129	2,526
3-5 years.....	1,219	4,695	1,393	23	739	842	1,076	1,312	1,632	1,967	2,225
6-8 years.....	428	5,336	1,361	23	820	949	1,095	1,316	1,537	1,818	2,029
9-11 years.....	457	5,310	1,435	31	776	859	1,089	1,360	1,669	2,085	2,236
12-14 years.....	504	5,920	1,391	27	708	825	1,057	1,310	1,656	2,065	2,264
15-17 years.....	2/534	6,309	1,364	30	614	764	972	1,273	1,633	2,067	2,379
18-24 years.....	988	13,275	1,371	20	606	760	1,012	1,309	1,684	2,073	2,294
25-34 years.....	1,067	15,895	1,396	30	588	733	974	1,291	1,731	2,211	2,428
35-44 years.....	745	11,367	1,431	27	641	761	1,011	1,347	1,711	2,145	2,585
45-54 years.....	690	11,114	1,561	30	693	833	1,072	1,430	1,885	2,431	2,810
55-64 years.....	2/1,226	9,603	1,514	19	721	846	1,107	1,424	1,802	2,253	2,614
65-74 years.....	1,199	6,297	1,630	24	741	900	1,192	1,502	1,925	2,435	2,830
Female											
6 months-74 years...	1/10,337	104,470	1,494	13	693	823	1,062	1,384	1,789	2,223	2,620
6-11 months.....	177	780	1,007	35	353	408	657	980	1,298	1,604	1,855
1-2 years.....	672	2,970	1,407	24	699	856	1,080	1,330	1,650	2,034	2,321
3-5 years.....	1,126	4,491	1,402	22	718	853	1,072	1,337	1,658	1,993	2,236
6-8 years.....	415	4,877	1,400	26	729	883	1,046	1,314	1,653	2,074	2,314
9-11 years.....	425	5,357	1,412	23	776	844	1,043	1,295	1,704	2,130	2,510
12-14 years.....	487	5,712	1,437	33	695	831	1,051	1,371	1,677	2,089	2,462
15-17 years.....	449	6,131	1,382	31	634	756	991	1,324	1,699	2,111	2,468
18-24 years.....	2/1,065	14,164	1,454	21	682	803	1,040	1,356	1,729	2,189	2,540
25-34 years.....	2/1,169	16,844	1,532	42	681	784	1,037	1,386	1,791	2,286	2,594
35-44 years.....	844	12,284	1,528	24	709	854	1,084	1,435	1,870	2,277	2,688
45-54 years.....	763	11,918	1,556	30	681	822	1,088	1,423	1,907	2,380	2,886
55-64 years.....	1,329	10,743	1,585	22	718	879	1,143	1,478	1,917	2,447	2,810
65-74 years.....	1,416	8,198	1,586	24	726	878	1,119	1,417	1,873	2,394	2,984
Income below poverty level^{3/}											
Male											
6 months-74 years...	2/1,538	11,649	1,419	27	650	766	1,031	1,368	1,730	2,106	2,357
6-11 months.....	48	177	*	*	*	509	659	1,036	1,384	*	*
1-2 years.....	170	601	1,392	39	777	857	1,078	1,357	1,640	2,051	2,147
3-5 years.....	298	910	1,398	35	672	804	1,036	1,332	1,631	2,025	2,271
6-8 years.....	82	900	1,361	43	858	963	1,123	1,316	1,536	1,805	2,070
9-11 years.....	88	854	1,361	60	683	801	1,133	1,341	1,571	1,903	1,978
12-14 years.....	89	891	1,343	53	638	698	1,034	1,306	1,601	2,022	2,051
15-17 years.....	89	974	1,475	88	614	740	972	1,389	1,890	2,271	2,646
18-24 years.....	178	2,237	1,404	45	591	766	1,013	1,385	1,767	2,018	2,293
25-34 years.....	91	1,106	1,443	70	656	710	1,026	1,349	1,779	2,309	2,476
35-44 years.....	63	821	*	*	*	407	823	1,227	1,805	*	*
45-54 years.....	46	645	*	*	*	961	1,281	1,567	1,911	*	*
55-64 years.....	2/128	775	1,554	74	617	754	1,055	1,467	1,844	2,290	2,515
65-74 years.....	168	759	1,529	75	695	799	1,105	1,376	1,784	2,245	2,631

See footnotes at end of table.

Table 2-7. Sodium intake values in milligrams per 1,000 calories for persons aged 6 months-74 years, by income level, sex, and age: Mean, standard error of the mean, and selected percentiles, United States, 1976-80-Continued

Income level, sex, and age	Exam-ined persons	Esti-mated popula-tion in thou-sands	Sodium in milligrams per 1,000 calories								
			Mean	Stand-ard error of the mean	Percentile						
					5th	10th	25th	50th	75th	90th	95th
Income below poverty level^{1/}											
Female											
6 months-74 years...	2/1,909	15,942	1,483	30	673	824	1,049	1,366	1,781	2,218	2,612
6-11 months.....	36	138	*	*	*	419	*	889	*	*	*
1-2 years.....	153	562	1,376	44	628	839	1,089	1,302	1,617	2,035	2,418
3-5 years.....	272	945	1,459	34	793	907	1,085	1,398	1,756	2,102	2,375
6-8 years.....	95	869	1,475	56	830	946	1,180	1,399	1,733	2,162	2,385
9-11 years.....	102	1,113	1,396	64	732	826	1,042	1,320	1,571	2,292	2,519
12-14 years.....	104	1,072	1,591	93	695	861	1,074	1,440	1,903	2,364	2,791
15-17 years.....	88	1,099	1,311	71	357	621	987	1,273	1,741	1,962	2,150
18-24 years.....	2/252	3,063	1,471	87	639	766	965	1,316	1,726	2,186	2,460
25-34 years.....	162	1,997	1,380	64	534	764	952	1,260	1,768	2,114	2,372
35-44 years.....	119	1,543	1,458	47	785	828	1,062	1,408	1,795	2,212	2,386
45-54 years.....	82	1,115	1,614	112	761	863	1,076	1,353	1,948	2,786	3,330
55-64 years.....	188	1,181	1,573	38	729	927	1,183	1,448	1,872	2,280	2,694
65-74 years.....	256	1,245	1,776	64	753	937	1,190	1,529	2,007	2,947	4,144
Income above poverty level^{1/}											
Male											
6 months-74 years...	2/8,083	83,670	1,441	12	680	804	1,041	1,351	1,729	2,159	2,509
6-11 months.....	121	614	1,067	43	390	474	775	1,008	1,367	1,628	1,787
1-2 years.....	551	2,416	1,484	36	775	867	1,093	1,377	1,726	2,177	2,610
3-5 years.....	892	3,683	1,387	24	754	845	1,080	1,302	1,631	1,955	2,171
6-8 years.....	336	4,254	1,360	28	819	940	1,088	1,314	1,546	1,841	2,056
9-11 years.....	356	4,321	1,461	34	825	885	1,090	1,394	1,682	2,131	2,280
12-14 years.....	399	4,841	1,402	30	736	828	1,070	1,304	1,669	2,075	2,357
15-17 years.....	2/417	4,992	1,354	34	625	769	977	1,272	1,628	2,044	2,352
18-24 years.....	770	10,508	1,367	22	606	760	1,016	1,298	1,666	2,076	2,322
25-34 years.....	945	14,355	1,388	32	594	734	970	1,287	1,726	2,197	2,421
35-44 years.....	658	10,195	1,439	30	680	787	1,021	1,348	1,711	2,146	2,592
45-54 years.....	603	9,738	1,563	29	693	841	1,076	1,431	1,886	2,497	2,835
55-64 years.....	1,048	8,443	1,502	18	725	837	1,104	1,415	1,791	2,207	2,613
65-74 years.....	987	5,312	1,644	23	774	927	1,204	1,523	1,937	2,451	2,846
Female											
6 months-74 years...	2/8,035	84,683	1,496	14	695	822	1,065	1,385	1,789	2,221	2,623
6-11 months.....	135	612	997	40	353	407	693	970	1,264	1,604	1,854
1-2 years.....	505	2,351	1,416	27	712	857	1,076	1,347	1,677	2,023	2,299
3-5 years.....	815	3,419	1,390	25	700	846	1,066	1,331	1,642	1,978	2,209
6-8 years.....	308	3,864	1,387	29	713	865	1,020	1,300	1,653	2,075	2,315
9-11 years.....	307	4,049	1,413	30	776	844	1,037	1,292	1,705	2,084	2,508
12-14 years.....	363	4,414	1,402	31	685	829	1,049	1,340	1,644	2,013	2,358
15-17 years.....	342	4,758	1,398	32	675	761	1,000	1,344	1,689	2,119	2,522
18-24 years.....	771	10,505	1,445	24	700	809	1,056	1,364	1,728	2,154	2,544
25-34 years.....	2/981	14,469	1,549	48	685	784	1,049	1,395	1,792	2,265	2,574
35-44 years.....	702	10,377	1,540	27	700	863	1,085	1,436	1,879	2,296	2,696
45-54 years.....	655	10,424	1,548	32	682	821	1,089	1,420	1,904	2,361	2,859
55-64 years.....	1,071	8,934	1,591	24	718	877	1,140	1,484	1,928	2,481	2,817
65-74 years.....	1,080	6,508	1,556	27	726	876	1,099	1,402	1,860	2,354	2,897

1/ Excludes 2 examined persons with zero calories.
2/ Excludes 1 examined person with zero calories.
3/ Excludes unknown income.

Table 2-8. Potassium intake values in milligrams per 1,000 calories for persons aged 6 months-74 years, by income level, sex, and age: Mean, standard error of the mean, and selected percentiles, United States, 1976-80

Income level, sex, and age	Examined persons	Estimated population in thousands	Potassium in milligrams per 1,000 calories								
			Mean	Standard error of the mean	Percentile						
					5th	10th	25th	50th	75th	90th	95th
All incomes											
Male											
6 months-74 years...	1/9,981	99,048	1,243	9	659	768	965	1,203	1,466	1,746	1,947
6-11 months.....	179	819	1,594	56	849	979	1,234	1,563	1,847	2,236	2,487
1-2 years.....	745	3,107	1,391	23	746	861	1,054	1,360	1,648	1,973	2,198
3-5 years.....	1,219	4,695	1,235	18	675	790	966	1,205	1,471	1,713	1,874
6-8 years.....	428	5,336	1,219	15	686	810	1,001	1,193	1,427	1,679	1,807
9-11 years.....	457	5,310	1,203	20	679	759	945	1,193	1,437	1,613	1,804
12-14 years.....	504	5,920	1,206	17	651	757	941	1,171	1,437	1,721	1,873
15-17 years.....	2/534	6,309	1,162	19	545	713	899	1,161	1,416	1,645	1,771
18-24 years.....	988	13,275	1,162	17	593	695	900	1,119	1,387	1,641	1,828
25-34 years.....	1,067	15,895	1,197	19	649	738	913	1,145	1,392	1,668	1,930
35-44 years.....	745	11,367	1,277	18	689	807	1,001	1,237	1,472	1,792	1,984
45-54 years.....	690	11,114	1,275	18	680	788	1,006	1,220	1,492	1,818	2,056
55-64 years.....	2/1,226	9,603	1,325	15	701	835	1,028	1,272	1,577	1,856	2,088
65-74 years.....	1,199	6,297	1,338	15	716	842	1,042	1,305	1,574	1,879	2,109
Female											
6 months-74 years...	1/10,337	104,470	1,353	15	655	779	1,005	1,267	1,599	1,987	2,280
6-11 months.....	177	780	1,585	51	847	954	1,140	1,543	1,925	2,293	2,509
1-2 years.....	672	2,970	1,351	23	705	805	1,061	1,318	1,649	1,854	2,037
3-5 years.....	1,126	4,491	1,218	18	649	754	964	1,205	1,435	1,697	1,865
6-8 years.....	415	4,877	1,231	18	689	790	980	1,194	1,477	1,684	1,840
9-11 years.....	425	5,357	1,207	22	652	778	967	1,167	1,424	1,644	1,838
12-14 years.....	487	5,712	1,178	21	574	715	910	1,166	1,424	1,637	1,785
15-17 years.....	449	6,131	1,205	50	585	697	895	1,130	1,402	1,679	1,999
18-24 years.....	2/1,065	14,164	1,233	23	569	672	908	1,181	1,483	1,821	2,090
25-34 years.....	2/1,169	16,844	1,335	25	632	759	966	1,246	1,591	1,974	2,332
35-44 years.....	844	12,284	1,399	33	713	784	1,029	1,279	1,630	2,002	2,345
45-54 years.....	763	11,918	1,481	34	728	850	1,088	1,400	1,752	2,148	2,481
55-64 years.....	1,329	10,743	1,522	22	774	918	1,127	1,406	1,806	2,255	2,626
65-74 years.....	1,416	8,198	1,568	20	826	949	1,199	1,507	1,866	2,235	2,561
Income below poverty level^{3/}											
Male											
6 months-74 years...	2/1,538	11,649	1,189	17	584	696	906	1,128	1,424	1,711	1,881
6-11 months.....	48	177	*	*	*	*	1,106	1,454	1,759	*	*
1-2 years.....	170	601	1,355	31	759	841	993	1,336	1,644	1,937	2,180
3-5 years.....	298	910	1,209	29	621	777	964	1,158	1,423	1,746	1,909
6-8 years.....	82	900	1,173	36	693	834	970	1,136	1,336	1,645	1,727
9-11 years.....	88	854	1,176	48	636	720	901	1,148	1,396	1,647	1,779
12-14 years.....	89	891	1,117	32	655	728	866	1,083	1,290	1,636	1,857
15-17 years.....	89	974	986	36	451	519	756	943	1,214	1,443	1,628
18-24 years.....	178	2,237	1,153	40	608	695	871	1,120	1,395	1,663	1,877
25-34 years.....	91	1,106	1,126	55	440	572	804	1,036	1,388	1,660	1,816
35-44 years.....	63	821	*	*	*	*	988	1,100	1,450	*	*
45-54 years.....	46	645	*	*	*	*	941	1,177	1,545	*	*
55-64 years.....	2/128	775	1,292	47	595	724	1,016	1,225	1,551	1,883	2,028
65-74 years.....	168	759	1,255	41	657	744	944	1,238	1,526	1,781	1,948

See footnotes at end of table.

Table 2-8. Potassium intake values in milligrams per 1,000 calories for persons aged 6 months-74 years, by income level, sex, and age: Mean, standard error of the mean, and selected percentiles, United States, 1976-80-Continued

Income level, sex, and age	Exam-ined persons	Esti-mated popula-tion in thou-sands	Potassium in milligrams per 1,000 calories								
			Mean	Stand-ard error of the mean	Percentile						
					5th	10th	25th	50th	75th	90th	95th
Income below poverty level ^{1/}											
Female											
6 months-74 years...	2/1,909	15,942	1,267	30	596	732	913	1,162	1,467	1,804	2,120
6-11 months.....	36	138	*	*	*	*	*	1,167	*	*	*
1-2 years.....	153	562	1,273	45	598	736	995	1,182	1,604	1,809	2,033
3-5 years.....	272	945	1,195	37	623	757	941	1,146	1,384	1,710	1,934
6-8 years.....	95	869	1,209	30	736	786	929	1,215	1,438	1,620	1,679
9-11 years.....	102	1,113	1,153	26	724	836	941	1,146	1,327	1,519	1,675
12-14 years.....	104	1,072	1,106	49	516	574	830	1,118	1,380	1,614	1,704
15-17 years.....	88	1,099	1,294	*	637	670	832	1,053	1,314	1,582	1,757
18-24 years.....	2/252	3,063	1,183	36	552	654	860	1,126	1,456	1,759	1,979
25-34 years.....	162	1,997	1,240	46	708	767	918	1,144	1,516	1,869	2,119
35-44 years.....	119	1,543	1,456	*	526	707	899	1,174	1,445	1,905	2,206
45-54 years.....	82	1,115	1,269	67	531	732	906	1,122	1,574	1,960	2,255
55-64 years.....	188	1,181	1,380	48	660	784	1,048	1,261	1,685	2,166	2,526
65-74 years.....	256	1,245	1,496	46	775	921	1,147	1,412	1,702	2,197	2,794
Income above poverty level ^{3/}											
Male											
6 months-74 years...	2/8,083	83,670	1,251	9	670	775	977	1,210	1,474	1,752	1,961
6-11 months.....	121	614	1,630	68	848	940	1,260	1,597	1,922	2,265	2,614
1-2 years.....	551	2,416	1,399	26	728	876	1,059	1,362	1,648	1,993	2,205
3-5 years.....	892	3,683	1,239	20	684	793	966	1,217	1,478	1,712	1,853
6-8 years.....	336	4,254	1,232	18	685	810	1,011	1,217	1,447	1,706	1,818
9-11 years.....	356	4,321	1,211	23	698	762	945	1,214	1,444	1,610	1,839
12-14 years.....	399	4,841	1,214	18	645	756	945	1,189	1,453	1,720	1,856
15-17 years.....	2/417	4,992	1,202	19	632	737	951	1,200	1,450	1,665	1,791
18-24 years.....	770	10,508	1,163	19	584	692	903	1,117	1,388	1,641	1,823
25-34 years.....	945	14,355	1,199	19	668	747	926	1,150	1,391	1,666	1,910
35-44 years.....	658	10,195	1,276	18	694	799	1,001	1,249	1,489	1,808	1,986
45-54 years.....	603	9,738	1,286	19	711	812	1,011	1,224	1,497	1,858	2,056
55-64 years.....	1,048	8,443	1,329	17	712	838	1,027	1,273	1,590	1,855	2,099
65-74 years.....	987	5,312	1,349	14	725	847	1,051	1,318	1,591	1,908	2,135
Female											
6 months-74 years...	2/8,035	84,683	1,369	15	669	793	1,021	1,291	1,625	2,006	2,298
6-11 months.....	135	612	1,675	54	869	1,074	1,271	1,640	1,960	2,362	2,633
1-2 years.....	505	2,351	1,370	26	725	828	1,075	1,335	1,653	1,885	2,053
3-5 years.....	815	3,419	1,225	18	667	754	982	1,217	1,439	1,701	1,846
6-8 years.....	308	3,864	1,230	21	682	791	980	1,192	1,476	1,707	1,852
9-11 years.....	307	4,049	1,228	28	651	777	1,023	1,176	1,453	1,705	1,900
12-14 years.....	363	4,414	1,189	25	591	729	931	1,166	1,421	1,636	1,796
15-17 years.....	342	4,758	1,194	30	601	701	913	1,151	1,426	1,704	2,156
18-24 years.....	771	10,505	1,249	26	572	691	928	1,188	1,478	1,872	2,210
25-34 years.....	2/981	14,469	1,350	25	615	759	980	1,256	1,598	1,997	2,370
35-44 years.....	702	10,377	1,396	22	725	817	1,046	1,324	1,650	2,005	2,354
45-54 years.....	655	10,424	1,504	38	732	870	1,113	1,418	1,783	2,166	2,486
55-64 years.....	1,071	8,934	1,537	24	790	922	1,141	1,427	1,821	2,239	2,615
65-74 years.....	1,080	6,508	1,578	23	844	955	1,212	1,529	1,877	2,236	2,558

1/ Excludes 2 examined persons with zero calories.
2/ Excludes 1 examined person with zero calories.
3/ Excludes unknown income.

Table 2-9. Vitamin A intake values in International Units per 1,000 calories for persons aged 6 months-74 years, by income level, sex, and age: Mean, standard error of the mean, and selected percentiles, United States, 1976-80

Income level, sex, and age	Exam- ined persons	Esti- mated popula- tion in thou- sands	Vitamin A in International Units per 1,000 calories								
			Mean	Stand- ard error of the mean	Percentile						
					5th	10th	25th	50th	75th	90th	95th
All incomes											
Male											
6 months-74 years...	1/9,981	99,048	2,594	55	419	609	1,028	1,698	2,813	4,778	6,975
6-11 months.....	179	819	5,947	809	1,286	1,573	2,334	3,428	5,394	14,011	19,696
1-2 years.....	745	3,107	2,806	95	986	1,210	1,637	2,299	3,132	4,894	6,586
3-5 years.....	1,219	4,695	2,593	85	669	981	1,433	2,101	3,070	4,535	5,636
6-8 years.....	428	5,336	2,580	134	774	935	1,352	1,988	2,933	4,365	6,170
9-11 years.....	457	5,310	2,661	106	643	829	1,276	2,034	3,122	4,618	6,539
12-14 years.....	504	5,920	2,522	180	572	700	1,184	1,734	2,669	4,338	6,713
15-17 years.....	2/534	6,309	2,182	187	401	566	870	1,579	2,400	3,575	5,355
18-24 years.....	988	13,275	1,972	73	318	482	828	1,403	2,274	3,965	5,204
25-34 years.....	1,067	15,895	2,240	136	274	430	746	1,353	2,397	4,126	6,629
35-44 years.....	745	11,367	2,445	151	355	533	903	1,559	2,455	4,320	6,441
45-54 years.....	690	11,114	2,953	197	412	638	1,063	1,625	2,817	5,768	8,206
55-64 years.....	2/1,226	9,603	2,973	121	500	714	1,168	1,933	3,442	5,979	8,505
65-74 years.....	1,199	6,297	3,751	196	652	844	1,364	2,204	4,132	6,518	9,810
Female											
6 months-74 years...	1/10,337	104,470	3,165	54	465	706	1,170	1,932	3,364	6,224	9,371
6-11 months.....	177	780	4,695	438	1,272	1,672	2,265	3,256	4,811	8,166	13,435
1-2 years.....	672	2,970	2,987	125	929	1,173	1,618	2,334	3,296	4,918	6,948
3-5 years.....	1,126	4,491	2,682	98	775	1,011	1,439	2,060	3,047	4,616	6,007
6-8 years.....	415	4,877	2,609	90	765	1,010	1,361	1,913	3,066	4,878	6,985
9-11 years.....	425	5,357	2,634	207	618	782	1,252	1,840	2,863	4,767	7,073
12-14 years.....	487	5,712	2,278	112	484	685	1,041	1,614	2,525	4,209	5,964
15-17 years.....	449	6,131	2,175	115	307	505	915	1,496	2,441	4,280	6,256
18-24 years.....	2/1,065	14,164	2,549	137	353	532	956	1,607	2,767	5,281	7,452
25-34 years.....	2/1,169	16,844	3,007	149	375	606	1,017	1,736	2,912	6,209	9,924
35-44 years.....	844	12,284	3,174	244	390	622	1,058	1,800	3,117	5,877	9,590
45-54 years.....	763	11,918	3,834	233	525	744	1,217	2,150	4,155	7,831	11,575
55-64 years.....	1,329	10,743	4,145	172	611	848	1,479	2,524	4,597	8,336	11,470
65-74 years.....	1,416	8,198	4,510	192	771	1,076	1,656	2,682	5,088	9,053	12,595
Income below poverty level ^{3/}											
Male											
6 months-74 years...	2/1,538	11,649	2,542	110	348	546	985	1,632	2,693	4,752	7,017
6-11 months.....	48	177	*	*	*	*	2,002	3,424	5,165	*	*
1-2 years.....	170	601	2,572	157	894	1,150	1,480	2,018	2,914	4,259	5,058
3-5 years.....	298	910	2,614	195	593	780	1,322	1,992	2,881	4,380	6,273
6-8 years.....	82	900	2,402	262	968	1,003	1,296	1,696	2,402	4,360	5,658
9-11 years.....	88	854	2,813	388	546	690	1,068	1,904	2,977	4,491	6,254
12-14 years.....	89	891	2,705	516	259	588	1,056	1,510	2,201	3,483	8,998
15-17 years.....	89	974	2,152	546	144	406	790	1,301	1,997	3,295	5,551
18-24 years.....	178	2,237	2,170	178	335	457	849	1,522	2,787	4,752	6,968
25-34 years.....	91	1,106	1,950	249	95	287	550	1,233	2,316	4,200	5,531
35-44 years.....	63	821	*	*	*	*	651	1,432	2,738	*	*
45-54 years.....	46	645	*	*	*	*	937	1,392	2,641	*	*
55-64 years.....	2/128	775	3,141	398	378	724	1,194	1,903	3,364	6,721	10,342
65-74 years.....	168	759	3,241	396	233	687	1,082	1,707	3,620	6,019	10,290

See footnotes at end of table.

Table 2-9. Vitamin A intake values in International Units per 1,000 calories for persons aged 6 months-74 years, by income level, sex, and age: Mean, standard error of the mean, and selected percentiles, United States, 1976-80-Continued

Income level, sex, and age	Exam- ined persons	Esti- mated popula- tion in thou- sands	Vitamin A in International Units per 1,000 calories								
			Mean	Stand- ard error of the mean	Percentile						
					5th	10th	25th	50th	75th	90th	95th
Income below poverty level ^{3/}											
Female											
6 months-74 years...	2/1,909	15,942	2,753	106	341	524	974	1,652	2,817	5,735	8,623
6-11 months.....	36	138	*	*	*	*	*	3,013	*	*	*
1-2 years.....	153	562	2,932	194	826	1,030	1,519	2,171	3,450	4,829	6,408
3-5 years.....	272	945	2,887	171	745	941	1,353	2,077	2,966	4,894	8,090
6-8 years.....	95	869	2,375	239	552	820	1,340	1,749	2,361	4,602	7,028
9-11 years.....	102	1,113	2,491	256	618	702	1,038	1,578	3,193	5,595	6,194
12-14 years.....	104	1,072	2,081	241	343	453	834	1,245	2,220	4,553	5,963
15-17 years.....	88	1,099	1,466	153	68	197	552	1,066	1,770	2,733	3,289
18-24 years.....	2/252	3,063	2,610	280	312	451	884	1,448	2,754	5,881	8,402
25-34 years.....	162	1,997	2,361	266	335	403	785	1,419	2,472	4,452	7,681
35-44 years.....	119	1,543	2,063	189	182	451	801	1,421	2,245	4,267	5,490
45-54 years.....	82	1,115	3,502	576	347	417	910	1,661	3,773	7,818	8,652
55-64 years.....	188	1,181	3,776	451	478	641	1,271	1,996	4,359	9,083	10,598
65-74 years.....	256	1,245	4,830	488	801	1,000	1,621	2,618	5,625	9,916	16,511
Income above poverty level ^{3/}											
Male											
6 months-74 years...	2/8,083	83,670	2,597	63	426	614	1,033	1,707	2,831	4,783	6,988
6-11 months.....	121	614	6,290	1133	1,286	1,739	2,386	3,454	5,396	14,866	25,529
1-2 years.....	551	2,416	2,865	103	1,001	1,220	1,661	2,387	3,200	5,284	6,920
3-5 years.....	892	3,683	2,576	84	718	1,012	1,449	2,145	3,097	4,499	5,585
6-8 years.....	336	4,254	2,596	172	710	912	1,370	2,022	2,951	4,446	6,171
9-11 years.....	356	4,321	2,665	118	677	828	1,321	2,103	3,242	4,644	7,301
12-14 years.....	399	4,841	2,530	193	581	712	1,247	1,779	2,751	4,464	6,327
15-17 years.....	2/417	4,992	2,218	210	454	582	921	1,630	2,492	3,727	5,305
18-24 years.....	770	10,508	1,927	97	318	470	814	1,342	2,165	3,887	5,097
25-34 years.....	945	14,355	2,262	151	280	438	755	1,350	2,380	4,080	6,628
35-44 years.....	658	10,195	2,504	165	392	573	942	1,583	2,460	4,232	6,725
45-54 years.....	603	9,738	2,806	175	392	637	1,074	1,628	2,818	5,767	7,749
55-64 years.....	1,048	8,443	2,976	132	517	714	1,147	1,947	3,445	5,994	8,388
65-74 years.....	987	5,312	3,849	216	672	869	1,399	2,294	4,142	6,618	10,454
Female											
6 months-74 years...	2/8,035	84,683	3,238	66	516	749	1,218	1,991	3,448	6,392	9,455
6-11 months.....	135	612	4,923	527	1,270	1,670	2,151	3,287	4,946	8,884	13,737
1-2 years.....	505	2,351	2,973	156	931	1,202	1,618	2,374	3,270	4,913	6,945
3-5 years.....	815	3,419	2,631	111	775	1,028	1,487	2,043	3,054	4,609	5,674
6-8 years.....	308	3,864	2,637	106	780	1,017	1,345	1,938	3,083	5,081	6,958
9-11 years.....	307	4,049	2,693	240	632	815	1,287	1,933	2,835	4,733	7,600
12-14 years.....	363	4,414	2,348	148	560	733	1,055	1,665	2,700	4,260	6,163
15-17 years.....	342	4,758	2,355	141	424	613	1,001	1,594	2,644	4,736	6,454
18-24 years.....	771	10,505	2,550	134	414	568	962	1,650	2,772	4,820	7,384
25-34 years.....	2/981	14,469	3,115	177	416	640	1,059	1,802	2,988	6,466	9,964
35-44 years.....	702	10,377	3,268	284	442	696	1,127	1,885	3,252	6,351	9,614
45-54 years.....	655	10,424	3,872	236	537	764	1,278	2,225	4,231	7,980	11,580
55-64 years.....	1,071	8,934	4,186	193	654	917	1,525	2,593	4,594	8,104	11,690
65-74 years.....	1,080	6,508	4,460	199	756	1,102	1,678	2,703	5,059	9,024	12,111

1/ Excludes 2 examined persons with zero calories.
2/ Excludes 1 examined person with zero calories.
3/ Excludes unknown income.

Table 2-10. Vitamin C intake values in milligrams per 1,000 calories for persons aged 6 months-74 years, by income level, sex, and age: Mean, standard error of the mean, and selected percentiles, United States, 1976-80

Income level, sex, and age	Exam- ined persons	Esti- mated popula- tion in thou- sands	Vitamin C in milligrams per 1,000 calories								
			Mean	Stand- ard error of the mean	Percentile						
					5th	10th	25th	50th	75th	90th	95th
All incomes											
Male											
6 months-74 years...	1/9,981	99,048	49	1.2	4	7	15	32	65	109	147
6-11 months.....	179	819	65	5.3	11	16	25	55	83	139	162
1-2 years.....	745	3,107	70	3.4	8	12	24	48	91	155	203
3-5 years.....	1,219	4,695	65	2.2	8	12	22	46	85	142	195
6-8 years.....	428	5,336	54	3.7	8	10	19	34	74	114	158
9-11 years.....	457	5,310	54	2.2	7	12	21	40	75	110	156
12-14 years.....	504	5,920	53	3.7	6	8	16	31	68	124	164
15-17 years.....	2/534	6,309	42	2.9	4	6	14	25	53	96	122
18-24 years.....	988	13,275	46	1.9	3	6	13	27	57	109	149
25-34 years.....	1,067	15,895	42	1.9	3	6	12	26	51	92	126
35-44 years.....	745	11,367	42	1.9	4	6	14	28	58	91	114
45-54 years.....	690	11,114	49	2.1	4	6	15	33	64	111	137
55-64 years.....	2/1,226	9,603	52	1.4	4	9	19	39	73	108	147
65-74 years.....	1,199	6,297	58	2.1	4	8	20	44	80	123	161
Female											
6 months-74 years...	1/10,337	104,470	64	1.1	5	9	19	41	85	145	197
6-11 months.....	177	780	72	5.8	12	15	34	54	87	150	178
1-2 years.....	672	2,970	70	2.5	8	12	24	55	95	150	197
3-5 years.....	1,126	4,491	64	3.0	8	12	22	45	83	145	196
6-8 years.....	415	4,877	62	3.4	9	14	21	40	83	124	177
9-11 years.....	425	5,357	51	2.2	7	11	19	34	70	109	142
12-14 years.....	487	5,712	48	2.9	4	8	16	29	60	121	145
15-17 years.....	449	6,131	45	2.8	3	6	12	25	58	117	144
18-24 years.....	2/1,065	14,164	57	1.4	3	8	17	36	77	138	181
25-34 years.....	2/1,169	16,844	59	2.1	4	7	16	34	76	136	198
35-44 years.....	844	12,284	56	2.2	4	7	17	35	75	123	181
45-54 years.....	763	11,918	73	3.7	4	8	20	48	102	173	226
55-64 years.....	1,329	10,743	84	3.0	7	12	27	64	111	174	236
65-74 years.....	1,416	8,198	85	2.3	7	12	31	71	119	173	225
Income below poverty level ^{3/}											
Male											
6 months-74 years...	2/1,538	11,649	45	2.3	3	5	12	27	56	105	148
6-11 months.....	48	177	*	*	*	*	19	43	96	*	*
1-2 years.....	170	601	58	4.2	5	7	20	36	69	152	170
3-5 years.....	298	910	60	4.3	5	10	21	41	84	129	170
6-8 years.....	82	900	40	4.8	5	8	15	29	55	83	102
9-11 years.....	88	854	57	6.5	5	11	20	38	78	133	172
12-14 years.....	89	891	44	6.6	6	7	10	26	50	118	188
15-17 years.....	89	974	32	3.5	1	5	10	21	39	67	97
18-24 years.....	178	2,237	45	5.4	5	6	13	26	50	100	184
25-34 years.....	91	1,106	32	3.1	0	3	8	20	40	79	113
35-44 years.....	63	821	*	*	*	*	10	17	44	*	*
45-54 years.....	46	645	*	*	*	*	10	30	52	*	*
55-64 years.....	2/128	775	44	3.5	1	5	18	30	61	93	147
65-74 years.....	168	759	45	4.1	1	2	9	24	66	101	129

See footnotes at end of table.

Table 2-10. Vitamin C intake values in milligrams per 1,000 calories for persons aged 6 months-74 years, by income level, sex, and age: Mean, standard error of the mean, and selected percentiles, United States, 1976-80-Continued

Income level, sex, and age	Exam- ined persons	Esti- mated popula- tion in thou- sands	Vitamin C in milligrams per 1,000 calories								
			Mean	Stand- ard error of the mean	Percentile						
					5th	10th	25th	50th	75th	90th	95th
Income below poverty level ^{1/}											
Female											
6 months-74 years...	2/1,909	15,942	53	1.8	3	5	14	30	71	129	170
6-11 months.....	36	138	*	*	*	*	*	56	*	*	*
1-2 years.....	153	562	63	5.8	6	10	20	46	87	148	182
3-5 years.....	272	945	59	5.2	4	8	18	34	76	148	185
6-8 years.....	95	869	50	5.0	11	13	23	37	70	101	144
9-11 years.....	102	1,113	40	2.4	5	8	13	27	53	89	120
12-14 years.....	104	1,072	35	4.0	2	3	11	22	44	77	118
15-17 years.....	88	1,099	37	6.0	1	4	7	19	38	110	132
18-24 years.....	2/252	3,063	55	4.5	2	5	13	33	71	131	174
25-34 years.....	162	1,997	48	6.3	4	5	14	26	59	122	167
35-44 years.....	119	1,543	39	4.9	0	6	11	22	42	93	141
45-54 years.....	82	1,115	70	9.5	2	3	14	48	90	161	277
55-64 years.....	188	1,181	67	4.9	5	7	14	43	103	148	200
65-74 years.....	256	1,245	82	6.2	5	9	21	60	112	181	263
Income above poverty level ^{1/}											
Male											
6 months-74 years...	2/8,083	83,670	50	1.2	5	8	16	33	66	110	147
6-11 months.....	121	614	67	6.3	13	19	28	58	83	139	162
1-2 years.....	551	2,416	73	4.2	10	14	25	53	97	154	214
3-5 years.....	892	3,683	66	2.6	9	13	23	47	86	146	200
6-8 years.....	336	4,254	56	3.7	8	11	20	37	78	119	158
9-11 years.....	356	4,321	54	2.4	8	12	21	41	75	107	154
12-14 years.....	399	4,841	54	4.2	6	9	17	32	69	124	164
15-17 years.....	2/417	4,992	43	3.8	4	7	15	26	54	97	132
18-24 years.....	770	10,508	47	2.4	3	6	13	27	57	113	149
25-34 years.....	945	14,355	43	1.9	4	7	12	26	52	93	127
35-44 years.....	658	10,195	42	2.0	4	7	14	29	58	86	113
45-54 years.....	603	9,738	49	2.2	4	7	16	32	64	110	137
55-64 years.....	1,048	8,443	53	1.6	5	9	19	40	74	108	146
65-74 years.....	987	5,312	59	2.5	4	9	21	46	81	123	164
Female											
6 months-74 years...	2/8,035	84,683	65	1.2	5	9	19	43	88	146	200
6-11 months.....	135	612	73	6.9	12	15	31	54	94	160	178
1-2 years.....	505	2,351	72	2.8	9	12	26	56	98	150	205
3-5 years.....	815	3,419	66	3.0	10	13	24	48	84	146	198
6-8 years.....	308	3,864	64	4.2	9	14	20	42	90	125	195
9-11 years.....	307	4,049	53	3.0	9	13	21	37	75	112	142
12-14 years.....	363	4,414	50	3.4	6	9	17	31	61	127	145
15-17 years.....	342	4,758	47	3.6	4	7	14	27	67	120	144
18-24 years.....	771	10,505	58	1.8	4	8	18	36	77	140	178
25-34 years.....	2/981	14,469	60	2.1	4	8	17	35	78	137	214
35-44 years.....	702	10,377	59	2.6	4	7	17	37	78	137	191
45-54 years.....	655	10,424	74	4.0	5	9	20	48	102	173	225
55-64 years.....	1,071	8,934	85	3.4	7	13	31	64	111	174	226
65-74 years.....	1,080	6,508	86	2.9	7	13	33	71	119	171	225

1/ Excludes 2 examined persons with zero calories.
2/ Excludes 1 examined person with zero calories.
3/ Excludes unknown income.

Table 2-11. Saturated fatty acid intake values in grams per 1,000 calories for persons aged 6 months-74 years, by income level, sex, and age: Mean, standard error of the mean, and selected percentiles, United States, 1976-80

Income level, sex, and age	Exam- ined persons	Esti- mated popula- tion in thou- sands	Saturated fatty acid in grams per 1,000 calories								
			Mean	Stand- ard error of the mean	Percentiles						
					5th	10th	25th	50th	75th	90th	95th
All incomes											
Male											
6 months-74 years...	1/9,981	99,048	15	.1	7	9	12	15	18	20	22
6-11 months.....	179	819	13	.6	0	1	9	14	18	21	22
1-2 years.....	745	3,107	15	.3	6	9	12	15	18	21	23
3-5 years.....	1,219	4,695	14	.2	8	9	12	14	17	19	21
6-8 years.....	428	5,336	15	.2	9	10	12	15	17	20	22
9-11 years.....	457	5,310	15	.2	8	10	12	14	17	20	21
12-14 years.....	504	5,920	15	.3	8	9	12	15	17	20	22
15-17 years.....	2/534	6,309	15	.2	8	10	13	15	18	21	22
18-24 years.....	988	13,275	15	.2	8	9	12	15	18	21	23
25-34 years.....	1,067	15,895	14	.2	7	9	11	14	17	20	22
35-44 years.....	745	11,367	15	.2	8	9	12	15	18	21	23
45-54 years.....	690	11,114	15	.1	8	9	12	15	18	21	23
55-64 years.....	2/1,226	9,603	15	.1	8	9	12	15	18	21	23
65-74 years.....	1,199	6,297	14	.2	7	8	11	14	17	20	22
Female											
6 months-74 years...	1/10,337	104,470	14	.1	6	8	11	14	17	20	22
6-11 months.....	177	780	14	.6	1	3	10	14	19	22	23
1-2 years.....	672	2,970	15	.2	6	9	12	15	18	21	23
3-5 years.....	1,126	4,491	15	.2	8	9	12	14	17	20	21
6-8 years.....	415	4,877	14	.2	8	9	12	15	17	20	21
9-11 years.....	425	5,357	15	.2	9	10	12	15	17	20	21
12-14 years.....	487	5,712	15	.2	8	9	11	14	18	20	22
15-17 years.....	449	6,131	15	.2	7	9	12	15	18	21	22
18-24 years.....	2/1,065	14,164	14	.2	6	8	10	14	17	20	21
25-34 years.....	2/1,169	16,844	14	.2	6	8	11	14	17	20	22
35-44 years.....	844	12,284	14	.2	7	8	11	14	18	20	22
45-54 years.....	763	11,918	14	.2	6	8	11	14	17	20	22
55-64 years.....	1,329	10,743	14	.1	6	8	10	13	17	19	21
65-74 years.....	1,416	8,198	13	.2	6	7	10	13	16	19	21
Income below poverty level ^{3/}											
Male											
6 months-74 years...	2/1,538	11,649	15	.2	7	9	12	15	18	21	23
6-11 months.....	48	177	*	*	*	*	12	15	19	*	*
1-2 years.....	170	601	16	.5	8	10	13	16	19	22	24
3-5 years.....	298	910	15	.3	8	10	12	15	18	21	22
6-8 years.....	82	900	16	.5	10	11	13	15	18	20	21
9-11 years.....	88	854	15	.5	9	10	12	16	17	20	22
12-14 years.....	89	891	16	.7	8	9	12	16	19	21	24
15-17 years.....	89	974	16	.4	8	10	12	16	19	22	23
18-24 years.....	178	2,237	15	.4	7	9	12	15	19	21	23
25-34 years.....	91	1,106	14	.4	6	9	11	14	18	20	22
35-44 years.....	63	821	*	*	*	*	9	14	17	*	*
45-54 years.....	46	645	*	*	*	*	12	15	18	*	*
55-64 years.....	2/128	775	15	.5	7	8	12	15	17	20	22
65-74 years.....	168	759	15	.5	5	7	12	15	18	22	24

See footnotes at end of table.

Table 2-11. Saturated fatty acid intake values in grams per 1,000 calories for persons aged 6 months-74 years, by income level, sex, and age: Mean, standard error of the mean, and selected percentiles, United States, 1976-80-Continued

Income level, sex, and age	Exam- ined persons	Esti- mated popula- tion in thou- sands	Saturated fatty acid in grams per 1,000 calories								
			Mean	Stand- ard error of the mean	Percentiles						
					5th	10th	25th	50th	75th	90th	95th
Income below poverty level ^{1/}											
Female											
6 months-74 years...	2/1,909	15,942	14	.2	7	8	11	14	18	20	22
6-11 months.....	36	138	*	*	*	*	*	15	*	*	*
1-2 years.....	153	562	16	.4	9	11	12	16	19	22	23
3-5 years.....	272	945	15	.3	8	10	12	15	18	20	23
6-8 years.....	95	869	15	.4	9	11	13	15	17	20	22
9-11 years.....	102	1,113	15	.5	8	10	12	15	17	20	22
12-14 years.....	104	1,072	14	.5	5	8	11	14	18	20	21
15-17 years.....	88	1,099	15	.6	7	9	11	14	18	21	22
18-24 years.....	2/252	3,063	13	.3	6	8	10	13	16	19	21
25-34 years.....	162	1,997	14	.5	6	7	12	14	18	20	22
35-44 years.....	119	1,543	15	.4	5	9	12	15	18	22	24
45-54 years.....	82	1,115	15	.6	6	9	13	15	18	21	22
55-64 years.....	188	1,181	14	.4	8	9	11	13	17	19	22
65-74 years.....	256	1,245	13	.4	5	7	10	12	16	19	22
Income above poverty level ^{1/}											
Male											
6 months-74 years...	2/8,083	83,670	15	.1	7	9	12	15	18	20	22
6-11 months.....	121	614	12	.8	0	1	7	13	18	21	22
1-2 years.....	551	2,416	14	.551	6	9	11	14	17	21	23
3-5 years.....	892	3,683	14	.892	8	9	11	14	16	19	21
6-8 years.....	336	4,254	15	.336	9	10	12	15	17	20	22
9-11 years.....	356	4,321	14	.356	8	10	12	14	17	20	21
12-14 years.....	399	4,841	15	.399	8	9	12	14	17	20	22
15-17 years.....	2/417	4,992	15	.417	8	10	13	15	18	21	22
18-24 years.....	770	10,508	15	.770	8	9	12	15	18	21	23
25-34 years.....	945	14,355	14	.945	7	9	11	14	17	20	22
35-44 years.....	658	10,195	15	.658	8	9	12	15	18	21	23
45-54 years.....	603	9,738	15	.603	8	9	12	15	18	21	23
55-64 years.....	1,048	8,443	15	1,048	8	9	12	15	18	21	23
65-74 years.....	987	5,312	14	.987	7	8	11	14	17	20	22
Female											
6 months-74 years...	2/8,035	84,683	14	.1	6	8	11	14	17	20	22
6-11 months.....	135	612	14	.7	1	2	9	14	19	22	23
1-2 years.....	505	2,351	15	.2	6	8	12	15	18	21	23
3-5 years.....	815	3,419	14	.2	7	9	12	14	17	20	21
6-8 years.....	308	3,864	14	.2	7	9	12	14	17	19	21
9-11 years.....	307	4,049	15	.3	9	10	12	14	17	20	21
12-14 years.....	363	4,414	15	.2	8	9	12	15	18	20	22
15-17 years.....	342	4,758	15	.3	7	9	12	15	18	21	22
18-24 years.....	771	10,505	14	.2	7	8	11	14	17	20	22
25-34 years.....	2/981	14,469	14	.2	6	8	11	14	17	20	22
35-44 years.....	702	10,377	14	.2	7	8	11	14	17	20	22
45-54 years.....	655	10,424	14	.2	6	8	11	14	17	20	22
55-64 years.....	1,071	8,934	13	.2	6	8	10	13	17	19	21
65-74 years.....	1,080	6,508	13	.2	6	7	10	13	16	19	20

1/ Excludes 2 examined persons with zero calories.

2/ Excludes 1 examined person with zero calories.

3/ Excludes unknown income.

Table 2-12. Oleic acid intake values in grams per 1,000 calories for persons aged 6 months-74 years, by income level, sex, and age: Mean, standard error of the mean, and selected percentiles, United States, 1976-80

Income level, sex, and age	Exam- ined persons	Esti- mated popula- tion in thou- sands	Oleic acid in grams per 1,000 calories								
			Mean	Stand- ard error of the mean	Percentile						
					5th	10th	25th	50th	75th	90th	95th
All incomes											
Male											
6 months-74 years...	1/9,981	99,048	15	.1	8	9	12	15	18	20	22
6-11 months.....	179	819	10	.5	0	1	5	10	14	16	18
1-2 years.....	745	3,107	14	.2	7	8	11	14	17	19	21
3-5 years.....	1,219	4,695	14	.2	8	9	11	14	16	19	21
6-8 years.....	428	5,336	15	.3	9	11	12	14	17	19	20
9-11 years.....	457	5,310	14	.2	8	9	12	14	16	18	20
12-14 years.....	504	5,920	15	.2	8	9	12	14	17	20	22
15-17 years.....	2/534	6,309	15	.2	9	10	12	15	18	20	22
18-24 years.....	988	13,275	15	.1	8	9	12	15	17	20	22
25-34 years.....	1,067	15,895	15	.2	8	9	12	15	18	21	23
35-44 years.....	745	11,367	15	.2	8	10	12	15	18	21	22
45-54 years.....	690	11,114	15	.2	8	10	12	15	18	21	23
55-64 years.....	2/1,226	9,603	15	.2	8	10	13	15	18	21	22
65-74 years.....	1,199	6,297	15	.2	7	9	12	15	18	21	23
Female											
6 months-74 years...	1/10,337	104,470	14	.1	7	9	12	14	17	20	22
6-11 months.....	177	780	10	.4	1	3	6	10	14	16	17
1-2 years.....	672	2,970	14	.2	7	8	11	14	17	19	21
3-5 years.....	1,126	4,491	14	.2	8	9	12	14	17	19	21
6-8 years.....	415	4,877	14	.2	8	10	12	14	17	19	21
9-11 years.....	425	5,357	14	.2	8	9	12	14	16	19	20
12-14 years.....	487	5,712	14	.2	8	9	12	14	17	19	21
15-17 years.....	449	6,131	15	.3	8	9	12	15	18	21	22
18-24 years.....	2/1,065	14,164	14	.2	6	8	11	14	17	20	22
25-34 years.....	2/1,169	16,844	15	.2	7	9	12	15	18	20	22
35-44 years.....	844	12,284	15	.1	7	9	12	15	18	21	22
45-54 years.....	763	11,918	15	.3	6	9	12	15	18	21	23
55-64 years.....	1,329	10,743	14	.2	7	8	11	14	18	20	22
65-74 years.....	1,416	8,198	14	.2	6	8	11	14	17	20	22
Income below poverty level ^{3/}											
Male											
6 months-74 years...	2/1,538	11,649	15	.2	8	10	12	15	18	21	23
6-11 months.....	48	177	*	*	*	*	7	11	15	*	*
1-2 years.....	170	601	15	.4	7	9	12	15	18	20	22
3-5 years.....	298	910	15	.3	9	10	13	15	18	20	22
6-8 years.....	82	900	15	.5	10	11	12	15	17	19	20
9-11 years.....	88	854	15	.4	8	9	12	14	17	19	21
12-14 years.....	89	891	16	.6	10	11	13	16	19	21	23
15-17 years.....	89	974	16	.5	10	11	14	16	19	20	21
18-24 years.....	178	2,237	15	.3	8	9	12	15	19	20	22
25-34 years.....	91	1,106	15	.5	6	9	11	15	18	22	24
35-44 years.....	63	821	*	*	*	*	11	15	17	*	*
45-54 years.....	46	645	*	*	*	*	13	18	19	*	*
55-64 years.....	2/128	775	16	.5	7	10	12	16	19	22	23
65-74 years.....	168	759	16	.5	6	8	12	16	19	23	25

See footnotes at end of table.

Table 2-12. Oleic acid intake values in grams per 1,000 calories for persons aged 6 months-74 years, by income level, sex, and age: Mean, standard error of the mean, and selected percentiles, United States, 1976-80-Continued

Income level, sex, and age	Exam- ined persons	Esti- mated popula- tion in thou- sands	Oleic acid in grams per 1,000 calories								
			Mean	Stand- ard error of the mean	Percentile						
					5th	10th	25th	50th	75th	90th	95th
Income below poverty level ^{3/}											
Female											
6 months-74 years...	2/1,909	15,942	15	.2	7	9	12	15	18	21	22
6-11 months.....	36	138	*	*	*	*	*	11	*	*	*
1-2 years.....	153	562	15	.5	8	10	13	15	17	19	21
3-5 years.....	272	945	15	.3	10	11	13	15	18	20	22
6-8 years.....	95	869	15	.3	10	10	13	15	17	19	20
9-11 years.....	102	1,113	15	.4	7	10	13	15	17	19	21
12-14 years.....	104	1,072	15	.6	6	9	12	15	18	20	23
15-17 years.....	88	1,099	15	.6	7	10	12	15	19	22	23
18-24 years.....	2/252	3,063	14	.4	6	8	11	14	17	20	22
25-34 years.....	162	1,997	16	.5	8	10	12	15	19	20	22
35-44 years.....	119	1,543	16	.5	7	9	12	16	20	22	24
45-54 years.....	82	1,115	16	.6	10	10	13	16	19	23	24
55-64 years.....	188	1,181	15	.4	7	9	12	15	19	21	23
65-74 years.....	256	1,245	14	.5	6	7	10	14	18	21	23
Income above poverty level ^{3/}											
Male											
6 months-74 years...	2/8,083	83,670	15	.1	8	9	12	15	18	20	22
6-11 months.....	121	614	9	.5	0	1	5	9	13	15	16
1-2 years.....	551	2,416	13	.2	7	8	11	13	16	19	21
3-5 years.....	892	3,683	14	.2	8	9	11	14	16	18	20
6-8 years.....	336	4,254	15	.3	9	11	12	14	17	19	21
9-11 years.....	356	4,321	14	.2	8	9	11	14	16	18	19
12-14 years.....	399	4,841	14	.3	7	9	12	14	17	19	22
15-17 years.....	2/417	4,992	15	.2	9	10	12	15	17	20	22
18-24 years.....	770	10,508	15	.2	8	9	12	15	17	20	23
25-34 years.....	945	14,355	15	.2	8	9	12	15	18	21	22
35-44 years.....	658	10,195	15	.2	8	10	12	15	18	21	22
45-54 years.....	603	9,738	15	.2	8	9	12	15	18	21	23
55-64 years.....	1,048	8,443	15	.2	8	10	13	15	18	21	22
65-74 years.....	987	5,312	15	.2	8	9	12	15	18	21	23
Female											
6 months-74 years...	2/8,035	84,683	14	.1	7	9	11	14	17	20	22
6-11 months.....	135	612	10	.5	1	3	5	10	14	16	17
1-2 years.....	505	2,351	14	.3	7	8	11	14	16	19	21
3-5 years.....	815	3,419	14	.2	8	9	11	14	17	19	20
6-8 years.....	308	3,864	14	.2	8	9	12	14	17	19	21
9-11 years.....	307	4,049	14	.3	9	10	12	14	16	18	20
12-14 years.....	363	4,414	14	.2	8	9	12	14	17	19	21
15-17 years.....	342	4,758	15	.3	8	9	12	15	18	20	22
18-24 years.....	771	10,505	14	.1	6	8	11	14	17	20	22
25-34 years.....	2/981	14,469	15	.2	7	9	12	15	17	20	22
35-44 years.....	702	10,377	15	.1	7	9	12	15	18	21	22
45-54 years.....	655	10,424	15	.3	6	9	12	15	18	21	23
55-64 years.....	1,071	8,934	14	.2	6	8	11	14	18	20	22
65-74 years.....	1,080	6,508	14	.2	6	8	11	14	17	20	22

1/ Excludes 2 examined persons with zero calories.
2/ Excludes 1 examined person with zero calories.
3/ Excludes unknown income.

Table 2-13. Linoleic acid intake values in grams per 1,000 calories for persons aged 6 months-74 years, by income level, sex, and age: Mean, standard error of the mean, and selected percentiles, United States, 1976-80

Income level, sex, and age	Exam- ined persons	Esti- mated popula- tion in thou- sands	Linoleic acid in grams per 1,000 calories								
			Mean	Stand- ard error of the mean	Percentile						
					5th	10th	25th	50th	75th	90th	95th
All incomes											
Male											
6 months-74 years...	1/9,981	99,048	5	.0	2	2	3	5	7	9	11
6-11 months.....	179	819	3	.3	0	0	1	2	4	7	8
1-2 years.....	745	3,107	5	.1	1	2	3	4	6	8	9
3-5 years.....	1,219	4,695	5	.1	2	2	3	5	6	8	10
6-8 years.....	428	5,336	5	.2	2	3	4	5	6	9	10
9-11 years.....	457	5,310	5	.1	2	2	3	4	6	8	10
12-14 years.....	504	5,920	5	.1	2	2	4	5	7	9	10
15-17 years.....	2/534	6,309	5	.1	2	2	3	5	7	8	10
18-24 years.....	988	13,275	5	.1	2	2	3	5	7	9	10
25-34 years.....	1,067	15,895	6	.1	2	2	4	5	7	9	11
35-44 years.....	745	11,367	6	.1	2	2	3	5	8	10	11
45-54 years.....	690	11,114	5	.1	2	3	3	5	7	9	10
55-64 years.....	2/1,226	9,603	6	.1	2	2	3	5	7	9	11
65-74 years.....	1,199	6,297	5	.1	2	2	3	5	7	10	11
Female											
6 months-74 years...	1/10,337	104,470	6	.1	2	2	4	5	7	10	12
6-11 months.....	177	780	3	.3	0	0	1	2	4	7	11
1-2 years.....	672	2,970	5	.1	1	2	3	4	6	8	9
3-5 years.....	1,126	4,491	5	.1	2	3	3	5	6	8	10
6-8 years.....	415	4,877	5	.1	2	2	3	5	6	8	9
9-11 years.....	425	5,357	5	.1	2	3	3	5	7	9	11
12-14 years.....	487	5,712	6	.1	2	3	4	5	8	10	11
15-17 years.....	449	6,131	6	.2	2	2	4	6	8	11	12
18-24 years.....	2/1,065	14,164	6	.1	1	2	3	5	7	10	11
25-34 years.....	2/1,169	16,844	6	.1	2	2	4	6	8	10	13
35-44 years.....	844	12,284	6	.1	2	2	4	6	8	10	12
45-54 years.....	763	11,918	6	.1	2	2	4	5	8	10	12
55-64 years.....	1,329	10,743	6	.1	2	2	3	5	7	10	12
65-74 years.....	1,416	8,198	6	.1	2	2	3	5	7	10	12
Income below poverty level ^{3/}											
Male											
6 months-74 years...	2/1,538	11,649	5	.1	2	2	3	5	6	8	10
6-11 months.....	48	177	*	*	*	*	1	4	5	*	*
1-2 years.....	170	601	5	.2	1	2	3	4	6	8	9
3-5 years.....	298	910	5	.2	2	2	3	5	7	9	10
6-8 years.....	82	900	5	.3	2	2	3	4	6	8	9
9-11 years.....	88	854	5	.3	2	2	3	4	6	8	10
12-14 years.....	89	891	6	.4	2	3	4	5	7	10	11
15-17 years.....	89	974	5	.3	1	2	3	4	6	9	10
18-24 years.....	178	2,237	5	.2	2	2	3	5	6	9	11
25-34 years.....	91	1,106	5	.4	1	1	3	4	6	8	9
35-44 years.....	63	821	*	*	*	*	3	5	7	*	*
45-54 years.....	46	645	*	*	*	*	3	5	7	*	*
55-64 years.....	2/128	775	6	.3	1	2	4	5	7	10	10
65-74 years.....	168	759	5	.2	1	2	3	4	6	8	10

See footnotes at end of table.

Table 2-13. Linoleic acid intake values in grams per 1,000 calories for persons aged 6 months-74 years, by income level, sex, and age: Mean, standard error of the mean, and selected percentiles, United States, 1976-80-Continued

Income level, sex, and age	Exam- ined persons ¹	Esti- mated popula- tion in thou- sands	Linoleic acid in grams per 1,000 calories								
			Mean	Stand- ard error of the mean	Percentile						
					5th	10th	25th	50th	75th	90th	95th
Income below poverty level ^{3/}											
Female											
6 months-74 years...	2/1,909	15,942	6	.1	1	2	3	5	7	10	11
6-11 months.....	36	138	*	*	*	*	*	3	*	*	*
1-2 years.....	153	562	5	.3	2	2	3	4	7	10	11
3-5 years.....	272	945	5	.2	2	2	3	5	7	9	10
6-8 years.....	95	869	5	.3	2	2	3	5	7	8	10
9-11 years.....	102	1,113	6	.4	2	3	4	5	7	8	10
12-14 years.....	104	1,072	6	.4	1	2	4	6	8	12	15
15-17 years.....	88	1,099	6	.6	2	3	4	6	9	11	14
18-24 years.....	2/252	3,063	5	.3	1	2	3	5	7	9	11
25-34 years.....	162	1,997	6	.3	2	3	4	6	8	11	12
35-44 years.....	119	1,543	6	.4	1	2	4	6	8	10	12
45-54 years.....	82	1,115	6	.4	2	2	4	5	8	10	12
55-64 years.....	188	1,181	5	.2	1	2	3	5	7	10	11
65-74 years.....	256	1,245	5	.2	1	2	3	5	7	8	10
Income above poverty level ^{3/}											
Male											
6 months-74 years...	2/8,083	83,670	5	.1	2	2	3	5	7	9	11
6-11 months.....	121	614	3	.3	0	0	1	2	3	6	7
1-2 years.....	551	2,416	5	.2	1	2	3	4	6	8	9
3-5 years.....	892	3,683	5	.1	2	2	3	5	6	8	10
6-8 years.....	336	4,254	5	.2	2	3	4	5	6	8	10
9-11 years.....	356	4,321	5	.2	2	2	3	4	6	8	10
12-14 years.....	399	4,841	5	.2	2	2	3	5	7	9	10
15-17 years.....	2/417	4,992	5	.1	2	2	3	5	7	8	10
18-24 years.....	770	10,508	5	.1	2	2	3	5	7	10	11
25-34 years.....	945	14,355	6	.1	2	2	4	5	7	9	11
35-44 years.....	658	10,195	6	.2	2	2	4	5	8	10	11
45-54 years.....	603	9,738	5	.1	2	2	3	5	7	9	11
55-64 years.....	1,048	8,443	6	.1	2	2	3	5	7	9	11
65-74 years.....	987	5,312	6	.1	2	2	3	5	7	10	11
Female											
6 months-74 years...	2/8,035	84,683	6	.1	2	2	4	5	7	10	12
6-11 months.....	135	612	3	.4	0	0	1	2	4	6	10
1-2 years.....	505	2,351	5	.1	1	2	3	4	6	8	9
3-5 years.....	815	3,419	5	.1	2	3	3	5	6	8	10
6-8 years.....	308	3,864	5	.2	2	2	4	5	7	8	9
9-11 years.....	307	4,049	5	.2	2	2	3	5	7	9	11
12-14 years.....	363	4,414	6	.2	2	3	4	5	7	9	11
15-17 years.....	342	4,758	6	.2	2	2	4	5	8	10	12
18-24 years.....	771	10,505	6	.1	1	2	4	5	7	10	11
25-34 years.....	2/981	14,469	6	.1	2	2	4	6	8	10	13
35-44 years.....	702	10,377	6	.1	2	2	4	6	8	10	12
45-54 years.....	655	10,424	6	.1	2	2	4	5	8	10	12
55-64 years.....	1,071	8,934	6	.2	2	2	4	5	7	10	12
65-74 years.....	1,080	6,508	6	.1	2	2	4	5	7	10	12

1/ Excludes 2 examined persons with zero calories.
2/ Excludes 1 examined person with zero calories.
3/ Excludes unknown income.

Table 2-14. Cholesterol intake values in milligrams per 1,000 calories for persons aged 6 months-74 years, by income level, sex, and age: Mean, standard error of the mean, and selected percentiles, United States, 1976-80

Income level, sex, and age	Exam- ined persons	Esti- mated popula- tion in thou- sands	Cholesterol in milligrams per 1,000 calories								
			Mean	Stand- ard error of the mean	Percentile						
					5th	10th	25th	50th	75th	90th	95th
All incomes											
Male											
6 months-74 years...	1/9,981	99,048	174	2.2	50	64	92	132	223	345	424
6-11 months.....	179	819	158	15.7	0	10	46	114	178	426	581
1-2 years.....	745	3,107	172	5.3	43	56	81	119	243	372	442
3-5 years.....	1,219	4,695	155	5.1	43	54	79	113	201	317	393
6-8 years.....	428	5,336	149	5.0	53	62	90	121	190	291	358
9-11 years.....	457	5,310	142	3.8	49	64	84	117	156	259	339
12-14 years.....	504	5,920	149	6.1	50	63	83	118	168	300	386
15-17 years.....	2/534	6,309	149	4.8	49	64	91	123	165	269	350
18-24 years.....	988	13,275	160	4.0	49	66	91	124	203	312	370
25-34 years.....	1,067	15,895	169	3.2	49	62	94	135	207	324	409
35-44 years.....	745	11,367	182	6.4	52	69	94	141	235	355	436
45-54 years.....	690	11,114	196	5.9	57	71	100	151	259	372	447
55-64 years.....	2/1,226	9,603	214	5.1	55	74	103	173	290	406	478
65-74 years.....	1,199	6,297	223	5.2	49	68	103	165	302	436	560
Female											
6 months-74 years...	1/10,337	104,470	174	1.7	43	58	86	126	214	366	445
6-11 months.....	177	780	184	16.5	7	17	54	132	278	399	488
1-2 years.....	672	2,970	191	7.4	38	56	82	125	275	431	523
3-5 years.....	1,126	4,491	162	4.5	47	58	82	113	216	332	416
6-8 years.....	415	4,877	143	5.4	43	54	81	114	155	287	377
9-11 years.....	425	5,357	135	4.5	51	59	79	113	158	254	299
12-14 years.....	487	5,712	138	4.5	38	53	78	112	162	258	335
15-17 years.....	449	6,131	145	7.2	37	52	85	111	162	276	380
18-24 years.....	2/1,065	14,164	167	6.3	34	52	81	124	198	352	431
25-34 years.....	2/1,169	16,844	173	3.9	44	58	86	125	207	371	456
35-44 years.....	844	12,284	192	4.3	51	64	93	140	257	395	493
45-54 years.....	763	11,918	198	6.9	51	63	95	144	262	400	507
55-64 years.....	1,329	10,743	194	4.6	49	64	92	135	260	407	494
65-74 years.....	1,416	8,198	194	5.4	40	58	85	134	262	404	511
Income below poverty level ^{3/}											
Male											
6 months-74 years...	2/1,538	11,649	196	4.8	45	64	95	140	256	398	472
6-11 months.....	48	177	*	*	*	*	45	111	217	*	*
1-2 years.....	170	601	220	14.4	55	69	98	168	325	441	524
3-5 years.....	298	910	172	10.1	51	61	90	123	235	318	426
6-8 years.....	82	900	160	12.1	62	81	96	122	203	298	341
9-11 years.....	88	854	165	11.0	49	66	90	137	199	313	383
12-14 years.....	89	891	182	16.5	53	65	88	140	219	388	472
15-17 years.....	89	974	167	9.4	38	62	93	131	214	278	414
18-24 years.....	178	2,237	174	10.2	40	62	94	132	245	336	408
25-34 years.....	91	1,106	192	13.3	48	59	94	143	266	390	433
35-44 years.....	63	821	*	*	*	*	94	128	282	*	*
45-54 years.....	46	645	*	*	*	*	92	207	362	*	*
55-64 years.....	2/128	775	246	16.2	50	79	120	194	336	478	551
65-74 years.....	168	759	249	13.1	45	67	120	208	347	516	584

See footnotes at end of table.

Table 2-14. Cholesterol intake values in milligrams per 1,000 calories for persons aged 6 months-74 years, by income level, sex, and age: Mean, standard error of the mean, and selected percentiles, United States, 1976-80-Continued

Income level, sex, and age	Examined persons	Estimated population in thousands	Cholesterol in milligrams per 1,000 calories								
			Mean	Standard error of the mean	Percentile						
					5th	10th	25th	50th	75th	90th	95th
Income below poverty level ^{3/}											
Female											
6 months-74 years...	2/1,909	15,942	188	5.0	36	53	86	129	238	407	493
6-11 months.....	36	138	*	*	*	*	*	183	*	*	*
1-2 years.....	153	562	202	12.9	40	72	95	145	297	421	451
3-5 years.....	272	945	192	8.5	57	69	94	140	270	409	471
6-8 years.....	95	869	151	10.6	52	67	86	121	163	334	379
9-11 years.....	102	1,113	146	10.9	53	62	85	115	173	254	397
12-14 years.....	104	1,072	149	18.0	18	41	73	115	181	305	427
15-17 years.....	88	1,099	149	17.6	23	35	80	109	157	397	421
18-24 years.....	2/252	3,063	186	18.1	26	46	74	130	227	402	474
25-34 years.....	162	1,997	183	11.8	37	61	87	132	211	373	456
35-44 years.....	119	1,543	212	17.4	22	41	105	149	286	443	566
45-54 years.....	82	1,115	222	20.2	47	53	93	161	278	462	536
55-64 years.....	188	1,181	222	17.8	46	66	100	153	292	431	634
65-74 years.....	256	1,245	227	22.5	33	53	86	129	304	475	595
Income above poverty level ^{3/}											
Male											
6 months-74 years...	2/8,083	83,670	171	1.9	50	64	91	131	218	337	412
6-11 months.....	121	614	146	16.6	0	7	45	107	176	346	515
1-2 years.....	551	2,416	160	5.6	42	54	75	113	223	358	429
3-5 years.....	892	3,683	149	5.5	42	53	78	108	187	314	376
6-8 years.....	336	4,254	147	5.4	52	61	86	116	176	291	358
9-11 years.....	356	4,321	138	3.9	49	63	83	114	151	249	326
12-14 years.....	399	4,841	142	5.5	50	63	81	114	157	281	356
15-17 years.....	2/417	4,992	145	5.7	49	63	89	120	161	262	339
18-24 years.....	770	10,508	157	4.2	49	66	90	124	194	307	369
25-34 years.....	945	14,355	167	3.4	50	63	93	133	203	321	408
35-44 years.....	658	10,195	176	5.5	54	69	93	142	232	334	418
45-54 years.....	603	9,738	192	5.5	57	70	101	150	252	368	445
55-64 years.....	1,048	8,443	212	4.9	56	74	103	172	288	399	470
65-74 years.....	987	5,312	220	5.1	49	68	100	159	294	435	558
Female											
6 months-74 years...	2/8,035	84,683	172	1.9	44	59	85	125	210	356	443
6-11 months.....	135	612	175	21.5	1	15	48	126	253	438	488
1-2 years.....	505	2,351	187	9.8	35	54	79	119	268	444	524
3-5 years.....	815	3,419	153	4.5	46	55	79	109	195	317	391
6-8 years.....	308	3,864	142	5.8	35	51	80	110	155	281	377
9-11 years.....	307	4,049	131	4.4	50	58	78	110	153	246	290
12-14 years.....	363	4,414	136	4.6	42	58	78	111	160	252	319
15-17 years.....	342	4,758	144	7.9	44	60	88	112	161	263	331
18-24 years.....	771	10,505	161	4.8	37	56	81	123	183	329	417
25-34 years.....	2/981	14,469	171	4.5	44	57	85	125	204	371	447
35-44 years.....	702	10,377	188	4.9	52	65	92	137	247	383	459
45-54 years.....	655	10,424	197	7.0	51	63	97	144	263	389	497
55-64 years.....	1,071	8,934	189	5.1	49	64	91	135	258	401	491
65-74 years.....	1,080	6,508	188	5.0	41	59	85	133	252	392	480

1/ Excludes 2 examined persons with zero calories.
2/ Excludes 1 examined person with zero calories.
3/ Excludes unknown income.

Table 3-1. Cumulative percent distribution of grams of food consumed for persons aged 6-11 months by sex and income level: United States, 1976-80

Income level and grams of food consumed	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	356	1,599	100.0	179	819	100.0	177	780	100.0
Less than 500.....	14	48	3.0	8	28	3.4	6	20	2.5
500-599.....	4	17	4.0	2	12	4.8	2	5	3.2
600-699.....	15	75	8.7	10	53	11.3	5	22	6.0
700-799.....	25	99	14.9	13	46	16.9	12	53	12.8
800-899.....	32	139	23.6	9	43	22.1	23	97	25.2
900-999.....	28	129	31.7	16	62	29.7	12	67	33.8
1,000-1,049.....	19	113	38.8	9	69	38.2	10	44	39.4
1,050-1,099.....	24	119	46.2	11	61	45.6	13	58	46.8
1,100-1,149.....	23	113	53.3	9	48	51.5	14	66	55.3
1,150-1,199.....	18	80	58.3	9	41	56.5	9	39	60.3
1,200-1,299.....	25	111	65.3	11	51	62.8	14	60	67.9
1,300-1,399.....	40	161	75.4	23	100	75.0	17	62	75.8
1,400-1,499.....	24	104	81.9	12	51	81.2	12	53	82.6
1,500-1,599.....	19	87	87.3	14	50	87.4	5	36	87.3
1,600-1,799.....	19	84	92.6	7	32	91.2	12	53	94.0
1,800-1,999.....	13	60	96.3	6	28	94.7	7	32	98.1
2,000-2,499.....	14	59	100.0	10	44	100.0	4	15	100.0
2,500 or more.....	-	-	100.0	-	-	100.0	-	-	100.0
Income below poverty level^{1/}									
Total.....	84	315	100.0	48	177	100.0	36	138	100.0
Less than 500.....	5	12	3.8	*	*	*	*	*	*
500-599.....	1	3	4.8	*	*	*	*	*	*
600-699.....	3	8	7.4	*	*	*	*	*	*
700-799.....	7	21	13.9	*	*	*	*	*	*
800-899.....	10	55	31.3	*	*	*	*	*	*
900-999.....	9	33	41.9	*	*	*	*	*	*
1,000-1,049.....	1	5	43.3	*	*	*	*	*	*
1,050-1,099.....	8	37	55.1	*	*	*	*	*	*
1,100-1,149.....	7	25	62.9	*	*	*	*	*	*
1,150-1,199.....	4	17	68.4	*	*	*	*	*	*
1,200-1,299.....	7	27	76.8	*	*	*	*	*	*
1,300-1,399.....	5	17	82.3	*	*	*	*	*	*
1,400-1,499.....	7	26	90.6	*	*	*	*	*	*
1,500-1,599.....	3	11	94.0	*	*	*	*	*	*
1,600-1,799.....	2	5	95.6	*	*	*	*	*	*
1,800-1,999.....	3	9	98.6	*	*	*	*	*	*
2,000-2,499.....	2	4	100.0	*	*	*	*	*	*
2,500 or more.....	-	-	100.0	*	*	*	*	*	*
Income above poverty level^{1/}									
Total.....	256	1,226	100.0	121	614	100.0	135	612	100.0
Less than 500.....	8	33	2.7	5	21	3.5	3	12	2.0
500-599.....	3	14	3.8	1	8	4.8	2	5	2.8
600-699.....	11	62	8.9	7	44	11.9	4	19	5.9
700-799.....	17	76	15.1	8	32	17.1	9	44	13.1
800-899.....	20	78	21.5	3	10	18.8	17	67	24.1
900-999.....	17	85	28.4	9	36	24.7	8	49	32.1
1,000-1,049.....	18	108	37.2	9	69	36.0	9	39	38.5
1,050-1,099.....	16	82	43.9	7	41	42.7	9	41	45.2
1,100-1,149.....	16	89	51.2	6	37	48.7	10	52	53.7
1,150-1,199.....	12	59	56.0	5	30	53.6	7	28	58.3
1,200-1,299.....	18	84	62.9	8	39	60.0	10	45	65.7
1,300-1,399.....	33	136	73.9	18	80	73.1	15	55	74.7
1,400-1,499.....	17	78	80.3	6	29	77.9	11	49	82.7
1,500-1,599.....	13	68	85.9	10	40	84.4	3	28	87.3
1,600-1,799.....	17	79	92.3	5	26	88.8	12	53	95.9
1,800-1,999.....	8	40	95.6	5	27	93.2	3	13	98.0
2,000-2,499.....	12	54	100.0	9	42	100.0	3	12	100.0
2,500 or more.....	-	-	100.0	-	-	100.0	-	-	100.0

1/ Excludes unknown income.

Table 3-2. Cumulative percent distribution of grams of food consumed for persons aged 1-2 years by sex and income level: United States, 1976-80

Income level and grams of food consumed	Both sexes			Male			Female		
	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent
All incomes									
Total.....	1,417	6,078	100.0	745	3,107	100.0	672	2,970	100.0
Less than 500.....	43	181	3.0	22	95	3.0	21	87	2.9
500-599.....	52	216	6.5	21	82	5.7	31	134	7.4
600-699.....	59	267	10.9	25	112	9.3	34	155	12.6
700-799.....	88	363	16.9	39	148	14.0	49	216	19.9
800-899.....	106	485	24.9	49	227	21.4	57	258	28.6
900-999.....	123	548	33.9	62	252	29.5	61	296	38.5
1,000-1,049.....	79	336	39.4	39	159	34.6	40	178	44.5
1,050-1,099.....	86	410	46.2	44	212	41.4	42	199	51.2
1,100-1,149.....	56	224	49.9	35	144	46.0	21	80	53.9
1,150-1,199.....	70	286	54.6	40	159	51.2	30	127	58.2
1,200-1,299.....	129	536	63.4	76	307	61.0	53	229	65.9
1,300-1,399.....	116	490	71.5	66	264	69.5	50	226	73.5
1,400-1,499.....	90	400	78.1	48	189	75.6	42	211	80.6
1,500-1,599.....	64	279	82.6	32	140	80.1	32	138	85.3
1,600-1,799.....	115	473	90.4	66	284	89.3	49	189	91.6
1,800-1,999.....	48	187	93.5	26	112	92.9	22	75	94.2
2,000-2,499.....	68	298	98.4	43	181	98.7	25	117	98.1
2,500 or more.....	25	97	100.0	12	40	100.0	13	57	100.0
Income below poverty level^{1/}									
Total.....	323	1,163	100.0	170	601	100.0	153	562	100.0
Less than 500.....	13	48	4.1	6	25	4.1	7	23	4.2
500-599.....	16	58	9.1	7	21	7.6	9	37	10.7
600-699.....	13	55	13.8	5	22	11.3	8	33	16.6
700-799.....	25	91	21.6	13	47	19.1	12	44	24.3
800-899.....	23	89	29.3	13	52	27.7	10	37	30.9
900-999.....	31	116	39.2	20	67	38.8	11	49	39.6
1,000-1,049.....	17	60	44.4	7	25	43.1	10	35	45.8
1,050-1,099.....	14	58	49.4	7	31	48.2	7	27	50.7
1,100-1,149.....	13	46	53.3	8	29	53.0	5	17	53.6
1,150-1,199.....	11	33	56.2	7	20	56.4	4	13	55.9
1,200-1,299.....	22	84	63.4	13	48	64.4	9	36	62.3
1,300-1,399.....	23	77	70.1	10	27	68.9	13	50	71.3
1,400-1,499.....	19	62	75.4	12	35	74.8	7	27	76.1
1,500-1,599.....	9	34	78.3	5	23	78.6	4	11	78.0
1,600-1,799.....	32	111	87.8	17	62	88.9	15	48	86.6
1,800-1,999.....	19	61	93.0	9	33	94.4	10	28	91.6
2,000-2,499.....	18	67	98.8	10	32	99.7	8	35	97.9
2,500 or more.....	5	14	100.0	1	2	100.0	4	12	100.0
Income above poverty level^{1/}									
Total.....	1,056	4,767	100.0	551	2,416	100.0	505	2,351	100.0
Less than 500.....	28	125	2.6	14	62	2.5	14	63	2.7
500-599.....	34	149	5.7	14	61	5.1	20	87	6.4
600-699.....	46	212	10.2	20	90	8.8	26	122	11.6
700-799.....	60	262	15.7	25	97	12.8	35	165	18.6
800-899.....	82	394	23.9	35	173	20.0	47	221	28.0
900-999.....	91	430	33.0	41	184	27.6	50	247	38.5
1,000-1,049.....	56	254	38.3	28	118	32.5	28	137	44.3
1,050-1,099.....	70	336	45.4	36	172	39.6	34	164	51.3
1,100-1,149.....	42	176	49.1	26	113	44.3	16	64	54.0
1,150-1,199.....	55	232	53.9	31	130	49.6	24	102	58.3
1,200-1,299.....	104	443	63.2	62	256	60.3	42	186	66.3
1,300-1,399.....	87	390	71.4	50	214	69.1	37	176	73.8
1,400-1,499.....	70	335	78.4	35	151	75.4	35	184	81.6
1,500-1,599.....	55	245	83.6	27	117	80.2	28	127	87.0
1,600-1,799.....	79	347	90.8	47	212	89.0	32	134	92.7
1,800-1,999.....	29	126	93.5	17	80	92.3	12	47	94.7
2,000-2,499.....	49	229	98.3	33	149	98.5	16	79	98.1
2,500 or more.....	19	82	100.0	10	36	100.0	9	45	100.0

^{1/} Excludes unknown income.

Table 3-3. Cumulative percent distribution of grams of food consumed for persons aged 3-5 years by sex and income level: United States, 1976-80

Income level and grams of food consumed	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	2,345	9,186	100.0	1,219	4,695	100.0	1,126	4,491	100.0
Less than 500.....	40	156	1.7	19	74	1.6	21	83	1.8
500-599.....	35	133	3.1	16	67	3.0	19	66	3.3
600-699.....	68	239	5.8	32	116	5.5	36	123	6.1
700-799.....	117	462	10.8	49	185	9.4	68	277	12.2
800-899.....	115	422	15.4	49	167	13.0	66	256	17.9
900-999.....	177	713	23.1	84	327	19.9	93	386	26.5
1,000-1,049.....	110	461	28.2	41	153	23.2	69	308	33.4
1,050-1,099.....	99	405	32.6	57	225	28.0	42	180	37.4
1,100-1,149.....	106	432	37.3	50	205	32.3	56	227	42.4
1,150-1,199.....	109	401	41.6	55	182	36.2	54	220	47.3
1,200-1,299.....	237	952	52.0	132	512	47.1	105	441	57.1
1,300-1,399.....	196	759	60.3	103	405	55.7	93	355	65.0
1,400-1,499.....	178	729	68.2	92	388	64.0	86	341	72.6
1,500-1,599.....	154	556	74.3	88	312	70.6	66	243	78.0
1,600-1,799.....	229	908	84.2	125	505	81.4	104	403	87.0
1,800-1,999.....	145	556	90.2	86	334	88.5	59	222	92.0
2,000-2,499.....	178	695	97.8	110	431	97.7	68	264	97.8
2,500 or more.....	52	204	100.0	31	108	100.0	21	97	100.0
Income below poverty level ^{1/}									
Total.....	570	1,855	100.0	298	910	100.0	272	945	100.0
Less than 500.....	10	39	2.1	4	13	1.4	6	26	2.8
500-599.....	9	28	3.6	2	5	1.9	7	23	5.2
600-699.....	19	60	6.8	6	15	3.6	13	45	10.0
700-799.....	33	126	13.6	16	61	10.3	17	65	16.9
800-899.....	34	97	18.8	15	36	14.2	19	61	23.3
900-999.....	51	150	26.9	26	74	22.3	25	76	31.3
1,000-1,049.....	22	72	30.8	12	34	26.0	10	38	35.3
1,050-1,099.....	19	76	34.9	10	35	29.9	9	41	39.7
1,100-1,149.....	26	88	39.6	13	41	34.4	13	47	44.6
1,150-1,199.....	26	81	44.0	18	53	40.3	8	28	47.5
1,200-1,299.....	46	163	52.7	28	95	50.7	18	67	54.6
1,300-1,399.....	43	146	60.6	22	74	58.9	21	72	62.3
1,400-1,499.....	35	107	66.4	18	53	64.7	17	54	68.0
1,500-1,599.....	38	111	72.4	21	55	70.7	17	56	74.0
1,600-1,799.....	50	163	81.1	23	70	78.4	27	93	83.8
1,800-1,999.....	44	128	88.0	25	73	86.3	19	55	89.7
2,000-2,499.....	57	193	98.4	35	114	98.8	22	79	98.1
2,500 or more.....	8	29	100.0	4	11	100.0	4	18	100.0

See footnotes at end of table.

Table 3-3. Cumulative percent distribution of grams of food consumed for persons aged 3-5 years by sex and income level: United States, 1976-80-Continued

Income level and grams of food consumed	Both sexes			Male			Female		
	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	1,707	7,102	100.0	892	3,683	100.0	815	3,419	100.0
Less than 500.....	28	110	1.5	15	61	1.6	13	49	1.4
500-599.....	22	87	2.8	13	58	3.2	9	30	2.3
600-699.....	43	160	5.0	24	92	5.7	19	68	4.3
700-799.....	80	327	9.6	32	122	9.0	48	205	10.3
800-899.....	78	316	14.1	34	131	12.6	44	185	15.7
900-999.....	123	553	21.9	56	248	19.3	67	305	24.6
1,000-1,049.....	84	377	27.2	27	112	22.3	57	265	32.4
1,050-1,099.....	74	309	31.5	42	171	27.0	32	137	36.4
1,100-1,149.....	75	323	36.1	36	159	31.3	39	164	41.2
1,150-1,199.....	78	306	40.4	34	122	34.6	44	184	46.6
1,200-1,299.....	187	777	51.3	102	410	45.8	85	367	57.3
1,300-1,399.....	150	607	59.9	81	331	54.8	69	276	65.4
1,400-1,499.....	140	607	68.4	73	328	63.6	67	279	73.5
1,500-1,599.....	114	437	74.6	65	250	70.4	49	187	79.0
1,600-1,799.....	171	717	84.7	98	420	81.8	73	297	87.7
1,800-1,999.....	100	425	90.6	61	261	88.9	39	164	92.5
2,000-2,499.....	116	489	97.5	72	310	97.4	44	179	97.7
2,500 or more.....	44	176	100.0	27	97	100.0	17	78	100.0

^{1/} Excludes unknown income.

Table 3-4. Cumulative percent distribution of grams of food consumed for persons aged 6-8 years by sex and income level: United States, 1976-80

Income level and grams of food consumed	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative Percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	843	10,213	100.0	428	5,336	100.0	415	4,877	100.0
Less than 500.....	4	25	.3	2	13	.3	2	12	.2
500-699.....	13	172	1.9	5	70	1.6	8	102	2.3
700-899.....	39	454	6.4	19	228	5.8	20	226	7.0
900-999.....	45	517	11.4	21	267	10.8	24	249	12.1
1,000-1,099.....	38	465	16.0	15	215	14.9	23	250	17.2
1,100-1,199.....	54	631	22.2	26	330	21.1	28	301	23.4
1,200-1,299.....	76	953	31.5	31	368	28.0	45	584	35.3
1,300-1,399.....	58	715	38.5	22	324	34.0	36	392	43.4
1,400-1,499.....	63	662	45.0	24	267	39.0	39	395	51.5
1,500-1,599.....	68	769	52.5	31	345	45.5	37	424	60.2
1,600-1,699.....	73	906	61.4	42	550	55.8	31	357	67.5
1,700-1,799.....	56	738	68.6	33	418	63.6	23	319	74.0
1,800-1,899.....	66	834	76.8	42	544	73.8	24	290	80.0
1,900-1,999.....	37	417	80.8	22	241	78.3	15	176	83.6
2,000-2,099.....	38	502	85.8	22	279	83.6	16	223	88.2
2,100-2,199.....	30	367	89.3	17	206	87.4	13	161	91.5
2,200-2,299.....	21	246	91.8	14	165	90.5	7	82	93.1
2,300-2,399.....	19	226	94.0	14	154	93.4	5	72	94.6
2,400-2,599.....	17	233	96.3	10	127	95.8	7	107	96.8
2,600-2,799.....	13	178	98.0	9	132	98.2	4	46	97.8
2,800-2,999.....	4	29	98.3	4	29	98.8	-	-	97.8
3,000-3,199.....	2	44	98.7	1	17	99.1	1	27	98.3
3,200-3,399.....	4	31	99.0	-	-	99.1	4	31	99.0
3,400-3,599.....	2	59	99.6	1	35	99.8	1	23	99.4
3,600-3,999.....	3	40	100.0	1	13	100.0	2	28	100.0
4,000-4,999.....	-	-	100.0	-	-	100.0	-	-	100.0
5,000-5,499.....	-	-	100.0	-	-	100.0	-	-	100.0
5,500 or more.....	-	-	100.0	-	-	100.0	-	-	100.0
Income below poverty level^{1/}									
Total.....	177	1,769	100.0	82	900	100.0	95	869	100.0
Less than 500.....	3	18	1.0	1	6	.7	2	12	1.4
500-699.....	4	35	3.0	1	11	2.0	3	24	4.1
700-899.....	6	74	7.2	4	57	8.3	2	17	6.1
900-999.....	7	93	12.5	4	74	16.6	3	19	8.2
1,000-1,099.....	12	104	18.4	4	40	21.0	8	64	15.6
1,100-1,199.....	13	123	25.3	7	63	28.0	6	61	22.6
1,200-1,299.....	13	117	32.0	4	35	31.9	9	82	32.0
1,300-1,399.....	13	154	40.7	3	56	38.2	10	98	43.3
1,400-1,499.....	14	112	47.0	3	23	40.7	11	89	53.5
1,500-1,599.....	19	169	56.5	9	82	49.8	10	86	63.5
1,600-1,699.....	9	76	60.8	6	49	55.3	3	27	66.6
1,700-1,799.....	13	135	68.5	7	78	63.9	6	57	73.2
1,800-1,899.....	9	106	74.4	4	36	67.9	5	70	81.2
1,900-1,999.....	11	103	80.2	7	61	74.7	4	42	86.0
2,000-2,099.....	7	99	85.9	4	70	82.5	3	29	89.4
2,100-2,199.....	6	58	89.1	4	36	86.5	2	21	91.8
2,200-2,299.....	5	32	90.9	3	20	88.8	2	12	93.2
2,300-2,399.....	3	38	93.1	2	28	91.8	1	11	94.4
2,400-2,599.....	3	34	95.0	1	8	92.7	2	26	97.4
2,600-2,799.....	4	65	98.7	4	65	100.0	-	-	97.4
2,800-2,999.....	-	-	98.7	-	-	100.0	-	-	97.4
3,000-3,199.....	-	-	98.7	-	-	100.0	-	-	97.4
3,200-3,399.....	3	23	100.0	-	-	100.0	3	23	100.0
3,400-3,599.....	-	-	100.0	-	-	100.0	-	-	100.0
3,600-3,999.....	-	-	100.0	-	-	100.0	-	-	100.0
4,000-4,999.....	-	-	100.0	-	-	100.0	-	-	100.0
5,000-5,499.....	-	-	100.0	-	-	100.0	-	-	100.0
5,500 or more.....	-	-	100.0	-	-	100.0	-	-	100.0

See footnotes at end of table.

Table 3-4. Cumulative percent distribution of grams of food consumed for persons aged 6-8 years by sex and income level: United States, 1976-80-Continued

Income level and grams of food consumed	Both sexes			Male			Female		
	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative Percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	644	8,118	100.0	336	4,254	100.0	308	3,864	100.0
Less than 500.....	1	7	.1	1	7	.2	-	-	-
500-699.....	8	125	1.6	4	58	1.5	4	66	1.7
700-899.....	32	368	6.2	14	159	5.3	18	209	7.1
900-999.....	35	406	11.2	16	186	9.6	19	220	12.8
1,000-1,099.....	25	322	15.1	10	136	12.8	15	186	17.6
1,100-1,199.....	40	502	21.3	19	267	19.1	21	235	23.7
1,200-1,299.....	60	797	31.1	26	323	26.7	34	473	36.0
1,300-1,399.....	45	561	38.0	19	267	33.0	26	294	43.6
1,400-1,499.....	49	549	44.8	21	244	38.8	28	305	51.5
1,500-1,599.....	47	571	51.8	21	256	44.8	26	315	59.6
1,600-1,699.....	61	783	61.5	34	465	55.7	27	319	67.9
1,700-1,799.....	42	596	68.8	26	340	63.7	16	256	74.5
1,800-1,899.....	54	681	77.2	37	486	75.1	17	195	79.6
1,900-1,999.....	26	314	81.1	15	180	79.3	11	134	83.0
2,000-2,099.....	30	381	85.8	17	187	83.7	13	194	88.0
2,100-2,199.....	24	309	89.6	13	169	87.7	11	139	91.6
2,200-2,299.....	16	214	92.2	11	144	91.1	5	70	93.5
2,300-2,399.....	16	188	94.5	12	126	94.1	4	62	95.0
2,400-2,599.....	13	173	96.7	8	92	96.2	5	81	97.1
2,600-2,799.....	9	113	98.0	5	66	97.8	4	46	98.3
2,800-2,999.....	4	29	98.4	4	29	98.5	-	-	98.3
3,000-3,199.....	2	44	99.0	1	17	98.9	1	27	99.1
3,200-3,399.....	1	9	99.1	-	-	98.9	1	9	99.3
3,400-3,599.....	1	35	99.5	1	35	99.7	-	-	99.3
3,600-3,999.....	3	40	100.0	1	13	100.0	2	28	100.0
4,000-4,999.....	-	-	100.0	-	-	100.0	-	-	100.0
5,000-5,499.....	-	-	100.0	-	-	100.0	-	-	100.0
5,500 or more.....	-	-	100.0	-	-	100.0	-	-	100.0

1/ Excludes unknown income.

Table 3-5. Cumulative percent distribution of grams of food consumed for persons aged 9-11 years by sex and income level: United States, 1976-80

Income level and grams of food consumed	Both sexes			Male			Female		
	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative Percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent
All incomes									
Total.....	882	10,667	100.0	457	5,310	100.0	425	5,357	100.0
Less than 500.....	3	32	.3	3	32	.6	-	-	-
500-699.....	26	265	2.8	9	69	1.9	17	196	3.7
700-899.....	36	445	7.0	19	227	6.2	17	219	7.7
900-999.....	39	444	11.1	15	149	9.0	24	296	13.3
1,000-1,099.....	35	388	14.8	11	149	11.8	24	239	17.7
1,100-1,199.....	45	528	19.7	16	188	15.3	29	340	24.1
1,200-1,299.....	67	796	27.2	20	198	19.0	47	598	35.2
1,300-1,399.....	73	938	36.0	30	361	25.8	43	577	46.0
1,400-1,499.....	66	830	43.8	31	367	32.8	35	463	54.6
1,500-1,599.....	56	600	49.4	33	334	39.0	23	266	59.6
1,600-1,699.....	62	727	56.2	39	443	47.4	23	283	64.9
1,700-1,799.....	64	792	63.6	32	361	54.2	32	431	72.9
1,800-1,899.....	68	893	72.0	37	423	62.2	31	470	81.7
1,900-1,999.....	36	373	75.5	22	216	66.2	14	157	84.6
2,000-2,099.....	35	464	79.8	22	262	71.2	13	202	88.4
2,100-2,199.....	27	349	83.1	12	190	74.8	15	159	91.4
2,200-2,299.....	32	369	86.6	23	269	79.8	9	100	93.3
2,300-2,399.....	20	261	89.0	15	211	83.8	5	50	94.2
2,400-2,599.....	33	422	93.0	25	334	90.1	8	88	95.8
2,600-2,799.....	18	233	95.1	11	147	92.8	7	86	97.4
2,800-2,999.....	15	160	96.6	12	124	95.2	3	36	98.1
3,000-3,199.....	8	121	97.8	6	88	96.8	2	33	98.7
3,200-3,399.....	6	62	98.4	6	62	98.0	-	-	98.7
3,400-3,599.....	3	44	98.8	2	23	98.4	1	20	99.1
3,600-3,999.....	3	33	99.1	1	6	98.5	2	27	99.6
4,000-4,999.....	5	86	99.9	4	66	99.8	1	21	100.0
5,000-5,499.....	1	12	100.0	1	12	100.0	-	-	100.0
5,500 or more.....	-	-	100.0	-	-	100.0	-	-	100.0
Income below poverty level^{1/}									
Total.....	190	1,967	100.0	88	854	100.0	102	1,113	100.0
Less than 500.....	2	24	1.2	2	24	2.8	-	-	-
500-699.....	14	117	7.2	6	47	8.3	8	70	6.3
700-899.....	10	121	13.3	3	42	13.3	7	79	13.4
900-999.....	8	65	16.6	2	16	15.1	6	50	17.8
1,000-1,099.....	10	110	22.2	4	45	20.4	6	64	23.6
1,100-1,199.....	8	80	26.3	2	11	21.7	6	69	29.9
1,200-1,299.....	15	129	32.9	4	29	25.1	11	100	38.9
1,300-1,399.....	14	197	42.9	5	72	33.4	9	126	50.2
1,400-1,499.....	15	154	50.7	6	43	38.5	9	111	60.1
1,500-1,599.....	11	100	55.8	8	73	47.0	3	27	62.6
1,600-1,699.....	16	156	63.7	8	70	55.2	8	86	70.3
1,700-1,799.....	11	115	69.6	4	39	59.7	7	76	77.1
1,800-1,899.....	18	212	80.4	10	105	72.0	8	108	86.8
1,900-1,999.....	3	24	81.6	2	17	74.1	1	7	87.4
2,000-2,099.....	4	45	83.9	4	45	79.3	-	-	87.4
2,100-2,199.....	5	63	87.1	1	21	81.8	4	42	91.1
2,200-2,299.....	4	41	89.2	2	14	83.5	2	27	93.5
2,300-2,399.....	5	44	91.4	3	24	86.3	2	20	95.3
2,400-2,599.....	11	116	97.3	7	73	94.9	4	43	99.2
2,600-2,799.....	3	29	98.8	2	21	97.3	1	9	100.0
2,800-2,999.....	1	9	99.3	1	9	98.3	-	-	100.0
3,000-3,199.....	1	8	99.7	1	8	99.2	-	-	100.0
3,200-3,399.....	1	7	100.0	1	7	100.0	-	-	100.0
3,400-3,599.....	-	-	100.0	-	-	100.0	-	-	100.0
3,600-3,999.....	-	-	100.0	-	-	100.0	-	-	100.0
4,000-4,999.....	-	-	100.0	-	-	100.0	-	-	100.0
5,000-5,499.....	-	-	100.0	-	-	100.0	-	-	100.0
5,500 or more.....	-	-	100.0	-	-	100.0	-	-	100.0

See footnotes at end of table.

Table 3-5. Cumulative percent distribution of grams of food consumed for persons aged 9-11 years by sex and income level: United States, 1976-80-Continued

Income level and grams of food consumed	Both sexes			Male			Female		
	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative Percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	663	8,370	100.0	356	4,321	100.0	307	4,049	100.0
Less than 500.....	1	8	.1	1	8	.2	-	-	-
500-699.....	11	125	1.6	3	22	.7	8	103	2.5
700-899.....	25	316	5.4	15	176	4.8	10	139	6.0
900-999.....	30	370	9.8	13	133	7.8	17	237	11.8
1,000-1,099.....	23	261	12.9	7	104	10.3	16	157	15.7
1,100-1,199.....	35	411	17.8	13	160	13.9	22	251	21.9
1,200-1,299.....	49	630	25.3	14	144	17.3	35	486	33.9
1,300-1,399.....	55	708	33.8	24	283	23.8	31	425	44.4
1,400-1,499.....	50	654	41.6	25	324	31.3	25	330	52.6
1,500-1,599.....	43	486	47.4	24	254	37.2	19	231	58.3
1,600-1,699.....	44	546	53.9	31	373	45.8	13	173	62.6
1,700-1,799.....	53	677	62.0	28	322	53.3	25	355	71.3
1,800-1,899.....	50	681	70.1	27	318	60.7	23	363	80.3
1,900-1,999.....	29	306	73.8	17	167	64.5	12	140	83.7
2,000-2,099.....	30	412	78.7	17	210	69.4	13	202	88.7
2,100-2,199.....	22	287	82.2	11	169	73.3	11	118	91.6
2,200-2,299.....	27	321	86.0	20	248	79.0	7	73	93.4
2,300-2,399.....	14	209	88.5	12	187	83.3	2	22	94.0
2,400-2,599.....	22	305	92.1	18	261	89.4	4	44	95.1
2,600-2,799.....	15	203	94.6	9	126	92.3	6	77	97.0
2,800-2,999.....	12	126	96.1	9	90	94.4	3	36	97.9
3,000-3,199.....	7	113	97.4	5	80	96.2	2	33	98.7
3,200-3,399.....	5	56	98.1	5	56	97.5	-	-	98.7
3,400-3,599.....	3	44	98.6	2	23	98.1	1	20	99.2
3,600-3,999.....	2	19	98.8	1	6	98.2	1	13	99.5
4,000-4,999.....	5	86	99.9	4	66	99.7	1	21	100.0
5,000-5,499.....	1	12	100.0	1	12	100.0	-	-	100.0
5,500 or more.....	-	-	100.0	-	-	100.0	-	-	100.0

^{1/} Excludes unknown income.

Table 3-6. Cumulative percent distribution of grams of food consumed for persons aged 12-14 years by sex and income level: United States, 1976-80

Income level and grams of food consumed	Both sexes			Male			Female		
	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative Percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent
All incomes									
Total.....	991	11,632	100.0	504	5,920	100.0	487	5,712	100.0
Less than 500.....	12	117	1.0	4	51	.9	8	66	1.1
500-699.....	25	326	3.8	10	114	2.8	15	211	4.8
700-899.....	54	613	9.1	21	236	6.8	33	377	11.4
900-999.....	50	543	13.7	21	226	10.6	29	317	17.0
1,000-1,099.....	52	601	18.9	12	124	12.7	40	477	25.4
1,100-1,199.....	55	595	24.0	21	212	16.3	34	384	32.1
1,200-1,299.....	63	722	30.2	28	321	21.7	35	402	39.1
1,300-1,399.....	51	606	35.4	15	174	24.6	36	433	46.7
1,400-1,499.....	53	573	40.4	21	214	28.2	32	359	53.0
1,500-1,599.....	70	770	47.0	36	395	34.9	34	375	59.5
1,600-1,699.....	57	635	52.5	22	230	38.8	35	405	66.6
1,700-1,799.....	53	605	57.6	31	384	45.3	22	221	70.5
1,800-1,899.....	50	642	63.2	30	390	51.9	20	252	74.9
1,900-1,999.....	42	501	67.5	22	254	56.2	20	246	79.2
2,000-2,099.....	45	645	73.0	19	251	60.4	26	394	86.1
2,100-2,199.....	40	424	76.7	22	231	64.3	18	193	89.5
2,200-2,299.....	28	374	79.9	21	269	68.9	7	105	91.3
2,300-2,399.....	32	446	83.7	21	299	73.9	11	147	93.9
2,400-2,599.....	40	458	87.6	30	357	79.9	10	101	95.6
2,600-2,799.....	34	419	91.3	25	315	85.3	9	105	97.5
2,800-2,999.....	28	340	94.2	24	291	90.2	4	49	98.3
3,000-3,199.....	21	238	96.2	17	201	93.6	4	36	99.0
3,200-3,399.....	11	127	97.3	10	116	95.5	1	11	99.2
3,400-3,599.....	7	94	98.1	4	60	96.5	3	35	99.8
3,600-3,999.....	4	53	98.6	4	53	97.4	-	-	99.8
4,000-4,999.....	12	140	99.8	11	128	99.6	1	12	100.0
5,000-5,499.....	2	25	100.0	2	25	100.0	-	-	100.0
5,500 or more.....	-	-	100.0	-	-	100.0	-	-	100.0
Income below poverty level¹									
Total.....	193	1,963	100.0	89	891	100.0	104	1,072	100.0
Less than 500.....	4	48	2.5	2	28	3.2	2	20	1.9
500-699.....	5	65	5.8	2	25	5.9	3	41	5.7
700-899.....	19	201	16.0	5	41	10.5	14	160	20.6
900-999.....	13	130	22.6	7	76	19.0	6	54	25.6
1,000-1,099.....	19	182	31.9	5	46	24.2	14	136	38.3
1,100-1,199.....	12	124	38.2	4	33	27.8	8	91	46.8
1,200-1,299.....	12	116	44.1	3	34	31.7	9	82	54.4
1,300-1,399.....	10	106	49.5	5	44	36.5	5	62	60.2
1,400-1,499.....	7	59	52.5	3	27	39.6	4	32	63.2
1,500-1,599.....	19	166	60.9	11	98	50.6	8	68	69.5
1,600-1,699.....	7	73	64.7	4	45	55.6	3	28	72.2
1,700-1,799.....	7	60	67.7	2	16	57.4	5	43	76.2
1,800-1,899.....	7	73	71.4	4	37	61.5	3	36	79.6
1,900-1,999.....	9	64	74.7	6	40	66.0	3	24	81.9
2,000-2,099.....	6	78	78.6	2	15	67.7	4	63	87.7
2,100-2,199.....	4	32	80.3	1	9	68.7	3	23	89.9
2,200-2,299.....	6	59	83.3	6	59	75.3	-	-	89.9
2,300-2,399.....	6	100	88.4	3	54	81.4	3	46	94.2
2,400-2,599.....	6	85	92.7	4	61	88.3	2	24	96.4
2,600-2,799.....	5	38	94.6	3	24	90.9	2	14	97.7
2,800-2,999.....	2	17	95.5	1	10	92.1	1	7	98.3
3,000-3,199.....	6	72	99.1	4	54	98.1	2	18	100.0
3,200-3,399.....	1	9	99.6	1	9	99.1	-	-	100.0
3,400-3,599.....	1	8	100.0	1	8	100.0	-	-	100.0
3,600-3,999.....	-	-	100.0	-	-	100.0	-	-	100.0
4,000-4,999.....	-	-	100.0	-	-	100.0	-	-	100.0
5,000-5,499.....	-	-	100.0	-	-	100.0	-	-	100.0
5,500 or more.....	-	-	100.0	-	-	100.0	-	-	100.0

See footnotes at end of table.

Table 3-6. Cumulative percent distribution of grams of food consumed for persons aged 12-14 years by sex and income level: United States, 1976-80-Continued

Income level and grams of food consumed	Both sexes			Male			Female		
	Exam-ined persons	Esti-mated population in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated population in thou-sands	Cumulative Percent	Exam-ined persons	Esti-mated population in thou-sands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	762	9,255	100.0	399	4,841	100.0	363	4,414	100.0
Less than 500.....	8	69	.8	2	23	.5	6	46	1.0
500-699.....	20	260	3.6	8	89	2.3	12	171	4.9
700-899.....	32	378	7.6	15	186	6.2	17	192	9.3
900-999.....	34	367	11.6	14	150	9.3	20	217	14.2
1,000-1,099.....	33	419	16.1	7	78	10.9	26	341	21.9
1,100-1,199.....	43	472	21.2	17	179	14.6	26	293	28.5
1,200-1,299.....	46	541	27.1	23	262	20.0	23	279	34.8
1,300-1,399.....	37	463	32.1	9	119	22.4	28	345	42.7
1,400-1,499.....	43	483	37.3	15	156	25.7	28	327	50.1
1,500-1,599.....	49	576	43.5	25	297	31.8	24	280	56.4
1,600-1,699.....	50	562	49.6	18	185	35.6	32	377	64.9
1,700-1,799.....	45	519	55.2	28	342	42.7	17	177	68.9
1,800-1,899.....	39	517	60.8	25	330	49.5	14	186	73.2
1,900-1,999.....	32	426	65.4	15	204	53.7	17	222	78.2
2,000-2,099.....	38	558	71.4	17	236	58.6	21	323	85.5
2,100-2,199.....	31	352	75.2	17	189	62.5	14	162	89.2
2,200-2,299.....	21	306	78.5	15	210	66.8	6	96	91.4
2,300-2,399.....	26	346	82.3	18	245	71.9	8	101	93.7
2,400-2,499.....	33	366	86.2	26	296	78.0	7	70	95.3
2,600-2,799.....	29	382	90.4	22	291	84.0	7	91	97.3
2,800-2,999.....	25	310	93.7	22	268	89.5	3	42	98.3
3,000-3,199.....	15	166	95.5	13	147	92.6	2	18	98.7
3,200-3,399.....	9	112	96.7	8	101	94.7	1	11	98.9
3,400-3,599.....	6	86	97.6	3	52	95.8	3	35	99.7
3,600-3,999.....	4	53	98.2	4	53	96.8	-	-	99.7
4,000-4,999.....	12	140	99.7	11	128	99.5	1	12	100.0
5,000-5,499.....	2	25	100.0	2	25	100.0	-	-	100.0
5,500 or more.....	-	-	100.0	-	-	100.0	-	-	100.0

1/ Excludes unknown income.

Table 3-7. Cumulative percent distribution of grams of food consumed for persons aged 15-17 years by sex and income level: United States, 1976-80

Income level and grams of food consumed	Both sexes			Male			Female		
	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative Percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent
All incomes									
Total.....	984	12,452	100.0	535	6,320	100.0	449	6,131	100.0
Less than 500.....	16	219	1.8	5	71	1.1	11	148	2.4
500-699.....	20	297	4.1	9	122	3.1	11	175	5.3
700-899.....	44	562	8.7	11	111	4.8	33	451	12.6
900-999.....	35	431	12.1	11	123	6.8	24	308	17.6
1,000-1,099.....	42	575	16.7	12	124	8.7	30	451	25.0
1,100-1,199.....	60	730	22.6	21	248	12.6	39	482	32.9
1,200-1,299.....	51	622	27.6	13	148	15.0	38	474	40.6
1,300-1,399.....	40	542	31.9	9	140	17.2	31	402	47.2
1,400-1,499.....	51	614	36.9	20	226	20.8	31	388	53.5
1,500-1,599.....	51	609	41.8	23	221	24.3	28	388	59.8
1,600-1,699.....	57	760	47.9	28	290	28.9	29	470	67.5
1,700-1,799.....	39	505	51.9	24	294	33.5	15	210	70.9
1,800-1,899.....	46	607	56.8	24	288	38.1	22	318	76.1
1,900-1,999.....	41	469	60.6	23	256	42.1	18	213	79.6
2,000-2,099.....	31	379	63.6	19	240	45.9	12	140	81.8
2,100-2,199.....	37	418	67.0	26	265	50.1	11	153	84.3
2,200-2,299.....	29	376	70.0	19	226	53.7	10	149	86.8
2,300-2,399.....	32	449	73.6	21	291	58.3	11	159	89.4
2,400-2,599.....	55	640	78.7	35	369	64.1	20	271	93.8
2,600-2,799.....	39	483	82.6	31	404	70.5	8	79	95.1
2,800-2,999.....	37	443	86.2	33	360	76.2	4	82	96.4
3,000-3,199.....	25	318	88.7	20	249	80.2	5	69	97.5
3,200-3,399.....	23	355	91.6	21	307	85.0	2	49	98.3
3,400-3,599.....	14	232	93.4	11	170	87.7	3	62	99.4
3,600-3,999.....	27	310	95.9	24	270	92.0	3	39	100.0
4,000-4,999.....	26	302	98.4	26	302	96.8	-	-	100.0
5,000-5,499.....	9	110	99.2	9	110	98.5	-	-	100.0
5,500 or more.....	7	94	100.0	7	94	100.0	-	-	100.0
Income below poverty level ^{1/}									
Total.....	177	2,073	100.0	89	974	100.0	88	1,099	100.0
Less than 500.....	4	47	2.3	2	16	1.7	2	31	2.8
500-699.....	8	137	8.9	4	53	7.2	4	84	10.4
700-899.....	7	67	12.1	2	19	9.1	5	48	14.8
900-999.....	10	127	18.3	5	55	14.8	5	72	21.3
1,000-1,099.....	5	52	20.8	3	26	17.4	2	26	23.7
1,100-1,199.....	15	158	28.4	5	49	22.5	10	109	33.6
1,200-1,299.....	10	106	33.5	6	55	28.1	4	52	38.3
1,300-1,399.....	11	139	40.2	2	38	32.0	9	101	47.5
1,400-1,499.....	10	128	46.4	3	36	35.7	7	92	55.9
1,500-1,599.....	9	96	51.0	4	37	39.5	5	59	61.3
1,600-1,699.....	12	165	59.0	4	47	44.4	8	118	72.0
1,700-1,799.....	4	52	61.5	3	43	48.8	1	8	72.8
1,800-1,899.....	14	170	69.7	9	121	61.3	5	49	77.2
1,900-1,999.....	7	67	72.9	3	31	64.5	4	35	80.4
2,000-2,099.....	8	86	77.1	4	47	69.4	4	39	83.9
2,100-2,199.....	7	83	81.1	4	37	73.2	3	46	88.1
2,200-2,299.....	4	48	83.4	3	21	75.3	1	27	90.5
2,300-2,399.....	4	41	85.3	2	19	77.3	2	21	92.5
2,400-2,599.....	9	79	89.2	4	33	80.6	5	47	96.8
2,600-2,799.....	3	36	90.9	2	28	83.5	1	9	97.5
2,800-2,999.....	5	64	94.0	4	37	87.2	1	27	100.0
3,000-3,199.....	2	16	94.8	2	16	88.9	-	-	100.0
3,200-3,399.....	1	23	95.9	1	23	91.2	-	-	100.0
3,400-3,599.....	1	6	96.2	1	6	91.9	-	-	100.0
3,600-3,999.....	2	24	97.3	2	24	94.3	-	-	100.0
4,000-4,999.....	3	29	98.7	3	29	97.2	-	-	100.0
5,000-5,499.....	1	9	99.1	1	9	98.2	-	-	100.0
5,500 or more.....	1	18	100.0	1	18	100.0	-	-	100.0

See footnotes at end of table.

Table 3-7. Cumulative percent distribution of grams of food consumed for persons aged 15-17 years by sex and income level: United States, 1976-80-Continued

Income level and grams of food consumed	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative Percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	760	9,760	100.0	418	5,003	100.0	342	4,758	100.0
Less than 500.....	11	163	1.7	3	55	1.1	8	108	2.3
500-699.....	11	149	3.2	4	58	2.3	7	91	4.2
700-899.....	37	495	8.3	9	92	4.1	28	403	12.7
900-999.....	24	292	11.3	6	68	5.4	18	224	17.4
1,000-1,099.....	36	506	16.4	9	99	7.4	27	408	25.9
1,100-1,199.....	43	554	22.1	15	190	11.2	28	364	33.6
1,200-1,299.....	35	439	26.6	5	62	12.5	30	377	41.5
1,300-1,399.....	28	387	30.6	7	102	14.5	21	286	47.5
1,400-1,499.....	38	447	35.2	15	167	17.8	23	280	53.4
1,500-1,599.....	41	498	40.3	18	169	21.2	23	328	60.3
1,600-1,699.....	38	517	45.6	20	193	25.1	18	324	67.1
1,700-1,799.....	31	371	49.4	18	211	29.3	13	160	70.5
1,800-1,899.....	30	414	53.6	13	145	32.2	17	269	76.1
1,900-1,999.....	34	402	57.7	20	225	36.7	14	177	79.9
2,000-2,099.....	23	293	60.7	15	192	40.5	8	101	82.0
2,100-2,199.....	30	335	64.2	22	228	45.1	8	108	84.3
2,200-2,299.....	25	328	67.5	16	206	49.2	9	122	86.8
2,300-2,399.....	25	354	71.2	18	249	54.2	7	105	89.0
2,400-2,599.....	44	535	76.6	30	324	60.6	14	211	93.5
2,600-2,799.....	34	423	81.0	27	352	67.7	7	71	95.0
2,800-2,999.....	28	337	84.4	25	282	73.3	3	55	96.1
3,000-3,199.....	22	276	87.3	18	233	78.0	4	42	97.0
3,200-3,399.....	22	333	90.7	20	284	83.6	2	49	98.0
3,400-3,599.....	13	226	93.0	10	164	86.9	3	62	99.3
3,600-3,999.....	21	248	95.5	19	217	91.3	2	31	100.0
4,000-4,999.....	22	260	98.2	22	260	96.5	-	-	100.0
5,000-5,499.....	8	101	99.2	8	101	98.5	-	-	100.0
5,500 or more.....	6	77	100.0	6	77	100.0	-	-	100.0

^{1/} Excludes unknown income.

Table 3-8. Cumulative percent distribution of grams of food consumed for persons aged 18-24 years by sex and income level: United States, 1976-80

Income level and grams of food consumed	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative Percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	2,054	27,448	100.0	988	13,275	100.0	1,066	14,173	100.0
Less than 500.....	33	402	1.5	5	54	.4	28	348	2.5
500-699.....	48	599	3.6	14	171	1.7	34	428	5.5
700-899.....	78	997	7.3	17	188	3.1	61	809	11.2
900-999.....	56	736	10.0	12	166	4.4	44	570	15.2
1,000-1,099.....	63	814	12.9	10	94	5.1	53	720	20.3
1,100-1,199.....	75	936	16.3	20	249	6.9	55	688	25.1
1,200-1,299.....	73	940	19.8	14	149	8.1	59	791	30.7
1,300-1,399.....	76	1,012	23.4	13	210	9.6	63	802	36.4
1,400-1,499.....	91	1,221	27.9	35	453	13.1	56	768	41.8
1,500-1,599.....	102	1,421	33.1	27	329	15.5	75	1,092	49.5
1,600-1,699.....	90	1,213	37.5	28	343	18.1	62	870	55.6
1,700-1,799.....	95	1,189	41.8	34	411	21.2	61	778	61.1
1,800-1,899.....	78	1,136	46.0	22	303	23.5	56	832	67.0
1,900-1,999.....	87	1,184	50.3	40	559	27.7	47	625	71.4
2,000-2,099.....	74	989	53.9	33	448	31.1	41	541	75.2
2,100-2,199.....	70	1,014	57.6	36	559	35.3	34	454	78.4
2,200-2,299.....	55	659	60.0	25	314	37.7	30	305	80.8
2,300-2,399.....	67	861	63.1	41	541	41.7	26	320	83.1
2,400-2,599.....	123	1,722	69.4	72	967	49.0	51	754	88.4
2,600-2,799.....	112	1,428	74.6	68	891	55.7	44	537	92.2
2,800-2,999.....	73	952	78.0	51	650	60.6	22	302	94.3
3,000-3,199.....	57	801	81.0	43	616	65.3	14	185	95.7
3,200-3,399.....	59	786	83.8	50	648	70.2	9	138	96.6
3,400-3,599.....	43	516	85.7	35	428	73.4	8	88	97.3
3,600-3,999.....	69	928	89.1	56	780	79.3	13	148	98.3
4,000-4,999.....	116	1,688	95.2	103	1,519	90.7	13	169	99.5
5,000-5,499.....	27	328	96.4	25	306	93.0	2	23	99.6
5,500 or more.....	64	978	100.0	59	928	100.0	5	49	100.0
Income below poverty level^{1/}									
Total.....	431	5,309	100.0	178	2,237	100.0	253	3,072	100.0
Less than 500.....	15	158	3.0	2	26	1.2	13	131	4.3
500-699.....	14	155	5.9	5	65	4.1	9	90	7.2
700-899.....	22	284	11.2	3	36	5.7	19	248	15.3
900-999.....	21	250	16.0	4	52	8.0	17	198	21.8
1,000-1,099.....	20	231	20.3	3	30	9.3	17	201	28.3
1,100-1,199.....	17	209	24.3	1	22	10.3	16	186	34.4
1,200-1,299.....	18	224	28.5	5	45	12.3	13	179	40.2
1,300-1,399.....	23	277	33.7	3	26	13.5	20	251	48.4
1,400-1,499.....	20	298	39.3	5	66	16.5	15	232	55.9
1,500-1,599.....	19	269	44.4	6	67	19.4	13	203	62.5
1,600-1,699.....	17	201	48.2	5	44	21.4	12	157	67.6
1,700-1,799.....	15	182	51.6	8	106	26.2	7	76	70.1
1,800-1,899.....	9	97	53.4	-	-	26.2	9	97	73.2
1,900-1,999.....	16	179	56.8	7	90	30.2	9	89	76.1
2,000-2,099.....	16	193	60.4	4	41	32.0	12	152	81.1
2,100-2,199.....	13	165	63.5	5	72	35.2	8	93	84.1
2,200-2,299.....	7	62	64.7	3	22	36.2	4	39	85.4
2,300-2,399.....	9	133	67.2	5	76	39.6	4	57	87.3
2,400-2,599.....	27	358	73.9	18	236	50.2	9	121	91.2
2,600-2,799.....	28	286	79.3	16	172	57.9	12	114	94.9
2,800-2,999.....	12	116	81.5	9	92	62.0	3	23	95.7
3,000-3,199.....	11	174	84.8	10	165	69.4	1	8	95.9
3,200-3,399.....	8	128	87.1	6	92	73.5	2	36	97.1
3,400-3,599.....	7	78	88.6	7	78	77.0	-	-	97.1
3,600-3,999.....	13	145	91.3	9	108	81.8	4	36	98.3
4,000-4,999.....	15	212	95.3	12	179	89.8	3	33	99.4
5,000-5,499.....	7	68	96.6	6	59	92.4	1	9	99.7
5,500 or more.....	12	179	100.0	11	170	100.0	1	10	100.0

See footnotes at end of table.

Table 3-8. Cumulative percent distribution of grams of food consumed for persons aged 18-24 years by sex and income level: United States, 1976-80-Continued

Income level and grams of food consumed	Both sexes			Male			Female		
	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative Percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	1,541	21,013	100.0	770	10,508	100.0	771	10,505	100.0
Less than 500.....	16	207	1.0	3	27	.3	13	179	1.7
500-699.....	32	413	2.9	9	106	1.3	23	307	4.6
700-899.....	54	695	6.3	13	142	2.6	41	552	9.9
900-999.....	34	478	8.5	8	114	3.7	26	363	13.3
1,000-1,099.....	40	557	11.2	5	46	4.1	35	511	18.2
1,100-1,199.....	56	698	14.5	19	227	6.3	37	471	22.7
1,200-1,299.....	54	700	17.8	9	103	7.3	45	596	28.4
1,300-1,399.....	51	712	21.2	9	171	8.9	42	541	33.5
1,400-1,499.....	67	888	25.4	27	359	12.3	40	529	38.6
1,500-1,599.....	77	1,070	30.5	19	242	14.6	58	828	46.4
1,600-1,699.....	67	940	35.0	21	272	17.2	46	667	52.8
1,700-1,799.....	78	978	39.7	25	288	20.0	53	690	59.4
1,800-1,899.....	65	965	44.3	21	290	22.7	44	675	65.8
1,900-1,999.....	69	951	48.8	33	469	27.2	36	481	70.4
2,000-2,099.....	51	710	52.1	27	377	30.8	24	333	73.5
2,100-2,199.....	56	837	56.1	31	488	35.4	25	349	76.9
2,200-2,299.....	46	576	58.9	20	271	38.0	26	305	79.8
2,300-2,399.....	53	675	62.1	34	448	42.3	19	227	81.9
2,400-2,599.....	92	1,313	68.3	51	693	48.8	41	621	87.8
2,600-2,799.....	77	1,042	73.3	48	658	55.1	29	384	91.5
2,800-2,999.....	59	805	77.1	42	558	60.4	17	248	93.8
3,000-3,199.....	46	627	80.1	33	451	64.7	13	176	95.5
3,200-3,399.....	47	593	82.9	41	512	69.6	6	81	96.3
3,400-3,599.....	32	385	84.8	24	297	72.4	8	88	97.1
3,600-3,999.....	54	754	88.4	45	643	78.5	9	111	98.2
4,000-4,999.....	100	1,460	95.3	90	1,324	91.1	10	136	99.5
5,000-5,499.....	20	261	96.5	19	247	93.5	1	14	99.6
5,500 or more.....	48	726	100.0	44	686	100.0	4	40	100.0

1/ Excludes unknown income.

Table 3-9. Cumulative percent distribution of grams of food consumed for persons aged 25-34 years by sex and income level: United States, 1976-80

Income level and grams of food consumed	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative Percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	2,237	32,752	100.0	1,067	15,895	100.0	1,170	16,856	100.0
Less than 500.....	19	237	.7	4	42	.3	15	195	1.2
500-699.....	29	406	2.0	3	23	.4	26	383	3.4
700-899.....	57	852	4.6	5	97	1.0	52	755	7.9
900-999.....	46	638	6.5	8	126	1.8	38	513	10.9
1,000-1,099.....	47	611	8.4	6	61	2.2	41	550	14.2
1,100-1,199.....	60	925	11.2	16	268	3.9	44	657	18.1
1,200-1,299.....	71	1,064	14.4	14	152	4.8	57	912	23.5
1,300-1,399.....	80	1,151	18.0	23	388	7.3	57	763	28.0
1,400-1,499.....	78	1,186	21.6	20	289	9.1	58	898	33.4
1,500-1,599.....	110	1,503	26.2	32	463	12.0	78	1,040	39.5
1,600-1,699.....	113	1,727	31.4	41	581	15.7	72	1,147	46.3
1,700-1,799.....	90	1,292	35.4	34	496	18.8	56	796	51.1
1,800-1,899.....	109	1,457	39.8	39	523	22.1	70	934	56.6
1,900-1,999.....	80	1,198	43.5	28	421	24.7	52	777	61.2
2,000-2,099.....	81	1,148	47.0	34	479	27.7	47	669	65.2
2,100-2,199.....	87	1,222	50.7	38	533	31.1	49	689	69.3
2,200-2,299.....	84	1,214	54.4	47	720	35.6	37	494	72.2
2,300-2,399.....	68	1,027	57.6	34	524	38.9	34	503	75.2
2,400-2,599.....	147	2,241	64.4	75	1,219	46.6	72	1,022	81.3
2,600-2,799.....	113	1,740	69.7	66	1,017	53.0	47	722	85.5
2,800-2,999.....	96	1,481	74.3	59	937	58.9	37	544	88.8
3,000-3,199.....	95	1,345	78.4	67	960	64.9	28	385	91.0
3,200-3,399.....	85	1,332	82.4	59	961	71.0	26	371	93.3
3,400-3,599.....	76	1,068	85.7	56	795	76.0	20	274	94.9
3,600-3,999.....	86	1,323	89.7	67	993	82.2	19	330	96.8
4,000-4,999.....	127	1,925	95.6	109	1,653	92.6	18	272	98.4
5,000-5,499.....	41	581	97.4	34	489	95.7	7	91	99.0
5,500 or more.....	62	856	100.0	49	686	100.0	13	170	100.0
Income below poverty level^{1/}									
Total.....	253	3,103	100.0	91	1,106	100.0	162	1,997	100.0
Less than 500.....	7	74	2.4	1	6	.6	6	68	3.4
500-699.....	3	26	3.2	1	7	1.2	2	19	4.4
700-899.....	14	179	9.0	1	13	2.4	13	166	12.7
900-999.....	10	105	12.4	1	10	3.2	9	96	17.5
1,000-1,099.....	5	48	13.9	1	6	3.8	4	42	19.6
1,100-1,199.....	13	154	18.9	4	55	8.8	9	98	24.5
1,200-1,299.....	8	80	21.5	4	35	12.0	4	45	26.8
1,300-1,399.....	10	108	25.0	2	17	13.5	8	91	31.3
1,400-1,499.....	6	83	27.6	1	10	14.4	5	73	35.0
1,500-1,599.....	14	152	32.5	2	20	16.2	12	132	41.6
1,600-1,699.....	12	212	39.4	4	59	21.6	8	153	49.2
1,700-1,799.....	10	139	43.8	2	25	23.8	8	114	54.9
1,800-1,899.....	10	98	47.0	5	45	27.9	5	53	57.5
1,900-1,999.....	7	85	49.7	1	9	28.7	6	76	61.3
2,000-2,099.....	15	180	55.5	7	72	35.2	8	108	66.8
2,100-2,199.....	9	96	58.6	4	54	40.1	5	42	68.8
2,200-2,299.....	7	75	61.0	3	41	43.9	4	34	70.5
2,300-2,399.....	5	91	63.9	2	43	47.7	3	48	72.9
2,400-2,599.....	15	182	69.8	5	51	52.3	10	130	79.5
2,600-2,799.....	14	150	74.7	8	79	59.5	6	71	83.0
2,800-2,999.....	5	78	77.2	3	61	65.0	2	18	83.9
3,000-3,199.....	8	81	79.8	5	55	69.9	3	27	85.3
3,200-3,399.....	10	145	84.5	3	44	73.9	7	100	90.3
3,400-3,599.....	9	111	88.0	3	53	78.8	6	58	93.2
3,600-3,999.....	6	70	90.3	3	25	81.1	3	45	95.4
4,000-4,999.....	8	130	94.5	6	78	88.1	2	52	98.0
5,000-5,499.....	2	18	95.1	-	-	88.1	2	18	98.9
5,500 or more.....	11	153	100.0	9	132	100.0	2	21	100.0

See footnotes at end of table.

Table 3-9. Cumulative percent distribution of grams of food consumed for persons aged 25-34 years by sex and income level: United States, 1976-80-Continued

Income level and grams of food consumed	Both sexes			Male			Female		
	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative Percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	1,927	28,837	100.0	945	14,355	100.0	982	14,482	100.0
Less than 500.....	10	147	.5	1	20	.1	9	127	.9
500-699.....	26	380	1.8	2	16	.3	24	364	3.4
700-899.....	42	657	4.1	4	84	.8	38	573	7.3
900-999.....	34	514	5.9	7	116	1.6	27	398	10.1
1,000-1,099.....	42	563	7.8	5	55	2.0	37	508	13.6
1,100-1,199.....	45	751	10.4	11	199	3.4	34	552	17.4
1,200-1,299.....	60	931	13.7	9	99	4.1	51	832	23.2
1,300-1,399.....	68	1,024	17.2	21	371	6.7	47	653	27.7
1,400-1,499.....	71	1,055	20.9	19	279	8.6	52	776	33.0
1,500-1,599.....	93	1,325	25.5	27	417	11.5	66	908	39.3
1,600-1,699.....	98	1,479	30.6	36	508	15.1	62	971	46.0
1,700-1,799.....	78	1,136	34.5	31	463	18.3	47	673	50.7
1,800-1,899.....	96	1,301	39.1	32	443	21.4	64	858	56.6
1,900-1,999.....	70	1,066	42.8	25	386	24.1	45	680	61.3
2,000-2,099.....	64	942	46.0	26	391	26.8	38	550	65.1
2,100-2,199.....	78	1,126	49.9	34	479	30.1	44	648	69.6
2,200-2,299.....	74	1,105	53.8	43	670	34.8	31	434	72.6
2,300-2,399.....	60	887	56.8	32	481	38.1	28	406	75.4
2,400-2,599.....	129	2,024	63.8	68	1,144	46.1	61	880	81.4
2,600-2,799.....	97	1,541	69.2	56	890	52.3	41	651	85.9
2,800-2,999.....	89	1,363	73.9	54	837	58.1	35	526	89.6
3,000-3,199.....	86	1,250	78.3	62	906	64.4	24	345	91.9
3,200-3,399.....	71	1,130	82.2	54	883	70.6	17	248	93.6
3,400-3,599.....	66	944	85.4	52	728	75.7	14	216	95.1
3,600-3,999.....	78	1,215	89.7	62	930	82.1	16	285	97.1
4,000-4,999.....	114	1,742	95.7	100	1,547	92.9	14	195	98.5
5,000-5,499.....	38	547	97.6	33	474	96.2	5	73	99.0
5,500 or more.....	50	690	100.0	39	541	100.0	11	149	100.0

^{1/} Excludes unknown income.

Table 3-10. Cumulative percent distribution of grams of food consumed for persons aged 35-44 years by sex and income level: United States, 1976-80

Income level and grams of food consumed	Both sexes			Male			Female		
	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative Percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent
All incomes									
Total.....	1,589	23,651	100.0	745	11,367	100.0	844	12,284	100.0
Less than 500.....	12	158	.7	3	34	.3	9	123	1.0
500-699.....	14	166	1.4	3	48	.7	11	118	2.0
700-899.....	28	391	3.0	6	79	1.4	22	312	4.5
900-999.....	19	267	4.1	3	33	1.7	16	234	6.4
1,000-1,099.....	33	453	6.1	7	112	2.7	26	341	9.2
1,100-1,199.....	40	587	8.5	10	178	4.3	30	409	12.5
1,200-1,299.....	41	625	11.2	5	79	4.9	36	546	17.0
1,300-1,399.....	42	650	13.9	10	164	6.4	32	486	20.9
1,400-1,499.....	61	918	17.8	18	309	9.1	43	609	25.9
1,500-1,599.....	62	877	21.5	11	165	10.6	51	712	31.7
1,600-1,699.....	77	1,170	26.5	23	386	14.0	54	784	38.0
1,700-1,799.....	74	1,102	31.1	27	394	17.4	47	708	43.8
1,800-1,899.....	69	1,131	35.9	26	489	21.7	43	642	49.0
1,900-1,999.....	78	1,159	40.8	22	323	24.6	56	837	55.9
2,000-2,099.....	58	922	44.7	24	372	27.8	34	550	60.3
2,100-2,199.....	70	972	48.8	37	520	32.4	33	452	64.0
2,200-2,299.....	61	926	52.8	28	440	36.3	33	486	68.0
2,300-2,399.....	75	1,010	57.0	38	582	41.4	37	428	71.5
2,400-2,599.....	130	1,954	65.3	74	1,141	51.4	56	813	78.1
2,600-2,799.....	94	1,432	71.3	57	938	59.7	37	493	82.1
2,800-2,999.....	81	1,171	76.3	46	649	65.4	35	523	86.3
3,000-3,199.....	60	878	80.0	39	573	70.4	21	305	88.8
3,200-3,399.....	53	878	83.7	37	600	75.7	16	278	91.1
3,400-3,599.....	43	641	86.4	32	446	79.6	11	195	92.7
3,600-3,999.....	68	1,020	90.7	47	697	85.8	21	322	95.3
4,000-4,999.....	90	1,338	96.4	70	1,004	94.6	20	334	98.0
5,000-5,499.....	21	333	97.8	15	229	96.6	6	105	98.9
5,500 or more.....	35	522	100.0	27	385	100.0	8	137	100.0
Income below poverty level									
Total.....	182	2,364	100.0	63	821	100.0	119	1,543	100.0
Less than 500.....	6	73	3.1	*	*	*	4	53	3.4
500-699.....	7	81	6.5	*	*	*	5	51	6.8
700-899.....	10	101	10.8	*	*	*	9	91	12.7
900-999.....	7	94	14.8	*	*	*	6	85	18.2
1,000-1,099.....	10	132	20.3	*	*	*	9	118	25.8
1,100-1,199.....	7	79	23.7	*	*	*	6	69	30.3
1,200-1,299.....	13	205	32.4	*	*	*	13	205	43.6
1,300-1,399.....	2	23	33.4	*	*	*	2	23	45.1
1,400-1,499.....	4	56	35.8	*	*	*	2	24	46.7
1,500-1,599.....	5	52	38.0	*	*	*	5	52	50.1
1,600-1,699.....	15	220	47.3	*	*	*	12	173	61.3
1,700-1,799.....	10	112	52.0	*	*	*	4	42	63.9
1,800-1,899.....	10	135	57.8	*	*	*	6	72	68.6
1,900-1,999.....	4	37	59.3	*	*	*	3	28	70.4
2,000-2,099.....	6	76	62.5	*	*	*	2	32	72.5
2,100-2,199.....	7	103	66.9	*	*	*	5	57	76.2
2,200-2,299.....	2	20	67.7	*	*	*	1	11	77.0
2,300-2,399.....	11	154	74.2	*	*	*	7	86	82.6
2,400-2,599.....	6	76	77.4	*	*	*	1	11	83.3
2,600-2,799.....	10	121	82.5	*	*	*	5	61	87.2
2,800-2,999.....	4	59	85.0	*	*	*	2	23	88.7
3,000-3,199.....	4	43	86.9	*	*	*	2	22	90.2
3,200-3,399.....	3	28	88.1	*	*	*	1	10	90.8
3,400-3,599.....	2	26	89.2	*	*	*	-	-	90.8
3,600-3,999.....	4	82	92.6	*	*	*	2	44	93.7
4,000-4,999.....	9	123	97.8	*	*	*	4	71	98.3
5,000-5,499.....	1	8	98.2	*	*	*	-	-	98.3
5,500 or more.....	3	43	100.0	*	*	*	1	27	100.0

See footnotes at end of table.

Table 3-10. Cumulative percent distribution of grams of food consumed for persons aged 35-44 years by sex and income level: United States, 1976-80-Continued

Income level and grams of food consumed	Both sexes			Male			Female		
	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative Percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	1,360	20,572	100.0	658	10,195	100.0	702	10,377	100.0
Less than 500.....	6	84	.4	1	14	.1	5	70	.7
500-699.....	7	85	.8	1	18	.3	6	67	1.3
700-899.....	18	290	2.2	5	70	1.0	13	220	3.4
900-999.....	11	159	3.0	2	24	1.2	9	135	4.7
1,000-1,099.....	21	296	4.4	5	82	2.0	16	214	6.8
1,100-1,199.....	33	508	6.9	9	168	3.7	24	340	10.1
1,200-1,299.....	26	395	8.8	4	62	4.3	22	333	13.3
1,300-1,399.....	38	564	11.6	9	140	5.7	29	424	17.4
1,400-1,499.....	54	795	15.4	14	231	7.9	40	563	22.8
1,500-1,599.....	53	779	19.2	11	165	9.6	42	614	28.7
1,600-1,699.....	57	875	23.5	18	312	12.6	39	564	34.2
1,700-1,799.....	60	937	28.0	20	303	15.6	40	633	40.3
1,800-1,899.....	59	996	32.9	22	426	19.8	37	570	45.8
1,900-1,999.....	73	1,112	38.3	21	314	22.8	52	798	53.4
2,000-2,099.....	49	788	42.1	19	318	26.0	30	470	58.0
2,100-2,199.....	61	852	46.3	33	457	30.4	28	395	61.8
2,200-2,299.....	59	907	50.7	27	431	34.7	32	475	66.4
2,300-2,399.....	61	809	54.6	32	495	39.5	29	315	69.4
2,400-2,599.....	120	1,819	63.4	66	1,038	49.7	54	782	76.9
2,600-2,799.....	81	1,277	69.6	50	857	58.1	31	419	81.0
2,800-2,999.....	76	1,103	75.0	43	604	64.0	33	499	85.8
3,000-3,199.....	54	806	78.9	36	538	69.3	18	268	88.4
3,200-3,399.....	50	849	83.0	35	582	75.0	15	268	90.9
3,400-3,599.....	41	615	86.0	30	419	79.1	11	195	92.8
3,600-3,999.....	61	880	90.3	42	601	85.0	19	279	95.5
4,000-4,999.....	80	1,201	96.1	64	938	94.2	16	263	98.0
5,000-5,499.....	20	325	97.7	14	221	96.4	6	105	99.0
5,500 or more.....	31	466	100.0	25	368	100.0	6	98	100.0

1/ Excludes unknown income.

Table 3-11. Cumulative percent distribution of grams of food consumed for persons aged 45-54 years by sex and income level: United States, 1976-80

Income level and grams of food consumed	Both sexes			Male			Female		
	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative Percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent
All incomes									
Total.....	1,453	23,032	100.0	690	11,114	100.0	763	11,918	100.0
Less than 500.....	13	162	.7	5	79	.7	8	82	.7
500-699.....	17	229	1.7	4	47	1.1	13	182	2.2
700-899.....	23	285	2.9	4	59	1.7	19	226	4.1
900-999.....	24	364	4.5	5	68	2.3	19	296	6.6
1,000-1,099.....	27	484	6.6	4	56	2.8	23	428	10.2
1,100-1,199.....	39	500	8.8	9	140	4.0	30	360	13.2
1,200-1,299.....	46	797	12.3	13	241	6.2	33	556	17.9
1,300-1,399.....	53	766	15.6	14	176	7.8	39	590	22.8
1,400-1,499.....	72	1,136	20.5	22	350	10.9	50	786	29.4
1,500-1,599.....	56	933	24.6	14	229	13.0	42	704	35.3
1,600-1,699.....	63	974	28.8	13	211	14.9	50	763	41.7
1,700-1,799.....	66	1,122	33.7	27	439	18.9	39	682	47.5
1,800-1,899.....	75	1,352	39.5	23	489	23.3	52	863	54.7
1,900-1,999.....	57	910	43.5	19	321	26.1	38	589	59.6
2,000-2,099.....	74	1,141	48.4	32	520	30.8	42	621	64.8
2,100-2,199.....	51	820	52.0	21	357	34.0	30	463	68.7
2,200-2,299.....	58	869	55.8	29	430	37.9	29	439	72.4
2,300-2,399.....	71	1,118	60.6	41	632	43.6	30	485	76.5
2,400-2,599.....	110	1,718	68.1	67	1,019	52.8	43	699	82.4
2,600-2,799.....	91	1,455	74.4	54	874	60.6	37	581	87.2
2,800-2,999.....	74	1,165	79.4	43	699	66.9	31	466	91.1
3,000-3,199.....	57	904	83.4	37	560	72.0	20	344	94.0
3,200-3,399.....	41	642	86.2	30	483	76.3	11	159	95.3
3,400-3,599.....	42	681	89.1	37	610	81.8	5	71	95.9
3,600-3,999.....	42	659	92.0	29	432	85.7	13	227	97.9
4,000-4,999.....	65	1,091	96.7	56	943	94.2	9	148	99.1
5,000-5,499.....	11	165	97.4	8	120	95.3	3	45	99.5
5,500 or more.....	35	589	100.0	30	527	100.0	5	62	100.0
Income below poverty level^{1/}									
Total.....	128	1,760	100.0	46	645	100.0	82	1,115	100.0
Less than 500.....	6	62	3.5	*	*	*	5	54	4.8
500-699.....	3	64	7.1	*	*	*	2	54	9.7
700-899.....	6	67	10.9	*	*	*	6	67	15.7
900-999.....	5	51	13.8	*	*	*	3	27	18.2
1,000-1,099.....	4	70	17.8	*	*	*	3	59	23.4
1,100-1,199.....	6	63	21.4	*	*	*	5	54	28.2
1,200-1,299.....	4	52	24.3	*	*	*	3	41	31.9
1,300-1,399.....	5	61	27.8	*	*	*	4	48	36.2
1,400-1,499.....	8	79	32.3	*	*	*	6	56	41.2
1,500-1,599.....	9	126	39.5	*	*	*	8	115	51.5
1,600-1,699.....	6	107	45.5	*	*	*	6	107	61.1
1,700-1,799.....	5	58	48.8	*	*	*	4	49	65.4
1,800-1,899.....	5	60	52.3	*	*	*	3	29	68.1
1,900-1,999.....	5	74	56.5	*	*	*	3	34	71.1
2,000-2,099.....	4	69	60.4	*	*	*	3	49	75.4
2,100-2,199.....	5	51	63.3	*	*	*	3	32	78.3
2,200-2,299.....	3	38	65.4	*	*	*	1	12	79.4
2,300-2,399.....	5	80	69.9	*	*	*	4	57	84.5
2,400-2,599.....	9	144	78.1	*	*	*	3	85	92.2
2,600-2,799.....	5	57	81.3	*	*	*	3	33	95.2
2,800-2,999.....	3	43	83.8	*	*	*	1	19	96.8
3,000-3,199.....	5	79	88.3	*	*	*	1	13	98.0
3,200-3,399.....	1	20	89.4	*	*	*	-	-	98.0
3,400-3,599.....	4	64	93.1	*	*	*	1	12	99.1
3,600-3,999.....	3	32	94.9	*	*	*	1	10	100.0
4,000-4,999.....	1	9	95.4	*	*	*	-	-	100.0
5,000-5,499.....	-	-	95.4	*	*	*	-	-	100.0
5,500 or more.....	3	81	100.0	*	*	*	-	-	100.0

See footnotes at end of table.

Table 3-11. Cumulative percent distribution of grams of food consumed for persons aged 45-54 years by sex and income level: United States, 1976-80-Continued

Income level and grams of food consumed	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative Percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	1,258	20,161	100.0	603	9,738	100.0	655	10,424	100.0
Less than 500.....	6	87	.4	3	58	.6	3	29	.3
500-699.....	14	165	1.3	3	38	1.0	11	127	1.5
700-899.....	13	162	2.0	3	45	1.4	10	117	2.6
900-999.....	18	306	3.6	3	44	1.9	15	261	5.1
1,000-1,099.....	23	414	5.6	3	45	2.4	20	369	8.7
1,100-1,199.....	31	403	7.6	7	118	3.6	24	285	11.4
1,200-1,299.....	40	712	11.1	11	205	5.7	29	506	16.3
1,300-1,399.....	45	661	14.4	12	152	7.3	33	509	21.1
1,400-1,499.....	63	1,042	19.6	19	312	10.5	44	730	28.1
1,500-1,599.....	43	726	23.2	11	172	12.2	32	553	33.4
1,600-1,699.....	56	857	27.4	13	211	14.4	43	645	39.6
1,700-1,799.....	58	1,031	32.6	25	423	18.7	33	608	45.5
1,800-1,899.....	68	1,256	38.8	21	458	23.4	47	798	53.1
1,900-1,999.....	48	762	42.6	14	224	25.8	34	538	58.3
2,000-2,099.....	66	1,023	47.6	30	482	30.7	36	541	63.5
2,100-2,199.....	43	725	51.2	18	316	33.9	25	409	67.4
2,200-2,299.....	52	764	55.0	25	352	37.5	27	412	71.4
2,300-2,399.....	63	973	59.9	38	553	43.2	25	419	75.4
2,400-2,499.....	95	1,481	67.2	55	868	52.1	40	613	81.3
2,600-2,799.....	81	1,293	73.6	48	767	60.0	33	526	86.3
2,800-2,999.....	68	1,072	78.9	38	624	66.4	30	447	90.6
3,000-3,199.....	50	803	82.9	31	472	71.3	19	331	93.8
3,200-3,399.....	38	597	85.9	27	438	75.8	11	159	95.3
3,400-3,599.....	35	558	88.6	32	516	81.1	3	42	95.7
3,600-3,999.....	36	576	91.5	25	383	85.0	11	193	97.5
4,000-4,999.....	62	1,040	96.7	53	892	94.2	9	148	99.0
5,000-5,499.....	11	165	97.5	8	120	95.4	3	45	99.4
5,500 or more.....	32	508	100.0	27	446	100.0	5	62	100.0

1/ Excludes unknown income.

Table 3-12. Cumulative percent distribution of grams of food consumed for persons aged 55-64 years by sex and income level: United States, 1976-80

Income level and grams of food consumed	Both sexes			Male			Female		
	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative Percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent
All incomes									
Total.....	2,556	20,350	100.0	1,227	9,607	100.0	1,329	10,743	100.0
Less than 500.....	20	102	.5	8	35	.4	12	67	.6
500-699.....	36	210	1.5	7	40	.8	29	170	2.2
700-899.....	76	441	3.7	20	106	1.9	56	336	5.3
900-999.....	54	407	5.7	20	159	3.5	34	248	7.6
1,000-1,099.....	86	721	9.2	18	119	4.8	68	602	13.2
1,100-1,199.....	85	538	11.9	20	136	6.2	65	402	17.0
1,200-1,299.....	116	882	16.2	40	323	9.6	76	560	22.2
1,300-1,399.....	107	876	20.5	36	267	12.3	71	609	27.8
1,400-1,499.....	122	988	25.4	42	337	15.8	80	650	33.9
1,500-1,599.....	128	984	30.2	47	361	19.6	81	623	39.7
1,600-1,699.....	140	1,239	36.3	48	416	23.9	92	823	47.4
1,700-1,799.....	148	1,169	42.0	62	516	29.3	86	653	53.4
1,800-1,899.....	138	1,053	47.2	54	410	33.6	84	643	59.4
1,900-1,999.....	112	865	51.5	55	452	38.3	57	413	63.3
2,000-2,099.....	129	1,032	56.5	72	536	43.8	57	496	67.9
2,100-2,199.....	134	1,133	62.1	69	519	49.3	65	614	73.6
2,200-2,299.....	102	796	66.0	53	409	53.5	49	387	77.2
2,300-2,399.....	80	643	69.2	40	279	56.4	40	364	80.6
2,400-2,599.....	162	1,310	75.6	95	733	64.0	67	577	86.0
2,600-2,799.....	133	1,109	81.1	84	738	71.7	49	371	89.4
2,800-2,999.....	129	1,121	86.6	92	742	79.4	37	379	93.0
3,000-3,199.....	93	823	90.6	68	559	85.3	25	264	95.4
3,200-3,399.....	58	474	92.9	43	334	88.7	15	140	96.7
3,400-3,599.....	50	441	95.1	44	365	92.5	6	76	97.4
3,600-3,999.....	46	402	97.1	32	244	95.1	14	158	98.9
4,000-4,999.....	51	414	99.1	38	298	98.2	13	116	100.0
5,000-5,499.....	7	95	99.6	7	95	99.2	-	-	100.0
5,500 or more.....	14	83	100.0	13	80	100.0	1	3	100.0
Income below poverty level ^{1/}									
Total.....	317	1,960	100.0	129	779	100.0	188	1,181	100.0
Less than 500.....	12	56	2.8	6	29	3.7	6	27	2.3
500-699.....	8	34	4.6	2	11	5.1	6	23	4.2
700-899.....	17	99	9.6	4	28	8.7	13	71	10.3
900-999.....	14	64	12.9	4	15	10.6	10	49	14.4
1,000-1,099.....	19	117	18.9	2	12	12.1	17	105	23.3
1,100-1,199.....	16	82	23.1	5	26	15.4	11	56	28.1
1,200-1,299.....	24	134	29.9	7	36	20.1	17	98	36.3
1,300-1,399.....	17	115	35.7	6	27	23.5	11	88	43.8
1,400-1,499.....	14	120	41.9	4	31	27.5	10	89	51.3
1,500-1,599.....	19	105	47.2	5	25	30.8	14	80	58.1
1,600-1,699.....	16	91	51.9	9	55	37.9	7	36	61.1
1,700-1,799.....	18	114	57.7	4	16	39.9	14	98	69.4
1,800-1,899.....	22	114	63.5	9	45	45.7	13	69	75.3
1,900-1,999.....	6	40	65.6	2	10	46.9	4	30	77.9
2,000-2,099.....	9	76	69.4	4	42	52.3	5	34	80.8
2,100-2,199.....	14	103	74.7	4	31	56.3	10	72	86.9
2,200-2,299.....	11	80	78.8	7	35	60.8	4	44	90.6
2,300-2,399.....	2	15	79.5	1	3	61.1	1	13	91.7
2,400-2,599.....	14	115	85.4	8	78	71.2	6	37	94.8
2,600-2,799.....	8	52	88.1	6	47	77.2	2	5	95.3
2,800-2,999.....	5	38	90.0	4	29	80.9	1	9	96.0
3,000-3,199.....	8	49	92.5	6	21	83.7	2	28	98.4
3,200-3,399.....	7	38	94.4	4	23	86.7	3	14	99.6
3,400-3,599.....	5	32	96.1	5	32	90.8	-	-	99.6
3,600-3,999.....	3	12	96.7	2	7	91.7	1	5	100.0
4,000-4,999.....	6	42	98.8	6	42	97.1	-	-	100.0
5,000-5,499.....	1	12	99.4	1	12	98.6	-	-	100.0
5,500 or more.....	2	11	100.0	2	11	100.0	-	-	100.0

See footnotes at end of table.

Table 3-12. Cumulative percent distribution of grams of food consumed for persons aged 55-64 years by sex and income level: United States, 1976-80-Continued

Income level and grams of food consumed	Both sexes			Male			Female		
	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative Percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	2,119	17,376	100.0	1,048	8,443	100.0	1,071	8,934	100.0
Less than 500.....	5	22	.1	1	4	.0	4	17	.2
500-699.....	27	167	1.1	5	29	.4	22	138	1.7
700-899.....	52	311	2.9	13	67	1.2	39	244	4.5
900-999.....	37	300	4.6	14	120	2.6	23	180	6.5
1,000-1,099.....	63	557	7.8	16	107	3.9	47	450	11.5
1,100-1,199.....	65	434	10.3	15	111	5.2	50	323	15.1
1,200-1,299.....	87	693	14.3	33	287	8.6	54	406	19.7
1,300-1,399.....	86	736	18.5	29	236	11.4	57	500	25.3
1,400-1,499.....	105	835	23.3	38	306	15.0	67	529	31.2
1,500-1,599.....	103	842	28.2	40	318	18.8	63	524	37.1
1,600-1,699.....	110	984	33.8	34	304	22.4	76	680	44.7
1,700-1,799.....	124	1,020	39.7	57	495	28.2	67	525	50.6
1,800-1,899.....	112	916	45.0	44	358	32.5	68	558	56.8
1,900-1,999.....	102	793	49.5	52	439	37.7	50	354	60.8
2,000-2,099.....	114	925	54.9	65	483	43.4	49	442	65.7
2,100-2,199.....	117	967	60.4	64	484	49.1	53	483	71.1
2,200-2,299.....	87	691	64.4	44	364	53.5	43	326	74.8
2,300-2,399.....	71	576	67.7	35	249	56.4	36	327	78.4
2,400-2,599.....	143	1,159	74.4	85	646	64.0	58	513	84.2
2,600-2,799.....	118	1,009	80.2	73	651	71.8	45	358	88.2
2,800-2,999.....	116	1,006	86.0	82	649	79.4	34	358	92.2
3,000-3,199.....	82	757	90.3	60	526	85.7	22	231	94.8
3,200-3,399.....	47	394	92.6	35	269	88.8	12	125	96.2
3,400-3,599.....	43	397	94.9	37	321	92.6	6	76	97.0
3,600-3,999.....	42	368	97.0	29	215	95.2	13	153	98.7
4,000-4,999.....	44	367	99.1	32	256	98.2	12	111	100.0
5,000-5,499.....	6	83	99.6	6	83	99.2	-	-	100.0
5,500 or more.....	11	69	100.0	10	67	100.0	1	3	100.0

1/ Excludes unknown income.

Table 3-13. Cumulative percent distribution of grams of food consumed for persons aged 65-74 years by sex and income level: United States, 1976-80

Income level and grams of food consumed	Both sexes			Male			Female		
	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative Percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent
All incomes									
Total.....	2,615	14,496	100.0	1,199	6,297	100.0	1,416	8,198	100.0
Less than 500.....	19	80	.5	5	21	.3	14	59	.7
500-699.....	42	213	2.0	12	64	1.3	30	149	2.5
700-899.....	116	570	5.9	35	171	4.1	81	399	7.4
900-999.....	70	405	8.7	25	130	6.1	45	275	10.8
1,000-1,099.....	122	587	12.8	45	180	9.0	77	407	15.7
1,100-1,199.....	141	770	18.1	52	286	13.5	89	484	21.6
1,200-1,299.....	136	741	23.2	39	181	16.4	97	559	28.4
1,300-1,399.....	157	918	29.5	56	300	21.2	101	618	36.0
1,400-1,499.....	153	864	35.5	49	277	25.6	104	587	43.1
1,500-1,599.....	181	951	42.1	65	322	30.7	116	629	50.8
1,600-1,699.....	170	966	48.7	77	387	36.9	93	579	57.9
1,700-1,799.....	143	810	54.3	61	326	42.0	82	485	63.8
1,800-1,899.....	144	842	60.1	65	359	47.7	79	483	69.7
1,900-1,999.....	136	771	65.5	66	336	53.1	70	435	75.0
2,000-2,099.....	119	665	70.0	68	355	58.7	51	309	78.7
2,100-2,199.....	127	778	75.4	65	349	64.3	62	429	84.0
2,200-2,299.....	98	586	79.4	49	267	68.5	49	319	87.9
2,300-2,399.....	80	409	82.3	55	278	72.9	25	131	89.5
2,400-2,599.....	157	851	88.1	97	509	81.0	60	342	93.6
2,600-2,799.....	78	449	91.2	51	300	85.8	27	149	95.4
2,800-2,999.....	66	356	93.7	50	278	90.2	16	78	96.4
3,000-3,199.....	36	217	95.2	23	130	92.2	13	88	97.5
3,200-3,399.....	29	179	96.4	19	104	93.9	10	75	98.4
3,400-3,599.....	37	207	97.8	27	148	96.2	10	59	99.1
3,600-3,999.....	29	164	99.0	23	131	98.3	6	32	99.5
4,000-4,999.....	23	102	99.7	16	74	99.5	7	28	99.8
5,000-5,499.....	2	20	99.8	2	20	99.8	-	-	99.8
5,500 or more.....	4	26	100.0	2	13	100.0	2	13	100.0
Income below poverty level^{1/}									
Total.....	424	2,003	100.0	168	759	100.0	256	1,245	100.0
Less than 500.....	8	32	1.6	4	15	2.0	4	17	1.4
500-699.....	15	63	4.8	3	11	3.4	12	52	5.5
700-899.....	38	167	13.1	12	47	9.7	26	120	15.2
900-999.....	19	85	17.3	4	13	11.4	15	72	20.9
1,000-1,099.....	24	100	22.3	8	32	15.6	16	69	26.4
1,100-1,199.....	28	147	29.7	12	83	26.6	16	64	31.5
1,200-1,299.....	24	114	35.4	7	28	30.3	17	86	38.5
1,300-1,399.....	26	135	42.1	10	43	35.9	16	92	45.9
1,400-1,499.....	28	124	48.3	8	44	41.8	20	80	52.3
1,500-1,599.....	25	102	53.4	12	45	47.6	13	57	56.9
1,600-1,699.....	31	150	60.9	11	50	54.2	20	100	65.0
1,700-1,799.....	18	96	65.7	6	32	58.5	12	64	70.1
1,800-1,899.....	22	121	71.7	10	50	65.1	12	71	75.8
1,900-1,999.....	17	98	76.6	6	32	69.3	11	66	81.1
2,000-2,099.....	13	61	79.6	6	22	72.3	7	39	84.2
2,100-2,199.....	14	75	83.4	7	36	76.9	7	39	87.3
2,200-2,299.....	7	34	85.1	4	14	78.8	3	20	88.9
2,300-2,399.....	13	56	87.8	11	48	85.1	2	8	89.5
2,400-2,599.....	22	103	93.0	13	56	92.5	9	47	93.3
2,600-2,799.....	12	53	95.6	8	33	96.8	4	20	94.9
2,800-2,999.....	6	28	97.0	1	6	97.6	5	22	96.7
3,000-3,199.....	2	7	97.4	1	3	98.0	1	4	97.0
3,200-3,399.....	3	18	98.3	1	4	98.5	2	15	98.2
3,400-3,599.....	1	4	98.5	-	-	98.5	1	4	98.4
3,600-3,999.....	3	10	99.0	2	7	99.5	1	3	98.7
4,000-4,999.....	4	16	99.8	1	4	100.0	3	12	99.6
5,000-5,499.....	-	-	99.8	-	-	100.0	-	-	99.6
5,500 or more.....	1	5	100.0	-	-	100.0	1	5	100.0

See footnotes at end of table.

Table 3-13. Cumulative percent distribution of grams of food consumed for persons aged 65-74 years by sex and income level: United States, 1976-80-Continued

Income level and grams of food consumed	Both sexes			Male			Female		
	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative Percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	2,067	11,819	100.0	987	5,312	100.0	1,080	6,508	100.0
Less than 500.....	10	44	.4	1	6	.1	9	39	.6
500-699.....	25	142	1.6	8	49	1.0	17	93	2.0
700-899.....	70	368	4.7	22	121	3.3	48	247	5.8
900-999.....	49	308	7.3	21	117	5.5	28	192	8.8
1,000-1,099.....	91	454	11.1	35	141	8.2	56	313	13.6
1,100-1,199.....	109	597	16.2	39	197	11.9	70	401	19.7
1,200-1,299.....	106	591	21.2	30	145	14.6	76	446	26.6
1,300-1,399.....	124	738	27.4	46	257	19.4	78	481	34.0
1,400-1,499.....	116	694	33.3	38	219	23.5	78	475	41.3
1,500-1,599.....	147	808	40.1	50	263	28.5	97	546	49.7
1,600-1,699.....	132	774	46.7	64	323	34.6	68	451	56.6
1,700-1,799.....	118	683	52.5	51	277	39.8	67	406	62.8
1,800-1,899.....	111	654	58.0	55	309	45.6	56	346	68.1
1,900-1,999.....	112	627	63.3	57	289	51.0	55	338	73.3
2,000-2,099.....	103	591	68.3	60	327	57.2	43	264	77.4
2,100-2,199.....	105	658	73.9	54	297	62.8	51	361	82.9
2,200-2,299.....	86	525	78.3	43	240	67.3	43	286	87.3
2,300-2,399.....	65	342	81.2	43	225	71.5	22	117	89.1
2,400-2,599.....	132	735	87.4	84	453	80.1	48	282	93.5
2,600-2,799.....	62	366	90.5	39	237	84.5	23	129	95.4
2,800-2,999.....	54	302	93.1	44	248	89.2	10	54	96.3
3,000-3,199.....	34	210	94.9	22	126	91.6	12	84	97.6
3,200-3,399.....	25	151	96.1	17	90	93.3	8	60	98.5
3,400-3,599.....	33	187	97.7	25	139	95.9	8	48	99.2
3,600-3,999.....	24	140	98.9	20	115	98.1	4	26	99.6
4,000-4,999.....	19	86	99.6	15	70	99.4	4	16	99.9
5,000-5,499.....	2	20	99.8	2	20	99.8	-	-	99.9
5,500 or more.....	3	21	100.0	2	13	100.0	1	8	100.0

1/ Excludes unknown income.

Table 3-14. Cumulative percent distribution of caloric intake values for persons aged 6-11 months by sex and income level: United States, 1976-80

Income level and calories	Both sexes			Male			Female		
	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent
All incomes									
Total.....	356	1,599	100.0	179	819	100.0	177	780	100.0
Less than 250.....	1	3	.2	-	-	-	1	3	.3
250-499.....	14	55	3.6	8	35	4.3	6	20	2.9
500-549.....	10	45	6.4	5	19	6.6	5	26	6.2
550-599.....	7	30	8.3	5	22	9.3	2	8	7.3
600-649.....	16	60	12.0	7	26	12.4	9	34	11.7
650-699.....	15	84	17.3	8	44	17.8	7	40	16.8
700-749.....	29	141	26.2	13	87	28.4	16	54	23.8
750-799.....	23	97	32.2	8	37	32.9	15	60	31.5
800-849.....	21	104	38.7	12	55	39.6	9	49	37.8
850-899.....	23	125	46.5	11	70	48.2	12	54	44.8
900-949.....	20	87	52.0	9	39	52.9	11	48	50.9
950-999.....	22	88	57.5	12	45	58.4	10	44	56.5
1,000-1,049.....	24	118	64.9	10	46	64.0	14	73	65.8
1,050-1,099.....	17	78	69.8	8	34	68.1	9	44	71.5
1,100-1,199.....	29	119	77.2	17	66	76.1	12	53	78.3
1,200-1,299.....	22	74	81.8	10	34	80.3	12	40	83.5
1,300-1,399.....	13	51	85.0	7	31	84.0	6	21	86.1
1,400-1,499.....	16	69	89.4	11	56	90.9	5	13	87.8
1,500-1,599.....	9	70	93.7	2	13	92.4	7	57	95.1
1,600-1,699.....	5	17	94.8	3	8	93.4	2	9	96.2
1,700 or more.....	20	83	100.0	13	54	100.0	7	30	100.0
Income below poverty level^{1/}									
Total.....	84	315	100.0	48	177	100.0	36	138	100.0
Less than 250.....	1	3	.8	*	*	*	*	*	*
250-499.....	4	9	3.8	*	*	*	*	*	*
500-549.....	1	3	4.8	*	*	*	*	*	*
550-599.....	3	9	7.5	*	*	*	*	*	*
600-649.....	6	21	14.2	*	*	*	*	*	*
650-699.....	7	38	26.3	*	*	*	*	*	*
700-749.....	7	33	36.8	*	*	*	*	*	*
750-799.....	2	6	38.6	*	*	*	*	*	*
800-849.....	4	17	44.0	*	*	*	*	*	*
850-899.....	3	10	47.1	*	*	*	*	*	*
900-949.....	4	18	52.8	*	*	*	*	*	*
950-999.....	7	23	60.1	*	*	*	*	*	*
1,000-1,049.....	2	9	62.9	*	*	*	*	*	*
1,050-1,099.....	4	16	67.9	*	*	*	*	*	*
1,100-1,199.....	8	27	76.6	*	*	*	*	*	*
1,200-1,299.....	3	10	79.8	*	*	*	*	*	*
1,300-1,399.....	4	15	84.5	*	*	*	*	*	*
1,400-1,499.....	6	23	91.8	*	*	*	*	*	*
1,500-1,599.....	1	5	93.3	*	*	*	*	*	*
1,600-1,699.....	2	4	94.6	*	*	*	*	*	*
1,700 or more.....	5	17	100.0	*	*	*	*	*	*

See footnotes at end of table.

Table 3-14. Cumulative percent distribution of caloric intake values for persons aged 6-11 months by sex and income level: United States, 1976-80-Continued

Income level and calories	Both sexes			Male			Female		
	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	256	1,226	100.0	121	614	100.0	135	612	100.0
Less than 250.....	-	-	-	-	-	-	-	-	-
250-499.....	9	43	3.5	5	28	4.6	4	15	2.4
500-549.....	9	42	6.9	4	16	7.2	5	26	6.6
550-599.....	4	22	8.7	3	17	9.9	1	5	7.4
600-649.....	9	34	11.5	3	10	11.5	6	25	11.5
650-699.....	8	46	15.2	3	16	14.0	5	30	16.4
700-749.....	21	105	23.8	8	59	23.7	13	46	23.9
750-799.....	21	91	31.2	8	37	29.7	13	54	32.8
800-849.....	15	76	37.4	10	51	38.1	5	24	36.7
850-899.....	20	115	46.8	10	68	49.2	10	47	44.4
900-949.....	14	65	52.1	6	30	54.1	8	35	50.2
950-999.....	14	64	57.3	6	27	58.6	8	36	56.1
1,000-1,049.....	19	98	65.3	7	32	63.8	12	66	66.8
1,050-1,099.....	12	59	70.1	4	19	66.9	8	40	73.4
1,100-1,199.....	19	86	77.1	10	49	74.8	9	37	79.5
1,200-1,299.....	19	64	82.4	8	27	79.1	11	38	85.6
1,300-1,399.....	9	37	85.4	5	24	83.1	4	12	87.6
1,400-1,499.....	10	46	89.1	8	41	89.8	2	5	88.4
1,500-1,599.....	7	59	93.9	2	13	91.8	5	46	96.0
1,600-1,699.....	3	13	95.0	1	4	92.5	2	9	97.4
1,700 or more.....	14	62	100.0	10	46	100.0	4	16	100.0

^{1/} Excludes unknown income.

Table 3-15. Cumulative percent distribution of caloric intake values for persons aged 1-2 years by sex and income level: United States, 1976-80

Income level and calories	Both sexes			Male			Female		
	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent
All incomes									
Total.....	1,417	6,078	100.0	745	3,107	100.0	672	2,970	100.0
Less than 250.....	-	-	-	-	-	-	-	-	-
250-499.....	29	110	1.8	11	40	1.3	18	70	2.3
500-749.....	114	482	9.7	55	227	8.6	59	255	10.9
750-799.....	40	164	12.4	14	57	10.4	26	106	14.5
800-999.....	224	1,035	29.5	115	533	27.6	109	502	31.4
1,000-1,099.....	129	628	39.8	65	301	37.3	64	327	42.4
1,100-1,249.....	174	763	52.3	91	376	49.4	83	387	55.4
1,250-1,399.....	186	803	65.6	106	458	64.1	80	345	67.1
1,400-1,499.....	96	431	72.7	50	217	71.1	46	214	74.3
1,500-1,599.....	97	399	79.2	54	208	77.8	43	191	80.7
1,600-1,749.....	95	367	85.3	51	192	84.0	44	176	86.6
1,750-1,999.....	110	426	92.3	56	220	91.0	54	206	93.6
2,000-2,249.....	58	212	95.8	39	135	95.4	19	77	96.1
2,250-2,499.....	28	99	97.4	20	69	97.6	8	30	97.2
2,500-2,749.....	12	41	98.1	9	34	98.7	3	7	97.4
2,750-2,999.....	11	50	98.9	5	26	99.5	6	24	98.2
3,000-3,249.....	7	40	99.5	2	9	99.8	5	31	99.2
3,250-3,499.....	3	18	99.8	1	3	99.9	2	14	99.7
3,500-3,749.....	2	6	99.9	-	-	99.9	2	6	99.9
3,750-3,999.....	-	-	99.9	-	-	99.9	-	-	99.9
4,000-4,249.....	-	-	99.9	-	-	99.9	-	-	99.9
4,250-4,499.....	1	2	100.0	-	-	99.9	1	2	100.0
4,500-4,749.....	1	2	100.0	1	2	100.0	-	-	100.0
4,750-4,999.....	-	-	100.0	-	-	100.0	-	-	100.0
5,000 or more.....	-	-	100.0	-	-	100.0	-	-	100.0
Income below poverty level ^{1/}									
Total.....	323	1,163	100.0	170	601	100.0	153	562	100.0
Less than 250.....	-	-	-	-	-	-	-	-	-
250-499.....	9	26	2.3	5	14	2.4	4	12	2.2
500-749.....	28	110	11.7	13	54	11.3	15	56	12.1
750-799.....	6	19	13.4	4	13	13.6	2	6	13.2
800-999.....	50	190	29.7	31	110	32.0	19	80	27.3
1,000-1,099.....	19	78	36.4	10	37	38.1	9	41	34.6
1,100-1,249.....	34	135	48.0	18	73	50.2	16	62	45.6
1,250-1,399.....	41	148	60.7	16	58	59.9	25	90	61.5
1,400-1,499.....	22	89	68.3	13	55	69.0	9	34	67.6
1,500-1,599.....	24	78	75.0	12	35	74.8	12	44	75.4
1,600-1,749.....	30	98	83.4	16	51	83.3	14	47	83.7
1,750-1,999.....	25	80	90.3	12	42	90.3	13	37	90.3
2,000-2,249.....	18	56	95.1	14	41	97.1	4	15	93.0
2,250-2,499.....	4	10	96.0	2	4	97.8	2	6	94.0
2,500-2,749.....	4	13	97.1	2	9	99.3	2	4	94.8
2,750-2,999.....	4	12	98.1	1	3	99.7	3	9	96.4
3,000-3,249.....	1	10	99.0	-	-	99.7	1	10	98.3
3,250-3,499.....	1	4	99.3	-	-	99.7	1	4	99.0
3,500-3,749.....	1	4	99.6	-	-	99.7	1	4	99.6
3,750-3,999.....	-	-	99.6	-	-	99.7	-	-	99.6
4,000-4,249.....	-	-	99.6	-	-	99.7	-	-	99.6
4,250-4,499.....	1	2	99.8	-	-	99.7	1	2	100.0
4,500-4,749.....	1	2	100.0	1	2	100.0	-	-	100.0
4,750-4,999.....	-	-	100.0	-	-	100.0	-	-	100.0
5,000 or more.....	-	-	100.0	-	-	100.0	-	-	100.0

See footnotes at end of table.

Table 3-15. Cumulative percent distribution of caloric intake values for persons aged 1-2 years by sex and income level: United States, 1976-80-Continued

Income level and calories	Both sexes			Male			Female		
	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	1,056	4,767	100.0	551	2,416	100.0	505	2,351	100.0
Less than 250.....	-	-	-	-	-	-	-	-	-
250-499.....	19	81	1.7	5	23	.9	14	57	2.4
500-749.....	84	359	9.2	41	167	7.9	43	192	10.6
750-799.....	33	143	12.2	10	44	9.7	23	99	14.8
800-999.....	168	826	29.5	81	414	26.8	87	412	32.4
1,000-1,099.....	107	531	40.7	53	253	37.3	54	278	44.2
1,100-1,249.....	134	604	53.3	69	290	49.3	65	314	57.5
1,250-1,399.....	139	636	66.7	86	388	65.3	53	248	68.1
1,400-1,499.....	69	323	73.5	33	145	71.4	36	177	75.6
1,500-1,599.....	70	310	80.0	39	163	78.1	31	147	81.9
1,600-1,749.....	63	259	85.4	34	134	83.6	29	126	87.2
1,750-1,999.....	84	343	92.6	44	178	91.0	40	165	94.3
2,000-2,249.....	40	155	95.9	25	94	94.9	15	61	96.9
2,250-2,499.....	22	85	97.6	17	63	97.4	5	23	97.8
2,500-2,749.....	8	28	98.2	7	26	98.5	1	2	97.9
2,750-2,999.....	7	38	99.0	4	24	99.5	3	15	98.6
3,000-3,249.....	6	30	99.7	2	9	99.9	4	21	99.4
3,250-3,499.....	2	14	99.9	1	3	100.0	1	11	99.9
3,500-3,749.....	1	2	100.0	-	-	100.0	1	2	100.0
3,750-3,999.....	-	-	100.0	-	-	100.0	-	-	100.0
4,000-4,249.....	-	-	100.0	-	-	100.0	-	-	100.0
4,250-4,499.....	-	-	100.0	-	-	100.0	-	-	100.0
4,500-4,749.....	-	-	100.0	-	-	100.0	-	-	100.0
4,750-4,999.....	-	-	100.0	-	-	100.0	-	-	100.0
5,000 or more.....	-	-	100.0	-	-	100.0	-	-	100.0

1/ Excludes unknown income.

Table 3-16. Cumulative percent distribution of caloric intake values for persons aged 3-5 years by sex and income level: United States, 1976-80

Income level and calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	2,345	9,186	100.0	1,219	4,695	100.0	1,126	4,491	100.0
Less than 250.....	1	3	.0	1	3	.1	-	-	-
250-499.....	20	78	.9	12	50	1.1	8	28	.6
500-749.....	58	214	3.2	21	78	2.8	37	136	3.7
750-999.....	22	81	4.1	9	32	3.5	13	49	4.8
800-999.....	196	747	12.2	91	340	10.7	105	407	13.8
1,000-1,099.....	136	561	18.3	55	222	15.4	81	339	21.4
1,100-1,249.....	249	1,018	29.4	122	454	25.1	127	564	33.9
1,250-1,399.....	266	1,070	41.1	132	504	35.8	134	566	46.5
1,400-1,499.....	201	834	50.1	111	453	45.5	90	381	55.0
1,500-1,599.....	189	689	57.6	98	363	53.2	91	326	62.3
1,600-1,749.....	260	1,029	68.8	147	575	65.5	113	454	72.4
1,750-1,999.....	304	1,167	81.5	162	613	78.5	142	553	84.7
2,000-2,249.....	199	745	89.6	110	423	87.5	89	322	91.9
2,250-2,499.....	105	426	94.3	62	251	92.9	43	175	95.8
2,500-2,749.....	63	226	96.8	34	119	95.4	29	108	98.2
2,750-2,999.....	33	125	98.1	22	88	97.3	11	37	99.0
3,000-3,249.....	21	88	99.1	15	66	98.7	6	21	99.4
3,250-3,499.....	6	21	99.3	3	10	98.9	3	11	99.7
3,500-3,749.....	5	23	99.5	5	23	99.4	-	-	99.7
3,750-3,999.....	7	31	99.9	5	24	99.9	2	7	99.9
4,000-4,249.....	2	5	99.9	1	2	99.9	1	3	99.9
4,250-4,499.....	2	6	100.0	1	2	100.0	1	4	100.0
4,500-4,749.....	-	-	100.0	-	-	100.0	-	-	100.0
4,750-4,999.....	-	-	100.0	-	-	100.0	-	-	100.0
5,000 or more.....	-	-	100.0	-	-	100.0	-	-	100.0
Income below poverty level^{1/}									
Total.....	570	1,855	100.0	298	910	100.0	272	945	100.0
Less than 250.....	1	3	.2	1	3	.4	-	-	-
250-499.....	3	15	1.0	1	3	.7	2	12	1.2
500-749.....	17	57	4.1	4	10	1.8	13	47	6.3
750-999.....	4	12	4.7	3	9	2.8	1	4	6.6
800-999.....	46	154	13.0	23	74	10.9	23	80	15.1
1,000-1,099.....	33	125	19.7	13	42	15.4	20	83	23.8
1,100-1,249.....	56	169	28.8	30	82	24.4	26	87	33.0
1,250-1,399.....	59	174	38.2	32	85	33.8	27	89	42.5
1,400-1,499.....	41	167	47.2	22	91	43.8	19	77	50.6
1,500-1,599.....	43	120	53.7	23	64	50.8	20	56	56.5
1,600-1,749.....	62	191	64.0	32	93	61.0	30	98	66.9
1,750-1,999.....	73	223	76.0	40	112	73.4	33	111	78.6
2,000-2,249.....	48	157	84.5	27	88	83.0	21	69	85.9
2,250-2,499.....	39	129	91.4	21	63	89.9	18	66	92.9
2,500-2,749.....	21	60	94.7	12	33	93.4	9	28	95.9
2,750-2,999.....	9	35	96.6	4	17	95.3	5	19	97.8
3,000-3,249.....	7	29	98.2	5	22	97.8	2	7	98.6
3,250-3,499.....	3	11	98.8	1	2	98.0	2	9	99.5
3,500-3,749.....	3	15	99.6	3	15	99.6	-	-	99.5
3,750-3,999.....	2	8	100.0	1	3	100.0	1	5	100.0
4,000-4,249.....	-	-	100.0	-	-	100.0	-	-	100.0
4,250-4,499.....	-	-	100.0	-	-	100.0	-	-	100.0
4,500-4,749.....	-	-	100.0	-	-	100.0	-	-	100.0
4,750-4,999.....	-	-	100.0	-	-	100.0	-	-	100.0
5,000 or more.....	-	-	100.0	-	-	100.0	-	-	100.0

See footnotes at end of table.

Table 3-16. Cumulative percent distribution of caloric intake values for persons aged 3-5 years by sex and income level: United States, 1976-80-Continued

Income level and calories	Both sexes			Male			Female		
	Exam-ined persons	Esti-mated population in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated population in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated population in thou-sands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	1,707	7,102	100.0	892	3,683	100.0	815	3,419	100.0
Less than 250.....	-	-	-	-	-	-	-	-	-
250-499.....	15	54	.8	10	41	1.1	5	13	.4
500-749.....	37	140	2.7	16	61	2.8	21	78	2.7
750-799.....	15	61	3.6	6	23	3.4	9	38	3.8
800-999.....	142	565	11.5	64	252	10.3	78	313	13.0
1,000-1,099.....	99	417	17.4	40	170	14.9	59	248	20.2
1,100-1,249.....	185	821	29.0	86	352	24.4	99	469	33.9
1,250-1,399.....	197	866	41.2	95	405	35.4	102	461	47.4
1,400-1,499.....	156	656	50.4	89	362	45.3	67	293	56.0
1,500-1,599.....	139	547	58.1	75	299	53.4	64	248	63.2
1,600-1,749.....	190	811	69.5	111	466	66.0	79	345	73.3
1,750-1,999.....	229	938	82.8	120	495	79.5	109	443	86.3
2,000-2,249.....	149	579	90.9	82	333	88.5	67	246	93.5
2,250-2,499.....	64	292	95.0	40	186	93.6	24	106	96.6
2,500-2,749.....	41	162	97.3	22	86	95.9	19	76	98.8
2,750-2,999.....	21	82	98.4	16	66	97.7	5	16	99.3
3,000-3,249.....	14	59	99.3	10	44	98.9	4	14	99.7
3,250-3,499.....	3	10	99.4	2	7	99.1	1	3	99.8
3,500-3,749.....	2	8	99.5	2	8	99.3	-	-	99.8
3,750-3,999.....	5	23	99.8	4	20	99.9	1	2	99.8
4,000-4,249.....	2	5	99.9	1	2	99.9	1	3	99.9
4,250-4,499.....	2	6	100.0	1	2	100.0	1	4	100.0
4,500-4,749.....	-	-	100.0	-	-	100.0	-	-	100.0
4,750-4,999.....	-	-	100.0	-	-	100.0	-	-	100.0
5,000 or more.....	-	-	100.0	-	-	100.0	-	-	100.0

1/ Excludes unknown income.

Table 3-17. Cumulative percent distribution of caloric intake values for persons aged 6-8 years by sex and income level: United States, 1976-80

Income level and calories	Both sexes			Male			Female		
	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent
All incomes									
Total.....	843	10,213	100.0	428	5,336	100.0	415	4,877	100.0
Less than 250.....	-	-	-	-	-	-	-	-	-
250-499.....	-	-	-	-	-	-	-	-	-
500-749.....	11	97	.9	6	62	1.2	5	35	.7
750-799.....	2	19	1.1	-	-	1.2	2	19	1.1
800-999.....	17	194	3.0	8	100	3.0	9	94	3.0
1,000-1,099.....	31	390	6.8	12	149	5.8	19	242	8.0
1,100-1,249.....	39	468	11.4	13	154	8.7	26	314	14.4
1,250-1,399.....	65	775	19.0	27	328	14.9	38	447	23.6
1,400-1,499.....	46	540	24.3	17	243	19.4	29	297	29.7
1,500-1,599.....	61	805	32.2	29	379	26.5	32	426	38.4
1,600-1,749.....	93	1,090	42.9	47	606	37.9	46	485	48.3
1,750-1,999.....	158	1,921	61.7	79	988	56.4	79	934	67.5
2,000-2,249.....	111	1,317	74.6	57	647	68.5	54	670	81.2
2,250-2,499.....	100	1,262	86.9	63	783	83.2	37	479	91.0
2,500-2,749.....	40	523	92.0	27	349	89.7	13	174	94.6
2,750-2,999.....	36	428	96.2	24	310	95.5	12	118	97.0
3,000-3,249.....	15	161	97.8	9	99	97.4	6	61	98.3
3,250-3,499.....	7	80	98.6	3	31	97.9	4	49	99.3
3,500-3,749.....	6	59	99.2	3	34	98.6	3	25	99.8
3,750-3,999.....	2	27	99.4	2	27	99.1	-	-	99.8
4,000-4,249.....	-	-	99.4	-	-	99.1	-	-	99.8
4,250-4,499.....	2	48	99.9	2	48	100.0	-	-	99.8
4,500-4,749.....	1	10	100.0	-	-	100.0	1	10	100.0
4,750-4,999.....	-	-	100.0	-	-	100.0	-	-	100.0
5,000 or more.....	-	-	100.0	-	-	100.0	-	-	100.0
Income below poverty level^{1/}									
Total.....	177	1,769	100.0	82	900	100.0	95	869	100.0
Less than 250.....	-	-	-	-	-	-	-	-	-
250-499.....	-	-	-	-	-	-	-	-	-
500-749.....	7	51	2.9	3	24	2.7	4	27	3.1
750-799.....	-	-	2.9	-	-	2.7	-	-	3.1
800-999.....	3	46	5.5	2	38	6.9	1	8	4.1
1,000-1,099.....	7	65	9.2	2	16	8.7	5	48	9.6
1,100-1,249.....	6	62	12.7	2	26	11.6	4	36	13.8
1,250-1,399.....	9	88	17.6	2	30	15.0	7	57	20.4
1,400-1,499.....	13	107	23.7	5	46	20.0	8	62	27.5
1,500-1,599.....	10	92	28.9	4	30	23.3	6	62	34.7
1,600-1,749.....	23	266	43.9	14	180	43.3	9	86	44.6
1,750-1,999.....	28	273	59.3	12	122	56.8	16	151	62.0
2,000-2,249.....	26	223	71.9	12	114	69.5	14	109	74.5
2,250-2,499.....	19	207	83.6	10	86	79.0	9	121	88.4
2,500-2,749.....	6	86	88.5	3	55	85.1	3	32	92.1
2,750-2,999.....	10	122	95.4	6	85	94.5	4	37	96.3
3,000-3,249.....	7	60	98.8	5	49	100.0	2	11	97.6
3,250-3,499.....	1	5	99.1	-	-	100.0	1	5	98.2
3,500-3,749.....	2	16	100.0	-	-	100.0	2	16	100.0
3,750-3,999.....	-	-	100.0	-	-	100.0	-	-	100.0
4,000-4,249.....	-	-	100.0	-	-	100.0	-	-	100.0
4,250-4,499.....	-	-	100.0	-	-	100.0	-	-	100.0
4,500-4,749.....	-	-	100.0	-	-	100.0	-	-	100.0
4,750-4,999.....	-	-	100.0	-	-	100.0	-	-	100.0
5,000 or more.....	-	-	100.0	-	-	100.0	-	-	100.0

See footnotes at end of table.

Table 3-17. Cumulative percent distribution of caloric intake values for persons aged 6-8 years by sex and income level: United States, 1976-80-Continued

Income level and calories	Both sexes			Male			Female		
	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent
. Income above poverty level ^{1/}									
Total.....	644	8,118	100.0	336	4,254	100.0	308	3,864	100.0
Less than 250.....	-	-	-	-	-	-	-	-	-
250-499.....	-	-	-	-	-	-	-	-	-
500-749.....	4	46	.6	3	38	.9	1	8	.2
750-799.....	2	19	.8	-	-	.9	2	19	.7
800-999.....	13	136	2.5	5	51	2.1	8	86	2.9
1,000-1,099.....	23	314	6.3	10	132	5.2	13	182	7.6
1,100-1,249.....	32	403	11.3	11	128	8.2	21	275	14.7
1,250-1,399.....	53	623	19.0	23	252	14.1	30	371	24.3
1,400-1,499.....	31	408	24.0	12	197	18.8	19	211	29.8
1,500-1,599.....	51	713	32.8	25	349	26.9	26	364	39.2
1,600-1,749.....	67	767	42.2	32	403	36.4	35	365	48.6
1,750-1,999.....	126	1,620	62.2	66	859	56.6	60	761	68.3
2,000-2,249.....	83	1,054	75.2	43	493	68.2	40	561	82.8
2,250-2,499.....	77	995	87.4	50	644	83.3	27	350	91.9
2,500-2,749.....	34	436	92.8	24	294	90.3	10	142	95.6
2,750-2,999.....	26	306	96.5	18	225	95.5	8	81	97.7
3,000-3,249.....	8	100	97.8	4	50	96.7	4	50	99.0
3,250-3,499.....	5	51	98.4	3	31	97.4	2	20	99.5
3,500-3,749.....	4	44	98.9	3	34	98.2	1	9	99.7
3,750-3,999.....	2	27	99.3	2	27	98.9	-	-	99.7
4,000-4,249.....	-	-	99.3	-	-	98.9	-	-	99.7
4,250-4,499.....	2	48	99.9	2	48	100.0	-	-	99.7
4,500-4,749.....	1	10	100.0	-	-	100.0	1	10	100.0
4,750-4,999.....	-	-	100.0	-	-	100.0	-	-	100.0
5,000 or more.....	-	-	100.0	-	-	100.0	-	-	100.0

1/ Excludes unknown income.

Table 3-18. Cumulative percent distribution of caloric intake values for persons aged 9-11 years by sex and income level: United States, 1976-80

Income level and calories	Both sexes			Male			Female		
	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent
All incomes									
Total.....	882	10,667	100.0	457	5,310	100.0	425	5,357	100.0
Less than 250.....	-	-	-	-	-	-	-	-	-
250-499.....	2	24	.2	2	24	.4	-	-	-
500-749.....	11	105	1.2	5	38	1.2	6	67	1.3
750-799.....	1	7	1.3	-	-	1.2	1	7	1.4
800-999.....	21	212	3.3	7	72	2.5	14	139	4.0
1,000-1,099.....	26	289	6.0	9	81	4.0	17	209	7.9
1,100-1,249.....	44	456	10.3	17	181	7.5	27	295	13.0
1,250-1,399.....	55	769	17.5	18	255	12.3	37	514	22.6
1,400-1,499.....	45	521	22.3	17	176	15.6	28	345	29.0
1,500-1,599.....	50	658	28.5	16	199	19.3	34	459	37.6
1,600-1,749.....	88	1,057	38.4	45	493	28.6	43	564	48.1
1,750-1,999.....	144	1,840	55.7	69	841	44.4	75	999	66.8
2,000-2,249.....	123	1,356	68.4	71	731	58.2	52	625	78.4
2,250-2,499.....	86	1,065	78.4	58	696	71.3	28	369	85.3
2,500-2,749.....	76	902	86.8	48	570	82.0	28	332	91.5
2,750-2,999.....	49	641	92.8	30	394	89.5	19	247	96.1
3,000-3,249.....	19	251	95.2	14	183	92.9	5	68	97.4
3,250-3,499.....	12	174	96.8	9	134	95.4	3	40	98.2
3,500-3,749.....	8	92	97.7	6	73	96.8	2	19	98.5
3,750-3,999.....	10	110	98.7	8	83	98.4	2	27	99.0
4,000-4,249.....	2	16	98.8	1	7	98.5	1	8	99.2
4,250-4,499.....	3	35	99.2	2	21	98.9	1	14	99.4
4,500-4,749.....	4	34	99.5	3	25	99.4	1	9	99.6
4,750-4,999.....	1	21	99.7	-	-	99.4	1	21	100.0
5,000 or more.....	2	33	100.0	2	33	100.0	-	-	100.0
Income below poverty level^{1/}									
Total.....	190	1,967	100.0	88	854	100.0	102	1,113	100.0
Less than 250.....	-	-	-	-	-	-	-	-	-
250-499.....	2	24	1.2	2	24	2.8	-	-	-
500-749.....	5	45	3.5	3	27	6.0	2	18	1.6
750-799.....	-	-	3.5	-	-	6.0	-	-	1.6
800-999.....	8	67	6.9	2	16	7.8	6	51	6.2
1,000-1,099.....	6	70	10.5	2	20	10.2	4	50	10.8
1,100-1,249.....	10	93	15.2	1	8	11.1	9	85	18.4
1,250-1,399.....	12	170	23.9	2	27	14.3	10	143	31.2
1,400-1,499.....	12	108	29.4	4	34	18.3	8	74	37.9
1,500-1,599.....	14	158	37.4	5	67	26.2	9	91	46.0
1,600-1,749.....	21	208	48.0	10	86	36.2	11	122	57.0
1,750-1,999.....	21	216	58.9	12	137	52.2	9	79	64.1
2,000-2,249.....	28	303	74.3	15	148	69.5	13	156	78.0
2,250-2,499.....	17	166	82.8	11	102	81.5	6	64	83.8
2,500-2,749.....	14	136	89.7	7	55	88.0	7	81	91.1
2,750-2,999.....	6	87	94.1	2	23	90.6	4	64	96.8
3,000-3,249.....	7	56	96.9	6	47	96.1	1	9	97.6
3,250-3,499.....	1	10	97.5	-	-	96.1	1	10	98.5
3,500-3,749.....	2	17	98.3	1	9	97.2	1	9	99.3
3,750-3,999.....	2	19	99.3	2	19	99.3	-	-	99.3
4,000-4,249.....	1	8	99.7	-	-	99.3	1	8	100.0
4,250-4,499.....	1	6	100.0	1	6	100.0	-	-	100.0
4,500-4,749.....	-	-	100.0	-	-	100.0	-	-	100.0
4,750-4,999.....	-	-	100.0	-	-	100.0	-	-	100.0
5,000 or more.....	-	-	100.0	-	-	100.0	-	-	100.0

See footnotes at end of table.

Table 3-18. Cumulative percent distribution of caloric intake values for persons aged 9-11 years by sex and income level: United States, 1976-80-Continued

Income level and calories	Both sexes			Male			Female		
	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	663	8,370	100.0	356	4,321	100.0	307	4,049	100.0
Less than 250.....	-	-	-	-	-	-	-	-	-
250-499.....	-	-	-	-	-	-	-	-	-
500-749.....	6	60	.7	2	11	.3	4	49	1.2
750-799.....	1	7	.8	-	-	.3	1	7	1.4
800-999.....	13	144	2.5	5	56	1.6	8	88	3.6
1,000-1,099.....	19	211	5.0	6	52	2.8	13	158	7.5
1,100-1,249.....	33	356	9.3	16	174	6.8	17	182	12.0
1,250-1,399.....	40	551	15.9	15	210	11.6	25	341	20.4
1,400-1,499.....	28	348	20.0	13	142	14.9	15	206	25.5
1,500-1,599.....	35	481	25.8	11	132	18.0	24	349	34.1
1,600-1,749.....	63	816	35.5	33	396	27.1	30	420	44.5
1,750-1,999.....	120	1,585	54.5	56	684	43.0	64	901	66.7
2,000-2,249.....	93	1,036	66.8	55	577	56.3	38	460	78.1
2,250-2,499.....	67	882	77.4	45	577	69.7	22	305	85.6
2,500-2,749.....	59	734	86.2	39	492	81.1	20	243	91.6
2,750-2,999.....	42	548	92.7	27	365	89.5	15	183	96.1
3,000-3,249.....	12	195	95.0	8	136	92.6	4	59	97.6
3,250-3,499.....	11	164	97.0	9	134	95.8	2	30	98.3
3,500-3,749.....	4	49	97.6	3	39	96.7	1	10	98.6
3,750-3,999.....	8	91	98.7	6	64	98.1	2	27	99.3
4,000-4,249.....	1	7	98.8	1	7	98.3	-	-	99.3
4,250-4,499.....	1	15	98.9	1	15	98.7	-	-	99.3
4,500-4,749.....	4	34	99.3	3	25	99.2	1	9	99.5
4,750-4,999.....	1	21	99.6	-	-	99.2	1	21	100.0
5,000 or more.....	2	33	100.0	2	33	100.0	-	-	100.0

^{1/} Excludes unknown income.

Table 3-19. Cumulative percent distribution of caloric intake values for persons aged 12-14 years by sex and income level: United States, 1976-80

Income level and calories	Both sexes			Male			Female		
	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent
All incomes									
Total.....	991	11,632	100.0	504	5,920	100.0	487	5,712	100.0
Less than 250.....	-	-	-	-	-	-	-	-	-
250-499.....	4	29	.3	-	-	-	4	29	.5
500-749.....	14	176	1.8	4	46	.8	10	130	2.8
750-999.....	9	92	2.5	4	45	1.5	5	47	3.6
800-999.....	47	536	7.2	14	156	4.2	33	380	10.3
1,000-1,099.....	35	400	10.6	7	72	5.4	28	328	16.0
1,100-1,249.....	35	441	14.4	15	166	8.2	20	275	20.8
1,250-1,399.....	63	690	20.3	25	258	12.5	38	432	28.4
1,400-1,499.....	49	576	25.3	10	131	14.8	39	445	36.2
1,500-1,599.....	46	550	30.0	25	308	20.0	21	242	40.4
1,600-1,749.....	77	894	37.7	36	392	26.6	41	502	49.2
1,750-1,999.....	117	1,406	49.8	44	527	35.5	73	879	64.6
2,000-2,249.....	117	1,411	61.9	61	725	47.7	56	686	76.6
2,250-2,499.....	95	1,052	70.9	56	622	58.2	39	430	84.1
2,500-2,749.....	81	938	79.0	44	531	67.2	37	407	91.3
2,750-2,999.....	64	803	85.9	43	527	76.1	21	277	96.1
3,000-3,249.....	43	480	90.0	33	375	82.4	10	105	97.9
3,250-3,499.....	32	375	93.3	27	326	87.9	5	49	98.8
3,500-3,749.....	15	202	95.0	13	179	91.0	2	23	99.2
3,750-3,999.....	13	185	96.6	13	185	94.1	-	-	99.2
4,000-4,249.....	13	118	97.6	11	102	95.8	2	16	99.5
4,250-4,499.....	4	56	98.1	3	43	96.5	1	14	99.7
4,500-4,749.....	5	66	98.7	5	66	97.6	-	-	99.7
4,750-4,999.....	3	35	99.0	2	26	98.1	1	10	99.9
5,000 or more.....	10	121	100.0	9	113	100.0	1	7	100.0
Income below poverty level^{1/}									
Total.....	193	1,963	100.0	89	891	100.0	104	1,072	100.0
Less than 250.....	-	-	-	-	-	-	-	-	-
250-499.....	1	6	.3	-	-	-	1	6	.6
500-749.....	2	23	1.5	1	8	.9	1	14	1.9
750-999.....	3	35	3.2	1	20	3.2	2	15	3.3
800-999.....	17	192	13.0	5	53	9.1	12	139	16.2
1,000-1,099.....	6	52	15.6	-	-	9.1	6	52	21.0
1,100-1,249.....	8	103	20.9	3	25	11.9	5	79	28.4
1,250-1,399.....	14	137	27.9	5	47	17.2	9	89	36.7
1,400-1,499.....	12	129	34.4	3	37	21.3	9	92	45.3
1,500-1,599.....	10	84	38.7	7	60	28.1	3	23	47.5
1,600-1,749.....	19	215	49.7	7	67	35.6	12	149	61.4
1,750-1,999.....	17	143	57.0	6	46	40.8	11	97	70.4
2,000-2,249.....	21	224	68.4	12	143	56.8	9	82	78.0
2,250-2,499.....	19	167	76.9	10	76	65.3	9	91	86.5
2,500-2,749.....	10	85	81.2	4	28	68.5	6	57	91.8
2,750-2,999.....	11	134	88.0	9	101	79.8	2	33	94.9
3,000-3,249.....	8	74	91.8	6	60	86.6	2	14	96.2
3,250-3,499.....	5	42	94.0	3	28	89.8	2	14	97.4
3,500-3,749.....	3	34	95.7	2	28	92.9	1	6	98.1
3,750-3,999.....	4	46	98.1	4	46	98.1	-	-	98.1
4,000-4,249.....	1	7	98.4	-	-	98.1	1	7	98.7
4,250-4,499.....	1	14	99.1	-	-	98.1	1	14	100.0
4,500-4,749.....	-	-	99.1	-	-	98.1	-	-	100.0
4,750-4,999.....	-	-	99.1	-	-	98.1	-	-	100.0
5,000 or more.....	1	17	100.0	1	17	100.0	-	-	100.0

See footnotes at end of table.

Table 3-19. Cumulative percent distribution of caloric intake values for persons aged 12-14 years by sex and income level: United States, 1976-80-Continued

Income level and calories	Both sexes			Male			Female		
	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	762	9,255	100.0	399	4,841	100.0	363	4,414	100.0
Less than 250.....	-	-	-	-	-	-	-	-	-
250-499.....	3	23	.2	-	-	-	3	23	.5
500-749.....	10	110	1.4	3	37	.8	7	73	2.2
750-799.....	6	58	2.1	3	26	1.3	3	32	2.9
800-999.....	29	334	5.7	9	103	3.4	20	232	8.1
1,000-1,099.....	28	340	9.3	7	72	4.9	21	268	14.2
1,100-1,249.....	26	328	12.9	12	141	7.8	14	187	18.4
1,250-1,399.....	45	517	18.5	18	191	11.8	27	326	25.8
1,400-1,499.....	36	435	23.2	6	83	13.5	30	352	33.8
1,500-1,599.....	34	436	27.9	17	236	18.4	17	200	38.4
1,600-1,749.....	56	664	35.1	29	326	25.1	27	338	46.0
1,750-1,999.....	93	1,173	47.7	35	448	34.3	58	725	62.4
2,000-2,249.....	92	1,151	60.2	48	573	46.2	44	578	75.5
2,250-2,499.....	74	853	69.4	45	522	56.9	29	332	83.0
2,500-2,749.....	69	829	78.3	38	479	66.8	31	350	91.0
2,750-2,999.....	49	621	85.1	32	391	74.9	17	230	96.2
3,000-3,249.....	34	399	89.4	26	308	81.3	8	91	98.3
3,250-3,499.....	26	325	92.9	23	290	87.3	3	35	99.0
3,500-3,749.....	11	162	94.6	10	145	90.3	1	17	99.4
3,750-3,999.....	9	138	96.1	9	138	93.1	-	-	99.4
4,000-4,249.....	12	111	97.3	11	102	95.2	1	9	99.6
4,250-4,499.....	3	43	97.8	3	43	96.1	-	-	99.6
4,500-4,749.....	5	66	98.5	5	66	97.5	-	-	99.6
4,750-4,999.....	3	35	98.9	2	26	98.0	1	10	99.8
5,000 or more.....	9	104	100.0	8	97	100.0	1	7	100.0

^{1/} Excludes unknown income.

Table 3-20. Cumulative percent distribution of caloric intake values for persons aged 15-17 years by sex and income level: United States, 1976-80

Income level and calories	Both sexes			Male			Female		
	Exam-ined persons	Esti-mated population in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated population in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated population in thou-sands	Cumulative percent
All incomes									
Total.....	984	12,452	100.0	535	6,320	100.0	449	6,131	100.0
Less than 250.....	3	41	.3	1	11	.2	2	30	.5
250-499.....	9	117	1.3	1	9	.3	8	108	2.2
500-749.....	15	213	3.0	1	15	.5	14	198	5.5
750-799.....	7	103	3.8	2	24	.9	5	79	6.8
800-999.....	52	632	8.9	14	166	3.6	38	465	14.3
1,000-1,099.....	29	342	11.6	8	84	4.9	21	258	18.5
1,100-1,249.....	55	812	18.1	15	191	7.9	40	621	28.7
1,250-1,399.....	50	641	23.3	15	217	11.3	35	424	35.6
1,400-1,499.....	36	473	27.1	9	92	12.8	27	381	41.8
1,500-1,599.....	42	530	31.3	11	123	14.8	31	407	48.5
1,600-1,749.....	68	893	38.5	29	304	19.6	39	589	58.1
1,750-1,999.....	100	1,190	48.1	48	513	27.7	52	676	69.1
2,000-2,249.....	98	1,231	58.0	48	591	37.0	50	640	79.5
2,250-2,499.....	69	796	64.3	42	477	44.6	27	349	84.7
2,500-2,749.....	77	986	72.3	54	639	54.7	23	347	90.4
2,750-2,999.....	55	719	78.0	46	552	63.4	9	167	93.1
3,000-3,249.....	56	704	83.7	44	530	71.8	12	175	96.0
3,250-3,499.....	32	409	87.0	27	301	76.6	5	108	97.7
3,500-3,749.....	32	421	90.4	27	356	82.2	5	65	98.8
3,750-3,999.....	19	220	92.1	16	188	85.2	3	32	99.3
4,000-4,249.....	18	205	93.8	17	197	88.3	1	7	99.4
4,250-4,499.....	13	145	94.9	11	110	90.0	2	35	100.0
4,500-4,749.....	12	136	96.0	12	136	92.2	-	-	100.0
4,750-4,999.....	7	95	96.8	7	95	93.7	-	-	100.0
5,000 or more.....	30	399	100.0	30	399	100.0	-	-	100.0
Income below poverty level^{1/}									
Total.....	177	2,073	100.0	89	974	100.0	88	1,099	100.0
Less than 250.....	2	30	1.4	-	-	-	2	30	2.7
250-499.....	1	9	1.9	1	9	.9	-	-	2.7
500-749.....	1	8	2.3	-	-	.9	1	8	3.4
750-799.....	2	35	3.9	1	12	2.2	1	22	5.5
800-999.....	9	105	9.0	3	40	6.3	6	64	11.3
1,000-1,099.....	8	68	12.3	3	26	9.0	5	42	15.1
1,100-1,249.....	12	157	19.8	4	50	14.1	8	107	24.9
1,250-1,399.....	7	78	23.6	3	40	18.3	4	38	28.3
1,400-1,499.....	8	115	29.1	1	7	19.0	7	108	38.1
1,500-1,599.....	10	119	34.8	4	36	22.6	6	83	45.6
1,600-1,749.....	14	173	43.2	6	50	27.8	8	122	56.8
1,750-1,999.....	21	211	53.3	10	101	38.2	11	110	66.8
2,000-2,249.....	16	219	63.9	7	104	48.8	9	115	77.3
2,250-2,499.....	12	125	69.9	5	48	53.8	7	77	84.3
2,500-2,749.....	14	170	78.1	10	94	63.4	4	76	91.1
2,750-2,999.....	7	123	84.1	5	87	72.4	2	36	94.4
3,000-3,249.....	7	58	86.8	5	41	76.7	2	16	95.8
3,250-3,499.....	4	31	88.3	4	31	79.9	-	-	95.8
3,500-3,749.....	8	98	93.1	5	70	87.1	3	29	98.5
3,750-3,999.....	4	28	94.4	3	19	89.0	1	8	99.2
4,000-4,249.....	-	-	94.4	-	-	89.0	-	-	99.2
4,250-4,499.....	2	22	95.5	1	13	90.4	1	8	100.0
4,500-4,749.....	2	28	96.9	2	28	93.3	-	-	100.0
4,750-4,999.....	2	22	97.9	2	22	95.6	-	-	100.0
5,000 or more.....	4	43	100.0	4	43	100.0	-	-	100.0

See footnotes at end of table.

Table 3-20. Cumulative percent distribution of caloric intake values for persons aged 15-17 years by sex and income level: United States, 1976-80-Continued

Income level and calories	Both sexes			Male			Female		
	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	760	9,760	100.0	418	5,003	100.0	342	4,758	100.0
Less than 250.....	1	11	.1	1	11	.2	-	-	-
250-499.....	8	108	1.2	-	-	.2	8	108	2.3
500-749.....	13	196	3.2	1	15	.5	12	181	6.1
750-799.....	5	68	3.9	1	12	.7	4	57	7.3
800-999.....	40	496	9.0	9	107	2.9	31	389	15.4
1,000-1,099.....	21	274	11.8	5	58	4.0	16	216	20.0
1,100-1,249.....	43	655	18.5	11	141	6.9	32	515	30.8
1,250-1,399.....	40	521	23.9	11	163	10.1	29	358	38.3
1,400-1,499.....	25	318	27.1	7	67	11.5	18	251	43.6
1,500-1,599.....	31	399	31.2	7	87	13.2	24	312	50.1
1,600-1,749.....	51	681	38.2	22	240	18.0	29	441	59.4
1,750-1,999.....	73	881	47.2	35	351	25.0	38	530	70.5
2,000-2,249.....	72	896	56.4	33	397	33.0	39	499	81.0
2,250-2,499.....	55	646	63.0	37	429	41.5	18	218	85.6
2,500-2,749.....	61	794	71.1	42	522	52.0	19	272	91.3
2,750-2,999.....	47	588	77.2	40	457	61.1	7	131	94.0
3,000-3,249.....	45	604	83.4	36	454	70.2	9	150	97.2
3,250-3,499.....	27	336	86.8	23	270	75.6	4	66	98.6
3,500-3,749.....	23	313	90.0	21	277	81.1	2	36	99.4
3,750-3,999.....	15	192	92.0	13	169	84.5	2	23	99.8
4,000-4,249.....	17	191	93.9	16	184	88.2	1	7	100.0
4,250-4,499.....	8	76	94.7	8	76	89.7	-	-	100.0
4,500-4,749.....	9	99	95.7	9	99	91.7	-	-	100.0
4,750-4,999.....	4	61	96.3	4	61	92.9	-	-	100.0
5,000 or more.....	26	356	100.0	26	356	100.0	-	-	100.0

1/ Excludes unknown income.

Table 3-21. Cumulative percent distribution of caloric intake values for persons aged 18-24 years by sex and income level: United States, 1976-80

Income level and calories	Both sexes			Male			Female		
	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent
All incomes									
Total.....	2,054	27,448	100.0	988	13,275	100.0	1,066	14,173	100.0
Less than 250.....	8	94	.3	1	14	.1	7	80	.6
250-499.....	19	209	1.1	5	59	.5	14	150	1.6
500-749.....	71	910	4.4	10	125	1.5	61	785	7.2
750-799.....	30	427	6.0	2	29	1.7	28	399	10.0
800-999.....	92	1,195	10.3	13	186	3.1	79	1,008	17.1
1,000-1,099.....	55	838	13.4	7	123	4.0	48	716	22.1
1,100-1,249.....	107	1,453	18.7	19	261	6.0	88	1,192	30.5
1,250-1,399.....	117	1,548	24.3	35	418	9.1	82	1,130	38.5
1,400-1,499.....	75	964	27.8	19	250	11.0	56	715	43.6
1,500-1,599.....	96	1,271	32.5	22	276	13.1	74	996	50.6
1,600-1,749.....	128	1,572	38.2	37	465	16.6	91	1,107	58.4
1,750-1,999.....	196	2,683	48.0	71	910	23.5	125	1,772	70.9
2,000-2,249.....	194	2,569	57.3	89	1,170	32.3	105	1,400	80.8
2,250-2,499.....	165	2,161	65.2	90	1,197	41.3	75	964	87.6
2,500-2,749.....	147	1,967	72.4	91	1,198	50.3	56	769	93.0
2,750-2,999.....	101	1,338	77.2	79	1,068	58.4	22	270	94.9
3,000-3,249.....	90	1,176	81.5	74	995	65.9	16	181	96.2
3,250-3,499.....	78	1,023	85.3	66	842	72.2	12	182	97.5
3,500-3,749.....	47	744	88.0	39	648	77.1	8	96	98.2
3,750-3,999.....	50	702	90.5	46	637	81.9	4	65	98.6
4,000-4,249.....	26	353	91.8	24	315	84.3	2	38	98.9
4,250-4,499.....	35	473	93.5	31	411	87.3	4	62	99.3
4,500-4,749.....	27	319	94.7	24	285	89.5	3	35	99.6
4,750-4,999.....	18	262	95.7	17	252	91.4	1	10	99.6
5,000 or more.....	82	1,192	100.0	77	1,142	100.0	5	50	100.0
Income below poverty level^{1/}									
Total.....	431	5,309	100.0	178	2,237	100.0	253	3,072	100.0
Less than 250.....	4	51	1.0	1	14	.6	3	37	1.2
250-499.....	6	66	2.2	2	34	2.1	4	32	2.2
500-749.....	18	209	6.1	2	24	3.2	16	185	8.3
750-799.....	11	159	9.1	1	15	3.9	10	144	13.0
800-999.....	21	248	13.8	-	-	3.9	21	248	21.0
1,000-1,099.....	10	142	16.5	2	30	5.2	8	112	24.7
1,100-1,249.....	28	341	22.9	2	30	6.5	26	311	34.8
1,250-1,399.....	28	345	29.4	9	104	11.2	19	241	42.7
1,400-1,499.....	11	152	32.2	-	-	11.2	11	152	47.6
1,500-1,599.....	26	310	38.1	6	60	13.8	20	250	55.7
1,600-1,749.....	30	368	45.0	6	87	17.7	24	281	64.9
1,750-1,999.....	44	542	55.2	19	223	27.7	25	320	75.3
2,000-2,249.....	39	480	64.3	17	200	36.6	22	280	84.4
2,250-2,499.....	31	337	70.6	14	159	43.7	17	178	90.2
2,500-2,749.....	21	256	75.4	11	143	50.1	10	114	93.9
2,750-2,999.....	23	255	80.3	18	216	59.8	5	39	95.2
3,000-3,249.....	15	164	83.3	11	132	65.6	4	32	96.2
3,250-3,499.....	18	234	87.8	14	177	73.5	4	58	98.1
3,500-3,749.....	7	87	89.4	6	77	77.0	1	10	98.4
3,750-3,999.....	12	155	92.3	12	155	83.9	-	-	98.4
4,000-4,249.....	3	40	93.1	3	40	85.7	-	-	98.4
4,250-4,499.....	8	112	95.2	6	74	89.0	2	38	99.7
4,500-4,749.....	3	34	95.8	3	34	90.6	-	-	99.7
4,750-4,999.....	4	62	97.0	3	52	92.9	1	10	100.0
5,000 or more.....	10	159	100.0	10	159	100.0	-	-	100.0

See footnotes at end of table.

Table 3-21. Cumulative percent distribution of caloric intake values for persons aged 18-24 years by sex and income level: United States, 1976-80-Continued

Income level and calories	Both sexes			Male			Female		
	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	1,541	21,013	100.0	770	10,508	100.0	771	10,505	100.0
Less than 250.....	3	31	.1	-	-	-	3	31	.3
250-499.....	13	143	.8	3	25	.2	10	118	1.4
500-749.....	52	676	4.0	8	101	1.2	44	575	6.9
750-799.....	18	260	5.3	1	14	1.3	17	246	9.2
800-999.....	68	918	9.6	12	176	3.0	56	742	16.3
1,000-1,099.....	42	645	12.7	5	93	3.9	37	552	21.5
1,100-1,249.....	73	1,005	17.5	16	218	6.0	57	787	29.0
1,250-1,399.....	82	1,099	22.7	24	297	8.8	58	802	36.7
1,400-1,499.....	60	770	26.4	16	214	10.8	44	556	42.0
1,500-1,599.....	66	922	30.8	16	216	12.9	50	706	48.7
1,600-1,749.....	97	1,192	36.5	31	378	16.5	66	813	56.4
1,750-1,999.....	146	2,079	46.4	50	669	22.9	96	1,410	69.9
2,000-2,249.....	145	1,955	55.7	67	897	31.4	78	1,058	79.9
2,250-2,499.....	127	1,727	63.9	72	980	40.7	55	746	87.0
2,500-2,749.....	119	1,610	71.5	76	1,006	50.3	43	604	92.8
2,750-2,999.....	76	1,058	76.6	60	839	58.3	16	219	94.9
3,000-3,249.....	68	887	80.8	56	738	65.3	12	149	96.3
3,250-3,499.....	57	743	84.3	51	651	71.5	6	92	97.2
3,500-3,749.....	37	618	87.3	30	532	76.6	7	87	98.0
3,750-3,999.....	38	547	89.9	34	482	81.2	4	65	98.6
4,000-4,249.....	21	290	91.3	19	252	83.5	2	38	99.0
4,250-4,499.....	25	342	92.9	23	319	86.6	2	24	99.2
4,500-4,749.....	24	285	94.3	21	250	89.0	3	35	99.5
4,750-4,999.....	14	200	95.2	14	200	90.9	-	-	99.5
5,000 or more.....	70	1,009	100.0	65	959	100.0	5	50	100.0

1/ Excludes unknown income.

Table 3-22. Cumulative percent distribution of caloric intake values for persons aged 25-34 years by sex and income level: United States, 1976-80

Income level and calories	Both sexes			Male			Female		
	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent
All incomes									
Total.....	2,237	32,752	100.0	1,067	15,895	100.0	1,170	16,856	100.0
Less than 250.....	9	109	.3	2	16	.1	7	93	.5
250-499.....	16	218	1.0	3	47	.4	13	171	1.6
500-749.....	67	922	3.8	3	30	.6	64	892	6.9
750-799.....	17	283	4.7	-	-	.6	17	283	8.5
800-999.....	113	1,716	9.9	15	240	2.1	98	1,476	17.3
1,000-1,099.....	62	911	12.7	12	206	3.4	50	705	21.5
1,100-1,249.....	123	1,766	18.1	25	335	5.5	98	1,431	30.0
1,250-1,399.....	152	2,118	24.5	23	335	7.6	129	1,783	40.5
1,400-1,499.....	100	1,446	29.0	21	385	10.0	79	1,061	46.8
1,500-1,599.....	121	1,772	34.4	39	579	13.7	82	1,193	53.9
1,600-1,749.....	161	2,363	41.6	58	838	18.9	103	1,525	63.0
1,750-1,999.....	223	3,179	51.3	83	1,175	26.3	140	2,004	74.8
2,000-2,249.....	223	3,375	61.6	117	1,812	37.7	106	1,563	84.1
2,250-2,499.....	170	2,405	68.9	104	1,488	47.1	66	916	89.6
2,500-2,749.....	142	2,236	75.8	97	1,597	57.1	45	638	93.3
2,750-2,999.....	125	1,941	81.7	95	1,462	66.3	30	479	96.2
3,000-3,249.....	75	1,059	84.9	66	928	72.2	9	132	97.0
3,250-3,499.....	77	1,199	88.6	62	979	78.3	15	220	98.3
3,500-3,749.....	67	994	91.6	63	941	84.3	4	54	98.6
3,750-3,999.....	51	733	93.9	46	665	88.4	5	68	99.0
4,000-4,249.....	32	455	95.3	31	446	91.3	1	9	99.0
4,250-4,499.....	33	458	96.7	28	371	93.6	5	86	99.6
4,500-4,749.....	16	232	97.4	16	232	95.0	-	-	99.6
4,750-4,999.....	16	201	98.0	16	201	96.3	-	-	99.6
5,000 or more.....	46	661	100.0	42	587	100.0	4	74	100.0
Income below poverty level^{1/}									
Total.....	253	3,103	100.0	91	1,106	100.0	162	1,997	100.0
Less than 250.....	-	-	-	-	-	-	-	-	-
250-499.....	4	50	1.6	1	6	.6	3	44	2.2
500-749.....	14	148	6.4	1	7	1.2	13	141	9.3
750-799.....	2	25	7.2	-	-	1.2	2	25	10.5
800-999.....	14	129	11.4	2	22	3.2	12	108	15.9
1,000-1,099.....	6	99	14.6	1	22	5.1	5	77	19.8
1,100-1,249.....	17	236	22.2	5	64	10.9	12	171	28.4
1,250-1,399.....	23	251	30.3	2	21	12.8	21	230	39.9
1,400-1,499.....	11	132	34.5	1	9	13.6	10	124	46.1
1,500-1,599.....	16	155	39.5	5	42	17.4	11	113	51.7
1,600-1,749.....	24	361	51.1	9	123	28.6	15	238	63.6
1,750-1,999.....	23	265	59.7	5	67	34.6	18	198	73.5
2,000-2,249.....	22	279	68.6	9	108	44.4	13	171	82.1
2,250-2,499.....	20	238	76.3	10	121	55.3	10	118	88.0
2,500-2,749.....	10	135	80.7	7	92	63.6	3	43	90.1
2,750-2,999.....	12	153	85.6	6	98	72.5	6	55	92.9
3,000-3,249.....	5	75	88.0	4	48	76.8	1	27	94.3
3,250-3,499.....	7	84	90.7	4	39	80.3	3	45	96.5
3,500-3,749.....	2	17	91.3	2	17	81.9	-	-	96.5
3,750-3,999.....	5	55	93.0	5	55	86.8	-	-	96.5
4,000-4,249.....	6	56	94.8	5	47	91.1	1	9	96.9
4,250-4,499.....	4	61	96.8	2	25	93.3	2	37	98.8
4,500-4,749.....	2	38	98.0	2	38	96.7	-	-	98.8
4,750-4,999.....	-	-	98.0	-	-	96.7	-	-	98.8
5,000 or more.....	4	61	100.0	3	37	100.0	1	24	100.0

See footnotes at end of table.

Table 3-22. Cumulative percent distribution of caloric intake values for persons aged 25-34 years by sex and income level: United States, 1976-80-Continued

Income level and calories	Both sexes			Male			Female		
	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	1,927	28,837	100.0	945	14,355	100.0	982	14,482	100.0
Less than 250.....	7	93	.3	-	-	-	7	93	.6
250-499.....	12	167	.9	2	41	.3	10	127	1.5
500-749.....	52	758	3.5	2	23	.4	50	735	6.6
750-799.....	15	257	4.4	-	-	.4	15	257	8.4
800-999.....	96	1,554	9.8	12	205	1.9	84	1,350	17.7
1,000-1,099.....	53	770	12.5	11	185	3.1	42	586	21.7
1,100-1,249.....	102	1,480	17.6	17	227	4.7	85	1,253	30.4
1,250-1,399.....	124	1,799	23.8	21	314	6.9	103	1,485	40.6
1,400-1,499.....	86	1,261	28.2	19	367	9.5	67	894	46.8
1,500-1,599.....	103	1,585	33.7	32	504	13.0	71	1,081	54.3
1,600-1,749.....	134	1,964	40.5	48	708	17.9	86	1,256	62.9
1,750-1,999.....	197	2,883	50.5	78	1,108	25.6	119	1,774	75.2
2,000-2,249.....	195	3,024	61.0	104	1,655	37.2	91	1,370	84.6
2,250-2,499.....	142	2,025	68.0	90	1,309	46.3	52	716	89.6
2,500-2,749.....	132	2,101	75.3	90	1,505	56.8	42	596	93.7
2,750-2,999.....	111	1,752	81.4	87	1,328	66.0	24	424	96.6
3,000-3,249.....	68	947	84.7	60	843	71.9	8	104	97.4
3,250-3,499.....	67	1,061	88.4	55	886	78.1	12	175	98.6
3,500-3,749.....	64	968	91.7	60	915	84.4	4	54	98.9
3,750-3,999.....	45	665	94.0	41	610	88.7	4	54	99.3
4,000-4,249.....	26	399	95.4	26	399	91.5	-	-	99.3
4,250-4,499.....	26	349	96.6	23	300	93.6	3	50	99.7
4,500-4,749.....	14	194	97.3	14	194	94.9	-	-	99.7
4,750-4,999.....	14	179	97.9	14	179	96.2	-	-	99.7
5,000 or more.....	42	601	100.0	39	551	100.0	3	50	100.0

^{1/} Excludes unknown income.

Table 3-23. Cumulative percent distribution of caloric intake values for persons aged 35-44 years by sex and income level: United States, 1976-80

Income level and calories	Both sexes			Male			Female		
	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent
All incomes									
Total.....	1,589	23,651	100.0	745	11,367	100.0	844	12,284	100.0
Less than 250.....	6	88	.4	2	28	.2	4	61	.5
250-499.....	21	280	1.6	5	55	.7	16	225	2.3
500-749.....	39	515	3.7	4	54	1.2	35	460	6.1
750-999.....	21	299	5.0	-	-	1.2	21	299	8.5
800-999.....	94	1,297	10.5	13	231	3.2	81	1,066	17.2
1,000-1,099.....	63	942	14.5	14	222	5.2	49	720	23.0
1,100-1,249.....	102	1,548	21.0	22	377	8.5	80	1,171	32.6
1,250-1,399.....	109	1,723	28.3	32	576	13.6	77	1,147	41.9
1,400-1,499.....	81	1,216	33.4	19	305	16.3	62	910	49.3
1,500-1,599.....	81	1,201	38.5	27	423	20.0	54	778	55.7
1,600-1,749.....	128	1,941	46.7	37	561	24.9	91	1,380	66.9
1,750-1,999.....	182	2,726	58.3	80	1,162	35.1	102	1,564	79.6
2,000-2,249.....	163	2,463	68.7	94	1,353	47.0	69	1,110	88.6
2,250-2,499.....	128	1,924	76.8	86	1,417	59.5	42	506	92.8
2,500-2,749.....	88	1,260	82.1	66	977	68.1	22	284	95.1
2,750-2,999.....	75	1,223	87.3	60	1,016	77.0	15	207	96.8
3,000-3,249.....	57	897	91.1	50	774	83.9	7	123	97.8
3,250-3,499.....	45	655	93.8	40	587	89.0	5	68	98.3
3,500-3,749.....	34	519	96.0	28	432	92.8	6	87	99.0
3,750-3,999.....	13	160	96.7	12	132	94.0	1	28	99.3
4,000-4,249.....	14	147	97.3	14	147	95.3	-	-	99.3
4,250-4,499.....	12	160	98.0	11	146	96.6	1	13	99.4
4,500-4,749.....	9	137	98.6	8	116	97.6	1	21	99.5
4,750-4,999.....	8	125	99.1	8	125	98.7	-	-	99.5
5,000 or more.....	16	207	100.0	13	150	100.0	3	57	100.0
Income below poverty level ^{1/}									
Total.....	182	2,364	100.0	63	821	100.0	119	1,543	100.0
Less than 250.....	4	62	2.6	*	*	*	3	53	3.4
250-499.....	3	27	3.8	*	*	*	2	16	4.4
500-749.....	14	194	12.0	*	*	*	11	151	14.2
750-999.....	5	72	15.0	*	*	*	5	72	18.9
800-999.....	20	247	25.5	*	*	*	15	171	29.9
1,000-1,099.....	8	105	29.9	*	*	*	7	93	36.0
1,100-1,249.....	16	202	38.4	*	*	*	14	170	47.0
1,250-1,399.....	11	146	44.6	*	*	*	8	119	54.7
1,400-1,499.....	11	129	50.1	*	*	*	10	116	62.2
1,500-1,599.....	5	63	52.8	*	*	*	3	38	64.7
1,600-1,749.....	14	193	60.9	*	*	*	10	121	72.5
1,750-1,999.....	17	266	72.2	*	*	*	13	197	85.3
2,000-2,249.....	13	155	78.8	*	*	*	6	68	89.7
2,250-2,499.....	11	134	84.4	*	*	*	3	32	91.8
2,500-2,749.....	9	119	89.4	*	*	*	3	47	94.8
2,750-2,999.....	5	52	91.6	*	*	*	3	32	96.9
3,000-3,249.....	8	102	95.9	*	*	*	-	-	96.9
3,250-3,499.....	3	33	97.3	*	*	*	1	11	97.6
3,500-3,749.....	1	9	97.7	*	*	*	1	9	98.2
3,750-3,999.....	1	28	98.9	*	*	*	1	28	100.0
4,000-4,249.....	-	-	98.9	*	*	*	-	-	100.0
4,250-4,499.....	1	10	99.3	*	*	*	-	-	100.0
4,500-4,749.....	-	-	99.3	*	*	*	-	-	100.0
4,750-4,999.....	1	9	99.7	*	*	*	-	-	100.0
5,000 or more.....	1	8	100.0	*	*	*	-	-	100.0

See footnotes at end of table.

Table 3-23. Cumulative percent distribution of caloric intake values for persons aged 35-44 years by sex and income level: United States, 1976-80-Continued

Income level and calories	Both sexes			Male			Female		
	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	1,360	20,572	100.0	658	10,195	100.0	702	10,377	100.0
Less than 250.....	2	26	.1	1	18	.2	1	8	.1
250-499.....	18	253	1.4	4	43	.6	14	210	2.1
500-749.....	25	320	2.9	1	11	.7	24	309	5.1
750-799.....	16	227	4.0	-	-	.7	16	227	7.3
800-999.....	72	1,029	9.0	8	156	2.2	64	873	15.7
1,000-1,099.....	55	837	13.1	13	210	4.3	42	627	21.7
1,100-1,249.....	81	1,273	19.3	20	346	7.7	61	927	30.7
1,250-1,399.....	96	1,532	26.7	28	525	12.8	68	1,008	40.4
1,400-1,499.....	66	1,013	31.6	16	261	15.4	50	752	47.6
1,500-1,599.....	71	1,062	36.8	23	353	18.9	48	709	54.4
1,600-1,749.....	111	1,705	45.1	32	475	23.5	79	1,230	66.3
1,750-1,999.....	153	2,268	56.1	69	1,014	33.5	84	1,254	78.4
2,000-2,249.....	145	2,225	66.9	83	1,198	45.2	62	1,027	88.3
2,250-2,499.....	114	1,747	75.4	76	1,280	57.8	38	467	92.8
2,500-2,749.....	76	1,110	80.8	57	874	66.3	19	237	95.1
2,750-2,999.....	70	1,171	86.5	58	996	76.1	12	175	96.8
3,000-3,249.....	49	795	90.4	42	673	82.7	7	123	97.9
3,250-3,499.....	41	610	93.3	37	553	88.1	4	57	98.5
3,500-3,749.....	33	510	95.8	28	432	92.4	5	78	99.2
3,750-3,999.....	12	132	96.5	12	132	93.6	-	-	99.2
4,000-4,249.....	13	137	97.1	13	137	95.0	-	-	99.2
4,250-4,499.....	11	150	97.9	10	137	96.3	1	13	99.4
4,500-4,749.....	9	137	98.5	8	116	97.5	1	21	99.6
4,750-4,999.....	7	116	99.1	7	116	98.6	-	-	99.6
5,000 or more.....	14	186	100.0	12	142	100.0	2	44	100.0

1/ Excludes unknown income.

Table 3-24. Cumulative percent distribution of caloric intake values for persons aged 45-54 years by sex and income level: United States, 1976-80

Income level and calories	Both sexes			Male			Female		
	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent
All incomes									
Total.....	1,453	23,032	100.0	690	11,114	100.0	763	11,918	100.0
Less than 250.....	4	49	.2	-	-	-	4	49	.4
250-499.....	17	192	1.0	1	8	.1	16	184	2.0
500-749.....	65	946	5.2	12	182	1.7	53	764	8.4
750-999.....	28	473	7.2	4	51	2.2	24	422	11.9
800-999.....	101	1,512	13.8	22	310	5.0	79	1,202	22.0
1,000-1,099.....	* 73	1,226	19.1	14	257	7.3	59	969	30.1
1,100-1,249.....	101	1,645	26.2	24	375	10.6	77	1,269	40.8
1,250-1,399.....	104	1,798	34.0	23	416	14.4	81	1,382	52.4
1,400-1,499.....	72	1,097	38.8	19	295	17.0	53	802	59.1
1,500-1,599.....	74	1,346	44.6	21	411	20.8	53	935	66.9
1,600-1,749.....	122	1,850	52.7	45	737	27.4	77	1,112	76.3
1,750-1,999.....	157	2,473	63.4	81	1,273	38.8	76	1,200	86.3
2,000-2,249.....	138	2,232	73.1	86	1,442	51.8	52	789	93.0
2,250-2,499.....	108	1,588	80.0	82	1,253	63.1	26	335	95.8
2,500-2,749.....	77	1,228	85.3	69	1,089	72.9	8	139	96.9
2,750-2,999.....	60	891	89.2	52	771	79.8	8	120	98.0
3,000-3,249.....	43	691	92.2	32	543	84.7	11	147	99.2
3,250-3,499.....	27	397	93.9	25	370	88.0	2	27	99.4
3,500-3,749.....	26	513	96.2	26	513	92.6	-	-	99.4
3,750-3,999.....	16	269	97.3	14	230	94.7	2	39	99.8
4,000-4,249.....	8	127	97.9	8	127	95.9	-	-	99.8
4,250-4,499.....	12	174	98.6	11	156	97.3	1	17	99.9
4,500-4,749.....	2	24	98.7	2	24	97.5	-	-	99.9
4,750-4,999.....	3	38	98.9	3	38	97.8	-	-	99.9
5,000 or more.....	15	253	100.0	14	241	100.0	1	12	100.0
Income below poverty level^{1/}									
Total.....	128	1,760	100.0	46	645	100.0	82	1,115	100.0
Less than 250.....	-	-	-	*	*	*	-	-	-
250-499.....	6	63	3.6	*	*	*	5	55	4.9
500-749.....	10	119	10.3	*	*	*	9	107	14.5
750-999.....	3	38	12.5	*	*	*	3	38	17.9
800-999.....	12	129	19.8	*	*	*	11	119	28.6
1,000-1,099.....	5	62	23.3	*	*	*	4	42	32.4
1,100-1,249.....	12	183	33.7	*	*	*	9	153	46.1
1,250-1,399.....	9	144	41.9	*	*	*	8	121	57.0
1,400-1,499.....	3	33	43.8	*	*	*	2	21	58.9
1,500-1,599.....	8	143	51.9	*	*	*	7	135	71.0
1,600-1,749.....	13	155	60.7	*	*	*	9	98	79.8
1,750-1,999.....	13	184	71.2	*	*	*	8	125	91.0
2,000-2,249.....	8	96	76.6	*	*	*	4	55	95.9
2,250-2,499.....	9	130	84.0	*	*	*	2	33	98.9
2,500-2,749.....	6	108	90.1	*	*	*	1	12	100.0
2,750-2,999.....	3	31	91.9	*	*	*	-	-	100.0
3,000-3,249.....	3	41	94.2	*	*	*	-	-	100.0
3,250-3,499.....	3	81	98.8	*	*	*	-	-	100.0
3,500-3,749.....	-	-	98.8	*	*	*	-	-	100.0
3,750-3,999.....	-	-	98.8	*	*	*	-	-	100.0
4,000-4,249.....	-	-	98.8	*	*	*	-	-	100.0
4,250-4,499.....	1	12	99.5	*	*	*	-	-	100.0
4,500-4,749.....	-	-	99.5	*	*	*	-	-	100.0
4,750-4,999.....	1	9	100.0	*	*	*	-	-	100.0
5,000 or more.....	-	-	100.0	*	*	*	-	-	100.0

See footnotes at end of table.

Table 3-24. Cumulative percent distribution of caloric intake values for persons aged 45-54 years by sex and income level: United States, 1976-80-Continued

Income level and calories	Both sexes			Male			Female		
	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	1,258	20,161	100.0	603	9,738	100.0	655	10,424	100.0
Less than 250.....	4	49	.2	-	-	-	4	49	.5
250-499.....	10	121	.8	-	-	-	10	121	1.6
500-749.....	53	787	4.7	11	170	1.7	42	617	7.5
750-799.....	25	435	6.9	4	51	2.3	21	384	11.2
800-999.....	83	1,309	13.4	19	269	5.0	64	1,040	21.2
1,000-1,099.....	65	1,102	18.9	11	199	7.1	54	903	29.9
1,100-1,249.....	85	1,390	25.8	20	331	10.5	65	1,059	40.0
1,250-1,399.....	92	1,602	33.7	20	351	14.1	72	1,251	52.0
1,400-1,499.....	66	1,008	38.7	18	283	17.0	48	725	59.0
1,500-1,599.....	64	1,170	44.5	19	384	20.9	45	786	66.5
1,600-1,749.....	104	1,637	52.6	39	655	27.6	65	982	75.9
1,750-1,999.....	134	2,136	63.2	69	1,098	38.9	65	1,038	85.9
2,000-2,249.....	118	1,902	72.6	73	1,214	51.4	45	688	92.5
2,250-2,499.....	95	1,386	79.5	71	1,084	62.5	24	302	95.4
2,500-2,749.....	68	1,063	84.8	61	936	72.1	7	127	96.6
2,750-2,999.....	55	838	88.9	47	718	79.5	8	120	97.8
3,000-3,249.....	38	627	92.1	28	490	84.5	10	138	99.1
3,250-3,499.....	23	305	93.6	21	278	87.4	2	27	99.3
3,500-3,749.....	24	458	95.8	24	458	92.1	-	-	99.3
3,750-3,999.....	15	257	97.1	13	218	94.3	2	39	99.7
4,000-4,249.....	7	112	97.7	7	112	95.5	-	-	99.7
4,250-4,499.....	11	162	98.5	10	144	97.0	1	17	99.9
4,500-4,749.....	2	24	98.6	2	24	97.2	-	-	99.9
4,750-4,999.....	2	29	98.8	2	29	97.5	-	-	99.9
5,000 or more.....	15	253	100.0	14	241	100.0	1	12	100.0

1/ Excludes unknown income.

Table 3-25. Cumulative percent distribution of caloric intake values for persons aged 55-64 years by sex and income level: United States, 1976-80

Income level and calories	Both sexes			Male			Female		
	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent
All incomes									
Total.....	2,556	20,350	100.0	1,227	9,607	100.0	1,329	10,743	100.0
Less than 250.....	3	14	.1	1	4	.0	2	10	.1
250-499.....	39	253	1.3	6	25	.3	33	228	2.2
500-749.....	144	1,045	6.4	27	184	2.2	117	861	10.2
750-799.....	52	383	8.3	8	79	3.0	44	304	13.1
800-999.....	205	1,536	15.9	46	325	6.4	159	1,211	24.3
1,000-1,099.....	120	961	20.6	34	266	9.2	86	695	30.8
1,100-1,249.....	242	1,876	29.8	63	444	13.8	179	1,432	44.1
1,250-1,399.....	251	1,966	39.5	83	595	20.0	168	1,370	56.9
1,400-1,499.....	121	961	44.2	42	387	24.0	79	574	62.2
1,500-1,599.....	155	1,217	50.2	70	566	29.9	85	652	68.3
1,600-1,749.....	206	1,721	58.6	93	691	37.1	113	1,030	77.9
1,750-1,999.....	280	2,372	70.3	173	1,486	52.6	107	885	86.1
2,000-2,249.....	215	1,740	78.8	145	1,086	63.9	70	654	92.2
2,250-2,499.....	155	1,301	85.2	118	957	73.8	37	345	95.4
2,500-2,749.....	111	924	89.8	91	725	81.4	20	198	97.3
2,750-2,999.....	89	709	93.3	76	579	87.4	13	130	98.5
3,000-3,249.....	74	573	96.1	66	513	92.8	8	60	99.0
3,250-3,499.....	35	290	97.5	29	235	95.2	6	55	99.5
3,500-3,749.....	23	173	98.3	21	157	96.8	2	16	99.7
3,750-3,999.....	15	138	99.0	14	106	97.9	1	32	100.0
4,000-4,249.....	2	15	99.1	2	15	98.1	-	-	100.0
4,250-4,499.....	11	120	99.7	11	120	99.3	-	-	100.0
4,500-4,749.....	3	30	99.8	3	30	99.7	-	-	100.0
4,750-4,999.....	2	14	99.9	2	14	99.8	-	-	100.0
5,000 or more.....	3	19	100.0	3	19	100.0	-	-	100.0
Income below poverty level^{1/}									
Total.....	317	1,960	100.0	129	779	100.0	188	1,181	100.0
Less than 250.....	1	4	.2	1	4	.5	-	-	-
250-499.....	10	63	3.4	2	9	1.6	8	55	4.6
500-749.....	37	235	15.4	8	61	9.4	29	174	19.4
750-799.....	12	68	18.9	2	16	11.5	10	52	23.8
800-999.....	32	174	27.8	6	27	15.0	26	148	36.2
1,000-1,099.....	15	79	31.8	3	11	16.4	12	68	42.0
1,100-1,249.....	34	215	42.8	13	59	23.9	21	157	55.3
1,250-1,399.....	32	226	54.3	12	76	33.7	20	150	67.9
1,400-1,499.....	15	87	58.8	5	43	39.2	10	44	71.7
1,500-1,599.....	19	102	64.0	5	31	43.1	14	71	77.7
1,600-1,749.....	20	137	71.0	13	85	54.0	7	52	82.2
1,750-1,999.....	24	157	79.0	9	60	61.8	15	97	90.3
2,000-2,249.....	14	86	83.4	9	52	68.4	5	34	93.2
2,250-2,499.....	14	95	88.2	10	65	76.8	4	30	95.7
2,500-2,749.....	12	74	92.0	9	45	82.6	3	29	98.2
2,750-2,999.....	8	56	94.8	6	48	88.8	2	8	98.8
3,000-3,249.....	7	34	96.6	6	26	92.2	1	8	99.5
3,250-3,499.....	6	37	98.5	5	31	96.2	1	6	100.0
3,500-3,749.....	-	-	98.5	-	-	96.2	-	-	100.0
3,750-3,999.....	3	17	99.3	3	17	98.4	-	-	100.0
4,000-4,249.....	-	-	99.3	-	-	98.4	-	-	100.0
4,250-4,499.....	1	9	99.8	1	9	99.5	-	-	100.0
4,500-4,749.....	1	4	100.0	1	4	100.0	-	-	100.0
4,750-4,999.....	-	-	100.0	-	-	100.0	-	-	100.0
5,000 or more.....	-	-	100.0	-	-	100.0	-	-	100.0

See footnotes at end of table.

Table 3-25. Cumulative percent distribution of caloric intake values for persons aged 55-64 years by sex and income level: United States, 1976-80-Continued

Income level and calories	Both sexes			Male			Female		
	Exam-ined persons	Esti-mated population in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	2,419	17,376	100.0	1,048	8,443	100.0	1,071	8,934	100.0
Less than 250.....	2	10	.1	-	-	-	2	10	.1
250-499.....	29	190	1.1	4	16	.2	25	174	2.0
500-749.....	98	701	5.2	19	123	1.6	79	579	8.5
750-799.....	39	312	7.0	6	63	2.4	33	250	11.3
800-999.....	159	1,272	14.3	38	290	5.8	121	982	22.3
1,000-1,099.....	96	818	19.0	28	238	8.6	68	580	28.8
1,100-1,249.....	192	1,534	27.8	47	369	13.0	145	1,166	41.9
1,250-1,399.....	208	1,659	37.4	69	507	19.0	139	1,152	54.8
1,400-1,499.....	105	867	42.4	37	344	23.1	68	523	60.6
1,500-1,599.....	129	1,036	48.3	60	474	28.7	69	562	66.9
1,600-1,749.....	181	1,536	57.2	78	593	35.7	103	943	77.5
1,750-1,999.....	238	2,086	69.2	155	1,367	51.9	83	719	85.5
2,000-2,249.....	193	1,558	78.1	131	1,005	63.8	62	553	91.7
2,250-2,499.....	134	1,145	84.7	102	835	73.7	32	310	95.2
2,500-2,749.....	94	798	89.3	78	637	81.3	16	160	97.0
2,750-2,999.....	75	600	92.8	64	477	86.9	11	123	98.3
3,000-3,249.....	67	539	95.9	60	487	92.7	7	52	98.9
3,250-3,499.....	28	243	97.3	23	194	95.0	5	49	99.5
3,500-3,749.....	22	169	98.3	20	153	96.8	2	16	99.6
3,750-3,999.....	12	121	98.9	11	89	97.8	1	32	100.0
4,000-4,249.....	2	15	99.0	2	15	98.0	-	-	100.0
4,250-4,499.....	10	111	99.7	10	111	99.3	-	-	100.0
4,500-4,749.....	2	27	99.8	2	27	99.6	-	-	100.0
4,750-4,999.....	1	11	99.9	1	11	99.8	-	-	100.0
5,000 or more.....	3	19	100.0	3	19	100.0	-	-	100.0

^{1/} Excludes unknown income.

Table 3-26. Cumulative percent distribution of caloric intake values for persons aged 65-74 years by sex and income level: United States, 1976-80

Income level and calories	Both sexes			Male			Female		
	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent
All incomes									
Total.....	2,615	14,496	100.0	1,199	6,297	100.0	1,416	8,198	100.0
Less than 250.....	5	25	.2	-	-	-	5	25	.3
250-499.....	51	249	1.9	11	51	.8	40	198	2.7
500-749.....	148	780	7.3	33	160	3.3	115	620	10.3
750-799.....	60	306	9.4	11	38	3.9	49	269	13.6
800-999.....	258	1,438	19.3	63	321	9.0	195	1,117	27.2
1,000-1,099.....	194	1,095	26.9	50	285	13.6	144	810	37.1
1,100-1,249.....	291	1,730	38.8	84	466	21.0	207	1,264	52.5
1,250-1,399.....	275	1,546	49.5	105	534	29.4	170	1,012	64.8
1,400-1,499.....	170	948	56.0	79	414	36.0	91	533	71.3
1,500-1,599.....	157	892	62.2	79	442	43.0	78	450	76.8
1,600-1,749.....	216	1,239	70.7	104	556	51.9	112	683	85.2
1,750-1,999.....	259	1,433	80.6	162	866	65.6	97	567	92.1
2,000-2,249.....	198	996	87.5	144	697	76.7	54	299	95.7
2,250-2,499.....	117	639	91.9	93	484	84.4	24	155	97.6
2,500-2,749.....	80	437	94.9	69	379	90.4	11	57	98.3
2,750-2,999.....	53	287	96.9	41	218	93.9	12	69	99.2
3,000-3,249.....	38	201	98.3	31	161	96.4	7	40	99.7
3,250-3,499.....	16	93	98.9	15	89	97.8	1	4	99.7
3,500-3,749.....	7	36	99.1	7	36	98.4	-	-	99.7
3,750-3,999.....	7	45	99.4	5	29	98.8	2	15	99.9
4,000-4,249.....	2	13	99.5	2	13	99.1	-	-	99.9
4,250-4,499.....	4	19	99.7	3	16	99.3	1	4	99.9
4,500-4,749.....	2	5	99.7	2	5	99.4	-	-	99.9
4,750-4,999.....	1	3	99.7	1	3	99.4	-	-	99.9
5,000 or more.....	6	40	100.0	5	35	100.0	1	4	100.0
Income below poverty level¹									
Total.....	424	2,003	100.0	168	759	100.0	256	1,245	100.0
Less than 250.....	3	16	.8	-	-	-	3	16	1.3
250-499.....	18	82	4.9	5	21	2.8	13	61	6.2
500-749.....	31	139	11.8	5	20	5.4	26	119	15.7
750-799.....	17	85	16.0	4	13	7.2	13	71	21.5
800-999.....	50	210	26.5	12	55	14.4	38	155	33.9
1,000-1,099.....	34	169	34.9	11	56	21.7	23	113	43.0
1,100-1,249.....	48	265	48.2	14	90	33.5	34	176	57.1
1,250-1,399.....	46	220	59.2	15	67	42.4	31	153	69.4
1,400-1,499.....	31	170	67.7	13	67	51.2	18	103	77.7
1,500-1,599.....	16	73	71.3	8	37	56.0	8	36	80.6
1,600-1,749.....	24	125	77.5	12	52	62.8	12	73	86.5
1,750-1,999.....	47	215	88.3	29	134	80.5	18	81	93.0
2,000-2,249.....	24	100	93.3	14	53	87.4	10	47	96.8
2,250-2,499.....	14	58	96.1	11	42	93.0	3	16	98.1
2,500-2,749.....	9	29	97.6	8	26	96.3	1	3	98.4
2,750-2,999.....	2	8	98.0	-	-	96.3	2	8	99.0
3,000-3,249.....	4	17	98.8	3	13	98.0	1	4	99.3
3,250-3,499.....	-	-	98.8	-	-	98.0	-	-	99.3
3,500-3,749.....	1	4	99.0	1	4	98.6	-	-	99.3
3,750-3,999.....	2	8	99.4	1	3	99.0	1	5	99.7
4,000-4,249.....	-	-	99.4	-	-	99.0	-	-	99.7
4,250-4,499.....	2	7	99.8	1	4	99.5	1	4	100.0
4,500-4,749.....	-	-	99.8	-	-	99.5	-	-	100.0
4,750-4,999.....	-	-	99.8	-	-	99.5	-	-	100.0
5,000 or more.....	1	4	100.0	1	4	100.0	-	-	100.0

See footnotes at end of table.

Table 3-26. Cumulative percent distribution of caloric intake values for persons aged 65-74 years by sex and income level: United States, 1976-80-Continued

Income level and calories	Both sexes			Male			Female		
	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	2,067	11,819	100.0	987	5,312	100.0	1,080	6,508	100.0
Less than 250.....	2	9	.1	-	-	-	2	9	.1
250-499.....	32	164	1.5	6	29	.5	26	135	2.2
500-749.....	108	592	6.5	28	140	3.2	80	452	9.1
750-799.....	40	210	8.3	7	24	3.6	33	185	12.0
800-999.....	194	1,149	18.0	48	251	8.4	146	897	25.8
1,000-1,099.....	150	867	25.3	36	216	12.5	114	650	35.8
1,100-1,249.....	228	1,388	37.0	65	351	19.1	163	1,038	51.7
1,250-1,399.....	213	1,247	47.6	87	454	27.6	126	793	63.9
1,400-1,499.....	133	744	53.9	66	348	34.2	67	396	70.0
1,500-1,599.....	131	761	60.3	67	384	41.4	64	377	75.8
1,600-1,749.....	184	1,065	69.3	90	494	50.7	94	571	84.6
1,750-1,999.....	198	1,137	79.0	123	678	63.5	75	459	91.6
2,000-2,249.....	169	872	86.3	127	630	75.3	42	242	95.3
2,250-2,499.....	100	567	91.1	79	428	83.4	21	139	97.5
2,500-2,749.....	67	384	94.4	57	330	89.6	10	54	98.3
2,750-2,999.....	49	271	96.7	40	212	93.6	9	58	99.2
3,000-3,249.....	31	173	98.1	26	140	96.2	5	33	99.7
3,250-3,499.....	16	93	98.9	15	89	97.9	1	4	99.8
3,500-3,749.....	6	32	99.2	6	32	98.5	-	-	99.8
3,750-3,999.....	5	37	99.5	4	26	99.0	1	11	99.9
4,000-4,249.....	1	4	99.5	1	4	99.0	-	-	99.9
4,250-4,499.....	2	12	99.6	2	12	99.3	-	-	99.9
4,500-4,749.....	2	5	99.7	2	5	99.3	-	-	99.9
4,750-4,999.....	1	3	99.7	1	3	99.4	-	-	99.9
5,000 or more.....	5	36	100.0	4	31	100.0	1	4	100.0

1/ Excludes unknown income.

Table 3-27. Cumulative percent distribution of protein intake values in grams per 1,000 calories for persons aged 6-11 months by sex and income level: United States, 1976-80

Income level and protein in grams per 1,000 calories	Both sexes			Male			Female		
	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent
All incomes									
Total.....	356	1,599	100.0	179	819	100.0	177	780	100.0
Less than 20.....	17	66	4.1	9	38	4.6	8	28	3.6
20-24.9.....	36	144	13.1	13	52	11.0	23	92	15.4
25-26.9.....	13	56	16.6	7	30	14.7	6	26	18.6
27-28.9.....	12	62	20.5	6	25	17.8	6	37	23.4
29-30.9.....	7	31	22.4	4	19	20.0	3	12	24.9
31-32.9.....	17	73	27.0	5	17	22.1	12	56	32.1
33-34.9.....	19	84	32.2	12	51	28.3	7	33	36.4
35-36.9.....	15	71	36.7	9	37	32.8	6	34	40.7
37-38.9.....	24	105	43.2	13	61	40.3	11	44	46.3
39-40.9.....	28	121	50.8	14	49	46.3	14	71	55.5
41-42.9.....	23	101	57.1	10	43	51.5	13	58	62.9
43-44.9.....	33	161	67.2	22	117	65.8	11	44	68.6
45-46.9.....	22	126	75.0	15	96	77.5	7	30	72.5
47-48.9.....	17	70	79.4	5	18	79.8	12	52	79.1
49-50.9.....	15	62	83.3	4	16	81.6	11	46	85.1
51-51.9.....	3	17	84.4	2	15	83.4	1	2	85.4
52-53.9.....	12	52	87.6	5	25	86.5	7	27	88.8
54-55.9.....	9	46	90.5	5	25	89.5	4	21	91.5
56-57.9.....	7	28	92.2	4	17	91.6	3	11	92.9
58-59.9.....	7	33	94.3	2	9	92.8	5	24	95.9
60-61.9.....	2	7	94.7	2	7	93.5	-	-	95.9
62-63.9.....	6	34	96.8	4	23	96.4	2	10	97.3
64-65.9.....	4	16	97.8	2	7	97.2	2	9	98.4
66-67.9.....	3	8	98.3	2	5	97.9	1	3	98.8
68-69.9.....	1	7	98.8	1	7	98.8	-	-	98.8
70 or more.....	4	20	100.0	2	10	100.0	2	9	100.0
Income below poverty level^{1/}									
Total.....	84	315	100.0	48	177	100.0	36	138	100.0
Less than 20.....	5	18	5.7	*	*	*	*	*	*
20-24.9.....	12	48	20.9	*	*	*	*	*	*
25-26.9.....	2	7	23.1	*	*	*	*	*	*
27-28.9.....	1	1	23.5	*	*	*	*	*	*
29-30.9.....	4	12	27.4	*	*	*	*	*	*
31-32.9.....	6	25	35.2	*	*	*	*	*	*
33-34.9.....	6	23	42.4	*	*	*	*	*	*
35-36.9.....	5	20	48.8	*	*	*	*	*	*
37-38.9.....	8	31	58.7	*	*	*	*	*	*
39-40.9.....	5	17	64.2	*	*	*	*	*	*
41-42.9.....	3	10	67.5	*	*	*	*	*	*
43-44.9.....	10	41	80.4	*	*	*	*	*	*
45-46.9.....	3	9	83.4	*	*	*	*	*	*
47-48.9.....	4	13	87.4	*	*	*	*	*	*
49-50.9.....	3	16	92.5	*	*	*	*	*	*
51-51.9.....	1	5	94.2	*	*	*	*	*	*
52-53.9.....	2	4	95.5	*	*	*	*	*	*
54-55.9.....	1	5	97.0	*	*	*	*	*	*
56-57.9.....	2	6	98.9	*	*	*	*	*	*
58-59.9.....	-	-	98.9	*	*	*	*	*	*
60-61.9.....	1	3	100.0	*	*	*	*	*	*
62-63.9.....	-	-	100.0	*	*	*	*	*	*
64-65.9.....	-	-	100.0	*	*	*	*	*	*
66-67.9.....	-	-	100.0	*	*	*	*	*	*
68-69.9.....	-	-	100.0	*	*	*	*	*	*
70 or more.....	-	-	100.0	*	*	*	*	*	*

See footnotes at end of table.

Table 3-27. Cumulative percent distribution of protein intake values in grams per 1,000 calories for persons aged 6-11 months by sex and income level: United States, 1976-80-Continued

Income level and protein in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	256	1,226	100.0	121	614	100.0	135	612	100.0
Less than 20.....	12	48	3.9	8	34	5.6	4	13	2.2
20-24.9.....	22	91	11.3	8	37	11.6	14	54	11.0
25-26.9.....	10	45	15.0	6	26	15.7	4	20	14.2
27-28.9.....	11	61	20.0	5	24	19.7	6	37	20.3
29-30.9.....	3	19	21.5	2	14	21.9	1	5	21.1
31-32.9.....	10	46	25.2	3	12	23.8	7	34	26.6
33-34.9.....	12	58	29.9	6	27	28.2	6	30	31.6
35-36.9.....	10	51	34.0	6	23	32.0	4	27	36.1
37-38.9.....	16	74	40.1	8	39	38.4	8	35	41.7
39-40.9.....	21	97	48.0	9	32	43.7	12	65	52.3
41-42.9.....	20	91	55.4	10	43	50.7	10	48	60.1
43-44.9.....	22	118	65.0	12	79	63.5	10	39	66.4
45-46.9.....	16	106	73.6	10	79	76.4	6	27	70.9
47-48.9.....	11	46	77.4	1	4	77.1	10	42	77.7
49-50.9.....	11	44	81.0	2	9	78.6	9	35	83.5
51-51.9.....	2	12	82.0	1	9	80.1	1	2	83.9
52-53.9.....	10	48	85.9	4	23	83.9	6	25	87.9
54-55.9.....	8	41	89.3	4	20	87.2	4	21	91.3
56-57.9.....	5	21	91.0	3	15	89.7	2	6	92.4
58-59.9.....	6	24	93.0	2	9	91.2	4	15	94.8
60-61.9.....	1	3	93.3	1	3	91.7	-	-	94.8
62-63.9.....	6	34	96.0	4	23	95.5	2	10	96.5
64-65.9.....	4	16	97.3	2	7	96.6	2	9	98.0
66-67.9.....	2	6	97.8	1	3	97.2	1	3	98.4
68-69.9.....	1	7	98.4	1	7	98.4	-	-	98.4
70 or more.....	4	20	100.0	2	10	100.0	2	9	100.0

1/ Excludes unknown income.

Table 3-28. Cumulative percent distribution of protein intake values in grams per 1,000 calories for persons aged 1-2 years by sex and income level: United States, 1976-80

Income level and protein in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	1,417	6,078	100.0	745	3,107	100.0	672	2,970	100.0
Less than 20.....	33	157	2.6	16	66	2.1	17	91	3.1
20-24.9.....	81	365	8.6	47	213	9.0	34	152	8.2
25-26.9.....	50	204	11.9	29	118	12.8	21	86	11.1
27-28.9.....	82	346	17.6	42	168	18.2	40	178	17.0
29-30.9.....	98	429	24.7	53	228	25.5	45	201	23.8
31-32.9.....	99	415	31.5	52	218	32.5	47	197	30.5
33-34.9.....	132	523	40.1	62	225	39.8	70	298	40.5
35-36.9.....	138	613	50.2	74	318	50.0	64	295	50.4
37-38.9.....	132	572	59.6	71	287	59.2	61	285	60.0
39-40.9.....	100	412	66.4	52	208	65.9	48	203	66.9
41-42.9.....	106	447	73.8	56	228	73.3	50	219	74.3
43-44.9.....	90	394	80.2	54	250	81.3	36	144	79.1
45-46.9.....	81	314	85.4	40	159	86.4	41	155	84.3
47-48.9.....	43	229	89.2	21	97	89.6	22	132	88.8
49-50.9.....	43	197	92.4	21	93	92.6	22	104	92.3
51-51.9.....	22	90	93.9	12	51	94.2	10	39	93.6
52-53.9.....	27	105	95.6	15	48	95.8	12	57	95.5
54-55.9.....	17	83	97.0	11	57	97.6	6	26	96.4
56-57.9.....	6	26	97.4	1	5	97.7	5	20	97.1
58-59.9.....	7	29	97.9	3	15	98.2	4	15	97.6
60-61.9.....	5	15	98.1	3	10	98.5	2	5	97.7
62-63.9.....	9	35	98.7	2	5	98.7	7	29	98.7
64-65.9.....	6	32	99.2	3	19	99.3	3	13	99.1
66-67.9.....	5	24	99.6	4	18	99.9	1	6	99.3
68-69.9.....	2	9	99.8	-	-	99.9	2	9	99.6
70 or more.....	3	14	100.0	1	3	100.0	2	11	100.0
Income below poverty level/									
Total.....	323	1,163	100.0	170	601	100.0	153	562	100.0
Less than 20.....	10	32	2.8	5	17	2.9	5	15	2.7
20-24.9.....	15	65	8.4	5	24	6.8	10	42	10.1
25-26.9.....	10	35	11.4	7	25	11.0	3	9	11.7
27-28.9.....	14	57	16.3	6	20	14.4	8	37	18.3
29-30.9.....	14	50	20.6	8	23	18.1	6	28	23.2
31-32.9.....	17	56	25.4	8	23	21.9	9	33	29.1
33-34.9.....	30	85	32.7	15	42	28.9	15	43	36.9
35-36.9.....	29	119	43.0	15	66	39.8	14	53	46.3
37-38.9.....	34	110	52.4	17	56	49.1	17	54	55.9
39-40.9.....	26	89	60.0	12	35	54.9	14	54	65.5
41-42.9.....	26	101	68.8	17	64	65.5	9	38	72.3
43-44.9.....	25	84	76.0	15	45	72.9	10	40	79.3
45-46.9.....	29	101	84.7	15	51	81.5	14	50	88.1
47-48.9.....	9	33	87.6	6	23	85.3	3	11	90.0
49-50.9.....	14	55	92.3	7	31	90.5	7	24	94.2
51-51.9.....	7	40	95.7	4	23	94.4	3	16	97.1
52-53.9.....	4	13	96.8	3	9	95.9	1	3	97.7
54-55.9.....	3	14	98.0	2	12	97.9	1	2	98.1
56-57.9.....	1	3	98.2	-	-	97.9	1	3	98.6
58-59.9.....	-	-	98.2	-	-	97.9	-	-	98.6
60-61.9.....	2	5	98.6	1	3	98.3	1	2	99.0
62-63.9.....	1	3	98.9	-	-	98.3	1	3	99.5
64-65.9.....	1	8	99.6	1	8	99.6	-	-	99.5
66-67.9.....	1	2	99.7	1	2	100.0	-	-	99.5
68-69.9.....	-	-	99.7	-	-	100.0	-	-	99.5
70 or more.....	1	3	100.0	-	-	100.0	1	3	100.0

See footnotes at end of table.

Table 3-28. Cumulative percent distribution of protein intake values in grams per 1,000 calories for persons aged 1-2 years by sex and income level: United States, 1976-80-Continued

Income level and protein in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	1,056	4,767	100.0	551	2,416	100.0	505	2,351	100.0
Less than 20.....	22	119	2.5	10	43	1.8	12	76	3.2
20-24.9.....	66	300	8.8	42	189	9.6	24	110	7.9
25-26.9.....	40	169	12.3	22	93	13.5	18	76	11.2
27-28.9.....	64	269	18.0	33	130	18.8	31	139	17.1
29-30.9.....	81	371	25.8	42	198	27.0	39	174	24.5
31-32.9.....	77	337	32.8	41	181	34.5	36	156	31.1
33-34.9.....	99	423	41.7	45	176	41.8	54	247	41.6
35-36.9.....	104	478	51.7	55	238	51.7	49	240	51.8
37-38.9.....	97	460	61.4	53	229	61.1	44	231	61.6
39-40.9.....	72	313	67.9	39	172	68.2	33	141	67.6
41-42.9.....	76	331	74.9	37	159	74.8	39	172	75.0
43-44.9.....	63	303	81.2	38	202	83.2	25	102	79.3
45-46.9.....	51	210	85.6	25	108	87.6	26	102	83.6
47-48.9.....	33	191	89.6	15	74	90.7	18	116	88.6
49-50.9.....	28	135	92.5	13	55	93.0	15	80	92.0
51-51.9.....	14	47	93.5	8	28	94.1	6	19	92.8
52-53.9.....	22	91	95.4	11	37	95.6	11	54	95.1
54-55.9.....	13	66	96.7	9	45	97.5	4	21	96.0
56-57.9.....	5	23	97.2	1	5	97.7	4	18	96.7
58-59.9.....	6	27	97.8	3	15	98.3	3	12	97.3
60-61.9.....	3	11	98.0	2	8	98.6	1	3	97.4
62-63.9.....	7	30	98.6	1	3	98.8	6	27	98.5
64-65.9.....	5	24	99.1	2	11	99.2	3	13	99.0
66-67.9.....	4	22	99.6	3	16	99.9	1	6	99.3
68-69.9.....	2	9	99.8	-	-	99.9	2	9	99.7
70 or more.....	2	11	100.0	1	3	100.0	1	8	100.0

1/ Excludes unknown income.

Table 3-29. Cumulative percent distribution of protein intake values in grams per 1,000 calories for persons aged 3-5 years by sex and income level: United States, 1976-80

Income level and protein in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	2,345	9,186	100.0	1,219	4,695	100.0	1,126	4,491	100.0
Less than 20.....	55	221	2.4	27	99	2.1	28	122	2.7
20-24.9.....	172	596	8.9	93	321	8.9	79	275	8.8
25-26.9.....	116	440	13.7	60	216	13.5	56	224	13.8
27-28.9.....	157	624	20.5	72	281	19.5	85	343	21.5
29-30.9.....	210	846	29.7	119	467	29.5	91	380	29.9
31-32.9.....	197	744	37.8	110	413	38.3	87	331	37.3
33-34.9.....	235	933	47.9	117	460	48.1	118	473	47.8
35-36.9.....	216	856	57.3	117	476	58.2	99	380	56.3
37-38.9.....	218	923	67.3	105	431	67.4	113	492	67.2
39-40.9.....	188	700	74.9	101	396	75.8	87	304	74.0
41-42.9.....	151	590	81.4	81	287	81.9	70	303	80.8
43-44.9.....	127	473	86.5	69	259	87.4	58	214	85.5
45-46.9.....	75	329	90.1	43	163	90.9	32	165	89.2
47-48.9.....	73	277	93.1	33	133	93.8	40	145	92.4
49-50.9.....	42	177	95.0	15	60	95.0	27	117	95.0
51-51.9.....	21	97	96.1	2	13	95.3	19	84	96.9
52-53.9.....	26	87	97.0	20	70	96.8	6	17	97.3
54-55.9.....	20	89	98.0	11	45	97.8	9	43	98.3
56-57.9.....	7	23	98.3	4	16	98.1	3	7	98.4
58-59.9.....	7	26	98.5	5	21	98.6	2	4	98.5
60-61.9.....	8	38	99.0	4	21	99.0	4	17	98.9
62-63.9.....	9	36	99.3	5	20	99.4	4	16	99.3
64-65.9.....	3	10	99.5	-	-	99.4	3	10	99.5
66-67.9.....	4	22	99.7	2	12	99.7	2	11	99.7
68-69.9.....	5	16	99.9	1	3	99.8	4	13	100.0
70 or more.....	3	12	100.0	3	12	100.0	-	-	100.0
Income below poverty level^{1/}									
Total.....	570	1,855	100.0	298	910	100.0	272	945	100.0
Less than 20.....	10	34	1.8	6	21	2.3	4	13	1.4
20-24.9.....	39	120	8.3	19	55	8.3	20	65	8.3
25-26.9.....	23	79	12.5	16	52	14.0	7	26	11.1
27-28.9.....	49	158	21.0	23	77	22.5	26	81	19.6
29-30.9.....	53	174	30.4	33	99	33.4	20	75	27.6
31-32.9.....	42	142	38.1	22	67	40.8	20	75	35.5
33-34.9.....	52	174	47.5	25	79	49.5	27	95	45.6
35-36.9.....	55	170	56.7	32	101	60.6	23	70	53.0
37-38.9.....	62	219	68.5	30	92	70.7	32	126	66.3
39-40.9.....	46	128	75.4	22	54	76.7	24	74	74.2
41-42.9.....	33	117	81.7	18	58	83.0	15	60	80.5
43-44.9.....	34	94	86.8	20	56	89.1	14	38	84.5
45-46.9.....	17	50	89.5	10	25	91.9	7	25	87.2
47-48.9.....	14	39	91.6	7	18	94.0	7	20	89.3
49-50.9.....	17	59	94.8	4	14	95.5	13	45	94.1
51-51.9.....	6	29	96.3	-	-	95.5	6	29	97.2
52-53.9.....	6	20	97.4	5	18	97.4	1	2	97.4
54-55.9.....	6	23	98.7	4	13	98.9	2	10	98.4
56-57.9.....	1	2	98.8	-	-	98.9	1	2	98.6
58-59.9.....	-	-	98.8	-	-	98.9	-	-	98.6
60-61.9.....	1	7	99.2	1	7	99.7	-	-	98.6
62-63.9.....	1	2	99.3	-	-	99.7	1	2	98.9
64-65.9.....	-	-	99.3	-	-	99.7	-	-	98.9
66-67.9.....	1	7	99.7	-	-	99.7	1	7	99.7
68-69.9.....	1	3	99.8	-	-	99.7	1	3	100.0
70 or more.....	1	3	100.0	1	3	100.0	-	-	100.0

See footnotes at end of table.

Table 3-29. Cumulative percent distribution of protein intake values in grams per 1,000 calories for persons aged 3-5 years by sex and income level: United States, 1976-80-Continued

Income level and protein in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	1,707	7,102	100.0	892	3,683	100.0	815	3,419	100.0
Less than 20.....	45	187	2.6	21	78	2.1	24	109	3.2
20-24.9.....	124	453	9.0	72	262	9.2	52	192	8.8
25-26.9.....	91	357	14.0	43	161	13.6	48	195	14.5
27-28.9.....	103	454	20.4	48	201	19.1	55	252	21.9
29-30.9.....	155	665	29.8	85	365	29.0	70	300	30.7
31-32.9.....	150	582	38.0	85	332	38.0	65	250	38.0
33-34.9.....	174	726	48.2	88	369	48.0	86	357	48.4
35-36.9.....	154	663	57.5	82	363	57.9	72	300	57.1
37-38.9.....	149	678	67.1	73	332	66.9	76	347	67.3
39-40.9.....	137	553	74.9	77	335	76.0	60	218	73.7
41-42.9.....	113	454	81.3	59	216	81.9	54	238	80.6
43-44.9.....	89	364	86.4	46	191	87.1	43	174	85.7
45-46.9.....	57	276	90.3	32	136	90.8	25	140	89.8
47-48.9.....	57	233	93.6	26	114	93.8	31	119	93.3
49-50.9.....	24	112	95.2	11	46	95.1	13	66	95.3
51-51.9.....	15	68	96.1	2	13	95.5	13	55	96.9
52-53.9.....	18	60	97.0	14	48	96.8	4	13	97.2
54-55.9.....	14	65	97.9	7	32	97.6	7	34	98.2
56-57.9.....	6	21	98.2	4	16	98.0	2	5	98.4
58-59.9.....	6	19	98.5	4	14	98.4	2	4	98.5
60-61.9.....	7	31	98.9	3	14	98.8	4	17	99.0
62-63.9.....	7	31	99.3	5	20	99.3	2	12	99.3
64-65.9.....	3	10	99.5	-	-	99.3	3	10	99.6
66-67.9.....	3	15	99.7	2	12	99.7	1	3	99.7
68-69.9.....	4	13	99.9	1	3	99.8	3	10	100.0
70 or more.....	2	9	100.0	2	9	100.0	-	-	100.0

^{1/} Excludes unknown income.

Table 3-30. Cumulative percent distribution of protein intake values in grams per 1,000 calories for persons aged 6-8 years by sex and income level: United States, 1976-80

Income level and protein in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	843	10,213	100.0	428	5,336	100.0	415	4,877	100.0
Less than 20.....	14	148	1.4	6	47	.9	8	101	2.1
20-24.9.....	61	695	8.3	29	332	7.1	32	363	9.5
25-26.9.....	37	434	12.5	17	199	10.8	20	235	14.3
27-28.9.....	52	640	18.8	23	344	17.3	29	297	20.4
29-30.9.....	71	795	26.6	29	332	23.5	42	463	29.9
31-32.9.....	59	774	34.1	27	379	30.6	32	395	38.0
33-34.9.....	87	999	43.9	39	450	39.0	48	549	49.3
35-36.9.....	104	1,232	56.0	57	690	52.0	47	542	60.4
37-38.9.....	72	975	65.5	43	614	63.5	29	362	67.8
39-40.9.....	78	967	75.0	39	472	72.3	39	495	77.9
41-42.9.....	53	732	82.2	36	483	81.4	17	248	83.0
43-44.9.....	38	458	86.6	19	230	85.7	19	229	87.7
45-46.9.....	33	368	90.3	16	167	88.8	17	200	91.8
47-48.9.....	28	342	93.6	19	240	93.3	9	102	93.9
49-50.9.....	18	203	95.6	11	116	95.5	7	87	95.7
51-51.9.....	2	25	95.8	-	-	95.5	2	25	96.2
52-53.9.....	10	124	97.0	5	66	96.8	5	58	97.4
54-55.9.....	9	95	98.0	2	30	97.3	7	65	98.7
56-57.9.....	3	44	98.4	1	27	97.8	2	17	99.1
58-59.9.....	4	53	98.9	4	53	98.8	-	-	99.1
60-61.9.....	3	30	99.2	3	30	99.4	-	-	99.1
62-63.9.....	1	11	99.3	-	-	99.4	1	11	99.3
64-65.9.....	1	13	99.5	-	-	99.4	1	13	99.6
66-67.9.....	1	14	99.6	-	-	99.4	1	14	99.8
68-69.9.....	2	26	99.8	2	26	99.9	-	-	99.8
70 or more.....	2	15	100.0	1	8	100.0	1	7	100.0
Income below poverty level^{1/}									
Total.....	177	1,769	100.0	82	900	100.0	95	869	100.0
Less than 20.....	2	16	.9	1	8	.9	1	8	.9
20-24.9.....	13	117	7.5	7	60	7.6	6	57	7.4
25-26.9.....	9	65	11.2	1	7	8.4	8	58	14.0
27-28.9.....	9	126	18.3	3	63	15.4	6	63	21.3
29-30.9.....	18	165	27.6	5	51	21.1	13	114	34.4
31-32.9.....	17	190	38.4	7	100	32.2	10	90	44.8
33-34.9.....	18	177	48.4	10	113	44.8	8	64	52.1
35-36.9.....	18	164	57.6	8	77	53.3	10	86	62.1
37-38.9.....	17	179	67.8	12	130	67.8	5	49	67.8
39-40.9.....	15	159	76.7	6	72	75.8	9	87	77.7
41-42.9.....	8	67	80.5	5	43	80.6	3	24	80.5
43-44.9.....	7	74	84.7	2	17	82.5	5	57	87.0
45-46.9.....	10	102	90.5	6	54	88.5	4	47	92.5
47-48.9.....	6	50	93.3	4	33	92.1	2	18	94.5
49-50.9.....	3	24	94.7	2	16	93.9	1	8	95.5
51-51.9.....	1	8	95.1	-	-	93.9	1	8	96.4
52-53.9.....	3	35	97.1	1	10	95.0	2	25	99.3
54-55.9.....	1	6	97.4	-	-	95.0	1	6	100.0
56-57.9.....	1	27	99.0	1	27	97.9	-	-	100.0
58-59.9.....	-	-	99.0	-	-	97.9	-	-	100.0
60-61.9.....	-	-	99.0	-	-	97.9	-	-	100.0
62-63.9.....	-	-	99.0	-	-	97.9	-	-	100.0
64-65.9.....	-	-	99.0	-	-	97.9	-	-	100.0
66-67.9.....	-	-	99.0	-	-	97.9	-	-	100.0
68-69.9.....	1	18	100.0	1	18	100.0	-	-	100.0
70 or more.....	-	-	100.0	-	-	100.0	-	-	100.0

See footnotes at end of table.

Table 3-30. Cumulative percent distribution of protein intake values in grams per 1,000 calories for persons aged 6-8 years by sex and income level: United States, 1976-80-Continued

Income level and protein in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	644	8,118	100.0	336	4,254	100.0	308	3,864	100.0
Less than 20.....	12	133	1.6	5	39	.9	7	93	2.4
20-24.9.....	46	556	8.5	21	260	7.0	25	296	10.1
25-26.9.....	28	369	13.0	16	192	11.5	12	177	14.6
27-28.9.....	42	501	19.2	19	268	17.8	23	234	20.7
29-30.9.....	52	623	26.9	23	274	24.3	29	349	29.7
31-32.9.....	39	530	33.4	19	255	30.3	20	274	36.8
33-34.9.....	66	766	42.8	28	298	37.3	38	468	48.9
35-36.9.....	83	1,018	55.4	47	582	51.0	36	437	60.2
37-38.9.....	53	767	64.8	30	462	61.8	23	305	68.1
39-40.9.....	60	766	74.3	32	393	71.1	28	373	77.8
41-42.9.....	44	659	82.4	31	440	81.4	13	219	83.5
43-44.9.....	31	385	87.1	17	212	86.4	14	172	87.9
45-46.9.....	21	245	90.1	10	113	89.1	11	132	91.3
47-48.9.....	22	292	93.7	15	208	93.9	7	84	93.5
49-50.9.....	14	152	95.6	8	73	95.7	6	79	95.6
51-51.9.....	1	17	95.8	-	-	95.7	1	17	96.0
52-53.9.....	7	90	96.9	4	56	97.0	3	33	96.9
54-55.9.....	8	88	98.0	2	30	97.7	6	59	98.4
56-57.9.....	2	17	98.2	-	-	97.7	2	17	98.8
58-59.9.....	4	53	98.9	4	53	98.9	-	-	98.8
60-61.9.....	3	30	99.3	3	30	99.6	-	-	98.8
62-63.9.....	1	11	99.4	-	-	99.6	1	11	99.1
64-65.9.....	1	13	99.5	-	-	99.6	1	13	99.4
66-67.9.....	1	14	99.7	-	-	99.6	1	14	99.8
68-69.9.....	1	8	99.8	1	8	99.8	-	-	99.8
70 or more.....	2	15	100.0	1	8	100.0	1	7	100.0

^{1/} Excludes unknown income.

Table 3-31. Cumulative percent distribution of protein intake values in grams per 1,000 calories for persons aged 9-11 years by sex and income level: United States, 1976-80

Income level and protein in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	882	10,667	100.0	457	5,310	100.0	425	5,357	100.0
Less than 20.....	16	172	1.6	8	83	1.6	8	89	1.6
20-24.9.....	59	742	8.6	24	274	6.7	35	468	10.4
25-26.9.....	43	477	13.0	23	255	11.5	20	222	14.5
27-28.9.....	58	676	19.4	29	335	17.8	29	341	20.9
29-30.9.....	61	764	26.5	30	354	24.5	31	410	28.6
31-32.9.....	73	900	35.0	35	435	32.7	38	465	37.2
33-34.9.....	71	907	43.5	36	452	41.2	35	455	45.7
35-36.9.....	87	1,061	53.4	47	538	51.3	40	524	55.5
37-38.9.....	110	1,258	65.2	64	674	64.0	46	584	66.4
39-40.9.....	58	733	72.1	33	413	71.8	25	320	72.4
41-42.9.....	58	658	78.3	35	375	78.8	23	283	77.7
43-44.9.....	52	712	84.9	31	415	86.6	21	298	83.2
45-46.9.....	31	367	88.4	15	142	89.3	16	224	87.4
47-48.9.....	24	260	90.8	15	166	92.5	9	94	89.2
49-50.9.....	19	201	92.7	7	75	93.9	12	126	91.5
51-51.9.....	8	102	93.6	4	56	94.9	4	46	92.4
52-53.9.....	11	143	95.0	-	-	94.9	11	143	95.0
54-55.9.....	9	134	96.2	2	39	95.7	7	95	96.8
56-57.9.....	13	157	97.7	7	82	97.2	6	75	98.2
58-59.9.....	3	33	98.0	2	21	97.6	1	12	98.4
60-61.9.....	2	15	98.2	1	8	97.8	1	7	98.6
62-63.9.....	8	89	99.0	4	57	98.8	4	32	99.2
64-65.9.....	1	7	99.1	1	7	98.9	-	-	99.2
66-67.9.....	2	23	99.3	1	15	99.2	1	7	99.3
68-69.9.....	2	27	99.5	1	8	99.4	1	19	99.6
70 or more.....	3	51	100.0	2	32	100.0	1	19	100.0
Income below poverty level^{1/}									
Total.....	190	1,967	100.0	88	854	100.0	102	1,113	100.0
Less than 20.....	3	28	1.4	1	11	1.2	2	18	1.6
20-24.9.....	10	106	6.8	6	65	8.9	4	41	5.3
25-26.9.....	9	76	10.7	3	20	11.2	6	56	10.3
27-28.9.....	11	130	17.3	5	55	17.7	6	74	17.0
29-30.9.....	17	225	28.7	7	71	26.0	10	153	30.8
31-32.9.....	16	167	37.2	4	34	30.0	12	133	42.7
33-34.9.....	14	137	44.2	7	76	39.0	7	61	48.2
35-36.9.....	13	124	50.5	9	91	49.7	4	32	51.1
37-38.9.....	21	191	60.2	10	79	58.9	11	112	61.2
39-40.9.....	19	228	71.8	9	93	69.8	10	135	73.3
41-42.9.....	13	121	77.9	7	54	76.2	6	67	79.3
43-44.9.....	7	71	81.6	4	44	81.3	3	27	81.8
45-46.9.....	9	81	85.7	6	49	87.0	3	32	84.7
47-48.9.....	5	47	88.0	2	19	89.2	3	28	87.2
49-50.9.....	7	59	91.1	2	15	91.0	5	44	91.1
51-51.9.....	1	12	91.7	1	12	92.4	-	-	91.1
52-53.9.....	3	31	93.3	-	-	92.4	3	31	93.9
54-55.9.....	3	36	95.1	1	21	94.8	2	15	95.3
56-57.9.....	3	24	96.3	2	16	96.7	1	8	96.0
58-59.9.....	-	-	96.3	-	-	96.7	-	-	96.0
60-61.9.....	-	-	96.3	-	-	96.7	-	-	96.0
62-63.9.....	4	47	98.7	1	21	99.2	3	26	98.3
64-65.9.....	1	7	99.0	1	7	100.0	-	-	98.3
66-67.9.....	-	-	99.0	-	-	100.0	-	-	98.3
68-69.9.....	1	19	100.0	-	-	100.0	1	19	100.0
70 or more.....	-	-	100.0	-	-	100.0	-	-	100.0

See footnotes at end of table.

Table 3-31. Cumulative percent distribution of protein intake values in grams per 1,000 calories for persons aged 9-11 years by sex and income level: United States, 1976-80-Continued

Income level and protein in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	663	8,370	100.0	356	4,321	100.0	307	4,049	100.0
Less than 20.....	13	143	1.7	7	72	1.7	6	71	1.8
20-24.9.....	47	619	9.1	17	202	6.4	30	417	12.0
25-26.9.....	32	370	13.5	19	227	11.6	13	143	15.6
27-28.9.....	46	539	20.0	23	272	17.9	23	267	22.2
29-30.9.....	41	515	26.1	23	283	24.5	18	232	27.9
31-32.9.....	54	699	34.5	30	394	33.6	24	305	35.5
33-34.9.....	53	719	43.1	27	360	41.9	26	360	44.3
35-36.9.....	71	902	53.9	35	410	51.4	36	492	56.5
37-38.9.....	86	1,025	66.1	53	579	64.8	33	446	67.5
39-40.9.....	35	463	71.6	22	298	71.7	13	166	71.6
41-42.9.....	43	512	77.8	28	320	79.1	15	192	76.3
43-44.9.....	44	634	85.3	27	371	87.7	17	263	82.8
45-46.9.....	22	286	88.8	9	94	89.9	13	192	87.6
47-48.9.....	19	213	91.3	13	147	93.3	6	66	89.2
49-50.9.....	11	124	92.8	4	43	94.3	7	82	91.2
51-51.9.....	7	90	93.8	3	43	95.3	4	46	92.3
52-53.9.....	8	112	95.2	-	-	95.3	8	112	95.1
54-55.9.....	6	98	96.4	1	19	95.7	5	79	97.1
56-57.9.....	10	134	97.9	5	66	97.2	5	67	98.7
58-59.9.....	3	33	98.3	2	21	97.7	1	12	99.0
60-61.9.....	2	15	98.5	1	8	97.9	1	7	99.2
62-63.9.....	4	42	99.0	3	35	98.7	1	6	99.4
64-65.9.....	-	-	99.0	-	-	98.7	-	-	99.4
66-67.9.....	2	23	99.3	1	15	99.1	1	7	99.5
68-69.9.....	1	8	99.4	1	8	99.3	-	-	99.5
70 or more.....	3	51	100.0	2	32	100.0	1	19	100.0

^{1/} Excludes unknown income.

Table 3-32. Cumulative percent distribution of protein intake values in grams per 1,000 calories for persons aged 12-14 years by sex and income level: United States, 1976-80

Income level and protein in grams per 1,000 calories	Both sexes			Male			Female		
	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent
All incomes									
Total.....	991	11,632	100.0	504	5,920	100.0	487	5,712	100.0
Less than 20.....	28	330	2.8	9	101	1.7	19	228	4.0
20-24.9.....	72	785	9.6	31	340	7.4	41	445	11.8
25-26.9.....	45	548	14.3	20	271	12.0	25	277	16.6
27-28.9.....	68	744	20.7	34	353	18.0	34	391	23.5
29-30.9.....	81	1,025	29.5	40	537	27.1	41	488	32.0
31-32.9.....	88	1,016	38.2	38	414	34.1	50	602	42.6
33-34.9.....	90	1,113	47.8	53	638	44.8	37	475	50.9
35-36.9.....	95	1,086	57.1	49	528	53.8	46	558	60.7
37-38.9.....	66	745	63.5	37	462	61.6	29	283	65.6
39-40.9.....	60	744	69.9	35	451	69.2	25	292	70.7
41-42.9.....	59	762	76.5	25	352	75.1	34	410	77.9
43-44.9.....	63	690	82.4	37	372	81.4	26	318	83.5
45-46.9.....	37	445	86.2	21	238	85.4	16	207	87.1
47-48.9.....	41	483	90.4	20	244	89.5	21	239	91.3
49-50.9.....	32	358	93.5	17	202	92.9	15	157	94.0
51-51.9.....	7	60	94.0	4	38	93.6	3	21	94.4
52-53.9.....	15	155	95.3	9	86	95.1	6	69	95.6
54-55.9.....	8	96	96.1	7	89	96.6	1	7	95.7
56-57.9.....	5	56	96.6	2	16	96.8	3	40	96.4
58-59.9.....	7	95	97.4	2	27	97.3	5	68	97.6
60-61.9.....	6	78	98.1	2	33	97.8	4	45	98.4
62-63.9.....	4	31	98.4	3	23	98.2	1	8	98.5
64-65.9.....	3	29	98.6	3	29	98.7	-	-	98.5
66-67.9.....	-	-	98.6	-	-	98.7	-	-	98.5
68-69.9.....	6	84	99.4	4	57	99.7	2	27	99.0
70 or more.....	5	74	100.0	2	19	100.0	3	56	100.0
Income below poverty level^{1/}									
Total.....	193	1,963	100.0	89	891	100.0	104	1,072	100.0
Less than 20.....	7	86	4.4	1	9	1.0	6	77	7.2
20-24.9.....	21	200	14.5	6	45	6.0	15	155	21.6
25-26.9.....	7	69	18.1	3	28	9.1	4	41	25.5
27-28.9.....	17	169	26.7	7	65	16.5	10	104	35.2
29-30.9.....	17	185	36.1	10	117	29.6	7	68	41.5
31-32.9.....	15	167	44.6	6	59	36.2	9	108	51.6
33-34.9.....	15	167	53.1	13	133	51.1	2	34	54.8
35-36.9.....	19	200	63.3	10	92	61.4	9	108	64.8
37-38.9.....	13	123	69.5	5	57	67.8	8	66	71.0
39-40.9.....	9	73	73.3	5	45	72.8	4	28	73.6
41-42.9.....	9	121	79.4	4	67	80.4	5	54	78.6
43-44.9.....	14	110	85.0	9	68	88.0	5	42	82.6
45-46.9.....	6	59	88.0	3	32	91.5	3	27	85.1
47-48.9.....	7	70	91.6	-	-	91.5	7	70	91.6
49-50.9.....	3	22	92.7	-	-	91.5	3	22	93.7
51-51.9.....	5	48	95.1	3	32	95.2	2	16	95.1
52-53.9.....	2	18	96.0	1	8	96.1	1	9	96.0
54-55.9.....	3	35	97.8	2	28	99.3	1	7	96.6
56-57.9.....	1	15	98.6	-	-	99.3	1	15	98.0
58-59.9.....	-	-	98.6	-	-	99.3	-	-	98.0
60-61.9.....	1	12	99.2	-	-	99.3	1	12	99.1
62-63.9.....	-	-	99.2	-	-	99.3	-	-	99.1
64-65.9.....	1	6	99.5	1	6	100.0	-	-	99.1
66-67.9.....	-	-	99.5	-	-	100.0	-	-	99.1
68-69.9.....	1	9	100.0	-	-	100.0	1	9	100.0
70 or more.....	-	-	100.0	-	-	100.0	-	-	100.0

See footnotes at end of table.

Table 3-32. Cumulative percent distribution of protein intake values in grams per 1,000 calories for persons aged 12-14 years by sex and income level: United States, 1976-80-Continued

Income level and protein in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	762	9,255	100.0	399	4,841	100.0	363	4,414	100.0
Less than 20.....	21	244	2.6	8	93	1.9	13	152	3.4
20-24.9.....	49	564	8.7	25	295	8.0	24	269	9.5
25-26.9.....	38	479	13.9	17	243	13.0	21	236	14.9
27-28.9.....	47	531	19.6	27	288	19.0	20	243	20.4
29-30.9.....	62	823	28.5	29	412	27.5	33	411	29.7
31-32.9.....	70	818	37.4	29	323	34.2	41	494	40.9
33-34.9.....	68	883	46.9	37	475	44.0	31	408	50.1
35-36.9.....	72	850	56.1	36	407	52.4	36	443	60.2
37-38.9.....	51	589	62.5	30	373	60.1	21	217	65.1
39-40.9.....	50	661	69.6	30	406	68.5	20	254	70.8
41-42.9.....	45	581	75.9	20	272	74.1	25	308	77.8
43-44.9.....	47	566	82.0	27	298	80.3	20	268	83.9
45-46.9.....	30	358	85.9	18	206	84.5	12	152	87.3
47-48.9.....	34	413	90.3	20	244	89.5	14	170	91.2
49-50.9.....	28	324	93.8	16	190	93.5	12	134	94.2
51-51.9.....	2	12	94.0	1	6	93.6	1	6	94.4
52-53.9.....	13	138	95.4	8	78	95.2	5	60	95.7
54-55.9.....	5	61	96.1	5	61	96.5	-	-	95.7
56-57.9.....	4	41	96.5	2	16	96.8	2	25	96.3
58-59.9.....	7	95	97.6	2	27	97.4	5	68	97.8
60-61.9.....	4	40	98.0	1	7	97.5	3	33	98.5
62-63.9.....	4	31	98.3	3	23	98.0	1	8	98.7
64-65.9.....	2	23	98.6	2	23	98.4	-	-	98.7
66-67.9.....	-	-	98.6	-	-	98.4	-	-	98.7
68-69.9.....	4	57	99.2	4	57	99.6	-	-	98.7
70 or more.....	5	74	100.0	2	19	100.0	3	56	100.0

1/ Excludes unknown income.

Table 3-33. Cumulative percent distribution of protein intake values in grams per 1,000 calories for persons aged 15-17 years by sex and income level: United States, 1976-80

Income level and protein in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	1/983	12,441	100.0	1/534	6,309	100.0	449	6,131	100.0
Less than 20.....	45	573	4.6	16	183	2.9	29	389	6.3
20-24.9.....	64	846	11.4	31	336	8.2	33	509	14.6
25-26.9.....	43	475	15.2	22	242	12.1	21	234	18.5
27-28.9.....	54	670	20.6	24	255	16.1	30	415	25.2
29-30.9.....	71	918	28.0	38	459	23.4	33	459	32.7
31-32.9.....	65	853	34.8	33	393	29.6	32	460	40.2
33-34.9.....	90	1,090	43.6	51	575	38.7	39	516	48.6
35-36.9.....	71	819	50.2	44	462	46.0	27	358	54.4
37-38.9.....	66	764	56.3	34	398	52.3	32	367	60.4
39-40.9.....	83	975	64.2	56	617	62.1	27	358	66.3
41-42.9.....	62	817	70.7	30	407	68.6	32	410	73.0
43-44.9.....	48	646	75.9	27	362	74.3	21	285	77.6
45-46.9.....	32	507	80.0	20	302	79.1	12	205	80.9
47-48.9.....	33	440	83.5	18	226	82.7	15	214	84.4
49-50.9.....	30	343	86.3	19	209	86.0	11	135	86.6
51-51.9.....	9	110	87.2	6	67	87.0	3	43	87.3
52-53.9.....	32	410	90.5	18	209	90.4	14	200	90.6
54-55.9.....	25	342	93.2	13	169	93.0	12	173	93.4
56-57.9.....	10	148	94.4	6	84	94.4	4	64	94.5
58-59.9.....	6	69	95.0	3	27	94.8	3	42	95.1
60-61.9.....	7	63	95.5	4	36	95.3	3	27	95.6
62-63.9.....	9	142	96.6	5	65	96.4	4	77	96.8
64-65.9.....	5	64	97.1	4	51	97.2	1	13	97.1
66-67.9.....	3	33	97.4	2	26	97.6	1	7	97.2
68-69.9.....	6	109	98.3	4	69	98.7	2	40	97.8
70 or more.....	14	216	100.0	6	83	100.0	8	133	100.0
Income below poverty level^{2/}									
Total.....	177	2,073	100.0	89	974	100.0	88	1,099	100.0
Less than 20.....	9	116	5.6	5	67	6.9	4	49	4.5
20-24.9.....	10	140	12.4	3	20	9.0	7	120	15.4
25-26.9.....	5	45	14.6	3	25	11.5	2	20	17.2
27-28.9.....	16	173	22.9	9	78	19.5	7	95	25.8
29-30.9.....	20	237	34.3	7	68	26.5	13	169	41.2
31-32.9.....	9	100	39.1	5	62	32.8	4	38	44.6
33-34.9.....	17	216	49.5	11	128	45.9	6	89	52.7
35-36.9.....	15	155	57.0	8	90	55.2	7	65	58.6
37-38.9.....	11	110	62.3	5	49	60.2	6	61	64.2
39-40.9.....	14	161	70.1	6	61	66.4	8	100	73.3
41-42.9.....	9	91	74.5	2	17	68.2	7	73	80.0
43-44.9.....	6	84	78.5	3	56	74.0	3	28	82.5
45-46.9.....	6	68	81.8	4	51	79.2	2	17	84.1
47-48.9.....	4	50	84.2	1	8	80.1	3	41	87.9
49-50.9.....	6	77	87.9	4	53	85.5	2	23	90.0
51-51.9.....	2	19	88.8	2	19	87.5	-	-	90.0
52-53.9.....	4	39	90.7	2	19	89.4	2	21	91.9
54-55.9.....	6	91	95.1	2	24	91.8	4	67	98.0
56-57.9.....	-	-	95.1	-	-	91.8	-	-	98.0
58-59.9.....	1	9	95.5	1	9	92.8	-	-	98.0
60-61.9.....	3	25	96.7	3	25	95.3	-	-	98.0
62-63.9.....	1	22	97.8	-	-	95.3	1	22	100.0
64-65.9.....	-	-	97.8	-	-	95.3	-	-	100.0
66-67.9.....	-	-	97.8	-	-	95.3	-	-	100.0
68-69.9.....	1	23	98.9	1	23	97.7	-	-	100.0
70 or more.....	2	23	100.0	2	23	100.0	-	-	100.0

See footnotes at end of table.

Table 3-33. Cumulative percent distribution of protein intake values in grams per 1,000 calories for persons aged 15-17 years by sex and income level: United States, 1976-80-Continued

Income level and protein in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{2/}									
Total.....	1/759	9,750	100.0	1/417	4,992	100.0	342	4,758	100.0
Less than 20.....	34	406	4.2	11	116	2.3	23	290	6.1
20-24.9.....	50	655	10.9	24	265	7.6	26	389	14.3
25-26.9.....	36	394	14.9	17	181	11.3	19	213	18.8
27-28.9.....	37	490	19.9	15	177	14.8	22	312	25.3
29-30.9.....	50	672	26.8	31	391	22.6	19	282	31.2
31-32.9.....	52	702	34.0	25	296	28.6	27	406	39.8
33-34.9.....	71	850	42.8	40	447	37.5	31	402	48.2
35-36.9.....	54	637	49.3	36	372	45.0	18	266	53.8
37-38.9.....	53	623	55.7	28	329	51.6	25	294	60.0
39-40.9.....	62	738	63.3	43	480	61.2	19	258	65.4
41-42.9.....	48	650	69.9	26	363	68.4	22	287	71.4
43-44.9.....	36	490	74.9	21	277	74.0	15	213	75.9
45-46.9.....	25	422	79.3	16	251	79.0	9	171	79.5
47-48.9.....	28	380	83.2	16	207	83.2	12	173	83.1
49-50.9.....	23	257	85.8	15	155	86.3	8	101	85.3
51-51.9.....	7	91	86.7	4	48	87.3	3	43	86.2
52-53.9.....	26	348	90.3	15	177	90.8	11	171	89.8
54-55.9.....	18	242	92.8	10	136	93.5	8	106	92.0
56-57.9.....	10	148	94.3	6	84	95.2	4	64	93.3
58-59.9.....	5	59	94.9	2	17	95.6	3	42	94.2
60-61.9.....	4	38	95.3	1	11	95.8	3	27	94.8
62-63.9.....	7	106	96.4	4	51	96.8	3	54	95.9
64-65.9.....	4	49	96.9	3	36	97.5	1	13	96.2
66-67.9.....	3	33	97.2	2	26	98.0	1	7	96.4
68-69.9.....	5	86	98.1	3	46	99.0	2	40	97.2
70 or more.....	11	184	100.0	3	52	100.0	8	133	100.0

1/ Excludes 1 examined person with zero calories.

2/ Excludes unknown income.

Table 3-34. Cumulative percent distribution of protein intake values in grams per 1,000 calories for persons aged 18-24 years by sex and income level: United States, 1976-80

Income level and protein in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	1/2,053	27,439	100.0	988	13,275	100.0	1/1,065	14,164	100.0
Less than 20.....	67	868	3.2	25	302	2.3	42	567	4.0
20-24.9.....	145	1,761	9.6	54	710	7.6	91	1,052	11.4
25-26.9.....	94	1,175	13.9	36	455	11.0	58	720	16.5
27-28.9.....	134	1,817	20.5	69	977	18.4	65	839	22.4
29-30.9.....	125	1,665	26.6	69	873	25.0	56	792	28.0
31-32.9.....	154	2,050	34.0	81	1,066	33.0	73	984	35.0
33-34.9.....	152	2,074	41.6	63	866	39.5	89	1,208	43.5
35-36.9.....	138	1,825	48.2	69	889	46.2	69	936	50.1
37-38.9.....	142	1,982	55.5	70	943	53.3	72	1,039	57.4
39-40.9.....	150	1,999	62.8	83	1,200	62.4	67	799	63.1
41-42.9.....	120	1,622	68.7	56	795	68.4	64	827	68.9
43-44.9.....	118	1,592	74.5	62	850	74.8	56	742	74.2
45-46.9.....	90	1,240	79.0	48	640	79.6	42	600	78.4
47-48.9.....	65	982	82.6	29	424	82.8	36	558	82.3
49-50.9.....	60	862	85.7	28	391	85.7	32	471	85.7
51-51.9.....	26	356	87.0	16	220	87.4	10	136	86.6
52-53.9.....	53	686	89.5	25	331	89.9	28	355	89.1
54-55.9.....	27	369	90.8	12	149	91.0	15	220	90.7
56-57.9.....	35	418	92.4	15	168	92.3	20	250	92.4
58-59.9.....	30	438	94.0	11	154	93.4	19	284	94.5
60-61.9.....	19	225	94.8	11	132	94.4	8	93	95.1
62-63.9.....	25	282	95.8	13	154	95.6	12	129	96.0
64-65.9.....	16	232	96.7	9	144	96.7	7	87	96.6
66-67.9.....	12	153	97.2	6	68	97.2	6	86	97.3
68-69.9.....	9	168	97.8	3	46	97.5	6	122	98.1
70 or more.....	47	596	100.0	25	327	100.0	22	268	100.0
Income below poverty level^{12/}									
Total.....	1/430	5,300	100.0	178	2,237	100.0	1/252	3,063	100.0
Less than 20.....	12	188	3.5	5	72	3.2	7	116	3.8
20-24.9.....	39	445	11.9	12	127	8.9	27	317	14.1
25-26.9.....	23	260	16.8	9	98	13.3	14	162	19.4
27-28.9.....	32	427	24.9	15	227	23.5	17	200	25.9
29-30.9.....	29	382	32.1	10	144	28.6	19	268	34.7
31-32.9.....	24	336	38.4	10	140	34.8	14	196	41.1
33-34.9.....	30	327	44.6	10	133	40.8	20	195	47.4
35-36.9.....	35	402	52.2	13	134	46.7	22	268	56.2
37-38.9.....	30	391	59.6	15	187	55.1	15	204	62.9
39-40.9.....	29	358	66.3	12	158	62.1	17	200	69.4
41-42.9.....	30	371	73.3	15	182	70.3	15	189	75.6
43-44.9.....	22	244	77.9	8	111	75.3	14	132	79.9
45-46.9.....	18	231	82.3	12	158	82.3	6	73	82.3
47-48.9.....	11	143	85.0	1	6	82.6	10	137	86.8
49-50.9.....	11	147	87.8	4	51	84.9	7	96	89.9
51-51.9.....	6	59	88.9	5	51	87.2	1	7	90.1
52-53.9.....	14	147	91.7	9	94	91.4	5	53	91.9
54-55.9.....	4	53	92.7	2	23	92.4	2	30	92.8
56-57.9.....	6	56	93.7	1	10	92.9	5	46	94.3
58-59.9.....	5	63	94.9	-	-	92.9	5	63	96.4
60-61.9.....	4	46	95.8	2	27	94.1	2	19	97.0
62-63.9.....	1	10	96.0	-	-	94.1	1	10	97.3
64-65.9.....	4	76	97.4	3	65	97.0	1	10	97.6
66-67.9.....	2	31	98.0	-	-	97.0	2	31	98.7
68-69.9.....	1	16	98.3	-	-	97.0	1	16	99.2
70 or more.....	8	92	100.0	5	67	100.0	3	25	100.0

See footnotes at end of table.

Table 3-34. Cumulative percent distribution of protein intake values in grams per 1,000 calories for persons aged 18-24 years by sex and income level: United States, 1976-80-Continued

Income level and protein in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{2/}									
Total.....	1,541	21,013	100.0	770	10,508	100.0	771	10,505	100.0
Less than 20.....	54	668	3.2	20	229	2.2	34	439	4.2
20-24.9.....	102	1,255	9.2	40	546	7.4	62	709	10.9
25-26.9.....	68	868	13.3	25	332	10.5	43	537	16.0
27-28.9.....	99	1,349	19.7	53	739	17.6	46	610	21.8
29-30.9.....	90	1,193	25.4	55	698	24.2	35	495	26.6
31-32.9.....	122	1,596	33.0	69	911	32.9	53	685	33.1
33-34.9.....	116	1,679	41.0	49	681	39.4	67	998	42.6
35-36.9.....	95	1,309	47.2	54	723	46.2	41	586	48.2
37-38.9.....	110	1,556	54.6	55	756	53.4	55	800	55.8
39-40.9.....	117	1,598	62.2	67	1,000	63.0	50	598	61.5
41-42.9.....	83	1,160	67.7	39	587	68.5	44	573	66.9
43-44.9.....	88	1,256	73.7	49	677	75.0	39	579	72.4
45-46.9.....	68	975	78.3	33	455	79.3	35	520	77.4
47-48.9.....	47	728	81.8	25	359	82.7	22	369	80.9
49-50.9.....	44	608	84.7	21	296	85.5	23	311	83.9
51-51.9.....	20	297	86.1	11	168	87.1	9	129	85.1
52-53.9.....	39	539	88.7	16	237	89.4	23	302	88.0
54-55.9.....	23	316	90.2	10	126	90.6	13	190	89.8
56-57.9.....	27	337	91.8	12	132	91.9	15	205	91.7
58-59.9.....	24	365	93.5	11	154	93.3	13	211	93.7
60-61.9.....	15	179	94.4	9	105	94.3	6	75	94.4
62-63.9.....	24	272	95.7	13	154	95.8	11	118	95.6
64-65.9.....	12	156	96.4	6	79	96.5	6	77	96.3
66-67.9.....	9	116	97.0	6	68	97.2	3	48	96.8
68-69.9.....	8	152	97.7	3	46	97.6	5	106	97.8
70 or more.....	37	485	100.0	19	251	100.0	18	234	100.0

1/ Excludes 1 examined person with zero calories.
 2/ Excludes unknown income.

Table 3-35. Cumulative percent distribution of protein intake values in grams per 1,000 calories for persons aged 25-34 years by sex and income level: United States, 1976-80

Income level and protein in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	1/2,236	32,739	100.0	1,067	15,895	100.0	1/1,169	16,844	100.0
Less than 20.....	79	985	3.0	39	474	3.0	40	511	3.0
20-24.9.....	176	2,546	10.8	74	1,085	9.8	102	1,461	11.7
25-26.9.....	105	1,505	15.4	43	617	13.7	62	888	17.0
27-28.9.....	117	1,812	20.9	63	1,008	20.0	54	804	21.8
29-30.9.....	135	1,867	26.6	60	789	25.0	75	1,079	28.1
31-32.9.....	167	2,231	33.4	80	1,090	31.8	87	1,141	34.9
33-34.9.....	164	2,275	40.4	77	1,040	38.4	87	1,235	42.3
35-36.9.....	170	2,464	47.9	76	1,065	45.1	94	1,398	50.6
37-38.9.....	142	2,140	54.4	78	1,164	52.4	64	975	56.3
39-40.9.....	130	1,958	60.4	72	1,103	59.4	58	856	61.4
41-42.9.....	121	1,934	66.3	52	912	65.1	69	1,023	67.5
43-44.9.....	104	1,501	70.9	52	806	70.2	52	695	71.6
45-46.9.....	121	1,876	76.6	73	1,189	77.6	48	687	75.7
47-48.9.....	81	1,174	80.2	37	532	81.0	44	642	79.5
49-50.9.....	75	981	83.2	29	401	83.5	46	580	83.0
51-51.9.....	31	434	84.6	12	161	84.5	19	273	84.6
52-53.9.....	56	883	87.3	30	453	87.4	26	431	87.1
54-55.9.....	49	698	89.4	26	389	89.8	23	309	89.0
56-57.9.....	31	531	91.0	15	244	91.4	16	287	90.7
58-59.9.....	30	442	92.4	14	268	93.0	16	173	91.7
60-61.9.....	19	302	93.3	7	91	93.6	12	210	93.0
62-63.9.....	24	411	94.5	12	214	95.0	12	197	94.1
64-65.9.....	15	274	95.4	9	150	95.9	6	124	94.9
66-67.9.....	17	264	96.2	8	138	96.8	9	127	95.6
68-69.9.....	12	240	96.9	5	112	97.5	7	128	96.4
70 or more.....	65	1,010	100.0	24	401	100.0	41	609	100.0
Income below poverty level^{2/}									
Total.....	253	3,103	100.0	91	1,106	100.0	162	1,997	100.0
Less than 20.....	13	153	4.9	8	92	8.3	5	62	3.1
20-24.9.....	28	350	16.2	5	65	14.2	23	285	17.4
25-26.9.....	14	174	21.8	4	35	17.3	10	139	24.3
27-28.9.....	5	57	23.7	2	21	19.3	3	35	26.1
29-30.9.....	15	167	29.0	8	95	27.9	7	72	29.7
31-32.9.....	16	177	34.8	7	77	34.8	9	100	34.7
33-34.9.....	21	222	41.9	5	45	39.0	16	177	43.5
35-36.9.....	27	340	52.9	12	172	54.5	15	168	52.0
37-38.9.....	15	211	59.7	6	82	61.9	9	130	58.5
39-40.9.....	13	148	64.5	6	85	69.6	7	63	61.6
41-42.9.....	14	198	70.8	6	82	77.1	8	116	67.4
43-44.9.....	11	135	75.2	4	39	80.6	7	96	72.2
45-46.9.....	11	130	79.4	4	39	84.1	7	91	76.8
47-48.9.....	9	119	83.2	2	33	87.1	7	87	81.1
49-50.9.....	9	104	86.6	3	34	90.1	6	70	84.6
51-51.9.....	2	25	87.4	1	15	91.5	1	10	85.1
52-53.9.....	7	88	90.2	2	14	92.7	5	74	88.9
54-55.9.....	3	33	91.3	1	13	93.9	2	20	89.9
56-57.9.....	5	84	94.0	1	13	95.1	4	71	93.4
58-59.9.....	4	41	95.3	1	17	96.6	3	24	94.6
60-61.9.....	-	-	95.3	-	-	96.6	-	-	94.6
62-63.9.....	2	30	96.3	-	-	96.6	2	30	96.1
64-65.9.....	-	-	96.3	-	-	96.6	-	-	96.1
66-67.9.....	-	-	96.3	-	-	96.6	-	-	96.1
68-69.9.....	-	-	96.3	-	-	96.6	-	-	96.1
70 or more.....	9	115	100.0	3	38	100.0	6	77	100.0

See footnotes at end of table.

Table 3-35. Cumulative percent distribution of protein intake values in grams per 1,000 calories for persons aged 25-34 years by sex and income level: United States, 1976-80-Continued

Income level and protein in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{2/}									
Total.....	1/1,926	28,824	100.0	945	14,355	100.0	1/981	14,469	100.0
Less than 20.....	61	770	2.7	27	332	2.3	34	438	3.0
20-24.9.....	148	2,195	10.3	69	1,020	9.4	79	1,176	11.1
25-26.9.....	85	1,242	14.6	37	532	13.1	48	709	16.0
27-28.9.....	110	1,715	20.5	59	946	19.7	51	768	21.4
29-30.9.....	114	1,629	26.2	48	643	24.2	66	985	28.2
31-32.9.....	149	2,028	33.2	73	1,013	31.3	76	1,016	35.2
33-34.9.....	140	2,019	40.2	70	974	38.0	70	1,045	42.4
35-36.9.....	137	2,057	47.4	61	857	44.0	76	1,200	50.7
37-38.9.....	121	1,830	53.7	68	1,028	51.2	53	801	56.3
39-40.9.....	114	1,723	59.7	65	1,002	58.1	49	721	61.2
41-42.9.....	105	1,700	65.6	44	793	63.7	61	907	67.5
43-44.9.....	93	1,366	70.3	48	767	69.0	45	599	71.6
45-46.9.....	107	1,713	76.3	68	1,143	77.0	39	570	75.6
47-48.9.....	70	1,024	79.8	34	485	80.3	36	539	79.3
49-50.9.....	64	853	82.8	26	367	82.9	38	486	82.7
51-51.9.....	28	396	84.2	11	146	83.9	17	250	84.4
52-53.9.....	48	787	86.9	27	430	86.9	21	357	86.9
54-55.9.....	44	647	89.1	24	368	89.5	20	279	88.8
56-57.9.....	24	419	90.6	12	203	90.9	12	216	90.3
58-59.9.....	25	394	91.9	13	252	92.6	12	142	91.3
60-61.9.....	19	302	93.0	7	91	93.3	12	210	92.7
62-63.9.....	22	380	94.3	12	214	94.8	10	167	93.9
64-65.9.....	15	274	95.3	9	150	95.8	6	124	94.7
66-67.9.....	17	264	96.2	8	138	96.8	9	127	95.6
68-69.9.....	12	240	97.0	5	112	97.6	7	128	96.5
70 or more.....	54	859	100.0	20	350	100.0	34	509	100.0

1/ Excludes 1 examined person with zero calories.
2/ Excludes unknown income.

Table 3-36. Cumulative percent distribution of protein intake values in grams per 1,000 calories for persons aged 35-44 years by sex and income level: United States, 1976-80

Income level and protein in grams per 1,000 calories	Both sexes			Male			Female		
	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent
All incomes									
Total.....	1,589	23,651	100.0	745	11,367	100.0	844	12,284	100.0
Less than 20.....	38	522	2.2	16	219	1.9	22	303	2.5
20-24.9.....	95	1,415	8.2	42	681	7.9	53	734	8.4
25-26.9.....	75	1,149	13.0	33	489	12.2	42	660	13.8
27-28.9.....	94	1,444	19.1	34	552	17.1	60	892	21.1
29-30.9.....	120	1,702	26.3	60	929	25.3	60	773	27.4
31-32.9.....	106	1,483	32.6	52	725	31.6	54	758	33.5
33-34.9.....	98	1,463	38.8	48	743	38.2	50	720	39.4
35-36.9.....	106	1,735	46.1	48	751	44.8	58	984	47.4
37-38.9.....	111	1,624	53.0	50	756	51.4	61	868	54.5
39-40.9.....	119	1,747	60.4	56	878	59.1	63	869	61.5
41-42.9.....	105	1,525	66.8	58	869	66.8	47	656	66.9
43-44.9.....	99	1,436	72.9	45	661	72.6	54	775	73.2
45-46.9.....	58	841	76.5	31	463	76.7	27	378	76.3
47-48.9.....	59	889	80.2	30	462	80.8	29	427	79.7
49-50.9.....	59	738	83.3	37	469	84.9	22	269	81.9
51-51.9.....	25	388	85.0	14	222	86.8	11	166	83.3
52-53.9.....	31	537	87.3	12	215	88.7	19	322	85.9
54-55.9.....	35	521	89.5	15	245	90.9	20	276	88.2
56-57.9.....	31	546	91.8	12	194	92.6	19	353	91.0
58-59.9.....	21	347	93.2	10	167	94.0	11	180	92.5
60-61.9.....	21	302	94.5	8	106	95.0	13	196	94.1
62-63.9.....	14	217	95.4	5	61	95.5	9	157	95.4
64-65.9.....	9	124	96.0	4	52	96.0	5	72	95.9
66-67.9.....	6	67	96.3	3	41	96.3	3	26	96.2
68-69.9.....	9	162	96.9	4	90	97.1	5	72	96.8
70 or more.....	45	725	100.0	18	326	100.0	27	399	100.0
Income below poverty level^{1/}									
Total.....	182	2,364	100.0	63	821	100.0	119	1,543	100.0
Less than 20.....	7	70	2.9	*	*	*	5	53	3.5
20-24.9.....	12	145	9.1	*	*	*	8	101	10.0
25-26.9.....	12	167	16.1	*	*	*	7	102	16.6
27-28.9.....	9	98	20.3	*	*	*	8	84	22.1
29-30.9.....	18	232	30.1	*	*	*	14	172	33.2
31-32.9.....	14	159	36.8	*	*	*	5	52	36.6
33-34.9.....	9	112	41.6	*	*	*	6	72	41.3
35-36.9.....	14	250	52.2	*	*	*	10	170	52.3
37-38.9.....	12	154	58.7	*	*	*	8	110	59.4
39-40.9.....	9	100	62.9	*	*	*	5	51	62.7
41-42.9.....	14	170	70.1	*	*	*	8	81	67.9
43-44.9.....	13	176	77.6	*	*	*	8	121	75.8
45-46.9.....	8	87	81.3	*	*	*	6	56	79.4
47-48.9.....	7	86	84.9	*	*	*	5	67	83.7
49-50.9.....	5	54	87.2	*	*	*	4	41	86.4
51-51.9.....	-	-	87.2	*	*	*	-	-	86.4
52-53.9.....	3	69	90.1	*	*	*	3	69	90.8
54-55.9.....	1	9	90.5	*	*	*	1	9	91.4
56-57.9.....	5	102	94.8	*	*	*	2	47	94.4
58-59.9.....	1	9	95.2	*	*	*	-	-	94.4
60-61.9.....	3	33	96.6	*	*	*	2	24	96.0
62-63.9.....	1	9	97.0	*	*	*	1	9	96.6
64-65.9.....	2	29	98.2	*	*	*	1	20	97.9
66-67.9.....	-	-	98.2	*	*	*	-	-	97.9
68-69.9.....	-	-	98.2	*	*	*	-	-	97.9
70 or more.....	3	42	100.0	*	*	*	2	32	100.0

See footnotes at end of table.

Table 3-36. Cumulative percent distribution of protein intake values in grams per 1,000 calories for persons aged 35-44 years by sex and income level: United States, 1976-80-Continued

Income level and protein in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	1,360	20,572	100.0	658	10,195	100.0	702	10,377	100.0
Less than 20.....	30	438	2.1	13	188	1.8	17	250	2.4
20-24.9.....	81	1,239	8.1	37	621	7.9	44	618	8.4
25-26.9.....	63	982	12.9	28	423	12.1	35	558	13.7
27-28.9.....	82	1,288	19.2	32	529	17.3	50	760	21.1
29-30.9.....	99	1,433	26.1	54	840	25.5	45	593	26.8
31-32.9.....	89	1,272	32.3	43	618	31.6	46	654	33.1
33-34.9.....	86	1,303	38.7	43	667	38.1	43	636	39.2
35-36.9.....	86	1,393	45.4	41	615	44.2	45	778	46.7
37-38.9.....	96	1,429	52.4	45	702	51.0	51	727	53.7
39-40.9.....	103	1,564	60.0	48	786	58.8	55	778	61.2
41-42.9.....	91	1,354	66.6	52	779	66.4	39	575	66.8
43-44.9.....	82	1,208	72.4	37	567	71.9	45	641	72.9
45-46.9.....	49	730	76.0	29	431	76.2	20	298	75.8
47-48.9.....	50	778	79.8	27	431	80.4	23	347	79.1
49-50.9.....	53	673	83.0	35	445	84.8	18	228	81.3
51-51.9.....	23	342	84.7	13	202	86.8	10	139	82.7
52-53.9.....	26	423	86.8	10	170	88.4	16	253	85.1
54-55.9.....	33	498	89.2	15	245	90.8	18	253	87.6
56-57.9.....	26	444	91.3	9	139	92.2	17	305	90.5
58-59.9.....	20	338	93.0	9	158	93.8	11	180	92.2
60-61.9.....	18	269	94.3	7	97	94.7	11	172	93.9
62-63.9.....	13	208	95.3	5	61	95.3	8	147	95.3
64-65.9.....	6	84	95.7	2	32	95.6	4	52	95.8
66-67.9.....	6	67	96.0	3	41	96.0	3	26	96.1
68-69.9.....	8	146	96.8	4	90	96.9	4	56	96.6
70 or more.....	41	668	100.0	17	317	100.0	24	352	100.0

^{1/} Excludes unknown income.

Table 3-37. Cumulative percent distribution of protein intake values in grams per 1,000 calories for persons aged 45-54 years by sex and income level: United States, 1976-80

Income level and protein in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	1,453	23,032	100.0	690	11,114	100.0	763	11,918	100.0
Less than 20.....	25	387	1.7	6	98	.9	19	290	2.4
20-24.9.....	64	953	5.8	29	442	4.9	35	511	6.7
25-26.9.....	56	778	9.2	23	270	7.3	33	508	11.0
27-28.9.....	76	1,285	14.8	35	626	12.9	41	659	16.5
29-30.9.....	102	1,561	21.6	55	876	20.8	47	685	22.3
31-32.9.....	96	1,491	28.0	42	746	27.5	54	746	28.5
33-34.9.....	118	2,025	36.8	57	1,053	37.0	61	972	36.7
35-36.9.....	102	1,565	43.6	47	760	43.8	55	805	43.4
37-38.9.....	109	1,711	51.0	56	848	51.5	53	864	50.7
39-40.9.....	107	1,691	58.4	51	818	58.8	56	873	58.0
41-42.9.....	103	1,578	65.3	54	804	66.1	49	774	64.5
43-44.9.....	73	1,175	70.3	38	614	71.6	35	561	69.2
45-46.9.....	59	947	74.5	34	576	76.8	25	371	72.3
47-48.9.....	62	931	78.5	32	446	80.8	30	486	76.4
49-50.9.....	53	900	82.4	25	426	84.6	28	474	80.4
51-51.9.....	22	353	83.9	10	167	86.1	12	186	81.9
52-53.9.....	38	621	86.6	17	268	88.5	21	352	84.9
54-55.9.....	29	458	88.6	16	255	90.8	13	204	86.6
56-57.9.....	27	388	90.3	12	166	92.3	15	222	88.4
58-59.9.....	24	415	92.1	15	264	94.7	9	151	89.7
60-61.9.....	18	315	93.5	8	137	95.9	10	177	91.2
62-63.9.....	12	191	94.3	6	88	96.7	6	103	92.1
64-65.9.....	16	284	95.5	5	98	97.6	11	185	93.6
66-67.9.....	10	140	96.1	4	40	98.0	6	99	94.5
68-69.9.....	4	98	96.6	-	-	98.0	4	98	95.3
70 or more.....	48	788	100.0	13	227	100.0	35	562	100.0
Income below poverty level^{1/}									
Total.....	128	1,760	100.0	46	645	100.0	82	1,115	100.0
Less than 20.....	1	10	.5	*	*	*	1	10	.9
20-24.9.....	8	105	6.5	*	*	*	7	95	9.4
25-26.9.....	11	147	14.9	*	*	*	7	107	19.0
27-28.9.....	8	139	22.8	*	*	*	6	116	29.4
29-30.9.....	10	131	30.2	*	*	*	6	81	36.7
31-32.9.....	10	138	38.1	*	*	*	7	83	44.1
33-34.9.....	9	133	45.6	*	*	*	6	61	49.6
35-36.9.....	14	202	57.1	*	*	*	8	106	59.1
37-38.9.....	15	170	66.7	*	*	*	7	78	66.1
39-40.9.....	4	85	71.6	*	*	*	3	73	72.6
41-42.9.....	7	84	76.3	*	*	*	4	42	76.4
43-44.9.....	3	44	78.8	*	*	*	2	23	78.5
45-46.9.....	6	85	83.7	*	*	*	3	37	81.8
47-48.9.....	3	32	85.5	*	*	*	2	23	83.9
49-50.9.....	3	43	87.9	*	*	*	2	35	87.0
51-51.9.....	-	-	87.9	*	*	*	-	-	87.0
52-53.9.....	3	39	90.2	*	*	*	1	15	88.3
54-55.9.....	2	18	91.2	*	*	*	2	18	90.0
56-57.9.....	4	54	94.3	*	*	*	1	11	91.0
58-59.9.....	1	32	96.1	*	*	*	1	32	93.9
60-61.9.....	-	-	96.1	*	*	*	-	-	93.9
62-63.9.....	-	-	96.1	*	*	*	-	-	93.9
64-65.9.....	1	8	96.6	*	*	*	1	8	94.6
66-67.9.....	1	14	97.3	*	*	*	1	14	95.8
68-69.9.....	1	9	97.8	*	*	*	1	9	96.6
70 or more.....	3	38	100.0	*	*	*	3	38	100.0

See footnotes at end of table.

Table 3-37. Cumulative percent distribution of protein intake values in grams per 1,000 calories for persons aged 45-54 years by sex and income level: United States, 1976-80-Continued

Income level and protein in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	1,258	20,161	100.0	603	9,738	100.0	655	10,424	100.0
Less than 20.....	21	342	1.7	4	71	.7	17	271	2.6
20-24.9.....	53	791	5.6	26	385	4.7	27	406	6.5
25-26.9.....	44	619	8.7	18	218	6.9	26	401	10.3
27-28.9.....	66	1,121	14.3	33	603	13.1	33	518	15.3
29-30.9.....	87	1,328	20.8	48	757	20.9	39	572	20.8
31-32.9.....	78	1,238	27.0	32	589	26.9	46	649	27.0
33-34.9.....	103	1,748	35.6	50	871	35.9	53	877	35.4
35-36.9.....	85	1,309	42.1	40	647	42.5	45	662	41.8
37-38.9.....	81	1,317	48.7	40	618	48.9	41	698	48.5
39-40.9.....	101	1,581	56.5	49	790	57.0	52	792	56.1
41-42.9.....	91	1,404	63.5	48	705	64.2	43	699	62.8
43-44.9.....	68	1,112	69.0	36	584	70.2	32	528	67.8
45-46.9.....	52	841	73.2	30	507	75.4	22	334	71.0
47-48.9.....	58	888	77.6	30	425	79.8	28	462	75.5
49-50.9.....	48	822	81.6	23	392	83.8	25	430	79.6
51-51.9.....	22	353	83.4	10	167	85.5	12	186	81.4
52-53.9.....	32	543	86.1	13	215	87.7	19	328	84.5
54-55.9.....	26	433	88.2	16	255	90.3	10	179	86.3
56-57.9.....	21	307	89.8	8	111	91.5	13	196	88.1
58-59.9.....	23	383	91.7	15	264	94.2	8	119	89.3
60-61.9.....	17	294	93.1	8	137	95.6	9	156	90.8
62-63.9.....	11	172	94.0	6	88	96.5	5	84	91.6
64-65.9.....	15	275	95.3	5	98	97.5	10	177	93.3
66-67.9.....	8	115	95.9	3	29	97.8	5	86	94.1
68-69.9.....	3	90	96.3	-	-	97.8	3	90	95.0
70 or more.....	44	736	100.0	12	213	100.0	32	524	100.0

^{1/} Excludes unknown income.

Table 3-38. Cumulative percent distribution of protein intake values in grams per 1,000 calories for persons aged 55-64 years by sex and income level: United States, 1976-80

Income level and protein in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	1/2,555	20,346	100.0	1/1,226	9,603	100.0	1,329	10,743	100.0
Less than 20.....	48	342	1.7	24	169	1.8	24	173	1.6
20-24.9.....	129	1,005	6.6	64	450	6.4	65	555	6.8
25-26.9.....	99	781	10.5	53	340	10.0	46	441	10.9
27-28.9.....	138	1,049	15.6	48	323	13.3	90	726	17.6
29-30.9.....	148	1,235	21.7	69	561	19.2	79	674	23.9
31-32.9.....	170	1,353	28.3	77	588	25.3	93	765	31.0
33-34.9.....	198	1,620	36.3	95	804	33.7	103	816	38.6
35-36.9.....	204	1,610	44.2	91	737	41.4	113	872	46.8
37-38.9.....	181	1,412	51.1	85	651	48.1	96	762	53.8
39-40.9.....	172	1,346	57.8	87	698	55.4	85	648	59.9
41-42.9.....	154	1,177	63.5	78	555	61.2	76	623	65.7
43-44.9.....	155	1,275	69.8	81	661	68.1	74	614	71.4
45-46.9.....	134	1,038	74.9	78	590	74.2	56	448	75.6
47-48.9.....	106	868	79.2	47	416	78.5	59	452	79.8
49-50.9.....	93	745	82.9	48	425	83.0	45	321	82.8
51-51.9.....	42	243	84.0	23	131	84.3	19	113	83.8
52-53.9.....	69	597	87.0	31	253	87.0	38	344	87.0
54-55.9.....	67	517	89.5	36	302	90.1	31	215	89.0
56-57.9.....	42	356	91.3	17	117	91.3	25	239	91.2
58-59.9.....	36	341	92.9	15	144	92.8	21	198	93.1
60-61.9.....	24	178	93.8	8	80	93.7	16	98	94.0
62-63.9.....	22	212	94.9	7	54	94.2	15	158	95.4
64-65.9.....	16	113	95.4	10	69	94.9	6	44	95.9
66-67.9.....	15	176	96.3	8	75	95.7	7	101	96.8
68-69.9.....	12	66	96.6	7	35	96.1	5	31	97.1
70 or more.....	81	690	100.0	39	377	100.0	42	313	100.0
Income below poverty level^{2/}									
Total.....	1/316	1,956	100.0	1/128	775	100.0	188	1,181	100.0
Less than 20.....	12	55	2.8	6	32	4.1	6	23	1.9
20-24.9.....	24	133	9.6	14	71	13.3	10	62	7.2
25-26.9.....	13	97	14.6	6	53	20.2	7	44	10.9
27-28.9.....	22	193	24.4	6	58	27.7	16	135	22.3
29-30.9.....	14	96	29.4	6	32	31.9	8	64	27.7
31-32.9.....	22	119	35.5	5	22	34.7	17	97	35.9
33-34.9.....	24	183	44.8	10	71	43.9	14	112	45.4
35-36.9.....	27	143	52.1	8	36	48.6	19	107	54.5
37-38.9.....	18	118	58.2	8	54	55.6	10	64	59.9
39-40.9.....	21	126	64.6	8	54	62.6	13	72	66.0
41-42.9.....	16	83	68.9	5	21	65.3	11	62	71.3
43-44.9.....	16	106	74.3	8	48	71.5	8	58	76.2
45-46.9.....	21	124	80.6	13	86	82.6	8	38	79.3
47-48.9.....	6	41	82.8	1	5	83.3	5	36	82.4
49-50.9.....	10	51	85.3	4	25	86.5	6	26	84.6
51-51.9.....	6	30	86.9	3	16	88.5	3	14	85.8
52-53.9.....	9	59	89.9	3	16	90.6	6	43	89.4
54-55.9.....	9	50	92.4	5	28	94.2	4	22	91.3
56-57.9.....	6	60	95.5	3	19	96.7	3	41	94.8
58-59.9.....	4	13	96.2	-	-	96.7	4	13	95.9
60-61.9.....	2	7	96.5	-	-	96.7	2	7	96.5
62-63.9.....	1	7	96.9	-	-	96.7	1	7	97.0
64-65.9.....	3	10	97.4	-	-	96.7	3	10	97.9
66-67.9.....	1	3	97.6	1	3	97.0	-	-	97.9
68-69.9.....	1	4	97.8	1	4	97.5	-	-	97.9
70 or more.....	8	44	100.0	4	19	100.0	4	25	100.0

See footnotes at end of table.

Table 3-38. Cumulative percent distribution of protein intake values in grams per 1,000 calories for persons aged 55-64 years by sex and income level: United States, 1976-80-Continued

Income level and protein in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{2/}									
Total.....	2,119	17,376	100.0	1,048	8,443	100.0	1,071	8,934	100.0
Less than 20.....	36	287	1.6	18	137	1.6	18	150	1.7
20-24.9.....	100	847	6.5	49	366	6.0	51	480	7.0
25-26.9.....	81	641	10.2	44	264	9.1	37	377	11.3
27-28.9.....	109	810	14.9	39	249	12.0	70	561	17.5
29-30.9.....	124	1,090	21.1	60	518	18.2	64	572	24.0
31-32.9.....	139	1,152	27.8	69	551	24.7	70	601	30.7
33-34.9.....	170	1,401	35.8	83	724	33.3	87	678	38.3
35-36.9.....	164	1,349	43.6	77	654	41.0	87	695	46.1
37-38.9.....	151	1,213	50.6	71	557	47.6	80	657	53.4
39-40.9.....	148	1,206	57.5	76	630	55.1	72	576	59.8
41-42.9.....	133	1,048	63.6	71	511	61.1	62	537	65.9
43-44.9.....	127	1,064	69.7	66	544	67.6	61	519	71.7
45-46.9.....	105	859	74.6	60	486	73.3	45	373	75.9
47-48.9.....	92	742	78.9	45	390	77.9	47	352	79.8
49-50.9.....	81	686	82.8	44	400	82.7	37	286	83.0
51-51.9.....	35	199	84.0	20	115	84.0	15	84	83.9
52-53.9.....	58	522	87.0	28	237	86.8	30	285	87.1
54-55.9.....	54	409	89.3	29	243	89.7	25	166	89.0
56-57.9.....	33	259	90.8	13	74	90.6	20	185	91.0
58-59.9.....	28	252	92.3	13	131	92.1	15	121	92.4
60-61.9.....	22	171	93.3	8	80	93.1	14	92	93.4
62-63.9.....	21	205	94.4	7	54	93.7	14	151	95.1
64-65.9.....	12	93	95.0	10	69	94.5	2	24	95.4
66-67.9.....	13	167	95.9	7	72	95.4	6	95	96.5
68-69.9.....	10	59	96.3	6	31	95.8	4	28	96.8
70 or more.....	73	646	100.0	35	358	100.0	38	288	100.0

1/ Excludes 1 examined person with zero calories.
2/ Excludes unknown income.

Table 3-39. Cumulative percent distribution of protein intake values in grams per 1,000 calories for persons aged 65-74 years by sex and income level: United States, 1976-80

Income level and protein in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	2,615	14,496	100.0	1,199	6,297	100.0	1,416	8,198	100.0
Less than 20.....	50	270	1.9	21	112	1.8	29	158	1.9
20-24.9.....	137	694	6.6	49	220	5.3	88	473	7.7
25-26.9.....	101	558	10.5	41	216	8.7	60	342	11.9
27-28.9.....	130	702	15.3	60	315	13.7	70	388	16.6
29-30.9.....	163	891	21.5	70	366	19.5	93	525	23.0
31-32.9.....	166	903	27.7	68	371	25.4	98	533	29.5
33-34.9.....	207	1,453	35.7	111	575	34.5	96	578	36.6
35-36.9.....	185	1,013	42.7	77	387	40.7	108	626	44.2
37-38.9.....	194	1,058	50.0	83	436	47.6	111	621	51.8
39-40.9.....	181	1,097	57.5	82	438	54.6	99	659	59.8
41-42.9.....	173	1,002	64.4	88	497	62.5	85	505	66.0
43-44.9.....	149	810	70.0	86	466	69.9	63	344	70.2
45-46.9.....	138	806	75.6	62	322	75.0	76	484	76.0
47-48.9.....	108	554	79.4	63	309	79.9	45	245	79.0
49-50.9.....	105	558	83.3	55	300	84.7	50	258	82.2
51-51.9.....	35	205	84.7	18	87	86.1	17	118	83.6
52-53.9.....	74	418	87.6	34	174	88.8	40	245	86.6
54-55.9.....	60	343	89.9	25	124	90.8	35	220	89.3
56-57.9.....	42	221	91.5	17	91	92.2	25	130	90.9
58-59.9.....	33	204	92.9	13	87	93.6	20	117	92.3
60-61.9.....	31	171	94.0	17	87	95.0	14	84	93.3
62-63.9.....	33	172	95.2	15	73	96.1	18	99	94.5
64-65.9.....	19	117	96.0	4	31	96.6	15	86	95.6
66-67.9.....	22	113	96.8	5	16	96.9	17	97	96.8
68-69.9.....	22	129	97.7	10	59	97.8	12	70	97.6
70 or more.....	57	332	100.0	25	138	100.0	32	194	100.0
Income below poverty level^{1/}									
Total.....	424	2,003	100.0	168	759	100.0	256	1,245	100.0
Less than 20.....	15	61	3.1	5	22	2.9	10	39	3.1
20-24.9.....	25	110	8.5	12	45	8.9	13	65	8.3
25-26.9.....	14	60	11.5	4	15	10.9	10	44	11.9
27-28.9.....	18	84	15.7	9	46	17.0	9	38	14.9
29-30.9.....	24	103	20.9	7	28	20.7	17	75	21.0
31-32.9.....	29	134	27.5	11	36	25.4	18	98	28.9
33-34.9.....	39	170	36.0	17	60	33.3	22	109	37.7
35-36.9.....	25	110	41.5	12	53	40.3	13	57	42.3
37-38.9.....	43	214	52.2	9	34	44.8	34	180	56.8
39-40.9.....	26	145	59.5	8	37	49.7	18	108	65.4
41-42.9.....	15	65	62.7	7	34	54.2	8	31	67.9
43-44.9.....	23	127	69.1	15	87	65.7	8	40	71.1
45-46.9.....	24	123	75.2	7	42	71.3	17	81	77.6
47-48.9.....	23	100	80.2	12	47	77.5	11	52	81.8
49-50.9.....	15	73	83.8	6	31	81.6	9	41	85.1
51-51.9.....	8	40	85.8	4	17	83.9	4	22	86.9
52-53.9.....	10	43	88.0	6	24	87.2	4	19	88.4
54-55.9.....	10	45	90.2	3	13	88.9	7	32	91.0
56-57.9.....	2	15	91.0	1	9	90.0	1	7	91.5
58-59.9.....	5	23	92.1	2	7	91.0	3	16	92.8
60-61.9.....	5	26	93.4	1	3	91.4	4	22	94.6
62-63.9.....	5	23	94.5	1	8	92.5	4	15	95.8
64-65.9.....	3	12	95.1	2	8	93.6	1	4	96.1
66-67.9.....	8	36	96.9	1	3	94.0	7	33	98.7
68-69.9.....	2	11	97.5	2	11	95.5	-	-	98.7
70 or more.....	8	50	100.0	4	34	100.0	4	16	100.0

See footnotes at end of table.

Table 3-39. Cumulative percent distribution of protein intake values in grams per 1,000 calories for persons aged 65-74 years by sex and income level: United States, 1976-80-Continued

Income level and protein in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	2,067	11,819	100.0	987	5,312	100.0	1,080	6,508	100.0
Less than 20.....	34	206	1.7	15	87	1.6	19	119	1.8
20-24.9.....	107	565	6.5	37	175	4.9	70	389	7.8
25-26.9.....	84	482	10.6	36	197	8.6	48	285	12.2
27-28.9.....	107	596	15.6	50	261	13.6	57	335	17.3
29-30.9.....	131	740	21.9	62	335	19.9	69	405	23.6
31-32.9.....	130	732	28.1	53	319	25.9	77	413	29.9
33-34.9.....	160	941	36.1	90	500	35.3	70	441	36.7
35-36.9.....	155	871	43.4	62	312	41.1	93	559	45.3
37-38.9.....	141	786	50.1	69	379	48.3	72	408	51.5
39-40.9.....	141	872	57.4	70	378	55.4	71	494	59.1
41-42.9.....	151	902	65.1	78	447	63.8	73	455	66.1
43-44.9.....	120	647	70.6	70	369	70.8	50	278	70.4
45-46.9.....	103	618	75.8	53	273	75.9	50	345	75.7
47-48.9.....	81	430	79.4	48	243	80.5	33	186	78.6
49-50.9.....	87	468	83.4	49	269	85.5	38	199	81.6
51-51.9.....	25	151	84.7	13	63	86.7	12	88	83.0
52-53.9.....	59	350	87.6	26	140	89.3	33	210	86.2
54-55.9.....	49	292	90.1	21	104	91.3	28	188	89.1
56-57.9.....	34	177	91.6	14	73	92.7	20	104	90.7
58-59.9.....	24	163	93.0	9	67	93.9	15	96	92.2
60-61.9.....	21	116	93.9	15	79	95.4	6	36	92.7
62-63.9.....	27	146	95.2	14	64	96.6	13	82	94.0
64-65.9.....	16	105	96.1	2	22	97.1	14	82	95.3
66-67.9.....	14	77	96.7	4	13	97.3	10	64	96.2
68-69.9.....	19	112	97.7	7	42	98.1	12	70	97.3
70 or more.....	47	276	100.0	20	101	100.0	27	175	100.0

^{1/} Excludes unknown income.

Table 3-40. Cumulative percent distribution of fat intake values in grams per 1,000 calories for persons aged 6-11 months by sex and income level: United States, 1976-80

Income level and fat in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative Percent	Examined persons	Estimated population in thousands	Cumulative Percent	Examined persons	Estimated population in thousands	Cumulative Percent
All incomes									
Total.....	356	1,599	100.0	179	819	100.0	177	780	100.0
Less than 20.....	25	109	6.8	15	72	8.8	10	37	4.7
20-23.9.....	19	76	11.5	11	44	14.2	8	32	8.8
24-25.9.....	15	85	16.9	8	57	21.1	7	28	12.4
26-27.9.....	24	116	24.1	12	53	27.6	12	63	20.5
28-29.9.....	22	88	29.6	12	48	33.4	10	40	25.6
30-31.9.....	19	92	35.4	11	54	40.0	8	38	30.5
32-33.9.....	26	100	41.7	12	45	45.6	14	55	37.6
34-35.9.....	17	72	46.2	10	47	51.3	7	25	40.8
36-37.9.....	19	91	51.9	8	46	57.0	11	45	46.6
38-39.9.....	25	129	60.0	12	60	64.3	13	69	55.4
40-41.9.....	33	147	69.2	15	61	71.8	18	86	66.4
42-43.9.....	21	92	74.9	9	48	77.6	12	44	72.0
44-45.9.....	26	128	82.9	15	70	86.2	11	58	79.5
46-47.9.....	17	93	88.8	5	27	89.5	12	66	88.0
48-49.9.....	14	58	92.3	7	31	93.3	7	26	91.4
50-54.9.....	25	100	98.6	10	39	98.0	15	61	99.2
55-59.9.....	8	20	99.8	6	14	99.7	2	6	100.0
60-64.9.....	-	-	99.8	-	-	99.7	-	-	100.0
65-69.9.....	-	-	99.8	-	-	99.7	-	-	100.0
70-74.9.....	-	-	99.8	-	-	99.7	-	-	100.0
75-79.9.....	1	3	100.0	1	3	100.0	-	-	100.0
80-84.....	-	-	100.0	-	-	100.0	-	-	100.0
85 or more.....	-	-	100.0	-	-	100.0	-	-	100.0
Income below poverty level^{1/}									
Total.....	84	315	100.0	48	177	100.0	36	138	100.0
Less than 20.....	2	5	1.5	*	*	*	*	*	*
20-23.9.....	1	2	2.0	*	*	*	*	*	*
24-25.9.....	2	10	5.1	*	*	*	*	*	*
26-27.9.....	6	22	12.1	*	*	*	*	*	*
28-29.9.....	8	22	19.1	*	*	*	*	*	*
30-31.9.....	3	12	22.8	*	*	*	*	*	*
32-33.9.....	5	16	27.9	*	*	*	*	*	*
34-35.9.....	6	26	36.2	*	*	*	*	*	*
36-37.9.....	5	20	42.5	*	*	*	*	*	*
38-39.9.....	3	13	46.8	*	*	*	*	*	*
40-41.9.....	8	34	57.7	*	*	*	*	*	*
42-43.9.....	6	15	62.4	*	*	*	*	*	*
44-45.9.....	9	50	78.3	*	*	*	*	*	*
46-47.9.....	3	7	80.6	*	*	*	*	*	*
48-49.9.....	4	20	87.0	*	*	*	*	*	*
50-54.9.....	9	30	96.6	*	*	*	*	*	*
55-59.9.....	4	11	100.0	*	*	*	*	*	*
60-64.9.....	-	-	100.0	*	*	*	*	*	*
65-69.9.....	-	-	100.0	*	*	*	*	*	*
70-74.9.....	-	-	100.0	*	*	*	*	*	*
75-79.9.....	-	-	100.0	*	*	*	*	*	*
80-84.....	-	-	100.0	*	*	*	*	*	*
85 or more.....	-	-	100.0	*	*	*	*	*	*

See footnotes at end of table.

Table 3-40. Cumulative percent distribution of fat intake values in grams per 1,000 calories for persons aged 6-11 months by sex and income level: United States, 1976-80-Continued

Income level and fat in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative Percent	Examined persons	Estimated population in thousands	Cumulative Percent	Examined persons	Estimated population in thousands	Cumulative Percent
Income above poverty level ^{1/}									
Total.....	256	1,226	100.0	121	614	100.0	135	612	100.0
Less than 20.....	23	104	8.5	13	68	11.0	10	37	6.0
20-23.9.....	18	74	14.5	10	42	17.8	8	32	11.2
24-25.9.....	12	73	20.5	6	47	25.6	6	26	15.4
26-27.9.....	18	94	28.2	8	38	31.8	10	56	24.6
28-29.9.....	14	66	33.5	6	30	36.7	8	35	30.3
30-31.9.....	16	81	40.1	9	47	44.4	7	33	35.8
32-33.9.....	20	80	46.6	9	35	50.1	11	45	43.1
34-35.9.....	11	46	50.4	6	28	54.8	5	18	46.0
36-37.9.....	14	71	56.2	7	42	61.6	7	29	50.7
38-39.9.....	20	107	64.9	8	41	68.3	12	67	61.6
40-41.9.....	20	90	72.3	9	40	74.8	11	50	69.7
42-43.9.....	14	75	78.4	5	41	81.4	9	34	75.3
44-45.9.....	16	76	84.6	10	48	89.2	6	28	79.9
46-47.9.....	14	86	91.6	3	23	92.9	11	64	90.3
48-49.9.....	9	35	94.5	4	15	95.3	5	21	93.7
50-54.9.....	13	58	99.2	5	22	98.9	8	36	99.5
55-59.9.....	3	7	99.8	2	4	99.6	1	3	100.0
60-64.9.....	-	-	99.8	-	-	99.6	-	-	100.0
65-69.9.....	-	-	99.8	-	-	99.6	-	-	100.0
70-74.9.....	-	-	99.8	-	-	99.6	-	-	100.0
75-79.9.....	1	3	100.0	1	3	100.0	-	-	100.0
80-84.....	-	-	100.0	-	-	100.0	-	-	100.0
85 or more.....	-	-	100.0	-	-	100.0	-	-	100.0

^{1/} Excludes unknown income.

Table 3-41. Cumulative percent distribution of fat intake values in grams per 1,000 calories for persons aged 1-2 years by sex and income level: United States, 1976-80

Income level and fat in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative Percent	Examined persons	Estimated population in thousands	Cumulative Percent	Examined persons	Estimated population in thousands	Cumulative Percent
All incomes									
Total.....	1,417	6,078	100.0	745	3,107	100.0	672	2,970	100.0
Less than 20.....	36	199	3.3	16	86	2.8	20	113	3.8
20-23.9.....	39	162	5.9	24	94	5.8	15	68	6.1
24-25.9.....	32	126	8.0	21	80	8.4	11	46	7.7
26-27.9.....	48	231	11.8	25	116	12.1	23	114	11.5
28-29.9.....	60	276	16.4	25	121	16.0	35	155	16.7
30-31.9.....	71	359	22.3	42	227	23.3	29	131	21.1
32-33.9.....	98	389	28.7	58	224	30.5	40	165	26.7
34-35.9.....	105	462	36.3	56	239	38.2	49	222	34.2
36-37.9.....	105	488	44.3	58	228	45.6	47	260	42.9
38-39.9.....	134	567	53.6	73	309	55.5	61	258	51.6
40-41.9.....	126	513	62.0	71	280	64.5	55	232	59.4
42-43.9.....	124	527	70.7	60	248	72.5	64	279	68.8
44-45.9.....	106	421	77.6	46	172	78.0	60	249	77.2
46-47.9.....	82	345	83.3	41	168	83.4	41	177	83.2
48-49.9.....	69	279	87.9	37	140	87.9	32	139	87.9
50-54.9.....	112	425	94.9	56	218	94.9	56	207	94.8
55-59.9.....	47	191	98.0	24	103	98.3	23	87	97.8
60-64.9.....	21	111	99.9	12	54	100.0	9	58	99.7
65-69.9.....	1	3	99.9	-	-	100.0	1	3	99.8
70-74.9.....	-	-	99.9	-	-	100.0	-	-	99.8
75-79.9.....	-	-	99.9	-	-	100.0	-	-	99.8
80-84.....	-	-	99.9	-	-	100.0	-	-	99.8
85 or more.....	1	5	100.0	-	-	100.0	1	5	100.0
Income below poverty level^{1/}									
Total.....	323	1,163	100.0	170	601	100.0	153	562	100.0
Less than 20.....	5	25	2.1	2	10	1.7	3	14	2.6
20-23.9.....	10	36	5.3	6	21	5.2	4	16	5.4
24-25.9.....	2	6	5.8	1	4	5.8	1	2	5.8
26-27.9.....	4	17	7.3	3	14	8.2	1	3	6.3
28-29.9.....	9	38	10.5	4	15	10.6	5	23	10.4
30-31.9.....	8	37	13.7	4	20	14.0	4	17	13.3
32-33.9.....	13	41	17.3	11	35	19.8	2	7	14.5
34-35.9.....	26	94	25.3	13	44	27.2	13	49	23.3
36-37.9.....	23	88	32.9	12	47	35.0	11	42	30.7
38-39.9.....	33	125	43.6	19	78	48.0	14	47	39.0
40-41.9.....	32	114	53.4	15	48	56.0	17	66	50.6
42-43.9.....	30	105	62.4	16	55	65.2	14	50	59.5
44-45.9.....	24	75	68.8	9	25	69.3	15	50	68.3
46-47.9.....	24	88	76.4	12	39	75.8	12	49	77.0
48-49.9.....	27	102	85.2	20	67	87.0	7	35	83.3
50-54.9.....	35	110	94.6	14	46	94.6	21	64	94.6
55-59.9.....	12	43	98.3	8	30	99.6	4	14	97.0
60-64.9.....	5	16	99.7	1	2	100.0	4	14	99.4
65-69.9.....	1	3	100.0	-	-	100.0	1	3	100.0
70-74.9.....	-	-	100.0	-	-	100.0	-	-	100.0
75-79.9.....	-	-	100.0	-	-	100.0	-	-	100.0
80-84.....	-	-	100.0	-	-	100.0	-	-	100.0
85 or more.....	-	-	100.0	-	-	100.0	-	-	100.0

See footnotes at end of table.

Table 3-41. Cumulative percent distribution of fat intake values in grams per 1,000 calories for persons aged 1-2 years by sex and income level: United States, 1976-80-Continued

Income level and fat in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative Percent	Examined persons	Estimated population in thousands	Cumulative Percent	Examined persons	Estimated population in thousands	Cumulative Percent
Income above poverty level ^{1/}									
Total.....	1,056	4,767	100.0	551	2,416	100.0	505	2,351	100.0
Less than 20.....	30	166	3.5	13	67	2.8	17	98	4.2
20-23.9.....	29	126	6.1	18	73	5.8	11	53	6.4
24-25.9.....	30	120	8.6	20	76	9.0	10	44	8.3
26-27.9.....	43	210	13.0	22	102	13.2	21	109	12.9
28-29.9.....	49	234	18.0	20	105	17.5	29	130	18.4
30-31.9.....	63	321	24.7	38	207	26.1	25	115	23.3
32-33.9.....	81	333	31.7	44	180	33.5	37	153	29.8
34-35.9.....	75	352	39.1	41	190	41.4	34	162	36.7
36-37.9.....	78	380	47.1	43	168	48.3	35	212	45.7
38-39.9.....	97	428	56.0	50	217	57.3	47	211	54.7
40-41.9.....	93	396	64.3	55	229	66.8	38	167	61.8
42-43.9.....	93	416	73.1	43	187	74.5	50	230	71.6
44-45.9.....	77	325	79.9	35	135	80.1	42	190	79.7
46-47.9.....	56	249	85.1	27	120	85.1	29	128	85.1
48-49.9.....	40	168	88.6	17	73	88.1	23	95	89.1
50-54.9.....	73	302	95.0	41	169	95.1	32	133	94.8
55-59.9.....	32	140	97.9	13	67	97.9	19	74	97.9
60-64.9.....	16	95	99.9	11	51	100.0	5	44	99.8
65-69.9.....	-	-	99.9	-	-	100.0	-	-	99.8
70-74.9.....	-	-	99.9	-	-	100.0	-	-	99.8
75-79.9.....	-	-	99.9	-	-	100.0	-	-	99.8
80-84.....	-	-	99.9	-	-	100.0	-	-	99.8
85 or more.....	1	5	100.0	-	-	100.0	1	5	100.0

1/ Excludes unknown income.

Table 3-42. Cumulative percent distribution of fat intake values in grams per 1,000 calories for persons aged 3-5 years by sex and income level: United States, 1976-80

Income level and fat in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative Percent	Examined persons	Estimated population in thousands	Cumulative Percent	Examined persons	Estimated population in thousands	Cumulative Percent
All incomes									
Total.....	2,345	9,186	100.0	1,219	4,695	100.0	1,126	4,491	100.0
Less than 20.....	34	137	1.5	20	71	1.5	14	65	1.4
20-23.9.....	53	212	3.8	29	110	3.9	24	102	3.7
24-25.9.....	38	148	5.4	18	69	5.3	20	80	5.5
26-27.9.....	62	257	8.2	26	97	7.4	36	160	9.0
28-29.9.....	106	408	12.6	59	231	12.3	47	177	13.0
30-31.9.....	142	600	19.2	78	352	19.8	64	247	18.5
32-33.9.....	152	602	25.7	81	301	26.2	71	301	25.2
34-35.9.....	209	841	34.9	121	474	36.3	88	367	33.4
36-37.9.....	234	925	44.9	116	463	46.2	118	462	43.7
38-39.9.....	235	959	55.4	126	512	57.1	109	447	53.6
40-41.9.....	245	913	65.3	140	517	68.1	105	396	62.4
42-43.9.....	197	750	73.5	98	381	76.2	99	369	70.6
44-45.9.....	168	672	80.8	79	291	82.4	89	382	79.1
46-47.9.....	127	487	86.1	65	262	88.0	62	226	84.2
48-49.9.....	105	404	90.5	48	165	91.5	57	239	89.5
50-54.9.....	155	579	96.8	67	241	96.6	88	338	97.0
55-59.9.....	59	215	99.2	37	122	99.2	22	94	99.1
60-64.9.....	19	60	99.8	8	23	99.7	11	36	99.9
65-69.9.....	4	9	99.9	2	4	99.8	2	5	100.0
70-74.9.....	1	9	100.0	1	9	100.0	-	-	100.0
75-79.9.....	-	-	100.0	-	-	100.0	-	-	100.0
80-84.....	-	-	100.0	-	-	100.0	-	-	100.0
85 or more.....	-	-	100.0	-	-	100.0	-	-	100.0
Income below poverty level^{1/}									
Total.....	570	1,855	100.0	298	910	100.0	272	945	100.0
Less than 20.....	5	13	.7	4	11	1.2	1	2	.2
20-23.9.....	12	34	2.5	7	17	3.1	5	17	2.0
24-25.9.....	9	38	4.6	5	22	5.5	4	16	3.7
26-27.9.....	11	36	6.5	6	22	7.9	5	15	5.2
28-29.9.....	19	60	9.8	13	37	12.0	6	22	7.6
30-31.9.....	27	82	14.2	8	17	13.9	19	65	14.5
32-33.9.....	27	87	18.8	17	50	19.4	10	37	18.3
34-35.9.....	44	142	26.5	23	68	26.8	21	74	26.2
36-37.9.....	44	132	33.6	24	68	34.4	20	64	32.9
38-39.9.....	45	170	42.8	26	93	44.6	19	77	41.1
40-41.9.....	64	207	53.9	30	93	54.8	34	114	53.1
42-43.9.....	58	171	63.2	29	89	64.6	29	82	61.8
44-45.9.....	55	183	73.0	31	97	75.2	24	86	70.9
46-47.9.....	39	122	79.6	19	57	81.4	20	66	77.9
48-49.9.....	28	99	84.9	11	39	85.7	17	60	84.2
50-54.9.....	46	158	93.5	22	61	92.5	24	97	94.4
55-59.9.....	31	107	99.2	19	59	98.9	12	48	99.5
60-64.9.....	4	10	99.8	3	8	99.8	1	2	99.8
65-69.9.....	2	4	100.0	1	2	100.0	1	2	100.0
70-74.9.....	-	-	100.0	-	-	100.0	-	-	100.0
75-79.9.....	-	-	100.0	-	-	100.0	-	-	100.0
80-84.....	-	-	100.0	-	-	100.0	-	-	100.0
85 or more.....	-	-	100.0	-	-	100.0	-	-	100.0

See footnotes at end of table.

Table 3-42. Cumulative percent distribution of fat intake values in grams per 1,000 calories for persons aged 3-5 years by sex and income level: United States, 1976-80-Continued

Income level and fat in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative Percent	Examined persons	Estimated population in thousands	Cumulative Percent	Examined persons	Estimated population in thousands	Cumulative Percent
Income above poverty level ^{1/}									
Total.....	1,707	7,102	100.0	892	3,683	100.0	815	3,419	100.0
Less than 20.....	27	119	1.7	16	60	1.6	11	59	1.7
20-23.9.....	37	168	4.0	20	89	4.0	17	80	4.1
24-25.9.....	29	110	5.6	13	47	5.3	16	64	5.9
26-27.9.....	49	211	8.6	20	75	7.3	29	136	9.9
28-29.9.....	84	339	13.3	46	194	12.6	38	146	14.2
30-31.9.....	109	494	20.3	68	326	21.4	41	168	19.1
32-33.9.....	121	500	27.3	61	239	27.9	60	261	26.7
34-35.9.....	158	674	36.8	93	389	38.5	65	285	35.0
36-37.9.....	182	772	47.7	89	388	49.0	93	384	46.3
38-39.9.....	183	764	58.5	96	403	60.0	87	361	56.8
40-41.9.....	178	696	68.3	109	422	71.4	69	274	64.8
42-43.9.....	134	562	76.2	68	285	79.2	66	277	73.0
44-45.9.....	111	481	83.0	47	192	84.4	64	290	81.4
46-47.9.....	84	350	87.9	43	194	89.6	41	157	86.0
48-49.9.....	74	298	92.1	36	124	93.0	38	174	91.1
50-54.9.....	105	406	97.8	43	172	97.7	62	234	98.0
55-59.9.....	25	95	99.1	17	60	99.3	8	35	99.0
60-64.9.....	14	48	99.8	5	15	99.7	9	32	99.9
65-69.9.....	2	5	99.9	1	2	99.8	1	2	100.0
70-74.9.....	1	9	100.0	1	9	100.0	-	-	100.0
75-79.9.....	-	-	100.0	-	-	100.0	-	-	100.0
80-84.....	-	-	100.0	-	-	100.0	-	-	100.0
85 or more.....	-	-	100.0	-	-	100.0	-	-	100.0

1/ Excludes unknown income.

Table 3-43. Cumulative percent distribution of fat intake values in grams per 1,000 calories for persons aged 6-8 years by sex and income level: United States, 1976-80

Income level and fat in grams per 1,000 calories	Both sexes			Male			Female		
	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative Percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative Percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative Percent
All incomes									
Total.....	843	10,213	100.0	428	5,336	100.0	415	4,877	100.0
Less than 20.....	6	82	.8	3	35	.7	3	47	.9
20-23.9.....	10	120	2.0	8	97	2.5	2	23	1.4
24-25.9.....	10	120	3.1	4	36	3.1	6	84	3.2
26-27.9.....	20	215	5.3	7	101	5.0	13	114	5.5
28-29.9.....	27	349	8.7	10	122	7.3	17	227	10.2
30-31.9.....	43	543	14.0	24	302	13.0	19	241	15.1
32-33.9.....	62	749	21.3	35	400	20.5	27	349	22.3
34-35.9.....	79	919	30.3	43	518	30.2	36	401	30.5
36-37.9.....	84	1,024	40.4	36	442	38.5	48	583	42.4
38-39.9.....	87	1,089	51.0	44	601	49.7	43	488	52.4
40-41.9.....	81	950	60.3	44	508	59.3	37	442	61.5
42-43.9.....	90	1,077	70.9	45	517	68.9	45	559	73.0
44-45.9.....	76	861	79.3	45	530	78.9	31	331	79.8
46-47.9.....	49	593	85.1	25	326	85.0	24	267	85.2
48-49.9.....	46	581	90.8	16	231	89.3	30	350	92.4
50-54.9.....	53	665	97.3	28	397	96.8	25	268	97.9
55-59.9.....	14	219	99.4	10	159	99.7	4	60	99.1
60-64.9.....	5	47	99.9	1	14	100.0	4	34	99.8
65-69.9.....	1	9	100.0	-	-	100.0	1	9	100.0
70-74.9.....	-	-	100.0	-	-	100.0	-	-	100.0
75-79.9.....	-	-	100.0	-	-	100.0	-	-	100.0
80-84.....	-	-	100.0	-	-	100.0	-	-	100.0
85 or more.....	-	-	100.0	-	-	100.0	-	-	100.0
Income below poverty level ^{1/}									
Total.....	177	1,769	100.0	82	900	100.0	95	869	100.0
Less than 20.....	-	-	-	-	-	-	-	-	-
20-23.9.....	3	25	1.4	2	19	2.1	1	6	.7
24-25.9.....	-	-	1.4	-	-	2.1	-	-	.7
26-27.9.....	4	24	2.8	-	-	2.1	4	24	3.4
28-29.9.....	3	28	4.3	1	11	3.4	2	17	5.4
30-31.9.....	13	148	12.7	8	109	15.5	5	39	9.9
32-33.9.....	11	116	19.3	7	74	23.7	4	42	14.7
34-35.9.....	20	196	30.4	11	121	37.1	9	75	23.4
36-37.9.....	18	157	39.2	8	61	43.9	10	95	34.4
38-39.9.....	16	162	48.4	2	25	46.6	14	138	50.2
40-41.9.....	17	183	58.7	7	78	55.3	10	105	62.3
42-43.9.....	13	121	65.6	6	59	61.9	7	62	69.4
44-45.9.....	15	157	74.5	8	87	71.5	7	70	77.5
46-47.9.....	15	138	82.3	10	94	82.0	5	43	82.5
48-49.9.....	12	111	88.5	2	20	84.2	10	91	93.0
50-54.9.....	13	164	97.8	9	129	98.6	4	34	97.0
55-59.9.....	2	21	99.0	1	13	100.0	1	8	97.9
60-64.9.....	2	18	100.0	-	-	100.0	2	18	100.0
65-69.9.....	-	-	100.0	-	-	100.0	-	-	100.0
70-74.9.....	-	-	100.0	-	-	100.0	-	-	100.0
75-79.9.....	-	-	100.0	-	-	100.0	-	-	100.0
80-84.....	-	-	100.0	-	-	100.0	-	-	100.0
85 or more.....	-	-	100.0	-	-	100.0	-	-	100.0

See footnotes at end of table.

Table 3-43. Cumulative percent distribution of fat intake values in grams per 1,000 calories for persons aged 6-8 years by sex and income level: United States, 1976-80-Continued

Income level and fat in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative Percent	Examined persons	Estimated population in thousands	Cumulative Percent	Examined persons	Estimated population in thousands	Cumulative Percent
Income above poverty level ^{1/}									
Total.....	644	8,118	100.0	336	4,254	100.0	308	3,864	100.0
Less than 20.....	6	82	1.0	3	35	.8	3	47	1.2
20-23.9.....	5	67	1.8	5	67	2.4	-	-	1.2
24-25.9.....	10	120	3.3	4	36	3.2	6	84	3.4
26-27.9.....	15	184	5.6	6	93	5.4	9	90	5.7
28-29.9.....	23	294	9.2	8	83	7.4	15	211	11.2
30-31.9.....	29	387	14.0	16	193	11.9	13	194	16.2
32-33.9.....	51	634	21.8	28	326	19.6	23	308	24.1
34-35.9.....	57	693	30.3	31	391	28.8	26	302	32.0
36-37.9.....	62	809	40.3	26	344	36.9	36	465	44.0
38-39.9.....	71	927	51.7	42	576	50.4	29	350	53.1
40-41.9.....	62	739	60.8	36	420	60.3	26	319	61.3
42-43.9.....	75	929	72.2	38	437	70.5	37	492	74.1
44-45.9.....	60	665	80.4	36	404	80.0	24	261	80.8
46-47.9.....	33	449	85.9	15	232	85.5	18	217	86.4
48-49.9.....	32	440	91.4	14	211	90.4	18	229	92.4
50-54.9.....	37	465	97.1	18	246	96.2	19	219	98.0
55-59.9.....	12	198	99.5	9	147	99.7	3	51	99.4
60-64.9.....	3	30	99.9	1	14	100.0	2	16	99.8
65-69.9.....	1	9	100.0	-	-	100.0	1	9	100.0
70-74.9.....	-	-	100.0	-	-	100.0	-	-	100.0
75-79.9.....	-	-	100.0	-	-	100.0	-	-	100.0
80-84.....	-	-	100.0	-	-	100.0	-	-	100.0
85 or more.....	-	-	100.0	-	-	100.0	-	-	100.0

1/ Excludes unknown income.

Table 3-44. Cumulative percent distribution of fat intake values in grams per 1,000 calories for persons aged 9-11 years by sex and income level: United States, 1976-80

Income level and fat in grams per 1,000 calories	Both sexes			Male			Female		
	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative Percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative Percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative Percent
All incomes									
Total.....	882	10,667	100.0	457	5,310	100.0	425	5,357	100.0
Less than 20.....	8	99	.9	4	45	.8	4	54	1.0
20-23.9.....	11	117	2.0	6	62	2.0	5	56	2.0
24-25.9.....	14	167	3.6	6	60	3.1	8	107	4.0
26-27.9.....	22	264	6.1	15	184	6.6	7	80	5.5
28-29.9.....	39	479	10.6	23	283	11.9	16	196	9.2
30-31.9.....	54	718	17.3	29	343	18.4	25	375	16.2
32-33.9.....	68	770	24.5	39	411	26.1	29	359	22.9
34-35.9.....	61	763	31.7	38	425	34.1	23	338	29.2
36-37.9.....	90	1,064	41.6	42	480	43.2	48	584	40.1
38-39.9.....	106	1,329	54.1	56	682	56.0	50	647	52.2
40-41.9.....	94	1,142	64.8	43	531	66.0	51	611	63.6
42-43.9.....	73	846	72.7	33	393	73.4	40	453	72.1
44-45.9.....	59	718	79.5	27	305	79.2	32	412	79.8
46-47.9.....	62	788	86.9	37	495	88.5	25	293	85.2
48-49.9.....	29	345	90.1	15	164	91.6	14	180	88.6
50-54.9.....	64	763	97.2	26	275	96.8	38	489	97.7
55-59.9.....	22	209	99.2	16	151	99.6	6	58	98.8
60-64.9.....	5	76	99.9	2	20	100.0	3	56	99.8
65-69.9.....	1	8	100.0	-	-	100.0	1	8	100.0
70-74.9.....	-	-	100.0	-	-	100.0	-	-	100.0
75-79.9.....	-	-	100.0	-	-	100.0	-	-	100.0
80-84.....	-	-	100.0	-	-	100.0	-	-	100.0
85 or more.....	-	-	100.0	-	-	100.0	-	-	100.0
Income below poverty level^{1/}									
Total.....	190	1,967	100.0	88	854	100.0	102	1,113	100.0
Less than 20.....	3	41	2.1	1	6	.8	2	34	3.1
20-23.9.....	1	6	2.4	-	-	.8	1	6	3.6
24-25.9.....	5	59	5.4	3	36	5.0	2	22	5.6
26-27.9.....	5	37	7.2	3	21	7.5	2	16	7.0
28-29.9.....	10	92	11.9	6	53	13.7	4	39	10.6
30-31.9.....	9	111	17.6	5	48	19.3	4	62	16.2
32-33.9.....	10	89	22.1	6	51	25.3	4	39	19.6
34-35.9.....	13	139	29.1	9	89	35.7	4	50	24.1
36-37.9.....	17	210	39.8	4	56	42.3	13	154	37.9
38-39.9.....	17	156	47.7	8	68	50.3	9	87	45.8
40-41.9.....	27	308	63.4	7	94	61.3	20	214	65.0
42-43.9.....	17	156	71.3	8	70	69.5	9	86	72.7
44-45.9.....	13	108	76.8	5	41	74.4	8	67	78.7
46-47.9.....	16	179	85.9	10	119	88.3	6	60	84.1
48-49.9.....	8	74	89.7	4	30	91.8	4	44	88.1
50-54.9.....	12	150	97.3	3	25	94.7	9	126	99.3
55-59.9.....	6	40	99.4	5	33	98.6	1	7	100.0
60-64.9.....	1	12	100.0	1	12	100.0	-	-	100.0
65-69.9.....	-	-	100.0	-	-	100.0	-	-	100.0
70-74.9.....	-	-	100.0	-	-	100.0	-	-	100.0
75-79.9.....	-	-	100.0	-	-	100.0	-	-	100.0
80-84.....	-	-	100.0	-	-	100.0	-	-	100.0
85 or more.....	-	-	100.0	-	-	100.0	-	-	100.0

See footnotes at end of table.

Table 3-44. Cumulative percent distribution of fat intake values in grams per 1,000 calories for persons aged 9-11 years by sex and income level: United States, 1976-80-Continued

Income level and fat in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative Percent	Examined persons	Estimated population in thousands	Cumulative Percent	Examined persons	Estimated population in thousands	Cumulative Percent
Income above poverty level ^{1/}									
Total.....	663	8,370	100.0	356	4,321	100.0	307	4,049	100.0
Less than 20.....	5	58	.7	3	39	.9	2	20	.5
20-23.9.....	9	103	1.9	6	62	2.3	3	41	1.5
24-25.9.....	9	109	3.2	3	24	2.9	6	85	3.6
26-27.9.....	17	228	5.9	12	163	6.6	5	64	5.2
28-29.9.....	29	387	10.6	17	230	12.0	12	157	9.1
30-31.9.....	45	608	17.8	24	295	18.8	21	313	16.8
32-33.9.....	58	680	26.0	33	360	27.1	25	320	24.7
34-35.9.....	48	625	33.4	29	336	34.9	19	289	31.8
36-37.9.....	68	795	42.9	35	406	44.3	33	389	41.4
38-39.9.....	82	1,101	56.1	44	577	57.6	38	524	54.4
40-41.9.....	64	804	65.7	35	427	67.5	29	378	63.7
42-43.9.....	53	639	73.3	23	285	74.1	30	353	72.5
44-45.9.....	44	592	80.4	21	255	80.0	23	338	80.8
46-47.9.....	45	598	87.5	27	376	88.7	18	221	86.3
48-49.9.....	20	263	90.7	11	135	91.8	9	128	89.4
50-54.9.....	46	539	97.1	21	227	97.1	25	312	97.1
55-59.9.....	16	169	99.1	11	118	99.8	5	51	98.4
60-64.9.....	4	64	99.9	1	8	100.0	3	56	99.8
65-69.9.....	1	8	100.0	-	-	100.0	1	8	100.0
70-74.9.....	-	-	100.0	-	-	100.0	-	-	100.0
75-79.9.....	-	-	100.0	-	-	100.0	-	-	100.0
80-84.....	-	-	100.0	-	-	100.0	-	-	100.0
85 or more.....	-	-	100.0	-	-	100.0	-	-	100.0

1/ Excludes unknown income.

Table 3-45. Cumulative percent distribution of fat intake values in grams per 1,000 calories for persons aged 12-14 years by sex and income level: United States, 1976-80

Income level and fat in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative Percent	Examined persons	Estimated population in thousands	Cumulative Percent	Examined persons	Estimated population in thousands	Cumulative Percent
All incomes									
Total.....	991	11,632	100.0	504	5,920	100.0	487	5,712	100.0
Less than 20.....	13	133	1.1	5	58	1.0	8	75	1.3
20-23.9.....	14	236	3.2	8	138	3.3	6	98	3.0
24-25.9.....	23	275	5.5	13	154	5.9	10	121	5.1
26-27.9.....	32	388	8.9	17	210	9.5	15	178	8.3
28-29.9.....	51	639	14.4	27	342	15.2	24	296	13.4
30-31.9.....	45	531	18.9	27	298	20.3	18	233	17.5
32-33.9.....	52	566	23.8	27	280	25.0	25	285	22.5
34-35.9.....	76	902	31.5	37	409	31.9	39	494	31.2
36-37.9.....	80	925	39.5	42	476	39.9	38	448	39.0
38-39.9.....	93	1,009	48.2	49	517	48.7	44	492	47.6
40-41.9.....	109	1,376	60.0	57	759	61.5	52	617	58.4
42-43.9.....	78	936	68.0	37	413	68.5	41	523	67.6
44-45.9.....	82	941	76.1	40	474	76.5	42	467	75.8
46-47.9.....	65	732	82.4	28	356	82.5	37	376	82.4
48-49.9.....	48	522	86.9	20	231	86.4	28	291	87.4
50-54.9.....	77	919	94.8	42	508	95.0	35	411	94.6
55-59.9.....	41	458	98.8	24	250	99.2	17	208	98.3
60-64.9.....	12	146	100.0	4	47	100.0	8	98	100.0
65-69.9.....	-	-	100.0	-	-	100.0	-	-	100.0
70-74.9.....	-	-	100.0	-	-	100.0	-	-	100.0
75-79.9.....	-	-	100.0	-	-	100.0	-	-	100.0
80-84.....	-	-	100.0	-	-	100.0	-	-	100.0
85 or more.....	-	-	100.0	-	-	100.0	-	-	100.0
Income below poverty level^{1/}									
Total.....	193	1,963	100.0	89	891	100.0	104	1,072	100.0
Less than 20.....	3	21	1.0	1	10	1.1	2	11	1.0
20-23.9.....	-	-	1.0	-	-	1.1	-	-	1.0
24-25.9.....	2	26	2.3	2	26	3.9	-	-	1.0
26-27.9.....	5	56	5.2	2	16	5.8	3	39	4.7
28-29.9.....	13	129	11.8	7	66	13.1	6	63	10.6
30-31.9.....	12	138	18.8	4	48	18.5	8	90	19.0
32-33.9.....	7	53	21.5	4	28	21.6	3	25	21.3
34-35.9.....	12	141	28.6	6	79	30.5	6	62	27.1
36-37.9.....	7	66	32.0	1	13	32.0	6	53	32.0
38-39.9.....	19	187	41.5	10	83	41.3	9	104	41.7
40-41.9.....	18	219	52.6	5	61	48.1	13	158	56.4
42-43.9.....	14	152	60.4	7	79	57.0	7	73	63.2
44-45.9.....	19	186	69.9	8	81	66.0	11	105	73.0
46-47.9.....	15	129	76.4	2	15	67.7	13	114	83.7
48-49.9.....	12	113	82.2	9	89	77.7	3	24	85.9
50-54.9.....	21	228	93.8	13	129	92.2	8	99	95.1
55-59.9.....	11	89	98.4	8	69	100.0	3	20	97.0
60-64.9.....	3	32	100.0	-	-	100.0	3	32	100.0
65-69.9.....	-	-	100.0	-	-	100.0	-	-	100.0
70-74.9.....	-	-	100.0	-	-	100.0	-	-	100.0
75-79.9.....	-	-	100.0	-	-	100.0	-	-	100.0
80-84.....	-	-	100.0	-	-	100.0	-	-	100.0
85 or more.....	-	-	100.0	-	-	100.0	-	-	100.0

See footnotes at end of table.

Table 3-45. Cumulative percent distribution of fat intake values in grams per 1,000 calories for persons aged 12-14 years by sex and income level: United States, 1976-80-Continued

Income level and fat in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative Percent	Examined persons	Estimated population in thousands	Cumulative Percent	Examined persons	Estimated population in thousands	Cumulative Percent
Income above poverty level ^{1/}									
Total.....	762	9,255	100.0	399	4,841	100.0	363	4,414	100.0
Less than 20.....	10	113	1.2	4	49	1.0	6	64	1.4
20-23.9.....	13	208	3.5	8	138	3.9	5	70	3.0
24-25.9.....	21	249	6.1	11	128	6.5	10	121	5.8
26-27.9.....	27	333	9.8	15	193	10.5	12	139	8.9
28-29.9.....	38	509	15.3	20	277	16.2	18	233	14.2
30-31.9.....	32	378	19.3	23	250	21.4	9	128	17.1
32-33.9.....	43	489	24.6	23	253	26.6	20	236	22.4
34-35.9.....	59	712	32.3	31	329	33.4	28	383	31.1
36-37.9.....	69	816	41.1	38	430	42.3	31	386	39.9
38-39.9.....	72	795	49.7	39	434	51.3	33	362	48.0
40-41.9.....	85	1,081	61.4	47	632	64.3	38	449	58.2
42-43.9.....	61	762	69.6	28	320	70.9	33	442	68.3
44-45.9.....	60	730	77.5	30	375	78.7	30	355	76.3
46-47.9.....	48	583	83.8	25	330	85.5	23	253	82.0
48-49.9.....	34	388	88.0	10	135	88.3	24	253	87.8
50-54.9.....	52	633	94.9	27	340	95.3	25	293	94.4
55-59.9.....	29	362	98.8	16	181	99.0	13	181	98.5
60-64.9.....	9	114	100.0	4	47	100.0	5	67	100.0
65-69.9.....	-	-	100.0	-	-	100.0	-	-	100.0
70-74.9.....	-	-	100.0	-	-	100.0	-	-	100.0
75-79.9.....	-	-	100.0	-	-	100.0	-	-	100.0
80-84.....	-	-	100.0	-	-	100.0	-	-	100.0
85 or more.....	-	-	100.0	-	-	100.0	-	-	100.0

1/ Excludes unknown income.

Table 3-46. Cumulative percent distribution of fat intake values in grams per 1,000 calories for persons aged 15-17 years by sex and income level: United States, 1976-80

Income level and fat in grams per 1,000 calories	Both sexes			Male			Female		
	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative Percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative Percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative Percent
All incomes									
Total.....	1/983	12,441	100.0	1/534	6,309	100.0	449	6,131	100.0
Less than 20.....	47	208	1.7	7	75	1.2	10	133	2.2
20-23.9.....	22	243	3.6	7	62	2.2	15	180	5.1
24-25.9.....	13	170	5.0	8	93	3.6	5	77	6.4
26-27.9.....	15	212	6.7	9	94	5.1	6	118	8.3
28-29.9.....	42	558	11.2	26	318	10.2	16	240	12.2
30-31.9.....	45	640	16.3	22	317	15.2	23	323	17.5
32-33.9.....	53	688	21.8	34	412	21.7	19	276	22.0
34-35.9.....	75	987	29.8	41	514	29.9	34	473	29.7
36-37.9.....	88	975	37.6	52	553	38.6	36	422	36.6
38-39.9.....	68	870	44.6	39	497	46.5	29	373	42.7
40-41.9.....	77	970	52.4	42	491	54.3	35	480	50.5
42-43.9.....	87	1,106	61.3	50	637	64.4	37	469	58.1
44-45.9.....	98	1,239	71.3	46	560	73.3	52	679	69.2
46-47.9.....	65	836	78.0	38	471	80.7	27	364	75.2
48-49.9.....	61	762	84.1	34	373	86.6	27	388	81.5
50-54.9.....	89	1,063	92.6	48	519	94.9	41	544	90.4
55-59.9.....	51	718	98.4	23	247	98.8	28	470	98.0
60-64.9.....	8	103	99.3	5	45	99.5	3	59	99.0
65-69.9.....	4	47	99.6	1	11	99.7	3	36	99.6
70-74.9.....	3	30	99.9	1	13	99.9	2	17	99.9
75-79.9.....	1	8	99.9	-	-	99.9	1	8	100.0
80-84.....	1	8	100.0	1	8	100.0	-	-	100.0
85 or more.....	-	-	100.0	-	-	100.0	-	-	100.0
Income below poverty level ₂ /									
Total.....	177	2,073	100.0	89	974	100.0	88	1,099	100.0
Less than 20.....	4	47	2.3	1	10	1.0	3	38	3.4
20-23.9.....	2	19	3.2	1	9	1.9	1	10	4.3
24-25.9.....	2	26	4.5	-	-	1.9	2	26	6.7
26-27.9.....	5	60	7.4	3	44	6.5	2	16	8.2
28-29.9.....	4	48	9.7	2	28	9.3	2	20	10.0
30-31.9.....	8	100	14.5	2	45	14.0	6	54	15.0
32-33.9.....	10	118	20.2	4	29	17.0	6	89	23.0
34-35.9.....	14	154	27.6	6	72	24.3	8	82	30.5
36-37.9.....	16	142	34.5	8	70	31.5	8	72	37.1
38-39.9.....	10	154	41.9	6	84	40.1	4	71	43.5
40-41.9.....	12	178	50.5	7	87	49.0	5	92	51.9
42-43.9.....	12	107	55.7	8	68	56.0	4	38	55.4
44-45.9.....	14	146	62.7	6	65	62.7	8	81	62.8
46-47.9.....	18	185	71.6	13	135	76.6	5	49	67.3
48-49.9.....	10	104	76.7	5	49	81.7	5	55	72.3
50-54.9.....	18	236	88.0	8	90	90.9	10	146	85.5
55-59.9.....	13	196	97.5	6	65	97.5	7	131	97.5
60-64.9.....	3	24	98.7	3	24	100.0	-	-	97.5
65-69.9.....	1	19	99.6	-	-	100.0	1	19	99.2
70-74.9.....	1	8	100.0	-	-	100.0	1	8	100.0
75-79.9.....	-	-	100.0	-	-	100.0	-	-	100.0
80-84.....	-	-	100.0	-	-	100.0	-	-	100.0
85 or more.....	-	-	100.0	-	-	100.0	-	-	100.0

See footnotes at end of table.

Table 3-46. Cumulative percent distribution of fat intake values in grams per 1,000 calories for persons aged 15-17 years by sex and income level: United States, 1976-80-Continued

Income level and fat in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative Percent	Examined persons	Estimated population in thousands	Cumulative Percent	Examined persons	Estimated population in thousands	Cumulative Percent
Income above poverty level ^{2/}									
Total.....	1,759	9,750	100.0	1,417	4,992	100.0	342	4,758	100.0
Less than 20.....	12	153	1.6	6	65	1.3	6	87	1.8
20-23.9.....	19	215	3.8	6	53	2.4	13	162	5.2
24-25.9.....	9	126	5.1	6	75	3.9	3	52	6.3
26-27.9.....	10	152	6.6	6	50	4.9	4	102	8.5
28-29.9.....	36	477	11.5	22	257	10.0	14	220	13.1
30-31.9.....	36	527	16.9	19	258	15.2	17	269	18.7
32-33.9.....	38	504	22.1	26	328	21.8	12	176	22.4
34-35.9.....	54	749	29.8	30	384	29.5	24	365	30.1
36-37.9.....	70	813	38.1	42	463	38.7	28	349	37.4
38-39.9.....	56	690	45.2	31	388	46.5	25	303	43.8
40-41.9.....	64	780	53.2	35	404	54.6	29	377	51.7
42-43.9.....	73	971	63.1	41	556	65.7	32	415	60.4
44-45.9.....	77	989	73.3	38	462	75.0	39	527	71.5
46-47.9.....	43	589	79.3	25	336	81.7	18	253	76.8
48-49.9.....	49	630	85.8	27	297	87.7	22	333	83.8
50-54.9.....	64	725	93.2	36	388	95.4	28	338	90.9
55-59.9.....	38	522	98.6	17	183	99.1	21	339	98.1
60-64.9.....	4	72	99.3	1	13	99.4	3	59	99.3
65-69.9.....	3	28	99.6	1	11	99.6	2	17	99.6
70-74.9.....	2	22	99.8	1	13	99.8	1	8	99.8
75-79.9.....	1	8	99.9	-	-	99.8	1	8	100.0
80-84.....	1	8	100.0	1	8	100.0	-	-	100.0
85 or more.....	-	-	100.0	-	-	100.0	-	-	100.0

1/ Excludes 1 examined person with zero calories.

2/ Excludes unknown income.

Table 3-47. Cumulative percent distribution of fat intake values in grams per 1,000 calories for persons aged 18-24 years by sex and income level: United States, 1976-80

Income level and fat in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative Percent	Examined persons	Estimated population in thousands	Cumulative Percent	Examined persons	Estimated population in thousands	Cumulative Percent
All incomes									
Total.....	1/2,053	27,439	100.0	988	13,275	100.0	1/1,065	14,164	100.0
Less than 20.....	68	872	3.2	29	385	2.9	39	488	3.4
20-23.9.....	66	954	6.7	27	406	6.0	39	548	7.3
24-25.9.....	45	582	8.8	24	305	8.3	21	277	9.3
26-27.9.....	64	803	11.7	29	353	10.9	35	450	12.4
28-29.9.....	93	1,208	16.1	42	542	15.0	51	666	17.1
30-31.9.....	103	1,446	21.4	42	585	19.4	61	861	23.2
32-33.9.....	125	1,667	27.4	60	825	25.6	65	843	29.2
34-35.9.....	134	1,742	33.8	56	738	31.2	78	1,004	36.3
36-37.9.....	170	2,327	42.3	87	1,150	39.8	83	1,177	44.6
38-39.9.....	180	2,375	50.9	84	1,147	48.5	96	1,227	53.2
40-41.9.....	171	2,261	59.2	90	1,262	58.0	81	999	60.3
42-43.9.....	163	2,250	67.4	78	1,083	66.1	85	1,167	68.5
44-45.9.....	151	2,087	75.0	71	1,009	73.7	80	1,078	76.1
46-47.9.....	121	1,574	80.7	52	648	78.6	69	926	82.7
48-49.9.....	106	1,389	85.8	59	755	84.3	47	633	87.1
50-54.9.....	176	2,438	94.7	93	1,306	94.1	83	1,133	95.1
55-59.9.....	69	799	97.6	39	426	97.4	30	374	97.8
60-64.9.....	32	425	99.1	16	194	98.8	16	231	99.4
65-69.9.....	11	183	99.8	7	122	99.7	4	62	99.8
70-74.9.....	4	47	100.0	3	35	100.0	1	12	99.9
75-79.9.....	1	10	100.0	-	-	100.0	1	10	100.0
80-84.....	-	-	100.0	-	-	100.0	-	-	100.0
85 or more.....	-	-	100.0	-	-	100.0	-	-	100.0
Income below poverty level^{2/}									
Total.....	1/430	5,300	100.0	178	2,237	100.0	1/252	3,063	100.0
Less than 20.....	15	164	3.1	4	53	2.4	11	111	3.6
20-23.9.....	16	219	7.2	3	39	4.1	13	180	9.5
24-25.9.....	12	120	9.5	4	36	5.8	8	84	12.2
26-27.9.....	14	161	12.5	7	79	9.3	7	82	14.9
28-29.9.....	23	324	18.6	10	144	15.8	13	180	20.8
30-31.9.....	26	356	25.4	12	187	24.1	14	169	26.3
32-33.9.....	23	247	30.0	9	101	28.6	14	146	31.0
34-35.9.....	23	266	35.0	10	112	33.6	13	154	36.1
36-37.9.....	41	582	46.0	17	229	43.9	24	352	47.6
38-39.9.....	42	454	54.6	13	146	50.4	29	308	57.6
40-41.9.....	31	394	62.0	14	186	58.7	17	208	64.4
42-43.9.....	31	391	69.4	15	181	66.8	16	210	71.3
44-45.9.....	31	363	76.3	10	107	71.6	21	256	79.7
46-47.9.....	19	236	80.7	8	97	76.0	11	139	84.2
48-49.9.....	19	214	84.7	13	143	82.3	6	71	86.5
50-54.9.....	43	528	94.7	19	258	93.9	24	270	95.3
55-59.9.....	17	201	98.5	7	81	97.5	10	120	99.2
60-64.9.....	3	59	99.6	2	36	99.1	1	24	100.0
65-69.9.....	1	20	100.0	1	20	100.0	-	-	100.0
70-74.9.....	-	-	100.0	-	-	100.0	-	-	100.0
75-79.9.....	-	-	100.0	-	-	100.0	-	-	100.0
80-84.....	-	-	100.0	-	-	100.0	-	-	100.0
85 or more.....	-	-	100.0	-	-	100.0	-	-	100.0

See footnotes at end of table.

Table 3-47. Cumulative percent distribution of fat intake values in grams per 1,000 calories for persons aged 18-24 years by sex and income level: United States, 1976-80-Continued

Income level and fat in grams per 1,000 calories	Both sexes			Male			Female		
	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative Percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative Percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative Percent
Income above poverty level ^{2/}									
Total.....	1,541	21,013	100.0	770	10,508	100.0	771	10,505	100.0
Less than 20.....	52	696	3.3	25	332	3.2	27	364	3.5
20-23.9.....	47	649	6.4	23	340	6.4	24	310	6.4
24-25.9.....	32	453	8.6	20	268	8.9	12	185	8.2
26-27.9.....	47	607	11.4	22	274	11.5	25	333	11.3
28-29.9.....	68	843	15.5	31	376	15.1	37	467	15.8
30-31.9.....	71	1,010	20.3	28	371	18.7	43	639	21.9
32-33.9.....	97	1,346	26.7	48	667	25.0	49	679	28.3
34-35.9.....	105	1,404	33.4	44	606	30.8	61	798	35.9
36-37.9.....	126	1,716	41.5	69	911	39.4	57	806	43.6
38-39.9.....	132	1,801	50.1	66	927	48.3	66	874	51.9
40-41.9.....	133	1,763	58.5	72	1,020	58.0	61	743	59.0
42-43.9.....	123	1,753	66.8	58	840	66.0	65	913	67.7
44-45.9.....	112	1,626	74.6	59	882	74.4	53	744	74.8
46-47.9.....	99	1,301	80.8	42	526	79.4	57	775	82.1
48-49.9.....	83	1,139	86.2	44	596	85.0	39	544	87.3
50-54.9.....	123	1,782	94.7	67	961	94.2	56	821	95.1
55-59.9.....	50	570	97.4	31	337	97.4	19	232	97.3
60-64.9.....	28	353	99.0	13	146	98.8	15	207	99.3
65-69.9.....	9	154	99.8	5	92	99.7	4	62	99.9
70-74.9.....	3	35	99.9	3	35	100.0	-	-	99.9
75-79.9.....	1	10	100.0	-	-	100.0	1	10	100.0
80-84.....	-	-	100.0	-	-	100.0	-	-	100.0
85 or more.....	-	-	100.0	-	-	100.0	-	-	100.0

1/ Excludes 1 examined person with zero calories.

2/ Excludes unknown income.

Table 3-48. Cumulative percent distribution of fat intake values in grams per 1,000 calories for persons aged 25-34 years by sex and income level: United States, 1976-80

Income level and fat in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative Percent	Examined persons	Estimated population in thousands	Cumulative Percent	Examined persons	Estimated population in thousands	Cumulative Percent
All incomes									
Total.....	1/2,236	32,739	100.0	1,067	15,895	100.0	1/1,169	16,844	100.0
Less than 20.....	75	967	2.9	37	450	2.8	38	517	3.1
20-23.9.....	63	916	5.8	26	334	4.9	37	583	6.5
24-25.9.....	38	585	7.5	22	375	7.3	16	209	7.8
26-27.9.....	51	760	9.9	26	375	9.6	25	385	10.1
28-29.9.....	86	1,492	14.4	46	868	15.1	40	624	13.8
30-31.9.....	112	1,681	19.5	52	834	20.4	60	847	18.8
32-33.9.....	119	1,702	24.8	56	823	25.5	63	879	24.0
34-35.9.....	150	2,130	31.3	64	924	31.3	86	1,206	31.2
36-37.9.....	147	2,251	38.1	71	1,121	38.4	76	1,130	37.9
38-39.9.....	216	3,166	47.8	103	1,539	48.1	113	1,627	47.5
40-41.9.....	186	2,601	55.8	88	1,282	56.1	98	1,318	55.4
42-43.9.....	204	2,927	64.7	99	1,404	65.0	105	1,522	64.4
44-45.9.....	183	2,765	73.1	86	1,323	73.3	97	1,443	73.0
46-47.9.....	131	1,831	78.7	60	814	78.4	71	1,017	79.0
48-49.9.....	131	1,870	84.4	65	933	84.3	66	937	84.6
50-54.9.....	206	3,074	93.8	100	1,546	94.0	106	1,528	93.6
55-59.9.....	86	1,228	97.6	47	674	98.3	39	554	96.9
60-64.9.....	31	485	99.1	7	96	98.9	24	389	99.2
65-69.9.....	15	206	99.7	8	111	99.6	7	95	99.8
70-74.9.....	5	88	100.0	4	69	100.0	1	19	99.9
75-79.9.....	1	14	100.0	-	-	100.0	1	14	100.0
80-84.....	-	-	100.0	-	-	100.0	-	-	100.0
85 or more.....	-	-	100.0	-	-	100.0	-	-	100.0
Income below poverty level^{2/}									
Total.....	253	3,103	100.0	91	1,106	100.0	162	1,997	100.0
Less than 20.....	10	119	3.8	5	56	5.1	5	63	3.2
20-23.9.....	4	42	5.2	1	9	5.8	3	33	4.8
24-25.9.....	5	59	7.1	2	34	8.9	3	25	6.1
26-27.9.....	5	78	9.6	2	42	12.7	3	35	7.9
28-29.9.....	11	142	14.2	4	66	18.7	7	75	11.6
30-31.9.....	15	159	19.3	5	58	24.0	10	101	16.7
32-33.9.....	15	181	25.1	5	57	29.1	10	124	22.9
34-35.9.....	25	322	35.5	7	72	35.6	18	250	35.4
36-37.9.....	16	171	41.0	7	77	42.6	9	94	40.1
38-39.9.....	19	242	48.8	10	120	53.5	9	122	46.2
40-41.9.....	25	284	58.0	8	103	62.8	17	181	55.3
42-43.9.....	25	321	68.3	4	63	68.5	21	258	68.2
44-45.9.....	12	143	72.9	6	65	74.3	6	78	72.1
46-47.9.....	11	124	76.9	5	53	79.1	6	71	75.7
48-49.9.....	16	235	84.5	4	44	83.1	12	191	85.3
50-54.9.....	26	320	94.8	10	110	93.1	16	210	95.8
55-59.9.....	8	99	98.0	4	50	97.5	4	50	98.3
60-64.9.....	3	46	99.5	1	22	99.5	2	24	99.5
65-69.9.....	2	16	100.0	1	5	100.0	1	10	100.0
70-74.9.....	-	-	100.0	-	-	100.0	-	-	100.0
75-79.9.....	-	-	100.0	-	-	100.0	-	-	100.0
80-84.....	-	-	100.0	-	-	100.0	-	-	100.0
85 or more.....	-	-	100.0	-	-	100.0	-	-	100.0

See footnotes at end of table.

Table 3-48. Cumulative percent distribution of fat intake values in grams per 1,000 calories for persons aged 25-34 years by sex and income level: United States, 1976-80-Continued

Income level and fat in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative Percent	Examined persons	Estimated population in thousands	Cumulative Percent	Examined persons	Estimated population in thousands	Cumulative Percent
Income above poverty level ^{2/}									
Total.....	1/1,926	28,824	100.0	945	14,355	100.0	1/981	14,469	100.0
Less than 20.....	61	810	2.8	29	367	2.6	32	443	3.1
20-23.9.....	58	863	5.8	25	325	4.8	33	538	6.8
24-25.9.....	33	526	7.6	20	342	7.2	13	185	8.0
26-27.9.....	45	669	9.9	23	319	9.4	22	350	10.5
28-29.9.....	72	1,287	14.4	40	757	14.7	32	530	14.1
30-31.9.....	96	1,514	19.7	46	767	20.0	50	747	19.3
32-33.9.....	100	1,483	24.8	48	735	25.2	52	748	24.5
34-35.9.....	120	1,752	30.9	55	823	30.9	65	929	30.9
36-37.9.....	127	2,021	37.9	62	1,012	37.9	65	1,010	37.9
38-39.9.....	194	2,862	47.8	92	1,394	47.6	102	1,468	48.0
40-41.9.....	154	2,216	55.5	79	1,172	55.8	75	1,044	55.2
42-43.9.....	174	2,557	64.4	91	1,304	64.9	83	1,253	63.9
44-45.9.....	166	2,534	73.2	76	1,194	73.2	90	1,341	73.1
46-47.9.....	117	1,629	78.8	54	748	78.4	63	882	79.2
48-49.9.....	111	1,583	84.3	60	869	84.5	51	714	84.2
50-54.9.....	175	2,686	93.6	87	1,383	94.1	88	1,303	93.2
55-59.9.....	77	1,116	97.5	42	611	98.4	35	504	96.7
60-64.9.....	28	440	99.0	6	74	98.9	22	365	99.2
65-69.9.....	13	190	99.7	7	106	99.6	6	84	99.8
70-74.9.....	4	73	99.9	3	54	100.0	1	19	99.9
75-79.9.....	1	14	100.0	-	-	100.0	1	14	100.0
80-84.....	-	-	100.0	-	-	100.0	-	-	100.0
85 or more.....	-	-	100.0	-	-	100.0	-	-	100.0

1/ Excludes 1 examined person with zero calories.

2/ Excludes unknown income.

Table 3-49. Cumulative percent distribution of fat intake values in grams per 1,000 calories for persons aged 35-44 years by sex and income level: United States, 1976-80

Income level and fat in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative Percent	Examined persons	Estimated population in thousands	Cumulative Percent	Examined persons	Estimated population in thousands	Cumulative Percent
All incomes									
Total.....	1,589	23,651	100.0	745	11,367	100.0	844	12,284	100.0
Less than 20.....	39	555	2.3	18	232	2.0	21	323	2.6
20-23.9.....	39	569	4.8	19	238	4.1	20	330	5.3
24-25.9.....	28	379	6.3	10	124	5.2	18	254	7.4
26-27.9.....	45	642	9.1	21	310	8.0	24	332	10.1
28-29.9.....	55	834	12.6	27	410	11.6	28	424	13.5
30-31.9.....	58	798	16.0	28	384	14.9	30	414	16.9
32-33.9.....	79	1,153	20.8	30	453	18.9	49	699	22.6
34-35.9.....	108	1,627	27.7	46	679	24.9	62	947	30.3
36-37.9.....	115	1,782	35.3	61	970	33.4	54	812	36.9
38-39.9.....	122	1,828	43.0	68	1,065	42.8	54	763	43.1
40-41.9.....	134	2,048	51.6	51	794	49.8	83	1,255	53.4
42-43.9.....	135	2,131	60.7	64	1,122	59.7	71	1,009	61.6
44-45.9.....	130	1,810	68.3	56	783	66.6	74	1,027	69.9
46-47.9.....	112	1,719	75.6	52	834	73.9	60	885	77.1
48-49.9.....	104	1,588	82.3	55	886	81.7	49	702	82.8
50-54.9.....	177	2,574	93.2	89	1,325	93.3	88	1,250	93.0
55-59.9.....	69	972	97.3	32	466	97.4	37	506	97.1
60-64.9.....	21	331	98.7	11	175	99.0	10	157	98.4
65-69.9.....	8	124	99.2	2	39	99.3	6	84	99.1
70-74.9.....	7	128	99.8	3	57	99.8	4	70	99.7
75-79.9.....	4	59	100.0	2	19	100.0	2	40	100.0
80-84.....	-	-	100.0	-	-	100.0	-	-	100.0
85 or more.....	-	-	100.0	-	-	100.0	-	-	100.0
Income below poverty level¹									
Total.....	182	2,364	100.0	63	821	100.0	119	1,543	100.0
Less than 20.....	12	139	5.9	*	*	*	7	93	6.0
20-23.9.....	4	58	8.3	*	*	*	1	24	7.6
24-25.9.....	4	48	10.3	*	*	*	3	34	9.8
26-27.9.....	3	55	12.7	*	*	*	2	21	11.2
28-29.9.....	11	169	19.8	*	*	*	4	62	15.2
30-31.9.....	7	107	24.3	*	*	*	3	62	19.2
32-33.9.....	4	61	26.9	*	*	*	4	61	23.1
34-35.9.....	13	160	33.7	*	*	*	10	122	31.0
36-37.9.....	8	77	36.9	*	*	*	4	37	33.5
38-39.9.....	11	124	42.2	*	*	*	5	66	37.8
40-41.9.....	13	193	50.4	*	*	*	7	96	43.9
42-43.9.....	8	109	55.0	*	*	*	6	87	49.6
44-45.9.....	15	174	62.4	*	*	*	12	143	58.9
46-47.9.....	18	236	72.3	*	*	*	13	146	68.3
48-49.9.....	14	170	79.6	*	*	*	12	142	77.5
50-54.9.....	25	333	93.7	*	*	*	16	217	91.6
55-59.9.....	8	79	97.0	*	*	*	7	68	96.0
60-64.9.....	3	43	98.8	*	*	*	2	34	98.2
65-69.9.....	-	-	98.8	*	*	*	-	-	98.2
70-74.9.....	-	-	98.8	*	*	*	-	-	98.2
75-79.9.....	1	28	100.0	*	*	*	1	28	100.0
80-84.....	-	-	100.0	*	*	*	-	-	100.0
85 or more.....	-	-	100.0	*	*	*	-	-	100.0

See footnotes at end of table.

Table 3-49. Cumulative percent distribution of fat intake values in grams per 1,000 calories for persons aged 35-44 years by sex and income level: United States, 1976-80-Continued

Income level and fat in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative Percent	Examined persons	Estimated population in thousands	Cumulative Percent	Examined persons	Estimated population in thousands	Cumulative Percent
Income above poverty level ^{1/}									
Total.....	1,360	20,572	100.0	658	10,195	100.0	702	10,377	100.0
Less than 20.....	26	402	1.9	12	172	1.7	14	230	2.2
20-23.9.....	34	497	4.4	16	205	3.7	18	292	5.0
24-25.9.....	22	308	5.9	7	88	4.6	15	220	7.1
26-27.9.....	38	540	8.5	19	268	7.2	19	273	9.8
28-29.9.....	44	665	11.7	20	304	10.2	24	362	13.3
30-31.9.....	51	691	15.1	24	338	13.5	27	353	16.7
32-33.9.....	74	1,063	20.3	29	425	17.6	45	638	22.8
34-35.9.....	93	1,442	27.3	42	629	23.8	51	813	30.6
36-37.9.....	102	1,617	35.1	54	882	32.5	48	735	37.7
38-39.9.....	107	1,636	43.1	61	994	42.2	46	642	43.9
40-41.9.....	116	1,773	51.7	44	687	48.9	72	1,085	54.4
42-43.9.....	124	1,971	61.3	60	1,061	59.4	64	910	63.1
44-45.9.....	113	1,607	69.1	52	743	66.6	61	864	71.5
46-47.9.....	91	1,444	76.1	45	728	73.8	46	716	78.4
48-49.9.....	83	1,296	82.4	47	746	81.1	36	550	83.7
50-54.9.....	145	2,158	92.9	78	1,190	92.8	67	968	93.0
55-59.9.....	61	893	97.2	31	455	97.2	30	438	97.2
60-64.9.....	18	288	98.6	10	165	98.9	8	123	98.4
65-69.9.....	8	124	99.2	2	39	99.3	6	84	99.2
70-74.9.....	7	128	99.8	3	57	99.8	4	70	99.9
75-79.9.....	3	31	100.0	2	19	100.0	1	12	100.0
80-84.....	-	-	100.0	-	-	100.0	-	-	100.0
85 or more.....	-	-	100.0	-	-	100.0	-	-	100.0

^{1/} Excludes unknown income.

Table 3-50. Cumulative percent distribution of fat intake values in grams per 1,000 calories for persons aged 45-54 years by sex and income level: United States, 1976-80

Income level and fat in grams per 1,000 calories	Both sexes			Male			Female		
	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative Percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative Percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative Percent
All incomes									
Total.....	1,453	23,032	100.0	690	11,114	100.0	763	11,918	100.0
Less than 20.....	35	518	2.3	12	185	1.7	23	333	2.8
20-23.9.....	55	842	5.9	22	320	4.5	33	522	7.2
24-25.9.....	31	467	7.9	14	243	6.7	17	224	9.0
26-27.9.....	21	349	9.4	7	163	8.2	14	186	10.6
28-29.9.....	63	1,063	14.1	32	495	12.6	31	569	15.4
30-31.9.....	73	1,131	19.0	39	614	18.2	34	517	19.7
32-33.9.....	68	1,161	24.0	31	511	22.8	37	650	25.2
34-35.9.....	84	1,250	29.4	40	612	28.3	44	638	30.5
36-37.9.....	122	1,925	37.8	59	969	37.0	63	955	38.6
38-39.9.....	121	1,954	46.3	57	968	45.7	64	987	46.8
40-41.9.....	112	2,078	55.3	49	962	54.3	63	1,116	56.2
42-43.9.....	108	1,668	62.5	58	824	61.8	50	844	63.3
44-45.9.....	117	1,788	70.3	54	847	69.4	63	941	71.2
46-47.9.....	85	1,351	76.2	43	699	75.7	42	651	76.6
48-49.9.....	81	1,196	81.4	44	720	82.1	37	476	80.6
50-54.9.....	165	2,538	92.4	69	996	91.1	96	1,542	93.6
55-59.9.....	71	1,095	97.1	38	611	96.6	33	484	97.6
60-64.9.....	26	448	99.1	14	274	99.1	12	174	99.1
65-69.9.....	10	119	99.6	6	78	99.8	4	41	99.4
70-74.9.....	2	38	99.8	-	-	99.8	2	38	99.8
75-79.9.....	2	25	99.9	2	25	100.0	-	-	99.8
80-84.....	1	28	100.0	-	-	100.0	1	28	100.0
85 or more.....	-	-	100.0	-	-	100.0	-	-	100.0
Income below poverty level^{1/}									
Total.....	128	1,760	100.0	46	645	100.0	82	1,115	100.0
Less than 20.....	5	57	3.2	*	*	*	3	32	2.9
20-23.9.....	4	43	5.7	*	*	*	2	18	4.5
24-25.9.....	3	29	7.3	*	*	*	2	20	6.3
26-27.9.....	2	26	8.8	*	*	*	2	26	8.5
28-29.9.....	4	65	12.5	*	*	*	2	43	12.4
30-31.9.....	6	76	16.8	*	*	*	1	12	13.4
32-33.9.....	4	52	19.8	*	*	*	3	32	16.3
34-35.9.....	11	148	28.1	*	*	*	9	118	26.9
36-37.9.....	3	46	30.8	*	*	*	2	25	29.1
38-39.9.....	9	136	38.5	*	*	*	6	105	38.5
40-41.9.....	7	103	44.4	*	*	*	6	89	46.6
42-43.9.....	11	128	51.7	*	*	*	6	73	53.1
44-45.9.....	15	189	62.4	*	*	*	11	142	65.9
46-47.9.....	9	176	72.4	*	*	*	4	54	70.7
48-49.9.....	6	67	76.2	*	*	*	3	32	73.6
50-54.9.....	15	172	86.0	*	*	*	11	129	85.2
55-59.9.....	8	166	95.4	*	*	*	4	93	93.5
60-64.9.....	3	34	97.3	*	*	*	3	34	96.5
65-69.9.....	1	13	98.1	*	*	*	1	13	97.7
70-74.9.....	1	26	99.5	*	*	*	1	26	100.0
75-79.9.....	1	8	100.0	*	*	*	-	-	100.0
80-84.....	-	-	100.0	*	*	*	-	-	100.0
85 or more.....	-	-	100.0	*	*	*	-	-	100.0

See footnotes at end of table.

Table 3-50. Cumulative percent distribution of fat intake values in grams per 1,000 calories for persons aged 45-54 years by sex and income level: United States, 1976-80-Continued

Income level and fat in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative Percent	Examined persons	Estimated population in thousands	Cumulative Percent	Examined persons	Estimated population in thousands	Cumulative Percent
Income above poverty level ^{1/}									
Total.....	1,258	20,161	100.0	603	9,738	100.0	655	10,424	100.0
Less than 20.....	27	418	2.1	8	127	1.3	19	291	2.8
20-23.9.....	50	781	5.9	20	295	4.3	30	486	7.5
24-25.9.....	26	418	8.0	13	233	6.7	13	185	9.2
26-27.9.....	18	299	9.5	7	163	8.4	11	137	10.5
28-29.9.....	57	967	14.3	28	441	12.9	29	526	15.6
30-31.9.....	61	975	19.1	31	504	18.1	30	471	20.1
32-33.9.....	61	1,056	24.4	28	456	22.8	33	600	25.9
34-35.9.....	68	1,021	29.4	35	532	28.2	33	489	30.5
36-37.9.....	112	1,729	38.0	54	843	36.9	58	887	39.1
38-39.9.....	109	1,759	46.7	51	877	45.9	58	882	47.5
40-41.9.....	102	1,933	56.3	46	928	55.4	56	1,005	57.2
42-43.9.....	95	1,490	63.7	51	719	62.8	44	771	64.6
44-45.9.....	96	1,513	71.2	45	736	70.4	51	777	72.0
46-47.9.....	73	1,134	76.8	37	568	76.2	36	566	77.4
48-49.9.....	70	1,044	82.0	37	610	82.5	33	434	81.6
50-54.9.....	145	2,299	93.4	63	927	92.0	82	1,372	94.8
55-59.9.....	57	815	97.5	30	456	96.7	27	359	98.2
60-64.9.....	21	369	99.3	13	240	99.1	8	129	99.4
65-69.9.....	7	83	99.7	5	66	99.8	2	16	99.6
70-74.9.....	1	12	99.8	-	-	99.8	1	12	99.7
75-79.9.....	1	17	99.9	1	17	100.0	-	-	99.7
80-84.....	1	28	100.0	-	-	100.0	1	28	100.0
85 or more.....	-	-	100.0	-	-	100.0	-	-	100.0

^{1/} Excludes unknown income.

Table 3-51. Cumulative percent distribution of fat intake values in grams per 1,000 calories for persons aged 55-64 years by sex and income level: United States, 1976-80

Income level and fat in grams per 1,000 calories	Both sexes			Male			Female		
	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative Percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative Percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative Percent
All incomes									
Total.....	1/2,555	20,346	100.0	1/1,226	9,603	100.0	1,329	10,743	100.0
Less than 20.....	63	485	2.4	26	196	2.0	37	290	2.7
20-23.9.....	79	689	5.8	30	252	4.7	49	437	6.8
24-25.9.....	55	461	8.0	23	182	6.6	32	279	9.4
26-27.9.....	70	594	11.0	29	258	9.3	41	336	12.5
28-29.9.....	108	918	15.5	43	329	12.7	65	589	18.0
30-31.9.....	133	1,052	20.6	42	314	15.9	91	739	24.8
32-33.9.....	143	1,112	26.1	66	481	21.0	77	631	30.7
34-35.9.....	152	1,190	32.0	69	567	26.9	83	623	36.5
36-37.9.....	206	1,739	40.5	109	975	37.0	97	764	43.6
38-39.9.....	217	1,690	48.8	106	887	46.3	111	803	51.1
40-41.9.....	205	1,618	56.8	105	799	54.6	100	819	58.7
42-43.9.....	217	1,791	65.6	107	828	63.2	110	963	67.7
44-45.9.....	168	1,339	72.1	89	691	70.4	79	648	73.7
46-47.9.....	183	1,409	79.1	93	691	77.6	90	718	80.4
48-49.9.....	132	1,072	84.3	68	550	83.3	64	521	85.3
50-54.9.....	225	1,716	92.8	123	915	92.8	102	801	92.7
55-59.9.....	124	946	97.4	56	435	97.4	68	511	97.5
60-64.9.....	42	298	98.9	22	129	98.7	20	168	99.0
65-69.9.....	22	137	99.6	12	69	99.4	10	68	99.7
70-74.9.....	5	38	99.8	4	25	99.7	1	13	99.8
75-79.9.....	3	24	99.9	1	3	99.7	2	21	100.0
80-84.....	2	23	100.0	2	23	100.0	-	-	100.0
85 or more.....	-	-	100.0	-	-	100.0	-	-	100.0
Income below poverty level^{2/}									
Total.....	1/316	1,956	100.0	1/128	775	100.0	188	1,181	100.0
Less than 20.....	12	70	3.6	6	35	4.5	6	35	3.0
20-23.9.....	11	65	6.9	6	35	9.0	5	30	5.5
24-25.9.....	5	22	8.1	1	4	9.5	4	18	7.1
26-27.9.....	5	31	9.7	2	11	11.0	3	20	8.8
28-29.9.....	15	110	15.3	6	38	15.9	9	72	14.9
30-31.9.....	18	121	21.5	4	28	19.6	14	93	22.7
32-33.9.....	14	83	25.8	3	10	20.9	11	73	28.9
34-35.9.....	19	115	31.6	6	53	27.7	13	63	34.2
36-37.9.....	23	164	40.0	9	68	36.4	14	96	42.3
38-39.9.....	27	170	48.7	13	77	46.4	14	93	50.2
40-41.9.....	18	121	54.9	7	39	51.5	11	82	57.2
42-43.9.....	26	152	62.7	15	91	63.1	11	61	62.4
44-45.9.....	18	117	68.7	3	13	64.8	15	104	71.2
46-47.9.....	27	142	76.0	11	58	72.4	16	84	78.4
48-49.9.....	17	91	80.6	5	27	75.8	12	64	83.8
50-54.9.....	28	199	90.8	14	107	89.6	14	92	91.6
55-59.9.....	20	102	96.0	10	56	96.9	10	46	95.5
60-64.9.....	6	45	98.3	3	10	98.2	3	35	98.4
65-69.9.....	4	22	99.4	1	3	98.6	3	19	100.0
70-74.9.....	1	4	99.6	1	4	99.1	-	-	100.0
75-79.9.....	-	-	99.6	-	-	99.1	-	-	100.0
80-84.....	1	3	99.8	1	3	99.5	-	-	100.0
85 or more.....	-	-	99.8	-	-	99.5	-	-	100.0

See footnotes at end of table.

Table 3-51. Cumulative percent distribution of fat intake values in grams per 1,000 calories for persons aged 55-64 years by sex and income level: United States, 1976-80-Continued

Income level and fat in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative Percent	Examined persons	Estimated population in thousands	Cumulative Percent	Examined persons	Estimated population in thousands	Cumulative Percent
Income above poverty level ^{2/}									
Total.....	2,119	17,376	100.0	1,048	8,443	100.0	1,071	8,934	100.0
Less than 20.....	50	404	2.3	20	161	1.9	30	243	2.7
20-23.9.....	63	589	5.7	22	200	4.3	41	388	7.1
24-25.9.....	48	420	8.1	20	159	6.2	28	261	10.0
26-27.9.....	65	563	11.4	27	247	9.1	38	316	13.5
28-29.9.....	89	786	15.9	36	289	12.5	53	497	19.1
30-31.9.....	103	827	20.6	36	278	15.8	67	549	25.2
32-33.9.....	120	944	26.1	62	465	21.3	58	479	30.6
34-35.9.....	123	975	31.7	58	452	26.7	65	523	36.4
36-37.9.....	172	1,507	40.4	94	868	36.9	78	639	43.6
38-39.9.....	178	1,411	48.5	88	775	46.1	90	635	50.7
40-41.9.....	180	1,434	56.7	96	733	54.8	84	701	58.5
42-43.9.....	184	1,571	65.8	89	718	63.3	95	853	68.1
44-45.9.....	144	1,185	72.6	80	641	70.9	64	544	74.2
46-47.9.....	147	1,162	79.3	77	608	78.1	70	554	80.4
48-49.9.....	110	933	84.6	61	496	84.0	49	438	85.3
50-54.9.....	187	1,468	93.1	105	793	93.4	82	675	92.8
55-59.9.....	98	781	97.6	44	338	97.4	54	443	97.8
60-64.9.....	35	251	99.0	18	117	98.8	17	134	99.3
65-69.9.....	16	103	99.6	10	61	99.5	6	41	99.8
70-74.9.....	4	34	99.8	3	21	99.7	1	13	99.9
75-79.9.....	2	12	99.9	1	3	99.8	1	9	100.0
80-84.....	1	20	100.0	1	20	100.0	-	-	100.0
85 or more.....	-	-	100.0	-	-	100.0	-	-	100.0

^{1/} Excludes 1 examined person with zero calories.

^{2/} Excludes unknown income.

Table 3-52. Cumulative percent distribution of fat intake values in grams per 1,000 calories for persons aged 65-74 years by sex and income level: United States, 1976-80

Income level and fat in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative Percent	Examined persons	Estimated population in thousands	Cumulative Percent	Examined persons	Estimated population in thousands	Cumulative Percent
All incomes									
Total.....	2,615	14,496	100.0	1,199	6,297	100.0	1,416	8,198	100.0
Less than 20.....	84	495	3.4	25	142	2.3	59	353	4.3
20-23.9.....	78	428	6.4	30	160	4.8	48	268	7.6
24-25.9.....	71	403	9.1	35	201	8.0	36	203	10.0
26-27.9.....	111	661	13.7	43	234	11.7	68	428	15.3
28-29.9.....	130	741	18.8	46	251	15.7	84	490	21.2
30-31.9.....	119	702	23.7	36	203	18.9	83	499	27.3
32-33.9.....	166	938	30.1	60	295	23.6	106	644	35.2
34-35.9.....	174	970	36.8	85	445	30.6	89	525	41.6
36-37.9.....	201	1,091	44.4	90	443	37.7	111	648	49.5
38-39.9.....	211	1,195	52.6	99	567	46.7	112	629	57.1
40-41.9.....	216	1,236	61.1	102	562	55.6	114	674	65.4
42-43.9.....	211	1,197	69.4	98	535	64.1	113	662	73.4
44-45.9.....	212	1,183	77.5	116	608	73.8	96	574	80.4
46-47.9.....	131	684	82.3	71	338	79.1	60	346	84.7
48-49.9.....	124	662	86.8	69	359	84.8	55	302	88.4
50-54.9.....	190	987	93.6	94	462	92.2	96	525	94.8
55-59.9.....	112	556	97.5	60	301	96.9	52	255	97.9
60-64.9.....	49	235	99.1	26	118	98.8	23	118	99.3
65-69.9.....	10	41	99.4	3	11	99.0	7	30	99.7
70-74.9.....	11	66	99.8	7	40	99.6	4	26	100.0
75-79.9.....	2	8	99.9	2	8	99.8	-	-	100.0
80-84.....	2	16	100.0	2	16	100.0	-	-	100.0
85 or more.....	-	-	100.0	-	-	100.0	-	-	100.0
Income below poverty level¹									
Total.....	424	2,003	100.0	168	759	100.0	256	1,245	100.0
Less than 20.....	24	109	5.4	10	51	6.7	14	58	4.7
20-23.9.....	13	76	9.3	3	15	8.7	10	61	9.6
24-25.9.....	16	80	13.2	4	21	11.5	12	59	14.3
26-27.9.....	16	77	17.1	5	18	13.9	11	59	19.0
28-29.9.....	25	118	23.0	5	20	16.6	20	97	26.8
30-31.9.....	22	113	28.6	4	16	18.7	18	96	34.6
32-33.9.....	26	124	34.8	9	39	23.8	17	85	41.4
34-35.9.....	27	136	41.5	12	61	31.9	15	75	47.4
36-37.9.....	23	105	46.8	11	40	37.2	12	65	52.7
38-39.9.....	34	174	55.5	11	70	46.4	23	104	61.0
40-41.9.....	21	107	60.8	11	62	54.6	10	45	64.6
42-43.9.....	29	124	67.0	13	54	61.7	16	70	70.3
44-45.9.....	41	177	75.9	18	69	70.8	23	108	79.0
46-47.9.....	26	116	81.6	13	51	77.4	13	65	84.2
48-49.9.....	18	85	85.9	8	39	82.6	10	46	87.9
50-54.9.....	25	110	91.4	12	49	89.1	13	61	92.8
55-59.9.....	20	99	96.4	8	35	93.8	12	64	97.9
60-64.9.....	13	48	98.8	8	30	97.7	5	18	99.4
65-69.9.....	1	4	98.9	-	-	97.7	1	4	99.7
70-74.9.....	4	21	100.0	3	17	100.0	1	3	100.0
75-79.9.....	-	-	100.0	-	-	100.0	-	-	100.0
80-84.....	-	-	100.0	-	-	100.0	-	-	100.0
85 or more.....	-	-	100.0	-	-	100.0	-	-	100.0

See footnotes at end of table.

Table 3-52. Cumulative percent distribution of fat intake values in grams per 1,000 calories for persons aged 65-74 years by sex and income level: United States, 1976-80-Continued

Income level and fat in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative Percent	Examined persons	Estimated population in thousands	Cumulative Percent	Examined persons	Estimated population in thousands	Cumulative Percent
Income above poverty level ^{1/}									
Total.....	2,067	11,819	100.0	987	5,312	100.0	1,080	6,508	100.0
Less than 20.....	57	375	3.2	13	84	1.6	44	291	4.5
20-23.9.....	62	334	6.0	27	145	4.3	35	189	7.4
24-25.9.....	53	313	8.6	30	173	7.6	23	140	9.5
26-27.9.....	88	532	13.1	38	215	11.6	50	317	14.4
28-29.9.....	98	586	18.1	40	224	15.8	58	363	20.0
30-31.9.....	90	532	22.6	29	160	18.8	61	372	25.7
32-33.9.....	134	789	29.3	51	256	23.7	83	533	33.9
34-35.9.....	136	775	35.8	69	356	30.4	67	418	40.3
36-37.9.....	163	911	43.5	72	371	37.4	91	539	48.6
38-39.9.....	173	1,000	52.0	88	497	46.7	85	503	56.3
40-41.9.....	187	1,081	61.1	89	488	55.9	98	592	65.4
42-43.9.....	170	1,016	69.7	79	453	64.4	91	562	74.1
44-45.9.....	161	955	77.8	94	519	74.2	67	435	80.8
46-47.9.....	101	542	82.4	57	284	79.5	44	259	84.7
48-49.9.....	104	565	87.2	60	314	85.5	44	251	88.6
50-54.9.....	156	827	94.2	77	391	92.8	79	436	95.3
55-59.9.....	84	421	97.8	48	246	97.5	36	175	98.0
60-64.9.....	34	177	99.2	17	84	99.0	17	93	99.4
65-69.9.....	6	23	99.4	2	7	99.2	4	16	99.6
70-74.9.....	6	42	99.8	3	20	99.5	3	23	100.0
75-79.9.....	2	8	99.9	2	8	99.7	-	-	100.0
80-84.....	2	16	100.0	2	16	100.0	-	-	100.0
85 or more.....	-	-	100.0	-	-	100.0	-	-	100.0

^{1/} Excludes unknown income.

Table 3-53. Cumulative percent distribution of total carbohydrate intake values in grams per 1,000 calories for persons aged 6-11 months by sex and income level: United States, 1976-80

Income level and total carbohydrate in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	356	1,599	100.0	179	819	100.0	177	780	100.0
Less than 50.....	-	-	-	-	-	-	-	-	-
50-69.9.....	4	9	.6	3	6	.8	1	3	.4
70-79.9.....	5	17	1.7	4	11	2.2	1	6	1.2
80-89.9.....	9	26	3.3	5	13	3.7	4	13	2.8
90-94.9.....	15	57	6.8	4	18	5.9	11	39	7.8
95-99.9.....	16	83	12.0	7	41	10.9	9	42	13.2
100-104.9.....	19	91	17.7	10	42	16.0	9	50	19.5
105-109.9.....	15	84	22.9	8	58	23.0	7	26	22.9
110-114.9.....	27	130	31.1	12	46	28.6	15	84	33.6
115-119.9.....	22	94	36.9	13	62	36.2	9	32	37.7
120-124.9.....	24	110	43.8	11	51	42.4	13	59	45.3
125-129.9.....	34	182	55.2	17	89	53.3	17	92	57.1
130-134.9.....	26	113	62.2	11	47	59.0	15	66	65.6
135-139.9.....	22	92	68.0	11	54	65.6	11	38	70.5
140-144.9.....	20	81	73.1	11	40	70.4	9	41	75.8
145-149.9.....	19	85	78.4	7	28	73.9	12	56	83.0
150-159.9.....	35	165	88.7	16	92	85.2	19	73	92.4
160-169.9.....	17	70	93.0	12	49	91.1	5	21	95.0
170-179.9.....	15	63	97.0	9	39	95.9	6	24	98.1
180-189.9.....	5	23	98.4	4	18	98.1	1	5	98.7
190-199.9.....	2	9	98.9	2	9	99.1	-	-	98.7
200 or more.....	5	17	100.0	2	7	100.0	3	10	100.0
Income below poverty level^{1/}									
Total.....	84	315	100.0	48	177	100.0	36	138	100.0
Less than 50.....	-	-	-	*	*	*	*	*	*
50-69.9.....	1	2	.6	*	*	*	*	*	*
70-79.9.....	2	6	2.4	*	*	*	*	*	*
80-89.9.....	3	9	5.2	*	*	*	*	*	*
90-94.9.....	6	22	12.1	*	*	*	*	*	*
95-99.9.....	3	18	17.6	*	*	*	*	*	*
100-104.9.....	8	36	29.1	*	*	*	*	*	*
105-109.9.....	3	11	32.4	*	*	*	*	*	*
110-114.9.....	4	16	37.6	*	*	*	*	*	*
115-119.9.....	6	17	43.1	*	*	*	*	*	*
120-124.9.....	5	23	50.5	*	*	*	*	*	*
125-129.9.....	7	28	59.4	*	*	*	*	*	*
130-134.9.....	6	24	67.0	*	*	*	*	*	*
135-139.9.....	4	22	74.0	*	*	*	*	*	*
140-144.9.....	3	10	77.3	*	*	*	*	*	*
145-149.9.....	7	21	83.9	*	*	*	*	*	*
150-159.9.....	7	24	91.7	*	*	*	*	*	*
160-169.9.....	3	9	94.5	*	*	*	*	*	*
170-179.9.....	5	16	99.5	*	*	*	*	*	*
180-189.9.....	1	2	100.0	*	*	*	*	*	*
190-199.9.....	-	-	100.0	*	*	*	*	*	*
200 or more.....	-	-	100.0	*	*	*	*	*	*

See footnotes at end of table.

Table 3-53. Cumulative percent distribution of total carbohydrate intake values in grams per 1,000 calories for persons aged 6-11 months by sex and income level: United States, 1976-80-Continued

Income level and total carbohydrate in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	256	1,226	100.0	121	614	100.0	135	612	100.0
Less than 50.....	-	-	-	-	-	-	-	-	-
50-69.9.....	2	6	.5	1	3	.4	1	3	.5
70-79.9.....	3	12	1.4	2	6	1.3	1	6	1.5
80-89.9.....	4	13	2.4	2	5	2.2	2	8	2.7
90-94.9.....	8	29	4.8	1	7	3.3	7	22	6.3
95-99.9.....	11	53	9.1	3	20	6.5	8	33	11.7
100-104.9.....	11	55	13.6	6	23	10.3	5	32	16.9
105-109.9.....	11	72	19.4	6	51	18.6	5	20	20.2
110-114.9.....	22	111	28.5	8	35	24.3	14	76	32.7
115-119.9.....	14	66	33.9	8	45	31.7	6	21	36.0
120-124.9.....	18	84	40.8	9	41	38.3	9	44	43.2
125-129.9.....	26	150	53.0	16	86	52.3	10	65	53.7
130-134.9.....	19	84	59.9	8	36	58.1	11	48	61.6
135-139.9.....	16	65	65.1	7	33	63.4	9	32	66.8
140-144.9.....	17	71	70.9	8	30	68.3	9	41	73.5
145-149.9.....	12	64	76.1	3	17	71.1	9	47	81.1
150-159.9.....	28	141	87.6	12	80	84.2	16	60	91.0
160-169.9.....	13	58	92.3	10	42	91.0	3	17	93.7
170-179.9.....	10	47	96.2	4	24	94.8	6	24	97.6
180-189.9.....	4	21	97.9	3	16	97.4	1	5	98.4
190-199.9.....	2	9	98.6	2	9	98.8	-	-	98.4
200 or more.....	5	17	100.0	2	7	100.0	3	10	100.0

^{1/} Excludes unknown income.

Table 3-54. Cumulative percent distribution of total carbohydrate intake values in grams per 1,000 calories for persons aged 1-2 years by sex and income level: United States, 1976-80

Income level and total carbohydrate in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	1,417	6,078	100.0	745	3,107	100.0	672	2,970	100.0
Less than 50.....	2	8	.1	-	-	-	2	8	.3
50-69.9.....	15	72	1.3	9	42	1.4	6	30	1.3
70-79.9.....	36	161	4.0	19	81	4.0	17	80	4.0
80-89.9.....	64	252	8.1	25	100	7.2	39	152	9.1
90-94.9.....	45	177	11.0	23	91	10.1	22	86	12.0
95-99.9.....	57	217	14.6	26	93	13.1	31	124	16.2
100-104.9.....	81	344	20.3	43	196	19.4	38	148	21.2
105-109.9.....	96	393	26.7	50	177	25.1	46	216	28.4
110-114.9.....	98	386	33.1	54	207	31.8	44	179	34.5
115-119.9.....	111	486	41.1	55	231	39.2	56	256	43.1
120-124.9.....	104	421	48.0	49	201	45.7	55	219	50.5
125-129.9.....	109	442	55.3	63	253	53.8	46	189	56.8
130-134.9.....	101	479	63.2	59	242	61.6	42	237	64.8
135-139.9.....	97	418	70.0	53	229	69.0	44	189	71.2
140-144.9.....	89	384	76.3	51	206	75.6	38	177	77.1
145-149.9.....	70	323	81.7	35	187	81.6	35	135	81.7
150-159.9.....	110	529	90.4	60	269	90.3	50	260	90.4
160-169.9.....	73	300	95.3	36	146	95.0	37	154	95.6
170-179.9.....	22	101	97.0	12	51	96.6	10	51	97.3
180-189.9.....	21	89	98.4	15	61	98.6	6	27	98.3
190-199.9.....	3	15	98.7	1	2	98.6	2	13	98.7
200 or more.....	13	80	100.0	7	42	100.0	6	38	100.0
Income below poverty level^{1/}									
Total.....	323	1,163	100.0	170	601	100.0	153	562	100.0
Less than 50.....	1	3	.3	-	-	-	1	3	.6
50-69.9.....	4	16	1.6	2	11	1.8	2	5	1.5
70-79.9.....	10	30	4.2	7	20	5.1	3	10	3.3
80-89.9.....	19	68	10.0	6	19	8.2	13	49	12.0
90-94.9.....	19	62	15.4	12	40	14.9	7	22	15.9
95-99.9.....	17	62	20.7	8	30	20.0	9	31	21.5
100-104.9.....	22	75	27.1	12	41	26.8	10	34	27.4
105-109.9.....	30	100	35.8	15	49	35.0	15	51	36.5
110-114.9.....	33	122	46.2	20	65	45.9	13	56	46.5
115-119.9.....	27	99	54.7	13	47	53.7	14	53	55.9
120-124.9.....	24	80	61.6	11	39	60.2	13	41	63.1
125-129.9.....	23	94	69.7	11	52	68.9	12	41	70.5
130-134.9.....	21	78	76.4	12	41	75.8	9	37	77.1
135-139.9.....	12	37	79.6	6	18	78.7	6	19	80.5
140-144.9.....	16	55	84.3	9	30	83.7	7	25	85.0
145-149.9.....	9	32	87.0	5	19	86.8	4	13	87.3
150-159.9.....	19	84	94.2	12	46	94.4	7	38	94.1
160-169.9.....	6	18	95.8	3	11	96.1	3	8	95.5
170-179.9.....	2	14	97.0	1	7	97.3	1	7	96.8
180-189.9.....	5	13	98.1	3	6	98.3	2	6	97.9
190-199.9.....	1	2	98.3	1	2	98.7	-	-	97.9
200 or more.....	3	20	100.0	1	8	100.0	2	12	100.0

See footnotes at end of table.

Table 3-54. Cumulative percent distribution of total carbohydrate intake values in grams per 1,000 calories for persons aged 1-2 years by sex and income level: United States, 1976-80-Continued

Income level and total carbohydrate in grams per 1,000 calories	Both sexes			Male			Female		
	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	1,056	4,767	100.0	551	2,416	100.0	505	2,351	100.0
Less than 50.....	1	5	.1	-	-	-	1	5	.2
50-69.9.....	10	54	1.2	6	29	1.2	4	25	1.3
70-79.9.....	24	125	3.9	11	59	3.6	13	67	4.1
80-89.9.....	41	172	7.5	17	75	6.8	24	97	8.2
90-94.9.....	26	115	9.9	11	50	8.8	15	64	10.9
95-99.9.....	38	149	13.0	18	63	11.4	20	87	14.6
100-104.9.....	56	253	18.3	30	148	17.5	26	105	19.1
105-109.9.....	64	288	24.3	34	126	22.8	30	161	26.0
110-114.9.....	64	262	29.8	33	139	28.5	31	123	31.2
115-119.9.....	83	382	37.9	41	179	35.9	42	203	39.8
120-124.9.....	79	333	44.8	38	162	42.6	41	172	47.1
125-129.9.....	82	331	51.8	49	186	50.3	33	145	53.3
130-134.9.....	77	389	60.0	44	189	58.2	33	200	61.8
135-139.9.....	81	370	67.7	43	200	66.5	38	170	69.0
140-144.9.....	69	307	74.2	40	168	73.4	29	139	74.9
145-149.9.....	58	281	80.1	27	159	80.0	31	122	80.1
150-159.9.....	90	442	89.3	48	223	89.3	42	219	89.4
160-169.9.....	66	279	95.2	33	136	94.8	33	144	95.5
170-179.9.....	20	88	97.0	11	44	96.7	9	44	97.4
180-189.9.....	15	68	98.5	11	47	98.6	4	21	98.3
190-199.9.....	2	13	98.7	-	-	98.6	2	13	98.9
200 or more.....	10	60	100.0	6	34	100.0	4	27	100.0

^{1/} Excludes unknown income.

Table 3-55. Cumulative percent distribution of total carbohydrate intake values in grams per 1,000 calories for persons aged 3-5 years by sex and income level: United States, 1976-80

Income level and total carbohydrate in grams per 1,000 calories	Both sexes			Male			Female		
	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent
All incomes									
Total.....	2,345	9,186	100.0	1,219	4,695	100.0	1,126	4,491	100.0
Less than 50.....	-	-	-	-	-	-	-	-	-
50-69.9.....	19	62	.7	10	35	.7	9	27	.6
70-79.9.....	37	131	2.1	13	41	1.6	24	91	2.6
80-89.9.....	67	241	4.7	43	151	4.8	24	89	4.6
90-94.9.....	48	178	6.7	22	69	6.3	26	109	7.0
95-99.9.....	85	339	10.3	40	160	9.7	45	179	11.0
100-104.9.....	98	419	14.9	40	155	13.0	58	264	16.9
105-109.9.....	133	496	20.3	71	251	18.3	62	246	22.4
110-114.9.....	166	632	27.2	70	278	24.3	96	354	30.3
115-119.9.....	184	686	34.7	101	367	32.1	83	319	37.4
120-124.9.....	204	855	44.0	102	421	41.1	102	434	47.0
125-129.9.....	218	835	53.1	117	469	51.1	101	365	55.1
130-134.9.....	213	851	62.3	114	450	60.6	99	401	64.1
135-139.9.....	203	778	70.8	116	420	69.6	87	358	72.0
140-144.9.....	168	662	78.0	97	375	77.6	71	287	78.4
145-149.9.....	123	502	83.5	65	272	83.4	58	230	83.6
150-159.9.....	189	769	91.8	101	420	92.3	88	350	91.3
160-169.9.....	96	380	96.0	48	180	96.2	48	200	95.8
170-179.9.....	51	197	98.1	27	101	98.3	24	96	97.9
180-189.9.....	27	103	99.3	15	57	99.5	12	46	99.0
190-199.9.....	8	33	99.6	3	9	99.7	5	24	99.5
200 or more.....	8	35	100.0	4	13	100.0	4	22	100.0
Income below poverty level¹									
Total.....	570	1,855	100.0	298	910	100.0	272	945	100.0
Less than 50.....	-	-	-	-	-	-	-	-	-
50-69.9.....	8	23	1.2	5	16	1.7	3	7	.8
70-79.9.....	15	58	4.4	4	9	2.7	11	49	6.0
80-89.9.....	25	73	8.3	15	40	7.1	10	33	9.5
90-94.9.....	16	46	10.8	7	17	9.0	9	29	12.5
95-99.9.....	22	86	15.5	12	49	14.4	10	37	16.4
100-104.9.....	23	87	20.1	9	24	17.1	14	62	23.0
105-109.9.....	40	118	26.5	23	62	23.9	17	56	29.0
110-114.9.....	60	198	37.2	23	77	32.4	37	122	41.8
115-119.9.....	50	159	45.8	34	101	43.5	16	58	48.0
120-124.9.....	49	167	54.8	25	93	53.6	24	74	55.8
125-129.9.....	48	169	63.9	21	75	61.9	27	94	65.8
130-134.9.....	42	128	70.8	27	72	69.8	15	55	71.6
135-139.9.....	42	125	77.5	23	58	76.2	19	67	78.7
140-144.9.....	35	118	83.8	19	65	83.3	16	53	84.3
145-149.9.....	24	67	87.4	14	36	87.3	10	30	87.5
150-159.9.....	34	117	93.7	14	49	92.7	20	68	94.7
160-169.9.....	20	64	97.2	12	31	96.1	8	32	98.1
170-179.9.....	8	26	98.6	5	16	97.9	3	10	99.2
180-189.9.....	5	14	99.3	3	8	98.8	2	5	99.8
190-199.9.....	3	9	99.8	2	7	99.6	1	2	100.0
200 or more.....	1	4	100.0	1	4	100.0	-	-	100.0

See footnotes at end of table.

Table 3-55. Cumulative percent distribution of total carbohydrate intake values in grams per 1,000 calories for persons aged 3-5 years by sex and income level: United States, 1976-80-Continued

Income level and total carbohydrate in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	1,707	7,102	100.0	892	3,683	100.0	815	3,419	100.0
Less than 50.....	-	-	-	-	-	-	-	-	-
50-69.9.....	11	39	.5	5	19	.5	6	20	.6
70-79.9.....	19	64	1.4	9	31	1.4	10	32	1.5
80-89.9.....	39	155	3.6	26	103	4.2	13	52	3.0
90-94.9.....	31	124	5.4	14	44	5.4	17	80	5.4
95-99.9.....	58	233	8.7	26	103	8.2	32	130	9.2
100-104.9.....	73	327	13.3	29	125	11.6	44	201	15.1
105-109.9.....	92	376	18.5	47	186	16.6	45	190	20.6
110-114.9.....	104	429	24.6	46	199	22.0	58	230	27.4
115-119.9.....	130	514	31.8	67	266	29.2	63	248	34.6
120-124.9.....	153	680	41.4	77	329	38.2	76	352	44.9
125-129.9.....	165	649	50.5	94	384	48.6	71	265	52.6
130-134.9.....	160	684	60.2	81	357	58.3	79	327	62.2
135-139.9.....	154	633	69.1	87	345	67.6	67	288	70.6
140-144.9.....	127	527	76.5	76	305	75.9	51	223	77.2
145-149.9.....	96	425	82.5	51	236	82.3	45	188	82.7
150-159.9.....	148	627	91.3	84	358	92.1	64	269	90.5
160-169.9.....	75	311	95.7	36	149	96.1	39	162	95.3
170-179.9.....	41	166	98.0	22	85	98.4	19	81	97.6
180-189.9.....	19	83	99.2	11	47	99.7	8	37	98.7
190-199.9.....	5	24	99.6	1	2	99.8	4	22	99.3
200 or more.....	7	31	100.0	3	9	100.0	4	22	100.0

^{1/} Excludes unknown income.

Table 3-56. Cumulative percent distribution of total carbohydrate intake values in grams per 1,000 calories for persons aged 6-8 years by sex and income level: United States, 1976-80

Income level and total carbohydrate in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	843	10,213	100.0	428	5,336	100.0	415	4,877	100.0
Less than 50.....	-	-	-	-	-	-	-	-	-
50-69.9.....	3	30	.3	1	14	.3	2	16	.3
70-79.9.....	8	87	1.1	4	54	1.3	4	33	1.0
80-89.9.....	24	321	4.3	12	180	4.6	12	140	3.9
90-94.9.....	20	230	6.5	9	107	6.6	11	123	6.4
95-99.9.....	35	469	11.1	18	270	11.7	17	200	10.5
100-104.9.....	35	406	15.1	19	233	16.1	16	173	14.1
105-109.9.....	61	819	23.1	41	588	27.1	20	232	18.8
110-114.9.....	55	626	29.3	23	252	31.8	32	373	26.4
115-119.9.....	83	943	38.5	43	501	41.2	40	442	35.5
120-124.9.....	86	1,032	48.6	45	510	50.8	41	522	46.2
125-129.9.....	80	1,027	58.6	52	686	63.6	28	341	53.2
130-134.9.....	78	911	67.6	34	402	71.1	44	509	63.7
135-139.9.....	64	784	75.3	24	298	76.7	40	486	73.6
140-144.9.....	61	774	82.8	31	389	84.0	30	385	81.5
145-149.9.....	51	579	88.5	24	270	89.1	27	309	87.8
150-159.9.....	54	670	95.0	26	354	95.7	28	316	94.3
160-169.9.....	32	337	98.3	14	124	98.0	18	213	98.7
170-179.9.....	6	64	99.0	4	47	98.9	2	18	99.0
180-189.9.....	5	62	99.6	3	43	99.7	2	19	99.4
190-199.9.....	1	15	99.7	1	15	100.0	-	-	99.4
200 or more.....	1	27	100.0	-	-	100.0	1	27	100.0
Income below poverty level^{1/}									
Total.....	177	1,769	100.0	82	900	100.0	95	869	100.0
Less than 50.....	-	-	-	-	-	-	-	-	-
50-69.9.....	-	-	-	-	-	-	-	-	-
70-79.9.....	4	52	2.9	2	34	3.8	2	17	2.0
80-89.9.....	3	29	4.6	2	23	6.3	1	6	2.7
90-94.9.....	5	52	7.5	1	8	7.2	4	44	7.8
95-99.9.....	7	76	11.8	5	52	13.0	2	25	10.6
100-104.9.....	5	40	14.1	2	15	14.6	3	25	13.6
105-109.9.....	22	285	30.2	15	207	37.6	7	78	22.5
110-114.9.....	12	104	36.1	4	29	40.9	8	75	31.1
115-119.9.....	14	132	43.6	6	63	47.9	8	69	39.1
120-124.9.....	16	147	51.9	8	77	56.4	8	70	47.2
125-129.9.....	15	128	59.1	6	49	61.8	9	79	56.3
130-134.9.....	19	163	68.3	7	60	68.4	12	103	68.2
135-139.9.....	9	120	75.1	3	43	73.2	6	77	77.0
140-144.9.....	15	146	83.3	6	70	81.0	9	76	85.8
145-149.9.....	14	112	89.7	7	58	87.4	7	54	92.0
150-159.9.....	9	117	96.3	5	84	96.8	4	33	95.8
160-169.9.....	5	36	98.4	2	18	98.8	3	18	97.9
170-179.9.....	3	29	100.0	1	11	100.0	2	18	100.0
180-189.9.....	-	-	100.0	-	-	100.0	-	-	100.0
190-199.9.....	-	-	100.0	-	-	100.0	-	-	100.0
200 or more.....	-	-	100.0	-	-	100.0	-	-	100.0

See footnotes at end of table.

Table 3-56. Cumulative percent distribution of total carbohydrate intake values in grams per 1,000 calories for persons aged 6-8 years by sex and income level: United States, 1976-80-Continued

Income level and total carbohydrate in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	644	8,118	100.0	336	4,254	100.0	308	3,864	100.0
Less than 50.....	-	-	-	-	-	-	-	-	-
50-69.9.....	3	30	.4	1	14	.3	2	16	.4
70-79.9.....	4	35	.8	2	19	.8	2	16	.8
80-89.9.....	20	288	4.3	10	158	4.5	10	130	4.2
90-94.9.....	15	178	6.5	8	99	6.8	7	79	6.2
95-99.9.....	27	371	11.1	12	196	11.4	15	175	10.8
100-104.9.....	29	355	15.5	17	218	16.5	12	137	14.3
105-109.9.....	38	528	22.0	26	380	25.5	12	147	18.1
110-114.9.....	41	476	27.8	18	184	29.8	23	292	25.7
115-119.9.....	66	761	37.2	36	416	39.6	30	345	34.6
120-124.9.....	68	864	47.9	36	424	49.6	32	440	46.0
125-129.9.....	63	853	58.4	45	610	63.9	18	244	52.3
130-134.9.....	58	725	67.3	27	342	71.9	31	383	62.2
135-139.9.....	54	641	75.2	20	232	77.4	34	409	72.8
140-144.9.....	44	608	82.7	23	300	84.4	21	308	80.8
145-149.9.....	36	455	88.3	17	212	89.4	19	244	87.1
150-159.9.....	43	538	94.9	20	263	95.6	23	275	94.2
160-169.9.....	26	283	98.4	12	106	98.1	14	177	98.8
170-179.9.....	2	24	98.7	2	24	98.6	-	-	98.8
180-189.9.....	5	62	99.5	3	43	99.6	2	19	99.3
190-199.9.....	1	15	99.7	1	15	100.0	-	-	99.3
200 or more.....	1	27	100.0	-	-	100.0	1	27	100.0

1/ Excludes unknown income.

Table 3-57. Cumulative percent distribution of total carbohydrate intake values in grams per 1,000 calories for persons aged 9-11 years by sex and income level: United States, 1976-80

Income level and total carbohydrate in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	882	10,667	100.0	457	5,310	100.0	425	5,357	100.0
Less than 50.....	1	19	.2	-	-	-	1	19	.3
50-69.9.....	3	41	.6	1	7	.1	2	34	1.0
70-79.9.....	14	146	1.9	9	93	1.9	5	53	2.0
80-89.9.....	21	206	3.9	10	88	3.5	11	118	4.2
90-94.9.....	26	267	6.4	14	144	6.3	12	123	6.5
95-99.9.....	36	413	10.2	21	226	10.5	15	187	10.0
100-104.9.....	43	582	15.7	19	277	15.7	24	305	15.7
105-109.9.....	57	699	22.3	27	305	21.5	30	394	23.0
110-114.9.....	66	832	30.0	32	391	28.8	34	441	31.3
115-119.9.....	67	835	37.9	40	506	38.3	27	329	37.4
120-124.9.....	81	956	46.8	39	439	46.6	42	517	47.1
125-129.9.....	92	1,067	56.8	41	469	55.4	51	598	58.2
130-134.9.....	71	953	65.8	40	511	65.1	31	442	66.5
135-139.9.....	92	1,114	76.2	45	554	75.5	47	560	76.9
140-144.9.....	60	709	82.9	36	356	82.2	24	354	83.5
145-149.9.....	47	569	88.2	26	280	87.5	21	289	88.9
150-159.9.....	53	625	94.1	31	350	94.1	22	274	94.0
160-169.9.....	37	460	98.4	18	239	98.6	19	221	98.2
170-179.9.....	9	98	99.3	6	60	99.7	3	38	98.9
180-189.9.....	4	63	99.9	1	9	99.9	3	53	99.9
190-199.9.....	1	6	99.9	-	-	99.9	1	6	100.0
200 or more.....	1	6	100.0	1	6	100.0	-	-	100.0
Income below poverty level^{1/}									
Total.....	190	1,967	100.0	88	854	100.0	102	1,113	100.0
Less than 50.....	-	-	-	-	-	-	-	-	-
50-69.9.....	-	-	-	-	-	-	-	-	-
70-79.9.....	5	45	2.3	4	35	4.1	1	10	.9
80-89.9.....	8	72	6.0	4	28	7.3	4	45	4.9
90-94.9.....	9	86	10.3	6	62	14.6	3	23	7.0
95-99.9.....	6	90	14.9	2	29	18.0	4	60	12.4
100-104.9.....	6	49	17.3	3	21	20.5	3	27	14.9
105-109.9.....	18	190	27.0	6	59	27.4	12	131	26.6
110-114.9.....	13	144	34.3	7	78	36.6	6	66	32.5
115-119.9.....	17	172	43.1	6	54	43.0	11	118	43.1
120-124.9.....	12	96	47.9	4	29	46.4	8	67	49.1
125-129.9.....	22	227	59.5	10	99	58.0	12	128	60.6
130-134.9.....	15	177	68.5	5	70	66.3	10	107	70.2
135-139.9.....	16	175	77.4	5	48	71.9	11	127	81.6
140-144.9.....	14	150	85.0	11	101	83.7	3	50	86.1
145-149.9.....	7	67	88.4	2	16	85.5	5	51	90.7
150-159.9.....	12	105	93.8	8	66	93.3	4	39	94.2
160-169.9.....	5	66	97.2	3	44	98.5	2	22	96.2
170-179.9.....	1	7	97.5	1	7	99.2	-	-	96.2
180-189.9.....	2	36	99.3	-	-	99.2	2	36	99.4
190-199.9.....	1	6	99.7	-	-	99.2	1	6	100.0
200 or more.....	1	6	100.0	1	6	100.0	-	-	100.0

See footnotes at end of table.

Table 3-57. Cumulative percent distribution of total carbohydrate intake values in grams per 1,000 calories for persons aged 9-11 years by sex and income level: United States, 1976-80-Continued

Income level and total carbohydrate in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	663	8,370	100.0	356	4,321	100.0	307	4,049	100.0
Less than 50.....	1	19	.2	-	-	-	1	19	.5
50-69.9.....	3	41	.7	1	7	.2	2	34	1.3
70-79.9.....	9	101	1.9	5	58	1.5	4	43	2.4
80-89.9.....	13	134	3.5	6	60	2.9	7	73	4.2
90-94.9.....	16	172	5.6	8	81	4.8	8	91	6.4
95-99.9.....	29	314	9.3	19	197	9.3	10	117	9.3
100-104.9.....	35	495	15.3	15	240	14.9	20	255	15.6
105-109.9.....	37	493	21.1	20	238	20.4	17	255	21.9
110-114.9.....	50	646	28.8	23	279	26.9	27	367	31.0
115-119.9.....	45	599	36.0	32	421	36.6	13	178	35.4
120-124.9.....	65	813	45.7	34	400	45.9	31	414	45.6
125-129.9.....	67	806	55.4	30	363	54.3	37	444	56.5
130-134.9.....	55	771	64.6	34	436	64.3	21	335	64.8
135-139.9.....	72	909	75.4	37	486	75.6	35	423	75.3
140-144.9.....	45	537	81.8	25	255	81.5	20	281	82.2
145-149.9.....	39	496	87.8	23	258	87.5	16	238	88.1
150-159.9.....	41	520	94.0	23	284	94.0	18	236	93.9
160-169.9.....	31	386	98.6	15	194	98.5	16	191	98.6
170-179.9.....	8	92	99.7	5	54	99.8	3	38	99.6
180-189.9.....	2	26	100.0	1	9	100.0	1	17	100.0
190-199.9.....	-	-	100.0	-	-	100.0	-	-	100.0
200 or more.....	-	-	100.0	-	-	100.0	-	-	100.0

^{1/} Excludes unknown income.

Table 3-58. Cumulative percent distribution of total carbohydrate intake values in grams per 1,000 calories for persons aged 12-14 years by sex and income level: United States, 1976-80

Income level and total carbohydrate in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	991	11,632	100.0	504	5,920	100.0	487	5,712	100.0
Less than 50.....	-	-	-	-	-	-	-	-	-
50-69.9.....	8	107	.9	3	42	.7	5	66	1.1
70-79.9.....	30	311	3.6	20	215	4.3	10	97	2.8
80-89.9.....	45	558	8.4	23	267	8.8	22	291	7.9
90-94.9.....	31	368	11.6	12	167	11.7	19	201	11.4
95-99.9.....	37	398	15.0	17	180	14.7	20	218	15.3
100-104.9.....	59	674	20.8	30	361	20.8	29	313	20.8
105-109.9.....	54	647	26.3	31	376	27.1	23	271	25.5
110-114.9.....	57	606	31.5	34	359	33.2	23	248	29.8
115-119.9.....	102	1,221	42.0	44	532	42.2	58	689	41.9
120-124.9.....	94	1,185	52.2	54	691	53.9	40	494	50.5
125-129.9.....	80	888	59.9	34	366	60.1	46	522	59.7
130-134.9.....	93	1,097	69.3	50	569	69.7	43	528	68.9
135-139.9.....	53	550	74.0	31	332	75.3	22	217	72.7
140-144.9.....	56	659	79.7	29	331	80.9	27	328	78.5
145-149.9.....	46	542	84.3	19	212	84.4	27	330	84.3
150-159.9.....	81	983	92.8	42	478	92.5	39	505	93.1
160-169.9.....	37	495	97.1	16	253	96.8	21	242	97.3
170-179.9.....	13	164	98.5	10	116	98.8	3	48	98.2
180-189.9.....	6	80	99.2	2	31	99.3	4	49	99.0
190-199.9.....	5	60	99.7	2	28	99.8	3	32	99.6
200 or more.....	4	37	100.0	1	15	100.0	3	23	100.0
Income below poverty level^{1/}									
Total.....	193	1,963	100.0	89	891	100.0	104	1,072	100.0
Less than 50.....	-	-	-	-	-	-	-	-	-
50-69.9.....	-	-	-	-	-	-	-	-	-
70-79.9.....	9	84	4.3	4	38	4.3	5	45	4.2
80-89.9.....	11	93	9.0	6	46	9.5	5	46	8.5
90-94.9.....	4	36	10.8	2	15	11.2	2	21	10.5
95-99.9.....	13	139	17.9	5	51	17.0	8	88	18.6
100-104.9.....	15	139	25.0	9	97	27.9	6	42	22.5
105-109.9.....	12	115	30.9	8	76	36.4	4	39	26.2
110-114.9.....	10	104	36.1	4	47	41.7	6	57	31.5
115-119.9.....	14	142	43.4	5	42	46.5	9	99	40.8
120-124.9.....	23	259	56.5	12	134	61.5	11	125	52.4
125-129.9.....	11	109	62.1	2	29	64.8	9	79	59.8
130-134.9.....	12	159	70.2	7	89	74.8	5	70	66.4
135-139.9.....	12	111	75.8	4	37	78.9	8	74	73.3
140-144.9.....	12	111	81.5	6	43	83.7	6	68	79.6
145-149.9.....	13	153	89.3	6	67	91.2	7	87	87.7
150-159.9.....	12	101	94.5	6	54	97.3	6	47	92.1
160-169.9.....	7	71	98.1	2	15	98.9	5	56	97.3
170-179.9.....	1	22	99.2	-	-	98.9	1	22	99.4
180-189.9.....	1	10	99.7	1	10	100.0	-	-	99.4
190-199.9.....	-	-	99.7	-	-	100.0	-	-	99.4
200 or more.....	1	6	100.0	-	-	100.0	1	6	100.0

See footnotes at end of table.

Table 3-58. Cumulative percent distribution of total carbohydrate intake values in grams per 1,000 calories for persons aged 12-14 years by sex and income level: United States, 1976-80-Continued

Income level and total carbohydrate in grams per 1,000 calories	Both sexes			Male			Female		
	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	762	9,255	100.0	399	4,841	100.0	363	4,414	100.0
Less than 50.....	-	-	-	-	-	-	-	-	-
50-69.9.....	8	107	1.2	3	42	.9	5	66	1.5
70-79.9.....	20	201	3.3	15	150	4.0	5	51	2.6
80-89.9.....	34	465	8.4	17	221	8.5	17	245	8.2
90-94.9.....	24	306	11.7	9	139	11.4	15	167	12.0
95-99.9.....	24	259	14.5	12	129	14.0	12	130	14.9
100-104.9.....	44	535	20.3	21	264	19.5	23	271	21.1
105-109.9.....	37	483	25.5	21	281	25.3	16	202	25.6
110-114.9.....	43	458	30.4	27	285	31.2	16	173	29.6
115-119.9.....	86	1,060	41.9	39	490	41.3	47	570	42.5
120-124.9.....	68	886	51.4	39	517	52.0	29	369	50.8
125-129.9.....	65	728	59.3	30	313	58.5	35	415	60.3
130-134.9.....	75	876	68.8	41	461	68.0	34	415	69.7
135-139.9.....	39	444	73.3	26	286	73.9	13	128	72.6
140-144.9.....	43	537	79.0	22	277	79.6	21	260	78.4
145-149.9.....	30	366	83.0	13	145	82.6	17	220	83.4
150-159.9.....	67	845	92.1	36	425	91.4	31	420	93.0
160-169.9.....	30	424	96.7	14	238	96.3	16	186	97.2
170-179.9.....	12	142	98.3	10	116	98.7	2	26	97.8
180-189.9.....	5	71	99.0	1	21	99.1	4	49	98.9
190-199.9.....	5	60	99.7	2	28	99.7	3	32	99.6
200 or more.....	3	31	100.0	1	15	100.0	2	17	100.0

^{1/} Excludes unknown income.

Table 3-59. Cumulative percent distribution of total carbohydrate intake values in grams per 1,000 calories for persons aged 15-17 years by sex and income level: United States, 1976-80

Income level and total carbohydrate in grams per 1,000 calories	Both sexes			Male			Female		
	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent
All incomes									
Total.....	1/983	12,441	100.0	1/534	6,309	100.0	449	6,131	100.0
Less than 50.....	6	62	.5	3	38	.6	3	25	.4
50-69.9.....	17	222	2.3	8	84	1.9	9	138	2.7
70-79.9.....	29	382	5.4	16	185	4.9	13	196	5.9
80-89.9.....	65	791	11.7	34	406	11.3	31	385	12.1
90-94.9.....	45	527	15.9	27	252	15.3	18	275	16.6
95-99.9.....	60	846	22.7	31	386	21.4	29	460	24.1
100-104.9.....	60	761	28.9	36	438	28.4	24	323	29.4
105-109.9.....	66	774	35.1	39	437	35.3	27	337	34.9
110-114.9.....	77	992	43.1	45	541	43.9	32	450	42.2
115-119.9.....	70	903	50.3	40	515	52.0	30	388	48.5
120-124.9.....	84	1,149	59.5	43	563	61.0	41	586	58.1
125-129.9.....	78	1,051	68.0	46	559	69.8	32	493	66.1
130-134.9.....	65	767	74.2	33	365	75.6	32	402	72.7
135-139.9.....	51	655	79.4	27	345	81.1	24	310	77.7
140-144.9.....	54	573	84.0	33	345	86.5	21	228	81.4
145-149.9.....	52	670	89.4	21	231	90.2	31	439	88.6
150-159.9.....	42	543	93.8	25	306	95.0	17	237	92.5
160-169.9.....	31	413	97.1	13	164	97.6	18	249	96.5
170-179.9.....	17	200	98.7	10	98	99.2	7	102	98.2
180-189.9.....	6	58	99.2	2	21	99.5	4	37	98.8
190-199.9.....	3	51	99.6	-	-	99.5	3	51	99.6
200 or more.....	5	52	100.0	2	29	100.0	3	22	100.0
Income below poverty level^{2/}									
Total.....	177	2,073	100.0	89	974	100.0	88	1,099	100.0
Less than 50.....	1	8	.4	-	-	-	1	8	.8
50-69.9.....	5	60	3.3	3	27	2.8	2	33	3.8
70-79.9.....	10	135	9.8	7	74	10.4	3	61	9.3
80-89.9.....	13	180	18.5	4	43	14.8	9	137	21.8
90-94.9.....	10	92	22.9	7	65	21.5	3	27	24.3
95-99.9.....	10	138	29.6	7	106	32.4	3	32	27.2
100-104.9.....	6	57	32.4	3	27	35.1	3	30	29.9
105-109.9.....	13	127	38.5	8	71	42.4	5	56	35.0
110-114.9.....	13	157	46.1	7	64	49.0	6	93	43.5
115-119.9.....	10	117	51.7	6	81	57.3	4	35	46.7
120-124.9.....	15	172	60.0	9	117	69.3	6	55	51.7
125-129.9.....	6	53	62.6	5	41	73.6	1	12	52.8
130-134.9.....	12	153	70.0	4	37	77.4	8	117	63.4
135-139.9.....	12	148	77.1	4	36	81.1	8	112	73.6
140-144.9.....	7	97	81.8	3	60	87.3	4	37	76.9
145-149.9.....	17	195	91.2	5	45	91.9	12	149	90.5
150-159.9.....	7	75	94.8	5	58	97.9	2	17	92.1
160-169.9.....	4	39	96.7	1	11	99.0	3	28	94.6
170-179.9.....	1	10	97.2	-	-	99.0	1	10	95.5
180-189.9.....	2	21	98.2	1	10	100.0	1	11	96.5
190-199.9.....	1	22	99.2	-	-	100.0	1	22	98.5
200 or more.....	2	16	100.0	-	-	100.0	2	16	100.0

See footnotes at end of table.

Table 3-59. Cumulative percent distribution of total carbohydrate intake values in grams per 1,000 calories for persons aged 15-17 years by sex and income level: United States, 1976-80-Continued

Income level and total carbohydrate in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{2/}									
Total.....	1/759	9,750	100.0	1/417	4,992	100.0	342	4,758	100.0
Less than 50.....	5	54	.5	3	38	.8	2	16	.3
50-69.9.....	11	155	2.1	4	50	1.8	7	105	2.5
70-79.9.....	17	223	4.4	7	87	3.5	10	135	5.4
80-89.9.....	51	602	10.6	30	363	10.8	21	239	10.4
90-94.9.....	33	408	14.8	19	178	14.3	14	230	15.3
95-99.9.....	49	697	21.9	24	280	19.9	25	417	24.0
100-104.9.....	50	642	28.5	31	390	27.8	19	252	29.3
105-109.9.....	51	626	34.9	30	358	34.9	21	268	34.9
110-114.9.....	58	763	42.8	34	427	43.5	24	337	42.0
115-119.9.....	54	697	49.9	32	402	51.5	22	295	48.2
120-124.9.....	66	913	59.3	33	436	60.3	33	477	58.2
125-129.9.....	70	971	69.3	39	491	70.1	31	481	68.3
130-134.9.....	48	554	74.9	26	293	76.0	22	260	73.8
135-139.9.....	37	482	79.9	22	295	81.9	15	187	77.7
140-144.9.....	44	443	84.4	27	252	86.9	17	192	81.8
145-149.9.....	33	442	88.9	14	153	90.0	19	289	87.8
150-159.9.....	34	445	93.5	19	225	94.5	15	220	92.5
160-169.9.....	27	373	97.3	12	152	97.6	15	221	97.1
170-179.9.....	14	173	99.1	8	80	99.2	6	92	99.0
180-189.9.....	3	29	99.4	1	12	99.4	2	18	99.4
190-199.9.....	1	21	99.6	-	-	99.4	1	21	99.9
200 or more.....	3	35	100.0	2	29	100.0	1	6	100.0

1/ Excludes 1 examined person with zero calories.

2/ Excludes unknown income.

*

Table 3-60. Cumulative percent distribution of total carbohydrate intake values in grams per 1,000 calories for persons aged 18-24 years by sex and income level: United States, 1976-80

Income level and total carbohydrate in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	1/2,053	27,439	100.0	988	13,275	100.0	1/1,065	14,164	100.0
Less than 50.....	21	261	.9	12	146	1.1	9	115	.8
50-69.9.....	77	1,057	4.8	42	591	5.5	35	466	4.1
70-79.9.....	106	1,392	9.9	66	817	11.7	40	574	8.1
80-89.9.....	170	2,395	18.6	103	1,475	22.8	67	920	14.6
90-94.9.....	106	1,456	23.9	58	803	28.9	48	653	19.3
95-99.9.....	113	1,618	29.8	63	896	35.6	50	722	24.3
100-104.9.....	132	1,688	36.0	69	926	42.6	63	762	29.7
105-109.9.....	171	2,393	44.7	94	1,296	52.4	77	1,096	37.5
110-114.9.....	147	2,028	52.1	74	1,022	60.1	73	1,006	44.6
115-119.9.....	160	2,074	59.6	79	1,015	67.7	81	1,058	52.0
120-124.9.....	157	1,980	66.8	73	985	75.1	84	996	59.1
125-129.9.....	137	1,853	73.6	71	955	82.3	66	898	65.4
130-134.9.....	122	1,683	79.7	55	740	87.9	67	944	72.1
135-139.9.....	99	1,252	84.3	36	471	91.4	63	780	77.6
140-144.9.....	80	1,005	88.0	21	231	93.2	59	774	83.0
145-149.9.....	85	1,225	92.4	24	311	95.5	61	913	89.5
150-159.9.....	85	1,018	96.1	22	264	97.5	63	754	94.8
160-169.9.....	38	482	97.9	16	206	99.1	22	276	96.8
170-179.9.....	28	350	99.2	6	85	99.7	22	266	98.6
180-189.9.....	9	122	99.6	3	30	99.9	6	93	99.3
190-199.9.....	5	56	99.8	-	-	99.9	5	56	99.7
200 or more.....	5	52	100.0	1	9	100.0	4	43	100.0
Income below poverty level ^{2/}									
Total.....	1/430	5,300	100.0	178	2,237	100.0	1/252	3,063	100.0
Less than 50.....	2	18	.3	-	-	-	2	18	.6
50-69.9.....	15	185	3.8	10	136	6.1	5	48	2.2
70-79.9.....	22	278	9.1	13	181	14.2	9	98	5.4
80-89.9.....	29	377	16.2	17	219	24.0	12	158	10.5
90-94.9.....	25	327	22.4	13	166	31.4	12	160	15.8
95-99.9.....	18	235	26.8	9	129	37.2	9	106	19.2
100-104.9.....	19	207	30.7	9	99	41.6	10	108	22.8
105-109.9.....	38	443	39.1	17	185	49.9	21	258	31.2
110-114.9.....	39	456	47.7	14	175	57.7	25	280	40.3
115-119.9.....	28	368	54.6	13	142	64.0	15	226	47.7
120-124.9.....	44	525	64.5	16	218	73.8	28	307	57.7
125-129.9.....	29	313	70.4	14	150	80.5	15	164	63.1
130-134.9.....	23	338	76.8	10	128	86.2	13	210	69.9
135-139.9.....	13	140	79.4	2	20	87.0	11	120	73.9
140-144.9.....	22	267	84.5	4	38	88.8	18	228	81.3
145-149.9.....	16	209	88.4	4	69	91.8	12	141	85.9
150-159.9.....	23	280	93.7	5	76	95.2	18	204	92.6
160-169.9.....	8	111	95.8	3	42	97.1	5	69	94.8
170-179.9.....	12	172	99.0	4	58	99.7	8	114	98.6
180-189.9.....	3	26	99.5	1	7	100.0	2	19	99.2
190-199.9.....	2	25	100.0	-	-	100.0	2	25	100.0
200 or more.....	-	-	100.0	-	-	100.0	-	-	100.0

See footnotes at end of table.

Table 3-60. Cumulative percent distribution of total carbohydrate intake values in grams per 1,000 calories for persons aged 18-24 years by sex and income level: United States, 1976-80-Continued

Income level and total carbohydrate in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{2/}									
Total.....	1,541	21,013	100.0	770	10,508	100.0	771	10,505	100.0
Less than 50.....	17	221	1.0	11	137	1.3	6	85	.8
50-69.9.....	60	838	5.0	31	442	5.5	29	396	4.6
70-79.9.....	83	1,104	10.3	53	637	11.6	30	467	9.0
80-89.9.....	134	1,935	19.5	81	1,205	23.0	53	730	16.0
90-94.9.....	76	1,047	24.5	42	585	28.6	34	461	20.4
95-99.9.....	90	1,325	30.8	49	709	35.3	41	616	26.2
100-104.9.....	105	1,366	37.3	54	741	42.4	51	624	32.2
105-109.9.....	126	1,844	46.1	73	1,049	52.4	53	795	39.7
110-114.9.....	105	1,527	53.3	59	819	60.2	46	709	46.5
115-119.9.....	122	1,596	60.9	62	827	68.0	60	769	53.8
120-124.9.....	112	1,447	67.8	57	767	75.3	55	680	60.3
125-129.9.....	103	1,446	74.7	55	789	82.9	48	657	66.5
130-134.9.....	91	1,260	80.7	44	601	88.6	47	659	72.8
135-139.9.....	81	1,045	85.7	31	409	92.5	50	636	78.9
140-144.9.....	55	695	89.0	15	169	94.1	40	526	83.9
145-149.9.....	64	910	93.3	18	211	96.1	46	699	90.5
150-159.9.....	58	686	96.6	17	188	97.9	41	497	95.3
160-169.9.....	29	363	98.3	13	164	99.4	16	200	97.1
170-179.9.....	16	178	99.1	2	27	99.7	14	151	98.6
180-189.9.....	6	97	99.6	2	22	99.9	4	74	99.3
190-199.9.....	3	31	99.8	-	-	99.9	3	31	99.6
200 or more.....	5	52	100.0	1	9	100.0	4	43	100.0

1/ Excludes 1 examined person with zero calories.

2/ Excludes unknown income.

Table 3-61. Cumulative percent distribution of total carbohydrate intake values in grams per 1,000 calories for persons aged 25-34 years by sex and income level: United States, 1976-80

Income level and total carbohydrate in grams per 1,000 calories	Both sexes			Male			Female		
	Exam-ined persons	Esti-mated population in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated population in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated population in thou-sands	Cumulative percent
All incomes									
Total.....	1/2,236	32,739	100.0	1,067	15,895	100.0	1/1,169	16,844	100.0
Less than 50.....	48	741	2.3	22	349	2.2	26	391	2.3
50-69.9.....	94	1,579	7.1	53	916	8.0	41	663	6.3
70-79.9.....	101	1,434	11.5	67	976	14.1	34	458	9.0
80-89.9.....	209	3,031	20.7	116	1,710	24.8	93	1,321	16.8
90-94.9.....	149	2,103	27.1	78	1,120	31.9	71	983	22.7
95-99.9.....	138	2,024	33.3	69	1,056	38.5	69	967	28.4
100-104.9.....	142	2,135	39.8	64	941	44.5	78	1,194	35.5
105-109.9.....	177	2,536	47.6	88	1,221	52.1	89	1,315	43.3
110-114.9.....	161	2,555	55.4	77	1,311	60.4	84	1,244	50.7
115-119.9.....	170	2,515	63.1	84	1,335	68.8	86	1,179	57.7
120-124.9.....	156	2,170	69.7	70	956	74.8	86	1,214	64.9
125-129.9.....	149	2,286	76.7	72	1,077	81.6	77	1,210	72.1
130-134.9.....	130	1,824	82.3	52	727	86.1	78	1,097	78.6
135-139.9.....	91	1,355	86.4	37	549	89.6	54	806	83.4
140-144.9.....	82	1,156	89.9	35	491	92.7	47	665	87.3
145-149.9.....	68	943	92.8	27	377	95.1	41	566	90.7
150-159.9.....	81	1,131	96.3	28	408	97.6	53	723	95.0
160-169.9.....	41	587	98.1	17	231	99.1	24	356	97.1
170-179.9.....	16	211	98.7	4	54	99.4	12	157	98.0
180-189.9.....	14	170	99.2	2	33	99.6	12	137	98.8
190-199.9.....	11	135	99.6	2	20	99.8	9	115	99.5
200 or more.....	8	118	100.0	3	38	100.0	5	80	100.0
Income below poverty level ^{2/}									
Total.....	253	3,103	100.0	91	1,106	100.0	162	1,997	100.0
Less than 50.....	5	60	1.9	3	39	3.5	2	21	1.1
50-69.9.....	10	128	6.0	5	64	9.3	5	63	4.2
70-79.9.....	8	77	8.5	4	38	12.8	4	39	6.2
80-89.9.....	23	311	18.6	7	95	21.3	16	216	17.0
90-94.9.....	11	121	22.4	3	29	24.0	8	91	21.6
95-99.9.....	17	217	29.4	8	97	32.8	9	119	27.5
100-104.9.....	13	160	34.6	6	78	39.9	7	82	31.7
105-109.9.....	25	341	45.6	12	152	53.6	13	189	41.1
110-114.9.....	18	268	54.2	6	90	61.7	12	178	50.1
115-119.9.....	15	165	59.5	6	65	67.6	9	100	55.1
120-124.9.....	13	152	64.5	5	67	73.7	8	85	59.3
125-129.9.....	18	239	72.2	6	66	79.7	12	173	68.0
130-134.9.....	19	214	79.1	1	8	80.4	18	206	78.3
135-139.9.....	11	129	83.2	3	29	83.1	8	100	83.3
140-144.9.....	13	141	87.8	7	69	89.4	6	72	86.9
145-149.9.....	8	76	90.2	2	14	90.6	6	62	90.0
150-159.9.....	13	155	95.2	5	82	98.0	8	73	93.6
160-169.9.....	6	69	97.4	2	22	100.0	4	47	96.0
170-179.9.....	2	25	98.2	-	-	100.0	2	25	97.2
180-189.9.....	3	26	99.0	-	-	100.0	3	26	98.5
190-199.9.....	1	7	99.3	-	-	100.0	1	7	98.9
200 or more.....	1	22	100.0	-	-	100.0	1	22	100.0

See footnotes at end of table.

Table 3-61. Cumulative percent distribution of total carbohydrate intake values in grams per 1,000 calories for persons aged 25-34 years by sex and income level: United States, 1976-80-Continued

Income level and total carbohydrate in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{2/}									
Total.....	1/1,926	28,824	100.0	945	14,355	100.0	1/981	14,469	100.0
Less than 50.....	41	657	2.3	17	287	2.0	24	370	2.6
50-69.9.....	81	1,416	7.2	46	827	7.8	35	589	6.6
70-79.9.....	91	1,327	11.8	61	908	14.1	30	419	9.5
80-89.9.....	179	2,638	20.9	107	1,599	25.2	72	1,038	16.7
90-94.9.....	138	1,982	27.8	75	1,090	32.8	63	892	22.9
95-99.9.....	115	1,727	33.8	56	890	39.0	59	837	28.7
100-104.9.....	128	1,961	40.6	57	850	44.9	71	1,111	36.3
105-109.9.....	145	2,048	47.7	72	1,003	51.9	73	1,045	43.6
110-114.9.....	138	2,217	55.4	70	1,209	60.3	68	1,007	50.5
115-119.9.....	149	2,268	63.3	75	1,231	68.9	74	1,037	57.7
120-124.9.....	138	1,956	70.1	64	880	75.0	74	1,077	65.1
125-129.9.....	128	2,011	77.0	64	986	81.9	64	1,025	72.2
130-134.9.....	110	1,596	82.6	50	704	86.8	60	891	78.4
135-139.9.....	78	1,188	86.7	33	495	90.3	45	693	83.2
140-144.9.....	68	1,007	90.2	28	422	93.2	40	585	87.2
145-149.9.....	59	843	93.1	24	339	95.6	35	504	90.7
150-159.9.....	66	941	96.4	21	291	97.6	45	650	95.2
160-169.9.....	35	517	98.2	15	209	99.0	20	308	97.3
170-179.9.....	14	187	98.8	4	54	99.4	10	133	98.2
180-189.9.....	9	122	99.3	2	33	99.6	7	90	98.8
190-199.9.....	10	128	99.7	2	20	99.8	8	108	99.6
200 or more.....	6	88	100.0	2	30	100.0	4	58	100.0

1/ Excludes 1 examined person with zero calories.

2/ Excludes unknown income.

Table 3-62. Cumulative percent distribution of total carbohydrate intake values in grams per 1,000 calories for persons aged 35-44 years by sex and income level: United States, 1976-80

Income level and total carbohydrate in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	1,589	23,651	100.0	745	11,367	100.0	844	12,284	100.0
Less than 50.....	39	659	2.8	16	245	2.2	23	414	3.4
50-69.9.....	87	1,333	8.4	44	695	8.3	43	638	8.6
70-79.9.....	110	1,632	15.3	65	999	17.1	45	633	13.7
80-89.9.....	155	2,440	25.6	87	1,427	29.6	68	1,013	22.0
90-94.9.....	105	1,473	31.9	51	716	35.9	54	757	28.1
95-99.9.....	101	1,553	38.4	57	902	43.8	44	650	33.4
100-104.9.....	130	1,940	46.6	58	860	51.4	72	1,081	42.2
105-109.9.....	123	1,654	53.6	68	970	59.9	55	684	47.8
110-114.9.....	102	1,513	60.0	39	551	64.8	63	962	55.6
115-119.9.....	107	1,638	67.0	46	735	71.3	61	904	63.0
120-124.9.....	99	1,456	73.1	45	700	77.4	54	756	69.1
125-129.9.....	93	1,381	78.9	35	524	82.0	58	856	76.1
130-134.9.....	88	1,408	84.9	42	665	87.9	46	743	82.1
135-139.9.....	53	773	88.2	26	438	91.7	27	335	84.9
140-144.9.....	43	649	90.9	17	272	94.1	26	377	87.9
145-149.9.....	46	725	94.0	12	180	95.7	34	545	92.4
150-159.9.....	58	748	97.1	22	287	98.3	36	460	96.1
160-169.9.....	24	338	98.6	10	134	99.4	14	205	97.8
170-179.9.....	17	237	99.6	5	66	100.0	12	171	99.2
180-189.9.....	5	47	99.8	-	-	100.0	5	47	99.6
190-199.9.....	1	12	99.8	-	-	100.0	1	12	99.7
200 or more.....	3	42	100.0	-	-	100.0	3	42	100.0
Income below poverty level^{1/}									
Total.....	182	2,364	100.0	63	821	100.0	119	1,543	100.0
Less than 50.....	5	83	3.5	*	*	*	3	65	4.2
50-69.9.....	9	140	9.4	*	*	*	6	89	10.0
70-79.9.....	11	149	15.7	*	*	*	8	103	16.6
80-89.9.....	20	234	25.6	*	*	*	11	137	25.5
90-94.9.....	9	107	30.2	*	*	*	6	77	30.5
95-99.9.....	15	179	37.7	*	*	*	12	139	39.5
100-104.9.....	15	200	46.2	*	*	*	9	114	46.9
105-109.9.....	13	161	53.0	*	*	*	7	81	52.2
110-114.9.....	14	142	59.0	*	*	*	9	91	58.0
115-119.9.....	13	188	66.9	*	*	*	7	111	65.3
120-124.9.....	3	37	68.5	*	*	*	1	16	66.3
125-129.9.....	5	54	70.8	*	*	*	4	42	69.0
130-134.9.....	10	142	76.8	*	*	*	6	68	73.3
135-139.9.....	8	125	82.1	*	*	*	7	115	80.8
140-144.9.....	3	29	83.4	*	*	*	3	29	82.7
145-149.9.....	9	159	90.1	*	*	*	7	120	90.5
150-159.9.....	6	70	93.1	*	*	*	2	25	92.1
160-169.9.....	5	60	95.6	*	*	*	3	30	94.0
170-179.9.....	5	67	98.5	*	*	*	4	56	97.7
180-189.9.....	2	18	99.2	*	*	*	2	18	98.8
190-199.9.....	-	-	99.2	*	*	*	-	-	98.8
200 or more.....	2	18	100.0	*	*	*	2	18	100.0

See footnotes at end of table.

Table 3-62. Cumulative percent distribution of total carbohydrate intake values in grams per 1,000 calories for persons aged 35-44 years by sex and income level: United States, 1976-80-Continued

Income level and total carbohydrate in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	1,360	20,572	100.0	658	10,195	100.0	702	10,377	100.0
Less than 50.....	34	576	2.8	14	227	2.2	20	349	3.4
50-69.9.....	77	1,182	8.5	40	633	8.4	37	549	8.6
70-79.9.....	96	1,448	15.6	60	933	17.6	36	515	13.6
80-89.9.....	131	2,135	26.0	75	1,266	30.0	56	869	22.0
90-94.9.....	93	1,329	32.4	46	664	36.5	47	665	28.4
95-99.9.....	82	1,313	38.8	53	856	44.9	29	457	32.8
100-104.9.....	113	1,714	47.1	51	758	52.3	62	956	42.0
105-109.9.....	106	1,453	54.2	60	872	60.9	46	581	47.6
110-114.9.....	84	1,310	60.6	34	500	65.8	50	810	55.4
115-119.9.....	91	1,410	67.4	38	630	72.0	53	780	62.9
120-124.9.....	92	1,348	74.0	41	642	78.3	51	706	69.7
125-129.9.....	81	1,220	79.9	30	463	82.8	51	757	77.0
130-134.9.....	76	1,221	85.8	38	591	88.6	38	630	83.1
135-139.9.....	43	595	88.7	23	375	92.3	20	219	85.2
140-144.9.....	38	595	91.6	16	260	94.8	22	335	88.4
145-149.9.....	37	566	94.4	10	141	96.2	27	425	92.5
150-159.9.....	50	648	97.5	17	227	98.4	33	421	96.6
160-169.9.....	19	278	98.9	8	103	99.5	11	175	98.3
170-179.9.....	12	169	99.7	4	55	100.0	8	114	99.4
180-189.9.....	3	29	99.8	-	-	100.0	3	29	99.7
190-199.9.....	1	12	99.9	-	-	100.0	1	12	99.8
200 or more.....	1	24	100.0	-	-	100.0	1	24	100.0

^{1/} Excludes unknown income.

Table 3-63. Cumulative percent distribution of total carbohydrate intake values in grams per 1,000 calories for persons aged 45-54 years by sex and income level: United States, 1976-80

Income level and total carbohydrate in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	1,453	23,032	100.0	690	11,114	100.0	763	11,918	100.0
Less than 50.....	20	298	1.3	9	134	1.2	11	164	1.4
50-69.9.....	98	1,578	8.1	48	806	8.5	50	772	7.8
70-79.9.....	89	1,495	14.6	55	895	16.5	34	601	12.9
80-89.9.....	146	2,377	25.0	86	1,323	28.4	60	1,054	21.7
90-94.9.....	81	1,297	30.6	40	657	34.3	41	640	27.1
95-99.9.....	97	1,504	37.1	48	731	40.9	49	773	33.6
100-104.9.....	113	1,725	44.6	65	981	49.7	48	744	39.8
105-109.9.....	112	1,686	51.9	55	934	58.1	57	752	46.1
110-114.9.....	110	1,693	59.3	48	725	64.7	62	968	54.3
115-119.9.....	103	1,605	66.3	55	881	72.6	48	724	60.3
120-124.9.....	94	1,620	73.3	38	718	79.0	56	902	67.9
125-129.9.....	79	1,231	78.6	31	446	83.1	48	785	74.5
130-134.9.....	79	1,383	84.6	33	704	89.4	46	679	80.2
135-139.9.....	50	785	88.0	15	236	91.5	35	549	84.8
140-144.9.....	52	793	91.5	21	308	94.3	31	485	88.9
145-149.9.....	27	385	93.2	12	153	95.7	15	232	90.8
150-159.9.....	50	755	96.4	22	324	98.6	28	432	94.4
160-169.9.....	25	449	98.4	4	113	99.6	21	336	97.3
170-179.9.....	15	184	99.2	2	20	99.8	13	164	98.6
180-189.9.....	4	64	99.5	1	8	99.8	3	55	99.1
190-199.9.....	7	90	99.8	2	17	100.0	5	72	99.7
200 or more.....	2	34	100.0	-	-	100.0	2	34	100.0
Income below poverty level^{1/}									
Total.....	128	1,760	100.0	46	645	100.0	82	1,115	100.0
Less than 50.....	2	23	1.3	*	*	*	1	15	1.3
50-69.9.....	8	118	8.0	*	*	*	4	58	6.5
70-79.9.....	6	109	14.1	*	*	*	3	62	12.1
80-89.9.....	10	146	22.4	*	*	*	7	109	21.9
90-94.9.....	7	104	28.3	*	*	*	3	32	24.8
95-99.9.....	10	125	35.5	*	*	*	7	81	32.1
100-104.9.....	8	105	41.4	*	*	*	4	61	37.6
105-109.9.....	14	196	52.6	*	*	*	8	81	44.9
110-114.9.....	8	100	58.3	*	*	*	8	100	53.8
115-119.9.....	5	72	62.4	*	*	*	4	53	58.6
120-124.9.....	10	126	69.6	*	*	*	8	107	68.2
125-129.9.....	10	156	78.4	*	*	*	5	92	76.4
130-134.9.....	4	38	80.6	*	*	*	3	28	78.9
135-139.9.....	8	148	89.0	*	*	*	7	128	90.4
140-144.9.....	4	46	91.6	*	*	*	2	24	92.6
145-149.9.....	3	35	93.6	*	*	*	1	13	93.8
150-159.9.....	3	30	95.4	*	*	*	-	-	93.8
160-169.9.....	1	9	95.8	*	*	*	1	9	94.5
170-179.9.....	6	61	99.3	*	*	*	5	49	98.9
180-189.9.....	-	-	99.3	*	*	*	-	-	98.9
190-199.9.....	1	12	100.0	*	*	*	1	12	100.0
200 or more.....	-	-	100.0	*	*	*	-	-	100.0

See footnotes at end of table.

Table 3-63. Cumulative percent distribution of total carbohydrate intake values in grams per 1,000 calories for persons aged 45-54 years by sex and income level: United States, 1976-80-Continued

Income level and total carbohydrate in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	1,258	20,161	100.0	603	9,738	100.0	655	10,424	100.0
Less than 50.....	16	253	1.3	8	126	1.3	8	128	1.2
50-69.9.....	83	1,338	7.9	41	692	8.4	42	646	7.4
70-79.9.....	79	1,306	14.4	48	767	16.3	31	538	12.6
80-89.9.....	131	2,133	24.9	79	1,210	28.7	52	923	21.4
90-94.9.....	72	1,162	30.7	34	553	34.4	38	608	27.3
95-99.9.....	81	1,307	37.2	42	649	41.1	39	657	33.6
100-104.9.....	102	1,564	44.9	59	896	50.3	43	668	40.0
105-109.9.....	92	1,376	51.8	44	714	57.6	48	661	46.3
110-114.9.....	93	1,472	59.1	41	635	64.1	52	837	54.4
115-119.9.....	94	1,457	66.3	51	810	72.4	43	647	60.6
120-124.9.....	79	1,414	73.3	32	627	78.9	47	787	68.1
125-129.9.....	67	1,032	78.4	24	338	82.3	43	693	74.8
130-134.9.....	72	1,274	84.8	31	666	89.2	41	608	80.6
135-139.9.....	41	627	87.9	14	216	91.4	27	411	84.6
140-144.9.....	43	676	91.2	18	268	94.1	25	408	88.5
145-149.9.....	22	325	92.8	10	131	95.5	12	194	90.3
150-159.9.....	46	707	96.3	19	293	98.5	27	414	94.3
160-169.9.....	24	440	98.5	4	113	99.7	20	328	97.4
170-179.9.....	9	122	99.1	1	7	99.7	8	115	98.5
180-189.9.....	4	64	99.4	1	8	99.8	3	55	99.1
190-199.9.....	6	78	99.8	2	17	100.0	4	61	99.7
200 or more.....	2	34	100.0	-	-	100.0	2	34	100.0

1/ Excludes unknown income.

Table 3-64. Cumulative percent distribution of total carbohydrate intake values in grams per 1,000 calories for persons aged 55-64 years by sex and income level: United States, 1976-80

Income level and total carbohydrate in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	1/2,555	20,346	100.0	1/1,226	9,603	100.0	1,329	10,743	100.0
Less than 50.....	47	360	1.8	30	207	2.1	17	153	1.4
50-69.9.....	127	1,063	7.0	77	681	9.3	50	382	5.0
70-79.9.....	123	1,113	12.5	82	772	17.3	41	341	8.2
80-89.9.....	204	1,687	20.8	115	913	26.8	89	774	15.4
90-94.9.....	140	1,084	26.1	77	589	32.9	63	495	20.0
95-99.9.....	149	1,183	31.9	78	555	38.7	71	629	25.8
100-104.9.....	198	1,614	39.8	100	848	47.5	98	766	32.9
105-109.9.....	174	1,363	46.5	88	671	54.5	86	692	39.4
110-114.9.....	185	1,589	54.3	94	759	62.4	91	830	47.1
115-119.9.....	188	1,487	61.6	98	745	70.2	90	742	54.0
120-124.9.....	197	1,505	69.0	84	613	76.6	113	892	62.3
125-129.9.....	162	1,250	75.2	68	535	82.1	94	714	69.0
130-134.9.....	157	1,174	81.0	73	575	88.1	84	599	74.6
135-139.9.....	130	1,101	86.4	50	418	92.5	80	683	80.9
140-144.9.....	91	651	89.6	33	229	94.9	58	422	84.8
145-149.9.....	67	550	92.3	17	100	95.9	50	449	89.0
150-159.9.....	113	890	96.6	36	228	98.3	77	663	95.2
160-169.9.....	56	346	98.3	15	110	99.4	41	236	97.4
170-179.9.....	22	150	99.1	4	20	99.6	18	130	98.6
180-189.9.....	13	94	99.5	3	17	99.8	10	77	99.3
190-199.9.....	6	45	99.8	2	11	99.9	4	34	99.6
200 or more.....	6	48	100.0	2	8	100.0	4	40	100.0
Income below poverty level^{2/}									
Total.....	1/316	1,956	100.0	1/128	775	100.0	188	1,181	100.0
Less than 50.....	7	40	2.0	5	28	3.6	2	11	1.0
50-69.9.....	13	63	5.3	5	24	6.7	8	39	4.3
70-79.9.....	14	92	10.0	12	57	14.1	2	35	7.3
80-89.9.....	25	143	17.3	13	67	22.7	12	76	13.7
90-94.9.....	15	62	20.5	10	38	27.6	5	24	15.8
95-99.9.....	18	97	25.4	7	46	33.6	11	51	20.1
100-104.9.....	26	185	34.9	8	57	40.9	18	128	30.9
105-109.9.....	19	121	41.1	6	43	46.5	13	78	37.6
110-114.9.....	28	186	50.6	11	69	55.4	17	117	47.4
115-119.9.....	20	135	57.5	7	47	61.5	13	87	54.8
120-124.9.....	26	155	65.4	11	73	71.0	15	81	61.7
125-129.9.....	19	133	72.2	8	74	80.6	11	58	66.7
130-134.9.....	16	113	78.0	8	56	87.9	8	57	71.5
135-139.9.....	13	89	82.5	4	31	91.9	9	58	76.4
140-144.9.....	14	71	86.2	3	10	93.2	11	61	81.5
145-149.9.....	7	58	89.1	1	4	93.7	6	54	86.1
150-159.9.....	17	111	94.8	5	28	97.4	12	83	93.1
160-169.9.....	8	38	96.8	1	5	98.0	7	33	95.9
170-179.9.....	4	20	97.8	-	-	98.0	4	20	97.6
180-189.9.....	5	32	99.4	1	4	98.5	4	28	100.0
190-199.9.....	1	7	99.8	1	7	99.4	-	-	100.0
200 or more.....	1	5	100.0	1	5	100.0	-	-	100.0

See footnotes at end of table.

Table 3-64. Cumulative percent distribution of total carbohydrate intake values in grams per 1,000 calories for persons aged 55-64 years by sex and income level: United States, 1976-80-Continued

Income level and total carbohydrate in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{2/}									
Total.....	2,119	17,376	100.0	1,048	8,443	100.0	1,071	8,934	100.0
Less than 50.....	38	299	1.7	25	179	2.1	13	121	1.3
50-69.9.....	110	948	7.2	69	612	9.4	41	336	5.1
70-79.9.....	105	1,000	12.9	69	712	17.8	36	287	8.3
80-89.9.....	171	1,453	21.3	98	828	27.6	73	625	15.3
90-94.9.....	118	973	26.9	66	541	34.0	52	433	20.2
95-99.9.....	123	1,034	32.8	67	482	39.7	56	552	26.3
100-104.9.....	161	1,349	40.6	86	737	48.5	75	611	33.2
105-109.9.....	152	1,205	47.5	81	622	55.8	71	582	39.7
110-114.9.....	150	1,348	55.3	79	663	63.7	71	685	47.4
115-119.9.....	161	1,296	62.8	87	672	71.6	74	624	54.3
120-124.9.....	160	1,260	70.0	65	490	77.4	95	770	63.0
125-129.9.....	134	1,046	76.0	57	443	82.7	77	603	69.7
130-134.9.....	130	948	81.5	60	452	88.0	70	496	75.3
135-139.9.....	108	942	86.9	46	387	92.6	62	555	81.5
140-144.9.....	73	555	90.1	27	208	95.1	46	347	85.4
145-149.9.....	56	433	92.6	16	96	96.2	40	336	89.1
150-159.9.....	89	734	96.8	29	181	98.4	60	553	95.3
160-169.9.....	46	301	98.5	14	105	99.6	32	196	97.5
170-179.9.....	18	130	99.3	4	20	99.9	14	110	98.8
180-189.9.....	7	53	99.6	1	5	99.9	6	48	99.3
190-199.9.....	4	27	99.8	1	4	100.0	3	23	99.5
200 or more.....	5	43	100.0	1	3	100.0	4	40	100.0

1/ Excludes 1 examined person with zero calories.

2/ Excludes unknown income.

Table 3-65. Cumulative percent distribution of total carbohydrate intake values in grams per 1,000 calories for persons aged 65-74 years by sex and income level: United States, 1976-80

Income level and total carbohydrate in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	2,615	14,496	100.0	1,199	6,297	100.0	1,416	8,198	100.0
Less than 50.....	21	135	.9	13	86	1.4	8	49	.6
50-69.9.....	118	638	5.3	65	352	7.0	53	286	4.1
70-79.9.....	102	543	9.1	64	312	11.9	38	230	6.9
80-89.9.....	182	911	15.4	103	502	19.9	79	409	11.9
90-94.9.....	94	491	18.8	55	281	24.3	39	210	14.4
95-99.9.....	147	800	24.3	78	408	30.8	69	392	19.2
100-104.9.....	169	978	31.0	102	532	39.3	67	446	24.7
105-109.9.....	163	890	37.1	79	430	46.1	84	460	30.3
110-114.9.....	186	1,044	44.4	98	525	54.4	88	520	36.6
115-119.9.....	199	1,062	51.7	92	472	61.9	107	590	43.8
120-124.9.....	182	1,046	58.9	73	403	68.3	109	643	51.7
125-129.9.....	188	1,056	66.2	80	415	74.9	108	641	59.5
130-134.9.....	172	978	72.9	63	347	80.4	109	631	67.2
135-139.9.....	145	826	78.6	52	279	84.8	93	548	73.9
140-144.9.....	133	749	83.8	45	235	88.6	88	513	80.1
145-149.9.....	95	549	87.6	37	193	91.6	58	356	84.5
150-159.9.....	132	764	92.8	44	236	95.4	88	528	90.9
160-169.9.....	81	465	96.1	23	125	97.4	58	339	95.1
170-179.9.....	61	348	98.5	18	101	99.0	43	247	98.1
180-189.9.....	25	112	99.2	10	41	99.6	15	71	98.9
190-199.9.....	11	56	99.6	4	20	99.9	7	36	99.4
200 or more.....	9	55	100.0	1	4	100.0	8	51	100.0
Income below poverty level ^{1/}									
Total.....	424	2,003	100.0	168	759	100.0	256	1,245	100.0
Less than 50.....	5	41	2.0	4	37	4.9	1	4	.3
50-69.9.....	23	106	7.4	12	62	13.0	11	45	3.9
70-79.9.....	14	58	10.2	9	34	17.5	5	24	5.8
80-89.9.....	33	138	17.1	20	75	27.3	13	63	10.9
90-94.9.....	16	74	20.8	5	18	29.8	11	56	15.4
95-99.9.....	21	103	26.0	12	60	37.7	9	43	18.8
100-104.9.....	23	129	32.4	10	51	44.4	13	78	25.1
105-109.9.....	22	89	36.9	7	27	48.0	15	62	30.1
110-114.9.....	25	124	43.1	11	54	55.1	14	71	35.7
115-119.9.....	25	110	48.6	10	48	61.3	15	63	40.8
120-124.9.....	28	127	54.9	10	40	66.6	18	87	47.8
125-129.9.....	27	124	61.1	12	50	73.2	15	74	53.7
130-134.9.....	27	115	66.9	8	28	76.9	19	87	60.8
135-139.9.....	23	121	72.9	9	53	83.8	14	69	66.3
140-144.9.....	31	146	80.2	10	38	88.9	21	108	74.9
145-149.9.....	12	74	83.9	2	10	90.2	10	64	80.0
150-159.9.....	21	97	88.7	5	20	92.8	16	77	86.2
160-169.9.....	19	98	93.6	2	8	93.8	17	90	93.4
170-179.9.....	17	82	97.7	7	33	98.2	10	48	97.3
180-189.9.....	7	27	99.0	2	10	99.5	5	17	98.7
190-199.9.....	4	16	99.8	1	4	100.0	3	12	99.7
200 or more.....	1	4	100.0	-	-	100.0	1	4	100.0

See footnotes at end of table.

Table 3-65. Cumulative percent distribution of total carbohydrate intake values in grams per 1,000 calories for persons aged 65-74 years by sex and income level: United States, 1976-80-Continued

Income level and total carbohydrate in grams per 1,000 calories	Both sexes			Male			Female		
	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	2,067	11,819	100.0	987	5,312	100.0	1,080	6,508	100.0
Less than 50.....	16	94	.8	9	49	.9	7	45	.7
50-69.9.....	87	496	5.0	49	271	6.0	38	225	4.2
70-79.9.....	80	450	8.8	51	262	10.9	29	188	7.0
80-89.9.....	144	744	15.1	81	422	18.9	63	323	12.0
90-94.9.....	72	384	18.3	48	252	23.6	24	132	14.0
95-99.9.....	116	643	23.8	58	309	29.4	58	334	19.2
100-104.9.....	139	809	30.6	90	468	38.3	49	342	24.4
105-109.9.....	130	753	37.0	68	383	45.5	62	370	30.1
110-114.9.....	155	881	44.5	87	471	54.3	68	410	36.4
115-119.9.....	166	910	52.2	78	406	62.0	88	504	44.1
120-124.9.....	148	887	59.7	60	349	68.6	88	538	52.4
125-129.9.....	155	899	67.3	66	353	75.2	89	546	60.8
130-134.9.....	133	797	74.0	52	302	80.9	81	495	68.4
135-139.9.....	116	655	79.6	42	214	84.9	74	441	75.2
140-144.9.....	96	568	84.4	35	197	88.6	61	371	80.9
145-149.9.....	77	443	88.1	32	163	91.7	45	281	85.2
150-159.9.....	103	614	93.3	38	210	95.6	65	404	91.4
160-169.9.....	61	364	96.4	21	118	97.8	40	246	95.2
170-179.9.....	41	254	98.5	11	68	99.1	30	186	98.1
180-189.9.....	17	81	99.2	7	27	99.6	10	54	98.9
190-199.9.....	7	40	99.6	3	16	99.9	4	23	99.3
200 or more.....	8	52	100.0	1	4	100.0	7	47	100.0

1/ Excludes unknown income.

Table 3-66. Cumulative percent distribution of calcium intake values in milligrams per 1,000 calories for persons aged 6-11 months by sex and income level: United States, 1976-80

Income level and calcium in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	356	1,599	100.0	179	819	100.0	177	780	100.0
Less than 200.....	6	20	1.3	2	7	.9	4	13	1.7
200-299.....	5	19	2.4	2	4	1.4	3	14	3.5
300-399.....	17	77	7.3	9	43	6.7	8	34	7.8
400-499.....	17	71	11.7	10	39	11.4	7	32	12.0
500-599.....	31	145	20.8	16	67	19.6	15	78	21.9
600-699.....	32	142	29.6	18	89	30.5	14	53	28.7
700-799.....	33	138	38.3	17	61	38.0	16	77	38.6
800-899.....	37	180	49.6	20	93	49.4	17	87	49.8
900-999.....	23	116	56.8	8	45	54.9	15	71	58.9
1,000-1,099.....	37	181	68.1	19	98	66.9	18	82	69.4
1,100-1,199.....	24	107	74.8	9	50	73.0	15	57	76.7
1,200-1,299.....	29	124	82.6	16	73	82.0	13	51	83.3
1,300-1,399.....	11	49	85.7	4	25	85.0	7	25	86.5
1,400-1,499.....	15	58	89.3	8	27	88.3	7	31	90.4
1,500-1,599.....	9	35	91.5	5	18	90.4	4	18	92.7
1,600-1,799.....	13	52	94.8	4	16	92.4	9	37	97.4
1,800 or more.....	17	83	100.0	12	62	100.0	5	21	100.0
Income below poverty level^{1/}									
Total.....	84	315	100.0	48	177	100.0	36	138	100.0
Less than 200.....	1	2	.8	*	*	*	*	*	*
200-299.....	3	9	3.7	*	*	*	*	*	*
300-399.....	5	14	8.1	*	*	*	*	*	*
400-499.....	9	36	19.6	*	*	*	*	*	*
500-599.....	9	38	31.7	*	*	*	*	*	*
600-699.....	9	38	43.6	*	*	*	*	*	*
700-799.....	13	49	59.3	*	*	*	*	*	*
800-899.....	10	40	72.1	*	*	*	*	*	*
900-999.....	2	5	73.7	*	*	*	*	*	*
1,000-1,099.....	8	31	83.6	*	*	*	*	*	*
1,100-1,199.....	5	12	87.3	*	*	*	*	*	*
1,200-1,299.....	2	13	91.3	*	*	*	*	*	*
1,300-1,399.....	-	-	91.3	*	*	*	*	*	*
1,400-1,499.....	3	11	94.7	*	*	*	*	*	*
1,500-1,599.....	-	-	94.7	*	*	*	*	*	*
1,600-1,799.....	3	12	98.4	*	*	*	*	*	*
1,800 or more.....	2	5	100.0	*	*	*	*	*	*

See footnotes at end of table.

Table 3-66. Cumulative percent distribution of calcium intake values in milligrams per 1,000 calories for persons aged 6-11 months by sex and income level: United States, 1976-80-Continued

Income level and calcium in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	256	1,226	100.0	121	614	100.0	135	612	100.0
Less than 200.....	5	18	1.5	2	7	1.2	3	11	1.8
200-299.....	2	10	2.3	1	3	1.7	1	7	2.8
300-399.....	11	54	6.6	6	36	7.5	5	18	5.8
400-499.....	8	35	9.5	3	16	10.1	5	19	8.8
500-599.....	19	97	17.4	12	49	18.1	7	48	16.6
600-699.....	23	104	25.9	14	66	28.8	9	39	22.9
700-799.....	16	74	31.9	8	34	34.3	8	41	29.6
800-899.....	27	140	43.4	12	61	44.2	15	79	42.5
900-999.....	21	111	52.4	6	40	50.7	15	71	54.2
1,000-1,099.....	27	144	64.2	15	83	64.3	12	61	64.1
1,100-1,199.....	19	96	72.0	6	45	71.6	13	50	72.4
1,200-1,299.....	22	95	79.8	10	50	79.8	12	45	79.7
1,300-1,399.....	11	49	83.8	4	25	83.8	7	25	83.8
1,400-1,499.....	12	48	87.7	5	17	86.5	7	31	88.8
1,500-1,599.....	9	35	90.5	5	18	89.4	4	18	91.7
1,600-1,799.....	9	38	93.6	2	8	90.7	7	30	96.6
1,800 or more.....	15	78	100.0	10	57	100.0	5	21	100.0

^{1/} Excludes unknown income.

Table 3-67. Cumulative percent distribution of calcium intake values in milligrams per 1,000 calories for persons aged 1-2 years by sex and income level: United States, 1976-80

Income level and calcium in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	1,417	6,078	100.0	745	3,107	100.0	672	2,970	100.0
Less than 100.....	7	19	.3	4	10	.3	3	9	.3
100-199.....	72	307	5.4	35	137	4.7	37	171	6.0
200-224.....	17	66	6.5	11	38	5.9	6	28	7.0
225-249.....	39	160	9.1	18	71	8.2	21	89	10.0
250-274.....	32	155	11.6	15	72	10.5	17	84	12.8
275-299.....	26	119	13.6	15	69	12.8	11	50	14.5
300-324.....	33	132	15.8	18	75	15.2	15	56	16.4
325-349.....	44	180	18.7	34	148	19.9	10	32	17.5
350-374.....	55	239	22.7	37	152	24.8	18	87	20.4
375-399.....	49	187	25.7	22	76	27.3	27	111	24.1
400-424.....	58	226	29.4	31	113	30.9	27	113	27.9
425-449.....	42	173	32.3	20	67	33.1	22	105	31.5
450-474.....	44	181	35.3	29	114	36.8	15	68	33.7
475-499.....	59	266	39.6	31	140	41.2	28	126	38.0
500-524.....	41	159	42.3	23	88	44.1	18	71	40.4
525-549.....	59	270	46.7	27	152	49.0	32	118	44.3
550-574.....	36	157	49.3	15	73	51.3	21	84	47.2
575-599.....	51	198	52.5	24	70	53.6	27	128	51.5
600-624.....	53	228	56.3	23	113	57.2	30	115	55.3
625-649.....	58	254	60.5	35	136	61.6	23	118	59.3
650-674.....	46	184	63.5	28	107	65.0	18	77	61.9
675-699.....	40	194	66.7	20	83	67.7	20	111	65.6
700-749.....	71	333	72.2	32	143	72.3	39	191	72.0
750-799.....	59	241	76.1	23	86	75.0	36	156	77.3
800-899.....	113	507	84.5	54	218	82.0	59	289	87.0
900-999.....	64	268	88.9	37	153	87.0	27	115	90.9
1,000-1,999.....	147	666	99.8	83	398	99.8	64	267	99.9
2,000 or more.....	2	9	100.0	1	6	100.0	1	3	100.0
Income below poverty level ^{1/}									
Total.....	323	1,163	100.0	170	601	100.0	153	562	100.0
Less than 100.....	3	8	.7	2	5	.8	1	3	.5
100-199.....	26	90	8.4	11	35	6.6	15	56	10.4
200-224.....	7	25	10.6	5	13	8.8	2	12	12.6
225-249.....	9	30	13.2	2	4	9.5	7	26	17.2
250-274.....	4	16	14.6	2	9	11.1	2	7	18.4
275-299.....	4	12	15.7	1	3	11.6	3	9	20.0
300-324.....	14	43	19.3	5	16	14.2	9	27	24.9
325-349.....	9	24	21.4	7	19	17.3	2	6	25.9
350-374.....	12	42	25.0	8	32	22.6	4	10	27.6
375-399.....	15	55	29.8	8	30	27.5	7	25	32.1
400-424.....	7	24	31.8	4	14	29.9	3	9	33.8
425-449.....	8	23	33.8	3	7	31.1	5	16	36.7
450-474.....	15	52	38.2	10	31	36.2	5	21	40.4
475-499.....	9	27	40.6	6	17	39.0	3	10	42.2
500-524.....	11	44	44.4	8	31	44.2	3	13	44.6
525-549.....	9	31	47.0	4	14	46.6	5	17	47.5
550-574.....	6	28	49.4	2	15	49.1	4	13	49.8
575-599.....	13	43	53.1	7	19	52.2	6	24	54.1
600-624.....	14	57	58.1	4	18	55.2	10	39	61.1
625-649.....	12	40	61.5	6	17	58.1	6	22	65.1
650-674.....	11	45	65.3	9	38	64.5	2	6	66.2
675-699.....	5	22	67.2	1	2	64.8	4	20	69.7
700-749.....	18	71	73.3	10	42	71.8	8	29	74.8
750-799.....	10	41	76.8	5	21	75.3	5	20	78.5
800-899.....	20	71	83.0	11	37	81.5	9	34	84.5
900-999.....	16	51	87.4	8	23	85.4	8	28	89.6
1,000-1,999.....	36	147	100.0	21	88	100.0	15	59	100.0
2,000 or more.....	-	-	100.0	-	-	100.0	-	-	100.0

See footnotes at end of table.

Table 3-67. Cumulative percent distribution of calcium intake values in milligrams per 1,000 calories for persons aged 1-2 years by sex and income level: United States, 1976-80-Continued

Income level and calcium in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	1,056	4,767	100.0	551	2,416	100.0	505	2,351	100.0
Less than 100.....	4	11	.2	2	5	.2	2	6	.3
100-199.....	46	217	4.8	24	102	4.4	22	115	5.1
200-224.....	10	41	5.6	6	25	5.5	4	16	5.8
225-249.....	28	122	8.2	14	59	7.9	14	63	8.5
250-274.....	28	139	11.1	13	62	10.5	15	77	11.8
275-299.....	22	107	13.3	14	66	13.2	8	41	13.5
300-324.....	18	85	15.1	12	56	15.5	6	29	14.7
325-349.....	34	148	18.2	26	121	20.5	8	26	15.9
350-374.....	41	190	22.2	27	113	25.2	14	77	19.1
375-399.....	34	132	25.0	14	46	27.1	20	86	22.8
400-424.....	50	198	29.1	26	94	31.0	24	104	27.2
425-449.....	32	145	32.2	16	58	33.5	16	87	30.9
450-474.....	28	125	34.8	18	78	36.7	10	47	32.9
475-499.....	46	221	39.4	23	112	41.3	23	108	37.5
500-524.....	26	100	41.5	13	52	43.5	13	47	39.5
525-549.....	48	234	46.4	23	137	49.2	25	97	43.6
550-574.....	28	120	49.0	11	50	51.2	17	71	46.6
575-599.....	37	152	52.2	16	49	53.3	21	104	51.0
600-624.....	38	167	55.7	18	91	57.0	20	76	54.3
625-649.....	45	212	60.1	28	117	61.9	17	95	58.3
650-674.....	33	134	62.9	18	66	64.6	15	67	61.2
675-699.....	35	172	66.5	19	81	68.0	16	91	65.0
700-749.....	50	246	71.7	21	96	71.9	29	151	71.5
750-799.....	47	190	75.7	17	62	74.5	30	128	76.9
800-899.....	92	433	84.8	42	178	81.9	50	255	87.7
900-999.....	47	213	89.2	29	130	87.3	18	83	91.3
1,000-1,999.....	107	504	99.8	60	301	99.7	47	203	99.9
2,000 or more.....	2	9	100.0	1	6	100.0	1	3	100.0

^{1/} Excludes unknown income.

Table 3-68. Cumulative percent distribution of calcium intake values in milligrams per 1,000 calories for persons aged 3-5 years by sex and income level: United States, 1976-80

Income level and calcium in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	2,345	9,186	100.0	1,219	4,695	100.0	1,126	4,491	100.0
Less than 100.....	15	51	.5	6	18	.4	9	32	.7
100-199.....	133	480	5.8	67	231	5.3	66	249	6.3
200-224.....	57	226	8.2	31	127	8.0	26	99	8.5
225-249.....	75	274	11.2	41	154	11.3	34	120	11.1
250-274.....	59	215	13.6	29	104	13.5	30	111	13.6
275-299.....	74	280	16.6	37	134	16.3	37	145	16.9
300-324.....	87	339	20.3	45	177	20.1	42	162	20.5
325-349.....	78	306	23.6	35	148	23.3	43	158	24.0
350-374.....	108	407	28.0	62	227	28.1	46	180	28.0
375-399.....	82	327	31.6	48	193	32.2	34	134	31.0
400-424.....	102	390	35.8	53	199	36.5	49	191	35.2
425-449.....	115	413	40.3	61	219	41.1	54	194	39.5
450-474.....	103	421	44.9	50	200	45.4	53	220	44.4
475-499.....	107	386	49.1	62	225	50.2	45	161	48.0
500-524.....	96	374	53.2	47	178	54.0	49	196	52.4
525-549.....	111	444	58.0	58	228	58.8	53	216	57.2
550-574.....	80	313	61.4	50	201	63.1	30	112	59.7
575-599.....	76	305	64.8	32	130	65.9	44	175	63.6
600-624.....	97	359	68.7	47	155	69.2	50	204	68.1
625-649.....	67	300	71.9	42	150	72.4	25	149	71.4
650-674.....	65	289	75.1	35	172	76.1	30	118	74.1
675-699.....	65	285	78.2	31	136	79.0	34	149	77.4
700-749.....	120	494	83.6	63	271	84.7	57	223	82.3
750-799.....	113	460	88.6	53	189	88.8	60	271	88.4
800-899.....	130	515	94.2	63	240	93.9	67	275	94.5
900-999.....	67	275	97.2	40	165	97.4	27	110	97.0
1,000-1,999.....	63	260	100.0	31	124	100.0	32	136	100.0
2,000 or more.....	-	-	100.0	-	-	100.0	-	-	100.0
Income below poverty level^{1/}									
Total.....	570	1,855	100.0	298	910	100.0	272	945	100.0
Less than 100.....	5	14	.7	2	5	.5	3	9	.9
100-199.....	47	149	8.8	25	76	8.9	22	74	8.7
200-224.....	12	46	11.2	5	17	10.8	7	28	11.7
225-249.....	23	80	15.6	13	42	15.4	10	38	15.7
250-274.....	15	51	18.3	6	17	17.3	9	35	19.3
275-299.....	23	64	21.8	14	38	21.4	9	27	22.2
300-324.....	21	62	25.1	12	38	25.6	9	24	24.7
325-349.....	17	54	28.0	4	18	27.6	13	36	28.5
350-374.....	36	118	34.4	22	66	34.9	14	52	34.0
375-399.....	14	37	36.4	9	23	37.3	5	14	35.5
400-424.....	29	93	41.4	15	48	42.6	14	45	40.2
425-449.....	29	84	45.9	11	33	46.2	18	51	45.6
450-474.....	25	87	50.6	13	43	51.0	12	44	50.3
475-499.....	31	85	55.2	16	39	55.3	15	46	55.1
500-524.....	24	75	59.2	13	34	59.1	11	40	59.4
525-549.....	26	99	64.6	14	55	65.1	12	44	64.0
550-574.....	23	79	68.8	17	62	71.9	6	18	65.9
575-599.....	12	47	71.3	4	15	73.5	8	32	69.3
600-624.....	24	76	75.4	15	41	78.0	9	34	72.9
625-649.....	13	48	78.0	9	28	81.1	4	20	75.1
650-674.....	10	29	79.6	4	9	82.1	6	20	77.1
675-699.....	9	32	81.3	6	20	84.3	3	12	78.4
700-749.....	21	73	85.3	12	38	88.5	9	35	82.2
750-799.....	22	86	89.9	9	26	91.3	13	60	88.5
800-899.....	30	91	94.8	11	30	94.6	19	61	95.0
900-999.....	15	46	97.3	10	29	97.8	5	17	96.8
1,000-1,999.....	14	51	100.0	7	20	100.0	7	31	100.0
2,000 or more.....	-	-	100.0	-	-	100.0	-	-	100.0

See footnotes at end of table.

Table 3-68. Cumulative percent distribution of calcium intake values in milligrams per 1,000 calories for persons aged 3-5 years by sex and income level: United States, 1976-80-Continued

Income level and calcium in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	1,707	7,102	100.0	892	3,683	100.0	815	3,419	100.0
Less than 100.....	10	37	.5	4	13	.4	6	24	.7
100-199.....	82	319	5.0	41	152	4.5	41	168	5.6
200-224.....	44	178	7.5	25	108	7.4	19	71	7.7
225-249.....	46	181	10.1	25	105	10.3	21	76	9.9
250-274.....	43	162	12.3	23	87	12.6	20	75	12.1
275-299.....	50	213	15.3	23	97	15.3	27	116	15.5
300-324.....	61	254	18.9	32	132	18.8	29	123	19.0
325-349.....	60	250	22.4	30	128	22.3	30	122	22.6
350-374.....	69	280	26.4	38	155	26.5	31	125	26.3
375-399.....	67	285	30.4	39	171	31.1	28	114	29.6
400-424.....	69	285	34.4	36	145	35.1	33	140	33.7
425-449.....	83	323	39.0	49	184	40.1	34	139	37.8
450-474.....	74	319	43.4	37	157	44.3	37	162	42.5
475-499.....	75	298	47.6	45	183	49.3	30	116	45.9
500-524.....	70	287	51.7	33	137	53.0	37	149	50.2
525-549.....	81	335	56.4	44	173	57.8	37	161	54.9
550-574.....	56	231	59.7	32	137	61.5	24	94	57.7
575-599.....	60	242	63.1	27	111	64.5	33	130	61.5
600-624.....	70	275	66.9	30	107	67.4	40	167	66.4
625-649.....	52	244	70.3	32	120	70.7	20	123	70.0
650-674.....	52	249	73.9	29	154	74.8	23	96	72.8
675-699.....	55	249	77.4	24	112	77.9	31	137	76.8
700-749.....	93	399	83.0	49	225	84.0	44	174	81.9
750-799.....	89	366	88.1	43	158	88.3	46	209	88.0
800-899.....	98	415	94.0	50	201	93.8	48	214	94.2
900-999.....	50	220	97.1	28	126	97.2	22	94	97.0
1,000-1,999.....	48	207	100.0	24	104	100.0	24	103	100.0
2,000 or more.....	-	-	100.0	-	-	100.0	-	-	100.0

1/ Excludes unknown income.

Table 3-69. Cumulative percent distribution of calcium intake values in milligrams per 1,000 calories for persons aged 6-8 years by sex and income level: United States, 1976-80

Income level and calcium in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	843	10,213	100.0	428	5,336	100.0	415	4,877	100.0
Less than 100.....	2	20	.2	-	-	-	2	20	.4
100-199.....	35	397	4.1	12	124	2.3	23	274	6.0
200-224.....	12	120	5.3	7	72	3.7	5	48	7.0
225-249.....	14	141	6.6	6	62	4.8	8	79	8.6
250-274.....	24	275	9.3	13	158	7.8	11	117	11.0
275-299.....	18	205	11.3	12	141	10.4	6	65	12.3
300-324.....	24	271	14.0	17	175	13.7	7	96	14.3
325-349.....	30	317	17.1	16	206	17.6	14	111	16.6
350-374.....	31	380	20.8	18	222	21.7	13	158	19.8
375-399.....	40	539	26.1	21	270	26.8	19	269	25.3
400-424.....	31	460	30.6	17	297	32.4	14	162	28.7
425-449.....	33	425	34.8	11	132	34.8	22	293	34.6
450-474.....	51	578	40.4	25	271	39.9	26	307	40.9
475-499.....	30	347	43.8	13	143	42.6	17	203	45.1
500-524.....	46	569	49.4	21	287	48.0	25	282	50.9
525-549.....	43	445	53.7	18	193	51.6	25	252	56.1
550-574.....	48	602	59.6	24	356	58.3	24	246	61.1
575-599.....	33	384	63.4	19	235	62.7	14	149	64.2
600-624.....	34	391	67.2	19	236	67.1	15	155	67.3
625-649.....	34	425	71.4	19	229	71.4	15	196	71.4
650-674.....	29	348	74.8	14	191	75.0	15	157	74.6
675-699.....	37	384	78.5	18	167	78.1	19	217	79.0
700-749.....	46	566	84.1	27	346	84.6	19	220	83.5
750-799.....	30	398	88.0	17	229	88.9	13	170	87.0
800-899.....	43	576	93.6	21	278	94.1	22	297	93.1
900-999.....	29	397	97.5	13	174	97.3	16	223	97.7
1,000-1,999.....	16	254	100.0	10	142	100.0	6	113	100.0
2,000 or more.....	-	-	100.0	-	-	100.0	-	-	100.0
Income below poverty level^{1/}									
Total.....	177	1,769	100.0	82	900	100.0	95	869	100.0
Less than 100.....	1	10	.5	-	-	-	1	10	1.1
100-199.....	10	90	5.6	3	29	3.2	7	61	8.1
200-224.....	3	23	6.9	2	18	5.2	1	5	8.7
225-249.....	5	45	9.5	3	33	8.9	2	12	10.0
250-274.....	5	32	11.3	4	26	11.8	1	7	10.8
275-299.....	2	31	13.0	2	31	15.2	-	-	10.8
300-324.....	6	51	15.9	3	24	17.9	3	26	13.9
325-349.....	4	30	17.6	1	11	19.1	3	19	16.1
350-374.....	3	21	18.8	1	7	19.9	2	14	17.6
375-399.....	10	118	25.5	5	54	25.8	5	65	25.1
400-424.....	6	66	29.2	3	35	29.8	3	31	28.6
425-449.....	3	29	30.8	2	20	32.0	1	9	29.6
450-474.....	11	102	36.6	4	41	36.5	7	61	36.7
475-499.....	6	63	40.1	2	17	38.3	4	46	42.0
500-524.....	12	141	48.1	5	76	46.8	7	65	49.5
525-549.....	13	105	54.1	3	26	49.7	10	79	58.6
550-574.....	11	118	60.7	4	63	56.6	7	55	65.0
575-599.....	6	64	64.3	4	48	62.0	2	16	66.8
600-624.....	9	84	69.1	4	33	65.7	5	51	72.6
625-649.....	14	182	79.4	8	105	77.3	6	78	81.6
650-674.....	5	43	81.8	2	17	79.2	3	26	84.5
675-699.....	10	87	86.8	4	39	83.4	6	49	90.2
700-749.....	5	55	89.9	3	41	88.0	2	14	91.8
750-799.....	4	36	91.9	3	26	90.9	1	10	92.9
800-899.....	8	72	96.0	6	55	97.0	2	17	94.9
900-999.....	4	54	99.0	1	27	100.0	3	27	98.0
1,000-1,999.....	1	17	100.0	-	-	100.0	1	17	100.0
2,000 or more.....	-	-	100.0	-	-	100.0	-	-	100.0

See footnotes at end of table.

Table 3-69. Cumulative percent distribution of calcium intake values in milligrams per 1,000 calories for persons aged 6-8 years by sex and income level: United States, 1976-80-Continued

Income level and calcium in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	644	8,118	100.0	336	4,254	100.0	308	3,864	100.0
Less than 100.....	1	10	.1	-	-	-	1	10	.3
100-199.....	23	289	3.7	8	88	2.1	15	202	5.5
200-224.....	9	97	4.9	5	54	3.3	4	43	6.6
225-249.....	9	96	6.1	3	28	4.0	6	67	8.3
250-274.....	17	225	8.8	8	123	6.9	9	102	11.0
275-299.....	16	175	11.0	10	110	9.5	6	65	12.6
300-324.....	17	212	13.6	13	143	12.8	4	69	14.4
325-349.....	24	253	16.7	13	161	16.6	11	92	16.8
350-374.....	27	321	20.7	16	176	20.7	11	145	20.6
375-399.....	29	410	25.7	16	216	25.8	13	193	25.6
400-424.....	25	394	30.5	14	262	32.0	11	132	29.0
425-449.....	29	373	35.1	9	113	34.6	20	261	35.7
450-474.....	38	458	40.8	21	230	40.0	17	228	41.6
475-499.....	24	284	44.3	11	127	43.0	13	157	45.7
500-524.....	33	404	49.3	16	210	48.0	17	194	50.7
525-549.....	29	335	53.4	15	167	51.9	14	168	55.0
550-574.....	37	484	59.4	20	294	58.8	17	191	60.0
575-599.....	27	320	63.3	15	187	63.2	12	134	63.4
600-624.....	24	286	66.8	14	182	67.5	10	104	66.1
625-649.....	19	230	69.7	10	111	70.1	9	118	69.2
650-674.....	24	305	73.4	12	174	74.2	12	131	72.6
675-699.....	25	272	76.8	14	129	77.2	11	143	76.3
700-749.....	40	483	82.7	23	277	83.7	17	206	81.6
750-799.....	25	341	86.9	13	181	88.0	12	160	85.8
800-899.....	35	503	93.1	15	223	93.2	20	280	93.0
900-999.....	24	340	97.3	12	147	96.7	12	192	98.0
1,000-1,999.....	14	220	100.0	10	142	100.0	4	78	100.0
2,000 or more.....	-	-	100.0	-	-	100.0	-	-	100.0

^{1/} Excludes unknown income.

Table 3-70. Cumulative percent distribution of calcium intake values in milligrams per 1,000 calories for persons aged 9-11 years by sex and income level: United States, 1976-80

Income level and calcium in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	882	10,667	100.0	457	5,310	100.0	425	5,357	100.0
Less than 100.....	4	37	.3	2	19	.3	2	18	.3
100-199.....	40	458	4.6	18	210	4.3	22	247	5.0
200-224.....	19	234	6.8	5	60	5.4	14	174	8.2
225-249.....	21	307	9.7	10	136	8.0	11	171	11.4
250-274.....	22	224	11.8	14	124	10.3	8	99	13.3
275-299.....	32	397	15.5	16	166	13.5	16	232	17.6
300-324.....	37	426	19.5	16	201	17.3	21	225	21.8
325-349.....	31	330	22.6	16	177	20.6	15	153	24.6
350-374.....	41	495	27.3	23	283	25.9	18	212	28.6
375-399.....	44	524	32.2	21	246	30.6	23	278	33.8
400-424.....	44	514	37.0	25	262	35.5	19	252	38.5
425-449.....	52	669	43.3	22	252	40.2	30	418	46.3
450-474.....	45	441	47.4	31	292	45.7	14	149	49.1
475-499.....	41	553	52.6	20	242	50.3	21	311	54.9
500-524.....	37	400	56.3	24	249	55.0	13	150	57.7
525-549.....	27	336	59.5	16	193	58.6	11	142	60.3
550-574.....	39	508	64.3	27	354	65.3	12	154	63.2
575-599.....	28	358	67.6	12	132	67.8	16	225	67.4
600-624.....	33	395	71.3	17	217	71.9	16	178	70.8
625-649.....	36	474	75.8	18	263	76.8	18	211	74.7
650-674.....	30	347	79.0	14	158	79.8	16	189	78.2
675-699.....	26	336	82.1	17	206	83.7	9	129	80.6
700-749.....	42	506	86.9	22	240	88.2	20	266	85.6
750-799.....	27	333	90.0	12	143	90.9	15	190	89.1
800-899.....	43	538	95.1	19	225	95.1	24	313	95.0
900-999.....	21	248	97.4	11	145	97.9	10	103	96.9
1,000-1,999.....	20	280	100.0	9	114	100.0	11	166	100.0
2,000 or more.....	-	-	100.0	-	-	100.0	-	-	100.0
Income below poverty level^{1/}									
Total.....	190	1,967	100.0	88	854	100.0	102	1,113	100.0
Less than 100.....	2	12	.6	1	6	.7	1	6	.6
100-199.....	10	100	5.7	3	23	3.5	7	77	7.4
200-224.....	1	9	6.1	-	-	3.5	1	9	8.2
225-249.....	5	50	8.7	2	13	5.0	3	37	11.5
250-274.....	4	35	10.5	2	18	7.1	2	17	13.1
275-299.....	6	51	13.1	3	24	10.0	3	26	15.5
300-324.....	10	98	18.1	-	-	10.0	10	98	24.3
325-349.....	6	56	20.9	4	39	14.5	2	17	25.8
350-374.....	10	115	26.8	5	70	22.7	5	45	29.9
375-399.....	9	81	30.9	4	31	26.3	5	50	34.4
400-424.....	9	92	35.6	4	26	29.4	5	66	40.3
425-449.....	10	124	41.9	4	47	34.9	6	77	47.2
450-474.....	9	88	46.3	8	80	44.2	1	8	48.0
475-499.....	11	150	54.0	6	60	51.3	5	89	56.0
500-524.....	13	119	60.0	8	71	59.6	5	47	60.3
525-549.....	8	88	64.5	4	37	64.0	4	51	64.8
550-574.....	8	79	68.5	5	48	69.6	3	31	67.7
575-599.....	8	86	72.8	2	21	72.0	6	65	73.5
600-624.....	4	39	74.8	1	8	73.0	3	30	76.2
625-649.....	11	128	81.3	4	43	78.0	7	86	83.9
650-674.....	8	74	85.1	5	39	82.6	3	35	87.1
675-699.....	3	29	86.6	2	22	85.2	1	7	87.7
700-749.....	6	65	90.0	4	44	90.4	2	21	89.6
750-799.....	2	14	90.7	1	7	91.2	1	8	90.3
800-899.....	8	86	95.1	3	37	95.6	5	49	94.7
900-999.....	6	59	98.1	-	-	95.6	6	59	100.0
1,000-1,999.....	3	38	100.0	3	38	100.0	-	-	100.0
2,000 or more.....	-	-	100.0	-	-	100.0	-	-	100.0

See footnotes at end of table.

Table 3-70. Cumulative percent distribution of calcium intake values in milligrams per 1,000 calories for persons aged 9-11 years by sex and income level: United States, 1976-80-Continued

Income level and calcium in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	663	8,370	100.0	356	4,321	100.0	307	4,049	100.0
Less than 100.....	2	25	.3	1	13	.3	1	12	.3
100-199.....	29	347	4.4	15	187	4.6	14	161	4.3
200-224.....	18	225	7.1	5	60	6.0	13	165	8.3
225-249.....	16	257	10.2	8	123	8.9	8	134	11.7
250-274.....	18	188	12.5	12	106	11.3	6	82	13.7
275-299.....	26	346	16.6	13	141	14.6	13	205	18.8
300-324.....	24	283	20.0	14	178	18.7	10	105	21.3
325-349.....	25	274	23.3	12	138	21.9	13	136	24.7
350-374.....	30	372	27.7	18	213	26.8	12	159	28.6
375-399.....	31	391	32.4	16	208	31.7	15	183	33.1
400-424.....	33	411	37.3	19	224	36.9	14	186	37.8
425-449.....	42	545	43.8	18	205	41.6	24	340	46.1
450-474.....	34	339	47.8	22	206	46.4	12	133	49.4
475-499.....	28	383	52.4	13	171	50.3	15	212	54.7
500-524.....	22	256	55.5	15	163	54.1	7	94	57.0
525-549.....	16	222	58.1	10	141	57.4	6	81	59.0
550-574.....	29	393	62.8	21	289	64.0	8	104	61.6
575-599.....	19	251	65.8	9	91	66.1	10	160	65.5
600-624.....	26	322	69.7	15	199	70.8	11	123	68.5
625-649.....	24	337	73.7	14	221	75.9	10	116	71.4
650-674.....	22	272	77.0	9	119	78.6	13	153	75.2
675-699.....	22	295	80.5	15	184	82.9	7	111	77.9
700-749.....	36	441	85.8	18	196	87.4	18	245	84.0
750-799.....	24	311	89.5	11	136	90.5	13	175	88.3
800-899.....	35	452	94.9	16	188	94.9	19	264	94.8
900-999.....	15	188	97.1	11	145	98.3	4	44	95.9
1,000-1,999.....	17	242	100.0	6	76	100.0	11	166	100.0
2,000 or more.....	-	-	100.0	-	-	100.0	-	-	100.0

^{1/} Excludes unknown income.

Table 3-71. Cumulative percent distribution of calcium intake values in milligrams per 1,000 calories for persons aged 12-14 years by sex and income level: United States, 1976-80

Income level and calcium in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	991	11,632	100.0	504	5,920	100.0	487	5,712	100.0
Less than 100.....	11	154	1.3	6	69	1.2	5	85	1.5
100-199.....	73	757	7.8	28	288	6.0	45	469	9.7
200-224.....	30	362	10.9	15	178	9.0	15	184	12.9
225-249.....	30	343	13.9	13	168	11.9	17	175	16.0
250-274.....	23	251	16.0	9	111	13.8	14	139	18.4
275-299.....	33	357	19.1	20	221	17.5	13	136	20.8
300-324.....	32	398	22.5	13	156	20.1	19	242	25.1
325-349.....	61	749	29.0	34	414	27.1	27	335	30.9
350-374.....	55	583	34.0	29	311	32.4	26	272	35.7
375-399.....	45	525	38.5	24	266	36.8	21	259	40.2
400-424.....	38	466	42.5	22	250	41.1	16	217	44.0
425-449.....	47	535	47.1	25	262	45.5	22	273	48.8
450-474.....	53	630	52.5	34	426	52.7	19	204	52.4
475-499.....	46	510	56.9	27	313	58.0	19	197	55.8
500-524.....	41	466	60.9	24	288	62.8	17	178	58.9
525-549.....	46	607	66.1	22	304	68.0	24	304	64.3
550-574.....	51	545	70.8	20	217	71.6	31	329	70.0
575-599.....	43	516	75.3	25	280	76.4	18	235	74.1
600-624.....	37	422	78.9	21	238	80.4	16	184	77.4
625-649.....	21	218	80.8	10	107	82.2	11	110	79.3
650-674.....	27	356	83.8	10	132	84.4	17	223	83.2
675-699.....	26	303	86.4	10	139	86.8	16	164	86.1
700-749.....	34	492	90.7	16	237	90.8	18	255	90.5
750-799.....	29	315	93.4	12	129	93.0	17	187	93.8
800-899.....	27	353	96.4	16	185	96.1	11	168	96.8
900-999.....	17	215	98.3	11	122	98.2	6	92	98.4
1,000-1,999.....	15	203	100.0	8	109	100.0	7	93	100.0
2,000 or more.....	-	-	100.0	-	-	100.0	-	-	100.0
Income below poverty level^{1/}									
Total.....	193	1,963	100.0	89	891	100.0	104	1,072	100.0
Less than 100.....	3	34	1.7	1	6	.6	2	28	2.6
100-199.....	20	193	11.6	4	37	4.8	16	156	17.2
200-224.....	8	104	16.8	5	56	11.1	3	47	21.6
225-249.....	7	54	19.6	2	15	12.8	5	39	25.3
250-274.....	5	56	22.4	2	24	15.5	3	32	28.2
275-299.....	7	72	26.1	4	39	19.9	3	33	31.3
300-324.....	6	53	28.8	2	16	21.7	4	37	34.7
325-349.....	11	91	33.4	4	35	25.6	7	56	39.9
350-374.....	12	119	39.5	9	86	35.3	3	34	43.1
375-399.....	8	94	44.3	2	18	37.3	6	76	50.1
400-424.....	10	132	51.0	7	85	46.8	3	47	54.5
425-449.....	11	85	55.4	7	54	52.8	4	32	57.5
450-474.....	11	141	62.6	5	75	61.3	6	66	63.6
475-499.....	7	63	65.8	4	38	65.6	3	25	65.9
500-524.....	11	100	70.9	5	39	70.0	6	61	71.6
525-549.....	7	79	74.9	3	43	74.9	4	35	74.9
550-574.....	13	133	81.7	3	21	77.3	10	112	85.3
575-599.....	6	65	85.0	4	33	81.1	2	31	88.2
600-624.....	6	64	88.2	2	24	83.7	4	40	92.0
625-649.....	3	29	89.7	2	21	86.1	1	8	92.7
650-674.....	2	27	91.1	1	17	88.0	1	10	93.6
675-699.....	4	45	93.4	3	39	92.3	1	7	94.3
700-749.....	4	30	94.9	2	17	94.2	2	13	95.5
750-799.....	3	23	96.1	1	9	95.2	2	14	96.8
800-899.....	4	32	97.7	3	25	98.0	1	8	97.5
900-999.....	3	27	99.1	2	18	100.0	1	9	98.4
1,000-1,999.....	1	17	100.0	-	-	100.0	1	17	100.0
2,000 or more.....	-	-	100.0	-	-	100.0	-	-	100.0

See footnotes at end of table.

Table 3-71. Cumulative percent distribution of calcium intake values in milligrams per 1,000 calories for persons aged 12-14 years by sex and income level: United States, 1976-80-Continued

Income level and calcium in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	762	9,255	100.0	399	4,841	100.0	363	4,414	100.0
Less than 100.....	7	110	1.2	4	53	1.1	3	57	1.3
100-199.....	50	533	6.9	22	230	5.8	28	303	8.1
200-224.....	21	251	9.6	10	122	8.4	11	129	11.1
225-249.....	22	277	12.6	10	141	11.3	12	136	14.2
250-274.....	17	180	14.6	7	87	13.1	10	93	16.3
275-299.....	24	269	17.5	14	165	16.5	10	103	18.6
300-324.....	23	298	20.7	11	140	19.4	12	158	22.2
325-349.....	49	638	27.6	30	379	27.2	19	259	28.0
350-374.....	41	448	32.4	19	215	31.7	22	233	33.3
375-399.....	37	431	37.1	22	248	36.8	15	183	37.5
400-424.....	25	305	40.4	13	146	39.8	12	159	41.1
425-449.....	35	432	45.1	18	209	44.1	17	223	46.1
450-474.....	39	447	49.9	27	316	50.6	12	131	49.1
475-499.....	37	426	54.5	22	263	56.1	15	163	52.8
500-524.....	30	366	58.5	19	249	61.2	11	117	55.5
525-549.....	37	510	64.0	18	250	66.4	19	260	61.4
550-574.....	37	406	68.4	17	195	70.4	20	211	66.1
575-599.....	35	432	73.0	21	247	75.5	14	185	70.3
600-624.....	30	352	76.8	19	214	79.9	11	138	73.4
625-649.....	18	188	78.9	8	86	81.7	10	102	75.7
650-674.....	25	329	82.4	9	116	84.1	16	214	80.6
675-699.....	20	242	85.0	7	101	86.2	13	141	83.8
700-749.....	28	432	89.7	12	190	90.1	16	242	89.3
750-799.....	25	279	92.7	10	106	92.3	15	173	93.2
800-899.....	23	320	96.2	13	160	95.6	10	160	96.8
900-999.....	13	170	98.0	9	104	97.8	4	65	98.3
1,000-1,999.....	14	185	100.0	8	109	100.0	6	76	100.0
2,000 or more.....	-	-	100.0	-	-	100.0	-	-	100.0

1/ Excludes unknown income.

Table 3-72. Cumulative percent distribution of calcium intake values in milligrams per 1,000 calories for persons aged 15-17 years by sex and income level: United States, 1976-80

Income level and calcium in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	1/983	12,441	100.0	1/534	6,309	100.0	449	6,131	100.0
Less than 100.....	39	500	4.0	13	159	2.5	26	342	5.6
100-199.....	105	1,255	14.1	53	589	11.8	52	666	16.4
200-224.....	41	494	18.1	16	162	14.4	25	332	21.8
225-249.....	39	516	22.2	19	248	18.4	20	267	26.2
250-274.....	27	323	24.8	12	109	20.1	15	214	29.7
275-299.....	42	563	29.3	22	276	24.4	20	287	34.4
300-324.....	38	422	32.7	20	168	27.1	18	253	38.5
325-349.....	41	485	36.6	20	240	30.9	21	245	42.5
350-374.....	45	559	41.1	19	200	34.1	26	359	48.4
375-399.....	39	495	45.1	24	262	38.2	15	234	52.2
400-424.....	44	550	49.5	30	341	43.7	14	208	55.6
425-449.....	46	548	53.9	26	285	48.2	20	263	59.8
450-474.....	46	605	58.8	29	376	54.1	17	229	63.6
475-499.....	40	471	62.6	24	294	58.8	16	176	66.5
500-524.....	29	410	65.9	20	251	62.8	9	159	69.0
525-549.....	37	446	69.4	23	255	66.8	14	190	72.2
550-574.....	29	376	72.5	19	242	70.6	10	134	74.3
575-599.....	26	339	75.2	16	214	74.0	10	125	76.4
600-624.....	32	365	78.1	21	221	77.5	11	144	78.7
625-649.....	19	214	79.8	11	121	79.5	8	93	80.3
650-674.....	27	373	82.8	16	216	82.9	11	156	82.8
675-699.....	20	268	85.0	11	146	85.2	9	121	84.8
700-749.....	32	442	88.6	16	208	88.5	16	234	88.6
750-799.....	23	333	91.2	10	127	90.5	13	207	92.0
800-899.....	35	514	95.4	21	281	95.0	14	232	95.8
900-999.....	20	258	97.4	13	171	97.7	7	86	97.2
1,000-1,999.....	22	319	100.0	10	146	100.0	12	173	100.0
2,000 or more.....	-	-	100.0	-	-	100.0	-	-	100.0
Income below poverty level ^{2/}									
Total.....	177	2,073	100.0	89	974	100.0	88	1,099	100.0
Less than 100.....	15	209	10.1	6	79	8.1	9	130	11.9
100-199.....	27	276	23.4	15	134	21.8	12	142	24.8
200-224.....	9	141	30.2	4	47	26.6	5	94	33.3
225-249.....	9	131	36.5	3	50	31.7	6	82	40.8
250-274.....	6	57	39.3	2	16	33.3	4	41	44.5
275-299.....	10	141	46.1	4	41	37.5	6	100	53.7
300-324.....	11	100	50.9	7	63	44.0	4	37	57.1
325-349.....	6	43	53.0	3	19	45.9	3	24	59.3
350-374.....	4	65	56.1	2	20	48.0	2	45	63.3
375-399.....	7	64	59.2	2	18	49.8	5	47	67.6
400-424.....	9	97	63.9	6	70	57.0	3	27	70.0
425-449.....	8	77	67.6	4	38	61.0	4	38	73.5
450-474.....	9	112	73.0	5	57	66.8	4	55	78.5
475-499.....	2	19	74.0	1	10	67.9	1	9	79.4
500-524.....	4	56	76.7	3	41	72.0	1	15	80.8
525-549.....	9	111	82.0	6	84	80.6	3	28	83.3
550-574.....	3	42	84.0	3	42	84.9	-	-	83.3
575-599.....	4	50	86.4	2	30	88.0	2	20	85.1
600-624.....	6	54	89.0	3	27	90.7	3	27	87.5
625-649.....	1	8	89.4	-	-	90.7	1	8	88.3
650-674.....	4	38	91.3	2	19	92.7	2	19	90.0
675-699.....	1	12	91.8	-	-	92.7	1	12	91.0
700-749.....	5	73	95.4	2	23	95.1	3	50	95.6
750-799.....	3	30	96.8	1	8	95.9	2	23	97.7
800-899.....	4	55	99.5	2	30	98.9	2	25	100.0
900-999.....	-	-	99.5	-	-	98.9	-	-	100.0
1,000-1,999.....	1	10	100.0	1	10	100.0	-	-	100.0
2,000 or more.....	-	-	100.0	-	-	100.0	-	-	100.0

See footnotes at end of table.

Table 3-72. Cumulative percent distribution of calcium intake values in milligrams per 1,000 calories for persons aged 15-17 years by sex and income level: United States, 1976-80-Continued

Income level and calcium in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{2/}									
Total.....	1,759	9,750	100.0	1,417	4,992	100.0	342	4,758	100.0
Less than 100.....	23	281	2.9	7	80	1.6	16	201	4.2
100-199.....	77	972	12.8	37	448	10.6	40	524	15.2
200-224.....	30	328	16.2	12	115	12.9	18	213	19.7
225-249.....	26	324	19.5	13	149	15.9	13	175	23.4
250-274.....	17	182	21.4	8	67	17.2	9	115	25.8
275-299.....	29	377	25.3	17	215	21.5	12	162	29.2
300-324.....	25	303	28.4	12	98	23.5	13	204	33.5
325-349.....	33	420	32.7	17	221	27.9	16	199	37.7
350-374.....	37	440	37.2	16	172	31.4	21	268	43.3
375-399.....	29	392	41.2	19	205	35.5	10	187	47.3
400-424.....	31	401	45.3	20	220	39.9	11	181	51.1
425-449.....	35	443	49.9	19	219	44.3	16	225	55.8
450-474.....	36	483	54.8	23	309	50.4	13	174	59.4
475-499.....	37	441	59.4	22	274	55.9	15	167	63.0
500-524.....	25	354	63.0	17	211	60.1	8	143	66.0
525-549.....	28	334	66.4	17	172	63.6	11	163	69.4
550-574.....	23	294	69.4	14	175	67.1	9	118	71.9
575-599.....	21	279	72.3	13	174	70.6	8	105	74.1
600-624.....	24	284	75.2	16	167	73.9	8	117	76.5
625-649.....	18	206	77.3	11	121	76.4	7	85	78.3
650-674.....	23	335	80.8	14	197	80.3	9	138	81.2
675-699.....	18	247	83.3	11	146	83.2	7	101	83.4
700-749.....	27	369	87.1	14	185	86.9	13	184	87.2
750-799.....	18	275	89.9	8	107	89.1	10	169	90.8
800-899.....	30	446	94.5	19	252	94.1	11	194	94.8
900-999.....	18	230	96.8	12	158	97.3	6	72	96.4
1,000-1,999.....	21	308	100.0	9	135	100.0	12	173	100.0
2,000 or more.....	-	-	100.0	-	-	100.0	-	-	100.0

1/ Excludes 1 examined person with zero calories.
2/ Excludes unknown income.

Table 3-73. Cumulative percent distribution of calcium intake values in milligrams per 1,000 calories for persons aged 18-24 years by sex and income level: United States, 1976-80

Income level and calcium in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	1/2,053	27,439	100.0	988	13,275	100.0	1/1,065	14,164	100.0
Less than 100.....	74	972	3.5	33	412	3.1	41	560	3.9
100-199.....	329	4,259	19.1	142	1,841	17.0	187	2,418	21.0
200-224.....	95	1,279	23.7	45	592	21.4	50	688	25.9
225-249.....	103	1,314	28.5	56	705	26.7	47	608	30.2
250-274.....	99	1,335	33.4	49	648	31.6	50	688	35.0
275-299.....	104	1,480	38.8	43	568	35.9	61	912	41.5
300-324.....	98	1,398	43.9	46	699	41.2	52	699	46.4
325-349.....	72	997	47.5	39	581	45.5	33	416	49.3
350-374.....	85	1,110	51.5	48	655	50.5	37	455	52.5
375-399.....	94	1,274	56.2	47	655	55.4	47	620	56.9
400-424.....	95	1,263	60.8	46	616	60.0	49	647	61.5
425-449.....	90	1,195	65.1	47	593	64.5	43	602	65.8
450-474.....	61	802	68.1	29	347	67.1	32	455	69.0
475-499.....	74	977	71.6	37	507	70.9	37	470	72.3
500-524.....	55	758	74.4	32	475	74.5	23	283	74.3
525-549.....	67	898	77.7	40	560	78.8	27	338	76.7
550-574.....	46	636	80.0	25	366	81.5	21	271	78.6
575-599.....	45	560	82.0	17	237	83.3	28	324	80.8
600-624.....	48	590	84.2	23	301	85.5	25	290	82.9
625-649.....	34	443	85.8	18	245	87.4	16	198	84.3
650-674.....	39	478	87.5	17	224	89.1	22	254	86.1
675-699.....	34	429	89.1	13	178	90.4	21	251	87.9
700-749.....	40	494	90.9	20	239	92.2	20	256	89.7
750-799.....	39	524	92.8	24	334	94.8	15	190	91.0
800-899.....	47	689	95.3	22	302	97.0	25	387	93.7
900-999.....	34	561	97.4	12	175	98.3	22	385	96.5
1,000-1,999.....	51	705	99.9	18	221	100.0	33	484	99.9
2,000 or more.....	1	16	100.0	-	-	100.0	1	16	100.0
Income below poverty level^{2/}									
Total.....	1/430	5,300	100.0	178	2,237	100.0	1/252	3,063	100.0
Less than 100.....	15	185	3.5	7	92	4.1	8	93	3.0
100-199.....	55	693	16.6	19	218	13.9	36	475	18.5
200-224.....	25	299	22.2	12	139	20.1	13	160	23.8
225-249.....	26	269	27.3	13	140	26.3	13	129	28.0
250-274.....	18	212	31.3	4	52	28.7	14	160	33.2
275-299.....	24	354	37.9	9	118	33.9	15	236	40.9
300-324.....	25	324	44.1	7	123	39.4	18	201	47.4
325-349.....	13	164	47.2	4	57	42.0	9	107	50.9
350-374.....	21	258	52.0	7	89	46.0	14	169	56.4
375-399.....	22	283	57.4	10	127	51.6	12	156	61.6
400-424.....	23	322	63.4	11	146	58.1	12	176	67.3
425-449.....	16	162	66.5	7	80	61.7	9	82	70.0
450-474.....	10	124	68.8	2	22	62.7	8	102	73.3
475-499.....	16	159	71.8	6	49	64.9	10	110	76.9
500-524.....	8	124	74.2	6	92	69.0	2	32	78.0
525-549.....	16	191	77.8	7	95	73.2	9	96	81.1
550-574.....	13	179	81.2	6	96	77.5	7	83	83.8
575-599.....	14	161	84.2	5	61	80.3	9	99	87.0
600-624.....	9	93	86.0	5	62	83.1	4	31	88.1
625-649.....	9	112	88.1	5	68	86.1	4	44	89.5
650-674.....	9	111	90.2	3	41	88.0	6	69	91.8
675-699.....	4	45	91.0	4	45	90.0	-	-	91.8
700-749.....	5	43	91.8	2	19	90.9	3	24	92.5
750-799.....	9	103	93.8	5	59	93.5	4	44	94.0
800-899.....	9	117	96.0	5	54	95.9	4	63	96.0
900-999.....	11	160	99.0	4	62	98.7	7	98	99.3
1,000-1,999.....	5	52	100.0	3	30	100.0	2	23	100.0
2,000 or more.....	-	-	100.0	-	-	100.0	-	-	100.0

See footnotes at end of table.

Table 3-73. Cumulative percent distribution of calcium intake values in milligrams per 1,000 calories for persons aged 18-24 years by sex and income level: United States, 1976-80-Continued

Income level and calcium in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{2/}									
Total.....	1,541	21,013	100.0	770	10,508	100.0	771	10,505	100.0
Less than 100.....	57	765	3.6	25	310	2.9	32	455	4.3
100-199.....	267	3,458	20.1	122	1,613	18.3	145	1,845	21.9
200-224.....	69	963	24.7	32	436	22.4	37	528	26.9
225-249.....	71	967	29.3	40	525	27.4	31	443	31.1
250-274.....	73	978	33.9	41	536	32.5	32	442	35.3
275-299.....	76	1,076	39.1	32	424	36.6	44	651	41.5
300-324.....	72	1,065	44.1	38	567	42.0	34	498	46.3
325-349.....	56	804	48.0	33	507	46.8	23	297	49.1
350-374.....	63	832	51.9	40	546	52.0	23	286	51.8
375-399.....	69	930	56.3	36	520	56.9	33	409	55.7
400-424.....	64	847	60.4	30	400	60.8	34	448	60.0
425-449.....	72	1,003	65.1	39	502	65.5	33	501	64.8
450-474.....	47	619	68.1	26	317	68.5	21	302	67.6
475-499.....	54	751	71.7	28	413	72.5	26	338	70.8
500-524.....	44	597	74.5	25	370	76.0	19	227	73.0
525-549.....	49	674	77.7	31	433	80.1	18	241	75.3
550-574.....	31	432	79.8	18	253	82.5	13	179	77.0
575-599.....	29	385	81.6	12	175	84.2	17	210	79.0
600-624.....	38	483	83.9	17	225	86.3	21	259	81.5
625-649.....	21	272	85.2	10	136	87.6	11	137	82.8
650-674.....	29	361	86.9	14	183	89.4	15	178	84.5
675-699.....	28	365	88.7	9	133	90.6	19	232	86.7
700-749.....	30	383	90.5	16	189	92.4	14	194	88.5
750-799.....	29	410	92.4	19	275	95.0	10	135	89.8
800-899.....	35	537	95.0	15	224	97.2	20	314	92.8
900-999.....	23	401	96.9	8	114	98.3	15	287	95.5
1,000-1,999.....	44	636	99.9	14	183	100.0	30	453	99.8
2,000 or more.....	1	16	100.0	-	-	100.0	1	16	100.0

1/ Excludes 1 examined person with zero calories.

2/ Excludes unknown income.

Table 3-74. Cumulative percent distribution of calcium intake values in milligrams per 1,000 calories for persons aged 25-34 years by sex and income level: United States, 1976-80

Income level and calcium in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	1/2,236	32,739	100.0	1,067	15,895	100.0	1/1,169	16,844	100.0
Less than 100.....	67	872	2.7	40	505	3.2	27	367	2.2
100-199.....	473	6,744	23.3	238	3,494	25.2	235	3,251	21.5
200-224.....	105	1,435	27.6	57	776	30.0	48	660	25.4
225-249.....	157	2,235	34.5	79	1,197	37.6	78	1,037	31.5
250-274.....	126	1,759	39.8	64	943	43.5	62	816	36.4
275-299.....	116	1,672	44.9	63	867	49.0	53	805	41.2
300-324.....	93	1,330	49.0	48	641	53.0	45	689	45.3
325-349.....	108	1,620	54.0	46	773	57.8	62	847	50.3
350-374.....	90	1,386	58.2	50	802	62.9	40	583	53.8
375-399.....	85	1,341	62.3	32	486	66.0	53	855	58.8
400-424.....	96	1,477	66.8	39	562	69.5	57	915	64.3
425-449.....	74	1,140	70.3	27	407	72.0	47	733	68.6
450-474.....	76	1,181	73.9	33	550	75.5	43	631	72.4
475-499.....	67	973	76.9	38	578	79.1	29	395	74.7
500-524.....	57	928	79.7	28	517	82.4	29	412	77.2
525-549.....	75	1,052	82.9	33	456	85.3	42	597	80.7
550-574.....	39	562	84.6	18	297	87.1	21	264	82.3
575-599.....	47	714	86.8	22	305	89.0	25	409	84.7
600-624.....	41	572	88.6	15	205	90.3	26	366	86.9
625-649.....	20	350	89.6	7	133	91.2	13	217	88.2
650-674.....	27	435	90.9	16	248	92.7	11	187	89.3
675-699.....	20	280	91.8	8	114	93.5	12	166	90.3
700-749.....	52	789	94.2	22	347	95.6	30	442	92.9
750-799.....	31	449	95.6	8	125	96.4	23	324	94.8
800-899.....	48	728	97.8	20	298	98.3	28	430	97.4
900-999.....	15	212	98.5	5	59	98.7	10	153	98.3
1,000-1,999.....	30	461	99.9	10	168	99.7	20	293	100.0
2,000 or more.....	1	42	100.0	1	42	100.0	-	-	100.0
Income below poverty level^{2/}									
Total.....	253	3,103	100.0	91	1,106	100.0	162	1,997	100.0
Less than 100.....	12	110	3.5	7	64	5.8	5	46	2.3
100-199.....	59	726	26.9	23	282	31.3	36	445	24.6
200-224.....	13	142	31.5	4	42	35.0	9	100	29.6
225-249.....	16	193	37.7	6	72	41.6	10	120	35.6
250-274.....	17	193	44.0	4	41	45.3	13	153	43.3
275-299.....	14	186	50.0	5	64	51.0	9	122	49.4
300-324.....	16	171	55.5	6	64	56.8	10	106	54.7
325-349.....	11	110	59.0	4	48	61.2	7	62	57.8
350-374.....	12	165	64.3	5	71	67.6	7	94	62.5
375-399.....	9	130	68.5	2	42	71.5	7	88	66.9
400-424.....	7	125	72.6	3	43	75.4	4	82	71.0
425-449.....	11	147	77.3	2	19	77.1	9	128	77.4
450-474.....	6	79	79.9	3	36	80.3	3	43	79.6
475-499.....	4	47	81.4	1	12	81.5	3	34	81.3
500-524.....	3	42	82.7	1	27	83.9	2	15	82.0
525-549.....	6	57	84.6	3	28	86.5	3	29	83.5
550-574.....	4	40	85.8	1	7	87.1	3	33	85.1
575-599.....	5	65	87.9	2	17	88.7	3	47	87.5
600-624.....	8	92	90.9	2	34	91.8	6	58	90.4
625-649.....	3	60	92.8	1	21	93.7	2	39	92.4
650-674.....	-	-	92.8	-	-	93.7	-	-	92.4
675-699.....	2	21	93.5	2	21	95.6	-	-	92.4
700-749.....	4	72	95.8	-	-	95.6	4	72	96.0
750-799.....	3	26	96.7	1	9	96.4	2	16	96.8
800-899.....	4	58	98.5	1	12	97.5	3	46	99.1
900-999.....	3	31	99.5	1	13	98.6	2	18	100.0
1,000-1,999.....	1	15	100.0	1	15	100.0	-	-	100.0
2,000 or more.....	-	-	100.0	-	-	100.0	-	-	100.0

See footnotes at end of table.

Table 3-74. Cumulative percent distribution of calcium intake values in milligrams per 1,000 calories for persons aged 25-34 years by sex and income level: United States, 1976-80-Continued

Income level and calcium in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{2/}									
Total.....	1/1,926	28,824	100.0	945	14,355	100.0	1/981	14,469	100.0
Less than 100.....	55	762	2.6	33	441	3.1	22	321	2.2
100-199.....	398	5,820	22.8	205	3,093	24.6	193	2,727	21.1
200-224.....	91	1,285	27.3	52	726	29.7	39	560	24.9
225-249.....	133	1,929	34.0	67	1,031	36.9	66	899	31.1
250-274.....	108	1,552	39.4	60	902	43.1	48	651	35.6
275-299.....	101	1,463	44.4	58	803	48.7	43	660	40.2
300-324.....	76	1,146	48.4	41	564	52.7	35	582	44.2
325-349.....	94	1,467	53.5	40	696	57.5	54	771	49.6
350-374.....	77	1,209	57.7	45	731	62.6	32	478	52.9
375-399.....	74	1,193	61.8	30	444	65.7	44	749	58.0
400-424.....	88	1,330	66.5	36	518	69.3	52	812	63.6
425-449.....	60	909	69.6	24	363	71.8	36	546	67.4
450-474.....	67	1,067	73.3	27	479	75.2	40	587	71.5
475-499.....	59	866	76.3	34	514	78.8	25	352	73.9
500-524.....	53	874	79.3	26	476	82.1	27	397	76.7
525-549.....	69	996	82.8	30	428	85.0	39	568	80.6
550-574.....	34	508	84.6	17	290	87.1	17	218	82.1
575-599.....	41	629	86.8	19	268	88.9	22	362	84.6
600-624.....	30	432	88.3	12	163	90.1	18	269	86.4
625-649.....	15	258	89.1	6	112	90.8	9	146	87.5
650-674.....	27	435	90.7	16	248	92.6	11	187	88.8
675-699.....	18	259	91.6	6	93	93.2	12	166	89.9
700-749.....	45	684	93.9	21	329	95.5	24	355	92.3
750-799.....	27	411	95.3	7	116	96.3	20	294	94.4
800-899.....	44	670	97.7	19	286	98.3	25	384	97.0
900-999.....	12	182	98.3	4	46	98.6	8	135	98.0
1,000-1,999.....	29	446	99.8	9	153	99.7	20	293	100.0
2,000 or more.....	1	42	100.0	1	42	100.0	-	-	100.0

1/ Excludes 1 examined person with zero calories.
2/ Excludes unknown income.

Table 3-75. Cumulative percent distribution of calcium intake values in milligrams per 1,000 calories for persons aged 35-44 years by sex and income level: United States, 1976-80

Income level and calcium in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	1,589	23,651	100.0	745	11,367	100.0	844	12,284	100.0
Less than 100.....	46	631	2.7	29	425	3.7	17	206	1.7
100-199.....	302	4,517	21.8	145	2,133	22.5	157	2,385	21.1
200-224.....	93	1,337	27.4	36	624	28.0	57	713	26.9
225-249.....	103	1,559	34.0	46	723	34.3	57	837	33.7
250-274.....	83	1,226	39.2	37	570	39.4	46	656	39.0
275-299.....	100	1,429	45.2	53	811	46.5	47	618	44.1
300-324.....	80	1,121	50.0	44	626	52.0	36	495	48.1
325-349.....	87	1,290	55.4	46	715	58.3	41	575	52.8
350-374.....	55	891	59.2	23	339	61.3	32	553	57.3
375-399.....	70	1,101	63.9	35	564	66.2	35	538	61.7
400-424.....	62	894	67.6	30	419	69.9	32	475	65.5
425-449.....	53	733	70.7	17	282	72.4	36	451	69.2
450-474.....	55	845	74.3	29	454	76.4	26	391	72.4
475-499.....	60	840	77.9	31	441	80.3	29	399	75.6
500-524.....	49	741	81.0	23	370	83.5	26	370	78.6
525-549.....	21	281	82.2	8	119	84.6	13	162	80.0
550-574.....	21	339	83.6	7	139	85.8	14	200	81.6
575-599.....	25	362	85.1	10	159	87.2	15	203	83.3
600-624.....	26	388	86.8	13	206	89.0	13	182	84.7
625-649.....	30	411	88.5	14	170	90.5	16	241	86.7
650-674.....	24	370	90.1	12	188	92.2	12	182	88.2
675-699.....	12	215	91.0	3	41	92.5	9	174	89.6
700-749.....	39	618	93.6	17	273	94.9	22	345	92.4
750-799.....	27	451	95.5	11	156	96.3	16	295	94.8
800-899.....	22	358	97.0	8	134	97.5	14	224	96.6
900-999.....	17	315	98.4	7	122	98.5	10	193	98.2
1,000-1,999.....	26	373	99.9	11	166	100.0	15	208	99.9
2,000 or more.....	1	11	100.0	-	-	100.0	1	11	100.0
Income below poverty level^{1/}									
Total.....	182	2,364	100.0	63	821	100.0	119	1,543	100.0
Less than 100.....	9	97	4.1	*	*	*	5	50	3.3
100-199.....	49	618	30.2	*	*	*	31	425	30.8
200-224.....	10	136	36.0	*	*	*	7	77	35.8
225-249.....	10	110	40.6	*	*	*	6	70	40.4
250-274.....	11	141	46.6	*	*	*	8	91	46.3
275-299.....	8	126	51.9	*	*	*	6	103	52.9
300-324.....	8	110	56.5	*	*	*	6	80	58.1
325-349.....	11	172	63.8	*	*	*	7	93	64.1
350-374.....	4	55	66.1	*	*	*	2	24	65.7
375-399.....	6	80	69.5	*	*	*	5	71	70.3
400-424.....	3	32	70.9	*	*	*	3	32	72.4
425-449.....	3	32	72.2	*	*	*	2	23	73.8
450-474.....	6	71	75.2	*	*	*	2	31	75.9
475-499.....	4	42	77.0	*	*	*	3	29	77.8
500-524.....	7	103	81.3	*	*	*	5	82	83.0
525-549.....	1	11	81.8	*	*	*	1	11	83.8
550-574.....	1	12	82.3	*	*	*	1	12	84.6
575-599.....	3	42	84.1	*	*	*	2	21	85.9
600-624.....	4	41	85.8	*	*	*	2	19	87.2
625-649.....	6	60	88.4	*	*	*	3	29	89.0
650-674.....	2	29	89.6	*	*	*	-	-	89.0
675-699.....	1	28	90.8	*	*	*	1	28	90.9
700-749.....	3	33	92.2	*	*	*	2	21	92.2
750-799.....	3	34	93.6	*	*	*	2	22	93.6
800-899.....	3	48	95.7	*	*	*	3	48	96.7
900-999.....	2	52	97.8	*	*	*	-	-	96.7
1,000-1,999.....	4	51	100.0	*	*	*	4	51	100.0
2,000 or more.....	-	-	100.0	*	*	*	-	-	100.0

See footnotes at end of table.

Table 3-75. Cumulative percent distribution of calcium intake values in milligrams per 1,000 calories for persons aged 35-44 years by sex and income level: United States, 1976-80-Continued

Income level and calcium in milligrams per 1,000 calories	Both sexes			Male			Female		
	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	1,360	20,572	100.0	658	10,195	100.0	702	10,377	100.0
Less than 100.....	35	511	2.5	23	356	3.5	12	156	1.5
100-199.....	237	3,642	20.2	117	1,768	20.8	120	1,874	19.6
200-224.....	79	1,149	25.8	31	536	26.1	48	613	25.5
225-249.....	93	1,450	32.8	42	683	32.8	51	767	32.9
250-274.....	68	1,029	37.8	34	521	37.9	34	509	37.8
275-299.....	88	1,244	43.9	49	759	45.3	39	485	42.4
300-324.....	70	991	48.7	40	575	51.0	30	415	46.4
325-349.....	75	1,099	54.0	42	637	57.2	33	462	50.9
350-374.....	49	788	57.9	21	309	60.2	28	480	55.5
375-399.....	63	1,010	62.8	33	543	65.6	30	467	60.0
400-424.....	56	829	66.8	28	393	69.4	28	435	64.2
425-449.....	50	701	70.2	16	273	72.1	34	428	68.3
450-474.....	48	759	73.9	25	415	76.2	23	344	71.6
475-499.....	55	773	77.6	30	428	80.4	25	345	75.0
500-524.....	40	606	80.6	20	330	83.6	20	276	77.6
525-549.....	19	256	81.8	7	105	84.6	12	151	79.1
550-574.....	20	327	83.4	7	139	86.0	13	188	80.9
575-599.....	20	287	84.8	8	131	87.3	12	156	82.4
600-624.....	21	334	86.4	11	185	89.1	10	149	83.8
625-649.....	24	351	88.2	11	139	90.5	13	212	85.9
650-674.....	22	341	89.8	10	159	92.0	12	182	87.6
675-699.....	11	187	90.7	3	41	92.4	8	146	89.1
700-749.....	36	585	93.6	16	260	95.0	20	325	92.2
750-799.....	24	417	95.6	10	144	96.4	14	273	94.8
800-899.....	19	310	97.1	8	134	97.7	11	177	96.5
900-999.....	15	263	98.4	5	70	98.4	10	193	98.4
1,000-1,999.....	22	322	99.9	11	166	100.0	11	157	99.9
2,000 or more.....	1	11	100.0	-	-	100.0	1	11	100.0

^{1/} Excludes unknown income.

Table 3-76. Cumulative percent distribution of calcium intake values in milligrams per 1,000 calories for persons aged 45-54 years by sex and income level: United States, 1976-80

Income level and calcium in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	1,453	23,032	100.0	690	11,114	100.0	763	11,918	100.0
Less than 100.....	26	339	1.5	10	131	1.2	16	208	1.7
100-199.....	265	4,053	19.1	133	2,127	20.3	132	1,925	17.9
200-224.....	95	1,669	26.3	52	1,009	29.4	43	660	23.4
225-249.....	80	1,236	31.7	37	631	35.1	43	605	28.5
250-274.....	87	1,169	36.8	41	517	39.7	46	652	34.0
275-299.....	77	1,210	42.0	43	650	45.6	34	560	38.7
300-324.....	76	1,300	47.6	36	626	51.2	40	674	44.3
325-349.....	57	936	51.7	29	476	55.5	28	460	48.2
350-374.....	71	1,009	56.1	32	478	59.8	39	531	52.6
375-399.....	55	812	59.6	25	369	63.1	30	443	56.4
400-424.....	52	853	63.3	30	478	67.4	22	375	59.5
425-449.....	49	815	66.9	26	461	71.5	23	354	62.5
450-474.....	49	789	70.3	22	349	74.7	27	440	66.2
475-499.....	56	943	74.4	25	379	78.1	31	564	70.9
500-524.....	37	663	77.3	14	259	80.4	23	405	74.3
525-549.....	37	580	79.8	20	303	83.1	17	277	76.6
550-574.....	31	530	82.1	12	193	84.9	19	337	79.5
575-599.....	35	574	84.6	14	269	87.3	21	305	82.0
600-624.....	32	686	87.5	13	251	89.6	19	435	85.7
625-649.....	26	355	89.1	16	241	91.7	10	114	86.6
650-674.....	26	406	90.9	5	69	92.4	21	337	89.5
675-699.....	19	313	92.2	8	114	93.4	11	199	91.1
700-749.....	31	495	94.4	16	231	95.5	15	264	93.3
750-799.....	25	382	96.0	7	114	96.5	18	268	95.6
800-899.....	25	391	97.7	10	165	98.0	15	226	97.5
900-999.....	16	227	98.7	7	110	99.0	9	117	98.5
1,000-1,999.....	18	298	100.0	7	116	100.0	11	182	100.0
2,000 or more.....	-	-	100.0	-	-	100.0	-	-	100.0
Income below poverty level¹									
Total.....	128	1,760	100.0	46	645	100.0	82	1,115	100.0
Less than 100.....	2	19	1.1	*	*	*	2	19	1.7
100-199.....	29	403	24.0	*	*	*	21	271	26.0
200-224.....	6	84	28.8	*	*	*	6	84	33.5
225-249.....	7	70	32.7	*	*	*	6	60	38.9
250-274.....	8	109	38.9	*	*	*	4	61	44.4
275-299.....	5	65	42.6	*	*	*	2	31	47.1
300-324.....	6	77	47.0	*	*	*	5	68	53.3
325-349.....	4	58	50.3	*	*	*	-	-	53.3
350-374.....	5	55	53.4	*	*	*	4	46	57.4
375-399.....	7	78	57.8	*	*	*	4	43	61.2
400-424.....	5	89	62.9	*	*	*	1	9	62.0
425-449.....	-	-	62.9	*	*	*	-	-	62.0
450-474.....	7	81	67.5	*	*	*	5	58	67.2
475-499.....	6	112	73.8	*	*	*	2	55	72.2
500-524.....	6	89	78.9	*	*	*	6	89	80.1
525-549.....	1	13	79.6	*	*	*	1	13	81.3
550-574.....	2	22	80.9	*	*	*	2	22	83.3
575-599.....	-	-	80.9	*	*	*	-	-	83.3
600-624.....	3	66	84.6	*	*	*	1	33	86.2
625-649.....	2	23	85.9	*	*	*	1	14	87.4
650-674.....	4	68	89.8	*	*	*	3	55	92.4
675-699.....	1	21	91.0	*	*	*	1	21	94.3
700-749.....	5	59	94.3	*	*	*	2	31	97.1
750-799.....	2	21	95.5	*	*	*	1	9	97.8
800-899.....	-	-	95.5	*	*	*	-	-	97.8
900-999.....	3	41	97.8	*	*	*	1	8	98.6
1,000-1,999.....	2	38	100.0	*	*	*	1	16	100.0
2,000 or more.....	-	-	100.0	*	*	*	-	-	100.0

See footnotes at end of table.

Table 3-76. Cumulative percent distribution of calcium intake values in milligrams per 1,000 calories for persons aged 45-54 years by sex and income level: United States, 1976-80-Continued

Income level and calcium in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	1,258	20,161	100.0	603	9,738	100.0	655	10,424	100.0
Less than 100.....	23	308	1.5	9	119	1.2	14	189	1.8
100-199.....	220	3,389	18.3	113	1,774	19.4	107	1,615	17.3
200-224.....	83	1,505	25.8	48	947	29.2	35	558	22.7
225-249.....	69	1,109	31.3	35	609	35.4	34	499	27.4
250-274.....	78	1,048	36.5	37	469	40.2	41	580	33.0
275-299.....	70	1,116	42.0	39	604	46.4	31	512	37.9
300-324.....	63	1,118	47.6	33	585	52.4	30	534	43.0
325-349.....	50	809	51.6	23	371	56.3	27	437	47.2
350-374.....	63	923	56.2	28	438	60.8	35	485	51.9
375-399.....	44	662	59.4	19	279	63.6	25	383	55.6
400-424.....	45	712	63.0	25	367	67.4	20	345	58.9
425-449.....	47	781	66.9	24	427	71.8	23	354	62.3
450-474.....	41	687	70.3	19	305	74.9	22	382	65.9
475-499.....	49	800	74.2	20	292	77.9	29	508	70.8
500-524.....	29	532	76.9	12	216	80.1	17	316	73.8
525-549.....	35	558	79.6	19	293	83.1	16	264	76.4
550-574.....	27	463	81.9	10	149	84.7	17	315	79.4
575-599.....	33	538	84.6	14	269	87.4	19	269	82.0
600-624.....	28	604	87.6	10	201	89.5	18	403	85.8
625-649.....	24	332	89.3	15	232	91.9	9	100	86.8
650-674.....	21	320	90.8	3	38	92.3	18	282	89.5
675-699.....	17	285	92.3	8	114	93.4	9	171	91.2
700-749.....	25	422	94.3	13	204	95.5	12	218	93.3
750-799.....	22	345	96.0	6	102	96.6	16	243	95.6
800-899.....	25	391	98.0	10	165	98.3	15	226	97.8
900-999.....	11	146	98.7	5	77	99.0	6	68	98.4
1,000-1,999.....	16	259	100.0	6	93	100.0	10	166	100.0
2,000 or more.....	-	-	100.0	-	-	100.0	-	-	100.0

1/ Excludes unknown income.

Table 3-77. Cumulative percent distribution of calcium intake values in milligrams per 1,000 calories for persons aged 55-64 years by sex and income level: United States, 1976-80

Income level and calcium in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	1/2,555	20,346	100.0	1/1,226	9,603	100.0	1,329	10,743	100.0
Less than 100.....	40	334	1.6	20	172	1.8	20	161	1.5
100-199.....	371	3,112	16.9	199	1,578	18.2	172	1,533	15.8
200-224.....	162	1,261	23.1	77	635	24.8	85	626	21.6
225-249.....	137	991	28.0	57	445	29.5	80	547	26.7
250-274.....	149	1,089	33.4	76	536	35.0	73	553	31.8
275-299.....	156	1,262	39.6	73	534	40.6	83	729	38.6
300-324.....	140	1,198	45.4	61	508	45.9	79	690	45.0
325-349.....	124	950	50.1	63	492	51.0	61	458	49.3
350-374.....	124	958	54.8	52	367	54.8	72	591	54.8
375-399.....	99	730	58.4	47	334	58.3	52	397	58.5
400-424.....	114	946	63.1	56	525	63.8	58	421	62.4
425-449.....	80	686	66.4	32	228	66.1	48	458	66.7
450-474.....	89	677	69.8	48	355	69.8	41	321	69.7
475-499.....	88	701	73.2	49	357	73.6	39	344	72.9
500-524.....	71	587	76.1	33	255	76.2	38	332	76.0
525-549.....	78	599	79.0	36	252	78.8	42	347	79.2
550-574.....	56	479	81.4	26	249	81.4	30	230	81.3
575-599.....	58	485	83.8	31	283	84.4	27	201	83.2
600-624.....	59	394	85.7	26	135	85.8	33	259	85.6
625-649.....	46	381	87.6	24	209	88.0	22	172	87.2
650-674.....	45	344	89.3	21	158	89.6	24	186	88.9
675-699.....	32	227	90.4	18	153	91.2	14	74	89.6
700-749.....	65	588	93.3	29	268	94.0	36	320	92.6
750-799.....	39	267	94.6	16	121	95.3	23	147	94.0
800-899.....	51	443	96.8	22	183	97.2	29	260	96.4
900-999.....	36	267	98.1	15	81	98.0	21	186	98.1
1,000-1,999.....	46	392	100.0	19	190	100.0	27	201	100.0
2,000 or more.....	-	-	100.0	-	-	100.0	-	-	100.0
Income below poverty level^{12/}									
Total.....	1/316	1,956	100.0	1/128	775	100.0	188	1,181	100.0
Less than 100.....	8	37	1.9	4	19	2.5	4	18	1.5
100-199.....	47	245	14.4	28	149	21.7	19	96	9.7
200-224.....	21	126	20.9	10	56	28.9	11	70	15.6
225-249.....	21	145	28.3	8	54	35.9	13	90	23.3
250-274.....	18	110	33.9	2	15	37.9	16	95	31.3
275-299.....	13	99	38.9	4	25	41.1	9	73	37.5
300-324.....	25	195	48.9	9	59	48.7	16	136	49.0
325-349.....	13	85	53.3	4	34	53.1	9	51	53.4
350-374.....	16	77	57.2	4	21	55.7	12	56	58.2
375-399.....	7	33	58.9	3	19	58.2	4	14	59.4
400-424.....	13	74	62.7	1	4	58.7	12	70	65.3
425-449.....	6	30	64.2	3	16	60.8	3	14	66.5
450-474.....	12	62	67.4	6	25	64.0	6	37	69.6
475-499.....	9	62	70.6	8	55	71.0	1	8	70.3
500-524.....	6	53	73.3	3	28	74.6	3	25	72.4
525-549.....	11	70	76.9	5	17	76.9	6	53	76.9
550-574.....	7	55	79.7	4	35	81.4	3	19	78.6
575-599.....	5	23	80.9	2	13	83.1	3	11	79.5
600-624.....	4	21	82.0	2	13	84.7	2	8	80.2
625-649.....	6	34	83.7	2	9	85.9	4	25	82.3
650-674.....	3	21	84.8	1	9	87.1	2	12	83.3
675-699.....	7	34	86.5	3	16	89.1	4	18	84.8
700-749.....	11	82	90.7	3	15	91.1	8	66	90.4
750-799.....	8	50	93.3	2	19	93.6	6	31	93.0
800-899.....	7	64	96.5	3	27	97.1	4	37	96.2
900-999.....	7	37	98.4	3	15	99.0	4	22	98.0
1,000-1,999.....	5	31	100.0	1	8	100.0	4	23	100.0
2,000 or more.....	-	-	100.0	-	-	100.0	-	-	100.0

See footnotes at end of table.

Table 3-77. Cumulative percent distribution of calcium intake values in milligrams per 1,000 calories for persons aged 55-64 years by sex and income level: United States, 1976-80-Continued

Income level and calcium in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{2/}									
Total.....	2,119	17,376	100.0	1,048	8,443	100.0	1,071	8,934	100.0
Less than 100.....	29	274	1.6	15	150	1.8	14	125	1.4
100-199.....	307	2,689	17.0	165	1,395	18.3	142	1,294	15.9
200-224.....	131	1,048	23.1	62	524	24.5	69	524	21.7
225-249.....	114	836	27.9	48	386	29.1	66	450	26.8
250-274.....	124	930	33.3	69	486	34.8	55	444	31.8
275-299.....	137	1,121	39.7	67	500	40.8	70	621	38.7
300-324.....	107	928	45.0	50	438	45.9	57	490	44.2
325-349.....	109	857	50.0	57	450	51.3	52	407	48.8
350-374.....	103	832	54.8	46	334	55.2	57	498	54.3
375-399.....	87	668	58.6	42	307	58.9	45	361	58.4
400-424.....	94	823	63.3	52	504	64.8	42	319	61.9
425-449.....	71	614	66.9	28	187	67.0	43	426	66.7
450-474.....	73	598	70.3	40	322	70.9	33	276	69.8
475-499.....	73	595	73.7	37	284	74.2	36	311	73.3
500-524.....	62	515	76.7	30	227	76.9	32	288	76.5
525-549.....	62	509	79.6	29	229	79.6	33	281	79.6
550-574.....	48	412	82.0	21	202	82.0	27	211	82.0
575-599.....	52	448	84.6	28	258	85.1	24	191	84.1
600-624.....	52	332	86.5	24	123	86.5	28	210	86.5
625-649.....	36	308	88.3	21	193	88.8	15	115	87.8
650-674.....	40	297	90.0	19	129	90.3	21	168	89.6
675-699.....	22	174	91.0	14	128	91.9	8	46	90.1
700-749.....	49	433	93.5	23	195	94.2	26	237	92.8
750-799.....	29	204	94.6	12	88	95.2	17	116	94.1
800-899.....	43	375	96.8	19	156	97.0	24	220	96.6
900-999.....	28	223	98.1	12	67	97.8	16	156	98.3
1,000-1,999.....	37	333	100.0	18	182	100.0	19	151	100.0
2,000 or more.....	-	-	100.0	-	-	100.0	-	-	100.0

1/ Excludes 1 examined person with zero calories.
2/ Excludes unknown income.

Table 3-78. Cumulative percent distribution of calcium intake values in milligrams per 1,000 calories for persons aged 65-74 years by sex and income level: United States, 1976-80

Income level and calcium in milligrams per 1,000 calories	Both sexes			Male			Female		
	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent
All incomes									
Total.....	2,615	14,496	100.0	1,199	6,297	100.0	1,416	8,198	100.0
Less than 100.....	28	147	1.0	12	68	1.1	16	79	1.0
100-199.....	371	1,998	14.8	195	1,024	17.3	176	974	12.8
200-224.....	136	791	20.3	68	408	23.8	68	383	17.5
225-249.....	151	843	26.1	66	339	29.2	85	504	23.7
250-274.....	125	715	31.0	63	333	34.5	62	383	28.3
275-299.....	183	998	37.9	92	474	42.0	91	524	34.7
300-324.....	148	818	43.5	67	381	48.0	81	437	40.1
325-349.....	115	633	47.9	52	284	52.6	63	348	44.3
350-374.....	117	610	52.1	51	230	56.2	66	380	48.9
375-399.....	104	638	56.5	54	308	61.1	50	329	53.0
400-424.....	105	596	60.6	47	243	65.0	58	353	57.3
425-449.....	102	570	64.5	43	204	68.2	59	366	61.7
450-474.....	100	591	68.6	39	215	71.6	61	376	66.3
475-499.....	77	400	71.4	29	140	73.8	48	259	69.5
500-524.....	79	407	74.2	38	188	76.8	41	219	72.2
525-549.....	78	473	77.4	31	183	79.7	47	290	75.7
550-574.....	66	344	79.8	30	161	82.3	36	183	77.9
575-599.....	55	308	81.9	20	105	83.9	35	203	80.4
600-624.....	44	221	83.5	20	95	85.4	24	127	81.9
625-649.....	64	375	86.1	26	122	87.4	38	252	85.0
650-674.....	45	271	87.9	18	100	89.0	27	171	87.1
675-699.....	35	186	89.2	22	113	90.8	13	73	88.0
700-749.....	76	433	92.2	36	191	93.8	40	242	91.0
750-799.....	47	243	93.9	18	87	95.2	29	156	92.9
800-899.....	70	414	96.7	27	143	97.5	43	272	96.2
900-999.....	54	283	98.7	23	114	99.3	31	169	98.2
1,000-1,999.....	40	191	100.0	12	46	100.0	28	145	100.0
2,000 or more.....	-	-	100.0	-	-	100.0	-	-	100.0
Income below poverty level^{1/}									
Total.....	424	2,003	100.0	168	759	100.0	256	1,245	100.0
Less than 100.....	6	24	1.2	1	4	.5	5	20	1.6
100-199.....	60	289	15.6	33	154	20.9	27	135	12.4
200-224.....	20	94	20.3	4	18	23.3	16	76	18.5
225-249.....	25	121	26.3	10	46	29.3	15	75	24.6
250-274.....	17	71	29.9	5	21	32.0	12	50	28.6
275-299.....	25	132	36.5	8	31	36.1	17	101	36.7
300-324.....	11	51	39.0	3	13	37.8	8	38	39.7
325-349.....	20	88	43.4	10	51	44.5	10	37	42.7
350-374.....	19	79	47.4	12	48	50.8	7	31	45.3
375-399.....	14	94	52.1	7	48	57.2	7	46	49.0
400-424.....	20	74	55.8	6	20	59.8	14	54	53.3
425-449.....	18	98	60.7	8	47	66.0	10	52	57.5
450-474.....	10	42	62.8	3	11	67.5	7	31	59.9
475-499.....	16	68	66.2	5	26	70.9	11	42	63.3
500-524.....	11	49	68.6	7	26	74.2	4	24	65.2
525-549.....	13	62	71.7	3	11	75.6	10	51	69.3
550-574.....	11	53	74.4	3	15	77.6	8	37	72.3
575-599.....	13	63	77.5	4	19	80.2	9	44	75.9
600-624.....	10	37	79.4	4	14	82.0	6	23	77.8
625-649.....	10	51	81.9	5	16	84.1	5	35	80.6
650-674.....	8	43	84.1	5	21	86.9	3	22	82.3
675-699.....	5	27	85.4	2	6	87.8	3	21	84.0
700-749.....	16	74	89.1	4	17	90.0	12	58	88.6
750-799.....	13	74	92.8	4	27	93.5	9	47	92.4
800-899.....	10	42	94.9	3	10	94.9	7	32	95.0
900-999.....	7	35	96.7	4	21	97.7	3	14	96.1
1,000-1,999.....	16	66	100.0	5	18	100.0	11	49	100.0
2,000 or more.....	-	-	100.0	-	-	100.0	-	-	100.0

See footnotes at end of table.

Table 3-78. Cumulative percent distribution of calcium intake values in milligrams per 1,000 calories for persons aged 65-74 years by sex and income level: United States, 1976-80-Continued

Income level and calcium in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	2,067	11,819	100.0	987	5,312	100.0	1,080	6,508	100.0
Less than 100.....	20	116	1.0	10	60	1.1	10	56	.9
100-199.....	297	1,643	14.9	157	851	17.1	140	792	13.0
200-224.....	110	659	20.4	61	369	24.1	49	290	17.5
225-249.....	118	686	26.3	52	271	29.2	66	414	23.8
250-274.....	102	608	31.4	56	305	34.9	46	302	28.5
275-299.....	148	805	38.2	79	408	42.6	69	397	34.6
300-324.....	134	757	44.6	63	365	49.5	71	392	40.6
325-349.....	88	505	48.9	41	230	53.8	47	275	44.8
350-374.....	94	513	53.2	38	179	57.2	56	335	50.0
375-399.....	84	506	57.5	44	242	61.7	40	264	54.0
400-424.....	81	491	61.7	41	222	65.9	40	268	58.2
425-449.....	79	443	65.4	34	154	68.8	45	289	62.6
450-474.....	86	530	69.9	36	203	72.6	50	326	67.6
475-499.....	60	327	72.6	24	115	74.8	36	212	70.9
500-524.....	60	314	75.3	29	154	77.7	31	160	73.3
525-549.....	61	393	78.6	26	164	80.8	35	229	76.9
550-574.....	54	285	81.0	26	139	83.4	28	146	79.1
575-599.....	39	229	83.0	15	81	84.9	24	149	81.4
600-624.....	33	179	84.5	16	81	86.5	17	98	82.9
625-649.....	51	309	87.1	20	100	88.3	31	209	86.1
650-674.....	36	220	89.0	13	79	89.8	23	141	88.3
675-699.....	30	159	90.3	20	107	91.8	10	52	89.1
700-749.....	55	325	93.1	28	147	94.6	27	178	91.8
750-799.....	29	146	94.3	10	41	95.4	19	104	93.4
800-899.....	53	326	97.1	24	132	97.9	29	194	96.4
900-999.....	43	230	99.0	17	84	99.5	26	147	98.6
1,000-1,999.....	22	116	100.0	7	28	100.0	15	88	100.0
2,000 or more.....	-	-	100.0	-	-	100.0	-	-	100.0

^{1/} Excludes unknown income.

Table 3-79. Cumulative percent distribution of phosphorus intake values in milligrams per 1,000 calories for persons aged 6-11 months by sex and income level: United States, 1976-80

Income level and phosphorus in milligrams per 1,000 calories	Both Sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	356	1,599	100.0	179	819	100.0	177	780	100.0
Less than 300.....	8	34	2.1	4	21	2.5	4	13	1.6
300-399.....	11	44	4.9	4	17	4.7	7	26	5.0
400-449.....	4	13	5.7	2	6	5.4	2	7	6.0
450-499.....	11	50	8.8	5	19	7.8	6	30	9.8
500-549.....	15	57	12.3	6	17	9.9	9	40	14.9
550-599.....	11	38	14.8	6	21	12.4	5	18	17.2
600-649.....	25	113	21.8	8	40	17.3	17	73	26.5
650-699.....	17	83	27.0	11	46	22.9	6	37	31.2
700-749.....	22	127	34.9	12	61	30.4	10	65	39.6
750-799.....	19	79	39.8	13	60	37.7	6	20	42.1
800-849.....	27	133	48.2	13	59	44.9	14	74	51.6
850-899.....	18	80	53.2	11	52	51.3	7	28	55.2
900-949.....	21	81	58.2	8	32	55.2	13	48	61.4
950-999.....	16	94	64.1	10	55	62.0	6	39	66.4
1,000-1,099.....	42	185	75.7	21	101	74.3	21	84	77.2
1,100-1,199.....	31	131	83.9	17	76	83.6	14	55	84.2
1,200-1,299.....	17	71	88.3	8	37	88.1	9	34	88.6
1,300-1,399.....	14	58	92.0	6	27	91.4	8	31	92.5
1,400-1,499.....	6	28	93.7	3	14	93.1	3	14	94.4
1,500 or more.....	21	100	100.0	11	56	100.0	10	44	100.0
Income below poverty level^{1/}									
Total.....	84	315	100.0	48	177	100.0	36	138	100.0
Less than 300.....	1	3	.8	*	*	*	*	*	*
300-399.....	3	10	4.1	*	*	*	*	*	*
400-449.....	-	-	4.1	*	*	*	*	*	*
450-499.....	5	19	10.0	*	*	*	*	*	*
500-549.....	5	19	16.1	*	*	*	*	*	*
550-599.....	5	20	22.4	*	*	*	*	*	*
600-649.....	10	40	35.3	*	*	*	*	*	*
650-699.....	5	21	41.9	*	*	*	*	*	*
700-749.....	6	25	49.9	*	*	*	*	*	*
750-799.....	6	19	55.8	*	*	*	*	*	*
800-849.....	8	29	65.1	*	*	*	*	*	*
850-899.....	4	16	70.3	*	*	*	*	*	*
900-949.....	4	14	74.7	*	*	*	*	*	*
950-999.....	2	8	77.0	*	*	*	*	*	*
1,000-1,099.....	10	34	87.9	*	*	*	*	*	*
1,100-1,199.....	4	19	94.1	*	*	*	*	*	*
1,200-1,299.....	1	2	94.7	*	*	*	*	*	*
1,300-1,399.....	3	12	98.4	*	*	*	*	*	*
1,400-1,499.....	-	-	98.4	*	*	*	*	*	*
1,500 or more.....	2	5	100.0	*	*	*	*	*	*
Income above poverty level^{1/}									
Total.....	256	1,226	100.0	121	614	100.0	135	612	100.0
Less than 300.....	7	31	2.5	4	21	3.4	3	10	1.7
300-399.....	8	34	5.3	4	17	6.2	4	16	4.3
400-449.....	4	13	6.4	2	6	7.2	2	7	5.5
450-499.....	6	31	8.9	2	11	8.9	4	20	8.8
500-549.....	8	32	11.5	3	11	10.8	5	21	12.3
550-599.....	6	18	13.0	3	7	11.9	3	12	14.2
600-649.....	14	69	18.6	5	26	16.0	9	43	21.2
650-699.....	12	62	23.7	7	30	20.9	5	32	26.5
700-749.....	15	97	31.6	9	52	29.3	6	45	33.8
750-799.....	12	57	36.2	9	47	37.0	3	10	35.5
800-849.....	17	89	43.5	7	32	42.3	10	57	44.7
850-899.....	14	64	48.7	8	40	48.7	6	24	48.7
900-949.....	16	64	53.9	4	19	51.7	12	46	56.2
950-999.....	13	84	60.8	7	45	59.1	6	39	62.6
1,000-1,099.....	29	146	72.7	12	78	71.8	17	67	73.6
1,100-1,199.....	24	99	80.8	12	54	80.6	12	45	80.9
1,200-1,299.....	15	66	86.2	6	32	85.8	9	34	86.5
1,300-1,399.....	11	46	89.9	5	22	89.4	6	24	90.5
1,400-1,499.....	6	28	92.2	3	14	91.6	3	14	92.8
1,500 or more.....	19	95	100.0	9	51	100.0	10	44	100.0

1/ Excludes unknown income.

Table 3-80. Cumulative percent distribution of phosphorus intake values in milligrams per 1,000 calories for persons aged 1-2 years by sex and income level: United States, 1976-80

Income level and phosphorus in milligrams per 1,000 calories	Both Sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	1,417	6,078	100.0	745	3,107	100.0	672	2,970	100.0
Less than 300.....	12	61	1.0	4	19	.6	8	42	1.4
300-399.....	43	202	4.3	25	106	4.0	18	96	4.6
400-449.....	53	224	8.0	32	133	8.3	21	91	7.7
450-499.....	78	373	14.1	42	194	14.5	36	179	13.7
500-549.....	113	464	21.8	62	249	22.6	51	215	20.9
550-599.....	143	555	30.9	71	274	31.4	72	280	30.4
600-649.....	148	582	40.5	80	312	41.4	68	270	39.5
650-699.....	146	658	51.3	81	336	52.3	65	322	50.3
700-749.....	135	553	60.4	77	309	62.2	58	244	58.6
750-799.....	118	522	69.0	57	244	70.0	61	278	67.9
800-849.....	87	371	75.1	36	158	75.1	51	213	75.1
850-899.....	78	358	81.0	40	163	80.4	38	194	81.6
900-949.....	65	277	85.5	34	131	84.6	31	145	86.5
950-999.....	51	215	89.1	24	98	87.8	27	117	90.4
1,000-1,099.....	79	348	94.8	41	188	93.8	38	161	95.8
1,100-1,199.....	37	151	97.3	22	96	96.9	15	55	97.7
1,200-1,299.....	12	69	98.4	6	37	98.1	6	33	98.8
1,300-1,399.....	8	40	99.1	6	32	99.1	2	8	99.1
1,400-1,499.....	5	23	99.5	2	9	99.4	3	14	99.5
1,500 or more.....	6	31	100.0	3	18	100.0	3	14	100.0
Income below poverty level^{1/}									
Total.....	323	1,163	100.0	170	601	100.0	153	562	100.0
Less than 300.....	3	14	1.2	2	11	1.8	1	3	.5
300-399.....	8	28	3.6	2	5	2.6	6	24	4.7
400-449.....	12	41	7.1	6	16	5.3	6	24	9.0
450-499.....	16	69	13.0	8	30	10.4	8	39	15.9
500-549.....	30	105	22.0	16	50	18.8	14	54	25.5
550-599.....	35	106	31.2	17	52	27.5	18	54	35.1
600-649.....	39	132	42.5	18	64	38.0	21	68	47.2
650-699.....	30	96	50.7	16	55	47.2	14	40	54.4
700-749.....	30	101	59.4	17	51	55.7	13	50	63.3
750-799.....	26	99	67.9	18	67	66.9	8	32	69.0
800-849.....	18	82	75.0	9	48	74.9	9	34	75.1
850-899.....	19	76	81.5	8	24	78.9	11	52	84.3
900-949.....	12	42	85.1	7	22	82.6	5	20	87.8
950-999.....	12	46	89.1	6	22	86.3	6	24	92.0
1,000-1,099.....	19	72	95.3	12	48	94.3	7	24	96.3
1,100-1,199.....	10	35	98.2	5	16	97.0	5	18	99.5
1,200-1,299.....	3	18	99.7	3	18	100.0	-	-	99.5
1,300-1,399.....	-	-	99.7	-	-	100.0	-	-	99.5
1,400-1,499.....	-	-	99.7	-	-	100.0	-	-	99.5
1,500 or more.....	1	3	100.0	-	-	100.0	1	3	100.0
Income above poverty level^{1/}									
Total.....	1,056	4,767	100.0	551	2,416	100.0	505	2,351	100.0
Less than 300.....	9	48	1.0	2	8	.3	7	39	1.7
300-399.....	34	167	4.5	22	95	4.3	12	72	4.7
400-449.....	41	184	8.4	26	117	9.1	15	67	7.6
450-499.....	61	295	14.6	33	155	15.5	28	140	13.5
500-549.....	82	354	22.0	46	199	23.8	36	155	20.1
550-599.....	101	420	30.8	48	196	31.9	53	224	29.6
600-649.....	101	426	39.7	56	228	41.3	45	198	38.1
650-699.....	112	546	51.2	62	272	52.6	50	274	49.7
700-749.....	98	425	60.1	57	251	63.0	41	174	57.1
750-799.....	92	423	68.9	39	177	70.3	53	246	67.6
800-849.....	66	280	74.8	25	105	74.6	41	175	75.0
850-899.....	59	282	80.7	32	139	80.4	27	143	81.1
900-949.....	52	230	85.6	27	109	84.9	25	121	86.2
950-999.....	37	162	89.0	18	76	88.0	19	87	89.9
1,000-1,099.....	60	276	94.8	29	140	93.8	31	137	95.8
1,100-1,199.....	24	105	97.0	15	70	96.8	9	35	97.2
1,200-1,299.....	9	52	98.1	3	19	97.5	6	33	98.6
1,300-1,399.....	8	40	98.9	6	32	98.9	2	8	98.9
1,400-1,499.....	5	23	99.4	2	9	99.3	3	14	99.5
1,500 or more.....	5	28	100.0	3	18	100.0	2	11	100.0

^{1/} Excludes unknown income.

Table 3-81. Cumulative percent distribution of phosphorus intake values in milligrams per 1,000 calories for persons aged 3-5 years by sex and income level: United States, 1976-80

Income level and phosphorus in milligrams per 1,000 calories	Both Sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	2,345	9,186	100.0	1,219	4,695	100.0	1,126	4,491	100.0
Less than 300.....	21	70	.8	8	24	.5	13	46	1.0
300-399.....	115	417	5.3	61	208	4.9	54	209	5.7
400-449.....	100	388	9.5	52	182	8.8	48	205	10.3
450-499.....	191	745	17.6	96	375	16.8	95	370	18.5
500-549.....	223	840	26.8	125	453	26.5	98	387	27.1
550-599.....	270	1,041	38.1	133	537	37.9	137	504	38.3
600-649.....	271	1,061	49.7	151	608	50.8	120	453	48.4
650-699.....	260	1,011	60.7	131	494	61.4	129	517	59.9
700-749.....	233	919	70.7	123	470	71.4	110	449	69.9
750-799.....	200	868	80.1	102	443	80.8	98	424	79.4
800-849.....	162	609	86.8	85	302	87.3	77	307	86.2
850-899.....	113	463	91.8	56	219	91.9	57	244	91.7
900-949.....	75	324	95.3	40	156	95.2	35	168	95.4
950-999.....	40	151	96.9	18	65	96.6	22	86	97.3
1,000-1,099.....	43	165	98.8	24	98	98.7	19	67	98.8
1,100-1,199.....	17	65	99.4	8	32	99.4	9	33	99.5
1,200-1,299.....	6	23	99.7	5	21	99.8	1	2	99.6
1,300-1,399.....	4	23	99.9	1	8	100.0	3	15	99.9
1,400-1,499.....	1	4	100.0	-	-	100.0	1	4	100.0
1,500 or more.....	-	-	100.0	-	-	100.0	-	-	100.0
Income below poverty level^{1/}									
Total.....	570	1,855	100.0	298	910	100.0	272	945	100.0
Less than 300.....	3	10	.5	-	-	-	3	10	1.0
300-399.....	34	109	6.4	21	62	6.8	13	47	6.0
400-449.....	25	79	10.7	15	49	12.1	10	31	9.3
450-499.....	50	164	19.5	25	85	21.5	25	79	17.6
500-549.....	58	199	30.2	34	109	33.4	24	90	27.2
550-599.....	70	218	42.0	34	110	45.5	36	108	38.6
600-649.....	68	205	53.0	39	113	57.9	29	91	48.3
650-699.....	70	235	65.6	37	107	69.7	33	128	61.8
700-749.....	50	165	74.5	21	63	76.6	29	101	72.5
750-799.....	47	150	82.6	28	82	85.6	19	68	79.7
800-849.....	36	123	89.3	13	41	90.1	23	82	88.4
850-899.....	21	72	93.1	13	36	94.0	8	37	92.3
900-949.....	18	63	96.5	8	25	96.7	10	38	96.3
950-999.....	4	9	97.0	1	2	97.0	3	7	97.1
1,000-1,099.....	6	17	98.0	5	14	98.5	1	3	97.4
1,100-1,199.....	7	26	99.4	4	13	100.0	3	12	98.7
1,200-1,299.....	1	2	99.5	-	-	100.0	1	2	99.0
1,300-1,399.....	2	10	100.0	-	-	100.0	2	10	100.0
1,400-1,499.....	-	-	100.0	-	-	100.0	-	-	100.0
1,500 or more.....	-	-	100.0	-	-	100.0	-	-	100.0
Income above poverty level^{1/}									
Total.....	1,707	7,102	100.0	892	3,683	100.0	815	3,419	100.0
Less than 300.....	18	61	.8	8	24	.6	10	37	1.1
300-399.....	75	292	5.0	40	147	4.6	35	146	5.3
400-449.....	73	299	9.2	37	134	8.3	36	165	10.2
450-499.....	132	559	17.0	65	276	15.7	67	283	18.4
500-549.....	158	624	25.8	89	340	25.0	69	283	26.7
550-599.....	197	815	37.3	98	425	36.5	99	390	38.1
600-649.....	193	811	48.7	107	471	49.3	86	341	48.1
650-699.....	182	750	59.3	92	381	59.6	90	369	58.9
700-749.....	178	738	69.7	100	401	70.5	78	336	68.7
750-799.....	147	695	79.4	72	352	80.1	75	343	78.8
800-849.....	122	472	86.1	68	248	86.8	54	225	85.3
850-899.....	92	391	91.6	43	183	91.8	49	208	91.4
900-949.....	52	240	95.0	29	116	95.0	23	124	95.0
950-999.....	35	136	96.9	16	57	96.5	19	79	97.3
1,000-1,099.....	35	143	98.9	18	82	98.7	17	61	99.1
1,100-1,199.....	10	39	99.5	4	19	99.2	6	20	99.7
1,200-1,299.....	5	21	99.8	5	21	99.8	-	-	99.7
1,300-1,399.....	2	13	99.9	1	8	100.0	1	5	99.9
1,400-1,499.....	1	4	100.0	-	-	100.0	1	4	100.0
1,500 or more.....	-	-	100.0	-	-	100.0	-	-	100.0

1/ Excludes unknown income.

Table 3-82. Cumulative percent distribution of phosphorus intake values in milligrams per 1,000 calories for persons aged 6-8 years by sex and income level: United States, 1976-80

Income level and phosphorus in milligrams per 1,000 calories	Both Sexes			Male			Female		
	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent
All incomes									
Total.....	843	10,213	100.0	428	5,336	100.0	415	4,877	100.0
Less than 300.....	3	28	.3	2	14	.3	1	14	.3
300-399.....	43	494	5.1	17	191	3.8	26	303	6.5
400-449.....	33	368	8.7	15	175	7.1	18	193	10.5
450-499.....	62	718	15.8	31	389	14.4	31	329	17.2
500-549.....	65	803	23.6	31	405	22.0	34	397	25.4
550-599.....	118	1,404	37.3	54	630	33.8	64	774	41.2
600-649.....	82	1,109	48.2	42	681	46.6	40	428	50.0
650-699.....	110	1,272	60.7	55	606	57.9	55	666	63.6
700-749.....	89	1,021	70.7	44	547	68.2	45	473	73.3
750-799.....	77	927	79.7	49	579	79.0	28	348	80.5
800-849.....	54	632	85.9	33	411	86.8	21	222	85.0
850-899.....	42	575	91.6	23	284	92.1	19	290	91.0
900-949.....	23	281	94.3	11	129	94.5	12	152	94.1
950-999.....	20	258	96.8	10	142	97.1	10	116	96.5
1,000-1,099.....	17	238	99.2	8	106	99.1	9	132	99.2
1,100-1,199.....	2	33	99.5	1	12	99.4	1	21	99.6
1,200-1,299.....	3	52	100.0	2	34	100.0	1	18	100.0
1,300-1,399.....	-	-	100.0	-	-	100.0	-	-	100.0
1,400-1,499.....	-	-	100.0	-	-	100.0	-	-	100.0
1,500 or more.....	-	-	100.0	-	-	100.0	-	-	100.0
Income below poverty level^{1/}									
Total.....	177	1,769	100.0	82	900	100.0	95	869	100.0
Less than 300.....	-	-	-	-	-	-	-	-	-
300-399.....	10	80	4.5	3	20	2.3	7	60	6.9
400-449.....	10	83	9.2	7	65	9.5	3	18	8.9
450-499.....	11	112	15.5	5	66	16.8	6	46	14.2
500-549.....	13	122	22.4	5	44	21.7	8	77	23.1
550-599.....	27	285	38.5	9	122	35.2	18	163	41.9
600-649.....	21	251	52.7	8	121	48.6	13	130	56.9
650-699.....	21	198	63.8	11	104	60.1	10	94	67.7
700-749.....	19	175	73.8	7	69	67.8	12	106	79.9
750-799.....	15	131	81.1	9	83	77.1	6	47	85.3
800-849.....	11	120	87.9	9	90	87.1	2	29	88.7
850-899.....	7	66	91.6	4	38	91.3	3	28	92.0
900-949.....	5	49	94.4	1	10	92.5	4	39	96.4
950-999.....	5	78	98.8	4	68	100.0	1	10	97.6
1,000-1,099.....	2	21	100.0	-	-	100.0	2	21	100.0
1,100-1,199.....	-	-	100.0	-	-	100.0	-	-	100.0
1,200-1,299.....	-	-	100.0	-	-	100.0	-	-	100.0
1,300-1,399.....	-	-	100.0	-	-	100.0	-	-	100.0
1,400-1,499.....	-	-	100.0	-	-	100.0	-	-	100.0
1,500 or more.....	-	-	100.0	-	-	100.0	-	-	100.0
Income above poverty level^{1/}									
Total.....	644	8,118	100.0	336	4,254	100.0	308	3,864	100.0
Less than 300.....	3	28	.3	2	14	.3	1	14	.4
300-399.....	32	402	5.3	13	159	4.1	19	243	6.7
400-449.....	23	285	8.8	8	110	6.6	15	175	11.2
450-499.....	50	600	16.2	25	316	14.1	25	283	18.5
500-549.....	49	641	24.1	24	328	21.8	25	313	26.6
550-599.....	87	1,070	37.3	44	501	33.6	43	569	41.4
600-649.....	58	787	47.0	32	500	45.3	26	288	48.8
650-699.....	86	1,026	59.6	43	490	56.8	43	537	62.7
700-749.....	68	817	69.7	36	456	67.6	32	361	72.0
750-799.....	61	769	79.2	39	468	78.6	22	301	79.8
800-849.....	40	486	85.1	24	320	86.1	16	165	84.1
850-899.....	35	509	91.4	19	246	91.9	16	262	90.9
900-949.....	18	232	94.3	10	119	94.7	8	114	93.8
950-999.....	15	180	96.5	6	74	96.4	9	105	96.6
1,000-1,099.....	14	200	99.0	8	106	98.9	6	94	99.0
1,100-1,199.....	2	33	99.4	1	12	99.2	1	21	99.5
1,200-1,299.....	3	52	100.0	2	34	100.0	1	18	100.0
1,300-1,399.....	-	-	100.0	-	-	100.0	-	-	100.0
1,400-1,499.....	-	-	100.0	-	-	100.0	-	-	100.0
1,500 or more.....	-	-	100.0	-	-	100.0	-	-	100.0

^{1/} Excludes unknown income.

Table 3-83. Cumulative percent distribution of phosphorus intake values in milligrams per 1,000 calories for persons aged 9-11 years by sex and income level: United States, 1976-80

Income level and phosphorus in milligrams per 1,000 calories	Both Sexes			Male			Female		
	Exam-ined persons	Esti-mated population in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated population in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated population in thou-sands	Cumulative percent
All incomes									
Total.....	882	10,667	100.0	457	5,310	100.0	425	5,357	100.0
Less than 300.....	12	134	1.3	6	70	1.3	6	65	1.2
300-399.....	38	486	5.8	20	256	6.1	18	230	5.5
400-449.....	43	522	10.7	20	201	9.9	23	321	11.5
450-499.....	79	945	19.6	37	460	18.6	42	485	20.5
500-549.....	86	1,053	29.4	48	550	28.9	38	503	29.9
550-599.....	102	1,157	40.3	47	478	37.9	55	679	42.6
600-649.....	94	1,037	50.0	52	545	48.2	42	492	51.8
650-699.....	102	1,252	61.7	57	677	60.9	45	575	62.5
700-749.....	87	1,077	71.8	50	579	71.8	37	498	71.8
750-799.....	77	1,001	81.2	41	540	82.0	36	461	80.4
800-849.....	56	661	87.4	26	296	87.6	30	364	87.2
850-899.....	37	487	92.0	17	239	92.1	20	248	91.8
900-949.....	30	383	95.6	18	201	95.9	12	183	95.3
950-999.....	14	153	97.0	4	46	96.8	10	107	97.3
1,000-1,099.....	18	224	99.1	12	146	99.5	6	78	98.7
1,100-1,199.....	4	53	99.6	1	19	99.8	3	34	99.4
1,200-1,299.....	3	42	100.0	1	8	100.0	2	34	100.0
1,300-1,399.....	-	-	100.0	-	-	100.0	-	-	100.0
1,400-1,499.....	-	-	100.0	-	-	100.0	-	-	100.0
1,500 or more.....	-	-	100.0	-	-	100.0	-	-	100.0
Income below poverty level ^{1/}									
Total.....	190	1,967	100.0	88	854	100.0	102	1,113	100.0
Less than 300.....	4	33	1.7	1	6	.8	3	27	2.4
300-399.....	6	73	5.4	4	45	6.0	2	29	4.9
400-449.....	10	92	10.1	4	30	9.5	6	62	10.5
450-499.....	18	187	19.6	9	92	20.3	9	95	19.0
500-549.....	18	207	30.1	9	99	31.9	9	108	28.7
550-599.....	22	211	40.8	7	61	39.1	15	150	42.2
600-649.....	22	225	52.3	10	83	48.8	12	142	54.9
650-699.....	25	230	64.0	16	143	65.6	9	86	62.7
700-749.....	18	194	73.8	10	102	77.6	8	92	71.0
750-799.....	16	181	83.0	6	61	84.7	10	120	81.8
800-849.....	8	72	86.7	1	8	85.6	7	65	87.6
850-899.....	10	124	93.0	3	27	88.7	7	97	96.3
900-949.....	5	45	95.3	4	37	93.1	1	8	97.0
950-999.....	2	15	96.1	-	-	93.1	2	15	98.3
1,000-1,099.....	6	77	100.0	4	59	100.0	2	19	100.0
1,100-1,199.....	-	-	100.0	-	-	100.0	-	-	100.0
1,200-1,299.....	-	-	100.0	-	-	100.0	-	-	100.0
1,300-1,399.....	-	-	100.0	-	-	100.0	-	-	100.0
1,400-1,499.....	-	-	100.0	-	-	100.0	-	-	100.0
1,500 or more.....	-	-	100.0	-	-	100.0	-	-	100.0
Income above poverty level ^{1/}									
Total.....	663	8,370	100.0	356	4,321	100.0	307	4,049	100.0
Less than 300.....	8	101	1.2	5	63	1.5	3	38	.9
300-399.....	30	380	5.8	16	212	6.4	14	168	5.1
400-449.....	33	430	10.9	16	171	10.3	17	260	11.5
450-499.....	58	721	19.5	26	355	18.5	32	367	20.6
500-549.....	67	830	29.4	38	435	28.6	29	395	30.3
550-599.....	73	884	40.0	37	393	37.7	36	491	42.4
600-649.....	68	785	49.3	39	442	47.9	29	343	50.9
650-699.....	72	953	60.7	39	503	59.5	33	450	62.0
700-749.....	65	824	70.6	38	444	69.8	27	380	71.4
750-799.....	58	792	80.0	35	479	80.9	23	313	79.1
800-849.....	48	588	87.1	25	289	87.6	23	300	86.5
850-899.....	27	363	91.4	14	212	92.5	13	151	90.2
900-949.....	25	339	95.4	14	164	96.3	11	175	94.5
950-999.....	12	138	97.1	4	46	97.4	8	92	96.8
1,000-1,099.....	12	147	98.9	8	87	99.4	4	60	98.3
1,100-1,199.....	4	53	99.5	1	19	99.8	3	34	99.1
1,200-1,299.....	3	42	100.0	1	8	100.0	2	34	100.0
1,300-1,399.....	-	-	100.0	-	-	100.0	-	-	100.0
1,400-1,499.....	-	-	100.0	-	-	100.0	-	-	100.0
1,500 or more.....	-	-	100.0	-	-	100.0	-	-	100.0

1/ Excludes unknown income.

Table 3-84. Cumulative percent distribution of phosphorus intake values in milligrams per 1,000 calories for persons aged 12-14 years by sex and income level: United States, 1976-80

Income level and phosphorus in milligrams per 1,000 calories	Both Sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	991	11,632	100.0	504	5,920	100.0	487	5,712	100.0
Less than 300.....	21	242	2.1	8	81	1.4	13	161	2.8
300-399.....	55	637	7.5	18	190	4.6	37	447	10.6
400-449.....	44	459	11.5	16	171	7.5	28	288	15.7
450-499.....	89	1,058	20.6	43	514	16.1	46	544	25.2
500-549.....	89	1,040	29.5	55	654	27.2	34	386	32.0
550-599.....	124	1,487	42.3	61	700	39.0	63	787	45.7
600-649.....	122	1,429	54.6	66	825	53.0	56	603	56.3
650-699.....	127	1,452	67.1	71	827	66.9	56	625	67.3
700-749.....	112	1,281	78.1	55	641	77.8	57	640	78.5
750-799.....	54	635	83.6	29	321	83.2	25	314	83.9
800-849.....	69	838	90.8	33	429	90.4	36	409	91.1
850-899.....	35	424	94.4	14	150	93.0	21	274	95.9
900-949.....	19	237	96.4	15	184	96.1	4	54	96.8
950-999.....	14	190	98.1	11	131	98.3	3	58	97.9
1,000-1,099.....	8	115	99.1	2	15	98.5	6	100	99.6
1,100-1,199.....	5	56	99.5	3	34	99.1	2	22	100.0
1,200-1,299.....	2	29	99.8	2	29	99.6	-	-	100.0
1,300-1,399.....	1	11	99.9	1	11	99.8	-	-	100.0
1,400-1,499.....	1	13	100.0	1	13	100.0	-	-	100.0
1,500 or more.....	-	-	100.0	-	-	100.0	-	-	100.0
Income below poverty level^{1/}									
Total.....	193	1,963	100.0	89	891	100.0	104	1,072	100.0
Less than 300.....	6	79	4.0	-	-	-	6	79	7.4
300-399.....	16	146	11.4	5	45	5.0	11	101	16.8
400-449.....	14	147	18.9	3	27	8.1	11	120	28.0
450-499.....	13	129	25.5	9	97	18.9	4	32	31.0
500-549.....	25	256	38.6	15	151	35.9	10	105	40.8
550-599.....	26	298	53.7	14	168	54.8	12	130	52.9
600-649.....	21	239	65.9	7	77	63.4	14	162	68.0
650-699.....	24	234	77.8	13	114	76.2	11	120	79.2
700-749.....	17	142	85.0	7	69	83.9	10	73	86.0
750-799.....	9	79	89.1	6	51	89.7	3	28	88.6
800-849.....	12	105	94.4	5	53	95.6	7	52	93.4
850-899.....	5	59	97.4	2	16	97.4	3	44	97.5
900-949.....	2	14	98.2	2	14	99.0	-	-	97.5
950-999.....	2	26	99.5	1	9	100.0	1	17	99.1
1,000-1,099.....	1	9	100.0	-	-	100.0	1	9	100.0
1,100-1,199.....	-	-	100.0	-	-	100.0	-	-	100.0
1,200-1,299.....	-	-	100.0	-	-	100.0	-	-	100.0
1,300-1,399.....	-	-	100.0	-	-	100.0	-	-	100.0
1,400-1,499.....	-	-	100.0	-	-	100.0	-	-	100.0
1,500 or more.....	-	-	100.0	-	-	100.0	-	-	100.0
Income above poverty level^{1/}									
Total.....	762	9,255	100.0	399	4,841	100.0	363	4,414	100.0
Less than 300.....	15	163	1.8	8	81	1.7	7	82	1.8
300-399.....	36	458	6.7	12	135	4.5	24	323	9.2
400-449.....	29	306	10.0	13	144	7.4	16	163	12.9
450-499.....	75	920	20.0	33	409	15.9	42	511	24.4
500-549.....	59	725	27.8	38	482	25.8	21	242	29.9
550-599.....	94	1,132	40.0	46	524	36.7	48	609	43.7
600-649.....	93	1,109	52.0	54	696	51.0	39	413	53.1
650-699.....	100	1,197	64.9	56	700	65.5	44	498	64.3
700-749.....	91	1,104	76.9	47	560	77.1	44	544	76.7
750-799.....	43	541	82.7	23	270	82.6	20	271	82.8
800-849.....	54	670	90.0	25	314	89.1	29	357	90.9
850-899.....	28	329	93.5	12	134	91.9	16	195	95.3
900-949.....	17	223	95.9	13	169	95.4	4	54	96.5
950-999.....	12	163	97.7	10	122	97.9	2	41	97.4
1,000-1,099.....	7	106	98.8	2	15	98.2	5	91	99.5
1,100-1,199.....	5	56	99.4	3	34	98.9	2	22	100.0
1,200-1,299.....	2	29	99.8	2	29	99.5	-	-	100.0
1,300-1,399.....	1	11	99.9	1	11	99.7	-	-	100.0
1,400-1,499.....	1	13	100.0	1	13	100.0	-	-	100.0
1,500 or more.....	-	-	100.0	-	-	100.0	-	-	100.0

1/ Excludes unknown income.

Table 3-85. Cumulative percent distribution of phosphorus intake values in milligrams per 1,000 calories for persons aged 15-17 years by sex and income level: United States, 1976-80

Income level and phosphorus in milligrams per 1,000 calories	Both Sexes			Male			Female		
	Exam-ined persons	Esti-mated population in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent
All incomes									
Total.....	<u>1</u> /983	12,441	100.0	<u>1</u> /534	6,309	100.0	449	6,131	100.0
Less than 300.....	32	371	3.0	11	120	1.9	21	251	4.1
300-399.....	76	1,002	11.0	33	396	8.2	43	606	14.0
400-449.....	67	885	18.1	27	314	13.1	40	571	23.3
450-499.....	87	994	26.1	44	441	20.1	43	553	32.3
500-549.....	88	1,131	35.2	49	578	29.3	39	553	41.3
550-599.....	98	1,137	44.4	58	647	39.5	40	490	49.3
600-649.....	108	1,337	55.1	63	735	51.2	45	602	59.1
650-699.....	112	1,362	66.1	60	698	62.3	52	664	70.0
700-749.....	91	1,100	74.9	61	678	73.0	30	422	76.9
750-799.....	61	836	81.6	34	462	80.3	27	374	83.0
800-849.....	52	683	87.1	34	442	87.3	18	241	86.9
850-899.....	35	488	91.0	22	251	91.3	13	236	90.8
900-949.....	22	305	93.5	10	135	93.4	12	171	93.5
950-999.....	20	303	95.9	13	189	96.4	7	114	95.4
1,000-1,099.....	21	296	98.3	10	130	98.5	11	166	98.1
1,100-1,199.....	4	70	98.9	2	33	99.0	2	37	98.7
1,200-1,299.....	6	90	99.6	2	39	99.6	4	50	99.5
1,300-1,399.....	2	30	99.8	1	23	100.0	1	7	99.6
1,400-1,499.....	-	-	99.8	-	-	100.0	-	-	99.6
1,500 or more.....	1	22	100.0	-	-	100.0	1	22	100.0
Income below poverty level^{2/}									
Total.....	177	2,073	100.0	89	974	100.0	88	1,099	100.0
Less than 300.....	9	112	5.4	5	61	6.3	4	51	4.6
300-399.....	17	192	14.7	6	67	13.2	11	125	16.0
400-449.....	17	210	24.8	7	58	19.1	10	152	29.8
450-499.....	19	199	34.4	9	79	27.3	10	120	40.8
500-549.....	16	216	44.8	7	75	35.0	9	141	53.5
550-599.....	20	190	54.0	15	140	49.4	5	49	58.0
600-649.....	16	171	62.2	8	96	59.2	8	76	64.9
650-699.....	22	262	74.9	8	89	68.3	14	174	80.7
700-749.....	12	113	80.3	7	67	75.2	5	45	84.9
750-799.....	15	221	91.0	9	130	88.5	6	91	93.1
800-849.....	4	56	93.6	2	31	91.7	2	25	95.4
850-899.....	4	33	95.2	3	21	93.9	1	11	96.4
900-949.....	4	66	98.4	1	27	96.6	3	39	100.0
950-999.....	-	-	98.4	-	-	96.6	-	-	100.0
1,000-1,099.....	1	10	98.9	1	10	97.7	-	-	100.0
1,100-1,199.....	-	-	98.9	-	-	97.7	-	-	100.0
1,200-1,299.....	-	-	98.9	-	-	97.7	-	-	100.0
1,300-1,399.....	1	23	100.0	1	23	100.0	-	-	100.0
1,400-1,499.....	-	-	100.0	-	-	100.0	-	-	100.0
1,500 or more.....	-	-	100.0	-	-	100.0	-	-	100.0
Income above poverty level^{2/}									
Total.....	<u>1</u> /759	9,750	100.0	<u>1</u> /417	4,992	100.0	342	4,758	100.0
Less than 300.....	23	259	2.7	6	58	1.2	17	201	4.2
300-399.....	58	768	10.5	27	329	7.8	31	439	13.4
400-449.....	44	586	16.5	17	200	11.8	27	387	21.6
450-499.....	62	733	24.1	29	300	17.8	33	433	30.7
500-549.....	69	878	33.1	42	503	27.8	27	375	38.6
550-599.....	75	902	42.3	40	461	37.1	35	441	47.8
600-649.....	84	1,064	53.2	51	597	49.0	33	467	57.6
650-699.....	87	1,069	64.2	51	599	61.0	36	470	67.5
700-749.....	72	907	73.5	48	546	72.0	24	361	75.1
750-799.....	44	586	79.5	24	319	78.4	20	267	80.7
800-849.....	45	591	85.6	30	390	86.2	15	201	84.9
850-899.....	27	404	89.7	18	215	90.5	9	189	88.9
900-949.....	18	240	92.2	9	108	92.6	9	132	91.7
950-999.....	19	290	95.1	12	176	96.2	7	114	94.1
1,000-1,099.....	20	285	98.1	9	119	98.6	11	166	97.5
1,100-1,199.....	4	70	98.8	2	33	99.2	2	37	98.3
1,200-1,299.....	6	90	99.7	2	39	100.0	4	50	99.4
1,300-1,399.....	1	7	99.8	-	-	100.0	1	7	99.5
1,400-1,499.....	-	-	99.8	-	-	100.0	-	-	99.5
1,500 or more.....	1	22	100.0	-	-	100.0	1	22	100.0

1/ Excludes 1 examined person with zero calories.
 2/ Excludes unknown income.

Table 3-86. Cumulative percent distribution of phosphorus intake values in milligrams per 1,000 calories for persons aged 18-24 years by sex and income level: United States, 1976-80

Income level and phosphorus in milligrams per 1,000 calories	Both Sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	1/2,053	27,439	100.0	988	13,275	100.0	1/1,065	14,164	100.0
Less than 300.....	41	508	1.8	10	123	.9	31	385	2.7
300-399.....	131	1,676	8.0	52	679	6.0	79	997	9.8
400-449.....	158	2,155	15.8	66	846	12.4	92	1,309	19.0
450-499.....	180	2,455	24.8	82	1,095	20.7	98	1,361	28.6
500-549.....	234	3,082	36.0	106	1,390	31.1	128	1,692	40.5
550-599.....	239	3,147	47.5	128	1,686	43.8	111	1,461	50.9
600-649.....	239	3,183	59.1	124	1,714	56.8	115	1,469	61.2
650-699.....	177	2,278	67.4	104	1,395	67.3	73	882	67.5
700-749.....	167	2,398	76.1	89	1,337	77.3	78	1,060	74.9
750-799.....	136	1,896	83.0	64	874	83.9	72	1,022	82.2
800-849.....	112	1,449	88.3	60	792	89.9	52	657	86.8
850-899.....	78	999	91.9	39	533	93.9	39	466	90.1
900-949.....	54	664	94.4	26	297	96.1	28	367	92.7
950-999.....	31	429	95.9	9	123	97.1	22	306	94.8
1,000-1,099.....	44	646	98.3	17	229	98.8	27	417	97.8
1,100-1,199.....	14	210	99.0	7	95	99.5	7	114	98.6
1,200-1,299.....	8	141	99.5	3	39	99.8	5	102	99.3
1,300-1,399.....	5	52	99.7	2	26	100.0	3	27	99.5
1,400-1,499.....	2	14	99.8	-	-	100.0	2	14	99.6
1,500 or more.....	3	56	100.0	-	-	100.0	3	56	100.0
Income below poverty level^{2/}									
Total.....	1/430	5,300	100.0	178	2,237	100.0	1/252	3,063	100.0
Less than 300.....	6	68	1.3	1	15	.7	5	53	1.7
300-399.....	30	378	8.4	11	126	6.3	19	252	10.0
400-449.....	35	443	16.8	13	153	13.1	22	290	19.4
450-499.....	35	507	26.3	12	171	20.8	23	335	30.4
500-549.....	53	690	39.4	20	268	32.8	33	422	44.2
550-599.....	57	643	51.5	23	246	43.8	34	397	57.1
600-649.....	39	435	59.7	21	244	54.7	18	191	63.4
650-699.....	35	413	67.5	11	161	61.9	24	252	71.6
700-749.....	37	504	77.0	16	235	72.4	21	269	80.4
750-799.....	28	333	83.3	14	180	80.4	14	153	85.4
800-849.....	21	214	87.3	9	96	84.7	12	118	89.2
850-899.....	23	300	93.0	13	188	93.1	10	112	92.9
900-949.....	13	163	96.1	7	69	96.2	6	94	95.9
950-999.....	5	64	97.3	2	35	97.8	3	30	96.9
1,000-1,099.....	9	112	99.4	4	39	99.5	5	73	99.3
1,100-1,199.....	1	7	99.5	-	-	99.5	1	7	99.5
1,200-1,299.....	-	-	99.5	-	-	99.5	-	-	99.5
1,300-1,399.....	2	18	99.9	1	11	100.0	1	7	99.8
1,400-1,499.....	1	8	100.0	-	-	100.0	1	8	100.0
1,500 or more.....	-	-	100.0	-	-	100.0	-	-	100.0
Income above poverty level^{2/}									
Total.....	1,541	21,013	100.0	770	10,508	100.0	771	10,505	100.0
Less than 300.....	34	428	2.0	9	108	1.0	25	320	3.0
300-399.....	98	1,257	8.0	40	542	6.2	58	715	9.8
400-449.....	120	1,682	16.0	53	693	12.8	67	989	19.3
450-499.....	136	1,847	24.8	63	855	20.9	73	992	28.7
500-549.....	172	2,219	35.4	83	1,077	31.2	89	1,143	39.6
550-599.....	172	2,384	46.7	96	1,342	43.9	76	1,042	49.5
600-649.....	188	2,572	59.0	102	1,457	57.8	86	1,115	60.1
650-699.....	133	1,758	67.3	89	1,177	69.0	44	581	65.6
700-749.....	121	1,734	75.6	66	963	78.2	55	771	73.0
750-799.....	105	1,535	82.9	50	694	84.8	55	841	81.0
800-849.....	85	1,156	88.4	47	649	91.0	38	507	85.8
850-899.....	53	672	91.6	25	330	94.1	28	343	89.1
900-949.....	40	491	93.9	19	228	96.3	21	263	91.6
950-999.....	24	338	95.5	5	62	96.9	19	276	94.2
1,000-1,099.....	32	498	97.9	12	182	98.6	20	316	97.2
1,100-1,199.....	13	202	98.9	7	95	99.5	6	107	98.2
1,200-1,299.....	8	141	99.5	3	39	99.9	5	102	99.2
1,300-1,399.....	3	35	99.7	1	14	100.0	2	20	99.4
1,400-1,499.....	1	7	99.7	-	-	100.0	1	7	99.5
1,500 or more.....	3	56	100.0	-	-	100.0	3	56	100.0

1/ Excludes 1 examined person with zero calories.
2/ Excludes unknown income.

Table 3-87. Cumulative percent distribution of phosphorus intake values in milligrams per 1,000 calories for persons aged 25-34 years by sex and income level: United States, 1976-80

Income level and phosphorus in milligrams per 1,000 calories	Both Sexes			Male			Female		
	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent
All incomes									
Total.....	1/2,236	32,739	100.0	1,067	15,895	100.0	1/1,169	16,844	100.0
Less than 300.....	38	549	1.7	20	274	1.7	18	275	1.6
300-399.....	160	2,121	8.2	65	850	7.1	95	1,272	9.2
400-449.....	166	2,374	15.4	78	1,085	13.9	88	1,289	16.8
450-499.....	213	3,053	24.7	90	1,305	22.1	123	1,748	27.2
500-549.....	250	3,677	36.0	107	1,649	32.5	143	2,028	39.3
550-599.....	279	3,993	48.2	150	2,144	46.0	129	1,849	50.2
600-649.....	263	3,818	59.8	136	2,026	58.7	127	1,792	60.9
650-699.....	215	3,237	69.7	117	1,847	70.3	98	1,391	69.1
700-749.....	165	2,523	77.4	89	1,401	79.1	76	1,122	75.8
750-799.....	135	2,025	83.6	69	1,051	85.8	66	974	81.6
800-849.....	106	1,632	88.6	51	846	91.1	55	786	86.2
850-899.....	72	1,092	91.9	34	473	94.1	38	619	89.9
900-949.....	51	779	94.3	19	286	95.9	32	492	92.8
950-999.....	37	557	96.0	10	158	96.9	27	399	95.2
1,000-1,099.....	48	750	98.3	18	279	98.6	30	471	98.0
1,100-1,199.....	17	214	98.9	7	83	99.1	10	131	98.8
1,200-1,299.....	10	131	99.3	4	63	99.5	6	68	99.2
1,300-1,399.....	2	26	99.4	-	-	99.5	2	26	99.3
1,400-1,499.....	4	87	99.7	2	32	99.7	2	55	99.7
1,500 or more.....	5	99	100.0	1	42	100.0	4	57	100.0
Income below poverty level^{2/}									
Total.....	253	3,103	100.0	91	1,106	100.0	162	1,997	100.0
Less than 300.....	6	62	2.0	4	40	3.6	2	22	1.1
300-399.....	23	244	9.9	8	80	10.9	15	164	9.3
400-449.....	23	272	18.6	10	96	19.5	13	176	18.1
450-499.....	30	302	28.4	6	76	26.4	24	226	29.5
500-549.....	30	432	42.3	7	111	36.4	23	321	45.5
550-599.....	23	300	51.9	8	99	45.4	15	200	55.6
600-649.....	29	332	62.6	14	168	60.5	15	164	63.8
650-699.....	22	285	71.8	10	123	71.7	12	162	71.9
700-749.....	19	242	79.6	7	99	80.6	12	143	79.1
750-799.....	15	183	85.5	9	96	89.3	6	87	83.5
800-849.....	14	178	91.3	2	24	91.4	12	154	91.2
850-899.....	2	20	91.9	-	-	91.4	2	20	92.2
900-949.....	9	170	97.4	4	68	97.6	5	102	97.3
950-999.....	4	45	98.8	1	15	98.9	3	30	98.8
1,000-1,099.....	3	24	99.6	-	-	98.9	3	24	100.0
1,100-1,199.....	1	12	100.0	1	12	100.0	-	-	100.0
1,200-1,299.....	-	-	100.0	-	-	100.0	-	-	100.0
1,300-1,399.....	-	-	100.0	-	-	100.0	-	-	100.0
1,400-1,499.....	-	-	100.0	-	-	100.0	-	-	100.0
1,500 or more.....	-	-	100.0	-	-	100.0	-	-	100.0
Income above poverty level^{2/}									
Total.....	1/1,926	28,824	100.0	945	14,355	100.0	1/981	14,469	100.0
Less than 300.....	29	445	1.5	13	191	1.3	16	253	1.8
300-399.....	131	1,790	7.8	54	728	6.4	77	1,062	9.1
400-449.....	139	2,053	14.9	66	974	13.2	73	1,079	16.5
450-499.....	178	2,646	24.0	82	1,191	21.5	96	1,455	26.6
500-549.....	214	3,178	35.1	98	1,515	32.0	116	1,662	38.1
550-599.....	251	3,631	47.7	138	1,992	45.9	113	1,638	49.4
600-649.....	226	3,376	59.4	117	1,769	58.2	109	1,607	60.5
650-699.....	190	2,902	69.5	106	1,706	70.1	84	1,196	68.8
700-749.....	139	2,171	77.0	79	1,257	78.9	60	914	75.1
750-799.....	117	1,805	83.3	57	918	85.3	60	887	81.2
800-849.....	91	1,446	88.3	48	814	90.9	43	632	85.6
850-899.....	68	1,047	91.9	33	464	94.2	35	583	89.6
900-949.....	41	586	93.9	15	218	95.7	26	367	92.2
950-999.....	31	491	95.6	9	143	96.7	22	347	94.6
1,000-1,099.....	45	726	98.1	18	279	98.6	27	447	97.7
1,100-1,199.....	15	189	98.8	5	58	99.0	10	131	98.6
1,200-1,299.....	10	131	99.3	4	63	99.5	6	68	99.0
1,300-1,399.....	2	26	99.3	-	-	99.5	2	26	99.2
1,400-1,499.....	4	87	99.7	2	32	99.7	2	55	99.6
1,500 or more.....	5	99	100.0	1	42	100.0	4	57	100.0

1/ Excludes 1 examined person with zero calories.
2/ Excludes unknown income.

Table 3-88. Cumulative percent distribution of phosphorus intake values in milligrams per 1,000 calories for persons aged 35-44 years by sex and income level: United States, 1976-80

Income level and phosphorus in milligrams per 1,000 calories	Both Sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	1,589	23,651	100.0	745	11,367	100.0	844	12,284	100.0
Less than 300.....	33	465	2.0	11	172	1.5	22	293	2.4
300-399.....	92	1,445	8.1	36	612	6.9	56	833	9.2
400-449.....	102	1,374	13.9	44	655	12.7	58	719	15.0
450-499.....	159	2,371	23.9	75	1,128	22.6	84	1,243	25.1
500-549.....	187	2,672	35.2	83	1,170	32.9	104	1,502	37.4
550-599.....	192	2,875	47.4	107	1,745	48.2	85	1,131	46.6
600-649.....	170	2,461	57.8	88	1,241	59.1	82	1,220	56.5
650-699.....	167	2,512	68.4	79	1,165	69.4	88	1,347	67.5
700-749.....	141	2,214	77.8	68	1,120	79.3	73	1,094	76.4
750-799.....	88	1,361	83.5	46	712	85.5	42	650	81.7
800-849.....	78	1,196	88.6	37	532	90.2	41	664	87.1
850-899.....	55	835	92.1	22	368	93.4	33	467	90.9
900-949.....	36	573	94.5	22	341	96.4	14	231	92.8
950-999.....	25	331	95.9	8	125	97.5	17	206	94.4
1,000-1,099.....	29	434	97.8	13	205	99.3	16	229	96.3
1,100-1,199.....	13	212	98.6	1	7	99.4	12	204	98.0
1,200-1,299.....	8	99	99.1	-	-	99.4	8	99	98.8
1,300-1,399.....	4	45	99.3	2	27	99.6	2	18	98.9
1,400-1,499.....	3	74	99.6	-	-	99.6	3	74	99.5
1,500 or more.....	7	101	100.0	3	41	100.0	4	60	100.0
Income below poverty level^{1/}									
Total.....	182	2,364	100.0	63	821	100.0	119	1,543	100.0
Less than 300.....	8	90	3.8	*	*	*	5	53	3.5
300-399.....	8	109	8.4	*	*	*	6	73	8.2
400-449.....	12	143	14.5	*	*	*	10	116	15.7
450-499.....	18	238	24.5	*	*	*	12	164	26.3
500-549.....	28	326	38.3	*	*	*	21	250	42.5
550-599.....	26	327	52.2	*	*	*	13	160	52.9
600-649.....	20	279	64.0	*	*	*	15	220	67.1
650-699.....	19	234	73.9	*	*	*	7	104	73.9
700-749.....	8	120	79.0	*	*	*	5	68	78.3
750-799.....	10	143	85.0	*	*	*	7	90	84.1
800-849.....	9	148	91.3	*	*	*	6	93	90.1
850-899.....	8	96	95.4	*	*	*	6	66	94.4
900-949.....	1	13	95.9	*	*	*	-	-	94.4
950-999.....	1	10	96.3	*	*	*	-	-	94.4
1,000-1,099.....	1	8	96.7	*	*	*	1	8	94.9
1,100-1,199.....	2	19	97.5	*	*	*	2	19	96.1
1,200-1,299.....	-	-	97.5	*	*	*	-	-	96.1
1,300-1,399.....	-	-	97.5	*	*	*	-	-	96.1
1,400-1,499.....	1	24	98.5	*	*	*	1	24	97.6
1,500 or more.....	2	36	100.0	*	*	*	2	36	100.0
Income above poverty level^{1/}									
Total.....	1,360	20,572	100.0	658	10,195	100.0	702	10,377	100.0
Less than 300.....	25	375	1.8	8	135	1.3	17	239	2.3
300-399.....	79	1,254	7.9	31	522	6.4	48	732	9.4
400-449.....	86	1,179	13.6	42	629	12.6	44	550	14.7
450-499.....	136	2,066	23.7	66	1,003	22.4	70	1,063	24.9
500-549.....	152	2,217	34.5	74	1,069	32.9	78	1,148	36.0
550-599.....	161	2,477	46.5	91	1,537	48.0	70	940	45.0
600-649.....	144	2,106	56.7	80	1,154	59.3	64	952	54.2
650-699.....	141	2,166	67.3	61	936	68.5	80	1,230	66.1
700-749.....	130	2,050	77.2	62	1,024	78.5	68	1,026	75.9
750-799.....	77	1,202	83.1	43	658	85.0	34	544	81.2
800-849.....	67	1,024	88.1	33	466	89.6	34	558	86.6
850-899.....	47	739	91.6	20	337	92.9	27	402	90.4
900-949.....	34	545	94.3	21	328	96.1	13	217	92.5
950-999.....	24	322	95.9	7	115	97.2	17	206	94.5
1,000-1,099.....	28	425	97.9	13	205	99.3	15	220	96.6
1,100-1,199.....	10	166	98.7	1	7	99.3	9	159	98.2
1,200-1,299.....	8	99	99.2	-	-	99.3	8	99	99.1
1,300-1,399.....	4	45	99.4	2	27	99.6	2	18	99.3
1,400-1,499.....	2	51	99.7	-	-	99.6	2	51	99.8
1,500 or more.....	5	65	100.0	3	41	100.0	2	23	100.0

^{1/} Excludes unknown income.

Table 3-89. Cumulative percent distribution of phosphorus intake values in milligrams per 1,000 calories for persons aged 45-54 years by sex and income level: United States, 1976-80

Income level and phosphorus in milligrams per 1,000 calories	Both Sexes			Male			Female		
	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent
All incomes									
Total.....	1,453	23,032	100.0	690	11,114	100.0	763	11,918	100.0
Less than 300.....	19	240	1.0	7	81	.7	12	159	1.3
300-399.....	87	1,517	7.6	43	737	7.4	44	780	7.9
400-449.....	90	1,335	13.4	43	680	13.5	47	655	13.4
450-499.....	113	1,816	21.3	45	811	20.8	68	1,005	21.8
500-549.....	157	2,443	31.9	70	1,164	31.3	87	1,279	32.5
550-599.....	174	2,769	43.9	96	1,585	45.5	78	1,184	42.5
600-649.....	167	2,506	54.8	79	1,125	55.6	88	1,381	54.0
650-699.....	157	2,567	66.0	84	1,432	68.5	73	1,135	63.6
700-749.....	116	1,794	73.8	60	884	76.5	56	910	71.2
750-799.....	103	1,567	80.5	53	783	83.5	50	784	77.8
800-849.....	90	1,413	86.7	39	646	89.3	51	768	84.2
850-899.....	52	939	90.8	22	374	92.7	30	565	89.0
900-949.....	43	727	93.9	16	222	94.7	27	504	93.2
950-999.....	29	442	95.8	14	243	96.9	15	199	94.9
1,000-1,099.....	28	515	98.1	10	197	98.7	18	318	97.5
1,100-1,199.....	10	194	98.9	2	48	99.1	8	146	98.8
1,200-1,299.....	10	140	99.5	4	64	99.7	6	76	99.4
1,300-1,399.....	-	-	99.5	-	-	99.7	-	-	99.4
1,400-1,499.....	4	36	99.7	1	8	99.7	3	29	99.6
1,500 or more.....	4	72	100.0	2	29	100.0	2	42	100.0
Income below poverty level^{1/}									
Total.....	128	1,760	100.0	46	645	100.0	82	1,115	100.0
Less than 300.....	2	20	1.1	*	*	*	2	20	1.8
300-399.....	11	166	10.6	*	*	*	8	116	12.2
400-449.....	12	168	20.1	*	*	*	9	126	23.4
450-499.....	10	133	27.7	*	*	*	8	100	32.4
500-549.....	11	151	36.3	*	*	*	7	100	41.3
550-599.....	15	187	46.9	*	*	*	10	138	53.7
600-649.....	13	187	57.5	*	*	*	10	152	67.3
650-699.....	10	177	67.6	*	*	*	6	83	74.8
700-749.....	11	146	75.9	*	*	*	7	84	82.3
750-799.....	11	123	82.9	*	*	*	5	53	87.1
800-849.....	6	95	88.3	*	*	*	3	57	92.2
850-899.....	5	52	91.3	*	*	*	2	19	93.9
900-949.....	2	22	92.5	*	*	*	1	14	95.1
950-999.....	5	66	96.2	*	*	*	1	11	96.1
1,000-1,099.....	1	19	97.3	*	*	*	1	19	97.7
1,100-1,199.....	1	23	98.6	*	*	*	-	-	97.7
1,200-1,299.....	2	25	100.0	*	*	*	2	25	100.0
1,300-1,399.....	-	-	100.0	*	*	*	-	-	100.0
1,400-1,499.....	-	-	100.0	*	*	*	-	-	100.0
1,500 or more.....	-	-	100.0	*	*	*	-	-	100.0
Income above poverty level^{1/}									
Total.....	1,258	20,161	100.0	603	9,738	100.0	655	10,424	100.0
Less than 300.....	13	171	.8	4	43	.4	9	129	1.2
300-399.....	72	1,277	7.2	37	623	6.8	35	654	7.5
400-449.....	73	1,061	12.4	37	559	12.6	36	502	12.3
450-499.....	95	1,574	20.3	38	703	19.8	57	871	20.7
500-549.....	137	2,155	30.9	61	1,044	30.5	76	1,111	31.3
550-599.....	155	2,496	43.3	88	1,467	45.6	67	1,028	41.2
600-649.....	146	2,190	54.2	71	1,011	56.0	75	1,179	52.5
650-699.....	141	2,289	65.5	78	1,293	69.3	63	996	62.1
700-749.....	97	1,505	73.0	50	714	76.6	47	791	69.6
750-799.....	90	1,413	80.0	45	683	83.6	45	731	76.7
800-849.....	83	1,309	86.5	36	608	89.8	47	701	83.4
850-899.....	45	861	90.8	18	329	93.2	27	532	88.5
900-949.....	38	658	94.0	13	174	95.0	25	484	93.1
950-999.....	24	376	95.9	10	188	96.9	14	188	94.9
1,000-1,099.....	24	432	98.0	9	173	98.7	15	260	97.4
1,100-1,199.....	9	172	98.9	1	26	99.0	8	146	98.8
1,200-1,299.....	8	115	99.5	4	64	99.6	4	51	99.3
1,300-1,399.....	-	-	99.5	-	-	99.6	-	-	99.3
1,400-1,499.....	4	36	99.6	1	8	99.7	3	29	99.6
1,500 or more.....	4	72	100.0	2	29	100.0	2	42	100.0

^{1/} Excludes unknown income.

Table 3-90. Cumulative percent distribution of phosphorus intake values in milligrams per 1,000 calories for persons aged 55-64 years by sex and income level: United States, 1976-80

Income level and phosphorus in milligrams per 1,000 calories	Both Sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	1/2,555	20,346	100.0	1/1,226	9,603	100.0	1,329	10,743	100.0
Less than 300.....	29	196	1.0	12	92	1.0	17	103	1.0
300-399.....	138	1,131	6.5	65	565	6.8	73	566	6.2
400-449.....	147	1,318	13.0	79	656	13.7	68	662	12.4
450-499.....	218	1,705	21.4	100	733	21.3	118	973	21.4
500-549.....	267	2,086	31.6	121	930	31.0	146	1,156	32.2
550-599.....	282	2,247	42.7	133	955	40.9	149	1,292	44.2
600-649.....	295	2,337	54.2	134	999	51.3	161	1,338	56.7
650-699.....	256	1,974	63.9	139	1,058	62.3	117	916	65.2
700-749.....	229	1,689	72.2	119	880	71.5	110	809	72.8
750-799.....	179	1,390	79.0	84	700	78.8	95	690	79.2
800-849.....	146	1,339	85.6	76	725	86.4	70	613	84.9
850-899.....	99	713	89.1	45	301	89.5	54	412	88.7
900-949.....	76	632	92.2	33	346	93.1	43	286	91.4
950-999.....	62	481	94.5	28	204	95.2	34	278	94.0
1,000-1,099.....	73	585	97.4	31	241	97.7	42	343	97.2
1,100-1,199.....	24	221	98.5	11	82	98.6	13	139	98.4
1,200-1,299.....	15	150	99.3	6	62	99.2	9	88	99.3
1,300-1,399.....	11	105	99.8	5	50	99.8	6	55	99.8
1,400-1,499.....	6	31	99.9	3	14	99.9	3	17	99.9
1,500 or more.....	3	16	100.0	2	11	100.0	1	6	100.0
Income below poverty level ^{2/}									
Total.....	1/316	1,956	100.0	1/128	775	100.0	188	1,181	100.0
Less than 300.....	9	37	1.9	3	17	2.1	6	21	1.8
300-399.....	19	100	7.0	10	51	8.7	9	49	5.9
400-449.....	20	135	13.9	8	59	16.3	12	76	12.4
450-499.....	22	150	21.6	10	56	23.5	12	94	20.4
500-549.....	39	239	33.8	19	103	36.8	20	136	31.9
550-599.....	33	216	44.9	13	65	45.2	20	151	44.7
600-649.....	36	222	56.3	14	108	59.1	22	114	54.3
650-699.....	24	129	62.8	4	22	62.0	20	107	63.4
700-749.....	23	163	71.2	12	64	70.3	11	99	71.7
750-799.....	24	135	78.1	8	48	76.6	16	87	79.1
800-849.....	19	126	84.5	8	55	83.7	11	71	85.1
850-899.....	11	52	87.2	6	29	87.5	5	22	87.0
900-949.....	13	108	92.7	7	78	97.5	6	31	89.5
950-999.....	13	73	96.4	3	10	98.7	10	63	94.9
1,000-1,099.....	7	52	99.1	1	3	99.1	6	49	99.0
1,100-1,199.....	1	8	99.5	-	-	99.1	1	8	99.7
1,200-1,299.....	-	-	99.5	-	-	99.1	-	-	99.7
1,300-1,399.....	2	7	99.8	1	4	99.6	1	4	100.0
1,400-1,499.....	1	3	100.0	1	3	100.0	-	-	100.0
1,500 or more.....	-	-	100.0	-	-	100.0	-	-	100.0
Income above poverty level ^{2/}									
Total.....	2,119	17,376	100.0	1,048	8,443	100.0	1,071	8,934	100.0
Less than 300.....	20	158	0.9	9	76	0.9	11	82	0.9
300-399.....	110	960	6.4	50	469	6.5	60	491	6.4
400-449.....	120	1,156	13.1	68	588	13.4	52	567	12.8
450-499.....	186	1,486	21.6	88	670	21.4	98	817	21.9
500-549.....	215	1,739	31.6	94	763	30.4	121	976	32.8
550-599.....	229	1,794	42.0	115	850	40.5	114	944	43.4
600-649.....	245	1,995	53.4	113	858	50.6	132	1,137	56.1
650-699.....	224	1,800	63.8	131	1,018	62.7	93	782	64.9
700-749.....	199	1,476	72.3	105	798	72.1	94	678	72.5
750-799.....	146	1,170	79.0	70	603	79.3	76	566	78.8
800-849.....	120	1,131	85.5	64	606	86.5	56	525	84.7
850-899.....	84	635	89.2	38	264	89.6	46	371	88.8
900-949.....	57	462	91.9	24	239	92.4	33	223	91.3
950-999.....	49	408	94.2	25	194	94.7	24	215	93.7
1,000-1,099.....	61	507	97.1	29	235	97.5	32	272	96.8
1,100-1,199.....	23	212	98.3	11	82	98.5	12	131	98.2
1,200-1,299.....	15	150	99.2	6	62	99.2	9	88	99.2
1,300-1,399.....	9	98	99.8	4	46	99.7	5	52	99.8
1,400-1,499.....	5	28	99.9	2	11	99.9	3	17	100.0
1,500 or more.....	2	11	100.0	2	11	100.0	-	-	100.0

1/ Excludes 1 examined person with zero calories.
2/ Excludes unknown income.

Table 3-91. Cumulative percent distribution of phosphorus intake values in milligrams per 1,000 calories for persons aged 65-74 years by sex and income level: United States, 1976-80

Income level and phosphorus in milligrams per 1,000 calories	Both Sexes			Male			Female		
	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent
All incomes									
Total.....	2,615	14,496	100.0	1,199	6,297	100.0	1,416	8,198	100.0
Less than 300.....	21	122	.8	8	45	.7	13	77	.9
300-399.....	130	685	5.6	56	284	5.2	74	401	5.8
400-449.....	149	837	11.3	64	369	11.1	85	469	11.5
450-499.....	197	1,179	19.5	78	419	17.8	119	760	20.8
500-549.....	257	1,380	29.0	126	671	28.4	131	709	29.4
550-599.....	273	1,545	39.7	136	713	39.7	137	831	39.6
600-649.....	285	1,508	50.1	130	670	50.4	155	838	49.8
650-699.....	283	1,618	61.2	135	725	61.9	148	894	60.7
700-749.....	245	1,346	70.5	126	660	72.4	119	686	69.1
750-799.....	195	1,064	77.8	92	491	80.2	103	573	76.1
800-849.....	157	938	84.3	79	428	87.0	78	510	82.3
850-899.....	104	576	88.3	47	214	90.4	57	361	86.7
900-949.....	103	576	92.3	48	251	94.3	55	326	90.7
950-999.....	65	339	94.6	25	122	96.3	40	217	93.3
1,000-1,099.....	79	404	97.4	29	131	98.4	50	273	96.6
1,100-1,199.....	41	202	98.8	12	59	99.3	29	143	98.4
1,200-1,299.....	23	137	99.7	6	38	99.9	17	99	99.6
1,300-1,399.....	6	30	99.9	1	3	99.9	5	27	99.9
1,400-1,499.....	-	-	99.9	-	-	99.9	-	-	99.9
1,500 or more.....	2	10	100.0	1	3	100.0	1	7	100.0
Income below poverty level¹									
Total.....	424	2,003	100.0	168	759	100.0	256	1,245	100.0
Less than 300.....	4	15	.7	1	4	.5	3	11	.9
300-399.....	24	98	5.6	13	54	7.7	11	44	4.4
400-449.....	26	122	11.8	10	49	14.1	16	74	10.3
450-499.....	24	126	18.0	6	26	17.6	18	99	18.3
500-549.....	37	165	26.3	15	73	27.2	22	93	25.7
550-599.....	40	197	36.1	16	71	36.6	24	125	35.8
600-649.....	49	219	47.1	17	66	45.3	32	153	48.1
650-699.....	39	173	55.7	15	63	53.6	24	110	56.9
700-749.....	43	219	66.6	20	105	67.5	23	114	66.1
750-799.....	30	146	73.9	12	54	74.6	18	92	73.5
800-849.....	21	125	80.2	9	58	82.3	12	67	78.9
850-899.....	19	91	84.8	12	42	87.9	7	49	82.9
900-949.....	16	84	89.0	4	17	90.2	12	66	88.2
950-999.....	11	49	91.4	4	19	92.7	7	31	90.6
1,000-1,099.....	21	86	95.7	8	29	96.4	13	57	95.3
1,100-1,199.....	11	52	98.3	5	24	99.6	6	28	97.5
1,200-1,299.....	6	23	99.4	-	-	99.6	6	23	99.4
1,300-1,399.....	2	8	99.8	-	-	99.6	2	8	100.0
1,400-1,499.....	-	-	99.8	-	-	99.6	-	-	100.0
1,500 or more.....	1	3	100.0	1	3	100.0	-	-	100.0

See footnotes at end of table.

Table 3-91. Cumulative percent distribution of phosphorus intake values in milligrams per 1,000 calories for persons aged 65-74 years by sex and income level: United States, 1976-80-Continued

Income level and phosphorus in milligrams per 1,000 calories	Both Sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	2,067	11,819	100.0	987	5,312	100.0	1,080	6,508	100.0
Less than 300.....	15	101	.9	5	35	.7	10	66	1.0
300-399.....	103	570	5.7	43	230	5.0	60	340	6.3
400-449.....	117	683	11.5	53	314	10.9	64	370	11.9
450-499.....	167	1,024	20.1	71	389	18.2	96	635	21.7
500-549.....	210	1,163	30.0	106	569	28.9	104	594	30.8
550-599.....	217	1,258	40.6	114	612	40.4	103	646	40.7
600-649.....	218	1,183	50.6	105	556	50.9	113	627	50.4
650-699.....	229	1,372	62.2	115	640	63.0	114	731	61.6
700-749.....	195	1,089	71.4	103	544	73.2	92	544	70.0
750-799.....	153	851	78.6	77	425	81.2	76	426	76.5
800-849.....	125	748	85.0	64	332	87.5	61	416	82.9
850-899.....	79	442	88.7	35	172	90.7	44	270	87.1
900-949.....	84	476	92.7	43	227	95.0	41	249	90.9
950-999.....	52	280	95.1	20	97	96.8	32	182	93.7
1,000-1,099.....	57	313	97.7	21	102	98.7	36	211	96.9
1,100-1,199.....	27	140	98.9	6	32	99.3	21	108	98.6
1,200-1,299.....	15	104	99.8	5	33	99.9	10	71	99.7
1,300-1,399.....	3	16	99.9	1	3	100.0	2	13	99.9
1,400-1,499.....	-	-	99.9	-	-	100.0	-	-	99.9
1,500 or more.....	1	7	100.0	-	-	100.0	1	7	100.0

^{1/} Excludes unknown income.

Table 3-92. Cumulative percent distribution of iron intake values in milligrams per 1,000 calories for persons aged 6-11 months by sex and income level: United States, 1976-80

Income level and iron in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	356	1,599	100.0	179	819	100.0	177	780	100.0
Less than .5.....	-	-	-	-	-	-	-	-	-
.5-9.....	2	5	.3	1	3	.4	1	2	.3
1.0-1.9.....	5	12	1.1	4	10	1.5	1	2	.6
2.0-2.9.....	21	80	6.1	13	48	7.4	8	31	4.6
3.0-3.9.....	34	167	16.5	20	102	19.9	14	65	13.0
4.0-4.9.....	34	165	26.8	15	72	28.7	19	93	24.9
5.0-5.9.....	39	169	37.4	26	115	42.7	13	54	31.9
6.0-6.9.....	26	129	45.4	9	32	46.6	17	96	44.2
7.0-7.9.....	19	73	50.0	8	32	50.6	11	40	49.4
8.0-8.9.....	9	36	52.2	6	23	53.3	3	13	51.1
9.0-9.9.....	8	32	54.2	4	17	55.4	4	15	53.0
10.0-10.9.....	11	50	57.4	4	22	58.1	7	28	56.7
11.0-11.9.....	16	57	60.9	7	29	61.6	9	27	60.2
12.0-12.9.....	11	40	63.4	2	8	62.6	9	31	64.2
13.0-13.9.....	7	29	65.3	3	15	64.5	4	13	66.0
14.0-14.9.....	7	30	67.1	-	-	64.5	7	29	69.9
15.0-15.9.....	10	49	70.2	7	37	69.1	3	12	71.4
16.0-16.9.....	8	28	72.0	3	9	70.1	5	19	74.0
17.0-17.9.....	7	36	74.2	6	33	74.1	1	3	74.4
18.0-18.9.....	8	37	76.5	6	30	77.8	2	7	75.3
19.0-19.9.....	2	15	77.5	-	-	77.8	2	15	77.2
20.0-20.9.....	9	50	80.6	5	32	81.7	4	17	79.5
21.0-21.9.....	5	36	82.9	4	32	85.6	1	4	80.1
22.0-22.9.....	2	9	83.5	-	-	85.6	2	9	81.2
23.0-23.9.....	4	27	85.2	1	4	86.1	3	22	84.1
24.0-24.9.....	3	19	86.4	1	5	86.8	2	14	86.0
25.0-29.9.....	15	70	90.8	7	33	90.8	8	36	90.7
30.0-34.9.....	7	42	93.4	4	23	93.7	3	18	93.1
35.0 or more.....	27	106	100.0	13	52	100.0	14	53	100.0
Income below poverty level ^{1/}									
Total.....	84	315	100.0	48	177	100.0	36	138	100.0
Less than .5.....	-	-	-	*	*	*	*	*	*
.5-9.....	1	2	.7	*	*	*	*	*	*
1.0-1.9.....	3	8	3.1	*	*	*	*	*	*
2.0-2.9.....	3	18	8.9	*	*	*	*	*	*
3.0-3.9.....	10	32	19.0	*	*	*	*	*	*
4.0-4.9.....	8	30	28.4	*	*	*	*	*	*
5.0-5.9.....	16	53	45.1	*	*	*	*	*	*
6.0-6.9.....	5	15	49.7	*	*	*	*	*	*
7.0-7.9.....	5	18	55.3	*	*	*	*	*	*
8.0-8.9.....	3	12	59.2	*	*	*	*	*	*
9.0-9.9.....	1	5	60.7	*	*	*	*	*	*
10.0-10.9.....	1	4	61.9	*	*	*	*	*	*
11.0-11.9.....	2	6	63.8	*	*	*	*	*	*
12.0-12.9.....	3	11	67.2	*	*	*	*	*	*
13.0-13.9.....	1	3	68.3	*	*	*	*	*	*
14.0-14.9.....	2	11	71.8	*	*	*	*	*	*
15.0-15.9.....	3	14	76.2	*	*	*	*	*	*
16.0-16.9.....	-	-	76.2	*	*	*	*	*	*
17.0-17.9.....	2	10	79.4	*	*	*	*	*	*
18.0-18.9.....	1	4	80.6	*	*	*	*	*	*
19.0-19.9.....	-	-	80.6	*	*	*	*	*	*
20.0-20.9.....	3	20	87.0	*	*	*	*	*	*
21.0-21.9.....	-	-	87.0	*	*	*	*	*	*
22.0-22.9.....	-	-	87.0	*	*	*	*	*	*
23.0-23.9.....	1	4	88.4	*	*	*	*	*	*
24.0-24.9.....	1	5	90.0	*	*	*	*	*	*
25.0-29.9.....	3	14	94.5	*	*	*	*	*	*
30.0-34.9.....	1	5	96.1	*	*	*	*	*	*
35.0 or more.....	5	12	100.0	*	*	*	*	*	*

See footnotes at end of table.

Table 3-92. Cumulative percent distribution of iron intake values in milligrams per 1,000 calories for persons aged 6-11 months by sex and income level: United States, 1976-80-Continued

Income level and iron in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	256	1,226	100.0	121	614	100.0	135	612	100.0
Less than .5.....	-	-	-	-	-	-	-	-	-
.5-9.....	1	3	.3	1	3	.5	-	-	-
1.0-1.9.....	1	3	.5	1	3	.9	-	-	-
2.0-2.9.....	15	55	5.0	8	29	5.6	7	26	4.4
3.0-3.9.....	22	126	15.2	13	84	19.3	9	41	11.1
4.0-4.9.....	25	133	26.0	10	54	28.1	15	78	24.0
5.0-5.9.....	22	111	35.1	12	65	38.7	10	45	31.4
6.0-6.9.....	19	100	43.3	7	29	43.4	12	71	43.1
7.0-7.9.....	13	53	47.6	6	26	47.8	7	26	47.4
8.0-8.9.....	6	24	49.5	5	19	50.9	1	4	48.1
9.0-9.9.....	7	27	51.8	4	17	53.6	3	10	49.9
10.0-10.9.....	10	47	55.5	3	18	56.6	7	28	54.5
11.0-11.9.....	12	45	59.2	5	24	60.5	7	20	57.9
12.0-12.9.....	8	29	61.6	2	8	61.9	6	20	61.3
13.0-13.9.....	6	26	63.7	3	15	64.4	3	10	63.0
14.0-14.9.....	5	19	65.3	-	-	64.4	5	18	66.1
15.0-15.9.....	7	36	68.2	5	28	68.9	2	8	67.4
16.0-16.9.....	8	28	70.5	3	9	70.3	5	19	70.6
17.0-17.9.....	4	21	72.2	3	17	73.2	1	3	71.2
18.0-18.9.....	7	33	74.9	5	26	77.5	2	7	72.3
19.0-19.9.....	2	15	76.1	-	-	77.5	2	15	74.8
20.0-20.9.....	5	26	78.3	4	23	81.2	1	3	75.3
21.0-21.9.....	5	36	81.2	4	32	86.4	1	4	76.1
22.0-22.9.....	2	9	82.0	-	-	86.4	2	9	77.5
23.0-23.9.....	3	23	83.8	-	-	86.4	3	22	81.3
24.0-24.9.....	2	14	85.0	-	-	86.4	2	14	83.6
25.0-29.9.....	12	56	89.6	4	19	89.5	8	36	89.6
30.0-34.9.....	6	37	92.6	3	18	92.5	3	18	92.7
35.0 or more.....	21	91	100.0	10	46	100.0	11	44	100.0

^{1/} Excludes unknown income.

Table 3-93. Cumulative percent distribution of iron intake values in milligrams per 1,000 calories for persons aged 1-2 years by sex and income level: United States, 1976-80

Income level and iron in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	1,417	6,078	100.0	745	3,107	100.0	672	2,970	100.0
Less than 2.5.....	25	108	1.8	12	59	1.9	13	48	1.6
2.5-2.9.....	29	127	3.9	14	65	4.0	15	62	3.7
3.0-3.4.....	57	221	7.5	36	141	8.5	21	79	6.4
3.5-3.9.....	70	282	12.1	41	173	14.1	29	109	10.1
4.0-4.4.....	126	552	21.2	72	296	23.6	54	255	18.7
4.5-4.9.....	149	687	32.5	63	271	32.4	86	416	32.7
5.0-5.4.....	154	663	43.4	79	330	43.0	75	333	43.9
5.5-5.9.....	154	624	53.7	83	329	53.6	71	295	53.8
6.0-6.4.....	122	550	62.7	64	281	62.6	58	269	62.9
6.5-6.9.....	102	441	70.0	55	225	69.8	47	217	70.2
7.0-7.4.....	92	353	75.8	48	183	75.8	44	170	75.9
7.5-7.9.....	63	244	79.8	30	110	79.3	33	134	80.4
8.0-8.4.....	35	148	82.3	22	98	82.4	13	50	82.1
8.5-8.9.....	43	189	85.4	23	101	85.7	20	88	85.1
9.0-9.9.....	49	231	89.2	28	137	90.1	21	95	88.3
10.0-10.9.....	44	205	92.6	21	88	92.9	23	117	92.2
11.0-11.9.....	33	167	95.3	17	72	95.3	16	94	95.4
12.0-12.9.....	16	60	96.3	10	37	96.4	6	23	96.1
13.0-13.9.....	10	41	97.0	5	15	96.9	5	27	97.0
14.0-14.9.....	7	31	97.5	1	8	97.2	6	23	97.8
15.0-15.9.....	5	17	97.7	4	14	97.6	1	3	97.9
16.0-16.9.....	1	6	97.8	1	6	97.8	-	-	97.9
17.0-17.9.....	3	11	98.0	2	9	98.1	1	3	98.0
19.0-19.9.....	1	6	98.3	1	6	98.6	-	-	98.0
20.0 or more.....	24	103	100.0	10	43	100.0	14	61	100.0
Income below poverty level^{1/}									
Total.....	323	1,163	100.0	170	601	100.0	153	562	100.0
Less than 2.5.....	9	40	3.5	5	25	4.2	4	15	2.7
2.5-2.9.....	10	35	6.5	3	9	5.6	7	26	7.4
3.0-3.4.....	11	41	10.0	8	32	11.0	3	9	8.9
3.5-3.9.....	17	66	15.7	10	40	17.6	7	26	13.6
4.0-4.4.....	28	106	24.8	17	62	27.9	11	44	21.4
4.5-4.9.....	38	129	35.9	21	71	39.8	17	58	31.7
5.0-5.4.....	35	111	45.4	12	33	45.4	23	77	45.5
5.5-5.9.....	37	140	57.5	16	54	54.4	21	86	60.8
6.0-6.4.....	21	84	64.8	12	49	62.4	9	36	67.2
6.5-6.9.....	24	80	71.6	13	39	68.9	11	41	74.5
7.0-7.4.....	19	60	76.7	8	29	73.6	11	31	80.0
7.5-7.9.....	15	47	80.8	7	22	77.3	8	25	84.5
8.0-8.4.....	8	23	82.8	6	19	80.5	2	4	85.3
8.5-8.9.....	13	45	86.6	9	32	85.8	4	12	87.5
9.0-9.9.....	7	29	89.1	5	22	89.5	2	7	88.7
10.0-10.9.....	6	31	91.8	3	11	91.2	3	20	92.3
11.0-11.9.....	7	36	94.9	4	15	93.7	3	21	96.1
12.0-12.9.....	6	14	96.1	3	6	94.7	3	7	97.5
13.0-13.9.....	2	9	96.8	1	2	95.0	1	7	98.7
14.0-14.9.....	1	8	97.5	1	8	96.4	-	-	98.7
15.0-15.9.....	2	5	97.9	2	5	97.2	-	-	98.7
16.0-16.9.....	-	-	97.9	-	-	97.2	-	-	98.7
17.0-17.9.....	-	-	97.9	-	-	97.2	-	-	98.7
18.0-18.9.....	-	-	97.9	-	-	97.2	-	-	98.7
19.0-19.9.....	1	6	98.4	1	6	98.2	-	-	98.7
20.0 or more.....	6	18	100.0	3	11	100.0	3	7	100.0

See footnotes at end of table.

Table 3-93. Cumulative percent distribution of iron intake values in milligrams per 1,000 calories for persons aged 1-2 years by sex and income level: United States, 1976-80-Continued

Income level and iron in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	1,056	4,767	100.0	551	2,416	100.0	505	2,351	100.0
Less than 2.5.....	16	67	1.4	7	34	1.4	9	33	1.4
2.5-2.9.....	18	90	3.3	10	54	3.6	8	36	2.9
3.0-3.4.....	44	171	6.9	26	100	7.8	18	71	5.9
3.5-3.9.....	49	203	11.1	28	122	12.9	21	80	9.4
4.0-4.4.....	96	440	20.4	53	228	22.3	43	212	18.4
4.5-4.9.....	105	532	31.5	41	194	30.4	64	338	32.7
5.0-5.4.....	111	517	42.4	61	272	41.6	50	245	43.1
5.5-5.9.....	114	472	52.3	66	272	52.9	48	200	51.7
6.0-6.4.....	97	448	61.7	50	223	62.1	47	225	61.2
6.5-6.9.....	77	354	69.1	41	178	69.5	36	176	68.7
7.0-7.4.....	72	291	75.2	39	152	75.8	33	139	74.6
7.5-7.9.....	47	193	79.3	23	88	79.4	24	105	79.1
8.0-8.4.....	27	125	81.9	16	79	82.7	11	46	81.0
8.5-8.9.....	27	137	84.8	11	61	85.3	16	76	84.3
9.0-9.9.....	41	200	88.9	22	112	89.9	19	87	88.0
10.0-10.9.....	38	173	92.6	18	77	93.1	20	97	92.1
11.0-11.9.....	26	131	95.3	13	58	95.5	13	73	95.2
12.0-12.9.....	10	46	96.3	7	31	96.7	3	15	95.8
13.0-13.9.....	8	32	97.0	4	13	97.3	4	20	96.7
14.0-14.9.....	6	23	97.4	-	-	97.3	6	23	97.6
15.0-15.9.....	3	12	97.7	2	9	97.6	1	3	97.8
16.0-16.9.....	1	6	97.8	1	6	97.9	-	-	97.8
17.0-17.9.....	3	11	98.1	2	9	98.3	1	3	97.9
18.0-18.9.....	3	10	98.3	3	10	98.7	-	-	97.9
19.0-19.9.....	-	-	98.3	-	-	98.7	-	-	97.9
20.0 or more.....	17	82	100.0	7	32	100.0	10	50	100.0

^{1/} Excludes unknown income.

Table 3-94. Cumulative percent distribution of iron intake values in milligrams per 1,000 calories for persons aged 3-5 years by sex and income level: United States, 1976-80

Income level and iron in milligrams per 1,000 calories	Both sexes			Male			Female		
	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent
	All incomes								
Total.....	2,345	9,186	100.0	1,219	4,695	100.0	1,126	4,491	100.0
Less than 2.5.....	18	76	.8	6	21	.4	12	55	1.2
2.5-2.9.....	25	94	1.8	13	45	1.4	12	50	2.3
3.0-3.4.....	75	301	5.1	29	101	3.5	46	200	6.8
3.5-3.9.....	127	465	10.2	71	255	9.0	56	209	11.4
4.0-4.4.....	203	763	18.5	102	379	17.1	101	383	20.0
4.5-4.9.....	231	884	28.1	123	439	26.4	108	445	29.9
5.0-5.4.....	275	1,092	40.0	153	618	39.6	122	474	40.5
5.5-5.9.....	247	1,000	50.9	126	474	49.7	121	527	52.2
6.0-6.4.....	243	977	61.5	113	449	59.2	130	528	63.9
6.5-6.9.....	202	777	70.0	122	460	69.0	80	318	71.0
7.0-7.4.....	148	587	76.4	76	289	75.2	72	297	77.6
7.5-7.9.....	118	469	81.5	57	241	80.3	61	228	82.7
8.0-8.4.....	109	421	86.1	51	194	84.4	58	227	87.8
8.5-8.9.....	66	227	88.5	40	142	87.5	26	85	89.7
9.0-9.9.....	83	356	92.4	48	210	91.9	35	146	92.9
10.0-10.9.....	70	275	95.4	37	156	95.3	33	119	95.6
11.0-11.9.....	38	170	97.3	21	110	97.6	17	60	96.9
12.0-12.9.....	27	105	98.4	14	52	98.7	13	53	98.1
13.0-13.9.....	12	43	98.9	5	19	99.1	7	24	98.6
14.0-14.9.....	7	22	99.1	2	5	99.2	5	17	99.0
15.0-15.9.....	8	35	99.5	4	13	99.5	4	22	99.5
16.0-16.9.....	2	7	99.6	2	7	99.7	-	-	99.5
17.0-17.9.....	2	7	99.6	2	7	99.8	-	-	99.5
19.0-19.9.....	-	-	99.7	-	-	99.8	-	-	99.6
20.0 or more.....	7	29	100.0	2	9	100.0	5	20	100.0
Income below poverty level^{1/}									
Total.....	570	1,855	100.0	298	910	100.0	272	945	100.0
Less than 2.5.....	5	18	1.0	1	3	.3	4	15	1.6
2.5-2.9.....	12	54	3.9	6	20	2.6	6	34	5.2
3.0-3.4.....	15	49	6.5	6	16	4.3	9	33	8.6
3.5-3.9.....	25	70	10.3	20	58	10.7	5	12	9.9
4.0-4.4.....	44	140	17.8	20	52	16.3	24	88	19.3
4.5-4.9.....	65	199	28.5	37	119	29.4	28	80	27.7
5.0-5.4.....	66	215	40.1	38	115	42.0	28	100	38.3
5.5-5.9.....	63	218	51.8	28	93	52.3	35	124	51.4
6.0-6.4.....	63	204	62.8	27	73	60.3	36	131	65.3
6.5-6.9.....	47	128	69.7	31	82	69.3	16	45	70.1
7.0-7.4.....	41	160	78.3	20	66	76.6	21	93	80.0
7.5-7.9.....	22	86	82.9	12	53	82.4	10	33	83.5
8.0-8.4.....	25	70	86.7	9	22	84.9	16	48	88.5
8.5-8.9.....	19	63	90.2	11	36	88.9	8	27	91.4
9.0-9.9.....	18	62	93.5	10	35	92.7	8	27	94.3
10.0-10.9.....	13	43	95.8	8	26	95.5	5	17	96.1
11.0-11.9.....	9	25	97.2	5	16	97.3	4	9	97.0
12.0-12.9.....	4	10	97.7	3	7	98.0	1	3	97.4
13.0-13.9.....	4	14	98.5	2	8	98.9	2	6	98.1
14.0-14.9.....	2	5	98.8	-	-	98.9	2	5	98.6
15.0-15.9.....	2	5	99.0	2	5	99.4	-	-	98.6
16.0-16.9.....	-	-	99.0	-	-	99.4	-	-	98.6
17.0-17.9.....	1	2	99.1	1	2	99.7	-	-	98.6
18.0-18.9.....	2	5	99.4	-	-	99.7	2	5	99.1
19.0-19.9.....	-	-	99.4	-	-	99.7	-	-	99.1
20.0 or more.....	3	11	100.0	1	3	100.0	2	8	100.0

See footnotes at end of table.

Table 3-94. Cumulative percent distribution of iron intake values in milligrams per 1,000 calories for persons aged 3-5 years by sex and income level: United States, 1976-80-Continued

Income level and iron in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	1,707	7,102	100.0	892	3,683	100.0	815	3,419	100.0
Less than 2.5.....	11	52	.7	5	18	.5	6	35	1.0
2.5-2.9.....	12	38	1.3	6	22	1.1	6	16	1.5
3.0-3.4.....	60	253	4.8	23	85	3.4	37	167	6.4
3.5-3.9.....	100	388	10.3	51	197	8.8	49	190	11.9
4.0-4.4.....	153	599	18.7	78	310	17.2	75	289	20.4
4.5-4.9.....	157	658	28.0	84	314	25.7	73	344	30.5
5.0-5.4.....	203	860	40.1	111	491	39.0	92	369	41.3
5.5-5.9.....	178	765	50.9	95	369	49.0	83	396	52.8
6.0-6.4.....	170	736	61.2	83	362	58.9	87	375	63.8
6.5-6.9.....	151	630	70.1	88	363	68.7	63	267	71.6
7.0-7.4.....	100	397	75.7	56	223	74.8	44	174	76.7
7.5-7.9.....	95	380	81.1	45	188	79.9	50	192	82.3
8.0-8.4.....	82	346	85.9	41	169	84.5	41	177	87.5
8.5-8.9.....	42	154	88.1	25	97	87.1	17	57	89.1
9.0-9.9.....	63	289	92.2	37	173	91.8	26	116	92.5
10.0-10.9.....	55	224	95.3	27	122	95.1	28	102	95.5
11.0-11.9.....	27	135	97.2	16	94	97.7	11	41	96.7
12.0-12.9.....	23	95	98.6	11	45	98.9	12	50	98.2
13.0-13.9.....	8	29	99.0	3	11	99.2	5	18	98.7
14.0-14.9.....	5	17	99.2	2	5	99.3	3	11	99.0
15.0-15.9.....	6	30	99.6	2	9	99.6	4	22	99.7
16.0-16.9.....	1	5	99.7	1	5	99.7	-	-	99.7
17.0-17.9.....	1	5	99.8	1	5	99.8	-	-	99.7
18.0-18.9.....	-	-	99.8	-	-	99.8	-	-	99.7
19.0-19.9.....	-	-	99.8	-	-	99.8	-	-	99.7
20.0 or more.....	4	18	100.0	1	6	100.0	3	12	100.0

^{1/} Excludes unknown income.

Table 3-95. Cumulative percent distribution of iron intake values in milligrams per 1,000 calories for persons aged 6-8 years by sex and income level: United States, 1976-80

Income level and iron in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	843	10,213	100.0	428	5,336	100.0	415	4,877	100.0
Less than 2.5.....	4	64	.6	2	18	.3	2	46	.9
2.5-2.9.....	10	124	1.8	4	64	1.5	6	60	2.2
3.0-3.4.....	19	207	3.9	8	88	3.2	11	119	4.6
3.5-3.9.....	41	539	9.1	24	303	8.9	17	237	9.5
4.0-4.4.....	82	944	18.4	42	493	18.1	40	452	18.7
4.5-4.9.....	87	1,089	29.0	38	519	27.8	49	570	30.4
5.0-5.4.....	114	1,340	42.2	54	650	40.0	60	690	44.6
5.5-5.9.....	90	1,059	52.5	39	466	48.7	51	593	56.7
6.0-6.4.....	94	1,234	64.6	51	711	62.0	43	523	67.4
6.5-6.9.....	83	1,047	74.9	47	654	74.3	36	393	75.5
7.0-7.4.....	47	551	80.3	18	178	77.6	29	372	83.1
7.5-7.9.....	42	472	84.9	24	255	82.4	18	217	87.6
8.0-8.4.....	31	378	88.6	13	152	85.3	18	226	92.2
8.5-8.9.....	20	263	91.2	12	167	88.4	8	96	94.2
9.0-9.9.....	35	399	95.1	24	282	93.7	11	118	96.6
10.0-10.9.....	12	102	96.1	9	81	95.2	3	21	97.0
11.0-11.9.....	16	209	98.1	13	177	98.5	3	32	97.7
12.0-12.9.....	2	36	98.5	1	15	98.8	1	21	98.1
13.0-13.9.....	2	28	98.8	-	-	98.8	2	28	98.7
14.0-14.9.....	4	55	99.3	3	49	99.7	1	6	98.8
15.0-15.9.....	1	9	99.4	-	-	99.7	1	9	99.0
16.0-16.9.....	3	36	99.7	-	-	99.7	3	36	99.7
17.0-17.9.....	1	8	99.8	1	8	99.9	-	-	99.7
19.0-19.9.....	1	7	99.9	-	-	99.9	1	7	99.9
20.0 or more.....	2	11	100.0	1	6	100.0	1	5	100.0
Income below poverty level^{1/}									
Total.....	177	1,769	100.0	82	900	100.0	95	869	100.0
Less than 2.5.....	-	-	-	-	-	-	-	-	-
2.5-2.9.....	3	35	2.0	-	-	-	3	35	4.0
3.0-3.4.....	6	51	4.8	1	8	.9	5	43	9.0
3.5-3.9.....	5	79	9.3	3	54	6.8	2	25	11.9
4.0-4.4.....	19	190	20.0	8	84	16.1	11	106	24.1
4.5-4.9.....	18	207	31.8	9	99	27.1	9	108	36.6
5.0-5.4.....	24	234	45.0	15	152	44.1	9	81	45.9
5.5-5.9.....	23	204	56.5	6	63	51.1	17	141	62.1
6.0-6.4.....	17	154	65.2	8	82	60.2	9	72	70.4
6.5-6.9.....	18	227	78.0	8	148	76.6	10	80	79.6
7.0-7.4.....	9	80	82.6	3	24	79.2	6	56	86.1
7.5-7.9.....	10	87	87.5	7	60	85.9	3	26	89.1
8.0-8.4.....	4	39	89.7	2	17	87.8	2	23	91.7
8.5-8.9.....	4	28	91.3	2	15	89.4	2	13	93.2
9.0-9.9.....	6	59	94.6	5	40	93.9	1	19	95.4
10.0-10.9.....	3	19	95.7	1	6	94.6	2	13	96.9
11.0-11.9.....	3	41	98.0	3	41	99.1	-	-	96.9
12.0-12.9.....	-	-	98.0	-	-	99.1	-	-	96.9
13.0-13.9.....	1	5	98.3	-	-	99.1	1	5	97.5
14.0-14.9.....	-	-	98.3	-	-	99.1	-	-	97.5
15.0-15.9.....	1	9	98.8	-	-	99.1	1	9	98.6
16.0-16.9.....	-	-	98.8	-	-	99.1	-	-	98.6
17.0-17.9.....	1	8	99.3	1	8	100.0	-	-	98.6
18.0-18.9.....	-	-	99.3	-	-	100.0	-	-	98.6
19.0-19.9.....	1	7	99.7	-	-	100.0	1	7	99.4
20.0 or more.....	1	5	100.0	-	-	100.0	1	5	100.0

See footnotes at end of table.

Table 3-95. Cumulative percent distribution of iron intake values in milligrams per 1,000 calories for persons aged 6-8 years by sex and income level: United States, 1976-80-Continued

Income level and iron in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	644	8,118	100.0	336	4,254	100.0	308	3,864	100.0
Less than 2.5.....	4	64	.8	2	18	.4	2	46	1.2
2.5-2.9.....	6	62	1.5	3	37	1.3	3	25	1.8
3.0-3.4.....	13	157	3.5	7	81	3.2	6	76	3.8
3.5-3.9.....	36	460	9.1	21	249	9.0	15	211	9.3
4.0-4.4.....	60	719	18.0	32	379	18.0	28	339	18.0
4.5-4.9.....	69	881	28.8	29	420	27.8	40	462	30.0
5.0-5.4.....	87	1,061	41.9	38	474	39.0	49	588	45.2
5.5-5.9.....	63	782	51.6	32	364	47.5	31	417	56.0
6.0-6.4.....	74	1,025	64.2	41	596	61.5	33	429	67.1
6.5-6.9.....	64	809	74.1	39	507	73.4	25	302	74.9
7.0-7.4.....	38	470	79.9	15	154	77.1	23	316	83.1
7.5-7.9.....	31	375	84.6	16	185	81.4	15	190	88.0
8.0-8.4.....	24	300	88.3	10	122	84.3	14	178	92.6
8.5-8.9.....	16	235	91.1	10	152	87.9	6	83	94.8
9.0-9.9.....	27	328	95.2	18	234	93.4	9	94	97.2
10.0-10.9.....	9	83	96.2	8	75	95.1	1	8	97.4
11.0-11.9.....	12	151	98.1	10	136	98.3	2	15	97.8
12.0-12.9.....	2	36	98.5	1	15	98.7	1	21	98.3
13.0-13.9.....	1	22	98.8	-	-	98.7	1	22	98.9
14.0-14.9.....	4	55	99.5	3	49	99.8	1	6	99.1
15.0-15.9.....	-	-	99.5	-	-	99.8	-	-	99.1
16.0-16.9.....	3	36	99.9	-	-	99.8	3	36	100.0
17.0-17.9.....	-	-	99.9	-	-	99.8	-	-	100.0
18.0-18.9.....	-	-	99.9	-	-	99.8	-	-	100.0
19.0-19.9.....	-	-	99.9	-	-	99.8	-	-	100.0
20.0 or more.....	1	6	100.0	1	6	100.0	-	-	100.0

^{1/} Excludes unknown income.

Table 3-96. Cumulative percent distribution of iron intake values in milligrams per 1,000 calories for persons aged 9-11 years by sex and income level: United States, 1976-80

Income level and iron in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	882	10,667	100.0	457	5,310	100.0	425	5,357	100.0
Less than 2.5.....	4	43	.4	3	35	.7	1	8	.1
2.5-2.9.....	13	162	1.9	5	45	1.5	8	117	2.3
3.0-3.4.....	23	267	4.4	13	144	4.2	10	123	4.6
3.5-3.9.....	50	634	10.4	23	255	9.0	27	379	11.7
4.0-4.4.....	70	852	18.4	26	341	15.4	44	511	21.3
4.5-4.9.....	101	1,259	30.2	49	602	26.8	52	657	33.5
5.0-5.4.....	99	1,188	41.3	53	603	38.1	46	584	44.4
5.5-5.9.....	93	1,126	51.9	48	544	48.4	45	582	55.3
6.0-6.4.....	90	1,053	61.7	43	478	57.4	47	575	66.0
6.5-6.9.....	65	783	69.1	35	412	65.2	30	371	72.9
7.0-7.4.....	59	660	75.3	30	325	71.3	29	335	79.2
7.5-7.9.....	37	461	79.6	22	255	76.1	15	205	83.0
8.0-8.4.....	40	526	84.5	21	302	81.8	19	225	87.2
8.5-8.9.....	33	401	88.3	21	208	85.7	12	193	90.8
9.0-9.9.....	42	475	92.7	27	311	91.5	15	163	93.9
10.0-10.9.....	23	268	95.2	14	146	94.3	9	121	96.1
11.0-11.9.....	16	204	97.1	9	105	96.3	7	99	98.0
12.0-12.9.....	8	101	98.1	4	64	97.5	4	37	98.7
13.0-13.9.....	4	47	98.5	4	47	98.4	-	-	98.7
14.0-14.9.....	3	45	98.9	1	21	98.8	2	24	99.1
15.0-15.9.....	3	40	99.3	3	40	99.5	-	-	99.1
16.0-16.9.....	2	18	99.5	1	10	99.7	1	7	99.3
17.0-17.9.....	2	31	99.8	1	6	99.8	1	25	99.7
19.0-19.9.....	-	-	99.8	-	-	99.8	-	-	99.7
20.0 or more.....	2	23	100.0	1	8	100.0	1	15	100.0
Income below poverty level^{1/}									
Total.....	190	1,967	100.0	88	854	100.0	102	1,113	100.0
Less than 2.5.....	-	-	-	-	-	-	-	-	-
2.5-2.9.....	4	51	2.6	1	11	1.2	3	41	3.7
3.0-3.4.....	-	-	2.6	-	-	1.2	-	-	3.7
3.5-3.9.....	9	117	8.5	3	38	5.7	6	78	10.7
4.0-4.4.....	17	174	17.4	4	43	10.8	13	131	22.4
4.5-4.9.....	18	203	27.7	9	105	23.1	9	98	31.3
5.0-5.4.....	25	305	43.2	17	177	43.8	8	127	42.7
5.5-5.9.....	27	270	56.9	9	84	53.6	18	187	59.5
6.0-6.4.....	23	226	68.4	10	88	63.9	13	138	71.9
6.5-6.9.....	15	145	75.8	9	85	73.8	6	60	77.3
7.0-7.4.....	13	108	81.3	7	59	80.7	6	50	81.7
7.5-7.9.....	6	51	83.9	2	17	82.7	4	34	84.8
8.0-8.4.....	8	68	87.3	4	31	86.3	4	37	88.1
8.5-8.9.....	8	74	91.1	4	34	90.3	4	40	91.7
9.0-9.9.....	10	103	96.3	5	52	96.4	5	51	96.2
10.0-10.9.....	2	15	97.1	2	15	98.2	-	-	96.2
11.0-11.9.....	-	-	97.1	-	-	98.2	-	-	96.2
12.0-12.9.....	2	19	98.1	1	10	99.3	1	10	97.1
13.0-13.9.....	-	-	98.1	-	-	99.3	-	-	97.1
14.0-14.9.....	-	-	98.1	-	-	99.3	-	-	97.1
15.0-15.9.....	-	-	98.1	-	-	99.3	-	-	97.1
16.0-16.9.....	1	7	98.4	-	-	99.3	1	7	97.8
17.0-17.9.....	2	31	100.0	1	6	100.0	1	25	100.0
18.0-18.9.....	-	-	100.0	-	-	100.0	-	-	100.0
19.0-19.9.....	-	-	100.0	-	-	100.0	-	-	100.0
20.0 or more.....	-	-	100.0	-	-	100.0	-	-	100.0

See footnotes at end of table.

Table 3-96. Cumulative percent distribution of iron intake values in milligrams per 1,000 calories for persons aged 9-11 years by sex and income level: United States, 1976-80-Continued

Income level and iron in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	663	8,370	100.0	356	4,321	100.0	307	4,049	100.0
Less than 2.5.....	3	28	.3	2	21	.5	1	8	.2
2.5-2.9.....	8	102	1.6	3	26	1.1	5	76	2.1
3.0-3.4.....	21	247	4.5	12	135	4.2	9	113	4.9
3.5-3.9.....	39	485	10.3	20	216	9.2	19	269	11.5
4.0-4.4.....	52	669	18.3	22	297	16.1	30	371	20.7
4.5-4.9.....	81	1,040	30.7	40	498	27.6	41	542	34.1
5.0-5.4.....	70	834	40.7	34	398	36.8	36	436	44.8
5.5-5.9.....	61	792	50.2	37	434	46.9	24	358	53.7
6.0-6.4.....	62	761	59.3	32	384	55.8	30	377	63.0
6.5-6.9.....	50	638	66.9	26	327	63.3	24	311	70.6
7.0-7.4.....	46	552	73.5	23	266	69.5	23	286	77.7
7.5-7.9.....	29	399	78.2	18	227	74.8	11	172	81.9
8.0-8.4.....	31	450	83.6	17	271	81.0	14	179	86.4
8.5-8.9.....	24	320	87.4	16	167	84.9	8	153	90.1
9.0-9.9.....	31	366	91.8	21	253	90.7	10	113	92.9
10.0-10.9.....	21	252	94.8	12	131	93.8	9	121	95.9
11.0-11.9.....	16	204	97.3	9	105	96.2	7	99	98.4
12.0-12.9.....	5	63	98.0	2	36	97.0	3	27	99.0
13.0-13.9.....	4	47	98.6	4	47	98.1	-	-	99.0
14.0-14.9.....	3	45	99.1	1	21	98.6	2	24	99.6
15.0-15.9.....	3	40	99.6	3	40	99.6	-	-	99.6
16.0-16.9.....	1	10	99.7	1	10	99.8	-	-	99.6
17.0-17.9.....	-	-	99.7	-	-	99.8	-	-	99.6
18.0-18.9.....	-	-	99.7	-	-	99.8	-	-	99.6
19.0-19.9.....	-	-	99.7	-	-	99.8	-	-	99.6
20.0 or more.....	2	23	100.0	1	8	100.0	1	15	100.0

^{1/} Excludes unknown income.

Table 3-97. Cumulative percent distribution of iron intake values in milligrams per 1,000 calories for persons aged 12-14 years by sex and income level: United States, 1976-80

Income level and iron in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	991	11,632	100.0	504	5,920	100.0	487	5,712	100.0
Less than 2.5.....	6	84	.7	2	25	.4	4	60	1.0
2.5-2.9.....	11	124	1.8	3	39	1.1	8	85	2.5
3.0-3.4.....	34	409	5.3	15	183	4.2	19	227	6.5
3.5-3.9.....	55	630	10.7	27	317	9.5	28	314	12.0
4.0-4.4.....	83	976	19.1	34	378	15.9	49	598	22.5
4.5-4.9.....	124	1,483	31.9	58	668	27.2	66	815	36.7
5.0-5.4.....	107	1,173	41.9	48	511	35.8	59	662	48.3
5.5-5.9.....	119	1,386	53.9	58	674	47.2	61	712	60.8
6.0-6.4.....	108	1,276	64.8	55	644	58.1	53	632	71.8
6.5-6.9.....	81	970	73.2	45	553	67.4	36	417	79.1
7.0-7.4.....	62	804	80.1	35	480	75.5	27	324	84.8
7.5-7.9.....	41	442	83.9	23	267	80.0	18	174	87.9
8.0-8.4.....	32	340	86.8	21	234	84.0	11	106	89.7
8.5-8.9.....	21	230	88.8	13	166	86.8	8	64	90.9
9.0-9.9.....	47	577	93.8	28	322	92.2	19	255	95.3
10.0-10.9.....	23	244	95.8	13	129	94.4	10	115	97.3
11.0-11.9.....	8	104	96.7	5	53	95.3	3	51	98.2
12.0-12.9.....	9	148	98.0	6	109	97.1	3	39	98.9
13.0-13.9.....	4	40	98.3	2	16	97.4	2	24	99.3
14.0-14.9.....	4	52	98.8	3	40	98.1	1	12	99.6
15.0-15.9.....	2	28	99.0	2	28	98.5	-	-	99.6
16.0-16.9.....	1	11	99.1	1	11	98.7	-	-	99.6
17.0-17.9.....	4	46	99.5	3	33	99.3	1	13	99.8
19.0-19.9.....	1	6	99.6	1	6	99.4	-	-	99.8
20.0 or more.....	4	49	100.0	3	37	100.0	1	12	100.0
Income below poverty level^{1/}									
Total.....	193	1,963	100.0	89	891	100.0	104	1,072	100.0
Less than 2.5.....	-	-	-	-	-	-	-	-	-
2.5-2.9.....	3	46	2.3	1	17	1.9	2	29	2.7
3.0-3.4.....	6	40	4.4	3	21	4.3	3	19	4.5
3.5-3.9.....	13	155	12.3	6	83	13.6	7	72	11.2
4.0-4.4.....	13	148	19.8	7	60	20.3	6	88	19.4
4.5-4.9.....	34	346	37.4	15	132	35.2	19	214	39.3
5.0-5.4.....	22	192	47.2	6	57	41.5	16	135	51.9
5.5-5.9.....	25	251	60.0	12	128	55.9	13	123	63.4
6.0-6.4.....	18	204	70.4	6	69	63.7	12	135	76.0
6.5-6.9.....	19	171	79.1	11	101	75.0	8	70	82.5
7.0-7.4.....	8	79	83.1	3	34	78.8	5	45	86.7
7.5-7.9.....	5	43	85.3	3	31	82.4	2	12	87.8
8.0-8.4.....	7	54	88.1	3	21	84.7	4	33	90.9
8.5-8.9.....	3	33	89.8	1	19	86.9	2	14	92.3
9.0-9.9.....	7	82	94.0	6	67	94.4	1	15	93.6
10.0-10.9.....	3	47	96.4	1	8	95.4	2	39	97.3
11.0-11.9.....	3	37	98.3	2	16	97.2	1	20	99.1
12.0-12.9.....	1	9	98.7	-	-	97.2	1	9	100.0
13.0-13.9.....	-	-	98.7	-	-	97.2	-	-	100.0
14.0-14.9.....	-	-	98.7	-	-	97.2	-	-	100.0
15.0-15.9.....	-	-	98.7	-	-	97.2	-	-	100.0
16.0-16.9.....	-	-	98.7	-	-	97.2	-	-	100.0
17.0-17.9.....	2	19	99.7	2	19	99.3	-	-	100.0
18.0-18.9.....	-	-	99.7	-	-	99.3	-	-	100.0
19.0-19.9.....	-	-	99.7	-	-	99.3	-	-	100.0
20.0 or more.....	1	6	100.0	1	6	100.0	-	-	100.0

See footnotes at end of table.

Table 3-97. Cumulative percent distribution of iron intake values in milligrams per 1,000 calories for persons aged 12-14 years by sex and income level: United States, 1976-80-Continued

Income level and iron in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	762	9,255	100.0	399	4,841	100.0	363	4,414	100.0
Less than 2.5.....	6	84	.9	2	25	.5	4	60	1.3
2.5-2.9.....	7	69	1.6	2	22	1.0	5	47	2.4
3.0-3.4.....	27	356	5.5	11	148	4.0	16	208	7.1
3.5-3.9.....	41	470	10.6	21	234	8.8	20	236	12.5
4.0-4.4.....	67	801	19.2	25	297	15.0	42	504	23.9
4.5-4.9.....	85	1,083	30.9	42	529	25.9	43	554	36.4
5.0-5.4.....	77	894	40.6	37	405	34.3	40	490	47.5
5.5-5.9.....	90	1,100	52.5	45	538	45.4	45	563	60.3
6.0-6.4.....	86	1,032	63.6	47	554	56.8	39	478	71.1
6.5-6.9.....	59	771	71.9	33	445	66.0	26	325	78.5
7.0-7.4.....	54	725	79.8	32	446	75.2	22	279	84.8
7.5-7.9.....	34	344	83.5	19	210	79.5	15	134	87.8
8.0-8.4.....	25	286	86.6	18	213	83.9	7	73	89.5
8.5-8.9.....	16	162	88.3	10	112	86.3	6	50	90.6
9.0-9.9.....	40	495	93.7	22	255	91.5	18	240	96.1
10.0-10.9.....	19	190	95.7	12	121	94.0	7	69	97.6
11.0-11.9.....	5	67	96.5	3	36	94.8	2	31	98.3
12.0-12.9.....	7	121	97.8	6	109	97.0	1	12	98.6
13.0-13.9.....	4	40	98.2	2	16	97.3	2	24	99.1
14.0-14.9.....	4	52	98.8	3	40	98.1	1	12	99.4
15.0-15.9.....	2	28	99.1	2	28	98.7	-	-	99.4
16.0-16.9.....	1	11	99.2	1	11	98.9	-	-	99.4
17.0-17.9.....	2	28	99.5	1	15	99.2	1	13	99.7
18.0-18.9.....	-	-	99.5	-	-	99.2	-	-	99.7
19.0-19.9.....	1	6	99.5	1	6	99.4	-	-	99.7
20.0 or more.....	3	42	100.0	2	31	100.0	1	12	100.0

^{1/} Excludes unknown income.

Table 3-98. Cumulative percent distribution of iron intake values in milligrams per 1,000 calories for persons aged 15-17 years by sex and income level: United States, 1976-80

Income level and iron in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	1/983	12,441	100.0	1/534	6,309	100.0	449	6,131	100.0
Less than 2.5.....	14	179	1.4	4	48	.8	10	131	2.1
2.5-2.9.....	16	235	3.3	8	117	2.6	8	118	4.1
3.0-3.4.....	37	494	7.3	16	189	5.6	21	305	9.0
3.5-3.9.....	59	751	13.3	30	380	11.6	29	371	15.1
4.0-4.4.....	107	1,453	25.0	48	562	20.5	59	892	29.6
4.5-4.9.....	97	1,117	34.0	57	612	30.2	40	505	37.9
5.0-5.4.....	117	1,534	46.3	60	760	42.3	57	774	50.5
5.5-5.9.....	122	1,441	57.9	77	872	56.1	45	569	59.8
6.0-6.4.....	95	1,190	67.5	48	513	64.2	47	677	70.8
6.5-6.9.....	77	888	74.6	41	453	71.4	36	434	77.9
7.0-7.4.....	61	857	81.5	33	415	78.0	28	442	85.1
7.5-7.9.....	40	496	85.5	27	350	83.5	13	146	87.5
8.0-8.4.....	36	432	88.9	20	216	86.9	16	216	91.0
8.5-8.9.....	24	300	91.4	14	150	89.3	10	150	93.4
9.0-9.9.....	27	339	94.1	13	158	91.8	14	181	96.4
10.0-10.9.....	23	324	96.7	19	269	96.1	4	55	97.3
11.0-11.9.....	11	138	97.8	6	63	97.1	5	75	98.5
12.0-12.9.....	4	47	98.2	1	12	97.3	3	35	99.1
13.0-13.9.....	4	72	98.8	4	72	98.4	-	-	99.1
14.0-14.9.....	1	7	98.8	1	7	98.5	-	-	99.1
15.0-15.9.....	4	71	99.4	2	37	99.1	2	33	99.6
16.0-16.9.....	3	39	99.7	3	39	99.8	-	-	99.6
17.0-17.9.....	3	30	99.9	1	9	99.9	2	22	100.0
19.0-19.9.....	-	-	99.9	-	-	99.9	-	-	100.0
20.0 or more.....	1	8	100.0	1	8	100.0	-	-	100.0
Income below poverty level^{1/2/}									
Total.....	177	2,073	100.0	89	974	100.0	88	1,099	100.0
Less than 2.5.....	2	30	1.4	-	-	-	2	30	2.7
2.5-2.9.....	1	7	1.8	1	7	.7	-	-	2.7
3.0-3.4.....	4	43	3.9	2	19	2.7	2	24	4.9
3.5-3.9.....	10	131	10.2	5	88	11.7	5	43	8.8
4.0-4.4.....	21	269	23.2	9	83	20.2	12	186	25.8
4.5-4.9.....	19	196	32.6	11	112	31.8	8	83	33.4
5.0-5.4.....	22	265	45.4	10	112	43.2	12	154	47.3
5.5-5.9.....	20	243	57.1	10	95	53.0	10	147	60.7
6.0-6.4.....	25	287	71.0	12	113	64.6	13	175	76.6
6.5-6.9.....	15	159	78.7	4	38	68.5	11	121	87.7
7.0-7.4.....	8	97	83.3	6	75	76.2	2	22	89.7
7.5-7.9.....	4	40	85.2	3	31	79.4	1	8	90.4
8.0-8.4.....	6	54	87.8	4	36	83.1	2	18	92.1
8.5-8.9.....	6	72	91.3	2	17	84.8	4	55	97.1
9.0-9.9.....	5	45	93.5	3	30	87.9	2	16	98.5
10.0-10.9.....	5	74	97.1	4	66	94.6	1	8	99.2
11.0-11.9.....	1	17	97.9	1	17	96.4	-	-	99.2
12.0-12.9.....	1	12	98.5	1	12	97.7	-	-	99.2
13.0-13.9.....	-	-	98.5	-	-	97.7	-	-	99.2
14.0-14.9.....	-	-	98.5	-	-	97.7	-	-	99.2
15.0-15.9.....	1	23	99.6	1	23	100.0	-	-	99.2
16.0-16.9.....	-	-	99.6	-	-	100.0	-	-	99.2
17.0-17.9.....	1	8	100.0	-	-	100.0	1	8	100.0
18.0-18.9.....	-	-	100.0	-	-	100.0	-	-	100.0
19.0-19.9.....	-	-	100.0	-	-	100.0	-	-	100.0
20.0 or more.....	-	-	100.0	-	-	100.0	-	-	100.0

See footnotes at end of table.

Table 3-98. Cumulative percent distribution of iron intake values in milligrams per 1,000 calories for persons aged 15-17 years by sex and income level: United States, 1976-80-Continued

Income level and iron in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{2/}									
Total.....	1,759	9,750	100.0	1,417	4,992	100.0	342	4,758	100.0
Less than 2.5.....	12	149	1.5	4	48	1.0	8	101	2.1
2.5-2.9.....	14	209	3.7	6	91	2.8	8	118	4.6
3.0-3.4.....	33	451	8.3	14	169	6.2	19	281	10.5
3.5-3.9.....	46	554	14.0	23	268	11.5	23	286	16.5
4.0-4.4.....	82	1,124	25.5	36	434	20.3	46	689	31.0
4.5-4.9.....	75	890	34.6	44	480	29.8	31	410	39.6
5.0-5.4.....	88	1,196	46.9	48	628	42.4	40	568	51.6
5.5-5.9.....	92	1,070	57.9	61	696	56.4	31	374	59.4
6.0-6.4.....	66	854	66.6	35	391	64.2	31	462	69.2
6.5-6.9.....	59	684	73.6	36	407	72.4	23	276	75.0
7.0-7.4.....	48	695	80.8	24	304	78.5	24	391	83.2
7.5-7.9.....	34	427	85.1	22	290	84.3	12	138	86.1
8.0-8.4.....	27	348	88.7	13	150	87.3	14	198	90.2
8.5-8.9.....	17	214	90.9	11	119	89.7	6	95	92.2
9.0-9.9.....	22	294	93.9	10	129	92.2	12	165	95.7
10.0-10.9.....	17	240	96.4	14	192	96.1	3	47	96.7
11.0-11.9.....	10	121	97.6	5	46	97.0	5	75	98.3
12.0-12.9.....	3	35	98.0	-	-	97.0	3	35	99.0
13.0-13.9.....	4	72	98.7	4	72	98.5	-	-	99.0
14.0-14.9.....	1	7	98.8	1	7	98.6	-	-	99.0
15.0-15.9.....	3	48	99.3	1	14	98.9	2	33	99.7
16.0-16.9.....	3	39	99.7	3	39	99.7	-	-	99.7
17.0-17.9.....	2	22	99.9	1	9	99.8	1	14	100.0
18.0-18.9.....	-	-	99.9	-	-	99.8	-	-	100.0
19.0-19.9.....	-	-	99.9	-	-	99.8	-	-	100.0
20.0 or more.....	1	8	100.0	1	8	100.0	-	-	100.0

1/ Excludes 1 examined person with zero calories.

2/ Excludes unknown income.

Table 3-99. Cumulative percent distribution of iron intake values in milligrams per 1,000 calories for persons aged 18-24 years by sex and income level: United States, 1976-80

Income level and iron in milligrams per 1,000 calories	Both sexes			Male			Female		
	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent
All incomes									
Total.....	1/2,053	27,439	100.0	988	13,275	100.0	1/1,065	14,164	100.0
Less than 2.5.....	28	356	1.3	15	200	1.5	13	156	1.1
2.5-2.9.....	31	371	2.6	15	176	2.8	16	195	2.5
3.0-3.4.....	69	966	6.2	33	500	6.6	36	466	5.8
3.5-3.9.....	104	1,352	11.1	48	638	11.4	56	714	10.8
4.0-4.4.....	182	2,267	19.4	101	1,326	21.4	81	941	17.5
4.5-4.9.....	233	3,156	30.9	121	1,640	33.8	112	1,516	28.2
5.0-5.4.....	253	3,314	42.9	130	1,727	46.8	123	1,587	39.4
5.5-5.9.....	212	2,825	53.2	105	1,401	57.3	107	1,424	49.4
6.0-6.4.....	197	2,628	62.8	90	1,203	66.4	107	1,425	59.5
6.5-6.9.....	188	2,585	72.2	95	1,246	75.8	93	1,338	68.9
7.0-7.4.....	114	1,566	77.9	50	715	81.1	64	851	74.9
7.5-7.9.....	103	1,547	83.6	53	777	87.0	50	769	80.4
8.0-8.4.....	83	1,049	87.4	38	463	90.5	45	586	84.5
8.5-8.9.....	67	863	90.5	30	423	93.7	37	440	87.6
9.0-9.9.....	80	1,171	94.8	26	348	96.3	54	823	93.4
10.0-10.9.....	45	608	97.0	15	191	97.7	30	417	96.4
11.0-11.9.....	21	265	98.0	8	120	98.6	13	145	97.4
12.0-12.9.....	13	170	98.6	3	39	98.9	10	132	98.3
13.0-13.9.....	8	85	98.9	4	45	99.3	4	40	98.6
14.0-14.9.....	5	56	99.1	1	8	99.3	4	49	98.9
15.0-15.9.....	3	39	99.3	1	8	99.4	2	31	99.2
16.0-16.9.....	3	46	99.4	1	9	99.5	2	37	99.4
17.0-17.9.....	2	19	99.5	1	12	99.5	1	7	99.5
19.0-19.9.....	1	20	99.7	-	-	99.8	1	20	99.6
20.0 or more.....	6	75	100.0	2	21	100.0	4	54	100.0
Income below poverty level^{2/}									
Total.....	1/430	5,300	100.0	178	2,237	100.0	1/252	3,063	100.0
Less than 2.5.....	8	115	2.2	5	78	3.5	3	37	1.2
2.5-2.9.....	7	86	3.8	3	38	5.2	4	48	2.8
3.0-3.4.....	11	154	6.7	2	19	6.0	9	135	7.2
3.5-3.9.....	26	297	12.3	6	71	9.2	20	226	14.5
4.0-4.4.....	34	448	20.7	17	249	20.4	17	198	21.0
4.5-4.9.....	53	702	34.0	26	320	34.6	27	382	33.5
5.0-5.4.....	60	738	47.9	27	336	49.7	33	402	46.6
5.5-5.9.....	46	576	58.8	22	280	62.2	24	295	56.3
6.0-6.4.....	35	415	66.6	15	180	70.2	20	235	63.9
6.5-6.9.....	33	408	74.3	14	176	78.1	19	233	71.5
7.0-7.4.....	29	319	80.3	10	133	84.0	19	186	77.6
7.5-7.9.....	23	314	86.2	9	125	89.6	14	189	83.8
8.0-8.4.....	16	154	89.1	7	70	92.7	9	84	86.5
8.5-8.9.....	11	136	91.7	3	35	94.3	8	102	89.8
9.0-9.9.....	17	223	95.9	6	71	97.4	11	152	94.8
10.0-10.9.....	5	54	96.9	1	9	97.8	4	45	96.3
11.0-11.9.....	6	60	98.1	2	19	98.6	4	42	97.6
12.0-12.9.....	2	21	98.5	-	-	98.6	2	21	98.3
13.0-13.9.....	3	31	99.1	2	21	99.6	1	10	98.7
14.0-14.9.....	1	11	99.3	-	-	99.6	1	11	99.0
15.0-15.9.....	-	-	99.3	-	-	99.6	-	-	99.0
16.0-16.9.....	1	8	99.4	-	-	99.6	1	8	99.3
17.0-17.9.....	-	-	99.4	-	-	99.6	-	-	99.3
18.0-18.9.....	-	-	99.4	-	-	99.6	-	-	99.3
19.0-19.9.....	-	-	99.4	-	-	99.6	-	-	99.3
20.0 or more.....	3	31	100.0	1	9	100.0	2	21	100.0

See footnotes at end of table.

Table 3-99. Cumulative percent distribution of iron intake values in milligrams per 1,000 calories for persons aged 18-24 years by sex and income level: United States, 1976-80-Continued

Income level and iron in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{2/}									
Total.....	1,541	21,013	100.0	770	10,508	100.0	771	10,505	100.0
Less than 2.5.....	20	241	1.1	10	122	1.2	10	119	1.1
2.5-2.9.....	23	276	2.5	11	129	2.4	12	147	2.5
3.0-3.4.....	55	785	6.2	29	461	6.8	26	323	5.6
3.5-3.9.....	69	916	10.6	38	503	11.6	31	414	9.5
4.0-4.4.....	142	1,753	18.9	81	1,039	21.4	61	714	16.3
4.5-4.9.....	173	2,371	30.2	91	1,281	33.6	82	1,090	26.7
5.0-5.4.....	184	2,451	41.8	97	1,304	46.0	87	1,146	37.6
5.5-5.9.....	154	2,091	51.8	77	1,025	55.8	77	1,066	47.8
6.0-6.4.....	154	2,080	61.7	73	996	65.3	81	1,084	58.1
6.5-6.9.....	150	2,121	71.8	76	1,015	74.9	74	1,106	68.6
7.0-7.4.....	81	1,191	77.5	40	582	80.5	41	609	74.4
7.5-7.9.....	76	1,165	83.0	43	635	86.5	33	530	79.5
8.0-8.4.....	66	889	87.2	31	394	90.3	35	495	84.2
8.5-8.9.....	53	695	90.5	25	365	93.8	28	330	87.3
9.0-9.9.....	58	833	94.5	19	257	96.2	39	576	92.8
10.0-10.9.....	36	512	96.9	12	159	97.7	24	353	96.2
11.0-11.9.....	14	193	97.9	5	90	98.6	9	103	97.2
12.0-12.9.....	11	149	98.6	3	39	98.9	8	110	98.2
13.0-13.9.....	5	54	98.8	2	24	99.2	3	30	98.5
14.0-14.9.....	4	46	99.0	1	8	99.2	3	38	98.8
15.0-15.9.....	3	39	99.2	1	8	99.3	2	31	99.1
16.0-16.9.....	2	38	99.4	1	9	99.4	1	29	99.4
17.0-17.9.....	2	19	99.5	1	12	99.5	1	7	99.5
18.0-18.9.....	2	39	99.7	2	39	99.9	-	-	99.5
19.0-19.9.....	1	20	99.8	-	-	99.9	1	20	99.7
20.0 or more.....	3	44	100.0	1	11	100.0	2	33	100.0

^{1/} Excludes 1 examined person with zero calories.

^{2/} Excludes unknown income.

Table 3-100. Cumulative percent distribution of iron intake values in milligrams per 1,000 calories for persons aged 25-34 years by sex and income level: United States, 1976-80

Income level and iron in milligrams per 1,000 calories	Both sexes			Male			Female		
	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent
All incomes									
Total.....	1/2,236	32,739	100.0	1,067	15,895	100.0	1/1,169	16,844	100.0
Less than 2.5.....	23	281	.9	15	175	1.1	8	106	.6
2.5-2.9.....	18	304	1.8	11	206	2.4	7	98	1.2
3.0-3.4.....	41	599	3.6	26	369	4.7	15	230	2.6
3.5-3.9.....	96	1,393	7.9	49	688	9.0	47	705	6.8
4.0-4.4.....	148	2,149	14.4	77	1,124	16.1	71	1,025	12.8
4.5-4.9.....	224	3,306	24.5	123	1,841	27.7	101	1,465	21.5
5.0-5.4.....	233	3,195	34.3	106	1,420	36.6	127	1,775	32.1
5.5-5.9.....	248	3,604	45.3	119	1,775	47.8	129	1,829	42.9
6.0-6.4.....	239	3,516	56.0	121	1,804	59.1	118	1,712	53.1
6.5-6.9.....	219	3,174	65.7	104	1,530	68.8	115	1,644	62.9
7.0-7.4.....	154	2,198	72.4	74	1,101	75.7	80	1,096	69.4
7.5-7.9.....	147	2,342	79.6	66	1,065	82.4	81	1,277	77.0
8.0-8.4.....	120	1,715	84.8	53	789	87.4	67	926	82.5
8.5-8.9.....	63	1,086	88.2	24	428	90.1	39	658	86.4
9.0-9.9.....	100	1,432	92.5	40	639	94.1	60	793	91.1
10.0-10.9.....	55	772	94.9	21	284	95.9	34	488	94.0
11.0-11.9.....	38	619	96.8	12	224	97.3	26	395	96.3
12.0-12.9.....	23	398	98.0	10	166	98.3	13	232	97.7
13.0-13.9.....	10	149	98.4	3	52	98.6	7	97	98.3
14.0-14.9.....	7	116	98.8	2	45	98.9	5	71	98.7
15.0-15.9.....	11	143	99.2	5	71	99.4	6	72	99.1
16.0-16.9.....	2	19	99.3	-	-	99.4	2	19	99.2
17.0-17.9.....	3	27	99.4	1	7	99.4	2	20	99.4
19.0-19.9.....	2	15	99.5	1	8	99.6	1	7	99.4
20.0 or more.....	11	171	100.0	3	70	100.0	8	101	100.0
Income below poverty level ^{2/}									
Total.....	253	3,103	100.0	91	1,106	100.0	162	1,997	100.0
Less than 2.5.....	5	58	1.9	3	25	2.3	2	33	1.6
2.5-2.9.....	2	46	3.3	1	23	4.4	1	22	2.8
3.0-3.4.....	6	88	6.2	3	53	9.2	3	35	4.5
3.5-3.9.....	12	117	10.0	3	27	11.6	9	90	9.0
4.0-4.4.....	20	237	17.6	11	132	23.5	9	105	14.3
4.5-4.9.....	20	225	24.8	10	119	34.2	10	106	19.6
5.0-5.4.....	26	386	37.3	7	82	41.7	19	304	34.8
5.5-5.9.....	25	272	46.0	9	115	52.1	16	157	42.7
6.0-6.4.....	20	268	54.7	5	71	58.5	15	197	52.5
6.5-6.9.....	22	237	62.3	10	110	68.4	12	127	58.9
7.0-7.4.....	23	285	71.5	6	67	74.5	17	218	69.8
7.5-7.9.....	12	152	76.4	4	41	78.2	8	111	75.4
8.0-8.4.....	21	249	84.4	6	64	84.0	15	185	84.6
8.5-8.9.....	5	68	86.6	1	17	85.5	4	51	87.2
9.0-9.9.....	13	157	91.7	5	61	91.0	8	96	92.0
10.0-10.9.....	10	120	95.5	3	35	94.2	7	85	96.3
11.0-11.9.....	5	71	97.8	2	33	97.2	3	38	98.1
12.0-12.9.....	2	31	98.8	2	31	100.0	-	-	98.1
13.0-13.9.....	-	-	98.8	-	-	100.0	-	-	98.1
14.0-14.9.....	2	17	99.4	-	-	100.0	2	17	99.0
15.0-15.9.....	2	20	100.0	-	-	100.0	2	20	100.0
16.0-16.9.....	-	-	100.0	-	-	100.0	-	-	100.0
17.0-17.9.....	-	-	100.0	-	-	100.0	-	-	100.0
18.0-18.9.....	-	-	100.0	-	-	100.0	-	-	100.0
19.0-19.9.....	-	-	100.0	-	-	100.0	-	-	100.0
20.0 or more.....	-	-	100.0	-	-	100.0	-	-	100.0

See footnotes at end of table.

Table 3-100. Cumulative percent distribution of iron intake values in milligrams per 1,000 calories for persons aged 25-34 years by sex and income level: United States, 1976-80-Continued

Income level and iron in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{2/}									
Total.....	1/1,926	28,824	100.0	945	14,355	100.0	1/981	14,469	100.0
Less than 2.5.....	16	203	.7	11	141	1.0	5	62	.4
2.5-2.9.....	15	238	1.5	9	162	2.1	6	76	.9
3.0-3.4.....	33	484	3.2	23	316	4.3	10	168	2.1
3.5-3.9.....	80	1,215	7.4	44	625	8.7	36	589	6.2
4.0-4.4.....	126	1,892	14.0	65	985	15.5	61	907	12.4
4.5-4.9.....	196	2,989	24.4	110	1,676	27.2	88	1,314	21.5
5.0-5.4.....	203	2,769	34.0	97	1,316	36.4	106	1,453	31.6
5.5-5.9.....	218	3,252	45.3	106	1,588	47.4	112	1,664	43.1
6.0-6.4.....	212	3,159	56.2	111	1,675	59.1	101	1,485	53.3
6.5-6.9.....	191	2,847	66.1	91	1,379	68.7	100	1,467	63.5
7.0-7.4.....	127	1,874	72.6	65	1,003	75.7	62	871	69.5
7.5-7.9.....	127	2,043	79.7	59	978	82.5	68	1,066	76.9
8.0-8.4.....	97	1,435	84.6	46	700	87.4	51	735	81.9
8.5-8.9.....	58	1,018	88.2	23	411	90.3	35	607	86.1
9.0-9.9.....	85	1,253	92.5	33	556	94.1	52	697	90.9
10.0-10.9.....	45	652	94.8	18	249	95.9	27	403	93.7
11.0-11.9.....	31	515	96.6	10	191	97.2	21	323	96.0
12.0-12.9.....	21	367	97.8	8	135	98.1	13	232	97.6
13.0-13.9.....	10	149	98.4	3	52	98.5	7	97	98.2
14.0-14.9.....	5	99	98.7	2	45	98.8	3	54	98.6
15.0-15.9.....	9	124	99.1	5	71	99.3	4	53	99.0
16.0-16.9.....	2	19	99.2	-	-	99.3	2	19	99.1
17.0-17.9.....	3	27	99.3	1	7	99.3	2	20	99.3
18.0-18.9.....	1	15	99.4	1	15	99.5	-	-	99.3
19.0-19.9.....	2	15	99.4	1	8	99.5	1	7	99.3
20.0 or more.....	11	171	100.0	3	70	100.0	8	101	100.0

1/ Excludes 1 examined person with zero calories.

2/ Excludes unknown income.

Table 3-101. Cumulative percent distribution of iron intake values in milligrams per 1,000 calories for persons aged 35-44 years by sex and income level: United States, 1976-80

Income level and iron in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	1,589	23,651	100.0	745	11,367	100.0	844	12,284	100.0
Less than 2.5.....	11	145	.6	7	100	.9	4	45	.4
2.5-2.9.....	17	215	1.5	7	98	1.8	10	117	1.3
3.0-3.4.....	24	358	3.0	14	225	3.7	10	133	2.4
3.5-3.9.....	44	678	5.9	18	285	6.2	26	393	5.6
4.0-4.4.....	75	1,041	10.3	42	646	11.9	33	395	8.8
4.5-4.9.....	109	1,616	17.1	58	833	19.3	51	783	15.2
5.0-5.4.....	161	2,331	27.0	76	1,127	29.2	85	1,204	25.0
5.5-5.9.....	164	2,500	37.6	70	1,097	38.8	94	1,403	36.4
6.0-6.4.....	173	2,583	48.5	88	1,347	50.7	85	1,236	46.5
6.5-6.9.....	162	2,291	58.2	76	1,155	60.8	86	1,137	55.7
7.0-7.4.....	146	2,175	67.4	64	997	69.6	82	1,178	65.3
7.5-7.9.....	115	1,747	74.8	59	888	77.4	56	859	72.3
8.0-8.4.....	82	1,298	80.2	35	520	82.0	47	778	78.6
8.5-8.9.....	59	870	83.9	31	487	86.3	28	383	81.8
9.0-9.9.....	88	1,310	89.5	38	552	91.1	50	758	87.9
10.0-10.9.....	70	987	93.6	37	542	95.9	33	445	91.5
11.0-11.9.....	29	511	95.8	11	224	97.9	18	287	93.9
12.0-12.9.....	15	264	96.9	3	73	98.5	12	191	95.4
13.0-13.9.....	13	209	97.8	4	62	99.0	9	147	96.6
14.0-14.9.....	4	90	98.2	-	-	99.0	4	90	97.4
15.0-15.9.....	5	57	98.4	-	-	99.0	5	57	97.8
16.0-16.9.....	3	40	98.6	1	9	99.1	2	31	98.1
17.0-17.9.....	5	82	98.9	-	-	99.1	5	82	98.8
19.0-19.9.....	1	10	99.2	1	10	99.2	-	-	99.1
20.0 or more.....	11	193	100.0	5	90	100.0	6	104	100.0
Income below poverty level^{1/}									
Total.....	182	2,364	100.0	63	821	100.0	119	1,543	100.0
Less than 2.5.....	2	20	.9	*	*	*	-	-	-
2.5-2.9.....	6	71	3.9	*	*	*	3	33	2.1
3.0-3.4.....	2	18	4.7	*	*	*	2	18	3.3
3.5-3.9.....	6	81	8.1	*	*	*	5	68	7.7
4.0-4.4.....	9	99	12.3	*	*	*	5	50	11.0
4.5-4.9.....	15	165	19.3	*	*	*	6	58	14.8
5.0-5.4.....	22	265	30.4	*	*	*	18	212	28.5
5.5-5.9.....	16	220	39.8	*	*	*	15	208	42.0
6.0-6.4.....	24	269	51.2	*	*	*	14	137	50.9
6.5-6.9.....	16	183	58.9	*	*	*	10	108	57.9
7.0-7.4.....	18	233	68.8	*	*	*	14	173	69.1
7.5-7.9.....	10	152	75.2	*	*	*	8	135	77.9
8.0-8.4.....	7	114	80.0	*	*	*	4	78	82.9
8.5-8.9.....	6	105	84.5	*	*	*	2	23	84.4
9.0-9.9.....	7	103	88.8	*	*	*	5	86	90.0
10.0-10.9.....	7	105	93.3	*	*	*	2	45	92.9
11.0-11.9.....	1	10	93.8	*	*	*	1	10	93.6
12.0-12.9.....	1	23	94.7	*	*	*	1	23	95.0
13.0-13.9.....	2	26	95.8	*	*	*	1	17	96.1
14.0-14.9.....	1	24	96.8	*	*	*	1	24	97.6
15.0-15.9.....	-	-	96.8	*	*	*	-	-	97.6
16.0-16.9.....	1	9	97.2	*	*	*	-	-	97.6
17.0-17.9.....	-	-	97.2	*	*	*	-	-	97.6
18.0-18.9.....	1	10	97.6	*	*	*	1	10	98.3
19.0-19.9.....	-	-	97.6	*	*	*	-	-	98.3
20.0 or more.....	2	57	100.0	*	*	*	1	27	100.0

See footnotes at end of table.

Table 3-101. Cumulative percent distribution of iron intake values in milligrams per 1,000 calories for persons aged 35-44 years by sex and income level: United States, 1976-80-Continued

Income level and iron in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	1,360	20,572	100.0	658	10,195	100.0	702	10,377	100.0
Less than 2.5.....	9	125	.6	5	80	.8	4	45	.4
2.5-2.9.....	11	144	1.3	4	60	1.4	7	84	1.2
3.0-3.4.....	20	316	2.8	12	202	3.3	8	114	2.3
3.5-3.9.....	37	559	5.6	17	272	6.0	20	287	5.1
4.0-4.4.....	65	932	10.1	37	587	11.8	28	345	8.4
4.5-4.9.....	92	1,431	17.0	48	716	18.8	44	714	15.3
5.0-5.4.....	137	2,043	27.0	71	1,066	29.3	66	977	24.7
5.5-5.9.....	144	2,240	37.9	66	1,052	39.6	78	1,188	36.2
6.0-6.4.....	145	2,248	48.8	76	1,181	51.2	69	1,067	46.4
6.5-6.9.....	139	1,996	58.5	66	1,012	61.1	73	985	55.9
7.0-7.4.....	119	1,837	67.4	55	877	69.7	64	959	65.2
7.5-7.9.....	100	1,499	74.7	56	843	78.0	44	656	71.5
8.0-8.4.....	73	1,151	80.3	31	474	82.6	42	677	78.0
8.5-8.9.....	52	753	84.0	26	393	86.5	26	360	81.5
9.0-9.9.....	79	1,155	89.6	35	499	91.4	44	656	87.8
10.0-10.9.....	59	824	93.6	31	462	95.9	28	362	91.3
11.0-11.9.....	28	501	96.0	11	224	98.1	17	277	94.0
12.0-12.9.....	14	241	97.2	3	73	98.8	11	168	95.6
13.0-13.9.....	10	156	97.9	3	52	99.3	7	104	96.6
14.0-14.9.....	3	67	98.3	-	-	99.3	3	67	97.2
15.0-15.9.....	5	57	98.5	-	-	99.3	5	57	97.8
16.0-16.9.....	2	31	98.7	-	-	99.3	2	31	98.1
17.0-17.9.....	5	82	99.1	-	-	99.3	5	82	98.9
18.0-18.9.....	2	39	99.3	-	-	99.3	2	39	99.3
19.0-19.9.....	1	10	99.3	1	10	99.4	-	-	99.3
20.0 or more.....	9	137	100.0	4	59	100.0	5	77	100.0

^{1/} Excludes unknown income.

Table 3-102. Cumulative percent distribution of iron intake values in milligrams per 1,000 calories for persons aged 45-54 years by sex and income level: United States, 1976-80

Income level and iron in milligrams per 1,000 calories	Both sexes			Male			Female		
	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent
	All incomes								
Total.....	1,453	23,032	100.0	690	11,114	100.0	763	11,918	100.0
Less than 2.5.....	8	141	.6	6	113	1.0	2	27	.2
2.5-2.9.....	4	54	.8	1	21	1.2	3	34	.5
3.0-3.4.....	24	346	2.3	8	138	2.4	16	208	2.3
3.5-3.9.....	43	653	5.2	28	453	6.5	15	200	3.9
4.0-4.4.....	60	955	9.3	31	480	10.8	29	475	7.9
4.5-4.9.....	86	1,334	15.1	37	585	16.1	49	749	14.2
5.0-5.4.....	142	2,113	24.3	65	964	24.8	77	1,149	23.8
5.5-5.9.....	165	2,576	35.5	87	1,352	36.9	78	1,225	34.1
6.0-6.4.....	145	2,426	46.0	78	1,363	49.2	67	1,063	43.0
6.5-6.9.....	127	1,955	54.5	62	942	57.7	65	1,013	51.5
7.0-7.4.....	120	2,092	63.6	63	1,155	68.1	57	938	59.4
7.5-7.9.....	94	1,452	69.9	46	664	74.0	48	788	66.0
8.0-8.4.....	81	1,166	75.0	35	503	78.6	46	663	71.6
8.5-8.9.....	73	1,184	80.1	30	507	83.1	43	677	77.3
9.0-9.9.....	99	1,550	86.8	45	722	89.6	54	828	84.2
10.0-10.9.....	49	838	90.5	21	380	93.0	28	458	88.1
11.0-11.9.....	38	597	93.0	9	125	94.2	29	472	92.0
12.0-12.9.....	35	565	95.5	15	241	96.3	20	324	94.7
13.0-13.9.....	14	250	96.6	2	44	96.7	12	206	96.5
14.0-14.9.....	17	306	97.9	9	178	98.3	8	128	97.5
15.0-15.9.....	4	91	98.3	1	17	98.5	3	74	98.2
16.0-16.9.....	8	130	98.9	2	24	98.7	6	106	99.1
17.0-17.9.....	4	39	99.0	2	20	98.9	2	19	99.2
19.0-19.9.....	2	44	99.4	1	20	99.3	1	24	99.5
20.0 or more.....	9	136	100.0	5	81	100.0	4	55	100.0
Income below poverty level^{1/}									
Total.....	128	1,760	100.0	46	645	100.0	82	1,115	100.0
Less than 2.5.....	2	30	1.7	*	*	*	1	10	.9
2.5-2.9.....	1	10	2.3	*	*	*	1	10	1.8
3.0-3.4.....	4	51	5.2	*	*	*	3	39	5.3
3.5-3.9.....	2	20	6.3	*	*	*	2	20	7.1
4.0-4.4.....	6	98	11.9	*	*	*	6	98	15.9
4.5-4.9.....	12	161	21.1	*	*	*	8	121	26.8
5.0-5.4.....	15	186	31.6	*	*	*	8	89	34.8
5.5-5.9.....	15	183	42.0	*	*	*	8	102	44.0
6.0-6.4.....	8	126	49.2	*	*	*	4	74	50.6
6.5-6.9.....	13	202	60.6	*	*	*	5	77	57.4
7.0-7.4.....	8	120	67.4	*	*	*	5	70	63.8
7.5-7.9.....	10	161	76.6	*	*	*	6	107	73.3
8.0-8.4.....	7	84	81.4	*	*	*	6	72	79.8
8.5-8.9.....	8	75	85.6	*	*	*	6	58	84.9
9.0-9.9.....	3	44	88.1	*	*	*	3	44	88.8
10.0-10.9.....	6	118	94.8	*	*	*	5	67	94.9
11.0-11.9.....	3	34	96.8	*	*	*	3	34	97.9
12.0-12.9.....	1	13	97.5	*	*	*	-	-	97.9
13.0-13.9.....	-	-	97.5	*	*	*	-	-	97.9
14.0-14.9.....	1	13	98.3	*	*	*	1	13	99.1
15.0-15.9.....	-	-	98.3	*	*	*	-	-	99.1
16.0-16.9.....	1	11	98.9	*	*	*	-	-	99.1
17.0-17.9.....	1	9	99.4	*	*	*	-	-	99.1
18.0-18.9.....	-	-	99.4	*	*	*	-	-	99.1
19.0-19.9.....	-	-	99.4	*	*	*	-	-	99.1
20.0 or more.....	1	10	100.0	*	*	*	1	10	100.0

See footnotes at end of table.

Table 3-102. Cumulative percent distribution of iron intake values in milligrams per 1,000 calories for persons aged 45-54 years by sex and income level: United States, 1976-80-Continued

Income level and iron in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	1,258	20,161	100.0	603	9,738	100.0	655	10,424	100.0
Less than 2.5.....	4	78	.4	3	60	.6	1	18	.2
2.5-2.9.....	3	44	.6	1	21	.8	2	24	.4
3.0-3.4.....	19	277	2.0	7	126	2.1	12	151	1.8
3.5-3.9.....	40	622	5.1	28	453	6.8	12	169	3.5
4.0-4.4.....	51	812	9.1	28	435	11.2	23	377	7.1
4.5-4.9.....	71	1,119	14.6	32	519	16.6	39	600	12.8
5.0-5.4.....	119	1,795	23.5	52	753	24.3	67	1,042	22.8
5.5-5.9.....	143	2,294	34.9	75	1,195	36.6	68	1,098	33.4
6.0-6.4.....	128	2,148	45.6	69	1,214	49.0	59	933	42.3
6.5-6.9.....	111	1,701	54.0	52	776	57.0	59	925	51.2
7.0-7.4.....	105	1,843	63.1	56	1,031	67.6	49	812	59.0
7.5-7.9.....	80	1,230	69.3	40	584	73.6	40	646	65.2
8.0-8.4.....	68	981	74.1	30	422	77.9	38	559	70.6
8.5-8.9.....	62	1,069	79.4	28	489	83.0	34	580	76.1
9.0-9.9.....	92	1,429	86.5	42	654	89.7	50	775	83.6
10.0-10.9.....	43	719	90.1	20	328	93.0	23	391	87.3
11.0-11.9.....	33	519	92.7	9	125	94.3	24	395	91.1
12.0-12.9.....	31	503	95.1	11	179	96.2	20	324	94.2
13.0-13.9.....	14	250	96.4	2	44	96.6	12	206	96.2
14.0-14.9.....	16	293	97.8	9	178	98.4	7	114	97.3
15.0-15.9.....	4	91	98.3	1	17	98.6	3	74	98.0
16.0-16.9.....	7	118	98.9	1	12	98.8	6	106	99.0
17.0-17.9.....	3	30	99.0	1	11	98.9	2	19	99.2
18.0-18.9.....	2	39	99.2	1	24	99.1	1	15	99.3
19.0-19.9.....	2	44	99.4	1	20	99.3	1	24	99.6
20.0 or more.....	7	112	100.0	4	67	100.0	3	45	100.0

1/ Excludes unknown income.

Table 3-103. Cumulative percent distribution of iron intake values in milligrams per 1,000 calories for persons aged 55-64 years by sex and income level: United States, 1976-80

Income level and iron in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	1/2,555	20,346	100.0	1/1,226	9,603	100.0	1,329	10,743	100.0
Less than 2.5.....	12	88	.4	8	55	.6	4	33	.3
2.5-2.9.....	20	182	1.3	11	101	1.6	9	81	1.1
3.0-3.4.....	27	187	2.3	19	129	3.0	8	58	1.6
3.5-3.9.....	46	415	4.3	23	240	5.5	23	175	3.2
4.0-4.4.....	81	637	7.4	31	218	7.7	50	419	7.1
4.5-4.9.....	128	1,075	12.7	74	639	14.4	54	436	11.2
5.0-5.4.....	190	1,578	20.5	110	853	23.3	80	725	17.9
5.5-5.9.....	241	1,828	29.4	118	850	32.1	123	978	27.0
6.0-6.4.....	265	2,214	40.3	126	961	42.1	139	1,253	38.7
6.5-6.9.....	242	1,940	49.9	123	996	52.5	119	945	47.5
7.0-7.4.....	227	1,722	58.3	108	807	60.9	119	915	56.0
7.5-7.9.....	217	1,757	67.0	114	903	70.3	103	855	64.0
8.0-8.4.....	182	1,471	74.2	77	687	77.4	105	785	71.3
8.5-8.9.....	115	937	78.8	50	376	81.4	65	561	76.5
9.0-9.9.....	174	1,319	85.3	79	574	87.3	95	745	83.4
10.0-10.9.....	118	924	89.8	51	437	91.9	67	487	88.0
11.0-11.9.....	89	642	93.0	37	287	94.9	52	356	91.3
12.0-12.9.....	54	393	94.9	20	117	96.1	34	276	93.8
13.0-13.9.....	35	282	96.3	14	107	97.2	21	174	95.5
14.0-14.9.....	19	157	97.1	7	54	97.8	12	103	96.4
15.0-15.9.....	15	140	97.8	4	29	98.1	11	111	97.5
16.0-16.9.....	8	41	98.0	2	11	98.2	6	30	97.8
17.0-17.9.....	14	115	98.5	5	43	98.6	9	73	98.4
19.0-19.9.....	4	24	98.9	1	5	98.9	3	19	98.9
20.0 or more.....	26	224	100.0	12	102	100.0	14	122	100.0
Income below poverty level^{2/}									
Total.....	1/316	1,956	100.0	1/128	775	100.0	188	1,181	100.0
Less than 2.5.....	4	23	1.2	4	23	3.0	-	-	-
2.5-2.9.....	2	11	1.7	1	4	3.4	1	7	.6
3.0-3.4.....	1	4	1.9	1	4	3.9	-	-	.6
3.5-3.9.....	9	56	4.8	4	23	6.9	5	33	3.4
4.0-4.4.....	11	111	10.5	3	25	10.1	8	86	10.7
4.5-4.9.....	19	117	16.5	8	56	17.4	11	61	15.9
5.0-5.4.....	14	54	19.2	10	40	22.5	4	14	17.0
5.5-5.9.....	35	239	31.4	15	90	34.2	20	149	29.7
6.0-6.4.....	42	265	45.0	18	117	49.3	24	148	42.2
6.5-6.9.....	35	217	56.1	13	76	59.1	22	141	54.1
7.0-7.4.....	29	164	64.5	11	61	67.0	18	104	62.9
7.5-7.9.....	16	145	71.9	10	88	78.3	6	57	67.7
8.0-8.4.....	21	117	77.8	8	38	83.2	13	78	74.3
8.5-8.9.....	6	29	79.3	1	7	84.2	5	22	76.1
9.0-9.9.....	24	132	86.1	9	49	90.6	15	83	83.2
10.0-10.9.....	10	48	88.5	3	16	92.6	7	32	85.8
11.0-11.9.....	10	43	90.8	2	6	93.4	8	37	89.0
12.0-12.9.....	9	54	93.5	2	7	94.3	7	47	93.0
13.0-13.9.....	10	68	97.0	3	35	98.8	7	34	95.8
14.0-14.9.....	1	8	97.4	-	-	98.8	1	8	96.5
15.0-15.9.....	2	13	98.1	-	-	98.8	2	13	97.6
16.0-16.9.....	1	4	98.3	-	-	98.8	1	4	98.0
17.0-17.9.....	1	3	98.4	1	3	99.2	-	-	98.0
18.0-18.9.....	-	-	98.4	-	-	99.2	-	-	98.0
19.0-19.9.....	-	-	98.4	-	-	99.2	-	-	98.0
20.0 or more.....	4	30	100.0	1	7	100.0	3	24	100.0

See footnotes at end of table.

Table 3-103. Cumulative percent distribution of iron intake values in milligrams per 1,000 calories for persons aged 55-64 years by sex and income level: United States, 1976-80-Continued

Income level and iron in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{2/}									
Total.....	2,119	17,376	100.0	1,048	8,443	100.0	1,071	8,934	100.0
Less than 2.5.....	8	65	.4	4	32	.4	4	33	.4
2.5-2.9.....	16	158	1.3	9	94	1.5	7	64	1.1
3.0-3.4.....	25	176	2.3	18	125	3.0	7	51	1.6
3.5-3.9.....	35	333	4.2	19	217	5.5	16	116	2.9
4.0-4.4.....	64	488	7.0	26	173	7.6	38	314	6.5
4.5-4.9.....	103	921	12.3	62	567	14.3	41	354	10.4
5.0-5.4.....	166	1,441	20.6	95	773	23.5	71	668	17.9
5.5-5.9.....	198	1,539	29.5	101	741	32.2	97	798	26.8
6.0-6.4.....	208	1,800	39.8	101	775	41.4	107	1,025	38.3
6.5-6.9.....	195	1,605	49.1	105	863	51.6	90	742	46.6
7.0-7.4.....	188	1,502	57.7	91	724	60.2	97	777	55.3
7.5-7.9.....	191	1,555	66.6	99	791	69.6	92	765	63.9
8.0-8.4.....	148	1,220	73.7	63	573	76.4	85	647	71.1
8.5-8.9.....	105	814	78.4	48	363	80.7	57	451	76.2
9.0-9.9.....	142	1,119	84.8	68	510	86.7	74	609	83.0
10.0-10.9.....	103	851	89.7	44	401	91.4	59	450	88.0
11.0-11.9.....	76	587	93.1	35	281	94.8	41	307	91.5
12.0-12.9.....	44	331	95.0	18	110	96.1	26	221	93.9
13.0-13.9.....	24	192	96.1	11	73	96.9	13	119	95.3
14.0-14.9.....	18	149	96.9	7	54	97.6	11	95	96.3
15.0-15.9.....	13	127	97.7	4	29	97.9	9	98	97.4
16.0-16.9.....	7	37	97.9	2	11	98.0	5	26	97.7
17.0-17.9.....	13	112	98.5	4	40	98.5	9	73	98.5
18.0-18.9.....	5	48	98.8	2	24	98.8	3	24	98.8
19.0-19.9.....	3	21	98.9	1	5	98.9	2	16	99.0
20.0 or more.....	21	186	100.0	11	96	100.0	10	91	100.0

^{1/} Excludes 1 examined person with zero calories.

^{2/} Excludes unknown income.

Table 3-104. Cumulative percent distribution of iron intake values in milligrams per 1,000 calories for persons aged 65-74 years by sex and income level: United States, 1976-80

Income level and iron in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	2,615	14,496	100.0	1,199	6,297	100.0	1,416	8,198	100.0
Less than 2.5.....	5	26	.2	4	22	.3	1	4	.0
2.5-2.9.....	11	53	.5	6	30	.8	5	23	.3
3.0-3.4.....	27	125	1.4	19	93	2.3	8	33	.7
3.5-3.9.....	43	253	3.1	22	132	4.4	21	121	2.2
4.0-4.4.....	76	417	6.0	34	150	6.8	42	267	5.5
4.5-4.9.....	126	665	10.6	56	288	11.3	70	378	10.1
5.0-5.4.....	188	1,023	17.7	82	419	18.0	106	604	17.4
5.5-5.9.....	237	1,306	26.7	116	603	27.6	121	703	26.0
6.0-6.4.....	244	1,329	35.8	120	625	37.5	124	705	34.6
6.5-6.9.....	241	1,417	45.6	110	634	47.5	131	784	44.2
7.0-7.4.....	217	1,233	54.1	92	490	55.3	125	743	53.2
7.5-7.9.....	206	1,100	61.7	108	568	64.3	98	532	59.7
8.0-8.4.....	176	1,025	68.8	71	357	70.0	105	668	67.9
8.5-8.9.....	148	847	74.6	70	390	76.2	78	457	73.4
9.0-9.9.....	196	1,100	82.2	85	425	83.0	111	675	81.7
10.0-10.9.....	122	687	87.0	54	294	87.6	68	393	86.4
11.0-11.9.....	102	518	90.5	47	237	91.4	55	281	89.9
12.0-12.9.....	76	373	93.1	36	170	94.1	40	203	92.3
13.0-13.9.....	34	217	94.6	13	86	95.5	21	131	93.9
14.0-14.9.....	32	173	95.8	12	70	96.6	20	104	95.2
15.0-15.9.....	20	120	96.6	9	46	97.3	11	74	96.1
16.0-16.9.....	18	99	97.3	4	21	97.6	14	78	97.1
17.0-17.9.....	12	75	97.8	5	31	98.1	7	44	97.6
19.0-19.9.....	4	22	98.2	1	4	98.3	3	18	98.1
20.0 or more.....	47	264	100.0	21	108	100.0	26	155	100.0
Income below poverty level^{1/}									
Total.....	424	2,003	100.0	168	759	100.0	256	1,245	100.0
Less than 2.5.....	3	14	.7	2	10	1.3	1	4	.3
2.5-2.9.....	4	17	1.5	3	13	3.0	1	4	.6
3.0-3.4.....	6	30	3.0	4	19	5.5	2	11	1.5
3.5-3.9.....	4	16	3.8	2	7	6.4	2	9	2.2
4.0-4.4.....	21	99	8.8	8	41	11.8	13	58	6.9
4.5-4.9.....	25	127	15.1	11	46	17.9	14	81	13.5
5.0-5.4.....	36	156	22.9	15	54	25.0	21	102	21.6
5.5-5.9.....	36	159	30.8	13	46	31.1	23	112	30.7
6.0-6.4.....	49	228	42.2	21	97	43.9	28	131	41.2
6.5-6.9.....	24	129	48.6	10	47	50.1	14	81	47.7
7.0-7.4.....	30	160	56.6	11	51	56.9	19	108	56.4
7.5-7.9.....	41	181	65.7	19	97	69.7	22	84	63.2
8.0-8.4.....	23	110	71.2	11	48	76.1	12	62	68.2
8.5-8.9.....	19	102	76.2	8	52	82.9	11	50	72.2
9.0-9.9.....	24	105	81.5	8	33	87.2	16	72	78.0
10.0-10.9.....	19	75	85.2	4	13	89.0	15	62	83.0
11.0-11.9.....	19	98	90.1	6	30	93.0	13	67	88.4
12.0-12.9.....	12	48	92.5	6	24	96.1	6	24	90.3
13.0-13.9.....	5	27	93.8	1	9	97.3	4	18	91.7
14.0-14.9.....	6	32	95.4	1	3	97.7	5	29	94.0
15.0-15.9.....	3	12	96.0	2	9	98.8	1	3	94.3
16.0-16.9.....	2	11	96.5	-	-	98.8	2	11	95.2
17.0-17.9.....	4	29	98.0	1	4	99.4	3	25	97.2
18.0-18.9.....	1	3	98.1	-	-	99.4	1	3	97.4
19.0-19.9.....	1	4	98.3	-	-	99.4	1	4	97.7
20.0 or more.....	7	33	100.0	1	5	100.0	6	28	100.0

See footnotes at end of table.

Table 3-104. Cumulative percent distribution of iron intake values in milligrams per 1,000 calories for persons aged 65-74 years by sex and income level: United States, 1976-80-Continued

Income level and iron in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	2,067	11,819	100.0	987	5,312	100.0	1,080	6,508	100.0
Less than 2.5.....	2	11	.1	2	11	.2	-	-	-
2.5-2.9.....	7	37	.4	3	18	.5	4	19	.3
3.0-3.4.....	19	89	1.2	13	67	1.8	6	22	.6
3.5-3.9.....	35	219	3.0	19	121	4.1	16	98	2.1
4.0-4.4.....	53	311	5.6	25	105	6.1	28	206	5.3
4.5-4.9.....	95	508	9.9	45	242	10.6	50	267	9.4
5.0-5.4.....	146	835	17.0	64	351	17.2	82	484	16.8
5.5-5.9.....	186	1,052	25.9	95	509	26.8	91	543	25.2
6.0-6.4.....	186	1,058	34.9	97	520	36.6	89	538	33.4
6.5-6.9.....	205	1,219	45.2	95	551	47.0	110	668	43.7
7.0-7.4.....	175	1,014	53.8	78	428	55.0	97	586	52.7
7.5-7.9.....	155	861	61.0	86	456	63.6	69	404	58.9
8.0-8.4.....	145	865	68.4	57	293	69.1	88	572	67.7
8.5-8.9.....	120	689	74.2	60	327	75.3	60	362	73.3
9.0-9.9.....	165	964	82.3	75	386	82.6	90	578	82.2
10.0-10.9.....	99	592	87.4	48	271	87.7	51	320	87.1
11.0-11.9.....	76	392	90.7	37	188	91.2	39	203	90.2
12.0-12.9.....	62	318	93.4	30	146	94.0	32	172	92.9
13.0-13.9.....	26	162	94.7	11	65	95.2	15	97	94.4
14.0-14.9.....	26	142	95.9	11	67	96.4	15	75	95.5
15.0-15.9.....	14	92	96.7	7	37	97.1	7	55	96.4
16.0-16.9.....	16	88	97.5	4	21	97.5	12	67	97.4
17.0-17.9.....	8	45	97.8	4	27	98.0	4	18	97.7
18.0-18.9.....	6	27	98.1	2	7	98.2	4	21	98.0
19.0-19.9.....	3	18	98.2	1	4	98.2	2	14	98.2
20.0 or more.....	37	210	100.0	18	94	100.0	19	116	100.0

^{1/} Excludes unknown income.

Table 3-105. Cumulative percent distribution of sodium intake values in milligrams per 1,000 calories for persons aged 6-11 months by sex and income level: United States, 1976-80

Income level and sodium in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	356	1,599	100.0	179	819	100.0	177	780	100.0
Less than 250.....	3	10	.6	2	8	.9	1	3	.3
250-499.....	38	171	11.4	17	71	9.6	21	101	13.3
500-599.....	25	107	18.1	11	46	15.1	14	62	21.2
600-699.....	22	96	24.1	9	48	20.9	13	49	27.4
700-799.....	30	144	33.1	14	64	28.7	16	80	37.7
800-899.....	35	155	42.8	18	92	40.0	17	63	45.8
900-999.....	21	95	48.7	11	53	46.4	10	42	51.1
1,000-1,099.....	29	138	57.4	15	82	56.5	14	56	58.3
1,100-1,199.....	32	144	66.4	15	57	63.5	17	87	69.4
1,200-1,299.....	23	102	72.8	11	51	69.7	12	51	75.9
1,300-1,399.....	23	109	79.6	12	56	76.5	11	54	82.8
1,400-1,499.....	20	88	85.1	10	50	82.7	10	38	87.7
1,500-1,599.....	12	54	88.5	8	38	87.3	4	16	89.8
1,600-1,699.....	13	65	92.5	10	40	92.2	3	24	92.9
1,700-1,799.....	8	27	94.2	5	16	94.1	3	11	94.3
1,800-1,899.....	8	38	96.5	5	23	97.0	3	14	96.1
1,900-1,999.....	2	8	97.1	1	6	97.7	1	2	96.4
2,000-2,499.....	8	29	98.9	4	12	99.1	4	18	98.7
2,500-2,999.....	3	14	99.8	1	7	100.0	2	7	99.6
3,000-3,499.....	1	3	100.0	-	-	100.0	1	3	100.0
3,500-3,999.....	-	-	100.0	-	-	100.0	-	-	100.0
4,000 or more.....	-	-	100.0	-	-	100.0	-	-	100.0
Income below poverty level ^{1/}									
Total.....	84	315	100.0	48	177	100.0	36	138	100.0
Less than 250.....	1	3	.8	*	*	*	*	*	*
250-499.....	9	29	10.0	*	*	*	*	*	*
500-599.....	10	39	22.5	*	*	*	*	*	*
600-699.....	4	22	29.3	*	*	*	*	*	*
700-799.....	9	46	43.9	*	*	*	*	*	*
800-899.....	4	13	48.1	*	*	*	*	*	*
900-999.....	3	10	51.1	*	*	*	*	*	*
1,000-1,099.....	6	23	58.4	*	*	*	*	*	*
1,100-1,199.....	9	24	66.1	*	*	*	*	*	*
1,200-1,299.....	7	29	75.4	*	*	*	*	*	*
1,300-1,399.....	2	7	77.7	*	*	*	*	*	*
1,400-1,499.....	6	23	85.0	*	*	*	*	*	*
1,500-1,599.....	2	5	86.7	*	*	*	*	*	*
1,600-1,699.....	3	7	89.0	*	*	*	*	*	*
1,700-1,799.....	3	10	92.3	*	*	*	*	*	*
1,800-1,899.....	2	11	95.9	*	*	*	*	*	*
1,900-1,999.....	-	-	95.9	*	*	*	*	*	*
2,000-2,499.....	4	13	100.0	*	*	*	*	*	*
2,500-2,999.....	-	-	100.0	*	*	*	*	*	*
3,000-3,499.....	-	-	100.0	*	*	*	*	*	*
3,500-3,999.....	-	-	100.0	*	*	*	*	*	*
4,000 or more.....	-	-	100.0	*	*	*	*	*	*

See footnotes at end of table.

Table 3-105. Cumulative percent distribution of sodium intake values in milligrams per 1,000 calories for persons aged 6-11 months by sex and income level: United States, 1976-80-Continued

Income level and sodium in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	256	1,226	100.0	121	614	100.0	135	612	100.0
Less than 250.....	2	8	.6	2	8	1.2	-	-	-
250-499.....	28	139	12.0	13	57	10.4	15	83	13.5
500-599.....	15	68	17.5	6	32	15.7	9	36	19.4
600-699.....	17	72	23.4	6	31	20.6	11	41	26.1
700-799.....	21	98	31.4	9	33	26.0	12	65	36.8
800-899.....	28	133	42.2	13	76	38.4	15	57	46.0
900-999.....	18	85	49.2	9	47	46.1	9	38	52.2
1,000-1,099.....	20	108	58.0	10	67	57.1	10	41	58.9
1,100-1,199.....	23	120	67.7	9	41	63.7	14	79	71.8
1,200-1,299.....	15	67	73.2	7	37	69.8	8	30	76.6
1,300-1,399.....	18	88	80.3	8	43	76.8	10	45	83.9
1,400-1,499.....	14	65	85.7	7	39	83.1	7	27	88.3
1,500-1,599.....	8	43	89.2	6	34	88.7	2	9	89.7
1,600-1,699.....	9	53	93.4	7	31	93.6	2	22	93.2
1,700-1,799.....	5	16	94.8	3	10	95.2	2	7	94.3
1,800-1,899.....	6	26	96.9	3	12	97.2	3	14	96.7
1,900-1,999.....	2	8	97.6	1	6	98.1	1	2	97.1
2,000-2,499.....	4	16	98.9	1	4	98.8	3	12	99.1
2,500-2,999.....	2	10	99.8	1	7	100.0	1	2	99.5
3,000-3,499.....	1	3	100.0	-	-	100.0	1	3	100.0
3,500-3,999.....	-	-	100.0	-	-	100.0	-	-	100.0
4,000 or more.....	-	-	100.0	-	-	100.0	-	-	100.0

^{1/} Excludes unknown income.

Table 3-106. Cumulative percent distribution of sodium intake values in milligrams per 1,000 calories for persons aged 1-2 years by sex and income level: United States, 1976-80

Income level and sodium in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	1,417	6,078	100.0	745	3,107	100.0	672	2,970	100.0
Less than 250.....	-	-	-	-	-	-	-	-	-
250-499.....	11	54	.9	4	19	.6	7	35	1.2
500-599.....	13	51	1.7	4	13	1.0	9	38	2.4
600-699.....	30	121	3.7	11	45	2.5	19	76	5.0
700-799.....	48	213	7.2	28	112	6.1	20	101	8.4
800-899.....	67	283	11.9	37	164	11.3	30	119	12.4
900-999.....	78	320	17.1	43	180	17.1	35	141	17.2
1,000-1,099.....	136	563	26.4	68	274	25.9	68	290	26.9
1,100-1,199.....	134	525	35.1	75	276	34.8	59	250	35.3
1,200-1,299.....	148	623	45.3	64	249	42.8	84	374	47.9
1,300-1,399.....	119	513	53.7	71	302	52.5	48	211	55.0
1,400-1,499.....	116	503	62.0	59	244	60.4	57	259	63.7
1,500-1,599.....	111	470	69.8	65	259	68.7	46	212	70.8
1,600-1,699.....	88	429	76.8	39	170	74.2	49	259	79.6
1,700-1,799.....	63	265	81.2	36	159	79.3	27	106	83.1
1,800-1,899.....	55	254	85.3	29	132	83.6	26	122	87.2
1,900-1,999.....	34	141	87.7	20	85	86.3	14	56	89.1
2,000-2,499.....	113	468	95.4	63	260	94.6	50	208	96.1
2,500-2,999.....	34	152	97.9	19	89	97.5	15	63	98.2
3,000-3,499.....	16	117	99.8	8	68	99.7	8	49	99.9
3,500-3,999.....	1	4	99.9	1	4	99.8	-	-	99.9
4,000 or more.....	2	8	100.0	1	5	100.0	1	3	100.0
Income below poverty level^{1/}									
Total.....	323	1,163	100.0	170	601	100.0	153	562	100.0
Less than 250.....	-	-	-	-	-	-	-	-	-
250-499.....	4	18	1.6	2	10	1.7	2	8	1.5
500-599.....	4	17	3.0	2	5	2.5	2	12	3.6
600-699.....	7	19	4.7	3	8	3.8	4	11	5.6
700-799.....	11	45	8.5	7	28	8.5	4	17	8.5
800-899.....	15	43	12.2	7	20	11.8	8	23	12.6
900-999.....	13	54	16.9	8	40	18.5	5	14	15.2
1,000-1,099.....	34	112	26.5	17	52	27.1	17	60	25.9
1,100-1,199.....	40	147	39.2	21	73	39.3	19	74	39.0
1,200-1,299.....	27	91	47.0	11	30	44.3	16	61	49.9
1,300-1,399.....	33	123	57.6	17	62	54.6	16	61	60.7
1,400-1,499.....	24	102	66.4	13	57	64.1	11	46	68.8
1,500-1,599.....	28	90	74.1	20	60	74.0	8	31	74.3
1,600-1,699.....	20	66	79.8	7	21	77.5	13	45	82.3
1,700-1,799.....	14	50	84.1	9	33	82.9	5	17	85.4
1,800-1,899.....	9	35	87.1	6	23	86.7	3	12	87.5
1,900-1,999.....	4	16	88.5	2	9	88.3	2	7	88.8
2,000-2,499.....	27	97	96.9	15	60	98.3	12	37	95.4
2,500-2,999.....	6	29	99.4	1	5	99.2	5	24	99.6
3,000-3,499.....	3	7	100.0	2	5	100.0	1	2	100.0
3,500-3,999.....	-	-	100.0	-	-	100.0	-	-	100.0
4,000 or more.....	-	-	100.0	-	-	100.0	-	-	100.0

See footnotes at end of table.

Table 3-106. Cumulative percent distribution of sodium intake values in milligrams per 1,000 calories for persons aged 1-2 years by sex and income level: United States, 1976-80-Continued

Income level and sodium in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	1,056	4,767	100.0	551	2,416	100.0	505	2,351	100.0
Less than 250.....	-	-	-	-	-	-	-	-	-
250-499.....	7	35	.7	2	9	.4	5	26	1.1
500-599.....	9	34	1.5	2	8	.7	7	26	2.2
600-699.....	22	99	3.5	8	37	2.2	14	62	4.9
700-799.....	36	165	7.0	21	84	5.7	15	81	8.3
800-899.....	51	238	12.0	29	142	11.6	22	96	12.4
900-999.....	62	258	17.4	32	132	17.0	30	126	17.8
1,000-1,099.....	99	435	26.5	49	213	25.8	50	221	27.2
1,100-1,199.....	88	360	34.0	50	193	33.8	38	167	34.3
1,200-1,299.....	118	523	45.0	52	216	42.8	66	307	47.3
1,300-1,399.....	81	370	52.8	52	229	52.3	29	141	53.3
1,400-1,499.....	89	388	60.9	44	178	59.6	45	210	62.3
1,500-1,599.....	81	371	68.7	44	195	67.7	37	176	69.8
1,600-1,699.....	66	357	76.2	31	146	73.8	35	211	78.7
1,700-1,799.....	45	195	80.3	23	107	78.2	22	89	82.5
1,800-1,899.....	45	211	84.7	22	101	82.4	23	110	87.2
1,900-1,999.....	30	125	87.3	18	76	85.5	12	49	89.3
2,000-2,499.....	83	358	94.8	46	195	93.5	37	163	96.2
2,500-2,999.....	28	124	97.4	18	84	97.0	10	39	97.9
3,000-3,499.....	13	110	99.7	6	62	99.6	7	47	99.9
3,500-3,999.....	1	4	99.8	1	4	99.8	-	-	99.9
4,000 or more.....	2	8	100.0	1	5	100.0	1	3	100.0

1/ Excludes unknown income.

Table 3-107. Cumulative percent distribution of sodium intake values in milligrams per 1,000 calories for persons aged 3-5 years by sex and income level: United States, 1976-80

Income level and sodium in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	2,345	9,186	100.0	1,219	4,695	100.0	1,126	4,491	100.0
Less than 250.....	1	6	.1	-	-	-	1	6	.1
250-499.....	17	78	.9	8	35	.8	9	42	1.1
500-599.....	25	95	1.9	12	46	1.7	13	48	2.2
600-699.....	51	201	4.1	24	91	3.7	27	110	4.6
700-799.....	78	357	8.0	44	208	8.1	34	149	7.9
800-899.....	102	400	12.4	57	218	12.8	45	182	12.0
900-999.....	165	677	19.8	78	290	18.9	87	387	20.6
1,000-1,099.....	189	721	27.6	106	382	27.1	83	338	28.1
1,100-1,199.....	230	877	37.1	133	515	38.0	97	362	36.2
1,200-1,299.....	248	953	47.5	133	522	49.2	115	431	45.8
1,300-1,399.....	196	787	56.1	99	371	57.1	97	416	55.1
1,400-1,499.....	173	652	63.2	104	389	65.3	69	263	60.9
1,500-1,599.....	184	817	72.1	89	369	73.2	95	448	70.9
1,600-1,699.....	147	563	78.2	65	252	78.6	82	312	77.9
1,700-1,799.....	120	442	83.0	62	228	83.4	58	213	82.6
1,800-1,899.....	92	327	86.6	43	169	87.0	49	158	86.1
1,900-1,999.....	90	351	90.4	47	169	90.6	43	182	90.2
2,000-2,499.....	166	601	96.9	80	288	96.8	86	313	97.2
2,500-2,999.....	47	181	98.9	23	94	98.8	24	87	99.1
3,000-3,499.....	16	65	99.6	7	37	99.5	9	29	99.7
3,500-3,999.....	2	8	99.7	1	5	99.7	1	3	99.8
4,000 or more.....	6	25	100.0	4	16	100.0	2	9	100.0
Income below poverty level^{1/}									
Total.....	570	1,855	100.0	298	910	100.0	272	945	100.0
Less than 250.....	-	-	-	-	-	-	-	-	-
250-499.....	-	-	-	-	-	-	-	-	-
500-599.....	5	21	1.1	4	19	2.1	1	2	.2
600-699.....	16	51	3.9	9	32	5.6	7	20	2.3
700-799.....	18	65	7.4	13	38	9.8	5	27	5.1
800-899.....	25	84	11.9	16	47	14.9	9	37	9.0
900-999.....	41	132	19.0	19	50	20.5	22	82	17.6
1,000-1,099.....	55	166	28.0	34	92	30.5	21	74	25.5
1,100-1,199.....	54	166	36.9	30	86	39.9	24	80	34.0
1,200-1,299.....	50	168	45.9	24	73	48.0	26	95	44.0
1,300-1,399.....	36	119	52.4	18	60	54.5	18	60	50.3
1,400-1,499.....	37	126	59.1	23	73	62.6	14	52	55.9
1,500-1,599.....	56	192	69.5	27	94	72.9	29	98	66.2
1,600-1,699.....	33	100	74.9	17	50	78.5	16	49	71.4
1,700-1,799.....	28	101	80.3	9	29	81.7	19	71	78.9
1,800-1,899.....	24	68	83.9	11	30	85.0	13	37	82.9
1,900-1,999.....	26	87	88.6	13	35	88.9	13	52	88.4
2,000-2,499.....	50	150	96.7	24	69	96.4	26	81	96.9
2,500-2,999.....	7	29	98.3	3	15	98.1	4	14	98.4
3,000-3,499.....	8	30	99.9	3	15	99.7	5	15	100.0
3,500-3,999.....	-	-	99.9	-	-	99.7	-	-	100.0
4,000 or more.....	1	2	100.0	1	2	100.0	-	-	100.0

See footnotes at end of table.

Table 3-107. Cumulative percent distribution of sodium intake values in milligrams per 1,000 calories for persons aged 3-5 years by sex and income level: United States, 1976-80-Continued

Income level and sodium in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	1,707	7,102	100.0	892	3,683	100.0	815	3,419	100.0
Less than 250.....	1	6	.1	-	-	-	1	6	.2
250-499.....	15	69	1.1	8	35	1.0	7	34	1.2
500-599.....	19	71	2.1	8	27	1.7	11	44	2.5
600-699.....	34	148	4.1	15	59	3.3	19	88	5.1
700-799.....	57	285	8.2	30	168	7.9	27	117	8.5
800-899.....	75	312	12.5	40	169	12.4	35	143	12.7
900-999.....	120	530	20.0	58	237	18.9	62	293	21.2
1,000-1,099.....	129	538	27.6	69	281	26.5	60	257	28.8
1,100-1,199.....	168	688	37.3	99	418	37.9	69	269	36.6
1,200-1,299.....	188	755	47.9	103	431	49.6	85	324	46.1
1,300-1,399.....	155	651	57.1	78	302	57.8	77	349	56.3
1,400-1,499.....	133	518	64.4	78	307	66.1	55	211	62.5
1,500-1,599.....	118	588	72.6	60	266	73.3	58	321	71.9
1,600-1,699.....	113	461	79.1	48	201	78.8	65	260	79.5
1,700-1,799.....	88	331	83.8	52	195	84.1	36	136	83.5
1,800-1,899.....	66	254	87.4	32	139	87.9	34	115	86.8
1,900-1,999.....	61	250	90.9	33	128	91.3	28	121	90.4
2,000-2,499.....	113	436	97.0	54	206	96.9	59	230	97.1
2,500-2,999.....	39	145	99.1	19	72	98.9	20	73	99.3
3,000-3,499.....	8	36	99.6	4	22	99.5	4	13	99.6
3,500-3,999.....	2	8	99.7	1	5	99.6	1	3	99.7
4,000 or more.....	5	23	100.0	3	13	100.0	2	9	100.0

^{1/} Excludes unknown income.

Table 3-108. Cumulative percent distribution of sodium intake values in milligrams per 1,000 calories for persons aged 6-8 years by sex and income level: United States, 1976-80

Income level and sodium in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	843	10,213	100.0	428	5,336	100.0	415	4,877	100.0
Less than 250.....	-	-	-	-	-	-	-	-	-
250-499.....	1	7	.1	1	7	.1	-	-	-
500-599.....	8	95	1.0	2	15	.4	6	80	1.6
600-699.....	17	198	2.9	6	73	1.8	11	126	4.2
700-799.....	21	218	5.1	10	104	3.7	11	114	6.5
800-899.....	34	406	9.0	15	183	7.2	19	223	11.1
900-999.....	69	938	18.2	32	500	16.5	37	437	20.1
1,000-1,099.....	82	1,024	28.3	44	520	26.3	38	504	30.4
1,100-1,199.....	78	952	37.6	41	502	35.7	37	449	39.6
1,200-1,299.....	87	1,064	48.0	51	630	47.5	36	434	48.5
1,300-1,399.....	92	1,089	58.6	45	578	58.3	47	510	59.0
1,400-1,499.....	71	970	68.2	48	680	71.1	23	290	64.9
1,500-1,599.....	67	756	75.6	36	419	78.9	31	337	71.9
1,600-1,699.....	42	540	80.8	19	271	84.0	23	269	77.4
1,700-1,799.....	47	484	85.6	25	257	88.8	22	227	82.0
1,800-1,899.....	32	378	89.3	16	193	92.4	16	185	85.8
1,900-1,999.....	13	179	91.0	7	85	94.0	6	94	87.8
2,000-2,499.....	61	706	97.9	22	241	98.6	39	465	97.3
2,500-2,999.....	15	137	99.3	5	45	99.4	10	92	99.2
3,000-3,499.....	5	58	99.9	3	32	100.0	2	26	99.7
3,500-3,999.....	-	-	99.9	-	-	100.0	-	-	99.7
4,000 or more.....	1	15	100.0	-	-	100.0	1	15	100.0
Income below poverty level^{1/}									
Total.....	177	1,769	100.0	82	900	100.0	95	869	100.0
Less than 250.....	-	-	-	-	-	-	-	-	-
250-499.....	-	-	-	-	-	-	-	-	-
500-599.....	-	-	-	-	-	-	-	-	-
600-699.....	3	23	1.3	1	8	.9	2	15	1.7
700-799.....	6	49	4.1	3	26	3.7	3	24	4.5
800-899.....	5	45	6.6	2	20	5.9	3	25	7.3
900-999.....	14	145	14.8	5	66	13.3	9	79	16.4
1,000-1,099.....	13	123	21.8	8	73	21.4	5	50	22.2
1,100-1,199.....	17	189	32.4	10	125	35.3	7	63	29.5
1,200-1,299.....	20	210	44.3	10	119	48.5	10	91	39.9
1,300-1,399.....	21	198	55.5	10	103	60.0	11	95	50.9
1,400-1,499.....	10	155	64.3	6	93	70.3	4	61	58.0
1,500-1,599.....	21	201	75.6	9	105	82.0	12	95	69.0
1,600-1,699.....	5	44	78.1	2	19	84.2	3	24	71.8
1,700-1,799.....	14	120	84.9	5	45	89.2	9	75	80.4
1,800-1,899.....	6	61	88.3	2	24	91.9	4	37	84.6
1,900-1,999.....	3	29	89.9	2	18	93.8	1	11	85.8
2,000-2,499.....	14	134	97.5	5	40	98.2	9	94	96.7
2,500-2,999.....	5	45	100.0	2	16	100.0	3	29	100.0
3,000-3,499.....	-	-	100.0	-	-	100.0	-	-	100.0
3,500-3,999.....	-	-	100.0	-	-	100.0	-	-	100.0
4,000 or more.....	-	-	100.0	-	-	100.0	-	-	100.0

See footnotes at end of table.

Table 3-108. Cumulative percent distribution of sodium intake values in milligrams per 1,000 calories for persons aged 6-8 years by sex and income level: United States, 1976-80-Continued

Income level and sodium in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	644	8,118	100.0	336	4,254	100.0	308	3,864	100.0
Less than 250.....	-	-	-	-	-	-	-	-	-
250-499.....	1	7	.1	1	7	.2	-	-	-
500-599.....	8	95	1.3	2	15	.5	6	80	2.1
600-699.....	14	176	3.4	5	65	2.1	9	111	4.9
700-799.....	15	168	5.5	7	79	3.9	8	90	7.3
800-899.....	29	361	9.9	13	163	7.7	16	198	12.4
900-999.....	55	793	19.7	27	434	17.9	28	359	21.7
1,000-1,099.....	67	856	30.3	35	425	27.9	32	431	32.8
1,100-1,199.....	59	738	39.3	31	377	36.8	28	361	42.1
1,200-1,299.....	62	799	49.2	39	497	48.5	23	302	50.0
1,300-1,399.....	66	807	59.1	33	413	58.2	33	393	60.2
1,400-1,499.....	58	754	68.4	39	525	70.5	19	229	66.1
1,500-1,599.....	43	521	74.8	27	314	77.9	16	207	71.4
1,600-1,699.....	37	496	80.9	17	251	83.8	20	244	77.8
1,700-1,799.....	32	354	85.3	19	202	88.5	13	152	81.7
1,800-1,899.....	25	306	89.1	13	158	92.3	12	149	85.6
1,900-1,999.....	10	150	90.9	5	67	93.8	5	83	87.7
2,000-2,499.....	47	572	98.0	17	202	98.6	30	370	97.3
2,500-2,999.....	10	92	99.1	3	29	99.3	7	63	98.9
3,000-3,499.....	5	58	99.8	3	32	100.0	2	26	99.6
3,500-3,999.....	-	-	99.8	-	-	100.0	-	-	99.6
4,000 or more.....	1	15	100.0	-	-	100.0	1	15	100.0

1/ Excludes unknown income.

Table 3-109. Cumulative percent distribution of sodium intake values in milligrams per 1,000 calories for persons aged 9-11 years by sex and income level: United States, 1976-80

Income level and sodium in milligrams per 1,000 calories	Both sexes			Male			Female		
	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent
	All incomes								
Total.....	882	10,667	100.0	457	5,310	100.0	425	5,357	100.0
Less than 250.....	2	31	.3	-	-	-	2	31	.6
250-499.....	1	12	.4	-	-	-	1	12	.8
500-599.....	10	152	1.8	6	74	1.4	4	78	2.3
600-699.....	18	218	3.9	10	133	3.9	8	85	3.8
700-799.....	19	234	6.1	7	101	5.8	12	133	6.3
800-899.....	56	772	13.3	27	351	12.4	29	421	14.2
900-999.....	64	708	19.9	33	343	18.9	31	365	21.0
1,000-1,099.....	75	879	28.2	31	394	26.3	44	485	30.1
1,100-1,199.....	80	998	37.5	40	464	35.0	40	534	40.0
1,200-1,299.....	88	1,087	47.7	48	543	45.2	40	544	50.2
1,300-1,399.....	67	757	54.8	35	373	52.3	32	384	57.3
1,400-1,499.....	73	896	63.2	43	542	62.5	30	354	63.9
1,500-1,599.....	64	733	70.1	37	438	70.7	27	294	69.4
1,600-1,699.....	58	636	76.1	35	354	77.4	23	283	74.7
1,700-1,799.....	39	483	80.6	17	192	81.0	22	291	80.2
1,800-1,899.....	36	425	84.6	15	159	84.0	21	266	85.1
1,900-1,999.....	28	323	87.6	18	189	87.5	10	134	87.6
2,000-2,499.....	73	905	96.1	43	530	97.5	30	375	94.7
2,500-2,999.....	20	268	98.6	6	71	98.9	14	197	98.3
3,000-3,499.....	5	102	99.6	2	29	99.4	3	73	99.7
3,500-3,999.....	2	14	99.7	1	5	99.5	1	9	99.9
4,000 or more.....	4	33	100.0	3	26	100.0	1	7	100.0
Income below poverty level^{1/}									
Total.....	190	1,967	100.0	88	854	100.0	102	1,113	100.0
Less than 250.....	-	-	-	-	-	-	-	-	-
250-499.....	1	12	.6	-	-	-	1	12	1.0
500-599.....	1	8	1.0	1	8	.9	-	-	1.0
600-699.....	9	86	5.4	5	57	7.6	4	29	3.7
700-799.....	5	50	7.9	1	17	9.6	4	33	6.6
800-899.....	11	139	15.0	6	56	16.2	5	83	14.0
900-999.....	12	121	21.1	4	38	20.6	8	83	21.5
1,000-1,099.....	17	171	29.8	4	33	24.4	13	138	33.9
1,100-1,199.....	21	195	39.7	12	108	37.1	9	87	41.7
1,200-1,299.....	16	156	47.7	9	79	46.3	7	78	48.7
1,300-1,399.....	15	161	55.8	9	86	56.4	6	74	55.3
1,400-1,499.....	23	294	70.8	7	91	67.1	16	204	73.6
1,500-1,599.....	11	110	76.4	8	78	76.3	3	32	76.5
1,600-1,699.....	7	55	79.2	4	29	79.6	3	27	78.9
1,700-1,799.....	9	89	83.7	4	38	84.0	5	51	83.5
1,800-1,899.....	8	87	88.1	4	48	89.7	4	39	87.0
1,900-1,999.....	7	57	91.0	6	47	95.2	1	10	87.9
2,000-2,499.....	9	74	94.8	3	23	97.8	6	52	92.5
2,500-2,999.....	6	85	99.1	1	19	100.0	5	66	98.4
3,000-3,499.....	1	8	99.5	-	-	100.0	1	8	99.2
3,500-3,999.....	1	9	100.0	-	-	100.0	1	9	100.0
4,000 or more.....	-	-	100.0	-	-	100.0	-	-	100.0

See footnotes at end of table.

Table 3-109. Cumulative percent distribution of sodium intake values in milligrams per 1,000 calories for persons aged 9-11 years by sex and income level: United States, 1976-80-Continued

Income level and sodium in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	663	8,370	100.0	356	4,321	100.0	307	4,049	100.0
Less than 250.....	2	31	.4	-	-	-	2	31	.8
250-499.....	-	-	.4	-	-	-	-	-	.8
500-599.....	8	123	1.8	4	45	1.0	4	78	2.7
600-699.....	8	116	3.2	4	60	2.4	4	56	4.1
700-799.....	14	184	5.4	6	84	4.4	8	100	6.5
800-899.....	42	610	12.7	19	280	10.8	23	330	14.7
900-999.....	50	570	19.5	28	295	17.7	22	275	21.5
1,000-1,099.....	54	648	27.3	26	346	25.7	28	302	28.9
1,100-1,199.....	55	760	36.3	26	333	33.4	29	427	39.5
1,200-1,299.....	69	907	47.2	38	457	44.0	31	449	50.6
1,300-1,399.....	50	582	54.1	25	281	50.5	25	302	58.0
1,400-1,499.....	48	585	61.1	35	445	60.8	13	140	61.5
1,500-1,599.....	53	623	68.6	29	360	69.1	24	263	67.9
1,600-1,699.....	50	567	75.3	31	325	76.6	19	242	73.9
1,700-1,799.....	28	374	79.8	12	144	80.0	16	230	79.6
1,800-1,899.....	27	326	83.7	11	111	82.5	16	216	84.9
1,900-1,999.....	21	266	86.9	12	142	85.8	9	124	88.0
2,000-2,499.....	61	783	96.2	39	501	97.4	22	283	95.0
2,500-2,999.....	14	184	98.4	5	52	98.6	9	131	98.2
3,000-3,499.....	4	94	99.5	2	29	99.3	2	65	99.8
3,500-3,999.....	1	5	99.6	1	5	99.4	-	-	99.8
4,000 or more.....	4	33	100.0	3	26	100.0	1	7	100.0

1/ Excludes unknown income.

Table 3-110. Cumulative percent distribution of sodium intake values in milligrams per 1,000 calories for persons aged 12-14 years by sex and income level: United States, 1976-80

Income level and sodium in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	991	11,632	100.0	504	5,920	100.0	487	5,712	100.0
Less than 250.....	1	6	.0	-	-	-	1	6	.1
250-499.....	12	109	1.0	5	46	.8	7	63	1.2
500-599.....	13	122	2.0	8	76	2.1	5	46	2.0
600-699.....	29	373	5.2	15	170	4.9	14	202	5.5
700-799.....	30	381	8.5	17	236	8.9	13	144	8.1
800-899.....	55	687	14.4	29	339	14.7	26	348	14.2
900-999.....	66	755	20.9	30	325	20.1	36	430	21.7
1,000-1,099.....	95	1,107	30.4	51	617	30.6	44	490	30.3
1,100-1,199.....	95	1,055	39.5	51	570	40.2	44	485	38.8
1,200-1,299.....	84	939	47.6	45	527	49.1	39	412	46.0
1,300-1,399.....	84	990	56.1	41	497	57.5	43	493	54.6
1,400-1,499.....	78	948	64.2	40	446	65.0	38	502	63.4
1,500-1,599.....	61	741	70.6	27	324	70.5	34	417	70.7
1,600-1,699.....	58	679	76.4	33	390	77.1	25	289	75.8
1,700-1,799.....	52	560	81.3	32	349	83.0	20	212	79.5
1,800-1,899.....	34	435	85.0	16	196	86.3	18	239	83.7
1,900-1,999.....	24	274	87.3	10	121	88.3	14	154	86.3
2,000-2,499.....	86	1,055	96.4	42	535	97.3	44	520	95.4
2,500-2,999.....	19	220	98.3	6	77	98.6	13	142	97.9
3,000-3,499.....	9	118	99.3	3	52	99.5	6	66	99.1
3,500-3,999.....	3	32	99.6	2	20	99.9	1	13	99.3
4,000 or more.....	3	47	100.0	1	8	100.0	2	39	100.0
Income below poverty level^{1/}									
Total.....	193	1,963	100.0	89	891	100.0	104	1,072	100.0
Less than 250.....	-	-	-	-	-	-	-	-	-
250-499.....	5	33	1.7	2	14	1.5	3	20	1.8
500-599.....	4	46	4.0	2	28	4.6	2	18	3.5
600-699.....	7	78	8.0	5	48	10.0	2	30	6.3
700-799.....	2	14	8.7	-	-	10.0	2	14	7.6
800-899.....	12	109	14.3	7	51	15.8	5	58	13.0
900-999.....	11	110	19.9	4	33	19.5	7	77	20.3
1,000-1,099.....	22	230	31.6	12	151	36.5	10	79	27.6
1,100-1,199.....	17	162	39.9	6	47	41.8	11	114	38.3
1,200-1,299.....	14	120	46.0	7	66	49.2	7	54	43.3
1,300-1,399.....	10	98	51.0	6	57	55.6	4	42	47.2
1,400-1,499.....	15	185	60.4	7	85	65.1	8	99	56.5
1,500-1,599.....	16	160	68.5	7	86	74.7	9	74	63.4
1,600-1,699.....	12	137	75.5	7	64	81.9	5	73	70.1
1,700-1,799.....	8	61	78.6	5	42	86.7	3	19	71.9
1,800-1,899.....	5	46	80.9	2	19	88.8	3	27	74.4
1,900-1,999.....	5	46	83.3	1	10	89.9	4	36	77.8
2,000-2,499.....	21	241	95.5	8	81	98.9	13	160	92.7
2,500-2,999.....	3	33	97.2	-	-	98.9	3	33	95.8
3,000-3,499.....	3	31	98.8	1	10	100.0	2	21	97.7
3,500-3,999.....	-	-	98.8	-	-	100.0	-	-	97.7
4,000 or more.....	1	24	100.0	-	-	100.0	1	24	100.0

See footnotes at end of table.

Table 3-110. Cumulative percent distribution of sodium intake values in milligrams per 1,000 calories for persons aged 12-14 years by sex and income level: United States, 1976-80-Continued

Income level and sodium in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	762	9,255	100.0	399	4,841	100.0	363	4,414	100.0
Less than 250.....	1	6	.1	-	-	-	1	6	.1
250-499.....	7	75	.9	3	32	.7	4	43	1.1
500-599.....	9	76	1.7	6	48	1.7	3	28	1.8
600-699.....	21	286	4.8	10	122	4.2	11	164	5.5
700-799.....	26	335	8.4	16	210	8.5	10	124	8.3
800-899.....	41	552	14.4	22	288	14.5	19	264	14.3
900-999.....	51	602	20.9	24	271	20.1	27	332	21.8
1,000-1,099.....	72	864	30.2	38	452	29.4	34	411	31.1
1,100-1,199.....	76	866	39.6	44	513	40.0	32	353	39.1
1,200-1,299.....	66	784	48.0	37	453	49.4	29	331	46.6
1,300-1,399.....	70	857	57.3	33	419	58.0	37	438	56.5
1,400-1,499.....	58	702	64.9	29	328	64.8	29	374	65.0
1,500-1,599.....	43	537	70.7	19	215	69.3	24	323	72.3
1,600-1,699.....	44	522	76.3	25	315	75.8	19	206	77.0
1,700-1,799.....	44	500	81.7	27	306	82.1	17	193	81.3
1,800-1,899.....	28	383	85.9	14	177	85.8	14	206	86.0
1,900-1,999.....	18	218	88.2	9	111	88.0	9	107	88.4
2,000-2,499.....	61	767	96.5	32	431	96.9	29	336	96.0
2,500-2,999.....	15	179	98.5	6	77	98.5	9	102	98.4
3,000-3,499.....	6	88	99.4	2	43	99.4	4	45	99.4
3,500-3,999.....	3	32	99.8	2	20	99.8	1	13	99.7
4,000 or more.....	2	23	100.0	1	8	100.0	1	15	100.0

^{1/} Excludes unknown income.

Table 3-111. Cumulative percent distribution of sodium intake values in milligrams per 1,000 calories for persons aged 15-17 years by sex and income level: United States, 1976-80

Income level and sodium in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	1,983	12,441	100.0	1,534	6,309	100.0	449	6,131	100.0
Less than 250.....	4	43	.3	-	-	-	4	43	.7
250-499.....	16	196	1.9	10	127	2.0	6	69	1.8
500-599.....	24	284	4.2	16	169	4.7	8	114	3.7
600-699.....	22	273	6.4	9	97	6.2	13	177	6.6
700-799.....	54	754	12.5	29	379	12.2	25	375	12.7
800-899.....	70	890	19.6	38	468	19.7	32	422	19.6
900-999.....	84	957	27.3	57	606	29.3	27	352	25.3
1,000-1,099.....	79	1,020	35.5	44	512	37.4	35	508	33.6
1,100-1,199.....	59	788	41.8	32	406	43.8	27	381	39.8
1,200-1,299.....	73	958	49.5	41	493	51.6	32	465	47.4
1,300-1,399.....	78	1,029	57.8	32	398	57.9	46	632	57.7
1,400-1,499.....	61	764	63.9	30	349	63.4	31	415	64.4
1,500-1,599.....	63	807	70.4	38	491	71.2	25	317	69.6
1,600-1,699.....	67	799	76.8	40	432	78.1	27	367	75.6
1,700-1,799.....	46	550	81.3	20	197	81.2	26	353	81.3
1,800-1,899.....	39	468	85.0	23	246	85.1	16	222	85.0
1,900-1,999.....	24	304	87.5	17	193	88.2	7	111	86.8
2,000-2,499.....	77	990	95.4	37	456	95.4	40	534	95.5
2,500-2,999.....	31	423	98.8	15	205	98.6	16	218	99.0
3,000-3,499.....	10	115	99.8	4	57	99.5	6	59	100.0
3,500-3,999.....	2	29	100.0	2	29	100.0	-	-	100.0
4,000 or more.....	-	-	100.0	-	-	100.0	-	-	100.0
Income below poverty level^{2/}									
Total.....	177	2,073	100.0	89	974	100.0	88	1,099	100.0
Less than 250.....	2	30	1.4	-	-	-	2	30	2.7
250-499.....	5	69	4.8	1	17	1.8	4	51	7.4
500-599.....	3	44	6.9	2	16	3.4	1	28	9.9
600-699.....	6	57	9.6	4	34	7.0	2	22	12.0
700-799.....	9	88	13.8	6	61	13.2	3	27	14.4
800-899.....	11	137	20.5	6	70	20.4	5	67	20.5
900-999.....	15	153	27.8	7	71	27.7	8	82	27.9
1,000-1,099.....	11	112	33.2	4	34	31.2	7	78	35.0
1,100-1,199.....	12	193	42.5	6	82	39.7	6	111	45.1
1,200-1,299.....	12	157	50.1	7	73	47.2	5	84	52.7
1,300-1,399.....	14	132	56.5	5	40	51.3	9	92	61.1
1,400-1,499.....	9	110	61.8	5	71	58.6	4	39	64.6
1,500-1,599.....	8	89	66.1	4	47	63.4	4	42	68.4
1,600-1,699.....	12	112	71.5	7	61	69.7	5	52	73.1
1,700-1,799.....	9	92	75.9	3	25	72.2	6	67	79.2
1,800-1,899.....	9	135	82.4	3	28	75.1	6	107	89.0
1,900-1,999.....	4	42	84.5	2	17	76.8	2	25	91.3
2,000-2,499.....	18	223	95.2	12	150	92.3	6	72	97.8
2,500-2,999.....	5	54	97.8	3	37	96.1	2	16	99.3
3,000-3,499.....	3	45	100.0	2	38	100.0	1	8	100.0
3,500-3,999.....	-	-	100.0	-	-	100.0	-	-	100.0
4,000 or more.....	-	-	100.0	-	-	100.0	-	-	100.0

See footnotes at end of table.

Table 3-111. Cumulative percent distribution of sodium intake values in milligrams per 1,000 calories for persons aged 15-17 years by sex and income level: United States, 1976-80-Continued

Income level and sodium in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{2/}									
Total.....	1/759	9,750	100.0	1/417	4,992	100.0	342	4,758	100.0
Less than 250.....	2	13	.1	-	-	-	2	13	.3
250-499.....	9	108	1.3	7	91	1.8	2	18	.7
500-599.....	20	226	3.6	13	140	4.6	7	87	2.5
600-699.....	15	206	5.7	5	62	5.9	10	144	5.5
700-799.....	43	648	12.3	21	300	11.9	22	348	12.8
800-899.....	54	656	19.1	28	343	18.7	26	313	19.4
900-999.....	66	762	26.9	48	508	28.9	18	254	24.7
1,000-1,099.....	65	867	35.8	39	464	38.2	26	402	33.2
1,100-1,199.....	43	548	41.4	24	301	44.3	19	247	38.4
1,200-1,299.....	55	726	48.8	30	367	51.6	25	360	45.9
1,300-1,399.....	62	859	57.6	26	346	58.5	36	513	56.7
1,400-1,499.....	51	645	64.3	25	278	64.1	26	367	64.4
1,500-1,599.....	50	649	70.9	30	389	71.9	20	259	69.9
1,600-1,699.....	53	667	77.8	31	351	78.9	22	316	76.5
1,700-1,799.....	35	435	82.2	17	173	82.4	18	263	82.0
1,800-1,899.....	28	306	85.3	18	191	86.2	10	115	84.4
1,900-1,999.....	20	262	88.0	15	176	89.7	5	86	86.3
2,000-2,499.....	53	698	95.2	24	297	95.7	29	401	94.7
2,500-2,999.....	26	369	99.0	12	168	99.0	14	201	98.9
3,000-3,499.....	7	70	99.7	2	19	99.4	5	51	100.0
3,500-3,999.....	2	29	100.0	2	29	100.0	-	-	100.0
4,000 or more.....	-	-	100.0	-	-	100.0	-	-	100.0

1/ Excludes 1 examined person with zero calories.

2/ Excludes unknown income.

Table 3-112. Cumulative percent distribution of sodium intake values in milligrams per 1,000 calories for persons aged 18-24 years by sex and income level: United States, 1976-80

Income level and sodium in milligrams per 1,000 calories	Both sexes			Male			Female		
	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent
All incomes									
Total.....	1/2,053	27,439	100.0	988	13,275	100.0	1/1,065	14,164	100.0
Less than 250.....	10	100	.4	3	29	.2	7	71	.5
250-499.....	42	508	2.2	22	290	2.4	20	218	2.0
500-599.....	39	504	4.0	23	323	4.8	16	181	3.3
600-699.....	58	703	6.6	30	402	7.9	28	301	5.4
700-799.....	85	1,253	11.2	40	619	12.5	45	634	9.9
800-899.....	110	1,503	16.7	48	659	17.5	62	844	15.9
900-999.....	127	1,662	22.7	65	864	24.0	62	798	21.5
1,000-1,099.....	158	2,118	30.4	77	1,008	31.6	81	1,110	29.4
1,100-1,199.....	167	2,301	38.8	84	1,192	40.6	83	1,109	37.2
1,200-1,299.....	173	2,368	47.4	82	1,140	49.2	91	1,228	45.8
1,300-1,399.....	145	1,936	54.5	71	861	55.6	74	1,076	53.4
1,400-1,499.....	146	2,009	61.8	78	1,076	63.8	68	933	60.0
1,500-1,599.....	154	2,051	69.3	65	897	70.5	89	1,154	68.2
1,600-1,699.....	111	1,493	74.8	57	758	76.2	54	735	73.4
1,700-1,799.....	100	1,135	78.9	46	517	80.1	54	618	77.7
1,800-1,899.....	90	1,229	83.4	49	721	85.5	41	508	81.3
1,900-1,999.....	61	927	86.7	26	372	88.3	35	555	85.2
2,000-2,499.....	196	2,531	96.0	96	1,213	97.5	100	1,317	94.5
2,500-2,999.....	53	711	98.6	21	274	99.5	32	437	97.6
3,000-3,499.....	21	285	99.6	5	60	100.0	16	225	99.2
3,500-3,999.....	4	71	99.9	-	-	100.0	4	71	99.7
4,000 or more.....	3	40	100.0	-	-	100.0	3	40	100.0
Income below poverty level^{2/}									
Total.....	1/430	5,300	100.0	178	2,237	100.0	1/252	3,063	100.0
Less than 250.....	2	21	.4	-	-	-	2	21	.7
250-499.....	12	119	2.6	5	58	2.6	7	61	2.7
500-599.....	8	105	4.6	4	55	5.1	4	50	4.3
600-699.....	10	133	7.1	5	58	7.7	5	74	6.8
700-799.....	17	237	11.6	5	78	11.1	12	159	12.0
800-899.....	27	331	17.8	12	148	17.7	15	183	17.9
900-999.....	30	366	24.8	11	119	23.1	19	247	26.0
1,000-1,099.....	26	351	31.4	15	186	31.4	11	164	31.4
1,100-1,199.....	34	450	39.9	11	155	38.3	23	295	41.0
1,200-1,299.....	31	348	46.4	8	86	42.2	23	262	49.5
1,300-1,399.....	26	345	52.9	15	191	50.7	11	155	54.6
1,400-1,499.....	25	294	58.5	12	142	57.0	13	152	59.5
1,500-1,599.....	36	475	67.4	13	188	65.4	23	287	68.9
1,600-1,699.....	29	324	73.6	16	182	73.5	13	142	73.6
1,700-1,799.....	17	176	76.9	6	77	77.0	11	99	76.8
1,800-1,899.....	24	351	83.5	11	195	85.7	13	157	81.9
1,900-1,999.....	15	189	87.1	7	83	89.4	8	106	85.4
2,000-2,499.....	45	485	96.2	17	173	97.1	28	312	95.6
2,500-2,999.....	10	124	98.6	3	42	99.0	7	82	98.3
3,000-3,499.....	5	59	99.7	2	22	100.0	3	37	99.5
3,500-3,999.....	-	-	99.7	-	-	100.0	-	-	99.5
4,000 or more.....	1	17	100.0	-	-	100.0	1	17	100.0

See footnotes at end of table.

Table 3-112. Cumulative percent distribution of sodium intake values in milligrams per 1,000 calories for persons aged 18-24 years by sex and income level: United States, 1976-80-Continued

Income level and sodium in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{2/}									
Total.....	1,541	21,013	100.0	770	10,508	100.0	771	10,505	100.0
Less than 250.....	8	78	.4	3	29	.3	5	49	.5
250-499.....	27	359	2.1	15	212	2.3	12	147	1.9
500-599.....	30	387	3.9	19	268	4.8	11	119	3.0
600-699.....	45	547	6.5	24	335	8.0	21	212	5.0
700-799.....	66	976	11.2	33	501	12.8	33	475	9.5
800-899.....	77	1,062	16.2	33	447	17.1	44	615	15.4
900-999.....	92	1,240	22.1	52	714	23.8	40	526	20.4
1,000-1,099.....	126	1,660	30.0	59	776	31.2	67	884	28.8
1,100-1,199.....	127	1,778	38.5	70	998	40.7	57	780	36.3
1,200-1,299.....	135	1,929	47.7	71	1,012	50.4	64	917	45.0
1,300-1,399.....	115	1,542	55.0	54	649	56.5	61	893	53.5
1,400-1,499.....	115	1,599	62.6	62	874	64.8	53	724	60.4
1,500-1,599.....	115	1,548	70.0	50	689	71.4	65	860	68.5
1,600-1,699.....	79	1,094	75.2	41	576	76.9	38	518	73.5
1,700-1,799.....	77	901	79.5	36	399	80.7	41	501	78.3
1,800-1,899.....	61	809	83.3	34	479	85.3	27	329	81.4
1,900-1,999.....	45	731	86.8	19	289	88.0	26	442	85.6
2,000-2,499.....	142	1,948	96.1	75	998	97.5	67	950	94.6
2,500-2,999.....	37	506	98.5	17	225	99.6	20	281	97.3
3,000-3,499.....	16	226	99.5	3	38	100.0	13	188	99.1
3,500-3,999.....	4	71	99.9	-	-	100.0	4	71	99.8
4,000 or more.....	2	23	100.0	-	-	100.0	2	23	100.0

1/ Excludes 1 examined person with zero calories.
2/ Excludes unknown income.

Table 3-113. Cumulative percent distribution of sodium intake values in milligrams per 1,000 calories for persons aged 25-34 years by sex and income level: United States, 1976-80

Income level and sodium in milligrams per 1,000 calories	Both sexes			Male			Female		
	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent
All incomes									
Total.....	1/2,236	32,739	100.0	1,067	15,895	100.0	1/1,169	16,844	100.0
Less than 250.....	10	130	.4	9	108	.7	1	22	.1
250-499.....	40	527	2.0	22	301	2.6	18	226	1.5
500-599.....	50	801	4.4	28	469	5.5	22	332	3.4
600-699.....	58	955	7.4	34	534	8.9	24	421	5.9
700-799.....	110	1,701	12.6	52	809	14.0	58	892	11.2
800-899.....	101	1,431	16.9	57	911	19.7	44	520	14.3
900-999.....	180	2,701	25.2	86	1,278	27.7	94	1,423	22.8
1,000-1,099.....	150	2,199	31.9	75	1,107	34.7	75	1,092	29.3
1,100-1,199.....	170	2,399	39.2	88	1,264	42.7	82	1,135	36.0
1,200-1,299.....	160	2,338	46.4	83	1,233	50.4	77	1,105	42.5
1,300-1,399.....	173	2,574	54.2	71	1,077	57.2	102	1,497	51.4
1,400-1,499.....	162	2,197	60.9	73	965	63.3	89	1,232	58.8
1,500-1,599.....	141	2,078	67.3	62	900	68.9	79	1,177	65.7
1,600-1,699.....	101	1,487	71.8	47	715	73.4	54	772	70.3
1,700-1,799.....	103	1,591	76.7	45	709	77.9	58	882	75.6
1,800-1,899.....	98	1,398	81.0	51	724	82.4	47	674	79.6
1,900-1,999.....	81	1,157	84.5	33	499	85.6	48	658	83.5
2,000-2,499.....	225	3,367	94.8	102	1,571	95.5	123	1,796	94.1
2,500-2,999.....	70	972	97.8	31	453	98.3	39	520	97.2
3,000-3,499.....	28	410	99.0	12	174	99.4	16	236	98.6
3,500-3,999.....	9	104	99.3	4	41	99.7	5	62	99.0
4,000 or more.....	16	222	100.0	2	53	100.0	14	168	100.0
Income below poverty level ^{2/}									
Total.....	253	3,103	100.0	91	1,106	100.0	162	1,997	100.0
Less than 250.....	1	22	.7	-	-	-	1	22	1.1
250-499.....	8	73	3.0	3	28	2.5	5	45	3.3
500-599.....	3	45	4.5	-	-	2.5	3	45	5.6
600-699.....	8	104	7.8	6	71	8.9	2	33	7.2
700-799.....	14	156	12.9	5	68	15.1	9	89	11.7
800-899.....	14	179	18.6	3	48	19.4	11	131	18.2
900-999.....	21	259	27.0	5	43	23.3	16	216	29.1
1,000-1,099.....	22	265	35.5	9	106	32.9	13	159	37.0
1,100-1,199.....	20	240	43.3	9	89	40.9	11	151	44.6
1,200-1,299.....	21	257	51.5	6	81	48.2	15	176	53.4
1,300-1,399.....	11	157	56.6	4	50	52.7	7	107	58.8
1,400-1,499.....	14	157	61.6	3	35	55.9	11	121	64.8
1,500-1,599.....	9	141	66.2	4	50	60.5	5	91	69.4
1,600-1,699.....	12	167	71.6	6	91	68.7	6	76	73.2
1,700-1,799.....	14	159	76.7	5	74	75.4	9	85	77.4
1,800-1,899.....	12	146	81.4	4	57	80.6	8	89	81.9
1,900-1,999.....	15	173	87.0	4	54	85.5	11	120	87.9
2,000-2,499.....	23	290	96.3	10	118	96.1	13	172	96.5
2,500-2,999.....	6	69	98.6	3	24	98.3	3	44	98.7
3,000-3,499.....	3	27	99.4	2	19	100.0	1	8	99.1
3,500-3,999.....	1	8	99.7	-	-	100.0	1	8	99.5
4,000 or more.....	1	10	100.0	-	-	100.0	1	10	100.0

See footnotes at end of table.

Table 3-113. Cumulative percent distribution of sodium intake values in milligrams per 1,000 calories for persons aged 25-34 years by sex and income level: United States, 1976-80-Continued

Income level and sodium in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{2/}									
Total.....	1/1,926	28,824	100.0	945	14,355	100.0	1/981	14,469	100.0
Less than 250.....	7	92	.3	7	92	.6	-	-	-
250-499.....	31	434	1.8	18	253	2.4	13	181	1.3
500-599.....	44	711	4.3	26	434	5.4	18	277	3.2
600-699.....	50	851	7.2	28	463	8.6	22	388	5.8
700-799.....	93	1,523	12.5	47	742	13.8	46	781	11.3
800-899.....	83	1,212	16.7	52	846	19.7	31	367	13.8
900-999.....	157	2,419	25.1	80	1,222	28.2	77	1,197	22.0
1,000-1,099.....	124	1,883	31.7	64	979	35.0	60	904	28.3
1,100-1,199.....	147	2,091	38.9	77	1,155	43.1	70	936	34.8
1,200-1,299.....	137	2,050	46.0	75	1,121	50.9	62	929	41.2
1,300-1,399.....	158	2,364	54.2	66	1,011	57.9	92	1,353	50.5
1,400-1,499.....	145	1,997	61.1	69	923	64.4	76	1,074	58.0
1,500-1,599.....	126	1,858	67.6	54	790	69.9	72	1,069	65.3
1,600-1,699.....	87	1,293	72.1	39	597	74.0	48	696	70.2
1,700-1,799.....	87	1,407	77.0	39	626	78.4	48	781	75.6
1,800-1,899.....	84	1,224	81.2	46	652	82.9	38	572	79.5
1,900-1,999.....	65	970	84.6	29	446	86.0	36	525	83.1
2,000-2,499.....	196	2,966	94.9	87	1,364	95.5	109	1,602	94.2
2,500-2,999.....	60	847	97.8	28	428	98.5	32	419	97.1
3,000-3,499.....	23	335	99.0	9	131	99.4	14	205	98.5
3,500-3,999.....	7	85	99.3	3	30	99.6	4	54	98.9
4,000 or more.....	15	212	100.0	2	53	100.0	13	159	100.0

1/ Excludes 1 examined person with zero calories.
2/ Excludes unknown income.

Table 3-114. Cumulative percent distribution of sodium intake values in milligrams per 1,000 calories for persons aged 35-44 years by sex and income level: United States, 1976-80

Income level and sodium in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	1,589	23,651	100.0	745	11,367	100.0	844	12,284	100.0
Less than 250.....	4	50	.2	1	18	.2	3	32	.3
250-499.....	26	388	1.8	18	279	2.6	8	109	1.1
500-599.....	25	334	3.3	12	168	4.1	13	165	2.5
600-699.....	38	550	5.6	17	270	6.5	21	280	4.8
700-799.....	64	911	9.4	40	590	11.7	24	322	7.4
800-899.....	96	1,377	15.3	48	715	17.9	48	661	12.8
900-999.....	97	1,516	21.7	48	695	24.1	49	821	19.5
1,000-1,099.....	113	1,658	28.7	54	832	31.4	59	826	26.2
1,100-1,199.....	125	1,831	36.4	63	987	40.1	62	844	33.1
1,200-1,299.....	102	1,513	42.8	48	702	46.2	54	811	39.7
1,300-1,399.....	122	1,805	50.5	64	932	54.4	58	873	46.8
1,400-1,499.....	119	1,842	58.3	53	856	62.0	66	986	54.8
1,500-1,599.....	104	1,658	65.3	51	844	69.4	53	814	61.4
1,600-1,699.....	81	1,266	70.6	37	571	74.4	44	696	67.1
1,700-1,799.....	69	917	74.5	28	392	77.9	41	525	71.4
1,800-1,899.....	73	1,200	79.6	28	515	82.4	45	685	76.9
1,900-1,999.....	65	968	83.7	26	357	85.5	39	611	81.9
2,000-2,499.....	163	2,451	94.0	64	993	94.3	99	1,458	93.8
2,500-2,999.....	64	836	97.5	27	360	97.4	37	476	97.7
3,000-3,499.....	15	200	98.4	6	98	98.3	9	102	98.5
3,500-3,999.....	14	235	99.4	7	132	99.5	7	103	99.3
4,000 or more.....	10	143	100.0	5	60	100.0	5	83	100.0
Income below poverty level^{1/}									
Total.....	182	2,364	100.0	63	821	100.0	119	1,543	100.0
Less than 250.....	1	8	.3	*	*	*	1	8	.5
250-499.....	6	100	4.5	*	*	*	-	-	.5
500-599.....	3	24	5.6	*	*	*	3	24	2.1
600-699.....	5	49	7.6	*	*	*	2	19	3.3
700-799.....	7	94	11.6	*	*	*	3	43	6.1
800-899.....	17	208	20.4	*	*	*	12	139	15.1
900-999.....	8	101	24.7	*	*	*	5	67	19.5
1,000-1,099.....	17	225	34.2	*	*	*	11	140	28.5
1,100-1,199.....	7	107	38.8	*	*	*	5	81	33.8
1,200-1,299.....	11	149	45.0	*	*	*	8	111	40.9
1,300-1,399.....	13	169	52.2	*	*	*	10	138	49.9
1,400-1,499.....	14	184	60.0	*	*	*	9	109	56.9
1,500-1,599.....	10	170	67.2	*	*	*	6	127	65.2
1,600-1,699.....	5	63	69.9	*	*	*	3	43	68.0
1,700-1,799.....	10	122	75.0	*	*	*	9	113	75.3
1,800-1,899.....	11	129	80.5	*	*	*	7	84	80.8
1,900-1,999.....	10	108	85.1	*	*	*	7	72	85.5
2,000-2,499.....	21	290	97.4	*	*	*	15	196	98.2
2,500-2,999.....	4	42	99.1	*	*	*	2	19	99.4
3,000-3,499.....	-	-	99.1	*	*	*	-	-	99.4
3,500-3,999.....	1	10	99.5	*	*	*	1	10	100.0
4,000 or more.....	1	11	100.0	*	*	*	-	-	100.0

See footnotes at end of table.

Table 3-114. Cumulative percent distribution of sodium intake values in milligrams per 1,000 calories for persons aged 35-44 years by sex and income level: United States, 1976-80-Continued

Income level and sodium in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	1,360	20,572	100.0	658	10,195	100.0	702	10,377	100.0
Less than 250.....	3	43	.2	1	18	.2	2	25	.2
250-499.....	19	280	1.6	11	171	1.8	8	109	1.3
500-599.....	22	310	3.1	12	168	3.5	10	141	2.6
600-699.....	31	470	5.4	13	225	5.7	18	245	5.0
700-799.....	55	790	9.2	34	512	10.7	21	278	7.7
800-899.....	76	1,123	14.7	41	626	16.9	35	497	12.5
900-999.....	83	1,318	21.1	42	606	22.8	41	712	19.3
1,000-1,099.....	96	1,433	28.0	48	746	30.1	48	687	26.0
1,100-1,199.....	115	1,668	36.1	61	961	39.6	54	707	32.8
1,200-1,299.....	90	1,352	42.7	45	664	46.1	45	688	39.4
1,300-1,399.....	105	1,591	50.4	58	872	54.6	47	720	46.3
1,400-1,499.....	99	1,567	58.1	45	723	61.7	54	843	54.5
1,500-1,599.....	92	1,455	65.1	46	776	69.3	46	679	61.0
1,600-1,699.....	70	1,113	70.5	32	519	74.4	38	594	66.7
1,700-1,799.....	58	778	74.3	26	367	78.0	32	411	70.7
1,800-1,899.....	60	1,037	79.4	23	456	82.5	37	581	76.3
1,900-1,999.....	54	846	83.5	23	321	85.6	31	524	81.4
2,000-2,499.....	137	2,080	93.6	56	867	94.1	81	1,213	93.0
2,500-2,999.....	59	780	97.4	25	337	97.4	34	443	97.3
3,000-3,499.....	14	181	98.3	5	79	98.2	9	102	98.3
3,500-3,999.....	13	225	99.4	7	132	99.5	6	94	99.2
4,000 or more.....	9	132	100.0	4	49	100.0	5	83	100.0

^{1/} Excludes unknown income.

Table 3-115. Cumulative percent distribution of sodium intake values in milligrams per 1,000 calories for persons aged 45-54 years by sex and income level: United States, 1976-80

Income level and sodium in milligrams per 1,000 calories	Both sexes			Male			Female		
	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent
All incomes									
Total.....	1,453	23,032	100.0	690	11,114	100.0	763	11,918	100.0
Less than 250.....	4	67	.3	2	31	.3	2	36	.3
250-499.....	20	292	1.6	10	133	1.5	10	159	1.6
500-599.....	18	247	2.6	7	105	2.4	11	142	2.8
600-699.....	43	644	5.4	19	317	5.3	24	327	5.6
700-799.....	47	744	8.7	23	366	8.6	24	378	8.7
800-899.....	75	1,230	14.0	33	540	13.4	42	690	14.5
900-999.....	100	1,547	20.7	53	783	20.5	47	765	20.9
1,000-1,099.....	90	1,383	26.7	51	787	27.5	39	596	25.9
1,100-1,199.....	98	1,578	33.6	47	716	34.0	51	862	33.2
1,200-1,299.....	108	1,710	41.0	50	748	40.7	58	962	41.3
1,300-1,399.....	94	1,553	47.8	42	743	47.4	52	811	48.1
1,400-1,499.....	100	1,642	54.9	47	813	54.7	53	829	55.0
1,500-1,599.....	91	1,407	61.0	44	688	60.9	47	719	61.1
1,600-1,699.....	76	1,127	65.9	39	570	66.0	37	556	65.7
1,700-1,799.....	78	1,236	71.3	38	616	71.6	40	620	70.9
1,800-1,899.....	56	931	75.3	28	503	76.1	28	428	74.5
1,900-1,999.....	69	1,053	79.9	30	435	80.0	39	618	79.7
2,000-2,499.....	161	2,595	91.1	70	1,173	90.6	91	1,422	91.6
2,500-2,999.....	79	1,281	96.7	38	686	96.8	41	595	96.6
3,000-3,499.....	19	295	98.0	6	101	97.7	13	194	98.3
3,500-3,999.....	10	184	98.8	6	128	98.8	4	57	98.7
4,000 or more.....	17	284	100.0	7	131	100.0	10	152	100.0
Income below poverty level^{1/}									
Total.....	128	1,760	100.0	46	645	100.0	82	1,115	100.0
Less than 250.....	-	-	-	*	*	*	-	-	-
250-499.....	-	-	-	*	*	*	-	-	-
500-599.....	3	31	1.8	*	*	*	3	31	2.8
600-699.....	1	13	2.5	*	*	*	1	13	3.9
700-799.....	4	56	5.6	*	*	*	2	22	5.9
800-899.....	5	90	10.8	*	*	*	5	90	14.0
900-999.....	9	121	17.6	*	*	*	5	68	20.1
1,000-1,099.....	11	142	25.7	*	*	*	6	76	26.9
1,100-1,199.....	6	101	31.5	*	*	*	6	101	36.0
1,200-1,299.....	9	113	37.9	*	*	*	7	88	43.9
1,300-1,399.....	8	127	45.1	*	*	*	5	85	51.6
1,400-1,499.....	6	73	49.2	*	*	*	2	25	53.8
1,500-1,599.....	9	97	54.7	*	*	*	2	24	56.0
1,600-1,699.....	12	129	62.0	*	*	*	8	80	63.1
1,700-1,799.....	6	66	65.8	*	*	*	5	57	68.2
1,800-1,899.....	9	135	73.4	*	*	*	4	51	72.8
1,900-1,999.....	5	64	77.0	*	*	*	3	44	76.8
2,000-2,499.....	14	256	91.6	*	*	*	7	111	86.7
2,500-2,999.....	7	79	96.1	*	*	*	7	79	93.8
3,000-3,499.....	3	57	99.3	*	*	*	3	57	98.9
3,500-3,999.....	1	12	100.0	*	*	*	1	12	100.0
4,000 or more.....	-	-	100.0	*	*	*	-	-	100.0

See footnotes at end of table.

Table 3-115. Cumulative percent distribution of sodium intake values in milligrams per 1,000 calories for persons aged 45-54 years by sex and income level: United States, 1976-80-Continued

Income level and sodium in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	1,258	20,161	100.0	603	9,738	100.0	655	10,424	100.0
Less than 250.....	3	55	.3	1	19	.2	2	36	.3
250-499.....	16	232	1.4	7	84	1.0	9	148	1.8
500-599.....	13	195	2.4	7	105	2.1	6	90	2.6
600-699.....	41	622	5.5	19	317	5.4	22	305	5.6
700-799.....	41	654	8.7	20	319	8.7	21	335	8.8
800-899.....	65	1,042	13.9	29	452	13.3	36	589	14.4
900-999.....	87	1,370	20.7	47	690	20.4	40	680	20.9
1,000-1,099.....	76	1,199	26.6	43	679	27.4	33	520	25.9
1,100-1,199.....	88	1,405	33.6	44	661	34.1	44	744	33.1
1,200-1,299.....	95	1,538	41.2	44	664	41.0	51	874	41.5
1,300-1,399.....	82	1,375	48.0	35	649	47.6	47	726	48.4
1,400-1,499.....	90	1,490	55.4	40	696	54.8	50	794	56.0
1,500-1,599.....	80	1,279	61.8	37	616	61.1	43	663	62.4
1,600-1,699.....	61	950	66.5	33	494	66.2	28	456	66.8
1,700-1,799.....	67	1,064	71.8	36	576	72.1	31	488	71.4
1,800-1,899.....	44	751	75.5	21	390	76.1	23	362	74.9
1,900-1,999.....	63	980	80.3	28	416	80.4	35	564	80.3
2,000-2,499.....	138	2,179	91.2	59	953	90.2	79	1,226	92.1
2,500-2,999.....	69	1,143	96.8	36	644	96.8	33	499	96.9
3,000-3,499.....	15	231	98.0	6	101	97.8	9	130	98.1
3,500-3,999.....	9	172	98.8	6	128	99.1	3	44	98.5
4,000 or more.....	15	237	100.0	5	84	100.0	10	152	100.0

1/ Excludes unknown income.

Table 3-116. Cumulative percent distribution of sodium intake values in milligrams per 1,000 calories for persons aged 55-64 years by sex and income level: United States, 1976-80

Income level and sodium in milligrams per 1,000 calories	Both sexes			Male			Female		
	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent
All incomes									
Total.....	1/2,555	20,346	100.0	1/1,226	9,603	100.0	1,329	10,743	100.0
Less than 250.....	10	90	.4	5	35	.4	5	55	.5
250-499.....	31	199	1.4	12	78	1.2	19	121	1.6
500-599.....	25	210	2.4	16	146	2.7	9	65	2.2
600-699.....	41	354	4.2	22	170	4.5	19	184	3.9
700-799.....	81	669	7.5	44	369	8.3	37	300	6.7
800-899.....	98	847	11.6	47	403	12.5	51	444	10.9
900-999.....	146	1,091	17.0	72	508	17.8	74	582	16.3
1,000-1,099.....	151	1,223	23.0	83	635	24.4	68	588	21.8
1,100-1,199.....	176	1,406	29.9	88	726	32.0	88	680	28.1
1,200-1,299.....	214	1,665	38.1	95	783	40.1	119	882	36.3
1,300-1,399.....	204	1,590	45.9	97	803	48.5	107	787	43.6
1,400-1,499.....	180	1,493	53.3	89	653	55.3	91	840	51.5
1,500-1,599.....	161	1,228	59.3	81	629	61.8	80	599	57.0
1,600-1,699.....	169	1,350	65.9	85	608	68.2	84	742	63.9
1,700-1,799.....	146	1,247	72.1	80	639	74.8	66	607	69.6
1,800-1,899.....	123	942	76.7	54	410	79.1	69	532	74.5
1,900-1,999.....	106	812	80.7	48	431	83.6	58	381	78.1
2,000-2,499.....	284	2,319	92.1	121	937	93.3	163	1,383	91.0
2,500-2,999.....	136	1,075	97.4	61	426	97.8	75	648	97.0
3,000-3,499.....	44	342	99.0	14	129	99.1	30	213	99.0
3,500-3,999.....	19	136	99.7	10	80	99.9	9	56	99.5
4,000 or more.....	10	60	100.0	2	7	100.0	8	53	100.0
Income below poverty level^{2/}									
Total.....	1/316	1,956	100.0	1/128	775	100.0	188	1,181	100.0
Less than 250.....	3	15	.8	3	15	1.9	-	-	-
250-499.....	6	32	2.4	3	17	4.1	3	15	1.3
500-599.....	4	18	3.3	2	6	5.0	2	11	2.2
600-699.....	8	45	5.6	3	18	7.3	5	28	4.6
700-799.....	9	48	8.1	5	36	11.9	4	12	5.6
800-899.....	7	47	10.5	4	18	14.2	3	29	8.1
900-999.....	23	122	16.7	10	58	21.6	13	64	13.5
1,000-1,099.....	21	116	22.7	9	52	28.4	12	64	18.9
1,100-1,199.....	23	150	30.3	6	33	32.6	17	117	28.8
1,200-1,299.....	22	147	37.8	10	70	41.6	12	77	35.3
1,300-1,399.....	26	155	45.7	6	21	44.4	20	134	46.6
1,400-1,499.....	25	162	54.0	13	72	53.6	12	90	54.2
1,500-1,599.....	18	120	60.1	7	49	59.9	11	72	60.3
1,600-1,699.....	20	108	65.6	5	22	62.8	15	85	67.5
1,700-1,799.....	15	117	71.6	9	69	71.8	6	48	71.6
1,800-1,899.....	15	121	77.8	7	46	77.8	8	74	77.8
1,900-1,999.....	13	71	81.4	6	42	83.2	7	28	80.2
2,000-2,499.....	31	216	92.5	11	78	93.3	20	138	91.9
2,500-2,999.....	15	97	97.4	6	36	97.9	9	61	97.0
3,000-3,499.....	6	31	99.0	1	9	99.1	5	22	98.9
3,500-3,999.....	2	7	99.3	1	4	99.6	1	3	99.2
4,000 or more.....	4	13	100.0	1	3	100.0	3	10	100.0

See footnotes at end of table.

Table 3-116. Cumulative percent distribution of sodium intake values in milligrams per 1,000 calories for persons aged 55-64 years by sex and income level: United States, 1976-80-Continued

Income level and sodium in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{2/}									
Total.....	2,119	17,376	100.0	1,048	8,443	100.0	1,071	8,934	100.0
Less than 250.....	7	75	.4	2	20	.2	5	55	.6
250-499.....	23	154	1.3	9	61	1.0	14	93	1.7
500-599.....	21	193	2.4	14	139	2.6	7	53	2.3
600-699.....	29	281	4.0	17	143	4.3	12	138	3.8
700-799.....	71	615	7.6	39	333	8.3	32	282	7.0
800-899.....	87	754	11.9	42	378	12.7	45	376	11.2
900-999.....	114	901	17.1	59	435	17.9	55	466	16.4
1,000-1,099.....	123	1,056	23.2	72	574	24.7	51	482	21.8
1,100-1,199.....	144	1,179	30.0	77	637	32.2	67	541	27.8
1,200-1,299.....	183	1,438	38.2	81	674	40.2	102	764	36.4
1,300-1,399.....	167	1,369	46.1	86	753	49.1	81	615	43.3
1,400-1,499.....	146	1,241	53.3	72	567	55.8	74	674	50.8
1,500-1,599.....	135	1,051	59.3	70	561	62.5	65	489	56.3
1,600-1,699.....	143	1,193	66.2	78	570	69.3	65	624	63.3
1,700-1,799.....	124	1,068	72.3	69	550	75.8	55	518	69.1
1,800-1,899.....	103	774	76.8	44	323	79.6	59	451	74.1
1,900-1,999.....	91	735	81.0	41	385	84.1	50	350	78.0
2,000-2,499.....	235	1,918	92.0	102	787	93.5	133	1,131	90.7
2,500-2,999.....	116	929	97.4	53	380	98.0	63	549	96.8
3,000-3,499.....	35	298	99.1	12	114	99.3	23	185	98.9
3,500-3,999.....	16	108	99.7	8	55	100.0	8	53	99.5
4,000 or more.....	6	47	100.0	1	3	100.0	5	43	100.0

^{1/} Excludes 1 examined person with zero calories.

^{2/} Excludes unknown income.

Table 3-117. Cumulative percent distribution of sodium intake values in milligrams per 1,000 calories for persons aged 65-74 years by sex and income level: United States, 1976-80

Income level and sodium in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	2,615	14,496	100.0	1,199	6,297	100.0	1,416	8,198	100.0
Less than 250.....	3	15	.1	1	3	.0	2	13	.2
250-499.....	23	110	.9	8	35	.6	15	75	1.1
500-599.....	31	171	2.0	9	51	1.4	22	120	2.5
600-699.....	55	313	4.2	24	165	4.0	31	148	4.3
700-799.....	71	410	7.0	32	168	6.7	39	242	7.3
800-899.....	92	521	10.6	36	207	10.0	56	314	11.1
900-999.....	135	722	15.6	54	255	14.0	81	466	16.8
1,000-1,099.....	151	875	21.6	63	302	18.8	88	573	23.8
1,100-1,199.....	210	1,253	30.3	80	439	25.8	130	813	33.7
1,200-1,299.....	202	1,112	37.9	109	591	35.2	93	520	40.1
1,300-1,399.....	221	1,193	46.2	102	515	43.4	119	678	48.3
1,400-1,499.....	180	1,003	53.1	85	421	50.1	95	581	55.4
1,500-1,599.....	159	834	58.8	82	423	56.8	77	412	60.4
1,600-1,699.....	139	730	63.9	59	322	61.9	80	408	65.4
1,700-1,799.....	154	818	69.5	75	358	67.6	79	460	71.0
1,800-1,899.....	138	826	75.2	65	385	73.7	73	441	76.4
1,900-1,999.....	116	675	79.9	62	339	79.1	54	337	80.5
2,000-2,499.....	307	1,654	91.3	151	780	91.5	156	874	91.2
2,500-2,999.....	117	636	95.7	57	312	96.4	60	324	95.1
3,000-3,499.....	51	267	97.5	18	77	97.7	33	189	97.4
3,500-3,999.....	25	132	98.4	13	66	98.7	12	65	98.2
4,000 or more.....	35	226	100.0	14	81	100.0	21	145	100.0
Income below poverty level^{1/}									
Total.....	424	2,003	100.0	168	759	100.0	256	1,245	100.0
Less than 250.....	-	-	-	-	-	-	-	-	-
250-499.....	6	20	1.0	1	3	.3	5	18	1.4
500-599.....	6	22	2.1	2	9	1.5	4	14	2.5
600-699.....	8	52	4.7	4	37	6.3	4	15	3.8
700-799.....	13	66	8.0	6	33	10.7	7	33	6.4
800-899.....	12	52	10.6	4	20	13.3	8	32	9.0
900-999.....	19	98	15.5	8	38	18.3	11	60	13.8
1,000-1,099.....	23	103	20.6	12	48	24.6	11	55	18.2
1,100-1,199.....	40	170	29.1	17	78	35.0	23	92	25.6
1,200-1,299.....	25	117	35.0	11	52	41.8	14	65	30.8
1,300-1,399.....	38	186	44.2	15	72	51.3	23	113	39.9
1,400-1,499.....	35	183	53.4	17	74	61.0	18	110	48.8
1,500-1,599.....	24	102	58.5	7	26	64.4	17	76	54.9
1,600-1,699.....	26	101	63.5	9	36	69.1	17	66	60.2
1,700-1,799.....	23	108	68.9	13	56	76.5	10	52	64.3
1,800-1,899.....	22	113	74.5	7	35	81.1	15	78	70.5
1,900-1,999.....	14	60	77.6	3	9	82.3	11	51	74.6
2,000-2,499.....	50	234	89.2	21	88	93.9	29	146	86.4
2,500-2,999.....	12	67	92.6	4	19	96.4	8	48	90.2
3,000-3,499.....	12	52	95.1	5	18	98.7	7	34	92.9
3,500-3,999.....	5	21	96.2	-	-	98.7	5	21	94.6
4,000 or more.....	11	77	100.0	2	10	100.0	9	67	100.0

See footnotes at end of table.

Table 3-117. Cumulative percent distribution of sodium intake values in milligrams per 1,000 calories for persons aged 65-74 years by sex and income level: United States, 1976-80-Continued

Income level and sodium in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	2,067	11,819	100.0	987	5,312	100.0	1,080	6,508	100.0
Less than 250.....	3	15	.1	1	3	.0	2	13	.2
250-499.....	15	82	.8	6	29	.6	9	53	1.0
500-599.....	23	138	2.0	5	32	1.2	18	106	2.6
600-699.....	42	229	3.9	19	122	3.5	23	106	4.3
700-799.....	56	335	6.8	26	135	6.0	30	200	7.3
800-899.....	73	438	10.5	30	178	9.4	43	260	11.3
900-999.....	112	601	15.5	45	211	13.4	67	389	17.3
1,000-1,099.....	123	737	21.8	49	238	17.9	74	499	25.0
1,100-1,199.....	159	1,020	30.4	62	356	24.6	97	664	35.2
1,200-1,299.....	168	933	38.3	95	517	34.3	73	416	41.6
1,300-1,399.....	174	959	46.4	85	433	42.4	89	527	49.7
1,400-1,499.....	138	773	53.0	66	340	48.8	72	433	56.3
1,500-1,599.....	126	695	58.8	72	388	56.1	54	307	61.0
1,600-1,699.....	108	603	63.9	46	265	61.1	62	338	66.2
1,700-1,799.....	125	687	69.8	58	289	66.6	67	398	72.4
1,800-1,899.....	110	689	75.6	56	342	73.0	54	347	77.7
1,900-1,999.....	93	561	80.3	56	315	78.9	37	246	81.5
2,000-2,499.....	240	1,327	91.6	124	655	91.3	116	672	91.8
2,500-2,999.....	98	531	96.0	50	275	96.4	48	257	95.7
3,000-3,499.....	37	206	97.8	11	51	97.4	26	155	98.1
3,500-3,999.....	20	111	98.7	13	66	98.6	7	45	98.8
4,000 or more.....	24	149	100.0	12	72	100.0	12	77	100.0

1/ Excludes unknown income.

Table 3-118. Cumulative percent distribution of potassium intake values in milligrams per 1,000 calories for persons aged 6-11 months by sex and income level: United States, 1976-80

Income level and potassium in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	356	1,599	100.0	179	819	100.0	177	780	100.0
Less than 600.....	4	16	1.0	2	8	1.0	2	8	1.0
600-699.....	2	5	1.3	1	3	1.3	1	3	1.4
700-799.....	10	31	3.3	4	10	2.6	6	21	4.0
800-849.....	9	36	5.5	4	21	5.2	5	15	5.9
850-899.....	4	15	6.5	2	9	6.2	2	6	6.7
900-949.....	10	44	9.2	6	29	9.7	4	15	8.7
950-999.....	10	34	11.3	6	16	11.7	4	18	11.0
1,000-1,049.....	5	20	12.6	3	14	13.4	2	6	11.8
1,050-1,099.....	14	63	16.6	5	18	15.6	9	45	17.6
1,100-1,149.....	17	84	21.8	6	23	18.4	11	61	25.4
1,150-1,199.....	12	46	24.7	4	15	20.3	8	31	29.3
1,200-1,249.....	11	68	28.9	7	49	26.3	4	19	31.8
1,250-1,299.....	7	27	30.7	3	12	27.7	4	16	33.8
1,300-1,399.....	29	123	38.4	17	78	37.3	12	45	39.5
1,400-1,499.....	25	110	45.2	14	59	44.5	11	51	46.0
1,500-1,599.....	33	143	54.2	20	86	55.0	13	57	53.3
1,600-1,699.....	31	152	63.7	19	100	67.2	12	52	60.0
1,700-1,799.....	15	79	68.6	9	45	72.6	6	34	64.4
1,800-1,899.....	21	105	75.2	7	37	77.1	14	68	73.1
1,900-1,999.....	17	84	80.4	6	24	80.1	11	60	80.8
2,000-2,099.....	15	78	85.3	9	56	86.9	6	22	83.6
2,100-2,199.....	13	54	88.7	6	23	89.7	7	31	87.6
2,200-2,299.....	13	49	91.8	6	25	92.7	7	24	90.7
2,300-2,399.....	6	24	93.3	1	2	92.9	5	23	93.6
2,400-2,499.....	6	28	95.0	4	19	95.2	2	10	94.8
2,500-2,999.....	10	51	98.2	3	18	97.4	7	33	99.1
3,000 or more.....	7	28	100.0	5	21	100.0	2	7	100.0
Income below poverty level^{1/}									
Total.....	84	315	100.0	48	177	100.0	36	138	100.0
Less than 600.....	2	6	1.9	*	*	*	*	*	*
600-699.....	1	3	2.7	*	*	*	*	*	*
700-799.....	5	14	7.3	*	*	*	*	*	*
800-849.....	2	4	8.5	*	*	*	*	*	*
850-899.....	1	3	9.4	*	*	*	*	*	*
900-949.....	1	2	10.1	*	*	*	*	*	*
950-999.....	5	18	15.7	*	*	*	*	*	*
1,000-1,049.....	1	10	18.8	*	*	*	*	*	*
1,050-1,099.....	8	33	29.3	*	*	*	*	*	*
1,100-1,149.....	6	19	35.3	*	*	*	*	*	*
1,150-1,199.....	5	18	40.9	*	*	*	*	*	*
1,200-1,249.....	5	17	46.4	*	*	*	*	*	*
1,250-1,299.....	1	3	47.4	*	*	*	*	*	*
1,300-1,399.....	8	36	58.8	*	*	*	*	*	*
1,400-1,499.....	7	25	66.8	*	*	*	*	*	*
1,500-1,599.....	7	30	76.4	*	*	*	*	*	*
1,600-1,699.....	3	9	79.4	*	*	*	*	*	*
1,700-1,799.....	4	21	86.1	*	*	*	*	*	*
1,800-1,899.....	2	9	88.8	*	*	*	*	*	*
1,900-1,999.....	2	10	91.9	*	*	*	*	*	*
2,000-2,099.....	5	19	97.9	*	*	*	*	*	*
2,100-2,199.....	-	-	97.9	*	*	*	*	*	*
2,200-2,299.....	1	2	98.4	*	*	*	*	*	*
2,300-2,399.....	1	2	98.9	*	*	*	*	*	*
2,400-2,499.....	-	-	98.9	*	*	*	*	*	*
2,500-2,999.....	-	-	98.9	*	*	*	*	*	*
3,000 or more.....	1	3	100.0	*	*	*	*	*	*

See footnotes at end of table.

Table 3-118. Cumulative percent distribution of potassium intake values in milligrams per 1,000 calories for persons aged 6-11 months by sex and income level: United States, 1976-80-Continued

Income level and potassium in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	256	1,226	100.0	121	614	100.0	135	612	100.0
Less than 600.....	2	10	.8	1	6	1.0	1	5	.7
600-699.....	1	3	1.1	1	3	1.4	-	-	.7
700-799.....	5	17	2.4	2	6	2.4	3	10	2.4
800-849.....	7	32	5.0	3	20	5.6	4	12	4.4
850-899.....	3	12	6.0	2	9	7.1	1	4	5.0
900-949.....	9	41	9.4	6	29	11.7	3	13	7.1
950-999.....	5	16	10.8	3	7	12.8	2	10	8.7
1,000-1,049.....	4	10	11.6	2	4	13.5	2	6	9.7
1,050-1,099.....	6	30	14.1	2	10	15.1	4	20	13.0
1,100-1,149.....	9	60	18.9	2	12	17.1	7	48	20.8
1,150-1,199.....	5	19	20.5	1	3	17.6	4	16	23.4
1,200-1,249.....	5	42	23.9	5	42	24.4	-	-	23.4
1,250-1,299.....	6	24	25.9	2	8	25.7	4	16	26.0
1,300-1,399.....	20	85	32.8	12	59	35.4	8	26	30.2
1,400-1,499.....	16	77	39.0	8	36	41.2	8	41	36.9
1,500-1,599.....	24	109	47.9	13	61	51.1	11	48	44.7
1,600-1,699.....	26	138	59.2	15	89	65.6	11	49	52.8
1,700-1,799.....	10	53	63.5	4	19	68.7	6	34	58.3
1,800-1,899.....	19	96	71.3	6	35	74.3	13	61	68.4
1,900-1,999.....	14	68	76.9	4	14	76.7	10	54	77.1
2,000-2,099.....	10	59	81.7	7	47	84.3	3	12	79.1
2,100-2,199.....	11	50	85.8	4	18	87.3	7	31	84.2
2,200-2,299.....	12	48	89.6	5	23	91.1	7	24	88.2
2,300-2,399.....	5	23	91.5	-	-	91.1	5	23	91.8
2,400-2,499.....	6	28	93.8	4	19	94.2	2	10	93.4
2,500-2,999.....	10	51	98.0	3	18	97.1	7	33	98.8
3,000 or more.....	6	25	100.0	4	18	100.0	2	7	100.0

^{1/} Excludes unknown income.

Table 3-119. Cumulative percent distribution of potassium intake values in milligrams per 1,000 calories for persons aged 1-2 years by sex and income level: United States, 1976-80

Income level and potassium in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	1,417	6,078	100.0	745	3,107	100.0	672	2,970	100.0
Less than 600.....	32	132	2.2	15	61	2.0	17	71	2.4
600-699.....	36	145	4.6	17	72	4.3	19	73	4.8
700-799.....	54	211	8.0	25	78	6.8	29	132	9.3
800-849.....	28	121	10.0	17	73	9.2	11	48	10.9
850-899.....	35	158	12.6	19	82	11.8	16	77	13.5
900-949.....	54	210	16.1	32	117	15.6	22	92	16.6
950-999.....	48	229	19.9	22	111	19.1	26	118	20.6
1,000-1,049.....	73	287	24.6	42	161	24.3	31	126	24.8
1,050-1,099.....	56	261	28.9	32	132	28.6	24	128	29.1
1,100-1,149.....	66	299	33.8	29	127	32.7	37	172	34.9
1,150-1,199.....	77	338	39.4	36	151	37.5	41	187	41.3
1,200-1,249.....	42	158	42.0	17	60	39.5	25	98	44.6
1,250-1,299.....	56	249	46.1	27	124	43.5	29	126	48.8
1,300-1,399.....	139	587	55.7	73	309	53.4	66	278	58.1
1,400-1,499.....	107	448	63.1	57	242	61.2	50	206	65.1
1,500-1,599.....	121	503	71.4	69	286	70.4	52	218	72.4
1,600-1,699.....	103	436	78.5	60	229	77.7	43	207	79.4
1,700-1,799.....	82	380	84.8	41	176	83.4	41	203	86.2
1,800-1,899.....	55	247	88.9	25	110	87.0	30	137	90.8
1,900-1,999.....	48	210	92.3	26	113	90.6	22	97	94.1
2,000-2,099.....	34	140	94.6	22	92	93.6	12	47	95.7
2,100-2,199.....	21	88	96.1	11	47	95.1	10	41	97.1
2,200-2,299.....	14	65	97.1	9	39	96.4	5	25	97.9
2,300-2,399.....	12	60	98.1	8	40	97.6	4	21	98.6
2,400-2,499.....	5	18	98.4	3	12	98.0	2	7	98.9
2,500-2,999.....	16	83	99.8	11	62	100.0	5	20	99.5
3,000 or more.....	3	13	100.0	-	-	100.0	3	13	100.0
Income below poverty level^{1/}									
Total.....	323	1,163	100.0	170	601	100.0	153	562	100.0
Less than 600.....	15	45	3.8	7	14	2.4	8	30	5.4
600-699.....	9	29	6.3	2	8	3.7	7	21	9.1
700-799.....	12	37	9.5	5	15	6.1	7	22	13.0
800-849.....	7	31	12.2	6	29	11.0	1	2	13.4
850-899.....	11	47	16.2	7	30	15.9	4	17	16.4
900-949.....	13	53	20.8	6	23	19.7	7	31	21.9
950-999.....	16	53	25.4	11	36	25.7	5	18	25.0
1,000-1,049.....	14	48	29.5	6	16	28.3	8	32	30.8
1,050-1,099.....	14	60	34.6	5	20	31.5	9	41	38.0
1,100-1,149.....	22	88	42.2	8	31	36.7	14	57	48.1
1,150-1,199.....	17	56	47.0	9	31	41.8	8	26	52.6
1,200-1,249.....	10	36	50.1	5	18	44.8	5	18	55.8
1,250-1,299.....	7	21	51.9	4	12	46.8	3	9	57.3
1,300-1,399.....	28	101	60.6	15	55	55.9	13	47	65.6
1,400-1,499.....	20	60	65.8	13	39	62.4	7	21	69.4
1,500-1,599.....	23	76	72.3	12	44	69.8	11	31	75.0
1,600-1,699.....	28	103	81.2	19	62	80.1	9	41	82.3
1,700-1,799.....	17	70	87.1	7	33	85.5	10	37	88.8
1,800-1,899.....	9	35	90.1	4	13	87.7	5	21	92.7
1,900-1,999.....	10	37	93.3	7	28	92.4	3	9	94.2
2,000-2,099.....	7	24	95.3	4	13	94.7	3	10	96.0
2,100-2,199.....	4	14	96.6	1	2	95.0	3	12	98.2
2,200-2,299.....	3	11	97.5	3	11	96.8	-	-	98.2
2,300-2,399.....	4	21	99.3	3	17	99.6	1	5	99.0
2,400-2,499.....	2	5	99.7	1	3	100.0	1	3	99.5
2,500-2,999.....	1	3	100.0	-	-	100.0	1	3	100.0
3,000 or more.....	-	-	100.0	-	-	100.0	-	-	100.0

See footnotes at end of table.

Table 3-119. Cumulative percent distribution of potassium intake values in milligrams per 1,000 calories for persons aged 1-2 years by sex and income level: United States, 1976-80-Continued

Income level and potassium in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	1,056	4,767	100.0	551	2,416	100.0	505	2,351	100.0
Less than 600.....	17	87	1.8	8	47	2.0	9	40	1.7
600-699.....	26	113	4.2	14	61	4.5	12	53	3.9
700-799.....	42	174	7.8	20	64	7.1	22	110	8.6
800-849.....	19	85	9.6	10	42	8.8	9	43	10.5
850-899.....	23	107	11.9	11	47	10.8	12	60	13.0
900-949.....	39	147	15.0	25	89	14.4	14	59	15.5
950-999.....	32	176	18.6	11	75	17.5	21	101	19.8
1,000-1,049.....	57	230	23.5	34	137	23.2	23	94	23.8
1,050-1,099.....	42	200	27.7	27	113	27.9	15	87	27.5
1,100-1,149.....	42	198	31.8	20	89	31.6	22	109	32.1
1,150-1,199.....	56	271	37.5	25	116	36.4	31	155	38.7
1,200-1,249.....	32	123	40.1	12	42	38.1	20	80	42.1
1,250-1,299.....	47	217	44.6	23	111	42.7	24	106	46.6
1,300-1,399.....	109	473	54.6	57	250	53.0	52	223	56.1
1,400-1,499.....	85	382	62.6	43	200	61.3	42	182	63.9
1,500-1,599.....	92	403	71.0	54	228	70.8	38	175	71.3
1,600-1,699.....	73	329	77.9	39	163	77.5	34	166	78.4
1,700-1,799.....	62	301	84.3	32	137	83.2	30	164	85.4
1,800-1,899.....	44	202	88.5	19	86	86.7	25	116	90.3
1,900-1,999.....	37	171	92.1	18	83	90.2	19	88	94.0
2,000-2,099.....	24	108	94.3	15	71	93.1	9	37	95.6
2,100-2,199.....	16	72	95.8	10	45	94.9	6	27	96.8
2,200-2,299.....	11	54	97.0	6	29	96.1	5	25	97.8
2,300-2,399.....	8	39	97.8	5	23	97.1	3	16	98.5
2,400-2,499.....	3	13	98.0	2	9	97.4	1	4	98.7
2,500-2,999.....	15	80	99.7	11	62	100.0	4	17	99.4
3,000 or more.....	3	13	100.0	-	-	100.0	3	13	100.0

^{1/} Excludes unknown income.

Table 3-120. Cumulative percent distribution of potassium intake values in milligrams per 1,000 calories for persons aged 3-5 years by sex and income level: United States, 1976-80

Income level and potassium in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	2,345	9,186	100.0	1,219	4,695	100.0	1,126	4,491	100.0
Less than 600.....	77	294	3.2	38	140	3.0	39	154	3.4
600-699.....	70	279	6.2	30	122	5.6	40	157	6.9
700-799.....	130	479	11.4	65	223	10.3	65	255	12.6
800-849.....	78	279	14.5	47	174	14.0	31	104	14.9
850-899.....	100	380	18.6	56	211	18.5	44	169	18.7
900-949.....	134	491	24.0	70	254	23.9	64	236	24.0
950-999.....	118	479	29.2	61	258	29.4	57	221	28.9
1,000-1,049.....	118	478	34.4	60	245	34.6	58	234	34.1
1,050-1,099.....	120	449	39.3	64	229	39.5	56	220	39.0
1,100-1,149.....	122	493	44.6	58	213	44.1	64	280	45.2
1,150-1,199.....	116	433	49.4	64	243	49.3	52	190	49.5
1,200-1,249.....	114	483	54.6	52	200	53.5	62	283	55.8
1,250-1,299.....	129	468	59.7	59	205	57.9	70	263	61.6
1,300-1,399.....	232	955	70.1	117	484	68.2	115	471	72.1
1,400-1,499.....	207	808	78.9	112	414	77.0	95	394	80.9
1,500-1,599.....	139	576	85.2	76	326	84.0	63	250	86.5
1,600-1,699.....	100	386	89.4	58	223	88.7	42	163	90.1
1,700-1,799.....	84	342	93.1	50	205	93.1	34	137	93.1
1,800-1,899.....	54	228	95.6	28	117	95.6	26	111	95.6
1,900-1,999.....	41	159	97.3	23	92	97.5	18	67	97.1
2,000-2,099.....	19	79	98.2	12	46	98.5	7	34	97.8
2,100-2,199.....	19	68	98.9	10	34	99.2	9	34	98.6
2,200-2,299.....	6	24	99.2	3	7	99.4	3	16	99.0
2,300-2,399.....	10	40	99.6	3	15	99.7	7	25	99.5
2,400-2,499.....	-	-	99.6	-	-	99.7	-	-	99.5
2,500-2,999.....	6	26	99.9	3	13	100.0	3	13	99.8
3,000 or more.....	2	8	100.0	-	-	100.0	2	8	100.0
Income below poverty level ¹ /									
Total.....	570	1,855	100.0	298	910	100.0	272	945	100.0
Less than 600.....	24	79	4.3	13	38	4.2	11	41	4.4
600-699.....	19	57	7.4	8	27	7.1	11	30	7.6
700-799.....	26	70	11.1	15	33	10.8	11	37	11.4
800-849.....	17	46	13.6	10	27	13.8	7	18	13.4
850-899.....	28	104	19.2	11	35	17.6	17	69	20.8
900-949.....	39	122	25.8	21	64	24.6	18	58	26.9
950-999.....	35	139	33.3	17	69	32.2	18	70	34.3
1,000-1,049.....	28	90	38.2	18	56	38.4	10	34	38.0
1,050-1,099.....	38	123	44.8	19	55	44.4	19	68	45.2
1,100-1,149.....	29	100	50.2	14	48	49.7	15	52	50.7
1,150-1,199.....	28	94	55.3	16	51	55.4	12	43	55.2
1,200-1,249.....	29	95	60.4	11	31	58.8	18	64	62.0
1,250-1,299.....	31	87	65.1	17	42	63.4	14	45	66.8
1,300-1,399.....	47	162	73.8	23	80	72.2	24	82	75.4
1,400-1,499.....	42	130	80.9	21	63	79.1	21	68	82.6
1,500-1,599.....	32	108	86.7	18	54	85.0	14	54	88.4
1,600-1,699.....	15	45	89.1	10	30	88.3	5	15	90.0
1,700-1,799.....	17	52	91.9	12	38	92.4	5	14	91.4
1,800-1,899.....	15	51	94.7	6	21	94.7	9	30	94.6
1,900-1,999.....	12	33	96.5	6	14	96.2	6	20	96.7
2,000-2,099.....	5	18	97.4	4	12	97.5	1	6	97.3
2,100-2,199.....	6	18	98.4	5	15	99.1	1	3	97.6
2,200-2,299.....	3	14	99.1	1	2	99.4	2	12	98.9
2,300-2,399.....	3	11	99.7	1	3	99.8	2	8	99.7
2,400-2,499.....	-	-	99.7	-	-	99.8	-	-	99.7
2,500-2,999.....	1	2	99.8	1	2	100.0	-	-	99.7
3,000 or more.....	1	3	100.0	-	-	100.0	1	3	100.0

See footnotes at end of table.

Table 3-120. Cumulative percent distribution of potassium intake values in milligrams per 1,000 calories for persons aged 3-5 years by sex and income level: United States, 1976-80-Continued

Income level and potassium in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	1,707	7,102	100.0	892	3,683	100.0	815	3,419	100.0
Less than 600.....	49	204	2.9	25	102	2.8	24	103	3.0
600-699.....	49	215	5.9	22	95	5.3	27	120	6.5
700-799.....	100	394	11.4	49	183	10.3	51	211	12.7
800-849.....	57	224	14.6	34	140	14.1	23	84	15.1
850-899.....	71	273	18.4	45	176	18.9	26	98	18.0
900-949.....	94	364	23.6	49	191	24.1	45	174	23.1
950-999.....	82	338	28.3	43	187	29.1	39	151	27.5
1,000-1,049.....	84	372	33.6	39	182	34.1	45	189	33.0
1,050-1,099.....	77	309	37.9	43	166	38.6	34	144	37.2
1,100-1,149.....	90	384	43.3	43	163	43.0	47	221	43.7
1,150-1,199.....	85	330	48.0	46	186	48.0	39	145	47.9
1,200-1,249.....	82	377	53.3	41	169	52.6	41	208	54.0
1,250-1,299.....	94	370	58.5	40	157	56.9	54	213	60.2
1,300-1,399.....	179	773	69.4	91	395	67.6	88	378	71.3
1,400-1,499.....	158	652	78.6	87	337	76.8	71	315	80.5
1,500-1,599.....	104	456	85.0	56	262	83.9	48	194	86.1
1,600-1,699.....	80	321	89.5	47	191	89.1	33	130	89.9
1,700-1,799.....	65	277	93.4	36	154	93.3	29	124	93.5
1,800-1,899.....	37	169	95.8	21	92	95.8	16	77	95.8
1,900-1,999.....	28	123	97.5	16	76	97.8	12	47	97.2
2,000-2,099.....	14	62	98.4	8	34	98.7	6	28	98.0
2,100-2,199.....	12	48	99.0	5	19	99.2	7	29	98.8
2,200-2,299.....	3	9	99.2	2	5	99.4	1	4	99.0
2,300-2,399.....	7	29	99.6	2	12	99.7	5	17	99.4
2,400-2,499.....	-	-	99.6	-	-	99.7	-	-	99.4
2,500-2,999.....	5	24	99.9	2	11	100.0	3	13	99.8
3,000 or more.....	1	5	100.0	-	-	100.0	1	5	100.0

1/ Excludes unknown income.

Table 3-121. Cumulative percent distribution of potassium intake values in milligrams per 1,000 calories for persons aged 6-8 years by sex and income level: United States, 1976-80

Income level and potassium in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	843	10,213	100.0	428	5,336	100.0	415	4,877	100.0
Less than 600.....	27	299	2.9	17	176	3.3	10	123	2.5
600-699.....	22	272	5.6	11	136	5.8	11	136	5.3
700-799.....	38	434	9.8	13	174	9.1	25	260	10.6
800-849.....	24	339	13.2	11	177	12.4	13	162	14.0
850-899.....	33	328	16.4	19	186	15.9	14	142	16.9
900-949.....	38	444	20.7	16	197	19.6	22	247	21.9
950-999.....	38	465	25.3	19	280	24.8	19	186	25.8
1,000-1,049.....	50	713	32.3	27	428	32.8	23	285	31.6
1,050-1,099.....	51	620	38.3	20	259	37.7	31	360	39.0
1,100-1,149.....	47	634	44.5	32	411	45.4	15	223	43.6
1,150-1,199.....	54	655	50.9	24	271	50.5	30	384	51.4
1,200-1,249.....	53	601	56.8	28	300	56.1	25	301	57.6
1,250-1,299.....	41	436	61.1	24	247	60.7	17	189	61.5
1,300-1,399.....	90	1,117	72.0	51	679	73.5	39	438	70.5
1,400-1,499.....	65	747	79.3	37	427	81.5	28	320	77.0
1,500-1,599.....	54	641	85.6	19	262	86.4	35	378	84.8
1,600-1,699.....	37	496	90.5	17	229	90.7	20	267	90.3
1,700-1,799.....	33	359	94.0	20	215	94.7	13	144	93.2
1,800-1,899.....	23	291	96.8	12	155	97.6	11	136	96.0
1,900-1,999.....	10	123	98.0	5	56	98.7	5	67	97.4
2,000-2,099.....	6	85	98.9	2	24	99.1	4	61	98.6
2,100-2,199.....	5	58	99.4	1	6	99.2	4	52	99.7
2,200-2,299.....	1	22	99.7	1	22	99.6	-	-	99.7
2,300-2,399.....	-	-	99.7	-	-	99.6	-	-	99.7
2,400-2,499.....	-	-	99.7	-	-	99.6	-	-	99.7
2,500-2,999.....	3	34	100.0	2	19	100.0	1	15	100.0
3,000 or more.....	-	-	100.0	-	-	100.0	-	-	100.0
Income below poverty level^{1/}									
Total.....	177	1,769	100.0	82	900	100.0	95	869	100.0
Less than 600.....	6	37	2.1	3	20	2.3	3	17	1.9
600-699.....	5	47	4.8	3	27	5.3	2	20	4.2
700-799.....	14	131	12.1	4	37	9.4	10	93	14.9
800-849.....	5	50	14.9	3	34	13.3	2	15	16.7
850-899.....	11	91	20.1	5	51	18.9	6	41	21.4
900-949.....	8	81	24.7	3	33	22.5	5	48	26.9
950-999.....	5	52	27.6	4	43	27.3	1	9	27.9
1,000-1,049.....	7	128	34.8	4	90	37.3	3	38	32.3
1,050-1,099.....	10	97	40.3	3	40	41.7	7	58	38.9
1,100-1,149.....	12	158	49.3	9	129	56.1	3	28	42.2
1,150-1,199.....	7	67	53.1	1	10	57.2	6	57	48.8
1,200-1,249.....	14	126	60.2	8	73	65.2	6	54	55.0
1,250-1,299.....	10	92	65.4	5	43	69.9	5	49	60.6
1,300-1,399.....	15	158	74.3	7	68	77.5	8	90	71.0
1,400-1,499.....	15	140	82.2	6	69	85.1	9	71	79.2
1,500-1,599.....	9	97	87.7	2	24	87.8	7	73	87.6
1,600-1,699.....	13	130	95.1	5	55	93.9	8	75	96.3
1,700-1,799.....	5	40	97.3	5	40	98.3	-	-	96.3
1,800-1,899.....	2	20	98.4	1	9	99.3	1	10	97.5
1,900-1,999.....	1	9	98.9	-	-	99.3	1	9	98.5
2,000-2,099.....	1	7	99.3	-	-	99.3	1	7	99.3
2,100-2,199.....	2	12	100.0	1	6	100.0	1	6	100.0
2,200-2,299.....	-	-	100.0	-	-	100.0	-	-	100.0
2,300-2,399.....	-	-	100.0	-	-	100.0	-	-	100.0
2,400-2,499.....	-	-	100.0	-	-	100.0	-	-	100.0
2,500-2,999.....	-	-	100.0	-	-	100.0	-	-	100.0
3,000 or more.....	-	-	100.0	-	-	100.0	-	-	100.0

See footnotes at end of table.

Table 3-121. Cumulative percent distribution of potassium intake values in milligrams per 1,000 calories for persons aged 6-8 years by sex and income level: United States, 1976-80-Continued

Income level and potassium in milligrams per 1,000 calories	Both sexes			Male			Female		
	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	644	8,118	100.0	336	4,254	100.0	308	3,864	100.0
Less than 600.....	19	243	3.0	12	137	3.2	7	107	2.8
600-699.....	17	225	5.8	8	109	5.8	9	116	5.8
700-799.....	24	304	9.5	9	137	9.0	15	167	10.1
800-849.....	18	278	12.9	8	143	12.3	10	135	13.6
850-899.....	22	237	15.8	14	135	15.5	8	102	16.2
900-949.....	28	332	19.9	11	133	18.6	17	199	21.4
950-999.....	33	413	25.0	15	236	24.2	18	177	25.9
1,000-1,049.....	41	571	32.0	23	338	32.1	18	232	31.9
1,050-1,099.....	39	473	37.9	16	180	36.4	23	292	39.5
1,100-1,149.....	34	469	43.6	22	274	42.8	12	195	44.6
1,150-1,199.....	47	588	50.9	23	261	49.0	24	327	53.0
1,200-1,249.....	38	462	56.6	19	214	54.0	19	247	59.4
1,250-1,299.....	31	344	60.8	19	204	58.8	12	140	63.0
1,300-1,399.....	73	915	72.1	43	590	72.7	30	325	71.4
1,400-1,499.....	45	521	78.5	29	308	79.9	16	213	77.0
1,500-1,599.....	42	512	84.8	17	239	85.5	25	273	84.0
1,600-1,699.....	24	366	89.3	12	174	89.6	12	192	89.0
1,700-1,799.....	28	320	93.3	15	176	93.7	13	144	92.7
1,800-1,899.....	21	271	96.6	11	146	97.1	10	126	96.0
1,900-1,999.....	8	97	97.8	5	56	98.5	3	41	97.0
2,000-2,099.....	5	78	98.7	2	24	99.0	3	54	98.4
2,100-2,199.....	3	46	99.3	-	-	99.0	3	46	99.6
2,200-2,299.....	1	22	99.6	1	22	99.5	-	-	99.6
2,300-2,399.....	-	-	99.6	-	-	99.5	-	-	99.6
2,400-2,499.....	-	-	99.6	-	-	99.5	-	-	99.6
2,500-2,999.....	3	34	100.0	2	19	100.0	1	15	100.0
3,000 or more.....	-	-	100.0	-	-	100.0	-	-	100.0

1/ Excludes unknown income.

Table 3-122. Cumulative percent distribution of potassium intake values in milligrams per 1,000 calories for persons aged 9-11 years by sex and income level: United States, 1976-80

Income level and potassium in milligrams per 1,000 calories	Both sexes			Male			Female		
	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent
All incomes									
Total.....	882	10,667	100.0	457	5,310	100.0	425	5,357	100.0
Less than 600.....	27	319	3.0	11	116	2.2	16	203	3.8
600-699.....	31	324	6.0	19	196	5.9	12	127	6.2
700-799.....	49	638	12.0	30	382	13.1	19	255	10.9
800-849.....	26	283	14.6	15	144	15.8	11	139	13.5
850-899.....	37	433	18.7	19	214	19.8	18	220	17.6
900-949.....	43	568	24.0	22	290	25.3	21	278	22.8
950-999.....	34	445	28.2	18	226	29.5	16	219	26.9
1,000-1,049.....	47	504	32.9	26	273	34.7	21	232	31.2
1,050-1,099.....	52	624	38.8	25	265	39.7	27	359	37.9
1,100-1,149.....	65	839	46.7	26	335	46.0	39	504	47.3
1,150-1,199.....	52	615	52.4	20	233	50.3	32	382	54.5
1,200-1,249.....	58	738	59.3	29	349	56.9	29	389	61.7
1,250-1,299.....	42	505	64.1	27	316	62.9	15	189	65.3
1,300-1,399.....	83	904	72.6	46	462	71.6	37	442	73.5
1,400-1,499.....	73	823	80.3	44	465	80.3	29	359	80.2
1,500-1,599.....	57	754	87.3	30	409	88.0	27	345	86.7
1,600-1,699.....	42	520	92.2	22	277	93.3	20	243	91.2
1,700-1,799.....	23	269	94.7	8	93	95.0	15	176	94.5
1,800-1,899.....	16	213	96.7	10	135	97.5	6	78	95.9
1,900-1,999.....	7	86	97.5	3	36	98.2	4	50	96.9
2,000-2,099.....	8	104	98.5	2	32	98.8	6	73	98.2
2,100-2,199.....	5	71	99.2	3	36	99.5	2	35	98.9
2,200-2,299.....	1	21	99.4	-	-	99.5	1	21	99.3
2,300-2,399.....	1	11	99.5	1	11	99.7	-	-	99.3
2,400-2,499.....	3	55	100.0	1	16	100.0	2	39	100.0
2,500-2,999.....	-	-	100.0	-	-	100.0	-	-	100.0
3,000 or more.....	-	-	100.0	-	-	100.0	-	-	100.0
Income below poverty level^{1/}									
Total.....	190	1,967	100.0	88	854	100.0	102	1,113	100.0
Less than 600.....	6	53	2.7	3	27	3.2	3	26	2.3
600-699.....	7	79	6.7	5	50	9.1	2	29	4.9
700-799.....	8	69	10.2	5	47	14.5	3	22	6.9
800-849.....	9	89	14.7	3	32	18.3	6	57	12.0
850-899.....	10	116	20.6	5	51	24.3	5	65	17.8
900-949.....	12	146	28.1	3	22	26.9	9	124	29.0
950-999.....	6	62	31.2	2	18	29.0	4	44	32.9
1,000-1,049.....	14	135	38.1	8	76	37.9	6	59	38.2
1,050-1,099.....	13	146	45.5	9	94	48.9	4	52	42.9
1,100-1,149.....	10	108	51.0	3	24	51.7	7	84	50.4
1,150-1,199.....	13	119	57.0	2	18	53.9	11	100	59.4
1,200-1,249.....	12	109	62.6	7	59	60.8	5	50	63.9
1,250-1,299.....	10	110	68.2	4	38	65.3	6	72	70.4
1,300-1,399.....	20	199	78.3	10	84	75.1	10	115	80.7
1,400-1,499.....	11	109	83.8	4	33	79.0	7	76	87.5
1,500-1,599.....	12	133	90.6	7	77	87.9	5	56	92.6
1,600-1,699.....	7	74	94.3	4	41	92.7	3	33	95.5
1,700-1,799.....	4	49	96.8	2	31	96.3	2	19	97.2
1,800-1,899.....	3	27	98.2	1	11	97.5	2	16	98.7
1,900-1,999.....	1	8	98.5	-	-	97.5	1	8	99.3
2,000-2,099.....	2	29	100.0	1	21	100.0	1	7	100.0
2,100-2,199.....	-	-	100.0	-	-	100.0	-	-	100.0
2,200-2,299.....	-	-	100.0	-	-	100.0	-	-	100.0
2,300-2,399.....	-	-	100.0	-	-	100.0	-	-	100.0
2,400-2,499.....	-	-	100.0	-	-	100.0	-	-	100.0
2,500-2,999.....	-	-	100.0	-	-	100.0	-	-	100.0
3,000 or more.....	-	-	100.0	-	-	100.0	-	-	100.0

See footnotes at end of table.

Table 3-122. Cumulative percent distribution of potassium intake values in milligrams per 1,000 calories for persons aged 9-11 years by sex and income level: United States, 1976-80-Continued

Income level and potassium in milligrams per 1,000 calories	Both sexes			Male			Female		
	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent
	Income above poverty level ^{1/}								
Total.....	663	8,370	100.0	356	4,321	100.0	307	4,049	100.0
Less than 600.....	19	233	2.8	8	89	2.0	11	145	3.6
600-699.....	24	245	5.7	14	146	5.4	10	99	6.0
700-799.....	41	568	12.5	25	336	13.2	16	233	11.8
800-849.....	15	180	14.7	10	99	15.5	5	82	13.8
850-899.....	26	303	18.3	14	162	19.2	12	141	17.3
900-949.....	31	422	23.3	19	268	25.4	12	154	21.1
950-999.....	25	345	27.4	15	203	30.1	10	142	24.6
1,000-1,049.....	29	326	31.3	15	162	33.9	14	164	28.6
1,050-1,099.....	36	439	36.6	15	161	37.6	21	278	35.5
1,100-1,149.....	53	702	45.0	22	296	44.5	31	406	45.5
1,150-1,199.....	37	468	50.6	17	193	48.9	20	274	52.3
1,200-1,249.....	44	612	57.9	21	284	55.5	23	328	60.4
1,250-1,299.....	31	377	62.4	22	260	61.5	9	117	63.3
1,300-1,399.....	61	693	70.6	34	366	70.0	27	327	71.3
1,400-1,499.....	62	714	79.2	40	432	80.0	22	283	78.3
1,500-1,599.....	42	597	86.3	23	333	87.7	19	264	84.9
1,600-1,699.....	34	435	91.5	18	236	93.1	16	199	89.8
1,700-1,799.....	18	212	94.0	6	62	94.6	12	149	93.5
1,800-1,899.....	13	187	96.3	9	125	97.5	4	62	95.0
1,900-1,999.....	6	79	97.2	3	36	98.3	3	42	96.0
2,000-2,099.....	6	76	98.1	1	11	98.5	5	65	97.6
2,100-2,199.....	5	71	99.0	3	36	99.4	2	35	98.5
2,200-2,299.....	1	21	99.2	-	-	99.4	1	21	99.0
2,300-2,399.....	1	11	99.3	1	11	99.6	-	-	99.0
2,400-2,499.....	3	55	100.0	1	16	100.0	2	39	100.0
2,500-2,999.....	-	-	100.0	-	-	100.0	-	-	100.0
3,000 or more.....	-	-	100.0	-	-	100.0	-	-	100.0

1/ Excludes unknown income.

Table 3-123. Cumulative percent distribution of potassium intake values in milligrams per 1,000 calories for persons aged 12-14 years by sex and income level: United States, 1976-80

Income level and potassium in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	991	11,632	100.0	504	5,920	100.0	487	5,712	100.0
Less than 600.....	45	539	4.6	19	197	3.3	26	342	6.0
600-699.....	36	410	8.2	19	229	7.2	17	181	9.1
700-799.....	64	702	14.2	29	335	12.8	35	367	15.6
800-849.....	48	575	19.1	24	293	17.8	24	282	20.5
850-899.....	32	371	22.3	18	222	21.5	14	149	23.1
900-949.....	51	597	27.5	21	254	25.8	30	343	29.1
950-999.....	43	447	31.3	28	292	30.8	15	155	31.8
1,000-1,049.....	55	598	36.4	28	296	35.8	27	303	37.1
1,050-1,099.....	58	695	42.4	37	451	43.4	21	244	41.4
1,100-1,149.....	56	690	48.3	25	287	48.3	31	404	48.4
1,150-1,199.....	55	606	53.6	27	302	53.3	28	304	53.8
1,200-1,249.....	48	534	58.1	28	304	58.5	20	230	57.8
1,250-1,299.....	58	739	64.5	32	419	65.6	26	320	63.4
1,300-1,399.....	89	1,016	73.2	35	400	72.3	54	616	74.2
1,400-1,499.....	73	871	80.7	35	413	79.3	38	457	82.2
1,500-1,599.....	50	640	86.2	24	271	83.9	26	370	88.7
1,600-1,699.....	38	455	90.1	22	260	88.3	16	195	92.1
1,700-1,799.....	38	531	94.7	24	335	93.9	14	195	95.5
1,800-1,899.....	17	165	96.1	9	94	95.5	8	71	96.7
1,900-1,999.....	10	145	97.4	5	85	97.0	5	60	97.8
2,000-2,099.....	11	128	98.5	6	73	98.2	5	55	98.7
2,100-2,199.....	9	101	99.3	8	94	99.8	1	6	98.8
2,200-2,299.....	1	7	99.4	-	-	99.8	1	7	99.0
2,300-2,399.....	-	-	99.4	-	-	99.8	-	-	99.0
2,400-2,499.....	1	7	99.4	-	-	99.8	1	7	99.1
2,500-2,999.....	3	40	99.8	-	-	99.8	3	40	99.8
3,000 or more.....	2	25	100.0	1	13	100.0	1	12	100.0
Income below poverty level^{1/}									
Total.....	193	1,963	100.0	89	891	100.0	104	1,072	100.0
Less than 600.....	12	144	7.4	4	29	3.3	8	115	10.8
600-699.....	8	74	11.1	4	41	7.8	4	33	13.9
700-799.....	12	114	16.9	5	45	12.8	7	69	20.3
800-849.....	17	209	27.6	7	88	22.8	10	121	31.6
850-899.....	8	79	31.6	6	65	30.1	2	14	32.9
900-949.....	10	81	35.7	4	30	33.5	6	50	37.6
950-999.....	9	87	40.2	5	55	39.6	4	33	40.6
1,000-1,049.....	13	128	46.7	6	61	46.5	7	67	46.9
1,050-1,099.....	9	104	52.0	6	78	55.2	3	25	49.3
1,100-1,149.....	14	149	59.6	9	91	65.5	5	58	54.6
1,150-1,199.....	10	78	63.5	2	14	67.1	8	64	60.6
1,200-1,249.....	12	115	69.4	6	45	72.1	6	70	67.1
1,250-1,299.....	7	64	72.7	4	39	76.5	3	25	69.4
1,300-1,399.....	15	141	79.8	5	55	82.7	10	86	77.5
1,400-1,499.....	11	110	85.4	2	21	85.0	9	89	85.7
1,500-1,599.....	3	35	87.2	1	9	86.0	2	26	88.2
1,600-1,699.....	8	98	92.2	6	63	93.1	2	35	91.5
1,700-1,799.....	4	54	94.9	1	6	93.8	3	48	95.9
1,800-1,899.....	6	48	97.4	4	32	97.4	2	16	97.4
1,900-1,999.....	2	22	98.5	1	15	99.1	1	7	98.0
2,000-2,099.....	1	8	98.9	1	8	100.0	-	-	98.0
2,100-2,199.....	-	-	98.9	-	-	100.0	-	-	98.0
2,200-2,299.....	1	7	99.3	-	-	100.0	1	7	98.6
2,300-2,399.....	-	-	99.3	-	-	100.0	-	-	98.6
2,400-2,499.....	-	-	99.3	-	-	100.0	-	-	98.6
2,500-2,999.....	1	14	100.0	-	-	100.0	1	14	100.0
3,000 or more.....	-	-	100.0	-	-	100.0	-	-	100.0

See footnotes at end of table.

Table 3-123. Cumulative percent distribution of potassium intake values in milligrams per 1,000 calories for persons aged 12-14 years by sex and income level: United States, 1976-80-Continued

Income level and potassium in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	762	9,255	100.0	399	4,841	100.0	363	4,414	100.0
Less than 600.....	32	389	4.2	15	168	3.5	17	221	5.0
600-699.....	28	336	7.8	15	188	7.4	13	147	8.3
700-799.....	52	588	14.2	24	290	13.4	28	298	15.1
800-849.....	29	349	17.9	16	197	17.4	13	152	18.5
850-899.....	24	292	21.1	12	157	20.6	12	135	21.6
900-949.....	39	497	26.5	16	214	25.1	23	283	28.0
950-999.....	33	352	30.3	23	238	30.0	10	114	30.6
1,000-1,049.....	41	459	35.2	21	224	34.6	20	235	35.9
1,050-1,099.....	47	573	41.4	30	362	42.1	17	211	40.7
1,100-1,149.....	41	521	47.0	16	195	46.1	25	326	48.1
1,150-1,199.....	43	514	52.6	24	281	51.9	19	233	53.3
1,200-1,249.....	32	383	56.8	19	232	56.7	13	151	56.8
1,250-1,299.....	47	635	63.6	28	380	64.6	19	255	62.5
1,300-1,399.....	70	835	72.6	27	311	71.0	43	524	74.4
1,400-1,499.....	56	680	80.0	31	374	78.7	25	306	81.3
1,500-1,599.....	46	591	86.4	23	262	84.1	23	330	88.8
1,600-1,699.....	29	339	90.0	16	197	88.2	13	142	92.0
1,700-1,799.....	33	451	94.9	22	303	94.4	11	148	95.4
1,800-1,899.....	10	107	96.0	5	62	95.7	5	45	96.4
1,900-1,999.....	7	99	97.1	3	46	96.7	4	53	97.6
2,000-2,099.....	10	120	98.4	5	65	98.0	5	55	98.8
2,100-2,199.....	8	89	99.4	7	82	99.7	1	6	99.0
2,200-2,299.....	-	-	99.4	-	-	99.7	-	-	99.0
2,300-2,399.....	-	-	99.4	-	-	99.7	-	-	99.0
2,400-2,499.....	1	7	99.5	-	-	99.7	1	7	99.1
2,500-2,999.....	2	26	99.7	-	-	99.7	2	26	99.7
3,000 or more.....	2	25	100.0	1	13	100.0	1	12	100.0

1/ Excludes unknown income.

Table 3-12*. Cumulative percent distribution of potassium intake values in milligrams per 1,000 calories for persons aged 15-17 years by sex and income level: United States, 1976-80

Income level and potassium in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	1/983	12,441	100.0	1/534	6,309	100.0	449	6,131	100.0
Less than 600.....	55	731	5.9	32	404	6.4	23	328	5.3
600-699.....	46	502	9.9	22	195	9.5	24	307	10.4
700-799.....	64	810	16.4	40	466	16.9	24	344	16.0
800-849.....	45	591	21.2	26	270	21.1	19	321	21.2
850-899.....	48	561	25.7	26	266	25.4	22	295	26.0
900-949.....	52	663	31.0	22	270	29.6	30	393	32.4
950-999.....	52	619	36.0	30	335	34.9	22	284	37.0
1,000-1,049.....	50	598	40.8	24	250	38.9	26	348	42.7
1,050-1,099.....	51	619	45.8	31	362	44.7	20	257	46.9
1,100-1,149.....	45	565	50.3	23	251	48.6	22	314	52.0
1,150-1,199.....	58	757	56.4	27	333	53.9	31	425	58.9
1,200-1,249.....	66	879	63.5	32	441	60.9	34	438	66.1
1,250-1,299.....	47	592	68.2	29	357	66.5	18	235	69.9
1,300-1,399.....	63	719	74.0	37	424	73.3	26	295	74.7
1,400-1,499.....	73	1,007	82.1	39	501	81.2	34	506	83.0
1,500-1,599.....	48	604	86.9	27	346	86.7	21	258	87.2
1,600-1,699.....	49	657	92.2	34	433	93.6	15	224	90.9
1,700-1,799.....	21	298	94.6	11	145	95.9	10	153	93.3
1,800-1,899.....	18	234	96.5	12	163	98.4	6	71	94.5
1,900-1,999.....	7	68	97.1	4	34	99.0	3	34	95.1
2,000-2,099.....	4	35	97.3	3	24	99.4	1	11	95.3
2,100-2,199.....	5	96	98.1	-	-	99.4	5	96	96.8
2,200-2,299.....	5	77	98.7	-	-	99.4	5	77	98.1
2,300-2,399.....	2	25	98.9	1	18	99.7	1	7	98.2
2,400-2,499.....	1	15	99.0	1	15	99.9	-	-	98.2
2,500-2,999.....	5	83	99.7	-	-	99.9	5	83	99.5
3,000 or more.....	3	36	100.0	1	7	100.0	2	29	100.0
Income below poverty level^{2/}									
Total.....	177	2,073	100.0	89	974	100.0	88	1,099	100.0
Less than 600.....	17	191	9.2	13	153	15.8	4	38	3.4
600-699.....	12	121	15.1	4	38	19.7	8	83	11.0
700-799.....	15	189	24.2	8	89	28.8	7	100	20.1
800-849.....	12	200	33.9	6	52	34.1	6	149	33.6
850-899.....	10	122	39.8	5	66	40.9	5	57	38.8
900-949.....	14	160	47.5	8	104	51.6	6	56	43.8
950-999.....	9	74	51.1	8	67	58.4	1	8	44.5
1,000-1,049.....	6	73	54.6	4	37	62.2	2	36	47.8
1,050-1,099.....	10	128	60.8	3	46	66.9	7	82	55.3
1,100-1,149.....	8	71	64.2	4	32	70.2	4	39	58.8
1,150-1,199.....	8	98	68.9	2	17	72.0	6	81	66.2
1,200-1,249.....	9	105	74.0	4	57	77.8	5	48	70.5
1,250-1,299.....	5	48	76.3	2	17	79.6	3	31	73.3
1,300-1,399.....	14	148	83.4	8	91	89.0	6	56	78.5
1,400-1,499.....	9	113	88.9	3	22	91.3	6	91	86.8
1,500-1,599.....	5	57	91.6	-	-	91.3	5	57	91.9
1,600-1,699.....	6	74	95.2	5	65	98.0	1	8	92.7
1,700-1,799.....	5	60	98.0	1	7	98.7	4	52	97.4
1,800-1,899.....	1	12	98.6	1	12	100.0	-	-	97.4
1,900-1,999.....	-	-	98.6	-	-	100.0	-	-	97.4
2,000-2,099.....	-	-	98.6	-	-	100.0	-	-	97.4
2,100-2,199.....	-	-	98.6	-	-	100.0	-	-	97.4
2,200-2,299.....	-	-	98.6	-	-	100.0	-	-	97.4
2,300-2,399.....	1	7	99.0	-	-	100.0	1	7	98.0
2,400-2,499.....	-	-	99.0	-	-	100.0	-	-	98.0
2,500-2,999.....	-	-	99.0	-	-	100.0	-	-	98.0
3,000 or more.....	1	22	100.0	-	-	100.0	1	22	100.0

See footnotes at end of table.

Table 3-124. Cumulative percent distribution of potassium intake values in milligrams per 1,000 calories for persons aged 15-17 years by sex and income level: United States, 1976-80-Continued

Income level and potassium in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{2/}									
Total.....	1/759	9,750	100.0	1/417	4,992	100.0	342	4,758	100.0
Less than 600.....	34	454	4.6	17	217	4.3	17	237	5.0
600-699.....	33	372	8.5	17	148	7.3	16	224	9.7
700-799.....	47	597	14.6	30	353	14.4	17	244	14.8
800-849.....	31	359	18.3	18	186	18.1	13	173	18.4
850-899.....	33	356	21.9	18	161	21.3	15	195	22.5
900-949.....	38	503	27.1	14	165	24.6	24	337	29.6
950-999.....	41	528	32.5	21	261	29.9	20	267	35.3
1,000-1,049.....	37	431	36.9	18	182	33.5	19	248	40.5
1,050-1,099.....	40	478	41.8	27	304	39.6	13	174	44.1
1,100-1,149.....	35	476	46.7	18	211	43.8	17	264	49.7
1,150-1,199.....	49	650	53.4	24	305	50.0	25	344	56.9
1,200-1,249.....	53	725	60.8	26	358	57.1	27	367	64.6
1,250-1,299.....	36	473	65.6	23	292	63.0	13	181	68.4
1,300-1,399.....	49	571	71.5	29	333	69.6	20	238	73.4
1,400-1,499.....	62	872	80.4	36	479	79.2	26	394	81.7
1,500-1,599.....	39	502	85.6	24	313	85.5	15	189	85.7
1,600-1,699.....	41	556	91.3	28	355	92.6	13	201	89.9
1,700-1,799.....	16	239	93.8	10	138	95.4	6	101	92.0
1,800-1,899.....	17	222	96.0	11	150	98.4	6	71	93.5
1,900-1,999.....	6	59	96.6	3	24	98.9	3	34	94.2
2,000-2,099.....	3	27	96.9	2	16	99.2	1	11	94.5
2,100-2,199.....	5	96	97.9	-	-	99.2	5	96	96.5
2,200-2,299.....	5	77	98.7	-	-	99.2	5	77	98.1
2,300-2,399.....	1	18	98.8	1	18	99.6	-	-	98.1
2,400-2,499.....	1	15	99.0	1	15	99.9	-	-	98.1
2,500-2,999.....	5	83	99.8	-	-	99.9	5	83	99.8
3,000 or more.....	2	14	100.0	1	7	100.0	1	7	100.0

^{1/} Excludes 1 examined person with zero calories.
^{2/} Excludes unknown income.

Table 3-125. Cumulative percent distribution of potassium intake values in milligrams per 1,000 calories for persons aged 18-24 years by sex and income level: United States, 1976-80

Income level and potassium in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	1/2,053	27,439	100.0	988	13,275	100.0	1/1,065	14,164	100.0
Less than 600.....	116	1,516	5.5	53	710	5.3	63	806	5.7
600-699.....	103	1,468	10.9	51	707	10.7	52	761	11.1
700-799.....	140	1,750	17.3	73	893	17.4	67	857	17.1
800-849.....	69	894	20.5	33	421	20.6	36	473	20.5
850-899.....	85	1,088	24.5	43	583	25.0	42	505	24.0
900-949.....	101	1,463	29.8	55	793	30.9	46	670	28.8
950-999.....	109	1,401	34.9	61	795	36.9	48	606	33.0
1,000-1,049.....	121	1,553	40.6	60	762	42.7	61	790	38.6
1,050-1,099.....	102	1,364	45.5	52	669	47.7	50	694	43.5
1,100-1,149.....	110	1,365	50.5	64	804	53.8	46	561	47.5
1,150-1,199.....	96	1,322	55.3	45	608	58.3	51	714	52.5
1,200-1,249.....	100	1,285	60.0	53	686	63.5	47	599	56.8
1,250-1,299.....	93	1,221	64.5	45	589	67.9	48	632	61.2
1,300-1,399.....	170	2,230	72.6	75	1,019	75.6	95	1,211	69.8
1,400-1,499.....	137	1,853	79.3	64	914	82.5	73	939	76.4
1,500-1,599.....	107	1,635	85.3	44	716	87.9	63	920	82.9
1,600-1,699.....	74	1,017	89.0	37	541	92.0	37	476	86.3
1,700-1,799.....	51	752	91.8	23	355	94.6	28	397	89.0
1,800-1,899.....	43	618	94.0	17	219	96.3	26	399	91.9
1,900-1,999.....	33	460	95.7	11	156	97.5	22	304	94.0
2,000-2,099.....	18	225	96.5	8	80	98.1	10	145	95.0
2,100-2,199.....	10	128	97.0	5	59	98.5	5	69	95.5
2,200-2,299.....	16	243	97.9	4	40	98.8	12	203	97.0
2,300-2,399.....	10	98	98.2	3	23	99.0	7	75	97.5
2,400-2,499.....	6	64	98.4	3	41	99.3	3	23	97.6
2,500-2,999.....	25	322	99.6	4	66	99.8	21	256	99.5
3,000 or more.....	8	103	100.0	2	27	100.0	6	76	100.0
Income below poverty level^{2/}									
Total.....	1/430	5,300	100.0	178	2,237	100.0	1/252	3,063	100.0
Less than 600.....	25	282	5.3	9	100	4.5	16	182	6.0
600-699.....	29	422	13.3	14	200	13.4	15	223	13.2
700-799.....	32	363	20.1	14	164	20.7	18	199	19.7
800-849.....	16	175	23.4	6	55	23.2	10	120	23.6
850-899.....	19	242	28.0	7	91	27.3	12	151	28.6
900-949.....	23	343	34.5	9	148	33.8	14	195	34.9
950-999.....	23	278	39.7	12	155	40.8	11	123	39.0
1,000-1,049.....	17	180	43.1	5	53	43.2	12	127	43.1
1,050-1,099.....	21	224	47.3	10	100	47.6	11	124	47.1
1,100-1,149.....	25	308	53.2	11	105	52.4	14	203	53.8
1,150-1,199.....	25	379	60.3	16	249	63.5	9	130	58.0
1,200-1,249.....	18	161	63.4	5	43	65.4	13	118	61.9
1,250-1,299.....	17	206	67.2	5	67	68.4	12	139	66.4
1,300-1,399.....	29	336	73.6	13	153	75.2	16	183	72.4
1,400-1,499.....	25	267	78.6	10	124	80.8	15	143	77.0
1,500-1,599.....	29	401	86.2	11	159	87.9	18	242	84.9
1,600-1,699.....	15	177	89.5	6	72	91.1	9	105	88.4
1,700-1,799.....	11	166	92.7	5	70	94.2	6	96	91.5
1,800-1,899.....	11	134	95.2	4	46	96.3	7	87	94.4
1,900-1,999.....	4	59	96.3	2	29	97.6	2	30	95.3
2,000-2,099.....	2	36	97.0	-	-	97.6	2	36	96.5
2,100-2,199.....	2	26	97.5	1	9	98.0	1	16	97.1
2,200-2,299.....	3	29	98.0	1	9	98.4	2	19	97.7
2,300-2,399.....	1	17	98.3	-	-	98.4	1	17	98.2
2,400-2,499.....	1	11	98.5	1	11	98.9	-	-	98.2
2,500-2,999.....	5	59	99.7	1	24	100.0	4	36	99.4
3,000 or more.....	2	18	100.0	-	-	100.0	2	18	100.0

See footnotes at end of table.

Table 3-125. Cumulative percent distribution of potassium intake values in milligrams per 1,000 calories for persons aged 18-24 years by sex and income level: United States, 1976-80-Continued

Income level and potassium in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{2/}									
Total.....	1,541	21,013	100.0	770	10,508	100.0	771	10,505	100.0
Less than 600.....	88	1,195	5.7	43	601	5.7	45	593	5.6
600-699.....	70	981	10.3	36	496	10.4	34	485	10.3
700-799.....	104	1,331	16.7	56	695	17.0	48	637	16.3
800-849.....	50	688	20.0	25	342	20.3	25	345	19.6
850-899.....	64	824	23.9	36	492	25.0	28	332	22.8
900-949.....	76	1,097	29.1	45	634	31.0	31	463	27.2
950-999.....	81	1,057	34.1	46	597	36.7	35	460	31.6
1,000-1,049.....	99	1,305	40.3	52	671	43.1	47	635	37.6
1,050-1,099.....	75	1,068	45.4	37	505	47.9	38	563	43.0
1,100-1,149.....	79	992	50.1	50	660	54.2	29	332	46.1
1,150-1,199.....	66	872	54.3	28	347	57.5	38	526	51.1
1,200-1,249.....	76	1,044	59.3	44	577	63.0	32	467	55.6
1,250-1,299.....	71	944	63.8	36	462	67.4	35	481	60.2
1,300-1,399.....	135	1,806	72.4	60	844	75.4	75	962	69.3
1,400-1,499.....	109	1,525	79.6	53	781	82.8	56	744	76.4
1,500-1,599.....	72	1,110	84.9	31	519	87.8	41	592	82.0
1,600-1,699.....	53	767	88.5	28	437	91.9	25	330	85.2
1,700-1,799.....	40	585	91.3	18	285	94.6	22	300	88.0
1,800-1,899.....	30	453	93.5	12	154	96.1	18	298	90.9
1,900-1,999.....	29	401	95.4	9	127	97.3	20	274	93.5
2,000-2,099.....	15	182	96.3	8	80	98.1	7	102	94.5
2,100-2,199.....	8	103	96.8	4	50	98.5	4	53	95.0
2,200-2,299.....	13	214	97.8	3	31	98.8	10	184	96.7
2,300-2,399.....	8	73	98.1	3	23	99.1	5	50	97.2
2,400-2,499.....	4	46	98.3	2	29	99.3	2	17	97.3
2,500-2,999.....	20	263	99.6	3	42	99.7	17	221	99.4
3,000 or more.....	6	85	100.0	2	27	100.0	4	58	100.0

1/ Excludes 1 examined person with zero calories.

2/ Excludes unknown income.

Table 3-126. Cumulative percent distribution of potassium intake values in milligrams per 1,000 calories for persons aged 25-34 years by sex and income level: United States, 1976-80

Income level and potassium in milligrams per 1,000 calories	Both sexes			Male			Female		
	Exam-ined persons	Esti-mated population in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated population in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated population in thou-sands	Cumulative percent
All incomes									
Total.....	1/2,236	32,739	100.0	1,067	15,895	100.0	1/1,169	16,844	100.0
Less than 600.....	100	1,301	4.0	48	606	3.8	52	696	4.1
600-699.....	82	1,164	7.5	51	729	8.4	31	435	6.7
700-799.....	146	2,044	13.8	81	1,124	15.5	65	920	12.2
800-849.....	84	1,184	17.4	51	715	20.0	33	469	15.0
850-899.....	96	1,243	21.2	47	629	23.9	49	613	18.6
900-949.....	90	1,402	25.5	43	605	27.7	47	797	23.3
950-999.....	100	1,446	29.9	49	728	32.3	51	718	27.6
1,000-1,049.....	102	1,577	34.7	51	814	37.4	51	763	32.1
1,050-1,099.....	116	1,750	40.0	64	1,004	43.8	52	746	36.5
1,100-1,149.....	128	1,801	45.5	70	1,017	50.1	58	784	41.2
1,150-1,199.....	106	1,668	50.6	53	884	55.7	53	784	45.9
1,200-1,249.....	109	1,724	55.9	58	966	61.8	51	758	50.4
1,250-1,299.....	112	1,711	61.1	60	901	67.4	52	811	55.2
1,300-1,399.....	188	2,656	69.3	91	1,294	75.6	97	1,362	63.3
1,400-1,499.....	146	2,089	75.6	68	1,004	81.9	78	1,086	69.7
1,500-1,599.....	117	1,742	80.9	43	723	86.4	74	1,020	75.8
1,600-1,699.....	96	1,509	85.6	40	625	90.4	56	884	81.0
1,700-1,799.....	70	1,119	89.0	28	433	93.1	42	686	85.1
1,800-1,899.....	48	670	91.0	14	220	94.5	34	450	87.8
1,900-1,999.....	53	739	93.3	15	237	96.0	38	503	90.7
2,000-2,099.....	29	451	94.7	12	166	97.0	17	285	92.4
2,100-2,199.....	23	267	95.5	10	118	97.8	13	149	93.3
2,200-2,299.....	16	249	96.2	3	67	98.2	13	182	94.4
2,300-2,399.....	19	293	97.1	4	65	98.6	15	228	95.8
2,400-2,499.....	10	144	97.6	2	21	98.7	8	123	96.5
2,500-2,999.....	32	527	99.2	6	118	99.5	26	410	98.9
3,000 or more.....	18	268	100.0	5	85	100.0	13	182	100.0
Income below poverty level^{2/}									
Total.....	253	3,103	100.0	91	1,106	100.0	162	1,997	100.0
Less than 600.....	16	190	6.1	10	117	10.5	6	74	3.7
600-699.....	7	72	8.4	5	49	15.0	2	23	4.8
700-799.....	22	296	18.0	9	108	24.8	13	188	14.3
800-849.....	12	159	23.1	4	51	29.4	8	108	19.7
850-899.....	15	143	27.8	7	62	35.0	8	81	23.7
900-949.....	8	150	32.6	2	37	38.4	6	113	29.4
950-999.....	18	191	38.8	6	74	45.1	12	117	35.2
1,000-1,049.....	14	149	43.6	7	62	50.8	7	87	39.6
1,050-1,099.....	8	113	47.2	2	24	52.9	6	89	44.1
1,100-1,149.....	16	173	52.8	3	26	55.2	13	147	51.4
1,150-1,199.....	7	116	56.5	1	9	56.0	6	107	56.8
1,200-1,249.....	9	112	60.1	5	73	62.6	4	39	58.8
1,250-1,299.....	7	119	64.0	3	48	67.0	4	71	62.3
1,300-1,399.....	19	228	71.3	7	92	75.3	12	136	69.1
1,400-1,499.....	17	198	77.7	8	99	84.2	9	100	74.1
1,500-1,599.....	12	120	81.6	1	21	86.1	11	99	79.1
1,600-1,699.....	16	208	88.3	4	55	91.1	12	153	86.8
1,700-1,799.....	6	76	90.8	2	25	93.4	4	51	89.3
1,800-1,899.....	4	48	92.3	2	31	96.2	2	17	90.1
1,900-1,999.....	7	82	94.9	1	10	97.1	6	72	93.8
2,000-2,099.....	2	18	95.5	-	-	97.1	2	18	94.7
2,100-2,199.....	4	38	96.8	1	9	97.9	3	29	96.1
2,200-2,299.....	1	12	97.2	-	-	97.9	1	12	96.7
2,300-2,399.....	1	19	97.8	-	-	97.9	1	19	97.7
2,400-2,499.....	-	-	97.8	-	-	97.9	-	-	97.7
2,500-2,999.....	5	69	100.0	1	23	100.0	4	46	100.0
3,000 or more.....	-	-	100.0	-	-	100.0	-	-	100.0

See footnotes at end of table.

Table 3-126. Cumulative percent distribution of potassium intake values in milligrams per 1,000 calories for persons aged 25-34 years by sex and income level: United States, 1976-80-Continued

Income level and potassium in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{2/}									
Total.....	1/1,926	28,824	100.0	945	14,355	100.0	1/981	14,469	100.0
Less than 600.....	81	1,060	3.7	35	438	3.0	46	622	4.3
600-699.....	71	1,023	7.2	45	655	7.6	26	368	6.8
700-799.....	121	1,718	13.2	71	1,008	14.6	50	710	11.8
800-849.....	69	939	16.4	46	637	19.1	23	302	13.8
850-899.....	81	1,099	20.3	40	567	23.0	41	532	17.5
900-949.....	80	1,233	24.5	41	568	27.0	39	665	22.1
950-999.....	81	1,241	28.8	42	640	31.4	39	601	26.3
1,000-1,049.....	87	1,415	33.8	43	739	36.6	44	676	30.9
1,050-1,099.....	106	1,621	39.4	61	972	43.4	45	649	35.4
1,100-1,149.....	109	1,585	44.9	64	948	50.0	45	637	39.8
1,150-1,199.....	96	1,520	50.1	50	860	55.9	46	660	44.4
1,200-1,249.....	98	1,595	55.7	52	883	62.1	46	712	49.3
1,250-1,299.....	101	1,524	61.0	54	797	67.7	47	727	54.3
1,300-1,399.....	165	2,385	69.2	80	1,159	75.7	85	1,226	62.8
1,400-1,499.....	125	1,834	75.6	58	885	81.9	67	949	69.4
1,500-1,599.....	100	1,539	80.9	41	688	86.7	59	851	75.2
1,600-1,699.....	77	1,254	85.3	36	569	90.7	41	685	80.0
1,700-1,799.....	63	1,036	88.9	26	408	93.5	37	628	84.3
1,800-1,899.....	42	600	91.0	11	173	94.7	31	427	87.3
1,900-1,999.....	43	611	93.1	13	202	96.1	30	409	90.1
2,000-2,099.....	27	433	94.6	12	166	97.3	15	267	91.9
2,100-2,199.....	17	204	95.3	7	85	97.9	10	119	92.8
2,200-2,299.....	14	219	96.1	2	49	98.2	12	170	93.9
2,300-2,399.....	18	274	97.0	4	65	98.6	14	210	95.4
2,400-2,499.....	10	144	97.5	2	21	98.8	8	123	96.2
2,500-2,999.....	27	458	99.1	5	95	99.5	22	363	98.7
3,000 or more.....	17	259	100.0	4	77	100.0	13	182	100.0

1/ Excludes 1 examined person with zero calories.
2/ Excludes unknown income.

Table 3-127. Cumulative percent distribution of potassium intake values in milligrams per 1,000 calories for persons aged 35-44 years by sex and income level: United States, 1976-80

Income level and potassium in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	1,589	23,651	100.0	745	11,367	100.0	844	12,284	100.0
Less than 600.....	37	495	2.1	12	141	1.2	25	354	2.9
600-699.....	48	733	5.2	32	512	5.7	16	221	4.7
700-799.....	83	1,192	10.2	30	472	9.9	53	720	10.5
800-849.....	46	632	12.9	21	299	12.5	25	333	13.3
850-899.....	58	826	16.4	32	457	16.5	26	370	16.3
900-949.....	59	844	20.0	31	461	20.6	28	382	19.4
950-999.....	62	821	23.4	32	461	24.6	30	360	22.3
1,000-1,049.....	91	1,470	29.6	47	770	31.4	44	700	28.0
1,050-1,099.....	88	1,310	35.2	44	667	37.3	44	643	33.2
1,100-1,149.....	69	968	39.3	28	354	40.4	41	615	38.3
1,150-1,199.....	86	1,335	44.9	44	696	46.5	42	639	43.4
1,200-1,249.....	65	957	49.0	34	525	51.1	31	432	47.0
1,250-1,299.....	91	1,358	54.7	52	793	58.1	39	564	51.6
1,300-1,399.....	131	2,050	63.4	72	1,184	68.5	59	865	58.6
1,400-1,499.....	117	1,779	70.9	53	883	76.3	64	896	65.9
1,500-1,599.....	98	1,421	76.9	45	644	82.0	53	777	72.2
1,600-1,699.....	85	1,359	82.7	31	453	86.0	54	906	79.6
1,700-1,799.....	63	1,014	86.9	31	503	90.4	32	512	83.8
1,800-1,899.....	53	717	90.0	27	373	93.7	26	344	86.6
1,900-1,999.....	33	529	92.2	11	191	95.4	22	337	89.3
2,000-2,099.....	33	491	94.3	15	200	97.1	18	291	91.7
2,100-2,199.....	21	313	95.6	3	44	97.5	18	269	93.9
2,200-2,299.....	9	153	96.3	2	39	97.8	7	113	94.8
2,300-2,399.....	14	179	97.0	6	74	98.5	8	105	95.6
2,400-2,499.....	7	103	97.4	2	26	98.7	5	77	96.3
2,500-2,999.....	21	275	98.6	4	66	99.3	17	209	98.0
3,000 or more.....	21	328	100.0	4	78	100.0	17	250	100.0
Income below poverty level^{1/}									
Total.....	182	2,364	100.0	63	821	100.0	119	1,543	100.0
Less than 600.....	10	142	6.0	*	*	*	8	119	7.7
600-699.....	7	73	9.1	*	*	*	2	20	9.0
700-799.....	9	102	13.4	*	*	*	9	102	15.6
800-849.....	7	110	18.1	*	*	*	5	88	21.3
850-899.....	8	101	22.3	*	*	*	5	66	25.6
900-949.....	6	82	25.8	*	*	*	4	45	28.5
950-999.....	15	150	32.2	*	*	*	11	110	35.7
1,000-1,049.....	12	154	38.7	*	*	*	5	54	39.2
1,050-1,099.....	14	172	46.0	*	*	*	7	70	43.7
1,100-1,149.....	9	106	50.5	*	*	*	6	73	48.4
1,150-1,199.....	9	114	55.3	*	*	*	6	78	53.5
1,200-1,249.....	9	136	61.0	*	*	*	6	84	58.9
1,250-1,299.....	10	119	66.0	*	*	*	9	110	66.1
1,300-1,399.....	14	168	73.1	*	*	*	7	95	72.2
1,400-1,499.....	11	153	79.6	*	*	*	7	104	79.0
1,500-1,599.....	6	118	84.6	*	*	*	4	79	84.1
1,600-1,699.....	4	75	87.8	*	*	*	1	23	85.6
1,700-1,799.....	3	28	88.9	*	*	*	2	18	86.7
1,800-1,899.....	5	56	91.3	*	*	*	4	46	89.7
1,900-1,999.....	3	28	92.4	*	*	*	3	28	91.5
2,000-2,099.....	1	9	92.8	*	*	*	-	-	91.5
2,100-2,199.....	3	42	94.6	*	*	*	3	42	94.2
2,200-2,299.....	1	22	95.5	*	*	*	1	22	95.6
2,300-2,399.....	-	-	95.5	*	*	*	-	-	95.6
2,400-2,499.....	-	-	95.5	*	*	*	-	-	95.6
2,500-2,999.....	2	16	96.2	*	*	*	1	8	96.1
3,000 or more.....	4	90	100.0	*	*	*	3	60	100.0

See footnotes at end of table.

Table 3-127. Cumulative percent distribution of potassium intake values in milligrams per 1,000 calories for persons aged 35-44 years by sex and income level: United States, 1976-80-Continued

Income level and potassium in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	1,360	20,572	100.0	658	10,195	100.0	702	10,377	100.0
Less than 600.....	27	353	1.7	10	117	1.1	17	236	2.3
600-699.....	40	651	4.9	27	458	5.6	13	193	4.1
700-799.....	70	1,033	9.9	30	472	10.3	40	561	9.5
800-849.....	38	508	12.4	18	262	12.8	20	246	11.9
850-899.....	46	659	15.6	26	366	16.4	20	293	14.7
900-949.....	53	762	19.3	29	425	20.6	24	337	18.0
950-999.....	44	640	22.4	26	398	24.5	18	242	20.3
1,000-1,049.....	76	1,260	28.5	40	670	31.1	36	590	26.0
1,050-1,099.....	70	1,068	33.7	34	509	36.1	36	559	31.4
1,100-1,149.....	59	825	37.7	25	320	39.2	34	504	36.3
1,150-1,199.....	75	1,187	43.5	40	651	45.6	35	536	41.4
1,200-1,249.....	54	795	47.3	30	461	50.1	24	334	44.6
1,250-1,299.....	76	1,182	53.1	47	735	57.3	29	447	48.9
1,300-1,399.....	112	1,819	61.9	61	1,069	67.8	51	750	56.2
1,400-1,499.....	102	1,574	69.6	47	806	75.7	55	769	63.6
1,500-1,599.....	92	1,304	75.9	43	606	81.7	49	698	70.3
1,600-1,699.....	80	1,249	82.0	27	366	85.3	53	883	78.8
1,700-1,799.....	57	945	86.6	29	482	90.0	28	463	83.3
1,800-1,899.....	47	647	89.7	25	350	93.4	22	298	86.1
1,900-1,999.....	29	488	92.1	11	191	95.3	18	297	89.0
2,000-2,099.....	31	456	94.3	14	192	97.2	17	264	91.5
2,100-2,199.....	17	258	95.6	3	44	97.6	14	214	93.6
2,200-2,299.....	8	131	96.2	2	39	98.0	6	92	94.5
2,300-2,399.....	14	179	97.1	6	74	98.7	8	105	95.5
2,400-2,499.....	7	103	97.6	2	26	99.0	5	77	96.2
2,500-2,999.....	19	259	98.8	3	58	99.5	16	201	98.2
3,000 or more.....	17	238	100.0	3	48	100.0	14	190	100.0

^{1/} Excludes unknown income.

Table 3-128. Cumulative percent distribution of potassium intake values in milligrams per 1,000 calories for persons aged 45-54 years by sex and income level: United States, 1976-80

Income level and potassium in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	1,453	23,032	100.0	690	11,114	100.0	763	11,918	100.0
Less than 600.....	36	533	2.3	17	260	2.3	19	273	2.3
600-699.....	38	600	4.9	24	395	5.9	14	205	4.0
700-799.....	66	1,107	9.7	34	589	11.2	32	518	8.4
800-849.....	28	375	11.3	14	182	12.8	14	192	10.0
850-899.....	52	724	14.5	29	389	16.3	23	335	12.8
900-949.....	53	771	17.8	28	395	19.9	25	376	15.9
950-999.....	48	759	21.1	27	456	24.0	21	304	18.5
1,000-1,049.....	77	1,186	26.3	47	760	30.8	30	426	22.1
1,050-1,099.....	80	1,269	31.8	42	752	37.6	38	518	26.4
1,100-1,149.....	59	991	36.1	32	560	42.6	27	431	30.0
1,150-1,199.....	57	961	40.3	29	525	47.3	28	436	33.7
1,200-1,249.....	65	989	44.6	40	609	52.8	25	380	36.9
1,250-1,299.....	66	1,081	49.3	37	595	58.2	29	486	40.9
1,300-1,399.....	139	2,200	58.8	72	1,116	68.2	67	1,084	50.0
1,400-1,499.....	119	1,764	66.5	58	829	75.7	61	935	57.9
1,500-1,599.....	101	1,733	74.0	39	736	82.3	62	997	66.3
1,600-1,699.....	79	1,222	79.3	29	430	86.2	50	792	72.9
1,700-1,799.....	57	929	83.3	23	398	89.8	34	531	77.3
1,800-1,899.....	38	601	85.9	15	260	92.1	23	341	80.2
1,900-1,999.....	38	703	89.0	12	214	94.0	26	490	84.3
2,000-2,099.....	44	760	92.3	12	187	95.7	32	573	89.1
2,100-2,199.....	21	310	93.6	9	145	97.0	12	165	90.5
2,200-2,299.....	22	348	95.1	5	61	97.5	17	287	92.9
2,300-2,399.....	18	310	96.5	6	109	98.5	12	202	94.6
2,400-2,499.....	6	100	96.9	1	9	98.6	5	91	95.4
2,500-2,999.....	32	492	99.1	6	101	99.5	26	392	98.7
3,000 or more.....	14	214	100.0	3	55	100.0	11	160	100.0
Income below poverty level^{1/}									
Total.....	128	1,760	100.0	46	645	100.0	82	1,115	100.0
Less than 600.....	8	110	6.3	*	*	*	6	89	8.0
600-699.....	4	44	8.8	*	*	*	2	19	9.7
700-799.....	10	105	14.7	*	*	*	7	75	16.5
800-849.....	2	24	16.1	*	*	*	1	13	17.7
850-899.....	5	86	21.0	*	*	*	4	77	24.6
900-949.....	9	135	28.7	*	*	*	5	67	30.6
950-999.....	4	53	31.7	*	*	*	3	34	33.6
1,000-1,049.....	8	93	37.0	*	*	*	4	47	37.8
1,050-1,099.....	11	161	46.1	*	*	*	6	91	46.0
1,100-1,149.....	4	68	50.0	*	*	*	2	49	50.4
1,150-1,199.....	4	50	52.9	*	*	*	2	26	52.7
1,200-1,249.....	2	45	55.4	*	*	*	2	45	56.7
1,250-1,299.....	3	51	58.3	*	*	*	2	42	60.5
1,300-1,399.....	11	138	66.2	*	*	*	7	77	67.4
1,400-1,499.....	6	67	70.0	*	*	*	3	32	70.3
1,500-1,599.....	9	172	79.8	*	*	*	6	95	78.8
1,600-1,699.....	5	65	83.5	*	*	*	3	37	82.0
1,700-1,799.....	4	49	86.3	*	*	*	4	49	86.5
1,800-1,899.....	5	78	90.7	*	*	*	2	32	89.3
1,900-1,999.....	2	21	91.9	*	*	*	1	9	90.1
2,000-2,099.....	2	41	94.2	*	*	*	1	18	91.7
2,100-2,199.....	1	10	94.8	*	*	*	1	10	92.6
2,200-2,299.....	3	30	96.4	*	*	*	3	30	95.2
2,300-2,399.....	1	16	97.3	*	*	*	1	16	96.6
2,400-2,499.....	-	-	97.3	*	*	*	-	-	96.6
2,500-2,999.....	4	35	99.3	*	*	*	3	26	98.9
3,000 or more.....	1	12	100.0	*	*	*	1	12	100.0

See footnotes at end of table.

Table 3-128. Cumulative percent distribution of potassium intake values in milligrams per 1,000 calories for persons aged 45-54 years by sex and income level: United States, 1976-80-Continued

Income level and potassium in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	1,258	20,161	100.0	603	9,738	100.0	655	10,424	100.0
Less than 600.....	24	350	1.7	12	176	1.8	12	174	1.7
600-699.....	29	468	4.1	18	290	4.8	11	177	3.4
700-799.....	52	933	8.7	27	491	9.8	25	442	7.6
800-849.....	24	329	10.3	12	160	11.5	12	169	9.2
850-899.....	42	579	13.2	26	360	15.2	16	218	11.3
900-949.....	43	627	16.3	23	317	18.4	20	309	14.3
950-999.....	43	694	19.7	25	424	22.8	18	270	16.9
1,000-1,049.....	67	1,055	25.0	42	690	29.9	25	365	20.4
1,050-1,099.....	65	1,040	30.1	35	640	36.4	30	400	24.2
1,100-1,149.....	53	893	34.5	29	523	41.8	24	370	27.8
1,150-1,199.....	51	882	38.9	25	471	46.7	26	410	31.7
1,200-1,249.....	61	891	43.3	39	581	52.6	22	311	34.7
1,250-1,299.....	61	981	48.2	34	537	58.1	27	444	38.9
1,300-1,399.....	122	1,945	57.9	63	956	67.9	59	989	48.4
1,400-1,499.....	105	1,570	65.6	49	704	75.2	56	866	56.8
1,500-1,599.....	87	1,493	73.1	35	637	81.7	52	857	65.0
1,600-1,699.....	70	1,100	78.5	26	387	85.7	44	714	71.8
1,700-1,799.....	52	859	82.8	22	377	89.6	30	482	76.4
1,800-1,899.....	33	523	85.4	12	213	91.8	21	310	79.4
1,900-1,999.....	35	664	88.7	11	202	93.8	24	462	83.8
2,000-2,099.....	41	698	92.1	11	165	95.5	30	534	89.0
2,100-2,199.....	19	286	93.5	8	131	96.9	11	155	90.4
2,200-2,299.....	19	318	95.1	5	61	97.5	14	257	92.9
2,300-2,399.....	14	243	96.3	6	109	98.6	8	135	94.2
2,400-2,499.....	6	100	96.8	1	9	98.7	5	91	95.1
2,500-2,999.....	27	438	99.0	4	73	99.4	23	366	98.6
3,000 or more.....	13	203	100.0	3	55	100.0	10	148	100.0

^{1/} Excludes unknown income.

Table 3-129. Cumulative percent distribution of potassium intake values in milligrams per 1,000 calories for persons aged 55-64 years by sex and income level: United States, 1976-80

Income level and potassium in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	1/2,555	20,346	100.0	1/1,226	9,603	100.0	1,329	10,743	100.0
Less than 600.....	45	308	1.5	30	193	2.0	15	115	1.1
600-699.....	54	492	3.9	31	281	4.9	23	211	3.0
700-799.....	85	610	6.9	46	307	8.1	39	303	5.8
800-849.....	58	458	9.2	32	243	10.7	26	215	7.8
850-899.....	62	459	11.4	40	318	14.0	22	142	9.2
900-949.....	86	739	15.1	46	399	18.1	40	340	12.3
950-999.....	84	613	18.1	50	362	21.9	34	251	14.7
1,000-1,049.....	114	893	22.5	59	466	26.8	55	427	18.6
1,050-1,099.....	101	908	26.9	48	407	31.0	53	501	23.3
1,100-1,149.....	113	936	31.5	62	515	36.4	51	421	27.2
1,150-1,199.....	116	865	35.8	68	470	41.3	48	394	30.9
1,200-1,249.....	115	1,088	41.1	60	524	46.7	55	564	36.1
1,250-1,299.....	123	857	45.3	74	557	52.5	49	300	38.9
1,300-1,399.....	236	2,009	55.2	110	953	62.4	126	1,055	48.8
1,400-1,499.....	211	1,613	63.1	103	763	70.4	108	849	56.7
1,500-1,599.....	163	1,286	69.5	76	557	76.2	87	729	63.4
1,600-1,699.....	152	1,134	75.0	73	598	82.4	79	536	68.4
1,700-1,799.....	134	1,180	80.8	56	505	87.7	78	675	74.7
1,800-1,899.....	103	752	84.5	48	350	91.3	55	402	78.5
1,900-1,999.....	84	666	87.8	30	212	93.5	54	454	82.7
2,000-2,099.....	68	486	90.2	24	155	95.1	44	331	85.8
2,100-2,199.....	55	444	92.4	17	128	96.5	38	316	88.7
2,200-2,299.....	48	359	94.1	15	106	97.6	33	252	91.1
2,300-2,399.....	30	255	95.4	8	93	98.5	22	162	92.6
2,400-2,499.....	24	173	96.2	5	37	98.9	19	136	93.8
2,500-2,999.....	66	506	98.7	12	86	99.8	54	420	97.8
3,000 or more.....	25	259	100.0	3	16	100.0	22	242	100.0
Income below poverty level^{2/}									
Total.....	1/316	1,956	100.0	1/128	775	100.0	188	1,181	100.0
Less than 600.....	13	92	4.7	9	52	6.7	4	40	3.4
600-699.....	9	59	7.7	3	10	8.0	6	48	7.5
700-799.....	16	77	11.7	7	40	13.2	9	37	10.7
800-849.....	9	49	14.2	3	10	14.4	6	39	14.0
850-899.....	12	57	17.1	7	35	18.9	5	22	15.9
900-949.....	7	45	19.4	3	19	21.3	4	26	18.1
950-999.....	8	36	21.2	4	15	23.3	4	21	19.8
1,000-1,049.....	21	137	28.2	10	61	31.1	11	76	26.3
1,050-1,099.....	12	111	33.9	4	20	33.7	8	91	34.0
1,100-1,149.....	19	123	40.2	8	44	39.3	11	80	40.7
1,150-1,199.....	18	121	46.3	9	59	46.9	9	62	46.0
1,200-1,249.....	11	75	50.2	7	40	52.1	4	35	48.9
1,250-1,299.....	14	80	54.3	5	37	56.9	9	42	52.5
1,300-1,399.....	26	156	62.2	8	52	63.6	18	104	61.3
1,400-1,499.....	23	110	67.8	7	32	67.6	16	78	68.0
1,500-1,599.....	16	115	73.7	8	68	76.4	8	47	72.0
1,600-1,699.....	16	86	78.2	5	31	80.4	11	56	76.7
1,700-1,799.....	14	90	82.8	7	40	85.5	7	50	80.9
1,800-1,899.....	14	93	87.5	5	44	91.2	9	48	85.0
1,900-1,999.....	11	52	90.2	4	25	94.4	7	28	87.4
2,000-2,099.....	5	22	91.3	1	5	95.0	4	17	88.9
2,100-2,199.....	4	41	93.4	2	12	96.5	2	29	91.3
2,200-2,299.....	-	-	93.4	-	-	96.5	-	-	91.3
2,300-2,399.....	5	58	96.4	2	27	100.0	3	32	94.0
2,400-2,499.....	2	10	96.9	-	-	100.0	2	10	94.9
2,500-2,999.....	10	53	99.6	-	-	100.0	10	53	99.3
3,000 or more.....	1	8	100.0	-	-	100.0	1	8	100.0

See footnotes at end of table.

Table 3-129. Cumulative percent distribution of potassium intake values in milligrams per 1,000 calories for persons aged 55-64 years by sex and income level: United States, 1976-80-Continued

Income level and potassium in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{2/}									
Total.....	2,119	17,376	100.0	1,048	8,443	100.0	1,071	8,934	100.0
Less than 600.....	29	197	1.1	18	123	1.4	11	74	.8
600-699.....	41	412	3.5	25	258	4.5	16	154	2.6
700-799.....	67	509	6.4	39	267	7.7	28	242	5.3
800-849.....	47	395	8.7	28	229	10.4	19	166	7.1
850-899.....	47	390	10.9	31	274	13.6	16	116	8.4
900-949.....	76	680	14.9	42	377	18.1	34	302	11.8
950-999.....	73	569	18.1	44	341	22.1	29	227	14.3
1,000-1,049.....	89	728	22.3	48	401	26.9	41	326	18.0
1,050-1,099.....	83	761	26.7	42	380	31.4	41	381	22.3
1,100-1,149.....	89	759	31.1	51	439	36.6	38	320	25.9
1,150-1,199.....	93	714	35.2	55	386	41.2	38	328	29.5
1,200-1,249.....	94	909	40.4	49	441	46.4	45	468	34.8
1,250-1,299.....	103	732	44.6	64	487	52.2	39	245	37.5
1,300-1,399.....	202	1,720	54.5	101	882	62.6	101	838	46.9
1,400-1,499.....	174	1,377	62.4	91	658	70.4	83	719	54.9
1,500-1,599.....	138	1,048	68.5	63	443	75.6	75	605	61.7
1,600-1,699.....	131	1,020	74.3	65	550	82.1	66	470	67.0
1,700-1,799.....	119	1,086	80.6	49	465	87.7	70	621	73.9
1,800-1,899.....	83	635	84.3	41	297	91.2	42	338	77.7
1,900-1,999.....	69	587	87.6	24	174	93.2	45	413	82.3
2,000-2,099.....	59	443	90.2	23	150	95.0	36	293	85.6
2,100-2,199.....	50	397	92.5	15	116	96.4	35	281	88.8
2,200-2,299.....	48	359	94.5	15	106	97.7	33	252	91.6
2,300-2,399.....	23	171	95.5	6	66	98.4	17	105	92.8
2,400-2,499.....	20	134	96.3	4	29	98.8	16	104	93.9
2,500-2,999.....	49	402	98.6	12	86	99.8	37	316	97.5
3,000 or more.....	23	242	100.0	3	16	100.0	20	226	100.0

1/ Excludes 1 examined person with zero calories.
2/ Excludes unknown income.

Table 3-130. Cumulative percent distribution of potassium intake values in milligrams per 1,000 calories for persons aged 65-74 years by sex and income level: United States, 1976-80

Income level and potassium in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
	All incomes								
Total.....	2,615	14,496	100.0	1,199	6,297	100.0	1,416	8,198	100.0
Less than 600.....	48	223	1.5	29	128	2.0	19	95	1.2
600-699.....	52	276	3.4	32	180	4.9	20	95	2.3
700-799.....	67	347	5.8	37	195	8.0	30	152	4.2
800-849.....	57	294	7.9	33	166	10.6	24	128	5.7
850-899.....	73	438	10.9	45	265	14.8	28	173	7.8
900-949.....	71	417	13.8	41	239	18.6	30	178	10.0
950-999.....	73	350	16.2	39	186	21.6	34	164	12.0
1,000-1,049.....	80	442	19.2	45	253	25.6	35	189	14.3
1,050-1,099.....	102	580	23.2	59	330	30.8	43	251	17.4
1,100-1,149.....	108	641	27.6	56	294	35.5	52	348	21.6
1,150-1,199.....	108	564	31.5	54	277	39.9	54	288	25.1
1,200-1,249.....	119	628	35.9	59	291	44.5	60	337	29.3
1,250-1,299.....	109	654	40.4	53	305	49.4	56	348	33.5
1,300-1,399.....	224	1,228	48.9	107	577	58.5	117	651	41.4
1,400-1,499.....	236	1,293	57.8	125	640	68.7	111	653	49.4
1,500-1,599.....	200	1,130	65.6	97	503	76.7	103	627	57.0
1,600-1,699.....	188	1,066	72.9	76	350	82.3	112	715	65.8
1,700-1,799.....	141	782	78.3	47	264	86.4	94	518	72.1
1,800-1,899.....	111	608	82.5	48	255	90.5	63	353	76.4
1,900-1,999.....	99	600	86.6	25	158	93.0	74	442	81.8
2,000-2,099.....	79	437	89.7	28	126	95.0	51	311	85.6
2,100-2,199.....	67	374	92.3	16	84	96.3	51	290	89.1
2,200-2,299.....	42	232	93.8	15	67	97.4	27	165	91.1
2,300-2,399.....	34	188	95.1	7	37	98.0	27	151	93.0
2,400-2,499.....	30	168	96.3	10	57	98.9	20	111	94.3
2,500-2,999.....	70	389	99.0	13	60	99.8	57	329	98.4
3,000 or more.....	27	146	100.0	3	11	100.0	24	135	100.0
Income below poverty level^{1/}									
Total.....	424	2,003	100.0	168	759	100.0	256	1,245	100.0
Less than 600.....	17	62	3.1	9	32	4.2	8	30	2.4
600-699.....	11	52	5.7	7	38	9.1	4	14	3.6
700-799.....	11	47	8.0	6	23	12.2	5	23	5.5
800-849.....	9	41	10.1	5	24	15.4	4	17	6.9
850-899.....	16	74	13.8	10	45	21.3	6	29	9.2
900-949.....	17	90	18.3	8	40	26.6	9	49	13.1
950-999.....	12	46	20.5	5	19	29.1	7	27	15.3
1,000-1,049.....	14	56	23.3	7	26	32.5	7	30	17.7
1,050-1,099.....	14	86	27.6	5	26	36.0	9	59	22.5
1,100-1,149.....	16	77	31.5	6	32	40.2	10	46	26.2
1,150-1,199.....	18	98	36.3	6	39	45.3	12	59	30.9
1,200-1,249.....	23	109	41.8	9	45	51.2	14	64	36.1
1,250-1,299.....	25	126	48.1	9	46	57.3	16	80	42.5
1,300-1,399.....	31	146	55.4	13	58	64.9	18	88	49.6
1,400-1,499.....	43	221	66.4	14	62	73.0	29	159	62.4
1,500-1,599.....	29	132	73.0	16	66	81.7	13	66	67.6
1,600-1,699.....	29	130	79.4	11	39	86.8	18	91	75.0
1,700-1,799.....	20	83	83.6	7	32	91.0	13	51	79.0
1,800-1,899.....	12	48	85.9	4	16	93.1	8	32	81.6
1,900-1,999.....	12	70	89.4	3	18	95.5	9	51	85.7
2,000-2,099.....	7	34	91.1	3	15	97.5	4	19	87.2
2,100-2,199.....	11	50	93.6	2	8	98.5	9	42	90.6
2,200-2,299.....	2	15	94.3	-	-	98.5	2	15	91.8
2,300-2,399.....	2	8	94.7	-	-	98.5	2	8	92.4
2,400-2,499.....	4	15	95.5	2	7	99.5	2	8	93.0
2,500-2,999.....	12	50	98.0	1	4	100.0	11	46	96.8
3,000 or more.....	7	40	100.0	-	-	100.0	7	40	100.0

See footnotes at end of table.

Table 3-130. Cumulative percent distribution of potassium intake values in milligrams per 1,000 calories for persons aged 65-74 years by sex and income level: United States, 1976-80-Continued

Income level and potassium in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	2,067	11,819	100.0	987	5,312	100.0	1,080	6,508	100.0
Less than 600.....	29	155	1.3	19	94	1.8	10	61	.9
600-699.....	37	207	3.1	23	135	4.3	14	71	2.0
700-799.....	55	297	5.6	31	172	7.5	24	126	4.0
800-849.....	46	243	7.6	28	142	10.2	18	101	5.5
850-899.....	54	351	10.6	34	216	14.3	20	135	7.6
900-949.....	52	318	13.3	32	193	17.9	20	125	9.5
950-999.....	56	280	15.6	32	159	20.9	24	121	11.4
1,000-1,049.....	61	362	18.7	36	214	24.9	25	148	13.6
1,050-1,099.....	83	468	22.7	51	291	30.4	32	178	16.4
1,100-1,149.....	88	546	27.3	49	255	35.2	39	292	20.8
1,150-1,199.....	86	452	31.1	46	231	39.6	40	221	24.2
1,200-1,249.....	91	495	35.3	47	231	43.9	44	264	28.3
1,250-1,299.....	76	480	39.4	38	222	48.1	38	257	32.2
1,300-1,399.....	187	1,052	48.3	91	501	57.5	96	551	40.7
1,400-1,499.....	183	1,017	56.9	104	544	67.8	79	474	48.0
1,500-1,599.....	165	953	64.9	80	431	75.9	85	523	56.0
1,600-1,699.....	147	851	72.1	62	292	81.4	85	559	64.6
1,700-1,799.....	113	648	77.6	39	226	85.6	74	423	71.1
1,800-1,899.....	92	520	82.0	41	225	89.9	51	295	75.6
1,900-1,999.....	81	500	86.3	22	140	92.5	59	360	81.2
2,000-2,099.....	69	382	89.5	25	110	94.6	44	272	85.3
2,100-2,199.....	53	309	92.1	14	76	96.0	39	233	88.9
2,200-2,299.....	37	207	93.9	14	64	97.2	23	143	91.1
2,300-2,399.....	29	170	95.3	7	37	97.9	22	133	93.2
2,400-2,499.....	22	128	96.4	8	50	98.8	14	78	94.4
2,500-2,999.....	55	322	99.1	11	50	99.8	44	271	98.5
3,000 or more.....	20	106	100.0	3	11	100.0	17	95	100.0

^{1/} Excludes unknown income.

Table 3-131. Cumulative percent distribution of vitamin A intake values in International Units per 1,000 calories for persons aged 6-11 months by sex and income level: United States, 1976-80

Income level and vitamin A in International Units per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	356	1,599	100.0	179	819	100.0	177	780	100.0
Less than 250.....	1	4	.2	1	4	.5	-	-	-
250-499.....	1	1	.3	1	1	.6	-	-	-
500-749.....	2	6	.7	-	-	.6	2	6	.7
750-999.....	4	12	1.4	3	8	1.6	1	4	1.2
1,000-1,249.....	8	41	4.0	6	19	3.9	2	22	4.0
1,250-1,499.....	15	69	8.3	8	39	8.7	7	29	7.8
1,500-1,749.....	15	56	11.8	7	24	11.6	8	33	12.0
1,750-1,999.....	26	121	19.4	11	60	18.9	15	61	19.8
2,000-2,249.....	20	84	24.6	10	44	24.3	10	40	24.9
2,250-2,499.....	22	88	30.1	8	29	27.9	14	59	32.5
2,500-2,749.....	21	97	36.2	13	68	36.2	8	30	36.3
2,750-2,999.....	25	107	42.9	13	61	43.6	12	46	42.2
3,000-3,499.....	39	192	54.9	18	78	53.1	21	114	56.8
3,500-3,999.....	24	113	62.0	13	63	60.8	11	50	63.3
4,000-4,499.....	31	142	70.9	16	75	69.9	15	67	71.9
4,500-4,999.....	10	54	74.3	5	19	72.2	5	35	76.4
5,000-5,999.....	19	80	79.3	10	45	77.8	9	35	80.9
6,000-6,999.....	14	61	83.1	5	23	80.5	9	38	85.8
7,000-7,999.....	11	40	85.6	4	14	82.3	7	26	89.1
8,000-8,999.....	7	25	87.2	2	6	83.0	5	19	91.6
9,000-9,999.....	3	15	88.1	3	15	84.9	-	-	91.6
10,000 or more.....	38	190	100.0	22	124	100.0	16	66	100.0
Income below poverty level ^{1/}									
Total.....	84	315	100.0	48	177	100.0	36	138	100.0
Less than 250.....	-	-	-	*	*	*	*	*	*
250-499.....	1	1	.4	*	*	*	*	*	*
500-749.....	1	2	1.2	*	*	*	*	*	*
750-999.....	1	2	1.6	*	*	*	*	*	*
1,000-1,249.....	1	3	2.6	*	*	*	*	*	*
1,250-1,499.....	4	14	7.1	*	*	*	*	*	*
1,500-1,749.....	4	13	11.3	*	*	*	*	*	*
1,750-1,999.....	7	32	21.5	*	*	*	*	*	*
2,000-2,249.....	3	9	24.3	*	*	*	*	*	*
2,250-2,499.....	8	28	33.3	*	*	*	*	*	*
2,500-2,749.....	10	36	44.6	*	*	*	*	*	*
2,750-2,999.....	3	11	48.2	*	*	*	*	*	*
3,000-3,499.....	10	35	59.2	*	*	*	*	*	*
3,500-3,999.....	4	18	64.9	*	*	*	*	*	*
4,000-4,499.....	4	14	69.3	*	*	*	*	*	*
4,500-4,999.....	2	9	72.2	*	*	*	*	*	*
5,000-5,999.....	6	24	80.0	*	*	*	*	*	*
6,000-6,999.....	3	14	84.3	*	*	*	*	*	*
7,000-7,999.....	4	13	88.3	*	*	*	*	*	*
8,000-8,999.....	-	-	88.3	*	*	*	*	*	*
9,000-9,999.....	2	10	91.4	*	*	*	*	*	*
10,000 or more.....	6	27	100.0	*	*	*	*	*	*

See footnotes at end of table.

Table 3-131. Cumulative percent distribution of vitamin A intake values in International Units per 1,000 calories for persons aged 6-11 months by sex and income level: United States, 1976-80-Continued

Income level and vitamin A in International Units per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	256	1,226	100.0	121	614	100.0	135	612	100.0
Less than 250.....	1	4	.3	1	4	.6	-	-	-
250-499.....	-	-	.3	-	-	.6	-	-	-
500-749.....	1	3	.6	-	-	.6	1	3	.5
750-999.....	3	10	1.4	2	6	1.6	1	4	1.2
1,000-1,249.....	5	33	4.1	3	12	3.6	2	22	4.7
1,250-1,499.....	10	51	8.3	4	26	7.8	6	25	8.8
1,500-1,749.....	10	38	11.4	4	14	10.2	6	24	12.7
1,750-1,999.....	19	89	18.7	7	41	16.9	12	48	20.5
2,000-2,249.....	17	75	24.9	8	39	23.3	9	36	26.4
2,250-2,499.....	11	46	28.6	3	16	26.0	8	30	31.3
2,500-2,749.....	11	62	33.7	7	44	33.2	4	17	34.1
2,750-2,999.....	21	92	41.2	12	57	42.5	9	35	39.8
3,000-3,499.....	28	153	53.6	14	64	53.0	14	89	54.3
3,500-3,999.....	19	89	60.9	9	45	60.3	10	44	61.5
4,000-4,499.....	24	120	70.7	13	66	71.2	11	53	70.2
4,500-4,999.....	8	45	74.3	3	10	72.7	5	35	76.0
5,000-5,999.....	12	54	78.8	5	30	77.6	7	24	79.9
6,000-6,999.....	11	47	82.6	4	19	80.8	7	28	84.5
7,000-7,999.....	6	22	84.4	1	2	81.1	5	20	87.7
8,000-8,999.....	7	25	86.4	2	6	82.1	5	19	90.8
9,000-9,999.....	1	6	86.9	1	6	83.0	-	-	90.8
10,000 or more.....	31	161	100.0	18	104	100.0	13	57	100.0

^{1/} Excludes unknown income.

Table 3-132. Cumulative percent distribution of vitamin A intake values in International Units per 1,000 calories for persons aged 1-2 years by sex and income level: United States, 1976-80

Income level and vitamin A in International Units per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	1,417	6,078	100.0	745	3,107	100.0	672	2,970	100.0
Less than 250.....	5	19	.3	3	12	.4	2	6	.2
250-499.....	15	64	1.4	7	29	1.3	8	35	1.4
500-749.....	28	102	3.0	14	46	2.8	14	55	3.3
750-999.....	40	155	5.6	20	71	5.1	20	84	6.1
1,000-1,249.....	88	367	11.6	46	197	11.4	42	170	11.8
1,250-1,499.....	134	533	20.4	67	266	20.0	67	267	20.8
1,500-1,749.....	128	544	29.3	75	307	29.9	53	236	28.8
1,750-1,999.....	132	588	39.0	72	307	39.8	60	281	38.2
2,000-2,249.....	127	528	47.7	63	251	47.8	64	277	47.6
2,250-2,499.....	120	527	56.4	64	292	57.3	56	235	55.5
2,500-2,749.....	90	443	63.7	48	224	64.5	42	219	62.9
2,750-2,999.....	98	419	70.6	52	214	71.3	46	205	69.8
3,000-3,499.....	112	485	78.6	62	254	79.5	50	231	77.6
3,500-3,999.....	74	329	84.0	36	158	84.6	38	171	83.3
4,000-4,499.....	60	264	88.3	33	116	88.3	27	148	88.3
4,500-4,999.....	30	131	90.5	16	72	90.6	14	59	90.3
5,000-5,999.....	37	148	92.9	21	80	93.2	16	68	92.6
6,000-6,999.....	35	161	95.6	18	89	96.1	17	73	95.1
7,000-7,999.....	12	57	96.5	6	30	97.0	6	27	96.0
8,000-8,999.....	11	53	97.4	5	24	97.8	6	29	96.9
9,000-9,999.....	9	41	98.0	3	17	98.4	6	24	97.7
10,000 or more.....	32	118	100.0	14	51	100.0	18	67	100.0
Income below poverty level^{1/}									
Total.....	323	1,163	100.0	170	601	100.0	153	562	100.0
Less than 250.....	2	5	.4	1	2	.4	1	3	.5
250-499.....	4	14	1.6	2	9	1.9	2	5	1.4
500-749.....	7	20	3.4	2	4	2.5	5	16	4.3
750-999.....	10	40	6.8	6	20	5.8	4	20	7.9
1,000-1,249.....	24	79	13.6	11	39	12.3	13	40	14.9
1,250-1,499.....	38	132	25.0	21	79	25.5	17	53	24.4
1,500-1,749.....	25	81	31.9	14	47	33.4	11	34	30.4
1,750-1,999.....	39	159	45.6	22	91	48.5	17	68	42.4
2,000-2,249.....	30	100	54.2	15	46	56.3	15	54	52.0
2,250-2,499.....	29	104	63.1	17	63	66.7	12	41	59.3
2,500-2,749.....	15	53	67.7	10	36	72.8	5	17	62.3
2,750-2,999.....	16	62	73.0	9	31	77.9	7	31	67.8
3,000-3,499.....	24	95	81.2	13	45	85.3	11	51	76.8
3,500-3,999.....	14	46	85.1	3	10	87.0	11	36	83.2
4,000-4,499.....	13	60	90.3	8	28	91.6	5	33	89.0
4,500-4,999.....	7	27	92.6	5	19	94.8	2	8	90.3
5,000-5,999.....	7	24	94.7	4	12	96.9	3	11	92.3
6,000-6,999.....	7	26	96.9	2	5	97.7	5	21	96.0
7,000-7,999.....	1	4	97.2	1	4	98.3	-	-	96.0
8,000-8,999.....	1	3	97.5	-	-	98.3	1	3	96.6
9,000-9,999.....	2	7	98.1	-	-	98.3	2	7	97.8
10,000 or more.....	8	23	100.0	4	10	100.0	4	13	100.0

See footnotes at end of table.

Table 3-132. Cumulative percent distribution of vitamin A intake values in International Units per 1,000 calories for persons aged 1-2 years by sex and income level: United States, 1976-80-Continued

Income level and vitamin A in International Units per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	1,056	4,767	100.0	551	2,416	100.0	505	2,351	100.0
Less than 250.....	3	14	.3	2	10	.4	1	4	.1
250-499.....	11	50	1.3	5	20	1.3	6	29	1.4
500-749.....	19	76	2.9	10	37	2.8	9	39	3.1
750-999.....	29	113	5.3	13	49	4.8	16	64	5.8
1,000-1,249.....	62	281	11.2	33	150	11.0	29	131	11.3
1,250-1,499.....	95	396	19.5	46	187	18.8	49	209	20.2
1,500-1,749.....	100	451	28.9	58	249	29.0	42	203	28.9
1,750-1,999.....	86	404	37.4	48	209	37.7	38	194	37.1
2,000-2,249.....	94	416	46.2	46	196	45.8	48	221	46.5
2,250-2,499.....	90	416	54.9	46	222	55.0	44	194	54.8
2,500-2,749.....	74	388	63.0	37	185	62.7	37	202	63.4
2,750-2,999.....	80	354	70.4	42	181	70.2	38	173	70.7
3,000-3,499.....	84	380	78.4	46	202	78.5	38	177	78.3
3,500-3,999.....	59	275	84.2	32	140	84.3	27	135	84.0
4,000-4,499.....	42	179	87.9	22	75	87.4	20	104	88.5
4,500-4,999.....	22	102	90.1	10	50	89.5	12	51	90.7
5,000-5,999.....	29	122	92.6	17	67	92.3	12	54	93.0
6,000-6,999.....	28	135	95.5	16	84	95.8	12	51	95.1
7,000-7,999.....	10	47	96.4	4	20	96.6	6	27	96.3
8,000-8,999.....	9	43	97.3	5	24	97.6	4	19	97.1
9,000-9,999.....	7	34	98.1	3	17	98.3	4	17	97.8
10,000 or more.....	23	92	100.0	10	41	100.0	13	51	100.0

^{1/} Excludes unknown income.

Table 3-133. Cumulative percent distribution of vitamin A intake values in International Units per 1,000 calories for persons aged 3-5 years by sex and income level: United States, 1976-80

Income level and vitamin A in International Units per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	2,345	9,186	100.0	1,219	4,695	100.0	1,126	4,491	100.0
Less than 250.....	17	57	.6	8	30	.6	9	27	.6
250-499.....	32	135	2.1	17	76	2.3	15	60	1.9
500-749.....	82	308	5.4	49	181	6.1	33	127	4.8
750-999.....	123	442	10.3	62	212	10.6	61	230	9.9
1,000-1,249.....	196	688	17.8	102	342	17.9	94	346	17.6
1,250-1,499.....	224	890	27.4	112	445	27.4	112	444	27.5
1,500-1,749.....	222	852	36.7	104	373	35.3	118	479	38.1
1,750-1,999.....	247	961	47.2	134	507	46.1	113	454	48.3
2,000-2,249.....	192	766	55.5	104	394	54.5	88	372	56.5
2,250-2,499.....	150	598	62.0	79	310	61.1	71	288	62.9
2,500-2,749.....	141	584	68.4	70	292	67.3	71	293	69.5
2,750-2,999.....	118	486	73.7	69	285	73.4	49	201	73.9
3,000-3,499.....	158	649	80.7	90	393	81.8	68	256	79.6
3,500-3,999.....	135	508	86.3	61	220	86.5	74	288	86.0
4,000-4,499.....	74	310	89.6	39	155	89.8	35	155	89.5
4,500-4,999.....	55	203	91.8	32	118	92.3	23	85	91.4
5,000-5,999.....	62	322	95.3	34	165	95.8	28	157	94.9
6,000-6,999.....	30	110	96.5	15	57	97.0	15	53	96.1
7,000-7,999.....	28	118	97.8	15	67	98.4	13	51	97.2
8,000-8,999.....	13	40	98.3	7	21	98.9	6	19	97.6
9,000-9,999.....	8	28	98.6	3	9	99.1	5	19	98.0
10,000 or more.....	38	131	100.0	13	43	100.0	25	88	100.0
Income below poverty level^{1/}									
Total.....	570	1,855	100.0	298	910	100.0	272	945	100.0
Less than 250.....	6	19	1.0	3	11	1.2	3	8	.9
250-499.....	9	34	2.8	6	21	3.5	3	12	2.2
500-749.....	26	83	7.3	16	55	9.6	10	28	5.2
750-999.....	35	107	13.1	16	43	14.3	19	64	11.9
1,000-1,249.....	49	148	21.1	26	79	23.0	23	69	19.2
1,250-1,499.....	57	184	31.0	24	61	29.8	33	122	32.2
1,500-1,749.....	46	141	38.6	24	65	36.8	22	76	40.2
1,750-1,999.....	62	203	49.5	39	127	50.8	23	76	48.3
2,000-2,249.....	40	140	57.1	21	74	58.9	19	67	55.3
2,250-2,499.....	47	165	66.0	25	81	67.8	22	85	64.3
2,500-2,749.....	28	99	71.3	12	42	72.3	16	58	70.4
2,750-2,999.....	27	94	76.4	15	46	77.4	12	48	75.5
3,000-3,499.....	31	102	82.0	20	64	84.4	11	38	79.6
3,500-3,999.....	29	97	87.2	12	38	88.7	17	59	85.8
4,000-4,499.....	11	37	89.2	6	19	90.8	5	18	87.7
4,500-4,999.....	18	53	92.1	12	30	94.1	6	23	90.2
5,000-5,999.....	7	20	93.2	2	5	94.7	5	15	91.7
6,000-6,999.....	9	33	95.0	3	8	95.5	6	25	94.4
7,000-7,999.....	6	16	95.8	4	12	96.8	2	5	94.9
8,000-8,999.....	7	17	96.7	3	6	97.4	4	11	96.0
9,000-9,999.....	2	7	97.1	1	2	97.7	1	5	96.5
10,000 or more.....	18	54	100.0	8	21	100.0	10	33	100.0

See footnotes at end of table.

Table 3-133. Cumulative percent distribution of vitamin A intake values in International Units per 1,000 calories for persons aged 3-5 years by sex and income level: United States, 1976-80-Continued

Income level and vitamin A in International Units per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	1,707	7,102	100.0	892	3,683	100.0	815	3,419	100.0
Less than 250.....	11	37	.5	5	19	.5	6	18	.5
250-499.....	21	97	1.9	11	55	2.0	10	42	1.8
500-749.....	53	216	4.9	31	119	5.2	22	97	4.6
750-999.....	82	315	9.4	44	160	9.6	38	155	9.1
1,000-1,249.....	143	527	16.8	74	259	16.6	69	269	17.0
1,250-1,499.....	158	681	26.4	85	378	26.9	73	303	25.8
1,500-1,749.....	173	700	36.2	79	305	35.1	94	394	37.4
1,750-1,999.....	180	739	46.6	92	366	45.1	88	373	48.3
2,000-2,249.....	144	601	55.1	78	306	53.4	66	295	56.9
2,250-2,499.....	101	423	61.0	54	229	59.6	47	194	62.6
2,500-2,749.....	113	485	67.9	58	250	66.4	55	235	69.5
2,750-2,999.....	86	372	73.1	53	234	72.7	33	138	73.5
3,000-3,499.....	125	537	80.7	70	329	81.7	55	208	79.6
3,500-3,999.....	99	389	86.1	46	171	86.3	53	219	86.0
4,000-4,499.....	60	265	89.9	32	133	89.9	28	132	89.8
4,500-4,999.....	36	148	92.0	19	86	92.3	17	62	91.6
5,000-5,999.....	53	293	96.1	30	150	96.3	23	142	95.8
6,000-6,999.....	18	63	97.0	9	35	97.3	9	28	96.6
7,000-7,999.....	22	102	98.4	11	55	98.8	11	47	98.0
8,000-8,999.....	5	22	98.7	4	15	99.2	1	6	98.2
9,000-9,999.....	5	17	98.9	2	7	99.4	3	10	98.5
10,000 or more.....	19	75	100.0	5	22	100.0	14	53	100.0

^{1/} Excludes unknown income.

Table 3-134. Cumulative percent distribution of vitamin A intake values in International Units per 1,000 calories for persons aged 6-8 years by sex and income level: United States, 1976-80

Income level and vitamin A in International Units per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	843	10,213	100.0	428	5,336	100.0	415	4,877	100.0
Less than 250.....	1	7	.1	1	7	.1	-	-	-
250-499.....	15	190	1.9	6	92	1.9	9	98	2.0
500-749.....	23	267	4.5	12	142	4.5	11	126	4.6
750-999.....	53	666	11.1	32	408	12.2	21	257	9.9
1,000-1,249.....	79	966	20.5	36	441	20.4	43	525	20.6
1,250-1,499.....	94	1,077	31.1	52	606	31.8	42	472	30.3
1,500-1,749.....	93	1,043	41.3	42	508	41.3	51	534	41.3
1,750-1,999.....	96	1,113	52.2	43	528	51.2	53	585	53.3
2,000-2,249.....	66	798	60.0	36	462	59.9	30	335	60.1
2,250-2,499.....	38	478	64.7	25	306	65.6	13	172	63.6
2,500-2,749.....	50	635	70.9	28	331	71.8	22	304	69.9
2,750-2,999.....	41	532	76.1	23	316	77.7	18	216	74.3
3,000-3,499.....	50	715	83.1	30	453	86.2	20	262	79.7
3,500-3,999.....	31	405	87.1	12	131	88.7	19	274	85.3
4,000-4,499.....	24	254	89.5	10	103	90.6	14	151	88.4
4,500-4,999.....	18	225	91.8	8	118	92.8	10	107	90.6
5,000-5,999.....	19	244	94.1	9	105	94.8	10	139	93.4
6,000-6,999.....	15	173	95.8	7	82	96.3	8	91	95.3
7,000-7,999.....	7	88	96.7	1	12	96.5	6	76	96.9
8,000-8,999.....	5	57	97.3	3	39	97.3	2	18	97.2
9,000-9,999.....	6	63	97.9	3	35	97.9	3	28	97.8
10,000 or more.....	19	217	100.0	9	110	100.0	10	107	100.0
Income below poverty level^{1/}									
Total.....	177	1,769	100.0	82	900	100.0	95	869	100.0
Less than 250.....	-	-	-	-	-	-	-	-	-
250-499.....	5	37	2.1	1	7	.8	4	31	3.5
500-749.....	5	51	5.0	2	13	2.2	3	37	7.8
750-999.....	13	118	11.6	6	65	9.5	7	52	13.8
1,000-1,249.....	18	203	23.1	9	122	23.0	9	81	23.1
1,250-1,499.....	24	249	37.2	15	156	40.4	9	93	33.8
1,500-1,749.....	25	245	51.0	9	96	51.0	16	150	51.1
1,750-1,999.....	20	197	62.2	8	74	59.3	12	123	65.2
2,000-2,249.....	14	112	68.5	6	53	65.2	8	58	71.9
2,250-2,499.....	13	167	77.9	8	114	77.9	5	53	78.0
2,500-2,749.....	7	65	81.6	3	26	80.8	4	39	82.5
2,750-2,999.....	2	22	82.8	1	17	82.6	1	6	83.1
3,000-3,499.....	4	54	85.9	3	50	88.2	1	4	83.6
3,500-3,999.....	3	31	87.7	2	16	89.9	1	15	85.3
4,000-4,499.....	4	36	89.7	1	13	91.4	3	23	87.9
4,500-4,999.....	6	49	92.5	1	12	92.7	5	37	92.2
5,000-5,999.....	4	34	94.4	3	27	95.7	1	7	93.1
6,000-6,999.....	2	22	95.7	1	13	97.1	1	9	94.1
7,000-7,999.....	1	16	96.6	-	-	97.1	1	16	96.0
8,000-8,999.....	1	11	97.2	-	-	97.1	1	11	97.2
9,000-9,999.....	1	6	97.5	-	-	97.1	1	6	97.9
10,000 or more.....	5	44	100.0	3	26	100.0	2	18	100.0

See footnotes at end of table.

Table 3-134. Cumulative percent distribution of vitamin A intake values in International Units per 1,000 calories for persons aged 6-8 years by sex and income level: United States, 1976-80-Continued

Income level and vitamin A in International Units per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	644	8,118	100.0	336	4,254	100.0	308	3,864	100.0
Less than 250.....	1	7	.1	1	7	.2	-	-	-
250-499.....	9	141	1.8	5	85	2.2	4	56	1.4
500-749.....	18	217	4.5	10	128	5.2	8	88	3.7
750-999.....	40	548	11.3	26	343	13.3	14	205	9.0
1,000-1,249.....	61	764	20.7	27	319	20.8	34	444	20.5
1,250-1,499.....	68	795	30.4	35	417	30.6	33	379	30.3
1,500-1,749.....	68	797	40.3	33	412	40.3	35	385	40.3
1,750-1,999.....	72	840	50.6	33	393	49.5	39	447	51.9
2,000-2,249.....	50	672	58.9	30	409	59.1	20	263	58.7
2,250-2,499.....	24	289	62.5	16	170	63.1	8	119	61.8
2,500-2,749.....	43	570	69.5	25	306	70.3	18	265	68.6
2,750-2,999.....	37	496	75.6	21	292	77.1	16	203	73.9
3,000-3,499.....	43	592	82.9	26	376	86.0	17	216	79.5
3,500-3,999.....	27	351	87.2	10	115	88.7	17	236	85.6
4,000-4,499.....	18	189	89.5	8	78	90.5	10	111	88.4
4,500-4,999.....	11	166	91.6	7	106	93.0	4	59	90.0
5,000-5,999.....	15	210	94.1	6	78	94.9	9	132	93.4
6,000-6,999.....	12	143	95.9	5	61	96.3	7	82	95.5
7,000-7,999.....	6	72	96.8	1	12	96.6	5	60	97.0
8,000-8,999.....	4	46	97.4	3	39	97.5	1	7	97.2
9,000-9,999.....	5	57	98.1	3	35	98.3	2	22	97.8
10,000 or more.....	12	156	100.0	5	71	100.0	7	85	100.0

^{1/} Excludes unknown income.

Table 3-135. Cumulative percent distribution of vitamin A intake values in International Units per 1,000 calories for persons aged 9-11 years by sex and income level: United States, 1976-80

Income level and vitamin A in International Units per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	882	10,667	100.0	457	5,310	100.0	425	5,357	100.0
Less than 250.....	6	54	.5	2	13	.2	4	42	.8
250-499.....	16	209	2.5	6	79	1.7	10	130	3.2
500-749.....	52	594	8.0	25	287	7.1	27	307	8.9
750-999.....	81	953	17.0	46	490	16.4	35	463	17.6
1,000-1,249.....	70	811	24.6	36	441	24.7	34	369	24.5
1,250-1,499.....	98	1,217	36.0	43	480	33.7	55	736	38.2
1,500-1,749.....	73	881	44.2	30	342	40.2	43	539	48.3
1,750-1,999.....	73	850	52.2	44	504	49.6	29	346	54.7
2,000-2,249.....	54	700	58.8	32	429	57.7	22	270	59.8
2,250-2,499.....	54	632	64.7	26	271	62.8	28	362	66.5
2,500-2,749.....	49	619	70.5	25	297	68.4	24	322	72.5
2,750-2,999.....	33	386	74.1	19	206	72.3	14	180	75.9
3,000-3,499.....	68	789	81.5	42	475	81.3	26	314	81.8
3,500-3,999.....	32	420	85.4	17	208	85.2	15	212	85.7
4,000-4,499.....	30	357	88.8	18	228	89.5	12	129	88.1
4,500-4,999.....	16	215	90.8	7	86	91.1	9	129	90.5
5,000-5,999.....	21	316	93.8	11	169	94.3	10	148	93.3
6,000-6,999.....	13	140	95.1	5	50	95.2	8	90	95.0
7,000-7,999.....	12	191	96.9	5	64	96.4	7	127	97.3
8,000-8,999.....	8	94	97.8	4	48	97.3	4	46	98.2
9,000-9,999.....	5	57	98.3	4	47	98.2	1	9	98.4
10,000 or more.....	18	181	100.0	10	94	100.0	8	88	100.0
Income below poverty level^{1/}									
Total.....	190	1,967	100.0	88	854	100.0	102	1,113	100.0
Less than 250.....	3	20	1.0	2	13	1.5	1	8	.7
250-499.....	3	38	2.9	2	28	4.7	1	10	1.6
500-749.....	20	197	12.9	5	50	10.6	15	147	14.8
750-999.....	21	193	22.8	13	107	23.1	8	86	22.5
1,000-1,249.....	21	215	33.7	8	90	33.6	13	125	33.7
1,250-1,499.....	19	211	44.4	8	68	41.5	11	143	46.6
1,500-1,749.....	12	144	51.7	2	18	43.6	10	126	57.9
1,750-1,999.....	12	134	58.5	8	88	54.0	4	46	62.0
2,000-2,249.....	16	164	66.9	10	111	67.0	6	53	66.8
2,250-2,499.....	6	48	69.3	5	39	71.6	1	8	67.6
2,500-2,749.....	4	51	71.9	2	18	73.7	2	33	70.5
2,750-2,999.....	5	54	74.6	3	37	78.0	2	17	72.1
3,000-3,499.....	14	131	81.3	6	49	83.7	8	82	79.5
3,500-3,999.....	2	17	82.2	2	17	85.7	-	-	79.5
4,000-4,499.....	8	87	86.6	3	40	90.4	5	47	83.7
4,500-4,999.....	3	41	88.7	-	-	90.4	3	41	87.4
5,000-5,999.....	6	98	93.7	2	35	94.4	4	64	93.1
6,000-6,999.....	7	67	97.1	2	15	96.1	5	53	97.8
7,000-7,999.....	1	9	97.6	-	-	96.1	1	9	98.7
8,000-8,999.....	-	-	97.6	-	-	96.1	-	-	98.7
9,000-9,999.....	2	15	98.3	2	15	97.9	-	-	98.7
10,000 or more.....	5	33	100.0	3	18	100.0	2	15	100.0

See footnotes at end of table.

Table 3-135. Cumulative percent distribution of vitamin A intake values in International Units per 1,000 calories for persons aged 9-11 years by sex and income level: United States, 1976-80-Continued

Income level and vitamin A in International Units per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	663	8,370	100.0	356	4,321	100.0	307	4,049	100.0
Less than 250.....	3	34	.4	-	-	-	3	34	.8
250-499.....	12	149	2.2	4	51	1.2	8	97	3.2
500-749.....	32	398	6.9	20	238	6.7	12	160	7.2
750-999.....	55	707	15.4	29	340	14.5	26	367	16.3
1,000-1,249.....	48	581	22.3	27	337	22.3	21	244	22.3
1,250-1,499.....	77	978	34.0	34	408	31.8	43	570	36.4
1,500-1,749.....	54	645	41.7	25	288	38.5	29	357	45.2
1,750-1,999.....	58	694	50.0	34	403	47.8	24	291	52.4
2,000-2,249.....	36	518	56.2	21	312	55.0	15	207	57.5
2,250-2,499.....	47	575	63.1	21	231	60.3	26	344	66.0
2,500-2,749.....	45	568	69.9	23	279	66.8	22	289	73.1
2,750-2,999.....	27	319	73.7	16	170	70.7	11	149	76.8
3,000-3,499.....	52	632	81.2	35	408	80.2	17	224	82.3
3,500-3,999.....	28	387	85.9	15	191	84.6	13	196	87.2
4,000-4,499.....	21	260	89.0	15	188	89.0	6	72	89.0
4,500-4,999.....	13	174	91.0	7	86	91.0	6	88	91.1
5,000-5,999.....	15	218	93.6	9	134	94.1	6	84	93.2
6,000-6,999.....	6	73	94.5	3	36	94.9	3	37	94.1
7,000-7,999.....	11	182	96.7	5	64	96.4	6	118	97.0
8,000-8,999.....	7	86	97.7	4	48	97.5	3	38	98.0
9,000-9,999.....	3	42	98.2	2	33	98.3	1	9	98.2
10,000 or more.....	13	148	100.0	7	75	100.0	6	73	100.0

^{1/} Excludes unknown income.

Table 3-136. Cumulative percent distribution of vitamin A intake values in International Units per 1,000 calories for persons aged 12-14 years by sex and income level: United States, 1976-80

Income level and vitamin A in International Units per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	991	11,632	100.0	504	5,920	100.0	487	5,712	100.0
Less than 250.....	15	133	1.1	7	64	1.1	8	69	1.2
250-499.....	34	386	4.5	13	160	3.8	21	226	5.2
500-749.....	82	958	12.7	45	504	12.3	37	454	13.1
750-999.....	83	930	20.7	39	419	19.4	44	511	22.0
1,000-1,249.....	118	1,331	32.1	41	479	27.5	77	852	37.0
1,250-1,499.....	100	1,093	41.5	55	602	37.6	45	491	45.6
1,500-1,749.....	104	1,281	52.5	62	784	50.9	42	497	54.3
1,750-1,999.....	71	823	59.6	30	368	57.1	41	455	62.2
2,000-2,249.....	76	912	67.5	43	482	65.2	33	430	69.8
2,250-2,499.....	57	669	73.2	33	383	71.7	24	285	74.8
2,500-2,749.....	40	511	77.6	23	300	76.8	17	211	78.4
2,750-2,999.....	31	362	80.7	17	189	80.0	14	173	81.5
3,000-3,499.....	44	567	85.6	23	303	85.1	21	264	86.1
3,500-3,999.....	27	306	88.2	16	158	87.8	11	148	88.7
4,000-4,499.....	19	302	90.8	12	182	90.8	7	119	90.8
4,500-4,999.....	17	186	92.4	5	75	92.1	12	111	92.7
5,000-5,999.....	22	270	94.7	10	131	94.3	12	139	95.1
6,000-6,999.....	12	143	96.0	9	101	96.0	3	42	95.9
7,000-7,999.....	12	135	97.1	7	66	97.1	5	69	97.1
8,000-8,999.....	3	37	97.4	1	18	97.4	2	19	97.4
9,000-9,999.....	2	31	97.7	2	31	98.0	-	-	97.4
10,000 or more.....	22	267	100.0	11	120	100.0	11	148	100.0
Income below poverty level^{1/}									
Total.....	193	1,963	100.0	89	891	100.0	104	1,072	100.0
Less than 250.....	6	55	2.8	3	32	3.6	3	22	2.1
250-499.....	15	153	10.5	4	43	8.4	11	110	12.3
500-749.....	16	154	18.4	7	59	15.0	9	95	21.2
750-999.....	16	134	25.2	9	73	23.2	7	61	26.9
1,000-1,249.....	33	375	44.3	11	120	36.6	22	255	50.7
1,250-1,499.....	18	173	53.1	11	117	49.8	7	56	55.9
1,500-1,749.....	17	166	61.6	11	117	62.9	6	49	60.4
1,750-1,999.....	11	108	67.1	1	6	63.6	10	102	69.9
2,000-2,249.....	16	194	77.0	9	116	76.7	7	78	77.2
2,250-2,499.....	9	104	82.3	4	40	81.2	5	64	83.2
2,500-2,749.....	5	62	85.4	2	29	84.4	3	33	86.3
2,750-2,999.....	4	41	87.5	3	21	86.8	1	20	88.1
3,000-3,499.....	6	49	90.0	4	30	90.2	2	19	89.9
3,500-3,999.....	1	7	90.4	1	7	91.0	-	-	89.9
4,000-4,499.....	-	-	90.4	-	-	91.0	-	-	89.9
4,500-4,999.....	4	32	92.0	-	-	91.0	4	32	92.9
5,000-5,999.....	4	41	94.1	1	8	91.9	3	33	96.0
6,000-6,999.....	2	14	94.8	2	14	93.4	-	-	96.0
7,000-7,999.....	2	14	95.5	1	8	94.4	1	6	96.5
8,000-8,999.....	-	-	95.5	-	-	94.4	-	-	96.5
9,000-9,999.....	1	15	96.3	1	15	96.1	-	-	96.5
10,000 or more.....	7	72	100.0	4	35	100.0	3	38	100.0

See footnotes at end of table.

Table 3-136. Cumulative percent distribution of vitamin A intake values in International Units per 1,000 calories for persons aged 12-14 years by sex and income level: United States, 1976-80-Continued

Income level and vitamin A in International Units per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	762	9,255	100.0	399	4,841	100.0	363	4,414	100.0
Less than 250.....	9	79	.8	4	32	.7	5	47	1.1
250-499.....	19	234	3.4	9	117	3.1	10	116	3.7
500-749.....	62	752	11.5	35	401	11.4	27	351	11.6
750-999.....	63	756	19.7	28	327	18.1	35	429	21.4
1,000-1,249.....	80	913	29.5	28	340	25.1	52	573	34.3
1,250-1,499.....	78	857	38.8	41	450	34.4	37	407	43.5
1,500-1,749.....	82	1,064	50.3	50	655	48.0	32	408	52.8
1,750-1,999.....	58	699	57.8	28	353	55.3	30	346	60.6
2,000-2,249.....	55	653	64.9	31	338	62.3	24	314	67.8
2,250-2,499.....	46	552	70.8	29	344	69.3	17	208	72.5
2,500-2,749.....	34	431	75.5	21	271	75.0	13	160	76.1
2,750-2,999.....	25	290	78.6	13	145	77.9	12	145	79.4
3,000-3,499.....	37	509	84.1	19	273	83.6	18	236	84.7
3,500-3,999.....	25	287	87.2	15	151	86.7	10	136	87.8
4,000-4,499.....	19	302	90.5	12	182	90.5	7	119	90.5
4,500-4,999.....	13	154	92.2	5	75	92.0	8	79	92.3
5,000-5,999.....	18	229	94.6	9	123	94.6	9	106	94.7
6,000-6,999.....	10	129	96.0	7	87	96.4	3	42	95.6
7,000-7,999.....	10	121	97.3	6	57	97.5	4	63	97.1
8,000-8,999.....	3	37	97.7	1	18	97.9	2	19	97.5
9,000-9,999.....	1	16	97.9	1	16	98.3	-	-	97.5
10,000 or more.....	15	195	100.0	7	85	100.0	8	110	100.0

^{1/} Excludes unknown income.

Table 3-137. Cumulative percent distribution of vitamin A intake values in International Units per 1,000 calories for persons aged 15-17 years by sex and income level: United States, 1976-80

Income level and vitamin A in International Units per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	1,983	12,441	100.0	1,534	6,309	100.0	449	6,131	100.0
Less than 250.....	38	449	3.6	18	169	2.7	20	279	4.6
250-499.....	58	634	8.7	29	308	7.6	29	326	9.9
500-749.....	95	1,127	17.8	53	602	17.1	42	525	18.4
750-999.....	117	1,470	29.6	66	776	29.4	51	693	29.8
1,000-1,249.....	91	1,146	38.8	46	526	37.7	45	620	39.9
1,250-1,499.....	101	1,234	48.7	53	586	47.0	48	648	50.4
1,500-1,749.....	87	1,193	58.3	50	612	56.7	37	581	59.9
1,750-1,999.....	69	907	65.6	43	527	65.1	26	380	66.1
2,000-2,249.....	60	798	72.0	38	481	72.7	22	317	71.3
2,250-2,499.....	47	539	76.3	26	297	77.4	21	242	75.2
2,500-2,749.....	40	536	80.6	21	246	81.3	19	290	80.0
2,750-2,999.....	33	424	84.0	18	254	85.3	15	170	82.7
3,000-3,499.....	36	488	88.0	21	263	89.5	15	225	86.4
3,500-3,999.....	24	336	90.7	12	154	91.9	12	182	89.4
4,000-4,499.....	17	224	92.5	10	124	93.9	7	100	91.0
4,500-4,999.....	10	126	93.5	3	27	94.3	7	100	92.6
5,000-5,999.....	18	214	95.2	9	104	96.0	9	110	94.4
6,000-6,999.....	13	217	96.9	4	60	96.9	9	156	97.0
7,000-7,999.....	5	82	97.6	3	46	97.7	2	36	97.5
8,000-8,999.....	3	22	97.8	2	15	97.9	1	7	97.7
9,000-9,999.....	5	65	98.3	2	29	98.4	3	36	98.3
10,000 or more.....	16	210	100.0	7	104	100.0	9	106	100.0
Income below poverty level^{2/}									
Total.....	177	2,073	100.0	89	974	100.0	88	1,099	100.0
Less than 250.....	16	175	8.4	7	60	6.2	9	115	10.4
250-499.....	15	182	17.2	7	85	14.9	8	97	19.2
500-749.....	19	230	28.3	8	75	22.6	11	156	33.4
750-999.....	28	313	43.4	16	175	40.6	12	137	45.9
1,000-1,249.....	18	219	54.0	8	85	49.3	10	134	58.1
1,250-1,499.....	14	170	62.2	7	66	56.1	7	104	67.5
1,500-1,749.....	11	157	69.7	6	75	63.8	5	82	75.0
1,750-1,999.....	13	165	77.7	9	112	75.3	4	53	79.8
2,000-2,249.....	7	106	82.8	5	82	83.7	2	23	81.9
2,250-2,499.....	9	83	86.8	4	37	87.6	5	45	86.1
2,500-2,749.....	5	58	89.6	1	7	88.3	4	51	90.7
2,750-2,999.....	4	35	91.3	-	-	88.3	4	35	93.8
3,000-3,499.....	4	37	93.1	2	18	90.2	2	19	95.6
3,500-3,999.....	4	37	94.8	2	16	91.9	2	21	97.5
4,000-4,499.....	1	9	95.3	1	9	92.8	-	-	97.5
4,500-4,999.....	-	-	95.3	-	-	92.8	-	-	97.5
5,000-5,999.....	4	41	97.3	3	32	96.1	1	8	98.2
6,000-6,999.....	1	9	97.7	1	9	97.1	-	-	98.2
7,000-7,999.....	-	-	97.7	-	-	97.1	-	-	98.2
8,000-8,999.....	-	-	97.7	-	-	97.1	-	-	98.2
9,000-9,999.....	-	-	97.7	-	-	97.1	-	-	98.2
10,000 or more.....	4	48	100.0	2	29	100.0	2	20	100.0

See footnotes at end of table.

Table 3-137. Cumulative percent distribution of vitamin A intake values in International Units per 1,000 calories for persons aged 15-17 years by sex and income level: United States, 1976-80-Continued

Income level and vitamin A in International Units per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{2/}									
Total.....	1/759	9,750	100.0	1/417	4,992	100.0	342	4,758	100.0
Less than 250.....	21	232	2.4	11	109	2.2	10	123	2.6
250-499.....	40	413	6.6	20	194	6.1	20	219	7.2
500-749.....	70	818	15.0	42	487	15.8	28	332	14.2
750-999.....	83	1,072	26.0	47	562	27.1	36	510	24.9
1,000-1,249.....	70	895	35.2	36	420	35.5	34	475	34.9
1,250-1,499.....	86	1,048	45.9	46	520	45.9	40	529	46.0
1,500-1,749.....	71	981	56.0	39	482	55.5	32	499	56.5
1,750-1,999.....	47	619	62.3	28	340	62.4	19	279	62.3
2,000-2,249.....	52	680	69.3	33	399	70.3	19	281	68.3
2,250-2,499.....	35	415	73.6	21	246	75.3	14	169	71.8
2,500-2,749.....	33	461	78.3	18	222	79.7	15	239	76.8
2,750-2,999.....	26	349	81.9	16	223	84.2	10	126	79.5
3,000-3,499.....	31	442	86.4	19	245	89.1	12	197	83.6
3,500-3,999.....	19	288	89.4	9	127	91.6	10	161	87.0
4,000-4,499.....	16	215	91.6	9	115	93.9	7	100	89.1
4,500-4,999.....	10	126	92.9	3	27	94.5	7	100	91.2
5,000-5,999.....	13	161	94.5	5	60	95.7	8	102	93.4
6,000-6,999.....	12	208	96.7	3	51	96.7	9	156	96.6
7,000-7,999.....	5	82	97.5	3	46	97.6	2	36	97.4
8,000-8,999.....	3	22	97.8	2	15	97.9	1	7	97.6
9,000-9,999.....	5	65	98.4	2	29	98.5	3	36	98.3
10,000 or more.....	11	154	100.0	5	75	100.0	6	79	100.0

^{1/} Excludes 1 examined person with zero calories.

^{2/} Excludes unknown income.

Table 3-138. Cumulative percent distribution of vitamin A intake values in International Units per 1,000 calories for persons aged 18-24 years by sex and income level: United States, 1976-80

Income level and vitamin A in International Units per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	1/2,053	27,439	100.0	988	13,275	100.0	1/1,065	14,164	100.0
Less than 250.....	70	826	3.0	39	473	3.6	31	353	2.5
250-499.....	138	1,891	9.9	73	955	10.8	65	936	9.1
500-749.....	196	2,473	18.9	110	1,441	21.6	86	1,032	16.4
750-999.....	223	2,907	29.5	108	1,392	32.1	115	1,514	27.1
1,000-1,249.....	229	3,032	40.6	124	1,730	45.1	105	1,302	36.3
1,250-1,499.....	199	2,633	50.1	81	1,115	53.5	118	1,518	47.0
1,500-1,749.....	173	2,437	59.0	96	1,292	63.3	77	1,145	55.1
1,750-1,999.....	123	1,675	65.1	69	956	70.5	54	720	60.1
2,000-2,249.....	100	1,405	70.3	42	557	74.7	58	848	66.1
2,250-2,499.....	78	943	73.7	33	390	77.6	45	553	70.0
2,500-2,749.....	80	1,153	77.9	38	502	81.4	42	651	74.6
2,750-2,999.....	63	826	80.9	30	386	84.3	33	440	77.7
3,000-3,499.....	69	943	84.3	29	412	87.4	40	531	81.5
3,500-3,999.....	63	922	87.7	25	406	90.5	38	515	85.1
4,000-4,499.....	43	639	90.0	20	270	92.5	23	369	87.7
4,500-4,999.....	32	485	91.8	14	214	94.1	18	271	89.6
5,000-5,999.....	51	697	94.3	21	293	96.3	30	404	92.5
6,000-6,999.....	22	305	95.4	7	99	97.1	15	205	93.9
7,000-7,999.....	30	397	96.9	8	130	98.0	22	267	95.8
8,000-8,999.....	10	116	97.3	3	42	98.4	7	74	96.3
9,000-9,999.....	11	121	97.8	3	30	98.6	8	91	97.0
10,000 or more.....	50	615	100.0	15	188	100.0	35	426	100.0
Income below poverty level^{2/}									
Total.....	1/430	5,300	100.0	178	2,237	100.0	1/252	3,063	100.0
Less than 250.....	18	210	4.0	9	88	3.9	9	121	4.0
250-499.....	27	379	11.1	10	141	10.3	17	237	11.7
500-749.....	39	425	19.1	18	196	19.0	21	229	19.2
750-999.....	51	643	31.3	19	242	29.8	32	401	32.3
1,000-1,249.....	42	556	41.8	16	219	39.6	26	338	43.3
1,250-1,499.....	39	447	50.2	16	207	48.9	23	240	51.1
1,500-1,749.....	37	423	58.2	19	228	59.1	18	195	57.5
1,750-1,999.....	20	239	62.7	9	102	63.7	11	136	61.9
2,000-2,249.....	21	276	67.9	5	55	66.1	16	221	69.1
2,250-2,499.....	14	170	71.1	6	63	68.9	8	107	72.6
2,500-2,749.....	14	177	74.4	9	113	74.0	5	64	74.7
2,750-2,999.....	20	253	79.2	11	133	79.9	9	120	78.6
3,000-3,499.....	12	204	83.0	7	130	85.7	5	75	81.1
3,500-3,999.....	11	140	85.7	3	42	87.6	8	99	84.3
4,000-4,499.....	6	86	87.3	2	26	88.8	4	60	86.2
4,500-4,999.....	7	113	89.4	5	80	92.3	2	34	87.3
5,000-5,999.....	12	139	92.1	4	49	94.5	8	90	90.3
6,000-6,999.....	10	111	94.2	2	30	95.9	8	81	92.9
7,000-7,999.....	8	98	96.0	3	42	97.8	5	56	94.8
8,000-8,999.....	5	45	96.9	1	10	98.2	4	35	95.9
9,000-9,999.....	3	37	97.6	1	11	98.7	2	26	96.8
10,000 or more.....	14	128	100.0	3	29	100.0	11	99	100.0

See footnotes at end of table.

Table 3-138. Cumulative percent distribution of vitamin A intake values in International Units per 1,000 calories for persons aged 18-24 years by sex and income level: United States, 1976-80-Continued

Income level and vitamin A in International Units per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{2/}									
Total.....	1,541	21,013	100.0	770	10,508	100.0	771	10,505	100.0
Less than 250.....	48	554	2.6	28	355	3.4	20	199	1.9
250-499.....	109	1,495	9.8	62	805	11.0	47	690	8.5
500-749.....	153	1,986	19.2	91	1,217	22.6	62	769	15.8
750-999.....	164	2,170	29.5	84	1,089	33.0	80	1,081	26.1
1,000-1,249.....	178	2,376	40.8	105	1,475	47.0	73	901	34.6
1,250-1,499.....	149	2,020	50.4	58	820	54.8	91	1,200	46.1
1,500-1,749.....	128	1,839	59.2	73	1,012	64.4	55	828	53.9
1,750-1,999.....	96	1,355	65.6	56	805	72.1	40	550	59.2
2,000-2,249.....	75	1,074	70.8	34	458	76.5	41	616	65.0
2,250-2,499.....	59	721	74.2	25	300	79.3	34	421	69.1
2,500-2,749.....	64	949	78.7	28	382	83.0	36	567	74.5
2,750-2,999.....	43	573	81.4	19	253	85.4	24	320	77.5
3,000-3,499.....	52	659	84.6	20	252	87.8	32	407	81.4
3,500-3,999.....	49	748	88.1	21	350	91.1	28	398	85.2
4,000-4,499.....	37	553	90.8	18	244	93.4	19	309	88.1
4,500-4,999.....	22	333	92.4	8	125	94.6	14	208	90.1
5,000-5,999.....	36	523	94.8	15	226	96.8	21	296	92.9
6,000-6,999.....	11	166	95.6	4	42	97.2	7	124	94.1
7,000-7,999.....	21	292	97.0	5	88	98.0	16	204	96.0
8,000-8,999.....	5	71	97.4	2	32	98.3	3	39	96.4
9,000-9,999.....	8	84	97.8	2	19	98.5	6	65	97.0
10,000 or more.....	34	472	100.0	12	160	100.0	22	312	100.0

1/ Excludes 1 examined person with zero calories.

2/ Excludes unknown income.

Table 3-139. Cumulative percent distribution of vitamin A intake values in International Units per 1,000 calories for persons aged 25-34 years by sex and income level: United States, 1976-80

Income level and vitamin A in International Units per 1,000 calories	Both sexes			Male			Female		
	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent
	All incomes								
Total.....	1/2,236	32,739	100.0	1,067	15,895	100.0	1/1,169	16,844	100.0
Less than 250.....	77	1,131	3.4	46	688	4.3	31	443	2.6
250-499.....	150	2,142	10.0	92	1,340	12.8	58	801	7.4
500-749.....	222	3,093	19.4	135	1,951	25.0	87	1,142	14.2
750-999.....	235	3,392	29.8	113	1,700	35.7	122	1,692	24.2
1,000-1,249.....	234	3,305	39.9	121	1,700	46.4	113	1,605	33.7
1,250-1,499.....	200	3,046	49.2	100	1,538	56.1	100	1,508	42.7
1,500-1,749.....	165	2,371	56.4	79	1,099	63.0	86	1,273	50.3
1,750-1,999.....	130	1,995	62.5	52	851	68.4	78	1,143	57.0
2,000-2,249.....	96	1,532	67.2	36	571	72.0	60	961	62.7
2,250-2,499.....	108	1,656	72.3	43	736	76.6	65	920	68.2
2,500-2,749.....	76	1,083	75.6	33	470	79.5	43	613	71.8
2,750-2,999.....	79	1,176	79.2	33	452	82.4	46	724	76.1
3,000-3,499.....	91	1,369	83.4	39	618	86.3	52	752	80.6
3,500-3,999.....	65	1,002	86.4	29	525	89.6	36	476	83.4
4,000-4,499.....	47	686	88.5	22	325	91.6	25	361	85.6
4,500-4,999.....	31	419	89.8	11	151	92.6	20	268	87.2
5,000-5,999.....	50	779	92.2	20	328	94.6	30	451	89.8
6,000-6,999.....	27	364	93.3	9	114	95.3	18	250	91.3
7,000-7,999.....	30	382	94.4	11	133	96.2	19	249	92.8
8,000-8,999.....	26	374	95.6	10	145	97.1	16	229	94.2
9,000-9,999.....	21	282	96.4	7	100	97.7	14	182	95.3
10,000 or more.....	76	1,162	100.0	26	361	100.0	50	801	100.0
Income below poverty level^{2/}									
Total.....	253	3,103	100.0	91	1,106	100.0	162	1,997	100.0
Less than 250.....	11	139	4.5	7	91	8.3	4	48	2.4
250-499.....	31	352	15.8	18	174	24.0	13	177	11.3
500-749.....	28	318	26.1	7	68	30.2	21	250	23.8
750-999.....	28	336	36.9	8	100	39.2	20	237	35.6
1,000-1,249.....	28	306	46.8	13	139	51.8	15	167	44.0
1,250-1,499.....	26	382	59.1	8	152	65.5	18	230	55.5
1,500-1,749.....	9	111	62.6	2	22	67.5	7	89	59.9
1,750-1,999.....	9	161	67.8	1	15	68.8	8	146	67.3
2,000-2,249.....	9	104	71.2	3	45	72.9	6	59	70.2
2,250-2,499.....	10	157	76.3	3	42	76.7	7	115	76.0
2,500-2,749.....	6	65	78.3	2	29	79.3	4	36	77.8
2,750-2,999.....	12	146	83.0	4	33	82.3	8	113	83.5
3,000-3,499.....	7	80	85.6	3	45	86.4	4	35	85.2
3,500-3,999.....	7	66	87.7	3	31	89.2	4	35	86.9
4,000-4,499.....	7	105	91.1	3	38	92.7	4	67	90.3
4,500-4,999.....	4	36	92.3	-	-	92.7	4	36	92.1
5,000-5,999.....	5	68	94.5	2	33	95.7	3	34	93.8
6,000-6,999.....	1	12	94.9	-	-	95.7	1	12	94.4
7,000-7,999.....	4	46	96.4	1	17	97.2	3	30	95.9
8,000-8,999.....	1	8	96.6	-	-	97.2	1	8	96.3
9,000-9,999.....	2	18	97.2	1	10	98.1	1	8	96.7
10,000 or more.....	8	86	100.0	2	21	100.0	6	65	100.0

See footnotes at end of table.

Table 3-139. Cumulative percent distribution of vitamin A intake values in International Units per 1,000 calories for persons aged 25-34 years by sex and income level: United States, 1976-80-Continued

Income level and vitamin A in International Units per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{2/}									
Total.....	1/1,926	28,824	100.0	945	14,355	100.0	1/981	14,469	100.0
Less than 250.....	63	950	3.3	38	589	4.1	25	361	2.5
250-499.....	115	1,728	9.3	71	1,114	11.9	44	613	6.7
500-749.....	191	2,735	18.8	125	1,842	24.7	66	893	12.9
750-999.....	199	2,938	29.0	102	1,560	35.6	97	1,379	22.4
1,000-1,249.....	204	2,968	39.3	106	1,530	46.2	98	1,437	32.4
1,250-1,499.....	171	2,575	48.2	91	1,361	55.7	80	1,214	40.8
1,500-1,749.....	147	2,166	55.7	73	1,039	62.9	74	1,128	48.5
1,750-1,999.....	120	1,822	62.0	51	837	68.8	69	986	55.4
2,000-2,249.....	83	1,377	66.8	30	491	72.2	53	886	61.5
2,250-2,499.....	96	1,464	71.9	39	667	76.8	57	798	67.0
2,500-2,749.....	67	970	75.3	29	415	79.7	38	555	70.8
2,750-2,999.....	66	1,005	78.8	28	394	82.5	38	610	75.0
3,000-3,499.....	83	1,276	83.2	36	573	86.5	47	703	79.9
3,500-3,999.....	55	906	86.3	25	483	89.8	30	423	82.8
4,000-4,499.....	38	554	88.2	17	261	91.6	21	294	84.9
4,500-4,999.....	26	370	89.5	11	151	92.7	15	219	86.4
5,000-5,999.....	42	682	91.9	16	275	94.6	26	407	89.2
6,000-6,999.....	26	351	93.1	9	114	95.4	17	238	90.8
7,000-7,999.....	24	310	94.2	9	98	96.1	15	212	92.3
8,000-8,999.....	24	352	95.4	9	132	97.0	15	220	93.8
9,000-9,999.....	19	264	96.3	6	91	97.6	13	174	95.0
10,000 or more.....	67	1,060	100.0	24	340	100.0	43	720	100.0

1/ Excludes 1 examined person with zero calories.

2/ Excludes unknown income.

Table 3-140. Cumulative percent distribution of vitamin A intake values in International Units per 1,000 calories for persons aged 35-44 years by sex and income level: United States, 1976-80

Income level and vitamin A in International Units per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	1,589	23,651	100.0	745	11,367	100.0	844	12,284	100.0
Less than 250.....	42	553	2.3	23	283	2.5	19	270	2.2
250-499.....	93	1,318	7.9	48	704	8.7	45	614	7.2
500-749.....	131	1,849	15.7	73	1,077	18.2	58	772	13.5
750-999.....	155	2,274	25.3	79	1,154	28.3	76	1,120	22.6
1,000-1,249.....	138	2,092	34.2	71	1,121	38.2	67	971	30.5
1,250-1,499.....	158	2,275	43.8	76	1,074	47.6	82	1,202	40.3
1,500-1,749.....	130	1,997	52.3	65	1,038	56.8	65	959	48.1
1,750-1,999.....	111	1,758	59.7	47	835	64.1	64	923	55.6
2,000-2,249.....	91	1,391	65.6	50	777	70.9	41	614	60.6
2,250-2,499.....	71	1,078	70.1	34	514	75.5	37	564	65.2
2,500-2,749.....	57	943	74.1	20	326	78.3	37	618	70.2
2,750-2,999.....	47	687	77.0	22	302	81.0	25	384	73.4
3,000-3,499.....	73	1,108	81.7	31	511	85.5	42	597	78.2
3,500-3,999.....	51	729	84.8	20	300	88.1	31	429	81.7
4,000-4,499.....	31	527	87.0	13	231	90.1	18	296	84.1
4,500-4,999.....	26	424	88.8	7	143	91.4	19	281	86.4
5,000-5,999.....	50	751	92.0	18	273	93.8	32	478	90.3
6,000-6,999.....	34	485	94.0	13	210	95.6	21	276	92.5
7,000-7,999.....	17	254	95.1	6	86	96.4	11	168	93.9
8,000-8,999.....	13	186	95.9	7	93	97.2	6	94	94.7
9,000-9,999.....	11	164	96.6	5	82	97.9	6	82	95.3
10,000 or more.....	59	806	100.0	17	234	100.0	42	573	100.0
Income below poverty level^{1/}									
Total.....	182	2,364	100.0	63	821	100.0	119	1,543	100.0
Less than 250.....	12	151	6.4	*	*	*	6	88	5.7
250-499.....	21	234	16.3	*	*	*	11	123	13.7
500-749.....	16	192	24.4	*	*	*	11	133	22.3
750-999.....	17	207	33.1	*	*	*	13	164	33.0
1,000-1,249.....	15	219	42.4	*	*	*	10	147	42.5
1,250-1,499.....	22	273	54.0	*	*	*	17	199	55.4
1,500-1,749.....	12	153	60.4	*	*	*	7	75	60.3
1,750-1,999.....	11	154	66.9	*	*	*	9	133	68.9
2,000-2,249.....	12	164	73.9	*	*	*	9	119	76.6
2,250-2,499.....	7	111	78.6	*	*	*	5	90	82.4
2,500-2,749.....	7	116	83.5	*	*	*	5	70	86.9
2,750-2,999.....	4	49	85.6	*	*	*	1	10	87.6
3,000-3,499.....	1	11	86.0	*	*	*	-	-	87.6
3,500-3,999.....	1	14	86.6	*	*	*	-	-	87.6
4,000-4,499.....	5	87	90.3	*	*	*	3	44	90.4
4,500-4,999.....	5	67	93.2	*	*	*	3	47	93.5
5,000-5,999.....	6	80	96.6	*	*	*	4	51	96.8
6,000-6,999.....	2	19	97.4	*	*	*	1	10	97.4
7,000-7,999.....	-	-	97.4	*	*	*	-	-	97.4
8,000-8,999.....	1	11	97.8	*	*	*	-	-	97.4
9,000-9,999.....	2	21	98.7	*	*	*	1	9	98.0
10,000 or more.....	3	31	100.0	*	*	*	3	31	100.0

See footnotes at end of table.

Table 3-140. Cumulative percent distribution of vitamin A intake values in International Units per 1,000 calories for persons aged 35-44 years by sex and income level: United States, 1976-80-Continued

Income level and vitamin A in International Units per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	1,360	20,572	100.0	658	10,195	100.0	702	10,377	100.0
Less than 250.....	28	373	1.8	16	206	2.0	12	167	1.6
250-499.....	67	1,020	6.8	34	551	7.4	33	468	6.1
500-749.....	107	1,556	14.3	63	949	16.7	44	607	12.0
750-999.....	134	1,986	24.0	73	1,080	27.3	61	906	20.7
1,000-1,249.....	117	1,766	32.6	63	984	37.0	54	782	28.2
1,250-1,499.....	131	1,936	42.0	68	963	46.4	63	973	37.6
1,500-1,749.....	116	1,814	50.8	60	960	55.8	56	854	45.8
1,750-1,999.....	100	1,604	58.6	45	814	63.8	55	790	53.5
2,000-2,249.....	79	1,227	64.6	47	732	71.0	32	495	58.2
2,250-2,499.....	60	907	69.0	29	458	75.5	31	449	62.5
2,500-2,749.....	50	827	73.0	18	279	78.2	32	548	67.8
2,750-2,999.....	43	638	76.1	19	263	80.8	24	375	71.4
3,000-3,499.....	70	1,073	81.3	30	500	85.7	40	573	77.0
3,500-3,999.....	49	704	84.7	19	286	88.5	30	418	81.0
4,000-4,499.....	23	406	86.7	9	169	90.2	14	237	83.3
4,500-4,999.....	19	330	88.3	5	123	91.4	14	207	85.3
5,000-5,999.....	44	671	91.6	16	244	93.8	28	427	89.4
6,000-6,999.....	31	431	93.6	11	165	95.4	20	266	91.9
7,000-7,999.....	17	254	94.9	6	86	96.2	11	168	93.6
8,000-8,999.....	12	176	95.7	6	82	97.0	6	94	94.5
9,000-9,999.....	9	143	96.4	4	70	97.7	5	73	95.2
10,000 or more.....	54	734	100.0	17	234	100.0	37	500	100.0

^{1/} Excludes unknown income.

Table 3-141. Cumulative percent distribution of vitamin A intake values in International Units per 1,000 calories for persons aged 45-54 years by sex and income level: United States, 1976-80

Income level and vitamin A in International Units per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	1,453	23,032	100.0	690	11,114	100.0	763	11,918	100.0
Less than 250.....	27	339	1.5	14	176	1.6	13	163	1.4
250-499.....	61	947	5.6	33	537	6.4	28	410	4.8
500-749.....	95	1,388	11.6	51	713	12.8	44	675	10.5
750-999.....	126	2,001	20.3	68	1,075	22.5	58	926	18.2
1,000-1,249.....	140	2,115	29.5	75	1,259	33.8	65	857	25.4
1,250-1,499.....	124	1,952	38.0	69	1,121	43.9	55	831	32.4
1,500-1,749.....	126	1,945	46.4	67	1,077	53.6	59	868	39.7
1,750-1,999.....	102	1,662	53.6	44	730	60.2	58	932	47.5
2,000-2,249.....	70	1,106	58.4	40	637	65.9	30	469	51.4
2,250-2,499.....	62	983	62.7	29	439	69.9	33	544	56.0
2,500-2,749.....	55	901	66.6	26	449	73.9	29	452	59.8
2,750-2,999.....	43	680	69.5	18	266	76.3	25	415	63.3
3,000-3,499.....	58	983	73.8	22	355	79.5	36	629	68.5
3,500-3,999.....	61	1,083	78.5	26	435	83.4	35	648	74.0
4,000-4,499.....	50	734	81.7	14	223	85.4	36	511	78.3
4,500-4,999.....	31	491	83.8	15	220	87.4	16	272	80.5
5,000-5,999.....	59	972	88.1	20	367	90.7	39	605	85.6
6,000-6,999.....	30	562	90.5	13	297	93.4	17	265	87.8
7,000-7,999.....	25	448	92.4	11	152	94.7	14	296	90.3
8,000-8,999.....	23	377	94.1	6	93	95.6	17	284	92.7
9,000-9,999.....	12	223	95.1	5	91	96.4	7	132	93.8
10,000 or more.....	73	1,138	100.0	24	402	100.0	49	735	100.0
Income below poverty level^{1/}									
Total.....	128	1,760	100.0	46	645	100.0	82	1,115	100.0
Less than 250.....	1	14	.8	*	*	*	1	14	1.2
250-499.....	9	125	7.9	*	*	*	9	125	12.4
500-749.....	15	215	20.1	*	*	*	9	118	23.0
750-999.....	16	222	32.7	*	*	*	7	76	29.9
1,000-1,249.....	11	136	40.4	*	*	*	7	72	36.4
1,250-1,499.....	10	135	48.1	*	*	*	7	105	45.8
1,500-1,749.....	10	119	54.8	*	*	*	6	62	51.3
1,750-1,999.....	7	106	60.8	*	*	*	5	75	58.1
2,000-2,249.....	3	47	63.5	*	*	*	1	12	59.2
2,250-2,499.....	5	74	67.7	*	*	*	3	53	63.9
2,500-2,749.....	3	38	69.9	*	*	*	2	23	65.9
2,750-2,999.....	1	18	70.9	*	*	*	1	18	67.5
3,000-3,499.....	5	77	75.3	*	*	*	4	64	73.3
3,500-3,999.....	6	90	80.4	*	*	*	5	76	80.2
4,000-4,499.....	6	65	84.1	*	*	*	3	32	83.1
4,500-4,999.....	3	34	86.1	*	*	*	-	-	83.1
5,000-5,999.....	4	50	88.9	*	*	*	4	50	87.5
6,000-6,999.....	1	16	89.8	*	*	*	1	16	88.9
7,000-7,999.....	1	42	92.2	*	*	*	1	42	92.7
8,000-8,999.....	1	33	94.0	*	*	*	1	33	95.6
9,000-9,999.....	1	12	94.7	*	*	*	-	-	95.6
10,000 or more.....	9	93	100.0	*	*	*	5	49	100.0

See footnotes at end of table.

Table 3-141. Cumulative percent distribution of vitamin A intake values in International Units per 1,000 calories for persons aged 45-54 years by sex and income level: United States, 1976-80-Continued

Income level and vitamin A in International Units per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	1,258	20,161	100.0	603	9,738	100.0	655	10,424	100.0
Less than 250.....	23	286	1.4	12	147	1.5	11	139	1.3
250-499.....	52	822	5.5	33	537	7.0	19	285	4.1
500-749.....	77	1,121	11.0	42	564	12.8	35	557	9.4
750-999.....	106	1,706	19.5	57	889	21.9	49	817	17.2
1,000-1,249.....	123	1,902	28.9	68	1,148	33.7	55	754	24.5
1,250-1,499.....	108	1,724	37.5	61	1,009	44.1	47	716	31.3
1,500-1,749.....	108	1,694	45.9	57	926	53.6	51	768	38.7
1,750-1,999.....	90	1,479	53.2	41	689	60.7	49	790	46.3
2,000-2,249.....	61	954	58.0	33	514	66.0	28	440	50.5
2,250-2,499.....	53	853	62.2	26	399	70.1	27	454	54.8
2,500-2,749.....	46	753	65.9	21	353	73.7	25	401	58.7
2,750-2,999.....	41	641	69.1	17	244	76.2	24	397	62.5
3,000-3,499.....	51	867	73.4	20	312	79.4	31	555	67.8
3,500-3,999.....	52	938	78.1	22	367	83.2	30	572	73.3
4,000-4,499.....	41	635	81.2	11	190	85.1	30	445	77.6
4,500-4,999.....	28	457	83.5	12	186	87.0	16	272	80.2
5,000-5,999.....	53	884	87.9	19	353	90.7	34	531	85.3
6,000-6,999.....	29	546	90.6	13	297	93.7	16	250	87.7
7,000-7,999.....	24	406	92.6	11	152	95.3	13	254	90.1
8,000-8,999.....	22	345	94.3	6	93	96.2	16	251	92.5
9,000-9,999.....	10	180	95.2	3	48	96.7	7	132	93.8
10,000 or more.....	60	967	100.0	18	320	100.0	42	648	100.0

^{1/} Excludes unknown income.

Table 3-142. Cumulative percent distribution of vitamin A intake values in International Units per 1,000 calories for persons aged 55-64 years by sex and income level: United States, 1976-80

Income level and vitamin A in International Units per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	1/2,555	20,346	100.0	1/1,226	9,603	100.0	1,329	10,743	100.0
Less than 250.....	41	292	1.4	22	160	1.7	19	132	1.2
250-499.....	59	499	3.9	34	317	5.0	25	182	2.9
500-749.....	120	951	8.6	68	525	10.4	52	426	6.9
750-999.....	177	1,613	16.5	105	892	19.7	72	720	13.6
1,000-1,249.....	166	1,302	22.9	98	715	27.2	68	587	19.1
1,250-1,499.....	188	1,527	30.4	103	808	35.6	85	719	25.8
1,500-1,749.....	215	1,604	38.3	119	849	44.4	96	755	32.8
1,750-1,999.....	179	1,453	45.4	92	756	52.3	87	696	39.3
2,000-2,249.....	140	996	50.3	70	497	57.5	70	499	43.9
2,250-2,499.....	132	1,089	55.7	58	481	62.5	74	608	49.6
2,500-2,749.....	121	897	60.1	55	432	67.0	66	464	53.9
2,750-2,999.....	110	897	64.5	49	364	70.8	61	533	58.9
3,000-3,499.....	153	1,137	70.1	72	510	76.1	81	627	64.7
3,500-3,999.....	117	995	75.0	48	403	80.3	69	592	70.2
4,000-4,499.....	98	792	78.8	41	361	84.0	57	431	74.2
4,500-4,999.....	89	753	82.5	31	276	86.9	58	477	78.7
5,000-5,999.....	104	840	86.7	37	323	90.3	67	517	83.5
6,000-6,999.....	78	633	89.8	34	272	93.1	44	361	86.8
7,000-7,999.....	57	415	91.8	22	130	94.5	35	285	89.5
8,000-8,999.....	44	345	93.5	18	142	95.9	26	202	91.4
9,000-9,999.....	26	172	94.4	6	28	96.2	20	144	92.7
10,000 or more.....	141	1,145	100.0	44	362	100.0	97	783	100.0
Income below poverty level ^{2/}									
Total.....	1/316	1,956	100.0	1/128	775	100.0	188	1,181	100.0
Less than 250.....	12	60	3.1	6	31	4.0	6	30	2.5
250-499.....	10	51	5.7	4	15	5.9	6	36	5.5
500-749.....	17	104	11.0	9	42	11.3	8	62	10.8
750-999.....	18	123	17.3	10	65	19.7	8	58	15.7
1,000-1,249.....	23	145	24.7	9	48	25.9	14	97	23.9
1,250-1,499.....	22	175	33.6	9	79	36.0	13	96	32.0
1,500-1,749.....	28	182	42.9	12	64	44.3	16	118	42.0
1,750-1,999.....	27	174	51.8	12	79	54.5	15	95	50.1
2,000-2,249.....	12	71	55.5	5	25	57.7	7	47	54.0
2,250-2,499.....	20	125	61.8	9	63	65.9	11	62	59.2
2,500-2,749.....	10	63	65.1	4	33	70.1	6	31	61.8
2,750-2,999.....	9	54	67.9	3	16	72.1	6	38	65.1
3,000-3,499.....	18	97	72.8	8	39	77.2	10	58	70.0
3,500-3,999.....	14	93	77.6	7	51	83.7	7	43	73.6
4,000-4,499.....	7	34	79.3	1	6	84.5	6	28	76.0
4,500-4,999.....	9	43	81.6	2	12	86.1	7	31	78.6
5,000-5,999.....	11	55	84.4	5	23	89.0	6	32	81.3
6,000-6,999.....	8	49	86.9	3	16	91.2	5	33	84.1
7,000-7,999.....	7	36	88.8	2	8	92.2	5	28	86.5
8,000-8,999.....	7	35	90.5	-	-	92.2	7	35	89.5
9,000-9,999.....	9	53	93.3	3	18	94.4	6	36	92.5
10,000 or more.....	18	132	100.0	5	43	100.0	13	89	100.0

See footnotes at end of table.

Table 3-142. Cumulative percent distribution of vitamin A intake values in International Units per 1,000 calories for persons aged 55-64 years by sex and income level: United States, 1976-80-Continued

Income level and vitamin A in International Units per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{2/}									
Total.....	2,119	17,376	100.0	1,048	8,443	100.0	1,071	8,934	100.0
Less than 250.....	26	212	1.2	13	110	1.3	13	102	1.1
250-499.....	47	429	3.7	29	295	4.8	18	134	2.6
500-749.....	99	820	8.4	57	473	10.4	42	346	6.5
750-999.....	149	1,356	16.2	90	798	19.8	59	558	12.8
1,000-1,249.....	135	1,112	22.6	84	638	27.4	51	473	18.1
1,250-1,499.....	158	1,280	30.0	91	705	35.8	67	575	24.5
1,500-1,749.....	175	1,326	37.6	101	743	44.6	74	584	31.0
1,750-1,999.....	147	1,228	44.7	77	638	52.1	70	590	37.6
2,000-2,249.....	121	876	49.7	61	439	57.3	60	437	42.5
2,250-2,499.....	101	896	54.9	45	392	62.0	56	504	48.2
2,500-2,749.....	103	786	59.4	49	390	66.6	54	397	52.6
2,750-2,999.....	96	793	64.0	44	326	70.4	52	467	57.8
3,000-3,499.....	132	1,015	69.8	63	466	75.9	69	549	64.0
3,500-3,999.....	100	872	74.8	40	347	80.1	60	525	69.8
4,000-4,499.....	87	736	79.0	39	353	84.2	48	383	74.1
4,500-4,999.....	75	625	82.6	26	202	86.6	49	423	78.9
5,000-5,999.....	90	752	87.0	32	300	90.2	58	452	83.9
6,000-6,999.....	63	538	90.1	29	244	93.1	34	294	87.2
7,000-7,999.....	49	361	92.1	20	122	94.5	29	239	89.9
8,000-8,999.....	35	302	93.9	17	138	96.1	18	164	91.7
9,000-9,999.....	15	97	94.4	3	11	96.3	12	86	92.7
10,000 or more.....	116	967	100.0	38	315	100.0	78	652	100.0

1/ Excludes 1 examined person with zero calories.

2/ Excludes unknown income.

Table 3-143. Cumulative percent distribution of vitamin A intake values in International Units per 1,000 calories for persons aged 65-74 years by sex and income level: United States, 1976-80

Income level and vitamin A in International Units per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	2,615	14,496	100.0	1,199	6,297	100.0	1,416	8,198	100.0
Less than 250.....	28	128	.9	17	69	1.1	11	59	.7
250-499.....	43	225	2.4	23	113	2.9	20	112	2.1
500-749.....	84	488	5.8	48	277	7.3	36	211	4.6
750-999.....	138	790	11.3	78	454	14.5	60	336	8.8
1,000-1,249.....	155	823	16.9	84	444	21.5	71	380	13.4
1,250-1,499.....	172	993	23.8	93	460	28.9	79	532	19.9
1,500-1,749.....	210	1,194	32.0	108	594	38.3	102	600	27.2
1,750-1,999.....	185	986	38.8	86	423	45.0	99	563	34.1
2,000-2,249.....	151	859	44.8	69	367	50.8	82	492	40.1
2,250-2,499.....	150	884	50.8	66	360	56.5	84	524	46.5
2,500-2,749.....	116	635	55.2	46	236	60.3	70	399	51.3
2,750-2,999.....	91	524	58.8	29	160	62.8	62	363	55.8
3,000-3,499.....	164	875	64.9	76	390	69.0	88	485	61.7
3,500-3,999.....	136	744	70.0	67	306	73.9	69	438	67.0
4,000-4,499.....	110	593	74.1	47	259	78.0	63	334	71.1
4,500-4,999.....	101	582	78.1	54	316	83.0	47	266	74.3
5,000-5,999.....	153	880	84.2	63	350	88.6	90	530	80.8
6,000-6,999.....	107	606	88.4	35	183	91.5	72	423	85.9
7,000-7,999.....	48	258	90.1	20	103	93.1	28	155	87.8
8,000-8,999.....	44	232	91.7	17	82	94.4	27	150	89.7
9,000-9,999.....	41	219	93.3	9	40	95.1	32	178	91.8
10,000 or more.....	188	979	100.0	64	310	100.0	124	668	100.0
Income below poverty level ^{1/}									
Total.....	424	2,003	100.0	168	759	100.0	256	1,245	100.0
Less than 250.....	14	56	2.8	11	44	5.8	3	13	1.0
250-499.....	8	36	4.6	4	21	8.5	4	15	2.2
500-749.....	12	51	7.1	6	27	12.1	6	23	4.1
750-999.....	26	146	14.4	13	74	21.9	13	72	9.8
1,000-1,249.....	27	150	21.9	15	80	32.4	12	70	15.4
1,250-1,499.....	32	147	29.2	15	67	41.2	17	81	21.9
1,500-1,749.....	32	168	37.6	16	78	51.5	16	90	29.1
1,750-1,999.....	31	151	45.2	11	47	57.7	20	104	37.5
2,000-2,249.....	24	105	50.4	7	23	60.8	17	81	44.0
2,250-2,499.....	17	83	54.6	8	40	66.1	9	44	47.5
2,500-2,749.....	16	68	57.9	4	13	67.8	12	54	51.9
2,750-2,999.....	9	43	60.1	1	3	68.3	8	40	55.1
3,000-3,499.....	25	94	64.8	9	30	72.3	16	63	60.2
3,500-3,999.....	24	116	70.5	11	45	78.1	13	71	65.9
4,000-4,499.....	13	57	73.4	4	21	80.9	9	36	68.8
4,500-4,999.....	11	52	76.0	4	24	84.1	7	27	71.0
5,000-5,999.....	23	134	82.7	8	44	89.9	15	90	78.3
6,000-6,999.....	17	80	86.7	5	17	92.1	12	64	83.4
7,000-7,999.....	9	41	88.7	2	6	92.9	7	35	86.2
8,000-8,999.....	5	29	90.2	-	-	92.9	5	29	88.5
9,000-9,999.....	10	38	92.1	4	15	94.9	6	23	90.3
10,000 or more.....	39	159	100.0	10	39	100.0	29	120	100.0

See footnotes at end of table.

Table 3-143. Cumulative percent distribution of vitamin A intake values in International Units per 1,000 calories for persons aged 65-74 years by sex and income level: United States, 1976-80-Continued

Income level and vitamin A in International Units per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	2,067	11,819	100.0	987	5,312	100.0	1,080	6,508	100.0
Less than 250.....	14	72	.6	6	25	.5	8	47	.7
250-499.....	34	186	2.2	19	92	2.2	15	94	2.1
500-749.....	67	413	5.7	40	241	6.8	27	172	4.8
750-999.....	104	605	10.8	64	375	13.8	40	231	8.3
1,000-1,249.....	121	638	16.2	66	350	20.4	55	288	12.8
1,250-1,499.....	132	816	23.1	74	379	27.5	58	436	19.5
1,500-1,749.....	171	994	31.5	88	496	36.9	83	497	27.1
1,750-1,999.....	141	754	37.9	69	340	43.3	72	414	33.5
2,000-2,249.....	117	697	43.8	58	330	49.5	59	368	39.1
2,250-2,499.....	124	739	50.0	56	309	55.3	68	430	45.7
2,500-2,749.....	98	556	54.7	42	222	59.5	56	334	50.8
2,750-2,999.....	79	466	58.7	28	157	62.5	51	309	55.6
3,000-3,499.....	135	765	65.1	64	346	69.0	71	418	62.0
3,500-3,999.....	105	588	70.1	55	256	73.8	50	332	67.1
4,000-4,499.....	91	499	74.3	40	219	77.9	51	280	71.4
4,500-4,999.....	84	495	78.5	48	279	83.2	36	215	74.7
5,000-5,999.....	120	682	84.3	49	266	88.2	71	416	81.1
6,000-6,999.....	85	497	88.5	28	156	91.1	57	341	86.4
7,000-7,999.....	39	218	90.3	18	97	92.9	21	121	88.2
8,000-8,999.....	37	194	92.0	16	78	94.4	21	116	90.0
9,000-9,999.....	31	181	93.5	5	25	94.9	26	156	92.4
10,000 or more.....	138	767	100.0	54	272	100.0	84	495	100.0

^{1/} Excludes unknown income.

Table 3-144. Cumulative percent distribution of vitamin C intake values in milligrams per 1,000 calories for persons aged 6-11 months by sex and income level: United States, 1976-80

Income level and vitamin C in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	356	1,599	100.0	179	819	100.0	177	780	100.0
Less than 5.....	5	17	1.1	2	6	.7	3	11	1.4
5-9.....	10	41	3.6	6	24	3.6	4	17	3.6
10-14.....	26	100	9.9	17	51	9.9	9	49	9.9
15-19.....	22	96	15.9	13	61	17.3	9	35	14.4
20-24.....	21	86	21.3	14	63	25.0	7	23	17.3
25-29.....	20	83	26.4	10	45	30.5	10	38	22.1
30-34.....	19	80	31.5	12	55	37.3	7	25	25.4
35-39.....	23	99	37.6	10	47	43.0	13	52	32.0
40-44.....	17	67	41.8	4	15	44.8	13	52	38.7
45-49.....	14	71	46.2	5	20	47.3	9	50	45.1
50-59.....	33	145	55.3	12	57	54.3	21	87	56.3
60-69.....	27	149	64.6	15	82	64.3	12	68	65.0
70-79.....	20	93	70.4	8	45	69.8	12	47	71.1
80-89.....	24	110	77.3	12	67	78.0	12	43	76.6
90-99.....	14	74	82.0	8	44	83.4	6	30	80.5
100-109.....	5	25	83.6	3	20	85.8	2	5	81.2
110-119.....	4	31	85.5	3	17	87.8	1	15	83.1
120-129.....	8	34	87.7	2	6	88.6	6	28	86.7
130-139.....	6	29	89.5	3	15	90.4	3	14	88.5
140-149.....	9	33	91.5	6	22	93.1	3	11	90.0
150-159.....	5	20	92.8	3	14	94.7	2	7	90.8
160-169.....	9	46	95.7	5	19	97.0	4	28	94.3
170 or more.....	15	68	100.0	6	24	100.0	9	44	100.0
Income below poverty level^{1/}									
Total.....	84	315	100.0	48	177	100.0	36	138	100.0
Less than 5.....	2	6	1.8	*	*	*	*	*	*
5-9.....	4	13	5.9	*	*	*	*	*	*
10-14.....	7	19	12.0	*	*	*	*	*	*
15-19.....	8	25	20.0	*	*	*	*	*	*
20-24.....	4	12	23.7	*	*	*	*	*	*
25-29.....	4	18	29.3	*	*	*	*	*	*
30-34.....	3	16	34.4	*	*	*	*	*	*
35-39.....	3	10	37.7	*	*	*	*	*	*
40-44.....	3	9	40.5	*	*	*	*	*	*
45-49.....	4	24	48.0	*	*	*	*	*	*
50-59.....	9	35	59.1	*	*	*	*	*	*
60-69.....	3	14	63.7	*	*	*	*	*	*
70-79.....	5	23	71.1	*	*	*	*	*	*
80-89.....	8	24	78.8	*	*	*	*	*	*
90-99.....	3	17	84.0	*	*	*	*	*	*
100-109.....	2	8	86.5	*	*	*	*	*	*
110-119.....	1	9	89.5	*	*	*	*	*	*
120-129.....	1	3	90.6	*	*	*	*	*	*
130-139.....	1	5	92.2	*	*	*	*	*	*
140-149.....	2	5	93.8	*	*	*	*	*	*
150-159.....	1	3	94.8	*	*	*	*	*	*
160-169.....	3	8	97.4	*	*	*	*	*	*
170 or more.....	3	8	100.0	*	*	*	*	*	*

See footnotes at end of table.

Table 3-144. Cumulative percent distribution of vitamin C intake values in milligrams per 1,000 calories for persons aged 6-11 months by sex and income level: United States, 1976-80-Continued

Income level and vitamin C in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	256	1,226	100.0	121	614	100.0	135	612	100.0
Less than 5.....	2	9	.7	-	-	-	2	9	1.4
5-9.....	6	29	3.0	3	16	2.6	3	13	3.4
10-14.....	16	73	9.0	7	24	6.6	9	49	11.4
15-19.....	14	71	14.8	7	41	13.3	7	30	16.3
20-24.....	17	75	20.9	10	52	21.7	7	23	20.1
25-29.....	15	60	25.8	8	35	27.4	7	25	24.1
30-34.....	15	62	30.9	9	41	34.2	6	21	27.5
35-39.....	19	84	37.7	8	40	40.7	11	44	34.7
40-44.....	14	58	42.4	2	8	42.0	12	50	42.9
45-49.....	10	47	46.3	3	13	44.1	7	34	48.5
50-59.....	19	86	53.3	9	43	51.0	10	44	55.6
60-69.....	24	135	64.3	14	77	63.6	10	58	65.0
70-79.....	15	69	70.0	7	41	70.2	8	29	69.7
80-89.....	14	82	76.6	7	55	79.2	7	26	74.0
90-99.....	11	58	81.3	6	32	84.4	5	26	78.3
100-109.....	3	18	82.8	2	15	86.8	1	3	78.7
110-119.....	3	22	84.5	2	7	88.0	1	15	81.1
120-129.....	7	31	87.1	1	3	88.4	6	28	85.7
130-139.....	5	24	89.0	2	10	90.0	3	14	88.1
140-149.....	6	24	91.0	4	17	92.8	2	8	89.3
150-159.....	4	17	92.5	3	14	95.0	1	4	89.9
160-169.....	5	32	95.1	2	8	96.3	3	24	93.9
170 or more.....	12	60	100.0	5	23	100.0	7	37	100.0

1/ Excludes unknown income.

Table 3-145. Cumulative percent distribution of vitamin C intake values in milligrams per 1,000 calories for persons aged 1-2 years by sex and income level: United States, 1976-80

Income level and vitamin C in milligrams per 1,000 calories	Both sexes			Male			Female		
	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent
All incomes									
Total.....	1,417	6,078	100.0	745	3,107	100.0	672	2,970	100.0
Less than 5.....	23	102	1.7	11	60	1.9	12	42	1.4
5-9.....	75	306	6.7	37	152	6.8	38	155	6.6
10-14.....	96	411	13.5	46	210	13.6	50	202	13.4
15-19.....	94	412	20.3	46	212	20.4	48	200	20.1
20-24.....	107	374	26.4	57	194	26.6	50	180	26.2
25-29.....	88	378	32.6	46	199	33.0	42	179	32.2
30-34.....	83	321	37.9	50	195	39.3	33	126	36.5
35-39.....	67	294	42.8	38	153	44.3	29	141	41.2
40-44.....	39	164	45.5	21	93	47.3	18	71	43.6
45-49.....	50	215	49.0	28	108	50.7	22	107	47.2
50-59.....	96	417	55.9	48	190	56.8	48	227	54.8
60-69.....	96	390	62.3	50	194	63.1	46	196	61.4
70-79.....	81	356	68.1	46	198	69.4	35	158	66.8
80-89.....	70	308	73.2	36	159	74.6	34	149	71.8
90-99.....	45	248	77.3	21	96	77.7	24	152	76.9
100-109.....	54	268	81.7	29	146	82.4	25	122	81.0
110-119.....	38	166	84.4	17	71	84.7	21	94	84.2
120-129.....	30	122	86.4	18	65	86.7	12	57	86.1
130-139.....	25	96	88.0	13	39	88.0	12	57	88.0
140-149.....	16	108	89.8	7	34	89.1	9	74	90.5
150-159.....	25	114	91.7	15	71	91.4	10	43	92.0
160-169.....	25	96	93.2	15	58	93.3	10	37	93.2
170 or more.....	94	411	100.0	50	210	100.0	44	201	100.0
Income below poverty level^{1/}									
Total.....	323	1,163	100.0	170	601	100.0	153	562	100.0
Less than 5.....	13	60	5.1	7	40	6.7	6	19	3.4
5-9.....	24	73	11.4	13	38	13.0	11	36	9.7
10-14.....	27	82	18.5	13	41	19.8	14	41	17.1
15-19.....	20	74	24.9	9	34	25.4	11	41	24.3
20-24.....	29	93	32.9	12	36	31.5	17	56	34.3
25-29.....	21	81	39.8	10	40	38.1	11	41	41.6
30-34.....	17	55	44.5	16	52	46.8	1	3	42.1
35-39.....	17	62	49.8	12	42	53.8	5	20	45.6
40-44.....	11	42	53.4	6	22	57.5	5	19	49.1
45-49.....	10	36	56.6	7	25	61.8	3	11	51.0
50-59.....	20	83	63.7	9	32	67.1	11	51	60.2
60-69.....	22	75	70.2	14	50	75.4	8	25	64.6
70-79.....	16	58	75.2	7	26	79.7	9	32	70.4
80-89.....	15	58	80.2	6	23	83.5	9	35	76.7
90-99.....	5	28	82.6	1	4	84.1	4	24	80.9
100-109.....	8	29	85.1	2	6	85.1	6	24	85.1
110-119.....	6	21	86.9	1	3	85.6	5	17	88.3
120-129.....	5	20	88.6	3	14	87.9	2	7	89.4
130-139.....	4	9	89.5	4	9	89.5	-	-	89.4
140-149.....	3	7	90.1	1	3	89.9	2	4	90.2
150-159.....	5	21	91.9	3	14	92.2	2	8	91.6
160-169.....	9	34	94.9	6	22	95.8	3	12	93.8
170 or more.....	16	60	100.0	8	25	100.0	8	35	100.0

See footnotes at end of table.

Table 3-145. Cumulative percent distribution of vitamin C intake values in milligrams per 1,000 calories for persons aged 1-2 years by sex and income level: United States, 1976-80-Continued

Income level and vitamin C in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	1,056	4,767	100.0	551	2,416	100.0	505	2,351	100.0
Less than 5.....	10	42	.9	4	20	.8	6	23	1.0
5-9.....	47	213	5.4	22	105	5.2	25	109	5.6
10-14.....	67	325	12.2	32	167	12.0	35	158	12.3
15-19.....	71	321	18.9	36	172	19.2	35	149	18.7
20-24.....	77	278	24.7	44	154	25.5	33	124	23.9
25-29.....	64	289	30.8	34	155	32.0	30	134	29.6
30-34.....	63	255	36.1	31	131	37.4	32	123	34.8
35-39.....	49	230	41.0	25	109	41.9	24	121	40.0
40-44.....	27	114	43.3	15	71	44.8	12	43	41.8
45-49.....	40	179	47.1	21	82	48.3	19	96	45.9
50-59.....	74	328	54.0	38	156	54.7	36	172	53.3
60-69.....	72	307	60.4	36	144	60.6	36	163	60.2
70-79.....	64	292	66.5	38	166	67.5	26	126	65.5
80-89.....	53	245	71.7	30	137	73.2	23	108	70.1
90-99.....	39	218	76.2	19	90	76.9	20	128	75.6
100-109.....	43	229	81.0	24	130	82.3	19	99	79.8
110-119.....	31	141	84.0	15	64	84.9	16	77	83.0
120-129.....	25	102	86.1	15	51	87.0	10	51	85.2
130-139.....	19	81	87.8	8	28	88.2	11	54	87.5
140-149.....	12	96	89.9	5	27	89.3	7	70	90.5
150-159.....	19	90	91.8	12	57	91.6	7	33	91.9
160-169.....	13	47	92.7	6	22	92.6	7	25	92.9
170 or more.....	77	346	100.0	41	180	100.0	36	166	100.0

^{1/} Excludes unknown income.

Table 3-146. Cumulative percent distribution of vitamin C intake values in milligrams per 1,000 calories for persons aged 3-5 years by sex and income level: United States, 1976-80

Income level and vitamin C in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	2,345	9,186	100.0	1,219	4,695	100.0	1,126	4,491	100.0
Less than 5.....	68	252	2.7	36	122	2.6	32	130	2.9
5-9.....	108	389	7.0	56	185	6.5	52	203	7.4
10-14.....	178	682	14.4	84	341	13.8	94	341	15.0
15-19.....	191	714	22.2	100	380	21.9	91	333	22.4
20-24.....	164	623	28.9	79	302	28.3	85	321	29.6
25-29.....	164	582	35.3	89	305	34.8	75	277	35.7
30-34.....	120	488	40.6	60	241	40.0	60	247	41.3
35-39.....	118	423	45.2	58	206	44.4	60	217	46.1
40-44.....	102	421	49.8	58	238	49.4	44	183	50.1
45-49.....	87	389	54.0	43	190	53.5	44	199	54.6
50-59.....	164	657	61.2	92	368	61.3	72	289	61.0
60-69.....	136	569	67.4	64	250	66.6	72	319	68.1
70-79.....	128	500	72.8	70	257	72.1	58	243	73.5
80-89.....	106	404	77.2	57	219	76.8	49	185	77.7
90-99.....	74	284	80.3	37	146	79.9	37	138	80.7
100-109.....	78	318	83.8	43	171	83.5	35	146	84.0
110-119.....	46	191	85.8	25	112	85.9	21	79	85.7
120-129.....	47	181	87.8	26	91	87.9	21	90	87.7
130-139.....	39	156	89.5	18	71	89.4	21	84	89.6
140-149.....	36	140	91.0	20	74	91.0	16	66	91.1
150-159.....	22	97	92.1	9	47	92.0	13	50	92.2
160-169.....	24	103	93.2	16	64	93.3	8	39	93.1
170 or more.....	145	624	100.0	79	313	100.0	66	311	100.0
Income below poverty level^{1/}									
Total.....	570	1,855	100.0	298	910	100.0	272	945	100.0
Less than 5.....	29	105	5.7	16	45	4.9	13	60	6.4
5-9.....	32	101	11.1	18	52	10.6	14	49	11.6
10-14.....	40	122	17.7	20	65	17.8	20	57	17.6
15-19.....	54	163	26.5	21	55	23.8	33	108	29.0
20-24.....	49	168	35.5	21	63	30.7	28	105	40.2
25-29.....	35	110	41.5	21	61	37.4	14	49	45.4
30-34.....	26	92	46.4	9	30	40.7	17	62	51.9
35-39.....	35	97	51.6	22	59	47.2	13	38	55.9
40-44.....	15	62	55.0	11	49	52.5	4	14	57.4
45-49.....	15	49	57.7	9	29	55.7	6	20	59.6
50-59.....	38	133	64.8	18	56	61.9	20	76	67.6
60-69.....	29	90	69.7	20	65	69.0	9	26	70.3
70-79.....	29	88	74.4	13	39	73.2	16	49	75.5
80-89.....	26	81	78.8	12	39	77.5	14	42	79.9
90-99.....	21	73	82.7	11	44	82.3	10	29	83.1
100-109.....	17	57	85.8	11	33	86.0	6	23	85.5
110-119.....	8	25	87.1	7	23	88.5	1	2	85.8
120-129.....	11	32	88.8	6	17	90.3	5	15	87.4
130-139.....	6	22	90.0	1	3	90.7	5	19	89.3
140-149.....	11	31	91.7	8	21	93.0	3	11	90.5
150-159.....	7	31	93.3	2	9	93.9	5	22	92.8
160-169.....	5	18	94.3	4	11	95.2	1	6	93.4
170 or more.....	32	106	100.0	17	44	100.0	15	62	100.0

See footnotes at end of table.

Table 3-146. Cumulative percent distribution of vitamin C intake values in milligrams per 1,000 calories for persons aged 3-5 years by sex and income level: United States, 1976-80-Continued

Income level and vitamin C in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	1,707	7,102	100.0	892	3,683	100.0	815	3,419	100.0
Less than 5.....	37	141	2.0	20	77	2.1	17	64	1.9
5-9.....	69	268	5.8	34	120	5.4	35	148	6.2
10-14.....	127	527	13.2	61	268	12.6	66	259	13.8
15-19.....	131	525	20.6	75	306	20.9	56	218	20.1
20-24.....	112	445	26.8	58	239	27.4	54	205	26.1
25-29.....	128	470	33.4	67	242	34.0	61	228	32.8
30-34.....	93	392	39.0	51	211	39.8	42	181	38.1
35-39.....	79	310	43.3	36	147	43.7	43	163	42.9
40-44.....	85	353	48.3	46	186	48.8	39	166	47.8
45-49.....	70	332	53.0	32	154	53.0	38	179	53.0
50-59.....	124	517	60.2	73	306	61.3	51	211	59.1
60-69.....	104	469	66.8	43	183	66.2	61	286	67.5
70-79.....	95	401	72.5	55	214	72.0	40	187	73.0
80-89.....	76	310	76.8	43	173	76.7	33	137	77.0
90-99.....	52	206	79.8	26	102	79.5	26	104	80.0
100-109.....	58	254	83.3	31	136	83.2	27	119	83.5
110-119.....	36	157	85.5	17	86	85.5	19	71	85.6
120-129.....	34	142	87.5	19	72	87.5	15	70	87.6
130-139.....	31	128	89.3	17	68	89.3	14	60	89.4
140-149.....	24	103	90.8	11	48	90.6	13	55	91.0
150-159.....	15	66	91.7	7	38	91.6	8	28	91.8
160-169.....	17	81	92.9	10	47	92.9	7	33	92.8
170 or more.....	110	507	100.0	60	260	100.0	50	247	100.0

^{1/} Excludes unknown income.

Table 3-147. Cumulative percent distribution of vitamin C intake values in milligrams per 1,000 calories for persons aged 6-8 years by sex and income level: United States, 1976-80

Income level and vitamin C in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	843	10,213	100.0	428	5,336	100.0	415	4,877	100.0
Less than 5.....	14	170	1.7	8	104	2.0	6	65	1.3
5-9.....	53	667	8.2	28	377	9.0	25	289	7.3
10-14.....	76	899	17.0	46	580	19.9	30	318	13.8
15-19.....	74	893	25.7	31	407	27.5	43	486	23.8
20-24.....	68	754	33.1	34	389	34.8	34	365	31.3
25-29.....	73	886	41.8	38	479	43.8	35	407	39.6
30-34.....	56	594	47.6	33	376	50.9	23	217	44.0
35-39.....	40	432	51.8	16	148	53.6	24	284	49.9
40-44.....	32	428	56.0	19	260	58.5	13	168	53.3
45-49.....	26	325	59.2	14	161	61.5	12	164	56.7
50-59.....	54	681	65.9	28	403	69.1	26	278	62.4
60-69.....	39	489	70.7	20	222	73.2	19	266	67.8
70-79.....	44	522	75.8	20	223	77.4	24	299	74.0
80-89.....	32	413	79.8	22	278	82.6	10	135	76.8
90-99.....	31	353	83.3	15	160	85.6	16	193	80.7
100-109.....	33	398	87.2	12	152	88.4	21	247	85.8
110-119.....	19	262	89.7	10	138	91.0	9	124	88.3
120-129.....	15	217	91.8	6	69	92.3	9	147	91.3
130-139.....	14	165	93.5	8	113	94.5	6	52	92.4
140-149.....	7	81	94.3	1	14	94.7	6	67	93.7
150-159.....	4	49	94.7	2	32	95.3	2	17	94.1
160-169.....	5	68	95.4	4	53	96.3	1	15	94.4
170 or more.....	34	471	100.0	13	197	100.0	21	274	100.0
Income below poverty level^{1/}									
Total.....	177	1,769	100.0	82	900	100.0	95	869	100.0
Less than 5.....	4	28	1.6	2	15	1.6	2	14	1.6
5-9.....	10	139	9.5	7	110	13.8	3	30	5.0
10-14.....	17	184	19.8	9	118	26.9	8	66	12.6
15-19.....	15	158	28.8	6	78	35.6	9	79	21.7
20-24.....	19	171	38.4	12	107	47.5	7	64	29.1
25-29.....	16	164	47.7	6	69	55.1	10	95	40.0
30-34.....	12	108	53.8	6	57	61.4	6	52	45.9
35-39.....	14	134	61.4	6	51	67.1	8	83	55.5
40-44.....	1	10	62.0	1	10	68.2	-	-	55.5
45-49.....	5	35	63.9	2	13	69.6	3	22	58.0
50-59.....	18	202	75.3	4	75	78.0	14	127	72.6
60-69.....	4	39	77.5	3	29	81.2	1	10	73.8
70-79.....	10	119	84.3	3	30	84.5	7	89	84.0
80-89.....	9	86	89.1	7	67	92.0	2	19	86.1
90-99.....	5	44	91.6	2	15	93.7	3	29	89.5
100-109.....	5	40	93.9	1	13	95.1	4	28	92.7
110-119.....	3	21	95.1	1	8	96.0	2	13	94.1
120-129.....	2	19	96.1	2	19	98.1	-	-	94.1
130-139.....	1	5	96.4	-	-	98.1	1	5	94.7
140-149.....	1	7	96.9	-	-	98.1	1	7	95.6
150-159.....	1	11	97.5	-	-	98.1	1	11	96.9
160-169.....	2	26	99.0	1	11	99.3	1	15	98.6
170 or more.....	3	18	100.0	1	6	100.0	2	12	100.0

See footnotes at end of table.

Table 3-147. Cumulative percent distribution of vitamin C intake values in milligrams per 1,000 calories for persons aged 6-8 years by sex and income level: United States, 1976-80-Continued

Income level and vitamin C in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	644	8,118	100.0	336	4,254	100.0	308	3,864	100.0
Less than 5.....	9	135	1.7	6	90	2.1	3	45	1.2
5-9.....	40	499	7.8	20	256	8.1	20	243	7.4
10-14.....	58	693	16.3	36	441	18.5	22	252	14.0
15-19.....	59	735	25.4	25	329	26.2	34	407	24.5
20-24.....	49	583	32.6	22	282	32.9	27	301	32.3
25-29.....	55	704	41.3	32	410	42.5	23	294	39.9
30-34.....	41	450	46.8	25	291	49.3	16	159	44.0
35-39.....	25	274	50.2	10	96	51.6	15	178	48.6
40-44.....	29	400	55.1	17	242	57.3	12	158	52.7
45-49.....	21	290	58.7	12	148	60.8	9	142	56.4
50-59.....	35	461	64.4	24	328	68.5	11	133	59.8
60-69.....	33	427	69.6	15	170	72.5	18	257	66.5
70-79.....	34	403	74.6	17	193	77.0	17	210	71.9
80-89.....	21	261	77.8	13	144	80.4	8	117	74.9
90-99.....	26	309	81.6	13	145	83.8	13	164	79.2
100-109.....	27	335	85.7	11	139	87.1	16	196	84.3
110-119.....	16	241	88.7	9	130	90.1	7	111	87.1
120-129.....	12	179	90.9	4	51	91.3	8	128	90.4
130-139.....	13	160	92.9	8	113	94.0	5	47	91.6
140-149.....	6	74	93.8	1	14	94.3	5	59	93.2
150-159.....	3	38	94.3	2	32	95.1	1	6	93.3
160-169.....	3	41	94.8	3	41	96.1	-	-	93.3
170 or more.....	29	426	100.0	11	168	100.0	18	258	100.0

^{1/} Excludes unknown income.

Table 3-148. Cumulative percent distribution of vitamin C intake values in milligrams per 1,000 calories for persons aged 9-11 years by sex and income level: United States, 1976-80

Income level and vitamin C in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	882	10,667	100.0	457	5,310	100.0	425	5,357	100.0
Less than 5.....	31	345	3.2	17	191	3.6	14	154	2.9
5-9.....	48	511	8.0	22	220	7.7	26	292	8.3
10-14.....	75	845	15.9	34	336	14.1	41	509	17.8
15-19.....	74	945	24.8	38	467	22.9	36	478	26.8
20-24.....	85	1,025	34.4	38	434	31.0	47	591	37.8
25-29.....	65	783	41.8	33	385	38.3	32	398	45.2
30-34.....	59	695	48.3	31	349	44.8	28	346	51.7
35-39.....	49	579	53.7	27	280	50.1	22	299	57.3
40-44.....	38	465	58.1	17	187	53.6	21	278	62.4
45-49.....	34	391	61.7	25	306	59.4	9	85	64.0
50-59.....	67	834	69.5	41	519	69.2	26	315	69.9
60-69.....	38	462	73.9	19	205	73.0	19	257	74.7
70-79.....	41	507	78.6	20	238	77.5	21	269	79.7
80-89.....	37	476	83.1	22	286	82.9	15	190	83.3
90-99.....	36	448	87.3	20	231	87.3	16	217	87.3
100-109.....	22	313	90.2	11	159	90.3	11	154	90.2
110-119.....	13	149	91.6	4	59	91.4	9	90	91.9
120-129.....	12	131	92.8	4	43	92.2	8	88	93.5
130-139.....	11	148	94.3	6	80	93.7	5	69	94.8
140-149.....	10	127	95.4	3	24	94.1	7	102	96.7
150-159.....	9	127	96.6	7	96	95.9	2	31	97.3
160-169.....	5	63	97.2	3	38	96.6	2	25	97.8
170 or more.....	23	298	100.0	15	178	100.0	8	119	100.0
Income below poverty level^{1/}									
Total.....	190	1,967	100.0	88	854	100.0	102	1,113	100.0
Less than 5.....	10	101	5.1	4	44	5.1	6	58	5.2
5-9.....	12	109	10.7	3	23	7.8	9	86	12.9
10-14.....	23	254	23.6	7	53	14.0	16	201	31.0
15-19.....	16	165	32.0	7	77	23.1	9	88	38.9
20-24.....	19	202	42.3	9	82	32.7	10	120	49.6
25-29.....	12	135	49.1	7	73	41.2	5	62	55.2
30-34.....	14	155	57.0	3	39	45.7	11	116	65.6
35-39.....	11	90	61.6	7	58	52.5	4	32	68.5
40-44.....	3	23	62.7	2	13	54.0	1	10	69.4
45-49.....	4	29	64.2	4	29	57.4	-	-	69.4
50-59.....	18	190	73.9	9	86	67.5	9	104	78.8
60-69.....	8	68	77.3	3	19	69.7	5	49	83.1
70-79.....	7	81	81.4	4	55	76.2	3	26	85.4
80-89.....	7	66	84.8	2	14	77.9	5	52	90.1
90-99.....	6	62	88.0	3	24	80.6	3	39	93.6
100-109.....	4	50	90.5	4	50	86.5	-	-	93.6
110-119.....	3	32	92.2	2	24	89.3	1	8	94.3
120-129.....	1	10	92.7	-	-	89.3	1	10	95.2
130-139.....	3	33	94.3	1	12	90.8	2	21	97.1
140-149.....	1	9	94.8	1	9	91.8	-	-	97.1
150-159.....	3	51	97.4	2	26	94.8	1	25	99.3
160-169.....	-	-	97.4	-	-	94.8	-	-	99.3
170 or more.....	5	52	100.0	4	44	100.0	1	7	100.0

See footnotes at end of table.

Table 3-148. Cumulative percent distribution of vitamin C intake values in milligrams per 1,000 calories for persons aged 9-11 years by sex and income level: United States, 1976-80-Continued

Income level and vitamin C in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	663	8,370	100.0	356	4,321	100.0	307	4,049	100.0
Less than 5.....	19	211	2.5	13	147	3.4	6	64	1.6
5-9.....	36	402	7.3	19	197	7.9	17	205	6.6
10-14.....	47	531	13.7	24	255	13.9	23	276	13.5
15-19.....	58	780	23.0	31	390	22.9	27	390	23.1
20-24.....	65	816	32.7	28	345	30.9	37	471	34.7
25-29.....	50	619	40.1	25	306	37.9	25	313	42.5
30-34.....	44	525	46.4	27	295	44.8	17	230	48.1
35-39.....	34	450	51.8	20	222	49.9	14	228	53.8
40-44.....	31	401	56.6	13	151	53.4	18	249	59.9
45-49.....	29	341	60.6	20	256	59.3	9	85	62.0
50-59.....	48	637	68.3	31	426	69.2	17	211	67.3
60-69.....	27	373	72.7	14	174	73.2	13	199	72.2
70-79.....	34	425	77.8	16	183	77.5	18	243	78.2
80-89.....	29	392	82.5	19	254	83.4	10	138	81.6
90-99.....	30	386	87.1	17	208	88.2	13	179	86.0
100-109.....	18	263	90.3	7	109	90.7	11	154	89.8
110-119.....	9	109	91.6	2	35	91.5	7	75	91.6
120-129.....	11	121	93.0	4	43	92.5	7	78	93.6
130-139.....	7	105	94.3	5	67	94.0	2	37	94.5
140-149.....	9	118	95.7	2	15	94.4	7	102	97.0
150-159.....	6	76	96.6	5	70	96.0	1	6	97.2
160-169.....	5	63	97.3	3	38	96.9	2	25	97.8
170 or more.....	17	224	100.0	11	134	100.0	6	90	100.0

^{1/} Excludes unknown income.

Table 3-149. Cumulative percent distribution of vitamin C intake values in milligrams per 1,000 calories for persons aged 12-14 years by sex and income level: United States, 1976-80

Income level and vitamin C in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	991	11,632	100.0	504	5,920	100.0	487	5,712	100.0
Less than 5.....	54	576	4.9	21	201	3.4	33	375	6.6
5-9.....	103	1,168	15.0	63	727	15.7	40	441	14.3
10-14.....	95	1,025	23.8	42	481	23.8	53	544	23.8
15-19.....	96	1,035	32.7	43	459	31.6	53	576	33.9
20-24.....	91	1,086	42.0	46	585	41.4	45	501	42.7
25-29.....	78	929	50.0	44	463	49.3	34	466	50.8
30-34.....	54	667	55.8	30	340	55.0	24	328	56.6
35-39.....	47	513	60.2	18	190	58.2	29	323	62.2
40-44.....	34	415	63.7	16	202	61.6	18	213	65.9
45-49.....	28	298	66.3	15	143	64.0	13	154	68.6
50-59.....	62	814	73.3	30	410	71.0	32	403	75.7
60-69.....	51	625	78.7	29	351	76.9	22	275	80.5
70-79.....	32	391	82.0	16	185	80.0	16	206	84.1
80-89.....	17	218	83.9	14	181	83.1	3	37	84.8
90-99.....	17	199	85.6	10	108	84.9	7	91	86.4
100-109.....	10	105	86.5	5	55	85.8	5	50	87.2
110-119.....	22	275	88.9	9	138	88.1	13	137	89.6
120-129.....	21	316	91.6	11	167	91.0	10	148	92.2
130-139.....	13	147	92.8	5	61	92.0	8	86	93.7
140-149.....	14	185	94.4	6	72	93.2	8	113	95.7
150-159.....	10	138	95.6	6	90	94.7	4	49	96.6
160-169.....	5	63	96.2	3	38	95.4	2	26	97.0
170 or more.....	37	444	100.0	22	274	100.0	15	170	100.0
Income below poverty level^{1/}									
Total.....	193	1,963	100.0	89	891	100.0	104	1,072	100.0
Less than 5.....	19	209	10.6	4	34	3.8	15	174	16.3
5-9.....	23	228	22.3	16	160	21.8	7	68	22.6
10-14.....	24	236	34.3	6	86	31.5	18	150	36.6
15-19.....	22	183	43.6	11	88	41.3	11	95	45.4
20-24.....	17	160	51.7	7	75	49.8	10	85	53.3
25-29.....	15	197	61.8	8	77	58.4	7	120	64.5
30-34.....	9	102	67.0	6	70	66.2	3	32	67.5
35-39.....	6	67	70.4	2	16	68.0	4	51	72.3
40-44.....	7	80	74.5	4	43	72.8	3	38	75.9
45-49.....	6	53	77.2	3	24	75.5	3	30	78.6
50-59.....	9	89	81.7	2	19	77.5	7	71	85.2
60-69.....	9	95	86.6	6	73	85.7	3	23	87.3
70-79.....	4	60	89.7	1	7	86.5	3	53	92.2
80-89.....	3	23	90.8	2	16	88.3	1	7	92.9
90-99.....	-	-	90.8	-	-	88.3	-	-	92.9
100-109.....	-	-	90.8	-	-	88.3	-	-	92.9
110-119.....	5	56	93.7	2	28	91.4	3	28	95.5
120-129.....	2	15	94.4	-	-	91.4	2	15	96.9
130-139.....	-	-	94.4	-	-	91.4	-	-	96.9
140-149.....	-	-	94.4	-	-	91.4	-	-	96.9
150-159.....	2	19	95.4	1	9	92.5	1	10	97.8
160-169.....	1	6	95.7	1	6	93.2	-	-	97.8
170 or more.....	10	84	100.0	7	61	100.0	3	23	100.0

See footnotes at end of table.

Table 3-149. Cumulative percent distribution of vitamin C intake values in milligrams per 1,000 calories for persons aged 12-14 years by sex and income level: United States, 1976-80-Continued

Income level and vitamin C in milligrams per 1,000 calories	Both sexes			Male			Female		
	Exam- ined persons	Esti- mated popula- tion in thou- sands	Cumulative percent	Exam- ined persons	Esti- mated popula- tion in thou- sands	Cumulative percent	Exam- ined persons	Esti- mated popula- tion in thou- sands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	762	9,255	100.0	399	4,841	100.0	363	4,414	100.0
Less than 5.....	33	354	3.8	17	167	3.4	16	187	4.2
5-9.....	75	893	13.5	43	530	14.4	32	363	12.5
10-14.....	70	781	21.9	35	386	22.4	35	395	21.4
15-19.....	72	828	30.8	32	371	30.0	40	457	31.7
20-24.....	71	878	40.3	38	484	40.0	33	394	40.7
25-29.....	61	706	48.0	36	386	48.0	25	320	47.9
30-34.....	43	533	53.7	23	257	53.3	20	276	54.2
35-39.....	39	426	58.3	15	161	56.6	24	264	60.2
40-44.....	27	334	61.9	12	159	59.9	15	175	64.1
45-49.....	22	244	64.6	12	120	62.4	10	125	66.9
50-59.....	52	701	72.1	27	368	70.0	25	333	74.5
60-69.....	37	480	77.3	20	247	75.1	17	233	79.8
70-79.....	28	331	80.9	15	178	78.8	13	153	83.2
80-89.....	14	195	83.0	12	165	82.2	2	30	83.9
90-99.....	15	187	85.0	10	108	84.4	5	79	85.7
100-109.....	10	105	86.2	5	55	85.6	5	50	86.8
110-119.....	16	211	88.5	7	110	87.8	9	102	89.1
120-129.....	16	254	91.2	10	161	91.2	6	93	91.2
130-139.....	13	147	92.8	5	61	92.4	8	86	93.2
140-149.....	11	150	94.4	4	51	93.5	7	98	95.4
150-159.....	7	110	95.6	4	71	94.9	3	39	96.3
160-169.....	4	57	96.2	2	32	95.6	2	26	96.9
170 or more.....	26	351	100.0	15	213	100.0	11	138	100.0

1/ Excludes unknown income.

Table 3-150. Cumulative percent distribution of vitamin C intake values in milligrams per 1,000 calories for persons aged 15-17 years by sex and income level: United States, 1976-80

Income level and vitamin C in milligrams per 1,000 calories	Both sexes			Male			Female		
	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent
All incomes									
Total.....	1/983	12,441	100.0	1/534	6,309	100.0	449	6,131	100.0
Less than 5.....	76	888	7.1	40	439	6.9	36	450	7.3
5-9.....	99	1,273	17.4	51	576	16.1	48	697	18.7
10-14.....	118	1,450	29.0	64	718	27.4	54	732	30.6
15-19.....	98	1,288	39.4	52	620	37.3	46	668	41.5
20-24.....	91	1,167	48.8	54	694	48.3	37	474	49.3
25-29.....	86	1,004	56.8	46	536	56.8	40	469	56.9
30-34.....	59	735	62.8	36	410	63.3	23	326	62.2
35-39.....	50	671	68.1	29	396	69.5	21	275	66.7
40-44.....	23	234	70.0	12	106	71.2	11	127	68.8
45-49.....	22	275	72.2	15	176	74.0	7	99	70.4
50-59.....	51	674	77.6	27	344	79.5	24	330	75.8
60-69.....	40	511	81.8	25	303	84.3	15	208	79.2
70-79.....	25	335	84.4	13	145	86.6	12	190	82.3
80-89.....	18	242	86.4	10	121	88.5	8	121	84.2
90-99.....	28	374	89.4	15	207	91.8	13	167	87.0
100-109.....	14	198	91.0	9	130	93.8	5	67	88.1
110-119.....	15	206	92.6	5	50	94.6	10	155	90.6
120-129.....	12	158	93.9	4	46	95.3	8	112	92.4
130-139.....	14	196	95.5	6	79	96.6	8	117	94.3
140-149.....	8	100	96.3	1	9	96.7	7	91	95.8
150-159.....	4	35	96.6	3	26	97.1	1	9	96.0
160-169.....	4	40	96.9	1	6	97.3	3	34	96.5
170 or more.....	28	387	100.0	16	173	100.0	12	213	100.0
Income below poverty level ^{2/}									
Total.....	177	2,073	100.0	89	974	100.0	88	1,099	100.0
Less than 5.....	20	238	11.5	10	101	10.4	10	137	12.4
5-9.....	30	346	28.2	15	152	26.1	15	194	30.1
10-14.....	25	304	42.9	13	136	40.0	12	169	45.4
15-19.....	15	159	50.5	7	79	48.1	8	80	52.7
20-24.....	15	207	60.5	7	109	59.4	8	98	61.5
25-29.....	11	116	66.1	6	64	65.9	5	51	66.2
30-34.....	12	127	72.2	6	58	71.8	6	69	72.5
35-39.....	8	95	76.8	4	44	76.4	4	51	77.2
40-44.....	6	53	79.4	3	24	78.9	3	29	79.8
45-49.....	3	28	80.7	2	18	80.8	1	10	80.7
50-59.....	4	51	83.2	2	32	84.0	2	19	82.4
60-69.....	5	63	86.2	5	63	90.5	-	-	82.4
70-79.....	4	33	87.8	3	24	93.0	1	8	83.2
80-89.....	3	36	89.5	1	9	93.9	2	27	85.6
90-99.....	2	31	91.0	1	23	96.3	1	8	86.3
100-109.....	2	37	92.8	-	-	96.3	2	37	89.8
110-119.....	3	37	94.6	1	9	97.2	2	28	92.3
120-129.....	1	10	95.0	-	-	97.2	1	10	93.1
130-139.....	2	32	96.6	-	-	97.2	2	32	96.1
140-149.....	1	9	97.0	1	9	98.1	-	-	96.1
150-159.....	-	-	97.0	-	-	98.1	-	-	96.1
160-169.....	1	8	97.4	-	-	98.1	1	8	96.8
170 or more.....	4	53	100.0	2	18	100.0	2	35	100.0

See footnotes at end of table.

Table 3-150. Cumulative percent distribution of vitamin C intake values in milligrams per 1,000 calories for persons aged 15-17 years by sex and income level: United States, 1976-80-Continued

Income level and vitamin C in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{2/}									
Total.....	1/759	9,750	100.0	1/417	4,992	100.0	342	4,758	100.0
Less than 5.....	53	621	6.4	29	329	6.6	24	293	6.1
5-9.....	67	874	15.3	35	412	14.8	32	462	15.8
10-14.....	85	1,024	25.8	47	523	25.3	38	502	26.4
15-19.....	81	1,100	37.1	44	527	35.9	37	573	38.4
20-24.....	72	910	46.5	43	534	46.6	29	376	46.3
25-29.....	74	881	55.5	39	464	55.9	35	417	55.1
30-34.....	43	559	61.2	28	326	62.4	15	233	60.0
35-39.....	40	554	66.9	24	342	69.3	16	212	64.5
40-44.....	17	180	68.8	9	82	70.9	8	98	66.5
45-49.....	17	225	71.1	11	135	73.6	6	90	68.4
50-59.....	38	512	76.3	20	251	78.6	18	261	73.9
60-69.....	31	400	80.4	18	217	83.0	13	183	77.7
70-79.....	21	302	83.5	10	121	85.4	11	181	81.5
80-89.....	14	198	85.5	9	112	87.6	5	87	83.3
90-99.....	24	323	88.9	12	164	90.9	12	159	86.7
100-109.....	11	138	90.3	8	108	93.1	3	30	87.3
110-119.....	12	169	92.0	4	41	93.9	8	128	90.0
120-129.....	11	149	93.5	4	46	94.8	7	102	92.2
130-139.....	12	164	95.2	6	79	96.4	6	85	93.9
140-149.....	7	91	96.1	-	-	96.4	7	91	95.9
150-159.....	4	35	96.5	3	26	96.9	1	9	96.0
160-169.....	3	32	96.8	1	6	97.1	2	26	96.6
170 or more.....	22	309	100.0	13	146	100.0	9	163	100.0

1/ Excludes 1 examined person with zero calories.

2/ Excludes unknown income.

Table 3-151. Cumulative percent distribution of vitamin C intake values in milligrams per 1,000 calories for persons aged 18-24 years by sex and income level: United States, 1976-80

Income level and vitamin C in milligrams per 1,000 calories	Both sexes			Male			Female		
	Exam-ined persons	Esti-mated population in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated population in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated population in thou-sands	Cumulative percent
All incomes									
Total.....	1/2,053	27,439	100.0	988	13,275	100.0	1/1,065	14,164	100.0
Less than 5.....	157	2,034	7.4	81	1,048	7.9	76	986	7.0
5-9.....	192	2,532	16.6	118	1,590	19.9	74	942	13.6
10-14.....	188	2,360	25.2	101	1,276	29.5	87	1,084	21.3
15-19.....	195	2,445	34.1	98	1,209	38.6	97	1,236	30.0
20-24.....	160	2,052	41.6	82	1,083	46.8	78	969	36.8
25-29.....	143	1,939	48.7	71	980	54.1	72	960	43.6
30-34.....	112	1,465	54.0	48	630	58.9	64	835	49.5
35-39.....	74	1,001	57.7	38	509	62.7	36	492	53.0
40-44.....	87	1,127	61.8	44	580	67.1	43	546	56.8
45-49.....	70	1,005	65.5	40	571	71.4	30	435	59.9
50-59.....	129	1,697	71.6	62	817	77.5	67	880	66.1
60-69.....	87	1,259	76.2	27	414	80.7	60	845	72.1
70-79.....	81	1,123	80.3	34	485	84.3	47	638	76.6
80-89.....	55	803	83.3	27	382	87.2	28	421	79.6
90-99.....	48	694	85.8	13	191	88.6	35	503	83.1
100-109.....	43	617	88.0	15	200	90.1	28	417	86.0
110-119.....	33	462	89.7	16	237	91.9	17	225	87.6
120-129.....	27	371	91.1	11	148	93.0	16	223	89.2
130-139.....	20	289	92.1	10	170	94.3	10	119	90.1
140-149.....	24	363	93.4	8	99	95.0	16	265	91.9
150-159.....	20	274	94.4	4	61	95.5	16	214	93.4
160-169.....	11	176	95.1	4	76	96.1	7	100	94.1
170 or more.....	97	1,350	100.0	36	520	100.0	61	830	100.0
Income below poverty level ^{2/}									
Total.....	1/430	5,300	100.0	178	2,237	100.0	1/252	3,063	100.0
Less than 5.....	41	516	9.8	12	154	6.9	29	362	11.8
5-9.....	39	482	18.8	20	246	17.9	19	236	19.5
10-14.....	39	471	27.7	17	230	28.2	22	240	27.4
15-19.....	40	487	36.9	21	249	39.3	19	238	35.1
20-24.....	26	336	43.2	13	171	47.0	13	165	40.5
25-29.....	30	399	50.8	18	246	58.0	12	153	45.5
30-34.....	27	327	56.9	10	126	63.6	17	201	52.1
35-39.....	14	145	59.7	9	83	67.3	5	62	54.1
40-44.....	22	292	65.2	8	113	72.3	14	178	59.9
45-49.....	17	204	69.0	5	67	75.3	12	137	64.4
50-59.....	29	375	76.1	12	143	81.7	17	232	72.0
60-69.....	12	150	78.9	5	64	84.6	7	85	74.8
70-79.....	11	119	81.1	2	30	85.9	9	89	77.6
80-89.....	10	113	83.3	4	47	88.0	6	66	79.8
90-99.....	13	168	86.4	4	54	90.4	9	114	83.5
100-109.....	13	145	89.2	5	52	92.8	8	94	86.6
110-119.....	6	68	90.5	1	12	93.3	5	57	88.4
120-129.....	6	64	91.7	2	18	94.1	4	46	89.9
130-139.....	4	38	92.4	-	-	94.1	4	38	91.2
140-149.....	3	37	93.1	-	-	94.1	3	37	92.4
150-159.....	2	42	93.9	-	-	94.1	2	42	93.8
160-169.....	2	31	94.5	-	-	94.1	2	31	94.8
170 or more.....	24	292	100.0	10	133	100.0	14	160	100.0

See footnotes at end of table.

Table 3-151. Cumulative percent distribution of vitamin C intake values in milligrams per 1,000 calories for persons aged 18-24 years by sex and income level: United States, 1976-80-Continued

Income level and vitamin C in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{2/}									
Total.....	1,541	21,013	100.0	770	10,508	100.0	771	10,505	100.0
Less than 5.....	110	1,448	6.9	65	844	8.0	45	604	5.8
5-9.....	145	1,970	16.3	92	1,283	20.2	53	687	12.3
10-14.....	143	1,819	24.9	82	1,021	29.9	61	798	19.9
15-19.....	143	1,779	33.4	71	877	38.3	72	902	28.5
20-24.....	129	1,653	41.3	66	870	46.6	63	782	35.9
25-29.....	108	1,466	48.2	51	712	53.4	57	754	43.1
30-34.....	83	1,119	53.6	38	504	58.2	45	615	48.9
35-39.....	57	805	57.4	27	384	61.8	30	421	53.0
40-44.....	63	815	61.3	35	460	66.2	28	355	56.3
45-49.....	50	730	64.7	33	477	70.7	17	253	58.8
50-59.....	92	1,210	70.5	46	615	76.6	46	595	64.4
60-69.....	71	1,049	75.5	22	349	79.9	49	700	71.1
70-79.....	65	924	79.9	28	394	83.7	37	531	76.1
80-89.....	43	669	83.1	21	315	86.7	22	354	79.5
90-99.....	34	519	85.5	9	137	88.0	25	382	83.1
100-109.....	28	447	87.7	10	148	89.4	18	299	86.0
110-119.....	26	384	89.5	15	225	91.5	11	159	87.5
120-129.....	20	289	90.9	8	112	92.6	12	177	89.2
130-139.....	16	251	92.1	10	170	94.2	6	81	89.9
140-149.....	19	299	93.5	7	86	95.0	12	214	92.0
150-159.....	17	226	94.6	4	61	95.6	13	165	93.5
160-169.....	9	145	95.3	4	76	96.3	5	69	94.2
170 or more.....	70	996	100.0	26	388	100.0	44	609	100.0

1/ Excludes 1 examined person with zero calories.
2/ Excludes unknown income.

Table 3-152. Cumulative percent distribution of vitamin C intake values in milligrams per 1,000 calories for persons aged 25-34 years by sex and income level: United States, 1976-80

Income level and vitamin C in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	1/2,236	32,739	100.0	1,067	15,895	100.0	1/1,169	16,844	100.0
Less than 5.....	169	2,380	7.3	87	1,249	7.9	82	1,131	6.7
5-9.....	216	3,093	16.7	126	1,767	19.0	90	1,325	14.6
10-14.....	217	3,293	26.8	122	1,853	30.6	95	1,441	23.1
15-19.....	218	3,124	36.3	111	1,656	41.0	107	1,468	31.9
20-24.....	183	2,737	44.7	83	1,283	49.1	100	1,454	40.5
25-29.....	143	1,980	50.7	70	981	55.3	73	999	46.4
30-34.....	130	1,913	56.6	69	1,089	62.1	61	824	51.3
35-39.....	92	1,343	60.7	53	769	67.0	39	574	54.7
40-44.....	87	1,269	64.5	35	546	70.4	52	723	59.0
45-49.....	85	1,228	68.3	40	588	74.1	45	640	62.8
50-59.....	116	1,678	73.4	54	851	79.5	62	827	67.7
60-69.....	101	1,459	77.9	44	635	83.5	57	824	72.6
70-79.....	75	1,158	81.4	32	489	86.5	43	670	76.6
80-89.....	70	1,083	84.7	30	508	89.7	40	575	80.0
90-99.....	54	770	87.1	15	236	91.2	39	534	83.2
100-109.....	41	650	89.1	16	276	92.9	25	375	85.4
110-119.....	32	475	90.5	16	249	94.5	16	226	86.8
120-129.....	30	510	92.1	7	121	95.3	23	389	89.0
130-139.....	26	338	93.1	9	96	95.9	17	242	90.5
140-149.....	20	267	93.9	6	74	96.3	14	193	91.6
150-159.....	14	215	94.6	6	95	96.9	8	120	92.4
160-169.....	16	217	95.2	5	67	97.4	11	150	93.2
170 or more.....	101	1,557	100.0	31	419	100.0	70	1,138	100.0
Income below poverty level^{2/}									
Total.....	253	3,103	100.0	91	1,106	100.0	162	1,997	100.0
Less than 5.....	33	421	13.6	18	206	18.6	15	215	10.8
5-9.....	25	328	24.1	12	137	31.1	13	190	20.3
10-14.....	17	229	31.5	7	80	38.3	10	148	27.7
15-19.....	25	326	42.0	8	111	48.3	17	215	38.5
20-24.....	23	285	51.2	8	107	58.0	15	178	47.4
25-29.....	21	271	59.9	4	30	60.8	17	240	59.4
30-34.....	16	178	65.7	7	80	68.0	9	98	64.3
35-39.....	6	82	68.3	4	65	73.9	2	16	65.1
40-44.....	6	77	70.8	2	24	76.1	4	54	67.9
45-49.....	10	128	74.9	4	59	81.4	6	69	71.3
50-59.....	12	129	79.1	3	44	85.3	9	86	75.6
60-69.....	13	149	83.9	1	7	86.0	12	141	82.7
70-79.....	10	123	87.8	3	45	90.1	7	78	86.6
80-89.....	3	29	88.8	2	18	91.7	1	11	87.2
90-99.....	4	47	90.3	2	28	94.2	2	19	88.1
100-109.....	3	26	91.1	1	9	95.0	2	17	89.0
110-119.....	2	35	92.3	1	22	97.0	1	13	89.6
120-129.....	2	18	92.9	-	-	97.0	2	18	90.6
130-139.....	6	56	94.7	3	25	99.2	3	32	92.2
140-149.....	3	26	95.5	-	-	99.2	3	26	93.5
150-159.....	2	17	96.0	1	9	100.0	1	8	93.9
160-169.....	3	37	97.2	-	-	100.0	3	37	95.7
170 or more.....	8	86	100.0	-	-	100.0	8	86	100.0

See footnotes at end of table.

Table 3-152. Cumulative percent distribution of vitamin C intake values in milligrams per 1,000 calories for persons aged 25-34 years by sex and income level: United States, 1976-80-Continued

Income level and vitamin C in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{2/}									
Total.....	1/1,926	28,824	100.0	945	14,355	100.0	1/981	14,469	100.0
Less than 5.....	134	1,927	6.7	67	1,011	7.0	67	916	6.3
5-9.....	187	2,714	16.1	112	1,609	18.3	75	1,105	14.0
10-14.....	195	2,948	26.3	112	1,715	30.2	83	1,234	22.5
15-19.....	189	2,754	35.9	101	1,524	40.8	88	1,230	31.0
20-24.....	154	2,357	44.1	70	1,089	48.4	84	1,268	39.8
25-29.....	118	1,672	49.9	64	931	54.9	54	741	44.9
30-34.....	114	1,735	55.9	62	1,008	61.9	52	726	49.9
35-39.....	84	1,244	60.2	48	695	66.8	36	548	53.7
40-44.....	80	1,179	64.3	33	522	70.4	47	656	58.2
45-49.....	72	1,067	68.0	33	497	73.8	39	571	62.2
50-59.....	101	1,513	73.2	50	795	79.4	51	718	67.1
60-69.....	84	1,265	77.6	42	620	83.7	42	645	71.6
70-79.....	63	987	81.0	28	419	86.6	35	568	75.5
80-89.....	59	926	84.3	23	411	89.5	36	515	79.1
90-99.....	49	701	86.7	13	208	90.9	36	493	82.5
100-109.....	38	625	88.9	15	267	92.8	23	357	85.0
110-119.....	29	429	90.3	14	216	94.3	15	213	86.4
120-129.....	26	474	92.0	7	121	95.1	19	353	88.9
130-139.....	20	282	93.0	6	71	95.6	14	211	90.3
140-149.....	16	219	93.7	6	74	96.1	10	144	91.3
150-159.....	12	199	94.4	5	86	96.7	7	113	92.1
160-169.....	12	169	95.0	4	56	97.1	8	113	92.9
170 or more.....	90	1,441	100.0	30	411	100.0	60	1,030	100.0

1/ Excludes 1 examined person with zero calories.

2/ Excludes unknown income.

Table 3-153. Cumulative percent distribution of vitamin C intake values in milligrams per 1,000 calories for persons aged 35-44 years by sex and income level: United States, 1976-80

Income level and vitamin C in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	1,589	23,651	100.0	745	11,367	100.0	844	12,284	100.0
Less than 5.....	118	1,760	7.4	56	857	7.5	62	903	7.3
5-9.....	144	2,030	16.0	79	1,209	18.2	65	821	14.0
10-14.....	129	2,065	24.8	68	1,055	27.5	61	1,010	22.3
15-19.....	153	2,162	33.9	75	1,155	37.6	78	1,007	30.4
20-24.....	141	2,037	42.5	65	990	46.3	76	1,047	39.0
25-29.....	100	1,405	48.4	52	705	52.5	48	700	44.7
30-34.....	68	953	52.5	29	411	56.1	39	542	49.1
35-39.....	78	1,247	57.8	40	612	61.5	38	635	54.3
40-44.....	66	1,004	62.0	32	497	65.9	34	508	58.4
45-49.....	40	585	64.5	22	337	68.9	18	248	60.4
50-59.....	109	1,708	71.7	56	931	77.0	53	778	66.7
60-69.....	84	1,281	77.1	38	568	82.0	46	713	72.5
70-79.....	73	1,136	81.9	33	519	86.6	40	617	77.6
80-89.....	67	1,023	86.2	22	358	89.8	45	665	83.0
90-99.....	38	541	88.5	17	245	91.9	21	296	85.4
100-109.....	28	374	90.1	14	183	93.5	14	191	86.9
110-119.....	42	618	92.7	19	301	96.2	23	317	89.5
120-129.....	12	158	93.4	5	67	96.8	7	91	90.3
130-139.....	9	147	94.0	2	30	97.0	7	116	91.2
140-149.....	12	214	94.9	2	49	97.5	10	165	92.6
150-159.....	8	126	95.4	2	31	97.7	6	95	93.3
160-169.....	13	186	96.2	7	90	98.5	6	97	94.1
170 or more.....	57	891	100.0	10	168	100.0	47	723	100.0
Income below poverty level^{1/}									
Total.....	182	2,364	100.0	63	821	100.0	119	1,543	100.0
Less than 5.....	22	276	11.7	*	*	*	11	147	9.5
5-9.....	22	276	23.4	*	*	*	15	195	22.2
10-14.....	17	228	33.0	*	*	*	8	116	29.7
15-19.....	26	351	47.9	*	*	*	18	240	45.3
20-24.....	19	273	59.4	*	*	*	11	154	55.2
25-29.....	10	132	65.0	*	*	*	7	100	61.7
30-34.....	6	63	67.6	*	*	*	6	63	65.8
35-39.....	9	116	72.5	*	*	*	7	96	72.0
40-44.....	8	83	76.0	*	*	*	6	65	76.2
45-49.....	3	31	77.3	*	*	*	2	19	77.5
50-59.....	3	39	79.0	*	*	*	2	28	79.2
60-69.....	4	56	81.4	*	*	*	3	38	81.7
70-79.....	1	16	82.1	*	*	*	-	-	81.7
80-89.....	11	126	87.4	*	*	*	10	117	89.3
90-99.....	3	27	88.5	*	*	*	3	27	91.0
100-109.....	3	28	89.7	*	*	*	1	8	91.5
110-119.....	3	36	91.2	*	*	*	1	10	92.2
120-129.....	2	19	92.0	*	*	*	2	19	93.4
130-139.....	-	-	92.0	*	*	*	-	-	93.4
140-149.....	4	85	95.6	*	*	*	3	51	96.7
150-159.....	2	34	97.0	*	*	*	1	20	98.0
160-169.....	2	32	98.4	*	*	*	1	24	99.5
170 or more.....	2	38	100.0	*	*	*	1	8	100.0

See footnotes at end of table.

Table 3-153. Cumulative percent distribution of vitamin C intake values in milligrams per 1,000 calories for persons aged 35-44 years by sex and income level: United States, 1976-80-Continued

Income level and vitamin C in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	1,360	20,572	100.0	658	10,195	100.0	702	10,377	100.0
Less than 5.....	95	1,469	7.1	45	728	7.1	50	741	7.1
5-9.....	117	1,671	15.3	69	1,062	17.5	48	609	13.0
10-14.....	104	1,737	23.7	54	884	26.2	50	853	21.2
15-19.....	123	1,747	32.2	65	1,026	36.3	58	721	28.2
20-24.....	118	1,710	40.5	54	840	44.5	64	870	36.6
25-29.....	87	1,233	46.5	47	647	50.9	40	585	42.2
30-34.....	60	857	50.7	29	411	54.9	31	446	46.5
35-39.....	67	1,075	55.9	36	536	60.2	31	539	51.7
40-44.....	57	908	60.3	30	478	64.8	27	430	55.8
45-49.....	35	523	62.8	21	326	68.0	14	198	57.8
50-59.....	103	1,632	70.8	54	904	76.9	49	728	64.8
60-69.....	76	1,167	76.4	35	533	82.1	41	634	70.9
70-79.....	69	1,059	81.6	30	462	86.7	39	597	76.6
80-89.....	54	862	85.8	21	349	90.1	33	513	81.6
90-99.....	34	505	88.2	16	235	92.4	18	270	84.2
100-109.....	23	322	89.8	11	152	93.9	12	170	85.8
110-119.....	39	582	92.6	17	275	96.6	22	307	88.8
120-129.....	10	139	93.3	5	67	97.2	5	73	89.5
130-139.....	9	147	94.0	2	30	97.5	7	116	90.6
140-149.....	8	129	94.7	1	15	97.7	7	114	91.7
150-159.....	6	91	95.1	1	17	97.8	5	75	92.4
160-169.....	11	154	95.8	6	81	98.6	5	73	93.1
170 or more.....	55	853	100.0	9	138	100.0	46	716	100.0

^{1/} Excludes unknown income.

Table 3-154. Cumulative percent distribution of vitamin C intake values in milligrams per 1,000 calories for persons aged 45-54 years by sex and income level: United States, 1976-80

Income level and vitamin C in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	1,453	23,032	100.0	690	11,114	100.0	763	11,918	100.0
Less than 5.....	108	1,541	6.7	55	807	7.3	53	734	6.2
5-9.....	98	1,696	14.1	46	818	14.6	52	879	13.5
10-14.....	109	1,704	21.4	65	1,075	24.3	44	629	18.8
15-19.....	109	1,662	28.7	61	906	32.4	48	756	25.1
20-24.....	99	1,568	35.5	54	886	40.4	45	682	30.9
25-29.....	84	1,237	40.8	49	720	46.9	35	517	35.2
30-34.....	67	1,143	45.8	40	685	53.0	27	458	39.1
35-39.....	60	962	50.0	27	392	56.6	33	570	43.8
40-44.....	58	941	54.1	34	528	61.3	24	412	47.3
45-49.....	59	872	57.9	23	340	64.4	36	532	51.8
50-59.....	90	1,420	64.0	51	853	72.1	39	567	56.5
60-69.....	79	1,306	69.7	32	613	77.6	47	694	62.3
70-79.....	61	1,077	74.4	24	406	81.2	37	672	68.0
80-89.....	51	735	77.6	23	363	84.5	28	372	71.1
90-99.....	46	716	80.7	20	323	87.4	26	392	74.4
100-109.....	43	717	83.8	14	256	89.7	29	461	78.3
110-119.....	31	487	85.9	13	207	91.6	18	280	80.6
120-129.....	30	521	88.2	9	141	92.8	21	380	83.8
130-139.....	30	469	90.2	16	257	95.1	14	213	85.6
140-149.....	20	350	91.7	9	135	96.4	11	215	87.4
150-159.....	13	192	92.5	4	58	96.9	9	134	88.5
160-169.....	10	150	93.2	4	76	97.6	6	74	89.1
170 or more.....	98	1,566	100.0	17	271	100.0	81	1,295	100.0
Income below poverty level^{1/}									
Total.....	128	1,760	100.0	46	645	100.0	82	1,115	100.0
Less than 5.....	19	229	13.0	*	*	*	10	134	12.0
5-9.....	12	177	23.1	*	*	*	8	120	22.8
10-14.....	6	117	29.7	*	*	*	3	35	25.9
15-19.....	9	96	35.2	*	*	*	6	63	31.6
20-24.....	3	34	37.1	*	*	*	3	34	34.6
25-29.....	7	85	41.9	*	*	*	2	21	36.5
30-34.....	2	39	44.1	*	*	*	1	10	37.4
35-39.....	5	92	49.3	*	*	*	4	78	44.4
40-44.....	9	116	55.9	*	*	*	3	41	48.0
45-49.....	6	87	60.8	*	*	*	5	75	54.7
50-59.....	7	93	66.1	*	*	*	4	41	58.4
60-69.....	6	100	71.8	*	*	*	5	78	65.4
70-79.....	4	87	76.7	*	*	*	4	87	73.2
80-89.....	3	26	78.2	*	*	*	2	17	74.7
90-99.....	3	33	80.1	*	*	*	2	23	76.8
100-109.....	4	42	82.5	*	*	*	3	30	79.5
110-119.....	3	36	84.5	*	*	*	2	23	81.6
120-129.....	5	92	89.8	*	*	*	4	80	88.8
130-139.....	3	44	92.2	*	*	*	1	12	89.9
140-149.....	2	24	93.6	*	*	*	-	-	89.9
150-159.....	-	-	93.6	*	*	*	-	-	89.9
160-169.....	1	10	94.1	*	*	*	1	10	90.8
170 or more.....	9	103	100.0	*	*	*	9	103	100.0

See footnotes at end of table.

Table 3-154. Cumulative percent distribution of vitamin C intake values in milligrams per 1,000 calories for persons aged 45-54 years by sex and income level: United States, 1976-80-Continued

Income level and vitamin C in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	1,258	20,161	100.0	603	9,738	100.0	655	10,424	100.0
Less than 5.....	81	1,192	5.9	41	625	6.4	40	567	5.4
5-9.....	86	1,519	13.4	42	761	14.2	44	758	12.7
10-14.....	99	1,523	21.0	60	947	23.9	39	576	18.2
15-19.....	95	1,485	28.4	55	824	32.4	40	661	24.6
20-24.....	92	1,477	35.7	51	838	41.0	41	639	30.7
25-29.....	72	1,084	41.1	40	598	47.2	32	486	35.4
30-34.....	59	1,003	46.0	36	611	53.4	23	391	39.1
35-39.....	52	830	50.2	25	367	57.2	27	463	43.6
40-44.....	46	767	54.0	26	414	61.5	20	353	47.0
45-49.....	51	756	57.7	21	309	64.6	30	448	51.3
50-59.....	79	1,240	63.9	45	723	72.1	34	517	56.2
60-69.....	69	1,131	69.5	28	525	77.4	41	605	62.0
70-79.....	55	969	74.3	22	384	81.4	33	585	67.6
80-89.....	47	687	77.7	22	354	85.0	25	334	70.8
90-99.....	39	604	80.7	16	250	87.6	23	354	74.2
100-109.....	37	651	83.9	12	230	89.9	25	421	78.3
110-119.....	26	412	85.9	11	179	91.8	15	233	80.5
120-129.....	24	404	88.0	8	129	93.1	16	276	83.1
130-139.....	26	401	89.9	13	201	95.2	13	200	85.1
140-149.....	17	312	91.5	6	97	96.2	11	215	87.1
150-159.....	13	192	92.4	4	58	96.8	9	134	88.4
160-169.....	9	140	93.1	4	76	97.5	5	64	89.0
170 or more.....	84	1,382	100.0	15	238	100.0	69	1,144	100.0

1/ Excludes unknown income.

Table 3-155. Cumulative percent distribution of vitamin C intake values in milligrams per 1,000 calories for persons aged 55-64 years by sex and income level: United States, 1976-80

Income level and vitamin C in milligrams per 1,000 calories	Both sexes			Male			Female		
	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent
All incomes									
Total.....	1/2,555	20,346	100.0	1/1,226	9,603	100.0	1,329	10,743	100.0
Less than 5.....	137	885	4.3	82	548	5.7	55	337	3.1
5-9.....	142	1,134	9.9	74	576	11.7	68	558	8.3
10-14.....	174	1,398	16.8	101	860	20.7	73	537	13.3
15-19.....	148	1,161	22.5	89	637	27.3	59	524	18.2
20-24.....	132	1,142	28.1	72	641	34.0	60	501	22.9
25-29.....	138	1,123	33.6	85	668	40.9	53	455	27.1
30-34.....	119	886	38.0	73	545	46.6	46	342	30.3
35-39.....	107	799	41.9	50	371	50.5	57	427	34.3
40-44.....	96	770	45.7	50	365	54.3	46	404	38.0
45-49.....	86	700	49.1	45	387	58.3	41	313	40.9
50-59.....	180	1,495	56.5	96	793	66.6	84	702	47.5
60-69.....	173	1,404	63.4	81	622	73.0	92	782	54.8
70-79.....	145	1,187	69.2	72	582	79.1	73	605	60.4
80-89.....	124	1,087	74.6	53	433	83.6	71	653	66.5
90-99.....	88	726	78.1	44	348	87.2	44	379	70.0
100-109.....	102	785	82.0	43	318	90.5	59	467	74.3
110-119.....	76	567	84.8	22	166	92.3	54	401	78.1
120-129.....	54	382	86.6	15	92	93.2	39	289	80.8
130-139.....	40	330	88.3	9	83	94.1	31	246	83.1
140-149.....	51	467	90.6	13	144	95.6	38	323	86.1
150-159.....	32	233	91.7	11	75	96.4	21	157	87.5
160-169.....	30	231	92.8	8	67	97.1	22	164	89.1
170 or more.....	181	1,455	100.0	38	281	100.0	143	1,175	100.0
Income below poverty level^{2/}									
Total.....	1/316	1,956	100.0	1/128	775	100.0	188	1,181	100.0
Less than 5.....	25	135	6.9	14	77	9.9	11	59	5.0
5-9.....	25	185	16.4	11	57	17.2	14	129	15.9
10-14.....	28	170	25.1	8	44	22.8	20	126	26.5
15-19.....	17	85	29.4	10	49	29.2	7	36	29.6
20-24.....	25	214	40.4	11	96	41.6	14	118	39.6
25-29.....	21	131	47.1	11	59	49.2	10	72	45.7
30-34.....	13	77	51.1	6	52	55.9	7	26	47.9
35-39.....	9	43	53.3	5	27	59.4	4	16	49.2
40-44.....	11	58	56.2	8	47	65.5	3	11	50.1
45-49.....	12	75	60.0	6	41	70.8	6	34	53.0
50-59.....	15	92	64.7	5	32	74.9	10	60	58.1
60-69.....	19	106	70.1	7	44	80.6	12	62	63.3
70-79.....	17	103	75.4	6	36	85.3	11	67	69.0
80-89.....	7	55	78.2	4	30	89.2	3	24	71.0
90-99.....	6	50	80.8	3	14	91.0	3	36	74.1
100-109.....	7	43	83.0	2	12	92.6	5	30	76.7
110-119.....	13	76	86.8	1	4	93.1	12	72	82.7
120-129.....	6	23	88.0	2	9	94.2	4	14	83.9
130-139.....	3	10	88.5	-	-	94.2	3	10	84.8
140-149.....	12	81	92.7	2	14	96.0	10	67	90.5
150-159.....	2	11	93.2	1	8	97.0	1	3	90.8
160-169.....	4	14	93.9	1	4	97.5	3	10	91.6
170 or more.....	19	118	100.0	4	19	100.0	15	99	100.0

See footnotes at end of table.

Table 3-155. Cumulative percent distribution of vitamin C intake values in milligrams per 1,000 calories for persons aged 55-64 years by sex and income level: United States, 1976-80-Continued

Income level and vitamin C in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{2/}									
Total.....	2,119	17,376	100.0	1,048	8,443	100.0	1,071	8,934	100.0
Less than 5.....	106	721	4.1	64	456	5.4	42	265	3.0
5-9.....	107	863	9.1	59	482	11.1	48	382	7.2
10-14.....	140	1,156	15.8	90	776	20.3	50	380	11.5
15-19.....	126	1,053	21.8	75	573	27.1	51	479	16.8
20-24.....	103	902	27.0	58	527	33.3	45	376	21.1
25-29.....	108	889	32.1	68	545	39.8	40	344	24.9
30-34.....	101	780	36.6	63	477	45.4	38	303	28.3
35-39.....	95	730	40.8	44	336	49.4	51	393	32.7
40-44.....	79	627	44.4	41	305	53.0	38	321	36.3
45-49.....	73	614	48.0	38	335	57.0	35	280	39.4
50-59.....	158	1,377	55.9	87	747	65.8	71	630	46.5
60-69.....	146	1,201	62.8	70	550	72.3	76	651	53.8
70-79.....	124	1,047	68.8	64	532	78.7	60	515	59.5
80-89.....	109	966	74.4	46	374	83.1	63	593	66.2
90-99.....	78	653	78.1	41	334	87.0	37	319	69.7
100-109.....	92	725	82.3	39	294	90.5	53	431	74.6
110-119.....	58	466	85.0	21	162	92.4	37	305	78.0
120-129.....	46	352	87.0	13	83	93.4	33	268	81.0
130-139.....	32	293	88.7	9	83	94.4	23	209	83.3
140-149.....	35	328	90.6	9	90	95.5	26	238	86.0
150-159.....	28	205	91.8	10	68	96.3	18	137	87.5
160-169.....	24	210	93.0	6	61	97.0	18	149	89.2
170 or more.....	151	1,219	100.0	33	253	100.0	118	967	100.0

1/ Excludes 1 examined person with zero calories.

2/ Excludes unknown income.

Table 3-156. Cumulative percent distribution of vitamin C intake values in milligrams per 1,000 calories for persons aged 65-74 years by sex and income level: United States, 1976-80

Income level and vitamin C in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	2,615	14,496	100.0	1,199	6,297	100.0	1,416	8,198	100.0
Less than 5.....	136	724	5.0	84	432	6.9	52	292	3.6
5-9.....	146	801	10.5	82	419	13.5	64	382	8.2
10-14.....	126	678	15.2	71	395	19.8	55	283	11.7
15-19.....	138	780	20.6	74	382	25.8	64	398	16.5
20-24.....	144	776	25.9	82	403	32.2	62	373	21.1
25-29.....	109	541	29.7	61	281	36.7	48	260	24.3
30-34.....	101	530	33.3	50	257	40.8	51	273	27.6
35-39.....	97	521	36.9	58	319	45.8	39	202	30.0
40-44.....	94	553	40.7	52	306	50.7	42	247	33.0
45-49.....	82	479	44.0	45	239	54.5	37	239	36.0
50-59.....	178	959	50.6	89	472	62.0	89	487	41.9
60-69.....	187	1,065	58.0	88	475	69.5	99	590	49.1
70-79.....	163	948	64.5	59	325	74.7	104	623	56.7
80-89.....	156	856	70.4	67	339	80.1	89	516	63.0
90-99.....	109	593	74.5	50	253	84.1	59	341	67.2
100-109.....	92	523	78.1	39	216	87.5	53	307	70.9
110-119.....	89	518	81.7	26	125	89.5	63	392	75.7
120-129.....	70	396	84.4	18	99	91.1	52	297	79.3
130-139.....	63	323	86.7	18	91	92.5	45	231	82.1
140-149.....	58	346	89.0	15	86	93.9	43	260	85.3
150-159.....	33	188	90.3	10	50	94.7	23	138	87.0
160-169.....	47	276	92.3	12	73	95.9	35	203	89.5
170 or more.....	197	1,123	100.0	49	260	100.0	148	863	100.0
Income below poverty level^{1/}									
Total.....	424	2,003	100.0	168	759	100.0	256	1,245	100.0
Less than 5.....	35	173	8.6	21	113	14.9	14	60	4.8
5-9.....	39	181	17.7	19	96	27.6	20	85	11.7
10-14.....	30	138	24.5	17	77	37.7	13	61	16.5
15-19.....	23	115	30.3	9	34	42.2	14	81	23.0
20-24.....	32	159	38.3	18	67	51.0	14	93	30.5
25-29.....	16	72	41.8	5	18	53.4	11	54	34.8
30-34.....	14	52	44.4	4	13	55.1	10	38	37.9
35-39.....	15	61	47.5	7	24	58.3	8	36	40.8
40-44.....	8	36	49.3	4	20	61.0	4	16	42.1
45-49.....	14	81	53.3	7	33	65.3	7	48	46.0
50-59.....	20	97	58.1	8	49	71.7	12	48	49.8
60-69.....	17	73	61.8	8	33	76.0	9	40	53.1
70-79.....	24	123	67.9	5	27	79.5	19	96	60.8
80-89.....	24	104	73.1	6	25	82.8	18	79	67.2
90-99.....	19	102	78.2	11	53	89.8	8	48	71.1
100-109.....	10	42	80.3	5	20	92.4	5	22	72.8
110-119.....	16	72	83.9	5	16	94.6	11	56	77.3
120-129.....	7	29	85.3	1	4	95.0	6	25	79.3
130-139.....	9	34	87.0	1	4	95.5	8	31	81.8
140-149.....	6	30	88.5	2	14	97.4	4	16	83.1
150-159.....	4	26	89.8	-	-	97.4	4	26	85.2
160-169.....	7	35	91.6	-	-	97.4	7	35	88.0
170 or more.....	35	169	100.0	5	20	100.0	30	149	100.0

See footnotes at end of table.

Table 3-156. Cumulative percent distribution of vitamin C intake values in milligrams per 1,000 calories for persons aged 65-74 years by sex and income level: United States, 1976-80-Continued

Income level and vitamin C in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	2,067	11,819	100.0	987	5,312	100.0	1,080	6,508	100.0
Less than 5.....	97	535	4.5	61	311	5.8	36	224	3.4
5-9.....	99	588	9.5	58	303	11.5	41	285	7.8
10-14.....	91	516	13.9	51	307	17.3	40	209	11.0
15-19.....	112	653	19.4	64	341	23.8	48	312	15.8
20-24.....	108	596	24.4	64	336	30.1	44	261	19.8
25-29.....	89	449	28.2	53	248	34.8	36	202	22.9
30-34.....	85	467	32.2	46	244	39.3	39	223	26.4
35-39.....	76	428	35.8	48	280	44.6	28	149	28.6
40-44.....	81	489	40.0	46	278	49.8	35	211	31.9
45-49.....	64	371	43.1	36	197	53.5	28	174	34.6
50-59.....	149	812	50.0	78	407	61.2	71	405	40.8
60-69.....	160	921	57.8	74	400	68.7	86	521	48.8
70-79.....	134	794	64.5	52	285	74.1	82	509	56.6
80-89.....	126	724	70.6	60	307	79.9	66	417	63.0
90-99.....	81	438	74.3	39	199	83.6	42	238	66.7
100-109.....	75	445	78.1	31	186	87.1	44	259	70.7
110-119.....	67	417	81.6	21	109	89.2	46	308	75.4
120-129.....	58	340	84.5	16	92	90.9	42	247	79.2
130-139.....	49	264	86.7	17	88	92.6	32	176	81.9
140-149.....	49	296	89.2	11	56	93.6	38	240	85.6
150-159.....	25	136	90.4	7	34	94.3	18	102	87.2
160-169.....	40	241	92.4	12	73	95.7	28	168	89.7
170 or more.....	152	898	100.0	42	231	100.0	110	667	100.0

^{1/} Excludes unknown income.

Table 3-157. Cumulative percent distribution of saturated fatty acid intake values in grams per 1,000 calories for persons aged 6-11 months by sex and income level: United States, 1976-80

Income level and saturated fatty acid in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	356	1,599	100.0	179	819	100.0	177	780	100.0
Less than 2.0.....	36	177	11.0	21	105	12.9	15	71	9.1
2.0-2.9.....	4	17	12.1	2	8	13.8	2	9	10.3
3.0-3.9.....	6	25	13.7	4	20	16.3	2	5	11.0
4.0-4.9.....	4	16	14.7	3	13	17.9	1	2	11.3
5.0-5.9.....	7	30	16.5	4	17	20.0	3	12	12.8
6.0-6.9.....	6	28	18.3	2	6	20.8	4	23	15.8
7.0-7.9.....	11	50	21.4	6	25	23.9	5	24	18.8
8.0-8.9.....	12	44	24.2	5	12	25.3	7	32	23.0
9.0-9.9.....	7	21	25.5	3	7	26.2	4	14	24.8
10.0-10.9.....	17	96	31.5	8	50	32.3	9	46	30.6
11.0-11.9.....	21	85	36.8	11	52	38.6	10	33	34.9
12.0-12.9.....	20	105	43.4	10	62	46.3	10	43	40.3
13.0-13.4.....	10	41	45.9	7	24	49.2	3	17	42.6
13.5-13.9.....	10	41	48.5	4	16	51.2	6	24	45.7
14.0-14.4.....	10	56	52.0	4	18	53.3	6	39	50.6
14.5-14.9.....	9	36	54.3	7	31	57.1	2	5	51.3
15.0-15.4.....	9	39	56.8	5	20	59.6	4	19	53.8
15.5-15.9.....	10	47	59.7	5	27	62.9	5	20	56.4
16.0-16.9.....	19	88	65.2	9	45	68.4	10	44	61.9
17.0-17.9.....	23	93	71.0	10	41	73.3	13	52	68.6
18.0-18.9.....	17	84	76.3	8	45	78.8	9	39	73.6
19.0-19.9.....	28	145	85.3	10	62	86.4	18	83	84.2
20.0-20.9.....	16	67	89.5	10	44	91.8	6	23	87.1
21.0-21.9.....	10	44	92.3	6	17	93.9	4	27	90.6
22.0-22.9.....	16	52	95.6	7	21	96.4	9	32	94.7
23.0-23.9.....	9	37	97.9	4	15	98.2	5	22	97.5
24 or more.....	9	34	100.0	4	14	100.0	5	19	100.0
Income below poverty level^{1/}									
Total.....	84	315	100.0	48	177	100.0	36	138	100.0
Less than 2.0.....	5	22	7.1	*	*	*	*	*	*
2.0-2.9.....	1	2	7.8	*	*	*	*	*	*
3.0-3.9.....	1	3	8.7	*	*	*	*	*	*
4.0-4.9.....	1	2	9.5	*	*	*	*	*	*
5.0-5.9.....	2	8	11.9	*	*	*	*	*	*
6.0-6.9.....	2	5	13.6	*	*	*	*	*	*
7.0-7.9.....	-	-	13.6	*	*	*	*	*	*
8.0-8.9.....	3	7	15.9	*	*	*	*	*	*
9.0-9.9.....	2	7	18.0	*	*	*	*	*	*
10.0-10.9.....	1	3	19.0	*	*	*	*	*	*
11.0-11.9.....	8	29	28.4	*	*	*	*	*	*
12.0-12.9.....	6	27	36.9	*	*	*	*	*	*
13.0-13.4.....	2	9	39.7	*	*	*	*	*	*
13.5-13.9.....	2	7	41.9	*	*	*	*	*	*
14.0-14.4.....	2	5	43.6	*	*	*	*	*	*
14.5-14.9.....	6	25	51.6	*	*	*	*	*	*
15.0-15.4.....	2	10	54.8	*	*	*	*	*	*
15.5-15.9.....	3	9	57.6	*	*	*	*	*	*
16.0-16.9.....	6	26	65.8	*	*	*	*	*	*
17.0-17.9.....	6	19	71.9	*	*	*	*	*	*
18.0-18.9.....	4	19	78.0	*	*	*	*	*	*
19.0-19.9.....	6	19	84.0	*	*	*	*	*	*
20.0-20.9.....	5	24	91.5	*	*	*	*	*	*
21.0-21.9.....	2	6	93.5	*	*	*	*	*	*
22.0-22.9.....	4	15	98.2	*	*	*	*	*	*
23.0-23.9.....	1	4	99.3	*	*	*	*	*	*
24 or more.....	1	2	100.0	*	*	*	*	*	*

See footnotes at end of table.

Table 3-157. Cumulative percent distribution of saturated fatty acid intake values in grams per 1,000 calories for persons aged 6-11 months by sex and income level: United States, 1976-80-Continued

Income level and saturated fatty acid in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	256	1,226	100.0	121	614	100.0	135	612	100.0
Less than 2.0.....	31	154	12.6	18	94	15.3	13	60	9.8
2.0-2.9.....	3	15	13.8	1	6	16.3	2	9	11.3
3.0-3.9.....	5	22	15.6	4	20	19.5	1	2	11.7
4.0-4.9.....	3	13	16.7	3	13	21.7	-	-	11.7
5.0-5.9.....	5	22	18.5	2	10	23.3	3	12	13.7
6.0-6.9.....	4	23	20.4	1	4	23.9	3	19	16.8
7.0-7.9.....	11	50	24.4	6	25	28.1	5	24	20.8
8.0-8.9.....	8	35	27.3	4	11	29.8	4	24	24.7
9.0-9.9.....	5	14	28.4	2	5	30.7	3	9	26.1
10.0-10.9.....	16	93	36.0	7	47	38.3	9	46	33.7
11.0-11.9.....	13	55	40.5	5	30	43.1	8	26	37.8
12.0-12.9.....	12	64	45.8	7	46	50.6	5	19	40.9
13.0-13.4.....	8	33	48.4	6	20	53.8	2	13	43.0
13.5-13.9.....	8	34	51.2	3	12	55.9	5	21	46.5
14.0-14.4.....	7	45	54.9	2	10	57.6	5	35	52.1
14.5-14.9.....	3	11	55.8	2	8	58.9	1	3	52.6
15.0-15.4.....	7	30	58.2	4	18	61.9	3	11	54.5
15.5-15.9.....	7	38	61.3	4	26	66.1	3	12	56.4
16.0-16.9.....	11	57	65.9	5	28	70.7	6	28	61.1
17.0-17.9.....	15	68	71.4	5	26	74.9	10	42	67.9
18.0-18.9.....	12	60	76.3	5	32	80.1	7	28	72.6
19.0-19.9.....	22	126	86.6	7	52	88.6	15	73	84.6
20.0-20.9.....	9	39	89.7	5	23	92.4	4	15	87.1
21.0-21.9.....	7	36	92.7	3	9	93.8	4	27	91.5
22.0-22.9.....	12	37	95.7	6	19	96.8	6	19	94.6
23.0-23.9.....	7	32	98.3	2	9	98.4	5	22	98.3
24 or more.....	5	21	100.0	2	10	100.0	3	11	100.0

1/ Excludes unknown income.

Table 3-158. Cumulative percent distribution of saturated fatty acid intake values in grams per 1,000 calories for persons aged 1-2 years by sex and income level: United States, 1976-80

Income level and saturated fatty acid in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	1,417	6,078	100.0	745	3,107	100.0	672	2,970	100.0
Less than 2.0.....	7	44	.7	4	23	.8	3	21	.7
2.0-2.9.....	6	36	1.3	3	18	1.3	3	19	1.3
3.0-3.9.....	9	35	1.9	6	23	2.1	3	11	1.7
4.0-4.9.....	14	65	3.0	8	40	3.3	6	25	2.6
5.0-5.9.....	12	55	3.9	7	29	4.3	5	26	3.4
6.0-6.9.....	28	125	5.9	11	48	5.8	17	77	6.0
7.0-7.9.....	28	134	8.1	14	58	7.7	14	76	8.6
8.0-8.9.....	38	146	10.5	22	73	10.0	16	73	11.1
9.0-9.9.....	60	273	15.0	32	148	14.8	28	125	15.3
10.0-10.9.....	65	260	19.3	37	160	19.9	28	100	18.6
11.0-11.9.....	98	495	27.4	49	260	28.3	49	235	26.6
12.0-12.9.....	108	494	35.6	60	250	36.3	48	244	34.8
13.0-13.4.....	57	244	39.6	23	98	39.5	34	145	39.7
13.5-13.9.....	52	234	43.4	33	146	44.2	19	89	42.7
14.0-14.4.....	66	295	48.3	40	172	49.8	26	122	46.8
14.5-14.9.....	70	285	53.0	43	162	55.0	27	123	50.9
15.0-15.4.....	62	230	56.8	33	113	58.6	29	117	54.8
15.5-15.9.....	59	224	60.4	32	114	62.3	27	110	58.5
16.0-16.9.....	110	445	67.8	57	215	69.2	53	230	66.3
17.0-17.9.....	108	444	75.1	55	217	76.2	53	227	73.9
18.0-18.9.....	83	348	80.8	43	199	82.6	40	148	78.9
19.0-19.9.....	65	275	85.3	29	102	85.9	36	173	84.7
20.0-20.9.....	66	286	90.0	33	126	89.9	33	160	90.1
21.0-21.9.....	38	155	92.6	18	91	92.9	20	64	92.3
22.0-22.9.....	36	135	94.8	18	60	94.8	18	76	94.8
23.0-23.9.....	26	108	96.6	12	50	96.4	14	58	96.8
24 or more.....	46	207	100.0	23	111	100.0	23	96	100.0
Income below poverty level^{1/}									
Total.....	323	1,163	100.0	170	601	100.0	153	562	100.0
Less than 2.0.....	2	14	1.2	2	14	2.3	-	-	-
2.0-2.9.....	-	-	1.2	-	-	2.3	-	-	-
3.0-3.9.....	1	2	1.4	1	2	2.7	-	-	-
4.0-4.9.....	3	12	2.4	-	-	2.7	3	12	2.1
5.0-5.9.....	1	7	3.0	1	7	3.8	-	-	2.1
6.0-6.9.....	4	13	4.1	1	2	4.2	3	10	3.9
7.0-7.9.....	3	10	4.9	3	10	5.8	-	-	3.9
8.0-8.9.....	6	16	6.3	5	12	7.9	1	3	4.5
9.0-9.9.....	6	16	7.6	1	2	8.3	5	14	7.0
10.0-10.9.....	11	41	11.2	5	23	12.1	6	18	10.2
11.0-11.9.....	26	116	21.1	14	57	21.6	12	59	20.7
12.0-12.9.....	20	70	27.1	11	33	27.0	9	37	27.3
13.0-13.4.....	7	29	29.6	3	13	29.3	4	16	30.0
13.5-13.9.....	8	29	32.1	6	18	32.2	2	11	32.0
14.0-14.4.....	17	62	37.5	10	39	38.8	7	23	36.2
14.5-14.9.....	16	43	41.2	8	18	41.7	8	25	40.6
15.0-15.4.....	15	51	45.5	6	23	45.6	9	28	45.5
15.5-15.9.....	16	54	50.1	7	27	50.0	9	27	50.2
16.0-16.9.....	29	106	59.3	15	49	58.3	14	57	60.3
17.0-17.9.....	31	113	69.0	18	63	68.8	13	50	69.1
18.0-18.9.....	22	79	75.8	14	51	77.4	8	28	74.1
19.0-19.9.....	19	65	81.4	9	30	82.3	10	35	80.4
20.0-20.9.....	20	70	87.4	11	33	87.7	9	37	87.1
21.0-21.9.....	9	31	90.0	3	13	89.9	6	17	90.1
22.0-22.9.....	9	36	93.1	6	22	93.5	3	15	92.8
23.0-23.9.....	8	26	95.4	3	9	94.9	5	17	95.8
24 or more.....	14	54	100.0	7	30	100.0	7	23	100.0

See footnotes at end of table.

Table 3-158. Cumulative percent distribution of saturated fatty acid intake values in grams per 1,000 calories for persons aged 1-2 years by sex and income level: United States, 1976-80-Continued

Income level and saturated fatty acid in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	1,056	4,767	100.0	551	2,416	100.0	505	2,351	100.0
Less than 2.0.....	5	30	.6	2	9	.4	3	21	.9
2.0-2.9.....	6	36	1.4	3	18	1.1	3	19	1.7
3.0-3.9.....	8	32	2.1	5	21	2.0	3	11	2.2
4.0-4.9.....	11	53	3.2	8	40	3.6	3	14	2.8
5.0-5.9.....	11	48	4.2	6	22	4.5	5	26	3.9
6.0-6.9.....	22	101	6.3	8	35	6.0	14	66	6.7
7.0-7.9.....	25	125	8.9	11	48	8.0	14	76	9.9
8.0-8.9.....	32	131	11.7	17	61	10.5	15	70	12.9
9.0-9.9.....	52	252	17.0	31	146	16.5	21	106	17.4
10.0-10.9.....	54	219	21.6	32	137	22.2	22	82	20.9
11.0-11.9.....	70	369	29.3	34	200	30.5	36	168	28.1
12.0-12.9.....	83	399	37.7	46	204	38.9	37	195	36.3
13.0-13.4.....	49	210	42.1	19	81	42.3	30	130	41.9
13.5-13.9.....	43	202	46.3	27	128	47.6	16	74	45.0
14.0-14.4.....	47	221	51.0	28	122	52.6	19	99	49.3
14.5-14.9.....	51	234	55.9	32	136	58.3	19	98	53.4
15.0-15.4.....	47	179	59.6	27	90	62.0	20	89	57.2
15.5-15.9.....	42	169	63.2	24	85	65.5	18	83	60.8
16.0-16.9.....	76	323	69.9	37	150	71.7	39	173	68.1
17.0-17.9.....	74	322	76.7	36	151	77.9	38	171	75.4
18.0-18.9.....	58	254	82.0	27	135	83.5	31	119	80.4
19.0-19.9.....	45	202	86.3	20	73	86.6	25	129	85.9
20.0-20.9.....	45	213	90.7	22	93	90.4	23	119	91.0
21.0-21.9.....	29	125	93.3	15	78	93.7	14	47	93.0
22.0-22.9.....	23	87	95.1	11	36	95.1	12	52	95.2
23.0-23.9.....	17	80	96.8	8	39	96.8	9	41	96.9
24 or more.....	31	151	100.0	15	78	100.0	16	72	100.0

1/ Excludes unknown income.

Table 3-159. Cumulative percent distribution of saturated fatty acid intake values in grams per 1,000 calories for persons aged 3-5 years by sex and income level: United States, 1976-80

Income level and saturated fatty acid in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	2,345	9,186	100.0	1,219	4,695	100.0	1,126	4,491	100.0
Less than 2.0.....	4	14	.1	2	7	.1	2	7	.2
2.0-2.9.....	3	11	.3	1	3	.2	2	9	.4
3.0-3.9.....	6	23	.5	3	13	.5	3	10	.6
4.0-4.9.....	7	27	.8	3	10	.7	4	17	.9
5.0-5.9.....	23	103	1.9	15	66	2.1	8	37	1.8
6.0-6.9.....	32	130	3.3	16	64	3.5	16	65	3.2
7.0-7.9.....	54	221	5.8	26	99	5.6	28	122	5.9
8.0-8.9.....	66	276	8.8	37	152	8.8	29	124	8.7
9.0-9.9.....	112	489	14.1	61	280	14.8	51	209	13.3
10.0-10.9.....	125	534	19.9	67	267	20.5	58	266	19.3
11.0-11.9.....	191	718	27.7	103	387	28.7	88	330	26.6
12.0-12.9.....	224	873	37.2	125	469	38.7	99	404	35.6
13.0-13.4.....	117	471	42.3	53	229	43.6	64	242	41.0
13.5-13.9.....	138	562	48.5	74	300	50.0	64	262	46.8
14.0-14.4.....	100	367	52.4	50	176	53.7	50	191	51.1
14.5-14.9.....	100	375	56.5	58	210	58.2	42	165	54.8
15.0-15.4.....	111	415	61.1	66	239	63.3	45	176	58.7
15.5-15.9.....	114	440	65.8	61	245	68.5	53	195	63.0
16.0-16.9.....	202	762	74.1	103	387	76.8	99	374	71.4
17.0-17.9.....	185	719	82.0	97	382	84.9	88	338	78.9
18.0-18.9.....	117	447	86.8	44	163	88.4	73	284	85.2
19.0-19.9.....	100	397	91.2	45	158	91.8	55	239	90.5
20.0-20.9.....	71	281	94.2	39	140	94.7	32	141	93.7
21.0-21.9.....	52	195	96.3	22	75	96.3	30	120	96.4
22.0-22.9.....	33	131	97.8	17	60	97.6	16	71	97.9
23.0-23.9.....	24	72	98.5	12	40	98.5	12	32	98.6
24 or more.....	34	133	100.0	19	72	100.0	15	61	100.0
Income below poverty level^{1/}									
Total.....	570	1,855	100.0	298	910	100.0	272	945	100.0
Less than 2.0.....	-	-	-	-	-	-	-	-	-
2.0-2.9.....	-	-	-	-	-	-	-	-	-
3.0-3.9.....	-	-	-	-	-	-	-	-	-
4.0-4.9.....	1	4	.2	1	4	.4	-	-	-
5.0-5.9.....	3	7	.6	2	5	.9	1	3	.3
6.0-6.9.....	5	18	1.6	3	13	2.3	2	5	.8
7.0-7.9.....	15	47	4.1	8	22	4.8	7	25	3.4
8.0-8.9.....	16	54	7.0	6	17	6.6	10	37	7.3
9.0-9.9.....	23	83	11.5	11	40	11.0	12	43	11.9
10.0-10.9.....	20	55	14.5	11	30	14.3	9	25	14.6
11.0-11.9.....	39	123	21.1	22	61	21.1	17	61	21.1
12.0-12.9.....	50	154	29.4	26	72	29.0	24	82	29.8
13.0-13.4.....	23	76	33.5	13	44	33.8	10	32	33.2
13.5-13.9.....	21	75	37.5	10	29	36.9	11	47	38.1
14.0-14.4.....	18	53	40.4	9	26	39.8	9	27	41.0
14.5-14.9.....	28	94	45.5	18	57	46.1	10	37	44.9
15.0-15.4.....	26	93	50.5	14	40	50.4	12	53	50.5
15.5-15.9.....	38	130	57.5	20	66	57.7	18	63	57.2
16.0-16.9.....	61	188	67.6	31	101	68.8	30	87	66.5
17.0-17.9.....	49	161	76.3	26	82	77.7	23	80	74.9
18.0-18.9.....	41	135	83.6	19	66	85.0	22	69	82.2
19.0-19.9.....	23	72	87.5	8	21	87.3	15	51	87.7
20.0-20.9.....	22	73	91.4	14	44	92.2	8	28	90.7
21.0-21.9.....	20	68	95.1	10	30	95.4	10	39	94.8
22.0-22.9.....	9	32	96.8	4	9	96.4	5	23	97.2
23.0-23.9.....	10	22	98.0	7	16	98.2	3	6	97.9
24 or more.....	9	37	100.0	5	17	100.0	4	20	100.0

See footnotes at end of table.

Table 3-159. Cumulative percent distribution of saturated fatty acid intake values in grams per 1,000 calories for persons aged 3-5 years by sex and income level: United States, 1976-80-Continued

Income level and saturated fatty acid in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	1,707	7,102	100.0	892	3,683	100.0	815	3,419	100.0
Less than 2.0.....	4	14	.2	2	7	.2	2	7	.2
2.0-2.9.....	3	11	.4	1	3	.3	2	9	.5
3.0-3.9.....	5	21	.6	3	13	.6	2	8	.7
4.0-4.9.....	6	23	1.0	2	7	.8	4	17	1.2
5.0-5.9.....	18	91	2.3	13	61	2.4	5	30	2.1
6.0-6.9.....	26	109	3.8	12	49	3.8	14	60	3.8
7.0-7.9.....	37	165	6.1	18	77	5.9	19	88	6.4
8.0-8.9.....	48	217	9.2	30	133	9.5	18	84	8.9
9.0-9.9.....	85	390	14.7	48	232	15.8	37	159	13.5
10.0-10.9.....	101	461	21.2	54	228	22.0	47	232	20.3
11.0-11.9.....	145	576	29.3	78	318	30.6	67	258	27.9
12.0-12.9.....	170	709	39.3	97	393	41.3	73	316	37.1
13.0-13.4.....	89	379	44.6	39	182	46.2	50	197	42.9
13.5-13.9.....	114	473	51.3	61	258	53.2	53	215	49.1
14.0-14.4.....	78	301	55.5	40	146	57.2	38	155	53.7
14.5-14.9.....	68	269	59.3	38	146	61.1	30	123	57.3
15.0-15.4.....	84	318	63.8	52	200	66.6	32	119	60.8
15.5-15.9.....	75	308	68.1	41	179	71.4	34	129	64.5
16.0-16.9.....	138	562	76.0	71	283	79.1	67	279	72.7
17.0-17.9.....	131	535	83.6	67	283	86.8	64	253	80.1
18.0-18.9.....	71	295	87.7	25	97	89.4	46	198	85.9
19.0-19.9.....	74	317	92.2	35	132	93.0	39	184	91.3
20.0-20.9.....	48	205	95.1	25	96	95.6	23	109	94.5
21.0-21.9.....	31	123	96.8	11	42	96.8	20	81	96.9
22.0-22.9.....	22	95	98.1	12	48	98.1	10	46	98.2
23.0-23.9.....	14	50	98.8	5	24	98.7	9	25	99.0
24 or more.....	22	82	100.0	12	47	100.0	10	35	100.0

1/ Excludes unknown income.

Table 3-160. Cumulative percent distribution of saturated fatty acid intake values in grams per 1,000 calories for persons aged 6-8 years by sex and income level: United States, 1976-80

Income level and saturated fatty acid in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	843	10,213	100.0	428	5,336	100.0	415	4,877	100.0
Less than 2.0.....	-	-	-	-	-	-	-	-	-
2.0-2.9.....	-	-	-	-	-	-	-	-	-
3.0-3.9.....	2	28	.3	1	14	.3	1	14	.3
4.0-4.9.....	2	34	.6	1	6	.4	1	27	.8
5.0-5.9.....	8	94	1.5	2	25	.8	6	69	2.3
6.0-6.9.....	7	82	2.3	4	45	1.7	3	38	3.0
7.0-7.9.....	16	187	4.2	8	91	3.4	8	97	5.0
8.0-8.9.....	14	174	5.9	3	27	3.9	11	147	8.0
9.0-9.9.....	32	422	10.0	15	205	7.7	17	218	12.5
10.0-10.9.....	55	601	15.9	33	372	14.7	22	229	17.2
11.0-11.9.....	71	842	24.1	32	386	21.9	39	456	26.5
12.0-12.9.....	72	889	32.8	38	480	30.9	34	410	34.9
13.0-13.4.....	39	515	37.9	18	260	35.8	21	256	40.2
13.5-13.9.....	37	424	42.0	16	196	39.5	21	227	44.8
14.0-14.4.....	41	463	46.6	22	260	44.3	19	203	49.0
14.5-14.9.....	50	643	52.9	33	401	51.8	17	242	53.9
15.0-15.4.....	48	515	57.9	21	224	56.0	27	291	59.9
15.5-15.9.....	36	450	62.3	15	224	60.3	21	226	64.5
16.0-16.9.....	89	1,091	73.0	44	548	70.5	45	543	75.7
17.0-17.9.....	75	913	81.9	45	553	80.9	30	360	83.1
18.0-18.9.....	47	597	87.8	25	326	87.0	22	270	88.6
19.0-19.9.....	25	284	90.5	9	119	89.2	16	165	92.0
20.0-20.9.....	27	310	93.6	15	170	92.4	12	140	94.9
21.0-21.9.....	18	287	96.4	10	156	95.3	8	131	97.5
22.0-22.9.....	13	131	97.7	7	87	97.0	6	44	98.4
23.0-23.9.....	8	112	98.8	6	86	98.6	2	25	99.0
24 or more.....	11	125	100.0	5	75	100.0	6	51	100.0
Income below poverty level ^{1/}									
Total.....	177	1,769	100.0	82	900	100.0	95	869	100.0
Less than 2.0.....	-	-	-	-	-	-	-	-	-
2.0-2.9.....	-	-	-	-	-	-	-	-	-
3.0-3.9.....	-	-	-	-	-	-	-	-	-
4.0-4.9.....	-	-	-	-	-	-	-	-	-
5.0-5.9.....	-	-	-	-	-	-	-	-	-
6.0-6.9.....	1	8	.5	1	8	.9	-	-	-
7.0-7.9.....	2	11	1.0	1	5	1.5	1	5	.6
8.0-8.9.....	2	12	1.7	-	-	1.5	2	12	2.0
9.0-9.9.....	8	76	6.0	3	30	4.8	5	45	7.2
10.0-10.9.....	10	86	10.9	6	58	11.3	4	28	10.4
11.0-11.9.....	11	88	15.8	3	22	13.7	8	66	18.0
12.0-12.9.....	12	137	23.6	6	88	23.4	6	50	23.8
13.0-13.4.....	8	98	29.1	4	63	30.4	4	35	27.8
13.5-13.9.....	10	108	35.3	3	39	34.8	7	69	35.8
14.0-14.4.....	8	58	38.5	4	31	38.2	4	27	38.9
14.5-14.9.....	12	143	46.6	9	97	49.0	3	45	44.1
15.0-15.4.....	14	122	53.5	6	50	54.6	8	72	52.4
15.5-15.9.....	8	62	57.0	2	13	56.0	6	49	58.0
16.0-16.9.....	21	209	68.8	8	76	64.4	13	132	73.3
17.0-17.9.....	13	134	76.3	8	80	73.3	5	54	79.5
18.0-18.9.....	13	134	83.9	6	72	81.2	7	62	86.6
19.0-19.9.....	7	86	88.7	4	53	87.1	3	32	90.4
20.0-20.9.....	8	70	92.7	5	42	91.8	3	29	93.7
21.0-21.9.....	2	45	95.2	1	40	96.2	1	5	94.3
22.0-22.9.....	3	23	96.6	-	-	96.2	3	23	97.0
23.0-23.9.....	1	17	97.5	-	-	96.2	1	17	98.9
24 or more.....	3	44	100.0	2	35	100.0	1	9	100.0

See footnotes at end of table.

Table 3-160. Cumulative percent distribution of saturated fatty acid intake values in grams per 1,000 calories for persons aged 6-8 years by sex and income level: United States, 1976-80-Continued

Income level and saturated fatty acid in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	644	8,118	100.0	336	4,254	100.0	308	3,864	100.0
Less than 2.0.....	-	-	-	-	-	-	-	-	-
2.0-2.9.....	-	-	-	-	-	-	-	-	-
3.0-3.9.....	2	28	.3	1	14	.3	1	14	.3
4.0-4.9.....	2	34	.8	1	6	.5	1	27	1.1
5.0-5.9.....	8	94	1.9	2	25	1.1	6	69	2.8
6.0-6.9.....	5	63	2.7	2	25	1.7	3	38	3.8
7.0-7.9.....	14	177	4.9	7	85	3.7	7	91	6.2
8.0-8.9.....	12	162	6.9	3	27	4.3	9	135	9.7
9.0-9.9.....	22	331	10.9	11	167	8.2	11	165	13.9
10.0-10.9.....	42	467	16.7	25	283	14.9	17	183	18.7
11.0-11.9.....	57	722	25.6	28	355	23.2	29	368	28.2
12.0-12.9.....	60	752	34.9	32	392	32.4	28	360	37.5
13.0-13.4.....	30	390	39.7	13	170	36.4	17	221	43.2
13.5-13.9.....	27	315	43.5	13	157	40.1	14	158	47.3
14.0-14.4.....	32	381	48.3	18	229	45.5	14	152	51.3
14.5-14.9.....	36	469	54.0	23	291	52.3	13	178	55.9
15.0-15.4.....	34	393	58.9	15	174	56.4	19	218	61.5
15.5-15.9.....	28	388	63.6	13	211	61.4	15	177	66.1
16.0-16.9.....	65	800	73.5	33	389	70.5	32	411	76.8
17.0-17.9.....	60	764	82.9	37	474	81.7	23	291	84.3
18.0-18.9.....	34	463	88.6	19	255	87.7	15	208	89.7
19.0-19.9.....	18	199	91.1	5	66	89.2	13	133	93.1
20.0-20.9.....	18	232	93.9	10	128	92.2	8	104	95.8
21.0-21.9.....	15	219	96.6	9	117	95.0	6	103	98.4
22.0-22.9.....	8	97	97.8	7	87	97.0	1	10	98.7
23.0-23.9.....	7	94	99.0	6	86	99.1	1	8	98.9
24 or more.....	8	82	100.0	3	40	100.0	5	42	100.0

1/ Excludes unknown income.

Table 3-161. Cumulative percent distribution of saturated fatty acid intake values in grams per 1,000 calories for persons aged 9-11 years by sex and income level: United States, 1976-80

Income level and saturated fatty acid in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	882	10,667	100.0	457	5,310	100.0	425	5,357	100.0
Less than 2.0.....	1	6	.1	1	6	.1	-	-	-
2.0-2.9.....	1	12	.2	1	12	.3	-	-	-
3.0-3.9.....	-	-	.2	-	-	.3	-	-	-
4.0-4.9.....	2	21	.4	1	12	.6	1	9	.2
5.0-5.9.....	6	64	1.0	4	37	1.3	2	27	.7
6.0-6.9.....	13	181	2.7	6	95	3.1	7	86	2.3
7.0-7.9.....	18	198	4.5	10	103	5.0	8	95	4.1
8.0-8.9.....	16	185	6.3	7	95	6.8	9	89	5.7
9.0-9.9.....	42	560	11.5	19	207	10.7	23	352	12.3
10.0-10.9.....	54	645	17.6	34	393	18.1	20	252	17.0
11.0-11.9.....	70	918	26.2	36	438	26.3	34	480	26.0
12.0-12.9.....	77	843	34.1	47	485	35.5	30	357	32.6
13.0-13.4.....	48	572	39.4	28	324	41.6	20	249	37.3
13.5-13.9.....	44	524	44.3	23	257	46.4	21	267	42.3
14.0-14.4.....	52	628	50.2	24	271	51.5	28	357	48.9
14.5-14.9.....	44	497	54.9	18	200	55.3	26	297	54.5
15.0-15.4.....	37	448	59.1	17	202	59.1	20	246	59.1
15.5-15.9.....	43	465	63.4	21	216	63.2	22	249	63.7
16.0-16.9.....	90	1,155	74.3	42	538	73.3	48	617	75.2
17.0-17.9.....	63	878	82.5	37	525	83.2	26	353	81.8
18.0-18.9.....	44	520	87.4	19	210	87.2	25	310	87.6
19.0-19.9.....	35	407	91.2	17	192	90.8	18	215	91.6
20.0-20.9.....	26	322	94.2	12	172	94.0	14	150	94.4
21.0-21.9.....	23	254	96.6	13	121	96.3	10	133	96.9
22.0-22.9.....	17	189	98.4	9	92	98.0	8	96	98.7
23.0-23.9.....	1	8	98.4	1	8	98.2	-	-	98.7
24 or more.....	15	165	100.0	10	97	100.0	5	69	100.0
Income below poverty level^{1/}									
Total.....	190	1,967	100.0	88	854	100.0	102	1,113	100.0
Less than 2.0.....	1	6	.3	1	6	.8	-	-	-
2.0-2.9.....	-	-	.3	-	-	.8	-	-	-
3.0-3.9.....	-	-	.3	-	-	.8	-	-	-
4.0-4.9.....	1	9	.8	-	-	.8	1	9	.8
5.0-5.9.....	1	12	1.4	1	12	2.2	-	-	.8
6.0-6.9.....	3	31	3.0	-	-	2.2	3	31	3.6
7.0-7.9.....	4	46	5.3	1	7	3.0	3	39	7.1
8.0-8.9.....	3	27	6.7	2	17	4.9	1	11	8.1
9.0-9.9.....	9	80	10.8	5	40	9.6	4	40	11.6
10.0-10.9.....	14	153	18.5	9	100	21.3	5	53	16.4
11.0-11.9.....	9	143	25.8	4	43	26.4	5	100	25.4
12.0-12.9.....	14	123	32.1	9	66	34.1	5	57	30.5
13.0-13.4.....	3	26	33.4	1	8	35.1	2	18	32.1
13.5-13.9.....	11	92	38.1	5	42	39.9	6	51	36.7
14.0-14.4.....	16	180	47.3	7	67	47.8	9	114	46.9
14.5-14.9.....	5	41	49.4	1	7	48.5	4	35	50.0
15.0-15.4.....	3	23	50.5	1	6	49.2	2	17	51.5
15.5-15.9.....	15	152	58.3	7	84	59.1	8	68	57.7
16.0-16.9.....	27	296	73.4	9	103	71.1	18	193	75.1
17.0-17.9.....	16	173	82.2	9	95	82.3	7	78	82.1
18.0-18.9.....	7	71	85.8	2	29	85.7	5	43	85.9
19.0-19.9.....	9	85	90.1	5	46	91.0	4	40	89.4
20.0-20.9.....	7	65	93.5	2	16	92.9	5	50	93.9
21.0-21.9.....	5	56	96.3	3	25	95.7	2	32	96.8
22.0-22.9.....	4	46	98.7	2	22	98.3	2	25	99.0
23.0-23.9.....	1	8	99.1	1	8	99.2	-	-	99.0
24 or more.....	2	18	100.0	1	7	100.0	1	11	100.0

See footnotes at end of table.

Table 3-161. Cumulative percent distribution of saturated fatty acid intake values in grams per 1,000 calories for persons aged 9-11 years by sex and income level: United States, 1976-80-Continued

Income level and saturated fatty acid in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	663	8,370	100.0	356	4,321	100.0	307	4,049	100.0
Less than 2.0.....	-	-	-	-	-	-	-	-	-
2.0-2.9.....	1	12	.1	1	12	.3	-	-	-
3.0-3.9.....	-	-	.1	-	-	.3	-	-	-
4.0-4.9.....	1	12	.3	1	12	.6	-	-	-
5.0-5.9.....	5	52	.9	3	25	1.1	2	27	.7
6.0-6.9.....	10	150	2.7	6	95	3.3	4	55	2.0
7.0-7.9.....	13	145	4.4	9	96	5.5	4	49	3.2
8.0-8.9.....	13	157	6.3	5	79	7.4	8	79	5.2
9.0-9.9.....	32	458	11.8	14	167	11.3	18	290	12.3
10.0-10.9.....	39	486	17.6	24	286	17.9	15	199	17.3
11.0-11.9.....	60	769	26.8	31	388	26.9	29	380	26.7
12.0-12.9.....	63	720	35.4	38	419	36.6	25	300	34.1
13.0-13.4.....	45	546	41.9	27	316	43.9	18	230	39.8
13.5-13.9.....	33	431	47.0	18	215	48.9	15	216	45.1
14.0-14.4.....	34	426	52.1	17	204	53.6	17	222	50.6
14.5-14.9.....	37	441	57.4	16	189	58.0	21	252	56.8
15.0-15.4.....	33	415	62.4	16	196	62.5	17	219	62.2
15.5-15.9.....	25	280	65.7	12	118	65.3	13	162	66.2
16.0-16.9.....	56	763	74.8	29	383	74.1	27	380	75.6
17.0-17.9.....	43	661	82.7	27	412	83.6	16	249	81.7
18.0-18.9.....	35	424	87.8	17	181	87.8	18	242	87.7
19.0-19.9.....	23	287	91.2	10	120	90.6	13	167	91.8
20.0-20.9.....	19	257	94.3	10	156	94.2	9	101	94.3
21.0-21.9.....	18	197	96.6	10	97	96.5	8	101	96.8
22.0-22.9.....	13	143	98.3	7	71	98.1	6	72	98.6
23.0-23.9.....	-	-	98.3	-	-	98.1	-	-	98.6
24 or more.....	12	139	100.0	8	82	100.0	4	57	100.0

1/ Excludes unknown income.

Table 3-162. Cumulative percent distribution of saturated fatty acid intake values in grams per 1,000 calories for persons aged 12-14 years by sex and income level: United States, 1976-80

Income level and saturated fatty acid in grams per 1,000 calories	Both sexes			Male			Female		
	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent
All incomes									
Total.....	991	11,632	100.0	504	5,920	100.0	487	5,712	100.0
Less than 2.0.....	3	39	.3	-	-	-	3	39	.7
2.0-2.9.....	1	6	.4	1	6	.1	-	-	.7
3.0-3.9.....	6	74	1.0	2	31	.6	4	43	1.4
4.0-4.9.....	2	27	1.3	2	27	1.1	-	-	1.4
5.0-5.9.....	6	96	2.1	1	15	1.3	5	81	2.8
6.0-6.9.....	15	165	3.5	7	84	2.8	8	81	4.3
7.0-7.9.....	15	191	5.1	9	100	4.4	6	91	5.8
8.0-8.9.....	35	524	9.6	18	267	8.9	17	257	10.4
9.0-9.9.....	44	510	14.0	20	225	12.8	24	285	15.3
10.0-10.9.....	69	801	20.9	33	381	19.2	36	420	22.7
11.0-11.9.....	59	617	26.2	30	314	24.5	29	303	28.0
12.0-12.9.....	94	1,091	35.6	51	552	33.8	43	539	37.4
13.0-13.4.....	46	562	40.4	30	374	40.1	16	189	40.8
13.5-13.9.....	50	617	45.7	29	359	46.2	21	258	45.3
14.0-14.4.....	36	409	49.3	14	138	48.5	22	271	50.0
14.5-14.9.....	54	588	54.3	23	269	53.1	31	319	55.6
15.0-15.4.....	43	482	58.5	22	243	57.2	21	239	59.8
15.5-15.9.....	41	466	62.5	21	239	61.2	20	227	63.8
16.0-16.9.....	93	1,113	72.0	52	635	71.9	41	478	72.1
17.0-17.9.....	67	824	79.1	34	429	79.2	33	394	79.0
18.0-18.9.....	61	662	84.8	36	408	86.1	25	253	83.5
19.0-19.9.....	58	652	90.4	27	315	91.4	31	337	89.4
20.0-20.9.....	22	289	92.9	9	122	93.5	13	167	92.3
21.0-21.9.....	27	288	95.4	13	139	95.8	14	149	94.9
22.0-22.9.....	11	149	96.6	5	67	96.9	6	81	96.3
23.0-23.9.....	14	129	97.8	6	66	98.1	8	63	97.4
24 or more.....	19	261	100.0	9	114	100.0	10	148	100.0
Income below poverty level^{1/}									
Total.....	193	1,963	100.0	89	891	100.0	104	1,072	100.0
Less than 2.0.....	2	28	1.4	-	-	-	2	28	2.6
2.0-2.9.....	-	-	1.4	-	-	-	-	-	2.6
3.0-3.9.....	1	5	1.7	-	-	-	1	5	3.1
4.0-4.9.....	-	-	1.7	-	-	-	-	-	3.1
5.0-5.9.....	2	44	4.0	-	-	-	2	44	7.3
6.0-6.9.....	3	23	5.1	1	10	1.1	2	13	8.5
7.0-7.9.....	3	24	6.4	2	19	3.2	1	6	9.0
8.0-8.9.....	5	83	10.6	3	45	8.3	2	37	12.5
9.0-9.9.....	7	68	14.1	3	31	11.7	4	38	16.0
10.0-10.9.....	15	162	22.3	5	55	17.9	10	107	25.9
11.0-11.9.....	11	94	27.1	5	39	22.3	6	55	31.0
12.0-12.9.....	20	190	36.8	8	72	30.3	12	119	42.1
13.0-13.4.....	7	94	41.5	7	94	40.9	-	-	42.1
13.5-13.9.....	5	67	44.9	2	19	43.0	3	47	46.5
14.0-14.4.....	6	52	47.6	1	7	43.8	5	46	50.8
14.5-14.9.....	12	91	52.3	4	34	47.6	8	57	56.1
15.0-15.4.....	6	68	55.7	2	18	49.7	4	50	60.8
15.5-15.9.....	5	53	58.4	2	14	51.3	3	38	64.3
16.0-16.9.....	15	142	65.7	9	86	60.9	6	56	69.6
17.0-17.9.....	15	161	73.9	7	60	67.7	8	101	79.0
18.0-18.9.....	14	127	80.4	6	63	74.8	8	64	85.0
19.0-19.9.....	18	178	89.4	12	132	89.6	6	47	89.3
20.0-20.9.....	8	74	93.2	2	15	91.3	6	59	94.8
21.0-21.9.....	4	47	95.6	2	15	93.0	2	32	97.8
22.0-22.9.....	1	8	96.0	1	8	93.9	-	-	97.8
23.0-23.9.....	4	33	97.7	1	9	94.9	3	24	100.0
24 or more.....	4	46	100.0	4	46	100.0	-	-	100.0

See footnotes at end of table.

Table 3-162. Cumulative percent distribution of saturated fatty acid intake values in grams per 1,000 calories for persons aged 12-14 years by sex and income level: United States, 1976-80-Continued

Income level and saturated fatty acid in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	762	9,255	100.0	399	4,841	100.0	363	4,414	100.0
Less than 2.0.....	1	11	.1	-	-	-	1	11	.2
2.0-2.9.....	1	6	.2	1	6	.1	-	-	.2
3.0-3.9.....	5	69	.9	2	31	.8	3	38	1.1
4.0-4.9.....	2	27	1.2	2	27	1.3	-	-	1.1
5.0-5.9.....	4	51	1.8	1	15	1.6	3	36	1.9
6.0-6.9.....	12	142	3.3	6	75	3.2	6	68	3.5
7.0-7.9.....	11	138	4.8	7	81	4.8	4	57	4.8
8.0-8.9.....	28	409	9.2	15	221	9.4	13	187	9.0
9.0-9.9.....	37	442	14.0	17	194	13.4	20	248	14.6
10.0-10.9.....	51	612	20.6	27	316	20.0	24	296	21.3
11.0-11.9.....	46	507	26.1	24	265	25.4	22	243	26.8
12.0-12.9.....	72	880	35.6	41	460	34.9	31	420	36.3
13.0-13.4.....	37	452	40.5	23	280	40.7	14	172	40.2
13.5-13.9.....	44	543	46.3	27	340	47.7	17	204	44.8
14.0-14.4.....	29	349	50.1	12	123	50.3	17	225	49.9
14.5-14.9.....	39	467	55.1	18	223	54.9	21	243	55.4
15.0-15.4.....	35	394	59.4	18	206	59.1	17	189	59.7
15.5-15.9.....	35	405	63.8	19	225	63.8	16	180	63.8
16.0-16.9.....	68	846	72.9	37	479	73.7	31	367	72.1
17.0-17.9.....	51	649	79.9	27	369	81.3	24	280	78.4
18.0-18.9.....	46	528	85.6	30	346	88.4	16	182	82.6
19.0-19.9.....	36	421	90.2	13	144	91.4	23	277	88.8
20.0-20.9.....	14	215	92.5	7	107	93.6	7	108	91.3
21.0-21.9.....	23	241	95.1	11	124	96.2	12	117	93.9
22.0-22.9.....	10	141	96.6	4	59	97.4	6	81	95.8
23.0-23.9.....	10	96	97.7	5	58	98.6	5	38	96.7
24 or more.....	15	216	100.0	5	68	100.0	10	148	100.0

^{1/} Excludes unknown income.

Table 3-163. Cumulative percent distribution of saturated fatty acid intake values in grams per 1,000 calories for persons aged 15-17 years by sex and income level: United States, 1976-80

Income level and saturated fatty acid in grams per 1,000 calories	Both sexes			Male			Female		
	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent
All incomes									
Total.....	1/983	12,441	100.0	1/534	6,309	100.0	449	6,131	100.0
Less than 2.0.....	4	59	.5	2	29	.5	2	30	.5
2.0-2.9.....	1	.13	.6	-	-	.5	1	13	.7
3.0-3.9.....	2	18	.7	2	18	.7	-	-	.7
4.0-4.9.....	6	85	1.4	2	19	1.0	4	66	1.8
5.0-5.9.....	9	120	2.4	4	36	1.6	5	84	3.1
6.0-6.9.....	16	177	3.8	7	64	2.6	9	113	5.0
7.0-7.9.....	14	194	5.3	4	51	3.4	10	143	7.3
8.0-8.9.....	32	412	8.6	15	195	6.5	17	217	10.8
9.0-9.9.....	37	460	12.3	17	217	10.0	20	243	14.8
10.0-10.9.....	62	722	18.2	36	410	16.4	26	313	19.9
11.0-11.9.....	61	789	24.5	30	348	22.0	31	441	27.1
12.0-12.9.....	67	860	31.4	37	457	29.2	30	402	33.7
13.0-13.4.....	43	599	36.2	22	291	33.8	21	309	38.7
13.5-13.9.....	43	621	41.2	24	354	39.4	19	266	43.1
14.0-14.4.....	41	524	45.4	21	245	43.3	20	279	47.6
14.5-14.9.....	51	568	50.0	28	280	47.8	23	288	52.3
15.0-15.4.....	43	577	54.6	23	286	52.3	20	291	57.0
15.5-15.9.....	26	336	57.3	19	203	55.5	7	134	59.2
16.0-16.9.....	77	923	64.8	40	465	62.9	37	458	66.7
17.0-17.9.....	88	1,161	74.1	48	544	71.5	40	617	76.8
18.0-18.9.....	73	885	81.2	49	607	81.1	24	278	81.3
19.0-19.9.....	60	695	86.8	34	376	87.1	26	318	86.5
20.0-20.9.....	43	516	90.9	22	231	90.7	21	285	91.1
21.0-21.9.....	39	501	95.0	23	279	95.2	16	222	94.8
22.0-22.9.....	21	294	97.3	11	134	97.3	10	160	97.4
23.0-23.9.....	8	100	98.1	6	80	98.5	2	20	97.7
24 or more.....	16	234	100.0	8	92	100.0	8	142	100.0
Income below poverty level ^{2/}									
Total.....	177	2,073	100.0	89	974	100.0	88	1,099	100.0
Less than 2.0.....	2	30	1.4	-	-	-	2	30	2.7
2.0-2.9.....	-	-	1.4	-	-	-	-	-	2.7
3.0-3.9.....	-	-	1.4	-	-	-	-	-	2.7
4.0-4.9.....	1	10	1.9	1	10	1.0	-	-	2.7
5.0-5.9.....	1	10	2.4	1	10	2.0	-	-	2.7
6.0-6.9.....	3	31	3.9	1	11	3.2	2	20	4.5
7.0-7.9.....	3	35	5.6	-	-	3.2	3	35	7.7
8.0-8.9.....	4	46	7.8	2	32	6.5	2	14	9.0
9.0-9.9.....	8	89	12.1	3	41	10.7	5	48	13.4
10.0-10.9.....	16	186	21.1	8	99	20.9	8	87	21.3
11.0-11.9.....	10	128	27.3	4	43	25.3	6	85	29.0
12.0-12.9.....	12	137	33.9	6	67	32.2	6	70	35.4
13.0-13.4.....	8	100	38.8	2	41	36.4	6	59	40.8
13.5-13.9.....	10	90	43.1	4	33	39.8	6	57	46.0
14.0-14.4.....	8	88	47.3	5	44	44.3	3	44	50.0
14.5-14.9.....	4	34	49.0	2	17	46.0	2	17	51.6
15.0-15.4.....	4	35	50.7	2	16	47.6	2	19	53.4
15.5-15.9.....	4	75	54.3	2	18	49.5	2	57	58.5
16.0-16.9.....	9	87	58.5	3	28	52.4	6	59	63.9
17.0-17.9.....	17	226	69.4	10	117	64.4	7	110	73.9
18.0-18.9.....	15	192	78.7	10	130	77.8	5	62	79.5
19.0-19.9.....	10	81	82.6	7	57	83.6	3	24	81.7
20.0-20.9.....	9	89	86.9	4	34	87.1	5	55	86.7
21.0-21.9.....	10	143	93.8	6	54	92.7	4	88	94.8
22.0-22.9.....	3	44	95.9	2	17	94.5	1	27	97.2
23.0-23.9.....	3	44	98.0	3	44	99.0	-	-	97.2
24 or more.....	3	41	100.0	1	10	100.0	2	31	100.0

See footnotes at end of table.

Table 3-163. Cumulative percent distribution of saturated fatty acid intake values in grams per 1,000 calories for persons aged 15-17 years by sex and income level: United States, 1976-80-Continued

Income level and saturated fatty acid in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{2/}									
Total.....	1,759	9,750	100.0	1,417	4,992	100.0	342	4,758	100.0
Less than 2.0.....	2	29	.3	2	29	.6	-	-	-
2.0-2.9.....	1	13	.4	-	-	.6	1	13	.3
3.0-3.9.....	2	18	.6	2	18	.9	-	-	.3
4.0-4.9.....	5	75	1.4	1	9	1.1	4	66	1.7
5.0-5.9.....	6	91	2.3	2	16	1.4	4	76	3.3
6.0-6.9.....	13	146	3.8	6	53	2.5	7	93	5.2
7.0-7.9.....	11	159	5.4	4	51	3.5	7	108	7.5
8.0-8.9.....	25	337	8.9	11	142	6.3	14	195	11.6
9.0-9.9.....	28	355	12.5	14	176	9.9	14	180	15.3
10.0-10.9.....	45	523	17.9	27	297	15.8	18	226	20.1
11.0-11.9.....	44	537	23.4	21	232	20.5	23	305	26.5
12.0-12.9.....	51	668	30.3	28	348	27.4	23	320	33.2
13.0-13.4.....	32	461	35.0	19	241	32.3	13	220	37.8
13.5-13.9.....	30	497	40.1	18	300	38.3	12	198	42.0
14.0-14.4.....	33	436	44.6	16	201	42.3	17	235	46.9
14.5-14.9.....	44	501	49.7	25	255	47.4	19	246	52.1
15.0-15.4.....	36	504	54.9	20	258	52.6	16	246	57.3
15.5-15.9.....	21	248	57.4	16	171	56.0	5	77	58.9
16.0-16.9.....	65	779	65.4	36	422	64.4	29	357	66.4
17.0-17.9.....	68	887	74.5	36	397	72.4	32	491	76.7
18.0-18.9.....	54	640	81.0	36	435	81.1	18	204	81.0
19.0-19.9.....	48	597	87.2	26	312	87.4	22	286	87.0
20.0-20.9.....	33	418	91.5	17	188	91.1	16	230	91.8
21.0-21.9.....	29	358	95.1	17	225	95.6	12	134	94.6
22.0-22.9.....	18	249	97.7	9	116	98.0	9	133	97.4
23.0-23.9.....	4	48	98.2	2	27	98.5	2	20	97.9
24 or more.....	11	176	100.0	6	74	100.0	5	102	100.0

^{1/} Excludes 1 examined person with zero calories.
^{2/} Excludes unknown income.

Table 3-164. Cumulative percent distribution of saturated fatty acid intake values in grams per 1,000 calories for persons aged 18-24 years by sex and income level: United States, 1976-80

Income level and saturated fatty acid in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	1/2,053	27,439	100.0	988	13,275	100.0	1/1,065	14,164	100.0
Less than 2.0.....	11	138	.5	2	33	.3	9	105	.7
2.0-2.9.....	6	69	.8	1	9	.3	5	59	1.2
3.0-3.9.....	6	69	1.0	2	23	.5	4	46	1.5
4.0-4.9.....	15	191	1.7	6	94	1.2	9	98	2.2
5.0-5.9.....	32	424	3.3	10	149	2.3	22	275	4.1
6.0-6.9.....	43	549	5.3	17	206	3.9	26	343	6.5
7.0-7.9.....	63	886	8.5	25	309	6.2	38	577	10.6
8.0-8.9.....	74	988	12.1	33	428	9.4	41	560	14.6
9.0-9.9.....	119	1,660	18.1	47	679	14.5	72	981	21.5
10.0-10.9.....	126	1,650	24.1	50	711	19.9	76	940	28.1
11.0-11.9.....	155	2,032	31.5	66	863	26.4	89	1,169	36.4
12.0-12.9.....	175	2,270	39.8	90	1,136	35.0	85	1,134	44.4
13.0-13.4.....	95	1,374	44.8	45	680	40.1	50	694	49.3
13.5-13.9.....	85	1,090	48.8	42	562	44.3	43	528	53.0
14.0-14.4.....	90	1,231	53.3	45	631	49.1	45	600	57.3
14.5-14.9.....	97	1,225	57.8	54	701	54.3	43	523	60.9
15.0-15.4.....	72	937	61.2	39	512	58.2	33	425	63.9
15.5-15.9.....	75	1,000	64.8	36	470	61.8	39	530	67.7
16.0-16.9.....	143	1,908	71.8	75	1,027	69.5	68	881	73.9
17.0-17.9.....	144	1,853	78.5	74	978	76.8	70	875	80.1
18.0-18.9.....	105	1,493	84.0	47	603	81.4	58	890	86.4
19.0-19.9.....	76	1,033	87.7	42	545	85.5	34	487	89.8
20.0-20.9.....	84	1,176	92.0	44	594	90.0	40	583	93.9
21.0-21.9.....	47	714	94.6	28	443	93.3	19	271	95.8
22.0-22.9.....	35	447	96.3	22	269	95.3	13	178	97.1
23.0-23.9.....	28	384	97.6	18	250	97.2	10	133	98.0
24 or more.....	52	646	100.0	28	367	100.0	24	279	100.0
Income below poverty level^{2/}									
Total.....	1/430	5,300	100.0	178	2,237	100.0	1/252	3,063	100.0
Less than 2.0.....	3	34	.6	-	-	-	3	34	1.1
2.0-2.9.....	2	24	1.1	-	-	-	2	24	1.9
3.0-3.9.....	3	25	1.6	-	-	-	3	25	2.7
4.0-4.9.....	5	56	2.6	2	28	1.3	3	27	3.6
5.0-5.9.....	7	84	4.2	4	52	3.6	3	32	4.7
6.0-6.9.....	7	88	5.9	2	31	5.0	5	57	6.5
7.0-7.9.....	15	249	10.6	5	59	7.6	10	190	12.7
8.0-8.9.....	17	173	13.8	3	36	9.2	14	137	17.2
9.0-9.9.....	26	304	19.6	8	78	12.7	18	226	24.6
10.0-10.9.....	24	300	25.2	7	102	17.3	17	197	31.0
11.0-11.9.....	36	419	33.1	16	172	25.0	20	247	39.1
12.0-12.9.....	36	441	41.4	16	219	34.8	20	222	46.3
13.0-13.4.....	21	258	46.3	7	106	39.5	14	153	51.3
13.5-13.9.....	18	229	50.6	8	109	44.4	10	120	55.2
14.0-14.4.....	12	185	54.1	4	57	46.9	8	128	59.4
14.5-14.9.....	25	261	59.1	10	93	51.1	15	169	64.9
15.0-15.4.....	21	256	63.9	11	127	56.8	10	129	69.1
15.5-15.9.....	17	220	68.0	7	86	60.6	10	134	73.5
16.0-16.9.....	25	297	73.6	13	167	68.1	12	130	77.7
17.0-17.9.....	23	275	78.8	9	115	73.2	14	160	83.0
18.0-18.9.....	21	295	84.4	9	103	77.8	12	192	89.2
19.0-19.9.....	19	194	88.1	12	128	83.5	7	66	91.4
20.0-20.9.....	19	268	93.1	11	146	90.1	8	122	95.3
21.0-21.9.....	8	141	95.8	4	95	94.3	4	46	96.9
22.0-22.9.....	5	52	96.8	2	19	95.2	3	33	97.9
23.0-23.9.....	7	84	98.4	4	57	97.7	3	28	98.8
24 or more.....	8	87	100.0	4	51	100.0	4	35	100.0

See footnotes at end of table.

Table 3-164. Cumulative percent distribution of saturated fatty acid intake values in grams per 1,000 calories for persons aged 18-24 years by sex and income level: United States, 1976-80-Continued

Income level and saturated fatty acid in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{2/}									
Total.....	1,541	21,013	100.0	770	10,508	100.0	771	10,505	100.0
Less than 2.0.....	8	104	.5	2	33	.3	6	71	.7
2.0-2.9.....	3	36	.7	1	9	.4	2	27	.9
3.0-3.9.....	3	44	.9	2	23	.6	1	21	1.1
4.0-4.9.....	8	118	1.4	4	65	1.3	4	53	1.6
5.0-5.9.....	25	340	3.1	6	98	2.2	19	243	3.9
6.0-6.9.....	35	448	5.2	15	175	3.8	20	273	6.5
7.0-7.9.....	47	630	8.2	20	250	6.2	27	380	10.2
8.0-8.9.....	53	709	11.6	27	332	9.4	26	377	13.8
9.0-9.9.....	86	1,231	17.4	38	573	14.8	48	658	20.0
10.0-10.9.....	97	1,289	23.6	41	586	20.4	56	703	26.7
11.0-11.9.....	115	1,564	31.0	50	691	27.0	65	873	35.0
12.0-12.9.....	132	1,706	39.1	71	878	35.3	61	828	42.9
13.0-13.4.....	70	1,059	44.2	35	526	40.3	35	533	48.0
13.5-13.9.....	65	840	48.2	32	432	44.5	33	408	51.9
14.0-14.4.....	75	995	52.9	39	548	49.7	36	447	56.1
14.5-14.9.....	72	963	57.5	44	609	55.5	28	355	59.5
15.0-15.4.....	48	651	60.6	26	366	58.9	22	285	62.2
15.5-15.9.....	54	730	64.0	27	352	62.3	27	377	65.8
16.0-16.9.....	109	1,500	71.2	57	792	69.8	52	708	72.5
17.0-17.9.....	118	1,547	78.5	63	840	77.8	55	707	79.3
18.0-18.9.....	78	1,120	83.9	36	480	82.4	42	640	85.4
19.0-19.9.....	50	768	87.5	25	365	85.9	25	403	89.2
20.0-20.9.....	62	862	91.6	32	434	90.0	30	428	93.3
21.0-21.9.....	38	553	94.3	23	329	93.1	15	224	95.4
22.0-22.9.....	29	388	96.1	19	243	95.4	10	145	96.8
23.0-23.9.....	19	278	97.4	12	172	97.1	7	106	97.8
24 or more.....	42	538	100.0	23	306	100.0	19	231	100.0

1/ Excludes 1 examined person with zero calories.
2/ Excludes unknown income.

Table 3-165. Cumulative percent distribution of saturated fatty acid intake values in grams per 1,000 calories for persons aged 25-34 years by sex and income level: United States, 1976-80

Income level and saturated fatty acid in grams per 1,000 calories	Both sexes			Male			Female		
	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent
	All incomes								
Total.....	1/2,236	32,739	100.0	1,067	15,895	100.0	1/1,169	16,844	100.0
Less than 2.0.....	11	141	.4	6	72	.4	5	69	.4
2.0-2.9.....	9	129	.8	5	68	.9	4	61	.8
3.0-3.9.....	9	140	1.3	2	39	1.1	7	101	1.4
4.0-4.9.....	24	365	2.4	12	182	2.3	12	184	2.5
5.0-5.9.....	38	587	4.2	18	240	3.8	20	347	4.5
6.0-6.9.....	43	550	5.8	16	216	5.1	27	334	6.5
7.0-7.9.....	69	1,045	9.0	30	427	7.8	39	618	10.2
8.0-8.9.....	67	1,068	12.3	29	478	10.8	38	590	13.7
9.0-9.9.....	112	1,611	17.2	52	784	15.8	60	827	18.6
10.0-10.9.....	148	2,274	24.2	72	1,147	23.0	76	1,127	25.3
11.0-11.9.....	152	2,158	30.8	73	1,109	29.9	79	1,050	31.5
12.0-12.9.....	185	2,610	38.7	77	1,081	36.7	108	1,530	40.6
13.0-13.4.....	112	1,544	43.4	48	691	41.1	64	853	45.7
13.5-13.9.....	89	1,287	47.4	42	596	44.8	47	691	49.8
14.0-14.4.....	112	1,777	52.8	59	1,046	51.4	53	731	54.1
14.5-14.9.....	109	1,394	57.1	59	762	56.2	50	631	57.9
15.0-15.4.....	85	1,109	60.4	50	676	60.5	35	433	60.4
15.5-15.9.....	100	1,507	65.0	56	843	65.8	44	664	64.4
16.0-16.9.....	157	2,444	72.5	68	1,061	72.4	89	1,383	72.6
17.0-17.9.....	156	2,257	79.4	78	1,142	79.6	78	1,115	79.2
18.0-18.9.....	124	1,838	85.0	59	841	84.9	65	997	85.1
19.0-19.9.....	84	1,283	88.9	44	706	89.4	40	577	88.5
20.0-20.9.....	67	944	91.8	29	423	92.0	38	521	91.6
21.0-21.9.....	69	1,132	95.3	30	475	95.0	39	657	95.5
22.0-22.9.....	39	587	97.1	20	321	97.0	19	266	97.1
23.0-23.9.....	18	297	98.0	9	148	98.0	9	149	98.0
24 or more.....	48	660	100.0	24	322	100.0	24	339	100.0
Income below poverty level^{2/}									
Total.....	253	3,103	100.0	91	1,106	100.0	162	1,997	100.0
Less than 2.0.....	-	-	-	-	-	-	-	-	-
2.0-2.9.....	-	-	-	-	-	-	-	-	-
3.0-3.9.....	1	22	.7	1	22	2.0	-	-	-
4.0-4.9.....	5	59	2.6	2	20	3.8	3	39	2.0
5.0-5.9.....	4	35	3.7	1	9	4.6	3	26	3.3
6.0-6.9.....	8	91	6.7	2	20	6.4	6	71	6.8
7.0-7.9.....	8	100	9.9	2	15	7.7	6	86	11.1
8.0-8.9.....	8	95	13.0	1	17	9.2	7	78	15.1
9.0-9.9.....	12	122	16.9	4	46	13.4	8	76	18.9
10.0-10.9.....	15	169	22.4	8	86	21.2	7	84	23.0
11.0-11.9.....	13	173	28.0	7	78	28.2	6	95	27.8
12.0-12.9.....	23	277	36.9	6	66	34.1	17	212	38.4
13.0-13.4.....	14	188	43.0	6	104	43.5	8	84	42.6
13.5-13.9.....	12	141	47.5	3	50	48.0	9	90	47.2
14.0-14.4.....	12	122	51.4	3	34	51.2	9	88	51.6
14.5-14.9.....	20	210	58.2	7	65	57.1	13	145	58.8
15.0-15.4.....	9	115	61.9	5	71	63.5	4	44	61.0
15.5-15.9.....	11	126	66.0	3	26	65.8	8	100	66.0
16.0-16.9.....	10	143	70.6	4	44	69.8	6	99	71.0
17.0-17.9.....	17	219	77.6	6	89	77.8	11	130	77.5
18.0-18.9.....	15	222	84.8	4	46	82.0	11	175	86.3
19.0-19.9.....	10	134	89.1	4	61	87.5	6	73	89.9
20.0-20.9.....	9	106	92.5	4	45	91.6	5	61	93.0
21.0-21.9.....	7	120	96.3	2	21	93.5	5	99	97.9
22.0-22.9.....	5	64	98.4	4	53	98.3	1	10	98.4
23.0-23.9.....	1	8	98.7	-	-	98.3	1	8	98.8
24 or more.....	4	42	100.0	2	19	100.0	2	23	100.0

See footnotes at end of table.

Table 3-165. Cumulative percent distribution of saturated fatty acid intake values in grams per 1,000 calories for persons aged 25-34 years by sex and income level: United States, 1976-80-Continued

Income level and saturated fatty acid in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{2/}									
Total.....	1/1,926	28,824	100.0	945	14,355	100.0	1/981	14,469	100.0
Less than 2.0.....	8	114	.4	3	45	.3	5	69	.5
2.0-2.9.....	9	129	.8	5	68	.8	4	61	.9
3.0-3.9.....	8	119	1.3	1	17	.9	7	101	1.6
4.0-4.9.....	19	306	2.3	10	162	2.0	9	144	2.6
5.0-5.9.....	33	541	4.2	17	231	3.6	16	310	4.7
6.0-6.9.....	35	458	5.8	14	195	5.0	21	263	6.6
7.0-7.9.....	60	930	9.0	27	398	7.8	33	533	10.2
8.0-8.9.....	58	962	12.3	28	461	11.0	30	501	13.7
9.0-9.9.....	99	1,482	17.5	48	738	16.1	51	744	18.8
10.0-10.9.....	130	2,064	24.6	62	1,033	23.3	68	1,031	26.0
11.0-11.9.....	138	1,966	31.5	66	1,031	30.5	72	935	32.4
12.0-12.9.....	152	2,188	39.1	67	954	37.1	85	1,234	41.0
13.0-13.4.....	97	1,345	43.7	42	587	41.2	55	758	46.2
13.5-13.9.....	74	1,111	47.6	37	524	44.9	37	587	50.3
14.0-14.4.....	95	1,577	53.1	52	958	51.6	43	620	54.5
14.5-14.9.....	87	1,160	57.1	51	684	56.3	36	476	57.8
15.0-15.4.....	72	944	60.3	41	556	60.2	31	389	60.5
15.5-15.9.....	88	1,356	65.1	52	792	65.7	36	564	64.4
16.0-16.9.....	142	2,254	72.9	62	994	72.6	80	1,260	73.1
17.0-17.9.....	132	1,908	79.5	70	1,032	79.8	62	876	79.2
18.0-18.9.....	107	1,581	85.0	54	770	85.2	53	811	84.8
19.0-19.9.....	72	1,117	88.9	38	613	89.5	34	504	88.3
20.0-20.9.....	57	815	91.7	24	355	91.9	33	460	91.4
21.0-21.9.....	60	980	95.1	28	454	95.1	32	526	95.1
22.0-22.9.....	34	524	96.9	16	268	97.0	18	256	96.8
23.0-23.9.....	17	289	97.9	9	148	98.0	8	140	97.8
24 or more.....	43	603	100.0	21	288	100.0	22	316	100.0

1/ Excludes 1 examined person with zero calories.

2/ Excludes unknown income.

Table 3-166. Cumulative percent distribution of saturated fatty acid intake values in grams per 1,000 calories for persons aged 35-44 years by sex and income level: United States, 1976-80

Income level and saturated fatty acid in grams per 1,000 calories	Both sexes			Male			Female		
	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent
All incomes									
Total.....	1,589	23,651	100.0	745	11,367	100.0	844	12,284	100.0
Less than 2.0.....	4	51	.2	1	18	.2	3	33	.3
2.0-2.9.....	7	93	.6	4	45	.5	3	49	.7
3.0-3.9.....	11	152	1.3	3	32	.8	8	120	1.6
4.0-4.9.....	13	187	2.0	4	44	1.2	9	142	2.8
5.0-5.9.....	21	281	3.2	10	114	2.2	11	168	4.2
6.0-6.9.....	19	299	4.5	6	88	3.0	13	211	5.9
7.0-7.9.....	45	722	7.5	24	408	6.6	21	313	8.4
8.0-8.9.....	55	877	11.3	24	403	10.1	31	474	12.3
9.0-9.9.....	87	1,210	16.4	38	541	14.9	49	670	17.8
10.0-10.9.....	77	1,131	21.2	27	362	18.1	50	769	24.0
11.0-11.9.....	124	1,830	28.9	56	833	25.4	68	997	32.1
12.0-12.9.....	131	1,929	37.1	59	822	32.6	72	1,108	41.1
13.0-13.4.....	79	1,103	41.7	35	551	37.5	44	552	45.6
13.5-13.9.....	64	1,013	46.0	34	558	42.4	30	455	49.3
14.0-14.4.....	65	947	50.0	29	433	46.2	36	514	53.5
14.5-14.9.....	62	877	53.7	34	491	50.5	28	386	56.7
15.0-15.4.....	65	1,035	58.1	35	626	56.0	30	409	60.0
15.5-15.9.....	67	1,002	62.3	34	515	60.6	33	487	64.0
16.0-16.9.....	130	1,990	70.7	61	941	68.8	69	1,049	72.5
17.0-17.9.....	98	1,514	77.1	50	744	75.4	48	770	78.8
18.0-18.9.....	95	1,348	82.8	36	557	80.3	59	792	85.2
19.0-19.9.....	78	1,122	87.6	43	673	86.2	35	449	88.9
20.0-20.9.....	56	877	91.3	27	472	90.3	29	405	92.2
21.0-21.9.....	43	674	94.1	20	321	93.2	23	353	95.0
22.0-22.9.....	30	458	96.1	17	272	95.6	13	186	96.6
23.0-23.9.....	15	220	97.0	9	121	96.6	6	99	97.4
24 or more.....	48	707	100.0	25	383	100.0	23	324	100.0
Income below poverty level^{1/}									
Total.....	182	2,364	100.0	63	821	100.0	119	1,543	100.0
Less than 2.0.....	1	8	.3	*	*	*	1	8	.5
2.0-2.9.....	2	19	1.1	*	*	*	1	10	1.2
3.0-3.9.....	3	29	2.3	*	*	*	2	18	2.3
4.0-4.9.....	3	31	3.6	*	*	*	1	14	3.3
5.0-5.9.....	4	66	6.4	*	*	*	3	56	6.9
6.0-6.9.....	-	-	6.4	*	*	*	-	-	6.9
7.0-7.9.....	5	74	9.6	*	*	*	1	10	7.5
8.0-8.9.....	10	161	16.4	*	*	*	3	46	10.5
9.0-9.9.....	8	98	20.5	*	*	*	4	42	13.2
10.0-10.9.....	7	69	23.4	*	*	*	6	60	17.1
11.0-11.9.....	12	194	31.6	*	*	*	9	153	27.0
12.0-12.9.....	13	174	39.0	*	*	*	11	156	37.1
13.0-13.4.....	10	102	43.3	*	*	*	6	63	41.2
13.5-13.9.....	10	121	48.4	*	*	*	4	41	43.8
14.0-14.4.....	8	105	52.8	*	*	*	6	84	49.3
14.5-14.9.....	5	79	56.2	*	*	*	3	51	52.6
15.0-15.4.....	3	58	58.7	*	*	*	2	32	54.7
15.5-15.9.....	4	42	60.4	*	*	*	2	24	56.2
16.0-16.9.....	10	132	66.0	*	*	*	6	81	61.4
17.0-17.9.....	11	133	71.7	*	*	*	9	111	68.6
18.0-18.9.....	24	320	85.2	*	*	*	21	255	85.2
19.0-19.9.....	6	70	88.2	*	*	*	2	21	86.6
20.0-20.9.....	3	31	89.4	*	*	*	2	20	87.8
21.0-21.9.....	6	59	92.0	*	*	*	5	48	91.0
22.0-22.9.....	6	80	95.3	*	*	*	3	51	94.3
23.0-23.9.....	-	-	95.3	*	*	*	-	-	94.3
24 or more.....	8	110	100.0	*	*	*	6	89	100.0

See footnotes at end of table.

Table 3-166. Cumulative percent distribution of saturated fatty acid intake values in grams per 1,000 calories for persons aged 35-44 years by sex and income level: United States, 1976-80-Continued

Income level and saturated fatty acid in grams per 1,000 calories	Both sexes			Male			Female		
	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	1,360	20,572	100.0	658	10,195	100.0	702	10,377	100.0
Less than 2.0.....	3	44	.2	1	18	.2	2	26	.3
2.0-2.9.....	5	75	.6	3	36	.5	2	39	.6
3.0-3.9.....	8	123	1.2	2	21	.7	6	102	1.6
4.0-4.9.....	9	141	1.9	1	13	.9	8	128	2.8
5.0-5.9.....	16	203	2.8	8	92	1.8	8	112	3.9
6.0-6.9.....	19	299	4.3	6	88	2.6	13	211	5.9
7.0-7.9.....	40	648	7.4	20	344	6.0	20	304	8.9
8.0-8.9.....	42	677	10.7	16	278	8.7	26	399	12.7
9.0-9.9.....	77	1,091	16.0	33	476	13.4	44	615	18.6
10.0-10.9.....	69	1,050	21.1	26	353	16.8	43	697	25.4
11.0-11.9.....	109	1,573	28.8	53	792	24.6	56	781	32.9
12.0-12.9.....	111	1,652	36.8	50	700	31.5	61	952	42.1
13.0-13.4.....	67	964	41.5	30	488	36.3	37	476	46.6
13.5-13.9.....	52	855	45.7	28	478	41.0	24	377	50.3
14.0-14.4.....	56	818	49.6	27	412	45.0	29	407	54.2
14.5-14.9.....	57	797	53.5	32	462	49.5	25	335	57.4
15.0-15.4.....	58	927	58.0	32	569	55.1	26	358	60.9
15.5-15.9.....	60	914	62.5	30	478	59.8	30	436	65.1
16.0-16.9.....	117	1,814	71.3	56	876	68.4	61	939	74.1
17.0-17.9.....	83	1,314	77.7	46	695	75.2	37	619	80.1
18.0-18.9.....	68	983	82.5	32	474	79.9	36	510	85.0
19.0-19.9.....	69	992	87.3	38	589	85.6	31	404	88.9
20.0-20.9.....	50	824	91.3	24	446	90.0	26	378	92.5
21.0-21.9.....	36	598	94.2	18	293	92.9	18	305	95.5
22.0-22.9.....	24	378	96.0	14	243	95.3	10	135	96.8
23.0-23.9.....	15	220	97.1	9	121	96.4	6	99	97.7
24 or more.....	40	597	100.0	23	362	100.0	17	235	100.0

^{1/} Excludes unknown income.

Table 3-167. Cumulative percent distribution of saturated fatty acid intake values in grams per 1,000 calories for persons aged 45-54 years by sex and income level: United States, 1976-80

Income level and saturated fatty acid in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	1,453	23,032	100.0	690	11,114	100.0	763	11,918	100.0
Less than 2.0.....	4	75	.3	1	23	.2	3	52	.4
2.0-2.9.....	4	63	.6	1	17	.4	3	46	.8
3.0-3.9.....	7	108	1.1	2	28	.6	5	80	1.5
4.0-4.9.....	20	269	2.2	6	72	1.3	14	198	3.2
5.0-5.9.....	26	387	3.9	8	118	2.3	18	268	5.4
6.0-6.9.....	29	436	5.8	12	169	3.8	17	268	7.6
7.0-7.9.....	45	727	9.0	21	318	6.7	24	409	11.1
8.0-8.9.....	45	737	12.2	14	263	9.1	31	474	15.1
9.0-9.9.....	63	1,005	16.5	22	364	12.3	41	641	20.4
10.0-10.9.....	104	1,600	23.5	63	1,019	21.5	41	582	25.3
11.0-11.9.....	85	1,396	29.5	36	562	26.6	49	834	32.3
12.0-12.9.....	120	1,995	38.2	61	1,085	36.3	59	910	39.9
13.0-13.4.....	66	1,076	42.9	31	458	40.4	35	619	45.1
13.5-13.9.....	66	1,122	47.8	29	563	45.5	37	559	49.8
14.0-14.4.....	68	1,013	52.1	32	475	49.8	36	537	54.3
14.5-14.9.....	56	821	55.7	28	449	53.8	28	372	57.5
15.0-15.4.....	61	1,087	60.4	23	483	58.2	38	604	62.5
15.5-15.9.....	67	1,069	65.1	28	417	61.9	39	652	68.0
16.0-16.9.....	114	1,738	72.6	52	798	69.1	62	941	75.9
17.0-17.9.....	89	1,422	78.8	50	774	76.1	39	647	81.3
18.0-18.9.....	78	1,105	83.6	43	642	81.9	35	463	85.2
19.0-19.9.....	56	929	87.6	34	543	86.7	22	387	88.4
20.0-20.9.....	44	742	90.8	24	383	90.2	20	360	91.5
21.0-21.9.....	43	677	93.8	22	335	93.2	21	343	94.3
22.0-22.9.....	28	426	95.6	14	215	95.1	14	211	96.1
23.0-23.9.....	16	241	96.7	8	130	96.3	8	111	97.0
24 or more.....	49	763	100.0	25	411	100.0	24	352	100.0
Income below poverty level¹/									
Total.....	128	1,760	100.0	46	645	100.0	82	1,115	100.0
Less than 2.0.....	-	-	-	*	*	*	-	-	-
2.0-2.9.....	-	-	-	*	*	*	-	-	-
3.0-3.9.....	1	11	.6	*	*	*	1	11	1.0
4.0-4.9.....	2	21	1.8	*	*	*	2	21	2.9
5.0-5.9.....	3	32	3.6	*	*	*	2	19	4.6
6.0-6.9.....	4	51	6.5	*	*	*	1	13	5.8
7.0-7.9.....	2	19	7.6	*	*	*	2	19	7.5
8.0-8.9.....	5	66	11.4	*	*	*	3	43	11.3
9.0-9.9.....	1	9	11.9	*	*	*	-	-	11.3
10.0-10.9.....	7	77	16.3	*	*	*	4	43	15.2
11.0-11.9.....	7	99	21.8	*	*	*	5	68	21.3
12.0-12.9.....	12	175	31.8	*	*	*	6	78	28.3
13.0-13.4.....	5	64	35.4	*	*	*	4	55	33.2
13.5-13.9.....	6	121	42.3	*	*	*	6	121	44.1
14.0-14.4.....	6	69	46.3	*	*	*	3	33	47.0
14.5-14.9.....	7	88	51.3	*	*	*	5	56	52.1
15.0-15.4.....	6	108	57.4	*	*	*	4	43	55.9
15.5-15.9.....	2	19	58.4	*	*	*	2	19	57.6
16.0-16.9.....	14	161	67.6	*	*	*	10	114	67.8
17.0-17.9.....	7	90	72.7	*	*	*	3	44	71.8
18.0-18.9.....	11	154	81.5	*	*	*	6	89	79.7
19.0-19.9.....	3	36	83.5	*	*	*	1	12	80.8
20.0-20.9.....	3	58	86.8	*	*	*	2	35	83.9
21.0-21.9.....	5	97	92.3	*	*	*	4	85	91.5
22.0-22.9.....	4	57	95.5	*	*	*	3	45	95.6
23.0-23.9.....	2	24	96.8	*	*	*	2	24	97.7
24 or more.....	3	55	100.0	*	*	*	1	26	100.0

See footnotes at end of table.

Table 3-167. Cumulative percent distribution of saturated fatty acid intake values in grams per 1,000 calories for persons aged 45-54 years by sex and income level: United States, 1976-80-Continued

Income level and saturated fatty acid in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	1,258	20,161	100.0	603	9,738	100.0	655	10,424	100.0
Less than 2.0.....	4	75	.4	1	23	.2	3	52	.5
2.0-2.9.....	4	63	.7	1	17	.4	3	46	.9
3.0-3.9.....	5	84	1.1	1	15	.6	4	69	1.6
4.0-4.9.....	17	239	2.3	6	72	1.3	11	167	3.2
5.0-5.9.....	22	334	3.9	6	85	2.2	16	249	5.6
6.0-6.9.....	24	375	5.8	9	131	3.5	15	244	7.9
7.0-7.9.....	37	606	8.8	19	286	6.5	18	320	11.0
8.0-8.9.....	39	642	12.0	11	211	8.6	28	431	15.1
9.0-9.9.....	58	935	16.6	21	355	12.3	37	580	20.7
10.0-10.9.....	94	1,483	24.0	58	952	22.1	36	531	25.8
11.0-11.9.....	76	1,267	30.3	32	501	27.2	44	766	33.2
12.0-12.9.....	100	1,687	38.6	48	870	36.1	52	818	41.0
13.0-13.4.....	59	966	43.4	28	402	40.3	31	564	46.4
13.5-13.9.....	58	969	48.3	28	540	45.8	30	429	50.5
14.0-14.4.....	58	884	52.6	26	401	49.9	32	483	55.2
14.5-14.9.....	47	692	56.1	24	376	53.8	23	316	58.2
15.0-15.4.....	52	927	60.7	19	381	57.7	33	546	63.4
15.5-15.9.....	64	1,043	65.8	28	417	62.0	36	625	69.4
16.0-16.9.....	96	1,515	73.3	45	709	69.3	51	806	77.2
17.0-17.9.....	79	1,291	79.8	44	703	76.5	35	589	82.8
18.0-18.9.....	65	918	84.3	37	562	82.3	28	356	86.2
19.0-19.9.....	47	795	88.3	28	460	87.0	19	336	89.4
20.0-20.9.....	40	675	91.6	23	360	90.7	17	315	92.5
21.0-21.9.....	37	570	94.4	21	323	94.0	16	248	94.8
22.0-22.9.....	22	304	95.9	11	138	95.4	11	166	96.4
23.0-23.9.....	13	196	96.9	7	109	96.5	6	87	97.3
24 or more.....	41	623	100.0	21	339	100.0	20	284	100.0

^{1/} Excludes unknown income.

Table 3-168. Cumulative percent distribution of saturated fatty acid intake values in grams per 1,000 calories for persons aged 55-64 years by sex and income level: United States, 1976-80

Income level and saturated fatty acid in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	1/2,555	20,346	100.0	1/1,226	9,603	100.0	1,329	10,743	100.0
Less than 2.0.....	14	105	.5	8	54	.6	6	51	.5
2.0-2.9.....	9	63	.8	2	18	.8	7	45	.9
3.0-3.9.....	14	145	1.5	4	38	1.1	10	108	1.9
4.0-4.9.....	22	182	2.4	7	78	1.9	15	104	2.9
5.0-5.9.....	34	254	3.7	8	51	2.5	26	202	4.8
6.0-6.9.....	50	405	5.7	19	104	3.6	31	301	7.6
7.0-7.9.....	79	705	9.1	34	294	6.6	45	411	11.4
8.0-8.9.....	111	894	13.5	41	319	10.0	70	575	16.7
9.0-9.9.....	125	1,043	18.7	45	381	13.9	80	662	22.9
10.0-10.9.....	146	1,053	23.8	62	435	18.5	84	618	28.6
11.0-11.9.....	205	1,832	32.8	81	756	26.3	124	1,076	38.7
12.0-12.9.....	207	1,710	41.3	99	784	34.5	108	926	47.3
13.0-13.4.....	117	872	45.5	59	418	38.8	58	454	51.5
13.5-13.9.....	111	792	49.4	55	420	43.2	56	372	55.0
14.0-14.4.....	113	828	53.5	60	428	47.7	53	400	58.7
14.5-14.9.....	118	986	58.3	55	472	52.6	63	514	63.5
15.0-15.4.....	106	802	62.3	51	342	56.1	55	460	67.8
15.5-15.9.....	103	712	65.8	57	383	60.1	46	328	70.8
16.0-16.9.....	192	1,620	73.7	99	854	69.0	93	766	77.9
17.0-17.9.....	173	1,399	80.6	93	723	76.6	80	676	84.2
18.0-18.9.....	146	1,236	86.7	79	697	83.8	67	539	89.3
19.0-19.9.....	95	688	90.1	53	363	87.6	42	325	92.3
20.0-20.9.....	71	540	92.7	42	342	91.2	29	198	94.1
21.0-21.9.....	54	469	95.0	34	303	94.3	20	166	95.7
22.0-22.9.....	34	236	96.2	13	84	95.2	21	151	97.1
23.0-23.9.....	35	290	97.6	20	149	96.8	15	141	98.4
24 or more.....	71	484	100.0	46	311	100.0	25	172	100.0
Income below poverty level^{12/}									
Total.....	1/316	1,956	100.0	1/128	775	100.0	188	1,181	100.0
Less than 2.0.....	6	35	1.8	5	26	3.4	1	9	.7
2.0-2.9.....	1	9	2.2	-	-	3.4	1	9	1.5
3.0-3.9.....	1	9	2.7	1	9	4.5	-	-	1.5
4.0-4.9.....	3	9	3.1	-	-	4.5	3	9	2.2
5.0-5.9.....	3	15	3.9	-	-	4.5	3	15	3.4
6.0-6.9.....	4	16	4.7	1	5	5.2	3	11	4.4
7.0-7.9.....	7	33	6.4	5	25	8.4	2	8	5.0
8.0-8.9.....	11	52	9.0	5	25	11.7	6	27	7.3
9.0-9.9.....	17	108	14.6	4	25	14.9	13	83	14.3
10.0-10.9.....	21	120	20.7	3	25	18.1	18	95	22.4
11.0-11.9.....	24	177	29.8	6	35	22.7	18	142	34.4
12.0-12.9.....	28	157	37.8	12	59	30.3	16	98	42.7
13.0-13.4.....	18	128	44.4	7	29	34.1	11	99	51.1
13.5-13.9.....	10	46	46.8	5	25	37.3	5	21	52.9
14.0-14.4.....	18	129	53.3	12	82	48.0	6	46	56.8
14.5-14.9.....	13	138	60.4	6	88	59.3	7	50	61.1
15.0-15.4.....	13	92	65.1	3	23	62.3	10	69	66.9
15.5-15.9.....	13	58	68.1	7	31	66.4	6	27	69.2
16.0-16.9.....	24	132	74.8	6	36	71.1	18	96	77.3
17.0-17.9.....	27	159	83.0	15	80	81.4	12	79	84.0
18.0-18.9.....	16	80	87.1	5	29	85.2	11	51	88.3
19.0-19.9.....	12	68	90.6	8	45	91.1	4	23	90.3
20.0-20.9.....	4	31	92.1	1	3	91.5	3	28	92.6
21.0-21.9.....	5	32	93.8	3	24	94.6	2	8	93.2
22.0-22.9.....	4	31	95.4	2	7	95.5	2	24	95.3
23.0-23.9.....	4	44	97.6	2	17	97.6	2	27	97.6
24 or more.....	9	47	100.0	4	18	100.0	5	29	100.0

See footnotes at end of table.

Table 3-168. Cumulative percent distribution of saturated fatty acid intake values in grams per 1,000 calories for persons aged 55-64 years by sex and income level: United States, 1976-80-Continued

Income level and saturated fatty acid in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{2/}									
Total.....	2,119	17,376	100.0	1,048	8,443	100.0	1,071	8,934	100.0
Less than 2.0.....	8	70	.4	3	28	.3	5	42	.5
2.0-2.9.....	8	55	.7	2	18	.5	6	37	.9
3.0-3.9.....	12	125	1.4	3	29	.9	9	96	2.0
4.0-4.9.....	19	174	2.4	7	78	1.8	12	96	3.0
5.0-5.9.....	29	222	3.7	7	43	2.3	22	179	5.0
6.0-6.9.....	41	347	5.7	18	99	3.5	23	248	7.8
7.0-7.9.....	71	667	9.5	28	264	6.6	43	404	12.3
8.0-8.9.....	97	818	14.3	34	287	10.0	63	530	18.3
9.0-9.9.....	105	896	19.4	40	352	14.2	65	545	24.4
10.0-10.9.....	119	884	24.5	57	405	19.0	62	479	29.7
11.0-11.9.....	169	1,552	33.4	71	682	27.0	98	870	39.5
12.0-12.9.....	168	1,453	41.8	81	654	34.8	87	798	48.4
13.0-13.4.....	92	704	45.8	49	373	39.2	43	331	52.1
13.5-13.9.....	95	700	49.9	48	367	43.6	47	333	55.8
14.0-14.4.....	90	664	53.7	47	341	47.6	43	323	59.4
14.5-14.9.....	103	831	58.5	47	367	51.9	56	464	64.6
15.0-15.4.....	85	639	62.1	45	301	55.5	40	337	68.4
15.5-15.9.....	84	601	65.6	47	339	59.5	37	262	71.3
16.0-16.9.....	159	1,381	73.5	91	798	69.0	68	583	77.9
17.0-17.9.....	134	1,151	80.2	72	597	76.1	62	554	84.1
18.0-18.9.....	126	1,131	86.7	73	661	83.9	53	470	89.3
19.0-19.9.....	79	593	90.1	43	312	87.6	36	281	92.5
20.0-20.9.....	63	482	92.9	38	317	91.3	25	164	94.3
21.0-21.9.....	47	413	95.3	29	255	94.4	18	158	96.1
22.0-22.9.....	29	200	96.4	11	78	95.3	18	122	97.4
23.0-23.9.....	27	206	97.6	16	109	96.6	11	97	98.5
24 or more.....	60	420	100.0	41	289	100.0	19	131	100.0

1/ Excludes 1 examined person with zero calories.
2/ Excludes unknown income.

Table 3-169. Cumulative percent distribution of saturated fatty acid intake values in grams per 1,000 calories for persons aged 65-74 years by sex and income level: United States, 1976-80

Income level and saturated fatty acid in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	2,615	14,496	100.0	1,199	6,297	100.0	1,416	8,198	100.0
Less than 2.0.....	11	57	.4	3	12	.2	8	45	.5
2.0-2.9.....	13	76	.9	3	21	.5	10	55	1.2
3.0-3.9.....	19	126	1.8	10	66	1.6	9	61	2.0
4.0-4.9.....	33	195	3.1	9	55	2.4	24	140	3.7
5.0-5.9.....	44	241	4.8	18	84	3.8	26	157	5.6
6.0-6.9.....	67	417	7.7	24	158	6.3	43	259	8.7
7.0-7.9.....	105	599	11.8	34	162	8.9	71	437	14.1
8.0-8.9.....	123	719	16.8	44	253	12.9	79	466	19.8
9.0-9.9.....	163	923	23.1	64	358	18.6	99	565	26.6
10.0-10.9.....	180	1,023	30.2	76	408	25.0	104	615	34.1
11.0-11.9.....	197	1,095	37.7	78	384	31.1	119	711	42.8
12.0-12.9.....	238	1,350	47.1	90	465	38.5	148	885	53.6
13.0-13.4.....	109	644	51.5	50	291	43.1	59	352	57.9
13.5-13.9.....	105	564	55.4	57	317	48.2	48	247	60.9
14.0-14.4.....	105	577	59.4	51	260	52.3	54	318	64.8
14.5-14.9.....	127	674	64.0	67	368	58.1	60	305	68.5
15.0-15.4.....	110	641	68.4	58	293	62.8	52	348	72.8
15.5-15.9.....	107	546	72.2	49	225	66.4	58	321	76.7
16.0-16.9.....	179	958	78.8	95	498	74.3	84	460	82.3
17.0-17.9.....	143	797	84.3	67	388	80.4	76	409	87.3
18.0-18.9.....	99	576	88.3	48	256	84.5	51	319	91.2
19.0-19.9.....	80	421	91.2	49	231	88.2	31	189	93.5
20.0-20.9.....	90	436	94.2	57	265	92.4	33	170	95.6
21.0-21.9.....	54	274	96.1	31	149	94.8	23	125	97.1
22.0-22.9.....	31	171	97.3	16	91	96.2	15	80	98.1
23.0-23.9.....	34	150	98.3	19	81	97.5	15	69	98.9
24 or more.....	49	247	100.0	32	158	100.0	17	89	100.0
Income below poverty level¹									
Total.....	424	2,003	100.0	168	759	100.0	256	1,245	100.0
Less than 2.0.....	2	8	.4	-	-	-	2	8	.6
2.0-2.9.....	5	22	1.5	2	11	1.5	3	10	1.5
3.0-3.9.....	8	40	3.5	3	17	3.6	5	23	3.4
4.0-4.9.....	8	40	5.5	2	13	5.3	6	27	5.5
5.0-5.9.....	7	37	7.3	2	7	6.3	5	29	7.9
6.0-6.9.....	11	55	10.0	4	22	9.1	7	33	10.5
7.0-7.9.....	20	102	15.1	6	27	12.7	14	75	16.6
8.0-8.9.....	15	66	18.4	6	27	16.3	9	39	19.7
9.0-9.9.....	26	135	25.2	5	25	19.6	21	110	28.5
10.0-10.9.....	28	135	31.9	6	24	22.8	22	111	37.5
11.0-11.9.....	34	156	39.7	13	45	28.7	21	111	46.4
12.0-12.9.....	37	184	48.9	7	31	32.8	30	153	58.7
13.0-13.4.....	13	60	51.8	4	17	35.1	9	42	62.1
13.5-13.9.....	17	74	55.5	9	40	40.4	8	34	64.8
14.0-14.4.....	19	84	59.7	12	47	46.6	7	37	67.8
14.5-14.9.....	20	84	63.9	11	50	53.1	9	34	70.5
15.0-15.4.....	10	61	67.0	4	29	57.0	6	32	73.1
15.5-15.9.....	17	74	70.7	7	22	59.8	10	52	77.3
16.0-16.9.....	27	125	76.9	13	66	68.5	14	58	82.0
17.0-17.9.....	21	99	81.8	9	45	74.4	12	54	86.3
18.0-18.9.....	15	76	85.6	8	40	79.8	7	35	89.2
19.0-19.9.....	9	32	87.2	3	10	81.2	6	21	90.8
20.0-20.9.....	15	68	90.6	10	50	87.7	5	18	92.3
21.0-21.9.....	12	58	93.5	6	26	91.2	6	32	94.9
22.0-22.9.....	7	48	95.9	3	19	93.7	4	29	97.2
23.0-23.9.....	7	27	97.3	4	12	95.3	3	15	98.5
24 or more.....	14	55	100.0	9	36	100.0	5	19	100.0

See footnotes at end of table.

Table 3-169. Cumulative percent distribution of saturated fatty acid intake values in grams per 1,000 calories for persons aged 65-74 years by sex and income level: United States, 1976-80-Continued

Income level and saturated fatty acid in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	2,067	11,819	100.0	987	5,312	100.0	1,080	6,508	100.0
Less than 2.0.....	8	46	.4	2	8	.2	6	37	.6
2.0-2.9.....	8	54	.8	1	10	.3	7	44	1.3
3.0-3.9.....	11	87	1.6	7	49	1.3	4	37	1.8
4.0-4.9.....	22	137	2.7	7	42	2.0	15	95	3.3
5.0-5.9.....	35	190	4.3	16	77	3.5	19	113	5.0
6.0-6.9.....	54	349	7.3	20	136	6.1	34	213	8.3
7.0-7.9.....	79	470	11.3	27	132	8.5	52	339	13.5
8.0-8.9.....	101	602	16.4	37	219	12.7	64	383	19.4
9.0-9.9.....	129	747	22.7	58	326	18.8	71	421	25.8
10.0-10.9.....	146	847	29.8	67	361	25.6	79	485	33.3
11.0-11.9.....	148	864	37.2	61	315	31.5	87	549	41.7
12.0-12.9.....	192	1,122	46.6	80	415	39.4	112	707	52.6
13.0-13.4.....	90	538	51.2	44	258	44.2	46	280	56.9
13.5-13.9.....	81	455	55.0	44	257	49.1	37	198	59.9
14.0-14.4.....	84	485	59.1	37	205	52.9	47	280	64.2
14.5-14.9.....	97	533	63.7	52	297	58.5	45	236	67.9
15.0-15.4.....	93	536	68.2	52	257	63.3	41	279	72.2
15.5-15.9.....	87	460	72.1	40	197	67.1	47	263	76.2
16.0-16.9.....	147	813	79.0	81	428	75.1	66	384	82.1
17.0-17.9.....	113	648	84.5	53	318	81.1	60	330	87.2
18.0-18.9.....	83	497	88.7	40	216	85.2	43	281	91.5
19.0-19.9.....	68	371	91.8	45	217	89.3	23	154	93.9
20.0-20.9.....	71	347	94.7	45	207	93.1	26	140	96.0
21.0-21.9.....	41	212	96.5	25	122	95.5	16	89	97.4
22.0-22.9.....	22	114	97.5	11	62	96.6	11	51	98.2
23.0-23.9.....	25	117	98.5	14	66	97.9	11	51	99.0
24 or more.....	32	180	100.0	21	112	100.0	11	67	100.0

1/ Excludes unknown income.

Table 3-170. Cumulative percent distribution of oleic acid intake values in grams per 1,000 calories for persons aged 6-11 months by sex and income level: United States, 1976-80

Income level and oleic acid in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	356	1,599	100.0	179	819	100.0	177	780	100.0
Less than 2.....	34	171	10.7	22	109	13.3	12	63	8.0
2.0-2.9.....	10	37	13.0	4	14	15.0	6	23	11.0
3.0-3.9.....	11	48	16.0	4	16	16.9	7	32	15.1
4.0-4.9.....	15	75	20.7	8	40	21.8	7	35	19.6
5.0-5.9.....	17	67	24.9	8	35	26.1	9	32	23.7
6.0-6.9.....	24	134	33.3	15	83	36.3	9	51	30.2
7.0-7.9.....	15	66	37.5	5	25	39.3	10	41	35.5
8.0-8.9.....	21	82	42.6	9	36	43.7	12	46	41.4
9.0-9.9.....	31	132	50.9	14	62	51.3	17	70	50.4
10.0-10.9.....	18	77	55.7	10	42	56.4	8	35	54.8
11.0-11.9.....	23	115	62.8	12	71	65.2	11	43	60.4
12.0-12.9.....	20	72	67.3	11	34	69.3	9	38	65.3
13.0-13.4.....	9	58	71.0	5	41	74.3	4	17	67.5
13.5-13.9.....	12	68	75.2	6	29	77.8	6	40	72.6
14.0-14.4.....	11	46	78.1	4	17	79.9	7	28	76.2
14.5-14.9.....	15	66	82.2	4	22	82.5	11	44	81.8
15.0-15.4.....	16	70	86.6	11	46	88.1	5	25	84.9
15.5-15.9.....	9	57	90.1	4	21	90.7	5	36	89.5
16.0-16.9.....	13	54	93.5	4	16	92.7	9	38	94.4
17.0-17.9.....	10	29	95.4	6	16	94.7	4	13	96.1
18.0-18.9.....	8	25	96.9	3	10	95.9	5	15	98.0
19.0-19.9.....	6	23	98.4	2	8	96.8	4	15	100.0
20.0-20.9.....	5	17	99.5	5	17	99.0	-	-	100.0
21.0-21.9.....	-	-	99.5	-	-	99.0	-	-	100.0
22.0-22.9.....	1	3	99.7	1	3	99.4	-	-	100.0
23.0-23.9.....	-	-	99.7	-	-	99.4	-	-	100.0
24 or more.....	2	5	100.0	2	5	100.0	-	-	100.0
Income below poverty level^{1/}									
Total.....	84	315	100.0	48	177	100.0	36	138	100.0
Less than 2.....	4	19	6.1	*	*	*	*	*	*
2.0-2.9.....	3	10	9.4	*	*	*	*	*	*
3.0-3.9.....	2	5	11.1	*	*	*	*	*	*
4.0-4.9.....	4	22	18.2	*	*	*	*	*	*
5.0-5.9.....	3	9	21.1	*	*	*	*	*	*
6.0-6.9.....	2	4	22.2	*	*	*	*	*	*
7.0-7.9.....	4	13	26.3	*	*	*	*	*	*
8.0-8.9.....	6	20	32.7	*	*	*	*	*	*
9.0-9.9.....	9	32	43.0	*	*	*	*	*	*
10.0-10.9.....	7	35	54.0	*	*	*	*	*	*
11.0-11.9.....	5	25	62.1	*	*	*	*	*	*
12.0-12.9.....	1	2	62.6	*	*	*	*	*	*
13.0-13.4.....	1	5	64.0	*	*	*	*	*	*
13.5-13.9.....	2	9	66.8	*	*	*	*	*	*
14.0-14.4.....	4	14	71.2	*	*	*	*	*	*
14.5-14.9.....	2	7	73.3	*	*	*	*	*	*
15.0-15.4.....	4	9	76.1	*	*	*	*	*	*
15.5-15.9.....	1	2	76.8	*	*	*	*	*	*
16.0-16.9.....	8	31	86.6	*	*	*	*	*	*
17.0-17.9.....	3	8	89.1	*	*	*	*	*	*
18.0-18.9.....	3	11	92.5	*	*	*	*	*	*
19.0-19.9.....	2	8	95.0	*	*	*	*	*	*
20.0-20.9.....	3	13	99.2	*	*	*	*	*	*
21.0-21.9.....	-	-	99.2	*	*	*	*	*	*
22.0-22.9.....	-	-	99.2	*	*	*	*	*	*
23.0-23.9.....	-	-	99.2	*	*	*	*	*	*
24 or more.....	1	3	100.0	*	*	*	*	*	*

See footnotes at end of table.

Table 3-170. Cumulative percent distribution of oleic acid intake values in grams per 1,000 calories for persons aged 6-11 months by sex and income level: United States, 1976-80-Continued

Income level and oleic acid in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	256	1,226	100.0	121	614	100.0	135	612	100.0
Less than 2.....	30	152	12.4	19	97	15.9	11	55	8.9
2.0-2.9.....	7	27	14.6	2	7	17.0	5	20	12.2
3.0-3.9.....	9	42	18.1	3	12	19.0	6	30	17.1
4.0-4.9.....	11	52	22.4	6	25	23.2	5	27	21.6
5.0-5.9.....	13	55	26.9	6	28	27.8	7	27	26.0
6.0-6.9.....	22	131	37.6	13	80	40.8	9	51	34.3
7.0-7.9.....	11	53	41.9	4	23	44.6	7	30	39.3
8.0-8.9.....	12	52	46.2	4	21	48.0	8	31	44.4
9.0-9.9.....	20	86	53.2	11	52	56.4	9	35	50.0
10.0-10.9.....	11	42	56.6	4	15	58.9	7	27	54.4
11.0-11.9.....	17	83	63.4	8	48	66.7	9	36	60.2
12.0-12.9.....	17	67	68.9	8	28	71.3	9	38	66.5
13.0-13.4.....	7	48	72.8	3	31	76.3	4	17	69.3
13.5-13.9.....	9	58	77.5	5	27	80.7	4	31	74.4
14.0-14.4.....	7	32	80.1	2	12	82.7	5	19	77.5
14.5-14.9.....	13	59	84.9	3	17	85.5	10	41	84.3
15.0-15.4.....	11	55	89.4	7	37	91.5	4	18	87.3
15.5-15.9.....	8	55	93.9	4	21	95.0	4	34	92.8
16.0-16.9.....	5	24	95.8	2	11	96.8	3	12	94.8
17.0-17.9.....	5	17	97.2	3	9	98.3	2	7	96.0
18.0-18.9.....	4	12	98.2	1	3	98.9	3	9	97.5
19.0-19.9.....	4	15	99.4	-	-	98.9	4	15	100.0
20.0-20.9.....	2	4	99.8	2	4	99.6	-	-	100.0
21.0-21.9.....	-	-	99.8	-	-	99.6	-	-	100.0
22.0-22.9.....	-	-	99.8	-	-	99.6	-	-	100.0
23.0-23.9.....	-	-	99.8	-	-	99.6	-	-	100.0
24 or more.....	1	3	100.0	1	3	100.0	-	-	100.0

1/ Excludes unknown income.

Table 3-171. Cumulative percent distribution of oleic acid intake values in grams per 1,000 calories for persons aged 1-2 years by sex and income level: United States, 1976-80

Income level and oleic acid in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	1,417	6,078	100.0	745	3,107	100.0	672	2,970	100.0
Less than 2.....	7	45	.7	4	23	.8	3	22	.7
2.0-2.9.....	7	40	1.4	2	13	1.2	5	27	1.6
3.0-3.9.....	4	22	1.8	3	14	1.6	1	7	1.9
4.0-4.9.....	10	46	2.5	6	29	2.5	4	17	2.5
5.0-5.9.....	15	73	3.7	7	34	3.6	8	39	3.8
6.0-6.9.....	30	138	6.0	16	70	5.9	14	68	6.0
7.0-7.9.....	42	188	9.1	20	84	8.6	22	104	9.6
8.0-8.9.....	43	228	12.8	27	143	13.2	16	85	12.4
9.0-9.9.....	64	306	17.8	36	161	18.4	28	146	17.3
10.0-10.9.....	88	418	24.7	44	212	25.2	44	206	24.3
11.0-11.9.....	107	439	32.0	59	229	32.5	48	210	31.3
12.0-12.9.....	121	508	40.3	67	301	42.2	54	207	38.3
13.0-13.4.....	65	274	44.8	30	125	46.3	35	149	43.3
13.5-13.9.....	70	283	49.5	37	145	50.9	33	139	48.0
14.0-14.4.....	80	313	54.6	48	193	57.1	32	120	52.0
14.5-14.9.....	68	279	59.2	38	149	61.9	30	130	56.4
15.0-15.4.....	75	341	64.8	36	145	66.6	39	195	63.0
15.5-15.9.....	69	287	69.6	42	159	71.7	27	128	67.3
16.0-16.9.....	120	521	78.1	59	242	79.5	61	279	76.7
17.0-17.9.....	103	421	85.0	51	209	86.2	52	211	83.8
18.0-18.9.....	62	214	88.6	33	113	89.9	29	101	87.2
19.0-19.9.....	56	223	92.2	26	93	92.8	30	130	91.6
20.0-20.9.....	40	164	94.9	16	61	94.8	24	103	95.1
21.0-21.9.....	26	105	96.6	17	77	97.3	9	28	96.0
22.0-22.9.....	13	51	97.5	7	29	98.2	6	22	96.7
23.0-23.9.....	11	50	98.3	5	28	99.1	6	23	97.5
24 or more.....	21	102	100.0	9	28	100.0	12	74	100.0
Income below poverty level^{1/}									
Total.....	323	1,163	100.0	170	601	100.0	153	562	100.0
Less than 2.....	2	14	1.2	2	14	2.3	-	-	-
2.0-2.9.....	2	12	2.2	-	-	2.3	2	12	2.1
3.0-3.9.....	-	-	2.2	-	-	2.3	-	-	2.1
4.0-4.9.....	1	2	2.4	1	2	2.7	-	-	2.1
5.0-5.9.....	2	8	3.1	1	5	3.5	1	3	2.6
6.0-6.9.....	3	12	4.1	2	8	4.9	1	3	3.2
7.0-7.9.....	6	19	5.7	3	7	6.1	3	12	5.4
8.0-8.9.....	6	22	7.6	4	15	8.5	2	7	6.7
9.0-9.9.....	7	37	10.8	5	24	12.5	2	13	9.0
10.0-10.9.....	5	29	13.3	3	19	15.7	2	10	10.7
11.0-11.9.....	19	66	19.0	12	39	22.2	7	27	15.5
12.0-12.9.....	24	79	25.7	11	37	28.4	13	41	22.8
13.0-13.4.....	20	70	31.7	8	27	33.0	12	43	30.4
13.5-13.9.....	15	65	37.3	7	39	39.4	8	26	35.1
14.0-14.4.....	21	67	43.1	15	48	47.3	6	19	38.6
14.5-14.9.....	21	81	50.1	11	40	53.9	10	42	46.0
15.0-15.4.....	15	41	53.6	5	11	55.8	10	29	51.2
15.5-15.9.....	17	61	58.8	11	39	62.3	6	22	55.0
16.0-16.9.....	30	107	68.0	14	46	70.0	16	61	65.8
17.0-17.9.....	36	139	79.9	17	58	79.7	19	81	80.2
18.0-18.9.....	25	79	86.8	13	40	86.4	12	39	87.1
19.0-19.9.....	18	56	91.5	11	27	90.8	7	29	92.3
20.0-20.9.....	8	27	93.8	3	12	92.8	5	15	94.9
21.0-21.9.....	8	32	96.6	4	19	96.0	4	12	97.2
22.0-22.9.....	4	11	97.5	2	5	96.8	2	6	98.2
23.0-23.9.....	3	16	98.9	2	13	99.0	1	3	98.8
24 or more.....	5	13	100.0	3	6	100.0	2	7	100.0

See footnotes at end of table.

Table 3-171. Cumulative percent distribution of oleic acid intake values in grams per 1,000 calories for persons aged 1-2 years by sex and income level: United States, 1976-80-Continued

Income level and oleic acid in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	1,056	4,767	100.0	551	2,416	100.0	505	2,351	100.0
Less than 2.....	5	31	.6	2	9	.4	3	22	.9
2.0-2.9.....	5	28	1.2	2	13	.9	3	15	1.5
3.0-3.9.....	4	22	1.7	3	14	1.5	1	7	1.9
4.0-4.9.....	9	44	2.6	5	26	2.6	4	17	2.6
5.0-5.9.....	13	65	4.0	6	29	3.8	7	36	4.1
6.0-6.9.....	26	118	6.4	13	54	6.0	13	64	6.9
7.0-7.9.....	36	169	10.0	17	77	9.2	19	92	10.8
8.0-8.9.....	36	202	14.2	23	128	14.5	13	74	13.9
9.0-9.9.....	54	257	19.6	30	134	20.1	24	123	19.2
10.0-10.9.....	82	384	27.7	41	193	28.1	41	191	27.3
11.0-11.9.....	85	358	35.2	45	182	35.6	40	176	34.8
12.0-12.9.....	93	417	44.0	53	254	46.1	40	164	41.8
13.0-13.4.....	44	202	48.2	21	96	50.1	23	106	46.3
13.5-13.9.....	55	218	52.8	30	106	54.5	25	112	51.0
14.0-14.4.....	56	234	57.7	30	134	60.0	26	101	55.3
14.5-14.9.....	45	190	61.7	25	101	64.2	20	88	59.1
15.0-15.4.....	58	290	67.8	29	125	69.3	29	166	66.1
15.5-15.9.....	51	225	72.5	31	120	74.3	20	104	70.6
16.0-16.9.....	85	394	80.7	41	179	81.7	44	215	79.7
17.0-17.9.....	65	276	86.5	33	149	87.9	32	127	85.1
18.0-18.9.....	34	121	89.1	19	67	90.6	15	55	87.5
19.0-19.9.....	36	158	92.4	15	66	93.4	21	91	91.4
20.0-20.9.....	29	129	95.1	11	44	95.2	18	85	95.0
21.0-21.9.....	17	71	96.6	12	55	97.5	5	15	95.6
22.0-22.9.....	9	40	97.4	5	24	98.5	4	16	96.3
23.0-23.9.....	8	34	98.1	3	15	99.1	5	19	97.1
24 or more.....	16	90	100.0	6	22	100.0	10	68	100.0

1/ Excludes unknown income.

Table 3-172. Cumulative percent distribution of oleic acid intake values in grams per 1,000 calories for persons aged 3-5 years by sex and income level: United States, 1976-80

Income level and oleic acid in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	2,345	9,186	100.0	1,219	4,695	100.0	1,126	4,491	100.0
Less than 2.....	2	7	.1	1	4	.1	1	2	.0
2.0-2.9.....	3	14	.2	1	3	.1	2	12	.3
3.0-3.9.....	5	16	.4	2	9	.3	3	7	.5
4.0-4.9.....	11	56	1.0	7	27	.9	4	29	1.1
5.0-5.9.....	15	55	1.6	10	40	1.8	5	15	1.4
6.0-6.9.....	35	139	3.1	20	78	3.4	15	60	2.8
7.0-7.9.....	46	222	5.5	22	82	5.2	24	140	5.9
8.0-8.9.....	64	255	8.3	38	146	8.3	26	109	8.3
9.0-9.9.....	133	575	14.6	73	329	15.3	60	245	13.8
10.0-10.9.....	154	648	21.6	82	355	22.9	72	293	20.3
11.0-11.9.....	199	775	30.0	103	387	31.1	96	388	28.9
12.0-12.9.....	212	811	38.9	114	424	40.1	98	387	37.5
13.0-13.4.....	99	424	43.5	56	250	45.5	43	174	41.4
13.5-13.9.....	117	489	48.8	50	208	49.9	67	281	47.7
14.0-14.4.....	157	578	55.1	85	308	56.5	72	270	53.7
14.5-14.9.....	136	522	60.8	65	248	61.7	71	274	59.8
15.0-15.4.....	107	417	65.3	50	183	65.6	57	234	65.0
15.5-15.9.....	101	362	69.3	61	225	70.4	40	137	68.0
16.0-16.9.....	217	842	78.4	111	440	79.8	106	402	77.0
17.0-17.9.....	152	590	84.9	77	280	85.8	75	310	83.9
18.0-18.9.....	118	449	89.8	60	214	90.3	58	235	89.1
19.0-19.9.....	90	336	93.4	40	151	93.6	50	185	93.3
20.0-20.9.....	61	219	95.8	30	96	95.6	31	123	96.0
21.0-21.9.....	37	137	97.3	17	60	96.9	20	77	97.7
22.0-22.9.....	27	92	98.3	16	55	98.0	11	38	98.5
23.0-23.9.....	24	89	99.3	11	38	98.9	13	51	99.7
24 or more.....	23	68	100.0	17	53	100.0	6	15	100.0
Income below poverty level^{1/}									
Total.....	570	1,855	100.0	298	910	100.0	272	945	100.0
Less than 2.....	-	-	-	-	-	-	-	-	-
2.0-2.9.....	-	-	-	-	-	-	-	-	-
3.0-3.9.....	1	2	.1	-	-	-	1	2	.2
4.0-4.9.....	1	2	.2	1	2	.2	-	-	.2
5.0-5.9.....	4	15	1.0	3	12	1.5	1	3	.5
6.0-6.9.....	5	19	2.0	3	10	2.6	2	9	1.4
7.0-7.9.....	6	14	2.8	4	9	3.6	2	6	2.0
8.0-8.9.....	12	37	4.8	8	26	6.4	4	11	3.2
9.0-9.9.....	18	58	7.9	11	33	10.0	7	24	5.8
10.0-10.9.....	31	99	13.2	17	50	15.5	14	49	11.0
11.0-11.9.....	38	122	19.8	20	59	22.0	18	63	17.7
12.0-12.9.....	41	139	27.3	20	66	29.2	21	73	25.4
13.0-13.4.....	19	75	31.3	11	45	34.2	8	29	28.5
13.5-13.9.....	19	60	34.5	9	25	37.0	10	35	32.2
14.0-14.4.....	43	154	42.9	18	57	43.3	25	97	42.5
14.5-14.9.....	33	110	48.8	15	45	48.2	18	65	49.3
15.0-15.4.....	26	76	52.8	12	36	52.2	14	40	53.5
15.5-15.9.....	34	97	58.1	23	63	59.0	11	34	57.1
16.0-16.9.....	52	159	66.6	28	87	68.6	24	72	64.8
17.0-17.9.....	45	148	74.6	23	65	75.8	22	83	73.5
18.0-18.9.....	44	150	82.7	25	79	84.4	19	71	81.0
19.0-19.9.....	30	95	87.8	10	31	87.9	20	64	87.8
20.0-20.9.....	29	106	93.5	13	40	92.2	16	67	94.8
21.0-21.9.....	11	38	95.6	6	23	94.7	5	15	96.4
22.0-22.9.....	7	17	96.5	5	13	96.1	2	4	96.9
23.0-23.9.....	10	38	98.6	4	13	97.6	6	25	99.5
24 or more.....	11	26	100.0	9	22	100.0	2	4	100.0

See footnotes at end of table.

Table 3-172. Cumulative percent distribution of oleic acid intake values in grams per 1,000 calories for persons aged 3-5 years by sex and income level: United States, 1976-80-Continued

Income level and oleic acid in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	1,707	7,102	100.0	892	3,683	100.0	815	3,419	100.0
Less than 2.....	2	7	.1	1	4	.1	1	2	.1
2.0-2.9.....	3	14	.3	1	3	.2	2	12	.4
3.0-3.9.....	4	14	.5	2	9	.4	2	5	.5
4.0-4.9.....	10	54	1.3	6	25	1.1	4	29	1.4
5.0-5.9.....	20	38	1.8	7	28	1.9	3	10	1.7
6.0-6.9.....	27	112	3.3	17	68	3.7	10	43	2.9
7.0-7.9.....	38	203	6.2	17	72	5.7	21	131	6.8
8.0-8.9.....	52	219	9.3	30	120	8.9	22	98	9.6
9.0-9.9.....	111	502	16.4	60	288	16.8	51	215	15.9
10.0-10.9.....	120	534	23.9	64	299	24.9	56	235	22.8
11.0-11.9.....	154	630	32.7	81	322	33.6	73	308	31.8
12.0-12.9.....	163	648	41.9	87	336	42.8	76	312	40.9
13.0-13.4.....	77	336	46.6	44	202	48.3	33	133	44.8
13.5-13.9.....	93	408	52.3	40	176	53.0	53	232	51.6
14.0-14.4.....	113	421	58.3	67	251	59.8	46	171	56.6
14.5-14.9.....	100	403	64.0	48	197	65.2	52	207	62.6
15.0-15.4.....	79	334	68.7	36	140	69.0	43	194	68.3
15.5-15.9.....	62	253	72.2	37	160	73.3	25	93	71.0
16.0-16.9.....	158	660	81.5	80	342	82.6	78	318	80.3
17.0-17.9.....	105	436	87.7	53	212	88.4	52	224	86.9
18.0-18.9.....	70	286	91.7	33	127	91.8	37	159	91.5
19.0-19.9.....	57	228	94.9	29	115	95.0	28	114	94.9
20.0-20.9.....	31	110	96.5	16	54	96.4	15	56	96.5
21.0-21.9.....	26	99	97.8	11	37	97.4	15	62	98.3
22.0-22.9.....	17	62	98.7	10	39	98.5	7	23	99.0
23.0-23.9.....	14	51	99.4	7	25	99.1	7	26	99.8
24 or more.....	11	40	100.0	8	31	100.0	3	8	100.0

^{1/} Excludes unknown income.

Table 3-173. Cumulative percent distribution of oleic acid intake values in grams per 1,000 calories for persons aged 6-8 years by sex and income level: United States, 1976-80

Income level and oleic acid in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	843	10,213	100.0	428	5,336	100.0	415	4,877	100.0
Less than 2.....	-	-	-	-	-	-	-	-	-
2.0-2.9.....	-	-	-	-	-	-	-	-	-
3.0-3.9.....	2	40	.4	-	-	-	2	40	.8
4.0-4.9.....	2	29	.7	1	15	.3	1	14	1.1
5.0-5.9.....	5	50	1.2	2	22	.7	3	28	1.7
6.0-6.9.....	12	147	2.6	4	44	1.5	8	103	3.8
7.0-7.9.....	11	127	3.8	6	60	2.6	5	67	5.1
8.0-8.9.....	20	263	6.4	7	95	4.4	13	167	8.6
9.0-9.9.....	28	364	10.0	13	188	7.9	15	177	12.2
10.0-10.9.....	56	625	16.1	26	260	12.8	30	365	19.7
11.0-11.9.....	65	779	23.7	35	429	20.9	30	350	26.8
12.0-12.9.....	87	1,051	34.0	50	588	31.9	37	464	36.3
13.0-13.4.....	50	672	40.6	29	419	39.7	21	253	41.5
13.5-13.9.....	46	529	45.8	23	248	44.4	23	281	47.3
14.0-14.4.....	50	566	51.3	30	359	51.1	20	206	51.5
14.5-14.9.....	42	478	56.0	26	324	57.2	16	154	54.7
15.0-15.4.....	48	604	61.9	23	264	62.1	25	340	61.6
15.5-15.9.....	49	561	67.4	27	330	68.3	22	231	66.4
16.0-16.9.....	83	1,052	77.7	42	526	78.2	41	526	77.2
17.0-17.9.....	71	787	85.4	33	374	85.2	38	413	85.6
18.0-18.9.....	38	386	89.2	16	165	88.3	22	221	90.2
19.0-19.9.....	25	328	92.4	15	233	92.7	10	95	92.1
20.0-20.9.....	22	383	96.1	9	226	96.9	13	157	95.3
21.0-21.9.....	14	198	98.1	5	80	98.4	9	118	97.8
22.0-22.9.....	8	89	99.0	4	43	99.2	4	46	98.7
23.0-23.9.....	4	36	99.3	1	8	99.3	3	29	99.3
24 or more.....	5	70	100.0	1	35	100.0	4	35	100.0
Income below poverty level^{1/}									
Total.....	177	1,769	100.0	82	900	100.0	95	869	100.0
Less than 2.....	-	-	-	-	-	-	-	-	-
2.0-2.9.....	-	-	-	-	-	-	-	-	-
3.0-3.9.....	-	-	-	-	-	-	-	-	-
4.0-4.9.....	-	-	-	-	-	-	-	-	-
5.0-5.9.....	-	-	-	-	-	-	-	-	-
6.0-6.9.....	4	31	1.8	2	20	2.2	2	11	1.3
7.0-7.9.....	2	19	2.8	1	8	3.1	1	11	2.5
8.0-8.9.....	3	19	3.8	-	-	3.1	3	19	4.6
9.0-9.9.....	4	45	6.4	1	11	4.3	3	34	8.5
10.0-10.9.....	10	86	11.3	5	53	10.2	5	33	12.4
11.0-11.9.....	11	99	16.9	7	68	17.8	4	31	16.0
12.0-12.9.....	15	161	26.0	8	103	29.2	7	58	22.7
13.0-13.4.....	10	122	32.9	5	70	36.9	5	53	28.8
13.5-13.9.....	13	126	40.1	3	25	39.7	10	102	40.5
14.0-14.4.....	12	103	45.9	6	51	45.3	6	52	46.4
14.5-14.9.....	9	91	51.0	4	45	50.3	5	46	51.7
15.0-15.4.....	10	111	57.3	3	25	53.1	7	86	61.6
15.5-15.9.....	10	104	63.2	5	56	59.3	5	48	67.2
16.0-16.9.....	22	214	75.3	12	123	73.0	10	91	77.7
17.0-17.9.....	21	198	86.5	10	103	84.4	11	95	88.7
18.0-18.9.....	7	64	90.1	4	34	88.2	3	30	92.1
19.0-19.9.....	7	80	94.6	3	48	93.5	4	32	95.8
20.0-20.9.....	2	50	97.4	1	40	97.9	1	10	97.0
21.0-21.9.....	1	8	97.9	-	-	97.9	1	8	97.9
22.0-22.9.....	1	11	98.6	1	11	99.1	-	-	97.9
23.0-23.9.....	1	8	99.0	1	8	100.0	-	-	97.9
24 or more.....	2	18	100.0	-	-	100.0	2	18	100.0

See footnotes at end of table.

Table 3-173. Cumulative percent distribution of oleic acid intake values in grams per 1,000 calories for persons aged 6-8 years by sex and income level: United States, 1976-80-Continued

Income level and oleic acid in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	644	8,118	100.0	336	4,254	100.0	308	3,864	100.0
Less than 2.....	-	-	-	-	-	-	-	-	-
2.0-2.9.....	-	-	-	-	-	-	2	40	1.0
3.0-3.9.....	2	40	.5	1	15	.3	1	14	1.4
4.0-4.9.....	2	29	.8	2	22	.9	3	28	2.1
5.0-5.9.....	5	50	1.4	1	13	1.2	5	74	4.0
6.0-6.9.....	6	87	2.5	5	52	2.4	4	56	5.5
7.0-7.9.....	9	108	3.9	7	95	4.6	10	149	9.3
8.0-8.9.....	17	244	6.9	9	135	7.8	12	142	13.0
9.0-9.9.....	21	278	10.3	21	207	12.7	25	331	21.6
10.0-10.9.....	46	539	16.9	26	328	20.4	26	319	29.8
11.0-11.9.....	52	647	24.9	42	485	31.8	29	398	40.1
12.0-12.9.....	71	883	35.8	24	350	40.0	16	200	45.3
13.0-13.4.....	40	549	42.5	20	223	45.3	12	161	49.5
13.5-13.9.....	32	384	47.3	23	295	52.2	14	155	53.5
14.0-14.4.....	37	450	52.8	22	279	58.8	11	108	56.3
14.5-14.9.....	33	387	57.6	20	239	64.4	17	231	62.2
15.0-15.4.....	37	470	63.4	22	274	70.8	15	167	66.5
15.5-15.9.....	37	441	68.8	28	342	78.9	30	429	77.6
16.0-16.9.....	58	770	78.3	23	271	85.2	24	276	84.8
17.0-17.9.....	47	548	85.0	11	109	87.8	19	191	89.7
18.0-18.9.....	30	300	88.7	12	186	92.2	6	63	91.4
19.0-19.9.....	18	248	91.8	8	186	96.5	12	147	95.2
20.0-20.9.....	20	333	95.9	5	80	98.4	6	95	97.6
21.0-21.9.....	11	175	98.0	3	32	99.2	4	46	98.8
22.0-22.9.....	7	78	99.0	-	-	99.2	3	29	99.6
23.0-23.9.....	3	29	99.4	1	35	100.0	2	17	100.0
24 or more.....	3	52	100.0						

1/ Excludes unknown income.

Table 3-174. Cumulative percent distribution of oleic acid intake values in grams per 1,000 calories for persons aged 9-17 years by sex and income level: United States, 1976-80

Income level and oleic acid in grams per 1,000 calories	Both sexes			Male			Female		
	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent
All incomes									
Total.....	882	10,667	100.0	457	5,310	100.0	425	5,357	100.0
Less than 2.....	-	-	-	-	-	-	-	-	-
2.0-2.9.....	1	6	.1	1	6	.1	-	-	-
3.0-3.9.....	2	24	.3	2	24	.6	-	-	-
4.0-4.9.....	2	28	.5	-	-	.6	2	28	.5
5.0-5.9.....	8	96	1.4	4	38	1.3	4	58	1.6
6.0-6.9.....	8	125	2.6	4	66	2.5	4	59	2.7
7.0-7.9.....	22	284	5.3	14	179	5.9	8	105	4.7
8.0-8.9.....	25	312	8.2	9	99	7.8	16	213	8.6
9.0-9.9.....	38	454	12.5	24	268	12.8	14	186	12.1
10.0-10.9.....	48	592	18.0	32	392	20.2	16	200	15.8
11.0-11.9.....	70	839	25.9	34	399	27.7	36	441	24.1
12.0-12.9.....	92	1,145	36.6	54	585	38.7	38	560	34.5
13.0-13.4.....	40	443	40.8	21	232	43.1	19	212	38.5
13.5-13.9.....	62	786	48.1	35	456	51.7	27	330	44.6
14.0-14.4.....	48	628	54.0	21	258	56.5	27	370	51.5
14.5-14.9.....	57	714	60.7	27	343	63.0	30	372	58.5
15.0-15.4.....	49	534	65.7	23	236	67.5	26	298	64.0
15.5-15.9.....	48	644	71.8	16	219	71.6	32	425	72.0
16.0-16.9.....	74	801	79.3	38	412	79.3	36	389	79.2
17.0-17.9.....	58	725	86.1	27	347	85.9	31	377	86.3
18.0-18.9.....	45	561	91.3	28	342	92.3	17	219	90.4
19.0-19.9.....	39	416	95.2	21	197	96.0	18	219	94.4
20.0-20.9.....	14	121	96.4	7	57	97.1	7	65	95.6
21.0-21.9.....	15	170	98.0	7	74	98.5	8	96	97.4
22.0-22.9.....	4	49	98.4	3	26	99.0	1	23	97.9
23.0-23.9.....	6	74	99.1	1	12	99.2	5	62	99.0
24 or more.....	7	94	100.0	4	42	100.0	3	51	100.0
Income below poverty level ^{1/}									
Total.....	190	1,967	100.0	88	854	100.0	102	1,113	100.0
Less than 2.....	-	-	-	-	-	-	-	-	-
2.0-2.9.....	1	6	.3	1	6	.8	-	-	-
3.0-3.9.....	-	-	.3	-	-	.8	-	-	-
4.0-4.9.....	1	9	.8	-	-	.8	1	9	.8
5.0-5.9.....	2	33	2.5	-	-	.8	2	33	3.8
6.0-6.9.....	3	34	4.2	1	12	2.2	2	22	5.8
7.0-7.9.....	2	17	5.1	1	9	3.3	1	8	6.5
8.0-8.9.....	5	49	7.6	2	26	6.3	3	22	8.5
9.0-9.9.....	9	92	12.2	7	68	14.3	2	24	10.6
10.0-10.9.....	6	54	15.0	5	45	19.6	1	9	11.5
11.0-11.9.....	15	182	24.2	4	53	25.8	11	129	23.1
12.0-12.9.....	18	183	33.5	11	88	36.0	7	96	31.6
13.0-13.4.....	3	24	34.8	2	17	38.0	1	7	32.3
13.5-13.9.....	16	175	43.6	7	77	47.0	9	97	41.0
14.0-14.4.....	12	124	49.9	4	33	50.9	8	91	49.2
14.5-14.9.....	9	76	53.8	5	43	56.0	4	33	52.2
15.0-15.4.....	11	107	59.3	4	30	59.5	7	77	59.1
15.5-15.9.....	15	156	67.2	5	64	66.9	10	92	67.4
16.0-16.9.....	13	133	73.9	3	30	70.5	10	103	76.6
17.0-17.9.....	16	166	82.4	9	97	81.8	7	70	82.9
18.0-18.9.....	7	80	86.5	3	36	86.0	4	44	86.9
19.0-19.9.....	13	147	94.0	8	72	94.4	5	75	93.7
20.0-20.9.....	4	38	95.9	2	16	96.2	2	23	95.7
21.0-21.9.....	6	53	98.6	2	13	97.6	4	40	99.3
22.0-22.9.....	-	-	98.6	-	-	97.6	-	-	99.3
23.0-23.9.....	1	7	99.0	-	-	97.6	1	7	100.0
24 or more.....	2	20	100.0	2	20	100.0	-	-	100.0

See footnotes at end of table.

Table 3-174. Cumulative percent distribution of oleic acid intake values in grams per 1,000 calories for persons aged 9-11 years by sex and income level: United States, 1976-80-Continued

Income level and oleic acid in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	663	8,370	100.0	356	4,321	100.0	307	4,049	100.0
Less than 2.....	-	-	-	-	-	-	-	-	-
2.0-2.9.....	-	-	-	-	-	-	-	-	-
3.0-3.9.....	2	24	.3	2	24	.6	-	-	-
4.0-4.9.....	1	18	.5	-	-	.6	1	18	.4
5.0-5.9.....	5	55	1.2	4	38	1.4	1	17	.9
6.0-6.9.....	5	91	2.3	3	54	2.7	2	37	1.8
7.0-7.9.....	19	244	5.2	13	169	6.6	6	75	3.6
8.0-8.9.....	20	263	8.3	7	73	8.3	13	190	8.3
9.0-9.9.....	29	362	12.6	17	200	12.9	12	162	12.3
10.0-10.9.....	42	538	19.1	27	347	21.0	15	190	17.0
11.0-11.9.....	55	658	26.9	30	346	29.0	25	312	24.8
12.0-12.9.....	70	927	38.0	41	484	40.2	29	442	35.7
13.0-13.4.....	35	401	42.8	19	215	45.2	16	186	40.3
13.5-13.9.....	45	605	50.0	27	372	53.8	18	233	46.0
14.0-14.4.....	34	479	55.8	16	219	58.8	18	261	52.5
14.5-14.9.....	46	610	63.0	20	271	65.1	26	339	60.8
15.0-15.4.....	36	406	67.9	17	185	69.4	19	221	66.3
15.5-15.9.....	31	471	73.5	10	151	72.9	21	321	74.2
16.0-16.9.....	58	627	81.0	34	361	81.2	24	266	80.8
17.0-17.9.....	37	502	87.0	16	225	86.4	21	277	87.6
18.0-18.9.....	37	472	92.6	24	298	93.3	13	175	91.9
19.0-19.9.....	24	248	95.6	13	126	96.2	11	123	95.0
20.0-20.9.....	10	83	96.6	5	41	97.2	5	42	96.0
21.0-21.9.....	9	117	98.0	5	61	98.6	4	56	97.4
22.0-22.9.....	3	26	98.3	3	26	99.2	-	-	97.4
23.0-23.9.....	5	67	99.1	1	12	99.5	4	55	98.7
24 or more.....	5	73	100.0	2	22	100.0	3	51	100.0

^{1/} Excludes unknown income.

Table 3-175. Cumulative percent distribution of oleic acid intake values in grams per 1,000 calories for persons aged 12-14 years by sex and income level: United States, 1976-80

Income level and oleic acid in grams per 1,000 calories	Both sexes			Male			Female		
	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent
All incomes									
Total.....	991	11,632	100.0	504	5,920	100.0	487	5,712	100.0
Less than 2.....	2	28	.2	-	-	-	2	28	.5
2.0-2.9.....	4	52	.7	3	36	.6	1	16	.8
3.0-3.9.....	2	21	.9	-	-	.6	2	21	1.1
4.0-4.9.....	8	103	1.8	4	53	1.5	4	50	2.0
5.0-5.9.....	5	64	2.3	3	48	2.3	2	16	2.3
6.0-6.9.....	7	117	3.3	4	62	3.4	3	55	3.3
7.0-7.9.....	23	234	5.3	10	97	5.0	13	136	5.6
8.0-8.9.....	31	375	8.5	16	198	8.3	15	177	8.7
9.0-9.9.....	47	597	13.7	27	312	13.6	20	286	13.7
10.0-10.9.....	51	619	19.0	23	288	18.5	28	330	19.5
11.0-11.9.....	63	725	25.2	30	331	24.1	33	394	26.4
12.0-12.9.....	96	1,149	35.1	55	646	35.0	41	503	35.2
13.0-13.4.....	39	456	39.0	22	262	39.4	17	194	38.6
13.5-13.9.....	50	632	44.5	20	250	43.6	30	382	45.3
14.0-14.4.....	64	751	50.9	33	404	50.5	31	347	51.4
14.5-14.9.....	61	726	57.2	42	497	58.8	19	229	55.4
15.0-15.4.....	46	505	61.5	17	192	62.1	29	313	60.9
15.5-15.9.....	42	485	65.7	19	214	65.7	23	271	65.6
16.0-16.9.....	95	1,104	75.2	40	450	73.3	55	654	77.1
17.0-17.9.....	77	852	82.5	39	446	80.8	38	406	84.2
18.0-18.9.....	57	696	88.5	29	384	87.3	28	312	89.7
19.0-19.9.....	35	376	91.7	20	225	91.1	15	151	92.3
20.0-20.9.....	27	312	94.4	14	142	93.5	13	169	95.3
21.0-21.9.....	14	156	95.7	10	120	95.5	4	36	95.9
22.0-22.9.....	11	124	96.8	5	53	96.4	6	71	97.2
23.0-23.9.....	17	180	98.3	7	76	97.7	10	104	99.0
24 or more.....	17	193	100.0	12	134	100.0	5	58	100.0
Income below poverty level^{1/}									
Total.....	193	1,963	100.0	89	891	100.0	104	1,072	100.0
Less than 2.....	2	28	1.4	-	-	-	2	28	2.6
2.0-2.9.....	-	-	1.4	-	-	-	-	-	2.6
3.0-3.9.....	-	-	1.4	-	-	-	-	-	2.6
4.0-4.9.....	1	24	2.7	-	-	-	1	24	4.9
5.0-5.9.....	1	7	3.0	-	-	-	1	7	5.5
6.0-6.9.....	-	-	3.0	-	-	-	-	-	5.5
7.0-7.9.....	4	43	5.2	1	10	1.1	3	33	8.6
8.0-8.9.....	4	39	7.2	3	32	4.7	1	6	9.2
9.0-9.9.....	5	57	10.1	1	8	5.7	4	48	13.7
10.0-10.9.....	13	135	16.9	5	61	12.5	8	73	20.6
11.0-11.9.....	10	76	20.8	6	45	17.6	4	31	23.4
12.0-12.9.....	18	170	29.4	8	75	26.1	10	94	32.2
13.0-13.4.....	6	91	34.0	3	53	32.0	3	38	35.8
13.5-13.9.....	7	64	37.3	4	41	36.6	3	23	37.9
14.0-14.4.....	5	46	39.6	2	26	39.5	3	20	39.8
14.5-14.9.....	8	84	43.9	4	39	43.9	4	45	44.0
15.0-15.4.....	10	108	49.4	1	8	44.7	9	101	53.3
15.5-15.9.....	8	68	52.9	5	41	49.3	3	27	55.8
16.0-16.9.....	17	183	62.2	7	69	57.0	10	115	66.5
17.0-17.9.....	28	268	75.9	14	135	72.1	14	133	79.0
18.0-18.9.....	8	99	80.9	3	35	76.1	5	64	84.9
19.0-19.9.....	12	120	87.0	7	78	84.8	5	42	88.9
20.0-20.9.....	8	94	91.8	6	53	90.8	2	41	92.7
21.0-21.9.....	2	19	92.8	1	9	91.8	1	10	93.6
22.0-22.9.....	1	7	93.1	-	-	91.8	1	7	94.2
23.0-23.9.....	9	75	96.9	4	32	95.4	5	43	98.2
24 or more.....	6	60	100.0	4	41	100.0	2	20	100.0

See footnotes at end of table.

Table 3-175. Cumulative percent distribution of oleic acid intake values in grams per 1,000 calories for persons aged 12-14 years by sex and income level: United States, 1976-80-Continued

Income level and oleic acid in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	762	9,255	100.0	399	4,841	100.0	363	4,414	100.0
Less than 2.....	-	-	-	-	-	-	-	-	-
2.0-2.9.....	4	52	.6	3	36	.8	1	16	.4
3.0-3.9.....	2	21	.8	-	-	.8	2	21	.8
4.0-4.9.....	7	78	1.6	4	53	1.8	3	25	1.4
5.0-5.9.....	4	58	2.3	3	48	2.8	1	10	1.6
6.0-6.9.....	6	88	3.2	4	62	4.1	2	27	2.2
7.0-7.9.....	19	191	5.3	9	88	5.9	10	103	4.6
8.0-8.9.....	26	321	8.8	13	166	9.3	13	156	8.1
9.0-9.9.....	42	541	14.6	26	303	15.6	16	237	13.5
10.0-10.9.....	36	467	19.6	18	227	20.3	18	240	18.9
11.0-11.9.....	47	570	25.8	23	262	25.7	24	307	25.9
12.0-12.9.....	76	959	36.2	45	550	37.1	31	409	35.1
13.0-13.4.....	33	366	40.1	19	210	41.4	14	156	38.7
13.5-13.9.....	42	555	46.1	15	196	45.5	27	359	46.8
14.0-14.4.....	57	685	53.5	29	358	52.9	28	327	54.2
14.5-14.9.....	50	608	60.1	38	458	62.3	12	150	57.6
15.0-15.4.....	34	378	64.1	16	185	66.1	18	193	62.0
15.5-15.9.....	33	407	68.5	13	163	69.5	20	244	67.5
16.0-16.9.....	73	877	78.0	30	353	76.8	43	524	79.4
17.0-17.9.....	46	551	84.0	24	299	83.0	22	251	85.1
18.0-18.9.....	45	548	89.9	22	300	89.2	23	248	90.7
19.0-19.9.....	23	256	92.7	13	147	92.2	10	109	93.2
20.0-20.9.....	18	205	94.9	7	76	93.8	11	129	96.1
21.0-21.9.....	11	131	96.3	9	111	96.1	2	20	96.5
22.0-22.9.....	10	117	97.6	5	53	97.2	5	65	98.0
23.0-23.9.....	8	105	98.7	3	44	98.1	5	61	99.4
24 or more.....	10	120	100.0	8	94	100.0	2	27	100.0

^{1/} Excludes unknown income.

Table 3-176. Cumulative percent distribution of oleic acid intake values in grams per 1,000 calories for persons aged 15-17 years by sex and income level: United States, 1976-80

Income level and oleic acid in grams per 1,000 calories	Both sexes			Male			Female		
	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent
	All incomes								
Total.....	1/983	12,441	100.0	1/534	6,309	100.0	449	6,131	100.0
Less than 2.....	5	72	.6	2	29	.5	3	43	.7
2.0-2.9.....	-	-	.6	-	-	.5	-	-	.7
3.0-3.9.....	1	6	.6	-	-	.5	1	6	.8
4.0-4.9.....	6	78	1.3	1	9	.6	5	69	1.9
5.0-5.9.....	8	107	2.1	4	38	1.2	4	69	3.1
6.0-6.9.....	11	124	3.1	5	60	2.1	6	64	4.1
7.0-7.9.....	16	235	5.0	9	101	3.8	7	135	6.3
8.0-8.9.....	20	259	7.1	8	93	5.2	12	166	9.0
9.0-9.9.....	34	408	10.4	13	135	7.4	21	273	13.5
10.0-10.9.....	55	706	16.0	35	434	14.2	20	272	17.9
11.0-11.9.....	64	882	23.1	34	435	21.1	30	447	25.2
12.0-12.9.....	80	986	31.1	49	601	30.7	31	386	31.5
13.0-13.4.....	54	691	36.6	32	415	37.3	22	275	36.0
13.5-13.9.....	51	629	41.7	22	256	41.3	29	373	42.0
14.0-14.4.....	49	597	46.5	29	328	46.5	20	269	46.4
14.5-14.9.....	56	723	52.3	30	336	51.8	26	387	52.8
15.0-15.4.....	44	602	57.1	20	269	56.1	24	333	58.2
15.5-15.9.....	31	361	60.0	19	214	59.5	12	147	60.6
16.0-16.9.....	84	1,067	68.6	53	664	70.0	31	403	67.2
17.0-17.9.....	84	957	76.3	51	569	79.0	33	389	73.5
18.0-18.9.....	73	878	83.3	40	441	86.0	33	437	80.6
19.0-19.9.....	53	765	89.5	23	296	90.7	30	469	88.3
20.0-20.9.....	25	306	92.0	15	155	93.1	10	151	90.7
21.0-21.9.....	28	339	94.7	15	144	95.4	13	195	93.9
22.0-22.9.....	22	292	97.0	10	111	97.2	12	180	96.8
23.0-23.9.....	9	121	98.0	6	73	98.4	3	47	97.6
24 or more.....	20	250	100.0	9	104	100.0	11	146	100.0
Income below poverty level^{2/}									
Total.....	177	2,073	100.0	89	974	100.0	88	1,099	100.0
Less than 2.....	2	30	1.4	-	-	-	2	30	2.7
2.0-2.9.....	-	-	1.4	-	-	-	-	-	2.7
3.0-3.9.....	-	-	1.4	-	-	-	-	-	2.7
4.0-4.9.....	1	8	1.8	-	-	-	1	8	3.4
5.0-5.9.....	1	10	2.3	1	10	1.0	-	-	3.4
6.0-6.9.....	2	31	3.8	1	23	3.3	1	8	4.2
7.0-7.9.....	2	26	5.0	-	-	3.3	2	26	6.6
8.0-8.9.....	1	11	5.6	-	-	3.3	1	11	7.6
9.0-9.9.....	7	60	8.5	2	20	5.3	5	41	11.3
10.0-10.9.....	13	153	15.9	5	53	10.8	8	100	20.4
11.0-11.9.....	7	84	19.9	3	29	13.7	4	55	25.3
12.0-12.9.....	9	83	23.9	3	26	16.4	6	57	30.5
13.0-13.4.....	9	106	29.0	6	73	24.0	3	32	33.4
13.5-13.9.....	8	107	34.1	3	46	28.7	5	61	38.9
14.0-14.4.....	6	69	37.4	3	22	30.9	3	47	43.2
14.5-14.9.....	15	187	46.5	8	95	40.7	7	93	51.6
15.0-15.4.....	8	73	50.0	3	21	42.8	5	53	56.4
15.5-15.9.....	8	86	54.2	6	65	49.4	2	21	58.4
16.0-16.9.....	12	136	60.8	7	72	56.8	5	65	64.3
17.0-17.9.....	15	156	68.3	9	97	66.8	6	58	69.6
18.0-18.9.....	13	132	74.6	10	103	77.4	3	29	72.2
19.0-19.9.....	13	223	85.4	6	101	87.7	7	121	83.3
20.0-20.9.....	5	44	87.5	4	30	90.9	1	14	84.5
21.0-21.9.....	9	106	92.6	5	43	95.2	4	64	90.3
22.0-22.9.....	4	61	95.6	1	9	96.1	3	52	95.1
23.0-23.9.....	3	50	98.0	2	27	99.0	1	22	97.1
24 or more.....	4	42	100.0	1	10	100.0	3	31	100.0

See footnotes at end of table.

Table 3-176. Cumulative percent distribution of oleic acid intake values in grams per 1,000 calories for persons aged 15-17 years by sex and income level: United States, 1976-80-Continued

Income level and oleic acid in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{2/}									
Total.....	1/759	9,750	100.0	1/417	4,992	100.0	342	4,758	100.0
Less than 2.....	3	42	.4	2	29	.6	1	13	.3
2.0-2.9.....	-	-	.4	-	-	.6	-	-	.3
3.0-3.9.....	1	6	.5	-	-	.6	1	6	.4
4.0-4.9.....	5	70	1.2	1	9	.8	4	61	1.7
5.0-5.9.....	6	87	2.1	2	18	1.1	4	69	3.1
6.0-6.9.....	7	77	2.9	4	37	1.9	3	40	4.0
7.0-7.9.....	14	209	5.0	9	101	3.9	5	108	6.3
8.0-8.9.....	19	248	7.6	8	93	5.7	11	155	9.5
9.0-9.9.....	27	348	11.1	11	115	8.0	16	233	14.4
10.0-10.9.....	39	518	16.5	27	346	15.0	12	172	18.0
11.0-11.9.....	52	735	24.0	28	370	22.4	24	364	25.7
12.0-12.9.....	67	843	32.6	42	514	32.7	25	329	32.6
13.0-13.4.....	40	532	38.1	22	301	38.7	18	231	37.4
13.5-13.9.....	39	471	42.9	18	196	42.7	21	274	43.2
14.0-14.4.....	42	513	48.2	26	306	48.8	16	207	47.5
14.5-14.9.....	39	513	53.4	21	228	53.4	18	285	53.5
15.0-15.4.....	35	516	58.7	16	235	58.1	19	281	59.4
15.5-15.9.....	23	275	61.6	13	150	61.1	10	125	62.1
16.0-16.9.....	67	878	70.6	43	560	72.3	24	318	68.8
17.0-17.9.....	68	787	78.6	41	456	81.4	27	330	75.7
18.0-18.9.....	55	661	85.4	29	326	88.0	26	335	82.7
19.0-19.9.....	37	496	90.5	15	157	91.1	22	339	89.8
20.0-20.9.....	19	252	93.1	10	116	93.4	9	137	92.7
21.0-21.9.....	18	222	95.4	10	102	95.5	8	120	95.3
22.0-22.9.....	17	222	97.6	8	94	97.4	9	128	97.9
23.0-23.9.....	6	71	98.4	4	46	98.3	2	25	98.5
24 or more.....	14	159	100.0	7	86	100.0	7	73	100.0

1/ Excludes 1 examined person with zero calories.

2/ Excludes unknown income.

Table 3-177. Cumulative percent distribution of oleic acid intake values in grams per 1,000 calories for persons aged 18-24 years by sex and income level: United States, 1976-80

Income level and oleic acid in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	1/2,053	27,439	100.0	988	13,275	100.0	1/1,065	14,164	100.0
Less than 2.....	12	137	.5	1	9	.1	11	128	.9
2.0-2.9.....	3	35	.6	1	17	.2	2	18	1.0
3.0-3.9.....	10	141	1.1	3	51	.6	7	90	1.7
4.0-4.9.....	22	349	2.4	6	87	1.2	16	263	3.5
5.0-5.9.....	24	309	3.5	9	111	2.1	15	198	4.9
6.0-6.9.....	37	441	5.1	19	220	3.7	18	221	6.5
7.0-7.9.....	51	744	7.9	24	336	6.3	27	408	9.4
8.0-8.9.....	71	955	11.3	25	408	9.3	46	547	13.2
9.0-9.9.....	93	1,339	16.2	39	554	13.5	54	785	18.8
10.0-10.9.....	137	1,748	22.6	60	735	19.0	77	1,013	25.9
11.0-11.9.....	136	1,854	29.3	64	891	25.8	72	963	32.7
12.0-12.9.....	183	2,272	37.6	89	1,139	34.3	94	1,132	40.7
13.0-13.4.....	84	1,172	41.9	33	431	37.6	51	740	45.9
13.5-13.9.....	84	1,189	46.2	41	568	41.9	43	621	50.3
14.0-14.4.....	105	1,351	51.1	58	803	47.9	47	547	54.2
14.5-14.9.....	79	1,065	55.0	36	503	51.7	43	562	58.1
15.0-15.4.....	108	1,507	60.5	63	907	58.5	45	599	62.4
15.5-15.9.....	87	1,163	64.8	44	580	62.9	43	583	66.5
16.0-16.9.....	173	2,322	73.2	88	1,188	71.8	85	1,134	74.5
17.0-17.9.....	145	2,003	80.5	73	1,006	79.4	72	997	81.5
18.0-18.9.....	106	1,441	85.8	55	759	85.1	51	682	86.4
19.0-19.9.....	86	1,111	89.8	46	592	89.6	40	519	90.0
20.0-20.9.....	55	679	92.3	26	319	92.0	29	360	92.6
21.0-21.9.....	48	673	94.8	24	306	94.3	24	367	95.2
22.0-22.9.....	35	447	96.4	15	165	95.6	20	281	97.1
23.0-23.9.....	25	311	97.5	14	178	96.9	11	132	98.1
24 or more.....	54	682	100.0	32	410	100.0	22	272	100.0
Income below poverty level^{2/}									
Total.....	1/430	5,300	100.0	178	2,237	100.0	1/252	3,063	100.0
Less than 2.....	4	50	.9	-	-	-	4	50	1.6
2.0-2.9.....	1	11	1.1	-	-	-	1	11	2.0
3.0-3.9.....	3	28	1.7	1	12	.5	2	16	2.5
4.0-4.9.....	4	46	2.5	-	-	.5	4	46	4.0
5.0-5.9.....	4	36	3.2	1	10	1.0	3	26	4.8
6.0-6.9.....	13	146	6.0	6	64	3.9	7	81	7.5
7.0-7.9.....	12	186	9.5	5	80	7.4	7	106	10.9
8.0-8.9.....	12	147	12.2	3	40	9.2	9	107	14.4
9.0-9.9.....	19	255	17.0	5	66	12.2	14	189	20.6
10.0-10.9.....	27	350	23.7	14	180	20.2	13	171	26.2
11.0-11.9.....	30	370	30.6	10	152	27.0	20	218	33.3
12.0-12.9.....	36	393	38.1	17	194	35.7	19	199	39.8
13.0-13.4.....	13	160	41.1	4	48	37.8	9	112	43.5
13.5-13.9.....	16	203	44.9	14	180	45.9	2	23	44.2
14.0-14.4.....	24	275	50.1	8	85	49.7	16	189	50.4
14.5-14.9.....	18	210	54.1	6	75	53.0	12	134	54.8
15.0-15.4.....	21	287	59.5	10	134	59.0	11	153	59.8
15.5-15.9.....	18	206	63.4	6	64	61.9	12	142	64.4
16.0-16.9.....	30	335	69.7	12	115	67.0	18	219	71.6
17.0-17.9.....	34	460	78.4	10	108	71.9	24	352	83.1
18.0-18.9.....	28	356	85.1	15	193	80.5	13	163	88.4
19.0-19.9.....	18	232	89.5	12	174	88.3	6	58	90.3
20.0-20.9.....	14	160	92.5	6	74	91.6	8	87	93.1
21.0-21.9.....	13	178	95.9	6	89	95.6	7	89	96.1
22.0-22.9.....	7	79	97.3	3	29	96.9	4	50	97.7
23.0-23.9.....	5	68	98.6	1	22	97.8	4	46	99.2
24 or more.....	6	73	100.0	3	48	100.0	3	24	100.0

See footnotes at end of table.

Table 3-177. Cumulative percent distribution of oleic acid intake values in grams per 1,000 calories for persons aged 18-24 years by sex and income level: United States, 1976-80-Continued

Income level and oleic acid in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{2/}									
Total.....	1,541	21,013	100.0	770	10,508	100.0	771	10,505	100.0
Less than 2.....	8	87	.4	1	9	.1	7	78	.7
2.0-2.9.....	2	24	.5	1	17	.3	1	7	.8
3.0-3.9.....	6	106	1.0	2	39	.6	4	66	1.4
4.0-4.9.....	16	281	2.4	6	87	1.4	10	195	3.3
5.0-5.9.....	20	273	3.7	8	100	2.4	12	172	4.9
6.0-6.9.....	24	295	5.1	13	156	3.9	11	139	6.3
7.0-7.9.....	35	444	7.2	17	201	5.8	18	243	8.6
8.0-8.9.....	55	743	10.7	22	367	9.3	33	376	12.2
9.0-9.9.....	71	1,039	15.7	34	489	13.9	37	551	17.4
10.0-10.9.....	104	1,328	22.0	43	521	18.9	61	807	25.1
11.0-11.9.....	100	1,393	28.6	49	660	25.2	51	732	32.0
12.0-12.9.....	140	1,784	37.1	70	911	33.8	70	874	40.4
13.0-13.4.....	70	1,001	41.9	28	373	37.4	42	628	46.3
13.5-13.9.....	66	963	46.4	25	365	40.9	41	598	52.0
14.0-14.4.....	77	1,033	51.4	48	693	47.5	29	340	55.3
14.5-14.9.....	60	848	55.4	30	428	51.5	30	420	59.3
15.0-15.4.....	83	1,162	60.9	51	750	58.7	32	411	63.2
15.5-15.9.....	64	876	65.1	37	504	63.5	27	372	66.7
16.0-16.9.....	136	1,901	74.1	73	1,034	73.3	63	868	75.0
17.0-17.9.....	103	1,444	81.0	56	812	81.0	47	632	81.0
18.0-18.9.....	75	1,059	86.1	38	548	86.3	37	510	85.9
19.0-19.9.....	63	820	90.0	31	396	90.0	32	424	89.9
20.0-20.9.....	39	486	92.3	18	213	92.0	21	274	92.5
21.0-21.9.....	33	464	94.5	17	197	93.9	16	267	95.0
22.0-22.9.....	26	348	96.1	11	129	95.1	15	219	97.1
23.0-23.9.....	20	243	97.3	13	157	96.6	7	86	98.0
24 or more.....	45	567	100.0	28	352	100.0	17	214	100.0

1/ Excludes 1 examined person with zero calories.
2/ Excludes unknown income.

Table 3-178. Cumulative percent distribution of oleic acid intake values in grams per 1,000 calories for persons aged 25-34 years by sex and income level: United States, 1976-80

Income level and oleic acid in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	1/2,236	32,739	100.0	1,067	15,895	100.0	1/1,169	16,844	100.0
Less than 2.....	12	158	.5	7	89	.6	5	69	.4
2.0-2.9.....	3	57	.7	1	17	.7	2	40	.6
3.0-3.9.....	10	144	1.1	5	73	1.1	5	71	1.1
4.0-4.9.....	27	369	2.2	13	186	2.3	14	183	2.1
5.0-5.9.....	18	230	2.9	5	72	2.8	13	159	3.1
6.0-6.9.....	31	471	4.4	13	166	3.8	18	305	4.9
7.0-7.9.....	39	624	6.3	21	364	6.1	18	261	6.4
8.0-8.9.....	63	932	9.1	31	462	9.0	32	470	9.2
9.0-9.9.....	94	1,507	13.7	40	674	13.2	54	834	14.2
10.0-10.9.....	132	2,020	19.9	65	1,064	19.9	67	956	19.9
11.0-11.9.....	149	2,219	26.7	65	1,028	26.4	84	1,191	26.9
12.0-12.9.....	176	2,484	34.3	99	1,360	34.9	77	1,124	33.6
13.0-13.4.....	82	1,141	37.8	30	430	37.6	52	711	37.8
13.5-13.9.....	103	1,620	42.7	48	733	42.3	55	887	43.1
14.0-14.4.....	106	1,510	47.3	46	653	46.4	60	857	48.2
14.5-14.9.....	103	1,551	52.0	43	688	50.7	60	863	53.3
15.0-15.4.....	114	1,674	57.2	62	908	56.4	52	766	57.9
15.5-15.9.....	100	1,580	62.0	48	801	61.4	52	779	62.5
16.0-16.9.....	187	2,603	69.9	78	1,199	69.0	109	1,403	70.8
17.0-17.9.....	151	2,285	76.9	78	1,123	76.1	73	1,162	77.7
18.0-18.9.....	152	2,090	83.3	79	1,134	83.2	73	956	83.4
19.0-19.9.....	111	1,539	88.0	52	698	87.6	59	841	88.4
20.0-20.9.....	86	1,303	92.0	42	581	91.2	44	722	92.7
21.0-21.9.....	50	665	94.0	22	265	92.9	28	401	95.0
22.0-22.9.....	46	664	96.0	24	400	95.4	22	264	96.6
23.0-23.9.....	35	461	97.4	19	245	97.0	16	216	97.9
24 or more.....	56	837	100.0	31	482	100.0	25	354	100.0
Income below poverty level^{1/2/}									
Total.....	253	3,103	100.0	91	1,106	100.0	162	1,997	100.0
Less than 2.....	-	-	-	-	-	-	-	-	-
2.0-2.9.....	1	22	.7	-	-	-	1	22	1.1
3.0-3.9.....	3	39	2.0	2	30	2.7	1	9	1.6
4.0-4.9.....	3	29	2.9	2	20	4.6	1	9	2.0
5.0-5.9.....	4	33	4.0	1	7	5.2	3	26	3.3
6.0-6.9.....	1	16	4.5	-	-	5.2	1	16	4.1
7.0-7.9.....	1	13	4.9	-	-	5.2	1	13	4.8
8.0-8.9.....	4	75	7.3	3	51	9.8	1	24	5.9
9.0-9.9.....	13	158	12.4	3	48	14.2	10	110	11.5
10.0-10.9.....	11	141	17.0	7	103	23.5	4	38	13.4
11.0-11.9.....	20	266	25.6	7	108	33.2	13	158	21.3
12.0-12.9.....	24	247	33.5	9	75	40.0	15	172	29.9
13.0-13.4.....	11	108	37.0	1	7	40.7	10	101	35.0
13.5-13.9.....	5	86	39.8	1	10	41.6	4	76	38.8
14.0-14.4.....	11	130	44.0	7	77	48.5	4	54	41.5
14.5-14.9.....	13	177	49.7	7	88	56.4	6	89	45.9
15.0-15.4.....	12	130	53.9	2	26	58.8	10	105	51.2
15.5-15.9.....	7	79	56.4	2	16	60.2	5	63	54.3
16.0-16.9.....	17	217	63.4	3	60	65.6	14	157	62.2
17.0-17.9.....	16	173	69.0	7	83	73.1	9	90	66.6
18.0-18.9.....	21	239	76.6	5	51	77.8	16	187	76.0
19.0-19.9.....	15	203	83.2	5	50	82.3	10	153	83.7
20.0-20.9.....	14	215	90.1	5	55	87.3	9	161	91.7
21.0-21.9.....	7	75	92.6	4	38	90.7	3	37	93.6
22.0-22.9.....	6	65	94.7	2	27	93.1	4	38	95.5
23.0-23.9.....	6	71	97.0	3	35	96.3	3	36	97.3
24 or more.....	7	94	100.0	3	40	100.0	4	54	100.0

See footnotes at end of table.

Table 3-178. Cumulative percent distribution of oleic acid intake values in grams per 1,000 calories for persons aged 25-34 years by sex and income level: United States, 1976-80-Continued

Income level and oleic acid in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{2/}									
Total.....	1/1,926	28,824	100.0	945	14,355	100.0	1,981	14,469	100.0
Less than 2.....	9	131	.4	4	62	.4	5	69	.5
2.0-2.9.....	2	35	.6	1	17	.5	1	18	.6
3.0-3.9.....	7	105	.9	3	43	.8	4	62	1.0
4.0-4.9.....	23	329	2.1	11	166	2.0	12	163	2.1
5.0-5.9.....	14	197	2.8	4	64	2.5	10	133	3.1
6.0-6.9.....	30	455	4.3	13	166	3.6	17	289	5.1
7.0-7.9.....	38	611	6.5	21	364	6.1	17	247	6.8
8.0-8.9.....	58	846	9.4	28	411	9.0	30	434	9.8
9.0-9.9.....	79	1,318	14.0	35	594	13.1	44	723	14.8
10.0-10.9.....	119	1,833	20.3	57	934	19.7	62	899	21.0
11.0-11.9.....	125	1,914	27.0	57	907	26.0	68	1,007	28.0
12.0-12.9.....	145	2,153	34.4	86	1,246	34.6	59	907	34.2
13.0-13.4.....	70	1,019	38.0	29	422	37.6	41	597	38.3
13.5-13.9.....	95	1,499	43.2	46	715	42.6	49	783	43.8
14.0-14.4.....	93	1,353	47.9	38	563	46.5	55	790	49.2
14.5-14.9.....	87	1,317	52.4	35	576	50.5	52	741	54.3
15.0-15.4.....	99	1,480	57.6	58	842	56.4	41	638	58.8
15.5-15.9.....	89	1,447	62.6	45	774	61.8	44	674	63.4
16.0-16.9.....	165	2,323	70.6	71	1,086	69.3	94	1,236	72.0
17.0-17.9.....	129	2,001	77.6	67	984	76.2	62	1,017	79.0
18.0-18.9.....	128	1,799	83.8	73	1,062	83.6	55	736	84.1
19.0-19.9.....	93	1,303	88.3	46	630	88.0	47	673	88.7
20.0-20.9.....	72	1,088	92.1	37	526	91.6	35	562	92.6
21.0-21.9.....	42	579	94.1	17	216	93.1	25	363	95.1
22.0-22.9.....	40	599	96.2	22	373	95.7	18	226	96.7
23.0-23.9.....	28	377	97.5	15	197	97.1	13	180	97.9
24 or more.....	47	714	100.0	26	414	100.0	21	300	100.0

1/ Excludes 1 examined person with zero calories.
2/ Excludes unknown income.

Table 3-179. Cumulative percent distribution of oleic acid intake values in grams per 1,000 calories for persons aged 35-44 years by sex and income level: United States, 1976-80

Income level and oleic acid in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	1,589	23,651	100.0	745	11,367	100.0	844	12,284	100.0
Less than 2.....	4	55	.2	2	29	.3	2	26	.2
2.0-2.9.....	1	9	.3	1	9	.3	-	-	.2
3.0-3.9.....	9	140	.9	4	48	.8	5	92	1.0
4.0-4.9.....	11	130	1.4	2	23	.9	9	107	1.8
5.0-5.9.....	11	187	2.2	5	78	1.6	6	109	2.7
6.0-6.9.....	32	531	4.4	13	179	3.2	19	352	5.6
7.0-7.9.....	32	434	6.3	17	240	5.3	15	195	7.2
8.0-8.9.....	41	596	8.8	19	269	7.7	22	327	9.8
9.0-9.9.....	51	734	11.9	23	339	10.7	28	395	13.0
10.0-10.9.....	91	1,384	17.8	45	749	17.3	46	635	18.2
11.0-11.9.....	98	1,494	24.1	47	698	23.4	51	796	24.7
12.0-12.9.....	108	1,652	31.1	47	725	29.8	61	928	32.3
13.0-13.4.....	61	909	34.9	27	362	32.9	34	547	36.7
13.5-13.9.....	65	981	39.0	26	421	36.6	39	560	41.3
14.0-14.4.....	66	1,033	43.4	25	379	40.0	41	653	46.6
14.5-14.9.....	85	1,254	48.7	44	709	46.2	41	544	51.0
15.0-15.4.....	79	1,127	53.5	35	514	50.8	44	612	56.0
15.5-15.9.....	76	1,043	57.9	34	496	55.1	42	547	60.4
16.0-16.9.....	129	1,899	65.9	65	971	63.7	64	928	68.0
17.0-17.9.....	123	1,878	73.9	58	954	72.0	65	924	75.5
18.0-18.9.....	109	1,620	80.7	49	769	78.8	60	851	82.4
19.0-19.9.....	69	1,080	85.3	39	688	84.9	30	392	85.6
20.0-20.9.....	74	1,077	89.8	37	544	89.6	37	534	90.0
21.0-21.9.....	60	927	93.8	34	533	94.3	26	394	93.2
22.0-22.9.....	40	638	96.4	14	209	96.2	26	430	96.7
23.0-23.9.....	22	247	97.5	13	150	97.5	9	97	97.5
24 or more.....	42	594	100.0	20	284	100.0	22	310	100.0
Income below poverty level^{1/}									
Total.....	182	2,364	100.0	63	821	100.0	119	1,543	100.0
Less than 2.....	-	-	-	*	*	*	-	-	-
2.0-2.9.....	-	-	-	*	*	*	-	-	-
3.0-3.9.....	1	8	.3	*	*	*	-	-	-
4.0-4.9.....	5	51	2.5	*	*	*	4	43	2.8
5.0-5.9.....	2	24	3.5	*	*	*	-	-	2.8
6.0-6.9.....	5	70	6.5	*	*	*	3	46	5.7
7.0-7.9.....	5	60	9.0	*	*	*	2	25	7.3
8.0-8.9.....	4	58	11.5	*	*	*	2	36	9.7
9.0-9.9.....	6	71	14.5	*	*	*	3	33	11.8
10.0-10.9.....	10	145	20.6	*	*	*	3	46	14.8
11.0-11.9.....	9	109	25.3	*	*	*	7	88	20.5
12.0-12.9.....	15	260	36.2	*	*	*	11	180	32.1
13.0-13.4.....	5	67	39.1	*	*	*	5	67	36.5
13.5-13.9.....	5	50	41.2	*	*	*	4	42	39.2
14.0-14.4.....	8	86	44.8	*	*	*	5	51	42.5
14.5-14.9.....	8	80	48.2	*	*	*	6	60	46.4
15.0-15.4.....	4	43	50.0	*	*	*	3	30	48.3
15.5-15.9.....	12	133	55.6	*	*	*	5	60	52.2
16.0-16.9.....	18	248	66.1	*	*	*	10	143	61.5
17.0-17.9.....	8	117	71.0	*	*	*	6	83	66.9
18.0-18.9.....	11	122	76.2	*	*	*	8	77	71.9
19.0-19.9.....	8	107	80.7	*	*	*	7	81	77.2
20.0-20.9.....	11	152	87.2	*	*	*	8	125	85.3
21.0-21.9.....	9	101	91.4	*	*	*	7	75	90.1
22.0-22.9.....	6	100	95.7	*	*	*	5	70	94.7
23.0-23.9.....	1	8	96.0	*	*	*	1	8	95.2
24 or more.....	6	95	100.0	*	*	*	4	74	100.0

See footnotes at end of table.

Table 3-179. Cumulative percent distribution of oleic acid intake values in grams per 1,000 calories for persons aged 35-44 years by sex and income level: United States, 1976-80-Continued

Income level and oleic acid in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	1,360	20,572	100.0	658	10,195	100.0	702	10,377	100.0
Less than 2.....	4	55	.3	2	29	.3	2	26	.3
2.0-2.9.....	1	9	.3	1	9	.4	-	-	.3
3.0-3.9.....	8	132	.9	3	40	.8	5	92	1.1
4.0-4.9.....	5	65	1.3	-	-	.8	5	65	1.8
5.0-5.9.....	9	163	2.1	3	53	1.3	6	109	2.8
6.0-6.9.....	26	452	4.3	10	146	2.7	16	306	5.8
7.0-7.9.....	24	334	5.9	13	192	4.6	11	142	7.1
8.0-8.9.....	37	538	8.5	17	247	7.0	20	291	9.9
9.0-9.9.....	43	642	11.6	19	290	9.9	24	352	13.3
10.0-10.9.....	80	1,224	17.6	38	649	16.2	42	575	18.9
11.0-11.9.....	88	1,376	24.3	44	668	22.8	44	708	25.7
12.0-12.9.....	93	1,392	31.0	43	644	29.1	50	748	32.9
13.0-13.4.....	55	813	35.0	26	333	32.4	29	480	37.5
13.5-13.9.....	57	877	39.2	25	413	36.4	32	464	42.0
14.0-14.4.....	56	885	43.5	21	320	39.6	35	564	47.4
14.5-14.9.....	74	1,121	49.0	42	690	46.3	32	431	51.6
15.0-15.4.....	72	1,044	54.0	33	489	51.1	39	554	56.9
15.5-15.9.....	61	876	58.3	24	389	54.9	37	487	61.6
16.0-16.9.....	106	1,591	66.0	54	826	63.0	52	764	69.0
17.0-17.9.....	113	1,735	74.5	55	914	72.0	58	820	76.9
18.0-18.9.....	95	1,462	81.6	45	708	79.0	50	754	84.1
19.0-19.9.....	57	912	86.0	35	616	85.0	22	296	87.0
20.0-20.9.....	63	926	90.5	34	517	90.1	29	409	90.9
21.0-21.9.....	45	708	94.0	29	443	94.4	16	265	93.5
22.0-22.9.....	32	514	96.4	12	164	96.0	20	349	96.9
23.0-23.9.....	20	230	97.6	12	141	97.4	8	89	97.7
24 or more.....	36	500	100.0	18	264	100.0	18	236	100.0

1/ Excludes unknown income.

Table 3-180. Cumulative percent distribution of oleic acid intake values in grams per 1,000 calories for persons aged 45-54 years by sex and income level: United States, 1976-80

Income level and oleic acid in grams per 1,000 calories	Both sexes			Male			Female		
	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent
All incomes									
Total.....	1,453	23,032	100.0	690	11,114	100.0	763	11,918	100.0
Less than 2.....	3	42	.2	-	-	-	3	42	.3
2.0-2.9.....	5	75	.5	-	-	-	5	75	1.0
3.0-3.9.....	8	126	1.0	1	13	.1	7	113	1.9
4.0-4.9.....	10	151	1.7	3	55	.6	7	96	2.7
5.0-5.9.....	21	336	3.2	5	83	1.3	16	253	4.9
6.0-6.9.....	22	305	4.5	8	105	2.3	14	200	6.5
7.0-7.9.....	29	436	6.4	17	279	4.8	12	157	7.9
8.0-8.9.....	36	603	9.0	15	249	7.1	21	353	10.8
9.0-9.9.....	66	1,103	13.8	32	564	12.1	34	539	15.3
10.0-10.9.....	79	1,328	19.6	34	632	17.8	45	695	21.2
11.0-11.9.....	83	1,261	25.0	38	579	23.0	45	682	26.9
12.0-12.9.....	97	1,640	32.2	48	808	30.3	49	832	33.9
13.0-13.4.....	58	943	36.3	22	370	33.6	36	572	38.7
13.5-13.9.....	59	901	40.2	33	479	37.9	26	422	42.2
14.0-14.4.....	80	1,332	45.9	39	748	44.7	41	584	47.1
14.5-14.9.....	67	1,049	50.5	31	482	49.0	36	566	51.9
15.0-15.4.....	57	843	54.2	22	365	52.3	35	478	55.9
15.5-15.9.....	56	923	58.2	32	493	56.7	24	429	59.5
16.0-16.9.....	124	2,053	67.1	67	1,017	65.9	57	1,036	68.2
17.0-17.9.....	106	1,706	74.5	53	822	73.3	53	884	75.6
18.0-18.9.....	86	1,412	80.6	45	823	80.7	41	589	80.5
19.0-19.9.....	92	1,367	86.5	42	637	86.4	50	730	86.7
20.0-20.9.....	60	872	90.3	34	471	90.7	26	401	90.0
21.0-21.9.....	42	599	92.9	18	229	92.7	24	370	93.1
22.0-22.9.....	36	588	95.5	20	337	95.8	16	251	95.2
23.0-23.9.....	25	353	97.0	11	144	97.0	14	210	97.0
24 or more.....	46	686	100.0	20	328	100.0	26	357	100.0
Income below poverty level^{1/}									
Total.....	128	1,760	100.0	46	645	100.0	82	1,115	100.0
Less than 2.....	-	-	-	*	*	*	-	-	-
2.0-2.9.....	-	-	-	*	*	*	-	-	-
3.0-3.9.....	-	-	-	*	*	*	-	-	-
4.0-4.9.....	3	32	1.8	*	*	*	3	32	2.9
5.0-5.9.....	1	13	2.6	*	*	*	1	13	4.1
6.0-6.9.....	-	-	2.6	*	*	*	-	-	4.1
7.0-7.9.....	3	44	5.1	*	*	*	-	-	4.1
8.0-8.9.....	-	-	5.1	*	*	*	-	-	4.1
9.0-9.9.....	7	96	10.5	*	*	*	4	64	9.8
10.0-10.9.....	10	117	17.2	*	*	*	7	77	16.7
11.0-11.9.....	5	59	20.6	*	*	*	3	34	19.7
12.0-12.9.....	2	30	22.3	*	*	*	-	-	19.7
13.0-13.4.....	8	110	28.6	*	*	*	7	96	28.3
13.5-13.9.....	4	57	31.8	*	*	*	4	57	33.4
14.0-14.4.....	6	89	36.9	*	*	*	5	69	39.6
14.5-14.9.....	4	48	39.6	*	*	*	3	34	42.6
15.0-15.4.....	6	66	43.3	*	*	*	5	56	47.6
15.5-15.9.....	4	39	45.5	*	*	*	-	-	47.6
16.0-16.9.....	10	141	53.5	*	*	*	7	103	56.9
17.0-17.9.....	12	194	64.5	*	*	*	9	149	70.2
18.0-18.9.....	5	100	70.2	*	*	*	1	12	71.3
19.0-19.9.....	9	113	76.6	*	*	*	5	54	76.2
20.0-20.9.....	7	78	81.0	*	*	*	3	31	79.0
21.0-21.9.....	9	102	86.8	*	*	*	7	82	86.3
22.0-22.9.....	5	80	91.4	*	*	*	2	38	89.7
23.0-23.9.....	2	55	94.6	*	*	*	2	55	94.7
24 or more.....	6	96	100.0	*	*	*	4	59	100.0

See footnotes at end of table.

Table 3-180. Cumulative percent distribution of oleic acid intake values in grams per 1,000 calories for persons aged 45-54 years by sex and income level: United States, 1976-80-Continued

Income level and oleic acid in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	1,258	20,161	100.0	603	9,738	100.0	655	10,424	100.0
Less than 2.....	3	42	.2	-	-	-	3	42	.4
2.0-2.9.....	5	75	.6	-	-	-	5	75	1.1
3.0-3.9.....	7	113	1.1	-	-	-	7	113	2.2
4.0-4.9.....	7	119	1.7	3	55	.6	4	64	2.8
5.0-5.9.....	18	293	3.2	4	62	1.2	14	231	5.0
6.0-6.9.....	20	271	4.5	8	105	2.3	12	165	6.6
7.0-7.9.....	25	385	6.4	14	235	4.7	11	150	8.1
8.0-8.9.....	35	586	9.3	15	249	7.3	20	336	11.3
9.0-9.9.....	55	947	14.0	27	495	12.3	28	452	15.6
10.0-10.9.....	64	1,118	19.6	27	517	17.6	37	601	21.4
11.0-11.9.....	77	1,192	25.5	36	554	23.3	41	638	27.5
12.0-12.9.....	89	1,518	33.0	44	745	31.0	45	773	34.9
13.0-13.4.....	50	833	37.2	21	356	34.6	29	477	39.5
13.5-13.9.....	52	786	41.0	31	439	39.1	21	347	42.8
14.0-14.4.....	68	1,142	46.7	33	648	45.8	35	493	47.6
14.5-14.9.....	58	903	51.2	28	428	50.2	30	475	52.1
15.0-15.4.....	50	756	54.9	20	334	53.6	30	421	56.2
15.5-15.9.....	51	860	59.2	27	430	58.0	24	429	60.3
16.0-16.9.....	108	1,818	68.2	58	885	67.1	50	933	69.2
17.0-17.9.....	92	1,472	75.5	49	754	74.9	43	719	76.1
18.0-18.9.....	80	1,290	81.9	41	735	82.4	39	555	81.4
19.0-19.9.....	77	1,163	87.7	33	497	87.5	44	666	87.8
20.0-20.9.....	51	754	91.4	28	384	91.5	23	370	91.4
21.0-21.9.....	31	461	93.7	15	187	93.4	16	274	94.0
22.0-22.9.....	30	495	96.2	16	282	96.3	14	213	96.1
23.0-23.9.....	22	287	97.6	10	133	97.7	12	154	97.5
24 or more.....	33	484	100.0	15	227	100.0	18	257	100.0

^{1/} Excludes unknown income.

Table 3-181. Cumulative percent distribution of oleic acid intake values in grams per 1,000 calories for persons aged 55-64 years by sex and income level: United States, 1976-80

Income level and oleic acid in grams per 1,000 calories	Both sexes			Male			Female		
	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent
All incomes									
Total.....	1/2,555	20,346	100.0	1/1,226	9,603	100.0	1,329	10,743	100.0
Less than 2.....	12	98	.5	5	35	.4	7	64	.6
2.0-2.9.....	8	59	.8	4	29	.7	4	30	.9
3.0-3.9.....	14	121	1.4	4	24	.9	10	98	1.8
4.0-4.9.....	11	84	1.8	5	58	1.5	6	26	2.0
5.0-5.9.....	28	237	2.9	6	47	2.0	22	190	3.8
6.0-6.9.....	32	311	4.5	11	103	3.1	21	207	5.7
7.0-7.9.....	65	522	7.0	24	164	4.8	41	357	9.0
8.0-8.9.....	65	516	9.6	21	182	6.7	44	334	12.2
9.0-9.9.....	110	1,010	14.5	48	405	10.9	62	605	17.8
10.0-10.9.....	128	1,081	19.9	47	394	15.0	81	687	24.2
11.0-11.9.....	175	1,416	26.8	83	651	21.8	92	765	31.3
12.0-12.9.....	180	1,489	34.1	73	647	28.5	107	842	39.1
13.0-13.4.....	123	1,066	39.4	64	612	34.9	59	454	43.4
13.5-13.9.....	104	748	43.0	44	316	38.2	60	432	47.4
14.0-14.4.....	105	844	47.2	50	397	42.3	55	448	51.6
14.5-14.9.....	103	910	51.7	47	421	46.7	56	489	56.1
15.0-15.4.....	98	779	55.5	56	445	51.3	42	334	59.2
15.5-15.9.....	93	645	58.7	45	327	54.8	48	319	62.2
16.0-16.9.....	217	1,754	67.3	114	884	63.9	103	870	70.3
17.0-17.9.....	201	1,570	75.0	103	839	72.7	98	731	77.1
18.0-18.9.....	173	1,412	81.9	94	713	80.1	79	699	83.6
19.0-19.9.....	148	1,032	87.0	71	474	85.0	77	559	88.8
20.0-20.9.....	102	743	90.7	61	461	89.8	41	282	91.4
21.0-21.9.....	81	646	93.8	51	376	93.8	30	270	93.9
22.0-22.9.....	50	386	95.8	25	169	95.5	25	217	95.9
23.0-23.9.....	43	284	97.1	22	143	97.0	21	141	97.3
24 or more.....	86	581	100.0	48	287	100.0	38	295	100.0
Income below poverty level^{2/}									
Total.....	1/316	1,956	100.0	1/128	775	100.0	188	1,181	100.0
Less than 2.....	5	32	1.6	3	15	1.9	2	17	1.5
2.0-2.9.....	2	11	2.2	2	11	3.4	-	-	1.5
3.0-3.9.....	-	-	2.2	-	-	3.4	-	-	1.5
4.0-4.9.....	2	12	2.8	1	9	4.5	1	3	1.7
5.0-5.9.....	2	7	3.2	-	-	4.5	2	7	2.3
6.0-6.9.....	3	19	4.1	-	-	4.5	3	19	3.9
7.0-7.9.....	8	43	6.3	3	16	6.6	5	27	6.2
8.0-8.9.....	7	42	8.5	2	7	7.5	5	36	9.2
9.0-9.9.....	11	73	12.2	4	25	10.7	7	48	13.2
10.0-10.9.....	12	78	16.2	5	31	14.7	7	47	17.1
11.0-11.9.....	21	157	24.2	6	52	21.5	15	105	26.0
12.0-12.9.....	22	143	31.5	10	82	32.0	12	61	31.2
13.0-13.4.....	15	104	36.9	5	37	36.8	10	68	36.9
13.5-13.9.....	12	96	41.8	2	13	38.4	10	84	44.0
14.0-14.4.....	12	55	44.6	4	19	40.9	8	36	47.1
14.5-14.9.....	14	78	48.6	3	17	43.1	11	61	52.2
15.0-15.4.....	10	61	51.7	6	32	47.1	4	29	54.7
15.5-15.9.....	10	61	54.8	5	28	50.7	5	33	57.5
16.0-16.9.....	25	136	61.7	13	61	58.6	12	75	63.8
17.0-17.9.....	14	108	67.3	4	33	62.8	10	75	70.2
18.0-18.9.....	23	120	73.4	9	51	69.4	14	69	76.0
19.0-19.9.....	26	171	82.1	8	53	76.2	18	118	86.0
20.0-20.9.....	14	95	87.0	8	60	83.9	6	35	89.0
21.0-21.9.....	19	122	93.2	12	64	92.2	7	57	93.9
22.0-22.9.....	6	40	95.2	4	25	95.5	2	15	95.1
23.0-23.9.....	6	20	96.3	2	6	96.3	4	14	96.3
24 or more.....	15	73	100.0	7	29	100.0	8	44	100.0

See footnotes at end of table.

Table 3-181. Cumulative percent distribution of oleic acid intake values in grams per 1,000 calories for persons aged 55-64 years by sex and income level: United States, 1976-80-Continued

Income level and oleic acid in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{2/}									
Total.....	2,119	17,376	100.0	1,048	8,443	100.0	1,071	8,934	100.0
Less than 2.....	7	66	.4	2	20	.2	5	46	.5
2.0-2.9.....	6	48	.7	2	18	.4	4	30	.8
3.0-3.9.....	13	110	1.3	4	24	.7	9	86	1.8
4.0-4.9.....	9	72	1.7	4	49	1.3	5	23	2.1
5.0-5.9.....	26	230	3.0	6	47	1.9	20	183	4.1
6.0-6.9.....	28	283	4.7	10	95	3.0	18	189	6.2
7.0-7.9.....	52	449	7.2	20	140	4.6	32	309	9.7
8.0-8.9.....	56	456	9.9	19	175	6.7	37	280	12.8
9.0-9.9.....	94	882	14.9	41	358	11.0	53	524	18.7
10.0-10.9.....	110	970	20.5	42	363	15.3	68	607	25.5
11.0-11.9.....	142	1,136	27.1	74	588	22.2	68	548	31.6
12.0-12.9.....	151	1,284	34.4	61	554	28.8	90	731	39.8
13.0-13.4.....	103	885	39.5	57	525	35.0	46	360	43.8
13.5-13.9.....	87	613	43.1	41	298	38.5	46	316	47.3
14.0-14.4.....	89	753	47.4	43	356	42.8	46	397	51.8
14.5-14.9.....	85	803	52.0	43	394	47.4	42	409	56.4
15.0-15.4.....	86	706	56.1	49	405	52.2	37	301	59.7
15.5-15.9.....	73	510	59.0	35	250	55.2	38	260	62.6
16.0-16.9.....	181	1,542	67.9	95	788	64.5	86	754	71.1
17.0-17.9.....	180	1,420	76.1	97	801	74.0	83	619	78.0
18.0-18.9.....	135	1,139	82.6	76	605	81.2	59	534	84.0
19.0-19.9.....	118	834	87.4	59	393	85.8	59	440	88.9
20.0-20.9.....	86	621	91.0	52	382	90.4	34	239	91.6
21.0-21.9.....	59	495	93.8	37	286	93.7	22	209	93.9
22.0-22.9.....	42	336	95.8	20	140	95.4	22	196	96.1
23.0-23.9.....	35	257	97.3	20	137	97.0	15	119	97.5
24 or more.....	66	477	100.0	39	251	100.0	27	226	100.0

1/ Excludes 1 examined person with zero calories.
2/ Excludes unknown income.

Table 3-182. Cumulative percent distribution of oleic acid intake values in grams per 1,000 calories for persons aged 65-74 years by sex and income level: United States, 1976-80

Income level and oleic acid in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	2,615	14,496	100.0	1,199	6,297	100.0	1,416	8,198	100.0
Less than 2.....	6	40	.3	1	4	.1	5	35	.4
2.0-2.9.....	10	46	.6	1	4	.1	9	42	.9
3.0-3.9.....	13	69	1.1	5	24	.5	8	45	1.5
4.0-4.9.....	18	123	1.9	5	40	1.1	13	84	2.5
5.0-5.9.....	32	212	3.4	11	77	2.4	21	134	4.1
6.0-6.9.....	49	292	5.4	19	109	4.1	30	183	6.4
7.0-7.9.....	72	427	8.3	25	137	6.3	47	290	9.9
8.0-8.9.....	80	459	11.5	33	190	9.3	47	269	13.2
9.0-9.9.....	141	772	16.8	59	307	14.2	82	465	18.9
10.0-10.9.....	167	986	23.6	49	280	18.6	118	706	27.5
11.0-11.9.....	160	918	30.0	65	342	24.1	95	576	34.5
12.0-12.9.....	179	1,059	37.3	74	394	30.3	105	665	42.6
13.0-13.4.....	105	602	41.4	46	258	34.4	59	345	46.8
13.5-13.9.....	137	750	46.6	60	313	39.4	77	437	52.1
14.0-14.4.....	111	605	50.8	47	255	43.4	64	351	56.4
14.5-14.9.....	115	674	55.4	52	282	47.9	63	392	61.2
15.0-15.4.....	114	610	59.6	53	283	52.4	61	327	65.2
15.5-15.9.....	119	668	64.3	64	354	58.0	55	314	69.0
16.0-16.9.....	185	997	71.1	94	484	65.7	91	513	75.3
17.0-17.9.....	173	960	77.8	94	485	73.4	79	475	81.1
18.0-18.9.....	166	868	83.7	87	423	80.1	79	445	86.5
19.0-19.9.....	117	593	87.8	63	306	85.0	54	288	90.0
20.0-20.9.....	117	591	91.9	65	313	89.9	52	278	93.4
21.0-21.9.....	58	326	94.1	26	153	92.4	32	173	95.5
22.0-22.9.....	44	213	95.6	25	124	94.3	19	88	96.6
23.0-23.9.....	37	184	96.9	21	97	95.9	16	87	97.7
24 or more.....	90	451	100.0	55	260	100.0	35	191	100.0
Income below poverty level^{1/}									
Total.....	424	2,003	100.0	168	759	100.0	256	1,245	100.0
Less than 2.....	1	4	.2	-	-	-	1	4	.3
2.0-2.9.....	4	19	1.1	1	4	.5	3	15	1.5
3.0-3.9.....	2	8	1.5	-	-	.5	2	8	2.2
4.0-4.9.....	5	27	2.9	2	17	2.8	3	11	3.0
5.0-5.9.....	10	43	5.1	5	17	5.0	5	26	5.1
6.0-6.9.....	9	41	7.1	3	16	7.2	6	25	7.1
7.0-7.9.....	16	94	11.8	4	22	10.0	12	73	12.9
8.0-8.9.....	10	43	14.0	2	6	10.9	8	37	15.9
9.0-9.9.....	23	111	19.5	8	35	15.5	15	76	21.9
10.0-10.9.....	23	126	25.8	4	23	18.5	19	103	30.3
11.0-11.9.....	28	125	32.1	8	38	23.6	20	87	37.3
12.0-12.9.....	30	151	39.6	10	45	29.5	20	106	45.7
13.0-13.4.....	11	62	42.7	5	29	33.4	6	33	48.4
13.5-13.9.....	22	88	47.1	11	40	38.6	11	49	52.3
14.0-14.4.....	13	59	50.0	4	21	41.4	9	38	55.3
14.5-14.9.....	15	81	54.1	4	14	43.2	11	68	60.8
15.0-15.4.....	17	92	58.7	8	51	49.9	9	41	64.0
15.5-15.9.....	13	69	62.2	5	27	53.5	8	42	67.4
16.0-16.9.....	27	113	67.8	8	35	58.2	19	77	73.6
17.0-17.9.....	20	93	72.4	15	73	67.8	5	19	75.2
18.0-18.9.....	36	172	81.0	16	67	76.6	20	105	83.6
19.0-19.9.....	23	91	85.5	12	44	82.4	11	47	87.4
20.0-20.9.....	17	71	89.1	11	40	87.7	6	31	89.9
21.0-21.9.....	9	40	91.1	1	4	88.2	8	36	92.8
22.0-22.9.....	10	41	93.1	4	14	90.1	6	27	94.9
23.0-23.9.....	7	39	95.0	3	10	91.3	4	29	97.3
24 or more.....	23	99	100.0	14	66	100.0	9	34	100.0

See footnotes at end of table.

Table 3-182. Cumulative percent distribution of oleic acid intake values in grams per 1,000 calories for persons aged 65-74 years by sex and income level: United States, 1976-80-Continued

Income level and oleic acid in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	2,067	11,819	100.0	987	5,312	100.0	1,080	6,508	100.0
Less than 2.....	5	36	.3	1	4	.1	4	32	.5
2.0-2.9.....	6	27	.5	-	-	.1	6	27	.9
3.0-3.9.....	9	54	1.0	4	20	.5	5	34	1.4
4.0-4.9.....	12	90	1.8	3	23	.9	9	67	2.4
5.0-5.9.....	21	163	3.1	6	60	2.0	15	103	4.0
6.0-6.9.....	37	236	5.1	15	90	3.7	22	146	6.3
7.0-7.9.....	53	314	7.8	21	116	5.9	32	198	9.3
8.0-8.9.....	64	374	10.9	29	168	9.0	35	206	12.5
9.0-9.9.....	113	628	16.3	50	266	14.0	63	361	18.0
10.0-10.9.....	131	780	22.8	41	227	18.3	90	553	26.5
11.0-11.9.....	125	743	29.1	57	304	24.0	68	440	33.3
12.0-12.9.....	144	875	36.5	63	343	30.5	81	532	41.5
13.0-13.4.....	87	506	40.8	40	219	34.6	47	287	45.9
13.5-13.9.....	111	640	46.2	46	258	39.5	65	382	51.8
14.0-14.4.....	94	530	50.7	41	224	43.7	53	307	56.5
14.5-14.9.....	91	546	55.3	45	257	48.5	46	289	60.9
15.0-15.4.....	94	507	59.6	45	231	52.9	49	275	65.1
15.5-15.9.....	101	576	64.5	57	318	58.9	44	259	69.1
16.0-16.9.....	148	831	71.5	83	432	67.0	65	399	75.3
17.0-17.9.....	142	812	78.4	72	379	74.1	70	433	81.9
18.0-18.9.....	128	690	84.3	69	350	80.7	59	340	87.1
19.0-19.9.....	92	492	88.4	51	262	85.6	41	230	90.7
20.0-20.9.....	94	494	92.6	51	261	90.6	43	232	94.2
21.0-21.9.....	45	266	94.8	22	136	93.1	23	130	96.2
22.0-22.9.....	33	166	96.2	20	105	95.1	13	62	97.2
23.0-23.9.....	26	123	97.3	17	80	96.6	9	43	97.8
24 or more.....	61	321	100.0	38	180	100.0	23	141	100.0

1/ Excludes unknown income.

Table 3-183. Cumulative percent distribution of linoleic acid intake values in grams per 1,000 calories for persons aged 6-11 months by sex and income level: United States, 1976-80

Income level and linoleic acid in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	356	1,599	100.0	179	819	100.0	177	780	100.0
Less than .5.....	42	211	13.2	27	128	15.6	15	83	10.7
.5-.9.....	34	136	21.7	10	40	20.4	24	96	23.0
1.0-1.4.....	46	193	33.8	23	95	32.0	23	99	35.6
1.5-1.9.....	42	186	45.4	19	82	42.1	23	104	49.0
2.0-2.4.....	28	116	52.7	16	71	50.7	12	45	54.7
2.5-2.9.....	30	160	62.7	18	119	65.2	12	41	60.0
3.0-3.4.....	25	105	69.3	11	50	71.3	14	56	67.2
3.5-3.9.....	9	43	71.9	3	10	72.5	6	32	71.3
4.0-4.4.....	19	70	76.3	10	32	76.4	9	38	76.2
4.5-4.9.....	16	60	80.1	6	28	79.8	10	32	80.3
5.0-5.4.....	12	40	82.5	7	21	82.3	5	19	82.8
5.5-5.9.....	9	49	85.6	8	41	87.3	1	8	83.8
6.0-6.4.....	6	48	88.6	3	16	89.3	3	32	87.9
6.5-6.9.....	8	34	90.8	5	24	92.3	3	11	89.2
7.0-7.4.....	7	32	92.8	4	18	94.5	3	14	91.0
7.5-7.9.....	4	16	93.8	2	6	95.2	2	9	92.2
8.0-8.4.....	2	8	94.3	-	-	95.2	2	8	93.2
8.5-8.9.....	1	3	94.5	-	-	95.2	1	3	93.6
9.0-9.4.....	3	12	95.2	1	5	95.8	2	7	94.6
9.5-9.9.....	1	9	95.8	1	9	96.9	-	-	94.6
10.0-10.4.....	3	13	96.6	2	11	98.3	1	2	94.9
10.5-10.9.....	3	17	97.7	1	2	98.5	2	15	96.8
11.0-11.9.....	2	14	98.5	1	10	99.7	1	4	97.3
12.0-12.9.....	1	14	99.4	-	-	99.7	1	14	99.1
13.0-13.9.....	2	7	99.8	-	-	99.7	2	7	100.0
14.0 or more.....	1	3	100.0	1	3	100.0	-	-	100.0
Income below poverty level^{1/}									
Total.....	84	315	100.0	48	177	100.0	36	138	100.0
Less than .5.....	5	19	5.9	*	*	*	*	*	*
.5-.9.....	9	31	15.7	*	*	*	*	*	*
1.0-1.4.....	8	38	27.8	*	*	*	*	*	*
1.5-1.9.....	3	11	31.3	*	*	*	*	*	*
2.0-2.4.....	7	26	39.5	*	*	*	*	*	*
2.5-2.9.....	6	21	46.1	*	*	*	*	*	*
3.0-3.4.....	5	14	50.5	*	*	*	*	*	*
3.5-3.9.....	2	8	52.9	*	*	*	*	*	*
4.0-4.4.....	7	17	58.4	*	*	*	*	*	*
4.5-4.9.....	6	22	65.5	*	*	*	*	*	*
5.0-5.4.....	7	21	72.1	*	*	*	*	*	*
5.5-5.9.....	2	10	75.2	*	*	*	*	*	*
6.0-6.4.....	-	-	75.2	*	*	*	*	*	*
6.5-6.9.....	5	18	81.0	*	*	*	*	*	*
7.0-7.4.....	4	21	87.6	*	*	*	*	*	*
7.5-7.9.....	2	8	90.1	*	*	*	*	*	*
8.0-8.4.....	-	-	90.1	*	*	*	*	*	*
8.5-8.9.....	1	3	91.2	*	*	*	*	*	*
9.0-9.4.....	2	7	93.4	*	*	*	*	*	*
9.5-9.9.....	-	-	93.4	*	*	*	*	*	*
10.0-10.4.....	1	3	94.5	*	*	*	*	*	*
10.5-10.9.....	1	8	96.9	*	*	*	*	*	*
11.0-11.9.....	1	10	100.0	*	*	*	*	*	*
12.0-12.9.....	-	-	100.0	*	*	*	*	*	*
13.0-13.9.....	-	-	100.0	*	*	*	*	*	*
14.0 or more.....	-	-	100.0	*	*	*	*	*	*

See footnotes at end of table.

Table 3-183. Cumulative percent distribution of linoleic acid intake values in grams per 1,000 calories for persons aged 6-11 months by sex and income level: United States, 1976-80-Continued

Income level and linoleic acid in grams per 1,000 calories	Both sexes			Male			Female		
	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	256	1,226	100.0	121	614	100.0	135	612	100.0
Less than .5.....	37	192	15.7	22	109	17.8	15	83	13.6
.5-.9.....	23	96	23.5	6	24	21.6	17	72	25.4
1.0-1.4.....	35	140	34.9	18	73	33.6	17	67	36.3
1.5-1.9.....	34	161	48.1	13	67	44.5	21	95	51.8
2.0-2.4.....	21	90	55.4	11	52	53.0	10	38	57.9
2.5-2.9.....	23	135	66.4	14	105	70.1	9	30	62.8
3.0-3.4.....	20	92	73.9	9	45	77.4	11	47	70.4
3.5-3.9.....	7	35	76.8	2	5	78.3	5	30	75.3
4.0-4.4.....	12	53	81.1	6	25	82.3	6	28	79.8
4.5-4.9.....	10	37	84.1	3	14	84.6	7	23	83.6
5.0-5.4.....	5	19	85.7	-	-	84.6	5	19	86.7
5.5-5.9.....	6	37	88.7	6	37	90.6	-	-	86.7
6.0-6.4.....	6	48	92.6	3	16	93.3	3	32	91.9
6.5-6.9.....	2	13	93.6	2	13	95.3	-	-	91.9
7.0-7.4.....	3	11	94.5	1	2	95.6	2	9	93.4
7.5-7.9.....	2	8	95.1	1	3	96.1	1	5	94.2
8.0-8.4.....	1	5	95.5	-	-	96.1	1	5	95.0
8.5-8.9.....	-	-	95.5	-	-	96.1	-	-	95.0
9.0-9.4.....	1	5	95.9	1	5	96.8	-	-	95.0
9.5-9.9.....	1	9	96.7	1	9	98.3	-	-	95.0
10.0-10.4.....	2	10	97.5	1	8	99.6	1	2	95.4
10.5-10.9.....	1	8	98.1	-	-	99.6	1	8	96.6
11.0-11.9.....	-	-	98.1	-	-	99.6	-	-	96.6
12.0-12.9.....	1	14	99.2	-	-	99.6	1	14	98.8
13.0-13.9.....	2	7	99.8	-	-	99.6	2	7	100.0
14.0 or more.....	1	3	100.0	1	3	100.0	-	-	100.0

1/ Excludes unknown income.

Table 3-184. Cumulative percent distribution of linoleic acid intake values in grams per 1,000 calories for persons aged 1-2 years by sex and income level: United States, 1976-80

Income level and linoleic acid in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	1,417	6,078	100.0	745	3,107	100.0	672	2,970	100.0
Less than .5.....	10	50	.8	5	29	.9	5	22	.7
.5-.9.....	19	90	2.3	11	50	2.5	8	40	2.1
1.0-1.4.....	52	243	6.3	28	128	6.7	24	115	6.0
1.5-1.9.....	71	313	11.5	38	157	11.7	33	156	11.2
2.0-2.4.....	90	407	18.2	41	192	17.9	49	215	18.5
2.5-2.9.....	106	443	25.5	60	243	25.7	46	200	25.2
3.0-3.4.....	100	424	32.4	53	217	32.7	47	207	32.2
3.5-3.9.....	123	545	41.4	58	274	41.5	65	271	41.3
4.0-4.4.....	141	597	51.2	73	298	51.1	68	299	51.3
4.5-4.9.....	133	595	61.0	71	288	60.4	62	307	61.7
5.0-5.4.....	122	517	69.5	74	300	70.1	48	216	69.0
5.5-5.9.....	84	357	75.4	46	197	76.4	38	160	74.4
6.0-6.4.....	86	333	80.9	47	190	82.5	39	144	79.2
6.5-6.9.....	52	227	84.6	24	87	85.3	28	140	83.9
7.0-7.4.....	41	172	87.5	24	89	88.2	17	83	86.7
7.5-7.9.....	42	172	90.3	24	84	90.9	18	88	89.6
8.0-8.4.....	33	134	92.5	13	46	92.4	20	88	92.6
8.5-8.9.....	27	110	94.3	17	75	94.8	10	35	93.8
9.0-9.4.....	20	71	95.5	8	27	95.6	12	44	95.3
9.5-9.9.....	13	57	96.4	6	34	96.7	7	23	96.0
10.0-10.4.....	11	47	97.2	4	17	97.3	7	29	97.0
10.5-10.9.....	9	35	97.7	5	15	97.8	4	20	97.7
11.0-11.9.....	12	58	98.7	6	33	98.8	6	26	98.6
12.0-12.9.....	10	43	99.4	4	17	99.4	6	25	99.4
13.0-13.9.....	3	9	99.5	1	3	99.5	2	5	99.6
14.0 or more.....	7	28	100.0	4	16	100.0	3	12	100.0
Income below poverty level^{1/}									
Total.....	323	1,163	100.0	170	601	100.0	153	562	100.0
Less than .5.....	3	21	1.8	2	14	2.3	1	7	1.2
.5-.9.....	4	18	3.3	3	16	4.9	1	2	1.6
1.0-1.4.....	10	34	6.3	5	17	7.8	5	17	4.7
1.5-1.9.....	20	70	12.3	13	47	15.5	7	23	8.9
2.0-2.4.....	17	65	17.9	9	32	20.9	8	33	14.7
2.5-2.9.....	30	100	26.5	18	61	31.0	12	39	21.6
3.0-3.4.....	20	73	32.8	10	31	36.2	10	42	29.0
3.5-3.9.....	28	95	40.9	10	32	41.6	18	63	40.2
4.0-4.4.....	35	117	51.0	18	61	51.7	17	56	50.2
4.5-4.9.....	27	99	59.5	11	43	58.8	16	57	60.3
5.0-5.4.....	27	98	67.9	20	71	70.7	7	27	65.0
5.5-5.9.....	10	42	71.5	4	13	72.8	6	29	70.2
6.0-6.4.....	16	64	77.1	12	50	81.1	4	15	72.8
6.5-6.9.....	17	63	82.4	8	27	85.6	9	35	79.0
7.0-7.4.....	8	28	84.8	6	19	88.8	2	9	80.7
7.5-7.9.....	3	11	85.8	3	11	90.5	-	-	80.7
8.0-8.4.....	11	36	88.9	5	16	93.2	6	20	84.3
8.5-8.9.....	9	31	91.5	4	14	95.5	5	17	87.3
9.0-9.4.....	4	18	93.1	2	6	96.4	2	12	89.5
9.5-9.9.....	4	13	94.1	-	-	96.4	4	13	91.7
10.0-10.4.....	2	6	94.7	1	2	96.8	1	4	92.5
10.5-10.9.....	4	13	95.8	2	6	97.8	2	7	93.7
11.0-11.9.....	5	20	97.6	1	2	98.2	4	18	96.8
12.0-12.9.....	5	17	99.0	2	8	99.6	3	8	98.3
13.0-13.9.....	1	2	99.2	-	-	99.6	1	2	98.8
14.0 or more.....	3	9	100.0	1	2	100.0	2	7	100.0

See footnotes at end of table.

Table 3-184. Cumulative percent distribution of linoleic acid intake values in grams per 1,000 calories for persons aged 1-2 years by sex and income level: United States, 1976-80-Continued

Income level and linoleic acid in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	1,056	4,767	100.0	551	2,416	100.0	505	2,351	100.0
Less than .5.....	7	30	.6	3	15	.6	4	15	.6
.5-.9.....	15	72	2.1	8	35	2.0	7	38	2.2
1.0-1.4.....	41	206	6.5	22	108	6.5	19	98	6.4
1.5-1.9.....	47	229	11.3	24	108	11.0	23	121	11.5
2.0-2.4.....	71	331	18.2	31	151	17.3	40	180	19.2
2.5-2.9.....	71	328	25.1	37	167	24.2	34	161	26.0
3.0-3.4.....	77	338	32.2	40	173	31.3	37	165	33.1
3.5-3.9.....	95	450	41.6	48	242	41.3	47	208	41.9
4.0-4.4.....	102	464	51.4	54	235	51.1	48	229	51.7
4.5-4.9.....	102	483	61.5	57	236	60.8	45	247	62.2
5.0-5.4.....	92	405	70.0	52	220	69.9	40	185	70.0
5.5-5.9.....	72	310	76.5	41	182	77.5	31	128	75.5
6.0-6.4.....	66	249	81.7	33	129	82.8	33	120	80.6
6.5-6.9.....	33	158	85.0	15	58	85.2	18	100	84.8
7.0-7.4.....	33	144	88.0	18	70	88.1	15	73	87.9
7.5-7.9.....	37	156	91.3	20	72	91.1	17	85	91.5
8.0-8.4.....	22	98	93.4	8	30	92.3	14	68	94.4
8.5-8.9.....	18	79	95.0	13	61	94.9	5	18	95.2
9.0-9.4.....	15	48	96.0	5	16	95.5	10	31	96.5
9.5-9.9.....	9	44	96.9	6	34	96.9	3	10	97.0
10.0-10.4.....	8	34	97.7	2	9	97.3	6	25	98.0
10.5-10.9.....	5	22	98.1	3	9	97.7	2	13	98.6
11.0-11.9.....	7	38	98.9	5	30	98.9	2	8	98.9
12.0-12.9.....	5	26	99.5	2	9	99.3	3	17	99.7
13.0-13.9.....	2	6	99.6	1	3	99.4	1	3	99.8
14.0 or more.....	4	19	100.0	3	14	100.0	1	5	100.0

1/ Excludes unknown income.

Table 3-185. Cumulative percent distribution of linoleic acid intake values in grams per 1,000 calories for persons aged 3-5 years by sex and income level: United States, 1976-80

Income level and linoleic acid in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	2,345	9,186	100.0	1,219	4,695	100.0	1,126	4,491	100.0
Less than .5.....	6	20	.2	3	9	.2	3	11	.2
.5-.9.....	16	63	.9	10	38	1.0	6	26	.8
1.0-1.4.....	55	241	3.5	35	134	3.9	20	107	3.2
1.5-1.9.....	64	219	5.9	35	118	6.4	29	101	5.4
2.0-2.4.....	113	433	10.6	61	237	11.4	52	196	9.8
2.5-2.9.....	174	706	18.3	93	368	19.3	81	338	17.3
3.0-3.4.....	207	856	27.6	108	420	28.2	99	436	27.0
3.5-3.9.....	193	781	36.1	106	425	37.3	87	356	35.0
4.0-4.4.....	201	742	44.2	102	378	45.3	99	364	43.1
4.5-4.9.....	225	884	53.8	109	422	54.3	116	462	53.4
5.0-5.4.....	210	797	62.5	104	388	62.6	106	408	62.5
5.5-5.9.....	166	696	70.1	93	402	71.1	73	294	69.0
6.0-6.4.....	139	537	75.9	70	247	76.4	69	290	75.5
6.5-6.9.....	119	448	80.8	55	200	80.7	64	248	81.0
7.0-7.4.....	89	350	84.6	45	178	84.5	44	172	84.8
7.5-7.9.....	77	309	88.0	32	140	87.5	45	169	88.6
8.0-8.4.....	65	245	90.7	40	146	90.6	25	99	90.8
8.5-8.9.....	54	200	92.9	31	109	92.9	23	91	92.8
9.0-9.4.....	35	130	94.3	21	78	94.6	14	52	94.0
9.5-9.9.....	28	101	95.4	14	49	95.6	14	53	95.1
10.0-10.4.....	21	68	96.1	10	33	96.3	11	35	95.9
10.5-10.9.....	24	89	97.1	12	40	97.2	12	49	97.0
11.0-11.9.....	27	110	98.3	16	73	98.7	11	37	97.8
12.0-12.9.....	17	69	99.0	8	30	99.3	9	39	98.7
13.0-13.9.....	6	29	99.3	2	7	99.5	4	22	99.2
14.0 or more.....	14	60	100.0	4	23	100.0	10	37	100.0
Income below poverty level^{1/}									
Total.....	570	1,855	100.0	298	910	100.0	272	945	100.0
Less than .5.....	2	4	.2	1	2	.2	1	2	.2
.5-.9.....	2	10	.7	-	-	.2	2	10	1.3
1.0-1.4.....	13	45	3.2	11	40	4.6	2	5	1.8
1.5-1.9.....	14	43	5.5	6	15	6.3	8	28	4.8
2.0-2.4.....	30	102	11.0	15	46	11.4	15	56	10.7
2.5-2.9.....	44	162	19.7	25	90	21.3	19	71	18.2
3.0-3.4.....	45	149	27.8	25	80	30.1	20	69	25.5
3.5-3.9.....	36	99	33.1	19	50	35.5	17	50	30.8
4.0-4.4.....	45	140	40.6	21	56	41.7	24	84	39.6
4.5-4.9.....	54	167	49.6	26	75	49.9	28	92	49.4
5.0-5.4.....	59	187	59.7	29	81	58.9	30	106	60.5
5.5-5.9.....	38	103	65.3	23	57	65.1	15	46	65.4
6.0-6.4.....	36	123	71.9	16	44	70.0	20	78	73.7
6.5-6.9.....	37	116	78.1	19	55	76.1	18	61	80.1
7.0-7.4.....	22	77	82.3	12	39	80.4	10	37	84.1
7.5-7.9.....	16	64	85.8	8	34	84.2	8	30	87.3
8.0-8.4.....	18	65	89.3	13	47	89.3	5	18	89.2
8.5-8.9.....	15	52	92.1	7	20	91.5	8	32	92.5
9.0-9.4.....	11	36	94.0	8	28	94.7	3	8	93.4
9.5-9.9.....	6	20	95.1	2	5	95.2	4	15	95.0
10.0-10.4.....	7	23	96.4	1	2	95.5	6	21	97.2
10.5-10.9.....	6	18	97.3	3	11	96.6	3	7	98.0
11.0-11.9.....	5	22	98.5	3	15	98.3	2	8	98.8
12.0-12.9.....	6	17	99.5	3	9	99.2	3	9	99.7
13.0-13.9.....	1	3	99.6	1	3	99.6	-	-	99.7
14.0 or more.....	2	7	100.0	1	4	100.0	1	3	100.0

See footnotes at end of table.

Table 3-185. Cumulative percent distribution of linoleic acid intake values in grams per 1,000 calories for persons aged 3-5 years by sex and income level: United States, 1976-80-Continued

Income level and linoleic acid in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	1,707	7,102	100.0	892	3,683	100.0	815	3,419	100.0
Less than .5.....	4	16	.2	2	8	.2	2	9	.3
.5-.9.....	14	54	1.0	10	38	1.2	4	16	.7
1.0-1.4.....	41	190	3.7	23	89	3.6	18	102	3.7
1.5-1.9.....	44	163	6.0	27	98	6.3	17	65	5.6
2.0-2.4.....	75	303	10.2	41	173	11.0	34	130	9.4
2.5-2.9.....	127	533	17.7	67	274	18.4	60	259	16.9
3.0-3.4.....	154	681	27.3	80	330	27.4	74	351	27.2
3.5-3.9.....	153	667	36.7	85	367	37.4	68	300	36.0
4.0-4.4.....	151	578	44.8	79	312	45.8	72	266	43.8
4.5-4.9.....	166	698	54.7	80	334	54.9	86	364	54.4
5.0-5.4.....	146	594	63.0	73	303	63.1	73	291	62.9
5.5-5.9.....	120	572	71.1	66	335	72.2	54	237	69.9
6.0-6.4.....	100	404	76.8	53	200	77.7	47	203	75.8
6.5-6.9.....	78	320	81.3	34	139	81.4	44	181	81.1
7.0-7.4.....	65	268	85.1	33	139	85.2	32	129	84.9
7.5-7.9.....	59	235	88.4	23	100	87.9	36	135	88.8
8.0-8.4.....	47	180	90.9	27	99	90.6	20	81	91.2
8.5-8.9.....	38	147	93.0	24	89	93.0	14	58	92.9
9.0-9.4.....	24	93	94.3	13	50	94.4	11	44	94.2
9.5-9.9.....	22	81	95.4	12	44	95.6	10	38	95.3
10.0-10.4.....	14	45	96.1	9	31	96.4	5	14	95.7
10.5-10.9.....	17	69	97.0	9	30	97.2	8	39	96.8
11.0-11.9.....	22	87	98.3	13	58	98.8	9	29	97.7
12.0-12.9.....	9	44	98.9	5	21	99.4	4	23	98.3
13.0-13.9.....	5	26	99.3	1	4	99.5	4	22	99.0
14.0 or more.....	12	53	100.0	3	19	100.0	9	34	100.0

^{1/} Excludes unknown income.

Table 3-186. Cumulative percent distribution of linoleic acid intake values in grams per 1,000 calories for persons aged 6-8 years by sex and income level: United States, 1976-80

Income level and linoleic acid in grams per 1,000 calories	Both sexes			Male			Female		
	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent
All incomes									
Total.....	843	10,213	100.0	428	5,336	100.0	415	4,877	100.0
Less than .5.....	3	29	.3	1	12	.2	2	17	.3
.5-1.0.....	7	96	1.2	3	34	.9	4	62	1.6
1.0-1.4.....	4	36	1.6	3	30	1.4	1	6	1.7
1.5-1.9.....	31	377	5.3	11	140	4.1	20	236	6.6
2.0-2.4.....	45	549	10.6	22	276	9.2	23	272	12.2
2.5-2.9.....	55	719	17.7	27	371	16.2	28	348	19.3
3.0-3.4.....	62	735	24.9	42	451	24.7	20	284	25.1
3.5-3.9.....	82	1,044	35.1	43	531	34.6	39	513	35.6
4.0-4.4.....	70	863	43.5	32	433	42.7	38	430	44.5
4.5-4.9.....	72	872	52.1	33	414	50.5	39	458	53.8
5.0-5.4.....	62	740	59.3	31	403	58.0	31	337	60.8
5.5-5.9.....	78	930	68.4	47	596	69.2	31	334	67.6
6.0-6.4.....	61	728	75.6	30	358	75.9	31	370	75.2
6.5-6.9.....	43	539	80.8	15	199	79.6	28	340	82.1
7.0-7.4.....	40	412	84.9	18	198	83.4	22	214	86.5
7.5-7.9.....	30	386	88.7	15	199	87.1	15	187	90.4
8.0-8.4.....	16	214	90.8	8	118	89.3	8	96	92.3
8.5-8.9.....	16	189	92.6	10	133	91.8	6	56	93.5
9.0-9.4.....	19	222	94.8	10	113	93.9	9	110	95.7
9.5-9.9.....	12	116	95.9	6	59	95.0	6	56	96.9
10.0-10.4.....	10	128	97.2	7	101	96.9	3	27	97.4
10.5-10.9.....	6	111	98.3	3	67	98.2	3	44	98.3
11.0-11.9.....	13	126	99.5	7	56	99.2	6	70	99.8
12.0-12.9.....	1	5	99.5	-	-	99.2	1	5	99.9
13.0-13.9.....	1	7	99.6	1	7	99.4	-	-	99.9
14.0 or more.....	4	39	100.0	3	34	100.0	1	5	100.0
Income below poverty level^{1/}									
Total.....	177	1,769	100.0	82	900	100.0	95	869	100.0
Less than .5.....	1	5	.3	-	-	-	1	5	.6
.5-1.0.....	1	8	.7	1	8	.9	-	-	.6
1.0-1.4.....	1	6	1.1	-	-	.9	1	6	1.3
1.5-1.9.....	9	96	6.5	4	61	7.6	5	36	5.4
2.0-2.4.....	13	162	15.7	5	71	15.5	8	91	15.9
2.5-2.9.....	12	137	23.4	7	81	24.6	5	55	22.2
3.0-3.4.....	11	113	29.8	8	77	33.1	3	36	26.4
3.5-3.9.....	14	121	36.6	9	89	43.0	5	32	30.1
4.0-4.4.....	14	141	44.6	5	68	50.6	9	73	38.4
4.5-4.9.....	12	99	50.2	5	41	55.1	7	58	45.1
5.0-5.4.....	15	146	58.5	5	46	60.2	10	100	56.6
5.5-5.9.....	19	203	70.0	13	154	77.3	6	50	62.3
6.0-6.4.....	16	175	79.9	7	75	85.6	9	100	73.9
6.5-6.9.....	7	64	83.5	1	9	86.6	6	54	80.2
7.0-7.4.....	5	35	85.4	1	6	87.3	4	28	83.4
7.5-7.9.....	5	64	89.0	1	24	90.0	4	40	88.0
8.0-8.4.....	3	31	90.8	-	-	90.0	3	31	91.6
8.5-8.9.....	4	44	93.3	3	34	93.8	1	10	92.8
9.0-9.4.....	4	27	94.8	2	12	95.1	2	15	94.5
9.5-9.9.....	3	25	96.2	1	8	96.0	2	17	96.5
10.0-10.4.....	4	34	98.1	3	23	98.6	1	11	97.7
10.5-10.9.....	1	9	98.7	-	-	98.6	1	9	98.8
11.0-11.9.....	1	13	99.4	1	13	100.0	-	-	98.8
12.0-12.9.....	1	5	99.7	-	-	100.0	1	5	99.4
13.0-13.9.....	-	-	99.7	-	-	100.0	-	-	99.4
14.0 or more.....	1	5	100.0	-	-	100.0	1	5	100.0

See footnotes at end of table.

Table 3-186. Cumulative percent distribution of linoleic acid intake values in grams per 1,000 calories for persons aged 6-8 years by sex and income level: United States, 1976-80-Continued

Income level and linoleic acid in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	644	8,118	100.0	336	4,254	100.0	308	3,864	100.0
Less than .5.....	2	24	.3	1	12	.3	1	12	.3
.5-.9.....	5	70	1.2	2	26	.9	3	44	1.5
1.0-1.4.....	3	30	1.5	3	30	1.6	-	-	1.5
1.5-1.9.....	21	269	4.8	6	68	3.2	15	200	6.6
2.0-2.4.....	32	386	9.6	17	205	8.0	15	181	11.3
2.5-2.9.....	42	556	16.4	19	263	14.2	23	293	18.9
3.0-3.4.....	47	582	23.6	33	368	22.8	14	214	24.4
3.5-3.9.....	65	885	34.5	33	434	33.1	32	451	36.1
4.0-4.4.....	55	715	43.3	27	364	41.6	28	350	45.2
4.5-4.9.....	58	739	52.4	26	339	49.6	32	400	55.5
5.0-5.4.....	45	578	59.5	26	356	58.0	19	221	61.3
5.5-5.9.....	59	727	68.5	34	443	68.4	25	284	68.6
6.0-6.4.....	43	523	74.9	23	283	75.0	20	240	74.8
6.5-6.9.....	35	465	80.7	14	190	79.5	21	275	81.9
7.0-7.4.....	35	377	85.3	17	191	84.0	18	186	86.7
7.5-7.9.....	24	301	89.0	13	153	87.6	11	147	90.5
8.0-8.4.....	12	173	91.1	7	108	90.2	5	65	92.2
8.5-8.9.....	12	145	92.9	7	99	92.5	5	46	93.4
9.0-9.4.....	14	172	95.0	7	77	94.3	7	95	95.9
9.5-9.9.....	9	90	96.2	5	51	95.5	4	39	96.9
10.0-10.4.....	5	55	96.8	3	39	96.4	2	16	97.3
10.5-10.9.....	5	102	98.1	3	67	98.0	2	35	98.2
11.0-11.9.....	12	113	99.5	6	43	99.0	6	70	100.0
12.0-12.9.....	-	-	99.5	-	-	99.0	-	-	100.0
13.0-13.9.....	1	7	99.6	1	7	99.2	-	-	100.0
14.0 or more.....	3	34	100.0	3	34	100.0	-	-	100.0

^{1/} Excludes unknown income.

Table 3-187. Cumulative percent distribution of linoleic acid intake values in grams per 1,000 calories for persons aged 9-11 years by sex and income level: United States, 1976-80

Income level and linoleic acid in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	882	10,667	100.0	457	5,310	100.0	425	5,357	100.0
Less than .5.....	1	12	.1	-	-	-	1	12	.2
.5- .9.....	8	143	1.4	1	12	.2	7	130	2.7
1.0-1.4.....	15	167	3.0	11	127	2.6	4	41	3.4
1.5-1.9.....	28	322	6.0	18	205	6.5	10	117	5.6
2.0-2.4.....	45	548	11.2	31	315	12.4	14	233	9.9
2.5-2.9.....	60	749	18.2	30	374	19.5	30	375	16.9
3.0-3.4.....	84	1,006	27.6	47	552	29.9	37	454	25.4
3.5-3.9.....	79	1,006	37.1	48	590	41.0	31	416	33.2
4.0-4.4.....	84	1,021	46.6	46	542	51.2	38	479	42.1
4.5-4.9.....	81	1,040	56.4	47	581	62.1	34	459	50.7
5.0-5.4.....	72	811	64.0	32	334	68.4	40	477	59.6
5.5-5.9.....	58	670	70.3	24	286	73.8	34	383	66.7
6.0-6.4.....	46	542	75.3	23	262	78.8	23	280	72.0
6.5-6.9.....	42	484	79.9	22	245	83.4	20	240	76.4
7.0-7.4.....	37	441	84.0	16	177	86.7	21	265	81.4
7.5-7.9.....	26	303	86.9	10	132	89.2	16	172	84.6
8.0-8.4.....	33	396	90.6	14	141	91.8	19	255	89.3
8.5-8.9.....	13	157	92.0	5	57	92.9	8	101	91.2
9.0-9.4.....	15	171	93.6	9	98	94.7	6	73	92.6
9.5-9.9.....	5	88	94.5	2	31	95.3	3	57	93.6
10.0-10.4.....	6	71	95.1	3	36	96.0	3	35	94.3
10.5-10.9.....	7	92	96.0	4	48	96.9	3	44	95.1
11.0-11.9.....	16	161	97.5	6	52	97.8	10	110	97.2
12.0-12.9.....	8	83	98.3	4	45	98.7	4	38	97.9
13.0-13.9.....	3	21	98.5	1	6	98.8	2	15	98.2
14.0 or more.....	10	161	100.0	3	63	100.0	7	98	100.0
Income below poverty level^{1/}									
Total.....	190	1,967	100.0	88	854	100.0	102	1,113	100.0
Less than .5.....	-	-	-	-	-	-	-	-	-
.5- .9.....	2	34	1.7	-	-	-	2	34	3.1
1.0-1.4.....	2	14	2.4	1	6	.8	1	7	3.7
1.5-1.9.....	5	47	4.8	3	32	4.5	2	15	5.1
2.0-2.4.....	10	99	9.9	9	83	14.2	1	17	6.6
2.5-2.9.....	9	88	14.3	4	44	19.4	5	44	10.5
3.0-3.4.....	22	234	26.3	12	113	32.6	10	121	21.4
3.5-3.9.....	16	183	35.6	8	93	43.5	8	90	29.4
4.0-4.4.....	19	201	45.8	6	71	51.9	13	130	41.1
4.5-4.9.....	16	165	54.2	7	60	58.9	9	105	50.6
5.0-5.4.....	21	211	64.9	8	80	68.3	13	130	62.3
5.5-5.9.....	15	145	72.3	7	67	76.2	8	78	69.3
6.0-6.4.....	6	54	75.0	4	37	80.5	2	17	70.8
6.5-6.9.....	10	126	81.4	5	67	88.3	5	60	76.2
7.0-7.4.....	8	76	85.3	1	6	89.1	7	70	82.4
7.5-7.9.....	5	42	87.4	1	6	89.8	4	36	85.6
8.0-8.4.....	6	66	90.8	2	15	91.6	4	51	90.2
8.5-8.9.....	1	10	91.3	1	10	92.8	-	-	90.2
9.0-9.4.....	6	64	94.6	3	18	94.9	3	46	94.3
9.5-9.9.....	2	16	95.4	1	7	95.8	1	9	95.1
10.0-10.4.....	2	14	96.1	1	7	96.5	1	7	95.8
10.5-10.9.....	-	-	96.1	-	-	96.5	-	-	95.8
11.0-11.9.....	4	33	97.8	3	24	99.3	1	10	96.6
12.0-12.9.....	2	21	98.9	1	6	100.0	1	15	98.0
13.0-13.9.....	-	-	98.9	-	-	100.0	-	-	98.0
14.0 or more.....	1	22	100.0	-	-	100.0	1	22	100.0

See footnotes at end of table.

Table 3-187. Cumulative percent distribution of linoleic acid intake values in grams per 1,000 calories for persons aged 9-11 years by sex and income level: United States, 1976-80-Continued

Income level and linoleic acid in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	663	8,370	100.0	356	4,321	100.0	307	4,049	100.0
Less than .5.....	1	12	.1	-	-	-	1	12	.3
.5- .9.....	6	109	1.4	1	12	.3	5	96	2.7
1.0-1.4.....	13	153	3.3	10	120	3.1	3	33	3.5
1.5-1.9.....	20	244	6.2	13	150	6.5	7	94	5.8
2.0-2.4.....	35	449	11.5	22	232	11.9	13	216	11.2
2.5-2.9.....	48	614	18.9	25	312	19.2	23	301	18.6
3.0-3.4.....	59	745	27.8	34	435	29.2	25	311	26.3
3.5-3.9.....	58	767	37.0	37	475	40.2	21	293	33.5
4.0-4.4.....	62	788	46.4	38	454	50.7	24	335	41.8
4.5-4.9.....	64	854	56.6	39	500	62.3	25	354	50.5
5.0-5.4.....	50	593	63.7	23	247	68.0	27	347	59.1
5.5-5.9.....	42	517	69.9	17	219	73.1	25	298	66.4
6.0-6.4.....	37	458	75.3	18	217	78.1	19	241	72.4
6.5-6.9.....	32	358	79.6	17	178	82.2	15	180	76.8
7.0-7.4.....	29	365	84.0	15	170	86.1	14	195	81.7
7.5-7.9.....	20	253	87.0	9	125	89.0	11	127	84.8
8.0-8.4.....	27	329	90.9	12	125	91.9	15	204	89.8
8.5-8.9.....	12	147	92.7	4	47	93.0	8	101	92.3
9.0-9.4.....	9	107	94.0	6	80	94.9	3	27	93.0
9.5-9.9.....	3	72	94.8	1	23	95.4	2	48	94.2
10.0-10.4.....	4	57	95.5	2	29	96.1	2	28	94.9
10.5-10.9.....	5	59	96.2	4	48	97.2	1	11	95.1
11.0-11.9.....	11	119	97.6	3	28	97.8	8	91	97.4
12.0-12.9.....	5	47	98.2	2	24	98.4	3	23	97.9
13.0-13.9.....	2	13	98.3	1	6	98.5	1	7	98.1
14.0 or more.....	9	139	100.0	3	63	100.0	6	76	100.0

1/ Excludes unknown income.

Table 3-188. Cumulative percent distribution of linoleic acid intake values in grams per 1,000 calories for persons aged 12-14 years by sex and income level: United States, 1976-80

Income level and linoleic acid in grams per 1,000 calories	Both sexes			Male			Female		
	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent
All incomes									
Total.....	991	11,632	100.0	504	5,920	100.0	487	5,712	100.0
Less than .5.....	6	79	.7	4	51	.9	2	28	.5
.5-.9.....	4	35	1.0	3	29	1.3	1	6	.6
1.0-1.4.....	23	312	3.7	12	154	3.9	11	158	3.4
1.5-1.9.....	37	444	7.5	21	264	8.4	16	180	6.5
2.0-2.4.....	39	439	11.3	25	291	13.3	14	148	9.1
2.5-2.9.....	51	605	16.5	24	265	17.8	27	340	15.1
3.0-3.4.....	67	726	22.7	37	407	24.7	30	319	20.7
3.5-3.9.....	70	803	29.6	31	348	30.5	39	455	28.6
4.0-4.4.....	96	1,210	40.0	49	660	41.7	47	551	38.3
4.5-4.9.....	76	887	47.6	42	487	49.9	34	400	45.3
5.0-5.4.....	70	799	54.5	41	464	57.8	29	335	51.1
5.5-5.9.....	80	894	62.2	40	411	64.7	40	483	59.6
6.0-6.4.....	66	830	69.3	34	454	72.4	32	375	66.2
6.5-6.9.....	51	500	73.6	22	197	75.7	29	303	71.5
7.0-7.4.....	37	449	77.5	22	278	80.4	15	171	74.5
7.5-7.9.....	41	534	82.1	17	208	83.9	24	326	80.2
8.0-8.4.....	34	384	85.4	15	190	87.1	19	194	83.6
8.5-8.9.....	34	370	88.5	16	183	90.2	18	186	86.8
9.0-9.4.....	16	198	90.3	7	84	91.6	9	114	88.8
9.5-9.9.....	15	218	92.1	11	157	94.3	4	62	89.9
10.0-10.4.....	21	226	94.1	9	89	95.8	12	137	92.3
10.5-10.9.....	9	129	95.2	5	51	96.6	4	78	93.7
11.0-11.9.....	15	190	96.8	4	41	97.3	11	149	96.3
12.0-12.9.....	10	129	97.9	5	60	98.3	5	69	97.5
13.0-13.9.....	5	36	98.2	-	-	98.3	5	36	98.1
14.0 or more.....	18	205	100.0	8	99	100.0	10	106	100.0
Income below poverty level ^{1/}									
Total.....	193	1,963	100.0	89	891	100.0	104	1,072	100.0
Less than .5.....	1	22	1.1	-	-	-	1	22	2.1
.5-.9.....	1	6	1.4	-	-	-	1	6	2.6
1.0-1.4.....	2	32	3.1	-	-	-	2	32	5.6
1.5-1.9.....	6	46	5.4	2	15	1.6	4	32	8.6
2.0-2.4.....	7	92	10.1	5	51	7.4	2	41	12.4
2.5-2.9.....	13	115	16.0	7	57	13.7	6	58	17.9
3.0-3.4.....	10	76	19.8	4	28	16.9	6	48	22.3
3.5-3.9.....	18	169	28.4	8	73	25.1	10	96	31.3
4.0-4.4.....	20	214	39.4	11	121	38.7	9	93	39.9
4.5-4.9.....	11	136	46.3	6	99	49.8	5	37	43.4
5.0-5.4.....	12	98	51.3	7	63	56.8	5	35	46.6
5.5-5.9.....	11	118	57.2	5	53	62.8	6	64	52.6
6.0-6.4.....	17	207	67.8	7	85	72.3	10	122	64.0
6.5-6.9.....	11	78	71.8	6	46	77.4	5	33	67.1
7.0-7.4.....	4	31	73.3	2	18	79.3	2	13	68.3
7.5-7.9.....	7	70	76.9	3	26	82.3	4	44	72.4
8.0-8.4.....	9	92	81.5	3	28	85.5	6	64	78.3
8.5-8.9.....	5	40	83.5	3	23	88.0	2	17	79.9
9.0-9.4.....	1	7	83.9	-	-	88.0	1	7	80.5
9.5-9.9.....	2	24	85.1	2	24	90.7	-	-	80.5
10.0-10.4.....	5	60	88.2	3	33	94.4	2	27	83.0
10.5-10.9.....	3	35	90.0	1	9	95.4	2	26	85.5
11.0-11.9.....	3	45	92.3	1	8	96.3	2	37	88.9
12.0-12.9.....	3	43	94.5	1	8	97.2	2	35	92.2
13.0-13.9.....	4	30	96.0	-	-	97.2	4	30	94.9
14.0 or more.....	7	79	100.0	2	25	100.0	5	54	100.0

See footnotes at end of table.

Table 3-188. Cumulative percent distribution of linoleic acid intake values in grams per 1,000 calories for persons aged 12-14 years by sex and income level: United States, 1976-80-Continued

Income level and linoleic acid in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	762	9,255	100.0	399	4,841	100.0	363	4,414	100.0
Less than .5.....	5	57	.6	4	51	1.0	1	6	.1
.5-.9.....	3	29	.9	3	29	1.6	-	-	.1
1.0-1.4.....	20	251	3.6	12	154	4.8	8	97	2.3
1.5-1.9.....	31	398	7.9	19	250	10.0	12	148	5.7
2.0-2.4.....	31	342	11.6	20	240	14.9	11	102	8.0
2.5-2.9.....	38	490	16.9	17	208	19.2	21	282	14.4
3.0-3.4.....	54	624	23.7	32	368	26.8	22	256	20.2
3.5-3.9.....	49	610	30.3	22	266	32.3	27	343	28.0
4.0-4.4.....	72	937	40.4	37	525	43.2	35	411	37.3
4.5-4.9.....	65	751	48.5	36	388	51.2	29	363	45.5
5.0-5.4.....	55	674	55.8	33	395	59.4	22	279	51.8
5.5-5.9.....	66	741	63.8	34	346	66.5	32	395	60.8
6.0-6.4.....	45	581	70.1	26	361	74.0	19	220	65.8
6.5-6.9.....	39	411	74.5	15	140	76.9	24	270	71.9
7.0-7.4.....	31	403	78.8	19	252	82.1	12	151	75.3
7.5-7.9.....	32	430	83.5	12	147	85.1	20	282	81.7
8.0-8.4.....	21	239	86.1	9	118	87.6	12	121	84.4
8.5-8.9.....	27	308	89.4	11	138	90.4	16	170	88.3
9.0-9.4.....	13	172	91.3	6	75	92.0	7	98	90.5
9.5-9.9.....	13	195	93.4	9	133	94.7	4	62	91.9
10.0-10.4.....	16	166	95.2	6	56	95.9	10	110	94.4
10.5-10.9.....	6	93	96.2	4	42	96.7	2	52	95.6
11.0-11.9.....	11	136	97.6	3	33	97.4	8	104	97.9
12.0-12.9.....	7	86	98.6	4	52	98.5	3	33	98.7
13.0-13.9.....	1	7	98.6	-	-	98.5	1	7	98.8
14.0 or more.....	11	126	100.0	6	74	100.0	5	52	100.0

1/ Excludes unknown income.

Table 3-189. Cumulative percent distribution of linoleic acid intake values in grams per 1,000 calories for persons aged 15-17 years by sex and income level: United States, 1976-80

Income level and linoleic acid in grams per 1,000 calories	Both sexes			Male			Female		
	Exam-ined persons	Esti-mated population in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated population in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated population in thou-sands	Cumulative percent
All incomes									
Total.....	1/983	12,441	100.0	1/534	6,309	100.0	449	6,131	100.0
Less than .5.....	5	74	.6	2	29	.5	3	44	.7
.5-.9.....	5	81	1.2	3	49	1.2	2	32	1.3
1.0-1.4.....	15	218	3.0	11	180	4.1	4	38	1.9
1.5-1.9.....	36	428	6.4	22	254	8.1	14	175	4.7
2.0-2.4.....	51	611	11.3	22	232	11.8	29	379	10.9
2.5-2.9.....	65	791	17.7	41	511	19.9	24	281	15.5
3.0-3.4.....	70	961	25.4	44	502	27.8	26	459	23.0
3.5-3.9.....	68	904	32.7	42	531	36.3	26	373	29.1
4.0-4.4.....	83	987	40.6	51	618	46.0	32	369	35.1
4.5-4.9.....	64	913	48.0	34	433	52.9	30	480	42.9
5.0-5.4.....	70	848	54.8	42	456	60.1	28	392	49.3
5.5-5.9.....	67	831	61.5	40	434	67.0	27	398	55.8
6.0-6.4.....	60	751	67.5	26	292	71.6	34	459	63.3
6.5-6.9.....	48	586	72.2	34	402	78.0	14	185	66.3
7.0-7.4.....	57	689	77.8	27	306	82.8	30	382	72.5
7.5-7.9.....	45	581	82.4	24	293	87.5	21	288	77.2
8.0-8.4.....	29	399	85.6	15	197	90.6	14	203	80.5
8.5-8.9.....	21	182	87.1	11	95	92.1	10	87	81.9
9.0-9.4.....	20	238	89.0	6	71	93.3	14	166	84.7
9.5-9.9.....	14	205	90.7	5	72	94.4	9	133	86.8
10.0-10.4.....	19	226	92.5	7	71	95.5	12	155	89.4
10.5-10.9.....	14	149	93.7	6	55	96.4	8	95	90.9
11.0-11.9.....	12	205	95.3	3	30	96.8	9	175	93.8
12.0-12.9.....	14	158	96.6	3	35	97.4	11	123	95.8
13.0-13.9.....	11	180	98.0	6	90	98.8	5	90	97.3
14.0 or more.....	20	243	100.0	7	74	100.0	13	169	100.0
Income below poverty level^{2/}									
Total.....	177	2,073	100.0	89	974	100.0	88	1,099	100.0
Less than .5.....	2	30	1.4	-	-	-	2	30	2.7
.5-.9.....	1	27	2.7	-	27	2.7	-	-	2.7
1.0-1.4.....	3	38	4.6	1	23	5.1	2	16	4.2
1.5-1.9.....	4	58	7.4	4	58	11.0	-	-	4.2
2.0-2.4.....	11	133	13.8	6	70	18.1	5	64	9.9
2.5-2.9.....	14	153	21.2	7	78	26.2	7	75	16.7
3.0-3.4.....	13	181	29.9	7	92	35.6	6	89	24.8
3.5-3.9.....	12	145	36.9	6	61	41.9	6	84	32.5
4.0-4.4.....	17	162	44.7	13	123	54.5	4	39	36.0
4.5-4.9.....	12	157	52.3	4	47	59.4	8	110	46.0
5.0-5.4.....	10	89	56.6	6	52	64.7	4	37	49.4
5.5-5.9.....	13	128	62.8	6	42	69.0	7	86	57.3
6.0-6.4.....	9	108	68.0	5	62	75.4	4	46	61.4
6.5-6.9.....	8	77	71.7	5	43	79.8	3	33	64.5
7.0-7.4.....	8	91	76.1	2	18	81.6	6	74	71.2
7.5-7.9.....	6	67	79.3	5	59	87.6	1	8	71.9
8.0-8.4.....	3	42	81.3	2	19	89.6	1	23	74.0
8.5-8.9.....	3	28	82.7	-	-	89.6	3	28	76.5
9.0-9.4.....	5	68	86.0	2	38	93.5	3	30	79.3
9.5-9.9.....	2	22	87.0	-	-	93.5	2	22	81.3
10.0-10.4.....	6	97	91.7	2	27	96.3	4	70	87.7
10.5-10.9.....	5	44	93.9	1	8	97.1	4	36	90.9
11.0-11.9.....	-	-	93.9	-	-	97.1	-	-	90.9
12.0-12.9.....	1	10	94.4	-	-	97.1	1	10	91.9
13.0-13.9.....	5	73	97.9	3	22	99.3	2	52	96.6
14.0 or more.....	4	44	100.0	1	6	100.0	3	37	100.0

See footnotes at end of table.

Table 3-189. Cumulative percent distribution of linoleic acid intake values in grams per 1,000 calories for persons aged 15-17 years by sex and income level: United States, 1976-80-Continued

Income level and linoleic acid in grams per 1,000 calories	Both sexes			Male			Female		
	Exam- ined persons	Esti- mated popula- tion in thou- sands	Cumulative percent	Exam- ined persons	Esti- mated popula- tion in thou- sands	Cumulative percent	Exam- ined persons	Esti- mated popula- tion in thou- sands	Cumulative percent
Income above poverty level ^{2/}									
Total.....	1/759	9,750	100.0	1/417	4,992	100.0	342	4,758	100.0
Less than .5.....	3	44	.4	2	29	.6	1	14	.3
.5-.9.....	3	44	.9	1	12	.8	2	32	1.0
1.0-1.4.....	12	180	2.7	10	157	4.0	2	22	1.5
1.5-1.9.....	28	334	6.2	16	179	7.5	12	155	4.7
2.0-2.4.....	39	469	11.0	16	163	10.8	23	306	11.2
2.5-2.9.....	49	620	17.3	33	423	19.3	16	198	15.3
3.0-3.4.....	56	770	25.2	36	399	27.3	20	370	23.1
3.5-3.9.....	50	676	32.2	30	386	35.0	20	289	29.2
4.0-4.4.....	63	800	40.4	35	470	44.4	28	330	36.1
4.5-4.9.....	49	702	47.6	28	343	51.3	21	359	43.7
5.0-5.4.....	56	701	54.8	34	384	59.0	22	318	50.3
5.5-5.9.....	50	654	61.5	31	357	66.1	19	297	56.6
6.0-6.4.....	50	633	68.0	20	220	70.6	30	413	65.3
6.5-6.9.....	37	465	72.7	26	314	76.8	11	151	68.4
7.0-7.4.....	44	530	78.2	22	253	81.9	22	276	74.3
7.5-7.9.....	37	492	83.2	19	235	86.6	18	257	79.7
8.0-8.4.....	26	358	86.9	13	178	90.2	13	180	83.4
8.5-8.9.....	18	154	88.5	11	95	92.1	7	59	84.7
9.0-9.4.....	15	169	90.2	4	33	92.7	11	137	87.6
9.5-9.9.....	10	157	91.8	5	72	94.2	5	85	89.3
10.0-10.4.....	13	129	93.1	5	43	95.0	8	85	91.1
10.5-10.9.....	8	97	94.1	5	47	96.0	3	50	92.2
11.0-11.9.....	10	147	95.6	3	30	96.6	7	117	94.7
12.0-12.9.....	12	136	97.0	3	35	97.3	9	101	96.8
13.0-13.9.....	6	107	98.1	3	68	98.6	3	38	97.6
14.0 or more.....	15	183	100.0	6	68	100.0	9	115	100.0

1/ Excludes 1 examined person with zero calories.
2/ Excludes unknown income.

Table 3-190. Cumulative percent distribution of linoleic acid intake values in grams per 1,000 calories for persons aged 18-24 years by sex and income level: United States, 1976-80

Income level and linoleic acid in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	1/2,053	27,439	100.0	988	13,275	100.0	1/1,065	14,164	100.0
Less than .5.....	19	224	.8	2	17	.1	17	207	1.5
.5-.9.....	35	450	2.5	15	210	1.7	20	240	3.2
1.0-1.4.....	49	726	5.1	21	299	3.9	28	428	6.2
1.5-1.9.....	66	902	8.4	33	460	7.4	33	442	9.3
2.0-2.4.....	112	1,437	13.6	62	810	13.5	50	627	13.7
2.5-2.9.....	128	1,704	19.8	74	1,016	21.2	54	689	18.6
3.0-3.4.....	139	1,873	26.7	65	841	27.5	74	1,032	25.9
3.5-3.9.....	162	2,091	34.3	63	889	34.2	99	1,202	34.4
4.0-4.4.....	153	2,078	41.9	81	1,044	42.1	72	1,034	41.7
4.5-4.9.....	157	2,266	50.1	76	1,143	50.7	81	1,124	49.6
5.0-5.4.....	139	1,805	56.7	76	1,018	58.3	63	788	55.2
5.5-5.9.....	128	1,701	62.9	64	857	64.8	64	844	61.1
6.0-6.4.....	115	1,630	68.8	61	851	71.2	54	779	66.6
6.5-6.9.....	118	1,712	75.1	56	786	77.1	62	925	73.1
7.0-7.4.....	100	1,274	79.7	39	502	80.9	61	772	78.6
7.5-7.9.....	66	899	83.0	26	332	83.4	40	567	82.6
8.0-8.4.....	57	683	85.5	29	328	85.9	28	355	85.1
8.5-8.9.....	56	753	88.2	25	328	88.3	31	424	88.1
9.0-9.4.....	42	516	90.1	23	254	90.3	19	262	90.0
9.5-9.9.....	43	616	92.3	23	345	92.9	20	271	91.9
10.0-10.4.....	43	548	94.3	22	286	95.0	21	262	93.7
10.5-10.9.....	19	239	95.2	9	122	95.9	10	117	94.5
11.0-11.9.....	32	338	96.4	10	101	96.7	22	237	96.2
12.0-12.9.....	28	348	97.7	9	142	97.8	19	206	97.7
13.0-13.9.....	13	159	98.3	8	79	98.4	5	80	98.3
14.0 or more.....	34	466	100.0	16	217	100.0	18	248	100.0
Income below poverty level^{2/}									
Total.....	1/430	5,300	100.0	178	2,237	100.0	1/252	3,063	100.0
Less than .5.....	6	75	1.4	-	-	-	6	75	2.4
.5-.9.....	11	122	3.7	5	67	3.0	6	55	4.2
1.0-1.4.....	10	150	6.5	3	40	4.8	7	110	7.8
1.5-1.9.....	10	123	8.8	4	60	7.5	6	63	9.8
2.0-2.4.....	26	284	14.2	12	138	13.7	14	146	14.6
2.5-2.9.....	35	404	21.8	21	262	25.4	14	142	19.2
3.0-3.4.....	30	399	29.3	9	124	30.9	21	275	28.2
3.5-3.9.....	37	415	37.2	10	142	37.3	27	274	37.1
4.0-4.4.....	24	310	43.0	7	104	41.9	17	206	43.9
4.5-4.9.....	34	426	51.1	20	261	53.6	14	165	49.3
5.0-5.4.....	28	355	57.8	13	150	60.3	15	205	55.9
5.5-5.9.....	28	327	63.9	15	188	68.7	13	139	60.5
6.0-6.4.....	24	328	70.1	11	150	75.4	13	178	66.3
6.5-6.9.....	26	337	76.5	10	114	80.5	16	223	73.6
7.0-7.4.....	21	248	81.2	8	96	84.8	13	152	78.5
7.5-7.9.....	13	209	85.1	5	57	87.3	8	151	83.5
8.0-8.4.....	11	114	87.3	4	45	89.3	7	69	85.7
8.5-8.9.....	9	138	89.9	2	30	90.7	7	108	89.3
9.0-9.4.....	6	56	90.9	2	15	91.3	4	42	90.6
9.5-9.9.....	5	60	92.1	4	50	93.5	1	11	91.0
10.0-10.4.....	10	136	94.6	3	29	94.8	7	107	94.5
10.5-10.9.....	1	11	94.8	-	-	94.8	1	11	94.8
11.0-11.9.....	11	115	97.0	4	43	96.8	7	73	97.2
12.0-12.9.....	6	67	98.3	2	34	98.3	4	33	98.3
13.0-13.9.....	2	32	98.9	1	8	98.6	1	24	99.1
14.0 or more.....	6	59	100.0	3	31	100.0	3	29	100.0

See footnotes at end of table.

Table 3-190. Cumulative percent distribution of linoleic acid intake values in grams per 1,000 calories for persons aged 18-24 years by sex and income level: United States, 1976-80-Continued

Income level and linoleic acid in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{2/}									
Total.....	1,541	21,013	100.0	770	10,508	100.0	771	10,505	100.0
Less than .5.....	12	137	.6	2	17	.2	10	120	1.1
.5-.9.....	24	328	2.2	10	142	1.5	14	185	2.9
1.0-1.4.....	36	546	4.8	18	258	4.0	18	288	5.6
1.5-1.9.....	51	707	8.2	26	360	7.4	25	347	8.9
2.0-2.4.....	82	1,100	13.4	48	643	13.5	34	457	13.3
2.5-2.9.....	90	1,231	19.3	51	730	20.5	39	500	18.1
3.0-3.4.....	102	1,409	26.0	53	691	27.0	49	719	24.9
3.5-3.9.....	119	1,599	33.6	50	703	33.7	69	897	33.4
4.0-4.4.....	123	1,672	41.5	69	865	42.0	54	807	41.1
4.5-4.9.....	115	1,702	49.6	53	813	49.7	62	889	49.6
5.0-5.4.....	107	1,394	56.3	61	840	57.7	46	555	54.8
5.5-5.9.....	95	1,310	62.5	48	648	63.9	47	662	61.1
6.0-6.4.....	87	1,248	68.4	48	679	70.3	39	569	66.6
6.5-6.9.....	87	1,310	74.7	43	638	76.4	44	673	73.0
7.0-7.4.....	74	942	79.2	30	397	80.2	44	545	78.2
7.5-7.9.....	50	665	82.3	19	257	82.6	31	408	82.0
8.0-8.4.....	44	553	85.0	23	267	85.1	21	286	84.8
8.5-8.9.....	44	582	87.7	20	265	87.7	24	316	87.8
9.0-9.4.....	35	439	89.8	20	219	89.8	15	220	89.9
9.5-9.9.....	36	533	92.3	18	284	92.4	18	249	92.3
10.0-10.4.....	33	412	94.3	19	258	94.9	14	154	93.7
10.5-10.9.....	18	229	95.4	9	122	96.1	9	107	94.7
11.0-11.9.....	21	223	96.5	6	58	96.6	15	165	96.3
12.0-12.9.....	18	236	97.6	6	98	97.5	12	138	97.6
13.0-13.9.....	11	127	98.2	7	71	98.2	4	56	98.1
14.0 or more.....	27	381	100.0	13	187	100.0	14	195	100.0

1/ Excludes 1 examined person with zero calories.

2/ Excludes unknown income.

Table 3-191. Cumulative percent distribution of linoleic acid intake values in grams per 1,000 calories for persons aged 25-34 years by sex and income level: United States, 1976-80

Income level and linoleic acid in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	1/2,236	32,739	100.0	1,067	15,895	100.0	1/1,169	16,844	100.0
Less than .5.....	17	262	.8	9	129	.8	8	133	.8
.5-.9.....	36	561	2.5	20	324	2.8	16	237	2.2
1.0-1.4.....	36	532	4.1	17	237	4.3	19	296	3.9
1.5-1.9.....	84	1,259	8.0	37	514	7.6	47	745	8.4
2.0-2.4.....	91	1,273	11.9	46	677	11.8	45	596	11.9
2.5-2.9.....	107	1,566	16.7	50	734	16.4	57	833	16.8
3.0-3.4.....	148	2,196	23.4	66	1,038	23.0	82	1,158	23.7
3.5-3.9.....	135	1,947	29.3	65	1,031	29.5	70	917	29.2
4.0-4.4.....	136	1,920	35.2	70	986	35.7	66	935	34.7
4.5-4.9.....	181	2,617	43.2	94	1,364	44.2	87	1,253	42.2
5.0-5.4.....	152	2,335	50.3	75	1,141	51.4	77	1,195	49.3
5.5-5.9.....	164	2,471	57.8	86	1,327	59.8	78	1,144	56.0
6.0-6.4.....	164	2,390	65.1	83	1,253	67.6	81	1,137	62.8
6.5-6.9.....	122	1,653	70.2	54	771	72.5	68	882	68.0
7.0-7.4.....	102	1,585	75.0	45	689	76.8	57	896	73.3
7.5-7.9.....	102	1,506	79.6	49	712	81.3	53	794	78.1
8.0-8.4.....	77	1,104	83.0	41	580	85.0	36	525	81.2
8.5-8.9.....	71	934	85.9	37	547	88.4	34	388	83.5
9.0-9.4.....	56	842	88.4	27	459	91.3	29	384	85.8
9.5-9.9.....	51	759	90.8	21	281	93.1	30	478	88.6
10.0-10.4.....	37	551	92.4	10	176	94.2	27	375	90.8
10.5-10.9.....	20	272	93.3	8	105	94.8	12	167	91.8
11.0-11.9.....	47	624	95.2	19	235	96.3	28	390	94.1
12.0-12.9.....	25	357	96.3	12	167	97.3	13	191	95.3
13.0-13.9.....	23	374	97.4	10	137	98.2	13	237	96.7
14.0 or more.....	52	846	100.0	16	284	100.0	36	562	100.0
Income below poverty level^{2/}									
Total.....	253	3,103	100.0	91	1,106	100.0	162	1,997	100.0
Less than .5.....	4	64	2.1	2	31	2.8	2	34	1.7
.5-.9.....	2	35	3.2	1	7	3.4	1	27	3.1
1.0-1.4.....	6	81	5.8	5	73	10.0	1	8	3.5
1.5-1.9.....	12	160	10.9	5	89	18.1	7	71	7.0
2.0-2.4.....	6	70	13.2	4	52	22.8	2	18	7.9
2.5-2.9.....	15	185	19.2	6	77	29.8	9	108	13.3
3.0-3.4.....	21	243	27.0	7	82	37.2	14	161	21.3
3.5-3.9.....	16	241	34.8	5	79	44.3	11	162	29.5
4.0-4.4.....	16	174	40.4	8	78	51.4	8	96	34.3
4.5-4.9.....	19	188	46.4	11	115	61.8	8	73	37.9
5.0-5.4.....	17	211	53.2	4	42	65.6	13	169	46.4
5.5-5.9.....	14	180	59.0	4	56	70.7	10	124	52.6
6.0-6.4.....	20	260	67.4	7	86	78.4	13	174	61.3
6.5-6.9.....	13	148	72.2	4	46	82.6	9	102	66.4
7.0-7.4.....	9	137	76.6	1	10	83.5	8	127	72.8
7.5-7.9.....	14	168	82.0	6	72	90.0	8	96	77.6
8.0-8.4.....	4	46	83.5	2	15	91.4	2	31	79.1
8.5-8.9.....	10	92	86.4	3	33	94.4	7	59	82.0
9.0-9.4.....	6	67	88.6	3	33	97.4	3	34	83.7
9.5-9.9.....	2	23	89.4	-	-	97.4	2	23	84.9
10.0-10.4.....	5	57	91.2	-	-	97.4	5	57	87.8
10.5-10.9.....	5	74	93.6	-	-	97.4	5	74	91.4
11.0-11.9.....	6	75	96.0	1	8	98.1	5	68	94.8
12.0-12.9.....	4	49	97.6	-	-	98.1	4	49	97.3
13.0-13.9.....	5	56	99.4	2	21	100.0	3	35	99.0
14.0 or more.....	2	19	100.0	-	-	100.0	2	19	100.0

See footnotes at end of table.

Table 3-191. Cumulative percent distribution of linoleic acid intake values in grams per 1,000 calories for persons aged 25-34 years by sex and income level: United States, 1976-80-Continued

Income level and linoleic acid in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{2/}									
Total.....	1/1,926	28,824	100.0	945	14,355	100.0	1/981	14,469	100.0
Less than .5.....	10	171	.6	4	72	.5	6	99	.7
.5-.9.....	32	502	2.3	18	303	2.6	14	199	2.1
1.0-1.4.....	30	451	3.9	12	164	3.8	18	288	4.0
1.5-1.9.....	70	1,078	7.6	30	404	6.6	40	674	8.7
2.0-2.4.....	83	1,183	11.7	41	616	10.9	42	567	12.6
2.5-2.9.....	89	1,333	16.4	43	643	15.3	46	690	17.4
3.0-3.4.....	125	1,902	23.0	57	905	21.6	68	997	24.3
3.5-3.9.....	114	1,630	28.6	58	920	28.0	56	710	29.2
4.0-4.4.....	117	1,710	34.5	60	887	34.2	57	823	34.9
4.5-4.9.....	158	2,363	42.8	81	1,214	42.7	77	1,149	42.8
5.0-5.4.....	130	2,069	49.9	67	1,056	50.0	63	1,013	49.8
5.5-5.9.....	144	2,163	57.4	81	1,251	58.8	63	912	56.1
6.0-6.4.....	143	2,105	64.7	75	1,142	66.7	68	963	62.8
6.5-6.9.....	106	1,462	69.8	48	690	71.5	58	772	68.1
7.0-7.4.....	91	1,428	74.8	42	659	76.1	49	769	73.4
7.5-7.9.....	86	1,310	79.3	42	625	80.5	44	685	78.2
8.0-8.4.....	71	1,042	82.9	38	556	84.3	33	486	81.5
8.5-8.9.....	58	808	85.7	33	495	87.8	25	312	83.7
9.0-9.4.....	49	765	88.4	24	425	90.8	25	339	86.0
9.5-9.9.....	48	722	90.9	21	281	92.7	27	441	89.1
10.0-10.4.....	31	473	92.5	10	176	93.9	21	297	91.1
10.5-10.9.....	15	198	93.2	8	105	94.7	7	93	91.8
11.0-11.9.....	40	542	95.1	18	227	96.3	22	315	93.9
12.0-12.9.....	21	309	96.2	12	167	97.4	9	142	94.9
13.0-13.9.....	16	294	97.2	7	103	98.1	9	191	96.3
14.0 or more.....	49	812	100.0	15	268	100.0	34	543	100.0

1/ Excludes 1 examined person with zero calories.

2/ Excludes unknown income.

Table 3-192. Cumulative percent distribution of linoleic acid intake values in grams per 1,000 calories for persons aged 35-44 years by sex and income level: United States, 1976-80

Income level and linoleic acid in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	1,589	23,651	100.0	745	11,367	100.0	844	12,284	100.0
Less than .5.....	5	75	.3	3	36	.3	2	39	.3
.5-.9.....	12	185	1.1	7	94	1.1	5	91	1.1
1.0-1.4.....	39	677	4.0	16	276	3.6	23	401	4.3
1.5-1.9.....	52	806	7.4	25	384	6.9	27	422	7.8
2.0-2.4.....	70	976	11.5	29	389	10.4	41	586	12.5
2.5-2.9.....	86	1,291	16.9	48	767	17.1	38	524	16.8
3.0-3.4.....	116	1,755	24.4	63	915	25.2	53	841	23.6
3.5-3.9.....	104	1,539	30.9	48	706	31.4	56	833	30.4
4.0-4.4.....	94	1,331	36.5	49	683	37.4	45	649	35.7
4.5-4.9.....	109	1,555	43.1	52	766	44.1	57	789	42.1
5.0-5.4.....	110	1,622	49.9	55	842	51.5	55	780	48.5
5.5-5.9.....	96	1,351	55.7	35	498	55.9	61	853	55.4
6.0-6.4.....	110	1,594	62.4	61	950	64.3	49	644	60.7
6.5-6.9.....	81	1,248	67.7	35	615	69.7	46	633	65.8
7.0-7.4.....	80	1,195	72.7	32	534	74.4	48	661	71.2
7.5-7.9.....	84	1,259	78.0	40	606	79.7	44	653	76.5
8.0-8.4.....	46	733	81.1	29	510	84.2	17	222	78.3
8.5-8.9.....	43	579	83.6	18	245	86.3	25	335	81.0
9.0-9.4.....	41	648	86.3	19	334	89.3	22	314	83.6
9.5-9.9.....	45	747	89.5	13	248	91.5	32	499	87.7
10.0-10.4.....	40	566	91.9	15	212	93.3	25	355	90.5
10.5-10.9.....	24	379	93.5	10	171	94.8	14	208	92.3
11.0-11.9.....	39	640	96.2	20	290	97.4	19	349	95.1
12.0-12.9.....	22	326	97.6	7	100	98.3	15	227	96.9
13.0-13.9.....	12	180	98.3	6	92	99.1	6	88	97.6
14.0 or more.....	29	395	100.0	10	106	100.0	19	289	100.0
Income below poverty level ^{1/}									
Total.....	182	2,364	100.0	63	821	100.0	119	1,543	100.0
Less than .5.....	1	27	1.1	*	*	*	1	27	1.8
.5-.9.....	1	8	1.5	*	*	*	-	-	1.8
1.0-1.4.....	4	75	4.7	*	*	*	3	59	5.6
1.5-1.9.....	5	99	8.8	*	*	*	2	40	8.1
2.0-2.4.....	11	117	13.8	*	*	*	8	86	13.7
2.5-2.9.....	6	60	16.4	*	*	*	2	21	15.1
3.0-3.4.....	16	184	24.1	*	*	*	8	101	21.6
3.5-3.9.....	14	173	31.5	*	*	*	9	112	28.9
4.0-4.4.....	15	187	39.4	*	*	*	10	117	36.4
4.5-4.9.....	7	125	44.7	*	*	*	5	82	41.8
5.0-5.4.....	13	170	51.9	*	*	*	8	92	47.8
5.5-5.9.....	9	99	56.1	*	*	*	6	58	51.5
6.0-6.4.....	13	171	63.3	*	*	*	9	116	59.1
6.5-6.9.....	12	154	69.8	*	*	*	8	104	65.8
7.0-7.4.....	10	122	74.9	*	*	*	9	106	72.6
7.5-7.9.....	8	119	80.0	*	*	*	4	59	76.4
8.0-8.4.....	2	24	81.0	*	*	*	-	-	76.4
8.5-8.9.....	4	55	83.3	*	*	*	4	55	80.0
9.0-9.4.....	5	68	86.2	*	*	*	2	38	82.4
9.5-9.9.....	8	128	91.6	*	*	*	8	128	90.7
10.0-10.4.....	4	44	93.4	*	*	*	3	32	92.8
10.5-10.9.....	-	-	93.4	*	*	*	-	-	92.8
11.0-11.9.....	5	57	95.8	*	*	*	4	44	95.6
12.0-12.9.....	2	20	96.7	*	*	*	1	10	96.2
13.0-13.9.....	1	10	97.1	*	*	*	1	10	96.9
14.0 or more.....	6	69	100.0	*	*	*	4	48	100.0

See footnotes at end of table.

Table 3-192. Cumulative percent distribution of linoleic acid intake values in grams per 1,000 calories for persons aged 35-44 years by sex and income level: United States, 1976-80-Continued

Income level and linoleic acid in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above, poverty level ^{1/}									
Total.....	1,360	20,572	100.0	658	10,195	100.0	702	10,377	100.0
Less than .5.....	4	48	.2	3	36	.3	1	12	.1
.5-.9.....	11	177	1.1	6	86	1.2	5	91	1.0
1.0-1.4.....	35	602	4.0	15	259	3.7	20	342	4.3
1.5-1.9.....	46	697	7.4	22	326	6.9	24	372	7.9
2.0-2.4.....	58	845	11.5	26	359	10.4	32	487	12.6
2.5-2.9.....	79	1,195	17.3	43	692	17.2	36	503	17.4
3.0-3.4.....	96	1,522	24.7	52	791	25.0	44	731	24.4
3.5-3.9.....	81	1,211	30.6	39	577	30.6	42	634	30.6
4.0-4.4.....	75	1,082	35.9	41	578	36.3	34	505	35.4
4.5-4.9.....	99	1,393	42.6	50	723	43.4	49	670	41.9
5.0-5.4.....	96	1,441	49.6	49	753	50.8	47	688	48.5
5.5-5.9.....	86	1,237	55.7	32	457	55.3	54	781	56.0
6.0-6.4.....	92	1,356	62.3	53	843	63.5	39	513	61.0
6.5-6.9.....	67	1,064	67.4	30	558	69.0	37	506	65.9
7.0-7.4.....	69	1,053	72.5	30	498	73.9	39	555	71.2
7.5-7.9.....	75	1,129	78.0	36	545	79.3	39	584	76.8
8.0-8.4.....	42	683	81.3	26	473	83.9	16	210	78.9
8.5-8.9.....	36	469	83.6	16	204	85.9	20	266	81.4
9.0-9.4.....	34	563	86.4	15	295	88.8	19	268	84.0
9.5-9.9.....	35	585	89.2	13	248	91.2	22	336	87.3
10.0-10.4.....	36	523	91.8	14	200	93.2	22	323	90.4
10.5-10.9.....	23	368	93.5	10	171	94.8	13	197	92.3
11.0-11.9.....	32	536	96.1	18	268	97.5	14	268	94.8
12.0-12.9.....	20	307	97.6	6	90	98.4	14	217	96.9
13.0-13.9.....	10	160	98.4	5	82	99.2	5	78	97.7
14.0 or more.....	23	326	100.0	8	86	100.0	15	240	100.0

^{1/} Excludes unknown income.

Table 3-193. Cumulative percent distribution of linoleic acid intake values in grams per 1,000 calories for persons aged 45-54 years by sex and income level: United States, 1976-80

Income level and linoleic acid in grams per 1,000 calories	Both sexes			Male			Female		
	Exam-ined persons	Esti-mated population in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated population in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated population in thou-sands	Cumulative percent
	All incomes								
Total.....	1,453	23,032	100.0	690	11,114	100.0	763	11,918	100.0
Less than .5.....	9	126	.5	1	21	.2	8	105	.9
.5-.9.....	14	236	1.6	4	75	.9	10	161	2.2
1.0-1.4.....	25	401	3.3	8	135	2.1	17	266	4.5
1.5-1.9.....	53	829	6.9	22	357	5.3	31	473	8.4
2.0-2.4.....	63	994	11.2	35	522	10.0	28	472	12.4
2.5-2.9.....	80	1,244	16.6	49	779	17.0	31	465	16.3
3.0-3.4.....	107	1,812	24.5	59	1,083	26.7	48	728	22.4
3.5-3.9.....	119	1,843	32.5	67	1,080	36.5	52	763	28.8
4.0-4.4.....	104	1,635	39.6	55	841	44.0	49	794	35.5
4.5-4.9.....	96	1,593	46.5	44	765	50.9	52	828	42.4
5.0-5.4.....	112	1,869	54.6	54	889	58.9	58	980	50.6
5.5-5.9.....	93	1,356	60.5	49	693	65.1	44	662	56.2
6.0-6.4.....	88	1,309	66.2	41	591	70.4	47	718	62.2
6.5-6.9.....	86	1,413	72.3	39	642	76.2	47	771	68.7
7.0-7.4.....	63	1,017	76.7	27	398	79.8	36	619	73.9
7.5-7.9.....	47	762	80.0	22	376	83.2	25	386	77.1
8.0-8.4.....	54	786	83.5	22	338	86.2	32	448	80.9
8.5-8.9.....	43	739	86.7	16	303	88.9	27	436	84.5
9.0-9.4.....	37	639	89.4	18	345	92.1	19	294	87.0
9.5-9.9.....	34	606	92.1	13	235	94.2	21	371	90.1
10.0-10.4.....	22	339	93.5	8	100	95.1	14	240	92.1
10.5-10.9.....	17	236	94.6	7	79	95.8	10	156	93.4
11.0-11.9.....	30	437	96.5	15	213	97.7	15	224	95.3
12.0-12.9.....	21	278	97.7	4	61	98.2	17	217	97.1
13.0-13.9.....	12	172	98.4	3	39	98.6	9	133	98.3
14.0 or more.....	24	363	100.0	8	156	100.0	16	207	100.0
Income below poverty level^{1/}									
Total.....	128	1,760	100.0	46	645	100.0	82	1,115	100.0
Less than .5.....	1	12	.7	*	*	*	1	12	1.0
.5-.9.....	-	-	.7	*	*	*	-	-	1.0
1.0-1.4.....	1	13	1.4	*	*	*	1	13	2.2
1.5-1.9.....	5	70	5.4	*	*	*	4	57	7.4
2.0-2.4.....	4	62	8.9	*	*	*	2	31	10.1
2.5-2.9.....	4	58	12.2	*	*	*	1	12	11.2
3.0-3.4.....	14	178	22.3	*	*	*	8	96	19.9
3.5-3.9.....	13	184	32.7	*	*	*	9	143	32.7
4.0-4.4.....	7	85	37.5	*	*	*	2	21	34.5
4.5-4.9.....	10	143	45.7	*	*	*	7	93	42.9
5.0-5.4.....	14	164	55.0	*	*	*	8	100	51.9
5.5-5.9.....	1	14	55.8	*	*	*	-	-	51.9
6.0-6.4.....	9	107	61.9	*	*	*	6	71	58.3
6.5-6.9.....	8	136	69.6	*	*	*	5	101	67.3
7.0-7.4.....	6	84	74.4	*	*	*	3	47	71.5
7.5-7.9.....	4	101	80.1	*	*	*	1	9	72.3
8.0-8.4.....	4	61	83.5	*	*	*	3	39	75.9
8.5-8.9.....	4	56	86.7	*	*	*	4	56	80.9
9.0-9.4.....	4	45	89.3	*	*	*	4	45	84.9
9.5-9.9.....	5	66	93.0	*	*	*	4	55	89.8
10.0-10.4.....	2	19	94.1	*	*	*	1	10	90.7
10.5-10.9.....	2	23	95.4	*	*	*	2	23	92.8
11.0-11.9.....	2	20	96.6	*	*	*	2	20	94.6
12.0-12.9.....	1	11	97.2	*	*	*	1	11	95.6
13.0-13.9.....	-	-	97.2	*	*	*	-	-	95.6
14.0 or more.....	3	49	100.0	*	*	*	3	49	100.0

See footnotes at end of table.

Table 3-193. Cumulative percent distribution of linoleic acid intake values in grams per 1,000 calories for persons aged 45-54 years by sex and income level: United States, 1976-80-Continued

Income level and linoleic acid in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	1,258	20,161	100.0	603	9,738	100.0	655	10,424	100.0
Less than .5.....	8	114	.6	1	21	.2	7	93	.9
.5-.9.....	12	199	1.5	4	75	1.0	8	124	2.1
1.0-1.4.....	22	363	3.4	6	110	2.1	16	253	4.5
1.5-1.9.....	44	683	6.7	19	310	5.3	25	373	8.1
2.0-2.4.....	59	932	11.4	33	490	10.3	26	441	12.3
2.5-2.9.....	71	1,098	16.8	42	654	17.1	29	444	16.6
3.0-3.4.....	88	1,562	24.6	51	963	26.9	37	600	22.3
3.5-3.9.....	103	1,626	32.6	61	1,015	37.4	42	611	28.2
4.0-4.4.....	90	1,427	39.7	45	688	44.4	45	738	35.3
4.5-4.9.....	81	1,361	46.4	38	654	51.1	43	707	42.0
5.0-5.4.....	96	1,676	54.8	47	805	59.4	49	872	50.4
5.5-5.9.....	87	1,267	61.0	44	614	65.7	43	652	56.7
6.0-6.4.....	74	1,102	66.5	33	455	70.4	41	647	62.9
6.5-6.9.....	73	1,184	72.4	33	551	76.0	40	634	69.0
7.0-7.4.....	54	892	76.8	23	350	79.6	31	542	74.1
7.5-7.9.....	40	626	79.9	17	263	82.3	23	362	77.6
8.0-8.4.....	48	704	83.4	21	316	85.6	27	388	81.3
8.5-8.9.....	37	620	86.5	14	240	88.1	23	380	85.0
9.0-9.4.....	32	587	89.4	18	345	91.6	14	242	87.3
9.5-9.9.....	28	519	92.0	11	202	93.7	17	317	90.4
10.0-10.4.....	20	320	93.5	7	90	94.6	13	230	92.6
10.5-10.9.....	13	181	94.4	6	69	95.3	7	112	93.6
11.0-11.9.....	28	416	96.5	15	213	97.5	13	204	95.6
12.0-12.9.....	20	267	97.8	4	61	98.1	16	206	97.6
13.0-13.9.....	12	172	98.7	3	39	98.5	9	133	98.8
14.0 or more.....	18	264	100.0	7	143	100.0	11	121	100.0

^{1/} Excludes unknown income.

Table 3-194. Cumulative percent distribution of linoleic acid intake values in grams per 1,000 calories for persons aged 55-64 years by sex and income level: United States, 1976-80

Income level and linoleic acid in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	1/2,555	20,346	100.0	1/1,226	9,603	100.0	1,329	10,743	100.0
Less than .5.....	16	135	.7	8	51	.5	8	84	.8
.5-.9.....	34	209	1.7	17	99	1.6	17	110	1.8
1.0-1.4.....	53	367	3.5	26	169	3.3	27	198	3.6
1.5-1.9.....	111	974	8.3	39	320	6.6	72	655	9.8
2.0-2.4.....	110	887	12.6	51	414	11.0	59	473	14.1
2.5-2.9.....	136	1,102	18.1	68	624	17.4	68	478	18.6
3.0-3.4.....	189	1,524	25.5	98	756	25.3	91	768	25.8
3.5-3.9.....	187	1,482	32.8	93	706	32.7	94	776	33.0
4.0-4.4.....	214	1,667	41.0	107	878	41.8	107	789	40.3
4.5-4.9.....	194	1,564	48.7	99	833	50.5	95	730	47.1
5.0-5.4.....	190	1,553	56.3	95	820	59.0	95	733	53.9
5.5-5.9.....	186	1,490	63.7	95	686	66.2	91	805	61.4
6.0-6.4.....	150	1,114	69.1	71	516	71.5	79	598	67.0
6.5-6.9.....	133	1,014	74.1	59	448	76.2	74	566	72.3
7.0-7.4.....	98	733	77.7	54	362	80.0	44	371	75.7
7.5-7.9.....	114	1,020	82.8	57	474	84.9	57	546	80.8
8.0-8.4.....	74	520	85.3	32	244	87.5	42	276	83.4
8.5-8.9.....	77	595	88.2	36	245	90.0	41	350	86.6
9.0-9.4.....	49	461	90.5	23	196	92.0	26	265	89.1
9.5-9.9.....	36	264	91.8	12	73	92.8	24	191	90.9
10.0-10.4.....	52	417	93.8	24	175	94.6	28	242	93.1
10.5-10.9.....	30	190	94.8	17	100	95.7	13	90	94.0
11.0-11.9.....	27	227	95.9	11	121	96.9	16	106	94.9
12.0-12.9.....	23	230	97.0	10	100	98.0	13	129	96.2
13.0-13.9.....	21	221	98.1	5	40	98.4	16	181	97.8
14.0 or more.....	51	385	100.0	19	153	100.0	32	232	100.0
Income below poverty level^{2/}									
Total.....	1/316	1,956	100.0	1/128	775	100.0	188	1,181	100.0
Less than .5.....	4	23	1.2	3	15	1.9	1	9	.7
.5-.9.....	6	38	3.1	2	9	3.0	4	30	3.2
1.0-1.4.....	11	60	6.2	4	24	6.1	7	36	6.3
1.5-1.9.....	11	63	9.4	3	15	8.0	8	48	10.4
2.0-2.4.....	17	110	15.1	6	47	14.1	11	63	15.7
2.5-2.9.....	16	95	19.9	4	27	17.6	12	68	21.4
3.0-3.4.....	13	93	24.7	6	43	23.2	7	50	25.6
3.5-3.9.....	27	163	33.0	14	81	33.7	13	82	32.6
4.0-4.4.....	19	112	38.8	5	26	37.1	14	86	39.9
4.5-4.9.....	27	192	48.6	11	72	46.3	16	120	50.1
5.0-5.4.....	25	175	57.6	12	96	58.7	13	80	56.8
5.5-5.9.....	29	197	67.6	15	74	68.2	14	123	67.2
6.0-6.4.....	16	91	72.3	6	27	71.7	10	64	72.6
6.5-6.9.....	16	68	75.8	4	23	74.7	12	45	76.4
7.0-7.4.....	8	44	78.0	4	27	78.2	4	17	77.9
7.5-7.9.....	15	93	82.7	9	53	85.1	6	40	81.2
8.0-8.4.....	13	58	85.7	4	18	87.3	9	41	84.6
8.5-8.9.....	6	32	87.3	2	12	88.9	4	20	86.3
9.0-9.4.....	4	20	88.4	-	-	88.9	4	20	88.0
9.5-9.9.....	6	65	91.7	3	29	92.6	3	36	91.1
10.0-10.4.....	8	69	95.2	4	26	96.0	4	43	94.7
10.5-10.9.....	2	12	95.8	-	-	96.0	2	12	95.7
11.0-11.9.....	3	15	96.6	1	4	96.5	2	11	96.7
12.0-12.9.....	2	8	97.0	2	8	97.5	-	-	96.7
13.0-13.9.....	1	10	97.5	-	-	97.5	1	10	97.5
14.0 or more.....	11	49	100.0	4	19	100.0	7	29	100.0

See footnotes at end of table.

Table 3-194. Cumulative percent distribution of linoleic acid intake values in grams per 1,000 calories for persons aged 55-64 years by sex and income level: United States, 1976-80-Continued

Income level and linoleic acid in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{2/}									
Total.....	2,119	17,376	100.0	1,048	8,443	100.0	1,071	8,934	100.0
Less than .5.....	11	100	.6	5	36	.4	6	64	.7
.5-.9.....	25	155	1.5	12	74	1.3	13	81	1.6
1.0-1.4.....	41	290	3.1	22	145	3.0	19	145	3.3
1.5-1.9.....	95	864	8.1	34	283	6.4	61	581	9.8
2.0-2.4.....	86	729	12.3	43	360	10.6	43	369	13.9
2.5-2.9.....	110	929	17.6	64	597	17.7	46	333	17.6
3.0-3.4.....	167	1,359	25.5	90	704	26.0	77	655	24.9
3.5-3.9.....	154	1,240	32.6	78	592	33.0	76	649	32.2
4.0-4.4.....	186	1,504	41.3	98	821	42.8	88	683	39.8
4.5-4.9.....	164	1,353	49.0	87	749	51.6	77	603	46.6
5.0-5.4.....	152	1,271	56.4	76	670	59.6	76	601	53.3
5.5-5.9.....	146	1,212	63.3	71	546	66.0	75	666	60.8
6.0-6.4.....	129	978	69.0	62	454	71.4	67	523	66.6
6.5-6.9.....	113	905	74.2	52	415	76.3	61	490	72.1
7.0-7.4.....	82	611	77.7	46	304	79.9	36	307	75.6
7.5-7.9.....	94	848	82.6	47	416	84.9	47	433	80.4
8.0-8.4.....	56	428	85.0	24	201	87.3	32	227	82.9
8.5-8.9.....	67	530	88.1	31	206	89.7	36	324	86.6
9.0-9.4.....	44	437	90.6	23	196	92.0	21	241	89.3
9.5-9.9.....	29	185	91.7	9	44	92.5	20	141	90.8
10.0-10.4.....	44	348	93.7	20	149	94.3	24	199	93.1
10.5-10.9.....	24	160	94.6	16	97	95.4	8	63	93.8
11.0-11.9.....	24	212	95.8	10	118	96.8	14	95	94.8
12.0-12.9.....	19	211	97.0	8	92	97.9	11	119	96.2
13.0-13.9.....	19	198	98.2	5	40	98.4	14	158	97.9
14.0 or more.....	38	320	100.0	15	134	100.0	23	185	100.0

1/ Excludes 1 examined person with zero calories.
2/ Excludes unknown income.

Table 3-195. Cumulative percent distribution of linoleic acid intake values in grams per 1,000 calories for persons aged 65-74 years by sex and income level: United States, 1976-80

Income level and linoleic acid in grams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	2,615	14,496	100.0	1,199	6,297	100.0	1,416	8,198	100.0
Less than .5.....	8	52	.4	-	-	-	8	52	.6
.5-9.....	26	163	1.5	12	78	1.2	14	85	1.7
1.0-1.4.....	59	308	3.6	19	88	2.6	40	220	4.3
1.5-1.9.....	94	490	7.0	48	238	6.4	46	252	7.4
2.0-2.4.....	134	776	12.3	60	356	12.1	74	420	12.5
2.5-2.9.....	168	947	18.9	82	438	19.0	86	509	18.7
3.0-3.4.....	183	1,031	26.0	94	500	27.0	89	531	25.2
3.5-3.9.....	223	1,256	34.6	115	605	36.6	108	651	33.1
4.0-4.4.....	201	1,148	42.6	102	557	45.4	99	591	40.4
4.5-4.9.....	194	1,080	50.0	88	484	53.1	106	597	47.6
5.0-5.4.....	193	1,032	57.1	83	398	59.4	110	634	55.4
5.5-5.9.....	174	924	63.5	84	397	65.8	90	527	61.8
6.0-6.4.....	143	824	69.2	68	390	71.9	75	434	67.1
6.5-6.9.....	132	673	73.8	54	256	76.0	78	418	72.2
7.0-7.4.....	123	622	78.1	50	236	79.8	73	386	76.9
7.5-7.9.....	98	547	81.9	36	168	82.4	62	378	81.5
8.0-8.4.....	78	460	85.1	36	200	85.6	42	260	84.7
8.5-8.9.....	67	417	88.0	27	148	88.0	40	269	88.0
9.0-9.4.....	43	235	89.6	23	121	89.9	20	113	89.3
9.5-9.9.....	53	298	91.6	25	141	92.1	28	157	91.3
10.0-10.4.....	36	201	93.0	17	91	93.6	19	110	92.6
10.5-10.9.....	36	184	94.3	18	88	95.0	18	96	93.8
11.0-11.9.....	40	223	95.8	18	97	96.5	22	125	95.3
12.0-12.9.....	31	160	96.9	12	57	97.4	19	103	96.5
13.0-13.9.....	20	131	97.8	6	41	98.1	14	90	97.6
14.0 or more.....	58	315	100.0	22	122	100.0	36	193	100.0
Income below poverty level^{1/}									
Total.....	424	2,003	100.0	168	759	100.0	256	1,245	100.0
Less than .5.....	3	16	.8	-	-	-	3	16	1.3
.5-9.....	7	44	3.0	3	23	3.0	4	21	3.0
1.0-1.4.....	18	84	7.2	7	25	6.3	11	59	7.7
1.5-1.9.....	19	84	11.4	9	43	12.0	10	42	11.0
2.0-2.4.....	32	179	20.4	12	73	21.6	20	107	19.6
2.5-2.9.....	23	101	25.4	11	41	27.0	12	60	24.4
3.0-3.4.....	25	133	32.0	8	38	32.0	17	95	32.0
3.5-3.9.....	32	132	38.6	18	74	41.8	14	58	36.7
4.0-4.4.....	31	167	47.0	19	105	55.6	12	62	41.7
4.5-4.9.....	27	122	53.0	8	33	60.0	19	88	48.8
5.0-5.4.....	34	146	60.3	12	44	65.9	22	102	56.9
5.5-5.9.....	40	189	69.8	16	60	73.8	24	129	67.3
6.0-6.4.....	23	103	74.9	5	22	76.8	18	80	73.7
6.5-6.9.....	23	99	79.8	9	35	81.4	14	64	78.8
7.0-7.4.....	21	89	84.3	6	27	84.9	15	62	83.8
7.5-7.9.....	14	73	87.9	8	34	89.4	6	39	87.0
8.0-8.4.....	10	46	90.2	2	8	90.4	8	38	90.1
8.5-8.9.....	10	52	92.8	5	28	94.2	5	24	92.0
9.0-9.4.....	6	33	94.4	1	4	94.6	5	29	94.3
9.5-9.9.....	5	19	95.4	1	3	95.0	4	16	95.6
10.0-10.4.....	4	14	96.1	3	10	96.3	1	4	96.0
10.5-10.9.....	6	25	97.3	3	14	98.1	3	11	96.9
11.0-11.9.....	3	14	98.0	-	-	98.1	3	14	98.0
12.0-12.9.....	3	12	98.6	1	4	98.6	2	8	98.6
13.0-13.9.....	1	10	99.1	1	10	100.0	-	-	98.6
14.0 or more.....	4	17	100.0	-	-	100.0	4	17	100.0

See footnotes at end of table.

Table 3-195. Cumulative percent distribution of linoleic acid intake values in grams per 1,000 calories for persons aged 65-74 years by sex and income level: United States, 1976-80-Continued

Income level and linoleic acid in grams per 1,000 calories	Both sexes			Male			Female		
	Exam- ined persons	Esti- mated popula- tion in thou- sands	Cumulative percent	Exam- ined persons	Esti- mated popula- tion in thou- sands	Cumulative percent	Exam- ined persons	Esti- mated popula- tion in thou- sands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	2,067	11,819	100.0	987	5,312	100.0	1,080	6,508	100.0
Less than .5.....	5	36	.3	-	-	-	5	36	.6
.5-.9.....	19	119	1.3	9	55	1.0	10	63	1.5
1.0-1.4.....	38	213	3.1	11	60	2.2	27	154	3.9
1.5-1.9.....	70	384	6.4	36	182	5.6	34	202	7.0
2.0-2.4.....	95	553	11.0	47	279	10.8	48	274	11.2
2.5-2.9.....	141	822	18.0	70	393	18.2	71	429	17.8
3.0-3.4.....	150	849	25.2	84	450	26.7	66	399	23.9
3.5-3.9.....	177	1,035	33.9	88	470	35.5	89	565	32.6
4.0-4.4.....	161	930	41.8	81	442	43.9	80	488	40.1
4.5-4.9.....	158	923	49.6	76	430	52.0	82	493	47.7
5.0-5.4.....	152	840	56.7	68	337	58.3	84	504	55.4
5.5-5.9.....	130	716	62.8	67	334	64.6	63	381	61.3
6.0-6.4.....	111	681	68.5	58	347	71.1	53	335	66.4
6.5-6.9.....	100	540	73.1	44	217	75.2	56	322	71.4
7.0-7.4.....	98	511	77.4	44	209	79.1	54	302	76.0
7.5-7.9.....	81	456	81.3	27	128	81.6	54	328	81.1
8.0-8.4.....	66	401	84.7	34	193	85.2	32	208	84.3
8.5-8.9.....	52	336	87.5	22	120	87.4	30	216	87.6
9.0-9.4.....	32	175	89.0	21	114	89.6	11	61	88.5
9.5-9.9.....	46	261	91.2	24	138	92.2	22	123	90.4
10.0-10.4.....	30	177	92.7	13	77	93.6	17	99	91.9
10.5-10.9.....	27	130	93.8	14	64	94.8	13	65	93.0
11.0-11.9.....	34	198	95.5	16	89	96.5	18	108	94.6
12.0-12.9.....	28	148	96.7	11	53	97.5	17	95	96.1
13.0-13.9.....	17	112	97.7	3	23	98.0	14	90	97.5
14.0 or more.....	49	274	100.0	19	109	100.0	30	165	100.0

^{1/} Excludes unknown income.

Table 3-196. Cumulative percent distribution of cholesterol intake values in milligrams per 1,000 calories for persons aged 6-11 months by sex and income level: United States, 1976-80

Income level and cholesterol in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	356	1,599	100.0	179	819	100.0	177	780	100.0
Less than 20.....	38	189	11.8	19	94	11.5	19	95	12.2
20-39.....	28	119	19.2	13	64	19.3	15	55	19.2
40-59.....	35	158	29.1	23	104	32.0	12	54	26.1
60-79.....	30	155	38.8	16	78	41.6	14	76	35.9
80-99.....	24	93	44.6	12	41	46.6	12	52	42.5
100-109.....	11	38	47.0	5	18	48.8	6	20	45.0
110-119.....	9	32	49.0	6	22	51.5	3	11	46.4
120-129.....	13	66	53.1	6	40	56.3	7	26	49.8
130-139.....	22	90	58.8	9	42	61.5	13	48	55.9
140-149.....	13	46	61.6	7	27	64.8	6	19	58.3
150-159.....	8	43	64.4	6	36	69.2	2	7	59.3
160-169.....	6	25	65.9	3	13	70.8	3	12	60.7
170-179.....	7	49	69.0	4	35	75.1	3	14	62.5
180-189.....	8	35	71.2	4	15	77.0	4	20	65.0
190-199.....	2	5	71.5	-	-	77.0	2	5	65.7
200-219.....	10	45	74.3	6	27	80.3	4	18	68.0
220-239.....	6	29	76.1	1	6	81.0	5	23	70.9
240-259.....	4	28	77.9	2	9	82.1	2	20	73.4
260-279.....	7	32	79.8	4	15	84.0	3	16	75.5
280-299.....	8	42	82.5	3	13	85.6	5	29	79.2
300-349.....	16	68	86.8	4	16	87.6	12	52	85.9
350-399.....	11	48	89.8	4	14	89.3	7	34	90.2
400-499.....	19	73	94.3	10	35	93.6	9	38	95.0
500 or more.....	21	91	100.0	12	52	100.0	9	39	100.0
Income below poverty level^{1/}									
Total.....	84	315	100.0	48	177	100.0	36	138	100.0
Less than 20.....	8	33	10.3	*	*	*	*	*	*
20-39.....	8	30	19.9	*	*	*	*	*	*
40-59.....	3	11	23.4	*	*	*	*	*	*
60-79.....	6	28	32.3	*	*	*	*	*	*
80-99.....	4	12	36.0	*	*	*	*	*	*
100-109.....	4	11	39.5	*	*	*	*	*	*
110-119.....	7	25	47.4	*	*	*	*	*	*
120-129.....	2	11	50.8	*	*	*	*	*	*
130-139.....	2	8	53.2	*	*	*	*	*	*
140-149.....	2	5	54.8	*	*	*	*	*	*
150-159.....	2	7	57.0	*	*	*	*	*	*
160-169.....	3	12	60.7	*	*	*	*	*	*
170-179.....	-	-	60.7	*	*	*	*	*	*
180-189.....	3	13	64.7	*	*	*	*	*	*
190-199.....	-	-	64.7	*	*	*	*	*	*
200-219.....	4	10	68.0	*	*	*	*	*	*
220-239.....	1	4	69.1	*	*	*	*	*	*
240-259.....	-	-	69.1	*	*	*	*	*	*
260-279.....	3	12	72.9	*	*	*	*	*	*
280-299.....	1	5	74.4	*	*	*	*	*	*
300-349.....	6	23	81.9	*	*	*	*	*	*
350-399.....	3	16	86.8	*	*	*	*	*	*
400-499.....	5	19	93.0	*	*	*	*	*	*
500 or more.....	7	22	100.0	*	*	*	*	*	*

See footnotes at end of table.

Table 3-196. Cumulative percent distribution of cholesterol intake values in milligrams per 1,000 calories for persons aged 6-11 months by sex and income level: United States, 1976-80-Continued

Income level and cholesterol in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	256	1,226	100.0	121	614	100.0	135	612	100.0
Less than 20.....	30	156	12.7	15	77	12.6	15	79	12.9
20-39.....	18	83	19.5	6	38	18.7	12	45	20.3
40-59.....	31	145	31.3	21	98	34.6	10	47	28.0
60-79.....	24	127	41.6	11	55	43.6	13	72	39.6
80-99.....	19	72	47.5	9	34	49.2	10	38	45.8
100-109.....	7	27	49.7	2	10	50.8	5	17	48.7
110-119.....	2	7	50.3	2	7	52.0	-	-	48.7
120-129.....	10	51	54.5	4	27	56.4	6	24	52.5
130-139.....	20	82	61.2	8	37	62.5	12	45	59.9
140-149.....	10	40	64.4	5	23	66.2	5	17	62.6
150-159.....	4	32	67.0	3	29	70.9	1	3	63.1
160-169.....	3	13	68.0	2	9	72.4	1	3	63.7
170-179.....	7	49	72.0	4	35	78.1	3	14	65.9
180-189.....	5	23	73.9	3	12	80.1	2	11	67.6
190-199.....	2	5	74.3	-	-	80.1	2	5	68.5
200-219.....	5	30	76.8	3	19	83.2	2	11	70.3
220-239.....	5	25	78.8	1	6	84.2	4	19	73.4
240-259.....	4	28	81.1	2	9	85.6	2	20	76.6
260-279.....	4	20	82.7	1	3	86.1	3	16	79.3
280-299.....	7	37	85.8	3	13	88.3	4	24	83.2
300-349.....	9	39	88.9	3	14	90.6	6	25	87.3
350-399.....	5	23	90.8	2	8	91.9	3	15	89.7
400-499.....	12	50	94.9	4	16	94.5	8	34	95.2
500 or more.....	13	63	100.0	7	34	100.0	6	29	100.0

^{1/} Excludes unknown income.

Table 3-197. Cumulative percent distribution of cholesterol intake values in milligrams per 1,000 calories for persons aged 1-2 years by sex and income level: United States, 1976-80

Income level and cholesterol in milligrams per 1,000 calories	Both sexes			Male			Female		
	Exam-ined persons	Esti-mated population in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated population in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated population in thou-sands	Cumulative percent
	All incomes								
Total.....	1,417	6,078	100.0	745	3,107	100.0	672	2,970	100.0
Less than 20.....	20	100	1.6	8	43	1.4	12	57	1.9
20-39.....	41	190	4.8	19	78	3.9	22	112	5.7
40-59.....	98	439	12.0	56	250	11.9	42	189	12.0
60-79.....	159	718	23.8	86	394	24.6	73	324	22.9
80-99.....	197	886	38.4	112	495	40.5	85	392	36.1
100-109.....	76	317	43.6	37	144	45.2	39	173	41.9
110-119.....	68	308	48.6	39	160	50.3	29	148	46.9
120-129.....	70	271	53.1	36	136	54.7	34	135	51.5
130-139.....	68	278	57.7	35	136	59.0	33	141	56.2
140-149.....	45	197	60.9	25	108	62.5	20	88	59.2
150-159.....	32	127	63.0	18	67	64.7	14	60	61.2
160-169.....	23	108	64.8	10	53	66.4	13	55	63.1
170-179.....	21	84	66.1	10	39	67.6	11	45	64.6
180-189.....	23	91	67.6	15	59	69.5	8	33	65.7
190-199.....	13	45	68.4	7	23	70.2	6	22	66.4
200-219.....	26	106	70.1	13	47	71.8	13	59	68.4
220-239.....	40	153	72.6	20	77	74.2	20	76	71.0
240-259.....	39	178	75.6	29	135	78.6	10	43	72.4
260-279.....	36	132	77.7	16	49	80.1	20	83	75.2
280-299.....	36	148	80.2	17	75	82.6	19	73	77.7
300-349.....	79	352	86.0	38	164	87.8	41	189	84.0
350-399.....	59	223	89.6	35	132	92.1	24	91	87.1
400-499.....	92	386	96.0	42	167	97.5	50	219	94.5
500 or more.....	56	243	100.0	22	79	100.0	34	164	100.0
Income below poverty level^{1/}									
Total.....	323	1,163	100.0	170	601	100.0	153	562	100.0
Less than 20.....	2	11	.9	1	8	1.3	1	3	.5
20-39.....	9	37	4.1	3	10	3.0	6	27	5.2
40-59.....	10	32	6.8	5	16	5.8	5	15	7.9
60-79.....	27	103	15.7	16	57	15.3	11	46	16.1
80-99.....	32	125	26.4	18	61	25.5	14	64	27.4
100-109.....	12	47	30.5	6	22	29.3	6	25	31.8
110-119.....	11	45	34.4	7	25	33.4	4	20	35.4
120-129.....	20	64	39.9	8	23	37.2	12	41	42.7
130-139.....	19	74	46.3	9	39	43.8	10	35	48.9
140-149.....	10	38	49.5	5	18	46.8	5	20	52.5
150-159.....	8	26	51.7	5	16	49.4	3	10	54.3
160-169.....	4	16	53.1	2	11	51.2	2	5	55.2
170-179.....	9	32	55.9	3	7	52.3	6	25	59.7
180-189.....	8	34	58.8	7	31	57.4	1	3	60.3
190-199.....	4	15	60.1	2	7	58.6	2	8	61.7
200-219.....	5	12	61.2	3	6	59.6	2	6	62.8
220-239.....	8	22	63.1	2	5	60.5	6	17	65.8
240-259.....	9	42	66.7	7	32	65.9	2	10	67.5
260-279.....	13	35	69.8	7	19	69.1	6	16	70.5
280-299.....	12	48	73.9	5	22	72.8	7	26	75.0
300-349.....	20	74	80.2	9	39	79.3	11	35	81.3
350-399.....	25	80	87.1	14	44	86.5	11	36	87.7
400-499.....	30	100	95.7	15	46	94.1	15	54	97.4
500 or more.....	16	50	100.0	11	35	100.0	5	15	100.0

See footnotes at end of table.

Table 3-197. Cumulative percent distribution of cholesterol intake values in milligrams per 1,000 calories for persons aged 1-2 years by sex and income level: United States, 1976-80-Continued

Income level and cholesterol in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	1,056	4,767	100.0	551	2,416	100.0	505	2,351	100.0
Less than 20.....	18	89	1.9	7	35	1.5	11	54	2.3
20-39.....	32	153	5.1	16	68	4.3	16	85	5.9
40-59.....	87	405	13.6	50	231	13.8	37	174	13.3
60-79.....	131	606	26.3	69	328	27.4	62	278	25.1
80-99.....	157	731	41.6	88	411	44.4	69	321	38.8
100-109.....	61	260	47.1	28	111	49.0	33	148	45.1
110-119.....	56	257	52.5	31	130	54.4	25	128	50.5
120-129.....	49	205	56.8	27	111	59.0	22	94	54.5
130-139.....	47	197	60.9	25	94	62.9	22	103	58.9
140-149.....	34	151	64.1	20	90	66.6	14	61	61.5
150-159.....	22	95	66.1	12	49	68.6	10	46	63.4
160-169.....	18	89	67.9	7	39	70.3	11	50	65.6
170-179.....	12	52	69.0	7	32	71.6	5	20	66.4
180-189.....	14	55	70.2	7	26	72.7	7	29	67.7
190-199.....	9	30	70.8	5	15	73.3	4	14	68.3
200-219.....	20	89	72.7	9	36	74.8	11	53	70.5
220-239.....	31	123	75.3	17	64	77.4	14	59	73.0
240-259.....	27	121	77.8	20	90	81.2	7	30	74.3
260-279.....	23	97	79.8	9	30	82.4	14	66	77.1
280-299.....	24	100	81.9	12	53	84.6	12	48	79.2
300-349.....	54	258	87.3	28	122	89.7	26	136	84.9
350-399.....	33	135	90.2	21	89	93.4	12	46	86.9
400-499.....	58	277	96.0	25	117	98.2	33	160	93.7
500 or more.....	39	191	100.0	11	43	100.0	28	147	100.0

1/ Excludes unknown income.

Table 3-198. Cumulative percent distribution of cholesterol intake values in milligrams per 1,000 calories for persons aged 3-5 years by sex and income level: United States, 1976-80

Income level and cholesterol in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	2,345	9,186	100.0	1,219	4,695	100.0	1,126	4,491	100.0
Less than 20.....	17	66	.7	10	38	.8	7	28	.6
20-39.....	66	270	3.7	35	150	4.0	31	121	3.3
40-59.....	185	786	12.2	100	435	13.3	85	351	11.1
60-79.....	302	1,182	25.1	155	585	25.7	147	597	24.4
80-99.....	359	1,436	40.7	190	775	42.2	169	661	39.1
100-109.....	154	661	47.9	73	281	48.2	81	380	47.6
110-119.....	153	586	54.3	79	300	54.6	74	287	54.0
120-129.....	121	457	59.3	61	233	59.6	60	223	58.9
130-139.....	83	308	62.6	44	148	62.7	39	160	62.5
140-149.....	77	310	66.0	43	170	66.4	34	139	65.6
150-159.....	68	257	68.8	36	136	69.3	32	121	68.3
160-169.....	37	145	70.4	21	79	70.9	16	66	69.8
170-179.....	30	121	71.7	21	82	72.7	9	39	70.6
180-189.....	24	80	72.6	10	36	73.5	14	44	71.6
190-199.....	27	104	73.7	15	58	74.7	12	46	72.6
200-219.....	68	286	76.8	35	157	78.0	33	129	75.5
220-239.....	63	234	79.3	33	115	80.5	30	119	78.2
240-259.....	63	238	81.9	30	109	82.8	33	129	81.0
260-279.....	80	282	85.0	40	137	85.7	40	144	84.3
280-299.....	57	196	87.1	31	101	87.9	26	95	86.4
300-349.....	112	450	92.0	54	210	92.4	58	240	91.7
350-399.....	69	244	94.7	40	142	95.4	29	101	94.0
400-499.....	75	280	97.8	36	125	98.0	39	156	97.4
500 or more.....	55	207	100.0	27	92	100.0	28	115	100.0
Income below poverty level^{1/}									
Total.....	570	1,855	100.0	298	910	100.0	272	945	100.0
Less than 20.....	2	8	.4	1	5	.6	1	3	.3
20-39.....	13	48	3.1	7	26	3.4	6	23	2.7
40-59.....	29	90	7.9	18	58	9.8	11	32	6.1
60-79.....	60	187	18.0	29	76	18.1	31	111	17.9
80-99.....	69	222	30.0	36	123	31.7	33	99	28.3
100-109.....	38	130	37.0	20	66	38.9	18	64	35.1
110-119.....	38	134	44.2	21	75	47.2	17	59	41.3
120-129.....	33	99	49.5	19	54	53.2	14	45	46.1
130-139.....	22	61	52.8	13	33	56.8	9	28	49.1
140-149.....	22	69	56.6	13	41	61.3	9	28	52.0
150-159.....	22	76	60.6	9	22	63.7	13	54	57.7
160-169.....	9	34	62.5	4	10	64.8	5	24	60.2
170-179.....	7	26	63.9	6	22	67.3	1	4	60.6
180-189.....	6	19	64.9	1	6	67.9	5	14	62.0
190-199.....	7	23	66.1	3	8	68.8	4	14	63.6
200-219.....	20	66	69.7	9	28	71.8	11	38	67.6
220-239.....	18	67	73.3	12	40	76.2	6	27	70.5
240-259.....	12	49	75.9	8	33	79.8	4	16	72.1
260-279.....	28	94	81.0	11	35	83.7	17	59	78.4
280-299.....	19	56	84.0	11	27	86.7	8	29	81.4
300-349.....	27	81	88.4	13	37	90.7	14	44	86.1
350-399.....	23	61	91.7	11	28	93.8	12	33	89.7
400-499.....	26	91	96.6	11	30	97.0	15	61	96.1
500 or more.....	20	63	100.0	12	27	100.0	8	36	100.0

See footnotes at end of table.

Table 3-198. Cumulative percent distribution of cholesterol intake values in milligrams per 1,000 calories for persons aged 3-5 years by sex and income level: United States, 1976-80-Continued

Income level and cholesterol in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	1,707	7,102	100.0	892	3,683	100.0	815	3,419	100.0
Less than 20.....	15	58	.8	9	33	.9	6	25	.7
20-39.....	50	216	3.8	28	124	4.3	22	92	3.4
40-59.....	151	683	13.5	80	373	14.4	71	310	12.5
60-79.....	235	971	27.1	125	506	28.1	110	465	26.1
80-99.....	280	1,185	43.8	151	645	45.7	129	540	41.9
100-109.....	111	513	51.0	51	208	51.3	60	305	50.8
110-119.....	109	426	57.0	55	210	57.0	54	216	57.1
120-129.....	85	347	61.9	40	171	61.7	45	176	62.2
130-139.....	59	241	65.3	30	113	64.7	29	128	66.0
140-149.....	54	236	68.7	29	125	68.1	25	111	69.2
150-159.....	46	182	71.2	27	114	71.2	19	67	71.2
160-169.....	27	108	72.7	16	66	73.0	11	42	72.4
170-179.....	20	80	73.8	14	53	74.4	6	27	73.2
180-189.....	17	58	74.7	8	28	75.2	9	30	74.1
190-199.....	19	76	75.7	11	44	76.4	8	32	75.0
200-219.....	47	218	78.8	26	129	79.9	21	89	77.6
220-239.....	42	158	81.0	19	67	81.7	23	90	80.3
240-259.....	51	189	83.7	22	76	83.8	29	113	83.6
260-279.....	51	184	86.3	29	102	86.6	22	82	86.0
280-299.....	37	137	88.2	20	74	88.6	17	62	87.8
300-349.....	80	354	93.2	39	168	93.1	41	187	93.3
350-399.....	44	178	95.7	27	110	96.1	17	68	95.3
400-499.....	45	177	98.2	22	85	98.4	23	92	97.9
500 or more.....	32	128	100.0	14	57	100.0	18	70	100.0

^{1/} Excludes unknown income.

Table 3-199. Cumulative percent distribution of cholesterol intake values in milligrams per 1,000 calories for persons aged 6-8 years by sex and income level: United States, 1976-80

Income level and cholesterol in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	843	10,213	100.0	428	5,336	100.0	415	4,877	100.0
Less than 20.....	4	54	.5	3	41	.8	1	14	.3
20-39.....	25	303	3.5	11	97	2.6	14	206	4.5
40-59.....	56	697	10.3	24	316	8.5	32	381	12.3
60-79.....	100	1,218	22.3	44	623	20.2	56	595	24.5
80-99.....	133	1,656	38.5	61	745	34.1	72	911	43.2
100-109.....	60	761	45.9	39	517	43.8	21	244	48.2
110-119.....	50	569	51.5	24	301	49.5	26	268	53.7
120-129.....	65	759	58.9	30	340	55.9	35	418	62.3
130-139.....	56	720	66.0	28	383	63.0	28	337	69.2
140-149.....	38	421	70.1	21	208	66.9	17	213	73.5
150-159.....	30	308	73.1	15	178	70.3	15	129	76.2
160-169.....	17	207	75.1	10	119	72.5	7	88	78.0
170-179.....	11	133	76.4	5	63	73.7	6	70	79.4
180-189.....	6	90	77.3	3	55	74.7	3	36	80.2
190-199.....	11	155	78.8	7	107	76.7	4	48	81.2
200-219.....	25	358	82.3	19	251	81.4	6	107	83.3
220-239.....	20	210	84.4	12	133	83.9	8	77	84.9
240-259.....	28	293	87.3	19	212	87.9	9	81	86.6
260-279.....	15	197	89.2	5	56	89.0	10	141	89.5
280-299.....	15	171	90.9	7	94	90.7	8	77	91.1
300-349.....	31	321	94.0	19	213	94.7	12	108	93.3
350-399.....	24	326	97.2	12	167	97.8	12	159	96.5
400-499.....	16	201	99.2	8	89	99.5	8	112	98.8
500 or more.....	7	82	100.0	2	26	100.0	5	57	100.0
Income below poverty level^{1/}									
Total.....	177	1,769	100.0	82	900	100.0	95	869	100.0
Less than 20.....	-	-	-	-	-	-	-	-	-
20-39.....	3	38	2.1	3	38	4.2	-	-	-
40-59.....	7	64	5.8	-	-	4.2	7	64	7.4
60-79.....	19	161	14.9	3	29	7.4	16	132	22.6
80-99.....	30	348	34.5	17	215	31.3	13	133	37.9
100-109.....	11	101	40.3	6	58	37.8	5	43	42.9
110-119.....	11	113	46.7	5	57	44.2	6	56	49.3
120-129.....	18	173	56.5	8	79	52.9	10	95	60.2
130-139.....	9	80	61.0	5	43	57.6	4	38	64.6
140-149.....	7	77	65.4	2	19	59.7	5	58	71.3
150-159.....	9	81	70.0	6	62	66.5	3	20	73.5
160-169.....	3	29	71.6	-	-	66.5	3	29	76.8
170-179.....	3	31	73.4	-	-	66.5	3	31	80.4
180-189.....	2	50	76.2	1	40	70.9	1	10	81.6
190-199.....	3	24	77.5	2	16	72.7	1	8	82.5
200-219.....	5	60	80.9	5	60	79.4	-	-	82.5
220-239.....	6	58	84.2	5	51	85.1	1	7	83.3
240-259.....	7	58	87.5	4	38	89.3	3	20	85.7
260-279.....	2	16	88.4	1	6	90.0	1	10	86.9
280-299.....	2	22	89.7	1	12	91.2	1	11	88.1
300-349.....	9	74	93.9	4	36	95.3	5	38	92.4
350-399.....	6	59	97.2	2	22	97.8	4	37	96.6
400-499.....	2	21	98.4	1	6	98.5	1	15	98.3
500 or more.....	3	29	100.0	1	14	100.0	2	15	100.0

See footnotes at end of table.

Table 3-199. Cumulative percent distribution of cholesterol intake values in milligrams per 1,000 calories for persons aged 6-8 years by sex and income level: United States, 1976-80-Continued

Income level and cholesterol in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	644	8,118	100.0	336	4,254	100.0 ^e	308	3,864	100.0
Less than 20.....	4	54	.7	3	41	1.0	1	14	.3
20-39.....	22	266	3.9	8	60	2.4	14	206	5.7
40-59.....	47	603	11.4	23	304	9.5	24	299	13.4
60-79.....	78	1,026	24.0	39	574	23.0	39	452	25.1
80-99.....	99	1,231	39.2	42	481	34.3	57	749	44.5
100-109.....	49	660	47.3	33	459	45.1	16	201	49.7
110-119.....	38	451	52.8	19	244	50.8	19	207	55.0
120-129.....	46	578	60.0	22	262	57.0	24	316	63.2
130-139.....	43	580	67.1	22	313	64.4	21	266	70.1
140-149.....	30	321	71.0	19	189	68.8	11	132	73.5
150-159.....	20	219	73.8	9	117	71.5	11	103	76.2
160-169.....	14	178	75.9	10	119	74.3	4	59	77.7
170-179.....	8	102	77.2	5	63	75.8	3	39	78.7
180-189.....	3	33	77.6	1	8	76.0	2	26	79.4
190-199.....	7	110	79.0	4	70	77.7	3	40	80.4
200-219.....	19	276	82.4	13	169	81.6	6	107	83.2
220-239.....	13	141	84.1	7	82	83.6	6	59	84.7
240-259.....	21	235	87.0	15	174	87.6	6	61	86.3
260-279.....	13	181	89.2	4	50	88.8	9	131	89.7
280-299.....	13	149	91.1	6	82	90.8	7	66	91.4
300-349.....	21	224	93.8	14	153	94.4	7	71	93.2
350-399.....	18	267	97.1	10	145	97.8	8	122	96.4
400-499.....	14	181	99.3	7	83	99.7	7	98	98.9
500 or more.....	4	54	100.0	1	12	100.0	3	42	100.0

^{1/} Excludes unknown income.

Table 3-200. Cumulative percent distribution of cholesterol intake values in milligrams per 1,000 calories for persons aged 9-11 years by sex and income level: United States, 1976-80

Income level and cholesterol in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	882	10,667	100.0	457	5,310	100.0	425	5,357	100.0
Less than 20.....	3	23	.2	1	6	.1	2	17	.3
20-39.....	18	212	2.2	7	93	1.9	11	119	2.5
40-59.....	60	760	9.3	30	343	8.3	30	416	10.3
60-79.....	132	1,606	24.4	66	778	23.0	66	828	25.8
80-99.....	127	1,513	38.6	61	678	35.8	66	834	41.3
100-109.....	67	803	46.1	35	424	43.8	32	379	48.4
110-119.....	65	780	53.4	36	454	52.3	29	325	54.5
120-129.....	64	729	60.2	29	296	57.9	35	432	62.6
130-139.....	57	795	67.7	36	451	66.4	21	344	69.0
140-149.....	42	516	72.5	25	312	72.3	17	204	72.8
150-159.....	30	409	76.3	20	271	77.4	10	137	75.4
160-169.....	23	267	78.9	11	127	79.7	12	141	78.0
170-179.....	16	178	80.5	6	46	80.6	10	131	80.4
180-189.....	13	174	82.2	5	61	81.8	8	113	82.5
190-199.....	20	218	84.2	12	115	83.9	8	103	84.5
200-219.....	13	178	85.9	5	52	84.9	8	125	86.8
220-239.....	20	258	88.3	10	143	87.6	10	115	89.0
240-259.....	18	204	90.2	11	128	90.0	7	76	90.4
260-279.....	13	187	91.9	7	73	91.4	6	114	92.5
280-299.....	21	238	94.2	10	98	93.2	11	140	95.1
300-349.....	21	231	96.4	13	135	95.8	8	96	96.9
350-399.....	14	159	97.8	10	120	98.0	4	39	97.7
400-499.....	13	129	99.0	3	35	98.7	10	93	99.4
500 or more.....	12	101	100.0	8	69	100.0	4	32	100.0
Income below poverty level^{1/}									
Total.....	190	1,967	100.0	88	854	100.0	102	1,113	100.0
Less than 20.....	1	6	.3	1	6	.8	-	-	-
20-39.....	5	52	3.0	1	15	2.5	4	37	3.3
40-59.....	9	109	8.5	4	37	6.9	5	72	9.8
60-79.....	16	180	17.7	7	80	16.3	9	100	18.8
80-99.....	29	319	33.9	13	125	31.0	16	193	36.2
100-109.....	14	154	41.7	5	55	37.4	9	99	45.0
110-119.....	14	133	48.5	4	44	42.6	10	90	53.1
120-129.....	16	152	56.2	6	47	48.0	10	105	62.5
130-139.....	8	79	60.2	4	39	52.6	4	40	66.1
140-149.....	7	76	64.1	4	44	57.8	3	32	68.9
150-159.....	5	46	66.4	4	37	62.1	1	9	69.8
160-169.....	9	76	70.3	6	46	67.5	3	30	72.5
170-179.....	5	52	73.0	2	17	69.4	3	36	75.7
180-189.....	2	29	74.4	1	10	70.6	1	19	77.4
190-199.....	8	90	79.0	5	51	76.5	3	39	80.9
200-219.....	2	22	80.1	1	6	77.2	1	16	82.3
220-239.....	10	100	85.2	4	39	81.8	6	61	87.8
240-259.....	5	40	87.2	2	14	83.4	3	26	90.1
260-279.....	5	60	90.2	3	35	87.5	2	25	92.3
280-299.....	4	34	91.9	2	20	89.8	2	14	93.6
300-349.....	4	28	93.3	3	19	92.0	1	8	94.4
350-399.....	3	40	95.4	2	28	95.3	1	12	95.4
400-499.....	6	72	99.0	2	29	98.8	4	43	99.3
500 or more.....	3	19	100.0	2	11	100.0	1	8	100.0

See footnotes at end of table.

Table 3-200. Cumulative percent distribution of cholesterol intake values in milligrams per 1,000 calories for persons aged 9-11 years by sex and income level: United States, 1976-80-Continued

Income level and cholesterol in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	663	8,370	100.0	356	4,321	100.0	307	4,049	100.0
Less than 20.....	2	17	.2	-	-	-	2	17	.4
20-39.....	13	160	2.1	6	78	1.8	7	82	2.4
40-59.....	51	651	9.9	26	306	8.9	25	344	10.9
60-79.....	109	1,362	26.2	55	671	24.4	54	691	28.0
80-99.....	94	1,139	39.8	48	553	37.2	46	586	42.5
100-109.....	52	638	47.4	29	358	45.5	23	280	49.4
110-119.....	47	597	54.5	30	383	54.4	17	214	54.7
120-129.....	46	553	61.1	22	235	59.8	24	318	62.5
130-139.....	47	694	69.4	30	390	68.8	17	304	70.0
140-149.....	33	417	74.4	20	258	74.8	13	159	74.0
150-159.....	24	347	78.5	15	218	79.8	9	128	77.1
160-169.....	14	191	80.8	5	81	81.7	9	111	79.9
170-179.....	11	125	82.3	4	30	82.4	7	96	82.2
180-189.....	11	145	84.1	4	51	83.6	7	95	84.6
190-199.....	12	129	85.6	7	65	85.1	5	64	86.2
200-219.....	10	133	87.2	4	47	86.1	6	86	88.3
220-239.....	10	158	89.1	6	104	88.5	4	54	89.6
240-259.....	13	164	91.0	9	114	91.2	4	50	90.9
260-279.....	8	127	92.6	4	38	92.1	4	89	93.1
280-299.....	17	205	95.0	8	79	93.9	9	126	96.2
300-349.....	15	187	97.2	10	115	96.6	5	72	98.0
350-399.....	9	100	98.4	7	84	98.5	2	16	98.4
400-499.....	6	48	99.0	1	6	98.6	5	42	99.4
500 or more.....	9	83	100.0	6	59	100.0	3	24	100.0

1/ Excludes unknown income.

Table 3-201. Cumulative percent distribution of cholesterol intake values in milligrams per 1,000 calories for persons aged 12-14 years by sex and income level: United States, 1976-80

Income level and cholesterol in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	991	11,632	100.0	504	5,920	100.0	487	5,712	100.0
Less than 20.....	10	123	1.1	2	23	.4	8	100	1.8
20-39.....	26	324	3.8	11	116	2.3	15	209	5.4
40-59.....	63	722	10.0	28	336	8.0	35	386	12.2
60-79.....	143	1,706	24.7	74	859	22.5	69	846	27.0
80-99.....	137	1,622	38.7	72	873	37.3	65	749	40.1
100-109.....	76	946	46.8	38	479	45.4	38	467	48.3
110-119.....	69	803	53.7	33	399	52.1	36	404	55.3
120-129.....	64	745	60.1	34	361	58.2	30	385	62.1
130-139.....	60	728	66.3	34	428	65.4	26	299	67.3
140-149.....	42	512	70.8	22	279	70.1	20	234	71.4
150-159.....	27	312	73.4	13	137	72.5	14	175	74.5
160-169.....	29	360	76.5	17	212	76.0	12	148	77.1
170-179.....	26	323	79.3	15	196	79.3	11	127	79.3
180-189.....	20	247	81.4	7	99	81.0	13	148	81.9
190-199.....	13	141	82.6	5	41	81.7	8	99	83.6
200-219.....	22	258	84.9	13	165	84.5	9	93	85.2
220-239.....	22	234	86.9	10	87	86.0	12	147	87.8
240-259.....	21	245	89.0	9	112	87.9	12	133	90.1
260-279.....	14	151	90.3	7	55	88.8	7	96	91.8
280-299.....	16	160	91.6	7	81	90.2	9	79	93.2
300-349.....	27	294	94.2	16	174	93.1	11	119	95.3
350-399.....	27	285	96.6	14	145	95.6	13	139	97.7
400-499.....	20	224	98.5	13	159	98.3	7	65	98.9
500 or more.....	17	168	100.0	10	103	100.0	7	65	100.0
Income below poverty level^{1/}									
Total.....	193	1,963	100.0	89	891	100.0	104	1,072	100.0
Less than 20.....	5	73	3.7	-	-	-	5	73	6.8
20-39.....	2	20	4.8	-	-	-	2	20	8.7
40-59.....	18	205	15.2	7	86	9.6	11	119	19.8
60-79.....	20	176	24.2	8	65	17.0	12	111	30.2
80-99.....	28	283	38.6	15	138	32.4	13	145	43.7
100-109.....	6	67	42.0	2	19	34.5	4	48	48.2
110-119.....	10	89	46.5	4	37	38.6	6	52	53.0
120-129.....	8	80	50.6	4	32	42.2	4	48	57.5
130-139.....	11	127	57.0	3	52	48.1	8	75	64.5
140-149.....	8	123	63.3	5	72	56.1	3	51	69.2
150-159.....	5	39	65.3	2	17	58.0	3	23	71.3
160-169.....	6	50	67.8	3	29	61.3	3	21	73.3
170-179.....	6	63	71.1	4	47	66.6	2	16	74.8
180-189.....	7	64	74.3	3	35	70.6	4	29	77.5
190-199.....	3	24	75.6	1	8	71.5	2	16	78.9
200-219.....	7	68	79.0	4	45	76.5	3	23	81.1
220-239.....	8	73	82.7	5	39	80.9	3	34	84.2
240-259.....	4	45	85.0	3	38	85.3	1	7	84.8
260-279.....	2	30	86.5	1	5	85.9	1	24	87.1
280-299.....	4	34	88.3	1	7	86.7	3	27	89.6
300-349.....	5	43	90.5	2	15	88.3	3	28	92.2
350-399.....	5	59	93.5	3	34	92.2	2	25	94.5
400-499.....	7	62	96.7	5	35	96.1	2	27	97.1
500 or more.....	8	66	100.0	4	34	100.0	4	31	100.0

See footnotes at end of table.

Table 3-201. Cumulative percent distribution of cholesterol intake values in milligrams per 1,000 calories for persons aged 12-14 years by sex and income level: United States, 1976-80-Continued

Income level and cholesterol in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	762	9,255	100.0	399	4,841	100.0	363	4,414	100.0
Less than 20.....	5	50	.5	2	23	.5	3	26	.6
20-39.....	23	295	3.7	11	116	2.9	12	179	4.7
40-59.....	43	495	9.1	20	240	7.8	23	255	10.4
60-79.....	118	1,479	25.1	64	775	23.8	54	704	26.4
80-99.....	104	1,284	38.9	54	709	38.5	50	575	39.4
100-109.....	68	838	48.0	35	437	47.5	33	401	48.5
110-119.....	55	674	55.3	27	338	54.5	28	336	56.1
120-129.....	53	630	62.1	29	316	61.0	24	313	63.2
130-139.....	48	593	68.5	31	376	68.8	17	217	68.1
140-149.....	32	356	72.3	17	207	73.1	15	149	71.5
150-159.....	22	273	75.3	11	120	75.6	11	153	74.9
160-169.....	22	302	78.5	13	175	79.2	9	127	77.8
170-179.....	19	242	81.1	11	148	82.2	8	93	79.9
180-189.....	12	157	82.8	3	37	83.0	9	119	82.6
190-199.....	10	117	84.1	4	33	83.7	6	83	84.5
200-219.....	15	190	86.1	9	120	86.2	6	70	86.1
220-239.....	13	154	87.8	5	48	87.1	8	106	88.5
240-259.....	17	200	90.0	6	74	88.7	11	127	91.4
260-279.....	11	114	91.2	6	50	89.7	5	64	92.8
280-299.....	11	119	92.5	6	74	91.2	5	45	93.9
300-349.....	20	229	95.0	12	138	94.1	8	91	95.9
350-399.....	20	213	97.3	10	105	96.2	10	109	98.4
400-499.....	13	162	99.0	8	124	98.8	5	37	99.2
500 or more.....	8	91	100.0	5	58	100.0	3	34	100.0

1/ Excludes unknown income.

Table 3-202. Cumulative percent distribution of cholesterol intake values in milligrams per 1,000 calories for persons aged 15-17 years by sex and income level: United States, 1976-80

Income level and cholesterol in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	1,983	12,441	100.0	1,534	6,309	100.0	449	6,131	100.0
Less than 20.....	7	76	.6	2	20	.3	5	56	.9
20-39.....	32	458	4.3	13	163	2.9	19	295	5.7
40-59.....	57	709	10.0	29	371	8.8	28	338	11.2
60-79.....	102	1,256	20.1	53	574	17.9	49	681	22.3
80-99.....	145	1,870	35.1	73	895	32.1	72	974	38.2
100-109.....	95	1,127	44.2	45	474	39.6	50	653	48.9
110-119.....	70	884	51.3	44	538	48.1	26	347	54.5
120-129.....	64	826	57.9	36	468	55.5	28	358	60.4
130-139.....	54	669	63.3	30	357	61.2	24	312	65.5
140-149.....	58	696	68.9	35	402	67.5	23	293	70.3
150-159.....	40	542	73.2	26	306	72.4	14	236	74.1
160-169.....	35	464	77.0	23	273	76.7	12	191	77.2
170-179.....	23	265	79.1	10	116	78.5	13	149	79.7
180-189.....	15	222	80.9	8	111	80.3	7	111	81.5
190-199.....	14	150	82.1	8	68	81.4	6	83	82.8
200-219.....	22	295	84.5	13	176	84.2	9	120	84.8
220-239.....	29	344	87.2	17	166	86.8	12	178	87.7
240-259.....	13	203	88.9	9	128	88.8	4	75	88.9
260-279.....	18	240	90.8	11	140	91.1	7	100	90.5
280-299.....	11	133	91.9	5	66	92.1	6	68	91.6
300-349.....	24	347	94.7	14	174	94.9	10	173	94.4
350-399.....	19	229	96.5	10	119	96.8	9	110	96.2
400-499.....	20	237	98.4	13	130	98.8	7	107	98.0
500 or more.....	16	199	100.0	7	75	100.0	9	124	100.0
Income below poverty level^{2/}									
Total.....	177	2,073	100.0	89	974	100.0	88	1,099	100.0
Less than 20.....	2	30	1.4	-	-	-	2	30	2.7
20-39.....	10	153	8.8	3	61	6.3	7	92	11.1
40-59.....	9	86	13.0	4	35	9.9	5	51	15.7
60-79.....	16	192	22.2	8	82	18.3	8	110	25.7
80-99.....	22	247	34.2	9	95	28.0	13	152	39.6
100-109.....	17	167	42.2	5	41	32.2	12	127	51.1
110-119.....	14	180	50.9	7	63	38.6	7	117	61.7
120-129.....	12	148	58.0	6	94	48.2	6	54	66.6
130-139.....	11	135	64.5	7	85	57.0	4	50	71.2
140-149.....	7	59	67.4	5	42	61.3	2	18	72.8
150-159.....	5	54	70.0	2	21	63.5	3	33	75.7
160-169.....	4	40	71.9	3	28	66.3	1	12	76.8
170-179.....	1	14	72.6	-	-	66.3	1	14	78.1
180-189.....	1	10	73.1	1	10	67.4	-	-	78.1
190-199.....	5	44	75.2	4	35	71.0	1	9	78.9
200-219.....	7	83	79.2	6	75	78.7	1	8	79.6
220-239.....	4	46	81.4	2	16	80.3	2	31	82.4
240-259.....	4	76	85.1	2	40	84.4	2	35	85.6
260-279.....	6	78	88.8	4	57	90.3	2	21	87.5
280-299.....	-	-	88.8	-	-	90.3	-	-	87.5
300-349.....	1	9	89.3	1	9	91.2	-	-	87.5
350-399.....	6	51	91.7	3	24	93.6	3	27	90.0
400-499.....	9	126	97.8	5	44	98.2	4	82	97.5
500 or more.....	4	45	100.0	2	18	100.0	2	28	100.0

See footnotes at end of table.

Table 3-202. Cumulative percent distribution of cholesterol intake values in milligrams per 1,000 calories for persons aged 15-17 years by sex and income level: United States, 1976-80-Continued

Income level and cholesterol in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{2/}									
Total.....	1,759	9,750	100.0	1,417	4,992	100.0	342	4,758	100.0
Less than 20.....	4	35	.4	1	9	.2	3	26	.5
20-39.....	21	263	3.1	10	102	2.2	11	161	3.9
40-59.....	48	623	9.4	25	335	8.9	23	287	10.0
60-79.....	82	1,007	19.8	43	460	18.2	39	547	21.5
80-99.....	116	1,528	35.4	61	756	33.3	55	772	37.7
100-109.....	75	928	45.0	38	412	41.5	37	516	48.6
110-119.....	52	642	51.5	34	425	50.0	18	217	53.1
120-129.....	49	653	58.3	28	358	57.2	21	296	59.3
130-139.....	40	500	63.4	20	237	62.0	20	262	64.9
140-149.....	50	627	69.8	29	352	69.0	21	276	70.7
150-159.....	32	456	74.5	21	252	74.1	11	204	74.9
160-169.....	28	399	78.6	18	229	78.6	10	171	78.5
170-179.....	19	212	80.8	9	103	80.7	10	109	80.8
180-189.....	14	212	82.9	7	101	82.7	7	111	83.1
190-199.....	7	72	83.7	3	24	83.2	4	47	84.1
200-219.....	15	212	85.8	7	101	85.2	8	111	86.5
220-239.....	22	259	88.5	14	138	88.0	8	121	89.0
240-259.....	9	128	89.8	7	88	89.8	2	40	89.8
260-279.....	12	163	91.5	7	84	91.4	5	79	91.5
280-299.....	10	122	92.7	5	66	92.8	5	56	92.7
300-349.....	21	309	95.9	12	152	95.8	9	157	96.0
350-399.....	12	165	97.6	7	96	97.7	5	70	97.5
400-499.....	9	82	98.4	6	57	98.9	3	25	98.0
500 or more.....	12	153	100.0	5	57	100.0	7	96	100.0

1/ Excludes 1 examined person with zero calories.

2/ Excludes unknown income.

Table 3-203. Cumulative percent distribution of cholesterol intake values in milligrams per 1,000 calories for persons aged 18-24 years by sex and income level: United States, 1976-80

Income level and cholesterol in milligrams per 1,000 calories	Both sexes			Male			Female		
	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent	Exam-ined persons	Esti-mated popula-tion in thou-sands	Cumulative percent
All incomes									
Total.....	1/2,053	27,439	100.0	988	13,275	100.0	1/1,065	14,164	100.0
Less than 20.....	25	308	1.1	6	90	.7	19	218	1.5
20-39.....	69	994	4.8	26	328	3.1	43	667	6.2
40-59.....	136	1,736	11.1	53	675	8.2	83	1,061	13.7
60-79.....	223	2,811	21.3	97	1,252	17.7	126	1,559	24.7
80-99.....	273	3,669	34.7	134	1,847	31.6	139	1,822	37.6
100-109.....	113	1,454	40.0	65	885	38.2	48	569	41.6
110-119.....	126	1,763	46.4	69	967	45.5	57	795	47.2
120-129.....	119	1,662	52.5	64	952	52.7	55	710	52.3
130-139.....	108	1,538	58.1	47	618	57.3	61	920	58.8
140-149.....	85	1,174	62.3	43	598	61.9	42	576	62.8
150-159.....	88	1,133	66.5	36	487	65.5	52	646	67.4
160-169.....	59	760	69.3	34	430	68.8	25	330	69.7
170-179.....	45	611	71.5	23	307	71.1	22	305	71.9
180-189.....	45	571	73.6	20	255	73.0	25	317	74.1
190-199.....	32	408	75.0	19	232	74.8	13	177	75.3
200-219.....	66	940	78.5	31	402	77.8	35	538	79.1
220-239.....	50	659	80.9	33	443	81.1	17	217	80.7
240-259.....	49	657	83.3	29	378	84.0	20	279	82.6
260-279.....	41	550	85.3	20	312	86.3	21	238	84.3
280-299.....	50	659	87.7	30	384	89.2	20	276	86.3
300-349.....	85	1,146	91.9	48	624	93.9	37	522	89.9
350-399.....	58	830	94.9	26	337	96.4	32	492	93.4
400-499.....	54	759	97.6	21	313	98.8	33	446	96.6
500 or more.....	54	645	100.0	14	160	100.0	40	485	100.0
Income below poverty level ^{2/}									
Total.....	1/430	5,300	100.0	178	2,237	100.0	1/252	3,063	100.0
Less than 20.....	7	71	1.3	-	-	-	7	71	2.3
20-39.....	17	278	6.6	9	116	5.2	8	162	7.6
40-59.....	30	380	13.7	5	56	7.7	25	324	18.2
60-79.....	46	513	23.4	20	252	18.9	26	261	26.7
80-99.....	53	644	35.6	23	275	31.2	30	369	38.7
100-109.....	22	226	39.8	10	90	35.3	12	136	43.2
110-119.....	21	268	44.9	12	146	41.8	9	122	47.2
120-129.....	16	238	49.4	10	155	48.7	6	83	49.9
130-139.....	18	210	53.3	7	82	52.4	11	128	54.1
140-149.....	17	213	57.4	6	70	55.5	11	143	58.7
150-159.....	14	149	60.2	4	48	57.6	10	101	62.0
160-169.....	14	173	63.4	9	106	62.4	5	67	64.2
170-179.....	9	111	65.5	3	37	64.0	6	74	66.6
180-189.....	11	130	68.0	4	44	66.0	7	86	69.4
190-199.....	7	78	69.5	3	41	67.8	4	37	70.6
200-219.....	11	129	71.9	3	28	69.1	8	101	73.9
220-239.....	13	164	75.0	5	73	72.3	8	91	76.9
240-259.....	12	162	78.0	8	114	77.4	4	48	78.5
260-279.....	12	156	81.0	7	99	81.9	5	57	80.3
280-299.....	10	112	83.1	4	55	84.3	6	57	82.2
300-349.....	22	266	88.1	12	146	90.9	10	120	86.1
350-399.....	12	186	91.6	6	88	94.8	6	98	89.3
400-499.....	20	269	96.7	6	86	98.6	14	183	95.3
500 or more.....	16	175	100.0	2	30	100.0	14	145	100.0

See footnotes at end of table.

Table 3-203. Cumulative percent distribution of cholesterol intake values in milligrams per 1,000 calories for persons aged 18-24 years by sex and income level: United States, 1976-80-Continued

Income level and cholesterol in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{2/}									
Total.....	1,541	21,013	100.0	770	10,508	100.0	771	10,505	100.0
Less than 20.....	16	216	1.0	6	90	.9	10	125	1.2
20-39.....	50	688	4.3	17	212	2.9	33	476	5.7
40-59.....	102	1,291	10.4	47	591	8.5	55	699	12.4
60-79.....	169	2,181	20.8	73	939	17.4	96	1,242	24.2
80-99.....	214	2,960	34.9	109	1,551	32.2	105	1,408	37.6
100-109.....	86	1,148	40.4	53	767	39.5	33	381	41.2
110-119.....	97	1,398	47.0	53	762	46.8	44	636	47.3
120-129.....	96	1,342	53.4	48	722	53.6	48	620	53.2
130-139.....	85	1,233	59.3	38	514	58.5	47	720	60.0
140-149.....	63	892	63.5	34	476	63.0	29	416	64.0
150-159.....	73	977	68.2	32	439	67.2	41	538	69.1
160-169.....	43	567	70.9	24	315	70.2	19	252	71.5
170-179.....	34	476	73.1	19	257	72.7	15	218	73.6
180-189.....	31	411	75.1	13	180	74.4	18	231	75.8
190-199.....	24	313	76.6	15	174	76.0	9	140	77.1
200-219.....	50	742	80.1	27	363	79.5	23	379	80.7
220-239.....	34	462	82.3	25	336	82.7	9	126	81.9
240-259.....	36	483	84.6	20	252	85.1	16	231	84.1
260-279.....	26	344	86.3	11	182	86.8	15	162	85.7
280-299.....	39	538	88.8	25	319	89.8	14	219	87.8
300-349.....	61	861	92.9	35	469	94.3	26	392	91.5
350-399.....	43	592	95.7	19	240	96.6	24	351	94.8
400-499.....	31	429	97.8	15	227	98.8	16	202	96.8
500 or more.....	38	470	100.0	12	129	100.0	26	341	100.0

1/ Excludes 1 examined person with zero calories.

2/ Excludes unknown income.

Table 3-204. Cumulative percent distribution of cholesterol intake values in milligrams per 1,000 calories for persons aged 25-34 years by sex and income level: United States, 1976-80

Income level and cholesterol in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	1/2,236	32,739	100.0	1,067	15,895	100.0	1/1,169	16,844	100.0
Less than 20.....	25	284	.9	13	162	1.0	12	122	.7
20-39.....	66	935	3.7	31	416	3.6	35	519	3.8
40-59.....	139	2,141	10.3	56	906	9.3	83	1,235	11.1
60-79.....	226	3,194	20.0	91	1,397	18.1	135	1,796	21.8
80-99.....	254	3,740	31.4	113	1,666	28.6	141	2,074	34.1
100-109.....	149	2,165	38.0	78	1,174	36.0	71	991	40.0
110-119.....	136	2,066	44.4	67	1,031	42.5	69	1,035	46.1
120-129.....	129	1,924	50.2	60	873	48.0	69	1,051	52.4
130-139.....	103	1,502	54.8	54	803	53.0	49	699	56.5
140-149.....	82	1,298	58.8	47	752	57.8	35	546	59.8
150-159.....	81	1,123	62.2	42	555	61.3	39	568	63.1
160-169.....	77	1,228	66.0	41	656	65.4	36	572	66.5
170-179.....	66	1,147	69.5	33	626	69.3	33	521	69.6
180-189.....	48	762	71.8	17	351	71.5	31	411	72.1
190-199.....	39	601	73.6	18	296	73.4	21	304	73.9
200-219.....	82	1,224	77.4	42	616	77.3	40	608	77.5
220-239.....	54	740	79.6	28	385	79.7	26	356	79.6
240-259.....	62	818	82.1	32	406	82.2	30	413	82.0
260-279.....	47	707	84.3	32	503	85.4	15	204	83.3
280-299.....	50	678	86.4	27	345	87.6	23	333	85.2
300-349.....	89	1,236	90.1	49	678	91.8	40	558	88.5
350-399.....	74	1,028	93.3	35	489	94.9	39	538	91.8
400-499.....	86	1,247	97.1	34	467	97.8	52	780	96.4
500 or more.....	72	951	100.0	27	342	100.0	45	609	100.0
Income below poverty level^{2/}									
Total.....	253	3,103	100.0	91	1,106	100.0	162	1,997	100.0
Less than 20.....	4	44	1.4	1	11	1.0	3	32	1.6
20-39.....	9	91	4.4	3	23	3.1	6	68	5.0
40-59.....	15	175	10.0	6	81	10.5	9	94	9.7
60-79.....	29	311	20.0	9	96	19.1	20	215	20.5
80-99.....	21	258	28.3	7	70	25.5	14	188	29.9
100-109.....	18	235	35.9	7	91	33.7	11	144	37.1
110-119.....	15	180	41.7	2	20	35.5	13	161	45.2
120-129.....	8	105	45.1	2	20	37.3	6	86	49.5
130-139.....	18	224	52.3	8	123	48.5	10	100	54.5
140-149.....	5	62	54.3	3	36	51.7	2	26	55.8
150-159.....	9	92	57.3	4	46	55.8	5	46	58.1
160-169.....	8	94	60.3	3	36	59.1	5	58	61.0
170-179.....	8	130	64.5	2	23	61.2	6	107	66.4
180-189.....	1	14	65.0	-	-	61.2	1	14	67.1
190-199.....	5	69	67.2	1	8	61.9	4	60	70.1
200-219.....	10	163	72.5	2	33	64.9	8	130	76.6
220-239.....	4	50	74.1	2	25	67.2	2	25	77.9
240-259.....	12	129	78.2	6	52	71.9	6	76	81.7
260-279.....	8	108	81.7	5	77	78.9	3	31	83.2
280-299.....	-	-	81.7	-	-	78.9	-	-	83.2
300-349.....	11	167	87.0	5	80	86.1	6	87	87.6
350-399.....	13	153	92.0	6	69	92.3	7	83	91.8
400-499.....	12	139	96.4	4	52	97.0	8	87	96.1
500 or more.....	10	110	100.0	3	33	100.0	7	78	100.0

See footnotes at end of table.

Table 3-204. Cumulative percent distribution of cholesterol intake values in milligrams per 1,000 calories for persons aged 25-34 years by sex and income level: United States, 1976-80-Continued

Income level and cholesterol in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{2/}									
Total.....	1/1,926	28,824	100.0	945	14,355	100.0	1,981	14,469	100.0
Less than 20.....	18	213	.7	9	123	.9	9	90	.6
20-39.....	57	844	3.7	28	393	3.6	29	451	3.7
40-59.....	120	1,906	10.3	48	788	9.1	72	1,118	11.5
60-79.....	193	2,824	20.1	80	1,261	17.9	113	1,564	22.3
80-99.....	232	3,460	32.1	106	1,596	29.0	126	1,864	35.2
100-109.....	126	1,872	38.6	68	1,050	36.3	58	822	40.8
110-119.....	118	1,825	44.9	63	973	43.1	55	852	46.7
120-129.....	119	1,786	51.1	57	845	49.0	62	942	53.2
130-139.....	80	1,180	55.2	44	653	53.5	36	527	56.9
140-149.....	74	1,209	59.4	43	709	58.4	31	500	60.3
150-159.....	71	1,013	62.9	37	491	61.9	34	522	63.9
160-169.....	66	1,088	66.7	35	574	65.9	31	514	67.5
170-179.....	56	979	70.1	30	578	69.9	26	401	70.3
180-189.....	46	725	72.6	16	328	72.2	30	397	73.0
190-199.....	31	482	74.3	17	288	74.2	14	194	74.3
200-219.....	69	1,032	77.8	38	567	78.1	31	465	77.6
220-239.....	49	681	80.2	26	360	80.6	23	321	79.8
240-259.....	46	642	82.4	23	316	82.8	23	326	82.0
260-279.....	38	588	84.5	26	414	85.7	12	173	83.2
280-299.....	50	678	86.8	27	345	88.1	23	333	85.5
300-349.....	74	1,014	90.3	41	562	92.0	33	452	88.7
350-399.....	61	875	93.4	29	420	94.9	32	455	91.8
400-499.....	71	1,077	97.1	30	415	97.8	41	662	96.4
500 or more.....	61	833	100.0	24	309	100.0	37	524	100.0

1/ Excludes 1 examined person with zero calories.

2/ Excludes unknown income.

Table 3-205. Cumulative percent distribution of cholesterol intake values in milligrams per 1,000 calories for persons aged 35-44 years by sex and income level: United States, 1976-80

Income level and cholesterol in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	1,589	23,651	100.0	745	11,367	100.0	844	12,284	100.0
Less than 20.....	10	121	.5	2	26	.2	8	95	.8
20-39.....	29	413	2.3	10	149	1.5	19	264	2.9
40-59.....	85	1,185	7.3	38	541	6.3	47	644	8.2
60-79.....	144	2,201	16.6	71	1,127	16.2	73	1,075	16.9
80-99.....	206	2,992	29.2	106	1,612	30.4	100	1,379	28.1
100-109.....	90	1,268	34.6	34	480	34.6	56	788	34.5
110-119.....	87	1,273	40.0	41	597	39.9	46	676	40.0
120-129.....	84	1,217	45.1	36	483	44.1	48	734	46.0
130-139.....	76	1,119	49.8	40	624	49.6	36	495	50.1
140-149.....	52	745	53.0	28	388	53.0	24	357	53.0
150-159.....	61	923	56.9	28	451	57.0	33	472	56.8
160-169.....	58	983	61.0	29	520	61.6	29	462	60.6
170-179.....	32	438	62.9	16	217	63.5	16	220	62.4
180-189.....	46	749	66.1	22	358	66.6	24	391	65.5
190-199.....	34	518	68.3	19	291	69.2	15	227	67.4
200-219.....	57	765	71.5	25	355	72.3	32	410	70.7
220-239.....	54	685	74.4	36	438	76.2	18	247	72.8
240-259.....	45	696	77.3	26	396	79.6	19	300	75.2
260-279.....	53	843	80.9	22	398	83.1	31	446	78.8
280-299.....	46	737	84.0	18	300	85.8	28	437	82.4
300-349.....	64	1,022	88.3	30	455	89.8	34	567	87.0
350-399.....	48	842	91.9	21	405	93.3	27	437	90.6
400-499.....	65	1,013	96.2	26	410	96.9	39	603	95.5
500 or more.....	63	903	100.0	21	347	100.0	42	556	100.0
Income below poverty level^{1/}									
Total.....	182	2,364	100.0	63	821	100.0	119	1,543	100.0
Less than 20.....	5	60	2.5	*	*	*	5	60	3.9
20-39.....	8	100	6.8	*	*	*	6	84	9.3
40-59.....	10	105	11.2	*	*	*	5	50	12.6
60-79.....	13	168	18.3	*	*	*	7	86	18.2
80-99.....	10	148	24.6	*	*	*	4	58	21.9
100-109.....	13	167	31.6	*	*	*	9	107	28.8
110-119.....	14	161	38.4	*	*	*	8	99	35.2
120-129.....	10	161	45.3	*	*	*	5	100	41.7
130-139.....	8	113	50.0	*	*	*	6	84	47.1
140-149.....	7	83	53.5	*	*	*	5	58	50.9
150-159.....	9	92	57.4	*	*	*	7	70	55.4
160-169.....	6	75	60.6	*	*	*	5	49	58.6
170-179.....	2	17	61.3	*	*	*	1	9	59.2
180-189.....	5	68	64.2	*	*	*	3	47	62.2
190-199.....	1	12	64.7	*	*	*	-	-	62.2
200-219.....	3	37	66.2	*	*	*	2	23	63.7
220-239.....	2	22	67.2	*	*	*	2	22	65.1
240-259.....	4	62	69.8	*	*	*	2	40	67.7
260-279.....	7	90	73.6	*	*	*	7	90	73.5
280-299.....	4	57	76.0	*	*	*	3	46	76.5
300-349.....	6	75	79.2	*	*	*	5	67	80.8
350-399.....	5	65	81.9	*	*	*	4	52	84.2
400-499.....	15	217	91.1	*	*	*	9	137	93.1
500 or more.....	15	211	100.0	*	*	*	9	107	100.0

See footnotes at end of table.

Table 3-205. Cumulative percent distribution of cholesterol intake values in milligrams per 1,000 calories for persons aged 35-44 years by sex and income level: United States, 1976-80-Continued

Income level and cholesterol in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	1,360	20,572	100.0	658	10,195	100.0	702	10,377	100.0
Less than 20.....	5	61	.3	2	26	.3	3	36	.3
20-39.....	21	313	1.8	8	133	1.6	13	180	2.1
40-59.....	71	1,011	6.7	31	463	6.1	40	548	7.4
60-79.....	131	2,033	16.6	65	1,045	16.3	66	989	16.9
80-99.....	187	2,722	29.8	93	1,428	30.3	94	1,294	29.3
100-109.....	74	1,058	35.0	29	410	34.4	45	648	35.6
110-119.....	72	1,105	40.4	34	528	39.6	38	577	41.2
120-129.....	71	1,023	45.3	30	412	43.6	41	612	47.0
130-139.....	66	980	50.1	37	578	49.3	29	401	50.9
140-149.....	44	650	53.3	25	351	52.7	19	299	53.8
150-159.....	51	817	57.2	26	429	56.9	25	387	57.5
160-169.....	50	872	61.5	28	494	61.8	22	377	61.2
170-179.....	30	421	63.5	15	209	63.8	15	212	63.2
180-189.....	41	681	66.8	20	336	67.1	21	344	66.5
190-199.....	32	495	69.2	17	268	69.8	15	227	68.7
200-219.....	52	693	72.6	23	321	72.9	29	371	72.3
220-239.....	50	644	75.7	35	429	77.1	15	214	74.4
240-259.....	41	634	78.8	24	374	80.8	17	261	76.9
260-279.....	45	745	82.4	21	389	84.6	24	356	80.3
280-299.....	37	597	85.3	15	250	87.0	22	346	83.6
300-349.....	54	862	89.5	28	430	91.3	26	432	87.8
350-399.....	42	749	93.2	19	364	94.8	23	385	91.5
400-499.....	48	771	96.9	19	320	98.0	29	451	95.9
500 or more.....	45	637	100.0	14	207	100.0	31	430	100.0

^{1/} Excludes unknown income.

Table 3-206. Cumulative percent distribution of cholesterol intake values in milligrams per 1,000 calories for persons aged 45-54 years by sex and income level: United States, 1976-80

Income level and cholesterol in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	1,453	23,032	100.0	690	11,114	100.0	763	11,918	100.0
Less than 20.....	12	168	.7	4	51	.5	8	117	1.0
20-39.....	23	296	2.0	8	117	1.5	15	179	2.5
40-59.....	71	1,163	7.1	32	529	6.3	39	633	7.8
60-79.....	118	1,915	15.4	47	830	13.7	71	1,086	16.9
80-99.....	154	2,453	26.0	75	1,239	24.9	79	1,214	27.1
100-109.....	71	1,206	31.3	37	653	30.8	34	553	31.7
110-119.....	87	1,472	37.7	41	748	37.5	46	724	37.8
120-129.....	71	1,167	42.7	29	460	41.6	42	707	43.7
130-139.....	72	1,031	47.2	33	487	46.0	39	544	48.3
140-149.....	48	776	50.6	23	379	49.4	25	398	51.6
150-159.....	59	886	54.4	33	512	54.0	26	374	54.8
160-169.....	50	848	58.1	21	340	57.1	29	507	59.0
170-179.....	21	371	59.7	11	221	59.1	10	150	60.3
180-189.....	35	578	62.2	15	253	61.4	20	325	63.0
190-199.....	29	432	64.1	16	231	63.4	13	201	64.7
200-219.....	52	855	67.8	23	370	66.8	29	485	68.8
220-239.....	47	836	71.4	27	465	70.9	20	372	71.9
240-259.....	51	744	74.7	31	458	75.1	20	286	74.3
260-279.....	51	816	78.2	19	339	78.1	32	477	78.3
280-299.....	40	572	80.7	26	373	81.5	14	199	80.0
300-349.....	91	1,281	86.3	43	613	87.0	48	668	85.6
350-399.....	73	1,140	91.2	39	603	92.4	34	537	90.1
400-499.....	68	1,021	95.6	32	462	96.6	36	559	94.8
500 or more.....	59	1,006	100.0	25	381	100.0	34	625	100.0
Income below poverty level^{1/}									
Total.....	128	1,760	100.0	46	645	100.0	82	1,115	100.0
Less than 20.....	1	10	.5	*	*	*	1	10	.9
20-39.....	3	30	2.3	*	*	*	2	21	2.8
40-59.....	10	112	8.7	*	*	*	8	90	10.8
60-79.....	11	164	18.0	*	*	*	5	61	16.3
80-99.....	12	163	27.2	*	*	*	9	129	27.8
100-109.....	4	58	30.5	*	*	*	3	46	31.9
110-119.....	3	41	32.8	*	*	*	2	21	33.8
120-129.....	3	35	34.9	*	*	*	3	35	37.0
130-139.....	6	77	39.2	*	*	*	6	77	43.9
140-149.....	4	64	42.9	*	*	*	2	40	47.4
150-159.....	3	33	44.8	*	*	*	2	25	49.7
160-169.....	6	98	50.3	*	*	*	4	55	54.7
170-179.....	2	32	52.2	*	*	*	-	-	54.7
180-189.....	2	24	53.5	*	*	*	2	24	56.8
190-199.....	2	19	54.6	*	*	*	1	10	57.7
200-219.....	6	100	60.3	*	*	*	5	88	65.6
220-239.....	4	79	64.8	*	*	*	4	79	72.7
240-259.....	6	73	68.9	*	*	*	1	12	73.8
260-279.....	4	85	73.8	*	*	*	2	21	75.7
280-299.....	1	15	74.6	*	*	*	-	-	75.7
300-349.....	5	58	77.9	*	*	*	4	46	79.9
350-399.....	8	99	83.6	*	*	*	2	21	81.7
400-499.....	11	127	90.8	*	*	*	8	97	90.4
500 or more.....	11	162	100.0	*	*	*	6	107	100.0

See footnotes at end of table.

Table 3-206. Cumulative percent distribution of cholesterol intake values in milligrams per 1,000 calories for persons aged 45-54 years by sex and income level: United States, 1976-80-Continued

Income level and cholesterol in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	1,258	20,161	100.0	603	9,738	100.0	655	10,424	100.0
Less than 20.....	11	158	.8	4	51	.5	7	107	1.0
20-39.....	19	257	2.1	7	108	1.6	12	149	2.5
40-59.....	59	1,024	7.1	28	481	6.6	31	543	7.7
60-79.....	103	1,707	15.6	39	703	13.8	64	1,004	17.3
80-99.....	129	2,026	25.6	65	1,047	24.5	64	979	26.7
100-109.....	64	1,094	31.1	34	597	30.7	30	497	31.5
110-119.....	79	1,346	37.8	36	667	37.5	43	679	38.0
120-129.....	67	1,121	43.3	28	449	42.1	39	671	44.4
130-139.....	63	901	47.8	33	487	47.1	30	414	48.4
140-149.....	38	621	50.9	17	293	50.1	21	328	51.5
150-159.....	55	818	54.9	31	470	55.0	24	349	54.9
160-169.....	39	693	58.3	16	256	57.6	23	436	59.1
170-179.....	17	299	59.8	8	168	59.3	9	131	60.3
180-189.....	33	554	62.6	15	253	61.9	18	301	63.2
190-199.....	26	394	64.5	14	204	64.0	12	190	65.0
200-219.....	45	741	68.2	21	344	67.5	24	397	68.8
220-239.....	43	757	72.0	27	465	72.3	16	293	71.6
240-259.....	44	648	75.2	26	397	76.4	18	251	74.1
260-279.....	43	688	78.6	16	263	79.1	27	425	78.1
280-299.....	37	511	81.1	23	312	82.3	14	199	80.0
300-349.....	85	1,205	87.1	42	601	88.5	43	604	85.8
350-399.....	57	907	91.6	26	403	92.6	31	505	90.7
400-499.....	56	868	95.9	28	406	96.8	28	462	95.1
500 or more.....	46	824	100.0	19	314	100.0	27	510	100.0

^{1/} Excludes unknown income.

Table 3-207. Cumulative percent distribution of cholesterol intake values in milligrams per 1,000 calories for persons aged 55-64 years by sex and income level: United States, 1976-80

Income level and cholesterol in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	1/2,555	20,346	100.0	1/1,226	9,603	100.0	1,329	10,743	100.0
Less than 20.....	19	152	.8	8	51	.5	11	101	.9
20-39.....	53	366	2.5	20	144	2.0	33	222	3.0
40-59.....	135	980	7.4	56	391	6.1	79	589	8.5
60-79.....	206	1,666	15.5	87	670	13.1	119	996	17.8
80-99.....	265	2,165	26.2	114	941	22.9	151	1,224	29.1
100-109.....	145	1,157	31.9	58	414	27.2	87	743	36.1
110-119.....	131	1,053	37.0	59	472	32.1	72	580	41.5
120-129.....	132	1,030	42.1	61	467	37.0	71	563	46.7
130-139.....	111	1,045	47.3	45	368	40.8	66	677	53.0
140-149.....	80	703	50.7	37	290	43.8	43	412	56.8
150-159.....	70	575	53.5	31	291	46.8	39	284	59.5
160-169.....	58	484	55.9	28	244	49.4	30	240	61.7
170-179.....	52	461	58.2	33	276	52.3	19	185	63.4
180-189.....	47	367	60.0	29	235	54.7	18	132	64.7
190-199.....	53	434	62.1	21	176	56.5	32	257	67.1
200-219.....	78	758	65.8	44	452	61.3	34	306	69.9
220-239.....	86	709	69.3	55	430	65.7	31	278	72.5
240-259.....	85	575	72.1	45	309	68.9	40	267	75.0
260-279.....	98	858	76.4	49	430	73.4	49	428	79.0
280-299.....	70	442	78.5	40	252	76.0	30	191	80.7
300-349.....	157	1,269	84.8	93	759	83.9	64	510	85.5
350-399.....	127	919	89.3	75	534	89.5	52	385	89.1
400-499.....	159	1,257	95.5	78	602	95.8	81	655	95.2
500 or more.....	138	923	100.0	60	405	100.0	78	518	100.0
Income below poverty level^{2/}									
Total.....	1/316	1,956	100.0	1/128	775	100.0	188	1,181	100.0
Less than 20.....	4	18	.9	3	15	1.9	1	4	.3
20-39.....	10	46	3.3	2	11	3.4	8	34	3.2
40-59.....	20	110	8.9	6	31	7.3	14	79	9.9
60-79.....	16	114	14.7	3	24	10.4	13	90	17.6
80-99.....	20	127	21.2	6	44	16.0	14	84	24.7
100-109.....	18	108	26.7	5	37	20.7	13	71	30.7
110-119.....	15	117	32.7	4	24	23.9	11	93	38.5
120-129.....	21	145	40.1	10	80	34.2	11	65	44.0
130-139.....	14	100	45.2	7	52	40.9	7	47	48.0
140-149.....	5	22	46.4	4	14	42.8	1	8	48.7
150-159.....	9	83	50.6	2	9	44.0	7	73	54.9
160-169.....	12	64	53.9	5	26	47.3	7	38	58.1
170-179.....	3	21	54.9	2	18	49.6	1	3	58.4
180-189.....	2	10	55.4	-	-	49.6	2	10	59.2
190-199.....	4	19	56.4	2	12	51.1	2	7	59.8
200-219.....	15	115	62.3	4	33	55.4	11	82	66.8
220-239.....	11	57	65.2	6	29	59.1	5	29	69.2
240-259.....	9	39	67.2	4	19	61.6	5	19	70.9
260-279.....	8	60	70.3	5	23	64.6	3	37	74.0
280-299.....	9	51	72.9	4	25	67.8	5	26	76.2
300-349.....	21	116	78.8	14	67	76.5	7	49	80.3
350-399.....	11	75	82.7	5	29	80.2	6	47	84.3
400-499.....	29	208	93.3	14	105	93.8	15	102	93.0
500 or more.....	30	131	100.0	11	48	100.0	19	83	100.0

See footnotes at end of table.

Table 3-207. Cumulative percent distribution of cholesterol intake values in milligrams per 1,000 calories for persons aged 55-64 years by sex and income level: United States, 1976-80-Continued

Income level and cholesterol in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{2/}									
Total.....	2,119	17,376	100.0	1,048	8,443	100.0	1,071	8,934	100.0
Less than 20.....	15	133	.8	5	36	.4	10	97	1.1
20-39.....	42	317	2.6	18	133	2.0	24	185	3.2
40-59.....	108	829	7.4	45	333	5.9	63	496	8.7
60-79.....	180	1,490	15.9	80	613	13.2	100	877	18.5
80-99.....	222	1,850	26.6	98	844	23.2	124	1,006	29.8
100-109.....	118	997	32.3	49	356	27.4	69	641	37.0
110-119.....	110	882	37.4	54	442	32.7	56	439	41.9
120-129.....	109	872	42.4	50	379	37.2	59	493	47.4
130-139.....	88	865	47.4	34	282	40.5	54	583	53.9
140-149.....	71	655	51.2	31	268	43.7	40	386	58.2
150-159.....	60	480	53.9	29	281	47.0	31	198	60.5
160-169.....	45	414	56.3	23	218	49.6	22	195	62.6
170-179.....	46	354	58.3	30	243	52.5	16	111	63.9
180-189.....	43	345	60.3	28	229	55.2	15	116	65.2
190-199.....	47	397	62.6	18	161	57.1	29	236	67.8
200-219.....	60	613	66.1	39	406	61.9	21	208	70.2
220-239.....	74	645	69.9	48	395	66.6	26	250	73.0
240-259.....	72	472	72.6	39	237	69.4	33	235	75.6
260-279.....	84	740	76.8	43	386	74.0	41	354	79.6
280-299.....	58	360	78.9	35	217	76.5	23	143	81.2
300-349.....	134	1,144	85.5	79	691	84.7	55	453	86.2
350-399.....	109	810	90.1	64	479	90.4	45	331	89.9
400-499.....	119	951	95.6	60	455	95.8	59	496	95.5
500 or more.....	105	760	100.0	49	357	100.0	56	403	100.0

1/ Excludes 1 examined person with zero calories.
2/ Excludes unknown income.

Table 3-208. Cumulative percent distribution of cholesterol intake values in milligrams per 1,000 calories for persons aged 65-74 years by sex and income level: United States, 1976-80

Income level and cholesterol in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
All incomes									
Total.....	2,615	14,496	100.0	1,199	6,297	100.0	1,416	8,198	100.0
Less than 20.....	40	229	1.6	14	86	1.4	26	143	1.7
20-39.....	73	397	4.3	25	128	3.4	48	269	5.0
40-59.....	130	695	9.1	49	255	7.4	81	441	10.4
60-79.....	240	1,380	18.6	76	422	14.1	164	958	22.1
80-99.....	283	1,565	29.4	112	593	23.6	171	973	33.9
100-109.....	137	821	35.1	58	338	28.9	79	483	39.8
110-119.....	133	782	40.5	62	343	34.4	71	439	45.2
120-129.....	110	603	44.7	61	310	39.3	49	293	48.8
130-139.....	76	415	47.5	34	179	42.2	42	236	51.6
140-149.....	97	564	51.4	39	213	45.5	58	352	55.9
150-159.....	74	444	54.5	35	210	48.9	39	234	58.8
160-169.....	72	415	57.3	30	149	51.2	42	266	62.0
170-179.....	54	293	59.4	27	149	53.6	27	144	63.8
180-189.....	42	232	61.0	16	71	54.7	26	162	65.8
190-199.....	58	306	63.1	30	147	57.1	28	159	67.7
200-219.....	85	452	66.2	48	262	61.2	37	190	70.0
220-239.....	89	481	69.5	56	306	66.1	33	175	72.2
240-259.....	64	386	72.2	34	175	68.9	30	211	74.7
260-279.....	70	385	74.8	34	163	71.4	36	222	77.4
280-299.....	76	415	77.7	43	218	74.9	33	198	79.9
300-349.....	176	886	83.8	93	439	81.9	83	446	85.3
350-399.....	124	693	88.6	63	321	87.0	61	372	89.8
400-499.....	148	786	94.0	78	383	93.1	70	403	94.8
500 or more.....	164	867	100.0	82	437	100.0	82	430	100.0
Income below poverty level^{1/}									
Total.....	424	2,003	100.0	168	759	100.0	256	1,245	100.0
Less than 20.....	10	39	1.9	2	8	1.0	8	31	2.5
20-39.....	17	79	5.9	5	19	3.6	12	60	7.3
40-59.....	22	99	10.8	10	45	9.5	12	54	11.7
60-79.....	33	164	19.0	6	27	13.0	27	137	22.7
80-99.....	35	177	27.9	6	29	16.8	29	148	34.6
100-109.....	20	103	33.0	5	21	19.6	15	81	41.1
110-119.....	18	85	37.2	8	39	24.7	10	46	44.8
120-129.....	20	103	42.3	8	37	29.6	12	66	50.1
130-139.....	10	52	44.9	6	35	34.3	4	17	51.4
140-149.....	11	45	47.2	3	12	35.8	8	33	54.1
150-159.....	8	37	49.0	3	18	38.2	5	19	55.6
160-169.....	9	41	51.1	2	8	39.2	7	33	58.3
170-179.....	8	35	52.8	4	16	41.3	4	19	59.8
180-189.....	5	25	54.0	2	6	42.1	3	18	61.3
190-199.....	9	34	55.8	5	20	44.8	4	14	62.4
200-219.....	20	116	61.5	15	88	56.4	5	28	64.7
220-239.....	12	58	64.4	7	30	60.4	5	28	66.9
240-259.....	10	44	66.6	4	15	62.3	6	29	69.2
260-279.....	12	54	69.3	2	10	63.7	10	44	72.8
280-299.....	15	61	72.4	10	41	69.1	5	20	74.4
300-349.....	29	109	77.8	14	50	75.7	15	58	79.1
350-399.....	22	129	84.3	11	45	81.7	11	84	85.8
400-499.....	26	121	90.3	13	57	89.2	13	64	91.0
500 or more.....	43	194	100.0	17	82	100.0	26	112	100.0

See footnotes at end of table.

Table 3-208. Cumulative percent distribution of cholesterol intake values in milligrams per 1,000 calories for persons aged 65-74 years by sex and income level: United States, 1976-80-Continued

Income level and cholesterol in milligrams per 1,000 calories	Both sexes			Male			Female		
	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent	Examined persons	Estimated population in thousands	Cumulative percent
Income above poverty level ^{1/}									
Total.....	2,067	11,819	100.0	987	5,312	100.0	1,080	6,508	100.0
Less than 20.....	27	176	1.5	11	75	1.4	16	102	1.6
20-39.....	54	312	4.1	20	109	3.5	34	203	4.7
40-59.....	102	568	8.9	37	198	7.2	65	370	10.4
60-79.....	195	1,149	18.7	67	382	14.4	128	767	22.2
80-99.....	237	1,320	29.8	105	557	24.9	132	762	33.9
100-109.....	111	687	35.6	52	307	30.7	59	380	39.7
110-119.....	102	630	41.0	46	262	35.6	56	367	45.3
120-129.....	88	484	45.1	52	263	40.5	36	221	48.7
130-139.....	62	341	47.9	26	136	43.1	36	205	51.9
140-149.....	81	490	52.1	35	198	46.8	46	292	56.4
150-159.....	63	388	55.4	32	192	50.4	31	196	59.4
160-169.....	59	344	58.3	28	141	53.1	31	203	62.5
170-179.....	44	247	60.4	21	122	55.4	23	125	64.4
180-189.....	36	198	62.0	14	64	56.6	22	134	66.5
190-199.....	48	262	64.3	25	127	59.0	23	135	68.6
200-219.....	63	329	67.0	33	174	62.3	30	155	70.9
220-239.....	75	415	70.5	48	270	67.3	27	145	73.2
240-259.....	47	306	73.1	26	137	69.9	21	169	75.8
260-279.....	57	328	75.9	31	150	72.8	26	178	78.5
280-299.....	57	336	78.8	32	171	76.0	25	165	81.0
300-349.....	133	707	84.7	70	343	82.4	63	364	86.6
350-399.....	97	535	89.3	51	270	87.5	46	265	90.7
400-499.....	116	634	94.6	63	320	93.5	53	315	95.5
500 or more.....	113	635	100.0	62	344	100.0	51	291	100.0

1/ Excludes unknown income.

Appendixes

Contents

I. Statistical notes	479
Survey design	479
Estimation procedures	480
Nonresponse bias	480
Missing data	482
Standard errors of the means	482
Data limitation and reliability	482
Availability of NHANES II data tapes	482
II. Demographic and socioeconomic terms	483
Age	483
Sex	483
Annual family income	483
Poverty index	483

List of appendix tables

I. Sample size and response rates for the Second National Health and Nutrition Examination Survey, by age, sex, and race: United States, 1976–80	481
II. Percent distribution of nonresponse adjustment factors, Second National Health and Nutrition Examination Survey: United States, 1976–80	481

Appendix I. Statistical notes

Survey design

The Second National Health and Nutrition Examination Survey (NHANES II) used a stratified, multistage design that provided for the selection of samples at each stage with a known probability. In hierarchical order, the stages of selection were primary sampling units (PSU's—counties or small groups of contiguous counties), census enumeration districts (ED's), segments (clusters of households), households, eligible persons, and finally sample persons.

The first-stage sampling units selected in the previous Health Examination Survey and NHANES I were subsets of the sample PSU's in the National Health Interview Survey (NHIS), another major data collection program of the National Center for Health Statistics. For NHIS the United States is subdivided into 1,924 PSU's, with 376 of the PSU's being selected for the sample. Sixty-five of these 376 sample PSU's were selected as the NHANES I sample. The PSU's used in previous examination surveys had been defined either as a single county or as a group of contiguous counties (except in certain parts of New England). Many of the larger PSU's were defined as standard metropolitan statistical areas (SMSA's) and often contained several counties. The PSU's that contained several counties and covered a large area were not ideally suited for an examination survey. Attempting to survey large geographic areas from a centrally located examination center created a number of logistical problems. Some examinees had been asked to travel more than 50 miles to be examined, while others had been asked to travel through very congested areas. Many respondents were reluctant to travel under such conditions. The cost of followup visits to the households was also a function of the distance or time from the examination center. An analysis of the response rates for several stands in NHANES I lent further support to these assumptions. It was thought that the use of smaller areas as PSU's would reduce both the average distance traveled to the examination center by examinees and the cost of the field work. These considerations were the basis for redefining and restratifying the PSU's in NHANES II.

In NHIS, 156 of the 376 PSU's are self-representing SMSA's. It was these 156 self-representing SMSA's in the NHIS design that were redefined and restratified for the NHANES II design.

For NHANES II, the self-representing PSU's in NHIS were first split along county boundaries. Each county in the U.S. was then classified as being either a self-representing or nonself-representing PSU. The PSU's that were nonself-representing were further combined into homogeneous classes or strata equal in size to the NHIS strata containing nonself-representing PSU's.

The effect of subdividing the 156 self-representing PSU's in NHIS and redefining the PSU's by using county boundaries resulted in a total of 397 PSU's. One hundred and ninety-eight were defined as self-representing. The remaining 199 were defined as nonself-representing and subsequently used to form an additional 43 nonself-representing strata that were combined with the other 220 nonself-representing PSU's in NHIS. The average population of a self-representing PSU was reduced from 838,000 to 584,000. The average size of these PSU's was reduced more than 60 percent in area, from 2,185 square miles to 855 square miles.

These 461 first-stage units (NHIS strata) were further stratified into a total of 64 superstrata. One PSU was selected from each of the superstrata, using a modified Goodman-Kish controlled selection technique.¹⁵ These 64 PSU's represented the geographic locations visited by the mobile examination centers during the survey period.

The U.S. Bureau of the Census had the major responsibility for selecting households and sample persons within each of the PSU's. Three sampling frames of housing units were used to select the sample within each of the PSU's—a list frame, an area frame, and a new construction frame. The list frame consisted of all housing units based on the 1970 census of the population. An area frame was used in areas with "rapid" growth (areas with housing units built prior to 1970) and in areas with "slow" growth (areas with

NOTE: A list of references follows the text.

all housing units regardless of year built). A new construction frame was also used to supplement the list frame for all places built since 1970. It was also used in about half of the places in the area sample that were experiencing rapid growth.

The second stage of the design consisted of the selection of clusters of households (segments) within enumeration districts (ED's). An ED is a geographical area that contains approximately 300 housing units. In order to oversample persons with low incomes, the ED's within each PSU were stratified into a poverty stratum and a nonpoverty stratum. The poverty strata contained ED's with 13 percent or more of persons below the poverty level, and the nonpoverty strata contained ED's with less than 13 percent of persons below the poverty level (as determined by the 1970 census). ED's within each stratum were selected proportional to their measures of size. To ensure sampling reliability, clusters of 16 listed addresses were drawn from the sampling frames and then systematically subsampled at a rate of 1 out of 2 to produce a final segment of eight household address listings.

At the third stage of sampling, a list of all eligible sample persons was made within each selected segment. Using the following sampling rates, the sample of persons to be examined was selected so that the younger and older age groups were oversampled and so that approximately one person per sample household was selected:

<u>Age</u>	<u>Rate</u>
6 months-5 years	3/4
6-59 years	1/4
60-74 years	3/4

Of the 27,801 persons selected in the NHANES II sample, 20,322 (73.1 percent) were interviewed and examined. The NHANES II sample size and response data are shown in table I by age, sex, and race.

A more complete description of the survey design is included in *Vital and Health Statistics*, Series 1, No. 15⁶.

Estimation procedures

Since NHANES is designed as a complex multistage probability sample, national estimates are derived through a multistage estimation procedure. The procedure has three basic components: (1) inflation by the reciprocal of the probability of selection, (2) adjustment for nonresponse, and (3) poststratification by age-sex-race. A brief description of each component follows.

Inflation by the reciprocal of the probability of selection

The probability of selection is the product of the probabilities of selection from each stage of selection in the design—PSU, segment, and sample person.

Adjustment for nonresponse

The estimates are inflated by a multiplication factor that brings estimates based on examined persons up to a level

that would have been achieved if all sample persons had been examined. The nonresponse adjustment factor was calculated by dividing the sum of the reciprocals of the probability of selection for all selected *sample* persons within each of the five income groups (under \$6,000; \$6,000-9,999; \$10,000-14,999; \$15,000-24,999; and \$25,000 and over), three age groups (6 months-5 years, 6-59 years, 60-74 years), four geographic regions, and whether within or outside a standard metropolitan statistical area by the sum of the reciprocals of the probability of selection for *examined* sample persons in the same income, age, region, and SMSA groups. The percent distribution of the nonresponse adjustment factors is shown in table II.

Poststratification by age, sex, and race

The estimates were ratio adjusted within each of 76 age, sex, and race cells to independent estimates provided by the U.S. Bureau of the Census of the population as of March 1, 1978, the approximate midpoint of the survey. The ratio adjustment used a multiplication factor in which the numerator was the U.S. population and the denominator was the sum of the weights adjusted for nonresponse for examined persons. This ratio estimation process brings the population estimates into close agreement with the Census estimates of the civilian noninstitutionalized population of the United States and in general reduces sampling errors of NHANES II estimates.

Nonresponse bias

In any health examination survey there exists the potential for three levels of nonresponse: (1) household interview nonresponse, (2) examination nonresponse, and (3) item nonresponse. Household interview nonresponse occurs when the household medical history questionnaire is not completed. Examination nonresponse occurs when those sample persons who respond to the household questions do not come to the examination center for an examination. Item nonresponse results when sample persons either do not complete some portion of the household interview questionnaires or do not follow the examination protocol. Intense efforts were undertaken during NHANES II to develop and implement procedures and inducements to reduce all types of nonresponse and thereby reduce the potential for bias in the survey estimates. These procedures are discussed in "Plan and Operation of the Second National Health and Nutrition Examination Survey, 1976-80," *Vital and Health Statistics*, Series 1, No. 15.⁶

In NHANES II there was a 9 percent (table I) medical history interview nonresponse. Despite the intense efforts to reduce the number of examination nonrespondents, 27 percent of the 27,801 persons selected for NHANES II were not examined. However, a comparison of the 1976 National Health Interview Survey (NHIS)¹⁶ and NHANES II¹⁷

NOTE: A list of references follows the text.

Table I. Sample size and response rates for the Second National Health and Nutrition Examination Survey, by age, sex, and race: United States, 1976-80

Age, sex, and race	Sample size	Interview and examination status			
		Interviewed ¹		Examined	
		Number	Percent	Number	Percent
Total	27,801	25,286	90.95	20,322	73.10
Age					
6-11 months	444	431	97.07	356	80.18
1-5 years	4,625	4,445	96.11	3,762	81.34
6-11 years	2,085	1,963	94.15	1,725	82.73
12-17 years	2,438	2,304	94.50	1,975	81.01
18-24 years	2,713	2,537	93.51	2,054	75.71
25-34 years	3,031	2,773	91.49	2,237	73.80
35-44 years	2,236	2,005	89.67	1,589	71.06
45-54 years	2,149	1,866	86.83	1,453	67.61
55-64 years	3,868	3,330	86.09	2,556	66.08
65-74 years	4,212	3,632	86.23	2,615	62.09
Sex					
Female	14,395	13,122	91.16	10,339	71.82
Male	13,406	12,164	90.74	9,983	74.47
Race					
White	23,537	21,350	90.71	17,105	72.67
Black	3,653	3,389	92.77	2,763	75.64
Other	611	547	89.53	454	74.30

¹Completed medical history interview.

Table II. Percent distribution of nonresponse adjustment factors, Second National Health and Nutrition Examination Survey: United States, 1976-80

Size of factor	Percent distribution
Total	100.0
1.00-1.24	26.8
1.25-1.49	54.8
1.50-1.74	10.9
1.75-1.99	4.4
2.00-2.49	2.2
2.50-2.99	0.9

suggests that there is not a large nonresponse bias in some health-related variables because of the close agreement on selected interview items in NHANES II data with comparable items in the 1976 NHIS data. The 1976 NHIS data were used for the comparison because the questionnaires from which they were obtained included questions on diabetes (of interest in NHANES II). It is assumed that the 7-percent nonresponse from the 1976 NHIS survey is randomly distributed.

Evidence from earlier studies also suggests no substantial nonresponse bias. An analysis of data on both examined and nonexamined (but interviewed) persons was done using the first 35 stands of NHANES I.¹⁸ It was found that the two groups were quite similar with respect to the health characteristics that were being compared. In another study of examined and nonexamined persons selected for

participation in NHANES I, no differences were found between the two groups with respect to health-related variables.¹⁹ In still another study,²⁰ factors relating to response in Cycle I of the National Health Examination Survey of 1960-62 were investigated. It was found that 36 percent of the nonexamined persons in that survey viewed themselves as being in excellent health, compared with 31 percent of examined persons. A self-appraisal of being in poor health was made by 5 percent of nonexamined persons and by 6 percent of those who were examined.

In a different study of Cycle I,²¹ comparisons between two extreme groups, those who participated in the survey voluntarily and those who participated only after being strongly persuaded, indicated that differences between the two groups generally had little effect on estimates based on numerous selected examination and questionnaire items. This was interpreted both as evidence that no large bias exists between the two groups for the items investigated and also as further support for the belief that there is little bias introduced to the findings because of differences in health characteristics between examined and nonexamined persons.

The characteristics of the examined persons 12-74 years of age in NHANES II were compared with those of the sampled persons of the same age group who were not examined but who responded to the medical history questionnaire. This investigation also indicated that the likelihood of a sizable bias was small. For example, 9 percent of those examined reported an illness that interfered with their eating as compared with 8 percent of those who

DTE: A list of references follows the text.

were not examined but responded to the medical history questionnaire. Eight percent of the examinees reported that they were on a special diet, and 8 percent of those who were not examined also reported that they were on a special diet.

Missing data

Examination surveys lose information not only through the failure to examine all sample persons but also through the failure to obtain and record all items of information for examined persons.

Out of the 20,322 examined persons aged 6 months through 74 years, 230 persons (1.11 percent) had unsatisfactory 24-hour recalls. An examined person's 24-hour recall was classified as unsatisfactory if the person refused to cooperate, was not available at the time of interview, was incapable of responding to the questionnaire, could not recall two major meals, or if there was incomplete 24-hour recall data regarding types or amount of food for the total day. Dietary intake variables for these persons were imputed by randomly assigning a value from the same item of information for examined persons of the same age, sex, and race. This process preserves both the expected values and the distribution of values of the recorded information.

The four examined persons whose caloric intakes were zero had a satisfactory completion code. Three of these people fasted on the day before the examination and reported that meals were skipped. One individual consumed only diet soda.

Standard errors of the means

The standard error is primarily a measure of the variations that occur by chance because only a sample of the population is surveyed. As calculated in this report, the standard errors also reflect part of the variation that occurs in the measurement process. They do not include estimates of any bias that might lie in the data. The chances are about 68 out of 100 that an estimate based on a sample will differ from the value obtained from a complete enumeration, using the same procedure and measurements, by less than 1 standard error. The chances are about 96 out of 100 that the difference will be less than 2 standard errors and about 99 out of 100 that it will be less than $2\frac{1}{2}$ times the standard error.

The standard errors of the means presented in this report were estimated by the Taylor Series linearization method.^{22,23} This method approximates the variance of nonlinear statistics using the first two terms of the Taylor Series expansion. In order that the method produce reliable estimates, it is necessary that the sample size be reasonably large for the subgroups of interest and that higher order terms of the expansion be negligible.

Linearization was used in estimating the standard errors of the means because it is one method that takes into

consideration the complexity of the sample design. Methods of estimating standard errors that ignore this would be inappropriate. It must be noted that the estimates of the standard errors are themselves subject to errors that may be large if the number of cases is small or if the number of strata with observations in both paired PSU's is small.

Each of the 26 sex and age subgroups contains over 100 observations. However, when subgroups are further divided into income levels, there are a number of subgroups with fewer than 100 observations. The smallest sample size is 36. There are two other subgroups with a sample size of less than 60 and one subgroup with a sample size of 63. All other subgroups contain more than 80 observations. In this report standard errors of the means for subgroups containing fewer than 80 observations are not presented. There are four such subgroups—boys and girls 6–11 months, men 35–44 years, and men 45–54 years—all in the lower income group.

For the 26 age and sex subgroups, there are at least 20 strata containing observations in both paired PSU's out of a total of 32. However, when the data are further divided into income levels, there are a number of subgroups that have fewer than 20 strata containing at least one observation in both paired PSU's. However, each of the sex, age, and income subgroups for which estimates of the standard errors of the means are presented contains at least 12 strata with observations in both paired PSU's.

The errors of the estimated standard errors of the means presented in this report are large also if there exist values for a given nutrient that lie outside of the standard bounds—2 standard errors of the mean. This situation occurs for potassium intake values presented in terms of milligrams per 1,000 calories for three subgroups—boys 15–17 years of age, girls 15–17 years, and women 35–44 years, all with income below poverty level. In these instances, the estimated standard errors of the means are not presented.

Data limitation and reliability

In order that all the statistics (mean, standard error of the mean, and 7 selected percentiles) be presented, it was necessary that there be a sample size of at least 80 in the subgroup. If this criterion was satisfied, it was necessary that there be at least 12 strata with observations in both paired PSU's. In cases where the sample size was less than 40, only the median (the 50th percentile) is presented. In cases where the sample size was between 40 and 80, the 25th, 50th, and 75th percentiles are presented.

Availability of NHANES II data tapes

NHANES II data tapes are available for purchase from

National Technical Information Service (NTIS)
5285 Port Royal Road
Springfield, Virginia 22161
(703) 487-4763 — Computer Products Office
(703) 487-4650 — order desk

NOTE: A list of references follows the text.

Appendix II. Demographic and socioeconomic terms

Age

Two ages were recorded for each examinee: age at last birthday prior to the time of the examination and age at the time of the Census interview. The age criterion for inclusion in the sample used in this survey was defined as age at the time of the Census interview. The adjustment and weighting procedures used to produce national estimates were based on age at the time of interview, and data in the tables of the report are also shown by that age.

Sex

Sex was recorded as observed.

Annual family income

The respondent was given a card listing income categories and was instructed to select the one that represented his or her total combined family income for the past 12 months. Respondents were asked to include income from all sources such as wages, salaries, social security or retirement benefits, help from relatives, rent from property, and so forth.

Poverty index

Income status was determined by the poverty income ratio (PIR). Poverty statistics published in Census reports²⁴⁻²⁸ were based on the poverty index developed by the Social Security Administration (SSA) in 1964. (For a detailed discussion of the SSA poverty standards, see references 29 and 30.) Modifications in the definition of the poverty index were adopted in 1969.³¹ The standard data series on poverty for statistical use by all executive departments and establishments was also established.³²

The two components of the PIR are the total income of the household (numerator: the median of the income group for incomes \$7,000 or more, or the sum of the component parts of income—as determined by the survey questionnaire—for income less than \$7,000) and a multiple of

the total income necessary to maintain a family with given characteristics on a nutritionally adequate food plan²⁶ (denominator). The dollar value of the denominator of the PIR is constructed from a food plan (economy plan) necessary to maintain minimum recommended daily nutritional requirements. The economy plan is designated by the Department of Agriculture for “emergency or temporary use when funds are low.”

For families of three or more persons, the poverty level was set at 3 times the cost of the economy food plan. For smaller families and persons living alone, the cost of the economy food plan was adjusted by the relatively higher fixed expenses of these smaller households.

The denominator or poverty income cutoff adjusts the family poverty income maintenance requirements by the family size, the sex of the family head, the age of the family head in families with one or two members, and the place of residence (farm or nonfarm). Annual revisions of the poverty income cutoffs are based on the changes in the average cost of living as reflected in the Consumer Price Index. For NHANES II, individuals were classified as being above or below the poverty level for the year in which they were examined. Since NHANES II was conducted from February 1976 through February 1980, the threshold income values for each year from 1976 through 1980 were used. Tables showing weighted average threshold poverty cutoffs for these years have been published.³³

Poverty thresholds are computed on a national basis only. No attempt has been made to adjust these thresholds for regional, State, or other local variation in the cost of living (except for the farm-nonfarm difference). Money income does not reflect the fact that many families receive part of their income in the form of nonmoney transfers such as food stamps, health benefits, and subsidized housing; that many farm families receive nonmoney income in the form of rent-free housing and goods produced and consumed on the farm; or that nonmoney incomes are also received by some nonfarm residents in the form of business transportation and facilities and full or partial payments by business for retirement programs, medical and educational programs, and so forth. These elements should be considered when comparing income levels.

OTE: A list of references follows the text.

Vital and Health Statistics series descriptions

- SERIES 1. Programs and Collection Procedures.**—Reports describing the general programs of the National Center for Health Statistics and its offices and divisions and the data collection methods used. They also include definitions and other material necessary for understanding the data.
- SERIES 2. Data Evaluation and Methods Research.**—Studies of new statistical methodology including experimental tests of new survey methods, studies of vital statistics collection methods, new analytical techniques, objective evaluations of reliability of collected data, and contributions to statistical theory.
- SERIES 3. Analytical and Epidemiological Studies.**—Reports presenting analytical or interpretive studies based on vital and health statistics, carrying the analysis further than the expository types of reports in the other series.
- SERIES 4. Documents and Committee Reports.**—Final reports of major committees concerned with vital and health statistics and documents such as recommended model vital registration laws and revised birth and death certificates.
- SERIES 10. Data from the National Health Interview Survey.**—Statistics on illness, accidental injuries, disability, use of hospital, medical, dental, and other services, and other health-related topics, all based on data collected in the continuing national household interview survey.
- SERIES 11. Data From the National Health Examination Survey and the National Health and Nutrition Examination Survey.**—Data from direct examination, testing, and measurement of national samples of the civilian noninstitutionalized population provide the basis for (1) estimates of the medically defined prevalence of specific diseases in the United States and the distributions of the population with respect to physical, physiological, and psychological characteristics and (2) analysis of relationships among the various measurements without reference to an explicit finite universe of persons.
- SERIES 12. Data From the Institutionalized Population Surveys.**—Discontinued in 1975. Reports from these surveys are included in Series 13.
- SERIES 13. Data on Health Resources Utilization.**—Statistics on the utilization of health manpower and facilities providing long-term care, ambulatory care, hospital care, and family planning services.
- SERIES 14. Data on Health Resources: Manpower and Facilities.**—Statistics on the numbers, geographic distribution, and characteristics of health resources including physicians, dentists, nurses, other health occupations, hospitals, nursing homes, and outpatient facilities.
- SERIES 15. Data From Special Surveys.**—Statistics on health and health-related topics collected in special surveys that are not a part of the continuing data systems of the National Center for Health Statistics.
- SERIES 20. Data on Mortality.**—Various statistics on mortality other than as included in regular annual or monthly reports. Special analyses by cause of death, age, and other demographic variables; geographic and time series analyses; and statistics on characteristics of deaths not available from the vital records based on sample surveys of those records.
- SERIES 21. Data on Natality, Marriage, and Divorce.**—Various statistics on natality, marriage, and divorce other than as included in regular annual or monthly reports. Special analyses by demographic variables; geographic and time series analyses; studies of fertility; and statistics on characteristics of births not available from the vital records based on sample surveys of those records.
- SERIES 22. Data From the National Mortality and Natality Surveys.**—Discontinued in 1975. Reports from these sample surveys based on vital records are included in Series 20 and 21, respectively.
- SERIES 23. Data From the National Survey of Family Growth.**—Statistics on fertility, family formation and dissolution, family planning, and related maternal and infant health topics derived from a periodic survey of a nationwide probability sample of ever-married women 15-44 years of age.

For a list of titles of reports published in these series, write to:

Scientific and Technical Information Branch
National Center for Health Statistics
Public Health Service
Hyattsville, Md. 20782

U.S. DEPARTMENT OF HEALTH AND HUMAN SERVICES
Public Health Service
National Center for Health Statistics
3700 East-West Highway
Hyattsville, Maryland 20782

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE, \$300