

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3052

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XV. Pregnancy, childbirth and the puerperium (000-099)												
UNITED STATES -	404	-	18	77	87	95	86	35	5
WHITE-----FEMALE--	243	-	11	44	53	55	56	21	2
ALL OTHER--FEMALE--	161	-	7	33	34	40	30	14	3
BLACK---FEMALE--	142	-	4	32	31	34	26	12	3
ALABAMA -----	3	-	-	1	1	1	-	-	-
WHITE-----FEMALE--	1	-	-	1	-	-	-	-	-
ALL OTHER--FEMALE--	2	-	-	-	1	1	-	-	-
BLACK---FEMALE--	2	-	-	-	1	1	-	-	-
ALASKA -----	1	-	-	-	-	-	1	-	-
WHITE-----FEMALE--	1	-	-	-	-	-	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
ARIZONA -----	8	-	2	1	2	2	-	1	-
WHITE-----FEMALE--	5	-	2	-	2	1	-	-	-
ALL OTHER--FEMALE--	3	-	-	1	-	1	-	1	-
BLACK---FEMALE--	1	-	-	-	-	-	-	1	-
ARKANSAS -----	4	-	1	1	1	1	-	-	-
WHITE-----FEMALE--	2	-	-	-	1	1	-	-	-
ALL OTHER--FEMALE--	2	-	1	1	-	-	-	-	-
BLACK---FEMALE--	2	-	1	1	-	-	-	-	-
CALIFORNIA -----	56	-	2	14	10	13	12	5	-
WHITE-----FEMALE--	40	-	1	10	6	10	9	4	-
ALL OTHER--FEMALE--	16	-	1	4	4	3	3	1	-
BLACK---FEMALE--	10	-	-	4	3	1	2	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3053

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XV. Pregnancy, childbirth and the puerperium (000-099)												
COLORADO -----	6	-	-	1	-	2	1	-	1
WHITE-----FEMALE--	5	-	-	1	-	2	1	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	1
BLACK---FEMALE--	1	-	-	-	-	-	-	-	1
CONNECTICUT -----	3	-	-	-	1	-	1	1	-
WHITE-----FEMALE--	1	-	-	-	1	-	-	-	-
ALL OTHER--FEMALE--	2	-	-	-	-	-	1	1	-
BLACK---FEMALE--	2	-	-	-	-	-	1	1	-
DELAWARE -----	3	-	-	1	1	1	-	-	-
WHITE-----FEMALE--	2	-	-	1	1	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	1	-	-	-
BLACK---FEMALE--	1	-	-	-	-	1	-	-	-
DISTRICT OF COLUMBIA ---	3	-	-	2	-	-	1	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	3	-	-	2	-	-	1	-	-
BLACK---FEMALE--	3	-	-	2	-	-	1	-	-
FLORIDA -----	29	-	-	5	5	6	10	1	2
WHITE-----FEMALE--	17	-	-	3	2	3	7	1	1
ALL OTHER--FEMALE--	12	-	-	2	3	3	3	-	1
BLACK---FEMALE--	12	-	-	2	3	3	3	-	1
GEORGIA -----	21	-	1	4	3	7	5	1	-
WHITE-----FEMALE--	10	-	-	2	1	4	2	1	-
ALL OTHER--FEMALE--	11	-	1	2	2	3	3	-	-
BLACK---FEMALE--	10	-	-	2	2	3	3	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3055

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XV. Pregnancy, childbirth and the puerperium (000-099)												
KENTUCKY -----	4	-	-	1	1	1	1	-	-
WHITE-----FEMALE--	2	-	-	1	-	-	1	-	-
ALL OTHER--FEMALE--	2	-	-	-	1	1	-	-	-
BLACK---FEMALE--	2	-	-	-	1	1	-	-	-
LOUISIANA -----	5	-	-	1	1	2	1	-	-
WHITE-----FEMALE--	1	-	-	-	-	1	-	-	-
ALL OTHER--FEMALE--	4	-	-	1	1	1	1	-	-
BLACK---FEMALE--	4	-	-	1	1	1	1	-	-
MAINE -----	1	-	-	-	1	-	-	-	-
WHITE-----FEMALE--	1	-	-	-	1	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
MARYLAND -----	15	-	2	1	3	4	4	1	-
WHITE-----FEMALE--	8	-	1	-	2	1	3	1	-
ALL OTHER--FEMALE--	7	-	1	1	1	3	1	-	-
BLACK---FEMALE--	7	-	1	1	1	3	1	-	-
MASSACHUSETTS -----	1	-	-	-	-	-	1	-	-
WHITE-----FEMALE--	1	-	-	-	-	-	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
MICHIGAN -----	9	-	-	-	4	3	1	1	-
WHITE-----FEMALE--	5	-	-	-	2	2	1	-	-
ALL OTHER--FEMALE--	4	-	-	-	2	1	-	1	-
BLACK---FEMALE--	4	-	-	-	2	1	-	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3056

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XV. Pregnancy, childbirth and the puerperium (000-099)												
MINNESOTA -----	3	-	-	-	1	1	-	1	-
WHITE-----FEMALE--	3	-	-	-	1	1	-	1	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	8	-	-	4	1	2	1	-	-
WHITE-----FEMALE--	2	-	-	1	1	-	-	-	-
ALL OTHER--FEMALE--	6	-	-	3	-	2	1	-	-
BLACK---FEMALE--	6	-	-	3	-	2	1	-	-
MISSOURI -----	7	-	-	2	1	2	2	-	-
WHITE-----FEMALE--	6	-	-	2	1	2	1	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	1	-	-
BLACK---FEMALE--	1	-	-	-	-	-	1	-	-
MONTANA -----	2	-	-	-	2	-	-	-	-
WHITE-----FEMALE--	2	-	-	-	2	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
NEBRASKA -----	6	-	-	-	3	3	-	-	-
WHITE-----FEMALE--	5	-	-	-	2	3	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	1	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
NEVADA -----	3	-	-	1	-	-	2	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	3	-	-	1	-	-	2	-	-
BLACK---FEMALE--	3	-	-	1	-	-	2	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3058

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XV. Pregnancy, childbirth and the puerperium (000-099)												
OHIO -----	19	-	-	3	9	4	2	-	1
WHITE-----FEMALE--	12	-	-	2	5	3	2	-	-
ALL OTHER--FEMALE--	7	-	-	1	4	1	-	-	1
BLACK---FEMALE--	7	-	-	1	4	1	-	-	1
OKLAHOMA -----	4	-	1	-	2	1	-	-	-
WHITE-----FEMALE--	2	-	-	-	2	-	-	-	-
ALL OTHER--FEMALE--	2	-	1	-	-	1	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
OREGON -----	3	-	-	1	-	-	1	1	-
WHITE-----FEMALE--	3	-	-	1	-	-	1	1	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	8	-	-	2	3	2	1	-	-
WHITE-----FEMALE--	4	-	-	-	2	1	1	-	-
ALL OTHER--FEMALE--	4	-	-	2	1	1	-	-	-
BLACK---FEMALE--	2	-	-	2	-	-	-	-	-
RHODE ISLAND -----	1	-	-	-	1	-	-	-	-
WHITE-----FEMALE--	1	-	-	-	1	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	9	-	2	2	3	1	1	-	-
WHITE-----FEMALE--	4	-	2	1	-	-	1	-	-
ALL OTHER--FEMALE--	5	-	-	1	3	1	-	-	-
BLACK---FEMALE--	5	-	-	1	3	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3059

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XV. Pregnancy, childbirth and the puerperium (000-099)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
TENNESSEE -----	8	-	2	1	2	-	2	1	-
WHITE-----FEMALE--	3	-	1	-	-	-	1	1	-
ALL OTHER--FEMALE--	5	-	1	1	2	-	1	-	-
BLACK---FEMALE--	5	-	1	1	2	-	1	-	-
TEXAS -----	30	-	1	8	7	9	2	2	1
WHITE-----FEMALE--	23	-	1	5	5	7	2	2	1
ALL OTHER--FEMALE--	7	-	-	3	2	2	-	-	-
BLACK---FEMALE--	7	-	-	3	2	2	-	-	-
UTAH -----	5	-	-	1	-	3	-	1	-
WHITE-----FEMALE--	5	-	-	1	-	3	-	1	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
VIRGINIA -----	10	-	1	1	1	-	3	4	-
WHITE-----FEMALE--	5	-	-	1	-	-	3	1	-
ALL OTHER--FEMALE--	5	-	1	-	1	-	-	3	-
BLACK---FEMALE--	5	-	1	-	1	-	-	3	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3061

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pregnancy with abortive outcome (000-007)												
UNITED STATES -	37	-	-	6	12	5	10	4	-
WHITE-----FEMALE--	18	-	-	1	7	1	6	3	-
ALL OTHER--FEMALE--	19	-	-	5	5	4	4	1	-
BLACK---FEMALE--	19	-	-	5	5	4	4	1	-
ALABAMA -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
ALASKA -----	1	-	-	-	-	-	1	-	-
WHITE-----FEMALE--	1	-	-	-	-	-	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	-	-	-	1	-	-	-	-
WHITE-----FEMALE--	1	-	-	-	1	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	5	-	-	2	1	-	1	1	-
WHITE-----FEMALE--	4	-	-	1	1	-	1	1	-
ALL OTHER--FEMALE--	1	-	-	1	-	-	-	-	-
BLACK---FEMALE--	1	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3062

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pregnancy with abortive outcome (000-007)												
COLORADO -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	1	-	-	-	-	-	1	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	1	-	-
BLACK---FEMALE--	1	-	-	-	-	-	1	-	-
FLORIDA -----	2	-	-	-	1	-	-	1	-
WHITE-----FEMALE--	2	-	-	-	1	-	-	1	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
GEORGIA -----	2	-	-	-	1	1	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	2	-	-	-	1	1	-	-	-
BLACK---FEMALE--	2	-	-	-	1	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3071

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Ectopic pregnancy (000)												
COLORADO -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	1	-	-	-	-	-	1	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	1	-	-
BLACK---FEMALE--	1	-	-	-	-	-	1	-	-
FLORIDA -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
GEORGIA -----	2	-	-	-	1	1	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	2	-	-	-	1	1	-	-	-
BLACK---FEMALE--	2	-	-	-	1	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3088

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Medical abortion (004)												
UNITED STATES -	3	-	-	1	1	-	-	1	-
WHITE-----FEMALE--	2	-	-	-	1	-	-	1	-
ALL OTHER--FEMALE--	1	-	-	1	-	-	-	-	-
BLACK---FEMALE--	1	-	-	1	-	-	-	-	-
ALABAMA -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	1	-	-	1	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	1	-	-	-	-	-
BLACK---FEMALE--	1	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3115

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other direct obstetric deaths (010-092)												
UNITED STATES -	300	-	14	57	60	77	63	24	4
WHITE-----FEMALE--	185	-	8	33	36	47	43	15	2
ALL OTHER--FEMALE--	115	-	6	24	24	30	20	9	2
BLACK---FEMALE--	99	-	4	23	21	24	17	8	2
ALABAMA -----	2	-	-	-	1	1	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	2	-	-	-	1	1	-	-	-
BLACK---FEMALE--	2	-	-	-	1	1	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
ARIZONA -----	8	-	2	1	2	2	-	1	-
WHITE-----FEMALE--	5	-	2	-	2	1	-	-	-
ALL OTHER--FEMALE--	3	-	-	1	-	1	-	1	-
BLACK---FEMALE--	1	-	-	-	-	-	-	1	-
ARKANSAS -----	3	-	1	1	-	1	-	-	-
WHITE-----FEMALE--	1	-	-	-	-	1	-	-	-
ALL OTHER--FEMALE--	2	-	1	1	-	-	-	-	-
BLACK---FEMALE--	2	-	1	1	-	-	-	-	-
CALIFORNIA -----	42	-	2	11	6	10	10	3	-
WHITE-----FEMALE--	30	-	1	8	3	7	8	3	-
ALL OTHER--FEMALE--	12	-	1	3	3	3	2	-	-
BLACK---FEMALE--	8	-	-	3	2	1	2	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3116

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other direct obstetric deaths (010-092)												
COLORADO -----	6	-	-	1	-	2	1	-	1
WHITE-----FEMALE--	5	-	-	1	-	2	1	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	1
BLACK---FEMALE--	1	-	-	-	-	-	-	-	1
CONNECTICUT -----	2	-	-	-	1	-	-	1	-
WHITE-----FEMALE--	1	-	-	-	1	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	1	-
BLACK---FEMALE--	1	-	-	-	-	-	-	1	-
DELAWARE -----	3	-	-	1	1	1	-	-	-
WHITE-----FEMALE--	2	-	-	1	1	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	1	-	-	-
BLACK---FEMALE--	1	-	-	-	-	1	-	-	-
DISTRICT OF COLUMBIA ---	2	-	-	2	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	2	-	-	2	-	-	-	-	-
BLACK---FEMALE--	2	-	-	2	-	-	-	-	-
FLORIDA -----	21	-	-	5	2	5	8	-	1
WHITE-----FEMALE--	14	-	-	3	-	3	7	-	1
ALL OTHER--FEMALE--	7	-	-	2	2	2	1	-	-
BLACK---FEMALE--	7	-	-	2	2	2	1	-	-
GEORGIA -----	17	-	1	4	1	6	4	1	-
WHITE-----FEMALE--	9	-	-	2	1	4	1	1	-
ALL OTHER--FEMALE--	8	-	1	2	-	2	3	-	-
BLACK---FEMALE--	7	-	-	2	-	2	3	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3118

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other direct obstetric deaths (010-092)												
KENTUCKY -----	3	-	-	1	1	-	1	-	-
WHITE-----FEMALE--	2	-	-	1	-	-	1	-	-
ALL OTHER--FEMALE--	1	-	-	-	1	-	-	-	-
BLACK---FEMALE--	1	-	-	-	1	-	-	-	-
LOUISIANA -----	5	-	-	1	1	2	1	-	-
WHITE-----FEMALE--	1	-	-	-	-	1	-	-	-
ALL OTHER--FEMALE--	4	-	-	1	1	1	1	-	-
BLACK---FEMALE--	4	-	-	1	1	1	1	-	-
MAINE -----	1	-	-	-	1	-	-	-	-
WHITE-----FEMALE--	1	-	-	-	1	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
MARYLAND -----	9	-	1	1	1	2	3	1	-
WHITE-----FEMALE--	5	-	-	-	-	1	3	1	-
ALL OTHER--FEMALE--	4	-	1	1	1	1	-	-	-
BLACK---FEMALE--	4	-	1	1	1	1	-	-	-
MASSACHUSETTS -----	1	-	-	-	-	-	1	-	-
WHITE-----FEMALE--	1	-	-	-	-	-	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
MICHIGAN -----	9	-	-	-	4	3	1	1	-
WHITE-----FEMALE--	5	-	-	-	2	2	1	-	-
ALL OTHER--FEMALE--	4	-	-	-	2	1	-	1	-
BLACK---FEMALE--	4	-	-	-	2	1	-	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3119

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other direct obstetric deaths (010-092)												
MINNESOTA -----	3	-	-	-	1	1	-	1	-
WHITE-----FEMALE--	3	-	-	-	1	1	-	1	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	5	-	-	1	1	2	1	-	-
WHITE-----FEMALE--	1	-	-	-	1	-	-	-	-
ALL OTHER--FEMALE--	4	-	-	1	-	2	1	-	-
BLACK---FEMALE--	4	-	-	1	-	2	1	-	-
MISSOURI -----	6	-	-	2	-	2	2	-	-
WHITE-----FEMALE--	5	-	-	2	-	2	1	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	1	-	-
BLACK---FEMALE--	1	-	-	-	-	-	1	-	-
MONTANA -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
NEBRASKA -----	5	-	-	-	3	2	-	-	-
WHITE-----FEMALE--	4	-	-	-	2	2	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	1	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
NEVADA -----	3	-	-	1	-	-	2	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	3	-	-	1	-	-	2	-	-
BLACK---FEMALE--	3	-	-	1	-	-	2	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3121

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other direct obstetric deaths (010-092)												
OHIO -----	16	-	-	2	7	4	2	-	1
WHITE-----FEMALE--	11	-	-	2	4	3	2	-	-
ALL OTHER--FEMALE--	5	-	-	-	3	1	-	-	1
BLACK---FEMALE--	5	-	-	-	3	1	-	-	1
OKLAHOMA -----	3	-	-	-	2	1	-	-	-
WHITE-----FEMALE--	2	-	-	-	2	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	1	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
OREGON -----	3	-	-	1	-	-	1	1	-
WHITE-----FEMALE--	3	-	-	1	-	-	1	1	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	7	-	-	1	3	2	1	-	-
WHITE-----FEMALE--	4	-	-	-	2	1	1	-	-
ALL OTHER--FEMALE--	3	-	-	1	1	1	-	-	-
BLACK---FEMALE--	1	-	-	1	-	-	-	-	-
RHODE ISLAND -----	1	-	-	-	1	-	-	-	-
WHITE-----FEMALE--	1	-	-	-	1	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	7	-	2	2	2	1	-	-	-
WHITE-----FEMALE--	3	-	2	1	-	-	-	-	-
ALL OTHER--FEMALE--	4	-	-	1	2	1	-	-	-
BLACK---FEMALE--	4	-	-	1	2	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3122

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other direct obstetric deaths (010-092)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
TENNESSEE -----	4	-	2	-	1	-	1	-	-
WHITE-----FEMALE--	1	-	1	-	-	-	-	-	-
ALL OTHER--FEMALE--	3	-	1	-	1	-	1	-	-
BLACK---FEMALE--	3	-	1	-	1	-	1	-	-
TEXAS -----	22	-	-	3	6	8	2	2	1
WHITE-----FEMALE--	17	-	-	1	4	7	2	2	1
ALL OTHER--FEMALE--	5	-	-	2	2	1	-	-	-
BLACK---FEMALE--	5	-	-	2	2	1	-	-	-
UTAH -----	4	-	-	1	-	2	-	1	-
WHITE-----FEMALE--	4	-	-	1	-	2	-	1	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
VIRGINIA -----	5	-	1	1	-	-	2	1	-
WHITE-----FEMALE--	4	-	-	1	-	-	2	1	-
ALL OTHER--FEMALE--	1	-	1	-	-	-	-	-	-
BLACK---FEMALE--	1	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3124

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Eclampsia and pre-eclampsia (011,013-016)												
UNITED STATES -	72	-	3	11	18	21	14	3	1
WHITE-----FEMALE--	46	-	2	6	12	13	10	2	-
ALL OTHER--FEMALE--	26	-	1	5	6	8	4	1	1
BLACK---FEMALE--	25	-	1	4	6	8	4	1	1
ALABAMA -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
ARIZONA -----	3	-	-	1	1	-	-	1	-
WHITE-----FEMALE--	1	-	-	-	1	-	-	-	-
ALL OTHER--FEMALE--	2	-	-	1	-	-	-	1	-
BLACK---FEMALE--	1	-	-	-	-	-	-	1	-
ARKANSAS -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	14	-	1	4	3	4	2	-	-
WHITE-----FEMALE--	13	-	1	4	2	4	2	-	-
ALL OTHER--FEMALE--	1	-	-	-	1	-	-	-	-
BLACK---FEMALE--	1	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3125

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Eclampsia and pre-eclampsia (011,013-016)												
COLORADO -----	2	-	-	-	-	1	-	-	-
WHITE-----FEMALE--	2	-	-	-	-	1	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	-	-	-	1	-	-	-	-
WHITE-----FEMALE--	1	-	-	-	1	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
FLORIDA -----	6	-	-	-	2	1	3	-	-
WHITE-----FEMALE--	3	-	-	-	-	1	2	-	-
ALL OTHER--FEMALE--	3	-	-	-	2	-	1	-	-
BLACK---FEMALE--	3	-	-	-	2	-	1	-	-
GEORGIA -----	4	-	-	1	-	2	1	-	-
WHITE-----FEMALE--	1	-	-	-	-	1	-	-	-
ALL OTHER--FEMALE--	3	-	-	1	-	1	1	-	-
BLACK---FEMALE--	3	-	-	1	-	1	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3127

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Eclampsia and pre-eclampsia (011,013-016)												
KENTUCKY -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
LOUISIANA -----	2	-	-	-	1	1	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	2	-	-	-	1	1	-	-	-
BLACK---FEMALE--	2	-	-	-	1	1	-	-	-
MAINE -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
MARYLAND -----	2	-	-	-	1	-	1	-	-
WHITE-----FEMALE--	1	-	-	-	-	-	1	-	-
ALL OTHER--FEMALE--	1	-	-	-	1	-	-	-	-
BLACK---FEMALE--	1	-	-	-	1	-	-	-	-
MASSACHUSETTS -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
MICHIGAN -----	1	-	-	-	-	1	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	1	-	-	-
BLACK---FEMALE--	1	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3130

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Eclampsia and pre-eclampsia (011,013-016)												
OHIO -----	6	-	-	1	3	-	1	-	1
WHITE-----FEMALE--	4	-	-	1	2	-	1	-	-
ALL OTHER--FEMALE--	2	-	-	-	1	-	-	-	1
BLACK---FEMALE--	2	-	-	-	1	-	-	-	1
OKLAHOMA -----	1	-	-	-	1	-	-	-	-
WHITE-----FEMALE--	1	-	-	-	1	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1	-	-	-	1	-	-	-	-
WHITE-----FEMALE--	1	-	-	-	1	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	-	-	1	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	1	-	-	-	-	-
BLACK---FEMALE--	1	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3133

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Hemorrhage of pregnancy and childbirth and placenta previa (020,044-046,067,072)												
UNITED STATES -	30	-	-	3	7	7	9	4	-
WHITE-----FEMALE--	21	-	-	2	4	5	8	2	-
ALL OTHER--FEMALE--	9	-	-	1	3	2	1	2	-
BLACK---FEMALE--	6	-	-	1	2	1	1	1	-
ALABAMA -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	5	-	-	1	1	2	1	-	-
WHITE-----FEMALE--	3	-	-	-	-	2	1	-	-
ALL OTHER--FEMALE--	2	-	-	1	1	-	-	-	-
BLACK---FEMALE--	2	-	-	1	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3136

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Hemorrhage of pregnancy and childbirth and placenta previa (020,044-046,067,072)												
KENTUCKY -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
MAINE -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
MICHIGAN -----	1	-	-	-	1	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	1	-	-	-	-
BLACK---FEMALE--	1	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3142

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Complications predominantly related to the puerperium (085-092)												
UNITED STATES -	93	-	6	21	16	26	15	7	2
WHITE-----FEMALE--	55	-	4	12	7	16	9	5	2
ALL OTHER--FEMALE--	38	-	2	9	9	10	6	2	-
BLACK---FEMALE--	31	-	1	9	7	7	5	2	-
ALABAMA -----	1	-	-	-	-	1	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	1	-	-	-
BLACK---FEMALE--	1	-	-	-	-	1	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
ARIZONA -----	3	-	2	-	-	1	-	-	-
WHITE-----FEMALE--	2	-	2	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	1	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	9	-	-	4	1	2	1	1	-
WHITE-----FEMALE--	4	-	-	2	-	1	-	1	-
ALL OTHER--FEMALE--	5	-	-	2	1	1	1	-	-
BLACK---FEMALE--	3	-	-	2	-	-	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3143

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Complications predominantly related to the puerperium (085-092)												
COLORADO -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
FLORIDA -----	9	-	-	2	-	2	4	-	1
WHITE-----FEMALE--	8	-	-	1	-	2	4	-	1
ALL OTHER--FEMALE--	1	-	-	1	-	-	-	-	-
BLACK---FEMALE--	1	-	-	1	-	-	-	-	-
GEORGIA -----	5	-	1	1	-	1	2	-	-
WHITE-----FEMALE--	1	-	-	1	-	-	-	-	-
ALL OTHER--FEMALE--	4	-	1	-	-	1	2	-	-
BLACK---FEMALE--	3	-	-	-	-	1	2	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3145

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Complications predominantly related to the puerperium (085-092)												
KENTUCKY -----	1	-	-	1	-	-	-	-	-
WHITE-----FEMALE--	1	-	-	1	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
LOUISIANA -----	1	-	-	-	-	1	-	-	-
WHITE-----FEMALE--	1	-	-	-	-	1	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
MAINE -----	1	-	-	-	1	-	-	-	-
WHITE-----FEMALE--	1	-	-	-	1	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
MARYLAND -----	2	-	1	-	-	-	1	-	-
WHITE-----FEMALE--	1	-	-	-	-	-	1	-	-
ALL OTHER--FEMALE--	1	-	1	-	-	-	-	-	-
BLACK---FEMALE--	1	-	1	-	-	-	-	-	-
MASSACHUSETTS -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
MICHIGAN -----	5	-	-	-	3	1	1	-	-
WHITE-----FEMALE--	4	-	-	-	2	1	1	-	-
ALL OTHER--FEMALE--	1	-	-	-	1	-	-	-	-
BLACK---FEMALE--	1	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3148

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Complications predominantly related to the puerperium (085-092)												
OHIO -----	5	-	-	-	3	2	-	-	-
WHITE-----FEMALE--	3	-	-	-	1	2	-	-	-
ALL OTHER--FEMALE--	2	-	-	-	2	-	-	-	-
BLACK---FEMALE--	2	-	-	-	2	-	-	-	-
OKLAHOMA -----	2	-	-	-	1	1	-	-	-
WHITE-----FEMALE--	1	-	-	-	1	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	1	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
OREGON -----	2	-	-	1	-	-	-	1	-
WHITE-----FEMALE--	2	-	-	1	-	-	-	1	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	3	-	-	1	1	1	-	-	-
WHITE-----FEMALE--	1	-	-	-	-	1	-	-	-
ALL OTHER--FEMALE--	2	-	-	1	1	-	-	-	-
BLACK---FEMALE--	1	-	-	1	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	2	-	1	-	-	1	-	-	-
WHITE-----FEMALE--	1	-	1	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	1	-	-	-
BLACK---FEMALE--	1	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3151

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Obstetric embolism (088)												
UNITED STATES -	58	-	2	13	8	20	10	4	1
WHITE-----FEMALE--	38	-	1	8	5	13	6	4	1
ALL OTHER--FEMALE--	20	-	1	5	3	7	4	-	-
BLACK---FEMALE--	15	-	-	5	2	5	3	-	-
ALABAMA -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	-	-	-	-	1	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	1	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	6	-	-	2	-	2	1	1	-
WHITE-----FEMALE--	3	-	-	1	-	1	-	1	-
ALL OTHER--FEMALE--	3	-	-	1	-	1	1	-	-
BLACK---FEMALE--	2	-	-	1	-	-	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3152

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Obstetric embolism (088)												
COLORADO -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
FLORIDA -----	7	-	-	-	-	2	4	-	1
WHITE-----FEMALE--	7	-	-	-	-	2	4	-	1
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
GEORGIA -----	4	-	1	1	-	1	1	-	-
WHITE-----FEMALE--	1	-	-	1	-	-	-	-	-
ALL OTHER--FEMALE--	3	-	1	-	-	1	1	-	-
BLACK---FEMALE--	2	-	-	-	-	1	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3154

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Obstetric embolism (088)												
KENTUCKY -----	1	-	-	1	-	-	-	-	-
WHITE-----FEMALE--	1	-	-	1	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
LOUISIANA -----	1	-	-	-	-	1	-	-	-
WHITE-----FEMALE--	1	-	-	-	-	1	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
MAINE -----	1	-	-	-	1	-	-	-	-
WHITE-----FEMALE--	1	-	-	-	1	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	-	-	-	-	-	1	-	-
WHITE-----FEMALE--	1	-	-	-	-	-	1	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
MICHIGAN -----	3	-	-	-	2	1	-	-	-
WHITE-----FEMALE--	2	-	-	-	1	1	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	1	-	-	-	-
BLACK---FEMALE--	1	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3157

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Obstetric embolism (088)												
OHIO -----	2	-	-	-	1	1	-	-	-
WHITE-----FEMALE--	2	-	-	-	1	1	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	1	-	-	-	1	-	-	-	-
WHITE-----FEMALE--	1	-	-	-	1	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
OREGON -----	1	-	-	1	-	-	-	-	-
WHITE-----FEMALE--	1	-	-	1	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	3	-	-	1	1	1	-	-	-
WHITE-----FEMALE--	1	-	-	-	-	1	-	-	-
ALL OTHER--FEMALE--	2	-	-	1	1	-	-	-	-
BLACK---FEMALE--	1	-	-	1	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	2	-	1	-	-	1	-	-	-
WHITE-----FEMALE--	1	-	1	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	1	-	-	-
BLACK---FEMALE--	1	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3160

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other complications predominately related to the puerperium (085-087,089-092)												
UNITED STATES -	35	-	4	8	8	6	5	3	1
WHITE-----FEMALE--	17	-	3	4	2	3	3	1	1
ALL OTHER--FEMALE--	18	-	1	4	6	3	2	2	-
BLACK---FEMALE--	16	-	1	4	5	2	2	2	-
ALABAMA -----	1	-	-	-	-	1	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	1	-	-	-
BLACK---FEMALE--	1	-	-	-	-	1	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
ARIZONA -----	2	-	2	-	-	-	-	-	-
WHITE-----FEMALE--	2	-	2	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	3	-	-	2	1	-	-	-	-
WHITE-----FEMALE--	1	-	-	1	-	-	-	-	-
ALL OTHER--FEMALE--	2	-	-	1	1	-	-	-	-
BLACK---FEMALE--	1	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3161

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other complications predominately related to the puerperium (085-087,089-092)												
COLORADO -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
FLORIDA -----	2	-	-	2	-	-	-	-	-
WHITE-----FEMALE--	1	-	-	1	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	1	-	-	-	-	-
BLACK---FEMALE--	1	-	-	1	-	-	-	-	-
GEORGIA -----	1	-	-	-	-	-	1	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	1	-	-
BLACK---FEMALE--	1	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3169

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

All other direct obstetric causes (010,012,021-043,047-066,068-071,073-075)

UNITED STATES -	105	-	5	22	19	23	25	10	1
WHITE-----FEMALE--	63	-	2	13	13	13	16	6	-
ALL OTHER--FEMALE--	42	-	3	9	6	10	9	4	1
BLACK---FEMALE--	37	-	2	9	6	8	7	4	1
ALABAMA -----	1	-	-	-	1	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	1	-	-	-	-
BLACK---FEMALE--	1	-	-	-	1	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
ARIZONA -----	2	-	-	-	1	1	-	-	-
WHITE-----FEMALE--	2	-	-	-	1	1	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
ARKANSAS -----	3	-	1	1	-	1	-	-	-
WHITE-----FEMALE--	1	-	-	-	-	1	-	-	-
ALL OTHER--FEMALE--	2	-	1	1	-	-	-	-	-
BLACK---FEMALE--	2	-	1	1	-	-	-	-	-
CALIFORNIA -----	14	-	1	2	1	2	6	2	-
WHITE-----FEMALE--	10	-	-	2	1	-	5	2	-
ALL OTHER--FEMALE--	4	-	1	-	-	2	1	-	-
BLACK---FEMALE--	2	-	-	-	-	1	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3170

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other direct obstetric causes (010,012,021-043,047-066,068-071,073-075)												
COLORADO -----	4	-	-	1	-	1	1	-	1
WHITE-----FEMALE--	3	-	-	1	-	1	1	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	-	1
BLACK---FEMALE--	1	-	-	-	-	-	-	-	1
CONNECTICUT -----	1	-	-	-	-	-	-	1	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	-	1	-
BLACK---FEMALE--	1	-	-	-	-	-	-	1	-
DELAWARE -----	1	-	-	-	1	-	-	-	-
WHITE-----FEMALE--	1	-	-	-	1	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	2	-	-	2	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	2	-	-	2	-	-	-	-	-
BLACK---FEMALE--	2	-	-	2	-	-	-	-	-
FLORIDA -----	5	-	-	3	-	2	-	-	-
WHITE-----FEMALE--	2	-	-	2	-	-	-	-	-
ALL OTHER--FEMALE--	3	-	-	1	-	2	-	-	-
BLACK---FEMALE--	3	-	-	1	-	2	-	-	-
GEORGIA -----	7	-	-	2	1	3	1	-	-
WHITE-----FEMALE--	6	-	-	1	1	3	1	-	-
ALL OTHER--FEMALE--	1	-	-	1	-	-	-	-	-
BLACK---FEMALE--	1	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3173

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

All other direct obstetric causes (010,012,021-043,047-066,068-071,073-075)

MINNESOTA -----	1	-	-	-	1	-	-	-	-
WHITE-----FEMALE--	1	-	-	-	1	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	1	-	-	-	1	-	-	-	-
WHITE-----FEMALE--	1	-	-	-	1	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
MISSOURI -----	1	-	-	1	-	-	-	-	-
WHITE-----FEMALE--	1	-	-	1	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
MONTANA -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
NEBRASKA -----	2	-	-	-	1	1	-	-	-
WHITE-----FEMALE--	2	-	-	-	1	1	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
NEVADA -----	3	-	-	1	-	-	2	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	3	-	-	1	-	-	2	-	-
BLACK---FEMALE--	3	-	-	1	-	-	2	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3175

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other direct obstetric causes (010,012,021-043,047-066,068-071,073-075)												
OHIO -----	3	-	-	1	-	1	1	-	-
WHITE-----FEMALE--	2	-	-	1	-	-	1	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	1	-	-	-
BLACK---FEMALE--	1	-	-	-	-	1	-	-	-
OKLAHOMA -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	2	-	-	-	1	1	-	-	-
WHITE-----FEMALE--	1	-	-	-	1	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	1	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	1	-	-	-	1	-	-	-	-
WHITE-----FEMALE--	1	-	-	-	1	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	4	-	1	1	2	-	-	-	-
WHITE-----FEMALE--	2	-	1	1	-	-	-	-	-
ALL OTHER--FEMALE--	2	-	-	-	2	-	-	-	-
BLACK---FEMALE--	2	-	-	-	2	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3176

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other direct obstetric causes (010,012,021-043,047-066,068-071,073-075)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1	-	-	-	1	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	1	-	-	-	-
BLACK---FEMALE--	1	-	-	-	1	-	-	-	-
TEXAS -----	7	-	-	1	2	3	-	1	-
WHITE-----FEMALE--	5	-	-	-	2	2	-	1	-
ALL OTHER--FEMALE--	2	-	-	1	-	1	-	-	-
BLACK---FEMALE--	2	-	-	1	-	1	-	-	-
UTAH -----	1	-	-	-	-	1	-	-	-
WHITE-----FEMALE--	1	-	-	-	-	1	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	-	1	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	1	-	-	-	-	-	-
BLACK---FEMALE--	1	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3196

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Indirect obstetric deaths (098-099)												
UNITED STATES -	55	-	4	11	13	11	12	4	-
WHITE-----FEMALE--	34	-	3	8	9	6	6	2	-
ALL OTHER--FEMALE--	21	-	1	3	4	5	6	2	-
BLACK---FEMALE--	18	-	-	3	4	5	5	1	-
ALABAMA -----	1	-	-	1	-	-	-	-	-
WHITE-----FEMALE--	1	-	-	1	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	7	-	-	-	3	2	1	1	-
WHITE-----FEMALE--	4	-	-	-	2	2	-	-	-
ALL OTHER--FEMALE--	3	-	-	-	1	-	1	1	-
BLACK---FEMALE--	1	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3197

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Indirect obstetric deaths (098-099)												
COLORADO -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	-	-	-	-	-	1	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	-	-	1	-	-
BLACK---FEMALE--	1	-	-	-	-	-	1	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
FLORIDA -----	4	-	-	-	1	1	2	-	-
WHITE-----FEMALE--	1	-	-	-	1	-	-	-	-
ALL OTHER--FEMALE--	3	-	-	-	-	1	2	-	-
BLACK---FEMALE--	3	-	-	-	-	1	2	-	-
GEORGIA -----	2	-	-	-	1	-	1	-	-
WHITE-----FEMALE--	1	-	-	-	-	-	1	-	-
ALL OTHER--FEMALE--	1	-	-	-	1	-	-	-	-
BLACK---FEMALE--	1	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3202

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Indirect obstetric deaths (098-099)												
OHIO -----	1	-	-	-	1	-	-	-	-
WHITE-----FEMALE--	1	-	-	-	1	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	1	-	1	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	1	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	-	-	-	1	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	1	-	-	-	1	-	-	-	-
BLACK---FEMALE--	1	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3203

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Indirect obstetric deaths (098-099)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
TENNESSEE -----	3	-	-	1	-	-	1	1	-
WHITE-----FEMALE--	2	-	-	-	-	-	1	1	-
ALL OTHER--FEMALE--	1	-	-	1	-	-	-	-	-
BLACK---FEMALE--	1	-	-	1	-	-	-	-	-
TEXAS -----	6	-	1	4	1	-	-	-	-
WHITE-----FEMALE--	6	-	1	4	1	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
UTAH -----	1	-	-	-	-	1	-	-	-
WHITE-----FEMALE--	1	-	-	-	-	1	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	-	-	-	-	-	-	-	-	-
BLACK---FEMALE--	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2	-	-	-	1	-	-	1	-
WHITE-----FEMALE--	-	-	-	-	-	-	-	-	-
ALL OTHER--FEMALE--	2	-	-	-	1	-	-	1	-
BLACK---FEMALE--	2	-	-	-	1	-	-	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3211

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XVI. Certain conditions originating in the perinatal period (P00-P96)												
OHIO -----	609	600	4	2	2	-	-	-	1	-	-	-
WHITE-----MALE----	213	211	-	1	1	-	-	-	-	-	-	-
FEMALE--	177	174	2	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	137	135	1	-	-	-	-	-	1	-	-	-
FEMALE--	82	80	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	134	132	1	-	-	-	-	-	1	-	-	-
FEMALE--	78	76	1	-	1	-	-	-	-	-	-	-
OKLAHOMA -----	180	178	1	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	79	79	-	-	-	-	-	-	-	-	-	-
FEMALE--	48	47	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	30	30	-	-	-	-	-	-	-	-	-	-
FEMALE--	23	22	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	23	23	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	14	-	-	-	-	-	-	-	-	-	-
OREGON -----	104	103	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	50	50	-	-	-	-	-	-	-	-	-	-
FEMALE--	41	41	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	9	8	1	-	-	-	-	-	-	-	-	-
FEMALE--	4	4	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	7	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	562	559	2	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	215	213	1	1	-	-	-	-	-	-	-	-
FEMALE--	153	153	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	110	110	-	-	-	-	-	-	-	-	-	-
FEMALE--	84	83	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	105	105	-	-	-	-	-	-	-	-	-	-
FEMALE--	82	81	1	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	54	53	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	24	23	-	1	-	-	-	-	-	-	-	-
FEMALE--	17	17	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	9	9	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	4	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	8	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	4	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	269	268	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	55	55	-	-	-	-	-	-	-	-	-	-
FEMALE--	39	39	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	100	100	-	-	-	-	-	-	-	-	-	-
FEMALE--	75	74	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	98	98	-	-	-	-	-	-	-	-	-	-
FEMALE--	74	73	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3238

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Birth trauma (P10-P15)												
OHIO -----	6	3	-	-	2	-	-	-	1	-	-	-
WHITE-----MALE----	2	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	1	-	-	-
FEMALE--	2	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	2	1	-	-	-	-	-	-	1	-	-	-
FEMALE--	2	1	-	-	1	-	-	-	-	-	-	-
OKLAHOMA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	3	3	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3286

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XVII. Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)												
UNITED STATES -	10,578	5,743	495	198	201	225	216	208	269	277	292	287
WHITE-----MALE----	4,368	2,316	180	72	75	93	108	93	136	127	132	132
FEMALE--	4,028	2,055	167	75	70	66	65	70	92	96	104	113
ALL OTHER--MALE----	1,149	712	79	33	27	44	23	27	23	27	30	25
FEMALE--	1,033	660	69	18	29	22	20	18	18	27	26	17
BLACK---MALE----	944	567	70	29	23	39	19	24	22	25	26	22
FEMALE--	846	535	56	15	24	17	16	14	17	23	19	17
ALABAMA -----	174	100	13	1	1	1	1	5	4	4	4	4
WHITE-----MALE----	56	33	4	-	-	-	1	-	1	1	2	3
FEMALE--	52	22	2	1	-	-	-	2	2	1	1	1
ALL OTHER--MALE----	31	19	4	-	-	1	-	1	1	1	1	-
FEMALE--	35	26	3	-	1	-	-	2	-	1	-	-
BLACK---MALE----	31	19	4	-	-	1	-	1	1	1	1	-
FEMALE--	34	26	2	-	1	-	-	2	-	1	-	-
ALASKA -----	22	14	1	1	-	1	-	-	1	-	1	-
WHITE-----MALE----	10	6	-	1	-	1	-	-	-	-	-	-
FEMALE--	4	1	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	5	5	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	2	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	204	138	6	2	3	3	6	3	4	2	2	5
WHITE-----MALE----	87	55	3	1	1	2	3	2	2	-	1	3
FEMALE--	86	58	2	1	2	1	2	1	2	-	-	2
ALL OTHER--MALE----	17	14	1	-	-	-	1	-	-	-	-	-
FEMALE--	14	11	-	-	-	-	-	-	-	2	1	-
BLACK---MALE----	5	4	1	-	-	-	-	-	-	-	-	-
FEMALE--	5	5	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	113	63	6	4	2	4	1	6	2	1	5	4
WHITE-----MALE----	52	28	-	2	1	2	-	3	2	1	2	1
FEMALE--	33	18	3	2	-	1	-	1	-	-	2	1
ALL OTHER--MALE----	16	10	2	-	-	-	-	2	-	-	1	1
FEMALE--	12	7	1	-	1	1	1	-	-	-	-	1
BLACK---MALE----	16	10	2	-	-	-	-	2	-	-	1	1
FEMALE--	12	7	1	-	1	1	1	-	-	-	-	1
CALIFORNIA -----	1,265	735	68	24	30	28	25	21	31	36	29	34
WHITE-----MALE----	531	293	34	11	13	13	11	12	16	17	12	15
FEMALE--	507	306	22	9	7	5	9	4	11	13	10	14
ALL OTHER--MALE----	118	65	8	3	4	8	4	2	2	4	4	4
FEMALE--	109	71	4	1	6	2	1	3	2	2	3	1
BLACK---MALE----	61	27	5	2	3	6	3	1	2	4	3	2
FEMALE--	47	28	3	1	3	-	1	-	1	2	1	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3286

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XVII. Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)												
UNITED STATES -	325	296	273	248	216	242	246	178	97	39	6	1
WHITE-----MALE----	168	114	123	99	89	94	94	70	40	12	1	-
FEMALE--	126	141	118	120	102	131	138	98	54	22	4	1
ALL OTHER--MALE----	22	16	11	21	13	5	4	4	1	1	1	-
FEMALE--	9	25	21	8	12	12	10	6	2	4	-	-
BLACK---MALE----	19	11	7	18	8	5	4	3	1	1	1	-
FEMALE--	9	21	20	7	10	9	7	4	2	4	-	-
ALABAMA -----	5	6	2	6	2	9	4	2	-	-	-	-
WHITE-----MALE----	-	-	2	3	-	4	2	-	-	-	-	-
FEMALE--	3	5	-	2	1	5	2	2	-	-	-	-
ALL OTHER--MALE----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
ALASKA -----	2	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2	5	5	3	5	3	-	5	2	-	-	-
WHITE-----MALE----	2	1	4	1	3	1	-	2	-	-	-	-
FEMALE--	-	4	1	2	1	2	-	3	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	2	2	1	1	2	3	2	1	-	-	-
WHITE-----MALE----	1	-	2	-	1	2	3	1	-	-	-	-
FEMALE--	-	2	-	1	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	29	24	20	32	19	20	22	19	11	7	1	-
WHITE-----MALE----	20	14	7	6	5	7	8	10	5	2	-	-
FEMALE--	8	6	10	23	11	10	11	7	6	4	1	-
ALL OTHER--MALE----	-	2	3	1	3	-	-	-	-	1	-	-
FEMALE--	1	2	-	2	-	3	3	2	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	-	1	-	-
FEMALE--	1	-	-	1	-	2	1	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3287

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XVII. Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)												
COLORADO -----	158	72	7	1	5	3	6	-	8	7	6	5
WHITE-----MALE----	59	28	3	-	1	-	4	-	3	4	1	4
FEMALE--	79	31	4	1	3	2	2	-	4	2	4	1
ALL OTHER--MALE----	8	6	-	-	-	-	-	-	1	-	-	-
FEMALE--	12	7	-	-	1	1	-	-	-	1	1	-
BLACK---MALE----	7	5	-	-	-	-	-	-	1	-	-	-
FEMALE--	9	6	-	-	1	1	-	-	-	-	-	-
CONNECTICUT -----	97	52	2	2	4	3	2	2	3	2	1	5
WHITE-----MALE----	42	19	1	-	2	2	1	1	2	1	1	3
FEMALE--	37	20	1	1	1	1	-	-	1	1	-	2
ALL OTHER--MALE----	10	6	-	1	1	-	1	1	-	-	-	-
FEMALE--	8	7	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	10	6	-	1	1	-	1	1	-	-	-	-
FEMALE--	8	7	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	22	10	-	-	-	-	3	-	-	-	3	-
WHITE-----MALE----	9	3	-	-	-	-	2	-	-	-	1	-
FEMALE--	9	4	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	2	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	29	13	3	1	1	-	-	1	-	1	3	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	14	7	2	1	-	-	-	-	-	1	-	-
FEMALE--	13	6	1	-	1	-	-	1	-	-	2	-
BLACK---MALE----	13	6	2	1	-	-	-	-	-	1	-	-
FEMALE--	13	6	1	-	1	-	-	1	-	-	2	-
FLORIDA -----	562	272	22	9	15	13	11	15	11	17	12	17
WHITE-----MALE----	231	92	12	3	3	4	7	6	4	9	6	13
FEMALE--	171	75	4	4	3	3	1	6	4	1	2	4
ALL OTHER--MALE----	84	52	4	2	5	4	1	1	1	5	-	-
FEMALE--	76	53	2	-	4	2	2	2	2	2	4	-
BLACK---MALE----	79	48	4	2	4	4	1	1	1	5	-	-
FEMALE--	73	51	2	-	4	2	2	2	2	2	3	-
GEORGIA -----	324	194	14	8	11	8	6	6	9	6	4	8
WHITE-----MALE----	98	61	1	3	2	2	2	1	5	1	1	1
FEMALE--	110	55	3	1	5	4	3	3	2	3	1	4
ALL OTHER--MALE----	76	55	6	3	2	1	-	-	2	1	1	2
FEMALE--	40	23	4	1	2	1	1	2	-	1	1	1
BLACK---MALE----	73	52	6	3	2	1	-	-	2	1	1	2
FEMALE--	38	23	3	1	2	-	1	2	-	1	1	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3289

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XVII. Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)												
KENTUCKY -----	164	91	7	-	6	4	4	3	4	7	2	6
WHITE-----MALE----	82	48	6	-	3	1	3	1	2	3	-	4
FEMALE--	69	37	1	-	3	2	-	1	1	3	2	1
ALL OTHER--MALE----	3	1	-	-	-	1	-	1	-	-	-	-
FEMALE--	10	5	-	-	-	-	1	-	1	1	-	1
BLACK---MALE-----	2	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	10	5	-	-	-	-	1	-	1	1	-	1
LOUISIANA -----	236	140	15	5	5	8	7	4	7	9	6	2
WHITE-----MALE----	69	40	1	-	3	5	2	1	4	1	2	-
FEMALE--	68	35	4	1	1	2	2	1	3	4	2	1
ALL OTHER--MALE----	43	32	2	1	1	1	-	1	-	2	2	-
FEMALE--	56	33	8	3	-	-	3	1	-	2	-	1
BLACK---MALE-----	43	32	2	1	1	1	-	1	-	2	2	-
FEMALE--	54	32	7	3	-	-	3	1	-	2	-	1
MAINE -----	44	18	2	1	-	2	-	3	-	1	2	2
WHITE-----MALE----	21	9	-	-	-	2	-	2	-	-	2	1
FEMALE--	21	8	2	1	-	-	-	1	-	1	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	168	78	10	3	2	8	2	5	5	8	10	6
WHITE-----MALE----	42	16	3	2	-	2	1	2	-	1	4	2
FEMALE--	64	26	1	1	2	1	-	2	3	4	4	2
ALL OTHER--MALE----	28	14	1	-	-	5	1	1	1	1	1	-
FEMALE--	34	22	5	-	-	-	-	-	1	2	1	2
BLACK---MALE-----	24	12	1	-	-	4	1	1	1	1	-	-
FEMALE--	31	19	5	-	-	-	-	-	1	2	1	2
MASSACHUSETTS -----	132	58	6	1	2	-	2	5	2	7	3	5
WHITE-----MALE----	53	18	2	1	1	-	2	1	2	5	1	2
FEMALE--	55	24	3	-	-	-	-	3	-	2	-	3
ALL OTHER--MALE----	21	13	1	-	1	-	-	1	-	-	2	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	15	10	1	-	1	-	-	1	-	-	1	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	362	188	13	7	6	13	8	7	9	11	20	15
WHITE-----MALE----	149	74	3	3	1	4	5	4	5	5	10	6
FEMALE--	140	64	5	3	5	7	2	1	2	4	9	6
ALL OTHER--MALE----	37	29	4	1	-	-	-	-	1	-	-	1
FEMALE--	36	21	1	-	-	2	1	2	1	2	1	2
BLACK---MALE-----	30	23	3	1	-	-	-	-	1	-	-	1
FEMALE--	32	18	-	-	-	2	1	2	1	2	1	2

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3289

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XVII. Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)												
KENTUCKY -----	6	3	1	5	6	2	3	1	2	-	1	-
WHITE-----MALE----	2	2	1	3	3	-	-	-	1	-	-	-
FEMALE--	4	-	1	2	3	2	3	1	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	4	5	4	4	-	6	1	1	1	2	-	-
WHITE-----MALE----	3	-	1	2	-	2	1	-	1	-	-	-
FEMALE--	1	2	2	2	-	2	-	1	-	2	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	1	-	-	2	-	-	-	-	-	-
BLACK---MALE-----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	1	-	-	2	-	-	-	-	-	-
MAINE -----	-	3	3	1	1	3	-	-	2	-	-	-
WHITE-----MALE----	-	1	-	-	-	2	-	-	2	-	-	-
FEMALE--	-	2	3	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	7	5	3	3	2	3	6	1	1	-	-	-
WHITE-----MALE----	4	1	-	2	1	-	-	-	1	-	-	-
FEMALE--	3	2	3	-	-	3	6	1	-	-	-	-
ALL OTHER--MALE----	-	2	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	-	2	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
MASSACHUSETTS -----	12	7	1	3	3	6	6	2	1	-	-	-
WHITE-----MALE----	6	3	1	1	-	4	2	-	1	-	-	-
FEMALE--	6	3	-	1	3	2	4	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	14	8	6	6	4	9	6	7	2	3	-	-
WHITE-----MALE----	5	6	1	2	2	3	4	2	2	2	-	-
FEMALE--	9	2	4	4	2	6	2	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3292

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XVII. Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)												
OHIO -----	455	239	21	10	8	11	6	9	14	17	18	12
WHITE-----MALE----	196	103	6	3	3	3	3	2	9	8	8	5
FEMALE--	176	88	10	3	4	5	2	4	4	7	7	5
ALL OTHER--MALE----	45	28	2	2	-	2	1	3	1	2	1	1
FEMALE--	38	20	3	2	1	1	-	-	-	-	2	1
BLACK---MALE-----	43	28	1	2	-	1	1	3	1	2	1	1
FEMALE--	38	20	3	2	1	1	-	-	-	-	2	1
OKLAHOMA -----	164	98	4	1	2	3	3	1	2	5	6	5
WHITE-----MALE----	60	41	2	-	-	-	-	-	1	1	3	1
FEMALE--	74	38	2	-	1	1	2	1	1	4	2	3
ALL OTHER--MALE----	12	11	-	-	-	-	-	-	-	-	-	-
FEMALE--	18	8	-	1	1	2	1	-	-	-	1	1
BLACK---MALE-----	7	6	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	5	-	-	1	2	-	-	-	-	-	1
OREGON -----	130	61	-	3	5	-	3	6	2	2	3	6
WHITE-----MALE----	71	37	-	2	4	-	2	3	-	2	2	2
FEMALE--	52	22	-	1	1	-	-	2	1	-	1	3
ALL OTHER--MALE----	4	1	-	-	-	-	-	1	1	-	-	1
FEMALE--	3	1	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	3	1	-	-	-	-	-	1	1	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	423	207	14	9	13	9	13	5	20	10	14	12
WHITE-----MALE----	187	97	6	4	4	3	7	3	9	4	10	6
FEMALE--	169	74	5	2	5	4	3	1	9	4	3	6
ALL OTHER--MALE----	32	16	3	1	1	2	2	-	2	-	-	-
FEMALE--	35	20	-	2	3	-	1	1	-	2	1	-
BLACK---MALE-----	28	14	2	1	1	2	2	-	2	-	-	-
FEMALE--	31	18	-	1	2	-	1	1	-	2	1	-
RHODE ISLAND -----	30	9	1	1	-	2	1	1	1	2	2	2
WHITE-----MALE----	12	5	-	-	-	2	-	-	1	1	-	-
FEMALE--	14	2	1	-	-	-	1	1	-	1	1	2
ALL OTHER--MALE----	2	-	-	1	-	-	-	-	-	-	1	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	2	-	-	1	-	-	-	-	-	-	1	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	177	87	7	4	-	5	3	5	5	7	4	6
WHITE-----MALE----	44	19	-	1	-	-	-	2	3	3	3	1
FEMALE--	55	22	2	1	-	2	1	2	1	3	1	2
ALL OTHER--MALE----	43	26	3	1	-	1	2	1	1	-	-	2
FEMALE--	35	20	2	1	-	2	-	-	-	1	-	1
BLACK---MALE-----	43	26	3	1	-	1	2	1	1	-	-	2
FEMALE--	34	20	2	1	-	1	-	-	-	1	-	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3292

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XVII. Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)												
OHIO -----	16	12	8	11	12	11	9	8	1	2	-	-
WHITE-----MALE----	8	4	5	4	7	5	6	3	-	1	-	-
FEMALE--	6	5	2	4	5	5	3	5	1	1	-	-
ALL OTHER--MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	2	3	1	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	2	3	1	1	-	1	-	-	-	-	-	-
OKLAHOMA -----	5	3	4	7	3	3	5	3	-	1	-	-
WHITE-----MALE----	2	-	2	2	1	1	3	-	-	-	-	-
FEMALE--	3	3	-	4	2	1	2	3	-	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	-	-	-	-	-	-	-	-
OREGON -----	5	5	4	1	4	4	11	4	1	-	-	-
WHITE-----MALE----	4	3	2	1	3	1	2	1	-	-	-	-
FEMALE--	1	2	2	-	1	2	9	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	12	15	10	9	14	10	12	6	5	3	1	-
WHITE-----MALE----	5	6	5	5	2	6	3	1	-	1	-	-
FEMALE--	6	7	4	4	9	4	7	5	5	2	-	-
ALL OTHER--MALE----	1	1	-	-	1	-	1	-	-	-	1	-
FEMALE--	-	1	1	-	2	-	1	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	1	-	-	-	1	-
FEMALE--	-	1	1	-	2	-	1	-	-	-	-	-
RHODE ISLAND -----	1	1	1	1	1	2	1	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	1	1	1	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	4	3	6	5	6	5	5	6	1	2	-	1
WHITE-----MALE----	1	1	2	3	1	2	-	2	-	-	-	-
FEMALE--	3	1	2	-	2	-	4	4	1	-	-	1
ALL OTHER--MALE----	-	-	-	1	2	3	-	-	-	-	-	-
FEMALE--	-	1	2	1	1	-	1	-	-	2	-	-
BLACK---MALE----	-	-	-	1	2	3	-	-	-	-	-	-
FEMALE--	-	1	2	1	1	-	1	-	-	2	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3293

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XVII. Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)												
SOUTH DAKOTA -----	27	10	2	1	-	-	2	2	3	-	1	-
WHITE-----MALE----	16	5	2	1	-	-	1	1	2	-	1	-
FEMALE--	8	3	-	-	-	-	1	1	1	-	-	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	234	129	9	4	5	5	4	5	5	5	5	4
WHITE-----MALE----	82	46	1	1	1	3	3	2	1	1	3	2
FEMALE--	99	48	5	1	3	-	1	3	3	2	2	1
ALL OTHER--MALE----	29	18	1	2	1	1	-	-	-	1	-	1
FEMALE--	24	17	2	-	-	1	-	-	1	1	-	-
BLACK---MALE-----	29	18	1	2	1	1	-	-	-	1	-	1
FEMALE--	24	17	2	-	-	1	-	-	1	1	-	-
TEXAS -----	847	487	51	16	9	25	21	15	20	10	16	18
WHITE-----MALE----	376	210	23	4	4	9	12	10	10	3	9	6
FEMALE--	354	214	22	7	3	9	7	3	5	4	5	8
ALL OTHER--MALE----	56	26	4	2	-	5	2	2	1	2	1	3
FEMALE--	61	37	2	3	2	2	-	-	4	1	1	1
BLACK---MALE-----	52	23	4	2	-	5	2	2	1	1	1	3
FEMALE--	59	35	2	3	2	2	-	-	4	1	1	1
UTAH -----	121	81	9	1	2	3	1	3	1	2	1	3
WHITE-----MALE----	70	49	5	-	2	3	1	2	1	1	1	1
FEMALE--	43	25	3	1	-	-	-	1	-	1	-	2
ALL OTHER--MALE----	6	5	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
VERMONT -----	20	3	1	-	-	1	-	3	1	-	-	2
WHITE-----MALE----	8	2	1	-	-	-	-	2	-	-	-	-
FEMALE--	12	1	-	-	-	1	-	1	1	-	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	224	113	11	2	4	5	7	9	3	10	3	6
WHITE-----MALE----	97	60	5	1	2	1	1	4	2	4	-	3
FEMALE--	77	26	3	-	1	2	4	3	1	3	2	1
ALL OTHER--MALE----	26	16	-	-	1	1	1	2	-	1	1	1
FEMALE--	24	11	3	1	-	1	1	-	-	2	-	1
BLACK---MALE-----	22	13	-	-	1	1	1	2	-	1	1	1
FEMALE--	21	9	2	1	-	1	1	-	-	2	-	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3293

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XVII. Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)												
SOUTH DAKOTA -----	1	-	2	1	-	1	-	-	-	1	-	-
WHITE-----MALE----	-	-	2	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	9	8	8	8	5	8	4	1	1	1	1	-
WHITE-----MALE----	3	3	-	4	4	3	1	-	-	-	-	-
FEMALE--	5	4	7	3	1	5	2	1	-	1	1	-
ALL OTHER--MALE----	1	1	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	1	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	-	-	-
TEXAS -----	21	12	15	22	14	28	19	13	12	3	-	-
WHITE-----MALE----	10	6	12	10	6	14	7	8	2	1	-	-
FEMALE--	7	4	2	10	7	12	10	5	9	1	-	-
ALL OTHER--MALE----	3	1	1	2	1	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	2	2	-	1	1	-	-
BLACK---MALE----	3	1	1	2	1	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	2	2	-	1	1	-	-
UTAH -----	2	4	1	3	3	-	-	-	1	-	-	-
WHITE-----MALE----	-	2	-	1	-	-	-	-	1	-	-	-
FEMALE--	2	2	1	2	3	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	1	1	2	-	-	2	1	1	-	-	-
WHITE-----MALE----	-	1	1	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	8	7	7	4	4	4	5	7	4	1	-	-
WHITE-----MALE----	3	3	2	1	1	1	-	1	2	-	-	-
FEMALE--	4	3	4	3	3	2	5	4	2	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	1	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	1	-	-	1	-	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3307

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Spina bifida (Q05)												
KENTUCKY -----	1	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	1	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3	1	-	-	-	1	-	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	3	-	-	-	-	-	-	-	-	-	-	2
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	6	-	-	-	-	1	-	-	1	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3313

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

All other congenital malformations of nervous system (Q01-Q04,Q06-Q07)

UNITED STATES -	762	408	97	61	43	21	21	16	13	12	14	13
WHITE-----MALE----	302	158	36	19	15	9	9	10	5	3	7	9
FEMALE--	276	153	38	22	16	6	5	3	5	5	6	1
ALL OTHER--MALE----	92	48	8	11	5	4	5	1	1	2	1	2
FEMALE--	92	49	15	9	7	2	2	2	2	2	-	1
BLACK---MALE----	78	41	6	9	3	3	5	1	1	2	1	2
FEMALE--	75	41	12	7	5	2	2	1	2	2	-	1
ALABAMA -----	12	9	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	4	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
ALASKA -----	2	1	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	13	9	2	1	-	-	-	-	-	-	-	1
WHITE-----MALE----	9	7	-	1	-	-	-	-	-	-	-	1
FEMALE--	4	2	2	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	11	5	1	1	1	-	-	2	-	-	1	-
WHITE-----MALE----	4	2	-	1	-	-	-	1	-	-	-	-
FEMALE--	2	1	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	1	-	-	-	-	-	1	-	-	1	-
FEMALE--	2	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	3	1	-	-	-	-	-	1	-	-	1	-
FEMALE--	2	1	-	-	1	-	-	-	-	-	-	-
CALIFORNIA -----	117	72	12	5	7	3	5	1	4	3	2	2
WHITE-----MALE----	44	30	4	2	3	1	2	-	1	-	-	1
FEMALE--	48	32	6	2	-	1	1	-	3	1	2	-
ALL OTHER--MALE----	12	2	1	1	2	1	2	-	-	1	-	1
FEMALE--	13	8	1	-	2	-	-	1	-	1	-	-
BLACK---MALE----	9	1	1	1	1	-	2	-	-	1	-	1
FEMALE--	4	2	1	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3316

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other congenital malformations of nervous system (Q01-Q04,Q06-Q07)												
KENTUCKY -----	5	1	2	-	-	-	-	1	-	1	-	-
WHITE-----MALE----	3	-	2	-	-	-	-	1	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	14	7	4	2	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	3	2	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	7	3	2	1	-	-	1	-	-	-	-	-
BLACK---MALE-----	2	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	6	3	1	1	-	-	1	-	-	-	-	-
MAINE -----	3	-	1	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	1	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	11	5	2	1	-	-	-	-	-	2	1	-
WHITE-----MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	1	1	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	3	1	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	3	1	-	-	-	-	-	-	1	-	-
MASSACHUSETTS -----	6	4	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	25	6	5	2	3	3	-	1	1	-	3	1
WHITE-----MALE----	14	4	1	1	1	1	-	1	1	-	3	1
FEMALE--	7	1	2	1	2	1	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE-----	2	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3322

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Congenital malformations of heart (Q20-Q24)												
UNITED STATES -	3,422	1,634	191	58	79	118	100	99	141	120	126	102
WHITE-----MALE----	1,436	665	71	22	32	49	47	48	77	56	60	47
FEMALE--	1,270	569	63	25	22	29	29	31	46	40	43	41
ALL OTHER--MALE----	382	202	32	10	13	28	13	11	12	15	9	7
FEMALE--	334	198	25	1	12	12	11	9	6	9	14	7
BLACK---MALE----	313	156	27	8	11	25	11	10	12	14	9	7
FEMALE--	269	161	19	1	12	8	9	7	5	7	10	7
ALABAMA -----	58	30	3	1	1	1	1	2	1	4	2	3
WHITE-----MALE----	22	12	1	-	-	-	1	-	-	1	1	2
FEMALE--	18	7	-	1	-	-	-	1	1	1	1	1
ALL OTHER--MALE----	7	3	1	-	-	1	-	1	-	1	-	-
FEMALE--	11	8	1	-	1	-	-	-	-	1	-	-
BLACK---MALE----	7	3	1	-	-	1	-	1	-	1	-	-
FEMALE--	11	8	1	-	1	-	-	-	-	1	-	-
ALASKA -----	10	5	-	1	-	1	-	-	1	-	-	-
WHITE-----MALE----	5	2	-	1	-	1	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	52	34	2	1	1	-	4	1	1	1	1	1
WHITE-----MALE----	23	13	2	-	-	-	3	1	1	-	-	1
FEMALE--	17	12	-	1	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	7	6	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	3	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	28	14	1	1	1	1	-	2	1	-	2	-
WHITE-----MALE----	16	8	-	-	1	-	-	1	1	-	1	-
FEMALE--	10	5	1	1	-	1	-	-	-	-	1	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	386	198	29	9	10	17	12	9	15	13	13	4
WHITE-----MALE----	174	79	15	4	5	8	5	7	10	7	8	4
FEMALE--	140	82	8	2	1	3	5	1	3	5	2	-
ALL OTHER--MALE----	37	15	5	2	1	5	1	-	1	1	2	-
FEMALE--	35	22	1	1	3	1	1	1	1	-	1	-
BLACK---MALE----	16	3	3	1	1	4	-	-	1	1	2	-
FEMALE--	16	10	-	1	3	-	1	-	-	-	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3323

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Congenital malformations of heart (Q20-Q24)												
COLORADO -----	52	19	1	1	1	1	1	-	4	3	3	3
WHITE-----MALE----	19	8	-	-	1	-	1	-	1	2	1	2
FEMALE--	28	9	1	1	-	1	-	-	2	1	1	1
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	1	-	-	-
FEMALE--	3	1	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	2	1	-	-	-	-	-	-	1	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	31	14	1	-	1	-	2	1	3	2	1	3
WHITE-----MALE----	16	7	-	-	-	-	1	1	2	1	1	2
FEMALE--	9	3	1	-	-	-	-	-	1	1	-	1
ALL OTHER--MALE----	4	2	-	-	1	-	1	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	2	-	-	1	-	1	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	10	6	-	-	-	-	1	-	-	-	1	-
WHITE-----MALE----	4	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	3	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	10	4	1	-	1	-	-	1	-	1	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	1	1	-	-	-	-	-	-	1	-	-
FEMALE--	6	3	-	-	1	-	-	1	-	-	1	-
BLACK---MALE----	4	1	1	-	-	-	-	-	-	1	-	-
FEMALE--	6	3	-	-	1	-	-	1	-	-	1	-
FLORIDA -----	180	78	5	2	5	11	6	6	4	6	6	7
WHITE-----MALE----	77	25	4	1	1	3	4	4	1	5	3	5
FEMALE--	49	22	-	-	-	2	-	-	2	-	-	2
ALL OTHER--MALE----	31	17	1	1	2	4	1	1	1	1	-	-
FEMALE--	23	14	-	-	2	2	1	1	-	-	3	-
BLACK---MALE----	30	16	1	1	2	4	1	1	1	1	-	-
FEMALE--	21	13	-	-	2	2	1	1	-	-	2	-
GEORGIA -----	111	57	3	1	5	3	4	2	6	1	2	5
WHITE-----MALE----	36	20	1	1	1	-	1	-	4	-	-	1
FEMALE--	39	16	-	-	3	1	2	1	-	-	1	2
ALL OTHER--MALE----	20	12	2	-	-	1	-	-	2	1	-	1
FEMALE--	16	9	-	-	1	1	1	1	-	-	1	1
BLACK---MALE----	19	11	2	-	-	1	-	-	2	1	-	1
FEMALE--	15	9	-	-	1	-	1	1	-	-	1	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3325

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Congenital malformations of heart (Q20-Q24)												
KENTUCKY -----	60	28	1	-	3	2	2	1	3	2	1	4
WHITE-----MALE----	29	15	1	-	2	-	1	-	2	1	-	2
FEMALE--	26	11	-	-	1	2	-	-	1	1	1	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	4	2	-	-	-	-	1	-	-	-	-	1
BLACK---MALE-----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	4	2	-	-	-	-	1	-	-	-	-	1
LOUISIANA -----	78	43	4	1	4	3	3	2	3	4	2	-
WHITE-----MALE----	22	9	1	-	2	2	1	1	2	1	1	-
FEMALE--	25	12	1	1	1	-	-	1	1	1	-	-
ALL OTHER--MALE----	17	12	-	-	1	1	-	-	-	2	1	-
FEMALE--	14	10	2	-	-	-	2	-	-	-	-	-
BLACK---MALE-----	17	12	-	-	1	1	-	-	-	2	1	-
FEMALE--	13	9	2	-	-	-	2	-	-	-	-	-
MAINE -----	13	7	-	1	-	-	-	1	-	1	1	-
WHITE-----MALE----	6	3	-	-	-	-	-	1	-	-	1	-
FEMALE--	6	3	-	1	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	55	19	4	1	-	3	1	3	4	3	3	3
WHITE-----MALE----	17	5	1	1	-	1	-	2	-	1	1	1
FEMALE--	14	5	-	-	-	-	-	1	2	1	1	1
ALL OTHER--MALE----	11	3	-	-	-	2	1	-	1	1	-	-
FEMALE--	13	6	3	-	-	-	-	-	1	-	1	1
BLACK---MALE-----	11	3	-	-	-	2	1	-	1	1	-	-
FEMALE--	13	6	3	-	-	-	-	-	1	-	1	1
MASSACHUSETTS -----	40	14	3	-	1	-	2	2	1	3	2	1
WHITE-----MALE----	17	3	2	-	1	-	2	1	1	3	1	-
FEMALE--	18	9	-	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	5	2	1	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	5	2	1	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	112	48	6	1	3	3	6	3	5	5	4	7
WHITE-----MALE----	44	17	1	-	-	2	5	1	4	1	1	4
FEMALE--	48	17	2	1	3	1	-	1	1	3	3	3
ALL OTHER--MALE----	12	9	3	-	-	-	-	-	-	-	-	-
FEMALE--	8	5	-	-	-	-	1	1	-	1	-	-
BLACK---MALE-----	10	8	2	-	-	-	-	-	-	-	-	-
FEMALE--	8	5	-	-	-	-	1	1	-	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3328

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Congenital malformations of heart (Q20-Q24)												
OHIO -----	132	56	9	1	2	7	2	3	5	7	9	7
WHITE-----MALE----	47	18	2	-	1	2	1	1	3	2	4	2
FEMALE--	56	25	5	1	1	2	1	1	1	3	3	3
ALL OTHER--MALE----	14	4	1	-	-	2	-	1	1	2	1	1
FEMALE--	15	9	1	-	-	1	-	-	-	-	1	1
BLACK---MALE-----	12	4	-	-	-	1	-	1	1	2	1	1
FEMALE--	15	9	1	-	-	1	-	-	-	-	1	1
OKLAHOMA -----	47	20	-	-	-	-	3	-	1	3	3	2
WHITE-----MALE----	18	9	-	-	-	-	-	-	1	1	1	1
FEMALE--	16	3	-	-	-	-	2	-	-	2	1	1
ALL OTHER--MALE----	6	6	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	2	-	-	-	-	1	-	-	-	1	-
BLACK---MALE-----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	-	-	-	-	-	-	-	-	-	-
OREGON -----	39	15	-	1	3	-	1	1	1	1	1	2
WHITE-----MALE----	17	6	-	-	2	-	1	-	-	1	1	-
FEMALE--	19	7	-	1	1	-	-	1	1	-	-	2
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	136	57	4	3	7	6	7	3	11	3	5	6
WHITE-----MALE----	62	27	2	3	3	2	3	2	5	2	4	3
FEMALE--	51	20	2	-	2	3	3	1	5	-	1	3
ALL OTHER--MALE----	9	2	-	-	-	1	1	-	1	-	-	-
FEMALE--	14	8	-	-	2	-	-	-	-	1	-	-
BLACK---MALE-----	7	1	-	-	-	1	1	-	1	-	-	-
FEMALE--	12	6	-	-	2	-	-	-	-	1	-	-
RHODE ISLAND -----	5	1	-	-	-	1	1	-	-	2	-	-
WHITE-----MALE----	3	1	-	-	-	1	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	61	23	4	1	-	3	1	5	3	3	3	1
WHITE-----MALE----	14	7	-	-	-	-	-	2	1	-	2	-
FEMALE--	22	4	1	-	-	2	-	2	1	2	1	1
ALL OTHER--MALE----	15	7	2	1	-	-	1	1	1	-	-	-
FEMALE--	10	5	1	-	-	1	-	-	-	1	-	-
BLACK---MALE-----	15	7	2	1	-	-	1	1	1	-	-	-
FEMALE--	9	5	1	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3328

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Congenital malformations of heart (Q20-Q24)												
OHIO -----	6	3	-	5	3	1	2	2	1	1	-	-
WHITE-----MALE----	3	2	-	2	1	1	2	-	-	-	-	-
FEMALE--	2	-	-	2	2	-	-	2	1	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	-	1	3	2	2	2	2	2	-	1	-	-
WHITE-----MALE----	-	-	1	1	1	-	2	-	-	-	-	-
FEMALE--	-	1	-	1	1	1	-	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	-	-	-	-	-	-	-	-
OREGON -----	1	1	1	-	2	2	4	1	1	-	-	-
WHITE-----MALE----	1	1	1	-	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	3	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	3	4	3	2	4	3	3	2	-	-	-	-
WHITE-----MALE----	1	-	1	2	1	1	-	-	-	-	-	-
FEMALE--	1	2	1	-	1	2	2	2	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	1	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	1	-	1	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	-	1	-	3	3	3	1	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	1	-	-	-	2	-	3	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3329

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Congenital malformations of heart (Q20-Q24)												
SOUTH DAKOTA -----	6	1	1	-	-	-	-	1	2	-	-	-
WHITE-----MALE----	4	1	1	-	-	-	-	1	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	71	33	4	-	1	3	1	3	2	1	2	1
WHITE-----MALE----	22	13	-	-	-	1	1	1	-	-	1	-
FEMALE--	33	9	2	-	1	-	-	2	2	1	1	1
ALL OTHER--MALE----	8	5	1	-	-	1	-	-	-	-	-	-
FEMALE--	8	6	1	-	-	1	-	-	-	-	-	-
BLACK---MALE-----	8	5	1	-	-	1	-	-	-	-	-	-
FEMALE--	8	6	1	-	-	1	-	-	-	-	-	-
TEXAS -----	303	157	20	2	3	13	4	6	11	4	7	9
WHITE-----MALE----	134	65	8	2	1	6	2	3	6	1	5	1
FEMALE--	131	75	10	-	1	5	1	2	3	2	1	4
ALL OTHER--MALE----	22	9	1	-	-	1	1	1	-	1	1	3
FEMALE--	16	8	1	-	1	1	-	-	2	-	-	1
BLACK---MALE-----	21	8	1	-	-	1	1	1	-	1	1	3
FEMALE--	16	8	1	-	1	1	-	-	2	-	-	1
UTAH -----	42	26	3	1	2	2	-	2	-	1	-	1
WHITE-----MALE----	29	18	1	-	2	2	-	2	-	1	-	1
FEMALE--	12	8	1	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	9	-	1	-	-	-	-	1	1	-	-	1
WHITE-----MALE----	3	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	1	1	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	84	40	6	1	1	5	3	4	1	7	-	2
WHITE-----MALE----	44	25	2	1	-	1	1	2	1	4	-	1
FEMALE--	20	6	2	-	-	2	1	1	-	1	-	-
ALL OTHER--MALE----	11	6	-	-	1	1	1	1	-	1	-	-
FEMALE--	9	3	2	-	-	1	-	-	-	1	-	1
BLACK---MALE-----	10	5	-	-	1	1	1	1	-	1	-	-
FEMALE--	8	3	1	-	-	1	-	-	-	1	-	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3329

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Congenital malformations of heart (Q20-Q24)												
SOUTH DAKOTA -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	3	2	3	5	2	1	2	-	-	1	1	-
WHITE-----MALE----	-	1	-	2	2	-	-	-	-	-	-	-
FEMALE--	3	1	3	2	-	1	2	-	-	1	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	7	4	6	5	8	9	13	7	6	2	-	-
WHITE-----MALE----	2	2	6	2	5	6	5	4	1	1	-	-
FEMALE--	3	1	-	2	3	3	7	3	5	-	-	-
ALL OTHER--MALE----	2	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	1	-	-
BLACK---MALE----	2	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	1	-	-
UTAH -----	1	1	-	-	1	-	-	-	1	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	1	-	1	-	-	2	1	-	-	-	-
WHITE-----MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	2	3	1	1	2	3	-	2	-	-	-
WHITE-----MALE----	-	1	2	-	-	1	-	-	2	-	-	-
FEMALE--	-	1	1	1	1	-	3	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3331

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other congenital malformations of circulatory system (Q25-Q28)												
UNITED STATES -	43	35	44	31	51	54	59	56	23	9	-	-
WHITE-----MALE----	21	10	21	9	28	23	25	23	8	5	-	-
FEMALE--	11	16	14	18	17	28	30	31	13	3	-	-
ALL OTHER--MALE----	10	4	3	3	3	-	-	-	-	1	-	-
FEMALE--	1	5	6	1	3	3	4	2	2	-	-	-
BLACK---MALE-----	9	3	2	1	2	-	-	-	-	1	-	-
FEMALE--	1	4	6	1	2	2	3	1	2	-	-	-
ALABAMA -----	2	1	-	2	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	2	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	1	1	-	2	1	-	-	1	-	-	-
WHITE-----MALE----	-	-	1	-	2	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	1	-	-	-	-	1	1	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	7	5	-	8	4	3	5	6	2	2	-	-
WHITE-----MALE----	6	3	-	1	2	-	3	4	2	1	-	-
FEMALE--	1	1	-	7	1	2	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	1	-	-
FEMALE--	-	1	-	-	-	1	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3332

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other congenital malformations of circulatory system (Q25-Q28)												
COLORADO -----	12	1	1	-	1	-	-	-	1	1	1	-
WHITE-----MALE----	3	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	9	1	-	-	1	-	-	-	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	7	2	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	4	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	3	1	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	3	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	69	14	1	1	3	-	1	2	1	6	1	3
WHITE-----MALE----	29	6	-	-	-	-	-	-	-	1	1	3
FEMALE--	22	2	1	1	1	-	1	2	1	1	-	-
ALL OTHER--MALE----	14	4	-	-	2	-	-	-	-	3	-	-
FEMALE--	4	2	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	14	4	-	-	2	-	-	-	-	3	-	-
FEMALE--	4	2	-	-	-	-	-	-	-	1	-	-
GEORGIA -----	25	8	-	1	-	2	-	2	1	2	-	1
WHITE-----MALE----	6	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	11	4	-	-	-	1	-	1	1	1	-	1
ALL OTHER--MALE----	6	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	1	-	-
BLACK---MALE-----	5	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3334

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other congenital malformations of circulatory system (Q25-Q28)												
KENTUCKY -----	11	4	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	6	2	-	-	-	-	1	-	-	-	-	-
FEMALE--	4	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	17	8	-	1	1	-	-	-	2	1	-	1
WHITE-----MALE----	7	3	-	-	1	-	-	-	1	-	-	-
FEMALE--	4	3	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	1	-	1	-	-	-	-	-	1	-	1
BLACK---MALE-----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	1	-	1	-	-	-	-	-	1	-	1
MAINE -----	6	1	-	-	-	-	-	1	-	-	-	1
WHITE-----MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	3	1	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	13	1	-	-	-	1	1	-	-	2	3	2
WHITE-----MALE----	2	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	8	-	-	-	-	1	-	-	-	1	2	1
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
MASSACHUSETTS -----	14	5	-	-	-	-	-	-	-	2	1	1
WHITE-----MALE----	5	2	-	-	-	-	-	-	-	1	-	-
FEMALE--	6	2	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	3	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	29	7	-	1	-	1	1	-	-	3	1	4
WHITE-----MALE----	15	4	-	1	-	-	-	-	-	3	1	1
FEMALE--	9	2	-	-	-	-	1	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	1	-	-	-	1	-	-	-	-	-	2
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	1	-	-	-	1	-	-	-	-	-	2

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3337

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other congenital malformations of circulatory system (Q25-Q28)												
OHIO -----	49	11	2	1	3	-	1	2	-	2	4	1
WHITE-----MALE----	27	6	-	1	1	-	1	-	-	1	3	1
FEMALE--	15	3	-	-	1	-	-	-	-	1	1	-
ALL OTHER--MALE----	4	1	1	-	-	-	-	2	-	-	-	-
FEMALE--	3	1	1	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	4	1	1	-	-	-	-	2	-	-	-	-
FEMALE--	3	1	1	-	1	-	-	-	-	-	-	-
OKLAHOMA -----	12	3	1	-	-	-	-	1	-	-	2	-
WHITE-----MALE----	4	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	7	1	1	-	-	-	-	1	-	-	1	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	10	1	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	5	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	21	1	-	-	-	-	2	-	1	-	1	-
WHITE-----MALE----	8	-	-	-	-	-	2	-	1	-	-	-
FEMALE--	13	1	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	2	1	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	19	7	1	-	-	1	-	-	2	1	-	1
WHITE-----MALE----	6	1	-	-	-	-	-	-	2	1	-	-
FEMALE--	4	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	3	1	-	-	1	-	-	-	-	-	-
BLACK---MALE-----	2	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	3	1	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3337

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other congenital malformations of circulatory system (Q25-Q28)												
OHIO -----	2	-	2	1	5	4	3	5	-	-	-	-
WHITE-----MALE----	1	-	2	-	3	3	2	2	-	-	-	-
FEMALE--	1	-	-	1	2	1	1	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	1	-	-	1	-	1	1	1	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	1	-	-	1	-	-	4	2	-	-	-	-
WHITE-----MALE----	1	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	3	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1	-	2	1	3	-	2	3	2	2	-	-
WHITE-----MALE----	-	-	1	-	-	-	2	1	-	1	-	-
FEMALE--	1	-	1	1	3	-	-	2	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	-	1	-	2	-	1	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3338

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other congenital malformations of circulatory system (Q25-Q28)												
SOUTH DAKOTA -----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1	-	-	-	1	5	1	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	3	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
TEXAS -----	4	2	6	2	2	7	2	3	3	-	-	-
WHITE-----MALE----	2	1	4	1	-	3	-	2	-	-	-	-
FEMALE--	1	1	2	1	2	4	1	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	1	-	-	-
UTAH -----	-	-	-	1	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	1	-	1	1	-	1	3	1	-	-	-
WHITE-----MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	2	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3349

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other congenital malformations and deformations (Q10-Q18,Q35-Q89)												
UNITED STATES -	2,593	1,443	103	40	37	36	42	40	42	58	62	57
WHITE-----MALE----	1,117	630	41	15	12	17	20	19	20	28	30	30
FEMALE--	971	481	33	12	15	12	18	14	10	20	21	22
ALL OTHER--MALE----	284	190	16	9	5	6	2	5	7	3	7	5
FEMALE--	221	142	13	4	5	1	2	2	5	7	4	-
BLACK---MALE----	235	150	14	9	5	6	2	4	7	2	7	5
FEMALE--	182	114	11	4	3	-	1	2	5	5	4	-
ALABAMA -----	51	27	5	-	-	-	-	1	2	-	2	1
WHITE-----MALE----	17	9	1	-	-	-	-	-	-	-	1	1
FEMALE--	19	9	2	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	6	2	1	-	-	-	-	-	1	-	1	-
FEMALE--	9	7	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	2	1	-	-	-	-	-	1	-	1	-
FEMALE--	8	7	-	-	-	-	-	-	-	-	-	-
ALASKA -----	7	6	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	4	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	60	39	1	-	-	-	1	1	-	1	-	1
WHITE-----MALE----	25	14	1	-	-	-	-	1	-	-	-	1
FEMALE--	28	19	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	4	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	2	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	26	11	3	1	-	2	-	1	1	-	1	2
WHITE-----MALE----	13	3	-	1	-	2	-	1	1	-	-	1
FEMALE--	7	4	1	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	3	2	1	-	-	-	-	-	-	-	-	-
FEMALE--	3	2	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	2	1	-	-	-	-	-	-	-	-	-
FEMALE--	3	2	1	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	295	163	14	3	5	4	6	4	2	10	2	11
WHITE-----MALE----	124	68	8	2	2	1	3	2	-	5	2	5
FEMALE--	125	68	4	1	2	1	2	-	-	4	-	6
ALL OTHER--MALE----	26	16	2	-	1	1	1	2	1	-	-	-
FEMALE--	20	11	-	-	-	1	-	-	1	1	-	-
BLACK---MALE----	14	7	1	-	1	1	1	1	1	-	-	-
FEMALE--	10	4	-	-	-	-	-	-	1	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3349

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other congenital malformations and deformations (Q10-Q18,Q35-Q89)												
UNITED STATES -	55	67	65	79	75	93	80	61	38	16	4	-
WHITE-----MALE----	31	20	30	32	28	32	31	27	19	5	-	-
FEMALE--	17	37	30	37	39	52	44	27	18	9	3	-
ALL OTHER--MALE----	5	3	1	6	4	3	2	3	1	-	1	-
FEMALE--	2	7	4	4	4	6	3	4	-	2	-	-
BLACK---MALE----	5	-	1	6	3	3	2	2	1	-	1	-
FEMALE--	2	6	3	4	4	6	3	3	-	2	-	-
ALABAMA -----	-	2	2	3	2	3	1	-	-	-	-	-
WHITE-----MALE----	-	-	2	2	-	1	-	-	-	-	-	-
FEMALE--	-	2	-	-	1	2	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	2	3	3	1	2	-	4	1	-	-	-
WHITE-----MALE----	-	1	2	1	1	1	-	2	-	-	-	-
FEMALE--	-	1	1	2	-	1	-	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	-	1	1	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	5	3	7	12	9	13	5	9	4	3	1	-
WHITE-----MALE----	4	-	2	2	2	5	3	4	3	1	-	-
FEMALE--	1	1	5	9	6	6	2	3	1	2	1	-
ALL OTHER--MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	2	-	2	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	2	-	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3350

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other congenital malformations and deformations (Q10-Q18,Q35-Q89)												
COLORADO -----	38	19	1	-	-	1	2	-	2	1	-	1
WHITE-----MALE----	16	9	-	-	-	-	1	-	1	-	-	1
FEMALE--	16	5	1	-	-	1	1	-	1	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	4	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	20	10	-	-	1	-	-	1	-	-	-	-
WHITE-----MALE----	6	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	4	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	3	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	2	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	3	2	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	7	2	-	-	-	-	1	-	-	-	2	-
WHITE-----MALE----	4	1	-	-	-	-	1	-	-	-	1	-
FEMALE--	3	1	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	7	3	1	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	4	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	2	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	4	2	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	137	67	4	1	2	1	1	6	2	4	3	5
WHITE-----MALE----	59	27	2	-	1	-	1	2	1	2	2	5
FEMALE--	47	18	1	-	1	1	-	3	-	-	1	-
ALL OTHER--MALE----	18	14	1	1	-	-	-	-	-	1	-	-
FEMALE--	13	8	-	-	-	-	-	1	1	1	-	-
BLACK---MALE-----	18	14	1	1	-	-	-	-	-	1	-	-
FEMALE--	13	8	-	-	-	-	-	1	1	1	-	-
GEORGIA -----	74	49	4	3	2	1	1	2	1	2	1	1
WHITE-----MALE----	26	19	-	-	-	1	-	1	1	1	1	-
FEMALE--	20	12	-	-	1	-	1	1	-	1	-	-
ALL OTHER--MALE----	23	15	4	3	-	-	-	-	-	-	-	1
FEMALE--	5	3	-	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	23	15	4	3	-	-	-	-	-	-	-	1
FEMALE--	5	3	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3352

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other congenital malformations and deformations (Q10-Q18,Q35-Q89)												
KENTUCKY -----	49	27	4	-	3	2	1	-	-	4	-	1
WHITE-----MALE----	32	21	3	-	1	1	1	-	-	2	-	1
FEMALE--	14	5	1	-	2	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	1	-	-
LOUISIANA -----	66	44	4	1	-	3	1	1	2	-	4	-
WHITE-----MALE----	23	17	-	-	-	2	-	-	1	-	1	-
FEMALE--	18	10	1	-	-	1	1	-	1	-	2	-
ALL OTHER--MALE----	10	8	-	-	-	-	-	1	-	-	1	-
FEMALE--	15	9	3	1	-	-	-	-	-	-	-	-
BLACK---MALE-----	10	8	-	-	-	-	-	1	-	-	1	-
FEMALE--	15	9	3	1	-	-	-	-	-	-	-	-
MAINE -----	11	2	1	-	-	1	-	-	-	-	1	1
WHITE-----MALE----	7	1	-	-	-	1	-	-	-	-	1	1
FEMALE--	4	1	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	30	10	1	1	2	3	-	1	-	-	2	-
WHITE-----MALE----	8	1	-	1	-	1	-	-	-	-	2	-
FEMALE--	11	1	-	-	2	-	-	1	-	-	-	-
ALL OTHER--MALE----	5	3	-	-	-	2	-	-	-	-	-	-
FEMALE--	6	5	1	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	4	2	-	-	-	2	-	-	-	-	-	-
FEMALE--	5	4	1	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	25	9	1	1	1	-	-	2	1	2	-	1
WHITE-----MALE----	11	3	-	1	-	-	-	-	1	1	-	1
FEMALE--	9	3	1	-	-	-	-	2	-	1	-	-
ALL OTHER--MALE----	5	3	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	3	2	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	94	52	2	3	-	3	1	2	2	2	6	2
WHITE-----MALE----	38	22	1	1	-	1	-	1	-	1	3	-
FEMALE--	33	14	1	1	-	2	1	-	1	1	3	1
ALL OTHER--MALE----	13	9	-	1	-	-	-	-	1	-	-	1
FEMALE--	10	7	-	-	-	-	-	1	-	-	-	-
BLACK---MALE-----	10	6	-	1	-	-	-	-	1	-	-	1
FEMALE--	9	6	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3352

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other congenital malformations and deformations (Q10-Q18,Q35-Q89)												
KENTUCKY -----	1	-	-	-	2	-	2	-	1	-	1	-
WHITE-----MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	2	-	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	1	1	-	-	-	2	1	-	-	1	-	-
WHITE-----MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
MAINE -----	-	1	1	-	1	-	-	-	2	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	2	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2	1	-	1	-	2	2	1	1	-	-	-
WHITE-----MALE----	1	-	-	1	-	-	-	-	1	-	-	-
FEMALE--	1	1	-	-	-	2	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	-	1	-	-	-	2	3	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	2	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	3	3	1	2	1	-	3	2	2	2	-	-
WHITE-----MALE----	-	3	-	-	-	-	2	-	2	1	-	-
FEMALE--	3	-	1	2	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3355

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other congenital malformations and deformations (Q10-Q18,Q35-Q89)												
OHIO -----	2	5	3	2	4	4	4	1	-	1	-	-
WHITE-----MALE----	1	1	2	1	3	1	2	1	-	1	-	-
FEMALE--	1	3	1	-	1	2	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
OKLAHOMA -----	1	-	-	2	1	-	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	1	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	1	2	2	-	-	1	3	1	-	-	-	-
WHITE-----MALE----	1	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	2	-	-	1	3	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	2	5	1	2	4	5	6	1	3	1	1	-
WHITE-----MALE----	1	2	-	2	1	4	1	-	-	-	-	-
FEMALE--	1	3	1	-	2	1	4	1	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
RHODE ISLAND -----	1	1	-	-	1	2	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	2	3	4	1	1	1	3	-	1	-	-
WHITE-----MALE----	-	1	2	3	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	1	-	-	1	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	1	-	-	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3356

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other congenital malformations and deformations (Q10-Q18,Q35-Q89)												
SOUTH DAKOTA -----	8	2	-	1	-	-	1	-	1	-	1	-
WHITE-----MALE----	6	1	-	1	-	-	1	-	1	-	1	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	53	34	2	1	-	-	1	2	1	1	1	-
WHITE-----MALE----	23	13	1	1	-	-	1	1	-	1	1	-
FEMALE--	21	14	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	7	6	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	7	6	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	1	-	-	-	-	-	-	-	-	-
TEXAS -----	210	126	9	7	2	4	8	2	5	1	6	2
WHITE-----MALE----	100	62	5	1	2	1	3	2	3	-	3	1
FEMALE--	76	46	3	3	-	1	4	-	-	-	2	1
ALL OTHER--MALE----	17	7	1	1	-	2	1	-	1	1	-	-
FEMALE--	17	11	-	2	-	-	-	-	1	-	1	-
BLACK---MALE-----	15	6	1	1	-	2	1	-	1	-	-	-
FEMALE--	17	11	-	2	-	-	-	-	1	-	1	-
UTAH -----	27	18	1	-	-	-	1	-	1	1	-	1
WHITE-----MALE----	16	12	-	-	-	-	1	-	1	-	-	-
FEMALE--	9	4	1	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
VERMONT -----	3	-	-	-	-	1	-	1	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	60	30	1	-	1	-	1	3	-	1	1	2
WHITE-----MALE----	26	19	-	-	1	-	-	2	-	-	-	1
FEMALE--	24	6	1	-	-	-	1	1	-	-	-	1
ALL OTHER--MALE----	4	2	-	-	-	-	-	-	-	-	1	-
FEMALE--	6	3	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	4	2	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	2	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3361

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Down's syndrome (Q90)												
KENTUCKY -----	8	2	-	-	-	-	-	-	1	-	1	1
WHITE-----MALE----	4	2	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
LOUISIANA -----	20	2	1	-	-	2	1	1	-	3	-	1
WHITE-----MALE----	4	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	1	1	-	-	2	-	1
ALL OTHER--MALE----	3	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	5	1	-	-	-	-	-	1	-	1	-	-
BLACK---MALE----	3	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	5	1	-	-	-	-	-	1	-	1	-	-
MAINE -----	3	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	19	8	2	-	-	-	-	-	1	-	-	1
WHITE-----MALE----	7	3	2	-	-	-	-	-	-	-	-	-
FEMALE--	8	2	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	2	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	2	-	-	-	-	-	-	-	-	-	1
MASSACHUSETTS -----	17	2	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	9	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	22	2	-	-	-	1	-	1	-	1	6	1
WHITE-----MALE----	9	-	-	-	-	-	-	1	-	-	2	-
FEMALE--	10	1	-	-	-	1	-	-	-	-	3	1
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3365

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Down's syndrome (Q90)												
SOUTH DAKOTA -----	3	-	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	20	3	-	-	-	-	1	-	-	2	-	1
WHITE-----MALE----	7	2	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	1	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	1	-	-	-	-	-	-	-	1	-	-
TEXAS -----	45	8	-	-	1	4	1	3	-	2	1	4
WHITE-----MALE----	22	3	-	-	-	2	1	3	-	1	-	2
FEMALE--	15	3	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	6	2	-	-	1	1	-	-	-	1	-	-
BLACK---MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	6	2	-	-	1	1	-	-	-	1	-	-
UTAH -----	6	-	-	-	-	-	-	1	-	-	-	1
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	5	1	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	3	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	15	2	-	-	-	-	1	-	2	1	1	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	9	1	-	-	-	-	-	-	1	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3376

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XVIII. Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)												
UNITED STATES -	31,876	3,639	248	85	92	317	551	663	891	1,284	1,703	1,727
WHITE-----MALE----	12,827	1,363	106	35	33	157	301	349	481	714	935	929
FEMALE--	13,458	931	76	22	30	83	115	146	209	321	425	435
ALL OTHER--MALE----	3,036	793	31	13	18	39	84	107	123	143	202	228
FEMALE--	2,555	552	35	15	11	38	51	61	78	106	141	135
BLACK---MALE----	2,693	710	29	11	17	32	76	91	107	115	178	200
FEMALE--	2,311	502	28	10	8	35	43	51	67	99	136	125
ALABAMA -----	973	90	5	-	1	8	9	12	13	19	39	41
WHITE-----MALE----	293	32	2	-	-	5	6	4	6	10	18	15
FEMALE--	342	16	-	-	-	1	2	5	2	3	11	12
ALL OTHER--MALE----	165	26	1	-	-	2	-	2	3	5	5	9
FEMALE--	173	16	2	-	1	-	1	1	2	1	5	5
BLACK---MALE----	164	25	1	-	-	2	-	2	3	5	5	9
FEMALE--	172	15	2	-	1	-	1	1	2	1	5	5
ALASKA -----	35	6	-	-	-	-	4	2	2	1	-	1
WHITE-----MALE----	7	1	-	-	-	-	2	1	1	-	-	-
FEMALE--	12	2	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	11	3	-	-	-	-	1	-	1	1	-	1
FEMALE--	5	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	386	52	4	1	1	4	5	13	17	27	26	21
WHITE-----MALE----	161	28	2	-	-	1	4	6	8	16	17	10
FEMALE--	163	10	-	1	-	2	-	4	4	8	6	6
ALL OTHER--MALE----	37	7	1	-	-	1	1	2	2	2	1	5
FEMALE--	25	7	1	1	-	-	-	1	3	1	2	-
BLACK---MALE----	10	2	1	-	-	-	-	-	-	1	-	3
FEMALE--	6	2	-	-	-	-	-	-	1	-	1	-
ARKANSAS -----	1,078	60	2	-	-	3	6	5	7	16	27	30
WHITE-----MALE----	451	22	1	-	-	-	2	1	3	10	15	20
FEMALE--	465	14	-	-	-	-	-	1	1	3	5	7
ALL OTHER--MALE----	78	14	-	-	-	1	3	2	3	3	2	2
FEMALE--	84	10	1	-	-	2	1	1	-	-	5	1
BLACK---MALE----	75	13	-	-	-	1	3	2	3	3	1	2
FEMALE--	83	10	1	-	-	2	1	1	-	-	5	1
CALIFORNIA -----	3,148	391	53	17	29	65	93	123	193	281	354	384
WHITE-----MALE----	1,664	164	22	7	10	31	51	77	122	166	198	225
FEMALE--	963	115	20	7	10	21	17	29	42	76	101	101
ALL OTHER--MALE----	301	70	4	-	5	6	16	12	15	26	32	34
FEMALE--	220	42	7	3	4	7	9	5	14	13	23	24
BLACK---MALE----	206	47	4	-	4	4	12	7	8	18	25	22
FEMALE--	155	27	4	2	1	5	4	2	11	12	22	19

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3376

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XVIII. Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)												
UNITED STATES -	1,415	1,152	1,101	1,353	1,687	2,235	2,794	3,286	3,014	1,798	726	115
WHITE-----MALE----	744	574	551	658	750	974	1,036	988	687	308	88	66
FEMALE--	343	333	325	414	696	991	1,473	2,027	2,115	1,372	559	17
ALL OTHER--MALE----	222	169	135	174	126	126	108	90	46	23	12	24
FEMALE--	106	76	90	107	115	144	177	181	166	95	67	8
BLACK---MALE----	203	152	123	159	114	116	99	76	39	14	11	21
FEMALE--	95	64	85	97	109	133	161	163	145	81	67	7
ALABAMA -----	44	40	44	81	62	80	90	136	99	44	15	1
WHITE-----MALE----	16	13	17	34	21	26	28	19	13	8	-	-
FEMALE--	7	8	9	17	15	25	35	77	63	25	9	-
ALL OTHER--MALE----	14	16	11	18	14	9	11	9	6	3	-	1
FEMALE--	7	3	7	12	12	20	16	31	17	8	6	-
BLACK---MALE----	14	16	11	18	14	9	11	9	6	3	-	1
FEMALE--	7	3	7	12	12	20	16	31	17	8	6	-
ALASKA -----	1	1	-	2	1	1	3	5	2	2	1	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	1	1	2	2	2	-	1	-
ALL OTHER--MALE----	1	1	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	2	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ARIZONA -----	14	17	10	15	15	15	15	35	37	23	8	11
WHITE-----MALE----	8	7	4	8	5	7	5	6	4	6	1	8
FEMALE--	4	5	2	5	9	7	9	28	29	16	7	1
ALL OTHER--MALE----	2	3	3	2	-	1	-	1	1	-	-	2
FEMALE--	-	2	1	-	1	-	1	-	3	1	-	-
BLACK---MALE----	1	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
ARKANSAS -----	35	33	52	89	100	118	141	161	118	52	23	-
WHITE-----MALE----	23	20	28	42	56	60	54	58	31	4	1	-
FEMALE--	7	9	19	34	36	47	70	84	74	37	17	-
ALL OTHER--MALE----	2	2	3	9	3	7	8	10	2	2	-	-
FEMALE--	3	2	2	4	5	4	9	9	11	9	5	-
BLACK---MALE----	2	2	3	9	3	7	8	10	2	1	-	-
FEMALE--	3	2	2	4	5	4	8	9	11	9	5	-
CALIFORNIA -----	297	197	104	90	117	106	82	63	45	12	7	45
WHITE-----MALE----	175	103	60	49	56	49	33	17	19	2	-	28
FEMALE--	78	70	30	20	49	46	40	43	23	9	7	9
ALL OTHER--MALE----	25	9	7	15	5	8	4	2	-	1	-	5
FEMALE--	19	15	7	6	7	3	5	1	3	-	-	3
BLACK---MALE----	17	4	6	13	2	6	1	1	-	-	-	5
FEMALE--	16	11	5	4	3	1	3	-	1	-	-	2

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3377

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XVIII. Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)												
COLORADO -----	443	65	3	-	2	5	12	6	5	8	14	8
WHITE-----MALE----	183	32	1	-	-	2	6	5	4	4	13	4
FEMALE--	233	24	1	-	2	3	5	1	1	3	1	2
ALL OTHER--MALE----	13	5	-	-	-	-	1	-	-	-	-	2
FEMALE--	14	4	1	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	7	3	-	-	-	-	-	-	-	-	-	2
FEMALE--	13	4	1	-	-	-	-	-	-	1	-	-
CONNECTICUT -----	214	26	3	1	-	1	4	6	6	9	9	4
WHITE-----MALE----	64	9	1	-	-	-	2	3	2	2	5	2
FEMALE--	122	11	2	-	-	1	2	1	2	4	4	2
ALL OTHER--MALE----	13	4	-	-	-	-	-	1	1	2	-	-
FEMALE--	15	2	-	1	-	-	-	1	1	1	-	-
BLACK---MALE-----	13	4	-	-	-	-	-	1	1	2	-	-
FEMALE--	14	2	-	-	-	-	-	1	1	1	-	-
DELAWARE -----	40	9	1	-	-	1	-	-	-	2	3	3
WHITE-----MALE----	14	1	1	-	-	1	-	-	-	2	1	1
FEMALE--	18	5	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	4	2	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	1	-	-	-	-	-	-	-	-	1	1
BLACK---MALE-----	4	2	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	1	-	-	-	-	-	-	-	-	1	1
DISTRICT OF COLUMBIA ---	211	14	1	-	1	2	3	6	9	12	25	31
WHITE-----MALE----	17	-	-	-	-	-	1	2	1	-	2	-
FEMALE--	11	-	-	-	-	-	-	-	2	-	-	1
ALL OTHER--MALE----	120	12	-	-	1	-	-	1	5	4	15	20
FEMALE--	63	2	1	-	-	2	2	3	1	8	8	10
BLACK---MALE-----	118	12	-	-	1	-	-	1	5	4	15	20
FEMALE--	63	2	1	-	-	2	2	3	1	8	8	10
FLORIDA -----	3,940	187	19	2	4	34	64	58	71	114	166	168
WHITE-----MALE----	1,519	59	5	-	-	14	38	28	42	81	96	87
FEMALE--	1,944	55	4	-	1	8	10	13	14	20	45	56
ALL OTHER--MALE----	244	37	6	2	2	6	8	9	11	8	18	17
FEMALE--	233	36	4	-	1	6	8	8	4	5	7	8
BLACK---MALE-----	235	36	6	2	2	6	8	8	10	7	17	17
FEMALE--	225	36	4	-	1	6	7	7	4	4	7	8
GEORGIA -----	1,053	132	4	-	1	5	12	14	17	15	24	31
WHITE-----MALE----	264	31	2	-	1	1	7	5	5	7	12	8
FEMALE--	459	23	-	-	-	2	2	3	4	4	5	6
ALL OTHER--MALE----	160	54	2	-	-	-	1	4	6	1	5	11
FEMALE--	170	24	-	-	-	2	2	2	2	3	2	6
BLACK---MALE-----	158	54	2	-	-	-	1	4	6	1	4	11
FEMALE--	166	24	-	-	-	2	2	2	2	3	2	5

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3377

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XVIII. Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)												
COLORADO -----	11	9	14	16	25	33	47	57	51	32	18	2
WHITE-----MALE----	5	7	9	11	14	12	17	12	16	7	2	-
FEMALE--	5	2	4	3	8	20	27	44	35	25	16	1
ALL OTHER--MALE----	1	-	-	1	2	-	-	-	-	-	-	1
FEMALE--	-	-	1	1	1	1	3	1	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	1	1	1	1	3	-	-	-	-	-
CONNECTICUT -----	3	10	4	5	6	14	23	32	31	11	6	-
WHITE-----MALE----	-	4	2	3	2	6	8	6	6	-	1	-
FEMALE--	2	2	2	2	3	4	14	25	24	10	5	-
ALL OTHER--MALE----	-	2	-	-	-	3	-	-	-	-	-	-
FEMALE--	1	2	-	-	1	1	1	1	1	1	-	-
BLACK---MALE-----	-	2	-	-	-	3	-	-	-	-	-	-
FEMALE--	1	2	-	-	1	1	1	1	1	1	-	-
DELAWARE -----	2	1	1	2	1	1	2	3	4	1	3	-
WHITE-----MALE----	1	1	-	-	1	-	2	2	-	-	-	-
FEMALE--	1	-	1	-	-	1	-	1	4	1	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	24	26	17	7	7	8	5	3	1	2	1	6
WHITE-----MALE----	1	2	2	1	1	1	1	-	-	1	-	1
FEMALE--	-	1	2	-	-	3	1	-	1	-	-	-
ALL OTHER--MALE----	15	17	8	6	4	3	3	2	-	-	-	4
FEMALE--	8	6	5	-	2	1	-	1	-	1	1	1
BLACK---MALE-----	15	17	8	5	4	3	3	2	-	-	-	3
FEMALE--	8	6	5	-	2	1	-	1	-	1	1	1
FLORIDA -----	125	111	105	145	187	337	479	568	562	307	113	14
WHITE-----MALE----	74	65	53	66	74	138	173	204	138	62	15	7
FEMALE--	33	28	36	48	86	165	272	333	402	228	87	-
ALL OTHER--MALE----	14	11	9	22	10	19	15	8	5	2	1	4
FEMALE--	4	7	7	9	17	15	19	23	17	15	10	3
BLACK---MALE-----	14	10	9	20	10	18	15	8	5	2	1	4
FEMALE--	2	6	7	9	17	14	19	22	17	15	10	3
GEORGIA -----	24	21	24	32	62	90	135	177	131	59	43	-
WHITE-----MALE----	7	6	7	9	18	29	38	40	16	9	6	-
FEMALE--	4	4	4	12	26	34	61	110	93	42	20	-
ALL OTHER--MALE----	9	8	11	9	6	9	12	8	2	-	2	-
FEMALE--	4	3	2	2	12	18	24	19	20	8	15	-
BLACK---MALE-----	9	8	11	9	6	8	12	8	2	-	2	-
FEMALE--	4	3	2	2	12	17	23	18	20	8	15	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3378

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XVIII. Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)												
HAWAII -----	83	10	-	-	-	1	-	1	2	3	3	4
WHITE-----MALE----	13	3	-	-	-	-	-	-	1	1	1	1
FEMALE--	12	-	-	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	29	4	-	-	-	1	-	1	1	1	1	2
FEMALE--	29	3	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	107	12	2	-	-	-	-	-	1	1	1	1
WHITE-----MALE----	35	5	1	-	-	-	-	-	-	1	1	-
FEMALE--	71	6	1	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	758	179	6	3	1	12	17	25	17	24	46	25
WHITE-----MALE----	263	45	-	-	-	8	6	8	10	14	23	11
FEMALE--	278	36	2	1	-	1	5	8	2	3	6	7
ALL OTHER--MALE----	114	50	2	1	1	2	5	5	2	2	11	4
FEMALE--	103	48	2	1	-	1	1	4	3	5	6	3
BLACK---MALE-----	106	48	2	1	1	1	5	5	2	1	10	4
FEMALE--	99	47	2	1	-	1	-	4	3	5	5	3
INDIANA -----	458	73	6	1	1	3	11	13	16	19	25	14
WHITE-----MALE----	182	33	5	-	-	2	8	6	8	9	9	8
FEMALE--	221	19	-	-	1	-	1	4	5	7	12	6
ALL OTHER--MALE----	33	13	-	-	-	-	1	1	1	2	3	-
FEMALE--	22	8	1	1	-	1	1	2	2	1	1	-
BLACK---MALE-----	31	12	-	-	-	-	1	1	1	2	2	-
FEMALE--	22	8	1	1	-	1	1	2	2	1	1	-
IOWA -----	260	36	5	-	1	1	3	6	3	6	7	6
WHITE-----MALE----	101	22	2	-	-	-	2	3	2	3	3	3
FEMALE--	149	9	3	-	1	1	1	2	-	3	3	3
ALL OTHER--MALE----	6	3	-	-	-	-	-	1	1	-	1	-
FEMALE--	4	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	4	3	-	-	-	-	-	1	-	-	-	-
FEMALE--	4	2	-	-	-	-	-	-	-	-	-	-
KANSAS -----	439	50	3	-	-	3	1	4	9	14	15	16
WHITE-----MALE----	176	21	2	-	-	2	1	2	8	6	7	9
FEMALE--	226	24	1	-	-	-	-	-	1	5	6	2
ALL OTHER--MALE----	20	3	-	-	-	-	-	-	-	1	-	3
FEMALE--	17	2	-	-	-	1	-	2	-	2	2	2
BLACK---MALE-----	20	3	-	-	-	-	-	-	-	1	-	3
FEMALE--	16	2	-	-	-	1	-	1	-	2	2	2

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3378

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XVIII. Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)												
HAWAII -----	1	4	3	6	4	3	7	5	13	13	-	-
WHITE-----MALE----	-	-	1	2	1	-	-	-	1	1	-	-
FEMALE--	-	-	1	-	-	1	1	2	1	3	-	-
ALL OTHER--MALE----	1	2	-	1	3	-	1	1	4	5	-	-
FEMALE--	-	2	1	3	-	2	5	2	7	4	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	2	-	1	4	5	9	11	24	15	12	6	-
WHITE-----MALE----	1	-	1	3	3	4	4	7	3	1	-	-
FEMALE--	1	-	-	1	2	5	7	17	12	11	6	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	30	21	19	25	31	36	42	61	70	47	19	2
WHITE-----MALE----	13	13	3	17	15	18	16	16	17	8	1	1
FEMALE--	7	3	7	6	9	13	21	40	48	37	16	-
ALL OTHER--MALE----	6	5	5	-	2	2	3	2	2	-	1	1
FEMALE--	4	-	4	2	5	3	2	3	3	2	1	-
BLACK---MALE-----	6	5	4	-	2	2	3	2	1	-	-	1
FEMALE--	4	-	4	1	5	3	2	3	3	2	1	-
INDIANA -----	14	11	10	13	23	28	54	37	41	37	8	-
WHITE-----MALE----	8	7	2	6	7	14	18	11	10	8	3	-
FEMALE--	4	2	4	5	15	12	35	24	31	29	5	-
ALL OTHER--MALE----	2	2	3	1	1	-	1	2	-	-	-	-
FEMALE--	-	-	1	1	-	2	-	-	-	-	-	-
BLACK---MALE-----	2	2	3	1	1	-	1	2	-	-	-	-
FEMALE--	-	-	1	1	-	2	-	-	-	-	-	-
IOWA -----	3	5	7	3	6	18	19	27	50	31	17	-
WHITE-----MALE----	2	1	3	2	2	12	10	7	11	8	3	-
FEMALE--	1	4	4	1	3	6	9	20	38	23	14	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
KANSAS -----	21	10	10	19	24	34	42	52	52	38	22	-
WHITE-----MALE----	11	6	4	10	12	17	18	16	12	8	4	-
FEMALE--	4	3	6	6	10	14	22	35	39	30	18	-
ALL OTHER--MALE----	5	1	-	1	1	3	1	1	-	-	-	-
FEMALE--	1	-	-	2	1	-	1	-	1	-	-	-
BLACK---MALE-----	5	1	-	1	1	3	1	1	-	-	-	-
FEMALE--	1	-	-	2	1	-	1	-	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3379

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XVIII. Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)												
KENTUCKY -----	351	63	-	-	-	2	5	6	5	5	8	6
WHITE-----MALE----	140	35	-	-	-	1	3	3	4	2	4	2
FEMALE--	178	21	-	-	-	1	1	2	-	3	3	4
ALL OTHER--MALE----	16	5	-	-	-	-	-	1	1	-	1	-
FEMALE--	17	2	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	16	5	-	-	-	-	-	1	1	-	1	-
FEMALE--	17	2	-	-	-	-	1	-	-	-	-	-
LOUISIANA -----	593	65	3	1	-	3	4	7	5	16	18	15
WHITE-----MALE----	190	17	2	-	-	-	3	3	-	6	11	7
FEMALE--	255	13	1	-	-	1	-	-	3	2	2	1
ALL OTHER--MALE----	74	21	-	1	-	2	-	3	1	4	1	5
FEMALE--	74	14	-	-	-	-	1	1	1	4	4	2
BLACK---MALE-----	72	20	-	1	-	2	-	3	1	4	1	5
FEMALE--	73	14	-	-	-	-	1	1	1	4	4	2
MAINE -----	86	7	-	-	-	-	4	1	1	1	1	2
WHITE-----MALE----	30	4	-	-	-	-	2	-	-	1	-	2
FEMALE--	56	3	-	-	-	-	2	1	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	164	54	1	-	2	2	6	7	7	10	8	12
WHITE-----MALE----	57	16	1	-	2	1	3	2	2	7	3	5
FEMALE--	30	9	-	-	-	1	-	1	-	-	-	1
ALL OTHER--MALE----	51	18	-	-	-	-	2	4	4	3	3	3
FEMALE--	26	11	-	-	-	-	1	-	1	-	2	3
BLACK---MALE-----	50	18	-	-	-	-	2	4	4	3	3	3
FEMALE--	25	11	-	-	-	-	1	-	1	-	2	3
MASSACHUSETTS -----	646	37	5	3	2	10	19	19	30	59	55	57
WHITE-----MALE----	294	15	1	2	2	5	11	13	14	40	35	36
FEMALE--	296	11	3	-	-	3	8	4	11	15	14	16
ALL OTHER--MALE----	33	6	1	-	-	2	-	2	3	3	4	3
FEMALE--	23	5	-	1	-	-	-	-	2	1	2	2
BLACK---MALE-----	26	4	1	-	-	2	-	1	3	2	4	3
FEMALE--	21	5	-	-	-	-	-	-	1	1	2	2
MICHIGAN -----	382	110	3	2	-	2	4	6	8	13	22	16
WHITE-----MALE----	138	42	1	1	-	-	2	2	4	6	10	5
FEMALE--	132	17	1	1	-	1	-	1	3	4	6	3
ALL OTHER--MALE----	61	32	-	-	-	-	1	1	1	1	4	6
FEMALE--	51	19	1	-	-	1	1	2	-	2	2	2
BLACK---MALE-----	56	30	-	-	-	-	1	1	1	-	3	6
FEMALE--	49	17	1	-	-	1	1	2	-	2	2	2

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3379

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XVIII. Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)												
KENTUCKY -----	11	7	11	24	18	22	39	41	42	27	9	-
WHITE-----MALE----	6	3	4	15	6	6	19	12	8	6	1	-
FEMALE--	4	4	3	6	8	15	19	27	29	20	8	-
ALL OTHER--MALE----	-	-	2	1	3	1	-	1	-	-	-	-
FEMALE--	1	-	2	2	1	-	1	1	5	1	-	-
BLACK---MALE-----	-	-	2	1	3	1	-	1	-	-	-	-
FEMALE--	1	-	2	2	1	-	1	1	5	1	-	-
LOUISIANA -----	18	18	28	41	49	64	61	68	54	39	16	-
WHITE-----MALE----	5	9	12	15	21	25	22	16	11	4	1	-
FEMALE--	6	4	5	15	20	29	31	40	38	32	12	-
ALL OTHER--MALE----	6	4	3	7	5	2	5	2	-	1	1	-
FEMALE--	1	1	8	4	3	8	3	10	5	2	2	-
BLACK---MALE-----	6	4	3	7	4	2	5	2	-	1	1	-
FEMALE--	1	1	8	4	3	8	2	10	5	2	2	-
MAINE -----	-	1	1	4	6	5	13	10	18	7	4	-
WHITE-----MALE----	-	-	1	3	1	3	2	4	3	2	2	-
FEMALE--	-	1	-	1	5	2	11	6	15	5	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	9	4	6	8	7	6	3	4	6	2	-	-
WHITE-----MALE----	2	1	2	1	2	2	1	2	1	1	-	-
FEMALE--	2	1	2	3	1	2	2	1	3	1	-	-
ALL OTHER--MALE----	4	2	1	2	3	1	-	-	1	-	-	-
FEMALE--	1	-	1	2	1	1	-	1	1	-	-	-
BLACK---MALE-----	4	2	-	2	3	1	-	-	1	-	-	-
FEMALE--	1	-	1	2	1	1	-	-	1	-	-	-
MASSACHUSETTS -----	18	10	10	19	32	31	41	61	62	41	24	1
WHITE-----MALE----	8	5	6	9	17	17	16	23	12	4	3	-
FEMALE--	8	5	4	9	12	9	22	38	46	37	21	-
ALL OTHER--MALE----	2	-	-	1	2	2	1	-	-	-	-	1
FEMALE--	-	-	-	-	1	3	2	-	4	-	-	-
BLACK---MALE-----	1	-	-	-	2	1	1	-	-	-	-	1
FEMALE--	-	-	-	-	1	3	2	-	4	-	-	-
MICHIGAN -----	13	3	10	11	14	34	28	30	36	12	5	-
WHITE-----MALE----	5	3	1	6	5	12	10	12	7	4	-	-
FEMALE--	2	-	5	1	5	17	14	13	27	7	4	-
ALL OTHER--MALE----	2	-	3	2	3	2	2	1	-	-	-	-
FEMALE--	4	-	1	2	1	3	2	4	2	1	1	-
BLACK---MALE-----	2	-	2	2	3	2	2	1	-	-	-	-
FEMALE--	4	-	1	2	1	3	2	4	2	1	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3380

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XVIII. Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)												
MINNESOTA -----	1,128	38	3	1	1	1	1	5	4	10	14	8
WHITE-----MALE----	382	24	1	1	-	1	-	4	2	3	11	6
FEMALE--	716	8	1	-	-	-	-	-	-	5	3	2
ALL OTHER--MALE----	17	6	1	-	-	-	1	-	-	2	-	-
FEMALE--	13	-	-	-	1	-	-	1	2	-	-	-
BLACK---MALE-----	12	5	1	-	-	-	1	-	-	-	-	-
FEMALE--	7	-	-	-	1	-	-	1	-	-	-	-
MISSISSIPPI -----	301	70	3	1	-	1	4	5	7	6	11	11
WHITE-----MALE----	71	15	-	-	-	-	1	2	-	1	3	5
FEMALE--	108	10	-	-	-	-	-	1	2	1	3	1
ALL OTHER--MALE----	69	24	-	-	-	-	2	2	3	2	1	4
FEMALE--	53	21	3	1	-	1	1	-	2	2	4	1
BLACK---MALE-----	67	24	-	-	-	-	2	2	3	2	1	3
FEMALE--	52	20	3	1	-	1	1	-	2	2	4	1
MISSOURI -----	379	86	3	2	1	5	2	7	3	4	11	12
WHITE-----MALE----	163	36	2	-	1	4	1	3	-	2	4	7
FEMALE--	167	24	1	1	-	1	1	3	1	1	4	4
ALL OTHER--MALE----	25	15	-	-	-	-	-	1	1	1	2	1
FEMALE--	24	11	-	1	-	-	-	-	1	-	1	-
BLACK---MALE-----	25	15	-	-	-	-	-	1	1	1	2	1
FEMALE--	23	11	-	1	-	-	-	-	1	-	1	-
MONTANA -----	175	12	-	1	-	1	-	1	2	3	4	3
WHITE-----MALE----	59	5	-	-	-	-	-	1	1	1	1	3
FEMALE--	106	5	-	1	-	1	-	-	1	1	3	-
ALL OTHER--MALE----	8	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	447	28	1	-	-	1	1	2	5	4	8	16
WHITE-----MALE----	211	14	-	-	-	1	-	1	5	1	4	14
FEMALE--	195	4	1	-	-	-	-	1	-	1	2	1
ALL OTHER--MALE----	29	6	-	-	-	-	1	-	-	1	1	1
FEMALE--	12	4	-	-	-	-	-	-	-	1	1	-
BLACK---MALE-----	26	5	-	-	-	-	1	-	-	1	1	1
FEMALE--	10	2	-	-	-	-	-	-	-	1	1	-
NEVADA -----	182	19	1	-	-	-	2	3	4	9	7	6
WHITE-----MALE----	67	8	-	-	-	-	2	2	2	2	4	4
FEMALE--	103	7	1	-	-	-	-	1	2	6	2	2
ALL OTHER--MALE----	8	2	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	2	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	7	2	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	2	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3380

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XVIII. Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)												
MINNESOTA -----	17	19	33	50	64	82	128	206	223	161	59	-
WHITE-----MALE----	9	12	22	30	35	27	46	54	55	34	5	-
FEMALE--	7	6	9	19	27	52	82	149	166	127	53	-
ALL OTHER--MALE----	1	1	1	1	2	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	3	-	2	2	-	1	-
BLACK---MALE----	1	1	-	1	2	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	1	1	-	1	-
MISSISSIPPI -----	10	7	8	10	20	16	27	35	25	17	7	-
WHITE-----MALE----	4	2	2	3	5	8	4	12	2	1	1	-
FEMALE--	4	2	1	3	8	6	16	16	17	12	5	-
ALL OTHER--MALE----	2	3	2	3	3	2	6	4	3	2	1	-
FEMALE--	-	-	3	1	4	-	1	3	3	2	-	-
BLACK---MALE----	2	3	2	3	3	2	5	4	3	2	1	-
FEMALE--	-	-	3	1	4	-	1	3	3	2	-	-
MISSOURI -----	10	16	11	10	22	29	34	37	34	30	10	-
WHITE-----MALE----	7	11	4	7	13	17	16	15	6	5	2	-
FEMALE--	2	1	7	3	7	11	15	21	28	24	7	-
ALL OTHER--MALE----	1	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	2	1	3	1	-	1	1	-
BLACK---MALE----	1	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	2	1	3	1	-	-	1	-
MONTANA -----	5	2	2	2	5	8	23	33	36	23	9	-
WHITE-----MALE----	2	-	1	1	2	8	8	10	11	3	1	-
FEMALE--	1	2	1	-	2	-	13	22	25	20	8	-
ALL OTHER--MALE----	2	-	-	1	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	16	17	39	37	36	41	51	64	31	32	17	-
WHITE-----MALE----	11	8	26	25	18	21	24	20	11	5	2	-
FEMALE--	3	8	8	8	16	15	23	43	19	27	15	-
ALL OTHER--MALE----	2	1	4	3	2	3	2	1	1	-	-	-
FEMALE--	-	-	1	1	-	2	2	-	-	-	-	-
BLACK---MALE----	2	-	3	3	2	3	2	1	1	-	-	-
FEMALE--	-	-	1	1	-	2	2	-	-	-	-	-
NEVADA -----	2	4	7	4	12	16	19	33	17	15	2	-
WHITE-----MALE----	-	2	4	4	8	5	7	7	5	1	-	-
FEMALE--	2	1	3	-	2	10	12	25	12	14	1	-
ALL OTHER--MALE----	-	1	-	-	1	1	-	1	-	-	1	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	1	-	1	-	-	1	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3382

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XVIII. Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)												
OHIO -----	1,523	178	17	8	7	25	42	41	38	56	86	86
WHITE-----MALE----	645	68	8	6	3	13	20	24	19	23	46	47
FEMALE--	623	46	3	2	4	6	10	7	11	17	24	17
ALL OTHER--MALE----	139	33	2	-	-	4	8	7	5	8	11	14
FEMALE--	116	31	4	-	-	2	4	3	3	8	5	8
BLACK---MALE-----	138	33	2	-	-	4	8	7	5	8	11	13
FEMALE--	113	30	4	-	-	2	4	3	3	8	5	8
OKLAHOMA -----	281	68	3	1	1	2	6	3	8	12	15	11
WHITE-----MALE----	104	28	-	-	1	1	3	2	5	5	8	3
FEMALE--	129	18	2	-	-	-	3	1	1	5	4	5
ALL OTHER--MALE----	20	12	1	1	-	1	-	-	1	-	1	2
FEMALE--	28	10	-	-	-	-	-	-	1	2	2	1
BLACK---MALE-----	11	6	1	1	-	-	-	-	1	-	1	-
FEMALE--	18	8	-	-	-	-	-	-	-	-	2	1
OREGON -----	1,051	58	6	1	1	4	5	5	16	13	22	30
WHITE-----MALE----	461	35	3	-	-	2	3	4	10	5	14	24
FEMALE--	559	18	1	-	1	2	2	1	4	8	7	6
ALL OTHER--MALE----	20	5	2	-	-	-	-	-	1	-	-	-
FEMALE--	11	-	-	1	-	-	-	-	1	-	1	-
BLACK---MALE-----	11	2	1	-	-	-	-	-	1	-	-	-
FEMALE--	5	-	-	1	-	-	-	-	-	-	1	-
PENNSYLVANIA -----	1,643	112	5	3	2	7	10	14	13	28	47	56
WHITE-----MALE----	685	38	3	2	1	4	7	3	5	11	27	36
FEMALE--	719	17	2	1	1	2	1	5	4	9	15	14
ALL OTHER--MALE----	130	28	-	-	-	-	2	4	2	7	4	4
FEMALE--	109	29	-	-	-	1	-	2	2	1	1	2
BLACK---MALE-----	124	28	-	-	-	-	2	4	2	7	4	4
FEMALE--	105	28	-	-	-	1	-	1	2	1	1	2
RHODE ISLAND -----	67	4	-	-	-	1	1	4	3	5	9	7
WHITE-----MALE----	34	3	-	-	-	1	-	2	2	4	6	3
FEMALE--	29	1	-	-	-	-	1	2	1	-	2	3
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	467	53	1	3	-	2	5	8	10	17	17	18
WHITE-----MALE----	130	16	-	1	-	2	2	5	5	5	7	5
FEMALE--	159	8	1	-	-	-	-	1	3	3	4	3
ALL OTHER--MALE----	84	17	-	1	-	-	2	2	-	6	4	6
FEMALE--	94	12	-	1	-	-	1	-	2	3	2	4
BLACK---MALE-----	84	17	-	1	-	-	2	2	-	6	4	6
FEMALE--	93	12	-	1	-	-	1	-	2	3	2	4

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3382

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XVIII. Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)												
OHIO -----	74	47	56	68	71	109	140	169	111	69	24	1
WHITE-----MALE----	38	27	31	38	34	47	61	49	25	13	4	1
FEMALE--	20	8	17	19	29	50	71	107	83	54	18	-
ALL OTHER--MALE----	11	9	5	4	4	6	4	3	1	-	-	-
FEMALE--	5	3	3	7	4	6	4	10	2	2	2	-
BLACK---MALE----	11	9	5	4	4	6	4	3	1	-	-	-
FEMALE--	4	3	3	6	4	6	4	10	2	2	2	-
OKLAHOMA -----	6	9	5	8	17	14	15	26	23	18	9	1
WHITE-----MALE----	1	4	2	2	4	9	6	8	7	2	2	1
FEMALE--	4	4	3	5	10	4	8	16	16	13	7	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	3	1	1	2	-	3	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	2	1	1	1	-	1	-	-
OREGON -----	24	40	56	61	81	101	138	157	116	85	31	-
WHITE-----MALE----	20	23	36	36	37	50	56	49	33	18	3	-
FEMALE--	3	16	19	22	42	50	81	102	81	66	27	-
ALL OTHER--MALE----	-	1	1	2	1	-	1	4	2	-	-	-
FEMALE--	1	-	-	1	1	1	-	2	-	1	1	-
BLACK---MALE----	-	1	1	1	1	-	1	1	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	1	-
PENNSYLVANIA -----	60	68	69	105	115	186	222	212	180	97	27	5
WHITE-----MALE----	36	44	44	49	64	87	85	77	41	15	4	2
FEMALE--	10	11	12	31	39	79	118	125	129	73	19	2
ALL OTHER--MALE----	10	9	10	13	8	12	9	3	2	2	-	1
FEMALE--	4	4	3	12	4	8	10	7	8	7	4	-
BLACK---MALE----	8	8	9	13	8	12	7	3	2	2	-	1
FEMALE--	4	4	3	11	4	8	9	7	8	7	4	-
RHODE ISLAND -----	8	2	4	1	-	3	5	2	2	3	2	1
WHITE-----MALE----	3	1	2	-	-	2	2	-	1	-	1	1
FEMALE--	4	1	2	1	-	1	3	2	1	3	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	20	12	26	27	37	46	50	41	40	22	9	3
WHITE-----MALE----	4	4	11	9	11	11	13	6	9	2	1	1
FEMALE--	4	1	5	5	13	21	24	25	19	15	4	-
ALL OTHER--MALE----	10	3	5	8	6	5	2	2	1	-	2	2
FEMALE--	2	4	5	5	7	9	11	8	11	5	2	-
BLACK---MALE----	10	3	5	8	6	5	2	2	1	-	2	2
FEMALE--	2	4	5	5	7	9	11	8	10	5	2	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3383

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XVIII. Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)												
SOUTH DAKOTA -----	47	10	-	-	-	-	-	1	1	3	1	1
WHITE-----MALE----	15	1	-	-	-	-	-	1	1	2	1	-
FEMALE--	19	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	9	4	-	-	-	-	-	-	-	1	-	1
FEMALE--	4	3	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	757	111	5	2	-	1	2	10	19	29	38	34
WHITE-----MALE----	320	40	4	1	-	-	2	5	10	22	24	21
FEMALE--	324	30	1	1	-	-	-	5	7	4	10	8
ALL OTHER--MALE----	62	25	-	-	-	-	-	-	1	2	3	4
FEMALE--	51	16	-	-	-	1	-	-	1	1	1	1
BLACK---MALE-----	62	25	-	-	-	-	-	-	1	2	3	4
FEMALE--	50	16	-	-	-	1	-	-	1	1	1	1
TEXAS -----	1,733	331	22	12	8	25	46	56	74	86	107	92
WHITE-----MALE----	747	128	11	6	4	13	29	31	38	52	50	53
FEMALE--	713	106	6	5	1	8	8	16	24	26	33	27
ALL OTHER--MALE----	155	60	3	1	3	2	7	5	7	6	13	7
FEMALE--	118	37	2	-	-	2	2	4	5	2	11	5
BLACK---MALE-----	149	58	3	1	3	2	7	5	7	6	12	7
FEMALE--	112	36	1	-	-	1	2	4	5	2	11	5
UTAH -----	367	28	1	-	-	-	1	4	3	3	10	10
WHITE-----MALE----	182	20	-	-	-	-	-	2	2	1	4	7
FEMALE--	163	6	-	-	-	-	-	2	1	1	5	3
ALL OTHER--MALE----	9	-	1	-	-	-	-	-	-	1	-	-
FEMALE--	13	2	-	-	-	-	1	-	-	-	1	-
BLACK---MALE-----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	1	-	-	-	1	-
VERMONT -----	30	6	-	-	-	-	-	1	-	1	1	1
WHITE-----MALE----	14	6	-	-	-	-	-	-	-	1	1	-
FEMALE--	16	-	-	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	578	83	4	-	-	1	3	6	7	8	18	14
WHITE-----MALE----	175	26	1	-	-	-	2	2	-	4	10	3
FEMALE--	263	17	2	-	-	1	1	1	2	1	3	3
ALL OTHER--MALE----	79	24	1	-	-	-	-	2	5	3	1	4
FEMALE--	61	16	-	-	-	-	-	1	-	-	4	4
BLACK---MALE-----	78	23	1	-	-	-	-	2	5	3	1	4
FEMALE--	56	16	-	-	-	-	-	1	-	-	4	3

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3383

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XVIII. Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)												
SOUTH DAKOTA -----	1	-	2	-	-	3	2	5	8	4	5	-
WHITE-----MALE----	1	-	2	-	-	-	1	2	2	-	1	-
FEMALE--	-	-	-	-	-	-	1	2	6	4	4	-
ALL OTHER--MALE----	-	-	-	-	-	2	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	28	38	23	38	44	57	89	70	77	35	7	-
WHITE-----MALE----	15	22	10	20	15	35	33	22	17	2	-	-
FEMALE--	9	10	10	13	22	15	44	44	52	33	6	-
ALL OTHER--MALE----	2	5	3	4	5	3	2	1	2	-	-	-
FEMALE--	2	1	-	1	2	4	10	3	6	-	1	-
BLACK---MALE-----	2	5	3	4	5	3	2	1	2	-	-	-
FEMALE--	2	1	-	1	2	4	10	2	6	-	1	-
TEXAS -----	89	65	59	57	80	94	97	107	101	84	31	10
WHITE-----MALE----	51	31	31	31	32	36	38	34	23	14	2	9
FEMALE--	23	25	20	19	40	51	49	65	72	62	26	1
ALL OTHER--MALE----	8	9	5	2	5	5	1	3	3	-	-	-
FEMALE--	7	-	3	5	3	2	9	5	3	8	3	-
BLACK---MALE-----	7	8	5	2	5	5	1	2	3	-	-	-
FEMALE--	7	-	3	5	3	2	8	5	3	6	3	-
UTAH -----	12	13	17	18	36	41	43	39	47	33	8	-
WHITE-----MALE----	7	9	13	10	23	26	22	16	14	4	2	-
FEMALE--	4	4	3	6	11	14	21	19	29	29	5	-
ALL OTHER--MALE----	1	-	1	1	2	1	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	4	3	-	1	-
BLACK---MALE-----	-	-	1	-	2	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	-	1	-
VERMONT -----	2	-	-	1	3	1	1	1	5	5	1	-
WHITE-----MALE----	2	-	-	1	1	1	-	-	-	1	-	-
FEMALE--	-	-	-	-	2	-	1	1	5	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	17	11	22	28	26	57	67	66	82	45	13	-
WHITE-----MALE----	5	2	7	12	7	30	25	15	14	9	1	-
FEMALE--	6	3	11	7	12	24	30	42	56	31	10	-
ALL OTHER--MALE----	5	6	4	6	4	2	3	4	2	2	1	-
FEMALE--	1	-	-	3	3	1	9	5	10	3	1	-
BLACK---MALE-----	5	6	4	6	4	2	3	4	2	2	1	-
FEMALE--	1	-	-	3	3	1	8	5	8	2	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3386

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Senility (R54)												
COLORADO -----	-	-	1	-	1	-	1	9	8	16	10	-
WHITE-----MALE----	-	-	-	-	-	-	-	3	1	2	-	-
FEMALE--	-	-	1	-	-	-	1	6	7	14	10	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	-	-	-	1	1	4	4	2	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	1	4	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	2	-	2	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	-	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	-	1	7	25	72	165	275	351	368	204	74	-
WHITE-----MALE----	-	-	3	9	30	60	107	118	94	39	9	-
FEMALE--	-	1	2	8	32	90	150	210	262	155	58	-
ALL OTHER--MALE----	-	-	1	4	2	9	7	7	2	-	-	-
FEMALE--	-	-	1	4	8	6	11	16	10	10	7	-
BLACK---MALE----	-	-	1	4	2	9	7	7	2	-	-	-
FEMALE--	-	-	1	4	8	6	11	15	10	10	7	-
GEORGIA -----	-	-	-	1	13	38	79	97	78	35	26	-
WHITE-----MALE----	-	-	-	-	7	13	23	16	8	6	1	-
FEMALE--	-	-	-	1	4	12	34	70	58	26	13	-
ALL OTHER--MALE----	-	-	-	-	1	4	6	4	-	-	1	-
FEMALE--	-	-	-	-	1	9	16	7	12	3	11	-
BLACK---MALE----	-	-	-	-	1	3	6	4	-	-	1	-
FEMALE--	-	-	-	-	1	8	15	7	12	3	11	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3391

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Senility (R54)												
OHIO -----	-	-	-	3	4	6	18	27	38	26	14	-
WHITE-----MALE----	-	-	-	2	2	2	6	4	8	4	2	-
FEMALE--	-	-	-	1	2	3	11	20	29	21	12	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	1	1	-	-
BLACK---MALE-----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	1	1	-	-
OKLAHOMA -----	-	-	-	-	-	-	2	1	6	8	5	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	1	1	2	-
FEMALE--	-	-	-	-	-	-	1	-	5	5	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	2	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
OREGON -----	-	-	-	-	2	2	10	21	19	27	18	-
WHITE-----MALE----	-	-	-	-	-	1	3	6	5	5	1	-
FEMALE--	-	-	-	-	2	1	7	15	14	22	17	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	-	-	-	1	1	8	10	17	12	11	-
WHITE-----MALE----	-	-	-	-	-	1	3	3	6	2	-	-
FEMALE--	-	-	-	-	1	-	4	6	11	8	9	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	2	2	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	2	2	-
RHODE ISLAND -----	-	-	-	-	-	-	-	-	-	1	2	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	-	1	1	2	5	7	5	10	7	2	-
WHITE-----MALE----	-	-	-	1	-	3	2	-	2	1	1	-
FEMALE--	-	-	1	-	2	3	3	1	4	5	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	2	4	4	1	1	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	2	4	3	1	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3392

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Senility (R54)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	1	5	3	5	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	1	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	4	3	4	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	-	-	-	1	-	6	7	11	10	2	-
WHITE-----MALE----	-	-	-	-	-	-	-	2	3	-	-	-
FEMALE--	-	-	-	-	1	-	5	5	8	10	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
TEXAS -----	-	-	-	-	-	2	4	7	25	26	13	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	7	5	2	-
FEMALE--	-	-	-	-	-	2	2	5	17	20	11	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	1	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	1	-	-	-
UTAH -----	-	-	-	-	4	8	13	10	30	21	7	-
WHITE-----MALE----	-	-	-	-	2	6	5	2	11	4	2	-
FEMALE--	-	-	-	-	2	2	8	7	17	17	5	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	2	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	2	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	-	-	-	-	3	5	6	20	15	7	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	2	4	-	-
FEMALE--	-	-	-	-	-	2	5	3	14	11	5	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	2	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	1	4	-	1	-
BLACK---MALE-----	-	-	-	-	-	-	-	2	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	1	2	-	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3394

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Ill-defined and unknown causes of mortality (R95-R99)												
UNITED STATES -	20,645	3,572	190	60	69	259	449	530	753	1,101	1,464	1,496
WHITE-----MALE----	9,337	1,339	85	27	22	132	252	286	432	618	813	835
FEMALE--	7,246	908	53	13	21	66	92	118	173	282	370	369
ALL OTHER--MALE----	2,372	784	26	9	17	33	64	81	96	114	167	185
FEMALE--	1,690	541	26	11	9	28	41	45	52	87	114	107
BLACK---MALE----	2,095	701	24	7	16	27	57	66	82	90	148	162
FEMALE--	1,519	492	20	6	6	25	35	36	45	82	110	98
ALABAMA -----	523	88	3	-	1	4	7	9	12	12	29	28
WHITE-----MALE----	173	31	1	-	-	2	4	3	6	6	15	12
FEMALE--	147	15	-	-	-	1	2	4	2	2	7	7
ALL OTHER--MALE----	111	26	1	-	-	1	-	2	3	3	4	6
FEMALE--	92	16	1	-	1	-	1	-	1	1	3	3
BLACK---MALE----	110	25	1	-	-	1	-	2	3	3	4	6
FEMALE--	91	15	1	-	1	-	1	-	1	1	3	3
ALASKA -----	21	6	-	-	-	-	2	-	1	-	-	-
WHITE-----MALE----	5	1	-	-	-	-	1	-	1	-	-	-
FEMALE--	9	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	3	-	-	-	-	1	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	211	51	3	1	-	3	4	10	13	23	21	20
WHITE-----MALE----	108	28	1	-	-	1	3	5	7	12	15	9
FEMALE--	54	9	-	-	-	2	-	2	2	8	5	6
ALL OTHER--MALE----	31	7	1	-	-	-	1	2	2	2	-	5
FEMALE--	18	7	1	1	-	-	-	1	2	1	1	-
BLACK---MALE----	9	2	1	-	-	-	-	-	-	1	-	3
FEMALE--	6	2	-	-	-	-	-	-	1	-	1	-
ARKANSAS -----	943	59	2	-	-	2	1	4	7	15	23	28
WHITE-----MALE----	417	22	1	-	-	-	-	-	3	9	13	20
FEMALE--	388	13	-	-	-	-	-	1	1	3	4	6
ALL OTHER--MALE----	68	14	-	-	-	1	-	2	3	3	2	1
FEMALE--	70	10	1	-	-	1	1	1	-	-	4	1
BLACK---MALE----	65	13	-	-	-	1	-	2	3	3	1	1
FEMALE--	70	10	1	-	-	1	1	1	-	-	4	1
CALIFORNIA -----	3,029	389	50	17	28	65	89	109	189	277	346	379
WHITE-----MALE----	1,621	164	21	7	10	31	49	67	121	163	194	222
FEMALE--	904	114	19	7	9	21	16	26	41	75	98	99
ALL OTHER--MALE----	290	69	3	-	5	6	15	12	14	26	31	34
FEMALE--	214	42	7	3	4	7	9	4	13	13	23	24
BLACK---MALE----	200	46	3	-	4	4	12	7	7	18	25	22
FEMALE--	152	27	4	2	1	5	4	1	11	12	22	19

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3394

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Ill-defined and unknown causes of mortality (R95-R99)												
UNITED STATES -	1,193	933	826	958	1,056	1,200	1,329	1,321	1,021	577	174	114
WHITE-----MALE----	649	491	439	483	486	547	524	425	265	102	19	66
FEMALE--	284	263	236	286	443	517	688	798	678	434	137	17
ALL OTHER--MALE----	174	116	96	124	72	69	48	41	21	8	4	23
FEMALE--	86	63	55	65	55	67	69	57	57	33	14	8
BLACK---MALE----	161	103	88	110	64	62	46	33	19	6	3	20
FEMALE--	75	53	50	58	50	59	62	51	55	30	14	7
ALABAMA -----	30	19	24	38	34	37	38	52	32	20	5	1
WHITE-----MALE----	10	3	10	17	6	13	14	11	6	3	-	-
FEMALE--	4	5	5	4	10	13	11	26	15	11	3	-
ALL OTHER--MALE----	12	8	6	11	9	4	6	4	3	1	-	1
FEMALE--	4	3	3	6	9	7	7	11	8	5	2	-
BLACK---MALE----	12	8	6	11	9	4	6	4	3	1	-	1
FEMALE--	4	3	3	6	9	7	7	11	8	5	2	-
ALASKA -----	-	-	-	2	1	-	2	3	2	2	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	1	-	2	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ARIZONA -----	11	11	9	9	4	2	1	3	-	1	-	11
WHITE-----MALE----	6	5	3	4	-	1	-	-	-	-	-	8
FEMALE--	3	1	2	4	3	1	1	3	-	1	-	1
ALL OTHER--MALE----	2	3	3	1	-	-	-	-	-	-	-	2
FEMALE--	-	2	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
ARKANSAS -----	34	33	44	82	97	106	123	137	96	38	12	-
WHITE-----MALE----	23	20	25	40	56	54	48	53	26	3	1	-
FEMALE--	7	9	16	29	35	43	60	68	58	27	8	-
ALL OTHER--MALE----	2	2	1	9	2	5	8	9	2	2	-	-
FEMALE--	2	2	2	4	4	4	7	7	10	6	3	-
BLACK---MALE----	2	2	1	9	2	5	8	9	2	1	-	-
FEMALE--	2	2	2	4	4	4	7	7	10	6	3	-
CALIFORNIA -----	293	195	102	88	110	95	73	56	28	5	1	45
WHITE-----MALE----	174	102	60	49	52	48	30	15	14	-	-	28
FEMALE--	76	69	30	20	46	37	35	39	12	5	1	9
ALL OTHER--MALE----	24	9	6	14	5	7	3	2	-	-	-	5
FEMALE--	19	15	6	5	7	3	5	-	2	-	-	3
BLACK---MALE----	17	4	5	12	2	5	1	1	-	-	-	5
FEMALE--	16	11	4	3	3	1	3	-	1	-	-	2

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3395

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Ill-defined and unknown causes of mortality (R95-R99)												
COLORADO -----	287	64	2	-	1	5	7	3	3	6	9	6
WHITE-----MALE----	142	32	1	-	-	2	4	2	2	4	8	4
FEMALE--	124	23	1	-	1	3	2	1	1	1	1	1
ALL OTHER--MALE----	12	5	-	-	-	-	1	-	-	-	-	1
FEMALE--	9	4	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	6	3	-	-	-	-	-	-	-	-	-	1
FEMALE--	9	4	-	-	-	-	-	-	-	1	-	-
CONNECTICUT -----	72	26	2	1	-	-	3	3	4	7	6	1
WHITE-----MALE----	26	9	1	-	-	-	1	2	2	2	4	-
FEMALE--	31	11	1	-	-	-	2	-	2	2	2	1
ALL OTHER--MALE----	9	4	-	-	-	-	-	1	-	2	-	-
FEMALE--	6	2	-	1	-	-	-	-	-	1	-	-
BLACK---MALE-----	9	4	-	-	-	-	-	1	-	2	-	-
FEMALE--	5	2	-	-	-	-	-	-	-	1	-	-
DELAWARE -----	17	9	-	-	-	-	-	-	-	1	1	2
WHITE-----MALE----	6	1	-	-	-	-	-	-	-	1	1	-
FEMALE--	7	5	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	1
DISTRICT OF COLUMBIA ---	201	14	1	-	1	2	3	6	9	11	25	30
WHITE-----MALE----	15	-	-	-	-	-	1	2	1	-	2	-
FEMALE--	10	-	-	-	-	-	-	-	2	-	-	1
ALL OTHER--MALE----	117	12	-	-	1	-	-	1	5	3	15	20
FEMALE--	59	2	1	-	-	2	2	3	1	8	8	9
BLACK---MALE-----	115	12	-	-	1	-	-	1	5	3	15	20
FEMALE--	59	2	1	-	-	2	2	3	1	8	8	9
FLORIDA -----	1,918	186	14	2	3	31	59	54	69	110	160	160
WHITE-----MALE----	897	59	4	-	-	14	37	26	42	79	92	84
FEMALE--	705	54	3	-	1	5	8	13	14	20	43	54
ALL OTHER--MALE----	182	37	3	2	2	6	7	7	10	8	18	15
FEMALE--	134	36	4	-	-	6	7	8	3	3	7	7
BLACK---MALE-----	173	36	3	2	2	6	7	6	9	7	17	15
FEMALE--	127	36	4	-	-	6	6	7	3	2	7	7
GEORGIA -----	315	130	2	-	-	-	4	4	8	8	11	12
WHITE-----MALE----	70	30	1	-	-	-	2	2	2	5	5	3
FEMALE--	99	23	-	-	-	-	-	1	3	1	5	1
ALL OTHER--MALE----	88	54	1	-	-	-	1	1	2	-	1	5
FEMALE--	58	23	-	-	-	-	1	-	1	2	-	3
BLACK---MALE-----	88	54	1	-	-	-	1	1	2	-	1	5
FEMALE--	57	23	-	-	-	-	1	-	1	2	-	2

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3395

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Ill-defined and unknown causes of mortality (R95-R99)												
COLORADO -----	10	8	9	15	23	21	33	26	24	7	3	2
WHITE-----MALE----	5	7	7	10	13	9	13	3	12	3	1	-
FEMALE--	4	1	2	3	8	11	18	23	12	4	2	1
ALL OTHER--MALE----	1	-	-	1	2	-	-	-	-	-	-	1
FEMALE--	-	-	-	1	-	1	2	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	1	-	1	2	-	-	-	-	-
CONNECTICUT -----	2	5	1	1	-	2	-	3	4	-	1	-
WHITE-----MALE----	-	2	-	1	-	1	-	-	1	-	-	-
FEMALE--	1	1	1	-	-	-	-	3	3	-	1	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	1	-	-	-	-	1	1	1	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	24	25	16	7	6	6	4	2	-	2	1	6
WHITE-----MALE----	1	2	2	1	1	-	-	-	-	1	-	1
FEMALE--	-	1	2	-	-	3	1	-	-	-	-	-
ALL OTHER--MALE----	15	17	8	6	4	2	3	1	-	-	-	4
FEMALE--	8	5	4	-	1	1	-	1	-	1	1	1
BLACK---MALE-----	15	17	8	5	4	2	3	1	-	-	-	3
FEMALE--	8	5	4	-	1	1	-	1	-	1	1	1
FLORIDA -----	115	101	84	99	100	120	140	119	103	57	18	14
WHITE-----MALE----	68	61	47	51	38	62	50	43	19	11	3	7
FEMALE--	31	25	27	33	48	44	77	73	78	41	13	-
ALL OTHER--MALE----	12	9	7	11	6	8	6	1	1	1	1	4
FEMALE--	4	6	3	4	8	6	7	2	5	4	1	3
BLACK---MALE-----	12	8	7	9	6	7	6	1	1	1	1	4
FEMALE--	2	5	3	4	8	5	7	2	5	4	1	3
GEORGIA -----	11	9	7	7	17	16	14	19	19	11	6	-
WHITE-----MALE----	5	2	1	-	4	1	4	2	1	-	-	-
FEMALE--	1	2	2	4	8	10	4	11	11	9	3	-
ALL OTHER--MALE----	3	4	4	3	1	2	3	1	1	-	1	-
FEMALE--	2	1	-	-	4	3	3	5	6	2	2	-
BLACK---MALE-----	3	4	4	3	1	2	3	1	1	-	1	-
FEMALE--	2	1	-	-	4	3	3	5	6	2	2	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3396

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Ill-defined and unknown causes of mortality (R95-R99)												
HAWAII -----	39	10	-	-	-	1	-	1	2	3	1	3
WHITE-----MALE----	9	3	-	-	-	-	-	-	1	1	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	16	4	-	-	-	1	-	1	1	1	-	1
FEMALE--	8	3	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	35	12	-	-	-	-	-	-	1	1	1	-
WHITE-----MALE----	17	5	-	-	-	-	-	-	-	1	1	-
FEMALE--	17	6	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	447	170	5	1	1	8	10	16	12	16	31	16
WHITE-----MALE----	160	42	-	-	-	5	3	6	7	9	17	10
FEMALE--	133	31	2	-	-	-	4	6	2	2	5	3
ALL OTHER--MALE----	85	50	2	1	1	2	3	3	2	2	6	2
FEMALE--	69	47	1	-	-	1	-	1	1	3	3	1
BLACK---MALE-----	78	48	2	1	1	1	3	3	2	1	5	2
FEMALE--	67	46	1	-	-	1	-	1	1	3	2	1
INDIANA -----	190	65	2	1	-	1	6	12	9	7	15	7
WHITE-----MALE----	88	31	2	-	-	1	5	6	7	2	4	4
FEMALE--	76	19	-	-	-	-	1	4	1	4	10	3
ALL OTHER--MALE----	14	10	-	-	-	-	-	-	-	1	-	-
FEMALE--	12	5	-	1	-	-	-	2	1	-	1	-
BLACK---MALE-----	13	9	-	-	-	-	-	-	-	1	-	-
FEMALE--	12	5	-	1	-	-	-	2	1	-	1	-
IOWA -----	89	35	4	-	-	1	1	5	3	3	5	4
WHITE-----MALE----	42	21	2	-	-	-	-	2	2	1	1	1
FEMALE--	39	9	2	-	-	1	1	2	-	2	3	3
ALL OTHER--MALE----	6	3	-	-	-	-	-	1	1	-	1	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	4	3	-	-	-	-	-	1	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
KANSAS -----	275	50	3	-	-	2	1	2	8	10	13	12
WHITE-----MALE----	127	21	2	-	-	1	1	2	7	4	7	8
FEMALE--	120	24	1	-	-	-	-	-	1	5	4	2
ALL OTHER--MALE----	17	3	-	-	-	-	-	-	-	1	-	1
FEMALE--	11	2	-	-	-	1	-	-	-	-	2	1
BLACK---MALE-----	17	3	-	-	-	-	-	-	-	1	-	1
FEMALE--	11	2	-	-	-	1	-	-	-	-	2	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3396

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Ill-defined and unknown causes of mortality (R95-R99)												
HAWAII -----	-	2	3	4	2	1	1	1	2	2	-	-
WHITE-----MALE----	-	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	1	-	-
ALL OTHER--MALE----	-	1	-	1	1	-	-	1	2	1	-	-
FEMALE--	-	1	1	2	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	1	-	1	3	4	1	4	3	1	1	1	-
WHITE-----MALE----	1	-	1	3	2	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	2	-	3	2	1	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	18	10	12	12	18	12	12	13	26	18	8	2
WHITE-----MALE----	8	8	2	8	10	7	8	3	5	1	-	1
FEMALE--	5	2	5	3	4	4	4	10	18	16	7	-
ALL OTHER--MALE----	4	-	4	-	1	-	-	-	-	-	1	1
FEMALE--	1	-	1	1	3	1	-	-	3	1	-	-
BLACK---MALE----	4	-	3	-	1	-	-	-	-	-	-	1
FEMALE--	1	-	1	1	3	1	-	-	3	1	-	-
INDIANA -----	6	7	4	7	6	5	12	6	7	4	1	-
WHITE-----MALE----	4	6	1	3	3	2	3	1	3	-	-	-
FEMALE--	2	1	2	2	3	2	9	4	4	4	1	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
IOWA -----	2	2	5	1	1	4	1	4	5	2	1	-
WHITE-----MALE----	1	1	2	-	-	3	1	2	1	1	-	-
FEMALE--	1	1	3	1	1	1	-	2	4	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	17	10	8	14	12	23	25	26	19	13	7	-
WHITE-----MALE----	9	6	4	8	8	12	10	7	6	3	1	-
FEMALE--	2	3	4	4	3	8	13	18	12	10	6	-
ALL OTHER--MALE----	5	1	-	1	-	3	1	1	-	-	-	-
FEMALE--	1	-	-	1	1	-	1	-	1	-	-	-
BLACK---MALE----	5	1	-	1	-	3	1	1	-	-	-	-
FEMALE--	1	-	-	1	1	-	1	-	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3397

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Ill-defined and unknown causes of mortality (R95-R99)												
KENTUCKY -----	159	62	-	-	-	1	4	2	1	1	2	5
WHITE-----MALE----	74	34	-	-	-	1	2	-	1	1	-	2
FEMALE--	69	21	-	-	-	-	1	1	-	-	1	3
ALL OTHER--MALE----	9	5	-	-	-	-	-	1	-	-	1	-
FEMALE--	7	2	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	9	5	-	-	-	-	-	1	-	-	1	-
FEMALE--	7	2	-	-	-	-	1	-	-	-	-	-
LOUISIANA -----	262	63	1	-	-	-	2	2	3	7	7	8
WHITE-----MALE----	78	16	1	-	-	-	2	1	-	1	5	5
FEMALE--	113	13	-	-	-	-	-	-	3	2	-	-
ALL OTHER--MALE----	36	20	-	-	-	-	-	1	-	2	-	3
FEMALE--	35	14	-	-	-	-	-	-	-	2	2	-
BLACK---MALE-----	35	19	-	-	-	-	-	1	-	2	-	3
FEMALE--	35	14	-	-	-	-	-	-	-	2	2	-
MAINE -----	25	7	-	-	-	-	3	1	1	-	1	-
WHITE-----MALE----	13	4	-	-	-	-	2	-	-	-	-	-
FEMALE--	12	3	-	-	-	-	1	1	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	91	54	1	-	-	1	3	1	3	3	5	5
WHITE-----MALE----	30	16	1	-	-	1	2	1	1	2	2	2
FEMALE--	13	9	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	29	18	-	-	-	-	1	-	2	1	2	1
FEMALE--	19	11	-	-	-	-	-	-	-	-	1	2
BLACK---MALE-----	29	18	-	-	-	-	1	-	2	1	2	1
FEMALE--	19	11	-	-	-	-	-	-	-	-	1	2
MASSACHUSETTS -----	334	35	4	2	1	10	18	18	26	55	48	52
WHITE-----MALE----	182	14	1	1	1	5	10	13	12	37	28	34
FEMALE--	113	11	2	-	-	3	8	4	10	14	14	13
ALL OTHER--MALE----	24	5	1	-	-	2	-	1	2	3	4	3
FEMALE--	15	5	-	1	-	-	-	-	2	1	2	2
BLACK---MALE-----	20	3	1	-	-	2	-	1	2	2	4	3
FEMALE--	13	5	-	-	-	-	-	-	1	1	2	2
MICHIGAN -----	205	107	2	-	-	-	3	3	5	9	15	9
WHITE-----MALE----	77	40	1	-	-	-	1	1	2	4	6	3
FEMALE--	49	16	1	-	-	-	-	1	2	2	4	1
ALL OTHER--MALE----	49	32	-	-	-	-	1	-	1	1	3	5
FEMALE--	30	19	-	-	-	-	1	1	-	2	2	-
BLACK---MALE-----	45	30	-	-	-	-	1	-	1	-	2	5
FEMALE--	28	17	-	-	-	-	1	1	-	2	2	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3397

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Ill-defined and unknown causes of mortality (R95-R99)												
KENTUCKY -----	5	5	2	6	9	9	17	15	10	1	2	-
WHITE-----MALE----	3	2	1	3	3	4	7	6	2	1	1	-
FEMALE--	2	3	-	2	4	5	10	9	6	-	1	-
ALL OTHER--MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	2	-	-	-
BLACK---MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	2	-	-	-
LOUISIANA -----	7	8	10	24	21	25	21	27	13	8	5	-
WHITE-----MALE----	3	4	2	6	9	9	7	4	3	-	-	-
FEMALE--	3	3	2	12	11	11	13	18	10	7	5	-
ALL OTHER--MALE----	-	1	2	4	-	-	1	1	-	1	-	-
FEMALE--	1	-	4	2	1	5	-	4	-	-	-	-
BLACK---MALE----	-	1	2	4	-	-	1	1	-	1	-	-
FEMALE--	1	-	4	2	1	5	-	4	-	-	-	-
MAINE -----	-	-	1	2	3	1	2	2	1	-	-	-
WHITE-----MALE----	-	-	1	1	1	1	1	1	1	-	-	-
FEMALE--	-	-	-	1	2	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	4	2	2	3	1	1	1	-	1	-	-	-
WHITE-----MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	1	2	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	1	2	1	-	-	-	-	-	-	-
BLACK---MALE----	1	2	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	1	2	1	-	-	-	-	-	-	-
MASSACHUSETTS -----	16	7	7	6	5	2	7	3	3	4	4	1
WHITE-----MALE----	6	4	3	2	3	2	2	1	2	1	-	-
FEMALE--	8	3	4	4	2	-	4	2	-	3	4	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
MICHIGAN -----	9	-	6	6	5	6	9	7	3	1	-	-
WHITE-----MALE----	2	-	1	3	2	3	3	5	-	-	-	-
FEMALE--	2	-	3	1	3	3	4	2	3	1	-	-
ALL OTHER--MALE----	2	-	2	1	-	-	1	-	-	-	-	-
FEMALE--	3	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	2	-	2	1	-	-	1	-	-	-	-	-
FEMALE--	3	-	-	1	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3398

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Ill-defined and unknown causes of mortality (R95-R99)												
MINNESOTA -----	942	38	2	-	1	-	-	3	2	8	11	5
WHITE-----MALE----	324	24	-	-	-	-	-	2	1	3	9	4
FEMALE--	593	8	1	-	-	-	-	-	-	4	2	1
ALL OTHER--MALE----	15	6	1	-	-	-	-	-	-	1	-	-
FEMALE--	10	-	-	-	1	-	-	1	1	-	-	-
BLACK---MALE----	11	5	1	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	1	-	-	1	-	-	-	-
MISSISSIPPI -----	105	68	1	-	-	-	1	1	3	2	5	5
WHITE-----MALE----	32	15	-	-	-	-	-	1	-	-	1	4
FEMALE--	19	9	-	-	-	-	-	-	1	1	1	-
ALL OTHER--MALE----	30	24	-	-	-	-	1	-	1	1	1	1
FEMALE--	24	20	1	-	-	-	-	-	1	-	2	-
BLACK---MALE----	30	24	-	-	-	-	1	-	1	1	1	1
FEMALE--	23	19	1	-	-	-	-	-	1	-	2	-
MISSOURI -----	194	86	-	1	-	2	1	4	2	1	4	9
WHITE-----MALE----	100	36	-	-	-	2	1	1	-	-	3	6
FEMALE--	58	24	-	-	-	-	-	2	-	1	-	3
ALL OTHER--MALE----	20	15	-	-	-	-	-	1	1	-	1	-
FEMALE--	16	11	-	1	-	-	-	-	1	-	-	-
BLACK---MALE----	20	15	-	-	-	-	-	1	1	-	1	-
FEMALE--	16	11	-	1	-	-	-	-	1	-	-	-
MONTANA -----	102	12	-	-	-	1	-	-	1	1	2	3
WHITE-----MALE----	37	5	-	-	-	-	-	-	-	-	-	3
FEMALE--	59	5	-	-	-	1	-	-	1	1	2	-
ALL OTHER--MALE----	5	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	327	28	1	-	-	1	1	2	3	4	8	16
WHITE-----MALE----	168	14	-	-	-	1	-	1	3	1	4	14
FEMALE--	120	4	1	-	-	-	-	1	-	1	2	1
ALL OTHER--MALE----	27	6	-	-	-	-	1	-	-	1	1	1
FEMALE--	12	4	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	25	5	-	-	-	-	1	-	-	1	1	1
FEMALE--	10	2	-	-	-	-	-	-	-	1	1	-
NEVADA -----	60	18	1	-	-	-	2	2	2	8	4	6
WHITE-----MALE----	26	7	-	-	-	-	2	1	-	2	2	4
FEMALE--	27	7	1	-	-	-	-	1	2	5	1	2
ALL OTHER--MALE----	4	2	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	2	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	4	2	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	2	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3400

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Ill-defined and unknown causes of mortality (R95-R99)												
OHIO -----	972	175	15	6	6	22	37	36	36	53	78	79
WHITE-----MALE----	448	66	7	5	3	11	18	21	19	22	42	44
FEMALE--	319	46	3	1	3	6	8	6	10	17	23	16
ALL OTHER--MALE----	119	33	2	-	-	3	8	6	5	6	9	12
FEMALE--	86	30	3	-	-	2	3	3	2	8	4	7
BLACK---MALE-----	118	33	2	-	-	3	8	6	5	6	9	11
FEMALE--	83	29	3	-	-	2	3	3	2	8	4	7
OKLAHOMA -----	147	65	2	-	1	1	6	2	4	9	9	10
WHITE-----MALE----	66	27	-	-	1	-	3	2	4	4	4	3
FEMALE--	48	17	1	-	-	-	3	-	-	4	3	4
ALL OTHER--MALE----	17	11	1	-	-	1	-	-	-	-	1	2
FEMALE--	16	10	-	-	-	-	-	-	-	1	1	1
BLACK---MALE-----	8	5	1	-	-	-	-	-	-	-	1	-
FEMALE--	11	8	-	-	-	-	-	-	-	-	1	1
OREGON -----	873	58	6	-	1	4	5	4	14	10	18	25
WHITE-----MALE----	410	35	3	-	-	2	3	3	10	5	11	21
FEMALE--	435	18	1	-	1	2	2	1	2	5	6	4
ALL OTHER--MALE----	19	5	2	-	-	-	-	-	1	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE-----	11	2	1	-	-	-	-	-	1	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
PENNSYLVANIA -----	976	112	3	1	-	5	5	9	4	21	37	47
WHITE-----MALE----	460	38	2	1	-	3	3	1	2	9	22	31
FEMALE--	374	17	1	-	-	2	-	3	2	5	12	11
ALL OTHER--MALE----	81	28	-	-	-	-	2	3	-	6	2	3
FEMALE--	61	29	-	-	-	-	-	2	-	1	1	2
BLACK---MALE-----	79	28	-	-	-	-	2	3	-	6	2	3
FEMALE--	57	28	-	-	-	-	-	1	-	1	1	2
RHODE ISLAND -----	52	4	-	-	-	1	1	4	3	4	9	7
WHITE-----MALE----	29	3	-	-	-	1	-	2	2	3	6	3
FEMALE--	19	1	-	-	-	-	1	2	1	-	2	3
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	303	53	-	1	-	2	4	7	6	13	13	11
WHITE-----MALE----	88	16	-	1	-	2	2	4	3	5	5	5
FEMALE--	100	8	-	-	-	-	-	1	2	3	3	2
ALL OTHER--MALE----	62	17	-	-	-	-	1	2	-	4	4	2
FEMALE--	53	12	-	-	-	-	1	-	1	1	1	2
BLACK---MALE-----	62	17	-	-	-	-	1	2	-	4	4	2
FEMALE--	53	12	-	-	-	-	1	-	1	1	1	2

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3400

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Ill-defined and unknown causes of mortality (R95-R99)												
OHIO -----	62	36	38	44	41	50	56	51	26	21	3	1
WHITE-----MALE----	34	20	21	24	17	16	25	19	8	5	-	1
FEMALE--	15	6	12	12	18	25	27	30	17	15	3	-
ALL OTHER--MALE----	10	7	3	3	4	5	2	-	1	-	-	-
FEMALE--	3	3	2	5	2	4	2	2	-	1	-	-
BLACK---MALE----	10	7	3	3	4	5	2	-	1	-	-	-
FEMALE--	2	3	2	4	2	4	2	2	-	1	-	-
OKLAHOMA -----	2	7	3	4	2	4	5	4	4	1	1	1
WHITE-----MALE----	-	4	2	1	1	4	2	1	2	-	-	1
FEMALE--	2	2	1	2	1	-	3	2	2	-	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	1	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
OREGON -----	22	37	54	57	71	94	123	122	87	49	12	-
WHITE-----MALE----	19	23	35	34	33	45	50	38	27	11	2	-
FEMALE--	2	13	18	21	36	48	72	78	59	37	9	-
ALL OTHER--MALE----	-	1	1	2	1	-	1	4	1	-	-	-
FEMALE--	1	-	-	-	1	1	-	2	-	1	1	-
BLACK---MALE----	-	1	1	1	1	-	1	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	1	-
PENNSYLVANIA -----	42	51	46	78	71	99	122	96	74	44	4	5
WHITE-----MALE----	27	40	33	39	44	46	49	40	18	9	1	2
FEMALE--	8	7	6	24	25	44	67	52	53	30	3	2
ALL OTHER--MALE----	4	3	5	9	1	8	3	2	-	1	-	1
FEMALE--	3	1	2	6	1	1	3	2	3	4	-	-
BLACK---MALE----	3	2	5	9	1	8	3	2	-	1	-	1
FEMALE--	3	1	2	5	1	1	2	2	3	4	-	-
RHODE ISLAND -----	7	2	3	1	-	2	1	1	1	-	-	1
WHITE-----MALE----	3	1	2	-	-	2	-	-	-	-	-	1
FEMALE--	3	1	1	1	-	-	1	1	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	14	8	17	17	22	30	24	26	19	9	5	2
WHITE-----MALE----	2	2	7	3	9	5	6	5	4	1	-	1
FEMALE--	3	-	3	4	8	14	13	16	9	7	4	-
ALL OTHER--MALE----	7	2	5	7	3	4	-	1	1	-	1	1
FEMALE--	2	4	2	3	2	7	5	4	5	1	-	-
BLACK---MALE----	7	2	5	7	3	4	-	1	1	-	1	1
FEMALE--	2	4	2	3	2	7	5	4	5	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3401

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Ill-defined and unknown causes of mortality (R95-R99)												
SOUTH DAKOTA -----	22	10	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	7	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	3	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	600	109	4	1	-	1	2	7	16	26	33	29
WHITE-----MALE----	268	39	3	1	-	-	2	3	9	19	22	18
FEMALE--	237	29	1	-	-	-	-	4	6	4	9	7
ALL OTHER--MALE----	56	25	-	-	-	-	-	-	1	2	1	4
FEMALE--	39	16	-	-	-	1	-	-	-	1	1	-
BLACK---MALE-----	56	25	-	-	-	-	-	-	1	2	1	4
FEMALE--	38	16	-	-	-	1	-	-	-	1	1	-
TEXAS -----	1,241	323	16	7	5	19	35	43	57	67	83	65
WHITE-----MALE----	569	126	10	4	2	10	24	24	34	38	36	37
FEMALE--	464	102	1	3	1	5	6	14	16	24	28	20
ALL OTHER--MALE----	127	60	3	-	2	2	3	3	5	3	10	4
FEMALE--	81	35	2	-	-	2	2	2	2	2	9	4
BLACK---MALE-----	122	58	3	-	2	2	3	3	5	3	9	4
FEMALE--	78	35	1	-	-	1	2	2	2	2	9	4
UTAH -----	240	27	1	-	-	-	-	2	1	2	7	8
WHITE-----MALE----	139	20	-	-	-	-	-	2	-	1	3	5
FEMALE--	87	5	-	-	-	-	-	-	1	-	4	3
ALL OTHER--MALE----	8	-	1	-	-	-	-	-	-	1	-	-
FEMALE--	6	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	12	6	-	-	-	-	-	1	-	-	1	1
WHITE-----MALE----	8	6	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	266	78	2	-	-	-	1	6	6	2	6	7
WHITE-----MALE----	86	24	1	-	-	-	1	2	-	2	5	1
FEMALE--	101	17	-	-	-	-	-	1	1	-	-	2
ALL OTHER--MALE----	54	23	1	-	-	-	-	2	5	-	-	3
FEMALE--	25	14	-	-	-	-	-	1	-	-	1	1
BLACK---MALE-----	53	22	1	-	-	-	-	2	5	-	-	3
FEMALE--	25	14	-	-	-	-	-	1	-	-	1	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3401

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Ill-defined and unknown causes of mortality (R95-R99)												
SOUTH DAKOTA -----	1	-	2	-	-	3	1	2	2	-	-	-
WHITE-----MALE----	1	-	2	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	2	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	23	30	21	35	33	50	59	50	51	18	2	-
WHITE-----MALE----	12	18	10	17	10	30	23	17	13	2	-	-
FEMALE--	8	9	8	13	17	14	28	30	32	16	2	-
ALL OTHER--MALE----	2	2	3	4	4	3	2	1	2	-	-	-
FEMALE--	1	1	-	1	2	3	6	2	4	-	-	-
BLACK---MALE----	2	2	3	4	4	3	2	1	2	-	-	-
FEMALE--	1	1	-	1	2	3	6	1	4	-	-	-
TEXAS -----	74	51	46	42	58	59	50	62	34	29	6	10
WHITE-----MALE----	41	25	27	24	22	21	22	19	7	7	-	9
FEMALE--	21	21	15	12	31	34	25	38	23	18	5	1
ALL OTHER--MALE----	7	5	4	2	4	4	-	3	3	-	-	-
FEMALE--	5	-	-	4	1	-	3	2	1	4	1	-
BLACK---MALE----	6	5	4	2	4	4	-	2	3	-	-	-
FEMALE--	5	-	-	4	1	-	2	2	1	4	1	-
UTAH -----	11	12	17	15	31	30	27	28	13	7	1	-
WHITE-----MALE----	7	9	13	9	20	19	15	14	2	-	-	-
FEMALE--	3	3	3	5	9	10	12	12	10	7	-	-
ALL OTHER--MALE----	1	-	1	1	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	1	-	1	-
BLACK---MALE----	-	-	1	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	1	-
VERMONT -----	1	-	-	-	-	-	-	-	1	1	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	9	8	9	14	12	24	24	18	23	14	3	-
WHITE-----MALE----	2	2	3	6	3	13	12	4	3	1	1	-
FEMALE--	5	2	5	3	6	9	10	12	14	12	2	-
ALL OTHER--MALE----	2	4	1	3	3	2	1	1	2	1	-	-
FEMALE--	-	-	-	2	-	-	1	1	4	-	-	-
BLACK---MALE----	2	4	1	3	3	2	1	1	2	1	-	-
FEMALE--	-	-	-	2	-	-	1	1	4	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3412

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other ill-defined and unknown causes of mortality (R96-R99)												
UNITED STATES -	18,122	1,049	190	60	69	259	449	530	753	1,101	1,464	1,496
WHITE-----MALE----	8,370	372	85	27	22	132	252	286	432	618	813	835
FEMALE--	6,605	267	53	13	21	66	92	118	173	282	370	369
ALL OTHER--MALE----	1,830	242	26	9	17	33	64	81	96	114	167	185
FEMALE--	1,317	168	26	11	9	28	41	45	52	87	114	107
BLACK---MALE----	1,613	219	24	7	16	27	57	66	82	90	148	162
FEMALE--	1,175	148	20	6	6	25	35	36	45	82	110	98
ALABAMA -----	471	36	3	-	1	4	7	9	12	12	29	28
WHITE-----MALE----	153	11	1	-	-	2	4	3	6	6	15	12
FEMALE--	138	6	-	-	-	1	2	4	2	2	7	7
ALL OTHER--MALE----	99	14	1	-	-	1	-	2	3	3	4	6
FEMALE--	81	5	1	-	1	-	1	-	1	1	3	3
BLACK---MALE----	99	14	1	-	-	1	-	2	3	3	4	6
FEMALE--	81	5	1	-	1	-	1	-	1	1	3	3
ALASKA -----	15	-	-	-	-	-	2	-	1	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	174	14	3	1	-	3	4	10	13	23	21	20
WHITE-----MALE----	85	5	1	-	-	1	3	5	7	12	15	9
FEMALE--	49	4	-	-	-	2	-	2	2	8	5	6
ALL OTHER--MALE----	28	4	1	-	-	-	1	2	2	2	-	5
FEMALE--	12	1	1	1	-	-	-	1	2	1	1	-
BLACK---MALE----	8	1	1	-	-	-	-	-	-	1	-	3
FEMALE--	4	-	-	-	-	-	-	-	1	-	1	-
ARKANSAS -----	912	28	2	-	-	2	1	4	7	15	23	28
WHITE-----MALE----	408	13	1	-	-	-	-	-	3	9	13	20
FEMALE--	381	6	-	-	-	-	-	1	1	3	4	6
ALL OTHER--MALE----	60	6	-	-	-	1	-	2	3	3	2	1
FEMALE--	63	3	1	-	-	1	1	1	-	-	4	1
BLACK---MALE----	57	5	-	-	-	1	-	2	3	3	1	1
FEMALE--	63	3	1	-	-	1	1	1	-	-	4	1
CALIFORNIA -----	2,857	217	50	17	28	65	89	109	189	277	346	379
WHITE-----MALE----	1,550	93	21	7	10	31	49	67	121	163	194	222
FEMALE--	855	65	19	7	9	21	16	26	41	75	98	99
ALL OTHER--MALE----	259	38	3	-	5	6	15	12	14	26	31	34
FEMALE--	193	21	7	3	4	7	9	4	13	13	23	24
BLACK---MALE----	184	30	3	-	4	4	12	7	7	18	25	22
FEMALE--	135	10	4	2	1	5	4	1	11	12	22	19

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3412

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other ill-defined and unknown causes of mortality (R96-R99)												
UNITED STATES -	1,193	933	826	958	1,056	1,200	1,329	1,321	1,021	577	174	114
WHITE-----MALE----	649	491	439	483	486	547	524	425	265	102	19	66
FEMALE--	284	263	236	286	443	517	688	798	678	434	137	17
ALL OTHER--MALE----	174	116	96	124	72	69	48	41	21	8	4	23
FEMALE--	86	63	55	65	55	67	69	57	57	33	14	8
BLACK---MALE----	161	103	88	110	64	62	46	33	19	6	3	20
FEMALE--	75	53	50	58	50	59	62	51	55	30	14	7
ALABAMA -----	30	19	24	38	34	37	38	52	32	20	5	1
WHITE-----MALE----	10	3	10	17	6	13	14	11	6	3	-	-
FEMALE--	4	5	5	4	10	13	11	26	15	11	3	-
ALL OTHER--MALE----	12	8	6	11	9	4	6	4	3	1	-	1
FEMALE--	4	3	3	6	9	7	7	11	8	5	2	-
BLACK---MALE----	12	8	6	11	9	4	6	4	3	1	-	1
FEMALE--	4	3	3	6	9	7	7	11	8	5	2	-
ALASKA -----	-	-	-	2	1	-	2	3	2	2	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	1	-	2	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ARIZONA -----	11	11	9	9	4	2	1	3	-	1	-	11
WHITE-----MALE----	6	5	3	4	-	1	-	-	-	-	-	8
FEMALE--	3	1	2	4	3	1	1	3	-	1	-	1
ALL OTHER--MALE----	2	3	3	1	-	-	-	-	-	-	-	2
FEMALE--	-	2	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
ARKANSAS -----	34	33	44	82	97	106	123	137	96	38	12	-
WHITE-----MALE----	23	20	25	40	56	54	48	53	26	3	1	-
FEMALE--	7	9	16	29	35	43	60	68	58	27	8	-
ALL OTHER--MALE----	2	2	1	9	2	5	8	9	2	2	-	-
FEMALE--	2	2	2	4	4	4	7	7	10	6	3	-
BLACK---MALE----	2	2	1	9	2	5	8	9	2	1	-	-
FEMALE--	2	2	2	4	4	4	7	7	10	6	3	-
CALIFORNIA -----	293	195	102	88	110	95	73	56	28	5	1	45
WHITE-----MALE----	174	102	60	49	52	48	30	15	14	-	-	28
FEMALE--	76	69	30	20	46	37	35	39	12	5	1	9
ALL OTHER--MALE----	24	9	6	14	5	7	3	2	-	-	-	5
FEMALE--	19	15	6	5	7	3	5	-	2	-	-	3
BLACK---MALE----	17	4	5	12	2	5	1	1	-	-	-	5
FEMALE--	16	11	4	3	3	1	3	-	1	-	-	2

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3413

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other ill-defined and unknown causes of mortality (R96-R99)												
COLORADO -----	231	8	2	-	1	5	7	3	3	6	9	6
WHITE-----MALE----	113	3	1	-	-	2	4	2	2	4	8	4
FEMALE--	104	3	1	-	1	3	2	1	1	1	1	1
ALL OTHER--MALE----	7	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	7	2	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	2	-	-	-	-	-	-	-	1	-	-
CONNECTICUT -----	53	7	2	1	-	-	3	3	4	7	6	1
WHITE-----MALE----	19	2	1	-	-	-	1	2	2	2	4	-
FEMALE--	23	3	1	-	-	-	2	-	2	2	2	1
ALL OTHER--MALE----	6	1	-	-	-	-	-	1	-	2	-	-
FEMALE--	5	1	-	1	-	-	-	-	-	1	-	-
BLACK---MALE-----	6	1	-	-	-	-	-	1	-	2	-	-
FEMALE--	4	1	-	-	-	-	-	-	-	1	-	-
DELAWARE -----	8	-	-	-	-	-	-	-	-	1	1	2
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
DISTRICT OF COLUMBIA ---	193	6	1	-	1	2	3	6	9	11	25	30
WHITE-----MALE----	15	-	-	-	-	-	1	2	1	-	2	-
FEMALE--	10	-	-	-	-	-	-	-	2	-	-	1
ALL OTHER--MALE----	109	4	-	-	1	-	-	1	5	3	15	20
FEMALE--	59	2	1	-	-	2	2	3	1	8	8	9
BLACK---MALE-----	107	4	-	-	1	-	-	1	5	3	15	20
FEMALE--	59	2	1	-	-	2	2	3	1	8	8	9
FLORIDA -----	1,824	92	14	2	3	31	59	54	69	110	160	160
WHITE-----MALE----	859	21	4	-	-	14	37	26	42	79	92	84
FEMALE--	676	25	3	-	1	5	8	13	14	20	43	54
ALL OTHER--MALE----	169	24	3	2	2	6	7	7	10	8	18	15
FEMALE--	120	22	4	-	-	6	7	8	3	3	7	7
BLACK---MALE-----	160	23	3	2	2	6	7	6	9	7	17	15
FEMALE--	113	22	4	-	-	6	6	7	3	2	7	7
GEORGIA -----	199	14	2	-	-	-	4	4	8	8	11	12
WHITE-----MALE----	47	7	1	-	-	-	2	2	2	5	5	3
FEMALE--	77	1	-	-	-	-	-	1	3	1	5	1
ALL OTHER--MALE----	40	6	1	-	-	-	1	1	2	-	1	5
FEMALE--	35	-	-	-	-	-	1	-	1	2	-	3
BLACK---MALE-----	40	6	1	-	-	-	1	1	2	-	1	5
FEMALE--	34	-	-	-	-	-	1	-	1	2	-	2

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3413

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other ill-defined and unknown causes of mortality (R96-R99)												
COLORADO -----	10	8	9	15	23	21	33	26	24	7	3	2
WHITE-----MALE----	5	7	7	10	13	9	13	3	12	3	1	-
FEMALE--	4	1	2	3	8	11	18	23	12	4	2	1
ALL OTHER--MALE----	1	-	-	1	2	-	-	-	-	-	-	1
FEMALE--	-	-	-	1	-	1	2	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	1	-	1	2	-	-	-	-	-
CONNECTICUT -----	2	5	1	1	-	2	-	3	4	-	1	-
WHITE-----MALE----	-	2	-	1	-	1	-	-	1	-	-	-
FEMALE--	1	1	1	-	-	-	-	3	3	-	1	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	1	-	-	-	-	1	1	1	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	24	25	16	7	6	6	4	2	-	2	1	6
WHITE-----MALE----	1	2	2	1	1	-	-	-	-	1	-	1
FEMALE--	-	1	2	-	-	3	1	-	-	-	-	-
ALL OTHER--MALE----	15	17	8	6	4	2	3	1	-	-	-	4
FEMALE--	8	5	4	-	1	1	-	1	-	1	1	1
BLACK---MALE----	15	17	8	5	4	2	3	1	-	-	-	3
FEMALE--	8	5	4	-	1	1	-	1	-	1	1	1
FLORIDA -----	115	101	84	99	100	120	140	119	103	57	18	14
WHITE-----MALE----	68	61	47	51	38	62	50	43	19	11	3	7
FEMALE--	31	25	27	33	48	44	77	73	78	41	13	-
ALL OTHER--MALE----	12	9	7	11	6	8	6	1	1	1	1	4
FEMALE--	4	6	3	4	8	6	7	2	5	4	1	3
BLACK---MALE----	12	8	7	9	6	7	6	1	1	1	1	4
FEMALE--	2	5	3	4	8	5	7	2	5	4	1	3
GEORGIA -----	11	9	7	7	17	16	14	19	19	11	6	-
WHITE-----MALE----	5	2	1	-	4	1	4	2	1	-	-	-
FEMALE--	1	2	2	4	8	10	4	11	11	9	3	-
ALL OTHER--MALE----	3	4	4	3	1	2	3	1	1	-	1	-
FEMALE--	2	1	-	-	4	3	3	5	6	2	2	-
BLACK---MALE----	3	4	4	3	1	2	3	1	1	-	1	-
FEMALE--	2	1	-	-	4	3	3	5	6	2	2	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3414

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other ill-defined and unknown causes of mortality (R96-R99)												
HAWAII -----	34	5	-	-	-	1	-	1	2	3	1	3
WHITE-----MALE----	9	3	-	-	-	-	-	-	1	1	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	13	1	-	-	-	1	-	1	1	1	-	1
FEMALE--	6	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	23	-	-	-	-	-	-	-	1	1	1	-
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	11	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	338	61	5	1	1	8	10	16	12	16	31	16
WHITE-----MALE----	134	16	-	-	-	5	3	6	7	9	17	10
FEMALE--	110	8	2	-	-	-	4	6	2	2	5	3
ALL OTHER--MALE----	53	18	2	1	1	2	3	3	2	2	6	2
FEMALE--	41	19	1	-	-	1	-	1	1	3	3	1
BLACK---MALE----	47	17	2	1	1	1	3	3	2	1	5	2
FEMALE--	40	19	1	-	-	1	-	1	1	3	2	1
INDIANA -----	132	7	2	1	-	1	6	12	9	7	15	7
WHITE-----MALE----	60	3	2	-	-	1	5	6	7	2	4	4
FEMALE--	59	2	-	-	-	-	1	4	1	4	10	3
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	9	2	-	1	-	-	-	2	1	-	1	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	9	2	-	1	-	-	-	2	1	-	1	-
IOWA -----	56	2	4	-	-	1	1	5	3	3	5	4
WHITE-----MALE----	22	1	2	-	-	-	-	2	2	1	1	1
FEMALE--	30	-	2	-	-	1	1	2	-	2	3	3
ALL OTHER--MALE----	3	-	-	-	-	-	-	1	1	-	1	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
KANSAS -----	235	10	3	-	-	2	1	2	8	10	13	12
WHITE-----MALE----	110	4	2	-	-	1	1	2	7	4	7	8
FEMALE--	101	5	1	-	-	-	-	-	1	5	4	2
ALL OTHER--MALE----	15	1	-	-	-	-	-	-	-	1	-	1
FEMALE--	9	-	-	-	-	1	-	-	-	-	2	1
BLACK---MALE----	15	1	-	-	-	-	-	-	-	1	-	1
FEMALE--	9	-	-	-	-	1	-	-	-	-	2	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3414

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other ill-defined and unknown causes of mortality (R96-R99)												
HAWAII -----	-	2	3	4	2	1	1	1	2	2	-	-
WHITE-----MALE----	-	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	1	-	-
ALL OTHER--MALE----	-	1	-	1	1	-	-	1	2	1	-	-
FEMALE--	-	1	1	2	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	1	-	1	3	4	1	4	3	1	1	1	-
WHITE-----MALE----	1	-	1	3	2	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	2	-	3	2	1	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	18	10	12	12	18	12	12	13	26	18	8	2
WHITE-----MALE----	8	8	2	8	10	7	8	3	5	1	-	1
FEMALE--	5	2	5	3	4	4	4	10	18	16	7	-
ALL OTHER--MALE----	4	-	4	-	1	-	-	-	-	-	1	1
FEMALE--	1	-	1	1	3	1	-	-	3	1	-	-
BLACK---MALE----	4	-	3	-	1	-	-	-	-	-	-	1
FEMALE--	1	-	1	1	3	1	-	-	3	1	-	-
INDIANA -----	6	7	4	7	6	5	12	6	7	4	1	-
WHITE-----MALE----	4	6	1	3	3	2	3	1	3	-	-	-
FEMALE--	2	1	2	2	3	2	9	4	4	4	1	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
IOWA -----	2	2	5	1	1	4	1	4	5	2	1	-
WHITE-----MALE----	1	1	2	-	-	3	1	2	1	1	-	-
FEMALE--	1	1	3	1	1	1	-	2	4	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	17	10	8	14	12	23	25	26	19	13	7	-
WHITE-----MALE----	9	6	4	8	8	12	10	7	6	3	1	-
FEMALE--	2	3	4	4	3	8	13	18	12	10	6	-
ALL OTHER--MALE----	5	1	-	1	-	3	1	1	-	-	-	-
FEMALE--	1	-	-	1	1	-	1	-	1	-	-	-
BLACK---MALE----	5	1	-	1	-	3	1	1	-	-	-	-
FEMALE--	1	-	-	1	1	-	1	-	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3415

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other ill-defined and unknown causes of mortality (R96-R99)												
KENTUCKY -----	120	23	-	-	-	1	4	2	1	1	2	5
WHITE-----MALE----	51	11	-	-	-	1	2	-	1	1	-	2
FEMALE--	56	8	-	-	-	-	1	1	-	-	1	3
ALL OTHER--MALE----	6	2	-	-	-	-	-	1	-	-	1	-
FEMALE--	7	2	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	6	2	-	-	-	-	-	1	-	-	1	-
FEMALE--	7	2	-	-	-	-	1	-	-	-	-	-
LOUISIANA -----	207	8	1	-	-	-	2	2	3	7	7	8
WHITE-----MALE----	64	2	1	-	-	-	2	1	-	1	5	5
FEMALE--	102	2	-	-	-	-	-	-	3	2	-	-
ALL OTHER--MALE----	17	1	-	-	-	-	-	1	-	2	-	3
FEMALE--	24	3	-	-	-	-	-	-	-	2	2	-
BLACK---MALE-----	17	1	-	-	-	-	-	1	-	2	-	3
FEMALE--	24	3	-	-	-	-	-	-	-	2	2	-
MAINE -----	20	2	-	-	-	-	3	1	1	-	1	-
WHITE-----MALE----	10	1	-	-	-	-	2	-	-	-	-	-
FEMALE--	10	1	-	-	-	-	1	1	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	42	5	1	-	-	1	3	1	3	3	5	5
WHITE-----MALE----	15	1	1	-	-	1	2	1	1	2	2	2
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	14	3	-	-	-	-	1	-	2	1	2	1
FEMALE--	9	1	-	-	-	-	-	-	-	-	1	2
BLACK---MALE-----	14	3	-	-	-	-	1	-	2	1	2	1
FEMALE--	9	1	-	-	-	-	-	-	-	-	1	2
MASSACHUSETTS -----	316	17	4	2	1	10	18	18	26	55	48	52
WHITE-----MALE----	175	7	1	1	1	5	10	13	12	37	28	34
FEMALE--	105	3	2	-	-	3	8	4	10	14	14	13
ALL OTHER--MALE----	22	3	1	-	-	2	-	1	2	3	4	3
FEMALE--	14	4	-	1	-	-	-	-	2	1	2	2
BLACK---MALE-----	19	2	1	-	-	2	-	1	2	2	4	3
FEMALE--	12	4	-	-	-	-	-	-	1	1	2	2
MICHIGAN -----	105	7	2	-	-	-	3	3	5	9	15	9
WHITE-----MALE----	38	1	1	-	-	-	1	1	2	4	6	3
FEMALE--	37	4	1	-	-	-	-	1	2	2	4	1
ALL OTHER--MALE----	18	1	-	-	-	-	1	-	1	1	3	5
FEMALE--	12	1	-	-	-	-	1	1	-	2	2	-
BLACK---MALE-----	16	1	-	-	-	-	1	-	1	-	2	5
FEMALE--	12	1	-	-	-	-	1	1	-	2	2	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3415

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other ill-defined and unknown causes of mortality (R96-R99)												
KENTUCKY -----	5	5	2	6	9	9	17	15	10	1	2	-
WHITE-----MALE----	3	2	1	3	3	4	7	6	2	1	1	-
FEMALE--	2	3	-	2	4	5	10	9	6	-	1	-
ALL OTHER--MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	2	-	-	-
BLACK---MALE-----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	2	-	-	-
LOUISIANA -----	7	8	10	24	21	25	21	27	13	8	5	-
WHITE-----MALE----	3	4	2	6	9	9	7	4	3	-	-	-
FEMALE--	3	3	2	12	11	11	13	18	10	7	5	-
ALL OTHER--MALE----	-	1	2	4	-	-	1	1	-	1	-	-
FEMALE--	1	-	4	2	1	5	-	4	-	-	-	-
BLACK---MALE-----	-	1	2	4	-	-	1	1	-	1	-	-
FEMALE--	1	-	4	2	1	5	-	4	-	-	-	-
MAINE -----	-	-	1	2	3	1	2	2	1	-	-	-
WHITE-----MALE----	-	-	1	1	1	1	1	1	1	-	-	-
FEMALE--	-	-	-	1	2	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	4	2	2	3	1	1	1	-	1	-	-	-
WHITE-----MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	1	2	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	1	2	1	-	-	-	-	-	-	-
BLACK---MALE-----	1	2	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	1	2	1	-	-	-	-	-	-	-
MASSACHUSETTS -----	16	7	7	6	5	2	7	3	3	4	4	1
WHITE-----MALE----	6	4	3	2	3	2	2	1	2	1	-	-
FEMALE--	8	3	4	4	2	-	4	2	-	3	4	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
MICHIGAN -----	9	-	6	6	5	6	9	7	3	1	-	-
WHITE-----MALE----	2	-	1	3	2	3	3	5	-	-	-	-
FEMALE--	2	-	3	1	3	3	4	2	3	1	-	-
ALL OTHER--MALE----	2	-	2	1	-	-	1	-	-	-	-	-
FEMALE--	3	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE-----	2	-	2	1	-	-	1	-	-	-	-	-
FEMALE--	3	-	-	1	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3416

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other ill-defined and unknown causes of mortality (R96-R99)												
MINNESOTA -----	910	6	2	-	1	-	-	3	2	8	11	5
WHITE-----MALE----	301	1	-	-	-	-	-	2	1	3	9	4
FEMALE--	587	2	1	-	-	-	-	-	-	4	2	1
ALL OTHER--MALE----	12	3	1	-	-	-	-	-	-	1	-	-
FEMALE--	10	-	-	-	1	-	-	1	1	-	-	-
BLACK---MALE----	8	2	1	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	1	-	-	1	-	-	-	-
MISSISSIPPI -----	41	4	1	-	-	-	1	1	3	2	5	5
WHITE-----MALE----	18	1	-	-	-	-	-	1	-	-	1	4
FEMALE--	10	-	-	-	-	-	-	-	1	1	1	-
ALL OTHER--MALE----	7	1	-	-	-	-	1	-	1	1	1	1
FEMALE--	6	2	1	-	-	-	-	-	1	-	2	-
BLACK---MALE----	7	1	-	-	-	-	1	-	1	1	1	1
FEMALE--	5	1	1	-	-	-	-	-	1	-	2	-
MISSOURI -----	129	21	-	1	-	2	1	4	2	1	4	9
WHITE-----MALE----	74	10	-	-	-	2	1	1	-	-	3	6
FEMALE--	38	4	-	-	-	-	-	2	-	1	-	3
ALL OTHER--MALE----	9	4	-	-	-	-	-	1	1	-	1	-
FEMALE--	8	3	-	1	-	-	-	-	1	-	-	-
BLACK---MALE----	9	4	-	-	-	-	-	1	1	-	1	-
FEMALE--	8	3	-	1	-	-	-	-	1	-	-	-
MONTANA -----	91	1	-	-	-	1	-	-	1	1	2	3
WHITE-----MALE----	33	1	-	-	-	-	-	-	-	-	-	3
FEMALE--	54	-	-	-	-	1	-	-	1	1	2	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	301	2	1	-	-	1	1	2	3	4	8	16
WHITE-----MALE----	154	-	-	-	-	1	-	1	3	1	4	14
FEMALE--	116	-	1	-	-	-	-	1	-	1	2	1
ALL OTHER--MALE----	22	1	-	-	-	-	1	-	-	1	1	1
FEMALE--	9	1	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	21	1	-	-	-	-	1	-	-	1	1	1
FEMALE--	8	-	-	-	-	-	-	-	-	1	1	-
NEVADA -----	44	2	1	-	-	-	2	2	2	8	4	6
WHITE-----MALE----	20	1	-	-	-	-	2	1	-	2	2	4
FEMALE--	21	1	1	-	-	-	-	1	2	5	1	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3418

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other ill-defined and unknown causes of mortality (R96-R99)												
OHIO -----	859	62	15	6	6	22	37	36	36	53	78	79
WHITE-----MALE----	394	12	7	5	3	11	18	21	19	22	42	44
FEMALE--	295	22	3	1	3	6	8	6	10	17	23	16
ALL OTHER--MALE----	100	14	2	-	-	3	8	6	5	6	9	12
FEMALE--	70	14	3	-	-	2	3	3	2	8	4	7
BLACK---MALE-----	99	14	2	-	-	3	8	6	5	6	9	11
FEMALE--	67	13	3	-	-	2	3	3	2	8	4	7
OKLAHOMA -----	92	10	2	-	1	1	6	2	4	9	9	10
WHITE-----MALE----	41	2	-	-	1	-	3	2	4	4	4	3
FEMALE--	34	3	1	-	-	-	3	-	-	4	3	4
ALL OTHER--MALE----	10	4	1	-	-	1	-	-	-	-	1	2
FEMALE--	7	1	-	-	-	-	-	-	-	1	1	1
BLACK---MALE-----	4	1	1	-	-	-	-	-	-	-	1	-
FEMALE--	4	1	-	-	-	-	-	-	-	-	1	1
OREGON -----	826	11	6	-	1	4	5	4	14	10	18	25
WHITE-----MALE----	383	8	3	-	-	2	3	3	10	5	11	21
FEMALE--	420	3	1	-	1	2	2	1	2	5	6	4
ALL OTHER--MALE----	14	-	2	-	-	-	-	-	1	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE-----	9	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
PENNSYLVANIA -----	874	10	3	1	-	5	5	9	4	21	37	47
WHITE-----MALE----	426	4	2	1	-	3	3	1	2	9	22	31
FEMALE--	358	1	1	-	-	2	-	3	2	5	12	11
ALL OTHER--MALE----	57	4	-	-	-	-	2	3	-	6	2	3
FEMALE--	33	1	-	-	-	-	-	2	-	1	1	2
BLACK---MALE-----	55	4	-	-	-	-	2	3	-	6	2	3
FEMALE--	30	1	-	-	-	-	-	1	-	1	1	2
RHODE ISLAND -----	50	2	-	-	-	1	1	4	3	4	9	7
WHITE-----MALE----	27	1	-	-	-	1	-	2	2	3	6	3
FEMALE--	19	1	-	-	-	-	1	2	1	-	2	3
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	267	17	-	1	-	2	4	7	6	13	13	11
WHITE-----MALE----	78	6	-	1	-	2	2	4	3	5	5	5
FEMALE--	94	2	-	-	-	-	-	1	2	3	3	2
ALL OTHER--MALE----	50	5	-	-	-	-	1	2	-	4	4	2
FEMALE--	45	4	-	-	-	-	1	-	1	1	1	2
BLACK---MALE-----	50	5	-	-	-	-	1	2	-	4	4	2
FEMALE--	45	4	-	-	-	-	1	-	1	1	1	2

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3418

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other ill-defined and unknown causes of mortality (R96-R99)												
OHIO -----	62	36	38	44	41	50	56	51	26	21	3	1
WHITE-----MALE----	34	20	21	24	17	16	25	19	8	5	-	1
FEMALE--	15	6	12	12	18	25	27	30	17	15	3	-
ALL OTHER--MALE----	10	7	3	3	4	5	2	-	1	-	-	-
FEMALE--	3	3	2	5	2	4	2	2	-	1	-	-
BLACK---MALE----	10	7	3	3	4	5	2	-	1	-	-	-
FEMALE--	2	3	2	4	2	4	2	2	-	1	-	-
OKLAHOMA -----	2	7	3	4	2	4	5	4	4	1	1	1
WHITE-----MALE----	-	4	2	1	1	4	2	1	2	-	-	1
FEMALE--	2	2	1	2	1	-	3	2	2	-	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	1	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
OREGON -----	22	37	54	57	71	94	123	122	87	49	12	-
WHITE-----MALE----	19	23	35	34	33	45	50	38	27	11	2	-
FEMALE--	2	13	18	21	36	48	72	78	59	37	9	-
ALL OTHER--MALE----	-	1	1	2	1	-	1	4	1	-	-	-
FEMALE--	1	-	-	-	1	1	-	2	-	1	1	-
BLACK---MALE----	-	1	1	1	1	-	1	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	1	-
PENNSYLVANIA -----	42	51	46	78	71	99	122	96	74	44	4	5
WHITE-----MALE----	27	40	33	39	44	46	49	40	18	9	1	2
FEMALE--	8	7	6	24	25	44	67	52	53	30	3	2
ALL OTHER--MALE----	4	3	5	9	1	8	3	2	-	1	-	1
FEMALE--	3	1	2	6	1	1	3	2	3	4	-	-
BLACK---MALE----	3	2	5	9	1	8	3	2	-	1	-	1
FEMALE--	3	1	2	5	1	1	2	2	3	4	-	-
RHODE ISLAND -----	7	2	3	1	-	2	1	1	1	-	-	1
WHITE-----MALE----	3	1	2	-	-	2	-	-	-	-	-	1
FEMALE--	3	1	1	1	-	-	1	1	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	14	8	17	17	22	30	24	26	19	9	5	2
WHITE-----MALE----	2	2	7	3	9	5	6	5	4	1	-	1
FEMALE--	3	-	3	4	8	14	13	16	9	7	4	-
ALL OTHER--MALE----	7	2	5	7	3	4	-	1	1	-	1	1
FEMALE--	2	4	2	3	2	7	5	4	5	1	-	-
BLACK---MALE----	7	2	5	7	3	4	-	1	1	-	1	1
FEMALE--	2	4	2	3	2	7	5	4	5	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3419

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other ill-defined and unknown causes of mortality (R96-R99)												
SOUTH DAKOTA -----	13	1	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	502	11	4	1	-	1	2	7	16	26	33	29
WHITE-----MALE----	233	4	3	1	-	-	2	3	9	19	22	18
FEMALE--	211	3	1	-	-	-	-	4	6	4	9	7
ALL OTHER--MALE----	34	3	-	-	-	-	-	-	1	2	1	4
FEMALE--	24	1	-	-	-	1	-	-	-	1	1	-
BLACK---MALE-----	34	3	-	-	-	-	-	-	1	2	1	4
FEMALE--	23	1	-	-	-	1	-	-	-	1	1	-
TEXAS -----	1,013	95	16	7	5	19	35	43	57	67	83	65
WHITE-----MALE----	479	36	10	4	2	10	24	24	34	38	36	37
FEMALE--	393	31	1	3	1	5	6	14	16	24	28	20
ALL OTHER--MALE----	84	17	3	-	2	2	3	3	5	3	10	4
FEMALE--	57	11	2	-	-	2	2	2	2	2	9	4
BLACK---MALE-----	81	17	3	-	2	2	3	3	5	3	9	4
FEMALE--	54	11	1	-	-	1	2	2	2	2	9	4
UTAH -----	223	10	1	-	-	-	-	2	1	2	7	8
WHITE-----MALE----	126	7	-	-	-	-	-	2	-	1	3	5
FEMALE--	84	2	-	-	-	-	-	-	1	-	4	3
ALL OTHER--MALE----	8	-	1	-	-	-	-	-	-	1	-	-
FEMALE--	5	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	6	-	-	-	-	-	-	1	-	-	1	1
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	203	15	2	-	-	-	1	6	6	2	6	7
WHITE-----MALE----	66	4	1	-	-	-	1	2	-	2	5	1
FEMALE--	92	8	-	-	-	-	-	1	1	-	-	2
ALL OTHER--MALE----	32	1	1	-	-	-	-	2	5	-	-	3
FEMALE--	13	2	-	-	-	-	-	1	-	-	1	1
BLACK---MALE-----	32	1	1	-	-	-	-	2	5	-	-	3
FEMALE--	13	2	-	-	-	-	-	1	-	-	1	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3419

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other ill-defined and unknown causes of mortality (R96-R99)												
SOUTH DAKOTA -----	1	-	2	-	-	3	1	2	2	-	-	-
WHITE-----MALE----	1	-	2	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	2	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	23	30	21	35	33	50	59	50	51	18	2	-
WHITE-----MALE----	12	18	10	17	10	30	23	17	13	2	-	-
FEMALE--	8	9	8	13	17	14	28	30	32	16	2	-
ALL OTHER--MALE----	2	2	3	4	4	3	2	1	2	-	-	-
FEMALE--	1	1	-	1	2	3	6	2	4	-	-	-
BLACK---MALE-----	2	2	3	4	4	3	2	1	2	-	-	-
FEMALE--	1	1	-	1	2	3	6	1	4	-	-	-
TEXAS -----	74	51	46	42	58	59	50	62	34	29	6	10
WHITE-----MALE----	41	25	27	24	22	21	22	19	7	7	-	9
FEMALE--	21	21	15	12	31	34	25	38	23	18	5	1
ALL OTHER--MALE----	7	5	4	2	4	4	-	3	3	-	-	-
FEMALE--	5	-	-	4	1	-	3	2	1	4	1	-
BLACK---MALE-----	6	5	4	2	4	4	-	2	3	-	-	-
FEMALE--	5	-	-	4	1	-	2	2	1	4	1	-
UTAH -----	11	12	17	15	31	30	27	28	13	7	1	-
WHITE-----MALE----	7	9	13	9	20	19	15	14	2	-	-	-
FEMALE--	3	3	3	5	9	10	12	12	10	7	-	-
ALL OTHER--MALE----	1	-	1	1	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	1	-	1	-
BLACK---MALE-----	-	-	1	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	1	-
VERMONT -----	1	-	-	-	-	-	-	-	1	1	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	9	8	9	14	12	24	24	18	23	14	3	-
WHITE-----MALE----	2	2	3	6	3	13	12	4	3	1	1	-
FEMALE--	5	2	5	3	6	9	10	12	14	12	2	-
ALL OTHER--MALE----	2	4	1	3	3	2	1	1	2	1	-	-
FEMALE--	-	-	-	2	-	-	1	1	4	-	-	-
BLACK---MALE-----	2	4	1	3	3	2	1	1	2	1	-	-
FEMALE--	-	-	-	2	-	-	1	1	4	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3421

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

All other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R53,R55-R94)

UNITED STATES -	7,446	67	58	25	23	58	102	133	138	183	239	231
WHITE-----MALE----	2,549	24	21	8	11	25	49	63	49	96	122	94
FEMALE--	3,683	23	23	9	9	17	23	28	36	39	55	66
ALL OTHER--MALE----	587	9	5	4	1	6	20	26	27	29	35	43
FEMALE--	627	11	9	4	2	10	10	16	26	19	27	28
BLACK---MALE----	530	9	5	4	1	5	19	25	25	25	30	38
FEMALE--	577	10	8	4	2	10	8	15	22	17	26	27
ALABAMA -----	421	2	2	-	-	4	2	3	1	7	10	13
WHITE-----MALE----	115	1	1	-	-	3	2	1	-	4	3	3
FEMALE--	179	1	-	-	-	-	-	1	-	1	4	5
ALL OTHER--MALE----	52	-	-	-	-	1	-	-	-	2	1	3
FEMALE--	75	-	1	-	-	-	-	1	1	-	2	2
BLACK---MALE----	52	-	-	-	-	1	-	-	-	2	1	3
FEMALE--	75	-	1	-	-	-	-	1	1	-	2	2
ALASKA -----	12	-	-	-	-	-	2	2	1	1	-	1
WHITE-----MALE----	2	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	1	1	-	1
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	137	1	1	-	1	1	1	3	4	4	5	1
WHITE-----MALE----	41	-	1	-	-	-	1	1	1	4	2	1
FEMALE--	85	1	-	-	1	-	-	2	2	-	1	-
ALL OTHER--MALE----	6	-	-	-	-	1	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	105	1	-	-	-	1	5	1	-	1	4	2
WHITE-----MALE----	30	-	-	-	-	-	2	1	-	1	2	-
FEMALE--	56	1	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	9	-	-	-	-	-	3	-	-	-	-	1
FEMALE--	10	-	-	-	-	1	-	-	-	-	1	-
BLACK---MALE----	9	-	-	-	-	-	3	-	-	-	-	1
FEMALE--	9	-	-	-	-	1	-	-	-	-	1	-
CALIFORNIA -----	104	2	3	-	1	-	4	14	4	4	8	5
WHITE-----MALE----	39	-	1	-	-	-	2	10	1	3	4	3
FEMALE--	48	1	1	-	1	-	1	3	1	1	3	2
ALL OTHER--MALE----	11	1	1	-	-	-	1	-	1	-	1	-
FEMALE--	6	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	6	1	1	-	-	-	-	-	1	-	-	-
FEMALE--	3	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3422

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R53,R55-R94)												
COLORADO -----	110	1	1	-	1	-	5	3	2	2	5	2
WHITE-----MALE----	35	-	-	-	-	-	2	3	2	-	5	-
FEMALE--	70	1	-	-	1	-	3	-	-	2	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	1	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	130	-	1	-	-	1	1	3	2	2	3	3
WHITE-----MALE----	36	-	-	-	-	-	1	1	-	-	1	2
FEMALE--	81	-	1	-	-	1	-	1	-	2	2	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	9	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE-----	4	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	9	-	-	-	-	-	-	1	1	-	-	-
DELAWARE -----	19	-	1	-	-	1	-	-	-	1	2	1
WHITE-----MALE----	8	-	1	-	-	1	-	-	-	1	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
DISTRICT OF COLUMBIA ---	10	-	-	-	-	-	-	-	-	1	-	1
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
FLORIDA -----	480	1	5	-	1	3	5	4	2	4	6	8
WHITE-----MALE----	153	-	1	-	-	-	1	2	-	2	4	3
FEMALE--	271	1	1	-	-	3	2	-	-	-	2	2
ALL OTHER--MALE----	30	-	3	-	-	-	1	2	1	-	-	2
FEMALE--	26	-	-	-	1	-	1	-	1	2	-	1
BLACK---MALE-----	30	-	3	-	-	-	1	2	1	-	-	2
FEMALE--	26	-	-	-	1	-	1	-	1	2	-	1
GEORGIA -----	371	2	2	-	1	5	8	10	9	7	13	19
WHITE-----MALE----	120	1	1	-	1	1	5	3	3	2	7	5
FEMALE--	142	-	-	-	-	2	2	2	1	3	-	5
ALL OTHER--MALE----	56	-	1	-	-	-	-	3	4	1	4	6
FEMALE--	53	1	-	-	-	2	1	2	1	1	2	3
BLACK---MALE-----	55	-	1	-	-	-	-	3	4	1	3	6
FEMALE--	52	1	-	-	-	2	1	2	1	1	2	3

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3422

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R53,R55-R94)												
COLORADO -----	1	1	4	1	1	12	13	22	19	9	5	-
WHITE-----MALE----	-	-	2	1	1	3	4	6	3	2	1	-
FEMALE--	1	1	1	-	-	9	8	15	16	7	4	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
CONNECTICUT -----	1	5	3	4	6	12	22	28	23	7	3	-
WHITE-----MALE----	-	2	2	2	2	5	7	6	5	-	-	-
FEMALE--	1	1	1	2	3	4	14	21	17	6	3	-
ALL OTHER--MALE----	-	1	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	1	1	1	1	1	-	-
BLACK---MALE-----	-	1	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	1	1	1	1	1	-	-
DELAWARE -----	1	1	1	2	1	-	1	2	2	1	1	-
WHITE-----MALE----	-	1	-	-	1	-	1	1	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	1	2	1	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	1	1	-	1	2	1	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	1	1	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	1	1	-	1	-	-	-	-	-	-	-
FLORIDA -----	10	9	14	21	15	52	64	98	91	46	21	-
WHITE-----MALE----	6	4	3	6	6	16	16	43	25	12	3	-
FEMALE--	2	2	7	7	6	31	45	50	62	32	16	-
ALL OTHER--MALE----	2	2	1	7	2	2	2	-	2	1	-	-
FEMALE--	-	1	3	1	1	3	1	5	2	1	2	-
BLACK---MALE-----	2	2	1	7	2	2	2	-	2	1	-	-
FEMALE--	-	1	3	1	1	3	1	5	2	1	2	-
GEORGIA -----	13	12	17	24	32	36	42	61	34	13	11	-
WHITE-----MALE----	2	4	6	9	7	15	11	22	7	3	5	-
FEMALE--	3	2	2	7	14	12	23	29	24	7	4	-
ALL OTHER--MALE----	6	4	7	6	4	3	3	3	1	-	-	-
FEMALE--	2	2	2	2	7	6	5	7	2	3	2	-
BLACK---MALE-----	6	4	7	6	4	3	3	3	1	-	-	-
FEMALE--	2	2	2	2	7	6	5	6	2	3	2	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3423

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R53,R55-R94)												
HAWAII -----	30	-	-	-	-	-	-	-	-	-	2	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	20	-	2	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	7	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	1	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	259	9	1	2	-	4	7	9	5	8	15	9
WHITE-----MALE----	90	3	-	-	-	3	3	2	3	5	6	1
FEMALE--	107	5	-	1	-	1	1	2	-	1	1	4
ALL OTHER--MALE----	29	-	-	-	-	-	2	2	-	-	5	2
FEMALE--	33	1	1	1	-	-	1	3	2	2	3	2
BLACK---MALE-----	28	-	-	-	-	-	2	2	-	-	5	2
FEMALE--	31	1	1	1	-	-	-	3	2	2	3	2
INDIANA -----	231	8	4	-	1	2	5	1	7	12	10	7
WHITE-----MALE----	83	2	3	-	-	1	3	-	1	7	5	4
FEMALE--	119	-	-	-	1	-	-	-	4	3	2	3
ALL OTHER--MALE----	19	3	-	-	-	-	1	1	1	1	3	-
FEMALE--	10	3	1	-	-	1	1	-	1	1	-	-
BLACK---MALE-----	18	3	-	-	-	-	1	1	1	1	2	-
FEMALE--	10	3	1	-	-	1	1	-	1	1	-	-
IOWA -----	82	1	1	-	1	-	2	1	-	3	2	2
WHITE-----MALE----	36	1	-	-	-	-	2	1	-	2	2	2
FEMALE--	46	-	1	-	1	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	112	-	-	-	-	1	-	2	1	4	2	4
WHITE-----MALE----	37	-	-	-	-	1	-	-	1	2	-	1
FEMALE--	66	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	6	-	-	-	-	-	-	2	-	2	-	1
BLACK---MALE-----	3	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	5	-	-	-	-	-	-	1	-	2	-	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3424

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R53,R55-R94)												
KENTUCKY -----	147	1	-	-	-	1	1	4	4	4	6	1
WHITE-----MALE----	54	1	-	-	-	-	1	3	3	1	4	-
FEMALE--	77	-	-	-	-	1	-	1	-	3	2	1
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	7	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	293	2	2	1	-	3	2	5	2	9	11	7
WHITE-----MALE----	106	1	1	-	-	-	1	2	-	5	6	2
FEMALE--	116	-	1	-	-	1	-	-	-	-	2	1
ALL OTHER--MALE----	38	1	-	1	-	2	-	2	1	2	1	2
FEMALE--	33	-	-	-	-	-	1	1	1	2	2	2
BLACK---MALE-----	37	1	-	1	-	2	-	2	1	2	1	2
FEMALE--	32	-	-	-	-	-	1	1	1	2	2	2
MAINE -----	45	-	-	-	-	-	1	-	-	1	-	2
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	32	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	72	-	-	-	2	1	3	6	4	7	3	7
WHITE-----MALE----	26	-	-	-	2	-	1	1	1	5	1	3
FEMALE--	17	-	-	-	-	1	-	1	-	-	-	1
ALL OTHER--MALE----	22	-	-	-	-	-	1	4	2	2	1	2
FEMALE--	7	-	-	-	-	-	1	-	1	-	1	1
BLACK---MALE-----	21	-	-	-	-	-	1	4	2	2	1	2
FEMALE--	6	-	-	-	-	-	1	-	1	-	1	1
MASSACHUSETTS -----	278	2	1	1	1	-	1	1	4	4	7	5
WHITE-----MALE----	108	1	-	1	1	-	1	-	2	3	7	2
FEMALE--	153	-	1	-	-	-	-	-	1	1	-	3
ALL OTHER--MALE----	9	1	-	-	-	-	-	1	1	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	6	1	-	-	-	-	-	-	1	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	162	3	1	2	-	2	1	3	3	4	7	7
WHITE-----MALE----	57	2	-	1	-	-	1	1	2	2	4	2
FEMALE--	72	1	-	1	-	1	-	-	1	2	2	2
ALL OTHER--MALE----	12	-	-	-	-	-	-	1	-	-	1	1
FEMALE--	21	-	1	-	-	1	-	1	-	-	-	2
BLACK---MALE-----	11	-	-	-	-	-	-	1	-	-	1	1
FEMALE--	21	-	1	-	-	1	-	1	-	-	-	2

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3424

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R53,R55-R94)												
KENTUCKY -----	6	2	9	17	9	13	17	18	20	11	3	-
WHITE-----MALE----	3	1	3	11	3	2	10	3	4	1	-	-
FEMALE--	2	1	3	4	4	10	6	13	14	9	3	-
ALL OTHER--MALE----	-	-	2	1	1	1	-	1	-	-	-	-
FEMALE--	1	-	1	1	1	-	1	1	2	1	-	-
BLACK---MALE-----	-	-	2	1	1	1	-	1	-	-	-	-
FEMALE--	1	-	1	1	1	-	1	1	2	1	-	-
LOUISIANA -----	11	10	18	17	28	38	37	35	33	16	6	-
WHITE-----MALE----	2	5	10	9	12	16	15	10	8	1	-	-
FEMALE--	3	1	3	3	9	17	16	18	23	14	4	-
ALL OTHER--MALE----	6	3	1	3	5	2	4	1	-	-	1	-
FEMALE--	-	1	4	2	2	3	2	6	2	1	1	-
BLACK---MALE-----	6	3	1	3	4	2	4	1	-	-	1	-
FEMALE--	-	1	4	2	2	3	1	6	2	1	1	-
MAINE -----	-	1	-	2	3	4	9	4	13	3	2	-
WHITE-----MALE----	-	-	-	2	-	2	1	1	2	1	1	-
FEMALE--	-	1	-	-	3	2	8	3	11	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	5	2	4	5	6	5	2	4	4	2	-	-
WHITE-----MALE----	1	1	2	-	2	2	1	2	-	1	-	-
FEMALE--	1	1	1	3	1	1	1	1	3	1	-	-
ALL OTHER--MALE----	3	-	1	2	3	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	1	-	-	-
BLACK---MALE-----	3	-	-	2	3	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
MASSACHUSETTS -----	2	3	3	13	27	29	32	56	49	26	11	-
WHITE-----MALE----	2	1	3	7	14	15	13	22	9	3	1	-
FEMALE--	-	2	-	5	10	9	17	34	37	23	10	-
ALL OTHER--MALE----	-	-	-	1	2	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	3	1	-	3	-	-	-
BLACK---MALE-----	-	-	-	-	2	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	3	1	-	3	-	-	-
MICHIGAN -----	4	3	4	5	9	26	17	23	29	7	2	-
WHITE-----MALE----	3	3	-	3	3	7	7	7	6	3	-	-
FEMALE--	-	-	2	-	2	14	8	11	21	3	1	-
ALL OTHER--MALE----	-	-	1	1	3	2	1	1	-	-	-	-
FEMALE--	1	-	1	1	1	3	1	4	2	1	1	-
BLACK---MALE-----	-	-	-	1	3	2	1	1	-	-	-	-
FEMALE--	1	-	1	1	1	3	1	4	2	1	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3425

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R53,R55-R94)												
MINNESOTA -----	6	1	2	1	7	3	8	11	17	14	3	-
WHITE-----MALE----	3	-	1	-	6	2	3	4	7	4	-	-
FEMALE--	3	1	1	1	1	1	5	7	8	10	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
MISSISSIPPI -----	7	6	8	9	18	14	24	29	23	9	3	-
WHITE-----MALE----	2	1	2	2	4	7	3	9	2	-	-	-
FEMALE--	3	2	1	3	8	5	15	13	15	7	3	-
ALL OTHER--MALE----	2	3	2	3	2	2	5	4	3	1	-	-
FEMALE--	-	-	3	1	4	-	1	3	3	1	-	-
BLACK---MALE-----	2	3	2	3	2	2	4	4	3	1	-	-
FEMALE--	-	-	3	1	4	-	1	3	3	1	-	-
MISSOURI -----	5	6	5	8	14	10	20	23	16	12	2	-
WHITE-----MALE----	3	5	2	6	7	4	8	8	3	2	1	-
FEMALE--	1	-	3	2	5	6	11	14	13	9	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	1	1	-	1	1	-
BLACK---MALE-----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	1	1	-	-	1	-
MONTANA -----	2	-	-	-	1	1	5	7	3	3	-	-
WHITE-----MALE----	1	-	-	-	-	1	2	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	2	6	3	3	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	4	3	5	7	7	1	5	17	6	4	2	-
WHITE-----MALE----	4	1	3	2	4	-	4	6	3	-	1	-
FEMALE--	-	2	1	5	3	1	1	11	2	4	1	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	1	1	4	-	7	7	9	14	9	2	1	-
WHITE-----MALE----	-	1	2	-	3	3	3	3	2	-	-	-
FEMALE--	1	-	2	-	2	3	6	10	7	2	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	1	-	-	1	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	1	-	1	-	-	1	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3427

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R53,R55-R94)												
OHIO -----	415	3	2	2	1	3	5	5	2	3	8	7
WHITE-----MALE----	167	2	1	1	-	2	2	3	-	1	4	3
FEMALE--	205	-	-	1	1	-	2	1	1	-	1	1
ALL OTHER--MALE----	18	-	-	-	-	1	-	1	-	2	2	2
FEMALE--	25	1	1	-	-	-	1	-	1	-	1	1
BLACK---MALE-----	18	-	-	-	-	1	-	1	-	2	2	2
FEMALE--	25	1	1	-	-	-	1	-	1	-	1	1
OKLAHOMA -----	112	3	1	1	-	1	-	1	4	3	6	1
WHITE-----MALE----	33	1	-	-	-	1	-	-	1	1	4	-
FEMALE--	67	1	1	-	-	-	-	1	1	1	1	1
ALL OTHER--MALE----	3	1	-	1	-	-	-	-	1	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	1	1	1	-
BLACK---MALE-----	3	1	-	1	-	-	-	-	1	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	-
OREGON -----	79	-	-	1	-	-	-	1	2	3	4	5
WHITE-----MALE----	30	-	-	-	-	-	-	1	-	-	3	3
FEMALE--	46	-	-	-	-	-	-	-	2	3	1	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	1	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	607	-	2	2	2	2	5	5	9	7	10	9
WHITE-----MALE----	210	-	1	1	1	1	4	2	3	2	5	5
FEMALE--	306	-	1	1	1	-	1	2	2	4	3	3
ALL OTHER--MALE----	49	-	-	-	-	-	-	1	2	1	2	1
FEMALE--	42	-	-	-	-	1	-	-	2	-	-	-
BLACK---MALE-----	45	-	-	-	-	-	-	1	2	1	2	1
FEMALE--	42	-	-	-	-	1	-	-	2	-	-	-
RHODE ISLAND -----	12	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	124	-	1	2	-	-	1	1	4	4	4	7
WHITE-----MALE----	32	-	-	-	-	-	-	1	2	-	2	-
FEMALE--	43	-	1	-	-	-	-	-	1	-	1	1
ALL OTHER--MALE----	22	-	-	1	-	-	1	-	-	2	-	4
FEMALE--	27	-	-	1	-	-	-	-	1	2	1	2
BLACK---MALE-----	22	-	-	1	-	-	1	-	-	2	-	4
FEMALE--	27	-	-	1	-	-	-	-	1	2	1	2

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3427

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R53,R55-R94)												
OHIO -----	12	11	18	21	26	53	66	91	47	22	7	-
WHITE-----MALE----	4	7	10	12	15	29	30	26	9	4	2	-
FEMALE--	5	2	5	6	9	22	33	57	37	18	3	-
ALL OTHER--MALE----	1	2	2	1	-	-	2	2	-	-	-	-
FEMALE--	2	-	1	2	2	2	1	6	1	-	2	-
BLACK---MALE----	1	2	2	1	-	-	2	2	-	-	-	-
FEMALE--	2	-	1	2	2	2	1	6	1	-	2	-
OKLAHOMA -----	4	2	2	4	15	10	8	21	13	9	3	-
WHITE-----MALE----	1	-	-	1	3	5	3	7	4	1	-	-
FEMALE--	2	2	2	3	9	4	4	14	9	8	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	3	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	2	1	1	-	-	-	-	-
OREGON -----	2	3	2	4	8	5	5	14	10	9	1	-
WHITE-----MALE----	1	-	1	2	4	4	3	5	1	2	-	-
FEMALE--	1	3	1	1	4	1	2	9	8	7	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	18	17	23	27	43	86	92	106	89	41	12	-
WHITE-----MALE----	9	4	11	10	20	40	33	34	17	4	3	-
FEMALE--	2	4	6	7	13	35	47	67	65	35	7	-
ALL OTHER--MALE----	6	6	5	4	7	4	6	1	2	1	-	-
FEMALE--	1	3	1	6	3	7	6	4	5	1	2	-
BLACK---MALE----	5	6	4	4	7	4	4	1	2	1	-	-
FEMALE--	1	3	1	6	3	7	6	4	5	1	2	-
RHODE ISLAND -----	1	-	1	-	-	1	4	1	1	2	-	-
WHITE-----MALE----	-	-	-	-	-	-	2	-	1	-	-	-
FEMALE--	1	-	1	-	-	1	2	1	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	6	4	8	9	13	11	19	10	11	6	2	1
WHITE-----MALE----	2	2	4	5	2	3	5	1	3	-	-	-
FEMALE--	1	1	1	1	5	5	8	8	6	3	-	-
ALL OTHER--MALE----	3	1	-	1	3	1	2	1	-	-	1	1
FEMALE--	-	-	3	2	3	2	4	-	2	3	1	-
BLACK---MALE----	3	1	-	1	3	1	2	1	-	-	1	1
FEMALE--	-	-	3	2	3	2	4	-	2	3	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3428

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R53,R55-R94)												
SOUTH DAKOTA -----	-	-	-	-	-	-	1	2	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	5	8	2	3	10	7	24	13	15	7	3	-
WHITE-----MALE----	3	4	-	3	5	5	10	3	1	-	-	-
FEMALE--	1	1	2	-	4	1	11	9	12	7	2	-
ALL OTHER--MALE----	-	3	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	3	1	2	-	1	-
BLACK---MALE-----	-	3	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	3	1	2	-	1	-
TEXAS -----	15	14	13	15	22	33	43	38	42	29	12	-
WHITE-----MALE----	10	6	4	7	10	15	16	14	9	2	-	-
FEMALE--	2	4	5	7	9	15	22	22	32	24	10	-
ALL OTHER--MALE----	1	4	1	-	1	1	-	-	-	-	-	-
FEMALE--	2	-	3	1	2	2	5	2	1	3	2	-
BLACK---MALE-----	1	3	1	-	1	1	-	-	-	-	-	-
FEMALE--	2	-	3	1	2	2	5	2	1	2	2	-
UTAH -----	1	1	-	3	1	3	3	1	4	5	-	-
WHITE-----MALE----	-	-	-	1	1	1	2	-	1	-	-	-
FEMALE--	1	1	-	1	-	2	1	-	2	5	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	-	1	3	1	1	1	4	2	-	-
WHITE-----MALE----	1	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	1	1	4	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	8	3	13	14	14	30	38	42	39	16	3	-
WHITE-----MALE----	3	-	4	6	4	16	13	11	9	4	-	-
FEMALE--	1	1	6	4	6	13	15	27	28	8	3	-
ALL OTHER--MALE----	3	2	3	3	1	-	2	1	-	1	-	-
FEMALE--	1	-	-	1	3	1	8	3	2	3	-	-
BLACK---MALE-----	3	2	3	3	1	-	2	1	-	1	-	-
FEMALE--	1	-	-	1	3	1	7	3	2	2	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3430

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XX. External causes of mortality (V01-Y89)												
UNITED STATES -	150,873	1,314	2,241	1,573	2,163	10,421	13,027	10,906	10,598	12,985	13,647	11,578
WHITE-----MALE----	83,740	485	946	663	1,098	5,868	7,556	6,247	6,256	7,772	8,254	7,023
FEMALE--	39,133	336	626	457	545	2,138	1,858	1,645	1,870	2,633	2,785	2,429
ALL OTHER--MALE----	20,569	258	385	267	361	1,954	3,012	2,493	1,917	1,909	1,902	1,584
FEMALE--	7,431	235	284	186	159	461	601	521	555	671	706	542
BLACK---MALE----	17,411	226	323	234	306	1,620	2,632	2,121	1,650	1,634	1,644	1,349
FEMALE--	5,931	208	245	157	123	347	480	409	441	532	588	443
ALABAMA -----	3,235	31	53	29	47	239	302	244	239	276	310	222
WHITE-----MALE----	1,572	7	25	15	23	132	117	121	125	143	165	112
FEMALE--	744	7	8	5	10	46	42	34	43	46	61	40
ALL OTHER--MALE----	668	7	10	7	10	48	111	72	57	65	62	53
FEMALE--	251	10	10	2	4	13	32	17	14	22	22	17
BLACK---MALE----	662	7	10	7	9	48	109	72	56	65	62	53
FEMALE--	239	9	10	2	3	12	31	17	12	21	22	16
ALASKA -----	537	16	13	5	16	65	50	43	34	48	63	55
WHITE-----MALE----	235	3	4	1	5	19	22	19	17	17	34	26
FEMALE--	87	5	2	-	1	13	1	4	5	9	12	10
ALL OTHER--MALE----	168	7	5	4	10	24	19	13	10	17	14	18
FEMALE--	47	1	2	-	-	9	8	7	2	5	3	1
BLACK---MALE----	7	2	-	-	1	1	-	1	1	-	-	1
FEMALE--	4	-	-	-	-	-	2	1	-	-	-	-
ARIZONA -----	3,642	27	60	35	45	242	308	253	283	280	357	310
WHITE-----MALE----	2,207	13	27	16	25	136	212	177	177	162	236	210
FEMALE--	917	8	22	9	10	50	39	38	45	58	66	67
ALL OTHER--MALE----	386	5	7	8	7	45	43	30	53	43	40	23
FEMALE--	132	1	4	2	3	11	14	8	8	17	15	10
BLACK---MALE----	104	3	3	3	1	14	10	8	12	13	8	5
FEMALE--	24	-	1	-	-	2	1	2	-	2	4	3
ARKANSAS -----	1,952	19	43	23	41	145	169	134	151	144	169	118
WHITE-----MALE----	1,088	9	15	8	23	80	95	72	91	88	103	67
FEMALE--	523	7	14	6	14	37	24	26	33	34	31	28
ALL OTHER--MALE----	253	1	7	6	3	24	41	32	20	17	24	19
FEMALE--	88	2	7	3	1	4	9	4	7	5	11	4
BLACK---MALE----	245	1	7	5	3	24	40	31	20	17	23	18
FEMALE--	84	2	7	3	1	4	9	4	7	5	9	2
CALIFORNIA -----	13,972	91	233	159	204	947	1,275	1,092	1,035	1,194	1,333	1,200
WHITE-----MALE----	8,319	35	106	63	115	575	815	672	679	764	849	734
FEMALE--	3,167	26	76	61	54	159	156	129	162	239	261	255
ALL OTHER--MALE----	1,786	14	25	20	27	174	253	238	154	141	159	150
FEMALE--	700	16	26	15	8	39	51	53	40	50	64	61
BLACK---MALE----	1,111	11	10	13	18	118	173	153	117	100	104	95
FEMALE--	333	11	13	11	3	18	18	30	22	28	41	34

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3430

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XX. External causes of mortality (V01-Y89)												
UNITED STATES -	9,016	6,483	5,287	4,998	6,187	7,469	7,682	6,956	4,368	1,520	321	133
WHITE-----MALE----	5,398	3,872	3,091	2,805	3,459	4,016	3,819	3,047	1,507	398	56	104
FEMALE--	2,021	1,599	1,429	1,476	1,967	2,738	3,281	3,475	2,578	1,004	229	14
ALL OTHER--MALE----	1,193	746	537	489	456	415	310	198	115	45	11	12
FEMALE--	404	266	230	228	305	300	272	236	168	73	25	3
BLACK---MALE----	996	618	438	410	370	318	237	146	88	34	8	9
FEMALE--	321	199	175	170	245	229	213	188	133	59	23	3
ALABAMA -----	188	145	128	120	135	159	137	131	70	27	3	-
WHITE-----MALE----	101	82	75	56	72	77	45	50	24	4	1	-
FEMALE--	39	29	27	41	35	51	60	64	38	17	1	-
ALL OTHER--MALE----	40	24	21	13	19	18	16	8	3	3	1	-
FEMALE--	8	10	5	10	9	13	16	9	5	3	-	-
BLACK---MALE----	39	23	21	13	19	18	16	8	3	3	1	-
FEMALE--	7	9	5	10	8	12	16	9	5	3	-	-
ALASKA -----	40	22	14	7	9	13	12	7	3	1	1	-
WHITE-----MALE----	24	11	9	3	5	6	5	3	1	1	-	-
FEMALE--	8	4	1	2	1	2	2	4	1	-	-	-
ALL OTHER--MALE----	7	5	3	1	1	4	5	-	-	-	1	-
FEMALE--	1	2	1	1	2	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ARIZONA -----	240	176	120	135	153	170	156	162	94	21	2	13
WHITE-----MALE----	143	112	76	74	85	98	90	82	37	8	-	11
FEMALE--	63	43	29	43	54	66	63	78	51	12	2	1
ALL OTHER--MALE----	29	14	10	10	9	4	1	2	2	-	-	1
FEMALE--	5	7	5	8	5	2	2	-	4	1	-	-
BLACK---MALE----	11	3	3	4	-	1	-	1	1	-	-	-
FEMALE--	1	3	1	-	-	-	2	-	1	1	-	-
ARKANSAS -----	112	94	85	74	73	92	108	84	53	18	2	1
WHITE-----MALE----	72	62	42	43	48	55	55	40	16	3	-	1
FEMALE--	27	22	24	24	17	30	43	40	30	11	1	-
ALL OTHER--MALE----	10	7	15	5	4	6	7	1	4	-	-	-
FEMALE--	3	3	4	2	4	1	3	3	3	4	1	-
BLACK---MALE----	10	6	14	4	4	6	7	1	4	-	-	-
FEMALE--	3	3	4	2	4	1	3	3	3	4	1	-
CALIFORNIA -----	953	620	466	436	571	629	646	495	252	89	12	40
WHITE-----MALE----	587	361	270	238	333	371	344	242	103	24	5	34
FEMALE--	213	158	125	133	149	187	232	201	126	54	7	4
ALL OTHER--MALE----	104	67	49	40	52	43	36	25	10	4	-	1
FEMALE--	49	34	22	25	37	28	34	27	13	7	-	1
BLACK---MALE----	62	44	29	17	19	9	9	7	2	-	-	1
FEMALE--	30	17	6	8	14	5	12	7	3	1	-	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3431

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XX. External causes of mortality (V01-Y89)												
COLORADO -----	2,603	18	27	17	40	150	199	195	181	235	265	240
WHITE-----MALE----	1,635	11	11	8	15	97	141	141	124	179	195	153
FEMALE--	775	3	12	8	16	38	36	32	36	43	56	70
ALL OTHER--MALE----	129	2	1	-	8	10	15	17	16	8	7	13
FEMALE--	64	2	3	1	1	5	7	5	5	5	7	4
BLACK---MALE----	78	1	1	-	5	7	9	9	10	6	5	9
FEMALE--	37	1	3	-	-	2	5	3	2	2	5	3
CONNECTICUT -----	1,676	5	12	10	13	70	106	102	124	158	145	137
WHITE-----MALE----	978	1	4	3	7	45	73	66	72	106	97	94
FEMALE--	498	2	4	6	4	9	7	11	31	28	25	32
ALL OTHER--MALE----	157	1	1	-	1	15	22	23	19	18	21	8
FEMALE--	43	1	3	1	1	4	2	2	2	6	2	3
BLACK---MALE----	146	1	1	-	1	13	22	22	16	17	19	8
FEMALE--	39	1	2	1	1	-	4	2	2	6	2	3
DELAWARE -----	423	2	7	3	11	35	27	31	22	40	53	37
WHITE-----MALE----	230	2	3	1	3	22	15	18	13	23	28	22
FEMALE--	124	-	1	1	5	8	4	6	6	11	16	9
ALL OTHER--MALE----	52	-	2	1	2	4	6	6	3	6	5	4
FEMALE--	17	-	1	-	1	2	1	1	-	-	4	2
BLACK---MALE----	51	-	2	1	2	4	6	5	3	6	5	4
FEMALE--	17	-	1	-	1	1	2	1	-	-	4	2
DISTRICT OF COLUMBIA ---	427	2	5	4	2	37	62	43	28	36	43	38
WHITE-----MALE----	40	-	-	-	-	1	5	1	2	9	3	6
FEMALE--	22	-	1	-	-	-	1	5	-	1	1	2
ALL OTHER--MALE----	272	1	1	1	2	33	52	33	23	18	29	19
FEMALE--	93	1	3	3	-	3	4	4	3	8	10	11
BLACK---MALE----	268	1	1	1	2	33	52	33	22	18	28	18
FEMALE--	93	1	3	3	-	3	4	4	3	8	10	11
FLORIDA -----	9,514	72	150	67	124	538	724	606	605	859	883	835
WHITE-----MALE----	5,588	20	65	26	61	309	434	357	382	532	546	525
FEMALE--	2,441	23	33	16	32	90	100	106	110	177	190	190
ALL OTHER--MALE----	1,118	14	31	16	25	114	153	125	91	119	109	86
FEMALE--	367	15	21	9	6	25	37	18	22	31	38	34
BLACK---MALE----	1,074	14	30	16	25	109	144	121	89	117	107	82
FEMALE--	352	15	20	9	6	24	34	18	21	30	36	33
GEORGIA -----	4,891	64	81	60	79	337	451	418	366	406	387	366
WHITE-----MALE----	2,248	21	34	17	27	154	213	206	177	175	185	193
FEMALE--	1,141	16	15	18	20	67	57	60	57	81	86	65
ALL OTHER--MALE----	1,062	14	16	13	19	93	149	118	94	105	79	87
FEMALE--	440	13	16	12	13	23	32	34	38	45	37	21
BLACK---MALE----	1,014	14	15	12	18	89	142	109	92	100	77	83
FEMALE--	412	13	15	10	12	23	29	32	38	42	33	19

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3431

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XX. External causes of mortality (V01-Y89)												
COLORADO -----	187	104	90	84	102	106	126	122	77	32	3	3
WHITE-----MALE----	134	68	61	41	51	53	63	53	25	7	1	3
FEMALE--	44	28	25	35	45	48	61	63	50	24	2	-
ALL OTHER--MALE----	7	6	3	7	2	3	-	3	1	-	-	-
FEMALE--	2	2	1	1	4	2	2	3	1	1	-	-
BLACK---MALE----	2	2	3	5	1	1	-	2	-	-	-	-
FEMALE--	2	2	1	-	2	1	1	1	-	1	-	-
CONNECTICUT -----	94	77	54	38	70	105	120	112	89	29	6	-
WHITE-----MALE----	60	52	34	22	39	59	57	47	31	7	2	-
FEMALE--	25	20	13	14	30	40	58	61	54	21	3	-
ALL OTHER--MALE----	7	4	5	1	1	2	5	1	2	-	-	-
FEMALE--	2	1	2	1	-	4	-	3	2	1	1	-
BLACK---MALE----	6	4	5	1	1	2	4	1	2	-	-	-
FEMALE--	1	1	2	1	-	3	-	3	2	1	1	-
DELAWARE -----	11	20	16	9	11	22	30	21	13	2	-	-
WHITE-----MALE----	6	12	8	5	7	11	16	11	3	1	-	-
FEMALE--	4	7	3	3	1	9	12	9	8	1	-	-
ALL OTHER--MALE----	1	1	5	1	3	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	2	-	-	-
BLACK---MALE----	1	1	5	1	3	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	2	-	-	-
DISTRICT OF COLUMBIA ---	27	17	8	19	14	7	14	8	7	3	1	2
WHITE-----MALE----	1	4	1	2	1	-	1	1	-	1	-	1
FEMALE--	1	1	1	2	-	-	3	1	2	-	-	-
ALL OTHER--MALE----	22	9	3	10	7	3	4	1	-	-	-	1
FEMALE--	3	3	3	5	6	4	6	5	5	2	1	-
BLACK---MALE----	22	9	2	10	7	3	4	1	-	-	-	1
FEMALE--	3	3	3	5	6	4	6	5	5	2	1	-
FLORIDA -----	627	441	331	353	402	522	532	482	252	86	11	12
WHITE-----MALE----	405	279	203	217	240	296	288	244	117	28	5	9
FEMALE--	138	99	81	103	137	198	219	217	122	54	5	1
ALL OTHER--MALE----	61	46	32	24	17	19	14	9	9	2	-	2
FEMALE--	23	17	15	9	8	9	11	12	4	2	1	-
BLACK---MALE----	59	46	29	22	16	15	13	9	8	2	-	1
FEMALE--	19	17	15	8	8	9	11	12	4	2	1	-
GEORGIA -----	284	231	172	195	208	251	214	180	94	36	8	3
WHITE-----MALE----	138	121	76	100	106	120	85	58	25	12	2	3
FEMALE--	62	54	43	41	56	78	93	94	56	20	2	-
ALL OTHER--MALE----	60	43	40	36	26	34	15	15	4	1	1	-
FEMALE--	24	13	13	18	20	19	21	13	9	3	3	-
BLACK---MALE----	57	40	38	34	26	33	15	14	4	1	1	-
FEMALE--	21	11	12	17	20	19	19	12	9	3	3	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3432

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XX. External causes of mortality (V01-Y89)												
HAWAII -----	551	12	5	2	3	23	41	28	31	48	46	47
WHITE-----MALE----	131	2	1	-	-	4	9	7	7	11	14	21
FEMALE--	47	-	1	1	-	1	1	1	4	4	4	4
ALL OTHER--MALE----	264	5	2	1	1	16	27	15	15	22	21	18
FEMALE--	109	5	1	-	2	2	4	5	5	11	7	4
BLACK---MALE----	6	-	-	-	-	1	2	1	1	-	-	1
FEMALE--	3	2	-	-	-	-	-	-	-	-	-	1
IDAHO -----	737	5	7	14	17	61	47	48	52	54	56	53
WHITE-----MALE----	479	1	5	5	11	44	33	33	34	39	39	39
FEMALE--	230	4	2	7	5	14	11	12	16	12	14	12
ALL OTHER--MALE----	18	-	-	2	-	1	2	3	1	2	1	2
FEMALE--	10	-	-	-	1	2	1	-	1	1	2	-
BLACK---MALE----	2	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	6,259	88	88	53	77	455	656	481	471	546	582	481
WHITE-----MALE----	3,188	18	36	20	34	245	328	260	250	286	310	255
FEMALE--	1,423	20	23	12	19	72	83	55	61	77	102	84
ALL OTHER--MALE----	1,241	21	19	11	18	118	217	140	117	130	126	108
FEMALE--	407	29	10	10	6	20	28	26	43	53	44	34
BLACK---MALE----	1,194	20	19	11	18	115	211	135	110	125	124	103
FEMALE--	391	29	10	9	6	19	27	26	40	49	44	32
INDIANA -----	3,392	58	66	41	55	269	291	241	202	253	273	238
WHITE-----MALE----	1,984	20	35	21	34	156	176	152	131	171	178	155
FEMALE--	988	16	22	14	17	62	48	38	39	50	58	61
ALL OTHER--MALE----	301	13	6	5	3	44	54	40	24	23	23	14
FEMALE--	119	9	3	1	1	7	13	11	8	9	14	8
BLACK---MALE----	296	13	6	5	3	43	52	40	24	22	23	14
FEMALE--	108	9	3	-	1	7	13	9	7	9	12	6
IOWA -----	1,471	12	21	17	17	133	85	79	80	101	104	85
WHITE-----MALE----	948	7	16	11	9	96	56	61	53	81	78	59
FEMALE--	475	3	5	6	6	29	20	15	23	17	18	23
ALL OTHER--MALE----	32	-	-	-	1	5	7	3	-	3	7	3
FEMALE--	16	2	-	-	1	3	2	-	4	-	1	-
BLACK---MALE----	23	-	-	-	1	3	3	3	-	3	6	1
FEMALE--	9	2	-	-	1	2	1	-	2	-	-	-
KANSAS -----	1,567	8	30	14	28	138	132	111	90	134	129	99
WHITE-----MALE----	979	6	15	7	16	91	87	77	68	84	91	71
FEMALE--	450	2	9	6	9	33	23	19	14	36	28	22
ALL OTHER--MALE----	104	-	2	1	2	11	19	13	6	10	9	3
FEMALE--	34	-	4	-	1	3	3	2	2	4	1	3
BLACK---MALE----	91	-	2	1	2	10	18	10	4	8	8	3
FEMALE--	26	-	4	-	1	2	2	1	2	3	1	3

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3432

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XX. External causes of mortality (V01-Y89)												
HAWAII -----	50	23	23	24	20	23	34	31	27	9	1	-
WHITE-----MALE----	15	9	7	5	1	1	8	5	3	1	-	-
FEMALE--	6	1	2	4	3	3	1	2	4	-	-	-
ALL OTHER--MALE----	22	11	11	10	11	13	15	12	11	4	1	-
FEMALE--	7	2	3	5	5	6	10	12	9	4	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	55	44	22	20	28	44	44	37	20	9	-	-
WHITE-----MALE----	42	25	11	13	19	32	25	21	4	4	-	-
FEMALE--	11	17	11	6	9	12	19	15	16	5	-	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	313	250	199	175	253	267	315	267	174	56	12	-
WHITE-----MALE----	162	130	119	94	145	133	158	133	58	12	2	-
FEMALE--	68	64	45	48	74	100	140	118	106	42	10	-
ALL OTHER--MALE----	63	47	25	24	20	15	7	10	4	1	-	-
FEMALE--	20	9	10	9	14	19	10	6	6	1	-	-
BLACK---MALE----	62	45	21	23	20	13	6	9	3	1	-	-
FEMALE--	19	9	10	7	14	18	10	6	6	1	-	-
INDIANA -----	178	138	127	111	148	193	175	188	98	38	9	2
WHITE-----MALE----	118	88	73	67	84	102	97	72	40	12	1	1
FEMALE--	44	36	44	28	52	87	75	110	56	24	7	-
ALL OTHER--MALE----	13	11	5	9	9	2	2	-	1	-	-	-
FEMALE--	3	3	5	7	3	2	1	6	1	2	1	1
BLACK---MALE----	13	11	5	9	9	2	1	-	1	-	-	-
FEMALE--	3	3	4	6	3	2	1	5	1	2	1	1
IOWA -----	76	48	56	55	74	99	96	116	73	34	10	-
WHITE-----MALE----	54	32	41	36	47	62	58	58	20	11	2	-
FEMALE--	21	15	15	18	26	36	38	58	52	23	8	-
ALL OTHER--MALE----	-	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	1	-	-	-
BLACK---MALE----	-	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	81	56	60	49	65	71	111	65	61	25	10	-
WHITE-----MALE----	50	34	39	33	44	39	65	24	28	9	1	-
FEMALE--	22	14	18	12	20	29	41	38	31	15	9	-
ALL OTHER--MALE----	6	5	3	4	1	1	3	3	2	-	-	-
FEMALE--	3	3	-	-	-	2	2	-	-	1	-	-
BLACK---MALE----	5	4	3	4	1	1	3	2	2	-	-	-
FEMALE--	1	1	-	-	-	2	2	-	-	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3433

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XX. External causes of mortality (V01-Y89)												
KENTUCKY -----	2,637	24	43	26	33	194	228	193	192	231	247	165
WHITE-----MALE----	1,688	13	19	13	22	128	159	137	127	158	175	112
FEMALE--	743	8	13	9	9	45	42	35	45	65	47	41
ALL OTHER--MALE----	142	2	4	1	1	16	18	17	15	7	20	7
FEMALE--	64	1	7	3	1	5	9	4	5	1	5	5
BLACK---MALE----	138	2	4	1	1	15	17	17	15	7	19	6
FEMALE--	59	1	5	3	1	5	8	4	4	1	4	5
LOUISIANA -----	3,165	32	70	45	47	244	401	290	247	286	262	222
WHITE-----MALE----	1,374	5	13	11	14	96	163	128	114	134	117	105
FEMALE--	597	3	14	7	12	34	42	27	33	43	49	42
ALL OTHER--MALE----	898	11	32	13	15	89	168	113	82	80	76	57
FEMALE--	296	13	11	14	6	25	28	22	18	29	20	18
BLACK---MALE----	878	11	31	13	15	86	166	112	81	78	72	54
FEMALE--	290	13	11	14	6	24	27	22	18	29	20	16
MAINE -----	600	2	8	10	6	46	45	39	36	56	46	50
WHITE-----MALE----	411	2	5	9	5	33	36	30	27	39	37	41
FEMALE--	176	-	3	1	1	13	7	9	9	13	7	8
ALL OTHER--MALE----	10	-	-	-	-	-	2	-	-	2	2	1
FEMALE--	3	-	-	-	-	-	-	-	-	2	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	2	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2,804	18	26	15	40	190	286	220	240	290	310	240
WHITE-----MALE----	1,194	3	7	4	15	65	122	64	104	132	146	108
FEMALE--	475	2	6	1	6	28	22	21	21	32	25	39
ALL OTHER--MALE----	870	8	5	5	14	85	127	117	92	94	97	68
FEMALE--	265	5	8	5	5	12	15	18	23	32	42	25
BLACK---MALE----	837	8	5	5	13	82	125	111	90	91	95	66
FEMALE--	242	5	8	4	4	10	15	15	22	31	41	22
MASSACHUSETTS -----	2,295	6	20	14	19	117	157	141	159	204	217	186
WHITE-----MALE----	1,339	3	12	4	12	70	101	90	103	135	149	125
FEMALE--	764	-	4	7	6	27	27	31	34	54	52	44
ALL OTHER--MALE----	136	-	3	1	1	15	26	17	15	8	11	14
FEMALE--	56	3	1	2	-	5	3	3	7	7	5	3
BLACK---MALE----	107	-	2	1	1	10	21	13	14	5	10	11
FEMALE--	42	3	-	2	-	4	2	3	5	4	4	3
MICHIGAN -----	5,232	70	78	67	79	349	421	377	398	432	501	418
WHITE-----MALE----	2,663	27	32	31	31	171	200	169	209	222	278	245
FEMALE--	1,337	16	17	12	21	86	61	56	61	93	108	69
ALL OTHER--MALE----	913	15	13	15	18	73	131	134	98	83	86	71
FEMALE--	319	12	16	9	9	19	29	18	30	34	29	33
BLACK---MALE----	868	15	12	15	18	66	128	130	95	77	79	70
FEMALE--	288	10	15	9	8	14	26	17	28	32	26	29

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3433

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XX. External causes of mortality (V01-Y89)												
KENTUCKY -----	174	112	81	99	114	139	121	115	68	30	8	-
WHITE-----MALE----	124	82	57	64	69	77	65	56	21	8	2	-
FEMALE--	40	27	21	28	37	53	55	52	44	22	5	-
ALL OTHER--MALE----	9	3	3	5	6	4	-	3	1	-	-	-
FEMALE--	1	-	-	2	2	5	1	4	2	-	1	-
BLACK---MALE----	9	3	3	5	6	4	-	3	1	-	-	-
FEMALE--	1	-	-	2	2	5	1	4	2	-	1	-
LOUISIANA -----	199	139	91	103	110	115	89	88	58	24	3	-
WHITE-----MALE----	109	79	45	54	45	48	37	34	19	3	1	-
FEMALE--	31	23	20	18	35	43	38	37	30	14	2	-
ALL OTHER--MALE----	42	31	15	20	20	13	7	7	3	4	-	-
FEMALE--	17	6	11	11	10	11	7	10	6	3	-	-
BLACK---MALE----	41	30	15	20	20	12	7	7	3	4	-	-
FEMALE--	17	6	11	10	10	10	7	10	6	3	-	-
MAINE -----	29	32	23	22	26	29	38	28	24	4	1	-
WHITE-----MALE----	22	25	15	10	16	13	23	14	8	1	-	-
FEMALE--	6	6	7	12	10	16	14	14	16	3	1	-
ALL OTHER--MALE----	1	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	181	113	100	77	81	109	127	80	44	13	2	2
WHITE-----MALE----	78	47	53	40	38	47	66	33	19	2	-	1
FEMALE--	28	22	24	15	22	45	44	40	21	9	2	-
ALL OTHER--MALE----	52	35	15	17	15	13	7	3	-	-	-	1
FEMALE--	23	9	8	5	6	4	10	4	4	2	-	-
BLACK---MALE----	48	34	13	15	14	12	6	3	-	-	-	1
FEMALE--	20	9	7	4	6	3	8	3	4	1	-	-
MASSACHUSETTS -----	117	93	70	79	83	147	145	149	113	46	13	-
WHITE-----MALE----	80	61	41	53	44	68	71	67	35	13	2	-
FEMALE--	31	25	27	22	36	73	68	77	77	31	11	-
ALL OTHER--MALE----	3	4	2	2	3	4	5	1	-	1	-	-
FEMALE--	3	3	-	2	-	2	1	4	1	1	-	-
BLACK---MALE----	3	2	2	2	2	3	3	1	-	1	-	-
FEMALE--	1	2	-	2	-	2	1	3	-	1	-	-
MICHIGAN -----	276	249	199	172	198	263	257	236	147	36	7	2
WHITE-----MALE----	167	150	120	97	106	134	121	93	46	13	1	-
FEMALE--	58	57	54	51	64	99	110	125	92	19	6	2
ALL OTHER--MALE----	43	30	15	20	17	21	15	8	5	2	-	-
FEMALE--	8	12	10	4	11	9	11	10	4	2	-	-
BLACK---MALE----	43	28	13	18	15	19	13	7	5	2	-	-
FEMALE--	8	10	9	4	9	8	11	10	3	2	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3434

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XX. External causes of mortality (V01-Y89)												
MINNESOTA -----	2,381	20	22	26	35	164	191	156	131	168	186	151
WHITE-----MALE----	1,380	9	11	11	20	106	115	92	88	108	129	93
FEMALE--	772	3	7	11	8	43	34	37	23	34	33	43
ALL OTHER--MALE----	160	4	4	1	3	11	33	21	13	15	18	13
FEMALE--	69	4	-	3	4	4	9	6	7	11	6	2
BLACK---MALE----	80	2	2	1	1	5	26	9	4	11	6	5
FEMALE--	29	4	-	3	1	-	4	3	2	3	3	-
MISSISSIPPI -----	2,348	23	60	30	40	201	217	209	145	196	181	181
WHITE-----MALE----	980	5	24	12	18	87	86	80	68	90	76	83
FEMALE--	525	5	12	5	3	34	24	35	20	44	36	29
ALL OTHER--MALE----	613	7	16	9	10	60	87	74	44	44	53	50
FEMALE--	230	6	8	4	9	20	20	20	13	18	16	19
BLACK---MALE----	601	6	15	9	10	60	83	73	44	44	50	49
FEMALE--	225	6	8	4	9	20	20	20	13	17	16	17
MISSOURI -----	3,598	37	47	50	56	303	328	227	226	322	303	233
WHITE-----MALE----	1,987	18	14	22	33	165	182	121	133	198	172	150
FEMALE--	1,067	9	16	18	15	78	53	49	45	76	80	50
ALL OTHER--MALE----	419	8	11	3	8	50	78	46	40	40	42	26
FEMALE--	125	2	6	7	-	10	15	11	8	8	9	7
BLACK---MALE----	407	7	11	3	7	47	78	43	40	39	40	26
FEMALE--	117	2	6	7	-	10	15	10	7	6	9	7
MONTANA -----	710	6	9	13	18	58	55	44	44	66	49	40
WHITE-----MALE----	434	4	2	8	16	24	37	23	31	43	37	33
FEMALE--	192	1	5	3	2	18	5	10	7	13	6	4
ALL OTHER--MALE----	63	1	2	-	-	13	11	9	3	8	4	2
FEMALE--	21	-	-	2	-	3	2	2	3	2	2	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	940	9	9	12	12	84	75	51	43	54	68	76
WHITE-----MALE----	567	5	6	4	8	49	54	34	28	37	53	49
FEMALE--	309	2	3	6	3	27	11	10	11	12	10	20
ALL OTHER--MALE----	45	-	-	2	-	6	8	5	2	3	3	5
FEMALE--	19	2	-	-	1	2	2	2	2	2	2	2
BLACK---MALE----	31	-	-	2	-	6	6	3	2	2	2	2
FEMALE--	9	-	-	-	1	1	1	1	1	1	-	1
NEVADA -----	1,349	12	18	12	21	77	100	108	97	129	140	145
WHITE-----MALE----	868	5	7	7	15	44	71	74	65	84	100	102
FEMALE--	315	2	8	3	3	18	14	16	16	33	32	25
ALL OTHER--MALE----	117	3	1	1	3	10	13	15	13	8	5	13
FEMALE--	49	2	2	1	-	5	2	3	3	4	3	5
BLACK---MALE----	81	2	1	-	3	10	10	10	9	6	4	5
FEMALE--	35	2	2	-	-	3	1	1	3	2	3	5

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3434

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XX. External causes of mortality (V01-Y89)												
MINNESOTA -----	116	79	79	60	93	127	184	182	136	60	14	1
WHITE-----MALE----	82	46	57	36	61	73	106	71	46	18	2	-
FEMALE--	28	24	20	19	26	49	77	111	88	42	12	-
ALL OTHER--MALE----	5	5	-	4	3	4	1	-	1	-	-	1
FEMALE--	1	4	2	1	3	1	-	-	1	-	-	-
BLACK---MALE----	1	1	-	1	1	2	1	-	-	-	-	1
FEMALE--	-	1	2	1	1	1	-	-	-	-	-	-
MISSISSIPPI -----	120	109	85	88	98	95	98	93	57	17	4	1
WHITE-----MALE----	54	52	38	38	41	47	31	27	18	3	2	-
FEMALE--	20	26	21	29	32	24	45	45	26	9	1	-
ALL OTHER--MALE----	35	28	23	17	13	15	10	10	4	2	1	1
FEMALE--	11	3	3	4	12	9	12	11	9	3	-	-
BLACK---MALE----	35	28	23	17	13	15	10	10	4	2	1	-
FEMALE--	10	3	3	4	12	9	12	11	8	3	-	-
MISSOURI -----	183	163	123	132	152	170	197	168	122	43	11	2
WHITE-----MALE----	121	90	78	81	92	97	91	77	43	5	3	1
FEMALE--	39	60	33	42	46	62	97	84	73	35	7	-
ALL OTHER--MALE----	16	11	7	7	6	6	7	3	2	1	-	1
FEMALE--	7	2	5	2	8	5	2	4	4	2	1	-
BLACK---MALE----	16	11	6	7	6	6	7	3	2	1	-	1
FEMALE--	7	1	3	2	8	5	1	4	4	2	1	-
MONTANA -----	47	31	26	25	30	27	41	37	28	12	4	-
WHITE-----MALE----	35	17	16	19	14	19	24	18	12	2	-	-
FEMALE--	10	11	5	6	15	7	15	19	16	10	4	-
ALL OTHER--MALE----	2	2	4	-	-	1	1	-	-	-	-	-
FEMALE--	-	1	1	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	50	30	33	32	38	53	56	79	52	19	5	-
WHITE-----MALE----	35	21	23	23	21	33	22	39	15	7	1	-
FEMALE--	12	7	8	8	15	19	34	39	37	12	3	-
ALL OTHER--MALE----	3	2	2	1	-	1	-	1	-	-	1	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
BLACK---MALE----	1	1	1	1	-	-	-	1	-	-	1	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
NEVADA -----	116	66	67	54	49	44	41	29	18	3	1	2
WHITE-----MALE----	71	43	43	34	29	29	22	14	6	1	-	2
FEMALE--	26	14	18	13	16	13	18	12	12	2	1	-
ALL OTHER--MALE----	12	5	5	3	4	2	-	1	-	-	-	-
FEMALE--	7	4	1	4	-	-	1	2	-	-	-	-
BLACK---MALE----	9	3	3	2	3	1	-	-	-	-	-	-
FEMALE--	5	3	-	3	-	-	-	2	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3436

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XX. External causes of mortality (V01-Y89)												
OHIO -----	5,276	45	93	66	99	330	385	341	329	403	514	403
WHITE-----MALE----	2,983	22	41	33	43	191	242	206	202	261	324	261
FEMALE--	1,537	11	19	21	34	84	69	58	66	85	120	78
ALL OTHER--MALE----	553	7	22	7	18	46	61	66	49	44	49	50
FEMALE--	203	5	11	5	4	9	13	11	12	13	21	14
BLACK---MALE----	532	7	20	7	18	44	57	63	47	44	47	49
FEMALE--	188	5	10	5	4	9	13	10	11	13	19	14
OKLAHOMA -----	2,356	29	32	21	41	171	185	153	161	234	211	173
WHITE-----MALE----	1,337	11	19	9	21	94	112	94	92	166	131	113
FEMALE--	645	9	8	4	11	43	36	18	35	43	45	29
ALL OTHER--MALE----	246	7	3	3	4	22	23	31	23	19	23	18
FEMALE--	128	2	2	5	5	12	14	10	11	6	12	13
BLACK---MALE----	129	5	1	3	3	12	13	15	7	10	12	10
FEMALE--	55	2	2	2	2	3	6	4	3	2	8	8
OREGON -----	1,932	9	32	16	26	127	141	104	105	151	157	144
WHITE-----MALE----	1,196	5	19	7	16	85	107	74	72	95	94	93
FEMALE--	619	1	10	9	8	29	23	15	25	41	55	44
ALL OTHER--MALE----	79	3	1	-	-	10	10	12	6	12	5	5
FEMALE--	38	-	2	-	2	3	1	3	2	3	3	2
BLACK---MALE----	28	2	-	-	-	-	4	7	1	2	4	3
FEMALE--	5	-	1	-	-	-	1	1	-	1	-	-
PENNSYLVANIA -----	6,941	37	67	61	74	399	564	459	490	597	647	487
WHITE-----MALE----	3,902	18	27	26	36	228	341	265	305	359	390	308
FEMALE--	1,954	9	14	26	22	80	82	67	75	131	144	106
ALL OTHER--MALE----	833	7	16	5	11	78	125	114	87	77	81	57
FEMALE--	252	3	10	4	5	13	16	13	23	30	32	16
BLACK---MALE----	789	7	16	5	10	71	122	105	83	72	78	55
FEMALE--	231	2	9	2	5	12	15	13	22	27	32	14
RHODE ISLAND -----	430	5	2	5	6	32	31	21	25	39	44	30
WHITE-----MALE----	246	3	-	2	2	21	20	12	14	30	28	21
FEMALE--	128	2	2	-	2	3	4	3	7	5	12	6
ALL OTHER--MALE----	43	-	-	2	1	7	7	5	3	3	3	2
FEMALE--	13	-	-	1	1	1	-	1	1	1	1	1
BLACK---MALE----	33	-	-	2	1	3	4	5	3	3	3	2
FEMALE--	11	-	-	1	1	1	-	1	-	1	1	-
SOUTH CAROLINA -----	2,831	29	36	36	32	195	260	218	191	223	275	239
WHITE-----MALE----	1,274	7	11	9	14	101	120	112	81	111	124	127
FEMALE--	645	8	5	9	5	38	30	22	34	38	57	38
ALL OTHER--MALE----	686	11	10	14	9	42	94	66	62	62	70	54
FEMALE--	226	3	10	4	4	14	16	18	14	12	24	20
BLACK---MALE----	679	11	10	14	9	42	94	64	62	59	70	54
FEMALE--	221	3	10	4	4	14	16	18	13	12	23	19

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3436

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XX. External causes of mortality (V01-Y89)												
OHIO -----	300	207	191	187	239	313	305	270	177	67	12	-
WHITE-----MALE----	178	121	120	107	124	164	153	118	59	13	-	-
FEMALE--	75	51	50	57	93	124	134	137	110	51	10	-
ALL OTHER--MALE----	31	27	12	15	17	14	7	9	2	-	-	-
FEMALE--	16	8	9	8	5	11	11	6	6	3	2	-
BLACK---MALE----	29	26	11	15	17	14	6	9	2	-	-	-
FEMALE--	16	5	8	6	5	10	9	6	6	3	1	-
OKLAHOMA -----	143	111	82	83	90	110	106	114	69	27	9	1
WHITE-----MALE----	75	67	42	40	50	63	56	47	25	8	1	1
FEMALE--	41	35	27	26	33	32	46	57	42	18	7	-
ALL OTHER--MALE----	23	6	7	10	3	12	3	4	1	-	1	-
FEMALE--	4	3	6	7	4	3	1	6	1	1	-	-
BLACK---MALE----	9	5	5	6	2	7	2	-	1	-	1	-
FEMALE--	-	1	1	2	3	-	-	4	1	1	-	-
OREGON -----	142	81	64	58	87	124	123	122	80	30	9	-
WHITE-----MALE----	98	54	49	39	53	79	66	56	25	8	2	-
FEMALE--	34	23	13	15	28	44	53	66	55	21	7	-
ALL OTHER--MALE----	7	2	-	3	3	-	-	-	-	-	-	-
FEMALE--	3	2	2	1	3	1	4	-	-	1	-	-
BLACK---MALE----	2	-	-	2	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
PENNSYLVANIA -----	414	264	244	236	346	433	421	383	236	71	8	3
WHITE-----MALE----	260	173	145	132	189	240	191	177	68	22	-	2
FEMALE--	82	57	72	75	126	166	211	195	160	45	8	1
ALL OTHER--MALE----	60	24	17	21	20	13	11	4	3	2	-	-
FEMALE--	12	10	10	8	11	14	8	7	5	2	-	-
BLACK---MALE----	59	22	15	21	18	12	10	4	3	1	-	-
FEMALE--	11	8	10	7	11	11	6	7	5	2	-	-
RHODE ISLAND -----	24	15	12	14	20	23	24	28	17	10	2	1
WHITE-----MALE----	14	10	8	7	14	10	15	6	5	2	1	1
FEMALE--	5	5	2	4	4	13	9	22	10	7	1	-
ALL OTHER--MALE----	4	-	1	2	2	-	-	-	1	-	-	-
FEMALE--	1	-	1	1	-	-	-	-	1	1	-	-
BLACK---MALE----	3	-	1	-	2	-	-	-	1	-	-	-
FEMALE--	1	-	1	1	-	-	-	-	1	1	-	-
SOUTH CAROLINA -----	186	137	119	96	119	130	135	100	51	18	4	2
WHITE-----MALE----	87	62	54	38	57	43	56	42	13	3	-	2
FEMALE--	34	32	35	39	31	52	53	42	31	12	-	-
ALL OTHER--MALE----	53	34	25	15	23	17	15	4	2	2	2	-
FEMALE--	12	9	5	4	8	18	11	12	5	1	2	-
BLACK---MALE----	53	33	25	14	23	17	15	4	2	2	2	-
FEMALE--	12	8	5	4	7	18	11	12	5	1	2	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3437

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
XX. External causes of mortality (V01-Y89)												
SOUTH DAKOTA -----	439	5	12	11	16	44	32	29	35	37	25	36
WHITE-----MALE----	240	1	7	5	11	20	18	9	20	19	17	17
FEMALE--	82	1	2	1	1	9	3	3	2	8	3	7
ALL OTHER--MALE----	88	1	3	2	1	13	9	14	10	6	4	11
FEMALE--	29	2	-	3	3	2	2	3	3	4	1	1
BLACK---MALE----	2	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	4,100	34	52	46	64	294	392	315	311	405	394	289
WHITE-----MALE----	2,259	9	17	17	32	166	225	182	173	250	241	161
FEMALE--	1,076	5	10	10	15	66	68	59	63	80	93	69
ALL OTHER--MALE----	542	14	12	12	13	50	85	61	52	54	43	46
FEMALE--	223	6	13	7	4	12	14	13	23	21	17	13
BLACK---MALE----	530	14	12	12	13	50	84	59	51	53	43	43
FEMALE--	216	6	13	7	4	11	13	12	22	21	16	13
TEXAS -----	11,100	99	248	158	185	942	1,123	957	848	939	976	849
WHITE-----MALE----	6,593	43	108	68	109	599	751	613	524	584	635	538
FEMALE--	2,971	36	94	49	47	219	177	155	181	225	191	210
ALL OTHER--MALE----	1,087	10	28	25	20	96	152	150	109	92	117	77
FEMALE--	449	10	18	16	9	28	43	39	34	38	33	24
BLACK---MALE----	986	10	24	23	15	88	137	131	99	86	114	73
FEMALE--	384	10	16	14	9	25	39	26	28	31	30	19
UTAH -----	1,187	14	23	16	21	98	118	82	97	127	105	86
WHITE-----MALE----	782	7	14	5	13	71	85	58	60	85	74	53
FEMALE--	350	7	6	8	7	26	22	17	31	37	25	29
ALL OTHER--MALE----	40	-	1	2	-	1	9	4	5	3	6	2
FEMALE--	15	-	2	1	1	-	2	3	1	2	-	2
BLACK---MALE----	9	-	-	-	-	-	1	-	2	-	4	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	1
VERMONT -----	332	3	3	-	3	24	25	12	25	22	36	27
WHITE-----MALE----	224	1	-	-	1	16	19	10	21	13	28	20
FEMALE--	100	2	3	-	2	7	6	2	4	6	7	5
ALL OTHER--MALE----	7	-	-	-	-	1	-	-	-	2	1	2
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	3,706	30	44	28	49	254	278	259	260	332	346	252
WHITE-----MALE----	1,859	9	15	12	16	122	155	136	130	179	195	135
FEMALE--	999	5	11	7	10	52	44	34	48	67	82	51
ALL OTHER--MALE----	636	6	10	7	17	66	66	72	67	70	51	49
FEMALE--	212	10	8	2	6	14	13	17	15	16	18	17
BLACK---MALE----	595	6	9	7	17	59	63	65	63	64	47	47
FEMALE--	193	9	8	2	5	13	13	15	14	15	17	16

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3437

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
XX. External causes of mortality (V01-Y89)												
SOUTH DAKOTA -----	17	13	17	11	20	21	19	13	19	5	2	-
WHITE-----MALE----	10	9	12	6	11	16	12	7	10	2	1	-
FEMALE--	-	2	2	3	5	5	7	6	9	2	1	-
ALL OTHER--MALE----	7	2	1	2	2	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	2	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	214	159	165	140	142	209	183	139	108	35	9	1
WHITE-----MALE----	123	102	88	80	84	113	92	56	36	11	-	1
FEMALE--	48	41	54	42	41	83	75	71	58	20	5	-
ALL OTHER--MALE----	27	9	16	12	6	8	8	6	7	1	-	-
FEMALE--	16	7	7	6	11	5	8	6	7	3	4	-
BLACK---MALE----	26	9	13	12	6	8	8	6	7	1	-	-
FEMALE--	15	7	6	6	11	5	8	6	7	3	4	-
TEXAS -----	609	442	391	303	408	443	416	386	255	89	15	19
WHITE-----MALE----	382	261	237	174	235	231	201	167	87	24	4	18
FEMALE--	147	120	106	98	135	171	190	203	149	56	11	1
ALL OTHER--MALE----	57	37	30	17	18	16	18	6	5	7	-	-
FEMALE--	23	24	18	14	20	25	7	10	14	2	-	-
BLACK---MALE----	48	32	25	15	17	16	17	4	5	7	-	-
FEMALE--	18	20	15	13	19	21	7	9	13	2	-	-
UTAH -----	77	46	32	26	35	40	52	50	32	8	1	1
WHITE-----MALE----	53	34	22	20	23	28	36	22	16	2	-	1
FEMALE--	18	11	10	5	12	12	16	28	16	6	1	-
ALL OTHER--MALE----	6	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	26	13	17	9	16	10	27	19	13	2	-	-
WHITE-----MALE----	18	8	10	7	14	8	14	8	7	1	-	-
FEMALE--	8	5	6	2	2	2	13	11	6	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	216	150	154	137	184	183	194	201	104	40	11	-
WHITE-----MALE----	117	85	81	75	101	96	82	76	31	9	2	-
FEMALE--	56	39	49	35	51	64	93	105	64	27	5	-
ALL OTHER--MALE----	34	18	19	22	21	12	11	11	4	2	1	-
FEMALE--	9	8	5	5	11	11	8	9	5	2	3	-
BLACK---MALE----	34	14	19	22	21	12	10	11	3	1	1	-
FEMALE--	6	6	5	4	10	9	7	9	5	2	3	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3439

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidents (unintentional injuries) (V01-X59,Y85-Y86)												
UNITED STATES -	97,900	881	1,826	1,391	1,588	6,755	7,358	5,898	5,871	7,471	7,942	6,870
WHITE-----MALE----	53,329	331	808	587	791	4,007	4,763	3,704	3,665	4,608	4,854	4,143
FEMALE--	29,263	238	527	409	432	1,724	1,329	1,032	1,118	1,563	1,638	1,411
ALL OTHER--MALE----	10,488	170	290	237	246	750	940	902	788	929	1,053	960
FEMALE--	4,820	142	201	158	119	274	326	260	300	371	397	356
BLACK---MALE----	8,531	149	239	209	205	542	719	693	647	772	906	817
FEMALE--	3,746	125	166	129	88	195	239	199	231	286	323	292
ALABAMA -----	2,093	18	46	27	36	174	179	133	138	147	181	137
WHITE-----MALE----	1,009	3	22	14	22	105	78	76	71	82	100	70
FEMALE--	554	6	7	5	6	43	35	17	29	26	33	25
ALL OTHER--MALE----	364	3	9	7	5	17	47	29	34	27	39	29
FEMALE--	166	6	8	1	3	9	19	11	4	12	9	13
BLACK---MALE----	361	3	9	7	5	17	46	29	33	27	39	29
FEMALE--	157	6	8	1	2	8	18	11	4	11	9	12
ALASKA -----	343	7	8	5	13	36	22	23	18	30	40	40
WHITE-----MALE----	149	1	-	1	3	10	9	13	11	12	19	19
FEMALE--	65	3	2	-	1	9	1	2	3	6	10	8
ALL OTHER--MALE----	100	3	4	4	9	11	9	7	3	8	9	12
FEMALE--	29	-	2	-	-	6	3	1	1	4	2	1
BLACK---MALE----	5	1	-	-	1	1	-	-	1	-	-	1
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
ARIZONA -----	2,326	15	56	30	38	140	159	144	156	166	221	199
WHITE-----MALE----	1,333	6	25	12	20	72	102	98	100	92	146	135
FEMALE--	627	4	20	8	9	38	21	20	20	30	39	36
ALL OTHER--MALE----	259	4	7	8	6	23	23	20	29	29	27	20
FEMALE--	107	1	4	2	3	7	13	6	7	15	9	8
BLACK---MALE----	59	3	3	3	1	3	3	3	5	9	5	5
FEMALE--	16	-	1	-	-	1	1	1	-	2	2	2
ARKANSAS -----	1,267	12	36	20	29	104	96	65	89	87	87	73
WHITE-----MALE----	688	5	13	7	14	65	61	32	54	56	54	40
FEMALE--	392	6	13	5	11	33	16	17	22	18	15	16
ALL OTHER--MALE----	134	-	6	5	3	5	14	13	11	9	14	14
FEMALE--	53	1	4	3	1	1	5	3	2	4	4	3
BLACK---MALE----	128	-	6	4	3	5	13	12	11	9	13	13
FEMALE--	50	1	4	3	1	1	5	3	2	4	3	1
CALIFORNIA -----	8,577	61	194	141	145	497	645	531	546	722	793	760
WHITE-----MALE----	5,007	26	93	55	82	307	423	350	387	482	524	464
FEMALE--	2,270	16	64	55	37	119	114	69	94	149	149	166
ALL OTHER--MALE----	831	9	16	19	18	51	78	86	44	62	79	88
FEMALE--	469	10	21	12	8	20	30	26	21	29	41	42
BLACK---MALE----	433	7	4	13	12	19	33	41	30	39	44	58
FEMALE--	213	7	9	8	4	6	6	15	11	17	28	24

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3439

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidents (unintentional injuries) (V01-X59,Y85-Y86)												
UNITED STATES -	5,408	4,021	3,484	3,375	4,323	5,596	6,162	5,933	3,939	1,419	304	85
WHITE-----MALE----	3,179	2,297	1,945	1,770	2,207	2,712	2,781	2,400	1,290	357	53	77
FEMALE--	1,168	1,037	996	1,085	1,555	2,327	2,920	3,170	2,403	960	219	2
ALL OTHER--MALE----	781	507	384	347	315	327	243	163	101	40	9	6
FEMALE--	280	180	159	173	246	230	218	200	145	62	23	-
BLACK---MALE----	658	434	316	285	258	253	185	121	79	32	7	5
FEMALE--	221	132	115	132	193	171	169	159	112	48	21	-
ALABAMA -----	111	92	73	87	86	115	111	109	64	27	2	-
WHITE-----MALE----	52	48	42	38	43	51	32	35	20	4	1	-
FEMALE--	27	16	17	31	26	41	50	60	37	17	-	-
ALL OTHER--MALE----	26	20	11	9	12	14	13	6	3	3	1	-
FEMALE--	6	8	3	9	5	9	16	8	4	3	-	-
BLACK---MALE----	25	20	11	9	12	14	13	6	3	3	1	-
FEMALE--	5	7	3	9	4	8	16	8	4	3	-	-
ALASKA -----	27	17	11	6	7	12	9	7	3	1	1	-
WHITE-----MALE----	17	9	7	2	3	5	3	3	1	1	-	-
FEMALE--	5	3	1	2	1	2	1	4	1	-	-	-
ALL OTHER--MALE----	4	3	2	1	1	4	5	-	-	-	1	-
FEMALE--	1	2	1	1	2	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ARIZONA -----	141	107	84	85	98	123	116	134	84	19	2	9
WHITE-----MALE----	84	68	52	41	49	62	59	61	33	7	-	9
FEMALE--	29	29	19	29	37	56	54	71	45	11	2	-
ALL OTHER--MALE----	23	7	8	9	7	4	1	2	2	-	-	-
FEMALE--	5	3	5	6	5	1	2	-	4	1	-	-
BLACK---MALE----	7	2	1	3	-	1	-	1	1	-	-	-
FEMALE--	1	-	1	-	-	-	2	-	1	1	-	-
ARKANSAS -----	79	62	60	49	39	64	84	68	44	17	2	1
WHITE-----MALE----	51	39	29	28	21	35	37	30	13	3	-	1
FEMALE--	19	15	19	18	12	24	40	37	24	11	1	-
ALL OTHER--MALE----	8	6	10	1	2	5	4	-	4	-	-	-
FEMALE--	1	2	2	2	4	-	3	1	3	3	1	-
BLACK---MALE----	8	5	10	1	2	5	4	-	4	-	-	-
FEMALE--	1	2	2	2	4	-	3	1	3	3	1	-
CALIFORNIA -----	589	376	284	283	381	431	461	391	218	85	12	31
WHITE-----MALE----	367	201	163	140	201	222	215	167	82	21	5	30
FEMALE--	125	113	73	102	114	158	194	182	117	53	7	-
ALL OTHER--MALE----	61	42	33	23	36	27	27	19	8	4	-	1
FEMALE--	36	20	15	18	30	24	25	23	11	7	-	-
BLACK---MALE----	40	29	19	7	16	6	8	6	1	-	-	1
FEMALE--	24	11	3	7	10	3	9	7	3	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3440

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidents (unintentional injuries) (V01-X59,Y85-Y86)												
COLORADO -----	1,702	11	23	14	27	92	128	120	99	143	159	139
WHITE-----MALE----	998	5	10	7	8	62	84	88	67	107	112	85
FEMALE--	581	3	10	6	15	24	29	19	19	30	40	39
ALL OTHER--MALE----	80	1	1	-	4	5	11	9	10	4	3	12
FEMALE--	43	2	2	1	-	1	4	4	3	2	4	3
BLACK---MALE----	42	-	1	-	2	3	6	3	6	3	1	8
FEMALE--	23	1	2	-	-	-	2	3	1	-	2	3
CONNECTICUT -----	1,175	4	10	7	11	45	69	59	81	103	99	86
WHITE-----MALE----	678	-	3	3	5	32	53	43	54	72	68	59
FEMALE--	378	2	4	3	4	4	6	7	16	18	15	18
ALL OTHER--MALE----	94	1	1	-	1	9	9	8	10	10	15	6
FEMALE--	25	1	2	1	1	-	1	1	1	3	1	3
BLACK---MALE----	88	1	1	-	1	8	9	7	9	10	14	6
FEMALE--	23	1	2	1	1	-	1	1	1	3	1	3
DELAWARE -----	290	2	7	3	9	32	18	18	11	22	37	18
WHITE-----MALE----	156	2	3	1	3	20	11	11	8	11	20	11
FEMALE--	89	-	1	1	3	8	2	5	2	8	10	4
ALL OTHER--MALE----	34	-	2	1	2	3	3	2	1	3	5	3
FEMALE--	11	-	1	-	1	1	2	-	-	-	2	-
BLACK---MALE----	34	-	2	1	2	3	3	2	1	3	5	3
FEMALE--	11	-	1	-	1	1	2	-	-	-	2	-
DISTRICT OF COLUMBIA ---	204	-	3	3	1	5	5	10	13	19	22	25
WHITE-----MALE----	22	-	-	-	-	-	1	-	2	4	3	2
FEMALE--	17	-	1	-	-	-	-	3	-	1	-	2
ALL OTHER--MALE----	101	-	1	1	1	4	3	6	9	7	13	10
FEMALE--	64	-	1	2	-	1	1	1	2	7	6	11
BLACK---MALE----	101	-	1	1	1	4	3	6	9	7	13	10
FEMALE--	64	-	1	2	-	1	1	1	2	7	6	11
FLORIDA -----	6,267	53	127	62	101	401	460	366	385	507	550	482
WHITE-----MALE----	3,605	17	56	22	51	246	304	246	250	336	346	310
FEMALE--	1,793	19	29	16	26	78	76	69	72	85	116	106
ALL OTHER--MALE----	612	7	24	15	19	58	61	37	48	68	68	43
FEMALE--	257	10	18	9	5	19	19	14	15	18	20	23
BLACK---MALE----	580	7	23	15	19	53	53	36	47	67	66	40
FEMALE--	245	10	17	9	5	18	17	14	14	17	18	22
GEORGIA -----	3,103	47	63	52	59	225	244	253	210	228	212	223
WHITE-----MALE----	1,423	14	29	13	20	111	129	151	110	103	95	119
FEMALE--	830	14	11	16	18	51	42	38	38	52	56	44
ALL OTHER--MALE----	584	8	11	12	11	51	60	45	40	50	46	52
FEMALE--	266	11	12	11	10	12	13	19	22	23	15	8
BLACK---MALE----	558	8	10	11	11	49	56	39	39	48	46	50
FEMALE--	248	11	11	9	9	12	11	17	22	21	14	8

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3440

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidents (unintentional injuries) (V01-X59,Y85-Y86)												
COLORADO -----	101	67	59	54	69	82	107	100	71	31	3	3
WHITE-----MALE----	73	40	41	21	28	37	50	40	22	7	1	3
FEMALE--	23	22	16	28	36	40	55	55	47	23	2	-
ALL OTHER--MALE----	4	3	2	4	1	3	-	2	1	-	-	-
FEMALE--	1	2	-	1	4	2	2	3	1	1	-	-
BLACK---MALE----	1	2	2	2	-	1	-	1	-	-	-	-
FEMALE--	1	2	-	-	2	1	1	1	-	1	-	-
CONNECTICUT -----	50	49	29	29	47	84	105	90	84	28	6	-
WHITE-----MALE----	31	30	18	17	22	47	49	36	28	6	2	-
FEMALE--	11	14	6	10	24	35	52	52	53	21	3	-
ALL OTHER--MALE----	7	4	4	1	1	1	4	1	1	-	-	-
FEMALE--	1	1	1	1	-	1	-	1	2	1	1	-
BLACK---MALE----	6	4	4	1	1	1	3	1	1	-	-	-
FEMALE--	-	1	1	1	-	-	-	1	2	1	1	-
DELAWARE -----	6	9	9	8	8	19	22	19	11	2	-	-
WHITE-----MALE----	4	5	5	4	5	9	10	9	3	1	-	-
FEMALE--	1	4	-	3	1	9	10	9	7	1	-	-
ALL OTHER--MALE----	1	-	4	1	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	1	-	-	-
BLACK---MALE----	1	-	4	1	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	1	-	-	-
DISTRICT OF COLUMBIA ---	22	15	5	15	12	3	11	7	5	2	1	-
WHITE-----MALE----	1	3	1	1	1	-	1	1	-	1	-	-
FEMALE--	-	1	1	2	-	-	3	1	2	-	-	-
ALL OTHER--MALE----	18	8	-	9	5	2	3	1	-	-	-	-
FEMALE--	3	3	3	3	6	1	4	4	3	1	1	-
BLACK---MALE----	18	8	-	9	5	2	3	1	-	-	-	-
FEMALE--	3	3	3	3	6	1	4	4	3	1	1	-
FLORIDA -----	376	254	205	214	257	360	408	390	213	78	11	7
WHITE-----MALE----	237	155	112	119	133	170	189	179	95	22	5	5
FEMALE--	82	57	55	73	103	169	200	194	109	54	5	-
ALL OTHER--MALE----	37	33	25	15	14	14	8	8	6	2	-	2
FEMALE--	20	9	13	7	7	7	11	9	3	-	1	-
BLACK---MALE----	36	33	22	14	13	12	7	8	6	2	-	1
FEMALE--	17	9	13	7	7	7	11	9	3	-	1	-
GEORGIA -----	167	138	113	127	136	177	165	145	79	31	7	2
WHITE-----MALE----	75	68	44	63	63	78	58	43	22	11	2	2
FEMALE--	35	30	34	27	41	58	76	82	47	18	2	-
ALL OTHER--MALE----	37	31	30	23	19	29	14	10	3	1	1	-
FEMALE--	20	9	5	14	13	12	17	10	7	1	2	-
BLACK---MALE----	35	30	29	21	19	29	14	9	3	1	1	-
FEMALE--	19	8	4	13	13	12	15	9	7	1	2	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3441

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidents (unintentional injuries) (V01-X59,Y85-Y86)												
HAWAII -----	343	6	4	1	2	20	22	12	14	20	21	22
WHITE-----MALE----	74	1	1	-	-	4	5	2	4	5	9	13
FEMALE--	22	-	-	1	-	1	-	-	2	1	2	-
ALL OTHER--MALE----	170	3	2	-	-	13	15	10	6	8	8	7
FEMALE--	77	2	1	-	2	2	2	-	2	6	2	2
BLACK---MALE-----	4	-	-	-	-	1	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	518	5	7	14	12	40	34	32	31	34	35	38
WHITE-----MALE----	315	1	5	5	8	28	25	20	20	24	23	28
FEMALE--	185	4	2	7	4	11	8	11	10	9	9	8
ALL OTHER--MALE----	12	-	-	2	-	-	1	1	-	1	1	2
FEMALE--	6	-	-	-	-	1	-	-	1	-	2	-
BLACK---MALE-----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	4,041	61	75	50	51	239	322	265	264	331	374	308
WHITE-----MALE----	2,083	12	31	19	20	144	198	170	152	174	204	157
FEMALE--	1,111	17	21	12	16	59	59	41	39	51	64	58
ALL OTHER--MALE----	602	15	15	11	12	30	55	44	47	74	76	72
FEMALE--	245	17	8	8	3	6	10	10	26	32	30	21
BLACK---MALE-----	568	14	15	11	12	28	49	42	43	69	74	70
FEMALE--	235	17	8	7	3	6	9	10	24	30	30	20
INDIANA -----	2,139	37	51	30	31	175	156	112	105	139	135	136
WHITE-----MALE----	1,244	11	29	16	18	114	114	83	67	99	89	90
FEMALE--	733	8	15	10	12	49	33	18	26	29	30	36
ALL OTHER--MALE----	93	10	6	3	-	8	6	5	9	7	8	5
FEMALE--	69	8	1	1	1	4	3	6	3	4	8	5
BLACK---MALE-----	90	10	6	3	-	8	4	5	9	7	8	5
FEMALE--	59	8	1	-	1	4	3	4	3	4	6	3
IOWA -----	1,070	7	15	15	12	106	58	48	53	49	63	55
WHITE-----MALE----	644	4	11	9	7	72	37	35	33	39	48	42
FEMALE--	399	3	4	6	4	28	16	11	18	9	10	11
ALL OTHER--MALE----	21	-	-	-	1	4	4	2	-	1	5	2
FEMALE--	6	-	-	-	-	2	1	-	2	-	-	-
BLACK---MALE-----	15	-	-	-	1	2	2	2	-	1	4	1
FEMALE--	3	-	-	-	-	2	1	-	-	-	-	-
KANSAS -----	1,054	7	24	14	23	100	74	54	47	81	77	54
WHITE-----MALE----	633	6	15	7	13	66	57	40	33	50	53	40
FEMALE--	361	1	5	6	8	31	13	10	11	26	19	11
ALL OTHER--MALE----	42	-	1	1	2	2	2	4	2	4	4	1
FEMALE--	18	-	3	-	-	1	2	-	1	1	1	2
BLACK---MALE-----	34	-	1	1	2	2	1	3	-	2	3	1
FEMALE--	14	-	3	-	-	-	1	-	1	1	1	2

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3441

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidents (unintentional injuries) (V01-X59,Y85-Y86)												
HAWAII -----	28	16	15	16	17	18	29	28	23	8	1	-
WHITE-----MALE----	8	5	4	1	1	-	6	3	2	-	-	-
FEMALE--	-	1	-	2	2	3	1	2	4	-	-	-
ALL OTHER--MALE----	16	8	9	8	9	11	13	11	8	4	1	-
FEMALE--	4	2	2	5	5	4	9	12	9	4	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	34	32	17	11	19	35	29	32	18	9	-	-
WHITE-----MALE----	26	16	8	4	11	25	13	18	3	4	-	-
FEMALE--	6	14	9	6	8	10	16	13	15	5	-	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	218	143	133	123	189	208	245	229	153	49	11	-
WHITE-----MALE----	109	74	79	62	102	95	113	108	48	10	2	-
FEMALE--	46	36	31	35	63	89	121	110	97	37	9	-
ALL OTHER--MALE----	47	28	19	19	12	9	4	8	4	1	-	-
FEMALE--	16	5	4	7	12	15	7	3	4	1	-	-
BLACK---MALE-----	46	27	16	18	12	8	3	7	3	1	-	-
FEMALE--	15	5	4	6	12	14	7	3	4	1	-	-
INDIANA -----	109	77	84	77	100	150	144	157	90	36	8	-
WHITE-----MALE----	71	50	43	50	52	73	72	52	38	12	1	-
FEMALE--	27	23	36	16	44	74	69	99	51	22	6	-
ALL OTHER--MALE----	8	2	2	6	3	2	2	-	1	-	-	-
FEMALE--	3	2	3	5	1	1	1	6	-	2	1	-
BLACK---MALE-----	8	2	2	6	3	2	1	-	1	-	-	-
FEMALE--	3	2	2	4	1	1	1	5	-	2	1	-
IOWA -----	42	38	42	41	52	78	78	107	68	34	9	-
WHITE-----MALE----	27	26	29	25	31	44	43	52	17	11	2	-
FEMALE--	15	11	13	15	21	34	35	55	50	23	7	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE-----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	44	29	45	31	53	64	89	54	56	24	10	-
WHITE-----MALE----	25	18	29	20	32	33	47	16	24	8	1	-
FEMALE--	15	7	14	8	20	28	38	35	31	15	9	-
ALL OTHER--MALE----	2	3	2	3	1	1	3	3	1	-	-	-
FEMALE--	2	1	-	-	-	2	1	-	-	1	-	-
BLACK---MALE-----	2	3	2	3	1	1	3	2	1	-	-	-
FEMALE--	1	-	-	-	-	2	1	-	-	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3442

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidents (unintentional injuries) (V01-X59,Y85-Y86)												
KENTUCKY -----	1,838	18	39	24	27	159	154	126	116	138	152	101
WHITE-----MALE----	1,153	8	19	13	19	111	113	90	80	98	108	66
FEMALE--	571	7	12	9	8	37	32	26	30	36	32	28
ALL OTHER--MALE----	74	2	4	1	-	8	4	8	4	3	10	3
FEMALE--	40	1	4	1	-	3	5	2	2	1	2	4
BLACK---MALE----	73	2	4	1	-	8	3	8	4	3	10	3
FEMALE--	37	1	2	1	-	3	5	2	2	1	1	4
LOUISIANA -----	2,006	20	52	39	36	157	212	136	136	170	160	139
WHITE-----MALE----	928	2	12	11	13	74	115	81	80	90	79	60
FEMALE--	445	2	11	5	9	28	34	14	20	27	35	22
ALL OTHER--MALE----	436	9	25	12	10	39	46	30	28	39	35	41
FEMALE--	197	7	4	11	4	16	17	11	8	14	11	16
BLACK---MALE----	424	9	24	12	10	37	46	30	27	37	34	38
FEMALE--	192	7	4	11	4	15	16	11	8	14	11	15
MAINE -----	407	1	7	10	3	29	31	26	24	27	27	31
WHITE-----MALE----	258	1	5	9	2	19	25	22	18	17	20	26
FEMALE--	140	-	2	1	1	10	4	4	6	7	5	5
ALL OTHER--MALE----	6	-	-	-	-	-	2	-	-	1	2	-
FEMALE--	3	-	-	-	-	-	-	-	-	2	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1,182	7	17	13	20	90	93	69	79	71	94	69
WHITE-----MALE----	556	2	4	2	9	42	60	30	42	39	52	36
FEMALE--	279	1	5	1	4	18	12	8	7	8	9	12
ALL OTHER--MALE----	224	2	4	5	4	22	15	26	21	18	18	10
FEMALE--	123	2	4	5	3	8	6	5	9	6	15	11
BLACK---MALE----	212	2	4	5	4	21	14	23	21	18	18	9
FEMALE--	105	2	4	4	2	6	6	4	8	5	14	9
MASSACHUSETTS -----	1,357	5	18	12	15	70	63	48	48	76	70	73
WHITE-----MALE----	731	2	11	3	10	42	42	32	30	57	51	47
FEMALE--	533	-	3	6	4	19	13	12	11	14	13	17
ALL OTHER--MALE----	61	-	3	1	1	5	7	4	5	2	5	8
FEMALE--	32	3	1	2	-	4	1	-	2	3	1	1
BLACK---MALE----	41	-	2	1	1	2	4	1	5	-	4	6
FEMALE--	21	3	-	2	-	3	-	-	2	1	-	1
MICHIGAN -----	3,220	54	61	56	67	227	194	174	192	215	253	227
WHITE-----MALE----	1,685	22	27	28	26	124	118	98	119	125	146	140
FEMALE--	972	12	12	9	19	74	38	37	28	48	53	36
ALL OTHER--MALE----	379	13	11	12	14	20	24	33	29	27	40	35
FEMALE--	184	7	11	7	8	9	14	6	16	15	14	16
BLACK---MALE----	354	13	10	12	14	16	23	30	28	24	37	34
FEMALE--	167	6	10	7	7	5	12	5	14	15	13	16

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3442

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidents (unintentional injuries) (V01-X59,Y85-Y86)												
KENTUCKY -----	111	72	57	64	77	108	102	97	60	28	8	-
WHITE-----MALE----	81	54	38	38	43	55	49	45	15	8	2	-
FEMALE--	21	16	16	22	27	47	52	46	42	20	5	-
ALL OTHER--MALE----	8	2	3	2	6	3	-	2	1	-	-	-
FEMALE--	1	-	-	2	1	3	1	4	2	-	1	-
BLACK---MALE----	8	2	3	2	6	3	-	2	1	-	-	-
FEMALE--	1	-	-	2	1	3	1	4	2	-	1	-
LOUISIANA -----	130	87	60	78	82	91	67	75	54	22	3	-
WHITE-----MALE----	73	46	25	41	25	32	23	27	16	2	1	-
FEMALE--	19	14	14	11	32	39	33	32	29	13	2	-
ALL OTHER--MALE----	26	22	13	17	16	11	4	6	3	4	-	-
FEMALE--	12	5	8	9	9	9	7	10	6	3	-	-
BLACK---MALE----	25	22	13	17	16	10	4	6	3	4	-	-
FEMALE--	12	5	8	8	9	8	7	10	6	3	-	-
MAINE -----	16	19	15	19	18	26	29	22	23	3	1	-
WHITE-----MALE----	12	13	8	8	9	12	15	9	7	1	-	-
FEMALE--	4	6	6	11	9	14	13	13	16	2	1	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	69	52	51	48	56	77	95	63	38	9	2	-
WHITE-----MALE----	29	23	24	23	25	31	45	23	14	1	-	-
FEMALE--	11	8	13	10	17	36	34	20	7	2	-	-
ALL OTHER--MALE----	18	15	8	11	9	8	7	3	-	-	-	-
FEMALE--	11	6	6	4	5	2	7	3	4	1	-	-
BLACK---MALE----	16	15	6	10	9	8	6	3	-	-	-	-
FEMALE--	9	6	5	3	5	2	5	2	4	-	-	-
MASSACHUSETTS -----	55	58	51	62	70	126	130	141	108	45	13	-
WHITE-----MALE----	40	35	27	42	35	56	62	62	30	13	2	-
FEMALE--	12	19	22	17	32	64	63	74	77	30	11	-
ALL OTHER--MALE----	1	3	2	1	3	4	4	1	-	1	-	-
FEMALE--	2	1	-	2	-	2	1	4	1	1	-	-
BLACK---MALE----	1	1	2	1	2	3	3	1	-	1	-	-
FEMALE--	-	-	-	2	-	2	1	3	-	1	-	-
MICHIGAN -----	155	165	137	115	140	196	214	209	129	33	7	-
WHITE-----MALE----	90	103	83	63	69	90	91	79	32	11	1	-
FEMALE--	37	35	36	38	52	81	101	114	88	18	6	-
ALL OTHER--MALE----	23	19	11	12	12	17	13	7	5	2	-	-
FEMALE--	5	8	7	2	7	8	9	9	4	2	-	-
BLACK---MALE----	23	17	11	11	11	15	12	6	5	2	-	-
FEMALE--	5	7	6	2	7	7	9	9	3	2	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3443

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidents (unintentional injuries) (V01-X59,Y85-Y86)												
MINNESOTA -----	1,711	15	18	23	28	121	120	94	71	100	108	90
WHITE-----MALE----	939	5	9	9	16	77	78	52	49	66	72	56
FEMALE--	639	3	5	10	7	37	25	25	12	20	23	25
ALL OTHER--MALE----	89	3	4	1	1	5	12	15	5	9	10	8
FEMALE--	44	4	-	3	4	2	5	2	5	5	3	1
BLACK---MALE----	40	2	2	1	-	1	7	6	1	7	4	4
FEMALE--	20	4	-	3	1	-	3	1	2	1	1	-
MISSISSIPPI -----	1,653	16	50	29	34	139	135	132	86	121	108	132
WHITE-----MALE----	715	5	21	12	17	67	63	60	47	61	47	57
FEMALE--	406	3	10	4	3	27	14	26	13	32	24	20
ALL OTHER--MALE----	377	5	13	9	8	30	42	33	20	21	30	40
FEMALE--	155	3	6	4	6	15	16	13	6	7	7	15
BLACK---MALE----	368	4	12	9	8	30	38	33	20	21	28	39
FEMALE--	152	3	6	4	6	15	16	13	6	7	7	14
MISSOURI -----	2,398	27	41	46	43	215	186	120	117	172	170	139
WHITE-----MALE----	1,306	12	14	21	23	125	125	78	68	108	96	88
FEMALE--	820	9	14	16	14	69	39	27	30	41	47	31
ALL OTHER--MALE----	196	5	10	3	6	18	18	10	16	18	23	16
FEMALE--	76	1	3	6	-	3	4	5	3	5	4	4
BLACK---MALE----	190	5	10	3	5	15	18	10	16	17	23	16
FEMALE--	70	1	3	6	-	3	4	4	3	4	4	4
MONTANA -----	495	5	8	11	11	46	33	31	24	40	28	23
WHITE-----MALE----	276	4	2	7	9	17	22	14	16	27	20	18
FEMALE--	155	-	4	2	2	15	5	6	3	7	4	3
ALL OTHER--MALE----	45	1	2	-	-	11	4	9	2	5	3	1
FEMALE--	19	-	-	2	-	3	2	2	3	1	1	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	640	7	6	11	6	53	46	28	25	28	39	44
WHITE-----MALE----	365	3	4	4	4	30	35	20	17	23	28	27
FEMALE--	247	2	2	6	2	19	8	8	7	5	8	12
ALL OTHER--MALE----	18	-	-	1	-	2	2	-	-	-	1	3
FEMALE--	10	2	-	-	-	2	1	-	1	-	2	2
BLACK---MALE----	11	-	-	1	-	2	2	-	-	-	1	-
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	1
NEVADA -----	730	10	16	12	17	41	51	45	45	65	85	79
WHITE-----MALE----	444	5	6	7	11	24	36	27	30	39	60	57
FEMALE--	203	1	7	3	3	12	10	9	12	22	19	12
ALL OTHER--MALE----	54	3	1	1	3	5	4	7	2	2	3	6
FEMALE--	29	1	2	1	-	-	1	2	1	2	3	4
BLACK---MALE----	33	2	1	-	3	5	1	3	2	1	2	2
FEMALE--	20	1	2	-	-	-	-	1	1	1	3	4

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3443

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidents (unintentional injuries) (V01-X59,Y85-Y86)												
MINNESOTA -----	59	51	61	45	77	103	160	165	131	57	14	-
WHITE-----MALE----	37	27	40	28	52	56	88	60	43	17	2	-
FEMALE--	17	17	19	15	21	44	71	105	86	40	12	-
ALL OTHER--MALE----	4	3	-	2	2	3	1	-	1	-	-	-
FEMALE--	1	4	2	-	2	-	-	-	1	-	-	-
BLACK---MALE----	1	1	-	1	-	1	1	-	-	-	-	-
FEMALE--	-	1	2	-	1	-	-	-	-	-	-	-
MISSISSIPPI -----	72	75	68	69	75	75	85	81	51	16	4	-
WHITE-----MALE----	33	32	30	28	31	34	29	22	15	2	2	-
FEMALE--	9	20	15	24	23	23	39	41	26	9	1	-
ALL OTHER--MALE----	24	20	22	13	10	12	10	9	3	2	1	-
FEMALE--	6	3	1	4	11	6	7	9	7	3	-	-
BLACK---MALE----	24	20	22	13	10	12	10	9	3	2	1	-
FEMALE--	5	3	1	4	11	6	7	9	6	3	-	-
MISSOURI -----	118	109	89	89	111	131	167	146	109	41	10	2
WHITE-----MALE----	79	58	54	49	59	69	75	60	37	5	2	1
FEMALE--	21	40	24	31	42	54	86	79	66	33	7	-
ALL OTHER--MALE----	13	9	6	7	3	4	4	3	2	1	-	1
FEMALE--	5	2	5	2	7	4	2	4	4	2	1	-
BLACK---MALE----	13	9	5	7	3	4	4	3	2	1	-	1
FEMALE--	5	1	3	2	7	4	1	4	4	2	1	-
MONTANA -----	32	19	16	18	23	20	31	32	28	12	4	-
WHITE-----MALE----	23	10	8	13	9	12	16	15	12	2	-	-
FEMALE--	7	7	4	5	13	7	14	17	16	10	4	-
ALL OTHER--MALE----	2	1	3	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	1	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	28	20	20	21	25	41	51	70	49	18	4	-
WHITE-----MALE----	20	14	14	13	14	23	19	33	14	6	-	-
FEMALE--	5	5	5	7	11	17	32	36	35	12	3	-
ALL OTHER--MALE----	3	1	1	1	-	1	-	1	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	1	-	-	-	1	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	50	32	34	25	26	24	30	22	17	3	1	-
WHITE-----MALE----	34	23	20	13	14	11	13	8	5	1	-	-
FEMALE--	7	4	11	6	11	12	16	11	12	2	1	-
ALL OTHER--MALE----	5	4	2	3	1	1	-	1	-	-	-	-
FEMALE--	4	1	1	3	-	-	1	2	-	-	-	-
BLACK---MALE----	4	3	1	2	1	-	-	-	-	-	-	-
FEMALE--	2	1	-	2	-	-	-	2	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3445

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidents (unintentional injuries) (V01-X59,Y85-Y86)												
OHIO -----	3,492	29	64	58	74	225	229	190	203	253	293	229
WHITE-----MALE----	1,913	14	31	30	33	135	156	122	132	170	185	145
FEMALE--	1,170	8	14	18	28	68	50	38	43	52	74	45
ALL OTHER--MALE----	284	6	13	5	10	19	20	26	20	25	23	29
FEMALE--	125	1	6	5	3	3	3	4	8	6	11	10
BLACK---MALE----	271	6	11	5	10	17	18	25	19	25	22	28
FEMALE--	114	1	5	5	3	3	3	4	7	6	10	10
OKLAHOMA -----	1,566	19	25	20	33	132	113	75	89	133	123	108
WHITE-----MALE----	852	6	16	9	17	70	65	46	53	95	74	68
FEMALE--	484	6	6	3	9	37	27	10	20	26	31	15
ALL OTHER--MALE----	140	5	2	3	2	14	10	13	12	9	12	15
FEMALE--	90	2	1	5	5	11	11	6	4	3	6	10
BLACK---MALE----	66	3	1	3	1	5	5	7	2	4	4	8
FEMALE--	37	2	1	2	2	3	4	3	1	-	2	7
OREGON -----	1,248	6	25	14	21	88	84	51	62	87	90	69
WHITE-----MALE----	713	2	14	6	14	55	64	34	41	57	52	46
FEMALE--	458	1	10	8	6	22	13	12	15	22	32	21
ALL OTHER--MALE----	50	3	-	-	-	8	6	4	5	5	4	2
FEMALE--	27	-	1	-	1	3	1	1	1	3	2	-
BLACK---MALE----	15	2	-	-	-	-	1	2	1	1	3	1
FEMALE--	3	-	-	-	-	-	1	-	-	1	-	-
PENNSYLVANIA -----	4,583	26	48	49	50	262	324	253	281	366	408	281
WHITE-----MALE----	2,548	17	24	22	24	169	231	166	195	225	250	172
FEMALE--	1,501	4	11	20	13	65	64	46	48	92	80	66
ALL OTHER--MALE----	381	3	7	4	10	20	22	37	30	32	52	36
FEMALE--	153	2	6	3	3	8	7	4	8	17	26	7
BLACK---MALE----	360	3	7	4	9	17	22	33	28	30	50	35
FEMALE--	138	1	5	1	3	8	6	4	8	15	26	6
RHODE ISLAND -----	235	2	1	4	5	15	12	4	3	14	15	12
WHITE-----MALE----	124	2	-	2	1	9	7	3	3	10	7	9
FEMALE--	84	-	1	-	2	1	-	1	-	2	5	2
ALL OTHER--MALE----	21	-	-	2	1	4	5	-	-	1	2	1
FEMALE--	6	-	-	-	1	1	-	-	-	1	1	-
BLACK---MALE----	13	-	-	2	1	-	2	-	-	1	2	1
FEMALE--	6	-	-	-	1	1	-	-	-	1	1	-
SOUTH CAROLINA -----	1,974	22	27	35	24	144	164	148	117	128	190	162
WHITE-----MALE----	860	4	9	9	9	81	88	79	51	65	82	79
FEMALE--	477	7	3	8	4	33	24	15	18	18	34	23
ALL OTHER--MALE----	460	9	7	14	8	18	42	43	35	37	53	43
FEMALE--	177	2	8	4	3	12	10	11	13	8	21	17
BLACK---MALE----	456	9	7	14	8	18	42	41	35	37	53	43
FEMALE--	173	2	8	4	3	12	10	11	12	8	20	16

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3445

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidents (unintentional injuries) (V01-X59,Y85-Y86)												
OHIO -----	173	129	133	116	159	227	237	233	162	65	11	-
WHITE-----MALE----	102	69	88	60	76	105	103	92	53	12	-	-
FEMALE--	43	35	31	39	71	102	120	129	103	50	9	-
ALL OTHER--MALE----	16	19	9	11	9	10	5	7	2	-	-	-
FEMALE--	12	6	5	6	3	10	9	5	4	3	2	-
BLACK---MALE----	15	18	9	11	9	10	4	7	2	-	-	-
FEMALE--	12	3	4	5	3	9	8	5	4	3	1	-
OKLAHOMA -----	81	65	61	59	72	81	83	96	64	25	8	1
WHITE-----MALE----	46	37	30	29	37	44	42	36	23	8	-	1
FEMALE--	22	20	21	20	29	27	38	54	39	17	7	-
ALL OTHER--MALE----	10	5	6	7	2	7	2	2	1	-	1	-
FEMALE--	3	3	4	3	4	3	1	4	1	-	-	-
BLACK---MALE----	4	4	4	4	1	3	1	-	1	-	1	-
FEMALE--	-	1	1	1	3	-	-	3	1	-	-	-
OREGON -----	79	45	46	37	65	75	97	98	71	29	9	-
WHITE-----MALE----	52	29	34	22	37	44	46	35	20	7	2	-
FEMALE--	19	13	10	11	24	30	47	63	51	21	7	-
ALL OTHER--MALE----	6	2	-	3	2	-	-	-	-	-	-	-
FEMALE--	2	1	2	1	2	1	4	-	-	1	-	-
BLACK---MALE----	2	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
PENNSYLVANIA -----	257	147	154	156	240	319	344	327	216	68	7	-
WHITE-----MALE----	155	86	87	88	113	159	141	147	56	21	-	-
FEMALE--	49	40	50	51	101	136	190	172	152	44	7	-
ALL OTHER--MALE----	47	13	13	12	17	12	8	2	3	1	-	-
FEMALE--	6	8	4	5	9	12	5	6	5	2	-	-
BLACK---MALE----	47	11	12	12	16	11	7	2	3	1	-	-
FEMALE--	6	6	4	4	9	9	4	6	5	2	-	-
RHODE ISLAND -----	11	7	8	9	15	19	23	27	17	10	2	-
WHITE-----MALE----	8	6	5	5	11	8	14	6	5	2	1	-
FEMALE--	2	1	2	3	3	11	9	21	10	7	1	-
ALL OTHER--MALE----	1	-	1	1	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	1	-	1	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	1	-	-
SOUTH CAROLINA -----	121	89	82	78	80	108	107	83	44	17	3	1
WHITE-----MALE----	53	37	35	26	35	31	42	31	10	3	-	1
FEMALE--	22	20	22	34	21	46	47	38	28	12	-	-
ALL OTHER--MALE----	38	27	21	14	17	15	11	3	2	2	1	-
FEMALE--	8	5	4	4	7	16	7	11	4	-	2	-
BLACK---MALE----	38	26	21	13	17	15	11	3	2	2	1	-
FEMALE--	8	5	4	4	6	16	7	11	4	-	2	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3446

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidents (unintentional injuries) (V01-X59,Y85-Y86)												
SOUTH DAKOTA -----	321	3	11	10	14	30	25	16	21	25	16	23
WHITE-----MALE----	163	-	6	4	9	15	13	3	9	12	11	10
FEMALE--	68	1	2	1	1	6	3	-	1	7	3	5
ALL OTHER--MALE----	64	1	3	2	1	7	7	10	8	3	1	8
FEMALE--	26	1	-	3	3	2	2	3	3	3	1	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2,743	24	47	40	48	203	249	192	182	244	245	173
WHITE-----MALE----	1,505	7	16	16	24	124	169	122	105	157	145	100
FEMALE--	819	2	10	9	13	60	51	41	43	49	62	41
ALL OTHER--MALE----	274	10	11	10	8	13	19	23	23	26	28	27
FEMALE--	145	5	10	5	3	6	10	6	11	12	10	5
BLACK---MALE----	268	10	11	10	8	13	18	22	23	25	28	25
FEMALE--	140	5	10	5	3	5	10	6	10	12	9	5
TEXAS -----	7,407	74	204	145	133	642	706	551	492	590	590	494
WHITE-----MALE----	4,234	35	91	61	73	402	481	352	312	361	383	311
FEMALE--	2,258	28	80	48	37	177	130	105	112	154	116	129
ALL OTHER--MALE----	618	5	21	24	15	46	68	74	48	54	72	41
FEMALE--	297	6	12	12	8	17	27	20	20	21	19	13
BLACK---MALE----	552	5	17	22	10	42	59	63	41	49	70	41
FEMALE--	258	6	10	10	8	16	25	12	15	18	18	10
UTAH -----	665	7	15	14	13	64	72	39	35	45	47	33
WHITE-----MALE----	410	3	10	5	5	43	48	27	20	27	28	18
FEMALE--	221	4	5	8	7	20	17	8	11	15	14	11
ALL OTHER--MALE----	26	-	-	-	-	1	6	3	4	2	5	2
FEMALE--	8	-	-	1	1	-	1	1	-	1	-	2
BLACK---MALE----	5	-	-	-	-	-	-	-	2	-	3	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
VERMONT -----	234	3	3	-	3	19	15	9	17	16	20	13
WHITE-----MALE----	146	1	-	-	1	13	11	8	14	10	15	9
FEMALE--	82	2	3	-	2	5	4	1	3	4	4	3
ALL OTHER--MALE----	6	-	-	-	-	1	-	-	-	2	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2,396	18	36	23	31	172	173	138	154	176	199	138
WHITE-----MALE----	1,189	8	14	9	9	94	116	88	88	97	112	72
FEMALE--	728	2	10	5	7	44	33	20	27	30	48	25
ALL OTHER--MALE----	344	4	6	7	12	25	17	23	35	36	33	32
FEMALE--	135	4	6	2	3	9	7	7	4	13	6	9
BLACK---MALE----	325	4	5	7	12	22	16	20	33	33	31	31
FEMALE--	122	4	6	2	2	8	7	6	4	13	6	8

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3446

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidents (unintentional injuries) (V01-X59,Y85-Y86)												
SOUTH DAKOTA -----	14	12	12	8	13	18	17	10	16	5	2	-
WHITE-----MALE----	7	8	7	4	6	13	10	4	9	2	1	-
FEMALE--	-	2	2	2	4	5	7	6	7	2	1	-
ALL OTHER--MALE----	7	2	1	2	1	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	2	-	-	-	-	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	127	101	106	88	108	154	147	121	100	34	9	1
WHITE-----MALE----	69	66	50	46	62	72	65	47	32	10	-	1
FEMALE--	28	24	41	29	33	70	69	65	54	20	5	-
ALL OTHER--MALE----	18	7	10	8	5	7	8	5	7	1	-	-
FEMALE--	12	4	5	5	8	5	5	4	7	3	4	-
BLACK---MALE-----	18	7	9	8	5	7	8	5	7	1	-	-
FEMALE--	11	4	4	5	8	5	5	4	7	3	4	-
TEXAS -----	388	289	257	216	292	343	327	329	229	83	15	18
WHITE-----MALE----	241	155	150	121	151	164	145	130	72	22	4	17
FEMALE--	97	88	74	71	111	147	166	183	139	54	11	1
ALL OTHER--MALE----	35	28	20	14	15	12	10	6	5	5	-	-
FEMALE--	15	18	13	10	15	20	6	10	13	2	-	-
BLACK---MALE-----	30	26	16	12	14	12	9	4	5	5	-	-
FEMALE--	12	15	13	10	14	17	6	9	12	2	-	-
UTAH -----	37	34	24	15	29	27	39	41	29	5	-	1
WHITE-----MALE----	29	25	18	11	17	18	25	17	14	1	-	1
FEMALE--	6	8	6	3	12	9	14	24	15	4	-	-
ALL OTHER--MALE----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	14	9	13	7	12	8	23	17	11	2	-	-
WHITE-----MALE----	9	4	6	5	11	6	10	7	5	1	-	-
FEMALE--	5	5	6	2	1	2	13	10	6	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	126	91	102	82	113	139	161	178	98	38	10	-
WHITE-----MALE----	63	51	50	36	57	66	57	62	29	9	2	-
FEMALE--	32	23	35	27	34	52	86	96	61	26	5	-
ALL OTHER--MALE----	24	11	13	14	13	11	11	11	4	1	1	-
FEMALE--	7	6	4	5	9	10	7	9	4	2	2	-
BLACK---MALE-----	24	10	13	14	13	11	10	11	3	1	1	-
FEMALE--	4	5	4	4	8	8	6	9	4	2	2	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3448

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Transport accidents (V01-V99,Y85)												
UNITED STATES -	46,749	174	691	842	1,080	5,475	5,553	3,957	3,443	3,889	3,772	3,248
WHITE-----MALE----	26,815	68	290	358	538	3,158	3,474	2,377	2,064	2,312	2,277	1,945
FEMALE--	12,273	53	223	288	335	1,555	1,092	744	705	896	833	734
ALL OTHER--MALE----	5,351	26	101	106	136	535	723	639	490	490	481	393
FEMALE--	2,310	27	77	90	71	227	264	197	184	191	181	176
BLACK---MALE----	4,199	21	79	87	110	380	548	489	401	396	408	321
FEMALE--	1,640	19	62	70	50	159	196	145	134	131	134	136
ALABAMA -----	1,119	3	13	15	23	141	141	81	90	92	111	80
WHITE-----MALE----	561	-	5	8	15	82	59	40	40	51	62	43
FEMALE--	254	2	2	4	6	40	29	13	21	17	15	11
ALL OTHER--MALE----	219	-	3	2	2	10	39	20	26	18	29	16
FEMALE--	85	1	3	1	-	9	14	8	3	6	5	10
BLACK---MALE----	216	-	3	2	2	10	38	20	25	18	29	16
FEMALE--	79	1	3	1	-	8	13	8	3	5	5	9
ALASKA -----	179	2	3	1	6	29	17	16	8	12	17	22
WHITE-----MALE----	88	1	-	-	1	9	9	10	6	7	11	11
FEMALE--	28	1	1	-	-	7	1	2	1	2	3	4
ALL OTHER--MALE----	50	-	1	1	5	9	5	3	1	3	3	6
FEMALE--	13	-	1	-	-	4	2	1	-	-	-	1
BLACK---MALE----	2	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
ARIZONA -----	1,088	6	25	19	28	116	121	85	83	82	96	78
WHITE-----MALE----	595	1	10	8	12	59	73	57	46	41	58	44
FEMALE--	264	2	11	6	9	34	18	12	11	12	19	21
ALL OTHER--MALE----	155	2	2	4	4	17	19	12	20	18	13	9
FEMALE--	74	1	2	1	3	6	11	4	6	11	6	4
BLACK---MALE----	24	1	-	1	1	1	2	-	4	3	1	2
FEMALE--	8	-	1	-	-	1	1	1	-	-	-	2
ARKANSAS -----	716	5	11	11	20	83	84	53	55	62	55	50
WHITE-----MALE----	403	1	4	1	9	52	55	25	32	39	31	25
FEMALE--	211	3	3	5	10	27	14	15	17	14	13	14
ALL OTHER--MALE----	77	-	3	3	-	4	10	11	6	6	9	9
FEMALE--	25	1	1	2	1	-	5	2	-	3	2	2
BLACK---MALE----	71	-	3	2	-	4	9	10	6	6	8	8
FEMALE--	22	1	1	2	1	-	5	2	-	3	1	-
CALIFORNIA -----	4,218	21	83	96	99	398	491	358	293	346	336	333
WHITE-----MALE----	2,512	10	42	36	56	239	310	230	206	206	211	206
FEMALE--	1,029	7	25	42	28	107	96	48	52	85	72	71
ALL OTHER--MALE----	436	2	8	12	12	35	59	61	28	39	30	34
FEMALE--	241	2	8	6	3	17	26	19	7	16	23	22
BLACK---MALE----	215	1	3	7	9	15	26	27	21	26	11	20
FEMALE--	84	1	3	4	2	5	5	10	3	8	12	10

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3448

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Transport accidents (V01-V99,Y85)												
UNITED STATES -	2,717	2,115	1,768	1,599	1,716	1,860	1,482	985	298	49	3	33
WHITE-----MALE----	1,598	1,226	987	845	899	942	743	503	154	25	1	31
FEMALE--	647	570	536	530	604	741	634	411	121	19	2	-
ALL OTHER--MALE----	324	230	174	151	126	108	65	36	13	2	-	2
FEMALE--	148	89	71	73	87	69	40	35	10	3	-	-
BLACK---MALE----	258	188	133	120	100	73	47	27	10	2	-	1
FEMALE--	103	56	47	45	60	36	27	23	6	1	-	-
ALABAMA -----	60	52	35	47	44	35	27	26	2	1	-	-
WHITE-----MALE----	29	31	23	19	21	16	7	10	-	-	-	-
FEMALE--	14	8	6	19	11	13	12	11	-	-	-	-
ALL OTHER--MALE----	14	10	5	5	7	5	4	2	1	1	-	-
FEMALE--	3	3	1	4	5	1	4	3	1	-	-	-
BLACK---MALE----	13	10	5	5	7	5	4	2	1	1	-	-
FEMALE--	2	3	1	4	4	1	4	3	1	-	-	-
ALASKA -----	15	5	7	5	3	5	5	1	-	-	-	-
WHITE-----MALE----	11	3	4	1	1	1	1	1	-	-	-	-
FEMALE--	2	1	-	2	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	2	1	1	3	4	-	-	-	-	-
FEMALE--	1	-	1	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	72	52	41	42	38	36	29	31	5	1	-	2
WHITE-----MALE----	41	28	26	18	17	17	20	14	2	1	-	2
FEMALE--	17	18	6	14	14	15	8	15	2	-	-	-
ALL OTHER--MALE----	10	3	5	6	4	3	1	2	1	-	-	-
FEMALE--	4	3	4	4	3	1	-	-	-	-	-	-
BLACK---MALE----	3	1	1	2	-	-	-	1	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
ARKANSAS -----	50	38	34	27	13	23	29	11	1	1	-	-
WHITE-----MALE----	28	21	13	13	8	17	19	8	1	1	-	-
FEMALE--	16	10	14	12	5	6	10	3	-	-	-	-
ALL OTHER--MALE----	6	5	5	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	2	2	-	-	-	-	-	-	-	-
BLACK---MALE----	6	4	5	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	2	2	-	-	-	-	-	-	-	-
CALIFORNIA -----	286	188	137	139	180	169	136	86	29	6	-	8
WHITE-----MALE----	178	106	82	67	100	87	66	47	15	4	-	8
FEMALE--	59	55	33	53	52	52	53	27	11	1	-	-
ALL OTHER--MALE----	29	17	15	10	15	15	9	4	2	-	-	-
FEMALE--	20	10	7	9	13	15	8	8	1	1	-	-
BLACK---MALE----	16	10	7	3	6	3	2	1	1	-	-	-
FEMALE--	8	5	-	1	3	1	3	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3449

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Transport accidents (V01-V99,Y85)												
COLORADO -----	818	5	13	12	20	77	105	76	51	76	80	61
WHITE-----MALE----	511	2	7	6	4	50	68	54	34	59	53	33
FEMALE--	250	2	4	5	14	23	24	15	10	16	23	24
ALL OTHER--MALE----	39	-	-	-	2	3	9	4	5	1	3	4
FEMALE--	18	1	2	1	-	1	4	3	2	-	1	-
BLACK---MALE-----	18	-	-	-	1	2	4	1	4	-	1	2
FEMALE--	7	-	2	-	-	-	2	2	-	-	-	-
CONNECTICUT -----	368	1	3	2	6	38	43	28	28	43	23	21
WHITE-----MALE----	226	-	-	-	4	28	31	19	18	30	13	13
FEMALE--	101	1	3	2	2	4	4	6	8	10	3	7
ALL OTHER--MALE----	35	-	-	-	-	6	7	3	2	2	6	1
FEMALE--	6	-	-	-	-	-	1	-	-	1	1	-
BLACK---MALE-----	32	-	-	-	-	6	7	2	2	2	6	1
FEMALE--	4	-	-	-	-	-	1	-	-	1	1	-
DELAWARE -----	133	1	2	1	7	28	13	7	8	12	18	3
WHITE-----MALE----	77	1	1	-	2	19	7	4	5	7	11	3
FEMALE--	32	-	-	1	3	6	2	2	2	3	3	-
ALL OTHER--MALE----	19	-	1	-	2	2	2	1	1	2	3	-
FEMALE--	5	-	-	-	-	1	2	-	-	-	1	-
BLACK---MALE-----	19	-	1	-	2	2	2	1	1	2	3	-
FEMALE--	5	-	-	-	-	1	2	-	-	-	1	-
DISTRICT OF COLUMBIA ---	59	-	2	2	1	4	4	6	4	6	4	6
WHITE-----MALE----	6	-	-	-	-	-	1	-	1	1	-	1
FEMALE--	7	-	1	-	-	-	-	2	-	1	-	1
ALL OTHER--MALE----	32	-	1	1	1	3	2	3	2	4	4	-
FEMALE--	14	-	-	1	-	1	1	1	1	-	-	4
BLACK---MALE-----	32	-	1	1	1	3	2	3	2	4	4	-
FEMALE--	14	-	-	1	-	1	1	1	1	-	-	4
FLORIDA -----	3,310	6	34	44	73	322	343	268	251	274	281	261
WHITE-----MALE----	1,949	-	11	18	34	192	219	170	152	167	182	161
FEMALE--	827	4	7	12	20	66	56	52	55	52	51	61
ALL OTHER--MALE----	390	1	8	8	14	49	50	33	34	46	36	26
FEMALE--	144	1	8	6	5	15	18	13	10	9	12	13
BLACK---MALE-----	371	1	8	8	14	45	45	32	33	45	35	25
FEMALE--	136	1	8	6	5	15	16	13	9	8	11	12
GEORGIA -----	1,663	14	26	31	40	181	192	187	124	142	119	115
WHITE-----MALE----	834	4	14	8	16	92	91	107	60	65	61	61
FEMALE--	378	5	3	11	11	44	40	29	27	31	26	23
ALL OTHER--MALE----	318	2	4	6	4	35	51	33	23	30	23	26
FEMALE--	133	3	5	6	9	10	10	18	14	16	9	5
BLACK---MALE-----	300	2	4	5	4	33	48	29	22	29	23	24
FEMALE--	121	3	5	5	8	10	8	16	14	14	8	5

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3449

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Transport accidents (V01-V99,Y85)												
COLORADO -----	54	35	30	27	25	31	20	13	3	1	-	3
WHITE-----MALE----	42	20	23	10	11	13	9	8	2	-	-	3
FEMALE--	10	13	5	16	13	16	10	5	1	1	-	-
ALL OTHER--MALE----	2	1	2	1	-	2	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	2	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	23	21	12	9	11	27	12	12	4	1	-	-
WHITE-----MALE----	13	11	7	6	5	13	5	8	2	-	-	-
FEMALE--	6	8	3	3	6	13	6	4	1	1	-	-
ALL OTHER--MALE----	3	2	1	-	-	-	1	-	1	-	-	-
FEMALE--	1	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	2	2	1	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
DELAWARE -----	1	5	6	4	3	6	7	1	-	-	-	-
WHITE-----MALE----	-	3	4	2	2	3	3	-	-	-	-	-
FEMALE--	1	2	-	1	-	3	3	-	-	-	-	-
ALL OTHER--MALE----	-	-	2	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	2	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
DISTRICT OF COLUMBIA ---	4	2	3	3	3	-	4	-	1	-	-	-
WHITE-----MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	4	2	-	2	1	-	2	-	-	-	-	-
FEMALE--	-	-	2	-	1	-	1	-	1	-	-	-
BLACK---MALE----	4	2	-	2	1	-	2	-	-	-	-	-
FEMALE--	-	-	2	-	1	-	1	-	1	-	-	-
FLORIDA -----	227	171	115	114	121	140	144	80	29	5	1	6
WHITE-----MALE----	144	105	56	68	64	72	69	40	20	1	-	4
FEMALE--	49	38	36	39	48	60	72	37	8	3	1	-
ALL OTHER--MALE----	21	23	17	6	5	6	1	2	1	1	-	2
FEMALE--	13	5	6	1	4	2	2	1	-	-	-	-
BLACK---MALE----	20	23	16	6	5	5	-	2	1	1	-	1
FEMALE--	11	5	6	1	4	2	2	1	-	-	-	-
GEORGIA -----	86	70	62	78	62	75	30	20	5	2	-	2
WHITE-----MALE----	48	36	27	44	26	42	18	8	3	1	-	2
FEMALE--	13	14	20	17	20	21	10	10	2	1	-	-
ALL OTHER--MALE----	17	18	12	9	12	10	2	1	-	-	-	-
FEMALE--	8	2	3	8	4	2	-	1	-	-	-	-
BLACK---MALE----	16	17	11	8	12	10	2	1	-	-	-	-
FEMALE--	7	2	2	7	4	2	-	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3450

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Transport accidents (V01-V99,Y85)												
HAWAII -----	13	11	6	9	7	6	4	5	3	-	-	-
WHITE-----MALE----	2	3	2	1	-	-	2	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	8	5	4	5	4	5	1	3	1	-	-	-
FEMALE--	3	2	-	3	3	1	1	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	25	21	10	4	9	10	10	8	1	-	-	-
WHITE-----MALE----	18	9	4	2	6	6	5	6	-	-	-	-
FEMALE--	5	11	6	1	3	4	5	2	1	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	89	63	63	48	67	62	51	39	12	-	-	-
WHITE-----MALE----	49	33	42	24	30	31	27	26	8	-	-	-
FEMALE--	25	20	11	15	27	25	22	12	4	-	-	-
ALL OTHER--MALE----	8	8	8	7	6	2	2	1	-	-	-	-
FEMALE--	7	2	2	2	4	4	-	-	-	-	-	-
BLACK---MALE----	7	7	5	6	6	1	1	1	-	-	-	-
FEMALE--	6	2	2	2	4	3	-	-	-	-	-	-
INDIANA -----	59	35	42	32	39	52	29	19	2	2	-	-
WHITE-----MALE----	38	21	22	20	17	25	15	5	1	-	-	-
FEMALE--	15	13	16	5	20	25	13	14	1	2	-	-
ALL OTHER--MALE----	5	1	1	5	1	1	1	-	-	-	-	-
FEMALE--	1	-	3	2	1	1	-	-	-	-	-	-
BLACK---MALE----	5	1	1	5	1	1	1	-	-	-	-	-
FEMALE--	1	-	2	1	1	1	-	-	-	-	-	-
IOWA -----	25	18	22	20	23	29	16	20	6	2	-	-
WHITE-----MALE----	14	10	15	10	14	15	11	10	3	1	-	-
FEMALE--	11	8	7	10	9	14	5	10	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	27	17	23	17	17	27	25	9	3	1	-	-
WHITE-----MALE----	13	9	14	14	7	18	12	6	2	-	-	-
FEMALE--	10	6	8	3	10	8	11	3	1	1	-	-
ALL OTHER--MALE----	2	1	1	-	-	1	1	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	2	1	1	-	-	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3451

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Transport accidents (V01-V99,Y85)												
KENTUCKY -----	867	2	21	14	20	124	112	74	67	66	68	50
WHITE-----MALE----	578	1	11	8	15	83	79	49	48	44	43	37
FEMALE--	234	-	6	4	5	32	26	19	16	21	16	13
ALL OTHER--MALE----	35	-	3	1	-	6	2	5	2	-	7	-
FEMALE--	20	1	1	1	-	3	5	1	1	1	2	-
BLACK---MALE-----	35	-	3	1	-	6	2	5	2	-	7	-
FEMALE--	18	1	-	1	-	3	5	1	1	1	1	-
LOUISIANA -----	1,074	5	23	19	25	119	156	91	89	78	93	74
WHITE-----MALE----	524	1	6	4	7	57	90	52	49	37	45	33
FEMALE--	224	1	7	3	9	26	25	10	12	16	20	10
ALL OTHER--MALE----	219	3	8	6	7	23	26	19	20	17	21	20
FEMALE--	107	-	2	6	2	13	15	10	8	8	7	11
BLACK---MALE-----	213	3	7	6	7	22	26	19	19	16	21	20
FEMALE--	106	-	2	6	2	13	15	10	8	8	7	11
MAINE -----	195	1	4	5	3	24	25	14	14	10	11	14
WHITE-----MALE----	121	1	3	4	2	14	19	10	9	8	7	12
FEMALE--	71	-	1	1	1	10	4	4	5	2	3	2
ALL OTHER--MALE----	3	-	-	-	-	-	2	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	673	2	6	8	17	82	73	52	63	47	60	46
WHITE-----MALE----	331	1	2	1	8	39	46	20	32	24	34	24
FEMALE--	126	-	2	1	4	17	8	7	6	5	5	9
ALL OTHER--MALE----	141	1	-	3	3	18	14	21	19	12	10	6
FEMALE--	75	-	2	3	2	8	5	4	6	6	11	7
BLACK---MALE-----	131	1	-	3	3	17	13	18	19	12	10	5
FEMALE--	63	-	2	2	1	6	5	3	5	5	11	5
MASSACHUSETTS -----	520	-	4	6	7	67	55	33	39	41	35	34
WHITE-----MALE----	322	-	2	3	5	41	36	20	25	32	25	22
FEMALE--	152	-	1	2	2	18	11	9	10	6	7	8
ALL OTHER--MALE----	33	-	1	-	-	5	7	4	3	1	2	3
FEMALE--	13	-	-	1	-	3	1	-	1	2	1	1
BLACK---MALE-----	19	-	1	-	-	2	4	1	3	-	1	2
FEMALE--	6	-	-	1	-	2	-	-	1	-	-	1
MICHIGAN -----	1,591	4	21	30	51	197	153	130	125	112	124	110
WHITE-----MALE----	870	2	9	18	21	104	88	74	70	60	74	70
FEMALE--	453	-	6	7	18	70	34	27	19	29	31	18
ALL OTHER--MALE----	185	-	3	2	8	15	18	25	23	14	18	15
FEMALE--	83	2	3	3	4	8	13	4	13	9	1	7
BLACK---MALE-----	170	-	2	2	8	11	17	22	23	12	17	14
FEMALE--	71	1	3	3	3	4	12	3	11	9	1	7

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3451

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Transport accidents (V01-V99,Y85)												
KENTUCKY -----	56	32	28	27	28	31	25	16	4	2	-	-
WHITE-----MALE----	39	23	18	19	17	19	11	10	2	2	-	-
FEMALE--	13	8	10	6	8	10	14	6	1	-	-	-
ALL OTHER--MALE----	3	1	-	1	3	1	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	1	-	-	1	-	-	-
BLACK---MALE----	3	1	-	1	3	1	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	1	-	-	1	-	-	-
LOUISIANA -----	85	46	26	40	36	36	17	11	5	-	-	-
WHITE-----MALE----	48	30	11	19	11	13	6	4	1	-	-	-
FEMALE--	12	9	7	9	14	17	9	5	3	-	-	-
ALL OTHER--MALE----	17	4	6	7	6	4	2	2	1	-	-	-
FEMALE--	8	3	2	5	5	2	-	-	-	-	-	-
BLACK---MALE----	16	4	6	7	6	3	2	2	1	-	-	-
FEMALE--	8	3	2	4	5	2	-	-	-	-	-	-
MAINE -----	7	15	10	8	6	8	9	3	4	-	-	-
WHITE-----MALE----	3	10	5	3	3	2	4	1	1	-	-	-
FEMALE--	4	5	5	5	3	6	5	2	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	39	27	32	25	20	20	34	17	3	-	-	-
WHITE-----MALE----	16	14	16	13	8	9	16	6	2	-	-	-
FEMALE--	7	2	8	6	6	7	15	10	1	-	-	-
ALL OTHER--MALE----	10	7	5	5	2	3	1	1	-	-	-	-
FEMALE--	6	4	3	1	4	1	2	-	-	-	-	-
BLACK---MALE----	8	7	3	5	2	3	1	1	-	-	-	-
FEMALE--	5	4	3	-	4	1	1	-	-	-	-	-
MASSACHUSETTS -----	33	34	20	21	20	36	20	12	2	1	-	-
WHITE-----MALE----	24	19	8	16	13	15	7	7	1	1	-	-
FEMALE--	6	12	11	5	6	20	13	4	1	-	-	-
ALL OTHER--MALE----	1	3	1	-	1	1	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	1	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
MICHIGAN -----	72	97	69	55	71	66	48	39	14	3	-	-
WHITE-----MALE----	38	62	44	29	35	25	26	16	4	1	-	-
FEMALE--	20	26	22	19	26	30	19	21	10	1	-	-
ALL OTHER--MALE----	11	8	3	5	8	7	1	1	-	-	-	-
FEMALE--	3	1	-	2	2	4	2	1	-	1	-	-
BLACK---MALE----	11	8	3	4	7	7	1	1	-	-	-	-
FEMALE--	3	-	-	2	2	3	2	1	-	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3452

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Transport accidents (V01-V99,Y85)												
MINNESOTA -----	737	1	8	17	17	98	97	71	51	59	61	51
WHITE-----MALE----	446	-	4	6	11	60	62	40	33	38	41	33
FEMALE--	229	1	3	8	5	33	21	21	10	15	15	15
ALL OTHER--MALE----	39	-	1	-	-	3	9	8	4	3	4	3
FEMALE--	23	-	-	3	1	2	5	2	4	3	1	-
BLACK---MALE----	12	-	1	-	-	-	4	3	1	2	-	-
FEMALE--	8	-	-	3	-	-	3	1	1	-	-	-
MISSISSIPPI -----	975	5	19	19	18	118	118	98	72	76	64	84
WHITE-----MALE----	436	1	7	8	11	53	55	41	37	36	25	42
FEMALE--	206	1	5	4	2	26	13	19	12	22	15	9
ALL OTHER--MALE----	244	1	3	4	2	25	37	28	18	14	21	21
FEMALE--	89	2	4	3	3	14	13	10	5	4	3	12
BLACK---MALE----	236	1	2	4	2	25	33	28	18	14	19	20
FEMALE--	88	2	4	3	3	14	13	10	5	4	3	11
MISSOURI -----	1,159	2	11	26	30	183	148	73	73	103	100	70
WHITE-----MALE----	700	2	3	14	16	105	94	43	36	70	61	47
FEMALE--	343	-	6	8	10	64	37	19	21	21	28	18
ALL OTHER--MALE----	89	-	1	2	4	13	14	6	13	9	9	4
FEMALE--	27	-	1	2	-	1	3	5	3	3	2	1
BLACK---MALE----	85	-	1	2	3	11	14	6	13	8	9	4
FEMALE--	24	-	1	2	-	1	3	4	3	2	2	1
MONTANA -----	256	2	2	7	8	37	24	24	18	22	19	14
WHITE-----MALE----	151	2	-	3	8	13	17	12	10	13	15	11
FEMALE--	64	-	2	2	-	13	4	4	3	6	2	2
ALL OTHER--MALE----	28	-	-	-	-	9	2	7	2	3	1	-
FEMALE--	13	-	-	2	-	2	1	1	3	-	1	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	300	2	4	10	3	43	36	20	16	18	22	24
WHITE-----MALE----	189	-	3	4	1	24	27	14	11	14	14	14
FEMALE--	99	1	1	5	2	18	8	6	5	4	5	9
ALL OTHER--MALE----	7	-	-	1	-	-	-	-	-	-	1	1
FEMALE--	5	1	-	-	-	1	1	-	-	-	2	-
BLACK---MALE----	4	-	-	1	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	333	4	4	11	16	32	34	31	22	28	29	23
WHITE-----MALE----	195	1	1	6	10	17	24	19	13	12	19	15
FEMALE--	92	1	3	3	3	12	6	4	7	12	8	4
ALL OTHER--MALE----	30	2	-	1	3	3	3	6	1	2	-	4
FEMALE--	16	-	-	1	-	-	1	2	1	2	2	-
BLACK---MALE----	19	1	-	-	3	3	1	3	1	1	-	1
FEMALE--	8	-	-	-	-	-	-	1	1	1	2	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3452

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Transport accidents (V01-V99,Y85)												
MINNESOTA -----	27	27	32	15	27	29	32	12	4	1	-	-
WHITE-----MALE----	15	14	19	9	17	16	17	8	2	1	-	-
FEMALE--	11	11	13	5	9	12	15	4	2	-	-	-
ALL OTHER--MALE----	-	1	-	1	1	1	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	40	48	40	48	40	28	20	13	7	-	-	-
WHITE-----MALE----	16	25	17	22	16	8	8	5	3	-	-	-
FEMALE--	5	8	11	16	12	13	7	3	3	-	-	-
ALL OTHER--MALE----	16	14	11	8	6	6	5	4	-	-	-	-
FEMALE--	3	1	1	2	6	1	-	1	1	-	-	-
BLACK---MALE----	16	14	11	8	6	6	5	4	-	-	-	-
FEMALE--	3	1	1	2	6	1	-	1	1	-	-	-
MISSOURI -----	62	64	46	31	30	38	41	17	8	1	1	1
WHITE-----MALE----	43	35	28	17	21	24	20	14	5	-	1	1
FEMALE--	13	26	14	12	6	13	21	2	3	1	-	-
ALL OTHER--MALE----	4	3	2	2	2	1	-	-	-	-	-	-
FEMALE--	2	-	2	-	1	-	-	1	-	-	-	-
BLACK---MALE----	4	3	2	2	2	1	-	-	-	-	-	-
FEMALE--	2	-	1	-	1	-	-	1	-	-	-	-
MONTANA -----	18	10	8	9	8	7	9	8	2	-	-	-
WHITE-----MALE----	11	4	5	6	5	5	4	5	2	-	-	-
FEMALE--	5	5	1	3	3	1	5	3	-	-	-	-
ALL OTHER--MALE----	2	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	18	12	11	13	10	14	12	8	3	1	-	-
WHITE-----MALE----	12	9	7	7	4	10	7	5	1	1	-	-
FEMALE--	4	2	3	6	6	4	5	3	2	-	-	-
ALL OTHER--MALE----	2	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	24	16	14	12	10	11	6	5	1	-	-	-
WHITE-----MALE----	15	12	6	7	7	5	3	3	-	-	-	-
FEMALE--	3	2	8	3	3	6	2	1	1	-	-	-
ALL OTHER--MALE----	2	2	-	1	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	1	-	-	1	1	-	-	-	-
BLACK---MALE----	2	2	-	1	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3454

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Transport accidents (V01-V99,Y85)												
OHIO -----	1,543	2	19	36	44	190	173	122	114	130	135	102
WHITE-----MALE----	905	2	9	14	20	112	113	76	69	85	86	61
FEMALE--	458	-	4	16	19	65	44	27	25	25	35	25
ALL OTHER--MALE----	134	-	4	3	4	10	14	18	16	17	11	10
FEMALE--	46	-	2	3	1	3	2	1	4	3	3	6
BLACK---MALE----	122	-	2	3	4	9	12	17	15	17	10	9
FEMALE--	40	-	1	3	1	3	2	1	3	3	2	6
OKLAHOMA -----	717	5	6	6	17	106	89	47	49	61	66	43
WHITE-----MALE----	404	2	1	3	9	54	50	28	29	42	40	27
FEMALE--	207	2	4	1	5	34	24	8	13	12	15	6
ALL OTHER--MALE----	60	1	1	-	1	9	6	6	5	5	7	7
FEMALE--	46	-	-	2	2	9	9	5	2	2	4	3
BLACK---MALE----	27	-	1	-	-	2	3	4	1	2	3	4
FEMALE--	13	-	-	-	1	2	3	2	-	-	1	3
OREGON -----	544	1	10	7	13	69	63	33	33	44	50	26
WHITE-----MALE----	342	-	4	3	8	43	43	22	23	26	29	17
FEMALE--	166	-	6	4	4	20	13	8	8	15	19	8
ALL OTHER--MALE----	22	1	-	-	-	3	6	2	2	1	1	1
FEMALE--	14	-	-	-	1	3	1	1	-	2	1	-
BLACK---MALE----	5	-	-	-	-	-	1	1	1	-	1	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
PENNSYLVANIA -----	1,707	4	16	27	30	207	206	142	110	145	137	94
WHITE-----MALE----	1,059	4	8	11	12	129	141	95	82	95	96	61
FEMALE--	470	-	2	12	10	54	47	26	19	33	22	28
ALL OTHER--MALE----	131	-	4	1	5	18	15	20	7	12	14	5
FEMALE--	47	-	2	3	3	6	3	1	2	5	5	-
BLACK---MALE----	118	-	4	1	4	15	15	17	6	10	14	4
FEMALE--	38	-	2	1	3	6	2	1	2	4	5	-
RHODE ISLAND -----	85	-	-	-	2	14	9	4	1	8	11	9
WHITE-----MALE----	48	-	-	-	-	8	4	3	1	6	5	7
FEMALE--	21	-	-	-	2	1	-	1	-	2	3	1
ALL OTHER--MALE----	13	-	-	-	-	4	5	-	-	-	2	1
FEMALE--	3	-	-	-	-	1	-	-	-	-	1	-
BLACK---MALE----	6	-	-	-	-	-	2	-	-	-	2	1
FEMALE--	3	-	-	-	-	1	-	-	-	-	1	-
SOUTH CAROLINA -----	1,070	7	11	23	21	114	142	107	80	80	105	78
WHITE-----MALE----	493	2	2	7	7	61	77	50	34	37	37	36
FEMALE--	209	1	-	5	3	30	22	11	10	14	22	9
ALL OTHER--MALE----	265	4	4	7	8	12	34	35	24	26	33	23
FEMALE--	103	-	5	4	3	11	9	11	12	3	13	10
BLACK---MALE----	263	4	4	7	8	12	34	35	24	26	33	23
FEMALE--	101	-	5	4	3	11	9	11	11	3	13	9

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3454

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Transport accidents (V01-V99,Y85)												
OHIO -----	79	55	70	56	59	66	50	32	8	1	-	-
WHITE-----MALE----	47	28	42	26	28	39	26	18	3	1	-	-
FEMALE--	25	19	21	21	25	25	21	11	5	-	-	-
ALL OTHER--MALE----	4	4	4	6	5	1	1	2	-	-	-	-
FEMALE--	3	4	3	3	1	1	2	1	-	-	-	-
BLACK---MALE----	3	3	4	6	5	1	-	2	-	-	-	-
FEMALE--	3	2	3	2	1	1	2	1	-	-	-	-
OKLAHOMA -----	36	31	32	28	33	22	21	12	7	-	-	-
WHITE-----MALE----	19	17	21	15	18	9	12	4	4	-	-	-
FEMALE--	14	10	10	9	14	8	8	7	3	-	-	-
ALL OTHER--MALE----	2	2	-	2	1	3	1	1	-	-	-	-
FEMALE--	1	2	1	2	-	2	-	-	-	-	-	-
BLACK---MALE----	2	2	-	2	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
OREGON -----	37	28	30	19	28	19	17	15	2	-	-	-
WHITE-----MALE----	23	21	21	12	17	10	9	9	2	-	-	-
FEMALE--	11	6	8	4	10	9	7	6	-	-	-	-
ALL OTHER--MALE----	2	1	-	2	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	1	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	92	74	77	56	68	97	60	49	13	3	-	-
WHITE-----MALE----	58	43	42	28	38	48	35	28	3	2	-	-
FEMALE--	20	21	32	21	27	42	23	20	10	1	-	-
ALL OTHER--MALE----	12	6	2	6	2	1	1	-	-	-	-	-
FEMALE--	2	4	1	1	1	6	1	1	-	-	-	-
BLACK---MALE----	12	5	1	6	2	1	1	-	-	-	-	-
FEMALE--	2	2	1	1	1	3	1	1	-	-	-	-
RHODE ISLAND -----	5	3	4	2	3	5	-	3	2	-	-	-
WHITE-----MALE----	5	2	3	1	2	-	-	-	1	-	-	-
FEMALE--	-	1	-	1	1	5	-	3	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
SOUTH CAROLINA -----	57	41	39	46	38	31	30	19	1	-	-	-
WHITE-----MALE----	29	18	19	17	22	17	12	8	1	-	-	-
FEMALE--	9	9	7	20	7	10	13	7	-	-	-	-
ALL OTHER--MALE----	14	11	10	6	7	2	4	1	-	-	-	-
FEMALE--	5	3	3	3	2	2	1	3	-	-	-	-
BLACK---MALE----	14	10	10	5	7	2	4	1	-	-	-	-
FEMALE--	5	3	3	3	2	2	1	3	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3455

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Transport accidents (V01-V99,Y85)												
SOUTH DAKOTA -----	193	-	6	4	10	25	23	13	16	16	12	13
WHITE-----MALE----	99	-	4	2	6	13	11	1	7	8	8	5
FEMALE--	36	-	2	-	1	5	3	-	1	5	3	4
ALL OTHER--MALE----	43	-	-	1	1	6	7	9	6	2	1	4
FEMALE--	15	-	-	1	2	1	2	3	2	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1,454	4	18	25	28	168	187	143	116	145	123	97
WHITE-----MALE----	841	1	6	10	13	100	122	87	67	90	72	54
FEMALE--	397	-	6	8	11	57	40	35	31	30	30	24
ALL OTHER--MALE----	144	2	4	3	2	6	16	17	11	16	16	17
FEMALE--	72	1	2	4	2	5	9	4	7	9	5	2
BLACK---MALE----	140	2	4	3	2	6	16	16	11	15	16	16
FEMALE--	69	1	2	4	2	4	9	4	6	9	5	2
TEXAS -----	4,088	17	89	88	93	503	549	390	336	346	313	296
WHITE-----MALE----	2,419	8	37	37	51	291	367	238	202	203	201	179
FEMALE--	1,151	7	40	36	29	162	111	78	83	96	68	82
ALL OTHER--MALE----	369	1	8	12	8	35	53	56	37	33	35	26
FEMALE--	149	1	4	3	5	15	18	18	14	14	9	9
BLACK---MALE----	324	1	6	10	5	32	47	48	32	30	35	26
FEMALE--	116	1	3	2	5	14	17	11	9	11	8	6
UTAH -----	387	-	7	11	10	52	53	28	26	28	28	23
WHITE-----MALE----	237	-	5	5	4	33	35	16	14	13	15	12
FEMALE--	123	-	2	5	5	19	13	8	8	12	9	9
ALL OTHER--MALE----	22	-	-	-	-	-	5	3	4	2	4	2
FEMALE--	5	-	-	1	1	-	-	1	-	1	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	2	-	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	80	-	2	-	1	12	11	4	5	9	9	6
WHITE-----MALE----	52	-	-	-	1	8	9	3	3	6	6	5
FEMALE--	27	-	2	-	-	4	2	1	2	3	3	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1,043	1	12	9	18	146	121	90	100	85	91	56
WHITE-----MALE----	569	-	3	4	3	80	78	53	57	49	51	32
FEMALE--	264	-	4	1	5	41	28	12	19	15	24	13
ALL OTHER--MALE----	161	1	4	3	8	19	11	19	22	14	14	8
FEMALE--	49	-	1	1	2	6	4	6	2	7	2	3
BLACK---MALE----	147	1	3	3	8	17	10	16	20	12	13	7
FEMALE--	38	-	1	1	1	5	4	5	2	7	2	2

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3455

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Transport accidents (V01-V99,Y85)												
SOUTH DAKOTA -----	9	7	7	6	9	6	6	1	4	-	-	-
WHITE-----MALE----	6	5	3	2	6	4	3	1	4	-	-	-
FEMALE--	-	2	1	2	2	2	3	-	-	-	-	-
ALL OTHER--MALE----	3	-	1	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	66	50	55	44	37	59	48	28	11	1	-	1
WHITE-----MALE----	36	35	27	27	21	30	20	14	7	1	-	1
FEMALE--	15	7	20	12	10	26	21	11	3	-	-	-
ALL OTHER--MALE----	6	6	5	4	3	2	6	1	1	-	-	-
FEMALE--	9	2	3	1	3	1	1	2	-	-	-	-
BLACK---MALE----	6	6	4	4	3	2	6	1	1	-	-	-
FEMALE--	8	2	3	1	3	1	1	2	-	-	-	-
TEXAS -----	225	171	131	115	126	124	86	66	16	3	-	5
WHITE-----MALE----	137	97	81	63	69	64	48	33	5	3	-	5
FEMALE--	61	51	36	39	50	48	36	29	9	-	-	-
ALL OTHER--MALE----	18	13	10	10	5	3	2	2	2	-	-	-
FEMALE--	9	10	4	3	2	9	-	2	-	-	-	-
BLACK---MALE----	15	11	7	8	4	3	1	1	2	-	-	-
FEMALE--	6	8	4	3	1	6	-	1	-	-	-	-
UTAH -----	28	20	15	10	12	9	11	10	5	-	-	1
WHITE-----MALE----	23	14	10	8	7	6	9	4	3	-	-	1
FEMALE--	3	5	5	2	5	3	2	6	2	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	2	2	5	4	3	2	3	-	-	-	-	-
WHITE-----MALE----	2	-	-	3	3	2	1	-	-	-	-	-
FEMALE--	-	2	4	1	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	58	41	39	34	39	38	35	25	5	-	-	-
WHITE-----MALE----	29	22	16	16	24	22	11	14	5	-	-	-
FEMALE--	16	12	17	10	11	11	18	7	-	-	-	-
ALL OTHER--MALE----	10	5	5	6	2	2	5	3	-	-	-	-
FEMALE--	3	2	1	2	2	3	1	1	-	-	-	-
BLACK---MALE----	10	4	5	6	2	2	5	3	-	-	-	-
FEMALE--	1	1	1	1	1	2	-	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3457

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Railway accidents (V05,V15,V80.6,V81.2-V81.9)												
UNITED STATES -	482	1	5	2	14	47	46	38	42	71	67	47
WHITE-----MALE----	326	1	1	2	6	35	30	31	25	50	46	31
FEMALE--	49	-	1	-	3	4	6	3	5	7	4	4
ALL OTHER--MALE----	91	-	3	-	4	7	9	4	9	11	16	10
FEMALE--	16	-	-	-	1	1	1	-	3	3	1	2
BLACK---MALE-----	80	-	2	-	3	6	9	4	8	10	14	10
FEMALE--	12	-	-	-	-	1	1	-	3	2	-	1
ALABAMA -----	11	-	-	-	1	1	3	-	1	1	1	1
WHITE-----MALE----	5	-	-	-	1	1	-	-	1	1	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	2	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	5	-	-	-	-	-	2	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
ALASKA -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	12	-	-	-	-	-	-	3	2	3	2	-
WHITE-----MALE----	8	-	-	-	-	-	-	3	1	2	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	1	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	6	-	1	-	-	-	-	1	1	1	-	2
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	1	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	2	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
CALIFORNIA -----	70	1	-	-	2	11	3	3	4	12	10	7
WHITE-----MALE----	53	1	-	-	1	10	2	2	4	8	8	4
FEMALE--	7	-	-	-	1	1	1	-	-	2	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	1	-	1	1	1
FEMALE--	5	-	-	-	-	-	-	-	-	1	1	2
BLACK---MALE-----	3	-	-	-	-	-	-	1	-	1	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3457

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Railway accidents (V05,V15,V80.6,V81.2-V81.9)												
UNITED STATES -	33	16	15	8	7	5	6	4	2	-	-	6
WHITE-----MALE----	19	10	12	5	6	4	3	2	1	-	-	6
FEMALE--	3	1	2	1	1	1	1	1	1	-	-	-
ALL OTHER--MALE----	9	5	1	2	-	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE-----	6	4	1	2	-	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	1	-	-	-	-
ALABAMA -----	1	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	-	-	-	1	-	-	-	-	-	1
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	5	3	1	1	2	1	1	2	1	-	-	-
WHITE-----MALE----	4	2	1	1	2	1	-	2	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3458

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Railway accidents (V05,V15,V80.6,V81.2-V81.9)												
COLORADO -----	-	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	5	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	2	1	2	1	1	-	1	1	-	-	-	1
WHITE-----MALE----	-	-	1	-	1	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	1	1	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	1	1	1	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3466

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)												
UNITED STATES -	43,354	168	651	780	992	5,251	5,309	3,715	3,169	3,545	3,382	2,936
WHITE-----MALE----	24,470	64	275	330	485	3,026	3,291	2,191	1,876	2,061	1,996	1,739
FEMALE--	11,690	51	209	263	311	1,504	1,060	717	664	857	776	682
ALL OTHER--MALE----	4,981	26	93	99	129	501	698	613	455	446	437	352
FEMALE--	2,213	27	74	88	67	220	260	194	174	181	173	163
BLACK---MALE----	3,922	21	74	80	105	358	528	470	372	361	374	288
FEMALE--	1,577	19	60	69	48	155	193	144	125	124	128	127
ALABAMA -----	1,064	3	13	14	22	139	135	78	88	85	104	73
WHITE-----MALE----	523	-	5	8	14	80	57	37	39	47	57	40
FEMALE--	252	2	2	3	6	40	28	13	21	17	15	11
ALL OTHER--MALE----	208	-	3	2	2	10	37	20	26	15	27	14
FEMALE--	81	1	3	1	-	9	13	8	2	6	5	8
BLACK---MALE----	205	-	3	2	2	10	36	20	25	15	27	14
FEMALE--	76	1	3	1	-	8	12	8	2	5	5	8
ALASKA -----	132	2	3	1	5	25	14	13	6	6	9	16
WHITE-----MALE----	55	1	-	-	-	7	7	7	4	4	3	9
FEMALE--	27	1	1	-	-	7	-	2	1	2	3	4
ALL OTHER--MALE----	40	-	1	1	5	9	5	3	1	-	3	2
FEMALE--	10	-	1	-	-	2	2	1	-	-	-	1
BLACK---MALE----	2	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
ARIZONA -----	999	6	24	18	27	113	117	78	78	63	85	68
WHITE-----MALE----	533	1	10	7	11	58	69	50	42	27	54	38
FEMALE--	248	2	10	6	9	33	18	12	11	11	15	18
ALL OTHER--MALE----	147	2	2	4	4	16	19	12	19	14	11	9
FEMALE--	71	1	2	1	3	6	11	4	6	11	5	3
BLACK---MALE----	21	1	-	1	1	1	2	-	4	1	-	2
FEMALE--	6	-	1	-	-	1	1	1	-	-	-	1
ARKANSAS -----	680	5	10	11	20	81	78	50	51	57	49	48
WHITE-----MALE----	380	1	4	1	9	51	51	23	30	37	27	24
FEMALE--	206	3	2	5	10	27	13	15	15	14	12	14
ALL OTHER--MALE----	70	-	3	3	-	3	9	10	6	4	8	8
FEMALE--	24	1	1	2	1	-	5	2	-	2	2	2
BLACK---MALE----	64	-	3	2	-	3	8	9	6	4	7	7
FEMALE--	21	1	1	2	1	-	5	2	-	2	1	-
CALIFORNIA -----	3,743	19	71	90	88	364	457	331	262	297	287	290
WHITE-----MALE----	2,181	9	36	32	49	215	285	210	184	170	177	177
FEMALE--	940	6	21	41	24	97	91	46	48	78	62	65
ALL OTHER--MALE----	403	2	6	11	12	35	56	58	24	37	27	30
FEMALE--	219	2	8	6	3	17	25	17	6	12	21	18
BLACK---MALE----	200	1	2	6	9	15	24	24	19	25	10	18
FEMALE--	76	1	3	4	2	5	5	10	2	6	11	8

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3466

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)												
UNITED STATES -	2,425	1,917	1,589	1,436	1,602	1,764	1,409	953	285	47	3	26
WHITE-----MALE----	1,392	1,085	852	736	816	879	696	482	148	25	1	24
FEMALE--	597	537	510	498	586	719	612	403	114	18	2	-
ALL OTHER--MALE----	297	208	161	134	116	101	63	35	13	2	-	2
FEMALE--	139	87	66	68	84	65	38	33	10	2	-	-
BLACK---MALE----	242	171	124	107	94	68	46	26	10	2	-	1
FEMALE--	100	54	45	43	57	34	25	21	6	-	-	-
ALABAMA -----	54	46	33	45	42	35	26	26	2	1	-	-
WHITE-----MALE----	24	26	21	17	19	16	6	10	-	-	-	-
FEMALE--	14	8	6	19	11	13	12	11	-	-	-	-
ALL OTHER--MALE----	13	9	5	5	7	5	4	2	1	1	-	-
FEMALE--	3	3	1	4	5	1	4	3	1	-	-	-
BLACK---MALE----	12	9	5	5	7	5	4	2	1	1	-	-
FEMALE--	2	3	1	4	4	1	4	3	1	-	-	-
ALASKA -----	9	3	4	3	2	5	5	1	-	-	-	-
WHITE-----MALE----	6	2	1	-	1	1	1	1	-	-	-	-
FEMALE--	2	1	-	2	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	2	1	-	3	4	-	-	-	-	-
FEMALE--	1	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	65	48	37	40	36	35	27	30	3	1	-	-
WHITE-----MALE----	37	25	23	17	15	16	18	13	1	1	-	-
FEMALE--	14	17	6	13	14	15	8	15	1	-	-	-
ALL OTHER--MALE----	10	3	5	6	4	3	1	2	1	-	-	-
FEMALE--	4	3	3	4	3	1	-	-	-	-	-	-
BLACK---MALE----	3	1	1	2	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	48	35	34	27	12	22	29	11	1	1	-	-
WHITE-----MALE----	26	18	13	13	7	16	19	8	1	1	-	-
FEMALE--	16	10	14	12	5	6	10	3	-	-	-	-
ALL OTHER--MALE----	6	5	5	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	2	2	-	-	-	-	-	-	-	-
BLACK---MALE----	6	4	5	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	2	2	-	-	-	-	-	-	-	-
CALIFORNIA -----	236	168	113	107	163	152	128	79	27	6	-	8
WHITE-----MALE----	140	89	64	50	90	76	61	41	14	4	-	8
FEMALE--	55	52	29	42	49	46	51	26	10	1	-	-
ALL OTHER--MALE----	25	17	14	8	11	15	9	4	2	-	-	-
FEMALE--	16	10	6	7	13	15	7	8	1	1	-	-
BLACK---MALE----	15	10	7	3	5	3	2	1	1	-	-	-
FEMALE--	8	5	-	-	3	1	2	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3467

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)												
COLORADO -----	751	5	13	12	19	74	101	72	44	72	71	51
WHITE-----MALE----	460	2	7	6	4	49	64	51	29	56	46	27
FEMALE--	238	2	4	5	13	22	24	14	9	15	22	20
ALL OTHER--MALE----	35	-	-	-	2	2	9	4	4	1	2	4
FEMALE--	18	1	2	1	-	1	4	3	2	-	1	-
BLACK---MALE----	17	-	-	-	1	2	4	1	3	-	1	2
FEMALE--	7	-	2	-	-	-	2	2	-	-	-	-
CONNECTICUT -----	340	1	2	1	4	36	42	28	26	37	21	19
WHITE-----MALE----	211	-	-	-	3	26	30	19	16	26	13	13
FEMALE--	93	1	2	1	1	4	4	6	8	8	3	5
ALL OTHER--MALE----	32	-	-	-	-	6	7	3	2	2	5	1
FEMALE--	4	-	-	-	-	-	1	-	-	1	-	-
BLACK---MALE----	31	-	-	-	-	6	7	2	2	2	5	1
FEMALE--	3	-	-	-	-	-	1	-	-	1	-	-
DELAWARE -----	126	1	2	1	6	27	13	7	7	12	16	3
WHITE-----MALE----	74	1	1	-	2	18	7	4	4	7	11	3
FEMALE--	30	-	-	1	2	6	2	2	2	3	2	-
ALL OTHER--MALE----	17	-	1	-	2	2	2	1	1	2	2	-
FEMALE--	5	-	-	-	-	1	2	-	-	-	1	-
BLACK---MALE----	17	-	1	-	2	2	2	1	1	2	2	-
FEMALE--	5	-	-	-	-	1	2	-	-	-	1	-
DISTRICT OF COLUMBIA ---	56	-	2	2	1	4	4	6	4	5	4	6
WHITE-----MALE----	6	-	-	-	-	-	1	-	1	1	-	1
FEMALE--	7	-	1	-	-	-	-	2	-	1	-	1
ALL OTHER--MALE----	30	-	1	1	1	3	2	3	2	3	4	-
FEMALE--	13	-	-	1	-	1	1	1	1	-	-	4
BLACK---MALE----	30	-	1	1	1	3	2	3	2	3	4	-
FEMALE--	13	-	-	1	-	1	1	1	1	-	-	4
FLORIDA -----	3,057	6	32	41	67	309	328	251	226	253	247	234
WHITE-----MALE----	1,766	-	11	16	30	189	207	156	135	150	156	143
FEMALE--	796	4	7	12	19	65	56	49	53	52	47	55
ALL OTHER--MALE----	358	1	6	7	13	41	47	33	31	43	32	23
FEMALE--	137	1	8	6	5	14	18	13	7	8	12	13
BLACK---MALE----	339	1	6	7	13	37	42	32	30	42	31	22
FEMALE--	130	1	8	6	5	14	16	13	6	7	11	12
GEORGIA -----	1,536	14	24	28	36	173	184	171	109	131	112	103
WHITE-----MALE----	759	4	13	8	14	88	86	96	51	58	56	56
FEMALE--	361	5	3	10	10	44	39	26	25	30	26	20
ALL OTHER--MALE----	288	2	3	4	4	31	50	31	19	27	21	23
FEMALE--	128	3	5	6	8	10	9	18	14	16	9	4
BLACK---MALE----	270	2	3	3	4	29	47	27	18	26	21	21
FEMALE--	116	3	5	5	7	10	7	16	14	14	8	4

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3467

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)												
COLORADO -----	47	30	24	25	23	31	17	13	3	1	-	3
WHITE-----MALE----	35	16	17	8	10	13	7	8	2	-	-	3
FEMALE--	10	13	5	16	12	16	9	5	1	1	-	-
ALL OTHER--MALE----	2	-	2	1	-	2	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	2	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	20	21	10	8	10	26	11	12	4	1	-	-
WHITE-----MALE----	11	11	5	5	5	13	5	8	2	-	-	-
FEMALE--	6	8	3	3	5	13	6	4	1	1	-	-
ALL OTHER--MALE----	2	2	1	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	2	1	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
DELAWARE -----	1	5	5	3	3	6	7	1	-	-	-	-
WHITE-----MALE----	-	3	3	2	2	3	3	-	-	-	-	-
FEMALE--	1	2	-	1	-	3	3	-	-	-	-	-
ALL OTHER--MALE----	-	-	2	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	2	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
DISTRICT OF COLUMBIA ---	4	2	2	2	3	-	4	-	1	-	-	-
WHITE-----MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	4	2	-	1	1	-	2	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	1	-	1	-	-	-
BLACK---MALE----	4	2	-	1	1	-	2	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	1	-	1	-	-	-
FLORIDA -----	198	153	107	104	113	133	136	79	28	5	1	6
WHITE-----MALE----	123	90	51	59	58	65	63	39	20	1	-	4
FEMALE--	43	38	34	38	46	60	70	37	7	3	1	-
ALL OTHER--MALE----	21	20	16	6	5	6	1	2	1	1	-	2
FEMALE--	11	5	6	1	4	2	2	1	-	-	-	-
BLACK---MALE----	20	20	15	6	5	5	-	2	1	1	-	1
FEMALE--	10	5	6	1	4	2	2	1	-	-	-	-
GEORGIA -----	75	64	56	74	55	75	25	19	5	2	-	1
WHITE-----MALE----	41	32	24	41	21	42	15	8	3	1	-	1
FEMALE--	12	14	18	17	19	21	9	10	2	1	-	-
ALL OTHER--MALE----	15	16	11	8	11	10	1	1	-	-	-	-
FEMALE--	7	2	3	8	4	2	-	-	-	-	-	-
BLACK---MALE----	14	15	10	7	11	10	1	1	-	-	-	-
FEMALE--	6	2	2	7	4	2	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3468

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)												
HAWAII -----	11	8	6	8	7	6	4	5	3	-	-	-
WHITE-----MALE----	1	2	2	1	-	-	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	7	4	4	4	4	5	1	3	1	-	-	-
FEMALE--	3	2	-	3	3	1	1	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	20	20	8	4	7	10	10	8	1	-	-	-
WHITE-----MALE----	14	9	2	2	4	6	5	6	-	-	-	-
FEMALE--	4	10	6	1	3	4	5	2	1	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	87	59	58	43	61	60	49	38	12	-	-	-
WHITE-----MALE----	47	30	37	19	26	29	25	26	8	-	-	-
FEMALE--	25	20	11	15	27	25	22	11	4	-	-	-
ALL OTHER--MALE----	8	7	8	7	4	2	2	1	-	-	-	-
FEMALE--	7	2	2	2	4	4	-	-	-	-	-	-
BLACK---MALE----	7	6	5	6	4	1	1	1	-	-	-	-
FEMALE--	6	2	2	2	4	3	-	-	-	-	-	-
INDIANA -----	55	30	41	26	37	43	26	18	2	2	-	-
WHITE-----MALE----	34	17	21	16	16	21	12	4	1	-	-	-
FEMALE--	15	12	16	4	19	21	13	14	1	2	-	-
ALL OTHER--MALE----	5	1	1	4	1	-	1	-	-	-	-	-
FEMALE--	1	-	3	2	1	1	-	-	-	-	-	-
BLACK---MALE----	5	1	1	4	1	-	1	-	-	-	-	-
FEMALE--	1	-	2	1	1	1	-	-	-	-	-	-
IOWA -----	25	18	17	20	23	28	16	20	6	1	-	-
WHITE-----MALE----	14	10	11	10	14	14	11	10	3	1	-	-
FEMALE--	11	8	6	10	9	14	5	10	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	25	15	23	15	16	27	25	8	3	1	-	-
WHITE-----MALE----	11	9	14	12	6	18	12	5	2	-	-	-
FEMALE--	10	5	8	3	10	8	11	3	1	1	-	-
ALL OTHER--MALE----	2	-	1	-	-	1	1	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	2	-	1	-	-	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3469

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)												
KENTUCKY -----	832	2	21	13	18	121	110	72	62	65	62	48
WHITE-----MALE----	549	1	11	8	13	80	77	47	43	43	39	35
FEMALE--	230	-	6	3	5	32	26	19	16	21	16	13
ALL OTHER--MALE----	33	-	3	1	-	6	2	5	2	-	5	-
FEMALE--	20	1	1	1	-	3	5	1	1	1	2	-
BLACK---MALE----	33	-	3	1	-	6	2	5	2	-	5	-
FEMALE--	18	1	-	1	-	3	5	1	1	1	1	-
LOUISIANA -----	1,014	5	23	19	25	116	150	86	84	71	85	66
WHITE-----MALE----	477	1	6	4	7	55	85	47	45	31	42	27
FEMALE--	220	1	7	3	9	26	25	10	11	16	17	10
ALL OTHER--MALE----	210	3	8	6	7	22	25	19	20	16	19	18
FEMALE--	107	-	2	6	2	13	15	10	8	8	7	11
BLACK---MALE----	204	3	7	6	7	21	25	19	19	15	19	18
FEMALE--	106	-	2	6	2	13	15	10	8	8	7	11
MAINE -----	175	1	4	5	3	23	20	13	11	7	10	12
WHITE-----MALE----	104	1	3	4	2	13	14	9	7	5	7	10
FEMALE--	69	-	1	1	1	10	4	4	4	2	3	2
ALL OTHER--MALE----	2	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	612	2	6	7	15	79	69	50	53	42	50	42
WHITE-----MALE----	297	1	2	1	7	39	42	18	26	21	27	21
FEMALE--	121	-	2	1	4	15	8	7	6	5	4	9
ALL OTHER--MALE----	125	1	-	2	2	17	14	21	15	11	8	6
FEMALE--	69	-	2	3	2	8	5	4	6	5	11	6
BLACK---MALE----	116	1	-	2	2	16	13	18	15	11	8	5
FEMALE--	58	-	2	2	1	6	5	3	5	4	11	4
MASSACHUSETTS -----	493	-	4	6	6	65	55	33	34	40	31	31
WHITE-----MALE----	303	-	2	3	5	40	36	20	22	31	22	19
FEMALE--	145	-	1	2	1	18	11	9	8	6	6	8
ALL OTHER--MALE----	32	-	1	-	-	4	7	4	3	1	2	3
FEMALE--	13	-	-	1	-	3	1	-	1	2	1	1
BLACK---MALE----	19	-	1	-	-	2	4	1	3	-	1	2
FEMALE--	6	-	-	1	-	2	-	-	1	-	-	1
MICHIGAN -----	1,507	4	21	26	51	192	149	124	120	103	114	101
WHITE-----MALE----	811	2	9	16	21	102	85	71	65	53	66	62
FEMALE--	439	-	6	7	18	68	33	26	19	29	29	17
ALL OTHER--MALE----	178	-	3	1	8	15	18	23	23	13	18	15
FEMALE--	79	2	3	2	4	7	13	4	13	8	1	7
BLACK---MALE----	165	-	2	1	8	11	17	21	23	12	17	14
FEMALE--	68	1	3	2	3	4	12	3	11	8	1	7

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3469

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)												
KENTUCKY -----	50	31	26	25	28	31	25	16	4	2	-	-
WHITE-----MALE----	35	22	17	17	17	19	11	10	2	2	-	-
FEMALE--	11	8	9	6	8	10	14	6	1	-	-	-
ALL OTHER--MALE----	3	1	-	1	3	1	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	1	-	-	1	-	-	-
BLACK---MALE----	3	1	-	1	3	1	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	1	-	-	1	-	-	-
LOUISIANA -----	77	43	22	38	35	36	17	11	5	-	-	-
WHITE-----MALE----	40	27	9	17	10	13	6	4	1	-	-	-
FEMALE--	12	9	7	9	14	17	9	5	3	-	-	-
ALL OTHER--MALE----	17	4	4	7	6	4	2	2	1	-	-	-
FEMALE--	8	3	2	5	5	2	-	-	-	-	-	-
BLACK---MALE----	16	4	4	7	6	3	2	2	1	-	-	-
FEMALE--	8	3	2	4	5	2	-	-	-	-	-	-
MAINE -----	6	13	10	7	6	8	9	3	4	-	-	-
WHITE-----MALE----	3	8	5	2	3	2	4	1	1	-	-	-
FEMALE--	3	5	5	5	3	6	5	2	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	36	25	29	20	19	16	33	16	3	-	-	-
WHITE-----MALE----	14	14	15	10	8	8	16	5	2	-	-	-
FEMALE--	7	2	8	6	6	6	14	10	1	-	-	-
ALL OTHER--MALE----	9	6	3	4	2	2	1	1	-	-	-	-
FEMALE--	6	3	3	-	3	-	2	-	-	-	-	-
BLACK---MALE----	7	6	2	4	2	2	1	1	-	-	-	-
FEMALE--	5	3	3	-	3	-	1	-	-	-	-	-
MASSACHUSETTS -----	30	31	20	20	20	34	19	11	2	1	-	-
WHITE-----MALE----	21	17	8	15	13	14	7	6	1	1	-	-
FEMALE--	6	11	11	5	6	19	12	4	1	-	-	-
ALL OTHER--MALE----	1	3	1	-	1	1	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	1	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
MICHIGAN -----	66	91	62	50	68	65	46	38	14	2	-	-
WHITE-----MALE----	36	57	37	26	33	24	25	16	4	1	-	-
FEMALE--	18	25	22	18	25	30	18	20	10	1	-	-
ALL OTHER--MALE----	9	8	3	4	8	7	1	1	-	-	-	-
FEMALE--	3	1	-	2	2	4	2	1	-	-	-	-
BLACK---MALE----	9	8	3	3	7	7	1	1	-	-	-	-
FEMALE--	3	-	-	2	2	3	2	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3470

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)												
MINNESOTA -----	689	1	8	14	17	91	94	67	49	55	50	47
WHITE-----MALE----	409	-	4	6	11	55	60	37	32	34	32	29
FEMALE--	220	1	3	5	5	31	20	21	9	15	14	15
ALL OTHER--MALE----	37	-	1	-	-	3	9	7	4	3	3	3
FEMALE--	23	-	-	3	1	2	5	2	4	3	1	-
BLACK---MALE-----	12	-	1	-	-	-	4	3	1	2	-	-
FEMALE--	8	-	-	3	-	-	3	1	1	-	-	-
MISSISSIPPI -----	935	5	19	16	18	112	114	95	66	76	59	80
WHITE-----MALE----	416	1	7	6	11	52	52	39	34	36	22	42
FEMALE--	200	1	5	4	2	24	13	19	12	22	15	8
ALL OTHER--MALE----	232	1	3	3	2	22	36	27	16	14	19	19
FEMALE--	87	2	4	3	3	14	13	10	4	4	3	11
BLACK---MALE-----	225	1	2	3	2	22	32	27	16	14	18	18
FEMALE--	86	2	4	3	3	14	13	10	4	4	3	10
MISSOURI -----	1,097	2	11	26	30	180	142	70	64	95	94	66
WHITE-----MALE----	654	2	3	14	16	103	89	40	28	64	55	45
FEMALE--	335	-	6	8	10	63	36	19	20	21	28	18
ALL OTHER--MALE----	83	-	1	2	4	13	14	6	13	8	9	3
FEMALE--	25	-	1	2	-	1	3	5	3	2	2	-
BLACK---MALE-----	79	-	1	2	3	11	14	6	13	7	9	3
FEMALE--	23	-	1	2	-	1	3	4	3	2	2	-
MONTANA -----	234	2	2	6	8	36	22	23	18	19	16	13
WHITE-----MALE----	135	2	-	3	8	13	15	11	10	10	12	10
FEMALE--	60	-	2	1	-	13	4	4	3	6	2	2
ALL OTHER--MALE----	26	-	-	-	-	8	2	7	2	3	1	-
FEMALE--	13	-	-	2	-	2	1	1	3	-	1	1
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	285	2	4	9	3	42	34	20	16	16	20	22
WHITE-----MALE----	175	-	3	3	1	23	25	14	11	12	12	12
FEMALE--	98	1	1	5	2	18	8	6	5	4	5	9
ALL OTHER--MALE----	7	-	-	1	-	-	-	-	-	-	1	1
FEMALE--	5	1	-	-	-	1	1	-	-	-	2	-
BLACK---MALE-----	4	-	-	1	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	303	4	4	11	14	32	33	27	19	26	26	19
WHITE-----MALE----	171	1	1	6	8	17	23	17	11	10	16	12
FEMALE--	88	1	3	3	3	12	6	3	6	12	8	3
ALL OTHER--MALE----	29	2	-	1	3	3	3	5	1	2	-	4
FEMALE--	15	-	-	1	-	-	1	2	1	2	2	-
BLACK---MALE-----	19	1	-	-	3	3	1	3	1	1	-	1
FEMALE--	7	-	-	-	-	-	-	1	1	1	2	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3472

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)												
OHIO -----	1,456	2	19	34	37	184	167	121	106	120	122	91
WHITE-----MALE----	845	2	9	12	15	109	108	76	63	79	75	54
FEMALE--	442	-	4	16	17	63	43	27	24	23	34	24
ALL OTHER--MALE----	124	-	4	3	4	9	14	18	15	15	10	7
FEMALE--	45	-	2	3	1	3	2	-	4	3	3	6
BLACK---MALE----	113	-	2	3	4	9	12	17	14	15	9	6
FEMALE--	39	-	1	3	1	3	2	-	3	3	2	6
OKLAHOMA -----	679	4	6	6	17	98	84	44	47	58	66	37
WHITE-----MALE----	380	2	1	3	9	51	45	26	27	41	40	24
FEMALE--	200	1	4	1	5	31	24	8	13	11	15	5
ALL OTHER--MALE----	53	1	1	-	1	7	6	5	5	4	7	5
FEMALE--	46	-	-	2	2	9	9	5	2	2	4	3
BLACK---MALE----	24	-	1	-	-	2	3	3	1	1	3	3
FEMALE--	13	-	-	-	1	2	3	2	-	-	1	3
OREGON -----	478	1	10	6	11	66	59	29	27	37	39	23
WHITE-----MALE----	299	-	4	3	7	40	39	19	19	22	23	17
FEMALE--	146	-	6	3	3	20	13	7	8	12	14	5
ALL OTHER--MALE----	19	1	-	-	-	3	6	2	-	1	1	1
FEMALE--	14	-	-	-	1	3	1	1	-	2	1	-
BLACK---MALE----	4	-	-	-	-	-	1	1	-	-	1	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
PENNSYLVANIA -----	1,522	3	16	22	23	188	186	130	104	132	122	86
WHITE-----MALE----	960	3	8	10	9	117	128	88	78	85	90	57
FEMALE--	413	-	2	9	8	50	41	25	18	32	19	25
ALL OTHER--MALE----	110	-	4	1	3	16	15	16	7	10	10	4
FEMALE--	39	-	2	2	3	5	2	1	1	5	3	-
BLACK---MALE----	100	-	4	1	3	14	15	14	6	8	10	3
FEMALE--	31	-	2	1	3	5	1	1	1	4	3	-
RHODE ISLAND -----	81	-	-	-	2	13	9	4	1	7	11	8
WHITE-----MALE----	45	-	-	-	-	7	4	3	1	5	5	7
FEMALE--	21	-	-	-	2	1	-	1	-	2	3	1
ALL OTHER--MALE----	12	-	-	-	-	4	5	-	-	-	2	-
FEMALE--	3	-	-	-	-	1	-	-	-	-	1	-
BLACK---MALE----	5	-	-	-	-	-	2	-	-	-	2	-
FEMALE--	3	-	-	-	-	1	-	-	-	-	1	-
SOUTH CAROLINA -----	1,025	7	10	23	21	112	137	101	79	75	97	75
WHITE-----MALE----	466	2	2	7	7	59	73	48	34	33	31	34
FEMALE--	204	1	-	5	3	30	22	9	10	14	22	9
ALL OTHER--MALE----	253	4	4	7	8	12	33	33	23	25	31	22
FEMALE--	102	-	4	4	3	11	9	11	12	3	13	10
BLACK---MALE----	251	4	4	7	8	12	33	33	23	25	31	22
FEMALE--	100	-	4	4	3	11	9	11	11	3	13	9

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3472

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100	AGE NOT STATED
											YEARS & OVER	
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)												
OHIO -----	76	53	65	53	55	63	47	32	8	1	-	-
WHITE-----MALE----	44	28	39	25	25	37	23	18	3	1	-	-
FEMALE--	25	17	20	20	24	24	21	11	5	-	-	-
ALL OTHER--MALE----	4	4	3	5	5	1	1	2	-	-	-	-
FEMALE--	3	4	3	3	1	1	2	1	-	-	-	-
BLACK---MALE----	3	3	3	5	5	1	-	2	-	-	-	-
FEMALE--	3	2	3	2	1	1	2	1	-	-	-	-
OKLAHOMA -----	35	29	30	28	31	21	20	12	6	-	-	-
WHITE-----MALE----	18	15	20	15	16	9	11	4	3	-	-	-
FEMALE--	14	10	9	9	14	8	8	7	3	-	-	-
ALL OTHER--MALE----	2	2	-	2	1	2	1	1	-	-	-	-
FEMALE--	1	2	1	2	-	2	-	-	-	-	-	-
BLACK---MALE----	2	2	-	2	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
OREGON -----	30	24	26	16	24	16	17	15	2	-	-	-
WHITE-----MALE----	18	18	18	10	14	8	9	9	2	-	-	-
FEMALE--	10	5	7	3	9	8	7	6	-	-	-	-
ALL OTHER--MALE----	1	1	-	2	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	1	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	80	57	65	46	62	85	54	47	11	3	-	-
WHITE-----MALE----	53	35	35	22	36	41	32	28	3	2	-	-
FEMALE--	16	12	28	17	25	39	20	18	8	1	-	-
ALL OTHER--MALE----	9	6	1	6	1	-	1	-	-	-	-	-
FEMALE--	2	4	1	1	-	5	1	1	-	-	-	-
BLACK---MALE----	9	5	-	6	1	-	1	-	-	-	-	-
FEMALE--	2	2	1	1	-	2	1	1	-	-	-	-
RHODE ISLAND -----	5	3	4	1	3	5	-	3	2	-	-	-
WHITE-----MALE----	5	2	3	-	2	-	-	-	1	-	-	-
FEMALE--	-	1	-	1	1	5	-	3	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
SOUTH CAROLINA -----	53	38	38	44	37	29	29	19	1	-	-	-
WHITE-----MALE----	27	17	18	16	21	16	12	8	1	-	-	-
FEMALE--	8	9	7	20	7	9	12	7	-	-	-	-
ALL OTHER--MALE----	13	9	10	5	7	2	4	1	-	-	-	-
FEMALE--	5	3	3	3	2	2	1	3	-	-	-	-
BLACK---MALE----	13	8	10	4	7	2	4	1	-	-	-	-
FEMALE--	5	3	3	3	2	2	1	3	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3473

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)												
SOUTH DAKOTA -----	178	-	6	4	10	25	20	13	14	15	8	12
WHITE-----MALE----	88	-	4	2	6	13	9	1	5	7	4	5
FEMALE--	35	-	2	-	1	5	3	-	1	5	3	3
ALL OTHER--MALE----	40	-	-	1	1	6	6	9	6	2	1	4
FEMALE--	15	-	-	1	2	1	2	3	2	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1,395	4	15	25	26	162	186	135	111	139	116	94
WHITE-----MALE----	798	1	5	10	11	98	121	81	63	88	65	52
FEMALE--	387	-	5	8	11	53	40	33	30	30	30	23
ALL OTHER--MALE----	138	2	3	3	2	6	16	17	11	12	16	17
FEMALE--	72	1	2	4	2	5	9	4	7	9	5	2
BLACK---MALE-----	134	2	3	3	2	6	16	16	11	11	16	16
FEMALE--	69	1	2	4	2	4	9	4	6	9	5	2
TEXAS -----	3,824	17	81	82	90	490	527	373	313	317	288	268
WHITE-----MALE----	2,221	8	32	34	50	283	350	221	188	180	181	154
FEMALE--	1,104	7	37	33	27	157	109	78	78	92	66	80
ALL OTHER--MALE----	351	1	8	12	8	35	50	56	34	31	32	25
FEMALE--	148	1	4	3	5	15	18	18	13	14	9	9
BLACK---MALE-----	310	1	6	10	5	32	44	48	29	30	32	25
FEMALE--	115	1	3	2	5	14	17	11	8	11	8	6
UTAH -----	364	-	7	10	10	50	52	27	25	27	26	22
WHITE-----MALE----	218	-	5	4	4	31	34	15	13	13	14	11
FEMALE--	120	-	2	5	5	19	13	8	8	11	9	9
ALL OTHER--MALE----	21	-	-	-	-	-	5	3	4	2	3	2
FEMALE--	5	-	-	1	1	-	-	1	-	1	-	-
BLACK---MALE-----	4	-	-	-	-	-	-	-	2	-	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	76	-	2	-	1	11	11	3	5	8	9	6
WHITE-----MALE----	51	-	-	-	1	8	9	2	3	6	6	5
FEMALE--	24	-	2	-	-	3	2	1	2	2	3	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	981	1	12	8	17	141	120	84	91	77	81	54
WHITE-----MALE----	524	-	3	3	3	75	77	48	51	44	43	32
FEMALE--	258	-	4	1	5	41	28	12	19	15	23	13
ALL OTHER--MALE----	150	1	4	3	7	19	11	18	19	11	13	6
FEMALE--	49	-	1	1	2	6	4	6	2	7	2	3
BLACK---MALE-----	136	1	3	3	7	17	10	15	17	9	12	5
FEMALE--	38	-	1	1	1	5	4	5	2	7	2	2

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3473

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)												
SOUTH DAKOTA -----	7	6	7	6	9	5	6	1	4	-	-	-
WHITE-----MALE----	6	4	3	2	6	3	3	1	4	-	-	-
FEMALE--	-	2	1	2	2	2	3	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	63	48	52	40	34	58	46	28	11	1	-	1
WHITE-----MALE----	34	33	24	23	18	29	19	14	7	1	-	1
FEMALE--	15	7	20	12	10	26	20	11	3	-	-	-
ALL OTHER--MALE----	5	6	5	4	3	2	6	1	1	-	-	-
FEMALE--	9	2	3	1	3	1	1	2	-	-	-	-
BLACK---MALE----	5	6	4	4	3	2	6	1	1	-	-	-
FEMALE--	8	2	3	1	3	1	1	2	-	-	-	-
TEXAS -----	202	156	115	102	117	120	83	61	16	3	-	3
WHITE-----MALE----	120	89	67	54	60	61	47	31	5	3	-	3
FEMALE--	55	45	36	37	50	47	34	27	9	-	-	-
ALL OTHER--MALE----	18	12	8	8	5	3	2	1	2	-	-	-
FEMALE--	9	10	4	3	2	9	-	2	-	-	-	-
BLACK---MALE----	15	10	7	6	4	3	1	-	2	-	-	-
FEMALE--	6	8	4	3	1	6	-	1	-	-	-	-
UTAH -----	26	16	14	7	11	9	9	10	5	-	-	1
WHITE-----MALE----	21	10	10	5	6	6	8	4	3	-	-	1
FEMALE--	3	5	4	2	5	3	1	6	2	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	2	1	5	4	3	2	3	-	-	-	-	-
WHITE-----MALE----	2	-	-	3	3	2	1	-	-	-	-	-
FEMALE--	-	1	4	1	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	52	39	35	31	39	36	33	25	5	-	-	-
WHITE-----MALE----	25	20	12	14	24	21	10	14	5	-	-	-
FEMALE--	14	12	17	9	11	10	17	7	-	-	-	-
ALL OTHER--MALE----	10	5	5	6	2	2	5	3	-	-	-	-
FEMALE--	3	2	1	2	2	3	1	1	-	-	-	-
BLACK---MALE----	10	4	5	6	2	2	5	3	-	-	-	-
FEMALE--	1	1	1	1	1	2	-	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3475

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pedestrian involved in collision with motor vehicle (V02-V04)												
UNITED STATES -	3,434	9	179	146	114	162	186	187	200	272	312	276
WHITE-----MALE----	1,773	3	76	60	56	81	121	105	121	139	160	160
FEMALE--	871	4	47	39	34	48	36	29	33	58	57	43
ALL OTHER--MALE----	567	1	35	28	17	26	25	43	33	55	67	56
FEMALE--	223	1	21	19	7	7	4	10	13	20	28	17
BLACK---MALE----	441	1	29	26	17	19	19	27	21	47	53	48
FEMALE--	163	1	18	16	6	5	3	9	9	15	25	15
ALABAMA -----	44	-	1	-	4	2	4	3	7	1	6	6
WHITE-----MALE----	17	-	-	-	2	1	2	2	2	-	1	4
FEMALE--	6	-	-	-	-	1	-	-	2	-	-	-
ALL OTHER--MALE----	21	-	1	-	2	-	2	1	3	1	5	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	21	-	1	-	2	-	2	1	3	1	5	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	3	-	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	55	-	1	2	1	3	2	3	8	4	5	5
WHITE-----MALE----	27	-	-	1	-	2	2	-	4	1	2	2
FEMALE--	12	-	-	1	1	-	-	2	1	-	1	1
ALL OTHER--MALE----	15	-	1	-	-	1	-	1	3	2	2	2
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	27	-	2	1	-	2	3	1	1	2	4	-
WHITE-----MALE----	14	-	1	-	-	2	1	1	1	2	1	-
FEMALE--	8	-	-	1	-	-	1	-	-	-	1	-
ALL OTHER--MALE----	4	-	1	-	-	-	1	-	-	-	2	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	1	-	-	-	1	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	510	3	29	21	10	17	22	33	35	43	41	27
WHITE-----MALE----	291	2	15	13	4	11	16	23	26	26	26	16
FEMALE--	121	1	10	3	1	4	4	2	4	9	5	4
ALL OTHER--MALE----	61	-	2	2	3	1	2	6	4	6	6	6
FEMALE--	37	-	2	3	2	1	-	2	1	2	4	1
BLACK---MALE----	34	-	1	2	3	1	1	1	3	5	1	6
FEMALE--	15	-	1	2	2	-	-	2	-	1	3	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3476

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pedestrian involved in collision with motor vehicle (V02-V04)												
COLORADO -----	63	-	4	1	6	2	4	3	4	7	7	7
WHITE-----MALE----	38	-	-	1	1	1	3	3	3	6	5	6
FEMALE--	19	-	2	-	5	1	-	-	-	1	1	1
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	4	-	2	-	-	-	-	-	1	-	1	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	2	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	27	1	1	-	-	1	1	1	-	4	3	1
WHITE-----MALE----	13	-	-	-	-	1	-	1	-	2	-	1
FEMALE--	10	1	1	-	-	-	1	-	-	1	2	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	5	-	-	-	1	-	-	-	-	-	2	-
WHITE-----MALE----	4	-	-	-	1	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	12	-	2	-	-	1	-	-	-	-	1	2
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	8	-	1	-	-	1	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	8	-	1	-	-	1	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	433	2	14	12	8	16	29	20	17	42	44	45
WHITE-----MALE----	239	-	6	3	5	6	20	14	9	22	26	30
FEMALE--	103	1	-	2	1	5	5	2	3	7	7	7
ALL OTHER--MALE----	65	-	4	4	2	3	3	3	3	11	9	6
FEMALE--	26	1	4	3	-	2	1	1	2	2	2	2
BLACK---MALE-----	62	-	4	4	2	3	3	3	2	11	9	6
FEMALE--	24	1	4	3	-	2	-	1	2	1	2	2
GEORGIA -----	85	1	6	3	5	4	4	4	5	10	10	7
WHITE-----MALE----	39	-	3	-	3	2	1	3	3	5	4	3
FEMALE--	13	1	-	1	1	-	2	-	1	1	2	-
ALL OTHER--MALE----	25	-	2	-	-	2	1	1	1	3	3	4
FEMALE--	8	-	1	2	1	-	-	-	-	1	1	-
BLACK---MALE-----	25	-	2	-	-	2	1	1	1	3	3	4
FEMALE--	8	-	1	2	1	-	-	-	-	1	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3478

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pedestrian involved in collision with motor vehicle (V02-V04)												
KENTUCKY -----	36	-	3	-	1	1	2	3	2	3	2	2
WHITE-----MALE----	24	-	-	-	1	1	2	1	1	3	2	1
FEMALE--	7	-	1	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	4	-	1	-	-	-	-	1	1	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	4	-	1	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	30	-	4	3	1	2	3	-	1	3	3	1
WHITE-----MALE----	11	-	-	-	-	2	-	-	1	1	2	1
FEMALE--	8	-	2	-	1	-	1	-	-	-	1	-
ALL OTHER--MALE----	9	-	2	2	-	-	2	-	-	1	-	-
FEMALE--	2	-	-	1	-	-	-	-	-	1	-	-
BLACK---MALE-----	9	-	2	2	-	-	2	-	-	1	-	-
FEMALE--	2	-	-	1	-	-	-	-	-	1	-	-
MAINE -----	19	-	2	2	1	-	-	1	-	1	1	2
WHITE-----MALE----	10	-	2	1	1	-	-	-	-	-	-	2
FEMALE--	9	-	-	1	-	-	-	1	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	61	-	2	2	-	3	3	2	4	4	8	6
WHITE-----MALE----	34	-	1	1	-	2	2	-	3	2	4	3
FEMALE--	11	-	1	-	-	1	-	1	-	1	2	1
ALL OTHER--MALE----	9	-	-	1	-	-	1	1	-	-	1	2
FEMALE--	7	-	-	-	-	-	-	-	1	1	1	-
BLACK---MALE-----	6	-	-	1	-	-	1	-	-	-	1	1
FEMALE--	5	-	-	-	-	-	-	-	-	1	1	-
MASSACHUSETTS -----	27	-	1	-	-	1	1	1	3	2	1	-
WHITE-----MALE----	16	-	1	-	-	1	1	1	2	2	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	114	1	6	3	5	7	7	2	5	6	16	14
WHITE-----MALE----	63	1	4	-	2	3	7	1	2	1	12	8
FEMALE--	26	-	2	3	1	2	-	1	1	2	-	3
ALL OTHER--MALE----	21	-	-	-	1	2	-	-	1	3	3	2
FEMALE--	4	-	-	-	1	-	-	-	1	-	1	1
BLACK---MALE-----	19	-	-	-	1	1	-	-	1	3	3	1
FEMALE--	4	-	-	-	1	-	-	-	1	-	1	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3481

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pedestrian involved in collision with motor vehicle (V02-V04)												
OHIO -----	81	-	6	6	5	9	5	-	5	3	7	3
WHITE-----MALE----	33	-	3	2	2	4	2	-	-	2	3	2
FEMALE--	33	-	1	4	3	5	2	-	4	-	1	-
ALL OTHER--MALE----	11	-	1	-	-	-	1	-	1	1	2	-
FEMALE--	4	-	1	-	-	-	-	-	-	-	1	1
BLACK---MALE----	10	-	1	-	-	-	-	-	1	1	2	-
FEMALE--	4	-	1	-	-	-	-	-	-	-	1	1
OKLAHOMA -----	32	-	2	-	2	2	-	2	4	4	2	3
WHITE-----MALE----	16	-	-	-	1	-	-	1	3	3	1	2
FEMALE--	12	-	2	-	1	2	-	1	-	-	1	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	1	1	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	46	-	2	-	3	2	2	2	-	3	2	4
WHITE-----MALE----	24	-	1	-	2	1	-	1	-	3	1	3
FEMALE--	18	-	1	-	1	1	1	1	-	-	1	1
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	86	-	6	5	3	2	5	3	4	3	8	4
WHITE-----MALE----	44	-	2	2	1	1	4	2	3	1	3	3
FEMALE--	25	-	-	3	2	1	1	-	-	-	1	1
ALL OTHER--MALE----	11	-	3	-	-	-	-	1	1	1	3	-
FEMALE--	6	-	1	-	-	-	-	-	-	1	1	-
BLACK---MALE----	11	-	3	-	-	-	-	1	1	1	3	-
FEMALE--	5	-	1	-	-	-	-	-	-	1	1	-
RHODE ISLAND -----	7	-	-	-	-	1	-	1	-	-	-	1
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	65	-	1	3	1	3	6	3	6	9	7	8
WHITE-----MALE----	29	-	-	1	-	3	1	1	4	4	3	3
FEMALE--	6	-	-	-	-	-	1	-	-	2	-	-
ALL OTHER--MALE----	24	-	-	2	1	-	4	1	1	3	3	4
FEMALE--	6	-	1	-	-	-	-	1	1	-	1	1
BLACK---MALE----	24	-	-	2	1	-	4	1	1	3	3	4
FEMALE--	6	-	1	-	-	-	-	1	1	-	1	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3482

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pedestrian involved in collision with motor vehicle (V02-V04)												
SOUTH DAKOTA -----	20	-	2	2	1	1	-	2	2	2	-	1
WHITE-----MALE----	8	-	2	1	1	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	1	-	2	1	1	-	1
FEMALE--	2	-	-	1	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	92	-	6	5	3	4	9	8	4	9	14	10
WHITE-----MALE----	36	-	3	-	1	1	5	2	1	3	6	6
FEMALE--	28	-	-	2	2	1	3	4	2	2	3	-
ALL OTHER--MALE----	16	-	1	2	-	1	1	1	1	3	1	4
FEMALE--	12	-	2	1	-	1	-	1	-	1	4	-
BLACK---MALE----	16	-	1	2	-	1	1	1	1	3	1	4
FEMALE--	12	-	2	1	-	1	-	1	-	1	4	-
TEXAS -----	185	-	13	9	5	12	11	11	15	12	14	14
WHITE-----MALE----	107	-	4	4	3	6	8	5	9	7	8	9
FEMALE--	52	-	5	4	2	4	3	1	5	5	5	2
ALL OTHER--MALE----	25	-	4	1	-	2	-	5	1	-	1	3
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	22	-	3	1	-	2	-	4	-	-	1	3
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
UTAH -----	26	-	2	4	1	-	2	-	3	3	-	4
WHITE-----MALE----	17	-	2	3	-	-	1	-	3	1	-	1
FEMALE--	8	-	-	1	1	-	1	-	-	2	-	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	5	-	1	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	72	-	3	1	2	3	6	4	5	4	11	3
WHITE-----MALE----	33	-	-	1	-	1	5	2	3	1	5	1
FEMALE--	18	-	1	-	1	1	1	-	2	1	3	1
ALL OTHER--MALE----	13	-	1	-	1	-	-	1	-	-	3	1
FEMALE--	8	-	1	-	-	1	-	1	-	2	-	-
BLACK---MALE----	10	-	1	-	1	-	-	-	-	-	2	1
FEMALE--	4	-	1	-	-	-	-	1	-	2	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3485

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pedalcyclist involved in collision with motor vehicle (V12-V14,V19.0-V19.2,V19.4-V19.6)												
COLORADO -----	8	-	-	-	-	3	1	-	-	1	-	1
WHITE-----MALE----	6	-	-	-	-	2	1	-	-	1	-	1
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	4	-	-	-	2	1	-	-	-	-	1	-
WHITE-----MALE----	2	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	2	-	-	-	1	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	87	-	-	2	8	4	-	5	5	8	12	15
WHITE-----MALE----	58	-	-	1	5	3	-	3	4	4	8	11
FEMALE--	9	-	-	-	-	-	-	1	-	1	-	2
ALL OTHER--MALE----	20	-	-	1	3	1	-	1	1	3	4	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	20	-	-	1	3	1	-	1	1	3	4	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	13	-	-	1	3	-	2	1	2	-	-	1
WHITE-----MALE----	6	-	-	1	1	-	1	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	1	-	1	-	1	-	-	1
FEMALE--	2	-	-	-	1	-	-	-	1	-	-	-
BLACK---MALE-----	3	-	-	-	1	-	-	-	1	-	-	1
FEMALE--	2	-	-	-	1	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3493

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Motorcyclist involved in any accident except collision with railway train (V20-V24,V26-V34,V36-V39)												
UNITED STATES -	2,785	-	-	5	25	170	391	398	326	349	367	288
WHITE-----MALE----	2,159	-	-	5	17	135	305	282	221	262	300	241
FEMALE--	242	-	-	-	4	15	14	20	22	40	43	37
ALL OTHER--MALE----	369	-	-	-	4	18	67	96	80	46	23	10
FEMALE--	15	-	-	-	-	2	5	-	3	1	1	-
BLACK---MALE----	324	-	-	-	4	16	57	85	76	43	19	7
FEMALE--	12	-	-	-	-	2	4	-	3	1	-	-
ALABAMA -----	43	-	-	-	1	3	8	3	5	-	7	10
WHITE-----MALE----	29	-	-	-	1	2	5	2	1	-	7	6
FEMALE--	3	-	-	-	-	1	-	-	-	-	-	2
ALL OTHER--MALE----	11	-	-	-	-	-	3	1	4	-	-	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	11	-	-	-	-	-	3	1	4	-	-	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	6	-	-	-	-	-	-	1	-	1	-	3
WHITE-----MALE----	5	-	-	-	-	-	-	1	-	1	-	3
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	74	-	-	-	2	3	15	7	9	4	13	8
WHITE-----MALE----	60	-	-	-	-	2	12	7	8	3	11	5
FEMALE--	9	-	-	-	1	1	-	-	-	1	2	3
ALL OTHER--MALE----	5	-	-	-	1	-	3	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	1	-	2	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	25	-	-	-	-	1	3	1	4	1	5	4
WHITE-----MALE----	21	-	-	-	-	1	3	1	2	-	4	4
FEMALE--	2	-	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	267	-	-	-	4	9	32	32	34	29	44	34
WHITE-----MALE----	211	-	-	-	3	7	28	21	28	19	35	29
FEMALE--	19	-	-	-	-	1	-	4	1	3	2	4
ALL OTHER--MALE----	34	-	-	-	1	1	4	7	5	6	6	1
FEMALE--	3	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	18	-	-	-	1	-	1	2	3	6	3	1
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3499

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Motorcyclist involved in any accident except collision with railway train (V20-V24,V26-V34,V36-V39)												
OHIO -----	127	-	-	-	1	6	15	15	18	23	17	15
WHITE-----MALE----	99	-	-	-	1	6	12	9	11	17	15	14
FEMALE--	14	-	-	-	-	-	1	1	3	4	1	1
ALL OTHER--MALE----	14	-	-	-	-	-	2	5	4	2	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	14	-	-	-	-	-	2	5	4	2	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	28	-	-	-	-	1	5	5	2	4	4	2
WHITE-----MALE----	20	-	-	-	-	1	3	4	2	2	3	2
FEMALE--	4	-	-	-	-	-	2	1	-	1	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	33	-	-	-	-	3	6	6	1	4	4	2
WHITE-----MALE----	30	-	-	-	-	3	5	6	1	3	4	2
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	136	-	-	-	2	9	16	23	18	21	17	13
WHITE-----MALE----	114	-	-	-	1	5	13	19	16	20	15	12
FEMALE--	7	-	-	-	-	1	1	-	-	1	-	1
ALL OTHER--MALE----	15	-	-	-	1	3	2	4	2	-	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	14	-	-	-	1	3	2	3	2	-	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	13	-	-	-	-	1	1	2	-	2	3	2
WHITE-----MALE----	13	-	-	-	-	1	1	2	-	2	3	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	82	-	-	1	2	3	17	14	10	12	7	4
WHITE-----MALE----	48	-	-	1	2	1	10	8	1	7	5	4
FEMALE--	4	-	-	-	-	1	1	-	-	-	1	-
ALL OTHER--MALE----	28	-	-	-	-	1	5	6	9	5	1	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	28	-	-	-	-	1	5	6	9	5	1	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3499

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Motorcyclist involved in any accident except collision with railway train (V20-V24,V26-V34,V36-V39)												
OHIO -----	5	4	3	4	1	-	-	-	-	-	-	-
WHITE-----MALE----	4	2	3	4	1	-	-	-	-	-	-	-
FEMALE--	1	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	1	2	-	1	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	2	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	1	3	2	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	1	3	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	6	4	4	3	-	-	-	-	-	-	-	-
WHITE-----MALE----	5	4	3	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	1	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	4	2	3	-	2	-	-	1	-	-	-	-
WHITE-----MALE----	3	1	3	-	1	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3508

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Motor vehicle accident involving collision with railway train (V25,V35,V45,V55,V65,V75,V81.0-V81.1,V87.6,V88.6)												
OHIO -----	9	-	-	-	-	2	2	1	3	-	1	-
WHITE-----MALE----	7	-	-	-	-	2	1	1	2	-	1	-
FEMALE--	2	-	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	7	-	-	-	-	-	1	1	2	-	-	1
WHITE-----MALE----	5	-	-	-	-	-	1	1	2	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	3	-	1	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	4	-	-	-	1	1	-	1	1	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3526

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX		ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other motor vehicle accident involving collision with railway train (V45,V55,V65,V75,V81.0-V81.1,V87.6,V88.6)													
OHIO	-----	9	-	-	-	-	2	2	1	3	-	1	-
WHITE	-----MALE----	7	-	-	-	-	2	1	1	2	-	1	-
	FEMALE--	2	-	-	-	-	-	1	-	1	-	-	-
ALL OTHER	-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA	-----	7	-	-	-	-	-	1	1	2	-	-	1
WHITE	-----MALE----	5	-	-	-	-	-	1	1	2	-	-	-
	FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER	-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON	-----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER	-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA	-----	3	-	1	-	-	-	1	-	-	-	-	-
WHITE	-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	2	-	1	-	-	-	1	-	-	-	-	-
ALL OTHER	-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND	-----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE	-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER	-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK	-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
	FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA	-----	4	-	-	-	1	1	-	1	1	-	-	-
WHITE	-----MALE----	1	-	-	-	-	-	-	-	1	-	-	-
	FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER	-----MALE----	1	-	-	-	-	-	-	1	-	-	-	-
	FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK	-----MALE----	1	-	-	-	-	-	-	1	-	-	-	-
	FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3529

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Occupant of motor vehicle involved in collision with other (non-motorized) road vehicle, streetcar, animal or pedestrian (V40-V41,V46-V47,V50-V51,V56-V57,V60-V61,V66-V67,V70-V71,V76-V77)												
UNITED STATES -	3,909	9	26	32	63	684	672	384	306	366	276	220
WHITE-----MALE----	2,263	3	5	11	25	412	434	232	185	212	160	123
FEMALE--	916	2	13	13	27	161	94	59	70	95	63	52
ALL OTHER--MALE----	553	1	5	2	7	89	115	77	43	45	37	29
FEMALE--	177	3	3	6	4	22	29	16	8	14	16	16
BLACK---MALE-----	433	1	3	2	7	61	80	61	34	38	34	24
FEMALE--	141	2	3	6	4	19	24	11	4	12	13	14
ALABAMA -----	44	-	1	-	-	8	11	2	2	6	3	4
WHITE-----MALE----	24	-	-	-	-	5	5	1	2	4	2	3
FEMALE--	11	-	-	-	-	3	2	1	-	2	-	1
ALL OTHER--MALE----	5	-	-	-	-	-	3	-	-	-	1	-
FEMALE--	4	-	1	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	5	-	-	-	-	-	3	-	-	-	1	-
FEMALE--	4	-	1	-	-	-	1	-	-	-	-	-
ALASKA -----	2	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	8	-	-	-	-	2	-	1	1	2	1	-
WHITE-----MALE----	5	-	-	-	-	1	-	1	1	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	1	-	-	-	2	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	61	-	-	-	-	11	11	7	6	5	2	4
WHITE-----MALE----	38	-	-	-	-	7	8	4	2	5	2	2
FEMALE--	19	-	-	-	-	4	1	2	4	-	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	2	1	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	3	-	-	-	-	-	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	376	-	3	1	5	84	68	37	27	39	21	15
WHITE-----MALE----	216	-	-	-	1	52	37	26	20	21	11	7
FEMALE--	89	-	1	1	4	20	10	3	3	15	8	3
ALL OTHER--MALE----	55	-	1	-	-	11	17	7	4	2	1	1
FEMALE--	16	-	1	-	-	1	4	1	-	1	1	4
BLACK---MALE-----	27	-	1	-	-	3	9	3	3	2	-	1
FEMALE--	9	-	1	-	-	1	2	1	-	1	-	3

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3530

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Occupant of motor vehicle involved in collision with other (non-motorized) road vehicle, streetcar, animal or pedestrian (V40-V41,V46-V47,V50-V51,V56-V57,V60-V61,V66-V67,V70-V71,V76-V77)												
COLORADO -----	19	-	-	-	-	1	4	3	1	-	1	2
WHITE-----MALE----	9	-	-	-	-	-	4	2	1	-	1	-
FEMALE--	7	-	-	-	-	1	-	-	-	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	14	-	-	-	-	2	-	1	1	2	1	2
WHITE-----MALE----	7	-	-	-	-	1	-	1	-	1	1	1
FEMALE--	6	-	-	-	-	-	-	-	1	1	-	1
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	4	-	-	-	-	1	-	1	-	1	1	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	2	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
DISTRICT OF COLUMBIA ---	3	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	469	-	1	6	11	68	76	44	47	48	34	31
WHITE-----MALE----	269	-	-	2	-	42	48	29	27	26	24	20
FEMALE--	112	-	1	2	7	8	11	6	17	14	5	5
ALL OTHER--MALE----	62	-	-	-	2	15	13	6	3	6	3	3
FEMALE--	26	-	-	2	2	3	4	3	-	2	2	3
BLACK---MALE----	56	-	-	-	2	13	10	6	3	6	3	3
FEMALE--	24	-	-	2	2	3	4	3	-	2	2	2
GEORGIA -----	53	1	1	1	3	8	5	11	4	4	3	3
WHITE-----MALE----	25	-	1	-	1	3	2	2	3	3	2	3
FEMALE--	8	1	-	1	1	2	1	1	-	-	-	-
ALL OTHER--MALE----	18	-	-	-	1	3	2	6	1	1	1	-
FEMALE--	2	-	-	-	-	-	-	2	-	-	-	-
BLACK---MALE----	17	-	-	-	1	3	2	5	1	1	1	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3531

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Occupant of motor vehicle involved in collision with other (non-motorized) road vehicle, streetcar, animal or pedestrian (V40-V41,V46-V47,V50-V51,V56-V57,V60-V61,V66-V67,V70-V71,V76-V77)												
HAWAII -----	1	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	2	-	-	1	-	1	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	4	3	2	3	2	1	1	2	1	-	-	-
WHITE-----MALE----	1	-	2	-	-	-	1	2	1	-	-	-
FEMALE--	1	1	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	-	3	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	-	3	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
INDIANA -----	6	1	3	1	2	1	-	2	-	-	-	-
WHITE-----MALE----	2	1	2	1	1	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	1	1	-	2	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
IOWA -----	3	1	2	1	4	1	1	1	-	1	-	-
WHITE-----MALE----	2	1	2	1	2	1	-	-	-	1	-	-
FEMALE--	1	-	-	-	2	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	1	-	6	3	1	4	2	1	1	-	-	-
WHITE-----MALE----	1	-	5	3	1	4	-	1	1	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3532

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Occupant of motor vehicle involved in collision with other (non-motorized) road vehicle, streetcar, animal or pedestrian (V40-V41,V46-V47,V50-V51,V56-V57,V60-V61,V66-V67,V70-V71,V76-V77)												
KENTUCKY -----	81	-	3	-	-	14	13	10	7	9	8	3
WHITE-----MALE----	49	-	1	-	-	9	9	5	3	6	3	1
FEMALE--	22	-	2	-	-	2	3	4	3	3	2	2
ALL OTHER--MALE----	6	-	-	-	-	2	-	1	-	-	2	-
FEMALE--	4	-	-	-	-	1	1	-	1	-	1	-
BLACK---MALE----	6	-	-	-	-	2	-	1	-	-	2	-
FEMALE--	3	-	-	-	-	1	1	-	1	-	-	-
LOUISIANA -----	23	-	3	-	-	1	4	2	-	3	3	2
WHITE-----MALE----	6	-	-	-	-	-	1	-	-	2	-	1
FEMALE--	6	-	1	-	-	-	2	-	-	-	1	-
ALL OTHER--MALE----	9	-	2	-	-	1	1	2	-	1	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	9	-	2	-	-	1	1	2	-	1	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	1
MAINE -----	36	-	-	-	1	8	7	5	4	3	3	1
WHITE-----MALE----	20	-	-	-	-	5	4	4	2	2	2	-
FEMALE--	14	-	-	-	1	3	1	1	2	1	1	1
ALL OTHER--MALE----	2	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	40	-	1	-	1	6	7	4	3	3	4	2
WHITE-----MALE----	13	-	1	-	1	2	4	-	-	-	1	-
FEMALE--	12	-	-	-	-	3	1	1	2	-	1	1
ALL OTHER--MALE----	12	-	-	-	-	1	2	3	1	3	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	2	-
BLACK---MALE----	11	-	-	-	-	1	2	2	1	3	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	2	-
MASSACHUSETTS -----	39	-	-	1	-	7	10	2	2	2	1	-
WHITE-----MALE----	21	-	-	-	-	4	7	1	2	2	1	-
FEMALE--	13	-	-	-	-	2	2	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	1	1	1	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	1	1	1	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
MICHIGAN -----	128	1	1	2	4	24	17	8	13	14	8	7
WHITE-----MALE----	67	1	-	2	3	14	9	3	8	6	2	4
FEMALE--	34	-	1	-	-	7	3	2	2	5	3	2
ALL OTHER--MALE----	23	-	-	-	1	2	5	3	3	2	3	-
FEMALE--	4	-	-	-	-	1	-	-	-	1	-	1
BLACK---MALE----	20	-	-	-	1	2	5	3	3	1	2	-
FEMALE--	4	-	-	-	-	1	-	-	-	1	-	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3535

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Occupant of motor vehicle involved in collision with other (non-motorized) road vehicle, streetcar, animal or pedestrian (V40-V41,V46-V47,V50-V51,V56-V57,V60-V61,V66-V67,V70-V71,V76-V77)												
OHIO -----	124	-	1	-	3	26	13	14	10	7	12	9
WHITE-----MALE----	72	-	-	-	1	18	10	6	6	2	4	5
FEMALE--	32	-	-	-	2	5	2	3	2	2	6	1
ALL OTHER--MALE----	18	-	1	-	-	3	1	5	2	3	1	2
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	17	-	-	-	-	3	1	5	2	3	1	2
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	1
OKLAHOMA -----	27	-	-	1	2	3	6	1	2	1	4	1
WHITE-----MALE----	15	-	-	1	2	-	3	1	1	1	3	1
FEMALE--	8	-	-	-	-	2	1	-	1	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	25	-	1	-	-	4	2	1	1	4	3	-
WHITE-----MALE----	16	-	-	-	-	2	1	1	1	2	3	-
FEMALE--	6	-	1	-	-	-	1	-	-	2	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	80	-	-	-	1	16	11	6	2	9	5	5
WHITE-----MALE----	44	-	-	-	-	9	7	3	-	6	5	2
FEMALE--	22	-	-	-	-	2	3	2	1	2	-	3
ALL OTHER--MALE----	10	-	-	-	-	4	1	1	1	1	-	-
FEMALE--	4	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	10	-	-	-	-	4	1	1	1	1	-	-
FEMALE--	2	-	-	-	1	1	-	-	-	-	-	-
RHODE ISLAND -----	29	-	-	-	1	7	6	1	1	2	4	3
WHITE-----MALE----	14	-	-	-	-	4	3	1	1	2	-	2
FEMALE--	6	-	-	-	1	-	-	-	-	-	2	1
ALL OTHER--MALE----	7	-	-	-	-	3	3	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	2	-	-	-	-	-	1	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
SOUTH CAROLINA -----	102	-	-	-	1	13	18	13	14	5	12	9
WHITE-----MALE----	47	-	-	-	-	6	11	6	6	3	3	3
FEMALE--	20	-	-	-	1	2	3	1	3	1	5	1
ALL OTHER--MALE----	27	-	-	-	-	3	3	5	5	1	3	4
FEMALE--	8	-	-	-	-	2	1	1	-	-	1	1
BLACK---MALE----	27	-	-	-	-	3	3	5	5	1	3	4
FEMALE--	8	-	-	-	-	2	1	1	-	-	1	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3536

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Occupant of motor vehicle involved in collision with other (non-motorized) road vehicle, streetcar, animal or pedestrian (V40-V41,V46-V47,V50-V51,V56-V57,V60-V61,V66-V67,V70-V71,V76-V77)												
SOUTH DAKOTA -----	26	-	-	-	-	3	5	5	2	4	-	1
WHITE-----MALE----	14	-	-	-	-	2	3	1	-	2	-	1
FEMALE--	4	-	-	-	-	-	2	-	-	1	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	2	2	-	-	-
FEMALE--	4	-	-	-	-	1	-	2	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	246	-	1	3	4	42	45	30	21	27	18	16
WHITE-----MALE----	168	-	-	-	3	30	36	20	13	23	9	7
FEMALE--	55	-	1	2	-	11	5	8	5	4	6	8
ALL OTHER--MALE----	16	-	-	-	1	-	2	2	3	-	2	1
FEMALE--	7	-	-	1	-	1	2	-	-	-	1	-
BLACK---MALE----	16	-	-	-	1	-	2	2	3	-	2	1
FEMALE--	7	-	-	1	-	1	2	-	-	-	1	-
TEXAS -----	218	1	2	1	1	46	41	22	17	20	23	8
WHITE-----MALE----	136	-	-	-	-	31	27	17	13	12	17	3
FEMALE--	54	-	2	1	1	13	8	2	3	5	3	4
ALL OTHER--MALE----	24	1	-	-	-	2	4	3	-	3	3	1
FEMALE--	4	-	-	-	-	-	2	-	1	-	-	-
BLACK---MALE----	21	1	-	-	-	2	3	2	-	3	3	1
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
UTAH -----	9	-	-	-	-	1	-	2	1	-	2	-
WHITE-----MALE----	6	-	-	-	-	1	-	1	-	-	2	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	2	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	103	-	-	-	2	25	17	8	7	12	8	4
WHITE-----MALE----	56	-	-	-	1	13	11	5	5	8	5	2
FEMALE--	20	-	-	-	-	6	3	-	-	1	2	-
ALL OTHER--MALE----	21	-	-	-	1	4	3	2	2	1	1	2
FEMALE--	6	-	-	-	-	2	-	1	-	2	-	-
BLACK---MALE----	19	-	-	-	1	4	3	2	1	1	1	1
FEMALE--	6	-	-	-	-	2	-	1	-	2	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3538

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Occupant of car, pickup truck or van involved in collision with other motor vehicle (V42-V44,V49,V52-V54,V59)												
UNITED STATES -	10,390	57	141	181	177	1,246	1,129	803	666	740	672	651
WHITE-----MALE----	5,203	23	55	78	71	641	625	418	351	384	337	339
FEMALE--	3,610	21	53	67	72	441	299	219	184	220	209	195
ALL OTHER--MALE----	983	6	18	17	23	98	148	100	93	80	80	74
FEMALE--	594	7	15	19	11	66	57	66	38	56	46	43
BLACK---MALE----	765	4	14	12	18	70	109	77	75	56	71	62
FEMALE--	426	4	11	12	7	44	46	49	27	40	31	32
ALABAMA -----	163	-	-	1	2	17	23	10	17	11	12	8
WHITE-----MALE----	67	-	-	1	1	5	9	5	8	4	5	5
FEMALE--	52	-	-	-	1	8	4	2	5	4	3	1
ALL OTHER--MALE----	31	-	-	-	-	1	6	2	4	2	4	2
FEMALE--	13	-	-	-	-	3	4	1	-	1	-	-
BLACK---MALE----	31	-	-	-	-	1	6	2	4	2	4	2
FEMALE--	11	-	-	-	-	2	3	1	-	1	-	-
ALASKA -----	17	-	-	-	-	1	3	3	1	-	-	2
WHITE-----MALE----	13	-	-	-	-	-	3	2	1	-	-	2
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	88	1	4	2	2	3	13	7	8	6	3	5
WHITE-----MALE----	36	-	1	1	-	3	7	4	1	3	-	3
FEMALE--	24	-	1	-	1	-	3	1	2	1	2	1
ALL OTHER--MALE----	16	1	1	-	1	-	2	1	4	1	-	-
FEMALE--	12	-	1	1	-	-	1	1	1	1	1	1
BLACK---MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ARKANSAS -----	160	1	3	2	3	20	10	13	9	16	14	12
WHITE-----MALE----	80	-	2	-	2	12	6	5	6	5	6	6
FEMALE--	58	1	-	1	1	7	2	4	2	8	6	5
ALL OTHER--MALE----	13	-	-	1	-	1	-	3	1	1	1	1
FEMALE--	9	-	1	-	-	-	2	1	-	2	1	-
BLACK---MALE----	13	-	-	1	-	1	-	3	1	1	1	1
FEMALE--	8	-	1	-	-	-	2	1	-	2	-	-
CALIFORNIA -----	811	8	14	19	20	69	98	81	49	62	45	66
WHITE-----MALE----	406	2	8	8	11	38	51	45	25	36	24	31
FEMALE--	270	4	3	5	6	22	33	16	19	16	12	21
ALL OTHER--MALE----	76	1	-	4	3	4	10	12	5	7	3	8
FEMALE--	59	1	3	2	-	5	4	8	-	3	6	6
BLACK---MALE----	39	1	-	2	1	3	1	9	4	5	1	4
FEMALE--	22	1	1	2	-	2	1	3	-	-	4	2

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3538

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Occupant of car, pickup truck or van involved in collision with other motor vehicle (V42-V44,V49,V52-V54,V59)												
UNITED STATES -	548	486	433	398	523	588	520	316	98	14	1	2
WHITE-----MALE----	275	247	183	180	256	264	260	151	57	6	-	2
FEMALE--	175	172	184	176	216	283	230	149	38	6	1	-
ALL OTHER--MALE----	60	42	48	22	25	24	16	7	2	-	-	-
FEMALE--	38	25	18	20	26	17	14	9	1	2	-	-
BLACK---MALE----	50	34	39	19	19	16	12	6	2	-	-	-
FEMALE--	33	13	12	12	22	11	12	7	1	-	-	-
ALABAMA -----	11	4	6	9	9	12	8	3	-	-	-	-
WHITE-----MALE----	3	3	2	4	3	5	2	2	-	-	-	-
FEMALE--	4	-	2	4	4	6	4	-	-	-	-	-
ALL OTHER--MALE----	4	1	2	-	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	1	-	2	-	-	-	-	-
BLACK---MALE----	4	1	2	-	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	1	-	2	-	-	-	-	-
ALASKA -----	1	1	-	-	1	1	2	1	-	-	-	-
WHITE-----MALE----	1	-	-	-	1	1	1	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	4	5	3	3	9	7	3	-	-	-	-	-
WHITE-----MALE----	3	2	-	1	4	2	1	-	-	-	-	-
FEMALE--	1	1	1	1	4	3	1	-	-	-	-	-
ALL OTHER--MALE----	-	1	1	1	-	1	1	-	-	-	-	-
FEMALE--	-	1	1	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	10	11	9	7	3	3	11	3	-	-	-	-
WHITE-----MALE----	6	6	3	4	1	1	7	2	-	-	-	-
FEMALE--	3	3	4	2	2	2	4	1	-	-	-	-
ALL OTHER--MALE----	1	1	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
CALIFORNIA -----	40	39	26	24	49	44	35	16	5	1	-	1
WHITE-----MALE----	21	11	12	7	28	19	16	8	4	-	-	1
FEMALE--	11	22	10	13	15	17	16	8	1	-	-	-
ALL OTHER--MALE----	5	3	2	-	4	4	1	-	-	-	-	-
FEMALE--	3	3	2	4	2	4	2	-	-	1	-	-
BLACK---MALE----	4	1	1	-	1	-	1	-	-	-	-	-
FEMALE--	1	2	-	-	2	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3539

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Occupant of car, pickup truck or van involved in collision with other motor vehicle (V42-V44,V49,V52-V54,V59)												
COLORADO -----	113	1	-	-	4	13	13	11	8	9	8	7
WHITE-----MALE----	59	1	-	-	1	7	5	8	6	8	4	4
FEMALE--	44	-	-	-	2	5	6	2	1	1	4	3
ALL OTHER--MALE----	7	-	-	-	1	-	2	-	1	-	-	-
FEMALE--	3	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	3	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
CONNECTICUT -----	14	-	-	-	-	1	1	1	-	1	1	-
WHITE-----MALE----	8	-	-	-	-	-	1	-	-	1	1	-
FEMALE--	6	-	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	28	1	-	-	2	3	4	1	2	2	3	2
WHITE-----MALE----	18	1	-	-	1	1	3	1	1	1	2	2
FEMALE--	6	-	-	-	-	1	1	-	-	1	1	-
ALL OTHER--MALE----	2	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	7	-	-	-	-	-	3	-	2	-	-	1
WHITE-----MALE----	2	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	1
BLACK---MALE----	3	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	1
FLORIDA -----	1,055	2	11	10	16	114	86	65	69	70	75	71
WHITE-----MALE----	545	-	3	4	7	70	48	25	46	43	39	32
FEMALE--	360	2	5	4	6	32	18	24	12	12	20	27
ALL OTHER--MALE----	95	-	2	1	1	6	15	10	7	11	11	6
FEMALE--	55	-	1	1	2	6	5	6	4	4	5	6
BLACK---MALE----	89	-	2	1	1	4	14	10	7	10	10	5
FEMALE--	53	-	1	1	2	6	5	6	3	4	4	6
GEORGIA -----	298	2	-	4	4	40	47	31	14	20	14	23
WHITE-----MALE----	140	2	-	1	-	20	23	20	5	6	2	13
FEMALE--	89	-	-	-	4	11	13	4	6	9	7	4
ALL OTHER--MALE----	42	-	-	1	-	8	7	3	1	-	5	5
FEMALE--	27	-	-	2	-	1	4	4	2	5	-	1
BLACK---MALE----	42	-	-	1	-	8	7	3	1	-	5	5
FEMALE--	25	-	-	1	-	1	4	4	2	4	-	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3539

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Occupant of car, pickup truck or van involved in collision with other motor vehicle (V42-V44,V49,V52-V54,V59)												
COLORADO -----	6	4	2	6	2	9	4	3	2	1	-	-
WHITE-----MALE----	2	2	1	2	-	3	2	1	2	-	-	-
FEMALE--	3	2	-	4	1	5	2	2	-	1	-	-
ALL OTHER--MALE----	1	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	2	-	1	1	2	3	-	-	-	-	-	-
WHITE-----MALE----	1	-	1	1	-	2	-	-	-	-	-	-
FEMALE--	1	-	-	-	2	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	1	-	1	1	3	1	1	-	-	-	-
WHITE-----MALE----	-	1	-	-	1	2	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
DISTRICT OF COLUMBIA ---	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	70	55	34	42	54	71	74	45	17	3	1	-
WHITE-----MALE----	42	27	11	19	28	33	34	20	13	1	-	-
FEMALE--	15	17	17	21	25	34	38	24	4	2	1	-
ALL OTHER--MALE----	7	9	5	1	-	2	-	1	-	-	-	-
FEMALE--	6	2	1	1	1	2	2	-	-	-	-	-
BLACK---MALE----	7	9	5	1	-	2	-	1	-	-	-	-
FEMALE--	6	2	1	1	1	2	2	-	-	-	-	-
GEORGIA -----	12	11	13	14	16	17	10	6	-	-	-	-
WHITE-----MALE----	5	7	2	9	6	10	6	3	-	-	-	-
FEMALE--	3	1	7	3	6	4	4	3	-	-	-	-
ALL OTHER--MALE----	1	3	3	-	3	2	-	-	-	-	-	-
FEMALE--	3	-	1	2	1	1	-	-	-	-	-	-
BLACK---MALE----	1	3	3	-	3	2	-	-	-	-	-	-
FEMALE--	3	-	1	2	1	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3541

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Occupant of car, pickup truck or van involved in collision with other motor vehicle (V42-V44,V49,V52-V54,V59)												
KENTUCKY -----	182	1	1	2	3	27	21	18	10	15	14	12
WHITE-----MALE----	106	1	1	2	1	15	12	12	7	10	6	7
FEMALE--	63	-	-	-	2	9	6	5	3	4	5	5
ALL OTHER--MALE----	7	-	-	-	-	1	2	1	-	-	2	-
FEMALE--	6	-	-	-	-	2	1	-	-	1	1	-
BLACK---MALE-----	7	-	-	-	-	1	2	1	-	-	2	-
FEMALE--	6	-	-	-	-	2	1	-	-	1	1	-
LOUISIANA -----	112	-	2	2	4	12	16	9	14	11	7	10
WHITE-----MALE----	58	-	-	1	-	6	9	6	8	4	4	6
FEMALE--	25	-	-	1	4	3	2	2	2	3	1	2
ALL OTHER--MALE----	22	-	2	-	-	3	5	1	3	2	1	-
FEMALE--	7	-	-	-	-	-	-	-	1	2	1	2
BLACK---MALE-----	20	-	1	-	-	2	5	1	3	2	1	-
FEMALE--	7	-	-	-	-	-	-	-	1	2	1	2
MAINE -----	65	1	2	2	-	9	6	2	3	1	2	2
WHITE-----MALE----	32	1	1	2	-	5	4	1	2	1	1	2
FEMALE--	33	-	1	-	-	4	2	1	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	140	-	-	1	4	21	9	7	17	8	7	9
WHITE-----MALE----	61	-	-	-	2	11	6	2	7	4	2	4
FEMALE--	38	-	-	-	1	4	3	1	3	2	-	2
ALL OTHER--MALE----	23	-	-	-	1	5	-	1	7	1	2	1
FEMALE--	18	-	-	1	-	1	-	3	-	1	3	2
BLACK---MALE-----	22	-	-	-	1	5	-	1	7	1	2	1
FEMALE--	13	-	-	-	-	-	-	2	-	-	3	1
MASSACHUSETTS -----	38	-	-	-	1	1	2	1	-	-	3	3
WHITE-----MALE----	21	-	-	-	-	1	2	-	-	-	2	2
FEMALE--	17	-	-	-	1	-	-	1	-	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	370	1	2	6	10	47	32	30	25	18	27	25
WHITE-----MALE----	191	-	-	4	3	26	15	16	10	9	19	13
FEMALE--	134	-	-	2	5	17	11	10	7	4	6	7
ALL OTHER--MALE----	29	-	1	-	1	3	4	3	4	2	2	4
FEMALE--	16	1	1	-	1	1	2	1	4	3	-	1
BLACK---MALE-----	24	-	-	-	1	2	3	2	4	2	2	4
FEMALE--	13	-	1	-	-	1	2	1	3	3	-	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3544

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Occupant of car, pickup truck or van involved in collision with other motor vehicle (V42-V44,V49,V52-V54,V59)												
OHIO -----	328	1	4	10	3	41	34	22	17	19	21	21
WHITE-----MALE----	177	1	3	2	1	18	20	16	8	11	13	13
FEMALE--	121	-	1	5	2	22	9	5	7	5	6	6
ALL OTHER--MALE----	19	-	-	1	-	-	5	1	2	1	2	1
FEMALE--	11	-	-	2	-	1	-	-	-	2	-	1
BLACK---MALE-----	17	-	-	1	-	-	5	1	2	1	1	1
FEMALE--	9	-	-	2	-	1	-	-	-	2	-	1
OKLAHOMA -----	111	2	-	2	1	19	9	5	5	12	10	3
WHITE-----MALE----	65	1	-	-	-	9	7	4	3	9	5	2
FEMALE--	33	-	-	-	1	7	1	1	2	3	3	1
ALL OTHER--MALE----	8	1	-	-	-	1	1	-	-	-	2	-
FEMALE--	5	-	-	2	-	2	-	-	-	-	-	-
BLACK---MALE-----	3	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	96	-	2	3	1	16	16	5	1	4	8	5
WHITE-----MALE----	60	-	2	2	1	9	11	4	-	3	3	3
FEMALE--	33	-	-	1	-	7	4	1	1	1	5	2
ALL OTHER--MALE----	3	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	220	-	-	3	-	29	29	16	12	19	16	10
WHITE-----MALE----	115	-	-	1	-	16	18	8	8	6	13	4
FEMALE--	80	-	-	1	-	10	6	6	4	10	2	4
ALL OTHER--MALE----	18	-	-	-	-	2	4	2	-	1	1	2
FEMALE--	7	-	-	1	-	1	1	-	-	2	-	-
BLACK---MALE-----	17	-	-	-	-	2	4	1	-	1	1	2
FEMALE--	5	-	-	-	-	1	1	-	-	2	-	-
RHODE ISLAND -----	16	-	-	-	-	1	1	-	-	-	2	1
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	9	-	-	-	-	1	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	2	-	-	-	-	-	1	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	193	3	3	6	4	16	19	15	12	9	18	12
WHITE-----MALE----	69	1	1	1	-	6	6	6	5	2	3	4
FEMALE--	53	-	-	1	2	8	6	1	2	5	5	3
ALL OTHER--MALE----	41	2	1	3	2	1	4	4	2	2	5	3
FEMALE--	30	-	1	1	-	1	3	4	3	-	5	2
BLACK---MALE-----	41	2	1	3	2	1	4	4	2	2	5	3
FEMALE--	30	-	1	1	-	1	3	4	3	-	5	2

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3544

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Occupant of car, pickup truck or van involved in collision with other motor vehicle (V42-V44,V49,V52-V54,V59)												
OHIO -----	14	20	20	16	18	22	13	9	2	1	-	-
WHITE-----MALE----	8	12	12	7	7	12	6	5	1	1	-	-
FEMALE--	5	7	5	7	9	9	6	4	1	-	-	-
ALL OTHER--MALE----	-	-	2	1	1	1	1	-	-	-	-	-
FEMALE--	1	1	1	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	2	1	1	1	-	-	-	-	-	-
FEMALE--	1	-	1	-	1	-	-	-	-	-	-	-
OKLAHOMA -----	2	7	8	4	10	4	4	4	-	-	-	-
WHITE-----MALE----	1	3	6	1	8	2	2	2	-	-	-	-
FEMALE--	-	4	2	2	2	2	1	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	4	4	3	3	5	5	4	6	1	-	-	-
WHITE-----MALE----	2	2	3	1	3	3	4	3	1	-	-	-
FEMALE--	1	2	-	1	2	2	-	3	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	11	13	14	4	10	17	10	6	1	-	-	-
WHITE-----MALE----	6	6	4	1	6	6	7	5	-	-	-	-
FEMALE--	2	3	10	2	4	11	3	1	1	-	-	-
ALL OTHER--MALE----	2	3	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	3	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	1	1	1	1	1	3	-	2	1	-	-	-
WHITE-----MALE----	1	-	1	-	1	-	-	-	1	-	-	-
FEMALE--	-	1	-	1	-	3	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	11	6	8	12	13	7	12	7	-	-	-	-
WHITE-----MALE----	5	3	3	4	5	4	6	4	-	-	-	-
FEMALE--	2	2	3	4	4	1	2	2	-	-	-	-
ALL OTHER--MALE----	1	1	1	2	3	1	3	-	-	-	-	-
FEMALE--	3	-	1	2	1	1	1	1	-	-	-	-
BLACK---MALE----	1	1	1	2	3	1	3	-	-	-	-	-
FEMALE--	3	-	1	2	1	1	1	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3545

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Occupant of car, pickup truck or van involved in collision with other motor vehicle (V42-V44,V49,V52-V54,V59)												
SOUTH DAKOTA -----	52	-	1	1	4	7	7	3	5	3	1	1
WHITE-----MALE----	21	-	-	-	2	3	-	-	2	1	-	-
FEMALE--	12	-	1	-	-	4	-	-	-	1	1	1
ALL OTHER--MALE----	13	-	-	1	-	-	6	2	2	1	-	-
FEMALE--	6	-	-	-	2	-	1	1	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	466	3	5	10	6	50	53	36	33	43	37	27
WHITE-----MALE----	224	1	1	7	1	27	24	16	14	24	19	11
FEMALE--	169	-	2	1	5	19	20	13	15	12	14	7
ALL OTHER--MALE----	47	1	2	1	-	2	6	5	2	5	4	7
FEMALE--	26	1	-	1	-	2	3	2	2	2	-	2
BLACK---MALE-----	44	1	2	1	-	2	6	4	2	4	4	7
FEMALE--	25	1	-	1	-	2	3	2	1	2	-	2
TEXAS -----	796	7	25	17	18	95	90	88	53	64	52	54
WHITE-----MALE----	420	3	9	6	9	49	55	48	30	29	25	29
FEMALE--	283	4	15	10	4	32	22	28	17	24	20	20
ALL OTHER--MALE----	56	-	1	1	2	8	10	7	2	4	5	5
FEMALE--	37	-	-	-	3	6	3	5	4	7	2	-
BLACK---MALE-----	50	-	1	-	2	8	9	6	1	4	5	5
FEMALE--	33	-	-	-	3	5	3	4	3	7	2	-
UTAH -----	53	-	-	-	1	5	6	4	4	5	2	3
WHITE-----MALE----	28	-	-	-	1	2	5	2	2	2	1	2
FEMALE--	23	-	-	-	-	3	1	1	2	2	1	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	12	-	-	-	-	2	-	-	-	2	-	1
WHITE-----MALE----	7	-	-	-	-	1	-	-	-	2	-	1
FEMALE--	5	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	250	-	5	-	3	37	25	23	23	15	14	16
WHITE-----MALE----	115	-	2	-	-	18	11	14	11	5	6	7
FEMALE--	83	-	1	-	1	12	9	4	5	5	6	5
ALL OTHER--MALE----	38	-	2	-	2	5	4	3	7	3	1	2
FEMALE--	14	-	-	-	-	2	1	2	-	2	1	2
BLACK---MALE-----	33	-	2	-	2	3	3	2	7	2	1	2
FEMALE--	13	-	-	-	-	2	1	2	-	2	1	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3545

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Occupant of car, pickup truck or van involved in collision with other motor vehicle (V42-V44,V49,V52-V54,V59)												
SOUTH DAKOTA -----	1	3	3	-	5	3	2	1	1	-	-	-
WHITE-----MALE----	1	2	1	-	4	2	1	1	1	-	-	-
FEMALE--	-	1	1	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	26	24	24	17	19	22	16	11	4	-	-	-
WHITE-----MALE----	13	16	8	8	10	10	6	5	3	-	-	-
FEMALE--	8	5	10	7	7	11	8	4	1	-	-	-
ALL OTHER--MALE----	2	2	4	2	-	1	1	-	-	-	-	-
FEMALE--	3	1	2	-	2	-	1	2	-	-	-	-
BLACK---MALE----	2	2	3	2	-	1	1	-	-	-	-	-
FEMALE--	3	1	2	-	2	-	1	2	-	-	-	-
TEXAS -----	51	29	23	17	31	39	23	17	2	1	-	-
WHITE-----MALE----	28	18	13	7	16	23	13	8	1	1	-	-
FEMALE--	16	9	8	9	13	12	10	9	1	-	-	-
ALL OTHER--MALE----	6	-	2	1	1	1	-	-	-	-	-	-
FEMALE--	1	2	-	-	1	3	-	-	-	-	-	-
BLACK---MALE----	5	-	1	1	1	1	-	-	-	-	-	-
FEMALE--	1	2	-	-	1	2	-	-	-	-	-	-
UTAH -----	4	1	2	2	3	2	3	5	1	-	-	-
WHITE-----MALE----	2	-	1	1	1	2	2	1	1	-	-	-
FEMALE--	2	1	1	1	2	-	1	4	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	2	1	2	-	1	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	2	1	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	9	13	12	6	11	13	11	14	-	-	-	-
WHITE-----MALE----	6	5	4	1	6	8	3	8	-	-	-	-
FEMALE--	3	5	6	3	4	4	6	4	-	-	-	-
ALL OTHER--MALE----	-	2	2	2	-	-	2	1	-	-	-	-
FEMALE--	-	1	-	-	1	1	-	1	-	-	-	-
BLACK---MALE----	-	2	2	2	-	-	2	1	-	-	-	-
FEMALE--	-	1	-	-	1	1	-	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3556

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Occupant of motor vehicle involved in noncollision accident (V48,V58,V68,V78)												
UNITED STATES -	3,743	22	31	51	98	593	603	424	308	344	299	251
WHITE-----MALE----	2,266	11	12	17	45	357	388	274	198	202	183	162
FEMALE--	867	3	11	21	26	160	118	76	60	83	65	56
ALL OTHER--MALE----	411	4	1	7	15	50	67	61	31	39	34	26
FEMALE--	199	4	7	6	12	26	30	13	19	20	17	7
BLACK---MALE----	287	2	1	6	11	28	47	38	22	32	25	14
FEMALE--	119	3	6	3	9	14	22	6	8	6	13	5
ALABAMA -----	32	-	-	-	-	5	1	3	4	4	2	5
WHITE-----MALE----	19	-	-	-	-	4	1	2	1	2	2	1
FEMALE--	6	-	-	-	-	-	-	-	2	1	-	2
ALL OTHER--MALE----	7	-	-	-	-	1	-	1	1	1	-	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	1	-	1	1	1	-	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	6	-	-	-	-	1	1	2	-	-	-	1
WHITE-----MALE----	4	-	-	-	-	-	1	1	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	52	1	2	-	-	8	5	6	2	8	6	4
WHITE-----MALE----	25	-	1	-	-	3	2	5	2	4	4	1
FEMALE--	13	1	1	-	-	3	1	-	-	1	1	1
ALL OTHER--MALE----	8	-	-	-	-	-	2	-	-	1	1	1
FEMALE--	6	-	-	-	-	2	-	1	-	2	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	71	-	1	1	3	7	12	7	5	8	6	5
WHITE-----MALE----	39	-	-	-	1	5	7	4	2	6	2	4
FEMALE--	22	-	1	1	2	2	3	1	3	2	2	1
ALL OTHER--MALE----	8	-	-	-	-	-	2	2	-	-	2	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	1	2	-	-	2	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	346	4	3	13	6	32	60	43	25	30	29	27
WHITE-----MALE----	221	4	1	2	3	19	41	30	19	15	21	17
FEMALE--	73	-	2	11	1	10	10	6	4	6	3	6
ALL OTHER--MALE----	34	-	-	-	2	2	5	7	2	5	3	4
FEMALE--	18	-	-	-	-	1	4	-	-	4	2	-
BLACK---MALE----	11	-	-	-	1	-	3	1	2	2	1	1
FEMALE--	4	-	-	-	-	-	1	-	-	2	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3557

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Occupant of motor vehicle involved in noncollision accident (V48,V58,V68,V78)												
COLORADO -----	64	-	1	2	1	7	10	4	3	9	7	2
WHITE-----MALE----	34	-	1	-	-	4	6	1	2	6	5	-
FEMALE--	25	-	-	1	1	3	3	3	-	2	2	1
ALL OTHER--MALE----	3	-	-	-	-	-	1	-	-	1	-	1
FEMALE--	2	-	-	1	-	-	-	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	9	-	-	-	-	2	2	2	1	-	-	1
WHITE-----MALE----	7	-	-	-	-	2	1	2	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	8	-	-	-	-	4	1	1	-	2	-	-
WHITE-----MALE----	6	-	-	-	-	4	-	1	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	2	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	4	-	-	1	-	-	-	-	-	-	1	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	1	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	3	-	-	1	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	252	2	2	2	11	38	48	37	18	16	15	17
WHITE-----MALE----	148	-	1	-	3	22	29	28	9	12	11	8
FEMALE--	63	1	-	1	3	10	11	5	7	1	3	6
ALL OTHER--MALE----	33	1	-	1	4	6	5	3	2	3	-	2
FEMALE--	8	-	1	-	1	-	3	1	-	-	1	1
BLACK---MALE-----	31	1	-	1	4	6	4	3	2	3	-	2
FEMALE--	8	-	1	-	1	-	3	1	-	-	1	1
GEORGIA -----	56	-	1	-	1	3	9	11	7	4	7	3
WHITE-----MALE----	36	-	1	-	-	1	4	9	6	2	4	3
FEMALE--	5	-	-	-	-	1	2	-	-	1	1	-
ALL OTHER--MALE----	10	-	-	-	1	1	3	1	-	1	2	-
FEMALE--	5	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE-----	9	-	-	-	1	1	3	-	-	1	2	-
FEMALE--	4	-	-	-	-	-	-	1	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3559

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Occupant of motor vehicle involved in noncollision accident (V48,V58,V68,V78)												
KENTUCKY -----	39	-	-	2	-	5	6	6	3	4	3	2
WHITE-----MALE----	32	-	-	1	-	5	6	6	2	2	2	2
FEMALE--	6	-	-	-	-	-	-	-	1	2	1	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	29	-	-	1	2	2	3	3	5	2	4	-
WHITE-----MALE----	13	-	-	-	-	2	1	2	3	1	1	-
FEMALE--	8	-	-	-	-	-	1	-	1	1	2	-
ALL OTHER--MALE----	7	-	-	1	2	-	1	1	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	7	-	-	1	2	-	1	1	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
MAINE -----	10	-	-	-	-	2	2	1	-	1	1	1
WHITE-----MALE----	5	-	-	-	-	-	1	-	-	1	1	1
FEMALE--	5	-	-	-	-	2	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	15	-	-	-	1	2	3	-	1	1	1	2
WHITE-----MALE----	6	-	-	-	1	1	1	-	1	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	5	-	-	-	-	-	2	-	-	-	-	1
BLACK---MALE-----	3	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	5	-	-	-	-	-	2	-	-	-	-	1
MASSACHUSETTS -----	4	-	-	-	-	-	1	-	-	1	-	2
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	103	1	1	-	-	19	16	20	13	1	10	2
WHITE-----MALE----	61	-	-	-	-	9	12	13	7	1	6	2
FEMALE--	24	-	-	-	-	7	2	4	2	-	2	-
ALL OTHER--MALE----	8	-	-	-	-	1	-	1	2	-	2	-
FEMALE--	10	1	1	-	-	2	2	2	2	-	-	-
BLACK---MALE-----	7	-	-	-	-	1	-	-	2	-	2	-
FEMALE--	7	1	1	-	-	1	2	1	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3562

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Occupant of motor vehicle involved in noncollision accident (V48,V58,V68,V78)												
OHIO -----	55	-	-	-	1	6	9	6	3	7	6	3
WHITE-----MALE----	43	-	-	-	1	3	9	6	2	6	4	3
FEMALE--	7	-	-	-	-	3	-	-	-	-	2	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	45	-	-	-	1	7	2	1	3	3	7	5
WHITE-----MALE----	29	-	-	-	-	6	1	1	2	2	4	4
FEMALE--	8	-	-	-	-	1	1	-	-	-	2	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	1	1	-	1
FEMALE--	3	-	-	-	1	-	-	-	-	-	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	1	-	-	-	-	-	1	-
OREGON -----	55	1	-	-	2	10	9	2	5	10	2	2
WHITE-----MALE----	37	-	-	-	1	6	7	1	3	6	1	2
FEMALE--	12	-	-	-	-	2	1	1	2	3	1	-
ALL OTHER--MALE----	4	1	-	-	-	2	1	-	-	-	-	-
FEMALE--	2	-	-	-	1	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	52	-	1	-	-	4	6	4	6	3	4	5
WHITE-----MALE----	38	-	-	-	-	3	5	4	4	1	3	4
FEMALE--	10	-	-	-	-	1	1	-	1	1	1	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	2	-	-	-	1	-	-	-	-	-	-	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	78	1	-	1	1	15	14	7	3	6	10	6
WHITE-----MALE----	39	1	-	-	-	7	10	3	1	4	4	4
FEMALE--	8	-	-	-	-	4	1	1	-	-	-	-
ALL OTHER--MALE----	19	-	-	-	-	2	3	2	1	1	3	1
FEMALE--	12	-	-	1	1	2	-	1	1	1	3	1
BLACK---MALE----	19	-	-	-	-	2	3	2	1	1	3	1
FEMALE--	11	-	-	1	1	2	-	1	1	1	3	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3562

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Occupant of motor vehicle involved in noncollision accident (V48,V58,V68,V78)												
OHIO -----	2	2	3	1	2	2	2	-	-	-	-	-
WHITE-----MALE----	2	-	3	-	2	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
OKLAHOMA -----	4	3	2	1	2	2	2	-	-	-	-	-
WHITE-----MALE----	3	1	1	1	-	1	2	-	-	-	-	-
FEMALE--	1	1	1	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	2	1	2	2	-	2	1	2	-	-	-	-
WHITE-----MALE----	2	1	2	2	-	2	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	6	5	-	4	3	1	-	-	-	-	-	-
WHITE-----MALE----	6	3	-	2	3	-	-	-	-	-	-	-
FEMALE--	-	1	-	2	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	3	2	2	2	2	1	1	1	-	-	-	-
WHITE-----MALE----	1	1	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	2	1	2	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	2	1	2	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3563

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Occupant of motor vehicle involved in noncollision accident (V48,V58,V68,V78)												
SOUTH DAKOTA -----	37	-	-	-	2	10	3	3	2	2	4	5
WHITE-----MALE----	15	-	-	-	1	4	2	-	1	-	2	1
FEMALE--	6	-	-	-	-	1	1	-	-	2	1	1
ALL OTHER--MALE----	15	-	-	-	1	5	-	3	1	-	1	3
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	241	-	2	1	6	32	47	31	22	25	15	16
WHITE-----MALE----	159	-	-	-	2	20	34	24	15	16	11	11
FEMALE--	52	-	2	-	1	11	7	5	4	6	1	2
ALL OTHER--MALE----	19	-	-	-	1	-	3	2	1	2	3	3
FEMALE--	11	-	-	1	2	1	3	-	2	1	-	-
BLACK---MALE----	18	-	-	-	1	-	3	2	1	2	3	2
FEMALE--	9	-	-	1	2	-	3	-	2	1	-	-
TEXAS -----	277	1	3	3	9	56	45	30	15	24	22	23
WHITE-----MALE----	158	1	1	1	5	34	27	18	8	13	15	11
FEMALE--	85	-	2	2	2	18	13	6	4	9	3	12
ALL OTHER--MALE----	21	-	-	-	-	3	5	4	2	1	3	-
FEMALE--	13	-	-	-	2	1	-	2	1	1	1	-
BLACK---MALE----	20	-	-	-	-	2	5	4	2	1	3	-
FEMALE--	10	-	-	-	2	1	-	1	-	1	1	-
UTAH -----	53	-	-	1	5	12	7	3	4	3	5	4
WHITE-----MALE----	32	-	-	-	3	8	4	3	2	1	2	2
FEMALE--	16	-	-	1	1	4	2	-	2	1	2	1
ALL OTHER--MALE----	3	-	-	-	-	-	1	-	-	-	1	1
FEMALE--	2	-	-	-	1	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	5	-	-	-	-	-	2	-	-	-	2	-
WHITE-----MALE----	4	-	-	-	-	-	2	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	93	-	-	2	1	14	19	6	14	2	8	6
WHITE-----MALE----	46	-	-	-	-	8	11	3	8	1	3	4
FEMALE--	20	-	-	-	-	2	6	-	2	-	2	2
ALL OTHER--MALE----	22	-	-	2	-	3	1	3	3	1	3	-
FEMALE--	5	-	-	-	1	1	1	-	1	-	-	-
BLACK---MALE----	21	-	-	2	-	3	1	3	2	1	3	-
FEMALE--	5	-	-	-	1	1	1	-	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3566

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Occupant of special-use motor vehicle involved in any accident (V83-V86)												
COLORADO -----	19	-	-	3	1	4	-	2	2	2	4	1
WHITE-----MALE----	15	-	-	2	-	3	-	2	2	2	4	-
FEMALE--	3	-	-	1	1	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	3	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	2	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	1	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	39	-	-	4	3	3	7	3	3	3	2	1
WHITE-----MALE----	27	-	-	3	3	2	5	2	2	2	1	-
FEMALE--	4	-	-	1	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	7	-	-	-	-	-	2	1	-	1	-	1
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	2	1	-	1	-	1
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
GEORGIA -----	35	-	1	2	3	5	2	4	3	1	2	1
WHITE-----MALE----	29	-	1	1	2	3	1	4	3	1	2	1
FEMALE--	3	-	-	1	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3571

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Occupant of special-use motor vehicle involved in any accident (V83-V86)												
OHIO -----	28	-	-	2	2	4	4	2	1	1	1	1
WHITE-----MALE----	27	-	-	1	2	4	4	2	1	1	1	1
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	17	-	-	1	3	3	-	1	2	-	-	1
WHITE-----MALE----	14	-	-	1	2	2	-	1	2	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	12	-	-	-	1	3	1	-	-	1	1	-
WHITE-----MALE----	12	-	-	-	1	3	1	-	-	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	56	-	1	1	3	8	5	5	3	-	6	2
WHITE-----MALE----	49	-	1	1	1	6	4	5	3	-	5	2
FEMALE--	6	-	-	-	2	2	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	21	-	-	3	1	3	2	-	-	-	2	-
WHITE-----MALE----	12	-	-	1	-	3	2	-	-	-	-	-
FEMALE--	7	-	-	2	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3574

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified motor vehicle accidents (V09.0,V09.2,V80.3-V80.5,V82.0-V82.1,V87.0-V87.5,V87.7-V87.8,V88.0-V88.5,V88.7-V88.8,V89.0,V89.2)												
UNITED STATES -	17,014	70	249	266	321	2,165	2,169	1,392	1,215	1,323	1,276	1,089
WHITE-----MALE----	9,251	24	110	101	145	1,230	1,294	786	688	751	724	587
FEMALE--	4,930	20	79	99	116	648	481	300	274	343	322	283
ALL OTHER--MALE----	1,859	14	32	34	35	195	260	218	162	160	167	140
FEMALE--	974	12	28	32	25	92	134	88	91	69	63	79
BLACK---MALE----	1,478	13	26	25	26	148	208	167	133	127	144	117
FEMALE--	695	9	22	27	16	69	94	68	72	50	44	61
ALABAMA -----	704	3	11	10	10	104	85	56	50	59	67	40
WHITE-----MALE----	345	-	5	5	6	63	33	24	22	35	37	21
FEMALE--	172	2	2	3	4	27	22	10	12	9	12	5
ALL OTHER--MALE----	125	-	2	1	-	8	22	15	14	10	14	6
FEMALE--	62	1	2	1	-	6	8	7	2	5	4	8
BLACK---MALE----	123	-	2	1	-	8	22	15	13	10	14	6
FEMALE--	59	1	2	1	-	6	8	7	2	4	4	8
ALASKA -----	75	2	2	1	2	17	8	5	3	4	7	9
WHITE-----MALE----	25	1	-	-	-	5	3	3	1	3	2	3
FEMALE--	22	1	1	-	-	6	-	2	1	1	3	3
ALL OTHER--MALE----	20	-	-	1	2	5	3	-	1	-	2	2
FEMALE--	8	-	1	-	-	1	2	-	-	-	-	1
BLACK---MALE----	2	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
ARIZONA -----	681	4	16	14	19	87	77	53	49	36	52	44
WHITE-----MALE----	350	1	7	5	9	44	42	32	26	15	31	25
FEMALE--	184	1	8	5	6	27	13	9	8	6	9	12
ALL OTHER--MALE----	97	1	-	4	2	13	12	10	10	8	8	6
FEMALE--	50	1	1	-	2	3	10	2	5	7	4	1
BLACK---MALE----	12	1	-	1	-	1	-	-	2	1	-	1
FEMALE--	5	-	1	-	-	1	1	1	-	-	-	-
ARKANSAS -----	284	3	3	6	7	32	35	18	21	21	17	20
WHITE-----MALE----	153	1	-	-	2	19	24	6	13	15	12	6
FEMALE--	86	1	1	2	4	12	5	7	4	4	2	7
ALL OTHER--MALE----	34	-	2	2	-	1	3	4	4	2	3	5
FEMALE--	11	1	-	2	1	-	3	1	-	-	-	2
BLACK---MALE----	31	-	2	1	-	1	3	3	4	2	3	5
FEMALE--	9	1	-	2	1	-	3	1	-	-	-	-
CALIFORNIA -----	1,260	4	20	29	29	142	169	98	82	78	92	95
WHITE-----MALE----	707	1	11	7	16	82	106	61	56	41	49	54
FEMALE--	347	1	5	17	11	38	33	14	17	26	28	26
ALL OTHER--MALE----	122	1	2	4	1	14	17	17	4	10	8	8
FEMALE--	84	1	2	1	1	8	13	6	5	1	7	7
BLACK---MALE----	60	-	-	2	1	6	9	7	4	4	4	4
FEMALE--	24	-	-	-	-	2	1	4	2	1	3	2

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3574

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified motor vehicle accidents (V09.0,V09.2,V80.3-V80.5,V82.0-V82.1,V87.0-V87.5,V87.7-V87.8,V88.0-V88.5,V88.7-V88.8,V89.0,V89.2)												
UNITED STATES -	974	750	626	593	644	754	570	426	107	20	2	13
WHITE-----MALE----	527	402	332	291	303	379	280	224	51	10	1	11
FEMALE--	268	233	210	210	253	309	251	176	45	9	1	-
ALL OTHER--MALE----	120	79	56	58	52	34	24	9	7	1	-	2
FEMALE--	59	36	28	34	36	32	15	17	4	-	-	-
BLACK---MALE----	96	61	40	45	43	24	20	7	6	1	-	1
FEMALE--	40	19	19	22	22	17	10	12	2	-	-	-
ALABAMA -----	35	37	24	30	28	17	16	20	1	1	-	-
WHITE-----MALE----	13	22	17	11	12	7	4	8	-	-	-	-
FEMALE--	10	8	4	13	7	7	6	9	-	-	-	-
ALL OTHER--MALE----	9	5	2	4	5	2	4	-	1	1	-	-
FEMALE--	3	2	1	2	4	1	2	3	-	-	-	-
BLACK---MALE----	8	5	2	4	5	2	4	-	1	1	-	-
FEMALE--	2	2	1	2	3	1	2	3	-	-	-	-
ALASKA -----	4	1	2	3	1	3	1	-	-	-	-	-
WHITE-----MALE----	2	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	2	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	2	1	-	-	-	-	-
FEMALE--	1	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	44	32	27	26	24	28	18	28	2	1	-	-
WHITE-----MALE----	23	16	16	9	9	14	11	13	1	1	-	-
FEMALE--	11	13	5	8	10	12	7	13	1	-	-	-
ALL OTHER--MALE----	6	1	4	5	3	2	-	2	-	-	-	-
FEMALE--	4	2	2	4	2	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	2	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	22	13	13	11	6	13	14	7	1	1	-	-
WHITE-----MALE----	9	5	4	6	3	10	10	6	1	1	-	-
FEMALE--	10	4	7	5	3	3	4	1	-	-	-	-
ALL OTHER--MALE----	3	4	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	3	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	89	56	41	40	47	55	47	35	8	2	-	2
WHITE-----MALE----	47	30	21	18	26	29	25	20	4	1	-	2
FEMALE--	23	15	11	18	12	18	19	12	2	1	-	-
ALL OTHER--MALE----	11	7	7	2	3	3	1	-	2	-	-	-
FEMALE--	8	4	2	2	6	5	2	3	-	-	-	-
BLACK---MALE----	7	3	4	-	2	2	-	-	1	-	-	-
FEMALE--	4	2	-	-	1	-	2	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3575

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified motor vehicle accidents (V09.0,V09.2,V80.3-V80.5,V82.0-V82.1,V87.0-V87.5,V87.7-V87.8,V88.0-V88.5,V88.7-V88.8,V89.0,V89.2)												
COLORADO -----	388	4	8	6	7	40	59	36	22	33	34	25
WHITE-----MALE----	237	1	6	3	2	28	38	23	12	23	19	13
FEMALE--	127	2	2	3	4	11	14	8	8	10	14	10
ALL OTHER--MALE----	16	-	-	-	1	1	4	3	2	-	1	2
FEMALE--	8	1	-	-	-	-	3	2	-	-	-	-
BLACK---MALE----	9	-	-	-	-	1	3	1	2	-	-	1
FEMALE--	4	-	-	-	-	-	2	1	-	-	-	-
CONNECTICUT -----	227	-	1	1	2	28	32	18	17	19	9	11
WHITE-----MALE----	133	-	-	-	2	20	23	10	10	12	6	6
FEMALE--	68	-	1	1	-	3	3	5	6	5	1	4
ALL OTHER--MALE----	24	-	-	-	-	5	5	3	1	1	2	1
FEMALE--	2	-	-	-	-	-	1	-	-	1	-	-
BLACK---MALE----	23	-	-	-	-	5	5	2	1	1	2	1
FEMALE--	2	-	-	-	-	-	1	-	-	1	-	-
DELAWARE -----	68	-	2	1	2	18	6	4	4	5	7	1
WHITE-----MALE----	36	-	1	-	-	12	2	2	3	3	5	1
FEMALE--	23	-	-	1	2	5	1	2	1	2	1	-
ALL OTHER--MALE----	7	-	1	-	-	1	1	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	7	-	1	-	-	1	1	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	2	-	-	-	-	-
DISTRICT OF COLUMBIA ---	28	-	-	1	1	2	1	5	2	5	2	3
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	5	-	-	-	-	-	-	2	-	1	-	-
ALL OTHER--MALE----	13	-	-	-	1	1	1	2	1	3	2	-
FEMALE--	9	-	-	1	-	1	-	1	1	-	-	3
BLACK---MALE----	13	-	-	-	1	1	1	2	1	3	2	-
FEMALE--	9	-	-	1	-	1	-	1	1	-	-	3
FLORIDA -----	441	-	4	3	7	45	53	43	31	37	29	27
WHITE-----MALE----	260	-	1	2	5	28	31	28	16	21	17	19
FEMALE--	113	-	1	1	1	8	11	8	8	13	7	5
ALL OTHER--MALE----	47	-	-	-	1	7	6	5	6	3	3	2
FEMALE--	21	-	2	-	-	2	5	2	1	-	2	1
BLACK---MALE----	45	-	-	-	1	7	6	4	6	3	3	2
FEMALE--	20	-	2	-	-	2	4	2	1	-	2	1
GEORGIA -----	928	10	14	15	17	111	109	101	64	83	66	60
WHITE-----MALE----	447	2	7	4	7	58	54	53	26	38	35	28
FEMALE--	235	3	2	6	4	29	20	21	17	18	15	16
ALL OTHER--MALE----	164	2	1	3	1	15	30	16	11	17	8	13
FEMALE--	82	3	4	2	5	9	5	11	10	10	8	3
BLACK---MALE----	149	2	1	2	1	13	28	14	10	16	8	11
FEMALE--	74	3	4	2	4	9	3	10	10	9	7	3

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3575

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified motor vehicle accidents (V09.0,V09.2,V80.3-V80.5,V82.0-V82.1,V87.0-V87.5,V87.7-V87.8,V88.0-V88.5,V88.7-V88.8,V89.0,V89.2)												
COLORADO -----	23	13	12	12	14	16	12	8	1	-	-	3
WHITE-----MALE----	19	7	10	5	7	6	5	7	-	-	-	3
FEMALE--	3	5	2	7	7	9	6	1	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	13	15	6	5	8	20	9	8	4	1	-	-
WHITE-----MALE----	6	7	3	3	5	9	4	5	2	-	-	-
FEMALE--	5	6	2	2	3	11	5	3	1	1	-	-
ALL OTHER--MALE----	2	2	1	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	2	1	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	1	4	4	1	-	3	5	-	-	-	-	-
WHITE-----MALE----	-	2	2	1	-	1	1	-	-	-	-	-
FEMALE--	1	2	-	-	-	2	3	-	-	-	-	-
ALL OTHER--MALE----	-	-	2	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	2	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	1	1	-	4	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
FLORIDA -----	28	18	20	19	23	21	20	7	3	-	-	3
WHITE-----MALE----	16	9	10	12	14	13	11	4	2	-	-	1
FEMALE--	7	7	5	6	5	8	9	3	-	-	-	-
ALL OTHER--MALE----	4	1	2	1	3	-	-	-	1	-	-	2
FEMALE--	1	1	3	-	1	-	-	-	-	-	-	-
BLACK---MALE----	4	1	2	1	3	-	-	-	1	-	-	1
FEMALE--	1	1	3	-	1	-	-	-	-	-	-	-
GEORGIA -----	47	37	32	49	29	52	14	11	5	1	-	1
WHITE-----MALE----	25	16	16	25	8	30	8	3	3	-	-	1
FEMALE--	9	10	9	12	12	17	5	7	2	1	-	-
ALL OTHER--MALE----	11	11	6	7	6	4	1	1	-	-	-	-
FEMALE--	2	-	1	5	3	1	-	-	-	-	-	-
BLACK---MALE----	10	10	5	6	6	4	1	1	-	-	-	-
FEMALE--	2	-	-	4	3	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3577

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified motor vehicle accidents (V09.0,V09.2,V80.3-V80.5,V82.0-V82.1,V87.0-V87.5,V87.7-V87.8,V88.0-V88.5,V88.7-V88.8,V89.0,V89.2)												
KENTUCKY -----	412	1	12	6	10	67	56	29	34	27	30	19
WHITE-----MALE----	264	-	8	3	8	44	37	17	25	15	21	14
FEMALE--	127	-	2	2	2	21	17	9	9	12	8	5
ALL OTHER--MALE----	13	-	2	-	-	2	-	2	-	-	1	-
FEMALE--	8	1	-	1	-	-	2	1	-	-	-	-
BLACK---MALE-----	13	-	2	-	-	2	-	2	-	-	1	-
FEMALE--	8	1	-	1	-	-	2	1	-	-	-	-
LOUISIANA -----	717	5	13	11	10	84	115	65	57	46	57	45
WHITE-----MALE----	320	1	5	3	2	37	68	35	28	19	28	13
FEMALE--	166	1	4	1	3	21	19	8	8	12	11	8
ALL OTHER--MALE----	137	3	2	2	3	14	13	12	14	10	14	16
FEMALE--	94	-	2	5	2	12	15	10	7	5	4	8
BLACK---MALE-----	133	3	2	2	3	14	13	12	13	9	14	16
FEMALE--	93	-	2	5	2	12	15	10	7	5	4	8
MAINE -----	17	-	-	-	-	2	2	2	1	-	-	1
WHITE-----MALE----	10	-	-	-	-	1	2	2	-	-	-	1
FEMALE--	7	-	-	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	283	2	3	4	9	40	33	23	20	17	22	19
WHITE-----MALE----	137	1	-	-	3	20	22	10	10	7	12	11
FEMALE--	58	-	1	1	3	7	4	4	1	2	1	3
ALL OTHER--MALE----	54	1	-	1	1	8	4	8	4	5	4	2
FEMALE--	34	-	2	2	2	5	3	1	5	3	5	3
BLACK---MALE-----	52	1	-	1	1	8	4	7	4	5	4	2
FEMALE--	30	-	2	2	1	4	3	1	5	3	5	2
MASSACHUSETTS -----	336	-	2	5	2	51	34	24	21	33	22	21
WHITE-----MALE----	201	-	-	3	2	30	22	13	13	24	15	11
FEMALE--	103	-	1	2	-	15	8	8	7	6	5	7
ALL OTHER--MALE----	20	-	1	-	-	3	3	3	-	1	1	2
FEMALE--	12	-	-	-	-	3	1	-	1	2	1	1
BLACK---MALE-----	10	-	1	-	-	1	1	-	-	-	1	2
FEMALE--	5	-	-	-	-	2	-	-	1	-	-	1
MICHIGAN -----	615	-	11	9	19	82	66	40	40	51	39	40
WHITE-----MALE----	288	-	5	6	4	38	31	21	21	24	18	22
FEMALE--	203	-	3	1	9	34	17	8	5	17	14	5
ALL OTHER--MALE----	80	-	2	-	4	7	9	10	8	6	7	9
FEMALE--	44	-	1	2	2	3	9	1	6	4	-	4
BLACK---MALE-----	78	-	2	-	4	5	9	10	8	6	7	9
FEMALE--	40	-	1	2	2	1	8	1	6	4	-	4

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3577

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified motor vehicle accidents (V09.0,V09.2,V80.3-V80.5,V82.0-V82.1,V87.0-V87.5,V87.7-V87.8,V88.0-V88.5,V88.7-V88.8,V89.0,V89.2)												
KENTUCKY -----	28	18	11	10	19	13	9	9	3	1	-	-
WHITE-----MALE----	18	11	5	8	13	7	3	5	1	1	-	-
FEMALE--	7	6	6	1	5	4	6	4	1	-	-	-
ALL OTHER--MALE----	2	1	-	1	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	1	-	-	-
BLACK---MALE----	2	1	-	1	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	1	-	-	-
LOUISIANA -----	63	26	13	28	25	30	11	10	3	-	-	-
WHITE-----MALE----	32	12	4	10	6	10	3	3	1	-	-	-
FEMALE--	11	7	6	6	11	15	7	5	2	-	-	-
ALL OTHER--MALE----	12	4	1	7	4	3	1	2	-	-	-	-
FEMALE--	8	3	2	5	4	2	-	-	-	-	-	-
BLACK---MALE----	11	4	1	7	4	2	1	2	-	-	-	-
FEMALE--	8	3	2	4	4	2	-	-	-	-	-	-
MAINE -----	-	2	1	1	1	1	1	1	1	-	-	-
WHITE-----MALE----	-	2	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	16	14	10	7	6	11	18	7	2	-	-	-
WHITE-----MALE----	8	9	4	3	2	6	7	1	1	-	-	-
FEMALE--	2	1	4	4	2	3	9	5	1	-	-	-
ALL OTHER--MALE----	5	4	2	-	1	2	1	1	-	-	-	-
FEMALE--	1	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	5	4	1	-	1	2	1	1	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
MASSACHUSETTS -----	20	23	11	11	14	22	10	7	2	1	-	-
WHITE-----MALE----	12	13	5	8	9	11	4	4	1	1	-	-
FEMALE--	5	7	5	3	4	11	6	2	1	-	-	-
ALL OTHER--MALE----	1	3	1	-	1	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
MICHIGAN -----	21	40	22	22	31	30	24	23	5	-	-	-
WHITE-----MALE----	9	22	13	11	9	12	11	10	1	-	-	-
FEMALE--	8	14	9	7	15	11	10	12	4	-	-	-
ALL OTHER--MALE----	3	4	-	2	5	3	1	-	-	-	-	-
FEMALE--	1	-	-	2	2	4	2	1	-	-	-	-
BLACK---MALE----	3	4	-	2	5	3	1	-	-	-	-	-
FEMALE--	1	-	-	2	2	3	2	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3578

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified motor vehicle accidents (V09.0,V09.2,V80.3-V80.5,V82.0-V82.1,V87.0-V87.5,V87.7-V87.8,V88.0-V88.5,V88.7-V88.8,V89.0,V89.2)												
MINNESOTA -----	129	-	2	2	3	14	21	8	7	11	5	14
WHITE-----MALE----	80	-	2	1	1	10	14	5	3	6	4	8
FEMALE--	37	-	-	-	2	3	4	3	2	2	1	5
ALL OTHER--MALE----	6	-	-	-	-	-	2	-	1	2	-	1
FEMALE--	6	-	-	1	-	1	1	-	1	1	-	-
BLACK---MALE----	2	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	3	-	-	1	-	-	1	-	1	-	-	-
MISSISSIPPI -----	84	1	1	2	2	10	8	9	5	6	7	4
WHITE-----MALE----	35	-	1	1	1	3	3	3	2	4	1	3
FEMALE--	17	-	-	1	1	2	-	2	-	2	2	-
ALL OTHER--MALE----	25	-	-	-	-	4	3	3	3	-	4	1
FEMALE--	7	1	-	-	-	1	2	1	-	-	-	-
BLACK---MALE----	23	-	-	-	-	4	3	3	3	-	3	-
FEMALE--	7	1	-	-	-	1	2	1	-	-	-	-
MISSOURI -----	616	1	7	15	14	111	75	38	40	49	46	40
WHITE-----MALE----	348	1	2	7	6	63	46	21	14	30	24	24
FEMALE--	187	-	4	5	5	36	17	8	12	12	16	14
ALL OTHER--MALE----	65	-	1	1	3	11	11	5	11	6	6	2
FEMALE--	16	-	-	2	-	1	1	4	3	1	-	-
BLACK---MALE----	63	-	1	1	3	9	11	5	11	6	6	2
FEMALE--	16	-	-	2	-	1	1	4	3	1	-	-
MONTANA -----	18	-	-	1	1	-	2	3	2	-	1	-
WHITE-----MALE----	6	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	1	2	-	-	-	-
FEMALE--	4	-	-	1	-	-	1	-	1	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	56	-	-	-	-	8	7	6	4	1	4	7
WHITE-----MALE----	35	-	-	-	-	4	5	4	2	1	2	5
FEMALE--	19	-	-	-	-	4	2	2	2	-	1	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	135	-	-	2	2	10	22	13	11	12	14	10
WHITE-----MALE----	76	-	-	1	1	5	17	8	5	5	7	4
FEMALE--	37	-	-	1	-	3	4	1	4	6	5	2
ALL OTHER--MALE----	13	-	-	-	1	2	1	2	1	-	-	4
FEMALE--	9	-	-	-	-	-	-	2	1	1	2	-
BLACK---MALE----	10	-	-	-	1	2	1	2	1	-	-	1
FEMALE--	7	-	-	-	-	-	-	1	1	1	2	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3580

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified motor vehicle accidents (V09.0,V09.2,V80.3-V80.5,V82.0-V82.1,V87.0-V87.5,V87.7-V87.8,V88.0-V88.5,V88.7-V88.8,V89.0,V89.2)												
OHIO -----	684	1	7	13	17	89	84	60	47	58	55	39
WHITE-----MALE----	376	1	2	5	5	53	49	36	33	38	33	16
FEMALE--	227	-	2	5	9	28	28	17	6	12	18	16
ALL OTHER--MALE----	56	-	2	2	2	6	5	7	5	7	3	4
FEMALE--	25	-	1	1	1	2	2	-	3	1	1	3
BLACK---MALE-----	49	-	1	2	2	6	4	6	4	7	3	3
FEMALE--	22	-	-	1	1	2	2	-	3	1	-	3
OKLAHOMA -----	407	2	4	2	6	63	60	28	27	34	38	21
WHITE-----MALE----	212	1	1	1	2	33	29	13	12	24	24	12
FEMALE--	133	1	2	1	3	19	19	5	10	7	9	3
ALL OTHER--MALE----	26	-	1	-	-	4	4	5	3	1	3	3
FEMALE--	36	-	-	-	1	7	8	5	2	2	2	3
BLACK---MALE-----	14	-	1	-	-	2	2	3	1	-	2	2
FEMALE--	11	-	-	-	-	2	3	2	-	-	-	3
OREGON -----	202	-	5	3	3	26	23	13	19	11	18	8
WHITE-----MALE----	111	-	1	1	1	14	14	6	14	4	9	5
FEMALE--	75	-	4	2	2	10	6	4	5	5	7	2
ALL OTHER--MALE----	8	-	-	-	-	-	2	2	-	1	1	1
FEMALE--	8	-	-	-	-	2	1	1	-	1	1	-
BLACK---MALE-----	2	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
PENNSYLVANIA -----	880	3	7	12	14	117	113	73	58	75	65	47
WHITE-----MALE----	547	3	5	6	6	74	77	47	43	49	45	30
FEMALE--	261	-	1	5	4	33	28	17	12	18	14	15
ALL OTHER--MALE----	52	-	1	-	2	7	7	8	2	6	4	2
FEMALE--	20	-	-	1	2	3	1	1	1	2	2	-
BLACK---MALE-----	44	-	1	-	2	5	7	8	1	4	4	1
FEMALE--	17	-	-	1	2	3	-	1	1	1	2	-
RHODE ISLAND -----	9	-	-	-	-	1	1	-	-	3	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	2	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
SOUTH CAROLINA -----	463	3	6	7	5	58	60	48	33	31	38	34
WHITE-----MALE----	214	-	1	2	4	33	32	24	16	12	12	15
FEMALE--	105	1	-	2	-	14	10	6	5	6	9	5
ALL OTHER--MALE----	103	2	3	2	1	5	14	14	5	11	14	9
FEMALE--	41	-	2	1	-	6	4	4	7	2	3	5
BLACK---MALE-----	101	2	3	2	1	5	14	14	5	11	14	9
FEMALE--	40	-	2	1	-	6	4	4	6	2	3	5

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3580

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified motor vehicle accidents (V09.0,V09.2,V80.3-V80.5,V82.0-V82.1,V87.0-V87.5,V87.7-V87.8,V88.0-V88.5,V88.7-V88.8,V89.0,V89.2)												
OHIO -----	41	19	31	26	23	28	23	18	5	-	-	-
WHITE-----MALE----	22	9	15	9	11	16	12	10	1	-	-	-
FEMALE--	13	6	13	12	12	11	10	5	4	-	-	-
ALL OTHER--MALE----	4	3	1	3	-	-	-	2	-	-	-	-
FEMALE--	2	1	2	2	-	1	1	1	-	-	-	-
BLACK---MALE----	3	2	1	3	-	-	-	2	-	-	-	-
FEMALE--	2	-	2	2	-	1	1	1	-	-	-	-
OKLAHOMA -----	24	13	17	18	14	9	13	8	6	-	-	-
WHITE-----MALE----	11	8	11	9	7	3	6	2	3	-	-	-
FEMALE--	12	3	5	7	7	4	7	6	3	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	1	2	1	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
OREGON -----	19	10	11	3	12	6	8	4	-	-	-	-
WHITE-----MALE----	11	7	6	2	7	2	5	2	-	-	-	-
FEMALE--	7	2	5	1	5	4	2	2	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	41	26	33	30	37	50	36	35	6	2	-	-
WHITE-----MALE----	24	17	19	16	17	26	21	19	1	2	-	-
FEMALE--	10	7	12	10	19	22	14	15	5	-	-	-
ALL OTHER--MALE----	6	1	1	3	1	-	1	-	-	-	-	-
FEMALE--	1	1	1	1	-	2	-	1	-	-	-	-
BLACK---MALE----	6	-	-	3	1	-	1	-	-	-	-	-
FEMALE--	1	-	1	1	-	2	-	1	-	-	-	-
RHODE ISLAND -----	1	-	2	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	20	22	20	20	17	19	14	7	1	-	-	-
WHITE-----MALE----	11	9	8	6	13	9	4	2	1	-	-	-
FEMALE--	4	6	4	11	1	8	9	4	-	-	-	-
ALL OTHER--MALE----	4	5	6	3	3	1	1	-	-	-	-	-
FEMALE--	1	2	2	-	-	1	-	1	-	-	-	-
BLACK---MALE----	4	4	6	2	3	1	1	-	-	-	-	-
FEMALE--	1	2	2	-	-	1	-	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3581

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified motor vehicle accidents (V09.0,V09.2,V80.3-V80.5,V82.0-V82.1,V87.0-V87.5,V87.7-V87.8,V88.0-V88.5,V88.7-V88.8,V89.0,V89.2)												
SOUTH DAKOTA -----	17	-	1	1	-	1	2	-	2	1	-	-
WHITE-----MALE----	9	-	-	1	-	1	2	-	1	1	-	-
FEMALE--	7	-	1	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	232	1	1	3	4	23	21	13	15	24	18	15
WHITE-----MALE----	122	-	1	-	2	10	15	7	11	14	7	11
FEMALE--	71	-	-	3	2	10	4	2	2	5	5	3
ALL OTHER--MALE----	24	1	-	-	-	3	1	3	-	-	6	1
FEMALE--	15	-	-	-	-	-	1	1	2	5	-	-
BLACK---MALE----	24	1	-	-	-	3	1	3	-	-	6	1
FEMALE--	15	-	-	-	-	-	1	1	2	5	-	-
TEXAS -----	1,971	8	36	40	38	259	294	175	183	156	129	130
WHITE-----MALE----	1,107	4	16	17	18	146	194	103	108	89	78	69
FEMALE--	593	3	13	13	14	87	62	38	45	44	30	38
ALL OTHER--MALE----	181	-	3	8	6	18	26	23	23	18	15	14
FEMALE--	90	1	4	2	-	8	12	11	7	5	6	9
BLACK---MALE----	155	-	2	7	3	16	22	19	21	17	15	14
FEMALE--	67	1	3	1	-	8	12	6	5	3	5	6
UTAH -----	192	-	5	3	2	29	31	17	9	13	15	9
WHITE-----MALE----	111	-	3	-	-	17	20	8	3	8	7	4
FEMALE--	66	-	2	3	2	12	7	6	3	5	6	5
ALL OTHER--MALE----	13	-	-	-	-	-	4	2	3	-	2	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	1	-	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	42	-	1	-	1	8	6	3	1	4	6	4
WHITE-----MALE----	28	-	-	-	1	6	4	2	1	2	4	3
FEMALE--	14	-	1	-	-	2	2	1	-	2	2	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	378	1	4	2	5	53	43	31	27	35	35	20
WHITE-----MALE----	215	-	1	-	1	26	32	18	15	21	21	14
FEMALE--	109	-	2	1	2	20	8	7	9	8	8	4
ALL OTHER--MALE----	38	1	1	-	1	7	1	4	2	5	5	1
FEMALE--	16	-	-	1	1	-	2	2	1	1	1	1
BLACK---MALE----	36	1	-	-	1	7	1	3	2	5	5	1
FEMALE--	10	-	-	1	-	-	2	1	1	1	1	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3581

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified motor vehicle accidents (V09.0,V09.2,V80.3-V80.5,V82.0-V82.1,V87.0-V87.5,V87.7-V87.8,V88.0-V88.5,V88.7-V88.8,V89.0,V89.2)												
SOUTH DAKOTA -----	1	1	1	1	1	2	1	-	1	-	-	-
WHITE-----MALE----	1	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	1	-	1	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	12	9	7	11	9	18	15	9	3	-	-	1
WHITE-----MALE----	3	7	2	5	4	7	8	5	2	-	-	1
FEMALE--	6	1	4	3	2	10	5	4	-	-	-	-
ALL OTHER--MALE----	1	-	-	2	3	-	2	-	1	-	-	-
FEMALE--	2	1	1	1	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	2	3	-	2	-	1	-	-	-
FEMALE--	2	1	1	1	-	1	-	-	-	-	-	-
TEXAS -----	96	80	60	56	71	64	49	34	10	1	-	2
WHITE-----MALE----	53	39	34	28	32	30	26	17	3	1	-	2
FEMALE--	30	30	19	22	35	29	21	14	6	-	-	-
ALL OTHER--MALE----	6	5	4	4	3	1	2	1	1	-	-	-
FEMALE--	7	6	3	2	1	4	-	2	-	-	-	-
BLACK---MALE----	5	3	4	2	2	1	1	-	1	-	-	-
FEMALE--	5	4	3	2	-	2	-	1	-	-	-	-
UTAH -----	16	10	8	5	5	4	4	4	3	-	-	-
WHITE-----MALE----	13	7	6	4	2	1	4	2	2	-	-	-
FEMALE--	1	2	2	1	3	3	-	2	1	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	1	2	2	-	1	1	-	-	-	-	-
WHITE-----MALE----	1	-	-	2	-	1	1	-	-	-	-	-
FEMALE--	-	1	2	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	28	13	13	14	17	15	12	8	2	-	-	-
WHITE-----MALE----	12	9	5	8	11	9	5	5	2	-	-	-
FEMALE--	9	3	7	4	5	3	6	3	-	-	-	-
ALL OTHER--MALE----	6	-	1	1	-	1	1	-	-	-	-	-
FEMALE--	1	1	-	1	1	2	-	-	-	-	-	-
BLACK---MALE----	6	-	1	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3593

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified land transport accidents (V01,V06,V09.1,V09.3,V09.9,V10-V11,V16-V18,V19.3,V19.8-V19.9,V80.0-V80.2,V80.7-V80.9, V87.9,V88.9,V89.1,V89.3,V89.9)												
COLORADO -----	17	-	-	-	-	1	-	1	2	1	3	2
WHITE-----MALE----	13	-	-	-	-	-	-	1	1	1	3	2
FEMALE--	4	-	-	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	18	-	1	1	2	1	1	-	1	1	2	1
WHITE-----MALE----	7	-	-	-	1	1	1	-	1	-	-	-
FEMALE--	6	-	1	1	1	-	-	-	-	1	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
DELAWARE -----	3	-	-	-	1	-	-	-	-	-	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	1	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	1	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	47	-	-	1	-	3	2	4	2	4	4	8
WHITE-----MALE----	32	-	-	-	-	1	2	3	2	2	3	5
FEMALE--	8	-	-	-	-	-	-	1	-	-	1	2
ALL OTHER--MALE----	6	-	-	1	-	2	-	-	-	1	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	6	-	-	1	-	2	-	-	-	1	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
GEORGIA -----	36	-	1	1	3	3	3	4	6	4	2	1
WHITE-----MALE----	19	-	-	-	1	2	1	4	3	2	2	-
FEMALE--	6	-	-	1	1	-	-	-	1	-	-	1
ALL OTHER--MALE----	9	-	1	-	-	1	1	-	2	2	-	-
FEMALE--	2	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE-----	9	-	1	-	-	1	1	-	2	2	-	-
FEMALE--	2	-	-	-	1	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3595

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified land transport accidents (V01,V06,V09.1,V09.3,V09.9,V10-V11,V16-V18,V19.3,V19.8-V19.9,V80.0-V80.2,V80.7-V80.9, V87.9,V88.9,V89.1,V89.3,V89.9)												
KENTUCKY -----	4	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	1	-	3	-	1	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	1	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
MASSACHUSETTS -----	2	1	-	1	-	1	1	1	-	-	-	-
WHITE-----MALE----	2	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	-	1	2	1	-	1	-	-	-	1	-	-
WHITE-----MALE----	-	-	2	1	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3596

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified land transport accidents (V01,V06,V09.1,V09.3,V09.9,V10-V11,V16-V18,V19.3,V19.8-V19.9,V80.0-V80.2,V80.7-V80.9, V87.9,V88.9,V89.1,V89.3,V89.9)												
MINNESOTA -----	1	-	-	1	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	-	-	-	1	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI -----	2	2	2	1	1	2	-	1	1	-	-	-
WHITE-----MALE----	-	1	1	1	1	2	-	1	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA -----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	2	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	-	-	-	-	1	1	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3610

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Air and space transport accidents (V95-V97)												
UNITED STATES -	777	4	4	4	10	20	49	61	71	69	75	90
WHITE-----MALE----	628	2	2	1	6	9	43	47	55	63	69	70
FEMALE--	116	2	2	3	4	7	4	10	12	4	6	16
ALL OTHER--MALE----	25	-	-	-	-	2	2	4	3	1	-	4
FEMALE--	8	-	-	-	-	2	-	-	1	1	-	-
BLACK---MALE-----	10	-	-	-	-	-	1	3	1	-	-	2
FEMALE--	2	-	-	-	-	-	-	-	1	1	-	-
ALABAMA -----	6	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	27	-	-	-	-	2	-	3	1	4	3	4
WHITE-----MALE----	20	-	-	-	-	-	-	3	1	3	3	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	3	-	-	-	-	2	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	21	-	-	-	-	-	2	3	2	4	-	1
WHITE-----MALE----	20	-	-	-	-	-	2	3	2	4	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	3	-	-	-	-	-	1	-	1	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	132	1	-	-	1	4	7	10	7	11	11	13
WHITE-----MALE----	99	-	-	-	1	3	7	9	4	9	8	9
FEMALE--	23	1	-	-	-	1	-	1	2	1	3	3
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	1	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3622

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other and unspecified transport accidents and their sequelae (V98-V99,Y85)												
KENTUCKY -----	6	-	-	-	-	-	-	-	-	-	3	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	11	-	-	-	-	1	2	2	-	-	3	1
WHITE-----MALE----	8	-	-	-	-	1	2	2	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	2	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	9	-	-	-	-	-	-	1	-	-	2	-
WHITE-----MALE----	3	-	-	-	-	-	-	1	-	-	2	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	2	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	17	-	-	-	-	1	-	2	1	2	2	3
WHITE-----MALE----	11	-	-	-	-	-	-	2	1	1	1	3
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	1	-	-	-	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3628

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Falls (W00-W19)												
UNITED STATES -	13,322	8	36	16	21	99	138	138	165	238	370	409
WHITE-----MALE----	6,449	3	13	10	15	81	106	112	127	163	253	290
FEMALE--	5,803	2	10	2	3	9	21	13	13	31	57	62
ALL OTHER--MALE----	673	3	10	4	1	7	9	10	23	36	44	42
FEMALE--	397	-	3	-	2	2	2	3	2	8	16	15
BLACK---MALE-----	485	2	10	4	1	4	7	3	16	23	34	37
FEMALE--	275	-	3	-	2	2	-	2	2	6	11	10
ALABAMA -----	117	-	-	-	-	4	1	1	3	5	8	8
WHITE-----MALE----	59	-	-	-	-	4	1	1	3	4	5	6
FEMALE--	45	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	1	2	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	8	-	-	-	-	-	-	-	-	1	2	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	11	-	-	-	-	1	-	-	-	-	-	2
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	3	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	384	1	1	-	-	3	1	5	4	1	7	4
WHITE-----MALE----	193	-	-	-	-	2	1	2	3	1	5	3
FEMALE--	172	-	-	-	-	1	-	1	-	-	1	-
ALL OTHER--MALE----	14	1	1	-	-	-	-	2	1	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	4	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	100	-	-	-	-	1	1	3	3	-	5	3
WHITE-----MALE----	51	-	-	-	-	-	1	3	2	-	4	2
FEMALE--	40	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE-----	7	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
CALIFORNIA -----	1,214	1	3	1	2	7	20	15	18	16	44	44
WHITE-----MALE----	646	1	3	1	2	5	15	13	17	14	35	33
FEMALE--	438	-	-	-	-	1	4	-	-	1	4	6
ALL OTHER--MALE----	72	-	-	-	-	1	-	1	-	1	4	3
FEMALE--	58	-	-	-	-	-	1	1	1	-	1	2
BLACK---MALE-----	21	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	22	-	-	-	-	-	-	1	1	-	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3628

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Falls (W00-W19)												
UNITED STATES -	462	448	501	595	1,065	1,641	2,200	2,352	1,682	618	120	-
WHITE-----MALE----	289	269	305	326	563	833	997	951	559	159	25	-
FEMALE--	88	105	123	188	403	706	1,091	1,311	1,054	425	86	-
ALL OTHER--MALE----	69	57	49	52	50	62	55	41	33	14	2	-
FEMALE--	16	17	24	29	49	40	57	49	36	20	7	-
BLACK---MALE----	54	47	42	41	37	39	31	20	23	9	1	-
FEMALE--	13	13	14	23	36	26	41	30	23	12	6	-
ALABAMA -----	1	7	3	8	8	13	11	19	15	2	-	-
WHITE-----MALE----	1	4	1	6	5	5	4	4	5	-	-	-
FEMALE--	-	-	1	2	3	8	1	15	10	2	-	-
ALL OTHER--MALE----	-	2	1	-	-	-	2	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	4	-	-	-	-	-
BLACK---MALE----	-	2	1	-	-	-	2	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	4	-	-	-	-	-
ALASKA -----	-	1	1	-	1	2	1	1	1	-	-	-
WHITE-----MALE----	-	1	1	-	1	2	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	18	14	12	13	33	56	59	69	64	18	1	-
WHITE-----MALE----	12	10	7	5	21	28	30	30	27	6	-	-
FEMALE--	3	3	4	8	10	27	29	39	34	11	1	-
ALL OTHER--MALE----	3	1	1	-	1	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	2	1	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ARKANSAS -----	4	3	6	8	6	14	13	16	11	3	-	-
WHITE-----MALE----	4	2	4	6	3	9	3	5	2	1	-	-
FEMALE--	-	-	2	2	2	3	9	11	8	2	-	-
ALL OTHER--MALE----	-	1	-	-	-	2	1	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	2	1	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
CALIFORNIA -----	40	50	49	57	103	140	219	197	127	52	9	-
WHITE-----MALE----	26	24	28	34	62	79	108	79	50	13	4	-
FEMALE--	6	15	14	16	26	52	88	100	67	33	5	-
ALL OTHER--MALE----	5	8	4	3	7	5	14	8	5	3	-	-
FEMALE--	3	3	3	4	8	4	9	10	5	3	-	-
BLACK---MALE----	1	7	2	-	1	1	5	2	-	-	-	-
FEMALE--	3	1	1	2	4	-	3	3	2	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3629

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Falls (W00-W19)												
COLORADO -----	267	-	2	-	-	2	4	9	8	7	5	8
WHITE-----MALE----	125	-	-	-	-	1	3	8	5	5	4	5
FEMALE--	124	-	2	-	-	-	1	1	1	1	1	2
ALL OTHER--MALE----	10	-	-	-	-	1	-	-	2	1	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	5	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
CONNECTICUT -----	159	1	1	1	-	1	1	2	3	3	2	3
WHITE-----MALE----	75	-	-	1	-	1	1	2	2	3	2	2
FEMALE--	75	1	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	5	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
DELAWARE -----	31	-	-	-	-	-	1	-	1	-	1	-
WHITE-----MALE----	22	-	-	-	-	-	1	-	1	-	1	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	32	-	-	-	-	-	-	-	2	-	2	1
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	2	-	1	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	8	-	-	-	-	-	-	-	2	-	1	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	908	-	-	1	2	5	6	3	6	7	29	32
WHITE-----MALE----	472	-	-	-	2	5	5	3	5	4	17	24
FEMALE--	395	-	-	-	-	-	1	-	-	2	7	5
ALL OTHER--MALE----	26	-	-	1	-	-	-	-	1	-	4	2
FEMALE--	15	-	-	-	-	-	-	-	-	1	1	1
BLACK---MALE-----	22	-	-	1	-	-	-	-	1	-	3	2
FEMALE--	14	-	-	-	-	-	-	-	-	1	1	1
GEORGIA -----	323	-	-	1	-	1	5	2	3	6	10	13
WHITE-----MALE----	127	-	-	-	-	1	4	2	3	2	4	7
FEMALE--	143	-	-	-	-	-	-	-	-	2	2	1
ALL OTHER--MALE----	34	-	-	1	-	-	1	-	-	1	2	5
FEMALE--	19	-	-	-	-	-	-	-	-	1	2	-
BLACK---MALE-----	32	-	-	1	-	-	1	-	-	1	2	5
FEMALE--	19	-	-	-	-	-	-	-	-	1	2	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3629

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Falls (W00-W19)												
COLORADO -----	12	11	10	10	15	24	52	43	26	16	3	-
WHITE-----MALE----	8	9	6	4	2	12	24	15	12	1	1	-
FEMALE--	4	1	4	3	9	11	28	24	14	15	2	-
ALL OTHER--MALE----	-	-	-	2	1	1	-	2	-	-	-	-
FEMALE--	-	1	-	1	3	-	-	2	-	-	-	-
BLACK---MALE-----	-	-	-	2	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	2	-	-	1	-	-	-	-
CONNECTICUT -----	3	8	8	9	9	14	34	25	20	9	2	-
WHITE-----MALE----	1	5	6	7	3	9	14	10	3	3	-	-
FEMALE--	1	2	1	2	6	5	18	15	17	5	1	-
ALL OTHER--MALE----	1	-	1	-	-	-	2	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	1	1	-
BLACK---MALE-----	1	-	1	-	-	-	2	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	1	1	-
DELAWARE -----	1	1	-	1	3	7	3	8	3	1	-	-
WHITE-----MALE----	1	-	-	1	3	4	3	5	1	1	-	-
FEMALE--	-	1	-	-	-	3	-	3	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	2	4	1	2	3	3	5	4	2	1	-	-
WHITE-----MALE----	-	2	-	1	-	-	1	1	-	-	-	-
FEMALE--	-	1	1	1	-	-	2	1	2	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	2	-	1	-	-	-	-
FEMALE--	1	1	-	-	3	1	2	1	-	1	-	-
BLACK---MALE-----	1	-	-	-	-	2	-	1	-	-	-	-
FEMALE--	1	1	-	-	3	1	2	1	-	1	-	-
FLORIDA -----	33	22	29	38	69	119	150	189	107	52	9	-
WHITE-----MALE----	24	16	20	24	39	59	65	95	44	16	5	-
FEMALE--	5	5	6	10	27	57	82	91	59	35	3	-
ALL OTHER--MALE----	2	1	1	3	2	2	1	2	3	1	-	-
FEMALE--	2	-	2	1	1	1	2	1	1	-	1	-
BLACK---MALE-----	2	1	1	2	1	1	1	2	3	1	-	-
FEMALE--	1	-	2	1	1	1	2	1	1	-	1	-
GEORGIA -----	17	11	12	20	26	33	54	65	29	13	2	-
WHITE-----MALE----	9	8	5	6	14	14	17	17	8	5	1	-
FEMALE--	3	-	1	6	10	15	32	43	20	7	1	-
ALL OTHER--MALE----	3	3	6	6	1	1	2	1	-	1	-	-
FEMALE--	2	-	-	2	1	3	3	4	1	-	-	-
BLACK---MALE-----	3	3	6	5	1	1	2	-	-	1	-	-
FEMALE--	2	-	-	2	1	3	3	4	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3631

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Falls (W00-W19)												
KENTUCKY -----	150	-	-	1	-	5	2	1	3	6	7	2
WHITE-----MALE----	83	-	-	1	-	5	2	1	3	4	6	1
FEMALE--	63	-	-	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	113	-	-	-	-	2	-	4	2	7	7	8
WHITE-----MALE----	64	-	-	-	-	2	-	2	2	5	5	6
FEMALE--	31	-	-	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	11	-	-	-	-	-	-	1	-	1	1	1
FEMALE--	7	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE-----	11	-	-	-	-	-	-	1	-	1	1	1
FEMALE--	7	-	-	-	-	-	-	1	-	-	-	-
MAINE -----	65	-	-	-	-	-	-	2	-	-	1	1
WHITE-----MALE----	30	-	-	-	-	-	-	2	-	-	1	1
FEMALE--	35	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	183	-	-	-	-	1	5	1	3	2	8	5
WHITE-----MALE----	86	-	-	-	-	-	4	1	1	2	4	3
FEMALE--	65	-	-	-	-	-	1	-	1	-	2	-
ALL OTHER--MALE----	21	-	-	-	-	1	-	-	1	-	1	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	1	2
BLACK---MALE-----	20	-	-	-	-	1	-	-	1	-	1	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	2
MASSACHUSETTS -----	198	-	1	-	1	-	4	1	-	6	5	8
WHITE-----MALE----	105	-	1	-	1	-	2	1	-	6	3	5
FEMALE--	85	-	-	-	-	-	2	-	-	-	1	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	4	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	414	-	1	1	-	3	3	5	4	18	13	14
WHITE-----MALE----	206	-	-	1	-	2	3	4	2	13	8	12
FEMALE--	175	-	-	-	-	1	-	1	1	2	3	2
ALL OTHER--MALE----	20	-	-	-	-	-	-	-	1	2	1	-
FEMALE--	13	-	1	-	-	-	-	-	-	1	1	-
BLACK---MALE-----	14	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	10	-	1	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3631

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Falls (W00-W19)												
KENTUCKY -----	7	4	5	7	14	15	21	24	17	8	1	-
WHITE-----MALE----	6	2	4	3	8	7	11	15	3	1	-	-
FEMALE--	1	2	-	3	5	8	10	9	14	7	1	-
ALL OTHER--MALE----	-	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	4	5	6	10	6	9	13	16	6	8	-	-
WHITE-----MALE----	4	2	5	5	2	4	8	9	2	1	-	-
FEMALE--	-	1	-	1	3	5	4	5	4	5	-	-
ALL OTHER--MALE----	-	1	1	2	1	-	1	1	-	-	-	-
FEMALE--	-	1	-	2	-	-	-	1	-	2	-	-
BLACK---MALE----	-	1	1	2	1	-	1	1	-	-	-	-
FEMALE--	-	1	-	2	-	-	-	1	-	2	-	-
MAINE -----	2	3	2	4	6	10	6	14	10	3	1	-
WHITE-----MALE----	2	2	2	2	2	5	4	4	2	1	-	-
FEMALE--	-	1	-	2	4	5	2	10	8	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	9	9	7	5	17	28	34	25	18	5	1	-
WHITE-----MALE----	5	6	3	2	7	11	18	11	7	1	-	-
FEMALE--	2	1	1	1	6	14	10	11	11	3	1	-
ALL OTHER--MALE----	-	2	2	2	4	3	3	2	-	-	-	-
FEMALE--	2	-	1	-	-	-	3	1	-	1	-	-
BLACK---MALE----	-	2	2	2	4	3	2	2	-	-	-	-
FEMALE--	1	-	1	-	-	-	2	-	-	-	-	-
MASSACHUSETTS -----	3	9	9	12	14	31	29	29	27	9	-	-
WHITE-----MALE----	1	5	8	9	6	16	13	16	9	3	-	-
FEMALE--	2	3	1	3	7	14	15	12	18	6	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
MICHIGAN -----	14	16	14	18	32	54	64	77	51	10	2	-
WHITE-----MALE----	11	12	8	11	16	29	23	32	15	4	-	-
FEMALE--	2	1	4	5	13	21	38	40	34	5	2	-
ALL OTHER--MALE----	1	3	-	2	1	4	2	2	-	1	-	-
FEMALE--	-	-	2	-	2	-	1	3	2	-	-	-
BLACK---MALE----	1	2	-	2	1	2	2	1	-	1	-	-
FEMALE--	-	-	1	-	2	-	1	3	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3634

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Falls (W00-W19)												
OHIO -----	472	-	2	2	1	3	3	7	6	6	12	13
WHITE-----MALE----	218	-	1	2	1	1	2	6	5	5	7	11
FEMALE--	210	-	-	-	-	1	-	-	1	1	1	-
ALL OTHER--MALE----	23	-	1	-	-	1	1	1	-	-	2	-
FEMALE--	21	-	-	-	-	-	-	-	-	-	2	2
BLACK---MALE-----	22	-	1	-	-	-	1	1	-	-	2	-
FEMALE--	19	-	-	-	-	-	-	-	-	-	2	2
OKLAHOMA -----	166	-	-	-	2	1	1	-	-	4	3	7
WHITE-----MALE----	76	-	-	-	1	1	1	-	-	4	2	5
FEMALE--	73	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE-----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
OREGON -----	177	1	-	-	-	-	-	1	1	5	5	6
WHITE-----MALE----	90	-	-	-	-	-	-	-	-	3	3	5
FEMALE--	82	1	-	-	-	-	-	1	-	-	2	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	1	2	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	722	-	2	1	-	3	7	1	9	4	19	18
WHITE-----MALE----	301	-	2	-	-	2	6	1	3	3	11	13
FEMALE--	371	-	-	1	-	1	1	-	3	1	5	4
ALL OTHER--MALE----	38	-	-	-	-	-	-	-	3	-	3	1
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	33	-	-	-	-	-	-	-	2	-	2	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	81	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	35	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	42	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	173	-	1	-	1	-	-	2	1	4	3	11
WHITE-----MALE----	61	-	1	-	1	-	-	1	-	2	2	7
FEMALE--	87	-	-	-	-	-	-	1	-	1	-	4
ALL OTHER--MALE----	20	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	20	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3634

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Falls (W00-W19)												
OHIO -----	11	19	22	18	46	67	78	82	52	18	4	-
WHITE-----MALE----	8	11	15	9	22	28	32	30	21	1	-	-
FEMALE--	2	3	1	6	23	33	41	50	29	15	3	-
ALL OTHER--MALE----	1	5	4	1	1	3	-	1	1	-	-	-
FEMALE--	-	-	2	2	-	3	5	1	1	2	1	-
BLACK---MALE----	1	5	4	1	1	3	-	1	1	-	-	-
FEMALE--	-	-	1	2	-	2	5	1	1	2	1	-
OKLAHOMA -----	4	5	8	6	19	22	18	30	26	10	-	-
WHITE-----MALE----	1	4	2	2	6	12	9	13	10	3	-	-
FEMALE--	1	1	2	4	9	9	8	16	15	7	-	-
ALL OTHER--MALE----	2	-	2	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	2	-	4	-	1	1	-	-	-	-
BLACK---MALE----	1	-	2	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	3	-	-	1	-	-	-	-
OREGON -----	8	3	5	3	15	23	32	32	27	7	3	-
WHITE-----MALE----	6	2	3	2	10	17	19	9	8	1	2	-
FEMALE--	2	1	1	1	4	6	13	23	19	6	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	34	21	27	40	77	93	135	125	82	23	1	-
WHITE-----MALE----	17	12	14	21	39	46	44	42	17	8	-	-
FEMALE--	6	6	9	14	30	46	89	78	62	14	1	-
ALL OTHER--MALE----	10	2	4	2	6	1	2	2	1	1	-	-
FEMALE--	1	1	-	3	2	-	-	3	2	-	-	-
BLACK---MALE----	10	1	4	2	5	1	1	2	1	1	-	-
FEMALE--	1	1	-	2	2	-	-	3	2	-	-	-
RHODE ISLAND -----	3	1	2	6	6	9	20	13	11	8	1	-
WHITE-----MALE----	2	1	1	3	5	5	11	4	2	1	-	-
FEMALE--	-	-	1	2	1	4	9	9	8	6	1	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
SOUTH CAROLINA -----	8	9	5	4	14	27	27	26	19	10	1	-
WHITE-----MALE----	2	4	4	1	3	4	13	11	3	2	-	-
FEMALE--	2	2	-	1	8	19	13	15	14	7	-	-
ALL OTHER--MALE----	4	3	1	2	3	2	-	-	2	1	-	-
FEMALE--	-	-	-	-	-	2	1	-	-	-	1	-
BLACK---MALE----	4	3	1	2	3	2	-	-	2	1	-	-
FEMALE--	-	-	-	-	-	2	1	-	-	-	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3635

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Falls (W00-W19)												
SOUTH DAKOTA -----	50	-	-	-	-	1	-	-	1	1	-	3
WHITE-----MALE----	26	-	-	-	-	1	-	-	1	-	-	1
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	252	1	1	-	1	2	4	6	6	9	13	13
WHITE-----MALE----	130	-	-	-	1	2	4	5	6	7	10	8
FEMALE--	106	-	-	-	-	-	-	1	-	-	3	2
ALL OTHER--MALE----	13	1	1	-	-	-	-	-	-	2	-	2
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	13	1	1	-	-	-	-	-	-	2	-	2
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
TEXAS -----	738	1	2	1	1	10	11	10	20	21	27	21
WHITE-----MALE----	388	1	2	-	1	10	10	9	17	18	17	17
FEMALE--	306	-	-	-	-	-	-	1	1	2	4	4
ALL OTHER--MALE----	22	-	-	1	-	-	1	-	2	1	4	-
FEMALE--	22	-	-	-	-	-	-	-	-	-	2	-
BLACK---MALE-----	20	-	-	1	-	-	1	-	2	1	3	-
FEMALE--	22	-	-	-	-	-	-	-	-	-	2	-
UTAH -----	82	-	1	1	-	5	5	1	-	-	3	1
WHITE-----MALE----	51	-	1	-	-	5	3	1	-	-	3	-
FEMALE--	30	-	-	1	-	-	2	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	33	-	-	-	-	1	1	1	1	-	-	1
WHITE-----MALE----	22	-	-	-	-	1	-	1	1	-	-	1
FEMALE--	11	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	293	-	2	-	1	4	3	3	4	4	9	17
WHITE-----MALE----	121	-	-	-	-	4	3	2	3	2	4	11
FEMALE--	151	-	1	-	-	-	-	1	-	1	4	4
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	1	1	1	2
FEMALE--	9	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	10	-	-	-	-	-	-	-	1	1	-	2
FEMALE--	9	-	1	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3635

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Falls (W00-W19)												
SOUTH DAKOTA -----	1	1	-	2	2	6	9	6	10	5	2	-
WHITE-----MALE----	-	1	-	2	-	5	5	3	4	2	1	-
FEMALE--	-	-	-	-	2	1	4	3	6	2	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	11	7	13	11	17	30	39	22	28	14	4	-
WHITE-----MALE----	4	6	6	6	7	13	19	10	10	6	-	-
FEMALE--	4	1	7	5	8	17	18	12	17	8	3	-
ALL OTHER--MALE----	3	-	-	-	2	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	1	-
BLACK---MALE-----	3	-	-	-	2	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	1	-
TEXAS -----	26	25	33	36	56	94	110	125	79	26	3	-
WHITE-----MALE----	22	14	21	25	28	45	45	51	26	7	2	-
FEMALE--	2	6	7	10	23	44	62	71	51	17	1	-
ALL OTHER--MALE----	1	3	2	-	3	2	-	1	-	1	-	-
FEMALE--	1	2	3	1	2	3	3	2	2	1	-	-
BLACK---MALE-----	1	3	2	-	3	2	-	-	-	1	-	-
FEMALE--	1	2	3	1	2	3	3	2	2	1	-	-
UTAH -----	3	3	2	2	9	12	10	12	10	2	-	-
WHITE-----MALE----	2	2	1	1	5	8	6	6	6	1	-	-
FEMALE--	1	1	1	-	4	4	4	6	4	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	4	2	6	-	2	3	4	5	1	1	-	-
WHITE-----MALE----	2	-	5	-	2	3	3	2	-	1	-	-
FEMALE--	2	2	1	-	-	-	1	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	13	6	18	13	20	35	42	54	31	12	2	-
WHITE-----MALE----	6	3	10	7	11	16	15	17	4	3	-	-
FEMALE--	5	1	8	4	8	18	26	35	24	9	2	-
ALL OTHER--MALE----	1	1	-	2	-	-	1	-	2	-	-	-
FEMALE--	1	1	-	-	1	1	-	2	1	-	-	-
BLACK---MALE-----	1	1	-	2	-	-	-	-	2	-	-	-
FEMALE--	1	1	-	-	1	1	-	2	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3637

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Fall on same level (W00-W09,W18)												
UNITED STATES -	92	86	106	129	238	405	588	665	498	202	36	-
WHITE-----MALE----	52	43	52	63	125	187	263	249	158	49	8	-
FEMALE--	21	26	37	50	96	199	296	392	320	142	25	-
ALL OTHER--MALE----	13	11	9	11	6	13	15	10	10	2	-	-
FEMALE--	6	6	8	5	11	6	14	14	10	9	3	-
BLACK---MALE----	7	8	8	7	4	5	6	6	5	1	-	-
FEMALE--	5	5	5	2	8	4	11	7	5	4	2	-
ALABAMA -----	-	2	1	1	2	3	3	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	2	2	-	-	-	-	-
FEMALE--	-	-	-	1	2	1	-	1	1	-	-	-
ALL OTHER--MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
ALASKA -----	-	1	1	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2	4	4	5	8	17	14	18	18	3	-	-
WHITE-----MALE----	1	2	1	3	3	12	8	7	8	1	-	-
FEMALE--	-	2	2	2	3	5	6	11	10	1	-	-
ALL OTHER--MALE----	1	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ARKANSAS -----	-	-	1	5	3	2	4	3	2	-	-	-
WHITE-----MALE----	-	-	-	4	2	1	1	1	1	-	-	-
FEMALE--	-	-	1	1	-	1	3	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
CALIFORNIA -----	13	15	12	17	26	58	97	87	62	21	4	-
WHITE-----MALE----	8	4	4	8	17	32	48	37	21	2	2	-
FEMALE--	2	5	6	6	8	25	38	45	36	16	2	-
ALL OTHER--MALE----	2	4	-	2	-	1	7	2	2	-	-	-
FEMALE--	1	2	2	1	1	-	4	3	3	3	-	-
BLACK---MALE----	-	4	-	-	-	-	2	1	-	-	-	-
FEMALE--	1	1	1	-	-	-	3	1	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3638

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Fall on same level (W00-W09,W18)												
COLORADO -----	7	4	5	5	4	8	14	18	7	7	2	-
WHITE-----MALE----	4	2	1	1	-	3	9	8	5	-	1	-
FEMALE--	3	1	4	2	4	4	5	10	2	7	1	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	2	2	-	1	3	5	3	5	2	1	-
WHITE-----MALE----	-	2	1	-	-	2	2	1	1	-	-	-
FEMALE--	-	-	-	-	1	1	3	2	4	2	1	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	1	3	2	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	1	2	1	1	1	2	3	3	1	1	-	-
WHITE-----MALE----	-	2	-	1	-	-	1	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	1	-	-	-	1	1	-	-	-	1	-	-
BLACK---MALE-----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	1	-	-	-	1	1	-	-	-	1	-	-
FLORIDA -----	6	5	5	7	12	28	43	51	26	15	2	-
WHITE-----MALE----	3	2	4	6	6	11	19	26	10	6	1	-
FEMALE--	1	2	1	1	6	17	23	23	16	9	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	1	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	1	-
BLACK---MALE-----	1	1	-	-	-	-	1	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	1	-
GEORGIA -----	3	-	1	3	4	3	7	10	11	2	-	-
WHITE-----MALE----	2	-	-	1	2	-	2	1	5	1	-	-
FEMALE--	1	-	1	1	1	2	2	8	6	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	2	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	2	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3644

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Fall on same level (W00-W09,W18)												
SOUTH DAKOTA -----	19	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	45	1	-	-	-	-	-	2	-	-	2	-
WHITE-----MALE----	19	-	-	-	-	-	-	2	-	-	2	-
FEMALE--	22	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	136	-	-	-	1	-	-	1	1	2	4	2
WHITE-----MALE----	55	-	-	-	1	-	-	1	1	1	2	-
FEMALE--	72	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
UTAH -----	33	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	16	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	10	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	6	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	97	-	1	-	1	-	-	-	-	2	1	3
WHITE-----MALE----	44	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	43	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	5	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	4	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	5	-	1	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3644

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Fall on same level (W00-W09,W18)												
SOUTH DAKOTA -----	1	-	-	-	1	2	3	4	3	3	1	-
WHITE-----MALE----	-	-	-	-	-	1	3	2	-	2	1	-
FEMALE--	-	-	-	-	1	1	-	2	3	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2	1	2	3	3	5	5	4	8	4	3	-
WHITE-----MALE----	1	1	1	2	1	3	2	2	1	1	-	-
FEMALE--	1	-	1	1	2	2	2	2	6	3	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	1	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	1	-
TEXAS -----	5	3	4	5	12	17	26	33	14	6	-	-
WHITE-----MALE----	4	-	2	3	8	6	13	10	3	-	-	-
FEMALE--	-	2	1	2	4	9	12	23	11	5	-	-
ALL OTHER--MALE----	-	-	-	-	-	2	-	-	-	1	-	-
FEMALE--	1	1	1	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	2	-	-	-	1	-	-
FEMALE--	1	1	1	-	-	-	1	-	-	-	-	-
UTAH -----	1	1	1	1	4	9	3	5	6	1	-	-
WHITE-----MALE----	-	1	-	-	2	6	1	2	3	-	-	-
FEMALE--	1	-	1	-	2	3	2	3	3	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	2	-	2	-	1	-	2	2	-	-	-	-
WHITE-----MALE----	-	-	2	-	1	-	1	1	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	5	1	6	7	5	10	19	18	13	3	2	-
WHITE-----MALE----	1	-	5	3	5	6	10	7	1	3	-	-
FEMALE--	2	-	1	3	-	4	8	10	12	-	2	-
ALL OTHER--MALE----	1	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	1	-	-	-	-
BLACK---MALE-----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3646

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Fall from one level to another (W10-W17)												
UNITED STATES -	2,912	1	24	7	12	71	103	93	123	132	196	200
WHITE-----MALE----	1,960	1	8	3	9	59	84	78	101	98	149	147
FEMALE--	676	-	7	2	3	9	12	8	7	14	23	27
ALL OTHER--MALE----	221	-	8	2	-	3	5	6	14	18	19	21
FEMALE--	55	-	1	-	-	-	2	1	1	2	5	5
BLACK---MALE-----	165	-	8	2	-	2	4	2	9	10	14	19
FEMALE--	39	-	1	-	-	-	-	1	1	1	3	3
ALABAMA -----	32	-	-	-	-	3	-	1	2	4	4	5
WHITE-----MALE----	25	-	-	-	-	3	-	1	2	4	3	3
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	5	-	-	-	-	1	-	-	-	-	-	2
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	27	-	-	-	-	3	-	2	2	1	2	-
WHITE-----MALE----	23	-	-	-	-	2	-	1	2	1	2	-
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	26	-	-	-	-	1	1	3	2	-	2	2
WHITE-----MALE----	22	-	-	-	-	-	1	3	2	-	2	2
FEMALE--	3	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	214	-	1	-	1	5	13	8	12	9	18	16
WHITE-----MALE----	152	-	1	-	1	3	10	6	11	7	13	12
FEMALE--	35	-	-	-	-	1	2	-	-	1	2	2
ALL OTHER--MALE----	19	-	-	-	-	1	-	1	-	1	3	1
FEMALE--	8	-	-	-	-	-	1	1	1	-	-	1
BLACK---MALE-----	5	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	1	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3647

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Fall from one level to another (W10-W17)												
COLORADO -----	2	5	4	2	3	5	5	2	2	-	-	-
WHITE-----MALE----	1	5	4	1	-	4	3	-	1	-	-	-
FEMALE--	1	-	-	1	2	1	2	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
CONNECTICUT -----	2	1	4	4	3	2	7	2	2	1	-	-
WHITE-----MALE----	1	1	3	4	1	1	1	2	-	-	-	-
FEMALE--	1	-	1	-	2	1	6	-	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	1	-	-	-	-	2	-	2	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	2	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	2	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	6	7	1	4	17	15	8	8	1	2	-	-
WHITE-----MALE----	6	7	1	2	12	11	5	7	-	1	-	-
FEMALE--	-	-	-	1	4	4	2	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
GEORGIA -----	8	-	3	5	5	6	6	3	-	-	-	-
WHITE-----MALE----	6	-	1	3	4	4	2	3	-	-	-	-
FEMALE--	-	-	-	-	1	2	2	-	-	-	-	-
ALL OTHER--MALE----	1	-	2	1	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	2	1	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3649

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Fall from one level to another (W10-W17)												
KENTUCKY -----	4	-	2	2	2	4	3	6	-	-	-	-
WHITE-----MALE----	4	-	2	-	2	1	2	5	-	-	-	-
FEMALE--	-	-	-	1	-	3	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	1	3	-	2	1	-	2	1	-	-	-	-
WHITE-----MALE----	1	2	-	1	-	-	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
MAINE -----	2	2	-	-	5	1	2	3	1	-	-	-
WHITE-----MALE----	2	1	-	-	2	-	1	1	-	-	-	-
FEMALE--	-	1	-	-	3	1	1	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3	5	3	1	4	7	10	1	2	1	-	-
WHITE-----MALE----	3	4	1	-	3	2	6	1	2	-	-	-
FEMALE--	-	-	1	-	1	3	2	-	-	-	-	-
ALL OTHER--MALE----	-	1	1	1	-	2	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	1	1	1	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	2	4	8	5	7	9	5	7	4	2	-	-
WHITE-----MALE----	-	2	7	4	2	4	3	3	1	-	-	-
FEMALE--	2	1	1	1	4	5	2	3	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	6	9	4	9	5	16	7	9	4	-	-	-
WHITE-----MALE----	5	7	3	7	3	10	3	8	2	-	-	-
FEMALE--	1	1	-	1	1	5	4	1	2	-	-	-
ALL OTHER--MALE----	-	1	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3655

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Unspecified fall (W19)												
UNITED STATES -	191	194	237	288	562	926	1,292	1,454	1,074	391	80	-
WHITE-----MALE----	109	109	139	152	264	445	544	570	352	103	17	-
FEMALE--	47	50	57	97	237	412	679	829	679	268	57	-
ALL OTHER--MALE----	28	27	29	24	27	38	31	24	18	11	2	-
FEMALE--	7	8	12	15	34	31	38	31	25	9	4	-
BLACK---MALE----	23	22	25	20	22	25	22	11	14	7	1	-
FEMALE--	5	6	6	14	25	20	25	21	17	7	4	-
ALABAMA -----	1	3	1	4	4	9	8	15	13	2	-	-
WHITE-----MALE----	1	2	1	3	3	3	2	2	5	-	-	-
FEMALE--	-	-	-	1	1	6	1	13	8	2	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	3	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	3	-	-	-	-	-
ALASKA -----	-	-	-	-	-	2	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	12	8	7	7	20	37	44	50	46	15	1	-
WHITE-----MALE----	8	6	5	1	13	15	21	22	19	5	-	-
FEMALE--	2	1	2	6	7	22	23	28	24	10	1	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	2	1	3	3	8	6	13	9	3	-	-
WHITE-----MALE----	1	1	-	2	1	5	1	4	1	1	-	-
FEMALE--	-	-	1	1	2	2	4	9	7	2	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	1	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	16	18	27	27	50	66	97	103	61	30	5	-
WHITE-----MALE----	10	10	17	15	26	35	45	39	26	11	2	-
FEMALE--	4	6	8	9	15	23	40	52	30	16	3	-
ALL OTHER--MALE----	1	1	2	1	3	4	7	5	3	3	-	-
FEMALE--	1	1	-	2	6	4	5	7	2	-	-	-
BLACK---MALE----	-	1	2	-	-	1	3	1	-	-	-	-
FEMALE--	1	-	-	2	4	-	-	2	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3656

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Unspecified fall (W19)												
COLORADO -----	118	-	1	-	-	-	-	2	-	1	1	2
WHITE-----MALE----	46	-	-	-	-	-	-	2	-	1	1	1
FEMALE--	63	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
CONNECTICUT -----	95	-	-	-	-	-	1	2	2	-	-	2
WHITE-----MALE----	45	-	-	-	-	-	1	2	2	-	-	2
FEMALE--	45	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	15	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	9	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	587	-	-	-	-	4	-	-	1	1	17	16
WHITE-----MALE----	283	-	-	-	-	4	-	-	1	-	7	10
FEMALE--	279	-	-	-	-	-	-	-	-	-	7	4
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	11	-	-	-	-	-	-	-	-	1	1	1
BLACK---MALE-----	12	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	10	-	-	-	-	-	-	-	-	1	1	1
GEORGIA -----	219	-	-	1	-	-	1	1	-	3	4	7
WHITE-----MALE----	74	-	-	-	-	-	-	1	-	-	2	4
FEMALE--	114	-	-	-	-	-	-	-	-	2	1	1
ALL OTHER--MALE----	21	-	-	1	-	-	1	-	-	-	-	2
FEMALE--	10	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE-----	20	-	-	1	-	-	1	-	-	-	-	2
FEMALE--	10	-	-	-	-	-	-	-	-	1	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3656

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Unspecified fall (W19)												
COLORADO -----	3	2	1	3	8	11	33	23	17	9	1	-
WHITE-----MALE----	3	2	1	2	2	5	12	7	6	1	-	-
FEMALE--	-	-	-	-	3	6	21	12	11	8	1	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	2	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
CONNECTICUT -----	-	5	2	5	5	9	22	20	13	6	1	-
WHITE-----MALE----	-	2	2	3	2	6	11	7	2	3	-	-
FEMALE--	-	2	-	2	3	3	9	13	11	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	1	1	-
DELAWARE -----	-	1	-	1	2	2	1	4	3	1	-	-
WHITE-----MALE----	-	-	-	1	2	1	1	3	1	1	-	-
FEMALE--	-	1	-	-	-	1	-	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	1	-	-	1	2	1	2	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	2	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	2	1	-	-	-	-
FLORIDA -----	21	10	23	27	40	76	99	130	80	35	7	-
WHITE-----MALE----	15	7	15	16	21	37	41	62	34	9	4	-
FEMALE--	4	3	5	8	17	36	57	68	42	25	3	-
ALL OTHER--MALE----	1	-	1	2	1	2	-	-	3	1	-	-
FEMALE--	1	-	2	1	1	1	-	-	1	-	-	-
BLACK---MALE----	1	-	1	1	1	1	-	-	3	1	-	-
FEMALE--	-	-	2	1	1	1	1	-	1	-	-	-
GEORGIA -----	6	11	8	12	17	24	41	52	18	11	2	-
WHITE-----MALE----	1	8	4	2	8	10	13	13	3	4	1	-
FEMALE--	2	-	-	5	8	11	28	35	14	6	1	-
ALL OTHER--MALE----	2	3	4	4	1	1	-	1	-	1	-	-
FEMALE--	1	-	-	1	-	2	-	3	1	-	-	-
BLACK---MALE----	2	3	4	4	1	1	-	-	-	1	-	-
FEMALE--	1	-	-	1	-	2	-	3	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3658

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Unspecified fall (W19)												
KENTUCKY -----	72	-	-	-	-	-	-	-	-	1	1	1
WHITE-----MALE----	34	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	37	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	78	-	-	-	-	1	-	2	1	2	3	4
WHITE-----MALE----	39	-	-	-	-	1	-	1	1	1	1	4
FEMALE--	26	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	6	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE-----	7	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	6	-	-	-	-	-	-	1	-	-	-	-
MAINE -----	20	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	103	-	-	-	-	-	2	1	1	1	4	3
WHITE-----MALE----	42	-	-	-	-	-	1	1	-	1	1	1
FEMALE--	45	-	-	-	-	-	1	-	-	-	2	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE-----	8	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	2
MASSACHUSETTS -----	100	-	-	-	-	-	-	-	-	2	1	2
WHITE-----MALE----	51	-	-	-	-	-	-	-	-	2	-	1
FEMALE--	45	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	244	-	-	-	-	1	-	1	1	7	6	7
WHITE-----MALE----	101	-	-	-	-	1	-	-	-	5	3	6
FEMALE--	119	-	-	-	-	-	-	1	1	-	1	1
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	10	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE-----	11	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3658

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Unspecified fall (W19)												
KENTUCKY -----	2	3	-	4	9	6	13	13	13	5	1	-
WHITE-----MALE----	2	1	-	2	5	4	6	9	3	-	-	-
FEMALE--	-	2	-	2	3	2	7	4	10	5	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	3	2	6	7	5	6	11	13	5	7	-	-
WHITE-----MALE----	3	-	5	3	2	2	6	6	2	1	-	-
FEMALE--	-	1	-	1	3	4	4	5	3	4	-	-
ALL OTHER--MALE----	-	-	1	2	-	-	1	1	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	1	-	2	-	-
BLACK---MALE----	-	-	1	2	-	-	1	1	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	1	-	2	-	-
MAINE -----	-	1	1	2	1	5	2	4	3	-	1	-
WHITE-----MALE----	-	1	1	2	-	3	1	1	1	-	-	-
FEMALE--	-	-	-	-	1	2	1	3	2	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	4	4	3	2	8	15	19	20	11	4	1	-
WHITE-----MALE----	2	2	1	1	3	7	9	9	2	1	-	-
FEMALE--	1	1	-	1	4	8	6	8	9	3	1	-
ALL OTHER--MALE----	-	1	1	-	1	-	1	2	-	-	-	-
FEMALE--	1	-	1	-	-	-	3	1	-	-	-	-
BLACK---MALE----	-	1	1	-	1	-	1	2	-	-	-	-
FEMALE--	1	-	1	-	-	-	2	-	-	-	-	-
MASSACHUSETTS -----	-	5	1	5	6	13	20	21	19	5	-	-
WHITE-----MALE----	-	3	1	4	3	8	7	13	7	2	-	-
FEMALE--	-	2	-	1	3	4	12	8	12	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
MICHIGAN -----	6	5	9	8	22	30	45	51	35	8	2	-
WHITE-----MALE----	5	3	4	4	9	15	14	21	8	3	-	-
FEMALE--	-	-	4	3	11	12	28	26	25	4	2	-
ALL OTHER--MALE----	1	2	-	1	1	3	2	1	-	1	-	-
FEMALE--	-	-	1	-	1	-	1	3	2	-	-	-
BLACK---MALE----	1	1	-	1	1	2	2	-	-	1	-	-
FEMALE--	-	-	-	-	1	-	1	3	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3661

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Unspecified fall (W19)												
OHIO -----	211	-	-	-	-	-	-	1	1	3	1	2
WHITE-----MALE----	80	-	-	-	-	-	-	1	1	3	1	1
FEMALE--	114	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	1
OKLAHOMA -----	132	-	-	-	-	-	-	-	-	2	-	5
WHITE-----MALE----	54	-	-	-	-	-	-	-	-	2	-	3
FEMALE--	63	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE-----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
OREGON -----	61	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	23	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	36	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	291	-	-	-	-	-	-	-	2	-	5	10
WHITE-----MALE----	106	-	-	-	-	-	-	-	1	-	3	5
FEMALE--	160	-	-	-	-	-	-	-	-	-	1	4
ALL OTHER--MALE----	19	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	18	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	21	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	131	-	1	-	-	-	-	1	1	2	2	7
WHITE-----MALE----	44	-	1	-	-	-	-	1	-	1	1	5
FEMALE--	70	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	12	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3661

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Unspecified fall (W19)												
OHIO -----	2	4	7	9	22	36	36	44	29	11	3	-
WHITE-----MALE----	1	3	5	3	9	17	14	13	7	1	-	-
FEMALE--	-	-	-	4	12	18	19	29	21	9	2	-
ALL OTHER--MALE----	1	1	2	1	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	3	1	1	1	1	-
BLACK---MALE----	1	1	2	1	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	3	1	1	1	1	-
OKLAHOMA -----	3	3	7	4	15	16	15	29	23	10	-	-
WHITE-----MALE----	1	2	2	1	4	7	7	13	9	3	-	-
FEMALE--	1	1	1	3	7	8	7	15	13	7	-	-
ALL OTHER--MALE----	1	-	2	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	2	-	4	-	1	1	-	-	-	-
BLACK---MALE----	1	-	2	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	3	-	-	1	-	-	-	-
OREGON -----	2	-	2	-	5	6	12	12	14	5	2	-
WHITE-----MALE----	1	-	1	-	3	4	7	2	2	1	2	-
FEMALE--	1	-	-	-	1	2	5	10	12	4	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	13	10	9	12	31	31	60	60	40	7	1	-
WHITE-----MALE----	2	3	4	9	10	16	17	23	10	3	-	-
FEMALE--	5	6	3	3	15	14	42	33	29	4	1	-
ALL OTHER--MALE----	5	1	2	-	4	1	1	2	-	-	-	-
FEMALE--	1	-	-	-	2	-	-	2	1	-	-	-
BLACK---MALE----	5	-	2	-	4	1	1	2	-	-	-	-
FEMALE--	1	-	-	-	2	-	-	2	1	-	-	-
RHODE ISLAND -----	2	1	-	3	2	2	2	5	3	1	-	-
WHITE-----MALE----	2	1	-	1	2	1	2	2	-	-	-	-
FEMALE--	-	-	-	2	-	1	-	3	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	6	7	3	3	9	20	24	20	16	8	1	-
WHITE-----MALE----	1	3	3	1	1	2	11	8	3	2	-	-
FEMALE--	2	2	-	1	7	15	12	12	12	5	-	-
ALL OTHER--MALE----	3	2	-	1	1	1	-	-	1	1	-	-
FEMALE--	-	-	-	-	-	2	1	-	-	-	1	-
BLACK---MALE----	3	2	-	1	1	1	-	-	1	1	-	-
FEMALE--	-	-	-	-	-	2	1	-	-	-	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3662

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Unspecified fall (W19)												
SOUTH DAKOTA -----	-	-	-	1	1	2	4	2	6	2	1	-
WHITE-----MALE----	-	-	-	1	-	2	1	1	4	-	-	-
FEMALE--	-	-	-	-	1	-	3	1	2	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	7	2	7	5	12	20	30	16	20	9	1	-
WHITE-----MALE----	3	1	2	2	5	6	13	6	9	4	-	-
FEMALE--	2	1	5	3	5	14	16	10	11	5	1	-
ALL OTHER--MALE----	2	-	-	-	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	2	-	-	-	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	9	14	21	24	34	69	80	84	61	19	3	-
WHITE-----MALE----	7	9	12	17	13	32	29	34	21	6	2	-
FEMALE--	2	3	5	6	17	34	49	47	38	12	1	-
ALL OTHER--MALE----	-	1	2	-	2	-	-	1	-	-	-	-
FEMALE--	-	1	2	1	2	3	2	2	2	1	-	-
BLACK---MALE-----	-	1	2	-	2	-	-	-	-	-	-	-
FEMALE--	-	1	2	1	2	3	2	2	2	1	-	-
UTAH -----	1	1	-	1	4	2	5	6	4	1	-	-
WHITE-----MALE----	1	1	-	1	2	1	3	3	3	1	-	-
FEMALE--	-	-	-	-	2	1	2	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	2	-	-	-	2	3	-	1	-	-
WHITE-----MALE----	1	-	2	-	-	-	2	1	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	4	3	6	1	10	21	20	28	17	8	-	-
WHITE-----MALE----	2	1	2	1	2	7	4	5	3	-	-	-
FEMALE--	2	1	4	-	7	13	16	22	11	8	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	2	-	-	-
FEMALE--	-	-	-	-	1	1	-	1	1	-	-	-
BLACK---MALE-----	-	1	-	-	-	-	-	-	2	-	-	-
FEMALE--	-	-	-	-	1	1	-	1	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3671

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental discharge of firearms (W32-W34)												
SOUTH DAKOTA -----	4	-	1	1	1	1	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	44	-	-	1	4	1	8	4	4	7	6	1
WHITE-----MALE----	31	-	-	-	3	1	5	2	2	5	4	1
FEMALE--	2	-	-	-	-	-	1	-	-	1	-	-
ALL OTHER--MALE----	9	-	-	1	1	-	2	2	2	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	8	-	-	1	1	-	1	2	2	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
TEXAS -----	60	-	4	3	7	7	10	3	3	3	7	4
WHITE-----MALE----	43	-	3	-	5	7	6	1	2	3	5	4
FEMALE--	9	-	1	-	1	-	2	1	1	-	1	-
ALL OTHER--MALE----	8	-	-	3	1	-	2	1	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	3	-	-	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	2	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	15	1	-	-	-	2	1	2	1	4	1	-
WHITE-----MALE----	7	-	-	-	-	-	1	2	-	3	-	-
FEMALE--	4	1	-	-	-	1	-	-	-	-	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3682

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental drowning and submersion (W65-W74)												
UNITED STATES -	3,482	75	493	201	174	371	275	213	206	250	230	182
WHITE-----MALE----	2,105	28	268	84	67	231	182	141	143	172	151	125
FEMALE--	578	19	147	41	26	22	25	21	17	33	29	22
ALL OTHER--MALE----	630	15	48	53	63	108	62	43	37	40	43	31
FEMALE--	169	13	30	23	18	10	6	8	9	5	7	4
BLACK---MALE----	478	14	35	48	54	81	45	29	23	32	37	21
FEMALE--	115	12	21	19	15	5	3	5	1	4	6	2
ALABAMA -----	87	2	14	3	4	9	4	12	6	4	6	3
WHITE-----MALE----	55	-	10	2	1	4	2	10	5	3	5	2
FEMALE--	6	1	1	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	19	-	2	1	2	4	2	1	1	1	-	1
FEMALE--	7	1	1	-	1	-	-	1	-	-	1	-
BLACK---MALE----	19	-	2	1	2	4	2	1	1	1	-	1
FEMALE--	6	1	1	-	-	-	-	1	-	-	1	-
ALASKA -----	24	-	2	1	4	1	2	-	2	1	2	1
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	17	-	2	1	4	1	2	-	-	1	1	1
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	107	3	23	8	1	7	7	6	5	6	5	6
WHITE-----MALE----	58	1	11	1	1	3	5	5	3	3	3	2
FEMALE--	27	2	8	2	-	1	-	1	1	1	2	2
ALL OTHER--MALE----	17	-	2	4	-	3	-	1	1	2	-	1
FEMALE--	5	-	2	1	-	-	1	-	-	-	-	1
BLACK---MALE----	6	-	2	2	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	52	1	9	3	4	9	4	1	5	5	2	-
WHITE-----MALE----	33	-	4	1	2	8	1	-	4	4	2	-
FEMALE--	11	1	5	-	-	1	-	1	1	1	-	-
ALL OTHER--MALE----	8	-	-	2	2	-	3	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	2	2	-	3	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	384	9	71	22	14	33	34	20	22	29	27	14
WHITE-----MALE----	218	4	32	11	5	20	23	11	14	20	20	11
FEMALE--	72	2	24	6	4	2	2	1	1	6	1	1
ALL OTHER--MALE----	63	2	6	4	3	9	8	7	5	2	5	2
FEMALE--	31	1	9	1	2	2	1	1	2	1	1	-
BLACK---MALE----	25	2	1	3	1	2	3	3	1	1	2	1
FEMALE--	11	1	5	1	1	1	-	-	-	-	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3682

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental drowning and submersion (W65-W74)												
UNITED STATES -	172	120	97	80	99	71	85	37	19	8	-	24
WHITE-----MALE----	107	89	70	55	59	31	50	20	7	3	-	22
FEMALE--	23	16	12	15	27	27	29	14	9	3	-	1
ALL OTHER--MALE----	36	13	7	8	11	7	-	2	-	2	-	1
FEMALE--	6	2	8	2	2	6	6	1	3	-	-	-
BLACK---MALE----	24	8	5	6	7	4	-	2	-	2	-	1
FEMALE--	5	1	3	1	1	5	3	1	2	-	-	-
ALABAMA -----	3	3	5	3	1	2	1	1	-	1	-	-
WHITE-----MALE----	1	1	5	3	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-
BLACK---MALE----	2	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-
ALASKA -----	4	2	-	1	-	-	1	-	-	-	-	-
WHITE-----MALE----	1	1	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	6	3	7	2	3	5	1	1	-	-	-	2
WHITE-----MALE----	4	3	6	2	-	2	-	1	-	-	-	2
FEMALE--	-	-	1	-	2	3	1	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	3	1	1	1	1	1	-	-	-	-	1
WHITE-----MALE----	-	3	-	1	-	1	1	-	-	-	-	1
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	11	8	9	4	14	12	14	5	3	-	-	9
WHITE-----MALE----	5	5	3	3	6	6	7	2	1	-	-	9
FEMALE--	3	2	2	1	4	2	4	3	1	-	-	-
ALL OTHER--MALE----	3	-	1	-	3	3	-	-	-	-	-	-
FEMALE--	-	1	3	-	1	1	3	-	1	-	-	-
BLACK---MALE----	3	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3683

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental drowning and submersion (W65-W74)												
COLORADO -----	41	-	4	1	2	4	2	3	4	1	4	4
WHITE-----MALE----	25	-	1	1	2	3	1	2	2	1	4	1
FEMALE--	11	-	2	-	-	-	1	-	1	-	-	2
ALL OTHER--MALE----	5	-	1	-	-	1	-	1	1	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	24	-	-	4	4	2	1	-	-	3	2	1
WHITE-----MALE----	13	-	-	2	1	-	1	-	-	2	1	1
FEMALE--	6	-	-	1	1	-	-	-	-	1	1	-
ALL OTHER--MALE----	3	-	-	-	1	2	-	-	-	-	-	-
FEMALE--	2	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	2	-	-	1	1	-	-	-	-	-	-	-
DELAWARE -----	8	-	3	1	-	1	-	-	-	-	-	1
WHITE-----MALE----	4	-	1	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	310	9	73	8	9	14	12	14	15	27	27	17
WHITE-----MALE----	191	4	36	2	3	8	9	11	13	20	13	14
FEMALE--	58	2	18	1	2	1	-	-	-	4	7	2
ALL OTHER--MALE----	44	1	12	4	4	3	3	2	2	3	6	1
FEMALE--	17	2	7	1	-	2	-	1	-	-	1	-
BLACK---MALE----	40	1	11	4	4	3	1	2	2	3	6	-
FEMALE--	14	2	6	1	-	1	-	1	-	-	-	-
GEORGIA -----	103	2	13	9	7	22	9	8	7	3	4	6
WHITE-----MALE----	48	-	7	2	1	11	4	6	4	1	1	1
FEMALE--	14	1	3	2	2	1	-	1	-	-	1	2
ALL OTHER--MALE----	35	-	3	2	4	10	4	1	3	1	2	3
FEMALE--	6	1	-	3	-	-	1	-	-	1	-	-
BLACK---MALE----	33	-	2	2	4	10	4	-	3	1	2	3
FEMALE--	5	1	-	2	-	-	1	-	-	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3685

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental drowning and submersion (W65-W74)												
KENTUCKY -----	2	2	1	2	-	2	-	1	-	-	-	-
WHITE-----MALE----	2	2	1	1	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
LOUISIANA -----	4	7	-	3	1	1	2	1	-	-	-	-
WHITE-----MALE----	3	4	-	3	1	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	2	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	2	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
MAINE -----	-	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	5	1	-	3	1	2	1	-	-	-	-	-
WHITE-----MALE----	3	1	-	2	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	2	1	-	3	2	2	-	-	-	-	-	-
WHITE-----MALE----	2	1	-	3	2	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	3	4	5	3	2	2	2	1	1	1	-	-
WHITE-----MALE----	3	4	4	1	1	1	2	-	-	-	-	-
FEMALE--	-	-	-	2	1	1	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3689

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental drowning and submersion (W65-W74)												
SOUTH DAKOTA -----	14	-	1	2	-	3	-	2	1	-	-	-
WHITE-----MALE----	6	-	1	-	-	1	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	1	-	-	-	1	1	-	-	-
FEMALE--	2	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	85	1	4	2	7	7	11	-	11	12	9	7
WHITE-----MALE----	55	-	2	1	1	6	9	-	7	7	7	5
FEMALE--	10	-	1	-	1	-	2	-	-	3	-	-
ALL OTHER--MALE----	16	1	-	-	4	1	-	-	4	2	2	2
FEMALE--	4	-	1	1	1	-	-	-	-	-	-	-
BLACK---MALE-----	16	1	-	-	4	1	-	-	4	2	2	2
FEMALE--	3	-	1	1	1	-	-	-	-	-	-	-
TEXAS -----	325	9	50	26	17	45	37	25	7	23	14	12
WHITE-----MALE----	209	4	27	12	9	37	28	18	6	16	8	8
FEMALE--	61	4	20	7	1	2	2	2	1	3	1	2
ALL OTHER--MALE----	39	-	2	4	4	6	6	4	-	4	4	1
FEMALE--	16	1	1	3	3	-	1	1	-	-	1	1
BLACK---MALE-----	32	-	2	4	4	5	4	3	-	2	4	1
FEMALE--	13	1	-	2	3	-	1	-	-	-	1	1
UTAH -----	31	2	5	1	1	2	6	2	-	1	2	-
WHITE-----MALE----	23	1	4	-	-	2	4	2	-	-	2	-
FEMALE--	6	1	1	1	1	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	5	-	-	-	-	1	-	2	-	-	-	-
WHITE-----MALE----	4	-	-	-	-	1	-	2	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	67	2	5	4	7	5	4	3	2	7	2	4
WHITE-----MALE----	38	1	4	1	3	1	3	3	1	4	1	3
FEMALE--	6	-	1	-	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	20	1	-	3	3	4	1	-	-	2	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE-----	20	1	-	3	3	4	1	-	-	2	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3689

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental drowning and submersion (W65-W74)												
SOUTH DAKOTA -----	1	3	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	2	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2	1	4	1	3	2	1	-	-	-	-	-
WHITE-----MALE----	2	1	2	1	3	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	11	8	7	6	4	4	6	2	1	-	-	11
WHITE-----MALE----	6	4	5	4	2	1	2	1	1	-	-	10
FEMALE--	3	3	-	1	1	2	4	1	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	1	2	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	1	2	1	-	-	-	-	-	-	-	-
UTAH -----	1	-	3	1	1	2	-	1	-	-	-	-
WHITE-----MALE----	1	-	3	1	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	1	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	9	3	3	1	3	2	1	-	-	-	-	-
WHITE-----MALE----	4	3	3	-	2	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	3	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3691

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental inhalation and ingestion of food or other objects causing obstruction of respiratory tract (W78-W80)												
UNITED STATES -	4,313	77	92	13	11	20	25	37	57	76	100	140
WHITE-----MALE----	1,820	29	44	6	6	8	12	19	28	48	51	77
FEMALE--	1,875	22	18	4	3	4	6	8	16	17	34	38
ALL OTHER--MALE----	332	15	12	1	1	5	6	5	9	7	7	18
FEMALE--	286	11	18	2	1	3	1	5	4	4	8	7
BLACK---MALE----	283	12	9	1	1	5	5	5	7	6	6	13
FEMALE--	260	11	15	2	1	3	1	5	4	4	7	7
ALABAMA -----	97	3	1	-	1	-	-	2	3	2	4	4
WHITE-----MALE----	26	1	1	-	1	-	-	-	2	-	1	-
FEMALE--	42	1	-	-	-	-	-	-	1	-	2	3
ALL OTHER--MALE----	13	1	-	-	-	-	-	1	-	-	-	1
FEMALE--	16	-	-	-	-	-	-	1	-	2	1	-
BLACK---MALE----	13	1	-	-	-	-	-	1	-	-	-	1
FEMALE--	15	-	-	-	-	-	-	1	-	2	1	-
ALASKA -----	5	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	71	-	2	-	-	1	-	1	2	1	3	5
WHITE-----MALE----	35	-	1	-	-	-	-	1	1	1	1	2
FEMALE--	24	-	-	-	-	1	-	-	-	-	1	-
ALL OTHER--MALE----	11	-	1	-	-	-	-	-	1	-	1	3
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	59	1	2	-	-	-	1	-	1	-	1	1
WHITE-----MALE----	27	1	1	-	-	-	-	-	-	-	-	1
FEMALE--	23	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	4	-	1	-	-	-	-	-	-	-	1	-
BLACK---MALE----	5	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	4	-	1	-	-	-	-	-	-	-	1	-
CALIFORNIA -----	177	5	9	2	3	-	1	1	4	3	4	11
WHITE-----MALE----	82	1	6	1	2	-	1	-	4	1	1	7
FEMALE--	69	3	2	1	-	-	-	1	-	-	2	2
ALL OTHER--MALE----	16	1	-	-	1	-	-	-	-	1	1	1
FEMALE--	10	-	1	-	-	-	-	-	-	1	-	1
BLACK---MALE----	5	-	-	-	1	-	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3691

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental inhalation and ingestion of food or other objects causing obstruction of respiratory tract (W78-W80)												
UNITED STATES -	151	156	173	219	350	573	662	667	488	178	48	-
WHITE-----MALE----	78	76	78	97	147	262	308	241	160	36	9	-
FEMALE--	42	51	64	74	142	245	286	364	282	119	36	-
ALL OTHER--MALE----	23	18	18	28	29	34	39	33	13	10	1	-
FEMALE--	8	11	13	20	32	32	29	29	33	13	2	-
BLACK---MALE----	21	15	16	25	25	33	33	27	9	8	1	-
FEMALE--	7	10	12	20	29	28	26	27	29	10	2	-
ALABAMA -----	9	5	3	2	4	10	12	12	12	8	-	-
WHITE-----MALE----	3	2	1	-	3	4	2	2	2	1	-	-
FEMALE--	1	1	1	-	1	4	7	7	7	6	-	-
ALL OTHER--MALE----	2	-	-	1	-	1	2	1	2	1	-	-
FEMALE--	3	2	1	1	-	1	1	2	1	-	-	-
BLACK---MALE----	2	-	-	1	-	1	2	1	2	1	-	-
FEMALE--	3	2	1	1	-	-	1	2	1	-	-	-
ALASKA -----	1	-	-	-	1	1	1	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	4	4	2	5	4	11	7	13	5	-	1	-
WHITE-----MALE----	2	2	2	4	2	6	3	6	1	-	-	-
FEMALE--	-	-	-	-	2	5	4	7	3	-	1	-
ALL OTHER--MALE----	2	2	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	5	5	5	1	4	7	11	6	5	2	1	-
WHITE-----MALE----	3	3	4	1	3	1	3	2	3	1	-	-
FEMALE--	1	2	1	-	-	4	7	3	2	1	1	-
ALL OTHER--MALE----	1	-	-	-	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	1	-	-	-	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
CALIFORNIA -----	9	5	10	14	11	23	20	22	14	5	1	-
WHITE-----MALE----	5	4	6	7	5	13	9	5	3	1	-	-
FEMALE--	4	1	3	5	2	10	6	14	9	3	1	-
ALL OTHER--MALE----	-	-	1	2	2	-	2	3	1	-	-	-
FEMALE--	-	-	-	-	2	-	3	-	1	1	-	-
BLACK---MALE----	-	-	-	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3692

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental inhalation and ingestion of food or other objects causing obstruction of respiratory tract (W78-W80)												
COLORADO -----	2	2	4	2	8	9	8	14	8	1	-	-
WHITE-----MALE----	1	1	1	1	5	3	6	9	4	-	-	-
FEMALE--	1	-	3	1	3	5	1	5	4	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE-----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
CONNECTICUT -----	2	1	1	5	9	17	23	23	27	4	2	-
WHITE-----MALE----	1	1	-	1	2	10	13	6	9	1	1	-
FEMALE--	1	-	1	2	6	6	10	16	16	3	1	-
ALL OTHER--MALE----	-	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	2	-	-	-
BLACK---MALE-----	-	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	2	-	-	-
DELAWARE -----	-	-	2	-	-	1	4	1	4	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	1	1	2	-	-	-
FEMALE--	-	-	-	-	-	-	3	-	1	-	-	-
ALL OTHER--MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE-----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	1	2	-	-	1	-	1	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	1	-
BLACK---MALE-----	-	-	-	1	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	1	-
FLORIDA -----	9	5	7	7	13	41	50	54	34	14	-	-
WHITE-----MALE----	3	3	5	4	6	18	28	23	12	3	-	-
FEMALE--	4	1	2	1	6	19	19	29	21	11	-	-
ALL OTHER--MALE----	2	1	-	1	1	2	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	2	3	1	1	-	-	-
BLACK---MALE-----	2	1	-	1	1	2	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	2	3	1	1	-	-	-
GEORGIA -----	3	8	7	4	15	23	24	21	13	3	3	-
WHITE-----MALE----	1	3	2	2	9	8	4	8	5	1	1	-
FEMALE--	1	4	3	-	2	6	14	7	6	2	1	-
ALL OTHER--MALE----	1	-	2	2	2	5	4	4	-	-	-	-
FEMALE--	-	1	-	-	2	4	2	2	2	-	1	-
BLACK---MALE-----	1	-	2	2	2	5	4	4	-	-	-	-
FEMALE--	-	1	-	-	2	4	1	1	2	-	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3693

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental inhalation and ingestion of food or other objects causing obstruction of respiratory tract (W78-W80)												
HAWAII -----	-	1	1	1	1	2	2	5	5	3	-	-
WHITE-----MALE----	-	-	1	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	1	2	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	1	2	2	2	-	-
FEMALE--	-	-	-	-	1	1	-	1	1	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	2	1	1	3	2	2	1	-	-	-
WHITE-----MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	2	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	11	4	2	13	19	15	28	27	19	8	4	-
WHITE-----MALE----	6	2	1	6	11	8	13	9	8	2	1	-
FEMALE--	3	-	-	6	5	5	14	14	11	5	3	-
ALL OTHER--MALE----	2	1	-	1	1	2	-	4	-	1	-	-
FEMALE--	-	1	1	-	2	-	1	-	-	-	-	-
BLACK---MALE-----	2	1	-	1	1	2	-	4	-	1	-	-
FEMALE--	-	1	1	-	2	-	1	-	-	-	-	-
INDIANA -----	5	5	5	5	15	17	12	15	8	3	1	-
WHITE-----MALE----	3	5	2	4	4	7	8	6	5	2	-	-
FEMALE--	1	-	2	1	10	10	4	9	3	1	1	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
IOWA -----	1	3	3	4	3	6	8	6	2	2	2	-
WHITE-----MALE----	-	3	1	1	2	3	3	2	-	1	2	-
FEMALE--	1	-	2	2	1	3	5	4	2	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	1	1	-	-	6	12	17	4	9	6	2	-
WHITE-----MALE----	1	1	-	-	3	3	9	-	6	3	1	-
FEMALE--	-	-	-	-	3	8	7	3	3	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3694

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental inhalation and ingestion of food or other objects causing obstruction of respiratory tract (W78-W80)												
KENTUCKY -----	4	2	1	7	7	18	16	23	9	3	-	-
WHITE-----MALE----	2	1	1	4	2	8	8	6	1	2	-	-
FEMALE--	1	1	-	2	3	9	8	13	8	1	-	-
ALL OTHER--MALE----	1	-	-	-	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	3	-	-	-	-
BLACK---MALE----	1	-	-	-	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	3	-	-	-	-
LOUISIANA -----	2	4	4	9	8	12	9	11	11	5	2	-
WHITE-----MALE----	1	1	1	5	4	6	2	5	5	1	1	-
FEMALE--	1	-	1	-	2	2	6	4	4	2	1	-
ALL OTHER--MALE----	-	3	2	3	1	3	-	1	-	1	-	-
FEMALE--	-	-	-	1	1	1	1	1	2	1	-	-
BLACK---MALE----	-	3	2	3	1	3	-	1	-	1	-	-
FEMALE--	-	-	-	1	1	1	1	1	2	1	-	-
MAINE -----	-	-	-	3	2	6	10	2	4	-	-	-
WHITE-----MALE----	-	-	-	2	1	4	4	1	2	-	-	-
FEMALE--	-	-	-	1	1	2	5	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	2	3	4	5	12	11	8	5	4	1	-
WHITE-----MALE----	-	-	1	-	2	4	7	2	2	-	-	-
FEMALE--	-	-	-	-	2	6	1	5	1	4	1	-
ALL OTHER--MALE----	-	1	-	2	-	2	2	-	-	-	-	-
FEMALE--	-	1	2	2	1	-	1	1	2	-	-	-
BLACK---MALE----	-	1	-	1	-	2	2	-	-	-	-	-
FEMALE--	-	1	1	2	1	-	1	1	2	-	-	-
MASSACHUSETTS -----	5	4	5	5	13	10	20	19	9	5	1	-
WHITE-----MALE----	5	2	2	2	6	2	12	7	4	1	-	-
FEMALE--	-	2	3	1	7	8	7	12	5	2	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	1	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	1	-	-
MICHIGAN -----	10	4	4	7	8	15	12	19	14	2	-	-
WHITE-----MALE----	5	2	2	3	3	8	3	8	-	-	-	-
FEMALE--	2	1	1	3	4	5	7	8	12	1	-	-
ALL OTHER--MALE----	2	1	-	1	1	1	2	3	1	1	-	-
FEMALE--	1	-	1	-	-	1	-	-	1	-	-	-
BLACK---MALE----	2	1	-	1	1	1	2	3	1	1	-	-
FEMALE--	1	-	1	-	-	1	-	-	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3697

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental inhalation and ingestion of food or other objects causing obstruction of respiratory tract (W78-W80)												
OHIO -----	172	1	6	1	-	1	4	3	-	6	2	7
WHITE-----MALE----	76	-	3	-	-	-	2	1	-	5	-	5
FEMALE--	73	1	-	-	-	-	1	1	-	1	2	2
ALL OTHER--MALE----	12	-	2	-	-	1	1	1	-	-	-	-
FEMALE--	11	-	1	1	-	-	-	-	-	-	-	-
BLACK---MALE-----	12	-	2	-	-	1	1	1	-	-	-	-
FEMALE--	11	-	1	1	-	-	-	-	-	-	-	-
OKLAHOMA -----	69	2	-	-	-	-	-	-	1	1	3	1
WHITE-----MALE----	26	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	36	-	-	-	-	-	-	-	-	-	3	1
ALL OTHER--MALE----	4	1	-	-	-	-	-	-	1	-	-	-
FEMALE--	3	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	-	-	-	-	-	-	-	-	-	-
OREGON -----	49	1	-	-	-	-	-	-	-	1	1	3
WHITE-----MALE----	18	1	-	-	-	-	-	-	-	1	-	2
FEMALE--	27	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	283	4	2	1	-	1	1	1	4	3	6	9
WHITE-----MALE----	128	3	1	1	-	-	1	1	2	1	3	4
FEMALE--	127	-	-	-	-	-	-	-	2	2	2	5
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	17	1	1	-	-	1	-	-	-	-	-	-
BLACK---MALE-----	11	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	16	1	-	-	-	1	-	-	-	-	-	-
RHODE ISLAND -----	13	1	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	8	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	94	1	1	1	-	1	1	1	3	3	2	2
WHITE-----MALE----	25	-	1	-	-	-	1	1	-	2	1	1
FEMALE--	40	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	15	1	-	1	-	-	-	-	1	-	1	1
FEMALE--	14	-	-	-	-	1	-	-	1	1	-	-
BLACK---MALE-----	15	1	-	1	-	-	-	-	1	-	1	1
FEMALE--	14	-	-	-	-	1	-	-	1	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3697

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental inhalation and ingestion of food or other objects causing obstruction of respiratory tract (W78-W80)												
OHIO -----	1	6	7	11	12	30	17	23	24	10	-	-
WHITE-----MALE----	1	4	3	6	4	13	9	10	8	2	-	-
FEMALE--	-	1	4	4	6	12	4	12	15	7	-	-
ALL OTHER--MALE----	-	1	-	-	1	1	3	1	-	-	-	-
FEMALE--	-	-	-	1	1	4	1	-	1	1	-	-
BLACK---MALE-----	-	1	-	-	1	1	3	1	-	-	-	-
FEMALE--	-	-	-	1	1	4	1	-	1	1	-	-
OKLAHOMA -----	1	3	1	5	3	9	11	15	8	3	2	-
WHITE-----MALE----	1	2	-	3	3	5	5	3	3	-	-	-
FEMALE--	-	1	1	2	-	3	5	11	4	3	2	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
OREGON -----	1	2	1	1	7	7	7	9	4	3	1	-
WHITE-----MALE----	-	2	-	1	1	3	4	1	2	-	-	-
FEMALE--	-	-	1	-	5	4	3	8	2	2	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	11	9	8	13	26	41	58	37	33	13	2	-
WHITE-----MALE----	7	4	6	6	9	21	27	20	8	3	-	-
FEMALE--	3	4	1	5	12	16	26	16	23	8	2	-
ALL OTHER--MALE----	1	1	-	1	2	1	3	-	1	-	-	-
FEMALE--	-	-	1	1	3	3	2	1	1	2	-	-
BLACK---MALE-----	1	1	-	1	2	1	3	-	1	-	-	-
FEMALE--	-	-	1	1	3	3	2	1	1	2	-	-
RHODE ISLAND -----	-	-	-	1	1	1	2	5	1	-	-	-
WHITE-----MALE----	-	-	-	1	1	1	2	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	5	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	4	1	12	4	8	10	13	18	5	3	-	-
WHITE-----MALE----	1	1	2	-	2	2	3	5	2	-	-	-
FEMALE--	2	-	8	2	2	3	7	9	3	3	-	-
ALL OTHER--MALE----	1	-	1	2	2	2	1	1	-	-	-	-
FEMALE--	-	-	1	-	2	3	2	3	-	-	-	-
BLACK---MALE-----	1	-	1	2	2	2	1	1	-	-	-	-
FEMALE--	-	-	1	-	2	3	2	3	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3698

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental inhalation and ingestion of food or other objects causing obstruction of respiratory tract (W78-W80)												
SOUTH DAKOTA -----	-	-	1	-	1	2	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	4	5	7	7	14	16	13	26	18	10	1	-
WHITE-----MALE----	3	3	4	2	9	6	8	7	4	-	-	-
FEMALE--	-	2	2	3	2	8	5	17	12	8	1	-
ALL OTHER--MALE----	1	-	-	2	-	-	-	1	-	1	-	-
FEMALE--	-	-	1	-	3	2	-	1	2	1	-	-
BLACK---MALE----	1	-	-	2	-	-	-	1	-	1	-	-
FEMALE--	-	-	1	-	3	2	-	1	2	1	-	-
TEXAS -----	6	12	18	14	25	31	36	36	37	14	3	-
WHITE-----MALE----	3	4	10	7	12	13	18	15	8	3	-	-
FEMALE--	2	5	6	5	8	15	14	19	24	10	3	-
ALL OTHER--MALE----	1	-	1	1	3	1	3	-	1	-	-	-
FEMALE--	-	3	1	1	2	2	1	2	4	1	-	-
BLACK---MALE----	1	-	1	1	3	1	3	-	1	-	-	-
FEMALE--	-	2	1	1	2	2	1	2	4	1	-	-
UTAH -----	-	1	1	-	2	1	5	5	2	-	-	-
WHITE-----MALE----	-	1	1	-	1	1	3	2	1	-	-	-
FEMALE--	-	-	-	-	1	-	2	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	1	-	1	-	1	6	3	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	3	1	1	-	-	-
FEMALE--	-	1	-	1	-	1	3	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	8	3	11	11	10	15	20	31	23	4	2	-
WHITE-----MALE----	3	2	6	3	1	9	6	8	8	-	-	-
FEMALE--	4	-	1	4	3	4	11	16	13	3	2	-
ALL OTHER--MALE----	1	-	2	1	2	1	1	3	-	1	-	-
FEMALE--	-	1	2	3	4	1	2	4	2	-	-	-
BLACK---MALE----	1	-	2	1	2	1	1	3	-	1	-	-
FEMALE--	-	1	2	3	4	1	2	4	2	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3709

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental exposure to electric current (W85-W87)												
UNITED STATES -	395	-	2	1	14	26	47	47	48	54	44	47
WHITE-----MALE----	341	-	1	1	8	22	43	38	42	53	41	40
FEMALE--	17	-	-	-	3	2	2	2	2	-	1	1
ALL OTHER--MALE----	34	-	1	-	2	2	2	6	3	1	2	6
FEMALE--	3	-	-	-	1	-	-	1	1	-	-	-
BLACK---MALE----	28	-	1	-	2	-	2	5	3	1	2	6
FEMALE--	3	-	-	-	1	-	-	1	1	-	-	-
ALABAMA -----	10	-	-	-	2	-	1	-	1	2	-	2
WHITE-----MALE----	10	-	-	-	2	-	1	-	1	2	-	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	3	-	-	-	-	-	-	-	-	2	1	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	2	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	7	-	-	-	1	-	-	1	1	2	-	2
WHITE-----MALE----	7	-	-	-	1	-	-	1	1	2	-	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	5	-	-	-	-	1	-	-	-	1	2	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	31	-	-	-	2	3	2	6	4	4	3	2
WHITE-----MALE----	28	-	-	-	-	2	2	6	4	4	3	2
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3727

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental exposure to smoke, fire and flames (X00-X09)												
UNITED STATES -	3,377	37	290	182	84	79	113	120	121	188	214	214
WHITE-----MALE----	1,435	11	98	61	24	32	58	54	59	97	98	106
FEMALE--	941	12	62	43	30	28	23	29	27	37	59	49
ALL OTHER--MALE----	590	9	76	48	12	12	19	24	20	36	37	39
FEMALE--	411	5	54	30	18	7	13	13	15	18	20	20
BLACK---MALE----	551	9	71	46	11	10	17	19	20	30	35	35
FEMALE--	379	5	50	28	16	6	11	12	14	14	20	17
ALABAMA -----	107	1	10	4	2	1	6	2	6	2	5	9
WHITE-----MALE----	40	-	3	2	-	1	2	2	3	1	2	3
FEMALE--	25	-	2	-	-	-	-	-	1	-	1	3
ALL OTHER--MALE----	23	1	1	2	-	-	1	-	1	-	2	3
FEMALE--	19	-	4	-	2	-	3	-	1	1	-	-
BLACK---MALE----	23	1	1	2	-	-	1	-	1	-	2	3
FEMALE--	19	-	4	-	2	-	3	-	1	1	-	-
ALASKA -----	16	-	1	1	2	1	-	3	-	1	2	-
WHITE-----MALE----	8	-	-	1	2	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	3	-	-	1	-
FEMALE--	3	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	43	-	2	1	-	-	2	6	-	2	4	3
WHITE-----MALE----	26	-	2	1	-	-	1	2	-	1	3	2
FEMALE--	11	-	-	-	-	-	-	3	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	1	-	-	-	1	1
FEMALE--	3	-	-	-	-	-	-	1	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	68	-	11	-	1	2	2	2	3	6	1	8
WHITE-----MALE----	26	-	4	-	-	-	1	-	2	2	-	4
FEMALE--	17	-	3	-	1	1	1	-	1	2	-	1
ALL OTHER--MALE----	11	-	2	-	-	-	-	1	-	1	-	3
FEMALE--	14	-	2	-	-	1	-	1	-	1	1	-
BLACK---MALE----	11	-	2	-	-	-	-	1	-	1	-	3
FEMALE--	14	-	2	-	-	1	-	1	-	1	1	-
CALIFORNIA -----	194	1	10	9	3	7	3	5	4	1	12	18
WHITE-----MALE----	75	1	3	2	1	2	-	1	3	1	8	7
FEMALE--	76	-	5	3	-	5	2	1	1	-	3	4
ALL OTHER--MALE----	19	-	-	2	-	-	-	2	-	-	-	3
FEMALE--	24	-	2	2	2	-	1	1	-	-	1	4
BLACK---MALE----	15	-	-	2	-	-	-	1	-	-	-	2
FEMALE--	14	-	1	2	-	-	-	1	-	-	1	2

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3727

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental exposure to smoke, fire and flames (X00-X09)												
UNITED STATES -	225	187	182	188	213	257	215	158	78	24	3	5
WHITE-----MALE----	122	89	80	76	93	100	81	61	22	8	-	5
FEMALE--	53	40	51	63	65	89	75	68	29	9	-	-
ALL OTHER--MALE----	36	37	35	31	32	36	27	8	12	3	1	-
FEMALE--	14	21	16	18	23	32	32	21	15	4	2	-
BLACK---MALE----	34	35	34	29	31	35	26	8	12	3	1	-
FEMALE--	14	18	15	16	22	29	31	21	14	4	2	-
ALABAMA -----	10	3	10	7	7	5	8	5	3	1	-	-
WHITE-----MALE----	6	-	3	2	4	2	1	1	2	-	-	-
FEMALE--	3	1	3	3	1	1	2	2	1	1	-	-
ALL OTHER--MALE----	1	1	3	1	2	2	2	-	-	-	-	-
FEMALE--	-	1	1	1	-	-	3	2	-	-	-	-
BLACK---MALE----	1	1	3	1	2	2	2	-	-	-	-	-
FEMALE--	-	1	1	1	-	-	3	2	-	-	-	-
ALASKA -----	-	2	1	-	-	1	-	1	-	-	-	-
WHITE-----MALE----	-	1	1	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	3	2	2	1	6	4	1	3	1	-	-	-
WHITE-----MALE----	2	1	1	-	3	4	1	1	1	-	-	-
FEMALE--	1	1	-	1	3	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	5	3	4	-	3	3	1	3	6	4	-	-
WHITE-----MALE----	4	3	2	-	1	1	-	1	1	-	-	-
FEMALE--	1	-	1	-	-	2	-	2	-	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	-	2	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	3	3	-	-
BLACK---MALE----	-	-	1	-	-	-	1	-	2	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	3	3	-	-
CALIFORNIA -----	21	13	12	11	10	16	15	12	6	1	-	4
WHITE-----MALE----	8	4	5	3	5	6	7	3	1	-	-	4
FEMALE--	9	3	5	6	4	7	7	6	4	1	-	-
ALL OTHER--MALE----	3	5	1	1	1	-	-	1	-	-	-	-
FEMALE--	1	1	1	1	-	3	1	2	1	-	-	-
BLACK---MALE----	2	4	1	1	1	-	-	1	-	-	-	-
FEMALE--	1	-	1	1	-	1	-	2	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3728

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental exposure to smoke, fire and flames (X00-X09)												
COLORADO -----	17	-	1	-	2	-	-	-	-	1	2	2
WHITE-----MALE----	13	-	1	-	1	-	-	-	-	1	1	2
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	23	-	1	-	-	-	-	2	-	1	1	2
WHITE-----MALE----	6	-	-	-	-	-	-	1	-	1	1	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	1	-	-	-	-
DELAWARE -----	9	-	2	-	-	1	-	1	-	1	-	1
WHITE-----MALE----	3	-	1	-	-	-	-	1	-	-	-	1
FEMALE--	4	-	-	-	-	1	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	10	-	-	1	-	-	-	-	-	2	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	7	-	-	1	-	-	-	-	-	1	-	-
BLACK---MALE-----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	7	-	-	1	-	-	-	-	-	1	-	-
FLORIDA -----	141	2	6	8	1	1	3	2	9	9	9	8
WHITE-----MALE----	58	1	2	2	-	-	1	2	3	5	4	5
FEMALE--	47	1	2	2	1	-	-	-	1	3	3	2
ALL OTHER--MALE----	23	-	-	2	-	1	1	-	4	1	1	1
FEMALE--	13	-	2	2	-	-	1	-	1	-	1	-
BLACK---MALE-----	23	-	-	2	-	1	1	-	4	1	1	1
FEMALE--	13	-	2	2	-	-	1	-	1	-	1	-
GEORGIA -----	123	3	8	3	3	2	3	6	11	8	11	5
WHITE-----MALE----	38	-	2	-	1	1	1	3	5	3	1	4
FEMALE--	19	1	1	-	1	-	-	1	2	2	4	-
ALL OTHER--MALE----	37	-	3	1	-	1	2	2	2	2	6	-
FEMALE--	29	2	2	2	1	-	-	-	2	1	-	1
BLACK---MALE-----	37	-	3	1	-	1	2	2	2	2	6	-
FEMALE--	29	2	2	2	1	-	-	-	2	1	-	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3728

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental exposure to smoke, fire and flames (X00-X09)												
COLORADO -----	1	-	1	2	2	1	1	1	-	-	-	-
WHITE-----MALE----	1	-	1	1	2	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	2	3	-	1	2	2	1	3	2	-	-	-
WHITE-----MALE----	-	2	-	-	-	1	-	-	-	-	-	-
FEMALE--	2	1	-	1	2	1	1	3	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	1	-	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
DISTRICT OF COLUMBIA ---	1	1	-	2	2	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	2	1	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	2	1	-	1	-	-	-	-	-
FLORIDA -----	5	10	8	12	10	17	10	7	1	2	-	1
WHITE-----MALE----	5	6	4	3	3	5	3	2	-	1	-	1
FEMALE--	-	2	3	5	6	9	3	3	-	1	-	-
ALL OTHER--MALE----	-	1	1	4	1	2	2	-	1	-	-	-
FEMALE--	-	1	-	-	-	1	2	2	-	-	-	-
BLACK---MALE----	-	1	1	4	1	2	2	-	1	-	-	-
FEMALE--	-	1	-	-	-	1	2	2	-	-	-	-
GEORGIA -----	7	10	4	7	9	6	13	1	2	-	1	-
WHITE-----MALE----	3	5	1	2	2	2	2	-	-	-	-	-
FEMALE--	1	-	1	1	2	1	-	-	1	-	-	-
ALL OTHER--MALE----	2	2	2	2	3	2	3	-	1	-	1	-
FEMALE--	1	3	-	2	2	1	8	1	-	-	-	-
BLACK---MALE----	2	2	2	2	3	2	3	-	1	-	1	-
FEMALE--	1	3	-	2	2	1	8	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3730

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental exposure to smoke, fire and flames (X00-X09)												
KENTUCKY -----	85	1	6	4	1	2	1	7	-	3	9	4
WHITE-----MALE----	42	-	2	2	-	2	1	2	-	1	8	1
FEMALE--	34	1	3	2	1	-	-	2	-	2	1	2
ALL OTHER--MALE----	6	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	3	-	1	-	-	-	-	1	-	-	-	1
BLACK---MALE-----	6	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	3	-	1	-	-	-	-	1	-	-	-	1
LOUISIANA -----	104	1	11	12	1	3	8	5	1	12	6	4
WHITE-----MALE----	28	-	-	3	1	-	1	5	1	5	1	-
FEMALE--	13	-	1	1	-	1	2	-	-	1	-	1
ALL OTHER--MALE----	34	1	9	4	-	-	4	-	-	4	3	1
FEMALE--	29	-	1	4	-	2	1	-	-	2	2	2
BLACK---MALE-----	34	1	9	4	-	-	4	-	-	4	3	1
FEMALE--	29	-	1	4	-	2	1	-	-	2	2	2
MAINE -----	17	-	2	3	-	-	1	1	-	2	2	1
WHITE-----MALE----	13	-	1	3	-	-	1	1	-	2	1	1
FEMALE--	4	-	1	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	46	-	7	4	2	-	1	2	3	4	3	4
WHITE-----MALE----	14	-	1	1	-	-	-	-	-	3	2	1
FEMALE--	10	-	1	-	-	-	1	-	-	1	-	2
ALL OTHER--MALE----	11	-	4	1	1	-	-	1	-	-	-	1
FEMALE--	11	-	1	2	1	-	-	1	3	-	1	-
BLACK---MALE-----	11	-	4	1	1	-	-	1	-	-	-	1
FEMALE--	11	-	1	2	1	-	-	1	3	-	1	-
MASSACHUSETTS -----	58	-	4	2	2	-	-	-	1	5	2	5
WHITE-----MALE----	30	-	2	-	-	-	-	-	-	2	2	3
FEMALE--	22	-	-	2	1	-	-	-	-	2	-	2
ALL OTHER--MALE----	5	-	1	-	1	-	-	-	1	1	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	4	-	1	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	146	2	20	16	6	-	4	4	1	6	12	6
WHITE-----MALE----	46	-	5	3	-	-	2	1	-	2	3	4
FEMALE--	32	-	3	2	1	-	-	1	-	-	4	1
ALL OTHER--MALE----	41	2	7	9	1	-	2	1	-	4	3	1
FEMALE--	27	-	5	2	4	-	-	1	1	-	2	-
BLACK---MALE-----	41	2	7	9	1	-	2	1	-	4	3	1
FEMALE--	27	-	5	2	4	-	-	1	1	-	2	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3730

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental exposure to smoke, fire and flames (X00-X09)												
KENTUCKY -----	8	5	8	8	7	3	2	4	1	1	-	-
WHITE-----MALE----	3	4	5	3	3	1	1	2	1	-	-	-
FEMALE--	4	-	2	5	3	2	1	2	-	1	-	-
ALL OTHER--MALE----	1	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	3	5	7	3	6	5	8	3	-	-	-	-
WHITE-----MALE----	1	2	3	2	-	-	3	-	-	-	-	-
FEMALE--	-	-	-	-	1	4	1	-	-	-	-	-
ALL OTHER--MALE----	1	2	1	-	3	-	1	-	-	-	-	-
FEMALE--	1	1	3	1	2	1	3	3	-	-	-	-
BLACK---MALE----	1	2	1	-	3	-	1	-	-	-	-	-
FEMALE--	1	1	3	1	2	1	3	3	-	-	-	-
MAINE -----	1	-	-	-	-	1	-	1	2	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2	4	-	2	1	1	5	1	-	-	-	-
WHITE-----MALE----	1	1	-	2	-	-	2	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	2	1	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
MASSACHUSETTS -----	7	3	5	2	5	2	6	5	2	-	-	-
WHITE-----MALE----	5	3	2	1	1	-	4	4	1	-	-	-
FEMALE--	2	-	3	1	4	2	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	7	6	12	7	5	12	12	6	1	1	-	-
WHITE-----MALE----	2	1	4	3	1	6	5	3	-	1	-	-
FEMALE--	3	3	1	3	1	3	4	2	-	-	-	-
ALL OTHER--MALE----	2	1	3	1	1	2	-	-	1	-	-	-
FEMALE--	-	1	4	-	2	1	3	1	-	-	-	-
BLACK---MALE----	2	1	3	1	1	2	-	-	1	-	-	-
FEMALE--	-	1	4	-	2	1	3	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3731

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental exposure to smoke, fire and flames (X00-X09)												
MINNESOTA -----	2	-	2	2	1	2	3	-	-	1	-	-
WHITE-----MALE----	2	-	2	2	1	-	1	-	-	1	-	-
FEMALE--	-	-	-	-	-	2	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	8	5	4	3	7	9	3	9	2	2	-	-
WHITE-----MALE----	3	2	-	-	4	4	-	2	-	1	-	-
FEMALE--	2	1	1	2	1	-	1	3	1	1	-	-
ALL OTHER--MALE----	2	2	3	1	-	4	1	1	-	-	-	-
FEMALE--	1	-	-	-	2	1	1	3	1	-	-	-
BLACK---MALE----	2	2	3	1	-	4	1	1	-	-	-	-
FEMALE--	1	-	-	-	2	1	1	3	-	-	-	-
MISSOURI -----	8	4	4	9	5	7	5	4	3	1	-	-
WHITE-----MALE----	3	3	2	4	3	3	-	3	1	1	-	-
FEMALE--	3	1	1	3	2	4	4	-	2	-	-	-
ALL OTHER--MALE----	1	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	1	1	-	-	-	-
BLACK---MALE----	1	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	1	1	-	-	-	-
MONTANA -----	2	-	-	-	1	-	-	1	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	1	-	-	1	2	4	1	1	-	-	-	-
WHITE-----MALE----	1	-	-	1	1	3	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	-	-	3	1	2	1	1	1	-	1	-	-
WHITE-----MALE----	-	-	2	-	1	-	-	-	-	1	-	-
FEMALE--	-	-	1	1	1	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3733

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental exposure to smoke, fire and flames (X00-X09)												
OHIO -----	13	9	1	7	9	7	7	4	3	-	-	-
WHITE-----MALE----	6	4	1	4	6	2	5	1	1	-	-	-
FEMALE--	4	1	-	1	1	3	2	1	1	-	-	-
ALL OTHER--MALE----	1	3	-	2	1	2	-	1	-	-	-	-
FEMALE--	2	1	-	-	1	-	-	1	1	-	-	-
BLACK---MALE----	1	3	-	2	1	2	-	1	-	-	-	-
FEMALE--	2	-	-	-	1	-	-	1	1	-	-	-
OKLAHOMA -----	4	2	1	3	-	1	2	3	1	-	-	-
WHITE-----MALE----	3	1	1	1	-	1	2	2	1	-	-	-
FEMALE--	-	1	-	1	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	2	1	-	2	2	3	3	2	-	-	-	-
WHITE-----MALE----	1	-	-	2	1	2	1	1	-	-	-	-
FEMALE--	1	1	-	-	1	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
PENNSYLVANIA -----	20	9	9	9	17	15	13	7	-	1	-	-
WHITE-----MALE----	11	4	6	5	5	7	6	4	-	-	-	-
FEMALE--	6	3	1	3	7	3	6	3	-	1	-	-
ALL OTHER--MALE----	2	1	1	1	4	2	1	-	-	-	-	-
FEMALE--	1	1	1	-	1	3	-	-	-	-	-	-
BLACK---MALE----	2	1	1	1	4	2	1	-	-	-	-	-
FEMALE--	1	1	1	-	1	3	-	-	-	-	-	-
RHODE ISLAND -----	1	1	-	-	1	1	-	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	7	6	10	6	4	13	6	3	1	-	-	-
WHITE-----MALE----	1	1	2	3	-	2	2	1	-	-	-	-
FEMALE--	-	-	2	3	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	4	3	6	-	3	6	2	-	-	-	-	-
FEMALE--	2	2	-	-	1	4	1	2	1	-	-	-
BLACK---MALE----	4	3	6	-	3	6	2	-	-	-	-	-
FEMALE--	2	2	-	-	-	4	1	2	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3734

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental exposure to smoke, fire and flames (X00-X09)												
SOUTH DAKOTA -----	7	-	1	1	-	-	-	-	-	1	-	1
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	1	-	-	-	-	-	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	126	2	15	6	2	4	5	4	6	11	13	4
WHITE-----MALE----	49	-	4	2	-	2	4	1	2	7	7	2
FEMALE--	32	-	2	1	1	-	1	2	2	1	4	1
ALL OTHER--MALE----	25	1	4	3	1	2	-	-	2	2	1	1
FEMALE--	20	1	5	-	-	-	-	1	-	1	1	-
BLACK---MALE-----	25	1	4	3	1	2	-	-	2	2	1	1
FEMALE--	20	1	5	-	-	-	-	1	-	1	1	-
TEXAS -----	250	2	31	15	7	11	10	13	8	13	8	10
WHITE-----MALE----	121	1	11	5	3	5	7	10	5	8	3	6
FEMALE--	70	1	10	4	3	4	-	2	2	2	2	2
ALL OTHER--MALE----	39	-	6	3	1	2	1	1	-	1	2	2
FEMALE--	20	-	4	3	-	-	1	-	1	2	1	-
BLACK---MALE-----	39	-	6	3	1	2	2	1	-	1	2	2
FEMALE--	20	-	4	3	-	-	1	-	1	2	1	-
UTAH -----	8	-	-	-	-	-	-	1	1	2	1	-
WHITE-----MALE----	5	-	-	-	-	-	-	1	-	2	1	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	18	2	1	-	2	2	1	-	3	-	2	-
WHITE-----MALE----	9	1	-	-	-	-	-	-	3	-	2	-
FEMALE--	8	1	1	-	2	1	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	103	1	13	5	1	2	4	3	4	5	8	2
WHITE-----MALE----	37	1	5	1	-	1	2	-	2	1	6	-
FEMALE--	32	-	4	3	1	-	1	2	1	-	1	-
ALL OTHER--MALE----	26	-	2	-	-	1	-	1	1	4	1	2
FEMALE--	8	-	2	1	-	-	1	-	-	-	-	-
BLACK---MALE-----	25	-	2	-	-	1	-	1	1	3	1	2
FEMALE--	8	-	2	1	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3734

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental exposure to smoke, fire and flames (X00-X09)												
SOUTH DAKOTA -----	-	-	2	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	2	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2	7	5	7	7	9	6	1	8	-	2	-
WHITE-----MALE----	1	4	-	2	4	2	5	-	-	-	-	-
FEMALE--	1	2	4	1	2	3	1	1	2	-	-	-
ALL OTHER--MALE----	-	-	1	1	-	3	-	-	3	-	-	-
FEMALE--	-	1	-	3	1	1	-	-	3	-	2	-
BLACK---MALE----	-	-	1	1	-	3	-	-	3	-	-	-
FEMALE--	-	1	-	3	1	1	-	-	3	-	2	-
TEXAS -----	13	13	10	14	19	23	7	11	9	3	-	-
WHITE-----MALE----	10	4	4	8	12	11	1	5	2	-	-	-
FEMALE--	-	4	4	4	4	8	4	6	4	-	-	-
ALL OTHER--MALE----	3	4	1	1	2	2	2	-	1	3	-	-
FEMALE--	-	1	1	1	1	2	-	-	2	-	-	-
BLACK---MALE----	3	4	1	1	2	2	2	-	1	3	-	-
FEMALE--	-	1	1	1	1	2	-	-	2	-	-	-
UTAH -----	-	1	-	1	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	1	-	-	1	-	-	1	1	-	-	-
WHITE-----MALE----	-	1	-	-	1	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	5	8	6	8	8	7	7	3	2	1	-	-
WHITE-----MALE----	1	4	4	1	4	-	3	-	-	1	-	-
FEMALE--	1	3	1	5	2	3	1	2	1	-	-	-
ALL OTHER--MALE----	2	1	1	2	2	3	2	1	-	-	-	-
FEMALE--	1	-	-	-	-	1	1	-	1	-	-	-
BLACK---MALE----	2	1	1	2	2	3	2	1	-	-	-	-
FEMALE--	1	-	-	-	-	1	1	-	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3736

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental contact with heat and hot substances (X10-X19)												
UNITED STATES -	2	2	9	5	13	9	16	16	6	3	1	-
WHITE-----MALE----	1	1	6	4	5	-	6	5	-	1	-	-
FEMALE--	1	-	-	-	5	4	6	6	5	2	1	-
ALL OTHER--MALE----	-	1	2	-	1	4	2	1	-	-	-	-
FEMALE--	-	-	1	1	2	1	2	4	1	-	-	-
BLACK---MALE----	-	1	2	-	1	4	1	1	-	-	-	-
FEMALE--	-	-	1	1	1	1	1	4	1	-	-	-
ALABAMA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ARKANSAS -----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	-	-	2	-	3	1	1	2	1	1	-	-
WHITE-----MALE----	-	-	2	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3737

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental contact with heat and hot substances (X10-X19)												
COLORADO -----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
FLORIDA -----	1	1	-	1	-	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	-	-	-	-	-	1	-	-	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3742

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental contact with heat and hot substances (X10-X19)												
OHIO -----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	-	-	-	1	-	-	-	-	-	-	1	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	-	-	-	1	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3764

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Cataclysmic storm and flood (X37-X38)												
COLORADO -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	18	2	-	-	-	2	-	2	1	-	1	1
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	1	-	-	-	-	-	1	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	1	-	-	-	2	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	1	-	-	-	2	-	1	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3772

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental poisoning and exposure to noxious substances (X40-X49)												
UNITED STATES -	12,757	14	32	17	28	351	809	980	1,400	2,159	2,504	1,992
WHITE-----MALE----	7,558	8	11	7	11	251	601	674	894	1,330	1,498	1,143
FEMALE--	2,950	2	8	3	9	67	131	173	290	481	533	425
ALL OTHER--MALE----	1,580	3	10	5	4	22	46	105	147	224	332	312
FEMALE--	669	1	3	2	4	11	31	28	69	124	141	112
BLACK---MALE----	1,433	3	9	5	2	13	37	91	125	206	301	288
FEMALE--	595	1	3	1	1	8	21	24	63	111	128	101
ALABAMA -----	160	1	3	1	-	9	12	17	16	20	28	13
WHITE-----MALE----	83	1	1	1	-	9	7	14	8	14	12	4
FEMALE--	52	-	2	-	-	-	4	2	4	4	12	4
ALL OTHER--MALE----	17	-	-	-	-	-	-	1	4	1	2	3
FEMALE--	8	-	-	-	-	-	1	-	-	1	2	2
BLACK---MALE----	17	-	-	-	-	-	-	1	4	1	2	3
FEMALE--	8	-	-	-	-	-	1	-	-	1	2	2
ALASKA -----	51	-	-	-	-	1	2	3	4	12	10	11
WHITE-----MALE----	18	-	-	-	-	-	-	2	3	2	3	5
FEMALE--	17	-	-	-	-	1	-	-	1	4	4	4
ALL OTHER--MALE----	7	-	-	-	-	-	1	1	-	2	1	2
FEMALE--	9	-	-	-	-	-	1	-	-	4	2	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	424	-	-	-	3	9	20	38	49	60	88	86
WHITE-----MALE----	299	-	-	-	2	6	17	29	36	35	64	68
FEMALE--	77	-	-	-	-	-	1	4	7	14	15	12
ALL OTHER--MALE----	37	-	-	-	1	2	1	4	6	8	7	4
FEMALE--	11	-	-	-	-	1	1	1	-	3	2	2
BLACK---MALE----	16	-	-	-	-	1	-	2	1	5	2	1
FEMALE--	5	-	-	-	-	-	-	-	-	2	2	-
ARKANSAS -----	61	-	-	-	-	1	1	4	9	9	13	4
WHITE-----MALE----	38	-	-	-	-	-	1	2	4	7	9	3
FEMALE--	14	-	-	-	-	1	-	1	2	1	2	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	1	3	1	2	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	7	-	-	-	-	-	-	1	3	1	2	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
CALIFORNIA -----	1,596	3	4	-	3	24	54	93	159	267	310	296
WHITE-----MALE----	1,017	2	3	-	2	21	42	62	105	194	200	171
FEMALE--	360	-	1	-	1	2	8	18	35	49	62	75
ALL OTHER--MALE----	146	-	-	-	-	1	3	9	9	14	33	37
FEMALE--	73	1	-	-	-	-	1	4	10	10	15	13
BLACK---MALE----	119	-	-	-	-	-	2	8	6	10	26	32
FEMALE--	62	1	-	-	-	-	1	3	7	8	13	11

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3773

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental poisoning and exposure to noxious substances (X40-X49)												
COLORADO -----	252	-	-	-	1	5	10	23	27	48	47	51
WHITE-----MALE----	164	-	-	-	-	4	6	16	20	32	34	33
FEMALE--	65	-	-	-	1	1	2	2	7	13	11	10
ALL OTHER--MALE----	16	-	-	-	-	-	2	4	-	2	-	6
FEMALE--	7	-	-	-	-	-	-	1	-	1	2	2
BLACK---MALE-----	13	-	-	-	-	-	2	2	-	2	-	6
FEMALE--	6	-	-	-	-	-	-	1	-	-	2	2
CONNECTICUT -----	265	-	1	-	-	-	18	23	42	46	55	45
WHITE-----MALE----	190	-	-	-	-	-	16	18	28	32	38	33
FEMALE--	38	-	-	-	-	-	2	-	8	6	10	6
ALL OTHER--MALE----	32	-	1	-	-	-	-	5	5	6	7	4
FEMALE--	5	-	-	-	-	-	-	-	1	2	-	2
BLACK---MALE-----	31	-	1	-	-	-	-	5	4	6	7	4
FEMALE--	5	-	-	-	-	-	-	-	1	2	-	2
DELAWARE -----	44	-	-	1	1	1	1	5	2	7	11	10
WHITE-----MALE----	21	-	-	1	1	-	1	3	2	4	4	4
FEMALE--	15	-	-	-	-	1	-	1	-	2	5	4
ALL OTHER--MALE----	7	-	-	-	-	-	-	1	-	1	1	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	7	-	-	-	-	-	-	1	-	1	1	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
DISTRICT OF COLUMBIA ---	71	-	-	-	-	1	-	-	6	9	12	16
WHITE-----MALE----	7	-	-	-	-	-	-	-	1	2	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	39	-	-	-	-	1	-	-	4	1	5	8
FEMALE--	24	-	-	-	-	-	-	-	1	6	6	6
BLACK---MALE-----	39	-	-	-	-	1	-	-	4	1	5	8
FEMALE--	24	-	-	-	-	-	-	-	1	6	6	6
FLORIDA -----	860	1	-	-	2	36	80	67	83	141	171	132
WHITE-----MALE----	566	1	-	-	1	24	59	49	61	102	110	90
FEMALE--	206	-	-	-	1	11	18	17	13	21	40	29
ALL OTHER--MALE----	56	-	-	-	-	-	3	1	5	10	17	7
FEMALE--	32	-	-	-	-	1	-	-	4	8	4	6
BLACK---MALE-----	56	-	-	-	-	-	3	1	5	10	17	7
FEMALE--	32	-	-	-	-	1	-	-	4	8	4	6
GEORGIA -----	301	2	1	-	-	7	24	27	43	42	43	47
WHITE-----MALE----	144	-	1	-	-	3	19	20	27	18	17	24
FEMALE--	87	-	-	-	-	3	2	5	8	14	14	13
ALL OTHER--MALE----	48	2	-	-	-	1	2	2	4	7	8	9
FEMALE--	22	-	-	-	-	-	1	-	4	3	4	1
BLACK---MALE-----	46	2	-	-	-	1	1	1	4	7	8	9
FEMALE--	21	-	-	-	-	-	1	-	4	3	4	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3773

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental poisoning and exposure to noxious substances (X40-X49)												
COLORADO -----	17	7	2	4	5	-	4	-	1	-	-	-
WHITE-----MALE----	8	3	1	1	2	-	4	-	-	-	-	-
FEMALE--	6	4	1	3	3	-	-	-	1	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	14	9	4	1	2	3	1	1	-	-	-	-
WHITE-----MALE----	11	5	3	1	1	2	1	1	-	-	-	-
FEMALE--	1	3	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	1	1	-	-	2	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	15	7	1	3	-	-	-	1	-	-	-	-
WHITE-----MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	12	5	-	3	-	-	-	-	-	-	-	-
FEMALE--	2	1	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	12	5	-	3	-	-	-	-	-	-	-	-
FEMALE--	2	1	1	-	-	-	-	1	-	-	-	-
FLORIDA -----	64	26	13	14	6	4	10	5	4	1	-	-
WHITE-----MALE----	39	15	6	5	-	2	1	-	1	-	-	-
FEMALE--	17	8	4	7	4	2	8	2	3	1	-	-
ALL OTHER--MALE----	6	2	2	-	1	-	1	1	-	-	-	-
FEMALE--	2	1	1	2	1	-	-	2	-	-	-	-
BLACK---MALE----	6	2	2	-	1	-	1	1	-	-	-	-
FEMALE--	2	1	1	2	1	-	-	2	-	-	-	-
GEORGIA -----	27	18	10	3	-	3	2	2	-	-	-	-
WHITE-----MALE----	4	6	3	2	-	-	-	-	-	-	-	-
FEMALE--	12	8	5	-	-	2	1	-	-	-	-	-
ALL OTHER--MALE----	5	2	2	1	-	1	-	2	-	-	-	-
FEMALE--	6	2	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	5	2	2	1	-	1	-	2	-	-	-	-
FEMALE--	6	1	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3774

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental poisoning and exposure to noxious substances (X40-X49)												
HAWAII -----	31	-	-	-	-	-	1	1	4	4	8	6
WHITE-----MALE----	17	-	-	-	-	-	-	-	3	3	3	3
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	9	-	-	-	-	-	1	1	-	-	4	2
FEMALE--	4	-	-	-	-	-	-	-	-	1	1	1
BLACK---MALE-----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	37	-	-	-	-	1	1	4	3	3	9	7
WHITE-----MALE----	23	-	-	-	-	1	1	2	2	2	5	5
FEMALE--	14	-	-	-	-	-	-	2	1	1	4	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	788	-	1	3	1	28	58	73	94	145	153	116
WHITE-----MALE----	377	-	-	-	-	21	44	40	48	69	69	46
FEMALE--	119	-	-	2	1	6	9	11	13	19	21	12
ALL OTHER--MALE----	209	-	1	-	-	-	3	16	22	34	46	43
FEMALE--	83	-	-	1	-	1	2	6	11	23	17	15
BLACK---MALE-----	207	-	1	-	-	-	3	16	21	34	46	42
FEMALE--	83	-	-	1	-	1	2	6	11	23	17	15
INDIANA -----	149	1	3	-	-	3	15	12	19	23	18	14
WHITE-----MALE----	92	-	-	-	-	2	14	10	11	15	12	10
FEMALE--	47	-	-	-	-	-	1	1	8	6	5	4
ALL OTHER--MALE----	5	1	2	-	-	1	-	-	-	1	-	-
FEMALE--	5	-	1	-	-	-	-	1	-	1	1	-
BLACK---MALE-----	5	1	2	-	-	1	-	-	-	1	-	-
FEMALE--	5	-	1	-	-	-	-	1	-	1	1	-
IOWA -----	55	-	-	-	-	8	3	5	3	8	9	6
WHITE-----MALE----	37	-	-	-	-	4	2	4	2	6	8	3
FEMALE--	16	-	-	-	-	3	-	1	1	2	1	3
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
KANSAS -----	76	1	-	-	-	2	4	5	4	14	24	9
WHITE-----MALE----	44	1	-	-	-	2	2	4	2	7	16	3
FEMALE--	21	-	-	-	-	-	1	-	1	5	4	4
ALL OTHER--MALE----	6	-	-	-	-	-	-	1	-	1	3	1
FEMALE--	5	-	-	-	-	-	1	-	1	1	1	1
BLACK---MALE-----	6	-	-	-	-	-	-	1	-	1	3	1
FEMALE--	5	-	-	-	-	-	1	-	1	1	1	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3775

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental poisoning and exposure to noxious substances (X40-X49)												
KENTUCKY -----	219	1	-	-	-	10	20	24	27	39	37	28
WHITE-----MALE----	149	1	-	-	-	8	17	20	13	28	27	16
FEMALE--	59	-	-	-	-	2	2	4	13	10	8	9
ALL OTHER--MALE----	8	-	-	-	-	-	1	-	-	1	2	1
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	2
BLACK---MALE-----	8	-	-	-	-	-	1	-	-	1	2	1
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	2
LOUISIANA -----	187	-	-	-	-	8	21	13	21	35	26	26
WHITE-----MALE----	86	-	-	-	-	6	10	7	13	20	10	9
FEMALE--	57	-	-	-	-	-	5	4	5	9	9	9
ALL OTHER--MALE----	34	-	-	-	-	2	5	2	3	4	6	5
FEMALE--	10	-	-	-	-	-	1	-	-	2	1	3
BLACK---MALE-----	32	-	-	-	-	2	5	2	3	4	5	4
FEMALE--	8	-	-	-	-	-	-	-	-	2	1	2
MAINE -----	53	-	-	-	-	3	3	5	9	13	6	8
WHITE-----MALE----	36	-	-	-	-	3	3	5	8	5	4	6
FEMALE--	13	-	-	-	-	-	-	-	1	5	1	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	2	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	52	-	-	1	-	-	6	2	3	3	10	6
WHITE-----MALE----	18	-	-	-	-	-	5	1	2	-	4	1
FEMALE--	12	-	-	-	-	-	1	-	-	1	-	1
ALL OTHER--MALE----	17	-	-	1	-	-	-	1	1	2	5	3
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE-----	17	-	-	1	-	-	-	1	1	2	5	3
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	1
MASSACHUSETTS -----	54	-	-	-	-	1	3	4	3	8	12	7
WHITE-----MALE----	39	-	-	-	-	1	3	3	2	5	11	4
FEMALE--	13	-	-	-	-	-	-	1	1	3	1	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	316	-	-	-	1	4	7	17	42	46	72	63
WHITE-----MALE----	179	-	-	-	1	2	6	10	31	27	41	32
FEMALE--	58	-	-	-	-	1	1	3	5	12	12	8
ALL OTHER--MALE----	48	-	-	-	-	-	-	3	4	3	12	14
FEMALE--	31	-	-	-	-	1	-	1	2	4	7	9
BLACK---MALE-----	47	-	-	-	-	-	-	3	4	3	11	14
FEMALE--	31	-	-	-	-	1	-	1	2	4	7	9

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3775

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental poisoning and exposure to noxious substances (X40-X49)												
KENTUCKY -----	12	8	2	1	2	-	1	4	2	1	-	-
WHITE-----MALE----	8	6	-	1	1	-	-	2	1	-	-	-
FEMALE--	2	2	2	-	1	-	1	1	1	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	15	5	2	2	6	2	3	1	1	-	-	-
WHITE-----MALE----	6	2	-	1	2	-	-	-	-	-	-	-
FEMALE--	5	1	2	-	3	1	3	-	1	-	-	-
ALL OTHER--MALE----	1	2	-	1	1	1	-	1	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	2	-	1	1	1	-	1	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	-	1	-	2	1	-	1	-	1	-	-	-
WHITE-----MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	6	4	2	-	-	4	1	2	2	-	-	-
WHITE-----MALE----	2	-	1	-	-	1	-	1	-	-	-	-
FEMALE--	1	2	1	-	-	3	1	-	1	-	-	-
ALL OTHER--MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE-----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	1	-	-	-
MASSACHUSETTS -----	2	2	-	3	2	3	2	1	1	-	-	-
WHITE-----MALE----	2	2	-	1	1	2	1	-	1	-	-	-
FEMALE--	-	-	-	2	-	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	26	13	10	3	2	2	3	2	3	-	-	-
WHITE-----MALE----	14	4	5	2	1	1	1	-	1	-	-	-
FEMALE--	5	1	3	-	1	1	2	1	2	-	-	-
ALL OTHER--MALE----	6	3	2	1	-	-	-	-	-	-	-	-
FEMALE--	1	5	-	-	-	-	-	1	-	-	-	-
BLACK---MALE-----	6	3	2	1	-	-	-	-	-	-	-	-
FEMALE--	1	5	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3778

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental poisoning and exposure to noxious substances (X40-X49)												
OHIO -----	443	-	1	-	1	4	15	27	50	76	97	76
WHITE-----MALE----	259	-	1	-	-	3	13	16	33	48	60	43
FEMALE--	108	-	-	-	1	-	1	6	14	17	24	15
ALL OTHER--MALE----	56	-	-	-	-	1	1	3	1	8	8	16
FEMALE--	20	-	-	-	-	-	-	2	2	3	5	2
BLACK---MALE----	56	-	-	-	-	1	1	3	1	8	8	16
FEMALE--	20	-	-	-	-	-	-	2	2	3	5	2
OKLAHOMA -----	196	-	-	2	4	6	8	11	22	36	35	29
WHITE-----MALE----	108	-	-	-	-	4	6	7	12	25	19	18
FEMALE--	56	-	-	-	-	1	1	2	6	9	13	2
ALL OTHER--MALE----	20	-	-	1	1	-	1	2	3	2	3	5
FEMALE--	12	-	-	1	3	1	-	-	1	-	-	4
BLACK---MALE----	8	-	-	1	1	-	-	1	-	1	1	2
FEMALE--	5	-	-	-	1	-	-	-	1	-	-	3
OREGON -----	132	-	-	-	-	4	6	8	12	25	26	20
WHITE-----MALE----	86	-	-	-	-	2	6	8	7	17	16	11
FEMALE--	35	-	-	-	-	-	-	-	3	6	8	8
ALL OTHER--MALE----	8	-	-	-	-	2	-	-	1	1	2	1
FEMALE--	3	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
PENNSYLVANIA -----	958	1	1	1	-	31	78	79	130	178	191	116
WHITE-----MALE----	583	1	1	1	-	23	61	56	88	103	107	65
FEMALE--	205	-	-	-	-	7	12	12	20	49	41	23
ALL OTHER--MALE----	124	-	-	-	-	1	1	10	17	16	27	23
FEMALE--	46	-	-	-	-	-	4	1	5	10	16	5
BLACK---MALE----	123	-	-	-	-	1	1	9	17	16	27	23
FEMALE--	45	-	-	-	-	-	4	1	5	9	16	5
RHODE ISLAND -----	6	-	-	-	-	-	-	-	-	1	3	1
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	207	1	1	1	-	8	8	18	16	25	47	40
WHITE-----MALE----	116	-	-	1	-	6	5	13	10	17	25	20
FEMALE--	48	1	-	-	-	1	-	2	5	2	10	9
ALL OTHER--MALE----	31	-	1	-	-	1	2	3	1	4	7	9
FEMALE--	12	-	-	-	-	-	1	-	-	2	5	2
BLACK---MALE----	31	-	1	-	-	1	2	3	1	4	7	9
FEMALE--	11	-	-	-	-	-	1	-	-	2	4	2

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3779

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental poisoning and exposure to noxious substances (X40-X49)												
SOUTH DAKOTA -----	11	-	-	1	1	-	1	-	-	2	2	2
WHITE-----MALE----	5	-	-	-	-	-	1	-	-	1	1	1
FEMALE--	2	-	-	1	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	1	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	281	-	3	2	1	12	24	20	28	35	60	39
WHITE-----MALE----	152	-	-	1	1	9	18	15	15	24	29	22
FEMALE--	82	-	-	-	-	1	6	2	9	9	21	12
ALL OTHER--MALE----	34	-	2	1	-	1	-	3	3	1	7	5
FEMALE--	13	-	1	-	-	1	-	-	1	1	3	-
BLACK---MALE----	33	-	2	1	-	1	-	3	3	1	7	4
FEMALE--	13	-	1	-	-	1	-	-	1	1	3	-
TEXAS -----	815	1	3	-	2	37	67	74	88	128	162	93
WHITE-----MALE----	465	1	1	-	-	30	44	50	55	72	100	50
FEMALE--	243	-	-	-	1	6	14	17	21	46	33	33
ALL OTHER--MALE----	72	-	2	-	1	-	3	6	7	6	23	7
FEMALE--	35	-	-	-	-	1	6	1	5	4	6	3
BLACK---MALE----	67	-	1	-	-	-	2	6	5	6	23	7
FEMALE--	34	-	-	-	-	1	5	1	5	4	6	3
UTAH -----	37	-	-	-	-	1	4	1	4	9	5	5
WHITE-----MALE----	25	-	-	-	-	1	3	1	3	8	3	2
FEMALE--	10	-	-	-	-	-	1	-	1	1	2	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
VERMONT -----	26	-	-	-	-	1	1	2	5	4	4	4
WHITE-----MALE----	20	-	-	-	-	1	1	2	5	2	3	3
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	312	-	-	1	1	6	31	27	32	56	77	34
WHITE-----MALE----	165	-	-	1	-	3	21	22	17	26	47	13
FEMALE--	67	-	-	-	-	2	3	3	4	12	17	5
ALL OTHER--MALE----	63	-	-	-	1	1	5	1	9	14	12	13
FEMALE--	17	-	-	-	-	-	2	1	2	4	1	3
BLACK---MALE----	62	-	-	-	1	-	5	1	9	14	12	13
FEMALE--	16	-	-	-	-	-	2	1	2	4	1	3

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3781

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental poisoning by and exposure to drugs and other biological substances (X40-X44)												
UNITED STATES -	11,712	9	10	3	14	291	754	920	1,323	2,056	2,385	1,874
WHITE-----MALE----	6,919	4	3	2	6	209	562	633	834	1,259	1,416	1,075
FEMALE--	2,730	2	2	-	7	60	126	166	284	468	516	395
ALL OTHER--MALE----	1,449	2	5	-	1	14	39	98	138	207	317	297
FEMALE--	614	1	-	1	-	8	27	23	67	122	136	107
BLACK---MALE----	1,337	2	4	-	1	11	36	85	121	194	287	276
FEMALE--	559	1	-	1	-	8	20	21	61	111	124	98
ALABAMA -----	130	-	-	-	-	7	12	15	15	18	26	12
WHITE-----MALE----	66	-	-	-	-	7	7	13	7	13	11	4
FEMALE--	49	-	-	-	-	-	4	2	4	4	12	4
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	4	-	1	2
FEMALE--	7	-	-	-	-	-	1	-	-	1	2	2
BLACK---MALE----	8	-	-	-	-	-	-	-	4	-	1	2
FEMALE--	7	-	-	-	-	-	1	-	-	1	2	2
ALASKA -----	36	-	-	-	-	1	-	3	4	8	8	9
WHITE-----MALE----	14	-	-	-	-	-	-	2	3	2	3	4
FEMALE--	15	-	-	-	-	1	-	-	1	4	2	4
ALL OTHER--MALE----	3	-	-	-	-	-	-	1	-	-	1	1
FEMALE--	4	-	-	-	-	-	-	-	-	2	2	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	399	-	-	-	1	6	17	37	48	60	85	82
WHITE-----MALE----	287	-	-	-	1	5	16	29	36	35	61	65
FEMALE--	71	-	-	-	-	-	1	4	7	14	15	11
ALL OTHER--MALE----	33	-	-	-	-	1	-	4	5	8	7	4
FEMALE--	8	-	-	-	-	-	-	-	-	3	2	2
BLACK---MALE----	16	-	-	-	-	1	-	2	1	5	2	1
FEMALE--	5	-	-	-	-	-	-	-	-	2	2	-
ARKANSAS -----	46	-	-	-	-	1	1	4	7	6	7	3
WHITE-----MALE----	30	-	-	-	-	-	1	2	3	5	6	2
FEMALE--	11	-	-	-	-	1	-	1	2	1	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	1	2	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	3	-	-	-	-	-	-	1	2	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
CALIFORNIA -----	1,519	3	1	-	2	17	52	89	154	257	299	285
WHITE-----MALE----	963	2	1	-	1	14	40	59	101	186	193	165
FEMALE--	344	-	-	-	1	2	8	18	35	47	60	70
ALL OTHER--MALE----	143	-	-	-	-	1	3	8	9	14	33	37
FEMALE--	69	1	-	-	-	-	1	4	9	10	13	13
BLACK---MALE----	117	-	-	-	-	-	2	7	6	10	26	32
FEMALE--	59	1	-	-	-	-	1	3	6	8	12	11

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3782

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental poisoning by and exposure to drugs and other biological substances (X40-X44)												
COLORADO -----	220	-	-	-	1	4	10	22	23	42	43	44
WHITE-----MALE----	141	-	-	-	-	3	6	15	17	28	31	29
FEMALE--	60	-	-	-	1	1	2	2	6	12	11	8
ALL OTHER--MALE----	13	-	-	-	-	-	2	4	-	1	-	5
FEMALE--	6	-	-	-	-	-	-	1	-	1	1	2
BLACK---MALE-----	11	-	-	-	-	-	2	2	-	1	-	5
FEMALE--	5	-	-	-	-	-	-	1	-	-	1	2
CONNECTICUT -----	250	-	1	-	-	-	16	23	38	45	54	43
WHITE-----MALE----	180	-	-	-	-	-	14	18	25	31	37	32
FEMALE--	37	-	-	-	-	-	2	-	8	6	10	6
ALL OTHER--MALE----	29	-	1	-	-	-	-	5	4	6	7	4
FEMALE--	4	-	-	-	-	-	-	-	1	2	-	1
BLACK---MALE-----	28	-	1	-	-	-	-	5	3	6	7	4
FEMALE--	4	-	-	-	-	-	-	-	1	2	-	1
DELAWARE -----	39	-	-	-	-	1	1	5	1	7	11	10
WHITE-----MALE----	17	-	-	-	-	-	1	3	1	4	4	4
FEMALE--	15	-	-	-	-	1	-	1	-	2	5	4
ALL OTHER--MALE----	6	-	-	-	-	-	-	1	-	1	1	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	6	-	-	-	-	-	-	1	-	1	1	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
DISTRICT OF COLUMBIA ---	70	-	-	-	-	1	-	-	6	9	12	16
WHITE-----MALE----	7	-	-	-	-	-	-	-	1	2	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	38	-	-	-	-	1	-	-	4	1	5	8
FEMALE--	24	-	-	-	-	-	-	-	1	6	6	6
BLACK---MALE-----	38	-	-	-	-	1	-	-	4	1	5	8
FEMALE--	24	-	-	-	-	-	-	-	1	6	6	6
FLORIDA -----	823	1	-	-	2	33	79	63	81	134	168	129
WHITE-----MALE----	540	1	-	-	1	21	58	45	60	95	109	89
FEMALE--	198	-	-	-	1	11	18	17	13	21	40	27
ALL OTHER--MALE----	54	-	-	-	-	-	3	1	5	10	15	7
FEMALE--	31	-	-	-	-	1	-	-	3	8	4	6
BLACK---MALE-----	54	-	-	-	-	-	3	1	5	10	15	7
FEMALE--	31	-	-	-	-	1	-	-	3	8	4	6
GEORGIA -----	268	2	-	-	-	6	20	23	41	40	40	43
WHITE-----MALE----	130	-	-	-	-	3	17	18	25	18	16	21
FEMALE--	82	-	-	-	-	3	2	4	8	13	14	13
ALL OTHER--MALE----	37	2	-	-	-	-	-	1	4	6	7	8
FEMALE--	19	-	-	-	-	-	1	-	4	3	3	1
BLACK---MALE-----	36	2	-	-	-	-	-	-	4	6	7	8
FEMALE--	18	-	-	-	-	-	1	-	4	3	3	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3782

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental poisoning by and exposure to drugs and other biological substances (X40-X44)												
COLORADO -----	14	5	2	4	3	-	2	-	1	-	-	-
WHITE-----MALE----	6	1	1	1	1	-	2	-	-	-	-	-
FEMALE--	6	4	1	3	2	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	14	7	2	1	1	3	1	1	-	-	-	-
WHITE-----MALE----	11	5	2	1	-	2	1	1	-	-	-	-
FEMALE--	1	2	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	1	1	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	15	7	1	2	-	-	-	1	-	-	-	-
WHITE-----MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	12	5	-	2	-	-	-	-	-	-	-	-
FEMALE--	2	1	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	12	5	-	2	-	-	-	-	-	-	-	-
FEMALE--	2	1	1	-	-	-	-	1	-	-	-	-
FLORIDA -----	61	23	11	11	6	4	8	5	4	-	-	-
WHITE-----MALE----	38	12	4	3	-	2	1	-	1	-	-	-
FEMALE--	15	8	4	6	4	2	6	2	3	-	-	-
ALL OTHER--MALE----	6	2	2	-	1	-	1	1	-	-	-	-
FEMALE--	2	1	1	2	1	-	-	2	-	-	-	-
BLACK---MALE----	6	2	2	-	1	-	1	1	-	-	-	-
FEMALE--	2	1	1	2	1	-	-	2	-	-	-	-
GEORGIA -----	26	13	7	3	-	2	1	1	-	-	-	-
WHITE-----MALE----	4	4	2	2	-	-	-	-	-	-	-	-
FEMALE--	12	7	4	-	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	5	1	1	1	-	-	-	1	-	-	-	-
FEMALE--	5	1	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	5	1	1	1	-	-	-	1	-	-	-	-
FEMALE--	5	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3783

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental poisoning by and exposure to drugs and other biological substances (X40-X44)												
HAWAII -----	29	-	-	-	-	-	1	1	3	3	8	6
WHITE-----MALE----	15	-	-	-	-	-	-	-	2	2	3	3
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	9	-	-	-	-	-	1	1	-	-	4	2
FEMALE--	4	-	-	-	-	-	-	-	-	1	1	1
BLACK---MALE-----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	32	-	-	-	-	1	1	4	2	3	8	7
WHITE-----MALE----	19	-	-	-	-	1	1	2	1	2	4	5
FEMALE--	13	-	-	-	-	-	-	2	1	1	4	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	731	-	1	1	1	26	54	69	89	138	147	111
WHITE-----MALE----	343	-	-	-	-	20	41	37	45	65	65	43
FEMALE--	104	-	-	-	1	5	8	10	12	18	20	11
ALL OTHER--MALE----	203	-	1	-	-	-	3	16	21	32	45	42
FEMALE--	81	-	-	1	-	1	2	6	11	23	17	15
BLACK---MALE-----	202	-	1	-	-	-	3	16	21	32	45	41
FEMALE--	81	-	-	1	-	1	2	6	11	23	17	15
INDIANA -----	113	-	-	-	-	3	13	10	17	21	15	11
WHITE-----MALE----	71	-	-	-	-	2	13	9	10	13	9	7
FEMALE--	37	-	-	-	-	-	-	1	7	6	5	4
ALL OTHER--MALE----	2	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE-----	2	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	1	-
IOWA -----	38	-	-	-	-	4	3	4	3	5	5	5
WHITE-----MALE----	25	-	-	-	-	2	2	4	2	3	4	3
FEMALE--	12	-	-	-	-	2	-	-	1	2	1	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
KANSAS -----	59	-	-	-	-	-	3	5	4	12	23	6
WHITE-----MALE----	33	-	-	-	-	-	1	4	2	6	16	2
FEMALE--	15	-	-	-	-	-	1	-	1	4	3	2
ALL OTHER--MALE----	6	-	-	-	-	-	-	1	-	1	3	1
FEMALE--	5	-	-	-	-	-	1	-	1	1	1	1
BLACK---MALE-----	6	-	-	-	-	-	-	1	-	1	3	1
FEMALE--	5	-	-	-	-	-	1	-	1	1	1	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3784

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental poisoning by and exposure to drugs and other biological substances (X40-X44)												
KENTUCKY -----	193	1	-	-	-	9	19	21	26	35	33	26
WHITE-----MALE----	128	1	-	-	-	7	16	17	12	25	23	14
FEMALE--	56	-	-	-	-	2	2	4	13	9	8	9
ALL OTHER--MALE----	6	-	-	-	-	-	1	-	-	1	2	1
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	2
BLACK---MALE-----	6	-	-	-	-	-	1	-	-	1	2	1
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	2
LOUISIANA -----	170	-	-	-	-	8	21	12	20	35	25	19
WHITE-----MALE----	79	-	-	-	-	6	10	6	12	20	9	7
FEMALE--	52	-	-	-	-	-	5	4	5	9	9	7
ALL OTHER--MALE----	31	-	-	-	-	2	5	2	3	4	6	4
FEMALE--	8	-	-	-	-	-	1	-	-	2	1	1
BLACK---MALE-----	29	-	-	-	-	2	5	2	3	4	5	3
FEMALE--	7	-	-	-	-	-	-	-	-	2	1	1
MAINE -----	50	-	-	-	-	2	3	5	9	13	5	7
WHITE-----MALE----	34	-	-	-	-	2	3	5	8	5	3	6
FEMALE--	12	-	-	-	-	-	-	-	1	5	1	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	2	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	48	-	-	-	-	-	6	2	3	2	9	6
WHITE-----MALE----	16	-	-	-	-	-	5	1	2	-	3	1
FEMALE--	11	-	-	-	-	-	1	-	-	-	-	1
ALL OTHER--MALE----	16	-	-	-	-	-	-	1	1	2	5	3
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE-----	16	-	-	-	-	-	-	1	1	2	5	3
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	1
MASSACHUSETTS -----	49	-	-	-	-	1	2	4	3	8	12	6
WHITE-----MALE----	35	-	-	-	-	1	2	3	2	5	11	4
FEMALE--	13	-	-	-	-	-	-	1	1	3	1	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	286	-	-	-	1	2	5	16	39	46	67	59
WHITE-----MALE----	156	-	-	-	1	1	4	9	28	27	38	28
FEMALE--	51	-	-	-	-	-	1	3	5	12	10	8
ALL OTHER--MALE----	48	-	-	-	-	-	-	3	4	3	12	14
FEMALE--	31	-	-	-	-	1	-	1	2	4	7	9
BLACK---MALE-----	47	-	-	-	-	-	-	3	4	3	11	14
FEMALE--	31	-	-	-	-	1	-	1	2	4	7	9

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3784

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Accidental poisoning by and exposure to drugs and other biological substances (X40-X44)												
KENTUCKY -----	9	4	2	1	2	-	1	3	-	1	-	-
WHITE-----MALE----	6	3	-	1	1	-	-	2	-	-	-	-
FEMALE--	2	1	2	-	1	-	1	1	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	13	4	2	1	5	1	2	1	1	-	-	-
WHITE-----MALE----	5	2	-	1	1	-	-	-	-	-	-	-
FEMALE--	4	1	2	-	3	-	2	-	1	-	-	-
ALL OTHER--MALE----	1	1	-	-	1	1	-	1	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	1	-	-	1	1	-	1	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	-	1	-	2	1	-	1	-	1	-	-	-
WHITE-----MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	6	4	2	-	-	3	1	2	2	-	-	-
WHITE-----MALE----	2	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	1	2	1	-	-	3	1	-	1	-	-	-
ALL OTHER--MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE-----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	1	-	-	-
MASSACHUSETTS -----	-	2	-	3	2	2	2	1	1	-	-	-
WHITE-----MALE----	-	2	-	1	1	1	1	-	1	-	-	-
FEMALE--	-	-	-	2	-	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	23	12	5	2	-	2	3	2	2	-	-	-
WHITE-----MALE----	11	4	1	1	-	1	1	-	1	-	-	-
FEMALE--	5	-	2	-	-	1	2	1	1	-	-	-
ALL OTHER--MALE----	6	3	2	1	-	-	-	-	-	-	-	-
FEMALE--	1	5	-	-	-	-	-	1	-	-	-	-
BLACK---MALE-----	6	3	2	1	-	-	-	-	-	-	-	-
FEMALE--	1	5	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3787

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental poisoning by and exposure to drugs and other biological substances (X40-X44)												
OHIO -----	408	-	-	-	1	4	13	25	48	74	93	73
WHITE-----MALE----	235	-	-	-	-	3	11	15	32	47	57	41
FEMALE--	101	-	-	-	1	-	1	6	13	17	24	14
ALL OTHER--MALE----	52	-	-	-	-	1	1	2	1	7	7	16
FEMALE--	20	-	-	-	-	-	-	2	2	3	5	2
BLACK---MALE----	52	-	-	-	-	1	1	2	1	7	7	16
FEMALE--	20	-	-	-	-	-	-	2	2	3	5	2
OKLAHOMA -----	157	-	-	-	-	4	6	9	15	35	32	25
WHITE-----MALE----	87	-	-	-	-	3	5	5	8	24	16	17
FEMALE--	51	-	-	-	-	1	1	2	5	9	13	2
ALL OTHER--MALE----	13	-	-	-	-	-	-	2	1	2	3	3
FEMALE--	6	-	-	-	-	-	-	-	1	-	-	3
BLACK---MALE----	5	-	-	-	-	-	-	1	-	1	1	1
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	3
OREGON -----	125	-	-	-	-	3	6	8	12	23	25	20
WHITE-----MALE----	81	-	-	-	-	2	6	8	7	15	16	11
FEMALE--	34	-	-	-	-	-	-	-	3	6	7	8
ALL OTHER--MALE----	7	-	-	-	-	1	-	-	1	1	2	1
FEMALE--	3	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
PENNSYLVANIA -----	911	-	-	-	-	29	76	78	126	172	187	116
WHITE-----MALE----	554	-	-	-	-	21	59	56	84	99	105	65
FEMALE--	190	-	-	-	-	7	12	11	20	48	40	23
ALL OTHER--MALE----	122	-	-	-	-	1	1	10	17	15	26	23
FEMALE--	45	-	-	-	-	-	4	1	5	10	16	5
BLACK---MALE----	121	-	-	-	-	1	1	9	17	15	26	23
FEMALE--	44	-	-	-	-	-	4	1	5	9	16	5
RHODE ISLAND -----	6	-	-	-	-	-	-	-	-	1	3	1
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	188	1	1	1	-	8	8	17	16	24	46	33
WHITE-----MALE----	107	-	-	1	-	6	5	13	10	16	25	15
FEMALE--	43	1	-	-	-	1	-	2	5	2	9	9
ALL OTHER--MALE----	26	-	1	-	-	1	2	2	1	4	7	7
FEMALE--	12	-	-	-	-	-	1	-	-	2	5	2
BLACK---MALE----	26	-	1	-	-	1	2	2	1	4	7	7
FEMALE--	11	-	-	-	-	-	1	-	-	2	4	2

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3788

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental poisoning by and exposure to drugs and other biological substances (X40-X44)												
SOUTH DAKOTA -----	6	-	-	-	-	-	-	-	-	1	1	2
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	252	-	1	-	-	11	23	18	24	30	60	35
WHITE-----MALE----	137	-	-	-	-	9	18	14	12	20	29	20
FEMALE--	74	-	-	-	-	1	5	1	9	8	21	10
ALL OTHER--MALE----	30	-	1	-	-	-	-	3	2	1	7	5
FEMALE--	11	-	-	-	-	1	-	-	1	1	3	-
BLACK---MALE----	29	-	1	-	-	-	-	3	2	1	7	4
FEMALE--	11	-	-	-	-	1	-	-	1	1	3	-
TEXAS -----	760	-	1	-	-	29	66	73	82	126	157	87
WHITE-----MALE----	434	-	-	-	-	24	44	49	50	70	97	47
FEMALE--	230	-	-	-	-	4	14	17	20	46	32	30
ALL OTHER--MALE----	65	-	1	-	-	-	3	6	7	6	22	7
FEMALE--	31	-	-	-	-	1	5	1	5	4	6	3
BLACK---MALE----	61	-	-	-	-	-	2	6	5	6	22	7
FEMALE--	30	-	-	-	-	1	4	1	5	4	6	3
UTAH -----	30	-	-	-	-	-	3	1	3	8	4	5
WHITE-----MALE----	19	-	-	-	-	-	2	1	2	7	2	2
FEMALE--	9	-	-	-	-	-	1	-	1	1	2	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
VERMONT -----	22	-	-	-	-	1	1	2	5	4	2	3
WHITE-----MALE----	17	-	-	-	-	1	1	2	5	2	1	2
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	288	-	-	1	1	6	29	22	32	55	73	31
WHITE-----MALE----	150	-	-	1	-	3	19	17	17	25	44	12
FEMALE--	62	-	-	-	-	2	3	3	4	12	17	4
ALL OTHER--MALE----	61	-	-	-	1	1	5	1	9	14	12	12
FEMALE--	15	-	-	-	-	-	2	1	2	4	-	3
BLACK---MALE----	60	-	-	-	1	-	5	1	9	14	12	12
FEMALE--	14	-	-	-	-	-	2	1	2	4	-	3

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3790

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Accidental poisoning by and exposure to other and unspecified solid or liquid substances (X45-X46,X48-X49)												
UNITED STATES -	452	2	7	1	4	23	23	23	32	55	67	65
WHITE-----MALE----	270	2	3	-	3	17	15	14	22	37	45	36
FEMALE--	94	-	1	1	1	2	1	1	2	6	13	17
ALL OTHER--MALE----	65	-	2	-	-	2	3	4	7	10	8	11
FEMALE--	23	-	1	-	-	2	4	4	1	2	1	1
BLACK---MALE-----	44	-	2	-	-	-	-	3	3	5	7	8
FEMALE--	13	-	1	-	-	-	1	2	1	-	1	1
ALABAMA -----	5	1	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	3	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	15	-	-	-	-	-	2	-	-	4	2	2
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	4	-	-	-	-	-	1	-	-	2	-	1
FEMALE--	5	-	-	-	-	-	1	-	-	2	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	13	-	-	-	1	1	1	1	1	-	1	1
WHITE-----MALE----	5	-	-	-	1	-	-	-	-	-	1	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	3	-	-	-	-	1	1	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	4	-	-	-	-	-	-	-	-	1	3	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	1	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	48	-	2	-	1	2	1	2	4	7	7	8
WHITE-----MALE----	34	-	2	-	1	2	1	1	3	5	5	4
FEMALE--	11	-	-	-	-	-	-	-	-	2	2	4
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3808

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other and unspecified accidents and their sequelae (W20-W31,W35-W38,W41-W64,W92-W99,X20-X32,X39,X50-X59,Y86)												
UNITED STATES -	467	424	439	478	669	1,009	1,328	1,574	1,280	519	128	16
WHITE-----MALE----	314	267	258	260	349	465	524	556	357	122	18	14
FEMALE--	67	77	109	141	236	430	710	933	858	369	94	-
ALL OTHER--MALE----	73	70	57	53	43	69	47	33	26	8	5	2
FEMALE--	13	10	15	24	41	45	47	52	39	20	11	-
BLACK---MALE----	61	63	45	42	35	59	39	27	22	7	4	2
FEMALE--	7	9	14	20	35	41	36	45	29	19	10	-
ALABAMA -----	10	11	10	15	18	44	47	43	30	14	2	-
WHITE-----MALE----	5	4	7	6	8	22	16	18	11	3	1	-
FEMALE--	1	3	2	5	8	13	25	21	18	8	-	-
ALL OTHER--MALE----	4	4	1	2	2	5	2	3	-	-	1	-
FEMALE--	-	-	-	2	-	4	4	1	1	3	-	-
BLACK---MALE----	4	4	1	2	2	5	2	3	-	-	1	-
FEMALE--	-	-	-	2	-	4	4	1	1	3	-	-
ALASKA -----	2	3	-	-	-	3	1	4	1	1	1	-
WHITE-----MALE----	1	2	-	-	-	-	1	1	-	1	-	-
FEMALE--	1	-	-	-	-	2	-	3	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	11	11	11	16	8	7	14	15	7	-	-	4
WHITE-----MALE----	5	9	3	9	4	3	4	8	2	-	-	4
FEMALE--	2	2	6	3	2	4	9	7	5	-	-	-
ALL OTHER--MALE----	3	-	2	2	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	2	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ARKANSAS -----	9	8	7	10	7	14	25	29	19	7	1	-
WHITE-----MALE----	7	6	4	6	3	4	10	12	5	-	-	-
FEMALE--	-	2	1	3	2	9	12	17	13	7	-	-
ALL OTHER--MALE----	1	-	2	1	1	1	2	-	1	-	-	-
FEMALE--	1	-	-	-	1	-	1	-	-	-	1	-
BLACK---MALE----	1	-	2	1	1	1	2	-	1	-	-	-
FEMALE--	1	-	-	-	1	-	1	-	-	-	1	-
CALIFORNIA -----	24	24	21	31	39	51	47	57	34	19	2	6
WHITE-----MALE----	13	15	11	14	16	22	15	23	10	2	1	6
FEMALE--	7	6	8	10	15	25	30	29	22	14	1	-
ALL OTHER--MALE----	3	3	2	5	3	3	2	3	-	1	-	-
FEMALE--	1	-	-	2	5	1	-	2	2	2	-	-
BLACK---MALE----	2	1	1	2	1	-	-	1	-	-	-	-
FEMALE--	1	-	-	1	3	1	-	1	-	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3809

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other and unspecified accidents and their sequelae (W20-W31,W35-W38,W41-W64,W92-W99,X20-X32,X39,X50-X59,Y86)												
COLORADO -----	198	2	2	-	1	2	3	5	3	5	12	8
WHITE-----MALE----	91	2	1	-	-	2	2	5	2	4	9	7
FEMALE--	96	-	1	-	-	-	1	-	-	-	2	-
ALL OTHER--MALE----	4	-	-	-	1	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	1	1	1	-
BLACK---MALE-----	2	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-
CONNECTICUT -----	198	-	1	-	1	2	5	3	6	6	11	10
WHITE-----MALE----	105	-	1	-	-	2	3	2	4	3	8	7
FEMALE--	79	-	-	-	1	-	-	1	-	1	1	2
ALL OTHER--MALE----	14	-	-	-	-	-	2	-	2	2	2	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	13	-	-	-	-	-	2	-	2	2	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	46	-	-	-	1	1	3	4	-	1	5	2
WHITE-----MALE----	19	-	-	-	-	1	2	2	-	-	3	1
FEMALE--	22	-	-	-	-	-	-	2	-	1	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	1	-	-	-	1	1
FEMALE--	2	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	3	-	-	-	-	-	1	-	-	-	1	1
FEMALE--	2	-	-	-	1	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	18	-	-	-	-	-	-	2	1	2	3	2
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	11	-	-	-	-	-	-	1	1	1	2	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	11	-	-	-	-	-	-	1	1	1	2	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
FLORIDA -----	344	1	6	1	4	11	11	5	11	28	19	18
WHITE-----MALE----	165	-	2	-	2	8	8	5	10	18	11	9
FEMALE--	112	1	1	1	2	-	-	-	-	2	3	3
ALL OTHER--MALE----	50	-	3	-	-	3	3	-	1	8	4	5
FEMALE--	17	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE-----	45	-	3	-	-	2	2	-	1	8	4	4
FEMALE--	17	-	-	-	-	-	-	-	-	-	1	1
GEORGIA -----	308	-	5	6	3	5	5	9	12	19	13	17
WHITE-----MALE----	116	-	-	2	-	2	4	7	6	9	7	11
FEMALE--	107	-	1	3	3	3	-	-	-	1	2	2
ALL OTHER--MALE----	59	-	1	1	-	-	-	2	5	8	4	4
FEMALE--	26	-	3	-	-	-	1	-	1	1	-	-
BLACK---MALE-----	58	-	1	1	-	-	-	2	5	8	4	4
FEMALE--	25	-	3	-	-	-	1	-	1	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3809

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other and unspecified accidents and their sequelae (W20-W31,W35-W38,W41-W64,W92-W99,X20-X32,X39,X50-X59,Y86)												
COLORADO -----	8	10	7	8	13	17	19	28	32	13	-	-
WHITE-----MALE----	6	5	5	4	6	8	5	8	4	6	-	-
FEMALE--	2	4	2	3	7	8	14	19	27	6	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	1	1	-	-
BLACK---MALE-----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	1	-	-
CONNECTICUT -----	5	6	3	3	11	20	33	25	31	14	2	-
WHITE-----MALE----	4	5	2	2	8	12	15	10	14	2	1	-
FEMALE--	-	-	-	1	3	8	17	14	17	12	1	-
ALL OTHER--MALE----	1	1	1	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	1	1	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	1	1	1	2	-	4	7	8	4	1	-	-
WHITE-----MALE----	1	1	1	1	-	1	3	2	-	-	-	-
FEMALE--	-	-	-	1	-	2	4	6	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	1	-	3	2	-	-	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	3	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	1	-	-	-
BLACK---MALE-----	-	1	-	3	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	1	-	-	-
FLORIDA -----	22	11	20	17	19	30	30	46	31	2	1	-
WHITE-----MALE----	12	3	11	8	8	11	11	15	13	-	-	-
FEMALE--	4	3	3	6	7	16	14	27	16	2	1	-
ALL OTHER--MALE----	5	3	3	1	3	2	3	2	1	-	-	-
FEMALE--	1	2	3	2	1	1	2	2	1	-	-	-
BLACK---MALE-----	5	3	1	1	3	2	3	2	1	-	-	-
FEMALE--	1	2	3	2	1	1	2	2	1	-	-	-
GEORGIA -----	14	11	13	13	15	33	39	34	29	12	1	-
WHITE-----MALE----	6	4	3	6	5	11	15	9	6	3	-	-
FEMALE--	2	2	2	3	5	12	19	21	18	8	-	-
ALL OTHER--MALE----	6	5	6	2	1	8	2	2	2	-	-	-
FEMALE--	-	-	2	2	4	2	3	2	3	1	1	-
BLACK---MALE-----	5	5	6	2	1	8	2	2	2	-	-	-
FEMALE--	-	-	2	2	4	2	2	2	3	1	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3810

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other and unspecified accidents and their sequelae (W20-W31,W35-W38,W41-W64,W92-W99,X20-X32,X39,X50-X59,Y86)												
HAWAII -----	1	-	2	1	3	1	6	6	6	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	2	-	3	1	2	2	3	-	-	-
FEMALE--	1	-	-	-	-	-	2	3	3	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	4	6	1	1	2	4	2	6	4	2	-	-
WHITE-----MALE----	4	4	1	1	2	4	1	4	1	-	-	-
FEMALE--	-	2	-	-	-	-	1	2	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	15	14	21	24	33	47	73	70	78	24	6	-
WHITE-----MALE----	8	7	8	14	19	16	23	27	19	5	1	-
FEMALE--	3	3	10	5	11	30	48	40	57	18	5	-
ALL OTHER--MALE----	3	4	3	2	2	-	-	-	2	-	-	-
FEMALE--	1	-	-	3	1	1	2	3	-	1	-	-
BLACK---MALE-----	3	4	3	2	2	-	-	-	2	-	-	-
FEMALE--	1	-	-	2	1	1	2	3	-	1	-	-
INDIANA -----	16	10	10	11	18	36	42	67	40	19	5	-
WHITE-----MALE----	11	8	4	8	10	16	23	19	13	4	1	-
FEMALE--	2	1	6	2	7	20	18	44	26	13	3	-
ALL OTHER--MALE----	2	-	-	-	1	-	1	-	1	-	-	-
FEMALE--	1	1	-	1	-	-	-	4	-	2	1	-
BLACK---MALE-----	2	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	1	1	-	1	-	-	-	3	-	2	1	-
IOWA -----	4	9	4	7	9	18	24	36	39	17	4	-
WHITE-----MALE----	4	7	4	5	8	10	12	15	6	6	-	-
FEMALE--	-	2	-	2	1	8	12	21	32	11	4	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	2	4	8	6	9	5	9	14	15	9	4	-
WHITE-----MALE----	2	3	6	4	7	2	6	4	4	2	-	-
FEMALE--	-	-	2	1	1	2	3	10	10	6	4	-
ALL OTHER--MALE----	-	1	-	1	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	1	-	-
BLACK---MALE-----	-	1	-	1	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3811

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other and unspecified accidents and their sequelae (W20-W31,W35-W38,W41-W64,W92-W99,X20-X32,X39,X50-X59,Y86)												
KENTUCKY -----	275	-	1	3	1	2	6	6	7	10	15	10
WHITE-----MALE----	153	-	-	2	-	-	5	5	7	9	11	6
FEMALE--	110	-	1	1	1	1	1	1	-	1	3	2
ALL OTHER--MALE----	7	-	-	-	-	1	-	-	-	-	1	2
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	1	-	-	-	-	1	2
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	234	-	2	-	-	4	3	5	12	11	12	17
WHITE-----MALE----	83	-	-	-	-	1	1	4	5	7	8	8
FEMALE--	81	-	-	-	-	-	-	-	3	-	3	1
ALL OTHER--MALE----	52	-	2	-	-	3	2	1	4	4	1	8
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	50	-	2	-	-	3	2	1	4	4	1	6
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	31	-	-	-	-	1	1	1	1	-	4	4
WHITE-----MALE----	26	-	-	-	-	1	1	1	1	-	4	4
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	103	1	-	-	-	1	4	6	3	4	6	6
WHITE-----MALE----	48	-	-	-	-	1	2	3	3	4	3	5
FEMALE--	35	1	-	-	-	-	-	1	-	-	2	-
ALL OTHER--MALE----	14	-	-	-	-	-	1	2	-	-	1	-
FEMALE--	6	-	-	-	-	-	1	-	-	-	-	1
BLACK---MALE----	14	-	-	-	-	-	1	2	-	-	1	-
FEMALE--	6	-	-	-	-	-	1	-	-	-	-	1
MASSACHUSETTS -----	354	1	1	-	2	-	-	4	2	6	8	10
WHITE-----MALE----	141	-	1	-	1	-	-	4	1	5	5	7
FEMALE--	196	-	-	-	1	-	-	-	-	1	1	2
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	7	1	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	6	1	-	-	-	-	-	-	1	-	-	-
MICHIGAN -----	429	-	-	2	1	5	15	6	6	11	18	20
WHITE-----MALE----	206	-	-	1	-	3	11	3	6	5	10	11
FEMALE--	172	-	-	-	-	1	2	1	-	3	2	5
ALL OTHER--MALE----	36	-	-	-	1	1	1	2	-	2	4	4
FEMALE--	15	-	-	1	-	-	1	-	-	1	2	-
BLACK---MALE----	35	-	-	-	1	1	1	2	-	2	4	4
FEMALE--	14	-	-	1	-	-	-	-	-	1	2	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3811

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other and unspecified accidents and their sequelae (W20-W31,W35-W38,W41-W64,W92-W99,X20-X32,X39,X50-X59,Y86)												
KENTUCKY -----	19	13	10	11	18	38	34	24	27	13	7	-
WHITE-----MALE----	18	10	8	6	11	19	15	9	7	3	2	-
FEMALE--	-	3	2	5	7	17	18	14	18	10	4	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	1	-	1	-
BLACK---MALE----	1	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	1	-	1	-
LOUISIANA -----	12	9	11	11	15	26	14	31	29	9	1	-
WHITE-----MALE----	6	2	3	6	5	8	3	9	7	-	-	-
FEMALE--	1	1	3	1	8	10	9	17	17	6	1	-
ALL OTHER--MALE----	5	6	3	4	1	3	-	-	2	3	-	-
FEMALE--	-	-	2	-	1	5	2	5	3	-	-	-
BLACK---MALE----	5	6	3	4	1	3	-	-	2	3	-	-
FEMALE--	-	-	2	-	1	4	2	5	3	-	-	-
MAINE -----	5	-	3	1	3	1	3	1	2	-	-	-
WHITE-----MALE----	5	-	1	-	2	1	3	1	1	-	-	-
FEMALE--	-	-	1	1	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	8	4	6	9	8	10	9	9	9	-	-	-
WHITE-----MALE----	2	1	2	4	6	4	2	3	3	-	-	-
FEMALE--	1	1	3	2	1	5	6	6	6	-	-	-
ALL OTHER--MALE----	3	2	1	2	1	-	1	-	-	-	-	-
FEMALE--	2	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	3	2	1	2	1	-	1	-	-	-	-	-
FEMALE--	2	-	-	1	-	1	-	-	-	-	-	-
MASSACHUSETTS -----	2	5	10	15	13	40	52	75	67	29	12	-
WHITE-----MALE----	1	3	5	9	6	18	24	28	14	7	2	-
FEMALE--	1	2	4	5	7	18	26	44	52	22	10	-
ALL OTHER--MALE----	-	-	1	-	-	3	2	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	2	1	-	-	-
BLACK---MALE----	-	-	1	-	-	2	2	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	2	-	-	-	-
MICHIGAN -----	21	21	21	21	17	45	68	65	45	16	5	-
WHITE-----MALE----	15	15	14	13	11	20	30	20	12	5	1	-
FEMALE--	5	3	5	6	4	20	29	42	30	10	4	-
ALL OTHER--MALE----	1	2	2	2	1	3	6	1	3	-	-	-
FEMALE--	-	1	-	-	1	2	3	2	-	1	-	-
BLACK---MALE----	1	2	2	2	1	3	5	1	3	-	-	-
FEMALE--	-	1	-	-	1	2	3	2	-	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3814

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other and unspecified accidents and their sequelae (W20-W31,W35-W38,W41-W64,W92-W99,X20-X32,X39,X50-X59,Y86)												
OHIO -----	515	1	3	4	4	7	11	13	13	16	24	15
WHITE-----MALE----	241	1	1	4	1	6	10	11	9	13	19	13
FEMALE--	248	-	2	-	1	-	1	-	1	3	3	1
ALL OTHER--MALE----	18	-	-	-	2	1	-	2	2	-	1	1
FEMALE--	8	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	18	-	-	-	2	1	-	2	2	-	1	1
FEMALE--	6	-	-	-	-	-	-	-	1	-	1	-
OKLAHOMA -----	249	1	2	2	2	6	3	6	4	14	9	19
WHITE-----MALE----	135	-	2	1	2	4	1	4	2	13	8	13
FEMALE--	82	-	-	1	-	1	-	-	1	1	-	3
ALL OTHER--MALE----	24	1	-	-	-	1	1	1	1	-	1	2
FEMALE--	8	-	-	-	-	-	1	1	-	-	-	1
BLACK---MALE----	13	1	-	-	-	1	-	1	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	1	-	-	-	-
OREGON -----	219	-	3	-	-	3	5	3	6	5	3	4
WHITE-----MALE----	93	-	2	-	-	3	5	1	3	5	1	3
FEMALE--	118	-	1	-	-	-	-	1	2	-	2	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	512	2	4	1	3	2	13	8	10	8	22	25
WHITE-----MALE----	251	2	1	-	2	2	8	5	5	6	16	15
FEMALE--	219	-	1	1	-	-	3	2	2	1	1	3
ALL OTHER--MALE----	31	-	1	-	1	-	2	1	2	1	3	6
FEMALE--	11	-	1	-	-	-	-	-	1	-	2	1
BLACK---MALE----	30	-	1	-	1	-	2	1	2	1	3	6
FEMALE--	9	-	1	-	-	-	-	-	1	-	2	-
RHODE ISLAND -----	28	-	-	-	-	-	1	-	1	3	1	-
WHITE-----MALE----	19	-	-	-	-	-	1	-	1	3	1	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	207	1	1	-	-	6	4	3	4	8	11	16
WHITE-----MALE----	74	-	-	-	-	5	1	3	2	3	4	7
FEMALE--	61	1	-	-	-	1	-	-	-	1	2	1
ALL OTHER--MALE----	55	-	1	-	-	-	3	-	2	3	4	8
FEMALE--	17	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	55	-	1	-	-	-	3	-	2	3	4	8
FEMALE--	17	-	-	-	-	-	-	-	-	1	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3814

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other and unspecified accidents and their sequelae (W20-W31,W35-W38,W41-W64,W92-W99,X20-X32,X39,X50-X59,Y86)												
OHIO -----	11	10	20	17	26	43	75	87	72	36	7	-
WHITE-----MALE----	8	7	16	11	13	14	25	31	20	8	-	-
FEMALE--	3	-	4	5	13	25	48	52	52	28	6	-
ALL OTHER--MALE----	-	2	-	1	-	3	1	2	-	-	-	-
FEMALE--	-	1	-	-	-	1	1	2	-	-	1	-
BLACK---MALE----	-	2	-	1	-	3	1	2	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	2	-	-	-	-
OKLAHOMA -----	13	13	10	12	15	24	27	33	16	12	5	1
WHITE-----MALE----	9	6	4	6	8	15	12	14	5	5	-	1
FEMALE--	-	3	3	3	6	6	15	17	11	7	4	-
ALL OTHER--MALE----	3	3	2	3	1	2	-	1	-	-	1	-
FEMALE--	1	1	1	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	2	2	1	1	2	-	-	-	-	1	-
FEMALE--	-	1	1	-	-	-	-	1	-	-	-	-
OREGON -----	6	6	7	6	10	18	35	38	37	19	5	-
WHITE-----MALE----	4	2	7	3	7	9	12	13	7	6	-	-
FEMALE--	1	3	-	2	2	9	21	25	30	13	5	-
ALL OTHER--MALE----	1	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	14	14	13	23	35	53	60	92	80	26	4	-
WHITE-----MALE----	10	13	9	18	14	25	21	45	26	8	-	-
FEMALE--	1	1	3	4	19	21	36	47	51	18	4	-
ALL OTHER--MALE----	3	-	-	1	1	7	1	-	1	-	-	-
FEMALE--	-	-	1	-	1	-	2	-	2	-	-	-
BLACK---MALE----	3	-	-	1	1	6	1	-	1	-	-	-
FEMALE--	-	-	1	-	1	-	1	-	2	-	-	-
RHODE ISLAND -----	2	2	1	-	3	2	1	5	3	2	1	-
WHITE-----MALE----	1	2	1	-	2	1	1	2	1	1	1	-
FEMALE--	1	-	-	-	1	1	-	3	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	23	13	9	13	10	21	29	11	17	4	2	1
WHITE-----MALE----	7	7	3	5	4	4	11	3	3	1	-	1
FEMALE--	3	1	3	5	3	9	12	6	11	2	-	-
ALL OTHER--MALE----	13	5	3	3	1	3	4	-	-	1	1	-
FEMALE--	-	-	-	-	2	5	2	2	3	-	1	-
BLACK---MALE----	13	5	3	3	1	3	4	-	-	1	1	-
FEMALE--	-	-	-	-	2	5	2	2	3	-	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3815

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other and unspecified accidents and their sequelae (W20-W31,W35-W38,W41-W64,W92-W99,X20-X32,X39,X50-X59,Y86)												
SOUTH DAKOTA -----	21	-	1	-	1	-	-	1	1	2	-	2
WHITE-----MALE----	10	-	-	-	1	-	-	1	-	1	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	1	-	-	-	-	-	-	1	-	1
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	314	4	3	2	3	4	8	8	6	19	10	7
WHITE-----MALE----	159	2	3	1	3	1	5	7	4	12	7	4
FEMALE--	120	-	-	-	-	1	1	1	-	4	2	2
ALL OTHER--MALE----	20	1	-	1	-	2	1	-	-	3	1	-
FEMALE--	15	1	-	-	-	-	1	-	2	-	-	1
BLACK---MALE-----	20	1	-	1	-	2	1	-	-	3	1	-
FEMALE--	15	1	-	-	-	-	1	-	2	-	-	1
TEXAS -----	688	3	14	6	1	21	12	25	18	36	40	32
WHITE-----MALE----	356	1	6	4	1	18	10	18	16	27	33	25
FEMALE--	264	1	6	-	-	1	1	3	1	1	4	3
ALL OTHER--MALE----	40	-	1	1	-	1	1	4	1	7	3	4
FEMALE--	28	1	1	1	-	1	-	-	-	1	-	-
BLACK---MALE-----	37	-	1	1	-	1	1	2	1	7	3	4
FEMALE--	27	1	1	1	-	1	-	-	-	1	-	-
UTAH -----	71	1	1	1	1	1	1	1	1	2	6	2
WHITE-----MALE----	38	-	-	-	1	1	1	1	1	1	4	2
FEMALE--	32	1	1	1	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	45	-	-	-	-	-	1	-	-	1	4	2
WHITE-----MALE----	24	-	-	-	-	-	1	-	-	1	3	-
FEMALE--	20	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	356	2	1	3	-	5	5	4	6	8	6	19
WHITE-----MALE----	164	2	1	1	-	3	5	1	4	7	1	10
FEMALE--	133	-	-	1	-	-	-	1	2	-	-	2
ALL OTHER--MALE----	37	-	-	1	-	-	-	2	-	-	3	5
FEMALE--	22	-	-	-	-	2	-	-	-	1	2	2
BLACK---MALE-----	36	-	-	1	-	-	-	2	-	-	3	5
FEMALE--	21	-	-	-	-	2	-	-	-	1	2	2

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3815

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other and unspecified accidents and their sequelae (W20-W31,W35-W38,W41-W64,W92-W99,X20-X32,X39,X50-X59,Y86)												
SOUTH DAKOTA -----	1	1	1	-	1	3	2	2	2	-	-	-
WHITE-----MALE----	-	-	1	-	-	2	2	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	2	1	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	18	19	13	17	25	32	38	35	33	8	2	-
WHITE-----MALE----	15	12	7	7	13	18	13	11	11	3	-	-
FEMALE--	2	6	3	8	11	11	23	22	18	4	1	-
ALL OTHER--MALE----	1	1	3	1	-	2	-	1	2	-	-	-
FEMALE--	-	-	-	1	1	1	2	1	2	1	1	-
BLACK---MALE----	1	1	3	1	-	2	-	1	2	-	-	-
FEMALE--	-	-	-	1	1	1	2	1	2	1	1	-
TEXAS -----	21	23	34	19	49	56	67	84	80	36	9	2
WHITE-----MALE----	16	17	19	8	25	27	23	23	26	9	2	2
FEMALE--	5	2	10	7	18	23	40	56	49	26	7	-
ALL OTHER--MALE----	-	3	3	1	1	3	2	2	1	1	-	-
FEMALE--	-	1	2	3	5	3	2	3	4	-	-	-
BLACK---MALE----	-	3	2	1	1	3	2	2	1	1	-	-
FEMALE--	-	1	2	3	5	3	2	3	3	-	-	-
UTAH -----	2	5	2	1	3	2	12	13	10	3	-	-
WHITE-----MALE----	2	4	2	1	2	1	7	4	3	-	-	-
FEMALE--	-	1	-	-	1	1	5	9	7	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	4	2	-	-	4	2	9	8	7	1	-	-
WHITE-----MALE----	2	2	-	-	4	1	3	4	3	-	-	-
FEMALE--	2	-	-	-	-	1	6	4	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	11	17	19	14	27	38	53	57	35	21	5	-
WHITE-----MALE----	10	11	9	8	13	18	21	20	12	5	2	-
FEMALE--	-	2	6	4	7	12	27	32	22	14	1	-
ALL OTHER--MALE----	1	3	3	2	5	5	2	3	1	-	1	-
FEMALE--	-	1	1	-	2	3	3	2	-	2	1	-
BLACK---MALE----	1	3	3	2	5	5	2	3	-	-	1	-
FEMALE--	-	1	1	-	2	2	3	2	-	2	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3817

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intentional self-harm (suicide) (X60-X84,Y87.0)												
UNITED STATES -	29,350	7	300	1,621	2,373	2,341	2,451	3,112	3,450	2,987
WHITE-----MALE----	21,293	5	195	1,130	1,723	1,631	1,732	2,197	2,423	2,128
FEMALE--	5,182	1	53	224	238	310	411	599	723	634
ALL OTHER--MALE----	2,325	1	43	221	350	325	250	260	234	179
FEMALE--	550	-	9	46	62	75	58	56	70	46
BLACK---MALE----	1,636	-	35	150	265	224	178	180	176	129
FEMALE--	326	-	5	22	43	42	32	34	48	27
ALABAMA -----	583	-	7	25	43	48	50	69	72	45
WHITE-----MALE----	407	-	3	17	29	31	36	45	47	32
FEMALE--	107	-	3	1	3	10	8	13	20	6
ALL OTHER--MALE----	64	-	1	6	11	7	4	10	4	7
FEMALE--	5	-	-	1	-	-	2	1	1	-
BLACK---MALE----	62	-	1	6	10	7	4	10	4	7
FEMALE--	5	-	-	1	-	-	2	1	1	-
ALASKA -----	137	-	2	26	23	15	9	11	21	9
WHITE-----MALE----	66	-	1	8	11	5	3	5	14	4
FEMALE--	13	-	-	4	-	1	1	1	2	2
ALL OTHER--MALE----	46	-	1	11	7	5	5	5	5	3
FEMALE--	12	-	-	3	5	4	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-
ARIZONA -----	784	-	6	45	84	54	64	70	94	71
WHITE-----MALE----	576	-	4	34	64	41	40	42	65	55
FEMALE--	151	-	1	4	8	12	14	19	22	14
ALL OTHER--MALE----	52	-	1	5	12	1	9	9	5	2
FEMALE--	5	-	-	2	-	-	1	-	2	-
BLACK---MALE----	10	-	-	3	2	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	349	-	8	14	32	36	30	31	41	26
WHITE-----MALE----	259	-	6	9	23	30	24	18	29	19
FEMALE--	64	-	2	2	-	2	5	10	11	7
ALL OTHER--MALE----	21	-	-	3	7	4	1	2	-	-
FEMALE--	5	-	-	-	2	-	-	1	1	-
BLACK---MALE----	20	-	-	3	7	4	1	2	-	-
FEMALE--	5	-	-	-	2	-	-	1	1	-
CALIFORNIA -----	2,969	-	22	127	195	237	245	274	343	282
WHITE-----MALE----	2,069	-	11	77	143	152	166	186	237	186
FEMALE--	525	-	7	23	19	28	38	56	70	67
ALL OTHER--MALE----	282	-	3	20	28	48	31	25	26	24
FEMALE--	93	-	1	7	5	9	10	7	10	5
BLACK---MALE----	116	-	2	8	14	19	15	14	14	8
FEMALE--	28	-	-	2	2	3	3	1	5	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3817

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intentional self-harm (suicide) (X60-X84,Y87.0)												
UNITED STATES -	2,450	1,708	1,237	1,073	1,219	1,227	954	590	205	34	4	7
WHITE-----MALE----	1,706	1,225	908	823	961	1,020	797	495	162	24	2	6
FEMALE--	567	379	263	194	190	154	119	79	36	8	-	-
ALL OTHER--MALE----	136	81	51	47	57	42	25	12	6	2	2	1
FEMALE--	41	23	15	9	11	11	13	4	1	-	-	-
BLACK---MALE----	90	51	31	36	40	25	15	8	2	-	1	-
FEMALE--	29	11	10	3	6	5	8	1	-	-	-	-
ALABAMA -----	44	34	35	19	30	31	16	11	4	-	-	-
WHITE-----MALE----	35	25	27	11	24	21	11	10	3	-	-	-
FEMALE--	8	6	6	7	3	8	4	-	1	-	-	-
ALL OTHER--MALE----	1	3	2	1	3	2	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	2	2	1	3	2	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	11	4	2	1	1	1	1	-	-	-	-	-
WHITE-----MALE----	7	2	2	1	1	1	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	70	42	22	35	40	33	27	21	5	1	-	-
WHITE-----MALE----	44	32	19	30	30	27	25	19	4	1	-	-
FEMALE--	22	8	2	5	9	6	2	2	1	-	-	-
ALL OTHER--MALE----	4	2	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	18	18	13	15	22	18	13	10	4	-	-	-
WHITE-----MALE----	13	13	6	11	18	17	12	8	3	-	-	-
FEMALE--	4	5	5	3	4	1	1	1	1	-	-	-
ALL OTHER--MALE----	1	-	1	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	265	181	132	113	138	160	152	75	23	4	-	1
WHITE-----MALE----	178	129	84	86	107	130	116	57	20	3	-	1
FEMALE--	59	35	39	15	18	13	24	11	2	1	-	-
ALL OTHER--MALE----	20	7	7	8	9	15	7	4	-	-	-	-
FEMALE--	8	10	2	4	4	2	5	3	1	-	-	-
BLACK---MALE----	5	4	3	4	2	2	1	1	-	-	-	-
FEMALE--	4	3	1	-	2	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3818

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intentional self-harm (suicide) (X60-X84,Y87.0)												
COLORADO -----	613	-	8	40	48	56	58	55	70	78
WHITE-----MALE----	478	-	6	27	42	41	47	45	62	57
FEMALE--	110	-	-	9	3	11	9	7	6	21
ALL OTHER--MALE----	17	-	2	1	1	4	2	2	-	-
FEMALE--	8	-	-	3	2	-	-	1	2	-
BLACK---MALE----	9	-	2	1	-	2	1	1	-	-
FEMALE--	6	-	-	1	2	-	-	1	2	-
CONNECTICUT -----	304	-	2	17	15	20	23	39	35	35
WHITE-----MALE----	229	-	2	12	13	16	14	29	25	26
FEMALE--	56	-	-	5	-	2	6	5	6	8
ALL OTHER--MALE----	14	-	-	-	1	2	3	3	3	1
FEMALE--	5	-	-	-	1	-	-	2	1	-
BLACK---MALE----	11	-	-	-	1	2	2	2	2	1
FEMALE--	5	-	-	-	1	-	-	2	1	-
DELAWARE -----	82	-	1	2	5	4	8	12	10	12
WHITE-----MALE----	58	-	-	2	3	4	4	10	7	8
FEMALE--	20	-	1	-	2	-	2	1	3	4
ALL OTHER--MALE----	4	-	-	-	-	-	2	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	2	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	23	-	-	-	7	3	-	2	-	5
WHITE-----MALE----	10	-	-	-	3	-	-	1	-	4
FEMALE--	4	-	-	-	1	2	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	3	1	-	1	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	3	1	-	1	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-
FLORIDA -----	2,086	2	13	57	129	119	134	216	219	228
WHITE-----MALE----	1,535	2	7	43	94	79	99	140	156	157
FEMALE--	403	-	1	7	9	21	25	60	47	57
ALL OTHER--MALE----	130	-	5	7	22	19	9	14	13	9
FEMALE--	18	-	-	-	4	-	1	2	3	5
BLACK---MALE----	121	-	5	7	21	17	8	13	13	8
FEMALE--	17	-	-	-	3	-	1	2	3	5
GEORGIA -----	847	-	6	42	95	69	73	80	92	88
WHITE-----MALE----	550	-	4	22	58	34	45	52	60	56
FEMALE--	157	-	1	11	10	12	13	16	21	15
ALL OTHER--MALE----	116	-	1	8	24	19	13	10	8	11
FEMALE--	24	-	-	1	3	4	2	2	3	6
BLACK---MALE----	105	-	1	8	22	16	12	8	8	10
FEMALE--	20	-	-	1	2	4	2	1	3	4

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3818

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intentional self-harm (suicide) (X60-X84,Y87.0)												
COLORADO -----	62	25	25	18	24	16	16	11	3	-	-	-
WHITE-----MALE----	46	18	18	13	17	15	12	10	2	-	-	-
FEMALE--	15	5	7	3	7	1	4	1	1	-	-	-
ALL OTHER--MALE----	1	2	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	34	23	17	5	13	9	6	8	2	1	-	-
WHITE-----MALE----	25	18	13	4	11	7	5	7	1	1	-	-
FEMALE--	9	5	4	1	2	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
DELAWARE -----	4	9	5	1	1	2	4	2	-	-	-	-
WHITE-----MALE----	2	6	3	1	1	2	3	2	-	-	-	-
FEMALE--	2	2	2	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	1	1	1	1	1	1	-	-	-	-	-	-
WHITE-----MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
FLORIDA -----	185	144	101	102	110	124	98	67	31	6	-	1
WHITE-----MALE----	136	100	78	76	91	108	85	56	21	6	-	1
FEMALE--	41	34	18	20	18	15	11	11	8	-	-	-
ALL OTHER--MALE----	8	8	4	6	1	1	2	-	2	-	-	-
FEMALE--	-	2	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	8	4	5	1	1	2	-	1	-	-	-
FEMALE--	-	2	1	-	-	-	-	-	-	-	-	-
GEORGIA -----	72	64	30	28	37	32	21	15	3	-	-	-
WHITE-----MALE----	48	45	20	23	26	25	18	12	2	-	-	-
FEMALE--	15	14	6	3	8	6	3	2	1	-	-	-
ALL OTHER--MALE----	8	5	4	1	2	1	-	1	-	-	-	-
FEMALE--	1	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	8	4	3	1	2	1	-	1	-	-	-	-
FEMALE--	1	-	-	1	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3819

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intentional self-harm (suicide) (X60-X84,Y87.0)												
HAWAII -----	137	-	1	2	16	13	13	16	15	14
WHITE-----MALE----	38	-	-	-	3	4	3	3	4	4
FEMALE--	10	-	-	-	1	1	1	-	-	2
ALL OTHER--MALE----	73	-	1	2	10	5	7	11	9	7
FEMALE--	16	-	-	-	2	3	2	2	2	1
BLACK---MALE-----	1	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
IDAHO -----	167	-	4	21	10	12	16	12	16	10
WHITE-----MALE----	135	-	3	16	7	9	11	9	12	8
FEMALE--	24	-	-	3	1	1	5	2	4	2
ALL OTHER--MALE----	5	-	-	1	1	2	-	1	-	-
FEMALE--	3	-	1	1	1	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	1,003	-	9	52	94	76	95	101	123	100
WHITE-----MALE----	724	-	7	40	69	53	69	75	89	76
FEMALE--	165	-	1	7	10	8	10	14	23	16
ALL OTHER--MALE----	92	-	1	3	12	12	16	9	9	7
FEMALE--	22	-	-	2	3	3	-	3	2	1
BLACK---MALE-----	85	-	1	3	12	9	13	9	9	6
FEMALE--	19	-	-	2	3	3	-	2	2	-
INDIANA -----	683	-	11	40	61	68	54	67	97	70
WHITE-----MALE----	531	-	10	30	46	53	43	52	70	53
FEMALE--	114	-	1	6	6	11	8	12	21	14
ALL OTHER--MALE----	33	-	-	4	7	4	2	1	6	3
FEMALE--	5	-	-	-	2	-	1	2	-	-
BLACK---MALE-----	31	-	-	3	7	4	2	-	6	3
FEMALE--	4	-	-	-	2	-	-	2	-	-
IOWA -----	289	-	3	26	20	28	23	37	29	24
WHITE-----MALE----	241	-	2	25	17	23	16	34	25	16
FEMALE--	41	-	1	-	2	4	6	3	3	7
ALL OTHER--MALE----	4	-	-	-	1	1	-	-	1	1
FEMALE--	3	-	-	1	-	-	1	-	-	-
BLACK---MALE-----	2	-	-	-	-	1	-	-	1	-
FEMALE--	1	-	-	-	-	-	1	-	-	-
KANSAS -----	325	-	3	23	27	29	29	32	36	38
WHITE-----MALE----	260	-	2	19	19	22	26	24	27	27
FEMALE--	51	-	1	2	5	3	3	6	9	11
ALL OTHER--MALE----	11	-	-	2	3	3	-	-	-	-
FEMALE--	3	-	-	-	-	1	-	2	-	-
BLACK---MALE-----	9	-	-	2	3	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3820

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intentional self-harm (suicide) (X60-X84,Y87.0)												
KENTUCKY -----	521	-	2	24	46	41	54	60	64	47
WHITE-----MALE----	415	-	1	15	36	37	40	48	50	36
FEMALE--	82	-	1	7	6	1	9	12	8	9
ALL OTHER--MALE----	21	-	-	2	3	3	4	-	5	2
FEMALE--	3	-	-	-	1	-	1	-	1	-
BLACK---MALE----	19	-	-	1	3	3	4	-	4	2
FEMALE--	1	-	-	-	-	-	-	-	1	-
LOUISIANA -----	468	-	2	30	47	57	37	46	48	41
WHITE-----MALE----	316	-	1	18	32	36	26	31	27	29
FEMALE--	77	-	-	4	2	6	5	10	9	10
ALL OTHER--MALE----	69	-	1	7	12	15	6	5	10	1
FEMALE--	6	-	-	1	1	-	-	-	2	1
BLACK---MALE----	68	-	1	7	12	15	6	5	9	1
FEMALE--	6	-	-	1	1	-	-	-	2	1
MAINE -----	154	-	3	14	11	10	11	24	18	15
WHITE-----MALE----	132	-	3	13	8	7	8	20	16	13
FEMALE--	20	-	-	1	3	3	3	3	2	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	474	1	9	27	45	36	42	44	43	45
WHITE-----MALE----	313	1	2	14	32	17	30	29	31	28
FEMALE--	72	-	1	5	3	4	4	5	5	12
ALL OTHER--MALE----	72	-	4	8	8	11	5	9	6	4
FEMALE--	17	-	2	-	2	4	3	1	1	1
BLACK---MALE----	60	-	4	6	7	9	5	7	6	3
FEMALE--	14	-	2	-	2	2	3	1	1	1
MASSACHUSETTS -----	387	-	3	21	32	30	42	44	52	44
WHITE-----MALE----	273	-	2	17	25	21	32	27	35	30
FEMALE--	93	-	1	2	5	6	7	13	16	12
ALL OTHER--MALE----	15	-	-	1	2	1	2	3	1	2
FEMALE--	6	-	-	1	-	2	1	1	-	-
BLACK---MALE----	13	-	-	1	2	1	2	2	1	2
FEMALE--	5	-	-	1	-	2	1	-	-	-
MICHIGAN -----	974	-	5	50	83	67	93	99	124	107
WHITE-----MALE----	700	-	3	31	62	44	66	67	85	80
FEMALE--	168	-	1	7	9	11	13	20	29	15
ALL OTHER--MALE----	87	-	1	9	10	10	13	11	9	8
FEMALE--	19	-	-	3	2	2	1	1	1	4
BLACK---MALE----	73	-	1	6	9	9	11	10	6	8
FEMALE--	12	-	-	2	2	2	1	-	-	2

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3820

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intentional self-harm (suicide) (X60-X84,Y87.0)												
KENTUCKY -----	43	30	19	26	19	20	11	10	5	-	-	-
WHITE-----MALE----	32	24	17	21	16	18	11	8	5	-	-	-
FEMALE--	11	6	2	3	3	2	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	36	28	18	16	20	19	14	6	3	-	-	-
WHITE-----MALE----	25	19	13	11	16	14	11	5	2	-	-	-
FEMALE--	8	6	3	5	2	4	2	-	1	-	-	-
ALL OTHER--MALE----	2	3	2	-	2	1	1	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	3	2	-	2	1	1	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	11	10	8	2	6	-	6	4	1	-	-	-
WHITE-----MALE----	9	9	7	2	6	-	6	4	1	-	-	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	49	27	29	15	14	16	16	9	5	2	-	-
WHITE-----MALE----	27	17	23	14	8	10	16	8	5	1	-	-
FEMALE--	13	8	4	1	2	3	-	1	-	1	-	-
ALL OTHER--MALE----	6	2	2	-	4	3	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	1	2	-	3	2	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	37	26	14	9	9	10	8	3	3	-	-	-
WHITE-----MALE----	21	20	10	7	7	8	5	3	3	-	-	-
FEMALE--	15	4	4	2	2	2	2	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	76	55	38	37	44	40	28	16	11	1	-	-
WHITE-----MALE----	61	38	27	29	33	29	22	12	10	1	-	-
FEMALE--	10	14	9	4	7	9	5	4	1	-	-	-
ALL OTHER--MALE----	5	3	2	3	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	3	-	1	-	-	-	-	-
BLACK---MALE----	5	3	1	2	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3821

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intentional self-harm (suicide) (X60-X84,Y87.0)												
MINNESOTA -----	440	-	5	30	41	40	41	48	60	42
WHITE-----MALE----	341	-	3	23	32	32	31	36	49	30
FEMALE--	64	-	1	5	4	5	6	6	8	7
ALL OTHER--MALE----	27	-	1	1	4	2	4	4	2	4
FEMALE--	8	-	-	1	1	1	-	2	1	1
BLACK---MALE----	7	-	-	1	2	-	-	2	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	294	-	2	25	27	31	22	33	35	21
WHITE-----MALE----	192	-	1	18	14	17	14	21	22	15
FEMALE--	44	-	-	2	6	3	2	4	5	3
ALL OTHER--MALE----	49	-	-	5	6	10	5	6	8	2
FEMALE--	9	-	1	-	1	1	1	2	-	1
BLACK---MALE----	46	-	-	5	6	9	5	6	7	2
FEMALE--	7	-	1	-	1	1	1	1	-	-
MISSOURI -----	699	-	8	41	55	56	58	95	88	67
WHITE-----MALE----	533	-	5	32	39	36	50	73	61	50
FEMALE--	127	-	1	6	8	13	5	18	22	15
ALL OTHER--MALE----	33	-	2	3	7	3	3	3	5	2
FEMALE--	6	-	-	-	1	4	-	1	-	-
BLACK---MALE----	32	-	2	3	7	2	3	3	5	2
FEMALE--	5	-	-	-	1	4	-	-	-	-
MONTANA -----	158	-	6	9	11	10	16	20	15	11
WHITE-----MALE----	128	-	6	6	10	8	14	13	13	10
FEMALE--	21	-	-	1	-	2	2	4	-	1
ALL OTHER--MALE----	7	-	-	2	1	-	-	2	1	-
FEMALE--	2	-	-	-	-	-	-	1	1	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	193	-	3	15	23	13	13	15	22	22
WHITE-----MALE----	152	-	2	11	19	11	8	10	21	16
FEMALE--	33	-	1	3	2	-	4	5	1	5
ALL OTHER--MALE----	7	-	-	1	2	1	1	-	-	1
FEMALE--	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	4	-	-	1	-	-	1	-	-	1
FEMALE--	1	-	-	-	-	1	-	-	-	-
NEVADA -----	400	-	3	14	26	38	31	44	38	48
WHITE-----MALE----	314	-	3	7	22	32	26	37	29	36
FEMALE--	63	-	-	4	2	3	3	6	9	9
ALL OTHER--MALE----	17	-	-	1	2	2	1	1	-	3
FEMALE--	6	-	-	2	-	1	1	-	-	-
BLACK---MALE----	11	-	-	1	2	2	-	-	-	2
FEMALE--	3	-	-	1	-	-	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3823

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intentional self-harm (suicide) (X60-X84,Y87.0)												
OHIO -----	1,088	-	10	60	81	82	79	97	161	120
WHITE-----MALE----	825	-	7	46	60	65	61	70	110	91
FEMALE--	174	-	1	7	8	7	14	19	32	20
ALL OTHER--MALE----	72	-	2	5	10	9	4	7	13	8
FEMALE--	17	-	-	2	3	1	-	1	6	1
BLACK---MALE----	69	-	2	5	9	9	4	7	12	8
FEMALE--	16	-	-	2	3	1	-	1	5	1
OKLAHOMA -----	497	-	5	22	46	47	51	70	55	48
WHITE-----MALE----	352	-	2	15	36	35	30	54	38	35
FEMALE--	92	-	1	3	5	6	11	10	11	10
ALL OTHER--MALE----	42	-	2	4	5	4	5	6	5	2
FEMALE--	11	-	-	-	-	2	5	-	1	1
BLACK---MALE----	19	-	2	3	3	-	3	2	3	1
FEMALE--	2	-	-	-	-	-	1	-	1	-
OREGON -----	493	-	5	31	43	35	30	42	46	54
WHITE-----MALE----	370	-	2	24	38	29	22	24	30	37
FEMALE--	104	-	2	5	5	2	6	14	15	16
ALL OTHER--MALE----	10	-	-	2	-	2	1	4	-	-
FEMALE--	9	-	1	-	-	2	1	-	1	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-
PENNSYLVANIA -----	1,356	1	14	61	98	95	111	155	162	150
WHITE-----MALE----	1,033	1	9	42	78	73	78	114	109	117
FEMALE--	223	-	5	7	9	10	17	23	47	25
ALL OTHER--MALE----	82	-	-	10	9	11	14	15	6	7
FEMALE--	18	-	-	2	2	1	2	3	-	1
BLACK---MALE----	69	-	-	9	8	7	13	13	5	7
FEMALE--	15	-	-	1	2	1	2	3	-	1
RHODE ISLAND -----	75	-	-	7	6	5	7	7	9	10
WHITE-----MALE----	52	-	-	5	4	4	3	7	7	7
FEMALE--	14	-	-	1	1	-	3	-	1	2
ALL OTHER--MALE----	9	-	-	1	1	1	1	-	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	1	1	1	1	-	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	443	-	5	18	30	31	38	49	44	53
WHITE-----MALE----	291	-	5	14	22	23	22	30	26	37
FEMALE--	96	-	-	1	-	2	10	11	13	11
ALL OTHER--MALE----	49	-	-	3	7	4	6	7	5	4
FEMALE--	7	-	-	-	1	2	-	1	-	1
BLACK---MALE----	47	-	-	3	7	4	6	5	5	4
FEMALE--	7	-	-	-	1	2	-	1	-	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3823

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intentional self-harm (suicide) (X60-X84,Y87.0)												
OHIO -----	86	60	37	49	39	52	44	25	6	-	-	-
WHITE-----MALE----	60	46	25	40	31	46	39	24	4	-	-	-
FEMALE--	19	11	10	8	6	4	5	1	2	-	-	-
ALL OTHER--MALE----	5	3	1	1	2	2	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	3	-	1	2	2	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	42	29	15	14	11	18	11	10	1	1	1	-
WHITE-----MALE----	25	19	11	9	8	16	9	8	1	-	1	-
FEMALE--	10	10	2	4	3	1	2	2	-	1	-	-
ALL OTHER--MALE----	6	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	48	31	14	18	16	32	21	19	8	-	-	-
WHITE-----MALE----	36	20	12	14	13	27	19	18	5	-	-	-
FEMALE--	10	10	2	4	2	5	2	1	3	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	113	88	56	43	68	65	46	22	5	2	-	1
WHITE-----MALE----	86	71	46	32	56	58	38	18	5	1	-	1
FEMALE--	23	15	9	9	11	6	5	2	-	-	-	-
ALL OTHER--MALE----	3	1	-	2	1	1	-	1	-	1	-	-
FEMALE--	1	1	1	-	-	-	3	1	-	-	-	-
BLACK---MALE----	2	1	-	2	-	1	-	1	-	-	-	-
FEMALE--	-	1	1	-	-	-	2	1	-	-	-	-
RHODE ISLAND -----	8	3	2	4	3	2	1	1	-	-	-	-
WHITE-----MALE----	5	3	2	2	1	1	1	-	-	-	-	-
FEMALE--	2	-	-	1	1	1	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	44	27	22	11	25	14	18	9	4	-	1	-
WHITE-----MALE----	30	15	11	7	16	10	13	8	2	-	-	-
FEMALE--	11	10	10	3	7	3	1	1	2	-	-	-
ALL OTHER--MALE----	2	2	1	1	2	1	3	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	2	2	1	1	2	1	3	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3824

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intentional self-harm (suicide) (X60-X84,Y87.0)												
SOUTH DAKOTA -----	95	-	2	12	8	12	12	8	6	11
WHITE-----MALE----	69	-	2	4	6	6	10	6	6	7
FEMALE--	11	-	-	3	-	3	1	1	-	2
ALL OTHER--MALE----	14	-	-	5	2	3	1	1	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	730	-	7	38	56	46	74	93	86	68
WHITE-----MALE----	541	-	6	29	41	34	51	66	65	46
FEMALE--	133	-	1	3	8	7	15	18	17	17
ALL OTHER--MALE----	43	-	-	6	6	4	8	6	3	2
FEMALE--	13	-	-	-	1	1	-	3	1	3
BLACK---MALE----	41	-	-	6	6	4	7	6	3	2
FEMALE--	13	-	-	-	1	1	-	3	1	3
TEXAS -----	2,053	1	32	151	189	185	183	205	234	239
WHITE-----MALE----	1,523	1	24	116	145	133	127	148	169	176
FEMALE--	367	-	4	17	19	18	40	41	49	53
ALL OTHER--MALE----	124	-	4	15	22	24	11	13	10	9
FEMALE--	39	-	-	3	3	10	5	3	6	1
BLACK---MALE----	109	-	4	14	19	19	11	12	9	8
FEMALE--	28	-	-	2	2	6	5	3	4	-
UTAH -----	298	1	4	27	35	23	25	43	35	29
WHITE-----MALE----	219	-	4	22	29	17	14	29	24	20
FEMALE--	70	-	-	4	4	4	10	14	10	9
ALL OTHER--MALE----	6	1	-	1	1	-	1	-	1	-
FEMALE--	3	-	-	-	1	2	-	-	-	-
BLACK---MALE----	2	-	-	-	1	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
VERMONT -----	77	-	-	5	7	3	9	4	10	11
WHITE-----MALE----	67	-	-	4	6	2	8	3	9	9
FEMALE--	9	-	-	1	1	1	1	1	1	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	768	-	5	45	37	59	51	89	107	73
WHITE-----MALE----	515	-	2	23	25	36	29	59	66	51
FEMALE--	151	-	2	5	4	8	10	17	27	16
ALL OTHER--MALE----	86	-	1	17	8	13	10	12	8	3
FEMALE--	16	-	-	-	-	2	2	1	6	3
BLACK---MALE----	75	-	1	13	7	11	10	10	8	3
FEMALE--	12	-	-	-	-	1	1	-	5	3

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3824

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intentional self-harm (suicide) (X60-X84,Y87.0)												
SOUTH DAKOTA -----	3	1	3	3	6	3	1	3	1	-	-	-
WHITE-----MALE----	3	1	3	2	5	3	1	3	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	56	43	39	35	21	38	19	7	3	1	-	-
WHITE-----MALE----	38	32	28	26	17	34	18	7	2	1	-	-
FEMALE--	13	9	8	8	3	4	1	-	1	-	-	-
ALL OTHER--MALE----	3	1	2	1	1	-	-	-	-	-	-	-
FEMALE--	2	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	1	1	1	1	-	-	-	-	-	-	-
FEMALE--	2	1	1	-	-	-	-	-	-	-	-	-
TEXAS -----	152	99	85	59	75	64	52	36	11	1	-	-
WHITE-----MALE----	103	75	67	41	66	53	41	27	10	1	-	-
FEMALE--	38	20	16	15	8	10	9	9	1	-	-	-
ALL OTHER--MALE----	7	2	1	3	-	1	2	-	-	-	-	-
FEMALE--	4	2	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	5	1	1	3	-	1	2	-	-	-	-	-
FEMALE--	4	1	-	-	1	-	-	-	-	-	-	-
UTAH -----	23	10	8	8	6	8	8	4	-	1	-	-
WHITE-----MALE----	15	8	4	8	6	7	8	3	-	1	-	-
FEMALE--	7	2	4	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	7	4	4	2	3	2	3	1	2	-	-	-
WHITE-----MALE----	6	4	4	2	2	2	3	1	2	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	66	46	32	40	52	28	20	16	2	-	-	-
WHITE-----MALE----	45	31	22	34	37	22	18	13	2	-	-	-
FEMALE--	17	12	9	4	10	5	2	3	-	-	-	-
ALL OTHER--MALE----	3	3	1	2	4	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	3	1	1	2	4	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3826

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intentional self-poisoning (suicide) by and exposure to drugs and other biological substances (X60-X64)												
UNITED STATES -	3,243	-	14	74	124	198	272	420	590	507
WHITE-----MALE----	1,418	-	7	36	54	79	141	197	258	226
FEMALE--	1,599	-	5	30	53	91	114	186	290	246
ALL OTHER--MALE----	115	-	1	2	12	13	10	18	18	21
FEMALE--	111	-	1	6	5	15	7	19	24	14
BLACK---MALE-----	80	-	-	-	6	9	9	12	13	15
FEMALE--	75	-	1	4	2	8	6	11	19	9
ALABAMA -----	47	-	-	3	-	5	1	6	14	5
WHITE-----MALE----	20	-	-	1	-	1	1	2	4	4
FEMALE--	26	-	-	1	-	4	-	4	10	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-
ALASKA -----	6	-	-	-	1	1	-	-	1	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	1	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	91	-	-	3	4	9	9	7	16	8
WHITE-----MALE----	34	-	-	2	1	3	4	3	6	3
FEMALE--	56	-	-	1	2	6	5	4	10	5
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	30	-	3	1	-	2	2	6	4	3
WHITE-----MALE----	11	-	1	1	-	1	1	2	1	2
FEMALE--	18	-	2	-	-	-	1	4	3	1
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	343	-	1	4	11	19	23	40	57	58
WHITE-----MALE----	169	-	-	2	4	12	11	23	26	22
FEMALE--	149	-	1	-	4	5	10	16	25	30
ALL OTHER--MALE----	12	-	-	1	2	1	1	-	3	4
FEMALE--	13	-	-	1	1	1	1	1	3	2
BLACK---MALE-----	5	-	-	-	1	-	1	-	1	2
FEMALE--	7	-	-	-	-	1	1	-	2	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3826

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intentional self-poisoning (suicide) by and exposure to drugs and other biological substances (X60-X64)												
UNITED STATES -	398	239	113	62	84	61	45	30	9	3	-	-
WHITE-----MALE----	164	102	37	23	29	26	23	12	3	1	-	-
FEMALE--	209	130	75	36	54	34	20	18	6	2	-	-
ALL OTHER--MALE----	12	3	1	1	1	1	1	-	-	-	-	-
FEMALE--	13	4	-	2	-	-	1	-	-	-	-	-
BLACK---MALE----	10	2	-	1	1	1	1	-	-	-	-	-
FEMALE--	11	2	-	1	-	-	1	-	-	-	-	-
ALABAMA -----	4	2	1	1	3	1	1	-	-	-	-	-
WHITE-----MALE----	3	2	1	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	2	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	1	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	19	4	1	2	2	5	1	1	-	-	-	-
WHITE-----MALE----	6	2	1	-	-	2	1	-	-	-	-	-
FEMALE--	13	2	-	2	2	3	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	3	4	1	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	3	1	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	41	24	13	10	15	5	11	9	1	1	-	-
WHITE-----MALE----	19	13	3	7	9	5	6	6	1	-	-	-
FEMALE--	21	10	10	3	6	-	4	3	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3829

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intentional self-poisoning (suicide) by and exposure to drugs and other biological substances (X60-X64)												
KENTUCKY -----	37	-	-	2	3	2	2	6	3	6
WHITE-----MALE----	15	-	-	1	-	2	1	4	1	2
FEMALE--	21	-	-	1	3	-	1	2	2	3
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	40	-	-	2	-	2	4	6	7	5
WHITE-----MALE----	20	-	-	1	-	1	4	4	4	3
FEMALE--	18	-	-	1	-	1	-	1	3	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-
MAINE -----	10	-	-	1	1	1	-	2	3	-
WHITE-----MALE----	6	-	-	1	1	-	-	-	2	-
FEMALE--	4	-	-	-	-	1	-	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	50	-	1	1	3	1	2	7	4	11
WHITE-----MALE----	20	-	-	-	3	-	2	2	2	5
FEMALE--	24	-	-	1	-	-	-	3	2	5
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	-	1
FEMALE--	4	-	1	-	-	1	-	1	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	1	-	-	-	-	1	-	-
MASSACHUSETTS -----	65	-	1	2	1	3	3	10	16	13
WHITE-----MALE----	19	-	-	1	-	-	3	3	4	4
FEMALE--	45	-	1	1	1	3	-	6	12	9
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	103	-	-	1	5	6	8	15	23	12
WHITE-----MALE----	45	-	-	-	2	3	5	9	11	5
FEMALE--	54	-	-	1	2	3	2	6	12	5
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	-	1
FEMALE--	2	-	-	-	1	-	-	-	-	1
BLACK---MALE-----	2	-	-	-	-	-	1	-	-	1
FEMALE--	2	-	-	-	1	-	-	-	-	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3830

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intentional self-poisoning (suicide) by and exposure to drugs and other biological substances (X60-X64)												
MINNESOTA -----	36	-	-	-	1	5	3	4	9	5
WHITE-----MALE----	17	-	-	-	-	2	1	3	4	3
FEMALE--	16	-	-	-	1	2	2	1	4	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	1	-	-	1	1
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	25	-	-	1	2	1	1	4	4	2
WHITE-----MALE----	10	-	-	-	-	1	1	3	-	-
FEMALE--	13	-	-	1	2	-	-	1	3	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
MISSOURI -----	78	-	-	2	2	9	12	11	17	10
WHITE-----MALE----	29	-	-	-	-	3	11	3	5	4
FEMALE--	46	-	-	2	2	6	1	7	12	6
ALL OTHER--MALE----	3	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	3	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
MONTANA -----	11	-	-	-	-	-	1	3	1	1
WHITE-----MALE----	3	-	-	-	-	-	1	1	-	-
FEMALE--	7	-	-	-	-	-	-	2	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	14	-	-	1	1	-	2	2	2	2
WHITE-----MALE----	7	-	-	1	-	-	1	-	2	1
FEMALE--	6	-	-	-	-	-	1	2	-	1
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
NEVADA -----	62	-	-	1	2	3	6	8	8	9
WHITE-----MALE----	32	-	-	-	1	1	4	4	4	5
FEMALE--	25	-	-	1	-	1	1	4	4	4
ALL OTHER--MALE----	3	-	-	-	1	1	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-
BLACK---MALE-----	3	-	-	-	1	1	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3832

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intentional self-poisoning (suicide) by and exposure to drugs and other biological substances (X60-X64)												
OHIO -----	112	-	1	3	2	3	6	10	33	19
WHITE-----MALE----	52	-	1	2	1	1	2	4	13	10
FEMALE--	48	-	-	-	1	2	3	4	14	8
ALL OTHER--MALE----	5	-	-	-	-	-	1	1	2	1
FEMALE--	7	-	-	1	-	-	-	1	4	-
BLACK---MALE-----	5	-	-	-	-	-	1	1	2	1
FEMALE--	6	-	-	1	-	-	-	1	3	-
OKLAHOMA -----	69	-	-	2	2	8	9	15	11	11
WHITE-----MALE----	32	-	-	1	1	6	3	10	6	4
FEMALE--	32	-	-	1	1	1	4	5	4	6
ALL OTHER--MALE----	2	-	-	-	-	1	-	-	-	1
FEMALE--	3	-	-	-	-	-	2	-	1	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	1	-	1	-
OREGON -----	52	-	-	1	3	3	1	7	10	8
WHITE-----MALE----	18	-	-	-	2	1	-	1	6	2
FEMALE--	30	-	-	1	1	1	1	5	4	6
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-
PENNSYLVANIA -----	160	-	-	3	6	11	13	18	27	26
WHITE-----MALE----	64	-	-	3	2	6	5	8	9	11
FEMALE--	88	-	-	-	4	5	7	8	17	12
ALL OTHER--MALE----	6	-	-	-	-	-	1	1	1	2
FEMALE--	2	-	-	-	-	-	-	1	-	1
BLACK---MALE-----	6	-	-	-	-	-	1	1	1	2
FEMALE--	2	-	-	-	-	-	-	1	-	1
RHODE ISLAND -----	7	-	-	-	-	-	1	-	2	1
WHITE-----MALE----	6	-	-	-	-	-	1	-	2	-
FEMALE--	1	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	55	-	-	2	1	3	5	5	5	12
WHITE-----MALE----	20	-	-	1	1	-	3	2	2	6
FEMALE--	30	-	-	1	-	-	2	3	3	5
ALL OTHER--MALE----	3	-	-	-	-	1	-	-	-	1
FEMALE--	2	-	-	-	-	2	-	-	-	-
BLACK---MALE-----	3	-	-	-	-	1	-	-	-	1
FEMALE--	2	-	-	-	-	2	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3835

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intentional self-poisoning (suicide) by and exposure to other and unspecified solid or liquid substances and their vapors (X65-X66,X68-X69)												
UNITED STATES -	20	9	7	7	6	3	5	1	2	-	-	-
WHITE-----MALE----	11	3	5	5	4	2	-	1	2	-	-	-
FEMALE--	7	4	1	-	-	-	3	-	-	-	-	-
ALL OTHER--MALE----	1	2	1	1	-	-	2	-	-	-	-	-
FEMALE--	1	-	-	1	2	1	-	-	-	-	-	-
BLACK---MALE----	1	2	-	1	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	1	1	1	-	-	-	-	-	-
ALABAMA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	2	1	1	1	3	1	1	-	-	-	-	-
WHITE-----MALE----	1	-	1	1	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3853

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intentional self-harm (suicide) by hanging, strangulation and suffocation (X70)												
UNITED STATES -	5,688	7	168	514	620	637	615	683	698	507
WHITE-----MALE----	4,087	5	98	351	460	469	452	515	528	383
FEMALE--	798	1	28	82	54	58	66	79	84	71
ALL OTHER--MALE----	646	1	37	63	88	83	81	76	72	44
FEMALE--	157	-	5	18	18	27	16	13	14	9
BLACK---MALE----	371	-	30	33	56	50	48	42	53	25
FEMALE--	60	-	4	8	8	13	4	7	4	3
ALABAMA -----	64	-	3	7	9	6	10	7	10	6
WHITE-----MALE----	51	-	2	6	8	5	10	5	8	3
FEMALE--	6	-	1	-	-	1	-	1	-	1
ALL OTHER--MALE----	7	-	-	1	1	-	-	1	2	2
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	1	1	-	-	1	2	2
FEMALE--	-	-	-	-	-	-	-	-	-	-
ALASKA -----	24	-	1	7	4	3	3	2	2	-
WHITE-----MALE----	5	-	-	3	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	14	-	1	3	2	2	3	1	1	-
FEMALE--	3	-	-	1	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	121	-	3	9	13	11	15	19	20	8
WHITE-----MALE----	82	-	2	6	7	9	11	9	16	7
FEMALE--	21	-	-	2	2	2	1	4	2	1
ALL OTHER--MALE----	16	-	1	-	4	-	3	6	1	-
FEMALE--	2	-	-	1	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	48	-	2	2	5	6	7	7	5	3
WHITE-----MALE----	42	-	2	1	4	4	7	7	5	3
FEMALE--	1	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	5	-	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	718	-	13	51	63	94	71	73	81	52
WHITE-----MALE----	460	-	5	27	50	61	51	48	58	35
FEMALE--	122	-	5	14	5	10	5	14	16	9
ALL OTHER--MALE----	96	-	3	7	6	16	11	8	6	6
FEMALE--	40	-	-	3	2	7	4	3	1	2
BLACK---MALE----	32	-	2	2	1	6	6	5	5	3
FEMALE--	5	-	-	1	-	2	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3853

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intentional self-harm (suicide) by hanging, strangulation and suffocation (X70)												
UNITED STATES -	336	203	140	105	106	127	99	76	35	9	3	-
WHITE-----MALE----	242	141	95	55	71	79	64	52	22	4	1	-
FEMALE--	52	44	31	37	21	30	26	20	10	4	-	-
ALL OTHER--MALE----	35	12	8	9	10	13	5	3	3	1	2	-
FEMALE--	7	6	6	4	4	5	4	1	-	-	-	-
BLACK---MALE----	17	4	1	2	2	5	1	1	-	-	1	-
FEMALE--	-	3	3	-	2	1	-	-	-	-	-	-
ALABAMA -----	1	2	1	-	-	1	1	-	-	-	-	-
WHITE-----MALE----	1	2	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	8	3	4	4	2	1	-	1	-	-	-	-
WHITE-----MALE----	6	2	2	3	-	1	-	1	-	-	-	-
FEMALE--	1	1	2	1	2	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	2	4	1	1	2	1	-	-	-	-	-	-
WHITE-----MALE----	1	4	1	-	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	59	37	26	18	14	26	20	16	3	1	-	-
WHITE-----MALE----	38	21	18	7	6	12	10	10	2	1	-	-
FEMALE--	8	10	6	2	3	6	5	3	1	-	-	-
ALL OTHER--MALE----	9	3	1	5	4	7	2	2	-	-	-	-
FEMALE--	4	3	1	4	1	1	3	1	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3854

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intentional self-harm (suicide) by hanging, strangulation and suffocation (X70)												
COLORADO -----	121	-	7	16	16	14	9	14	12	8
WHITE-----MALE----	104	-	6	12	15	12	9	14	11	7
FEMALE--	13	-	-	4	-	1	-	-	1	1
ALL OTHER--MALE----	4	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	87	-	2	9	6	8	8	9	13	6
WHITE-----MALE----	74	-	2	5	6	8	6	9	12	6
FEMALE--	10	-	-	4	-	-	1	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	1	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-
DELAWARE -----	17	-	1	1	1	2	-	8	2	1
WHITE-----MALE----	12	-	-	1	-	2	-	7	1	1
FEMALE--	4	-	1	-	1	-	-	1	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	9	-	-	-	2	2	-	1	-	3
WHITE-----MALE----	6	-	-	-	2	-	-	1	-	2
FEMALE--	2	-	-	-	-	2	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	329	2	7	20	39	21	33	49	45	23
WHITE-----MALE----	256	2	3	14	31	19	27	34	36	19
FEMALE--	45	-	-	4	3	2	6	9	4	2
ALL OTHER--MALE----	25	-	4	2	3	-	-	6	5	2
FEMALE--	3	-	-	-	2	-	-	-	-	-
BLACK---MALE----	23	-	4	2	2	-	-	5	5	2
FEMALE--	2	-	-	-	1	-	-	-	-	-
GEORGIA -----	119	-	3	10	17	19	11	20	14	8
WHITE-----MALE----	82	-	2	6	10	14	8	17	10	6
FEMALE--	12	-	-	3	-	1	-	2	1	-
ALL OTHER--MALE----	18	-	1	1	5	2	3	-	2	1
FEMALE--	7	-	-	-	2	2	-	1	1	1
BLACK---MALE----	16	-	1	1	5	1	3	-	2	1
FEMALE--	6	-	-	-	1	2	-	1	1	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3856

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intentional self-harm (suicide) by hanging, strangulation and suffocation (X70)												
KENTUCKY -----	71	-	1	6	7	8	13	9	7	8
WHITE-----MALE----	57	-	-	3	6	7	11	9	7	4
FEMALE--	8	-	1	2	-	-	-	-	-	3
ALL OTHER--MALE----	5	-	-	1	-	1	2	-	-	1
FEMALE--	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	1	2	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	65	-	1	7	14	10	5	10	7	4
WHITE-----MALE----	40	-	-	5	8	5	2	8	4	3
FEMALE--	9	-	-	-	2	2	1	2	-	-
ALL OTHER--MALE----	15	-	1	1	4	3	2	-	3	1
FEMALE--	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	15	-	1	1	4	3	2	-	3	1
FEMALE--	1	-	-	1	-	-	-	-	-	-
MAINE -----	30	-	2	7	5	1	2	2	5	1
WHITE-----MALE----	25	-	2	6	4	-	2	1	4	1
FEMALE--	4	-	-	1	1	1	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	108	1	5	4	18	14	11	12	10	11
WHITE-----MALE----	71	1	-	3	13	8	8	8	8	6
FEMALE--	12	-	1	1	3	-	1	1	1	1
ALL OTHER--MALE----	22	-	3	-	2	5	2	3	1	3
FEMALE--	3	-	1	-	-	1	-	-	-	1
BLACK---MALE----	18	-	3	-	1	4	2	3	1	2
FEMALE--	3	-	1	-	-	1	-	-	-	1
MASSACHUSETTS -----	135	-	2	15	16	10	23	15	14	11
WHITE-----MALE----	104	-	2	12	14	8	18	9	12	10
FEMALE--	20	-	-	1	2	1	3	4	1	1
ALL OTHER--MALE----	7	-	-	1	-	-	1	2	1	-
FEMALE--	4	-	-	1	-	1	1	-	-	-
BLACK---MALE----	5	-	-	1	-	-	1	1	1	-
FEMALE--	4	-	-	1	-	1	1	-	-	-
MICHIGAN -----	184	-	1	21	14	20	25	14	24	13
WHITE-----MALE----	129	-	-	14	11	11	19	9	16	10
FEMALE--	31	-	-	4	2	3	5	3	4	1
ALL OTHER--MALE----	18	-	1	1	1	5	1	1	4	1
FEMALE--	6	-	-	2	-	1	-	1	-	1
BLACK---MALE----	16	-	1	-	1	5	1	1	3	1
FEMALE--	2	-	-	1	-	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3860

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intentional self-harm (suicide) by hanging, strangulation and suffocation (X70)												
SOUTH DAKOTA -----	19	-	1	5	-	1	1	3	-	3
WHITE-----MALE----	8	-	1	-	-	1	-	2	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	9	-	-	5	-	-	1	1	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	74	-	4	8	6	11	10	13	11	3
WHITE-----MALE----	59	-	3	7	5	10	7	7	10	3
FEMALE--	7	-	1	1	1	1	1	1	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	2	4	1	-
FEMALE--	1	-	-	-	-	-	-	1	-	-
BLACK---MALE----	7	-	-	-	-	-	2	4	1	-
FEMALE--	1	-	-	-	-	-	-	1	-	-
TEXAS -----	419	1	19	45	51	59	43	58	49	44
WHITE-----MALE----	325	1	11	32	41	44	33	48	45	37
FEMALE--	47	-	4	8	4	-	7	6	1	5
ALL OTHER--MALE----	38	-	4	4	6	12	3	3	2	2
FEMALE--	9	-	-	1	-	3	-	1	1	-
BLACK---MALE----	28	-	4	3	6	8	3	2	1	1
FEMALE--	4	-	-	1	-	1	-	1	-	-
UTAH -----	57	1	2	12	10	5	4	9	7	6
WHITE-----MALE----	38	-	2	8	7	5	2	6	5	2
FEMALE--	13	-	-	3	1	-	1	3	1	4
ALL OTHER--MALE----	5	1	-	1	1	-	1	-	1	-
FEMALE--	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	2	-	-	-	1	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
VERMONT -----	11	-	-	-	1	1	1	2	2	1
WHITE-----MALE----	8	-	-	-	1	-	1	2	1	1
FEMALE--	3	-	-	-	-	1	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	101	-	3	13	6	11	14	12	11	9
WHITE-----MALE----	70	-	1	8	4	9	10	8	7	7
FEMALE--	14	-	1	1	1	-	1	3	1	1
ALL OTHER--MALE----	13	-	1	4	1	1	2	1	2	1
FEMALE--	4	-	-	-	-	1	1	-	1	-
BLACK---MALE----	12	-	1	3	1	1	2	1	2	1
FEMALE--	2	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3860

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intentional self-harm (suicide) by hanging, strangulation and suffocation (X70)												
SOUTH DAKOTA -----	-	-	-	2	2	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	1	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	3	2	2	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	2	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	19	7	5	5	3	3	4	3	1	-	-	-
WHITE-----MALE----	13	4	3	4	3	2	2	2	-	-	-	-
FEMALE--	5	-	1	1	-	1	2	1	1	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
UTAH -----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	1	-	1	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	6	2	3	2	2	1	2	4	-	-	-	-
WHITE-----MALE----	6	2	1	1	1	1	2	2	-	-	-	-
FEMALE--	-	-	2	1	-	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3862

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intentional self-harm (suicide) by discharge of firearms (X72-X74)												
UNITED STATES -	16,586	-	110	897	1,370	1,223	1,230	1,521	1,670	1,491
WHITE-----MALE----	13,214	-	86	653	1,040	893	922	1,133	1,298	1,178
FEMALE--	1,960	-	17	88	97	119	164	251	251	212
ALL OTHER--MALE----	1,240	-	4	140	210	191	117	122	104	85
FEMALE--	172	-	3	16	23	20	27	15	17	16
BLACK---MALE----	965	-	4	109	172	145	95	89	80	66
FEMALE--	125	-	-	8	19	16	16	12	13	11
ALABAMA -----	427	-	3	14	29	34	34	48	44	31
WHITE-----MALE----	307	-	1	10	18	22	21	34	31	23
FEMALE--	65	-	2	-	2	5	7	6	10	3
ALL OTHER--MALE----	51	-	-	4	9	7	4	7	2	5
FEMALE--	4	-	-	-	-	-	2	1	1	-
BLACK---MALE----	49	-	-	4	8	7	4	7	2	5
FEMALE--	4	-	-	-	-	-	2	1	1	-
ALASKA -----	96	-	1	19	17	10	5	9	15	7
WHITE-----MALE----	53	-	1	5	9	5	2	5	12	4
FEMALE--	6	-	-	4	-	-	1	-	-	-
ALL OTHER--MALE----	30	-	-	8	5	3	2	4	3	3
FEMALE--	7	-	-	2	3	2	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-
ARIZONA -----	489	-	1	28	60	31	31	35	49	44
WHITE-----MALE----	408	-	1	22	51	27	21	25	38	37
FEMALE--	52	-	-	1	2	4	6	7	8	6
ALL OTHER--MALE----	28	-	-	5	7	-	3	3	3	1
FEMALE--	1	-	-	-	-	-	1	-	-	-
BLACK---MALE----	9	-	-	3	1	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	244	-	3	11	23	27	16	16	29	17
WHITE-----MALE----	189	-	3	7	17	24	12	9	21	11
FEMALE--	39	-	-	2	-	1	3	5	8	6
ALL OTHER--MALE----	14	-	-	2	5	2	1	2	-	-
FEMALE--	2	-	-	-	1	-	-	-	-	-
BLACK---MALE----	14	-	-	2	5	2	1	2	-	-
FEMALE--	2	-	-	-	1	-	-	-	-	-
CALIFORNIA -----	1,487	-	7	59	89	95	111	105	150	128
WHITE-----MALE----	1,178	-	6	41	69	62	77	78	115	96
FEMALE--	168	-	-	6	6	10	15	17	20	20
ALL OTHER--MALE----	119	-	-	10	13	23	14	9	10	12
FEMALE--	22	-	1	2	1	-	5	1	5	-
BLACK---MALE----	52	-	-	6	6	9	5	4	4	3
FEMALE--	12	-	-	-	1	-	2	1	3	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3863

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intentional self-harm (suicide) by discharge of firearms (X72-X74)												
COLORADO -----	350	-	1	18	25	29	35	26	37	47
WHITE-----MALE----	281	-	-	12	23	19	29	16	35	36
FEMALE--	52	-	-	3	1	7	5	7	1	11
ALL OTHER--MALE----	12	-	1	1	-	3	1	2	-	-
FEMALE--	5	-	-	2	1	-	-	1	1	-
BLACK---MALE----	6	-	1	1	-	1	-	1	-	-
FEMALE--	4	-	-	1	1	-	-	1	1	-
CONNECTICUT -----	113	-	-	6	5	9	5	14	7	12
WHITE-----MALE----	99	-	-	6	3	7	4	9	7	11
FEMALE--	6	-	-	-	-	-	1	2	-	1
ALL OTHER--MALE----	6	-	-	-	1	2	-	2	-	-
FEMALE--	2	-	-	-	1	-	-	1	-	-
BLACK---MALE----	6	-	-	-	1	2	-	2	-	-
FEMALE--	2	-	-	-	1	-	-	1	-	-
DELAWARE -----	40	-	-	1	3	2	4	2	5	5
WHITE-----MALE----	34	-	-	1	2	2	3	2	4	3
FEMALE--	6	-	-	-	1	-	1	-	1	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	7	-	-	-	4	1	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	3	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	3	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	1,186	-	5	30	71	69	67	99	98	117
WHITE-----MALE----	939	-	3	25	49	44	51	67	70	90
FEMALE--	164	-	1	1	4	10	9	26	20	22
ALL OTHER--MALE----	78	-	1	4	17	15	6	6	7	3
FEMALE--	5	-	-	-	1	-	1	-	1	2
BLACK---MALE----	71	-	1	4	17	13	5	6	7	2
FEMALE--	5	-	-	-	1	-	1	-	1	2
GEORGIA -----	588	-	3	25	68	40	46	49	55	58
WHITE-----MALE----	401	-	2	13	42	18	30	32	39	38
FEMALE--	88	-	1	5	6	5	5	10	11	7
ALL OTHER--MALE----	89	-	-	7	19	15	9	7	5	9
FEMALE--	10	-	-	-	1	2	2	-	-	4
BLACK---MALE----	84	-	-	7	17	15	8	6	5	9
FEMALE--	8	-	-	-	1	2	2	-	-	2

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3864

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intentional self-harm (suicide) by discharge of firearms (X72-X74)												
HAWAII -----	37	-	-	-	2	6	3	2	4	4
WHITE-----MALE----	17	-	-	-	1	3	1	-	-	3
FEMALE--	2	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	18	-	-	-	1	3	1	2	4	1
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
IDAHO -----	107	-	3	8	6	7	8	7	8	6
WHITE-----MALE----	90	-	2	8	4	5	6	5	5	5
FEMALE--	12	-	-	-	-	1	2	1	3	1
ALL OTHER--MALE----	3	-	-	-	1	1	-	1	-	-
FEMALE--	2	-	1	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	431	-	2	21	41	32	43	38	44	31
WHITE-----MALE----	337	-	2	16	26	21	31	29	36	27
FEMALE--	36	-	-	1	5	3	4	6	5	-
ALL OTHER--MALE----	48	-	-	2	8	7	8	2	3	4
FEMALE--	10	-	-	2	2	1	-	1	-	-
BLACK---MALE----	46	-	-	2	8	5	8	2	3	4
FEMALE--	10	-	-	2	2	1	-	1	-	-
INDIANA -----	411	-	5	26	45	36	29	31	56	33
WHITE-----MALE----	336	-	5	21	34	28	22	25	45	27
FEMALE--	47	-	-	2	3	5	6	3	7	4
ALL OTHER--MALE----	25	-	-	3	7	3	1	1	4	2
FEMALE--	3	-	-	-	1	-	-	2	-	-
BLACK---MALE----	23	-	-	2	7	3	1	-	4	2
FEMALE--	3	-	-	-	1	-	-	2	-	-
IOWA -----	157	-	1	17	11	15	9	15	20	7
WHITE-----MALE----	146	-	1	16	11	14	9	13	18	7
FEMALE--	8	-	-	-	-	-	-	2	1	-
ALL OTHER--MALE----	2	-	-	-	-	1	-	-	1	-
FEMALE--	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	1	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
KANSAS -----	186	-	1	12	12	13	10	17	24	15
WHITE-----MALE----	157	-	1	10	11	10	10	11	20	10
FEMALE--	22	-	-	1	1	1	-	4	4	5
ALL OTHER--MALE----	5	-	-	1	-	2	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	2	-	-
BLACK---MALE----	3	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3865

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intentional self-harm (suicide) by discharge of firearms (X72-X74)												
KENTUCKY -----	373	-	1	16	35	27	36	36	45	30
WHITE-----MALE----	315	-	1	11	29	25	27	28	38	27
FEMALE--	44	-	-	4	3	-	6	8	4	3
ALL OTHER--MALE----	13	-	-	1	3	2	2	-	3	-
FEMALE--	1	-	-	-	-	-	1	-	-	-
BLACK---MALE----	12	-	-	1	3	2	2	-	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	326	-	1	21	31	42	21	27	31	24
WHITE-----MALE----	238	-	1	12	24	28	18	17	17	18
FEMALE--	41	-	-	3	-	3	2	7	6	5
ALL OTHER--MALE----	44	-	-	6	7	11	1	3	6	-
FEMALE--	3	-	-	-	-	-	-	-	2	1
BLACK---MALE----	44	-	-	6	7	11	1	3	6	-
FEMALE--	3	-	-	-	-	-	-	-	2	1
MAINE -----	98	-	1	6	5	6	7	16	5	14
WHITE-----MALE----	88	-	1	6	3	6	5	15	5	12
FEMALE--	9	-	-	-	2	-	2	1	-	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	245	-	3	15	20	17	21	17	23	15
WHITE-----MALE----	182	-	2	8	13	6	15	12	19	13
FEMALE--	17	-	-	1	-	4	-	1	1	2
ALL OTHER--MALE----	38	-	1	6	5	6	3	4	2	-
FEMALE--	8	-	-	-	2	1	3	-	1	-
BLACK---MALE----	33	-	1	5	5	5	3	3	2	-
FEMALE--	8	-	-	-	2	1	3	-	1	-
MASSACHUSETTS -----	105	-	-	2	10	12	11	10	10	6
WHITE-----MALE----	90	-	-	2	7	9	9	9	10	5
FEMALE--	9	-	-	-	1	1	1	1	-	1
ALL OTHER--MALE----	5	-	-	-	2	1	1	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	5	-	-	-	2	1	1	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-
MICHIGAN -----	531	-	4	22	50	34	45	53	62	61
WHITE-----MALE----	413	-	3	12	41	27	32	35	49	48
FEMALE--	58	-	1	2	3	4	5	10	9	5
ALL OTHER--MALE----	51	-	-	7	6	2	7	8	3	6
FEMALE--	9	-	-	1	-	1	1	-	1	2
BLACK---MALE----	43	-	-	5	5	2	7	7	2	6
FEMALE--	7	-	-	1	-	1	1	-	-	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3865

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intentional self-harm (suicide) by discharge of firearms (X72-X74)												
KENTUCKY -----	28	23	16	24	18	16	10	7	5	-	-	-
WHITE-----MALE----	22	20	14	19	16	16	10	7	5	-	-	-
FEMALE--	6	3	2	3	2	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	26	23	15	13	16	18	9	6	2	-	-	-
WHITE-----MALE----	21	16	11	11	14	14	9	5	2	-	-	-
FEMALE--	4	4	2	2	-	3	-	-	-	-	-	-
ALL OTHER--MALE----	1	3	2	-	2	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	3	2	-	2	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	8	9	6	1	4	-	6	3	1	-	-	-
WHITE-----MALE----	7	8	5	1	4	-	6	3	1	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	24	13	22	14	11	7	12	7	4	-	-	-
WHITE-----MALE----	14	11	19	14	6	7	12	7	4	-	-	-
FEMALE--	3	2	2	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	1	-	4	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	1	-	3	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	12	11	6	2	3	4	3	2	1	-	-	-
WHITE-----MALE----	10	10	5	2	3	3	3	2	1	-	-	-
FEMALE--	2	-	1	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	34	27	24	30	25	24	17	12	6	1	-	-
WHITE-----MALE----	29	19	19	24	22	20	16	10	6	1	-	-
FEMALE--	4	5	3	2	1	2	-	2	-	-	-	-
ALL OTHER--MALE----	1	3	2	3	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	-	-	-	-	-
BLACK---MALE----	1	3	1	2	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3866

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intentional self-harm (suicide) by discharge of firearms (X72-X74)												
MINNESOTA -----	223	-	2	21	26	15	11	22	25	18
WHITE-----MALE----	197	-	2	19	22	13	10	18	24	15
FEMALE--	14	-	-	2	2	-	1	1	-	2
ALL OTHER--MALE----	10	-	-	-	2	2	-	2	1	1
FEMALE--	2	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	220	-	1	22	21	25	18	22	20	13
WHITE-----MALE----	157	-	1	17	11	15	11	14	17	11
FEMALE--	22	-	-	1	3	1	2	2	1	2
ALL OTHER--MALE----	37	-	-	4	6	9	5	5	2	-
FEMALE--	4	-	-	-	1	-	-	1	-	-
BLACK---MALE----	36	-	-	4	6	9	5	5	2	-
FEMALE--	4	-	-	-	1	-	-	1	-	-
MISSOURI -----	434	-	3	24	34	31	28	55	51	31
WHITE-----MALE----	363	-	2	20	26	22	23	44	41	27
FEMALE--	48	-	-	2	4	4	3	9	7	3
ALL OTHER--MALE----	18	-	1	2	4	1	2	1	3	1
FEMALE--	5	-	-	-	-	4	-	1	-	-
BLACK---MALE----	18	-	1	2	4	1	2	1	3	1
FEMALE--	4	-	-	-	-	4	-	-	-	-
MONTANA -----	107	-	5	6	9	4	12	12	9	7
WHITE-----MALE----	97	-	5	4	8	3	11	10	9	7
FEMALE--	6	-	-	1	-	1	1	1	-	-
ALL OTHER--MALE----	4	-	-	1	1	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	115	-	2	8	12	7	6	6	12	14
WHITE-----MALE----	98	-	1	7	10	6	4	4	11	13
FEMALE--	13	-	1	1	1	-	2	2	1	-
ALL OTHER--MALE----	3	-	-	-	1	-	-	-	-	1
FEMALE--	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	1	-	-	-	-
NEVADA -----	241	-	1	11	18	27	13	22	17	22
WHITE-----MALE----	202	-	1	6	15	24	12	20	14	19
FEMALE--	27	-	-	3	2	2	1	1	3	2
ALL OTHER--MALE----	9	-	-	-	1	1	-	1	-	1
FEMALE--	3	-	-	2	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	1	1	-	-	-	1
FEMALE--	1	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3868

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intentional self-harm (suicide) by discharge of firearms (X72-X74)												
OHIO -----	584	-	4	26	42	38	44	47	71	55
WHITE-----MALE----	476	-	3	19	33	28	35	36	56	47
FEMALE--	58	-	1	3	2	1	6	7	8	4
ALL OTHER--MALE----	43	-	-	3	5	8	3	4	7	3
FEMALE--	7	-	-	1	2	1	-	-	-	1
BLACK---MALE-----	43	-	-	3	5	8	3	4	7	3
FEMALE--	7	-	-	1	2	1	-	-	-	1
OKLAHOMA -----	301	-	1	14	29	25	28	29	28	25
WHITE-----MALE----	238	-	1	10	24	20	19	24	22	22
FEMALE--	39	-	-	2	3	1	3	4	5	2
ALL OTHER--MALE----	19	-	-	2	2	3	4	1	1	-
FEMALE--	5	-	-	-	-	1	2	-	-	1
BLACK---MALE-----	8	-	-	2	1	-	2	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
OREGON -----	302	-	4	18	25	21	18	16	19	31
WHITE-----MALE----	247	-	1	16	24	19	13	9	11	22
FEMALE--	47	-	2	2	1	1	4	4	7	9
ALL OTHER--MALE----	5	-	-	-	-	1	-	3	-	-
FEMALE--	3	-	1	-	-	-	1	-	1	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	756	-	3	34	57	46	56	77	71	72
WHITE-----MALE----	645	-	2	21	49	38	46	63	52	62
FEMALE--	64	-	1	5	4	1	3	7	18	5
ALL OTHER--MALE----	44	-	-	8	4	7	7	7	1	5
FEMALE--	3	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	39	-	-	7	4	5	7	6	1	5
FEMALE--	3	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	27	-	-	2	3	1	2	4	3	1
WHITE-----MALE----	19	-	-	1	3	1	1	4	1	1
FEMALE--	2	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	6	-	-	1	-	-	1	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	4	-	-	1	-	-	1	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	297	-	3	10	23	13	24	37	27	29
WHITE-----MALE----	213	-	3	8	18	11	15	22	17	23
FEMALE--	52	-	-	-	-	1	6	8	7	5
ALL OTHER--MALE----	29	-	-	2	4	1	3	6	3	1
FEMALE--	3	-	-	-	1	-	-	1	-	-
BLACK---MALE-----	28	-	-	2	4	1	3	5	3	1
FEMALE--	3	-	-	-	1	-	-	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3869

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intentional self-harm (suicide) by discharge of firearms (X72-X74)												
SOUTH DAKOTA -----	51	-	-	4	6	6	7	3	5	5
WHITE-----MALE----	46	-	-	3	5	4	7	2	5	5
FEMALE--	2	-	-	1	-	-	-	1	-	-
ALL OTHER--MALE----	3	-	-	-	1	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	501	-	3	30	40	28	47	60	47	44
WHITE-----MALE----	402	-	3	22	28	21	34	48	36	35
FEMALE--	66	-	-	2	7	4	9	10	9	5
ALL OTHER--MALE----	27	-	-	6	4	3	4	1	2	2
FEMALE--	6	-	-	-	1	-	-	1	-	2
BLACK---MALE----	26	-	-	6	4	3	3	1	2	2
FEMALE--	6	-	-	-	1	-	-	1	-	2
TEXAS -----	1,269	-	13	95	119	95	101	101	128	141
WHITE-----MALE----	998	-	13	75	94	71	73	74	90	109
FEMALE--	185	-	-	7	9	12	17	21	29	26
ALL OTHER--MALE----	70	-	-	11	14	10	6	6	6	5
FEMALE--	16	-	-	2	2	2	5	-	3	1
BLACK---MALE----	67	-	-	11	12	9	6	6	6	5
FEMALE--	13	-	-	1	1	2	5	-	3	-
UTAH -----	174	-	2	12	16	9	15	28	17	17
WHITE-----MALE----	150	-	2	12	15	8	9	21	15	17
FEMALE--	24	-	-	-	1	1	6	7	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
VERMONT -----	47	-	-	4	5	1	5	1	7	5
WHITE-----MALE----	44	-	-	4	5	1	4	-	7	4
FEMALE--	3	-	-	-	-	-	1	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	484	-	2	24	23	37	22	48	56	47
WHITE-----MALE----	365	-	1	12	17	24	11	33	44	38
FEMALE--	61	-	1	2	1	4	3	7	8	6
ALL OTHER--MALE----	55	-	-	10	5	8	7	8	4	2
FEMALE--	3	-	-	-	-	1	1	-	-	1
BLACK---MALE----	46	-	-	8	4	6	7	6	4	2
FEMALE--	2	-	-	-	-	1	-	-	-	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3871

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intentional self-harm (suicide) by jumping from a high place (X80)												
UNITED STATES -	607	-	2	37	71	54	52	69	54	65
WHITE-----MALE----	357	-	1	24	40	28	27	46	31	46
FEMALE--	146	-	1	5	15	7	14	14	12	15
ALL OTHER--MALE----	75	-	-	5	11	14	9	9	7	4
FEMALE--	29	-	-	3	5	5	2	-	4	-
BLACK---MALE-----	46	-	-	1	9	7	6	7	6	3
FEMALE--	16	-	-	1	4	1	2	-	2	-
ALABAMA -----	4	-	-	-	1	-	1	1	-	-
WHITE-----MALE----	3	-	-	-	-	-	1	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
ALASKA -----	4	-	-	-	1	1	-	-	1	1
WHITE-----MALE----	1	-	-	-	1	-	-	-	-	-
FEMALE--	3	-	-	-	-	1	-	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	8	-	-	2	1	-	-	1	1	2
WHITE-----MALE----	4	-	-	1	-	-	-	1	-	2
FEMALE--	3	-	-	-	1	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	119	-	1	6	10	15	11	12	15	15
WHITE-----MALE----	74	-	-	4	6	7	6	9	12	13
FEMALE--	23	-	1	-	2	1	4	1	1	2
ALL OTHER--MALE----	18	-	-	1	2	6	1	2	1	-
FEMALE--	4	-	-	1	-	1	-	-	1	-
BLACK---MALE-----	9	-	-	-	2	3	1	1	1	-
FEMALE--	1	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3872

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intentional self-harm (suicide) by jumping from a high place (X80)												
COLORADO -----	1	1	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
FLORIDA -----	3	3	-	1	1	3	1	2	2	-	-	-
WHITE-----MALE----	3	-	-	1	-	2	-	1	2	-	-	-
FEMALE--	-	2	-	-	1	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	-	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3874

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intentional self-harm (suicide) by jumping from a high place (X80)												
KENTUCKY -----	5	-	-	-	1	-	1	1	-	-
WHITE-----MALE----	2	-	-	-	1	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	9	-	-	-	2	1	1	1	-	2
WHITE-----MALE----	3	-	-	-	-	1	-	1	-	1
FEMALE--	3	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	2	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	2	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-
MAINE -----	2	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	20	-	-	5	-	2	4	2	1	1
WHITE-----MALE----	13	-	-	2	-	2	3	2	-	1
FEMALE--	4	-	-	2	-	-	1	-	-	-
ALL OTHER--MALE----	3	-	-	1	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	20	-	-	-	2	2	2	1	1	4
WHITE-----MALE----	11	-	-	-	2	1	-	1	1	2
FEMALE--	7	-	-	-	-	1	2	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	2
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	2
FEMALE--	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	12	-	-	2	3	1	1	1	-	-
WHITE-----MALE----	6	-	-	1	-	-	-	1	-	-
FEMALE--	2	-	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	1	-	1	1	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	3	-	-	1	-	1	1	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3880

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intentional self-harm (suicide) by all other and unspecified means and their sequelae (X71,X75-X79,X81-X84,Y87.0)												
UNITED STATES -	1,610	-	5	62	119	108	127	195	207	183
WHITE-----MALE----	1,018	-	3	35	71	75	73	133	134	120
FEMALE--	342	-	1	14	15	14	23	26	39	43
ALL OTHER--MALE----	189	-	1	10	25	14	25	29	26	15
FEMALE--	61	-	-	3	8	5	6	7	8	5
BLACK---MALE----	133	-	1	7	19	7	15	26	21	12
FEMALE--	37	-	-	1	8	4	4	2	7	3
ALABAMA -----	26	-	1	1	4	-	1	4	2	2
WHITE-----MALE----	14	-	-	-	3	-	1	1	2	1
FEMALE--	7	-	-	-	1	-	-	1	-	1
ALL OTHER--MALE----	5	-	1	1	-	-	-	2	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	1	1	-	-	-	2	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
ALASKA -----	6	-	-	-	-	-	-	-	2	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	2	-
FEMALE--	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	33	-	2	2	3	2	4	2	4	3
WHITE-----MALE----	20	-	1	2	2	1	1	1	2	2
FEMALE--	8	-	1	-	1	-	1	1	1	1
ALL OTHER--MALE----	4	-	-	-	-	1	2	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	7	-	-	-	2	1	1	1	-	-
WHITE-----MALE----	2	-	-	-	-	1	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	1	-	-	1	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	1	-	-	1	-	-
CALIFORNIA -----	187	-	-	4	16	10	14	31	22	12
WHITE-----MALE----	109	-	-	1	11	7	10	18	13	7
FEMALE--	42	-	-	2	2	2	2	6	4	4
ALL OTHER--MALE----	25	-	-	1	2	1	2	5	5	1
FEMALE--	11	-	-	-	1	-	-	2	-	-
BLACK---MALE----	8	-	-	-	1	-	-	3	2	-
FEMALE--	2	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3881

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intentional self-harm (suicide) by all other and unspecified means and their sequelae (X71,X75-X79,X81-X84,Y87.0)												
COLORADO -----	16	-	-	1	2	2	-	3	1	3
WHITE-----MALE----	13	-	-	-	1	2	-	3	1	3
FEMALE--	2	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-
CONNECTICUT -----	24	-	-	-	2	1	3	2	5	4
WHITE-----MALE----	10	-	-	-	2	1	1	1	1	3
FEMALE--	8	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	5	-	-	-	-	-	2	-	2	1
FEMALE--	1	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	3	-	-	-	-	-	1	-	1	1
FEMALE--	1	-	-	-	-	-	-	-	1	-
DELAWARE -----	9	-	-	-	-	-	1	1	1	3
WHITE-----MALE----	6	-	-	-	-	-	-	1	1	2
FEMALE--	2	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	3	-	-	-	1	-	-	1	-	-
WHITE-----MALE----	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	153	-	-	2	9	6	13	13	13	17
WHITE-----MALE----	106	-	-	-	7	5	10	9	9	12
FEMALE--	29	-	-	1	-	-	1	3	3	2
ALL OTHER--MALE----	15	-	-	1	1	1	2	1	1	2
FEMALE--	3	-	-	-	1	-	-	-	-	1
BLACK---MALE-----	15	-	-	1	1	1	2	1	1	2
FEMALE--	3	-	-	-	1	-	-	-	-	1
GEORGIA -----	26	-	-	2	3	2	1	3	3	1
WHITE-----MALE----	13	-	-	1	2	-	1	1	2	-
FEMALE--	7	-	-	-	1	2	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	2	-	1
FEMALE--	2	-	-	1	-	-	-	-	1	-
BLACK---MALE-----	2	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	1	-	-	-	-	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3886

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intentional self-harm (suicide) by all other and unspecified means and their sequelae (X71,X75-X79,X81-X84,Y87.0)												
OHIO -----	6	2	1	2	-	2	1	-	1	-	-	-
WHITE-----MALE----	4	2	-	1	-	2	1	-	-	-	-	-
FEMALE--	1	-	1	1	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	1	2	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	2	3	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	2	2	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	6	5	2	1	6	2	4	3	-	-	-	-
WHITE-----MALE----	5	4	1	1	5	2	4	3	-	-	-	-
FEMALE--	1	1	1	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	1	-	-	-	-	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	3	2	2	1	-	1	3	-	1	-	-	-
WHITE-----MALE----	2	1	1	1	-	1	-	-	-	-	-	-
FEMALE--	1	1	1	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3889

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) (X85-Y09,Y87.1)												
UNITED STATES -	16,765	349	356	140	231	1,914	3,025	2,312	1,852	1,732	1,487	1,059
WHITE-----MALE----	5,925	125	114	59	89	659	924	721	635	614	588	423
FEMALE--	2,414	72	85	39	53	164	234	224	234	295	228	193
ALL OTHER--MALE----	6,895	78	84	18	61	954	1,666	1,197	808	621	496	350
FEMALE--	1,531	74	73	24	28	137	201	170	175	202	175	93
BLACK---MALE----	6,482	73	75	16	56	899	1,602	1,146	765	590	450	315
FEMALE--	1,385	67	70	24	28	129	189	155	158	174	162	82
ALABAMA -----	444	11	7	1	5	37	80	58	45	52	48	26
WHITE-----MALE----	117	4	3	-	-	8	11	12	14	12	14	7
FEMALE--	43	1	1	-	1	2	3	5	5	4	5	3
ALL OTHER--MALE----	222	3	1	-	3	24	53	35	19	27	18	13
FEMALE--	62	3	2	1	1	3	13	6	7	9	11	3
BLACK---MALE----	221	3	1	-	2	24	53	35	19	27	18	13
FEMALE--	59	2	2	1	1	3	13	6	5	9	11	3
ALASKA -----	37	5	3	-	1	2	4	4	5	5	2	4
WHITE-----MALE----	17	2	2	-	1	1	1	1	3	2	2	1
FEMALE--	3	1	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	13	2	1	-	-	1	3	1	-	1	-	3
FEMALE--	4	-	-	-	-	-	-	2	1	1	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ARIZONA -----	410	9	3	5	1	53	59	50	61	38	32	23
WHITE-----MALE----	239	7	1	4	1	26	41	37	36	24	18	13
FEMALE--	85	2	2	1	-	8	10	3	11	7	2	8
ALL OTHER--MALE----	67	-	-	-	-	17	7	9	14	5	8	-
FEMALE--	19	-	-	-	-	2	1	1	-	2	4	2
BLACK---MALE----	33	-	-	-	-	8	4	5	7	3	3	-
FEMALE--	7	-	-	-	-	1	-	-	-	-	2	1
ARKANSAS -----	204	4	6	3	2	23	34	27	22	12	17	9
WHITE-----MALE----	76	2	2	1	2	3	7	8	9	8	6	3
FEMALE--	25	1	1	1	-	2	6	4	-	1	1	1
ALL OTHER--MALE----	83	1	1	1	-	15	19	14	8	3	5	4
FEMALE--	20	-	2	-	-	3	2	1	5	-	5	1
BLACK---MALE----	82	1	1	1	-	15	19	14	8	3	5	4
FEMALE--	19	-	2	-	-	3	2	1	5	-	4	1
CALIFORNIA -----	2,064	26	33	16	33	320	412	301	224	165	154	118
WHITE-----MALE----	1,069	8	12	8	19	191	235	158	112	74	70	58
FEMALE--	259	10	10	5	9	16	21	28	27	29	29	15
ALL OTHER--MALE----	624	4	7	-	5	101	141	99	76	50	48	34
FEMALE--	112	4	4	3	-	12	15	16	9	12	7	11
BLACK---MALE----	532	4	5	-	3	88	121	90	70	44	40	27
FEMALE--	76	2	3	3	-	10	10	12	8	8	5	6

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3889

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Assault (homicide) (X85-Y09,Y87.1)												
UNITED STATES -	696	455	283	233	210	172	129	68	23	8	1	30
WHITE-----MALE----	295	224	126	86	90	67	42	20	7	4	-	13
FEMALE--	137	85	62	64	63	71	47	37	11	3	1	12
ALL OTHER--MALE----	216	114	73	61	42	18	27	5	3	1	-	2
FEMALE--	48	32	22	22	15	16	13	6	2	-	-	3
BLACK---MALE----	193	97	63	58	37	16	23	3	3	1	-	1
FEMALE--	38	26	18	16	14	14	11	5	2	-	-	3
ALABAMA -----	26	11	10	9	6	6	3	3	-	-	-	-
WHITE-----MALE----	12	7	4	4	2	1	-	2	-	-	-	-
FEMALE--	2	3	1	2	1	2	1	1	-	-	-	-
ALL OTHER--MALE----	11	1	5	3	2	2	2	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	11	1	5	3	2	2	2	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	-	-	-	-	-	-
ALASKA -----	-	-	1	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	17	20	8	10	6	6	6	1	-	-	-	2
WHITE-----MALE----	9	11	3	2	3	2	1	-	-	-	-	-
FEMALE--	6	3	4	5	3	3	5	1	-	-	-	1
ALL OTHER--MALE----	2	2	1	1	-	-	-	-	-	-	-	1
FEMALE--	-	4	-	2	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	3	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	9	9	9	7	5	1	3	2	-	-	-	-
WHITE-----MALE----	6	6	5	3	4	1	-	-	-	-	-	-
FEMALE--	1	2	-	2	-	-	-	2	-	-	-	-
ALL OTHER--MALE----	1	1	4	2	1	-	3	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	3	2	1	-	3	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	76	54	30	28	23	19	13	9	2	-	-	8
WHITE-----MALE----	35	27	12	9	12	12	7	6	1	-	-	3
FEMALE--	18	7	6	9	6	5	3	2	-	-	-	4
ALL OTHER--MALE----	19	17	9	7	3	1	2	-	1	-	-	-
FEMALE--	4	3	3	3	2	1	1	1	-	-	-	1
BLACK---MALE----	14	11	7	5	1	1	-	-	1	-	-	-
FEMALE--	1	2	1	1	1	1	1	-	-	-	-	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3890

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) (X85-Y09,Y87.1)												
COLORADO -----	151	6	3	3	3	15	20	14	17	17	22	9
WHITE-----MALE----	84	5	-	1	1	6	14	7	8	12	14	3
FEMALE--	35	-	2	2	1	4	3	2	4	2	3	6
ALL OTHER--MALE----	23	1	-	-	1	4	3	4	3	1	4	-
FEMALE--	9	-	1	-	-	1	-	1	2	2	1	-
BLACK---MALE----	21	1	-	-	1	3	3	4	3	1	4	-
FEMALE--	6	-	1	-	-	1	-	-	1	1	1	-
CONNECTICUT -----	95	1	1	2	-	8	18	21	14	9	5	7
WHITE-----MALE----	29	1	1	-	-	2	6	5	1	2	2	5
FEMALE--	18	-	-	2	-	-	-	2	6	1	2	1
ALL OTHER--MALE----	42	-	-	-	-	6	10	13	6	5	1	1
FEMALE--	6	-	-	-	-	-	2	1	1	1	-	-
BLACK---MALE----	40	-	-	-	-	5	10	13	5	5	1	1
FEMALE--	6	-	-	-	-	-	2	1	1	1	-	-
DELAWARE -----	23	-	-	-	-	1	4	4	2	2	3	4
WHITE-----MALE----	3	-	-	-	-	-	1	-	1	-	-	1
FEMALE--	7	-	-	-	-	-	-	1	1	1	1	1
ALL OTHER--MALE----	9	-	-	-	-	1	3	2	-	1	-	1
FEMALE--	4	-	-	-	-	-	-	1	-	-	2	1
BLACK---MALE----	9	-	-	-	-	1	3	2	-	1	-	1
FEMALE--	4	-	-	-	-	-	-	1	-	-	2	1
DISTRICT OF COLUMBIA ---	184	2	2	1	1	32	50	30	15	12	18	7
WHITE-----MALE----	7	-	-	-	-	1	1	1	-	3	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	153	1	-	-	1	29	46	26	14	8	14	7
FEMALE--	23	1	2	1	-	2	3	3	1	1	3	-
BLACK---MALE----	150	1	-	-	1	29	46	26	13	8	13	6
FEMALE--	23	1	2	1	-	2	3	3	1	1	3	-
FLORIDA -----	937	18	20	2	10	78	126	112	79	122	97	99
WHITE-----MALE----	342	3	8	1	3	22	32	28	30	53	35	42
FEMALE--	163	4	3	-	5	4	15	12	12	23	21	20
ALL OTHER--MALE----	357	7	7	1	1	46	66	68	32	36	27	33
FEMALE--	75	4	2	-	1	6	13	4	5	10	14	4
BLACK---MALE----	356	7	7	1	1	46	66	67	32	36	27	33
FEMALE--	73	4	2	-	1	6	13	4	5	10	14	4
GEORGIA -----	659	14	14	7	13	63	106	85	75	83	65	44
WHITE-----MALE----	176	4	3	4	2	17	22	17	20	16	21	17
FEMALE--	71	2	4	1	2	5	4	8	5	9	6	5
ALL OTHER--MALE----	308	6	3	1	7	32	64	50	37	40	23	18
FEMALE--	104	2	4	1	2	9	16	10	13	18	15	4
BLACK---MALE----	298	6	3	1	6	30	63	50	37	39	21	17
FEMALE--	100	2	4	1	2	9	16	10	13	18	12	4

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3890

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Assault (homicide) (X85-Y09,Y87.1)												
COLORADO -----	8	3	1	4	3	1	2	-	-	-	-	-
WHITE-----MALE----	5	2	1	2	2	-	1	-	-	-	-	-
FEMALE--	1	1	-	1	1	1	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	3	-	3	-	1	1	-	1	-	-	-	-
WHITE-----MALE----	1	-	2	-	1	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
DELAWARE -----	1	-	2	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	3	-	2	2	-	2	3	-	-	-	-	2
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	2	-	-	-	1	-	-	-	-	1
FEMALE--	-	-	-	2	-	2	2	-	-	-	-	-
BLACK---MALE----	3	-	2	-	-	-	1	-	-	-	-	1
FEMALE--	-	-	-	2	-	2	2	-	-	-	-	-
FLORIDA -----	54	34	16	17	20	11	10	7	2	-	-	3
WHITE-----MALE----	24	19	9	9	9	7	3	3	-	-	-	2
FEMALE--	12	7	4	3	8	3	4	2	-	-	-	1
ALL OTHER--MALE----	15	5	3	3	2	-	3	1	1	-	-	-
FEMALE--	3	3	-	2	1	1	-	1	1	-	-	-
BLACK---MALE----	15	5	3	3	2	-	3	1	1	-	-	-
FEMALE--	2	3	-	1	1	1	-	1	1	-	-	-
GEORGIA -----	26	15	15	15	3	10	2	2	1	-	-	1
WHITE-----MALE----	8	5	6	6	2	4	-	-	1	-	-	1
FEMALE--	6	4	1	3	-	3	1	2	-	-	-	-
ALL OTHER--MALE----	11	5	3	6	1	1	-	-	-	-	-	-
FEMALE--	1	1	5	-	-	2	1	-	-	-	-	-
BLACK---MALE----	10	4	3	6	1	1	-	-	-	-	-	-
FEMALE--	-	1	5	-	-	2	1	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3891

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) (X85-Y09,Y87.1)												
HAWAII -----	35	2	1	1	-	1	2	2	3	7	5	7
WHITE-----MALE----	7	1	-	-	-	-	1	-	-	1	-	2
FEMALE--	6	-	1	-	-	-	-	-	-	2	1	1
ALL OTHER--MALE----	15	-	-	1	-	1	1	-	2	2	4	4
FEMALE--	7	1	-	-	-	-	-	2	1	2	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
IDAHO -----	24	-	-	-	1	-	2	3	4	5	5	2
WHITE-----MALE----	17	-	-	-	-	-	1	3	2	3	4	2
FEMALE--	5	-	-	-	1	-	1	-	1	1	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	991	24	11	2	15	160	231	132	103	100	65	59
WHITE-----MALE----	281	5	4	1	6	58	57	32	24	29	10	16
FEMALE--	77	2	2	-	2	6	11	6	11	10	7	5
ALL OTHER--MALE----	517	6	3	-	4	84	149	82	52	44	37	29
FEMALE--	116	11	2	1	3	12	14	12	16	17	11	9
BLACK---MALE-----	513	6	3	-	4	83	149	82	52	44	37	27
FEMALE--	113	11	2	1	3	11	14	12	15	16	11	9
INDIANA -----	367	13	13	7	12	50	64	51	33	39	25	16
WHITE-----MALE----	120	7	5	4	5	10	9	9	15	19	10	7
FEMALE--	57	3	6	3	4	5	8	6	2	5	3	4
ALL OTHER--MALE----	158	2	-	-	3	32	39	31	13	14	8	3
FEMALE--	32	1	2	-	-	3	8	5	3	1	4	2
BLACK---MALE-----	158	2	-	-	3	32	39	31	13	14	8	3
FEMALE--	32	1	2	-	-	3	8	5	3	1	4	2
IOWA -----	58	5	6	1	1	2	8	3	2	11	7	3
WHITE-----MALE----	32	3	5	1	-	-	3	3	2	6	3	2
FEMALE--	15	-	1	-	-	1	2	-	-	4	2	1
ALL OTHER--MALE----	5	-	-	-	-	1	2	-	-	1	1	-
FEMALE--	6	2	-	-	1	-	1	-	-	-	1	-
BLACK---MALE-----	4	-	-	-	-	1	1	-	-	1	1	-
FEMALE--	4	2	-	-	1	-	-	-	-	-	-	-
KANSAS -----	141	1	6	-	2	14	28	24	13	17	13	6
WHITE-----MALE----	57	-	-	-	1	5	9	12	9	6	8	3
FEMALE--	25	1	4	-	-	-	5	5	-	4	-	-
ALL OTHER--MALE----	48	-	1	-	-	7	13	6	3	6	5	2
FEMALE--	11	-	1	-	1	2	1	1	1	1	-	1
BLACK---MALE-----	45	-	1	-	-	6	13	6	3	6	5	2
FEMALE--	9	-	1	-	1	2	1	1	1	1	-	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3892

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) (X85-Y09,Y87.1)												
KENTUCKY -----	204	6	4	2	4	11	27	24	21	28	27	14
WHITE-----MALE----	86	5	-	-	2	2	9	9	8	10	14	9
FEMALE--	56	1	1	-	-	1	4	7	5	14	6	2
ALL OTHER--MALE----	45	-	-	-	1	6	11	6	7	4	5	2
FEMALE--	17	-	3	2	1	2	3	2	1	-	2	1
BLACK---MALE-----	44	-	-	-	1	6	11	6	7	4	5	1
FEMALE--	17	-	3	2	1	2	3	2	1	-	2	1
LOUISIANA -----	600	9	18	6	9	57	132	93	68	63	46	33
WHITE-----MALE----	93	3	1	-	-	5	12	8	9	11	9	7
FEMALE--	50	-	3	2	3	1	4	7	6	5	2	8
ALL OTHER--MALE----	378	2	7	1	4	43	107	68	45	32	29	17
FEMALE--	79	4	7	3	2	8	9	10	8	15	6	1
BLACK---MALE-----	372	2	7	1	4	42	106	67	45	32	27	17
FEMALE--	78	4	7	3	2	8	9	10	8	15	6	-
MAINE -----	18	-	1	-	-	2	2	3	-	4	-	3
WHITE-----MALE----	7	-	-	-	-	-	2	1	-	1	-	1
FEMALE--	9	-	1	-	-	2	-	2	-	3	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	503	10	5	1	7	65	117	76	52	52	32	25
WHITE-----MALE----	60	1	3	1	1	5	7	3	3	6	8	4
FEMALE--	35	1	-	-	1	2	3	1	3	6	1	3
ALL OTHER--MALE----	357	5	1	-	5	54	100	66	41	31	17	14
FEMALE--	51	3	1	-	-	4	7	6	5	9	6	4
BLACK---MALE-----	350	5	1	-	4	54	100	65	40	30	16	14
FEMALE--	50	3	1	-	-	4	7	6	5	9	6	4
MASSACHUSETTS -----	122	1	2	1	1	15	30	17	18	13	10	6
WHITE-----MALE----	46	1	1	1	-	5	12	7	4	5	4	2
FEMALE--	28	-	1	-	1	2	1	2	5	7	3	3
ALL OTHER--MALE----	40	-	-	-	-	8	15	7	8	1	-	1
FEMALE--	8	-	-	-	-	-	2	1	1	-	3	-
BLACK---MALE-----	35	-	-	-	-	6	14	7	7	1	-	-
FEMALE--	7	-	-	-	-	-	2	1	-	-	3	-
MICHIGAN -----	722	14	14	7	6	64	126	120	95	82	81	38
WHITE-----MALE----	132	5	4	2	2	11	14	17	14	10	24	6
FEMALE--	92	3	5	3	1	3	9	5	15	13	11	7
ALL OTHER--MALE----	412	2	2	1	2	43	92	89	53	43	37	18
FEMALE--	86	4	3	1	1	7	11	9	13	16	9	7
BLACK---MALE-----	406	2	2	1	2	43	91	89	53	42	36	18
FEMALE--	82	3	3	1	1	7	11	9	13	15	9	6

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3892

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Assault (homicide) (X85-Y09,Y87.1)												
KENTUCKY -----	11	4	3	8	5	4	1	-	-	-	-	-
WHITE-----MALE----	7	2	1	4	1	2	1	-	-	-	-	-
FEMALE--	3	2	2	3	4	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	23	18	8	7	5	1	2	2	-	-	-	-
WHITE-----MALE----	8	10	4	2	2	1	1	-	-	-	-	-
FEMALE--	1	3	2	-	-	-	1	2	-	-	-	-
ALL OTHER--MALE----	13	5	-	3	2	-	-	-	-	-	-	-
FEMALE--	1	-	2	2	1	-	-	-	-	-	-	-
BLACK---MALE----	13	4	-	3	2	-	-	-	-	-	-	-
FEMALE--	1	-	2	2	1	-	-	-	-	-	-	-
MAINE -----	1	2	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	20	12	9	7	3	7	3	-	-	-	-	-
WHITE-----MALE----	10	2	-	2	2	2	-	-	-	-	-	-
FEMALE--	1	1	4	1	1	4	2	-	-	-	-	-
ALL OTHER--MALE----	7	9	4	3	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	1	-	1	1	-	-	-	-	-
BLACK---MALE----	6	9	4	2	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	1	-	-	1	-	-	-	-	-
MASSACHUSETTS -----	2	3	1	1	1	-	-	-	-	-	-	-
WHITE-----MALE----	1	2	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	19	16	9	5	9	5	5	2	2	1	-	2
WHITE-----MALE----	3	5	4	1	3	2	2	1	1	1	-	-
FEMALE--	2	3	4	-	2	2	1	-	1	-	-	2
ALL OTHER--MALE----	12	7	1	3	3	1	2	1	-	-	-	-
FEMALE--	2	1	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	12	6	-	3	3	1	1	1	-	-	-	-
FEMALE--	2	-	-	1	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3893

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) (X85-Y09,Y87.1)												
MINNESOTA -----	139	3	3	2	2	12	25	17	13	18	14	7
WHITE-----MALE----	50	2	2	1	1	6	2	5	3	6	6	3
FEMALE--	38	-	1	1	-	1	4	5	5	6	2	3
ALL OTHER--MALE----	39	1	-	-	1	5	17	4	3	2	5	1
FEMALE--	12	-	-	-	-	-	2	3	2	4	1	-
BLACK---MALE----	32	-	-	-	1	3	17	3	3	2	2	1
FEMALE--	6	-	-	-	-	-	1	2	-	2	1	-
MISSISSIPPI -----	312	6	9	1	4	36	51	41	32	33	32	21
WHITE-----MALE----	55	-	2	-	-	3	9	4	6	5	4	8
FEMALE--	42	2	2	1	-	4	2	4	3	5	6	4
ALL OTHER--MALE----	165	2	3	-	2	24	37	27	17	15	14	6
FEMALE--	50	2	2	-	2	5	3	6	6	8	8	3
BLACK---MALE----	165	2	3	-	2	24	37	27	17	15	14	6
FEMALE--	50	2	2	-	2	5	3	6	6	8	8	3
MISSOURI -----	398	10	5	4	4	48	84	50	46	46	34	21
WHITE-----MALE----	107	6	-	1	4	9	17	6	12	14	11	10
FEMALE--	66	-	2	2	-	3	5	9	8	11	7	1
ALL OTHER--MALE----	185	3	-	-	-	29	52	33	21	19	12	7
FEMALE--	40	1	3	1	-	7	10	2	5	2	4	3
BLACK---MALE----	180	2	-	-	-	29	52	31	21	19	10	7
FEMALE--	39	1	3	1	-	7	10	2	4	2	4	3
MONTANA -----	35	1	1	2	-	3	9	2	4	2	4	2
WHITE-----MALE----	15	-	-	1	-	1	4	1	1	1	2	1
FEMALE--	11	1	1	1	-	2	-	1	2	-	2	-
ALL OTHER--MALE----	9	-	-	-	-	-	5	-	1	1	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	64	1	3	1	3	14	8	8	2	8	4	6
WHITE-----MALE----	26	1	2	-	2	6	2	2	-	3	2	3
FEMALE--	16	-	1	-	-	5	1	2	-	1	1	2
ALL OTHER--MALE----	17	-	-	1	-	3	4	4	1	2	1	1
FEMALE--	5	-	-	-	1	-	1	-	1	2	-	-
BLACK---MALE----	14	-	-	1	-	3	4	3	1	1	-	1
FEMALE--	4	-	-	-	1	-	1	-	1	1	-	-
NEVADA -----	134	1	1	-	1	21	18	18	19	14	8	10
WHITE-----MALE----	72	-	-	-	1	12	12	11	7	5	5	6
FEMALE--	14	-	1	-	-	2	-	1	1	2	1	2
ALL OTHER--MALE----	38	-	-	-	-	4	5	6	10	5	2	1
FEMALE--	10	1	-	-	-	3	1	-	1	2	-	1
BLACK---MALE----	31	-	-	-	-	4	5	5	7	5	2	-
FEMALE--	8	1	-	-	-	2	1	-	1	1	-	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3895

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) (X85-Y09,Y87.1)												
OHIO -----	465	7	18	7	14	39	66	56	40	41	47	36
WHITE-----MALE----	140	2	5	3	4	7	20	12	7	13	21	13
FEMALE--	109	1	4	3	5	7	11	9	7	11	9	9
ALL OTHER--MALE----	175	1	5	1	4	21	30	30	22	11	13	12
FEMALE--	41	3	4	-	1	4	5	5	4	6	4	2
BLACK---MALE----	171	1	5	1	4	21	29	28	22	11	13	12
FEMALE--	40	3	4	-	1	4	5	4	4	6	4	2
OKLAHOMA -----	200	5	5	1	2	14	25	29	21	24	23	10
WHITE-----MALE----	96	3	2	-	1	8	10	13	10	13	15	5
FEMALE--	42	1	1	1	1	3	4	2	4	6	2	3
ALL OTHER--MALE----	48	1	1	-	-	3	8	12	5	4	3	1
FEMALE--	14	-	1	-	-	-	3	2	2	1	3	1
BLACK---MALE----	31	1	-	-	-	3	5	7	1	4	2	1
FEMALE--	9	-	1	-	-	-	2	1	1	1	3	-
OREGON -----	91	2	6	2	-	3	10	15	6	13	10	13
WHITE-----MALE----	55	2	5	1	-	2	3	8	6	8	7	7
FEMALE--	17	-	-	1	-	1	3	1	-	2	2	2
ALL OTHER--MALE----	17	-	-	-	-	-	4	6	-	3	1	3
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	1
BLACK---MALE----	12	-	-	-	-	-	3	5	-	1	1	2
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	650	9	18	10	6	67	136	96	82	57	52	31
WHITE-----MALE----	155	1	3	3	2	10	29	17	21	12	16	10
FEMALE--	93	4	3	5	1	8	8	9	5	10	11	6
ALL OTHER--MALE----	340	4	8	1	1	46	93	63	44	27	21	11
FEMALE--	62	-	4	1	2	3	6	7	12	8	4	4
BLACK---MALE----	331	4	8	1	1	43	92	62	43	26	21	10
FEMALE--	60	-	4	1	2	3	6	7	11	7	4	4
RHODE ISLAND -----	39	1	-	1	-	8	7	8	5	4	3	1
WHITE-----MALE----	22	-	-	-	-	5	5	3	2	4	2	1
FEMALE--	6	1	-	-	-	1	1	1	1	-	1	-
ALL OTHER--MALE----	10	-	-	-	-	2	1	4	2	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	10	-	-	-	-	2	1	4	2	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	326	7	9	-	3	33	62	37	31	40	32	21
WHITE-----MALE----	92	3	2	-	-	6	12	8	6	11	13	11
FEMALE--	49	1	2	-	1	4	6	4	5	9	7	2
ALL OTHER--MALE----	157	2	3	-	1	21	40	20	19	17	9	7
FEMALE--	28	1	2	-	1	2	4	5	1	3	3	1
BLACK---MALE----	155	2	3	-	1	21	40	19	19	16	9	7
FEMALE--	27	1	2	-	1	2	4	5	1	3	3	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3895

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Assault (homicide) (X85-Y09,Y87.1)												
OHIO -----	29	12	9	11	11	13	4	2	2	1	-	-
WHITE-----MALE----	10	4	4	4	5	3	2	-	1	-	-	-
FEMALE--	8	3	2	4	3	9	-	2	1	1	-	-
ALL OTHER--MALE----	10	4	2	3	3	1	2	-	-	-	-	-
FEMALE--	1	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	9	4	2	3	3	1	2	-	-	-	-	-
FEMALE--	1	1	1	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	11	14	3	2	3	4	2	2	-	-	-	-
WHITE-----MALE----	3	10	1	1	1	-	-	-	-	-	-	-
FEMALE--	5	3	1	-	1	2	1	1	-	-	-	-
ALL OTHER--MALE----	3	1	-	1	1	2	1	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	-	1	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	4	2	1	-	-	4	-	-	-	-	-	-
WHITE-----MALE----	3	2	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	4	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	24	16	8	13	6	8	7	3	-	-	-	1
WHITE-----MALE----	7	8	3	4	2	3	3	1	-	-	-	-
FEMALE--	4	1	2	4	2	4	3	2	-	-	-	1
ALL OTHER--MALE----	9	6	1	3	1	-	1	-	-	-	-	-
FEMALE--	4	1	2	2	1	1	-	-	-	-	-	-
BLACK---MALE----	9	6	-	3	1	-	1	-	-	-	-	-
FEMALE--	4	1	2	2	1	1	-	-	-	-	-	-
RHODE ISLAND -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	19	13	7	3	5	1	1	1	-	-	-	1
WHITE-----MALE----	6	6	4	2	1	-	-	-	-	-	-	1
FEMALE--	1	2	1	1	1	-	1	1	-	-	-	-
ALL OTHER--MALE----	10	4	2	-	2	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	10	4	2	-	2	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	1	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3896

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) (X85-Y09,Y87.1)												
SOUTH DAKOTA -----	14	2	1	1	-	2	-	-	2	4	1	1
WHITE-----MALE----	6	1	1	1	-	1	-	-	1	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	1	-	-	1	2	1	1
FEMALE--	2	1	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	471	9	5	6	7	49	81	71	49	53	41	35
WHITE-----MALE----	146	2	1	1	1	11	13	24	12	19	21	11
FEMALE--	61	2	-	1	1	3	6	8	5	7	6	5
ALL OTHER--MALE----	211	4	1	2	4	29	59	33	20	21	9	15
FEMALE--	53	1	3	2	1	6	3	6	12	6	5	4
BLACK---MALE----	208	4	1	2	4	29	59	33	20	21	9	14
FEMALE--	51	1	3	2	1	6	2	5	12	6	5	4
TEXAS -----	1,317	25	40	10	18	136	222	203	148	117	126	101
WHITE-----MALE----	694	8	16	5	10	73	121	119	76	64	70	50
FEMALE--	229	8	11	1	6	23	28	28	20	22	18	20
ALL OTHER--MALE----	308	5	7	1	1	32	60	48	44	19	32	23
FEMALE--	86	4	6	3	1	8	13	8	8	12	6	8
BLACK---MALE----	287	5	7	1	1	29	57	45	41	19	32	20
FEMALE--	74	4	6	3	1	7	12	7	7	9	6	7
UTAH -----	52	5	5	1	2	5	4	5	7	3	4	2
WHITE-----MALE----	31	4	2	-	2	4	4	2	5	1	3	-
FEMALE--	13	1	-	-	-	1	-	2	1	1	1	2
ALL OTHER--MALE----	4	-	1	1	-	-	-	1	-	-	-	-
FEMALE--	4	-	2	-	-	-	-	-	1	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
VERMONT -----	11	-	-	-	-	1	3	-	-	1	4	1
WHITE-----MALE----	5	-	-	-	-	-	2	-	-	-	3	-
FEMALE--	5	-	-	-	-	1	1	-	-	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	435	10	8	4	11	34	66	56	48	56	35	36
WHITE-----MALE----	117	1	1	2	4	6	13	10	11	20	14	10
FEMALE--	77	3	1	2	1	2	6	5	9	13	5	7
ALL OTHER--MALE----	189	2	4	-	4	21	41	33	20	21	10	14
FEMALE--	52	4	2	-	2	5	6	8	8	2	6	5
BLACK---MALE----	180	2	4	-	4	21	40	31	18	20	8	13
FEMALE--	50	3	2	-	2	5	6	8	8	2	6	5

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3896

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Assault (homicide) (X85-Y09,Y87.1)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	21	11	15	5	4	3	2	3	1	-	-	-
WHITE-----MALE----	10	4	8	1	2	1	2	1	1	-	-	-
FEMALE--	4	5	2	1	2	1	-	2	-	-	-	-
ALL OTHER--MALE----	6	1	4	2	-	1	-	-	-	-	-	-
FEMALE--	1	1	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	5	1	3	2	-	1	-	-	-	-	-	-
FEMALE--	1	1	1	1	-	-	-	-	-	-	-	-
TEXAS -----	52	33	27	12	19	13	11	2	-	1	-	1
WHITE-----MALE----	30	20	12	5	8	6	-	-	-	-	-	1
FEMALE--	6	5	6	5	7	6	7	2	-	-	-	-
ALL OTHER--MALE----	13	6	7	1	3	1	4	-	-	1	-	-
FEMALE--	3	2	2	1	1	-	-	-	-	-	-	-
BLACK---MALE----	10	4	6	1	3	1	4	-	-	1	-	-
FEMALE--	1	2	1	-	1	-	-	-	-	-	-	-
UTAH -----	3	-	-	1	-	2	1	1	1	-	-	-
WHITE-----MALE----	1	-	-	-	-	1	1	-	1	-	-	-
FEMALE--	1	-	-	1	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	15	12	12	11	6	7	6	1	1	-	-	-
WHITE-----MALE----	5	4	5	3	2	2	4	-	-	-	-	-
FEMALE--	4	4	3	3	1	4	2	1	1	-	-	-
ALL OTHER--MALE----	6	2	4	5	2	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	6	2	4	5	2	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3899

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) by drugs, biological substances and other and unspecified noxious substances (X85-X90)												
COLORADO -----	3	2	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	3	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	1	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3907

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) by hanging, strangulation and suffocation (X91)												
UNITED STATES -	658	26	26	13	19	41	78	64	72	69	68	50
WHITE-----MALE----	163	11	10	5	5	7	9	9	19	15	18	14
FEMALE--	268	8	12	6	9	18	39	31	21	29	18	23
ALL OTHER--MALE----	61	4	-	1	2	1	9	3	10	4	11	5
FEMALE--	166	3	4	1	3	15	21	21	22	21	21	8
BLACK---MALE-----	49	3	-	1	2	1	7	3	7	4	10	2
FEMALE--	155	3	4	1	3	14	20	20	21	19	20	7
ALABAMA -----	16	-	2	-	1	2	-	-	-	2	3	-
WHITE-----MALE----	5	-	1	-	-	1	-	-	-	1	-	-
FEMALE--	5	-	1	-	1	-	-	-	-	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	1	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	2	-
BLACK---MALE-----	2	-	-	-	-	1	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	2	-
ALASKA -----	2	-	1	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	12	-	-	-	-	-	1	-	2	-	1	-
WHITE-----MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	6	-	-	1	-	2	-	1	2	-	-	-
WHITE-----MALE----	3	-	-	1	-	-	-	1	1	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
CALIFORNIA -----	64	1	2	-	3	3	6	8	6	6	7	6
WHITE-----MALE----	21	-	1	-	-	1	3	1	2	2	2	4
FEMALE--	27	1	1	-	3	1	2	2	2	3	4	-
ALL OTHER--MALE----	4	-	-	-	-	-	1	-	-	-	1	1
FEMALE--	12	-	-	-	-	1	-	5	2	1	-	1
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	4	2	1	-	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3908

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) by hanging, strangulation and suffocation (X91)												
COLORADO -----	6	1	-	-	1	-	2	1	-	-	-	1
WHITE-----MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	2	1	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	4	-	-	-	-	-	-	1	-	1	-	2
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	1	-	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	4	-	-	-	-	-	-	2	-	-	-	1
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
DISTRICT OF COLUMBIA ---	7	1	-	-	-	-	-	-	1	-	2	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	1	-	-	-	-	-	-	1	-	2	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	1	-	-	-	-	-	-	-	-	2	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	39	1	-	-	2	3	3	6	4	3	4	4
WHITE-----MALE----	11	-	-	-	2	-	-	1	-	2	1	1
FEMALE--	19	-	-	-	-	2	1	4	3	1	1	3
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	7	1	-	-	-	1	2	1	-	-	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	7	1	-	-	-	1	2	1	-	-	1	-
GEORGIA -----	28	-	1	-	1	1	6	2	1	6	3	1
WHITE-----MALE----	3	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	7	-	1	-	-	-	1	1	-	1	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	15	-	-	-	1	1	5	-	1	4	2	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	15	-	-	-	1	1	5	-	1	4	2	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3908

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Assault (homicide) by hanging, strangulation and suffocation (X91)												
COLORADO -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	1	-	-	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	2	-	-	-	-	-
FLORIDA -----	2	3	-	1	2	1	-	-	-	-	-	-
WHITE-----MALE----	1	2	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
GEORGIA -----	2	1	1	-	-	1	1	-	-	-	-	-
WHITE-----MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3910

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) by hanging, strangulation and suffocation (X91)												
KENTUCKY -----	15	1	2	1	-	-	2	2	2	1	2	1
WHITE-----MALE----	2	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	8	-	-	-	-	-	1	2	1	1	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	2	1	-	-	1	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	2	1	-	-	1	-	1	-	-	-
LOUISIANA -----	21	1	2	1	-	1	3	3	1	4	2	-
WHITE-----MALE----	2	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	9	-	2	1	-	-	2	1	-	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	8	1	-	-	-	1	-	1	-	2	2	-
BLACK---MALE-----	2	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	8	1	-	-	-	1	-	1	-	2	2	-
MAINE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	18	2	-	1	-	1	2	2	1	2	4	1
WHITE-----MALE----	6	1	-	1	-	-	-	-	1	-	2	1
FEMALE--	4	1	-	-	-	-	1	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	7	-	-	-	-	1	1	2	-	1	1	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	6	-	-	-	-	1	1	2	-	1	1	-
MASSACHUSETTS -----	6	-	-	-	-	1	-	-	3	2	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	5	-	-	-	-	1	-	-	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	30	1	3	2	-	1	3	2	6	3	6	1
WHITE-----MALE----	5	-	1	1	-	-	-	-	-	-	2	-
FEMALE--	14	1	2	1	-	-	3	1	4	1	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	8	-	-	-	-	1	-	-	2	2	3	-
BLACK---MALE-----	3	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	8	-	-	-	-	1	-	-	2	2	3	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3911

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) by hanging, strangulation and suffocation (X91)												
MINNESOTA -----	7	-	-	-	-	-	1	2	2	1	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	6	-	-	-	-	-	1	2	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	8	-	1	-	-	1	2	1	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	1	-	-	1	1	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI -----	10	-	-	-	-	1	1	1	3	1	2	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	5	-	-	-	-	-	-	1	-	1	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	1	1	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	1	1	-	-	-	-	-
MONTANA -----	2	1	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	3	-	-	-	-	1	-	-	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
NEVADA -----	4	-	-	-	-	1	-	-	1	1	-	-
WHITE-----MALE----	3	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3913

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) by hanging, strangulation and suffocation (X91)												
OHIO -----	26	-	-	-	1	2	4	2	1	3	5	2
WHITE-----MALE----	4	-	-	-	-	1	1	1	-	-	-	-
FEMALE--	15	-	-	-	1	-	3	-	-	2	3	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	5	-	-	-	-	1	-	1	-	1	1	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	5	-	-	-	-	1	-	1	-	1	1	-
OKLAHOMA -----	10	1	1	1	-	1	2	-	1	1	1	-
WHITE-----MALE----	7	1	1	-	-	-	1	-	1	1	1	-
FEMALE--	2	-	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
OREGON -----	5	-	1	-	-	-	-	-	1	-	1	1
WHITE-----MALE----	2	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	29	2	2	4	1	2	3	3	1	3	4	1
WHITE-----MALE----	7	-	1	1	1	-	-	-	-	1	2	-
FEMALE--	12	1	1	3	-	2	1	1	-	1	1	-
ALL OTHER--MALE----	5	1	-	-	-	-	2	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	2	1	1	-	1
BLACK---MALE-----	5	1	-	-	-	-	2	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	2	1	1	-	1
RHODE ISLAND -----	1	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	10	-	-	-	-	-	3	-	1	-	3	-
WHITE-----MALE----	4	-	-	-	-	-	1	-	-	-	2	-
FEMALE--	3	-	-	-	-	-	1	-	1	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3914

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) by hanging, strangulation and suffocation (X91)												
SOUTH DAKOTA -----	1	-	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	17	-	-	-	2	2	2	3	2	2	-	-
WHITE-----MALE----	4	-	-	-	1	-	-	-	-	1	-	-
FEMALE--	7	-	-	-	-	1	1	2	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	1	1	1	2	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	1	-	1	2	-	-	-
TEXAS -----	45	1	3	-	3	3	9	3	4	2	6	5
WHITE-----MALE----	10	1	2	-	-	-	-	-	1	1	2	1
FEMALE--	17	-	1	-	3	1	5	2	1	-	-	2
ALL OTHER--MALE----	5	-	-	-	-	-	1	1	1	-	1	-
FEMALE--	13	-	-	-	-	2	3	-	1	1	3	2
BLACK---MALE----	4	-	-	-	-	-	1	1	1	-	1	-
FEMALE--	13	-	-	-	-	2	3	-	1	1	3	2
UTAH -----	5	1	1	-	-	-	-	-	-	1	-	2
WHITE-----MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	19	1	-	-	-	1	3	1	-	1	1	5
WHITE-----MALE----	8	-	-	-	-	1	-	-	-	1	1	2
FEMALE--	10	1	-	-	-	-	2	1	-	-	-	3
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3916

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) by discharge of firearms (X93-X95)												
UNITED STATES -	10,801	12	28	50	137	1,549	2,414	1,789	1,285	1,064	842	582
WHITE-----MALE----	3,686	2	9	22	59	531	693	528	427	384	340	246
FEMALE--	1,120	3	8	17	16	86	124	117	120	141	120	92
ALL OTHER--MALE----	5,320	7	8	6	51	850	1,474	1,046	649	458	305	199
FEMALE--	675	-	3	5	11	82	123	98	89	81	77	45
BLACK---MALE----	5,084	7	5	6	47	812	1,431	1,009	628	439	284	183
FEMALE--	615	-	3	5	11	76	115	88	87	70	70	40
ALABAMA -----	294	-	-	1	2	28	67	48	31	36	23	21
WHITE-----MALE----	69	-	-	-	-	4	6	7	10	9	10	6
FEMALE--	22	-	-	-	-	1	3	3	2	1	3	2
ALL OTHER--MALE----	171	-	-	-	2	20	50	33	15	21	8	10
FEMALE--	32	-	-	1	-	3	8	5	4	5	2	3
BLACK---MALE----	171	-	-	-	2	20	50	33	15	21	8	10
FEMALE--	32	-	-	1	-	3	8	5	4	5	2	3
ALASKA -----	16	-	-	-	-	2	3	2	4	2	2	1
WHITE-----MALE----	10	-	-	-	-	1	1	1	3	1	2	1
FEMALE--	2	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	3	-	-	-	-	1	2	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ARIZONA -----	274	-	-	4	1	41	47	40	41	24	23	14
WHITE-----MALE----	178	-	-	3	1	23	38	30	27	16	13	8
FEMALE--	41	-	-	1	-	6	5	1	6	4	1	5
ALL OTHER--MALE----	42	-	-	-	-	11	4	8	8	2	6	-
FEMALE--	13	-	-	-	-	1	-	1	-	2	3	1
BLACK---MALE----	27	-	-	-	-	7	3	5	7	2	2	-
FEMALE--	6	-	-	-	-	1	-	-	-	-	2	-
ARKANSAS -----	140	1	-	1	2	17	26	22	17	8	10	5
WHITE-----MALE----	52	1	-	-	2	2	4	4	7	6	3	2
FEMALE--	14	-	-	-	-	1	3	4	-	-	1	-
ALL OTHER--MALE----	62	-	-	1	-	13	17	13	7	2	3	2
FEMALE--	12	-	-	-	-	1	2	1	3	-	3	1
BLACK---MALE----	61	-	-	1	-	13	17	13	7	2	3	2
FEMALE--	11	-	-	-	-	1	2	1	3	-	2	1
CALIFORNIA -----	1,483	1	7	5	20	286	353	246	168	108	104	71
WHITE-----MALE----	766	-	2	1	11	169	200	131	76	46	49	31
FEMALE--	133	1	2	3	4	13	13	19	16	13	15	8
ALL OTHER--MALE----	526	-	2	-	5	94	128	89	71	43	36	27
FEMALE--	58	-	1	1	-	10	12	7	5	6	4	5
BLACK---MALE----	466	-	1	-	3	84	115	82	65	38	33	24
FEMALE--	42	-	1	1	-	9	8	5	5	4	3	3

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3917

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) by discharge of firearms (X93-X95)												
COLORADO -----	84	-	1	2	2	12	11	12	11	9	12	4
WHITE-----MALE----	48	-	-	1	1	5	9	7	6	7	7	1
FEMALE--	14	-	1	1	1	2	-	-	3	-	1	3
ALL OTHER--MALE----	18	-	-	-	-	4	2	4	2	1	3	-
FEMALE--	4	-	-	-	-	1	-	1	-	1	1	-
BLACK---MALE-----	16	-	-	-	-	3	2	4	2	1	3	-
FEMALE--	2	-	-	-	-	1	-	-	-	-	1	-
CONNECTICUT -----	61	-	-	-	-	8	16	16	6	6	1	4
WHITE-----MALE----	16	-	-	-	-	2	4	4	-	1	1	4
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	36	-	-	-	-	6	10	11	5	4	-	-
FEMALE--	5	-	-	-	-	-	2	1	-	1	-	-
BLACK---MALE-----	34	-	-	-	-	5	10	11	4	4	-	-
FEMALE--	5	-	-	-	-	-	2	1	-	1	-	-
DELAWARE -----	9	-	-	-	-	1	3	2	-	-	-	3
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	1	3	2	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	7	-	-	-	-	1	3	2	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
DISTRICT OF COLUMBIA ---	138	-	-	-	1	27	47	25	10	10	8	3
WHITE-----MALE----	6	-	-	-	-	1	1	1	-	2	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	120	-	-	-	1	25	43	21	9	8	6	3
FEMALE--	11	-	-	-	-	1	3	3	1	-	1	-
BLACK---MALE-----	119	-	-	-	1	25	43	21	9	8	6	2
FEMALE--	11	-	-	-	-	1	3	3	1	-	1	-
FLORIDA -----	467	1	2	1	1	53	75	73	46	58	45	41
WHITE-----MALE----	155	-	-	-	-	15	18	18	18	27	14	14
FEMALE--	69	-	-	-	-	1	7	2	5	8	12	9
ALL OTHER--MALE----	219	1	1	1	1	34	45	52	21	19	13	18
FEMALE--	24	-	1	-	-	3	5	1	2	4	6	-
BLACK---MALE-----	218	1	1	1	1	34	45	51	21	19	13	18
FEMALE--	24	-	1	-	-	3	5	1	2	4	6	-
GEORGIA -----	442	1	-	1	10	55	81	69	58	50	43	28
WHITE-----MALE----	121	-	-	1	2	15	18	12	17	11	12	12
FEMALE--	35	-	-	-	1	4	2	5	2	6	2	3
ALL OTHER--MALE----	239	1	-	-	6	30	55	47	31	26	19	10
FEMALE--	47	-	-	-	1	6	6	5	8	7	10	3
BLACK---MALE-----	231	1	-	-	5	28	54	47	31	26	17	9
FEMALE--	44	-	-	-	1	6	6	5	8	7	8	3

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3918

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) by discharge of firearms (X93-X95)												
HAWAII -----	9	-	-	-	-	1	1	1	1	1	2	2
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	1	1	-	-	1	2	-
FEMALE--	2	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	14	-	-	-	-	-	2	2	3	3	1	1
WHITE-----MALE----	11	-	-	-	-	-	1	2	2	2	1	1
FEMALE--	2	-	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	674	-	1	-	11	145	201	102	66	61	28	26
WHITE-----MALE----	197	-	1	-	5	53	49	25	15	21	4	9
FEMALE--	25	-	-	-	-	3	4	2	5	2	2	1
ALL OTHER--MALE----	416	-	-	-	4	80	139	71	44	34	20	14
FEMALE--	36	-	-	-	2	9	9	4	2	4	2	2
BLACK---MALE-----	413	-	-	-	4	79	139	71	44	34	20	13
FEMALE--	35	-	-	-	2	8	9	4	2	4	2	2
INDIANA -----	218	1	-	2	4	36	53	37	25	23	10	9
WHITE-----MALE----	61	-	-	1	1	7	7	6	11	10	6	3
FEMALE--	21	-	-	1	-	-	6	3	2	4	-	2
ALL OTHER--MALE----	123	1	-	-	3	27	35	26	11	8	3	3
FEMALE--	13	-	-	-	-	2	5	2	1	1	1	1
BLACK---MALE-----	123	1	-	-	3	27	35	26	11	8	3	3
FEMALE--	13	-	-	-	-	2	5	2	1	1	1	1
IOWA -----	25	-	-	-	-	1	4	3	1	7	4	-
WHITE-----MALE----	12	-	-	-	-	-	2	3	1	3	2	-
FEMALE--	9	-	-	-	-	-	1	-	-	3	1	-
ALL OTHER--MALE----	4	-	-	-	-	1	1	-	-	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	3	-	-	-	-	1	-	-	-	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	101	-	1	-	1	14	22	17	10	12	12	3
WHITE-----MALE----	42	-	-	-	1	5	7	10	6	5	7	1
FEMALE--	8	-	1	-	-	-	2	1	-	1	-	-
ALL OTHER--MALE----	44	-	-	-	-	7	12	5	3	6	5	2
FEMALE--	7	-	-	-	-	2	1	1	1	-	-	-
BLACK---MALE-----	41	-	-	-	-	6	12	5	3	6	5	2
FEMALE--	5	-	-	-	-	2	1	1	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3919

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) by discharge of firearms (X93-X95)												
KENTUCKY -----	133	-	-	-	3	8	23	18	12	22	16	7
WHITE-----MALE----	58	-	-	-	1	1	7	7	5	10	8	7
FEMALE--	27	-	-	-	-	-	3	4	-	8	2	-
ALL OTHER--MALE----	41	-	-	-	1	6	11	5	7	4	5	-
FEMALE--	7	-	-	-	1	1	2	2	-	-	1	-
BLACK---MALE----	41	-	-	-	1	6	11	5	7	4	5	-
FEMALE--	7	-	-	-	1	1	2	2	-	-	1	-
LOUISIANA -----	427	1	3	3	7	49	107	79	57	42	29	18
WHITE-----MALE----	51	-	-	-	-	5	7	6	6	8	4	3
FEMALE--	25	-	1	1	3	-	1	4	5	1	2	3
ALL OTHER--MALE----	313	1	1	1	3	39	90	62	40	29	22	11
FEMALE--	38	-	1	1	1	5	9	7	6	4	1	1
BLACK---MALE----	308	1	1	1	3	38	90	61	40	29	20	11
FEMALE--	37	-	1	1	1	5	9	7	6	4	1	-
MAINE -----	11	-	-	-	-	1	1	3	-	3	-	1
WHITE-----MALE----	5	-	-	-	-	-	1	1	-	1	-	-
FEMALE--	5	-	-	-	-	1	-	2	-	2	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	353	-	-	-	5	54	104	59	41	31	19	14
WHITE-----MALE----	26	-	-	-	1	2	4	1	1	3	3	3
FEMALE--	18	-	-	-	-	2	1	-	2	2	1	2
ALL OTHER--MALE----	286	-	-	-	4	49	95	56	33	23	12	6
FEMALE--	23	-	-	-	-	1	4	2	5	3	3	3
BLACK---MALE----	280	-	-	-	3	49	95	55	32	22	11	6
FEMALE--	23	-	-	-	-	1	4	2	5	3	3	3
MASSACHUSETTS -----	67	-	1	1	-	7	23	13	8	6	3	3
WHITE-----MALE----	25	-	-	1	-	1	10	5	2	4	-	1
FEMALE--	9	-	1	-	-	-	1	1	1	1	1	2
ALL OTHER--MALE----	29	-	-	-	-	6	10	7	5	1	-	-
FEMALE--	4	-	-	-	-	-	2	-	-	-	2	-
BLACK---MALE----	28	-	-	-	-	5	10	7	5	1	-	-
FEMALE--	4	-	-	-	-	-	2	-	-	-	2	-
MICHIGAN -----	504	-	1	3	4	58	112	98	75	52	46	20
WHITE-----MALE----	75	-	1	1	1	7	12	10	11	7	13	5
FEMALE--	43	-	-	2	1	2	3	3	7	6	8	3
ALL OTHER--MALE----	338	-	-	-	2	43	88	78	47	31	24	7
FEMALE--	48	-	-	-	-	6	9	7	10	8	1	5
BLACK---MALE----	333	-	-	-	2	43	87	78	47	30	23	7
FEMALE--	48	-	-	-	-	6	9	7	10	8	1	5

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3919

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Assault (homicide) by discharge of firearms (X93-X95)												
KENTUCKY -----	8	2	3	5	4	2	-	-	-	-	-	-
WHITE-----MALE----	4	2	1	3	1	1	-	-	-	-	-	-
FEMALE--	3	-	2	1	3	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	12	11	3	2	3	-	1	-	-	-	-	-
WHITE-----MALE----	2	6	2	1	1	-	-	-	-	-	-	-
FEMALE--	1	2	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	8	3	-	1	2	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	2	-	1	2	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
MAINE -----	-	2	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	10	3	7	2	2	1	1	-	-	-	-	-
WHITE-----MALE----	5	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	1	1	4	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	4	2	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	3	2	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	1	-	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	11	10	5	1	4	2	-	2	-	-	-	-
WHITE-----MALE----	1	1	2	-	-	2	-	1	-	-	-	-
FEMALE--	1	3	2	-	2	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	6	1	1	1	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	8	5	-	1	1	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3920

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) by discharge of firearms (X93-X95)												
MINNESOTA -----	77	1	-	1	1	8	21	10	6	10	7	3
WHITE-----MALE----	24	1	-	1	-	4	1	4	1	4	3	-
FEMALE--	19	-	-	-	-	-	3	1	3	4	2	2
ALL OTHER--MALE----	29	-	-	-	1	4	16	3	2	1	1	1
FEMALE--	5	-	-	-	-	-	1	2	-	1	1	-
BLACK---MALE-----	27	-	-	-	1	2	16	3	2	1	1	1
FEMALE--	2	-	-	-	-	-	-	1	-	-	1	-
MISSISSIPPI -----	214	-	-	-	3	28	36	35	24	23	25	17
WHITE-----MALE----	40	-	-	-	-	2	5	3	5	5	4	8
FEMALE--	18	-	-	-	-	2	1	-	3	3	5	2
ALL OTHER--MALE----	125	-	-	-	2	21	28	27	13	9	10	4
FEMALE--	31	-	-	-	1	3	2	5	3	6	6	3
BLACK---MALE-----	125	-	-	-	2	21	28	27	13	9	10	4
FEMALE--	31	-	-	-	1	3	2	5	3	6	6	3
MISSOURI -----	273	-	-	3	4	40	66	44	34	32	19	10
WHITE-----MALE----	62	-	-	1	4	5	11	3	8	11	5	5
FEMALE--	33	-	-	2	-	2	4	6	5	4	4	-
ALL OTHER--MALE----	157	-	-	-	-	29	46	33	18	15	7	5
FEMALE--	21	-	-	-	-	4	5	2	3	2	3	-
BLACK---MALE-----	154	-	-	-	-	29	46	31	18	15	6	5
FEMALE--	21	-	-	-	-	4	5	2	3	2	3	-
MONTANA -----	17	-	-	2	-	1	5	-	2	-	4	1
WHITE-----MALE----	10	-	-	1	-	1	3	-	1	-	2	1
FEMALE--	5	-	-	1	-	-	-	-	1	-	2	-
ALL OTHER--MALE----	2	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	41	-	2	-	2	8	7	6	1	4	1	4
WHITE-----MALE----	16	-	2	-	2	3	1	1	-	2	-	2
FEMALE--	12	-	-	-	-	3	1	2	-	-	1	2
ALL OTHER--MALE----	12	-	-	-	-	2	4	3	1	2	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	11	-	-	-	-	2	4	3	1	1	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
NEVADA -----	89	-	-	-	1	18	15	14	10	7	3	7
WHITE-----MALE----	48	-	-	-	1	11	10	7	4	1	2	4
FEMALE--	7	-	-	-	-	1	-	1	1	1	-	2
ALL OTHER--MALE----	30	-	-	-	-	4	4	6	5	5	1	1
FEMALE--	4	-	-	-	-	2	1	-	-	-	-	-
BLACK---MALE-----	26	-	-	-	-	4	4	5	4	5	1	-
FEMALE--	3	-	-	-	-	1	1	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3922

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) by discharge of firearms (X93-X95)												
OHIO -----	253	-	-	5	7	28	44	42	29	22	22	23
WHITE-----MALE----	71	-	-	2	3	5	10	8	5	8	10	9
FEMALE--	35	-	-	2	1	4	4	3	4	3	4	3
ALL OTHER--MALE----	129	-	-	1	3	18	25	28	18	8	6	10
FEMALE--	18	-	-	-	-	1	5	3	2	3	2	1
BLACK---MALE----	126	-	-	1	3	18	25	26	18	8	6	10
FEMALE--	18	-	-	-	-	1	5	3	2	3	2	1
OKLAHOMA -----	115	-	-	-	2	8	20	18	14	13	14	7
WHITE-----MALE----	57	-	-	-	1	4	9	8	4	8	10	4
FEMALE--	24	-	-	-	1	1	4	-	4	3	1	3
ALL OTHER--MALE----	28	-	-	-	-	3	5	9	5	2	1	-
FEMALE--	6	-	-	-	-	-	2	1	1	-	2	-
BLACK---MALE----	20	-	-	-	-	3	4	6	1	2	1	-
FEMALE--	4	-	-	-	-	-	1	-	1	-	2	-
OREGON -----	62	-	-	1	-	2	10	13	3	12	6	6
WHITE-----MALE----	33	-	-	1	-	1	3	7	3	7	4	2
FEMALE--	14	-	-	-	-	1	3	1	-	2	1	2
ALL OTHER--MALE----	15	-	-	-	-	-	4	5	-	3	1	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	11	-	-	-	-	-	3	4	-	1	1	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	439	1	4	4	4	56	107	81	60	37	30	16
WHITE-----MALE----	84	-	1	2	1	8	18	11	14	7	5	6
FEMALE--	46	-	2	1	1	2	3	6	2	5	8	3
ALL OTHER--MALE----	283	1	1	-	1	44	83	61	38	23	14	7
FEMALE--	26	-	-	1	1	2	3	3	6	2	3	-
BLACK---MALE----	274	1	1	-	1	41	82	60	37	22	14	6
FEMALE--	25	-	-	1	1	2	3	3	6	1	3	-
RHODE ISLAND -----	27	-	-	-	-	8	6	5	3	2	1	1
WHITE-----MALE----	15	-	-	-	-	5	4	1	1	2	1	1
FEMALE--	2	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	10	-	-	-	-	2	1	4	2	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	10	-	-	-	-	2	1	4	2	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	169	1	1	-	1	20	36	21	20	25	12	9
WHITE-----MALE----	45	-	-	-	-	3	6	5	4	7	6	5
FEMALE--	21	1	-	-	-	-	1	3	2	6	1	1
ALL OTHER--MALE----	98	-	1	-	1	17	28	12	14	11	4	3
FEMALE--	5	-	-	-	-	-	1	1	-	1	1	-
BLACK---MALE----	97	-	1	-	1	17	28	12	14	10	4	3
FEMALE--	5	-	-	-	-	-	1	1	-	1	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3922

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Assault (homicide) by discharge of firearms (X93-X95)												
OHIO -----	12	6	4	1	5	2	-	-	1	-	-	-
WHITE-----MALE----	3	1	1	1	3	1	-	-	1	-	-	-
FEMALE--	3	1	2	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	6	4	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	4	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	6	9	1	1	1	1	-	-	-	-	-	-
WHITE-----MALE----	2	6	-	1	-	-	-	-	-	-	-	-
FEMALE--	4	2	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	3	2	1	-	-	3	-	-	-	-	-	-
WHITE-----MALE----	2	2	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	3	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	14	7	3	8	2	3	-	1	-	-	-	1
WHITE-----MALE----	5	3	1	1	1	-	-	-	-	-	-	-
FEMALE--	1	1	1	4	1	3	-	1	-	-	-	1
ALL OTHER--MALE----	6	2	1	1	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	2	-	-	-	-	-	-	-	-
BLACK---MALE----	6	2	-	1	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	2	-	-	-	-	-	-	-	-
RHODE ISLAND -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	9	5	3	2	4	-	-	-	-	-	-	-
WHITE-----MALE----	3	2	2	1	1	-	-	-	-	-	-	-
FEMALE--	1	2	1	1	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	5	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3923

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) by discharge of firearms (X93-X95)												
SOUTH DAKOTA -----	1	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	343	2	-	2	2	42	72	61	34	36	33	26
WHITE-----MALE----	108	-	-	-	-	10	12	20	9	14	18	10
FEMALE--	33	-	-	-	-	2	4	4	3	4	5	2
ALL OTHER--MALE----	179	2	-	1	2	28	55	33	17	15	6	12
FEMALE--	23	-	-	1	-	2	1	4	5	3	4	2
BLACK---MALE----	176	2	-	1	2	28	55	33	17	15	6	11
FEMALE--	22	-	-	1	-	2	1	3	5	3	4	2
TEXAS -----	804	-	1	1	11	104	157	147	96	74	77	58
WHITE-----MALE----	445	-	1	1	9	58	87	83	57	40	43	32
FEMALE--	111	-	-	-	-	14	13	18	7	14	11	10
ALL OTHER--MALE----	210	-	-	-	1	27	51	40	26	15	22	12
FEMALE--	38	-	-	-	1	5	6	6	6	5	1	4
BLACK---MALE----	197	-	-	-	1	26	48	37	25	15	22	10
FEMALE--	31	-	-	-	1	4	5	5	6	3	1	3
UTAH -----	16	-	-	-	-	2	3	3	2	1	3	-
WHITE-----MALE----	12	-	-	-	-	1	3	2	2	1	2	-
FEMALE--	3	-	-	-	-	1	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	4	-	-	-	-	-	1	-	-	-	3	-
WHITE-----MALE----	3	-	-	-	-	-	1	-	-	-	2	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	284	-	-	3	11	27	50	48	33	40	26	19
WHITE-----MALE----	72	-	-	1	4	5	5	9	6	14	11	7
FEMALE--	40	-	-	2	1	2	3	2	6	9	4	3
ALL OTHER--MALE----	144	-	-	-	4	19	38	32	14	15	7	7
FEMALE--	28	-	-	-	2	1	4	5	7	2	4	2
BLACK---MALE----	139	-	-	-	4	19	37	30	13	15	7	6
FEMALE--	27	-	-	-	2	1	4	5	7	2	4	2

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3925

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) by sharp object (X99)												
UNITED STATES -	1,805	7	12	13	20	156	253	205	215	242	224	134
WHITE-----MALE----	731	2	5	6	5	73	115	91	87	89	76	43
FEMALE--	293	3	1	5	9	22	23	27	38	45	31	21
ALL OTHER--MALE----	552	1	3	1	3	43	93	64	66	68	75	53
FEMALE--	229	1	3	1	3	18	22	23	24	40	42	17
BLACK---MALE-----	488	1	3	1	3	32	78	58	57	64	67	51
FEMALE--	205	1	3	1	3	17	21	20	16	36	40	16
ALABAMA -----	51	-	-	-	-	6	6	2	8	8	12	-
WHITE-----MALE----	15	-	-	-	-	3	3	2	3	2	1	-
FEMALE--	4	-	-	-	-	1	-	-	1	-	1	-
ALL OTHER--MALE----	25	-	-	-	-	2	2	-	3	4	7	-
FEMALE--	7	-	-	-	-	-	1	-	1	2	3	-
BLACK---MALE-----	25	-	-	-	-	2	2	-	3	4	7	-
FEMALE--	6	-	-	-	-	-	1	-	-	2	3	-
ALASKA -----	2	-	-	-	-	-	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	54	-	-	-	-	9	6	6	11	7	2	4
WHITE-----MALE----	23	-	-	-	-	3	2	3	5	3	2	2
FEMALE--	13	-	-	-	-	-	1	2	2	2	-	1
ALL OTHER--MALE----	14	-	-	-	-	5	2	1	4	2	-	-
FEMALE--	4	-	-	-	-	1	1	-	-	-	-	1
BLACK---MALE-----	2	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ARKANSAS -----	24	1	-	-	-	3	5	1	3	2	4	2
WHITE-----MALE----	10	1	-	-	-	1	3	-	1	1	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	8	-	-	-	-	1	2	1	-	-	2	1
FEMALE--	4	-	-	-	-	1	-	-	2	-	1	-
BLACK---MALE-----	8	-	-	-	-	1	2	1	-	-	2	1
FEMALE--	4	-	-	-	-	1	-	-	2	-	1	-
CALIFORNIA -----	261	1	2	4	6	25	39	33	31	34	22	11
WHITE-----MALE----	159	-	2	2	4	18	27	24	19	17	8	6
FEMALE--	48	1	-	2	2	2	3	4	7	9	7	1
ALL OTHER--MALE----	42	-	-	-	-	5	8	3	3	6	5	2
FEMALE--	12	-	-	-	-	-	1	2	2	2	2	2
BLACK---MALE-----	29	-	-	-	-	3	4	3	3	5	4	1
FEMALE--	7	-	-	-	-	-	1	1	1	1	1	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3925

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Assault (homicide) by sharp object (X99)												
UNITED STATES -	86	62	39	35	27	33	26	7	3	2	-	4
WHITE-----MALE----	31	33	16	11	15	13	12	2	2	1	-	3
FEMALE--	23	4	8	8	2	10	7	5	-	-	-	1
ALL OTHER--MALE----	23	19	9	11	7	7	4	-	1	1	-	-
FEMALE--	9	6	6	5	3	3	3	-	-	-	-	-
BLACK---MALE----	21	18	9	11	5	5	2	-	1	1	-	-
FEMALE--	8	6	5	5	3	2	2	-	-	-	-	-
ALABAMA -----	3	2	2	-	-	1	1	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	3	1	2	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	1	2	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	4	-	-	2	-	2	1	-	-	-	-	-
WHITE-----MALE----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	1	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	1	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	9	9	8	4	7	3	6	3	1	-	-	3
WHITE-----MALE----	5	6	5	2	4	2	3	2	1	-	-	2
FEMALE--	2	1	1	2	1	-	1	1	-	-	-	1
ALL OTHER--MALE----	2	2	2	-	2	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	2	2	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3926

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) by sharp object (X99)												
COLORADO -----	23	-	-	1	-	2	6	-	5	3	4	-
WHITE-----MALE----	12	-	-	-	-	1	4	-	2	2	2	-
FEMALE--	7	-	-	1	-	1	1	-	1	1	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	1	-	1	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE-----	3	-	-	-	-	-	1	-	1	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
CONNECTICUT -----	18	-	1	1	-	-	1	3	5	1	2	1
WHITE-----MALE----	8	-	1	-	-	-	1	1	1	1	1	-
FEMALE--	6	-	-	1	-	-	-	-	3	-	1	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	2	1	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	4	-	-	-	-	-	-	2	1	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	5	-	-	-	-	-	-	-	2	1	2	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	2	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	2	-
DISTRICT OF COLUMBIA ---	11	-	-	-	-	3	2	1	2	1	2	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	9	-	-	-	-	2	2	1	2	-	2	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE-----	9	-	-	-	-	2	2	1	2	-	2	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
FLORIDA -----	105	-	-	-	2	4	12	5	7	14	18	15
WHITE-----MALE----	46	-	-	-	-	2	2	2	3	7	5	9
FEMALE--	21	-	-	-	2	1	5	1	-	2	3	2
ALL OTHER--MALE----	25	-	-	-	-	1	3	2	3	4	5	3
FEMALE--	13	-	-	-	-	-	2	-	1	1	5	1
BLACK---MALE-----	25	-	-	-	-	1	3	2	3	4	5	3
FEMALE--	13	-	-	-	-	-	2	-	1	1	5	1
GEORGIA -----	55	-	1	3	-	1	6	6	6	12	5	8
WHITE-----MALE----	14	-	1	1	-	-	1	2	1	4	1	1
FEMALE--	5	-	-	-	-	-	-	1	2	-	1	1
ALL OTHER--MALE----	23	-	-	1	-	1	4	1	1	4	2	5
FEMALE--	13	-	-	1	-	-	1	2	2	4	1	1
BLACK---MALE-----	22	-	-	1	-	1	4	1	1	4	2	5
FEMALE--	13	-	-	1	-	-	1	2	2	4	1	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3928

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) by sharp object (X99)												
KENTUCKY -----	12	-	-	-	-	1	1	1	1	1	4	1
WHITE-----MALE----	8	-	-	-	-	1	1	1	-	-	3	-
FEMALE--	2	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	1
LOUISIANA -----	64	-	-	-	1	3	12	6	5	7	5	8
WHITE-----MALE----	16	-	-	-	-	-	2	1	1	1	1	2
FEMALE--	6	-	-	-	-	-	1	-	-	1	-	3
ALL OTHER--MALE----	31	-	-	-	1	2	9	3	4	1	3	3
FEMALE--	11	-	-	-	-	1	-	2	-	4	1	-
BLACK---MALE-----	30	-	-	-	1	2	8	3	4	1	3	3
FEMALE--	11	-	-	-	-	1	-	2	-	4	1	-
MAINE -----	2	-	-	-	-	-	1	-	-	1	-	-
WHITE-----MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	43	-	-	-	1	4	4	9	4	6	4	3
WHITE-----MALE----	8	-	-	-	-	2	1	1	-	1	1	-
FEMALE--	2	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	26	-	-	-	-	1	2	7	4	3	2	3
FEMALE--	7	-	-	-	-	1	1	1	-	2	1	-
BLACK---MALE-----	26	-	-	-	-	1	2	7	4	3	2	3
FEMALE--	7	-	-	-	-	1	1	1	-	2	1	-
MASSACHUSETTS -----	29	-	-	-	1	7	7	1	3	3	-	2
WHITE-----MALE----	11	-	-	-	-	4	2	-	-	1	-	1
FEMALE--	6	-	-	-	1	1	-	-	-	2	-	1
ALL OTHER--MALE----	9	-	-	-	-	2	5	-	2	-	-	-
FEMALE--	3	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE-----	7	-	-	-	-	1	4	-	2	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
MICHIGAN -----	53	2	-	-	-	3	3	8	5	10	14	3
WHITE-----MALE----	11	-	-	-	-	2	-	3	1	1	3	-
FEMALE--	8	1	-	-	-	1	-	-	1	4	1	-
ALL OTHER--MALE----	24	-	-	-	-	-	2	4	3	4	5	3
FEMALE--	10	1	-	-	-	-	1	1	-	1	5	-
BLACK---MALE-----	24	-	-	-	-	-	2	4	3	4	5	3
FEMALE--	10	1	-	-	-	-	1	1	-	1	5	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3929

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) by sharp object (X99)												
MINNESOTA -----	11	-	-	-	-	-	2	1	3	-	2	-
WHITE-----MALE----	6	-	-	-	-	-	1	1	-	-	2	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	2	-	-	-
BLACK---MALE-----	2	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	35	-	-	-	1	4	10	3	5	4	2	2
WHITE-----MALE----	5	-	-	-	-	1	2	1	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	20	-	-	-	-	1	7	-	2	2	2	2
FEMALE--	8	-	-	-	1	2	1	1	2	1	-	-
BLACK---MALE-----	20	-	-	-	-	1	7	-	2	2	2	2
FEMALE--	8	-	-	-	1	2	1	1	2	1	-	-
MISSOURI -----	42	-	1	-	-	3	7	2	3	5	7	5
WHITE-----MALE----	13	-	-	-	-	1	2	1	-	2	2	1
FEMALE--	7	-	-	-	-	-	-	1	1	1	-	1
ALL OTHER--MALE----	14	-	-	-	-	-	4	-	1	2	4	1
FEMALE--	8	-	1	-	-	2	1	-	1	-	1	2
BLACK---MALE-----	13	-	-	-	-	-	4	-	1	2	3	1
FEMALE--	8	-	1	-	-	2	1	-	1	-	1	2
MONTANA -----	5	-	-	-	-	1	2	1	1	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	2	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	4	-	-	-	-	1	-	1	-	1	1	-
WHITE-----MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
NEVADA -----	15	-	-	-	-	1	3	1	1	3	-	2
WHITE-----MALE----	8	-	-	-	-	-	2	1	1	1	-	2
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	3	-	-	-	-	1	-	-	-	2	-	-
BLACK---MALE-----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	1	-	-	-	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3931

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) by sharp object (X99)												
OHIO -----	59	1	1	1	-	5	4	6	1	11	6	3
WHITE-----MALE----	20	1	-	1	-	1	1	-	-	3	3	2
FEMALE--	20	-	-	-	-	2	1	4	-	4	-	1
ALL OTHER--MALE----	13	-	-	-	-	1	2	2	1	2	2	-
FEMALE--	6	-	1	-	-	1	-	-	-	2	1	-
BLACK---MALE----	12	-	-	-	-	1	1	2	1	2	2	-
FEMALE--	6	-	1	-	-	1	-	-	-	2	1	-
OKLAHOMA -----	29	-	-	-	-	4	1	6	3	5	2	1
WHITE-----MALE----	15	-	-	-	-	3	-	3	2	2	2	-
FEMALE--	4	-	-	-	-	1	-	-	-	2	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	1	2	-	1	-	1
FEMALE--	3	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	1	-	1	-	1
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
OREGON -----	5	-	-	-	-	-	-	2	1	-	2	-
WHITE-----MALE----	4	-	-	-	-	-	-	1	1	-	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	20	-	1	-	-	3	2	1	2	3	4	2
WHITE-----MALE----	6	-	-	-	-	1	-	1	1	1	1	-
FEMALE--	4	-	-	-	-	1	-	-	1	1	1	-
ALL OTHER--MALE----	7	-	1	-	-	1	2	-	-	-	2	1
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	7	-	1	-	-	1	2	-	-	-	2	1
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	1
RHODE ISLAND -----	7	-	-	-	-	-	1	1	1	2	2	-
WHITE-----MALE----	5	-	-	-	-	-	1	1	-	2	1	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	20	-	1	-	1	1	2	3	1	4	2	2
WHITE-----MALE----	6	-	-	-	-	1	1	1	-	-	-	2
FEMALE--	2	-	-	-	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	10	-	1	-	-	-	1	1	1	3	1	-
FEMALE--	2	-	-	-	1	-	-	-	-	-	1	-
BLACK---MALE----	10	-	1	-	-	-	1	1	1	3	1	-
FEMALE--	2	-	-	-	1	-	-	-	-	-	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3932

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) by sharp object (X99)												
SOUTH DAKOTA -----	1	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	51	-	-	2	3	3	5	3	8	9	6	2
WHITE-----MALE----	16	-	-	1	-	1	1	2	3	3	2	-
FEMALE--	8	-	-	1	1	-	1	-	1	1	-	-
ALL OTHER--MALE----	16	-	-	-	1	1	3	-	2	3	3	1
FEMALE--	11	-	-	-	1	1	-	1	2	2	1	1
BLACK---MALE-----	16	-	-	-	1	1	3	-	2	3	3	1
FEMALE--	11	-	-	-	1	1	-	1	2	2	1	1
TEXAS -----	128	-	-	-	-	12	21	26	16	12	13	10
WHITE-----MALE----	76	-	-	-	-	8	15	17	6	7	9	5
FEMALE--	19	-	-	-	-	1	2	4	4	-	3	1
ALL OTHER--MALE----	26	-	-	-	-	3	2	4	6	2	1	3
FEMALE--	7	-	-	-	-	-	2	1	-	3	-	1
BLACK---MALE-----	25	-	-	-	-	2	2	4	6	2	1	3
FEMALE--	7	-	-	-	-	-	2	1	-	3	-	1
UTAH -----	8	-	-	-	1	2	-	1	2	-	-	-
WHITE-----MALE----	3	-	-	-	1	2	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	4	-	-	-	-	-	2	-	-	-	1	1
WHITE-----MALE----	2	-	-	-	-	-	1	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	60	-	-	1	-	4	8	3	7	8	4	8
WHITE-----MALE----	19	-	-	1	-	-	5	-	3	4	1	1
FEMALE--	11	-	-	-	-	-	-	1	1	2	1	-
ALL OTHER--MALE----	18	-	-	-	-	1	2	-	3	2	1	4
FEMALE--	12	-	-	-	-	3	1	2	-	-	1	3
BLACK---MALE-----	17	-	-	-	-	1	2	-	3	2	-	4
FEMALE--	12	-	-	-	-	3	1	2	-	-	1	3

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3932

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Assault (homicide) by sharp object (X99)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	6	1	2	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
TEXAS -----	8	2	2	-	1	1	2	-	-	1	-	1
WHITE-----MALE----	4	2	1	-	1	-	-	-	-	-	-	1
FEMALE--	2	-	1	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	1	1	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	1	1	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	3	2	3	3	2	1	2	1	-	-	-	-
WHITE-----MALE----	-	-	1	-	1	-	2	-	-	-	-	-
FEMALE--	2	-	1	1	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	1	1	1	2	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	1	1	2	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3935

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) by blunt object (Y00)												
COLORADO -----	4	-	-	-	-	1	-	-	-	-	1	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	1	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	3	-	-	-	-	-	-	-	1	-	-	1
WHITE-----MALE----	2	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	6	-	-	-	-	-	-	1	-	-	2	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3937

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) by blunt object (Y00)												
KENTUCKY -----	3	-	-	-	-	-	-	-	2	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	7	-	1	-	-	-	2	-	2	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE-----	2	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
MAINE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	28	2	3	-	-	1	-	2	1	5	3	4
WHITE-----MALE----	6	-	1	-	-	1	-	-	-	1	1	-
FEMALE--	4	-	-	-	-	-	-	1	-	3	-	-
ALL OTHER--MALE----	13	-	1	-	-	-	-	1	1	1	2	3
FEMALE--	5	2	1	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	13	-	1	-	-	-	-	1	1	1	2	3
FEMALE--	5	2	1	-	-	-	-	-	-	-	-	1
MASSACHUSETTS -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	9	-	-	-	-	-	1	2	1	-	3	1
WHITE-----MALE----	2	-	-	-	-	-	1	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	1	-	-	1	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE-----	3	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3941

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) by blunt object (Y00)												
SOUTH DAKOTA -----	1	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	3	-	-	-	-	-	-	-	1	1	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
TEXAS -----	22	1	2	-	-	1	4	-	1	1	-	2
WHITE-----MALE----	9	1	-	-	-	1	2	-	-	-	-	1
FEMALE--	5	-	2	-	-	-	1	-	-	1	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	1	-	1	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	5	-	-	-	-	-	1	-	1	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	10	-	-	-	-	1	2	-	-	2	2	-
WHITE-----MALE----	4	-	-	-	-	-	2	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	2	1	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE-----	3	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3943

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Assault (homicide) by bodily force (Y04)												
UNITED STATES -	9	7	2	1	3	1	1	1	1	-	-	-
WHITE-----MALE----	5	5	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	1	-	2	-	1	1	1	-	-	-
ALL OTHER--MALE----	4	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	2	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALABAMA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	1	2	-	-	2	-	-	-	-	-	-	-
WHITE-----MALE----	1	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3949

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) by bodily force (Y04)												
OHIO -----	2	1	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	1	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	5	-	1	-	-	-	-	1	-	-	1	-
WHITE-----MALE----	3	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	4	-	1	-	-	1	-	-	-	1	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	1	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	1	-	-	-	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3964

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Neglect, abandonment and other maltreatment syndromes (Y06-Y07)												
KENTUCKY -----	6	4	1	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	4	3	-	-	1	-	-	-	-	-	-	-
FEMALE--	2	1	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	10	5	5	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	2	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	3	-	-	-	-	-	-	-	-	-
FEMALE--	4	3	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	3	-	-	-	-	-	-	-	-	-
FEMALE--	4	3	1	-	-	-	-	-	-	-	-	-
MAINE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3	2	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	6	-	-	-	-	-	-	2	1	1	-	1
WHITE-----MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	1	1	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	20	10	6	1	1	-	-	-	-	-	-	-
WHITE-----MALE----	8	5	1	-	-	-	-	-	-	-	-	-
FEMALE--	4	1	3	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	3	2	1	1	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	2	2	1	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3970

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) by all other and unspecified means and their sequelae (X92,X96-X98,Y01-Y03,Y08-Y09,Y87.1)												
UNITED STATES -	2,845	163	203	54	48	145	250	221	236	312	290	246
WHITE-----MALE----	1,070	53	62	19	15	37	91	80	81	110	126	95
FEMALE--	599	35	38	11	18	36	45	43	49	68	46	51
ALL OTHER--MALE----	803	38	55	8	5	52	81	73	72	79	85	79
FEMALE--	373	37	48	16	10	20	33	25	34	55	33	21
BLACK---MALE-----	724	35	49	8	4	47	78	66	64	73	72	71
FEMALE--	334	34	46	16	10	20	32	24	28	44	30	17
ALABAMA -----	76	10	3	-	2	1	6	5	6	6	10	5
WHITE-----MALE----	25	4	2	-	-	-	1	1	1	-	3	1
FEMALE--	11	1	-	-	-	-	-	1	2	2	1	1
ALL OTHER--MALE----	22	2	-	-	1	1	1	2	1	2	2	3
FEMALE--	18	3	1	-	1	-	4	1	2	2	4	-
BLACK---MALE-----	21	2	-	-	-	1	1	2	1	2	2	3
FEMALE--	16	2	1	-	1	-	4	1	1	2	4	-
ALASKA -----	12	1	1	-	1	-	-	1	1	3	-	2
WHITE-----MALE----	3	-	-	-	1	-	-	-	-	1	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	1	-	-	-	-	1	-	1	-	2
FEMALE--	2	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	57	4	2	1	-	3	4	4	6	7	4	4
WHITE-----MALE----	29	3	-	1	-	-	-	4	4	5	2	2
FEMALE--	21	1	2	-	-	2	4	-	2	1	-	2
ALL OTHER--MALE----	6	-	-	-	-	1	-	-	-	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	28	2	4	1	-	1	2	2	-	2	3	1
WHITE-----MALE----	8	-	1	-	-	-	-	2	-	1	2	-
FEMALE--	7	1	1	1	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	11	1	1	-	-	1	-	-	-	1	-	1
FEMALE--	2	-	1	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	11	1	1	-	-	1	-	-	-	1	-	1
FEMALE--	2	-	1	-	-	-	-	-	-	-	1	-
CALIFORNIA -----	181	14	14	4	3	4	13	11	12	16	9	22
WHITE-----MALE----	83	6	5	2	3	1	5	2	9	8	5	11
FEMALE--	37	5	3	-	-	-	3	3	2	4	1	4
ALL OTHER--MALE----	40	2	4	-	-	2	4	4	1	1	2	4
FEMALE--	21	1	2	2	-	1	1	2	-	3	1	3
BLACK---MALE-----	25	2	3	-	-	1	2	2	1	1	-	2
FEMALE--	13	-	1	2	-	1	1	2	-	2	1	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3970

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Assault (homicide) by all other and unspecified means and their sequelae (X92,X96-X98,Y01-Y03,Y08-Y09,Y87.1)												
UNITED STATES -	171	116	80	67	69	64	62	24	9	4	1	10
WHITE-----MALE----	78	55	38	31	35	25	22	10	3	1	-	3
FEMALE--	28	25	10	12	15	24	21	9	5	3	1	6
ALL OTHER--MALE----	59	29	27	20	15	8	14	4	-	-	-	-
FEMALE--	6	7	5	4	4	7	5	1	1	-	-	1
BLACK---MALE----	53	26	26	18	12	8	12	2	-	-	-	-
FEMALE--	5	4	4	2	4	7	4	1	1	-	-	1
ALABAMA -----	8	1	4	3	2	2	-	2	-	-	-	-
WHITE-----MALE----	5	1	2	1	1	-	-	2	-	-	-	-
FEMALE--	1	-	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	2	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	2	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	1	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2	6	3	1	3	1	2	-	-	-	-	-
WHITE-----MALE----	1	3	1	-	2	1	-	-	-	-	-	-
FEMALE--	1	2	1	-	1	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	1	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	-	4	1	-	1	2	1	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	3	1	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	3	1	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	11	11	4	10	5	9	6	1	-	-	-	2
WHITE-----MALE----	3	4	1	5	3	6	3	1	-	-	-	-
FEMALE--	3	1	-	1	1	2	2	-	-	-	-	2
ALL OTHER--MALE----	5	4	2	3	1	1	-	-	-	-	-	-
FEMALE--	-	2	1	1	-	-	1	-	-	-	-	-
BLACK---MALE----	3	3	2	2	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3971

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) by all other and unspecified means and their sequelae (X92,X96-X98,Y01-Y03,Y08-Y09,Y87.1)												
COLORADO -----	28	-	2	-	-	-	1	1	1	4	5	3
WHITE-----MALE----	18	-	-	-	-	-	1	-	-	3	5	1
FEMALE--	6	-	1	-	-	-	-	1	-	-	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	1	-	-	-	-	-	1	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	1	-	-	-	-	-	-	1	-	-
CONNECTICUT -----	12	1	-	1	-	-	1	1	3	1	2	-
WHITE-----MALE----	4	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	5	-	-	1	-	-	-	1	2	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
DELAWARE -----	5	-	-	-	-	-	1	-	-	1	1	-
WHITE-----MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	28	1	2	1	-	2	1	4	2	1	6	4
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	20	-	-	-	-	2	1	4	2	-	4	4
FEMALE--	8	1	2	1	-	-	-	-	-	1	2	-
BLACK---MALE-----	19	-	-	-	-	2	1	4	2	-	3	4
FEMALE--	8	1	2	1	-	-	-	-	-	1	2	-
FLORIDA -----	290	11	12	-	5	17	36	26	19	41	27	37
WHITE-----MALE----	111	1	5	-	1	5	12	6	6	14	13	17
FEMALE--	50	3	2	-	3	-	2	5	4	12	4	6
ALL OTHER--MALE----	100	5	4	-	-	10	18	13	7	10	8	11
FEMALE--	29	2	1	-	1	2	4	2	2	5	2	3
BLACK---MALE-----	100	5	4	-	-	10	18	13	7	10	8	11
FEMALE--	27	2	1	-	1	2	4	2	2	5	2	3
GEORGIA -----	113	9	10	3	2	4	12	7	8	14	11	4
WHITE-----MALE----	31	3	1	2	-	1	3	2	1	1	8	1
FEMALE--	21	2	3	1	1	1	1	1	1	2	-	1
ALL OTHER--MALE----	37	2	3	-	1	-	4	2	4	9	1	2
FEMALE--	24	2	3	-	-	2	4	2	2	2	2	-
BLACK---MALE-----	36	2	3	-	1	-	4	2	4	8	1	2
FEMALE--	23	2	3	-	-	2	4	2	2	2	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3971

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Assault (homicide) by all other and unspecified means and their sequelae (X92,X96-X98,Y01-Y03,Y08-Y09,Y87.1)												
COLORADO -----	4	3	1	-	2	-	1	-	-	-	-	-
WHITE-----MALE----	3	2	1	-	1	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	1	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	2	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	1	-	1	-	-	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE-----	1	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
FLORIDA -----	22	9	2	6	5	6	4	3	1	-	-	1
WHITE-----MALE----	11	5	2	2	4	4	1	1	-	-	-	1
FEMALE--	3	2	-	1	1	1	1	-	-	-	-	-
ALL OTHER--MALE----	7	2	-	2	-	-	2	1	-	-	-	-
FEMALE--	1	-	-	1	-	1	-	1	1	-	-	-
BLACK---MALE-----	7	2	-	2	-	-	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	1	-	-	-
GEORGIA -----	7	4	3	3	1	7	1	2	1	-	-	-
WHITE-----MALE----	2	1	-	1	-	3	-	-	1	-	-	-
FEMALE--	1	1	-	1	-	2	-	2	-	-	-	-
ALL OTHER--MALE----	4	1	1	1	1	1	-	-	-	-	-	-
FEMALE--	-	1	2	-	-	1	-	-	-	-	-	-
BLACK---MALE-----	4	1	1	1	1	1	-	-	-	-	-	-
FEMALE--	-	1	2	-	-	1	1	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3972

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) by all other and unspecified means and their sequelae (X92,X96-X98,Y01-Y03,Y08-Y09,Y87.1)												
HAWAII -----	7	-	-	-	-	-	1	-	1	3	1	-
WHITE-----MALE----	3	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	3	-	-	-	-	-	-	-	-	2	1	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	146	11	6	2	2	7	12	13	13	13	18	17
WHITE-----MALE----	42	1	1	1	-	2	4	6	2	4	3	6
FEMALE--	20	1	2	-	2	1	1	1	2	1	2	1
ALL OTHER--MALE----	55	3	3	-	-	3	4	2	3	6	10	9
FEMALE--	29	6	-	1	-	1	3	4	6	2	3	1
BLACK---MALE-----	54	3	3	-	-	3	4	2	3	6	10	8
FEMALE--	28	6	-	1	-	1	3	4	5	2	3	1
INDIANA -----	103	10	10	4	6	13	6	10	4	8	10	5
WHITE-----MALE----	41	5	4	2	4	3	-	2	2	5	2	3
FEMALE--	26	3	5	2	2	4	2	2	-	-	2	1
ALL OTHER--MALE----	28	1	-	-	-	5	4	4	2	3	4	-
FEMALE--	8	1	1	-	-	1	-	2	-	-	2	1
BLACK---MALE-----	28	1	-	-	-	5	4	4	2	3	4	-
FEMALE--	8	1	1	-	-	1	-	2	-	-	2	1
IOWA -----	12	1	2	1	1	1	3	-	-	-	1	-
WHITE-----MALE----	7	1	2	1	-	-	1	-	-	-	-	-
FEMALE--	3	-	-	-	-	1	1	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
KANSAS -----	24	1	3	-	1	-	3	3	1	3	1	1
WHITE-----MALE----	8	-	-	-	-	-	1	1	1	-	1	-
FEMALE--	11	1	1	-	-	-	2	2	-	2	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	1	-	1	-	-	-	-	1	-	1
BLACK---MALE-----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	1	-	1	-	-	-	-	1	-	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3973

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) by all other and unspecified means and their sequelae (X92,X96-X98,Y01-Y03,Y08-Y09,Y87.1)												
KENTUCKY -----	31	1	1	1	-	2	-	3	4	4	4	4
WHITE-----MALE----	10	1	-	-	-	-	-	1	2	-	2	1
FEMALE--	14	-	-	-	-	1	-	1	2	4	2	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	1	-	-	-	2
FEMALE--	3	-	1	1	-	1	-	-	-	-	-	-
BLACK---MALE-----	3	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	3	-	1	1	-	1	-	-	-	-	-	-
LOUISIANA -----	65	2	7	2	1	3	8	5	3	9	9	7
WHITE-----MALE----	16	1	-	-	-	-	2	-	-	1	4	2
FEMALE--	10	-	-	-	-	1	-	2	1	2	-	2
ALL OTHER--MALE----	22	1	2	-	-	1	6	3	1	1	3	3
FEMALE--	17	-	5	2	1	1	-	-	1	5	2	-
BLACK---MALE-----	22	1	2	-	-	1	6	3	1	1	3	3
FEMALE--	17	-	5	2	1	1	-	-	1	5	2	-
MAINE -----	5	-	1	-	-	1	-	-	-	-	-	2
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	1	-	-	1	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	54	4	2	-	1	5	6	4	3	8	2	3
WHITE-----MALE----	13	-	2	-	-	-	2	1	1	1	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	28	3	-	-	1	4	3	2	2	4	-	2
FEMALE--	9	1	-	-	-	1	1	1	-	3	1	-
BLACK---MALE-----	27	3	-	-	1	4	3	2	2	4	-	2
FEMALE--	9	1	-	-	-	1	1	1	-	3	1	-
MASSACHUSETTS -----	12	1	1	-	-	-	-	1	2	1	6	-
WHITE-----MALE----	6	1	1	-	-	-	-	1	-	-	3	-
FEMALE--	4	-	-	-	-	-	-	-	1	1	2	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
MICHIGAN -----	102	1	4	1	1	1	7	10	7	16	12	13
WHITE-----MALE----	28	-	1	-	1	1	1	4	1	2	5	1
FEMALE--	20	-	-	-	-	-	3	-	3	2	1	2
ALL OTHER--MALE----	42	1	2	1	-	-	2	6	2	7	6	8
FEMALE--	12	-	1	-	-	-	1	-	1	5	-	2
BLACK---MALE-----	41	1	2	1	-	-	2	6	2	7	6	8
FEMALE--	9	-	1	-	-	-	1	-	1	4	-	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3976

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) by all other and unspecified means and their sequelae (X92,X96-X98,Y01-Y03,Y08-Y09,Y87.1)												
OHIO -----	109	3	11	1	5	4	14	6	9	5	14	5
WHITE-----MALE----	39	-	2	-	-	-	8	3	2	2	8	2
FEMALE--	31	-	2	1	3	1	3	2	3	2	2	2
ALL OTHER--MALE----	28	-	4	-	1	2	3	-	2	1	4	1
FEMALE--	11	3	3	-	1	1	-	1	2	-	-	-
BLACK---MALE-----	28	-	4	-	1	2	3	-	2	1	4	1
FEMALE--	10	3	3	-	1	1	-	-	2	-	-	-
OKLAHOMA -----	42	3	4	-	-	1	2	5	3	4	5	2
WHITE-----MALE----	16	2	1	-	-	1	-	2	3	2	1	1
FEMALE--	12	1	1	-	-	-	-	2	-	1	1	-
ALL OTHER--MALE----	11	-	1	-	-	-	2	1	-	1	2	-
FEMALE--	3	-	1	-	-	-	-	-	-	-	1	1
BLACK---MALE-----	5	-	-	-	-	-	1	-	-	1	1	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	1	-
OREGON -----	15	1	4	1	-	1	-	-	1	1	-	5
WHITE-----MALE----	12	1	3	-	-	1	-	-	1	1	-	4
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	147	5	8	2	1	6	23	10	18	14	11	11
WHITE-----MALE----	50	1	1	-	-	1	10	4	5	3	5	3
FEMALE--	28	2	-	1	-	3	4	2	2	3	1	3
ALL OTHER--MALE----	42	2	4	1	-	1	6	2	6	4	4	3
FEMALE--	27	-	3	-	1	1	3	2	5	4	1	2
BLACK---MALE-----	42	2	4	1	-	1	6	2	6	4	4	3
FEMALE--	26	-	3	-	1	1	3	2	4	4	1	2
RHODE ISLAND -----	4	1	-	1	-	-	-	1	1	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	111	-	5	-	1	10	21	13	8	10	13	10
WHITE-----MALE----	31	-	2	-	-	1	4	2	2	4	4	4
FEMALE--	22	-	1	-	1	4	4	-	2	2	5	1
ALL OTHER--MALE----	43	-	1	-	-	4	11	7	3	3	3	4
FEMALE--	15	-	1	-	-	1	2	4	1	1	1	1
BLACK---MALE-----	42	-	1	-	-	4	11	6	3	3	3	4
FEMALE--	14	-	1	-	-	1	2	4	1	1	1	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3976

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Assault (homicide) by all other and unspecified means and their sequelae (X92,X96-X98,Y01-Y03,Y08-Y09,Y87.1)												
OHIO -----	10	3	4	2	4	3	3	1	1	1	-	-
WHITE-----MALE----	4	2	2	1	1	1	1	-	-	-	-	-
FEMALE--	2	1	-	-	2	2	-	1	1	1	-	-
ALL OTHER--MALE----	4	-	2	1	1	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	2	1	1	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	2	2	1	-	2	2	2	2	-	-	-	-
WHITE-----MALE----	-	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	2	1	1	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	9	6	4	4	3	5	6	1	-	-	-	-
WHITE-----MALE----	2	4	2	2	-	3	3	1	-	-	-	-
FEMALE--	2	-	1	-	1	1	2	-	-	-	-	-
ALL OTHER--MALE----	3	2	-	2	1	-	1	-	-	-	-	-
FEMALE--	2	-	1	-	1	1	-	-	-	-	-	-
BLACK---MALE----	3	2	-	2	1	-	1	-	-	-	-	-
FEMALE--	2	-	1	-	1	1	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	7	5	2	1	1	1	1	1	-	-	-	1
WHITE-----MALE----	3	2	1	1	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	3	2	1	-	1	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	3	2	1	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3977

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Assault (homicide) by all other and unspecified means and their sequelae (X92,X96-X98,Y01-Y03,Y08-Y09,Y87.1)												
SOUTH DAKOTA -----	8	1	-	-	-	1	-	-	1	4	1	-
WHITE-----MALE----	3	1	-	-	-	1	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	1	2	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	52	5	4	2	-	2	2	3	4	5	2	7
WHITE-----MALE----	15	1	1	-	-	-	-	2	-	1	1	1
FEMALE--	11	1	-	-	-	-	-	1	1	1	1	3
ALL OTHER--MALE----	13	2	-	1	-	-	1	-	1	2	-	2
FEMALE--	13	1	3	1	-	2	1	-	2	1	-	1
BLACK---MALE-----	13	2	-	1	-	-	1	-	1	2	-	2
FEMALE--	13	1	3	1	-	2	1	-	2	1	-	1
TEXAS -----	287	15	29	8	4	15	31	22	30	27	28	25
WHITE-----MALE----	139	4	11	3	1	5	17	15	12	15	15	11
FEMALE--	70	4	7	1	3	7	7	4	8	7	4	7
ALL OTHER--MALE----	55	3	7	1	-	2	5	2	9	2	7	6
FEMALE--	23	4	4	3	-	1	2	1	1	3	2	1
BLACK---MALE-----	51	3	7	1	-	1	5	2	8	2	7	5
FEMALE--	21	4	4	3	-	1	2	1	-	2	2	1
UTAH -----	16	2	3	-	1	1	1	1	2	1	1	-
WHITE-----MALE----	10	1	1	-	1	1	1	-	2	-	1	-
FEMALE--	4	1	-	-	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	2	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	52	2	8	-	-	1	3	3	8	3	2	4
WHITE-----MALE----	12	-	1	-	-	-	1	1	2	-	-	-
FEMALE--	13	1	1	-	-	-	1	-	2	2	-	1
ALL OTHER--MALE----	21	1	4	-	-	1	1	1	3	1	1	3
FEMALE--	6	-	2	-	-	-	-	1	1	-	1	-
BLACK---MALE-----	20	1	4	-	-	1	1	1	2	1	1	3
FEMALE--	6	-	2	-	-	-	-	1	1	-	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3977

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Assault (homicide) by all other and unspecified means and their sequelae (X92,X96-X98,Y01-Y03,Y08-Y09,Y87.1)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	3	1	6	2	1	1	1	1	-	-	-	-
WHITE-----MALE----	2	-	3	1	1	-	1	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	1	2	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	2	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
TEXAS -----	14	9	10	3	8	5	4	-	-	-	-	-
WHITE-----MALE----	9	7	6	3	3	2	-	-	-	-	-	-
FEMALE--	-	1	1	-	3	3	3	-	-	-	-	-
ALL OTHER--MALE----	5	1	3	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	4	1	3	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
UTAH -----	-	-	-	1	-	-	1	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	6	2	1	3	2	2	2	-	-	-	-	-
WHITE-----MALE----	2	1	1	2	1	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	1	2	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	3	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3979

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Event of undetermined intent (Y10-Y34,Y87.2,Y89.9)												
UNITED STATES -	3,819	65	39	18	42	120	250	306	373	599	687	543
WHITE-----MALE----	2,078	18	17	6	26	79	149	181	211	342	368	292
FEMALE--	975	23	10	3	3	24	50	71	90	150	171	140
ALL OTHER--MALE----	557	9	9	7	11	14	43	42	55	73	102	82
FEMALE--	209	15	3	2	2	3	8	12	17	34	46	29
BLACK---MALE----	488	3	8	7	10	13	34	35	45	67	95	77
FEMALE--	180	12	3	2	2	-	5	10	15	31	41	26
ALABAMA -----	51	1	-	-	1	2	1	5	6	7	7	9
WHITE-----MALE----	21	-	-	-	-	1	-	2	4	4	3	4
FEMALE--	16	-	-	-	-	-	1	2	1	2	3	3
ALL OTHER--MALE----	7	-	-	-	1	1	-	1	-	1	-	2
FEMALE--	7	1	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	7	-	-	-	1	1	-	1	-	1	-	2
FEMALE--	7	1	-	-	-	-	-	-	1	-	1	-
ALASKA -----	19	4	2	-	-	-	-	1	2	4	1	2
WHITE-----MALE----	4	-	2	-	-	-	-	-	-	-	-	2
FEMALE--	5	1	-	-	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	8	2	-	-	-	-	-	-	2	3	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	66	3	-	-	1	3	4	4	3	5	9	12
WHITE-----MALE----	31	-	-	-	1	3	3	-	2	3	6	4
FEMALE--	27	2	-	-	-	-	-	3	-	2	3	7
ALL OTHER--MALE----	7	1	-	-	-	-	1	-	1	-	-	1
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ARKANSAS -----	84	2	1	-	1	5	6	4	7	12	25	8
WHITE-----MALE----	47	2	-	-	1	3	4	2	2	6	14	4
FEMALE--	24	-	-	-	-	1	2	2	5	4	4	3
ALL OTHER--MALE----	11	-	-	-	-	1	-	-	-	2	6	1
FEMALE--	2	-	1	-	-	-	-	-	-	-	1	-
BLACK---MALE----	11	-	-	-	-	1	-	-	-	2	6	1
FEMALE--	2	-	1	-	-	-	-	-	-	-	1	-
CALIFORNIA -----	176	3	2	-	2	4	10	15	16	25	28	24
WHITE-----MALE----	97	1	-	-	2	2	4	11	12	18	11	16
FEMALE--	42	-	1	-	-	1	1	3	3	4	10	3
ALL OTHER--MALE----	25	1	1	-	-	1	4	-	1	2	5	3
FEMALE--	12	1	-	-	-	-	1	1	-	1	2	2
BLACK---MALE----	17	-	1	-	-	1	3	-	1	2	5	2
FEMALE--	7	1	-	-	-	-	-	-	-	1	1	2

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3980

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Event of undetermined intent (Y10-Y34,Y87.2,Y89.9)												
COLORADO -----	98	1	1	-	1	2	3	5	8	19	13	14
WHITE-----MALE----	62	1	1	-	-	2	2	5	3	14	6	9
FEMALE--	27	-	-	-	-	-	1	-	4	4	7	3
ALL OTHER--MALE----	7	-	-	-	1	-	-	-	1	1	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	4	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	38	-	-	1	-	1	5	2	5	5	6	9
WHITE-----MALE----	20	-	-	-	-	-	2	2	4	2	2	5
FEMALE--	13	-	-	1	-	-	1	-	1	3	2	4
ALL OTHER--MALE----	4	-	-	-	-	-	2	-	-	-	2	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE-----	4	-	-	-	-	-	2	-	-	-	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	10	-	-	-	1	-	-	3	-	2	1	1
WHITE-----MALE----	6	-	-	-	-	-	-	3	-	1	-	1
FEMALE--	4	-	-	-	1	-	-	-	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	7	-	-	-	-	-	-	-	-	2	2	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	6	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	109	1	2	1	1	1	8	7	6	17	15	22
WHITE-----MALE----	61	-	1	1	1	-	5	2	3	7	8	16
FEMALE--	35	-	1	-	-	1	-	4	-	9	6	6
ALL OTHER--MALE----	9	-	-	-	-	-	2	1	2	1	1	-
FEMALE--	4	1	-	-	-	-	1	-	1	-	-	-
BLACK---MALE-----	9	-	-	-	-	-	2	1	2	1	1	-
FEMALE--	4	1	-	-	-	-	1	-	1	-	-	-
GEORGIA -----	88	2	1	1	2	6	9	11	6	11	11	6
WHITE-----MALE----	42	2	-	-	1	4	7	6	2	5	7	1
FEMALE--	16	-	-	1	-	-	1	2	1	2	1	-
ALL OTHER--MALE----	23	-	1	-	-	2	1	3	3	3	1	4
FEMALE--	7	-	-	-	1	-	-	-	-	1	2	1
BLACK---MALE-----	23	-	1	-	-	2	1	3	3	3	1	4
FEMALE--	7	-	-	-	1	-	-	-	-	1	2	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 3980

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Event of undetermined intent (Y10-Y34,Y87.2,Y89.9)												
COLORADO -----	12	8	2	3	2	2	-	2	-	-	-	-
WHITE-----MALE----	7	7	1	2	2	-	-	-	-	-	-	-
FEMALE--	4	-	-	1	-	2	-	1	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	2	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	1	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	2	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	1	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	8	4	2	4	2	3	2	1	1	-	-	1
WHITE-----MALE----	6	3	1	2	-	2	2	-	-	-	-	1
FEMALE--	1	-	1	2	2	-	-	1	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	7	3	1	1	3	2	2	-	1	1	1	-
WHITE-----MALE----	3	1	-	-	1	1	1	-	-	-	-	-
FEMALE--	3	1	-	-	1	-	1	-	1	1	-	-
ALL OTHER--MALE----	1	1	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	1	-
BLACK---MALE----	1	1	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3982

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Event of undetermined intent (Y10-Y34,Y87.2,Y89.9)												
KENTUCKY -----	25	-	-	-	-	1	1	3	-	7	5	1
WHITE-----MALE----	16	-	-	-	-	1	1	2	-	4	5	-
FEMALE--	9	-	-	-	-	-	-	1	-	3	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	62	2	-	-	-	1	12	4	5	7	7	11
WHITE-----MALE----	30	-	-	-	-	-	5	4	-	3	4	8
FEMALE--	14	1	-	-	-	1	2	-	2	1	3	2
ALL OTHER--MALE----	12	-	-	-	-	-	4	-	2	3	-	1
FEMALE--	6	1	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	11	-	-	-	-	-	3	-	2	3	-	1
FEMALE--	6	1	-	-	-	-	1	-	1	-	-	-
MAINE -----	3	-	-	-	-	1	1	-	-	-	-	1
WHITE-----MALE----	3	-	-	-	-	1	1	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	578	1	3	-	4	8	29	39	63	122	138	99
WHITE-----MALE----	244	-	-	-	3	4	21	16	28	58	53	39
FEMALE--	69	-	1	-	-	3	4	8	7	13	10	12
ALL OTHER--MALE----	203	1	-	-	1	1	4	12	23	35	55	39
FEMALE--	62	-	2	-	-	-	-	3	5	16	20	9
BLACK---MALE----	201	1	-	-	1	1	4	12	22	35	54	39
FEMALE--	61	-	2	-	-	-	-	3	5	16	20	8
MASSACHUSETTS -----	394	-	-	1	-	10	32	45	49	72	85	62
WHITE-----MALE----	271	-	-	-	-	6	22	30	36	47	59	45
FEMALE--	94	-	-	1	-	3	8	11	10	20	20	12
ALL OTHER--MALE----	19	-	-	-	-	1	2	4	-	2	5	3
FEMALE--	10	-	-	-	-	-	-	-	3	3	1	2
BLACK---MALE----	17	-	-	-	-	1	1	3	-	2	5	3
FEMALE--	9	-	-	-	-	-	-	-	2	3	1	2
MICHIGAN -----	214	2	1	4	1	8	13	13	16	35	41	39
WHITE-----MALE----	111	-	1	1	-	6	5	7	9	19	24	18
FEMALE--	61	1	-	-	-	2	5	3	4	12	13	9
ALL OTHER--MALE----	27	-	-	2	1	-	2	2	3	2	-	8
FEMALE--	15	1	-	1	-	-	1	1	-	2	4	4
BLACK---MALE----	26	-	-	2	1	-	2	2	3	1	-	8
FEMALE--	14	1	-	1	-	-	-	1	-	2	4	4

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3985

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Event of undetermined intent (Y10-Y34,Y87.2,Y89.9)												
OHIO -----	104	8	10	-	1	5	7	13	6	10	12	11
WHITE-----MALE----	61	5	5	-	-	4	6	8	2	7	7	9
FEMALE--	26	2	1	-	-	1	-	4	2	2	5	1
ALL OTHER--MALE----	10	-	4	-	1	-	-	-	2	1	-	-
FEMALE--	7	1	-	-	-	-	1	1	-	-	-	1
BLACK---MALE----	9	-	4	-	1	-	-	-	1	1	-	-
FEMALE--	7	1	-	-	-	-	1	1	-	-	-	1
OKLAHOMA -----	31	4	1	-	1	2	-	3	1	3	6	4
WHITE-----MALE----	17	1	1	-	1	1	-	2	1	2	3	3
FEMALE--	9	2	-	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	3	1	-	-	-	-	-	1	-	-	1	-
FEMALE--	2	-	-	-	-	1	-	-	-	-	1	-
BLACK---MALE----	2	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
OREGON -----	59	-	1	-	-	3	1	3	7	8	11	6
WHITE-----MALE----	32	-	-	-	-	2	-	3	2	5	6	3
FEMALE--	25	-	-	-	-	1	1	-	5	3	5	3
ALL OTHER--MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	107	2	1	-	2	7	5	10	9	14	17	16
WHITE-----MALE----	62	-	-	-	1	7	4	6	5	10	9	8
FEMALE--	25	1	-	-	1	-	-	2	3	2	5	6
ALL OTHER--MALE----	10	-	1	-	-	-	-	1	-	1	1	1
FEMALE--	10	1	-	-	-	-	1	1	1	1	2	1
BLACK---MALE----	10	-	1	-	-	-	-	1	-	1	1	1
FEMALE--	10	1	-	-	-	-	1	1	1	1	2	1
RHODE ISLAND -----	72	2	1	-	-	2	6	4	10	14	17	6
WHITE-----MALE----	43	1	-	-	-	2	4	2	6	9	12	3
FEMALE--	22	1	1	-	-	-	2	1	3	3	5	2
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	4	-	-	-	-	-	-	1	1	-	-	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
SOUTH CAROLINA -----	32	-	-	-	-	-	4	3	2	4	8	2
WHITE-----MALE----	16	-	-	-	-	-	-	2	-	4	2	1
FEMALE--	7	-	-	-	-	-	-	1	1	-	3	1
ALL OTHER--MALE----	8	-	-	-	-	-	3	-	1	-	3	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	3	-	1	-	3	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3986

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Event of undetermined intent (Y10-Y34,Y87.2,Y89.9)												
SOUTH DAKOTA -----	7	-	-	-	-	-	-	1	-	-	2	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	1	-	-	2	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	76	1	-	-	2	4	5	7	4	14	21	4
WHITE-----MALE----	44	-	-	-	1	3	2	4	4	7	12	2
FEMALE--	25	1	-	-	-	-	3	2	-	6	7	2
ALL OTHER--MALE----	5	-	-	-	1	1	-	1	-	1	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	4	-	-	-	1	1	-	-	-	1	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
TEXAS -----	130	-	2	1	2	9	7	11	11	18	19	17
WHITE-----MALE----	74	-	-	-	2	5	7	4	5	11	11	8
FEMALE--	37	-	2	-	-	2	-	3	5	5	5	5
ALL OTHER--MALE----	10	-	-	-	-	2	-	3	-	-	1	2
FEMALE--	9	-	-	1	-	-	-	1	1	2	2	2
BLACK---MALE----	10	-	-	-	-	2	-	3	-	-	1	2
FEMALE--	8	-	-	1	-	-	-	1	1	1	2	2
UTAH -----	158	2	2	-	2	4	9	14	30	37	19	22
WHITE-----MALE----	118	-	1	-	2	3	6	11	21	29	19	15
FEMALE--	35	2	1	-	-	1	3	3	9	7	-	7
ALL OTHER--MALE----	5	-	-	-	-	-	2	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	7	-	-	-	-	-	-	-	-	1	2	1
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	3	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	49	2	-	1	2	3	2	3	7	7	7	5
WHITE-----MALE----	21	-	-	1	1	-	1	2	2	1	5	3
FEMALE--	18	-	-	-	-	1	1	1	2	5	2	2
ALL OTHER--MALE----	6	-	-	-	-	2	-	-	2	1	-	-
FEMALE--	4	2	-	-	1	-	-	-	1	-	-	-
BLACK---MALE----	6	-	-	-	-	2	-	-	2	1	-	-
FEMALE--	4	2	-	-	1	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3988

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Poisoning by and exposure to drugs and biological substances, undetermined intent (Y10-Y14)												
UNITED STATES -	2,429	5	4	5	5	55	134	195	255	466	544	417
WHITE-----MALE----	1,353	1	2	2	2	35	89	118	148	272	290	223
FEMALE--	660	2	-	1	2	16	34	50	65	119	141	113
ALL OTHER--MALE----	290	1	2	1	1	3	9	20	31	49	76	55
FEMALE--	126	1	-	1	-	1	2	7	11	26	37	26
BLACK---MALE-----	267	-	1	1	-	3	5	18	26	46	74	54
FEMALE--	116	1	-	1	-	-	2	7	9	26	33	23
ALABAMA -----	20	-	-	-	-	-	-	2	1	6	4	4
WHITE-----MALE----	10	-	-	-	-	-	-	1	1	4	2	1
FEMALE--	9	-	-	-	-	-	-	1	-	2	2	3
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	6	-	-	-	-	-	-	1	1	-	1	2
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	32	2	-	-	-	-	1	2	2	3	7	6
WHITE-----MALE----	15	-	-	-	-	-	1	-	2	2	5	3
FEMALE--	16	1	-	-	-	-	-	2	-	1	2	3
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	64	1	-	-	-	5	4	3	5	9	21	8
WHITE-----MALE----	35	1	-	-	-	3	3	1	1	5	12	4
FEMALE--	21	-	-	-	-	1	1	2	4	4	3	3
ALL OTHER--MALE----	7	-	-	-	-	1	-	-	-	-	5	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	7	-	-	-	-	1	-	-	-	-	5	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
CALIFORNIA -----	74	-	1	-	-	-	-	6	7	12	19	15
WHITE-----MALE----	44	-	-	-	-	-	-	5	6	8	8	11
FEMALE--	19	-	-	-	-	-	-	1	1	2	7	2
ALL OTHER--MALE----	7	-	1	-	-	-	-	-	-	1	4	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	2
BLACK---MALE-----	7	-	1	-	-	-	-	-	-	1	4	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	2

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3989

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Poisoning by and exposure to drugs and biological substances, undetermined intent (Y10-Y14)												
COLORADO -----	71	-	-	-	1	2	2	5	8	14	11	10
WHITE-----MALE----	47	-	-	-	-	2	2	5	3	10	5	7
FEMALE--	21	-	-	-	-	-	-	-	4	4	6	2
ALL OTHER--MALE----	2	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	25	-	-	1	-	1	2	2	2	3	3	8
WHITE-----MALE----	14	-	-	-	-	-	2	2	1	1	2	4
FEMALE--	10	-	-	1	-	-	-	-	1	2	1	4
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	8	-	-	-	1	-	-	3	-	2	1	1
WHITE-----MALE----	5	-	-	-	-	-	-	3	-	1	-	1
FEMALE--	3	-	-	-	1	-	-	-	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	5	-	-	-	-	-	-	-	-	2	1	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	4	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	55	-	-	-	-	1	4	4	3	11	11	15
WHITE-----MALE----	31	-	-	-	-	-	3	1	2	5	6	10
FEMALE--	20	-	-	-	-	1	-	3	-	5	4	5
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	2	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	2	-	-	-	-	-	1	-	1	-	-	-
GEORGIA -----	21	-	-	-	-	-	-	2	1	8	4	3
WHITE-----MALE----	11	-	-	-	-	-	-	1	1	5	2	1
FEMALE--	6	-	-	-	-	-	-	1	-	2	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	1	1	1
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	1	1	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 3991

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Poisoning by and exposure to drugs and biological substances, undetermined intent (Y10-Y14)												
KENTUCKY -----	11	-	-	-	-	-	-	2	-	5	1	1
WHITE-----MALE----	5	-	-	-	-	-	-	2	-	2	1	-
FEMALE--	6	-	-	-	-	-	-	-	-	3	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	37	-	-	-	-	1	7	3	2	6	4	9
WHITE-----MALE----	24	-	-	-	-	-	5	3	-	3	3	7
FEMALE--	10	-	-	-	-	1	2	-	1	1	1	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
MAINE -----	1	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	523	-	-	-	2	7	24	34	58	115	134	93
WHITE-----MALE----	222	-	-	-	2	4	18	12	26	55	52	36
FEMALE--	61	-	-	-	-	3	4	8	6	12	10	11
ALL OTHER--MALE----	182	-	-	-	-	-	2	11	22	32	52	37
FEMALE--	58	-	-	-	-	-	-	3	4	16	20	9
BLACK---MALE-----	181	-	-	-	-	-	2	11	21	32	52	37
FEMALE--	57	-	-	-	-	-	-	3	4	16	20	8
MASSACHUSETTS -----	349	-	-	-	-	10	30	41	43	68	77	56
WHITE-----MALE----	246	-	-	-	-	6	21	27	32	45	54	41
FEMALE--	79	-	-	-	-	3	8	10	9	18	18	10
ALL OTHER--MALE----	16	-	-	-	-	1	1	4	-	2	4	3
FEMALE--	8	-	-	-	-	-	-	-	2	3	1	2
BLACK---MALE-----	14	-	-	-	-	1	-	3	-	2	4	3
FEMALE--	7	-	-	-	-	-	-	-	1	3	1	2
MICHIGAN -----	170	-	1	2	-	3	8	11	14	32	38	34
WHITE-----MALE----	92	-	1	-	-	3	3	5	9	19	22	17
FEMALE--	51	-	-	-	-	-	4	3	4	10	12	8
ALL OTHER--MALE----	15	-	-	1	-	-	1	2	1	2	-	5
FEMALE--	12	-	-	1	-	-	-	1	-	1	4	4
BLACK---MALE-----	14	-	-	1	-	-	1	2	1	1	-	5
FEMALE--	12	-	-	1	-	-	-	1	-	1	4	4

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 4022

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Discharge of firearms, undetermined intent (Y22-Y24)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	5	-	-	-	-	-	1	1	-	1	1	-
WHITE-----MALE----	4	-	-	-	-	-	-	1	-	1	1	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	12	-	-	-	1	5	1	1	1	-	1	-
WHITE-----MALE----	8	-	-	-	1	3	1	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	2	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	2	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	6	-	-	-	1	1	-	-	1	1	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	2	-	-	-	1	-	-	-	1	-	-	-
BLACK---MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	2	-	-	-	1	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 4027

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Falling, jumping or pushed from a high place, undetermined intent (Y30)												
KENTUCKY -----	2	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	2	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 4034

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other and unspecified events of undetermined intent and their sequelae (Y20-Y21,Y25-Y29,Y31-Y34,Y87.2,Y89.9)												
COLORADO -----	20	1	-	-	-	-	1	-	-	4	2	2
WHITE-----MALE----	10	1	-	-	-	-	-	-	-	3	1	1
FEMALE--	4	-	-	-	-	-	1	-	-	-	1	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	4	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	8	-	-	-	-	-	1	-	3	1	1	1
WHITE-----MALE----	6	-	-	-	-	-	-	-	3	1	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	2	-	-	-	-	-	1	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	2	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	40	1	2	1	1	-	1	2	3	3	4	7
WHITE-----MALE----	23	-	1	1	1	-	-	1	1	1	2	6
FEMALE--	9	-	1	-	-	-	-	-	-	2	2	1
ALL OTHER--MALE----	6	-	-	-	-	-	1	1	2	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	6	-	-	-	-	-	1	1	2	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	43	2	1	1	2	3	4	4	2	1	5	3
WHITE-----MALE----	16	2	-	-	1	2	3	2	-	-	3	-
FEMALE--	8	-	-	1	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	15	-	1	-	-	1	1	1	1	1	1	3
FEMALE--	4	-	-	-	1	-	-	-	-	-	1	-
BLACK---MALE-----	15	-	1	-	-	1	1	1	1	1	1	3
FEMALE--	4	-	-	-	1	-	-	-	-	-	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 4034

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other and unspecified events of undetermined intent and their sequelae (Y20-Y21,Y25-Y29,Y31-Y34,Y87.2,Y89.9)												
COLORADO -----	2	2	1	2	1	-	-	2	-	-	-	-
WHITE-----MALE----	1	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	2	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	3	3	-	2	1	2	2	1	-	-	-	1
WHITE-----MALE----	1	2	-	2	-	1	2	-	-	-	-	1
FEMALE--	1	-	-	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	3	2	1	1	2	1	2	-	1	1	1	-
WHITE-----MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	1	-	1	1	-	-
ALL OTHER--MALE----	1	1	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	1	-
BLACK---MALE----	1	1	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 4039

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other and unspecified events of undetermined intent and their sequelae (Y20-Y21,Y25-Y29,Y31-Y34,Y87.2,Y89.9)												
OHIO -----	39	7	9	-	1	2	1	5	1	1	3	3
WHITE-----MALE----	20	5	4	-	-	1	1	2	-	-	2	3
FEMALE--	9	2	1	-	-	1	-	3	-	-	1	-
ALL OTHER--MALE----	8	-	4	-	1	-	-	-	1	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	8	-	4	-	1	-	-	-	1	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	11	4	1	-	-	1	-	1	-	-	1	-
WHITE-----MALE----	3	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	4	2	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	1	-	-	-	-	-	1	-	-	1	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE-----	2	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	23	-	-	-	-	2	-	1	3	2	2	1
WHITE-----MALE----	17	-	-	-	-	2	-	1	1	2	1	1
FEMALE--	5	-	-	-	-	-	-	-	2	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	23	2	1	-	1	1	-	-	2	2	-	4
WHITE-----MALE----	10	-	-	-	1	1	-	-	2	1	-	1
FEMALE--	6	1	-	-	-	-	-	-	-	-	-	3
ALL OTHER--MALE----	4	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	4	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	-	-	-	-	-	-	-	1	-	-
RHODE ISLAND -----	8	1	1	-	-	-	2	-	2	1	-	-
WHITE-----MALE----	5	-	-	-	-	-	2	-	1	1	-	-
FEMALE--	3	1	1	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	9	-	-	-	-	-	2	-	1	1	1	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	1	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	3	-	-	-	-	-	1	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 4078

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Complications of medical and surgical care (Y40-Y84,Y88)												
UNITED STATES -	3,059	19	22	18	13	10	22	37	48	65	84	128
WHITE-----MALE----	1,210	11	8	7	4	4	9	13	20	27	37	45
FEMALE--	1,310	3	4	5	7	4	7	9	18	25	26	52
ALL OTHER--MALE----	220	1	3	4	-	1	2	10	4	6	6	14
FEMALE--	319	4	7	2	2	1	4	5	6	7	15	17
BLACK---MALE----	193	1	2	2	-	1	1	9	4	6	6	12
FEMALE--	294	4	6	2	1	1	4	4	6	7	12	15
ALABAMA -----	69	1	-	1	-	1	-	-	1	2	2	6
WHITE-----MALE----	26	-	-	1	-	1	-	-	1	1	1	1
FEMALE--	24	-	-	-	-	-	-	-	-	1	-	3
ALL OTHER--MALE----	8	1	-	-	-	-	-	-	-	-	1	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	8	1	-	-	-	-	-	-	-	-	1	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	1
ALASKA -----	3	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	52	-	1	-	-	-	-	-	-	-	-	6
WHITE-----MALE----	24	-	1	-	-	-	-	-	-	-	-	4
FEMALE--	27	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	47	1	-	-	1	-	-	1	1	2	1	1
WHITE-----MALE----	17	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	18	-	-	-	1	-	-	-	1	1	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	8	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	8	1	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	152	1	4	2	2	-	1	3	-	6	8	12
WHITE-----MALE----	58	-	1	-	-	-	1	1	-	4	2	6
FEMALE--	71	-	1	1	2	-	-	1	-	1	3	4
ALL OTHER--MALE----	9	-	1	1	-	-	-	-	-	-	-	1
FEMALE--	14	1	1	-	-	-	-	1	-	1	3	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	1	1	-	-	-	-	-	-	1	2	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 4078

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Complications of medical and surgical care (Y40-Y84,Y88)												
UNITED STATES -	167	157	219	263	384	427	398	337	176	54	11	-
WHITE-----MALE----	70	64	80	98	175	186	177	119	44	11	1	-
FEMALE--	64	56	85	117	145	175	180	178	111	30	9	-
ALL OTHER--MALE----	14	13	24	25	33	26	13	15	4	2	-	-
FEMALE--	19	24	30	23	31	40	28	25	17	11	1	-
BLACK---MALE----	13	12	22	24	28	22	12	12	3	1	-	-
FEMALE--	18	23	29	18	31	37	25	22	17	11	1	-
ALABAMA -----	3	6	10	6	7	7	6	8	1	-	1	-
WHITE-----MALE----	-	2	3	4	1	4	2	3	1	-	-	-
FEMALE--	2	3	2	1	4	-	4	3	-	-	1	-
ALL OTHER--MALE----	1	-	3	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	2	1	2	3	-	1	-	-	-	-
BLACK---MALE----	1	-	3	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	2	1	2	3	-	1	-	-	-	-
ALASKA -----	-	-	-	-	-	-	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	4	1	4	5	8	7	5	6	4	1	-	-
WHITE-----MALE----	2	-	1	1	3	6	4	2	-	-	-	-
FEMALE--	2	1	3	4	4	1	4	4	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	3	2	2	2	6	8	8	3	4	1	-	-
WHITE-----MALE----	-	1	-	1	4	2	6	1	-	-	-	-
FEMALE--	2	-	-	1	1	4	2	-	4	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	1	1	1	-	-	1	-	2	-	1	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	1	1	1	-	-	1	-	2	-	1	-	-
CALIFORNIA -----	8	3	11	8	25	16	16	18	8	-	-	-
WHITE-----MALE----	3	1	4	2	13	5	4	11	-	-	-	-
FEMALE--	5	2	6	5	8	10	9	6	7	-	-	-
ALL OTHER--MALE----	-	-	-	1	3	-	-	1	1	-	-	-
FEMALE--	-	-	1	-	1	1	3	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	1	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 4079

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Complications of medical and surgical care (Y40-Y84,Y88)												
COLORADO -----	41	-	-	-	1	1	1	-	-	1	-	1
WHITE-----MALE----	15	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	22	-	-	-	-	1	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
CONNECTICUT -----	68	-	1	-	-	-	-	-	2	2	-	1
WHITE-----MALE----	26	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	33	-	-	-	-	-	-	-	2	1	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	16	-	-	-	-	-	-	2	1	1	2	1
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	4	-	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	3	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	8	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
FLORIDA -----	113	-	1	-	-	-	-	1	2	1	-	3
WHITE-----MALE----	51	-	-	-	-	-	-	1	2	-	-	-
FEMALE--	46	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	1	-	-	-	-	-	-	1	-	2
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	1	-	-	-	-	-	-	1	-	2
GEORGIA -----	205	1	3	-	-	1	-	2	2	6	8	6
WHITE-----MALE----	69	1	2	-	-	-	-	1	-	2	3	1
FEMALE--	68	-	-	-	-	-	-	-	-	2	2	1
ALL OTHER--MALE----	29	-	1	-	-	-	-	-	1	1	1	2
FEMALE--	39	-	-	-	-	1	-	1	1	1	2	2
BLACK---MALE-----	28	-	1	-	-	-	-	-	1	1	1	2
FEMALE--	37	-	-	-	-	1	-	1	1	1	2	2

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 4079

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Complications of medical and surgical care (Y40-Y84,Y88)												
COLORADO -----	4	2	3	4	4	5	1	9	3	1	-	-
WHITE-----MALE----	3	2	-	2	2	1	-	3	1	-	-	-
FEMALE--	1	-	2	2	1	4	1	6	2	1	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	6	3	5	4	9	11	8	13	3	-	-	-
WHITE-----MALE----	2	2	1	1	5	5	3	4	2	-	-	-
FEMALE--	3	1	2	3	4	3	4	8	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	1	-	-	-	-	-
FEMALE--	1	-	1	-	-	2	-	1	-	-	-	-
BLACK---MALE----	-	-	1	-	-	1	1	-	-	-	-	-
FEMALE--	1	-	1	-	-	2	-	1	-	-	-	-
DELAWARE -----	-	-	-	-	2	1	4	-	2	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	3	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	1	1	1	-	1	2	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	2	1	-	-
BLACK---MALE----	-	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	2	1	-	-
FLORIDA -----	3	4	7	17	13	24	13	17	5	2	-	-
WHITE-----MALE----	1	1	3	12	7	9	8	6	1	-	-	-
FEMALE--	2	1	3	5	6	11	4	9	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	3	1	-	-	-	-	-
FEMALE--	-	2	1	-	-	1	-	2	-	2	-	-
BLACK---MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	2	1	-	-	1	-	2	-	2	-	-
GEORGIA -----	12	12	12	24	30	30	24	18	10	4	-	-
WHITE-----MALE----	4	3	5	8	15	12	8	3	-	1	-	-
FEMALE--	3	5	2	8	6	11	12	8	7	1	-	-
ALL OTHER--MALE----	3	1	2	5	3	3	1	4	1	-	-	-
FEMALE--	2	3	3	3	6	4	3	3	2	2	-	-
BLACK---MALE----	3	1	2	5	3	2	1	4	1	-	-	-
FEMALE--	1	2	3	3	6	4	3	3	2	2	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 4080

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Complications of medical and surgical care (Y40-Y84,Y88)												
HAWAII -----	-	-	-	1	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	1	-	1	-	1	3	3	2	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	2	1	-	-	-	-	-
FEMALE--	1	-	1	-	-	1	2	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	6	10	13	12	13	12	19	14	11	5	-	-
WHITE-----MALE----	2	4	6	7	4	7	9	7	3	2	-	-
FEMALE--	1	3	3	4	5	2	9	5	6	3	-	-
ALL OTHER--MALE----	2	2	1	1	3	1	-	-	-	-	-	-
FEMALE--	1	1	3	-	1	2	1	2	2	-	-	-
BLACK---MALE----	2	2	-	1	3	-	-	-	-	-	-	-
FEMALE--	1	1	3	-	1	2	1	2	2	-	-	-
INDIANA -----	9	6	8	11	17	20	13	13	3	1	1	-
WHITE-----MALE----	2	2	4	2	7	9	7	5	-	-	-	-
FEMALE--	6	4	2	5	6	10	6	8	2	1	1	-
ALL OTHER--MALE----	1	-	1	2	2	-	-	-	-	-	-	-
FEMALE--	-	-	1	2	2	1	-	-	1	-	-	-
BLACK---MALE----	1	-	1	2	2	-	-	-	-	-	-	-
FEMALE--	-	-	1	2	2	1	-	-	1	-	-	-
IOWA -----	1	1	2	2	5	4	9	5	1	-	1	-
WHITE-----MALE----	1	1	2	1	2	4	6	3	-	-	-	-
FEMALE--	-	-	-	1	2	-	3	2	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	-	1	3	5	2	-	8	7	1	-	-	-
WHITE-----MALE----	-	-	1	1	2	-	5	5	-	-	-	-
FEMALE--	-	-	2	4	-	-	2	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 4081

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Complications of medical and surgical care (Y40-Y84,Y88)												
KENTUCKY -----	58	-	-	-	-	-	-	-	2	-	2	2
WHITE-----MALE----	27	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	25	-	-	-	-	-	-	-	1	-	1	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	-
LOUISIANA -----	40	1	-	-	-	-	1	2	1	1	2	-
WHITE-----MALE----	15	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	12	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	8	1	-	-	-	-	-	1	1	-	1	-
BLACK---MALE-----	5	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	8	1	-	-	-	-	-	1	1	-	1	-
MAINE -----	16	1	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	9	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	59	-	1	-	-	-	-	1	1	-	2	1
WHITE-----MALE----	18	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	12	-	1	-	-	-	-	-	1	-	-	-
BLACK---MALE-----	9	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	12	-	1	-	-	-	-	-	1	-	-	-
MASSACHUSETTS -----	35	-	-	-	-	1	-	-	2	-	-	1
WHITE-----MALE----	19	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	16	-	-	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	97	-	2	-	-	-	1	1	1	-	4	6
WHITE-----MALE----	34	-	-	-	-	-	-	1	-	-	1	1
FEMALE--	44	-	-	-	-	-	-	-	1	-	2	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	15	-	2	-	-	-	1	-	-	-	1	2
BLACK---MALE-----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	13	-	2	-	-	-	1	-	-	-	-	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 4081

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Complications of medical and surgical care (Y40-Y84,Y88)												
KENTUCKY -----	5	4	2	1	13	7	7	8	3	2	-	-
WHITE-----MALE----	3	1	1	1	9	2	4	3	1	-	-	-
FEMALE--	2	2	1	-	3	3	3	4	2	2	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	-	-	-	-	-
BLACK---MALE-----	-	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	-	-	-	-	-
LOUISIANA -----	3	3	4	2	3	4	6	5	1	1	-	-
WHITE-----MALE----	1	3	2	-	2	1	2	2	1	-	-	-
FEMALE--	1	-	1	2	1	-	2	3	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	2	-	-	-	-	-
FEMALE--	1	-	1	-	-	2	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	1	2	-	-	-	-	-
FEMALE--	1	-	1	-	-	2	-	-	-	-	-	-
MAINE -----	1	1	-	1	2	3	3	2	-	1	-	-
WHITE-----MALE----	1	1	-	-	1	1	2	1	-	-	-	-
FEMALE--	-	-	-	1	1	2	1	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3	4	6	4	8	8	10	7	1	2	-	-
WHITE-----MALE----	1	-	3	1	3	3	3	2	-	-	-	-
FEMALE--	-	1	2	2	2	2	5	4	1	1	-	-
ALL OTHER--MALE----	1	1	-	1	2	2	-	-	-	-	-	-
FEMALE--	1	2	1	-	1	1	2	1	-	1	-	-
BLACK---MALE-----	1	1	-	1	2	2	-	-	-	-	-	-
FEMALE--	1	2	1	-	1	1	2	1	-	1	-	-
MASSACHUSETTS -----	1	2	-	3	2	9	6	5	2	1	-	-
WHITE-----MALE----	1	1	-	2	2	3	4	2	2	-	-	-
FEMALE--	-	1	-	1	-	6	2	3	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	8	6	12	11	4	18	10	8	4	1	-	-
WHITE-----MALE----	3	-	4	3	1	11	6	1	2	-	-	-
FEMALE--	4	4	4	7	3	5	3	6	2	1	-	-
ALL OTHER--MALE----	-	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	1	2	3	-	-	1	1	1	-	-	-	-
BLACK---MALE-----	-	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	1	2	3	-	-	1	1	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 4084

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Complications of medical and surgical care (Y40-Y84,Y88)												
OHIO -----	5	6	8	11	28	16	19	9	6	1	1	-
WHITE-----MALE----	3	4	1	3	10	7	8	2	1	1	-	-
FEMALE--	2	1	6	6	13	7	9	5	4	-	1	-
ALL OTHER--MALE----	-	-	-	-	3	1	-	1	-	-	-	-
FEMALE--	-	1	1	2	2	1	2	1	1	-	-	-
BLACK---MALE-----	-	-	-	-	3	1	-	1	-	-	-	-
FEMALE--	-	1	1	1	2	1	1	1	1	-	-	-
OKLAHOMA -----	5	1	5	6	4	7	10	6	4	1	-	-
WHITE-----MALE----	-	-	2	-	4	3	5	3	1	-	-	-
FEMALE--	3	1	2	1	-	2	5	-	3	-	-	-
ALL OTHER--MALE----	2	-	1	1	-	2	-	1	-	-	-	-
FEMALE--	-	-	-	4	-	-	-	2	-	1	-	-
BLACK---MALE-----	1	-	1	1	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	1	-	-
OREGON -----	4	-	1	1	3	10	4	5	1	1	-	-
WHITE-----MALE----	4	-	1	1	2	5	1	3	-	1	-	-
FEMALE--	-	-	-	-	1	5	3	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	12	7	24	23	32	38	22	30	14	1	1	-
WHITE-----MALE----	9	5	8	8	18	17	8	11	7	-	-	-
FEMALE--	3	1	11	11	12	20	13	18	7	1	1	-
ALL OTHER--MALE----	-	1	3	3	1	-	1	1	-	-	-	-
FEMALE--	-	-	2	1	1	1	-	-	-	-	-	-
BLACK---MALE-----	-	1	3	3	1	-	1	1	-	-	-	-
FEMALE--	-	-	2	1	1	1	-	-	-	-	-	-
RHODE ISLAND -----	1	1	1	-	2	2	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	2	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	3	7	5	3	7	6	9	6	3	1	-	-
WHITE-----MALE----	-	3	3	2	3	1	1	2	1	-	-	-
FEMALE--	-	-	1	1	2	3	4	2	1	-	-	-
ALL OTHER--MALE----	2	1	-	-	2	1	1	1	-	-	-	-
FEMALE--	1	3	1	-	-	1	3	1	1	1	-	-
BLACK---MALE-----	2	1	-	-	2	1	1	1	-	-	-	-
FEMALE--	1	3	1	-	-	1	3	1	1	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 4085

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Complications of medical and surgical care (Y40-Y84,Y88)												
SOUTH DAKOTA -----	-	-	2	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	4	4	4	6	9	14	15	8	4	-	-	-
WHITE-----MALE----	3	1	2	1	3	6	7	1	1	-	-	-
FEMALE--	1	2	2	4	3	8	5	4	3	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	3	-	3	2	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	3	-	3	2	-	-	-	-
TEXAS -----	9	15	14	14	19	22	23	18	14	4	-	-
WHITE-----MALE----	2	7	4	6	8	7	13	9	5	1	-	-
FEMALE--	5	5	7	5	8	8	7	9	8	2	-	-
ALL OTHER--MALE----	1	1	1	-	-	2	2	-	-	1	-	-
FEMALE--	1	2	2	3	3	5	1	-	1	-	-	-
BLACK---MALE----	1	1	1	-	-	2	2	-	-	1	-	-
FEMALE--	1	2	1	3	3	4	1	-	1	-	-	-
UTAH -----	1	1	-	2	-	2	3	3	2	2	1	-
WHITE-----MALE----	1	-	-	1	-	1	1	1	1	-	-	-
FEMALE--	-	1	-	1	-	1	2	2	1	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	1	-	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	3	-	7	4	13	7	7	6	3	2	1	-
WHITE-----MALE----	1	-	3	2	5	6	3	1	-	-	-	-
FEMALE--	1	-	2	1	6	1	3	5	2	1	-	-
ALL OTHER--MALE----	-	-	1	1	2	-	-	-	-	1	-	-
FEMALE--	1	-	1	-	-	-	1	-	1	-	1	-
BLACK---MALE----	-	-	1	1	2	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	1	-	1	-	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 4096

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Misadventures to patients during medical and surgical care and their sequelae (Y60-Y69,Y88.1)												
UNITED STATES -	12	14	9	20	25	25	16	15	9	2	-	-
WHITE-----MALE----	4	7	-	3	9	14	8	6	1	1	-	-
FEMALE--	6	6	3	11	10	7	6	8	6	-	-	-
ALL OTHER--MALE----	1	-	1	5	4	2	-	-	-	-	-	-
FEMALE--	1	1	5	1	2	2	2	1	2	1	-	-
BLACK---MALE----	1	-	1	4	4	1	-	-	-	-	-	-
FEMALE--	1	1	5	1	2	2	1	1	2	1	-	-
ALABAMA -----	-	-	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	-	-	1	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	1	-	-	2	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	1	2	1	2	3	2	1	4	1	-	-	-
WHITE-----MALE----	-	1	-	-	2	1	-	1	-	-	-	-
FEMALE--	1	1	-	1	-	1	-	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 4097

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Misadventures to patients during medical and surgical care and their sequelae (Y60-Y69,Y88.1)												
COLORADO -----	1	-	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	-	-	1	1	1	3	2	2	-	1	-	-
WHITE-----MALE----	-	-	-	1	-	1	2	1	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	1	-	-
GEORGIA -----	-	-	-	1	2	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 4102

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Misadventures to patients during medical and surgical care and their sequelae (Y60-Y69,Y88.1)												
OHIO -----	-	1	-	2	2	2	3	1	-	-	-	-
WHITE-----MALE----	-	1	-	1	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
OKLAHOMA -----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1	1	1	3	1	3	1	4	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	2	-	-	-	-
FEMALE--	1	1	1	-	-	1	1	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	2	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	2	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 4105

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other complications of medical and surgical care and their sequelae (Y70-Y84,Y88.2-Y88.3)												
UNITED STATES -	2,621	18	18	16	12	8	16	25	33	44	65	100
WHITE-----MALE----	1,032	10	7	6	4	4	6	10	11	13	29	35
FEMALE--	1,138	3	4	4	6	2	5	6	17	20	18	42
ALL OTHER--MALE----	187	1	2	4	-	1	1	6	2	5	6	13
FEMALE--	264	4	5	2	2	1	4	3	3	6	12	10
BLACK---MALE----	165	1	1	2	-	1	-	6	2	5	6	11
FEMALE--	242	4	4	2	1	1	4	2	3	6	9	9
ALABAMA -----	60	1	-	-	-	1	-	-	-	1	1	4
WHITE-----MALE----	23	-	-	-	-	1	-	-	-	1	-	1
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	8	1	-	-	-	-	-	-	-	-	1	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	1	-	-	-	-	-	-	-	-	1	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	2	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	46	-	1	-	-	-	-	-	-	-	-	5
WHITE-----MALE----	23	-	1	-	-	-	-	-	-	-	-	4
FEMALE--	22	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	36	1	-	-	1	-	-	1	1	1	1	1
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	16	-	-	-	1	-	-	-	1	1	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	4	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	4	1	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	113	1	4	2	2	-	-	3	-	5	5	9
WHITE-----MALE----	44	-	1	-	-	-	-	1	-	3	1	4
FEMALE--	54	-	1	1	2	-	-	1	-	1	3	3
ALL OTHER--MALE----	6	-	1	1	-	-	-	-	-	-	-	1
FEMALE--	9	1	1	-	-	-	-	1	-	1	1	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	1	1	-	-	-	-	-	-	1	-	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 4105

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other complications of medical and surgical care and their sequelae (Y70-Y84,Y88.2-Y88.3)												
UNITED STATES -	137	127	195	228	339	374	347	303	155	51	10	-
WHITE-----MALE----	59	51	73	90	158	159	152	106	38	10	1	-
FEMALE--	54	42	80	98	127	154	160	161	98	29	8	-
ALL OTHER--MALE----	11	12	20	20	27	24	12	14	4	2	-	-
FEMALE--	13	22	22	20	27	37	23	22	15	10	1	-
BLACK---MALE----	10	11	18	20	23	21	11	12	3	1	-	-
FEMALE--	12	21	21	16	27	34	21	19	15	10	1	-
ALABAMA -----	3	5	9	6	6	7	6	8	1	-	1	-
WHITE-----MALE----	-	2	3	4	1	4	2	3	1	-	-	-
FEMALE--	2	2	2	1	3	-	4	3	-	-	1	-
ALL OTHER--MALE----	1	-	3	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	1	1	2	3	-	1	-	-	-	-
BLACK---MALE----	1	-	3	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	1	1	2	3	-	1	-	-	-	-
ALASKA -----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	4	1	4	4	7	7	5	4	3	1	-	-
WHITE-----MALE----	2	-	1	1	3	6	4	1	-	-	-	-
FEMALE--	2	1	3	3	3	1	1	3	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	1	1	2	3	8	7	2	3	1	-	-
WHITE-----MALE----	-	1	-	1	2	2	5	1	-	-	-	-
FEMALE--	1	-	-	1	1	4	2	-	3	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	1	-	-
BLACK---MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	1	-	-
CALIFORNIA -----	6	1	9	5	18	12	12	13	6	-	-	-
WHITE-----MALE----	3	-	3	2	9	4	3	10	-	-	-	-
FEMALE--	3	1	6	3	7	7	7	3	5	-	-	-
ALL OTHER--MALE----	-	-	-	-	2	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 4106

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other complications of medical and surgical care and their sequelae (Y70-Y84,Y88.2-Y88.3)												
COLORADO -----	35	-	-	-	1	-	1	-	-	1	-	1
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
CONNECTICUT -----	66	-	1	-	-	-	-	-	2	2	-	1
WHITE-----MALE----	25	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	32	-	-	-	-	-	-	-	2	1	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	10	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	8	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
FLORIDA -----	94	-	-	-	-	-	-	1	2	1	-	1
WHITE-----MALE----	44	-	-	-	-	-	-	1	2	-	-	-
FEMALE--	41	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	-
GEORGIA -----	190	1	2	-	-	1	-	2	1	5	7	5
WHITE-----MALE----	66	1	2	-	-	-	-	1	-	1	3	1
FEMALE--	62	-	-	-	-	-	-	-	-	2	1	1
ALL OTHER--MALE----	27	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	35	-	-	-	-	1	-	1	1	1	2	1
BLACK---MALE----	26	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	33	-	-	-	-	1	-	1	1	1	2	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 4106

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other complications of medical and surgical care and their sequelae (Y70-Y84,Y88.2-Y88.3)												
COLORADO -----	3	-	2	4	4	4	1	9	3	1	-	-
WHITE-----MALE----	2	-	-	2	2	1	-	3	1	-	-	-
FEMALE--	1	-	2	2	1	3	1	6	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	6	3	5	4	9	11	7	13	2	-	-	-
WHITE-----MALE----	2	2	1	1	5	5	3	4	1	-	-	-
FEMALE--	3	1	2	3	4	3	3	8	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	1	-	-	-	-	-
FEMALE--	1	-	1	-	-	2	-	1	-	-	-	-
BLACK---MALE----	-	-	1	-	-	1	1	-	-	-	-	-
FEMALE--	1	-	1	-	-	2	-	1	-	-	-	-
DELAWARE -----	-	-	-	-	2	1	4	-	2	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	3	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	1	1	1	-	1	2	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	2	1	-	-
BLACK---MALE----	-	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	2	1	-	-
FLORIDA -----	3	4	6	15	12	21	9	13	5	1	-	-
WHITE-----MALE----	1	1	3	11	7	8	4	5	1	-	-	-
FEMALE--	2	1	2	4	5	10	4	8	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	2	1	-	-	-	-	-
FEMALE--	-	2	1	-	-	1	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	2	1	-	-	1	-	-	-	1	-	-
GEORGIA -----	11	10	11	22	28	30	23	17	10	4	-	-
WHITE-----MALE----	3	3	5	7	15	12	8	3	-	1	-	-
FEMALE--	3	4	2	7	5	11	11	7	7	1	-	-
ALL OTHER--MALE----	3	1	2	5	3	3	1	4	1	-	-	-
FEMALE--	2	2	2	3	5	4	3	3	2	2	-	-
BLACK---MALE----	3	1	2	5	3	2	1	4	1	-	-	-
FEMALE--	1	1	2	3	5	4	3	3	2	2	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 4107

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other complications of medical and surgical care and their sequelae (Y70-Y84,Y88.2-Y88.3)												
HAWAII -----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	1	-	1	-	1	3	2	2	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	2	1	-	-	-	-	-
FEMALE--	1	-	1	-	-	1	1	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	4	8	12	12	12	11	18	14	9	5	-	-
WHITE-----MALE----	2	3	5	7	4	6	9	7	3	2	-	-
FEMALE--	-	2	3	4	5	2	9	5	5	3	-	-
ALL OTHER--MALE----	1	2	1	1	2	1	-	-	-	-	-	-
FEMALE--	1	1	3	-	1	2	-	2	1	-	-	-
BLACK---MALE----	1	2	-	1	2	-	-	-	-	-	-	-
FEMALE--	1	1	3	-	1	2	-	2	1	-	-	-
INDIANA -----	8	5	8	10	16	19	8	13	2	-	1	-
WHITE-----MALE----	1	2	4	2	7	8	5	5	-	-	-	-
FEMALE--	6	3	2	5	5	10	3	8	1	-	1	-
ALL OTHER--MALE----	1	-	1	2	2	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	2	1	-	-	1	-	-	-
BLACK---MALE----	1	-	1	2	2	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	2	1	-	-	1	-	-	-
IOWA -----	-	1	2	2	5	3	8	5	1	-	1	-
WHITE-----MALE----	-	1	2	1	2	3	5	3	-	-	-	-
FEMALE--	-	-	-	1	2	-	3	2	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	-	1	3	5	1	-	6	7	1	-	-	-
WHITE-----MALE----	-	-	1	1	1	-	3	5	-	-	-	-
FEMALE--	-	-	2	4	-	-	2	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT A PG 4108

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other complications of medical and surgical care and their sequelae (Y70-Y84,Y88.2-Y88.3)												
KENTUCKY -----	52	-	-	-	-	-	-	-	2	-	2	2
WHITE-----MALE----	24	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	22	-	-	-	-	-	-	-	1	-	1	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	-
LOUISIANA -----	35	1	-	-	-	-	-	2	1	-	2	-
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	6	1	-	-	-	-	-	1	1	-	1	-
BLACK---MALE-----	5	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	6	1	-	-	-	-	-	1	1	-	1	-
MAINE -----	13	1	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	7	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	52	-	1	-	-	-	-	1	-	-	2	1
WHITE-----MALE----	16	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	9	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	9	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	9	-	1	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	29	-	-	-	-	1	-	-	1	-	-	1
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	16	-	-	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	77	-	1	-	-	-	1	1	1	-	4	5
WHITE-----MALE----	26	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	35	-	-	-	-	-	-	-	1	-	2	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	12	-	1	-	-	-	1	-	-	-	1	2
BLACK---MALE-----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	10	-	1	-	-	-	1	-	-	-	-	1

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 4108

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other complications of medical and surgical care and their sequelae (Y70-Y84,Y88.2-Y88.3)												
KENTUCKY -----	4	3	2	1	11	6	7	7	3	2	-	-
WHITE-----MALE----	2	1	1	1	8	2	4	2	1	-	-	-
FEMALE--	2	1	1	-	2	2	3	4	2	2	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	-	-	-	-	-
BLACK---MALE-----	-	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	-	-	-	-	-
LOUISIANA -----	2	3	3	2	3	3	6	5	1	1	-	-
WHITE-----MALE----	1	3	2	-	2	-	2	2	1	-	-	-
FEMALE--	1	-	1	2	1	-	2	3	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-
MAINE -----	1	1	-	1	2	2	2	1	-	1	-	-
WHITE-----MALE----	1	1	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	1	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	3	5	4	7	8	9	7	1	2	-	-
WHITE-----MALE----	-	-	3	1	2	3	3	2	-	-	-	-
FEMALE--	-	-	2	2	2	2	4	4	1	1	-	-
ALL OTHER--MALE----	1	1	-	1	2	2	-	-	-	-	-	-
FEMALE--	-	2	-	-	1	1	2	1	-	1	-	-
BLACK---MALE-----	1	1	-	1	2	2	-	-	-	-	-	-
FEMALE--	-	2	-	-	1	1	2	1	-	1	-	-
MASSACHUSETTS -----	1	2	-	3	1	8	4	5	1	1	-	-
WHITE-----MALE----	1	1	-	2	1	2	2	2	1	-	-	-
FEMALE--	-	1	-	1	-	6	2	3	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	5	5	10	8	3	14	8	7	3	1	-	-
WHITE-----MALE----	2	-	3	2	1	8	5	1	2	-	-	-
FEMALE--	3	3	4	5	2	4	2	5	1	1	-	-
ALL OTHER--MALE----	-	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	2	2	-	-	1	1	1	-	-	-	-
BLACK---MALE-----	-	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	2	2	-	-	1	1	1	-	-	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 4111

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other complications of medical and surgical care and their sequelae (Y70-Y84,Y88.2-Y88.3)												
OHIO -----	5	5	8	9	23	13	14	8	6	1	1	-
WHITE-----MALE----	3	3	1	2	9	4	7	2	1	1	-	-
FEMALE--	2	1	6	5	10	7	6	4	4	-	1	-
ALL OTHER--MALE----	-	-	-	-	2	1	-	1	-	-	-	-
FEMALE--	-	1	1	2	2	1	1	1	1	-	-	-
BLACK---MALE----	-	-	-	-	2	1	-	1	-	-	-	-
FEMALE--	-	1	1	1	2	1	-	1	1	-	-	-
OKLAHOMA -----	5	1	5	5	4	4	10	6	4	1	-	-
WHITE-----MALE----	-	-	2	-	4	2	5	3	1	-	-	-
FEMALE--	3	1	2	1	-	-	5	-	3	-	-	-
ALL OTHER--MALE----	2	-	1	1	-	2	-	1	-	-	-	-
FEMALE--	-	-	-	3	-	-	-	2	-	1	-	-
BLACK---MALE----	1	-	1	1	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	1	-	-
OREGON -----	4	-	1	1	3	8	4	3	1	1	-	-
WHITE-----MALE----	4	-	1	1	2	3	1	1	-	1	-	-
FEMALE--	-	-	-	-	1	5	3	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	10	6	23	19	30	35	19	25	13	1	1	-
WHITE-----MALE----	8	5	8	7	17	16	8	9	7	-	-	-
FEMALE--	2	-	10	10	12	19	10	15	6	1	1	-
ALL OTHER--MALE----	-	1	3	1	-	-	1	1	-	-	-	-
FEMALE--	-	-	2	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	3	1	-	-	1	1	-	-	-	-
FEMALE--	-	-	2	1	1	-	-	-	-	-	-	-
RHODE ISLAND -----	1	1	-	-	2	2	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	2	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	6	4	3	7	5	8	5	3	1	-	-
WHITE-----MALE----	-	3	2	2	3	1	1	1	1	-	-	-
FEMALE--	-	-	1	1	2	3	4	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	2	1	-	1	-	-	-	-
FEMALE--	-	3	1	-	-	-	3	1	1	1	-	-
BLACK---MALE----	-	-	-	-	2	1	-	1	-	-	-	-
FEMALE--	-	3	1	-	-	-	3	1	1	1	-	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 4112

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other complications of medical and surgical care and their sequelae (Y70-Y84,Y88.2-Y88.3)												
SOUTH DAKOTA -----	-	-	2	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	4	2	3	5	7	12	15	8	3	-	-	-
WHITE-----MALE----	3	-	1	-	3	5	7	1	1	-	-	-
FEMALE--	1	1	2	4	2	7	5	4	2	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	2	-	3	2	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	2	-	3	2	-	-	-	-
TEXAS -----	7	12	12	9	17	18	22	16	11	4	-	-
WHITE-----MALE----	1	5	4	5	7	6	12	8	3	1	-	-
FEMALE--	4	4	6	2	8	6	7	8	7	2	-	-
ALL OTHER--MALE----	1	1	-	-	-	2	2	-	-	1	-	-
FEMALE--	1	2	2	2	2	4	1	-	1	-	-	-
BLACK---MALE----	1	1	-	-	-	2	2	-	-	1	-	-
FEMALE--	1	2	1	2	2	3	1	-	1	-	-	-
UTAH -----	1	1	-	2	-	2	3	3	2	2	1	-
WHITE-----MALE----	1	-	-	1	-	1	1	1	1	-	-	-
FEMALE--	-	1	-	1	-	1	2	2	1	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	1	-	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2	-	6	4	12	6	6	5	3	2	1	-
WHITE-----MALE----	1	-	2	2	5	5	2	1	-	-	-	-
FEMALE--	1	-	2	1	5	1	3	4	2	1	-	-
ALL OTHER--MALE----	-	-	1	1	2	-	-	-	-	1	-	-
FEMALE--	-	-	1	-	-	-	1	-	1	-	1	-
BLACK---MALE----	-	-	1	1	2	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	1	-	1	-

TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2000 PLT B PG 4113

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other complications of medical and surgical care and their sequelae (Y70-Y84,Y88.2-Y88.3)												
WASHINGTON -----	1	-	-	1	2	2	3	-	5	-	-	-
WHITE-----MALE----	-	-	-	1	2	1	2	-	2	-	-	-
FEMALE--	1	-	-	-	-	1	1	-	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA -----	1	2	2	-	4	4	1	2	4	1	-	-
WHITE-----MALE----	1	-	-	-	2	1	-	-	-	-	-	-
FEMALE--	-	1	2	-	2	2	1	2	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
WISCONSIN -----	3	3	-	5	5	3	9	5	2	1	1	-
WHITE-----MALE----	2	2	-	2	2	2	2	2	-	1	-	-
FEMALE--	-	1	-	3	3	1	7	3	2	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
WYOMING -----	-	-	1	-	-	-	1	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-

- QUANTITY ZERO.
 ... CATEGORY NOT APPLICABLE.

SOURCE: CDC/NCHS, NATIONAL VITAL STATISTICS SYSTEM, MORTALITY.