

TABLE 210A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX:

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

Shigellosis and amebiasis (A03,A06)

All races,both sexes	10	-	1	1	-	-	-	-	-
Male	6	-	1	1	-	-	-	-	-
Female	4	-	-	-	-	-	-	-	-
White,both sexes	10	-	1	1	-	-	-	-	-
Male	6	-	1	1	-	-	-	-	-
Female	4	-	-	-	-	-	-	-	-
All other,both sexes	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-
Black,both sexes	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-

Certain other intestinal infections (A04,A07-A09)

All races,both sexes	1,108	12	8	2	1	1	4	3	3	2
Male	420	8	4	2	1	1	2	2	3	1
Female	688	4	4	-	-	-	2	1	-	1
White,both sexes	1,026	8	7	-	1	1	3	3	3	2
Male	389	6	3	-	1	1	2	2	3	1
Female	637	2	4	-	-	-	1	1	-	1
All other,both sexes	82	4	1	2	-	-	1	-	-	-
Male	31	2	1	2	-	-	-	-	-	-
Female	51	2	-	-	-	-	1	-	-	-
Black,both sexes	74	4	-	2	-	-	1	-	-	-
Male	25	2	-	2	-	-	-	-	-	-
Female	49	2	-	-	-	-	1	-	-	-

TABLE 210A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1999

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
Tuberculosis (A16-A19)										
All races,both sexes	930	2	2	1	2	1	10	3	16	25
Male	584	-	2	-	2	1	3	1	10	20
Female	346	2	-	1	-	-	7	2	6	5
White,both sexes	564	1	-	-	1	1	4	2	3	12
Male	348	-	-	-	1	1	3	1	3	9
Female	216	1	-	-	-	-	1	1	-	3
All other,both sexes	366	1	2	1	1	-	6	1	13	13
Male	236	-	2	-	1	-	-	-	7	11
Female	130	1	-	1	-	-	6	1	6	2
Black,both sexes	245	1	2	1	-	-	4	1	8	10
Male	159	-	2	-	-	-	-	-	4	8
Female	86	1	-	1	-	-	4	1	4	2
Respiratory tuberculosis (A16)										
All races,both sexes	764	1	1	-	1	-	8	2	12	19
Male	486	-	1	-	1	-	2	-	8	15
Female	278	1	-	-	-	-	6	2	4	4
White,both sexes	472	-	-	-	-	-	3	1	2	8
Male	296	-	-	-	-	-	2	-	2	6
Female	176	-	-	-	-	-	1	1	-	2
All other,both sexes	292	1	1	-	1	-	5	1	10	11
Male	190	-	1	-	1	-	-	-	6	9
Female	102	1	-	-	-	-	5	1	4	2
Black,both sexes	199	1	1	-	-	-	4	1	7	9
Male	126	-	1	-	-	-	-	-	3	7
Female	73	1	-	-	-	-	4	1	4	2

TABLE 210A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1999

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
Scarlet fever and erysipelas (A38,A46)										
All races,both sexes	5	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-
Female	5	-	-	-	-	-	-	-	-	-
White,both sexes	4	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-
Female	4	-	-	-	-	-	-	-	-	-
All other,both sexes	1	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-
Black,both sexes	1	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-
Meningococcal infection (A39)										
All races,both sexes	227	32	30	13	12	28	11	11	12	12
Male	101	14	19	7	6	13	6	8	4	3
Female	126	18	11	6	6	15	5	3	8	9
White,both sexes	184	30	26	10	8	20	9	6	8	8
Male	79	14	17	5	4	8	5	4	2	2
Female	105	16	9	5	4	12	4	2	6	6
All other,both sexes	43	2	4	3	4	8	2	5	4	4
Male	22	-	2	2	2	5	1	4	2	1
Female	21	2	2	1	2	3	1	1	2	3
Black,both sexes	39	2	4	2	4	7	2	4	4	4
Male	20	-	2	1	2	5	1	3	2	1
Female	19	2	2	1	2	2	1	1	2	3

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
Measles (B05)										
All races,both sexes	2	1	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-
Female	2	1	-	-	-	-	-	-	-	-
White,both sexes	1	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-
All other,both sexes	1	1	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-
Black,both sexes	1	1	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-
Viral hepatitis (B15-B19)										
All races,both sexes	4,853	2	3	1	2	3	11	19	69	204
Male	3,043	2	2	-	2	3	7	9	44	139
Female	1,810	-	1	1	-	-	4	10	25	65
White,both sexes	3,835	1	3	1	1	3	6	11	57	169
Male	2,436	1	2	-	1	3	4	4	37	118
Female	1,399	-	1	1	-	-	2	7	20	51
All other,both sexes	1,018	1	-	-	1	-	5	8	12	35
Male	607	1	-	-	1	-	3	5	7	21
Female	411	-	-	-	-	-	2	3	5	14
Black,both sexes	731	1	-	-	1	-	4	6	11	25
Male	443	1	-	-	1	-	2	3	6	15
Female	288	-	-	-	-	-	2	3	5	10

TABLE 210A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1999

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
Human immunodeficiency virus (HIV) disease (B20-B24)										
All races, both sexes	14,802	14	24	38	28	31	167	763	1,966	2,981
Male	11,234	9	16	20	16	15	80	504	1,410	2,224
Female	3,568	5	8	18	12	16	87	259	556	757
White, both sexes	6,752	4	7	12	13	10	53	304	898	1,472
Male	5,613	3	5	6	7	7	33	226	730	1,222
Female	1,139	1	2	6	6	3	20	78	168	250
All other, both sexes	8,050	10	17	26	15	21	114	459	1,068	1,509
Male	5,621	6	11	14	9	8	47	278	680	1,002
Female	2,429	4	6	12	6	13	67	181	388	507
Black, both sexes	7,893	10	17	26	15	21	112	452	1,045	1,473
Male	5,493	6	11	14	9	8	46	273	662	969
Female	2,400	4	6	12	6	13	66	179	383	504
Malaria (B50-B54)										
All races, both sexes	7	1	-	-	-	-	-	2	-	-
Male	4	1	-	-	-	-	-	1	-	-
Female	3	-	-	-	-	-	-	1	-	-
White, both sexes	4	-	-	-	-	-	-	1	-	-
Male	3	-	-	-	-	-	-	1	-	-
Female	1	-	-	-	-	-	-	-	-	-
All other, both sexes	3	1	-	-	-	-	-	1	-	-
Male	1	1	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	1	-	-
Black, both sexes	3	1	-	-	-	-	-	1	-	-
Male	1	1	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	-	-	1	-	-

TABLE 210A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1999

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
Other and unspecified infectious and parasitic diseases and their sequelae (A00,A05,A20-A36,A42-A44,A48-A49,A54-A79,A81-A82,A85.0-A85.1,A85.8,A86-B04,B06-B09,B25-B49,B55-B99)										
All races,both sexes	7,279	203	81	40	39	43	47	92	150	234
Male	3,655	119	51	20	24	23	26	46	85	149
Female	3,624	84	30	20	15	20	21	46	65	85
White,both sexes	5,794	135	56	32	24	32	32	56	88	156
Male	2,910	85	37	18	13	16	18	27	51	110
Female	2,884	50	19	14	11	16	14	29	37	46
All other,both sexes	1,485	68	25	8	15	11	15	36	62	78
Male	745	34	14	2	11	7	8	19	34	39
Female	740	34	11	6	4	4	7	17	28	39
Black,both sexes	1,260	60	23	7	10	7	13	31	58	74
Male	624	31	14	2	8	5	7	14	34	37
Female	636	29	9	5	2	2	6	17	24	37
Malignant neoplasms (C00-C97)										
All races,both sexes	549,838	68	418	509	503	745	979	1,429	2,576	5,764
Male	285,832	36	227	279	276	448	575	755	1,204	2,467
Female	264,006	32	191	230	227	297	404	674	1,372	3,297
White,both sexes	477,238	53	353	397	383	568	759	1,137	2,010	4,495
Male	247,396	31	194	224	210	335	449	606	955	1,984
Female	229,842	22	159	173	173	233	310	531	1,055	2,511
All other,both sexes	72,600	15	65	112	120	177	220	292	566	1,269
Male	38,436	5	33	55	66	113	126	149	249	483
Female	34,164	10	32	57	54	64	94	143	317	786
Black,both sexes	61,951	11	49	85	98	139	179	233	438	1,058
Male	32,850	3	26	41	55	87	97	114	183	385
Female	29,101	8	23	44	43	52	82	119	255	673

TABLE 210A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX:

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
Malignant neoplasm of stomach (C16)										
All races,both sexes	12,711	-	-	-	1	5	8	47	89	189
Male	7,459	-	-	-	1	2	4	22	54	101
Female	5,252	-	-	-	-	3	4	25	35	88
White,both sexes	9,779	-	-	-	-	2	6	29	59	128
Male	5,786	-	-	-	-	1	3	15	40	70
Female	3,993	-	-	-	-	1	3	14	19	58
All other,both sexes	2,932	-	-	-	1	3	2	18	30	61
Male	1,673	-	-	-	1	1	1	7	14	31
Female	1,259	-	-	-	-	2	1	11	16	30
Black,both sexes	2,203	-	-	-	1	1	2	14	22	40
Male	1,263	-	-	-	1	-	1	7	12	20
Female	940	-	-	-	-	1	1	7	10	20
Malignant neoplasms of colon, rectum and anus (C18-C21)										
All races,both sexes	57,155	1	-	-	1	11	38	87	196	439
Male	28,240	-	-	-	1	5	22	57	103	226
Female	28,915	1	-	-	-	6	16	30	93	213
White,both sexes	49,374	-	-	-	1	6	26	62	150	336
Male	24,539	-	-	-	1	2	14	40	78	180
Female	24,835	-	-	-	-	4	12	22	72	156
All other,both sexes	7,781	1	-	-	-	5	12	25	46	103
Male	3,701	-	-	-	-	3	8	17	25	46
Female	4,080	1	-	-	-	2	4	8	21	57
Black,both sexes	6,777	1	-	-	-	5	11	21	35	92
Male	3,196	-	-	-	-	3	7	14	17	43
Female	3,581	1	-	-	-	2	4	7	18	49

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
-------------	-----------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

Malignant neoplasms of liver and intrahepatic bile ducts (C22)

All races,both sexes	12,382	8	29	5	6	19	24	33	45	127
Male	7,689	5	20	5	4	12	12	22	26	88
Female	4,693	3	9	-	2	7	12	11	19	39
White,both sexes	9,986	6	26	3	3	14	15	17	19	73
Male	6,151	3	18	3	2	10	7	11	10	45
Female	3,835	3	8	-	1	4	8	6	9	28
All other,both sexes	2,396	2	3	2	3	5	9	16	26	54
Male	1,538	2	2	2	2	2	5	11	16	43
Female	858	-	1	-	1	3	4	5	10	11
Black,both sexes	1,507	1	3	1	3	2	5	9	12	31
Male	947	1	2	1	2	-	2	7	7	21
Female	560	-	1	-	1	2	3	2	5	10

Malignant neoplasm of pancreas (C25)

All races,both sexes	29,082	1	-	-	-	-	3	9	46	178
Male	14,176	-	-	-	-	-	1	7	26	107
Female	14,906	1	-	-	-	-	2	2	20	71
White,both sexes	25,086	-	-	-	-	-	2	7	33	137
Male	12,273	-	-	-	-	-	1	6	19	85
Female	12,813	-	-	-	-	-	1	1	14	52
All other,both sexes	3,996	1	-	-	-	-	1	2	13	41
Male	1,903	-	-	-	-	-	-	1	7	22
Female	2,093	1	-	-	-	-	1	1	6	19
Black,both sexes	3,391	1	-	-	-	-	-	2	10	36
Male	1,611	-	-	-	-	-	-	1	7	19
Female	1,780	1	-	-	-	-	-	1	3	17

TABLE 210A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1999

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
Malignant neoplasm of larynx (C32)										
All races,both sexes	3,815	-	-	-	-	-	-	-	6	20
Male	2,992	-	-	-	-	-	-	-	5	18
Female	823	-	-	-	-	-	-	-	1	2
White,both sexes	3,106	-	-	-	-	-	-	-	4	14
Male	2,419	-	-	-	-	-	-	-	3	14
Female	687	-	-	-	-	-	-	-	1	-
All other,both sexes	709	-	-	-	-	-	-	-	2	6
Male	573	-	-	-	-	-	-	-	2	4
Female	136	-	-	-	-	-	-	-	-	2
Black,both sexes	663	-	-	-	-	-	-	-	2	6
Male	536	-	-	-	-	-	-	-	2	4
Female	127	-	-	-	-	-	-	-	-	2
Malignant neoplasms of trachea, bronchus and lung (C33-C34)										
All races,both sexes	152,156	-	-	3	2	6	14	43	136	668
Male	89,453	-	-	2	2	5	8	24	73	323
Female	62,703	-	-	1	-	1	6	19	63	345
White,both sexes	133,752	-	-	2	1	3	8	33	116	511
Male	77,846	-	-	1	1	3	4	17	64	247
Female	55,906	-	-	1	-	-	4	16	52	264
All other,both sexes	18,404	-	-	1	1	3	6	10	20	157
Male	11,607	-	-	1	1	2	4	7	9	76
Female	6,797	-	-	-	-	1	2	3	11	81
Black,both sexes	15,963	-	-	1	1	3	5	5	15	134
Male	10,135	-	-	1	1	2	3	4	7	63
Female	5,828	-	-	-	-	1	2	1	8	71

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
Malignant melanoma of skin (C43)										
All races,both sexes	7,215	1	-	1	-	9	30	62	132	239
Male	4,529	1	-	-	-	7	16	38	72	151
Female	2,686	-	-	1	-	2	14	24	60	88
White,both sexes	7,086	1	-	1	-	8	28	61	127	236
Male	4,459	1	-	-	-	6	14	37	69	149
Female	2,627	-	-	1	-	2	14	24	58	87
All other,both sexes	129	-	-	-	-	1	2	1	5	3
Male	70	-	-	-	-	1	2	1	3	2
Female	59	-	-	-	-	-	-	-	2	1
Black,both sexes	96	-	-	-	-	1	-	1	3	1
Male	48	-	-	-	-	1	-	1	1	1
Female	48	-	-	-	-	-	-	-	2	-
Malignant neoplasm of breast (C50)										
All races,both sexes	41,528	-	1	-	1	3	10	86	353	986
Male	384	-	-	-	-	-	-	-	3	6
Female	41,144	-	1	-	1	3	10	86	350	980
White,both sexes	35,385	-	-	-	1	3	5	59	245	700
Male	312	-	-	-	-	-	-	-	2	-
Female	35,073	-	-	-	1	3	5	59	243	700
All other,both sexes	6,143	-	1	-	-	-	5	27	108	286
Male	72	-	-	-	-	-	-	-	1	6
Female	6,071	-	1	-	-	-	5	27	107	280
Black,both sexes	5,425	-	1	-	-	-	5	25	101	261
Male	67	-	-	-	-	-	-	-	1	6
Female	5,358	-	1	-	-	-	5	25	100	255

TABLE 210A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX:

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
Malignant neoplasm of cervix uteri (C53)										
All races,both sexes	4,205	-	-	-	-	2	10	62	155	292
Female	4,205	-	-	-	-	2	10	62	155	292
White,both sexes	3,229	-	-	-	-	-	9	52	124	221
Female	3,229	-	-	-	-	-	9	52	124	221
All other,both sexes	976	-	-	-	-	2	1	10	31	71
Female	976	-	-	-	-	2	1	10	31	71
Black,both sexes	838	-	-	-	-	2	1	9	27	61
Female	838	-	-	-	-	2	1	9	27	61
Malignant neoplasms of corpus uteri and uterus, part unspecified (C54-C55)										
All races,both sexes	6,468	-	-	-	-	-	2	11	12	38
Female	6,468	-	-	-	-	-	2	11	12	38
White,both sexes	5,386	-	-	-	-	-	2	8	10	31
Female	5,386	-	-	-	-	-	2	8	10	31
All other,both sexes	1,082	-	-	-	-	-	-	3	2	7
Female	1,082	-	-	-	-	-	-	3	2	7
Black,both sexes	987	-	-	-	-	-	-	3	2	5
Female	987	-	-	-	-	-	-	3	2	5

TABLE 210A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX:

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
Malignant neoplasms of kidney and renal pelvis (C64-C65)										
All races,both sexes	11,116	2	19	23	10	8	9	25	29	105
Male	6,867	1	11	12	4	4	7	15	22	70
Female	4,249	1	8	11	6	4	2	10	7	35
White,both sexes	9,878	2	12	19	6	5	5	14	18	76
Male	6,112	1	8	10	1	4	3	7	13	51
Female	3,766	1	4	9	5	1	2	7	5	25
All other,both sexes	1,238	-	7	4	4	3	4	11	11	29
Male	755	-	3	2	3	-	4	8	9	19
Female	483	-	4	2	1	3	-	3	2	10
Black,both sexes	1,035	-	4	3	3	3	4	11	10	27
Male	622	-	2	1	2	-	4	8	8	19
Female	413	-	2	2	1	3	-	3	2	8
Malignant neoplasm of bladder (C67)										
All races,both sexes	11,911	-	-	-	1	-	1	6	10	32
Male	8,105	-	-	-	1	-	-	3	6	20
Female	3,806	-	-	-	-	-	1	3	4	12
White,both sexes	10,863	-	-	-	1	-	-	3	7	23
Male	7,520	-	-	-	1	-	-	1	4	13
Female	3,343	-	-	-	-	-	-	2	3	10
All other,both sexes	1,048	-	-	-	-	-	1	3	3	9
Male	585	-	-	-	-	-	-	2	2	7
Female	463	-	-	-	-	-	1	1	1	2
Black,both sexes	918	-	-	-	-	-	1	2	2	9
Male	496	-	-	-	-	-	-	1	1	7
Female	422	-	-	-	-	-	1	1	1	2

TABLE 210A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX:

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)										
All races,both sexes	12,765	10	113	184	124	115	103	177	267	443
Male	7,001	8	56	96	58	69	62	104	172	268
Female	5,764	2	57	88	66	46	41	73	95	175
White,both sexes	11,819	7	96	139	103	86	85	165	238	408
Male	6,492	6	49	75	50	50	51	97	153	249
Female	5,327	1	47	64	53	36	34	68	85	159
All other,both sexes	946	3	17	45	21	29	18	12	29	35
Male	509	2	7	21	8	19	11	7	19	19
Female	437	1	10	24	13	10	7	5	10	16
Black,both sexes	764	3	12	37	18	23	14	10	26	26
Male	404	2	5	18	7	15	9	6	17	15
Female	360	1	7	19	11	8	5	4	9	11
Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)										
All races,both sexes	56,318	30	137	142	209	303	417	423	537	837
Male	29,721	12	75	84	122	180	257	241	316	497
Female	26,597	18	62	58	87	123	160	182	221	340
White,both sexes	50,189	24	118	114	157	232	332	332	419	677
Male	26,558	12	63	70	90	136	213	186	245	408
Female	23,631	12	55	44	67	96	119	146	174	269
All other,both sexes	6,129	6	19	28	52	71	85	91	118	160
Male	3,163	-	12	14	32	44	44	55	71	89
Female	2,966	6	7	14	20	27	41	36	47	71
Black,both sexes	5,088	4	15	21	42	54	80	72	88	135
Male	2,590	-	9	11	28	33	41	43	55	74
Female	2,498	4	6	10	14	21	39	29	33	61

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
Hodgkin's disease (C81)										
All races,both sexes	1,403	-	1	-	9	31	63	77	71	90
Male	785	-	1	-	3	20	35	42	44	56
Female	618	-	-	-	6	11	28	35	27	34
White,both sexes	1,263	-	1	-	7	26	49	60	62	80
Male	708	-	1	-	3	17	28	32	40	49
Female	555	-	-	-	4	9	21	28	22	31
All other,both sexes	140	-	-	-	2	5	14	17	9	10
Male	77	-	-	-	-	3	7	10	4	7
Female	63	-	-	-	2	2	7	7	5	3
Black,both sexes	128	-	-	-	1	5	14	17	9	10
Male	75	-	-	-	-	3	7	10	4	7
Female	53	-	-	-	1	2	7	7	5	3
Non-Hodgkin's lymphoma (C82-C85)										
All races,both sexes	22,802	2	16	12	25	51	93	109	180	324
Male	11,794	-	9	9	21	30	61	69	109	204
Female	11,008	2	7	3	4	21	32	40	71	120
White,both sexes	20,941	-	13	8	18	36	74	79	135	253
Male	10,768	-	8	7	16	22	49	48	82	163
Female	10,173	-	5	1	2	14	25	31	53	90
All other,both sexes	1,861	2	3	4	7	15	19	30	45	71
Male	1,026	-	1	2	5	8	12	21	27	41
Female	835	2	2	2	2	7	7	9	18	30
Black,both sexes	1,443	2	2	3	6	13	19	24	34	62
Male	786	-	1	2	4	6	12	17	22	36
Female	657	2	1	1	2	7	7	7	12	26

TABLE 210A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX:

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
Leukemia (C91-C95)										
All races,both sexes	21,014	27	119	130	175	221	261	234	266	374
Male	11,519	11	65	75	98	130	161	128	148	204
Female	9,495	16	54	55	77	91	100	106	118	170
White,both sexes	18,899	23	103	106	132	170	209	191	210	307
Male	10,395	11	54	63	71	97	136	104	115	170
Female	8,504	12	49	43	61	73	73	87	95	137
All other,both sexes	2,115	4	16	24	43	51	52	43	56	67
Male	1,124	-	11	12	27	33	25	24	33	34
Female	991	4	5	12	16	18	27	19	23	33
Black,both sexes	1,708	2	13	18	35	36	47	30	38	53
Male	892	-	8	9	24	24	22	16	22	25
Female	816	2	5	9	11	12	25	14	16	28
Multiple myeloma and immunoproliferative neoplasms (C88,C90)										
All races,both sexes	11,016	-	-	-	-	-	-	3	19	47
Male	5,584	-	-	-	-	-	-	2	14	33
Female	5,432	-	-	-	-	-	-	1	5	14
White,both sexes	9,010	-	-	-	-	-	-	2	11	35
Male	4,651	-	-	-	-	-	-	2	7	26
Female	4,359	-	-	-	-	-	-	-	4	9
All other,both sexes	2,006	-	-	-	-	-	-	1	8	12
Male	933	-	-	-	-	-	-	-	7	7
Female	1,073	-	-	-	-	-	-	1	1	5
Black,both sexes	1,803	-	-	-	-	-	-	1	7	10
Male	834	-	-	-	-	-	-	-	7	6
Female	969	-	-	-	-	-	-	1	-	4

TABLE 210A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1999

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue (C96)										
All races,both sexes	83	1	1	-	-	-	-	-	1	2
Male	39	1	-	-	-	-	-	-	1	-
Female	44	-	1	-	-	-	-	-	-	2
White,both sexes	76	1	1	-	-	-	-	-	1	2
Male	36	1	-	-	-	-	-	-	1	-
Female	40	-	1	-	-	-	-	-	-	2
All other,both sexes	7	-	-	-	-	-	-	-	-	-
Male	3	-	-	-	-	-	-	-	-	-
Female	4	-	-	-	-	-	-	-	-	-
Black,both sexes	6	-	-	-	-	-	-	-	-	-
Male	3	-	-	-	-	-	-	-	-	-
Female	3	-	-	-	-	-	-	-	-	-

All other and unspecified malignant neoplasms (C17,C23-C24,C26-C31,C37-C41,C44-C49,C51-C52,C57-C60,C62-C63,C66,C68-C69,C73-C80,C97)

All races,both sexes	66,251	14	116	150	141	246	273	307	455	833
Male	33,449	8	64	80	80	158	171	204	286	464
Female	32,802	6	52	70	61	88	102	103	169	369
White,both sexes	57,818	12	98	118	105	196	212	255	360	657
Male	29,229	7	55	65	62	120	132	176	225	375
Female	28,589	5	43	53	43	76	80	79	135	282
All other,both sexes	8,433	2	18	32	36	50	61	52	95	176
Male	4,220	1	9	15	18	38	39	28	61	89
Female	4,213	1	9	17	18	12	22	24	34	87
Black,both sexes	7,067	1	14	22	28	40	44	41	67	146
Male	3,547	-	8	9	13	30	27	20	41	71
Female	3,520	1	6	13	15	10	17	21	26	75

TABLE 210A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX:

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
-------------	-----------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)

All races,both sexes	13,227	58	63	64	37	52	46	55	116	140
Male	6,520	30	33	30	19	26	28	32	64	79
Female	6,707	28	30	34	18	26	18	23	52	61
White,both sexes	11,849	41	48	52	32	37	33	39	85	107
Male	5,891	21	22	24	16	17	21	21	46	63
Female	5,958	20	26	28	16	20	12	18	39	44
All other,both sexes	1,378	17	15	12	5	15	13	16	31	33
Male	629	9	11	6	3	9	7	11	18	16
Female	749	8	4	6	2	6	6	5	13	17
Black,both sexes	1,173	15	13	12	5	13	13	9	21	30
Male	521	8	10	6	3	8	7	8	12	15
Female	652	7	3	6	2	5	6	1	9	15

Anemias (D50-D64)

All races,both sexes	4,503	12	30	24	29	43	78	64	96	90
Male	1,746	8	17	8	15	24	43	33	48	47
Female	2,757	4	13	16	14	19	35	31	48	43
White,both sexes	3,393	6	9	7	13	18	16	6	11	22
Male	1,244	4	6	1	6	9	5	1	5	10
Female	2,149	2	3	6	7	9	11	5	6	12
All other,both sexes	1,110	6	21	17	16	25	62	58	85	68
Male	502	4	11	7	9	15	38	32	43	37
Female	608	2	10	10	7	10	24	26	42	31
Black,both sexes	1,019	3	21	17	16	23	61	56	84	66
Male	457	2	11	7	9	13	37	30	43	35
Female	562	1	10	10	7	10	24	26	41	31

TABLE 210A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX:

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

Diabetes mellitus (E10-E14)

All races,both sexes	68,399	2	8	9	23	51	104	189	393	730
Male	31,150	-	4	4	12	25	55	94	225	437
Female	37,249	2	4	5	11	26	49	95	168	293
White,both sexes	54,599	2	6	8	14	38	69	137	272	515
Male	25,545	-	3	4	6	21	38	72	154	318
Female	29,054	2	3	4	8	17	31	65	118	197
All other,both sexes	13,800	-	2	1	9	13	35	52	121	215
Male	5,605	-	1	-	6	4	17	22	71	119
Female	8,195	-	1	1	3	9	18	30	50	96
Black,both sexes	11,927	-	2	1	9	13	31	49	113	195
Male	4,759	-	1	-	6	4	15	21	65	107
Female	7,168	-	1	1	3	9	16	28	48	88

Nutritional deficiencies (E40-E64)

All races,both sexes	4,289	9	2	1	-	2	6	4	8	20
Male	1,486	4	2	1	-	2	3	1	3	8
Female	2,803	5	-	-	-	-	3	3	5	12
White,both sexes	3,628	5	1	-	-	2	3	3	6	15
Male	1,199	2	1	-	-	2	1	-	3	5
Female	2,429	3	-	-	-	-	2	3	3	10
All other,both sexes	661	4	1	1	-	-	3	1	2	5
Male	287	2	1	1	-	-	2	1	-	3
Female	374	2	-	-	-	-	1	-	2	2
Black,both sexes	589	4	1	1	-	-	3	1	2	5
Male	250	2	1	1	-	-	2	1	-	3
Female	339	2	-	-	-	-	1	-	2	2

TABLE 210A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX:

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
Alzheimer's disease (G30)										
All races,both sexes	44,536	-	-	-	-	-	1	-	-	1
Male	13,391	-	-	-	-	-	1	-	-	-
Female	31,145	-	-	-	-	-	-	-	-	1
White,both sexes	41,877	-	-	-	-	-	1	-	-	1
Male	12,585	-	-	-	-	-	1	-	-	-
Female	29,292	-	-	-	-	-	-	-	-	1
All other,both sexes	2,659	-	-	-	-	-	-	-	-	-
Male	806	-	-	-	-	-	-	-	-	-
Female	1,853	-	-	-	-	-	-	-	-	-
Black,both sexes	2,342	-	-	-	-	-	-	-	-	-
Male	692	-	-	-	-	-	-	-	-	-
Female	1,650	-	-	-	-	-	-	-	-	-
Major cardiovascular diseases (I00-I78)										
All races,both sexes	950,314	644	234	144	210	548	767	1,270	2,603	5,918
Male	441,827	347	127	84	115	345	454	769	1,673	3,898
Female	508,487	297	107	60	95	203	313	501	930	2,020
White,both sexes	829,464	434	161	108	142	384	502	834	1,764	4,115
Male	384,572	234	90	64	76	237	294	517	1,180	2,807
Female	444,892	200	71	44	66	147	208	317	584	1,308
All other,both sexes	120,850	210	73	36	68	164	265	436	839	1,803
Male	57,255	113	37	20	39	108	160	252	493	1,091
Female	63,595	97	36	16	29	56	105	184	346	712
Black,both sexes	104,693	177	61	35	58	149	245	392	742	1,630
Male	48,578	94	32	19	34	99	145	228	432	965
Female	56,115	83	29	16	24	50	100	164	310	665

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
Diseases of heart (I00-I09,I11,I13,I20-I51)										
All races,both sexes	725,192	524	183	116	161	463	606	992	2,074	4,703
Male	351,617	270	104	66	91	297	367	618	1,370	3,252
Female	373,575	254	79	50	70	166	239	374	704	1,451
White,both sexes	635,118	352	124	83	110	321	379	638	1,410	3,324
Male	307,585	183	74	47	61	198	231	410	966	2,376
Female	327,533	169	50	36	49	123	148	228	444	948
All other,both sexes	90,074	172	59	33	51	142	227	354	664	1,379
Male	44,032	87	30	19	30	99	136	208	404	876
Female	46,042	85	29	14	21	43	91	146	260	503
Black,both sexes	78,574	144	50	32	45	130	210	319	595	1,259
Male	37,576	72	27	18	27	91	124	191	355	781
Female	40,998	72	23	14	18	39	86	128	240	478

Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)

All races,both sexes	3,676	6	1	2	3	5	8	12	30	47
Male	1,042	2	1	1	1	4	6	5	12	19
Female	2,634	4	-	1	2	1	2	7	18	28
White,both sexes	3,302	4	1	1	2	2	6	8	17	33
Male	933	1	1	-	-	1	4	4	8	14
Female	2,369	3	-	1	2	1	2	4	9	19
All other,both sexes	374	2	-	1	1	3	2	4	13	14
Male	109	1	-	1	1	3	2	1	4	5
Female	265	1	-	-	-	-	-	3	9	9
Black,both sexes	275	1	-	1	1	2	2	4	9	12
Male	88	1	-	1	1	2	2	1	2	4
Female	187	-	-	-	-	-	-	3	7	8

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
Hypertensive heart disease (I11)										
All races, both sexes	22,702	1	-	-	-	6	27	50	160	347
Male	9,316	-	-	-	-	6	19	41	108	232
Female	13,386	1	-	-	-	-	8	9	52	115
White, both sexes	16,646	1	-	-	-	2	10	24	85	170
Male	6,499	-	-	-	-	2	7	22	69	125
Female	10,147	1	-	-	-	-	3	2	16	45
All other, both sexes	6,056	-	-	-	-	4	17	26	75	177
Male	2,817	-	-	-	-	4	12	19	39	107
Female	3,239	-	-	-	-	-	5	7	36	70
Black, both sexes	5,619	-	-	-	-	3	17	26	72	169
Male	2,606	-	-	-	-	3	12	19	36	101
Female	3,013	-	-	-	-	-	5	7	36	68
Hypertensive heart and renal disease (I13)										
All races, both sexes	3,327	-	-	2	-	2	4	5	16	43
Male	1,390	-	-	1	-	1	2	3	13	24
Female	1,937	-	-	1	-	1	2	2	3	19
White, both sexes	2,235	-	-	1	-	-	-	1	6	14
Male	906	-	-	1	-	-	-	1	5	7
Female	1,329	-	-	-	-	-	-	-	1	7
All other, both sexes	1,092	-	-	1	-	2	4	4	10	29
Male	484	-	-	-	-	1	2	2	8	17
Female	608	-	-	1	-	1	2	2	2	12
Black, both sexes	1,000	-	-	1	-	2	4	3	10	28
Male	434	-	-	-	-	1	2	1	8	16
Female	566	-	-	1	-	1	2	2	2	12

TABLE 210A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX:

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
Ischemic heart diseases (I20-I25)										
All races, both sexes	529,659	27	5	13	9	52	85	245	769	2,387
Male	267,268	13	3	10	7	36	57	169	570	1,801
Female	262,391	14	2	3	2	16	28	76	199	586
White, both sexes	469,149	18	4	9	5	36	49	180	573	1,855
Male	237,193	8	3	7	5	25	38	124	431	1,425
Female	231,956	10	1	2	-	11	11	56	142	430
All other, both sexes	60,510	9	1	4	4	16	36	65	196	532
Male	30,075	5	-	3	2	11	19	45	139	376
Female	30,435	4	1	1	2	5	17	20	57	156
Black, both sexes	51,995	8	1	4	4	14	33	53	160	474
Male	25,104	4	-	3	2	9	17	38	110	323
Female	26,891	4	1	1	2	5	16	15	50	151
Acute myocardial infarction (I21-I22)										
All races, both sexes	199,454	13	2	5	6	25	35	101	333	935
Male	104,169	6	1	3	4	16	24	68	238	707
Female	95,285	7	1	2	2	9	11	33	95	228
White, both sexes	177,075	9	2	3	3	19	20	76	249	757
Male	93,189	3	1	1	3	13	16	51	178	585
Female	83,886	6	1	2	-	6	4	25	71	172
All other, both sexes	22,379	4	-	2	3	6	15	25	84	178
Male	10,980	3	-	2	1	3	8	17	60	122
Female	11,399	1	-	-	2	3	7	8	24	56
Black, both sexes	19,276	4	-	2	3	6	13	22	66	163
Male	9,186	3	-	2	1	3	7	16	45	107
Female	10,090	1	-	-	2	3	6	6	21	56

TABLE 210A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX:

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
Other acute ischemic heart diseases (I24)										
All races,both sexes	3,232	3	1	1	-	-	3	2	4	25
Male	1,665	1	1	1	-	-	3	1	3	19
Female	1,567	2	-	-	-	-	-	1	1	6
White,both sexes	2,752	1	1	1	-	-	3	2	3	13
Male	1,389	1	1	1	-	-	3	1	3	10
Female	1,363	-	-	-	-	-	-	1	-	3
All other,both sexes	480	2	-	-	-	-	-	-	1	12
Male	276	-	-	-	-	-	-	-	-	9
Female	204	2	-	-	-	-	-	-	1	3
Black,both sexes	431	2	-	-	-	-	-	-	1	12
Male	248	-	-	-	-	-	-	-	-	9
Female	183	2	-	-	-	-	-	-	1	3
Other forms of chronic ischemic heart disease (I20,I25)										
All races,both sexes	326,973	11	2	7	3	27	47	142	432	1,427
Male	161,434	6	1	6	3	20	30	100	329	1,075
Female	165,539	5	1	1	-	7	17	42	103	352
White,both sexes	289,322	8	1	5	2	17	26	102	321	1,085
Male	142,615	4	1	5	2	12	19	72	250	830
Female	146,707	4	-	-	-	5	7	30	71	255
All other,both sexes	37,651	3	1	2	1	10	21	40	111	342
Male	18,819	2	-	1	1	8	11	28	79	245
Female	18,832	1	1	1	-	2	10	12	32	97
Black,both sexes	32,288	2	1	2	1	8	20	31	93	299
Male	15,670	1	-	1	1	6	10	22	65	207
Female	16,618	1	1	1	-	2	10	9	28	92

TABLE 210A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX:

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
Atherosclerotic cardiovascular disease, so described (I25.0)										
All races, both sexes	71,926	-	1	-	1	-	13	32	128	453
Male	36,633	-	-	-	1	-	10	21	98	355
Female	35,293	-	1	-	-	-	3	11	30	98
White, both sexes	59,711	-	-	-	1	-	5	20	90	336
Male	29,977	-	-	-	1	-	5	14	71	269
Female	29,734	-	-	-	-	-	-	6	19	67
All other, both sexes	12,215	-	1	-	-	-	8	12	38	117
Male	6,656	-	-	-	-	-	5	7	27	86
Female	5,559	-	1	-	-	-	3	5	11	31
Black, both sexes	10,823	-	1	-	-	-	8	8	33	110
Male	5,815	-	-	-	-	-	5	5	22	80
Female	5,008	-	1	-	-	-	3	3	11	30
All other forms of chronic ischemic heart disease (I20, I25.1-I25.9)										
All races, both sexes	255,047	11	1	7	2	27	34	110	304	974
Male	124,801	6	1	6	2	20	20	79	231	720
Female	130,246	5	-	1	-	7	14	31	73	254
White, both sexes	229,611	8	1	5	1	17	21	82	231	749
Male	112,638	4	1	5	1	12	14	58	179	561
Female	116,973	4	-	-	-	5	7	24	52	188
All other, both sexes	25,436	3	-	2	1	10	13	28	73	225
Male	12,163	2	-	1	1	8	6	21	52	159
Female	13,273	1	-	1	-	2	7	7	21	66
Black, both sexes	21,465	2	-	2	1	8	12	23	60	189
Male	9,855	1	-	1	1	6	5	17	43	127
Female	11,610	1	-	1	-	2	7	6	17	62

TABLE 210A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX:

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------

Diseases of pericardium and acute myocarditis (I30-I31,I40)

All races,both sexes	890	27	25	11	10	12	20	19	31	54
Male	442	13	14	5	2	8	12	14	20	32
Female	448	14	11	6	8	4	8	5	11	22
White,both sexes	703	12	12	7	6	9	15	13	22	41
Male	351	7	5	4	2	7	8	10	14	24
Female	352	5	7	3	4	2	7	3	8	17
All other,both sexes	187	15	13	4	4	3	5	6	9	13
Male	91	6	9	1	-	1	4	4	6	8
Female	96	9	4	3	4	2	1	2	3	5
Black,both sexes	160	10	12	4	4	3	3	6	8	12
Male	77	4	9	1	-	1	2	4	6	7
Female	83	6	3	3	4	2	1	2	2	5

Heart failure (I50)

All races,both sexes	54,913	11	10	5	7	14	17	27	38	88
Male	20,755	5	7	3	3	12	11	13	19	52
Female	34,158	6	3	2	4	2	6	14	19	36
White,both sexes	49,317	8	8	3	6	9	9	13	21	58
Male	18,469	3	5	2	3	8	6	6	11	34
Female	30,848	5	3	1	3	1	3	7	10	24
All other,both sexes	5,596	3	2	2	1	5	8	14	17	30
Male	2,286	2	2	1	-	4	5	7	8	18
Female	3,310	1	-	1	1	1	3	7	9	12
Black,both sexes	4,998	3	2	2	1	4	8	13	17	28
Male	2,021	2	2	1	-	3	5	7	8	16
Female	2,977	1	-	1	1	1	3	6	9	12

TABLE 210A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX:

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
All other forms of heart disease (I26-I28,I34-I38,I42-I49,I51)										
All races,both sexes	108,909	450	141	83	132	370	440	622	1,012	1,683
Male	50,765	235	78	46	78	230	257	364	613	1,058
Female	58,144	215	63	37	54	140	183	258	399	625
White,both sexes	92,887	308	98	62	91	261	286	389	672	1,121
Male	42,725	163	59	33	51	155	166	236	417	726
Female	50,162	145	39	29	40	106	120	153	255	395
All other,both sexes	16,022	142	43	21	41	109	154	233	340	562
Male	8,040	72	19	13	27	75	91	128	196	332
Female	7,982	70	24	8	14	34	63	105	144	230
Black,both sexes	14,317	122	35	20	35	102	142	212	315	516
Male	7,129	61	16	12	24	72	83	119	181	302
Female	7,188	61	19	8	11	30	59	93	134	214
Essential (primary) hypertension and hypertensive renal disease (I10,I12)										
All races,both sexes	16,968	3	3	-	1	3	10	24	54	105
Male	6,488	2	1	-	1	2	6	13	35	69
Female	10,480	1	2	-	-	1	4	11	19	36
White,both sexes	12,830	2	1	-	-	3	4	12	24	37
Male	4,744	1	-	-	-	2	1	7	20	29
Female	8,086	1	1	-	-	1	3	5	4	8
All other,both sexes	4,138	1	2	-	1	-	6	12	30	68
Male	1,744	1	1	-	1	-	5	6	15	40
Female	2,394	-	1	-	-	-	1	6	15	28
Black,both sexes	3,732	1	1	-	1	-	6	11	27	66
Male	1,565	1	1	-	1	-	5	5	13	38
Female	2,167	-	-	-	-	-	1	6	14	28

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
Other diseases of circulatory system (I71-I78)										
All races,both sexes	25,809	12	2	2	9	14	35	51	90	178
Male	13,794	9	-	1	6	10	22	35	67	117
Female	12,015	3	2	1	3	4	13	16	23	61
White,both sexes	22,952	9	2	2	6	13	29	38	68	138
Male	12,444	6	-	1	4	9	18	26	51	92
Female	10,508	3	2	1	2	4	11	12	17	46
All other,both sexes	2,857	3	-	-	3	1	6	13	22	40
Male	1,350	3	-	-	2	1	4	9	16	25
Female	1,507	-	-	-	1	-	2	4	6	15
Black,both sexes	2,434	3	-	-	-	1	6	12	18	35
Male	1,111	3	-	-	-	1	4	8	15	21
Female	1,323	-	-	-	-	-	2	4	3	14
Aortic aneurysm and dissection (I71)										
All races,both sexes	15,807	1	1	-	3	8	23	33	60	134
Male	9,615	1	-	-	2	6	14	25	53	98
Female	6,192	-	1	-	1	2	9	8	7	36
White,both sexes	14,336	1	1	-	2	8	19	25	45	105
Male	8,817	1	-	-	1	6	11	19	39	77
Female	5,519	-	1	-	1	2	8	6	6	28
All other,both sexes	1,471	-	-	-	1	-	4	8	15	29
Male	798	-	-	-	1	-	3	6	14	21
Female	673	-	-	-	-	-	1	2	1	8
Black,both sexes	1,181	-	-	-	-	-	4	8	13	24
Male	619	-	-	-	-	-	3	6	13	17
Female	562	-	-	-	-	-	1	2	-	7

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
-------------	-----------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

Other diseases of arteries, arterioles and capillaries (I72-I78)

All races,both sexes	10,002	11	1	2	6	6	12	18	30	44
Male	4,179	8	-	1	4	4	8	10	14	19
Female	5,823	3	1	1	2	2	4	8	16	25
White,both sexes	8,616	8	1	2	4	5	10	13	23	33
Male	3,627	5	-	1	3	3	7	7	12	15
Female	4,989	3	1	1	1	2	3	6	11	18
All other,both sexes	1,386	3	-	-	2	1	2	5	7	11
Male	552	3	-	-	1	1	1	3	2	4
Female	834	-	-	-	1	-	1	2	5	7
Black,both sexes	1,253	3	-	-	-	1	2	4	5	11
Male	492	3	-	-	-	1	1	2	2	4
Female	761	-	-	-	-	-	1	2	3	7

Other disorders of circulatory system (I80-I99)

All races,both sexes	4,025	23	1	1	1	11	19	30	63	98
Male	1,714	13	1	1	-	6	7	14	30	55
Female	2,311	10	-	-	1	5	12	16	33	43
White,both sexes	3,345	18	-	1	1	4	11	21	43	66
Male	1,399	9	-	1	-	3	5	10	20	37
Female	1,946	9	-	-	1	1	6	11	23	29
All other,both sexes	680	5	1	-	-	7	8	9	20	32
Male	315	4	1	-	-	3	2	4	10	18
Female	365	1	-	-	-	4	6	5	10	14
Black,both sexes	616	4	1	-	-	6	8	9	19	29
Male	282	3	1	-	-	2	2	4	10	16
Female	334	1	-	-	-	4	6	5	9	13

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
Influenza and pneumonia (J10-J18)										
All races,both sexes	63,730	320	130	46	47	73	106	135	204	462
Male	27,718	171	66	27	26	34	56	76	121	251
Female	36,012	149	64	19	21	39	50	59	83	211
White,both sexes	56,694	184	75	36	36	54	67	85	137	327
Male	24,281	103	33	21	21	26	36	50	84	181
Female	32,413	81	42	15	15	28	31	35	53	146
All other,both sexes	7,036	136	55	10	11	19	39	50	67	135
Male	3,437	68	33	6	5	8	20	26	37	70
Female	3,599	68	22	4	6	11	19	24	30	65
Black,both sexes	5,876	115	43	8	7	14	35	47	60	121
Male	2,825	58	25	5	3	6	17	25	33	62
Female	3,051	57	18	3	4	8	18	22	27	59
Influenza (J10-J11)										
All races,both sexes	1,665	13	12	6	5	7	4	2	7	8
Male	602	6	9	4	1	1	1	-	5	5
Female	1,063	7	3	2	4	6	3	2	2	3
White,both sexes	1,574	7	8	6	4	6	4	1	7	4
Male	569	1	6	4	1	1	1	-	5	3
Female	1,005	6	2	2	3	5	3	1	2	1
All other,both sexes	91	6	4	-	1	1	-	1	-	4
Male	33	5	3	-	-	-	-	-	-	2
Female	58	1	1	-	1	1	-	1	-	2
Black,both sexes	66	4	1	-	-	1	-	1	-	3
Male	24	3	1	-	-	-	-	-	-	1
Female	42	1	-	-	-	1	-	1	-	2

TABLE 210A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX:

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
Pneumonia (J12-J18)										
All races,both sexes	62,065	307	118	40	42	66	102	133	197	454
Male	27,116	165	57	23	25	33	55	76	116	246
Female	34,949	142	61	17	17	33	47	57	81	208
White,both sexes	55,120	177	67	30	32	48	63	84	130	323
Male	23,712	102	27	17	20	25	35	50	79	178
Female	31,408	75	40	13	12	23	28	34	51	145
All other,both sexes	6,945	130	51	10	10	18	39	49	67	131
Male	3,404	63	30	6	5	8	20	26	37	68
Female	3,541	67	21	4	5	10	19	23	30	63
Black,both sexes	5,810	111	42	8	7	13	35	46	60	118
Male	2,801	55	24	5	3	6	17	25	33	61
Female	3,009	56	18	3	4	7	18	21	27	57
Other acute lower respiratory infections (J20-J22)										
All races,both sexes	540	63	25	2	3	3	2	2	2	6
Male	196	36	15	-	2	1	-	2	1	3
Female	344	27	10	2	1	2	2	-	1	3
White,both sexes	462	36	15	1	3	2	2	1	2	6
Male	156	19	8	-	2	1	-	1	1	3
Female	306	17	7	1	1	1	2	-	1	3
All other,both sexes	78	27	10	1	-	1	-	1	-	-
Male	40	17	7	-	-	-	-	1	-	-
Female	38	10	3	1	-	1	-	-	-	-
Black,both sexes	64	24	6	-	-	1	-	1	-	-
Male	30	15	3	-	-	-	-	1	-	-
Female	34	9	3	-	-	1	-	-	-	-

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
-------------	-----------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

Chronic lower respiratory diseases (J40-J47)

All races,both sexes	124,181	36	54	49	90	107	102	145	185	302
Male	62,415	19	30	29	64	60	63	69	83	142
Female	61,766	17	24	20	26	47	39	76	102	160
White,both sexes	114,735	16	31	29	42	68	57	73	103	200
Male	57,000	10	14	15	30	36	32	32	46	90
Female	57,735	6	17	14	12	32	25	41	57	110
All other,both sexes	9,446	20	23	20	48	39	45	72	82	102
Male	5,415	9	16	14	34	24	31	37	37	52
Female	4,031	11	7	6	14	15	14	35	45	50
Black,both sexes	7,915	18	18	20	48	36	42	68	76	95
Male	4,500	9	13	14	34	23	29	34	35	46
Female	3,415	9	5	6	14	13	13	34	41	49

Bronchitis, chronic and unspecified (J40-J42)

All races,both sexes	1,172	20	19	3	1	3	4	3	8	10
Male	498	9	11	2	1	2	2	-	3	3
Female	674	11	8	1	-	1	2	3	5	7
White,both sexes	1,056	11	15	3	1	3	3	2	6	10
Male	440	6	8	2	1	2	1	-	2	3
Female	616	5	7	1	-	1	2	2	4	7
All other,both sexes	116	9	4	-	-	-	1	1	2	-
Male	58	3	3	-	-	-	1	-	1	-
Female	58	6	1	-	-	-	-	1	1	-
Black,both sexes	89	7	1	-	-	-	1	1	2	-
Male	44	3	1	-	-	-	1	-	1	-
Female	45	4	-	-	-	-	-	1	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
Emphysema (J43)										
All races,both sexes	17,787	1	-	1	-	-	1	1	8	19
Male	9,480	-	-	-	-	-	1	-	6	9
Female	8,307	1	-	1	-	-	-	1	2	10
White,both sexes	16,674	-	-	1	-	-	-	1	6	15
Male	8,754	-	-	-	-	-	-	-	4	5
Female	7,920	-	-	1	-	-	-	1	2	10
All other,both sexes	1,113	1	-	-	-	-	1	-	2	4
Male	726	-	-	-	-	-	1	-	2	4
Female	387	1	-	-	-	-	-	-	-	-
Black,both sexes	930	1	-	-	-	-	-	-	-	3
Male	598	-	-	-	-	-	-	-	-	3
Female	332	1	-	-	-	-	-	-	-	-
Asthma (J45-J46)										
All races,both sexes	4,657	5	27	40	86	95	87	121	141	206
Male	1,620	3	16	25	60	53	55	64	64	94
Female	3,037	2	11	15	26	42	32	57	77	112
White,both sexes	3,328	1	11	20	39	59	47	55	72	123
Male	1,046	1	5	11	27	32	28	28	30	53
Female	2,282	-	6	9	12	27	19	27	42	70
All other,both sexes	1,329	4	16	20	47	36	40	66	69	83
Male	574	2	11	14	33	21	27	36	34	41
Female	755	2	5	6	14	15	13	30	35	42
Black,both sexes	1,145	4	14	20	47	33	38	63	67	77
Male	481	2	10	14	33	20	26	34	34	36
Female	664	2	4	6	14	13	12	29	33	41

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
Pneumonitis due to solids and liquids (J69)										
All races,both sexes	15,268	16	12	4	12	9	23	33	45	59
Male	7,755	9	3	-	6	7	15	21	26	35
Female	7,513	7	9	4	6	2	8	12	19	24
White,both sexes	13,582	13	8	4	8	8	14	23	34	43
Male	6,853	7	2	-	5	6	8	13	20	26
Female	6,729	6	6	4	3	2	6	10	14	17
All other,both sexes	1,686	3	4	-	4	1	9	10	11	16
Male	902	2	1	-	1	1	7	8	6	9
Female	784	1	3	-	3	-	2	2	5	7
Black,both sexes	1,505	2	4	-	3	1	9	9	9	14
Male	775	1	1	-	1	1	7	7	5	8
Female	730	1	3	-	2	-	2	2	4	6
Other diseases of respiratory system (J00-J06,J30-J39,J67,J70-J98)										
All races,both sexes	25,031	252	91	37	39	59	56	97	160	228
Male	12,110	145	55	20	19	37	32	45	82	125
Female	12,921	107	36	17	20	22	24	52	78	103
White,both sexes	22,161	147	62	25	30	47	43	65	113	155
Male	10,764	85	34	13	16	31	27	39	59	88
Female	11,397	62	28	12	14	16	16	26	54	67
All other,both sexes	2,870	105	29	12	9	12	13	32	47	73
Male	1,346	60	21	7	3	6	5	6	23	37
Female	1,524	45	8	5	6	6	8	26	24	36
Black,both sexes	2,356	93	26	10	9	10	11	29	45	68
Male	1,092	54	19	6	3	5	4	5	22	34
Female	1,264	39	7	4	6	5	7	24	23	34

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
-------------	-----------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

Peptic ulcer (K25-K28)

All races,both sexes	4,604	2	2	-	-	1	1	7	14	38
Male	2,189	-	-	-	-	1	1	5	7	27
Female	2,415	2	2	-	-	-	-	2	7	11
White,both sexes	4,040	1	2	-	-	1	1	6	9	21
Male	1,887	-	-	-	-	1	1	5	3	16
Female	2,153	1	2	-	-	-	-	1	6	5
All other,both sexes	564	1	-	-	-	-	-	1	5	17
Male	302	-	-	-	-	-	-	-	4	11
Female	262	1	-	-	-	-	-	1	1	6
Black,both sexes	448	1	-	-	-	-	-	-	4	16
Male	243	-	-	-	-	-	-	-	3	11
Female	205	1	-	-	-	-	-	-	1	5

Diseases of appendix (K35-K38)

All races,both sexes	390	3	2	12	14	2	3	3	3	13
Male	236	1	2	6	9	2	3	3	2	10
Female	154	2	-	6	5	-	-	-	1	3
White,both sexes	314	3	-	8	10	1	2	3	1	10
Male	184	1	-	4	6	1	2	3	-	8
Female	130	2	-	4	4	-	-	-	1	2
All other,both sexes	76	-	2	4	4	1	1	-	2	3
Male	52	-	2	2	3	1	1	-	2	2
Female	24	-	-	2	1	-	-	-	-	1
Black,both sexes	68	-	2	4	3	-	1	-	2	3
Male	48	-	2	2	2	-	1	-	2	2
Female	20	-	-	2	1	-	-	-	-	1

TABLE 210A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX:

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
Hernia (K40-K46)										
All races,both sexes	1,464	44	3	1	1	1	2	6	10	15
Male	597	26	2	1	-	1	2	5	3	10
Female	867	18	1	-	1	-	-	1	7	5
White,both sexes	1,298	34	3	1	1	1	1	4	6	14
Male	535	20	2	1	-	1	1	3	2	9
Female	763	14	1	-	1	-	-	1	4	5
All other,both sexes	166	10	-	-	-	-	1	2	4	1
Male	62	6	-	-	-	-	1	2	1	1
Female	104	4	-	-	-	-	-	-	3	-
Black,both sexes	140	9	-	-	-	-	1	-	4	1
Male	53	6	-	-	-	-	1	-	1	1
Female	87	3	-	-	-	-	-	-	3	-
Chronic liver disease and cirrhosis (K70,K73-K74)										
All races,both sexes	26,259	5	2	1	1	9	17	70	337	1,103
Male	17,115	4	-	1	-	3	8	41	216	716
Female	9,144	1	2	-	1	6	9	29	121	387
White,both sexes	22,620	4	-	-	1	7	8	52	271	905
Male	14,790	4	-	-	-	3	5	35	178	600
Female	7,830	-	-	-	1	4	3	17	93	305
All other,both sexes	3,639	1	2	1	-	2	9	18	66	198
Male	2,325	-	-	1	-	-	3	6	38	116
Female	1,314	1	2	-	-	2	6	12	28	82
Black,both sexes	2,833	-	2	1	-	2	8	16	39	129
Male	1,842	-	-	1	-	-	3	5	23	75
Female	991	-	2	-	-	2	5	11	16	54

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
Alcoholic liver disease (K70)										
All races,both sexes	11,958	-	-	-	-	-	8	37	222	763
Male	8,922	-	-	-	-	-	6	24	141	491
Female	3,036	-	-	-	-	-	2	13	81	272
White,both sexes	10,041	-	-	-	-	-	5	31	174	623
Male	7,602	-	-	-	-	-	4	21	115	409
Female	2,439	-	-	-	-	-	1	10	59	214
All other,both sexes	1,917	-	-	-	-	-	3	6	48	140
Male	1,320	-	-	-	-	-	2	3	26	82
Female	597	-	-	-	-	-	1	3	22	58
Black,both sexes	1,466	-	-	-	-	-	2	4	25	84
Male	1,018	-	-	-	-	-	2	2	13	49
Female	448	-	-	-	-	-	-	2	12	35
Other chronic liver disease and cirrhosis (K73-K74)										
All races,both sexes	14,301	5	2	1	1	9	9	33	115	340
Male	8,193	4	-	1	-	3	2	17	75	225
Female	6,108	1	2	-	1	6	7	16	40	115
White,both sexes	12,579	4	-	-	1	7	3	21	97	282
Male	7,188	4	-	-	-	3	1	14	63	191
Female	5,391	-	-	-	1	4	2	7	34	91
All other,both sexes	1,722	1	2	1	-	2	6	12	18	58
Male	1,005	-	-	1	-	-	1	3	12	34
Female	717	1	2	-	-	2	5	9	6	24
Black,both sexes	1,367	-	2	1	-	2	6	12	14	45
Male	824	-	-	1	-	-	1	3	10	26
Female	543	-	2	-	-	2	5	9	4	19

TABLE 210A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1999

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
Cholelithiasis and other disorders of gallbladder (K80-K82)										
All races,both sexes	2,830	2	-	-	1	4	6	5	11	25
Male	1,248	1	-	-	1	2	3	-	4	14
Female	1,582	1	-	-	-	2	3	5	7	11
White,both sexes	2,487	-	-	-	1	3	3	4	9	17
Male	1,101	-	-	-	1	1	3	-	2	10
Female	1,386	-	-	-	-	2	-	4	7	7
All other,both sexes	343	2	-	-	-	1	3	1	2	8
Male	147	1	-	-	-	1	-	-	2	4
Female	196	1	-	-	-	-	3	1	-	4
Black,both sexes	257	2	-	-	-	1	3	1	2	7
Male	102	1	-	-	-	1	-	-	2	3
Female	155	1	-	-	-	-	3	1	-	4
Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)										
All races,both sexes	35,525	166	15	13	18	24	48	97	155	268
Male	17,016	90	9	8	10	11	22	43	82	152
Female	18,509	76	6	5	8	13	26	54	73	116
White,both sexes	28,041	102	13	11	11	16	26	52	85	146
Male	13,632	62	7	7	8	9	10	24	46	83
Female	14,409	40	6	4	3	7	16	28	39	63
All other,both sexes	7,484	64	2	2	7	8	22	45	70	122
Male	3,384	28	2	1	2	2	12	19	36	69
Female	4,100	36	-	1	5	6	10	26	34	53
Black,both sexes	6,711	58	1	2	6	8	22	40	63	118
Male	3,008	25	1	1	2	2	12	17	30	67
Female	3,703	33	-	1	4	6	10	23	33	51

TABLE 210A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1999

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
-------------	-----------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

Inflammatory diseases of female pelvic organs (N70-N76)

All races,both sexes	108	2	1	-	-	1	2	3	3	4
Female	108	2	1	-	-	1	2	3	3	4
White,both sexes	80	1	1	-	-	1	1	1	2	1
Female	80	1	1	-	-	1	1	1	2	1
All other,both sexes	28	1	-	-	-	-	1	2	1	3
Female	28	1	-	-	-	-	1	2	1	3
Black,both sexes	26	1	-	-	-	-	1	2	-	2
Female	26	1	-	-	-	-	1	2	-	2

Pregnancy, childbirth and the puerperium (000-099)

All races,both sexes	406	-	33	64	89	92	88
Female	406	-	33	64	89	92	88
White,both sexes	220	-	14	31	47	53	55
Female	220	-	14	31	47	53	55
All other,both sexes	186	-	19	33	42	39	33
Female	186	-	19	33	42	39	33
Black,both sexes	162	-	18	29	38	33	28
Female	162	-	18	29	38	33	28

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
-------------	-----------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

Pregnancy with abortive outcome (000-007)

All races,both sexes	31	-	3	5	5	10	6
Female	31	-	3	5	5	10	6
White,both sexes	15	-	2	2	1	5	3
Female	15	-	2	2	1	5	3
All other,both sexes	16	-	1	3	4	5	3
Female	16	-	1	3	4	5	3
Black,both sexes	15	-	1	3	4	4	3
Female	15	-	1	3	4	4	3

Other complications of pregnancy, childbirth and the puerperium (010-099)

All races,both sexes	375	-	30	59	84	82	82
Female	375	-	30	59	84	82	82
White,both sexes	205	-	12	29	46	48	52
Female	205	-	12	29	46	48	52
All other,both sexes	170	-	18	30	38	34	30
Female	170	-	18	30	38	34	30
Black,both sexes	147	-	17	26	34	29	25
Female	147	-	17	26	34	29	25

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
-------------	-----------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

Certain conditions originating in the perinatal period (P00-P96)

All races,both sexes	14,259	14,084	92	25	18	11	5	2	5	2
Male	8,044	7,941	56	14	9	6	4	-	2	2
Female	6,215	6,143	36	11	9	5	1	2	3	-
White,both sexes	8,648	8,522	56	19	14	11	4	2	5	2
Male	4,884	4,815	30	10	7	6	4	-	2	2
Female	3,764	3,707	26	9	7	5	-	2	3	-
All other,both sexes	5,611	5,562	36	6	4	-	1	-	-	-
Male	3,160	3,126	26	4	2	-	-	-	-	-
Female	2,451	2,436	10	2	2	-	1	-	-	-
Black,both sexes	5,150	5,113	29	2	3	-	1	-	-	-
Male	2,907	2,883	19	2	1	-	-	-	-	-
Female	2,243	2,230	10	-	2	-	1	-	-	-

Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)

All races,both sexes	10,393	5,473	549	207	221	222	212	212	253	279
Male	5,346	2,875	310	102	113	139	123	110	132	152
Female	5,047	2,598	239	105	108	83	89	102	121	127
White,both sexes	8,297	4,211	385	144	157	170	162	178	208	232
Male	4,269	2,240	218	69	79	109	95	93	109	128
Female	4,028	1,971	167	75	78	61	67	85	99	104
All other,both sexes	2,096	1,262	164	63	64	52	50	34	45	47
Male	1,077	635	92	33	34	30	28	17	23	24
Female	1,019	627	72	30	30	22	22	17	22	23
Black,both sexes	1,720	1,025	138	50	56	43	40	28	33	42
Male	899	531	79	25	29	27	24	14	18	19
Female	821	494	59	25	27	16	16	14	15	23

TABLE 210A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1999

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)										
All races, both sexes	26,672	3,538	236	65	72	228	381	446	649	940
Male	12,877	2,072	136	35	42	153	269	287	434	599
Female	13,795	1,466	100	30	30	75	112	159	215	341
White, both sexes	21,591	2,227	159	49	47	163	270	312	486	699
Male	10,094	1,321	96	26	28	110	199	211	318	463
Female	11,497	906	63	23	19	53	71	101	168	236
All other, both sexes	5,081	1,311	77	16	25	65	111	134	163	241
Male	2,783	751	40	9	14	43	70	76	116	136
Female	2,298	560	37	7	11	22	41	58	47	105
Black, both sexes	4,591	1,167	68	15	18	54	100	116	150	231
Male	2,517	669	35	9	11	38	63	67	109	131
Female	2,074	498	33	6	7	16	37	49	41	100
All other diseases (Residual) (D65-E07, E15-E34, E65-F99, G04-G12, G23-G25, G31-H93, K00-K22, K29-K31, K50-K66, K71-K72, K75-K76, K83-M99, N13.0-N13.5, N13.7-N13.9, N14, N15.0, N15.8-N15.9, N20-N23, N28-N39, N41-N64, N80-N98)										
All races, both sexes	171,683	1,148	647	436	485	785	986	1,235	1,827	3,203
Male	69,784	680	354	229	254	483	562	717	1,073	1,912
Female	101,899	468	293	207	231	302	424	518	754	1,291
White, both sexes	148,614	750	482	314	361	609	710	912	1,342	2,264
Male	59,336	446	264	163	181	391	418	557	827	1,423
Female	89,278	304	218	151	180	218	292	355	515	841
All other, both sexes	23,069	398	165	122	124	176	276	323	485	939
Male	10,448	234	90	66	73	92	144	160	246	489
Female	12,621	164	75	56	51	84	132	163	239	450
Black, both sexes	20,325	343	131	101	101	145	243	283	425	846
Male	9,071	199	68	57	62	76	129	136	212	437
Female	11,254	144	63	44	39	69	114	147	213	409

TABLE 210A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1999

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
Accidents (unintentional injuries) (V01-X59,Y85-Y86)										
All races,both sexes	97,860	845	1,898	1,459	1,632	6,688	6,968	5,881	6,009	7,366
Male	63,535	494	1,127	897	1,077	4,624	5,416	4,555	4,542	5,411
Female	34,325	351	771	562	555	2,064	1,552	1,326	1,467	1,955
White,both sexes	82,245	562	1,374	1,011	1,259	5,647	5,717	4,790	4,871	6,051
Male	52,898	333	811	611	823	3,862	4,465	3,741	3,701	4,477
Female	29,347	229	563	400	436	1,785	1,252	1,049	1,170	1,574
All other,both sexes	15,615	283	524	448	373	1,041	1,251	1,091	1,138	1,315
Male	10,637	161	316	286	254	762	951	814	841	934
Female	4,978	122	208	162	119	279	300	277	297	381
Black,both sexes	12,728	252	441	396	311	774	945	855	910	1,081
Male	8,773	141	266	258	214	574	727	658	677	769
Female	3,955	111	175	138	97	200	218	197	233	312
Transport accidents (V01-V99,Y85)										
All races,both sexes	46,423	189	712	897	1,078	5,452	5,237	3,922	3,512	3,869
Male	31,642	101	400	532	674	3,593	3,965	2,952	2,559	2,741
Female	14,781	88	312	365	404	1,859	1,272	970	953	1,128
White,both sexes	38,767	137	497	664	878	4,661	4,292	3,171	2,855	3,140
Male	26,385	80	273	390	546	3,047	3,269	2,401	2,076	2,232
Female	12,382	57	224	274	332	1,614	1,023	770	779	908
All other,both sexes	7,656	52	215	233	200	791	945	751	657	729
Male	5,257	21	127	142	128	546	696	551	483	509
Female	2,399	31	88	91	72	245	249	200	174	220
Black,both sexes	5,901	44	177	202	162	580	704	578	511	587
Male	4,162	18	101	127	105	405	521	443	385	412
Female	1,739	26	76	75	57	175	183	135	126	175

TABLE 210A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1999

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)										
All races,both sexes	42,401	184	650	802	969	5,198	4,930	3,604	3,174	3,460
Male	28,552	97	366	469	593	3,412	3,715	2,690	2,303	2,424
Female	13,849	87	284	333	376	1,786	1,215	914	871	1,036
White,both sexes	35,343	133	455	591	786	4,450	4,035	2,897	2,572	2,791
Male	23,763	77	253	344	479	2,899	3,060	2,175	1,863	1,961
Female	11,580	56	202	247	307	1,551	975	722	709	830
All other,both sexes	7,058	51	195	211	183	748	895	707	602	669
Male	4,789	20	113	125	114	513	655	515	440	463
Female	2,269	31	82	86	69	235	240	192	162	206
Black,both sexes	5,470	43	160	184	150	553	677	547	471	538
Male	3,821	17	89	111	94	384	501	418	353	374
Female	1,649	26	71	73	56	169	176	129	118	164
Other land transport accidents (V01,V05-V06,V09.1,V09.3-V09.9,V10-V11,V15-V18,V19.3,V19.8-V19.9,V80.0-V80.2,V80.6-V80.9,V81.2-V81.9,V82.2-V82.9,V87.9,V88.9,V89.1,V89.3,V89.9)										
All races,both sexes	2,118	4	48	62	66	172	190	152	165	205
Male	1,559	4	26	43	48	119	160	126	118	157
Female	559	-	22	19	18	53	30	26	47	48
White,both sexes	1,755	3	32	44	55	141	154	126	133	169
Male	1,281	3	15	29	39	96	127	104	95	130
Female	474	-	17	15	16	45	27	22	38	39
All other,both sexes	363	1	16	18	11	31	36	26	32	36
Male	278	1	11	14	9	23	33	22	23	27
Female	85	-	5	4	2	8	3	4	9	9
Black,both sexes	253	1	13	15	6	18	16	18	24	29
Male	196	1	9	14	6	14	14	16	18	22
Female	57	-	4	1	-	4	2	2	6	7

TABLE 210A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX:

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
Water, air and space, and other and unspecified transport accidents and their sequelae (V90-V99,Y85)										
All races,both sexes	1,904	1	14	33	43	82	117	166	173	204
Male	1,531	-	8	20	33	62	90	136	138	160
Female	373	1	6	13	10	20	27	30	35	44
White,both sexes	1,669	1	10	29	37	70	103	148	150	180
Male	1,341	-	5	17	28	52	82	122	118	141
Female	328	1	5	12	9	18	21	26	32	39
All other,both sexes	235	-	4	4	6	12	14	18	23	24
Male	190	-	3	3	5	10	8	14	20	19
Female	45	-	1	1	1	2	6	4	3	5
Black,both sexes	178	-	4	3	6	9	11	13	16	20
Male	145	-	3	2	5	7	6	9	14	16
Female	33	-	1	1	1	2	5	4	2	4
Nontransport accidents (W00-X59,Y86)										
All races,both sexes	51,437	656	1,186	562	554	1,236	1,731	1,959	2,497	3,497
Male	31,893	393	727	365	403	1,031	1,451	1,603	1,983	2,670
Female	19,544	263	459	197	151	205	280	356	514	827
White,both sexes	43,478	425	877	347	381	986	1,425	1,619	2,016	2,911
Male	26,513	253	538	221	277	815	1,196	1,340	1,625	2,245
Female	16,965	172	339	126	104	171	229	279	391	666
All other,both sexes	7,959	231	309	215	173	250	306	340	481	586
Male	5,380	140	189	144	126	216	255	263	358	425
Female	2,579	91	120	71	47	34	51	77	123	161
Black,both sexes	6,827	208	264	194	149	194	241	277	399	494
Male	4,611	123	165	131	109	169	206	215	292	357
Female	2,216	85	99	63	40	25	35	62	107	137

TABLE 210A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX:

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
Falls (W00-W19)										
All races,both sexes	13,162	12	55	25	28	112	130	156	187	276
Male	7,109	8	37	19	21	95	114	137	157	225
Female	6,053	4	18	6	7	17	16	19	30	51
White,both sexes	11,992	8	43	18	24	100	112	135	149	239
Male	6,352	7	29	14	18	86	100	120	126	193
Female	5,640	1	14	4	6	14	12	15	23	46
All other,both sexes	1,170	4	12	7	4	12	18	21	38	37
Male	757	1	8	5	3	9	14	17	31	32
Female	413	3	4	2	1	3	4	4	7	5
Black,both sexes	878	2	11	6	4	8	13	13	30	27
Male	564	1	8	4	3	6	10	11	24	24
Female	314	1	3	2	1	2	3	2	6	3
Accidental discharge of firearms (W32-W34)										
All races,both sexes	824	-	12	19	57	126	125	76	67	67
Male	707	-	7	13	47	115	114	62	60	56
Female	117	-	5	6	10	11	11	14	7	11
White,both sexes	649	-	5	9	48	88	86	62	53	56
Male	554	-	3	4	42	80	78	49	47	46
Female	95	-	2	5	6	8	8	13	6	10
All other,both sexes	175	-	7	10	9	38	39	14	14	11
Male	153	-	4	9	5	35	36	13	13	10
Female	22	-	3	1	4	3	3	1	1	1
Black,both sexes	156	-	7	9	8	36	31	12	11	9
Male	135	-	4	8	4	33	28	12	10	8
Female	21	-	3	1	4	3	3	-	1	1

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
--	-------------	-----------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

Accidental drowning and submersion (W65-W74)

All races,both sexes	3,529	68	490	192	177	359	288	212	234	250
Male	2,794	39	310	139	136	330	262	193	204	215
Female	735	29	180	53	41	29	26	19	30	35
White,both sexes	2,715	46	416	106	80	247	215	151	179	205
Male	2,120	26	262	71	61	226	193	135	158	172
Female	595	20	154	35	19	21	22	16	21	33
All other,both sexes	814	22	74	86	97	112	73	61	55	45
Male	674	13	48	68	75	104	69	58	46	43
Female	140	9	26	18	22	8	4	3	9	2
Black,both sexes	634	21	60	76	83	85	53	48	40	32
Male	530	12	40	60	65	78	51	45	35	30
Female	104	9	20	16	18	7	2	3	5	2

Accidental exposure to smoke, fire and flames (X00-X09)

All races,both sexes	3,348	41	302	170	92	88	113	142	140	200
Male	2,025	21	173	95	52	58	75	93	104	138
Female	1,323	20	129	75	40	30	38	49	36	62
White,both sexes	2,380	26	178	96	63	70	83	107	108	141
Male	1,466	14	103	52	36	47	56	74	82	97
Female	914	12	75	44	27	23	27	33	26	44
All other,both sexes	968	15	124	74	29	18	30	35	32	59
Male	559	7	70	43	16	11	19	19	22	41
Female	409	8	54	31	13	7	11	16	10	18
Black,both sexes	892	15	111	74	28	16	24	29	24	55
Male	510	7	63	43	15	9	15	15	15	39
Female	382	8	48	31	13	7	9	14	9	16

TABLE 210A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX:

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
Accidental poisoning and exposure to noxious substances (X40-X49)										
All races,both sexes	12,186	12	34	12	28	260	704	952	1,403	2,082
Male	8,887	11	17	6	19	195	559	757	1,071	1,523
Female	3,299	1	17	6	9	65	145	195	332	559
White,both sexes	9,883	10	20	4	23	231	612	816	1,149	1,734
Male	7,240	9	9	1	16	173	489	656	895	1,289
Female	2,643	1	11	3	7	58	123	160	254	445
All other,both sexes	2,303	2	14	8	5	29	92	136	254	348
Male	1,647	2	8	5	3	22	70	101	176	234
Female	656	-	6	3	2	7	22	35	78	114
Black,both sexes	2,062	1	12	6	2	18	76	115	221	305
Male	1,494	1	7	4	2	15	62	87	150	207
Female	568	-	5	2	-	3	14	28	71	98
Other and unspecified nontransport accidents and their sequelae (W20-W31,W35-W64,W75-W99,X10-X39,X50-X59,Y86)										
All races,both sexes	18,388	523	293	144	172	291	371	421	466	622
Male	10,371	314	183	93	128	238	327	361	387	513
Female	8,017	209	110	51	44	53	44	60	79	109
White,both sexes	15,859	335	215	114	143	250	317	348	378	536
Male	8,781	197	132	79	104	203	280	306	317	448
Female	7,078	138	83	35	39	47	37	42	61	88
All other,both sexes	2,529	188	78	30	29	41	54	73	88	86
Male	1,590	117	51	14	24	35	47	55	70	65
Female	939	71	27	16	5	6	7	18	18	21
Black,both sexes	2,205	169	63	23	24	31	44	60	73	66
Male	1,378	102	43	12	20	28	40	45	58	49
Female	827	67	20	11	4	3	4	15	15	17

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
Intentional self-harm (suicide) (X60-X84,Y87.0)										
All races,both sexes	29,199	2	242	1,615	2,286	2,398	2,708	3,286
Male	23,458	2	192	1,347	1,979	2,005	2,189	2,590
Female	5,741	-	50	268	307	393	519	696
White,both sexes	26,300	2	204	1,344	1,875	1,996	2,350	2,933
Male	21,107	2	162	1,122	1,629	1,667	1,900	2,291
Female	5,193	-	42	222	246	329	450	642
All other,both sexes	2,899	-	38	271	411	402	358	353
Male	2,351	-	30	225	350	338	289	299
Female	548	-	8	46	61	64	69	54
Black,both sexes	1,950	-	29	179	291	261	242	248
Male	1,651	-	22	155	259	231	205	217
Female	299	-	7	24	32	30	37	31

Intentional self-harm (suicide) by discharge of firearms (X72-X74)

All races,both sexes	16,599	-	103	975	1,340	1,292	1,329	1,617
Male	14,479	-	80	867	1,216	1,137	1,133	1,349
Female	2,120	-	23	108	124	155	196	268
White,both sexes	15,135	-	94	817	1,082	1,081	1,172	1,452
Male	13,167	-	72	724	983	945	993	1,200
Female	1,968	-	22	93	99	136	179	252
All other,both sexes	1,464	-	9	158	258	211	157	165
Male	1,312	-	8	143	233	192	140	149
Female	152	-	1	15	25	19	17	16
Black,both sexes	1,125	-	5	120	207	156	116	125
Male	1,018	-	4	109	189	144	106	113
Female	107	-	1	11	18	12	10	12

TABLE 210A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX:

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
-------------	-----------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

Intentional self-harm (suicide) by other and unspecified means and their sequelae (X60-X71,X75-X84,Y87.0)

All races,both sexes	12,600	2	139	640	946	1,106	1,379	1,669
Male	8,979	2	112	480	763	868	1,056	1,241
Female	3,621	-	27	160	183	238	323	428
White,both sexes	11,165	2	110	527	793	915	1,178	1,481
Male	7,940	2	90	398	646	722	907	1,091
Female	3,225	-	20	129	147	193	271	390
All other,both sexes	1,435	-	29	113	153	191	201	188
Male	1,039	-	22	82	117	146	149	150
Female	396	-	7	31	36	45	52	38
Black,both sexes	825	-	24	59	84	105	126	123
Male	633	-	18	46	70	87	99	104
Female	192	-	6	13	14	18	27	19

Assault (homicide) (X85-Y09,Y87.1)

All races,both sexes	16,889	331	376	186	246	2,093	2,905	2,362	1,869	1,751
Male	12,785	187	194	95	155	1,748	2,443	1,922	1,424	1,257
Female	4,104	144	182	91	91	345	462	440	445	494
White,both sexes	8,628	200	208	106	155	884	1,180	1,006	920	946
Male	6,162	121	108	55	93	704	918	784	661	659
Female	2,466	79	100	51	62	180	262	222	259	287
All other,both sexes	8,261	131	168	80	91	1,209	1,725	1,356	949	805
Male	6,623	66	86	40	62	1,044	1,525	1,138	763	598
Female	1,638	65	82	40	29	165	200	218	186	207
Black,both sexes	7,648	118	152	67	80	1,131	1,650	1,278	879	741
Male	6,214	60	75	36	55	978	1,475	1,084	716	556
Female	1,434	58	77	31	25	153	175	194	163	185

TABLE 210A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX:

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
Assault (homicide) by discharge of firearms (X93-X95)										
All races, both sexes	10,828	8	50	61	163	1,708	2,330	1,795	1,253	1,054
Male	8,944	5	26	37	118	1,498	2,071	1,568	1,041	807
Female	1,884	3	24	24	45	210	259	227	212	247
White, both sexes	4,918	4	26	32	95	662	822	675	562	555
Male	3,820	4	14	20	66	567	688	568	440	408
Female	1,098	-	12	12	29	95	134	107	122	147
All other, both sexes	5,910	4	24	29	68	1,046	1,508	1,120	691	499
Male	5,124	1	12	17	52	931	1,383	1,000	601	399
Female	786	3	12	12	16	115	125	120	90	100
Black, both sexes	5,577	2	18	23	59	991	1,459	1,068	656	468
Male	4,883	1	7	15	46	883	1,344	961	576	378
Female	694	1	11	8	13	108	115	107	80	90

Assault (homicide) by other and unspecified means and their sequelae (X85-X92, X96-Y09, Y87.1)

All races, both sexes	6,061	323	326	125	83	385	575	567	616	697
Male	3,841	182	168	58	37	250	372	354	383	450
Female	2,220	141	158	67	46	135	203	213	233	247
White, both sexes	3,710	196	182	74	60	222	358	331	358	391
Male	2,342	117	94	35	27	137	230	216	221	251
Female	1,368	79	88	39	33	85	128	115	137	140
All other, both sexes	2,351	127	144	51	23	163	217	236	258	306
Male	1,499	65	74	23	10	113	142	138	162	199
Female	852	62	70	28	13	50	75	98	96	107
Black, both sexes	2,071	116	134	44	21	140	191	210	223	273
Male	1,331	59	68	21	9	95	131	123	140	178
Female	740	57	66	23	12	45	60	87	83	95

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
Legal intervention (Y35,Y89.0)										
All races,both sexes	398	-	-	-	1	20	47	66	70	72
Male	392	-	-	-	1	20	47	66	69	69
Female	6	-	-	-	-	-	-	-	1	3
White,both sexes	255	-	-	-	-	9	22	39	47	47
Male	250	-	-	-	-	9	22	39	47	44
Female	5	-	-	-	-	-	-	-	-	3
All other,both sexes	143	-	-	-	1	11	25	27	23	25
Male	142	-	-	-	1	11	25	27	22	25
Female	1	-	-	-	-	-	-	-	1	-
Black,both sexes	126	-	-	-	1	10	22	24	18	21
Male	125	-	-	-	1	10	22	24	17	21
Female	1	-	-	-	-	-	-	-	1	-
Events of undetermined intent (Y10-Y34,Y87.2,Y89.9)										
All races,both sexes	3,917	55	43	12	37	159	271	313	430	644
Male	2,692	33	21	6	32	132	213	230	293	446
Female	1,225	22	22	6	5	27	58	83	137	198
White,both sexes	3,122	36	23	10	32	125	217	255	351	516
Male	2,105	22	13	5	28	106	172	180	236	349
Female	1,017	14	10	5	4	19	45	75	115	167
All other,both sexes	795	19	20	2	5	34	54	58	79	128
Male	587	11	8	1	4	26	41	50	57	97
Female	208	8	12	1	1	8	13	8	22	31
Black,both sexes	696	18	16	2	5	25	46	51	70	114
Male	523	10	8	1	4	20	36	44	49	87
Female	173	8	8	1	1	5	10	7	21	27

TABLE 210A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX:

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
Discharge of firearms, undetermined intent (Y22-Y24)										
All races,both sexes	324	-	3	-	12	68	59	32	19	28
Male	277	-	3	-	12	61	50	28	16	24
Female	47	-	-	-	-	7	9	4	3	4
White,both sexes	247	-	1	-	11	42	43	22	14	25
Male	212	-	1	-	11	39	37	19	12	21
Female	35	-	-	-	-	3	6	3	2	4
All other,both sexes	77	-	2	-	1	26	16	10	5	3
Male	65	-	2	-	1	22	13	9	4	3
Female	12	-	-	-	-	4	3	1	1	-
Black,both sexes	66	-	2	-	1	20	15	10	4	3
Male	56	-	2	-	1	17	12	9	3	3
Female	10	-	-	-	-	3	3	1	1	-
Other and unspecified events of undetermined intent and their sequelae (Y10-Y21,Y25-Y34,Y87.2,Y89.9)										
All races,both sexes	3,593	55	40	12	25	91	212	281	411	616
Male	2,415	33	18	6	20	71	163	202	277	422
Female	1,178	22	22	6	5	20	49	79	134	194
White,both sexes	2,875	36	22	10	21	83	174	233	337	491
Male	1,893	22	12	5	17	67	135	161	224	328
Female	982	14	10	5	4	16	39	72	113	163
All other,both sexes	718	19	18	2	4	8	38	48	74	125
Male	522	11	6	1	3	4	28	41	53	94
Female	196	8	12	1	1	4	10	7	21	31
Black,both sexes	630	18	14	2	4	5	31	41	66	111
Male	467	10	6	1	3	3	24	35	46	84
Female	163	8	8	1	1	2	7	6	20	27

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS
-------------	-----------------	--------------	--------------	----------------	----------------	----------------	----------------	----------------	----------------

Operations of war and their sequelae (Y36,Y89.1)

All races,both sexes	23	-	-	-	-	-	-	-	-	1
Male	22	-	-	-	-	-	-	-	-	1
Female	1	-	-	-	-	-	-	-	-	-
White,both sexes	22	-	-	-	-	-	-	-	-	1
Male	21	-	-	-	-	-	-	-	-	1
Female	1	-	-	-	-	-	-	-	-	-
All other,both sexes	1	-	-	-	-	-	-	-	-	-
Male	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-
Black,both sexes	1	-	-	-	-	-	-	-	-	-
Male	1	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-

Complications of medical and surgical care (Y40-Y84,Y88)

All races,both sexes	2,823	54	30	7	11	17	19	29	49	66
Male	1,308	31	12	4	5	8	13	9	34	37
Female	1,515	23	18	3	6	9	6	20	15	29
White,both sexes	2,314	35	21	6	8	15	15	16	39	52
Male	1,078	22	11	3	4	7	10	4	28	30
Female	1,236	13	10	3	4	8	5	12	11	22
All other,both sexes	509	19	9	1	3	2	4	13	10	14
Male	230	9	1	1	1	1	3	5	6	7
Female	279	10	8	-	2	1	1	8	4	7
Black,both sexes	449	18	9	1	3	2	4	10	8	13
Male	197	8	1	1	1	1	3	4	6	6
Female	252	10	8	-	2	1	1	6	2	7

TABLE 210A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1999

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------------	-------------------

All Causes

All races, both sexes	52,452	68,120	84,854	104,884	134,095	186,695	265,905	338,349	360,241	646,141	356
Male	33,437	43,303	52,356	63,441	79,283	107,529	147,391	174,853	166,117	209,989	277
Female	19,015	24,817	32,498	41,443	54,812	79,166	118,514	163,496	194,124	436,152	79
White, both sexes	38,583	50,895	66,116	83,876	109,706	157,260	230,177	299,701	326,788	591,949	271
Male	25,122	32,778	41,130	51,133	65,404	91,520	128,922	155,859	151,591	191,610	213
Female	13,461	18,117	24,986	32,743	44,302	65,740	101,255	143,842	175,197	400,339	58
All other, both sexes	13,869	17,225	18,738	21,008	24,389	29,435	35,728	38,648	33,453	54,192	85
Male	8,315	10,525	11,226	12,308	13,879	16,009	18,469	18,994	14,526	18,379	64
Female	5,554	6,700	7,512	8,700	10,510	13,426	17,259	19,654	18,927	35,813	21
Black, both sexes	12,378	15,304	16,455	18,359	21,117	25,461	30,661	32,927	28,274	46,285	77
Male	7,396	9,392	9,906	10,751	12,018	13,862	15,732	15,873	11,966	14,768	58
Female	4,982	5,912	6,549	7,608	9,099	11,599	14,929	17,054	16,308	31,517	19

Salmonella infections (A01-A02)

All races, both sexes	2	-	2	1	2	2	5	8	4	7	-
Male	1	-	2	-	2	2	3	2	3	2	-
Female	1	-	-	1	-	-	2	6	1	5	-
White, both sexes	2	-	2	1	1	1	4	7	3	7	-
Male	1	-	2	-	1	1	2	2	2	2	-
Female	1	-	-	1	-	-	2	5	1	5	-
All other, both sexes	-	-	-	-	1	1	1	1	1	-	-
Male	-	-	-	-	1	1	1	-	1	-	-
Female	-	-	-	-	-	-	-	1	-	-	-
Black, both sexes	-	-	-	-	-	1	-	1	1	-	-
Male	-	-	-	-	-	1	-	-	1	-	-
Female	-	-	-	-	-	-	-	1	-	-	-

TABLE 210A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX:

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------------	-------------------

Shigellosis and amebiasis (A03,A06)

All races,both sexes	1	-	-	-	1	-	1	1	-	4	-
Male	1	-	-	-	1	-	1	-	-	1	-
Female	-	-	-	-	-	-	-	1	-	3	-
White,both sexes	1	-	-	-	1	-	1	1	-	4	-
Male	1	-	-	-	1	-	1	-	-	1	-
Female	-	-	-	-	-	-	-	1	-	3	-
All other,both sexes	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-
Black,both sexes	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-

Certain other intestinal infections (A04,A07-A09)

All races,both sexes	5	11	12	15	34	67	109	168	222	429	-
Male	3	5	6	10	16	28	46	80	89	113	-
Female	2	6	6	5	18	39	63	88	133	316	-
White,both sexes	2	8	10	13	28	62	100	155	209	411	-
Male	2	3	4	9	13	27	45	75	85	107	-
Female	-	5	6	4	15	35	55	80	124	304	-
All other,both sexes	3	3	2	2	6	5	9	13	13	18	-
Male	1	2	2	1	3	1	1	5	4	6	-
Female	2	1	-	1	3	4	8	8	9	12	-
Black,both sexes	3	2	1	2	4	5	9	13	12	16	-
Male	1	1	1	1	1	1	1	5	4	5	-
Female	2	1	-	1	3	4	8	8	8	11	-

TABLE 210A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX:

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------------	-------------------

Tuberculosis (A16-A19)

All races,both sexes	32	51	55	67	63	70	103	134	119	173	1
Male	23	42	45	48	48	49	67	71	66	85	1
Female	9	9	10	19	15	21	36	63	53	88	-
White,both sexes	13	25	27	37	36	48	60	85	87	122	-
Male	10	21	25	27	25	33	40	42	49	58	-
Female	3	4	2	10	11	15	20	43	38	64	-
All other,both sexes	19	26	28	30	27	22	43	49	32	51	1
Male	13	21	20	21	23	16	27	29	17	27	1
Female	6	5	8	9	4	6	16	20	15	24	-
Black,both sexes	15	20	22	22	18	15	28	31	19	27	1
Male	11	17	17	15	17	11	18	17	8	13	1
Female	4	3	5	7	1	4	10	14	11	14	-

Respiratory tuberculosis (A16)

All races,both sexes	26	38	38	53	56	58	81	112	104	153	1
Male	18	32	32	39	44	41	56	60	60	76	1
Female	8	6	6	14	12	17	25	52	44	77	-
White,both sexes	12	20	20	27	34	38	49	70	75	113	-
Male	9	17	19	21	24	27	34	36	43	56	-
Female	3	3	1	6	10	11	15	34	32	57	-
All other,both sexes	14	18	18	26	22	20	32	42	29	40	1
Male	9	15	13	18	20	14	22	24	17	20	1
Female	5	3	5	8	2	6	10	18	12	20	-
Black,both sexes	11	15	14	20	16	13	20	26	17	23	1
Male	7	13	11	13	16	9	13	14	8	10	1
Female	4	2	3	7	-	4	7	12	9	13	-

TABLE 210A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX:

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------------	-------------------

Septicemia (A40-A41)

All races,both sexes	498	731	954	1,178	1,536	2,352	3,398	4,686	5,024	9,166	-
Male	290	406	513	613	799	1,218	1,701	2,252	2,174	2,786	-
Female	208	325	441	565	737	1,134	1,697	2,434	2,850	6,380	-
White,both sexes	316	457	650	813	1,115	1,769	2,642	3,799	4,236	7,756	-
Male	185	256	351	418	565	917	1,330	1,858	1,837	2,346	-
Female	131	201	299	395	550	852	1,312	1,941	2,399	5,410	-
All other,both sexes	182	274	304	365	421	583	756	887	788	1,410	-
Male	105	150	162	195	234	301	371	394	337	440	-
Female	77	124	142	170	187	282	385	493	451	970	-
Black,both sexes	172	251	274	333	389	524	699	800	725	1,293	-
Male	99	136	147	175	219	275	339	350	306	387	-
Female	73	115	127	158	170	249	360	450	419	906	-

Syphilis (A50-A53)

All races,both sexes	1	3	2	1	3	2	4	6	4	4	-
Male	-	2	1	1	2	2	3	-	-	1	-
Female	1	1	1	-	1	-	1	6	4	3	-
White,both sexes	1	3	2	-	3	2	1	2	2	1	-
Male	-	2	1	-	2	2	-	-	-	-	-
Female	1	1	1	-	1	-	1	2	2	1	-
All other,both sexes	-	-	-	1	-	-	3	4	2	3	-
Male	-	-	-	1	-	-	3	-	-	1	-
Female	-	-	-	-	-	-	-	4	2	2	-
Black,both sexes	-	-	-	1	-	-	3	3	2	3	-
Male	-	-	-	1	-	-	3	-	-	1	-
Female	-	-	-	-	-	-	-	3	2	2	-

TABLE 210A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX:

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------------	-------------------

Measles (B05)

All races,both sexes	-	-	-	1	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	1	-	-	-	-	-	-	-
White,both sexes	-	-	-	1	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	1	-	-	-	-	-	-	-
All other,both sexes	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-
Black,both sexes	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-

Viral hepatitis (B15-B19)

All races,both sexes	518	871	635	438	348	427	454	389	262	197	-
Male	381	651	487	298	193	217	209	185	132	82	-
Female	137	220	148	140	155	210	245	204	130	115	-
White,both sexes	402	683	481	323	269	330	364	326	235	170	-
Male	301	501	371	224	160	177	177	159	126	70	-
Female	101	182	110	99	109	153	187	167	109	100	-
All other,both sexes	116	188	154	115	79	97	90	63	27	27	-
Male	80	150	116	74	33	40	32	26	6	12	-
Female	36	38	38	41	46	57	58	37	21	15	-
Black,both sexes	96	161	118	75	45	60	53	38	17	20	-
Male	66	126	91	45	21	21	19	15	2	9	-
Female	30	35	27	30	24	39	34	23	15	11	-

TABLE 210A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1999

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Human immunodeficiency virus (HIV) disease (B20-B24)											
All races,both sexes	3,251	2,440	1,467	777	372	261	137	52	18	14	1
Male	2,482	1,936	1,198	646	302	211	106	39	11	8	1
Female	769	504	269	131	70	50	31	13	7	6	-
White,both sexes	1,479	1,065	700	346	173	119	52	25	12	8	-
Male	1,227	897	613	305	156	103	42	22	7	2	-
Female	252	168	87	41	17	16	10	3	5	6	-
All other,both sexes	1,772	1,375	767	431	199	142	85	27	6	6	1
Male	1,255	1,039	585	341	146	108	64	17	4	6	1
Female	517	336	182	90	53	34	21	10	2	-	-
Black,both sexes	1,733	1,350	753	429	196	139	83	27	6	5	1
Male	1,225	1,019	573	339	144	105	63	17	4	5	1
Female	508	331	180	90	52	34	20	10	2	-	-
Malaria (B50-B54)											
All races,both sexes	1	-	-	1	-	1	1	-	-	-	-
Male	-	-	-	1	-	-	1	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-
White,both sexes	1	-	-	1	-	-	1	-	-	-	-
Male	-	-	-	1	-	-	1	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	-	-
All other,both sexes	-	-	-	-	-	1	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	1	-	-	-	-	-
Black,both sexes	-	-	-	-	-	1	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	1	-	-	-	-	-

TABLE 210A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1999

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 YEARS AGE NOT
YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS AND OVER STATED

Other and unspecified infectious and parasitic diseases and their sequelae (A00,A05,A20-A36,A42-A44,A48-A49,A54-A79,A81-A82,A85.0-A85.1,A85.8,A86-B04,B06-B09,B25-B49,B55-B99)

All races,both sexes	311	392	444	427	471	652	791	927	812	1,123	-
Male	184	231	247	220	262	351	409	460	367	381	-
Female	127	161	197	207	209	301	382	467	445	742	-
White,both sexes	197	262	318	329	362	535	673	798	712	997	-
Male	129	163	182	178	199	289	355	404	306	330	-
Female	68	99	136	151	163	246	318	394	406	667	-
All other,both sexes	114	130	126	98	109	117	118	129	100	126	-
Male	55	68	65	42	63	62	54	56	61	51	-
Female	59	62	61	56	46	55	64	73	39	75	-
Black,both sexes	98	117	104	83	88	97	97	105	81	107	-
Male	46	62	53	34	49	48	47	46	48	39	-
Female	52	55	51	49	39	49	50	59	33	68	-

Malignant neoplasms (C00-C97)

All races,both sexes	10,968	18,412	28,269	38,637	50,430	66,814	85,524	89,874	72,896	75,014	9
Male	5,004	9,151	14,483	20,891	27,942	37,315	47,229	48,184	36,876	32,484	6
Female	5,964	9,261	13,786	17,746	22,488	29,499	38,295	41,690	36,020	42,530	3
White,both sexes	8,565	14,513	22,976	32,083	42,485	57,500	75,203	80,023	65,986	67,742	7
Male	3,950	7,171	11,668	17,289	23,479	32,130	41,549	42,755	33,311	29,102	4
Female	4,615	7,342	11,308	14,794	19,006	25,370	33,654	37,268	32,675	38,640	3
All other,both sexes	2,403	3,899	5,293	6,554	7,945	9,314	10,321	9,851	6,910	7,272	2
Male	1,054	1,980	2,815	3,602	4,463	5,185	5,680	5,429	3,565	3,382	2
Female	1,349	1,919	2,478	2,952	3,482	4,129	4,641	4,422	3,345	3,890	-
Black,both sexes	2,022	3,308	4,522	5,635	6,798	7,955	8,809	8,414	5,898	6,299	1
Male	882	1,702	2,442	3,148	3,845	4,467	4,847	4,644	3,030	2,851	1
Female	1,140	1,606	2,080	2,487	2,953	3,488	3,962	3,770	2,868	3,448	-

TABLE 210A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX:

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------------	-------------------

Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)

All races,both sexes	195	449	612	753	863	889	1,007	993	751	800	-
Male	146	346	474	568	663	629	679	605	402	323	-
Female	49	103	138	185	200	260	328	388	349	477	-
White,both sexes	134	287	430	560	688	737	866	873	687	744	-
Male	100	218	337	418	530	521	587	524	362	295	-
Female	34	69	93	142	158	216	279	349	325	449	-
All other,both sexes	61	162	182	193	175	152	141	120	64	56	-
Male	46	128	137	150	133	108	92	81	40	28	-
Female	15	34	45	43	42	44	49	39	24	28	-
Black,both sexes	42	135	155	165	157	130	120	99	54	45	-
Male	30	109	118	127	119	93	78	70	33	21	-
Female	12	26	37	38	38	37	42	29	21	24	-

Malignant neoplasm of esophagus (C15)

All races,both sexes	218	469	793	1,139	1,392	1,739	1,955	1,784	1,202	1,114	1
Male	190	410	684	969	1,112	1,396	1,529	1,328	808	573	1
Female	28	59	109	170	280	343	426	456	394	541	-
White,both sexes	162	362	617	895	1,114	1,448	1,691	1,564	1,102	1,025	-
Male	143	323	542	773	905	1,191	1,339	1,171	751	518	-
Female	19	39	75	122	209	257	352	393	351	507	-
All other,both sexes	56	107	176	244	278	291	264	220	100	89	1
Male	47	87	142	196	207	205	190	157	57	55	1
Female	9	20	34	48	71	86	74	63	43	34	-
Black,both sexes	48	99	166	225	252	260	231	200	82	75	1
Male	41	79	133	179	190	179	165	143	42	44	1
Female	7	20	33	46	62	81	66	57	40	31	-

TABLE 210A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1999

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Malignant neoplasm of stomach (C16)											
All races,both sexes	316	450	651	808	1,052	1,359	1,793	2,064	1,796	2,083	-
Male	182	303	443	558	694	893	1,112	1,250	989	851	-
Female	134	147	208	250	358	466	681	814	807	1,232	-
White,both sexes	193	320	451	583	765	1,066	1,393	1,636	1,462	1,686	-
Male	112	222	312	415	508	713	880	1,004	807	684	-
Female	81	98	139	168	257	353	513	632	655	1,002	-
All other,both sexes	123	130	200	225	287	293	400	428	334	397	-
Male	70	81	131	143	186	180	232	246	182	167	-
Female	53	49	69	82	101	113	168	182	152	230	-
Black,both sexes	87	89	151	173	205	214	298	328	257	321	-
Male	52	60	99	112	133	135	178	188	139	126	-
Female	35	29	52	61	72	79	120	140	118	195	-
Malignant neoplasms of colon, rectum and anus (C18-C21)											
All races,both sexes	894	1,623	2,434	3,309	4,658	6,095	8,154	9,473	8,456	11,286	-
Male	452	876	1,374	1,932	2,689	3,431	4,452	4,857	3,897	3,866	-
Female	442	747	1,060	1,377	1,969	2,664	3,702	4,616	4,559	7,420	-
White,both sexes	684	1,264	1,935	2,676	3,861	5,145	7,083	8,370	7,574	10,201	-
Male	360	692	1,119	1,574	2,254	2,943	3,948	4,303	3,529	3,502	-
Female	324	572	816	1,102	1,607	2,202	3,135	4,067	4,045	6,699	-
All other,both sexes	210	359	499	633	797	950	1,071	1,103	882	1,085	-
Male	92	184	255	358	435	488	504	554	368	364	-
Female	118	175	244	275	362	462	567	549	514	721	-
Black,both sexes	181	305	414	551	705	819	927	965	785	960	-
Male	82	159	218	319	379	426	435	480	315	299	-
Female	99	146	196	232	326	393	492	485	470	661	-

TABLE 210A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX:

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------------	-------------------

Malignant neoplasms of liver and intrahepatic bile ducts (C22)

All races, both sexes	317	666	826	928	1,163	1,558	1,933	1,914	1,511	1,270	-
Male	230	533	628	671	794	1,041	1,243	1,103	774	478	-
Female	87	133	198	257	369	517	690	811	737	792	-
White, both sexes	210	448	601	662	892	1,258	1,614	1,660	1,338	1,127	-
Male	155	351	448	481	613	846	1,052	960	698	438	-
Female	55	97	153	181	279	412	562	700	640	689	-
All other, both sexes	107	218	225	266	271	300	319	254	173	143	-
Male	75	182	180	190	181	195	191	143	76	40	-
Female	32	36	45	76	90	105	128	111	97	103	-
Black, both sexes	60	150	143	157	158	191	207	149	117	108	-
Male	44	125	115	110	102	124	124	85	49	26	-
Female	16	25	28	47	56	67	83	64	68	82	-

Malignant neoplasm of pancreas (C25)

All races, both sexes	416	887	1,466	2,039	2,668	3,632	4,661	4,931	4,002	4,142	1
Male	262	575	907	1,204	1,517	1,976	2,371	2,281	1,659	1,283	-
Female	154	312	559	835	1,151	1,656	2,290	2,650	2,343	2,859	1
White, both sexes	331	729	1,184	1,660	2,237	3,087	4,053	4,339	3,574	3,712	1
Male	212	476	728	978	1,287	1,699	2,096	2,031	1,496	1,159	-
Female	119	253	456	682	950	1,388	1,957	2,308	2,078	2,553	1
All other, both sexes	85	158	282	379	431	545	608	592	428	430	-
Male	50	99	179	226	230	277	275	250	163	124	-
Female	35	59	103	153	201	268	333	342	265	306	-
Black, both sexes	76	141	249	328	345	461	518	490	362	372	-
Male	44	88	158	201	186	231	231	212	135	98	-
Female	32	53	91	127	159	230	287	278	227	274	-

TABLE 210A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1999

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Malignant neoplasm of larynx (C32)											
All races,both sexes	58	151	254	410	494	584	655	529	363	291	-
Male	46	130	216	339	396	458	490	397	284	213	-
Female	12	21	38	71	98	126	165	132	79	78	-
White,both sexes	31	101	183	308	383	475	560	469	325	253	-
Male	24	87	158	252	310	372	417	352	249	181	-
Female	7	14	25	56	73	103	143	117	76	72	-
All other,both sexes	27	50	71	102	111	109	95	60	38	38	-
Male	22	43	58	87	86	86	73	45	35	32	-
Female	5	7	13	15	25	23	22	15	3	6	-
Black,both sexes	26	48	69	98	107	103	87	57	34	26	-
Male	21	41	56	85	84	81	67	42	32	21	-
Female	5	7	13	13	23	22	20	15	2	5	-
Malignant neoplasms of trachea, bronchus and lung (C33-C34)											
All races,both sexes	2,056	3,916	7,518	12,165	17,179	23,239	28,609	26,556	17,705	12,339	2
Male	1,151	2,346	4,505	7,465	10,548	14,186	17,101	15,461	9,936	6,315	2
Female	905	1,570	3,013	4,700	6,631	9,053	11,508	11,095	7,769	6,024	-
White,both sexes	1,617	3,022	6,125	10,324	14,766	20,284	25,556	23,939	16,192	11,252	1
Male	891	1,782	3,583	6,252	8,949	12,286	15,164	13,846	9,018	5,737	1
Female	726	1,240	2,542	4,072	5,817	7,998	10,392	10,093	7,174	5,515	-
All other,both sexes	439	894	1,393	1,841	2,413	2,955	3,053	2,617	1,513	1,087	1
Male	260	564	922	1,213	1,599	1,900	1,937	1,615	918	578	1
Female	179	330	471	628	814	1,055	1,116	1,002	595	509	-
Black,both sexes	399	804	1,252	1,643	2,127	2,553	2,595	2,257	1,258	911	-
Male	240	518	841	1,099	1,422	1,653	1,641	1,387	763	490	-
Female	159	286	411	544	705	900	954	870	495	421	-

TABLE 210A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX:

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Malignant melanoma of skin (C43)											
All races,both sexes	386	518	602	615	648	791	861	945	694	681	-
Male	246	337	380	425	426	526	570	596	410	328	-
Female	140	181	222	190	222	265	291	349	284	353	-
White,both sexes	382	509	598	608	636	777	846	924	680	664	-
Male	245	331	377	420	418	519	564	584	404	321	-
Female	137	178	221	188	218	258	282	340	276	343	-
All other,both sexes	4	9	4	7	12	14	15	21	14	17	-
Male	1	6	3	5	8	7	6	12	6	7	-
Female	3	3	1	2	4	7	9	9	8	10	-
Black,both sexes	3	6	3	5	9	11	14	14	11	14	-
Male	-	4	2	3	7	4	6	8	4	6	-
Female	3	2	1	2	2	7	8	6	7	8	-
Malignant neoplasm of breast (C50)											
All races,both sexes	1,755	2,619	3,555	3,682	3,717	4,147	4,962	5,140	4,511	6,000	-
Male	9	11	30	36	34	47	56	56	42	54	-
Female	1,746	2,608	3,525	3,646	3,683	4,100	4,906	5,084	4,469	5,946	-
White,both sexes	1,301	1,977	2,849	3,006	3,105	3,550	4,372	4,598	4,116	5,498	-
Male	8	8	22	29	25	40	45	49	37	47	-
Female	1,293	1,969	2,827	2,977	3,080	3,510	4,327	4,549	4,079	5,451	-
All other,both sexes	454	642	706	676	612	597	590	542	395	502	-
Male	1	3	8	7	9	7	11	7	5	7	-
Female	453	639	698	669	603	590	579	535	390	495	-
Black,both sexes	404	553	614	582	521	523	517	493	363	462	-
Male	1	1	8	7	9	6	10	6	5	7	-
Female	403	552	606	575	512	517	507	487	358	455	-

TABLE 210A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1999

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Malignant neoplasm of cervix uteri (C53)											
All races,both sexes	407	462	452	393	376	350	346	345	223	329	1
Female	407	462	452	393	376	350	346	345	223	329	1
White,both sexes	314	371	360	298	275	261	242	265	181	255	1
Female	314	371	360	298	275	261	242	265	181	255	1
All other,both sexes	93	91	92	95	101	89	104	80	42	74	-
Female	93	91	92	95	101	89	104	80	42	74	-
Black,both sexes	83	68	72	80	89	79	97	69	33	68	-
Female	83	68	72	80	89	79	97	69	33	68	-
Malignant neoplasms of corpus uteri and uterus, part unspecified (C54-C55)											
All races,both sexes	104	182	286	427	592	835	972	1,061	947	999	-
Female	104	182	286	427	592	835	972	1,061	947	999	-
White,both sexes	78	150	236	342	474	630	805	904	835	881	-
Female	78	150	236	342	474	630	805	904	835	881	-
All other,both sexes	26	32	50	85	118	205	167	157	112	118	-
Female	26	32	50	85	118	205	167	157	112	118	-
Black,both sexes	23	18	39	76	113	189	161	144	103	111	-
Female	23	18	39	76	113	189	161	144	103	111	-

TABLE 210A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1999

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Malignant neoplasm of ovary (C56)											
All races,both sexes	334	616	933	1,081	1,345	1,626	1,986	2,143	1,732	1,562	-
Female	334	616	933	1,081	1,345	1,626	1,986	2,143	1,732	1,562	-
White,both sexes	288	535	814	965	1,199	1,455	1,799	1,956	1,614	1,459	-
Female	288	535	814	965	1,199	1,455	1,799	1,956	1,614	1,459	-
All other,both sexes	46	81	119	116	146	171	187	187	118	103	-
Female	46	81	119	116	146	171	187	187	118	103	-
Black,both sexes	31	55	89	95	122	136	168	162	98	90	-
Female	31	55	89	95	122	136	168	162	98	90	-
Malignant neoplasm of prostate (C61)											
All races,both sexes	28	100	274	636	1,310	2,711	4,605	6,532	6,903	8,620	1
Male	28	100	274	636	1,310	2,711	4,605	6,532	6,903	8,620	1
White,both sexes	21	68	198	471	933	2,065	3,650	5,348	5,892	7,350	1
Male	21	68	198	471	933	2,065	3,650	5,348	5,892	7,350	1
All other,both sexes	7	32	76	165	377	646	955	1,184	1,011	1,270	-
Male	7	32	76	165	377	646	955	1,184	1,011	1,270	-
Black,both sexes	6	31	75	157	358	622	912	1,101	945	1,149	-
Male	6	31	75	157	358	622	912	1,101	945	1,149	-

TABLE 210A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1999

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Malignant neoplasms of kidney and renal pelvis (C64-C65)											
All races,both sexes	237	427	720	959	1,152	1,374	1,702	1,696	1,314	1,305	-
Male	166	310	506	671	803	894	1,064	1,016	701	590	-
Female	71	117	214	288	349	480	638	680	613	715	-
White,both sexes	195	346	616	841	1,027	1,226	1,531	1,541	1,211	1,187	-
Male	138	255	427	586	724	798	961	927	660	538	-
Female	57	91	189	255	303	428	570	614	551	649	-
All other,both sexes	42	81	104	118	125	148	171	155	103	118	-
Male	28	55	79	85	79	96	103	89	41	52	-
Female	14	26	25	33	46	52	68	66	62	66	-
Black,both sexes	34	67	87	102	104	122	143	129	84	98	-
Male	23	44	65	74	66	77	83	72	32	42	-
Female	11	23	22	28	38	45	60	57	52	56	-
Malignant neoplasm of bladder (C67)											
All races,both sexes	68	140	323	492	752	1,126	1,797	2,178	2,139	2,845	1
Male	43	107	243	374	559	849	1,283	1,575	1,433	1,608	1
Female	25	33	80	118	193	277	514	603	706	1,237	-
White,both sexes	57	114	283	429	664	1,005	1,638	2,011	1,997	2,630	1
Male	36	87	210	340	503	778	1,199	1,477	1,351	1,519	1
Female	21	27	73	89	161	227	439	534	646	1,111	-
All other,both sexes	11	26	40	63	88	121	159	167	142	215	-
Male	7	20	33	34	56	71	84	98	82	89	-
Female	4	6	7	29	32	50	75	69	60	126	-
Black,both sexes	9	23	39	59	74	107	140	142	122	189	-
Male	6	17	32	32	46	60	70	82	68	74	-
Female	3	6	7	27	28	47	70	60	54	115	-

TABLE 210A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX:

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------------	-------------------

Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)

All races,both sexes	622	842	1,038	1,206	1,247	1,498	1,621	1,543	949	663	-
Male	370	507	613	670	747	858	870	785	441	247	-
Female	252	335	425	536	500	640	751	758	508	416	-
White,both sexes	558	775	950	1,123	1,153	1,400	1,545	1,463	900	625	-
Male	328	463	560	625	691	807	834	745	424	235	-
Female	230	312	390	498	462	593	711	718	476	390	-
All other,both sexes	64	67	88	83	94	98	76	80	49	38	-
Male	42	44	53	45	56	51	36	40	17	12	-
Female	22	23	35	38	38	47	40	40	32	26	-
Black,both sexes	51	59	70	70	72	77	58	67	40	31	-
Male	33	39	43	35	41	42	26	30	11	10	-
Female	18	20	27	35	31	35	32	37	29	21	-

Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)

All races,both sexes	1,076	1,648	2,302	3,346	4,208	5,996	8,336	9,596	8,493	8,282	-
Male	647	986	1,382	1,957	2,469	3,436	4,631	5,102	3,998	3,329	-
Female	429	662	920	1,389	1,739	2,560	3,705	4,494	4,495	4,953	-
White,both sexes	862	1,362	1,919	2,836	3,604	5,297	7,529	8,778	7,909	7,688	-
Male	518	816	1,168	1,673	2,144	3,068	4,219	4,683	3,761	3,085	-
Female	344	546	751	1,163	1,460	2,229	3,310	4,095	4,148	4,603	-
All other,both sexes	214	286	383	510	604	699	807	818	584	594	-
Male	129	170	214	284	325	368	412	419	237	244	-
Female	85	116	169	226	279	331	395	399	347	350	-
Black,both sexes	179	239	322	435	492	585	668	667	482	508	-
Male	108	141	183	243	260	311	338	335	189	188	-
Female	71	98	139	192	232	274	330	332	293	320	-

TABLE 210A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1999

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Hodgkin's disease (C81)											
All races,both sexes	75	82	83	87	91	120	163	149	113	98	-
Male	47	48	50	54	61	72	88	69	50	45	-
Female	28	34	33	33	30	48	75	80	63	53	-
White,both sexes	66	72	74	78	85	106	154	144	110	89	-
Male	43	41	42	49	58	64	84	67	49	41	-
Female	23	31	32	29	27	42	70	77	61	48	-
All other,both sexes	9	10	9	9	6	14	9	5	3	9	-
Male	4	7	8	5	3	8	4	2	1	4	-
Female	5	3	1	4	3	6	5	3	2	5	-
Black,both sexes	8	10	9	9	5	11	7	5	1	7	-
Male	4	7	8	5	3	8	4	2	1	2	-
Female	4	3	1	4	2	3	3	3	-	5	-
Non-Hodgkin's lymphoma (C82-C85)											
All races,both sexes	465	696	1,045	1,414	1,740	2,441	3,407	4,009	3,545	3,228	-
Male	306	459	652	851	996	1,355	1,821	2,052	1,544	1,246	-
Female	159	237	393	563	744	1,086	1,586	1,957	2,001	1,982	-
White,both sexes	374	582	922	1,251	1,567	2,249	3,166	3,758	3,399	3,057	-
Male	244	386	576	751	892	1,248	1,705	1,911	1,494	1,166	-
Female	130	196	346	500	675	1,001	1,461	1,847	1,905	1,891	-
All other,both sexes	91	114	123	163	173	192	241	251	146	171	-
Male	62	73	76	100	104	107	116	141	50	80	-
Female	29	41	47	63	69	85	125	110	96	91	-
Black,both sexes	76	93	99	138	126	154	177	179	109	127	-
Male	51	59	64	81	74	90	84	99	33	51	-
Female	25	34	35	57	52	64	93	80	76	76	-

TABLE 210A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX:

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Leukemia (C91-C95)											
All races,both sexes	425	626	744	1,112	1,404	2,078	2,934	3,401	3,059	3,424	-
Male	231	346	431	636	853	1,275	1,779	1,946	1,579	1,423	-
Female	194	280	313	476	551	803	1,155	1,455	1,480	2,001	-
White,both sexes	353	524	619	975	1,221	1,839	2,692	3,166	2,841	3,218	-
Male	192	286	360	563	751	1,141	1,643	1,815	1,484	1,339	-
Female	161	238	259	412	470	698	1,049	1,351	1,357	1,879	-
All other,both sexes	72	102	125	137	183	239	242	235	218	206	-
Male	39	60	71	73	102	134	136	131	95	84	-
Female	33	42	54	64	81	105	106	104	123	122	-
Black,both sexes	54	79	96	106	146	201	206	196	177	175	-
Male	29	47	56	61	81	112	112	108	70	66	-
Female	25	32	40	45	65	89	94	88	107	109	-
Multiple myeloma and immunoproliferative neoplasms (C88,C90)											
All races,both sexes	109	241	424	727	967	1,347	1,825	2,023	1,765	1,519	-
Male	62	132	246	411	557	729	940	1,026	820	612	-
Female	47	109	178	316	410	618	885	997	945	907	-
White,both sexes	68	182	299	527	725	1,093	1,510	1,697	1,549	1,312	-
Male	38	102	188	306	441	610	784	882	729	536	-
Female	30	80	111	221	284	483	726	815	820	776	-
All other,both sexes	41	59	125	200	242	254	315	326	216	207	-
Male	24	30	58	105	116	119	156	144	91	76	-
Female	17	29	67	95	126	135	159	182	125	131	-
Black,both sexes	40	56	117	181	215	219	278	286	195	198	-
Male	24	28	54	95	102	101	138	125	85	69	-
Female	16	28	63	86	113	118	140	161	110	129	-

TABLE 210A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1999

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue (C96)											
All races,both sexes	2	3	6	6	6	10	7	14	11	13	-
Male	1	1	3	5	2	5	3	9	5	3	-
Female	1	2	3	1	4	5	4	5	6	10	-
White,both sexes	1	2	5	5	6	10	7	13	10	12	-
Male	1	1	2	4	2	5	3	8	5	3	-
Female	-	1	3	1	4	5	4	5	5	9	-
All other,both sexes	1	1	1	1	-	-	-	1	1	1	-
Male	-	-	1	1	-	-	-	1	-	-	-
Female	1	1	-	-	-	-	-	-	1	1	-
Black,both sexes	1	1	1	1	-	-	-	1	-	1	-
Male	-	-	1	1	-	-	-	1	-	-	-
Female	1	1	-	-	-	-	-	-	-	1	-

All other and unspecified malignant neoplasms (C17,C23-C24,C26-C31,C37-C41,C44-C49,C51-C52,C57-C60,C62-C63,C66,C68-C69,C73-C80,C97)

All races,both sexes	1,481	2,247	3,230	4,249	5,614	7,265	9,569	10,451	9,205	10,403	2
Male	836	1,274	1,824	2,416	3,181	3,984	5,173	5,240	4,199	3,806	1
Female	645	973	1,406	1,833	2,433	3,281	4,396	5,211	5,006	6,597	1
White,both sexes	1,147	1,773	2,627	3,496	4,709	6,334	8,430	9,385	8,397	9,505	2
Male	659	992	1,479	2,002	2,685	3,484	4,594	4,751	3,872	3,493	1
Female	488	781	1,148	1,494	2,024	2,850	3,836	4,634	4,525	6,012	1
All other,both sexes	334	474	603	753	905	931	1,139	1,066	808	898	-
Male	177	282	345	414	496	500	579	489	327	313	-
Female	157	192	258	339	409	431	560	577	481	585	-
Black,both sexes	280	418	513	634	788	773	948	881	668	761	-
Male	151	246	296	365	443	423	483	403	268	250	-
Female	129	172	217	269	345	350	465	478	400	511	-

TABLE 210A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1999

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------------	-------------------

In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)

All races,both sexes	202	276	386	461	672	1,029	1,655	2,151	2,321	3,443	-
Male	118	142	220	255	401	590	932	1,119	1,099	1,303	-
Female	84	134	166	206	271	439	723	1,032	1,222	2,140	-
White,both sexes	162	214	320	389	572	886	1,499	1,959	2,161	3,213	-
Male	101	116	186	216	353	516	856	1,027	1,035	1,234	-
Female	61	98	134	173	219	370	643	932	1,126	1,979	-
All other,both sexes	40	62	66	72	100	143	156	192	160	230	-
Male	17	26	34	39	48	74	76	92	64	69	-
Female	23	36	32	33	52	69	80	100	96	161	-
Black,both sexes	36	50	56	65	84	124	134	165	134	194	-
Male	15	19	27	36	39	65	64	76	49	54	-
Female	21	31	29	29	45	59	70	89	85	140	-

Anemias (D50-D64)

All races,both sexes	104	134	98	105	126	175	311	497	667	1,820	-
Male	54	68	48	43	62	92	134	217	267	518	-
Female	50	66	50	62	64	83	177	280	400	1,302	-
White,both sexes	26	55	41	46	76	135	254	428	604	1,620	-
Male	14	31	20	16	32	75	107	190	244	468	-
Female	12	24	21	30	44	60	147	238	360	1,152	-
All other,both sexes	78	79	57	59	50	40	57	69	63	200	-
Male	40	37	28	27	30	17	27	27	23	50	-
Female	38	42	29	32	20	23	30	42	40	150	-
Black,both sexes	76	74	52	55	46	33	49	64	57	166	-
Male	38	35	26	25	29	14	23	23	19	38	-
Female	38	39	26	30	17	19	26	41	38	128	-

TABLE 210A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1999

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

40-44 YEARS 45-49 YEARS 50-54 YEARS 55-59 YEARS 60-64 YEARS 65-69 YEARS 70-74 YEARS 75-79 YEARS 80-84 YEARS 85 YEARS AND OVER AGE NOT STATED

Diabetes mellitus (E10-E14)

All races,both sexes	1,212	1,942	2,793	3,865	5,232	7,215	9,693	11,269	10,488	13,178	3
Male	702	1,189	1,602	2,120	2,736	3,630	4,649	5,190	4,349	4,125	2
Female	510	753	1,191	1,745	2,496	3,585	5,044	6,079	6,139	9,053	1
White,both sexes	869	1,367	1,988	2,754	3,855	5,547	7,683	9,315	8,902	11,257	1
Male	511	864	1,191	1,582	2,102	2,906	3,881	4,455	3,838	3,598	1
Female	358	503	797	1,172	1,753	2,641	3,802	4,860	5,064	7,659	-
All other,both sexes	343	575	805	1,111	1,377	1,668	2,010	1,954	1,586	1,921	2
Male	191	325	411	538	634	724	768	735	511	527	1
Female	152	250	394	573	743	944	1,242	1,219	1,075	1,394	1
Black,both sexes	312	515	716	954	1,197	1,444	1,693	1,652	1,370	1,659	2
Male	170	292	358	461	534	631	637	595	429	432	1
Female	142	223	358	493	663	813	1,056	1,057	941	1,227	1

Nutritional deficiencies (E40-E64)

All races,both sexes	44	45	61	76	94	149	280	472	776	2,240	-
Male	20	22	30	42	56	72	149	205	289	577	-
Female	24	23	31	34	38	77	131	267	487	1,663	-
White,both sexes	34	28	48	46	72	115	210	392	658	1,990	-
Male	15	16	23	21	43	52	106	165	242	502	-
Female	19	12	25	25	29	63	104	227	416	1,488	-
All other,both sexes	10	17	13	30	22	34	70	80	118	250	-
Male	5	6	7	21	13	20	43	40	47	75	-
Female	5	11	6	9	9	14	27	40	71	175	-
Black,both sexes	10	15	12	26	21	29	61	69	107	222	-
Male	5	5	7	18	12	17	38	34	40	64	-
Female	5	10	5	8	9	12	23	35	67	158	-

TABLE 210A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX:

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Malnutrition (E40-E46)											
All races,both sexes	41	42	57	66	88	141	266	439	720	2,077	-
Male	19	21	27	38	54	68	139	186	266	530	-
Female	22	21	30	28	34	73	127	253	454	1,547	-
White,both sexes	32	27	46	41	66	107	198	366	610	1,842	-
Male	14	15	21	20	41	48	98	152	221	456	-
Female	18	12	25	21	25	59	100	214	389	1,386	-
All other,both sexes	9	15	11	25	22	34	68	73	110	235	-
Male	5	6	6	18	13	20	41	34	45	74	-
Female	4	9	5	7	9	14	27	39	65	161	-
Black,both sexes	9	13	11	21	21	29	59	62	100	207	-
Male	5	5	6	15	12	17	36	28	38	63	-
Female	4	8	5	6	9	12	23	34	62	144	-
Other nutritional deficiencies (E50-E64)											
All races,both sexes	3	3	4	10	6	8	14	33	56	163	-
Male	1	1	3	4	2	4	10	19	23	47	-
Female	2	2	1	6	4	4	4	14	33	116	-
White,both sexes	2	1	2	5	6	8	12	26	48	148	-
Male	1	1	2	1	2	4	8	13	21	46	-
Female	1	-	-	4	4	4	4	13	27	102	-
All other,both sexes	1	2	2	5	-	-	2	7	8	15	-
Male	-	-	1	3	-	-	2	6	2	1	-
Female	1	2	1	2	-	-	-	1	6	14	-
Black,both sexes	1	2	1	5	-	-	2	7	7	15	-
Male	-	-	1	3	-	-	2	6	2	1	-
Female	1	2	-	2	-	-	-	1	5	14	-

TABLE 210A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1999

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Meningitis (G00,G03)											
All races,both sexes	43	62	46	41	49	49	66	65	57	62	-
Male	27	39	29	24	21	28	32	26	23	20	-
Female	16	23	17	17	28	21	34	39	34	42	-
White,both sexes	27	39	33	32	39	38	51	47	48	50	-
Male	15	22	19	20	17	21	25	17	21	16	-
Female	12	17	14	12	22	17	26	30	27	34	-
All other,both sexes	16	23	13	9	10	11	15	18	9	12	-
Male	12	17	10	4	4	7	7	9	2	4	-
Female	4	6	3	5	6	4	8	9	7	8	-
Black,both sexes	12	22	13	8	10	9	12	17	8	12	-
Male	9	17	10	4	4	6	6	8	2	4	-
Female	3	5	3	4	6	3	6	9	6	8	-
Parkinson's disease (G20-G21)											
All races,both sexes	4	8	35	73	169	539	1,481	3,066	4,044	5,168	-
Male	2	5	25	44	117	338	965	1,940	2,367	2,454	-
Female	2	3	10	29	52	201	516	1,126	1,677	2,714	-
White,both sexes	4	8	31	65	150	498	1,397	2,910	3,877	4,941	-
Male	2	5	24	41	106	314	922	1,842	2,281	2,339	-
Female	2	3	7	24	44	184	475	1,068	1,596	2,602	-
All other,both sexes	-	-	4	8	19	41	84	156	167	227	-
Male	-	-	1	3	11	24	43	98	86	115	-
Female	-	-	3	5	8	17	41	58	81	112	-
Black,both sexes	-	-	4	7	15	33	64	109	112	163	-
Male	-	-	1	3	10	22	37	67	56	74	-
Female	-	-	3	4	5	11	27	42	56	89	-

TABLE 210A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX:

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------------	-------------------

Alzheimer's disease (G30)

All races,both sexes	6	20	40	125	323	830	2,374	5,769	10,067	24,980	-
Male	3	10	18	68	154	389	1,048	2,332	3,572	5,796	-
Female	3	10	22	57	169	441	1,326	3,437	6,495	19,184	-
White,both sexes	4	18	35	113	300	757	2,169	5,363	9,470	23,646	-
Male	2	10	16	61	144	355	961	2,180	3,384	5,471	-
Female	2	8	19	52	156	402	1,208	3,183	6,086	18,175	-
All other,both sexes	2	2	5	12	23	73	205	406	597	1,334	-
Male	1	-	2	7	10	34	87	152	188	325	-
Female	1	2	3	5	13	39	118	254	409	1,009	-
Black,both sexes	1	2	3	10	19	62	187	364	526	1,168	-
Male	-	-	2	6	9	31	81	132	160	271	-
Female	1	2	1	4	10	31	106	232	366	897	-

Major cardiovascular diseases (I00-I78)

All races,both sexes	11,092	17,354	25,158	33,344	44,489	64,775	98,653	138,680	163,872	340,510	49
Male	7,573	12,150	17,595	22,653	28,872	39,978	56,926	72,052	73,515	102,663	38
Female	3,519	5,204	7,563	10,691	15,617	24,797	41,727	66,628	90,357	237,847	11
White,both sexes	7,769	12,559	19,030	25,836	35,412	53,485	84,103	121,928	148,314	312,552	32
Male	5,576	9,214	13,739	18,051	23,510	33,786	49,508	64,277	67,297	94,090	25
Female	2,193	3,345	5,291	7,785	11,902	19,699	34,595	57,651	81,017	218,462	7
All other,both sexes	3,323	4,795	6,128	7,508	9,077	11,290	14,550	16,752	15,558	27,958	17
Male	1,997	2,936	3,856	4,602	5,362	6,192	7,418	7,775	6,218	8,573	13
Female	1,326	1,859	2,272	2,906	3,715	5,098	7,132	8,977	9,340	19,385	4
Black,both sexes	3,030	4,317	5,503	6,683	7,971	9,892	12,600	14,302	13,109	23,781	16
Male	1,786	2,614	3,438	4,049	4,681	5,392	6,328	6,415	5,055	6,760	12
Female	1,244	1,703	2,065	2,634	3,290	4,500	6,272	7,887	8,054	17,021	4

TABLE 210A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX:

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Diseases of heart (I00-I09,I11,I13,I20-I51)											
All races,both sexes	8,897	14,096	20,898	27,605	36,562	52,206	77,047	104,841	121,311	251,860	47
Male	6,388	10,346	15,143	19,370	24,292	33,118	45,718	56,178	56,292	78,300	37
Female	2,509	3,750	5,755	8,235	12,270	19,088	31,329	48,663	65,019	173,560	10
White,both sexes	6,394	10,500	16,193	21,743	29,531	43,471	66,107	92,559	110,133	231,714	32
Male	4,809	8,052	12,092	15,652	20,043	28,215	40,032	50,391	51,748	71,980	25
Female	1,585	2,448	4,101	6,091	9,488	15,256	26,075	42,168	58,385	159,734	7
All other,both sexes	2,503	3,596	4,705	5,862	7,031	8,735	10,940	12,282	11,178	20,146	15
Male	1,579	2,294	3,051	3,718	4,249	4,903	5,686	5,787	4,544	6,320	12
Female	924	1,302	1,654	2,144	2,782	3,832	5,254	6,495	6,634	13,826	3
Black,both sexes	2,287	3,275	4,250	5,256	6,219	7,711	9,529	10,523	9,515	17,210	15
Male	1,412	2,050	2,724	3,284	3,720	4,282	4,873	4,795	3,738	5,000	12
Female	875	1,225	1,526	1,972	2,499	3,429	4,656	5,728	5,777	12,210	3
Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)											
All races,both sexes	77	101	144	189	222	338	516	614	613	748	-
Male	30	40	50	64	69	107	183	164	161	123	-
Female	47	61	94	125	153	231	333	450	452	625	-
White,both sexes	51	79	108	156	185	302	474	578	583	712	-
Male	21	32	40	53	58	100	170	151	155	120	-
Female	30	47	68	103	127	202	304	427	428	592	-
All other,both sexes	26	22	36	33	37	36	42	36	30	36	-
Male	9	8	10	11	11	7	13	13	6	3	-
Female	17	14	26	22	26	29	29	23	24	33	-
Black,both sexes	20	20	29	29	23	25	31	24	16	26	-
Male	8	8	10	9	8	6	10	10	4	1	-
Female	12	12	19	20	15	19	21	14	12	25	-

TABLE 210A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1999

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Hypertensive heart disease (I11)											
All races,both sexes	617	889	1,041	1,260	1,277	1,553	1,964	2,672	3,158	7,679	1
Male	428	586	673	800	760	858	958	1,185	1,067	1,594	1
Female	189	303	368	460	517	695	1,006	1,487	2,091	6,085	-
White,both sexes	321	469	590	728	801	997	1,329	1,976	2,541	6,602	-
Male	245	340	409	488	499	556	667	883	852	1,335	-
Female	76	129	181	240	302	441	662	1,093	1,689	5,267	-
All other,both sexes	296	420	451	532	476	556	635	696	617	1,077	1
Male	183	246	264	312	261	302	291	302	215	259	1
Female	113	174	187	220	215	254	344	394	402	818	-
Black,both sexes	281	409	439	499	446	521	584	637	558	957	1
Male	169	239	254	292	245	281	266	272	191	225	1
Female	112	170	185	207	201	240	318	365	367	732	-
Hypertensive heart and renal disease (I13)											
All races,both sexes	71	80	76	116	146	201	269	487	600	1,209	-
Male	43	50	50	66	80	99	124	221	239	374	-
Female	28	30	26	50	66	102	145	266	361	835	-
White,both sexes	14	21	31	47	63	101	148	343	463	982	-
Male	10	11	19	26	34	54	69	159	199	311	-
Female	4	10	12	21	29	47	79	184	264	671	-
All other,both sexes	57	59	45	69	83	100	121	144	137	227	-
Male	33	39	31	40	46	45	55	62	40	63	-
Female	24	20	14	29	37	55	66	82	97	164	-
Black,both sexes	57	57	40	66	78	91	114	122	122	205	-
Male	33	37	28	37	44	41	51	50	34	51	-
Female	24	20	12	29	34	50	63	72	88	154	-

TABLE 210A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1999

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Ischemic heart diseases (I20-I25)											
All races, both sexes	5,364	9,524	15,251	20,575	27,802	40,080	58,760	79,379	89,917	179,376	39
Male	4,169	7,447	11,614	15,021	19,102	26,184	36,003	44,041	43,264	57,726	31
Female	1,195	2,077	3,637	5,554	8,700	13,896	22,757	35,338	46,653	121,650	8
White, both sexes	4,133	7,541	12,272	16,733	22,933	33,894	50,959	70,631	81,999	165,298	27
Male	3,317	6,089	9,583	12,487	16,061	22,652	31,841	39,837	39,986	53,253	21
Female	816	1,452	2,689	4,246	6,872	11,242	19,118	30,794	42,013	112,045	6
All other, both sexes	1,231	1,983	2,979	3,842	4,869	6,186	7,801	8,748	7,918	14,078	12
Male	852	1,358	2,031	2,534	3,041	3,532	4,162	4,204	3,278	4,473	10
Female	379	625	948	1,308	1,828	2,654	3,639	4,544	4,640	9,605	2
Black, both sexes	1,096	1,761	2,642	3,392	4,240	5,395	6,699	7,402	6,669	11,936	12
Male	734	1,171	1,767	2,197	2,609	3,038	3,505	3,433	2,652	3,482	10
Female	362	590	875	1,195	1,631	2,357	3,194	3,969	4,017	8,454	2
Acute myocardial infarction (I21-I22)											
All races, both sexes	2,314	4,225	6,598	9,123	12,283	17,333	24,108	31,053	33,658	57,297	7
Male	1,763	3,261	5,039	6,654	8,375	11,154	14,554	16,991	15,952	19,357	2
Female	551	964	1,559	2,469	3,908	6,179	9,554	14,062	17,706	37,940	5
White, both sexes	1,839	3,453	5,500	7,659	10,425	14,982	21,124	27,778	30,704	52,468	5
Male	1,447	2,757	4,319	5,690	7,277	9,830	13,039	15,479	14,755	17,744	1
Female	392	696	1,181	1,969	3,148	5,152	8,085	12,299	15,949	34,724	4
All other, both sexes	475	772	1,098	1,464	1,858	2,351	2,984	3,275	2,954	4,829	2
Male	316	504	720	964	1,098	1,324	1,515	1,512	1,197	1,613	1
Female	159	268	378	500	760	1,027	1,469	1,763	1,757	3,216	1
Black, both sexes	424	688	971	1,271	1,611	2,027	2,569	2,773	2,525	4,136	2
Male	272	436	624	819	937	1,120	1,284	1,246	984	1,279	1
Female	152	252	347	452	674	907	1,285	1,527	1,541	2,857	1

TABLE 210A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX:

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------------	-------------------

Other acute ischemic heart diseases (I24)

All races,both sexes	56	92	160	209	239	294	380	406	449	908	-
Male	44	69	109	159	156	191	219	229	194	266	-
Female	12	23	51	50	83	103	161	177	255	642	-
White,both sexes	40	56	120	162	195	247	316	354	396	842	-
Male	31	42	85	122	124	160	183	206	169	247	-
Female	9	14	35	40	71	87	133	148	227	595	-
All other,both sexes	16	36	40	47	44	47	64	52	53	66	-
Male	13	27	24	37	32	31	36	23	25	19	-
Female	3	9	16	10	12	16	28	29	28	47	-
Black,both sexes	14	34	39	43	42	39	54	49	48	54	-
Male	11	26	23	34	31	26	30	21	20	17	-
Female	3	8	16	9	11	13	24	28	28	37	-

Other forms of chronic ischemic heart disease (I20,I25)

All races,both sexes	2,994	5,207	8,493	11,243	15,280	22,453	34,272	47,920	55,810	121,171	32
Male	2,362	4,117	6,466	8,208	10,571	14,839	21,230	26,821	27,118	38,103	29
Female	632	1,090	2,027	3,035	4,709	7,614	13,042	21,099	28,692	83,068	3
White,both sexes	2,254	4,032	6,652	8,912	12,313	18,665	29,519	42,499	50,899	111,988	22
Male	1,839	3,290	5,179	6,675	8,660	12,662	18,619	24,152	25,062	35,262	20
Female	415	742	1,473	2,237	3,653	6,003	10,900	18,347	25,837	76,726	2
All other,both sexes	740	1,175	1,841	2,331	2,967	3,788	4,753	5,421	4,911	9,183	10
Male	523	827	1,287	1,533	1,911	2,177	2,611	2,669	2,056	2,841	9
Female	217	348	554	798	1,056	1,611	2,142	2,752	2,855	6,342	1
Black,both sexes	658	1,039	1,632	2,078	2,587	3,329	4,076	4,580	4,096	7,746	10
Male	451	709	1,120	1,344	1,641	1,892	2,191	2,166	1,648	2,186	9
Female	207	330	512	734	946	1,437	1,885	2,414	2,448	5,560	1

TABLE 210A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1999

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

40-44 45-49 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85 YEARS AGE NOT
YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS AND OVER STATED

Atherosclerotic cardiovascular disease, so described (I25.0)

All races, both sexes	1,035	1,792	2,945	3,747	4,636	5,691	7,704	9,666	10,655	23,403	24
Male	837	1,438	2,314	2,842	3,281	3,842	4,704	5,200	4,763	6,905	22
Female	198	354	631	905	1,355	1,849	3,000	4,466	5,892	16,498	2
White, both sexes	761	1,305	2,183	2,765	3,446	4,342	6,130	8,014	9,303	20,995	15
Male	640	1,076	1,763	2,156	2,477	3,001	3,800	4,348	4,178	6,165	13
Female	121	229	420	609	969	1,341	2,330	3,666	5,125	14,830	2
All other, both sexes	274	487	762	982	1,190	1,349	1,574	1,652	1,352	2,408	9
Male	197	362	551	686	804	841	904	852	585	740	9
Female	77	125	211	296	386	508	670	800	767	1,668	-
Black, both sexes	251	437	680	889	1,053	1,212	1,396	1,466	1,173	2,097	9
Male	177	317	485	612	697	760	799	737	499	611	9
Female	74	120	195	277	356	452	597	729	674	1,486	-

All other forms of chronic ischemic heart disease (I20, I25.1-I25.9)

All races, both sexes	1,959	3,415	5,548	7,496	10,644	16,762	26,568	38,254	45,155	97,768	8
Male	1,525	2,679	4,152	5,366	7,290	10,997	16,526	21,621	22,355	31,198	7
Female	434	736	1,396	2,130	3,354	5,765	10,042	16,633	22,800	66,570	1
White, both sexes	1,493	2,727	4,469	6,147	8,867	14,323	23,389	34,485	41,596	90,993	7
Male	1,199	2,214	3,416	4,519	6,183	9,661	14,819	19,804	20,884	29,097	7
Female	294	513	1,053	1,628	2,684	4,662	8,570	14,681	20,712	61,896	-
All other, both sexes	466	688	1,079	1,349	1,777	2,439	3,179	3,769	3,559	6,775	1
Male	326	465	736	847	1,107	1,336	1,707	1,817	1,471	2,101	-
Female	140	223	343	502	670	1,103	1,472	1,952	2,088	4,674	1
Black, both sexes	407	602	952	1,189	1,534	2,117	2,680	3,114	2,923	5,649	1
Male	274	392	635	732	944	1,132	1,392	1,429	1,149	1,575	-
Female	133	210	317	457	590	985	1,288	1,685	1,774	4,074	1

TABLE 210A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1999

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Other heart diseases (I26-I51)											
All races,both sexes	2,768	3,502	4,386	5,465	7,115	10,034	15,538	21,689	27,023	62,848	7
Male	1,718	2,223	2,756	3,419	4,281	5,870	8,450	10,567	11,561	18,483	5
Female	1,050	1,279	1,630	2,046	2,834	4,164	7,088	11,122	15,462	44,365	2
White,both sexes	1,875	2,390	3,192	4,079	5,549	8,177	13,197	19,031	24,547	58,120	5
Male	1,216	1,580	2,041	2,598	3,391	4,853	7,285	9,361	10,556	16,961	4
Female	659	810	1,151	1,481	2,158	3,324	5,912	9,670	13,991	41,159	1
All other,both sexes	893	1,112	1,194	1,386	1,566	1,857	2,341	2,658	2,476	4,728	2
Male	502	643	715	821	890	1,017	1,165	1,206	1,005	1,522	1
Female	391	469	479	565	676	840	1,176	1,452	1,471	3,206	1
Black,both sexes	833	1,028	1,100	1,270	1,432	1,679	2,101	2,338	2,150	4,086	2
Male	468	595	665	749	814	916	1,041	1,030	857	1,241	1
Female	365	433	435	521	618	763	1,060	1,308	1,293	2,845	1
Acute and subacute endocarditis (I33)											
All races,both sexes	60	68	75	93	78	103	137	155	134	119	-
Male	41	49	54	62	41	51	67	83	71	56	-
Female	19	19	21	31	37	52	70	72	63	63	-
White,both sexes	37	41	48	58	59	82	114	142	122	112	-
Male	24	32	33	42	31	45	57	81	66	55	-
Female	13	9	15	16	28	37	57	61	56	57	-
All other,both sexes	23	27	27	35	19	21	23	13	12	7	-
Male	17	17	21	20	10	6	10	2	5	1	-
Female	6	10	6	15	9	15	13	11	7	6	-
Black,both sexes	21	26	23	30	18	21	21	10	7	6	-
Male	15	16	19	18	9	6	9	1	4	1	-
Female	6	10	4	12	9	15	12	9	3	5	-

TABLE 210A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1999

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------------	-------------------

Diseases of pericardium and acute myocarditis (I30-I31,I40)

All races,both sexes	60	59	46	63	62	69	77	88	72	85	-
Male	32	31	25	40	30	34	35	38	27	30	-
Female	28	28	21	23	32	35	42	50	45	55	-
White,both sexes	38	47	35	53	53	57	65	77	65	76	-
Male	23	24	18	34	27	27	30	35	25	27	-
Female	15	23	17	19	26	30	35	42	40	49	-
All other,both sexes	22	12	11	10	9	12	12	11	7	9	-
Male	9	7	7	6	3	7	5	3	2	3	-
Female	13	5	4	4	6	5	7	8	5	6	-
Black,both sexes	19	9	11	9	8	10	10	10	6	6	-
Male	7	5	7	6	3	6	5	2	2	-	-
Female	12	4	4	3	5	4	5	8	4	6	-

Heart failure (I50)

All races,both sexes	184	298	484	853	1,254	2,240	4,284	6,926	9,845	28,327	1
Male	112	186	300	506	722	1,232	2,294	3,264	4,054	7,959	1
Female	72	112	184	347	532	1,008	1,990	3,662	5,791	20,368	-
White,both sexes	116	183	326	626	1,006	1,827	3,684	6,102	8,979	26,333	-
Male	77	116	206	387	585	1,012	2,026	2,918	3,725	7,339	-
Female	39	67	120	239	421	815	1,658	3,184	5,254	18,994	-
All other,both sexes	68	115	158	227	248	413	600	824	866	1,994	1
Male	35	70	94	119	137	220	268	346	329	620	1
Female	33	45	64	108	111	193	332	478	537	1,374	-
Black,both sexes	66	111	149	215	236	380	547	731	750	1,734	1
Male	35	68	89	114	129	198	245	309	274	515	1
Female	31	43	60	101	107	182	302	422	476	1,219	-

TABLE 210A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX:

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------------	-------------------

All other forms of heart disease (I26-I28,I34-I38,I42-I49,I51)

All races,both sexes	2,464	3,077	3,781	4,456	5,721	7,622	11,040	14,520	16,972	34,317	6
Male	1,533	1,957	2,377	2,811	3,488	4,553	6,054	7,182	7,409	10,438	4
Female	931	1,120	1,404	1,645	2,233	3,069	4,986	7,338	9,563	23,879	2
White,both sexes	1,684	2,119	2,783	3,342	4,431	6,211	9,334	12,710	15,381	31,599	5
Male	1,092	1,408	1,784	2,135	2,748	3,769	5,172	6,327	6,740	9,540	4
Female	592	711	999	1,207	1,683	2,442	4,162	6,383	8,641	22,059	1
All other,both sexes	780	958	998	1,114	1,290	1,411	1,706	1,810	1,591	2,718	1
Male	441	549	593	676	740	784	882	855	669	898	-
Female	339	409	405	438	550	627	824	955	922	1,820	1
Black,both sexes	727	882	917	1,016	1,170	1,268	1,523	1,587	1,387	2,340	1
Male	411	506	550	611	673	706	782	718	577	725	-
Female	316	376	367	405	497	562	741	869	810	1,615	1

Essential (primary) hypertension and hypertensive renal disease (I10,I12)

All races,both sexes	208	329	470	538	780	1,146	1,653	2,400	2,924	6,317	-
Male	126	196	286	316	416	589	783	996	1,071	1,580	-
Female	82	133	184	222	364	557	870	1,404	1,853	4,737	-
White,both sexes	94	172	235	304	460	755	1,194	1,819	2,365	5,349	-
Male	63	109	146	193	255	403	579	766	864	1,306	-
Female	31	63	89	111	205	352	615	1,053	1,501	4,043	-
All other,both sexes	114	157	235	234	320	391	459	581	559	968	-
Male	63	87	140	123	161	186	204	230	207	274	-
Female	51	70	95	111	159	205	255	351	352	694	-
Black,both sexes	111	145	226	223	290	344	423	532	480	845	-
Male	60	83	135	115	146	166	183	208	178	227	-
Female	51	62	91	108	144	178	240	324	302	618	-

TABLE 210A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1999

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Cerebrovascular diseases (I60-I69)											
All races,both sexes	1,658	2,455	3,108	4,152	5,500	8,694	15,398	25,007	32,420	67,080	2
Male	859	1,282	1,714	2,256	3,049	4,522	7,698	11,349	12,739	18,052	1
Female	799	1,173	1,394	1,896	2,451	4,172	7,700	13,658	19,681	49,028	1
White,both sexes	1,044	1,535	2,074	2,939	4,001	6,876	12,701	21,726	29,191	61,448	-
Male	556	802	1,147	1,613	2,230	3,601	6,399	9,885	11,528	16,435	-
Female	488	733	927	1,326	1,771	3,275	6,302	11,841	17,663	45,013	-
All other,both sexes	614	920	1,034	1,213	1,499	1,818	2,697	3,281	3,229	5,632	2
Male	303	480	567	643	819	921	1,299	1,464	1,211	1,617	1
Female	311	440	467	570	680	897	1,398	1,817	2,018	4,015	1
Black,both sexes	548	787	896	1,028	1,267	1,538	2,275	2,733	2,618	4,681	1
Male	269	412	498	547	704	787	1,081	1,177	939	1,236	-
Female	279	375	398	481	563	751	1,194	1,556	1,679	3,445	1
Atherosclerosis (I70)											
All races,both sexes	29	56	129	172	314	485	991	1,770	2,615	8,390	-
Male	21	37	84	114	193	277	518	845	1,082	2,255	-
Female	8	19	45	58	121	208	473	925	1,533	6,135	-
White,both sexes	19	48	103	140	262	413	887	1,596	2,423	7,823	-
Male	14	32	70	90	164	238	463	755	1,000	2,091	-
Female	5	16	33	50	98	175	424	841	1,423	5,732	-
All other,both sexes	10	8	26	32	52	72	104	174	192	567	-
Male	7	5	14	24	29	39	55	90	82	164	-
Female	3	3	12	8	23	33	49	84	110	403	-
Black,both sexes	7	6	23	27	50	63	88	154	162	484	-
Male	5	4	11	20	27	34	46	78	65	140	-
Female	2	2	12	7	23	29	42	76	97	344	-

TABLE 210A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1999

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Other diseases of circulatory system (I71-I78)											
All races,both sexes	300	418	553	877	1,333	2,244	3,564	4,662	4,602	6,863	-
Male	179	289	368	597	922	1,472	2,209	2,684	2,331	2,476	-
Female	121	129	185	280	411	772	1,355	1,978	2,271	4,387	-
White,both sexes	218	304	425	710	1,158	1,970	3,214	4,228	4,202	6,218	-
Male	134	219	284	503	818	1,329	2,035	2,480	2,157	2,278	-
Female	84	85	141	207	340	641	1,179	1,748	2,045	3,940	-
All other,both sexes	82	114	128	167	175	274	350	434	400	645	-
Male	45	70	84	94	104	143	174	204	174	198	-
Female	37	44	44	73	71	131	176	230	226	447	-
Black,both sexes	77	104	108	149	145	236	285	360	334	561	-
Male	40	65	70	83	84	123	145	157	135	157	-
Female	37	39	38	66	61	113	140	203	199	404	-
Aortic aneurysm and dissection (I71)											
All races,both sexes	195	283	355	570	867	1,578	2,423	3,095	2,841	3,337	-
Male	134	216	270	430	658	1,114	1,598	1,905	1,596	1,495	-
Female	61	67	85	140	209	464	825	1,190	1,245	1,842	-
White,both sexes	135	194	273	473	777	1,420	2,232	2,871	2,658	3,097	-
Male	95	154	208	369	600	1,025	1,500	1,805	1,506	1,401	-
Female	40	40	65	104	177	395	732	1,066	1,152	1,696	-
All other,both sexes	60	89	82	97	90	158	191	224	183	240	-
Male	39	62	62	61	58	89	98	100	90	94	-
Female	21	27	20	36	32	69	93	124	93	146	-
Black,both sexes	56	81	71	85	70	128	146	166	140	189	-
Male	35	57	52	53	44	74	75	63	62	65	-
Female	21	24	19	32	26	54	71	103	78	124	-

TABLE 210A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1999

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------------	-------------------

Other diseases of arteries, arterioles and capillaries (I72-I78)

All races,both sexes	105	135	198	307	466	666	1,141	1,567	1,761	3,526	-
Male	45	73	98	167	264	358	611	779	735	981	-
Female	60	62	100	140	202	308	530	788	1,026	2,545	-
White,both sexes	83	110	152	237	381	550	982	1,357	1,544	3,121	-
Male	39	65	76	134	218	304	535	675	651	877	-
Female	44	45	76	103	163	246	447	682	893	2,244	-
All other,both sexes	22	25	46	70	85	116	159	210	217	405	-
Male	6	8	22	33	46	54	76	104	84	104	-
Female	16	17	24	37	39	62	83	106	133	301	-
Black,both sexes	21	23	37	64	75	108	139	194	194	372	-
Male	5	8	18	30	40	49	70	94	73	92	-
Female	16	15	19	34	35	59	69	100	121	280	-

Other disorders of circulatory system (I80-I99)

All races,both sexes	173	202	176	208	237	312	380	498	619	972	1
Male	104	102	96	106	118	163	187	225	238	248	-
Female	69	100	80	102	119	149	193	273	381	724	1
White,both sexes	117	146	131	177	190	243	325	429	549	872	1
Male	69	73	69	92	100	124	163	191	210	223	-
Female	48	73	62	85	90	119	162	238	339	649	1
All other,both sexes	56	56	45	31	47	69	55	69	70	100	-
Male	35	29	27	14	18	39	24	34	28	25	-
Female	21	27	18	17	29	30	31	35	42	75	-
Black,both sexes	52	55	41	27	42	62	47	64	61	89	-
Male	33	29	24	11	17	36	20	31	24	19	-
Female	19	26	17	16	25	26	27	33	37	70	-

TABLE 210A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1999

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Influenza and pneumonia (J10-J18)											
All races,both sexes	601	798	899	1,098	1,527	2,382	4,479	7,776	11,416	31,229	2
Male	341	500	559	611	851	1,394	2,499	4,020	5,438	10,676	1
Female	260	298	340	487	676	988	1,980	3,756	5,978	20,553	1
White,both sexes	387	557	666	859	1,200	1,994	3,838	6,962	10,443	28,785	2
Male	209	346	404	471	666	1,164	2,124	3,598	4,968	9,775	1
Female	178	211	262	388	534	830	1,714	3,364	5,475	19,010	1
All other,both sexes	214	241	233	239	327	388	641	814	973	2,444	-
Male	132	154	155	140	185	230	375	422	470	901	-
Female	82	87	78	99	142	158	266	392	503	1,543	-
Black,both sexes	191	223	208	213	285	333	556	665	761	1,991	-
Male	116	142	140	128	161	200	323	337	358	686	-
Female	75	81	68	85	124	133	233	328	403	1,305	-
Influenza (J10-J11)											
All races,both sexes	8	13	13	29	42	60	104	154	297	881	-
Male	4	8	7	13	24	27	47	71	131	238	-
Female	4	5	6	16	18	33	57	83	166	643	-
White,both sexes	6	12	10	26	39	55	93	146	283	857	-
Male	3	7	6	13	23	24	43	70	124	234	-
Female	3	5	4	13	16	31	50	76	159	623	-
All other,both sexes	2	1	3	3	3	5	11	8	14	24	-
Male	1	1	1	-	1	3	4	1	7	4	-
Female	1	-	2	3	2	2	7	7	7	20	-
Black,both sexes	2	1	2	3	2	3	10	5	10	18	-
Male	1	1	1	-	1	2	4	1	5	3	-
Female	1	-	1	3	1	1	6	4	5	15	-

TABLE 210A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1999

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Pneumonia (J12-J18)											
All races,both sexes	593	785	886	1,069	1,485	2,322	4,375	7,622	11,119	30,348	2
Male	337	492	552	598	827	1,367	2,452	3,949	5,307	10,438	1
Female	256	293	334	471	658	955	1,923	3,673	5,812	19,910	1
White,both sexes	381	545	656	833	1,161	1,939	3,745	6,816	10,160	27,928	2
Male	206	339	398	458	643	1,140	2,081	3,528	4,844	9,541	1
Female	175	206	258	375	518	799	1,664	3,288	5,316	18,387	1
All other,both sexes	212	240	230	236	324	383	630	806	959	2,420	-
Male	131	153	154	140	184	227	371	421	463	897	-
Female	81	87	76	96	140	156	259	385	496	1,523	-
Black,both sexes	189	222	206	210	283	330	546	660	751	1,973	-
Male	115	141	139	128	160	198	319	336	353	683	-
Female	74	81	67	82	123	132	227	324	398	1,290	-
Other acute lower respiratory infections (J20-J22)											
All races,both sexes	5	7	8	8	13	14	21	44	63	249	-
Male	2	5	3	4	6	6	11	22	29	48	-
Female	3	2	5	4	7	8	10	22	34	201	-
White,both sexes	3	6	5	6	11	11	16	41	58	237	-
Male	1	5	3	3	6	4	8	21	27	43	-
Female	2	1	2	3	5	7	8	20	31	194	-
All other,both sexes	2	1	3	2	2	3	5	3	5	12	-
Male	1	-	-	1	-	2	3	1	2	5	-
Female	1	1	3	1	2	1	2	2	3	7	-
Black,both sexes	2	1	3	1	1	3	5	2	4	10	-
Male	1	-	-	1	-	2	3	-	1	3	-
Female	1	1	3	-	1	1	2	2	3	7	-

TABLE 210A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1999

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Acute bronchitis and bronchiolitis (J20-J21)											
All races,both sexes	4	7	7	6	12	13	16	28	41	150	-
Male	1	5	2	3	5	6	9	15	19	31	-
Female	3	2	5	3	7	7	7	13	22	119	-
White,both sexes	2	6	4	4	10	10	11	25	38	144	-
Male	-	5	2	2	5	4	6	14	18	28	-
Female	2	1	2	2	5	6	5	11	20	116	-
All other,both sexes	2	1	3	2	2	3	5	3	3	6	-
Male	1	-	-	1	-	2	3	1	1	3	-
Female	1	1	3	1	2	1	2	2	2	3	-
Black,both sexes	2	1	3	1	1	3	5	2	2	5	-
Male	1	-	-	1	-	2	3	-	-	2	-
Female	1	1	3	-	1	1	2	2	2	3	-
Unspecified acute lower respiratory infection (J22)											
All races,both sexes	1	-	1	2	1	1	5	16	22	99	-
Male	1	-	1	1	1	-	2	7	10	17	-
Female	-	-	-	1	-	1	3	9	12	82	-
White,both sexes	1	-	1	2	1	1	5	16	20	93	-
Male	1	-	1	1	1	-	2	7	9	15	-
Female	-	-	-	1	-	1	3	9	11	78	-
All other,both sexes	-	-	-	-	-	-	-	-	2	6	-
Male	-	-	-	-	-	-	-	-	1	2	-
Female	-	-	-	-	-	-	-	-	1	4	-
Black,both sexes	-	-	-	-	-	-	-	-	2	5	-
Male	-	-	-	-	-	-	-	-	1	1	-
Female	-	-	-	-	-	-	-	-	1	4	-

TABLE 210A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1999

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

40-44 YEARS 45-49 YEARS 50-54 YEARS 55-59 YEARS 60-64 YEARS 65-69 YEARS 70-74 YEARS 75-79 YEARS 80-84 YEARS 85 YEARS AND OVER AGE NOT STATED

Chronic lower respiratory diseases (J40-J47)

All races, both sexes	588	1,079	2,031	4,179	7,118	12,441	20,203	24,978	23,657	26,833	4
Male	268	547	1,004	2,169	3,789	6,642	10,835	13,021	11,684	11,894	3
Female	320	532	1,027	2,010	3,329	5,799	9,368	11,957	11,973	14,939	1
White, both sexes	408	801	1,697	3,656	6,400	11,383	18,728	23,314	22,384	25,342	3
Male	181	410	827	1,885	3,362	6,017	9,956	12,010	10,934	11,111	2
Female	227	391	870	1,771	3,038	5,366	8,772	11,304	11,450	14,231	1
All other, both sexes	180	278	334	523	718	1,058	1,475	1,664	1,273	1,491	1
Male	87	137	177	284	427	625	879	1,011	750	783	1
Female	93	141	157	239	291	433	596	653	523	708	-
Black, both sexes	169	257	304	473	618	905	1,207	1,358	1,022	1,180	1
Male	80	126	160	255	374	537	718	815	598	599	1
Female	89	131	144	218	244	368	489	543	424	581	-

Bronchitis, chronic and unspecified (J40-J42)

All races, both sexes	8	14	24	35	62	63	110	139	200	446	-
Male	2	9	10	24	27	36	58	73	84	142	-
Female	6	5	14	11	35	27	52	66	116	304	-
White, both sexes	6	9	15	31	57	58	97	123	183	423	-
Male	2	5	6	21	24	34	51	65	73	134	-
Female	4	4	9	10	33	24	46	58	110	289	-
All other, both sexes	2	5	9	4	5	5	13	16	17	23	-
Male	-	4	4	3	3	2	7	8	11	8	-
Female	2	1	5	1	2	3	6	8	6	15	-
Black, both sexes	2	4	8	4	4	4	11	12	14	14	-
Male	-	3	4	3	2	1	6	6	10	3	-
Female	2	1	4	1	2	3	5	6	4	11	-

TABLE 210A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1999

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Emphysema (J43)											
All races,both sexes	78	136	332	723	1,296	2,246	3,410	3,768	3,187	2,580	-
Male	40	85	183	394	691	1,230	1,906	2,027	1,650	1,258	-
Female	38	51	149	329	605	1,016	1,504	1,741	1,537	1,322	-
White,both sexes	55	104	286	654	1,197	2,104	3,216	3,547	3,050	2,438	-
Male	30	64	148	348	627	1,135	1,765	1,895	1,554	1,179	-
Female	25	40	138	306	570	969	1,451	1,652	1,496	1,259	-
All other,both sexes	23	32	46	69	99	142	194	221	137	142	-
Male	10	21	35	46	64	95	141	132	96	79	-
Female	13	11	11	23	35	47	53	89	41	63	-
Black,both sexes	22	32	43	60	86	127	154	176	108	118	-
Male	10	21	33	38	56	88	109	103	75	62	-
Female	12	11	10	22	30	39	45	73	33	56	-
Asthma (J45-J46)											
All races,both sexes	241	312	295	343	240	353	420	454	471	720	-
Male	90	96	101	119	88	115	152	144	129	152	-
Female	151	216	194	224	152	238	268	310	342	568	-
White,both sexes	143	191	183	229	161	254	316	382	416	626	-
Male	46	55	63	81	55	77	106	115	116	117	-
Female	97	136	120	148	106	177	210	267	300	509	-
All other,both sexes	98	121	112	114	79	99	104	72	55	94	-
Male	44	41	38	38	33	38	46	29	13	35	-
Female	54	80	74	76	46	61	58	43	42	59	-
Black,both sexes	91	111	102	96	66	76	82	55	39	64	-
Male	38	38	34	30	27	26	36	20	7	16	-
Female	53	73	68	66	39	50	46	35	32	48	-

TABLE 210A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1999

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

40-44 YEARS 45-49 YEARS 50-54 YEARS 55-59 YEARS 60-64 YEARS 65-69 YEARS 70-74 YEARS 75-79 YEARS 80-84 YEARS 85 YEARS AND OVER AGE NOT STATED

Other chronic lower respiratory diseases (J44,J47)

All races,both sexes	261	617	1,380	3,078	5,520	9,779	16,263	20,617	19,799	23,087	4
Male	136	357	710	1,632	2,983	5,261	8,719	10,777	9,821	10,342	3
Female	125	260	670	1,446	2,537	4,518	7,544	9,840	9,978	12,745	1
White,both sexes	204	497	1,213	2,742	4,985	8,967	15,099	19,262	18,735	21,855	3
Male	103	286	610	1,435	2,656	4,771	8,034	9,935	9,191	9,681	2
Female	101	211	603	1,307	2,329	4,196	7,065	9,327	9,544	12,174	1
All other,both sexes	57	120	167	336	535	812	1,164	1,355	1,064	1,232	1
Male	33	71	100	197	327	490	685	842	630	661	1
Female	24	49	67	139	208	322	479	513	434	571	-
Black,both sexes	54	110	151	313	462	698	960	1,115	861	984	1
Male	32	64	89	184	289	422	567	686	506	518	1
Female	22	46	62	129	173	276	393	429	355	466	-

Pneumoconioses and chemical effects (J60-J66,J68)

All races,both sexes	4	3	12	19	38	104	170	251	252	253	-
Male	3	3	12	19	38	99	170	243	243	243	-
Female	1	-	-	-	-	5	-	8	9	10	-
White,both sexes	3	3	8	19	28	95	160	239	245	236	-
Male	2	3	8	19	28	91	160	231	236	227	-
Female	1	-	-	-	-	4	-	8	9	9	-
All other,both sexes	1	-	4	-	10	9	10	12	7	17	-
Male	1	-	4	-	10	8	10	12	7	16	-
Female	-	-	-	-	-	1	-	-	-	1	-
Black,both sexes	1	-	4	-	8	8	8	9	7	16	-
Male	1	-	4	-	8	7	8	9	7	15	-
Female	-	-	-	-	-	1	-	-	-	1	-

TABLE 210A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX:

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------------	-------------------

Pneumonitis due to solids and liquids (J69)

All races,both sexes	107	129	155	259	327	582	1,172	2,068	2,962	7,294	-
Male	62	83	82	151	214	367	716	1,252	1,623	3,083	-
Female	45	46	73	108	113	215	456	816	1,339	4,211	-
White,both sexes	78	98	121	204	269	479	982	1,820	2,672	6,704	-
Male	45	66	62	118	173	298	597	1,099	1,463	2,845	-
Female	33	32	59	86	96	181	385	721	1,209	3,859	-
All other,both sexes	29	31	34	55	58	103	190	248	290	590	-
Male	17	17	20	33	41	69	119	153	160	238	-
Female	12	14	14	22	17	34	71	95	130	352	-
Black,both sexes	27	28	31	51	54	91	175	227	246	524	-
Male	15	15	18	30	38	60	110	137	126	195	-
Female	12	13	13	21	16	31	65	90	120	329	-

Other diseases of respiratory system (J00-J06,J30-J39,J67,J70-J98)

All races,both sexes	348	525	694	904	1,356	2,143	3,266	4,369	4,277	6,130	-
Male	192	269	368	467	746	1,199	1,806	2,255	2,073	2,175	-
Female	156	256	326	437	610	944	1,460	2,114	2,204	3,955	-
White,both sexes	240	374	548	723	1,160	1,874	2,913	4,000	3,968	5,674	-
Male	140	193	296	366	648	1,069	1,637	2,083	1,936	2,004	-
Female	100	181	252	357	512	805	1,276	1,917	2,032	3,670	-
All other,both sexes	108	151	146	181	196	269	353	369	309	456	-
Male	52	76	72	101	98	130	169	172	137	171	-
Female	56	75	74	80	98	139	184	197	172	285	-
Black,both sexes	95	133	126	154	165	226	281	296	229	350	-
Male	43	70	63	81	84	109	130	140	96	124	-
Female	52	63	63	73	81	117	151	156	133	226	-

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------------	-------------------

Peptic ulcer (K25-K28)

All races,both sexes	85	113	142	186	236	314	522	665	835	1,439	2
Male	49	67	102	111	154	196	308	331	381	448	1
Female	36	46	40	75	82	118	214	334	454	991	1
White,both sexes	56	80	106	152	198	259	457	600	760	1,330	1
Male	28	45	76	88	127	160	272	302	348	414	1
Female	28	35	30	64	71	99	185	298	412	916	-
All other,both sexes	29	33	36	34	38	55	65	65	75	109	1
Male	21	22	26	23	27	36	36	29	33	34	-
Female	8	11	10	11	11	19	29	36	42	75	1
Black,both sexes	28	28	32	32	34	45	48	43	56	80	1
Male	20	20	23	22	25	29	26	19	21	24	-
Female	8	8	9	10	9	16	22	24	35	56	1

Diseases of appendix (K35-K38)

All races,both sexes	11	25	24	22	26	30	39	43	53	62	-
Male	7	18	19	17	17	18	20	28	19	35	-
Female	4	7	5	5	9	12	19	15	34	27	-
White,both sexes	9	16	22	15	15	25	32	38	46	58	-
Male	5	11	17	12	12	15	15	24	15	33	-
Female	4	5	5	3	3	10	17	14	31	25	-
All other,both sexes	2	9	2	7	11	5	7	5	7	4	-
Male	2	7	2	5	5	3	5	4	4	2	-
Female	-	2	-	2	6	2	2	1	3	2	-
Black,both sexes	2	8	2	7	10	3	7	5	6	3	-
Male	2	7	2	5	4	2	5	4	4	2	-
Female	-	1	-	2	6	1	2	1	2	1	-

TABLE 210A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX:

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------------	-------------------

Hernia (K40-K46)

All races,both sexes	24	16	39	36	71	77	138	186	265	529	-
Male	13	12	20	21	39	34	59	75	117	157	-
Female	11	4	19	15	32	43	79	111	148	372	-
White,both sexes	16	11	30	32	62	60	123	163	245	491	-
Male	11	9	17	21	36	29	57	68	109	139	-
Female	5	2	13	11	26	31	66	95	136	352	-
All other,both sexes	8	5	9	4	9	17	15	23	20	38	-
Male	2	3	3	-	3	5	2	7	8	18	-
Female	6	2	6	4	6	12	13	16	12	20	-
Black,both sexes	8	5	7	4	8	12	12	20	18	31	-
Male	2	3	3	-	2	5	2	5	8	14	-
Female	6	2	4	4	6	7	10	15	10	17	-

Chronic liver disease and cirrhosis (K70,K73-K74)

All races,both sexes	2,199	3,228	3,140	2,803	2,834	2,833	2,809	2,396	1,505	965	2
Male	1,598	2,446	2,383	2,051	1,892	1,837	1,617	1,208	697	395	2
Female	601	782	757	752	942	996	1,192	1,188	808	570	-
White,both sexes	1,771	2,596	2,634	2,338	2,422	2,509	2,564	2,220	1,420	896	2
Male	1,306	2,002	2,019	1,725	1,647	1,633	1,481	1,118	663	369	2
Female	465	594	615	613	775	876	1,083	1,102	757	527	-
All other,both sexes	428	632	506	465	412	324	245	176	85	69	-
Male	292	444	364	326	245	204	136	90	34	26	-
Female	136	188	142	139	167	120	109	86	51	43	-
Black,both sexes	328	516	406	370	329	251	187	130	65	54	-
Male	221	366	297	260	200	167	110	67	29	18	-
Female	107	150	109	110	129	84	77	63	36	36	-

TABLE 210A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX:

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Alcoholic liver disease (K70)											
All races,both sexes	1,423	1,965	1,837	1,511	1,348	1,104	831	533	256	118	2
Male	1,029	1,501	1,426	1,179	1,015	867	630	364	174	73	2
Female	394	464	411	332	333	237	201	169	82	45	-
White,both sexes	1,141	1,605	1,547	1,261	1,144	958	740	475	233	102	2
Male	840	1,252	1,217	993	883	753	564	325	161	63	2
Female	301	353	330	268	261	205	176	150	72	39	-
All other,both sexes	282	360	290	250	204	146	91	58	23	16	-
Male	189	249	209	186	132	114	66	39	13	10	-
Female	93	111	81	64	72	32	25	19	10	6	-
Black,both sexes	199	292	227	194	167	117	77	45	19	14	-
Male	130	204	164	147	110	93	55	30	11	8	-
Female	69	88	63	47	57	24	22	15	8	6	-
Other chronic liver disease and cirrhosis (K73-K74)											
All races,both sexes	776	1,263	1,303	1,292	1,486	1,729	1,978	1,863	1,249	847	-
Male	569	945	957	872	877	970	987	844	523	322	-
Female	207	318	346	420	609	759	991	1,019	726	525	-
White,both sexes	630	991	1,087	1,077	1,278	1,551	1,824	1,745	1,187	794	-
Male	466	750	802	732	764	880	917	793	502	306	-
Female	164	241	285	345	514	671	907	952	685	488	-
All other,both sexes	146	272	216	215	208	178	154	118	62	53	-
Male	103	195	155	140	113	90	70	51	21	16	-
Female	43	77	61	75	95	88	84	67	41	37	-
Black,both sexes	129	224	179	176	162	134	110	85	46	40	-
Male	91	162	133	113	90	74	55	37	18	10	-
Female	38	62	46	63	72	60	55	48	28	30	-

TABLE 210A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1999

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Cholelithiasis and other disorders of gallbladder (K80-K82)											
All races,both sexes	34	55	69	95	108	171	304	417	531	992	-
Male	16	28	30	54	66	89	163	208	239	330	-
Female	18	27	39	41	42	82	141	209	292	662	-
White,both sexes	20	43	54	72	81	134	264	378	486	918	-
Male	10	21	24	38	53	72	145	191	227	303	-
Female	10	22	30	34	28	62	119	187	259	615	-
All other,both sexes	14	12	15	23	27	37	40	39	45	74	-
Male	6	7	6	16	13	17	18	17	12	27	-
Female	8	5	9	7	14	20	22	22	33	47	-
Black,both sexes	13	8	13	14	21	29	30	26	39	48	-
Male	6	5	4	10	9	12	13	12	11	13	-
Female	7	3	9	4	12	17	17	14	28	35	-
Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)											
All races,both sexes	439	608	872	1,176	1,688	2,694	4,147	5,707	6,220	11,170	-
Male	250	365	481	627	903	1,366	2,138	2,986	3,045	4,428	-
Female	189	243	391	549	785	1,328	2,009	2,721	3,175	6,742	-
White,both sexes	235	320	505	743	1,125	1,908	3,179	4,679	5,255	9,630	-
Male	135	192	282	425	618	1,005	1,706	2,492	2,627	3,894	-
Female	100	128	223	318	507	903	1,473	2,187	2,628	5,736	-
All other,both sexes	204	288	367	433	563	786	968	1,028	965	1,540	-
Male	115	173	199	202	285	361	432	494	418	534	-
Female	89	115	168	231	278	425	536	534	547	1,006	-
Black,both sexes	192	270	347	382	505	704	865	917	852	1,359	-
Male	106	164	190	172	257	315	385	438	375	449	-
Female	86	106	157	210	248	389	480	479	477	910	-

TABLE 210A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1999

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Acute and rapidly progressive nephritic and nephrotic syndrome (N00-N01,N04)											
All races,both sexes	3	6	5	5	11	10	27	37	25	34	-
Male	2	3	3	2	4	5	12	15	17	14	-
Female	1	3	2	3	7	5	15	22	8	20	-
White,both sexes	1	4	3	3	6	9	23	32	20	29	-
Male	1	2	2	1	2	4	10	13	13	10	-
Female	-	2	1	2	4	5	13	19	7	19	-
All other,both sexes	2	2	2	2	5	1	4	5	5	5	-
Male	1	1	1	1	2	1	2	2	4	4	-
Female	1	1	1	1	3	-	2	3	1	1	-
Black,both sexes	2	2	2	1	4	-	3	3	3	4	-
Male	1	1	1	-	2	-	2	1	2	3	-
Female	1	1	1	1	2	-	1	2	1	1	-
Chronic glomerulonephritis, nephritis and nephropathy not specified as acute or chronic,and renal sclerosis unspecified (N02-N03,N05-N07,N26)											
All races,both sexes	13	16	28	26	34	40	61	104	96	132	-
Male	9	10	15	13	19	20	25	58	49	60	-
Female	4	6	13	13	15	20	36	46	47	72	-
White,both sexes	7	14	18	18	25	27	51	91	82	109	-
Male	6	9	10	9	15	15	20	52	42	50	-
Female	1	5	8	9	10	12	31	39	40	59	-
All other,both sexes	6	2	10	8	9	13	10	13	14	23	-
Male	3	1	5	4	4	5	5	6	7	10	-
Female	3	1	5	4	5	8	5	7	7	13	-
Black,both sexes	5	1	9	6	5	11	7	11	9	19	-
Male	2	1	5	3	3	4	3	6	4	8	-
Female	3	-	4	3	2	7	4	5	5	11	-

TABLE 210A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1999

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------------	-------------------

Renal failure (N17-N19)

All races,both sexes	423	586	836	1,144	1,640	2,641	4,056	5,560	6,092	10,998	-
Male	239	352	462	612	880	1,340	2,100	2,912	2,976	4,351	-
Female	184	234	374	532	760	1,301	1,956	2,648	3,116	6,647	-
White,both sexes	227	302	482	722	1,093	1,870	3,102	4,551	5,150	9,488	-
Male	128	181	269	415	601	986	1,675	2,426	2,570	3,831	-
Female	99	121	213	307	492	884	1,427	2,125	2,580	5,657	-
All other,both sexes	196	284	354	422	547	771	954	1,009	942	1,510	-
Male	111	171	193	197	279	354	425	486	406	520	-
Female	85	113	161	225	268	417	529	523	536	990	-
Black,both sexes	185	267	335	374	494	692	855	902	836	1,334	-
Male	103	162	184	169	252	310	380	431	368	438	-
Female	82	105	151	205	242	382	475	471	468	896	-

Other disorders of kidney (N25,N27)

All races,both sexes	-	-	3	1	3	3	3	6	7	6	-
Male	-	-	1	-	-	1	1	1	3	3	-
Female	-	-	2	1	3	2	2	5	4	3	-
White,both sexes	-	-	2	-	1	2	3	5	3	4	-
Male	-	-	1	-	-	-	1	1	2	3	-
Female	-	-	1	-	1	2	2	4	1	1	-
All other,both sexes	-	-	1	1	2	1	-	1	4	2	-
Male	-	-	-	-	-	1	-	-	1	-	-
Female	-	-	1	1	2	-	-	1	3	2	-
Black,both sexes	-	-	1	1	2	1	-	1	4	2	-
Male	-	-	-	-	-	1	-	-	1	-	-
Female	-	-	1	1	2	-	-	1	3	2	-

TABLE 210A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1999

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Infections of kidney (N10-N12,N13.6,N15.1)											
All races,both sexes	15	22	33	30	29	52	81	109	133	311	-
Male	5	8	11	14	13	19	25	37	46	81	-
Female	10	14	22	16	16	33	56	72	87	230	-
White,both sexes	12	19	25	26	22	43	67	99	124	291	-
Male	3	6	8	12	10	16	18	35	42	78	-
Female	9	13	17	14	12	27	49	64	82	213	-
All other,both sexes	3	3	8	4	7	9	14	10	9	20	-
Male	2	2	3	2	3	3	7	2	4	3	-
Female	1	1	5	2	4	6	7	8	5	17	-
Black,both sexes	3	3	7	4	7	7	13	8	8	18	-
Male	2	2	3	2	3	3	7	1	3	3	-
Female	1	1	4	2	4	4	6	7	5	15	-
Hyperplasia of prostate (N40)											
All races,both sexes	-	-	1	4	9	15	32	59	101	209	-
Male	-	-	1	4	9	15	32	59	101	209	-
White,both sexes	-	-	1	3	6	12	28	56	91	193	-
Male	-	-	1	3	6	12	28	56	91	193	-
All other,both sexes	-	-	-	1	3	3	4	3	10	16	-
Male	-	-	-	1	3	3	4	3	10	16	-
Black,both sexes	-	-	-	1	3	3	3	3	10	15	-
Male	-	-	-	1	3	3	3	3	10	15	-

TABLE 210A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX:

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------------	-------------------

Certain conditions originating in the perinatal period (P00-P96)

All races,both sexes	1	2	-	1	2	1	1	1	-	1	5
Male	-	2	-	-	1	-	1	1	-	1	4
Female	1	-	-	1	1	1	-	-	-	-	1
White,both sexes	1	2	-	1	2	1	1	1	-	1	3
Male	-	2	-	-	1	-	1	1	-	1	2
Female	1	-	-	1	1	1	-	-	-	-	1
All other,both sexes	-	-	-	-	-	-	-	-	-	-	2
Male	-	-	-	-	-	-	-	-	-	-	2
Female	-	-	-	-	-	-	-	-	-	-	-
Black,both sexes	-	-	-	-	-	-	-	-	-	-	2
Male	-	-	-	-	-	-	-	-	-	-	2
Female	-	-	-	-	-	-	-	-	-	-	-

Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)

All races,both sexes	273	342	305	304	253	251	218	249	242	326	2
Male	144	185	162	157	126	106	103	102	102	102	1
Female	129	157	143	147	127	145	115	147	140	224	1
White,both sexes	229	292	265	275	225	225	191	221	224	301	2
Male	117	156	140	143	114	95	91	83	96	93	1
Female	112	136	125	132	111	130	100	138	128	208	1
All other,both sexes	44	50	40	29	28	26	27	28	18	25	-
Male	27	29	22	14	12	11	12	19	6	9	-
Female	17	21	18	15	16	15	15	9	12	16	-
Black,both sexes	35	43	33	25	21	21	25	22	16	24	-
Male	23	27	17	12	10	6	10	14	5	9	-
Female	12	16	16	13	11	15	15	8	11	15	-

TABLE 210A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX:

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------------	-------------------

Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

All races, both sexes	1,122	1,168	983	908	952	1,140	1,558	1,945	2,468	7,798	75
Male	740	796	650	578	603	665	848	949	981	1,984	56
Female	382	372	333	330	349	475	710	996	1,487	5,814	19
White, both sexes	808	849	723	694	753	919	1,335	1,680	2,193	7,164	61
Male	542	572	478	437	482	538	731	824	865	1,806	47
Female	266	277	245	257	271	381	604	856	1,328	5,358	14
All other, both sexes	314	319	260	214	199	221	223	265	275	634	14
Male	198	224	172	141	121	127	117	125	116	178	9
Female	116	95	88	73	78	94	106	140	159	456	5
Black, both sexes	283	299	236	196	182	202	201	239	251	572	11
Male	176	209	155	132	113	116	105	114	101	157	7
Female	107	90	81	64	69	86	96	125	150	415	4

All other diseases (Residual) (D65-E07, E15-E34, E65-F99, G04-G12, G23-G25, G31-H93, K00-K22, K29-K31, K50-K66, K71-K72, K75-K76, K83-M99, N13.0-N13.5, N13.7-N13.9, N14, N15.0, N15.8-N15.9, N20-N23, N28-N39, N41-N64, N80-N98)

All races, both sexes	4,786	5,877	6,506	6,676	7,714	10,272	14,893	20,657	24,941	58,599	10
Male	2,923	3,510	3,762	3,762	4,108	5,154	7,178	8,976	9,519	14,623	5
Female	1,863	2,367	2,744	2,914	3,606	5,118	7,715	11,681	15,422	43,976	5
White, both sexes	3,488	4,315	5,006	5,325	6,302	8,560	12,876	18,283	22,704	54,005	6
Male	2,225	2,652	2,951	3,029	3,384	4,320	6,243	7,917	8,649	13,293	3
Female	1,263	1,663	2,055	2,296	2,918	4,240	6,633	10,366	14,055	40,712	3
All other, both sexes	1,298	1,562	1,500	1,351	1,412	1,712	2,017	2,374	2,237	4,594	4
Male	698	858	811	733	724	834	935	1,059	870	1,330	2
Female	600	704	689	618	688	878	1,082	1,315	1,367	3,264	2
Black, both sexes	1,172	1,416	1,335	1,208	1,257	1,513	1,772	2,070	1,926	4,034	4
Male	615	777	727	655	636	730	808	914	729	1,102	2
Female	557	639	608	553	621	783	964	1,156	1,197	2,932	2

TABLE 210A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1999

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------------	-------------------

Accidents (unintentional injuries) (V01-X59,Y85-Y86)

All races,both sexes	7,865	6,696	4,943	3,944	3,341	3,692	4,516	5,772	6,510	11,729	106
Male	5,837	4,996	3,606	2,753	2,262	2,336	2,656	3,096	3,276	4,480	94
Female	2,028	1,700	1,337	1,191	1,079	1,356	1,860	2,676	3,234	7,249	12
White,both sexes	6,449	5,369	3,999	3,248	2,714	3,130	3,897	5,143	5,987	10,938	89
Male	4,811	4,002	2,917	2,248	1,852	1,975	2,292	2,740	3,018	4,140	79
Female	1,638	1,367	1,082	1,000	862	1,155	1,605	2,403	2,969	6,798	10
All other,both sexes	1,416	1,327	944	696	627	562	619	629	523	791	17
Male	1,026	994	689	505	410	361	364	356	258	340	15
Female	390	333	255	191	217	201	255	273	265	451	2
Black,both sexes	1,204	1,153	786	569	497	459	492	506	430	651	16
Male	891	877	594	422	333	300	300	285	203	270	14
Female	313	276	192	147	164	159	192	221	227	381	2

Transport accidents (V01-V99,Y85)

All races,both sexes	3,684	3,121	2,524	2,131	1,681	1,727	1,852	1,902	1,566	1,330	37
Male	2,635	2,234	1,782	1,454	1,107	1,091	1,071	1,089	870	758	34
Female	1,049	887	742	677	574	636	781	813	696	572	3
White,both sexes	3,059	2,563	2,102	1,802	1,412	1,497	1,637	1,716	1,438	1,218	28
Male	2,196	1,837	1,494	1,230	931	950	946	977	796	688	26
Female	863	726	608	572	481	547	691	739	642	530	2
All other,both sexes	625	558	422	329	269	230	215	186	128	112	9
Male	439	397	288	224	176	141	125	112	74	70	8
Female	186	161	134	105	93	89	90	74	54	42	1
Black,both sexes	498	449	323	246	190	163	155	138	98	87	9
Male	366	331	236	173	134	105	93	85	56	58	8
Female	132	118	87	73	56	58	62	53	42	29	1

TABLE 210A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1999

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)											
All races,both sexes	3,278	2,747	2,225	1,885	1,485	1,565	1,711	1,772	1,471	1,261	30
Male	2,311	1,936	1,537	1,250	950	969	962	1,012	815	714	27
Female	967	811	688	635	535	596	749	760	656	547	3
White,both sexes	2,706	2,244	1,847	1,587	1,244	1,356	1,512	1,603	1,355	1,157	22
Male	1,918	1,583	1,284	1,051	798	841	851	907	748	651	20
Female	788	661	563	536	446	515	661	696	607	506	2
All other,both sexes	572	503	378	298	241	209	199	169	116	104	8
Male	393	353	253	199	152	128	111	105	67	63	7
Female	179	150	125	99	89	81	88	64	49	41	1
Black,both sexes	457	408	288	224	169	150	145	128	90	80	8
Male	330	299	207	155	116	96	84	82	52	52	7
Female	127	109	81	69	53	54	61	46	38	28	1
Other land transport accidents (V01,V05-V06,V09.1,V09.3-V09.9,V10-V11,V15-V18,V19.3,V19.8-V19.9,V80.0-V80.2,V80.6-V80.9,V81.2-V81.9,V82.2-V82.9,V87.9,V88.9,V89.1,V89.3,V89.9)											
All races,both sexes	203	179	125	101	81	79	66	92	67	54	7
Male	162	135	99	77	58	52	45	51	37	35	7
Female	41	44	26	24	23	27	21	41	30	19	-
White,both sexes	171	146	104	90	71	66	57	79	60	48	6
Male	136	108	82	69	50	46	38	45	33	30	6
Female	35	38	22	21	21	20	19	34	27	18	-
All other,both sexes	32	33	21	11	10	13	9	13	7	6	1
Male	26	27	17	8	8	6	7	6	4	5	1
Female	6	6	4	3	2	7	2	7	3	1	-
Black,both sexes	23	24	18	11	6	8	6	8	3	5	1
Male	19	19	15	8	4	4	5	2	1	4	1
Female	4	5	3	3	2	4	1	6	2	1	-

TABLE 210A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1999

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------------	-------------------

Water, air and space, and other and unspecified transport accidents and their sequelae (V90-V99,Y85)

All races,both sexes	203	195	174	145	115	83	75	38	28	15	-
Male	162	163	146	127	99	70	64	26	18	9	-
Female	41	32	28	18	16	13	11	12	10	6	-
White,both sexes	182	173	151	125	97	75	68	34	23	13	-
Male	142	146	128	110	83	63	57	25	15	7	-
Female	40	27	23	15	14	12	11	9	8	6	-
All other,both sexes	21	22	23	20	18	8	7	4	5	2	-
Male	20	17	18	17	16	7	7	1	3	2	-
Female	1	5	5	3	2	1	-	3	2	-	-
Black,both sexes	18	17	17	11	15	5	4	2	5	2	-
Male	17	13	14	10	14	5	4	1	3	2	-
Female	1	4	3	1	1	-	-	1	2	-	-

Nontransport accidents (W00-X59,Y86)

All races,both sexes	4,181	3,575	2,419	1,813	1,660	1,965	2,664	3,870	4,944	10,399	69
Male	3,202	2,762	1,824	1,299	1,155	1,245	1,585	2,007	2,406	3,722	60
Female	979	813	595	514	505	720	1,079	1,863	2,538	6,677	9
White,both sexes	3,390	2,806	1,897	1,446	1,302	1,633	2,260	3,427	4,549	9,720	61
Male	2,615	2,165	1,423	1,018	921	1,025	1,346	1,763	2,222	3,452	53
Female	775	641	474	428	381	608	914	1,664	2,327	6,268	8
All other,both sexes	791	769	522	367	358	332	404	443	395	679	8
Male	587	597	401	281	234	220	239	244	184	270	7
Female	204	172	121	86	124	112	165	199	211	409	1
Black,both sexes	706	704	463	323	307	296	337	368	332	564	7
Male	525	546	358	249	199	195	207	200	147	212	6
Female	181	158	105	74	108	101	130	168	185	352	1

TABLE 210A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1999

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Falls (W00-W19)											
All races,both sexes	369	447	377	398	489	663	1,000	1,636	2,220	4,578	4
Male	303	366	295	296	354	433	594	840	1,110	1,701	4
Female	66	81	82	102	135	230	406	796	1,110	2,877	-
White,both sexes	308	362	301	324	398	575	894	1,518	2,114	4,366	4
Male	249	298	237	239	291	372	532	771	1,057	1,609	4
Female	59	64	64	85	107	203	362	747	1,057	2,757	-
All other,both sexes	61	85	76	74	91	88	106	118	106	212	-
Male	54	68	58	57	63	61	62	69	53	92	-
Female	7	17	18	17	28	27	44	49	53	120	-
Black,both sexes	48	73	64	59	72	81	70	75	80	142	-
Male	43	59	49	45	48	57	43	43	36	50	-
Female	5	14	15	14	24	24	27	32	44	92	-
Accidental discharge of firearms (W32-W34)											
All races,both sexes	69	51	41	25	23	15	18	15	8	10	-
Male	56	46	32	22	19	13	18	13	7	7	-
Female	13	5	9	3	4	2	-	2	1	3	-
White,both sexes	60	45	36	21	20	13	17	13	7	10	-
Male	48	41	27	19	18	11	17	11	6	7	-
Female	12	4	9	2	2	2	-	2	1	3	-
All other,both sexes	9	6	5	4	3	2	1	2	1	-	-
Male	8	5	5	3	1	2	1	2	1	-	-
Female	1	1	-	1	2	-	-	-	-	-	-
Black,both sexes	9	6	5	4	3	2	1	2	1	-	-
Male	8	5	5	3	1	2	1	2	1	-	-
Female	1	1	-	1	2	-	-	-	-	-	-

TABLE 210A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1999

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------------	-------------------

Accidental drowning and submersion (W65-W74)

All races,both sexes	225	198	172	122	97	84	101	88	70	68	34
Male	187	166	145	95	75	64	65	63	48	28	30
Female	38	32	27	27	22	20	36	25	22	40	4
White,both sexes	188	175	142	99	82	72	82	74	64	60	32
Male	155	143	122	76	63	53	53	53	44	26	28
Female	33	32	20	23	19	19	29	21	20	34	4
All other,both sexes	37	23	30	23	15	12	19	14	6	8	2
Male	32	23	23	19	12	11	12	10	4	2	2
Female	5	-	7	4	3	1	7	4	2	6	-
Black,both sexes	28	17	20	19	10	9	12	11	4	5	1
Male	25	17	18	16	7	8	9	8	3	2	1
Female	3	-	2	3	3	1	3	3	1	3	-

Accidental exposure to smoke, fire and flames (X00-X09)

All races,both sexes	221	198	170	157	162	193	223	258	229	245	4
Male	162	144	110	98	96	111	133	128	119	111	4
Female	59	54	60	59	66	82	90	130	110	134	-
White,both sexes	169	145	127	123	112	136	157	187	173	176	3
Male	126	106	82	74	75	77	92	89	95	86	3
Female	43	39	45	49	37	59	65	98	78	90	-
All other,both sexes	52	53	43	34	50	57	66	71	56	69	1
Male	36	38	28	24	21	34	41	39	24	25	1
Female	16	15	15	10	29	23	25	32	32	44	-
Black,both sexes	47	46	41	34	46	52	61	67	53	68	1
Male	32	32	27	24	20	30	39	36	23	25	1
Female	15	14	14	10	26	22	22	31	30	43	-

TABLE 210A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1999

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Accidental poisoning and exposure to noxious substances (X40-X49)											
All races,both sexes	2,467	1,926	918	449	219	158	142	138	127	143	12
Male	1,826	1,456	650	298	150	98	74	63	53	53	8
Female	641	470	268	151	69	60	68	75	74	90	4
White,both sexes	1,979	1,493	685	353	157	127	113	128	117	123	9
Male	1,488	1,125	469	221	100	77	61	58	49	49	6
Female	491	368	216	132	57	50	52	70	68	74	3
All other,both sexes	488	433	233	96	62	31	29	10	10	20	3
Male	338	331	181	77	50	21	13	5	4	4	2
Female	150	102	52	19	12	10	16	5	6	16	1
Black,both sexes	445	411	217	85	59	26	24	10	8	18	3
Male	312	315	170	70	47	18	12	5	4	4	2
Female	133	96	47	15	12	8	12	5	4	14	1
Other and unspecified nontransport accidents and their sequelae (W20-W31,W35-W64,W75-W99,X10-X39,X50-X59,Y86)											
All races,both sexes	830	755	741	662	670	852	1,180	1,735	2,290	5,355	15
Male	668	584	592	490	461	526	701	900	1,069	1,822	14
Female	162	171	149	172	209	326	479	835	1,221	3,533	1
White,both sexes	686	586	606	526	533	710	997	1,507	2,074	4,985	13
Male	549	452	486	389	374	435	591	781	971	1,675	12
Female	137	134	120	137	159	275	406	726	1,103	3,310	1
All other,both sexes	144	169	135	136	137	142	183	228	216	370	2
Male	119	132	106	101	87	91	110	119	98	147	2
Female	25	37	29	35	50	51	73	109	118	223	-
Black,both sexes	129	151	116	122	117	126	169	203	186	331	2
Male	105	118	89	91	76	80	103	106	80	131	2
Female	24	33	27	31	41	46	66	97	106	200	-

TABLE 210A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1999

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Intentional self-harm (suicide) (X60-X84,Y87.0)											
All races,both sexes	3,180	2,817	2,264	1,678	1,218	1,187	1,284	1,280	937	801	16
Male	2,429	2,152	1,702	1,284	971	972	1,079	1,073	795	681	16
Female	751	665	562	394	247	215	205	207	142	120	-
White,both sexes	2,927	2,599	2,121	1,567	1,131	1,104	1,226	1,226	903	779	13
Male	2,244	1,987	1,586	1,196	903	911	1,029	1,031	770	664	13
Female	683	612	535	371	228	193	197	195	133	115	-
All other,both sexes	253	218	143	111	87	83	58	54	34	22	3
Male	185	165	116	88	68	61	50	42	25	17	3
Female	68	53	27	23	19	22	8	12	9	5	-
Black,both sexes	187	146	84	68	50	58	38	35	17	15	2
Male	139	116	71	55	42	47	33	30	15	12	2
Female	48	30	13	13	8	11	5	5	2	3	-
Intentional self-harm (suicide) by discharge of firearms (X72-X74)											
All races,both sexes	1,480	1,462	1,215	1,058	802	827	964	946	660	524	5
Male	1,237	1,221	1,030	882	712	742	873	875	624	496	5
Female	243	241	185	176	90	85	91	71	36	28	-
White,both sexes	1,381	1,360	1,154	998	756	785	929	917	640	512	5
Male	1,149	1,139	974	827	672	707	838	849	605	485	5
Female	232	221	180	171	84	78	91	68	35	27	-
All other,both sexes	99	102	61	60	46	42	35	29	20	12	-
Male	88	82	56	55	40	35	35	26	19	11	-
Female	11	20	5	5	6	7	-	3	1	1	-
Black,both sexes	74	77	43	46	36	36	29	28	15	12	-
Male	66	64	40	42	32	30	29	25	14	11	-
Female	8	13	3	4	4	6	-	3	1	1	-

TABLE 210A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1999

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------------	-------------------

Intentional self-harm (suicide) by other and unspecified means and their sequelae (X60-X71,X75-X84,Y87.0)

All races,both sexes	1,700	1,355	1,049	620	416	360	320	334	277	277	11
Male	1,192	931	672	402	259	230	206	198	171	185	11
Female	508	424	377	218	157	130	114	136	106	92	-
White,both sexes	1,546	1,239	967	569	375	319	297	309	263	267	8
Male	1,095	848	612	369	231	204	191	182	165	179	8
Female	451	391	355	200	144	115	106	127	98	88	-
All other,both sexes	154	116	82	51	41	41	23	25	14	10	3
Male	97	83	60	33	28	26	15	16	6	6	3
Female	57	33	22	18	13	15	8	9	8	4	-
Black,both sexes	113	69	41	22	14	22	9	7	2	3	2
Male	73	52	31	13	10	17	4	5	1	1	2
Female	40	17	10	9	4	5	5	2	1	2	-

Assault (homicide) (X85-Y09,Y87.1)

All races,both sexes	1,455	998	670	420	302	259	214	185	119	99	49
Male	1,050	746	483	323	218	183	121	101	61	41	33
Female	405	252	187	97	84	76	93	84	58	58	16
White,both sexes	820	587	429	287	209	193	160	133	92	79	34
Male	581	429	308	210	146	130	86	70	47	29	23
Female	239	158	121	77	63	63	74	63	45	50	11
All other,both sexes	635	411	241	133	93	66	54	52	27	20	15
Male	469	317	175	113	72	53	35	31	14	12	10
Female	166	94	66	20	21	13	19	21	13	8	5
Black,both sexes	584	371	198	116	79	60	44	46	21	19	14
Male	440	289	150	100	60	50	30	29	10	11	10
Female	144	82	48	16	19	10	14	17	11	8	4

TABLE 210A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1999

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------------	-------------------

Assault (homicide) by discharge of firearms (X93-X95)

All races,both sexes	814	551	342	206	167	102	91	61	34	23	15
Male	607	426	250	167	127	68	56	34	14	10	14
Female	207	125	92	39	40	34	35	27	20	13	1
White,both sexes	456	313	213	139	113	79	69	43	29	21	10
Male	328	230	162	106	80	50	40	20	11	9	9
Female	128	83	51	33	33	29	29	23	18	12	1
All other,both sexes	358	238	129	67	54	23	22	18	5	2	5
Male	279	196	88	61	47	18	16	14	3	1	5
Female	79	42	41	6	7	5	6	4	2	1	-
Black,both sexes	336	222	104	59	45	20	19	17	4	2	5
Male	265	183	77	55	39	17	14	14	2	1	5
Female	71	39	27	4	6	3	5	3	2	1	-

Assault (homicide) by other and unspecified means and their sequelae (X85-X92,X96-Y09,Y87.1)

All races,both sexes	641	447	328	214	135	157	123	124	85	76	34
Male	443	320	233	156	91	115	65	67	47	31	19
Female	198	127	95	58	44	42	58	57	38	45	15
White,both sexes	364	274	216	148	96	114	91	90	63	58	24
Male	253	199	146	104	66	80	46	50	36	20	14
Female	111	75	70	44	30	34	45	40	27	38	10
All other,both sexes	277	173	112	66	39	43	32	34	22	18	10
Male	190	121	87	52	25	35	19	17	11	11	5
Female	87	52	25	14	14	8	13	17	11	7	5
Black,both sexes	248	149	94	57	34	40	25	29	17	17	9
Male	175	106	73	45	21	33	16	15	8	10	5
Female	73	43	21	12	13	7	9	14	9	7	4

TABLE 210A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1999

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Legal intervention (Y35,Y89.0)											
All races,both sexes	49	19	31	9	11	2	-	1	-	-	-
Male	48	19	30	9	11	2	-	1	-	-	-
Female	1	-	1	-	-	-	-	-	-	-	-
White,both sexes	33	15	25	7	8	2	-	1	-	-	-
Male	32	15	24	7	8	2	-	1	-	-	-
Female	1	-	1	-	-	-	-	-	-	-	-
All other,both sexes	16	4	6	2	3	-	-	-	-	-	-
Male	16	4	6	2	3	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-
Black,both sexes	15	4	6	2	3	-	-	-	-	-	-
Male	15	4	6	2	3	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-
Events of undetermined intent (Y10-Y34,Y87.2,Y89.9)											
All races,both sexes	651	528	265	136	86	72	42	51	45	58	19
Male	441	357	175	94	54	47	25	31	24	25	13
Female	210	171	90	42	32	25	17	20	21	33	6
White,both sexes	507	409	203	111	75	63	34	47	42	52	14
Male	349	262	128	70	43	42	19	28	21	23	9
Female	158	147	75	41	32	21	15	19	21	29	5
All other,both sexes	144	119	62	25	11	9	8	4	3	6	5
Male	92	95	47	24	11	5	6	3	3	2	4
Female	52	24	15	1	-	4	2	1	-	4	1
Black,both sexes	126	109	59	20	8	8	6	4	1	3	5
Male	84	88	46	19	8	5	5	3	1	1	4
Female	42	21	13	1	-	3	1	1	-	2	1

TABLE 210A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1999

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Discharge of firearms, undetermined intent (Y22-Y24)											
All races,both sexes	29	18	10	6	8	9	6	6	7	4	-
Male	21	15	6	5	6	8	6	5	7	4	-
Female	8	3	4	1	2	1	-	1	-	-	-
White,both sexes	25	13	10	5	7	9	4	6	6	4	-
Male	20	10	6	4	5	8	4	5	6	4	-
Female	5	3	4	1	2	1	-	1	-	-	-
All other,both sexes	4	5	-	1	1	-	2	-	1	-	-
Male	1	5	-	1	1	-	2	-	1	-	-
Female	3	-	-	-	-	-	-	-	-	-	-
Black,both sexes	3	4	-	1	-	-	2	-	1	-	-
Male	1	4	-	1	-	-	2	-	1	-	-
Female	2	-	-	-	-	-	-	-	-	-	-

Other and unspecified events of undetermined intent and their sequelae (Y10-Y21,Y25-Y34,Y87.2,Y89.9)

All races,both sexes	622	510	255	130	78	63	36	45	38	54	19
Male	420	342	169	89	48	39	19	26	17	21	13
Female	202	168	86	41	30	24	17	19	21	33	6
White,both sexes	482	396	193	106	68	54	30	41	36	48	14
Male	329	252	122	66	38	34	15	23	15	19	9
Female	153	144	71	40	30	20	15	18	21	29	5
All other,both sexes	140	114	62	24	10	9	6	4	2	6	5
Male	91	90	47	23	10	5	4	3	2	2	4
Female	49	24	15	1	-	4	2	1	-	4	1
Black,both sexes	123	105	59	19	8	8	4	4	-	3	5
Male	83	84	46	18	8	5	3	3	-	1	4
Female	40	21	13	1	-	3	1	1	-	2	1

TABLE 210A. DEATHS FROM 113 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1999

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

	40-44 YEARS	45-49 YEARS	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Operations of war and their sequelae (Y36,Y89.1)											
All races,both sexes	-	-	2	1	-	2	6	4	4	3	-
Male	-	-	2	1	-	2	6	4	3	3	-
Female	-	-	-	-	-	-	-	-	1	-	-
White,both sexes	-	-	2	1	-	1	6	4	4	3	-
Male	-	-	2	1	-	1	6	4	3	3	-
Female	-	-	-	-	-	-	-	-	1	-	-
All other,both sexes	-	-	-	-	-	1	-	-	-	-	-
Male	-	-	-	-	-	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-
Black,both sexes	-	-	-	-	-	1	-	-	-	-	-
Male	-	-	-	-	-	1	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-

Complications of medical and surgical care (Y40-Y84,Y88)

All races,both sexes	86	91	123	138	177	229	357	401	410	529	-
Male	41	37	61	77	88	102	177	193	182	197	-
Female	45	54	62	61	89	127	180	208	228	332	-
White,both sexes	62	68	91	98	142	193	299	343	356	455	-
Male	30	26	46	55	71	87	148	169	159	168	-
Female	32	42	45	43	71	106	151	174	197	287	-
All other,both sexes	24	23	32	40	35	36	58	58	54	74	-
Male	11	11	15	22	17	15	29	24	23	29	-
Female	13	12	17	18	18	21	29	34	31	45	-
Black,both sexes	22	21	31	34	28	32	54	53	43	63	-
Male	10	11	15	16	14	13	27	22	18	20	-
Female	12	10	16	18	14	19	27	31	25	43	-

- QUANTITY ZERO.

... CATEGORY NOT APPLICABLE.

SOURCE: CDC/NCHS, NATIONAL VITAL STATISTICS SYSTEM, MORTALITY