

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
All Causes													
All races,both sexes	2,391,399	27,937	5,249	7,595	30,656	41,066	89,256	152,974	238,979	452,600	698,590	646,141	356
Male	1,175,460	15,646	2,975	4,492	22,414	28,276	57,118	95,659	142,724	254,920	340,970	209,989	277
Female	1,215,939	12,291	2,274	3,103	8,242	12,790	32,138	57,315	96,255	197,680	357,620	436,152	79
White,both sexes	2,061,348	18,067	3,690	5,493	22,352	29,400	65,607	117,011	193,582	387,437	626,489	591,949	271
Male	1,005,335	10,197	2,084	3,228	16,203	20,549	42,914	73,908	116,537	220,442	307,450	191,610	213
Female	1,056,013	7,870	1,606	2,265	6,149	8,851	22,693	43,103	77,045	166,995	319,039	400,339	58
All other,both sexes	330,051	9,870	1,559	2,102	8,304	11,666	23,649	35,963	45,397	65,163	72,101	54,192	85
Male	170,125	5,449	891	1,264	6,211	7,727	14,204	21,751	26,187	34,478	33,520	18,379	64
Female	159,926	4,421	668	838	2,093	3,939	9,445	14,212	19,210	30,685	38,581	35,813	21
Black,both sexes	285,064	8,822	1,311	1,789	7,066	10,115	21,041	31,759	39,476	56,122	61,201	46,285	77
Male	145,703	4,897	746	1,096	5,348	6,723	12,567	19,298	22,769	29,594	27,839	14,768	58
Female	139,361	3,925	565	693	1,718	3,392	8,474	12,461	16,707	26,528	33,362	31,517	19
Salmonella infections (A01-A02)													
All races,both sexes	38	3	-	-	2	-	2	2	3	7	12	7	-
Male	21	2	-	-	2	-	1	2	2	5	5	2	-
Female	17	1	-	-	-	-	1	-	1	2	7	5	-
White,both sexes	32	3	-	-	1	-	2	2	2	5	10	7	-
Male	16	2	-	-	1	-	1	2	1	3	4	2	-
Female	16	1	-	-	-	-	1	-	1	2	6	5	-
All other,both sexes	6	-	-	-	1	-	-	-	1	2	2	-	-
Male	5	-	-	-	1	-	-	-	1	2	1	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
Black,both sexes	4	-	-	-	1	-	-	-	-	1	2	-	-
Male	3	-	-	-	1	-	-	-	-	1	1	-	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

ALL UNDER 1 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85 YEARS AGE NOT
AGES YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS AND OVER STATED

Shigellosis and amebiasis (A03,A06)

All races,both sexes	10	-	1	1	-	-	1	-	1	1	1	4	-
Male	6	-	1	1	-	-	1	-	1	1	-	1	-
Female	4	-	-	-	-	-	-	-	-	-	1	3	-
White,both sexes	10	-	1	1	-	-	1	-	1	1	1	4	-
Male	6	-	1	1	-	-	1	-	1	1	-	1	-
Female	4	-	-	-	-	-	-	-	-	-	1	3	-
All other,both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black,both sexes	-	-	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Certain other intestinal infections (A04,A07-A09)

All races,both sexes	1,108	12	8	3	5	6	7	23	49	176	390	429	-
Male	420	8	4	3	3	5	4	11	26	74	169	113	-
Female	688	4	4	-	2	1	3	12	23	102	221	316	-
White,both sexes	1,026	8	7	1	4	6	4	18	41	162	364	411	-
Male	389	6	3	1	3	5	3	7	22	72	160	107	-
Female	637	2	4	-	1	1	1	11	19	90	204	304	-
All other,both sexes	82	4	1	2	1	-	3	5	8	14	26	18	-
Male	31	2	1	2	-	-	1	4	4	2	9	6	-
Female	51	2	-	-	1	-	2	1	4	12	17	12	-
Black,both sexes	74	4	-	2	1	-	3	3	6	14	25	16	-
Male	25	2	-	2	-	-	1	2	2	2	9	5	-
Female	49	2	-	-	1	-	2	1	4	12	16	11	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Tuberculosis (A16-A19)													
All races,both sexes	930	2	2	3	11	19	57	106	130	173	253	173	1
Male	584	-	2	2	4	11	43	87	96	116	137	85	1
Female	346	2	-	1	7	8	14	19	34	57	116	88	-
White,both sexes	564	1	-	1	5	5	25	52	73	108	172	122	-
Male	348	-	-	1	4	4	19	46	52	73	91	58	-
Female	216	1	-	-	1	1	6	6	21	35	81	64	-
All other,both sexes	366	1	2	2	6	14	32	54	57	65	81	51	1
Male	236	-	2	1	-	7	24	41	44	43	46	27	1
Female	130	1	-	1	6	7	8	13	13	22	35	24	-
Black,both sexes	245	1	2	1	4	9	25	42	40	43	50	27	1
Male	159	-	2	-	-	4	19	34	32	29	25	13	1
Female	86	1	-	1	4	5	6	8	8	14	25	14	-
Respiratory tuberculosis (A16)													
All races,both sexes	764	1	1	1	8	14	45	76	109	139	216	153	1
Male	486	-	1	1	2	8	33	64	83	97	120	76	1
Female	278	1	-	-	6	6	12	12	26	42	96	77	-
White,both sexes	472	-	-	-	3	3	20	40	61	87	145	113	-
Male	296	-	-	-	2	2	15	36	45	61	79	56	-
Female	176	-	-	-	1	1	5	4	16	26	66	57	-
All other,both sexes	292	1	1	1	5	11	25	36	48	52	71	40	1
Male	190	-	1	1	-	6	18	28	38	36	41	20	1
Female	102	1	-	-	5	5	7	8	10	16	30	20	-
Black,both sexes	199	1	1	-	4	8	20	29	36	33	43	23	1
Male	126	-	1	-	-	3	14	24	29	22	22	10	1
Female	73	1	-	-	4	5	6	5	7	11	21	13	-

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

ALL UNDER 1 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85 YEARS AGE NOT
AGES YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS AND OVER STATED

Scarlet fever and erysipelas (A38,A46)

All races,both sexes	5	-	-	-	-	-	-	-	-	2	1	2	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	5	-	-	-	-	-	-	-	-	2	1	2	-
White,both sexes	4	-	-	-	-	-	-	-	-	1	1	2	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	4	-	-	-	-	-	-	-	-	1	1	2	-
All other,both sexes	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-
Black,both sexes	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	-	1	-	-	-

Meningococcal infection (A39)

All races,both sexes	227	32	30	25	39	23	27	17	4	9	13	8	-
Male	101	14	19	13	19	12	9	4	-	5	4	2	-
Female	126	18	11	12	20	11	18	13	4	4	9	6	-
White,both sexes	184	30	26	18	29	14	19	15	4	9	12	8	-
Male	79	14	17	9	13	6	6	3	-	5	4	2	-
Female	105	16	9	9	16	8	13	12	4	4	8	6	-
All other,both sexes	43	2	4	7	10	9	8	2	-	-	1	-	-
Male	22	-	2	4	6	6	3	1	-	-	-	-	-
Female	21	2	2	3	4	3	5	1	-	-	1	-	-
Black,both sexes	39	2	4	6	9	8	8	2	-	-	-	-	-
Male	20	-	2	3	6	5	3	1	-	-	-	-	-
Female	19	2	2	3	3	3	5	1	-	-	-	-	-

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

ALL UNDER 1 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85 YEARS AGE NOT
AGES YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS AND OVER STATED

Septicemia (A40-A41)

All races,both sexes	30,680	283	87	77	121	275	812	1,685	2,714	5,750	9,710	9,166	-
Male	13,395	175	48	36	67	147	460	919	1,412	2,919	4,426	2,786	-
Female	17,285	108	39	41	54	128	352	766	1,302	2,831	5,284	6,380	-
White,both sexes	24,287	164	60	55	79	182	510	1,107	1,928	4,411	8,035	7,756	-
Male	10,489	106	32	28	49	102	294	607	983	2,247	3,695	2,346	-
Female	13,798	58	28	27	30	80	216	500	945	2,164	4,340	5,410	-
All other,both sexes	6,393	119	27	22	42	93	302	578	786	1,339	1,675	1,410	-
Male	2,906	69	16	8	18	45	166	312	429	672	731	440	-
Female	3,487	50	11	14	24	48	136	266	357	667	944	970	-
Black,both sexes	5,826	107	17	14	33	85	282	525	722	1,223	1,525	1,293	-
Male	2,623	61	11	7	14	41	155	283	394	614	656	387	-
Female	3,203	46	6	7	19	44	127	242	328	609	869	906	-

Syphilis (A50-A53)

All races,both sexes	33	2	-	-	-	1	1	5	4	6	10	4	-
Male	13	-	-	-	-	1	-	3	3	5	-	1	-
Female	20	2	-	-	-	-	1	2	1	1	10	3	-
White,both sexes	20	2	-	-	-	1	1	5	3	3	4	1	-
Male	8	-	-	-	-	1	-	3	2	2	-	-	-
Female	12	2	-	-	-	-	1	2	1	1	4	1	-
All other,both sexes	13	-	-	-	-	-	-	-	1	3	6	3	-
Male	5	-	-	-	-	-	-	-	1	3	-	1	-
Female	8	-	-	-	-	-	-	-	-	-	6	2	-
Black,both sexes	12	-	-	-	-	-	-	-	1	3	5	3	-
Male	5	-	-	-	-	-	-	-	1	3	-	1	-
Female	7	-	-	-	-	-	-	-	-	-	5	2	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Measles (B05)													
All races,both sexes	2	1	-	-	-	-	-	-	1	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	2	1	-	-	-	-	-	-	1	-	-	-	-
White,both sexes	1	-	-	-	-	-	-	-	1	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	-	-	-	-	-	-	-	1	-	-	-	-
All other,both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Black,both sexes	1	1	-	-	-	-	-	-	-	-	-	-	-
Male	-	-	-	-	-	-	-	-	-	-	-	-	-
Female	1	1	-	-	-	-	-	-	-	-	-	-	-
Viral hepatitis (B15-B19)													
All races,both sexes	4,853	2	3	3	14	88	722	1,506	786	881	651	197	-
Male	3,043	2	2	2	10	53	520	1,138	491	426	317	82	-
Female	1,810	-	1	1	4	35	202	368	295	455	334	115	-
White,both sexes	3,835	1	3	2	9	68	571	1,164	592	694	561	170	-
Male	2,436	1	2	1	7	41	419	872	384	354	285	70	-
Female	1,399	-	1	1	2	27	152	292	208	340	276	100	-
All other,both sexes	1,018	1	-	1	5	20	151	342	194	187	90	27	-
Male	607	1	-	1	3	12	101	266	107	72	32	12	-
Female	411	-	-	-	2	8	50	76	87	115	58	15	-
Black,both sexes	731	1	-	1	4	17	121	279	120	113	55	20	-
Male	443	1	-	1	2	9	81	217	66	40	17	9	-
Female	288	-	-	-	2	8	40	62	54	73	38	11	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Human immunodeficiency virus (HIV) disease (B20-B24)													
All races,both sexes	14,802	14	24	66	198	2,729	6,232	3,907	1,149	398	70	14	1
Male	11,234	9	16	36	95	1,914	4,706	3,134	948	317	50	8	1
Female	3,568	5	8	30	103	815	1,526	773	201	81	20	6	-
White,both sexes	6,752	4	7	25	63	1,202	2,951	1,765	519	171	37	8	-
Male	5,613	3	5	13	40	956	2,449	1,510	461	145	29	2	-
Female	1,139	1	2	12	23	246	502	255	58	26	8	6	-
All other,both sexes	8,050	10	17	41	135	1,527	3,281	2,142	630	227	33	6	1
Male	5,621	6	11	23	55	958	2,257	1,624	487	172	21	6	1
Female	2,429	4	6	18	80	569	1,024	518	143	55	12	-	-
Black,both sexes	7,893	10	17	41	133	1,497	3,206	2,103	625	222	33	5	1
Male	5,493	6	11	23	54	935	2,194	1,592	483	168	21	5	1
Female	2,400	4	6	18	79	562	1,012	511	142	54	12	-	-
Malaria (B50-B54)													
All races,both sexes	7	1	-	-	-	2	1	-	1	2	-	-	-
Male	4	1	-	-	-	1	-	-	1	1	-	-	-
Female	3	-	-	-	-	1	1	-	-	1	-	-	-
White,both sexes	4	-	-	-	-	1	1	-	1	1	-	-	-
Male	3	-	-	-	-	1	-	-	1	1	-	-	-
Female	1	-	-	-	-	-	1	-	-	-	-	-	-
All other,both sexes	3	1	-	-	-	1	-	-	-	1	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	1	-	-	-	1	-	-	-
Black,both sexes	3	1	-	-	-	1	-	-	-	1	-	-	-
Male	1	1	-	-	-	-	-	-	-	-	-	-	-
Female	2	-	-	-	-	1	-	-	-	1	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

ALL AGES UNDER 1 YEAR 1-4 YEARS 5-14 YEARS 15-24 YEARS 25-34 YEARS 35-44 YEARS 45-54 YEARS 55-64 YEARS 65-74 YEARS 75-84 YEARS 85 YEARS AND OVER AGE NOT STATED

Other and unspecified infectious and parasitic diseases and their sequelae (A00,A05,A20-A36,A42-A44,A48-A49,A54-A79,A81-A82,A85.0-A85.1,A85.8,A86-B04,B06-B09,B25-B49,B55-B99)

All races,both sexes	7,279	203	81	79	90	242	545	836	898	1,443	1,739	1,123	-
Male	3,655	119	51	44	49	131	333	478	482	760	827	381	-
Female	3,624	84	30	35	41	111	212	358	416	683	912	742	-
White,both sexes	5,794	135	56	56	64	144	353	580	691	1,208	1,510	997	-
Male	2,910	85	37	31	34	78	239	345	377	644	710	330	-
Female	2,884	50	19	25	30	66	114	235	314	564	800	667	-
All other,both sexes	1,485	68	25	23	26	98	192	256	207	235	229	126	-
Male	745	34	14	13	15	53	94	133	105	116	117	51	-
Female	740	34	11	10	11	45	98	123	102	119	112	75	-
Black,both sexes	1,260	60	23	17	20	89	172	221	171	194	186	107	-
Male	624	31	14	10	12	48	83	115	83	95	94	39	-
Female	636	29	9	7	8	41	89	106	88	99	92	68	-

Malignant neoplasms (C00-C97)

All races,both sexes	549,838	68	418	1,012	1,724	4,005	16,732	46,681	89,067	152,338	162,770	75,014	9
Male	285,832	36	227	555	1,023	1,959	7,471	23,634	48,833	84,544	85,060	32,484	6
Female	264,006	32	191	457	701	2,046	9,261	23,047	40,234	67,794	77,710	42,530	3
White,both sexes	477,238	53	353	780	1,327	3,147	13,060	37,489	74,568	132,703	146,009	67,742	7
Male	247,396	31	194	434	784	1,561	5,934	18,839	40,768	73,679	76,066	29,102	4
Female	229,842	22	159	346	543	1,586	7,126	18,650	33,800	59,024	69,943	38,640	3
All other,both sexes	72,600	15	65	232	397	858	3,672	9,192	14,499	19,635	16,761	7,272	2
Male	38,436	5	33	121	239	398	1,537	4,795	8,065	10,865	8,994	3,382	2
Female	34,164	10	32	111	158	460	2,135	4,397	6,434	8,770	7,767	3,890	-
Black,both sexes	61,951	11	49	183	318	671	3,080	7,830	12,433	16,764	14,312	6,299	1
Male	32,850	3	26	96	184	297	1,267	4,144	6,993	9,314	7,674	2,851	1
Female	29,101	8	23	87	134	374	1,813	3,686	5,440	7,450	6,638	3,448	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

ALL AGES UNDER 1 YEAR 1-4 YEARS 5-14 YEARS 15-24 YEARS 25-34 YEARS 35-44 YEARS 45-54 YEARS 55-64 YEARS 65-74 YEARS 75-84 YEARS 85 YEARS AND OVER AGE NOT STATED

Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)

All races,both sexes	7,486	-	2	6	27	43	291	1,061	1,616	1,896	1,744	800	-
Male	4,944	-	1	3	20	27	204	820	1,231	1,308	1,007	323	-
Female	2,542	-	1	3	7	16	87	241	385	588	737	477	-
White,both sexes	6,116	-	2	4	14	30	194	717	1,248	1,603	1,560	744	-
Male	3,955	-	1	2	9	17	134	555	948	1,108	886	295	-
Female	2,161	-	1	2	5	13	60	162	300	495	674	449	-
All other,both sexes	1,370	-	-	2	13	13	97	344	368	293	184	56	-
Male	989	-	-	1	11	10	70	265	283	200	121	28	-
Female	381	-	-	1	2	3	27	79	85	93	63	28	-
Black,both sexes	1,145	-	-	2	8	8	67	290	322	250	153	45	-
Male	828	-	-	1	6	6	47	227	246	171	103	21	-
Female	317	-	-	1	2	2	20	63	76	79	50	24	-

Malignant neoplasm of esophagus (C15)

All races,both sexes	11,918	-	-	-	-	37	293	1,262	2,531	3,694	2,986	1,114	1
Male	9,094	-	-	-	-	29	255	1,094	2,081	2,925	2,136	573	1
Female	2,824	-	-	-	-	8	38	168	450	769	850	541	-
White,both sexes	10,079	-	-	-	-	32	229	979	2,009	3,139	2,666	1,025	-
Male	7,740	-	-	-	-	24	203	865	1,678	2,530	1,922	518	-
Female	2,339	-	-	-	-	8	26	114	331	609	744	507	-
All other,both sexes	1,839	-	-	-	-	5	64	283	522	555	320	89	1
Male	1,354	-	-	-	-	5	52	229	403	395	214	55	1
Female	485	-	-	-	-	-	12	54	119	160	106	34	-
Black,both sexes	1,648	-	-	-	-	3	54	265	477	491	282	75	1
Male	1,203	-	-	-	-	3	45	212	369	344	185	44	1
Female	445	-	-	-	-	-	9	53	108	147	97	31	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Malignant neoplasm of stomach (C16)													
All races,both sexes	12,711	-	-	1	13	136	505	1,101	1,860	3,152	3,860	2,083	-
Male	7,459	-	-	1	6	76	283	746	1,252	2,005	2,239	851	-
Female	5,252	-	-	-	7	60	222	355	608	1,147	1,621	1,232	-
White,both sexes	9,779	-	-	-	8	88	321	771	1,348	2,459	3,098	1,686	-
Male	5,786	-	-	-	4	55	182	534	923	1,593	1,811	684	-
Female	3,993	-	-	-	4	33	139	237	425	866	1,287	1,002	-
All other,both sexes	2,932	-	-	1	5	48	184	330	512	693	762	397	-
Male	1,673	-	-	1	2	21	101	212	329	412	428	167	-
Female	1,259	-	-	-	3	27	83	118	183	281	334	230	-
Black,both sexes	2,203	-	-	1	3	36	127	240	378	512	585	321	-
Male	1,263	-	-	1	1	19	72	159	245	313	327	126	-
Female	940	-	-	-	2	17	55	81	133	199	258	195	-
Malignant neoplasms of colon, rectum and anus (C18-C21)													
All races,both sexes	57,155	1	-	1	49	283	1,333	4,057	7,967	14,249	17,929	11,286	-
Male	28,240	-	-	1	27	160	678	2,250	4,621	7,883	8,754	3,866	-
Female	28,915	1	-	-	22	123	655	1,807	3,346	6,366	9,175	7,420	-
White,both sexes	49,374	-	-	1	32	212	1,020	3,199	6,537	12,228	15,944	10,201	-
Male	24,539	-	-	1	16	118	540	1,811	3,828	6,891	7,832	3,502	-
Female	24,835	-	-	-	16	94	480	1,388	2,709	5,337	8,112	6,699	-
All other,both sexes	7,781	1	-	-	17	71	313	858	1,430	2,021	1,985	1,085	-
Male	3,701	-	-	-	11	42	138	439	793	992	922	364	-
Female	4,080	1	-	-	6	29	175	419	637	1,029	1,063	721	-
Black,both sexes	6,777	1	-	-	16	56	273	719	1,256	1,746	1,750	960	-
Male	3,196	-	-	-	10	31	125	377	698	861	795	299	-
Female	3,581	1	-	-	6	25	148	342	558	885	955	661	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Malignant neoplasms of liver and intrahepatic bile ducts (C22)													
All races,both sexes	12,382	8	29	11	43	78	444	1,492	2,091	3,491	3,425	1,270	-
Male	7,689	5	20	9	24	48	318	1,161	1,465	2,284	1,877	478	-
Female	4,693	3	9	2	19	30	126	331	626	1,207	1,548	792	-
White,both sexes	9,986	6	26	6	29	36	283	1,049	1,554	2,872	2,998	1,127	-
Male	6,151	3	18	5	17	21	200	799	1,094	1,898	1,658	438	-
Female	3,835	3	8	1	12	15	83	250	460	974	1,340	689	-
All other,both sexes	2,396	2	3	5	14	42	161	443	537	619	427	143	-
Male	1,538	2	2	4	7	27	118	362	371	386	219	40	-
Female	858	-	1	1	7	15	43	81	166	233	208	103	-
Black,both sexes	1,507	1	3	4	7	21	91	293	315	398	266	108	-
Male	947	1	2	3	2	14	65	240	212	248	134	26	-
Female	560	-	1	1	5	7	26	53	103	150	132	82	-
Malignant neoplasm of pancreas (C25)													
All races,both sexes	29,082	1	-	-	3	55	594	2,353	4,707	8,293	8,933	4,142	1
Male	14,176	-	-	-	1	33	369	1,482	2,721	4,347	3,940	1,283	-
Female	14,906	1	-	-	2	22	225	871	1,986	3,946	4,993	2,859	1
White,both sexes	25,086	-	-	-	2	40	468	1,913	3,897	7,140	7,913	3,712	1
Male	12,273	-	-	-	1	25	297	1,204	2,265	3,795	3,527	1,159	-
Female	12,813	-	-	-	1	15	171	709	1,632	3,345	4,386	2,553	1
All other,both sexes	3,996	1	-	-	1	15	126	440	810	1,153	1,020	430	-
Male	1,903	-	-	-	-	8	72	278	456	552	413	124	-
Female	2,093	1	-	-	1	7	54	162	354	601	607	306	-
Black,both sexes	3,391	1	-	-	-	12	112	390	673	979	852	372	-
Male	1,611	-	-	-	-	8	63	246	387	462	347	98	-
Female	1,780	1	-	-	-	4	49	144	286	517	505	274	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Malignant neoplasm of larynx (C32)													
All races,both sexes	3,815	-	-	-	-	6	78	405	904	1,239	892	291	-
Male	2,992	-	-	-	-	5	64	346	735	948	681	213	-
Female	823	-	-	-	-	1	14	59	169	291	211	78	-
White,both sexes	3,106	-	-	-	-	4	45	284	691	1,035	794	253	-
Male	2,419	-	-	-	-	3	38	245	562	789	601	181	-
Female	687	-	-	-	-	1	7	39	129	246	193	72	-
All other,both sexes	709	-	-	-	-	2	33	121	213	204	98	38	-
Male	573	-	-	-	-	2	26	101	173	159	80	32	-
Female	136	-	-	-	-	-	7	20	40	45	18	6	-
Black,both sexes	663	-	-	-	-	2	32	117	205	190	91	26	-
Male	536	-	-	-	-	2	25	97	169	148	74	21	-
Female	127	-	-	-	-	-	7	20	36	42	17	5	-
Malignant neoplasms of trachea, bronchus and lung (C33-C34)													
All races,both sexes	152,156	-	-	5	20	179	2,724	11,434	29,344	51,848	44,261	12,339	2
Male	89,453	-	-	4	13	97	1,474	6,851	18,013	31,287	25,397	6,315	2
Female	62,703	-	-	1	7	82	1,250	4,583	11,331	20,561	18,864	6,024	-
White,both sexes	133,752	-	-	3	11	149	2,128	9,147	25,090	45,840	40,131	11,252	1
Male	77,846	-	-	2	7	81	1,138	5,365	15,201	27,450	22,864	5,737	1
Female	55,906	-	-	1	4	68	990	3,782	9,889	18,390	17,267	5,515	-
All other,both sexes	18,404	-	-	2	9	30	596	2,287	4,254	6,008	4,130	1,087	1
Male	11,607	-	-	2	6	16	336	1,486	2,812	3,837	2,533	578	1
Female	6,797	-	-	-	3	14	260	801	1,442	2,171	1,597	509	-
Black,both sexes	15,963	-	-	2	8	20	533	2,056	3,770	5,148	3,515	911	-
Male	10,135	-	-	2	5	11	303	1,359	2,521	3,294	2,150	490	-
Female	5,828	-	-	-	3	9	230	697	1,249	1,854	1,365	421	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Malignant melanoma of skin (C43)													
All races,both sexes	7,215	1	-	1	39	194	625	1,120	1,263	1,652	1,639	681	-
Male	4,529	1	-	-	23	110	397	717	851	1,096	1,006	328	-
Female	2,686	-	-	1	16	84	228	403	412	556	633	353	-
White,both sexes	7,086	1	-	1	36	188	618	1,107	1,244	1,623	1,604	664	-
Male	4,459	1	-	-	20	106	394	708	838	1,083	988	321	-
Female	2,627	-	-	1	16	82	224	399	406	540	616	343	-
All other,both sexes	129	-	-	-	3	6	7	13	19	29	35	17	-
Male	70	-	-	-	3	4	3	9	13	13	18	7	-
Female	59	-	-	-	-	2	4	4	6	16	17	10	-
Black,both sexes	96	-	-	-	1	4	4	9	14	25	25	14	-
Male	48	-	-	-	1	2	1	6	10	10	12	6	-
Female	48	-	-	-	-	2	3	3	4	15	13	8	-
Malignant neoplasm of breast (C50)													
All races,both sexes	41,528	-	1	1	13	439	2,741	6,174	7,399	9,109	9,651	6,000	-
Male	384	-	-	-	-	3	15	41	70	103	98	54	-
Female	41,144	-	1	1	13	436	2,726	6,133	7,329	9,006	9,553	5,946	-
White,both sexes	35,385	-	-	1	8	304	2,001	4,826	6,111	7,922	8,714	5,498	-
Male	312	-	-	-	-	2	8	30	54	85	86	47	-
Female	35,073	-	-	1	8	302	1,993	4,796	6,057	7,837	8,628	5,451	-
All other,both sexes	6,143	-	1	-	5	135	740	1,348	1,288	1,187	937	502	-
Male	72	-	-	-	-	1	7	11	16	18	12	7	-
Female	6,071	-	1	-	5	134	733	1,337	1,272	1,169	925	495	-
Black,both sexes	5,425	-	1	-	5	126	665	1,167	1,103	1,040	856	462	-
Male	67	-	-	-	-	1	7	9	16	16	11	7	-
Female	5,358	-	1	-	5	125	658	1,158	1,087	1,024	845	455	-

CAUSE OF DEATH (BASED ON
THE TENTH REVISION INTER-
NATIONAL CLASSIFICATION
OF DISEASES, 1992),
RACE, AND SEX

ALL UNDER 1 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85 YEARS AGE NOT
AGES YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS AND OVER STATED

Malignant neoplasm of cervix uteri (C53)

All races,both sexes	4,205	-	-	-	12	217	699	914	769	696	568	329	1
Female	4,205	-	-	-	12	217	699	914	769	696	568	329	1
White,both sexes	3,229	-	-	-	9	176	535	731	573	503	446	255	1
Female	3,229	-	-	-	9	176	535	731	573	503	446	255	1
All other,both sexes	976	-	-	-	3	41	164	183	196	193	122	74	-
Female	976	-	-	-	3	41	164	183	196	193	122	74	-
Black,both sexes	838	-	-	-	3	36	144	140	169	176	102	68	-
Female	838	-	-	-	3	36	144	140	169	176	102	68	-

Malignant neoplasms of corpus uteri and uterus, part unspecified (C54-C55)

All races,both sexes	6,468	-	-	-	2	23	142	468	1,019	1,807	2,008	999	-
Female	6,468	-	-	-	2	23	142	468	1,019	1,807	2,008	999	-
White,both sexes	5,386	-	-	-	2	18	109	386	816	1,435	1,739	881	-
Female	5,386	-	-	-	2	18	109	386	816	1,435	1,739	881	-
All other,both sexes	1,082	-	-	-	-	5	33	82	203	372	269	118	-
Female	1,082	-	-	-	-	5	33	82	203	372	269	118	-
Black,both sexes	987	-	-	-	-	5	28	57	189	350	247	111	-
Female	987	-	-	-	-	5	28	57	189	350	247	111	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

ALL AGES UNDER 1 YEAR 1-4 YEARS 5-14 YEARS 15-24 YEARS 25-34 YEARS 35-44 YEARS 45-54 YEARS 55-64 YEARS 65-74 YEARS 75-84 YEARS 85 YEARS AND OVER AGE NOT STATED

Malignant neoplasm of ovary (C56)

All races,both sexes	13,627	-	1	2	27	77	496	1,549	2,426	3,612	3,875	1,562	-
Female	13,627	-	1	2	27	77	496	1,549	2,426	3,612	3,875	1,562	-
White,both sexes	12,302	-	1	2	22	57	424	1,349	2,164	3,254	3,570	1,459	-
Female	12,302	-	1	2	22	57	424	1,349	2,164	3,254	3,570	1,459	-
All other,both sexes	1,325	-	-	-	5	20	72	200	262	358	305	103	-
Female	1,325	-	-	-	5	20	72	200	262	358	305	103	-
Black,both sexes	1,079	-	-	-	4	13	47	144	217	304	260	90	-
Female	1,079	-	-	-	4	13	47	144	217	304	260	90	-

Malignant neoplasm of prostate (C61)

All races,both sexes	31,729	1	-	-	1	2	33	374	1,946	7,316	13,435	8,620	1
Male	31,729	1	-	-	1	2	33	374	1,946	7,316	13,435	8,620	1
White,both sexes	26,005	1	-	-	1	2	25	266	1,404	5,715	11,240	7,350	1
Male	26,005	1	-	-	1	2	25	266	1,404	5,715	11,240	7,350	1
All other,both sexes	5,724	-	-	-	-	-	8	108	542	1,601	2,195	1,270	-
Male	5,724	-	-	-	-	-	8	108	542	1,601	2,195	1,270	-
Black,both sexes	5,357	-	-	-	-	-	7	106	515	1,534	2,046	1,149	-
Male	5,357	-	-	-	-	-	7	106	515	1,534	2,046	1,149	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Malignant neoplasms of kidney and renal pelvis (C64-C65)													
All races,both sexes	11,116	2	19	33	17	54	342	1,147	2,111	3,076	3,010	1,305	-
Male	6,867	1	11	16	11	37	236	816	1,474	1,958	1,717	590	-
Female	4,249	1	8	17	6	17	106	331	637	1,118	1,293	715	-
White,both sexes	9,878	2	12	25	10	32	271	962	1,868	2,757	2,752	1,187	-
Male	6,112	1	8	11	7	20	189	682	1,310	1,759	1,587	538	-
Female	3,766	1	4	14	3	12	82	280	558	998	1,165	649	-
All other,both sexes	1,238	-	7	8	7	22	71	185	243	319	258	118	-
Male	755	-	3	5	4	17	47	134	164	199	130	52	-
Female	483	-	4	3	3	5	24	51	79	120	128	66	-
Black,both sexes	1,035	-	4	6	7	21	61	154	206	265	213	98	-
Male	622	-	2	3	4	16	42	109	140	160	104	42	-
Female	413	-	2	3	3	5	19	45	66	105	109	56	-
Malignant neoplasm of bladder (C67)													
All races,both sexes	11,911	-	-	1	1	16	100	463	1,244	2,923	4,317	2,845	1
Male	8,105	-	-	1	-	9	63	350	933	2,132	3,008	1,608	1
Female	3,806	-	-	-	1	7	37	113	311	791	1,309	1,237	-
White,both sexes	10,863	-	-	1	-	10	80	397	1,093	2,643	4,008	2,630	1
Male	7,520	-	-	1	-	5	49	297	843	1,977	2,828	1,519	1
Female	3,343	-	-	-	-	5	31	100	250	666	1,180	1,111	-
All other,both sexes	1,048	-	-	-	1	6	20	66	151	280	309	215	-
Male	585	-	-	-	-	4	14	53	90	155	180	89	-
Female	463	-	-	-	1	2	6	13	61	125	129	126	-
Black,both sexes	918	-	-	-	1	4	18	62	133	247	264	189	-
Male	496	-	-	-	-	2	13	49	78	130	150	74	-
Female	422	-	-	-	1	2	5	13	55	117	114	115	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

ALL AGES UNDER 1 YEAR 1-4 YEARS 5-14 YEARS 15-24 YEARS 25-34 YEARS 35-44 YEARS 45-54 YEARS 55-64 YEARS 65-74 YEARS 75-84 YEARS 85 YEARS AND OVER AGE NOT STATED

Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)

All races,both sexes	12,765	10	113	308	218	444	1,065	1,880	2,453	3,119	2,492	663	-
Male	7,001	8	56	154	131	276	638	1,120	1,417	1,728	1,226	247	-
Female	5,764	2	57	154	87	168	427	760	1,036	1,391	1,266	416	-
White,both sexes	11,819	7	96	242	171	403	966	1,725	2,276	2,945	2,363	625	-
Male	6,492	6	49	125	101	250	577	1,023	1,316	1,641	1,169	235	-
Female	5,327	1	47	117	70	153	389	702	960	1,304	1,194	390	-
All other,both sexes	946	3	17	66	47	41	99	155	177	174	129	38	-
Male	509	2	7	29	30	26	61	97	101	87	57	12	-
Female	437	1	10	37	17	15	38	58	76	87	72	26	-
Black,both sexes	764	3	12	55	37	36	77	129	142	135	107	31	-
Male	404	2	5	25	24	23	48	82	76	68	41	10	-
Female	360	1	7	30	13	13	29	47	66	67	66	21	-

Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)

All races,both sexes	56,318	30	137	351	720	960	1,913	3,950	7,554	14,332	18,089	8,282	-
Male	29,721	12	75	206	437	557	1,144	2,368	4,426	8,067	9,100	3,329	-
Female	26,597	18	62	145	283	403	769	1,582	3,128	6,265	8,989	4,953	-
White,both sexes	50,189	24	118	271	564	751	1,539	3,281	6,440	12,826	16,687	7,688	-
Male	26,558	12	63	160	349	431	926	1,984	3,817	7,287	8,444	3,085	-
Female	23,631	12	55	111	215	320	613	1,297	2,623	5,539	8,243	4,603	-
All other,both sexes	6,129	6	19	80	156	209	374	669	1,114	1,506	1,402	594	-
Male	3,163	-	12	46	88	126	218	384	609	780	656	244	-
Female	2,966	6	7	34	68	83	156	285	505	726	746	350	-
Black,both sexes	5,088	4	15	63	134	160	314	561	927	1,253	1,149	508	-
Male	2,590	-	9	39	74	98	182	324	503	649	524	188	-
Female	2,498	4	6	24	60	62	132	237	424	604	625	320	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Hodgkin's disease (C81)													
All races,both sexes	1,403	-	1	9	94	148	165	165	178	283	262	98	-
Male	785	-	1	3	55	86	103	98	115	160	119	45	-
Female	618	-	-	6	39	62	62	67	63	123	143	53	-
White,both sexes	1,263	-	1	7	75	122	146	146	163	260	254	89	-
Male	708	-	1	3	45	72	92	83	107	148	116	41	-
Female	555	-	-	4	30	50	54	63	56	112	138	48	-
All other,both sexes	140	-	-	2	19	26	19	19	15	23	8	9	-
Male	77	-	-	-	10	14	11	15	8	12	3	4	-
Female	63	-	-	2	9	12	8	4	7	11	5	5	-
Black,both sexes	128	-	-	1	19	26	18	19	14	18	6	7	-
Male	75	-	-	-	10	14	11	15	8	12	3	2	-
Female	53	-	-	1	9	12	7	4	6	6	3	5	-
Non-Hodgkin's lymphoma (C82-C85)													
All races,both sexes	22,802	2	16	37	144	289	789	1,741	3,154	5,848	7,554	3,228	-
Male	11,794	-	9	30	91	178	510	1,111	1,847	3,176	3,596	1,246	-
Female	11,008	2	7	7	53	111	279	630	1,307	2,672	3,958	1,982	-
White,both sexes	20,941	-	13	26	110	214	627	1,504	2,818	5,415	7,157	3,057	-
Male	10,768	-	8	23	71	130	407	962	1,643	2,953	3,405	1,166	-
Female	10,173	-	5	3	39	84	220	542	1,175	2,462	3,752	1,891	-
All other,both sexes	1,861	2	3	11	34	75	162	237	336	433	397	171	-
Male	1,026	-	1	7	20	48	103	149	204	223	191	80	-
Female	835	2	2	4	14	27	59	88	132	210	206	91	-
Black,both sexes	1,443	2	2	9	32	58	138	192	264	331	288	127	-
Male	786	-	1	6	18	39	87	123	155	174	132	51	-
Female	657	2	1	3	14	19	51	69	109	157	156	76	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Leukemia (C91-C95)													
All races,both sexes	21,014	27	119	305	482	500	799	1,370	2,516	5,012	6,460	3,424	-
Male	11,519	11	65	173	291	276	435	777	1,489	3,054	3,525	1,423	-
Female	9,495	16	54	132	191	224	364	593	1,027	1,958	2,935	2,001	-
White,both sexes	18,899	23	103	238	379	401	660	1,143	2,196	4,531	6,007	3,218	-
Male	10,395	11	54	134	233	219	362	646	1,314	2,784	3,299	1,339	-
Female	8,504	12	49	104	146	182	298	497	882	1,747	2,708	1,879	-
All other,both sexes	2,115	4	16	67	103	99	139	227	320	481	453	206	-
Male	1,124	-	11	39	58	57	73	131	175	270	226	84	-
Female	991	4	5	28	45	42	66	96	145	211	227	122	-
Black,both sexes	1,708	2	13	53	83	68	107	175	252	407	373	175	-
Male	892	-	8	33	46	38	54	103	142	224	178	66	-
Female	816	2	5	20	37	30	53	72	110	183	195	109	-
Multiple myeloma and immunoproliferative neoplasms (C88.C90)													
All races,both sexes	11,016	-	-	-	-	22	156	665	1,694	3,172	3,788	1,519	-
Male	5,584	-	-	-	-	16	95	378	968	1,669	1,846	612	-
Female	5,432	-	-	-	-	6	61	287	726	1,503	1,942	907	-
White,both sexes	9,010	-	-	-	-	13	103	481	1,252	2,603	3,246	1,312	-
Male	4,651	-	-	-	-	9	64	290	747	1,394	1,611	536	-
Female	4,359	-	-	-	-	4	39	191	505	1,209	1,635	776	-
All other,both sexes	2,006	-	-	-	-	9	53	184	442	569	542	207	-
Male	933	-	-	-	-	7	31	88	221	275	235	76	-
Female	1,073	-	-	-	-	2	22	96	221	294	307	131	-
Black,both sexes	1,803	-	-	-	-	8	50	173	396	497	481	198	-
Male	834	-	-	-	-	7	30	82	197	239	210	69	-
Female	969	-	-	-	-	1	20	91	199	258	271	129	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

ALL AGES UNDER 1 YEAR 1-4 YEARS 5-14 YEARS 15-24 YEARS 25-34 YEARS 35-44 YEARS 45-54 YEARS 55-64 YEARS 65-74 YEARS 75-84 YEARS 85 YEARS AND OVER AGE NOT STATED

Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue (C96)

All races,both sexes	83	1	1	-	-	1	4	9	12	17	25	13	-
Male	39	1	-	-	-	1	1	4	7	8	14	3	-
Female	44	-	1	-	-	-	3	5	5	9	11	10	-
White,both sexes	76	1	1	-	-	1	3	7	11	17	23	12	-
Male	36	1	-	-	-	1	1	3	6	8	13	3	-
Female	40	-	1	-	-	-	2	4	5	9	10	9	-
All other,both sexes	7	-	-	-	-	-	1	2	1	-	2	1	-
Male	3	-	-	-	-	-	-	1	1	-	1	-	-
Female	4	-	-	-	-	-	1	1	-	-	1	1	-
Black,both sexes	6	-	-	-	-	-	1	2	1	-	1	1	-
Male	3	-	-	-	-	-	-	1	1	-	1	-	-
Female	3	-	-	-	-	-	1	1	-	-	-	1	-

All other and unspecified malignant neoplasms (C17,C23-C24,C26-C31,C37-C41,C44-C49,C51-C52,C57-C60,C62-C63,C66,C68-C69,C73-C80,C97)

All races,both sexes	66,251	14	116	291	519	762	2,314	5,477	9,863	16,834	19,656	10,403	2
Male	33,449	8	64	160	329	490	1,300	3,098	5,597	9,157	9,439	3,806	1
Female	32,802	6	52	131	190	272	1,014	2,379	4,266	7,677	10,217	6,597	1
White,both sexes	57,818	12	98	223	408	615	1,804	4,400	8,205	14,764	17,782	9,505	2
Male	29,229	7	55	127	252	401	1,034	2,471	4,687	8,078	8,623	3,493	1
Female	28,589	5	43	96	156	214	770	1,929	3,518	6,686	9,159	6,012	1
All other,both sexes	8,433	2	18	68	111	147	510	1,077	1,658	2,070	1,874	898	-
Male	4,220	1	9	33	77	89	266	627	910	1,079	816	313	-
Female	4,213	1	9	35	34	58	244	450	748	991	1,058	585	-
Black,both sexes	7,067	1	14	50	84	108	426	931	1,422	1,721	1,549	761	-
Male	3,547	-	8	22	57	61	222	542	808	906	671	250	-
Female	3,520	1	6	28	27	47	204	389	614	815	878	511	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

ALL AGES UNDER 1 YEAR 1-4 YEARS 5-14 YEARS 15-24 YEARS 25-34 YEARS 35-44 YEARS 45-54 YEARS 55-64 YEARS 65-74 YEARS 75-84 YEARS 85 YEARS AND OVER AGE NOT STATED

In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)

All races,both sexes	13,227	58	63	101	98	171	342	662	1,133	2,684	4,472	3,443	-
Male	6,520	30	33	49	54	96	197	362	656	1,522	2,218	1,303	-
Female	6,707	28	30	52	44	75	145	300	477	1,162	2,254	2,140	-
White,both sexes	11,849	41	48	84	70	124	269	534	961	2,385	4,120	3,213	-
Male	5,891	21	22	40	38	67	164	302	569	1,372	2,062	1,234	-
Female	5,958	20	26	44	32	57	105	232	392	1,013	2,058	1,979	-
All other,both sexes	1,378	17	15	17	28	47	73	128	172	299	352	230	-
Male	629	9	11	9	16	29	33	60	87	150	156	69	-
Female	749	8	4	8	12	18	40	68	85	149	196	161	-
Black,both sexes	1,173	15	13	17	26	30	66	106	149	258	299	194	-
Male	521	8	10	9	15	20	30	46	75	129	125	54	-
Female	652	7	3	8	11	10	36	60	74	129	174	140	-

Anemias (D50-D64)

All races,both sexes	4,503	12	30	53	121	160	194	232	231	486	1,164	1,820	-
Male	1,746	8	17	23	67	81	101	116	105	226	484	518	-
Female	2,757	4	13	30	54	79	93	116	126	260	680	1,302	-
White,both sexes	3,393	6	9	20	34	17	48	96	122	389	1,032	1,620	-
Male	1,244	4	6	7	14	6	24	51	48	182	434	468	-
Female	2,149	2	3	13	20	11	24	45	74	207	598	1,152	-
All other,both sexes	1,110	6	21	33	87	143	146	136	109	97	132	200	-
Male	502	4	11	16	53	75	77	65	57	44	50	50	-
Female	608	2	10	17	34	68	69	71	52	53	82	150	-
Black,both sexes	1,019	3	21	33	84	140	142	126	101	82	121	166	-
Male	457	2	11	16	50	73	73	61	54	37	42	38	-
Female	562	1	10	17	34	67	69	65	47	45	79	128	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Diabetes mellitus (E10-E14)													
All races,both sexes	68,399	2	8	32	155	582	1,942	4,735	9,097	16,908	21,757	13,178	3
Male	31,150	-	4	16	80	319	1,139	2,791	4,856	8,279	9,539	4,125	2
Female	37,249	2	4	16	75	263	803	1,944	4,241	8,629	12,218	9,053	1
White,both sexes	54,599	2	6	22	107	409	1,384	3,355	6,609	13,230	18,217	11,257	1
Male	25,545	-	3	10	59	226	829	2,055	3,684	6,787	8,293	3,598	1
Female	29,054	2	3	12	48	183	555	1,300	2,925	6,443	9,924	7,659	-
All other,both sexes	13,800	-	2	10	48	173	558	1,380	2,488	3,678	3,540	1,921	2
Male	5,605	-	1	6	21	93	310	736	1,172	1,492	1,246	527	1
Female	8,195	-	1	4	27	80	248	644	1,316	2,186	2,294	1,394	1
Black,both sexes	11,927	-	2	10	44	162	507	1,231	2,151	3,137	3,022	1,659	2
Male	4,759	-	1	6	19	86	277	650	995	1,268	1,024	432	1
Female	7,168	-	1	4	25	76	230	581	1,156	1,869	1,998	1,227	1
Nutritional deficiencies (E40-E64)													
All races,both sexes	4,289	9	2	1	8	12	64	106	170	429	1,248	2,240	-
Male	1,486	4	2	1	5	4	28	52	98	221	494	577	-
Female	2,803	5	-	-	3	8	36	54	72	208	754	1,663	-
White,both sexes	3,628	5	1	-	5	9	49	76	118	325	1,050	1,990	-
Male	1,199	2	1	-	3	3	20	39	64	158	407	502	-
Female	2,429	3	-	-	2	6	29	37	54	167	643	1,488	-
All other,both sexes	661	4	1	1	3	3	15	30	52	104	198	250	-
Male	287	2	1	1	2	1	8	13	34	63	87	75	-
Female	374	2	-	-	1	2	7	17	18	41	111	175	-
Black,both sexes	589	4	1	1	3	3	15	27	47	90	176	222	-
Male	250	2	1	1	2	1	8	12	30	55	74	64	-
Female	339	2	-	-	1	2	7	15	17	35	102	158	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Malnutrition (E40-E46)													
All races,both sexes	3,985	7	2	1	7	11	61	99	154	407	1,159	2,077	-
Male	1,371	4	2	1	4	4	27	48	92	207	452	530	-
Female	2,614	3	-	-	3	7	34	51	62	200	707	1,547	-
White,both sexes	3,368	4	1	-	5	8	47	73	107	305	976	1,842	-
Male	1,100	2	1	-	3	3	19	36	61	146	373	456	-
Female	2,268	2	-	-	2	5	28	37	46	159	603	1,386	-
All other,both sexes	617	3	1	1	2	3	14	26	47	102	183	235	-
Male	271	2	1	1	1	1	8	12	31	61	79	74	-
Female	346	1	-	-	1	2	6	14	16	41	104	161	-
Black,both sexes	547	3	1	1	2	3	14	24	42	88	162	207	-
Male	234	2	1	1	1	1	8	11	27	53	66	63	-
Female	313	1	-	-	1	2	6	13	15	35	96	144	-
Other nutritional deficiencies (E50-E64)													
All races,both sexes	304	2	-	-	1	1	3	7	16	22	89	163	-
Male	115	-	-	-	1	-	1	4	6	14	42	47	-
Female	189	2	-	-	-	1	2	3	10	8	47	116	-
White,both sexes	260	1	-	-	-	1	2	3	11	20	74	148	-
Male	99	-	-	-	-	-	1	3	3	12	34	46	-
Female	161	1	-	-	-	1	1	-	8	8	40	102	-
All other,both sexes	44	1	-	-	1	-	1	4	5	2	15	15	-
Male	16	-	-	-	1	-	-	1	3	2	8	1	-
Female	28	1	-	-	-	-	1	3	2	-	7	14	-
Black,both sexes	42	1	-	-	1	-	1	3	5	2	14	15	-
Male	16	-	-	-	1	-	-	1	3	2	8	1	-
Female	26	1	-	-	-	-	1	2	2	-	6	14	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Meningitis (G00,G03)													
All races,both sexes	850	116	45	27	41	48	76	108	90	115	122	62	-
Male	442	61	26	18	26	24	45	68	45	60	49	20	-
Female	408	55	19	9	15	24	31	40	45	55	73	42	-
White,both sexes	601	68	33	19	21	34	49	72	71	89	95	50	-
Male	308	46	20	12	12	13	27	41	37	46	38	16	-
Female	293	22	13	7	9	21	22	31	34	43	57	34	-
All other,both sexes	249	48	12	8	20	14	27	36	19	26	27	12	-
Male	134	15	6	6	14	11	18	27	8	14	11	4	-
Female	115	33	6	2	6	3	9	9	11	12	16	8	-
Black,both sexes	222	42	11	8	17	11	22	35	18	21	25	12	-
Male	121	13	6	6	11	9	15	27	8	12	10	4	-
Female	101	29	5	2	6	2	7	8	10	9	15	8	-
Parkinson's disease (G20-G21)													
All races,both sexes	14,593	1	-	-	2	2	5	43	242	2,020	7,110	5,168	-
Male	8,262	-	-	-	2	2	3	30	161	1,303	4,307	2,454	-
Female	6,331	1	-	-	-	-	2	13	81	717	2,803	2,714	-
White,both sexes	13,886	1	-	-	2	1	5	39	215	1,895	6,787	4,941	-
Male	7,880	-	-	-	2	1	3	29	147	1,236	4,123	2,339	-
Female	6,006	1	-	-	-	-	2	10	68	659	2,664	2,602	-
All other,both sexes	707	-	-	-	-	1	-	4	27	125	323	227	-
Male	382	-	-	-	-	1	-	1	14	67	184	115	-
Female	325	-	-	-	-	-	-	3	13	58	139	112	-
Black,both sexes	507	-	-	-	-	-	-	4	22	97	221	163	-
Male	270	-	-	-	-	-	-	1	13	59	123	74	-
Female	237	-	-	-	-	-	-	3	9	38	98	89	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Alzheimer's disease (G30)													
All races,both sexes	44,536	-	-	-	1	-	7	60	448	3,204	15,836	24,980	-
Male	13,391	-	-	-	1	-	3	28	222	1,437	5,904	5,796	-
Female	31,145	-	-	-	-	-	4	32	226	1,767	9,932	19,184	-
White,both sexes	41,877	-	-	-	1	-	5	53	413	2,926	14,833	23,646	-
Male	12,585	-	-	-	1	-	2	26	205	1,316	5,564	5,471	-
Female	29,292	-	-	-	-	-	3	27	208	1,610	9,269	18,175	-
All other,both sexes	2,659	-	-	-	-	-	2	7	35	278	1,003	1,334	-
Male	806	-	-	-	-	-	1	2	17	121	340	325	-
Female	1,853	-	-	-	-	-	1	5	18	157	663	1,009	-
Black,both sexes	2,342	-	-	-	-	-	1	5	29	249	890	1,168	-
Male	692	-	-	-	-	-	-	2	15	112	292	271	-
Female	1,650	-	-	-	-	-	1	3	14	137	598	897	-
Major cardiovascular diseases (I00-I78)													
All races,both sexes	950,314	644	234	354	1,315	3,873	17,010	42,512	77,833	163,428	302,552	340,510	49
Male	441,827	347	127	199	799	2,442	11,471	29,745	51,525	96,904	145,567	102,663	38
Female	508,487	297	107	155	516	1,431	5,539	12,767	26,308	66,524	156,985	237,847	11
White,both sexes	829,464	434	161	250	886	2,598	11,884	31,589	61,248	137,588	270,242	312,552	32
Male	384,572	234	90	140	531	1,697	8,383	22,953	41,561	83,294	131,574	94,090	25
Female	444,892	200	71	110	355	901	3,501	8,636	19,687	54,294	138,668	218,462	7
All other,both sexes	120,850	210	73	104	429	1,275	5,126	10,923	16,585	25,840	32,310	27,958	17
Male	57,255	113	37	59	268	745	3,088	6,792	9,964	13,610	13,993	8,573	13
Female	63,595	97	36	45	161	530	2,038	4,131	6,621	12,230	18,317	19,385	4
Black,both sexes	104,693	177	61	93	394	1,134	4,660	9,820	14,654	22,492	27,411	23,781	16
Male	48,578	94	32	53	244	660	2,751	6,052	8,730	11,720	11,470	6,760	12
Female	56,115	83	29	40	150	474	1,909	3,768	5,924	10,772	15,941	17,021	4

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

ALL AGES UNDER 1 YEAR 1-4 YEARS 5-14 YEARS 15-24 YEARS 25-34 YEARS 35-44 YEARS 45-54 YEARS 55-64 YEARS 65-74 YEARS 75-84 YEARS 85 YEARS AND OVER AGE NOT STATED

Diseases of heart (I00-I09,I11,I13,I20-I51)

All races,both sexes	725,192	524	183	277	1,069	3,066	13,600	34,994	64,167	129,253	226,152	251,860	47
Male	351,617	270	104	157	664	1,988	9,640	25,489	43,662	78,836	112,470	78,300	37
Female	373,575	254	79	120	405	1,078	3,960	9,505	20,505	50,417	113,682	173,560	10
White,both sexes	635,118	352	124	193	700	2,048	9,718	26,693	51,274	109,578	202,692	231,714	32
Male	307,585	183	74	108	429	1,376	7,185	20,144	35,695	68,247	102,139	71,980	25
Female	327,533	169	50	85	271	672	2,533	6,549	15,579	41,331	100,553	159,734	7
All other,both sexes	90,074	172	59	84	369	1,018	3,882	8,301	12,893	19,675	23,460	20,146	15
Male	44,032	87	30	49	235	612	2,455	5,345	7,967	10,589	10,331	6,320	12
Female	46,042	85	29	35	134	406	1,427	2,956	4,926	9,086	13,129	13,826	3
Black,both sexes	78,574	144	50	77	340	914	3,546	7,525	11,475	17,240	20,038	17,210	15
Male	37,576	72	27	45	215	546	2,193	4,774	7,004	9,155	8,533	5,000	12
Female	40,998	72	23	32	125	368	1,353	2,751	4,471	8,085	11,505	12,210	3

Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)

All races,both sexes	3,676	6	1	5	13	42	124	245	411	854	1,227	748	-
Male	1,042	2	1	2	10	17	49	90	133	290	325	123	-
Female	2,634	4	-	3	3	25	75	155	278	564	902	625	-
White,both sexes	3,302	4	1	3	8	25	84	187	341	776	1,161	712	-
Male	933	1	1	-	5	12	35	72	111	270	306	120	-
Female	2,369	3	-	3	3	13	49	115	230	506	855	592	-
All other,both sexes	374	2	-	2	5	17	40	58	70	78	66	36	-
Male	109	1	-	2	5	5	14	18	22	20	19	3	-
Female	265	1	-	-	-	12	26	40	48	58	47	33	-
Black,both sexes	275	1	-	2	4	13	32	49	52	56	40	26	-
Male	88	1	-	2	4	3	12	18	17	16	14	1	-
Female	187	-	-	-	-	10	20	31	35	40	26	25	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Hypertensive heart disease (I11)													
All races,both sexes	22,702	1	-	-	33	210	964	1,930	2,537	3,517	5,830	7,679	1
Male	9,316	-	-	-	25	149	660	1,259	1,560	1,816	2,252	1,594	1
Female	13,386	1	-	-	8	61	304	671	977	1,701	3,578	6,085	-
White,both sexes	16,646	1	-	-	12	109	491	1,059	1,529	2,326	4,517	6,602	-
Male	6,499	-	-	-	9	91	370	749	987	1,223	1,735	1,335	-
Female	10,147	1	-	-	3	18	121	310	542	1,103	2,782	5,267	-
All other,both sexes	6,056	-	-	-	21	101	473	871	1,008	1,191	1,313	1,077	1
Male	2,817	-	-	-	16	58	290	510	573	593	517	259	1
Female	3,239	-	-	-	5	43	183	361	435	598	796	818	-
Black,both sexes	5,619	-	-	-	20	98	450	848	945	1,105	1,195	957	1
Male	2,606	-	-	-	15	55	270	493	537	547	463	225	1
Female	3,013	-	-	-	5	43	180	355	408	558	732	732	-
Hypertensive heart and renal disease (I13)													
All races,both sexes	3,327	-	-	2	6	21	114	156	262	470	1,087	1,209	-
Male	1,390	-	-	1	3	16	67	100	146	223	460	374	-
Female	1,937	-	-	1	3	5	47	56	116	247	627	835	-
White,both sexes	2,235	-	-	1	-	7	28	52	110	249	806	982	-
Male	906	-	-	1	-	6	17	30	60	123	358	311	-
Female	1,329	-	-	-	-	1	11	22	50	126	448	671	-
All other,both sexes	1,092	-	-	1	6	14	86	104	152	221	281	227	-
Male	484	-	-	-	3	10	50	70	86	100	102	63	-
Female	608	-	-	1	3	4	36	34	66	121	179	164	-
Black,both sexes	1,000	-	-	1	6	13	85	97	144	205	244	205	-
Male	434	-	-	-	3	9	49	65	81	92	84	51	-
Female	566	-	-	1	3	4	36	32	63	113	160	154	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Ischemic heart diseases (I20-I25)													
All races,both sexes	529,659	27	5	22	137	1,014	7,751	24,775	48,377	98,840	169,296	179,376	39
Male	267,268	13	3	17	93	739	5,970	19,061	34,123	62,187	87,305	57,726	31
Female	262,391	14	2	5	44	275	1,781	5,714	14,254	36,653	81,991	121,650	8
White,both sexes	469,149	18	4	14	85	753	5,988	19,813	39,666	84,853	152,630	165,298	27
Male	237,193	8	3	12	63	555	4,742	15,672	28,548	54,493	79,823	53,253	21
Female	231,956	10	1	2	22	198	1,246	4,141	11,118	30,360	72,807	112,045	6
All other,both sexes	60,510	9	1	8	52	261	1,763	4,962	8,711	13,987	16,666	14,078	12
Male	30,075	5	-	5	30	184	1,228	3,389	5,575	7,694	7,482	4,473	10
Female	30,435	4	1	3	22	77	535	1,573	3,136	6,293	9,184	9,605	2
Black,both sexes	51,995	8	1	8	47	213	1,570	4,403	7,632	12,094	14,071	11,936	12
Male	25,104	4	-	5	26	148	1,057	2,938	4,806	6,543	6,085	3,482	10
Female	26,891	4	1	3	21	65	513	1,465	2,826	5,551	7,986	8,454	2
Acute myocardial infarction (I21-I22)													
All races,both sexes	199,454	13	2	11	60	434	3,249	10,823	21,406	41,441	64,711	57,297	7
Male	104,169	6	1	7	40	306	2,470	8,300	15,029	25,708	32,943	19,357	2
Female	95,285	7	1	4	20	128	779	2,523	6,377	15,733	31,768	37,940	5
White,both sexes	177,075	9	2	6	39	325	2,596	8,953	18,084	36,106	58,482	52,468	5
Male	93,189	3	1	4	29	229	2,032	7,076	12,967	22,869	30,234	17,744	1
Female	83,886	6	1	2	10	96	564	1,877	5,117	13,237	28,248	34,724	4
All other,both sexes	22,379	4	-	5	21	109	653	1,870	3,322	5,335	6,229	4,829	2
Male	10,980	3	-	3	11	77	438	1,224	2,062	2,839	2,709	1,613	1
Female	11,399	1	-	2	10	32	215	646	1,260	2,496	3,520	3,216	1
Black,both sexes	19,276	4	-	5	19	88	587	1,659	2,882	4,596	5,298	4,136	2
Male	9,186	3	-	3	10	61	379	1,060	1,756	2,404	2,230	1,279	1
Female	10,090	1	-	2	9	27	208	599	1,126	2,192	3,068	2,857	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Other acute ischemic heart diseases (I24)													
All races,both sexes	3,232	3	1	1	3	6	81	252	448	674	855	908	-
Male	1,665	1	1	1	3	4	63	178	315	410	423	266	-
Female	1,567	2	-	-	-	2	18	74	133	264	432	642	-
White,both sexes	2,752	1	1	1	3	5	53	176	357	563	750	842	-
Male	1,389	1	1	1	3	4	41	127	246	343	375	247	-
Female	1,363	-	-	-	-	1	12	49	111	220	375	595	-
All other,both sexes	480	2	-	-	-	1	28	76	91	111	105	66	-
Male	276	-	-	-	-	-	22	51	69	67	48	19	-
Female	204	2	-	-	-	1	6	25	22	44	57	47	-
Black,both sexes	431	2	-	-	-	1	26	73	85	93	97	54	-
Male	248	-	-	-	-	-	20	49	65	56	41	17	-
Female	183	2	-	-	-	1	6	24	20	37	56	37	-
Other forms of chronic ischemic heart disease (I20,I25)													
All races,both sexes	326,973	11	2	10	74	574	4,421	13,700	26,523	56,725	103,730	121,171	32
Male	161,434	6	1	9	50	429	3,437	10,583	18,779	36,069	53,939	38,103	29
Female	165,539	5	1	1	24	145	984	3,117	7,744	20,656	49,791	83,068	3
White,both sexes	289,322	8	1	7	43	423	3,339	10,684	21,225	48,184	93,398	111,988	22
Male	142,615	4	1	7	31	322	2,669	8,469	15,335	31,281	49,214	35,262	20
Female	146,707	4	-	-	12	101	670	2,215	5,890	16,903	44,184	76,726	2
All other,both sexes	37,651	3	1	3	31	151	1,082	3,016	5,298	8,541	10,332	9,183	10
Male	18,819	2	-	2	19	107	768	2,114	3,444	4,788	4,725	2,841	9
Female	18,832	1	1	1	12	44	314	902	1,854	3,753	5,607	6,342	1
Black,both sexes	32,288	2	1	3	28	124	957	2,671	4,665	7,405	8,676	7,746	10
Male	15,670	1	-	2	16	87	658	1,829	2,985	4,083	3,814	2,186	9
Female	16,618	1	1	1	12	37	299	842	1,680	3,322	4,862	5,560	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

ALL AGES UNDER 1 YEAR 1-4 YEARS 5-14 YEARS 15-24 YEARS 25-34 YEARS 35-44 YEARS 45-54 YEARS 55-64 YEARS 65-74 YEARS 75-84 YEARS 85 YEARS AND OVER AGE NOT STATED

Atherosclerotic cardiovascular disease, so described (I25.0)

All races,both sexes	71,926	-	1	1	13	160	1,488	4,737	8,383	13,395	20,321	23,403	24
Male	36,633	-	-	1	10	119	1,192	3,752	6,123	8,546	9,963	6,905	22
Female	35,293	-	1	-	3	41	296	985	2,260	4,849	10,358	16,498	2
White,both sexes	59,711	-	-	1	5	110	1,097	3,488	6,211	10,472	17,317	20,995	15
Male	29,977	-	-	1	5	85	909	2,839	4,633	6,801	8,526	6,165	13
Female	29,734	-	-	-	-	25	188	649	1,578	3,671	8,791	14,830	2
All other,both sexes	12,215	-	1	-	8	50	391	1,249	2,172	2,923	3,004	2,408	9
Male	6,656	-	-	-	5	34	283	913	1,490	1,745	1,437	740	9
Female	5,559	-	1	-	3	16	108	336	682	1,178	1,567	1,668	-
Black,both sexes	10,823	-	1	-	8	41	361	1,117	1,942	2,608	2,639	2,097	9
Male	5,815	-	-	-	5	27	257	802	1,309	1,559	1,236	611	9
Female	5,008	-	1	-	3	14	104	315	633	1,049	1,403	1,486	-

All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)

All races,both sexes	255,047	11	1	9	61	414	2,933	8,963	18,140	43,330	83,409	97,768	8
Male	124,801	6	1	8	40	310	2,245	6,831	12,656	27,523	43,976	31,198	7
Female	130,246	5	-	1	21	104	688	2,132	5,484	15,807	39,433	66,570	1
White,both sexes	229,611	8	1	6	38	313	2,242	7,196	15,014	37,712	76,081	90,993	7
Male	112,638	4	1	6	26	237	1,760	5,630	10,702	24,480	40,688	29,097	7
Female	116,973	4	-	-	12	76	482	1,566	4,312	13,232	35,393	61,896	-
All other,both sexes	25,436	3	-	3	23	101	691	1,767	3,126	5,618	7,328	6,775	1
Male	12,163	2	-	2	14	73	485	1,201	1,954	3,043	3,288	2,101	-
Female	13,273	1	-	1	9	28	206	566	1,172	2,575	4,040	4,674	1
Black,both sexes	21,465	2	-	3	20	83	596	1,554	2,723	4,797	6,037	5,649	1
Male	9,855	1	-	2	11	60	401	1,027	1,676	2,524	2,578	1,575	-
Female	11,610	1	-	1	9	23	195	527	1,047	2,273	3,459	4,074	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Other heart diseases (I26-I51)													
All races,both sexes	165,828	490	177	248	880	1,779	4,647	7,888	12,580	25,572	48,712	62,848	7
Male	72,601	255	100	137	533	1,067	2,894	4,979	7,700	14,320	22,128	18,483	5
Female	93,227	235	77	111	347	712	1,753	2,909	4,880	11,252	26,584	44,365	2
White,both sexes	143,786	329	119	175	595	1,154	3,127	5,582	9,628	21,374	43,578	58,120	5
Male	62,054	174	70	95	352	712	2,021	3,621	5,989	12,138	19,917	16,961	4
Female	81,732	155	49	80	243	442	1,106	1,961	3,639	9,236	23,661	41,159	1
All other,both sexes	22,042	161	58	73	285	625	1,520	2,306	2,952	4,198	5,134	4,728	2
Male	10,547	81	30	42	181	355	873	1,358	1,711	2,182	2,211	1,522	1
Female	11,495	80	28	31	104	270	647	948	1,241	2,016	2,923	3,206	1
Black,both sexes	19,685	135	49	66	263	577	1,409	2,128	2,702	3,780	4,488	4,086	2
Male	9,344	67	27	38	167	331	805	1,260	1,563	1,957	1,887	1,241	1
Female	10,341	68	22	28	96	246	604	868	1,139	1,823	2,601	2,845	1
Acute and subacute endocarditis (I33)													
All races,both sexes	1,116	2	1	-	7	30	114	143	171	240	289	119	-
Male	639	2	1	-	3	24	75	103	103	118	154	56	-
Female	477	-	-	-	4	6	39	40	68	122	135	63	-
White,both sexes	879	1	1	-	6	24	69	89	117	196	264	112	-
Male	509	1	1	-	2	18	45	65	73	102	147	55	-
Female	370	-	-	-	4	6	24	24	44	94	117	57	-
All other,both sexes	237	1	-	-	1	6	45	54	54	44	25	7	-
Male	130	1	-	-	1	6	30	38	30	16	7	1	-
Female	107	-	-	-	-	-	15	16	24	28	18	6	-
Black,both sexes	210	-	-	-	1	6	41	49	48	42	17	6	-
Male	117	-	-	-	1	6	27	35	27	15	5	1	-
Female	93	-	-	-	-	-	14	14	21	27	12	5	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

ALL AGES UNDER 1 YEAR 1-4 YEARS 5-14 YEARS 15-24 YEARS 25-34 YEARS 35-44 YEARS 45-54 YEARS 55-64 YEARS 65-74 YEARS 75-84 YEARS 85 YEARS AND OVER AGE NOT STATED

Diseases of pericardium and acute myocarditis (I30-I31,I40)

All races,both sexes	890	27	25	21	32	50	114	105	125	146	160	85	-
Male	442	13	14	7	20	34	64	56	70	69	65	30	-
Female	448	14	11	14	12	16	50	49	55	77	95	55	-
White,both sexes	703	12	12	13	24	35	79	82	106	122	142	76	-
Male	351	7	5	6	15	24	47	42	61	57	60	27	-
Female	352	5	7	7	9	11	32	40	45	65	82	49	-
All other,both sexes	187	15	13	8	8	15	35	23	19	24	18	9	-
Male	91	6	9	1	5	10	17	14	9	12	5	3	-
Female	96	9	4	7	3	5	18	9	10	12	13	6	-
Black,both sexes	160	10	12	8	6	14	31	20	17	20	16	6	-
Male	77	4	9	1	3	10	14	12	9	11	4	-	-
Female	83	6	3	7	3	4	17	8	8	9	12	6	-

Heart failure (I50)

All races,both sexes	54,913	11	10	12	31	65	272	782	2,107	6,524	16,771	28,327	1
Male	20,755	5	7	6	23	32	164	486	1,228	3,526	7,318	7,959	1
Female	34,158	6	3	6	8	33	108	296	879	2,998	9,453	20,368	-
White,both sexes	49,317	8	8	9	18	34	174	509	1,632	5,511	15,081	26,333	-
Male	18,469	3	5	5	14	17	111	322	972	3,038	6,643	7,339	-
Female	30,848	5	3	4	4	17	63	187	660	2,473	8,438	18,994	-
All other,both sexes	5,596	3	2	3	13	31	98	273	475	1,013	1,690	1,994	1
Male	2,286	2	2	1	9	15	53	164	256	488	675	620	1
Female	3,310	1	-	2	4	16	45	109	219	525	1,015	1,374	-
Black,both sexes	4,998	3	2	3	12	30	94	260	451	927	1,481	1,734	1
Male	2,021	2	2	1	8	15	51	157	243	443	583	515	1
Female	2,977	1	-	2	4	15	43	103	208	484	898	1,219	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

ALL AGES UNDER 1 YEAR 1-4 YEARS 5-14 YEARS 15-24 YEARS 25-34 YEARS 35-44 YEARS 45-54 YEARS 55-64 YEARS 65-74 YEARS 75-84 YEARS 85 YEARS AND OVER AGE NOT STATED

All other forms of heart disease (I26-I28,I34-I38,I42-I49,I51)

All races,both sexes	108,909	450	141	215	810	1,634	4,147	6,858	10,177	18,662	31,492	34,317	6
Male	50,765	235	78	124	487	977	2,591	4,334	6,299	10,607	14,591	10,438	4
Female	58,144	215	63	91	323	657	1,556	2,524	3,878	8,055	16,901	23,879	2
White,both sexes	92,887	308	98	153	547	1,061	2,805	4,902	7,773	15,545	28,091	31,599	5
Male	42,725	163	59	84	321	653	1,818	3,192	4,883	8,941	13,067	9,540	4
Female	50,162	145	39	69	226	408	987	1,710	2,890	6,604	15,024	22,059	1
All other,both sexes	16,022	142	43	62	263	573	1,342	1,956	2,404	3,117	3,401	2,718	1
Male	8,040	72	19	40	166	324	773	1,142	1,416	1,666	1,524	898	-
Female	7,982	70	24	22	97	249	569	814	988	1,451	1,877	1,820	1
Black,both sexes	14,317	122	35	55	244	527	1,243	1,799	2,186	2,791	2,974	2,340	1
Male	7,129	61	16	36	155	300	713	1,056	1,284	1,488	1,295	725	-
Female	7,188	61	19	19	89	227	530	743	902	1,303	1,679	1,615	1

Essential (primary) hypertension and hypertensive renal disease (I10,I12)

All races,both sexes	16,968	3	3	1	13	78	313	799	1,318	2,799	5,324	6,317	-
Male	6,488	2	1	1	8	48	195	482	732	1,372	2,067	1,580	-
Female	10,480	1	2	-	5	30	118	317	586	1,427	3,257	4,737	-
White,both sexes	12,830	2	1	-	7	36	131	407	764	1,949	4,184	5,349	-
Male	4,744	1	-	-	3	27	92	255	448	982	1,630	1,306	-
Female	8,086	1	1	-	4	9	39	152	316	967	2,554	4,043	-
All other,both sexes	4,138	1	2	1	6	42	182	392	554	850	1,140	968	-
Male	1,744	1	1	1	5	21	103	227	284	390	437	274	-
Female	2,394	-	1	-	1	21	79	165	270	460	703	694	-
Black,both sexes	3,732	1	1	1	6	38	177	371	513	767	1,012	845	-
Male	1,565	1	1	1	5	18	98	218	261	349	386	227	-
Female	2,167	-	-	-	1	20	79	153	252	418	626	618	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Cerebrovascular diseases (I60-I69)													
All races,both sexes	167,366	103	46	65	182	580	2,574	5,563	9,652	24,092	57,427	67,080	2
Male	64,485	65	22	34	95	299	1,308	2,996	5,305	12,220	24,088	18,052	1
Female	102,881	38	24	31	87	281	1,266	2,567	4,347	11,872	33,339	49,028	1
White,both sexes	144,827	70	34	49	135	402	1,646	3,609	6,940	19,577	50,917	61,448	-
Male	54,867	43	16	27	72	213	856	1,949	3,843	10,000	21,413	16,435	-
Female	89,960	27	18	22	63	189	790	1,660	3,097	9,577	29,504	45,013	-
All other,both sexes	22,539	33	12	16	47	178	928	1,954	2,712	4,515	6,510	5,632	2
Male	9,618	22	6	7	23	86	452	1,047	1,462	2,220	2,675	1,617	1
Female	12,921	11	6	9	24	92	476	907	1,250	2,295	3,835	4,015	1
Black,both sexes	18,884	28	10	15	41	150	816	1,683	2,295	3,813	5,351	4,681	1
Male	7,894	18	4	7	19	72	393	910	1,251	1,868	2,116	1,236	-
Female	10,990	10	6	8	22	78	423	773	1,044	1,945	3,235	3,445	1
Atherosclerosis (I70)													
All races,both sexes	14,979	2	-	-	2	8	45	185	486	1,476	4,385	8,390	-
Male	5,443	1	-	-	-	5	32	121	307	795	1,927	2,255	-
Female	9,536	1	-	-	2	3	13	64	179	681	2,458	6,135	-
White,both sexes	13,737	1	-	-	2	6	33	151	402	1,300	4,019	7,823	-
Male	4,932	1	-	-	-	4	24	102	254	701	1,755	2,091	-
Female	8,805	-	-	-	2	2	9	49	148	599	2,264	5,732	-
All other,both sexes	1,242	1	-	-	-	2	12	34	84	176	366	567	-
Male	511	-	-	-	-	1	8	19	53	94	172	164	-
Female	731	1	-	-	-	1	4	15	31	82	194	403	-
Black,both sexes	1,069	1	-	-	-	2	9	29	77	151	316	484	-
Male	432	-	-	-	-	1	6	15	47	80	143	140	-
Female	637	1	-	-	-	1	3	14	30	71	173	344	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Other diseases of circulatory system (I71-I78)													
All races,both sexes	25,809	12	2	11	49	141	478	971	2,210	5,808	9,264	6,863	-
Male	13,794	9	-	7	32	102	296	657	1,519	3,681	5,015	2,476	-
Female	12,015	3	2	4	17	39	182	314	691	2,127	4,249	4,387	-
White,both sexes	22,952	9	2	8	42	106	356	729	1,868	5,184	8,430	6,218	-
Male	12,444	6	-	5	27	77	226	503	1,321	3,364	4,637	2,278	-
Female	10,508	3	2	3	15	29	130	226	547	1,820	3,793	3,940	-
All other,both sexes	2,857	3	-	3	7	35	122	242	342	624	834	645	-
Male	1,350	3	-	2	5	25	70	154	198	317	378	198	-
Female	1,507	-	-	1	2	10	52	88	144	307	456	447	-
Black,both sexes	2,434	3	-	-	7	30	112	212	294	521	694	561	-
Male	1,111	3	-	-	5	23	61	135	167	268	292	157	-
Female	1,323	-	-	-	2	7	51	77	127	253	402	404	-
Aortic aneurysm and dissection (I71)													
All races,both sexes	15,807	1	1	3	31	93	329	638	1,437	4,001	5,936	3,337	-
Male	9,615	1	-	2	20	78	232	486	1,088	2,712	3,501	1,495	-
Female	6,192	-	1	1	11	15	97	152	349	1,289	2,435	1,842	-
White,both sexes	14,336	1	1	2	27	70	240	467	1,250	3,652	5,529	3,097	-
Male	8,817	1	-	1	17	58	172	362	969	2,525	3,311	1,401	-
Female	5,519	-	1	1	10	12	68	105	281	1,127	2,218	1,696	-
All other,both sexes	1,471	-	-	1	4	23	89	171	187	349	407	240	-
Male	798	-	-	1	3	20	60	124	119	187	190	94	-
Female	673	-	-	-	1	3	29	47	68	162	217	146	-
Black,both sexes	1,181	-	-	-	4	21	80	152	155	274	306	189	-
Male	619	-	-	-	3	19	52	109	97	149	125	65	-
Female	562	-	-	-	1	2	28	43	58	125	181	124	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

ALL AGES UNDER 1 YEAR 1-4 YEARS 5-14 YEARS 15-24 YEARS 25-34 YEARS 35-44 YEARS 45-54 YEARS 55-64 YEARS 65-74 YEARS 75-84 YEARS 85 YEARS AND OVER AGE NOT STATED

Other diseases of arteries, arterioles and capillaries (I72-I78)

All races,both sexes	10,002	11	1	8	18	48	149	333	773	1,807	3,328	3,526	-
Male	4,179	8	-	5	12	24	64	171	431	969	1,514	981	-
Female	5,823	3	1	3	6	24	85	162	342	838	1,814	2,545	-
White,both sexes	8,616	8	1	6	15	36	116	262	618	1,532	2,901	3,121	-
Male	3,627	5	-	4	10	19	54	141	352	839	1,326	877	-
Female	4,989	3	1	2	5	17	62	121	266	693	1,575	2,244	-
All other,both sexes	1,386	3	-	2	3	12	33	71	155	275	427	405	-
Male	552	3	-	1	2	5	10	30	79	130	188	104	-
Female	834	-	-	1	1	7	23	41	76	145	239	301	-
Black,both sexes	1,253	3	-	-	3	9	32	60	139	247	388	372	-
Male	492	3	-	-	2	4	9	26	70	119	167	92	-
Female	761	-	-	-	1	5	23	34	69	128	221	280	-

Other disorders of circulatory system (I80-I99)

All races,both sexes	4,025	23	1	2	30	93	271	378	445	692	1,117	972	1
Male	1,714	13	1	1	13	44	159	198	224	350	463	248	-
Female	2,311	10	-	1	17	49	112	180	221	342	654	724	1
White,both sexes	3,345	18	-	2	15	64	183	277	367	568	978	872	1
Male	1,399	9	-	1	8	30	106	142	192	287	401	223	-
Female	1,946	9	-	1	7	34	77	135	175	281	577	649	1
All other,both sexes	680	5	1	-	15	29	88	101	78	124	139	100	-
Male	315	4	1	-	5	14	53	56	32	63	62	25	-
Female	365	1	-	-	10	15	35	45	46	61	77	75	-
Black,both sexes	616	4	1	-	14	28	81	96	69	109	125	89	-
Male	282	3	1	-	4	14	49	53	28	56	55	19	-
Female	334	1	-	-	10	14	32	43	41	53	70	70	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Influenza and pneumonia (J10-J18)													
All races,both sexes	63,730	320	130	93	179	339	1,063	1,697	2,625	6,861	19,192	31,229	2
Male	27,718	171	66	53	90	197	592	1,059	1,462	3,893	9,458	10,676	1
Female	36,012	149	64	40	89	142	471	638	1,163	2,968	9,734	20,553	1
White,both sexes	56,694	184	75	72	121	222	714	1,223	2,059	5,832	17,405	28,785	2
Male	24,281	103	33	42	62	134	390	750	1,137	3,288	8,566	9,775	1
Female	32,413	81	42	30	59	88	324	473	922	2,544	8,839	19,010	1
All other,both sexes	7,036	136	55	21	58	117	349	474	566	1,029	1,787	2,444	-
Male	3,437	68	33	11	28	63	202	309	325	605	892	901	-
Female	3,599	68	22	10	30	54	147	165	241	424	895	1,543	-
Black,both sexes	5,876	115	43	15	49	107	312	431	498	889	1,426	1,991	-
Male	2,825	58	25	8	23	58	178	282	289	523	695	686	-
Female	3,051	57	18	7	26	49	134	149	209	366	731	1,305	-
Influenza (J10-J11)													
All races,both sexes	1,665	13	12	11	11	9	16	26	71	164	451	881	-
Male	602	6	9	5	2	5	9	15	37	74	202	238	-
Female	1,063	7	3	6	9	4	7	11	34	90	249	643	-
White,both sexes	1,574	7	8	10	10	8	10	22	65	148	429	857	-
Male	569	1	6	5	2	5	6	13	36	67	194	234	-
Female	1,005	6	2	5	8	3	4	9	29	81	235	623	-
All other,both sexes	91	6	4	1	1	1	6	4	6	16	22	24	-
Male	33	5	3	-	-	-	3	2	1	7	8	4	-
Female	58	1	1	1	1	1	3	2	5	9	14	20	-
Black,both sexes	66	4	1	-	1	1	5	3	5	13	15	18	-
Male	24	3	1	-	-	-	2	2	1	6	6	3	-
Female	42	1	-	-	1	1	3	1	4	7	9	15	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Pneumonia (J12-J18)													
All races,both sexes	62,065	307	118	82	168	330	1,047	1,671	2,554	6,697	18,741	30,348	2
Male	27,116	165	57	48	88	192	583	1,044	1,425	3,819	9,256	10,438	1
Female	34,949	142	61	34	80	138	464	627	1,129	2,878	9,485	19,910	1
White,both sexes	55,120	177	67	62	111	214	704	1,201	1,994	5,684	16,976	27,928	2
Male	23,712	102	27	37	60	129	384	737	1,101	3,221	8,372	9,541	1
Female	31,408	75	40	25	51	85	320	464	893	2,463	8,604	18,387	1
All other,both sexes	6,945	130	51	20	57	116	343	470	560	1,013	1,765	2,420	-
Male	3,404	63	30	11	28	63	199	307	324	598	884	897	-
Female	3,541	67	21	9	29	53	144	163	236	415	881	1,523	-
Black,both sexes	5,810	111	42	15	48	106	307	428	493	876	1,411	1,973	-
Male	2,801	55	24	8	23	58	176	280	288	517	689	683	-
Female	3,009	56	18	7	25	48	131	148	205	359	722	1,290	-
Other acute lower respiratory infections (J20-J22)													
All races,both sexes	540	63	25	5	5	4	11	15	21	35	107	249	-
Male	196	36	15	2	1	3	5	8	10	17	51	48	-
Female	344	27	10	3	4	1	6	7	11	18	56	201	-
White,both sexes	462	36	15	4	4	3	9	11	17	27	99	237	-
Male	156	19	8	2	1	2	4	8	9	12	48	43	-
Female	306	17	7	2	3	1	5	3	8	15	51	194	-
All other,both sexes	78	27	10	1	1	1	2	4	4	8	8	12	-
Male	40	17	7	-	-	1	1	-	1	5	3	5	-
Female	38	10	3	1	1	-	1	4	3	3	5	7	-
Black,both sexes	64	24	6	-	1	1	2	4	2	8	6	10	-
Male	30	15	3	-	-	1	1	-	1	5	1	3	-
Female	34	9	3	-	1	-	1	4	1	3	5	7	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Acute bronchitis and bronchiolitis (J20-J21)													
All races,both sexes	388	62	24	4	5	3	10	14	18	29	69	150	-
Male	154	36	14	2	1	2	4	7	8	15	34	31	-
Female	234	26	10	2	4	1	6	7	10	14	35	119	-
White,both sexes	320	35	15	3	4	3	8	10	14	21	63	144	-
Male	119	19	8	2	1	2	3	7	7	10	32	28	-
Female	201	16	7	1	3	1	5	3	7	11	31	116	-
All other,both sexes	68	27	9	1	1	-	2	4	4	8	6	6	-
Male	35	17	6	-	-	-	1	-	1	5	2	3	-
Female	33	10	3	1	1	-	1	4	3	3	4	3	-
Black,both sexes	55	24	5	-	1	-	2	4	2	8	4	5	-
Male	26	15	2	-	-	-	1	-	1	5	-	2	-
Female	29	9	3	-	1	-	1	4	1	3	4	3	-
Unspecified acute lower respiratory infection (J22)													
All races,both sexes	152	1	1	1	-	1	1	1	3	6	38	99	-
Male	42	-	1	-	-	1	1	1	2	2	17	17	-
Female	110	1	-	1	-	-	-	-	1	4	21	82	-
White,both sexes	142	1	-	1	-	-	1	1	3	6	36	93	-
Male	37	-	-	-	-	-	1	1	2	2	16	15	-
Female	105	1	-	1	-	-	-	-	1	4	20	78	-
All other,both sexes	10	-	1	-	-	1	-	-	-	-	2	6	-
Male	5	-	1	-	-	1	-	-	-	-	1	2	-
Female	5	-	-	-	-	-	-	-	-	-	1	4	-
Black,both sexes	9	-	1	-	-	1	-	-	-	-	2	5	-
Male	4	-	1	-	-	1	-	-	-	-	1	1	-
Female	5	-	-	-	-	-	-	-	-	-	1	4	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Chronic lower respiratory diseases (J40-J47)													
All races,both sexes	124,181	36	54	139	209	330	890	3,110	11,297	32,644	48,635	26,833	4
Male	62,415	19	30	93	123	152	410	1,551	5,958	17,477	24,705	11,894	3
Female	61,766	17	24	46	86	178	480	1,559	5,339	15,167	23,930	14,939	1
White,both sexes	114,735	16	31	71	125	176	608	2,498	10,056	30,111	45,698	25,342	3
Male	57,000	10	14	45	68	78	271	1,237	5,247	15,973	22,944	11,111	2
Female	57,735	6	17	26	57	98	337	1,261	4,809	14,138	22,754	14,231	1
All other,both sexes	9,446	20	23	68	84	154	282	612	1,241	2,533	2,937	1,491	1
Male	5,415	9	16	48	55	74	139	314	711	1,504	1,761	783	1
Female	4,031	11	7	20	29	80	143	298	530	1,029	1,176	708	-
Black,both sexes	7,915	18	18	68	78	144	264	561	1,091	2,112	2,380	1,180	1
Male	4,500	9	13	48	52	69	126	286	629	1,255	1,413	599	1
Female	3,415	9	5	20	26	75	138	275	462	857	967	581	-
Bronchitis, chronic and unspecified (J40-J42)													
All races,both sexes	1,172	20	19	4	7	11	18	38	97	173	339	446	-
Male	498	9	11	3	4	3	5	19	51	94	157	142	-
Female	674	11	8	1	3	8	13	19	46	79	182	304	-
White,both sexes	1,056	11	15	4	6	8	16	24	88	155	306	423	-
Male	440	6	8	3	3	2	5	11	45	85	138	134	-
Female	616	5	7	1	3	6	11	13	43	70	168	289	-
All other,both sexes	116	9	4	-	1	3	2	14	9	18	33	23	-
Male	58	3	3	-	1	1	-	8	6	9	19	8	-
Female	58	6	1	-	-	2	2	6	3	9	14	15	-
Black,both sexes	89	7	1	-	1	3	2	12	8	15	26	14	-
Male	44	3	1	-	1	1	-	7	5	7	16	3	-
Female	45	4	-	-	-	2	2	5	3	8	10	11	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Emphysema (J43)													
All races,both sexes	17,787	1	-	1	1	9	97	468	2,019	5,656	6,955	2,580	-
Male	9,480	-	-	-	1	6	49	268	1,085	3,136	3,677	1,258	-
Female	8,307	1	-	1	-	3	48	200	934	2,520	3,278	1,322	-
White,both sexes	16,674	-	-	1	-	7	70	390	1,851	5,320	6,597	2,438	-
Male	8,754	-	-	-	-	4	35	212	975	2,900	3,449	1,179	-
Female	7,920	-	-	1	-	3	35	178	876	2,420	3,148	1,259	-
All other,both sexes	1,113	1	-	-	1	2	27	78	168	336	358	142	-
Male	726	-	-	-	1	2	14	56	110	236	228	79	-
Female	387	1	-	-	-	-	13	22	58	100	130	63	-
Black,both sexes	930	1	-	-	-	-	25	75	146	281	284	118	-
Male	598	-	-	-	-	-	13	54	94	197	178	62	-
Female	332	1	-	-	-	-	12	21	52	84	106	56	-
Asthma (J45-J46)													
All races,both sexes	4,657	5	27	126	182	262	447	607	583	773	925	720	-
Male	1,620	3	16	85	108	128	184	197	207	267	273	152	-
Female	3,037	2	11	41	74	134	263	410	376	506	652	568	-
White,both sexes	3,328	1	11	59	106	127	266	374	390	570	798	626	-
Male	1,046	1	5	38	60	58	99	118	136	183	231	117	-
Female	2,282	-	6	21	46	69	167	256	254	387	567	509	-
All other,both sexes	1,329	4	16	67	76	135	181	233	193	203	127	94	-
Male	574	2	11	47	48	70	85	79	71	84	42	35	-
Female	755	2	5	20	28	65	96	154	122	119	85	59	-
Black,both sexes	1,145	4	14	67	71	130	168	213	162	158	94	64	-
Male	481	2	10	47	46	68	74	72	57	62	27	16	-
Female	664	2	4	20	25	62	94	141	105	96	67	48	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

ALL AGES UNDER 1 YEAR 1-4 YEARS 5-14 YEARS 15-24 YEARS 25-34 YEARS 35-44 YEARS 45-54 YEARS 55-64 YEARS 65-74 YEARS 75-84 YEARS 85 YEARS AND OVER AGE NOT STATED

Other chronic lower respiratory diseases (J44,J47)

All races,both sexes	100,565	10	8	8	19	48	328	1,997	8,598	26,042	40,416	23,087	4
Male	50,817	7	3	5	10	15	172	1,067	4,615	13,980	20,598	10,342	3
Female	49,748	3	5	3	9	33	156	930	3,983	12,062	19,818	12,745	1
White,both sexes	93,677	4	5	7	13	34	256	1,710	7,727	24,066	37,997	21,855	3
Male	46,760	3	1	4	5	14	132	896	4,091	12,805	19,126	9,681	2
Female	46,917	1	4	3	8	20	124	814	3,636	11,261	18,871	12,174	1
All other,both sexes	6,888	6	3	1	6	14	72	287	871	1,976	2,419	1,232	1
Male	4,057	4	2	1	5	1	40	171	524	1,175	1,472	661	1
Female	2,831	2	1	-	1	13	32	116	347	801	947	571	-
Black,both sexes	5,751	6	3	1	6	11	69	261	775	1,658	1,976	984	1
Male	3,377	4	2	1	5	-	39	153	473	989	1,192	518	1
Female	2,374	2	1	-	1	11	30	108	302	669	784	466	-

Pneumoconioses and chemical effects (J60-J66,J68)

All races,both sexes	1,113	-	3	-	1	-	7	15	57	274	503	253	-
Male	1,079	-	3	-	1	-	5	15	57	269	486	243	-
Female	34	-	-	-	-	-	2	-	-	5	17	10	-
White,both sexes	1,037	-	-	-	-	-	4	11	47	255	484	236	-
Male	1,006	-	-	-	-	-	3	11	47	251	467	227	-
Female	31	-	-	-	-	-	1	-	-	4	17	9	-
All other,both sexes	76	-	3	-	1	-	3	4	10	19	19	17	-
Male	73	-	3	-	1	-	2	4	10	18	19	16	-
Female	3	-	-	-	-	-	1	-	-	1	-	1	-
Black,both sexes	67	-	3	-	1	-	3	4	8	16	16	16	-
Male	64	-	3	-	1	-	2	4	8	15	16	15	-
Female	3	-	-	-	-	-	1	-	-	1	-	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Pneumonitis due to solids and liquids (J69)													
All races,both sexes	15,268	16	12	16	32	78	166	284	586	1,754	5,030	7,294	-
Male	7,755	9	3	6	22	47	97	165	365	1,083	2,875	3,083	-
Female	7,513	7	9	10	10	31	69	119	221	671	2,155	4,211	-
White,both sexes	13,582	13	8	12	22	57	121	219	473	1,461	4,492	6,704	-
Male	6,853	7	2	5	14	33	71	128	291	895	2,562	2,845	-
Female	6,729	6	6	7	8	24	50	91	182	566	1,930	3,859	-
All other,both sexes	1,686	3	4	4	10	21	45	65	113	293	538	590	-
Male	902	2	1	1	8	14	26	37	74	188	313	238	-
Female	784	1	3	3	2	7	19	28	39	105	225	352	-
Black,both sexes	1,505	2	4	3	10	18	41	59	105	266	473	524	-
Male	775	1	1	1	8	12	23	33	68	170	263	195	-
Female	730	1	3	2	2	6	18	26	37	96	210	329	-
Other diseases of respiratory system (J00-J06,J30-J39,J67,J70-J98)													
All races,both sexes	25,031	252	91	76	115	257	576	1,219	2,260	5,409	8,646	6,130	-
Male	12,110	145	55	39	69	127	317	637	1,213	3,005	4,328	2,175	-
Female	12,921	107	36	37	46	130	259	582	1,047	2,404	4,318	3,955	-
White,both sexes	22,161	147	62	55	90	178	395	922	1,883	4,787	7,968	5,674	-
Male	10,764	85	34	29	58	98	228	489	1,014	2,706	4,019	2,004	-
Female	11,397	62	28	26	32	80	167	433	869	2,081	3,949	3,670	-
All other,both sexes	2,870	105	29	21	25	79	181	297	377	622	678	456	-
Male	1,346	60	21	10	11	29	89	148	199	299	309	171	-
Female	1,524	45	8	11	14	50	92	149	178	323	369	285	-
Black,both sexes	2,356	93	26	19	21	74	163	259	319	507	525	350	-
Male	1,092	54	19	9	9	27	77	133	165	239	236	124	-
Female	1,264	39	7	10	12	47	86	126	154	268	289	226	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Peptic ulcer (K25-K28)													
All races,both sexes	4,604	2	2	-	2	21	123	255	422	836	1,500	1,439	2
Male	2,189	-	-	-	2	12	76	169	265	504	712	448	1
Female	2,415	2	2	-	-	9	47	86	157	332	788	991	1
White,both sexes	4,040	1	2	-	2	15	77	186	350	716	1,360	1,330	1
Male	1,887	-	-	-	2	8	44	121	215	432	650	414	1
Female	2,153	1	2	-	-	7	33	65	135	284	710	916	-
All other,both sexes	564	1	-	-	-	6	46	69	72	120	140	109	1
Male	302	-	-	-	-	4	32	48	50	72	62	34	-
Female	262	1	-	-	-	2	14	21	22	48	78	75	1
Black,both sexes	448	1	-	-	-	4	44	60	66	93	99	80	1
Male	243	-	-	-	-	3	31	43	47	55	40	24	-
Female	205	1	-	-	-	1	13	17	19	38	59	56	1
Diseases of appendix (K35-K38)													
All races,both sexes	390	3	2	26	5	6	24	49	48	69	96	62	-
Male	236	1	2	15	5	5	17	37	34	38	47	35	-
Female	154	2	-	11	-	1	7	12	14	31	49	27	-
White,both sexes	314	3	-	18	3	4	19	38	30	57	84	58	-
Male	184	1	-	10	3	3	13	28	24	30	39	33	-
Female	130	2	-	8	-	1	6	10	6	27	45	25	-
All other,both sexes	76	-	2	8	2	2	5	11	18	12	12	4	-
Male	52	-	2	5	2	2	4	9	10	8	8	2	-
Female	24	-	-	3	-	-	1	2	8	4	4	2	-
Black,both sexes	68	-	2	7	1	2	5	10	17	10	11	3	-
Male	48	-	2	4	1	2	4	9	9	7	8	2	-
Female	20	-	-	3	-	-	1	1	8	3	3	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Hernia (K40-K46)													
All races,both sexes	1,464	44	3	2	3	16	39	55	107	215	451	529	-
Male	597	26	2	1	3	8	23	32	60	93	192	157	-
Female	867	18	1	1	-	8	16	23	47	122	259	372	-
White,both sexes	1,298	34	3	2	2	10	30	41	94	183	408	491	-
Male	535	20	2	1	2	5	20	26	57	86	177	139	-
Female	763	14	1	1	-	5	10	15	37	97	231	352	-
All other,both sexes	166	10	-	-	1	6	9	14	13	32	43	38	-
Male	62	6	-	-	1	3	3	6	3	7	15	18	-
Female	104	4	-	-	-	3	6	8	10	25	28	20	-
Black,both sexes	140	9	-	-	1	4	9	12	12	24	38	31	-
Male	53	6	-	-	1	1	3	6	2	7	13	14	-
Female	87	3	-	-	-	3	6	6	10	17	25	17	-
Chronic liver disease and cirrhosis (K70,K73-K74)													
All races,both sexes	26,259	5	2	2	26	407	3,302	6,368	5,637	5,642	3,901	965	2
Male	17,115	4	-	1	11	257	2,314	4,829	3,943	3,454	1,905	395	2
Female	9,144	1	2	1	15	150	988	1,539	1,694	2,188	1,996	570	-
White,both sexes	22,620	4	-	1	15	323	2,676	5,230	4,760	5,073	3,640	896	2
Male	14,790	4	-	-	8	213	1,906	4,021	3,372	3,114	1,781	369	2
Female	7,830	-	-	1	7	110	770	1,209	1,388	1,959	1,859	527	-
All other,both sexes	3,639	1	2	1	11	84	626	1,138	877	569	261	69	-
Male	2,325	-	-	1	3	44	408	808	571	340	124	26	-
Female	1,314	1	2	-	8	40	218	330	306	229	137	43	-
Black,both sexes	2,833	-	2	1	10	55	457	922	699	438	195	54	-
Male	1,842	-	-	1	3	28	296	663	460	277	96	18	-
Female	991	-	2	-	7	27	161	259	239	161	99	36	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Alcoholic liver disease (K70)													
All races,both sexes	11,958	-	-	-	8	259	2,186	3,802	2,859	1,935	789	118	2
Male	8,922	-	-	-	6	165	1,520	2,927	2,194	1,497	538	73	2
Female	3,036	-	-	-	2	94	666	875	665	438	251	45	-
White,both sexes	10,041	-	-	-	5	205	1,764	3,152	2,405	1,698	708	102	2
Male	7,602	-	-	-	4	136	1,249	2,469	1,876	1,317	486	63	2
Female	2,439	-	-	-	1	69	515	683	529	381	222	39	-
All other,both sexes	1,917	-	-	-	3	54	422	650	454	237	81	16	-
Male	1,320	-	-	-	2	29	271	458	318	180	52	10	-
Female	597	-	-	-	1	25	151	192	136	57	29	6	-
Black,both sexes	1,466	-	-	-	2	29	283	519	361	194	64	14	-
Male	1,018	-	-	-	2	15	179	368	257	148	41	8	-
Female	448	-	-	-	-	14	104	151	104	46	23	6	-
Other chronic liver disease and cirrhosis (K73-K74)													
All races,both sexes	14,301	5	2	2	18	148	1,116	2,566	2,778	3,707	3,112	847	-
Male	8,193	4	-	1	5	92	794	1,902	1,749	1,957	1,367	322	-
Female	6,108	1	2	1	13	56	322	664	1,029	1,750	1,745	525	-
White,both sexes	12,579	4	-	1	10	118	912	2,078	2,355	3,375	2,932	794	-
Male	7,188	4	-	-	4	77	657	1,552	1,496	1,797	1,295	306	-
Female	5,391	-	-	1	6	41	255	526	859	1,578	1,637	488	-
All other,both sexes	1,722	1	2	1	8	30	204	488	423	332	180	53	-
Male	1,005	-	-	1	1	15	137	350	253	160	72	16	-
Female	717	1	2	-	7	15	67	138	170	172	108	37	-
Black,both sexes	1,367	-	2	1	8	26	174	403	338	244	131	40	-
Male	824	-	-	1	1	13	117	295	203	129	55	10	-
Female	543	-	2	-	7	13	57	108	135	115	76	30	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

ALL AGES UNDER 1 YEAR 1-4 YEARS 5-14 YEARS 15-24 YEARS 25-34 YEARS 35-44 YEARS 45-54 YEARS 55-64 YEARS 65-74 YEARS 75-84 YEARS 85 YEARS AND OVER AGE NOT STATED

Cholelithiasis and other disorders of gallbladder (K80-K82)

All races,both sexes	2,830	2	-	1	10	16	59	124	203	475	948	992	-
Male	1,248	1	-	1	5	4	30	58	120	252	447	330	-
Female	1,582	1	-	-	5	12	29	66	83	223	501	662	-
White,both sexes	2,487	-	-	1	6	13	37	97	153	398	864	918	-
Male	1,101	-	-	1	4	2	20	45	91	217	418	303	-
Female	1,386	-	-	-	2	11	17	52	62	181	446	615	-
All other,both sexes	343	2	-	-	4	3	22	27	50	77	84	74	-
Male	147	1	-	-	1	2	10	13	29	35	29	27	-
Female	196	1	-	-	3	1	12	14	21	42	55	47	-
Black,both sexes	257	2	-	-	4	3	20	21	35	59	65	48	-
Male	102	1	-	-	1	2	9	9	19	25	23	13	-
Female	155	1	-	-	3	1	11	12	16	34	42	35	-

Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)

All races,both sexes	35,525	166	15	31	72	252	707	1,480	2,864	6,841	11,927	11,170	-
Male	17,016	90	9	18	33	125	402	846	1,530	3,504	6,031	4,428	-
Female	18,509	76	6	13	39	127	305	634	1,334	3,337	5,896	6,742	-
White,both sexes	28,041	102	13	22	42	137	381	825	1,868	5,087	9,934	9,630	-
Male	13,632	62	7	15	19	70	218	474	1,043	2,711	5,119	3,894	-
Female	14,409	40	6	7	23	67	163	351	825	2,376	4,815	5,736	-
All other,both sexes	7,484	64	2	9	30	115	326	655	996	1,754	1,993	1,540	-
Male	3,384	28	2	3	14	55	184	372	487	793	912	534	-
Female	4,100	36	-	6	16	60	142	283	509	961	1,081	1,006	-
Black,both sexes	6,711	58	1	8	30	103	310	617	887	1,569	1,769	1,359	-
Male	3,008	25	1	3	14	47	173	354	429	700	813	449	-
Female	3,703	33	-	5	16	56	137	263	458	869	956	910	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

ALL AGES UNDER 1 YEAR 1-4 YEARS 5-14 YEARS 15-24 YEARS 25-34 YEARS 35-44 YEARS 45-54 YEARS 55-64 YEARS 65-74 YEARS 75-84 YEARS 85 YEARS AND OVER AGE NOT STATED

Acute and rapidly progressive nephritic and nephrotic syndrome (N00-N01,N04)

All races,both sexes	182	3	2	5	2	5	5	11	16	37	62	34	-
Male	90	3	2	2	2	4	2	6	6	17	32	14	-
Female	92	-	-	3	-	1	3	5	10	20	30	20	-
White,both sexes	144	3	2	4	1	2	3	7	9	32	52	29	-
Male	67	3	2	2	1	1	1	4	3	14	26	10	-
Female	77	-	-	2	-	1	2	3	6	18	26	19	-
All other,both sexes	38	-	-	1	1	3	2	4	7	5	10	5	-
Male	23	-	-	-	1	3	1	2	3	3	6	4	-
Female	15	-	-	1	-	-	1	2	4	2	4	1	-
Black,both sexes	28	-	-	1	1	2	2	4	5	3	6	4	-
Male	16	-	-	-	1	2	1	2	2	2	3	3	-
Female	12	-	-	1	-	-	1	2	3	1	3	1	-

Chronic glomerulonephritis, nephritis and nephropathy not specified as acute or chronic,and renal sclerosis unspecified (N02-N03,N05-N07,N26)

All races,both sexes	589	-	1	1	7	15	28	44	60	101	200	132	-
Male	304	-	-	1	6	10	18	25	32	45	107	60	-
Female	285	-	1	-	1	5	10	19	28	56	93	72	-
White,both sexes	467	-	1	1	4	11	15	32	43	78	173	109	-
Male	244	-	-	1	3	8	10	19	24	35	94	50	-
Female	223	-	1	-	1	3	5	13	19	43	79	59	-
All other,both sexes	122	-	-	-	3	4	13	12	17	23	27	23	-
Male	60	-	-	-	3	2	8	6	8	10	13	10	-
Female	62	-	-	-	-	2	5	6	9	13	14	13	-
Black,both sexes	94	-	-	-	3	2	11	10	11	18	20	19	-
Male	47	-	-	-	3	1	6	6	6	7	10	8	-
Female	47	-	-	-	-	1	5	4	5	11	10	11	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Renal failure (N17-N19)													
All races,both sexes	34,719	163	12	25	63	230	673	1,422	2,784	6,697	11,652	10,998	-
Male	16,611	87	7	15	25	110	382	814	1,492	3,440	5,888	4,351	-
Female	18,108	76	5	10	38	120	291	608	1,292	3,257	5,764	6,647	-
White,both sexes	27,407	99	10	17	37	122	362	784	1,815	4,972	9,701	9,488	-
Male	13,312	59	5	12	15	60	207	450	1,016	2,661	4,996	3,831	-
Female	14,095	40	5	5	22	62	155	334	799	2,311	4,705	5,657	-
All other,both sexes	7,312	64	2	8	26	108	311	638	969	1,725	1,951	1,510	-
Male	3,299	28	2	3	10	50	175	364	476	779	892	520	-
Female	4,013	36	-	5	16	58	136	274	493	946	1,059	990	-
Black,both sexes	6,577	58	1	7	26	99	297	602	868	1,547	1,738	1,334	-
Male	2,943	25	1	3	10	44	166	346	421	690	799	438	-
Female	3,634	33	-	4	16	55	131	256	447	857	939	896	-
Other disorders of kidney (N25,N27)													
All races,both sexes	35	-	-	-	-	2	1	3	4	6	13	6	-
Male	11	-	-	-	-	1	-	1	-	2	4	3	-
Female	24	-	-	-	-	1	1	2	4	4	9	3	-
White,both sexes	23	-	-	-	-	2	1	2	1	5	8	4	-
Male	9	-	-	-	-	1	-	1	-	1	3	3	-
Female	14	-	-	-	-	1	1	1	1	4	5	1	-
All other,both sexes	12	-	-	-	-	-	-	1	3	1	5	2	-
Male	2	-	-	-	-	-	-	-	-	1	1	-	-
Female	10	-	-	-	-	-	-	1	3	-	4	2	-
Black,both sexes	12	-	-	-	-	-	-	1	3	1	5	2	-
Male	2	-	-	-	-	-	-	-	-	1	1	-	-
Female	10	-	-	-	-	-	-	1	3	-	4	2	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Infections of kidney (N10-N12,N13.6,N15.1)													
All races,both sexes	846	3	1	1	4	9	28	55	59	133	242	311	-
Male	263	1	-	-	1	-	7	19	27	44	83	81	-
Female	583	2	1	1	3	9	21	36	32	89	159	230	-
White,both sexes	749	1	1	1	2	8	20	44	48	110	223	291	-
Male	232	1	-	-	1	-	5	14	22	34	77	78	-
Female	517	-	1	1	1	8	15	30	26	76	146	213	-
All other,both sexes	97	2	-	-	2	1	8	11	11	23	19	20	-
Male	31	-	-	-	-	-	2	5	5	10	6	3	-
Female	66	2	-	-	2	1	6	6	6	13	13	17	-
Black,both sexes	85	1	-	-	2	1	6	10	11	20	16	18	-
Male	29	-	-	-	-	-	2	5	5	10	4	3	-
Female	56	1	-	-	2	1	4	5	6	10	12	15	-
Hyperplasia of prostate (N40)													
All races,both sexes	430	-	-	-	-	-	-	1	13	47	160	209	-
Male	430	-	-	-	-	-	-	1	13	47	160	209	-
White,both sexes	390	-	-	-	-	-	-	1	9	40	147	193	-
Male	390	-	-	-	-	-	-	1	9	40	147	193	-
All other,both sexes	40	-	-	-	-	-	-	-	4	7	13	16	-
Male	40	-	-	-	-	-	-	-	4	7	13	16	-
Black,both sexes	38	-	-	-	-	-	-	-	4	6	13	15	-
Male	38	-	-	-	-	-	-	-	4	6	13	15	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

ALL AGES UNDER 1 YEAR 1-4 YEARS 5-14 YEARS 15-24 YEARS 25-34 YEARS 35-44 YEARS 45-54 YEARS 55-64 YEARS 65-74 YEARS 75-84 YEARS 85 YEARS AND OVER AGE NOT STATED

Inflammatory diseases of female pelvic organs (N70-N76)

All races,both sexes	108	2	1	-	3	6	12	6	13	15	32	18	-
Female	108	2	1	-	3	6	12	6	13	15	32	18	-
White,both sexes	80	1	1	-	2	3	4	4	12	10	26	17	-
Female	80	1	1	-	2	3	4	4	12	10	26	17	-
All other,both sexes	28	1	-	-	1	3	8	2	1	5	6	1	-
Female	28	1	-	-	1	3	8	2	1	5	6	1	-
Black,both sexes	26	1	-	-	1	2	7	2	1	5	6	1	-
Female	26	1	-	-	1	2	7	2	1	5	6	1	-

Pregnancy, childbirth and the puerperium (000-099)

All races,both sexes	406	-	97	181	121	7	-
Female	406	-	97	181	121	7	-
White,both sexes	220	-	45	100	71	4	-
Female	220	-	45	100	71	4	-
All other,both sexes	186	-	52	81	50	3	-
Female	186	-	52	81	50	3	-
Black,both sexes	162	-	47	71	42	2	-
Female	162	-	47	71	42	2	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

ALL AGES UNDER 1 YEAR 1-4 YEARS 5-14 YEARS 15-24 YEARS 25-34 YEARS 35-44 YEARS 45-54 YEARS 55-64 YEARS 65-74 YEARS 75-84 YEARS 85 YEARS AND OVER AGE NOT STATED

Pregnancy with abortive outcome (000-007)

All races,both sexes	31	-	8	15	8	-	-
Female	31	-	8	15	8	-	-
White,both sexes	15	-	4	6	5	-	-
Female	15	-	4	6	5	-	-
All other,both sexes	16	-	4	9	3	-	-
Female	16	-	4	9	3	-	-
Black,both sexes	15	-	4	8	3	-	-
Female	15	-	4	8	3	-	-

Other complications of pregnancy, childbirth and the puerperium (010-099)

All races,both sexes	375	-	89	166	113	7	-
Female	375	-	89	166	113	7	-
White,both sexes	205	-	41	94	66	4	-
Female	205	-	41	94	66	4	-
All other,both sexes	170	-	48	72	47	3	-
Female	170	-	48	72	47	3	-
Black,both sexes	147	-	43	63	39	2	-
Female	147	-	43	63	39	2	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

ALL AGES UNDER 1 YEAR 1-4 YEARS 5-14 YEARS 15-24 YEARS 25-34 YEARS 35-44 YEARS 45-54 YEARS 55-64 YEARS 65-74 YEARS 75-84 YEARS 85 YEARS AND OVER AGE NOT STATED

Certain conditions originating in the perinatal period (P00-P96)

All races,both sexes	14,259	14,084	92	43	16	7	3	2	3	2	1	1	5
Male	8,044	7,941	56	23	10	2	2	2	1	1	1	1	4
Female	6,215	6,143	36	20	6	5	1	-	2	1	-	-	1
White,both sexes	8,648	8,522	56	33	15	7	3	2	3	2	1	1	3
Male	4,884	4,815	30	17	10	2	2	2	1	1	1	1	2
Female	3,764	3,707	26	16	5	5	1	-	2	1	-	-	1
All other,both sexes	5,611	5,562	36	10	1	-	-	-	-	-	-	-	2
Male	3,160	3,126	26	6	-	-	-	-	-	-	-	-	2
Female	2,451	2,436	10	4	1	-	-	-	-	-	-	-	-
Black,both sexes	5,150	5,113	29	5	1	-	-	-	-	-	-	-	2
Male	2,907	2,883	19	3	-	-	-	-	-	-	-	-	2
Female	2,243	2,230	10	2	1	-	-	-	-	-	-	-	-

Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)

All races,both sexes	10,393	5,473	549	428	434	465	552	647	557	469	491	326	2
Male	5,346	2,875	310	215	262	242	296	347	283	209	204	102	1
Female	5,047	2,598	239	213	172	223	256	300	274	260	287	224	1
White,both sexes	8,297	4,211	385	301	332	386	461	557	500	416	445	301	2
Male	4,269	2,240	218	148	204	202	245	296	257	186	179	93	1
Female	4,028	1,971	167	153	128	184	216	261	243	230	266	208	1
All other,both sexes	2,096	1,262	164	127	102	79	91	90	57	53	46	25	-
Male	1,077	635	92	67	58	40	51	51	26	23	25	9	-
Female	1,019	627	72	60	44	39	40	39	31	30	21	16	-
Black,both sexes	1,720	1,025	138	106	83	61	77	76	46	46	38	24	-
Male	899	531	79	54	51	32	42	44	22	16	19	9	-
Female	821	494	59	52	32	29	35	32	24	30	19	15	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

ALL AGES UNDER 1 YEAR 1-4 YEARS 5-14 YEARS 15-24 YEARS 25-34 YEARS 35-44 YEARS 45-54 YEARS 55-64 YEARS 65-74 YEARS 75-84 YEARS 85 YEARS AND OVER AGE NOT STATED

Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

All races,both sexes	26,672	3,538	236	137	609	1,095	2,062	2,151	1,860	2,698	4,413	7,798	75
Male	12,877	2,072	136	77	422	721	1,339	1,446	1,181	1,513	1,930	1,984	56
Female	13,795	1,466	100	60	187	374	723	705	679	1,185	2,483	5,814	19
White,both sexes	21,591	2,227	159	96	433	798	1,507	1,572	1,447	2,254	3,873	7,164	61
Male	10,094	1,321	96	54	309	529	1,005	1,050	919	1,269	1,689	1,806	47
Female	11,497	906	63	42	124	269	502	522	528	985	2,184	5,358	14
All other,both sexes	5,081	1,311	77	41	176	297	555	579	413	444	540	634	14
Male	2,783	751	40	23	113	192	334	396	262	244	241	178	9
Female	2,298	560	37	18	63	105	221	183	151	200	299	456	5
Black,both sexes	4,591	1,167	68	33	154	266	514	535	378	403	490	572	11
Male	2,517	669	35	20	101	176	307	364	245	221	215	157	7
Female	2,074	498	33	13	53	90	207	171	133	182	275	415	4

All other diseases (Residual) (D65-E07,E15-E34,E65-F99,G04-G12,G23-G25,G31-H93,K00-K22,K29-K31,K50-K66,K71-K72,K75-K76,K83-M99,N13.0-N13.5,N13.7-N13.9,N14,N15.0,N15.8-N15.9,N20-N23,N28-N39,N41-N64,N80-N98)

All races,both sexes	171,683	1,148	647	921	1,771	3,062	7,989	12,383	14,390	25,165	45,598	58,599	10
Male	69,784	680	354	483	1,045	1,790	4,835	7,272	7,870	12,332	18,495	14,623	5
Female	101,899	468	293	438	726	1,272	3,154	5,111	6,520	12,833	27,103	43,976	5
White,both sexes	148,614	750	482	675	1,319	2,254	5,752	9,321	11,627	21,436	40,987	54,005	6
Male	59,336	446	264	344	809	1,384	3,648	5,603	6,413	10,563	16,566	13,293	3
Female	89,278	304	218	331	510	870	2,104	3,718	5,214	10,873	24,421	40,712	3
All other,both sexes	23,069	398	165	246	452	808	2,237	3,062	2,763	3,729	4,611	4,594	4
Male	10,448	234	90	139	236	406	1,187	1,669	1,457	1,769	1,929	1,330	2
Female	12,621	164	75	107	216	402	1,050	1,393	1,306	1,960	2,682	3,264	2
Black,both sexes	20,325	343	131	202	388	708	2,018	2,751	2,465	3,285	3,996	4,034	4
Male	9,071	199	68	119	205	348	1,052	1,504	1,291	1,538	1,643	1,102	2
Female	11,254	144	63	83	183	360	966	1,247	1,174	1,747	2,353	2,932	2

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

ALL AGES UNDER 1 YEAR 1-4 YEARS 5-14 YEARS 15-24 YEARS 25-34 YEARS 35-44 YEARS 45-54 YEARS 55-64 YEARS 65-74 YEARS 75-84 YEARS 85 YEARS AND OVER AGE NOT STATED

Accidents (unintentional injuries) (V01-X59,Y85-Y86)

All races,both sexes	97,860	845	1,898	3,091	13,656	11,890	15,231	11,639	7,285	8,208	12,282	11,729	106
Male	63,535	494	1,127	1,974	10,040	9,097	11,248	8,602	5,015	4,992	6,372	4,480	94
Female	34,325	351	771	1,117	3,616	2,793	3,983	3,037	2,270	3,216	5,910	7,249	12
White,both sexes	82,245	562	1,374	2,270	11,364	9,661	12,500	9,368	5,962	7,027	11,130	10,938	89
Male	52,898	333	811	1,434	8,327	7,442	9,288	6,919	4,100	4,267	5,758	4,140	79
Female	29,347	229	563	836	3,037	2,219	3,212	2,449	1,862	2,760	5,372	6,798	10
All other,both sexes	15,615	283	524	821	2,292	2,229	2,731	2,271	1,323	1,181	1,152	791	17
Male	10,637	161	316	540	1,713	1,655	1,960	1,683	915	725	614	340	15
Female	4,978	122	208	281	579	574	771	588	408	456	538	451	2
Black,both sexes	12,728	252	441	707	1,719	1,765	2,285	1,939	1,066	951	936	651	16
Male	8,773	141	266	472	1,301	1,335	1,660	1,471	755	600	488	270	14
Female	3,955	111	175	235	418	430	625	468	311	351	448	381	2

Transport accidents (V01-V99,Y85)

All races,both sexes	46,423	189	712	1,975	10,689	7,434	7,553	5,645	3,812	3,579	3,468	1,330	37
Male	31,642	101	400	1,206	7,558	5,511	5,376	4,016	2,561	2,162	1,959	758	34
Female	14,781	88	312	769	3,131	1,923	2,177	1,629	1,251	1,417	1,509	572	3
White,both sexes	38,767	137	497	1,542	8,953	6,026	6,199	4,665	3,214	3,134	3,154	1,218	28
Male	26,385	80	273	936	6,316	4,477	4,428	3,331	2,161	1,896	1,773	688	26
Female	12,382	57	224	606	2,637	1,549	1,771	1,334	1,053	1,238	1,381	530	2
All other,both sexes	7,656	52	215	433	1,736	1,408	1,354	980	598	445	314	112	9
Male	5,257	21	127	270	1,242	1,034	948	685	400	266	186	70	8
Female	2,399	31	88	163	494	374	406	295	198	179	128	42	1
Black,both sexes	5,901	44	177	364	1,284	1,089	1,085	772	436	318	236	87	9
Male	4,162	18	101	232	926	828	778	567	307	198	141	58	8
Female	1,739	26	76	132	358	261	307	205	129	120	95	29	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

ALL AGES UNDER 1 YEAR 1-4 YEARS 5-14 YEARS 15-24 YEARS 25-34 YEARS 35-44 YEARS 45-54 YEARS 55-64 YEARS 65-74 YEARS 75-84 YEARS 85 YEARS AND OVER AGE NOT STATED

Motor vehicle accidents (V02-V04,V09.0,V09.2,V12-V14,V19.0-V19.2,V19.4-V19.6,V20-V79,V80.3-V80.5,V81.0-V81.1,V82.0-V82.1,V83-V86,V87.0-V87.8,V88.0-V88.8,V89.0,V89.2)

All races,both sexes	42,401	184	650	1,771	10,128	6,778	6,738	4,972	3,370	3,276	3,243	1,261	30
Male	28,552	97	366	1,062	7,127	4,993	4,735	3,473	2,200	1,931	1,827	714	27
Female	13,849	87	284	709	3,001	1,785	2,003	1,499	1,170	1,345	1,416	547	3
White,both sexes	35,343	133	455	1,377	8,485	5,469	5,497	4,091	2,831	2,868	2,958	1,157	22
Male	23,763	77	253	823	5,959	4,038	3,879	2,867	1,849	1,692	1,655	651	20
Female	11,580	56	202	554	2,526	1,431	1,618	1,224	982	1,176	1,303	506	2
All other,both sexes	7,058	51	195	394	1,643	1,309	1,241	881	539	408	285	104	8
Male	4,789	20	113	239	1,168	955	856	606	351	239	172	63	7
Female	2,269	31	82	155	475	354	385	275	188	169	113	41	1
Black,both sexes	5,470	43	160	334	1,230	1,018	995	696	393	295	218	80	8
Male	3,821	17	89	205	885	771	704	506	271	180	134	52	7
Female	1,649	26	71	129	345	247	291	190	122	115	84	28	1

Other land transport accidents (V01,V05-V06,V09.1,V09.3-V09.9,V10-V11,V15-V18,V19.3,V19.8-V19.9,V80.0-V80.2,V80.6-V80.9,V81.2-V81.9,V82.2-V82.9,V87.9,V88.9,V89.1,V89.3,V89.9)

All races,both sexes	2,118	4	48	128	362	317	408	304	182	145	159	54	7
Male	1,559	4	26	91	279	244	319	234	135	97	88	35	7
Female	559	-	22	37	83	73	89	70	47	48	71	19	-
White,both sexes	1,755	3	32	99	295	259	340	250	161	123	139	48	6
Male	1,281	3	15	68	223	199	266	190	119	84	78	30	6
Female	474	-	17	31	72	60	74	60	42	39	61	18	-
All other,both sexes	363	1	16	29	67	58	68	54	21	22	20	6	1
Male	278	1	11	23	56	45	53	44	16	13	10	5	1
Female	85	-	5	6	11	13	15	10	5	9	10	1	-
Black,both sexes	253	1	13	21	34	42	52	42	17	14	11	5	1
Male	196	1	9	20	28	34	41	34	12	9	3	4	1
Female	57	-	4	1	6	8	11	8	5	5	8	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

ALL AGES UNDER 1 YEAR 1-4 YEARS 5-14 YEARS 15-24 YEARS 25-34 YEARS 35-44 YEARS 45-54 YEARS 55-64 YEARS 65-74 YEARS 75-84 YEARS 85 YEARS AND OVER AGE NOT STATED

Water, air and space, and other and unspecified transport accidents and their sequelae (V90-V99,Y85)

All races,both sexes	1,904	1	14	76	199	339	407	369	260	158	66	15	-
Male	1,531	-	8	53	152	274	322	309	226	134	44	9	-
Female	373	1	6	23	47	65	85	60	34	24	22	6	-
White,both sexes	1,669	1	10	66	173	298	362	324	222	143	57	13	-
Male	1,341	-	5	45	134	240	283	274	193	120	40	7	-
Female	328	1	5	21	39	58	79	50	29	23	17	6	-
All other,both sexes	235	-	4	10	26	41	45	45	38	15	9	2	-
Male	190	-	3	8	18	34	39	35	33	14	4	2	-
Female	45	-	1	2	8	7	6	10	5	1	5	-	-
Black,both sexes	178	-	4	9	20	29	38	34	26	9	7	2	-
Male	145	-	3	7	13	23	33	27	24	9	4	2	-
Female	33	-	1	2	7	6	5	7	2	-	3	-	-

Nontransport accidents (W00-X59,Y86)

All races,both sexes	51,437	656	1,186	1,116	2,967	4,456	7,678	5,994	3,473	4,629	8,814	10,399	69
Male	31,893	393	727	768	2,482	3,586	5,872	4,586	2,454	2,830	4,413	3,722	60
Female	19,544	263	459	348	485	870	1,806	1,408	1,019	1,799	4,401	6,677	9
White,both sexes	43,478	425	877	728	2,411	3,635	6,301	4,703	2,748	3,893	7,976	9,720	61
Male	26,513	253	538	498	2,011	2,965	4,860	3,588	1,939	2,371	3,985	3,452	53
Female	16,965	172	339	230	400	670	1,441	1,115	809	1,522	3,991	6,268	8
All other,both sexes	7,959	231	309	388	556	821	1,377	1,291	725	736	838	679	8
Male	5,380	140	189	270	471	621	1,012	998	515	459	428	270	7
Female	2,579	91	120	118	85	200	365	293	210	277	410	409	1
Black,both sexes	6,827	208	264	343	435	676	1,200	1,167	630	633	700	564	7
Male	4,611	123	165	240	375	507	882	904	448	402	347	212	6
Female	2,216	85	99	103	60	169	318	263	182	231	353	352	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Falls (W00-W19)													
All races,both sexes	13,162	12	55	53	242	343	645	824	887	1,663	3,856	4,578	4
Male	7,109	8	37	40	209	294	528	661	650	1,027	1,950	1,701	4
Female	6,053	4	18	13	33	49	117	163	237	636	1,906	2,877	-
White,both sexes	11,992	8	43	42	212	284	547	663	722	1,469	3,632	4,366	4
Male	6,352	7	29	32	186	246	442	535	530	904	1,828	1,609	4
Female	5,640	1	14	10	26	38	105	128	192	565	1,804	2,757	-
All other,both sexes	1,170	4	12	11	30	59	98	161	165	194	224	212	-
Male	757	1	8	8	23	48	86	126	120	123	122	92	-
Female	413	3	4	3	7	11	12	35	45	71	102	120	-
Black,both sexes	878	2	11	10	21	43	75	137	131	151	155	142	-
Male	564	1	8	7	16	35	67	108	93	100	79	50	-
Female	314	1	3	3	5	8	8	29	38	51	76	92	-
Accidental discharge of firearms (W32-W34)													
All races,both sexes	824	-	12	76	251	143	136	92	48	33	23	10	-
Male	707	-	7	60	229	122	112	78	41	31	20	7	-
Female	117	-	5	16	22	21	24	14	7	2	3	3	-
White,both sexes	649	-	5	57	174	115	116	81	41	30	20	10	-
Male	554	-	3	46	158	96	94	68	37	28	17	7	-
Female	95	-	2	11	16	19	22	13	4	2	3	3	-
All other,both sexes	175	-	7	19	77	28	20	11	7	3	3	-	-
Male	153	-	4	14	71	26	18	10	4	3	3	-	-
Female	22	-	3	5	6	2	2	1	3	-	-	-	-
Black,both sexes	156	-	7	17	67	23	18	11	7	3	3	-	-
Male	135	-	4	12	61	22	16	10	4	3	3	-	-
Female	21	-	3	5	6	1	2	1	3	-	-	-	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER	AGE NOT STATED
Accidental drowning and submersion (W65-W74)													
All races,both sexes	3,529	68	490	369	647	446	475	370	219	185	158	68	34
Male	2,794	39	310	275	592	397	402	311	170	129	111	28	30
Female	735	29	180	94	55	49	73	59	49	56	47	40	4
White,both sexes	2,715	46	416	186	462	330	393	317	181	154	138	60	32
Male	2,120	26	262	132	419	293	327	265	139	106	97	26	28
Female	595	20	154	54	43	37	66	52	42	48	41	34	4
All other,both sexes	814	22	74	183	185	116	82	53	38	31	20	8	2
Male	674	13	48	143	173	104	75	46	31	23	14	2	2
Female	140	9	26	40	12	12	7	7	7	8	6	6	-
Black,both sexes	634	21	60	159	138	88	60	37	29	21	15	5	1
Male	530	12	40	125	129	80	55	35	23	17	11	2	1
Female	104	9	20	34	9	8	5	2	6	4	4	3	-
Accidental exposure to smoke, fire and flames (X00-X09)													
All races,both sexes	3,348	41	302	262	201	282	421	368	319	416	487	245	4
Male	2,025	21	173	147	133	197	300	254	194	244	247	111	4
Female	1,323	20	129	115	68	85	121	114	125	172	240	134	-
White,both sexes	2,380	26	178	159	153	215	310	272	235	293	360	176	3
Male	1,466	14	103	88	103	156	223	188	149	169	184	86	3
Female	914	12	75	71	50	59	87	84	86	124	176	90	-
All other,both sexes	968	15	124	103	48	67	111	96	84	123	127	69	1
Male	559	7	70	59	30	41	77	66	45	75	63	25	1
Female	409	8	54	44	18	26	34	30	39	48	64	44	-
Black,both sexes	892	15	111	102	40	53	102	87	80	113	120	68	1
Male	510	7	63	58	24	30	71	59	44	69	59	25	1
Female	382	8	48	44	16	23	31	28	36	44	61	43	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

ALL AGES UNDER 1 YEAR 1-4 YEARS 5-14 YEARS 15-24 YEARS 25-34 YEARS 35-44 YEARS 45-54 YEARS 55-64 YEARS 65-74 YEARS 75-84 YEARS 85 YEARS AND OVER AGE NOT STATED

Accidental poisoning and exposure to noxious substances (X40-X49)

All races,both sexes	12,186	12	34	40	964	2,355	4,549	2,844	668	300	265	143	12
Male	8,887	11	17	25	754	1,828	3,349	2,106	448	172	116	53	8
Female	3,299	1	17	15	210	527	1,200	738	220	128	149	90	4
White,both sexes	9,883	10	20	27	843	1,965	3,713	2,178	510	240	245	123	9
Male	7,240	9	9	17	662	1,551	2,777	1,594	321	138	107	49	6
Female	2,643	1	11	10	181	414	936	584	189	102	138	74	3
All other,both sexes	2,303	2	14	13	121	390	836	666	158	60	20	20	3
Male	1,647	2	8	8	92	277	572	512	127	34	9	4	2
Female	656	-	6	5	29	113	264	154	31	26	11	16	1
Black,both sexes	2,062	1	12	8	94	336	750	628	144	50	18	18	3
Male	1,494	1	7	6	77	237	519	485	117	30	9	4	2
Female	568	-	5	2	17	99	231	143	27	20	9	14	1

Other and unspecified nontransport accidents and their sequelae (W20-W31,W35-W64,W75-W99,X10-X39,X50-X59,Y86)

All races,both sexes	18,388	523	293	316	662	887	1,452	1,496	1,332	2,032	4,025	5,355	15
Male	10,371	314	183	221	565	748	1,181	1,176	951	1,227	1,969	1,822	14
Female	8,017	209	110	95	97	139	271	320	381	805	2,056	3,533	1
White,both sexes	15,859	335	215	257	567	726	1,222	1,192	1,059	1,707	3,581	4,985	13
Male	8,781	197	132	183	483	623	997	938	763	1,026	1,752	1,675	12
Female	7,078	138	83	74	84	103	225	254	296	681	1,829	3,310	1
All other,both sexes	2,529	188	78	59	95	161	230	304	273	325	444	370	2
Male	1,590	117	51	38	82	125	184	238	188	201	217	147	2
Female	939	71	27	21	13	36	46	66	85	124	227	223	-
Black,both sexes	2,205	169	63	47	75	133	195	267	239	295	389	331	2
Male	1,378	102	43	32	68	103	154	207	167	183	186	131	2
Female	827	67	20	15	7	30	41	60	72	112	203	200	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

ALL AGES UNDER 1 YEAR 1-4 YEARS 5-14 YEARS 15-24 YEARS 25-34 YEARS 35-44 YEARS 45-54 YEARS 55-64 YEARS 65-74 YEARS 75-84 YEARS 85 YEARS AND OVER AGE NOT STATED

Intentional self-harm (suicide) (X60-X84,Y87.0)

All races,both sexes	29,199	244	3,901	5,106	6,466	5,081	2,896	2,471	2,217	801	16
Male	23,458	194	3,326	4,194	5,019	3,854	2,255	2,051	1,868	681	16
Female	5,741	50	575	912	1,447	1,227	641	420	349	120	-
White,both sexes	26,300	206	3,219	4,346	5,860	4,720	2,698	2,330	2,129	779	13
Male	21,107	164	2,751	3,567	4,535	3,573	2,099	1,940	1,801	664	13
Female	5,193	42	468	779	1,325	1,147	599	390	328	115	-
All other,both sexes	2,899	38	682	760	606	361	198	141	88	22	3
Male	2,351	30	575	627	484	281	156	111	67	17	3
Female	548	8	107	133	122	80	42	30	21	5	-
Black,both sexes	1,950	29	470	503	435	230	118	96	52	15	2
Male	1,651	22	414	436	356	187	97	80	45	12	2
Female	299	7	56	67	79	43	21	16	7	3	-

Intentional self-harm (suicide) by discharge of firearms (X72-X74)

All races,both sexes	16,599	103	2,315	2,621	3,097	2,677	1,860	1,791	1,606	524	5
Male	14,479	80	2,083	2,270	2,586	2,251	1,594	1,615	1,499	496	5
Female	2,120	23	232	351	511	426	266	176	107	28	-
White,both sexes	15,135	94	1,899	2,253	2,833	2,514	1,754	1,714	1,557	512	5
Male	13,167	72	1,707	1,938	2,349	2,113	1,499	1,545	1,454	485	5
Female	1,968	22	192	315	484	401	255	169	103	27	-
All other,both sexes	1,464	9	416	368	264	163	106	77	49	12	-
Male	1,312	8	376	332	237	138	95	70	45	11	-
Female	152	1	40	36	27	25	11	7	4	1	-
Black,both sexes	1,125	5	327	272	199	120	82	65	43	12	-
Male	1,018	4	298	250	179	104	74	59	39	11	-
Female	107	1	29	22	20	16	8	6	4	1	-

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

ALL AGES UNDER 1 YEAR 1-4 YEARS 5-14 YEARS 15-24 YEARS 25-34 YEARS 35-44 YEARS 45-54 YEARS 55-64 YEARS 65-74 YEARS 75-84 YEARS 85 YEARS AND OVER AGE NOT STATED

Intentional self-harm (suicide) by other and unspecified means and their sequelae (X60-X71,X75-X84,Y87.0)

All races,both sexes	12,600	141	1,586	2,485	3,369	2,404	1,036	680	611	277	11
Male	8,979	114	1,243	1,924	2,433	1,603	661	436	369	185	11
Female	3,621	27	343	561	936	801	375	244	242	92	-
White,both sexes	11,165	112	1,320	2,093	3,027	2,206	944	616	572	267	8
Male	7,940	92	1,044	1,629	2,186	1,460	600	395	347	179	8
Female	3,225	20	276	464	841	746	344	221	225	88	-
All other,both sexes	1,435	29	266	392	342	198	92	64	39	10	3
Male	1,039	22	199	295	247	143	61	41	22	6	3
Female	396	7	67	97	95	55	31	23	17	4	-
Black,both sexes	825	24	143	231	236	110	36	31	9	3	2
Male	633	18	116	186	177	83	23	21	6	1	2
Female	192	6	27	45	59	27	13	10	3	2	-

Assault (homicide) (X85-Y09,Y87.1)

All races,both sexes	16,889	331	376	432	4,998	4,231	3,206	1,668	722	473	304	99	49
Male	12,785	187	194	250	4,191	3,346	2,307	1,229	541	304	162	41	33
Female	4,104	144	182	182	807	885	899	439	181	169	142	58	16
White,both sexes	8,628	200	208	261	2,064	1,926	1,766	1,016	496	353	225	79	34
Male	6,162	121	108	148	1,622	1,445	1,240	737	356	216	117	29	23
Female	2,466	79	100	113	442	481	526	279	140	137	108	50	11
All other,both sexes	8,261	131	168	171	2,934	2,305	1,440	652	226	120	79	20	15
Male	6,623	66	86	102	2,569	1,901	1,067	492	185	88	45	12	10
Female	1,638	65	82	69	365	404	373	160	41	32	34	8	5
Black,both sexes	7,648	118	152	147	2,781	2,157	1,325	569	195	104	67	19	14
Male	6,214	60	75	91	2,453	1,800	996	439	160	80	39	11	10
Female	1,434	58	77	56	328	357	329	130	35	24	28	8	4

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

ALL AGES UNDER 1 YEAR 1-4 YEARS 5-14 YEARS 15-24 YEARS 25-34 YEARS 35-44 YEARS 45-54 YEARS 55-64 YEARS 65-74 YEARS 75-84 YEARS 85 YEARS AND OVER AGE NOT STATED

Assault (homicide) by discharge of firearms (X93-X95)

All races,both sexes	10,828	8	50	224	4,038	3,048	1,868	893	373	193	95	23	15
Male	8,944	5	26	155	3,569	2,609	1,414	676	294	124	48	10	14
Female	1,884	3	24	69	469	439	454	217	79	69	47	13	1
White,both sexes	4,918	4	26	127	1,484	1,237	1,011	526	252	148	72	21	10
Male	3,820	4	14	86	1,255	1,008	736	392	186	90	31	9	9
Female	1,098	-	12	41	229	229	275	134	66	58	41	12	1
All other,both sexes	5,910	4	24	97	2,554	1,811	857	367	121	45	23	2	5
Male	5,124	1	12	69	2,314	1,601	678	284	108	34	17	1	5
Female	786	3	12	28	240	210	179	83	13	11	6	1	-
Black,both sexes	5,577	2	18	82	2,450	1,724	804	326	104	39	21	2	5
Male	4,883	1	7	61	2,227	1,537	643	260	94	31	16	1	5
Female	694	1	11	21	223	187	161	66	10	8	5	1	-

Assault (homicide) by other and unspecified means and their sequelae (X85-X92,X96-Y09,Y87.1)

All races,both sexes	6,061	323	326	208	960	1,183	1,338	775	349	280	209	76	34
Male	3,841	182	168	95	622	737	893	553	247	180	114	31	19
Female	2,220	141	158	113	338	446	445	222	102	100	95	45	15
White,both sexes	3,710	196	182	134	580	689	755	490	244	205	153	58	24
Male	2,342	117	94	62	367	437	504	345	170	126	86	20	14
Female	1,368	79	88	72	213	252	251	145	74	79	67	38	10
All other,both sexes	2,351	127	144	74	380	494	583	285	105	75	56	18	10
Male	1,499	65	74	33	255	300	389	208	77	54	28	11	5
Female	852	62	70	41	125	194	194	77	28	21	28	7	5
Black,both sexes	2,071	116	134	65	331	433	521	243	91	65	46	17	9
Male	1,331	59	68	30	226	263	353	179	66	49	23	10	5
Female	740	57	66	35	105	170	168	64	25	16	23	7	4

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

ALL AGES UNDER 1 YEAR 1-4 YEARS 5-14 YEARS 15-24 YEARS 25-34 YEARS 35-44 YEARS 45-54 YEARS 55-64 YEARS 65-74 YEARS 75-84 YEARS 85 YEARS AND OVER AGE NOT STATED

Legal intervention (Y35,Y89.0)

All races,both sexes	398	-	-	1	67	136	121	50	20	2	1	-	-
Male	392	-	-	1	67	135	117	49	20	2	1	-	-
Female	6	-	-	-	-	1	4	1	-	-	-	-	-
White,both sexes	255	-	-	-	31	86	80	40	15	2	1	-	-
Male	250	-	-	-	31	86	76	39	15	2	1	-	-
Female	5	-	-	-	-	-	4	1	-	-	-	-	-
All other,both sexes	143	-	-	1	36	50	41	10	5	-	-	-	-
Male	142	-	-	1	36	49	41	10	5	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-
Black,both sexes	126	-	-	1	32	42	36	10	5	-	-	-	-
Male	125	-	-	1	32	41	36	10	5	-	-	-	-
Female	1	-	-	-	-	1	-	-	-	-	-	-	-

Events of undetermined intent (Y10-Y34,Y87.2,Y89.9)

All races,both sexes	3,917	55	43	49	430	743	1,295	793	222	114	96	58	19
Male	2,692	33	21	38	345	523	887	532	148	72	55	25	13
Female	1,225	22	22	11	85	220	408	261	74	42	41	33	6
White,both sexes	3,122	36	23	42	342	606	1,023	612	186	97	89	52	14
Male	2,105	22	13	33	278	416	698	390	113	61	49	23	9
Female	1,017	14	10	9	64	190	325	222	73	36	40	29	5
All other,both sexes	795	19	20	7	88	137	272	181	36	17	7	6	5
Male	587	11	8	5	67	107	189	142	35	11	6	2	4
Female	208	8	12	2	21	30	83	39	1	6	1	4	1
Black,both sexes	696	18	16	7	71	121	240	168	28	14	5	3	5
Male	523	10	8	5	56	93	171	134	27	10	4	1	4
Female	173	8	8	2	15	28	69	34	1	4	1	2	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

ALL AGES UNDER 1 YEAR 1-4 YEARS 5-14 YEARS 15-24 YEARS 25-34 YEARS 35-44 YEARS 45-54 YEARS 55-64 YEARS 65-74 YEARS 75-84 YEARS 85 YEARS AND OVER AGE NOT STATED

Discharge of firearms, undetermined intent (Y22-Y24)

All races,both sexes	324	-	3	12	127	51	57	28	14	15	13	4	-
Male	277	-	3	12	111	44	45	21	11	14	12	4	-
Female	47	-	-	-	16	7	12	7	3	1	1	-	-
White,both sexes	247	-	1	11	85	36	50	23	12	13	12	4	-
Male	212	-	1	11	76	31	41	16	9	12	11	4	-
Female	35	-	-	-	9	5	9	7	3	1	1	-	-
All other,both sexes	77	-	2	1	42	15	7	5	2	2	1	-	-
Male	65	-	2	1	35	13	4	5	2	2	1	-	-
Female	12	-	-	-	7	2	3	-	-	-	-	-	-
Black,both sexes	66	-	2	1	35	14	6	4	1	2	1	-	-
Male	56	-	2	1	29	12	4	4	1	2	1	-	-
Female	10	-	-	-	6	2	2	-	-	-	-	-	-

Other and unspecified events of undetermined intent and their sequelae (Y10-Y21,Y25-Y34,Y87.2,Y89.9)

All races,both sexes	3,593	55	40	37	303	692	1,238	765	208	99	83	54	19
Male	2,415	33	18	26	234	479	842	511	137	58	43	21	13
Female	1,178	22	22	11	69	213	396	254	71	41	40	33	6
White,both sexes	2,875	36	22	31	257	570	973	589	174	84	77	48	14
Male	1,893	22	12	22	202	385	657	374	104	49	38	19	9
Female	982	14	10	9	55	185	316	215	70	35	39	29	5
All other,both sexes	718	19	18	6	46	122	265	176	34	15	6	6	5
Male	522	11	6	4	32	94	185	137	33	9	5	2	4
Female	196	8	12	2	14	28	80	39	1	6	1	4	1
Black,both sexes	630	18	14	6	36	107	234	164	27	12	4	3	5
Male	467	10	6	4	27	81	167	130	26	8	3	1	4
Female	163	8	8	2	9	26	67	34	1	4	1	2	1

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

ALL AGES UNDER 1 YEAR 1-4 YEARS 5-14 YEARS 15-24 YEARS 25-34 YEARS 35-44 YEARS 45-54 YEARS 55-64 YEARS 65-74 YEARS 75-84 YEARS 85 YEARS AND OVER AGE NOT STATED

Operations of war and their sequelae (Y36,Y89.1)

All races,both sexes	23	-	-	-	-	-	1	2	1	8	8	3	-
Male	22	-	-	-	-	-	1	2	1	8	7	3	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
White,both sexes	22	-	-	-	-	-	1	2	1	7	8	3	-
Male	21	-	-	-	-	-	1	2	1	7	7	3	-
Female	1	-	-	-	-	-	-	-	-	-	1	-	-
All other,both sexes	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-
Black,both sexes	1	-	-	-	-	-	-	-	-	1	-	-	-
Male	1	-	-	-	-	-	-	-	-	1	-	-	-
Female	-	-	-	-	-	-	-	-	-	-	-	-	-

Complications of medical and surgical care (Y40-Y84,Y88)

All races,both sexes	2,823	54	30	18	36	78	152	214	315	586	811	529	-
Male	1,308	31	12	9	21	43	78	98	165	279	375	197	-
Female	1,515	23	18	9	15	35	74	116	150	307	436	332	-
White,both sexes	2,314	35	21	14	30	55	114	159	240	492	699	455	-
Male	1,078	22	11	7	17	32	60	72	126	235	328	168	-
Female	1,236	13	10	7	13	23	54	87	114	257	371	287	-
All other,both sexes	509	19	9	4	6	23	38	55	75	94	112	74	-
Male	230	9	1	2	4	11	18	26	39	44	47	29	-
Female	279	10	8	2	2	12	20	29	36	50	65	45	-
Black,both sexes	449	18	9	4	6	18	35	52	62	86	96	63	-
Male	197	8	1	2	4	10	16	26	30	40	40	20	-
Female	252	10	8	2	2	8	19	26	32	46	56	43	-

- QUANTITY ZERO.
... CATEGORY NOT APPLICABLE.

SOURCE: CDC/NCHS, NATIONAL VITAL STATISTICS SYSTEM, MORTALITY