

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER
Measles (B05)												
All races,both sexes	*	*	*	*	*	*	*	*	*	*	*	*
Male	*	*	*	*	*	*	*	*	*	*	*	*
Female	*	*	*	*	*	*	*	*	*	*	*	*
White,both sexes	*	*	*	*	*	*	*	*	*	*	*	*
Male	*	*	*	*	*	*	*	*	*	*	*	*
Female	*	*	*	*	*	*	*	*	*	*	*	*
All other,both sexes	*	*	*	*	*	*	*	*	*	*	*	*
Male	*	*	*	*	*	*	*	*	*	*	*	*
Female	*	*	*	*	*	*	*	*	*	*	*	*
Black,both sexes	*	*	*	*	*	*	*	*	*	*	*	*
Male	*	*	*	*	*	*	*	*	*	*	*	*
Female	*	*	*	*	*	*	*	*	*	*	*	*
Viral hepatitis (B15-B19)												
All races,both sexes	1.8	*	*	*	*	0.2	1.6	4.2	3.4	4.8	5.4	4.7
Male	2.3	*	*	*	*	0.3	2.3	6.5	4.4	5.2	6.5	6.6
Female	1.3	*	*	*	*	0.2	0.9	2.0	2.4	4.5	4.6	3.9
White,both sexes	1.7	*	*	*	*	0.2	1.5	3.8	2.9	4.3	5.1	4.5
Male	2.2	*	*	*	*	0.3	2.3	5.8	4.0	4.9	6.5	6.3
Female	1.2	*	*	*	*	0.2	0.8	1.9	2.0	3.9	4.2	3.8
All other,both sexes	2.1	*	*	*	*	0.3	1.9	6.2	6.0	8.3	7.6	6.7
Male	2.6	*	*	*	*	*	2.7	10.5	7.4	7.5	7.0	*
Female	1.6	*	*	*	*	*	1.2	2.5	4.8	8.8	8.0	*
Black,both sexes	2.1	*	*	*	*	*	2.1	7.1	5.1	6.7	6.2	6.4
Male	2.7	*	*	*	*	*	3.1	12.2	6.5	5.7	*	*
Female	1.6	*	*	*	*	*	1.3	2.9	4.1	7.5	6.8	*

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER
Other and unspecified infectious and parasitic diseases and their sequelae (A00,A05,A20-A36,A42-A44,A48-A49,A54-A79,A81-A82,A85.0-A85.1,A85.8,A86-B04,B06-B09,B25-B49,B55-B99)												
All races,both sexes	2.7	5.3	0.5	0.2	0.2	0.6	1.2	2.3	3.8	7.9	14.3	26.9
Male	2.7	6.1	0.7	0.2	0.3	0.7	1.5	2.7	4.3	9.3	17.0	30.7
Female	2.6	4.5	0.4	0.2	0.2	0.6	0.9	2.0	3.4	6.8	12.5	25.3
White,both sexes	2.6	4.5	0.5	0.2	0.2	0.5	1.0	1.9	3.4	7.6	13.8	26.4
Male	2.6	5.5	0.6	0.2	0.2	0.5	1.3	2.3	3.9	8.9	16.1	29.6
Female	2.5	3.4	*	0.2	0.2	0.4	0.6	1.5	3.0	6.5	12.2	25.1
All other,both sexes	3.1	8.6	0.8	0.3	0.3	1.3	2.4	4.6	6.4	10.4	19.4	31.4
Male	3.2	8.4	*	*	*	1.5	2.5	5.2	7.3	12.1	25.6	40.4
Female	2.9	8.7	*	*	*	1.1	2.4	4.1	5.6	9.1	15.5	27.2
Black,both sexes	3.6	10.5	1.0	*	0.3	1.7	3.0	5.6	7.3	11.6	20.9	34.2
Male	3.8	10.7	*	*	*	1.9	3.1	6.4	8.2	13.4	28.2	42.4
Female	3.5	10.4	*	*	*	1.5	3.0	4.9	6.6	10.2	16.6	30.8
Malignant neoplasms (C00-C97)												
All races,both sexes	201.6	1.8	2.8	2.6	4.6	10.6	37.3	130.4	380.8	836.2	1,340.0	1,796.7
Male	214.5	1.8	2.9	2.7	5.3	10.4	33.6	135.1	437.9	1,031.2	1,746.2	2,619.2
Female	189.4	1.7	2.6	2.4	3.8	10.7	41.1	125.9	328.7	676.6	1,068.1	1,449.1
White,both sexes	212.5	1.8	2.9	2.5	4.4	10.3	35.3	123.9	370.4	831.5	1,331.5	1,795.3
Male	224.2	2.0	3.2	2.7	5.1	10.2	32.0	126.0	419.9	1,017.1	1,723.2	2,612.7
Female	201.1	1.5	2.7	2.3	3.7	10.5	38.7	121.9	324.3	677.3	1,067.6	1,453.0
All other,both sexes	151.0	*	2.1	2.8	5.1	11.4	46.7	165.5	445.4	869.0	1,419.2	1,809.8
Male	167.5	*	2.1	2.8	6.1	11.2	41.4	188.4	560.0	1,137.8	1,968.2	2,676.4
Female	135.9	*	2.1	2.7	4.1	11.6	51.4	146.2	354.5	672.2	1,072.7	1,412.2
Black,both sexes	177.7	*	2.2	2.9	5.5	12.7	54.5	199.3	530.2	998.8	1,609.8	2,012.5
Male	198.4	*	2.3	3.0	6.4	11.9	47.7	232.3	689.2	1,316.4	2,302.5	3,098.1
Female	159.0	*	2.1	2.8	4.7	13.4	60.5	171.9	408.9	767.3	1,194.4	1,560.4

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER
Malignant neoplasms of lip, oral cavity and pharynx (C00-C14)												
All races,both sexes	2.7	*	*	*	0.1	0.1	0.6	3.0	6.9	10.4	14.4	19.2
Male	3.7	*	*	*	0.1	0.1	0.9	4.7	11.0	16.0	20.7	26.0
Female	1.8	*	*	*	*	*	0.4	1.3	3.1	5.9	10.1	16.3
White,both sexes	2.7	*	*	*	*	0.1	0.5	2.4	6.2	10.0	14.2	19.7
Male	3.6	*	*	*	*	*	0.7	3.7	9.8	15.3	20.1	26.5
Female	1.9	*	*	*	*	*	0.3	1.1	2.9	5.7	10.3	16.9
All other,both sexes	2.8	*	*	*	*	*	1.2	6.2	11.3	13.0	15.6	13.9
Male	4.3	*	*	*	*	*	1.9	10.4	19.6	20.9	26.5	22.2
Female	1.5	*	*	*	*	*	0.7	2.6	4.7	7.1	8.7	10.2
Black,both sexes	3.3	*	*	*	*	*	1.2	7.4	13.7	14.9	17.2	14.4
Male	5.0	*	*	*	*	*	1.8	12.7	24.2	24.2	30.9	22.8
Female	1.7	*	*	*	*	*	0.7	2.9	5.7	8.1	9.0	10.9
Malignant neoplasm of esophagus (C15)												
All races,both sexes	4.4	*	*	*	*	0.1	0.7	3.5	10.8	20.3	24.6	26.7
Male	6.8	*	*	*	*	0.2	1.1	6.3	18.7	35.7	43.9	46.2
Female	2.0	*	*	*	*	*	0.2	0.9	3.7	7.7	11.7	18.4
White,both sexes	4.5	*	*	*	*	0.1	0.6	3.2	10.0	19.7	24.3	27.2
Male	7.0	*	*	*	*	0.2	1.1	5.8	17.3	34.9	43.5	46.5
Female	2.0	*	*	*	*	*	0.1	0.7	3.2	7.0	11.4	19.1
All other,both sexes	3.8	*	*	*	*	*	0.8	5.1	16.0	24.6	27.1	22.1
Male	5.9	*	*	*	*	*	1.4	9.0	28.0	41.4	46.8	43.5
Female	1.9	*	*	*	*	*	*	1.8	6.6	12.3	14.6	12.3
Black,both sexes	4.7	*	*	*	*	*	1.0	6.7	20.3	29.3	31.7	24.0
Male	7.3	*	*	*	*	*	1.7	11.9	36.4	48.6	55.5	47.8
Female	2.4	*	*	*	*	*	*	2.5	8.1	15.1	17.5	14.0

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER
Malignant neoplasm of stomach (C16)												
All races,both sexes	4.7	*	*	*	*	0.4	1.1	3.1	8.0	17.3	31.8	49.9
Male	5.6	*	*	*	*	0.4	1.3	4.3	11.2	24.5	46.0	68.6
Female	3.8	*	*	*	*	0.3	1.0	1.9	5.0	11.4	22.3	42.0
White,both sexes	4.4	*	*	*	*	0.3	0.9	2.5	6.7	15.4	28.3	44.7
Male	5.2	*	*	*	*	0.4	1.0	3.6	9.5	22.0	41.0	61.4
Female	3.5	*	*	*	*	0.2	0.8	1.5	4.1	9.9	19.6	37.7
All other,both sexes	6.1	*	*	*	*	0.6	2.3	5.9	15.7	30.7	64.5	98.8
Male	7.3	*	*	*	*	0.6	2.7	8.3	22.8	43.1	93.7	132.2
Female	5.0	*	*	*	*	0.7	2.0	3.9	10.1	21.5	46.1	83.5
Black,both sexes	6.3	*	*	*	*	0.7	2.2	6.1	16.1	30.5	65.8	102.6
Male	7.6	*	*	*	*	*	2.7	8.9	24.1	44.2	98.1	136.9
Female	5.1	*	*	*	*	*	1.8	3.8	10.0	20.5	46.4	88.2
Malignant neoplasms of colon, rectum and anus (C18-C21)												
All races,both sexes	21.0	*	*	*	0.1	0.7	3.0	11.3	34.1	78.2	147.6	270.3
Male	21.2	*	*	*	0.1	0.8	3.0	12.9	41.4	96.1	179.7	311.7
Female	20.7	*	*	*	0.1	0.6	2.9	9.9	27.3	63.5	126.1	252.8
White,both sexes	22.0	*	*	*	0.1	0.7	2.8	10.6	32.5	76.6	145.4	270.3
Male	22.2	*	*	*	*	0.8	2.9	12.1	39.4	95.1	177.4	314.4
Female	21.7	*	*	*	*	0.6	2.6	9.1	26.0	61.2	123.8	251.9
All other,both sexes	16.2	*	*	*	*	0.9	4.0	15.5	43.9	89.4	168.1	270.0
Male	16.1	*	*	*	*	1.2	3.7	17.3	55.1	103.9	201.8	288.1
Female	16.2	*	*	*	*	0.7	4.2	13.9	35.1	78.9	146.8	261.8
Black,both sexes	19.4	*	*	*	*	1.1	4.8	18.3	53.6	104.0	196.8	306.7
Male	19.3	*	*	*	*	1.2	4.7	21.1	68.8	121.7	238.5	324.9
Female	19.6	*	*	*	*	0.9	4.9	15.9	41.9	91.1	171.8	299.1

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER
Malignant neoplasms of liver and intrahepatic bile ducts (C22)												
All races,both sexes	4.5	*	0.2	*	0.1	0.2	1.0	4.2	8.9	19.2	28.2	30.4
Male	5.8	*	0.3	*	0.1	0.3	1.4	6.6	13.1	27.9	38.5	38.5
Female	3.4	*	*	*	*	0.2	0.6	1.8	5.1	12.0	21.3	27.0
White,both sexes	4.4	*	0.2	*	0.1	0.1	0.8	3.5	7.7	18.0	27.3	29.9
Male	5.6	*	*	*	*	0.1	1.1	5.3	11.3	26.2	37.6	39.3
Female	3.4	*	*	*	*	*	0.5	1.6	4.4	11.2	20.5	25.9
All other,both sexes	5.0	*	*	*	*	0.6	2.0	8.0	16.5	27.4	36.2	35.6
Male	6.7	*	*	*	*	0.8	3.2	14.2	25.8	40.4	47.9	31.7
Female	3.4	*	*	*	*	*	1.0	2.7	9.1	17.9	28.7	37.4
Black,both sexes	4.3	*	*	*	*	0.4	1.6	7.5	13.4	23.7	29.9	34.5
Male	5.7	*	*	*	*	*	2.4	13.5	20.9	35.1	40.2	28.3
Female	3.1	*	*	*	*	*	0.9	2.5	7.7	15.4	23.8	37.1
Malignant neoplasm of pancreas (C25)												
All races,both sexes	10.7	*	*	*	*	0.1	1.3	6.6	20.1	45.5	73.5	99.2
Male	10.6	*	*	*	*	0.2	1.7	8.5	24.4	53.0	80.9	103.4
Female	10.7	*	*	*	*	0.1	1.0	4.8	16.2	39.4	68.6	97.4
White,both sexes	11.2	*	*	*	*	0.1	1.3	6.3	19.4	44.7	72.2	98.4
Male	11.1	*	*	*	*	0.2	1.6	8.1	23.3	52.4	79.9	104.1
Female	11.2	*	*	*	*	*	0.9	4.6	15.7	38.4	66.9	96.0
All other,both sexes	8.3	*	*	*	*	*	1.6	7.9	24.9	51.0	86.4	107.0
Male	8.3	*	*	*	*	*	1.9	10.9	31.7	57.8	90.4	98.1
Female	8.3	*	*	*	*	*	1.3	5.4	19.5	46.1	83.8	111.1
Black,both sexes	9.7	*	*	*	*	*	2.0	9.9	28.7	58.3	95.8	118.9
Male	9.7	*	*	*	*	*	2.4	13.8	38.1	65.3	104.1	106.5
Female	9.7	*	*	*	*	*	1.6	6.7	21.5	53.2	90.9	124.0

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER
Malignant neoplasm of larynx (C32)												
All races,both sexes	1.4	*	*	*	*	*	0.2	1.1	3.9	6.8	7.3	7.0
Male	2.2	*	*	*	*	*	0.3	2.0	6.6	11.6	14.0	17.2
Female	0.6	*	*	*	*	*	*	0.3	1.4	2.9	2.9	2.7
White,both sexes	1.4	*	*	*	*	*	0.1	0.9	3.4	6.5	7.2	6.7
Male	2.2	*	*	*	*	*	0.2	1.6	5.8	10.9	13.6	16.2
Female	0.6	*	*	*	*	*	*	0.3	1.2	2.8	2.9	2.7
All other,both sexes	1.5	*	*	*	*	*	0.4	2.2	6.5	9.0	8.3	9.5
Male	2.5	*	*	*	*	*	0.7	4.0	12.0	16.7	17.5	25.3
Female	0.5	*	*	*	*	*	*	0.7	2.2	3.4	*	*
Black,both sexes	1.9	*	*	*	*	*	0.6	3.0	8.7	11.3	10.2	8.3
Male	3.2	*	*	*	*	*	0.9	5.4	16.7	20.9	22.2	22.8
Female	0.7	*	*	*	*	*	*	0.9	2.7	4.3	*	*

Malignant neoplasms of trachea, bronchus and lung (C33-C34)

All races,both sexes	55.8	*	*	*	0.1	0.5	6.1	31.9	125.5	284.6	364.4	295.5
Male	67.1	*	*	*	*	0.5	6.6	39.2	161.5	381.6	521.4	509.2
Female	45.0	*	*	*	*	0.4	5.5	25.0	92.6	205.2	259.3	205.3
White,both sexes	59.5	*	*	*	*	0.5	5.8	30.2	124.6	287.2	366.0	298.2
Male	70.6	*	*	*	*	0.5	6.1	35.9	156.5	378.9	518.0	515.0
Female	48.9	*	*	*	*	0.4	5.4	24.7	94.9	211.0	263.6	207.4
All other,both sexes	38.3	*	*	*	*	0.4	7.6	41.2	130.7	265.9	349.7	270.5
Male	50.6	*	*	*	*	*	9.0	58.4	195.2	401.8	554.3	457.4
Female	27.0	*	*	*	*	*	6.3	26.6	79.4	166.4	220.6	184.8
Black,both sexes	45.8	*	*	*	*	0.4	9.4	52.3	160.8	306.7	395.4	291.1
Male	61.2	*	*	*	*	*	11.4	76.2	248.5	465.6	645.1	532.5
Female	31.8	*	*	*	*	*	7.7	32.5	93.9	190.9	245.6	190.5

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER
Malignant melanoma of skin (C43)												
All races,both sexes	2.6	*	*	*	0.1	0.5	1.4	3.1	5.4	9.1	13.5	16.3
Male	3.4	*	*	*	0.1	0.6	1.8	4.1	7.6	13.4	20.7	26.4
Female	1.9	*	*	*	*	0.4	1.0	2.2	3.4	5.5	8.7	12.0
White,both sexes	3.2	*	*	*	0.1	0.6	1.7	3.7	6.2	10.2	14.6	17.6
Male	4.0	*	*	*	0.1	0.7	2.1	4.7	8.6	15.0	22.4	28.8
Female	2.3	*	*	*	*	0.5	1.2	2.6	3.9	6.2	9.4	12.9
All other,both sexes	0.3	*	*	*	*	*	*	*	*	1.3	3.0	*
Male	0.3	*	*	*	*	*	*	*	*	*	*	*
Female	0.2	*	*	*	*	*	*	*	*	*	*	*
Black,both sexes	0.3	*	*	*	*	*	*	*	*	1.5	2.8	*
Male	0.3	*	*	*	*	*	*	*	*	*	*	*
Female	0.3	*	*	*	*	*	*	*	*	*	*	*
Malignant neoplasm of breast (C50)												
All races,both sexes	15.2	*	*	*	*	1.2	6.1	17.2	31.6	50.0	79.5	143.7
Male	0.3	*	*	*	*	*	*	0.2	0.6	1.3	2.0	4.4
Female	29.5	*	*	*	*	2.3	12.1	33.5	59.9	89.9	131.3	202.6
White,both sexes	15.8	*	*	*	*	1.0	5.4	16.0	30.4	49.6	79.5	145.7
Male	0.3	*	*	*	*	*	*	0.2	0.6	1.2	1.9	4.2
Female	30.7	*	*	*	*	2.0	10.8	31.4	58.1	89.9	131.7	205.0
All other,both sexes	12.8	*	*	*	*	1.8	9.4	24.3	39.6	52.5	79.3	124.9
Male	0.3	*	*	*	*	*	*	*	*	*	*	*
Female	24.1	*	*	*	*	3.4	17.7	44.4	70.1	89.6	127.7	179.7
Black,both sexes	15.6	*	*	*	*	2.4	11.8	29.7	47.0	62.0	96.3	147.6
Male	0.4	*	*	*	*	*	*	*	*	*	*	*
Female	29.3	*	*	*	*	4.5	21.9	54.0	81.7	105.5	152.0	205.9

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER
Malignant neoplasm of cervix uteri (C53)												
All races,both sexes	1.5	*	*	*	*	0.6	1.6	2.6	3.3	3.8	4.7	7.9
Female	3.0	*	*	*	*	1.1	3.1	5.0	6.3	6.9	7.8	11.2
White,both sexes	1.4	*	*	*	*	0.6	1.4	2.4	2.8	3.2	4.1	6.8
Female	2.8	*	*	*	*	1.2	2.9	4.8	5.5	5.8	6.8	9.6
All other,both sexes	2.0	*	*	*	*	0.5	2.1	3.3	6.0	8.5	10.3	18.4
Female	3.9	*	*	*	*	1.0	3.9	6.1	10.8	14.8	16.8	26.9
Black,both sexes	2.4	*	*	*	*	0.7	2.5	3.6	7.2	10.5	11.5	21.7
Female	4.6	*	*	*	*	1.3	4.8	6.5	12.7	18.1	18.4	30.8

Malignant neoplasms of corpus uteri and uterus, part unspecified (C54-C55)

All races,both sexes	2.4	*	*	*	*	0.1	0.3	1.3	4.4	9.9	16.5	23.9
Female	4.6	*	*	*	*	0.1	0.6	2.6	8.3	18.0	27.6	34.0
White,both sexes	2.4	*	*	*	*	*	0.3	1.3	4.1	9.0	15.9	23.3
Female	4.7	*	*	*	*	*	0.6	2.5	7.8	16.5	26.5	33.1
All other,both sexes	2.3	*	*	*	*	*	0.4	1.5	6.2	16.5	22.8	29.4
Female	4.3	*	*	*	*	*	0.8	2.7	11.2	28.5	37.1	42.8
Black,both sexes	2.8	*	*	*	*	*	0.5	1.5	8.1	20.9	27.8	35.5
Female	5.4	*	*	*	*	*	0.9	2.7	14.2	36.0	44.4	50.2

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER
Malignant neoplasm of ovary (C56)												
All races,both sexes	5.0	*	*	*	0.1	0.2	1.1	4.3	10.4	19.8	31.9	37.4
Female	9.8	*	*	*	0.1	0.4	2.2	8.5	19.8	36.0	53.3	53.2
White,both sexes	5.5	*	*	*	0.1	0.2	1.1	4.5	10.7	20.4	32.6	38.7
Female	10.8	*	*	*	0.2	0.4	2.3	8.8	20.8	37.3	54.5	54.9
All other,both sexes	2.8	*	*	*	*	0.3	0.9	3.6	8.0	15.8	25.8	25.6
Female	5.3	*	*	*	*	0.5	1.7	6.6	14.4	27.4	42.1	37.4
Black,both sexes	3.1	*	*	*	*	*	0.8	3.7	9.3	18.1	29.2	28.8
Female	5.9	*	*	*	*	*	1.6	6.7	16.3	31.3	46.8	40.7
Malignant neoplasm of prostate (C61)												
All races,both sexes	11.6	*	*	*	*	*	0.1	1.0	8.3	40.2	110.6	206.5
Male	23.8	*	*	*	*	*	0.1	2.1	17.5	89.2	275.8	695.0
White,both sexes	11.6	*	*	*	*	*	0.1	0.9	7.0	35.8	102.5	194.8
Male	23.6	*	*	*	*	*	0.1	1.8	14.5	78.9	254.6	659.9
All other,both sexes	11.9	*	*	*	*	*	*	1.9	16.6	70.9	185.9	316.1
Male	25.0	*	*	*	*	*	*	4.2	37.6	167.7	480.3	1,005.0
Black,both sexes	15.4	*	*	*	*	*	*	2.7	22.0	91.4	230.1	367.1
Male	32.4	*	*	*	*	*	*	5.9	50.8	216.8	613.9	1,248.6

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER
Malignant neoplasms of kidney and renal pelvis (C64-C65)												
All races,both sexes	4.1	*	*	0.1	*	0.1	0.8	3.2	9.0	16.9	24.8	31.3
Male	5.2	*	*	*	*	0.2	1.1	4.7	13.2	23.9	35.2	47.6
Female	3.0	*	*	*	*	*	0.5	1.8	5.2	11.2	17.8	24.4
White,both sexes	4.4	*	*	0.1	*	0.1	0.7	3.2	9.3	17.3	25.1	31.5
Male	5.5	*	*	*	*	0.1	1.0	4.6	13.5	24.3	36.0	48.3
Female	3.3	*	*	*	*	*	0.4	1.8	5.4	11.5	17.8	24.4
All other,both sexes	2.6	*	*	*	*	0.3	0.9	3.3	7.5	14.1	21.8	29.4
Male	3.3	*	*	*	*	*	1.3	5.3	11.4	20.8	28.4	41.2
Female	1.9	*	*	*	*	*	0.6	1.7	4.4	9.2	17.7	24.0
Black,both sexes	3.0	*	*	*	*	0.4	1.1	3.9	8.8	15.8	24.0	31.3
Male	3.8	*	*	*	*	*	1.6	6.1	13.8	22.6	31.2	45.6
Female	2.3	*	*	*	*	*	*	2.1	5.0	10.8	19.6	25.3
Malignant neoplasm of bladder (C67)												
All races,both sexes	4.4	*	*	*	*	*	0.2	1.3	5.3	16.0	35.5	68.1
Male	6.1	*	*	*	*	*	0.3	2.0	8.4	26.0	61.8	129.7
Female	2.7	*	*	*	*	*	0.2	0.6	2.5	7.9	18.0	42.1
White,both sexes	4.8	*	*	*	*	*	0.2	1.3	5.4	16.6	36.6	69.7
Male	6.8	*	*	*	*	*	0.3	2.0	8.7	27.3	64.1	136.4
Female	2.9	*	*	*	*	*	0.2	0.7	2.4	7.6	18.0	41.8
All other,both sexes	2.2	*	*	*	*	*	0.3	1.2	4.6	12.4	26.2	53.5
Male	2.6	*	*	*	*	*	*	2.1	6.2	16.2	39.4	70.4
Female	1.8	*	*	*	*	*	*	*	3.4	9.6	17.8	45.7
Black,both sexes	2.6	*	*	*	*	*	*	1.6	5.7	14.7	29.7	60.4
Male	3.0	*	*	*	*	*	*	2.7	7.7	18.4	45.0	80.4
Female	2.3	*	*	*	*	*	*	*	4.1	12.0	20.5	52.0

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER
Malignant neoplasms of meninges, brain and other parts of central nervous system (C70-C72)												
All races,both sexes	4.7	*	0.7	0.8	0.6	1.2	2.4	5.3	10.5	17.1	20.5	15.9
Male	5.3	*	0.7	0.8	0.7	1.5	2.9	6.4	12.7	21.1	25.2	19.9
Female	4.1	*	0.8	0.8	0.5	0.9	1.9	4.2	8.5	13.9	17.4	14.2
White,both sexes	5.3	*	0.8	0.8	0.6	1.3	2.6	5.7	11.3	18.5	21.5	16.6
Male	5.9	*	0.8	0.8	0.7	1.6	3.1	6.8	13.6	22.7	26.5	21.1
Female	4.7	*	0.8	0.8	0.5	1.0	2.1	4.6	9.2	15.0	18.2	14.7
All other,both sexes	2.0	*	*	0.8	0.6	0.5	1.3	2.8	5.4	7.7	10.9	9.5
Male	2.2	*	*	0.7	0.8	0.7	1.6	3.8	7.0	9.1	12.5	*
Female	1.7	*	*	0.9	*	*	0.9	1.9	4.2	6.7	9.9	9.4
Black,both sexes	2.2	*	*	0.9	0.6	0.7	1.4	3.3	6.1	8.0	12.0	9.9
Male	2.4	*	*	0.8	0.8	0.9	1.8	4.6	7.5	9.6	12.3	*
Female	2.0	*	*	1.0	*	*	1.0	2.2	5.0	6.9	11.9	9.5

Malignant neoplasms of lymphoid, hematopoietic and related tissue (C81-C96)

All races,both sexes	20.7	0.8	0.9	0.9	1.9	2.5	4.3	11.0	32.3	78.7	148.9	198.4
Male	22.3	*	1.0	1.0	2.3	3.0	5.1	13.5	39.7	98.4	186.8	268.4
Female	19.1	*	0.8	0.8	1.5	2.1	3.4	8.6	25.6	62.5	123.6	168.8
White,both sexes	22.3	0.8	1.0	0.9	1.9	2.5	4.2	10.8	32.0	80.4	152.2	203.7
Male	24.1	*	1.0	1.0	2.3	2.8	5.0	13.3	39.3	100.6	191.3	277.0
Female	20.7	*	0.9	0.7	1.5	2.1	3.3	8.5	25.2	63.6	125.8	173.1
All other,both sexes	12.7	*	*	1.0	2.0	2.8	4.8	12.0	34.2	66.6	118.7	147.8
Male	13.8	*	*	1.1	2.3	3.5	5.9	15.1	42.3	81.7	143.6	193.1
Female	11.8	*	*	0.8	1.8	2.1	3.8	9.5	27.8	55.6	103.0	127.1
Black,both sexes	14.6	*	*	1.0	2.3	3.0	5.6	14.3	39.5	74.7	129.2	162.3
Male	15.6	*	*	1.2	2.6	3.9	6.9	18.2	49.6	91.7	157.2	204.3
Female	13.6	*	*	0.8	2.1	2.2	4.4	11.0	31.9	62.2	112.5	144.8

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER
Hodgkin's disease (C81)												
All races,both sexes	0.5	*	*	*	0.2	0.4	0.4	0.5	0.8	1.6	2.2	2.3
Male	0.6	*	*	*	0.3	0.5	0.5	0.6	1.0	2.0	2.4	3.6
Female	0.4	*	*	*	0.2	0.3	0.3	0.4	0.5	1.2	2.0	1.8
White,both sexes	0.6	*	*	*	0.2	0.4	0.4	0.5	0.8	1.6	2.3	2.4
Male	0.6	*	*	*	0.3	0.5	0.5	0.6	1.1	2.0	2.6	3.7
Female	0.5	*	*	*	0.2	0.3	0.3	0.4	0.5	1.3	2.1	1.8
All other,both sexes	0.3	*	*	*	*	0.3	*	*	*	1.0	*	*
Male	0.3	*	*	*	*	*	*	*	*	*	*	*
Female	0.3	*	*	*	*	*	*	*	*	*	*	*
Black,both sexes	0.4	*	*	*	*	0.5	*	*	*	*	*	*
Male	0.5	*	*	*	*	*	*	*	*	*	*	*
Female	0.3	*	*	*	*	*	*	*	*	*	*	*
Non-Hodgkin's lymphoma (C82-C85)												
All races,both sexes	8.4	*	*	0.1	0.4	0.8	1.8	4.9	13.5	32.1	62.2	77.3
Male	8.8	*	*	0.1	0.5	0.9	2.3	6.3	16.6	38.7	73.8	100.5
Female	7.9	*	*	*	0.3	0.6	1.2	3.4	10.7	26.7	54.4	67.5
White,both sexes	9.3	*	*	0.1	0.4	0.7	1.7	5.0	14.0	33.9	65.3	81.0
Male	9.8	*	*	0.1	0.5	0.9	2.2	6.4	16.9	40.8	77.1	104.7
Female	8.9	*	*	*	0.3	0.6	1.2	3.5	11.3	28.3	57.3	71.1
All other,both sexes	3.9	*	*	*	0.4	1.0	2.1	4.3	10.3	19.2	33.6	42.6
Male	4.5	*	*	*	0.5	1.4	2.8	5.9	14.2	23.4	41.8	63.3
Female	3.3	*	*	*	*	0.7	1.4	2.9	7.3	16.1	28.4	33.0
Black,both sexes	4.1	*	*	*	0.6	1.1	2.4	4.9	11.3	19.7	32.4	40.6
Male	4.7	*	*	*	*	1.6	3.3	6.9	15.3	24.6	39.6	55.4
Female	3.6	*	*	*	*	*	1.7	3.2	8.2	16.2	28.1	34.4

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER
Leukemia (C91-C95)												
All races,both sexes	7.7	0.7	0.8	0.8	1.3	1.3	1.8	3.8	10.8	27.5	53.2	82.0
Male	8.6	*	0.8	0.9	1.5	1.5	2.0	4.4	13.4	37.2	72.4	114.7
Female	6.8	*	0.7	0.7	1.0	1.2	1.6	3.2	8.4	19.5	40.3	68.2
White,both sexes	8.4	0.8	0.9	0.8	1.3	1.3	1.8	3.8	10.9	28.4	54.8	85.3
Male	9.4	*	0.9	0.8	1.5	1.4	2.0	4.3	13.5	38.4	74.7	120.2
Female	7.4	*	0.8	0.7	1.0	1.2	1.6	3.2	8.5	20.0	41.3	70.7
All other,both sexes	4.4	*	*	0.8	1.3	1.3	1.8	4.1	9.8	21.3	38.4	51.3
Male	4.9	*	*	0.9	1.5	1.6	2.0	5.1	12.2	28.3	49.5	66.5
Female	3.9	*	*	0.7	1.2	1.1	1.6	3.2	8.0	16.2	31.3	44.3
Black,both sexes	4.9	*	*	0.9	1.4	1.3	1.9	4.5	10.7	24.2	42.0	55.9
Male	5.4	*	*	1.0	1.6	1.5	2.0	5.8	14.0	31.7	53.4	71.7
Female	4.5	*	*	0.7	1.3	1.1	1.8	3.4	8.3	18.8	35.1	49.3
Multiple myeloma and immunoproliferative neoplasms (C88,C90)												
All races,both sexes	4.0	*	*	*	*	0.1	0.3	1.9	7.2	17.4	31.2	36.4
Male	4.2	*	*	*	*	*	0.4	2.2	8.7	20.4	37.9	49.3
Female	3.9	*	*	*	*	*	0.3	1.6	5.9	15.0	26.7	30.9
White,both sexes	4.0	*	*	*	*	*	0.3	1.6	6.2	16.3	29.6	34.8
Male	4.2	*	*	*	*	*	0.3	1.9	7.7	19.2	36.5	48.1
Female	3.8	*	*	*	*	*	0.2	1.2	4.8	13.9	25.0	29.2
All other,both sexes	4.2	*	*	*	*	*	0.7	3.3	13.6	25.2	45.9	51.5
Male	4.1	*	*	*	*	*	0.8	3.5	15.3	28.8	51.4	60.1
Female	4.3	*	*	*	*	*	0.5	3.2	12.2	22.5	42.4	47.6
Black,both sexes	5.2	*	*	*	*	*	0.9	4.4	16.9	29.6	54.1	63.3
Male	5.0	*	*	*	*	*	1.1	4.6	19.4	33.8	63.0	75.0
Female	5.3	*	*	*	*	*	0.7	4.2	15.0	26.6	48.8	58.4

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER
Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue (C96)												
All races,both sexes	0.0	*	*	*	*	*	*	*	*	*	0.2	*
Male	0.0	*	*	*	*	*	*	*	*	*	*	*
Female	0.0	*	*	*	*	*	*	*	*	*	*	*
White,both sexes	0.0	*	*	*	*	*	*	*	*	*	0.2	*
Male	0.0	*	*	*	*	*	*	*	*	*	*	*
Female	0.0	*	*	*	*	*	*	*	*	*	*	*
All other,both sexes	*	*	*	*	*	*	*	*	*	*	*	*
Male	*	*	*	*	*	*	*	*	*	*	*	*
Female	*	*	*	*	*	*	*	*	*	*	*	*
Black,both sexes	*	*	*	*	*	*	*	*	*	*	*	*
Male	*	*	*	*	*	*	*	*	*	*	*	*
Female	*	*	*	*	*	*	*	*	*	*	*	*

All other and unspecified malignant neoplasms (C17,C23-C24,C26-C31,C37-C41,C44-C49,C51-C52,C57-C60,C62-C63,C66,C68-C69,C73-C80,C97)

All races,both sexes	24.3	*	0.8	0.7	1.4	2.0	5.2	15.3	42.2	92.4	161.8	249.2
Male	25.1	*	0.8	0.8	1.7	2.6	5.8	17.7	50.2	111.7	193.8	306.9
Female	23.5	*	0.7	0.7	1.0	1.4	4.5	13.0	34.9	76.6	140.4	224.8
White,both sexes	25.7	*	0.8	0.7	1.4	2.0	4.9	14.5	40.8	92.5	162.2	251.9
Male	26.5	*	0.9	0.8	1.6	2.6	5.6	16.5	48.3	111.5	195.3	313.6
Female	25.0	*	0.7	0.6	1.1	1.4	4.2	12.6	33.8	76.7	139.8	226.1
All other,both sexes	17.5	*	*	0.8	1.4	2.0	6.5	19.4	50.9	91.6	158.7	223.5
Male	18.4	*	*	0.8	2.0	2.5	7.2	24.6	63.2	113.0	178.6	247.7
Female	16.8	*	*	0.8	0.9	1.5	5.9	15.0	41.2	76.0	146.1	212.4
Black,both sexes	20.3	*	*	0.8	1.5	2.0	7.5	23.7	60.6	102.5	174.2	243.1
Male	21.4	*	*	0.7	2.0	2.4	8.4	30.4	79.6	128.1	201.3	271.7
Female	19.2	*	*	0.9	0.9	1.7	6.8	18.1	46.1	83.9	158.0	231.3

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER
In situ neoplasms, benign neoplasms and neoplasms of uncertain or unknown behavior (D00-D48)												
All races,both sexes	4.9	1.5	0.4	0.3	0.3	0.5	0.8	1.8	4.8	14.7	36.8	82.5
Male	4.9	1.5	0.4	0.2	0.3	0.5	0.9	2.1	5.9	18.6	45.5	105.1
Female	4.8	1.5	0.4	0.3	0.2	0.4	0.6	1.6	3.9	11.6	31.0	72.9
White,both sexes	5.3	1.4	0.4	0.3	0.2	0.4	0.7	1.8	4.8	14.9	37.6	85.2
Male	5.3	1.4	0.4	0.3	0.2	0.4	0.9	2.0	5.9	18.9	46.7	110.8
Female	5.2	1.4	0.4	0.3	0.2	0.4	0.6	1.5	3.8	11.6	31.4	74.4
All other,both sexes	2.9	*	*	*	0.4	0.6	0.9	2.3	5.3	13.2	29.8	57.2
Male	2.7	*	*	*	*	0.8	0.9	2.4	6.0	15.7	34.1	54.6
Female	3.0	*	*	*	*	*	1.0	2.3	4.7	11.4	27.1	58.4
Black,both sexes	3.4	*	*	*	0.5	0.6	1.2	2.7	6.4	15.4	33.6	62.0
Male	3.1	*	*	*	*	0.8	1.1	2.6	7.4	18.2	37.5	58.7
Female	3.6	*	*	*	*	*	1.2	2.8	5.6	13.3	31.3	63.4
Anemias (D50-D64)												
All races,both sexes	1.7	*	0.2	0.1	0.3	0.4	0.4	0.6	1.0	2.7	9.6	43.6
Male	1.3	*	*	0.1	0.3	0.4	0.5	0.7	0.9	2.8	9.9	41.8
Female	2.0	*	*	0.2	0.3	0.4	0.4	0.6	1.0	2.6	9.3	44.4
White,both sexes	1.5	*	*	0.1	0.1	*	0.1	0.3	0.6	2.4	9.4	42.9
Male	1.1	*	*	*	*	*	0.1	0.3	0.5	2.5	9.8	42.0
Female	1.9	*	*	*	0.1	*	0.1	0.3	0.7	2.4	9.1	43.3
All other,both sexes	2.3	*	0.7	0.4	1.1	1.9	1.9	2.4	3.3	4.3	11.2	49.8
Male	2.2	*	*	*	1.4	2.1	2.1	2.6	4.0	4.6	10.9	39.6
Female	2.4	*	*	*	0.9	1.7	1.7	2.4	2.9	4.1	11.3	54.5
Black,both sexes	2.9	*	0.9	0.5	1.5	2.6	2.5	3.2	4.3	4.9	13.6	53.0
Male	2.8	*	*	*	1.7	2.9	2.8	3.4	5.3	5.2	12.6	41.3
Female	3.1	*	*	*	1.2	2.4	2.3	3.0	3.5	4.6	14.2	57.9

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER
Diabetes mellitus (E10-E14)												
All races,both sexes	25.1	*	*	0.1	0.4	1.5	4.3	13.2	38.9	92.8	179.1	315.6
Male	23.4	*	*	*	0.4	1.7	5.1	15.9	43.5	101.0	195.8	332.6
Female	26.7	*	*	*	0.4	1.4	3.6	10.6	34.7	86.1	167.9	308.5
White,both sexes	24.3	*	*	0.1	0.4	1.3	3.7	11.1	32.8	82.9	166.1	298.3
Male	23.2	*	*	*	0.4	1.5	4.5	13.7	37.9	93.7	187.9	323.0
Female	25.4	*	*	*	0.3	1.2	3.0	8.5	28.1	73.9	151.5	288.0
All other,both sexes	28.7	*	*	*	0.6	2.3	7.1	24.9	76.4	162.8	299.7	478.1
Male	24.4	*	*	*	0.5	2.6	8.3	28.9	81.4	156.2	272.7	417.0
Female	32.6	*	*	*	0.7	2.0	6.0	21.4	72.5	167.5	316.8	506.1
Black,both sexes	34.2	*	*	*	0.8	3.1	9.0	31.3	91.7	186.9	339.9	530.0
Male	28.7	*	*	*	*	3.4	10.4	36.4	98.1	179.2	307.2	469.4
Female	39.2	*	*	*	0.9	2.7	7.7	27.1	86.9	192.5	359.5	555.3
Nutritional deficiencies (E40-E64)												
All races,both sexes	1.6	*	*	*	*	*	0.1	0.3	0.7	2.4	10.3	53.7
Male	1.1	*	*	*	*	*	0.1	0.3	0.9	2.7	10.1	46.5
Female	2.0	*	*	*	*	*	0.2	0.3	0.6	2.1	10.4	56.7
White,both sexes	1.6	*	*	*	*	*	0.1	0.3	0.6	2.0	9.6	52.7
Male	1.1	*	*	*	*	*	0.1	0.3	0.7	2.2	9.2	45.1
Female	2.1	*	*	*	*	*	0.2	0.2	0.5	1.9	9.8	56.0
All other,both sexes	1.4	*	*	*	*	*	*	0.5	1.6	4.6	16.8	62.2
Male	1.3	*	*	*	*	*	*	*	2.4	6.6	19.0	59.4
Female	1.5	*	*	*	*	*	*	*	*	3.1	15.3	63.5
Black,both sexes	1.7	*	*	*	*	*	*	0.7	2.0	5.4	19.8	70.9
Male	1.5	*	*	*	*	*	*	*	3.0	7.8	22.2	69.5
Female	1.9	*	*	*	*	*	*	*	*	3.6	18.4	71.5

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER
Meningitis (G00,G03)												
All races,both sexes	0.3	3.0	0.3	0.1	0.1	0.1	0.2	0.3	0.4	0.6	1.0	1.5
Male	0.3	3.1	0.3	*	0.1	0.1	0.2	0.4	0.4	0.7	1.0	1.6
Female	0.3	2.9	*	*	*	0.1	0.1	0.2	0.4	0.5	1.0	1.4
White,both sexes	0.3	2.2	0.3	*	0.1	0.1	0.1	0.2	0.4	0.6	0.9	1.3
Male	0.3	3.0	0.3	*	*	*	0.1	0.3	0.4	0.6	0.9	*
Female	0.3	1.5	*	*	*	0.1	0.1	0.2	0.3	0.5	0.9	1.3
All other,both sexes	0.5	6.1	*	*	0.3	*	0.3	0.6	*	1.2	2.3	*
Male	0.6	*	*	*	*	*	*	1.1	*	*	*	*
Female	0.5	8.5	*	*	*	*	*	*	*	*	*	*
Black,both sexes	0.6	7.4	*	*	*	*	0.4	0.9	*	1.3	2.8	*
Male	0.7	*	*	*	*	*	*	1.5	*	*	*	*
Female	0.6	10.4	*	*	*	*	*	*	*	*	*	*
Parkinson's disease (G20-G21)												
All races,both sexes	5.4	*	*	*	*	*	*	0.1	1.0	11.1	58.5	123.8
Male	6.2	*	*	*	*	*	*	0.2	1.4	15.9	88.4	197.9
Female	4.5	*	*	*	*	*	*	*	0.7	7.2	38.5	92.5
White,both sexes	6.2	*	*	*	*	*	*	0.1	1.1	11.9	61.9	130.9
Male	7.1	*	*	*	*	*	*	0.2	1.5	17.1	93.4	210.0
Female	5.3	*	*	*	*	*	*	*	0.7	7.6	40.7	97.8
All other,both sexes	1.5	*	*	*	*	*	*	*	0.8	5.5	27.3	56.5
Male	1.7	*	*	*	*	*	*	*	*	7.0	40.3	91.0
Female	1.3	*	*	*	*	*	*	*	*	4.4	19.2	40.7
Black,both sexes	1.5	*	*	*	*	*	*	*	0.9	5.8	24.9	52.1
Male	1.6	*	*	*	*	*	*	*	*	8.3	36.9	80.4
Female	1.3	*	*	*	*	*	*	*	*	3.9	17.6	40.3

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER
Alzheimer's disease (G30)												
All races,both sexes	16.3	*	*	*	*	*	*	0.2	1.9	17.6	130.4	598.3
Male	10.0	*	*	*	*	*	*	0.2	2.0	17.5	121.2	467.3
Female	22.3	*	*	*	*	*	*	0.2	1.8	17.6	136.5	653.7
White,both sexes	18.6	*	*	*	*	*	*	0.2	2.1	18.3	135.3	626.7
Male	11.4	*	*	*	*	*	*	0.2	2.1	18.2	126.0	491.2
Female	25.6	*	*	*	*	*	*	0.2	2.0	18.5	141.5	683.4
All other,both sexes	5.5	*	*	*	*	*	*	*	1.1	12.3	84.9	332.0
Male	3.5	*	*	*	*	*	*	*	*	12.7	74.4	257.2
Female	7.4	*	*	*	*	*	*	*	*	12.0	91.6	366.3
Black,both sexes	6.7	*	*	*	*	*	*	*	1.2	14.8	100.1	373.2
Male	4.2	*	*	*	*	*	*	*	*	15.8	87.6	294.5
Female	9.0	*	*	*	*	*	*	*	*	14.1	107.6	405.9
Major cardiovascular diseases (I00-I78)												
All races,both sexes	348.5	16.9	1.5	0.9	3.5	10.2	38.0	118.7	332.8	897.1	2,490.8	8,155.8
Male	331.5	17.8	1.6	1.0	4.1	13.0	51.5	170.0	462.1	1,181.9	2,988.4	8,277.7
Female	364.7	15.9	1.4	0.8	2.8	7.5	24.6	69.8	215.0	663.9	2,157.7	8,104.3
White,both sexes	369.3	14.3	1.3	0.8	3.0	8.5	32.2	104.4	304.2	862.2	2,464.4	8,283.3
Male	348.5	15.1	1.5	0.9	3.4	11.1	45.2	153.5	428.0	1,149.9	2,980.7	8,447.1
Female	389.3	13.5	1.2	0.7	2.4	5.9	19.0	56.5	188.9	623.0	2,116.6	8,214.8
All other,both sexes	251.4	26.5	2.3	1.2	5.5	17.0	65.2	196.7	509.5	1,143.6	2,735.7	6,957.9
Male	249.6	28.1	2.3	1.4	6.9	21.0	83.1	266.9	691.8	1,425.3	3,062.2	6,784.4
Female	253.0	24.9	2.3	1.1	4.2	13.4	49.1	137.3	364.8	937.4	2,529.6	7,037.5
Black,both sexes	300.3	31.1	2.7	1.5	6.9	21.5	82.4	250.0	624.9	1,340.0	3,083.1	7,597.8
Male	293.4	32.5	2.8	1.7	8.5	26.3	103.7	339.3	860.4	1,656.5	3,441.4	7,345.8
Female	306.6	29.7	2.6	1.3	5.2	17.0	63.7	175.7	445.3	1,109.4	2,868.2	7,702.8

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER
Diseases of heart (I00-I09,I11,I13,I20-I51)												
All races,both sexes	265.9	13.7	1.2	0.7	2.8	8.1	30.3	97.7	274.3	709.5	1,861.8	6,032.5
Male	263.8	13.8	1.3	0.8	3.4	10.6	43.3	145.7	391.6	961.6	2,308.9	6,313.3
Female	268.0	13.6	1.1	0.6	2.2	5.6	17.6	51.9	167.5	503.2	1,562.5	5,913.8
White,both sexes	282.8	11.6	1.0	0.6	2.3	6.7	26.3	88.2	254.7	686.6	1,848.4	6,140.9
Male	278.8	11.8	1.2	0.7	2.8	9.0	38.8	134.7	367.6	942.1	2,313.9	6,462.1
Female	286.6	11.4	0.9	0.6	1.9	4.4	13.8	42.8	149.5	474.3	1,534.8	6,006.4
All other,both sexes	187.3	21.7	1.9	1.0	4.8	13.6	49.4	149.5	396.0	870.7	1,986.4	5,013.7
Male	191.9	21.6	1.9	1.1	6.0	17.2	66.1	210.0	553.2	1,108.9	2,260.8	5,001.4
Female	183.1	21.8	1.9	0.8	3.5	10.3	34.4	98.3	271.4	696.4	1,813.2	5,019.4
Black,both sexes	225.4	25.3	2.2	1.2	5.9	17.3	62.7	191.5	489.3	1,027.1	2,253.8	5,498.5
Male	226.9	24.9	2.4	1.4	7.5	21.8	82.6	267.6	690.3	1,294.0	2,560.2	5,433.3
Female	224.0	25.7	2.1	1.0	4.4	13.2	45.1	128.3	336.1	832.7	2,070.1	5,525.6
Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)												
All races,both sexes	1.3	*	*	*	*	0.1	0.3	0.7	1.8	4.7	10.1	17.9
Male	0.8	*	*	*	*	*	0.2	0.5	1.2	3.5	6.7	9.9
Female	1.9	*	*	*	*	0.1	0.3	0.8	2.3	5.6	12.4	21.3
White,both sexes	1.5	*	*	*	*	0.1	0.2	0.6	1.7	4.9	10.6	18.9
Male	0.8	*	*	*	*	*	0.2	0.5	1.1	3.7	6.9	10.8
Female	2.1	*	*	*	*	*	0.3	0.8	2.2	5.8	13.1	22.3
All other,both sexes	0.8	*	*	*	*	*	0.5	1.0	2.2	3.5	5.6	9.0
Male	0.5	*	*	*	*	*	*	*	1.5	2.1	*	*
Female	1.1	*	*	*	*	*	0.6	1.3	2.6	4.4	6.5	12.0
Black,both sexes	0.8	*	*	*	*	*	0.6	1.2	2.2	3.3	4.5	8.3
Male	0.5	*	*	*	*	*	*	*	*	*	*	*
Female	1.0	*	*	*	*	*	0.7	1.4	2.6	4.1	4.7	11.3

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER
Hypertensive heart disease (I11)												
All races,both sexes	8.3	*	*	*	0.1	0.6	2.2	5.4	10.8	19.3	48.0	183.9
Male	7.0	*	*	*	0.1	0.8	3.0	7.2	14.0	22.1	46.2	128.5
Female	9.6	*	*	*	*	0.3	1.3	3.7	8.0	17.0	49.2	207.3
White,both sexes	7.4	*	*	*	*	0.4	1.3	3.5	7.6	14.6	41.2	175.0
Male	5.9	*	*	*	*	0.6	2.0	5.0	10.2	16.9	39.3	119.9
Female	8.9	*	*	*	*	*	0.7	2.0	5.2	12.7	42.5	198.1
All other,both sexes	12.6	*	*	*	0.3	1.3	6.0	15.7	31.0	52.7	111.2	268.0
Male	12.3	*	*	*	*	1.6	7.8	20.0	39.8	62.1	113.1	205.0
Female	12.9	*	*	*	*	1.1	4.4	12.0	24.0	45.8	109.9	297.0
Black,both sexes	16.1	*	*	*	0.3	1.9	8.0	21.6	40.3	65.8	134.4	305.8
Male	15.7	*	*	*	*	2.2	10.2	27.6	52.9	77.3	138.9	244.5
Female	16.5	*	*	*	*	1.5	6.0	16.6	30.7	57.5	131.7	331.3
Hypertensive heart and renal disease (I13)												
All races,both sexes	1.2	*	*	*	*	0.1	0.3	0.4	1.1	2.6	8.9	29.0
Male	1.0	*	*	*	*	*	0.3	0.6	1.3	2.7	9.4	30.2
Female	1.4	*	*	*	*	*	0.2	0.3	0.9	2.5	8.6	28.5
White,both sexes	1.0	*	*	*	*	*	0.1	0.2	0.5	1.6	7.4	26.0
Male	0.8	*	*	*	*	*	*	0.2	0.6	1.7	8.1	27.9
Female	1.2	*	*	*	*	*	*	0.1	0.5	1.4	6.8	25.2
All other,both sexes	2.3	*	*	*	*	*	1.1	1.9	4.7	9.8	23.8	56.5
Male	2.1	*	*	*	*	*	1.3	2.8	6.0	10.5	22.3	49.9
Female	2.4	*	*	*	*	*	0.9	1.1	3.6	9.3	24.7	59.5
Black,both sexes	2.9	*	*	*	*	*	1.5	2.5	6.1	12.2	27.4	65.5
Male	2.6	*	*	*	*	*	1.8	3.6	8.0	13.0	25.2	55.4
Female	3.1	*	*	*	*	*	1.2	1.5	4.7	11.6	28.8	69.7

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER
Ischemic heart diseases (I20-I25)												
All races,both sexes	194.2	0.7	*	0.1	0.4	2.7	17.3	69.2	206.8	542.5	1,393.8	4,296.3
Male	200.5	*	*	*	0.5	3.9	26.8	108.9	306.0	758.5	1,792.3	4,654.4
Female	188.2	*	*	*	0.2	1.4	7.9	31.2	116.5	365.8	1,126.9	4,145.0
White,both sexes	208.9	*	*	*	0.3	2.5	16.2	65.5	197.0	531.7	1,391.9	4,380.8
Male	215.0	*	*	*	0.4	3.6	25.6	104.8	294.0	752.3	1,808.3	4,780.9
Female	203.0	*	*	*	0.2	1.3	6.8	27.1	106.7	348.4	1,111.3	4,213.2
All other,both sexes	125.9	*	*	*	0.7	3.5	22.4	89.4	267.6	619.0	1,411.1	3,503.6
Male	131.1	*	*	*	0.8	5.2	33.1	133.2	387.1	805.7	1,637.3	3,539.8
Female	121.1	*	*	*	0.6	1.9	12.9	52.3	172.8	482.3	1,268.3	3,487.0
Black,both sexes	149.1	*	*	*	0.8	4.0	27.8	112.1	325.4	720.5	1,582.6	3,813.5
Male	151.6	*	*	*	0.9	5.9	39.8	164.7	473.7	924.8	1,825.7	3,783.8
Female	146.9	*	*	*	0.7	2.3	17.1	68.3	212.4	571.7	1,436.9	3,825.8
Acute myocardial infarction (I21-I22)												
All races,both sexes	73.1	*	*	*	0.2	1.1	7.3	30.2	91.5	227.5	532.7	1,372.4
Male	78.2	*	*	*	0.2	1.6	11.1	47.4	134.8	313.6	676.3	1,560.7
Female	68.3	*	*	*	0.1	0.7	3.5	13.8	52.1	157.0	436.6	1,292.7
White,both sexes	78.8	*	*	*	0.1	1.1	7.0	29.6	89.8	226.2	533.3	1,390.5
Male	84.5	*	*	*	0.2	1.5	11.0	47.3	133.5	315.7	684.9	1,593.0
Female	73.4	*	*	*	*	0.6	3.1	12.3	49.1	151.9	431.2	1,305.7
All other,both sexes	46.5	*	*	*	0.3	1.5	8.3	33.7	102.0	236.1	527.4	1,201.8
Male	47.9	*	*	*	*	2.2	11.8	48.1	143.2	297.3	592.8	1,276.5
Female	45.3	*	*	*	*	0.8	5.2	21.5	69.4	191.3	486.1	1,167.5
Black,both sexes	55.3	*	*	*	*	1.7	10.4	42.2	122.9	273.8	595.9	1,321.4
Male	55.5	*	*	*	*	2.4	14.3	59.4	173.1	339.8	669.1	1,389.8
Female	55.1	*	*	*	*	1.0	6.9	27.9	84.6	225.8	552.0	1,292.9

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER
Other acute ischemic heart diseases (I24)												
All races,both sexes	1.2	*	*	*	*	*	0.2	0.7	1.9	3.7	7.0	21.7
Male	1.2	*	*	*	*	*	0.3	1.0	2.8	5.0	8.7	21.4
Female	1.1	*	*	*	*	*	*	0.4	1.1	2.6	5.9	21.9
White,both sexes	1.2	*	*	*	*	*	0.1	0.6	1.8	3.5	6.8	22.3
Male	1.3	*	*	*	*	*	0.2	0.8	2.5	4.7	8.5	22.2
Female	1.2	*	*	*	*	*	*	0.3	1.1	2.5	5.7	22.4
All other,both sexes	1.0	*	*	*	*	*	0.4	1.4	2.8	4.9	8.9	16.4
Male	1.2	*	*	*	*	*	0.6	2.0	4.8	7.0	10.5	*
Female	0.8	*	*	*	*	*	*	0.8	1.2	3.4	7.9	17.1
Black,both sexes	1.2	*	*	*	*	*	0.5	1.9	3.6	5.5	10.9	17.3
Male	1.5	*	*	*	*	*	0.8	2.7	6.4	7.9	12.3	*
Female	1.0	*	*	*	*	*	*	1.1	1.5	3.8	10.1	16.7
Other forms of chronic ischemic heart disease (I20,I25)												
All races,both sexes	119.9	*	*	*	0.2	1.5	9.9	38.3	113.4	311.4	854.0	2,902.2
Male	121.1	*	*	*	0.3	2.3	15.4	60.5	168.4	439.9	1,107.3	3,072.2
Female	118.7	*	*	*	0.1	0.8	4.4	17.0	63.3	206.2	684.4	2,830.4
White,both sexes	128.8	*	*	*	0.1	1.4	9.0	35.3	105.4	301.9	851.7	2,967.9
Male	129.3	*	*	*	0.2	2.1	14.4	56.6	157.9	431.8	1,114.9	3,165.7
Female	128.4	*	*	*	*	0.7	3.6	14.5	56.5	194.0	674.4	2,885.1
All other,both sexes	78.3	*	*	*	0.4	2.0	13.8	54.3	162.7	378.0	874.8	2,285.4
Male	82.0	*	*	*	*	3.0	20.7	83.1	239.1	501.4	1,034.0	2,248.3
Female	74.9	*	*	*	*	1.1	7.6	30.0	102.1	287.7	774.3	2,302.4
Black,both sexes	92.6	*	*	*	0.5	2.3	16.9	68.0	198.9	441.2	975.8	2,474.8
Male	94.6	*	*	*	*	3.5	24.8	102.5	294.2	577.1	1,144.3	2,375.4
Female	90.8	*	*	*	*	1.3	10.0	39.3	126.3	342.1	874.8	2,516.2

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER
Atherosclerotic cardiovascular disease, so described (I25.0)												
All races,both sexes	26.4	*	*	*	*	0.4	3.3	13.2	35.8	73.5	167.3	560.5
Male	27.5	*	*	*	*	0.6	5.4	21.4	54.9	104.2	204.5	556.7
Female	25.3	*	*	*	*	0.2	1.3	5.4	18.5	48.4	142.4	562.1
White,both sexes	26.6	*	*	*	*	0.4	3.0	11.5	30.8	65.6	157.9	556.4
Male	27.2	*	*	*	*	0.6	4.9	19.0	47.7	93.9	193.2	553.5
Female	26.0	*	*	*	*	0.2	1.0	4.2	15.1	42.1	134.2	557.6
All other,both sexes	25.4	*	*	*	*	0.7	5.0	22.5	66.7	129.4	254.3	599.3
Male	29.0	*	*	*	*	1.0	7.6	35.9	103.5	182.7	314.5	585.6
Female	22.1	*	*	*	*	*	2.6	11.2	37.6	90.3	216.4	605.5
Black,both sexes	31.0	*	*	*	*	0.8	6.4	28.4	82.8	155.4	296.8	670.0
Male	35.1	*	*	*	*	1.1	9.7	45.0	129.0	220.3	370.8	664.0
Female	27.4	*	*	*	*	*	3.5	14.7	47.6	108.0	252.4	672.5

All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)

All races,both sexes	93.5	*	*	*	0.2	1.1	6.5	25.0	77.6	237.8	686.7	2,341.7
Male	93.6	*	*	*	0.2	1.6	10.1	39.0	113.5	335.7	902.8	2,515.5
Female	93.4	*	*	*	0.1	0.5	3.0	11.6	44.8	157.8	542.0	2,268.3
White,both sexes	102.2	*	*	*	0.1	1.0	6.1	23.8	74.6	236.3	693.8	2,411.5
Male	102.1	*	*	*	0.2	1.6	9.5	37.6	110.2	337.9	921.8	2,612.2
Female	102.4	*	*	*	*	0.5	2.6	10.2	41.4	151.8	540.2	2,327.5
All other,both sexes	52.9	*	*	*	0.3	1.3	8.8	31.8	96.0	248.6	620.5	1,686.1
Male	53.0	*	*	*	*	2.1	13.1	47.2	135.7	318.7	719.5	1,662.7
Female	52.8	*	*	*	*	0.7	5.0	18.8	64.6	197.4	557.9	1,696.8
Black,both sexes	61.6	*	*	*	0.3	1.6	10.5	39.6	116.1	285.8	679.0	1,804.8
Male	59.5	*	*	*	*	2.4	15.1	57.6	165.2	356.7	773.5	1,711.5
Female	63.4	*	*	*	*	0.8	6.5	24.6	78.7	234.1	622.4	1,843.7

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER
Other heart diseases (I26-I51)												
All races,both sexes	60.8	12.8	1.2	0.6	2.3	4.7	10.4	22.0	53.8	140.4	401.0	1,505.3
Male	54.5	13.1	1.3	0.7	2.8	5.7	13.0	28.5	69.1	174.7	454.3	1,490.3
Female	66.9	12.6	1.0	0.6	1.9	3.7	7.8	15.9	39.9	112.3	365.4	1,511.7
White,both sexes	64.0	10.9	1.0	0.6	2.0	3.8	8.5	18.5	47.8	133.9	397.4	1,540.3
Male	56.2	11.2	1.1	0.6	2.3	4.7	10.9	24.2	61.7	167.6	451.2	1,522.7
Female	71.5	10.5	0.8	0.5	1.7	2.9	6.0	12.8	34.9	106.0	361.2	1,547.7
All other,both sexes	45.8	20.3	1.9	0.9	3.7	8.3	19.3	41.5	90.7	185.8	434.7	1,176.7
Male	46.0	20.1	1.9	1.0	4.6	10.0	23.5	53.4	118.8	228.5	483.8	1,204.5
Female	45.7	20.5	1.8	0.8	2.7	6.8	15.6	31.5	68.4	154.5	403.7	1,163.9
Black,both sexes	56.5	23.7	2.2	1.1	4.6	10.9	24.9	54.2	115.2	225.2	504.8	1,305.4
Male	56.4	23.2	2.4	1.2	5.8	13.2	30.3	70.6	154.0	276.6	566.2	1,348.5
Female	56.5	24.3	2.0	0.9	3.4	8.8	20.1	40.5	85.6	187.8	468.0	1,287.5
Acute and subacute endocarditis (I33)												
All races,both sexes	0.4	*	*	*	*	0.1	0.3	0.4	0.7	1.3	2.4	2.9
Male	0.5	*	*	*	*	0.1	0.3	0.6	0.9	1.4	3.2	4.5
Female	0.3	*	*	*	*	*	0.2	0.2	0.6	1.2	1.9	2.1
White,both sexes	0.4	*	*	*	*	0.1	0.2	0.3	0.6	1.2	2.4	3.0
Male	0.5	*	*	*	*	*	0.2	0.4	0.8	1.4	3.3	4.9
Female	0.3	*	*	*	*	*	0.1	0.2	0.4	1.1	1.8	2.1
All other,both sexes	0.5	*	*	*	*	*	0.6	1.0	1.7	1.9	2.1	*
Male	0.6	*	*	*	*	*	0.8	1.5	2.1	*	*	*
Female	0.4	*	*	*	*	*	*	*	1.3	2.1	*	*
Black,both sexes	0.6	*	*	*	*	*	0.7	1.2	2.0	2.5	*	*
Male	0.7	*	*	*	*	*	1.0	2.0	2.7	*	*	*
Female	0.5	*	*	*	*	*	*	*	1.6	2.8	*	*

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER
Diseases of pericardium and acute myocarditis (I30-I31,I40)												
All races,both sexes	0.3	0.7	0.2	0.1	0.1	0.1	0.3	0.3	0.5	0.8	1.3	2.0
Male	0.3	*	*	*	0.1	0.2	0.3	0.3	0.6	0.8	1.3	2.4
Female	0.3	*	*	*	*	*	0.2	0.3	0.4	0.8	1.3	1.9
White,both sexes	0.3	*	*	*	0.1	0.1	0.2	0.3	0.5	0.8	1.3	2.0
Male	0.3	*	*	*	*	0.2	0.3	0.3	0.6	0.8	1.4	2.4
Female	0.3	*	*	*	*	*	0.2	0.3	0.4	0.7	1.3	1.8
All other,both sexes	0.4	*	*	*	*	*	0.4	0.4	*	1.1	*	*
Male	0.4	*	*	*	*	*	*	*	*	*	*	*
Female	0.4	*	*	*	*	*	*	*	*	*	*	*
Black,both sexes	0.5	*	*	*	*	*	0.5	0.5	*	1.2	*	*
Male	0.5	*	*	*	*	*	*	*	*	*	*	*
Female	0.5	*	*	*	*	*	*	*	*	*	*	*
Heart failure (I50)												
All races,both sexes	20.1	*	*	*	0.1	0.2	0.6	2.2	9.0	35.8	138.1	678.5
Male	15.6	*	*	*	0.1	0.2	0.7	2.8	11.0	43.0	150.2	641.7
Female	24.5	*	*	*	*	0.2	0.5	1.6	7.2	29.9	129.9	694.0
White,both sexes	22.0	*	*	*	*	0.1	0.5	1.7	8.1	34.5	137.5	697.9
Male	16.7	*	*	*	*	*	0.6	2.2	10.0	41.9	150.5	658.9
Female	27.0	*	*	*	*	*	0.3	1.2	6.3	28.4	128.8	714.2
All other,both sexes	11.6	*	*	*	*	0.4	1.2	4.9	14.6	44.8	143.1	496.2
Male	10.0	*	*	*	*	*	1.4	6.4	17.8	51.1	147.7	490.6
Female	13.2	*	*	*	*	*	1.1	3.6	12.1	40.2	140.2	498.8
Black,both sexes	14.3	*	*	*	*	0.6	1.7	6.6	19.2	55.2	166.6	554.0
Male	12.2	*	*	*	*	*	1.9	8.8	23.9	62.6	174.9	559.6
Female	16.3	*	*	*	*	*	1.4	4.8	15.6	49.8	161.6	551.7

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER
All other forms of heart disease (I26-I28,I34-I38,I42-I49,I51)												
All races,both sexes	39.9	11.8	0.9	0.5	2.1	4.3	9.3	19.2	43.5	102.4	259.3	821.9
Male	38.1	12.0	1.0	0.6	2.5	5.2	11.6	24.8	56.5	129.4	299.5	841.6
Female	41.7	11.5	0.9	0.5	1.8	3.4	6.9	13.8	31.7	80.4	232.3	813.6
White,both sexes	41.4	10.2	0.8	0.5	1.8	3.5	7.6	16.2	38.6	97.4	256.2	837.4
Male	38.7	10.5	1.0	0.5	2.1	4.3	9.8	21.3	50.3	123.4	296.0	856.5
Female	43.9	9.8	0.7	0.5	1.6	2.7	5.4	11.2	27.7	75.8	229.3	829.5
All other,both sexes	33.3	17.9	1.4	0.7	3.4	7.6	17.1	35.2	73.8	137.9	288.0	676.4
Male	35.0	17.9	*	0.9	4.3	9.1	20.8	44.9	98.3	174.5	333.5	710.6
Female	31.8	17.9	1.6	0.5	2.5	6.3	13.7	27.1	54.4	111.2	259.2	660.7
Black,both sexes	41.1	21.4	1.6	0.9	4.3	10.0	22.0	45.8	93.2	166.3	334.5	747.6
Male	43.1	21.1	*	1.1	5.4	12.0	26.9	59.2	126.5	210.3	388.5	787.8
Female	39.3	21.8	*	*	3.1	8.2	17.7	34.6	67.8	134.2	302.1	730.9
Essential (primary) hypertension and hypertensive renal disease (I10,I12)												
All races,both sexes	6.2	*	*	*	*	0.2	0.7	2.2	5.6	15.4	43.8	151.3
Male	4.9	*	*	*	*	0.3	0.9	2.8	6.6	16.7	42.4	127.4
Female	7.5	*	*	*	*	0.2	0.5	1.7	4.8	14.2	44.8	161.4
White,both sexes	5.7	*	*	*	*	0.1	0.4	1.3	3.8	12.2	38.2	141.8
Male	4.3	*	*	*	*	0.2	0.5	1.7	4.6	13.6	36.9	117.2
Female	7.1	*	*	*	*	*	0.2	1.0	3.0	11.1	39.0	152.0
All other,both sexes	8.6	*	*	*	*	0.6	2.3	7.1	17.0	37.6	96.5	240.9
Male	7.6	*	*	*	*	0.6	2.8	8.9	19.7	40.8	95.6	216.8
Female	9.5	*	*	*	*	0.5	1.9	5.5	14.9	35.3	97.1	251.9
Black,both sexes	10.7	*	*	*	*	0.7	3.1	9.4	21.9	45.7	113.8	270.0
Male	9.5	*	*	*	*	*	3.7	12.2	25.7	49.3	115.8	246.7
Female	11.8	*	*	*	*	0.7	2.6	7.1	18.9	43.0	112.6	279.7

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER
Cerebrovascular diseases (I60-I69)												
All races,both sexes	61.4	2.7	0.3	0.2	0.5	1.5	5.7	15.5	41.3	132.2	472.8	1,606.7
Male	48.4	3.3	0.3	0.2	0.5	1.6	5.9	17.1	47.6	149.0	494.5	1,455.5
Female	73.8	2.0	0.3	0.2	0.5	1.5	5.6	14.0	35.5	118.5	458.2	1,670.6
White,both sexes	64.5	2.3	0.3	0.2	0.4	1.3	4.5	11.9	34.5	122.7	464.3	1,628.5
Male	49.7	2.8	*	0.2	0.5	1.4	4.6	13.0	39.6	138.0	485.1	1,475.5
Female	78.7	1.8	*	0.1	0.4	1.2	4.3	10.9	29.7	109.9	450.3	1,692.6
All other,both sexes	46.9	4.2	*	*	0.6	2.4	11.8	35.2	83.3	199.8	551.2	1,401.6
Male	41.9	5.5	*	*	0.6	2.4	12.2	41.1	101.5	232.5	585.4	1,279.6
Female	51.4	*	*	*	0.6	2.3	11.5	30.2	68.9	175.9	529.6	1,457.6
Black,both sexes	54.2	4.9	*	*	0.7	2.8	14.4	42.8	97.9	227.2	601.9	1,495.5
Male	47.7	*	*	*	*	2.9	14.8	51.0	123.3	264.0	634.9	1,343.1
Female	60.0	*	*	*	0.8	2.8	14.1	36.0	78.5	200.3	582.1	1,559.0
Atherosclerosis (I70)												
All races,both sexes	5.5	*	*	*	*	*	0.1	0.5	2.1	8.1	36.1	201.0
Male	4.1	*	*	*	*	*	0.1	0.7	2.8	9.7	39.6	181.8
Female	6.8	*	*	*	*	*	*	0.3	1.5	6.8	33.8	209.0
White,both sexes	6.1	*	*	*	*	*	0.1	0.5	2.0	8.1	36.7	207.3
Male	4.5	*	*	*	*	*	0.1	0.7	2.6	9.7	39.8	187.7
Female	7.7	*	*	*	*	*	*	0.3	1.4	6.9	34.6	215.5
All other,both sexes	2.6	*	*	*	*	*	*	0.6	2.6	7.8	31.0	141.1
Male	2.2	*	*	*	*	*	*	*	3.7	9.8	37.6	129.8
Female	2.9	*	*	*	*	*	*	*	1.7	6.3	26.8	146.3
Black,both sexes	3.1	*	*	*	*	*	*	0.7	3.3	9.0	35.5	154.6
Male	2.6	*	*	*	*	*	*	*	4.6	11.3	42.9	152.1
Female	3.5	*	*	*	*	*	*	*	2.3	7.3	31.1	155.7

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER
Other diseases of circulatory system (I71-I78)												
All races,both sexes	9.5	*	*	*	0.1	0.4	1.1	2.7	9.4	31.9	76.3	164.4
Male	10.3	*	*	*	0.2	0.5	1.3	3.8	13.6	44.9	103.0	199.6
Female	8.6	*	*	*	*	0.2	0.8	1.7	5.6	21.2	58.4	149.5
White,both sexes	10.2	*	*	*	0.1	0.3	1.0	2.4	9.3	32.5	76.9	164.8
Male	11.3	*	*	*	0.2	0.5	1.2	3.4	13.6	46.4	105.0	204.5
Female	9.2	*	*	*	*	0.2	0.7	1.5	5.2	20.9	57.9	148.2
All other,both sexes	5.9	*	*	*	*	0.5	1.6	4.4	10.5	27.6	70.6	160.5
Male	5.9	*	*	*	*	0.7	1.9	6.1	13.7	33.2	82.7	156.7
Female	6.0	*	*	*	*	*	1.3	2.9	7.9	23.5	63.0	162.3
Black,both sexes	7.0	*	*	*	*	0.6	2.0	5.4	12.5	31.0	78.1	179.2
Male	6.7	*	*	*	*	0.9	2.3	7.6	16.5	37.9	87.6	170.6
Female	7.2	*	*	*	*	*	1.7	3.6	9.5	26.1	72.3	182.8
Aortic aneurysm and dissection (I71)												
All races,both sexes	5.8	*	*	*	0.1	0.2	0.7	1.8	6.1	22.0	48.9	79.9
Male	7.2	*	*	*	0.1	0.4	1.0	2.8	9.8	33.1	71.9	120.5
Female	4.4	*	*	*	*	*	0.4	0.8	2.9	12.9	33.5	62.8
White,both sexes	6.4	*	*	*	0.1	0.2	0.6	1.5	6.2	22.9	50.4	82.1
Male	8.0	*	*	*	*	0.4	0.9	2.4	10.0	34.9	75.0	125.8
Female	4.8	*	*	*	*	*	0.4	0.7	2.7	12.9	33.9	63.8
All other,both sexes	3.1	*	*	*	*	0.3	1.1	3.1	5.7	15.4	34.5	59.7
Male	3.5	*	*	*	*	0.6	1.6	4.9	8.3	19.6	41.6	74.4
Female	2.7	*	*	*	*	*	0.7	1.6	3.7	12.4	30.0	53.0
Black,both sexes	3.4	*	*	*	*	0.4	1.4	3.9	6.6	16.3	34.4	60.4
Male	3.7	*	*	*	*	*	2.0	6.1	9.6	21.1	37.5	70.6
Female	3.1	*	*	*	*	*	0.9	2.0	4.4	12.9	32.6	56.1

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER
Other diseases of arteries, arterioles and capillaries (I72-I78)												
All races,both sexes	3.7	*	*	*	*	0.1	0.3	0.9	3.3	9.9	27.4	84.5
Male	3.1	*	*	*	*	0.1	0.3	1.0	3.9	11.8	31.1	79.1
Female	4.2	*	*	*	*	0.1	0.4	0.9	2.8	8.4	24.9	86.7
White,both sexes	3.8	*	*	*	*	0.1	0.3	0.9	3.1	9.6	26.5	82.7
Male	3.3	*	*	*	*	*	0.3	0.9	3.6	11.6	30.0	78.7
Female	4.4	*	*	*	*	*	0.3	0.8	2.6	8.0	24.0	84.4
All other,both sexes	2.9	*	*	*	*	*	0.4	1.3	4.8	12.2	36.2	100.8
Male	2.4	*	*	*	*	*	*	1.2	5.5	13.6	41.1	82.3
Female	3.3	*	*	*	*	*	0.6	1.4	4.2	11.1	33.0	109.3
Black,both sexes	3.6	*	*	*	*	*	0.6	1.5	5.9	14.7	43.6	118.9
Male	3.0	*	*	*	*	*	*	1.5	6.9	16.8	50.1	100.0
Female	4.2	*	*	*	*	*	0.8	1.6	5.2	13.2	39.8	126.7
Other disorders of circulatory system (I80-I99)												
All races,both sexes	1.5	0.6	*	*	0.1	0.2	0.6	1.1	1.9	3.8	9.2	23.3
Male	1.3	*	*	*	*	0.2	0.7	1.1	2.0	4.3	9.5	20.0
Female	1.7	*	*	*	*	0.3	0.5	1.0	1.8	3.4	9.0	24.7
White,both sexes	1.5	*	*	*	*	0.2	0.5	0.9	1.8	3.6	8.9	23.1
Male	1.3	*	*	*	*	0.2	0.6	0.9	2.0	4.0	9.1	20.0
Female	1.7	*	*	*	*	0.2	0.4	0.9	1.7	3.2	8.8	24.4
All other,both sexes	1.4	*	*	*	*	0.4	1.1	1.8	2.4	5.5	11.8	24.9
Male	1.4	*	*	*	*	*	1.4	2.2	2.2	6.6	13.6	19.8
Female	1.5	*	*	*	*	*	0.8	1.5	2.5	4.7	10.6	27.2
Black,both sexes	1.8	*	*	*	*	0.5	1.4	2.4	2.9	6.5	14.1	28.4
Male	1.7	*	*	*	*	*	1.8	3.0	2.8	7.9	16.5	*
Female	1.8	*	*	*	*	*	1.1	2.0	3.1	5.5	12.6	31.7

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER
Emphysema (J43)												
All races,both sexes	6.5	*	*	*	*	*	0.2	1.3	8.6	31.0	57.3	61.8
Male	7.1	*	*	*	*	*	0.2	1.5	9.7	38.2	75.5	101.4
Female	6.0	*	*	*	*	*	0.2	1.1	7.6	25.2	45.1	45.0
White,both sexes	7.4	*	*	*	*	*	0.2	1.3	9.2	33.3	60.2	64.6
Male	7.9	*	*	*	*	*	0.2	1.4	10.0	40.0	78.1	105.8
Female	6.9	*	*	*	*	*	0.2	1.2	8.4	27.8	48.1	47.3
All other,both sexes	2.3	*	*	*	*	*	0.3	1.4	5.2	14.9	30.3	35.3
Male	3.2	*	*	*	*	*	*	2.2	7.6	24.7	49.9	62.5
Female	1.5	*	*	*	*	*	*	0.7	3.2	7.7	18.0	22.9
Black,both sexes	2.7	*	*	*	*	*	0.4	1.9	6.2	16.7	31.9	37.7
Male	3.6	*	*	*	*	*	*	3.0	9.3	27.8	53.4	67.4
Female	1.8	*	*	*	*	*	*	1.0	3.9	8.7	19.1	25.3
Asthma (J45-J46)												
All races,both sexes	1.7	*	0.2	0.3	0.5	0.7	1.0	1.7	2.5	4.2	7.6	17.2
Male	1.2	*	*	0.4	0.6	0.7	0.8	1.1	1.9	3.3	5.6	12.3
Female	2.2	*	*	0.2	0.4	0.7	1.2	2.2	3.1	5.1	9.0	19.4
White,both sexes	1.5	*	*	0.2	0.4	0.4	0.7	1.2	1.9	3.6	7.3	16.6
Male	0.9	*	*	0.2	0.4	0.4	0.5	0.8	1.4	2.5	5.2	10.5
Female	2.0	*	*	0.1	0.3	0.5	0.9	1.7	2.4	4.4	8.7	19.1
All other,both sexes	2.8	*	*	0.8	1.0	1.8	2.3	4.2	5.9	9.0	10.8	23.4
Male	2.5	*	*	1.1	1.2	2.0	2.3	3.1	4.9	8.8	9.2	27.7
Female	3.0	*	*	0.5	0.7	1.6	2.3	5.1	6.7	9.1	11.7	21.4
Black,both sexes	3.3	*	*	1.1	1.2	2.5	3.0	5.4	6.9	9.4	10.6	20.4
Male	2.9	*	*	1.5	1.6	2.7	2.8	4.0	5.6	8.8	8.1	*
Female	3.6	*	*	0.7	0.9	2.2	3.1	6.6	7.9	9.9	12.1	21.7

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER
Pneumonitis due to solids and liquids (J69)												
All races,both sexes	5.6	*	*	*	0.1	0.2	0.4	0.8	2.5	9.6	41.4	174.7
Male	5.8	*	*	*	0.1	0.2	0.4	0.9	3.3	13.2	59.0	248.6
Female	5.4	*	*	*	*	0.2	0.3	0.7	1.8	6.7	29.6	143.5
White,both sexes	6.0	*	*	*	0.1	0.2	0.3	0.7	2.3	9.2	41.0	177.7
Male	6.2	*	*	*	*	0.2	0.4	0.9	3.0	12.4	58.0	255.4
Female	5.9	*	*	*	*	0.2	0.3	0.6	1.7	6.5	29.5	145.1
All other,both sexes	3.5	*	*	*	*	0.3	0.6	1.2	3.5	13.0	45.6	146.8
Male	3.9	*	*	*	*	*	0.7	1.5	5.1	19.7	68.5	188.3
Female	3.1	*	*	*	*	*	*	0.9	2.1	8.0	31.1	127.8
Black,both sexes	4.3	*	*	*	*	*	0.7	1.5	4.5	15.8	53.2	167.4
Male	4.7	*	*	*	*	*	0.9	1.9	6.7	24.0	78.9	211.9
Female	4.0	*	*	*	*	*	*	1.2	2.8	9.9	37.8	148.9
Other diseases of respiratory system (J00-J06,J30-J39,J67,J70-J98)												
All races,both sexes	9.2	6.6	0.6	0.2	0.3	0.7	1.3	3.4	9.7	29.7	71.2	146.8
Male	9.1	7.4	0.7	0.2	0.4	0.7	1.4	3.6	10.9	36.7	88.8	175.4
Female	9.3	5.7	0.5	0.2	0.2	0.7	1.1	3.2	8.6	24.0	59.3	134.8
White,both sexes	9.9	4.9	0.5	0.2	0.3	0.6	1.1	3.0	9.4	30.0	72.7	150.4
Male	9.8	5.5	0.6	0.2	0.4	0.6	1.2	3.3	10.4	37.4	91.0	179.9
Female	10.0	4.2	0.5	0.2	0.2	0.5	0.9	2.8	8.3	23.9	60.3	138.0
All other,both sexes	6.0	13.2	0.9	0.2	0.3	1.1	2.3	5.3	11.6	27.5	57.4	113.5
Male	5.9	14.9	1.3	*	*	0.8	2.4	5.8	13.8	31.3	67.6	135.3
Female	6.1	11.5	*	*	*	1.3	2.2	5.0	9.8	24.8	51.0	103.5
Black,both sexes	6.8	16.4	1.2	*	0.4	1.4	2.9	6.6	13.6	30.2	59.0	111.8
Male	6.6	18.7	*	*	*	1.1	2.9	7.5	16.3	33.8	70.8	134.7
Female	6.9	13.9	*	*	*	1.7	2.9	5.9	11.6	27.6	52.0	102.3

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER
Hernia (K40-K46)												
All races,both sexes	0.5	1.2	*	*	*	*	0.1	0.2	0.5	1.2	3.7	12.7
Male	0.4	1.3	*	*	*	*	0.1	0.2	0.5	1.1	3.9	12.7
Female	0.6	*	*	*	*	*	*	0.1	0.4	1.2	3.6	12.7
White,both sexes	0.6	1.1	*	*	*	*	0.1	0.1	0.5	1.1	3.7	13.0
Male	0.5	1.3	*	*	*	*	0.1	0.2	0.6	1.2	4.0	12.5
Female	0.7	*	*	*	*	*	*	*	0.4	1.1	3.5	13.2
All other,both sexes	0.3	*	*	*	*	*	*	*	*	1.4	3.6	9.5
Male	0.3	*	*	*	*	*	*	*	*	*	*	*
Female	0.4	*	*	*	*	*	*	*	*	1.9	3.9	7.3
Black,both sexes	0.4	*	*	*	*	*	*	*	*	1.4	4.3	9.9
Male	0.3	*	*	*	*	*	*	*	*	*	*	*
Female	0.5	*	*	*	*	*	*	*	*	*	4.5	*
Chronic liver disease and cirrhosis (K70,K73-K74)												
All races,both sexes	9.6	*	*	*	0.1	1.1	7.4	17.8	24.1	31.0	32.1	23.1
Male	12.8	*	*	*	*	1.4	10.4	27.6	35.4	42.1	39.1	31.8
Female	6.6	*	*	*	*	0.8	4.4	8.4	13.8	21.8	27.4	19.4
White,both sexes	10.1	*	*	*	*	1.1	7.2	17.3	23.6	31.8	33.2	23.7
Male	13.4	*	*	*	*	1.4	10.3	26.9	34.7	43.0	40.3	33.1
Female	6.9	*	*	*	*	0.7	4.2	7.9	13.3	22.5	28.4	19.8
All other,both sexes	7.6	*	*	*	*	1.1	8.0	20.5	26.9	25.2	22.1	17.2
Male	10.1	*	*	*	*	1.2	11.0	31.8	39.6	35.6	27.1	20.6
Female	5.2	*	*	*	*	1.0	5.3	11.0	16.9	17.6	18.9	15.6
Black,both sexes	8.1	*	*	*	*	1.0	8.1	23.5	29.8	26.1	21.9	17.3
Male	11.1	*	*	*	*	1.1	11.2	37.2	45.3	39.2	28.8	*
Female	5.4	*	*	*	*	1.0	5.4	12.1	18.0	16.6	17.8	16.3

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER
Alcoholic liver disease (K70)												
All races,both sexes	4.4	*	*	*	*	0.7	4.9	10.6	12.2	10.6	6.5	2.8
Male	6.7	*	*	*	*	0.9	6.8	16.7	19.7	18.3	11.0	5.9
Female	2.2	*	*	*	*	0.5	3.0	4.8	5.4	4.4	3.4	1.5
White,both sexes	4.5	*	*	*	*	0.7	4.8	10.4	11.9	10.6	6.5	2.7
Male	6.9	*	*	*	*	0.9	6.7	16.5	19.3	18.2	11.0	5.7
Female	2.1	*	*	*	*	0.5	2.8	4.5	5.1	4.4	3.4	1.5
All other,both sexes	4.0	*	*	*	*	0.7	5.4	11.7	13.9	10.5	6.9	*
Male	5.8	*	*	*	*	0.8	7.3	18.0	22.1	18.8	11.4	*
Female	2.4	*	*	*	*	0.6	3.6	6.4	7.5	4.4	4.0	*
Black,both sexes	4.2	*	*	*	*	0.5	5.0	13.2	15.4	11.6	7.2	*
Male	6.1	*	*	*	*	*	6.7	20.6	25.3	20.9	12.3	*
Female	2.4	*	*	*	*	*	3.5	7.0	7.8	4.7	4.1	*
Other chronic liver disease and cirrhosis (K73-K74)												
All races,both sexes	5.2	*	*	*	*	0.4	2.5	7.2	11.9	20.3	25.6	20.3
Male	6.1	*	*	*	*	0.5	3.6	10.9	15.7	23.9	28.1	26.0
Female	4.4	*	*	*	*	0.3	1.4	3.6	8.4	17.5	24.0	17.9
White,both sexes	5.6	*	*	*	*	0.4	2.5	6.9	11.7	21.1	26.7	21.0
Male	6.5	*	*	*	*	0.5	3.5	10.4	15.4	24.8	29.3	27.5
Female	4.7	*	*	*	*	0.3	1.4	3.4	8.2	18.1	25.0	18.4
All other,both sexes	3.6	*	*	*	*	0.4	2.6	8.8	13.0	14.7	15.2	13.2
Male	4.4	*	*	*	*	*	3.7	13.8	17.6	16.8	15.8	*
Female	2.9	*	*	*	*	*	1.6	4.6	9.4	13.2	14.9	13.4
Black,both sexes	3.9	*	*	*	*	0.5	3.1	10.3	14.4	14.5	14.7	12.8
Male	5.0	*	*	*	*	*	4.4	16.5	20.0	18.2	16.5	*
Female	3.0	*	*	*	*	*	1.9	5.0	10.1	11.8	13.7	13.6

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER
Cholelithiasis and other disorders of gallbladder (K80-K82)												
All races,both sexes	1.0	*	*	*	*	*	0.1	0.3	0.9	2.6	7.8	23.8
Male	0.9	*	*	*	*	*	0.1	0.3	1.1	3.1	9.2	26.6
Female	1.1	*	*	*	*	*	0.1	0.4	0.7	2.2	6.9	22.6
White,both sexes	1.1	*	*	*	*	*	0.1	0.3	0.8	2.5	7.9	24.3
Male	1.0	*	*	*	*	*	0.1	0.3	0.9	3.0	9.5	27.2
Female	1.2	*	*	*	*	*	*	0.3	0.6	2.1	6.8	23.1
All other,both sexes	0.7	*	*	*	*	*	0.3	0.5	1.5	3.4	7.1	18.4
Male	0.6	*	*	*	*	*	*	*	2.0	3.7	6.3	21.4
Female	0.8	*	*	*	*	*	*	*	1.2	3.2	7.6	17.1
Black,both sexes	0.7	*	*	*	*	*	0.4	0.5	1.5	3.5	7.3	15.3
Male	0.6	*	*	*	*	*	*	*	*	3.5	6.9	*
Female	0.8	*	*	*	*	*	*	*	*	3.5	7.6	15.8
Nephritis, nephrotic syndrome and nephrosis (N00-N07,N17-N19,N25-N27)												
All races,both sexes	13.0	4.3	*	0.1	0.2	0.7	1.6	4.1	12.2	37.6	98.2	267.5
Male	12.8	4.6	*	*	0.2	0.7	1.8	4.8	13.7	42.7	123.8	357.0
Female	13.3	4.1	*	*	0.2	0.7	1.4	3.5	10.9	33.3	81.0	229.7
White,both sexes	12.5	3.4	*	0.1	0.1	0.5	1.0	2.7	9.3	31.9	90.6	255.2
Male	12.4	4.0	*	*	*	0.5	1.2	3.2	10.7	37.4	116.0	349.6
Female	12.6	2.7	*	*	0.2	0.4	0.9	2.3	7.9	27.3	73.5	215.7
All other,both sexes	15.6	8.1	*	*	0.4	1.5	4.1	11.8	30.6	77.6	168.7	383.3
Male	14.8	7.0	*	*	*	1.5	5.0	14.6	33.8	83.0	199.6	422.6
Female	16.3	9.2	*	*	*	1.5	3.4	9.4	28.0	73.7	149.3	365.2
Black,both sexes	19.3	10.2	*	*	0.5	1.9	5.5	15.7	37.8	93.5	199.0	434.2
Male	18.2	8.6	*	*	*	1.9	6.5	19.8	42.3	98.9	243.9	487.9
Female	20.2	11.8	*	*	*	2.0	4.6	12.3	34.4	89.5	172.0	411.8

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

ALL AGES 1/ UNDER 1 YEAR 2/ 1-4 YEARS 5-14 YEARS 15-24 YEARS 25-34 YEARS 35-44 YEARS 45-54 YEARS 55-64 YEARS 65-74 YEARS 75-84 YEARS 85 YEARS AND OVER

Inflammatory diseases of female pelvic organs (N70-N76)

All races,both sexes	0.0	*	*	*	*	*	*	*	*	*	0.3	*
Female	0.1	*	*	*	*	*	*	*	*	*	0.4	*
White,both sexes	0.0	*	*	*	*	*	*	*	*	*	0.2	*
Female	0.1	*	*	*	*	*	*	*	*	*	0.4	*
All other,both sexes	0.1	*	*	*	*	*	*	*	*	*	*	*
Female	0.1	*	*	*	*	*	*	*	*	*	*	*
Black,both sexes	0.1	*	*	*	*	*	*	*	*	*	*	*
Female	0.1	*	*	*	*	*	*	*	*	*	*	*

Pregnancy, childbirth and the puerperium (000-099)

All races,both sexes	0.1	*	0.3	0.5	0.3	*
Female	0.3	*	0.5	0.9	0.5	*
White,both sexes	0.1	*	0.1	0.3	0.2	*
Female	0.2	*	0.3	0.7	0.4	*
All other,both sexes	0.4	*	0.7	1.1	0.6	*
Female	0.7	*	1.3	2.0	1.2	*
Black,both sexes	0.5	*	0.8	1.3	0.7	*
Female	0.9	*	1.6	2.6	1.4	*

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER
Pregnancy with abortive outcome (000-007)												
All races,both sexes	0.0	*	*	*	*	*
Female	0.0	*	*	*	*	*
White,both sexes	*	*	*	*	*	*
Female	*	*	*	*	*	*
All other,both sexes	*	*	*	*	*	*
Female	*	*	*	*	*	*
Black,both sexes	*	*	*	*	*	*
Female	*	*	*	*	*	*

Other complications of pregnancy, childbirth and the puerperium (010-099)

All races,both sexes	0.1	*	0.2	0.4	0.3	*
Female	0.3	*	0.5	0.9	0.5	*
White,both sexes	0.1	*	0.1	0.3	0.2	*
Female	0.2	*	0.3	0.6	0.4	*
All other,both sexes	0.4	*	0.6	1.0	0.6	*
Female	0.7	*	1.2	1.8	1.1	*
Black,both sexes	0.4	*	0.7	1.2	0.7	*
Female	0.8	*	1.5	2.3	1.3	*

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

ALL AGES 1/ UNDER 1 YEAR 2/ 1-4 YEARS 5-14 YEARS 15-24 YEARS 25-34 YEARS 35-44 YEARS 45-54 YEARS 55-64 YEARS 65-74 YEARS 75-84 YEARS 85 YEARS AND OVER

Certain conditions originating in the perinatal period (P00-P96)

All races,both sexes	5.2	368.7	0.6	0.1	*	*	*	*	*	*	*	*
Male	6.0	406.8	0.7	0.1	*	*	*	*	*	*	*	*
Female	4.5	328.9	0.5	0.1	*	*	*	*	*	*	*	*
White,both sexes	3.9	281.5	0.5	0.1	*	*	*	*	*	*	*	*
Male	4.4	310.8	0.5	*	*	*	*	*	*	*	*	*
Female	3.3	250.8	0.4	*	*	*	*	*	*	*	*	*
All other,both sexes	11.7	701.6	1.2	*	*	*	*	*	*	*	*	*
Male	13.8	776.2	1.7	*	*	*	*	*	*	*	*	*
Female	9.7	624.6	*	*	*	*	*	*	*	*	*	*
Black,both sexes	14.8	899.0	1.3	*	*	*	*	*	*	*	*	*
Male	17.6	997.3	*	*	*	*	*	*	*	*	*	*
Female	12.3	797.3	*	*	*	*	*	*	*	*	*	*

Congenital malformations, deformations and chromosomal abnormalities (Q00-Q99)

All races,both sexes	3.8	143.3	3.6	1.1	1.1	1.2	1.2	1.8	2.4	2.6	4.0	7.8
Male	4.0	147.3	4.0	1.1	1.4	1.3	1.3	2.0	2.5	2.5	4.2	8.2
Female	3.6	139.1	3.2	1.1	0.9	1.2	1.1	1.6	2.2	2.6	3.9	7.6
White,both sexes	3.7	139.1	3.2	1.0	1.1	1.3	1.2	1.8	2.5	2.6	4.1	8.0
Male	3.9	144.6	3.5	0.9	1.3	1.3	1.3	2.0	2.6	2.6	4.1	8.3
Female	3.5	133.4	2.8	1.0	0.9	1.2	1.2	1.7	2.3	2.6	4.1	7.8
All other,both sexes	4.4	159.2	5.3	1.5	1.3	1.1	1.2	1.6	1.8	2.3	3.9	6.2
Male	4.7	157.7	5.8	1.6	1.5	1.1	1.4	2.0	1.8	2.4	5.5	*
Female	4.1	160.8	4.7	1.5	1.1	1.0	1.0	1.3	1.7	2.3	2.9	*
Black,both sexes	4.9	180.2	6.2	1.7	1.4	1.2	1.4	1.9	2.0	2.7	4.3	7.7
Male	5.4	183.7	7.0	1.7	1.8	1.3	1.6	2.5	2.2	*	*	*
Female	4.5	176.6	5.4	1.7	1.1	1.0	1.2	1.5	1.8	3.1	*	*

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

ALL AGES 1/ UNDER 1 YEAR 2/ 1-4 YEARS 5-14 YEARS 15-24 YEARS 25-34 YEARS 35-44 YEARS 45-54 YEARS 55-64 YEARS 65-74 YEARS 75-84 YEARS 85 YEARS AND OVER

Symptoms, signs and abnormal clinical and laboratory findings, not elsewhere classified (R00-R99)

All races,both sexes	9.8	92.6	1.6	0.3	1.6	2.9	4.6	6.0	8.0	14.8	36.3	186.8
Male	9.7	106.1	1.8	0.4	2.2	3.8	6.0	8.3	10.6	18.5	39.6	160.0
Female	9.9	78.5	1.4	0.3	1.0	2.0	3.2	3.9	5.5	11.8	34.1	198.1
White,both sexes	9.6	73.6	1.3	0.3	1.4	2.6	4.1	5.2	7.2	14.1	35.3	189.9
Male	9.1	85.3	1.6	0.3	2.0	3.5	5.4	7.0	9.5	17.5	38.3	162.1
Female	10.1	61.3	1.1	0.3	0.9	1.8	2.7	3.4	5.1	11.3	33.3	201.5
All other,both sexes	10.6	165.4	2.5	0.5	2.3	4.0	7.1	10.4	12.7	19.6	45.7	157.8
Male	12.1	186.5	2.5	0.5	2.9	5.4	9.0	15.6	18.2	25.6	52.7	140.9
Female	9.1	143.6	2.4	*	1.6	2.7	5.3	6.1	8.3	15.3	41.3	165.5
Black,both sexes	13.2	205.2	3.1	0.5	2.7	5.0	9.1	13.6	16.1	24.0	55.1	182.7
Male	15.2	231.4	3.1	0.6	3.5	7.0	11.6	20.4	24.1	31.2	64.5	170.6
Female	11.3	178.1	3.0	*	1.9	3.2	6.9	8.0	10.0	18.7	49.5	187.8

All other diseases (Residual) (D65-E07,E15-E34,E65-F99,G04-G12,G23-G25,G31-H93,K00-K22,K29-K31,K50-K66,K71-K72,K75-K76,K83-M99,N13.0-N13.5,N13.7-N13.9,N14,N15.0,N15.8-N15.9,N20-N23,N28-N39,N41-N64,N80-N98)

All races,both sexes	63.0	30.1	4.3	2.3	4.7	8.1	17.8	34.6	61.5	138.1	375.4	1,403.5
Male	52.4	34.8	4.6	2.4	5.4	9.5	21.7	41.6	70.6	150.4	379.7	1,179.0
Female	73.1	25.1	4.0	2.3	3.9	6.7	14.0	27.9	53.3	128.1	372.5	1,498.4
White,both sexes	66.2	24.8	4.0	2.2	4.4	7.4	15.6	30.8	57.7	134.3	373.8	1,431.3
Male	53.8	28.8	4.3	2.2	5.2	9.1	19.7	37.5	66.0	145.8	375.3	1,193.4
Female	78.1	20.6	3.7	2.2	3.5	5.7	11.4	24.3	50.0	124.8	372.8	1,530.9
All other,both sexes	48.0	50.2	5.3	2.9	5.8	10.8	28.4	55.1	84.9	165.0	390.4	1,143.3
Male	45.5	58.1	5.7	3.2	6.1	11.4	32.0	65.6	101.2	185.3	422.1	1,052.5
Female	50.2	42.1	4.9	2.6	5.6	10.2	25.3	46.3	72.0	150.2	370.4	1,185.0
Black,both sexes	58.3	60.3	5.9	3.2	6.8	13.4	35.7	70.0	105.1	195.7	449.5	1,288.8
Male	54.8	68.8	6.0	3.8	7.1	13.9	39.6	84.3	127.2	217.4	493.0	1,197.5
Female	61.5	51.5	5.7	2.7	6.4	12.9	32.2	58.1	88.2	179.9	423.4	1,326.9

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER
Accidents (unintentional injuries) (V01-X59,Y85-Y86)												
All races,both sexes	35.9	22.1	12.6	7.8	36.2	31.3	34.0	32.5	31.1	45.1	101.1	280.9
Male	47.7	25.3	14.6	9.8	51.9	48.3	50.5	49.2	45.0	60.9	130.8	361.2
Female	24.6	18.8	10.4	5.8	19.6	14.6	17.7	16.6	18.5	32.1	81.2	247.0
White,both sexes	36.6	18.6	11.4	7.3	37.9	31.7	33.8	31.0	29.6	44.0	101.5	289.9
Male	47.9	21.5	13.2	9.0	53.9	48.7	50.1	46.3	42.2	58.9	130.4	371.7
Female	25.7	15.5	9.6	5.5	20.8	14.6	17.5	16.0	17.9	31.7	82.0	255.6
All other,both sexes	32.5	35.7	16.9	9.8	29.5	29.7	34.7	40.9	40.6	52.3	97.5	196.9
Male	46.4	40.0	20.1	12.6	44.0	46.6	52.8	66.1	63.5	75.9	134.4	269.1
Female	19.8	31.3	13.6	6.8	15.0	14.5	18.6	19.5	22.5	35.0	74.3	163.7
Black,both sexes	36.5	44.3	19.8	11.3	29.9	33.4	40.4	49.4	45.5	56.7	105.3	208.0
Male	53.0	48.8	23.5	14.9	45.1	53.3	62.6	82.5	74.4	84.8	146.4	293.4
Female	21.6	39.7	15.9	7.7	14.6	15.5	20.8	21.8	23.4	36.1	80.6	172.4
Transport accidents (V01-V99,Y85)												
All races,both sexes	17.0	4.9	4.7	5.0	28.3	19.6	16.9	15.8	16.3	19.6	28.6	31.9
Male	23.7	5.2	5.2	6.0	39.1	29.3	24.2	22.9	23.0	26.4	40.2	61.1
Female	10.6	4.7	4.2	4.0	17.0	10.1	9.7	8.9	10.2	14.1	20.7	19.5
White,both sexes	17.3	4.5	4.1	5.0	29.8	19.8	16.8	15.4	16.0	19.6	28.8	32.3
Male	23.9	5.2	4.4	5.9	40.9	29.3	23.9	22.3	22.3	26.2	40.2	61.8
Female	10.8	3.9	3.8	4.0	18.1	10.2	9.6	8.7	10.1	14.2	21.1	19.9
All other,both sexes	15.9	6.6	6.9	5.2	22.4	18.8	17.2	17.6	18.4	19.7	26.6	27.9
Male	22.9	5.2	8.1	6.3	31.9	29.1	25.5	26.9	27.8	27.9	40.7	55.4
Female	9.5	7.9	5.7	4.0	12.8	9.5	9.8	9.8	10.9	13.7	17.7	15.2
Black,both sexes	16.9	7.7	7.9	5.8	22.4	20.6	19.2	19.7	18.6	18.9	26.5	27.8
Male	25.1	*	8.9	7.3	32.1	33.1	29.3	31.8	30.3	28.0	42.3	63.0
Female	9.5	9.3	6.9	4.3	12.5	9.4	10.2	9.6	9.7	12.4	17.1	13.1

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER
Water, air and space, and other and unspecified transport accidents and their sequelae (V90-V99,Y85)												
All races,both sexes	0.7	*	*	0.2	0.5	0.9	0.9	1.0	1.1	0.9	0.5	*
Male	1.1	*	*	0.3	0.8	1.5	1.4	1.8	2.0	1.6	0.9	*
Female	0.3	*	*	0.1	0.3	0.3	0.4	0.3	0.3	0.2	0.3	*
White,both sexes	0.7	*	*	0.2	0.6	1.0	1.0	1.1	1.1	0.9	0.5	*
Male	1.2	*	*	0.3	0.9	1.6	1.5	1.8	2.0	1.7	0.9	*
Female	0.3	*	*	0.1	0.3	0.4	0.4	0.3	0.3	0.3	*	*
All other,both sexes	0.5	*	*	*	0.3	0.5	0.6	0.8	1.2	*	*	*
Male	0.8	*	*	*	*	1.0	1.1	1.4	2.3	*	*	*
Female	0.2	*	*	*	*	*	*	*	*	*	*	*
Black,both sexes	0.5	*	*	*	0.3	0.5	0.7	0.9	1.1	*	*	*
Male	0.9	*	*	*	*	0.9	1.2	1.5	2.4	*	*	*
Female	0.2	*	*	*	*	*	*	*	*	*	*	*
Nontransport accidents (W00-X59,Y86)												
All races,both sexes	18.9	17.2	7.8	2.8	7.9	11.7	17.1	16.7	14.8	25.4	72.6	249.1
Male	23.9	20.1	9.4	3.8	12.8	19.0	26.4	26.2	22.0	34.5	90.6	300.1
Female	14.0	14.1	6.2	1.8	2.6	4.6	8.0	7.7	8.3	18.0	60.5	227.5
White,both sexes	19.4	14.0	7.3	2.3	8.0	11.9	17.1	15.5	13.6	24.4	72.7	257.6
Male	24.0	16.3	8.7	3.1	13.0	19.4	26.2	24.0	20.0	32.7	90.3	309.9
Female	14.8	11.6	5.8	1.5	2.7	4.4	7.8	7.3	7.8	17.5	60.9	235.7
All other,both sexes	16.6	29.1	9.9	4.6	7.2	10.9	17.5	23.2	22.3	32.6	71.0	169.0
Male	23.5	34.8	12.0	6.3	12.1	17.5	27.2	39.2	35.8	48.1	93.7	213.7
Female	10.3	23.3	7.8	2.9	2.2	5.1	8.8	9.7	11.6	21.2	56.6	148.5
Black,both sexes	19.6	36.6	11.9	5.5	7.6	12.8	21.2	29.7	26.9	37.7	78.7	180.2
Male	27.8	42.5	14.6	7.6	13.0	20.2	33.2	50.7	44.2	56.8	104.1	230.4
Female	12.1	30.4	9.0	3.4	2.1	6.1	10.6	12.3	13.7	23.8	63.5	159.3

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER
Accidental drowning and submersion (W65-W74)												
All races,both sexes	1.3	1.8	3.2	0.9	1.7	1.2	1.1	1.0	0.9	1.0	1.3	1.6
Male	2.1	2.0	4.0	1.4	3.1	2.1	1.8	1.8	1.5	1.6	2.3	2.3
Female	0.5	1.6	2.4	0.5	0.3	0.3	0.3	0.3	0.4	0.6	0.6	1.4
White,both sexes	1.2	1.5	3.5	0.6	1.5	1.1	1.1	1.0	0.9	1.0	1.3	1.6
Male	1.9	1.7	4.3	0.8	2.7	1.9	1.8	1.8	1.4	1.5	2.2	2.3
Female	0.5	1.4	2.6	0.4	0.3	0.2	0.4	0.3	0.4	0.6	0.6	1.3
All other,both sexes	1.7	2.8	2.4	2.2	2.4	1.5	1.0	1.0	1.2	1.4	1.7	*
Male	2.9	*	3.0	3.3	4.4	2.9	2.0	1.8	2.2	2.4	*	*
Female	0.6	*	1.7	1.0	*	*	*	*	*	*	*	*
Black,both sexes	1.8	3.7	2.7	2.6	2.4	1.7	1.1	0.9	1.2	1.3	*	*
Male	3.2	*	3.5	3.9	4.5	3.2	2.1	2.0	2.3	*	*	*
Female	0.6	*	1.8	1.1	*	*	*	*	*	*	*	*
Accidental exposure to smoke, fire and flames (X00-X09)												
All races,both sexes	1.2	1.1	2.0	0.7	0.5	0.7	0.9	1.0	1.4	2.3	4.0	5.9
Male	1.5	1.1	2.2	0.7	0.7	1.0	1.3	1.5	1.7	3.0	5.1	8.9
Female	0.9	1.1	1.7	0.6	0.4	0.4	0.5	0.6	1.0	1.7	3.3	4.6
White,both sexes	1.1	0.9	1.5	0.5	0.5	0.7	0.8	0.9	1.2	1.8	3.3	4.7
Male	1.3	*	1.7	0.6	0.7	1.0	1.2	1.3	1.5	2.3	4.2	7.7
Female	0.8	*	1.3	0.5	0.3	0.4	0.5	0.5	0.8	1.4	2.7	3.4
All other,both sexes	2.0	*	4.0	1.2	0.6	0.9	1.4	1.7	2.6	5.4	10.8	17.2
Male	2.4	*	4.4	1.4	0.8	1.2	2.1	2.6	3.1	7.9	13.8	19.8
Female	1.6	*	3.5	1.1	*	0.7	0.8	1.0	2.1	3.7	8.8	16.0
Black,both sexes	2.6	*	5.0	1.6	0.7	1.0	1.8	2.2	3.4	6.7	13.5	21.7
Male	3.1	*	5.6	1.8	0.8	1.2	2.7	3.3	4.3	9.8	17.7	27.2
Female	2.1	*	4.4	1.4	*	0.8	1.0	1.3	2.7	4.5	11.0	19.5

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER
Accidental poisoning and exposure to noxious substances (X40-X49)												
All races,both sexes	4.5	*	0.2	0.1	2.6	6.2	10.2	7.9	2.9	1.6	2.2	3.4
Male	6.7	*	*	0.1	3.9	9.7	15.0	12.0	4.0	2.1	2.4	4.3
Female	2.4	*	*	*	1.1	2.8	5.3	4.0	1.8	1.3	2.0	3.1
White,both sexes	4.4	*	0.2	0.1	2.8	6.5	10.0	7.2	2.5	1.5	2.2	3.3
Male	6.6	*	*	*	4.3	10.2	15.0	10.7	3.3	1.9	2.4	4.4
Female	2.3	*	*	*	1.2	2.7	5.1	3.8	1.8	1.2	2.1	2.8
All other,both sexes	4.8	*	*	*	1.6	5.2	10.6	12.0	4.9	2.7	1.7	5.0
Male	7.2	*	*	*	2.4	7.8	15.4	20.1	8.8	3.6	*	*
Female	2.6	*	*	*	0.8	2.9	6.4	5.1	1.7	2.0	*	*
Black,both sexes	5.9	*	*	*	1.6	6.4	13.3	16.0	6.1	3.0	*	*
Male	9.0	*	*	*	2.7	9.5	19.6	27.2	11.5	4.2	*	*
Female	3.1	*	*	*	*	3.6	7.7	6.7	2.0	2.1	*	*
Other and unspecified nontransport accidents and their sequelae (W20-W31,W35-W64,W75-W99,X10-X39,X50-X59,Y86)												
All races,both sexes	6.7	13.7	1.9	0.8	1.8	2.3	3.2	4.2	5.7	11.2	33.1	128.3
Male	7.8	16.1	2.4	1.1	2.9	4.0	5.3	6.7	8.5	15.0	40.4	146.9
Female	5.8	11.2	1.5	0.5	0.5	0.7	1.2	1.7	3.1	8.0	28.3	120.4
White,both sexes	7.1	11.1	1.8	0.8	1.9	2.4	3.3	3.9	5.3	10.7	32.7	132.1
Male	8.0	12.7	2.1	1.1	3.1	4.1	5.4	6.3	7.9	14.2	39.7	150.4
Female	6.2	9.3	1.4	0.5	0.6	0.7	1.2	1.7	2.8	7.8	27.9	124.5
All other,both sexes	5.3	23.7	2.5	0.7	1.2	2.1	2.9	5.5	8.4	14.4	37.6	92.1
Male	6.9	29.1	3.2	0.9	2.1	3.5	5.0	9.4	13.1	21.0	47.5	116.3
Female	3.7	18.2	1.8	0.5	*	0.9	1.1	2.2	4.7	9.5	31.3	81.0
Black,both sexes	6.3	29.7	2.8	0.8	1.3	2.5	3.4	6.8	10.2	17.6	43.8	105.8
Male	8.3	35.3	3.8	1.0	2.4	4.1	5.8	11.6	16.5	25.9	55.8	142.4
Female	4.5	24.0	1.8	*	*	1.1	1.4	2.8	5.4	11.5	36.5	90.5

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER
Intentional self-harm (suicide) (X60-X84,Y87.0)												
All races,both sexes	10.7	0.6	10.3	13.5	14.4	14.2	12.4	13.6	18.3	19.2
Male	17.6	1.0	17.2	22.3	22.6	22.0	20.2	25.0	38.3	54.9
Female	4.1	0.3	3.1	4.8	6.4	6.7	5.2	4.2	4.8	4.1
White,both sexes	11.7	0.7	10.7	14.3	15.9	15.6	13.4	14.6	19.4	20.6
Male	19.1	1.0	17.8	23.4	24.5	23.9	21.6	26.8	40.8	59.6
Female	4.5	0.3	3.2	5.1	7.2	7.5	5.7	4.5	5.0	4.3
All other,both sexes	6.0	0.5	8.8	10.1	7.7	6.5	6.1	6.2	7.5	5.5
Male	10.2	0.7	14.8	17.6	13.0	11.0	10.8	11.6	14.7	*
Female	2.2	*	2.8	3.4	2.9	2.7	2.3	2.3	2.9	*
Black,both sexes	5.6	0.5	8.2	9.5	7.7	5.9	5.0	5.7	5.8	*
Male	10.0	0.7	14.4	17.4	13.4	10.5	9.6	11.3	13.5	*
Female	1.6	*	2.0	2.4	2.6	2.0	1.6	*	*	*

Intentional self-harm (suicide) by discharge of firearms (X72-X74)

All races,both sexes	6.1	0.3	6.1	6.9	6.9	7.5	8.0	9.8	13.2	12.6
Male	10.9	0.4	10.8	12.1	11.6	12.9	14.3	19.7	30.8	40.0
Female	1.5	0.1	1.3	1.8	2.3	2.3	2.2	1.8	1.5	1.0
White,both sexes	6.7	0.3	6.3	7.4	7.7	8.3	8.7	10.7	14.2	13.6
Male	11.9	0.5	11.1	12.7	12.7	14.1	15.4	21.3	32.9	43.5
Female	1.7	0.1	1.3	2.1	2.6	2.6	2.4	1.9	1.6	1.0
All other,both sexes	3.0	*	5.4	4.9	3.4	2.9	3.3	3.4	4.1	*
Male	5.7	*	9.7	9.3	6.4	5.4	6.6	7.3	9.8	*
Female	0.6	*	1.0	0.9	0.7	0.8	*	*	*	*
Black,both sexes	3.2	*	5.7	5.1	3.5	3.1	3.5	3.9	4.8	*
Male	6.1	*	10.3	10.0	6.7	5.8	7.3	8.3	11.7	*
Female	0.6	*	1.0	0.8	0.7	*	*	*	*	*

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER
Intentional self-harm (suicide) by other and unspecified means and their sequelae (X60-X71,X75-X84,Y87.0)												
All races,both sexes	4.6	0.4	4.2	6.6	7.5	6.7	4.4	3.7	5.0	6.6
Male	6.7	0.6	6.4	10.2	10.9	9.2	5.9	5.3	7.6	14.9
Female	2.6	0.1	1.9	2.9	4.1	4.4	3.1	2.4	3.3	3.1
White,both sexes	5.0	0.4	4.4	6.9	8.2	7.3	4.7	3.9	5.2	7.1
Male	7.2	0.6	6.8	10.7	11.8	9.8	6.2	5.5	7.9	16.1
Female	2.8	0.1	1.9	3.1	4.6	4.9	3.3	2.5	3.4	3.3
All other,both sexes	3.0	0.3	3.4	5.2	4.3	3.6	2.8	2.8	3.3	*
Male	4.5	0.5	5.1	8.3	6.7	5.6	4.2	4.3	4.8	*
Female	1.6	*	1.7	2.5	2.3	1.8	1.7	1.8	*	*
Black,both sexes	2.4	0.4	2.5	4.4	4.2	2.8	1.5	1.8	*	*
Male	3.8	*	4.0	7.4	6.7	4.7	2.3	3.0	*	*
Female	1.0	*	0.9	1.6	2.0	1.3	*	*	*	*
Assault (homicide) (X85-Y09,Y87.1)												
All races,both sexes	6.2	8.7	2.5	1.1	13.2	11.2	7.2	4.7	3.1	2.6	2.5	2.4
Male	9.6	9.6	2.5	1.2	21.7	17.8	10.4	7.0	4.9	3.7	3.3	3.3
Female	2.9	7.7	2.5	0.9	4.4	4.6	4.0	2.4	1.5	1.7	2.0	2.0
White,both sexes	3.8	6.6	1.7	0.8	6.9	6.3	4.8	3.4	2.5	2.2	2.1	2.1
Male	5.6	7.8	1.8	0.9	10.5	9.5	6.7	4.9	3.7	3.0	2.7	2.6
Female	2.2	5.3	1.7	0.7	3.0	3.2	2.9	1.8	1.3	1.6	1.6	1.9
All other,both sexes	17.2	16.5	5.4	2.0	37.8	30.7	18.3	11.7	6.9	5.3	6.7	5.0
Male	28.9	16.4	5.5	2.4	66.0	53.5	28.7	19.3	12.8	9.2	9.8	*
Female	6.5	16.7	5.4	1.7	9.4	10.2	9.0	5.3	2.3	2.5	4.7	*
Black,both sexes	21.9	20.7	6.8	2.4	48.4	40.8	23.4	14.5	8.3	6.2	7.5	*
Male	37.5	20.8	6.6	2.9	85.1	71.8	37.5	24.6	15.8	11.3	11.7	*
Female	7.8	20.7	7.0	1.8	11.5	12.8	11.0	6.1	2.6	2.5	5.0	*

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER
Assault (homicide) by discharge of firearms (X93-X95)												
All races,both sexes	4.0	*	0.3	0.6	10.7	8.0	4.2	2.5	1.6	1.1	0.8	0.6
Male	6.7	*	0.3	0.8	18.5	13.9	6.4	3.9	2.6	1.5	1.0	*
Female	1.4	*	0.3	0.4	2.5	2.3	2.0	1.2	0.6	0.7	0.6	*
White,both sexes	2.2	*	0.2	0.4	4.9	4.1	2.7	1.7	1.3	0.9	0.7	0.6
Male	3.5	*	*	0.5	8.1	6.6	4.0	2.6	1.9	1.2	0.7	*
Female	1.0	*	*	0.3	1.6	1.5	1.5	0.9	0.6	0.7	0.6	*
All other,both sexes	12.3	*	0.8	1.2	32.9	24.1	10.9	6.6	3.7	2.0	1.9	*
Male	22.3	*	*	1.6	59.4	45.1	18.3	11.2	7.5	3.6	*	*
Female	3.1	*	*	0.7	6.2	5.3	4.3	2.8	*	*	*	*
Black,both sexes	16.0	*	*	1.3	42.7	32.6	14.2	8.3	4.4	2.3	2.4	*
Male	29.5	*	*	1.9	77.3	61.4	24.2	14.6	9.3	4.4	*	*
Female	3.8	*	*	0.7	7.8	6.7	5.4	3.1	*	*	*	*

Assault (homicide) by other and unspecified means and their sequelae (X85-X92,X96-Y09,Y87.1)

All races,both sexes	2.2	8.5	2.2	0.5	2.5	3.1	3.0	2.2	1.5	1.5	1.7	1.8
Male	2.9	9.3	2.2	0.5	3.2	3.9	4.0	3.2	2.2	2.2	2.3	2.5
Female	1.6	7.5	2.1	0.6	1.8	2.3	2.0	1.2	0.8	1.0	1.3	1.5
White,both sexes	1.7	6.5	1.5	0.4	1.9	2.3	2.0	1.6	1.2	1.3	1.4	1.5
Male	2.1	7.6	1.5	0.4	2.4	2.9	2.7	2.3	1.8	1.7	1.9	1.8
Female	1.2	5.3	1.5	0.5	1.5	1.7	1.4	0.9	0.7	0.9	1.0	1.4
All other,both sexes	4.9	16.0	4.6	0.9	4.9	6.6	7.4	5.1	3.2	3.3	4.7	*
Male	6.5	16.1	4.7	0.8	6.6	8.4	10.5	8.2	5.3	5.7	6.1	*
Female	3.4	15.9	4.6	1.0	3.2	4.9	4.7	2.6	1.5	1.6	3.9	*
Black,both sexes	5.9	20.4	6.0	1.0	5.8	8.2	9.2	6.2	3.9	3.9	5.2	*
Male	8.0	20.4	6.0	0.9	7.8	10.5	13.3	10.0	6.5	6.9	6.9	*
Female	4.0	20.4	6.0	1.1	3.7	6.1	5.6	3.0	1.9	*	4.1	*

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER
Legal intervention (Y35,Y89.0)												
All races,both sexes	0.1	*	*	*	0.2	0.4	0.3	0.1	0.1	*	*	*
Male	0.3	*	*	*	0.3	0.7	0.5	0.3	0.2	*	*	*
Female	*	*	*	*	*	*	*	*	*	*	*	*
White,both sexes	0.1	*	*	*	0.1	0.3	0.2	0.1	*	*	*	*
Male	0.2	*	*	*	0.2	0.6	0.4	0.3	*	*	*	*
Female	*	*	*	*	*	*	*	*	*	*	*	*
All other,both sexes	0.3	*	*	*	0.5	0.7	0.5	*	*	*	*	*
Male	0.6	*	*	*	0.9	1.4	1.1	*	*	*	*	*
Female	*	*	*	*	*	*	*	*	*	*	*	*
Black,both sexes	0.4	*	*	*	0.6	0.8	0.6	*	*	*	*	*
Male	0.8	*	*	*	1.1	1.6	1.4	*	*	*	*	*
Female	*	*	*	*	*	*	*	*	*	*	*	*
Events of undetermined intent (Y10-Y34,Y87.2,Y89.9)												
All races,both sexes	1.4	1.4	0.3	0.1	1.1	2.0	2.9	2.2	0.9	0.6	0.8	1.4
Male	2.0	1.7	0.3	0.2	1.8	2.8	4.0	3.0	1.3	0.9	1.1	2.0
Female	0.9	1.2	0.3	*	0.5	1.2	1.8	1.4	0.6	0.4	0.6	1.1
White,both sexes	1.4	1.2	0.2	0.1	1.1	2.0	2.8	2.0	0.9	0.6	0.8	1.4
Male	1.9	1.4	*	0.2	1.8	2.7	3.8	2.6	1.2	0.8	1.1	2.1
Female	0.9	*	*	*	0.4	1.3	1.8	1.5	0.7	0.4	0.6	1.1
All other,both sexes	1.7	*	0.6	*	1.1	1.8	3.5	3.3	1.1	*	*	*
Male	2.6	*	*	*	1.7	3.0	5.1	5.6	2.4	*	*	*
Female	0.8	*	*	*	0.5	0.8	2.0	1.3	*	*	*	*
Black,both sexes	2.0	*	*	*	1.2	2.3	4.2	4.3	1.2	*	*	*
Male	3.2	*	*	*	1.9	3.7	6.4	7.5	2.7	*	*	*
Female	0.9	*	*	*	*	1.0	2.3	1.6	*	*	*	*

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER
Discharge of firearms, undetermined intent (Y22-Y24)												
All races,both sexes	0.1	*	*	*	0.3	0.1	0.1	0.1	*	*	*	*
Male	0.2	*	*	*	0.6	0.2	0.2	0.1	*	*	*	*
Female	0.0	*	*	*	*	*	*	*	*	*	*	*
White,both sexes	0.1	*	*	*	0.3	0.1	0.1	0.1	*	*	*	*
Male	0.2	*	*	*	0.5	0.2	0.2	*	*	*	*	*
Female	0.0	*	*	*	*	*	*	*	*	*	*	*
All other,both sexes	0.2	*	*	*	0.5	*	*	*	*	*	*	*
Male	0.3	*	*	*	0.9	*	*	*	*	*	*	*
Female	*	*	*	*	*	*	*	*	*	*	*	*
Black,both sexes	0.2	*	*	*	0.6	*	*	*	*	*	*	*
Male	0.3	*	*	*	1.0	*	*	*	*	*	*	*
Female	*	*	*	*	*	*	*	*	*	*	*	*

Other and unspecified events of undetermined intent and their sequelae (Y10-Y21,Y25-Y34,Y87.2,Y89.9)

All races,both sexes	1.3	1.4	0.3	0.1	0.8	1.8	2.8	2.1	0.9	0.5	0.7	1.3
Male	1.8	1.7	*	0.1	1.2	2.5	3.8	2.9	1.2	0.7	0.9	1.7
Female	0.8	1.2	0.3	*	0.4	1.1	1.8	1.4	0.6	0.4	0.5	1.1
White,both sexes	1.3	1.2	0.2	0.1	0.9	1.9	2.6	1.9	0.9	0.5	0.7	1.3
Male	1.7	1.4	*	0.1	1.3	2.5	3.5	2.5	1.1	0.7	0.9	*
Female	0.9	*	*	*	0.4	1.2	1.7	1.4	0.7	0.4	0.6	1.1
All other,both sexes	1.5	*	*	*	0.6	1.6	3.4	3.2	1.0	*	*	*
Male	2.3	*	*	*	0.8	2.6	5.0	5.4	2.3	*	*	*
Female	0.8	*	*	*	*	0.7	1.9	1.3	*	*	*	*
Black,both sexes	1.8	*	*	*	0.6	2.0	4.1	4.2	1.2	*	*	*
Male	2.8	*	*	*	0.9	3.2	6.3	7.3	2.6	*	*	*
Female	0.9	*	*	*	*	0.9	2.2	1.6	*	*	*	*

CAUSE OF DEATH (BASED ON THE TENTH REVISION INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES 1/	UNDER 1 YEAR 2/	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85 YEARS AND OVER
Operations of war and their sequelae (Y36,Y89.1)												
All races,both sexes	0.0	*	*	*	*	*	*	*	*	*	*	*
Male	0.0	*	*	*	*	*	*	*	*	*	*	*
Female	*	*	*	*	*	*	*	*	*	*	*	*
White,both sexes	0.0	*	*	*	*	*	*	*	*	*	*	*
Male	0.0	*	*	*	*	*	*	*	*	*	*	*
Female	*	*	*	*	*	*	*	*	*	*	*	*
All other,both sexes	*	*	*	*	*	*	*	*	*	*	*	*
Male	*	*	*	*	*	*	*	*	*	*	*	*
Female	*	*	*	*	*	*	*	*	*	*	*	*
Black,both sexes	*	*	*	*	*	*	*	*	*	*	*	*
Male	*	*	*	*	*	*	*	*	*	*	*	*
Female	*	*	*	*	*	*	*	*	*	*	*	*
Complications of medical and surgical care (Y40-Y84,Y88)												
All races,both sexes	1.0	1.4	0.2	*	0.1	0.2	0.3	0.6	1.3	3.2	6.7	12.7
Male	1.0	1.6	*	*	0.1	0.2	0.4	0.6	1.5	3.4	7.7	15.9
Female	1.1	1.2	*	*	*	0.2	0.3	0.6	1.2	3.1	6.0	11.3
White,both sexes	1.0	1.2	0.2	*	0.1	0.2	0.3	0.5	1.2	3.1	6.4	12.1
Male	1.0	1.4	*	*	*	0.2	0.3	0.5	1.3	3.2	7.4	15.1
Female	1.1	*	*	*	*	0.2	0.3	0.6	1.1	2.9	5.7	10.8
All other,both sexes	1.1	*	*	*	*	0.3	0.5	1.0	2.3	4.2	9.5	18.4
Male	1.0	*	*	*	*	*	*	1.0	2.7	4.6	10.3	22.9
Female	1.1	*	*	*	*	*	0.5	1.0	2.0	3.8	9.0	16.3
Black,both sexes	1.3	*	*	*	*	*	0.6	1.3	2.6	5.1	10.8	20.1
Male	1.2	*	*	*	*	*	*	1.5	3.0	5.7	12.0	21.7
Female	1.4	*	*	*	*	*	*	1.2	2.4	4.7	10.1	19.5

* FIGURE DOES NOT MEET STANDARDS OF RELIABILITY OR PRECISION.

0.0 QUANTITY MORE THAN ZERO BUT LESS THAN 0.05.

... CATEGORY NOT APPLICABLE.

1/ FIGURES FOR AGE NOT STATED INCLUDED IN "ALL AGES" BUT NOT DISTRIBUTED AMONG AGE GROUPS.

2/ DEATH RATES FOR "UNDER 1 YEAR" (BASED ON POPULATION ESTIMATES) DIFFER FROM INFANT MORTALITY RATES (BASED ON LIVE BIRTHS).

SOURCE: CDC/NCHS, NATIONAL VITAL STATISTICS SYSTEM, MORTALITY