

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR ALL CAUSES	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
TOTAL, BOTH SEXES											
1998.....	2,337,256	28,371	5,251	3,530	4,261	13,788	16,839	18,151	24,365	37,236	51,630
1997.....	2,314,245	28,045	5,501	3,645	4,416	14,272	17,272	19,272	26,266	38,172	51,236
1996.....	2,314,690	28,487	5,948	3,780	4,550	14,663	17,780	20,730	30,417	42,499	53,534
1995.....	2,312,132	29,583	6,393	3,780	4,816	15,089	19,155	22,681	35,064	46,487	55,783
1994.....	2,278,994	31,710	6,800	3,747	4,717	15,284	19,957	23,374	35,899	45,770	53,733
1993.....	2,268,553	33,466	7,066	3,918	4,740	14,997	20,486	24,085	35,560	44,330	51,708
1992.....	2,175,613	34,628	6,764	3,739	4,454	14,411	20,137	24,314	34,167	42,089	49,201
1991.....	2,169,518	36,766	7,214	3,926	4,553	15,313	21,139	25,485	34,143	40,561	47,561
1990.....	2,148,463	38,351	6,931	3,995	4,441	15,711	21,022	26,579	33,512	39,093	44,469
1989.....	2,150,466	39,655	7,292	4,313	4,601	15,570	20,918	26,930	33,594	37,862	43,057
1988.....	2,167,999	38,910	7,429	4,357	4,568	16,031	22,136	26,809	32,328	36,616	40,838
1987.....	2,123,323	38,408	7,473	4,301	4,442	15,615	22,408	26,500	31,201	34,902	38,561
1986.....	2,105,361	38,891	7,480	4,082	4,706	16,224	23,705	26,474	30,056	33,496	36,897
1985.....	2,086,440	40,030	7,339	4,168	4,765	15,068	22,867	24,729	27,123	30,439	35,376
1984.....	2,039,369	39,580	7,372	4,140	4,936	15,213	23,604	24,242	25,686	28,247	34,309
1983.....	2,019,201	40,627	7,801	4,259	4,884	15,717	23,365	24,170	24,612	26,512	32,837
1982.....	1,974,797	42,401	7,910	4,514	5,111	17,041	24,930	24,589	24,721	26,333	31,972
1981.....	1,977,981	43,305	8,046	4,671	5,407	18,485	26,624	25,828	25,425	25,949	32,589
1980.....	1,989,841	45,526	8,187	5,075	5,614	20,733	28,294	25,732	24,508	25,656	32,762
1979.....	1,913,841	45,665	8,108	5,278	5,868	21,085	27,634	24,814	23,127	25,103	32,620
TOTAL, MALE											
1998.....	1,157,260	15,786	2,920	2,038	2,648	9,913	12,804	12,890	16,325	24,034	33,105
1997.....	1,154,039	15,788	3,121	2,045	2,718	10,265	13,047	13,759	17,948	25,078	33,063
1996.....	1,163,569	15,965	3,349	2,200	2,803	10,682	13,631	14,825	21,245	28,806	35,498
1995.....	1,172,959	16,622	3,609	2,212	3,007	11,068	14,709	16,572	25,254	32,339	37,792
1994.....	1,162,747	17,814	3,841	2,186	2,996	11,444	15,314	17,130	26,050	32,027	36,717
1993.....	1,161,797	18,959	3,992	2,203	3,004	11,163	15,743	17,759	25,928	31,185	35,210
1992.....	1,122,336	19,545	3,809	2,231	2,849	10,747	15,460	18,032	24,863	29,641	33,354
1991.....	1,121,665	21,008	4,045	2,292	2,980	11,358	16,191	18,994	24,715	28,534	32,018
1990.....	1,113,417	21,856	3,969	2,363	2,764	11,671	16,202	19,794	24,263	27,601	29,861
1989.....	1,114,190	22,361	4,110	2,510	2,914	11,263	15,902	19,932	24,222	26,742	28,586
1988.....	1,125,540	22,007	4,221	2,574	2,907	11,687	16,844	19,653	23,332	25,433	27,001
1987.....	1,107,958	21,798	4,261	2,636	2,943	11,253	16,978	19,415	22,318	24,048	25,301
1986.....	1,104,005	22,224	4,262	2,437	3,066	11,786	18,048	19,595	21,631	23,027	23,896
1985.....	1,097,758	22,958	4,241	2,430	3,055	10,831	17,331	18,213	19,141	20,561	22,933
1984.....	1,076,514	22,359	4,142	2,480	3,105	10,928	17,732	17,750	18,017	18,694	21,893
1983.....	1,071,923	22,969	4,512	2,532	3,123	11,362	17,485	17,582	17,266	17,489	20,899
1982.....	1,056,440	24,073	4,448	2,686	3,237	12,524	18,852	18,052	17,310	17,366	20,289
1981.....	1,063,772	24,452	4,600	2,821	3,435	13,460	20,235	19,041	17,698	17,053	20,852
1980.....	1,075,078	25,804	4,761	2,989	3,571	15,207	21,696	19,037	17,003	16,822	20,790
1979.....	1,044,959	25,980	4,591	3,179	3,763	15,547	21,054	18,332	16,014	16,305	20,752

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR ALL CAUSES	TOTAL	RACE, AND SEX: UNITED STATES, 1979-98									
		UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
TOTAL, FEMALE											
1998.....	1,179,996	12,585	2,331	1,492	1,613	3,875	4,035	5,261	8,040	13,202	18,525
1997.....	1,160,206	12,257	2,380	1,600	1,698	4,007	4,225	5,513	8,318	13,094	18,173
1996.....	1,151,121	12,522	2,599	1,580	1,747	3,981	4,149	5,905	9,172	13,693	18,036
1995.....	1,139,173	12,961	2,784	1,568	1,809	4,021	4,446	6,109	9,810	14,148	17,991
1994.....	1,116,247	13,896	2,959	1,561	1,721	3,840	4,643	6,244	9,849	13,743	17,016
1993.....	1,106,756	14,507	3,074	1,715	1,736	3,834	4,743	6,326	9,632	13,145	16,498
1992.....	1,053,277	15,083	2,955	1,508	1,605	3,664	4,677	6,282	9,304	12,448	15,847
1991.....	1,047,853	15,758	3,169	1,634	1,573	3,955	4,948	6,491	9,428	12,027	15,543
1990.....	1,035,046	16,495	2,962	1,632	1,677	4,040	4,820	6,785	9,249	11,492	14,608
1989.....	1,036,276	17,294	3,182	1,803	1,687	4,307	5,016	6,998	9,372	11,120	14,471
1988.....	1,042,459	16,903	3,208	1,783	1,661	4,344	5,292	7,156	8,996	11,183	13,837
1987.....	1,015,365	16,610	3,212	1,665	1,499	4,362	5,430	7,085	8,883	10,854	13,260
1986.....	1,001,356	16,667	3,218	1,645	1,640	4,438	5,657	6,879	8,425	10,469	13,001
1985.....	988,682	17,072	3,098	1,738	1,710	4,237	5,536	6,516	7,982	9,878	12,443
1984.....	962,855	17,221	3,230	1,660	1,831	4,285	5,820	6,492	7,669	9,553	12,416
1983.....	947,278	17,658	3,289	1,727	1,761	4,355	5,880	6,588	7,346	9,023	11,938
1982.....	918,357	18,328	3,462	1,828	1,874	4,517	6,078	6,537	7,411	8,967	11,683
1981.....	914,209	18,853	3,446	1,850	1,972	5,025	6,389	6,787	7,727	8,896	11,737
1980.....	914,763	19,722	3,426	2,086	2,043	5,526	6,598	6,695	7,505	8,834	11,972
1979.....	868,882	19,685	3,517	2,099	2,105	5,538	6,580	6,482	7,113	8,798	11,868
WHITE, BOTH SEXES											
1998.....	2,015,984	18,561	3,628	2,456	3,157	10,325	11,971	12,663	17,417	27,304	38,043
1997.....	1,996,393	18,539	3,849	2,521	3,285	10,527	12,040	13,422	18,838	27,568	37,587
1996.....	1,992,966	18,761	4,041	2,693	3,352	10,619	12,324	14,424	21,422	30,277	38,621
1995.....	1,987,437	19,490	4,366	2,701	3,548	10,857	13,328	15,717	24,855	33,124	40,115
1994.....	1,959,875	20,504	4,583	2,646	3,438	10,773	13,744	16,175	25,265	32,530	38,543
1993.....	1,951,437	21,497	4,793	2,817	3,493	10,610	13,886	16,668	25,380	31,547	37,249
1992.....	1,873,781	22,164	4,685	2,690	3,299	10,308	14,033	17,051	24,450	30,127	35,886
1991.....	1,868,904	23,657	5,028	2,903	3,418	11,067	14,921	17,918	24,427	28,928	35,029
1990.....	1,853,254	24,883	4,866	2,949	3,323	11,678	15,230	19,018	23,737	27,949	33,074
1989.....	1,853,841	25,794	5,133	3,187	3,467	11,945	15,232	19,514	23,876	26,885	32,046
1988.....	1,876,906	25,925	5,380	3,193	3,460	12,538	16,502	19,510	23,031	26,043	30,717
1987.....	1,843,067	25,810	5,428	3,245	3,382	12,493	16,950	19,710	22,408	25,183	29,112
1986.....	1,831,083	26,564	5,426	2,998	3,664	13,293	18,465	19,683	21,804	24,609	27,937
1985.....	1,819,054	27,864	5,351	3,088	3,724	12,304	18,086	18,751	19,712	22,699	26,909
1984.....	1,781,897	27,608	5,413	3,121	3,890	12,625	18,890	18,433	18,967	21,185	26,125
1983.....	1,765,582	28,301	5,767	3,257	3,834	13,025	18,528	18,482	18,200	20,128	25,107
1982.....	1,729,085	29,659	5,895	3,443	4,085	14,138	19,922	18,668	18,209	19,967	24,529
1981.....	1,731,233	30,478	5,937	3,618	4,300	15,542	21,372	19,675	18,901	19,459	24,658
1980.....	1,738,607	31,880	6,099	3,898	4,503	17,530	22,530	19,469	18,229	19,166	24,698
1979.....	1,676,145	32,079	5,995	4,065	4,759	17,913	22,187	18,784	17,236	18,714	24,742

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR ALL CAUSES	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
WHITE MALE											
1998.....	990,190	10,327	2,010	1,424	1,929	7,246	9,133	9,082	11,905	18,024	24,943
1997.....	986,884	10,503	2,193	1,446	2,033	7,397	9,017	9,644	13,104	18,501	24,691
1996.....	991,984	10,561	2,335	1,566	2,055	7,555	9,434	10,402	15,269	21,018	26,044
1995.....	997,277	11,103	2,477	1,589	2,213	7,773	10,226	11,650	18,302	23,474	27,575
1994.....	988,823	11,544	2,606	1,546	2,176	7,828	10,493	11,965	18,783	23,277	26,723
1993.....	988,329	12,222	2,747	1,616	2,208	7,628	10,613	12,475	18,901	22,676	25,626
1992.....	956,957	12,625	2,690	1,605	2,093	7,440	10,696	12,825	18,210	21,690	24,726
1991.....	956,497	13,696	2,818	1,697	2,219	7,941	11,392	13,470	18,039	20,704	23,848
1990.....	950,812	14,371	2,784	1,750	2,070	8,515	11,693	14,309	17,522	20,054	22,380
1989.....	950,852	14,760	2,910	1,864	2,211	8,450	11,560	14,640	17,498	19,234	21,376
1988.....	965,419	14,878	3,073	1,889	2,248	9,033	12,589	14,485	16,869	18,285	20,454
1987.....	953,382	14,763	3,117	2,002	2,231	8,912	12,928	14,562	16,279	17,461	19,203
1986.....	952,554	15,284	3,119	1,814	2,375	9,638	14,125	14,733	15,978	17,045	18,161
1985.....	950,455	16,218	3,111	1,815	2,400	8,807	13,775	14,005	14,097	15,429	17,478
1984.....	934,529	15,805	3,070	1,869	2,458	9,075	14,299	13,657	13,447	14,049	16,797
1983.....	931,779	16,131	3,340	1,961	2,463	9,462	14,021	13,593	12,872	13,374	16,045
1982.....	919,239	16,965	3,337	2,060	2,591	10,429	15,183	13,851	12,809	13,204	15,626
1981.....	925,490	17,411	3,397	2,181	2,760	11,310	16,355	14,641	13,218	12,829	15,849
1980.....	933,878	18,290	3,573	2,285	2,891	12,866	17,391	14,618	12,685	12,559	15,785
1979.....	910,137	18,502	3,435	2,450	3,053	13,265	17,076	13,989	11,977	12,172	15,726
WHITE FEMALE											
1998.....	1,025,794	8,234	1,618	1,032	1,228	3,079	2,838	3,581	5,512	9,280	13,100
1997.....	1,009,509	8,036	1,656	1,075	1,252	3,130	3,023	3,778	5,734	9,067	12,896
1996.....	1,000,982	8,200	1,706	1,127	1,297	3,064	2,890	4,022	6,153	9,259	12,577
1995.....	990,160	8,387	1,889	1,112	1,335	3,084	3,102	4,067	6,553	9,650	12,540
1994.....	971,052	8,960	1,977	1,100	1,262	2,945	3,251	4,210	6,482	9,253	11,820
1993.....	963,108	9,275	2,046	1,201	1,285	2,982	3,273	4,193	6,479	8,871	11,623
1992.....	916,824	9,539	1,995	1,085	1,206	2,868	3,337	4,226	6,240	8,437	11,160
1991.....	912,407	9,961	2,210	1,206	1,199	3,126	3,529	4,448	6,388	8,224	11,181
1990.....	902,442	10,512	2,082	1,199	1,253	3,163	3,537	4,709	6,215	7,895	10,694
1989.....	902,989	11,034	2,223	1,323	1,256	3,495	3,672	4,874	6,378	7,651	10,670
1988.....	911,487	11,047	2,307	1,304	1,212	3,505	3,913	5,025	6,162	7,758	10,263
1987.....	889,685	11,047	2,311	1,243	1,151	3,581	4,022	5,148	6,129	7,722	9,909
1986.....	878,529	11,280	2,307	1,184	1,289	3,655	4,340	4,950	5,826	7,564	9,776
1985.....	868,599	11,646	2,240	1,273	1,324	3,497	4,311	4,746	5,615	7,270	9,431
1984.....	847,368	11,803	2,343	1,252	1,432	3,550	4,591	4,776	5,520	7,136	9,328
1983.....	833,803	12,170	2,427	1,296	1,371	3,563	4,507	4,889	5,328	6,754	9,062
1982.....	809,846	12,694	2,558	1,383	1,494	3,709	4,739	4,817	5,400	6,763	8,903
1981.....	805,743	13,067	2,540	1,437	1,540	4,232	5,017	5,034	5,683	6,630	8,809
1980.....	804,729	13,590	2,526	1,613	1,612	4,664	5,139	4,851	5,544	6,607	8,913
1979.....	766,008	13,577	2,560	1,615	1,706	4,648	5,111	4,795	5,259	6,542	9,016

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR ALL CAUSES	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER, BOTH SEXES											
1998.....	321,272	9,810	1,623	1,074	1,104	3,463	4,868	5,488	6,948	9,932	13,587
1997.....	317,852	9,506	1,652	1,124	1,131	3,745	5,232	5,850	7,428	10,604	13,649
1996.....	321,724	9,726	1,907	1,087	1,198	4,044	5,456	6,306	8,995	12,222	14,913
1995.....	324,695	10,093	2,027	1,079	1,268	4,232	5,827	6,964	10,209	13,363	15,668
1994.....	319,119	11,206	2,217	1,101	1,279	4,511	6,213	7,199	10,634	13,240	15,190
1993.....	317,116	11,969	2,273	1,101	1,247	4,387	6,600	7,417	10,180	12,783	14,459
1992.....	301,832	12,464	2,079	1,049	1,155	4,103	6,104	7,263	9,717	11,962	13,315
1991.....	300,614	13,109	2,186	1,023	1,135	4,246	6,218	7,567	9,716	11,633	12,532
1990.....	295,209	13,468	2,065	1,046	1,118	4,033	5,792	7,561	9,775	11,144	11,395
1989.....	296,625	13,861	2,159	1,126	1,134	3,625	5,686	7,416	9,718	10,977	11,011
1988.....	291,093	12,985	2,049	1,164	1,108	3,493	5,634	7,299	9,297	10,573	10,121
1987.....	280,256	12,598	2,045	1,056	1,060	3,122	5,458	6,790	8,793	9,719	9,449
1986.....	274,278	12,327	2,054	1,084	1,042	2,931	5,240	6,791	8,252	8,887	8,960
1985.....	267,386	12,166	1,988	1,080	1,041	2,764	4,781	5,978	7,411	7,740	8,467
1984.....	257,472	11,972	1,959	1,019	1,046	2,588	4,714	5,809	6,719	7,062	8,184
1983.....	253,619	12,326	2,034	1,002	1,050	2,692	4,837	5,688	6,412	6,384	7,730
1982.....	245,712	12,742	2,015	1,071	1,026	2,903	5,008	5,921	6,512	6,366	7,443
1981.....	246,748	12,827	2,109	1,053	1,107	2,943	5,252	6,153	6,524	6,490	7,931
1980.....	251,234	13,646	2,088	1,177	1,111	3,203	5,764	6,263	6,279	6,490	8,064
1979.....	237,696	13,586	2,113	1,213	1,109	3,172	5,447	6,030	5,891	6,389	7,878
ALL OTHER MALE											
1998.....	167,070	5,459	910	614	719	2,667	3,671	3,808	4,420	6,010	8,162
1997.....	167,155	5,285	928	599	685	2,868	4,030	4,115	4,844	6,577	8,372
1996.....	171,585	5,404	1,014	634	748	3,127	4,197	4,423	5,976	7,788	9,454
1995.....	175,682	5,519	1,132	623	794	3,295	4,483	4,922	6,952	8,865	10,217
1994.....	173,924	6,270	1,235	640	820	3,616	4,821	5,165	7,267	8,750	9,994
1993.....	173,468	6,737	1,245	587	796	3,535	5,130	5,284	7,027	8,509	9,584
1992.....	165,379	6,920	1,119	626	756	3,307	4,764	5,207	6,653	7,951	8,628
1991.....	165,168	7,312	1,227	595	761	3,417	4,799	5,524	6,676	7,830	8,170
1990.....	162,605	7,485	1,185	613	694	3,156	4,509	5,485	6,741	7,547	7,481
1989.....	163,338	7,601	1,200	646	703	2,813	4,342	5,292	6,724	7,508	7,210
1988.....	160,121	7,129	1,148	685	659	2,654	4,255	5,168	6,463	7,148	6,547
1987.....	154,576	7,035	1,144	634	712	2,341	4,050	4,853	6,039	6,587	6,098
1986.....	151,451	6,940	1,143	623	691	2,148	3,923	4,862	5,653	5,982	5,735
1985.....	147,303	6,740	1,130	615	655	2,024	3,556	4,208	5,044	5,132	5,455
1984.....	141,985	6,554	1,072	611	647	1,853	3,433	4,093	4,570	4,645	5,096
1983.....	140,144	6,838	1,172	571	660	1,900	3,464	3,989	4,394	4,115	4,854
1982.....	137,201	7,108	1,111	626	646	2,095	3,669	4,201	4,501	4,162	4,663
1981.....	138,282	7,041	1,203	640	675	2,150	3,880	4,400	4,480	4,224	5,003
1980.....	141,200	7,514	1,188	704	680	2,341	4,305	4,419	4,318	4,263	5,005
1979.....	134,822	7,478	1,156	729	710	2,282	3,978	4,343	4,037	4,133	5,026

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR ALL CAUSES	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER FEMALE											
1998.....	154,202	4,351	713	460	385	796	1,197	1,680	2,528	3,922	5,425
1997.....	150,697	4,221	724	525	446	877	1,202	1,735	2,584	4,027	5,277
1996.....	150,139	4,322	893	453	450	917	1,259	1,883	3,019	4,434	5,459
1995.....	149,013	4,574	895	456	474	937	1,344	2,042	3,257	4,498	5,451
1994.....	145,195	4,936	982	461	459	895	1,392	2,034	3,367	4,490	5,196
1993.....	143,648	5,232	1,028	514	451	852	1,470	2,133	3,153	4,274	4,875
1992.....	136,453	5,544	960	423	399	796	1,340	2,056	3,064	4,011	4,687
1991.....	135,446	5,797	959	428	374	829	1,419	2,043	3,040	3,803	4,362
1990.....	132,604	5,983	880	433	424	877	1,283	2,076	3,034	3,597	3,914
1989.....	133,287	6,260	959	480	431	812	1,344	2,124	2,994	3,469	3,801
1988.....	130,972	5,856	901	479	449	839	1,379	2,131	2,834	3,425	3,574
1987.....	125,680	5,563	901	422	348	781	1,408	1,937	2,754	3,132	3,351
1986.....	122,827	5,387	911	461	351	783	1,317	1,929	2,599	2,905	3,225
1985.....	120,083	5,426	858	465	386	740	1,225	1,770	2,367	2,608	3,012
1984.....	115,487	5,418	887	408	399	735	1,281	1,716	2,149	2,417	3,088
1983.....	113,475	5,488	862	431	390	792	1,373	1,699	2,018	2,269	2,876
1982.....	108,511	5,634	904	445	380	808	1,339	1,720	2,011	2,204	2,780
1981.....	108,466	5,786	906	413	432	793	1,372	1,753	2,044	2,266	2,928
1980.....	110,034	6,132	900	473	431	862	1,459	1,844	1,961	2,227	3,059
1979.....	102,874	6,108	957	484	399	890	1,469	1,687	1,854	2,256	2,852
BLACK, BOTH SEXES											
1998.....	278,440	8,726	1,397	920	895	2,939	4,220	4,745	6,059	8,839	12,166
1997.....	276,520	8,496	1,383	947	943	3,188	4,550	5,093	6,582	9,470	12,177
1996.....	282,089	8,730	1,623	934	990	3,490	4,762	5,552	8,086	11,056	13,534
1995.....	286,401	9,118	1,742	915	1,059	3,675	5,048	6,209	9,231	12,215	14,261
1994.....	282,379	10,072	1,929	934	1,085	3,962	5,474	6,424	9,610	12,106	13,904
1993.....	282,151	10,887	1,975	936	1,056	3,832	5,867	6,667	9,276	11,745	13,119
1992.....	269,219	11,348	1,799	894	982	3,583	5,399	6,559	8,836	10,965	12,213
1991.....	269,525	11,994	1,930	879	990	3,737	5,566	6,811	8,882	10,651	11,408
1990.....	265,498	12,290	1,768	876	963	3,467	5,119	6,838	8,965	10,175	10,356
1989.....	267,642	12,527	1,830	953	967	3,120	5,037	6,685	8,947	10,050	10,025
1988.....	264,019	11,840	1,784	997	947	2,998	4,977	6,606	8,556	9,763	9,262
1987.....	254,814	11,461	1,785	905	896	2,706	4,791	6,110	8,108	8,957	8,598
1986.....	250,326	11,204	1,801	929	888	2,519	4,562	6,117	7,575	8,102	8,197
1985.....	244,207	11,063	1,704	921	906	2,345	4,158	5,382	6,762	7,050	7,729
1984.....	235,884	10,881	1,679	910	919	2,192	4,139	5,252	6,128	6,439	7,446
1983.....	233,124	11,242	1,794	864	920	2,304	4,225	5,109	5,845	5,800	7,032
1982.....	226,513	11,642	1,787	956	910	2,478	4,424	5,372	5,934	5,822	6,838
1981.....	228,560	11,757	1,881	937	976	2,533	4,679	5,608	5,916	5,937	7,246
1980.....	233,135	12,603	1,871	1,044	983	2,772	5,169	5,668	5,745	5,921	7,419
1979.....	220,818	12,586	1,888	1,098	1,003	2,761	4,830	5,433	5,373	5,877	7,286

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR ALL CAUSES	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
BLACK MALE											
1998.....	143,417	4,883	795	532	582	2,296	3,226	3,310	3,832	5,302	7,288
1997.....	144,110	4,710	796	502	574	2,475	3,546	3,578	4,292	5,842	7,503
1996.....	149,472	4,837	869	542	618	2,728	3,694	3,887	5,372	7,044	8,591
1995.....	154,175	5,002	973	535	668	2,895	3,908	4,400	6,283	8,107	9,318
1994.....	153,019	5,642	1,065	549	694	3,209	4,277	4,611	6,580	8,006	9,192
1993.....	153,502	6,121	1,089	487	679	3,130	4,604	4,766	6,396	7,842	8,743
1992.....	146,630	6,298	965	529	633	2,923	4,246	4,695	6,083	7,308	7,949
1991.....	147,331	6,714	1,083	505	667	3,053	4,312	4,962	6,110	7,206	7,495
1990.....	145,359	6,811	999	512	601	2,737	3,994	4,949	6,220	6,910	6,817
1989.....	146,393	6,842	1,021	559	603	2,456	3,846	4,772	6,203	6,938	6,583
1988.....	144,228	6,503	1,016	592	561	2,312	3,744	4,677	5,967	6,632	6,011
1987.....	139,551	6,391	999	541	606	2,028	3,560	4,367	5,569	6,088	5,578
1986.....	137,214	6,305	992	528	591	1,847	3,409	4,384	5,210	5,491	5,276
1985.....	133,610	6,127	961	520	579	1,734	3,072	3,781	4,634	4,720	5,004
1984.....	129,147	5,961	919	538	577	1,565	2,991	3,697	4,200	4,269	4,651
1983.....	127,911	6,259	1,029	494	575	1,619	3,004	3,580	4,016	3,771	4,423
1982.....	125,610	6,485	990	557	573	1,782	3,251	3,821	4,116	3,826	4,291
1981.....	127,296	6,451	1,067	569	587	1,856	3,469	4,043	4,091	3,905	4,591
1980.....	130,138	6,958	1,069	627	613	2,015	3,854	4,020	3,993	3,906	4,615
1979.....	124,433	6,933	1,028	661	637	1,984	3,519	3,921	3,706	3,812	4,668
BLACK FEMALE											
1998.....	135,023	3,843	602	388	313	643	994	1,435	2,227	3,537	4,878
1997.....	132,410	3,786	587	445	369	713	1,004	1,515	2,290	3,628	4,674
1996.....	132,617	3,893	754	392	372	762	1,068	1,665	2,714	4,012	4,943
1995.....	132,226	4,116	769	380	391	780	1,140	1,809	2,948	4,108	4,943
1994.....	129,360	4,430	864	385	391	753	1,197	1,813	3,030	4,100	4,712
1993.....	128,649	4,766	886	449	377	702	1,263	1,901	2,880	3,903	4,376
1992.....	122,589	5,050	834	365	349	660	1,153	1,864	2,753	3,657	4,264
1991.....	122,194	5,280	847	374	323	684	1,254	1,849	2,772	3,445	3,913
1990.....	120,139	5,479	769	364	362	730	1,125	1,889	2,745	3,265	3,539
1989.....	121,249	5,685	809	394	364	664	1,191	1,913	2,744	3,112	3,442
1988.....	119,791	5,337	768	405	386	686	1,233	1,929	2,589	3,131	3,251
1987.....	115,263	5,070	786	364	290	678	1,231	1,743	2,539	2,869	3,020
1986.....	113,112	4,899	809	401	297	672	1,153	1,733	2,365	2,611	2,921
1985.....	110,597	4,936	743	401	327	611	1,086	1,601	2,128	2,330	2,725
1984.....	106,737	4,920	760	372	342	627	1,148	1,555	1,928	2,170	2,795
1983.....	105,213	4,983	765	370	345	685	1,221	1,529	1,829	2,029	2,609
1982.....	100,903	5,157	797	399	337	696	1,173	1,551	1,818	1,996	2,547
1981.....	101,264	5,306	814	368	389	677	1,210	1,565	1,825	2,032	2,655
1980.....	102,997	5,645	802	417	370	757	1,315	1,648	1,752	2,015	2,804
1979.....	96,385	5,653	860	437	366	777	1,311	1,512	1,667	2,065	2,618

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 I. INFECTIOUS AND PARASITIC DISEASES (001-139)											
TOTAL, BOTH SEXES											
1998.....	51,252	748	257	119	115	168	336	1,096	2,555	3,805	4,304
1997.....	52,371	721	293	166	126	200	407	1,352	3,374	4,601	4,688
1996.....	65,791	708	393	200	167	205	508	2,440	6,527	8,229	7,715
1995.....	77,128	773	454	240	176	198	756	3,670	9,257	11,258	9,935
1994.....	75,300	837	499	211	176	209	745	3,785	9,418	11,019	9,650
1993.....	70,143	770	471	221	143	204	749	3,912	8,513	9,830	8,205
1992.....	64,618	781	386	176	107	179	715	3,818	7,724	8,898	7,335
1991.....	60,398	868	415	167	104	165	745	3,645	6,972	7,852	6,400
1990.....	55,612	840	417	174	98	187	730	3,473	6,238	6,818	5,285
1989.....	52,851	881	403	142	87	190	820	3,258	5,773	5,925	4,493
1988.....	48,093	740	394	150	99	180	721	2,630	4,495	4,489	3,315
1987.....	43,111	747	401	140	96	164	715	2,226	3,851	3,617	2,659
1986.....	31,623	718	281	102	77	139	347	866	1,351	1,418	1,103
1985.....	28,003	720	279	92	65	145	288	625	916	1,009	822
1984.....	24,500	722	251	107	80	142	309	516	675	693	667
1983.....	21,824	738	273	110	81	157	218	356	425	437	475
1982.....	19,475	737	307	88	72	161	216	285	355	382	440
1981.....	18,514	767	325	105	87	162	230	317	339	359	406
1980.....	17,288	696	322	115	81	166	214	256	257	333	347
1979.....	15,360	711	304	111	105	178	218	248	277	303	357
TOTAL, MALE											
1998.....	28,199	419	146	65	55	90	169	683	1,788	2,789	3,177
1997.....	29,729	420	157	79	77	97	214	917	2,486	3,438	3,544
1996.....	41,767	405	212	104	91	106	294	1,744	5,159	6,523	6,199
1995.....	52,241	439	226	116	97	103	435	2,755	7,533	9,330	8,219
1994.....	51,678	464	262	98	97	108	468	2,953	7,796	9,193	8,168
1993.....	47,953	410	246	99	81	109	488	3,151	7,220	8,300	7,000
1992.....	44,324	429	208	95	55	108	482	3,111	6,574	7,597	6,323
1991.....	41,100	473	220	85	62	89	511	3,006	5,911	6,875	5,588
1990.....	37,322	456	224	92	49	109	508	2,888	5,362	5,932	4,643
1989.....	34,816	477	206	82	43	109	619	2,741	4,894	5,184	3,918
1988.....	29,922	412	215	70	62	97	543	2,209	3,788	3,877	2,852
1987.....	26,596	406	217	80	48	91	552	1,850	3,251	3,123	2,266
1986.....	17,268	431	150	56	37	71	229	676	1,086	1,170	822
1985.....	14,751	416	160	48	31	63	186	443	708	784	606
1984.....	12,722	421	121	60	39	79	174	343	497	500	458
1983.....	11,244	433	158	55	50	80	116	231	276	289	314
1982.....	9,889	417	165	45	31	95	107	141	207	231	246
1981.....	9,521	409	176	61	47	71	114	181	203	189	241
1980.....	9,028	395	197	61	44	83	106	134	132	190	183
1979.....	8,165	386	183	55	54	95	117	137	151	156	207

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 I. INFECTIOUS AND PARASITIC DISEASES (001-139)											
TOTAL, FEMALE											
1998.....	23,053	329	111	54	60	78	167	413	767	1,016	1,127
1997.....	22,642	301	136	87	49	103	193	435	888	1,163	1,144
1996.....	24,024	303	181	96	76	99	214	696	1,368	1,706	1,516
1995.....	24,887	334	228	124	79	95	321	915	1,724	1,928	1,716
1994.....	23,622	373	237	113	79	101	277	832	1,622	1,826	1,482
1993.....	22,190	360	225	122	62	95	261	761	1,293	1,530	1,205
1992.....	20,294	352	178	81	52	71	233	707	1,150	1,301	1,012
1991.....	19,298	395	195	82	42	76	234	639	1,061	977	812
1990.....	18,290	384	193	82	49	78	222	585	876	886	642
1989.....	18,035	404	197	60	44	81	201	517	879	741	575
1988.....	18,171	328	179	80	37	83	178	421	707	612	463
1987.....	16,515	341	184	60	48	73	163	376	600	494	393
1986.....	14,355	287	131	46	40	68	118	190	265	248	281
1985.....	13,252	304	119	44	34	82	102	182	208	225	216
1984.....	11,778	301	130	47	41	63	135	173	178	193	209
1983.....	10,580	305	115	55	31	77	102	125	149	148	161
1982.....	9,586	320	142	43	41	66	109	144	148	151	194
1981.....	8,993	358	149	44	40	91	116	136	136	170	165
1980.....	8,260	301	125	54	37	83	108	122	125	143	164
1979.....	7,195	325	121	56	51	83	101	111	126	147	150
WHITE, BOTH SEXES											
1998.....	35,813	447	181	75	77	111	159	471	1,231	1,984	2,302
1997.....	35,930	433	190	106	77	130	196	625	1,749	2,390	2,461
1996.....	44,014	400	218	104	101	140	248	1,235	3,761	4,652	4,191
1995.....	52,244	439	256	126	110	123	361	2,028	5,732	6,850	5,798
1994.....	51,700	475	279	119	128	140	353	2,165	5,882	6,843	5,856
1993.....	49,480	432	265	126	102	145	379	2,358	5,510	6,242	5,069
1992.....	46,168	403	222	112	83	131	371	2,384	5,094	5,707	4,689
1991.....	44,006	476	250	106	69	114	397	2,319	4,669	5,150	4,267
1990.....	41,036	467	249	98	66	127	429	2,295	4,061	4,514	3,663
1989.....	39,148	497	235	101	61	129	509	2,112	3,764	3,872	3,044
1988.....	36,171	452	251	95	80	122	438	1,710	2,859	2,901	2,271
1987.....	32,555	445	254	103	69	111	445	1,476	2,479	2,370	1,866
1986.....	24,897	440	204	75	59	111	236	575	919	973	749
1985.....	22,016	453	207	71	52	109	199	417	588	667	584
1984.....	19,080	456	180	74	60	108	217	332	415	444	397
1983.....	17,065	472	194	83	63	115	156	214	241	276	282
1982.....	15,240	479	238	62	53	113	148	171	205	224	265
1981.....	14,485	507	241	88	69	130	157	191	195	221	221
1980.....	13,419	458	233	93	61	128	151	169	166	205	191
1979.....	11,900	483	220	87	80	138	145	164	165	171	198

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 I. INFECTIOUS AND PARASITIC DISEASES (001-139)											
WHITE MALE											
1998.....	19,220	246	106	45	37	63	92	329	956	1,588	1,825
1997.....	19,803	250	112	48	44	71	111	460	1,385	1,936	1,984
1996.....	27,406	227	112	57	56	73	158	942	3,188	3,960	3,581
1995.....	35,305	252	128	60	60	66	234	1,653	4,984	6,003	5,077
1994.....	35,482	269	140	57	71	79	246	1,795	5,158	6,076	5,253
1993.....	33,718	234	134	59	59	83	259	2,022	4,959	5,587	4,530
1992.....	31,697	235	117	62	45	83	258	2,065	4,584	5,189	4,255
1991.....	29,948	272	136	51	43	64	289	2,029	4,205	4,750	3,892
1990.....	27,579	266	129	54	32	79	317	2,015	3,684	4,168	3,372
1989.....	25,665	283	119	60	33	77	398	1,878	3,389	3,567	2,761
1988.....	22,207	264	138	44	53	68	348	1,504	2,553	2,628	2,036
1987.....	19,963	248	135	62	31	67	357	1,276	2,224	2,152	1,650
1986.....	13,424	257	108	39	27	60	166	471	788	839	584
1985.....	11,468	268	116	38	27	46	126	315	483	548	444
1984.....	9,797	260	89	43	29	56	125	231	318	339	286
1983.....	8,698	280	115	45	39	65	90	142	156	193	186
1982.....	7,641	271	125	33	21	64	69	84	129	133	145
1981.....	7,375	276	131	48	38	57	81	110	120	109	130
1980.....	6,945	266	146	54	32	65	77	88	80	118	104
1979.....	6,279	265	125	41	39	78	74	90	95	90	115
WHITE FEMALE											
1998.....	16,593	201	75	30	40	48	67	142	275	396	477
1997.....	16,127	183	78	58	33	59	85	165	364	454	477
1996.....	16,608	173	106	47	45	67	90	293	573	692	610
1995.....	16,939	187	128	66	50	57	127	375	748	847	721
1994.....	16,218	206	139	62	57	61	107	370	724	767	603
1993.....	15,762	198	131	67	43	62	120	336	551	655	539
1992.....	14,471	168	105	50	38	48	113	319	510	518	434
1991.....	14,058	204	114	55	26	50	108	290	464	400	375
1990.....	13,457	201	120	44	34	48	112	280	377	346	291
1989.....	13,483	214	116	41	28	52	111	234	375	305	283
1988.....	13,964	188	113	51	27	54	90	206	306	273	235
1987.....	12,592	197	119	41	38	44	88	200	255	218	216
1986.....	11,473	183	96	36	32	51	70	104	131	134	165
1985.....	10,548	185	91	33	25	63	73	102	105	119	140
1984.....	9,283	196	91	31	31	52	92	101	97	105	111
1983.....	8,367	192	79	38	24	50	66	72	85	83	96
1982.....	7,599	208	113	29	32	49	79	87	76	91	120
1981.....	7,110	231	110	40	31	73	76	81	75	112	91
1980.....	6,474	192	87	39	29	63	74	81	86	87	87
1979.....	5,621	218	95	46	41	60	71	74	70	81	83

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 I. INFECTIOUS AND PARASITIC DISEASES (001-139)											
ALL OTHER, BOTH SEXES											
1998.....	15,439	301	76	44	38	57	177	625	1,324	1,821	2,002
1997.....	16,441	288	103	60	49	70	211	727	1,625	2,211	2,227
1996.....	21,777	308	175	96	66	65	260	1,205	2,766	3,577	3,524
1995.....	24,884	334	198	114	66	75	395	1,642	3,525	4,408	4,137
1994.....	23,600	362	220	92	48	69	392	1,620	3,536	4,176	3,794
1993.....	20,663	338	206	95	41	59	370	1,554	3,003	3,588	3,136
1992.....	18,450	378	164	64	24	48	344	1,434	2,630	3,191	2,646
1991.....	16,392	392	165	61	35	51	348	1,326	2,303	2,702	2,133
1990.....	14,576	373	168	76	32	60	301	1,178	2,177	2,304	1,622
1989.....	13,703	384	168	41	26	61	311	1,146	2,009	2,053	1,449
1988.....	11,922	288	143	55	19	58	283	920	1,636	1,588	1,044
1987.....	10,556	302	147	37	27	53	270	750	1,372	1,247	793
1986.....	6,726	278	77	27	18	28	111	291	432	445	354
1985.....	5,987	267	72	21	13	36	89	208	328	342	238
1984.....	5,420	266	71	33	20	34	92	184	260	249	270
1983.....	4,759	266	79	27	18	42	62	142	184	161	193
1982.....	4,235	258	69	26	19	48	68	114	150	158	175
1981.....	4,029	260	84	17	18	32	73	126	144	138	185
1980.....	3,869	238	89	22	20	38	63	87	91	128	156
1979.....	3,460	228	84	24	25	40	73	84	112	132	159
ALL OTHER MALE											
1998.....	8,979	173	40	20	18	27	77	354	832	1,201	1,352
1997.....	9,926	170	45	31	33	26	103	457	1,101	1,502	1,560
1996.....	14,361	178	100	47	35	33	136	802	1,971	2,563	2,618
1995.....	16,936	187	98	56	37	37	201	1,102	2,549	3,327	3,142
1994.....	16,196	195	122	41	26	29	222	1,158	2,638	3,117	2,915
1993.....	14,235	176	112	40	22	26	229	1,129	2,261	2,713	2,470
1992.....	12,627	194	91	33	10	25	224	1,046	1,990	2,408	2,068
1991.....	11,152	201	84	34	19	25	222	977	1,706	2,125	1,696
1990.....	9,743	190	95	38	17	30	191	873	1,678	1,764	1,271
1989.....	9,151	194	87	22	10	32	221	863	1,505	1,617	1,157
1988.....	7,715	148	77	26	9	29	195	705	1,235	1,249	816
1987.....	6,633	158	82	18	17	24	195	574	1,027	971	616
1986.....	3,844	174	42	17	10	11	63	205	298	331	238
1985.....	3,283	148	44	10	4	17	60	128	225	236	162
1984.....	2,925	161	32	17	10	23	49	112	179	161	172
1983.....	2,546	153	43	10	11	15	26	89	120	96	128
1982.....	2,248	146	40	12	10	31	38	57	78	98	101
1981.....	2,146	133	45	13	9	14	33	71	83	80	111
1980.....	2,083	129	51	7	12	18	29	46	52	72	79
1979.....	1,886	121	58	14	15	17	43	47	56	66	92

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
I. INFECTIOUS AND PARASITIC DISEASES (001-139)											
ALL OTHER FEMALE											
1998.....	6,460	128	36	24	20	30	100	271	492	620	650
1997.....	6,515	118	58	29	16	44	108	270	524	709	667
1996.....	7,416	130	75	49	31	32	124	403	795	1,014	906
1995.....	7,948	147	100	58	29	38	194	540	976	1,081	995
1994.....	7,404	167	98	51	22	40	170	462	898	1,059	879
1993.....	6,428	162	94	55	19	33	141	425	742	875	666
1992.....	5,823	184	73	31	14	23	120	388	640	783	578
1991.....	5,240	191	81	27	16	26	126	349	597	577	437
1990.....	4,833	183	73	38	15	30	110	305	499	540	351
1989.....	4,552	190	81	19	16	29	90	283	504	436	292
1988.....	4,207	140	66	29	10	29	88	215	401	339	228
1987.....	3,923	144	65	19	10	29	75	176	345	276	177
1986.....	2,882	104	35	10	8	17	48	86	134	114	116
1985.....	2,704	119	28	11	9	19	29	80	103	106	76
1984.....	2,495	105	39	16	10	11	43	72	81	88	98
1983.....	2,213	113	36	17	7	27	36	53	64	65	65
1982.....	1,987	112	29	14	9	17	30	57	72	60	74
1981.....	1,883	127	39	4	9	18	40	55	61	58	74
1980.....	1,786	109	38	15	8	20	34	41	39	56	77
1979.....	1,574	107	26	10	10	23	30	37	56	66	67
BLACK, BOTH SEXES											
1998.....	14,324	269	66	39	34	53	169	601	1,279	1,760	1,921
1997.....	15,340	267	94	54	45	56	205	706	1,578	2,141	2,151
1996.....	20,586	280	159	95	59	55	247	1,172	2,690	3,462	3,418
1995.....	23,560	307	188	103	61	69	382	1,592	3,395	4,266	3,997
1994.....	22,338	338	204	83	40	63	378	1,563	3,395	4,056	3,688
1993.....	19,504	313	198	84	32	47	355	1,506	2,901	3,479	3,032
1992.....	17,505	362	155	62	22	46	335	1,384	2,559	3,099	2,570
1991.....	15,446	367	150	55	31	44	335	1,278	2,233	2,623	2,060
1990.....	13,734	343	144	68	27	56	293	1,140	2,127	2,233	1,566
1989.....	12,926	352	151	37	20	56	297	1,109	1,959	2,000	1,381
1988.....	11,211	270	133	46	18	49	272	897	1,583	1,534	1,009
1987.....	9,917	284	132	34	19	50	258	732	1,343	1,209	753
1986.....	6,194	246	70	23	16	26	105	280	419	424	340
1985.....	5,525	249	60	21	11	33	85	201	310	319	221
1984.....	5,012	239	66	32	15	29	87	171	248	238	240
1983.....	4,382	236	66	24	16	39	55	132	179	152	184
1982.....	3,859	233	58	25	16	42	62	109	145	142	159
1981.....	3,722	234	78	14	12	31	72	117	140	128	170
1980.....	3,576	211	76	17	19	38	55	80	87	118	145
1979.....	3,173	208	70	23	23	36	70	76	104	123	147

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 I. INFECTIOUS AND PARASITIC DISEASES (001-139)											
BLACK MALE											
1998.....	8,344	152	36	17	15	26	73	338	797	1,156	1,299
1997.....	9,298	158	40	30	31	18	97	440	1,066	1,450	1,496
1996.....	13,602	163	90	46	32	29	131	777	1,909	2,471	2,531
1995.....	16,065	168	93	50	35	34	194	1,063	2,442	3,210	3,025
1994.....	15,373	186	109	34	19	24	214	1,116	2,520	3,016	2,825
1993.....	13,465	164	107	34	17	18	219	1,087	2,172	2,626	2,379
1992.....	12,024	184	86	32	9	23	217	1,002	1,933	2,329	2,012
1991.....	10,537	189	75	29	19	19	210	937	1,648	2,064	1,632
1990.....	9,176	174	79	34	13	28	185	843	1,638	1,708	1,226
1989.....	8,632	176	79	19	8	30	212	836	1,461	1,570	1,104
1988.....	7,263	136	71	21	8	24	185	686	1,193	1,204	790
1987.....	6,253	148	68	17	14	22	190	564	1,003	943	585
1986.....	3,515	153	39	15	9	10	60	198	289	315	228
1985.....	3,024	137	39	10	3	17	57	123	214	222	152
1984.....	2,684	148	30	17	9	20	47	103	173	153	155
1983.....	2,331	139	35	8	9	13	24	84	116	93	124
1982.....	2,045	132	33	12	9	26	38	56	75	89	89
1981.....	1,960	119	40	11	5	13	32	67	80	74	101
1980.....	1,931	109	43	6	12	18	26	43	51	68	75
1979.....	1,713	110	49	13	13	15	42	43	51	62	84
BLACK FEMALE											
1998.....	5,980	117	30	22	19	27	96	263	482	604	622
1997.....	6,042	109	54	24	14	38	108	266	512	691	655
1996.....	6,984	117	69	49	27	26	116	395	781	991	887
1995.....	7,495	139	95	53	26	35	188	529	953	1,056	972
1994.....	6,965	152	95	49	21	39	164	447	875	1,040	863
1993.....	6,039	149	91	50	15	29	136	419	729	853	653
1992.....	5,481	178	69	30	13	23	118	382	626	770	558
1991.....	4,909	178	75	26	12	25	125	341	585	559	428
1990.....	4,558	169	65	34	14	28	108	297	489	525	340
1989.....	4,294	176	72	18	12	26	85	273	498	430	277
1988.....	3,948	134	62	25	10	25	87	211	390	330	219
1987.....	3,664	136	64	17	5	28	68	168	340	266	168
1986.....	2,679	93	31	8	7	16	45	82	130	109	112
1985.....	2,501	112	21	11	8	16	28	78	96	97	69
1984.....	2,328	91	36	15	6	9	40	68	75	85	85
1983.....	2,051	97	31	16	7	26	31	48	63	59	60
1982.....	1,814	101	25	13	7	16	24	53	70	53	70
1981.....	1,762	115	38	3	7	18	40	50	60	54	69
1980.....	1,645	102	33	11	7	20	29	37	36	50	70
1979.....	1,460	98	21	10	10	21	28	33	53	61	63

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
INTESTINAL INFECTIOUS DISEASES (001-009)											
TOTAL, BOTH SEXES											
1998.....	1,109	230	21	2	-	2	2	1	4	7	8
1997.....	1,088	204	21	3	5	-	4	4	8	15	12
1996.....	898	209	11	5	3	2	2	5	8	9	10
1995.....	881	207	11	1	2	-	4	5	12	11	10
1994.....	816	215	24	3	2	1	2	4	9	12	9
1993.....	700	139	13	3	-	3	3	5	6	7	10
1992.....	597	134	17	4	1	1	3	3	5	9	12
1991.....	543	131	23	3	1	1	2	1	7	6	8
1990.....	520	102	17	6	2	3	-	5	6	11	9
1989.....	463	100	18	6	3	-	2	4	8	6	9
1988.....	391	93	9	3	2	3	2	3	5	3	5
1987.....	438	99	18	4	2	2	3	8	11	7	7
1986.....	466	114	10	3	1	-	6	13	17	15	16
1985.....	456	106	22	3	2	-	4	5	15	14	6
1984.....	448	146	13	7	1	3	4	3	7	4	7
1983.....	478	141	16	1	4	2	4	4	9	5	10
1982.....	444	148	20	2	2	2	4	6	5	5	13
1981.....	513	138	30	8	-	5	6	2	5	5	3
1980.....	501	127	26	7	4	4	3	9	6	6	4
1979.....	420	117	19	6	3	4	6	7	1	7	3
TOTAL, MALE											
1998.....	485	136	13	1	-	-	1	-	2	3	4
1997.....	475	120	15	1	5	-	3	3	2	8	9
1996.....	392	131	6	1	2	-	1	4	5	5	7
1995.....	396	117	10	-	1	-	2	4	6	5	8
1994.....	389	126	14	1	1	1	1	3	6	8	5
1993.....	327	82	6	1	-	1	1	3	5	7	8
1992.....	294	77	12	2	1	-	2	3	5	9	10
1991.....	262	73	15	2	-	1	1	1	5	3	6
1990.....	240	53	8	4	1	2	-	5	5	8	6
1989.....	231	63	7	3	2	-	1	4	5	3	8
1988.....	175	49	5	3	2	3	2	3	3	2	3
1987.....	207	43	10	2	2	2	1	6	10	7	4
1986.....	275	75	5	2	-	-	6	12	16	14	14
1985.....	233	60	12	1	1	-	3	5	15	12	3
1984.....	223	88	6	3	1	1	4	2	4	4	5
1983.....	237	84	9	1	4	2	3	3	8	4	8
1982.....	206	76	14	1	1	2	2	3	2	3	6
1981.....	251	71	18	5	-	3	5	2	4	3	2
1980.....	236	71	14	2	1	2	3	7	3	3	2
1979.....	209	64	13	1	2	4	2	3	1	5	2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
INTESTINAL INFECTIOUS DISEASES (001-009)											
TOTAL, FEMALE											
1998.....	624	94	8	1	-	2	1	1	2	4	4
1997.....	613	84	6	2	-	-	1	1	6	7	3
1996.....	506	78	5	4	1	2	1	1	3	4	3
1995.....	485	90	1	1	1	-	2	1	6	6	2
1994.....	427	89	10	2	1	-	1	1	3	4	4
1993.....	373	57	7	2	-	2	2	2	1	-	2
1992.....	303	57	5	2	-	1	1	-	-	-	2
1991.....	281	58	8	1	1	-	1	-	2	3	2
1990.....	280	49	9	2	1	1	-	-	1	3	3
1989.....	232	37	11	3	1	-	1	-	3	3	1
1988.....	216	44	4	-	-	-	-	-	2	1	2
1987.....	231	56	8	2	-	-	2	2	1	-	3
1986.....	191	39	5	1	1	-	-	1	1	1	2
1985.....	223	46	10	2	1	-	1	-	-	2	3
1984.....	225	58	7	4	-	2	-	1	3	-	2
1983.....	241	57	7	-	-	-	1	1	1	1	2
1982.....	238	72	6	1	1	-	2	3	3	2	7
1981.....	262	67	12	3	-	2	1	-	1	2	1
1980.....	265	56	12	5	3	2	5	-	2	3	2
1979.....	211	53	6	5	1	-	4	4	-	2	1
WHITE, BOTH SEXES											
1998.....	925	128	16	1	-	2	2	-	3	3	6
1997.....	901	116	14	3	4	-	3	3	3	7	8
1996.....	725	103	9	1	3	2	-	3	6	6	6
1995.....	702	102	8	1	2	-	3	4	9	9	2
1994.....	623	99	12	1	2	-	2	4	5	7	7
1993.....	560	63	11	2	-	3	2	4	4	5	9
1992.....	479	66	12	1	1	-	-	1	2	8	11
1991.....	414	64	12	3	1	-	1	1	4	6	7
1990.....	413	54	10	4	-	1	-	5	5	8	7
1989.....	345	44	8	2	3	-	1	4	3	4	6
1988.....	300	48	7	2	1	2	2	3	3	3	2
1987.....	345	52	12	3	2	1	2	6	7	5	5
1986.....	356	54	8	1	-	-	6	11	14	15	11
1985.....	344	55	17	3	2	-	3	3	9	9	5
1984.....	336	77	11	6	1	3	2	1	4	4	6
1983.....	351	70	8	1	4	2	3	3	7	3	8
1982.....	325	79	12	2	1	1	2	4	4	4	12
1981.....	404	76	22	6	-	4	6	2	3	3	1
1980.....	391	72	19	6	4	2	2	6	3	4	4
1979.....	323	66	14	2	3	4	3	6	-	5	3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
INTESTINAL INFECTIOUS DISEASES (001-009)											
WHITE MALE											
1998.....	397	77	12	1	-	-	1	-	1	1	3
1997.....	375	67	9	1	4	-	3	3	-	3	5
1996.....	292	64	5	-	2	-	-	2	4	3	4
1995.....	302	58	7	-	1	-	2	4	5	5	1
1994.....	269	56	5	-	1	-	1	3	5	6	5
1993.....	244	32	6	1	-	1	1	2	3	5	8
1992.....	230	42	9	-	1	-	-	1	2	8	9
1991.....	190	35	7	2	-	-	1	1	4	3	5
1990.....	182	28	5	3	-	1	-	5	4	6	5
1989.....	168	29	2	1	2	-	1	4	3	3	5
1988.....	127	23	5	2	1	2	2	3	1	2	-
1987.....	159	24	6	2	2	1	-	4	6	5	3
1986.....	203	36	4	-	-	-	6	10	14	14	9
1985.....	170	34	8	1	1	-	2	3	9	9	2
1984.....	153	39	6	2	1	1	2	1	2	4	4
1983.....	164	39	4	1	4	2	2	2	6	3	6
1982.....	149	41	9	1	1	1	-	2	2	3	5
1981.....	188	38	11	3	-	2	5	2	2	1	-
1980.....	176	40	10	2	1	-	2	6	2	1	2
1979.....	161	38	10	-	2	4	2	3	-	3	2
WHITE FEMALE											
1998.....	528	51	4	-	-	2	1	-	2	2	3
1997.....	526	49	5	2	-	-	-	-	3	4	3
1996.....	433	39	4	1	1	2	-	1	2	3	2
1995.....	400	44	1	1	1	-	1	-	4	4	1
1994.....	354	43	7	1	1	-	1	1	-	1	2
1993.....	316	31	5	1	-	2	1	2	1	-	1
1992.....	249	24	3	1	-	-	-	-	-	-	2
1991.....	224	29	5	1	1	-	-	-	-	3	2
1990.....	231	26	5	1	-	-	-	-	1	2	2
1989.....	177	15	6	1	1	-	-	-	-	1	1
1988.....	173	25	2	-	-	-	-	-	2	1	2
1987.....	186	28	6	1	-	-	2	2	1	-	2
1986.....	153	18	4	1	-	-	-	1	-	1	2
1985.....	174	21	9	2	1	-	1	-	-	-	3
1984.....	183	38	5	4	-	2	-	-	2	-	2
1983.....	187	31	4	-	-	-	1	1	1	-	2
1982.....	176	38	3	1	-	-	2	2	2	1	7
1981.....	216	38	11	3	-	2	1	-	1	2	1
1980.....	215	32	9	4	3	2	-	-	1	3	2
1979.....	162	28	4	2	1	-	1	3	-	2	1

TREND C TABLE 292. DEATHS FOR 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
 RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
INTESTINAL INFECTIOUS DISEASES (001-009)											
ALL OTHER, BOTH SEXES											
1998.....	184	102	5	1	-	-	-	1	1	4	2
1997.....	187	88	7	-	1	-	1	1	5	8	4
1996.....	173	106	2	4	-	-	2	2	2	3	4
1995.....	179	105	3	-	-	-	1	1	3	2	8
1994.....	193	116	12	2	-	1	-	-	4	5	2
1993.....	140	76	2	1	-	-	1	1	2	2	1
1992.....	118	68	5	3	-	1	3	2	3	1	1
1991.....	129	67	11	-	-	1	1	-	3	-	1
1990.....	107	48	7	2	2	2	-	-	1	3	2
1989.....	118	56	10	4	-	-	1	-	5	2	3
1988.....	91	45	2	1	1	1	-	-	2	-	3
1987.....	93	47	6	1	-	1	1	2	4	2	2
1986.....	110	60	2	2	1	-	-	2	3	-	5
1985.....	112	51	5	-	-	-	1	2	6	5	1
1984.....	112	69	2	1	-	-	2	2	3	-	1
1983.....	127	71	8	-	-	-	1	1	2	2	2
1982.....	119	69	8	-	1	1	2	2	1	1	1
1981.....	109	62	8	2	-	1	-	-	2	2	2
1980.....	110	55	7	1	-	2	1	3	3	2	-
1979.....	97	51	5	4	-	-	3	1	1	2	-
ALL OTHER MALE											
1998.....	88	59	1	-	-	-	-	-	1	2	1
1997.....	100	53	6	-	1	-	-	-	2	5	4
1996.....	100	67	1	1	-	-	1	2	1	2	3
1995.....	94	59	3	-	-	-	-	-	1	-	7
1994.....	120	70	9	1	-	1	-	-	1	2	-
1993.....	83	50	-	-	-	-	-	1	2	2	-
1992.....	64	35	3	2	-	-	2	2	3	1	1
1991.....	72	38	8	-	-	1	-	-	1	-	1
1990.....	58	25	3	1	1	1	-	-	1	2	1
1989.....	63	34	5	2	-	-	-	-	2	-	3
1988.....	48	26	-	1	1	1	-	-	2	-	3
1987.....	48	19	4	-	-	1	1	2	4	2	1
1986.....	72	39	1	2	-	-	-	2	2	-	5
1985.....	63	26	4	-	-	-	1	2	6	3	1
1984.....	70	49	-	1	-	-	2	1	2	-	1
1983.....	73	45	5	-	-	-	1	1	2	1	2
1982.....	57	35	5	-	-	1	2	1	-	-	1
1981.....	63	33	7	2	-	1	-	-	2	2	2
1980.....	60	31	4	-	-	2	1	1	1	2	-
1979.....	48	26	3	1	-	-	-	-	1	2	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1 YEAR 1-4 YEARS 5-9 YEARS 10-14 YEARS 15-19 YEARS 20-24 YEARS 25-29 YEARS 30-34 YEARS 35-39 YEARS 40-44 YEARS

INTESTINAL INFECTIOUS DISEASES (001-009)

ALL OTHER FEMALE

1998.....	96	43	4	1	-	-	-	1	-	2	1
1997.....	87	35	1	-	-	-	1	1	3	3	-
1996.....	73	39	1	3	-	-	1	-	1	1	1
1995.....	85	46	-	-	-	-	1	1	2	2	1
1994.....	73	46	3	1	-	-	-	-	3	3	2
1993.....	57	26	2	1	-	-	1	-	-	-	1
1992.....	54	33	2	1	-	1	1	-	-	-	-
1991.....	57	29	3	-	-	-	1	-	2	-	-
1990.....	49	23	4	1	1	1	-	-	-	1	1
1989.....	55	22	5	2	-	-	1	-	3	2	-
1988.....	43	19	2	-	-	-	-	-	-	-	-
1987.....	45	28	2	1	-	-	-	-	-	-	1
1986.....	38	21	1	-	1	-	-	-	1	-	-
1985.....	49	25	1	-	-	-	-	-	-	2	-
1984.....	42	20	2	-	-	-	-	1	1	-	-
1983.....	54	26	3	-	-	-	-	-	-	1	-
1982.....	62	34	3	-	1	-	-	1	1	1	-
1981.....	46	29	1	-	-	-	-	-	-	-	-
1980.....	50	24	3	1	-	-	-	2	2	-	-
1979.....	49	25	2	3	-	-	3	1	-	-	-

BLACK, BOTH SEXES

1998.....	161	97	5	-	-	-	-	1	1	3	1
1997.....	166	83	5	-	1	-	1	-	5	8	3
1996.....	157	101	2	4	-	-	1	1	2	3	3
1995.....	161	99	3	-	-	-	-	1	3	2	8
1994.....	172	107	9	2	-	1	-	-	3	4	2
1993.....	123	70	2	1	-	-	1	1	2	2	1
1992.....	107	66	5	2	-	1	3	2	3	1	1
1991.....	116	64	8	-	-	-	1	-	3	-	1
1990.....	93	44	6	2	2	2	-	-	1	3	1
1989.....	104	51	8	2	-	-	1	-	5	2	2
1988.....	76	44	2	-	-	-	-	-	2	-	3
1987.....	86	45	3	1	-	1	1	2	4	2	2
1986.....	100	54	2	2	1	-	-	2	3	-	5
1985.....	103	48	5	-	-	-	1	2	5	4	1
1984.....	103	65	2	1	-	-	2	2	3	-	1
1983.....	116	68	6	-	-	-	1	1	1	2	2
1982.....	108	64	6	-	1	-	2	2	1	1	1
1981.....	101	59	6	2	-	1	-	-	2	2	2
1980.....	102	52	7	1	-	2	-	3	3	2	-
1979.....	86	47	4	4	-	-	3	1	1	2	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
INTESTINAL INFECTIOUS DISEASES (001-009)											
BLACK MALE											
1998.....	78	57	1	-	-	-	-	-	1	1	1
1997.....	88	48	5	-	1	-	-	-	2	5	3
1996.....	91	63	1	1	-	-	1	1	1	2	2
1995.....	84	54	3	-	-	-	-	-	1	-	7
1994.....	109	65	6	1	-	1	-	-	1	2	-
1993.....	72	46	-	-	-	-	-	1	2	2	-
1992.....	56	34	3	1	-	-	2	2	3	1	1
1991.....	65	37	5	-	-	-	-	-	1	-	1
1990.....	50	21	3	1	1	1	-	-	1	2	-
1989.....	53	32	3	1	-	-	-	-	2	-	2
1988.....	39	25	-	-	-	-	-	-	2	-	3
1987.....	44	18	2	-	-	1	1	2	4	2	1
1986.....	66	35	1	2	-	-	-	2	2	-	5
1985.....	57	25	4	-	-	-	1	2	5	2	1
1984.....	66	46	-	1	-	-	2	1	2	-	1
1983.....	67	44	4	-	-	-	1	1	1	1	2
1982.....	51	31	4	-	-	-	2	1	-	-	1
1981.....	58	32	5	2	-	1	-	-	2	2	2
1980.....	54	28	4	-	-	2	-	1	1	2	-
1979.....	43	24	2	1	-	-	-	-	1	2	-
BLACK FEMALE											
1998.....	83	40	4	-	-	-	-	1	-	2	-
1997.....	78	35	-	-	-	-	1	-	3	3	-
1996.....	66	38	1	3	-	-	-	-	1	1	1
1995.....	77	45	-	-	-	-	-	1	2	2	1
1994.....	63	42	3	1	-	-	-	-	2	2	2
1993.....	51	24	2	1	-	-	1	-	-	-	1
1992.....	51	32	2	1	-	1	1	-	-	-	-
1991.....	51	27	3	-	-	-	1	-	2	-	-
1990.....	43	23	3	1	1	1	-	-	-	1	1
1989.....	51	19	5	1	-	-	1	-	3	2	-
1988.....	37	19	2	-	-	-	-	-	-	-	-
1987.....	42	27	1	1	-	-	-	-	-	-	1
1986.....	34	19	1	-	1	-	-	-	1	-	-
1985.....	46	23	1	-	-	-	-	-	-	2	-
1984.....	37	19	2	-	-	-	-	1	1	-	-
1983.....	49	24	2	-	-	-	-	-	-	1	-
1982.....	57	33	2	-	1	-	-	1	1	1	-
1981.....	43	27	1	-	-	-	-	-	-	-	-
1980.....	48	24	3	1	-	-	-	2	2	-	-
1979.....	43	23	2	3	-	-	3	1	-	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR SHIGELLOSIS (004)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
TOTAL, BOTH SEXES											
1998.....	5	-	-	1	-	-	-	-	-	-	1
1997.....	5	-	-	1	-	-	-	-	1	-	-
1996.....	5	-	1	-	-	-	-	-	-	-	-
1995.....	8	-	1	-	-	-	-	-	-	-	-
1994.....	13	1	1	-	-	-	-	1	-	1	1
1993.....	5	1	1	-	-	1	-	-	-	-	1
1992.....	8	1	-	1	-	-	-	-	-	-	-
1991.....	10	2	3	-	-	-	-	-	1	-	-
1990.....	10	-	3	1	-	-	-	-	1	-	-
1989.....	16	-	4	3	-	-	-	-	-	1	-
1988.....	8	1	1	1	2	-	-	-	-	-	-
1987.....	13	1	3	2	1	-	-	-	1	-	-
1986.....	4	-	-	1	-	-	-	1	-	-	1
1985.....	17	1	5	1	1	-	-	-	2	-	-
1984.....	8	-	-	3	-	-	-	-	-	-	-
1983.....	9	-	2	1	-	-	-	-	-	-	-
1982.....	9	3	-	-	-	-	1	-	1	-	-
1981.....	11	1	5	1	-	1	-	-	-	-	-
1980.....	15	5	2	3	-	-	-	1	-	-	-
1979.....	19	2	8	1	1	-	-	-	-	-	-
TOTAL, MALE											
1998.....	1	-	-	-	-	-	-	-	-	-	1
1997.....	1	-	-	-	-	-	-	-	-	-	-
1996.....	1	-	-	-	-	-	-	-	-	-	-
1995.....	3	-	1	-	-	-	-	-	-	-	-
1994.....	6	-	-	-	-	-	-	-	-	-	1
1993.....	2	-	-	-	-	1	-	-	-	-	1
1992.....	6	1	-	1	-	-	-	-	-	-	-
1991.....	7	2	1	-	-	-	-	-	1	-	-
1990.....	3	-	1	-	-	-	-	-	-	-	-
1989.....	5	-	1	1	-	-	-	-	-	1	-
1988.....	3	-	-	1	2	-	-	-	-	-	-
1987.....	6	1	1	1	1	-	-	-	1	-	-
1986.....	1	-	-	-	-	-	-	-	-	-	1
1985.....	11	1	3	1	-	-	-	-	2	-	-
1984.....	3	-	-	-	-	-	-	-	-	-	-
1983.....	4	-	-	1	-	-	-	-	-	-	-
1982.....	4	2	-	-	-	-	-	-	-	-	-
1981.....	5	-	3	-	-	-	-	-	-	-	-
1980.....	10	4	1	1	-	-	-	1	-	-	-
1979.....	10	1	7	-	1	-	-	-	-	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR SHIGELLOSIS (004)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
TOTAL, FEMALE											
1998.....	4	-	-	1	-	-	-	-	-	-	-
1997.....	4	-	-	1	-	-	-	-	1	-	-
1996.....	4	-	1	-	-	-	-	-	-	-	-
1995.....	5	-	-	-	-	-	-	-	-	-	-
1994.....	7	1	1	-	-	-	-	1	-	1	-
1993.....	3	1	1	-	-	-	-	-	-	-	-
1992.....	2	-	-	-	-	-	-	-	-	-	-
1991.....	3	-	2	-	-	-	-	-	-	-	-
1990.....	7	-	2	1	-	-	-	-	1	-	-
1989.....	11	-	3	2	-	-	-	-	-	-	-
1988.....	5	1	1	-	-	-	-	-	-	-	-
1987.....	7	-	2	1	-	-	-	-	-	-	-
1986.....	3	-	-	1	-	-	-	1	-	-	-
1985.....	6	-	2	-	1	-	-	-	-	-	-
1984.....	5	-	-	3	-	-	-	-	-	-	-
1983.....	5	-	2	-	-	-	-	-	-	-	-
1982.....	5	1	-	-	-	-	1	-	1	-	-
1981.....	6	1	2	1	-	1	-	-	-	-	-
1980.....	5	1	1	2	-	-	-	-	-	-	-
1979.....	9	1	1	1	-	-	-	-	-	-	-
WHITE, BOTH SEXES											
1998.....	4	-	-	-	-	-	-	-	-	-	1
1997.....	5	-	-	1	-	-	-	-	1	-	-
1996.....	5	-	1	-	-	-	-	-	-	-	-
1995.....	6	-	-	-	-	-	-	-	-	-	-
1994.....	10	-	1	-	-	-	-	1	-	-	1
1993.....	4	-	1	-	-	1	-	-	-	-	1
1992.....	6	-	-	-	-	-	-	-	-	-	-
1991.....	8	1	2	-	-	-	-	-	1	-	-
1990.....	6	-	2	-	-	-	-	-	1	-	-
1989.....	9	-	1	1	-	-	-	-	-	1	-
1988.....	4	1	-	-	1	-	-	-	-	-	-
1987.....	10	-	2	2	1	-	-	-	-	-	-
1986.....	4	-	-	1	-	-	-	1	-	-	1
1985.....	13	-	4	1	1	-	-	-	-	-	-
1984.....	7	-	-	3	-	-	-	-	-	-	-
1983.....	6	-	1	1	-	-	-	-	-	-	-
1982.....	8	2	-	-	-	-	1	-	1	-	-
1981.....	10	1	4	1	-	1	-	-	-	-	-
1980.....	10	4	-	3	-	-	-	-	-	-	-
1979.....	13	1	5	1	1	-	-	-	-	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR SHIGELLOSIS (004)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
WHITE MALE											
1998.....	1	-	-	-	-	-	-	-	-	-	1
1997.....	1	-	-	-	-	-	-	-	-	-	-
1996.....	1	-	-	-	-	-	-	-	-	-	-
1995.....	1	-	-	-	-	-	-	-	-	-	-
1994.....	5	-	-	-	-	-	-	-	-	-	1
1993.....	2	-	-	-	-	1	-	-	-	-	1
1992.....	4	-	-	-	-	-	-	-	-	-	-
1991.....	6	1	1	-	-	-	-	-	1	-	-
1990.....	3	-	1	-	-	-	-	-	-	-	-
1989.....	3	-	-	1	-	-	-	-	-	1	-
1988.....	1	-	-	-	1	-	-	-	-	-	-
1987.....	3	-	-	1	1	-	-	-	-	-	-
1986.....	1	-	-	-	-	-	-	-	-	-	1
1985.....	7	-	2	1	-	-	-	-	-	-	-
1984.....	3	-	-	-	-	-	-	-	-	-	-
1983.....	4	-	-	1	-	-	-	-	-	-	-
1982.....	3	1	-	-	-	-	-	-	-	-	-
1981.....	4	-	2	-	-	-	-	-	-	-	-
1980.....	6	3	-	1	-	-	-	-	-	-	-
1979.....	8	1	5	-	1	-	-	-	-	-	-
WHITE FEMALE											
1998.....	3	-	-	-	-	-	-	-	-	-	-
1997.....	4	-	-	1	-	-	-	-	1	-	-
1996.....	4	-	1	-	-	-	-	-	-	-	-
1995.....	5	-	-	-	-	-	-	-	-	-	-
1994.....	5	-	1	-	-	-	-	1	-	-	-
1993.....	2	-	1	-	-	-	-	-	-	-	-
1992.....	2	-	-	-	-	-	-	-	-	-	-
1991.....	2	-	1	-	-	-	-	-	-	-	-
1990.....	3	-	1	-	-	-	-	-	1	-	-
1989.....	6	-	1	-	-	-	-	-	-	-	-
1988.....	3	1	-	-	-	-	-	-	-	-	-
1987.....	7	-	2	1	-	-	-	-	-	-	-
1986.....	3	-	-	1	-	-	-	1	-	-	-
1985.....	6	-	2	-	1	-	-	-	-	-	-
1984.....	4	-	-	3	-	-	-	-	-	-	-
1983.....	2	-	1	-	-	-	-	-	-	-	-
1982.....	5	1	-	-	-	-	1	-	1	-	-
1981.....	6	1	2	1	-	1	-	-	-	-	-
1980.....	4	1	-	2	-	-	-	-	-	-	-
1979.....	5	-	-	1	-	-	-	-	-	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1 YEAR 1-4 YEARS 5-9 YEARS 10-14 YEARS 15-19 YEARS 20-24 YEARS 25-29 YEARS 30-34 YEARS 35-39 YEARS 40-44 YEARS

0 OTHER SALMONELLA INFECTIONS AND OTHER FOOD POISONING (BACTERIAL) (003,005)

TOTAL, BOTH SEXES												
1998.....	41	1	2	-	-	-	-	1	1	-	-	-
1997.....	59	4	1	1	-	-	2	-	2	4	1	-
1996.....	62	2	2	1	-	1	1	3	3	3	2	-
1995.....	76	5	-	-	-	-	1	-	3	2	2	-
1994.....	53	5	2	-	1	-	1	-	1	2	2	-
1993.....	58	5	1	-	-	-	1	2	3	1	1	-
1992.....	52	3	-	2	-	1	-	2	2	1	1	-
1991.....	55	2	1	-	-	1	1	-	2	1	1	-
1990.....	86	4	1	-	1	1	-	-	2	3	4	-
1989.....	103	8	1	1	-	-	-	2	3	3	4	-
1988.....	71	7	-	-	-	-	-	2	2	1	2	-
1987.....	106	5	1	-	-	-	1	2	5	2	-	-
1986.....	105	-	1	-	-	-	2	4	6	3	6	-
1985.....	127	7	1	-	-	-	2	1	6	6	2	-
1984.....	98	8	-	1	-	-	3	-	2	1	2	-
1983.....	91	10	-	-	-	-	-	1	3	1	6	-
1982.....	97	8	-	-	2	-	-	2	-	2	2	-
1981.....	109	6	2	1	-	-	2	-	2	2	1	-
1980.....	96	10	2	1	-	1	-	1	-	3	-	-
1979.....	79	7	-	2	-	2	1	3	-	-	1	-
TOTAL, MALE												
1998.....	17	-	2	-	-	-	-	-	-	-	-	-
1997.....	39	4	1	-	-	-	2	-	-	3	1	-
1996.....	31	-	1	-	-	-	-	3	1	2	2	-
1995.....	42	2	-	-	-	-	-	-	1	-	2	-
1994.....	33	2	2	-	1	-	-	-	1	2	1	-
1993.....	30	2	1	-	-	-	-	1	3	1	1	-
1992.....	27	1	-	1	-	-	-	2	2	1	1	-
1991.....	34	2	1	-	-	1	-	-	2	-	1	-
1990.....	51	3	-	-	1	-	-	-	2	2	3	-
1989.....	49	6	-	1	-	-	-	2	-	1	3	-
1988.....	37	3	-	-	-	-	-	2	1	1	2	-
1987.....	57	2	1	-	-	-	1	1	5	2	-	-
1986.....	72	-	-	-	-	-	2	4	5	3	5	-
1985.....	70	4	1	-	-	-	2	1	6	4	1	-
1984.....	55	5	-	1	-	-	3	-	2	1	1	-
1983.....	47	7	-	-	-	-	-	1	3	1	6	-
1982.....	48	6	-	-	1	-	-	1	-	1	2	-
1981.....	60	1	2	1	-	-	2	-	1	2	1	-
1980.....	49	4	1	-	-	1	-	-	-	1	-	-
1979.....	35	3	-	-	-	2	-	-	-	-	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44
 0 OTHER SALMONELLA INFECTIONS AND OTHER FOOD POISONING (BACTERIAL) (003,005)

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
TOTAL, FEMALE											
1998.....	24	1	-	-	-	-	-	1	1	-	-
1997.....	20	-	-	1	-	-	-	-	2	1	-
1996.....	31	2	1	1	-	1	1	-	2	1	-
1995.....	34	3	-	-	-	-	1	-	2	2	-
1994.....	20	3	-	-	-	-	1	-	-	-	1
1993.....	28	3	-	-	-	-	1	1	-	-	-
1992.....	25	2	-	1	-	1	-	-	-	-	-
1991.....	21	-	-	-	-	-	1	-	-	1	-
1990.....	35	1	1	-	-	1	-	-	-	1	1
1989.....	54	2	1	-	-	-	-	-	3	2	1
1988.....	34	4	-	-	-	-	-	-	1	-	-
1987.....	49	3	-	-	-	-	-	1	-	-	-
1986.....	33	-	1	-	-	-	-	-	1	-	1
1985.....	57	3	-	-	-	-	-	-	-	2	1
1984.....	43	3	-	-	-	-	-	-	-	-	1
1983.....	44	3	-	-	-	-	-	-	-	-	-
1982.....	49	2	-	-	1	-	-	1	-	1	-
1981.....	49	5	-	-	-	-	-	-	1	-	-
1980.....	47	6	1	1	-	-	-	1	-	2	-
1979.....	44	4	-	2	-	-	1	3	-	-	1
WHITE, BOTH SEXES											
1998.....	36	1	2	-	-	-	-	-	1	-	-
1997.....	45	2	1	1	-	-	2	-	-	2	-
1996.....	43	1	2	-	-	1	-	1	1	3	1
1995.....	57	4	-	-	-	-	-	-	2	-	-
1994.....	35	3	-	-	1	-	1	-	-	1	1
1993.....	41	3	1	-	-	-	1	1	2	1	1
1992.....	37	1	-	1	-	-	-	-	-	1	1
1991.....	34	1	1	-	-	-	-	-	2	1	1
1990.....	56	-	-	-	-	-	-	-	1	3	2
1989.....	80	6	-	-	-	-	-	2	-	2	3
1988.....	53	2	-	-	-	-	-	2	1	1	-
1987.....	81	1	-	-	-	-	-	1	2	-	-
1986.....	86	-	-	-	-	-	2	3	5	3	2
1985.....	93	4	1	-	-	-	2	1	3	2	2
1984.....	74	5	-	1	-	-	1	-	-	1	1
1983.....	63	5	-	-	-	-	-	-	2	1	4
1982.....	79	6	-	-	1	-	-	-	-	2	2
1981.....	88	3	1	-	-	-	2	-	2	-	-
1980.....	73	5	1	1	-	-	-	-	-	2	-
1979.....	64	5	-	-	-	2	-	2	-	-	1

CAUSE-OF-DEATH CODE,
RACE, SEX, AND YEAR TOTAL UNDER 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44
YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

0 OTHER SALMONELLA INFECTIONS AND OTHER FOOD POISONING (BACTERIAL) (003,005)

WHITE MALE

1998.....	15	-	2	-	-	-	-	-	-	-	-
1997.....	31	2	1	-	-	-	2	-	-	2	-
1996.....	21	-	1	-	-	-	-	1	-	2	1
1995.....	33	2	-	-	-	-	-	-	-	-	-
1994.....	18	-	-	-	1	-	-	-	-	1	1
1993.....	19	1	1	-	-	-	-	-	2	1	1
1992.....	17	-	-	-	-	-	-	-	-	1	1
1991.....	21	1	1	-	-	-	-	-	2	-	1
1990.....	32	-	-	-	-	-	-	-	1	2	2
1989.....	41	5	-	-	-	-	-	2	-	1	2
1988.....	26	1	-	-	-	-	-	2	-	1	-
1987.....	39	-	-	-	-	-	-	-	2	-	-
1986.....	59	-	-	-	-	-	2	3	5	3	1
1985.....	53	3	1	-	-	-	2	1	3	2	1
1984.....	39	2	-	1	-	-	1	-	-	1	-
1983.....	31	3	-	-	-	-	-	-	2	1	4
1982.....	40	4	-	-	1	-	-	-	-	1	2
1981.....	48	-	1	-	-	-	2	-	1	-	-
1980.....	36	2	-	-	-	-	-	-	-	-	-
1979.....	30	2	-	-	-	2	-	-	-	-	-

WHITE FEMALE

1998.....	21	1	-	-	-	-	-	-	1	-	-
1997.....	14	-	-	1	-	-	-	-	-	-	-
1996.....	22	1	1	-	-	1	-	-	1	1	-
1995.....	24	2	-	-	-	-	-	-	2	-	-
1994.....	17	3	-	-	-	-	1	-	-	-	-
1993.....	22	2	-	-	-	-	1	1	-	-	-
1992.....	20	1	-	1	-	-	-	-	-	-	-
1991.....	13	-	-	-	-	-	-	-	-	1	-
1990.....	24	-	-	-	-	-	-	-	-	1	-
1989.....	39	1	-	-	-	-	-	-	-	1	1
1988.....	27	1	-	-	-	-	-	-	1	-	-
1987.....	42	1	-	-	-	-	-	1	-	-	-
1986.....	27	-	-	-	-	-	-	-	-	-	1
1985.....	40	1	-	-	-	-	-	-	-	-	1
1984.....	35	3	-	-	-	-	-	-	-	-	1
1983.....	32	2	-	-	-	-	-	-	-	-	-
1982.....	39	2	-	-	-	-	-	-	-	1	-
1981.....	40	3	-	-	-	-	-	-	1	-	-
1980.....	37	3	1	1	-	-	-	-	-	2	-
1979.....	34	3	-	-	-	-	-	2	-	-	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44
YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

0 OTHER SALMONELLA INFECTIONS AND OTHER FOOD POISONING (BACTERIAL) (003,005)

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
ALL OTHER FEMALE											
1998.....	3	-	-	-	-	-	-	1	-	-	-
1997.....	6	-	-	-	-	-	-	-	2	1	-
1996.....	9	1	-	1	-	-	1	-	1	-	-
1995.....	10	1	-	-	-	-	1	-	-	2	-
1994.....	3	-	-	-	-	-	-	-	-	-	1
1993.....	6	1	-	-	-	-	-	-	-	-	-
1992.....	5	1	-	-	-	1	-	-	-	-	-
1991.....	8	-	-	-	-	-	1	-	-	-	-
1990.....	11	1	1	-	-	1	-	-	-	-	1
1989.....	15	1	1	-	-	-	-	-	3	1	-
1988.....	7	3	-	-	-	-	-	-	-	-	-
1987.....	7	2	-	-	-	-	-	-	-	-	-
1986.....	6	-	1	-	-	-	-	-	1	-	-
1985.....	17	2	-	-	-	-	-	-	-	2	-
1984.....	8	-	-	-	-	-	-	-	-	-	-
1983.....	12	1	-	-	-	-	-	-	-	-	-
1982.....	10	-	-	-	1	-	-	1	-	-	-
1981.....	9	2	-	-	-	-	-	-	-	-	-
1980.....	10	3	-	-	-	-	-	1	-	-	-
1979.....	10	1	-	2	-	-	1	1	-	-	-
BLACK, BOTH SEXES											
1998.....	3	-	-	-	-	-	-	1	-	-	-
1997.....	12	2	-	-	-	-	-	-	2	2	1
1996.....	16	1	-	1	-	-	-	1	2	-	1
1995.....	14	1	-	-	-	-	-	-	1	2	2
1994.....	16	2	1	-	-	-	-	-	1	1	1
1993.....	12	1	-	-	-	-	-	1	1	-	-
1992.....	11	2	-	-	-	1	-	2	2	-	-
1991.....	18	1	-	-	-	-	1	-	-	-	-
1990.....	24	3	1	-	1	1	-	-	1	-	1
1989.....	20	2	1	-	-	-	-	-	3	1	1
1988.....	17	5	-	-	-	-	-	-	1	-	2
1987.....	24	4	-	-	-	-	1	1	3	2	-
1986.....	17	-	1	-	-	-	-	1	1	-	4
1985.....	30	3	-	-	-	-	-	-	3	3	-
1984.....	22	3	-	-	-	-	2	-	2	-	1
1983.....	27	4	-	-	-	-	-	1	1	-	2
1982.....	17	2	-	-	1	-	-	2	-	-	-
1981.....	21	3	1	1	-	-	-	-	-	2	1
1980.....	23	5	1	-	-	1	-	1	-	1	-
1979.....	13	1	-	2	-	-	1	1	-	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1 YEAR 1-4 YEARS 5-9 YEARS 10-14 YEARS 15-19 YEARS 20-24 YEARS 25-29 YEARS 30-34 YEARS 35-39 YEARS 40-44 YEARS

0 OTHER SALMONELLA INFECTIONS AND OTHER FOOD POISONING (BACTERIAL) (003,005)

BLACK MALE

1998.....	1	-	-	-	-	-	-	-	-	-	-
1997.....	7	2	-	-	-	-	-	-	-	1	1
1996.....	8	-	-	-	-	-	-	1	1	-	1
1995.....	7	-	-	-	-	-	-	-	1	-	2
1994.....	14	2	1	-	-	-	-	-	1	1	-
1993.....	8	-	-	-	-	-	-	1	1	-	-
1992.....	7	1	-	-	-	-	-	2	2	-	-
1991.....	11	1	-	-	-	-	-	-	-	-	-
1990.....	16	2	-	-	1	-	-	-	1	-	-
1989.....	5	1	-	-	-	-	-	-	-	-	1
1988.....	10	2	-	-	-	-	-	-	1	-	2
1987.....	17	2	-	-	-	-	1	1	3	2	-
1986.....	12	-	-	-	-	-	-	1	-	-	4
1985.....	14	1	-	-	-	-	-	-	3	1	-
1984.....	15	3	-	-	-	-	2	-	2	-	1
1983.....	15	3	-	-	-	-	-	1	1	-	2
1982.....	8	2	-	-	-	-	-	1	-	-	-
1981.....	12	1	1	1	-	-	-	-	-	2	1
1980.....	13	2	1	-	-	1	-	-	-	1	-
1979.....	3	-	-	-	-	-	-	-	-	-	-

BLACK FEMALE

1998.....	2	-	-	-	-	-	-	1	-	-	-
1997.....	5	-	-	-	-	-	-	-	2	1	-
1996.....	8	1	-	1	-	-	-	-	1	-	-
1995.....	7	1	-	-	-	-	-	-	-	2	-
1994.....	2	-	-	-	-	-	-	-	-	-	1
1993.....	4	1	-	-	-	-	-	-	-	-	-
1992.....	4	1	-	-	-	1	-	-	-	-	-
1991.....	7	-	-	-	-	-	1	-	-	-	-
1990.....	8	1	1	-	-	1	-	-	-	-	1
1989.....	15	1	1	-	-	-	-	-	3	1	-
1988.....	7	3	-	-	-	-	-	-	-	-	-
1987.....	7	2	-	-	-	-	-	-	-	-	-
1986.....	5	-	1	-	-	-	-	-	1	-	-
1985.....	16	2	-	-	-	-	-	-	-	2	-
1984.....	7	-	-	-	-	-	-	-	-	-	-
1983.....	12	1	-	-	-	-	-	-	-	-	-
1982.....	9	-	-	-	1	-	-	1	-	-	-
1981.....	9	2	-	-	-	-	-	-	-	-	-
1980.....	10	3	-	-	-	-	-	1	-	-	-
1979.....	10	1	-	2	-	-	1	1	-	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 INTESTINAL INFECTIONS DUE TO OTHER SPECIFIED ORGANISMS (007-008)											
TOTAL, BOTH SEXES											
1998.....	714	8	15	-	-	2	2	-	2	5	5
1997.....	686	8	12	1	3	-	-	1	5	10	8
1996.....	496	5	1	2	2	1	-	2	2	5	6
1995.....	483	12	9	1	1	-	3	5	8	5	6
1994.....	428	8	14	3	-	-	-	3	6	7	5
1993.....	393	6	9	2	-	2	1	3	2	4	6
1992.....	333	18	10	1	1	-	2	-	3	7	9
1991.....	267	13	11	-	-	-	1	1	3	3	4
1990.....	235	9	9	4	1	2	-	4	3	4	5
1989.....	174	8	8	2	3	-	2	1	3	2	3
1988.....	154	12	6	2	-	1	1	-	2	-	3
1987.....	156	10	11	1	1	2	1	4	4	4	4
1986.....	164	14	7	2	-	-	2	7	8	11	6
1985.....	137	10	10	1	1	-	1	3	7	7	1
1984.....	130	16	8	2	1	-	-	2	3	3	1
1983.....	177	20	9	-	2	1	3	1	2	3	4
1982.....	128	16	14	2	-	2	1	4	1	1	3
1981.....	182	24	20	3	-	2	2	-	-	1	1
1980.....	184	20	18	3	3	1	3	5	2	1	-
1979.....	146	28	10	3	1	-	4	1	1	1	1
TOTAL, MALE											
1998.....	286	5	9	-	-	-	1	-	2	2	1
1997.....	256	2	9	1	3	-	-	1	2	5	5
1996.....	178	3	-	-	1	-	-	1	1	3	4
1995.....	195	7	8	-	-	-	2	4	4	3	5
1994.....	182	4	7	1	-	-	-	3	4	5	3
1993.....	167	2	4	1	-	-	-	2	2	4	5
1992.....	156	11	7	-	1	-	1	-	3	7	7
1991.....	108	7	6	-	-	-	1	1	1	1	3
1990.....	99	7	5	3	-	2	-	4	3	3	3
1989.....	76	5	2	1	2	-	1	1	3	1	3
1988.....	63	6	3	2	-	1	1	-	2	-	1
1987.....	74	3	6	1	1	2	-	3	4	4	3
1986.....	92	11	4	2	-	-	2	7	8	10	6
1985.....	68	6	6	-	1	-	1	3	7	7	-
1984.....	49	7	4	1	1	-	-	2	1	3	1
1983.....	78	12	7	-	2	1	2	1	2	2	2
1982.....	57	11	11	1	-	2	-	2	-	1	-
1981.....	76	14	13	2	-	1	2	-	-	-	-
1980.....	72	11	10	1	1	-	3	4	1	-	-
1979.....	62	15	6	1	-	-	2	1	1	1	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 INTESTINAL INFECTIONS DUE TO OTHER SPECIFIED ORGANISMS (007-008)											
TOTAL, FEMALE											
1998.....	428	3	6	-	-	2	1	-	-	3	4
1997.....	430	6	3	-	-	-	-	-	3	5	3
1996.....	318	2	1	2	1	1	-	1	1	2	2
1995.....	288	5	1	1	1	-	1	1	4	2	1
1994.....	246	4	7	2	-	-	-	-	2	2	2
1993.....	226	4	5	1	-	2	1	1	-	-	1
1992.....	177	7	3	1	-	-	1	3	-	-	2
1991.....	159	6	5	-	-	-	-	-	2	2	1
1990.....	136	2	4	1	1	-	-	-	-	1	2
1989.....	98	3	6	1	1	-	1	-	-	1	-
1988.....	91	6	3	-	-	-	-	-	-	-	2
1987.....	82	7	5	-	-	-	1	1	-	-	1
1986.....	72	3	3	-	-	-	-	-	-	1	-
1985.....	69	4	4	1	-	-	-	-	-	-	1
1984.....	81	9	4	1	-	-	-	-	2	-	-
1983.....	99	8	2	-	-	-	1	-	-	1	2
1982.....	71	5	3	1	-	-	1	2	1	-	3
1981.....	106	10	7	1	-	1	-	-	-	1	1
1980.....	112	9	8	2	2	1	-	1	1	1	-
1979.....	84	13	4	2	1	-	2	-	-	-	-
WHITE, BOTH SEXES											
1998.....	652	5	12	-	-	2	2	-	1	2	3
1997.....	612	6	10	1	2	-	-	1	2	5	5
1996.....	465	3	1	1	2	1	-	2	2	2	4
1995.....	440	9	7	1	1	-	3	4	6	5	2
1994.....	385	5	9	1	-	-	-	3	4	5	4
1993.....	353	2	7	2	-	2	-	3	1	2	5
1992.....	300	11	7	-	1	-	-	-	2	6	8
1991.....	236	9	6	-	-	-	1	1	-	3	4
1990.....	216	7	5	3	-	1	-	4	3	3	5
1989.....	152	6	6	1	3	-	1	1	2	1	2
1988.....	137	9	5	2	-	1	1	-	1	-	2
1987.....	145	8	7	1	1	1	1	4	4	4	2
1986.....	141	10	6	-	-	-	2	6	6	11	6
1985.....	119	6	7	1	1	-	-	1	6	6	1
1984.....	116	11	8	1	1	-	-	1	2	3	1
1983.....	151	12	4	-	2	1	2	1	2	1	4
1982.....	109	12	9	2	-	1	1	4	1	1	3
1981.....	163	18	15	3	-	2	2	-	-	1	1
1980.....	155	10	15	2	3	1	2	4	1	1	-
1979.....	124	18	9	1	1	-	3	1	-	1	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	
0 INTESTINAL INFECTIONS DUE TO OTHER SPECIFIED ORGANISMS (007-008)												
WHITE MALE												
1998.....	262	3	8	-	-	-	1	-	1	1	-	
1997.....	221	2	8	1	2	-	-	1	-	1	2	
1996.....	165	1	-	-	1	-	-	1	1	1	3	
1995.....	173	5	6	-	-	-	2	4	4	3	1	
1994.....	156	2	3	-	-	-	-	3	4	4	3	
1993.....	150	-	4	1	-	-	-	2	1	2	5	
1992.....	140	9	5	-	1	-	-	-	2	6	6	
1991.....	91	5	2	-	-	-	1	1	-	1	3	
1990.....	88	6	2	2	-	1	-	4	3	2	3	
1989.....	66	4	2	-	2	-	1	1	2	1	2	
1988.....	56	4	3	2	-	1	1	-	1	-	-	
1987.....	69	3	4	1	1	1	-	3	4	4	2	
1986.....	77	9	3	-	-	-	2	6	6	10	6	
1985.....	56	3	4	-	1	-	-	1	6	6	-	
1984.....	43	4	4	-	1	-	-	1	1	3	1	
1983.....	62	7	3	-	2	1	1	1	2	1	2	
1982.....	49	8	8	1	-	1	-	2	-	1	-	
1981.....	65	11	8	2	-	1	2	-	-	-	-	
1980.....	56	4	8	1	1	-	2	4	1	-	-	
1979.....	49	8	5	-	-	-	2	1	-	1	1	
WHITE FEMALE												
1998.....	390	2	4	-	-	2	1	-	-	1	3	
1997.....	391	4	2	-	-	-	-	-	2	4	3	
1996.....	300	2	1	1	1	1	-	1	1	1	1	
1995.....	267	4	1	1	1	-	1	-	2	2	1	
1994.....	229	3	6	1	-	-	-	-	-	1	1	
1993.....	203	2	3	1	-	2	-	1	-	-	-	
1992.....	160	2	2	-	-	-	-	-	-	-	2	
1991.....	145	4	4	-	-	-	-	-	-	2	1	
1990.....	128	1	3	1	1	-	-	-	-	1	2	
1989.....	86	2	4	1	-	-	-	-	-	-	-	
1988.....	81	5	2	-	-	-	-	-	-	-	2	
1987.....	76	5	3	-	-	-	1	1	-	-	-	
1986.....	64	1	3	-	-	-	-	-	-	1	-	
1985.....	63	3	3	1	-	-	-	-	-	-	1	
1984.....	73	7	4	1	-	-	-	-	1	-	-	
1983.....	89	5	1	-	-	-	1	-	-	-	2	
1982.....	60	4	1	1	-	-	1	2	1	-	3	
1981.....	98	7	7	1	-	1	-	-	-	1	1	
1980.....	99	6	7	1	2	1	-	-	-	1	-	
1979.....	75	10	4	1	1	-	1	-	-	-	-	

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 INTestinal Infections due to other specified organisms (007-008)											
ALL OTHER, BOTH SEXES											
1998.....	62	3	3	-	-	-	-	-	1	3	2
1997.....	74	2	2	-	1	-	-	-	3	5	3
1996.....	31	2	-	1	-	-	-	-	-	3	2
1995.....	43	3	2	-	-	-	-	1	2	-	4
1994.....	43	3	5	2	-	-	-	-	2	2	1
1993.....	40	4	2	-	-	-	1	-	1	2	1
1992.....	33	7	3	1	-	-	2	-	1	1	1
1991.....	31	4	5	-	-	-	-	-	3	-	-
1990.....	19	2	4	1	1	1	-	-	-	1	-
1989.....	22	2	2	1	-	-	1	-	1	1	1
1988.....	17	3	1	-	-	-	-	-	1	-	1
1987.....	11	2	4	-	-	1	-	-	-	-	2
1986.....	23	4	1	2	-	-	-	1	2	-	-
1985.....	18	4	3	-	-	-	1	2	1	1	-
1984.....	14	5	-	1	-	-	-	1	1	-	-
1983.....	26	8	5	-	-	-	1	-	-	2	-
1982.....	19	4	5	-	-	1	-	-	-	-	-
1981.....	19	6	5	-	-	-	-	-	-	-	-
1980.....	29	10	3	1	-	-	1	1	1	-	-
1979.....	22	10	1	2	-	-	1	-	1	-	-
ALL OTHER MALE											
1998.....	24	2	1	-	-	-	-	-	1	1	1
1997.....	35	-	1	-	1	-	-	-	2	4	3
1996.....	13	2	-	-	-	-	-	-	-	2	1
1995.....	22	2	2	-	-	-	-	-	-	-	4
1994.....	26	2	4	1	-	-	-	-	-	1	-
1993.....	17	2	-	-	-	-	-	-	1	2	-
1992.....	16	2	2	-	-	-	1	-	1	1	1
1991.....	17	2	4	-	-	-	-	-	1	-	-
1990.....	11	1	3	1	-	1	-	-	-	1	-
1989.....	10	1	-	1	-	-	-	-	1	-	1
1988.....	7	2	-	-	-	-	-	-	1	-	1
1987.....	5	-	2	-	-	1	-	-	-	-	1
1986.....	15	2	1	2	-	-	-	1	2	-	-
1985.....	12	3	2	-	-	-	1	2	1	1	-
1984.....	6	3	-	1	-	-	-	1	-	-	-
1983.....	16	5	4	-	-	-	1	-	-	1	-
1982.....	8	3	3	-	-	1	-	-	-	-	-
1981.....	11	3	5	-	-	-	-	-	-	-	-
1980.....	16	7	2	-	-	-	1	-	-	-	-
1979.....	13	7	1	1	-	-	-	-	1	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 INTESTINAL INFECTIONS DUE TO OTHER SPECIFIED ORGANISMS (007-008)											
ALL OTHER FEMALE											
1998.....	38	1	2	-	-	-	-	-	-	2	1
1997.....	39	2	1	-	-	-	-	-	1	1	-
1996.....	18	-	-	1	-	-	-	-	-	1	1
1995.....	21	1	-	-	-	-	-	1	2	-	-
1994.....	17	1	1	1	-	-	-	-	2	1	1
1993.....	23	2	2	-	-	-	1	-	-	-	1
1992.....	17	5	1	1	-	-	1	-	-	-	-
1991.....	14	2	1	-	-	-	-	-	2	-	-
1990.....	8	1	1	-	1	-	-	-	-	-	-
1989.....	12	1	2	-	-	-	1	-	-	1	-
1988.....	10	1	1	-	-	-	-	-	-	-	-
1987.....	6	2	2	-	-	-	-	-	-	-	1
1986.....	8	2	-	-	-	-	-	-	-	-	-
1985.....	6	1	1	-	-	-	-	-	-	-	-
1984.....	8	2	-	-	-	-	-	-	1	-	-
1983.....	10	3	1	-	-	-	-	-	-	1	-
1982.....	11	1	2	-	-	-	-	-	-	-	-
1981.....	8	3	-	-	-	-	-	-	-	-	-
1980.....	13	3	1	1	-	-	-	1	1	-	-
1979.....	9	3	-	1	-	-	1	-	-	-	-
BLACK, BOTH SEXES											
1998.....	54	3	3	-	-	-	-	-	1	3	1
1997.....	61	2	-	-	1	-	-	-	3	5	2
1996.....	27	2	-	1	-	-	-	-	-	3	2
1995.....	37	2	2	-	-	-	-	1	2	-	4
1994.....	34	2	3	2	-	-	-	-	2	2	1
1993.....	37	4	2	-	-	-	1	-	1	2	1
1992.....	32	7	3	1	-	-	2	-	1	1	1
1991.....	25	4	2	-	-	-	-	-	3	-	-
1990.....	17	2	4	1	1	1	-	-	-	1	-
1989.....	20	2	2	1	-	-	1	-	1	1	-
1988.....	14	3	1	-	-	-	-	-	1	-	1
1987.....	8	2	2	-	-	1	-	-	-	-	2
1986.....	20	3	1	2	-	-	-	1	2	-	-
1985.....	15	3	3	-	-	-	1	2	-	1	-
1984.....	12	4	-	1	-	-	-	1	1	-	-
1983.....	21	8	3	-	-	-	1	-	-	2	-
1982.....	16	4	4	-	-	-	-	-	-	-	-
1981.....	16	5	3	-	-	-	-	-	-	-	-
1980.....	24	8	3	1	-	-	-	1	1	-	-
1979.....	20	9	1	2	-	-	1	-	1	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	
0 INTESTINAL INFECTIONS DUE TO OTHER SPECIFIED ORGANISMS (007-008)												
BLACK MALE												
1998.....	21	2	1	-	-	-	-	-	1	1	1	
1997.....	29	-	-	-	1	-	-	-	2	4	2	
1996.....	12	2	-	-	-	-	-	-	-	2	1	
1995.....	18	1	2	-	-	-	-	-	-	-	4	
1994.....	20	1	2	1	-	-	-	-	-	1	-	
1993.....	16	2	-	-	-	-	-	-	1	2	-	
1992.....	15	2	2	-	-	-	1	-	1	1	1	
1991.....	13	2	1	-	-	-	-	-	1	-	-	
1990.....	10	1	3	1	-	1	-	-	-	1	-	
1989.....	8	1	-	1	-	-	-	-	1	-	-	
1988.....	6	2	-	-	-	-	-	-	1	-	1	
1987.....	3	-	1	-	-	1	-	-	-	-	1	
1986.....	13	1	1	2	-	-	-	1	2	-	-	
1985.....	10	3	2	-	-	-	1	2	-	1	-	
1984.....	5	2	-	1	-	-	-	1	-	-	-	
1983.....	12	5	3	-	-	-	1	-	-	1	-	
1982.....	7	3	3	-	-	-	-	-	-	-	-	
1981.....	9	3	3	-	-	-	-	-	-	-	-	
1980.....	12	5	2	-	-	-	-	-	-	-	-	
1979.....	13	7	1	1	-	-	-	-	1	-	-	
BLACK FEMALE												
1998.....	33	1	2	-	-	-	-	-	-	2	-	
1997.....	32	2	-	-	-	-	-	-	1	1	-	
1996.....	15	-	-	1	-	-	-	-	-	1	1	
1995.....	19	1	-	-	-	-	-	1	2	-	-	
1994.....	14	1	1	1	-	-	-	-	2	1	1	
1993.....	21	2	2	-	-	-	1	-	-	-	1	
1992.....	17	5	1	1	-	-	1	-	-	-	-	
1991.....	12	2	1	-	-	-	-	-	2	-	-	
1990.....	7	1	1	-	1	-	-	-	-	-	-	
1989.....	12	1	2	-	-	-	1	-	-	1	-	
1988.....	8	1	1	-	-	-	-	-	-	-	-	
1987.....	5	2	1	-	-	-	-	-	-	-	1	
1986.....	7	2	-	-	-	-	-	-	-	-	-	
1985.....	5	-	1	-	-	-	-	-	-	-	-	
1984.....	7	2	-	-	-	-	-	-	1	-	-	
1983.....	9	3	-	-	-	-	-	-	-	1	-	
1982.....	9	1	1	-	-	-	-	-	-	-	-	
1981.....	7	2	-	-	-	-	-	-	-	-	-	
1980.....	12	3	1	1	-	-	-	1	1	-	-	
1979.....	7	2	-	1	-	-	1	-	-	-	-	

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ILL-DEFINED INTESTINAL INFECTIONS (009)											
TOTAL, BOTH SEXES											
1998.....	345	221	4	1	-	-	-	-	1	1	2
1997.....	337	192	8	-	2	-	2	3	-	1	3
1996.....	328	202	7	2	1	-	1	-	3	-	1
1995.....	310	190	1	-	1	-	-	-	1	4	2
1994.....	318	201	7	-	-	1	1	-	2	2	1
1993.....	238	127	2	1	-	-	-	-	1	2	2
1992.....	196	112	6	-	-	-	1	1	-	1	2
1991.....	202	112	8	3	1	-	-	-	-	2	2
1990.....	180	89	4	1	-	-	-	-	-	4	-
1989.....	165	84	5	-	-	-	-	1	1	-	1
1988.....	151	73	2	-	-	2	1	1	1	1	-
1987.....	151	83	3	1	-	-	1	1	1	1	2
1986.....	183	100	2	-	1	-	1	1	1	1	1
1985.....	164	88	6	1	-	-	1	1	-	1	3
1984.....	201	122	5	1	-	3	-	1	2	-	3
1983.....	177	111	3	-	2	1	1	1	2	1	-
1982.....	201	121	6	-	-	-	1	-	3	2	7
1981.....	189	107	3	3	-	1	2	2	1	1	1
1980.....	180	92	2	-	1	1	-	-	3	-	2
1979.....	152	78	1	-	1	2	1	3	-	3	1
TOTAL, MALE											
1998.....	178	131	2	1	-	-	-	-	-	-	2
1997.....	179	114	5	-	2	-	1	2	-	-	3
1996.....	178	128	5	1	1	-	1	-	3	-	-
1995.....	152	108	1	-	1	-	-	-	1	2	1
1994.....	166	120	5	-	-	1	1	-	1	1	-
1993.....	125	78	1	-	-	-	-	-	-	2	1
1992.....	99	64	4	-	-	-	1	1	-	1	2
1991.....	107	61	7	2	-	-	-	-	-	2	2
1990.....	81	43	2	1	-	-	-	-	-	3	-
1989.....	96	52	4	-	-	-	-	1	1	-	1
1988.....	70	40	2	-	-	2	1	1	-	-	-
1987.....	63	37	2	-	-	-	-	1	-	1	-
1986.....	100	64	1	-	-	-	1	1	1	1	-
1985.....	78	49	2	-	-	-	-	1	-	1	2
1984.....	107	76	2	1	-	1	-	-	1	-	2
1983.....	94	65	2	-	2	1	1	-	1	1	-
1982.....	91	57	3	-	-	-	1	-	2	1	3
1981.....	94	56	-	2	-	1	1	2	1	1	1
1980.....	90	52	1	-	-	1	-	-	1	-	-
1979.....	81	43	-	-	1	2	-	2	-	1	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ILL-DEFINED INTESTINAL INFECTIONS (009)											
TOTAL, FEMALE											
1998.....	167	90	2	-	-	-	-	-	1	1	-
1997.....	158	78	3	-	-	-	1	1	-	1	-
1996.....	150	74	2	1	-	-	-	-	-	-	1
1995.....	158	82	-	-	-	-	-	-	-	2	1
1994.....	152	81	2	-	-	-	-	-	1	1	1
1993.....	113	49	1	1	-	-	-	-	1	-	1
1992.....	97	48	2	-	-	-	-	-	-	-	-
1991.....	95	51	1	1	1	-	-	-	-	-	-
1990.....	99	46	2	-	-	-	-	-	-	1	-
1989.....	69	32	1	-	-	-	-	-	-	-	-
1988.....	81	33	-	-	-	-	-	-	1	1	-
1987.....	88	46	1	1	-	-	1	-	1	-	2
1986.....	83	36	1	-	1	-	-	-	-	-	1
1985.....	86	39	4	1	-	-	1	-	-	-	1
1984.....	94	46	3	-	-	2	-	1	1	-	1
1983.....	83	46	1	-	-	-	-	1	1	-	-
1982.....	110	64	3	-	-	-	-	-	1	1	4
1981.....	95	51	3	1	-	-	1	-	-	-	-
1980.....	90	40	1	-	1	-	-	-	2	-	2
1979.....	71	35	1	-	-	-	1	1	-	2	-
WHITE, BOTH SEXES											
1998.....	230	122	2	1	-	-	-	-	1	1	2
1997.....	238	108	3	-	2	-	1	2	-	-	3
1996.....	207	99	5	-	1	-	-	-	3	-	1
1995.....	195	89	1	-	1	-	-	-	1	4	-
1994.....	189	91	2	-	-	-	1	-	1	1	1
1993.....	157	58	2	-	-	-	-	-	1	2	2
1992.....	130	54	4	-	-	-	-	1	-	1	2
1991.....	127	51	3	3	1	-	-	-	-	2	1
1990.....	126	47	3	1	-	-	-	-	-	2	-
1989.....	100	32	1	-	-	-	-	1	1	-	-
1988.....	102	36	2	-	-	1	1	1	1	1	-
1987.....	101	43	3	-	-	-	1	1	1	1	2
1986.....	116	44	2	-	-	-	1	1	1	1	1
1985.....	112	45	5	1	-	-	1	1	-	1	2
1984.....	129	61	3	1	-	3	-	-	2	-	3
1983.....	111	53	1	-	2	1	1	1	2	1	-
1982.....	124	59	3	-	-	-	-	-	2	1	6
1981.....	127	54	2	2	-	-	2	2	1	1	-
1980.....	131	53	1	-	1	-	-	-	2	-	2
1979.....	104	41	-	-	1	2	-	3	-	2	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ILL-DEFINED INTESTINAL INFECTIONS (009)											
WHITE MALE											
1998.....	117	74	2	1	-	-	-	-	-	-	2
1997.....	122	63	-	-	2	-	1	2	-	-	3
1996.....	103	63	4	-	1	-	-	-	3	-	-
1995.....	91	51	1	-	1	-	-	-	1	2	-
1994.....	88	54	2	-	-	-	1	-	1	1	-
1993.....	71	31	1	-	-	-	-	-	-	2	1
1992.....	65	33	3	-	-	-	-	1	-	1	2
1991.....	66	27	3	2	-	-	-	-	-	2	1
1990.....	53	22	2	1	-	-	-	-	-	2	-
1989.....	54	20	-	-	-	-	-	1	1	-	-
1988.....	43	18	2	-	-	1	1	1	-	-	-
1987.....	42	21	2	-	-	-	-	1	-	1	-
1986.....	57	27	1	-	-	-	1	1	1	1	-
1985.....	51	28	1	-	-	-	-	1	-	1	1
1984.....	59	33	2	1	-	1	-	-	1	-	2
1983.....	55	29	1	-	2	1	1	-	1	1	-
1982.....	54	28	1	-	-	-	-	-	2	1	2
1981.....	59	27	-	1	-	-	1	2	1	1	-
1980.....	66	31	1	-	-	-	-	-	1	-	-
1979.....	58	26	-	-	1	2	-	2	-	-	1
WHITE FEMALE											
1998.....	113	48	-	-	-	-	-	-	1	1	-
1997.....	116	45	3	-	-	-	-	-	-	-	-
1996.....	104	36	1	-	-	-	-	-	-	-	1
1995.....	104	38	-	-	-	-	-	-	-	2	-
1994.....	101	37	-	-	-	-	-	-	-	-	1
1993.....	86	27	1	-	-	-	-	-	1	-	1
1992.....	65	21	1	-	-	-	-	-	-	-	-
1991.....	61	24	-	1	1	-	-	-	-	-	-
1990.....	73	25	1	-	-	-	-	-	-	-	-
1989.....	46	12	1	-	-	-	-	-	-	-	-
1988.....	59	18	-	-	-	-	-	-	1	1	-
1987.....	59	22	1	-	-	-	1	-	1	-	2
1986.....	59	17	1	-	-	-	-	-	-	-	1
1985.....	61	17	4	1	-	-	1	-	-	-	1
1984.....	70	28	1	-	-	2	-	-	1	-	1
1983.....	56	24	-	-	-	-	-	1	1	-	-
1982.....	70	31	2	-	-	-	-	-	-	-	4
1981.....	68	27	2	1	-	-	1	-	-	-	-
1980.....	65	22	-	-	1	-	-	-	1	-	2
1979.....	46	15	-	-	-	-	-	1	-	2	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ILL-DEFINED INTESTINAL INFECTIONS (009)											
ALL OTHER FEMALE											
1998.....	54	42	2	-	-	-	-	-	-	-	-
1997.....	42	33	-	-	-	-	1	1	-	1	-
1996.....	46	38	1	1	-	-	-	-	-	-	-
1995.....	54	44	-	-	-	-	-	-	-	-	1
1994.....	51	44	2	-	-	-	-	-	1	1	-
1993.....	27	22	-	1	-	-	-	-	-	-	-
1992.....	32	27	1	-	-	-	-	-	-	-	-
1991.....	34	27	1	-	-	-	-	-	-	-	-
1990.....	26	21	1	-	-	-	-	-	-	1	-
1989.....	23	20	-	-	-	-	-	-	-	-	-
1988.....	22	15	-	-	-	-	-	-	-	-	-
1987.....	29	24	-	1	-	-	-	-	-	-	-
1986.....	24	19	-	-	1	-	-	-	-	-	-
1985.....	25	22	-	-	-	-	-	-	-	-	-
1984.....	24	18	2	-	-	-	-	1	-	-	-
1983.....	27	22	1	-	-	-	-	-	-	-	-
1982.....	40	33	1	-	-	-	-	-	1	1	-
1981.....	27	24	1	-	-	-	-	-	-	-	-
1980.....	25	18	1	-	-	-	-	-	1	-	-
1979.....	25	20	1	-	-	-	1	-	-	-	-
BLACK, BOTH SEXES											
1998.....	104	94	2	-	-	-	-	-	-	-	-
1997.....	93	79	5	-	-	-	1	-	-	1	-
1996.....	113	98	2	2	-	-	1	-	-	-	-
1995.....	108	96	-	-	-	-	-	-	-	-	2
1994.....	120	102	5	-	-	1	-	-	-	1	-
1993.....	73	64	-	1	-	-	-	-	-	-	-
1992.....	62	56	2	-	-	-	1	-	-	-	-
1991.....	71	58	5	-	-	-	-	-	-	-	1
1990.....	50	39	1	-	-	-	-	-	-	2	-
1989.....	58	47	2	-	-	-	-	-	-	-	1
1988.....	43	36	-	-	-	-	-	-	-	-	-
1987.....	48	38	-	1	-	-	-	-	-	-	-
1986.....	62	51	-	-	1	-	-	-	-	-	-
1985.....	50	41	1	-	-	-	-	-	-	-	1
1984.....	68	58	2	-	-	-	-	1	-	-	-
1983.....	63	56	2	-	-	-	-	-	-	-	-
1982.....	71	57	2	-	-	-	1	-	1	1	1
1981.....	59	51	1	1	-	1	-	-	-	-	1
1980.....	48	39	1	-	-	1	-	-	1	-	-
1979.....	45	35	1	-	-	-	1	-	-	1	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ILL-DEFINED INTESTINAL INFECTIONS (009)											
BLACK MALE											
1998.....	56	55	-	-	-	-	-	-	-	-	-
1997.....	52	46	5	-	-	-	-	-	-	-	-
1996.....	70	61	1	1	-	-	1	-	-	-	-
1995.....	57	53	-	-	-	-	-	-	-	-	1
1994.....	74	62	3	-	-	1	-	-	-	-	-
1993.....	48	44	-	-	-	-	-	-	-	-	-
1992.....	32	30	1	-	-	-	1	-	-	-	-
1991.....	40	33	4	-	-	-	-	-	-	-	1
1990.....	24	18	-	-	-	-	-	-	-	1	-
1989.....	38	30	2	-	-	-	-	-	-	-	1
1988.....	23	21	-	-	-	-	-	-	-	-	-
1987.....	20	15	-	-	-	-	-	-	-	-	-
1986.....	40	34	-	-	-	-	-	-	-	-	-
1985.....	26	20	1	-	-	-	-	-	-	-	1
1984.....	46	41	-	-	-	-	-	-	-	-	-
1983.....	39	36	1	-	-	-	-	-	-	-	-
1982.....	32	25	1	-	-	-	1	-	-	-	1
1981.....	33	28	-	1	-	1	-	-	-	-	1
1980.....	24	21	-	-	-	1	-	-	-	-	-
1979.....	22	16	-	-	-	-	-	-	-	1	-
BLACK FEMALE											
1998.....	48	39	2	-	-	-	-	-	-	-	-
1997.....	41	33	-	-	-	-	1	-	-	1	-
1996.....	43	37	1	1	-	-	-	-	-	-	-
1995.....	51	43	-	-	-	-	-	-	-	-	1
1994.....	46	40	2	-	-	-	-	-	-	1	-
1993.....	25	20	-	1	-	-	-	-	-	-	-
1992.....	30	26	1	-	-	-	-	-	-	-	-
1991.....	31	25	1	-	-	-	-	-	-	-	-
1990.....	26	21	1	-	-	-	-	-	-	1	-
1989.....	20	17	-	-	-	-	-	-	-	-	-
1988.....	20	15	-	-	-	-	-	-	-	-	-
1987.....	28	23	-	1	-	-	-	-	-	-	-
1986.....	22	17	-	-	1	-	-	-	-	-	-
1985.....	24	21	-	-	-	-	-	-	-	-	-
1984.....	22	17	2	-	-	-	-	1	-	-	-
1983.....	24	20	1	-	-	-	-	-	-	-	-
1982.....	39	32	1	-	-	-	-	-	1	1	-
1981.....	26	23	1	-	-	-	-	-	-	-	-
1980.....	24	18	1	-	-	-	-	-	1	-	-
1979.....	23	19	1	-	-	-	1	-	-	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR TUBERCULOSIS (010-018)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
TOTAL, BOTH SEXES											
1998.....	1,112	-	3	-	1	4	7	13	25	42	66
1997.....	1,166	-	4	1	-	3	11	12	24	39	42
1996.....	1,202	2	2	-	2	4	10	16	27	57	40
1995.....	1,336	1	2	1	1	2	16	16	23	58	69
1994.....	1,478	-	3	-	1	3	12	22	51	61	76
1993.....	1,631	2	5	1	1	2	11	27	56	70	89
1992.....	1,705	5	6	2	2	3	10	31	71	111	87
1991.....	1,713	2	2	5	-	4	18	44	67	104	101
1990.....	1,810	2	6	2	1	3	20	48	96	87	91
1989.....	1,970	1	7	3	-	3	22	41	86	94	106
1988.....	1,921	2	3	1	-	4	24	39	67	101	92
1987.....	1,755	1	6	1	1	5	18	33	68	79	83
1986.....	1,782	1	3	4	-	2	16	37	70	97	87
1985.....	1,752	4	3	-	2	8	17	29	53	64	71
1984.....	1,729	2	2	1	1	5	23	43	45	61	79
1983.....	1,779	1	3	2	2	6	12	29	45	47	60
1982.....	1,807	3	3	1	3	2	6	24	42	49	67
1981.....	1,937	4	4	3	-	4	12	31	37	47	77
1980.....	1,978	2	6	3	1	4	7	19	25	43	67
1979.....	2,007	1	7	1	2	4	10	26	36	54	77
TOTAL, MALE											
1998.....	658	-	-	-	-	1	-	6	13	31	43
1997.....	662	-	1	-	-	3	3	9	15	22	36
1996.....	739	-	2	-	2	1	7	8	16	38	28
1995.....	814	-	-	-	1	-	8	9	13	37	48
1994.....	884	-	2	-	-	-	2	14	27	38	59
1993.....	1,018	-	4	1	-	1	6	14	36	51	62
1992.....	1,059	1	3	2	1	1	1	17	39	68	64
1991.....	1,048	2	-	4	-	2	5	19	38	73	72
1990.....	1,147	2	2	1	-	1	6	28	59	66	71
1989.....	1,284	-	6	2	-	3	16	21	62	71	88
1988.....	1,221	-	1	1	-	2	10	20	47	68	69
1987.....	1,169	-	4	1	-	1	8	21	50	61	59
1986.....	1,157	1	-	1	-	1	6	24	49	80	71
1985.....	1,135	4	1	-	-	2	9	18	39	47	53
1984.....	1,149	1	1	1	1	3	10	28	31	51	57
1983.....	1,176	-	1	1	1	-	4	19	33	32	44
1982.....	1,202	1	1	1	-	1	4	16	29	38	51
1981.....	1,299	1	3	2	-	1	4	19	27	30	56
1980.....	1,331	2	4	1	1	1	2	10	15	29	40
1979.....	1,371	1	4	-	2	1	5	12	24	34	59

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR TUBERCULOSIS (010-018)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
TOTAL, FEMALE											
1998.....	454	-	3	-	1	3	7	7	12	11	23
1997.....	504	-	3	1	-	-	8	3	9	17	6
1996.....	463	2	-	-	-	3	3	8	11	19	12
1995.....	522	1	2	1	-	2	8	7	10	21	21
1994.....	594	-	1	-	1	3	10	8	24	23	17
1993.....	613	2	1	-	1	1	5	13	20	19	27
1992.....	646	4	3	-	1	2	9	14	32	43	23
1991.....	665	-	2	1	-	2	13	25	29	31	29
1990.....	663	-	4	1	1	2	14	20	37	21	20
1989.....	686	1	1	1	-	-	6	20	24	23	18
1988.....	700	2	2	-	-	2	14	19	20	33	23
1987.....	586	1	2	-	1	4	10	12	18	18	24
1986.....	625	-	3	3	-	1	10	13	21	17	16
1985.....	617	-	2	-	2	6	8	11	14	17	18
1984.....	580	1	1	-	-	2	13	15	14	10	22
1983.....	603	1	2	1	1	6	8	10	12	15	16
1982.....	605	2	2	-	3	1	2	8	13	11	16
1981.....	638	3	1	1	-	3	8	12	10	17	21
1980.....	647	-	2	2	-	3	5	9	10	14	27
1979.....	636	-	3	1	-	3	5	14	12	20	18
WHITE, BOTH SEXES											
1998.....	667	-	3	-	-	2	2	4	8	15	24
1997.....	695	-	3	1	-	2	5	3	10	19	16
1996.....	724	-	-	-	2	1	3	8	12	23	16
1995.....	804	1	1	1	1	1	8	11	9	24	20
1994.....	863	-	1	-	-	1	2	7	21	22	33
1993.....	969	-	2	-	-	1	7	15	20	17	35
1992.....	994	2	4	2	2	-	4	16	23	36	34
1991.....	978	2	2	2	-	1	5	15	22	38	37
1990.....	1,033	2	5	2	1	-	6	15	26	32	33
1989.....	1,152	1	2	2	-	-	10	12	28	37	42
1988.....	1,172	1	2	-	-	-	10	13	24	26	42
1987.....	1,082	-	1	1	1	2	6	12	26	35	34
1986.....	1,065	-	1	1	-	1	5	9	26	31	33
1985.....	1,101	1	1	-	1	4	8	9	17	17	33
1984.....	1,047	-	1	1	-	1	8	12	19	20	22
1983.....	1,119	-	2	2	1	2	5	9	14	14	19
1982.....	1,135	1	2	1	1	-	2	9	11	16	24
1981.....	1,211	1	3	2	-	3	6	9	9	14	24
1980.....	1,253	1	1	1	-	2	1	1	7	16	19
1979.....	1,294	1	5	1	1	2	3	8	13	16	30

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR TUBERCULOSIS (010-018)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
WHITE MALE											
1998.....	381	-	-	-	-	1	-	1	4	12	18
1997.....	380	-	1	-	-	2	1	2	7	11	15
1996.....	440	-	-	-	2	-	3	5	10	17	14
1995.....	474	-	-	-	1	-	5	6	5	16	16
1994.....	506	-	1	-	-	-	-	6	14	16	25
1993.....	591	-	1	-	-	-	4	8	14	14	24
1992.....	602	1	2	2	1	-	-	9	11	26	26
1991.....	593	2	-	2	-	1	1	8	16	28	27
1990.....	630	2	2	1	-	-	3	10	17	22	26
1989.....	724	-	2	1	-	-	9	8	23	25	36
1988.....	730	-	-	-	-	-	5	7	21	18	31
1987.....	724	-	-	1	-	1	3	7	18	26	26
1986.....	679	-	-	-	-	1	2	4	18	27	28
1985.....	703	1	-	-	-	1	3	8	16	12	27
1984.....	689	-	1	1	-	1	3	9	12	17	17
1983.....	718	-	1	1	1	-	2	6	11	7	13
1982.....	745	-	1	1	-	-	1	6	9	14	15
1981.....	797	-	2	2	-	1	2	3	7	7	17
1980.....	856	1	-	1	-	1	-	1	3	10	13
1979.....	909	1	2	-	1	-	1	3	11	10	24
WHITE FEMALE											
1998.....	286	-	3	-	-	1	2	3	4	3	6
1997.....	315	-	2	1	-	-	4	1	3	8	1
1996.....	284	-	-	-	-	1	-	3	2	6	2
1995.....	330	1	1	1	-	1	3	5	4	8	4
1994.....	357	-	-	-	-	1	2	1	7	6	8
1993.....	378	-	1	-	-	1	3	7	6	3	11
1992.....	392	1	2	-	1	-	4	7	12	10	8
1991.....	385	-	2	-	-	-	4	7	6	10	10
1990.....	403	-	3	1	1	-	3	5	9	10	7
1989.....	428	1	-	1	-	-	1	4	5	12	6
1988.....	442	1	2	-	-	-	5	6	3	8	11
1987.....	358	-	1	-	1	1	3	5	8	9	8
1986.....	386	-	1	1	-	-	3	5	8	4	5
1985.....	398	-	1	-	1	3	5	1	1	5	6
1984.....	358	-	-	-	-	-	5	3	7	3	5
1983.....	401	-	1	1	-	2	3	3	3	7	6
1982.....	390	1	1	-	1	-	1	3	2	2	9
1981.....	414	1	1	-	-	2	4	6	2	7	7
1980.....	397	-	1	-	-	1	1	-	4	6	6
1979.....	385	-	3	1	-	2	2	5	2	6	6

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
TUBERCULOSIS (010-018)											
ALL OTHER, BOTH SEXES											
1998.....	445	-	-	-	1	2	5	9	17	27	42
1997.....	471	-	1	-	-	1	6	9	14	20	26
1996.....	478	2	2	-	-	3	7	8	15	34	24
1995.....	532	-	1	-	-	1	8	5	14	34	49
1994.....	615	-	2	-	1	2	10	15	30	39	43
1993.....	662	2	3	1	1	1	4	12	36	53	54
1992.....	711	3	2	-	-	3	6	15	48	75	53
1991.....	735	-	-	3	-	3	13	29	45	66	64
1990.....	777	-	1	-	-	3	14	33	70	55	58
1989.....	818	-	5	1	-	3	12	29	58	57	64
1988.....	749	1	1	1	-	4	14	26	43	75	50
1987.....	673	1	5	-	-	3	12	21	42	44	49
1986.....	717	1	2	3	-	1	11	28	44	66	54
1985.....	651	3	2	-	1	4	9	20	36	47	38
1984.....	682	2	1	-	1	4	15	31	26	41	57
1983.....	660	1	1	-	1	4	7	20	31	33	41
1982.....	672	2	1	-	2	2	4	15	31	33	43
1981.....	726	3	1	1	-	1	6	22	28	33	53
1980.....	725	1	5	2	1	2	6	18	18	27	48
1979.....	713	-	2	-	1	2	7	18	23	38	47
ALL OTHER MALE											
1998.....	277	-	-	-	-	-	-	5	9	19	25
1997.....	282	-	-	-	-	1	2	7	8	11	21
1996.....	299	-	2	-	-	1	4	3	6	21	14
1995.....	340	-	-	-	-	-	3	3	8	21	32
1994.....	378	-	1	-	-	-	2	8	13	22	34
1993.....	427	-	3	1	-	1	2	6	22	37	38
1992.....	457	-	1	-	-	1	1	8	28	42	38
1991.....	455	-	-	2	-	1	4	11	22	45	45
1990.....	517	-	-	-	-	1	3	18	42	44	45
1989.....	560	-	4	1	-	3	7	13	39	46	52
1988.....	491	-	1	1	-	2	5	13	26	50	38
1987.....	445	-	4	-	-	-	5	14	32	35	33
1986.....	478	1	-	1	-	-	4	20	31	53	43
1985.....	432	3	1	-	-	1	6	10	23	35	26
1984.....	460	1	-	-	1	2	7	19	19	34	40
1983.....	458	-	-	-	-	-	2	13	22	25	31
1982.....	457	1	-	-	-	1	3	10	20	24	36
1981.....	502	1	1	-	-	-	2	16	20	23	39
1980.....	475	1	4	-	1	-	2	9	12	19	27
1979.....	462	-	2	-	1	1	4	9	13	24	35

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
TUBERCULOSIS (010-018)											
ALL OTHER FEMALE											
1998.....	168	-	-	-	1	2	5	4	8	8	17
1997.....	189	-	1	-	-	-	4	2	6	9	5
1996.....	179	2	-	-	-	2	3	5	9	13	10
1995.....	192	-	1	-	-	1	5	2	6	13	17
1994.....	237	-	1	-	1	2	8	7	17	17	9
1993.....	235	2	-	-	1	-	2	6	14	16	16
1992.....	254	3	1	-	-	2	5	7	20	33	15
1991.....	280	-	-	1	-	2	9	18	23	21	19
1990.....	260	-	1	-	-	2	11	15	28	11	13
1989.....	258	-	1	-	-	-	5	16	19	11	12
1988.....	258	1	-	-	-	2	9	13	17	25	12
1987.....	228	1	1	-	-	3	7	7	10	9	16
1986.....	239	-	2	2	-	1	7	8	13	13	11
1985.....	219	-	1	-	1	3	3	10	13	12	12
1984.....	222	1	1	-	-	2	8	12	7	7	17
1983.....	202	1	1	-	1	4	5	7	9	8	10
1982.....	215	1	1	-	2	1	1	5	11	9	7
1981.....	224	2	-	1	-	1	4	6	8	10	14
1980.....	250	-	1	2	-	2	4	9	6	8	21
1979.....	251	-	-	-	-	1	3	9	10	14	12
BLACK, BOTH SEXES											
1998.....	346	-	-	-	1	1	5	7	13	21	31
1997.....	342	-	1	-	-	-	6	8	12	16	22
1996.....	369	2	2	-	-	2	4	8	12	31	23
1995.....	418	-	1	-	-	-	8	5	11	31	39
1994.....	499	-	2	-	1	2	10	13	28	36	41
1993.....	549	2	3	-	1	1	4	11	33	48	49
1992.....	612	3	2	-	-	3	6	15	45	71	49
1991.....	619	-	-	2	-	2	12	29	45	65	59
1990.....	668	-	1	-	-	3	14	32	64	52	55
1989.....	707	-	5	-	-	3	10	29	55	55	59
1988.....	641	1	1	1	-	3	14	25	39	70	47
1987.....	582	-	4	-	-	3	12	20	40	44	49
1986.....	628	-	2	2	-	1	9	26	42	61	50
1985.....	579	2	2	-	1	3	7	19	34	44	33
1984.....	619	1	1	-	1	4	15	31	24	39	53
1983.....	577	-	-	-	1	4	6	19	29	29	38
1982.....	587	2	-	-	1	2	4	15	31	29	38
1981.....	657	3	1	1	-	1	6	21	27	29	49
1980.....	651	-	4	-	1	2	3	17	18	24	46
1979.....	643	-	1	-	1	2	6	16	23	37	45

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR TUBERCULOSIS (010-018)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
BLACK MALE											
1998.....	213	-	-	-	-	-	-	4	6	15	20
1997.....	204	-	-	-	-	-	2	6	7	8	17
1996.....	236	-	2	-	-	1	3	3	6	19	14
1995.....	271	-	-	-	-	-	3	3	6	18	26
1994.....	315	-	1	-	-	-	2	8	12	20	32
1993.....	361	-	3	-	-	1	2	6	20	34	33
1992.....	400	-	1	-	-	1	1	8	25	39	36
1991.....	390	-	-	1	-	1	3	11	22	45	43
1990.....	446	-	-	-	-	1	3	18	39	42	44
1989.....	485	-	4	-	-	3	7	13	36	44	50
1988.....	422	-	1	1	-	1	5	12	24	46	36
1987.....	395	-	3	-	-	-	5	14	30	35	33
1986.....	424	-	-	1	-	-	4	19	29	48	40
1985.....	393	2	1	-	-	1	5	10	23	32	24
1984.....	425	-	-	-	1	2	7	19	19	33	39
1983.....	409	-	-	-	-	-	2	12	21	24	29
1982.....	412	1	-	-	-	1	3	10	20	22	34
1981.....	455	1	1	-	-	-	2	15	19	19	37
1980.....	443	-	3	-	1	-	1	9	12	17	27
1979.....	423	-	1	-	1	1	4	9	13	23	35
BLACK FEMALE											
1998.....	133	-	-	-	1	1	5	3	7	6	11
1997.....	138	-	1	-	-	-	4	2	5	8	5
1996.....	133	2	-	-	-	1	1	5	6	12	9
1995.....	147	-	1	-	-	-	5	2	5	13	13
1994.....	184	-	1	-	1	2	8	5	16	16	9
1993.....	188	2	-	-	1	-	2	5	13	14	16
1992.....	212	3	1	-	-	2	5	7	20	32	13
1991.....	229	-	-	1	-	1	9	18	23	20	16
1990.....	222	-	1	-	-	2	11	14	25	10	11
1989.....	222	-	1	-	-	-	3	16	19	11	9
1988.....	219	1	-	-	-	2	9	13	15	24	11
1987.....	187	-	1	-	-	3	7	6	10	9	16
1986.....	204	-	2	1	-	1	5	7	13	13	10
1985.....	186	-	1	-	1	2	2	9	11	12	9
1984.....	194	1	1	-	-	2	8	12	5	6	14
1983.....	168	-	-	-	1	4	4	7	8	5	9
1982.....	175	1	-	-	1	1	1	5	11	7	4
1981.....	202	2	-	1	-	1	4	6	8	10	12
1980.....	208	-	1	-	-	2	2	8	6	7	19
1979.....	220	-	-	-	-	1	2	7	10	14	10

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)											
TOTAL, BOTH SEXES											
1998.....	815	-	-	-	-	3	4	6	19	26	38
1997.....	875	-	2	1	-	2	3	7	16	25	32
1996.....	912	2	-	-	2	3	8	8	17	39	29
1995.....	1,044	1	1	-	-	1	8	6	13	46	48
1994.....	1,129	-	-	-	1	2	5	15	30	42	61
1993.....	1,276	-	-	-	-	1	2	14	37	48	70
1992.....	1,315	1	2	1	-	1	7	21	43	66	67
1991.....	1,310	1	1	2	-	-	11	24	53	79	63
1990.....	1,378	1	1	-	1	2	11	30	65	63	68
1989.....	1,536	-	1	2	-	1	13	26	62	68	78
1988.....	1,488	-	1	-	-	2	10	19	41	73	66
1987.....	1,398	-	2	-	1	4	12	22	50	56	51
1986.....	1,407	-	1	1	-	1	11	16	44	67	68
1985.....	1,368	2	-	-	-	4	6	12	40	50	42
1984.....	1,342	-	1	-	-	1	12	27	27	43	51
1983.....	1,418	1	-	1	1	5	7	18	24	33	46
1982.....	1,468	1	-	-	-	-	4	14	31	35	52
1981.....	1,586	1	-	-	-	-	8	21	23	38	64
1980.....	1,638	-	-	-	-	2	6	10	16	28	57
1979.....	1,657	-	-	-	1	2	7	16	27	41	68
TOTAL, MALE											
1998.....	528	-	-	-	-	1	-	3	13	19	32
1997.....	537	-	-	-	-	2	2	5	11	16	29
1996.....	600	-	-	-	2	1	6	6	12	27	22
1995.....	684	-	-	-	-	-	3	4	8	31	38
1994.....	722	-	-	-	-	-	2	11	18	29	50
1993.....	837	-	-	-	-	1	1	7	26	37	52
1992.....	853	-	2	1	-	1	1	11	24	39	51
1991.....	841	1	-	2	-	-	3	11	33	56	48
1990.....	907	1	1	-	-	1	4	19	45	46	56
1989.....	1,042	-	1	1	-	1	10	15	46	55	67
1988.....	986	-	-	-	-	-	5	11	28	50	52
1987.....	971	-	2	-	-	1	4	14	39	43	39
1986.....	948	-	-	-	-	1	5	11	31	58	56
1985.....	923	2	-	-	-	1	3	8	31	39	32
1984.....	932	-	1	-	-	1	6	18	18	37	37
1983.....	982	-	-	1	1	-	1	13	18	23	37
1982.....	1,014	-	-	-	-	-	2	10	22	29	42
1981.....	1,118	-	-	-	-	-	3	14	18	26	50
1980.....	1,148	-	-	-	-	1	2	4	9	24	35
1979.....	1,205	-	-	-	1	-	4	8	19	29	54

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)											
TOTAL, FEMALE											
1998.....	287	-	-	-	-	2	4	3	6	7	6
1997.....	338	-	2	1	-	-	1	2	5	9	3
1996.....	312	2	-	-	-	2	2	2	5	12	7
1995.....	360	1	1	-	-	1	5	2	5	15	10
1994.....	407	-	-	-	1	2	3	4	12	13	11
1993.....	439	-	-	-	-	-	1	7	11	11	18
1992.....	462	1	-	-	-	-	6	10	19	27	16
1991.....	469	-	1	-	-	-	8	13	20	23	15
1990.....	471	-	-	-	1	1	7	11	20	17	12
1989.....	494	-	-	1	-	-	3	11	16	13	11
1988.....	502	-	1	-	-	2	5	8	13	23	14
1987.....	427	-	-	-	1	3	8	8	11	13	12
1986.....	459	-	1	1	-	-	6	5	13	9	12
1985.....	445	-	-	-	-	3	3	4	9	11	10
1984.....	410	-	-	-	-	-	6	9	9	6	14
1983.....	436	1	-	-	-	5	6	5	6	10	9
1982.....	454	1	-	-	-	-	2	4	9	6	10
1981.....	468	1	-	-	-	-	5	7	5	12	14
1980.....	490	-	-	-	-	1	4	6	7	4	22
1979.....	452	-	-	-	-	2	3	8	8	12	14
WHITE, BOTH SEXES											
1998.....	495	-	-	-	-	1	1	2	5	10	14
1997.....	532	-	1	1	-	2	-	2	8	9	12
1996.....	551	-	-	-	2	1	2	3	8	14	14
1995.....	641	1	1	-	-	1	4	4	4	20	13
1994.....	678	-	-	-	-	-	1	6	15	14	25
1993.....	769	-	-	-	-	-	1	6	15	12	28
1992.....	780	-	1	1	-	-	3	12	11	20	26
1991.....	754	1	1	1	-	-	3	9	16	30	20
1990.....	812	1	1	-	1	-	2	9	16	22	25
1989.....	927	-	-	1	-	-	6	7	18	27	27
1988.....	957	-	1	-	-	-	4	6	18	21	27
1987.....	900	-	-	-	1	2	3	8	22	23	17
1986.....	859	-	1	-	-	1	4	4	15	21	24
1985.....	882	-	-	-	-	2	2	3	16	12	18
1984.....	828	-	1	-	-	1	4	7	13	11	16
1983.....	925	-	-	1	1	2	3	5	7	10	14
1982.....	962	-	-	-	-	-	2	6	10	13	20
1981.....	1,012	-	-	-	-	-	4	6	4	9	17
1980.....	1,067	-	-	-	-	1	1	1	5	8	15
1979.....	1,106	-	-	-	1	1	1	5	12	11	28

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)											
WHITE MALE											
1998.....	306	-	-	-	-	1	-	-	4	9	13
1997.....	309	-	-	-	-	2	-	1	6	6	11
1996.....	361	-	-	-	2	-	2	3	8	11	13
1995.....	400	-	-	-	-	-	1	3	4	13	12
1994.....	423	-	-	-	-	-	-	5	12	11	20
1993.....	490	-	-	-	-	-	1	4	10	11	21
1992.....	488	-	1	1	-	-	-	6	7	13	21
1991.....	474	1	-	1	-	-	-	3	12	21	19
1990.....	518	1	1	-	-	-	2	8	13	14	20
1989.....	600	-	-	-	-	-	6	6	16	19	24
1988.....	611	-	-	-	-	-	3	2	16	15	22
1987.....	623	-	-	-	-	1	1	5	15	17	14
1986.....	564	-	-	-	-	1	2	1	10	18	20
1985.....	585	-	-	-	-	-	1	3	15	10	15
1984.....	575	-	1	-	-	1	3	5	10	10	14
1983.....	616	-	-	1	1	-	1	4	7	6	11
1982.....	647	-	-	-	-	-	1	4	8	12	14
1981.....	702	-	-	-	-	-	1	2	3	6	15
1980.....	752	-	-	-	-	1	-	1	2	7	9
1979.....	812	-	-	-	1	-	-	2	10	8	23
WHITE FEMALE											
1998.....	189	-	-	-	-	-	1	2	1	1	1
1997.....	223	-	1	1	-	-	-	1	2	3	1
1996.....	190	-	-	-	-	1	-	-	-	3	1
1995.....	241	1	1	-	-	1	3	1	-	7	1
1994.....	255	-	-	-	-	-	1	1	3	3	5
1993.....	279	-	-	-	-	-	-	2	5	1	7
1992.....	292	-	-	-	-	-	3	6	4	7	5
1991.....	280	-	1	-	-	-	3	6	4	9	1
1990.....	294	-	-	-	1	-	-	1	3	8	5
1989.....	327	-	-	1	-	-	-	1	2	8	3
1988.....	346	-	1	-	-	-	1	4	2	6	5
1987.....	277	-	-	-	1	1	2	3	7	6	3
1986.....	295	-	1	-	-	-	2	3	5	3	4
1985.....	297	-	-	-	-	2	1	-	1	2	3
1984.....	253	-	-	-	-	-	1	2	3	1	2
1983.....	309	-	-	-	-	2	2	1	-	4	3
1982.....	315	-	-	-	-	-	1	2	2	1	6
1981.....	310	-	-	-	-	-	3	4	1	3	2
1980.....	315	-	-	-	-	-	1	-	3	1	6
1979.....	294	-	-	-	-	1	1	3	2	3	5

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)											
ALL OTHER, BOTH SEXES											
1998.....	320	-	-	-	-	2	3	4	14	16	24
1997.....	343	-	1	-	-	-	3	5	8	16	20
1996.....	361	2	-	-	-	2	6	5	9	25	15
1995.....	403	-	-	-	-	-	4	2	9	26	35
1994.....	451	-	-	-	1	2	4	9	15	28	36
1993.....	507	-	-	-	-	1	1	8	22	36	42
1992.....	535	1	1	-	-	1	4	9	32	46	41
1991.....	556	-	-	1	-	-	8	15	37	49	43
1990.....	566	-	-	-	-	2	9	21	49	41	43
1989.....	609	-	1	1	-	1	7	19	44	41	51
1988.....	531	-	-	-	-	2	6	13	23	52	39
1987.....	498	-	2	-	-	2	9	14	28	33	34
1986.....	548	-	-	1	-	-	7	12	29	46	44
1985.....	486	2	-	-	-	2	4	9	24	38	24
1984.....	514	-	-	-	-	-	8	20	14	32	35
1983.....	493	1	-	-	-	3	4	13	17	23	32
1982.....	506	1	-	-	-	-	2	8	21	22	32
1981.....	574	1	-	-	-	-	4	15	19	29	47
1980.....	571	-	-	-	-	1	5	9	11	20	42
1979.....	551	-	-	-	-	1	6	11	15	30	40
ALL OTHER MALE											
1998.....	222	-	-	-	-	-	-	3	9	10	19
1997.....	228	-	-	-	-	-	2	4	5	10	18
1996.....	239	-	-	-	-	1	4	3	4	16	9
1995.....	284	-	-	-	-	-	2	1	4	18	26
1994.....	299	-	-	-	-	-	2	6	6	18	30
1993.....	347	-	-	-	-	1	-	3	16	26	31
1992.....	365	-	1	-	-	1	1	5	17	26	30
1991.....	367	-	-	1	-	-	3	8	21	35	29
1990.....	389	-	-	-	-	1	2	11	32	32	36
1989.....	442	-	1	1	-	1	4	9	30	36	43
1988.....	375	-	-	-	-	-	2	9	12	35	30
1987.....	348	-	2	-	-	-	3	9	24	26	25
1986.....	384	-	-	-	-	-	3	10	21	40	36
1985.....	338	2	-	-	-	1	2	5	16	29	17
1984.....	357	-	-	-	-	-	3	13	8	27	23
1983.....	366	-	-	-	-	-	-	9	11	17	26
1982.....	367	-	-	-	-	-	1	6	14	17	28
1981.....	416	-	-	-	-	-	2	12	15	20	35
1980.....	396	-	-	-	-	-	2	3	7	17	26
1979.....	393	-	-	-	-	-	4	6	9	21	31

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)											
ALL OTHER FEMALE											
1998.....	98	-	-	-	-	2	3	1	5	6	5
1997.....	115	-	1	-	-	-	1	1	3	6	2
1996.....	122	2	-	-	-	1	2	2	5	9	6
1995.....	119	-	-	-	-	-	2	1	5	8	9
1994.....	152	-	-	-	1	2	2	3	9	10	6
1993.....	160	-	-	-	-	-	1	5	6	10	11
1992.....	170	1	-	-	-	-	3	4	15	20	11
1991.....	189	-	-	-	-	-	5	7	16	14	14
1990.....	177	-	-	-	-	1	7	10	17	9	7
1989.....	167	-	-	-	-	-	3	10	14	5	8
1988.....	156	-	-	-	-	2	4	4	11	17	9
1987.....	150	-	-	-	-	2	6	5	4	7	9
1986.....	164	-	-	1	-	-	4	2	8	6	8
1985.....	148	-	-	-	-	1	2	4	8	9	7
1984.....	157	-	-	-	-	-	5	7	6	5	12
1983.....	127	1	-	-	-	3	4	4	6	6	6
1982.....	139	1	-	-	-	-	1	2	7	5	4
1981.....	158	1	-	-	-	-	2	3	4	9	12
1980.....	175	-	-	-	-	1	3	6	4	3	16
1979.....	158	-	-	-	-	1	2	5	6	9	9
BLACK, BOTH SEXES											
1998.....	251	-	-	-	-	1	3	4	10	14	19
1997.....	250	-	1	-	-	-	3	4	8	13	17
1996.....	284	2	-	-	-	2	4	5	9	23	14
1995.....	314	-	-	-	-	-	4	2	8	24	29
1994.....	368	-	-	-	1	2	4	9	15	27	34
1993.....	416	-	-	-	-	1	1	7	22	32	40
1992.....	463	1	1	-	-	1	4	9	30	44	39
1991.....	467	-	-	1	-	-	8	15	37	48	39
1990.....	491	-	-	-	-	2	9	20	45	38	42
1989.....	533	-	1	-	-	1	6	19	42	40	48
1988.....	454	-	-	-	-	2	6	13	21	48	36
1987.....	432	-	2	-	-	2	9	14	26	33	34
1986.....	478	-	-	-	-	-	6	12	27	41	40
1985.....	432	1	-	-	-	1	4	8	23	35	21
1984.....	463	-	-	-	-	-	8	20	13	31	33
1983.....	431	-	-	-	-	3	3	12	15	20	31
1982.....	444	1	-	-	-	-	2	8	21	19	29
1981.....	522	1	-	-	-	-	4	14	18	26	45
1980.....	518	-	-	-	-	1	2	9	11	19	40
1979.....	504	-	-	-	-	1	5	9	15	29	40

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	
0 TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)												
BLACK MALE												
1998.....	176	-	-	-	-	-	-	3	6	9	16	
1997.....	165	-	-	-	-	-	2	3	5	7	15	
1996.....	186	-	-	-	-	1	3	3	4	14	9	
1995.....	225	-	-	-	-	-	2	1	4	16	21	
1994.....	252	-	-	-	-	-	2	6	6	17	28	
1993.....	294	-	-	-	-	1	-	3	16	24	29	
1992.....	323	-	1	-	-	1	1	5	15	25	29	
1991.....	319	-	-	1	-	-	3	8	21	35	27	
1990.....	341	-	-	-	-	1	2	11	31	30	36	
1989.....	386	-	1	-	-	1	4	9	28	35	41	
1988.....	319	-	-	-	-	-	2	9	11	32	28	
1987.....	310	-	2	-	-	-	3	9	22	26	25	
1986.....	339	-	-	-	-	-	3	10	19	35	33	
1985.....	306	1	-	-	-	1	2	5	16	26	15	
1984.....	328	-	-	-	-	-	3	13	8	27	23	
1983.....	327	-	-	-	-	-	-	8	10	17	26	
1982.....	328	-	-	-	-	-	1	6	14	15	26	
1981.....	376	-	-	-	-	-	2	11	14	17	34	
1980.....	373	-	-	-	-	-	1	3	7	16	26	
1979.....	363	-	-	-	-	-	4	6	9	20	31	
BLACK FEMALE												
1998.....	75	-	-	-	-	1	3	1	4	5	3	
1997.....	85	-	1	-	-	-	1	1	3	6	2	
1996.....	98	2	-	-	-	1	1	2	5	9	5	
1995.....	89	-	-	-	-	-	2	1	4	8	8	
1994.....	116	-	-	-	1	2	2	3	9	10	6	
1993.....	122	-	-	-	-	-	1	4	6	8	11	
1992.....	140	1	-	-	-	-	3	4	15	19	10	
1991.....	148	-	-	-	-	-	5	7	16	13	12	
1990.....	150	-	-	-	-	1	7	9	14	8	6	
1989.....	147	-	-	-	-	-	2	10	14	5	7	
1988.....	135	-	-	-	-	2	4	4	10	16	8	
1987.....	122	-	-	-	-	2	6	5	4	7	9	
1986.....	139	-	-	-	-	-	3	2	8	6	7	
1985.....	126	-	-	-	-	-	2	3	7	9	6	
1984.....	135	-	-	-	-	-	5	7	5	4	10	
1983.....	104	-	-	-	-	3	3	4	5	3	5	
1982.....	116	1	-	-	-	-	1	2	7	4	3	
1981.....	146	1	-	-	-	-	2	3	4	9	11	
1980.....	145	-	-	-	-	1	1	6	4	3	14	
1979.....	141	-	-	-	-	1	1	3	6	9	9	

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER TUBERCULOSIS (013-018)											
TOTAL, BOTH SEXES											
1998.....	297	-	3	-	1	1	3	7	6	16	28
1997.....	291	-	2	-	-	1	8	5	8	14	10
1996.....	290	-	2	-	-	1	2	8	10	18	11
1995.....	292	-	1	1	1	1	8	10	10	12	21
1994.....	349	-	3	-	-	1	7	7	21	19	15
1993.....	355	2	5	1	1	1	9	13	19	22	19
1992.....	390	4	4	1	2	2	3	10	28	45	20
1991.....	403	1	1	3	-	4	7	20	14	25	38
1990.....	432	1	5	2	-	1	9	18	31	24	23
1989.....	434	1	6	1	-	2	9	15	24	26	28
1988.....	433	2	2	1	-	2	14	20	26	28	26
1987.....	357	1	4	1	-	1	6	11	18	23	32
1986.....	375	1	2	3	-	1	5	21	26	30	19
1985.....	384	2	3	-	2	4	11	17	13	14	29
1984.....	387	2	1	1	1	4	11	16	18	18	28
1983.....	361	-	3	1	1	1	5	11	21	14	14
1982.....	339	2	3	1	3	2	2	10	11	14	15
1981.....	351	3	4	3	-	4	4	10	14	9	13
1980.....	340	2	6	3	1	2	1	9	9	15	10
1979.....	350	1	7	1	1	2	3	10	9	13	9
TOTAL, MALE											
1998.....	130	-	-	-	-	-	-	3	-	12	11
1997.....	125	-	1	-	-	1	1	4	4	6	7
1996.....	139	-	2	-	-	-	1	2	4	11	6
1995.....	130	-	-	-	1	-	5	5	5	6	10
1994.....	162	-	2	-	-	-	-	3	9	9	9
1993.....	181	-	4	1	-	-	5	7	10	14	10
1992.....	206	1	1	1	1	-	-	6	15	29	13
1991.....	207	1	-	2	-	2	2	8	5	17	24
1990.....	240	1	1	1	-	-	2	9	14	20	15
1989.....	242	-	5	1	-	2	6	6	16	16	21
1988.....	235	-	1	1	-	2	5	9	19	18	17
1987.....	198	-	2	1	-	-	4	7	11	18	20
1986.....	209	1	-	1	-	-	1	13	18	22	15
1985.....	212	2	1	-	-	1	6	10	8	8	21
1984.....	217	1	-	1	1	2	4	10	13	14	20
1983.....	194	-	1	-	-	-	3	6	15	9	7
1982.....	188	1	1	1	-	1	2	6	7	9	9
1981.....	181	1	3	2	-	1	1	5	9	4	6
1980.....	183	2	4	1	1	-	-	6	6	5	5
1979.....	166	1	4	-	1	1	1	4	5	5	5

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	
0 OTHER TUBERCULOSIS (013-018)												
TOTAL, FEMALE												
1998.....	167	-	3	-	1	1	3	4	6	4	17	
1997.....	166	-	1	-	-	-	7	1	4	8	3	
1996.....	151	-	-	-	-	1	1	6	6	7	5	
1995.....	162	-	1	1	-	1	3	5	5	6	11	
1994.....	187	-	1	-	-	1	7	4	12	10	6	
1993.....	174	2	1	-	1	1	4	6	9	8	9	
1992.....	184	3	3	-	1	2	3	4	13	16	7	
1991.....	196	-	1	1	-	2	5	12	9	8	14	
1990.....	192	-	4	1	-	1	7	9	17	4	8	
1989.....	192	1	1	-	-	-	3	9	8	10	7	
1988.....	198	2	1	-	-	-	9	11	7	10	9	
1987.....	159	1	2	-	-	1	2	4	7	5	12	
1986.....	166	-	2	2	-	1	4	8	8	8	4	
1985.....	172	-	2	-	2	3	5	7	5	6	8	
1984.....	170	1	1	-	-	2	7	6	5	4	8	
1983.....	167	-	2	1	1	1	2	5	6	5	7	
1982.....	151	1	2	-	3	1	-	4	4	5	6	
1981.....	170	2	1	1	-	3	3	5	5	5	7	
1980.....	157	-	2	2	-	2	1	3	3	10	5	
1979.....	184	-	3	1	-	1	2	6	4	8	4	
WHITE, BOTH SEXES												
1998.....	172	-	3	-	-	1	1	2	3	5	10	
1997.....	163	-	2	-	-	-	5	1	2	10	4	
1996.....	173	-	-	-	-	-	1	5	4	9	2	
1995.....	163	-	-	1	1	-	4	7	5	4	7	
1994.....	185	-	1	-	-	1	1	1	6	8	8	
1993.....	200	-	2	-	-	1	6	9	5	5	7	
1992.....	214	2	3	1	2	-	1	4	12	16	8	
1991.....	224	1	1	1	-	1	2	6	6	8	17	
1990.....	221	1	4	2	-	-	4	6	10	10	8	
1989.....	225	1	2	1	-	-	4	5	10	10	15	
1988.....	215	1	1	-	-	-	6	7	6	5	15	
1987.....	182	-	1	1	-	-	3	4	4	12	17	
1986.....	206	-	-	1	-	-	1	5	11	10	9	
1985.....	219	1	1	-	1	2	6	6	1	5	15	
1984.....	219	-	-	1	-	-	4	5	6	9	6	
1983.....	194	-	2	1	-	-	2	4	7	4	5	
1982.....	173	1	2	1	1	-	-	3	1	3	4	
1981.....	199	1	3	2	-	3	2	3	5	5	7	
1980.....	186	1	1	1	-	1	-	-	2	8	4	
1979.....	188	1	5	1	-	1	2	3	1	5	2	

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	
0 OTHER TUBERCULOSIS (013-018)												
WHITE MALE												
1998.....	75	-	-	-	-	-	-	1	-	3	5	
1997.....	71	-	1	-	-	-	1	1	1	5	4	
1996.....	79	-	-	-	-	-	1	2	2	6	1	
1995.....	74	-	-	-	1	-	4	3	1	3	4	
1994.....	83	-	1	-	-	-	-	1	2	5	5	
1993.....	101	-	1	-	-	-	3	4	4	3	3	
1992.....	114	1	1	1	1	-	-	3	4	13	5	
1991.....	119	1	-	1	-	1	1	5	4	7	8	
1990.....	112	1	1	1	-	-	1	2	4	8	6	
1989.....	124	-	2	1	-	-	3	2	7	6	12	
1988.....	119	-	-	-	-	-	2	5	5	3	9	
1987.....	101	-	-	1	-	-	2	2	3	9	12	
1986.....	115	-	-	-	-	-	-	3	8	9	8	
1985.....	118	1	-	-	-	1	2	5	1	2	12	
1984.....	114	-	-	1	-	-	-	4	2	7	3	
1983.....	102	-	1	-	-	-	1	2	4	1	2	
1982.....	98	-	1	1	-	-	-	2	1	2	1	
1981.....	95	-	2	2	-	1	1	1	4	1	2	
1980.....	104	1	-	1	-	-	-	-	1	3	4	
1979.....	97	1	2	-	-	-	1	1	1	2	1	
WHITE FEMALE												
1998.....	97	-	3	-	-	1	1	1	3	2	5	
1997.....	92	-	1	-	-	-	4	-	1	5	-	
1996.....	94	-	-	-	-	-	-	3	2	3	1	
1995.....	89	-	-	1	-	-	-	4	4	1	3	
1994.....	102	-	-	-	-	1	1	-	4	3	3	
1993.....	99	-	1	-	-	1	3	5	1	2	4	
1992.....	100	1	2	-	1	-	1	1	8	3	3	
1991.....	105	-	1	-	-	-	1	1	2	1	9	
1990.....	109	-	3	1	-	-	3	4	6	2	2	
1989.....	101	1	-	-	-	-	1	3	3	4	3	
1988.....	96	1	1	-	-	-	4	2	1	2	6	
1987.....	81	-	1	-	-	-	1	2	1	3	5	
1986.....	91	-	-	1	-	-	1	2	3	1	1	
1985.....	101	-	1	-	1	1	4	1	-	3	3	
1984.....	105	-	-	-	-	-	4	1	4	2	3	
1983.....	92	-	1	1	-	-	1	2	3	3	3	
1982.....	75	1	1	-	1	-	-	1	-	1	3	
1981.....	104	1	1	-	-	2	1	2	1	4	5	
1980.....	82	-	1	-	-	1	-	-	1	5	-	
1979.....	91	-	3	1	-	1	1	2	-	3	1	

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER TUBERCULOSIS (013-018)											
ALL OTHER, BOTH SEXES											
1998.....	125	-	-	-	1	-	2	5	3	11	18
1997.....	128	-	-	-	-	1	3	4	6	4	6
1996.....	117	-	2	-	-	1	1	3	6	9	9
1995.....	129	-	1	-	-	1	4	3	5	8	14
1994.....	164	-	2	-	-	-	6	6	15	11	7
1993.....	155	2	3	1	1	-	3	4	14	17	12
1992.....	176	2	1	-	-	2	2	6	16	29	12
1991.....	179	-	-	2	-	3	5	14	8	17	21
1990.....	211	-	1	-	-	1	5	12	21	14	15
1989.....	209	-	4	-	-	2	5	10	14	16	13
1988.....	218	1	1	1	-	2	8	13	20	23	11
1987.....	175	1	3	-	-	1	3	7	14	11	15
1986.....	169	1	2	2	-	1	4	16	15	20	10
1985.....	165	1	2	-	1	2	5	11	12	9	14
1984.....	168	2	1	-	1	4	7	11	12	9	22
1983.....	167	-	1	-	1	1	3	7	14	10	9
1982.....	166	1	1	-	2	2	2	7	10	11	11
1981.....	152	2	1	1	-	1	2	7	9	4	6
1980.....	154	1	5	2	1	1	1	9	7	7	6
1979.....	162	-	2	-	1	1	1	7	8	8	7
ALL OTHER MALE											
1998.....	55	-	-	-	-	-	-	2	-	9	6
1997.....	54	-	-	-	-	1	-	3	3	1	3
1996.....	60	-	2	-	-	-	-	-	2	5	5
1995.....	56	-	-	-	-	-	1	2	4	3	6
1994.....	79	-	1	-	-	-	-	2	7	4	4
1993.....	80	-	3	1	-	-	2	3	6	11	7
1992.....	92	-	-	-	-	-	-	3	11	16	8
1991.....	88	-	-	1	-	1	1	3	1	10	16
1990.....	128	-	-	-	-	-	1	7	10	12	9
1989.....	118	-	3	-	-	2	3	4	9	10	9
1988.....	116	-	1	1	-	2	3	4	14	15	8
1987.....	97	-	2	-	-	-	2	5	8	9	8
1986.....	94	1	-	1	-	-	1	10	10	13	7
1985.....	94	1	1	-	-	-	4	5	7	6	9
1984.....	103	1	-	-	1	2	4	6	11	7	17
1983.....	92	-	-	-	-	-	2	4	11	8	5
1982.....	90	1	-	-	-	1	2	4	6	7	8
1981.....	86	1	1	-	-	-	-	4	5	3	4
1980.....	79	1	4	-	1	-	-	6	5	2	1
1979.....	69	-	2	-	1	1	-	3	4	3	4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	
0 OTHER TUBERCULOSIS (013-018)												
ALL OTHER FEMALE												
1998.....	70	-	-	-	1	-	2	3	3	2	12	
1997.....	74	-	-	-	-	-	3	1	3	3	3	
1996.....	57	-	-	-	-	1	1	3	4	4	4	
1995.....	73	-	1	-	-	1	3	1	1	5	8	
1994.....	85	-	1	-	-	-	6	4	8	7	3	
1993.....	75	2	-	-	1	-	1	1	8	6	5	
1992.....	84	2	1	-	-	2	2	3	5	13	4	
1991.....	91	-	-	1	-	2	4	11	7	7	5	
1990.....	83	-	1	-	-	1	4	5	11	2	6	
1989.....	91	-	1	-	-	-	2	6	5	6	4	
1988.....	102	1	-	-	-	-	5	9	6	8	3	
1987.....	78	1	1	-	-	1	1	2	6	2	7	
1986.....	75	-	2	1	-	1	3	6	5	7	3	
1985.....	71	-	1	-	1	2	1	6	5	3	5	
1984.....	65	1	1	-	-	2	3	5	1	2	5	
1983.....	75	-	1	-	1	1	1	3	3	2	4	
1982.....	76	-	1	-	2	1	-	3	4	4	3	
1981.....	66	1	-	1	-	1	2	3	4	1	2	
1980.....	75	-	1	2	-	1	1	3	2	5	5	
1979.....	93	-	-	-	-	-	1	4	4	5	3	
BLACK, BOTH SEXES												
1998.....	95	-	-	-	1	-	2	3	3	7	12	
1997.....	92	-	-	-	-	-	3	4	4	3	5	
1996.....	85	-	2	-	-	-	-	3	3	8	9	
1995.....	104	-	1	-	-	-	4	3	3	7	10	
1994.....	131	-	2	-	-	-	6	4	13	9	7	
1993.....	133	2	3	-	1	-	3	4	11	16	9	
1992.....	149	2	1	-	-	2	2	6	15	27	10	
1991.....	152	-	-	1	-	2	4	14	8	17	20	
1990.....	177	-	1	-	-	1	5	12	19	14	13	
1989.....	174	-	4	-	-	2	4	10	13	15	11	
1988.....	187	1	1	1	-	1	8	12	18	22	11	
1987.....	150	-	2	-	-	1	3	6	14	11	15	
1986.....	150	-	2	2	-	1	3	14	15	20	10	
1985.....	147	1	2	-	1	2	3	11	11	9	12	
1984.....	156	1	1	-	1	4	7	11	11	8	20	
1983.....	146	-	-	-	1	1	3	7	14	9	7	
1982.....	143	1	-	-	1	2	2	7	10	10	9	
1981.....	135	2	1	1	-	1	2	7	9	3	4	
1980.....	133	-	4	-	1	1	1	8	7	5	6	
1979.....	139	-	1	-	1	1	1	7	8	8	5	

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER TUBERCULOSIS (013-018)											
BLACK MALE											
1998.....	37	-	-	-	-	-	-	1	-	6	4
1997.....	39	-	-	-	-	-	-	3	2	1	2
1996.....	50	-	2	-	-	-	-	-	2	5	5
1995.....	46	-	-	-	-	-	1	2	2	2	5
1994.....	63	-	1	-	-	-	-	2	6	3	4
1993.....	67	-	3	-	-	-	2	3	4	10	4
1992.....	77	-	-	-	-	-	-	3	10	14	7
1991.....	71	-	-	-	-	1	-	3	1	10	16
1990.....	105	-	-	-	-	-	1	7	8	12	8
1989.....	99	-	3	-	-	2	3	4	8	9	9
1988.....	103	-	1	1	-	1	3	3	13	14	8
1987.....	85	-	1	-	-	-	2	5	8	9	8
1986.....	85	-	-	1	-	-	1	9	10	13	7
1985.....	87	1	1	-	-	-	3	5	7	6	9
1984.....	97	-	-	-	1	2	4	6	11	6	16
1983.....	82	-	-	-	-	-	2	4	11	7	3
1982.....	84	1	-	-	-	1	2	4	6	7	8
1981.....	79	1	1	-	-	-	-	4	5	2	3
1980.....	70	-	3	-	1	-	-	6	5	1	1
1979.....	60	-	1	-	1	1	-	3	4	3	4
BLACK FEMALE											
1998.....	58	-	-	-	1	-	2	2	3	1	8
1997.....	53	-	-	-	-	-	3	1	2	2	3
1996.....	35	-	-	-	-	-	-	3	1	3	4
1995.....	58	-	1	-	-	-	3	1	1	5	5
1994.....	68	-	1	-	-	-	6	2	7	6	3
1993.....	66	2	-	-	1	-	1	1	7	6	5
1992.....	72	2	1	-	-	2	2	3	5	13	3
1991.....	81	-	-	1	-	1	4	11	7	7	4
1990.....	72	-	1	-	-	1	4	5	11	2	5
1989.....	75	-	1	-	-	-	1	6	5	6	2
1988.....	84	1	-	-	-	-	5	9	5	8	3
1987.....	65	-	1	-	-	1	1	1	6	2	7
1986.....	65	-	2	1	-	1	2	5	5	7	3
1985.....	60	-	1	-	1	2	-	6	4	3	3
1984.....	59	1	1	-	-	2	3	5	-	2	4
1983.....	64	-	-	-	1	1	1	3	3	2	4
1982.....	59	-	-	-	1	1	-	3	4	3	1
1981.....	56	1	-	1	-	1	2	3	4	1	1
1980.....	63	-	1	-	-	1	1	2	2	4	5
1979.....	79	-	-	-	-	-	1	4	4	5	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ZONOTIC AND OTHER BACTERIAL DISEASES (020-041)											
TOTAL, BOTH SEXES											
1998.....	25,076	267	128	42	55	75	92	114	196	301	458
1997.....	23,801	269	125	56	39	89	76	108	184	316	408
1996.....	22,832	260	130	47	38	81	67	118	233	300	443
1995.....	22,328	278	127	54	52	79	75	129	231	327	434
1994.....	21,724	289	153	44	49	61	77	114	249	324	411
1993.....	22,022	299	133	60	37	67	69	146	229	369	382
1992.....	20,931	277	123	35	33	59	74	125	241	331	397
1991.....	20,936	328	135	42	30	60	60	144	251	317	420
1990.....	20,425	342	148	44	24	58	78	153	256	310	364
1989.....	20,551	374	152	40	31	67	70	148	243	315	378
1988.....	22,031	336	168	48	34	69	70	134	231	281	340
1987.....	21,000	341	174	38	36	62	84	148	223	250	319
1986.....	20,187	380	162	36	35	73	80	172	262	299	322
1985.....	18,422	399	168	39	26	59	67	139	202	248	255
1984.....	16,141	381	151	42	27	59	103	125	171	196	228
1983.....	14,429	389	168	43	29	58	68	103	115	145	182
1982.....	12,541	389	171	32	23	69	70	96	120	143	181
1981.....	11,537	445	201	31	33	73	67	107	130	145	167
1980.....	10,441	350	190	44	33	65	68	104	85	124	137
1979.....	8,940	373	182	39	34	71	65	67	93	95	144
TOTAL, MALE											
1998.....	10,896	140	78	24	27	49	53	55	100	163	258
1997.....	10,350	161	67	26	17	49	40	55	93	161	219
1996.....	9,981	147	68	24	15	44	40	53	146	183	269
1995.....	9,734	149	62	29	28	40	35	79	138	191	249
1994.....	9,536	146	75	19	24	36	34	63	155	198	258
1993.....	9,671	152	73	24	18	28	35	93	148	222	243
1992.....	9,224	149	60	16	13	34	40	76	152	198	260
1991.....	9,358	182	75	21	16	29	30	82	156	206	281
1990.....	9,251	192	86	27	8	32	35	88	179	216	241
1989.....	9,144	201	79	21	12	32	43	88	147	199	230
1988.....	9,745	186	94	18	18	26	33	76	140	178	196
1987.....	9,557	195	96	21	18	28	43	81	135	145	199
1986.....	9,651	227	88	23	15	34	38	121	171	201	188
1985.....	8,717	235	96	14	12	21	36	77	114	171	159
1984.....	7,686	217	74	26	12	35	51	77	108	116	131
1983.....	6,969	232	100	24	16	29	33	48	56	84	116
1982.....	6,018	222	91	13	11	33	29	36	64	72	92
1981.....	5,588	235	104	20	16	29	30	55	75	73	90
1980.....	5,229	212	119	26	15	32	33	49	44	65	71
1979.....	4,474	202	111	22	14	39	42	37	50	46	71

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ZONOTIC AND OTHER BACTERIAL DISEASES (020-041)											
TOTAL, FEMALE											
1998.....	14,180	127	50	18	28	26	39	59	96	138	200
1997.....	13,451	108	58	30	22	40	36	53	91	155	189
1996.....	12,851	113	62	23	23	37	27	65	87	117	174
1995.....	12,594	129	65	25	24	39	40	50	93	136	185
1994.....	12,188	143	78	25	25	25	43	51	94	126	153
1993.....	12,351	147	60	36	19	39	34	53	81	147	139
1992.....	11,707	128	63	19	20	25	34	49	89	133	137
1991.....	11,578	146	60	21	14	31	30	62	95	111	139
1990.....	11,174	150	62	17	16	26	43	65	77	94	123
1989.....	11,407	173	73	19	19	35	27	60	96	116	148
1988.....	12,286	150	74	30	16	43	37	58	91	103	144
1987.....	11,443	146	78	17	18	34	41	67	88	105	120
1986.....	10,536	153	74	13	20	39	42	51	91	98	134
1985.....	9,705	164	72	25	14	38	31	62	88	77	96
1984.....	8,455	164	77	16	15	24	52	48	63	80	97
1983.....	7,460	157	68	19	13	29	35	55	59	61	66
1982.....	6,523	167	80	19	12	36	41	60	56	71	89
1981.....	5,949	210	97	11	17	44	37	52	55	72	77
1980.....	5,212	138	71	18	18	33	35	55	41	59	66
1979.....	4,466	171	71	17	20	32	23	30	43	49	73
WHITE, BOTH SEXES											
1998.....	19,945	160	94	28	40	48	68	66	122	194	302
1997.....	18,968	176	87	42	26	64	47	60	121	187	250
1996.....	18,254	160	88	32	21	57	49	76	147	177	255
1995.....	17,896	169	86	31	33	53	52	73	144	203	270
1994.....	17,566	197	102	35	42	44	57	70	153	206	248
1993.....	17,814	196	94	42	30	50	43	89	144	235	233
1992.....	16,818	162	89	21	26	44	42	90	154	214	226
1991.....	16,900	195	105	29	18	46	35	90	145	178	254
1990.....	16,480	209	108	31	17	41	53	108	161	187	223
1989.....	16,562	234	105	28	24	48	46	93	147	178	244
1988.....	17,837	224	115	34	26	52	49	85	148	179	201
1987.....	16,811	216	118	28	25	38	53	103	120	140	204
1986.....	16,286	246	115	25	27	57	55	103	170	206	204
1985.....	14,776	263	130	29	17	49	47	89	126	163	180
1984.....	12,883	254	104	23	20	44	78	86	101	130	133
1983.....	11,529	266	123	29	23	43	53	61	64	94	112
1982.....	10,026	265	134	18	14	46	48	57	74	90	112
1981.....	9,217	300	145	23	25	59	52	71	80	94	96
1980.....	8,282	231	142	34	25	50	47	81	59	81	88
1979.....	7,125	254	132	26	23	56	50	52	59	60	92

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ZONOTIC AND OTHER BACTERIAL DISEASES (020-041)											
WHITE MALE											
1998.....	8,655	76	58	17	19	33	40	32	70	112	181
1997.....	8,179	101	51	20	10	35	25	33	60	102	134
1996.....	7,814	88	45	17	6	30	30	37	91	105	153
1995.....	7,646	94	39	16	16	26	25	42	91	123	150
1994.....	7,600	102	44	14	20	24	26	39	95	133	156
1993.....	7,676	97	51	16	15	20	21	58	98	149	144
1992.....	7,287	89	41	10	11	26	24	58	111	131	147
1991.....	7,413	112	58	12	10	21	16	47	91	125	172
1990.....	7,354	118	59	18	5	22	25	57	114	135	156
1989.....	7,265	132	59	16	9	25	29	57	95	114	146
1988.....	7,761	132	64	14	14	20	26	54	86	117	118
1987.....	7,567	120	67	18	9	19	27	59	81	80	122
1986.....	7,663	141	60	13	9	26	28	78	122	147	118
1985.....	6,909	159	74	10	8	16	26	53	72	116	112
1984.....	6,098	145	51	17	10	23	39	55	63	77	74
1983.....	5,555	161	79	18	13	24	29	27	27	62	70
1982.....	4,785	150	72	7	5	21	17	23	41	40	62
1981.....	4,449	167	77	14	13	23	24	36	45	43	52
1980.....	4,116	152	91	22	10	24	20	37	26	38	43
1979.....	3,533	141	74	16	8	32	31	28	31	27	48
WHITE FEMALE											
1998.....	11,290	84	36	11	21	15	28	34	52	82	121
1997.....	10,789	75	36	22	16	29	22	27	61	85	116
1996.....	10,440	72	43	15	15	27	19	39	56	72	102
1995.....	10,250	75	47	15	17	27	27	31	53	80	120
1994.....	9,966	95	58	21	22	20	31	31	58	73	92
1993.....	10,138	99	43	26	15	30	22	31	46	86	89
1992.....	9,531	73	48	11	15	18	18	32	43	83	79
1991.....	9,487	83	47	17	8	25	19	43	54	53	82
1990.....	9,126	91	49	13	12	19	28	51	47	52	67
1989.....	9,297	102	46	12	15	23	17	36	52	64	98
1988.....	10,076	92	51	20	12	32	23	31	62	62	83
1987.....	9,244	96	51	10	16	19	26	44	39	60	82
1986.....	8,623	105	55	12	18	31	27	25	48	59	86
1985.....	7,867	104	56	19	9	33	21	36	54	47	68
1984.....	6,785	109	53	6	10	21	39	31	38	53	59
1983.....	5,974	105	44	11	10	19	24	34	37	32	42
1982.....	5,241	115	62	11	9	25	31	34	33	50	50
1981.....	4,768	133	68	9	12	36	28	35	35	51	44
1980.....	4,166	79	51	12	15	26	27	44	33	43	45
1979.....	3,592	113	58	10	15	24	19	24	28	33	44

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ZONOTIC AND OTHER BACTERIAL DISEASES (020-041)											
ALL OTHER, BOTH SEXES											
1998.....	5,131	107	34	14	15	27	24	48	74	107	156
1997.....	4,833	93	38	14	13	25	29	48	63	129	158
1996.....	4,578	100	42	15	17	24	18	42	86	123	188
1995.....	4,432	109	41	23	19	26	23	56	87	124	164
1994.....	4,158	92	51	9	7	17	20	44	96	118	163
1993.....	4,208	103	39	18	7	17	26	57	85	134	149
1992.....	4,113	115	34	14	7	15	32	35	87	117	171
1991.....	4,036	133	30	13	12	14	25	54	106	139	166
1990.....	3,945	133	40	13	7	17	25	45	95	123	141
1989.....	3,989	140	47	12	7	19	24	55	96	137	134
1988.....	4,194	112	53	14	8	17	21	49	83	102	139
1987.....	4,189	125	56	10	11	24	31	45	103	110	115
1986.....	3,901	134	47	11	8	16	25	69	92	93	118
1985.....	3,646	136	38	10	9	10	20	50	76	85	75
1984.....	3,258	127	47	19	7	15	25	39	70	66	95
1983.....	2,900	123	45	14	6	15	15	42	51	51	70
1982.....	2,515	124	37	14	9	23	22	39	46	53	69
1981.....	2,320	145	56	8	8	14	15	36	50	51	71
1980.....	2,159	119	48	10	8	15	21	23	26	43	49
1979.....	1,815	119	50	13	11	15	15	15	34	35	52
ALL OTHER MALE											
1998.....	2,241	64	20	7	8	16	13	23	30	51	77
1997.....	2,171	60	16	6	7	14	15	22	33	59	85
1996.....	2,167	59	23	7	9	14	10	16	55	78	116
1995.....	2,088	55	23	13	12	14	10	37	47	68	99
1994.....	1,936	44	31	5	4	12	8	24	60	65	102
1993.....	1,995	55	22	8	3	8	14	35	50	73	99
1992.....	1,937	60	19	6	2	8	16	18	41	67	113
1991.....	1,945	70	17	9	6	8	14	35	65	81	109
1990.....	1,897	74	27	9	3	10	10	31	65	81	85
1989.....	1,879	69	20	5	3	7	14	31	52	85	84
1988.....	1,984	54	30	4	4	6	7	22	54	61	78
1987.....	1,990	75	29	3	9	9	16	22	54	65	77
1986.....	1,988	86	28	10	6	8	10	43	49	54	70
1985.....	1,808	76	22	4	4	5	10	24	42	55	47
1984.....	1,588	72	23	9	2	12	12	22	45	39	57
1983.....	1,414	71	21	6	3	5	4	21	29	22	46
1982.....	1,233	72	19	6	6	12	12	13	23	32	30
1981.....	1,139	68	27	6	3	6	6	19	30	30	38
1980.....	1,113	60	28	4	5	8	13	12	18	27	28
1979.....	941	61	37	6	6	7	11	9	19	19	23

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ZONOTIC AND OTHER BACTERIAL DISEASES (020-041)											
ALL OTHER FEMALE											
1998.....	2,890	43	14	7	7	11	11	25	44	56	79
1997.....	2,662	33	22	8	6	11	14	26	30	70	73
1996.....	2,411	41	19	8	8	10	8	26	31	45	72
1995.....	2,344	54	18	10	7	12	13	19	40	56	65
1994.....	2,222	48	20	4	3	5	12	20	36	53	61
1993.....	2,213	48	17	10	4	9	12	22	35	61	50
1992.....	2,176	55	15	8	5	7	16	17	46	50	58
1991.....	2,091	63	13	4	6	6	11	19	41	58	57
1990.....	2,048	59	13	4	4	7	15	14	30	42	56
1989.....	2,110	71	27	7	4	12	10	24	44	52	50
1988.....	2,210	58	23	10	4	11	14	27	29	41	61
1987.....	2,199	50	27	7	2	15	15	23	49	45	38
1986.....	1,913	48	19	1	2	8	15	26	43	39	48
1985.....	1,838	60	16	6	5	5	10	26	34	30	28
1984.....	1,670	55	24	10	5	3	13	17	25	27	38
1983.....	1,486	52	24	8	3	10	11	21	22	29	24
1982.....	1,282	52	18	8	3	11	10	26	23	21	39
1981.....	1,181	77	29	2	5	8	9	17	20	21	33
1980.....	1,046	59	20	6	3	7	8	11	8	16	21
1979.....	874	58	13	7	5	8	4	6	15	16	29
BLACK, BOTH SEXES											
1998.....	4,706	91	30	14	13	26	20	44	68	98	149
1997.....	4,474	87	34	11	12	19	27	44	56	126	150
1996.....	4,245	87	35	14	16	18	18	37	81	118	178
1995.....	4,061	96	37	18	16	22	19	51	82	115	156
1994.....	3,856	86	45	6	6	15	19	43	89	114	156
1993.....	3,876	96	36	14	4	14	24	53	80	121	142
1992.....	3,822	111	31	13	7	14	30	34	79	113	157
1991.....	3,740	119	27	11	10	13	23	52	100	132	161
1990.....	3,668	119	33	12	6	17	22	40	92	117	134
1989.....	3,746	130	40	11	6	17	23	49	95	134	127
1988.....	3,929	101	47	14	8	15	21	46	76	94	134
1987.....	3,942	116	50	8	10	23	29	42	99	105	110
1986.....	3,658	123	43	10	8	14	24	66	91	91	114
1985.....	3,443	130	34	10	7	10	20	48	74	82	73
1984.....	3,086	111	43	18	5	14	24	34	68	63	85
1983.....	2,736	112	40	13	6	14	14	41	50	50	65
1982.....	2,351	111	35	14	8	22	20	37	44	47	64
1981.....	2,194	131	54	7	7	13	15	32	50	47	69
1980.....	2,039	101	40	8	8	15	19	20	26	42	45
1979.....	1,709	112	45	13	11	14	15	12	30	32	49

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR ZONOTIC AND OTHER BACTERIAL DISEASES (020-041)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
BLACK MALE											
1998.....	2,040	53	17	7	7	16	11	21	29	45	76
1997.....	1,998	57	14	6	7	10	13	19	30	59	79
1996.....	1,992	53	19	6	9	11	10	13	51	76	111
1995.....	1,898	46	20	9	10	12	8	35	46	65	91
1994.....	1,786	42	26	2	3	10	8	24	55	62	98
1993.....	1,820	52	19	7	2	6	14	31	46	68	94
1992.....	1,797	57	18	6	2	7	14	17	39	65	105
1991.....	1,790	65	15	7	6	7	12	34	62	79	105
1990.....	1,746	67	21	8	3	10	9	27	63	78	80
1989.....	1,750	63	18	4	3	7	13	28	52	83	79
1988.....	1,840	45	27	4	4	6	7	21	53	56	76
1987.....	1,866	71	23	3	9	8	16	22	51	62	75
1986.....	1,845	79	25	9	6	7	9	41	49	53	68
1985.....	1,700	73	20	4	3	5	10	22	41	54	47
1984.....	1,492	66	21	9	2	11	12	20	43	37	53
1983.....	1,323	65	18	5	3	4	4	21	28	22	45
1982.....	1,154	65	18	6	5	12	12	13	22	29	25
1981.....	1,072	62	25	6	2	5	6	18	30	29	36
1980.....	1,045	47	23	4	5	8	12	10	18	27	27
1979.....	876	57	32	6	6	6	11	7	17	18	20
BLACK FEMALE											
1998.....	2,666	38	13	7	6	10	9	23	39	53	73
1997.....	2,476	30	20	5	5	9	14	25	26	67	71
1996.....	2,253	34	16	8	7	7	8	24	30	42	67
1995.....	2,163	50	17	9	6	10	11	16	36	50	65
1994.....	2,070	44	19	4	3	5	11	19	34	52	58
1993.....	2,056	44	17	7	2	8	10	22	34	53	48
1992.....	2,025	54	13	7	5	7	16	17	40	48	52
1991.....	1,950	54	12	4	4	6	11	18	38	53	56
1990.....	1,922	52	12	4	3	7	13	13	29	39	54
1989.....	1,996	67	22	7	3	10	10	21	43	51	48
1988.....	2,089	56	20	10	4	9	14	25	23	38	58
1987.....	2,076	45	27	5	1	15	13	20	48	43	35
1986.....	1,813	44	18	1	2	7	15	25	42	38	46
1985.....	1,743	57	14	6	4	5	10	26	33	28	26
1984.....	1,594	45	22	9	3	3	12	14	25	26	32
1983.....	1,413	47	22	8	3	10	10	20	22	28	20
1982.....	1,197	46	17	8	3	10	8	24	22	18	39
1981.....	1,122	69	29	1	5	8	9	14	20	18	33
1980.....	994	54	17	4	3	7	7	10	8	15	18
1979.....	833	55	13	7	5	8	4	5	13	14	29

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 DIPHTHERIA (032)											
TOTAL, BOTH SEXES											
1998.....	1	-	-	-	-	-	-	-	-	-	-
1995.....	1	-	-	-	-	-	-	-	-	-	-
1992.....	1	-	-	-	-	-	-	-	-	-	-
1990.....	1	-	1	-	-	-	-	-	-	-	-
1987.....	1	-	-	-	-	1	-	-	-	-	-
1982.....	1	-	-	1	-	-	-	-	-	-	-
1980.....	1	-	1	-	-	-	-	-	-	-	-
1979.....	1	-	-	1	-	-	-	-	-	-	-
TOTAL, MALE											
1995.....	1	-	-	-	-	-	-	-	-	-	-
1990.....	1	-	1	-	-	-	-	-	-	-	-
1987.....	1	-	-	-	-	1	-	-	-	-	-
1979.....	1	-	-	1	-	-	-	-	-	-	-
TOTAL, FEMALE											
1998.....	1	-	-	-	-	-	-	-	-	-	-
1992.....	1	-	-	-	-	-	-	-	-	-	-
1982.....	1	-	-	1	-	-	-	-	-	-	-
1980.....	1	-	1	-	-	-	-	-	-	-	-
WHITE, BOTH SEXES											
1998.....	1	-	-	-	-	-	-	-	-	-	-
1995.....	1	-	-	-	-	-	-	-	-	-	-
1987.....	1	-	-	-	-	1	-	-	-	-	-
1982.....	1	-	-	1	-	-	-	-	-	-	-
1979.....	1	-	-	1	-	-	-	-	-	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 WHOOPING COUGH (033)											
TOTAL, BOTH SEXES											
1998.....	5	4	1	-	-	-	-	-	-	-	-
1997.....	6	6	-	-	-	-	-	-	-	-	-
1996.....	4	4	-	-	-	-	-	-	-	-	-
1995.....	6	6	-	-	-	-	-	-	-	-	-
1994.....	8	8	-	-	-	-	-	-	-	-	-
1993.....	7	7	-	-	-	-	-	-	-	-	-
1992.....	5	4	-	1	-	-	-	-	-	-	-
1990.....	12	11	1	-	-	-	-	-	-	-	-
1989.....	12	9	3	-	-	-	-	-	-	-	-
1988.....	4	4	-	-	-	-	-	-	-	-	-
1987.....	1	-	1	-	-	-	-	-	-	-	-
1986.....	6	5	-	-	-	-	-	-	-	-	-
1985.....	4	3	1	-	-	-	-	-	-	-	-
1984.....	7	7	-	-	-	-	-	-	-	-	-
1983.....	5	5	-	-	-	-	-	-	-	-	-
1982.....	4	4	-	-	-	-	-	-	-	-	-
1981.....	6	5	1	-	-	-	-	-	-	-	-
1980.....	11	10	1	-	-	-	-	-	-	-	-
1979.....	6	6	-	-	-	-	-	-	-	-	-
TOTAL, MALE											
1998.....	5	4	1	-	-	-	-	-	-	-	-
1997.....	3	3	-	-	-	-	-	-	-	-	-
1996.....	2	2	-	-	-	-	-	-	-	-	-
1995.....	2	2	-	-	-	-	-	-	-	-	-
1994.....	2	2	-	-	-	-	-	-	-	-	-
1993.....	3	3	-	-	-	-	-	-	-	-	-
1992.....	3	2	-	1	-	-	-	-	-	-	-
1990.....	4	4	-	-	-	-	-	-	-	-	-
1989.....	4	3	1	-	-	-	-	-	-	-	-
1988.....	2	2	-	-	-	-	-	-	-	-	-
1986.....	4	3	-	-	-	-	-	-	-	-	-
1985.....	3	2	1	-	-	-	-	-	-	-	-
1984.....	2	2	-	-	-	-	-	-	-	-	-
1983.....	1	1	-	-	-	-	-	-	-	-	-
1982.....	2	2	-	-	-	-	-	-	-	-	-
1981.....	2	2	-	-	-	-	-	-	-	-	-
1980.....	4	3	1	-	-	-	3	-	-	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
STREPTOCOCCAL SORE THROAT, SCARLATINA, AND ERYSIPELAS (034-035)											
TOTAL, BOTH SEXES											
1998.....	8	-	1	1	1	-	-	1	-	-	-
1997.....	8	-	1	-	-	-	1	-	-	-	-
1996.....	13	1	-	-	-	1	1	-	-	-	-
1995.....	9	-	1	1	1	-	-	-	-	-	-
1994.....	12	1	-	-	-	-	-	1	3	1	1
1993.....	13	-	-	-	-	1	1	-	-	1	-
1992.....	5	-	-	-	-	-	-	-	-	1	-
1991.....	5	-	-	-	-	-	-	1	-	-	-
1990.....	14	2	-	-	-	1	-	-	1	-	-
1989.....	17	1	1	-	-	1	1	-	-	-	-
1988.....	13	1	-	1	-	-	-	-	1	-	-
1987.....	10	1	1	-	-	-	-	-	-	-	1
1986.....	12	-	-	1	-	2	-	-	-	-	-
1985.....	9	-	-	-	-	-	-	2	-	-	-
1984.....	11	-	-	-	-	-	-	-	1	2	-
1983.....	6	-	-	-	-	-	-	-	-	-	-
1982.....	18	-	2	-	-	-	-	1	3	-	-
1981.....	13	-	1	-	-	-	-	-	-	1	2
1980.....	15	1	-	-	1	-	-	-	-	1	-
1979.....	25	2	2	1	3	1	-	-	1	-	4
TOTAL, MALE											
1998.....	5	-	1	-	-	-	-	1	-	-	-
1997.....	2	-	-	-	-	-	1	-	-	-	-
1996.....	9	-	-	-	-	1	1	-	-	-	-
1995.....	3	-	1	-	1	-	-	-	-	-	-
1994.....	4	-	-	-	-	-	-	1	1	-	-
1993.....	4	-	-	-	-	-	-	-	-	1	-
1992.....	2	-	-	-	-	-	-	-	-	1	-
1991.....	4	-	-	-	-	-	-	1	-	-	-
1990.....	6	1	-	-	-	1	-	-	1	-	-
1989.....	6	1	-	-	-	1	1	-	-	-	-
1988.....	6	1	-	1	-	-	-	-	1	-	-
1987.....	4	-	1	-	-	-	-	-	-	-	1
1986.....	5	-	-	-	-	1	-	-	-	-	-
1985.....	3	-	-	-	-	-	-	1	-	-	-
1984.....	5	-	-	-	-	-	-	-	-	2	-
1983.....	3	-	-	-	-	-	-	-	-	-	-
1982.....	11	-	2	-	-	-	-	-	3	-	-
1981.....	6	-	-	-	-	-	-	-	-	1	1
1980.....	6	1	-	-	1	-	-	-	-	-	-
1979.....	14	2	2	-	1	-	-	-	1	-	3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
STREPTOCOCCAL SORE THROAT, SCARLATINA, AND ERYSIPELAS (034-035)											
TOTAL, FEMALE											
1998.....	3	-	-	1	1	-	-	-	-	-	-
1997.....	6	-	1	-	-	-	-	-	-	-	-
1996.....	4	1	-	-	-	-	-	-	-	-	-
1995.....	6	-	-	1	-	-	-	-	-	-	-
1994.....	8	1	-	-	-	-	-	-	2	1	1
1993.....	9	-	-	-	-	1	1	-	-	-	-
1992.....	3	-	-	-	-	-	-	-	-	-	-
1991.....	1	-	-	-	-	-	-	-	-	-	-
1990.....	8	1	-	-	-	-	-	-	-	-	-
1989.....	11	-	1	-	-	-	-	-	-	-	-
1988.....	7	-	-	-	-	-	-	-	-	-	-
1987.....	6	1	-	-	-	-	-	-	-	-	-
1986.....	7	-	-	1	-	1	-	-	-	-	-
1985.....	6	-	-	-	-	-	-	1	-	-	-
1984.....	6	-	-	-	-	-	-	-	1	-	-
1983.....	3	-	-	-	-	-	-	-	-	-	-
1982.....	7	-	-	-	-	-	-	1	-	-	-
1981.....	7	-	1	-	-	-	-	-	-	-	1
1980.....	9	-	-	-	-	-	-	-	-	1	-
1979.....	11	-	-	1	2	1	-	-	-	-	1
WHITE, BOTH SEXES											
1998.....	7	-	1	1	1	-	-	-	-	-	-
1997.....	8	-	1	-	-	-	1	-	-	-	-
1996.....	9	-	-	-	-	-	1	-	-	-	-
1995.....	8	-	1	1	-	-	-	-	-	-	-
1994.....	10	1	-	-	-	-	-	1	2	1	-
1993.....	13	-	-	-	-	1	1	-	-	1	-
1992.....	4	-	-	-	-	-	-	-	-	1	-
1991.....	5	-	-	-	-	-	-	1	-	-	-
1990.....	12	1	-	-	-	-	-	-	1	-	-
1989.....	16	1	1	-	-	1	1	-	-	-	-
1988.....	12	1	-	1	-	-	-	-	1	-	-
1987.....	10	1	1	-	-	-	-	-	-	-	1
1986.....	10	-	-	1	-	1	-	-	-	-	-
1985.....	8	-	-	-	-	-	-	1	-	-	-
1984.....	8	-	-	-	-	-	-	-	-	1	-
1983.....	6	-	-	-	-	-	-	-	-	-	-
1982.....	14	-	2	-	-	-	-	-	2	-	-
1981.....	13	-	1	-	-	-	-	-	-	1	2
1980.....	13	-	-	-	1	-	-	-	-	1	-
1979.....	23	2	2	1	2	1	-	-	1	-	3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
STREPTOCOCCAL SORE THROAT, SCARLATINA, AND ERYSIPELAS (034-035)											
WHITE MALE											
1998.....	4	-	1	-	-	-	-	-	-	-	-
1997.....	2	-	-	-	-	-	1	-	-	-	-
1996.....	6	-	-	-	-	-	1	-	-	-	-
1995.....	2	-	1	-	-	-	-	-	-	-	-
1994.....	4	-	-	-	-	-	-	1	1	-	-
1993.....	4	-	-	-	-	-	-	-	-	1	-
1992.....	2	-	-	-	-	-	-	-	-	1	-
1991.....	4	-	-	-	-	-	-	1	-	-	-
1990.....	4	-	-	-	-	-	-	-	1	-	-
1989.....	5	1	-	-	-	1	1	-	-	-	-
1988.....	6	1	-	1	-	-	-	-	1	-	-
1987.....	4	-	1	-	-	-	-	-	-	-	1
1986.....	5	-	-	-	-	1	-	-	-	-	-
1985.....	3	-	-	-	-	-	-	1	-	-	-
1984.....	4	-	-	-	-	-	-	-	-	1	-
1983.....	3	-	-	-	-	-	-	-	-	-	-
1982.....	8	-	2	-	-	-	-	-	2	-	-
1981.....	6	-	-	-	-	-	-	-	-	1	1
1980.....	4	-	-	-	1	-	-	-	-	-	-
1979.....	12	2	2	-	-	-	-	-	1	-	2
WHITE FEMALE											
1998.....	3	-	-	1	1	-	-	-	-	-	-
1997.....	6	-	1	-	-	-	-	-	-	-	-
1996.....	3	-	-	-	-	-	-	-	-	-	-
1995.....	6	-	-	1	-	-	-	-	-	-	-
1994.....	6	1	-	-	-	-	-	-	1	1	-
1993.....	9	-	-	-	-	1	1	-	-	-	-
1992.....	2	-	-	-	-	-	-	-	-	-	-
1991.....	1	-	-	-	-	-	-	-	-	-	-
1990.....	8	1	-	-	-	-	-	-	-	-	-
1989.....	11	-	1	-	-	-	-	-	-	-	-
1988.....	6	-	-	-	-	-	-	-	-	-	-
1987.....	6	1	-	-	-	-	-	-	-	-	-
1986.....	5	-	-	1	-	-	-	-	-	-	-
1985.....	5	-	-	-	-	-	-	-	-	-	-
1984.....	4	-	-	-	-	-	-	-	-	-	-
1983.....	3	-	-	-	-	-	-	-	-	-	-
1982.....	6	-	-	-	-	-	-	-	-	-	-
1981.....	7	-	1	-	-	-	-	-	-	-	1
1980.....	9	-	-	-	-	-	-	-	-	1	-
1979.....	11	-	-	1	2	1	-	-	-	-	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
STREPTOCOCCAL SORE THROAT, SCARLATINA, AND ERYSIPELAS (034-035)											
ALL OTHER, BOTH SEXES											
1998.....	1	-	-	-	-	-	-	1	-	-	-
1996.....	4	1	-	-	-	1	-	-	-	-	-
1995.....	1	-	-	-	1	-	-	-	-	-	-
1994.....	2	-	-	-	-	-	-	-	1	-	1
1992.....	1	-	-	-	-	-	-	-	-	-	-
1990.....	2	1	-	-	-	1	-	-	-	-	-
1989.....	1	-	-	-	-	-	-	-	-	-	-
1988.....	1	-	-	-	-	-	-	-	-	-	-
1986.....	2	-	-	-	-	1	-	-	-	-	-
1985.....	1	-	-	-	-	-	-	1	-	-	-
1984.....	3	-	-	-	-	-	-	-	1	1	-
1982.....	4	-	-	-	-	-	-	1	1	-	-
1980.....	2	1	-	-	-	-	-	-	-	-	-
1979.....	2	-	-	-	1	-	-	-	-	-	1
ALL OTHER MALE											
1998.....	1	-	-	-	-	-	-	1	-	-	-
1996.....	3	-	-	-	-	1	-	-	-	-	-
1995.....	1	-	-	-	1	-	-	-	-	-	-
1990.....	2	1	-	-	-	1	-	-	-	-	-
1989.....	1	-	-	-	-	-	-	-	-	-	-
1984.....	1	-	-	-	-	-	-	-	-	1	-
1982.....	3	-	-	-	-	-	-	-	1	-	-
1980.....	2	1	-	-	-	-	-	-	-	-	-
1979.....	2	-	-	-	1	-	-	-	-	-	1
ALL OTHER FEMALE											
1996.....	1	1	-	-	-	-	-	-	-	-	-
1994.....	2	-	-	-	-	-	-	-	1	-	1
1992.....	1	-	-	-	-	-	-	-	-	-	-
1988.....	1	-	-	-	-	-	-	-	-	-	-
1986.....	2	-	-	-	-	1	-	-	-	-	-
1985.....	1	-	-	-	-	-	-	1	-	-	-
1984.....	2	-	-	-	-	-	-	-	1	-	-
1982.....	1	-	-	-	-	-	-	1	-	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
STREPTOCOCCAL SORE THROAT, SCARLATINA, AND ERYSIPELAS (034-035)											
BLACK, BOTH SEXES											
1998.....	1	-	-	-	-	-	-	1	-	-	-
1996.....	4	1	-	-	-	1	-	-	-	-	-
1994.....	2	-	-	-	-	-	-	-	1	-	1
1992.....	1	-	-	-	-	-	-	-	-	-	-
1990.....	2	1	-	-	-	1	-	-	-	-	-
1989.....	1	-	-	-	-	-	-	-	-	-	-
1988.....	1	-	-	-	-	-	-	-	-	-	-
1986.....	2	-	-	-	-	1	-	-	-	-	-
1985.....	1	-	-	-	-	-	-	1	-	-	-
1984.....	3	-	-	-	-	-	-	-	1	1	-
1982.....	2	-	-	-	-	-	-	1	-	-	-
1980.....	1	-	-	-	-	-	-	-	-	-	-
1979.....	2	-	-	-	1	-	-	-	-	-	1
BLACK MALE											
1998.....	1	-	-	-	-	-	-	1	-	-	-
1996.....	3	-	-	-	-	1	-	-	-	-	-
1990.....	2	1	-	-	-	1	-	-	-	-	-
1989.....	1	-	-	-	-	-	-	-	-	-	-
1984.....	1	-	-	-	-	-	-	-	-	1	-
1982.....	1	-	-	-	-	-	-	-	-	-	-
1980.....	1	-	-	-	-	-	-	-	-	-	-
1979.....	2	-	-	-	1	-	-	-	-	-	1
BLACK FEMALE											
1996.....	1	1	-	-	-	-	-	-	-	-	-
1994.....	2	-	-	-	-	-	-	-	1	-	1
1992.....	1	-	-	-	-	-	-	-	-	-	-
1988.....	1	-	-	-	-	-	-	-	-	-	-
1986.....	2	-	-	-	-	1	-	-	-	-	-
1985.....	1	-	-	-	-	-	-	1	-	-	-
1984.....	2	-	-	-	-	-	-	-	1	-	-
1982.....	1	-	-	-	-	-	-	1	-	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
MENINGOCOCCAL INFECTION (036)											
TOTAL, BOTH SEXES											
1998.....	234	23	33	14	18	33	17	9	13	9	8
1997.....	309	46	45	19	15	43	23	10	10	14	9
1996.....	290	39	41	17	23	39	18	10	6	13	10
1995.....	273	39	40	11	19	37	17	12	5	8	15
1994.....	276	45	55	13	13	28	21	8	2	12	10
1993.....	260	46	29	19	8	34	22	8	6	11	12
1992.....	201	34	39	9	7	27	13	2	4	7	8
1991.....	198	43	41	12	12	24	5	4	8	2	9
1990.....	215	50	38	11	7	20	12	7	8	5	9
1989.....	273	58	48	19	12	29	9	3	5	7	10
1988.....	278	72	68	10	9	16	8	12	8	8	9
1987.....	258	66	72	9	12	10	10	8	9	5	8
1986.....	286	62	64	11	9	25	13	15	9	9	7
1985.....	257	69	61	12	6	14	8	6	9	4	7
1984.....	300	66	70	15	7	28	16	9	7	5	5
1983.....	299	62	83	21	9	16	10	8	6	5	5
1982.....	364	95	78	13	6	31	19	8	12	17	12
1981.....	459	125	101	14	17	32	12	12	14	8	11
1980.....	387	77	110	19	15	28	10	21	8	4	7
1979.....	404	89	107	13	13	30	15	10	9	12	8
TOTAL, MALE											
1998.....	132	10	18	9	13	23	11	6	10	5	4
1997.....	152	26	24	9	6	21	16	4	6	10	4
1996.....	141	24	19	8	9	27	15	3	3	9	2
1995.....	137	30	18	5	10	20	11	8	4	5	7
1994.....	132	22	26	5	3	19	10	7	2	8	4
1993.....	124	21	17	9	3	17	13	7	3	8	9
1992.....	98	15	23	4	4	17	9	2	1	5	4
1991.....	103	26	21	7	8	13	3	1	6	1	4
1990.....	113	27	18	7	1	13	6	3	7	4	6
1989.....	127	28	23	11	3	16	7	-	4	2	5
1988.....	143	40	40	5	6	6	4	6	4	6	5
1987.....	137	42	40	6	4	4	8	6	2	3	5
1986.....	146	37	34	7	4	9	7	10	4	6	2
1985.....	127	45	33	2	4	7	7	4	2	2	4
1984.....	146	36	38	10	2	15	9	6	3	4	3
1983.....	157	38	49	12	5	8	5	7	3	2	2
1982.....	177	59	43	7	1	16	12	2	6	8	5
1981.....	233	71	55	9	6	18	8	7	9	3	5
1980.....	204	44	71	10	8	17	5	10	2	3	2
1979.....	234	56	68	8	5	16	14	4	7	6	4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
MENINGOCOCCAL INFECTION (036)											
TOTAL, FEMALE											
1998.....	102	13	15	5	5	10	6	3	3	4	4
1997.....	157	20	21	10	9	22	7	6	4	4	5
1996.....	149	15	22	9	14	12	3	7	3	4	8
1995.....	136	9	22	6	9	17	6	4	1	3	8
1994.....	144	23	29	8	10	9	11	1	-	4	6
1993.....	136	25	12	10	5	17	9	1	3	3	3
1992.....	103	19	16	5	3	10	4	-	3	2	4
1991.....	95	17	20	5	4	11	2	3	2	1	5
1990.....	102	23	20	4	6	7	6	4	1	1	3
1989.....	146	30	25	8	9	13	2	3	1	5	5
1988.....	135	32	28	5	3	10	4	6	4	2	4
1987.....	121	24	32	3	8	6	2	2	7	2	3
1986.....	140	25	30	4	5	16	6	5	5	3	5
1985.....	130	24	28	10	2	7	1	2	7	2	3
1984.....	154	30	32	5	5	13	7	3	4	1	2
1983.....	142	24	34	9	4	8	5	1	3	3	3
1982.....	187	36	35	6	5	15	7	6	6	9	7
1981.....	226	54	46	5	11	14	4	5	5	5	6
1980.....	183	33	39	9	7	11	5	11	6	1	5
1979.....	170	33	39	5	8	14	1	6	2	6	4
WHITE, BOTH SEXES											
1998.....	180	19	26	10	13	22	14	4	9	6	7
1997.....	236	37	33	15	10	37	13	2	8	9	7
1996.....	223	31	33	10	11	32	14	7	5	7	8
1995.....	207	31	27	5	11	30	13	7	5	4	11
1994.....	232	40	44	12	11	19	20	7	1	8	7
1993.....	201	37	22	13	6	28	14	3	4	11	9
1992.....	167	29	31	4	5	25	10	2	1	6	8
1991.....	165	34	38	9	7	20	3	4	7	2	8
1990.....	166	37	27	7	5	15	10	5	6	5	7
1989.....	214	43	36	11	8	21	8	2	5	6	8
1988.....	198	54	46	3	7	12	7	5	5	6	7
1987.....	192	54	46	6	9	7	7	6	4	4	7
1986.....	216	49	43	9	6	18	7	9	7	7	7
1985.....	210	54	50	7	5	11	7	6	9	3	6
1984.....	226	58	49	8	5	21	9	5	6	2	3
1983.....	229	50	63	15	7	13	8	3	3	1	2
1982.....	282	82	62	3	4	19	11	5	8	14	11
1981.....	380	107	79	9	13	27	12	9	10	6	9
1980.....	306	60	83	15	10	21	9	17	8	3	6
1979.....	310	79	80	8	9	23	7	8	5	8	4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
MENINGOCOCCAL INFECTION (036)											
WHITE MALE											
1998.....	98	7	14	5	9	16	8	3	8	5	4
1997.....	111	19	18	8	3	18	9	-	4	7	2
1996.....	103	19	12	6	3	21	12	3	3	5	1
1995.....	97	23	12	2	5	16	9	4	4	3	4
1994.....	107	20	18	5	2	12	10	6	1	6	4
1993.....	89	15	13	5	2	13	9	3	1	8	6
1992.....	79	14	17	1	4	15	6	2	-	4	4
1991.....	87	21	20	5	5	10	1	1	6	1	4
1990.....	80	20	11	4	1	8	4	2	5	4	5
1989.....	103	22	17	8	1	14	6	-	4	1	4
1988.....	102	31	26	2	5	3	4	2	2	4	5
1987.....	100	36	27	4	2	2	6	5	-	2	4
1986.....	113	31	23	5	2	6	4	8	3	5	2
1985.....	107	38	27	1	3	5	6	4	2	1	3
1984.....	107	31	28	7	2	10	5	4	2	2	1
1983.....	122	31	41	9	4	6	4	3	2	1	-
1982.....	132	51	34	1	-	8	7	2	4	6	5
1981.....	191	59	46	5	6	15	8	5	5	2	5
1980.....	158	35	55	9	5	13	4	7	2	2	1
1979.....	179	52	47	6	3	13	6	3	4	3	3
WHITE FEMALE											
1998.....	82	12	12	5	4	6	6	1	1	1	3
1997.....	125	18	15	7	7	19	4	2	4	2	5
1996.....	120	12	21	4	8	11	2	4	2	2	7
1995.....	110	8	15	3	6	14	4	3	1	1	7
1994.....	125	20	26	7	9	7	10	1	-	2	3
1993.....	112	22	9	8	4	15	5	-	3	3	3
1992.....	88	15	14	3	1	10	4	-	1	2	4
1991.....	78	13	18	4	2	10	2	3	1	1	4
1990.....	86	17	16	3	4	7	6	3	1	1	2
1989.....	111	21	19	3	7	7	2	2	1	5	4
1988.....	96	23	20	1	2	9	3	3	3	2	2
1987.....	92	18	19	2	7	5	1	1	4	2	3
1986.....	103	18	20	4	4	12	3	1	4	2	5
1985.....	103	16	23	6	2	6	1	2	7	2	3
1984.....	119	27	21	1	3	11	4	1	4	-	2
1983.....	107	19	22	6	3	7	4	-	1	-	2
1982.....	150	31	28	2	4	11	4	3	4	8	6
1981.....	189	48	33	4	7	12	4	4	5	4	4
1980.....	148	25	28	6	5	8	5	10	6	1	5
1979.....	131	27	33	2	6	10	1	5	1	5	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
MENINGOCOCCAL INFECTION (036)											
ALL OTHER, BOTH SEXES											
1998.....	54	4	7	4	5	11	3	5	4	3	1
1997.....	73	9	12	4	5	6	10	8	2	5	2
1996.....	67	8	8	7	12	7	4	3	1	6	2
1995.....	66	8	13	6	8	7	4	5	-	4	4
1994.....	44	5	11	1	2	9	1	1	1	4	3
1993.....	59	9	7	6	2	6	8	5	2	-	3
1992.....	34	5	8	5	2	2	3	-	3	1	-
1991.....	33	9	3	3	5	4	2	-	1	-	1
1990.....	49	13	11	4	2	5	2	2	2	-	2
1989.....	59	15	12	8	4	8	1	1	-	1	2
1988.....	80	18	22	7	2	4	1	7	3	2	2
1987.....	66	12	26	3	3	3	3	2	5	1	1
1986.....	70	13	21	2	3	7	6	6	2	2	-
1985.....	47	15	11	5	1	3	1	-	-	1	1
1984.....	74	8	21	7	2	7	7	4	1	3	2
1983.....	70	12	20	6	2	3	2	5	3	4	3
1982.....	82	13	16	10	2	12	8	3	4	3	1
1981.....	79	18	22	5	4	5	-	3	4	2	2
1980.....	81	17	27	4	5	7	1	4	-	1	1
1979.....	94	10	27	5	4	7	8	2	4	4	4
ALL OTHER MALE											
1998.....	34	3	4	4	4	7	3	3	2	-	-
1997.....	41	7	6	1	3	3	7	4	2	3	2
1996.....	38	5	7	2	6	6	3	-	-	4	1
1995.....	40	7	6	3	5	4	2	4	-	2	3
1994.....	25	2	8	-	1	7	-	1	1	2	-
1993.....	35	6	4	4	1	4	4	4	2	-	3
1992.....	19	1	6	3	-	2	3	-	1	1	-
1991.....	16	5	1	2	3	3	2	-	-	-	-
1990.....	33	7	7	3	-	5	2	1	2	-	1
1989.....	24	6	6	3	2	2	1	-	-	1	1
1988.....	41	9	14	3	1	3	-	4	2	2	-
1987.....	37	6	13	2	2	2	2	1	2	1	1
1986.....	33	6	11	2	2	3	3	2	1	1	-
1985.....	20	7	6	1	1	2	1	-	-	1	1
1984.....	39	5	10	3	-	5	4	2	1	2	2
1983.....	35	7	8	3	1	2	1	4	1	1	2
1982.....	45	8	9	6	1	8	5	-	2	2	-
1981.....	42	12	9	4	-	3	-	2	4	1	-
1980.....	46	9	16	1	3	4	1	3	-	1	1
1979.....	55	4	21	2	2	3	8	1	3	3	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
MENINGOCOCCAL INFECTION (036)											
ALL OTHER FEMALE											
1998.....	20	1	3	-	1	4	-	2	2	3	1
1997.....	32	2	6	3	2	3	3	4	-	2	-
1996.....	29	3	1	5	6	1	1	3	1	2	1
1995.....	26	1	7	3	3	3	2	1	-	2	1
1994.....	19	3	3	1	1	2	1	-	-	2	3
1993.....	24	3	3	2	1	2	4	1	-	-	-
1992.....	15	4	2	2	2	-	-	-	2	-	-
1991.....	17	4	2	1	2	1	-	-	1	-	1
1990.....	16	6	4	1	2	-	-	1	-	-	1
1989.....	35	9	6	5	2	6	-	1	-	-	1
1988.....	39	9	8	4	1	1	1	3	1	-	2
1987.....	29	6	13	1	1	1	1	1	3	-	-
1986.....	37	7	10	-	1	4	3	4	1	1	-
1985.....	27	8	5	4	-	1	-	-	-	-	-
1984.....	35	3	11	4	2	2	3	2	-	1	-
1983.....	35	5	12	3	1	1	1	1	2	3	1
1982.....	37	5	7	4	1	4	3	3	2	1	1
1981.....	37	6	13	1	4	2	-	1	-	1	2
1980.....	35	8	11	3	2	3	-	1	-	-	-
1979.....	39	6	6	3	2	4	-	1	1	1	3
BLACK, BOTH SEXES											
1998.....	51	2	7	4	4	11	3	5	4	3	1
1997.....	63	8	11	3	5	4	9	6	1	5	2
1996.....	58	5	7	7	11	7	4	3	1	5	2
1995.....	57	7	12	6	6	6	3	3	-	3	4
1994.....	36	5	10	1	1	7	-	1	1	3	2
1993.....	49	8	7	5	1	4	8	4	1	-	3
1992.....	31	5	6	5	2	2	3	-	2	1	-
1991.....	29	9	3	3	4	4	1	-	1	-	-
1990.....	43	11	9	4	2	5	2	2	2	-	2
1989.....	50	12	10	8	4	6	1	1	-	1	2
1988.....	71	16	19	7	2	4	1	6	2	1	1
1987.....	65	11	26	3	3	3	3	2	5	1	1
1986.....	66	11	20	2	3	7	6	5	2	2	-
1985.....	44	14	10	5	1	3	1	-	-	1	1
1984.....	70	7	19	7	1	7	7	4	1	3	2
1983.....	67	11	18	6	2	3	2	5	3	4	3
1982.....	75	10	15	10	2	12	7	3	4	2	1
1981.....	75	16	21	5	4	5	-	3	4	2	2
1980.....	72	14	23	3	5	7	1	4	-	1	1
1979.....	83	10	25	5	4	7	8	2	2	3	3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
MENINGOCOCCAL INFECTION (036)											
BLACK MALE											
1998.....	32	2	4	4	3	7	3	3	2	-	-
1997.....	35	6	5	1	3	2	6	3	1	3	2
1996.....	35	3	6	2	6	6	3	-	-	4	1
1995.....	34	6	5	3	4	3	2	3	-	1	3
1994.....	20	2	7	-	-	5	-	1	1	1	-
1993.....	28	6	4	4	-	2	4	3	1	-	3
1992.....	18	1	5	3	-	2	3	-	1	1	-
1991.....	15	5	1	2	3	3	1	-	-	-	-
1990.....	28	6	5	3	-	5	2	1	2	-	1
1989.....	22	6	5	3	2	2	1	-	-	1	1
1988.....	37	8	12	3	1	3	-	4	2	1	-
1987.....	36	5	13	2	2	2	2	1	2	1	1
1986.....	31	5	10	2	2	3	3	2	1	1	-
1985.....	19	7	5	1	1	2	1	-	-	1	1
1984.....	37	4	9	3	-	5	4	2	1	2	2
1983.....	33	6	7	3	1	2	1	4	1	1	2
1982.....	44	7	9	6	1	8	5	-	2	2	-
1981.....	40	11	8	4	-	3	-	2	4	1	-
1980.....	41	6	14	1	3	4	1	3	-	1	1
1979.....	49	4	19	2	2	3	8	1	2	2	-
BLACK FEMALE											
1998.....	19	-	3	-	1	4	-	2	2	3	1
1997.....	28	2	6	2	2	2	3	3	-	2	-
1996.....	23	2	1	5	5	1	1	3	1	1	1
1995.....	23	1	7	3	2	3	1	-	-	2	1
1994.....	16	3	3	1	1	2	-	-	-	2	2
1993.....	21	2	3	1	1	2	4	1	-	-	-
1992.....	13	4	1	2	2	-	-	-	1	-	-
1991.....	14	4	2	1	1	1	-	-	1	-	-
1990.....	15	5	4	1	2	-	-	1	-	-	1
1989.....	28	6	5	5	2	4	-	1	-	-	1
1988.....	34	8	7	4	1	1	1	2	-	-	1
1987.....	29	6	13	1	1	1	1	1	3	-	-
1986.....	35	6	10	-	1	4	3	3	1	1	-
1985.....	25	7	5	4	-	1	-	-	-	-	-
1984.....	33	3	10	4	1	2	3	2	-	1	-
1983.....	34	5	11	3	1	1	1	1	2	3	1
1982.....	31	3	6	4	1	4	2	3	2	-	1
1981.....	35	5	13	1	4	2	-	1	-	1	2
1980.....	31	8	9	2	2	3	-	1	-	-	-
1979.....	34	6	6	3	2	4	-	1	-	1	3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 TETANUS (037)											
ALL OTHER FEMALE											
1995.....	2	-	-	-	-	-	-	-	-	-	-
1994.....	3	-	-	-	-	-	-	-	-	-	-
1993.....	1	-	-	-	-	-	-	-	-	-	-
1992.....	1	-	-	-	-	-	-	-	-	-	-
1991.....	1	-	-	-	-	-	-	-	-	-	-
1990.....	1	-	-	-	-	-	-	-	-	-	-
1989.....	1	-	-	-	-	-	-	-	-	-	-
1988.....	2	-	-	-	-	-	-	-	-	-	-
1987.....	5	-	-	-	-	-	-	-	-	-	-
1986.....	8	-	-	-	-	-	-	-	-	-	-
1985.....	1	-	-	-	-	-	-	-	-	-	-
1984.....	2	-	-	-	-	-	-	-	-	-	-
1983.....	3	-	-	-	-	-	-	-	1	-	-
1982.....	4	-	-	-	-	-	-	-	-	-	-
1981.....	1	-	-	-	-	-	-	-	-	-	-
1980.....	7	-	-	-	-	-	-	-	1	-	-
1979.....	9	-	-	-	-	-	-	-	1	-	-
BLACK, BOTH SEXES											
1998.....	1	-	-	-	-	-	-	-	-	-	-
1995.....	2	-	-	-	-	-	-	-	-	-	-
1994.....	3	-	-	-	-	-	-	-	-	-	-
1993.....	2	-	-	-	-	-	-	-	-	-	-
1992.....	3	-	-	-	-	-	-	-	1	-	-
1991.....	3	-	-	-	-	-	-	-	1	-	-
1990.....	3	-	-	-	-	-	-	-	-	-	-
1989.....	2	-	-	-	-	-	-	-	-	-	-
1988.....	2	-	-	-	-	-	-	-	-	-	-
1987.....	6	-	-	-	-	-	-	-	-	-	-
1986.....	12	-	-	-	-	-	-	-	-	-	-
1985.....	7	-	-	-	-	-	-	-	-	-	-
1984.....	6	-	-	-	-	-	-	-	-	-	1
1983.....	9	-	-	-	-	-	-	-	1	-	-
1982.....	4	-	-	-	-	-	-	-	-	-	-
1981.....	4	-	-	-	-	-	-	-	-	-	1
1980.....	10	-	-	-	-	-	-	-	1	-	-
1979.....	12	-	-	-	-	-	-	-	1	-	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 TETANUS (037)											
BLACK MALE											
1998.....	1	-	-	-	-	-	-	-	-	-	-
1993.....	1	-	-	-	-	-	-	-	-	-	-
1992.....	2	-	-	-	-	-	-	-	1	-	-
1991.....	2	-	-	-	-	-	-	-	1	-	-
1990.....	2	-	-	-	-	-	-	-	-	-	-
1989.....	1	-	-	-	-	-	-	-	-	-	-
1987.....	1	-	-	-	-	-	-	-	-	-	-
1986.....	4	-	-	-	-	-	-	-	-	-	-
1985.....	6	-	-	-	-	-	-	-	-	-	-
1984.....	4	-	-	-	-	-	-	-	-	-	1
1983.....	6	-	-	-	-	-	-	-	-	-	-
1982.....	1	-	-	-	-	-	-	-	-	-	-
1981.....	3	-	-	-	-	-	-	-	-	-	1
1980.....	3	-	-	-	-	-	-	-	-	-	-
1979.....	5	-	-	-	-	-	-	-	-	-	1
BLACK FEMALE											
1995.....	2	-	-	-	-	-	-	-	-	-	-
1994.....	3	-	-	-	-	-	-	-	-	-	-
1993.....	1	-	-	-	-	-	-	-	-	-	-
1992.....	1	-	-	-	-	-	-	-	-	-	-
1991.....	1	-	-	-	-	-	-	-	-	-	-
1990.....	1	-	-	-	-	-	-	-	-	-	-
1989.....	1	-	-	-	-	-	-	-	-	-	-
1988.....	2	-	-	-	-	-	-	-	-	-	-
1987.....	5	-	-	-	-	-	-	-	-	-	-
1986.....	8	-	-	-	-	-	-	-	-	-	-
1985.....	1	-	-	-	-	-	-	-	-	-	-
1984.....	2	-	-	-	-	-	-	-	-	-	-
1983.....	3	-	-	-	-	-	-	-	1	-	-
1982.....	3	-	-	-	-	-	-	-	-	-	-
1981.....	1	-	-	-	-	-	-	-	-	-	-
1980.....	7	-	-	-	-	-	-	-	1	-	-
1979.....	7	-	-	-	-	-	-	-	1	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR SEPTICEMIA (038)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
TOTAL, BOTH SEXES											
1998.....	23,731	216	89	25	31	38	66	97	160	267	404
1997.....	22,396	196	73	34	18	39	47	82	153	267	367
1996.....	21,423	199	83	28	13	28	41	83	183	242	384
1995.....	20,965	221	80	30	27	39	46	93	176	268	373
1994.....	20,360	222	91	26	25	28	47	82	199	244	351
1993.....	20,634	233	96	36	24	25	39	103	171	288	321
1992.....	19,667	225	77	24	21	28	58	101	174	258	331
1991.....	19,691	265	91	23	14	33	49	117	172	257	348
1990.....	19,169	267	100	32	14	28	56	110	193	252	305
1989.....	19,333	290	94	16	17	35	52	122	200	274	327
1988.....	20,925	245	89	29	22	46	51	98	188	238	305
1987.....	19,916	254	90	28	22	45	61	115	178	219	277
1986.....	18,795	302	90	23	21	38	49	92	163	209	253
1985.....	17,182	303	92	22	19	36	50	95	139	173	212
1984.....	15,028	296	76	27	16	22	76	91	122	163	198
1983.....	13,394	303	81	18	16	39	47	82	83	118	153
1982.....	11,493	274	81	15	13	33	39	70	96	110	147
1981.....	10,443	301	94	15	13	33	46	84	109	121	138
1980.....	9,438	242	71	21	17	30	51	72	65	113	119
1979.....	8,024	262	63	21	18	37	47	53	76	78	121
TOTAL, MALE											
1998.....	10,225	111	54	15	13	24	38	44	77	143	229
1997.....	9,655	119	38	15	7	27	21	46	75	129	194
1996.....	9,246	114	47	14	5	14	22	40	111	140	236
1995.....	8,991	112	38	19	15	19	17	53	97	149	206
1994.....	8,810	115	45	12	13	15	20	43	118	142	220
1993.....	8,916	120	51	13	13	9	21	57	107	158	199
1992.....	8,527	123	33	11	8	15	30	58	100	145	207
1991.....	8,610	143	53	11	6	14	22	63	93	155	224
1990.....	8,542	149	63	20	7	15	28	61	125	168	194
1989.....	8,489	161	50	7	8	14	28	71	114	173	195
1988.....	9,132	135	48	12	9	20	22	52	108	146	174
1987.....	8,969	141	49	15	13	21	29	58	105	126	173
1986.....	8,786	179	50	16	10	22	20	56	89	121	133
1985.....	8,017	178	57	10	7	12	22	48	70	107	123
1984.....	7,068	172	35	16	7	12	36	56	73	94	108
1983.....	6,417	179	49	9	9	20	26	35	42	68	97
1982.....	5,469	156	41	5	8	15	15	26	51	56	75
1981.....	5,047	158	46	10	9	11	19	44	64	63	76
1980.....	4,684	151	43	14	6	15	26	35	37	58	61
1979.....	3,972	139	34	12	8	20	25	29	41	38	58

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR SEPTICEMIA (038)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
TOTAL, FEMALE											
1998.....	13,506	105	35	10	18	14	28	53	83	124	175
1997.....	12,741	77	35	19	11	12	26	36	78	138	173
1996.....	12,177	85	36	14	8	14	19	43	72	102	148
1995.....	11,974	109	42	11	12	20	29	40	79	119	167
1994.....	11,550	107	46	14	12	13	27	39	81	102	131
1993.....	11,718	113	45	23	11	16	18	46	64	130	122
1992.....	11,140	102	44	13	13	13	28	43	74	113	124
1991.....	11,081	122	38	12	8	19	27	54	79	102	124
1990.....	10,627	118	37	12	7	13	28	49	68	84	111
1989.....	10,844	129	44	9	9	21	24	51	86	101	132
1988.....	11,793	110	41	17	13	26	29	46	80	92	131
1987.....	10,947	113	41	13	9	24	32	57	73	93	104
1986.....	10,009	123	40	7	11	16	29	36	74	88	120
1985.....	9,165	125	35	12	12	24	28	47	69	66	89
1984.....	7,960	124	41	11	9	10	40	35	49	69	90
1983.....	6,977	124	32	9	7	19	21	47	41	50	56
1982.....	6,024	118	40	10	5	18	24	44	45	54	72
1981.....	5,396	143	48	5	4	22	27	40	45	58	62
1980.....	4,754	91	28	7	11	15	25	37	28	55	58
1979.....	4,052	123	29	9	10	17	22	24	35	40	63
WHITE, BOTH SEXES											
1998.....	18,855	121	64	15	24	23	46	57	97	173	264
1997.....	17,832	125	48	24	12	22	30	48	100	158	221
1996.....	17,130	116	52	22	9	14	29	53	112	141	217
1995.....	16,784	127	55	19	17	21	30	56	107	159	224
1994.....	16,452	139	57	20	20	22	30	47	121	149	213
1993.....	16,696	146	66	24	20	15	23	66	109	171	193
1992.....	15,792	126	53	16	18	15	31	72	107	159	180
1991.....	15,884	148	64	14	8	23	28	72	92	142	204
1990.....	15,456	156	75	23	9	18	36	77	114	143	173
1989.....	15,557	173	61	12	14	24	34	72	114	155	206
1988.....	16,943	155	61	24	17	33	32	65	118	144	176
1987.....	15,936	148	62	21	16	27	36	79	87	122	173
1986.....	15,156	189	66	14	17	31	32	47	99	133	153
1985.....	13,740	191	66	17	11	31	34	53	80	103	141
1984.....	11,976	182	50	15	12	17	59	61	66	107	112
1983.....	10,696	199	57	12	12	29	35	47	40	76	95
1982.....	9,192	170	63	12	8	22	27	39	56	64	88
1981.....	8,311	179	61	12	11	24	32	54	63	78	75
1980.....	7,461	147	52	16	14	23	32	53	43	73	74
1979.....	6,376	159	41	14	12	30	40	41	48	48	77

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR SEPTICEMIA (038)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
WHITE MALE											
1998.....	8,114	56	40	12	10	15	29	26	52	98	158
1997.....	7,633	74	28	10	5	17	14	30	50	82	118
1996.....	7,247	62	32	11	3	8	15	27	68	77	135
1995.....	7,040	66	24	12	9	10	11	29	60	90	118
1994.....	7,018	76	26	9	10	11	12	25	72	87	130
1993.....	7,087	75	34	9	11	5	12	39	73	96	116
1992.....	6,735	71	21	8	7	9	18	44	70	90	112
1991.....	6,812	82	37	5	4	9	12	36	47	93	134
1990.....	6,786	89	44	14	4	11	20	39	74	98	114
1989.....	6,728	101	37	5	7	9	20	42	69	101	119
1988.....	7,270	91	32	11	7	17	16	40	64	92	101
1987.....	7,096	76	34	14	7	14	16	42	56	70	101
1986.....	6,962	103	34	8	6	17	14	29	61	81	76
1985.....	6,321	113	42	7	4	10	16	29	40	65	80
1984.....	5,602	107	22	10	6	8	29	40	38	62	59
1983.....	5,119	120	36	8	7	18	23	19	17	51	61
1982.....	4,357	93	31	5	4	11	9	15	32	30	51
1981.....	4,003	105	28	8	7	8	13	28	38	37	41
1980.....	3,672	102	31	11	4	11	15	26	21	34	36
1979.....	3,121	84	18	9	5	17	22	22	25	22	39
WHITE FEMALE											
1998.....	10,741	65	24	3	14	8	17	31	45	75	106
1997.....	10,199	51	20	14	7	5	16	18	50	76	103
1996.....	9,883	54	20	11	6	6	14	26	44	64	82
1995.....	9,744	61	31	7	8	11	19	27	47	69	106
1994.....	9,434	63	31	11	10	11	18	22	49	62	83
1993.....	9,609	71	32	15	9	10	11	27	36	75	77
1992.....	9,057	55	32	8	11	6	13	28	37	69	68
1991.....	9,072	66	27	9	4	14	16	36	45	49	70
1990.....	8,670	67	31	9	5	7	16	38	40	45	59
1989.....	8,829	72	24	7	7	15	14	30	45	54	87
1988.....	9,673	64	29	13	10	16	16	25	54	52	75
1987.....	8,840	72	28	7	9	13	20	37	31	52	72
1986.....	8,194	86	32	6	11	14	18	18	38	52	77
1985.....	7,419	78	24	10	7	21	18	24	40	38	61
1984.....	6,374	75	28	5	6	9	30	21	28	45	53
1983.....	5,577	79	21	4	5	11	12	28	23	25	34
1982.....	4,835	77	32	7	4	11	18	24	24	34	37
1981.....	4,308	74	33	4	4	16	19	26	25	41	34
1980.....	3,789	45	21	5	10	12	17	27	22	39	38
1979.....	3,255	75	23	5	7	13	18	19	23	26	38

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR SEPTICEMIA (038)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER, BOTH SEXES											
1998.....	4,876	95	25	10	7	15	20	40	63	94	140
1997.....	4,564	71	25	10	6	17	17	34	53	109	146
1996.....	4,293	83	31	6	4	14	12	30	71	101	167
1995.....	4,181	94	25	11	10	18	16	37	69	109	149
1994.....	3,908	83	34	6	5	6	17	35	78	95	138
1993.....	3,938	87	30	12	4	10	16	37	62	117	128
1992.....	3,875	99	24	8	3	13	27	29	67	99	151
1991.....	3,807	117	27	9	6	10	21	45	80	115	144
1990.....	3,713	111	25	9	5	10	20	33	79	109	132
1989.....	3,776	117	33	4	3	11	18	50	86	119	121
1988.....	3,982	90	28	5	5	13	19	33	70	94	129
1987.....	3,980	106	28	7	6	18	25	36	91	97	104
1986.....	3,639	113	24	9	4	7	17	45	64	76	100
1985.....	3,442	112	26	5	8	5	16	42	59	70	71
1984.....	3,052	114	26	12	4	5	17	30	56	56	86
1983.....	2,698	104	24	6	4	10	12	35	43	42	58
1982.....	2,301	104	18	3	5	11	12	31	40	46	59
1981.....	2,132	122	33	3	2	9	14	30	46	43	63
1980.....	1,977	95	19	5	3	7	19	19	22	40	45
1979.....	1,648	103	22	7	6	7	7	12	28	30	44
ALL OTHER MALE											
1998.....	2,111	55	14	3	3	9	9	18	25	45	71
1997.....	2,022	45	10	5	2	10	7	16	25	47	76
1996.....	1,999	52	15	3	2	6	7	13	43	63	101
1995.....	1,951	46	14	7	6	9	6	24	37	59	88
1994.....	1,792	39	19	3	3	4	8	18	46	55	90
1993.....	1,829	45	17	4	2	4	9	18	34	62	83
1992.....	1,792	52	12	3	1	6	12	14	30	55	95
1991.....	1,798	61	16	6	2	5	10	27	46	62	90
1990.....	1,756	60	19	6	3	4	8	22	51	70	80
1989.....	1,761	60	13	2	1	5	8	29	45	72	76
1988.....	1,862	44	16	1	2	3	6	12	44	54	73
1987.....	1,873	65	15	1	6	7	13	16	49	56	72
1986.....	1,824	76	16	8	4	5	6	27	28	40	57
1985.....	1,696	65	15	3	3	2	6	19	30	42	43
1984.....	1,466	65	13	6	1	4	7	16	35	32	49
1983.....	1,298	59	13	1	2	2	3	16	25	17	36
1982.....	1,112	63	10	-	4	4	6	11	19	26	24
1981.....	1,044	53	18	2	2	3	6	16	26	26	35
1980.....	1,012	49	12	3	2	4	11	9	16	24	25
1979.....	851	55	16	3	3	3	3	7	16	16	19

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR SEPTICEMIA (038)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER FEMALE											
1998.....	2,765	40	11	7	4	6	11	22	38	49	69
1997.....	2,542	26	15	5	4	7	10	18	28	62	70
1996.....	2,294	31	16	3	2	8	5	17	28	38	66
1995.....	2,230	48	11	4	4	9	10	13	32	50	61
1994.....	2,116	44	15	3	2	2	9	17	32	40	48
1993.....	2,109	42	13	8	2	6	7	19	28	55	45
1992.....	2,083	47	12	5	2	7	15	15	37	44	56
1991.....	2,009	56	11	3	4	5	11	18	34	53	54
1990.....	1,957	51	6	3	2	6	12	11	28	39	52
1989.....	2,015	57	20	2	2	6	10	21	41	47	45
1988.....	2,120	46	12	4	3	10	13	21	26	40	56
1987.....	2,107	41	13	6	-	11	12	20	42	41	32
1986.....	1,815	37	8	1	-	2	11	18	36	36	43
1985.....	1,746	47	11	2	5	3	10	23	29	28	28
1984.....	1,586	49	13	6	3	1	10	14	21	24	37
1983.....	1,400	45	11	5	2	8	9	19	18	25	22
1982.....	1,189	41	8	3	1	7	6	20	21	20	35
1981.....	1,088	69	15	1	-	6	8	14	20	17	28
1980.....	965	46	7	2	1	3	8	10	6	16	20
1979.....	797	48	6	4	3	4	4	5	12	14	25
BLACK, BOTH SEXES											
1998.....	4,487	81	23	10	6	14	17	36	58	87	133
1997.....	4,241	68	22	8	5	15	16	32	49	107	138
1996.....	3,996	74	27	5	4	9	12	27	66	97	159
1995.....	3,845	83	22	6	10	15	13	35	64	102	142
1994.....	3,639	77	30	4	5	6	17	35	71	93	132
1993.....	3,632	82	27	9	2	9	14	35	58	106	121
1992.....	3,607	97	23	7	3	12	26	28	62	95	140
1991.....	3,535	106	24	8	5	9	20	43	74	108	140
1990.....	3,465	100	20	8	4	10	18	30	76	104	126
1989.....	3,555	110	28	3	2	11	17	44	85	116	115
1988.....	3,740	82	25	5	5	11	19	33	66	87	125
1987.....	3,748	99	23	5	6	17	23	34	88	92	100
1986.....	3,417	104	21	8	4	5	16	44	63	74	96
1985.....	3,257	109	23	5	6	5	16	41	57	67	69
1984.....	2,897	100	24	11	3	4	16	26	54	53	78
1983.....	2,550	96	21	6	4	10	11	34	42	41	54
1982.....	2,162	95	17	3	5	10	11	29	39	43	55
1981.....	2,028	111	32	2	2	8	14	29	46	40	61
1980.....	1,877	81	16	4	3	7	17	16	22	39	41
1979.....	1,561	96	19	7	6	7	7	9	26	28	42

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR SEPTICEMIA (038)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
BLACK MALE											
1998.....	1,923	45	13	3	3	9	8	16	24	40	70
1997.....	1,871	44	9	5	2	8	6	14	24	47	70
1996.....	1,844	48	13	2	2	4	7	12	39	61	97
1995.....	1,779	39	12	3	6	8	4	24	36	57	81
1994.....	1,659	37	15	1	3	4	8	18	41	53	86
1993.....	1,673	43	14	3	2	4	9	16	31	58	78
1992.....	1,668	51	12	3	1	5	11	13	29	53	89
1991.....	1,656	58	14	5	2	4	9	26	43	60	86
1990.....	1,624	55	15	5	3	4	7	19	49	68	75
1989.....	1,643	54	12	1	1	5	7	26	45	70	71
1988.....	1,729	37	15	1	2	3	6	12	44	50	71
1987.....	1,760	63	10	1	6	6	13	16	47	53	71
1986.....	1,697	70	14	7	4	4	5	26	28	39	55
1985.....	1,595	63	14	3	2	2	6	18	29	41	43
1984.....	1,383	60	12	6	1	3	7	15	33	30	46
1983.....	1,221	56	11	1	2	2	3	16	24	17	36
1982.....	1,046	57	9	-	4	4	6	11	19	25	20
1981.....	987	48	17	2	2	2	6	16	26	25	33
1980.....	958	40	9	3	2	4	10	7	16	24	24
1979.....	797	51	13	3	3	3	3	5	15	16	17
BLACK FEMALE											
1998.....	2,564	36	10	7	3	5	9	20	34	47	63
1997.....	2,370	24	13	3	3	7	10	18	25	60	68
1996.....	2,152	26	14	3	2	5	5	15	27	36	62
1995.....	2,066	44	10	3	4	7	9	11	28	45	61
1994.....	1,980	40	15	3	2	2	9	17	30	40	46
1993.....	1,959	39	13	6	-	5	5	19	27	48	43
1992.....	1,939	46	11	4	2	7	15	15	33	42	51
1991.....	1,879	48	10	3	3	5	11	17	31	48	54
1990.....	1,841	45	5	3	1	6	11	11	27	36	51
1989.....	1,912	56	16	2	1	6	10	18	40	46	44
1988.....	2,011	45	10	4	3	8	13	21	22	37	54
1987.....	1,988	36	13	4	-	11	10	18	41	39	29
1986.....	1,720	34	7	1	-	1	11	18	35	35	41
1985.....	1,662	46	9	2	4	3	10	23	28	26	26
1984.....	1,514	40	12	5	2	1	9	11	21	23	32
1983.....	1,329	40	10	5	2	8	8	18	18	24	18
1982.....	1,116	38	8	3	1	6	5	18	20	18	35
1981.....	1,041	63	15	-	-	6	8	13	20	15	28
1980.....	919	41	7	1	1	3	7	9	6	15	17
1979.....	764	45	6	4	3	4	4	4	11	12	25

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER BACTERIAL DISEASES (020-022,024-031,039-041)											
TOTAL, BOTH SEXES											
1998.....	1,089	24	4	2	5	4	9	7	23	25	46
1997.....	1,077	21	6	3	6	7	5	16	21	35	32
1996.....	1,101	17	6	2	2	13	7	25	44	45	49
1995.....	1,068	12	6	12	5	3	12	24	50	51	46
1994.....	1,059	13	7	5	11	5	9	23	45	66	49
1993.....	1,096	13	8	5	5	7	7	35	52	69	49
1992.....	1,043	14	7	1	5	4	3	22	62	65	58
1991.....	1,031	20	3	7	4	3	6	22	70	58	63
1990.....	1,003	12	8	1	3	9	10	34	54	53	50
1989.....	907	16	6	5	2	2	8	23	38	34	41
1988.....	792	14	11	8	3	7	10	24	33	34	25
1987.....	797	20	10	1	2	6	13	25	36	25	33
1986.....	1,065	11	8	1	5	8	18	65	90	81	62
1985.....	946	24	14	5	1	9	9	35	54	71	36
1984.....	775	12	5	-	4	9	11	25	41	26	24
1983.....	703	19	4	4	4	3	11	13	25	22	22
1982.....	637	16	10	3	4	5	12	17	9	15	22
1981.....	584	14	3	2	3	8	8	11	6	15	15
1980.....	561	20	7	4	-	7	7	11	11	6	11
1979.....	448	14	10	3	-	3	3	4	6	5	10
TOTAL, MALE											
1998.....	526	15	4	-	1	2	4	4	13	15	25
1997.....	535	13	5	2	4	1	2	5	12	22	21
1996.....	583	7	2	2	1	2	2	10	32	34	31
1995.....	599	5	5	5	2	1	7	18	37	37	36
1994.....	583	7	4	2	8	2	4	12	34	47	34
1993.....	620	8	5	2	2	2	1	29	38	55	35
1992.....	590	9	4	-	1	2	1	16	50	47	49
1991.....	638	13	1	3	2	2	5	17	56	50	53
1990.....	579	11	4	-	-	3	1	22	46	44	41
1989.....	515	8	5	3	1	1	7	17	29	24	30
1988.....	451	8	6	-	3	-	6	18	27	25	16
1987.....	438	12	6	-	1	2	6	17	28	15	20
1986.....	698	8	4	-	1	2	11	55	78	74	53
1985.....	555	10	5	2	1	2	7	24	42	62	32
1984.....	454	7	1	-	3	8	6	15	32	16	19
1983.....	378	14	2	3	2	1	2	6	11	14	15
1982.....	347	5	5	1	2	2	2	8	4	7	12
1981.....	287	4	2	1	1	-	2	4	2	6	7
1980.....	315	13	4	2	-	-	2	4	5	4	8
1979.....	237	5	7	1	-	3	3	4	1	2	5

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER BACTERIAL DISEASES (020-022,024-031,039-041)											
TOTAL, FEMALE											
1998.....	563	9	-	2	4	2	5	3	10	10	21
1997.....	542	8	1	1	2	6	3	11	9	13	11
1996.....	518	10	4	-	1	11	5	15	12	11	18
1995.....	469	7	1	7	3	2	5	6	13	14	10
1994.....	476	6	3	3	3	3	5	11	11	19	15
1993.....	476	5	3	3	3	5	6	6	14	14	14
1992.....	453	5	3	1	4	2	2	6	12	18	9
1991.....	393	7	2	4	2	1	1	5	14	8	10
1990.....	424	1	4	1	3	6	9	12	8	9	9
1989.....	392	8	1	2	1	1	1	6	9	10	11
1988.....	341	6	5	8	-	7	4	6	6	9	9
1987.....	359	8	4	1	1	4	7	8	8	10	13
1986.....	367	3	4	1	4	6	7	10	12	7	9
1985.....	391	14	9	3	-	7	2	11	12	9	4
1984.....	321	5	4	-	1	1	5	10	9	10	5
1983.....	325	5	2	1	2	2	9	7	14	8	7
1982.....	290	11	5	2	2	3	10	9	5	8	10
1981.....	297	10	1	1	2	8	6	7	4	9	8
1980.....	246	7	3	2	-	7	5	7	6	2	3
1979.....	211	9	3	2	-	-	-	-	5	3	5
WHITE, BOTH SEXES											
1998.....	891	16	3	2	2	3	8	5	16	15	31
1997.....	884	10	5	3	4	5	3	10	13	20	22
1996.....	887	9	3	-	1	11	5	16	30	29	30
1995.....	887	5	3	6	5	2	9	10	32	40	35
1994.....	859	10	1	3	11	3	7	15	29	47	28
1993.....	889	8	6	5	4	6	5	20	31	52	31
1992.....	845	4	5	-	3	4	1	16	46	48	38
1991.....	838	13	3	6	3	3	4	13	46	34	42
1990.....	829	7	5	1	3	8	7	24	40	39	43
1989.....	758	10	4	5	2	2	3	19	28	17	30
1988.....	664	11	8	6	2	7	9	15	23	28	17
1987.....	661	13	9	1	-	3	10	18	29	13	23
1986.....	890	6	6	1	4	7	16	47	64	66	44
1985.....	799	17	13	5	1	7	6	28	37	57	33
1984.....	653	8	5	-	3	6	10	20	29	20	18
1983.....	581	12	3	2	4	1	10	11	21	17	13
1982.....	516	9	7	2	2	5	10	13	8	12	13
1981.....	481	9	3	2	1	8	7	8	6	9	10
1980.....	476	17	6	3	-	6	6	11	8	4	8
1979.....	394	10	9	2	-	2	3	3	5	4	8

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER BACTERIAL DISEASES (020-022,024-031,039-041)											
WHITE MALE											
1998.....	433	9	3	-	-	2	3	3	10	9	19
1997.....	428	6	5	2	2	-	1	3	6	13	14
1996.....	456	5	1	-	-	1	2	7	20	23	17
1995.....	504	3	2	2	2	-	5	9	27	30	28
1994.....	464	4	-	-	8	1	4	7	21	39	22
1993.....	491	5	4	2	2	2	-	16	24	44	22
1992.....	466	2	3	-	-	2	-	12	41	36	31
1991.....	509	9	1	2	1	2	3	9	38	31	34
1990.....	477	6	4	-	-	3	1	14	34	33	37
1989.....	424	6	4	3	1	1	2	15	22	12	23
1988.....	370	7	6	-	2	-	5	12	19	20	11
1987.....	359	8	5	-	-	2	5	12	25	7	16
1986.....	572	5	3	-	1	2	10	41	58	61	40
1985.....	470	7	4	2	1	1	4	19	30	50	29
1984.....	376	5	1	-	2	5	5	11	23	12	14
1983.....	304	9	2	1	2	-	2	5	8	10	7
1982.....	277	4	5	1	1	2	1	6	3	4	6
1981.....	238	1	2	1	-	-	2	3	2	3	5
1980.....	265	12	4	2	-	-	1	4	3	2	6
1979.....	210	3	7	-	-	2	3	3	1	2	4
WHITE FEMALE											
1998.....	458	7	-	2	2	1	5	2	6	6	12
1997.....	456	4	-	1	2	5	2	7	7	7	8
1996.....	431	4	2	-	1	10	3	9	10	6	13
1995.....	383	2	1	4	3	2	4	1	5	10	7
1994.....	395	6	1	3	3	2	3	8	8	8	6
1993.....	398	3	2	3	2	4	5	4	7	8	9
1992.....	379	2	2	-	3	2	1	4	5	12	7
1991.....	329	4	2	4	2	1	1	4	8	3	8
1990.....	352	1	1	1	3	5	6	10	6	6	6
1989.....	334	4	-	2	1	1	1	4	6	5	7
1988.....	294	4	2	6	-	7	4	3	4	8	6
1987.....	302	5	4	1	-	1	5	6	4	6	7
1986.....	318	1	3	1	3	5	6	6	6	5	4
1985.....	329	10	9	3	-	6	2	9	7	7	4
1984.....	277	3	4	-	1	1	5	9	6	8	4
1983.....	277	3	1	1	2	1	8	6	13	7	6
1982.....	239	5	2	1	1	3	9	7	5	8	7
1981.....	243	8	1	1	1	8	5	5	4	6	5
1980.....	211	5	2	1	-	6	5	7	5	2	2
1979.....	184	7	2	2	-	-	-	-	4	2	4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER BACTERIAL DISEASES (020-022,024-031,039-041)											
ALL OTHER, BOTH SEXES											
1998.....	198	8	1	-	3	1	1	2	7	10	15
1997.....	193	11	1	-	2	2	2	6	8	15	10
1996.....	214	8	3	2	1	2	2	9	14	16	19
1995.....	181	7	3	6	-	1	3	14	18	11	11
1994.....	200	3	6	2	-	2	2	8	16	19	21
1993.....	207	5	2	-	1	1	2	15	21	17	18
1992.....	198	10	2	1	2	-	2	6	16	17	20
1991.....	193	7	-	1	1	-	2	9	24	24	21
1990.....	174	5	3	-	-	1	3	10	14	14	7
1989.....	149	6	2	-	-	-	5	4	10	17	11
1988.....	128	3	3	2	1	-	1	9	10	6	8
1987.....	136	7	1	-	2	3	3	7	7	12	10
1986.....	175	5	2	-	1	1	2	18	26	15	18
1985.....	147	7	1	-	-	2	3	7	17	14	3
1984.....	122	4	-	-	1	3	1	5	12	6	6
1983.....	122	7	1	2	-	2	1	2	4	5	9
1982.....	121	7	3	1	2	-	2	4	1	3	9
1981.....	103	5	-	-	2	-	1	3	-	6	5
1980.....	85	3	1	1	-	1	1	-	3	2	3
1979.....	54	4	1	1	-	1	-	1	1	1	2
ALL OTHER MALE											
1998.....	93	6	1	-	1	-	1	1	3	6	6
1997.....	107	7	-	-	2	1	1	2	6	9	7
1996.....	127	2	1	2	1	1	-	3	12	11	14
1995.....	95	2	3	3	-	1	2	9	10	7	8
1994.....	119	3	4	2	-	1	-	5	13	8	12
1993.....	129	3	1	-	-	-	1	13	14	11	13
1992.....	124	7	1	-	1	-	1	4	9	11	18
1991.....	129	4	-	1	1	-	2	8	18	19	19
1990.....	102	5	-	-	-	-	-	8	12	11	4
1989.....	91	2	1	-	-	-	5	2	7	12	7
1988.....	81	1	-	-	1	-	1	6	8	5	5
1987.....	79	4	1	-	1	-	1	5	3	8	4
1986.....	126	3	1	-	-	-	1	14	20	13	13
1985.....	85	3	1	-	-	1	3	5	12	12	3
1984.....	78	2	-	-	1	3	1	4	9	4	5
1983.....	74	5	-	2	-	1	-	1	3	4	8
1982.....	70	1	-	-	1	-	1	2	1	3	6
1981.....	49	3	-	-	1	-	-	1	-	3	2
1980.....	50	1	-	-	-	-	1	-	2	2	2
1979.....	27	2	-	1	-	1	-	1	-	-	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER BACTERIAL DISEASES (020-022,024-031,039-041)											
ALL OTHER FEMALE											
1998.....	105	2	-	-	2	1	-	1	4	4	9
1997.....	86	4	1	-	-	1	1	4	2	6	3
1996.....	87	6	2	-	-	1	2	6	2	5	5
1995.....	86	5	-	3	-	-	1	5	8	4	3
1994.....	81	-	2	-	-	1	2	3	3	11	9
1993.....	78	2	1	-	1	1	1	2	7	6	5
1992.....	74	3	1	1	1	-	1	2	7	6	2
1991.....	64	3	-	-	-	-	-	1	6	5	2
1990.....	72	-	3	-	-	1	3	2	2	3	3
1989.....	58	4	1	-	-	-	-	2	3	5	4
1988.....	47	2	3	2	-	-	-	3	2	1	3
1987.....	57	3	-	-	1	3	2	2	4	4	6
1986.....	49	2	1	-	1	1	1	4	6	2	5
1985.....	62	4	-	-	-	1	-	2	5	2	-
1984.....	44	2	-	-	-	-	-	1	3	2	1
1983.....	48	2	1	-	-	1	1	1	1	1	1
1982.....	51	6	3	1	1	-	1	2	-	-	3
1981.....	54	2	-	-	1	-	1	2	-	3	3
1980.....	35	2	1	1	-	1	-	-	1	-	1
1979.....	27	2	1	-	-	-	-	-	1	1	1
BLACK, BOTH SEXES											
1998.....	166	8	-	-	3	1	-	2	6	8	15
1997.....	169	10	1	-	2	-	2	6	6	14	10
1996.....	187	7	1	2	1	1	2	7	14	16	17
1995.....	157	6	3	6	-	1	3	13	18	10	10
1994.....	175	3	5	1	-	2	2	7	16	18	21
1993.....	192	5	2	-	1	1	2	14	21	15	18
1992.....	179	8	2	1	2	-	1	6	14	17	17
1991.....	173	4	-	-	1	-	2	9	24	24	21
1990.....	151	4	3	-	-	1	2	8	14	13	6
1989.....	136	6	2	-	-	-	5	4	10	17	10
1988.....	114	2	3	2	1	-	1	7	8	6	8
1987.....	122	6	-	-	1	3	3	6	6	12	9
1986.....	158	5	2	-	1	1	2	17	26	15	18
1985.....	132	5	1	-	-	2	3	6	17	14	3
1984.....	110	4	-	-	1	3	1	4	12	6	4
1983.....	110	5	1	1	-	1	1	2	4	5	8
1982.....	107	6	3	1	1	-	2	4	1	2	8
1981.....	86	4	-	-	1	-	1	-	-	5	5
1980.....	76	3	1	1	-	1	1	-	3	2	3
1979.....	48	4	1	1	-	-	-	1	1	1	2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER BACTERIAL DISEASES (020-022,024-031,039-041)											
BLACK MALE											
1998.....	83	6	-	-	1	-	-	1	3	5	6
1997.....	92	7	-	-	2	-	1	2	5	9	7
1996.....	110	2	-	2	1	-	-	1	12	11	13
1995.....	85	1	3	3	-	1	2	8	10	7	7
1994.....	107	3	4	1	-	1	-	5	13	8	12
1993.....	118	3	1	-	-	-	1	12	14	10	13
1992.....	109	5	1	-	1	-	-	4	8	11	16
1991.....	117	2	-	-	1	-	2	8	18	19	19
1990.....	88	4	-	-	-	-	-	7	12	10	4
1989.....	82	2	1	-	-	-	5	2	7	12	7
1988.....	74	-	-	-	1	-	1	5	7	5	5
1987.....	69	3	-	-	1	-	1	5	2	8	3
1986.....	112	3	1	-	-	-	1	13	20	13	13
1985.....	79	2	1	-	-	1	3	4	12	12	3
1984.....	67	2	-	-	1	3	1	3	9	4	4
1983.....	63	3	-	1	-	-	-	1	3	4	7
1982.....	61	1	-	-	-	-	1	2	1	2	5
1981.....	42	3	-	-	-	-	-	-	-	3	2
1980.....	42	1	-	-	-	-	1	-	2	2	2
1979.....	22	2	-	1	-	-	-	1	-	-	1
BLACK FEMALE											
1998.....	83	2	-	-	2	1	-	1	3	3	9
1997.....	77	3	1	-	-	-	1	4	1	5	3
1996.....	77	5	1	-	-	1	2	6	2	5	4
1995.....	72	5	-	3	-	-	1	5	8	3	3
1994.....	68	-	1	-	-	1	2	2	3	10	9
1993.....	74	2	1	-	1	1	1	2	7	5	5
1992.....	70	3	1	1	1	-	1	2	6	6	1
1991.....	56	2	-	-	-	-	-	1	6	5	2
1990.....	63	-	3	-	-	1	2	1	2	3	2
1989.....	54	4	1	-	-	-	-	2	3	5	3
1988.....	40	2	3	2	-	-	-	2	1	1	3
1987.....	53	3	-	-	-	3	2	1	4	4	6
1986.....	46	2	1	-	1	1	1	4	6	2	5
1985.....	53	3	-	-	-	1	-	2	5	2	-
1984.....	43	2	-	-	-	-	-	1	3	2	-
1983.....	47	2	1	-	-	1	1	1	1	1	1
1982.....	46	5	3	1	1	-	1	2	-	-	3
1981.....	44	1	-	-	1	-	1	-	-	2	3
1980.....	34	2	1	1	-	1	-	-	1	-	1
1979.....	26	2	1	-	-	-	-	-	1	1	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	RACE, AND SEX: UNITED STATES, 1979-98									
		UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
VIRAL DISEASES (*042-*044,045-079)											
TOTAL, BOTH SEXES											
1998.....	19,640	112	80	59	41	64	199	898	2,197	3,252	3,505
1997.....	22,027	130	117	87	68	73	272	1,161	3,017	3,988	3,936
1996.....	36,365	131	207	128	100	84	398	2,214	6,066	7,563	6,934
1995.....	48,108	162	282	161	95	86	609	3,418	8,757	10,534	9,116
1994.....	46,794	223	279	148	98	109	611	3,536	8,882	10,268	8,830
1993.....	41,388	203	280	139	82	101	604	3,605	7,976	9,094	7,429
1992.....	37,028	234	208	107	56	81	567	3,506	7,176	8,139	6,549
1991.....	32,940	247	217	102	57	80	615	3,325	6,412	7,114	5,584
1990.....	28,486	263	210	102	51	99	557	3,105	5,647	6,116	4,540
1989.....	25,182	259	193	73	42	93	658	2,903	5,124	5,178	3,697
1988.....	19,443	191	179	80	39	72	558	2,311	3,954	3,824	2,621
1987.....	16,086	200	163	77	38	66	546	1,927	3,331	3,022	2,032
1986.....	2,773	130	61	35	19	31	75	133	175	188	136
1985.....	2,473	105	54	30	17	45	85	102	119	134	122
1984.....	2,319	114	59	42	29	44	89	101	108	114	91
1983.....	2,296	146	58	51	25	65	92	86	76	85	73
1982.....	2,258	130	79	36	29	66	92	88	78	73	72
1981.....	2,267	121	65	45	38	57	112	96	74	67	70
1980.....	2,253	136	82	48	30	67	100	70	79	79	52
1979.....	2,009	155	79	51	45	67	94	95	72	66	58
TOTAL, MALE											
1998.....	13,952	56	39	30	18	30	96	579	1,594	2,471	2,730
1997.....	16,064	73	59	43	48	28	150	813	2,290	3,094	3,123
1996.....	28,307	69	108	68	59	43	232	1,618	4,862	6,101	5,710
1995.....	38,839	93	139	78	54	49	358	2,597	7,213	8,875	7,724
1994.....	38,393	123	148	71	61	55	405	2,799	7,442	8,696	7,630
1993.....	34,518	105	144	64	49	61	408	2,957	6,861	7,812	6,492
1992.....	31,347	125	113	65	34	54	400	2,913	6,218	7,110	5,804
1991.....	27,978	135	108	49	35	47	444	2,814	5,555	6,372	5,037
1990.....	24,202	136	111	51	30	57	417	2,651	4,957	5,438	4,137
1989.....	21,490	138	97	42	26	62	515	2,512	4,458	4,670	3,391
1988.....	16,367	111	96	40	28	48	460	2,002	3,427	3,433	2,401
1987.....	13,550	104	86	45	21	45	453	1,671	2,905	2,744	1,879
1986.....	1,618	75	37	18	10	12	40	86	137	146	105
1985.....	1,341	64	35	21	10	21	45	63	82	88	91
1984.....	1,191	73	29	22	12	19	44	55	69	70	65
1983.....	1,183	82	34	25	15	32	47	60	48	48	45
1982.....	1,127	76	40	18	11	42	51	39	39	46	37
1981.....	1,132	67	34	22	23	24	53	64	43	35	41
1980.....	1,078	73	50	25	19	35	49	38	37	46	30
1979.....	1,009	85	45	27	25	34	46	55	34	34	30

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
VIRAL DISEASES (*042-*044,045-079)											
TOTAL, FEMALE											
1998.....	5,688	56	41	29	23	34	103	319	603	781	775
1997.....	5,963	57	58	44	20	45	122	348	727	894	813
1996.....	8,058	62	99	60	41	41	166	596	1,204	1,462	1,224
1995.....	9,269	69	143	83	41	37	251	821	1,544	1,659	1,392
1994.....	8,401	100	131	77	37	54	206	737	1,440	1,572	1,200
1993.....	6,870	98	136	75	33	40	196	648	1,115	1,282	937
1992.....	5,681	109	95	42	22	27	167	593	958	1,029	745
1991.....	4,962	112	109	53	22	33	171	511	857	742	547
1990.....	4,284	127	99	51	21	42	140	454	690	678	403
1989.....	3,692	121	96	31	16	31	143	391	666	508	306
1988.....	3,076	80	83	40	11	24	98	309	527	391	220
1987.....	2,536	96	77	32	17	21	93	256	426	278	153
1986.....	1,155	55	24	17	9	19	35	47	38	42	31
1985.....	1,132	41	19	9	7	24	40	39	37	46	31
1984.....	1,128	41	30	20	17	25	45	46	39	44	26
1983.....	1,113	64	24	26	10	33	45	26	28	37	28
1982.....	1,131	54	39	18	18	24	41	49	39	27	35
1981.....	1,135	54	31	23	15	33	59	32	31	32	29
1980.....	1,175	63	32	23	11	32	51	32	42	33	22
1979.....	1,000	70	34	24	20	33	48	40	38	32	28
WHITE, BOTH SEXES											
1998.....	11,154	68	48	34	20	46	65	358	1,037	1,681	1,840
1997.....	12,296	69	62	45	37	38	113	519	1,543	2,062	2,039
1996.....	21,081	73	94	60	60	51	178	1,095	3,484	4,288	3,766
1995.....	29,585	91	139	75	54	48	267	1,875	5,431	6,423	5,342
1994.....	29,385	113	137	72	64	66	268	2,025	5,575	6,409	5,379
1993.....	26,978	95	131	66	54	67	287	2,169	5,217	5,818	4,638
1992.....	24,787	107	96	62	41	57	287	2,190	4,783	5,298	4,265
1991.....	22,646	130	105	61	40	48	326	2,130	4,374	4,763	3,810
1990.....	19,972	135	99	47	33	70	323	2,074	3,743	4,136	3,240
1989.....	17,677	141	95	52	25	62	402	1,906	3,427	3,483	2,588
1988.....	13,684	113	98	49	34	42	345	1,525	2,553	2,545	1,882
1987.....	11,503	114	93	54	26	47	346	1,290	2,207	2,038	1,490
1986.....	2,391	88	41	29	15	26	58	101	141	163	123
1985.....	2,121	71	36	25	16	32	64	78	88	106	104
1984.....	1,970	78	47	32	20	35	66	73	82	82	68
1983.....	1,958	102	40	39	19	52	67	55	63	69	62
1982.....	1,940	94	63	27	24	54	67	67	56	57	57
1981.....	1,948	88	54	41	32	46	74	68	57	57	57
1980.....	1,934	102	59	40	22	57	79	52	67	57	35
1979.....	1,697	116	58	46	38	54	65	70	56	46	42

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	RACE, AND SEX: UNITED STATES, 1979-98									
		UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
VIRAL DISEASES (*042-*044,045-079)											
WHITE MALE											
1998.....	8,140	35	24	20	8	23	40	269	842	1,397	1,542
1997.....	9,264	39	36	21	25	21	72	400	1,273	1,740	1,735
1996.....	17,142	40	46	33	38	27	117	862	3,004	3,723	3,306
1995.....	25,042	51	72	35	32	32	185	1,556	4,777	5,712	4,802
1994.....	25,286	69	73	37	42	39	206	1,710	4,939	5,765	4,926
1993.....	23,443	54	63	33	35	48	210	1,897	4,744	5,287	4,243
1992.....	21,838	61	52	40	26	40	214	1,936	4,357	4,906	3,963
1991.....	19,976	77	55	29	26	32	252	1,911	4,000	4,464	3,573
1990.....	17,599	78	48	25	19	45	259	1,870	3,457	3,885	3,063
1989.....	15,571	81	44	30	19	45	328	1,736	3,148	3,291	2,460
1988.....	11,815	67	54	24	26	31	295	1,373	2,343	2,376	1,782
1987.....	9,909	64	48	31	15	35	299	1,161	2,025	1,924	1,415
1986.....	1,398	51	26	15	8	12	32	70	119	130	96
1985.....	1,152	44	22	18	10	15	31	51	65	74	80
1984.....	1,011	51	24	18	7	15	33	42	55	59	52
1983.....	1,000	59	20	21	12	27	38	37	40	40	38
1982.....	956	56	29	13	8	34	35	29	31	35	29
1981.....	978	49	30	19	20	20	38	47	32	31	33
1980.....	927	54	39	23	15	30	42	27	31	36	23
1979.....	841	61	32	22	21	28	31	39	28	27	19
WHITE FEMALE											
1998.....	3,014	33	24	14	12	23	25	89	195	284	298
1997.....	3,032	30	26	24	12	17	41	119	270	322	304
1996.....	3,939	33	48	27	22	24	61	233	480	565	460
1995.....	4,543	40	67	40	22	16	82	319	654	711	540
1994.....	4,099	44	64	35	22	27	62	315	636	644	453
1993.....	3,535	41	68	33	19	19	77	272	473	531	395
1992.....	2,949	46	44	22	15	17	73	254	426	392	302
1991.....	2,670	53	50	32	14	16	74	219	374	299	237
1990.....	2,373	57	51	22	14	25	64	204	286	251	177
1989.....	2,106	60	51	22	6	17	74	170	279	192	128
1988.....	1,869	46	44	25	8	11	50	152	210	169	100
1987.....	1,594	50	45	23	11	12	47	129	182	114	75
1986.....	993	37	15	14	7	14	26	31	22	33	27
1985.....	969	27	14	7	6	17	33	27	23	32	24
1984.....	959	27	23	14	13	20	33	31	27	23	16
1983.....	958	43	20	18	7	25	29	18	23	29	24
1982.....	984	38	34	14	16	20	32	38	25	22	28
1981.....	970	39	24	22	12	26	36	21	25	26	24
1980.....	1,007	48	20	17	7	27	37	25	36	21	12
1979.....	856	55	26	24	17	26	34	31	28	19	23

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
VIRAL DISEASES (*042-*044,045-079)											
ALL OTHER, BOTH SEXES											
1998.....	8,486	44	32	25	21	18	134	540	1,160	1,571	1,665
1997.....	9,731	61	55	42	31	35	159	642	1,474	1,926	1,897
1996.....	15,284	58	113	68	40	33	220	1,119	2,582	3,275	3,168
1995.....	18,523	71	143	86	41	38	342	1,543	3,326	4,111	3,774
1994.....	17,409	110	142	76	34	43	343	1,511	3,307	3,859	3,451
1993.....	14,410	108	149	73	28	34	317	1,436	2,759	3,276	2,791
1992.....	12,241	127	112	45	15	24	280	1,316	2,393	2,841	2,284
1991.....	10,294	117	112	41	17	32	289	1,195	2,038	2,351	1,774
1990.....	8,514	128	111	55	18	29	234	1,031	1,904	1,980	1,300
1989.....	7,505	118	98	21	17	31	256	997	1,697	1,695	1,109
1988.....	5,759	78	81	31	5	30	213	786	1,401	1,279	739
1987.....	4,583	86	70	23	12	19	200	637	1,124	984	542
1986.....	382	42	20	6	4	5	17	32	34	25	13
1985.....	352	34	18	5	1	13	21	24	31	28	18
1984.....	349	36	12	10	9	9	23	28	26	32	23
1983.....	338	44	18	12	6	13	25	31	13	16	11
1982.....	318	36	16	9	5	12	25	21	22	16	15
1981.....	319	33	11	4	6	11	38	28	17	10	13
1980.....	319	34	23	8	8	10	21	18	12	22	17
1979.....	312	39	21	5	7	13	29	25	16	20	16
ALL OTHER MALE											
1998.....	5,812	21	15	10	10	7	56	310	752	1,074	1,188
1997.....	6,800	34	23	22	23	7	78	413	1,017	1,354	1,388
1996.....	11,165	29	62	35	21	16	115	756	1,858	2,378	2,404
1995.....	13,797	42	67	43	22	17	173	1,041	2,436	3,163	2,922
1994.....	13,107	54	75	34	19	16	199	1,089	2,503	2,931	2,704
1993.....	11,075	51	81	31	14	13	198	1,060	2,117	2,525	2,249
1992.....	9,509	64	61	25	8	14	186	977	1,861	2,204	1,841
1991.....	8,002	58	53	20	9	15	192	903	1,555	1,908	1,464
1990.....	6,603	58	63	26	11	12	158	781	1,500	1,553	1,074
1989.....	5,919	57	53	12	7	17	187	776	1,310	1,379	931
1988.....	4,552	44	42	16	2	17	165	629	1,084	1,057	619
1987.....	3,641	40	38	14	6	10	154	510	880	820	464
1986.....	220	24	11	3	2	-	8	16	18	16	9
1985.....	189	20	13	3	-	6	14	12	17	14	11
1984.....	180	22	5	4	5	4	11	13	14	11	13
1983.....	183	23	14	4	3	5	9	23	8	8	7
1982.....	171	20	11	5	3	8	16	10	8	11	8
1981.....	154	18	4	3	3	4	15	17	11	4	8
1980.....	151	19	11	2	4	5	7	11	6	10	7
1979.....	168	24	13	5	4	6	15	16	6	7	11

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
VIRAL DISEASES (*042-*044,045-079)											
ALL OTHER FEMALE											
1998.....	2,674	23	17	15	11	11	78	230	408	497	477
1997.....	2,931	27	32	20	8	28	81	229	457	572	509
1996.....	4,119	29	51	33	19	17	105	363	724	897	764
1995.....	4,726	29	76	43	19	21	169	502	890	948	852
1994.....	4,302	56	67	42	15	27	144	422	804	928	747
1993.....	3,335	57	68	42	14	21	119	376	642	751	542
1992.....	2,732	63	51	20	7	10	94	339	532	637	443
1991.....	2,292	59	59	21	8	17	97	292	483	443	310
1990.....	1,911	70	48	29	7	17	76	250	404	427	226
1989.....	1,586	61	45	9	10	14	69	221	387	316	178
1988.....	1,207	34	39	15	3	13	48	157	317	222	120
1987.....	942	46	32	9	6	9	46	127	244	164	78
1986.....	162	18	9	3	2	5	9	16	16	9	4
1985.....	163	14	5	2	1	7	7	12	14	14	7
1984.....	169	14	7	6	4	5	12	15	12	21	10
1983.....	155	21	4	8	3	8	16	8	5	8	4
1982.....	147	16	5	4	2	4	9	11	14	5	7
1981.....	165	15	7	1	3	7	23	11	6	6	5
1980.....	168	15	12	6	4	5	14	7	6	12	10
1979.....	144	15	8	-	3	7	14	9	10	13	5
BLACK, BOTH SEXES											
1998.....	8,029	37	27	23	19	17	131	523	1,126	1,528	1,610
1997.....	9,265	55	52	40	30	29	157	629	1,438	1,872	1,840
1996.....	14,678	52	107	68	36	32	213	1,094	2,517	3,176	3,084
1995.....	17,822	68	139	82	39	38	336	1,499	3,211	3,996	3,662
1994.....	16,704	103	136	72	29	40	336	1,460	3,178	3,754	3,361
1993.....	13,828	98	144	67	22	28	306	1,395	2,679	3,190	2,703
1992.....	11,819	122	108	45	13	23	275	1,274	2,339	2,761	2,232
1991.....	9,869	112	106	38	17	28	281	1,154	1,980	2,286	1,713
1990.....	8,155	117	98	49	16	27	230	1,001	1,864	1,920	1,257
1989.....	7,191	108	91	21	13	29	246	970	1,656	1,654	1,062
1988.....	5,518	73	78	25	5	26	205	768	1,364	1,242	717
1987.....	4,368	81	65	23	7	18	193	626	1,104	958	511
1986.....	305	32	17	5	3	5	17	30	30	22	12
1985.....	272	30	13	5	1	11	20	22	25	21	11
1984.....	268	33	12	10	6	7	20	25	21	29	13
1983.....	268	31	14	10	5	13	21	26	12	14	10
1982.....	251	30	12	8	4	9	23	20	20	11	10
1981.....	264	27	11	3	2	11	38	25	14	9	5
1980.....	266	32	19	7	8	10	19	17	9	16	13
1979.....	258	34	15	5	6	13	28	22	13	16	9

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
VIRAL DISEASES (*042-*044,045-079)											
BLACK MALE											
1998.....	5,506	16	15	9	8	7	54	298	722	1,041	1,142
1997.....	6,507	32	21	22	22	4	76	401	988	1,308	1,340
1996.....	10,719	26	59	35	19	15	111	736	1,803	2,294	2,330
1995.....	13,257	40	66	41	22	17	169	1,004	2,337	3,062	2,823
1994.....	12,569	52	71	31	14	13	194	1,050	2,393	2,839	2,623
1993.....	10,633	48	79	27	10	9	190	1,024	2,045	2,449	2,171
1992.....	9,178	60	59	25	7	13	183	937	1,814	2,133	1,798
1991.....	7,666	54	50	18	9	11	185	866	1,503	1,852	1,408
1990.....	6,321	54	54	24	9	11	154	755	1,465	1,503	1,036
1989.....	5,671	51	50	12	5	16	180	755	1,272	1,343	891
1988.....	4,364	42	40	12	2	14	157	612	1,049	1,023	600
1987.....	3,480	36	33	14	4	10	151	500	863	797	438
1986.....	170	16	11	2	2	-	8	15	16	15	8
1985.....	146	17	10	3	-	6	13	11	14	11	6
1984.....	132	21	5	4	4	4	10	11	13	9	6
1983.....	142	17	10	3	2	5	8	20	7	7	6
1982.....	128	17	7	5	3	5	16	9	7	7	4
1981.....	119	13	4	2	1	4	15	15	9	4	3
1980.....	124	18	9	1	4	5	7	11	5	8	5
1979.....	130	22	11	5	3	6	14	14	4	6	6
BLACK FEMALE											
1998.....	2,523	21	12	14	11	10	77	225	404	487	468
1997.....	2,758	23	31	18	8	25	81	228	450	564	500
1996.....	3,959	26	48	33	17	17	102	358	714	882	754
1995.....	4,565	28	73	41	17	21	167	495	874	934	839
1994.....	4,135	51	65	41	15	27	142	410	785	915	738
1993.....	3,195	50	65	40	12	19	116	371	634	741	532
1992.....	2,641	62	49	20	6	10	92	337	525	628	434
1991.....	2,203	58	56	20	8	17	96	288	477	434	305
1990.....	1,834	63	44	25	7	16	76	246	399	417	221
1989.....	1,520	57	41	9	8	13	66	215	384	311	171
1988.....	1,154	31	38	13	3	12	48	156	315	219	117
1987.....	888	45	32	9	3	8	42	126	241	161	73
1986.....	135	16	6	3	1	5	9	15	14	7	4
1985.....	126	13	3	2	1	5	7	11	11	10	5
1984.....	136	12	7	6	2	3	10	14	8	20	7
1983.....	126	14	4	7	3	8	13	6	5	7	4
1982.....	123	13	5	3	1	4	7	11	13	4	6
1981.....	145	14	7	1	1	7	23	10	5	5	2
1980.....	142	14	10	6	4	5	12	6	4	8	8
1979.....	128	12	4	-	3	7	14	8	9	10	3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ACUTE POLIOMYELITIS (045)											
TOTAL, BOTH SEXES											
1995.....	1	-	-	-	-	-	-	-	-	-	-
1991.....	1	-	-	-	-	-	-	-	-	-	-
1988.....	1	1	-	-	-	-	-	-	-	-	-
1985.....	3	-	-	-	-	-	-	-	-	-	1
1980.....	6	-	-	-	-	-	-	-	-	1	-
1979.....	4	-	-	-	-	-	-	-	1	-	-
TOTAL, MALE											
1991.....	1	-	-	-	-	-	-	-	-	-	-
1988.....	1	1	-	-	-	-	-	-	-	-	-
1985.....	2	-	-	-	-	-	-	-	-	-	1
1980.....	4	-	-	-	-	-	-	-	-	-	-
1979.....	4	-	-	-	-	-	-	-	1	-	-
TOTAL, FEMALE											
1995.....	1	-	-	-	-	-	-	-	-	-	-
1985.....	1	-	-	-	-	-	-	-	-	-	-
1980.....	2	-	-	-	-	-	-	-	-	1	-
WHITE, BOTH SEXES											
1995.....	1	-	-	-	-	-	-	-	-	-	-
1991.....	1	-	-	-	-	-	-	-	-	-	-
1988.....	1	1	-	-	-	-	-	-	-	-	-
1985.....	3	-	-	-	-	-	-	-	-	-	1
1980.....	4	-	-	-	-	-	-	-	-	-	-
1979.....	4	-	-	-	-	-	-	-	1	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR MEASLES (055)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
TOTAL, BOTH SEXES											
1997.....	2	-	-	1	-	-	-	-	-	-	-
1996.....	1	-	-	-	-	-	-	-	-	1	-
1995.....	2	-	-	-	2	-	-	-	-	-	-
1992.....	4	-	1	-	-	2	-	-	-	-	1
1991.....	27	5	3	7	2	1	1	4	2	1	-
1990.....	64	11	29	1	3	4	3	7	3	2	1
1989.....	32	8	12	2	1	2	-	2	2	1	1
1988.....	3	1	-	-	-	-	-	1	-	1	-
1987.....	2	-	-	1	-	-	-	-	-	-	-
1986.....	2	-	-	-	-	-	1	-	-	-	-
1985.....	4	-	-	-	-	2	1	-	-	-	1
1984.....	1	-	-	-	-	-	-	-	-	1	-
1983.....	4	-	1	1	1	-	-	-	1	-	-
1982.....	2	-	-	-	-	1	-	-	-	-	-
1981.....	2	-	-	-	-	1	-	-	-	-	-
1980.....	11	2	2	1	1	1	2	1	1	-	-
1979.....	6	-	-	-	-	2	1	1	-	-	-
TOTAL, MALE											
1995.....	1	-	-	-	1	-	-	-	-	-	-
1992.....	2	-	1	-	-	1	-	-	-	-	-
1991.....	10	4	2	1	-	-	-	1	2	-	-
1990.....	34	3	18	1	2	2	3	3	1	1	-
1989.....	16	6	4	1	-	2	-	1	1	1	-
1988.....	1	-	-	-	-	-	-	1	-	-	-
1987.....	2	-	-	1	-	-	-	-	-	-	-
1986.....	1	-	-	-	-	-	1	-	-	-	-
1985.....	1	-	-	-	-	1	-	-	-	-	-
1984.....	1	-	-	-	-	-	-	-	-	1	-
1983.....	3	-	-	1	1	-	-	-	1	-	-
1982.....	1	-	-	-	-	1	-	-	-	-	-
1980.....	6	2	1	-	1	-	1	1	-	-	-
1979.....	2	-	-	-	-	1	-	-	-	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR MEASLES (055)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
TOTAL, FEMALE											
1997.....	2	-	-	1	-	-	-	-	-	-	-
1996.....	1	-	-	-	-	-	-	-	-	1	-
1995.....	1	-	-	-	1	-	-	-	-	-	-
1992.....	2	-	-	-	-	1	-	-	-	-	1
1991.....	17	1	1	6	2	1	1	3	-	1	-
1990.....	30	8	11	-	1	2	-	4	2	1	1
1989.....	16	2	8	1	1	-	-	1	1	-	1
1988.....	2	1	-	-	-	-	-	-	-	1	-
1986.....	1	-	-	-	-	-	-	-	-	-	-
1985.....	3	-	-	-	-	1	1	-	-	-	1
1983.....	1	-	1	-	-	-	-	-	-	-	-
1982.....	1	-	-	-	-	-	-	-	-	-	-
1981.....	2	-	-	-	-	1	-	-	-	-	-
1980.....	5	-	1	1	-	1	1	-	1	-	-
1979.....	4	-	-	-	-	1	1	1	-	-	-
WHITE, BOTH SEXES											
1997.....	2	-	-	1	-	-	-	-	-	-	-
1995.....	2	-	-	-	2	-	-	-	-	-	-
1992.....	4	-	1	-	-	2	-	-	-	-	1
1991.....	19	4	3	3	1	1	1	3	2	-	-
1990.....	43	5	15	1	3	4	3	6	3	2	1
1989.....	18	5	4	1	1	2	-	1	1	1	1
1988.....	3	1	-	-	-	-	-	1	-	1	-
1987.....	2	-	-	1	-	-	-	-	-	-	-
1986.....	1	-	-	-	-	-	1	-	-	-	-
1985.....	4	-	-	-	-	2	1	-	-	-	1
1984.....	1	-	-	-	-	-	-	-	-	1	-
1983.....	3	-	-	1	1	-	-	-	1	-	-
1982.....	2	-	-	-	-	1	-	-	-	-	-
1981.....	2	-	-	-	-	1	-	-	-	-	-
1980.....	8	-	1	1	1	1	2	1	1	-	-
1979.....	5	-	-	-	-	2	1	1	-	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR MEASLES (055)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
WHITE MALE											
1995.....	1	-	-	-	1	-	-	-	-	-	-
1992.....	2	-	1	-	-	1	-	-	-	-	-
1991.....	9	4	2	-	-	-	-	1	2	-	-
1990.....	23	1	9	1	2	2	3	3	1	1	-
1989.....	10	3	2	1	-	2	-	1	-	1	-
1988.....	1	-	-	-	-	-	-	1	-	-	-
1987.....	2	-	-	1	-	-	-	-	-	-	-
1986.....	1	-	-	-	-	-	1	-	-	-	-
1985.....	1	-	-	-	-	1	-	-	-	-	-
1984.....	1	-	-	-	-	-	-	-	-	1	-
1983.....	3	-	-	1	1	-	-	-	1	-	-
1982.....	1	-	-	-	-	1	-	-	-	-	-
1980.....	4	-	1	-	1	-	1	1	-	-	-
1979.....	2	-	-	-	-	1	-	-	-	-	-
WHITE FEMALE											
1997.....	2	-	-	1	-	-	-	-	-	-	-
1995.....	1	-	-	-	1	-	-	-	-	-	-
1992.....	2	-	-	-	-	1	-	-	-	-	1
1991.....	10	-	1	3	1	1	1	2	-	-	-
1990.....	20	4	6	-	1	2	-	3	2	1	1
1989.....	8	2	2	-	1	-	-	-	1	-	1
1988.....	2	1	-	-	-	-	-	-	-	1	-
1985.....	3	-	-	-	-	1	1	-	-	-	1
1982.....	1	-	-	-	-	-	-	-	-	-	-
1981.....	2	-	-	-	-	1	-	-	-	-	-
1980.....	4	-	-	1	-	1	1	-	1	-	-
1979.....	3	-	-	-	-	1	1	1	-	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 RUBELLA (056)											
TOTAL, FEMALE											
1990.....	6	1	1	-	-	1	-	2	-	1	-
1989.....	1	-	-	-	-	-	-	1	-	-	-
1988.....	1	-	-	-	1	-	-	-	-	-	-
1986.....	1	-	-	-	-	-	-	-	-	-	-
1984.....	1	-	-	-	-	-	-	-	-	1	-
1983.....	2	1	-	-	-	-	1	-	-	-	-
1982.....	2	-	1	-	-	-	-	-	-	-	-
1981.....	4	1	-	1	1	-	-	-	1	-	-
WHITE, BOTH SEXES											
1995.....	1	1	-	-	-	-	-	-	-	-	-
1992.....	1	-	-	-	-	-	-	-	-	-	-
1990.....	6	1	-	-	1	1	-	1	-	1	1
1989.....	4	-	-	-	1	-	1	2	-	-	-
1988.....	1	-	-	-	1	-	-	-	-	-	-
1986.....	1	-	-	-	-	-	-	-	-	-	-
1984.....	1	-	-	-	-	-	-	-	-	1	-
1983.....	2	1	-	-	-	-	1	-	-	-	-
1982.....	4	-	1	1	-	1	-	-	-	-	-
1981.....	5	1	-	1	2	-	-	-	1	-	-
1980.....	1	-	-	-	-	-	-	1	-	-	-
WHITE MALE											
1995.....	1	1	-	-	-	-	-	-	-	-	-
1992.....	1	-	-	-	-	-	-	-	-	-	-
1990.....	2	-	-	-	1	-	-	-	-	-	1
1989.....	3	-	-	-	1	-	1	1	-	-	-
1982.....	2	-	-	1	-	1	-	-	-	-	-
1981.....	1	-	-	-	1	-	-	-	-	-	-
1980.....	1	-	-	-	-	-	-	1	-	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 RUBELLA (056)											
BLACK MALE											
1991.....	1	-	-	-	-	-	-	1	-	-	-
1985.....	1	-	-	1	-	-	-	-	-	-	-
1983.....	1	-	-	-	1	-	-	-	-	-	-
1979.....	1	1	-	-	-	-	-	-	-	-	-
BLACK FEMALE											
1990.....	1	-	-	-	-	-	-	1	-	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ARTHROPOD-BORNE ENCEPHALITIS (062-064)											
TOTAL, BOTH SEXES											
1998.....	5	-	-	1	-	-	-	-	-	-	1
1997.....	4	-	2	-	1	-	-	-	-	-	-
1996.....	3	-	-	1	-	-	-	-	-	-	-
1995.....	7	-	1	-	-	-	-	-	1	-	-
1994.....	3	-	-	-	-	-	-	-	-	-	-
1993.....	3	-	-	-	-	-	-	-	-	-	-
1992.....	3	-	-	-	-	-	-	2	-	-	-
1991.....	10	-	-	-	-	-	-	1	-	-	1
1990.....	15	-	-	-	-	-	-	-	-	-	-
1989.....	1	-	-	-	-	-	-	-	-	-	-
1987.....	5	-	-	1	-	-	-	-	-	-	1
1986.....	4	-	-	-	-	1	-	-	2	-	-
1985.....	3	-	-	-	-	-	-	-	-	-	-
1984.....	3	1	1	-	-	-	-	-	-	-	-
1983.....	6	-	-	1	-	-	-	-	-	-	-
1982.....	1	-	-	-	-	-	-	-	-	-	-
1980.....	7	1	-	-	-	-	1	-	-	1	-
1979.....	1	-	-	-	1	-	-	-	-	-	-
TOTAL, MALE											
1998.....	2	-	-	-	-	-	-	-	-	-	1
1997.....	2	-	1	-	-	-	-	-	-	-	-
1996.....	2	-	-	-	-	-	-	-	-	-	-
1995.....	6	-	1	-	-	-	-	-	1	-	-
1994.....	2	-	-	-	-	-	-	-	-	-	-
1993.....	3	-	-	-	-	-	-	-	-	-	-
1992.....	2	-	-	-	-	-	-	2	-	-	-
1991.....	5	-	-	-	-	-	-	1	-	-	-
1990.....	8	-	-	-	-	-	-	-	-	-	-
1989.....	1	-	-	-	-	-	-	-	-	-	-
1987.....	4	-	-	1	-	-	-	-	-	-	-
1986.....	2	-	-	-	-	1	-	-	-	-	-
1985.....	2	-	-	-	-	-	-	-	-	-	-
1984.....	1	1	-	-	-	-	-	-	-	-	-
1983.....	5	-	-	1	-	-	-	-	-	-	-
1980.....	6	1	-	-	-	-	1	-	-	1	-
1979.....	1	-	-	-	1	-	-	-	-	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ARTHROPOD-BORNE ENCEPHALITIS (062-064)											
TOTAL, FEMALE											
1998.....	3	-	-	1	-	-	-	-	-	-	-
1997.....	2	-	1	-	1	-	-	-	-	-	-
1996.....	1	-	-	1	-	-	-	-	-	-	-
1995.....	1	-	-	-	-	-	-	-	-	-	-
1994.....	1	-	-	-	-	-	-	-	-	-	-
1992.....	1	-	-	-	-	-	-	-	-	-	-
1991.....	5	-	-	-	-	-	-	-	-	-	1
1990.....	7	-	-	-	-	-	-	-	-	-	-
1987.....	1	-	-	-	-	-	-	-	-	-	1
1986.....	2	-	-	-	-	-	-	-	2	-	-
1985.....	1	-	-	-	-	-	-	-	-	-	-
1984.....	2	-	1	-	-	-	-	-	-	-	-
1983.....	1	-	-	-	-	-	-	-	-	-	-
1982.....	1	-	-	-	-	-	-	-	-	-	-
1980.....	1	-	-	-	-	-	-	-	-	-	-
WHITE, BOTH SEXES											
1998.....	5	-	-	1	-	-	-	-	-	-	1
1997.....	4	-	2	-	1	-	-	-	-	-	-
1996.....	2	-	-	1	-	-	-	-	-	-	-
1995.....	3	-	1	-	-	-	-	-	1	-	-
1994.....	1	-	-	-	-	-	-	-	-	-	-
1993.....	2	-	-	-	-	-	-	-	-	-	-
1992.....	2	-	-	-	-	-	-	1	-	-	-
1991.....	6	-	-	-	-	-	-	1	-	-	1
1990.....	9	-	-	-	-	-	-	-	-	-	-
1989.....	1	-	-	-	-	-	-	-	-	-	-
1987.....	4	-	-	1	-	-	-	-	-	-	-
1986.....	2	-	-	-	-	1	-	-	-	-	-
1985.....	3	-	-	-	-	-	-	-	-	-	-
1984.....	3	1	1	-	-	-	-	-	-	-	-
1983.....	6	-	-	1	-	-	-	-	-	-	-
1982.....	1	-	-	-	-	-	-	-	-	-	-
1980.....	7	1	-	-	-	-	1	-	-	1	-
1979.....	1	-	-	-	1	-	-	-	-	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ARTHROPOD-BORNE ENCEPHALITIS (062-064)											
ALL OTHER, BOTH SEXES											
1996.....	1	-	-	-	-	-	-	-	-	-	-
1995.....	4	-	-	-	-	-	-	-	-	-	-
1994.....	2	-	-	-	-	-	-	-	-	-	-
1993.....	1	-	-	-	-	-	-	-	-	-	-
1992.....	1	-	-	-	-	-	-	1	-	-	-
1991.....	4	-	-	-	-	-	-	-	-	-	-
1990.....	6	-	-	-	-	-	-	-	-	-	-
1987.....	1	-	-	-	-	-	-	-	-	-	1
1986.....	2	-	-	-	-	-	-	-	2	-	-
ALL OTHER MALE											
1996.....	1	-	-	-	-	-	-	-	-	-	-
1995.....	3	-	-	-	-	-	-	-	-	-	-
1994.....	1	-	-	-	-	-	-	-	-	-	-
1993.....	1	-	-	-	-	-	-	-	-	-	-
1992.....	1	-	-	-	-	-	-	1	-	-	-
1991.....	1	-	-	-	-	-	-	-	-	-	-
1990.....	3	-	-	-	-	-	-	-	-	-	-
ALL OTHER FEMALE											
1995.....	1	-	-	-	-	-	-	-	-	-	-
1994.....	1	-	-	-	-	-	-	-	-	-	-
1991.....	3	-	-	-	-	-	-	-	-	-	-
1990.....	3	-	-	-	-	-	-	-	-	-	-
1987.....	1	-	-	-	-	-	-	-	-	-	1
1986.....	2	-	-	-	-	-	-	-	2	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ARTHROPOD-BORNE ENCEPHALITIS (062-064)											
BLACK, BOTH SEXES											
1996.....	1	-	-	-	-	-	-	-	-	-	-
1995.....	4	-	-	-	-	-	-	-	-	-	-
1994.....	2	-	-	-	-	-	-	-	-	-	-
1993.....	1	-	-	-	-	-	-	-	-	-	-
1992.....	1	-	-	-	-	-	-	1	-	-	-
1991.....	4	-	-	-	-	-	-	-	-	-	-
1990.....	6	-	-	-	-	-	-	-	-	-	-
1986.....	2	-	-	-	-	-	-	-	2	-	-
BLACK MALE											
1996.....	1	-	-	-	-	-	-	-	-	-	-
1995.....	3	-	-	-	-	-	-	-	-	-	-
1994.....	1	-	-	-	-	-	-	-	-	-	-
1993.....	1	-	-	-	-	-	-	-	-	-	-
1992.....	1	-	-	-	-	-	-	1	-	-	-
1991.....	1	-	-	-	-	-	-	-	-	-	-
1990.....	3	-	-	-	-	-	-	-	-	-	-
BLACK FEMALE											
1995.....	1	-	-	-	-	-	-	-	-	-	-
1994.....	1	-	-	-	-	-	-	-	-	-	-
1991.....	3	-	-	-	-	-	-	-	-	-	-
1990.....	3	-	-	-	-	-	-	-	-	-	-
1986.....	2	-	-	-	-	-	-	-	2	-	-

TABLE 292. DEATHS FOR 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
VIRAL HEPATITIS (070)											
TOTAL, BOTH SEXES											
1998.....	4,796	2	2	1	2	17	9	33	87	282	621
1997.....	4,057	3	1	4	4	10	14	27	82	251	483
1996.....	3,780	1	3	3	4	7	16	36	95	240	459
1995.....	3,400	1	5	1	2	10	15	35	101	230	363
1994.....	3,061	8	5	-	2	9	17	52	131	215	346
1993.....	2,489	3	1	1	5	14	20	40	106	184	236
1992.....	2,001	9	2	1	2	7	19	51	77	146	190
1991.....	1,840	6	3	1	3	6	26	41	68	136	157
1990.....	1,578	4	4	1	1	11	27	44	70	102	122
1989.....	1,516	7	5	2	3	16	44	53	85	84	103
1988.....	1,290	6	6	2	1	8	24	57	60	87	58
1987.....	1,182	2	3	2	3	9	53	50	75	84	71
1986.....	1,006	10	8	8	2	9	36	54	53	67	52
1985.....	942	6	10	-	4	19	45	48	52	58	51
1984.....	869	8	6	4	3	18	54	60	50	54	41
1983.....	863	20	8	9	2	25	48	51	41	38	38
1982.....	814	12	13	1	4	19	41	45	43	32	30
1981.....	862	10	7	5	6	18	65	57	45	37	43
1980.....	809	11	11	9	6	19	55	36	35	47	29
1979.....	753	13	7	5	4	23	54	54	37	36	27
TOTAL, MALE											
1998.....	2,982	2	1	1	-	10	4	16	61	196	477
1997.....	2,442	1	1	1	2	8	9	14	54	184	377
1996.....	2,273	1	1	2	1	5	7	20	62	165	363
1995.....	2,076	1	2	-	1	6	7	24	77	174	285
1994.....	1,869	5	3	-	-	5	8	34	92	161	282
1993.....	1,554	1	1	1	2	11	10	27	82	144	191
1992.....	1,249	5	-	1	1	5	7	35	59	117	143
1991.....	1,132	4	3	1	1	5	15	29	48	111	131
1990.....	927	2	3	-	1	3	12	31	52	76	99
1989.....	906	3	4	2	2	9	22	30	61	62	75
1988.....	768	2	4	2	-	6	19	34	39	62	42
1987.....	725	-	2	1	2	5	29	35	43	64	54
1986.....	619	4	4	2	2	1	16	32	37	48	41
1985.....	531	5	8	-	2	8	18	28	34	33	33
1984.....	484	3	3	1	1	9	25	31	32	32	32
1983.....	494	7	6	4	1	10	24	39	28	26	23
1982.....	444	10	9	-	2	8	25	25	25	19	17
1981.....	466	5	3	2	3	7	31	44	29	20	25
1980.....	415	5	9	6	5	9	26	22	13	25	15
1979.....	399	9	5	2	2	8	28	30	22	15	18

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
VIRAL HEPATITIS (070)											
TOTAL, FEMALE											
1998.....	1,814	-	1	-	2	7	5	17	26	86	144
1997.....	1,615	2	-	3	2	2	5	13	28	67	106
1996.....	1,507	-	2	1	3	2	9	16	33	75	96
1995.....	1,324	-	3	1	1	4	8	11	24	56	78
1994.....	1,192	3	2	-	2	4	9	18	39	54	64
1993.....	935	2	-	-	3	3	10	13	24	40	45
1992.....	752	4	2	-	1	2	12	16	18	29	47
1991.....	708	2	-	-	2	1	11	12	20	25	26
1990.....	651	2	1	1	-	8	15	13	18	26	23
1989.....	610	4	1	-	1	7	22	23	24	22	28
1988.....	522	4	2	-	1	2	5	23	21	25	16
1987.....	457	2	1	1	1	4	24	15	32	20	17
1986.....	387	6	4	6	-	8	20	22	16	19	11
1985.....	411	1	2	-	2	11	27	20	18	25	18
1984.....	385	5	3	3	2	9	29	29	18	22	9
1983.....	369	13	2	5	1	15	24	12	13	12	15
1982.....	370	2	4	1	2	11	16	20	18	13	13
1981.....	396	5	4	3	3	11	34	13	16	17	18
1980.....	394	6	2	3	1	10	29	14	22	22	14
1979.....	354	4	2	3	2	15	26	24	15	21	9
WHITE, BOTH SEXES											
1998.....	3,829	2	1	1	1	13	4	20	63	221	492
1997.....	3,250	1	-	3	3	10	9	17	55	202	397
1996.....	3,065	1	1	3	1	5	8	27	77	184	366
1995.....	2,769	1	4	1	1	5	6	25	82	162	286
1994.....	2,441	4	5	-	2	6	6	33	91	161	277
1993.....	2,029	2	1	-	3	9	12	30	82	143	184
1992.....	1,614	5	1	1	1	7	11	38	58	99	145
1991.....	1,487	2	3	1	2	4	13	30	57	92	115
1990.....	1,265	1	3	1	-	6	15	29	47	73	94
1989.....	1,232	4	4	1	-	13	26	36	61	65	78
1988.....	1,056	3	6	1	1	4	15	41	39	69	40
1987.....	935	1	1	1	1	6	35	34	47	61	54
1986.....	830	3	6	6	1	6	23	37	39	58	49
1985.....	765	3	6	-	3	10	36	34	33	44	39
1984.....	699	4	5	4	2	11	41	41	34	36	29
1983.....	683	9	5	7	1	17	33	27	32	29	31
1982.....	646	12	9	-	4	14	24	27	30	23	17
1981.....	694	6	5	4	5	11	37	37	33	32	36
1980.....	667	9	7	7	5	13	42	23	29	32	17
1979.....	594	11	6	3	1	15	30	39	26	24	16

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
VIRAL HEPATITIS (070)											
WHITE MALE											
1998.....	2,382	2	1	1	-	8	2	11	42	154	383
1997.....	1,988	-	-	1	2	8	6	9	37	151	312
1996.....	1,868	1	1	2	-	5	4	15	53	126	290
1995.....	1,714	1	2	-	-	2	2	20	66	128	227
1994.....	1,543	3	3	-	-	4	4	24	69	125	230
1993.....	1,270	-	1	-	1	7	8	20	63	113	149
1992.....	1,015	3	-	1	1	5	5	27	49	83	113
1991.....	930	-	3	1	1	3	7	22	44	77	96
1990.....	755	1	2	-	-	1	9	23	35	60	79
1989.....	744	-	3	1	-	7	15	23	49	49	58
1988.....	647	1	4	1	-	3	13	25	31	51	30
1987.....	580	-	1	-	1	4	20	23	26	50	42
1986.....	517	-	3	1	1	1	11	24	30	41	38
1985.....	447	3	5	-	2	4	14	22	25	27	26
1984.....	396	1	3	1	-	5	19	22	22	27	24
1983.....	396	3	3	4	1	6	18	21	21	21	20
1982.....	360	10	6	-	2	5	13	17	20	14	10
1981.....	388	3	3	1	2	5	21	29	21	19	20
1980.....	350	4	6	5	4	4	23	12	11	19	11
1979.....	310	7	4	-	-	2	16	21	17	12	9
WHITE FEMALE											
1998.....	1,447	-	-	-	1	5	2	9	21	67	109
1997.....	1,262	1	-	2	1	2	3	8	18	51	85
1996.....	1,197	-	-	1	1	-	4	12	24	58	76
1995.....	1,055	-	2	1	1	3	4	5	16	34	59
1994.....	898	1	2	-	2	2	2	9	22	36	47
1993.....	759	2	-	-	2	2	4	10	19	30	35
1992.....	599	2	1	-	-	2	6	11	9	16	32
1991.....	557	2	-	-	1	1	6	8	13	15	19
1990.....	510	-	1	1	-	5	6	6	12	13	15
1989.....	488	4	1	-	-	6	11	13	12	16	20
1988.....	409	2	2	-	1	1	2	16	8	18	10
1987.....	355	1	-	1	-	2	15	11	21	11	12
1986.....	313	3	3	5	-	5	12	13	9	17	11
1985.....	318	-	1	-	1	6	22	12	8	17	13
1984.....	303	3	2	3	2	6	22	19	12	9	5
1983.....	287	6	2	3	-	11	15	6	11	8	11
1982.....	286	2	3	-	2	9	11	10	10	9	7
1981.....	306	3	2	3	3	6	16	8	12	13	16
1980.....	317	5	1	2	1	9	19	11	18	13	6
1979.....	284	4	2	3	1	13	14	18	9	12	7

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
VIRAL HEPATITIS (070)											
ALL OTHER, BOTH SEXES											
1998.....	967	-	1	-	1	4	5	13	24	61	129
1997.....	807	2	1	1	1	-	5	10	27	49	86
1996.....	715	-	2	-	3	2	8	9	18	56	93
1995.....	631	-	1	-	1	5	9	10	19	68	77
1994.....	620	4	-	-	-	3	11	19	40	54	69
1993.....	460	1	-	1	2	5	8	10	24	41	52
1992.....	387	4	1	-	1	-	8	13	19	47	45
1991.....	353	4	-	-	1	2	13	11	11	44	42
1990.....	313	3	1	-	1	5	12	15	23	29	28
1989.....	284	3	1	1	3	3	18	17	24	19	25
1988.....	234	3	-	1	-	4	9	16	21	18	18
1987.....	247	1	2	1	2	3	18	16	28	23	17
1986.....	176	7	2	2	1	3	13	17	14	9	3
1985.....	177	3	4	-	1	9	9	14	19	14	12
1984.....	170	4	1	-	1	7	13	19	16	18	12
1983.....	180	11	3	2	1	8	15	24	9	9	7
1982.....	168	-	4	1	-	5	17	18	13	9	13
1981.....	168	4	2	1	1	7	28	20	12	5	7
1980.....	142	2	4	2	1	6	13	13	6	15	12
1979.....	159	2	1	2	3	8	24	15	11	12	11
ALL OTHER MALE											
1998.....	600	-	-	-	-	2	2	5	19	42	94
1997.....	454	1	1	-	-	-	3	5	17	33	65
1996.....	405	-	-	-	1	-	3	5	9	39	73
1995.....	362	-	-	-	1	4	5	4	11	46	58
1994.....	326	2	-	-	-	1	4	10	23	36	52
1993.....	284	1	-	1	1	4	2	7	19	31	42
1992.....	234	2	-	-	-	-	2	8	10	34	30
1991.....	202	4	-	-	-	2	8	7	4	34	35
1990.....	172	1	1	-	1	2	3	8	17	16	20
1989.....	162	3	1	1	2	2	7	7	12	13	17
1988.....	121	1	-	1	-	3	6	9	8	11	12
1987.....	145	-	1	1	1	1	9	12	17	14	12
1986.....	102	4	1	1	1	-	5	8	7	7	3
1985.....	84	2	3	-	-	4	4	6	9	6	7
1984.....	88	2	-	-	1	4	6	9	10	5	8
1983.....	98	4	3	-	-	4	6	18	7	5	3
1982.....	84	-	3	-	-	3	12	8	5	5	7
1981.....	78	2	-	1	1	2	10	15	8	1	5
1980.....	65	1	3	1	1	5	3	10	2	6	4
1979.....	89	2	1	2	2	6	12	9	5	3	9

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
VIRAL HEPATITIS (070)											
ALL OTHER FEMALE											
1998.....	367	-	1	-	1	2	3	8	5	19	35
1997.....	353	1	-	1	1	-	2	5	10	16	21
1996.....	310	-	2	-	2	2	5	4	9	17	20
1995.....	269	-	1	-	-	1	4	6	8	22	19
1994.....	294	2	-	-	-	2	7	9	17	18	17
1993.....	176	-	-	-	1	1	6	3	5	10	10
1992.....	153	2	1	-	1	-	6	5	9	13	15
1991.....	151	-	-	-	1	-	5	4	7	10	7
1990.....	141	2	-	-	-	3	9	7	6	13	8
1989.....	122	-	-	-	1	1	11	10	12	6	8
1988.....	113	2	-	-	-	1	3	7	13	7	6
1987.....	102	1	1	-	1	2	9	4	11	9	5
1986.....	74	3	1	1	-	3	8	9	7	2	-
1985.....	93	1	1	-	1	5	5	8	10	8	5
1984.....	82	2	1	-	-	3	7	10	6	13	4
1983.....	82	7	-	2	1	4	9	6	2	4	4
1982.....	84	-	1	1	-	2	5	10	8	4	6
1981.....	90	2	2	-	-	5	18	5	4	4	2
1980.....	77	1	1	1	-	1	10	3	4	9	8
1979.....	70	-	-	-	1	2	12	6	6	9	2
BLACK, BOTH SEXES											
1998.....	694	-	-	-	1	4	4	12	18	46	105
1997.....	535	2	-	-	1	-	3	8	22	36	67
1996.....	480	-	2	-	1	2	7	7	15	46	72
1995.....	429	-	1	-	1	5	8	7	16	56	64
1994.....	413	4	-	-	-	3	11	17	29	45	55
1993.....	294	1	-	-	1	3	5	9	17	36	41
1992.....	256	4	1	-	1	-	7	9	15	40	36
1991.....	221	3	-	-	1	1	11	8	9	37	28
1990.....	212	3	-	-	-	5	12	14	20	22	21
1989.....	206	3	1	1	2	3	14	17	21	17	17
1988.....	162	1	-	1	-	4	6	14	18	13	17
1987.....	165	-	2	1	1	3	15	16	23	16	9
1986.....	126	5	1	2	1	3	13	16	12	8	2
1985.....	118	1	2	-	1	7	9	13	15	9	6
1984.....	119	4	1	-	1	6	12	17	14	15	4
1983.....	135	4	1	1	1	8	13	19	8	8	6
1982.....	125	-	2	1	-	4	16	17	11	5	8
1981.....	139	2	2	1	1	7	28	18	10	5	2
1980.....	113	2	4	2	1	6	13	13	3	11	8
1979.....	127	1	1	2	2	8	23	15	9	9	6

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
VIRAL HEPATITIS (070)											
BLACK MALE											
1998.....	429	-	-	-	-	2	1	4	14	31	73
1997.....	311	1	-	-	-	-	1	3	14	24	50
1996.....	273	-	-	-	-	-	2	3	6	32	54
1995.....	243	-	-	-	1	4	4	3	9	37	49
1994.....	216	2	-	-	-	1	4	8	15	29	43
1993.....	185	1	-	-	-	2	-	6	12	26	32
1992.....	155	2	-	-	-	-	1	5	8	28	25
1991.....	124	3	-	-	-	1	6	5	2	29	23
1990.....	105	1	-	-	-	2	3	7	15	11	14
1989.....	106	3	1	1	1	2	5	7	10	11	12
1988.....	79	-	-	1	-	3	3	8	6	8	11
1987.....	92	-	1	1	1	1	8	12	13	8	7
1986.....	66	2	1	1	1	-	5	7	5	6	2
1985.....	54	1	1	-	-	4	4	6	7	4	3
1984.....	55	2	-	-	1	4	6	8	9	3	2
1983.....	72	1	1	-	-	4	5	15	6	4	2
1982.....	56	-	1	-	-	2	12	7	4	2	3
1981.....	58	-	-	1	1	2	10	13	7	1	2
1980.....	50	1	3	1	1	5	3	10	1	5	2
1979.....	60	1	1	2	1	6	11	9	3	2	4
BLACK FEMALE											
1998.....	265	-	-	-	1	2	3	8	4	15	32
1997.....	224	1	-	-	1	-	2	5	8	12	17
1996.....	207	-	2	-	1	2	5	4	9	14	18
1995.....	186	-	1	-	-	1	4	4	7	19	15
1994.....	197	2	-	-	-	2	7	9	14	16	12
1993.....	109	-	-	-	1	1	5	3	5	10	9
1992.....	101	2	1	-	1	-	6	4	7	12	11
1991.....	97	-	-	-	1	-	5	3	7	8	5
1990.....	107	2	-	-	-	3	9	7	5	11	7
1989.....	100	-	-	-	1	1	9	10	11	6	5
1988.....	83	1	-	-	-	1	3	6	12	5	6
1987.....	73	-	1	-	-	2	7	4	10	8	2
1986.....	60	3	-	1	-	3	8	9	7	2	-
1985.....	64	-	1	-	1	3	5	7	8	5	3
1984.....	64	2	1	-	-	2	6	9	5	12	2
1983.....	63	3	-	1	1	4	8	4	2	4	4
1982.....	69	-	1	1	-	2	4	10	7	3	5
1981.....	81	2	2	-	-	5	18	5	3	4	-
1980.....	63	1	1	1	-	1	10	3	2	6	6
1979.....	67	-	-	-	1	2	12	6	6	7	2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR		RACE, AND SEX: UNITED STATES, 1979-98									
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
		TOTAL	YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
0 OTHER VIRAL DISEASES (046-049,051-054,057-061,065-066,071-079)											
TOTAL, BOTH SEXES											
1998.....	14,839	110	78	57	39	47	190	865	2,110	2,970	2,883
1997.....	17,964	127	114	82	63	63	258	1,134	2,935	3,737	3,453
1996.....	32,581	130	204	124	96	77	382	2,178	5,971	7,322	6,475
1995.....	44,697	160	276	160	91	76	594	3,383	8,655	10,304	8,753
1994.....	43,730	215	274	148	96	100	594	3,484	8,751	10,053	8,484
1993.....	38,896	200	279	138	77	87	584	3,565	7,870	8,910	7,193
1992.....	35,019	225	205	106	54	72	548	3,453	7,099	7,993	6,358
1991.....	31,061	236	211	94	52	73	588	3,278	6,342	6,977	5,426
1990.....	26,821	247	176	100	46	83	527	3,052	5,574	6,011	4,416
1989.....	23,629	244	176	69	37	75	613	2,846	5,037	5,093	3,593
1988.....	18,148	183	173	78	37	64	534	2,253	3,894	3,736	2,563
1987.....	14,897	198	160	73	35	57	493	1,877	3,256	2,938	1,960
1986.....	1,760	120	53	27	17	21	38	79	120	121	84
1985.....	1,520	99	44	29	13	24	39	54	67	76	69
1984.....	1,445	105	52	38	26	26	35	41	58	58	50
1983.....	1,420	125	49	40	21	40	43	35	34	47	35
1982.....	1,437	118	65	34	25	45	51	43	35	41	42
1981.....	1,398	110	58	39	30	38	47	39	28	30	27
1980.....	1,419	122	69	38	23	47	42	32	43	30	23
1979.....	1,244	141	72	46	40	42	39	40	34	30	31
TOTAL, MALE											
1998.....	10,968	54	38	29	18	20	92	563	1,533	2,275	2,252
1997.....	13,620	72	57	42	46	20	141	799	2,236	2,910	2,746
1996.....	26,032	68	107	66	58	38	225	1,598	4,800	5,936	5,347
1995.....	36,755	91	136	78	52	43	351	2,573	7,135	8,701	7,439
1994.....	36,522	118	145	71	61	50	397	2,765	7,350	8,535	7,348
1993.....	32,961	104	143	63	47	50	398	2,930	6,779	7,668	6,301
1992.....	30,093	120	112	64	33	48	393	2,876	6,159	6,993	5,661
1991.....	26,829	127	103	47	34	42	429	2,782	5,505	6,261	4,906
1990.....	23,231	131	90	50	26	52	402	2,617	4,904	5,361	4,037
1989.....	20,564	129	89	39	23	51	492	2,480	4,396	4,607	3,316
1988.....	15,597	108	92	38	28	42	441	1,967	3,388	3,371	2,359
1987.....	12,819	104	84	42	19	40	424	1,636	2,862	2,680	1,825
1986.....	996	71	33	16	8	10	23	54	100	98	64
1985.....	804	59	27	20	8	12	27	35	48	55	57
1984.....	705	69	26	21	11	10	19	24	37	37	33
1983.....	680	75	28	19	12	22	23	21	19	22	22
1982.....	680	66	31	17	9	32	26	14	14	27	20
1981.....	665	62	31	20	19	17	22	20	14	15	16
1980.....	646	65	40	19	13	26	21	14	24	20	15
1979.....	602	75	40	25	22	25	18	25	11	19	12

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER VIRAL DISEASES (046-049,051-054,057-061,065-066,071-079)											
TOTAL, FEMALE											
1998.....	3,871	56	40	28	21	27	98	302	577	695	631
1997.....	4,344	55	57	40	17	43	117	335	699	827	707
1996.....	6,549	62	97	58	38	39	157	580	1,171	1,386	1,128
1995.....	7,942	69	140	82	39	33	243	810	1,520	1,603	1,314
1994.....	7,208	97	129	77	35	50	197	719	1,401	1,518	1,136
1993.....	5,935	96	136	75	30	37	186	635	1,091	1,242	892
1992.....	4,926	105	93	42	21	24	155	577	940	1,000	697
1991.....	4,232	109	108	47	18	31	159	496	837	716	520
1990.....	3,590	116	86	50	20	31	125	435	670	650	379
1989.....	3,065	115	87	30	14	24	121	366	641	486	277
1988.....	2,551	75	81	40	9	22	93	286	506	365	204
1987.....	2,078	94	76	31	16	17	69	241	394	258	135
1986.....	764	49	20	11	9	11	15	25	20	23	20
1985.....	716	40	17	9	5	12	12	19	19	21	12
1984.....	740	36	26	17	15	16	16	17	21	21	17
1983.....	740	50	21	21	9	18	20	14	15	25	13
1982.....	757	52	34	17	16	13	25	29	21	14	22
1981.....	733	48	27	19	11	21	25	19	14	15	11
1980.....	773	57	29	19	10	21	21	18	19	10	8
1979.....	642	66	32	21	18	17	21	15	23	11	19
WHITE, BOTH SEXES											
1998.....	7,320	66	47	32	19	33	61	338	974	1,460	1,347
1997.....	9,040	68	60	41	33	28	104	502	1,488	1,860	1,642
1996.....	18,014	72	93	56	59	46	170	1,068	3,407	4,104	3,400
1995.....	26,809	89	134	74	51	43	261	1,850	5,348	6,261	5,056
1994.....	26,943	109	132	72	62	60	262	1,992	5,484	6,248	5,102
1993.....	24,947	93	130	66	51	58	275	2,139	5,135	5,675	4,454
1992.....	23,166	102	94	61	40	48	276	2,151	4,725	5,199	4,119
1991.....	21,133	124	99	57	37	43	312	2,096	4,315	4,671	3,694
1990.....	18,649	128	81	45	29	59	305	2,038	3,693	4,060	3,144
1989.....	16,422	132	87	50	23	47	375	1,867	3,365	3,417	2,509
1988.....	12,623	108	92	48	32	38	330	1,483	2,514	2,475	1,842
1987.....	10,562	113	92	51	25	41	311	1,256	2,160	1,977	1,436
1986.....	1,557	85	35	23	14	19	34	64	102	105	74
1985.....	1,346	68	30	25	13	20	27	44	55	62	63
1984.....	1,266	73	41	28	18	24	25	32	48	44	39
1983.....	1,264	92	35	30	17	35	33	28	30	40	31
1982.....	1,287	82	53	26	20	38	43	40	26	34	40
1981.....	1,247	81	49	36	25	34	37	31	23	25	21
1980.....	1,247	92	51	32	16	43	34	27	37	24	18
1979.....	1,093	105	52	43	36	37	34	30	29	22	26

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98											
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	
0 OTHER VIRAL DISEASES (046-049,051-054,057-061,065-066,071-079)												
WHITE MALE												
1998.....	5,756	33	23	19	8	15	38	258	800	1,243	1,158	
1997.....	7,274	39	35	20	23	13	66	391	1,236	1,589	1,423	
1996.....	15,273	39	45	31	38	22	113	847	2,951	3,597	3,016	
1995.....	23,323	49	69	35	31	30	183	1,536	4,710	5,584	4,575	
1994.....	23,742	66	70	37	42	35	202	1,686	4,870	5,640	4,696	
1993.....	22,171	54	62	33	34	41	202	1,877	4,681	5,174	4,094	
1992.....	20,819	58	51	39	25	34	209	1,908	4,308	4,823	3,850	
1991.....	19,032	73	50	28	25	29	245	1,887	3,954	4,387	3,477	
1990.....	16,814	76	37	24	16	42	247	1,844	3,421	3,824	2,983	
1989.....	14,813	78	39	28	18	36	312	1,711	3,099	3,241	2,402	
1988.....	11,166	65	50	23	26	28	282	1,347	2,312	2,325	1,752	
1987.....	9,323	64	47	29	14	31	279	1,138	1,999	1,874	1,373	
1986.....	878	51	23	14	7	10	20	46	89	89	58	
1985.....	700	41	17	18	8	10	17	29	40	47	53	
1984.....	613	49	21	17	7	10	14	20	33	31	28	
1983.....	596	56	17	15	10	21	20	16	18	19	18	
1982.....	593	46	23	12	6	27	22	12	11	21	19	
1981.....	589	46	27	18	17	15	17	18	11	12	13	
1980.....	563	49	32	18	10	26	17	13	20	16	12	
1979.....	524	54	28	22	20	25	15	18	10	15	10	
WHITE FEMALE												
1998.....	1,564	33	24	13	11	18	23	80	174	217	189	
1997.....	1,766	29	25	21	10	15	38	111	252	271	219	
1996.....	2,741	33	48	25	21	24	57	221	456	507	384	
1995.....	3,486	40	65	39	20	13	78	314	638	677	481	
1994.....	3,201	43	62	35	20	25	60	306	614	608	406	
1993.....	2,776	39	68	33	17	17	73	262	454	501	360	
1992.....	2,347	44	43	22	15	14	67	243	417	376	269	
1991.....	2,101	51	49	29	12	14	67	209	361	284	217	
1990.....	1,835	52	44	21	13	17	58	194	272	236	161	
1989.....	1,609	54	48	22	5	11	63	156	266	176	107	
1988.....	1,457	43	42	25	6	10	48	136	202	150	90	
1987.....	1,239	49	45	22	11	10	32	118	161	103	63	
1986.....	679	34	12	9	7	9	14	18	13	16	16	
1985.....	646	27	13	7	5	10	10	15	15	15	10	
1984.....	653	24	20	11	11	14	11	12	15	13	11	
1983.....	668	36	18	15	7	14	13	12	12	21	13	
1982.....	694	36	30	14	14	11	21	28	15	13	21	
1981.....	658	35	22	18	8	19	20	13	12	13	8	
1980.....	684	43	19	14	6	17	17	14	17	8	6	
1979.....	569	51	24	21	16	12	19	12	19	7	16	

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER VIRAL DISEASES (046-049,051-054,057-061,065-066,071-079)											
ALL OTHER, BOTH SEXES											
1998.....	7,519	44	31	25	20	14	129	527	1,136	1,510	1,536
1997.....	8,924	59	54	41	30	35	154	632	1,447	1,877	1,811
1996.....	14,567	58	111	68	37	31	212	1,110	2,564	3,218	3,075
1995.....	17,888	71	142	86	40	33	333	1,533	3,307	4,043	3,697
1994.....	16,787	106	142	76	34	40	332	1,492	3,267	3,805	3,382
1993.....	13,949	107	149	72	26	29	309	1,426	2,735	3,235	2,739
1992.....	11,853	123	111	45	14	24	272	1,302	2,374	2,794	2,239
1991.....	9,928	112	112	37	15	30	276	1,182	2,027	2,306	1,732
1990.....	8,172	119	95	55	17	24	222	1,014	1,881	1,951	1,272
1989.....	7,207	112	89	19	14	28	238	979	1,672	1,676	1,084
1988.....	5,525	75	81	30	5	26	204	770	1,380	1,261	721
1987.....	4,335	85	68	22	10	16	182	621	1,096	961	524
1986.....	203	35	18	4	3	2	4	15	18	16	10
1985.....	174	31	14	4	-	4	12	10	12	14	6
1984.....	179	32	11	10	8	2	10	9	10	14	11
1983.....	156	33	14	10	4	5	10	7	4	7	4
1982.....	150	36	12	8	5	7	8	3	9	7	2
1981.....	151	29	9	3	5	4	10	8	5	5	6
1980.....	172	30	18	6	7	4	8	5	6	6	5
1979.....	151	36	20	3	4	5	5	10	5	8	5
ALL OTHER MALE											
1998.....	5,212	21	15	10	10	5	54	305	733	1,032	1,094
1997.....	6,346	33	22	22	23	7	75	408	1,000	1,321	1,323
1996.....	10,759	29	62	35	20	16	112	751	1,849	2,339	2,331
1995.....	13,432	42	67	43	21	13	168	1,037	2,425	3,117	2,864
1994.....	12,780	52	75	34	19	15	195	1,079	2,480	2,895	2,652
1993.....	10,790	50	81	30	13	9	196	1,053	2,098	2,494	2,207
1992.....	9,274	62	61	25	8	14	184	968	1,851	2,170	1,811
1991.....	7,797	54	53	19	9	13	184	895	1,551	1,874	1,429
1990.....	6,417	55	53	26	10	10	155	773	1,483	1,537	1,054
1989.....	5,751	51	50	11	5	15	180	769	1,297	1,366	914
1988.....	4,431	43	42	15	2	14	159	620	1,076	1,046	607
1987.....	3,496	40	37	13	5	9	145	498	863	806	452
1986.....	118	20	10	2	1	-	3	8	11	9	6
1985.....	104	18	10	2	-	2	10	6	8	8	4
1984.....	92	20	5	4	4	-	5	4	4	6	5
1983.....	84	19	11	4	2	1	3	5	1	3	4
1982.....	87	20	8	5	3	5	4	2	3	6	1
1981.....	76	16	4	2	2	2	5	2	3	3	3
1980.....	83	16	8	1	3	-	4	1	4	4	3
1979.....	78	21	12	3	2	-	3	7	1	4	2

TREND C TABLE 292. DEATHS FOR 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER VIRAL DISEASES (046-049,051-054,057-061,065-066,071-079)											
ALL OTHER FEMALE											
1998.....	2,307	23	16	15	10	9	75	222	403	478	442
1997.....	2,578	26	32	19	7	28	79	224	447	556	488
1996.....	3,808	29	49	33	17	15	100	359	715	879	744
1995.....	4,456	29	75	43	19	20	165	496	882	926	833
1994.....	4,007	54	67	42	15	25	137	413	787	910	730
1993.....	3,159	57	68	42	13	20	113	373	637	741	532
1992.....	2,579	61	50	20	6	10	88	334	523	624	428
1991.....	2,131	58	59	18	6	17	92	287	476	432	303
1990.....	1,755	64	42	29	7	14	67	241	398	414	218
1989.....	1,456	61	39	8	9	13	58	210	375	310	170
1988.....	1,094	32	39	15	3	12	45	150	304	215	114
1987.....	839	45	31	9	5	7	37	123	233	155	72
1986.....	85	15	8	2	2	2	1	7	7	7	4
1985.....	70	13	4	2	-	2	2	4	4	6	2
1984.....	87	12	6	6	4	2	5	5	6	8	6
1983.....	72	14	3	6	2	4	7	2	3	4	-
1982.....	63	16	4	3	2	2	4	1	6	1	1
1981.....	75	13	5	1	3	2	5	6	2	2	3
1980.....	89	14	10	5	4	4	4	4	2	2	2
1979.....	73	15	8	-	2	5	2	3	4	4	3
BLACK, BOTH SEXES											
1998.....	7,335	37	27	23	18	13	127	511	1,108	1,482	1,505
1997.....	8,730	53	52	40	29	29	154	621	1,416	1,836	1,773
1996.....	14,196	52	105	68	35	30	206	1,087	2,502	3,129	3,012
1995.....	17,389	68	138	82	38	33	328	1,492	3,195	3,940	3,598
1994.....	16,289	99	136	72	29	37	325	1,443	3,149	3,709	3,306
1993.....	13,533	97	144	67	21	25	301	1,386	2,662	3,154	2,662
1992.....	11,562	118	107	45	12	23	268	1,264	2,324	2,721	2,196
1991.....	9,636	109	106	34	15	27	270	1,144	1,971	2,248	1,685
1990.....	7,926	111	92	49	16	22	218	985	1,844	1,898	1,236
1989.....	6,974	102	85	19	11	26	232	952	1,634	1,637	1,045
1988.....	5,356	72	78	24	5	22	199	754	1,346	1,229	700
1987.....	4,203	81	63	22	6	15	178	610	1,081	942	502
1986.....	176	27	16	3	2	2	4	14	16	14	10
1985.....	153	29	11	4	-	4	11	9	10	12	5
1984.....	149	29	11	10	5	1	8	8	7	14	9
1983.....	131	27	12	9	3	5	8	7	4	6	4
1982.....	126	30	10	7	4	5	7	3	9	6	2
1981.....	125	25	9	2	1	4	10	7	4	4	3
1980.....	148	28	14	5	7	4	6	4	6	4	5
1979.....	129	32	14	3	4	5	5	7	4	7	3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER VIRAL DISEASES (046-049,051-054,057-061,065-066,071-079)											

BLACK MALE

1998.....	5,077	16	15	9	8	5	53	294	708	1,010	1,069
1997.....	6,196	31	21	22	22	4	75	398	974	1,284	1,290
1996.....	10,445	26	59	35	19	15	109	733	1,797	2,262	2,276
1995.....	13,011	40	66	41	21	13	165	1,001	2,328	3,025	2,774
1994.....	12,352	50	71	31	14	12	190	1,042	2,378	2,810	2,580
1993.....	10,447	47	79	27	10	7	190	1,018	2,033	2,423	2,139
1992.....	9,022	58	59	25	7	13	182	931	1,806	2,105	1,773
1991.....	7,539	51	50	17	9	10	179	860	1,501	1,823	1,385
1990.....	6,208	51	51	24	9	9	151	748	1,450	1,492	1,022
1989.....	5,559	45	47	11	4	14	175	748	1,261	1,332	879
1988.....	4,285	42	40	11	2	11	154	604	1,043	1,015	589
1987.....	3,388	36	32	13	3	9	143	488	850	789	431
1986.....	104	14	10	1	1	-	3	8	11	9	6
1985.....	91	16	9	2	-	2	9	5	7	7	3
1984.....	77	19	5	4	3	-	4	3	4	6	4
1983.....	69	16	9	3	1	1	3	5	1	3	4
1982.....	72	17	6	5	3	3	4	2	3	5	1
1981.....	61	13	4	1	-	2	5	2	2	3	1
1980.....	71	15	6	-	3	-	4	1	4	3	3
1979.....	69	20	10	3	2	-	3	5	1	4	2

BLACK FEMALE

1998.....	2,258	21	12	14	10	8	74	217	400	472	436
1997.....	2,534	22	31	18	7	25	79	223	442	552	483
1996.....	3,751	26	46	33	16	15	97	354	705	867	736
1995.....	4,378	28	72	41	17	20	163	491	867	915	824
1994.....	3,937	49	65	41	15	25	135	401	771	899	726
1993.....	3,086	50	65	40	11	18	111	368	629	731	523
1992.....	2,540	60	48	20	5	10	86	333	518	616	423
1991.....	2,097	58	56	17	6	17	91	284	470	425	300
1990.....	1,718	60	41	25	7	13	67	237	394	406	214
1989.....	1,415	57	38	8	7	12	57	204	373	305	166
1988.....	1,071	30	38	13	3	11	45	150	303	214	111
1987.....	815	45	31	9	3	6	35	122	231	153	71
1986.....	72	13	6	2	1	2	1	6	5	5	4
1985.....	62	13	2	2	-	2	2	4	3	5	2
1984.....	72	10	6	6	2	1	4	5	3	8	5
1983.....	62	11	3	6	2	4	5	2	3	3	-
1982.....	54	13	4	2	1	2	3	1	6	1	1
1981.....	64	12	5	1	1	2	5	5	2	1	2
1980.....	77	13	8	5	4	4	2	3	2	1	2
1979.....	60	12	4	-	2	5	2	2	3	3	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
RICKETTSIOSSES AND OTHER ARTHROPOD-BORNE DISEASES (080-088)											
TOTAL, BOTH SEXES											
1998.....	22	-	1	-	-	-	-	-	1	2	3
1997.....	27	1	-	1	-	2	-	1	2	1	2
1996.....	26	-	1	1	1	-	-	1	-	2	2
1995.....	26	-	2	-	-	-	1	-	2	2	1
1994.....	22	-	1	-	-	-	1	-	-	1	2
1993.....	21	-	-	-	-	-	1	2	5	1	-
1992.....	27	-	1	1	3	-	1	1	-	3	3
1991.....	28	-	-	1	-	2	1	1	-	3	1
1990.....	30	-	2	1	3	1	1	2	3	-	2
1989.....	29	-	2	-	1	-	1	2	1	1	1
1988.....	32	-	-	-	1	1	1	-	1	-	-
1987.....	29	2	1	1	1	1	-	2	3	1	4
1986.....	26	-	-	2	-	-	1	-	-	3	3
1985.....	39	-	1	2	2	-	1	1	3	3	2
1984.....	44	-	2	1	2	1	6	2	1	-	6
1983.....	39	-	3	4	2	-	1	1	1	3	3
1982.....	46	-	5	3	2	-	-	1	3	1	3
1981.....	39	-	1	4	4	2	-	6	3	4	1
1980.....	41	-	1	3	1	1	4	4	5	6	1
1979.....	40	1	2	5	6	-	1	2	2	1	2
TOTAL, MALE											
1998.....	14	-	1	-	-	-	-	-	-	1	2
1997.....	21	1	-	-	-	1	-	-	2	1	2
1996.....	19	-	1	1	1	-	-	-	-	2	2
1995.....	18	-	1	-	-	-	1	-	1	2	1
1994.....	18	-	1	-	-	-	-	-	-	1	2
1993.....	12	-	-	-	-	-	1	2	1	1	-
1992.....	13	-	1	1	1	-	-	-	-	2	2
1991.....	17	-	-	1	-	-	-	1	-	3	-
1990.....	17	-	1	-	2	-	1	2	1	-	1
1989.....	17	-	1	-	-	-	-	1	1	1	1
1988.....	19	-	-	-	1	1	-	-	-	-	-
1987.....	15	2	-	-	1	1	-	1	2	1	1
1986.....	16	-	-	-	-	-	1	-	-	2	2
1985.....	21	-	1	-	2	-	-	-	3	3	1
1984.....	28	-	1	1	1	1	3	2	-	-	4
1983.....	22	-	1	3	1	-	1	-	1	1	1
1982.....	27	-	1	3	1	-	-	-	3	1	1
1981.....	23	-	-	3	1	1	-	3	2	2	1
1980.....	24	-	-	2	1	1	2	3	3	4	-
1979.....	26	1	2	1	3	-	1	1	2	-	2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
RICKETTSIOSSES AND OTHER ARTHROPOD-BORNE DISEASES (080-088)											
TOTAL, FEMALE											
1998.....	8	-	-	-	-	-	-	-	1	1	1
1997.....	6	-	-	1	-	1	-	1	-	-	-
1996.....	7	-	-	-	-	-	-	1	-	-	-
1995.....	8	-	1	-	-	-	-	-	1	-	-
1994.....	4	-	-	-	-	-	1	-	-	-	-
1993.....	9	-	-	-	-	-	-	-	4	-	-
1992.....	14	-	-	-	2	-	1	1	-	1	1
1991.....	11	-	-	-	-	2	1	-	-	-	1
1990.....	13	-	1	1	1	1	-	-	2	-	1
1989.....	12	-	1	-	1	-	1	1	-	-	-
1988.....	13	-	-	-	-	-	1	-	1	-	-
1987.....	14	-	1	1	-	-	-	1	1	-	3
1986.....	10	-	-	2	-	-	-	-	-	1	1
1985.....	18	-	-	2	-	-	1	1	-	-	1
1984.....	16	-	1	-	1	-	3	-	1	-	2
1983.....	17	-	2	1	1	-	-	1	-	2	2
1982.....	19	-	4	-	1	-	-	1	-	-	2
1981.....	16	-	1	1	3	1	-	3	1	2	-
1980.....	17	-	1	1	-	-	2	1	2	2	1
1979.....	14	-	-	4	3	-	-	1	-	1	-
WHITE, BOTH SEXES											
1998.....	19	-	1	-	-	-	-	-	1	2	3
1997.....	24	-	-	1	-	2	-	1	-	1	2
1996.....	22	-	-	1	-	-	-	1	-	2	2
1995.....	21	-	1	-	-	-	-	-	1	1	1
1994.....	18	-	1	-	-	-	-	-	-	1	2
1993.....	14	-	-	-	-	-	1	2	2	-	-
1992.....	18	-	1	1	3	-	1	-	-	1	3
1991.....	26	-	-	1	-	2	1	1	-	3	1
1990.....	22	-	2	1	2	-	1	1	1	-	1
1989.....	23	-	1	-	1	-	1	-	1	1	1
1988.....	29	-	-	-	1	1	1	-	1	-	-
1987.....	23	2	1	1	1	1	-	2	1	-	3
1986.....	24	-	-	2	-	-	-	-	-	3	2
1985.....	32	-	1	1	2	-	-	1	1	2	1
1984.....	37	-	2	-	2	1	5	1	-	-	5
1983.....	37	-	3	4	2	-	1	1	-	3	3
1982.....	45	-	5	3	2	-	-	1	3	1	3
1981.....	29	-	-	2	4	1	-	3	3	4	-
1980.....	34	-	-	2	1	1	4	3	3	6	1
1979.....	35	1	2	5	5	-	1	2	1	1	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1 YEAR 1-4 YEARS 5-9 YEARS 10-14 YEARS 15-19 YEARS 20-24 YEARS 25-29 YEARS 30-34 YEARS 35-39 YEARS 40-44 YEARS
RICKETTSIOSSES AND OTHER ARTHROPOD-BORNE DISEASES (080-088)

WHITE MALE

1998.....	13	-	1	-	-	-	-	-	-	1	2
1997.....	18	-	-	-	-	1	-	-	-	1	2
1996.....	17	-	-	1	-	-	-	-	-	2	2
1995.....	15	-	-	-	-	-	-	-	1	1	1
1994.....	17	-	1	-	-	-	-	-	-	1	2
1993.....	8	-	-	-	-	-	1	2	-	-	-
1992.....	8	-	1	1	1	-	-	-	-	1	2
1991.....	15	-	-	1	-	-	-	1	-	3	-
1990.....	11	-	1	-	1	-	1	1	-	-	-
1989.....	15	-	-	-	-	-	-	-	1	1	1
1988.....	18	-	-	-	1	1	-	-	-	-	-
1987.....	12	2	-	-	1	1	-	1	-	-	1
1986.....	14	-	-	-	-	-	-	-	-	2	1
1985.....	16	-	1	-	2	-	-	-	1	2	-
1984.....	23	-	1	-	1	1	2	1	-	-	3
1983.....	20	-	1	3	1	-	1	-	-	1	1
1982.....	26	-	1	3	1	-	-	-	3	1	1
1981.....	15	-	-	1	1	-	-	1	2	2	-
1980.....	22	-	-	1	1	1	2	2	3	4	-
1979.....	21	1	2	1	2	-	1	1	1	-	1

WHITE FEMALE

1998.....	6	-	-	-	-	-	-	-	1	1	1
1997.....	6	-	-	1	-	1	-	1	-	-	-
1996.....	5	-	-	-	-	-	-	1	-	-	-
1995.....	6	-	1	-	-	-	-	-	-	-	-
1994.....	1	-	-	-	-	-	-	-	-	-	-
1993.....	6	-	-	-	-	-	-	-	2	-	-
1992.....	10	-	-	-	2	-	1	-	-	-	1
1991.....	11	-	-	-	-	2	1	-	-	-	1
1990.....	11	-	1	1	1	-	-	-	1	-	1
1989.....	8	-	1	-	1	-	1	-	-	-	-
1988.....	11	-	-	-	-	-	1	-	1	-	-
1987.....	11	-	1	1	-	-	-	1	1	-	2
1986.....	10	-	-	2	-	-	-	-	-	1	1
1985.....	16	-	-	1	-	-	-	1	-	-	1
1984.....	14	-	1	-	1	-	3	-	-	-	2
1983.....	17	-	2	1	1	-	-	1	-	2	2
1982.....	19	-	4	-	1	-	-	1	-	-	2
1981.....	14	-	-	1	3	1	-	2	1	2	-
1980.....	12	-	-	1	-	-	2	1	-	2	1
1979.....	14	-	-	4	3	-	-	1	-	1	-

CAUSE-OF-DEATH CODE,
RACE, SEX, AND YEAR TOTAL UNDER 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44
YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

RICKETTSIOSSES AND OTHER ARTHROPOD-BORNE DISEASES (080-088)

ALL OTHER, BOTH SEXES

1998.....	3	-	-	-	-	-	-	-	-	-	-
1997.....	3	1	-	-	-	-	-	-	2	-	-
1996.....	4	-	1	-	1	-	-	-	-	-	-
1995.....	5	-	1	-	-	-	1	-	1	1	-
1994.....	4	-	-	-	-	-	1	-	-	-	-
1993.....	7	-	-	-	-	-	-	-	3	1	-
1992.....	9	-	-	-	-	-	-	1	-	2	-
1991.....	2	-	-	-	-	-	-	-	-	-	-
1990.....	8	-	-	-	1	1	-	1	2	-	1
1989.....	6	-	1	-	-	-	-	2	-	-	-
1988.....	3	-	-	-	-	-	-	-	-	-	-
1987.....	6	-	-	-	-	-	-	-	2	1	1
1986.....	2	-	-	-	-	-	1	-	-	-	1
1985.....	7	-	-	1	-	-	1	-	2	1	1
1984.....	7	-	-	1	-	-	1	1	1	-	1
1983.....	2	-	-	-	-	-	-	-	1	-	-
1982.....	1	-	-	-	-	-	-	-	-	-	-
1981.....	10	-	1	2	-	1	-	3	-	-	1
1980.....	7	-	1	1	-	-	-	1	2	-	-
1979.....	5	-	-	-	1	-	-	-	1	-	1

ALL OTHER MALE

1998.....	1	-	-	-	-	-	-	-	-	-	-
1997.....	3	1	-	-	-	-	-	-	2	-	-
1996.....	2	-	1	-	1	-	-	-	-	-	-
1995.....	3	-	1	-	-	-	1	-	-	1	-
1994.....	1	-	-	-	-	-	-	-	-	-	-
1993.....	4	-	-	-	-	-	-	-	1	1	-
1992.....	5	-	-	-	-	-	-	-	-	1	-
1991.....	2	-	-	-	-	-	-	-	-	-	-
1990.....	6	-	-	-	1	-	-	1	1	-	1
1989.....	2	-	1	-	-	-	-	1	-	-	-
1988.....	1	-	-	-	-	-	-	-	-	-	-
1987.....	3	-	-	-	-	-	-	-	2	1	-
1986.....	2	-	-	-	-	-	1	-	-	-	1
1985.....	5	-	-	-	-	-	-	-	2	1	1
1984.....	5	-	-	1	-	-	1	1	-	-	1
1983.....	2	-	-	-	-	-	-	-	1	-	-
1982.....	1	-	-	-	-	-	-	-	-	-	-
1981.....	8	-	-	2	-	1	-	2	-	-	1
1980.....	2	-	-	1	-	-	-	1	-	-	-
1979.....	5	-	-	-	1	-	-	-	1	-	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
RICKETTSIOSSES AND OTHER ARTHROPOD-BORNE DISEASES (080-088)											
ALL OTHER FEMALE											
1998.....	2	-	-	-	-	-	-	-	-	-	-
1996.....	2	-	-	-	-	-	-	-	-	-	-
1995.....	2	-	-	-	-	-	-	-	1	-	-
1994.....	3	-	-	-	-	-	1	-	-	-	-
1993.....	3	-	-	-	-	-	-	-	2	-	-
1992.....	4	-	-	-	-	-	-	1	-	1	-
1990.....	2	-	-	-	-	1	-	-	1	-	-
1989.....	4	-	-	-	-	-	-	1	-	-	-
1988.....	2	-	-	-	-	-	-	-	-	-	-
1987.....	3	-	-	-	-	-	-	-	-	-	1
1985.....	2	-	-	1	-	-	1	-	-	-	-
1984.....	2	-	-	-	-	-	-	-	1	-	-
1981.....	2	-	1	-	-	-	-	1	-	-	-
1980.....	5	-	1	-	-	-	-	-	2	-	-
BLACK, BOTH SEXES											
1998.....	2	-	-	-	-	-	-	-	-	-	-
1997.....	2	1	-	-	-	-	-	-	1	-	-
1996.....	4	-	1	-	1	-	-	-	-	-	-
1995.....	4	-	-	-	-	-	1	-	1	1	-
1994.....	2	-	-	-	-	-	-	-	-	-	-
1993.....	5	-	-	-	-	-	-	-	3	1	-
1992.....	5	-	-	-	-	-	-	1	-	2	-
1991.....	1	-	-	-	-	-	-	-	-	-	-
1990.....	7	-	-	-	-	1	-	1	2	-	1
1989.....	5	-	1	-	-	-	-	2	-	-	-
1988.....	2	-	-	-	-	-	-	-	-	-	-
1987.....	5	-	-	-	-	-	-	-	2	-	1
1986.....	2	-	-	-	-	-	1	-	-	-	1
1985.....	5	-	-	1	-	-	1	-	1	1	1
1984.....	6	-	-	1	-	-	1	1	1	-	1
1983.....	2	-	-	-	-	-	-	-	1	-	-
1982.....	1	-	-	-	-	-	-	-	-	-	-
1981.....	6	-	1	1	-	1	-	2	-	-	-
1980.....	6	-	1	1	-	-	-	1	2	-	-
1979.....	4	-	-	-	1	-	-	-	1	-	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44
RICKETTSIOSSES AND OTHER ARTHROPOD-BORNE DISEASES (080-088)

BLACK MALE

1998.....	1	-	-	-	-	-	-	-	-	-	-
1997.....	2	1	-	-	-	-	-	-	1	-	-
1996.....	2	-	1	-	-	1	-	-	-	-	-
1995.....	2	-	-	-	-	-	1	-	-	1	-
1994.....	1	-	-	-	-	-	-	-	-	-	-
1993.....	2	-	-	-	-	-	-	-	1	1	-
1992.....	2	-	-	-	-	-	-	-	-	1	-
1991.....	1	-	-	-	-	-	-	-	-	-	-
1990.....	5	-	-	-	-	-	-	1	1	-	1
1989.....	2	-	1	-	-	-	-	1	-	-	-
1988.....	1	-	-	-	-	-	-	-	-	-	-
1987.....	2	-	-	-	-	-	-	-	2	-	-
1986.....	2	-	-	-	-	-	1	-	-	-	1
1985.....	3	-	-	-	-	-	-	-	1	1	1
1984.....	5	-	-	1	-	-	1	1	-	-	1
1983.....	2	-	-	-	-	-	-	-	1	-	-
1982.....	1	-	-	-	-	-	-	-	-	-	-
1981.....	5	-	-	1	-	1	-	2	-	-	-
1980.....	2	-	-	1	-	-	-	1	-	-	-
1979.....	4	-	-	-	1	-	-	-	1	-	1

BLACK FEMALE

1998.....	1	-	-	-	-	-	-	-	-	-	-
1996.....	2	-	-	-	-	-	-	-	-	-	-
1995.....	2	-	-	-	-	-	-	-	1	-	-
1994.....	1	-	-	-	-	-	-	-	-	-	-
1993.....	3	-	-	-	-	-	-	-	2	-	-
1992.....	3	-	-	-	-	-	-	1	-	1	-
1990.....	2	-	-	-	-	1	-	-	1	-	-
1989.....	3	-	-	-	-	-	-	1	-	-	-
1988.....	1	-	-	-	-	-	-	-	-	-	-
1987.....	3	-	-	-	-	-	-	-	-	-	1
1985.....	2	-	-	1	-	-	1	-	-	-	-
1984.....	1	-	-	-	-	-	-	-	1	-	-
1981.....	1	-	1	-	-	-	-	-	-	-	-
1980.....	4	-	1	-	-	-	-	-	2	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 TYPHUS AND OTHER RICKETTSIOSSES (080-083)											
TOTAL, BOTH SEXES											
1998.....	6	-	1	-	-	-	-	-	1	1	-
1997.....	15	-	-	1	-	1	-	1	1	1	1
1996.....	8	-	1	1	-	-	-	1	-	1	-
1995.....	11	-	2	-	-	-	-	-	1	-	-
1994.....	11	-	1	-	-	-	-	-	-	-	1
1993.....	6	-	-	-	-	-	-	-	2	-	-
1992.....	14	-	1	1	3	-	-	-	-	1	3
1991.....	14	-	-	1	-	1	1	-	-	3	1
1990.....	21	-	2	1	2	-	-	2	2	-	2
1989.....	11	-	1	-	-	-	-	-	-	1	-
1988.....	20	-	-	-	1	1	-	-	-	-	-
1987.....	21	2	1	1	1	-	-	2	2	-	3
1986.....	19	-	-	2	-	-	1	-	-	2	2
1985.....	25	-	1	2	2	-	1	-	2	3	1
1984.....	36	-	2	1	2	-	5	-	-	-	6
1983.....	35	-	3	4	2	-	1	1	1	2	2
1982.....	43	-	5	3	2	-	-	-	2	1	3
1981.....	32	-	1	3	4	2	-	4	3	4	-
1980.....	39	-	1	3	1	1	4	4	5	6	1
1979.....	34	1	2	5	5	-	1	2	2	-	1
TOTAL, MALE											
1998.....	3	-	1	-	-	-	-	-	-	-	-
1997.....	11	-	-	-	-	1	-	-	1	1	1
1996.....	7	-	1	1	-	-	-	-	-	1	-
1995.....	7	-	1	-	-	-	-	-	1	-	-
1994.....	10	-	1	-	-	-	-	-	-	-	1
1993.....	4	-	-	-	-	-	-	-	-	-	-
1992.....	6	-	1	1	1	-	-	-	-	-	2
1991.....	8	-	-	1	-	-	-	-	-	3	-
1990.....	15	-	1	-	2	-	-	2	1	-	1
1989.....	6	-	-	-	-	-	-	-	-	1	-
1988.....	14	-	-	-	1	1	-	-	-	-	-
1987.....	11	2	-	-	1	-	-	1	1	-	1
1986.....	12	-	-	-	-	-	1	-	-	2	2
1985.....	13	-	1	-	2	-	-	-	2	3	-
1984.....	22	-	1	1	1	-	3	-	-	-	4
1983.....	19	-	1	3	1	-	1	-	1	1	-
1982.....	25	-	1	3	1	-	-	-	2	1	1
1981.....	17	-	-	2	1	1	-	2	2	2	-
1980.....	24	-	-	2	1	1	2	3	3	4	-
1979.....	25	1	2	1	3	-	1	1	2	-	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 TYPHUS AND OTHER RICKETTSIOSSES (080-083)											
TOTAL, FEMALE											
1998.....	3	-	-	-	-	-	-	-	1	1	-
1997.....	4	-	-	1	-	-	-	1	-	-	-
1996.....	1	-	-	-	-	-	-	1	-	-	-
1995.....	4	-	1	-	-	-	-	-	-	-	-
1994.....	1	-	-	-	-	-	-	-	-	-	-
1993.....	2	-	-	-	-	-	-	-	2	-	-
1992.....	8	-	-	-	2	-	-	-	-	1	1
1991.....	6	-	-	-	-	1	1	-	-	-	1
1990.....	6	-	1	1	-	-	-	-	1	-	1
1989.....	5	-	1	-	-	-	-	-	-	-	-
1988.....	6	-	-	-	-	-	-	-	-	-	-
1987.....	10	-	1	1	-	-	-	1	1	-	2
1986.....	7	-	-	2	-	-	-	-	-	-	-
1985.....	12	-	-	2	-	-	1	-	-	-	1
1984.....	14	-	1	-	1	-	2	-	-	-	2
1983.....	16	-	2	1	1	-	-	1	-	1	2
1982.....	18	-	4	-	1	-	-	-	-	-	2
1981.....	15	-	1	1	3	1	-	2	1	2	-
1980.....	15	-	1	1	-	-	2	1	2	2	1
1979.....	9	-	-	4	2	-	-	1	-	-	-
WHITE, BOTH SEXES											
1998.....	6	-	1	-	-	-	-	-	1	1	-
1997.....	14	-	-	1	-	1	-	1	-	1	1
1996.....	7	-	-	1	-	-	-	1	-	1	-
1995.....	9	-	1	-	-	-	-	-	1	-	-
1994.....	10	-	1	-	-	-	-	-	-	-	1
1993.....	6	-	-	-	-	-	-	-	2	-	-
1992.....	12	-	1	1	3	-	-	-	-	-	3
1991.....	14	-	-	1	-	1	1	-	-	3	1
1990.....	16	-	2	1	1	-	-	1	1	-	1
1989.....	9	-	1	-	-	-	-	-	-	1	-
1988.....	18	-	-	-	1	1	-	-	-	-	-
1987.....	18	2	1	1	1	-	-	2	1	-	3
1986.....	17	-	-	2	-	-	-	-	-	2	1
1985.....	21	-	1	1	2	-	-	-	1	2	1
1984.....	31	-	2	-	2	-	4	-	-	-	5
1983.....	33	-	3	4	2	-	1	1	-	2	2
1982.....	42	-	5	3	2	-	-	-	2	1	3
1981.....	27	-	-	2	4	1	-	3	3	4	-
1980.....	32	-	-	2	1	1	4	3	3	6	1
1979.....	29	1	2	5	4	-	1	2	1	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 TYPHUS AND OTHER RICKETTSIOSSES (080-083)											
WHITE MALE											
1998.....	3	-	1	-	-	-	-	-	-	-	-
1997.....	10	-	-	-	-	1	-	-	-	1	1
1996.....	6	-	-	1	-	-	-	-	-	1	-
1995.....	6	-	-	-	-	-	-	-	1	-	-
1994.....	10	-	1	-	-	-	-	-	-	-	1
1993.....	4	-	-	-	-	-	-	-	-	-	-
1992.....	5	-	1	1	1	-	-	-	-	-	2
1991.....	8	-	-	1	-	-	-	-	-	3	-
1990.....	10	-	1	-	1	-	-	1	-	-	-
1989.....	6	-	-	-	-	-	-	-	-	1	-
1988.....	13	-	-	-	1	1	-	-	-	-	-
1987.....	10	2	-	-	1	-	-	1	-	-	1
1986.....	10	-	-	-	-	-	-	-	-	2	1
1985.....	11	-	1	-	2	-	-	-	1	2	-
1984.....	18	-	1	-	1	-	2	-	-	-	3
1983.....	17	-	1	3	1	-	1	-	-	1	-
1982.....	24	-	1	3	1	-	-	-	2	1	1
1981.....	13	-	-	1	1	-	-	1	2	2	-
1980.....	22	-	-	1	1	1	2	2	3	4	-
1979.....	20	1	2	1	2	-	1	1	1	-	-
WHITE FEMALE											
1998.....	3	-	-	-	-	-	-	-	1	1	-
1997.....	4	-	-	1	-	-	-	1	-	-	-
1996.....	1	-	-	-	-	-	-	1	-	-	-
1995.....	3	-	1	-	-	-	-	-	-	-	-
1993.....	2	-	-	-	-	-	-	-	2	-	-
1992.....	7	-	-	-	2	-	-	-	-	-	1
1991.....	6	-	-	-	-	1	1	-	-	-	1
1990.....	6	-	1	1	-	-	-	-	1	-	1
1989.....	3	-	1	-	-	-	-	-	-	-	-
1988.....	5	-	-	-	-	-	-	-	-	-	-
1987.....	8	-	1	1	-	-	-	1	1	-	2
1986.....	7	-	-	2	-	-	-	-	-	-	-
1985.....	10	-	-	1	-	-	-	-	-	-	1
1984.....	13	-	1	-	1	-	2	-	-	-	2
1983.....	16	-	2	1	1	-	-	1	-	1	2
1982.....	18	-	4	-	1	-	-	-	-	-	2
1981.....	14	-	-	1	3	1	-	2	1	2	-
1980.....	10	-	-	1	-	-	2	1	-	2	1
1979.....	9	-	-	4	2	-	-	1	-	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 TYPHUS AND OTHER RICKETTSIOSSES (080-083)											
ALL OTHER, BOTH SEXES											
1997.....	1	-	-	-	-	-	-	-	1	-	-
1996.....	1	-	1	-	-	-	-	-	-	-	-
1995.....	2	-	1	-	-	-	-	-	-	-	-
1994.....	1	-	-	-	-	-	-	-	-	-	-
1992.....	2	-	-	-	-	-	-	-	-	1	-
1990.....	5	-	-	-	1	-	-	1	1	-	1
1989.....	2	-	-	-	-	-	-	-	-	-	-
1988.....	2	-	-	-	-	-	-	-	-	-	-
1987.....	3	-	-	-	-	-	-	-	1	-	-
1986.....	2	-	-	-	-	-	1	-	-	-	1
1985.....	4	-	-	1	-	-	1	-	1	1	-
1984.....	5	-	-	1	-	-	1	-	-	-	1
1983.....	2	-	-	-	-	-	-	-	1	-	-
1982.....	1	-	-	-	-	-	-	-	-	-	-
1981.....	5	-	1	1	-	1	-	1	-	-	-
1980.....	7	-	1	1	-	-	-	1	2	-	-
1979.....	5	-	-	-	1	-	-	-	1	-	1
ALL OTHER MALE											
1997.....	1	-	-	-	-	-	-	-	1	-	-
1996.....	1	-	1	-	-	-	-	-	-	-	-
1995.....	1	-	1	-	-	-	-	-	-	-	-
1992.....	1	-	-	-	-	-	-	-	-	-	-
1990.....	5	-	-	-	1	-	-	1	1	-	1
1988.....	1	-	-	-	-	-	-	-	-	-	-
1987.....	1	-	-	-	-	-	-	-	1	-	-
1986.....	2	-	-	-	-	-	1	-	-	-	1
1985.....	2	-	-	-	-	-	-	-	1	1	-
1984.....	4	-	-	1	-	-	1	-	-	-	1
1983.....	2	-	-	-	-	-	-	-	1	-	-
1982.....	1	-	-	-	-	-	-	-	-	-	-
1981.....	4	-	-	1	-	1	-	1	-	-	-
1980.....	2	-	-	1	-	-	-	1	-	-	-
1979.....	5	-	-	-	1	-	-	-	1	-	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 TYPHUS AND OTHER RICKETTSIOSES (080-083)											
ALL OTHER FEMALE											
1995.....	1	-	-	-	-	-	-	-	-	-	-
1994.....	1	-	-	-	-	-	-	-	-	-	-
1992.....	1	-	-	-	-	-	-	-	-	1	-
1989.....	2	-	-	-	-	-	-	-	-	-	-
1988.....	1	-	-	-	-	-	-	-	-	-	-
1987.....	2	-	-	-	-	-	-	-	-	-	-
1985.....	2	-	-	1	-	-	1	-	-	-	-
1984.....	1	-	-	-	-	-	-	-	-	-	-
1981.....	1	-	1	-	-	-	-	-	-	-	-
1980.....	5	-	1	-	-	-	-	-	2	-	-
BLACK, BOTH SEXES											
1996.....	1	-	1	-	-	-	-	-	-	-	-
1995.....	1	-	-	-	-	-	-	-	-	-	-
1994.....	1	-	-	-	-	-	-	-	-	-	-
1992.....	2	-	-	-	-	-	-	-	-	1	-
1990.....	4	-	-	-	-	-	-	1	1	-	1
1989.....	2	-	-	-	-	-	-	-	-	-	-
1988.....	2	-	-	-	-	-	-	-	-	-	-
1987.....	3	-	-	-	-	-	-	-	1	-	-
1986.....	2	-	-	-	-	-	1	-	-	-	1
1985.....	4	-	-	1	-	-	1	-	1	1	-
1984.....	4	-	-	1	-	-	1	-	-	-	1
1983.....	2	-	-	-	-	-	-	-	1	-	-
1982.....	1	-	-	-	-	-	-	-	-	-	-
1981.....	3	-	1	-	-	1	-	1	-	-	-
1980.....	6	-	1	1	-	-	-	1	2	-	-
1979.....	4	-	-	-	1	-	-	-	1	-	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 TYPHUS AND OTHER RICKETTSIOSSES (080-083)											
BLACK MALE											
1996.....	1	-	1	-	-	-	-	-	-	-	-
1992.....	1	-	-	-	-	-	-	-	-	-	-
1990.....	4	-	-	-	-	-	-	1	1	-	1
1988.....	1	-	-	-	-	-	-	-	-	-	-
1987.....	1	-	-	-	-	-	-	-	1	-	-
1986.....	2	-	-	-	-	-	1	-	-	-	1
1985.....	2	-	-	-	-	-	-	-	1	1	-
1984.....	4	-	-	1	-	-	1	-	-	-	1
1983.....	2	-	-	-	-	-	-	-	1	-	-
1982.....	1	-	-	-	-	-	-	-	-	-	-
1981.....	2	-	-	-	-	1	-	1	-	-	-
1980.....	2	-	-	1	-	-	-	1	-	-	-
1979.....	4	-	-	-	1	-	-	-	1	-	1
BLACK FEMALE											
1995.....	1	-	-	-	-	-	-	-	-	-	-
1994.....	1	-	-	-	-	-	-	-	-	-	-
1992.....	1	-	-	-	-	-	-	-	-	1	-
1989.....	2	-	-	-	-	-	-	-	-	-	-
1988.....	1	-	-	-	-	-	-	-	-	-	-
1987.....	2	-	-	-	-	-	-	-	-	-	-
1985.....	2	-	-	1	-	-	1	-	-	-	-
1981.....	1	-	1	-	-	-	-	-	-	-	-
1980.....	4	-	1	-	-	-	-	-	2	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
MALARIA (084)											
ALL OTHER, BOTH SEXES											
1998.....	3	-	-	-	-	-	-	-	-	-	-
1997.....	2	1	-	-	-	-	-	-	1	-	-
1996.....	2	-	-	-	1	-	-	-	-	-	-
1995.....	2	-	-	-	-	-	-	-	1	1	-
1994.....	3	-	-	-	-	-	1	-	-	-	-
1993.....	7	-	-	-	-	-	-	-	3	1	-
1992.....	5	-	-	-	-	-	-	1	-	1	-
1991.....	2	-	-	-	-	-	-	-	-	-	-
1990.....	2	-	-	-	-	1	-	-	1	-	-
1989.....	3	-	1	-	-	-	-	1	-	-	-
1988.....	1	-	-	-	-	-	-	-	-	-	-
1987.....	3	-	-	-	-	-	-	-	1	1	1
1985.....	3	-	-	-	-	-	-	-	1	-	1
1984.....	2	-	-	-	-	-	-	1	1	-	-
1981.....	5	-	-	1	-	-	-	2	-	-	1
ALL OTHER MALE											
1998.....	1	-	-	-	-	-	-	-	-	-	-
1997.....	2	1	-	-	-	-	-	-	1	-	-
1996.....	1	-	-	-	1	-	-	-	-	-	-
1995.....	1	-	-	-	-	-	-	-	-	1	-
1994.....	1	-	-	-	-	-	-	-	-	-	-
1993.....	4	-	-	-	-	-	-	-	1	1	-
1992.....	3	-	-	-	-	-	-	-	-	1	-
1991.....	2	-	-	-	-	-	-	-	-	-	-
1989.....	1	-	1	-	-	-	-	-	-	-	-
1987.....	2	-	-	-	-	-	-	-	1	1	-
1985.....	3	-	-	-	-	-	-	-	1	-	1
1984.....	1	-	-	-	-	-	-	1	-	-	-
1981.....	4	-	-	1	-	-	-	1	-	-	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
MALARIA (084)											
ALL OTHER FEMALE											
1998.....	2	-	-	-	-	-	-	-	-	-	-
1996.....	1	-	-	-	-	-	-	-	-	-	-
1995.....	1	-	-	-	-	-	-	-	1	-	-
1994.....	2	-	-	-	-	-	1	-	-	-	-
1993.....	3	-	-	-	-	-	-	-	2	-	-
1992.....	2	-	-	-	-	-	-	1	-	-	-
1990.....	2	-	-	-	-	1	-	-	1	-	-
1989.....	2	-	-	-	-	-	-	1	-	-	-
1988.....	1	-	-	-	-	-	-	-	-	-	-
1987.....	1	-	-	-	-	-	-	-	-	-	1
1984.....	1	-	-	-	-	-	-	-	1	-	-
1981.....	1	-	-	-	-	-	-	1	-	-	-
BLACK, BOTH SEXES											
1998.....	2	-	-	-	-	-	-	-	-	-	-
1997.....	2	1	-	-	-	-	-	-	1	-	-
1996.....	2	-	-	-	1	-	-	-	-	-	-
1995.....	2	-	-	-	-	-	-	-	1	1	-
1994.....	1	-	-	-	-	-	-	-	-	-	-
1993.....	5	-	-	-	-	-	-	-	3	1	-
1992.....	2	-	-	-	-	-	-	1	-	1	-
1991.....	1	-	-	-	-	-	-	-	-	-	-
1990.....	2	-	-	-	-	1	-	-	1	-	-
1989.....	2	-	1	-	-	-	-	1	-	-	-
1987.....	2	-	-	-	-	-	-	-	1	-	1
1985.....	1	-	-	-	-	-	-	-	-	-	1
1984.....	2	-	-	-	-	-	-	1	1	-	-
1981.....	3	-	-	1	-	-	-	1	-	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
MALARIA (084)											
BLACK MALE											
1998.....	1	-	-	-	-	-	-	-	-	-	-
1997.....	2	1	-	-	-	-	-	-	1	-	-
1996.....	1	-	-	-	1	-	-	-	-	-	-
1995.....	1	-	-	-	-	-	-	-	-	1	-
1994.....	1	-	-	-	-	-	-	-	-	-	-
1993.....	2	-	-	-	-	-	-	-	1	1	-
1992.....	1	-	-	-	-	-	-	-	-	1	-
1991.....	1	-	-	-	-	-	-	-	-	-	-
1989.....	1	-	1	-	-	-	-	-	-	-	-
1987.....	1	-	-	-	-	-	-	-	1	-	-
1985.....	1	-	-	-	-	-	-	-	-	-	1
1984.....	1	-	-	-	-	-	-	1	-	-	-
1981.....	3	-	-	1	-	-	-	1	-	-	-
BLACK FEMALE											
1998.....	1	-	-	-	-	-	-	-	-	-	-
1996.....	1	-	-	-	-	-	-	-	-	-	-
1995.....	1	-	-	-	-	-	-	-	1	-	-
1993.....	3	-	-	-	-	-	-	-	2	-	-
1992.....	1	-	-	-	-	-	-	1	-	-	-
1990.....	2	-	-	-	-	1	-	-	1	-	-
1989.....	1	-	-	-	-	-	-	1	-	-	-
1987.....	1	-	-	-	-	-	-	-	-	-	1
1984.....	1	-	-	-	-	-	-	-	1	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER ARTHROPOD-BORNE DISEASES (085-088)											
TOTAL, BOTH SEXES											
1998.....	10	-	-	-	-	-	-	-	-	1	2
1997.....	5	-	-	-	-	-	-	-	-	-	1
1996.....	14	-	-	-	-	-	-	-	-	1	2
1995.....	7	-	-	-	-	-	1	-	-	1	-
1994.....	8	-	-	-	-	-	-	-	-	1	1
1993.....	3	-	-	-	-	-	-	-	-	-	-
1992.....	5	-	-	-	-	-	-	-	-	1	-
1991.....	10	-	-	-	-	-	-	1	-	-	-
1990.....	6	-	-	-	1	-	1	-	-	-	-
1989.....	7	-	-	-	-	-	-	1	-	-	1
1988.....	5	-	-	-	-	-	-	-	-	-	-
1987.....	3	-	-	-	-	1	-	-	-	-	-
1986.....	2	-	-	-	-	-	-	-	-	-	-
1985.....	1	-	-	-	-	-	-	-	-	-	-
1984.....	1	-	-	-	-	-	1	-	-	-	-
1983.....	1	-	-	-	-	-	-	-	-	-	-
1982.....	1	-	-	-	-	-	-	-	1	-	-
1980.....	2	-	-	-	-	-	-	-	-	-	-
1979.....	3	-	-	-	1	-	-	-	-	1	-
TOTAL, MALE											
1998.....	7	-	-	-	-	-	-	-	-	1	1
1997.....	4	-	-	-	-	-	-	-	-	-	1
1996.....	9	-	-	-	-	-	-	-	-	1	2
1995.....	6	-	-	-	-	-	1	-	-	1	-
1994.....	7	-	-	-	-	-	-	-	-	1	1
1993.....	1	-	-	-	-	-	-	-	-	-	-
1992.....	2	-	-	-	-	-	-	-	-	1	-
1991.....	6	-	-	-	-	-	-	1	-	-	-
1990.....	2	-	-	-	-	-	1	-	-	-	-
1989.....	4	-	-	-	-	-	-	1	-	-	1
1988.....	2	-	-	-	-	-	-	-	-	-	-
1987.....	1	-	-	-	-	1	-	-	-	-	-
1986.....	1	-	-	-	-	-	-	-	-	-	-
1985.....	1	-	-	-	-	-	-	-	-	-	-
1983.....	1	-	-	-	-	-	-	-	-	-	-
1982.....	1	-	-	-	-	-	-	-	1	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER ARTHROPOD-BORNE DISEASES (085-088)											
TOTAL, FEMALE											
1998.....	3	-	-	-	-	-	-	-	-	-	1
1997.....	1	-	-	-	-	-	-	-	-	-	-
1996.....	5	-	-	-	-	-	-	-	-	-	-
1995.....	1	-	-	-	-	-	-	-	-	-	-
1994.....	1	-	-	-	-	-	-	-	-	-	-
1993.....	2	-	-	-	-	-	-	-	-	-	-
1992.....	3	-	-	-	-	-	-	-	-	-	-
1991.....	4	-	-	-	-	-	-	-	-	-	-
1990.....	4	-	-	-	1	-	-	-	-	-	-
1989.....	3	-	-	-	-	-	-	-	-	-	-
1988.....	3	-	-	-	-	-	-	-	-	-	-
1987.....	2	-	-	-	-	-	-	-	-	-	-
1986.....	1	-	-	-	-	-	-	-	-	-	-
1984.....	1	-	-	-	-	-	1	-	-	-	-
1980.....	2	-	-	-	-	-	-	-	-	-	-
1979.....	3	-	-	-	1	-	-	-	-	1	-
WHITE, BOTH SEXES											
1998.....	10	-	-	-	-	-	-	-	-	1	2
1997.....	5	-	-	-	-	-	-	-	-	-	1
1996.....	13	-	-	-	-	-	-	-	-	1	2
1995.....	6	-	-	-	-	-	-	-	-	1	-
1994.....	8	-	-	-	-	-	-	-	-	1	1
1993.....	3	-	-	-	-	-	-	-	-	-	-
1992.....	3	-	-	-	-	-	-	-	-	1	-
1991.....	10	-	-	-	-	-	-	1	-	-	-
1990.....	5	-	-	-	1	-	1	-	-	-	-
1989.....	6	-	-	-	-	-	-	-	-	-	1
1988.....	5	-	-	-	-	-	-	-	-	-	-
1987.....	3	-	-	-	-	1	-	-	-	-	-
1986.....	2	-	-	-	-	-	-	-	-	-	-
1985.....	1	-	-	-	-	-	-	-	-	-	-
1984.....	1	-	-	-	-	-	1	-	-	-	-
1983.....	1	-	-	-	-	-	-	-	-	-	-
1982.....	1	-	-	-	-	-	-	-	1	-	-
1980.....	2	-	-	-	-	-	-	-	-	-	-
1979.....	3	-	-	-	1	-	-	-	-	1	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER ARTHROPOD-BORNE DISEASES (085-088)											
WHITE MALE											
1998.....	7	-	-	-	-	-	-	-	-	1	1
1997.....	4	-	-	-	-	-	-	-	-	-	1
1996.....	9	-	-	-	-	-	-	-	-	1	2
1995.....	5	-	-	-	-	-	-	-	-	1	-
1994.....	7	-	-	-	-	-	-	-	-	1	1
1993.....	1	-	-	-	-	-	-	-	-	-	-
1992.....	1	-	-	-	-	-	-	-	-	1	-
1991.....	6	-	-	-	-	-	-	1	-	-	-
1990.....	1	-	-	-	-	-	1	-	-	-	-
1989.....	3	-	-	-	-	-	-	-	-	-	1
1988.....	2	-	-	-	-	-	-	-	-	-	-
1987.....	1	-	-	-	-	1	-	-	-	-	-
1986.....	1	-	-	-	-	-	-	-	-	-	-
1985.....	1	-	-	-	-	-	-	-	-	-	-
1983.....	1	-	-	-	-	-	-	-	-	-	-
1982.....	1	-	-	-	-	-	-	-	1	-	-
WHITE FEMALE											
1998.....	3	-	-	-	-	-	-	-	-	-	1
1997.....	1	-	-	-	-	-	-	-	-	-	-
1996.....	4	-	-	-	-	-	-	-	-	-	-
1995.....	1	-	-	-	-	-	-	-	-	-	-
1994.....	1	-	-	-	-	-	-	-	-	-	-
1993.....	2	-	-	-	-	-	-	-	-	-	-
1992.....	2	-	-	-	-	-	-	-	-	-	-
1991.....	4	-	-	-	-	-	-	-	-	-	-
1990.....	4	-	-	-	1	-	-	-	-	-	-
1989.....	3	-	-	-	-	-	-	-	-	-	-
1988.....	3	-	-	-	-	-	-	-	-	-	-
1987.....	2	-	-	-	-	-	-	-	-	-	-
1986.....	1	-	-	-	-	-	-	-	-	-	-
1984.....	1	-	-	-	-	-	1	-	-	-	-
1980.....	2	-	-	-	-	-	-	-	-	-	-
1979.....	3	-	-	-	1	-	-	-	-	1	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER ARTHROPOD-BORNE DISEASES (085-088)											
ALL OTHER, BOTH SEXES											
1996.....	1	-	-	-	-	-	-	-	-	-	-
1995.....	1	-	-	-	-	-	1	-	-	-	-
1992.....	2	-	-	-	-	-	-	-	-	-	-
1990.....	1	-	-	-	-	-	-	-	-	-	-
1989.....	1	-	-	-	-	-	-	1	-	-	-
ALL OTHER MALE											
1995.....	1	-	-	-	-	-	1	-	-	-	-
1992.....	1	-	-	-	-	-	-	-	-	-	-
1990.....	1	-	-	-	-	-	-	-	-	-	-
1989.....	1	-	-	-	-	-	-	1	-	-	-
ALL OTHER FEMALE											
1996.....	1	-	-	-	-	-	-	-	-	-	-
1992.....	1	-	-	-	-	-	-	-	-	-	-
BLACK, BOTH SEXES											
1996.....	1	-	-	-	-	-	-	-	-	-	-
1995.....	1	-	-	-	-	-	1	-	-	-	-
1992.....	1	-	-	-	-	-	-	-	-	-	-
1990.....	1	-	-	-	-	-	-	-	-	-	-
1989.....	1	-	-	-	-	-	-	1	-	-	-
BLACK MALE											
1995.....	1	-	-	-	-	-	1	-	-	-	-
1990.....	1	-	-	-	-	-	-	-	-	-	-
1989.....	1	-	-	-	-	-	-	1	-	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
SYPHILIS AND OTHER VENEREAL DISEASES (090-099)											
TOTAL, BOTH SEXES											
1998.....	58	2	-	1	-	-	-	2	-	4	2
1997.....	72	5	-	-	-	2	-	1	1	5	2
1996.....	94	6	1	1	-	-	1	1	4	6	2
1995.....	72	4	1	-	-	-	1	3	6	2	2
1994.....	96	12	1	-	1	-	1	2	-	1	4
1993.....	93	13	1	-	-	-	1	4	8	6	3
1992.....	98	12	-	-	1	1	2	2	4	4	2
1991.....	101	26	1	-	1	-	1	-	5	-	4
1990.....	112	25	1	-	-	2	-	4	5	5	3
1989.....	113	19	-	1	1	-	1	3	8	3	2
1988.....	90	19	-	-	-	-	1	3	2	2	5
1987.....	107	15	1	-	-	-	2	1	4	4	3
1986.....	88	7	-	-	-	-	1	1	2	2	3
1985.....	86	7	-	1	-	1	-	1	2	2	1
1984.....	110	6	1	-	-	-	2	-	1	-	2
1983.....	127	7	1	1	-	-	-	3	4	1	1
1982.....	134	11	2	-	-	2	1	1	1	1	3
1981.....	142	6	1	-	-	1	1	1	4	3	2
1980.....	166	3	-	-	-	1	1	1	2	4	4
1979.....	183	6	1	-	-	1	2	1	-	4	2
TOTAL, MALE											
1998.....	32	2	-	1	-	-	-	1	-	2	1
1997.....	44	2	-	-	-	1	-	1	1	4	1
1996.....	62	4	-	-	-	-	-	1	1	4	2
1995.....	45	3	1	-	-	-	1	3	4	2	2
1994.....	53	9	-	-	-	-	1	2	-	1	1
1993.....	58	5	1	-	-	-	-	3	6	3	2
1992.....	62	9	-	-	1	1	1	2	3	3	2
1991.....	56	9	1	-	1	-	1	-	5	-	2
1990.....	66	15	-	-	-	2	-	3	3	5	2
1989.....	70	10	-	-	1	-	-	3	7	3	2
1988.....	53	9	-	-	-	-	-	2	2	-	4
1987.....	60	9	-	-	-	-	1	1	4	4	2
1986.....	46	4	-	-	-	-	-	1	1	2	2
1985.....	52	3	-	-	-	-	-	1	2	1	1
1984.....	70	3	-	-	-	-	1	-	1	-	1
1983.....	70	4	1	-	-	-	-	3	2	1	1
1982.....	80	7	1	-	-	2	-	1	1	-	3
1981.....	81	4	1	-	-	1	-	1	3	2	2
1980.....	99	1	-	-	-	1	1	1	-	4	3
1979.....	107	4	1	-	-	1	2	-	-	-	1

CAUSE-OF-DEATH CODE,
RACE, SEX, AND YEAR TOTAL UNDER 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44
SYPHILIS AND OTHER VENEREAL DISEASES (090-099) YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
TOTAL, FEMALE											
1998.....	26	-	-	-	-	-	-	1	-	2	1
1997.....	28	3	-	-	-	1	-	-	-	1	1
1996.....	32	2	1	1	-	-	1	-	3	2	-
1995.....	27	1	-	-	-	-	-	-	2	-	-
1994.....	43	3	1	-	1	-	-	-	-	-	3
1993.....	35	8	-	-	-	-	1	1	2	3	1
1992.....	36	3	-	-	-	-	1	-	1	1	-
1991.....	45	17	-	-	-	-	-	-	-	-	2
1990.....	46	10	1	-	-	-	-	1	2	-	1
1989.....	43	9	-	1	-	-	1	-	1	-	-
1988.....	37	10	-	-	-	-	1	1	-	2	1
1987.....	47	6	1	-	-	-	1	-	-	-	1
1986.....	42	3	-	-	-	-	1	-	1	-	1
1985.....	34	4	-	1	-	1	-	-	-	1	-
1984.....	40	3	1	-	-	-	1	-	-	-	1
1983.....	57	3	-	1	-	-	-	-	2	-	-
1982.....	54	4	1	-	-	-	1	-	-	1	-
1981.....	61	2	-	-	-	-	1	-	1	1	-
1980.....	67	2	-	-	-	-	-	-	2	-	1
1979.....	76	2	-	-	-	-	-	1	-	4	1
WHITE, BOTH SEXES											
1998.....	34	-	-	1	-	-	-	2	-	-	1
1997.....	45	4	-	-	-	1	-	-	-	5	2
1996.....	57	3	1	-	-	-	1	-	3	4	1
1995.....	41	2	-	-	-	-	-	3	4	-	-
1994.....	56	2	-	-	1	-	1	-	-	1	3
1993.....	42	4	-	-	-	-	1	2	1	5	1
1992.....	46	3	-	-	1	1	1	2	-	1	-
1991.....	50	6	-	-	1	-	1	-	3	-	2
1990.....	46	3	-	-	-	2	-	2	2	1	2
1989.....	52	4	-	-	1	-	-	2	1	2	1
1988.....	42	5	-	-	-	-	-	1	1	1	2
1987.....	58	6	-	-	-	-	2	1	2	2	1
1986.....	48	6	-	-	-	-	-	1	2	-	1
1985.....	51	4	-	-	-	-	-	-	1	1	1
1984.....	58	3	1	-	-	-	2	-	1	-	2
1983.....	75	3	1	1	-	-	-	-	2	1	-
1982.....	90	6	2	-	-	1	-	1	1	1	2
1981.....	92	1	-	-	-	1	1	1	4	2	1
1980.....	98	2	-	-	-	1	-	-	1	4	4
1979.....	101	4	-	-	-	1	2	1	-	2	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
SYPHILIS AND OTHER VENEREAL DISEASES (090-099)											
WHITE MALE											
1998.....	19	-	-	1	-	-	-	1	-	-	1
1997.....	24	1	-	-	-	-	-	-	-	4	1
1996.....	37	1	-	-	-	-	-	-	1	4	1
1995.....	25	1	-	-	-	-	-	3	4	-	-
1994.....	30	1	-	-	-	-	1	-	-	1	-
1993.....	27	2	-	-	-	-	-	2	1	3	1
1992.....	24	1	-	-	1	1	-	2	-	1	-
1991.....	30	3	-	-	1	-	1	-	3	-	1
1990.....	24	2	-	-	-	2	-	2	1	1	1
1989.....	32	3	-	-	1	-	-	2	1	2	1
1988.....	26	3	-	-	-	-	-	-	1	-	2
1987.....	34	3	-	-	-	-	1	1	2	2	1
1986.....	25	4	-	-	-	-	-	1	1	-	1
1985.....	30	1	-	-	-	-	-	-	1	1	1
1984.....	34	2	-	-	-	-	1	-	1	-	1
1983.....	37	2	1	-	-	-	-	-	1	1	-
1982.....	50	4	1	-	-	1	-	1	1	-	2
1981.....	50	1	-	-	-	1	-	1	3	1	1
1980.....	53	-	-	-	-	1	-	-	-	4	3
1979.....	60	3	-	-	-	1	2	-	-	-	-
WHITE FEMALE											
1998.....	15	-	-	-	-	-	-	1	-	-	-
1997.....	21	3	-	-	-	1	-	-	-	1	1
1996.....	20	2	1	-	-	-	1	-	2	-	-
1995.....	16	1	-	-	-	-	-	-	-	-	-
1994.....	26	1	-	-	1	-	-	-	-	-	3
1993.....	15	2	-	-	-	-	1	-	-	2	-
1992.....	22	2	-	-	-	-	1	-	-	-	-
1991.....	20	3	-	-	-	-	-	-	-	-	1
1990.....	22	1	-	-	-	-	-	-	1	-	1
1989.....	20	1	-	-	-	-	-	-	-	-	-
1988.....	16	2	-	-	-	-	-	1	-	1	-
1987.....	24	3	-	-	-	-	1	-	-	-	-
1986.....	23	2	-	-	-	-	-	-	1	-	-
1985.....	21	3	-	-	-	-	-	-	-	-	-
1984.....	24	1	1	-	-	-	1	-	-	-	1
1983.....	38	1	-	1	-	-	-	-	1	-	-
1982.....	40	2	1	-	-	-	-	-	-	1	-
1981.....	42	-	-	-	-	-	1	-	1	1	-
1980.....	45	2	-	-	-	-	-	-	1	-	1
1979.....	41	1	-	-	-	-	-	1	-	2	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR SYPHILIS (090-097)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
TOTAL, BOTH SEXES											
1998.....	45	2	-	-	-	-	-	2	-	4	2
1997.....	62	4	-	-	-	1	-	1	1	4	1
1996.....	73	6	-	-	-	-	1	1	3	5	2
1995.....	65	4	1	-	-	-	1	3	6	2	1
1994.....	79	11	1	-	-	-	1	2	-	1	3
1993.....	80	12	1	-	-	-	1	3	7	4	3
1992.....	91	12	-	-	1	12	2	2	2	4	2
1991.....	93	25	1	-	1	-	1	-	5	-	3
1990.....	106	25	1	-	-	2	-	4	4	4	3
1989.....	105	19	-	1	1	-	-	3	7	2	2
1988.....	85	17	-	-	-	-	-	3	2	2	3
1987.....	98	14	-	-	-	-	2	-	3	4	3
1986.....	80	5	-	-	-	-	-	1	1	1	3
1985.....	80	7	-	1	-	-	-	-	2	2	1
1984.....	105	6	-	-	-	-	2	-	1	-	2
1983.....	121	7	-	1	-	-	-	3	3	-	1
1982.....	126	10	-	-	-	2	1	1	1	1	3
1981.....	136	6	-	-	-	1	1	1	4	1	2
1980.....	154	2	-	-	-	1	1	-	2	3	3
1979.....	180	6	1	-	-	1	2	1	-	2	2
TOTAL, MALE											
1998.....	25	2	-	-	-	-	-	1	-	2	1
1997.....	39	2	-	-	-	-	-	1	1	3	1
1996.....	50	4	-	-	-	-	-	1	1	3	2
1995.....	41	3	1	-	-	-	1	3	4	2	1
1994.....	46	9	-	-	-	-	1	2	-	1	-
1993.....	52	5	1	-	-	-	-	3	6	2	2
1992.....	60	9	-	-	1	1	1	2	2	3	2
1991.....	52	9	1	-	1	-	1	-	5	-	2
1990.....	63	15	-	-	-	2	-	3	3	4	2
1989.....	65	10	-	-	1	-	-	3	7	2	2
1988.....	51	8	-	-	-	-	-	2	2	-	3
1987.....	57	8	-	-	-	-	1	-	3	4	2
1986.....	42	2	-	-	-	-	-	1	1	1	2
1985.....	49	3	-	-	-	-	-	-	2	1	1
1984.....	67	3	-	-	-	-	1	-	1	-	1
1983.....	68	4	-	-	-	-	-	3	2	-	1
1982.....	76	6	-	-	-	2	-	1	1	-	3
1981.....	76	4	-	-	-	1	-	1	3	-	2
1980.....	92	1	-	-	-	1	1	-	-	3	2
1979.....	107	4	1	-	-	1	2	-	-	-	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR SYPHILIS (090-097)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
TOTAL, FEMALE											
1998.....	20	-	-	-	-	-	-	1	-	2	1
1997.....	23	2	-	-	-	1	-	-	-	1	-
1996.....	23	2	-	-	-	-	1	-	2	2	-
1995.....	24	1	-	-	-	-	-	-	2	-	-
1994.....	33	2	1	-	-	-	-	-	-	-	3
1993.....	28	7	-	-	-	-	1	-	1	2	1
1992.....	31	3	-	-	-	-	1	-	-	1	-
1991.....	41	16	-	-	-	-	-	-	-	-	1
1990.....	43	10	1	-	-	-	-	1	1	-	1
1989.....	40	9	-	1	-	-	-	-	-	-	-
1988.....	34	9	-	-	-	-	-	1	-	2	-
1987.....	41	6	-	-	-	-	1	-	-	-	1
1986.....	38	3	-	-	-	-	-	-	-	-	1
1985.....	31	4	-	1	-	-	-	-	-	1	-
1984.....	38	3	-	-	-	-	1	-	-	-	1
1983.....	53	3	-	1	-	-	-	-	1	-	-
1982.....	50	4	-	-	-	-	1	-	-	1	-
1981.....	60	2	-	-	-	-	1	-	1	1	-
1980.....	62	1	-	-	-	-	-	-	2	-	1
1979.....	73	2	-	-	-	-	-	1	-	2	1
WHITE, BOTH SEXES											
1998.....	21	-	-	-	-	-	-	2	-	-	1
1997.....	37	3	-	-	-	1	-	-	-	4	1
1996.....	39	3	-	-	-	-	1	-	2	3	1
1995.....	36	2	-	-	-	-	-	3	4	-	-
1994.....	41	1	-	-	-	-	1	-	-	1	3
1993.....	32	3	-	-	-	-	1	2	1	3	1
1992.....	43	3	-	-	1	1	1	2	-	1	-
1991.....	44	5	-	-	1	-	1	-	3	-	2
1990.....	41	3	-	-	-	2	-	2	1	-	2
1989.....	47	4	-	-	1	-	-	2	1	1	1
1988.....	40	4	-	-	-	-	-	1	1	1	1
1987.....	51	5	-	-	-	-	2	-	2	2	1
1986.....	43	4	-	-	-	-	-	1	1	-	1
1985.....	49	4	-	-	-	-	-	-	1	1	1
1984.....	55	3	-	-	-	-	2	-	1	-	2
1983.....	70	3	-	1	-	-	-	-	2	-	-
1982.....	84	6	-	-	-	1	-	1	1	1	2
1981.....	88	1	-	-	-	1	1	1	4	1	1
1980.....	93	1	-	-	-	1	-	-	1	3	3
1979.....	101	4	-	-	-	1	2	1	-	2	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR SYPHILIS (090-097)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
WHITE MALE											
1998.....	12	-	-	-	-	-	-	1	-	-	1
1997.....	20	1	-	-	-	-	-	-	-	3	1
1996.....	26	1	-	-	-	-	-	-	1	3	1
1995.....	22	1	-	-	-	-	-	3	4	-	-
1994.....	24	1	-	-	-	-	1	-	-	1	-
1993.....	22	2	-	-	-	-	-	2	1	2	1
1992.....	23	1	-	-	1	1	-	2	-	1	-
1991.....	27	3	-	-	1	-	1	-	3	-	1
1990.....	21	2	-	-	-	2	-	2	1	-	1
1989.....	27	3	-	-	1	-	-	2	1	1	1
1988.....	25	3	-	-	-	-	-	-	1	-	1
1987.....	32	2	-	-	-	-	1	-	2	2	1
1986.....	22	2	-	-	-	-	-	1	1	-	1
1985.....	29	1	-	-	-	-	-	-	1	1	1
1984.....	33	2	-	-	-	-	1	-	1	-	1
1983.....	35	2	-	-	-	-	-	-	1	-	-
1982.....	47	4	-	-	-	1	-	1	1	-	2
1981.....	47	1	-	-	-	1	-	1	3	-	1
1980.....	50	-	-	-	-	1	-	-	-	3	2
1979.....	60	3	-	-	-	1	2	-	-	-	-
WHITE FEMALE											
1998.....	9	-	-	-	-	-	-	1	-	-	-
1997.....	17	2	-	-	-	1	-	-	-	1	-
1996.....	13	2	-	-	-	-	1	-	1	-	-
1995.....	14	1	-	-	-	-	-	-	-	-	-
1994.....	17	-	-	-	-	-	-	-	-	-	3
1993.....	10	1	-	-	-	-	1	-	-	1	-
1992.....	20	2	-	-	-	-	1	-	-	-	-
1991.....	17	2	-	-	-	-	-	-	-	-	1
1990.....	20	1	-	-	-	-	-	-	-	-	1
1989.....	20	1	-	-	-	-	-	-	-	-	-
1988.....	15	1	-	-	-	-	-	1	-	1	-
1987.....	19	3	-	-	-	-	1	-	-	-	-
1986.....	21	2	-	-	-	-	-	-	-	-	-
1985.....	20	3	-	-	-	-	-	-	-	-	-
1984.....	22	1	-	-	-	-	1	-	-	-	1
1983.....	35	1	-	1	-	-	-	-	1	-	-
1982.....	37	2	-	-	-	-	-	-	-	1	-
1981.....	41	-	-	-	-	-	1	-	1	1	-
1980.....	43	1	-	-	-	-	-	-	1	-	1
1979.....	41	1	-	-	-	-	-	1	-	2	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 NEUROSYPHILIS (094)											
TOTAL, BOTH SEXES											
1998.....	18	-	-	-	-	-	-	-	-	2	1
1997.....	30	-	-	-	-	1	-	1	1	-	-
1996.....	36	-	-	-	-	-	-	1	1	1	1
1995.....	31	-	1	-	-	-	-	-	3	2	1
1994.....	39	-	-	-	-	-	-	2	-	-	2
1993.....	38	-	1	-	-	-	-	1	4	3	1
1992.....	39	-	-	-	-	-	-	2	1	2	1
1991.....	35	-	-	-	-	-	1	-	2	-	1
1990.....	47	-	-	-	-	-	-	3	1	2	1
1989.....	47	-	-	-	-	-	-	2	4	2	1
1988.....	40	-	-	-	-	-	-	2	1	1	2
1987.....	30	-	-	-	-	-	-	-	1	3	-
1986.....	32	1	-	-	-	-	-	-	-	1	1
1985.....	32	-	-	-	-	-	-	-	2	1	-
1984.....	44	-	-	-	-	-	2	-	-	-	-
1983.....	49	-	-	-	-	-	-	1	1	-	1
1982.....	44	-	-	-	-	-	-	-	-	-	-
1981.....	45	-	-	-	-	-	1	1	-	-	1
1980.....	52	-	-	-	-	-	1	-	-	-	1
1979.....	62	-	-	-	-	-	1	1	-	1	-
TOTAL, MALE											
1998.....	11	-	-	-	-	-	-	-	-	2	-
1997.....	15	-	-	-	-	-	-	1	1	-	-
1996.....	25	-	-	-	-	-	-	1	-	-	1
1995.....	18	-	1	-	-	-	-	-	1	2	1
1994.....	22	-	-	-	-	-	-	2	-	-	-
1993.....	24	-	1	-	-	-	-	1	4	2	1
1992.....	27	-	-	-	-	-	-	2	1	2	1
1991.....	19	-	-	-	-	-	1	-	2	-	1
1990.....	25	-	-	-	-	-	-	2	1	2	1
1989.....	31	-	-	-	-	-	-	2	4	2	1
1988.....	27	-	-	-	-	-	-	2	1	-	2
1987.....	18	-	-	-	-	-	-	-	1	3	-
1986.....	20	-	-	-	-	-	-	-	-	1	1
1985.....	20	-	-	-	-	-	-	-	2	1	-
1984.....	31	-	-	-	-	-	1	-	-	-	-
1983.....	28	-	-	-	-	-	-	1	1	-	1
1982.....	24	-	-	-	-	-	-	-	-	-	-
1981.....	28	-	-	-	-	-	-	1	-	-	1
1980.....	30	-	-	-	-	-	1	-	-	-	1
1979.....	35	-	-	-	-	-	1	-	-	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 NEUROSYPHILIS (094)											
TOTAL, FEMALE											
1998.....	7	-	-	-	-	-	-	-	-	-	1
1997.....	15	-	-	-	-	1	-	-	-	-	-
1996.....	11	-	-	-	-	-	-	-	1	1	-
1995.....	13	-	-	-	-	-	-	-	2	-	-
1994.....	17	-	-	-	-	-	-	-	-	-	2
1993.....	14	-	-	-	-	-	-	-	-	1	-
1992.....	12	-	-	-	-	-	-	-	-	-	-
1991.....	16	-	-	-	-	-	-	-	-	-	-
1990.....	22	-	-	-	-	-	-	1	-	-	-
1989.....	16	-	-	-	-	-	-	-	-	-	-
1988.....	13	-	-	-	-	-	-	-	-	1	-
1987.....	12	-	-	-	-	-	-	-	-	-	-
1986.....	12	1	-	-	-	-	-	-	-	-	-
1985.....	12	-	-	-	-	-	-	-	-	-	-
1984.....	13	-	-	-	-	-	1	-	-	-	-
1983.....	21	-	-	-	-	-	-	-	-	-	-
1982.....	20	-	-	-	-	-	-	-	-	-	-
1981.....	17	-	-	-	-	-	1	-	-	-	-
1980.....	22	-	-	-	-	-	-	-	-	-	-
1979.....	27	-	-	-	-	-	-	1	-	1	-
WHITE, BOTH SEXES											
1998.....	7	-	-	-	-	-	-	-	-	-	-
1997.....	16	-	-	-	-	1	-	-	-	-	-
1996.....	16	-	-	-	-	-	-	-	-	-	-
1995.....	12	-	-	-	-	-	-	-	1	-	-
1994.....	25	-	-	-	-	-	-	-	-	-	2
1993.....	13	-	-	-	-	-	-	-	-	2	-
1992.....	20	-	-	-	-	-	-	2	-	-	-
1991.....	22	-	-	-	-	-	1	-	2	-	-
1990.....	23	-	-	-	-	-	-	1	1	-	1
1989.....	20	-	-	-	-	-	-	1	-	1	-
1988.....	22	-	-	-	-	-	-	-	1	-	1
1987.....	14	-	-	-	-	-	-	-	-	1	-
1986.....	20	-	-	-	-	-	-	-	-	-	1
1985.....	23	-	-	-	-	-	-	-	1	1	-
1984.....	28	-	-	-	-	-	2	-	-	-	-
1983.....	33	-	-	-	-	-	-	-	1	-	-
1982.....	33	-	-	-	-	-	-	-	-	-	-
1981.....	32	-	-	-	-	-	1	1	-	-	-
1980.....	36	-	-	-	-	-	-	-	-	-	1
1979.....	36	-	-	-	-	-	1	1	-	1	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 NEUROSYPHILIS (094)											
WHITE MALE											
1998.....	5	-	-	-	-	-	-	-	-	-	-
1997.....	5	-	-	-	-	-	-	-	-	-	-
1996.....	11	-	-	-	-	-	-	-	-	-	-
1995.....	7	-	-	-	-	-	-	-	1	-	-
1994.....	14	-	-	-	-	-	-	-	-	-	-
1993.....	8	-	-	-	-	-	-	-	-	2	-
1992.....	12	-	-	-	-	-	-	2	-	-	-
1991.....	12	-	-	-	-	-	1	-	2	-	-
1990.....	12	-	-	-	-	-	-	1	1	-	1
1989.....	9	-	-	-	-	-	-	1	-	1	-
1988.....	15	-	-	-	-	-	-	-	1	-	1
1987.....	8	-	-	-	-	-	-	-	-	1	-
1986.....	12	-	-	-	-	-	-	-	-	-	1
1985.....	14	-	-	-	-	-	-	-	1	1	-
1984.....	20	-	-	-	-	-	1	-	-	-	-
1983.....	15	-	-	-	-	-	-	-	1	-	-
1982.....	17	-	-	-	-	-	-	-	-	-	-
1981.....	20	-	-	-	-	-	-	1	-	-	-
1980.....	19	-	-	-	-	-	-	-	-	-	1
1979.....	20	-	-	-	-	-	1	-	-	-	-
WHITE FEMALE											
1998.....	2	-	-	-	-	-	-	-	-	-	-
1997.....	11	-	-	-	-	1	-	-	-	-	-
1996.....	5	-	-	-	-	-	-	-	-	-	-
1995.....	5	-	-	-	-	-	-	-	-	-	-
1994.....	11	-	-	-	-	-	-	-	-	-	2
1993.....	5	-	-	-	-	-	-	-	-	-	-
1992.....	8	-	-	-	-	-	-	-	-	-	-
1991.....	10	-	-	-	-	-	-	-	-	-	-
1990.....	11	-	-	-	-	-	-	-	-	-	-
1989.....	11	-	-	-	-	-	-	-	-	-	-
1988.....	7	-	-	-	-	-	-	-	-	-	-
1987.....	6	-	-	-	-	-	-	-	-	-	-
1986.....	8	-	-	-	-	-	-	-	-	-	-
1985.....	9	-	-	-	-	-	-	-	-	-	-
1984.....	8	-	-	-	-	-	1	-	-	-	-
1983.....	18	-	-	-	-	-	-	-	-	-	-
1982.....	16	-	-	-	-	-	-	-	-	-	-
1981.....	12	-	-	-	-	-	1	-	-	-	-
1980.....	17	-	-	-	-	-	-	-	-	-	-
1979.....	16	-	-	-	-	-	-	1	-	1	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ALL OTHER SYPHILIS (090-091,095-097)											
TOTAL, BOTH SEXES											
1998.....	23	2	-	-	-	-	-	2	-	2	1
1997.....	23	4	-	-	-	-	-	-	-	2	1
1996.....	31	6	-	-	-	-	1	-	2	4	1
1995.....	28	4	-	-	-	-	1	3	3	-	-
1994.....	31	11	1	-	-	-	1	-	-	1	1
1993.....	36	12	-	-	-	-	1	2	2	1	2
1992.....	34	12	-	-	1	1	2	-	-	-	-
1991.....	45	25	1	-	1	-	-	-	2	-	2
1990.....	47	25	1	-	-	2	-	1	3	1	2
1989.....	44	19	-	1	1	-	-	1	2	-	1
1988.....	30	17	-	-	-	-	-	1	1	1	1
1987.....	46	14	-	-	-	-	2	-	2	1	2
1986.....	24	4	-	-	-	-	-	1	1	-	-
1985.....	21	7	-	1	-	-	-	-	-	1	1
1984.....	28	6	-	-	-	-	-	-	1	-	1
1983.....	35	7	-	1	-	-	-	2	2	-	-
1982.....	35	10	-	-	-	2	1	1	-	1	2
1981.....	36	6	-	-	-	1	-	-	3	1	1
1980.....	32	2	-	-	-	1	-	-	2	2	1
1979.....	31	6	1	-	-	1	1	-	-	1	2
TOTAL, MALE											
1998.....	13	2	-	-	-	-	-	1	-	-	1
1997.....	16	2	-	-	-	-	-	-	-	2	1
1996.....	20	4	-	-	-	-	-	-	1	3	1
1995.....	21	3	-	-	-	-	1	3	3	-	-
1994.....	18	9	-	-	-	-	1	-	-	1	-
1993.....	24	5	-	-	-	-	-	2	2	-	1
1992.....	22	9	-	-	1	1	1	-	-	-	-
1991.....	23	9	1	-	1	-	-	-	2	-	1
1990.....	29	15	-	-	-	2	-	1	2	1	1
1989.....	27	10	-	-	1	-	-	1	2	-	1
1988.....	14	8	-	-	-	-	-	-	1	-	1
1987.....	28	8	-	-	-	-	1	-	2	1	1
1986.....	13	2	-	-	-	-	-	1	1	-	-
1985.....	10	3	-	-	-	-	-	-	-	-	1
1984.....	15	3	-	-	-	-	-	-	1	-	-
1983.....	22	4	-	-	-	-	-	2	1	-	-
1982.....	23	6	-	-	-	2	-	1	-	-	2
1981.....	19	4	-	-	-	1	-	-	2	-	1
1980.....	14	1	-	-	-	1	-	-	-	2	1
1979.....	22	4	1	-	-	1	1	-	-	-	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 ALL OTHER SYPHILIS (090-091,095-097)											
TOTAL, FEMALE											
1998.....	10	-	-	-	-	-	-	1	-	2	-
1997.....	7	2	-	-	-	-	-	-	-	-	-
1996.....	11	2	-	-	-	-	1	-	1	1	-
1995.....	7	1	-	-	-	-	-	-	-	-	-
1994.....	13	2	1	-	-	-	-	-	-	-	1
1993.....	12	7	-	-	-	-	1	-	-	1	1
1992.....	12	3	-	-	-	-	1	-	-	-	-
1991.....	22	16	-	-	-	-	-	-	-	-	1
1990.....	18	10	1	-	-	-	-	-	1	-	1
1989.....	17	9	-	1	-	-	-	-	-	-	-
1988.....	16	9	-	-	-	-	-	1	-	1	-
1987.....	18	6	-	-	-	-	1	-	-	-	1
1986.....	11	2	-	-	-	-	-	-	-	-	-
1985.....	11	4	-	1	-	-	-	-	-	1	-
1984.....	13	3	-	-	-	-	-	-	-	-	1
1983.....	13	3	-	1	-	-	-	-	1	-	-
1982.....	12	4	-	-	-	-	1	-	-	1	-
1981.....	17	2	-	-	-	-	-	-	1	1	-
1980.....	18	1	-	-	-	-	-	-	2	-	-
1979.....	9	2	-	-	-	-	-	-	-	1	1
WHITE, BOTH SEXES											
1998.....	11	-	-	-	-	-	-	2	-	-	1
1997.....	17	3	-	-	-	-	-	-	-	2	1
1996.....	20	3	-	-	-	-	1	-	2	3	1
1995.....	21	2	-	-	-	-	-	3	3	-	-
1994.....	13	1	-	-	-	-	1	-	-	1	1
1993.....	18	3	-	-	-	-	1	2	1	1	1
1992.....	16	3	-	-	1	1	1	-	-	-	-
1991.....	17	5	-	-	1	-	-	-	1	-	2
1990.....	14	3	-	-	-	2	-	1	-	-	1
1989.....	20	4	-	-	1	-	-	1	1	-	1
1988.....	12	4	-	-	-	-	-	1	-	1	-
1987.....	27	5	-	-	-	-	2	-	2	1	1
1986.....	15	4	-	-	-	-	-	1	1	-	-
1985.....	11	4	-	-	-	-	-	-	-	-	1
1984.....	15	3	-	-	-	-	-	-	1	-	1
1983.....	21	3	-	1	-	-	-	-	1	-	-
1982.....	25	6	-	-	-	1	-	1	-	1	2
1981.....	27	1	-	-	-	1	-	-	3	1	1
1980.....	21	1	-	-	-	1	-	-	1	2	1
1979.....	21	4	-	-	-	1	1	-	-	1	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 GONOCOCCAL INFECTIONS (098)											
TOTAL, BOTH SEXES											
1998.....	4	-	-	1	-	-	-	-	-	-	-
1997.....	3	1	-	-	-	1	-	-	-	-	1
1996.....	4	-	1	-	-	-	-	-	1	1	-
1995.....	3	-	-	-	-	-	-	-	-	-	1
1994.....	3	1	-	-	1	-	-	-	-	-	1
1993.....	5	1	-	-	-	-	-	-	1	2	-
1992.....	4	-	-	-	-	-	-	-	2	-	-
1991.....	3	1	-	-	-	-	-	-	-	-	-
1990.....	3	-	-	-	-	-	-	-	1	1	-
1989.....	4	-	-	-	-	-	1	-	1	-	-
1988.....	3	1	-	-	-	-	1	-	-	-	1
1987.....	7	1	1	-	-	-	-	1	-	-	-
1986.....	7	2	-	-	-	-	1	-	1	1	-
1985.....	2	-	-	-	-	1	-	-	-	-	-
1984.....	3	-	1	-	-	-	-	-	-	-	-
1983.....	4	-	1	-	-	-	-	-	1	-	-
1982.....	6	1	2	-	-	-	-	-	-	-	-
1981.....	4	-	1	-	-	-	-	-	-	1	-
1980.....	7	1	-	-	-	-	-	1	-	-	-
1979.....	1	-	-	-	-	-	-	-	-	1	-
TOTAL, MALE											
1998.....	2	-	-	1	-	-	-	-	-	-	-
1997.....	1	-	-	-	-	1	-	-	-	-	-
1996.....	1	-	-	-	-	-	-	-	-	1	-
1995.....	2	-	-	-	-	-	-	-	-	-	1
1994.....	1	-	-	-	-	-	-	-	-	-	1
1993.....	2	-	-	-	-	-	-	-	-	1	-
1992.....	1	-	-	-	-	-	-	-	1	-	-
1991.....	1	-	-	-	-	-	-	-	-	-	-
1990.....	2	-	-	-	-	-	-	-	-	1	-
1989.....	2	-	-	-	-	-	-	-	-	-	-
1987.....	2	1	-	-	-	-	-	1	-	-	-
1986.....	3	2	-	-	-	-	-	-	-	1	-
1985.....	1	-	-	-	-	-	-	-	-	-	-
1984.....	2	-	-	-	-	-	-	-	-	-	-
1983.....	1	-	1	-	-	-	-	-	-	-	-
1982.....	4	1	1	-	-	-	-	-	-	-	-
1981.....	3	-	1	-	-	-	-	-	-	1	-
1980.....	3	-	-	-	-	-	-	1	-	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 GONOCOCCAL INFECTIONS (098)											
ALL OTHER, BOTH SEXES											
1997.....	1	-	-	-	-	1	-	-	-	-	-
1995.....	1	-	-	-	-	-	-	-	-	-	1
1994.....	1	-	-	-	-	-	-	-	-	-	1
1993.....	1	-	-	-	-	-	-	-	1	-	-
1992.....	2	-	-	-	-	-	-	-	2	-	-
1989.....	2	-	-	-	-	-	1	-	1	-	-
1988.....	2	-	-	-	-	-	1	-	-	-	1
1987.....	1	-	1	-	-	-	-	-	-	-	-
1986.....	3	-	-	-	-	-	1	-	-	1	-
1985.....	1	-	-	-	-	1	-	-	-	-	-
1984.....	1	-	-	-	-	-	-	-	-	-	-
1983.....	1	-	-	-	-	-	-	-	1	-	-
1982.....	1	1	-	-	-	-	-	-	-	-	-
1981.....	1	-	1	-	-	-	-	-	-	-	-
1980.....	5	-	-	-	-	-	-	1	-	-	-
1979.....	1	-	-	-	-	-	-	-	-	1	-
ALL OTHER MALE											
1997.....	1	-	-	-	-	1	-	-	-	-	-
1995.....	1	-	-	-	-	-	-	-	-	-	1
1994.....	1	-	-	-	-	-	-	-	-	-	1
1992.....	1	-	-	-	-	-	-	-	1	-	-
1986.....	1	-	-	-	-	-	-	-	-	1	-
1984.....	1	-	-	-	-	-	-	-	-	-	-
1982.....	1	1	-	-	-	-	-	-	-	-	-
1981.....	1	-	1	-	-	-	-	-	-	-	-
1980.....	3	-	-	-	-	-	-	1	-	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
OTHER INFECTIOUS AND PARASITIC DISEASES AND LATE EFFECTS OF INFECTIOUS AND PARASITIC DISEASES (100-139)											
TOTAL, BOTH SEXES											
1998.....	4,235	137	24	15	18	23	36	68	132	197	262
1997.....	4,190	112	26	18	14	31	44	65	138	237	286
1996.....	4,374	100	41	18	23	34	30	85	189	292	284
1995.....	4,377	121	29	23	26	31	50	99	226	324	303
1994.....	4,370	98	38	16	25	35	41	107	227	352	318
1993.....	4,288	114	39	18	23	31	60	123	233	283	292
1992.....	4,232	119	31	27	11	34	58	150	227	301	285
1991.....	4,137	134	37	14	15	18	48	130	230	308	282
1990.....	4,229	106	33	19	17	21	74	156	225	289	276
1989.....	4,543	128	31	19	9	27	66	157	303	328	300
1988.....	4,185	99	35	18	23	31	65	140	235	278	252
1987.....	3,696	89	38	19	18	28	62	107	211	254	211
1986.....	6,301	86	45	22	22	33	168	510	825	814	536
1985.....	4,775	99	31	17	16	32	114	348	522	544	365
1984.....	3,709	73	23	14	20	30	82	242	342	318	254
1983.....	2,676	54	24	8	19	26	41	130	175	151	146
1982.....	2,245	56	27	14	13	20	43	69	106	110	101
1981.....	2,079	53	23	14	12	20	32	74	86	88	86
1980.....	1,908	78	17	10	12	24	31	49	55	71	82
1979.....	1,761	58	14	9	15	31	40	50	73	76	71
TOTAL, MALE											
1998.....	2,162	85	15	9	10	10	19	42	79	118	139
1997.....	2,113	63	15	9	7	15	18	36	83	148	154
1996.....	2,267	54	27	10	12	18	14	60	129	190	181
1995.....	2,395	77	13	9	13	14	30	63	158	218	187
1994.....	2,405	60	22	7	11	16	25	72	166	251	213
1993.....	2,349	66	18	9	14	18	37	79	163	204	193
1992.....	2,325	68	19	9	4	18	38	100	157	207	181
1991.....	2,381	72	21	8	10	10	30	89	152	218	190
1990.....	2,399	58	16	9	8	15	49	111	158	199	185
1989.....	2,580	65	16	14	2	12	44	112	214	237	198
1988.....	2,342	57	19	8	13	17	38	106	169	196	179
1987.....	2,038	53	21	11	6	14	46	69	145	161	122
1986.....	4,505	49	20	12	12	24	138	432	712	725	440
1985.....	3,252	50	15	12	6	19	93	279	453	462	298
1984.....	2,375	39	10	7	12	20	61	179	284	259	195
1983.....	1,587	31	12	1	13	17	28	98	128	119	99
1982.....	1,229	35	17	9	7	15	21	46	69	71	56
1981.....	1,147	31	16	9	7	12	22	37	49	44	49
1980.....	1,031	36	10	5	7	11	16	26	30	39	37
1979.....	969	29	7	4	8	16	19	29	40	37	42

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
OTHER INFECTIOUS AND PARASITIC DISEASES AND LATE EFFECTS OF INFECTIOUS AND PARASITIC DISEASES (100-139)											
TOTAL, FEMALE											
1998.....	2,073	52	9	6	8	13	17	26	53	79	123
1997.....	2,077	49	11	9	7	16	26	29	55	89	132
1996.....	2,107	46	14	8	11	16	16	25	60	102	103
1995.....	1,982	44	16	14	13	17	20	36	68	106	116
1994.....	1,965	38	16	9	14	19	16	35	61	101	105
1993.....	1,939	48	21	9	9	13	23	44	70	79	99
1992.....	1,907	51	12	18	7	16	20	50	70	94	104
1991.....	1,756	62	16	6	5	8	18	41	78	90	92
1990.....	1,830	48	17	10	9	6	25	45	67	90	91
1989.....	1,963	63	15	5	7	15	22	45	89	91	102
1988.....	1,843	42	16	10	10	14	27	34	66	82	73
1987.....	1,658	36	17	8	12	14	16	38	66	93	89
1986.....	1,796	37	25	10	10	9	30	78	113	89	96
1985.....	1,523	49	16	5	10	13	21	69	69	82	67
1984.....	1,334	34	13	7	8	10	21	63	58	59	59
1983.....	1,089	23	12	7	6	9	13	32	47	32	47
1982.....	1,016	21	10	5	6	5	22	23	37	39	45
1981.....	932	22	7	5	5	8	10	37	37	44	37
1980.....	877	42	7	5	5	13	15	23	25	32	45
1979.....	792	29	7	5	7	15	21	21	33	39	29
WHITE, BOTH SEXES											
1998.....	3,069	91	19	11	17	13	22	41	60	89	126
1997.....	3,001	68	24	14	10	23	28	39	72	109	144
1996.....	3,151	61	26	10	15	29	17	52	109	152	145
1995.....	3,195	74	21	18	20	21	31	62	134	190	163
1994.....	3,189	64	26	11	19	29	23	59	128	197	184
1993.....	3,103	74	27	16	18	24	38	77	122	162	153
1992.....	3,026	63	20	25	9	29	36	85	132	149	150
1991.....	2,992	79	26	10	9	17	28	82	121	162	156
1990.....	3,070	64	25	13	13	13	46	90	123	150	157
1989.....	3,337	73	24	17	7	19	49	95	157	167	162
1988.....	3,107	61	29	10	18	25	31	83	129	147	142
1987.....	2,733	55	29	16	14	22	36	62	116	150	129
1986.....	4,727	46	39	17	17	27	112	350	566	555	375
1985.....	3,591	59	22	13	14	24	77	237	346	369	260
1984.....	2,749	44	14	12	17	24	56	159	208	208	161
1983.....	1,996	31	17	7	14	16	27	85	91	92	78
1982.....	1,679	34	20	11	11	11	29	32	56	55	55
1981.....	1,584	41	17	14	8	16	18	37	39	47	42
1980.....	1,427	50	12	10	9	15	18	26	26	37	40
1979.....	1,325	41	9	7	10	21	21	25	36	41	30

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
OTHER INFECTIOUS AND PARASITIC DISEASES AND LATE EFFECTS OF INFECTIOUS AND PARASITIC DISEASES (100-139)											
WHITE MALE											
1998.....	1,615	58	11	6	10	6	11	26	39	65	78
1997.....	1,563	42	15	6	5	12	10	22	45	75	92
1996.....	1,664	34	16	6	8	16	8	36	78	106	106
1995.....	1,801	48	10	9	10	8	17	42	101	146	107
1994.....	1,774	41	16	6	8	16	12	37	105	154	139
1993.....	1,729	49	13	9	9	14	22	53	99	129	110
1992.....	1,708	41	12	9	4	16	20	59	103	116	108
1991.....	1,731	43	16	5	6	10	18	61	91	127	114
1990.....	1,779	38	14	7	7	9	29	70	91	119	121
1989.....	1,890	38	12	12	2	7	31	71	118	131	112
1988.....	1,730	39	15	4	11	14	20	67	101	115	103
1987.....	1,558	35	14	10	4	10	27	43	92	115	82
1986.....	3,442	25	18	11	10	21	98	308	514	519	331
1985.....	2,488	29	11	9	6	14	64	200	319	334	222
1984.....	1,789	23	6	5	10	15	45	123	185	182	135
1983.....	1,204	19	9	1	8	12	18	70	71	79	58
1982.....	930	20	12	8	6	7	16	23	42	40	31
1981.....	898	21	11	9	4	10	12	20	29	24	27
1980.....	795	19	6	5	5	8	11	15	15	25	20
1979.....	754	20	5	2	5	13	6	16	24	23	21
WHITE FEMALE											
1998.....	1,454	33	8	5	7	7	11	15	21	24	48
1997.....	1,438	26	9	8	5	11	18	17	27	34	52
1996.....	1,487	27	10	4	7	13	9	16	31	46	44
1995.....	1,394	26	11	9	10	13	14	20	33	44	56
1994.....	1,415	23	10	5	11	13	11	22	23	43	45
1993.....	1,374	25	14	7	9	10	16	24	23	33	43
1992.....	1,318	22	8	16	5	13	16	26	29	33	42
1991.....	1,261	36	10	5	3	7	10	21	30	35	42
1990.....	1,291	26	11	6	6	4	17	20	32	31	36
1989.....	1,447	35	12	5	5	12	18	24	39	36	50
1988.....	1,377	22	14	6	7	11	11	16	28	32	39
1987.....	1,175	20	15	6	10	12	9	19	24	35	47
1986.....	1,285	21	21	6	7	6	14	42	52	36	44
1985.....	1,103	30	11	4	8	10	13	37	27	35	38
1984.....	960	21	8	7	7	9	11	36	23	26	26
1983.....	792	12	8	6	6	4	9	15	20	13	20
1982.....	749	14	8	3	5	4	13	9	14	15	24
1981.....	686	20	6	5	4	6	6	17	10	23	15
1980.....	632	31	6	5	4	7	7	11	11	12	20
1979.....	571	21	4	5	5	8	15	9	12	18	9

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
OTHER INFECTIOUS AND PARASITIC DISEASES AND LATE EFFECTS OF INFECTIOUS AND PARASITIC DISEASES (100-139)											
ALL OTHER, BOTH SEXES											
1998.....	1,166	46	5	4	1	10	14	27	72	108	136
1997.....	1,189	44	2	4	4	8	16	26	66	128	142
1996.....	1,223	39	15	8	8	5	13	33	80	140	139
1995.....	1,182	47	8	5	6	10	19	37	92	134	140
1994.....	1,181	34	12	5	6	6	18	48	99	155	134
1993.....	1,185	40	12	2	5	7	22	46	111	121	139
1992.....	1,206	56	11	2	2	5	22	65	95	152	135
1991.....	1,145	55	11	4	6	1	20	48	109	146	126
1990.....	1,159	42	8	6	4	8	28	66	102	139	119
1989.....	1,206	55	7	2	2	8	17	62	146	161	138
1988.....	1,078	38	6	8	5	6	34	57	106	131	110
1987.....	963	34	9	3	4	6	26	45	95	104	82
1986.....	1,574	40	6	5	5	6	56	160	259	259	161
1985.....	1,184	40	9	4	2	8	37	111	176	175	105
1984.....	960	29	9	2	3	6	26	83	134	110	93
1983.....	680	23	7	1	5	10	14	45	84	59	68
1982.....	566	22	7	3	2	9	14	37	50	55	46
1981.....	495	12	6	-	4	4	14	37	47	41	44
1980.....	481	28	5	-	3	9	13	23	29	34	42
1979.....	436	17	5	2	5	10	19	25	37	35	41
ALL OTHER MALE											
1998.....	547	27	4	3	-	4	8	16	40	53	61
1997.....	550	21	-	3	2	3	8	14	38	73	62
1996.....	603	20	11	4	4	2	6	24	51	84	80
1995.....	594	29	3	-	3	6	13	21	57	72	80
1994.....	631	19	6	1	3	-	13	35	61	97	74
1993.....	620	17	5	-	5	4	15	26	64	75	83
1992.....	617	27	7	-	-	2	18	41	54	91	73
1991.....	650	29	5	3	4	-	12	28	61	91	76
1990.....	620	20	2	2	1	6	20	41	67	80	64
1989.....	690	27	4	2	-	5	13	41	96	106	86
1988.....	612	18	4	4	2	3	18	39	68	81	76
1987.....	480	18	7	1	2	4	19	26	53	46	40
1986.....	1,063	24	2	1	2	3	40	124	198	206	109
1985.....	764	21	4	3	-	5	29	79	134	128	76
1984.....	586	16	4	2	2	5	16	56	99	77	60
1983.....	383	12	3	-	5	5	10	28	57	40	41
1982.....	299	15	5	1	1	8	5	23	27	31	25
1981.....	249	10	5	-	3	2	10	17	20	20	22
1980.....	236	17	4	-	2	3	5	11	15	14	17
1979.....	215	9	2	2	3	3	13	13	16	14	21

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
OTHER INFECTIOUS AND PARASITIC DISEASES AND LATE EFFECTS OF INFECTIOUS AND PARASITIC DISEASES (100-139)											
ALL OTHER FEMALE											
1998.....	619	19	1	1	1	6	6	11	32	55	75
1997.....	639	23	2	1	2	5	8	12	28	55	80
1996.....	620	19	4	4	4	3	7	9	29	56	59
1995.....	588	18	5	5	3	4	6	16	35	62	60
1994.....	550	15	6	4	3	6	5	13	38	58	60
1993.....	565	23	7	2	-	3	7	20	47	46	56
1992.....	589	29	4	2	2	3	4	24	41	61	62
1991.....	495	26	6	1	2	1	8	20	48	55	50
1990.....	539	22	6	4	3	2	8	25	35	59	55
1989.....	516	28	3	-	2	3	4	21	50	55	52
1988.....	466	20	2	4	3	3	16	18	38	50	34
1987.....	483	16	2	2	2	2	7	19	42	58	42
1986.....	511	16	4	4	3	3	16	36	61	53	52
1985.....	420	19	5	1	2	3	8	32	42	47	29
1984.....	374	13	5	-	1	1	10	27	35	33	33
1983.....	297	11	4	1	-	5	4	17	27	19	27
1982.....	267	7	2	2	1	1	9	14	23	24	21
1981.....	246	2	1	-	1	2	4	20	27	21	22
1980.....	245	11	1	-	1	6	8	12	14	20	25
1979.....	221	8	3	-	2	7	6	12	21	21	20
BLACK, BOTH SEXES											
1998.....	1,059	42	4	2	1	9	13	26	71	106	129
1997.....	1,065	40	2	3	2	7	14	24	65	119	136
1996.....	1,097	35	12	8	6	3	11	31	77	132	129
1995.....	1,066	42	7	3	6	9	18	36	85	119	130
1994.....	1,067	32	11	3	4	5	13	45	97	148	127
1993.....	1,073	38	12	2	5	4	20	44	97	116	136
1992.....	1,090	51	9	2	2	5	20	58	89	148	129
1991.....	1,051	52	8	4	4	1	18	43	103	140	124
1990.....	1,078	41	5	5	3	6	27	64	101	137	117
1989.....	1,114	48	6	2	1	7	16	58	141	154	130
1988.....	997	37	5	6	5	5	31	56	101	127	105
1987.....	887	33	9	2	2	5	23	42	92	98	78
1986.....	1,461	36	6	4	4	6	53	156	253	248	156
1985.....	1,090	37	6	4	2	8	36	109	170	166	102
1984.....	882	26	8	2	3	4	25	78	131	107	87
1983.....	632	21	6	1	4	8	13	43	84	57	68
1982.....	519	21	5	3	2	8	13	35	49	54	45
1981.....	451	9	4	-	3	4	13	37	47	40	44
1980.....	446	25	5	-	2	9	13	21	28	34	41
1979.....	394	14	4	1	4	7	18	25	36	34	41

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
OTHER INFECTIOUS AND PARASITIC DISEASES AND LATE EFFECTS OF INFECTIOUS AND PARASITIC DISEASES (100-139)											
BLACK MALE											
1998.....	495	24	3	1	-	3	8	15	39	52	60
1997.....	480	19	-	2	1	3	6	13	37	70	57
1996.....	537	18	8	4	3	2	6	23	48	80	73
1995.....	534	26	3	-	3	5	13	21	52	62	76
1994.....	571	19	5	-	2	-	10	32	59	93	71
1993.....	546	15	5	-	5	2	13	24	53	72	80
1992.....	554	25	5	-	-	2	16	38	49	88	70
1991.....	600	27	4	3	4	-	10	26	58	88	74
1990.....	567	19	1	1	-	5	19	41	67	79	64
1989.....	635	23	3	2	-	4	12	38	93	99	81
1988.....	570	18	3	4	2	3	16	39	64	79	73
1987.....	442	17	7	-	1	3	17	26	51	45	37
1986.....	987	23	2	1	1	3	38	121	193	197	105
1985.....	704	18	4	3	-	5	28	77	129	122	73
1984.....	531	14	4	2	2	3	15	51	96	74	55
1983.....	356	11	3	-	4	4	9	28	57	39	41
1982.....	270	15	4	1	1	7	5	23	26	31	24
1981.....	221	8	4	-	2	2	9	17	20	19	22
1980.....	218	15	4	-	2	3	5	10	15	14	16
1979.....	192	7	2	1	2	2	13	13	15	13	21
BLACK FEMALE											
1998.....	564	18	1	1	1	6	5	11	32	54	69
1997.....	585	21	2	1	1	4	8	11	28	49	79
1996.....	560	17	4	4	3	1	5	8	29	52	56
1995.....	532	16	4	3	3	4	5	15	33	57	54
1994.....	496	13	6	3	2	5	3	13	38	55	56
1993.....	527	23	7	2	-	2	7	20	44	44	56
1992.....	536	26	4	2	2	3	4	20	40	60	59
1991.....	451	25	4	1	-	1	8	17	45	52	50
1990.....	511	22	4	4	3	1	8	23	34	58	53
1989.....	479	25	3	-	1	3	4	20	48	55	49
1988.....	427	19	2	2	3	2	15	17	37	48	32
1987.....	445	16	2	2	1	2	6	16	41	53	41
1986.....	474	13	4	3	3	3	15	35	60	51	51
1985.....	386	19	2	1	2	3	8	32	41	44	29
1984.....	351	12	4	-	1	1	10	27	35	33	32
1983.....	276	10	3	1	-	4	4	15	27	18	27
1982.....	249	6	1	2	1	1	8	12	23	23	21
1981.....	230	1	-	-	1	2	4	20	27	21	22
1980.....	228	10	1	-	-	6	8	11	13	20	25
1979.....	202	7	2	-	2	5	5	12	21	21	20

TABLE 292. DEATHS FOR 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR MYCOSES (110-118)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
TOTAL, BOTH SEXES											
1998.....	2,358	123	15	9	17	17	23	40	72	96	125
1997.....	2,374	104	16	17	14	23	25	39	73	117	145
1996.....	2,516	92	35	15	20	27	20	52	102	164	143
1995.....	2,484	105	19	14	21	24	35	54	119	188	161
1994.....	2,423	80	24	9	18	29	25	59	119	171	161
1993.....	2,323	80	24	10	17	27	28	65	120	127	131
1992.....	2,298	88	26	16	6	26	29	74	113	121	118
1991.....	2,177	79	22	3	11	11	31	62	104	138	124
1990.....	2,222	60	23	13	11	14	34	64	100	118	125
1989.....	2,389	83	21	11	6	17	26	59	126	111	111
1988.....	2,205	66	22	11	17	19	31	44	92	110	95
1987.....	1,882	61	16	9	12	15	31	35	67	89	86
1986.....	2,194	40	15	9	17	16	50	94	151	183	104
1985.....	1,724	53	9	10	10	18	30	64	90	96	77
1984.....	1,373	41	11	7	11	16	20	42	65	59	67
1983.....	1,070	27	9	3	8	18	16	18	33	29	40
1982.....	878	26	8	4	3	13	20	17	28	27	30
1981.....	834	17	9	3	4	8	16	31	24	24	24
1980.....	680	26	3	4	4	10	12	20	17	19	31
1979.....	610	20	5	3	6	20	16	15	18	20	24
TOTAL, MALE											
1998.....	1,312	75	9	5	9	9	11	25	48	63	75
1997.....	1,322	58	11	8	7	12	9	21	46	79	93
1996.....	1,382	48	21	8	11	12	10	35	78	107	101
1995.....	1,441	70	7	5	10	13	19	37	86	144	109
1994.....	1,428	49	13	7	7	12	16	39	96	131	116
1993.....	1,349	46	12	4	10	15	18	46	90	99	96
1992.....	1,363	52	17	6	1	13	18	53	83	93	86
1991.....	1,322	44	16	2	7	8	18	45	72	98	96
1990.....	1,271	32	11	6	5	11	23	48	68	81	82
1989.....	1,349	38	14	7	1	6	19	43	92	78	71
1988.....	1,242	37	12	6	9	11	18	34	57	78	72
1987.....	1,061	38	8	6	4	8	24	21	46	56	52
1986.....	1,416	24	5	4	9	11	39	75	130	159	77
1985.....	1,097	28	8	7	4	13	24	40	79	70	58
1984.....	842	24	7	3	9	9	13	27	53	45	50
1983.....	652	13	6	-	5	11	9	16	18	24	24
1982.....	542	14	8	2	2	10	8	8	17	19	15
1981.....	494	9	7	3	2	5	10	18	13	8	14
1980.....	419	11	2	2	4	4	4	11	7	13	19
1979.....	374	8	3	1	4	10	5	8	9	10	18

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR MYCOSES (110-118)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
TOTAL, FEMALE											
1998.....	1,046	48	6	4	8	8	12	15	24	33	50
1997.....	1,052	46	5	9	7	11	16	18	27	38	52
1996.....	1,134	44	14	7	9	15	10	17	24	57	42
1995.....	1,043	35	12	9	11	11	16	17	33	44	52
1994.....	995	31	11	2	11	17	9	20	23	40	45
1993.....	974	34	12	6	7	12	10	19	30	28	35
1992.....	935	36	9	10	5	13	11	21	30	28	32
1991.....	855	35	6	1	4	3	13	17	32	40	28
1990.....	951	28	12	7	6	3	11	16	32	37	43
1989.....	1,040	45	7	4	5	11	7	16	34	33	40
1988.....	963	29	10	5	8	8	13	10	35	32	23
1987.....	821	23	8	3	8	7	7	14	21	33	34
1986.....	778	16	10	5	8	5	11	19	21	24	27
1985.....	627	25	1	3	6	5	6	24	11	26	19
1984.....	531	17	4	4	2	7	7	15	12	14	17
1983.....	418	14	3	3	3	7	7	2	15	5	16
1982.....	336	12	-	2	1	3	12	9	11	8	15
1981.....	340	8	2	-	2	3	6	13	11	16	10
1980.....	261	15	1	2	-	6	8	9	10	6	12
1979.....	236	12	2	2	2	10	11	7	9	10	6
WHITE, BOTH SEXES											
1998.....	1,824	79	12	7	16	10	16	30	42	59	78
1997.....	1,828	63	15	13	10	15	16	26	44	74	98
1996.....	1,927	56	23	9	12	24	10	37	71	104	96
1995.....	1,946	64	13	11	16	17	21	37	84	137	109
1994.....	1,873	51	16	7	16	24	17	37	75	111	121
1993.....	1,815	54	18	9	14	22	18	42	74	91	88
1992.....	1,779	46	17	15	5	23	19	43	79	76	84
1991.....	1,688	46	17	2	7	11	19	44	71	90	81
1990.....	1,731	35	17	9	7	8	19	48	66	80	83
1989.....	1,862	43	17	10	5	12	20	40	68	62	69
1988.....	1,742	39	17	8	12	16	17	30	64	69	60
1987.....	1,480	38	13	7	10	12	22	24	40	65	57
1986.....	1,706	21	13	6	12	14	36	57	99	127	69
1985.....	1,343	35	6	9	8	14	18	45	56	57	57
1984.....	1,097	25	8	6	9	13	18	31	45	42	47
1983.....	864	15	6	2	8	11	12	8	18	19	26
1982.....	698	13	4	3	2	7	16	10	17	18	18
1981.....	686	13	7	3	3	7	9	20	17	18	14
1980.....	541	16	-	4	2	5	6	10	14	12	21
1979.....	490	16	3	3	3	14	14	11	11	13	16

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR MYCOSES (110-118)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
WHITE MALE											
1998.....	1,018	49	7	3	9	6	7	18	26	45	51
1997.....	1,038	39	11	5	5	9	6	16	28	52	66
1996.....	1,059	30	13	5	7	11	6	25	56	69	68
1995.....	1,132	43	6	5	7	8	10	25	61	109	73
1994.....	1,108	32	10	6	6	12	10	24	64	90	90
1993.....	1,058	37	9	4	7	12	11	30	60	75	64
1992.....	1,054	31	10	6	1	12	9	30	60	57	60
1991.....	1,013	27	12	1	5	8	12	32	52	68	61
1990.....	1,002	21	9	5	4	6	12	37	46	58	59
1989.....	1,041	20	11	6	1	4	15	29	46	44	43
1988.....	972	24	9	4	7	9	10	24	43	51	43
1987.....	835	25	6	6	3	6	16	13	26	45	32
1986.....	1,099	10	4	4	7	10	28	45	86	118	53
1985.....	846	18	5	6	4	10	14	28	49	42	42
1984.....	673	14	5	2	7	6	12	18	37	32	34
1983.....	537	9	4	-	5	8	7	6	9	16	17
1982.....	430	5	4	2	2	4	7	6	10	11	6
1981.....	410	7	5	3	1	4	5	11	11	5	8
1980.....	347	8	-	2	2	3	3	5	7	8	15
1979.....	309	6	2	1	2	8	4	5	7	7	11
WHITE FEMALE											
1998.....	806	30	5	4	7	4	9	12	16	14	27
1997.....	790	24	4	8	5	6	10	10	16	22	32
1996.....	868	26	10	4	5	13	4	12	15	35	28
1995.....	814	21	7	6	9	9	11	12	23	28	36
1994.....	765	19	6	1	10	12	7	13	11	21	31
1993.....	757	17	9	5	7	10	7	12	14	16	24
1992.....	725	15	7	9	4	11	10	13	19	19	24
1991.....	675	19	5	1	2	3	7	12	19	22	20
1990.....	729	14	8	4	3	2	7	11	20	22	24
1989.....	821	23	6	4	4	8	5	11	22	18	26
1988.....	770	15	8	4	5	7	7	6	21	18	17
1987.....	645	13	7	1	7	6	6	11	14	20	25
1986.....	607	11	9	2	5	4	8	12	13	9	16
1985.....	497	17	1	3	4	4	4	17	7	15	15
1984.....	424	11	3	4	2	7	6	13	8	10	13
1983.....	327	6	2	2	3	3	5	2	9	3	9
1982.....	268	8	-	1	-	3	9	4	7	7	12
1981.....	276	6	2	-	2	3	4	9	6	13	6
1980.....	194	8	-	2	-	2	3	5	7	4	6
1979.....	181	10	1	2	1	6	10	6	4	6	5

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR MYCOSES (110-118)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER, BOTH SEXES											
1998.....	534	44	3	2	1	7	7	10	30	37	47
1997.....	546	41	1	4	4	8	9	13	29	43	47
1996.....	589	36	12	6	8	3	10	15	31	60	47
1995.....	538	41	6	3	5	7	14	17	35	51	52
1994.....	550	29	8	2	2	5	8	22	44	60	40
1993.....	508	26	6	1	3	5	10	23	46	36	43
1992.....	519	42	9	1	1	3	10	31	34	45	34
1991.....	489	33	5	1	4	-	12	18	33	48	43
1990.....	491	25	6	4	4	6	15	16	34	38	42
1989.....	527	40	4	1	1	5	6	19	58	49	42
1988.....	463	27	5	3	5	3	14	14	28	41	35
1987.....	402	23	3	2	2	3	9	11	27	24	29
1986.....	488	19	2	3	5	2	14	37	52	56	35
1985.....	381	18	3	1	2	4	12	19	34	39	20
1984.....	276	16	3	1	2	3	2	11	20	17	20
1983.....	206	12	3	1	-	7	4	10	15	10	14
1982.....	180	13	4	1	1	6	4	7	11	9	12
1981.....	148	4	2	-	1	1	7	11	7	6	10
1980.....	139	10	3	-	2	5	6	10	3	7	10
1979.....	120	4	2	-	3	6	2	4	7	7	8
ALL OTHER MALE											
1998.....	294	26	2	2	-	3	4	7	22	18	24
1997.....	284	19	-	3	2	3	3	5	18	27	27
1996.....	323	18	8	3	4	1	4	10	22	38	33
1995.....	309	27	1	-	3	5	9	12	25	35	36
1994.....	320	17	3	1	1	-	6	15	32	41	26
1993.....	291	9	3	-	3	3	7	16	30	24	32
1992.....	309	21	7	-	-	1	9	23	23	36	26
1991.....	309	17	4	1	2	-	6	13	20	30	35
1990.....	269	11	2	1	1	5	11	11	22	23	23
1989.....	308	18	3	1	-	2	4	14	46	34	28
1988.....	270	13	3	2	2	2	8	10	14	27	29
1987.....	226	13	2	-	1	2	8	8	20	11	20
1986.....	317	14	1	-	2	1	11	30	44	41	24
1985.....	251	10	3	1	-	3	10	12	30	28	16
1984.....	169	10	2	1	2	3	1	9	16	13	16
1983.....	115	4	2	-	-	3	2	10	9	8	7
1982.....	112	9	4	-	-	6	1	2	7	8	9
1981.....	84	2	2	-	1	1	5	7	2	3	6
1980.....	72	3	2	-	2	1	1	6	-	5	4
1979.....	65	2	1	-	2	2	1	3	2	3	7

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR MYCOSES (110-118)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER FEMALE											
1998.....	240	18	1	-	1	4	3	3	8	19	23
1997.....	262	22	1	1	2	5	6	8	11	16	20
1996.....	266	18	4	3	4	2	6	5	9	22	14
1995.....	229	14	5	3	2	2	5	5	10	16	16
1994.....	230	12	5	1	1	5	2	7	12	19	14
1993.....	217	17	3	1	-	2	3	7	16	12	11
1992.....	210	21	2	1	1	2	1	8	11	9	8
1991.....	180	16	1	-	2	-	6	5	13	18	8
1990.....	222	14	4	3	3	1	4	5	12	15	19
1989.....	219	22	1	-	1	3	2	5	12	15	14
1988.....	193	14	2	1	3	1	6	4	14	14	6
1987.....	176	10	1	2	1	1	1	3	7	13	9
1986.....	171	5	1	3	3	1	3	7	8	15	11
1985.....	130	8	-	-	2	1	2	7	4	11	4
1984.....	107	6	1	-	-	-	1	2	4	4	4
1983.....	91	8	1	1	-	4	2	-	6	2	7
1982.....	68	4	-	1	1	-	3	5	4	1	3
1981.....	64	2	-	-	-	-	2	4	5	3	4
1980.....	67	7	1	-	-	4	5	4	3	2	6
1979.....	55	2	1	-	1	4	1	1	5	4	1
BLACK, BOTH SEXES											
1998.....	465	42	2	1	1	6	7	10	30	36	43
1997.....	459	37	1	3	2	7	8	12	28	38	43
1996.....	503	32	10	6	6	1	9	15	31	53	42
1995.....	459	38	5	2	5	7	14	16	30	41	44
1994.....	475	28	8	-	1	4	7	19	43	55	35
1993.....	431	26	6	1	3	3	9	21	36	34	41
1992.....	440	39	7	1	1	3	9	27	30	41	29
1991.....	436	32	4	1	2	-	10	17	29	44	41
1990.....	439	25	3	4	3	5	14	15	34	37	40
1989.....	475	37	3	1	1	5	5	16	55	46	37
1988.....	412	26	4	3	5	3	12	14	24	39	31
1987.....	356	23	3	2	2	2	8	9	25	20	25
1986.....	436	16	2	3	4	2	11	36	50	54	35
1985.....	338	16	3	1	2	4	12	18	31	37	20
1984.....	243	15	3	1	2	2	2	10	19	17	17
1983.....	187	12	3	1	-	5	3	10	15	10	14
1982.....	161	12	3	1	1	5	3	7	10	9	11
1981.....	136	3	1	-	1	1	6	11	7	5	10
1980.....	131	10	3	-	2	5	6	9	2	7	10
1979.....	105	3	2	-	3	4	2	4	7	7	8

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR MYCOSES (110-118)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
BLACK MALE											
1998.....	259	24	1	1	-	2	4	7	22	17	23
1997.....	234	17	-	2	1	3	2	5	17	26	24
1996.....	285	16	6	3	3	1	4	10	22	35	30
1995.....	268	24	1	-	3	5	9	12	22	28	32
1994.....	280	17	3	-	1	-	6	12	31	37	24
1993.....	239	9	3	-	3	2	6	14	21	23	30
1992.....	266	19	5	-	-	1	8	22	19	33	23
1991.....	278	17	3	1	2	-	4	12	19	28	33
1990.....	235	11	1	1	-	4	10	11	22	23	23
1989.....	278	16	2	1	-	2	3	12	43	31	26
1988.....	242	13	2	2	2	2	6	10	11	27	27
1987.....	203	13	2	-	1	1	7	8	19	10	17
1986.....	283	13	1	-	1	1	9	30	42	40	24
1985.....	225	8	3	1	-	3	10	11	27	28	16
1984.....	151	10	2	1	2	2	1	8	15	13	13
1983.....	104	4	2	-	-	2	1	10	9	8	7
1982.....	100	9	3	-	-	5	1	2	6	8	8
1981.....	76	2	1	-	1	1	4	7	2	2	6
1980.....	67	3	2	-	2	1	1	6	-	5	4
1979.....	58	2	1	-	2	1	1	3	2	3	7
BLACK FEMALE											
1998.....	206	18	1	-	1	4	3	3	8	19	20
1997.....	225	20	1	1	1	4	6	7	11	12	19
1996.....	218	16	4	3	3	-	5	5	9	18	12
1995.....	191	14	4	2	2	2	5	4	8	13	12
1994.....	195	11	5	-	-	4	1	7	12	18	11
1993.....	192	17	3	1	-	1	3	7	15	11	11
1992.....	174	20	2	1	1	2	1	5	11	8	6
1991.....	158	15	1	-	-	-	6	5	10	16	8
1990.....	204	14	2	3	3	1	4	4	12	14	17
1989.....	197	21	1	-	1	3	2	4	12	15	11
1988.....	170	13	2	1	3	1	6	4	13	12	4
1987.....	153	10	1	2	1	1	1	1	6	10	8
1986.....	153	3	1	3	3	1	2	6	8	14	11
1985.....	113	8	-	-	2	1	2	7	4	9	4
1984.....	92	5	1	-	-	-	1	2	4	4	4
1983.....	83	8	1	1	-	3	2	-	6	2	7
1982.....	61	3	-	1	1	-	2	5	4	1	3
1981.....	60	1	-	-	-	-	2	4	5	3	4
1980.....	64	7	1	-	-	4	5	3	2	2	6
1979.....	47	1	1	-	1	3	1	1	5	4	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	
0 HELMINTHIASES (120-129)												
TOTAL, BOTH SEXES												
1998.....	27	-	-	-	-	-	1	2	2	1	4	
1997.....	35	-	-	-	-	-	6	2	3	1	1	
1996.....	38	-	-	-	-	-	2	1	6	2	2	
1995.....	32	-	-	1	-	1	2	2	2	-	-	
1994.....	28	-	-	-	-	-	-	2	2	1	1	
1993.....	42	-	-	-	1	-	7	3	2	3	1	
1992.....	37	-	-	1	1	2	2	5	2	1	2	
1991.....	44	-	-	-	-	1	-	2	3	-	2	
1990.....	41	-	1	-	-	1	4	1	2	2	3	
1989.....	39	-	1	-	-	1	3	2	1	2	3	
1988.....	39	-	-	-	-	-	2	2	1	1	-	
1987.....	36	-	1	-	1	1	3	-	-	3	2	
1986.....	30	-	-	-	-	-	-	1	3	2	5	
1985.....	41	-	1	-	-	-	2	3	4	2	2	
1984.....	35	-	1	-	-	-	1	4	-	-	3	
1983.....	21	-	1	-	1	-	2	1	-	5	-	
1982.....	23	-	1	1	1	1	1	3	1	2	-	
1981.....	37	-	1	-	-	2	1	-	3	3	1	
1980.....	35	-	-	-	-	1	-	3	1	1	2	
1979.....	24	-	-	-	-	-	-	1	4	1	-	
TOTAL, MALE												
1998.....	15	-	-	-	-	-	1	1	1	-	2	
1997.....	21	-	-	-	-	-	2	1	2	-	-	
1996.....	21	-	-	-	-	-	-	-	3	-	2	
1995.....	17	-	-	-	-	-	1	-	1	-	-	
1994.....	20	-	-	-	-	-	-	1	1	-	1	
1993.....	25	-	-	-	1	-	4	3	1	3	1	
1992.....	17	-	-	-	-	1	-	2	-	-	1	
1991.....	28	-	-	-	-	1	-	-	2	-	2	
1990.....	31	-	1	-	-	-	3	1	1	2	2	
1989.....	29	-	-	-	-	1	1	2	1	2	2	
1988.....	27	-	-	-	-	-	2	1	1	1	-	
1987.....	27	-	1	-	1	-	2	-	-	1	1	
1986.....	18	-	-	-	-	-	-	1	1	1	4	
1985.....	29	-	1	-	-	-	2	2	4	1	1	
1984.....	24	-	-	-	-	-	1	2	-	-	2	
1983.....	14	-	-	-	-	-	1	-	-	5	-	
1982.....	10	-	1	-	-	1	1	1	-	1	-	
1981.....	22	-	-	-	-	2	-	-	2	2	1	
1980.....	19	-	-	-	-	-	-	1	1	1	-	
1979.....	18	-	-	-	-	-	-	1	2	1	-	

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	
0 HELMINTHIASES (120-129)												
TOTAL, FEMALE												
1998.....	12	-	-	-	-	-	-	1	1	1	2	
1997.....	14	-	-	-	-	-	4	1	1	1	1	
1996.....	17	-	-	-	-	-	2	1	3	2	-	
1995.....	15	-	-	1	-	1	1	2	1	-	-	
1994.....	8	-	-	-	-	-	-	1	1	1	-	
1993.....	17	-	-	-	-	-	3	-	1	-	-	
1992.....	20	-	-	1	1	1	2	3	2	1	1	
1991.....	16	-	-	-	-	-	-	2	1	-	-	
1990.....	10	-	-	-	-	1	1	-	1	-	1	
1989.....	10	-	1	-	-	-	2	-	-	-	1	
1988.....	12	-	-	-	-	-	-	1	-	-	-	
1987.....	9	-	-	-	-	1	1	-	-	2	1	
1986.....	12	-	-	-	-	-	-	-	2	1	1	
1985.....	12	-	-	-	-	-	-	1	-	1	1	
1984.....	11	-	1	-	-	-	-	2	-	-	1	
1983.....	7	-	1	-	1	-	1	1	-	-	-	
1982.....	13	-	-	1	1	-	-	2	1	1	-	
1981.....	15	-	1	-	-	-	1	-	1	1	-	
1980.....	16	-	-	-	-	1	-	2	-	-	2	
1979.....	6	-	-	-	-	-	-	-	2	-	-	
WHITE, BOTH SEXES												
1998.....	21	-	-	-	-	-	-	1	2	1	2	
1997.....	28	-	-	-	-	-	6	2	2	-	1	
1996.....	31	-	-	-	-	-	2	1	6	2	1	
1995.....	30	-	-	-	-	1	2	2	2	-	-	
1994.....	25	-	-	-	-	-	-	2	2	1	1	
1993.....	34	-	-	-	-	-	6	3	1	2	1	
1992.....	31	-	-	1	1	2	2	4	2	1	2	
1991.....	34	-	-	-	-	1	-	2	1	-	2	
1990.....	39	-	1	-	-	1	4	1	2	2	2	
1989.....	31	-	-	-	-	1	3	2	1	1	1	
1988.....	33	-	-	-	-	-	2	2	1	-	-	
1987.....	28	-	-	-	-	1	1	-	-	1	2	
1986.....	26	-	-	-	-	-	-	1	3	1	5	
1985.....	35	-	-	-	-	-	2	3	4	2	2	
1984.....	22	-	1	-	-	-	1	2	-	-	1	
1983.....	18	-	-	-	1	-	2	1	-	4	-	
1982.....	20	-	1	1	1	1	1	2	1	2	-	
1981.....	33	-	1	-	-	2	1	-	3	3	1	
1980.....	30	-	-	-	-	1	-	3	1	1	1	
1979.....	20	-	-	-	-	-	-	1	4	-	-	

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 HELMINTHIASES (120-129)											
WHITE MALE											
1998.....	11	-	-	-	-	-	-	-	1	-	1
1997.....	17	-	-	-	-	-	2	1	2	-	-
1996.....	18	-	-	-	-	-	-	-	3	-	1
1995.....	17	-	-	-	-	-	1	-	1	-	-
1994.....	17	-	-	-	-	-	-	1	1	-	1
1993.....	21	-	-	-	-	-	4	3	1	2	1
1992.....	14	-	-	-	-	1	-	1	-	-	1
1991.....	22	-	-	-	-	1	-	-	1	-	2
1990.....	30	-	1	-	-	-	3	1	1	2	2
1989.....	23	-	-	-	-	1	1	2	1	1	-
1988.....	23	-	-	-	-	-	2	1	1	-	-
1987.....	22	-	-	-	-	-	1	-	-	-	1
1986.....	17	-	-	-	-	-	-	1	1	1	4
1985.....	24	-	-	-	-	-	2	2	4	1	1
1984.....	16	-	-	-	-	-	1	1	-	-	1
1983.....	12	-	-	-	-	-	1	-	-	4	-
1982.....	9	-	1	-	-	1	1	1	-	1	-
1981.....	20	-	-	-	-	2	-	-	2	2	1
1980.....	17	-	-	-	-	-	-	1	1	1	-
1979.....	14	-	-	-	-	-	-	1	2	-	-
WHITE FEMALE											
1998.....	10	-	-	-	-	-	-	1	1	1	1
1997.....	11	-	-	-	-	-	4	1	-	-	1
1996.....	13	-	-	-	-	-	2	1	3	2	-
1995.....	13	-	-	-	-	1	1	2	1	-	-
1994.....	8	-	-	-	-	-	-	1	1	1	-
1993.....	13	-	-	-	-	-	2	-	-	-	-
1992.....	17	-	-	1	1	1	2	3	2	1	1
1991.....	12	-	-	-	-	-	-	2	-	-	-
1990.....	9	-	-	-	-	1	1	-	1	-	-
1989.....	8	-	-	-	-	-	2	-	-	-	1
1988.....	10	-	-	-	-	-	-	1	-	-	-
1987.....	6	-	-	-	-	1	-	-	-	1	1
1986.....	9	-	-	-	-	-	-	-	2	-	1
1985.....	11	-	-	-	-	-	-	1	-	1	1
1984.....	6	-	1	-	-	-	-	1	-	-	-
1983.....	6	-	-	-	1	-	1	1	-	-	-
1982.....	11	-	-	1	1	-	-	1	1	1	-
1981.....	13	-	1	-	-	-	1	-	1	1	-
1980.....	13	-	-	-	-	1	-	2	-	-	1
1979.....	6	-	-	-	-	-	-	-	2	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	
0 LATE EFFECTS OF TUBERCULOSIS (137)												
TOTAL, BOTH SEXES												
1998.....	109	-	-	-	-	-	-	1	-	-	1	
1997.....	112	-	-	-	-	-	-	-	-	2	4	
1996.....	155	-	-	-	-	-	-	-	1	-	1	
1995.....	141	-	-	-	-	-	-	-	-	3	3	
1994.....	152	-	-	1	-	-	-	-	-	2	5	
1993.....	160	-	-	-	-	-	-	-	-	-	2	
1992.....	146	-	-	-	-	-	1	-	-	1	1	
1991.....	189	-	-	-	-	-	-	2	1	2	3	
1990.....	214	-	-	-	-	-	-	1	3	-	-	
1989.....	195	-	-	-	-	-	-	-	-	-	1	
1988.....	225	-	-	-	-	-	-	1	-	1	3	
1987.....	218	-	1	-	-	-	-	-	2	2	3	
1986.....	223	-	-	-	-	-	-	1	1	3	2	
1985.....	231	-	-	-	-	-	-	1	1	3	2	
1984.....	249	-	-	-	-	-	-	1	1	1	4	
1983.....	278	-	-	-	1	-	-	-	1	2	2	
1982.....	295	-	-	-	-	-	-	1	-	3	5	
1981.....	290	-	1	-	-	-	-	3	-	3	2	
1980.....	355	-	-	1	-	-	1	1	3	4	3	
1979.....	350	-	-	-	-	-	-	1	2	8	2	
TOTAL, MALE												
1998.....	46	-	-	-	-	-	-	-	-	-	1	
1997.....	46	-	-	-	-	-	-	-	-	1	4	
1996.....	68	-	-	-	-	-	-	-	-	-	-	
1995.....	76	-	-	-	-	-	-	-	-	2	3	
1994.....	65	-	-	-	-	-	-	-	-	1	3	
1993.....	68	-	-	-	-	-	-	-	-	-	2	
1992.....	74	-	-	-	-	-	-	-	-	1	1	
1991.....	87	-	-	-	-	-	-	-	-	2	2	
1990.....	107	-	-	-	-	-	-	1	2	-	-	
1989.....	96	-	-	-	-	-	-	-	-	-	1	
1988.....	100	-	-	-	-	-	-	1	-	-	3	
1987.....	113	-	-	-	-	-	-	-	-	1	2	
1986.....	115	-	-	-	-	-	-	1	1	2	2	
1985.....	105	-	-	-	-	-	-	1	1	2	1	
1984.....	129	-	-	-	-	-	-	1	1	1	3	
1983.....	146	-	-	-	-	-	-	-	-	1	2	
1982.....	142	-	-	-	-	-	-	-	-	1	4	
1981.....	176	-	1	-	-	-	-	-	-	3	2	
1980.....	204	-	-	-	-	-	-	1	2	3	2	
1979.....	211	-	-	-	-	-	-	-	2	4	1	

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 LATE EFFECTS OF TUBERCULOSIS (137)											
TOTAL, FEMALE											
1998.....	63	-	-	-	-	-	-	1	-	-	-
1997.....	66	-	-	-	-	-	-	-	-	1	-
1996.....	87	-	-	-	-	-	-	-	1	-	1
1995.....	65	-	-	-	-	-	-	-	-	1	-
1994.....	87	-	-	1	-	-	-	-	-	1	2
1993.....	92	-	-	-	-	-	-	-	-	-	-
1992.....	72	-	-	-	-	-	1	-	-	-	-
1991.....	102	-	-	-	-	-	-	2	1	-	1
1990.....	107	-	-	-	-	-	-	-	1	-	-
1989.....	99	-	-	-	-	-	-	-	-	-	-
1988.....	125	-	-	-	-	-	-	-	-	1	-
1987.....	105	-	1	-	-	-	-	-	2	1	1
1986.....	108	-	-	-	-	-	-	-	-	1	-
1985.....	126	-	-	-	-	-	-	-	-	1	1
1984.....	120	-	-	-	-	-	-	-	-	-	1
1983.....	132	-	-	-	1	-	-	-	1	1	-
1982.....	153	-	-	-	-	-	-	1	-	2	1
1981.....	114	-	-	-	-	-	-	3	-	-	-
1980.....	151	-	-	1	-	-	1	-	1	1	1
1979.....	139	-	-	-	-	-	-	1	-	4	1
WHITE, BOTH SEXES											
1998.....	80	-	-	-	-	-	-	1	-	-	-
1997.....	81	-	-	-	-	-	-	-	-	1	1
1996.....	128	-	-	-	-	-	-	-	1	-	1
1995.....	110	-	-	-	-	-	-	-	-	2	3
1994.....	117	-	-	-	-	-	-	-	-	1	2
1993.....	134	-	-	-	-	-	-	-	-	-	1
1992.....	119	-	-	-	-	-	-	-	-	1	-
1991.....	146	-	-	-	-	-	-	-	-	1	1
1990.....	173	-	-	-	-	-	-	1	2	-	-
1989.....	160	-	-	-	-	-	-	-	-	-	1
1988.....	190	-	-	-	-	-	-	1	-	-	-
1987.....	174	-	1	-	-	-	-	-	-	1	2
1986.....	184	-	-	-	-	-	-	-	1	1	1
1985.....	189	-	-	-	-	-	-	1	1	1	1
1984.....	194	-	-	-	-	-	-	1	-	-	-
1983.....	223	-	-	-	1	-	-	-	-	-	1
1982.....	230	-	-	-	-	-	-	-	-	1	2
1981.....	229	-	-	-	-	-	-	2	-	2	-
1980.....	280	-	-	1	-	-	1	-	-	2	1
1979.....	282	-	-	-	-	-	-	-	1	2	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 LATE EFFECTS OF TUBERCULOSIS (137)											
ALL OTHER, BOTH SEXES											
1998.....	29	-	-	-	-	-	-	-	-	-	1
1997.....	31	-	-	-	-	-	-	-	-	1	3
1996.....	27	-	-	-	-	-	-	-	-	-	-
1995.....	31	-	-	-	-	-	-	-	-	1	-
1994.....	35	-	-	1	-	-	-	-	-	1	3
1993.....	26	-	-	-	-	-	-	-	-	-	1
1992.....	27	-	-	-	-	-	1	-	-	-	1
1991.....	43	-	-	-	-	-	-	2	1	1	2
1990.....	41	-	-	-	-	-	-	-	1	-	-
1989.....	35	-	-	-	-	-	-	-	-	-	-
1988.....	35	-	-	-	-	-	-	-	-	1	3
1987.....	44	-	-	-	-	-	-	-	2	1	1
1986.....	39	-	-	-	-	-	-	1	-	2	1
1985.....	42	-	-	-	-	-	-	-	-	2	1
1984.....	55	-	-	-	-	-	-	-	1	1	4
1983.....	55	-	-	-	-	-	-	-	1	2	1
1982.....	65	-	-	-	-	-	-	1	-	2	3
1981.....	61	-	1	-	-	-	-	1	-	1	2
1980.....	75	-	-	-	-	-	-	1	3	2	2
1979.....	68	-	-	-	-	-	-	1	1	6	2
ALL OTHER MALE											
1998.....	12	-	-	-	-	-	-	-	-	-	1
1997.....	15	-	-	-	-	-	-	-	-	-	3
1996.....	15	-	-	-	-	-	-	-	-	-	-
1995.....	19	-	-	-	-	-	-	-	-	1	-
1994.....	19	-	-	-	-	-	-	-	-	-	1
1993.....	17	-	-	-	-	-	-	-	-	-	1
1992.....	16	-	-	-	-	-	-	-	-	-	1
1991.....	24	-	-	-	-	-	-	-	-	1	1
1990.....	27	-	-	-	-	-	-	-	1	-	-
1989.....	22	-	-	-	-	-	-	-	-	-	-
1988.....	21	-	-	-	-	-	-	-	-	-	3
1987.....	28	-	-	-	-	-	-	-	-	-	1
1986.....	31	-	-	-	-	-	-	1	-	2	1
1985.....	20	-	-	-	-	-	-	-	-	2	1
1984.....	37	-	-	-	-	-	-	-	1	1	3
1983.....	40	-	-	-	-	-	-	-	-	1	1
1982.....	40	-	-	-	-	-	-	-	-	1	3
1981.....	39	-	1	-	-	-	-	-	-	1	2
1980.....	54	-	-	-	-	-	-	1	2	2	1
1979.....	47	-	-	-	-	-	-	-	1	4	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 LATE EFFECTS OF TUBERCULOSIS (137)											
ALL OTHER FEMALE											
1998.....	17	-	-	-	-	-	-	-	-	-	-
1997.....	16	-	-	-	-	-	-	-	-	1	-
1996.....	12	-	-	-	-	-	-	-	-	-	-
1995.....	12	-	-	-	-	-	-	-	-	-	-
1994.....	16	-	-	1	-	-	-	-	-	1	2
1993.....	9	-	-	-	-	-	-	-	-	-	-
1992.....	11	-	-	-	-	-	1	-	-	-	-
1991.....	19	-	-	-	-	-	-	2	1	-	1
1990.....	14	-	-	-	-	-	-	-	-	-	-
1989.....	13	-	-	-	-	-	-	-	-	-	-
1988.....	14	-	-	-	-	-	-	-	-	1	-
1987.....	16	-	-	-	-	-	-	-	2	1	-
1986.....	8	-	-	-	-	-	-	-	-	-	-
1985.....	22	-	-	-	-	-	-	-	-	-	-
1984.....	18	-	-	-	-	-	-	-	-	-	1
1983.....	15	-	-	-	-	-	-	-	1	1	-
1982.....	25	-	-	-	-	-	-	1	-	1	-
1981.....	22	-	-	-	-	-	-	1	-	-	-
1980.....	21	-	-	-	-	-	-	-	1	-	1
1979.....	21	-	-	-	-	-	-	1	-	2	1
BLACK, BOTH SEXES											
1998.....	14	-	-	-	-	-	-	-	-	-	1
1997.....	19	-	-	-	-	-	-	-	-	1	2
1996.....	15	-	-	-	-	-	-	-	-	-	-
1995.....	21	-	-	-	-	-	-	-	-	1	-
1994.....	24	-	-	1	-	-	-	-	-	1	3
1993.....	16	-	-	-	-	-	-	-	-	-	1
1992.....	13	-	-	-	-	-	1	-	-	-	1
1991.....	31	-	-	-	-	-	-	1	1	-	2
1990.....	33	-	-	-	-	-	-	-	1	-	-
1989.....	25	-	-	-	-	-	-	-	-	-	-
1988.....	25	-	-	-	-	-	-	-	-	1	3
1987.....	32	-	-	-	-	-	-	-	2	1	1
1986.....	26	-	-	-	-	-	-	1	-	-	1
1985.....	28	-	-	-	-	-	-	-	-	1	1
1984.....	38	-	-	-	-	-	-	-	1	1	2
1983.....	40	-	-	-	-	-	-	-	1	2	1
1982.....	50	-	-	-	-	-	-	1	-	2	3
1981.....	42	-	1	-	-	-	-	1	-	1	2
1980.....	59	-	-	-	-	-	-	-	3	2	1
1979.....	55	-	-	-	-	-	-	1	1	6	2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	
0 LATE EFFECTS OF TUBERCULOSIS (137)												
BLACK MALE												
1998.....	4	-	-	-	-	-	-	-	-	-	1	
1997.....	9	-	-	-	-	-	-	-	-	-	2	
1996.....	7	-	-	-	-	-	-	-	-	-	-	
1995.....	13	-	-	-	-	-	-	-	-	1	-	
1994.....	15	-	-	-	-	-	-	-	-	-	1	
1993.....	11	-	-	-	-	-	-	-	-	-	1	
1992.....	8	-	-	-	-	-	-	-	-	-	1	
1991.....	19	-	-	-	-	-	-	-	-	-	1	
1990.....	21	-	-	-	-	-	-	-	1	-	-	
1989.....	16	-	-	-	-	-	-	-	-	-	-	
1988.....	16	-	-	-	-	-	-	-	-	-	3	
1987.....	22	-	-	-	-	-	-	-	-	-	1	
1986.....	22	-	-	-	-	-	-	1	-	-	1	
1985.....	14	-	-	-	-	-	-	-	-	1	1	
1984.....	25	-	-	-	-	-	-	-	1	1	2	
1983.....	30	-	-	-	-	-	-	-	-	1	1	
1982.....	31	-	-	-	-	-	-	-	-	1	3	
1981.....	26	-	1	-	-	-	-	-	-	1	2	
1980.....	45	-	-	-	-	-	-	-	2	2	-	
1979.....	38	-	-	-	-	-	-	-	1	4	1	
BLACK FEMALE												
1998.....	10	-	-	-	-	-	-	-	-	-	-	
1997.....	10	-	-	-	-	-	-	-	-	1	-	
1996.....	8	-	-	-	-	-	-	-	-	-	-	
1995.....	8	-	-	-	-	-	-	-	-	-	-	
1994.....	9	-	-	1	-	-	-	-	-	1	2	
1993.....	5	-	-	-	-	-	-	-	-	-	-	
1992.....	5	-	-	-	-	-	1	-	-	-	-	
1991.....	12	-	-	-	-	-	-	1	1	-	1	
1990.....	12	-	-	-	-	-	-	-	-	-	-	
1989.....	9	-	-	-	-	-	-	-	-	-	-	
1988.....	9	-	-	-	-	-	-	-	-	1	-	
1987.....	10	-	-	-	-	-	-	-	2	1	-	
1986.....	4	-	-	-	-	-	-	-	-	-	-	
1985.....	14	-	-	-	-	-	-	-	-	-	-	
1984.....	13	-	-	-	-	-	-	-	-	-	-	
1983.....	10	-	-	-	-	-	-	-	1	1	-	
1982.....	19	-	-	-	-	-	-	1	-	1	-	
1981.....	16	-	-	-	-	-	-	1	-	-	-	
1980.....	14	-	-	-	-	-	-	-	1	-	1	
1979.....	17	-	-	-	-	-	-	1	-	2	1	

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 LATE EFFECTS OF ACUTE POLIOMYELITIS (138)											
TOTAL, BOTH SEXES											
1998.....	237	-	-	-	-	-	-	-	-	-	3
1997.....	221	-	-	-	-	1	-	-	-	-	3
1996.....	223	-	-	-	-	-	1	-	1	1	1
1995.....	196	-	-	-	-	-	-	-	-	-	3
1994.....	227	-	-	-	1	-	-	1	-	-	3
1993.....	188	-	-	-	-	-	-	-	1	1	7
1992.....	172	-	1	-	-	-	-	-	-	1	5
1991.....	161	-	1	-	-	-	-	-	-	-	9
1990.....	160	-	1	-	-	-	-	-	2	2	7
1989.....	162	-	-	-	-	-	-	-	-	5	9
1988.....	136	-	-	-	-	-	-	1	1	5	3
1987.....	124	-	1	-	-	-	-	-	1	2	7
1986.....	113	-	-	-	-	-	-	1	2	4	10
1985.....	104	-	-	-	-	-	-	-	1	8	6
1984.....	112	-	1	-	-	-	1	3	3	4	4
1983.....	97	-	-	-	-	-	-	-	4	6	5
1982.....	78	-	-	1	-	-	-	1	3	3	3
1981.....	95	-	-	-	-	-	-	-	4	7	10
1980.....	89	-	-	-	-	-	-	4	3	7	7
1979.....	69	-	-	-	-	-	-	2	8	10	2
TOTAL, MALE											
1998.....	121	-	-	-	-	-	-	-	-	-	2
1997.....	100	-	-	-	-	1	-	-	-	-	2
1996.....	115	-	-	-	-	-	1	-	1	-	1
1995.....	106	-	-	-	-	-	-	-	-	-	2
1994.....	107	-	-	-	1	-	-	1	-	-	1
1993.....	89	-	-	-	-	-	-	-	1	-	4
1992.....	71	-	-	-	-	-	-	-	-	1	2
1991.....	72	-	1	-	-	-	-	-	-	-	4
1990.....	82	-	-	-	-	-	-	-	2	1	6
1989.....	92	-	-	-	-	-	-	-	-	3	7
1988.....	65	-	-	-	-	-	-	1	1	4	2
1987.....	67	-	1	-	-	-	-	-	-	1	4
1986.....	52	-	-	-	-	-	-	-	1	2	4
1985.....	53	-	-	-	-	-	-	-	-	6	3
1984.....	57	-	-	-	-	-	1	2	3	2	3
1983.....	51	-	-	-	-	-	-	-	3	3	1
1982.....	46	-	-	1	-	-	-	1	2	3	1
1981.....	58	-	-	-	-	-	-	-	3	4	7
1980.....	42	-	-	-	-	-	-	2	-	3	2
1979.....	35	-	-	-	-	-	-	-	4	6	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 LATE EFFECTS OF ACUTE POLIOMYELITIS (138)											
TOTAL, FEMALE											
1998.....	116	-	-	-	-	-	-	-	-	-	1
1997.....	121	-	-	-	-	-	-	-	-	-	1
1996.....	108	-	-	-	-	-	-	-	-	1	-
1995.....	90	-	-	-	-	-	-	-	-	-	1
1994.....	120	-	-	-	-	-	-	-	-	-	2
1993.....	99	-	-	-	-	-	-	-	-	1	3
1992.....	101	-	1	-	-	-	-	-	-	-	3
1991.....	89	-	-	-	-	-	-	-	-	-	5
1990.....	78	-	1	-	-	-	-	-	-	1	1
1989.....	70	-	-	-	-	-	-	-	-	2	2
1988.....	71	-	-	-	-	-	-	-	-	1	1
1987.....	57	-	-	-	-	-	-	-	1	1	3
1986.....	61	-	-	-	-	-	-	1	1	2	6
1985.....	51	-	-	-	-	-	-	-	1	2	3
1984.....	55	-	1	-	-	-	-	1	-	2	1
1983.....	46	-	-	-	-	-	-	-	1	3	4
1982.....	32	-	-	-	-	-	-	-	1	-	2
1981.....	37	-	-	-	-	-	-	-	1	3	3
1980.....	47	-	-	-	-	-	-	2	3	4	5
1979.....	34	-	-	-	-	-	-	2	4	4	1
WHITE, BOTH SEXES											
1998.....	230	-	-	-	-	-	-	-	-	-	2
1997.....	215	-	-	-	-	1	-	-	-	-	3
1996.....	215	-	-	-	-	-	1	-	-	1	1
1995.....	190	-	-	-	-	-	-	-	-	-	3
1994.....	218	-	-	-	-	-	-	1	-	-	3
1993.....	182	-	-	-	-	-	-	-	-	1	7
1992.....	164	-	-	-	-	-	-	-	-	1	3
1991.....	155	-	1	-	-	-	-	-	-	-	8
1990.....	150	-	-	-	-	-	-	-	2	1	6
1989.....	159	-	-	-	-	-	-	-	-	5	9
1988.....	127	-	-	-	-	-	-	-	1	5	2
1987.....	119	-	-	-	-	-	-	-	1	2	6
1986.....	112	-	-	-	-	-	-	1	2	4	10
1985.....	101	-	-	-	-	-	-	-	1	7	6
1984.....	108	-	1	-	-	-	1	3	3	4	4
1983.....	91	-	-	-	-	-	-	-	4	4	5
1982.....	71	-	-	-	-	-	-	-	2	2	3
1981.....	95	-	-	-	-	-	-	-	4	7	10
1980.....	87	-	-	-	-	-	-	4	3	7	7
1979.....	67	-	-	-	-	-	-	1	8	10	2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	
0 LATE EFFECTS OF ACUTE POLIOMYELITIS (138)												
WHITE MALE												
1998.....	117	-	-	-	-	-	-	-	-	-	1	
1997.....	98	-	-	-	-	1	-	-	-	-	2	
1996.....	108	-	-	-	-	-	1	-	-	-	1	
1995.....	101	-	-	-	-	-	-	-	-	-	2	
1994.....	103	-	-	-	-	-	-	1	-	-	1	
1993.....	85	-	-	-	-	-	-	-	-	-	4	
1992.....	67	-	-	-	-	-	-	-	-	1	1	
1991.....	69	-	1	-	-	-	-	-	-	-	3	
1990.....	77	-	-	-	-	-	-	-	2	1	5	
1989.....	89	-	-	-	-	-	-	-	-	3	7	
1988.....	59	-	-	-	-	-	-	-	1	4	1	
1987.....	64	-	-	-	-	-	-	-	-	1	4	
1986.....	51	-	-	-	-	-	-	-	1	2	4	
1985.....	51	-	-	-	-	-	-	-	-	5	3	
1984.....	56	-	-	-	-	-	1	2	3	2	3	
1983.....	50	-	-	-	-	-	-	-	3	3	1	
1982.....	40	-	-	-	-	-	-	-	1	2	1	
1981.....	58	-	-	-	-	-	-	-	3	4	7	
1980.....	41	-	-	-	-	-	-	2	-	3	2	
1979.....	35	-	-	-	-	-	-	-	4	6	1	
WHITE FEMALE												
1998.....	113	-	-	-	-	-	-	-	-	-	1	
1997.....	117	-	-	-	-	-	-	-	-	-	1	
1996.....	107	-	-	-	-	-	-	-	-	1	-	
1995.....	89	-	-	-	-	-	-	-	-	-	1	
1994.....	115	-	-	-	-	-	-	-	-	-	2	
1993.....	97	-	-	-	-	-	-	-	-	1	3	
1992.....	97	-	-	-	-	-	-	-	-	-	2	
1991.....	86	-	-	-	-	-	-	-	-	-	5	
1990.....	73	-	-	-	-	-	-	-	-	-	1	
1989.....	70	-	-	-	-	-	-	-	-	2	2	
1988.....	68	-	-	-	-	-	-	-	-	1	1	
1987.....	55	-	-	-	-	-	-	-	1	1	2	
1986.....	61	-	-	-	-	-	-	1	1	2	6	
1985.....	50	-	-	-	-	-	-	-	1	2	3	
1984.....	52	-	1	-	-	-	-	1	-	2	1	
1983.....	41	-	-	-	-	-	-	-	1	1	4	
1982.....	31	-	-	-	-	-	-	-	1	-	2	
1981.....	37	-	-	-	-	-	-	-	1	3	3	
1980.....	46	-	-	-	-	-	-	2	3	4	5	
1979.....	32	-	-	-	-	-	-	1	4	4	1	

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 LATE EFFECTS OF ACUTE POLIOMYELITIS (138)											
ALL OTHER FEMALE											
1998.....	3	-	-	-	-	-	-	-	-	-	-
1997.....	4	-	-	-	-	-	-	-	-	-	-
1996.....	1	-	-	-	-	-	-	-	-	-	-
1995.....	1	-	-	-	-	-	-	-	-	-	-
1994.....	5	-	-	-	-	-	-	-	-	-	-
1993.....	2	-	-	-	-	-	-	-	-	-	-
1992.....	4	-	1	-	-	-	-	-	-	-	1
1991.....	3	-	-	-	-	-	-	-	-	-	-
1990.....	5	-	1	-	-	-	-	-	-	1	-
1988.....	3	-	-	-	-	-	-	-	-	-	-
1987.....	2	-	-	-	-	-	-	-	-	-	1
1985.....	1	-	-	-	-	-	-	-	-	-	-
1984.....	3	-	-	-	-	-	-	-	-	-	-
1983.....	5	-	-	-	-	-	-	-	-	2	-
1982.....	1	-	-	-	-	-	-	-	-	-	-
1980.....	1	-	-	-	-	-	-	-	-	-	-
1979.....	2	-	-	-	-	-	-	1	-	-	-
BLACK, BOTH SEXES											
1998.....	6	-	-	-	-	-	-	-	-	-	1
1997.....	5	-	-	-	-	-	-	-	-	-	-
1996.....	5	-	-	-	-	-	-	-	-	-	-
1995.....	4	-	-	-	-	-	-	-	-	-	-
1994.....	8	-	-	-	-	-	-	-	-	-	-
1993.....	5	-	-	-	-	-	-	-	1	-	-
1992.....	8	-	1	-	-	-	-	-	-	-	2
1991.....	5	-	-	-	-	-	-	-	-	-	1
1990.....	9	-	1	-	-	-	-	-	-	1	1
1989.....	3	-	-	-	-	-	-	-	-	-	-
1988.....	9	-	-	-	-	-	-	1	-	-	1
1987.....	5	-	1	-	-	-	-	-	-	-	1
1985.....	3	-	-	-	-	-	-	-	-	1	-
1984.....	4	-	-	-	-	-	-	-	-	-	-
1983.....	6	-	-	-	-	-	-	-	-	2	-
1982.....	7	-	-	1	-	-	-	1	1	1	-
1980.....	2	-	-	-	-	-	-	-	-	-	-
1979.....	2	-	-	-	-	-	-	1	-	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 LATE EFFECTS OF ACUTE POLIOMYELITIS (138)											
BLACK MALE											
1998.....	3	-	-	-	-	-	-	-	-	-	1
1997.....	1	-	-	-	-	-	-	-	-	-	-
1996.....	4	-	-	-	-	-	-	-	-	-	-
1995.....	4	-	-	-	-	-	-	-	-	-	-
1994.....	3	-	-	-	-	-	-	-	-	-	-
1993.....	3	-	-	-	-	-	-	1	-	-	-
1992.....	4	-	-	-	-	-	-	-	-	-	1
1991.....	3	-	-	-	-	-	-	-	-	-	1
1990.....	4	-	-	-	-	-	-	-	-	-	1
1989.....	3	-	-	-	-	-	-	-	-	-	-
1988.....	6	-	-	-	-	-	-	1	-	-	1
1987.....	3	-	1	-	-	-	-	-	-	-	-
1985.....	2	-	-	-	-	-	-	-	-	1	-
1984.....	1	-	-	-	-	-	-	-	-	-	-
1983.....	1	-	-	-	-	-	-	-	-	-	-
1982.....	6	-	-	1	-	-	-	1	1	1	-
1980.....	1	-	-	-	-	-	-	-	-	-	-
BLACK FEMALE											
1998.....	3	-	-	-	-	-	-	-	-	-	-
1997.....	4	-	-	-	-	-	-	-	-	-	-
1996.....	1	-	-	-	-	-	-	-	-	-	-
1994.....	5	-	-	-	-	-	-	-	-	-	-
1993.....	2	-	-	-	-	-	-	-	-	-	-
1992.....	4	-	1	-	-	-	-	-	-	-	1
1991.....	2	-	-	-	-	-	-	-	-	-	-
1990.....	5	-	1	-	-	-	-	-	-	1	-
1988.....	3	-	-	-	-	-	-	-	-	-	-
1987.....	2	-	-	-	-	-	-	-	-	-	1
1985.....	1	-	-	-	-	-	-	-	-	-	-
1984.....	3	-	-	-	-	-	-	-	-	-	-
1983.....	5	-	-	-	-	-	-	-	-	2	-
1982.....	1	-	-	-	-	-	-	-	-	-	-
1980.....	1	-	-	-	-	-	-	-	-	-	-
1979.....	2	-	-	-	-	-	-	1	-	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER INFECTIOUS AND PARASITIC DISEASES AND LATE EFFECTS OF OTHER INFECTIOUS AND PARASITIC DISEASES (100-104,130-136,139)											
TOTAL, BOTH SEXES											
1998.....	1,504	14	9	6	1	6	12	25	58	100	129
1997.....	1,448	8	10	1	-	7	13	24	62	117	133
1996.....	1,442	8	6	3	3	7	7	32	79	125	137
1995.....	1,524	16	10	8	5	6	13	43	105	133	136
1994.....	1,540	18	14	6	6	6	16	45	106	178	148
1993.....	1,575	34	15	8	5	4	25	55	110	152	151
1992.....	1,579	31	4	10	4	6	26	71	112	177	159
1991.....	1,566	55	14	11	4	6	17	64	122	168	144
1990.....	1,592	46	8	6	6	6	36	90	118	167	141
1989.....	1,758	45	9	8	3	9	37	96	176	210	176
1988.....	1,580	33	13	7	6	12	32	92	141	161	151
1987.....	1,436	28	19	10	5	12	28	72	141	158	113
1986.....	3,741	46	30	13	5	17	118	413	668	622	415
1985.....	2,675	46	21	7	6	14	82	280	426	435	278
1984.....	1,940	32	10	7	9	14	60	192	273	254	176
1983.....	1,210	27	14	5	9	8	23	111	137	109	99
1982.....	971	30	18	8	9	6	22	47	74	75	63
1981.....	823	36	12	11	8	10	15	40	55	51	49
1980.....	749	52	14	5	8	13	18	21	31	40	39
1979.....	708	38	9	6	9	11	24	31	41	37	43
TOTAL, MALE											
1998.....	668	10	6	4	1	1	7	16	30	55	59
1997.....	624	5	4	1	-	2	7	14	35	68	55
1996.....	681	6	6	2	1	6	3	25	47	83	77
1995.....	755	7	6	4	3	1	10	26	71	72	73
1994.....	785	11	9	-	3	4	9	31	69	119	92
1993.....	818	20	6	5	3	3	15	30	71	102	90
1992.....	800	16	2	3	3	4	20	45	74	112	91
1991.....	872	28	4	6	3	1	12	44	78	118	86
1990.....	908	26	4	3	3	4	23	61	85	115	95
1989.....	1,014	27	2	7	1	5	24	67	121	154	117
1988.....	908	20	7	2	4	6	18	69	110	113	102
1987.....	770	15	11	5	1	6	20	48	99	102	63
1986.....	2,904	25	15	8	3	13	99	355	579	561	353
1985.....	1,968	22	6	5	2	6	67	236	369	383	235
1984.....	1,323	15	3	4	3	11	46	147	227	211	137
1983.....	724	18	6	1	8	6	18	82	107	86	72
1982.....	489	21	8	6	5	4	12	36	50	47	36
1981.....	397	22	8	6	5	5	12	19	31	27	25
1980.....	347	25	8	3	3	7	12	11	20	19	14
1979.....	331	21	4	3	4	6	14	20	23	16	22

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER INFECTIOUS AND PARASITIC DISEASES AND LATE EFFECTS OF OTHER INFECTIOUS AND PARASITIC DISEASES (100-104,130-136,139)											
TOTAL, FEMALE											
1998.....	836	4	3	2	-	5	5	9	28	45	70
1997.....	824	3	6	-	-	5	6	10	27	49	78
1996.....	761	2	-	1	2	1	4	7	32	42	60
1995.....	769	9	4	4	2	5	3	17	34	61	63
1994.....	755	7	5	6	3	2	7	14	37	59	56
1993.....	757	14	9	3	2	1	10	25	39	50	61
1992.....	779	15	2	7	1	2	6	26	38	65	68
1991.....	694	27	10	5	1	5	5	20	44	50	58
1990.....	684	20	4	3	3	2	13	29	33	52	46
1989.....	744	18	7	1	2	4	13	29	55	56	59
1988.....	672	13	6	5	2	6	14	23	31	48	49
1987.....	666	13	8	5	4	6	8	24	42	56	50
1986.....	837	21	15	5	2	4	19	58	89	61	62
1985.....	707	24	15	2	4	8	15	44	57	52	43
1984.....	617	17	7	3	6	3	14	45	46	43	39
1983.....	486	9	8	4	1	2	5	29	30	23	27
1982.....	482	9	10	2	4	2	10	11	24	28	27
1981.....	426	14	4	5	3	5	3	21	24	24	24
1980.....	402	27	6	2	5	6	6	10	11	21	25
1979.....	377	17	5	3	5	5	10	11	18	21	21
WHITE, BOTH SEXES											
1998.....	914	12	7	4	1	3	6	9	16	29	44
1997.....	849	5	9	1	-	7	6	11	26	34	41
1996.....	850	5	3	1	3	5	4	14	31	45	46
1995.....	919	10	8	7	4	3	8	23	48	51	48
1994.....	956	13	10	4	3	5	6	19	51	84	57
1993.....	938	20	9	7	4	2	14	32	47	68	56
1992.....	933	17	3	9	3	4	15	38	51	70	61
1991.....	969	33	8	8	2	5	9	36	49	71	64
1990.....	977	29	7	4	6	4	23	40	51	67	66
1989.....	1,125	30	7	7	2	6	26	53	88	99	82
1988.....	1,015	22	12	2	6	9	12	50	63	73	80
1987.....	932	17	15	9	4	9	13	38	75	81	62
1986.....	2,699	25	26	11	5	13	76	291	461	422	290
1985.....	1,923	24	16	4	6	10	57	188	284	302	194
1984.....	1,328	19	4	6	8	11	36	122	160	162	109
1983.....	800	16	11	5	4	5	13	76	69	65	46
1982.....	660	21	15	7	8	3	12	20	36	32	32
1981.....	541	28	9	11	5	7	8	15	15	17	17
1980.....	489	34	12	5	7	9	11	9	8	15	10
1979.....	466	25	6	4	7	7	7	12	12	16	12

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER INFECTIOUS AND PARASITIC DISEASES AND LATE EFFECTS OF OTHER INFECTIOUS AND PARASITIC DISEASES (100-104,130-136,139)											
WHITE MALE											
1998.....	435	9	4	3	1	-	4	8	12	20	25
1997.....	379	3	4	1	-	2	2	5	15	22	23
1996.....	426	4	3	1	1	5	1	11	19	37	31
1995.....	494	5	4	4	3	-	6	17	39	36	29
1994.....	500	9	6	-	2	4	2	11	40	63	45
1993.....	514	12	4	5	2	2	7	20	38	52	40
1992.....	515	10	2	3	3	3	11	28	43	57	46
1991.....	564	16	3	4	1	1	6	29	38	58	47
1990.....	590	17	4	2	3	3	14	31	41	58	55
1989.....	663	18	1	6	1	2	15	40	71	83	61
1988.....	597	15	6	-	4	5	8	41	56	60	59
1987.....	552	10	8	4	1	4	10	30	66	68	44
1986.....	2,191	15	14	7	3	11	70	262	425	398	269
1985.....	1,482	11	6	3	2	4	48	169	265	286	176
1984.....	952	9	1	3	3	9	31	101	145	148	97
1983.....	499	10	5	1	3	4	10	64	59	56	39
1982.....	349	15	7	6	4	2	8	16	31	26	23
1981.....	273	14	6	6	3	4	7	9	13	11	11
1980.....	240	11	6	3	3	5	8	7	7	12	2
1979.....	232	14	3	1	3	5	2	10	10	10	9
WHITE FEMALE											
1998.....	479	3	3	1	-	3	2	1	4	9	19
1997.....	470	2	5	-	-	5	4	6	11	12	18
1996.....	424	1	-	-	2	-	3	3	12	8	15
1995.....	425	5	4	3	1	3	2	6	9	15	19
1994.....	456	4	4	4	1	1	4	8	11	21	12
1993.....	424	8	5	2	2	-	7	12	9	16	16
1992.....	418	7	1	6	-	1	4	10	8	13	15
1991.....	405	17	5	4	1	4	3	7	11	13	17
1990.....	387	12	3	2	3	1	9	9	10	9	11
1989.....	462	12	6	1	1	4	11	13	17	16	21
1988.....	418	7	6	2	2	4	4	9	7	13	21
1987.....	380	7	7	5	3	5	3	8	9	13	18
1986.....	508	10	12	4	2	2	6	29	36	24	21
1985.....	441	13	10	1	4	6	9	19	19	16	18
1984.....	376	10	3	3	5	2	5	21	15	14	12
1983.....	301	6	6	4	1	1	3	12	10	9	7
1982.....	311	6	8	1	4	1	4	4	5	6	9
1981.....	268	14	3	5	2	3	1	6	2	6	6
1980.....	249	23	6	2	4	4	3	2	1	3	8
1979.....	234	11	3	3	4	2	5	2	2	6	3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER INFECTIOUS AND PARASITIC DISEASES AND LATE EFFECTS OF OTHER INFECTIOUS AND PARASITIC DISEASES (100-104,130-136,139)											
ALL OTHER, BOTH SEXES											
1998.....	590	2	2	2	-	3	6	16	42	71	85
1997.....	599	3	1	-	-	-	7	13	36	83	92
1996.....	592	3	3	2	-	2	3	18	48	80	91
1995.....	605	6	2	1	1	3	5	20	57	82	88
1994.....	584	5	4	2	3	1	10	26	55	94	91
1993.....	637	14	6	1	1	2	11	23	63	84	95
1992.....	646	14	1	1	1	2	11	33	61	107	98
1991.....	597	22	6	3	2	1	8	28	73	97	80
1990.....	615	17	1	2	-	2	13	50	67	100	75
1989.....	633	15	2	1	1	3	11	43	88	111	94
1988.....	565	11	1	5	-	3	20	42	78	88	71
1987.....	504	11	4	1	1	3	15	34	66	77	51
1986.....	1,042	21	4	2	-	4	42	122	207	200	125
1985.....	752	22	5	3	-	4	25	92	142	133	84
1984.....	612	13	6	1	1	3	24	70	113	92	67
1983.....	410	11	3	-	5	3	10	35	68	44	53
1982.....	311	9	3	1	1	3	10	27	38	43	31
1981.....	282	8	3	-	3	3	7	25	40	34	32
1980.....	260	18	2	-	1	4	7	12	23	25	29
1979.....	242	13	3	2	2	4	17	19	29	21	31
ALL OTHER MALE											
1998.....	233	1	2	1	-	1	3	8	18	35	34
1997.....	245	2	-	-	-	-	5	9	20	46	32
1996.....	255	2	3	1	-	1	2	14	28	46	46
1995.....	261	2	2	-	-	1	4	9	32	36	44
1994.....	285	2	3	-	1	-	7	20	29	56	47
1993.....	304	8	2	-	1	1	8	10	33	50	50
1992.....	285	6	-	-	-	1	9	17	31	55	45
1991.....	308	12	1	2	2	-	6	15	40	60	39
1990.....	318	9	-	1	-	1	9	30	44	57	40
1989.....	351	9	1	1	-	3	9	27	50	71	56
1988.....	311	5	1	2	-	1	10	28	54	53	43
1987.....	218	5	3	1	-	2	10	18	33	34	19
1986.....	713	10	1	1	-	2	29	93	154	163	84
1985.....	486	11	-	2	-	2	19	67	104	97	59
1984.....	371	6	2	1	-	2	15	46	82	63	40
1983.....	225	8	1	-	5	2	8	18	48	30	33
1982.....	140	6	1	-	1	2	4	20	19	21	13
1981.....	124	8	2	-	2	1	5	10	18	16	14
1980.....	107	14	2	-	-	2	4	4	13	7	12
1979.....	99	7	1	2	1	1	12	10	13	6	13

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER INFECTIOUS AND PARASITIC DISEASES AND LATE EFFECTS OF OTHER INFECTIOUS AND PARASITIC DISEASES (100-104,130-136,139)											
ALL OTHER FEMALE											
1998.....	357	1	-	1	-	2	3	8	24	36	51
1997.....	354	1	1	-	-	-	2	4	16	37	60
1996.....	337	1	-	1	-	1	1	4	20	34	45
1995.....	344	4	-	1	1	2	1	11	25	46	44
1994.....	299	3	1	2	2	1	3	6	26	38	44
1993.....	333	6	4	1	-	1	3	13	30	34	45
1992.....	361	8	1	1	1	1	2	16	30	52	53
1991.....	289	10	5	1	-	1	2	13	33	37	41
1990.....	297	8	1	1	-	1	4	20	23	43	35
1989.....	282	6	1	-	1	-	2	16	38	40	38
1988.....	254	6	-	3	-	2	10	14	24	35	28
1987.....	286	6	1	-	1	1	5	16	33	43	32
1986.....	329	11	3	1	-	2	13	29	53	37	41
1985.....	266	11	5	1	-	2	6	25	38	36	25
1984.....	241	7	4	-	1	1	9	24	31	29	27
1983.....	185	3	2	-	-	1	2	17	20	14	20
1982.....	171	3	2	1	-	1	6	7	19	22	18
1981.....	158	-	1	-	1	2	2	15	22	18	18
1980.....	153	4	-	-	1	2	3	8	10	18	17
1979.....	143	6	2	-	1	3	5	9	16	15	18
BLACK, BOTH SEXES											
1998.....	570	-	2	1	-	3	5	15	41	70	83
1997.....	579	3	1	-	-	-	6	12	36	80	91
1996.....	571	3	2	2	-	2	2	16	46	79	86
1995.....	582	4	2	1	1	2	4	20	55	77	86
1994.....	559	4	3	2	3	1	6	26	54	92	89
1993.....	617	12	6	1	1	1	10	23	59	81	94
1992.....	626	12	1	1	1	2	10	30	59	107	97
1991.....	573	20	4	3	2	1	8	25	71	96	80
1990.....	596	16	1	1	-	1	13	49	66	99	75
1989.....	605	11	2	1	-	2	11	42	86	108	91
1988.....	549	11	1	3	-	2	19	41	77	87	70
1987.....	489	10	4	-	-	3	14	33	65	76	51
1986.....	999	20	4	1	-	4	42	119	203	194	120
1985.....	719	21	2	3	-	4	24	91	139	127	81
1984.....	590	11	5	1	1	2	23	66	111	89	67
1983.....	398	9	3	-	4	3	10	33	68	42	53
1982.....	299	9	2	1	1	3	10	25	38	42	31
1981.....	272	6	2	-	2	3	7	25	40	34	32
1980.....	251	15	2	-	-	4	7	12	23	25	29
1979.....	229	11	2	1	1	3	16	19	28	20	31

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER INFECTIOUS AND PARASITIC DISEASES AND LATE EFFECTS OF OTHER INFECTIOUS AND PARASITIC DISEASES (100-104,130-136,139)											
BLACK MALE											
1998.....	226	-	2	-	-	1	3	7	17	35	34
1997.....	235	2	-	-	-	-	4	8	20	44	31
1996.....	240	2	2	1	-	1	2	13	26	45	42
1995.....	249	2	2	-	-	-	4	9	30	33	44
1994.....	272	2	2	-	1	-	4	20	28	56	46
1993.....	291	6	2	-	1	-	7	10	31	48	49
1992.....	275	6	-	-	-	1	8	15	30	55	45
1991.....	296	10	1	2	2	-	6	14	38	60	39
1990.....	307	8	-	-	-	1	9	30	44	56	40
1989.....	334	7	1	1	-	2	9	26	50	68	53
1988.....	305	5	1	2	-	1	10	28	53	52	42
1987.....	210	4	3	-	-	2	9	18	32	34	19
1986.....	682	10	1	1	-	2	29	90	151	157	80
1985.....	461	10	-	2	-	2	18	66	102	92	56
1984.....	351	4	2	1	-	1	14	42	80	60	40
1983.....	220	7	1	-	4	2	8	18	48	29	33
1982.....	133	6	1	-	1	2	4	20	19	21	13
1981.....	119	6	2	-	1	1	5	10	18	16	14
1980.....	103	12	2	-	-	2	4	4	13	7	12
1979.....	93	5	1	1	-	1	12	10	12	5	13
BLACK FEMALE											
1998.....	344	-	-	1	-	2	2	8	24	35	49
1997.....	344	1	1	-	-	-	2	4	16	36	60
1996.....	331	1	-	1	-	1	-	3	20	34	44
1995.....	333	2	-	1	1	2	-	11	25	44	42
1994.....	287	2	1	2	2	1	2	6	26	36	43
1993.....	326	6	4	1	-	1	3	13	28	33	45
1992.....	351	6	1	1	1	1	2	15	29	52	52
1991.....	277	10	3	1	-	1	2	11	33	36	41
1990.....	289	8	1	1	-	-	4	19	22	43	35
1989.....	271	4	1	-	-	-	2	16	36	40	38
1988.....	244	6	-	1	-	1	9	13	24	35	28
1987.....	279	6	1	-	-	1	5	15	33	42	32
1986.....	317	10	3	-	-	2	13	29	52	37	40
1985.....	258	11	2	1	-	2	6	25	37	35	25
1984.....	239	7	3	-	1	1	9	24	31	29	27
1983.....	178	2	2	-	-	1	2	15	20	13	20
1982.....	166	3	1	1	-	1	6	5	19	21	18
1981.....	153	-	-	-	1	2	2	15	22	18	18
1980.....	148	3	-	-	-	2	3	8	10	18	17
1979.....	136	6	1	-	1	2	4	9	16	15	18

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR		RACE, AND SEX: UNITED STATES, 1979-98									
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
		YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
0 II. NEOPLASMS (140-239)											
TOTAL, BOTH SEXES											
1998.....	549,465	138	418	539	558	782	1,038	1,546	3,014	6,083	11,270
1997.....	547,236	154	503	582	524	759	1,001	1,683	3,111	6,203	11,212
1996.....	547,180	147	494	570	543	740	990	1,669	3,340	6,295	11,111
1995.....	546,214	144	542	573	558	740	1,004	1,675	3,410	6,471	10,970
1994.....	541,827	126	597	597	557	776	1,074	1,738	3,507	6,382	10,845
1993.....	537,345	149	599	620	541	761	1,073	1,771	3,527	6,318	10,778
1992.....	527,648	157	540	610	592	777	1,133	1,858	3,642	6,415	10,788
1991.....	521,651	137	602	619	560	786	1,131	1,888	3,626	6,374	10,826
1990.....	512,074	161	588	622	572	804	1,108	1,983	3,657	6,154	10,365
1989.....	502,853	163	572	673	567	802	1,136	1,939	3,541	5,997	10,029
1988.....	491,783	149	611	640	559	852	1,142	1,927	3,478	6,075	9,779
1987.....	483,497	160	603	681	538	857	1,188	2,046	3,508	5,915	9,265
1986.....	476,106	175	625	669	586	902	1,345	2,202	3,605	6,017	9,236
1985.....	468,262	175	611	654	616	910	1,332	2,143	3,537	5,786	9,028
1984.....	459,928	192	612	636	651	958	1,335	2,099	3,438	5,618	8,886
1983.....	449,469	185	708	706	702	1,018	1,395	2,067	3,269	5,289	8,392
1982.....	440,255	195	684	795	708	1,107	1,481	2,021	3,334	5,182	8,052
1981.....	428,329	145	702	768	720	1,088	1,410	2,033	3,192	4,792	7,959
1980.....	422,702	180	611	829	772	1,207	1,606	2,124	3,152	4,796	7,938
1979.....	409,299	164	625	841	802	1,197	1,515	1,998	2,984	4,581	7,799
TOTAL, MALE											
1998.....	285,581	72	217	309	319	477	624	819	1,378	2,606	5,160
1997.....	284,476	76	272	300	290	440	605	893	1,492	2,673	5,044
1996.....	285,310	69	285	327	294	431	584	847	1,562	2,826	5,056
1995.....	285,085	79	325	320	319	456	610	893	1,627	2,808	5,063
1994.....	283,869	61	331	336	320	461	658	934	1,690	2,845	4,964
1993.....	282,799	86	348	344	312	446	621	911	1,711	2,913	4,971
1992.....	278,094	86	282	342	346	474	662	934	1,752	2,822	4,877
1991.....	275,559	74	327	351	343	468	664	1,032	1,702	2,842	4,868
1990.....	271,295	79	315	347	319	465	660	1,072	1,756	2,711	4,579
1989.....	266,357	79	312	362	331	468	654	1,047	1,640	2,657	4,415
1988.....	261,100	72	317	378	315	510	661	1,033	1,627	2,609	4,460
1987.....	257,718	77	328	412	307	500	717	1,089	1,630	2,550	4,181
1986.....	253,673	90	351	372	331	550	832	1,222	1,764	2,645	4,145
1985.....	249,922	78	356	370	348	557	786	1,178	1,658	2,581	4,179
1984.....	245,710	94	334	368	368	583	819	1,117	1,628	2,405	3,999
1983.....	241,368	99	397	389	405	619	797	1,116	1,533	2,305	3,777
1982.....	236,841	95	376	481	397	654	844	1,078	1,544	2,288	3,624
1981.....	230,819	81	392	434	411	654	854	1,083	1,437	2,076	3,641
1980.....	228,827	102	366	489	447	714	1,023	1,137	1,428	2,062	3,596
1979.....	222,719	84	342	486	466	742	910	1,099	1,351	1,967	3,509

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	RACE, AND SEX: UNITED STATES, 1979-98									
		UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
II. NEOPLASMS (140-239)											
TOTAL, FEMALE											
1998.....	263,884	66	201	230	239	305	414	727	1,636	3,477	6,110
1997.....	262,760	78	231	282	234	319	396	790	1,619	3,530	6,168
1996.....	261,870	78	209	243	249	309	406	822	1,778	3,469	6,055
1995.....	261,129	65	217	253	239	284	394	782	1,783	3,663	5,907
1994.....	257,958	65	266	261	237	315	416	804	1,817	3,537	5,881
1993.....	254,546	63	251	276	229	315	452	860	1,816	3,405	5,807
1992.....	249,554	71	258	268	246	303	471	924	1,890	3,593	5,911
1991.....	246,092	63	275	268	217	318	467	856	1,924	3,532	5,958
1990.....	240,779	82	273	275	253	339	448	911	1,901	3,443	5,786
1989.....	236,496	84	260	311	236	334	482	892	1,901	3,340	5,614
1988.....	230,683	77	294	262	244	342	481	894	1,851	3,466	5,319
1987.....	225,779	83	275	269	231	357	471	957	1,878	3,365	5,084
1986.....	222,433	85	274	297	255	352	513	980	1,841	3,372	5,091
1985.....	218,340	97	255	284	268	353	546	965	1,879	3,205	4,849
1984.....	214,218	98	278	268	283	375	516	982	1,810	3,213	4,887
1983.....	208,101	86	311	317	297	399	598	951	1,736	2,984	4,615
1982.....	203,414	100	308	314	311	453	637	943	1,790	2,894	4,428
1981.....	197,510	64	310	334	309	434	556	950	1,755	2,716	4,318
1980.....	193,875	78	245	340	325	493	583	987	1,724	2,734	4,342
1979.....	186,580	80	283	355	336	455	605	899	1,633	2,614	4,290
WHITE, BOTH SEXES											
1998.....	477,079	112	328	419	441	635	827	1,190	2,368	4,681	8,802
1997.....	475,203	116	396	458	424	592	781	1,294	2,451	4,779	8,764
1996.....	476,063	127	393	453	433	579	760	1,334	2,621	4,893	8,717
1995.....	475,645	123	417	448	429	581	781	1,324	2,649	5,117	8,609
1994.....	472,392	98	473	476	438	618	884	1,390	2,754	5,064	8,480
1993.....	468,443	118	488	507	445	608	840	1,388	2,809	4,986	8,521
1992.....	460,722	128	439	499	487	631	917	1,469	2,909	5,048	8,511
1991.....	455,642	105	480	515	461	635	916	1,532	2,902	5,019	8,619
1990.....	447,493	126	475	511	471	641	900	1,596	2,915	4,868	8,346
1989.....	440,014	131	455	554	463	638	908	1,588	2,841	4,754	8,118
1988.....	431,010	123	499	520	453	699	918	1,566	2,793	4,814	7,973
1987.....	424,275	141	494	575	445	681	955	1,683	2,864	4,753	7,490
1986.....	418,247	147	517	552	479	747	1,125	1,818	2,966	4,840	7,486
1985.....	411,566	143	511	546	496	758	1,102	1,791	2,905	4,758	7,338
1984.....	404,287	144	515	529	529	798	1,130	1,741	2,828	4,614	7,175
1983.....	395,737	148	596	592	564	871	1,152	1,734	2,651	4,380	6,828
1982.....	388,306	144	575	673	576	913	1,235	1,684	2,768	4,317	6,580
1981.....	378,182	116	587	635	590	899	1,193	1,699	2,680	3,944	6,410
1980.....	373,545	143	509	719	652	1,006	1,348	1,810	2,665	4,016	6,448
1979.....	362,537	136	522	719	672	1,013	1,286	1,694	2,522	3,789	6,371

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 II. NEOPLASMS (140-239)											
WHITE MALE											
1998.....	247,188	57	171	238	254	387	515	643	1,111	2,058	4,098
1997.....	246,118	52	215	238	229	355	471	694	1,206	2,080	3,971
1996.....	246,925	59	235	263	241	343	457	696	1,254	2,244	3,989
1995.....	247,025	69	257	264	244	364	482	716	1,306	2,242	3,964
1994.....	245,992	47	270	262	255	378	544	766	1,345	2,306	3,886
1993.....	244,905	66	288	283	258	356	495	737	1,377	2,346	3,943
1992.....	241,342	68	234	277	289	383	547	767	1,430	2,262	3,848
1991.....	239,192	53	255	293	287	382	561	846	1,388	2,282	3,872
1990.....	235,266	61	257	282	261	383	531	885	1,439	2,135	3,660
1989.....	230,986	69	259	301	276	366	522	868	1,330	2,149	3,513
1988.....	227,153	58	265	311	263	423	538	857	1,353	2,084	3,611
1987.....	224,440	68	266	351	264	399	593	917	1,353	2,088	3,385
1986.....	221,121	78	302	310	271	452	712	1,043	1,509	2,145	3,317
1985.....	217,711	65	298	314	278	464	657	996	1,406	2,158	3,355
1984.....	213,937	68	279	310	305	483	701	943	1,351	1,965	3,211
1983.....	210,692	80	330	327	329	538	667	955	1,280	1,916	3,045
1982.....	207,094	72	319	407	329	537	713	924	1,306	1,935	2,915
1981.....	201,995	62	332	362	344	536	735	932	1,231	1,720	2,914
1980.....	200,702	82	310	434	381	599	879	1,010	1,240	1,737	2,902
1979.....	195,850	69	292	425	388	630	792	952	1,180	1,638	2,808
WHITE FEMALE											
1998.....	229,891	55	157	181	187	248	312	547	1,257	2,623	4,704
1997.....	229,085	64	181	220	195	237	310	600	1,245	2,699	4,793
1996.....	229,138	68	158	190	192	236	303	638	1,367	2,649	4,728
1995.....	228,620	54	160	184	185	217	299	608	1,343	2,875	4,645
1994.....	226,400	51	203	214	183	240	340	624	1,409	2,758	4,594
1993.....	223,538	52	200	224	187	252	345	651	1,432	2,640	4,578
1992.....	219,380	60	205	222	198	248	370	702	1,479	2,786	4,663
1991.....	216,450	52	225	222	174	253	355	686	1,514	2,737	4,747
1990.....	212,227	65	218	229	210	258	369	711	1,476	2,733	4,686
1989.....	209,028	62	196	253	187	272	386	720	1,511	2,605	4,605
1988.....	203,857	65	234	209	190	276	380	709	1,440	2,730	4,362
1987.....	199,835	73	228	224	181	282	362	766	1,511	2,665	4,105
1986.....	197,126	69	215	242	208	295	413	775	1,457	2,695	4,169
1985.....	193,855	78	213	232	218	294	445	795	1,499	2,600	3,983
1984.....	190,350	76	236	219	224	315	429	798	1,477	2,649	3,964
1983.....	185,045	68	266	265	235	333	485	779	1,371	2,464	3,783
1982.....	181,212	72	256	266	247	376	522	760	1,462	2,382	3,665
1981.....	176,187	54	255	273	246	363	458	767	1,449	2,224	3,496
1980.....	172,843	61	199	285	271	407	469	800	1,425	2,279	3,546
1979.....	166,687	67	230	294	284	383	494	742	1,342	2,151	3,563

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	RACE, AND SEX: UNITED STATES, 1979-98									
		UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
II. NEOPLASMS (140-239)											
ALL OTHER, BOTH SEXES											
1998.....	72,386	26	90	120	117	147	211	356	646	1,402	2,468
1997.....	72,033	38	107	124	100	167	220	389	660	1,424	2,448
1996.....	71,117	20	101	117	110	161	230	335	719	1,402	2,394
1995.....	70,569	21	125	125	129	159	223	351	761	1,354	2,361
1994.....	69,435	28	124	121	119	158	190	348	753	1,318	2,365
1993.....	68,902	31	111	113	96	153	233	383	718	1,332	2,257
1992.....	66,926	29	101	111	105	146	216	389	733	1,367	2,277
1991.....	66,009	32	122	104	99	151	215	356	724	1,355	2,207
1990.....	64,581	35	113	111	101	163	208	387	742	1,286	2,019
1989.....	62,839	32	117	119	104	164	228	351	700	1,243	1,911
1988.....	60,773	26	112	120	106	153	224	361	685	1,261	1,806
1987.....	59,222	19	109	106	93	176	233	363	644	1,162	1,775
1986.....	57,859	28	108	117	107	155	220	384	639	1,177	1,750
1985.....	56,696	32	100	108	120	152	230	352	632	1,028	1,690
1984.....	55,641	48	97	107	122	160	205	358	610	1,004	1,711
1983.....	53,732	37	112	114	138	147	243	333	618	909	1,564
1982.....	51,949	51	109	122	132	194	246	337	566	865	1,472
1981.....	50,147	29	115	133	130	189	217	334	512	848	1,549
1980.....	49,157	37	102	110	120	201	258	314	487	780	1,490
1979.....	46,762	28	103	122	130	184	229	304	462	792	1,428
ALL OTHER MALE											
1998.....	38,393	15	46	71	65	90	109	176	267	548	1,062
1997.....	38,358	24	57	62	61	85	134	199	286	593	1,073
1996.....	38,385	10	50	64	53	88	127	151	308	582	1,067
1995.....	38,060	10	68	56	75	92	128	177	321	566	1,099
1994.....	37,877	14	61	74	65	83	114	168	345	539	1,078
1993.....	37,894	20	60	61	54	90	126	174	334	567	1,028
1992.....	36,752	18	48	65	57	91	115	167	322	560	1,029
1991.....	36,367	21	72	58	56	86	103	186	314	560	996
1990.....	36,029	18	58	65	58	82	129	187	317	576	919
1989.....	35,371	10	53	61	55	102	132	179	310	508	902
1988.....	33,947	14	52	67	52	87	123	176	274	525	849
1987.....	33,278	9	62	61	43	101	124	172	277	462	796
1986.....	32,552	12	49	62	60	98	120	179	255	500	828
1985.....	32,211	13	58	56	70	93	129	182	252	423	824
1984.....	31,773	26	55	58	63	100	118	174	277	440	788
1983.....	30,676	19	67	62	76	81	130	161	253	389	732
1982.....	29,747	23	57	74	68	117	131	154	238	353	709
1981.....	28,824	19	60	72	67	118	119	151	206	356	727
1980.....	28,125	20	56	55	66	115	144	127	188	325	694
1979.....	26,869	15	50	61	78	112	118	147	171	329	701

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
II. NEOPLASMS (140-239)											
ALL OTHER FEMALE											
1998.....	33,993	11	44	49	52	57	102	180	379	854	1,406
1997.....	33,675	14	50	62	39	82	86	190	374	831	1,375
1996.....	32,732	10	51	53	57	73	103	184	411	820	1,327
1995.....	32,509	11	57	69	54	67	95	174	440	788	1,262
1994.....	31,558	14	63	47	54	75	76	180	408	779	1,287
1993.....	31,008	11	51	52	42	63	107	209	384	765	1,229
1992.....	30,174	11	53	46	48	55	101	222	411	807	1,248
1991.....	29,642	11	50	46	43	65	112	170	410	795	1,211
1990.....	28,552	17	55	46	43	81	79	200	425	710	1,100
1989.....	27,468	22	64	58	49	62	96	172	390	735	1,009
1988.....	26,826	12	60	53	54	66	101	185	411	736	957
1987.....	25,944	10	47	45	50	75	109	191	367	700	979
1986.....	25,307	16	59	55	47	57	100	205	384	677	922
1985.....	24,485	19	42	52	50	59	101	170	380	605	866
1984.....	23,868	22	42	49	59	60	87	184	333	564	923
1983.....	23,056	18	45	52	62	66	113	172	365	520	832
1982.....	22,202	28	52	48	64	77	115	183	328	512	763
1981.....	21,323	10	55	61	63	71	98	183	306	492	822
1980.....	21,032	17	46	55	54	86	114	187	299	455	796
1979.....	19,893	13	53	61	52	72	111	157	291	463	727
BLACK, BOTH SEXES											
1998.....	62,048	22	71	101	88	111	164	280	516	1,174	2,094
1997.....	62,194	25	80	96	76	134	178	317	547	1,207	2,059
1996.....	61,621	14	79	98	90	135	182	274	598	1,174	2,040
1995.....	61,481	14	100	99	96	125	187	276	631	1,157	2,022
1994.....	60,743	16	97	94	95	126	150	274	626	1,130	2,029
1993.....	60,671	24	81	91	75	125	183	330	605	1,155	1,911
1992.....	59,179	24	71	90	81	114	180	327	622	1,178	1,993
1991.....	58,698	26	105	80	81	123	178	299	619	1,154	1,899
1990.....	57,824	31	91	88	79	130	180	335	642	1,089	1,762
1989.....	56,306	30	89	94	85	137	202	289	597	1,051	1,647
1988.....	54,752	22	93	91	86	128	197	307	602	1,090	1,600
1987.....	53,716	14	84	88	74	150	198	306	540	1,020	1,555
1986.....	52,735	24	92	101	90	132	196	330	547	1,010	1,541
1985.....	51,682	28	74	91	99	128	196	301	548	886	1,506
1984.....	50,963	28	77	92	105	136	182	313	524	888	1,524
1983.....	49,438	27	91	97	117	113	208	284	528	798	1,391
1982.....	48,064	30	95	108	115	165	218	302	503	766	1,337
1981.....	46,492	19	101	121	114	165	193	294	445	747	1,387
1980.....	45,786	32	94	98	108	175	238	284	436	682	1,359
1979.....	43,635	26	91	104	122	166	212	264	398	719	1,310

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 II. NEOPLASMS (140-239)											
BLACK MALE											
1998.....	32,889	13	38	61	47	63	85	140	206	437	898
1997.....	33,095	16	46	44	45	68	107	159	227	491	918
1996.....	33,345	8	38	53	44	74	101	123	258	483	915
1995.....	33,274	6	54	45	52	72	103	147	263	483	945
1994.....	33,213	9	49	57	49	69	87	131	287	448	934
1993.....	33,445	14	45	46	40	74	101	147	272	493	877
1992.....	32,515	17	33	50	40	70	92	139	277	473	911
1991.....	32,448	15	63	43	44	69	81	158	268	473	872
1990.....	32,311	17	46	51	46	62	109	155	268	487	807
1989.....	31,773	10	42	51	46	84	119	148	253	435	771
1988.....	30,651	12	45	50	40	75	103	146	235	444	752
1987.....	30,267	7	52	46	31	84	102	145	237	399	706
1986.....	29,695	9	39	56	52	82	105	153	213	428	729
1985.....	29,360	11	41	47	57	79	110	154	217	362	742
1984.....	29,159	14	40	49	53	85	100	148	238	388	714
1983.....	28,253	14	53	51	64	60	107	132	216	352	658
1982.....	27,557	14	48	64	60	97	114	136	205	315	651
1981.....	26,750	12	51	67	59	106	103	127	178	325	653
1980.....	26,200	17	54	48	58	102	133	116	170	287	642
1979.....	25,107	14	42	51	72	97	110	125	144	302	656
BLACK FEMALE											
1998.....	29,159	9	33	40	41	48	79	140	310	737	1,196
1997.....	29,099	9	34	52	31	66	71	158	320	716	1,141
1996.....	28,276	6	41	45	46	61	81	151	340	691	1,125
1995.....	28,207	8	46	54	44	53	84	129	368	674	1,077
1994.....	27,530	7	48	37	46	57	63	143	339	682	1,095
1993.....	27,226	10	36	45	35	51	82	183	333	662	1,034
1992.....	26,664	7	38	40	41	44	88	188	345	705	1,082
1991.....	26,250	11	42	37	37	54	97	141	351	681	1,027
1990.....	25,513	14	45	37	33	68	71	180	374	602	955
1989.....	24,533	20	47	43	39	53	83	141	344	616	876
1988.....	24,101	10	48	41	46	53	94	161	367	646	848
1987.....	23,449	7	32	42	43	66	96	161	303	621	849
1986.....	23,040	15	53	45	38	50	91	177	334	582	812
1985.....	22,322	17	33	44	42	49	86	147	331	524	764
1984.....	21,804	14	37	43	52	51	82	165	286	500	810
1983.....	21,185	13	38	46	53	53	101	152	312	446	733
1982.....	20,507	16	47	44	55	68	104	166	298	451	686
1981.....	19,742	7	50	54	55	59	90	167	267	422	734
1980.....	19,586	15	40	50	50	73	105	168	266	395	717
1979.....	18,528	12	49	53	50	69	102	139	254	417	654

RACE, AND SEX: UNITED STATES, 1979-98
 CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR
 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
TOTAL, BOTH SEXES											
1998.....	541,532	78	365	487	526	720	979	1,483	2,902	5,960	11,062
1997.....	539,577	91	438	547	483	702	943	1,616	2,991	6,076	11,023
1996.....	539,533	87	424	523	505	685	947	1,610	3,235	6,148	10,901
1995.....	538,455	70	488	523	503	691	951	1,593	3,282	6,309	10,801
1994.....	534,310	59	518	543	510	724	1,016	1,670	3,386	6,209	10,634
1993.....	529,904	88	522	582	507	720	1,018	1,688	3,391	6,147	10,608
1992.....	520,578	95	479	557	548	738	1,071	1,776	3,527	6,282	10,600
1991.....	514,657	77	526	580	526	741	1,073	1,808	3,511	6,223	10,686
1990.....	505,322	90	513	569	525	759	1,060	1,897	3,530	6,012	10,211
1989.....	496,152	107	506	625	530	758	1,093	1,873	3,441	5,882	9,860
1988.....	485,048	89	542	586	510	805	1,089	1,835	3,376	5,937	9,644
1987.....	476,927	101	548	637	501	810	1,129	1,957	3,414	5,809	9,125
1986.....	469,376	97	569	622	543	847	1,268	2,127	3,477	5,886	9,105
1985.....	461,563	114	543	607	576	860	1,282	2,044	3,451	5,647	8,884
1984.....	453,492	114	563	592	615	911	1,283	2,017	3,334	5,494	8,752
1983.....	442,986	132	654	664	654	960	1,333	1,991	3,167	5,163	8,249
1982.....	433,795	135	628	738	672	1,047	1,408	1,939	3,240	5,060	7,930
1981.....	422,094	91	654	719	677	1,046	1,336	1,959	3,096	4,681	7,809
1980.....	416,509	113	573	777	720	1,145	1,538	2,041	3,040	4,684	7,786
1979.....	403,395	116	578	791	761	1,141	1,440	1,911	2,875	4,485	7,647
TOTAL, MALE											
1998.....	282,065	43	189	279	303	442	587	777	1,315	2,538	5,054
1997.....	281,110	45	240	290	270	407	574	860	1,424	2,609	4,948
1996.....	281,898	43	246	303	279	398	557	811	1,501	2,742	4,942
1995.....	281,611	36	290	299	288	428	581	836	1,548	2,718	4,967
1994.....	280,465	28	287	304	300	431	628	897	1,614	2,735	4,845
1993.....	279,375	56	301	325	296	420	593	863	1,633	2,805	4,879
1992.....	274,838	52	248	318	319	458	626	881	1,690	2,747	4,777
1991.....	272,380	44	288	328	322	445	638	988	1,628	2,759	4,789
1990.....	268,283	48	280	324	297	441	637	1,025	1,685	2,624	4,501
1989.....	263,309	50	278	335	311	444	630	1,004	1,589	2,587	4,342
1988.....	258,088	46	281	351	293	480	632	985	1,574	2,527	4,386
1987.....	254,653	51	300	383	287	477	689	1,034	1,581	2,494	4,122
1986.....	250,559	53	323	355	302	516	786	1,177	1,692	2,570	4,074
1985.....	246,914	56	311	346	329	533	758	1,120	1,618	2,508	4,098
1984.....	242,790	60	311	350	352	558	794	1,064	1,574	2,337	3,922
1983.....	238,383	70	371	368	380	582	769	1,076	1,476	2,236	3,699
1982.....	233,864	67	345	451	383	627	807	1,034	1,498	2,223	3,563
1981.....	227,885	51	366	411	385	628	816	1,054	1,385	2,020	3,562
1980.....	225,948	66	344	467	414	680	985	1,098	1,371	2,011	3,515
1979.....	220,015	67	317	462	447	711	873	1,053	1,296	1,919	3,440

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)											
TOTAL, FEMALE											
1998.....	259,467	35	176	208	223	278	392	706	1,587	3,422	6,008
1997.....	258,467	46	198	257	213	295	369	756	1,567	3,467	6,075
1996.....	257,635	44	178	220	226	287	390	799	1,734	3,406	5,959
1995.....	256,844	34	198	224	215	263	370	757	1,734	3,591	5,834
1994.....	253,845	31	231	239	210	293	388	773	1,772	3,474	5,789
1993.....	250,529	32	221	257	211	300	425	825	1,758	3,342	5,729
1992.....	245,740	43	231	239	229	280	445	895	1,837	3,535	5,823
1991.....	242,277	33	238	252	204	296	435	820	1,883	3,464	5,897
1990.....	237,039	42	233	245	228	318	423	872	1,845	3,388	5,710
1989.....	232,843	57	228	290	219	314	463	869	1,852	3,295	5,518
1988.....	226,960	43	261	235	217	325	457	850	1,802	3,410	5,258
1987.....	222,274	50	248	254	214	333	440	923	1,833	3,315	5,003
1986.....	218,817	44	246	267	241	331	482	950	1,785	3,316	5,031
1985.....	214,649	58	232	261	247	327	524	924	1,833	3,139	4,786
1984.....	210,702	54	252	242	263	353	489	953	1,760	3,157	4,830
1983.....	204,603	62	283	296	274	378	564	915	1,691	2,927	4,550
1982.....	199,931	68	283	287	289	420	601	905	1,742	2,837	4,367
1981.....	194,209	40	288	308	292	418	520	905	1,711	2,661	4,247
1980.....	190,561	47	229	310	306	465	553	943	1,669	2,673	4,271
1979.....	183,380	49	261	329	314	430	567	858	1,579	2,566	4,207
WHITE, BOTH SEXES											
1998.....	470,139	68	289	385	417	590	781	1,137	2,280	4,588	8,646
1997.....	468,521	68	340	436	395	549	734	1,240	2,360	4,683	8,617
1996.....	469,406	76	344	420	405	540	727	1,291	2,550	4,779	8,555
1995.....	468,897	55	380	411	387	545	747	1,258	2,547	4,990	8,489
1994.....	465,797	47	411	433	402	578	835	1,334	2,657	4,926	8,317
1993.....	461,904	69	422	477	422	573	792	1,320	2,707	4,853	8,388
1992.....	454,531	81	388	456	448	600	867	1,401	2,820	4,942	8,353
1991.....	449,506	57	416	479	434	600	870	1,476	2,817	4,893	8,508
1990.....	441,585	69	413	464	433	606	864	1,526	2,805	4,754	8,226
1989.....	434,156	92	409	517	430	610	873	1,533	2,762	4,667	7,980
1988.....	425,140	70	446	475	415	665	878	1,493	2,717	4,696	7,856
1987.....	418,473	87	452	538	414	638	915	1,610	2,788	4,668	7,377
1986.....	412,352	82	473	514	443	709	1,060	1,753	2,857	4,735	7,375
1985.....	405,727	93	458	509	467	722	1,062	1,706	2,835	4,642	7,231
1984.....	398,631	83	473	495	500	761	1,085	1,672	2,741	4,513	7,063
1983.....	390,009	105	554	555	530	826	1,099	1,671	2,572	4,275	6,709
1982.....	382,652	102	530	628	551	861	1,181	1,617	2,693	4,220	6,481
1981.....	372,674	73	549	594	556	863	1,139	1,643	2,594	3,855	6,280
1980.....	368,162	90	479	680	611	956	1,288	1,734	2,578	3,922	6,319
1979.....	357,336	95	486	684	638	970	1,225	1,618	2,434	3,713	6,255

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)											
WHITE MALE											
1998.....	244,109	37	149	218	241	362	483	610	1,061	2,002	4,017
1997.....	243,192	32	188	231	218	329	445	667	1,152	2,026	3,894
1996.....	243,952	35	205	247	230	320	434	667	1,210	2,178	3,893
1995.....	244,000	30	233	248	223	342	463	671	1,237	2,169	3,897
1994.....	242,995	23	235	236	239	354	519	735	1,284	2,216	3,788
1993.....	241,908	42	248	268	247	335	470	696	1,321	2,261	3,871
1992.....	238,499	44	207	258	266	371	518	724	1,381	2,200	3,759
1991.....	236,409	30	222	272	270	365	537	815	1,334	2,210	3,804
1990.....	232,608	36	226	262	244	363	516	847	1,379	2,064	3,602
1989.....	228,301	45	238	277	258	355	505	830	1,284	2,092	3,448
1988.....	224,514	37	236	289	244	401	515	816	1,314	2,012	3,544
1987.....	221,757	43	246	325	247	378	573	872	1,313	2,046	3,339
1986.....	218,381	47	279	295	249	428	675	1,005	1,447	2,082	3,255
1985.....	215,079	48	260	293	265	447	635	946	1,374	2,094	3,296
1984.....	211,369	41	258	296	291	464	679	899	1,305	1,909	3,148
1983.....	208,053	54	310	311	311	509	644	921	1,233	1,858	2,979
1982.....	204,477	53	296	384	319	513	686	889	1,267	1,882	2,866
1981.....	199,370	37	311	341	324	513	705	910	1,184	1,669	2,844
1980.....	198,188	52	293	417	355	571	843	974	1,191	1,690	2,834
1979.....	193,444	55	271	406	372	603	761	913	1,138	1,601	2,762
WHITE FEMALE											
1998.....	226,030	31	140	167	176	228	298	527	1,219	2,586	4,629
1997.....	225,329	36	152	205	177	220	289	573	1,208	2,657	4,723
1996.....	225,454	41	139	173	175	220	293	624	1,340	2,601	4,662
1995.....	224,897	25	147	163	164	203	284	587	1,310	2,821	4,592
1994.....	222,802	24	176	197	163	224	316	599	1,373	2,710	4,529
1993.....	219,996	27	174	209	175	238	322	624	1,386	2,592	4,517
1992.....	216,032	37	181	198	182	229	349	677	1,439	2,742	4,594
1991.....	213,097	27	194	207	164	235	333	661	1,483	2,683	4,704
1990.....	208,977	33	187	202	189	243	348	679	1,426	2,690	4,624
1989.....	205,855	47	171	240	172	255	368	703	1,478	2,575	4,532
1988.....	200,626	33	210	186	171	264	363	677	1,403	2,684	4,312
1987.....	196,716	44	206	213	167	260	342	738	1,475	2,622	4,038
1986.....	193,971	35	194	219	194	281	385	748	1,410	2,653	4,120
1985.....	190,648	45	198	216	202	275	427	760	1,461	2,548	3,935
1984.....	187,262	42	215	199	209	297	406	773	1,436	2,604	3,915
1983.....	181,956	51	244	244	219	317	455	750	1,339	2,417	3,730
1982.....	178,175	49	234	244	232	348	495	728	1,426	2,338	3,615
1981.....	173,304	36	238	253	232	350	434	733	1,410	2,186	3,436
1980.....	169,974	38	186	263	256	385	445	760	1,387	2,232	3,485
1979.....	163,892	40	215	278	266	367	464	705	1,296	2,112	3,493

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)											
ALL OTHER, BOTH SEXES											
1998.....	71,393	10	76	102	109	130	198	346	622	1,372	2,416
1997.....	71,056	23	98	111	88	153	209	376	631	1,393	2,406
1996.....	70,127	11	80	103	100	145	220	319	685	1,369	2,346
1995.....	69,558	15	108	112	116	146	204	335	735	1,319	2,312
1994.....	68,513	12	107	110	108	146	181	336	729	1,283	2,317
1993.....	68,000	19	100	105	85	147	226	368	684	1,294	2,220
1992.....	66,047	14	91	101	100	138	204	375	707	1,340	2,247
1991.....	65,151	20	110	101	92	141	203	332	694	1,330	2,178
1990.....	63,737	21	100	105	92	153	196	371	725	1,258	1,985
1989.....	61,996	15	97	108	100	148	220	340	679	1,215	1,880
1988.....	59,908	19	96	111	95	140	211	342	659	1,241	1,788
1987.....	58,454	14	96	99	87	172	214	347	626	1,141	1,748
1986.....	57,024	15	96	108	100	138	208	374	620	1,151	1,730
1985.....	55,836	21	85	98	109	138	220	338	616	1,005	1,653
1984.....	54,861	31	90	97	115	150	198	345	593	981	1,689
1983.....	52,977	27	100	109	124	134	234	320	595	888	1,540
1982.....	51,143	33	98	110	121	186	227	322	547	840	1,449
1981.....	49,420	18	105	125	121	183	197	316	502	826	1,529
1980.....	48,347	23	94	97	109	189	250	307	462	762	1,467
1979.....	46,059	21	92	107	123	171	215	293	441	772	1,392
ALL OTHER MALE											
1998.....	37,956	6	40	61	62	80	104	167	254	536	1,037
1997.....	37,918	13	52	59	52	78	129	193	272	583	1,054
1996.....	37,946	8	41	56	49	78	123	144	291	564	1,049
1995.....	37,611	6	57	51	65	86	118	165	311	549	1,070
1994.....	37,470	5	52	68	61	77	109	162	330	519	1,057
1993.....	37,467	14	53	57	49	85	123	167	312	544	1,008
1992.....	36,339	8	41	60	53	87	108	157	309	547	1,018
1991.....	35,971	14	66	56	52	80	101	173	294	549	985
1990.....	35,675	12	54	62	53	78	121	178	306	560	899
1989.....	35,008	5	40	58	53	89	125	174	305	495	894
1988.....	33,574	9	45	62	49	79	117	169	260	515	842
1987.....	32,896	8	54	58	40	99	116	162	268	448	783
1986.....	32,178	6	44	60	53	88	111	172	245	488	819
1985.....	31,835	8	51	53	64	86	123	174	244	414	802
1984.....	31,421	19	53	54	61	94	115	165	269	428	774
1983.....	30,330	16	61	57	69	73	125	155	243	378	720
1982.....	29,387	14	49	67	64	114	121	145	231	341	697
1981.....	28,515	14	55	70	61	115	111	144	201	351	718
1980.....	27,760	14	51	50	59	109	142	124	180	321	681
1979.....	26,571	12	46	56	75	108	112	140	158	318	678

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)											
ALL OTHER FEMALE											
1998.....	33,437	4	36	41	47	50	94	179	368	836	1,379
1997.....	33,138	10	46	52	36	75	80	183	359	810	1,352
1996.....	32,181	3	39	47	51	67	97	175	394	805	1,297
1995.....	31,947	9	51	61	51	60	86	170	424	770	1,242
1994.....	31,043	7	55	42	47	69	72	174	399	764	1,260
1993.....	30,533	5	47	48	36	62	103	201	372	750	1,212
1992.....	29,708	6	50	41	47	51	96	218	398	793	1,229
1991.....	29,180	6	44	45	40	61	102	159	400	781	1,193
1990.....	28,062	9	46	43	39	75	75	193	419	698	1,086
1989.....	26,988	10	57	50	47	59	95	166	374	720	986
1988.....	26,334	10	51	49	46	61	94	173	399	726	946
1987.....	25,558	6	42	41	47	73	98	185	358	693	965
1986.....	24,846	9	52	48	47	50	97	202	375	663	911
1985.....	24,001	13	34	45	45	52	97	164	372	591	851
1984.....	23,440	12	37	43	54	56	83	180	324	553	915
1983.....	22,647	11	39	52	55	61	109	165	352	510	820
1982.....	21,756	19	49	43	57	72	106	177	316	499	752
1981.....	20,905	4	50	55	60	68	86	172	301	475	811
1980.....	20,587	9	43	47	50	80	108	183	282	441	786
1979.....	19,488	9	46	51	48	63	103	153	283	454	714
BLACK, BOTH SEXES											
1998.....	61,193	8	60	85	80	95	153	272	495	1,147	2,049
1997.....	61,333	13	72	86	66	122	170	306	520	1,179	2,022
1996.....	60,766	8	59	87	80	121	174	259	569	1,146	1,996
1995.....	60,603	10	86	89	84	115	171	262	608	1,126	1,982
1994.....	59,939	9	83	84	85	120	141	264	603	1,098	1,985
1993.....	59,873	15	72	86	66	120	178	315	574	1,119	1,875
1992.....	58,401	12	62	81	78	107	169	313	599	1,154	1,968
1991.....	57,921	14	96	77	77	113	169	276	592	1,132	1,872
1990.....	57,077	17	81	82	72	122	170	321	627	1,066	1,730
1989.....	55,564	15	75	85	82	124	195	279	578	1,028	1,622
1988.....	53,968	18	79	83	76	119	186	293	579	1,071	1,585
1987.....	53,027	11	75	82	69	146	182	291	523	1,000	1,531
1986.....	51,979	13	80	92	85	121	186	322	530	992	1,522
1985.....	50,906	19	62	82	92	114	186	289	533	867	1,473
1984.....	50,266	16	71	83	99	126	177	302	511	865	1,503
1983.....	48,754	20	82	95	105	102	199	271	509	777	1,368
1982.....	47,316	16	86	97	105	157	200	287	485	745	1,316
1981.....	45,827	10	91	113	107	159	175	278	436	725	1,368
1980.....	45,037	20	86	86	98	163	230	277	416	667	1,339
1979.....	42,981	19	81	90	115	154	198	255	379	699	1,276

CAUSE-OF-DEATH CODE,
RACE, SEX, AND YEAR TOTAL UNDER 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44
YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)

BLACK MALE

1998.....	32,523	5	32	53	44	54	80	133	194	425	878
1997.....	32,719	8	41	41	38	63	104	154	215	483	900
1996.....	32,973	7	29	47	40	65	98	116	244	468	898
1995.....	32,880	4	45	42	43	67	95	135	254	469	921
1994.....	32,861	4	41	51	46	65	82	126	273	430	914
1993.....	33,071	10	38	43	37	70	99	140	251	471	857
1992.....	32,155	7	27	45	38	67	85	129	266	460	903
1991.....	32,094	8	58	41	43	63	81	146	251	464	862
1990.....	31,995	11	42	48	43	59	103	147	259	473	788
1989.....	31,452	5	34	48	44	73	112	143	249	423	764
1988.....	30,321	8	38	46	38	70	99	141	222	435	745
1987.....	29,928	6	47	44	29	82	96	136	228	385	695
1986.....	29,363	5	34	54	47	76	98	148	205	417	720
1985.....	29,028	7	36	44	53	72	104	148	209	355	723
1984.....	28,851	9	38	45	51	79	99	141	231	376	701
1983.....	27,946	11	50	49	58	54	102	126	207	341	647
1982.....	27,226	7	42	58	57	94	104	127	198	304	641
1981.....	26,477	8	46	65	54	103	96	122	174	320	644
1980.....	25,861	12	49	44	52	96	131	113	165	283	629
1979.....	24,831	11	39	47	69	94	104	119	132	291	635

BLACK FEMALE

1998.....	28,670	3	28	32	36	41	73	139	301	722	1,171
1997.....	28,614	5	31	45	28	59	66	152	305	696	1,122
1996.....	27,793	1	30	40	40	56	76	143	325	678	1,098
1995.....	27,723	6	41	47	41	48	76	127	354	657	1,061
1994.....	27,078	5	42	33	39	55	59	138	330	668	1,071
1993.....	26,802	5	34	43	29	50	79	175	323	648	1,018
1992.....	26,246	5	35	36	40	40	84	184	333	694	1,065
1991.....	25,827	6	38	36	34	50	88	130	341	668	1,010
1990.....	25,082	6	39	34	29	63	67	174	368	593	942
1989.....	24,112	10	41	37	38	51	83	136	329	605	858
1988.....	23,647	10	41	37	38	49	87	152	357	636	840
1987.....	23,099	5	28	38	40	64	86	155	295	615	836
1986.....	22,616	8	46	38	38	45	88	174	325	575	802
1985.....	21,878	12	26	38	39	42	82	141	324	512	750
1984.....	21,415	7	33	38	48	47	78	161	280	489	802
1983.....	20,808	9	32	46	47	48	97	145	302	436	721
1982.....	20,090	9	44	39	48	63	96	160	287	441	675
1981.....	19,350	2	45	48	53	56	79	156	262	405	724
1980.....	19,176	8	37	42	46	67	99	164	251	384	710
1979.....	18,150	8	42	43	46	60	94	136	247	408	641

TREND C TABLE 292. DEATHS FOR 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
 RACE, AND SEX: UNITED STATES, 1979-98
 CAUSE-OF-DEATH CODE,
 RACE, SEX, AND YEAR TOTAL UNDER 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44
 MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY, AND PHARYNX (140-149)

TOTAL, BOTH SEXES

1998.....	7,965	-	1	-	4	10	13	17	38	87	219
1997.....	7,894	-	-	2	4	10	14	24	41	112	214
1996.....	7,854	-	1	1	4	10	15	26	43	101	224
1995.....	8,060	-	2	-	3	8	13	26	32	108	207
1994.....	7,915	-	4	1	1	6	13	16	37	94	213
1993.....	8,241	2	-	1	2	9	11	14	44	109	229
1992.....	8,107	1	1	-	1	10	13	19	35	94	225
1991.....	8,278	1	-	1	5	9	10	31	35	109	209
1990.....	8,405	-	1	2	3	9	14	25	40	104	204
1989.....	8,104	-	2	3	1	5	23	19	33	100	204
1988.....	8,199	1	-	4	1	15	12	20	43	95	193
1987.....	7,968	-	-	1	-	6	16	24	40	89	186
1986.....	8,292	1	2	2	4	6	19	22	46	110	183
1985.....	8,290	1	1	2	3	11	14	27	49	98	207
1984.....	8,462	-	-	-	8	10	14	29	39	90	208
1983.....	8,486	1	1	6	5	12	16	29	47	103	202
1982.....	8,528	3	-	2	3	17	23	21	38	85	192
1981.....	8,506	1	-	5	4	7	17	27	35	70	176
1980.....	8,553	-	2	3	5	6	15	22	29	89	209
1979.....	8,589	-	2	6	4	10	17	24	36	89	196

TOTAL, MALE

1998.....	5,281	-	-	-	3	7	12	8	26	61	161
1997.....	5,201	-	-	1	1	4	6	18	26	78	160
1996.....	5,215	-	-	-	1	5	9	13	25	73	163
1995.....	5,327	-	-	-	1	6	12	16	18	79	160
1994.....	5,227	-	2	1	1	3	10	8	26	69	163
1993.....	5,515	-	-	1	-	6	8	13	26	77	177
1992.....	5,366	-	1	-	1	5	8	12	22	70	168
1991.....	5,464	1	-	-	1	5	10	18	22	87	162
1990.....	5,636	-	-	2	2	3	12	18	31	82	162
1989.....	5,340	-	1	2	1	4	16	12	18	65	149
1988.....	5,497	1	-	3	1	11	7	8	30	63	147
1987.....	5,310	-	-	-	-	4	8	13	26	60	142
1986.....	5,514	-	-	1	3	4	15	18	31	71	151
1985.....	5,616	-	-	1	2	4	9	14	35	66	149
1984.....	5,765	-	-	-	5	5	10	17	27	69	147
1983.....	5,790	1	-	3	3	9	8	21	25	75	152
1982.....	5,856	1	-	1	2	11	14	16	28	59	146
1981.....	5,831	1	-	1	2	4	13	17	23	52	131
1980.....	5,899	-	2	3	2	3	11	15	20	61	168
1979.....	5,877	-	2	2	2	7	12	20	22	68	134

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY, AND PHARYNX (140-149)											
TOTAL, FEMALE											
1998.....	2,684	-	1	-	1	3	1	9	12	26	58
1997.....	2,693	-	-	1	3	6	8	6	15	34	54
1996.....	2,639	-	1	1	3	5	6	13	18	28	61
1995.....	2,733	-	2	-	2	2	1	10	14	29	47
1994.....	2,688	-	2	-	-	3	3	8	11	25	50
1993.....	2,726	2	-	-	2	3	3	1	18	32	52
1992.....	2,741	1	-	-	-	5	5	7	13	24	57
1991.....	2,814	-	-	1	4	4	-	13	13	22	47
1990.....	2,769	-	1	-	1	6	2	7	9	22	42
1989.....	2,764	-	1	1	-	1	7	7	15	35	55
1988.....	2,702	-	-	1	-	4	5	12	13	32	46
1987.....	2,658	-	-	1	-	2	8	11	14	29	44
1986.....	2,778	1	2	1	1	2	4	4	15	39	32
1985.....	2,674	1	1	1	1	7	5	13	14	32	58
1984.....	2,697	-	-	-	3	5	4	12	12	21	61
1983.....	2,696	-	1	3	2	3	8	8	22	28	50
1982.....	2,672	2	-	1	1	6	9	5	10	26	46
1981.....	2,675	-	-	4	2	3	4	10	12	18	45
1980.....	2,654	-	-	-	3	3	4	7	9	28	41
1979.....	2,712	-	-	4	2	3	5	4	14	21	62
WHITE, BOTH SEXES											
1998.....	6,612	-	1	-	4	8	7	9	25	54	145
1997.....	6,510	-	-	2	2	5	5	17	30	82	149
1996.....	6,463	-	-	1	4	9	12	23	30	69	147
1995.....	6,581	-	2	-	3	6	11	17	15	74	126
1994.....	6,489	-	2	1	-	4	10	12	27	60	136
1993.....	6,746	2	-	1	2	4	8	10	32	61	133
1992.....	6,676	1	1	-	1	7	9	13	24	51	129
1991.....	6,830	1	-	1	1	5	5	20	27	64	121
1990.....	6,918	-	1	2	2	6	11	16	26	59	124
1989.....	6,693	-	1	2	-	2	12	16	26	60	124
1988.....	6,816	1	-	1	1	8	6	13	25	60	117
1987.....	6,679	-	-	1	-	5	10	21	27	50	107
1986.....	6,879	1	1	2	1	6	13	17	38	67	99
1985.....	6,938	1	1	1	2	7	9	20	34	62	116
1984.....	7,078	-	-	-	6	8	9	18	29	53	123
1983.....	7,070	1	1	5	3	9	8	18	27	62	118
1982.....	7,158	2	-	2	2	10	19	15	29	47	99
1981.....	7,173	-	-	5	1	5	14	19	20	38	95
1980.....	7,181	-	2	2	4	2	10	17	19	55	121
1979.....	7,307	-	2	6	2	5	11	20	30	52	106

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY, AND PHARYNX (140-149)											
WHITE MALE											
1998.....	4,289	-	-	-	3	6	6	4	16	36	112
1997.....	4,193	-	-	1	-	1	2	13	17	57	111
1996.....	4,178	-	-	-	1	4	8	11	17	49	102
1995.....	4,257	-	-	-	1	4	10	9	8	54	95
1994.....	4,181	-	2	1	-	2	8	5	19	45	105
1993.....	4,396	-	-	1	-	2	5	10	19	44	98
1992.....	4,283	-	1	-	1	3	5	9	17	37	94
1991.....	4,405	1	-	-	-	2	5	10	16	51	91
1990.....	4,515	-	-	2	1	2	10	12	19	46	95
1989.....	4,293	-	1	1	-	2	9	11	14	36	91
1988.....	4,462	1	-	1	1	6	4	4	15	39	89
1987.....	4,344	-	-	-	-	3	6	13	17	31	77
1986.....	4,476	-	-	1	-	4	11	13	26	40	80
1985.....	4,597	-	-	-	2	2	6	13	22	47	80
1984.....	4,688	-	-	-	4	4	6	12	19	39	82
1983.....	4,725	1	-	3	2	7	5	12	14	43	89
1982.....	4,833	1	-	1	1	6	10	12	20	31	73
1981.....	4,824	-	-	1	1	3	10	11	13	26	72
1980.....	4,827	-	2	2	2	-	7	11	11	38	95
1979.....	4,914	-	2	2	1	4	9	16	18	36	66
WHITE FEMALE											
1998.....	2,323	-	1	-	1	2	1	5	9	18	33
1997.....	2,317	-	-	1	2	4	3	4	13	25	38
1996.....	2,285	-	-	1	3	5	4	12	13	20	45
1995.....	2,324	-	2	-	2	2	1	8	7	20	31
1994.....	2,308	-	-	-	-	2	2	7	8	15	31
1993.....	2,350	2	-	-	2	2	3	-	13	17	35
1992.....	2,393	1	-	-	-	4	4	4	7	14	35
1991.....	2,425	-	-	1	1	3	-	10	11	13	30
1990.....	2,403	-	1	-	1	4	1	4	7	13	29
1989.....	2,400	-	-	1	-	-	3	5	12	24	33
1988.....	2,354	-	-	-	-	2	2	9	10	21	28
1987.....	2,335	-	-	1	-	2	4	8	10	19	30
1986.....	2,403	1	1	1	1	2	2	4	12	27	19
1985.....	2,341	1	1	1	-	5	3	7	12	15	36
1984.....	2,390	-	-	-	2	4	3	6	10	14	41
1983.....	2,345	-	1	2	1	2	3	6	13	19	29
1982.....	2,325	1	-	1	1	4	9	3	9	16	26
1981.....	2,349	-	-	4	-	2	4	8	7	12	23
1980.....	2,354	-	-	-	2	2	3	6	8	17	26
1979.....	2,393	-	-	4	1	1	2	4	12	16	40

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	
MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY, AND PHARYNX (140-149)												
ALL OTHER, BOTH SEXES												
1998.....	1,353	-	-	-	-	2	6	8	13	33	74	
1997.....	1,384	-	-	-	2	5	9	7	11	30	65	
1996.....	1,391	-	1	-	-	1	3	3	13	32	77	
1995.....	1,479	-	-	-	-	2	2	9	17	34	81	
1994.....	1,426	-	2	-	1	2	3	4	10	34	77	
1993.....	1,495	-	-	-	-	5	3	4	12	48	96	
1992.....	1,431	-	-	-	-	3	4	6	11	43	96	
1991.....	1,448	-	-	-	4	4	5	11	8	45	88	
1990.....	1,487	-	-	-	1	3	3	9	14	45	80	
1989.....	1,411	-	1	1	1	3	11	3	7	40	80	
1988.....	1,383	-	-	3	-	7	6	7	18	35	76	
1987.....	1,289	-	-	-	-	1	6	3	13	39	79	
1986.....	1,413	-	1	-	3	-	6	5	8	43	84	
1985.....	1,352	-	-	1	1	4	5	7	15	36	91	
1984.....	1,384	-	-	-	2	2	5	11	10	37	85	
1983.....	1,416	-	-	1	2	3	8	11	20	41	84	
1982.....	1,370	1	-	-	1	7	4	6	9	38	93	
1981.....	1,333	1	-	-	3	2	3	8	15	32	81	
1980.....	1,372	-	-	1	1	4	5	5	10	34	88	
1979.....	1,282	-	-	-	2	5	6	4	6	37	90	
ALL OTHER MALE												
1998.....	992	-	-	-	-	1	6	4	10	25	49	
1997.....	1,008	-	-	-	1	3	4	5	9	21	49	
1996.....	1,037	-	-	-	-	1	1	2	8	24	61	
1995.....	1,070	-	-	-	-	2	2	7	10	25	65	
1994.....	1,046	-	-	-	1	1	2	3	7	24	58	
1993.....	1,119	-	-	-	-	4	3	3	7	33	79	
1992.....	1,083	-	-	-	-	2	3	3	5	33	74	
1991.....	1,059	-	-	-	1	3	5	8	6	36	71	
1990.....	1,121	-	-	-	1	1	2	6	12	36	67	
1989.....	1,047	-	-	1	1	2	7	1	4	29	58	
1988.....	1,035	-	-	2	-	5	3	4	15	24	58	
1987.....	966	-	-	-	-	1	2	-	9	29	65	
1986.....	1,038	-	-	-	3	-	4	5	5	31	71	
1985.....	1,019	-	-	1	-	2	3	1	13	19	69	
1984.....	1,077	-	-	-	1	1	4	5	8	30	65	
1983.....	1,065	-	-	-	1	2	3	9	11	32	63	
1982.....	1,023	-	-	-	1	5	4	4	8	28	73	
1981.....	1,007	1	-	-	1	1	3	6	10	26	59	
1980.....	1,072	-	-	1	-	3	4	4	9	23	73	
1979.....	963	-	-	-	1	3	3	4	4	32	68	

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY, AND PHARYNX (140-149)											
ALL OTHER FEMALE											
1998.....	361	-	-	-	-	1	-	4	3	8	25
1997.....	376	-	-	-	1	2	5	2	2	9	16
1996.....	354	-	1	-	-	-	2	1	5	8	16
1995.....	409	-	-	-	-	-	-	2	7	9	16
1994.....	380	-	2	-	-	1	1	1	3	10	19
1993.....	376	-	-	-	-	1	-	1	5	15	17
1992.....	348	-	-	-	-	1	1	3	6	10	22
1991.....	389	-	-	-	3	1	-	3	2	9	17
1990.....	366	-	-	-	-	2	1	3	2	9	13
1989.....	364	-	1	-	-	1	4	2	3	11	22
1988.....	348	-	-	1	-	2	3	3	3	11	18
1987.....	323	-	-	-	-	-	4	3	4	10	14
1986.....	375	-	1	-	-	-	2	-	3	12	13
1985.....	333	-	-	-	1	2	2	6	2	17	22
1984.....	307	-	-	-	1	1	1	6	2	7	20
1983.....	351	-	-	1	1	1	5	2	9	9	21
1982.....	347	1	-	-	-	2	-	2	1	10	20
1981.....	326	-	-	-	2	1	-	2	5	6	22
1980.....	300	-	-	-	1	1	1	1	1	11	15
1979.....	319	-	-	-	1	2	3	-	2	5	22
BLACK, BOTH SEXES											
1998.....	1,155	-	-	-	-	1	5	6	5	22	63
1997.....	1,165	-	-	-	1	5	5	5	8	23	51
1996.....	1,181	-	1	-	-	1	2	2	10	20	65
1995.....	1,274	-	-	-	-	2	2	5	12	30	65
1994.....	1,242	-	2	-	1	2	1	2	9	27	66
1993.....	1,286	-	-	-	-	3	3	2	7	38	79
1992.....	1,248	-	-	-	-	2	3	4	8	34	74
1991.....	1,274	-	-	-	4	4	4	6	6	36	76
1990.....	1,311	-	-	-	1	2	3	8	11	33	71
1989.....	1,251	-	1	1	1	3	7	1	3	33	66
1988.....	1,242	-	-	2	-	6	6	4	16	28	65
1987.....	1,161	-	-	-	-	1	5	3	9	31	70
1986.....	1,289	-	1	-	3	-	4	3	4	37	80
1985.....	1,243	-	-	1	1	3	3	6	14	31	83
1984.....	1,248	-	-	-	2	1	3	7	4	34	76
1983.....	1,288	-	-	1	2	1	5	9	14	36	71
1982.....	1,257	-	-	-	1	6	2	6	3	33	87
1981.....	1,216	-	-	-	3	2	2	6	12	29	72
1980.....	1,287	-	-	1	1	3	5	5	8	29	83
1979.....	1,204	-	-	-	2	5	6	3	5	35	83

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY, AND PHARYNX (140-149)											
BLACK MALE											
1998.....	849	-	-	-	-	-	5	2	2	18	40
1997.....	851	-	-	-	1	3	1	5	6	16	39
1996.....	892	-	-	-	-	1	1	1	6	15	49
1995.....	926	-	-	-	-	2	2	3	8	21	51
1994.....	920	-	-	-	1	1	-	1	6	18	49
1993.....	968	-	-	-	-	2	3	1	2	26	65
1992.....	949	-	-	-	-	1	2	2	4	28	57
1991.....	933	-	-	-	1	3	4	4	4	28	61
1990.....	1,000	-	-	-	1	1	2	5	9	28	60
1989.....	939	-	-	1	1	2	5	-	2	24	50
1988.....	939	-	-	1	-	5	3	3	13	19	51
1987.....	864	-	-	-	-	1	1	-	7	24	57
1986.....	956	-	-	-	3	-	2	3	3	28	70
1985.....	946	-	-	1	-	2	2	1	12	17	64
1984.....	985	-	-	-	1	1	3	4	3	29	61
1983.....	986	-	-	-	1	1	1	7	9	28	55
1982.....	945	-	-	-	1	4	2	4	3	25	68
1981.....	920	-	-	-	1	1	2	4	8	24	53
1980.....	1,005	-	-	1	-	2	4	4	7	19	68
1979.....	900	-	-	-	1	3	3	3	3	31	63
BLACK FEMALE											
1998.....	306	-	-	-	-	1	-	4	3	4	23
1997.....	314	-	-	-	-	2	4	-	2	7	12
1996.....	289	-	1	-	-	-	1	1	4	5	16
1995.....	348	-	-	-	-	-	-	2	4	9	14
1994.....	322	-	2	-	-	1	1	1	3	9	17
1993.....	318	-	-	-	-	1	-	1	5	12	14
1992.....	299	-	-	-	-	1	1	2	4	6	17
1991.....	341	-	-	-	3	1	-	2	2	8	15
1990.....	311	-	-	-	-	1	1	3	2	5	11
1989.....	312	-	1	-	-	1	2	1	1	9	16
1988.....	303	-	-	1	-	1	3	1	3	9	14
1987.....	297	-	-	-	-	-	4	3	2	7	13
1986.....	333	-	1	-	-	-	2	-	1	9	10
1985.....	297	-	-	-	1	1	1	5	2	14	19
1984.....	263	-	-	-	1	-	-	3	1	5	15
1983.....	302	-	-	1	1	-	4	2	5	8	16
1982.....	312	-	-	-	-	2	-	2	-	8	19
1981.....	296	-	-	-	2	1	-	2	4	5	19
1980.....	282	-	-	-	1	1	1	1	1	10	15
1979.....	304	-	-	-	1	2	3	-	2	4	20

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF TONGUE (141)											
TOTAL, BOTH SEXES											
1998.....	1,764	-	-	-	-	-	5	7	12	29	49
1997.....	1,826	-	-	1	-	1	1	11	9	37	62
1996.....	1,752	-	-	-	-	-	7	13	14	24	61
1995.....	1,806	-	-	-	-	-	2	9	11	29	46
1994.....	1,765	-	1	-	-	-	2	7	11	23	44
1993.....	1,824	-	-	-	-	-	2	7	15	25	54
1992.....	1,804	-	-	-	-	1	4	7	10	20	59
1991.....	1,869	-	-	-	-	2	-	5	16	31	53
1990.....	1,880	-	1	-	-	-	1	7	10	28	42
1989.....	1,904	-	-	-	-	-	3	8	13	32	45
1988.....	1,875	-	-	-	-	3	2	9	11	18	53
1987.....	1,812	-	-	-	-	-	5	15	8	24	53
1986.....	1,903	-	-	-	-	1	4	2	15	31	43
1985.....	1,875	-	-	-	-	1	4	6	10	31	57
1984.....	1,969	-	-	-	-	1	2	9	12	25	63
1983.....	1,916	1	-	1	-	-	3	9	16	32	42
1982.....	1,946	1	-	-	-	-	5	4	11	17	51
1981.....	1,915	-	-	-	-	1	4	10	6	22	39
1980.....	1,874	-	-	-	-	-	1	4	11	22	49
1979.....	1,986	-	-	-	-	-	5	7	7	18	50
TOTAL, MALE											
1998.....	1,131	-	-	-	-	-	5	3	7	21	30
1997.....	1,182	-	-	-	-	-	-	6	8	24	40
1996.....	1,126	-	-	-	-	-	4	5	6	18	40
1995.....	1,202	-	-	-	-	-	2	2	5	23	28
1994.....	1,153	-	1	-	-	-	2	3	7	17	30
1993.....	1,201	-	-	-	-	-	1	7	7	17	40
1992.....	1,165	-	-	-	-	-	3	3	8	14	43
1991.....	1,208	-	-	-	-	1	-	1	10	22	42
1990.....	1,251	-	-	-	-	-	1	5	8	21	35
1989.....	1,237	-	-	-	-	-	3	6	7	20	39
1988.....	1,222	-	-	-	-	1	1	1	7	13	41
1987.....	1,187	-	-	-	-	-	4	9	7	17	44
1986.....	1,267	-	-	-	-	1	4	2	10	16	33
1985.....	1,270	-	-	-	-	-	2	5	6	20	41
1984.....	1,329	-	-	-	-	1	2	3	7	18	44
1983.....	1,287	1	-	-	-	-	-	5	7	26	30
1982.....	1,292	-	-	-	-	-	2	3	8	10	39
1981.....	1,304	-	-	-	-	1	3	8	2	17	31
1980.....	1,280	-	-	-	-	-	-	4	7	14	34
1979.....	1,367	-	-	-	-	-	5	6	4	13	36

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	
0 OF TONGUE (141)												
TOTAL, FEMALE												
1998.....	633	-	-	-	-	-	-	4	5	8	19	
1997.....	644	-	-	1	-	1	1	5	1	13	22	
1996.....	626	-	-	-	-	-	3	8	8	6	21	
1995.....	604	-	-	-	-	-	-	7	6	6	18	
1994.....	612	-	-	-	-	-	-	4	4	6	14	
1993.....	623	-	-	-	-	-	1	-	8	8	14	
1992.....	639	-	-	-	-	1	1	4	2	6	16	
1991.....	661	-	-	-	-	1	-	4	6	9	11	
1990.....	629	-	1	-	-	-	-	2	2	7	7	
1989.....	667	-	-	-	-	-	-	2	6	12	6	
1988.....	653	-	-	-	-	2	1	8	4	5	12	
1987.....	625	-	-	-	-	-	1	6	1	7	9	
1986.....	636	-	-	-	-	-	-	-	5	15	10	
1985.....	605	-	-	-	-	1	2	1	4	11	16	
1984.....	640	-	-	-	-	-	-	6	5	7	19	
1983.....	629	-	-	1	-	-	3	4	9	6	12	
1982.....	654	1	-	-	-	-	3	1	3	7	12	
1981.....	611	-	-	-	-	-	1	2	4	5	8	
1980.....	594	-	-	-	-	-	1	-	4	8	15	
1979.....	619	-	-	-	-	-	-	1	3	5	14	
WHITE, BOTH SEXES												
1998.....	1,491	-	-	-	-	-	5	6	11	20	34	
1997.....	1,543	-	-	1	-	1	1	10	7	31	44	
1996.....	1,470	-	-	-	-	-	6	13	12	17	48	
1995.....	1,534	-	-	-	-	-	2	8	7	21	35	
1994.....	1,477	-	1	-	-	-	2	7	11	20	32	
1993.....	1,507	-	-	-	-	-	2	7	14	17	37	
1992.....	1,499	-	-	-	-	1	4	6	9	13	36	
1991.....	1,526	-	-	-	-	2	-	5	14	19	31	
1990.....	1,570	-	1	-	-	-	1	6	9	19	28	
1989.....	1,574	-	-	-	-	-	3	8	12	22	27	
1988.....	1,600	-	-	-	-	1	2	8	7	14	32	
1987.....	1,551	-	-	-	-	-	4	15	6	16	30	
1986.....	1,590	-	-	-	-	1	4	2	14	19	24	
1985.....	1,595	-	-	-	-	1	3	6	8	23	32	
1984.....	1,664	-	-	-	-	1	2	6	12	17	41	
1983.....	1,608	1	-	1	-	-	3	8	10	18	26	
1982.....	1,643	-	-	-	-	-	5	4	11	10	29	
1981.....	1,640	-	-	-	-	-	3	10	6	11	25	
1980.....	1,578	-	-	-	-	-	1	4	7	16	28	
1979.....	1,704	-	-	-	-	-	5	7	7	10	29	

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF TONGUE (141)											
WHITE MALE											
1998.....	931	-	-	-	-	-	5	3	6	14	23
1997.....	972	-	-	-	-	-	-	6	6	21	28
1996.....	935	-	-	-	-	-	4	5	5	12	33
1995.....	1,008	-	-	-	-	-	2	2	3	17	23
1994.....	946	-	1	-	-	-	2	3	7	15	22
1993.....	969	-	-	-	-	-	1	7	7	11	28
1992.....	940	-	-	-	-	-	3	3	8	9	24
1991.....	967	-	-	-	-	1	-	1	9	14	23
1990.....	1,015	-	-	-	-	-	1	4	7	13	22
1989.....	994	-	-	-	-	-	3	6	6	15	24
1988.....	1,015	-	-	-	-	1	1	1	3	12	25
1987.....	1,001	-	-	-	-	-	3	9	6	11	26
1986.....	1,032	-	-	-	-	1	4	2	9	8	18
1985.....	1,058	-	-	-	-	-	2	5	4	17	24
1984.....	1,095	-	-	-	-	1	2	3	7	12	27
1983.....	1,052	1	-	-	-	-	-	4	6	12	19
1982.....	1,068	-	-	-	-	-	2	3	8	6	19
1981.....	1,095	-	-	-	-	-	2	8	2	7	18
1980.....	1,053	-	-	-	-	-	-	4	4	12	19
1979.....	1,145	-	-	-	-	-	5	6	4	6	17
WHITE FEMALE											
1998.....	560	-	-	-	-	-	-	3	5	6	11
1997.....	571	-	-	1	-	1	1	4	1	10	16
1996.....	535	-	-	-	-	-	2	8	7	5	15
1995.....	526	-	-	-	-	-	-	6	4	4	12
1994.....	531	-	-	-	-	-	-	4	4	5	10
1993.....	538	-	-	-	-	-	1	-	7	6	9
1992.....	559	-	-	-	-	1	1	3	1	4	12
1991.....	559	-	-	-	-	1	-	4	5	5	8
1990.....	555	-	1	-	-	-	-	2	2	6	6
1989.....	580	-	-	-	-	-	-	2	6	7	3
1988.....	585	-	-	-	-	-	1	7	4	2	7
1987.....	550	-	-	-	-	-	1	6	-	5	4
1986.....	558	-	-	-	-	-	-	-	5	11	6
1985.....	537	-	-	-	-	1	1	1	4	6	8
1984.....	569	-	-	-	-	-	-	3	5	5	14
1983.....	556	-	-	1	-	-	3	4	4	6	7
1982.....	575	-	-	-	-	-	3	1	3	4	10
1981.....	545	-	-	-	-	-	1	2	4	4	7
1980.....	525	-	-	-	-	-	1	-	3	4	9
1979.....	559	-	-	-	-	-	-	1	3	4	12

TABLE 292. DEATHS FOR 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF PHARYNX (146-149.0)											
TOTAL, BOTH SEXES											
1998.....	3,861	-	-	-	1	8	6	7	16	47	109
1997.....	3,739	-	-	1	1	5	9	10	17	49	98
1996.....	3,767	-	-	-	4	4	3	6	18	45	117
1995.....	3,858	-	1	-	3	8	8	12	15	56	114
1994.....	3,796	-	2	1	1	3	9	5	17	50	128
1993.....	3,897	-	-	1	-	7	7	6	18	57	124
1992.....	3,835	-	1	-	-	5	8	11	13	49	119
1991.....	3,942	-	-	-	5	6	7	22	9	53	109
1990.....	4,008	-	-	2	3	6	13	13	19	46	100
1989.....	3,828	-	1	3	1	5	17	7	11	49	96
1988.....	3,925	1	-	3	1	10	10	9	16	50	91
1987.....	3,720	-	-	1	-	4	9	6	21	42	89
1986.....	3,772	1	2	2	3	5	13	15	12	52	86
1985.....	3,835	-	1	1	2	10	9	12	24	50	95
1984.....	3,927	-	-	-	8	7	9	13	17	49	89
1983.....	3,951	-	1	4	4	9	11	15	18	44	100
1982.....	3,876	2	-	1	2	13	13	11	15	44	89
1981.....	3,832	1	-	1	2	6	10	15	20	28	80
1980.....	3,847	-	1	1	5	6	9	11	11	42	107
1979.....	3,920	-	2	4	3	10	10	14	17	48	86
TOTAL, MALE											
1998.....	2,779	-	-	-	1	6	6	5	13	33	90
1997.....	2,659	-	-	1	-	3	5	9	11	37	82
1996.....	2,677	-	-	-	1	2	1	5	11	37	91
1995.....	2,700	-	-	-	1	6	8	11	9	41	95
1994.....	2,675	-	-	1	1	2	6	3	15	40	106
1993.....	2,797	-	-	1	-	5	5	5	14	38	102
1992.....	2,736	-	1	-	-	4	4	8	9	42	89
1991.....	2,773	-	-	-	1	4	7	15	4	45	90
1990.....	2,845	-	-	2	2	2	11	10	15	37	81
1989.....	2,681	-	-	2	1	4	13	3	5	35	76
1988.....	2,801	1	-	2	1	9	6	5	12	33	70
1987.....	2,595	-	-	-	-	3	4	3	13	31	66
1986.....	2,616	-	-	1	3	3	10	12	9	40	72
1985.....	2,739	-	-	-	1	4	7	5	20	31	72
1984.....	2,829	-	-	-	5	4	5	11	12	37	60
1983.....	2,846	-	-	2	2	7	7	14	11	32	79
1982.....	2,820	1	-	-	2	10	10	8	12	29	69
1981.....	2,689	1	-	-	2	3	8	9	16	21	59
1980.....	2,774	-	1	1	2	3	9	6	9	30	87
1979.....	2,844	-	2	2	2	7	6	11	12	38	59

TABLE 292. DEATHS FOR 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF PHARYNX (146-149.0)											
TOTAL, FEMALE											
1998.....	1,082	-	-	-	-	2	-	2	3	14	19
1997.....	1,080	-	-	-	1	2	4	1	6	12	16
1996.....	1,090	-	-	-	3	2	2	1	7	8	26
1995.....	1,158	-	1	-	2	2	-	1	6	15	19
1994.....	1,121	-	2	-	-	1	3	2	2	10	22
1993.....	1,100	-	-	-	-	2	2	1	4	19	22
1992.....	1,099	-	-	-	-	1	4	3	4	7	30
1991.....	1,169	-	-	-	4	2	-	7	5	8	19
1990.....	1,163	-	-	-	1	4	2	3	4	9	19
1989.....	1,147	-	1	1	-	1	4	4	6	14	20
1988.....	1,124	-	-	1	-	1	4	4	4	17	21
1987.....	1,125	-	-	1	-	1	5	3	8	11	23
1986.....	1,156	1	2	1	-	2	3	3	3	12	14
1985.....	1,096	-	1	1	1	6	2	7	4	19	23
1984.....	1,098	-	-	-	3	3	4	2	5	12	29
1983.....	1,105	-	1	2	2	2	4	1	7	12	21
1982.....	1,056	1	-	1	-	3	3	3	3	15	20
1981.....	1,143	-	-	1	-	3	2	6	4	7	21
1980.....	1,073	-	-	-	3	3	-	5	2	12	20
1979.....	1,076	-	-	2	1	3	4	3	5	10	27
WHITE, BOTH SEXES											
1998.....	3,047	-	-	-	1	6	1	2	7	26	62
1997.....	2,948	-	-	1	1	-	3	6	10	30	60
1996.....	2,968	-	-	-	4	3	2	5	11	25	69
1995.....	2,977	-	1	-	3	6	7	6	5	36	62
1994.....	2,974	-	-	1	-	2	6	1	10	27	67
1993.....	3,048	-	-	1	-	2	4	2	11	25	64
1992.....	2,999	-	1	-	-	3	4	6	7	24	59
1991.....	3,141	-	-	-	1	2	3	12	6	28	59
1990.....	3,166	-	-	2	2	3	10	6	11	21	50
1989.....	3,055	-	-	2	-	2	7	4	5	26	55
1988.....	3,139	1	-	1	1	5	4	3	7	28	52
1987.....	2,974	-	-	1	-	3	5	4	11	22	44
1986.....	3,048	1	1	2	-	5	7	10	8	31	39
1985.....	3,093	-	1	1	1	6	5	8	15	27	53
1984.....	3,196	-	-	-	6	5	6	8	11	27	46
1983.....	3,192	-	1	3	2	6	4	7	9	23	52
1982.....	3,172	2	-	1	1	6	9	8	7	22	41
1981.....	3,135	-	-	1	1	5	8	7	9	16	38
1980.....	3,150	-	1	1	4	2	5	7	5	25	64
1979.....	3,247	-	2	4	1	5	5	11	13	26	49

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF PHARYNX (146-149.0)											
WHITE MALE											
1998.....	2,161	-	-	-	1	5	1	1	6	17	53
1997.....	2,055	-	-	1	-	-	2	6	6	23	52
1996.....	2,041	-	-	-	1	1	1	4	7	22	48
1995.....	2,046	-	-	-	1	4	7	5	4	25	51
1994.....	2,047	-	-	1	-	1	4	-	9	22	58
1993.....	2,130	-	-	1	-	1	2	2	8	17	50
1992.....	2,076	-	1	-	-	3	1	5	4	22	45
1991.....	2,158	-	-	-	-	1	3	8	2	24	49
1990.....	2,191	-	-	2	1	1	9	5	8	18	41
1989.....	2,074	-	-	1	-	2	6	2	2	17	43
1988.....	2,187	1	-	1	1	4	3	1	5	18	39
1987.....	2,014	-	-	-	-	2	3	3	6	16	29
1986.....	2,076	-	-	1	-	3	6	7	7	25	33
1985.....	2,160	-	-	-	1	2	4	4	13	19	38
1984.....	2,238	-	-	-	4	3	3	7	8	20	29
1983.....	2,266	-	-	2	1	5	4	7	5	16	42
1982.....	2,274	1	-	-	1	5	6	7	5	13	34
1981.....	2,146	-	-	-	1	3	6	3	8	13	29
1980.....	2,212	-	1	1	2	-	5	3	3	17	49
1979.....	2,324	-	2	2	1	4	3	8	8	19	33
WHITE FEMALE											
1998.....	886	-	-	-	-	1	-	1	1	9	9
1997.....	893	-	-	-	1	-	1	-	4	7	8
1996.....	927	-	-	-	3	2	1	1	4	3	21
1995.....	931	-	1	-	2	2	-	1	1	11	11
1994.....	927	-	-	-	-	1	2	1	1	5	9
1993.....	918	-	-	-	-	1	2	-	3	8	14
1992.....	923	-	-	-	-	-	3	1	3	2	14
1991.....	983	-	-	-	1	1	-	4	4	4	10
1990.....	975	-	-	-	1	2	1	1	3	3	9
1989.....	981	-	-	1	-	-	1	2	3	9	12
1988.....	952	-	-	-	-	1	1	2	2	10	13
1987.....	960	-	-	1	-	1	2	1	5	6	15
1986.....	972	1	1	1	-	2	1	3	1	6	6
1985.....	933	-	1	1	-	4	1	4	2	8	15
1984.....	958	-	-	-	2	2	3	1	3	7	17
1983.....	926	-	1	1	1	1	-	-	4	7	10
1982.....	898	1	-	1	-	1	3	1	2	9	7
1981.....	989	-	-	1	-	2	2	4	1	3	9
1980.....	938	-	-	-	2	2	-	4	2	8	15
1979.....	923	-	-	2	-	1	2	3	5	7	16

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF PHARYNX (146-149.0)											
ALL OTHER, BOTH SEXES											
1998.....	814	-	-	-	-	2	5	5	9	21	47
1997.....	791	-	-	-	-	5	6	4	7	19	38
1996.....	799	-	-	-	-	1	1	1	7	20	48
1995.....	881	-	-	-	-	2	1	6	10	20	52
1994.....	822	-	2	-	1	1	3	4	7	23	61
1993.....	849	-	-	-	-	5	3	4	7	32	60
1992.....	836	-	-	-	-	2	4	5	6	25	60
1991.....	801	-	-	-	4	4	4	10	3	25	50
1990.....	842	-	-	-	1	3	3	7	8	25	50
1989.....	773	-	1	1	1	3	10	3	6	23	41
1988.....	786	-	-	2	-	5	6	6	9	22	39
1987.....	746	-	-	-	-	1	4	2	10	20	45
1986.....	724	-	1	-	3	-	6	5	4	21	47
1985.....	742	-	-	-	1	4	4	4	9	23	42
1984.....	731	-	-	-	2	2	3	5	6	22	43
1983.....	759	-	-	1	2	3	7	8	9	21	48
1982.....	704	-	-	-	1	7	4	3	8	22	48
1981.....	697	1	-	-	1	1	2	8	11	12	42
1980.....	697	-	-	-	1	4	4	4	6	17	43
1979.....	673	-	-	-	2	5	5	3	4	22	37
ALL OTHER MALE											
1998.....	618	-	-	-	-	1	5	4	7	16	37
1997.....	604	-	-	-	-	3	3	3	5	14	30
1996.....	636	-	-	-	-	1	-	1	4	15	43
1995.....	654	-	-	-	-	2	1	6	5	16	44
1994.....	628	-	-	-	1	1	2	3	6	18	48
1993.....	667	-	-	-	-	4	3	3	6	21	52
1992.....	660	-	-	-	-	1	3	3	5	20	44
1991.....	615	-	-	-	1	3	4	7	2	21	41
1990.....	654	-	-	-	1	1	2	5	7	19	40
1989.....	607	-	-	1	1	2	7	1	3	18	33
1988.....	614	-	-	1	-	5	3	4	7	15	31
1987.....	581	-	-	-	-	1	1	-	7	15	37
1986.....	540	-	-	-	3	-	4	5	2	15	39
1985.....	579	-	-	-	-	2	3	1	7	12	34
1984.....	591	-	-	-	1	1	2	4	4	17	31
1983.....	580	-	-	-	1	2	3	7	6	16	37
1982.....	546	-	-	-	1	5	4	1	7	16	35
1981.....	543	1	-	-	-	-	2	6	8	8	30
1980.....	562	-	-	-	-	3	4	3	6	13	38
1979.....	520	-	-	-	1	3	3	3	4	19	26

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF PHARYNX (146-149.0)											
ALL OTHER FEMALE											
1998.....	196	-	-	-	-	1	-	1	2	5	10
1997.....	187	-	-	-	-	2	3	1	2	5	8
1996.....	163	-	-	-	-	-	1	-	3	5	5
1995.....	227	-	-	-	-	-	-	-	5	4	8
1994.....	194	-	2	-	-	-	1	1	1	5	13
1993.....	182	-	-	-	-	1	-	1	1	11	8
1992.....	176	-	-	-	-	1	1	2	1	5	16
1991.....	186	-	-	-	3	1	-	3	1	4	9
1990.....	188	-	-	-	-	2	1	2	1	6	10
1989.....	166	-	1	-	-	1	3	2	3	5	8
1988.....	172	-	-	1	-	-	3	2	2	7	8
1987.....	165	-	-	-	-	-	3	2	3	5	8
1986.....	184	-	1	-	-	-	2	-	2	6	8
1985.....	163	-	-	-	1	2	1	3	2	11	8
1984.....	140	-	-	-	1	1	1	1	2	5	12
1983.....	179	-	-	1	1	1	4	1	3	5	11
1982.....	158	-	-	-	-	2	-	2	1	6	13
1981.....	154	-	-	-	-	1	-	2	3	4	12
1980.....	135	-	-	-	1	1	-	1	-	4	5
1979.....	153	-	-	-	1	2	2	-	-	3	11
BLACK, BOTH SEXES											
1998.....	673	-	-	-	-	1	5	3	3	12	38
1997.....	641	-	-	-	-	5	3	3	6	12	26
1996.....	667	-	-	-	-	1	1	-	5	11	37
1995.....	748	-	-	-	-	2	1	3	7	16	41
1994.....	693	-	2	-	1	1	1	2	6	16	51
1993.....	697	-	-	-	-	3	3	2	2	23	44
1992.....	709	-	-	-	-	2	3	4	4	20	41
1991.....	682	-	-	-	4	4	3	5	2	18	39
1990.....	709	-	-	-	1	2	3	6	5	14	42
1989.....	658	-	1	1	1	3	6	1	2	19	30
1988.....	686	-	-	2	-	5	6	4	7	15	31
1987.....	652	-	-	-	-	1	4	2	6	13	40
1986.....	637	-	1	-	3	-	4	3	2	15	43
1985.....	671	-	-	-	1	3	3	3	8	18	36
1984.....	635	-	-	-	2	1	1	4	1	19	34
1983.....	671	-	-	1	2	1	4	7	6	16	37
1982.....	620	-	-	-	1	6	2	3	2	17	44
1981.....	613	-	-	-	1	1	2	6	8	9	33
1980.....	634	-	-	-	1	3	4	4	5	13	39
1979.....	615	-	-	-	2	5	5	2	3	20	30

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF PHARYNX (146-149.0)											
BLACK MALE											
1998.....	511	-	-	-	-	-	5	2	1	9	28
1997.....	495	-	-	-	-	3	1	3	4	9	21
1996.....	533	-	-	-	-	1	-	-	3	8	32
1995.....	557	-	-	-	-	2	1	3	4	12	35
1994.....	533	-	-	-	1	1	-	1	5	12	39
1993.....	550	-	-	-	-	2	3	1	1	15	39
1992.....	560	-	-	-	-	1	2	2	4	16	29
1991.....	517	-	-	-	1	3	3	3	1	15	32
1990.....	559	-	-	-	1	1	2	4	4	11	34
1989.....	519	-	-	1	1	2	5	-	1	14	26
1988.....	540	-	-	1	-	5	3	3	5	10	26
1987.....	502	-	-	-	-	1	1	-	5	11	32
1986.....	484	-	-	-	3	-	2	3	1	12	38
1985.....	532	-	-	-	-	2	2	1	6	10	29
1984.....	521	-	-	-	1	1	1	4	-	16	27
1983.....	528	-	-	-	1	1	1	6	4	12	31
1982.....	481	-	-	-	1	4	2	1	2	13	31
1981.....	478	-	-	-	1	-	2	4	6	6	24
1980.....	509	-	-	-	-	2	4	3	5	9	34
1979.....	474	-	-	-	1	3	3	2	3	18	21
BLACK FEMALE											
1998.....	162	-	-	-	-	1	-	1	2	3	10
1997.....	146	-	-	-	-	2	2	-	2	3	5
1996.....	134	-	-	-	-	-	1	-	2	3	5
1995.....	191	-	-	-	-	-	-	-	3	4	6
1994.....	160	-	2	-	-	-	1	1	1	4	12
1993.....	147	-	-	-	-	1	-	1	1	8	5
1992.....	149	-	-	-	-	1	1	2	-	4	12
1991.....	165	-	-	-	3	1	-	2	1	3	7
1990.....	150	-	-	-	-	1	1	2	1	3	8
1989.....	139	-	1	-	-	1	1	1	1	5	4
1988.....	146	-	-	1	-	-	3	1	2	5	5
1987.....	150	-	-	-	-	-	3	2	1	2	8
1986.....	153	-	1	-	-	-	2	-	1	3	5
1985.....	139	-	-	-	1	1	1	2	2	8	7
1984.....	114	-	-	-	1	-	-	-	1	3	7
1983.....	143	-	-	1	1	-	3	1	2	4	6
1982.....	139	-	-	-	-	2	-	2	-	4	13
1981.....	135	-	-	-	-	1	-	2	2	3	9
1980.....	125	-	-	-	1	1	-	1	-	4	5
1979.....	141	-	-	-	1	2	2	-	-	2	9

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF OTHER AND ILL-DEFINED SITES WITHIN THE LIP, ORAL CAVITY, AND PHARYNX (142-145,149.1-149.9)											
TOTAL, BOTH SEXES											
1998.....	2,251	-	1	-	3	2	2	3	9	10	61
1997.....	2,241	-	-	-	3	4	4	3	14	25	53
1996.....	2,252	-	1	1	-	6	4	7	11	31	44
1995.....	2,306	-	1	-	-	-	3	5	6	22	47
1994.....	2,266	-	1	-	-	3	1	4	8	21	39
1993.....	2,425	2	-	-	2	2	2	1	11	27	49
1992.....	2,378	1	-	-	1	4	1	-	12	25	45
1991.....	2,367	1	-	1	-	1	3	4	9	25	45
1990.....	2,432	-	-	-	-	3	-	3	10	29	59
1989.....	2,264	-	1	-	-	-	2	4	7	19	62
1988.....	2,301	-	-	1	-	2	-	1	15	26	48
1987.....	2,361	-	-	-	-	1	2	3	11	23	44
1986.....	2,519	-	-	-	1	-	2	5	19	26	54
1985.....	2,470	1	-	1	1	-	-	8	14	15	54
1984.....	2,455	-	-	-	-	2	3	7	10	15	52
1983.....	2,490	-	-	1	1	3	2	5	11	26	57
1982.....	2,599	-	-	1	1	4	5	6	11	21	51
1981.....	2,610	-	-	4	2	-	3	2	9	20	57
1980.....	2,679	-	1	2	-	-	5	6	7	25	53
1979.....	2,548	-	-	2	1	-	2	3	12	22	58
TOTAL, MALE											
1998.....	1,307	-	-	-	2	1	1	-	5	6	41
1997.....	1,302	-	-	-	1	1	1	3	6	16	37
1996.....	1,350	-	-	-	-	3	3	3	8	17	31
1995.....	1,355	-	-	-	-	-	2	3	4	14	37
1994.....	1,328	-	1	-	-	1	1	2	3	12	25
1993.....	1,447	-	-	-	-	1	2	1	5	22	33
1992.....	1,402	-	-	-	1	1	1	-	5	14	34
1991.....	1,402	1	-	-	-	-	3	2	7	20	28
1990.....	1,480	-	-	-	-	1	-	1	7	23	43
1989.....	1,340	-	1	-	-	-	-	3	4	10	33
1988.....	1,402	-	-	1	-	1	-	1	10	16	35
1987.....	1,465	-	-	-	-	1	-	1	6	12	32
1986.....	1,554	-	-	-	-	-	1	4	12	14	46
1985.....	1,525	-	-	1	1	-	-	4	8	13	35
1984.....	1,518	-	-	-	-	-	3	3	8	13	39
1983.....	1,549	-	-	1	1	2	1	2	5	16	40
1982.....	1,656	-	-	1	-	1	2	5	7	17	37
1981.....	1,714	-	-	1	-	-	2	-	5	14	41
1980.....	1,714	-	1	2	-	-	2	4	4	17	47
1979.....	1,553	-	-	-	-	-	1	3	6	16	37

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF OTHER AND ILL-DEFINED SITES WITHIN THE LIP, ORAL CAVITY, AND PHARYNX (142-145,149.1-149.9)											
TOTAL, FEMALE											
1998.....	944	-	1	-	1	1	1	3	4	4	20
1997.....	939	-	-	-	2	3	3	-	8	9	16
1996.....	902	-	1	1	-	3	1	4	3	14	13
1995.....	951	-	1	-	-	-	1	2	2	8	10
1994.....	938	-	-	-	-	2	-	2	5	9	14
1993.....	978	2	-	-	2	1	-	-	6	5	16
1992.....	976	1	-	-	-	3	-	-	7	11	11
1991.....	965	-	-	1	-	1	-	2	2	5	17
1990.....	952	-	-	-	-	2	-	2	3	6	16
1989.....	924	-	-	-	-	-	2	1	3	9	29
1988.....	899	-	-	-	-	1	-	-	5	10	13
1987.....	896	-	-	-	-	-	2	2	5	11	12
1986.....	965	-	-	-	1	-	1	1	7	12	8
1985.....	945	1	-	-	-	-	-	4	6	2	19
1984.....	937	-	-	-	-	2	-	4	2	2	13
1983.....	941	-	-	-	-	1	1	3	6	10	17
1982.....	943	-	-	-	1	3	3	1	4	4	14
1981.....	896	-	-	3	2	-	1	2	4	6	16
1980.....	965	-	-	-	-	-	3	2	3	8	6
1979.....	995	-	-	2	1	-	1	-	6	6	21
WHITE, BOTH SEXES											
1998.....	1,987	-	1	-	3	2	1	1	6	7	49
1997.....	1,936	-	-	-	1	4	1	1	12	20	44
1996.....	1,944	-	-	1	-	6	4	5	7	26	28
1995.....	1,987	-	1	-	-	-	2	3	3	16	29
1994.....	1,951	-	1	-	-	2	1	4	5	13	35
1993.....	2,099	2	-	-	2	2	2	1	7	19	30
1992.....	2,089	1	-	-	1	3	1	-	8	14	32
1991.....	2,066	1	-	1	-	1	2	3	6	17	29
1990.....	2,098	-	-	-	-	3	-	2	5	18	43
1989.....	1,960	-	1	-	-	-	1	4	7	12	41
1988.....	1,983	-	-	-	-	2	-	1	10	17	32
1987.....	2,079	-	-	-	-	1	1	2	10	12	33
1986.....	2,146	-	-	-	1	-	2	5	16	16	36
1985.....	2,141	1	-	-	1	-	-	6	10	10	30
1984.....	2,109	-	-	-	-	2	1	4	6	8	32
1983.....	2,145	-	-	1	1	3	1	3	6	20	37
1982.....	2,243	-	-	1	1	4	5	3	10	13	28
1981.....	2,250	-	-	4	-	-	-	3	5	11	32
1980.....	2,302	-	1	1	-	-	4	5	7	14	29
1979.....	2,226	-	-	2	1	-	1	2	10	15	26

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF OTHER AND ILL-DEFINED SITES WITHIN THE LIP, ORAL CAVITY, AND PHARYNX (142-145,149.1-149.9)											
WHITE MALE											
1998.....	1,134	-	-	-	2	1	-	-	3	4	36
1997.....	1,109	-	-	-	-	1	-	1	4	12	30
1996.....	1,142	-	-	-	-	3	3	2	5	14	20
1995.....	1,137	-	-	-	-	-	1	2	1	11	21
1994.....	1,117	-	1	-	-	1	1	2	2	8	23
1993.....	1,228	-	-	-	-	1	2	1	4	16	18
1992.....	1,204	-	-	-	1	-	1	-	5	6	23
1991.....	1,201	1	-	-	-	-	2	1	4	13	17
1990.....	1,250	-	-	-	-	1	-	1	3	14	29
1989.....	1,144	-	1	-	-	-	-	3	4	4	23
1988.....	1,189	-	-	-	-	1	-	1	6	8	24
1987.....	1,266	-	-	-	-	1	-	1	5	4	22
1986.....	1,292	-	-	-	-	-	1	4	10	6	29
1985.....	1,297	-	-	-	1	-	-	4	4	9	17
1984.....	1,267	-	-	-	-	-	1	2	4	6	22
1983.....	1,301	-	-	1	1	2	1	1	1	14	25
1982.....	1,408	-	-	1	-	1	2	2	6	10	19
1981.....	1,460	-	-	1	-	-	2	-	3	6	25
1980.....	1,433	-	1	1	-	-	2	3	4	9	27
1979.....	1,333	-	-	-	-	-	1	2	6	10	14
WHITE FEMALE											
1998.....	853	-	1	-	1	1	1	1	3	3	13
1997.....	827	-	-	-	1	3	1	-	8	8	14
1996.....	802	-	-	1	-	3	1	3	2	12	8
1995.....	850	-	1	-	-	-	1	1	2	5	8
1994.....	834	-	-	-	-	1	-	2	3	5	12
1993.....	871	2	-	-	2	1	-	-	3	3	12
1992.....	885	1	-	-	-	3	-	-	3	8	9
1991.....	865	-	-	1	-	1	-	2	2	4	12
1990.....	848	-	-	-	-	2	-	1	2	4	14
1989.....	816	-	-	-	-	-	1	1	3	8	18
1988.....	794	-	-	-	-	1	-	-	4	9	8
1987.....	813	-	-	-	-	-	1	1	5	8	11
1986.....	854	-	-	-	1	-	1	1	6	10	7
1985.....	844	1	-	-	-	-	-	2	6	1	13
1984.....	842	-	-	-	-	2	-	2	2	2	10
1983.....	844	-	-	-	-	1	-	2	5	6	12
1982.....	835	-	-	-	1	3	3	1	4	3	9
1981.....	790	-	-	3	-	-	1	2	2	5	7
1980.....	869	-	-	-	-	-	2	2	3	5	2
1979.....	893	-	-	2	1	-	-	-	4	5	12

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF OTHER AND ILL-DEFINED SITES WITHIN THE LIP, ORAL CAVITY, AND PHARYNX (142-145,149.1-149.9)											
ALL OTHER, BOTH SEXES											
1998.....	264	-	-	-	-	-	1	2	3	3	12
1997.....	305	-	-	-	2	-	3	2	2	5	9
1996.....	308	-	1	-	-	-	-	2	4	5	16
1995.....	319	-	-	-	-	-	1	2	3	6	18
1994.....	315	-	-	-	-	1	-	-	3	8	4
1993.....	326	-	-	-	-	-	-	-	4	8	19
1992.....	289	-	-	-	-	1	-	-	4	11	13
1991.....	301	-	-	-	-	-	1	1	3	8	16
1990.....	334	-	-	-	-	-	-	1	5	11	16
1989.....	304	-	-	-	-	-	1	-	-	7	21
1988.....	318	-	-	1	-	-	-	-	5	9	16
1987.....	282	-	-	-	-	-	1	1	1	11	11
1986.....	373	-	-	-	-	-	-	-	3	10	18
1985.....	329	-	-	1	-	-	-	2	4	5	24
1984.....	346	-	-	-	-	-	2	3	4	7	20
1983.....	345	-	-	-	-	-	1	2	5	6	20
1982.....	356	-	-	-	-	-	-	3	1	8	23
1981.....	360	-	-	-	2	-	-	-	4	9	25
1980.....	377	-	-	1	-	-	1	1	-	11	24
1979.....	322	-	-	-	-	-	1	1	2	7	32
ALL OTHER MALE											
1998.....	173	-	-	-	-	-	1	-	2	2	5
1997.....	193	-	-	-	1	-	1	2	2	4	7
1996.....	208	-	-	-	-	-	-	1	3	3	11
1995.....	218	-	-	-	-	-	1	1	3	3	16
1994.....	211	-	-	-	-	-	-	-	1	4	2
1993.....	219	-	-	-	-	-	-	-	1	6	15
1992.....	198	-	-	-	-	1	-	-	-	8	11
1991.....	201	-	-	-	-	-	1	1	3	7	11
1990.....	230	-	-	-	-	-	-	-	4	9	14
1989.....	196	-	-	-	-	-	-	-	-	6	10
1988.....	213	-	-	1	-	-	-	-	4	8	11
1987.....	199	-	-	-	-	-	-	-	1	8	10
1986.....	262	-	-	-	-	-	-	-	2	8	17
1985.....	228	-	-	1	-	-	-	-	4	4	18
1984.....	251	-	-	-	-	-	2	1	4	7	17
1983.....	248	-	-	-	-	-	-	1	4	2	15
1982.....	248	-	-	-	-	-	-	3	1	7	18
1981.....	254	-	-	-	-	-	-	-	2	8	16
1980.....	281	-	-	1	-	-	-	1	-	8	20
1979.....	220	-	-	-	-	-	-	1	-	6	23

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	
0 OF OTHER AND ILL-DEFINED SITES WITHIN THE LIP, ORAL CAVITY, AND PHARYNX (142-145,149.1-149.9)												
ALL OTHER FEMALE												
1998.....	91	-	-	-	-	-	-	2	1	1	7	
1997.....	112	-	-	-	1	-	2	-	-	1	2	
1996.....	100	-	1	-	-	-	-	1	1	2	5	
1995.....	101	-	-	-	-	-	-	1	-	3	2	
1994.....	104	-	-	-	-	1	-	-	2	4	2	
1993.....	107	-	-	-	-	-	-	-	3	2	4	
1992.....	91	-	-	-	-	-	-	-	4	3	2	
1991.....	100	-	-	-	-	-	-	-	-	1	5	
1990.....	104	-	-	-	-	-	-	1	1	2	2	
1989.....	108	-	-	-	-	-	1	-	-	1	11	
1988.....	105	-	-	-	-	-	-	-	1	1	5	
1987.....	83	-	-	-	-	-	1	1	-	3	1	
1986.....	111	-	-	-	-	-	-	-	1	2	1	
1985.....	101	-	-	-	-	-	-	2	-	1	6	
1984.....	95	-	-	-	-	-	-	2	-	-	3	
1983.....	97	-	-	-	-	-	1	1	1	4	5	
1982.....	108	-	-	-	-	-	-	-	-	1	5	
1981.....	106	-	-	-	2	-	-	-	2	1	9	
1980.....	96	-	-	-	-	-	1	-	-	3	4	
1979.....	102	-	-	-	-	-	1	-	2	1	9	
BLACK, BOTH SEXES												
1998.....	243	-	-	-	-	-	-	2	2	3	12	
1997.....	270	-	-	-	1	-	2	2	1	5	9	
1996.....	262	-	1	-	-	-	-	2	3	3	15	
1995.....	279	-	-	-	-	-	1	1	3	6	14	
1994.....	284	-	-	-	-	1	-	-	3	8	4	
1993.....	293	-	-	-	-	-	-	-	4	7	18	
1992.....	266	-	-	-	-	-	-	-	4	10	13	
1991.....	274	-	-	-	-	-	1	1	3	7	16	
1990.....	314	-	-	-	-	-	-	1	5	10	16	
1989.....	281	-	-	-	-	-	1	-	-	6	19	
1988.....	295	-	-	-	-	-	-	-	5	9	14	
1987.....	266	-	-	-	-	-	1	1	1	10	10	
1986.....	350	-	-	-	-	-	-	-	1	10	18	
1985.....	307	-	-	1	-	-	-	2	4	5	22	
1984.....	322	-	-	-	-	-	2	2	3	7	20	
1983.....	325	-	-	-	-	-	1	2	5	6	20	
1982.....	338	-	-	-	-	-	-	3	1	8	21	
1981.....	345	-	-	-	2	-	-	-	4	9	25	
1980.....	366	-	-	1	-	-	1	1	-	11	24	
1979.....	314	-	-	-	-	-	1	1	2	7	32	

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF OTHER AND ILL-DEFINED SITES WITHIN THE LIP, ORAL CAVITY, AND PHARYNX (142-145,149.1-149.9)											
BLACK MALE											
1998.....	157	-	-	-	-	-	-	-	1	2	5
1997.....	167	-	-	-	1	-	-	2	1	4	7
1996.....	183	-	-	-	-	-	-	1	2	2	10
1995.....	191	-	-	-	-	-	1	-	3	3	12
1994.....	196	-	-	-	-	-	-	-	1	4	2
1993.....	200	-	-	-	-	-	-	-	1	5	14
1992.....	183	-	-	-	-	-	-	-	-	8	11
1991.....	186	-	-	-	-	-	1	1	3	6	11
1990.....	218	-	-	-	-	-	-	-	4	9	14
1989.....	190	-	-	-	-	-	-	-	-	5	10
1988.....	200	-	-	-	-	-	-	-	4	8	10
1987.....	188	-	-	-	-	-	-	-	1	7	9
1986.....	246	-	-	-	-	-	-	-	1	8	17
1985.....	214	-	-	1	-	-	-	-	4	4	18
1984.....	238	-	-	-	-	-	2	-	3	7	17
1983.....	233	-	-	-	-	-	-	1	4	2	15
1982.....	239	-	-	-	-	-	-	3	1	7	17
1981.....	246	-	-	-	-	-	-	-	2	8	16
1980.....	274	-	-	1	-	-	-	1	-	8	20
1979.....	215	-	-	-	-	-	-	1	-	6	23
BLACK FEMALE											
1998.....	86	-	-	-	-	-	-	2	1	1	7
1997.....	103	-	-	-	-	-	2	-	-	1	2
1996.....	79	-	1	-	-	-	-	1	1	1	5
1995.....	88	-	-	-	-	-	-	1	-	3	2
1994.....	88	-	-	-	-	1	-	-	2	4	2
1993.....	93	-	-	-	-	-	-	-	3	2	4
1992.....	83	-	-	-	-	-	-	-	4	2	2
1991.....	88	-	-	-	-	-	-	-	-	1	5
1990.....	96	-	-	-	-	-	-	1	1	1	2
1989.....	91	-	-	-	-	-	1	-	-	1	9
1988.....	95	-	-	-	-	-	-	-	1	1	4
1987.....	78	-	-	-	-	-	1	1	-	3	1
1986.....	104	-	-	-	-	-	-	-	-	2	1
1985.....	93	-	-	-	-	-	-	2	-	1	4
1984.....	84	-	-	-	-	-	-	2	-	-	3
1983.....	92	-	-	-	-	-	1	1	1	4	5
1982.....	99	-	-	-	-	-	-	-	-	1	4
1981.....	99	-	-	-	2	-	-	-	2	1	9
1980.....	92	-	-	-	-	-	1	-	-	3	4
1979.....	99	-	-	-	-	-	1	-	2	1	9

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159)											
TOTAL, BOTH SEXES											
1998.....	128,683	5	17	7	17	31	93	203	447	968	2,142
1997.....	127,054	7	21	9	7	40	69	185	464	1,042	2,093
1996.....	126,495	4	17	11	8	27	90	191	439	1,008	2,066
1995.....	126,617	5	24	8	10	38	75	196	441	981	2,075
1994.....	125,353	6	28	12	12	33	92	199	481	971	2,001
1993.....	124,466	5	22	9	17	34	85	206	432	1,006	1,971
1992.....	122,873	11	14	11	15	38	87	196	449	1,000	1,945
1991.....	121,781	7	27	10	9	25	97	189	479	996	1,926
1990.....	120,765	8	25	7	8	34	73	202	425	950	1,738
1989.....	119,663	7	18	6	15	31	87	187	461	893	1,628
1988.....	117,416	6	18	8	8	28	85	179	443	900	1,676
1987.....	117,436	4	25	10	15	42	80	213	461	951	1,572
1986.....	116,508	5	20	7	7	31	94	219	425	894	1,518
1985.....	116,609	7	24	12	15	36	104	198	488	854	1,487
1984.....	116,616	16	28	12	12	37	74	238	448	846	1,482
1983.....	113,864	11	24	15	17	36	100	229	433	777	1,450
1982.....	112,564	19	30	21	19	40	112	246	404	761	1,401
1981.....	111,297	10	30	6	14	45	104	230	406	729	1,361
1980.....	110,647	12	29	12	19	44	129	211	424	689	1,363
1979.....	109,125	11	16	15	16	40	106	226	407	738	1,331
TOTAL, MALE											
1998.....	68,556	3	10	3	12	17	53	107	255	547	1,305
1997.....	67,758	5	12	8	5	24	46	109	275	612	1,256
1996.....	66,932	2	12	6	6	13	56	109	249	586	1,286
1995.....	66,987	2	10	4	5	18	41	103	250	559	1,326
1994.....	66,476	4	22	6	8	21	52	117	296	596	1,237
1993.....	65,489	3	10	4	9	18	50	118	248	594	1,248
1992.....	64,996	8	6	7	9	21	48	102	248	592	1,211
1991.....	64,324	5	17	4	6	14	58	110	282	595	1,194
1990.....	63,920	4	14	4	3	19	41	106	246	583	1,064
1989.....	63,209	3	12	3	11	15	42	115	250	515	1,000
1988.....	61,875	4	12	6	4	14	44	102	270	540	1,043
1987.....	61,792	3	14	6	10	24	45	121	288	568	950
1986.....	61,137	2	14	6	4	16	57	132	234	546	924
1985.....	61,187	2	16	9	8	23	60	114	262	501	912
1984.....	60,824	8	15	8	6	21	45	137	283	492	879
1983.....	59,738	3	17	9	6	16	47	136	243	461	840
1982.....	58,950	11	16	14	14	15	59	147	241	447	801
1981.....	58,437	6	18	1	8	35	59	147	245	424	805
1980.....	57,947	10	20	6	12	22	83	112	226	391	808
1979.....	57,320	7	9	8	13	23	60	127	232	414	772

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159)											
TOTAL, FEMALE											
1998.....	60,127	2	7	4	5	14	40	96	192	421	837
1997.....	59,296	2	9	1	2	16	23	76	189	430	837
1996.....	59,563	2	5	5	2	14	34	82	190	422	780
1995.....	59,630	3	14	4	5	20	34	93	191	422	749
1994.....	58,877	2	6	6	4	12	40	82	185	375	764
1993.....	58,977	2	12	5	8	16	35	88	184	412	723
1992.....	57,877	3	8	4	6	17	39	94	201	408	734
1991.....	57,457	2	10	6	3	11	39	79	197	401	732
1990.....	56,845	4	11	3	5	15	32	96	179	367	674
1989.....	56,454	4	6	3	4	16	45	72	211	378	628
1988.....	55,541	2	6	2	4	14	41	77	173	360	633
1987.....	55,644	1	11	4	5	18	35	92	173	383	622
1986.....	55,371	3	6	1	3	15	37	87	191	348	594
1985.....	55,422	5	8	3	7	13	44	84	226	353	575
1984.....	55,792	8	13	4	6	16	29	101	165	354	603
1983.....	54,126	8	7	6	11	20	53	93	190	316	610
1982.....	53,614	8	14	7	5	25	53	99	163	314	600
1981.....	52,860	4	12	5	6	10	45	83	161	305	556
1980.....	52,700	2	9	6	7	22	46	99	198	298	555
1979.....	51,805	4	7	7	3	17	46	99	175	324	559
WHITE, BOTH SEXES											
1998.....	109,130	5	13	4	9	21	65	140	305	659	1,594
1997.....	107,756	3	17	7	2	27	51	123	324	723	1,573
1996.....	107,601	2	15	9	8	20	57	140	305	705	1,564
1995.....	107,925	3	19	6	8	28	53	139	310	715	1,506
1994.....	106,826	5	25	9	8	23	68	128	323	713	1,436
1993.....	106,381	4	19	8	6	21	57	145	326	756	1,490
1992.....	105,107	7	11	7	11	23	68	146	314	719	1,417
1991.....	104,449	4	20	7	8	17	67	136	356	722	1,461
1990.....	103,530	8	16	6	4	25	47	147	307	666	1,332
1989.....	102,769	6	15	4	11	19	50	137	331	644	1,242
1988.....	101,206	6	16	5	6	20	58	110	314	644	1,296
1987.....	101,519	4	20	8	13	31	54	146	327	713	1,191
1986.....	100,884	3	20	6	5	21	62	160	319	669	1,150
1985.....	101,126	7	20	9	11	22	76	144	358	669	1,141
1984.....	101,250	10	22	8	9	27	50	169	328	633	1,155
1983.....	99,010	7	21	10	13	26	72	177	314	598	1,091
1982.....	98,093	12	28	20	15	27	74	178	305	602	1,053
1981.....	97,324	8	27	6	12	28	79	163	310	555	1,049
1980.....	96,873	9	24	10	16	26	92	168	338	553	1,043
1979.....	95,783	8	13	10	12	31	80	177	313	562	1,044

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159)											
WHITE MALE											
1998.....	58,141	3	7	2	6	10	40	73	165	385	979
1997.....	57,437	3	9	7	1	17	35	72	194	420	946
1996.....	56,863	1	10	4	6	11	35	82	174	416	967
1995.....	57,009	2	8	4	4	12	28	73	180	414	967
1994.....	56,432	4	21	4	5	13	40	75	196	446	889
1993.....	55,802	2	10	4	2	10	31	84	185	439	949
1992.....	55,440	5	5	6	6	11	38	77	181	437	893
1991.....	54,994	2	13	4	6	9	45	79	210	441	908
1990.....	54,515	4	10	4	1	16	23	77	176	398	831
1989.....	53,895	3	10	1	8	9	22	82	169	371	756
1988.....	52,903	4	10	4	2	9	30	60	195	391	806
1987.....	53,100	3	11	5	9	17	30	82	208	434	717
1986.....	52,533	2	14	5	3	11	40	97	177	410	699
1985.....	52,705	2	14	6	6	15	46	82	194	391	700
1984.....	52,314	7	12	6	3	15	32	98	208	360	683
1983.....	51,457	1	14	6	6	12	35	105	180	345	624
1982.....	50,774	8	15	13	10	11	37	110	182	351	593
1981.....	50,599	5	16	1	6	21	46	107	193	321	624
1980.....	50,227	8	17	6	10	15	58	91	183	309	623
1979.....	49,858	5	8	5	10	17	47	96	186	319	604
WHITE FEMALE											
1998.....	50,989	2	6	2	3	11	25	67	140	274	615
1997.....	50,319	-	8	-	1	10	16	51	130	303	627
1996.....	50,738	1	5	5	2	9	22	58	131	289	597
1995.....	50,916	1	11	2	4	16	25	66	130	301	539
1994.....	50,394	1	4	5	3	10	28	53	127	267	547
1993.....	50,579	2	9	4	4	11	26	61	141	317	541
1992.....	49,667	2	6	1	5	12	30	69	133	282	524
1991.....	49,455	2	7	3	2	8	22	57	146	281	553
1990.....	49,015	4	6	2	3	9	24	70	131	268	501
1989.....	48,874	3	5	3	3	10	28	55	162	273	486
1988.....	48,303	2	6	1	4	11	28	50	119	253	490
1987.....	48,419	1	9	3	4	14	24	64	119	279	474
1986.....	48,351	1	6	1	2	10	22	63	142	259	451
1985.....	48,421	5	6	3	5	7	30	62	164	278	441
1984.....	48,936	3	10	2	6	12	18	71	120	273	472
1983.....	47,553	6	7	4	7	14	37	72	134	253	467
1982.....	47,319	4	13	7	5	16	37	68	123	251	460
1981.....	46,725	3	11	5	6	7	33	56	117	234	425
1980.....	46,646	1	7	4	6	11	34	77	155	244	420
1979.....	45,925	3	5	5	2	14	33	81	127	243	440

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	RACE, AND SEX: UNITED STATES, 1979-98										
	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159)											
ALL OTHER, BOTH SEXES											
1998.....	19,553	-	4	3	8	10	28	63	142	309	548
1997.....	19,298	4	4	2	5	13	18	62	140	319	520
1996.....	18,894	2	2	2	-	7	33	51	134	303	502
1995.....	18,692	2	5	2	2	10	22	57	131	266	569
1994.....	18,527	1	3	3	4	10	24	71	158	258	565
1993.....	18,085	1	3	1	11	13	28	61	106	250	481
1992.....	17,766	4	3	4	4	15	19	50	135	281	528
1991.....	17,332	3	7	3	1	8	30	53	123	274	465
1990.....	17,235	-	9	1	4	9	26	55	118	284	406
1989.....	16,894	1	3	2	4	12	37	50	130	249	386
1988.....	16,210	-	2	3	2	8	27	69	129	256	380
1987.....	15,917	-	5	2	2	11	26	67	134	238	381
1986.....	15,624	2	-	1	2	10	32	59	106	225	368
1985.....	15,483	-	4	3	4	14	28	54	130	185	346
1984.....	15,366	6	6	4	3	10	24	69	120	213	327
1983.....	14,854	4	3	5	4	10	28	52	119	179	359
1982.....	14,471	7	2	1	4	13	38	68	99	159	348
1981.....	13,973	2	3	-	2	17	25	67	96	174	312
1980.....	13,774	3	5	2	3	18	37	43	86	136	320
1979.....	13,342	3	3	5	4	9	26	49	94	176	287
ALL OTHER MALE											
1998.....	10,415	-	3	1	6	7	13	34	90	162	326
1997.....	10,321	2	3	1	4	7	11	37	81	192	310
1996.....	10,069	1	2	2	-	2	21	27	75	170	319
1995.....	9,978	-	2	-	1	6	13	30	70	145	359
1994.....	10,044	-	1	2	3	8	12	42	100	150	348
1993.....	9,687	1	-	-	7	8	19	34	63	155	299
1992.....	9,556	3	1	1	3	10	10	25	67	155	318
1991.....	9,330	3	4	-	-	5	13	31	72	154	286
1990.....	9,405	-	4	-	2	3	18	29	70	185	233
1989.....	9,314	-	2	2	3	6	20	33	81	144	244
1988.....	8,972	-	2	2	2	5	14	42	75	149	237
1987.....	8,692	-	3	1	1	7	15	39	80	134	233
1986.....	8,604	-	-	1	1	5	17	35	57	136	225
1985.....	8,482	-	2	3	2	8	14	32	68	110	212
1984.....	8,510	1	3	2	3	6	13	39	75	132	196
1983.....	8,281	2	3	3	-	4	12	31	63	116	216
1982.....	8,176	3	1	1	4	4	22	37	59	96	208
1981.....	7,838	1	2	-	2	14	13	40	52	103	181
1980.....	7,720	2	3	-	2	7	25	21	43	82	185
1979.....	7,462	2	1	3	3	6	13	31	46	95	168

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159)											
ALL OTHER FEMALE											
1998.....	9,138	-	1	2	2	3	15	29	52	147	222
1997.....	8,977	2	1	1	1	6	7	25	59	127	210
1996.....	8,825	1	-	-	-	5	12	24	59	133	183
1995.....	8,714	2	3	2	1	4	9	27	61	121	210
1994.....	8,483	1	2	1	1	2	12	29	58	108	217
1993.....	8,398	-	3	1	4	5	9	27	43	95	182
1992.....	8,210	1	2	3	1	5	9	25	68	126	210
1991.....	8,002	-	3	3	1	3	17	22	51	120	179
1990.....	7,830	-	5	1	2	6	8	26	48	99	173
1989.....	7,580	1	1	-	1	6	17	17	49	105	142
1988.....	7,238	-	-	1	-	3	13	27	54	107	143
1987.....	7,225	-	2	1	1	4	11	28	54	104	148
1986.....	7,020	2	-	-	1	5	15	24	49	89	143
1985.....	7,001	-	2	-	2	6	14	22	62	75	134
1984.....	6,856	5	3	2	-	4	11	30	45	81	131
1983.....	6,573	2	-	2	4	6	16	21	56	63	143
1982.....	6,295	4	1	-	-	9	16	31	40	63	140
1981.....	6,135	1	1	-	-	3	12	27	44	71	131
1980.....	6,054	1	2	2	1	11	12	22	43	54	135
1979.....	5,880	1	2	2	1	3	13	18	48	81	119
BLACK, BOTH SEXES											
1998.....	16,050	-	4	2	6	4	20	46	99	236	433
1997.....	15,883	2	2	2	2	8	10	47	100	240	407
1996.....	15,679	1	2	1	-	6	21	43	99	246	386
1995.....	15,606	2	5	2	2	5	18	37	101	206	451
1994.....	15,521	-	3	2	3	5	16	54	122	197	456
1993.....	15,378	1	2	1	9	12	19	50	77	197	383
1992.....	15,090	4	1	2	3	11	17	34	101	222	434
1991.....	14,951	1	6	3	-	6	25	41	97	220	382
1990.....	14,933	-	8	1	4	7	24	46	91	221	334
1989.....	14,698	1	2	-	3	9	31	36	112	192	308
1988.....	14,141	-	2	-	2	5	22	54	107	200	319
1987.....	14,016	-	4	2	2	8	22	53	100	186	317
1986.....	13,858	1	-	1	2	9	26	48	84	172	305
1985.....	13,721	-	2	2	4	14	23	42	100	144	290
1984.....	13,745	1	4	3	2	9	22	52	95	178	278
1983.....	13,357	2	3	2	3	6	23	44	98	144	306
1982.....	13,076	1	2	1	2	12	32	58	83	130	300
1981.....	12,692	-	3	-	1	13	25	57	80	145	270
1980.....	12,567	2	5	2	2	17	34	36	74	108	276
1979.....	12,214	3	2	4	4	6	21	41	81	157	253

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159)											
BLACK MALE											
1998.....	8,390	-	3	1	4	3	9	23	67	121	255
1997.....	8,336	-	1	1	2	4	7	29	57	140	242
1996.....	8,242	1	2	1	-	2	14	23	54	139	249
1995.....	8,210	-	2	-	1	2	10	22	56	112	287
1994.....	8,281	-	1	1	2	5	7	33	77	117	282
1993.....	8,149	1	-	-	7	7	14	30	48	122	240
1992.....	7,999	3	-	-	2	7	9	18	50	119	273
1991.....	7,957	1	4	-	-	3	12	26	57	123	236
1990.....	8,001	-	3	-	2	2	16	23	50	150	188
1989.....	7,988	-	2	-	2	5	15	23	68	110	195
1988.....	7,732	-	2	-	2	3	13	30	59	114	198
1987.....	7,544	-	2	1	1	5	12	28	61	102	199
1986.....	7,554	-	-	1	1	4	14	32	44	105	186
1985.....	7,411	-	-	2	2	8	12	28	52	85	179
1984.....	7,561	-	2	1	2	5	12	29	59	111	170
1983.....	7,354	1	3	1	-	3	9	25	51	101	185
1982.....	7,329	1	1	1	2	3	17	31	51	81	185
1981.....	7,063	-	2	-	1	12	13	34	44	89	158
1980.....	6,978	1	3	-	2	7	23	17	37	67	162
1979.....	6,790	2	1	2	3	4	11	27	40	87	149
BLACK FEMALE											
1998.....	7,660	-	1	1	2	1	11	23	32	115	178
1997.....	7,547	2	1	1	-	4	3	18	43	100	165
1996.....	7,437	-	-	-	-	4	7	20	45	107	137
1995.....	7,396	2	3	2	1	3	8	15	45	94	164
1994.....	7,240	-	2	1	1	-	9	21	45	80	174
1993.....	7,229	-	2	1	2	5	5	20	29	75	143
1992.....	7,091	1	1	2	1	4	8	16	51	103	161
1991.....	6,994	-	2	3	-	3	13	15	40	97	146
1990.....	6,932	-	5	1	2	5	8	23	41	71	146
1989.....	6,710	1	-	-	1	4	16	13	44	82	113
1988.....	6,409	-	-	-	-	2	9	24	48	86	121
1987.....	6,472	-	2	1	1	3	10	25	39	84	118
1986.....	6,304	1	-	-	1	5	12	16	40	67	119
1985.....	6,310	-	2	-	2	6	11	14	48	59	111
1984.....	6,184	1	2	2	-	4	10	23	36	67	108
1983.....	6,003	1	-	1	3	3	14	19	47	43	121
1982.....	5,747	-	1	-	-	9	15	27	32	49	115
1981.....	5,629	-	1	-	-	1	12	23	36	56	112
1980.....	5,589	1	2	2	-	10	11	19	37	41	114
1979.....	5,424	1	1	2	1	2	10	14	41	70	104

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR OF ESOPHAGUS (150)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
TOTAL, BOTH SEXES											
1998.....	11,765	-	-	-	-	-	3	5	26	48	193
1997.....	11,277	-	1	-	-	1	2	6	28	67	177
1996.....	11,231	-	-	-	-	1	1	14	19	63	201
1995.....	10,969	-	-	-	-	-	2	6	23	73	219
1994.....	10,817	-	-	-	-	2	6	7	25	59	173
1993.....	10,450	-	-	-	-	1	4	8	19	66	197
1992.....	10,239	3	-	-	-	-	1	8	17	62	199
1991.....	9,968	-	-	-	-	-	2	3	21	54	174
1990.....	9,719	-	-	-	-	-	1	6	14	59	169
1989.....	9,637	-	-	-	1	-	1	12	23	74	180
1988.....	9,336	-	-	-	-	-	1	5	12	47	151
1987.....	9,089	-	-	-	-	-	-	3	16	53	139
1986.....	8,918	-	-	-	-	1	3	5	11	52	142
1985.....	8,613	-	-	-	-	2	4	5	20	34	138
1984.....	8,658	-	-	2	-	-	-	8	14	40	138
1983.....	8,366	1	1	-	-	-	2	4	10	49	127
1982.....	8,225	-	-	1	-	-	1	4	10	37	128
1981.....	8,084	-	-	-	-	1	2	2	14	44	112
1980.....	7,985	1	-	-	-	-	4	5	14	40	117
1979.....	7,669	-	-	1	1	-	1	2	10	54	119
TOTAL, MALE											
1998.....	8,876	-	-	-	-	-	3	3	21	38	172
1997.....	8,546	-	1	-	-	1	2	4	26	55	146
1996.....	8,400	-	-	-	-	1	1	11	17	51	175
1995.....	8,333	-	-	-	-	-	2	2	21	54	193
1994.....	8,191	-	-	-	-	2	4	5	22	55	148
1993.....	7,813	-	-	-	-	-	3	8	16	57	163
1992.....	7,653	3	-	-	-	-	1	2	14	50	170
1991.....	7,427	-	-	-	-	-	2	3	18	42	143
1990.....	7,213	-	-	-	-	-	1	6	11	50	147
1989.....	7,154	-	-	-	1	-	1	8	19	58	157
1988.....	6,916	-	-	-	-	-	-	2	11	36	133
1987.....	6,723	-	-	-	-	-	-	3	15	43	114
1986.....	6,535	-	-	-	-	1	3	4	7	45	117
1985.....	6,409	-	-	-	-	2	4	4	15	33	119
1984.....	6,313	-	-	2	-	-	-	5	13	39	122
1983.....	6,151	1	1	-	-	-	2	3	9	40	102
1982.....	5,967	-	-	1	-	-	1	4	8	30	105
1981.....	5,953	-	-	-	-	1	1	2	12	32	90
1980.....	5,848	-	-	-	-	-	3	4	10	32	98
1979.....	5,623	-	-	1	1	-	1	2	8	42	89

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF ESOPHAGUS (150)											
TOTAL, FEMALE											
1998.....	2,889	-	-	-	-	-	-	2	5	10	21
1997.....	2,731	-	-	-	-	-	-	2	2	12	31
1996.....	2,831	-	-	-	-	-	-	3	2	12	26
1995.....	2,636	-	-	-	-	-	-	4	2	19	26
1994.....	2,626	-	-	-	-	-	2	2	3	4	25
1993.....	2,637	-	-	-	-	1	1	-	3	9	34
1992.....	2,586	-	-	-	-	-	-	6	3	12	29
1991.....	2,541	-	-	-	-	-	-	-	3	12	31
1990.....	2,506	-	-	-	-	-	-	-	3	9	22
1989.....	2,483	-	-	-	-	-	-	4	4	16	23
1988.....	2,420	-	-	-	-	-	1	3	1	11	18
1987.....	2,366	-	-	-	-	-	-	-	1	10	25
1986.....	2,383	-	-	-	-	-	-	1	4	7	25
1985.....	2,204	-	-	-	-	-	-	1	5	1	19
1984.....	2,345	-	-	-	-	-	-	3	1	1	16
1983.....	2,215	-	-	-	-	-	-	1	1	9	25
1982.....	2,258	-	-	-	-	-	-	-	2	7	23
1981.....	2,131	-	-	-	-	-	1	-	2	12	22
1980.....	2,137	1	-	-	-	-	1	1	4	8	19
1979.....	2,046	-	-	-	-	-	-	-	2	12	30
WHITE, BOTH SEXES											
1998.....	9,810	-	-	-	-	-	1	4	24	40	146
1997.....	9,348	-	1	-	-	1	2	6	26	59	138
1996.....	9,253	-	-	-	-	1	1	13	18	53	157
1995.....	8,956	-	-	-	-	-	2	4	20	59	151
1994.....	8,711	-	-	-	-	2	4	5	22	46	114
1993.....	8,312	-	-	-	-	1	4	7	17	55	128
1992.....	8,196	1	-	-	-	-	1	8	16	44	146
1991.....	7,865	-	-	-	-	-	2	3	15	37	114
1990.....	7,599	-	-	-	-	-	1	5	12	36	109
1989.....	7,469	-	-	-	1	-	-	11	19	52	117
1988.....	7,182	-	-	-	-	-	1	5	10	29	88
1987.....	7,022	-	-	-	-	-	-	2	12	40	73
1986.....	6,786	-	-	-	-	1	3	4	10	34	75
1985.....	6,539	-	-	-	-	2	4	4	16	24	78
1984.....	6,486	-	-	1	-	-	-	7	12	24	64
1983.....	6,292	-	-	-	-	-	2	4	7	26	59
1982.....	6,117	-	-	1	-	-	1	4	6	22	52
1981.....	6,017	-	-	-	-	1	1	2	8	22	53
1980.....	5,936	-	-	-	-	-	4	5	12	21	60
1979.....	5,715	-	-	-	1	-	-	2	9	31	58

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF ESOPHAGUS (150)											
WHITE MALE											
1998.....	7,481	-	-	-	-	-	1	3	20	33	133
1997.....	7,145	-	1	-	-	1	2	4	25	47	118
1996.....	6,964	-	-	-	-	1	1	10	16	45	141
1995.....	6,824	-	-	-	-	-	2	2	18	44	136
1994.....	6,625	-	-	-	-	2	3	3	20	42	100
1993.....	6,234	-	-	-	-	-	3	7	15	47	113
1992.....	6,163	1	-	-	-	-	1	2	13	38	131
1991.....	5,873	-	-	-	-	-	2	3	14	32	100
1990.....	5,661	-	-	-	-	-	1	5	10	30	103
1989.....	5,531	-	-	-	1	-	-	7	15	43	106
1988.....	5,260	-	-	-	-	-	-	2	9	26	77
1987.....	5,190	-	-	-	-	-	-	2	12	35	64
1986.....	4,946	-	-	-	-	1	3	4	7	32	65
1985.....	4,841	-	-	-	-	2	4	3	12	23	71
1984.....	4,689	-	-	1	-	-	-	5	12	24	59
1983.....	4,595	-	-	-	-	-	2	3	7	21	52
1982.....	4,373	-	-	1	-	-	1	4	5	18	43
1981.....	4,372	-	-	-	-	1	-	2	7	19	42
1980.....	4,328	-	-	-	-	-	3	4	10	18	52
1979.....	4,114	-	-	-	1	-	-	2	7	28	47
WHITE FEMALE											
1998.....	2,329	-	-	-	-	-	-	1	4	7	13
1997.....	2,203	-	-	-	-	-	-	2	1	12	20
1996.....	2,289	-	-	-	-	-	-	3	2	8	16
1995.....	2,132	-	-	-	-	-	-	2	2	15	15
1994.....	2,086	-	-	-	-	-	1	2	2	4	14
1993.....	2,078	-	-	-	-	1	1	-	2	8	15
1992.....	2,033	-	-	-	-	-	-	6	3	6	15
1991.....	1,992	-	-	-	-	-	-	-	1	5	14
1990.....	1,938	-	-	-	-	-	-	-	2	6	6
1989.....	1,938	-	-	-	-	-	-	4	4	9	11
1988.....	1,922	-	-	-	-	-	1	3	1	3	11
1987.....	1,832	-	-	-	-	-	-	-	-	5	9
1986.....	1,840	-	-	-	-	-	-	-	3	2	10
1985.....	1,698	-	-	-	-	-	-	1	4	1	7
1984.....	1,797	-	-	-	-	-	-	2	-	-	5
1983.....	1,697	-	-	-	-	-	-	1	-	5	7
1982.....	1,744	-	-	-	-	-	-	-	1	4	9
1981.....	1,645	-	-	-	-	-	1	-	1	3	11
1980.....	1,608	-	-	-	-	-	1	1	2	3	8
1979.....	1,601	-	-	-	-	-	-	-	2	3	11

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF ESOPHAGUS (150)											
ALL OTHER, BOTH SEXES											
1998.....	1,955	-	-	-	-	-	2	1	2	8	47
1997.....	1,929	-	-	-	-	-	-	-	2	8	39
1996.....	1,978	-	-	-	-	-	-	1	1	10	44
1995.....	2,013	-	-	-	-	-	-	2	3	14	68
1994.....	2,106	-	-	-	-	-	2	2	3	13	59
1993.....	2,138	-	-	-	-	-	-	1	2	11	69
1992.....	2,043	2	-	-	-	-	-	-	1	18	53
1991.....	2,103	-	-	-	-	-	-	-	6	17	60
1990.....	2,120	-	-	-	-	-	-	1	2	23	60
1989.....	2,168	-	-	-	-	-	1	1	4	22	63
1988.....	2,154	-	-	-	-	-	-	-	2	18	63
1987.....	2,067	-	-	-	-	-	-	1	4	13	66
1986.....	2,132	-	-	-	-	-	-	1	1	18	67
1985.....	2,074	-	-	-	-	-	-	1	4	10	60
1984.....	2,172	-	-	1	-	-	-	1	2	16	74
1983.....	2,074	1	1	-	-	-	-	-	3	23	68
1982.....	2,108	-	-	-	-	-	-	-	4	15	76
1981.....	2,067	-	-	-	-	-	1	-	6	22	59
1980.....	2,049	1	-	-	-	-	-	-	2	19	57
1979.....	1,954	-	-	1	-	-	1	-	1	23	61
ALL OTHER MALE											
1998.....	1,395	-	-	-	-	-	2	-	1	5	39
1997.....	1,401	-	-	-	-	-	-	-	1	8	28
1996.....	1,436	-	-	-	-	-	-	1	1	6	34
1995.....	1,509	-	-	-	-	-	-	-	3	10	57
1994.....	1,566	-	-	-	-	-	1	2	2	13	48
1993.....	1,579	-	-	-	-	-	-	1	1	10	50
1992.....	1,490	2	-	-	-	-	-	-	1	12	39
1991.....	1,554	-	-	-	-	-	-	-	4	10	43
1990.....	1,552	-	-	-	-	-	-	1	1	20	44
1989.....	1,623	-	-	-	-	-	1	1	4	15	51
1988.....	1,656	-	-	-	-	-	-	-	2	10	56
1987.....	1,533	-	-	-	-	-	-	1	3	8	50
1986.....	1,589	-	-	-	-	-	-	-	-	13	52
1985.....	1,568	-	-	-	-	-	-	1	3	10	48
1984.....	1,624	-	-	1	-	-	-	-	1	15	63
1983.....	1,556	1	1	-	-	-	-	-	2	19	50
1982.....	1,594	-	-	-	-	-	-	-	3	12	62
1981.....	1,581	-	-	-	-	-	1	-	5	13	48
1980.....	1,520	-	-	-	-	-	-	-	-	14	46
1979.....	1,509	-	-	1	-	-	1	-	1	14	42

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF ESOPHAGUS (150)											
ALL OTHER FEMALE											
1998.....	560	-	-	-	-	-	-	1	1	3	8
1997.....	528	-	-	-	-	-	-	-	1	-	11
1996.....	542	-	-	-	-	-	-	-	-	4	10
1995.....	504	-	-	-	-	-	-	2	-	4	11
1994.....	540	-	-	-	-	-	1	-	1	-	11
1993.....	559	-	-	-	-	-	-	-	1	1	19
1992.....	553	-	-	-	-	-	-	-	-	6	14
1991.....	549	-	-	-	-	-	-	-	2	7	17
1990.....	568	-	-	-	-	-	-	-	1	3	16
1989.....	545	-	-	-	-	-	-	-	-	7	12
1988.....	498	-	-	-	-	-	-	-	-	8	7
1987.....	534	-	-	-	-	-	-	-	1	5	16
1986.....	543	-	-	-	-	-	-	1	1	5	15
1985.....	506	-	-	-	-	-	-	-	1	-	12
1984.....	548	-	-	-	-	-	-	1	1	1	11
1983.....	518	-	-	-	-	-	-	-	1	4	18
1982.....	514	-	-	-	-	-	-	-	1	3	14
1981.....	486	-	-	-	-	-	-	-	1	9	11
1980.....	529	1	-	-	-	-	-	-	2	5	11
1979.....	445	-	-	-	-	-	-	-	-	9	19
BLACK, BOTH SEXES											
1998.....	1,753	-	-	-	-	-	2	1	2	8	43
1997.....	1,746	-	-	-	-	-	-	-	1	6	38
1996.....	1,827	-	-	-	-	-	-	-	1	9	41
1995.....	1,866	-	-	-	-	-	-	1	3	14	63
1994.....	1,948	-	-	-	-	-	2	1	3	12	53
1993.....	2,011	-	-	-	-	-	-	1	2	10	65
1992.....	1,897	2	-	-	-	-	-	-	-	18	51
1991.....	1,987	-	-	-	-	-	-	-	6	16	59
1990.....	1,974	-	-	-	-	-	-	-	2	22	56
1989.....	2,047	-	-	-	-	-	1	1	3	19	60
1988.....	2,050	-	-	-	-	-	-	-	2	18	61
1987.....	1,965	-	-	-	-	-	-	-	4	13	65
1986.....	2,060	-	-	-	-	-	-	-	1	18	66
1985.....	1,985	-	-	-	-	-	-	1	3	9	60
1984.....	2,087	-	-	-	-	-	-	-	2	16	74
1983.....	1,995	-	1	-	-	-	-	-	3	23	67
1982.....	2,016	-	-	-	-	-	-	-	3	15	73
1981.....	1,986	-	-	-	-	-	1	-	5	21	57
1980.....	1,972	1	-	-	-	-	-	-	2	19	56
1979.....	1,895	-	-	1	-	-	1	-	1	23	60

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF STOMACH (151)											
TOTAL, BOTH SEXES											
1998.....	12,959	-	-	-	1	-	11	49	97	183	289
1997.....	13,062	-	-	-	-	6	8	46	76	195	329
1996.....	13,336	-	-	-	-	2	17	35	98	178	282
1995.....	13,645	-	-	-	-	2	16	38	81	184	275
1994.....	13,570	-	-	-	2	1	12	50	101	154	302
1993.....	13,850	-	-	-	-	3	16	37	89	172	296
1992.....	13,630	-	-	-	1	9	14	34	90	200	264
1991.....	14,225	-	-	-	-	1	16	43	88	195	298
1990.....	14,073	-	-	-	-	5	11	40	78	161	299
1989.....	14,186	1	-	-	1	-	15	39	95	164	239
1988.....	13,676	-	-	-	-	1	16	29	90	135	270
1987.....	13,742	-	-	-	-	5	12	37	82	168	250
1986.....	13,855	-	-	1	-	6	13	41	102	173	253
1985.....	13,951	-	-	-	-	1	15	35	93	143	244
1984.....	14,246	1	1	1	-	3	11	41	79	141	227
1983.....	14,152	1	-	1	-	3	11	39	81	141	211
1982.....	14,293	1	-	2	1	-	19	46	74	127	224
1981.....	14,428	-	-	-	-	5	7	35	73	130	234
1980.....	14,372	-	-	1	1	2	11	37	81	110	208
1979.....	14,509	1	-	-	1	2	14	36	88	116	184
TOTAL, MALE											
1998.....	7,565	-	-	-	-	-	7	21	48	101	178
1997.....	7,766	-	-	-	-	3	2	21	48	103	198
1996.....	7,859	-	-	-	-	1	10	16	46	110	175
1995.....	8,010	-	-	-	-	1	9	18	36	98	170
1994.....	8,039	-	-	-	2	-	4	26	62	86	201
1993.....	8,229	-	-	-	-	2	8	17	48	107	207
1992.....	8,004	-	-	-	1	6	7	18	41	121	164
1991.....	8,569	-	-	-	-	-	11	17	55	119	216
1990.....	8,336	-	-	-	-	3	7	15	37	97	200
1989.....	8,520	1	-	-	1	-	8	20	44	95	151
1988.....	8,105	-	-	-	-	-	6	11	53	86	176
1987.....	8,241	-	-	-	-	3	2	15	43	108	182
1986.....	8,400	-	-	-	-	5	6	24	56	104	162
1985.....	8,345	-	-	-	-	1	8	17	56	91	161
1984.....	8,469	-	-	1	-	-	3	22	45	73	137
1983.....	8,362	-	-	1	-	1	2	26	43	80	126
1982.....	8,506	1	-	1	-	-	12	28	40	68	120
1981.....	8,631	-	-	-	-	3	5	22	40	70	152
1980.....	8,514	-	-	1	1	-	11	19	39	66	134
1979.....	8,650	1	-	-	1	2	5	19	52	61	112

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF STOMACH (151)											
TOTAL, FEMALE											
1998.....	5,394	-	-	-	1	-	4	28	49	82	111
1997.....	5,296	-	-	-	-	3	6	25	28	92	131
1996.....	5,477	-	-	-	-	1	7	19	52	68	107
1995.....	5,635	-	-	-	-	1	7	20	45	86	105
1994.....	5,531	-	-	-	-	1	8	24	39	68	101
1993.....	5,621	-	-	-	-	1	8	20	41	65	89
1992.....	5,626	-	-	-	-	3	7	16	49	79	100
1991.....	5,656	-	-	-	-	1	5	26	33	76	82
1990.....	5,737	-	-	-	-	2	4	25	41	64	99
1989.....	5,666	-	-	-	-	-	7	19	51	69	88
1988.....	5,571	-	-	-	-	1	10	18	37	49	94
1987.....	5,501	-	-	-	-	2	10	22	39	60	68
1986.....	5,455	-	-	1	-	1	7	17	46	69	91
1985.....	5,606	-	-	-	-	-	7	18	37	52	83
1984.....	5,777	1	1	-	-	3	8	19	34	68	90
1983.....	5,790	1	-	-	-	2	9	13	38	61	85
1982.....	5,787	-	-	1	1	-	7	18	34	59	104
1981.....	5,797	-	-	-	-	2	2	13	33	60	82
1980.....	5,858	-	-	-	-	2	-	18	42	44	74
1979.....	5,859	-	-	-	-	-	9	17	36	55	72
WHITE, BOTH SEXES											
1998.....	10,125	-	-	-	-	-	6	30	57	109	193
1997.....	10,157	-	-	-	-	2	3	24	50	116	232
1996.....	10,456	-	-	-	-	-	12	20	59	104	199
1995.....	10,700	-	-	-	-	2	9	19	48	123	195
1994.....	10,732	-	-	-	2	1	9	23	62	110	207
1993.....	11,041	-	-	-	-	1	9	23	58	117	215
1992.....	10,827	-	-	-	1	4	10	21	58	123	174
1991.....	11,407	-	-	-	-	-	12	30	55	131	219
1990.....	11,309	-	-	-	-	3	8	26	44	100	227
1989.....	11,449	1	-	-	1	-	9	26	62	103	166
1988.....	11,085	-	-	-	-	1	10	18	56	95	212
1987.....	11,194	-	-	-	-	3	6	27	47	121	187
1986.....	11,274	-	-	1	-	4	5	28	68	124	183
1985.....	11,463	-	-	-	-	1	10	21	60	109	179
1984.....	11,725	-	1	1	-	2	5	24	54	91	179
1983.....	11,619	-	-	1	-	2	8	33	57	102	152
1982.....	11,828	1	-	2	1	-	10	32	58	93	158
1981.....	11,958	-	-	-	-	-	5	24	56	92	172
1980.....	12,006	-	-	1	1	2	7	22	55	83	137
1979.....	12,076	1	-	-	1	2	8	23	63	79	134

TABLE 292. DEATHS FOR 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF STOMACH (151)											
WHITE MALE											
1998.....	5,931	-	-	-	-	-	4	16	26	62	119
1997.....	6,074	-	-	-	-	1	-	13	34	64	142
1996.....	6,188	-	-	-	-	-	7	10	30	67	127
1995.....	6,351	-	-	-	-	1	5	9	23	68	129
1994.....	6,379	-	-	-	2	-	3	15	42	64	148
1993.....	6,565	-	-	-	-	-	5	12	32	71	155
1992.....	6,385	-	-	-	1	3	5	13	30	74	119
1991.....	6,868	-	-	-	-	-	9	11	36	84	164
1990.....	6,690	-	-	-	-	2	4	11	21	65	157
1989.....	6,836	1	-	-	1	-	4	13	31	63	110
1988.....	6,499	-	-	-	-	-	4	9	36	61	142
1987.....	6,721	-	-	-	-	1	1	12	25	83	141
1986.....	6,831	-	-	-	-	4	3	16	39	80	119
1985.....	6,842	-	-	-	-	1	6	12	37	72	121
1984.....	6,949	-	-	1	-	-	2	15	29	52	116
1983.....	6,816	-	-	1	-	1	2	22	32	58	91
1982.....	6,951	1	-	1	-	-	8	22	31	52	87
1981.....	7,151	-	-	-	-	-	4	17	34	55	118
1980.....	7,049	-	-	1	1	-	7	12	29	51	96
1979.....	7,150	1	-	-	1	2	4	11	41	51	83
WHITE FEMALE											
1998.....	4,194	-	-	-	-	-	2	14	31	47	74
1997.....	4,083	-	-	-	-	1	3	11	16	52	90
1996.....	4,268	-	-	-	-	-	5	10	29	37	72
1995.....	4,349	-	-	-	-	1	4	10	25	55	66
1994.....	4,353	-	-	-	-	1	6	8	20	46	59
1993.....	4,476	-	-	-	-	1	4	11	26	46	60
1992.....	4,442	-	-	-	-	1	5	8	28	49	55
1991.....	4,539	-	-	-	-	-	3	19	19	47	55
1990.....	4,619	-	-	-	-	1	4	15	23	35	70
1989.....	4,613	-	-	-	-	-	5	13	31	40	56
1988.....	4,586	-	-	-	-	1	6	9	20	34	70
1987.....	4,473	-	-	-	-	2	5	15	22	38	46
1986.....	4,443	-	-	1	-	-	2	12	29	44	64
1985.....	4,621	-	-	-	-	-	4	9	23	37	58
1984.....	4,776	-	1	-	-	2	3	9	25	39	63
1983.....	4,803	-	-	-	-	1	6	11	25	44	61
1982.....	4,877	-	-	1	1	-	2	10	27	41	71
1981.....	4,807	-	-	-	-	-	1	7	22	37	54
1980.....	4,957	-	-	-	-	2	-	10	26	32	41
1979.....	4,926	-	-	-	-	-	4	12	22	28	51

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR 0 OF STOMACH (151)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER, BOTH SEXES											
1998.....	2,834	-	-	-	1	-	5	19	40	74	96
1997.....	2,905	-	-	-	-	4	5	22	26	79	97
1996.....	2,880	-	-	-	-	2	5	15	39	74	83
1995.....	2,945	-	-	-	-	-	7	19	33	61	80
1994.....	2,838	-	-	-	-	-	3	27	39	44	95
1993.....	2,809	-	-	-	-	2	7	14	31	55	81
1992.....	2,803	-	-	-	-	5	4	13	32	77	90
1991.....	2,818	-	-	-	-	1	4	13	33	64	79
1990.....	2,764	-	-	-	-	2	3	14	34	61	72
1989.....	2,737	-	-	-	-	-	6	13	33	61	73
1988.....	2,591	-	-	-	-	-	6	11	34	40	58
1987.....	2,548	-	-	-	-	2	6	10	35	47	63
1986.....	2,581	-	-	-	-	2	8	13	34	49	70
1985.....	2,488	-	-	-	-	-	5	14	33	34	65
1984.....	2,521	1	-	-	-	1	6	17	25	50	48
1983.....	2,533	1	-	-	-	1	3	6	24	39	59
1982.....	2,465	-	-	-	-	-	9	14	16	34	66
1981.....	2,470	-	-	-	-	5	2	11	17	38	62
1980.....	2,366	-	-	-	-	-	4	15	26	27	71
1979.....	2,433	-	-	-	-	-	6	13	25	37	50
ALL OTHER MALE											
1998.....	1,634	-	-	-	-	-	3	5	22	39	59
1997.....	1,692	-	-	-	-	2	2	8	14	39	56
1996.....	1,671	-	-	-	-	1	3	6	16	43	48
1995.....	1,659	-	-	-	-	-	4	9	13	30	41
1994.....	1,660	-	-	-	-	-	1	11	20	22	53
1993.....	1,664	-	-	-	-	2	3	5	16	36	52
1992.....	1,619	-	-	-	-	3	2	5	11	47	45
1991.....	1,701	-	-	-	-	-	2	6	19	35	52
1990.....	1,646	-	-	-	-	1	3	4	16	32	43
1989.....	1,684	-	-	-	-	-	4	7	13	32	41
1988.....	1,606	-	-	-	-	-	2	2	17	25	34
1987.....	1,520	-	-	-	-	2	1	3	18	25	41
1986.....	1,569	-	-	-	-	1	3	8	17	24	43
1985.....	1,503	-	-	-	-	-	2	5	19	19	40
1984.....	1,520	-	-	-	-	-	1	7	16	21	21
1983.....	1,546	-	-	-	-	-	-	4	11	22	35
1982.....	1,555	-	-	-	-	-	4	6	9	16	33
1981.....	1,480	-	-	-	-	3	1	5	6	15	34
1980.....	1,465	-	-	-	-	-	4	7	10	15	38
1979.....	1,500	-	-	-	-	-	1	8	11	10	29

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF STOMACH (151)											
ALL OTHER FEMALE											
1998.....	1,200	-	-	-	1	-	2	14	18	35	37
1997.....	1,213	-	-	-	-	2	3	14	12	40	41
1996.....	1,209	-	-	-	-	1	2	9	23	31	35
1995.....	1,286	-	-	-	-	-	3	10	20	31	39
1994.....	1,178	-	-	-	-	-	2	16	19	22	42
1993.....	1,145	-	-	-	-	-	4	9	15	19	29
1992.....	1,184	-	-	-	-	2	2	8	21	30	45
1991.....	1,117	-	-	-	-	1	2	7	14	29	27
1990.....	1,118	-	-	-	-	1	-	10	18	29	29
1989.....	1,053	-	-	-	-	-	2	6	20	29	32
1988.....	985	-	-	-	-	-	4	9	17	15	24
1987.....	1,028	-	-	-	-	-	5	7	17	22	22
1986.....	1,012	-	-	-	-	1	5	5	17	25	27
1985.....	985	-	-	-	-	-	3	9	14	15	25
1984.....	1,001	1	-	-	-	1	5	10	9	29	27
1983.....	987	1	-	-	-	1	3	2	13	17	24
1982.....	910	-	-	-	-	-	5	8	7	18	33
1981.....	990	-	-	-	-	2	1	6	11	23	28
1980.....	901	-	-	-	-	-	-	8	16	12	33
1979.....	933	-	-	-	-	-	5	5	14	27	21
BLACK, BOTH SEXES											
1998.....	2,175	-	-	-	1	-	3	11	26	48	73
1997.....	2,201	-	-	-	-	4	2	17	14	56	70
1996.....	2,227	-	-	-	-	2	1	14	28	56	52
1995.....	2,274	-	-	-	-	-	6	11	27	45	61
1994.....	2,206	-	-	-	-	-	2	19	29	28	66
1993.....	2,241	-	-	-	-	2	5	11	22	44	60
1992.....	2,213	-	-	-	-	4	3	9	23	61	71
1991.....	2,338	-	-	-	-	1	3	8	25	50	64
1990.....	2,258	-	-	-	-	1	3	13	27	44	54
1989.....	2,249	-	-	-	-	-	4	8	25	42	54
1988.....	2,118	-	-	-	-	-	5	10	28	31	43
1987.....	2,132	-	-	-	-	2	5	7	28	35	46
1986.....	2,118	-	-	-	-	2	5	8	27	32	52
1985.....	2,095	-	-	-	-	-	5	9	23	24	48
1984.....	2,138	-	-	-	-	1	5	9	20	40	37
1983.....	2,182	1	-	-	-	-	3	5	20	29	42
1982.....	2,120	-	-	-	-	-	7	14	13	24	49
1981.....	2,124	-	-	-	-	2	2	10	13	30	44
1980.....	2,048	-	-	-	-	-	4	11	21	16	54
1979.....	2,135	-	-	-	-	-	5	10	19	28	38

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF STOMACH (151)											
BLACK MALE											
1998.....	1,261	-	-	-	-	-	2	3	16	27	48
1997.....	1,297	-	-	-	-	2	2	6	7	30	43
1996.....	1,301	-	-	-	-	1	1	6	13	35	36
1995.....	1,289	-	-	-	-	-	3	5	12	24	35
1994.....	1,299	-	-	-	-	-	1	9	16	18	39
1993.....	1,339	-	-	-	-	2	3	4	13	30	43
1992.....	1,273	-	-	-	-	2	2	4	8	37	42
1991.....	1,422	-	-	-	-	-	1	5	16	30	42
1990.....	1,341	-	-	-	-	-	3	4	13	28	35
1989.....	1,390	-	-	-	-	-	3	4	10	23	36
1988.....	1,316	-	-	-	-	-	2	2	15	20	27
1987.....	1,285	-	-	-	-	2	-	2	16	19	33
1986.....	1,305	-	-	-	-	1	2	8	14	18	33
1985.....	1,263	-	-	-	-	-	2	4	13	14	32
1984.....	1,306	-	-	-	-	-	1	5	13	19	17
1983.....	1,342	-	-	-	-	-	-	3	11	19	27
1982.....	1,360	-	-	-	-	-	3	6	9	12	28
1981.....	1,283	-	-	-	-	2	1	5	5	15	26
1980.....	1,273	-	-	-	-	-	4	4	8	11	32
1979.....	1,313	-	-	-	-	-	1	7	10	6	23
BLACK FEMALE											
1998.....	914	-	-	-	1	-	1	8	10	21	25
1997.....	904	-	-	-	-	2	-	11	7	26	27
1996.....	926	-	-	-	-	1	-	8	15	21	16
1995.....	985	-	-	-	-	-	3	6	15	21	26
1994.....	907	-	-	-	-	-	1	10	13	10	27
1993.....	902	-	-	-	-	-	2	7	9	14	17
1992.....	940	-	-	-	-	2	1	5	15	24	29
1991.....	916	-	-	-	-	1	2	3	9	20	22
1990.....	917	-	-	-	-	1	-	9	14	16	19
1989.....	859	-	-	-	-	-	1	4	15	19	18
1988.....	802	-	-	-	-	-	3	8	13	11	16
1987.....	847	-	-	-	-	-	5	5	12	16	13
1986.....	813	-	-	-	-	1	3	-	13	14	19
1985.....	832	-	-	-	-	-	3	5	10	10	16
1984.....	832	-	-	-	-	1	4	4	7	21	20
1983.....	840	1	-	-	-	-	3	2	9	10	15
1982.....	760	-	-	-	-	-	4	8	4	12	21
1981.....	841	-	-	-	-	-	1	5	8	15	18
1980.....	775	-	-	-	-	-	-	7	13	5	22
1979.....	822	-	-	-	-	-	4	3	9	22	15

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF SMALL INTESTINE, INCLUDING DUODENUM (152)											
TOTAL, BOTH SEXES											
1998.....	1,057	-	-	-	-	-	2	5	6	16	27
1997.....	1,120	-	-	-	-	-	-	1	11	20	27
1996.....	1,036	-	-	-	-	1	-	1	6	14	47
1995.....	1,075	-	-	-	1	-	-	4	9	11	37
1994.....	1,033	-	-	-	-	-	2	3	6	19	34
1993.....	1,026	-	-	-	-	1	2	4	6	23	28
1992.....	976	-	-	-	-	-	3	3	11	20	25
1991.....	1,034	-	-	-	-	-	2	2	10	22	31
1990.....	948	-	-	-	-	-	1	4	6	22	24
1989.....	891	-	-	-	-	-	-	1	5	9	20
1988.....	884	-	-	-	-	-	-	2	13	12	23
1987.....	873	-	-	-	-	1	1	3	8	13	25
1986.....	875	-	-	-	-	-	1	4	7	19	17
1985.....	839	-	-	-	-	-	-	4	13	9	20
1984.....	837	-	1	-	-	2	-	6	12	13	26
1983.....	844	-	-	-	-	-	4	5	14	18	23
1982.....	834	-	-	-	-	-	2	6	14	15	29
1981.....	785	-	-	-	-	-	2	6	8	18	22
1980.....	725	-	-	-	-	-	1	3	12	8	16
1979.....	774	-	-	-	-	-	-	5	6	9	25
TOTAL, MALE											
1998.....	573	-	-	-	-	-	1	2	4	8	14
1997.....	591	-	-	-	-	-	-	1	7	8	19
1996.....	540	-	-	-	-	-	-	1	3	10	29
1995.....	598	-	-	-	-	-	-	2	3	8	26
1994.....	548	-	-	-	-	-	2	2	4	7	20
1993.....	511	-	-	-	-	-	1	3	2	14	17
1992.....	486	-	-	-	-	-	-	1	5	11	13
1991.....	561	-	-	-	-	-	1	1	6	17	21
1990.....	492	-	-	-	-	-	-	1	4	13	10
1989.....	478	-	-	-	-	-	-	-	3	4	9
1988.....	461	-	-	-	-	-	-	2	6	7	16
1987.....	450	-	-	-	-	-	1	1	6	7	12
1986.....	466	-	-	-	-	-	-	2	6	10	11
1985.....	473	-	-	-	-	-	-	4	9	7	12
1984.....	430	-	1	-	-	2	-	2	9	9	18
1983.....	446	-	-	-	-	-	1	4	8	11	18
1982.....	447	-	-	-	-	-	-	4	11	14	20
1981.....	391	-	-	-	-	-	1	6	6	11	15
1980.....	371	-	-	-	-	-	-	1	9	4	9
1979.....	397	-	-	-	-	-	-	2	3	4	17

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF SMALL INTESTINE, INCLUDING DUODENUM (152)											
TOTAL, FEMALE											
1998.....	484	-	-	-	-	-	1	3	2	8	13
1997.....	529	-	-	-	-	-	-	-	4	12	8
1996.....	496	-	-	-	-	1	-	-	3	4	18
1995.....	477	-	-	-	1	-	-	2	6	3	11
1994.....	485	-	-	-	-	-	-	1	2	12	14
1993.....	515	-	-	-	-	1	1	1	4	9	11
1992.....	490	-	-	-	-	-	3	2	6	9	12
1991.....	473	-	-	-	-	-	1	1	4	5	10
1990.....	456	-	-	-	-	-	1	3	2	9	14
1989.....	413	-	-	-	-	-	-	1	2	5	11
1988.....	423	-	-	-	-	-	-	-	7	5	7
1987.....	423	-	-	-	-	1	-	2	2	6	13
1986.....	409	-	-	-	-	-	1	2	1	9	6
1985.....	366	-	-	-	-	-	-	-	4	2	8
1984.....	407	-	-	-	-	-	1	4	3	4	8
1983.....	398	-	-	-	-	-	3	1	6	7	5
1982.....	387	-	-	-	-	-	2	2	3	1	9
1981.....	394	-	-	-	-	-	1	-	2	7	7
1980.....	354	-	-	-	-	-	1	2	3	4	7
1979.....	377	-	-	-	-	-	-	3	3	5	8
WHITE, BOTH SEXES											
1998.....	902	-	-	-	-	-	2	5	4	12	19
1997.....	938	-	-	-	-	-	-	-	8	13	24
1996.....	875	-	-	-	-	-	-	1	5	10	36
1995.....	925	-	-	-	1	-	-	3	4	7	33
1994.....	880	-	-	-	-	-	1	1	5	12	26
1993.....	885	-	-	-	-	1	1	2	5	17	25
1992.....	818	-	-	-	-	-	2	2	8	15	17
1991.....	878	-	-	-	-	-	-	2	7	15	24
1990.....	799	-	-	-	-	-	1	4	4	15	19
1989.....	767	-	-	-	-	-	-	-	2	9	15
1988.....	775	-	-	-	-	-	-	-	12	8	20
1987.....	758	-	-	-	-	1	1	2	7	12	22
1986.....	752	-	-	-	-	-	1	4	5	11	13
1985.....	716	-	-	-	-	-	-	2	10	6	15
1984.....	709	-	1	-	-	2	-	3	8	12	21
1983.....	748	-	-	-	-	-	3	4	12	14	21
1982.....	735	-	-	-	-	-	2	5	11	12	26
1981.....	697	-	-	-	-	-	2	5	5	17	15
1980.....	648	-	-	-	-	-	1	2	12	7	13
1979.....	703	-	-	-	-	-	-	5	4	9	21

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF SMALL INTESTINE, INCLUDING DUODENUM (152)											
WHITE MALE											
1998.....	502	-	-	-	-	-	1	2	3	7	11
1997.....	504	-	-	-	-	-	-	-	5	5	16
1996.....	455	-	-	-	-	-	-	1	3	6	21
1995.....	521	-	-	-	-	-	-	2	1	6	22
1994.....	469	-	-	-	-	-	1	-	3	5	16
1993.....	448	-	-	-	-	-	-	2	2	11	14
1992.....	404	-	-	-	-	-	-	1	3	9	9
1991.....	480	-	-	-	-	-	-	1	4	13	16
1990.....	411	-	-	-	-	-	-	1	3	9	9
1989.....	419	-	-	-	-	-	-	-	1	4	8
1988.....	398	-	-	-	-	-	-	-	5	3	13
1987.....	397	-	-	-	-	-	1	-	6	7	11
1986.....	391	-	-	-	-	-	-	2	4	5	9
1985.....	398	-	-	-	-	-	-	2	7	4	8
1984.....	374	-	1	-	-	2	-	2	7	8	14
1983.....	396	-	-	-	-	-	-	3	6	9	16
1982.....	387	-	-	-	-	-	-	3	9	11	20
1981.....	344	-	-	-	-	-	1	5	4	10	12
1980.....	339	-	-	-	-	-	-	1	9	3	7
1979.....	354	-	-	-	-	-	-	2	3	4	15
WHITE FEMALE											
1998.....	400	-	-	-	-	-	1	3	1	5	8
1997.....	434	-	-	-	-	-	-	-	3	8	8
1996.....	420	-	-	-	-	-	-	-	2	4	15
1995.....	404	-	-	-	1	-	-	1	3	1	11
1994.....	411	-	-	-	-	-	-	1	2	7	10
1993.....	437	-	-	-	-	1	1	-	3	6	11
1992.....	414	-	-	-	-	-	2	1	5	6	8
1991.....	398	-	-	-	-	-	-	1	3	2	8
1990.....	388	-	-	-	-	-	1	3	1	6	10
1989.....	348	-	-	-	-	-	-	-	1	5	7
1988.....	377	-	-	-	-	-	-	-	7	5	7
1987.....	361	-	-	-	-	1	-	2	1	5	11
1986.....	361	-	-	-	-	-	1	2	1	6	4
1985.....	318	-	-	-	-	-	-	-	3	2	7
1984.....	335	-	-	-	-	-	-	1	1	4	7
1983.....	352	-	-	-	-	-	3	1	6	5	5
1982.....	348	-	-	-	-	-	2	2	2	1	6
1981.....	353	-	-	-	-	-	1	-	1	7	3
1980.....	309	-	-	-	-	-	1	1	3	4	6
1979.....	349	-	-	-	-	-	-	3	1	5	6

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF SMALL INTESTINE, INCLUDING DUODENUM (152)											
ALL OTHER FEMALE											
1998.....	84	-	-	-	-	-	-	-	1	3	5
1997.....	95	-	-	-	-	-	-	-	1	4	-
1996.....	76	-	-	-	-	1	-	-	1	-	3
1995.....	73	-	-	-	-	-	-	1	3	2	-
1994.....	74	-	-	-	-	-	-	-	-	5	4
1993.....	78	-	-	-	-	-	-	1	1	3	-
1992.....	76	-	-	-	-	-	1	1	1	3	4
1991.....	75	-	-	-	-	-	1	-	1	3	2
1990.....	68	-	-	-	-	-	-	-	1	3	4
1989.....	65	-	-	-	-	-	-	1	1	-	4
1988.....	46	-	-	-	-	-	-	-	-	-	-
1987.....	62	-	-	-	-	-	-	-	1	1	2
1986.....	48	-	-	-	-	-	-	-	-	3	2
1985.....	48	-	-	-	-	-	-	-	1	-	1
1984.....	72	-	-	-	-	-	1	3	2	-	1
1983.....	46	-	-	-	-	-	-	-	-	2	-
1982.....	39	-	-	-	-	-	-	-	1	-	3
1981.....	41	-	-	-	-	-	-	-	1	-	4
1980.....	45	-	-	-	-	-	-	1	-	-	1
1979.....	28	-	-	-	-	-	-	-	2	-	2
BLACK, BOTH SEXES											
1998.....	138	-	-	-	-	-	-	-	2	3	8
1997.....	157	-	-	-	-	-	-	-	3	7	2
1996.....	150	-	-	-	-	1	-	-	1	4	9
1995.....	122	-	-	-	-	-	-	1	4	3	4
1994.....	142	-	-	-	-	-	1	1	1	6	7
1993.....	126	-	-	-	-	-	1	2	1	5	3
1992.....	134	-	-	-	-	-	1	1	3	3	7
1991.....	144	-	-	-	-	-	2	-	3	7	6
1990.....	135	-	-	-	-	-	-	-	2	6	5
1989.....	115	-	-	-	-	-	-	1	3	-	4
1988.....	100	-	-	-	-	-	-	1	1	4	2
1987.....	109	-	-	-	-	-	-	1	1	1	3
1986.....	117	-	-	-	-	-	-	-	2	7	4
1985.....	109	-	-	-	-	-	-	2	3	2	5
1984.....	113	-	-	-	-	-	1	3	4	1	5
1983.....	89	-	-	-	-	-	1	1	2	4	2
1982.....	92	-	-	-	-	-	-	1	3	2	3
1981.....	81	-	-	-	-	-	-	1	3	1	7
1980.....	70	-	-	-	-	-	-	1	-	1	3
1979.....	64	-	-	-	-	-	-	-	2	-	4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF SMALL INTESTINE, INCLUDING DUODENUM (152)											
BLACK MALE											
1998.....	60	-	-	-	-	-	-	-	1	-	3
1997.....	75	-	-	-	-	-	-	-	2	3	2
1996.....	80	-	-	-	-	-	-	-	-	4	6
1995.....	65	-	-	-	-	-	-	-	1	2	4
1994.....	72	-	-	-	-	-	1	1	1	2	3
1993.....	57	-	-	-	-	-	1	1	-	2	3
1992.....	72	-	-	-	-	-	-	-	2	2	4
1991.....	74	-	-	-	-	-	1	-	2	4	5
1990.....	73	-	-	-	-	-	-	-	1	3	1
1989.....	55	-	-	-	-	-	-	-	2	-	1
1988.....	57	-	-	-	-	-	-	1	1	4	2
1987.....	48	-	-	-	-	-	-	1	-	-	1
1986.....	70	-	-	-	-	-	-	-	2	4	2
1985.....	67	-	-	-	-	-	-	2	2	2	4
1984.....	50	-	-	-	-	-	-	-	2	1	4
1983.....	47	-	-	-	-	-	1	1	2	2	2
1982.....	54	-	-	-	-	-	-	1	2	2	-
1981.....	43	-	-	-	-	-	-	1	2	1	3
1980.....	29	-	-	-	-	-	-	-	-	1	2
1979.....	39	-	-	-	-	-	-	-	-	-	2
BLACK FEMALE											
1998.....	78	-	-	-	-	-	-	-	1	3	5
1997.....	82	-	-	-	-	-	-	-	1	4	-
1996.....	70	-	-	-	-	1	-	-	1	-	3
1995.....	57	-	-	-	-	-	-	1	3	1	-
1994.....	70	-	-	-	-	-	-	-	-	4	4
1993.....	69	-	-	-	-	-	-	1	1	3	-
1992.....	62	-	-	-	-	-	1	1	1	1	3
1991.....	70	-	-	-	-	-	1	-	1	3	1
1990.....	62	-	-	-	-	-	-	-	1	3	4
1989.....	60	-	-	-	-	-	-	1	1	-	3
1988.....	43	-	-	-	-	-	-	-	-	-	-
1987.....	61	-	-	-	-	-	-	-	1	1	2
1986.....	47	-	-	-	-	-	-	-	-	3	2
1985.....	42	-	-	-	-	-	-	-	1	-	1
1984.....	63	-	-	-	-	-	1	3	2	-	1
1983.....	42	-	-	-	-	-	-	-	-	2	-
1982.....	38	-	-	-	-	-	-	-	1	-	3
1981.....	38	-	-	-	-	-	-	-	1	-	4
1980.....	41	-	-	-	-	-	-	1	-	-	1
1979.....	25	-	-	-	-	-	-	-	2	-	2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF COLON (153)											
TOTAL, BOTH SEXES											
1998.....	48,198	-	-	-	3	6	29	69	160	321	664
1997.....	48,111	-	-	-	2	14	30	64	172	329	629
1996.....	47,905	-	-	-	2	7	30	65	157	314	618
1995.....	48,870	2	-	-	3	11	26	78	161	323	676
1994.....	48,704	-	-	-	2	18	31	68	182	331	659
1993.....	48,722	-	-	-	8	9	24	79	154	338	606
1992.....	48,327	2	-	-	3	10	27	77	149	331	671
1991.....	48,183	-	1	2	1	9	33	68	178	341	594
1990.....	48,705	-	-	-	-	9	24	92	171	347	590
1989.....	48,612	-	1	-	1	11	42	73	155	310	554
1988.....	48,199	-	-	-	1	15	30	65	181	361	588
1987.....	48,362	1	-	-	2	10	28	82	188	347	553
1986.....	47,858	-	-	1	1	8	46	96	163	324	509
1985.....	48,256	-	-	2	3	12	31	71	193	343	548
1984.....	47,946	3	-	-	-	7	24	89	180	309	536
1983.....	46,208	3	1	-	-	11	42	84	180	285	505
1982.....	45,362	3	2	3	4	14	45	101	155	300	503
1981.....	44,566	1	2	2	2	15	42	95	157	279	475
1980.....	44,211	-	1	1	2	14	47	84	163	285	512
1979.....	43,160	-	-	-	4	11	27	102	163	268	503
TOTAL, MALE											
1998.....	23,357	-	-	-	1	6	14	36	86	166	342
1997.....	23,437	-	-	-	2	10	25	36	95	165	327
1996.....	23,285	-	-	-	1	2	20	35	85	156	310
1995.....	23,704	-	-	-	3	5	17	36	87	164	351
1994.....	23,807	-	-	-	1	14	21	42	101	184	338
1993.....	23,664	-	-	-	3	4	17	50	91	165	317
1992.....	23,651	1	-	-	2	7	16	40	81	167	350
1991.....	23,522	-	-	2	1	7	20	40	93	187	295
1990.....	23,923	-	-	-	-	4	16	45	85	194	308
1989.....	23,674	-	-	-	1	5	18	48	83	174	288
1988.....	23,460	-	-	-	-	7	20	37	97	193	320
1987.....	23,691	1	-	-	2	5	16	45	108	188	298
1986.....	23,156	-	-	1	1	6	26	51	81	178	268
1985.....	23,351	-	-	1	1	10	13	44	88	180	302
1984.....	22,989	1	-	-	-	4	14	58	118	154	281
1983.....	22,406	1	-	-	-	7	24	46	95	151	264
1982.....	21,735	2	-	2	3	5	20	59	91	163	257
1981.....	21,315	-	2	-	2	14	23	57	89	156	234
1980.....	21,151	-	-	1	2	7	28	47	76	151	269
1979.....	20,440	-	-	-	3	7	16	61	90	133	258

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF COLON (153)											
TOTAL, FEMALE											
1998.....	24,841	-	-	-	2	-	15	33	74	155	322
1997.....	24,674	-	-	-	-	4	5	28	77	164	302
1996.....	24,620	-	-	-	1	5	10	30	72	158	308
1995.....	25,166	2	-	-	-	6	9	42	74	159	325
1994.....	24,897	-	-	-	1	4	10	26	81	147	321
1993.....	25,058	-	-	-	5	5	7	29	63	173	289
1992.....	24,676	1	-	-	1	3	11	37	68	164	321
1991.....	24,661	-	1	-	-	2	13	28	85	154	299
1990.....	24,782	-	-	-	-	5	8	47	86	153	282
1989.....	24,938	-	1	-	-	6	24	25	72	136	266
1988.....	24,739	-	-	-	1	8	10	28	84	168	268
1987.....	24,671	-	-	-	-	5	12	37	80	159	255
1986.....	24,702	-	-	-	-	2	20	45	82	146	241
1985.....	24,905	-	-	1	2	2	18	27	105	163	246
1984.....	24,957	2	-	-	-	3	10	31	62	155	255
1983.....	23,802	2	1	-	-	4	18	38	85	134	241
1982.....	23,627	1	2	1	1	9	25	42	64	137	246
1981.....	23,251	1	-	2	-	1	19	38	68	123	241
1980.....	23,060	-	1	-	-	7	19	37	87	134	243
1979.....	22,720	-	-	-	1	4	11	41	73	135	245
WHITE, BOTH SEXES											
1998.....	41,590	-	-	-	2	5	20	46	116	220	511
1997.....	41,659	-	-	-	-	12	24	46	117	223	478
1996.....	41,654	-	-	-	2	5	16	49	110	232	483
1995.....	42,568	-	-	-	3	5	20	59	115	248	504
1994.....	42,567	-	-	-	-	11	22	47	128	249	493
1993.....	42,692	-	-	-	3	4	16	53	126	271	478
1992.....	42,556	2	-	-	3	5	20	53	110	253	519
1991.....	42,450	-	1	2	1	6	22	54	144	256	483
1990.....	42,896	-	-	-	-	7	15	67	125	274	470
1989.....	43,012	-	-	-	1	6	25	58	116	252	442
1988.....	42,834	-	-	-	1	10	19	42	133	272	468
1987.....	42,997	1	-	-	2	6	18	58	138	272	456
1986.....	42,719	-	-	1	-	5	32	74	131	253	416
1985.....	43,027	-	-	1	-	4	22	56	146	278	452
1984.....	43,009	1	-	-	-	6	18	68	137	255	452
1983.....	41,583	3	1	-	-	9	28	68	133	241	412
1982.....	40,804	1	2	3	4	7	29	81	123	247	411
1981.....	40,198	-	2	2	2	10	34	71	125	225	393
1980.....	40,032	-	1	1	1	8	31	73	130	255	422
1979.....	39,069	-	-	-	2	7	22	87	132	200	421

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF COLON (153)											
WHITE MALE											
1998.....	20,272	-	-	-	1	5	12	21	61	116	267
1997.....	20,370	-	-	-	-	9	19	24	65	113	256
1996.....	20,360	-	-	-	1	2	10	29	58	119	238
1995.....	20,721	-	-	-	3	3	12	25	62	130	266
1994.....	20,895	-	-	-	-	8	17	25	71	150	257
1993.....	20,852	-	-	-	-	2	12	35	71	130	254
1992.....	20,917	1	-	-	2	3	12	26	64	132	273
1991.....	20,861	-	-	2	1	4	17	32	75	144	247
1990.....	21,165	-	-	-	-	4	8	31	60	152	256
1989.....	21,021	-	-	-	1	3	11	39	62	144	228
1988.....	20,956	-	-	-	-	4	12	23	77	151	270
1987.....	21,175	1	-	-	2	3	8	35	83	152	243
1986.....	20,746	-	-	1	-	4	20	38	66	136	225
1985.....	20,916	-	-	-	-	4	10	33	67	147	254
1984.....	20,647	1	-	-	-	4	10	45	93	126	239
1983.....	20,228	1	-	-	-	6	16	36	74	127	217
1982.....	19,574	1	-	2	3	2	12	49	72	134	216
1981.....	19,302	-	2	-	2	9	20	45	74	122	198
1980.....	19,176	-	-	1	1	4	19	42	61	137	230
1979.....	18,581	-	-	-	1	5	13	51	75	94	220
WHITE FEMALE											
1998.....	21,318	-	-	-	1	-	8	25	55	104	244
1997.....	21,289	-	-	-	-	3	5	22	52	110	222
1996.....	21,294	-	-	-	1	3	6	20	52	113	245
1995.....	21,847	-	-	-	-	2	8	34	53	118	238
1994.....	21,672	-	-	-	-	3	5	22	57	99	236
1993.....	21,840	-	-	-	3	2	4	18	55	141	224
1992.....	21,639	1	-	-	1	2	8	27	46	121	246
1991.....	21,589	-	1	-	-	2	5	22	69	112	236
1990.....	21,731	-	-	-	-	3	7	36	65	122	214
1989.....	21,991	-	-	-	-	3	14	19	54	108	214
1988.....	21,878	-	-	-	1	6	7	19	56	121	198
1987.....	21,822	-	-	-	-	3	10	23	55	120	213
1986.....	21,973	-	-	-	-	1	12	36	65	117	191
1985.....	22,111	-	-	1	-	-	12	23	79	131	198
1984.....	22,362	-	-	-	-	2	8	23	44	129	213
1983.....	21,355	2	1	-	-	3	12	32	59	114	195
1982.....	21,230	-	2	1	1	5	17	32	51	113	195
1981.....	20,896	-	-	2	-	1	14	26	51	103	195
1980.....	20,856	-	1	-	-	4	12	31	69	118	192
1979.....	20,488	-	-	-	1	2	9	36	57	106	201

TABLE 292. DEATHS FOR 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF COLON (153)											
ALL OTHER, BOTH SEXES											
1998.....	6,608	-	-	-	1	1	9	23	44	101	153
1997.....	6,452	-	-	-	2	2	6	18	55	106	151
1996.....	6,251	-	-	-	-	2	14	16	47	82	135
1995.....	6,302	2	-	-	-	6	6	19	46	75	172
1994.....	6,137	-	-	-	2	7	9	21	54	82	166
1993.....	6,030	-	-	-	5	5	8	26	28	67	128
1992.....	5,771	-	-	-	-	5	7	24	39	78	152
1991.....	5,733	-	-	-	-	3	11	14	34	85	111
1990.....	5,809	-	-	-	-	2	9	25	46	73	120
1989.....	5,600	-	1	-	-	5	17	15	39	58	112
1988.....	5,365	-	-	-	-	5	11	23	48	89	120
1987.....	5,365	-	-	-	-	4	10	24	50	75	97
1986.....	5,139	-	-	-	1	3	14	22	32	71	93
1985.....	5,229	-	-	1	3	8	9	15	47	65	96
1984.....	4,937	2	-	-	-	1	6	21	43	54	84
1983.....	4,625	-	-	-	-	2	14	16	47	44	93
1982.....	4,558	2	-	-	-	7	16	20	32	53	92
1981.....	4,368	1	-	-	-	5	8	24	32	54	82
1980.....	4,179	-	-	-	1	6	16	11	33	30	90
1979.....	4,091	-	-	-	2	4	5	15	31	68	82
ALL OTHER MALE											
1998.....	3,085	-	-	-	-	1	2	15	25	50	75
1997.....	3,067	-	-	-	2	1	6	12	30	52	71
1996.....	2,925	-	-	-	-	-	10	6	27	37	72
1995.....	2,983	-	-	-	-	2	5	11	25	34	85
1994.....	2,912	-	-	-	1	6	4	17	30	34	81
1993.....	2,812	-	-	-	3	2	5	15	20	35	63
1992.....	2,734	-	-	-	-	4	4	14	17	35	77
1991.....	2,661	-	-	-	-	3	3	8	18	43	48
1990.....	2,758	-	-	-	-	-	8	14	25	42	52
1989.....	2,653	-	-	-	-	2	7	9	21	30	60
1988.....	2,504	-	-	-	-	3	8	14	20	42	50
1987.....	2,516	-	-	-	-	2	8	10	25	36	55
1986.....	2,410	-	-	-	1	2	6	13	15	42	43
1985.....	2,435	-	-	1	1	6	3	11	21	33	48
1984.....	2,342	-	-	-	-	-	4	13	25	28	42
1983.....	2,178	-	-	-	-	1	8	10	21	24	47
1982.....	2,161	1	-	-	-	3	8	10	19	29	41
1981.....	2,013	-	-	-	-	5	3	12	15	34	36
1980.....	1,975	-	-	-	1	3	9	5	15	14	39
1979.....	1,859	-	-	-	2	2	3	10	15	39	38

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR OF COLON (153)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER FEMALE											
1998.....	3,523	-	-	-	1	-	7	8	19	51	78
1997.....	3,385	-	-	-	-	1	-	6	25	54	80
1996.....	3,326	-	-	-	-	2	4	10	20	45	63
1995.....	3,319	2	-	-	-	4	1	8	21	41	87
1994.....	3,225	-	-	-	1	1	5	4	24	48	85
1993.....	3,218	-	-	-	2	3	3	11	8	32	65
1992.....	3,037	-	-	-	-	1	3	10	22	43	75
1991.....	3,072	-	-	-	-	-	8	6	16	42	63
1990.....	3,051	-	-	-	-	2	1	11	21	31	68
1989.....	2,947	-	1	-	-	3	10	6	18	28	52
1988.....	2,861	-	-	-	-	2	3	9	28	47	70
1987.....	2,849	-	-	-	-	2	2	14	25	39	42
1986.....	2,729	-	-	-	-	1	8	9	17	29	50
1985.....	2,794	-	-	-	2	2	6	4	26	32	48
1984.....	2,595	2	-	-	-	1	2	8	18	26	42
1983.....	2,447	-	-	-	-	1	6	6	26	20	46
1982.....	2,397	1	-	-	-	4	8	10	13	24	51
1981.....	2,355	1	-	-	-	-	5	12	17	20	46
1980.....	2,204	-	-	-	-	3	7	6	18	16	51
1979.....	2,232	-	-	-	-	2	2	5	16	29	44
BLACK, BOTH SEXES											
1998.....	5,712	-	-	-	1	1	5	17	36	87	128
1997.....	5,655	-	-	-	1	-	3	14	42	85	125
1996.....	5,474	-	-	-	-	2	9	14	42	75	119
1995.....	5,571	2	-	-	-	4	5	14	34	63	144
1994.....	5,429	-	-	-	2	4	6	20	49	72	146
1993.....	5,364	-	-	-	4	5	5	23	22	59	108
1992.....	5,153	-	-	-	-	5	7	19	32	69	137
1991.....	5,159	-	-	-	-	3	8	11	27	79	95
1990.....	5,261	-	-	-	-	2	7	24	38	64	103
1989.....	5,048	-	-	-	-	3	15	13	37	50	102
1988.....	4,867	-	-	-	-	4	9	20	45	78	108
1987.....	4,872	-	-	-	-	4	10	22	42	64	83
1986.....	4,712	-	-	-	1	3	12	20	27	66	82
1985.....	4,790	-	-	1	3	8	7	11	42	58	82
1984.....	4,529	1	-	-	-	1	6	21	36	51	75
1983.....	4,274	-	-	-	-	1	11	13	41	34	85
1982.....	4,232	-	-	-	-	6	15	19	30	51	83
1981.....	4,059	-	-	-	-	5	8	22	25	51	79
1980.....	3,888	-	-	-	1	6	15	11	29	25	84
1979.....	3,801	-	-	-	2	2	5	13	29	64	79

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR OF COLON (153)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
BLACK MALE											
1998.....	2,617	-	-	-	-	1	1	9	21	42	64
1997.....	2,658	-	-	-	1	-	3	10	23	41	58
1996.....	2,533	-	-	-	-	-	6	6	26	33	65
1995.....	2,602	-	-	-	-	1	4	10	22	27	70
1994.....	2,539	-	-	-	1	4	3	16	28	30	72
1993.....	2,477	-	-	-	3	2	3	13	16	30	55
1992.....	2,419	-	-	-	-	4	4	12	14	29	73
1991.....	2,351	-	-	-	-	3	3	7	14	39	42
1990.....	2,468	-	-	-	-	-	6	14	18	38	46
1989.....	2,345	-	-	-	-	2	5	8	19	26	53
1988.....	2,235	-	-	-	-	2	7	13	19	37	46
1987.....	2,241	-	-	-	-	2	8	9	22	29	47
1986.....	2,162	-	-	-	1	2	5	12	12	39	38
1985.....	2,173	-	-	1	1	6	3	9	19	30	41
1984.....	2,124	-	-	-	-	-	4	13	21	27	38
1983.....	1,976	-	-	-	-	1	6	7	16	21	43
1982.....	1,977	-	-	-	-	2	7	9	18	28	39
1981.....	1,840	-	-	-	-	5	3	10	10	32	35
1980.....	1,803	-	-	-	1	3	9	5	14	10	36
1979.....	1,699	-	-	-	2	-	3	8	14	38	37
BLACK FEMALE											
1998.....	3,095	-	-	-	1	-	4	8	15	45	64
1997.....	2,997	-	-	-	-	-	-	4	19	44	67
1996.....	2,941	-	-	-	-	2	3	8	16	42	54
1995.....	2,969	2	-	-	-	3	1	4	12	36	74
1994.....	2,890	-	-	-	1	-	3	4	21	42	74
1993.....	2,887	-	-	-	1	3	2	10	6	29	53
1992.....	2,734	-	-	-	-	1	3	7	18	40	64
1991.....	2,808	-	-	-	-	-	5	4	13	40	53
1990.....	2,793	-	-	-	-	2	1	10	20	26	57
1989.....	2,703	-	-	-	-	1	10	5	18	24	49
1988.....	2,632	-	-	-	-	2	2	7	26	41	62
1987.....	2,631	-	-	-	-	2	2	13	20	35	36
1986.....	2,550	-	-	-	-	1	7	8	15	27	44
1985.....	2,617	-	-	-	2	2	4	2	23	28	41
1984.....	2,405	1	-	-	-	1	2	8	15	24	37
1983.....	2,298	-	-	-	-	-	5	6	25	13	42
1982.....	2,255	-	-	-	-	4	8	10	12	23	44
1981.....	2,219	-	-	-	-	-	5	12	15	19	44
1980.....	2,085	-	-	-	-	3	6	6	15	15	48
1979.....	2,102	-	-	-	-	2	2	5	15	26	42

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 HEPATIC AND SPLENIC FLEXURES AND TRANSVERSE COLON (153.0-153.1,153.7)											
TOTAL, BOTH SEXES											
1998.....	145	-	-	-	-	-	-	-	1	2	2
1997.....	184	-	-	-	-	-	-	-	1	1	2
1996.....	162	-	-	-	-	-	-	-	-	2	1
1995.....	207	-	-	-	-	-	-	1	-	3	-
1994.....	225	-	-	-	-	-	-	-	1	3	5
1993.....	196	-	-	-	-	-	-	1	1	-	-
1992.....	227	-	-	-	-	-	-	1	1	4	-
1991.....	210	-	-	-	-	-	-	-	1	-	1
1990.....	254	-	-	-	-	1	-	-	-	1	3
1989.....	300	-	-	-	-	-	-	-	3	3	4
1988.....	302	-	-	-	-	-	-	-	1	-	2
1987.....	349	-	-	-	-	-	-	1	-	5	4
1986.....	407	-	-	-	-	-	-	-	1	1	4
1985.....	464	-	-	-	-	-	-	1	3	1	7
1984.....	557	-	-	-	-	-	-	4	1	1	4
1983.....	559	-	-	-	-	-	-	1	2	4	4
1982.....	613	-	-	-	-	-	2	-	1	3	3
1981.....	688	-	-	-	-	-	-	2	2	4	7
1980.....	754	-	-	-	-	-	-	1	4	3	4
1979.....	811	-	-	-	-	1	2	3	3	2	7
TOTAL, MALE											
1998.....	62	-	-	-	-	-	-	-	1	2	2
1997.....	80	-	-	-	-	-	-	-	1	-	1
1996.....	77	-	-	-	-	-	-	-	-	2	-
1995.....	93	-	-	-	-	-	-	-	-	1	-
1994.....	110	-	-	-	-	-	-	-	1	2	4
1993.....	84	-	-	-	-	-	-	-	1	-	-
1992.....	107	-	-	-	-	-	-	1	1	2	-
1991.....	90	-	-	-	-	-	-	-	1	-	1
1990.....	114	-	-	-	-	1	-	-	-	-	1
1989.....	126	-	-	-	-	-	-	-	-	3	3
1988.....	144	-	-	-	-	-	-	-	1	-	2
1987.....	155	-	-	-	-	-	-	-	-	3	4
1986.....	187	-	-	-	-	-	-	-	-	-	-
1985.....	195	-	-	-	-	-	-	-	-	1	3
1984.....	272	-	-	-	-	-	-	-	1	-	1
1983.....	267	-	-	-	-	-	-	-	1	3	-
1982.....	232	-	-	-	-	-	1	-	1	1	2
1981.....	290	-	-	-	-	-	-	-	2	4	4
1980.....	347	-	-	-	-	-	-	1	2	1	1
1979.....	357	-	-	-	-	1	1	1	-	1	3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 HEPATIC AND SPLENIC FLEXURES AND TRANSVERSE COLON (153.0-153.1,153.7)											
TOTAL, FEMALE											
1998.....	83	-	-	-	-	-	-	-	-	-	-
1997.....	104	-	-	-	-	-	-	-	-	1	1
1996.....	85	-	-	-	-	-	-	-	-	-	1
1995.....	114	-	-	-	-	-	-	1	-	2	-
1994.....	115	-	-	-	-	-	-	-	-	1	1
1993.....	112	-	-	-	-	-	-	1	-	-	-
1992.....	120	-	-	-	-	-	-	-	-	2	-
1991.....	120	-	-	-	-	-	-	-	-	-	-
1990.....	140	-	-	-	-	-	-	-	-	1	2
1989.....	174	-	-	-	-	-	-	-	-	3	1
1988.....	158	-	-	-	-	-	-	-	-	-	-
1987.....	194	-	-	-	-	-	-	1	-	2	-
1986.....	220	-	-	-	-	-	-	-	1	1	4
1985.....	269	-	-	-	-	-	-	1	3	-	4
1984.....	285	-	-	-	-	-	-	4	-	1	3
1983.....	292	-	-	-	-	-	-	1	1	1	4
1982.....	381	-	-	-	-	-	1	-	-	2	1
1981.....	398	-	-	-	-	-	-	-	2	-	3
1980.....	407	-	-	-	-	-	-	-	2	2	3
1979.....	454	-	-	-	-	-	1	2	3	1	4
WHITE, BOTH SEXES											
1998.....	129	-	-	-	-	-	-	-	-	1	2
1997.....	156	-	-	-	-	-	-	-	-	1	1
1996.....	148	-	-	-	-	-	-	-	-	2	1
1995.....	173	-	-	-	-	-	-	-	-	2	-
1994.....	205	-	-	-	-	-	-	-	-	1	4
1993.....	169	-	-	-	-	-	-	1	1	-	-
1992.....	200	-	-	-	-	-	-	-	1	3	-
1991.....	197	-	-	-	-	-	-	-	-	-	1
1990.....	214	-	-	-	-	1	-	-	-	1	1
1989.....	275	-	-	-	-	-	-	-	3	3	2
1988.....	275	-	-	-	-	-	-	-	1	-	2
1987.....	304	-	-	-	-	-	-	-	-	3	2
1986.....	371	-	-	-	-	-	-	-	-	1	4
1985.....	417	-	-	-	-	-	-	1	2	1	6
1984.....	501	-	-	-	-	-	-	3	1	1	4
1983.....	503	-	-	-	-	-	-	1	2	4	3
1982.....	541	-	-	-	-	-	1	-	1	3	3
1981.....	628	-	-	-	-	-	-	-	2	4	7
1980.....	690	-	-	-	-	-	-	1	4	3	4
1979.....	728	-	-	-	-	1	2	3	3	2	5

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 HEPATIC AND SPLENIC FLEXURES AND TRANSVERSE COLON (153.0-153.1,153.7)											
WHITE MALE											
1998.....	55	-	-	-	-	-	-	-	-	1	2
1997.....	65	-	-	-	-	-	-	-	-	-	-
1996.....	67	-	-	-	-	-	-	-	-	2	-
1995.....	77	-	-	-	-	-	-	-	-	1	-
1994.....	97	-	-	-	-	-	-	-	-	1	3
1993.....	71	-	-	-	-	-	-	-	1	-	-
1992.....	96	-	-	-	-	-	-	-	1	2	-
1991.....	84	-	-	-	-	-	-	-	-	-	1
1990.....	98	-	-	-	-	1	-	-	-	-	1
1989.....	117	-	-	-	-	-	-	-	-	3	2
1988.....	124	-	-	-	-	-	-	-	1	-	2
1987.....	129	-	-	-	-	-	-	-	-	2	2
1986.....	172	-	-	-	-	-	-	-	-	-	-
1985.....	180	-	-	-	-	-	-	-	-	1	2
1984.....	240	-	-	-	-	-	-	-	1	-	1
1983.....	239	-	-	-	-	-	-	-	1	3	-
1982.....	208	-	-	-	-	-	-	-	1	1	2
1981.....	262	-	-	-	-	-	-	2	-	4	4
1980.....	320	-	-	-	-	-	-	1	2	1	1
1979.....	317	-	-	-	-	1	1	1	-	1	2
WHITE FEMALE											
1998.....	74	-	-	-	-	-	-	-	-	-	-
1997.....	91	-	-	-	-	-	-	-	-	1	1
1996.....	81	-	-	-	-	-	-	-	-	-	1
1995.....	96	-	-	-	-	-	-	-	-	1	-
1994.....	108	-	-	-	-	-	-	-	-	-	1
1993.....	98	-	-	-	-	-	-	1	-	-	-
1992.....	104	-	-	-	-	-	-	-	-	1	-
1991.....	113	-	-	-	-	-	-	-	-	-	-
1990.....	116	-	-	-	-	-	-	-	-	1	-
1989.....	158	-	-	-	-	-	-	-	3	-	-
1988.....	151	-	-	-	-	-	-	-	-	-	-
1987.....	175	-	-	-	-	-	-	-	-	1	-
1986.....	199	-	-	-	-	-	-	-	-	1	4
1985.....	237	-	-	-	-	-	-	1	2	-	4
1984.....	261	-	-	-	-	-	-	3	-	1	3
1983.....	264	-	-	-	-	-	-	1	1	1	3
1982.....	333	-	-	-	-	-	1	-	-	2	1
1981.....	366	-	-	-	-	-	-	-	-	-	3
1980.....	370	-	-	-	-	-	-	-	2	2	3
1979.....	411	-	-	-	-	-	1	2	3	1	3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 DESCENDING COLON (153.2)											
TOTAL, FEMALE											
1998.....	62	-	-	-	-	-	-	-	1	-	1
1997.....	81	-	-	-	-	-	-	-	-	-	-
1996.....	87	-	-	-	-	-	-	-	-	1	-
1995.....	102	-	-	-	-	-	-	-	-	4	1
1994.....	99	-	-	-	-	-	-	-	-	-	1
1993.....	76	-	-	-	-	-	-	-	-	-	2
1992.....	87	-	-	-	-	-	-	-	-	-	-
1991.....	109	-	-	-	-	-	-	-	-	1	5
1990.....	115	-	-	-	-	-	-	-	-	1	2
1989.....	120	-	-	-	-	-	-	-	-	-	-
1988.....	133	-	-	-	-	-	-	-	-	1	2
1987.....	162	-	-	-	-	1	-	-	1	1	1
1986.....	177	-	-	-	-	-	-	-	3	1	-
1985.....	204	-	-	-	-	-	-	-	-	-	3
1984.....	229	-	-	-	-	-	-	-	-	2	4
1983.....	241	-	-	-	-	-	-	-	1	1	-
1982.....	286	-	-	-	-	-	-	-	-	3	1
1981.....	297	-	-	-	-	-	1	-	2	-	2
1980.....	323	-	-	-	-	-	1	1	3	2	5
1979.....	347	-	-	-	-	1	1	-	-	3	2
WHITE, BOTH SEXES											
1998.....	103	-	-	-	-	-	-	-	1	-	-
1997.....	144	-	-	-	-	1	-	-	-	-	1
1996.....	131	-	-	-	-	-	-	-	-	1	-
1995.....	197	-	-	-	-	-	-	-	1	3	4
1994.....	173	-	-	-	-	-	-	-	-	-	3
1993.....	139	-	-	-	-	-	-	-	-	-	2
1992.....	161	-	-	-	-	-	-	1	-	-	2
1991.....	188	-	-	-	-	-	-	-	-	2	6
1990.....	189	-	-	-	-	-	-	-	-	4	1
1989.....	207	-	-	-	-	-	-	1	-	-	-
1988.....	209	-	-	-	-	1	-	-	-	1	3
1987.....	286	-	-	-	-	-	-	-	-	1	2
1986.....	291	-	-	-	-	-	-	-	3	-	-
1985.....	374	-	-	-	-	-	-	1	-	3	5
1984.....	415	-	-	-	-	-	-	-	1	2	6
1983.....	427	-	-	-	-	1	-	-	2	2	2
1982.....	493	-	-	-	-	-	1	-	-	2	4
1981.....	533	-	-	-	-	-	1	-	1	1	3
1980.....	566	-	-	-	-	-	2	1	2	4	4
1979.....	620	-	-	-	-	1	1	-	-	3	4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 DESCENDING COLON (153.2)											
WHITE MALE											
1998.....	57	-	-	-	-	-	-	-	-	-	-
1997.....	74	-	-	-	-	1	-	-	-	-	1
1996.....	54	-	-	-	-	-	-	-	-	-	-
1995.....	105	-	-	-	-	-	-	-	1	-	3
1994.....	88	-	-	-	-	-	-	-	-	-	3
1993.....	76	-	-	-	-	-	-	-	-	-	1
1992.....	90	-	-	-	-	-	-	1	-	-	2
1991.....	98	-	-	-	-	-	-	-	-	1	1
1990.....	100	-	-	-	-	-	-	-	-	3	1
1989.....	102	-	-	-	-	-	-	1	-	-	-
1988.....	95	-	-	-	-	1	-	-	-	-	2
1987.....	151	-	-	-	-	-	-	-	-	-	1
1986.....	135	-	-	-	-	-	-	-	2	-	-
1985.....	186	-	-	-	-	-	-	1	-	3	2
1984.....	206	-	-	-	-	-	-	-	1	1	2
1983.....	215	-	-	-	-	1	-	-	1	1	2
1982.....	235	-	-	-	-	-	1	-	-	-	3
1981.....	270	-	-	-	-	-	-	-	-	1	1
1980.....	275	-	-	-	-	-	1	-	-	2	1
1979.....	294	-	-	-	-	-	-	-	-	-	2
WHITE FEMALE											
1998.....	46	-	-	-	-	-	-	-	1	-	-
1997.....	70	-	-	-	-	-	-	-	-	-	-
1996.....	77	-	-	-	-	-	-	-	-	1	-
1995.....	92	-	-	-	-	-	-	-	-	3	1
1994.....	85	-	-	-	-	-	-	-	-	-	-
1993.....	63	-	-	-	-	-	-	-	-	-	1
1992.....	71	-	-	-	-	-	-	-	-	-	-
1991.....	90	-	-	-	-	-	-	-	-	1	5
1990.....	89	-	-	-	-	-	-	-	-	1	-
1989.....	105	-	-	-	-	-	-	-	-	-	-
1988.....	114	-	-	-	-	-	-	-	-	1	1
1987.....	135	-	-	-	-	-	-	-	-	1	1
1986.....	156	-	-	-	-	-	-	-	1	-	-
1985.....	188	-	-	-	-	-	-	-	-	-	3
1984.....	209	-	-	-	-	-	-	-	-	1	4
1983.....	212	-	-	-	-	-	-	-	1	1	-
1982.....	258	-	-	-	-	-	-	-	-	2	1
1981.....	263	-	-	-	-	-	1	-	1	-	2
1980.....	291	-	-	-	-	-	1	1	2	2	3
1979.....	326	-	-	-	-	1	1	-	-	3	2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 SIGMOID COLON (153.3)											
TOTAL, BOTH SEXES											
1998.....	658	-	-	-	-	-	-	1	1	3	11
1997.....	837	-	-	-	-	-	-	2	4	2	7
1996.....	776	-	-	-	-	-	1	1	3	1	5
1995.....	902	-	-	-	-	-	-	1	4	7	8
1994.....	956	-	-	-	-	1	-	1	3	8	19
1993.....	918	-	-	-	1	-	1	-	4	4	9
1992.....	982	-	-	-	-	1	-	-	2	5	8
1991.....	1,062	-	-	-	-	1	-	4	1	6	14
1990.....	1,071	-	-	-	-	-	-	1	7	7	12
1989.....	1,215	-	-	-	-	-	1	2	1	9	9
1988.....	1,347	-	-	-	-	1	-	1	2	5	12
1987.....	1,535	-	-	-	-	-	1	2	1	6	7
1986.....	1,562	-	-	-	-	-	1	1	2	7	12
1985.....	1,771	-	-	-	-	1	4	-	4	7	14
1984.....	1,930	-	-	-	-	-	1	2	4	7	14
1983.....	2,044	-	-	-	-	-	-	2	2	9	15
1982.....	2,246	-	-	-	-	-	-	2	2	12	21
1981.....	2,512	-	-	-	-	1	1	1	6	9	15
1980.....	2,700	-	-	-	-	1	2	3	8	9	31
1979.....	2,974	-	-	-	-	-	2	4	8	8	33
TOTAL, MALE											
1998.....	334	-	-	-	-	-	-	-	1	3	6
1997.....	440	-	-	-	-	-	-	1	2	2	4
1996.....	386	-	-	-	-	-	-	1	2	-	2
1995.....	450	-	-	-	-	-	-	-	3	6	5
1994.....	461	-	-	-	-	1	-	1	2	3	11
1993.....	463	-	-	-	1	-	-	-	3	1	6
1992.....	476	-	-	-	-	1	-	-	1	1	5
1991.....	502	-	-	-	-	1	-	2	-	3	7
1990.....	551	-	-	-	-	-	-	-	3	5	6
1989.....	593	-	-	-	-	-	-	2	1	4	2
1988.....	640	-	-	-	-	1	-	1	1	1	6
1987.....	749	-	-	-	-	-	1	1	1	2	4
1986.....	765	-	-	-	-	-	1	-	-	4	7
1985.....	895	-	-	-	-	1	1	-	1	3	8
1984.....	901	-	-	-	-	-	-	-	2	4	6
1983.....	1,026	-	-	-	-	-	-	-	1	5	6
1982.....	1,083	-	-	-	-	-	-	1	1	6	7
1981.....	1,199	-	-	-	-	1	-	-	3	3	9
1980.....	1,320	-	-	-	-	1	-	1	6	5	18
1979.....	1,444	-	-	-	-	-	-	4	2	5	14

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	
0 SIGMOID COLON (153.3)												
TOTAL, FEMALE												
1998.....	324	-	-	-	-	-	-	1	-	-	5	
1997.....	397	-	-	-	-	-	-	1	2	-	3	
1996.....	390	-	-	-	-	-	1	-	1	1	3	
1995.....	452	-	-	-	-	-	-	1	1	1	3	
1994.....	495	-	-	-	-	-	-	-	1	5	8	
1993.....	455	-	-	-	-	-	1	-	1	3	3	
1992.....	506	-	-	-	-	-	-	-	1	4	3	
1991.....	560	-	-	-	-	-	-	2	1	3	7	
1990.....	520	-	-	-	-	-	-	1	4	2	6	
1989.....	622	-	-	-	-	-	1	-	-	5	7	
1988.....	707	-	-	-	-	-	-	-	1	4	6	
1987.....	786	-	-	-	-	-	-	1	-	4	3	
1986.....	797	-	-	-	-	-	-	1	2	3	5	
1985.....	876	-	-	-	-	-	3	-	3	4	6	
1984.....	1,029	-	-	-	-	-	1	2	2	3	8	
1983.....	1,018	-	-	-	-	-	-	2	1	4	9	
1982.....	1,163	-	-	-	-	-	-	1	1	6	14	
1981.....	1,313	-	-	-	-	-	1	1	3	6	6	
1980.....	1,380	-	-	-	-	-	2	2	2	4	13	
1979.....	1,530	-	-	-	-	-	2	-	6	3	19	
WHITE, BOTH SEXES												
1998.....	556	-	-	-	-	-	-	1	-	2	10	
1997.....	740	-	-	-	-	-	-	2	3	1	4	
1996.....	679	-	-	-	-	-	1	1	2	1	4	
1995.....	800	-	-	-	-	-	-	1	3	7	5	
1994.....	843	-	-	-	-	-	-	1	3	6	15	
1993.....	814	-	-	-	-	-	1	-	3	4	7	
1992.....	867	-	-	-	-	-	-	-	2	4	7	
1991.....	954	-	-	-	-	1	-	3	-	4	14	
1990.....	962	-	-	-	-	-	-	1	5	5	11	
1989.....	1,088	-	-	-	-	-	-	2	1	6	7	
1988.....	1,220	-	-	-	-	-	-	-	1	5	8	
1987.....	1,406	-	-	-	-	-	1	2	1	5	7	
1986.....	1,406	-	-	-	-	-	1	1	1	6	7	
1985.....	1,602	-	-	-	-	1	3	-	3	6	12	
1984.....	1,754	-	-	-	-	-	1	2	3	5	12	
1983.....	1,895	-	-	-	-	-	-	2	1	9	14	
1982.....	2,060	-	-	-	-	-	-	1	2	11	19	
1981.....	2,299	-	-	-	-	-	1	-	5	8	14	
1980.....	2,505	-	-	-	-	1	2	3	7	7	27	
1979.....	2,746	-	-	-	-	-	1	4	5	8	29	

TABLE 292. DEATHS FOR 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 SIGMOID COLON (153.3)											
WHITE MALE											
1998.....	287	-	-	-	-	-	-	-	-	2	6
1997.....	389	-	-	-	-	-	-	1	2	1	2
1996.....	339	-	-	-	-	-	-	1	2	-	2
1995.....	399	-	-	-	-	-	-	-	3	6	3
1994.....	404	-	-	-	-	-	-	1	2	3	9
1993.....	415	-	-	-	-	-	-	-	2	1	5
1992.....	415	-	-	-	-	-	-	-	1	1	5
1991.....	459	-	-	-	-	1	-	2	-	2	7
1990.....	499	-	-	-	-	-	-	-	2	4	6
1989.....	520	-	-	-	-	-	-	2	1	3	1
1988.....	582	-	-	-	-	-	-	-	-	1	4
1987.....	684	-	-	-	-	-	1	1	1	2	4
1986.....	693	-	-	-	-	-	1	-	-	4	4
1985.....	807	-	-	-	-	1	-	-	1	2	6
1984.....	821	-	-	-	-	-	-	-	2	4	4
1983.....	954	-	-	-	-	-	-	-	1	5	6
1982.....	994	-	-	-	-	-	-	-	1	6	7
1981.....	1,093	-	-	-	-	-	-	-	2	3	9
1980.....	1,224	-	-	-	-	1	-	1	5	4	16
1979.....	1,330	-	-	-	-	-	-	4	1	5	12
WHITE FEMALE											
1998.....	269	-	-	-	-	-	-	1	-	-	4
1997.....	351	-	-	-	-	-	-	1	1	-	2
1996.....	340	-	-	-	-	-	1	-	-	1	2
1995.....	401	-	-	-	-	-	-	1	-	1	2
1994.....	439	-	-	-	-	-	-	-	1	3	6
1993.....	399	-	-	-	-	-	1	-	1	3	2
1992.....	452	-	-	-	-	-	-	-	1	3	2
1991.....	495	-	-	-	-	-	-	1	-	2	7
1990.....	463	-	-	-	-	-	-	1	3	1	5
1989.....	568	-	-	-	-	-	-	-	-	3	6
1988.....	638	-	-	-	-	-	-	-	1	4	4
1987.....	722	-	-	-	-	-	-	1	-	3	3
1986.....	713	-	-	-	-	-	-	1	1	2	3
1985.....	795	-	-	-	-	-	3	-	2	4	6
1984.....	933	-	-	-	-	-	1	2	1	1	8
1983.....	941	-	-	-	-	-	-	2	-	4	8
1982.....	1,066	-	-	-	-	-	-	1	1	5	12
1981.....	1,206	-	-	-	-	-	1	-	3	5	5
1980.....	1,281	-	-	-	-	-	2	2	2	3	11
1979.....	1,416	-	-	-	-	-	1	-	4	3	17

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 SIGMOID COLON (153.3)											
ALL OTHER, BOTH SEXES											
1998.....	102	-	-	-	-	-	-	-	1	1	1
1997.....	97	-	-	-	-	-	-	-	1	1	3
1996.....	97	-	-	-	-	-	-	-	1	-	1
1995.....	102	-	-	-	-	-	-	-	1	-	3
1994.....	113	-	-	-	-	1	-	-	-	2	4
1993.....	104	-	-	-	1	-	-	-	1	-	2
1992.....	115	-	-	-	-	1	-	-	-	1	1
1991.....	108	-	-	-	-	-	-	1	1	2	-
1990.....	109	-	-	-	-	-	-	-	2	2	1
1989.....	127	-	-	-	-	-	1	-	-	3	2
1988.....	127	-	-	-	-	1	-	1	1	-	4
1987.....	129	-	-	-	-	-	-	-	-	1	-
1986.....	156	-	-	-	-	-	-	-	1	1	5
1985.....	169	-	-	-	-	-	1	-	1	1	2
1984.....	176	-	-	-	-	-	-	-	1	2	2
1983.....	149	-	-	-	-	-	-	-	1	-	1
1982.....	186	-	-	-	-	-	-	1	-	1	2
1981.....	213	-	-	-	-	1	-	1	1	1	1
1980.....	195	-	-	-	-	-	-	-	1	2	4
1979.....	228	-	-	-	-	-	1	-	3	-	4
ALL OTHER MALE											
1998.....	47	-	-	-	-	-	-	-	1	1	-
1997.....	51	-	-	-	-	-	-	-	-	1	2
1996.....	47	-	-	-	-	-	-	-	-	-	-
1995.....	51	-	-	-	-	-	-	-	-	-	2
1994.....	57	-	-	-	-	1	-	-	-	-	2
1993.....	48	-	-	-	1	-	-	-	1	-	1
1992.....	61	-	-	-	-	1	-	-	-	-	-
1991.....	43	-	-	-	-	-	-	-	-	1	-
1990.....	52	-	-	-	-	-	-	-	1	1	-
1989.....	73	-	-	-	-	-	-	-	-	1	1
1988.....	58	-	-	-	-	1	-	1	1	-	2
1987.....	65	-	-	-	-	-	-	-	-	-	-
1986.....	72	-	-	-	-	-	-	-	-	-	3
1985.....	88	-	-	-	-	-	1	-	-	1	2
1984.....	80	-	-	-	-	-	-	-	-	-	2
1983.....	72	-	-	-	-	-	-	-	-	-	-
1982.....	89	-	-	-	-	-	-	1	-	-	-
1981.....	106	-	-	-	-	1	-	-	1	-	-
1980.....	96	-	-	-	-	-	-	-	1	1	2
1979.....	114	-	-	-	-	-	-	-	1	-	2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 SIGMOID COLON (153.3)											
ALL OTHER FEMALE											
1998.....	55	-	-	-	-	-	-	-	-	-	1
1997.....	46	-	-	-	-	-	-	-	1	-	1
1996.....	50	-	-	-	-	-	-	-	1	-	1
1995.....	51	-	-	-	-	-	-	-	1	-	1
1994.....	56	-	-	-	-	-	-	-	-	2	2
1993.....	56	-	-	-	-	-	-	-	-	-	1
1992.....	54	-	-	-	-	-	-	-	-	1	1
1991.....	65	-	-	-	-	-	-	1	1	1	-
1990.....	57	-	-	-	-	-	-	-	1	1	1
1989.....	54	-	-	-	-	-	1	-	-	2	1
1988.....	69	-	-	-	-	-	-	-	-	-	2
1987.....	64	-	-	-	-	-	-	-	-	1	-
1986.....	84	-	-	-	-	-	-	-	1	1	2
1985.....	81	-	-	-	-	-	-	-	1	-	-
1984.....	96	-	-	-	-	-	-	-	1	2	-
1983.....	77	-	-	-	-	-	-	-	1	-	1
1982.....	97	-	-	-	-	-	-	-	-	1	2
1981.....	107	-	-	-	-	-	-	1	-	1	1
1980.....	99	-	-	-	-	-	-	-	-	1	2
1979.....	114	-	-	-	-	-	1	-	2	-	2
BLACK, BOTH SEXES											
1998.....	60	-	-	-	-	-	-	-	1	1	-
1997.....	62	-	-	-	-	-	-	-	1	1	3
1996.....	59	-	-	-	-	-	-	-	-	-	-
1995.....	73	-	-	-	-	-	-	-	-	-	2
1994.....	77	-	-	-	-	-	-	-	-	1	4
1993.....	80	-	-	-	1	-	-	-	1	-	2
1992.....	90	-	-	-	-	1	-	-	-	1	-
1991.....	95	-	-	-	-	-	-	-	1	2	-
1990.....	89	-	-	-	-	-	-	-	1	1	-
1989.....	104	-	-	-	-	-	1	-	-	2	2
1988.....	101	-	-	-	-	-	-	1	1	-	2
1987.....	100	-	-	-	-	-	-	-	-	1	-
1986.....	137	-	-	-	-	-	-	-	1	1	4
1985.....	145	-	-	-	-	-	1	-	1	1	2
1984.....	146	-	-	-	-	-	-	-	1	1	2
1983.....	130	-	-	-	-	-	-	-	1	-	1
1982.....	162	-	-	-	-	-	-	1	-	1	2
1981.....	198	-	-	-	-	1	-	1	1	1	1
1980.....	175	-	-	-	-	-	-	-	1	1	4
1979.....	202	-	-	-	-	-	1	-	3	-	4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	
0 SIGMOID COLON (153.3)												
BLACK MALE												
1998.....	28	-	-	-	-	-	-	-	1	1	-	
1997.....	33	-	-	-	-	-	-	-	-	1	2	
1996.....	28	-	-	-	-	-	-	-	-	-	-	
1995.....	37	-	-	-	-	-	-	-	-	-	1	
1994.....	36	-	-	-	-	-	-	-	-	-	2	
1993.....	38	-	-	-	1	-	-	-	1	-	1	
1992.....	47	-	-	-	-	1	-	-	-	-	-	
1991.....	38	-	-	-	-	-	-	-	-	1	-	
1990.....	39	-	-	-	-	-	-	-	-	-	-	
1989.....	57	-	-	-	-	-	-	-	-	-	1	
1988.....	43	-	-	-	-	-	-	1	1	-	1	
1987.....	49	-	-	-	-	-	-	-	-	-	-	
1986.....	62	-	-	-	-	-	-	-	-	-	3	
1985.....	70	-	-	-	-	-	1	-	-	1	2	
1984.....	63	-	-	-	-	-	-	-	-	-	2	
1983.....	60	-	-	-	-	-	-	-	-	-	-	
1982.....	76	-	-	-	-	-	-	1	-	-	-	
1981.....	97	-	-	-	-	1	-	-	1	-	-	
1980.....	82	-	-	-	-	-	-	-	1	-	2	
1979.....	96	-	-	-	-	-	-	-	1	-	2	
BLACK FEMALE												
1998.....	32	-	-	-	-	-	-	-	-	-	-	
1997.....	29	-	-	-	-	-	-	-	1	-	1	
1996.....	31	-	-	-	-	-	-	-	-	-	-	
1995.....	36	-	-	-	-	-	-	-	-	-	1	
1994.....	41	-	-	-	-	-	-	-	-	1	2	
1993.....	42	-	-	-	-	-	-	-	-	-	1	
1992.....	43	-	-	-	-	-	-	-	-	1	-	
1991.....	57	-	-	-	-	-	-	-	1	1	-	
1990.....	50	-	-	-	-	-	-	-	1	1	-	
1989.....	47	-	-	-	-	-	1	-	-	2	1	
1988.....	58	-	-	-	-	-	-	-	-	-	1	
1987.....	51	-	-	-	-	-	-	-	-	1	-	
1986.....	75	-	-	-	-	-	-	-	1	1	1	
1985.....	75	-	-	-	-	-	-	-	1	-	-	
1984.....	83	-	-	-	-	-	-	-	1	1	-	
1983.....	70	-	-	-	-	-	-	-	1	-	1	
1982.....	86	-	-	-	-	-	-	-	-	1	2	
1981.....	101	-	-	-	-	-	-	1	-	1	1	
1980.....	93	-	-	-	-	-	-	-	-	1	2	
1979.....	106	-	-	-	-	-	1	-	2	-	2	

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 CECUM, APPENDIX, AND ASCENDING COLON (153.4-153.6)											
TOTAL, BOTH SEXES											
1998.....	1,248	-	-	-	-	-	-	6	2	13	24
1997.....	1,457	-	-	-	-	-	-	3	9	16	36
1996.....	1,466	-	-	-	-	-	-	4	6	20	23
1995.....	1,564	-	-	-	-	2	3	1	6	13	28
1994.....	1,552	-	-	-	-	-	-	3	4	14	26
1993.....	1,510	-	-	-	-	1	1	4	8	16	18
1992.....	1,575	-	-	-	-	-	1	3	6	15	30
1991.....	1,588	-	-	1	-	-	1	7	12	8	25
1990.....	1,774	-	-	-	-	-	-	2	8	10	27
1989.....	1,843	-	-	-	-	-	-	2	8	12	11
1988.....	1,965	-	-	-	-	-	1	4	8	20	21
1987.....	2,108	-	-	-	-	-	1	1	9	13	31
1986.....	2,254	-	-	-	-	1	2	7	6	17	17
1985.....	2,592	-	-	-	-	-	2	4	11	15	23
1984.....	2,704	-	-	-	-	1	1	3	12	15	24
1983.....	2,834	-	-	-	-	-	1	4	5	20	32
1982.....	3,048	-	-	1	1	1	2	6	14	18	26
1981.....	3,138	-	-	-	-	-	1	7	8	17	17
1980.....	3,465	-	-	-	-	1	3	7	15	17	30
1979.....	3,589	-	-	-	-	1	1	3	8	25	32
TOTAL, MALE											
1998.....	549	-	-	-	-	-	-	3	2	7	13
1997.....	639	-	-	-	-	-	-	2	9	9	20
1996.....	645	-	-	-	-	-	-	1	5	10	9
1995.....	719	-	-	-	-	-	3	-	5	7	16
1994.....	646	-	-	-	-	-	-	3	1	7	12
1993.....	657	-	-	-	-	1	1	1	5	7	11
1992.....	684	-	-	-	-	-	-	2	3	9	18
1991.....	666	-	-	1	-	-	1	3	5	3	13
1990.....	772	-	-	-	-	-	-	2	3	4	15
1989.....	788	-	-	-	-	-	-	1	6	6	8
1988.....	849	-	-	-	-	-	1	2	6	7	13
1987.....	892	-	-	-	-	-	-	1	5	7	15
1986.....	982	-	-	-	-	1	1	4	4	12	11
1985.....	1,173	-	-	-	-	-	-	3	8	7	16
1984.....	1,122	-	-	-	-	-	1	2	10	5	9
1983.....	1,244	-	-	-	-	-	-	2	3	14	16
1982.....	1,301	-	-	1	1	-	1	2	7	11	12
1981.....	1,324	-	-	-	-	-	-	5	5	11	9
1980.....	1,452	-	-	-	-	-	2	5	6	11	18
1979.....	1,565	-	-	-	-	-	1	-	4	15	20

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 CECUM, APPENDIX, AND ASCENDING COLON (153.4-153.6)											
TOTAL, FEMALE											
1998.....	699	-	-	-	-	-	-	3	-	6	11
1997.....	818	-	-	-	-	-	-	1	-	7	16
1996.....	821	-	-	-	-	-	-	3	1	10	14
1995.....	845	-	-	-	-	2	-	1	1	6	12
1994.....	906	-	-	-	-	-	-	-	3	7	14
1993.....	853	-	-	-	-	-	-	3	3	9	7
1992.....	891	-	-	-	-	-	1	1	3	6	12
1991.....	922	-	-	-	-	-	-	4	7	5	12
1990.....	1,002	-	-	-	-	-	-	-	5	6	12
1989.....	1,055	-	-	-	-	-	-	1	2	6	3
1988.....	1,116	-	-	-	-	-	-	2	2	13	8
1987.....	1,216	-	-	-	-	-	1	-	4	6	16
1986.....	1,272	-	-	-	-	-	1	3	2	5	6
1985.....	1,419	-	-	-	-	-	2	1	3	8	7
1984.....	1,582	-	-	-	-	1	-	1	2	10	15
1983.....	1,590	-	-	-	-	-	1	2	2	6	16
1982.....	1,747	-	-	-	-	1	1	4	7	7	14
1981.....	1,814	-	-	-	-	-	-	2	3	6	8
1980.....	2,013	-	-	-	-	1	1	2	9	6	12
1979.....	2,024	-	-	-	-	1	-	3	4	10	12
WHITE, BOTH SEXES											
1998.....	1,103	-	-	-	-	-	-	4	2	10	21
1997.....	1,274	-	-	-	-	-	-	3	7	10	32
1996.....	1,314	-	-	-	-	-	-	2	3	13	20
1995.....	1,373	-	-	-	-	1	3	-	5	8	23
1994.....	1,386	-	-	-	-	-	-	1	2	12	24
1993.....	1,329	-	-	-	-	1	1	3	6	13	15
1992.....	1,397	-	-	-	-	-	1	2	5	9	23
1991.....	1,427	-	-	1	-	-	1	6	12	8	23
1990.....	1,563	-	-	-	-	-	-	2	4	9	27
1989.....	1,660	-	-	-	-	-	-	2	5	7	9
1988.....	1,758	-	-	-	-	-	-	4	7	13	19
1987.....	1,896	-	-	-	-	-	1	1	8	9	28
1986.....	2,046	-	-	-	-	-	2	6	5	15	14
1985.....	2,324	-	-	-	-	-	2	1	10	11	20
1984.....	2,455	-	-	-	-	1	1	3	10	11	19
1983.....	2,577	-	-	-	-	-	1	3	4	18	22
1982.....	2,763	-	-	1	1	1	1	4	12	16	17
1981.....	2,861	-	-	-	-	-	-	6	5	11	12
1980.....	3,184	-	-	-	-	-	3	6	12	15	24
1979.....	3,286	-	-	-	-	-	1	3	7	17	30

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	
0 CECUM, APPENDIX, AND ASCENDING COLON (153.4-153.6)												
WHITE MALE												
1998.....	489	-	-	-	-	-	-	1	2	6	12	
1997.....	555	-	-	-	-	-	-	2	7	7	18	
1996.....	575	-	-	-	-	-	-	1	2	7	8	
1995.....	628	-	-	-	-	-	3	-	4	4	12	
1994.....	578	-	-	-	-	-	-	1	1	7	11	
1993.....	580	-	-	-	-	1	1	1	4	5	9	
1992.....	608	-	-	-	-	-	-	1	2	6	15	
1991.....	600	-	-	1	-	-	1	3	5	3	11	
1990.....	683	-	-	-	-	-	-	2	3	4	15	
1989.....	702	-	-	-	-	-	-	1	3	3	7	
1988.....	766	-	-	-	-	-	-	2	6	5	12	
1987.....	803	-	-	-	-	-	-	1	5	5	14	
1986.....	886	-	-	-	-	-	1	4	4	10	9	
1985.....	1,046	-	-	-	-	-	-	1	7	6	14	
1984.....	1,016	-	-	-	-	-	1	2	8	3	8	
1983.....	1,120	-	-	-	-	-	-	2	3	12	11	
1982.....	1,195	-	-	1	1	-	-	1	6	9	8	
1981.....	1,193	-	-	-	-	-	1	5	4	7	6	
1980.....	1,334	-	-	-	-	-	2	4	4	10	16	
1979.....	1,421	-	-	-	-	-	1	-	3	11	19	
WHITE FEMALE												
1998.....	614	-	-	-	-	-	-	3	-	4	9	
1997.....	719	-	-	-	-	-	-	1	-	3	14	
1996.....	739	-	-	-	-	-	-	1	1	6	12	
1995.....	745	-	-	-	-	1	-	-	1	4	11	
1994.....	808	-	-	-	-	-	-	-	1	5	13	
1993.....	749	-	-	-	-	-	-	2	2	8	6	
1992.....	789	-	-	-	-	-	1	1	3	3	8	
1991.....	827	-	-	-	-	-	-	3	7	5	12	
1990.....	880	-	-	-	-	-	-	-	1	5	12	
1989.....	958	-	-	-	-	-	-	1	2	4	2	
1988.....	992	-	-	-	-	-	-	2	1	8	7	
1987.....	1,093	-	-	-	-	-	1	-	3	4	14	
1986.....	1,160	-	-	-	-	-	1	2	1	5	5	
1985.....	1,278	-	-	-	-	-	2	-	3	5	6	
1984.....	1,439	-	-	-	-	1	-	1	2	8	11	
1983.....	1,457	-	-	-	-	-	1	1	1	6	11	
1982.....	1,568	-	-	-	-	1	1	3	6	7	9	
1981.....	1,668	-	-	-	-	-	-	1	1	4	6	
1980.....	1,850	-	-	-	-	-	1	2	8	5	8	
1979.....	1,865	-	-	-	-	-	-	3	4	6	11	

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 CECUM, APPENDIX, AND ASCENDING COLON (153.4-153.6)											
ALL OTHER, BOTH SEXES											
1998.....	145	-	-	-	-	-	-	2	-	3	3
1997.....	183	-	-	-	-	-	-	-	2	6	4
1996.....	152	-	-	-	-	-	-	2	3	7	3
1995.....	191	-	-	-	-	1	-	1	1	5	5
1994.....	166	-	-	-	-	-	-	2	2	2	2
1993.....	181	-	-	-	-	-	-	1	2	3	3
1992.....	178	-	-	-	-	-	-	1	1	6	7
1991.....	161	-	-	-	-	-	-	1	-	-	2
1990.....	211	-	-	-	-	-	-	-	4	1	-
1989.....	183	-	-	-	-	-	-	-	3	5	2
1988.....	207	-	-	-	-	-	1	-	1	7	2
1987.....	212	-	-	-	-	-	-	-	1	4	3
1986.....	208	-	-	-	-	1	-	1	1	2	3
1985.....	268	-	-	-	-	-	-	3	1	4	3
1984.....	249	-	-	-	-	-	-	-	2	4	5
1983.....	257	-	-	-	-	-	-	1	1	2	10
1982.....	285	-	-	-	-	-	1	2	2	2	9
1981.....	277	-	-	-	-	-	-	1	3	6	5
1980.....	281	-	-	-	-	1	-	1	3	2	6
1979.....	303	-	-	-	-	1	-	-	1	8	2
ALL OTHER MALE											
1998.....	60	-	-	-	-	-	-	2	-	1	1
1997.....	84	-	-	-	-	-	-	-	2	2	2
1996.....	70	-	-	-	-	-	-	-	3	3	1
1995.....	91	-	-	-	-	-	-	-	1	3	4
1994.....	68	-	-	-	-	-	-	2	-	-	1
1993.....	77	-	-	-	-	-	-	-	1	2	2
1992.....	76	-	-	-	-	-	-	1	1	3	3
1991.....	66	-	-	-	-	-	-	-	-	-	2
1990.....	89	-	-	-	-	-	-	-	-	-	-
1989.....	86	-	-	-	-	-	-	-	3	3	1
1988.....	83	-	-	-	-	-	1	-	-	2	1
1987.....	89	-	-	-	-	-	-	-	-	2	1
1986.....	96	-	-	-	-	1	-	-	-	2	2
1985.....	127	-	-	-	-	-	-	2	1	1	2
1984.....	106	-	-	-	-	-	-	-	2	2	1
1983.....	124	-	-	-	-	-	-	-	-	2	5
1982.....	106	-	-	-	-	-	1	1	1	2	4
1981.....	131	-	-	-	-	-	-	-	1	4	3
1980.....	118	-	-	-	-	-	-	1	2	1	2
1979.....	144	-	-	-	-	-	-	-	1	4	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 CECUM, APPENDIX, AND ASCENDING COLON (153.4-153.6)											
ALL OTHER FEMALE											
1998.....	85	-	-	-	-	-	-	-	-	2	2
1997.....	99	-	-	-	-	-	-	-	-	4	2
1996.....	82	-	-	-	-	-	-	2	-	4	2
1995.....	100	-	-	-	-	1	-	1	-	2	1
1994.....	98	-	-	-	-	-	-	-	2	2	1
1993.....	104	-	-	-	-	-	-	1	1	1	1
1992.....	102	-	-	-	-	-	-	-	-	3	4
1991.....	95	-	-	-	-	-	-	1	-	-	-
1990.....	122	-	-	-	-	-	-	-	4	1	-
1989.....	97	-	-	-	-	-	-	-	-	2	1
1988.....	124	-	-	-	-	-	-	-	1	5	1
1987.....	123	-	-	-	-	-	-	-	1	2	2
1986.....	112	-	-	-	-	-	-	1	1	-	1
1985.....	141	-	-	-	-	-	-	1	-	3	1
1984.....	143	-	-	-	-	-	-	-	-	2	4
1983.....	133	-	-	-	-	-	-	1	1	-	5
1982.....	179	-	-	-	-	-	-	1	1	-	5
1981.....	146	-	-	-	-	-	-	1	2	2	2
1980.....	163	-	-	-	-	1	-	-	1	1	4
1979.....	159	-	-	-	-	1	-	-	-	4	1
BLACK, BOTH SEXES											
1998.....	105	-	-	-	-	-	-	1	-	3	3
1997.....	157	-	-	-	-	-	-	-	2	5	3
1996.....	125	-	-	-	-	-	-	1	3	6	3
1995.....	151	-	-	-	-	1	-	-	1	3	3
1994.....	131	-	-	-	-	-	-	2	2	2	2
1993.....	143	-	-	-	-	-	-	1	1	2	2
1992.....	145	-	-	-	-	-	-	1	1	6	5
1991.....	142	-	-	-	-	-	-	1	-	-	1
1990.....	181	-	-	-	-	-	-	-	3	-	-
1989.....	163	-	-	-	-	-	-	-	3	5	1
1988.....	181	-	-	-	-	-	1	-	1	6	2
1987.....	188	-	-	-	-	-	-	-	1	4	3
1986.....	191	-	-	-	-	1	-	1	1	2	2
1985.....	246	-	-	-	-	-	-	2	1	4	3
1984.....	220	-	-	-	-	-	-	-	2	3	5
1983.....	239	-	-	-	-	-	-	1	1	1	9
1982.....	268	-	-	-	-	-	1	2	2	2	8
1981.....	258	-	-	-	-	-	-	1	3	6	5
1980.....	257	-	-	-	-	1	-	1	3	2	5
1979.....	287	-	-	-	-	1	-	-	1	8	2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	
0 CECUM, APPENDIX, AND ASCENDING COLON (153.4-153.6)												
BLACK MALE												
1998.....	45	-	-	-	-	-	-	1	-	1	1	
1997.....	70	-	-	-	-	-	-	-	2	2	1	
1996.....	59	-	-	-	-	-	-	-	3	3	1	
1995.....	70	-	-	-	-	-	-	-	1	2	2	
1994.....	56	-	-	-	-	-	-	2	-	-	1	
1993.....	55	-	-	-	-	-	-	-	-	2	1	
1992.....	63	-	-	-	-	-	-	1	1	3	3	
1991.....	53	-	-	-	-	-	-	-	-	-	1	
1990.....	75	-	-	-	-	-	-	-	-	-	-	
1989.....	75	-	-	-	-	-	-	-	3	3	-	
1988.....	70	-	-	-	-	-	1	-	-	2	1	
1987.....	77	-	-	-	-	-	-	-	-	2	1	
1986.....	85	-	-	-	-	1	-	-	-	2	1	
1985.....	112	-	-	-	-	-	-	2	1	1	2	
1984.....	97	-	-	-	-	-	-	-	2	1	1	
1983.....	113	-	-	-	-	-	-	-	-	1	4	
1982.....	99	-	-	-	-	-	1	1	1	2	4	
1981.....	121	-	-	-	-	-	-	-	1	4	3	
1980.....	104	-	-	-	-	-	-	1	2	1	2	
1979.....	134	-	-	-	-	-	-	-	1	4	1	
BLACK FEMALE												
1998.....	60	-	-	-	-	-	-	-	-	2	2	
1997.....	87	-	-	-	-	-	-	-	-	3	2	
1996.....	66	-	-	-	-	-	-	1	-	3	2	
1995.....	81	-	-	-	-	1	-	-	-	1	1	
1994.....	75	-	-	-	-	-	-	-	2	2	1	
1993.....	88	-	-	-	-	-	-	1	1	-	1	
1992.....	82	-	-	-	-	-	-	-	-	3	2	
1991.....	89	-	-	-	-	-	-	1	-	-	-	
1990.....	106	-	-	-	-	-	-	-	3	-	-	
1989.....	88	-	-	-	-	-	-	-	-	2	1	
1988.....	111	-	-	-	-	-	-	-	1	4	1	
1987.....	111	-	-	-	-	-	-	-	1	2	2	
1986.....	106	-	-	-	-	-	-	1	1	-	1	
1985.....	134	-	-	-	-	-	-	-	-	3	1	
1984.....	123	-	-	-	-	-	-	-	-	2	4	
1983.....	126	-	-	-	-	-	-	1	1	-	5	
1982.....	169	-	-	-	-	-	-	1	1	-	4	
1981.....	137	-	-	-	-	-	-	1	2	2	2	
1980.....	153	-	-	-	-	1	-	-	1	1	3	
1979.....	153	-	-	-	-	1	-	-	-	4	1	

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER AND COLON, UNSPECIFIED (153.8-153.9)											
TOTAL, BOTH SEXES											
1998.....	46,016	-	-	-	3	6	29	62	155	302	626
1997.....	45,463	-	-	-	2	13	30	59	158	310	583
1996.....	45,346	-	-	-	2	7	28	60	148	290	588
1995.....	45,971	2	-	-	3	9	23	75	149	296	636
1994.....	45,768	-	-	-	2	17	31	64	174	306	605
1993.....	45,928	-	-	-	7	8	22	74	141	317	576
1992.....	45,344	2	-	-	3	9	26	72	140	306	631
1991.....	45,099	-	1	1	1	8	32	56	164	325	548
1990.....	45,375	-	-	-	-	8	24	89	156	325	545
1989.....	45,012	-	1	-	1	11	40	68	143	286	529
1988.....	44,343	-	-	-	1	13	28	60	170	335	549
1987.....	44,026	1	-	-	2	9	26	78	176	322	508
1986.....	43,307	-	-	1	1	7	43	87	149	298	476
1985.....	43,011	-	-	2	3	10	25	64	175	317	498
1984.....	42,294	3	-	-	-	6	22	80	161	283	487
1983.....	40,287	3	1	-	-	10	41	77	168	250	452
1982.....	38,900	3	2	2	3	13	40	93	138	264	449
1981.....	37,632	1	2	2	2	14	39	85	139	248	433
1980.....	36,658	-	1	1	2	12	40	72	133	252	441
1979.....	35,111	-	-	-	4	8	21	92	144	230	427
TOTAL, MALE											
1998.....	22,343	-	-	-	1	6	14	33	82	153	321
1997.....	22,189	-	-	-	2	9	25	33	83	154	301
1996.....	22,109	-	-	-	1	2	19	33	78	144	298
1995.....	22,318	-	-	-	3	5	14	36	77	150	327
1994.....	22,486	-	-	-	1	13	21	38	97	172	308
1993.....	22,366	-	-	-	2	3	16	49	82	156	299
1992.....	22,272	1	-	-	2	6	16	36	76	154	325
1991.....	22,149	-	-	1	1	6	19	34	87	180	273
1990.....	22,370	-	-	-	-	3	16	43	79	182	285
1989.....	22,045	-	-	-	1	5	17	44	76	161	274
1988.....	21,718	-	-	-	-	5	18	34	89	185	297
1987.....	21,713	1	-	-	2	5	15	43	101	176	273
1986.....	21,071	-	-	1	1	5	24	46	75	162	250
1985.....	20,874	-	-	1	1	8	12	39	79	166	272
1984.....	20,462	1	-	-	-	4	13	56	103	144	262
1983.....	19,626	1	-	-	-	6	24	44	88	128	240
1982.....	18,850	2	-	1	2	5	17	56	82	145	233
1981.....	18,203	-	2	-	2	13	22	50	81	137	211
1980.....	17,721	-	-	1	2	6	25	40	62	132	231
1979.....	16,746	-	-	-	3	6	14	56	84	112	219

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER AND COLON, UNSPECIFIED (153.8-153.9)											
TOTAL, FEMALE											
1998.....	23,673	-	-	-	2	-	15	29	73	149	305
1997.....	23,274	-	-	-	-	4	5	26	75	156	282
1996.....	23,237	-	-	-	1	5	9	27	70	146	290
1995.....	23,653	2	-	-	-	4	9	39	72	146	309
1994.....	23,282	-	-	-	1	4	10	26	77	134	297
1993.....	23,562	-	-	-	5	5	6	25	59	161	277
1992.....	23,072	1	-	-	1	3	10	36	64	152	306
1991.....	22,950	-	1	-	-	2	13	22	77	145	275
1990.....	23,005	-	-	-	-	5	8	46	77	143	260
1989.....	22,967	-	1	-	-	6	23	24	67	125	255
1988.....	22,625	-	-	-	1	8	10	26	81	150	252
1987.....	22,313	-	-	-	-	4	11	35	75	146	235
1986.....	22,236	-	-	-	-	2	19	41	74	136	226
1985.....	22,137	-	-	1	2	2	13	25	96	151	226
1984.....	21,832	2	-	-	-	2	9	24	58	139	225
1983.....	20,661	2	1	-	-	4	17	33	80	122	212
1982.....	20,050	1	2	1	1	8	23	37	56	119	216
1981.....	19,429	1	-	2	-	1	17	35	58	111	222
1980.....	18,937	-	1	-	-	6	15	32	71	120	210
1979.....	18,365	-	-	-	1	2	7	36	60	118	208
WHITE, BOTH SEXES											
1998.....	39,699	-	-	-	2	5	20	41	113	207	478
1997.....	39,345	-	-	-	-	11	24	41	107	211	440
1996.....	39,382	-	-	-	2	5	15	46	105	215	458
1995.....	40,025	-	-	-	3	4	17	58	106	228	472
1994.....	39,960	-	-	-	-	11	22	45	123	230	447
1993.....	40,241	-	-	-	3	3	14	49	116	254	454
1992.....	39,931	2	-	-	3	5	19	50	102	237	487
1991.....	39,684	-	1	1	1	5	21	45	132	242	439
1990.....	39,968	-	-	-	-	6	15	64	116	255	430
1989.....	39,782	-	-	-	1	6	25	53	107	236	424
1988.....	39,372	-	-	-	1	9	19	38	124	253	436
1987.....	39,105	1	-	-	2	6	16	55	129	254	417
1986.....	38,605	-	-	1	-	5	29	67	122	231	391
1985.....	38,310	-	-	1	-	3	17	53	131	257	409
1984.....	37,884	1	-	-	-	5	16	60	122	236	411
1983.....	36,181	3	1	-	-	8	27	62	124	208	371
1982.....	34,947	1	2	2	3	6	26	76	108	215	368
1981.....	33,877	-	2	2	2	10	31	63	114	201	357
1980.....	33,087	-	1	1	1	7	24	62	105	226	363
1979.....	31,689	-	-	-	2	5	17	77	117	170	353

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER AND COLON, UNSPECIFIED (153.8-153.9)											
WHITE MALE											
1998.....	19,384	-	-	-	1	5	12	20	59	107	247
1997.....	19,287	-	-	-	-	8	19	21	56	105	235
1996.....	19,325	-	-	-	1	2	10	27	54	110	228
1995.....	19,512	-	-	-	3	3	9	25	54	119	248
1994.....	19,728	-	-	-	-	8	17	23	68	139	231
1993.....	19,710	-	-	-	-	1	11	34	64	124	239
1992.....	19,708	1	-	-	2	3	12	24	60	123	251
1991.....	19,620	-	-	1	1	3	16	27	70	138	227
1990.....	19,785	-	-	-	-	3	8	29	55	141	233
1989.....	19,580	-	-	-	1	3	11	35	58	135	218
1988.....	19,389	-	-	-	-	3	12	21	70	145	250
1987.....	19,408	1	-	-	2	3	7	33	77	143	222
1986.....	18,860	-	-	1	-	4	18	34	60	122	212
1985.....	18,697	-	-	-	-	3	10	31	59	135	230
1984.....	18,364	1	-	-	-	4	9	43	81	118	224
1983.....	17,700	1	-	-	-	5	16	34	68	106	198
1982.....	16,942	1	-	1	2	2	11	48	64	118	196
1981.....	16,484	-	2	-	2	9	19	38	68	107	178
1980.....	16,023	-	-	1	1	3	16	36	50	120	196
1979.....	15,219	-	-	-	1	4	11	46	71	77	185
WHITE FEMALE											
1998.....	20,315	-	-	-	1	-	8	21	54	100	231
1997.....	20,058	-	-	-	-	3	5	20	51	106	205
1996.....	20,057	-	-	-	1	3	5	19	51	105	230
1995.....	20,513	-	-	-	-	1	8	33	52	109	224
1994.....	20,232	-	-	-	-	3	5	22	55	91	216
1993.....	20,531	-	-	-	3	2	3	15	52	130	215
1992.....	20,223	1	-	-	1	2	7	26	42	114	236
1991.....	20,064	-	1	-	-	2	5	18	62	104	212
1990.....	20,183	-	-	-	-	3	7	35	61	114	197
1989.....	20,202	-	-	-	-	3	14	18	49	101	206
1988.....	19,983	-	-	-	1	6	7	17	54	108	186
1987.....	19,697	-	-	-	-	3	9	22	52	111	195
1986.....	19,745	-	-	-	-	1	11	33	62	109	179
1985.....	19,613	-	-	1	-	-	7	22	72	122	179
1984.....	19,520	-	-	-	-	1	7	17	41	118	187
1983.....	18,481	2	1	-	-	3	11	28	56	102	173
1982.....	18,005	-	2	1	1	4	15	28	44	97	172
1981.....	17,393	-	-	2	-	1	12	25	46	94	179
1980.....	17,064	-	1	-	-	4	8	26	55	106	167
1979.....	16,470	-	-	-	1	1	6	31	46	93	168

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER AND COLON, UNSPECIFIED (153.8-153.9)											
ALL OTHER, BOTH SEXES											
1998.....	6,317	-	-	-	1	1	9	21	42	95	148
1997.....	6,118	-	-	-	2	2	6	18	51	99	143
1996.....	5,964	-	-	-	-	2	13	14	43	75	130
1995.....	5,946	2	-	-	-	5	6	17	43	68	164
1994.....	5,808	-	-	-	2	6	9	19	51	76	158
1993.....	5,687	-	-	-	4	5	8	25	25	63	122
1992.....	5,413	-	-	-	-	4	7	22	38	69	144
1991.....	5,415	-	-	-	-	3	11	11	32	83	109
1990.....	5,407	-	-	-	-	2	9	25	40	70	115
1989.....	5,230	-	1	-	-	5	15	15	36	50	105
1988.....	4,971	-	-	-	-	4	9	22	46	82	113
1987.....	4,921	-	-	-	-	3	10	23	47	68	91
1986.....	4,702	-	-	-	1	2	14	20	27	67	85
1985.....	4,701	-	-	1	3	7	8	11	44	60	89
1984.....	4,410	2	-	-	-	1	6	20	39	47	76
1983.....	4,106	-	-	-	-	2	14	15	44	42	81
1982.....	3,953	2	-	-	-	7	14	17	30	49	81
1981.....	3,755	1	-	-	-	4	8	22	25	47	76
1980.....	3,571	-	-	-	1	5	16	10	28	26	78
1979.....	3,422	-	-	-	2	3	4	15	27	60	74
ALL OTHER MALE											
1998.....	2,959	-	-	-	-	1	2	13	23	46	74
1997.....	2,902	-	-	-	2	1	6	12	27	49	66
1996.....	2,784	-	-	-	-	-	9	6	24	34	70
1995.....	2,806	-	-	-	-	2	5	11	23	31	79
1994.....	2,758	-	-	-	1	5	4	15	29	33	77
1993.....	2,656	-	-	-	2	2	5	15	18	32	60
1992.....	2,564	-	-	-	-	3	4	12	16	31	74
1991.....	2,529	-	-	-	-	3	3	7	17	42	46
1990.....	2,585	-	-	-	-	-	8	14	24	41	52
1989.....	2,465	-	-	-	-	2	6	9	18	26	56
1988.....	2,329	-	-	-	-	2	6	13	19	40	47
1987.....	2,305	-	-	-	-	2	8	10	24	33	51
1986.....	2,211	-	-	-	1	1	6	12	15	40	38
1985.....	2,177	-	-	1	1	5	2	8	20	31	42
1984.....	2,098	-	-	-	-	-	4	13	22	26	38
1983.....	1,926	-	-	-	-	1	8	10	20	22	42
1982.....	1,908	1	-	-	-	3	6	8	18	27	37
1981.....	1,719	-	-	-	-	4	3	12	13	30	33
1980.....	1,698	-	-	-	1	3	9	4	12	12	35
1979.....	1,527	-	-	-	2	2	3	10	13	35	34

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER AND COLON, UNSPECIFIED (153.8-153.9)											
ALL OTHER FEMALE											
1998.....	3,358	-	-	-	1	-	7	8	19	49	74
1997.....	3,216	-	-	-	-	1	-	6	24	50	77
1996.....	3,180	-	-	-	-	2	4	8	19	41	60
1995.....	3,140	2	-	-	-	3	1	6	20	37	85
1994.....	3,050	-	-	-	1	1	5	4	22	43	81
1993.....	3,031	-	-	-	2	3	3	10	7	31	62
1992.....	2,849	-	-	-	-	1	3	10	22	38	70
1991.....	2,886	-	-	-	-	-	8	4	15	41	63
1990.....	2,822	-	-	-	-	2	1	11	16	29	63
1989.....	2,765	-	1	-	-	3	9	6	18	24	49
1988.....	2,642	-	-	-	-	2	3	9	27	42	66
1987.....	2,616	-	-	-	-	1	2	13	23	35	40
1986.....	2,491	-	-	-	-	1	8	8	12	27	47
1985.....	2,524	-	-	-	2	2	6	3	24	29	47
1984.....	2,312	2	-	-	-	1	2	7	17	21	38
1983.....	2,180	-	-	-	-	1	6	5	24	20	39
1982.....	2,045	1	-	-	-	4	8	9	12	22	44
1981.....	2,036	1	-	-	-	-	5	10	12	17	43
1980.....	1,873	-	-	-	-	2	7	6	16	14	43
1979.....	1,895	-	-	-	-	1	1	5	14	25	40
BLACK, BOTH SEXES											
1998.....	5,511	-	-	-	1	1	5	16	34	81	124
1997.....	5,397	-	-	-	1	-	3	14	39	79	118
1996.....	5,260	-	-	-	-	2	9	13	39	69	115
1995.....	5,301	2	-	-	-	3	5	14	32	60	139
1994.....	5,181	-	-	-	2	4	6	18	46	67	140
1993.....	5,099	-	-	-	3	5	5	22	20	57	104
1992.....	4,864	-	-	-	-	4	7	17	31	61	132
1991.....	4,882	-	-	-	-	3	8	10	26	77	94
1990.....	4,920	-	-	-	-	2	7	24	34	63	99
1989.....	4,736	-	-	-	-	3	14	13	34	43	97
1988.....	4,532	-	-	-	-	4	8	19	43	72	104
1987.....	4,496	-	-	-	-	3	10	21	40	59	77
1986.....	4,320	-	-	-	1	2	12	18	23	62	76
1985.....	4,315	-	-	1	3	7	6	9	39	53	75
1984.....	4,067	1	-	-	-	1	6	20	32	46	67
1983.....	3,808	-	-	-	-	1	11	12	38	33	74
1982.....	3,681	-	-	-	-	6	13	16	28	47	73
1981.....	3,487	-	-	-	-	4	8	20	18	44	73
1980.....	3,332	-	-	-	1	5	15	10	24	22	73
1979.....	3,186	-	-	-	2	1	4	13	25	56	72

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER AND COLON, UNSPECIFIED (153.8-153.9)											
BLACK MALE											
1998.....	2,530	-	-	-	-	1	1	8	19	38	63
1997.....	2,533	-	-	-	1	-	3	10	21	38	54
1996.....	2,427	-	-	-	-	-	6	6	23	30	63
1995.....	2,468	-	-	-	-	1	4	10	20	25	67
1994.....	2,421	-	-	-	1	4	3	14	27	29	69
1993.....	2,360	-	-	-	2	2	3	13	15	28	53
1992.....	2,282	-	-	-	-	3	4	10	13	26	70
1991.....	2,243	-	-	-	-	3	3	7	14	38	41
1990.....	2,327	-	-	-	-	-	6	14	18	38	46
1989.....	2,193	-	-	-	-	2	5	8	16	23	51
1988.....	2,091	-	-	-	-	2	6	12	18	35	44
1987.....	2,065	-	-	-	-	2	8	9	21	27	43
1986.....	1,988	-	-	-	1	1	5	11	12	37	34
1985.....	1,952	-	-	1	1	5	2	7	18	28	35
1984.....	1,910	-	-	-	-	-	4	13	18	26	34
1983.....	1,756	-	-	-	-	1	6	7	15	20	39
1982.....	1,750	-	-	-	-	2	5	7	17	26	35
1981.....	1,569	-	-	-	-	4	3	10	8	28	32
1980.....	1,560	-	-	-	1	3	9	4	11	9	32
1979.....	1,402	-	-	-	2	-	3	8	12	34	33
BLACK FEMALE											
1998.....	2,981	-	-	-	1	-	4	8	15	43	61
1997.....	2,864	-	-	-	-	-	-	4	18	41	64
1996.....	2,833	-	-	-	-	2	3	7	16	39	52
1995.....	2,833	2	-	-	-	2	1	4	12	35	72
1994.....	2,760	-	-	-	1	-	3	4	19	38	71
1993.....	2,739	-	-	-	1	3	2	9	5	29	51
1992.....	2,582	-	-	-	-	1	3	7	18	35	62
1991.....	2,639	-	-	-	-	-	5	3	12	39	53
1990.....	2,593	-	-	-	-	2	1	10	16	25	53
1989.....	2,543	-	-	-	-	1	9	5	18	20	46
1988.....	2,441	-	-	-	-	2	2	7	25	37	60
1987.....	2,431	-	-	-	-	1	2	12	19	32	34
1986.....	2,332	-	-	-	-	1	7	7	11	25	42
1985.....	2,363	-	-	-	2	2	4	2	21	25	40
1984.....	2,157	1	-	-	-	1	2	7	14	20	33
1983.....	2,052	-	-	-	-	-	5	5	23	13	35
1982.....	1,931	-	-	-	-	4	8	9	11	21	38
1981.....	1,918	-	-	-	-	-	5	10	10	16	41
1980.....	1,772	-	-	-	-	2	6	6	13	13	41
1979.....	1,784	-	-	-	-	1	1	5	13	22	39

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF RECTUM, RECTOSIGMOID JUNCTION, AND ANUS (154)											
TOTAL, BOTH SEXES											
1998.....	8,587	-	-	-	-	5	11	21	44	112	189
1997.....	8,392	-	1	-	-	3	3	18	49	102	187
1996.....	8,592	-	-	-	-	4	4	26	47	117	173
1995.....	8,463	-	-	-	-	3	5	17	58	89	179
1994.....	8,358	-	-	-	-	1	10	18	51	82	162
1993.....	8,233	-	-	-	-	2	10	26	37	86	172
1992.....	8,167	-	-	-	-	2	9	20	42	79	149
1991.....	8,060	-	-	-	-	1	10	20	54	74	175
1990.....	7,820	-	-	-	-	3	2	16	32	73	121
1989.....	7,649	-	-	-	-	1	4	18	37	61	112
1988.....	7,721	-	-	-	-	3	8	18	30	74	145
1987.....	7,972	-	-	-	1	3	4	17	42	76	126
1986.....	7,958	-	1	-	-	1	5	16	33	60	99
1985.....	8,195	-	-	-	-	3	11	22	28	61	86
1984.....	8,386	2	-	-	-	2	4	14	31	64	108
1983.....	8,515	1	-	2	2	-	5	22	28	66	106
1982.....	8,581	1	-	-	-	1	9	19	34	55	104
1981.....	8,683	-	-	-	-	2	3	26	35	48	94
1980.....	9,061	-	-	-	1	5	12	16	26	57	100
1979.....	9,113	1	-	-	-	1	13	14	27	74	100
TOTAL, MALE											
1998.....	4,583	-	-	-	-	3	7	11	26	69	103
1997.....	4,505	-	1	-	-	2	1	10	26	58	102
1996.....	4,566	-	-	-	-	3	1	16	31	60	108
1995.....	4,557	-	-	-	-	3	3	10	32	49	109
1994.....	4,453	-	-	-	-	-	6	10	32	46	91
1993.....	4,308	-	-	-	-	2	6	14	20	41	96
1992.....	4,391	-	-	-	-	2	6	13	23	48	91
1991.....	4,251	-	-	-	-	-	6	11	28	36	106
1990.....	4,250	-	-	-	-	2	2	10	22	43	61
1989.....	4,096	-	-	-	-	1	4	12	20	29	63
1988.....	4,124	-	-	-	-	2	2	14	22	42	85
1987.....	4,198	-	-	-	-	2	1	12	30	44	67
1986.....	4,313	-	1	-	-	1	4	11	17	31	51
1985.....	4,261	-	-	-	-	-	6	13	16	31	44
1984.....	4,467	1	-	-	-	1	4	9	16	39	60
1983.....	4,506	1	-	1	1	-	1	13	16	33	58
1982.....	4,549	-	-	-	-	1	5	10	18	33	68
1981.....	4,584	-	-	-	-	2	1	18	23	26	50
1980.....	4,854	-	-	-	1	3	7	9	13	27	53
1979.....	4,965	1	-	-	-	-	8	4	17	50	60

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF RECTUM, RECTOSIGMOID JUNCTION, AND ANUS (154)											
TOTAL, FEMALE											
1998.....	4,004	-	-	-	-	2	4	10	18	43	86
1997.....	3,887	-	-	-	-	1	2	8	23	44	85
1996.....	4,026	-	-	-	-	1	3	10	16	57	65
1995.....	3,906	-	-	-	-	-	2	7	26	40	70
1994.....	3,905	-	-	-	-	1	4	8	19	36	71
1993.....	3,925	-	-	-	-	-	4	12	17	45	76
1992.....	3,776	-	-	-	-	-	3	7	19	31	58
1991.....	3,809	-	-	-	-	1	4	9	26	38	69
1990.....	3,570	-	-	-	-	1	-	6	10	30	60
1989.....	3,553	-	-	-	-	-	-	6	17	32	49
1988.....	3,597	-	-	-	-	1	6	4	8	32	60
1987.....	3,774	-	-	-	1	1	3	5	12	32	59
1986.....	3,645	-	-	-	-	-	1	5	16	29	48
1985.....	3,934	-	-	-	-	3	5	9	12	30	42
1984.....	3,919	1	-	-	-	1	-	5	15	25	48
1983.....	4,009	-	-	1	1	-	4	9	12	33	48
1982.....	4,032	1	-	-	-	-	4	9	16	22	36
1981.....	4,099	-	-	-	-	-	2	8	12	22	44
1980.....	4,207	-	-	-	-	2	5	7	13	30	47
1979.....	4,148	-	-	-	-	1	5	10	10	24	40
WHITE, BOTH SEXES											
1998.....	7,540	-	-	-	-	3	10	18	31	86	147
1997.....	7,291	-	1	-	-	3	3	16	34	81	147
1996.....	7,525	-	-	-	-	4	4	18	35	86	135
1995.....	7,420	-	-	-	-	3	4	13	46	67	140
1994.....	7,394	-	-	-	-	1	8	15	33	64	123
1993.....	7,224	-	-	-	-	1	7	19	30	73	138
1992.....	7,159	-	-	-	-	1	5	16	32	59	112
1991.....	7,106	-	-	-	-	-	9	9	43	57	143
1990.....	6,962	-	-	-	-	2	1	11	26	49	100
1989.....	6,795	-	-	-	-	-	2	11	28	44	99
1988.....	6,892	-	-	-	-	-	6	12	21	56	118
1987.....	7,116	-	-	-	-	3	3	11	30	55	105
1986.....	7,123	-	1	-	-	-	4	11	28	51	80
1985.....	7,375	-	-	-	-	2	8	18	22	51	64
1984.....	7,564	1	-	-	-	2	2	9	22	55	88
1983.....	7,671	-	-	2	2	-	5	12	21	52	76
1982.....	7,743	-	-	-	-	-	4	11	26	47	80
1981.....	7,843	-	-	-	-	1	1	16	28	31	74
1980.....	8,164	-	-	-	1	2	8	15	22	44	79
1979.....	8,293	-	-	-	-	1	8	10	19	57	86

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF RECTUM, RECTOSIGMOID JUNCTION, AND ANUS (154)											
WHITE MALE											
1998.....	4,027	-	-	-	-	1	7	8	16	51	79
1997.....	3,920	-	1	-	-	2	1	9	17	45	75
1996.....	4,007	-	-	-	-	3	1	11	21	41	84
1995.....	3,999	-	-	-	-	3	2	8	27	35	86
1994.....	3,923	-	-	-	-	-	5	8	20	35	68
1993.....	3,788	-	-	-	-	1	4	10	16	36	73
1992.....	3,850	-	-	-	-	1	4	10	17	37	69
1991.....	3,752	-	-	-	-	-	5	6	23	31	87
1990.....	3,778	-	-	-	-	2	1	7	17	27	51
1989.....	3,627	-	-	-	-	-	2	6	14	19	57
1988.....	3,678	-	-	-	-	-	2	9	13	29	70
1987.....	3,726	-	-	-	-	2	1	6	21	32	56
1986.....	3,847	-	1	-	-	-	3	7	15	26	41
1985.....	3,866	-	-	-	-	-	3	10	15	26	35
1984.....	4,034	-	-	-	-	1	2	5	11	32	50
1983.....	4,071	-	-	1	1	-	1	7	13	28	41
1982.....	4,121	-	-	-	-	-	2	6	15	29	53
1981.....	4,124	-	-	-	-	1	-	11	19	18	39
1980.....	4,382	-	-	-	1	1	4	8	11	22	39
1979.....	4,522	-	-	-	-	-	5	4	12	37	53
WHITE FEMALE											
1998.....	3,513	-	-	-	-	2	3	10	15	35	68
1997.....	3,371	-	-	-	-	1	2	7	17	36	72
1996.....	3,518	-	-	-	-	1	3	7	14	45	51
1995.....	3,421	-	-	-	-	-	2	5	19	32	54
1994.....	3,471	-	-	-	-	1	3	7	13	29	55
1993.....	3,436	-	-	-	-	-	3	9	14	37	65
1992.....	3,309	-	-	-	-	-	1	6	15	22	43
1991.....	3,354	-	-	-	-	-	4	3	20	26	56
1990.....	3,184	-	-	-	-	-	-	4	9	22	49
1989.....	3,168	-	-	-	-	-	-	5	14	25	42
1988.....	3,214	-	-	-	-	-	4	3	8	27	48
1987.....	3,390	-	-	-	-	1	2	5	9	23	49
1986.....	3,276	-	-	-	-	-	1	4	13	25	39
1985.....	3,509	-	-	-	-	2	5	8	7	25	29
1984.....	3,530	1	-	-	-	1	-	4	11	23	38
1983.....	3,600	-	-	1	1	-	4	5	8	24	35
1982.....	3,622	-	-	-	-	-	2	5	11	18	27
1981.....	3,719	-	-	-	-	-	1	5	9	13	35
1980.....	3,782	-	-	-	-	1	4	7	11	22	40
1979.....	3,771	-	-	-	-	1	3	6	7	20	33

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF RECTUM, RECTOSIGMOID JUNCTION, AND ANUS (154)											
ALL OTHER, BOTH SEXES											
1998.....	1,047	-	-	-	-	2	1	3	13	26	42
1997.....	1,101	-	-	-	-	-	-	2	15	21	40
1996.....	1,067	-	-	-	-	-	-	8	12	31	38
1995.....	1,043	-	-	-	-	-	1	4	12	22	39
1994.....	964	-	-	-	-	-	2	3	18	18	39
1993.....	1,009	-	-	-	-	1	3	7	7	13	34
1992.....	1,008	-	-	-	-	1	4	4	10	20	37
1991.....	954	-	-	-	-	1	1	11	11	17	32
1990.....	858	-	-	-	-	1	1	5	6	24	21
1989.....	854	-	-	-	-	1	2	7	9	17	13
1988.....	829	-	-	-	-	3	2	6	9	18	27
1987.....	856	-	-	-	1	-	1	6	12	21	21
1986.....	835	-	-	-	-	1	1	5	5	9	19
1985.....	820	-	-	-	-	1	3	4	6	10	22
1984.....	822	1	-	-	-	-	2	5	9	9	20
1983.....	844	1	-	-	-	-	-	10	7	14	30
1982.....	838	1	-	-	-	1	5	8	8	8	24
1981.....	840	-	-	-	-	1	2	10	7	17	20
1980.....	897	-	-	-	-	3	4	1	4	13	21
1979.....	820	1	-	-	-	-	5	4	8	17	14
ALL OTHER MALE											
1998.....	556	-	-	-	-	2	-	3	10	18	24
1997.....	585	-	-	-	-	-	-	1	9	13	27
1996.....	559	-	-	-	-	-	-	5	10	19	24
1995.....	558	-	-	-	-	-	1	2	5	14	23
1994.....	530	-	-	-	-	-	1	2	12	11	23
1993.....	520	-	-	-	-	1	2	4	4	5	23
1992.....	541	-	-	-	-	1	2	3	6	11	22
1991.....	499	-	-	-	-	-	1	5	5	5	19
1990.....	472	-	-	-	-	-	1	3	5	16	10
1989.....	469	-	-	-	-	1	2	6	6	10	6
1988.....	446	-	-	-	-	2	-	5	9	13	15
1987.....	472	-	-	-	-	-	-	6	9	12	11
1986.....	466	-	-	-	-	1	1	4	2	5	10
1985.....	395	-	-	-	-	-	3	3	1	5	9
1984.....	433	1	-	-	-	-	2	4	5	7	10
1983.....	435	1	-	-	-	-	-	6	3	5	17
1982.....	428	-	-	-	-	1	3	4	3	4	15
1981.....	460	-	-	-	-	1	1	7	4	8	11
1980.....	472	-	-	-	-	2	3	1	2	5	14
1979.....	443	1	-	-	-	-	3	-	5	13	7

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	
0 OF RECTUM, RECTOSIGMOID JUNCTION, AND ANUS (154)												
ALL OTHER FEMALE												
1998.....	491	-	-	-	-	-	1	-	3	8	18	
1997.....	516	-	-	-	-	-	-	1	6	8	13	
1996.....	508	-	-	-	-	-	-	3	2	12	14	
1995.....	485	-	-	-	-	-	-	2	7	8	16	
1994.....	434	-	-	-	-	-	1	1	6	7	16	
1993.....	489	-	-	-	-	-	1	3	3	8	11	
1992.....	467	-	-	-	-	-	2	1	4	9	15	
1991.....	455	-	-	-	-	1	-	6	6	12	13	
1990.....	386	-	-	-	-	1	-	2	1	8	11	
1989.....	385	-	-	-	-	-	-	1	3	7	7	
1988.....	383	-	-	-	-	1	2	1	-	5	12	
1987.....	384	-	-	-	1	-	1	-	3	9	10	
1986.....	369	-	-	-	-	-	-	1	3	4	9	
1985.....	425	-	-	-	-	1	-	1	5	5	13	
1984.....	389	-	-	-	-	-	-	1	4	2	10	
1983.....	409	-	-	-	-	-	-	4	4	9	13	
1982.....	410	1	-	-	-	-	2	4	5	4	9	
1981.....	380	-	-	-	-	-	1	3	3	9	9	
1980.....	425	-	-	-	-	1	1	-	2	8	7	
1979.....	377	-	-	-	-	-	2	4	3	4	7	
BLACK, BOTH SEXES												
1998.....	866	-	-	-	-	1	1	3	6	21	32	
1997.....	893	-	-	-	-	-	-	2	11	16	34	
1996.....	894	-	-	-	-	-	-	6	8	28	29	
1995.....	860	-	-	-	-	-	-	3	11	15	31	
1994.....	799	-	-	-	-	-	1	2	11	15	32	
1993.....	847	-	-	-	-	1	3	5	5	9	28	
1992.....	843	-	-	-	-	-	3	2	9	16	26	
1991.....	815	-	-	-	-	1	1	10	8	13	27	
1990.....	737	-	-	-	-	-	1	4	5	21	17	
1989.....	720	-	-	-	-	1	2	5	8	14	12	
1988.....	711	-	-	-	-	1	2	4	8	16	26	
1987.....	738	-	-	-	1	-	1	2	8	15	12	
1986.....	729	-	-	-	-	-	1	5	4	7	18	
1985.....	702	-	-	-	-	1	3	4	4	9	19	
1984.....	730	-	-	-	-	-	2	4	7	7	16	
1983.....	758	1	-	-	-	-	-	9	4	11	26	
1982.....	747	-	-	-	-	1	5	4	6	6	23	
1981.....	743	-	-	-	-	1	2	7	7	13	17	
1980.....	822	-	-	-	-	3	4	1	4	9	19	
1979.....	736	1	-	-	-	-	3	4	7	16	12	

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF RECTUM, RECTOSIGMOID JUNCTION, AND ANUS (154)											
BLACK MALE											
1998.....	454	-	-	-	-	1	-	3	6	16	17
1997.....	458	-	-	-	-	-	-	1	7	8	24
1996.....	467	-	-	-	-	-	-	4	6	18	19
1995.....	452	-	-	-	-	-	-	1	5	11	18
1994.....	446	-	-	-	-	-	-	2	8	10	21
1993.....	429	-	-	-	-	1	2	4	3	5	18
1992.....	435	-	-	-	-	-	1	1	6	8	17
1991.....	418	-	-	-	-	-	1	5	4	3	15
1990.....	395	-	-	-	-	-	1	2	4	15	7
1989.....	381	-	-	-	-	1	2	4	5	8	5
1988.....	370	-	-	-	-	1	-	3	8	12	14
1987.....	401	-	-	-	-	-	-	2	7	9	9
1986.....	402	-	-	-	-	-	1	4	2	4	10
1985.....	331	-	-	-	-	-	3	3	1	4	7
1984.....	378	-	-	-	-	-	2	3	4	5	6
1983.....	383	1	-	-	-	-	-	5	3	5	14
1982.....	365	-	-	-	-	1	3	2	3	3	14
1981.....	400	-	-	-	-	1	1	6	4	7	10
1980.....	430	-	-	-	-	2	3	1	2	3	13
1979.....	383	1	-	-	-	-	1	-	5	12	6
BLACK FEMALE											
1998.....	412	-	-	-	-	-	1	-	-	5	15
1997.....	435	-	-	-	-	-	-	1	4	8	10
1996.....	427	-	-	-	-	-	-	2	2	10	10
1995.....	408	-	-	-	-	-	-	2	6	4	13
1994.....	353	-	-	-	-	-	1	-	3	5	11
1993.....	418	-	-	-	-	-	1	1	2	4	10
1992.....	408	-	-	-	-	-	2	1	3	8	9
1991.....	397	-	-	-	-	1	-	5	4	10	12
1990.....	342	-	-	-	-	-	-	2	1	6	10
1989.....	339	-	-	-	-	-	-	1	3	6	7
1988.....	341	-	-	-	-	-	2	1	-	4	12
1987.....	337	-	-	-	1	-	1	-	1	6	3
1986.....	327	-	-	-	-	-	-	1	2	3	8
1985.....	371	-	-	-	-	1	-	1	3	5	12
1984.....	352	-	-	-	-	-	-	1	3	2	10
1983.....	375	-	-	-	-	-	-	4	1	6	12
1982.....	382	-	-	-	-	-	2	2	3	3	9
1981.....	343	-	-	-	-	-	1	1	3	6	7
1980.....	392	-	-	-	-	1	1	-	2	6	6
1979.....	353	-	-	-	-	-	2	4	2	4	6

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF LIVER AND INTRAHEPATIC BILE DUCTS (155)											
TOTAL, BOTH SEXES											
1998.....	12,381	5	16	6	12	17	26	30	54	110	305
1997.....	11,938	5	19	9	5	15	14	35	59	132	283
1996.....	11,584	4	17	10	5	9	26	36	50	131	307
1995.....	11,191	3	23	7	6	17	17	30	49	114	280
1994.....	10,427	6	27	9	8	9	24	30	59	138	262
1993.....	10,063	4	19	8	4	14	16	24	59	136	227
1992.....	9,555	6	13	9	9	16	24	22	66	124	226
1991.....	8,847	4	24	7	5	12	19	28	55	117	204
1990.....	8,511	7	24	5	7	13	21	18	60	105	186
1989.....	7,988	5	17	6	11	11	15	28	72	107	143
1988.....	7,575	6	18	7	6	7	16	38	49	112	146
1987.....	7,227	1	23	8	10	20	21	39	59	116	131
1986.....	6,983	3	17	5	5	10	20	28	47	118	141
1985.....	6,809	7	23	8	10	15	22	36	62	88	122
1984.....	6,521	7	25	7	9	19	21	43	63	103	123
1983.....	6,215	5	19	8	11	15	26	40	61	82	117
1982.....	6,143	10	26	14	13	15	23	36	51	75	101
1981.....	5,877	8	27	3	9	15	26	34	38	48	88
1980.....	5,618	10	28	7	11	16	24	36	55	53	95
1979.....	5,623	6	16	10	8	22	28	37	36	58	84
TOTAL, MALE											
1998.....	7,780	3	9	3	10	7	16	22	33	71	226
1997.....	7,348	5	10	8	3	7	7	24	35	102	201
1996.....	7,128	2	12	6	4	6	16	23	32	88	244
1995.....	6,826	2	9	4	2	5	5	21	34	72	218
1994.....	6,388	4	22	5	5	5	13	19	41	106	182
1993.....	6,068	3	10	4	2	7	9	14	35	103	170
1992.....	5,854	4	6	5	5	5	13	14	43	80	170
1991.....	5,320	4	16	2	4	7	11	21	41	74	149
1990.....	5,161	4	14	4	3	8	9	10	46	70	127
1989.....	4,887	2	12	3	8	3	7	18	43	70	96
1988.....	4,621	4	12	5	3	3	8	23	36	66	90
1987.....	4,342	1	13	6	7	12	16	25	47	82	79
1986.....	4,213	1	12	5	2	1	14	22	30	74	93
1985.....	4,025	2	16	7	5	7	13	16	37	46	85
1984.....	3,940	4	13	4	3	13	14	23	38	68	80
1983.....	3,775	-	14	5	4	4	13	23	37	60	72
1982.....	3,663	6	14	10	10	5	14	19	32	49	62
1981.....	3,539	5	16	1	6	9	14	18	24	31	51
1980.....	3,292	9	20	3	5	7	12	17	36	28	64
1979.....	3,321	4	9	6	7	12	19	23	20	29	45

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF LIVER AND INTRAHEPATIC BILE DUCTS (155)											
TOTAL, FEMALE											
1998.....	4,601	2	7	3	2	10	10	8	21	39	79
1997.....	4,590	-	9	1	2	8	7	11	24	30	82
1996.....	4,456	2	5	4	1	3	10	13	18	43	63
1995.....	4,365	1	14	3	4	12	12	9	15	42	62
1994.....	4,039	2	5	4	3	4	11	11	18	32	80
1993.....	3,995	1	9	4	2	7	7	10	24	33	57
1992.....	3,701	2	7	4	4	11	11	8	23	44	56
1991.....	3,527	-	8	5	1	5	8	7	14	43	55
1990.....	3,350	3	10	1	4	5	12	8	14	35	59
1989.....	3,101	3	5	3	3	8	8	10	29	37	47
1988.....	2,954	2	6	2	3	4	8	15	13	46	56
1987.....	2,885	-	10	2	3	8	5	14	12	34	52
1986.....	2,770	2	5	-	3	9	6	6	17	44	48
1985.....	2,784	5	7	1	5	8	9	20	25	42	37
1984.....	2,581	3	12	3	6	6	7	20	25	35	43
1983.....	2,440	5	5	3	7	11	13	17	24	22	45
1982.....	2,480	4	12	4	3	10	9	17	19	26	39
1981.....	2,338	3	11	2	3	6	12	16	14	17	37
1980.....	2,326	1	8	4	6	9	12	19	19	25	31
1979.....	2,302	2	7	4	1	10	9	14	16	29	39
WHITE, BOTH SEXES											
1998.....	9,964	5	12	4	6	10	18	18	28	66	208
1997.....	9,622	3	15	7	2	8	8	20	35	82	181
1996.....	9,433	2	15	8	5	8	14	27	30	73	207
1995.....	9,050	3	18	6	4	14	14	23	28	64	163
1994.....	8,459	5	25	8	6	6	18	18	33	87	159
1993.....	8,236	3	16	8	-	11	10	19	38	80	148
1992.....	7,763	4	10	6	6	12	22	18	30	75	128
1991.....	7,195	2	18	5	4	9	9	19	37	66	116
1990.....	6,899	7	16	5	4	11	13	10	39	58	117
1989.....	6,511	4	15	4	7	8	6	22	45	58	90
1988.....	6,205	6	16	4	5	7	13	18	25	62	96
1987.....	5,923	1	19	7	9	15	14	19	36	72	77
1986.....	5,735	1	17	4	4	7	13	21	28	67	85
1985.....	5,587	7	20	6	9	10	17	23	38	55	80
1984.....	5,320	6	19	5	8	14	14	29	39	60	86
1983.....	5,032	4	18	4	8	10	19	26	36	52	74
1982.....	5,046	9	24	13	9	13	18	18	30	53	66
1981.....	4,882	8	24	3	7	11	19	20	28	32	67
1980.....	4,654	9	23	7	9	10	20	25	42	31	64
1979.....	4,688	5	13	6	7	17	22	23	24	48	54

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF LIVER AND INTRAHEPATIC BILE DUCTS (155)											
WHITE MALE											
1998.....	6,163	3	6	2	4	3	10	13	13	42	149
1997.....	5,850	3	7	7	1	3	5	13	20	57	126
1996.....	5,713	1	10	4	4	5	9	15	19	49	160
1995.....	5,468	2	7	4	1	2	4	16	18	37	124
1994.....	5,092	4	21	4	3	3	10	12	20	62	100
1993.....	4,907	2	10	4	-	5	3	10	20	57	112
1992.....	4,687	3	5	5	3	3	12	11	19	47	94
1991.....	4,278	2	12	2	4	5	5	14	25	40	81
1990.....	4,124	4	10	4	1	7	4	5	28	33	81
1989.....	3,902	2	10	1	5	2	2	13	19	35	55
1988.....	3,715	4	10	3	2	3	6	10	16	36	49
1987.....	3,509	1	10	5	6	9	11	10	28	48	43
1986.....	3,377	1	12	4	2	1	9	15	14	37	51
1985.....	3,212	2	14	5	4	5	11	9	20	27	51
1984.....	3,100	4	10	4	2	8	10	11	20	35	53
1983.....	2,977	-	13	3	4	2	11	15	18	34	39
1982.....	2,952	5	13	9	6	5	9	7	17	33	37
1981.....	2,865	5	14	1	4	6	10	9	14	17	36
1980.....	2,646	8	17	3	4	6	10	12	25	13	43
1979.....	2,703	3	8	4	6	8	15	11	12	23	25
WHITE FEMALE											
1998.....	3,801	2	6	2	2	7	8	5	15	24	59
1997.....	3,772	-	8	-	1	5	3	7	15	25	55
1996.....	3,720	1	5	4	1	3	5	12	11	24	47
1995.....	3,582	1	11	2	3	12	10	7	10	27	39
1994.....	3,367	1	4	4	3	3	8	6	13	25	59
1993.....	3,329	1	6	4	-	6	7	9	18	23	36
1992.....	3,076	1	5	1	3	9	10	7	11	28	34
1991.....	2,917	-	6	3	-	4	4	5	12	26	35
1990.....	2,775	3	6	1	3	4	9	5	11	25	36
1989.....	2,609	2	5	3	2	6	4	9	26	23	35
1988.....	2,490	2	6	1	3	4	7	8	9	26	47
1987.....	2,414	-	9	2	3	6	3	9	8	24	34
1986.....	2,358	-	5	-	2	6	4	6	14	30	34
1985.....	2,375	5	6	1	5	5	6	14	18	28	29
1984.....	2,220	2	9	1	6	6	4	18	19	25	33
1983.....	2,055	4	5	1	4	8	8	11	18	18	35
1982.....	2,094	4	11	4	3	8	9	11	13	20	29
1981.....	2,017	3	10	2	3	5	9	11	14	15	31
1980.....	2,008	1	6	4	5	4	10	13	17	18	21
1979.....	1,985	2	5	2	1	9	7	12	12	25	29

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF LIVER AND INTRAHEPATIC BILE DUCTS (155)											
ALL OTHER, BOTH SEXES											
1998.....	2,417	-	4	2	6	7	8	12	26	44	97
1997.....	2,316	2	4	2	3	7	6	15	24	50	102
1996.....	2,151	2	2	2	-	1	12	9	20	58	100
1995.....	2,141	-	5	1	2	3	3	7	21	50	117
1994.....	1,968	1	2	1	2	3	6	12	26	51	103
1993.....	1,827	1	3	-	4	3	6	5	21	56	79
1992.....	1,792	2	3	3	3	4	2	4	36	49	98
1991.....	1,652	2	6	2	1	3	10	9	18	51	88
1990.....	1,612	-	8	-	3	2	8	8	21	47	69
1989.....	1,477	1	2	2	4	3	9	6	27	49	53
1988.....	1,370	-	2	3	1	-	3	20	24	50	50
1987.....	1,304	-	4	1	1	5	7	20	23	44	54
1986.....	1,248	2	-	1	1	3	7	7	19	51	56
1985.....	1,222	-	3	2	1	5	5	13	24	33	42
1984.....	1,201	1	6	2	1	5	7	14	24	43	37
1983.....	1,183	1	1	4	3	5	7	14	25	30	43
1982.....	1,097	1	2	1	4	2	5	18	21	22	35
1981.....	995	-	3	-	2	4	7	14	10	16	21
1980.....	964	1	5	-	2	6	4	11	13	22	31
1979.....	935	1	3	4	1	5	6	14	12	10	30
ALL OTHER MALE											
1998.....	1,617	-	3	1	6	4	6	9	20	29	77
1997.....	1,498	2	3	1	2	4	2	11	15	45	75
1996.....	1,415	1	2	2	-	1	7	8	13	39	84
1995.....	1,358	-	2	-	1	3	1	5	16	35	94
1994.....	1,296	-	1	1	2	2	3	7	21	44	82
1993.....	1,161	1	-	-	2	2	6	4	15	46	58
1992.....	1,167	1	1	-	2	2	1	3	24	33	76
1991.....	1,042	2	4	-	-	2	6	7	16	34	68
1990.....	1,037	-	4	-	2	1	5	5	18	37	46
1989.....	985	-	2	2	3	1	5	5	24	35	41
1988.....	906	-	2	2	1	-	2	13	20	30	41
1987.....	833	-	3	1	1	3	5	15	19	34	36
1986.....	836	-	-	1	-	-	5	7	16	37	42
1985.....	813	-	2	2	1	2	2	7	17	19	34
1984.....	840	-	3	-	1	5	4	12	18	33	27
1983.....	798	-	1	2	-	2	2	8	19	26	33
1982.....	711	1	1	1	4	-	5	12	15	16	25
1981.....	674	-	2	-	2	3	4	9	10	14	15
1980.....	646	1	3	-	1	1	2	5	11	15	21
1979.....	618	1	1	2	1	4	4	12	8	6	20

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF LIVER AND INTRAHEPATIC BILE DUCTS (155)											
ALL OTHER FEMALE											
1998.....	800	-	1	1	-	3	2	3	6	15	20
1997.....	818	-	1	1	1	3	4	4	9	5	27
1996.....	736	1	-	-	-	-	5	1	7	19	16
1995.....	783	-	3	1	1	-	2	2	5	15	23
1994.....	672	1	1	-	-	1	3	5	5	7	21
1993.....	666	-	3	-	2	1	-	1	6	10	21
1992.....	625	1	2	3	1	2	1	1	12	16	22
1991.....	610	-	2	2	1	1	4	2	2	17	20
1990.....	575	-	4	-	1	1	3	3	3	10	23
1989.....	492	1	-	-	1	2	4	1	3	14	12
1988.....	464	-	-	1	-	-	1	7	4	20	9
1987.....	471	-	1	-	-	2	2	5	4	10	18
1986.....	412	2	-	-	1	3	2	-	3	14	14
1985.....	409	-	1	-	-	3	3	6	7	14	8
1984.....	361	1	3	2	-	-	3	2	6	10	10
1983.....	385	1	-	2	3	3	5	6	6	4	10
1982.....	386	-	1	-	-	2	-	6	6	6	10
1981.....	321	-	1	-	-	1	3	5	-	2	6
1980.....	318	-	2	-	1	5	2	6	2	7	10
1979.....	317	-	2	2	-	1	2	2	4	4	10
BLACK, BOTH SEXES											
1998.....	1,568	-	4	2	4	2	6	9	15	27	61
1997.....	1,446	-	2	2	1	4	4	10	15	28	65
1996.....	1,377	1	2	1	-	1	9	7	7	39	60
1995.....	1,421	-	5	1	2	-	3	4	14	33	75
1994.....	1,274	-	2	1	1	1	3	8	14	31	65
1993.....	1,203	1	2	-	3	2	5	3	13	37	44
1992.....	1,180	2	1	2	2	2	2	2	22	28	65
1991.....	1,108	-	5	2	-	1	9	6	11	29	56
1990.....	1,091	-	7	-	3	2	8	4	12	22	47
1989.....	1,042	1	2	-	3	3	7	3	21	29	21
1988.....	962	-	2	-	1	-	2	13	14	26	27
1987.....	938	-	3	1	1	2	4	17	12	25	39
1986.....	919	1	-	1	1	3	6	5	12	26	30
1985.....	894	-	1	1	1	5	5	11	13	20	30
1984.....	923	-	4	2	-	4	6	8	17	26	22
1983.....	903	-	1	2	2	3	6	12	19	21	27
1982.....	863	1	2	1	2	2	2	15	15	12	24
1981.....	819	-	3	-	1	3	7	12	9	8	12
1980.....	806	-	5	-	1	5	4	8	10	18	19
1979.....	775	1	2	3	1	4	5	12	9	9	19

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF LIVER AND INTRAHEPATIC BILE DUCTS (155)											
BLACK MALE											
1998.....	1,039	-	3	1	4	1	4	6	13	15	46
1997.....	900	-	1	1	1	2	1	8	8	24	46
1996.....	874	1	2	1	-	1	6	6	2	24	49
1995.....	867	-	2	-	1	-	1	3	9	22	62
1994.....	812	-	1	1	1	1	-	4	10	27	51
1993.....	744	1	-	-	2	1	5	3	9	29	31
1992.....	757	1	-	-	1	1	1	1	14	18	53
1991.....	678	-	4	-	-	-	6	4	10	19	43
1990.....	653	-	3	-	2	1	5	2	10	16	28
1989.....	674	-	2	-	2	1	3	2	18	22	15
1988.....	606	-	2	-	1	-	2	6	10	14	22
1987.....	572	-	2	1	1	1	3	12	11	20	24
1986.....	596	-	-	1	-	-	4	5	9	17	23
1985.....	578	-	-	1	1	2	2	6	10	11	23
1984.....	628	-	2	-	-	4	3	6	13	19	17
1983.....	581	-	1	1	-	1	2	7	13	19	20
1982.....	550	1	1	1	2	-	2	9	10	10	18
1981.....	534	-	2	-	1	2	4	8	9	6	10
1980.....	526	-	3	-	1	1	2	4	8	13	11
1979.....	506	1	1	1	1	4	4	11	5	6	11
BLACK FEMALE											
1998.....	529	-	1	1	-	1	2	3	2	12	15
1997.....	546	-	1	1	-	2	3	2	7	4	19
1996.....	503	-	-	-	-	-	3	1	5	15	11
1995.....	554	-	3	1	1	-	2	1	5	11	13
1994.....	462	-	1	-	-	-	3	4	4	4	14
1993.....	459	-	2	-	1	1	-	-	4	8	13
1992.....	423	1	1	2	1	1	1	1	8	10	12
1991.....	430	-	1	2	-	1	3	2	1	10	13
1990.....	438	-	4	-	1	1	3	2	2	6	19
1989.....	368	1	-	-	1	2	4	1	3	7	6
1988.....	356	-	-	-	-	-	-	7	4	12	5
1987.....	366	-	1	-	-	1	1	5	1	5	15
1986.....	323	1	-	-	1	3	2	-	3	9	7
1985.....	316	-	1	-	-	3	3	5	3	9	7
1984.....	295	-	2	2	-	-	3	2	4	7	5
1983.....	322	-	-	1	2	2	4	5	6	2	7
1982.....	313	-	1	-	-	2	-	6	5	2	6
1981.....	285	-	1	-	-	1	3	4	-	2	2
1980.....	280	-	2	-	-	4	2	4	2	5	8
1979.....	269	-	1	2	-	-	1	1	4	3	8

TABLE 292. DEATHS FOR 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 LIVER, PRIMARY (155.0)											
TOTAL, BOTH SEXES											
1998.....	5,682	4	12	4	11	13	19	21	29	57	179
1997.....	5,541	4	17	9	3	12	9	24	34	70	154
1996.....	5,203	3	15	9	3	7	17	25	31	67	180
1995.....	5,010	3	23	6	5	11	10	17	28	63	165
1994.....	4,602	4	24	8	4	7	16	18	33	83	144
1993.....	4,436	3	18	6	3	12	13	15	27	82	130
1992.....	4,465	5	11	9	7	13	16	19	39	66	134
1991.....	4,019	3	22	5	4	8	13	16	33	62	118
1990.....	4,128	6	24	5	5	12	18	10	37	69	109
1989.....	3,666	4	13	4	7	10	13	18	44	65	82
1988.....	3,422	5	16	5	4	5	13	23	30	71	73
1987.....	3,225	1	21	6	6	18	15	26	36	62	78
1986.....	3,043	2	15	3	2	7	14	22	31	70	80
1985.....	3,117	4	19	7	7	10	13	28	39	51	62
1984.....	3,031	6	21	3	7	16	19	29	37	71	63
1983.....	2,814	4	18	7	8	13	20	25	34	50	70
1982.....	2,614	9	23	9	10	11	20	19	31	42	52
1981.....	2,521	6	22	1	7	12	20	26	17	23	44
1980.....	2,395	7	26	5	9	12	20	18	33	26	48
1979.....	2,450	5	15	7	7	21	21	22	22	35	45
TOTAL, MALE											
1998.....	4,077	2	8	1	9	6	11	16	19	39	147
1997.....	3,884	4	10	8	3	7	5	16	23	54	114
1996.....	3,675	2	11	6	2	4	10	18	19	47	156
1995.....	3,479	2	9	4	2	2	4	11	22	45	138
1994.....	3,259	3	20	4	2	4	9	14	28	62	112
1993.....	3,066	3	10	4	2	7	7	10	12	68	106
1992.....	3,067	3	4	5	4	4	8	11	23	48	113
1991.....	2,737	3	14	2	3	5	8	12	27	42	100
1990.....	2,814	3	14	4	3	8	7	6	26	47	75
1989.....	2,527	2	9	3	5	3	6	12	27	45	58
1988.....	2,389	4	10	4	3	3	8	14	24	41	48
1987.....	2,227	1	12	5	5	10	12	16	30	45	50
1986.....	2,095	1	11	3	1	-	9	17	22	40	56
1985.....	2,088	1	13	7	2	5	9	11	25	26	48
1984.....	2,100	3	11	3	2	11	14	16	25	50	43
1983.....	1,929	-	13	4	3	4	9	15	21	37	45
1982.....	1,777	5	12	6	8	5	12	11	22	32	34
1981.....	1,729	4	13	-	4	7	11	16	14	18	26
1980.....	1,523	6	18	2	4	6	8	9	22	14	31
1979.....	1,632	4	9	3	6	11	14	18	11	19	24

TABLE 292. DEATHS FOR 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 LIVER, PRIMARY (155.0)											
TOTAL, FEMALE											
1998.....	1,605	2	4	3	2	7	8	5	10	18	32
1997.....	1,657	-	7	1	-	5	4	8	11	16	40
1996.....	1,528	1	4	3	1	3	7	7	12	20	24
1995.....	1,531	1	14	2	3	9	6	6	6	18	27
1994.....	1,343	1	4	4	2	3	7	4	5	21	32
1993.....	1,370	-	8	2	1	5	6	5	15	14	24
1992.....	1,398	2	7	4	3	9	8	8	16	18	21
1991.....	1,282	-	8	3	1	3	5	4	6	20	18
1990.....	1,314	3	10	1	2	4	11	4	11	22	34
1989.....	1,139	2	4	1	2	7	7	6	17	20	24
1988.....	1,033	1	6	1	1	2	5	9	6	30	25
1987.....	998	-	9	1	1	8	3	10	6	17	28
1986.....	948	1	4	-	1	7	5	5	9	30	24
1985.....	1,029	3	6	-	5	5	4	17	14	25	14
1984.....	931	3	10	-	5	5	5	13	12	21	20
1983.....	885	4	5	3	5	9	11	10	13	13	25
1982.....	837	4	11	3	2	6	8	8	9	10	18
1981.....	792	2	9	1	3	5	9	10	3	5	18
1980.....	872	1	8	3	5	6	12	9	11	12	17
1979.....	818	1	6	4	1	10	7	4	11	16	21
WHITE, BOTH SEXES											
1998.....	4,423	4	8	3	5	7	12	12	13	34	116
1997.....	4,291	2	14	7	1	6	6	13	19	38	95
1996.....	4,010	2	13	7	3	6	11	19	16	27	110
1995.....	3,876	3	18	6	4	9	9	13	14	32	81
1994.....	3,525	4	22	7	4	5	11	12	16	45	71
1993.....	3,479	2	15	6	-	9	8	12	16	42	73
1992.....	3,445	3	8	6	5	10	15	16	15	31	75
1991.....	3,145	1	17	4	3	6	6	12	18	26	55
1990.....	3,246	6	16	5	3	10	11	7	23	35	63
1989.....	2,875	3	12	2	3	7	5	14	24	29	45
1988.....	2,670	5	14	3	3	5	10	11	10	36	48
1987.....	2,532	1	17	5	5	14	8	12	16	35	41
1986.....	2,409	1	15	3	2	5	10	17	15	34	37
1985.....	2,425	4	16	5	6	6	11	17	21	30	33
1984.....	2,349	5	16	3	7	11	14	18	23	35	40
1983.....	2,154	3	17	3	6	9	15	16	20	29	43
1982.....	2,054	8	21	9	6	10	16	7	17	25	28
1981.....	1,974	6	20	1	5	9	15	12	10	12	31
1980.....	1,895	7	21	5	8	8	17	11	24	14	29
1979.....	1,965	4	12	4	6	16	17	9	16	28	26

TABLE 292. DEATHS FOR 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 LIVER, PRIMARY (155.0)											
WHITE MALE											
1998.....	3,147	2	5	1	3	2	6	10	7	23	93
1997.....	2,998	2	7	7	1	3	4	8	12	26	70
1996.....	2,812	1	9	4	2	3	7	12	9	19	94
1995.....	2,685	2	7	4	1	-	3	8	11	22	66
1994.....	2,483	3	19	3	2	3	6	10	11	28	51
1993.....	2,388	2	10	4	-	5	2	7	5	31	65
1992.....	2,372	2	3	5	3	3	8	9	9	21	63
1991.....	2,132	1	11	2	3	4	4	9	13	17	45
1990.....	2,176	3	10	4	1	7	3	5	15	18	41
1989.....	1,967	2	8	1	2	2	2	8	9	18	26
1988.....	1,841	4	8	2	2	3	6	5	5	21	24
1987.....	1,744	1	9	4	4	8	7	5	14	25	24
1986.....	1,633	1	11	3	1	-	7	12	7	16	23
1985.....	1,579	1	11	5	1	3	8	6	12	13	20
1984.....	1,589	3	8	3	2	6	10	6	14	22	27
1983.....	1,449	-	12	2	3	2	8	9	9	19	22
1982.....	1,378	4	11	6	4	5	8	1	11	18	15
1981.....	1,321	4	12	-	2	5	9	7	7	7	17
1980.....	1,159	6	15	2	4	5	7	5	14	5	19
1979.....	1,277	3	8	2	5	7	12	6	7	15	10
WHITE FEMALE											
1998.....	1,276	2	3	2	2	5	6	2	6	11	23
1997.....	1,293	-	7	-	-	3	2	5	7	12	25
1996.....	1,198	1	4	3	1	3	4	7	7	8	16
1995.....	1,191	1	11	2	3	9	6	5	3	10	15
1994.....	1,042	1	3	4	2	2	5	2	5	17	20
1993.....	1,091	-	5	2	-	4	6	5	11	11	8
1992.....	1,073	1	5	1	2	7	7	7	6	10	12
1991.....	1,013	-	6	2	-	2	2	3	5	9	10
1990.....	1,070	3	6	1	2	3	8	2	8	17	22
1989.....	908	1	4	1	1	5	3	6	15	11	19
1988.....	829	1	6	1	1	2	4	6	5	15	24
1987.....	788	-	8	1	1	6	1	7	2	10	17
1986.....	776	-	4	-	1	5	3	5	8	18	14
1985.....	846	3	5	-	5	3	3	11	9	17	13
1984.....	760	2	8	-	5	5	4	12	9	13	13
1983.....	705	3	5	1	3	7	7	7	11	10	21
1982.....	676	4	10	3	2	5	8	6	6	7	13
1981.....	653	2	8	1	3	4	6	5	3	5	14
1980.....	736	1	6	3	4	3	10	6	10	9	10
1979.....	688	1	4	2	1	9	5	3	9	13	16

TABLE 292. DEATHS FOR 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 LIVER, PRIMARY (155.0)											
ALL OTHER, BOTH SEXES											
1998.....	1,259	-	4	1	6	6	7	9	16	23	63
1997.....	1,250	2	3	2	2	6	3	11	15	32	59
1996.....	1,193	1	2	2	-	1	6	6	15	40	70
1995.....	1,134	-	5	-	1	2	1	4	14	31	84
1994.....	1,077	-	2	1	-	2	5	6	17	38	73
1993.....	957	1	3	-	3	3	5	3	11	40	57
1992.....	1,020	2	3	3	2	3	1	3	24	35	59
1991.....	874	2	5	1	1	2	7	4	15	36	63
1990.....	882	-	8	-	2	2	7	3	14	34	46
1989.....	791	1	1	2	4	3	8	4	20	36	37
1988.....	752	-	2	2	1	-	3	12	20	35	25
1987.....	693	-	4	1	1	4	7	14	20	27	37
1986.....	634	1	-	-	-	2	4	5	16	36	43
1985.....	692	-	3	2	1	4	2	11	18	21	29
1984.....	682	1	5	-	-	5	5	11	14	36	23
1983.....	660	1	1	4	2	4	5	9	14	21	27
1982.....	560	1	2	-	4	1	4	12	14	17	24
1981.....	547	-	2	-	2	3	5	14	7	11	13
1980.....	500	-	5	-	1	4	3	7	9	12	19
1979.....	485	1	3	3	1	5	4	13	6	7	19
ALL OTHER MALE											
1998.....	930	-	3	-	6	4	5	6	12	16	54
1997.....	886	2	3	1	2	4	1	8	11	28	44
1996.....	863	1	2	2	-	1	3	6	10	28	62
1995.....	794	-	2	-	1	2	1	3	11	23	72
1994.....	776	-	1	1	-	1	3	4	17	34	61
1993.....	678	1	-	-	2	2	5	3	7	37	41
1992.....	695	1	1	-	1	1	-	2	14	27	50
1991.....	605	2	3	-	-	1	4	3	14	25	55
1990.....	638	-	4	-	2	1	4	1	11	29	34
1989.....	560	-	1	2	3	1	4	4	18	27	32
1988.....	548	-	2	2	1	-	2	9	19	20	24
1987.....	483	-	3	1	1	2	5	11	16	20	26
1986.....	462	-	-	-	-	-	2	5	15	24	33
1985.....	509	-	2	2	1	2	1	5	13	13	28
1984.....	511	-	3	-	-	5	4	10	11	28	16
1983.....	480	-	1	2	-	2	1	6	12	18	23
1982.....	399	1	1	-	4	-	4	10	11	14	19
1981.....	408	-	1	-	2	2	2	9	7	11	9
1980.....	364	-	3	-	-	1	1	4	8	9	12
1979.....	355	1	1	1	1	4	2	12	4	4	14

TABLE 292. DEATHS FOR 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 LIVER, PRIMARY (155.0)											
ALL OTHER FEMALE											
1998.....	329	-	1	1	-	2	2	3	4	7	9
1997.....	364	-	-	1	-	2	2	3	4	4	15
1996.....	330	-	-	-	-	-	3	-	5	12	8
1995.....	340	-	3	-	-	-	-	1	3	8	12
1994.....	301	-	1	-	-	1	2	2	-	4	12
1993.....	279	-	3	-	1	1	-	-	4	3	16
1992.....	325	1	2	3	1	2	1	1	10	8	9
1991.....	269	-	2	1	1	1	3	1	1	11	8
1990.....	244	-	4	-	-	1	3	2	3	5	12
1989.....	231	1	-	-	1	2	4	-	2	9	5
1988.....	204	-	-	-	-	-	1	3	1	15	1
1987.....	210	-	1	-	-	2	2	3	4	7	11
1986.....	172	1	-	-	-	2	2	-	1	12	10
1985.....	183	-	1	-	-	2	1	6	5	8	1
1984.....	171	1	2	-	-	-	1	1	3	8	7
1983.....	180	1	-	2	2	2	4	3	2	3	4
1982.....	161	-	1	-	-	1	-	2	3	3	5
1981.....	139	-	1	-	-	1	3	5	-	-	4
1980.....	136	-	2	-	1	3	2	3	1	3	7
1979.....	130	-	2	2	-	1	2	1	2	3	5
BLACK, BOTH SEXES											
1998.....	745	-	4	1	4	1	6	6	9	15	41
1997.....	717	-	1	2	1	3	2	6	7	19	36
1996.....	687	1	2	1	-	1	4	5	5	24	39
1995.....	692	-	5	-	1	-	1	1	8	19	51
1994.....	640	-	2	1	-	1	2	3	6	20	40
1993.....	564	1	2	-	3	2	4	2	6	23	32
1992.....	617	2	1	2	1	2	1	1	15	21	40
1991.....	522	-	4	1	-	1	7	2	9	18	40
1990.....	538	-	7	-	2	2	7	1	9	14	30
1989.....	512	1	1	-	3	3	6	1	14	20	12
1988.....	473	-	2	-	1	-	2	6	10	17	11
1987.....	455	-	3	1	1	1	4	12	10	14	25
1986.....	410	1	-	-	-	2	3	4	9	18	19
1985.....	464	-	1	1	1	4	2	9	8	14	21
1984.....	484	-	3	-	-	4	4	5	8	21	11
1983.....	457	-	1	2	1	3	4	7	11	12	13
1982.....	405	1	2	-	2	1	1	9	10	8	17
1981.....	419	-	2	-	1	3	5	12	6	4	5
1980.....	397	-	5	-	-	3	3	6	6	9	11
1979.....	375	1	2	3	1	4	3	11	3	6	11

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 LIVER, PRIMARY (155.0)											
BLACK MALE											
1998.....	563	-	3	-	4	1	4	3	8	9	33
1997.....	504	-	1	1	1	2	1	5	4	16	26
1996.....	499	1	2	1	-	1	3	5	2	16	34
1995.....	480	-	2	-	1	-	1	1	5	13	46
1994.....	450	-	1	1	-	1	-	2	6	19	34
1993.....	398	1	-	-	2	1	4	2	4	21	21
1992.....	411	1	-	-	-	1	-	-	9	15	35
1991.....	348	-	3	-	-	-	4	1	8	13	36
1990.....	370	-	3	-	2	1	4	-	7	11	21
1989.....	349	-	1	-	2	1	2	1	12	16	10
1988.....	331	-	2	-	1	-	2	3	9	8	11
1987.....	307	-	2	1	1	-	3	9	9	12	16
1986.....	289	-	-	-	-	-	1	4	8	10	15
1985.....	337	-	-	1	1	2	1	4	6	8	20
1984.....	359	-	2	-	-	4	3	4	7	16	9
1983.....	316	-	1	1	-	1	1	5	9	11	12
1982.....	283	1	1	-	2	-	1	7	8	8	15
1981.....	305	-	1	-	1	2	2	8	6	4	5
1980.....	280	-	3	-	-	1	1	3	5	7	5
1979.....	275	1	1	1	1	4	2	11	1	4	8
BLACK FEMALE											
1998.....	182	-	1	1	-	-	2	3	1	6	8
1997.....	213	-	-	1	-	1	1	1	3	3	10
1996.....	188	-	-	-	-	-	1	-	3	8	5
1995.....	212	-	3	-	-	-	-	-	3	6	5
1994.....	190	-	1	-	-	-	2	1	-	1	6
1993.....	166	-	2	-	1	1	-	-	2	2	11
1992.....	206	1	1	2	1	1	1	1	6	6	5
1991.....	174	-	1	1	-	1	3	1	1	5	4
1990.....	168	-	4	-	-	1	3	1	2	3	9
1989.....	163	1	-	-	1	2	4	-	2	4	2
1988.....	142	-	-	-	-	-	-	3	1	9	-
1987.....	148	-	1	-	-	1	1	3	1	2	9
1986.....	121	1	-	-	-	2	2	-	1	8	4
1985.....	127	-	1	-	-	2	1	5	2	6	1
1984.....	125	-	1	-	-	-	1	1	1	5	2
1983.....	141	-	-	1	1	2	3	2	2	1	1
1982.....	122	-	1	-	-	1	-	2	2	-	2
1981.....	114	-	1	-	-	1	3	4	-	-	-
1980.....	117	-	2	-	-	2	2	3	1	2	6
1979.....	100	-	1	2	-	-	1	-	2	2	3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 INTRAHEPATIC BILE DUCTS (155.1)											
TOTAL, BOTH SEXES											
1998.....	2,470	-	-	-	-	-	2	5	10	24	42
1997.....	2,310	-	-	-	-	-	-	4	6	26	52
1996.....	2,291	-	-	-	-	1	2	5	8	21	39
1995.....	2,126	-	-	-	-	1	4	7	5	22	39
1994.....	2,028	-	-	-	-	-	1	5	9	24	41
1993.....	1,898	-	-	-	-	1	-	5	13	16	34
1992.....	1,631	-	-	-	-	-	1	1	9	24	34
1991.....	1,497	-	-	-	-	-	1	4	5	23	40
1990.....	1,338	-	-	-	-	-	-	2	6	16	24
1989.....	1,231	-	-	-	-	-	-	3	10	16	24
1988.....	1,144	-	1	1	-	-	1	3	10	19	28
1987.....	1,089	-	-	-	-	1	2	2	7	24	18
1986.....	992	-	-	1	-	-	1	-	6	17	18
1985.....	855	-	-	-	-	1	1	3	9	11	17
1984.....	760	-	1	1	-	-	-	4	8	14	19
1983.....	704	-	-	1	-	-	3	3	5	11	13
1982.....	643	-	-	-	-	1	1	5	6	17	16
1981.....	516	-	-	-	-	-	1	1	8	6	10
1980.....	455	-	-	-	-	1	-	7	6	6	11
1979.....	379	-	-	-	-	-	1	4	2	6	10
TOTAL, MALE											
1998.....	1,205	-	-	-	-	-	1	4	3	18	14
1997.....	1,119	-	-	-	-	-	-	3	3	19	31
1996.....	1,137	-	-	-	-	1	2	3	6	13	26
1995.....	1,067	-	-	-	-	-	-	6	2	11	22
1994.....	989	-	-	-	-	-	1	1	3	20	19
1993.....	953	-	-	-	-	-	-	2	9	10	22
1992.....	802	-	-	-	-	-	1	1	4	12	19
1991.....	742	-	-	-	-	-	1	4	4	9	23
1990.....	682	-	-	-	-	-	-	-	4	10	19
1989.....	616	-	-	-	-	-	-	2	6	7	13
1988.....	550	-	1	-	-	-	-	2	7	12	14
1987.....	523	-	-	-	-	1	1	2	6	15	6
1986.....	495	-	-	1	-	-	-	-	3	12	10
1985.....	410	-	-	-	-	-	-	2	5	6	12
1984.....	363	-	1	-	-	-	-	1	2	7	12
1983.....	361	-	-	1	-	-	2	2	4	7	7
1982.....	315	-	-	-	-	-	-	3	2	10	11
1981.....	262	-	-	-	-	-	-	-	3	3	5
1980.....	226	-	-	-	-	-	-	4	3	4	6
1979.....	203	-	-	-	-	-	-	2	1	1	7

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 INTRAHEPATIC BILE DUCTS (155.1)											
TOTAL, FEMALE											
1998.....	1,265	-	-	-	-	-	1	1	7	6	28
1997.....	1,191	-	-	-	-	-	-	1	3	7	21
1996.....	1,154	-	-	-	-	-	-	2	2	8	13
1995.....	1,059	-	-	-	-	1	4	1	3	11	17
1994.....	1,039	-	-	-	-	-	-	4	6	4	22
1993.....	945	-	-	-	-	1	-	3	4	6	12
1992.....	829	-	-	-	-	-	-	-	5	12	15
1991.....	755	-	-	-	-	-	-	-	1	14	17
1990.....	656	-	-	-	-	-	-	2	2	6	5
1989.....	615	-	-	-	-	-	-	1	4	9	11
1988.....	594	-	-	1	-	-	1	1	3	7	14
1987.....	566	-	-	-	-	-	1	-	1	9	12
1986.....	497	-	-	-	-	-	1	-	3	5	8
1985.....	445	-	-	-	-	1	1	1	4	5	5
1984.....	397	-	-	1	-	-	-	3	6	7	7
1983.....	343	-	-	-	-	-	1	1	1	4	6
1982.....	328	-	-	-	-	1	1	2	4	7	5
1981.....	254	-	-	-	-	-	1	1	5	3	5
1980.....	229	-	-	-	-	1	-	3	3	2	5
1979.....	176	-	-	-	-	-	1	2	1	5	3
WHITE, BOTH SEXES											
1998.....	2,145	-	-	-	-	-	2	3	9	19	31
1997.....	2,012	-	-	-	-	-	-	3	5	20	41
1996.....	2,026	-	-	-	-	1	1	3	7	18	35
1995.....	1,868	-	-	-	-	1	2	6	4	18	31
1994.....	1,785	-	-	-	-	-	1	2	7	22	35
1993.....	1,681	-	-	-	-	1	-	4	12	15	28
1992.....	1,456	-	-	-	-	-	1	-	7	22	24
1991.....	1,322	-	-	-	-	-	1	1	3	20	32
1990.....	1,178	-	-	-	-	-	-	2	6	11	20
1989.....	1,116	-	-	-	-	-	-	3	10	13	21
1988.....	1,016	-	1	-	-	-	1	3	9	15	17
1987.....	977	-	-	-	-	-	2	1	7	20	16
1986.....	874	-	-	-	-	-	1	-	4	13	16
1985.....	760	-	-	-	-	-	-	3	6	9	16
1984.....	651	-	1	1	-	-	-	4	6	12	17
1983.....	627	-	-	1	-	-	3	2	4	11	10
1982.....	562	-	-	-	-	1	1	4	5	17	14
1981.....	467	-	-	-	-	-	1	1	8	5	10
1980.....	402	-	-	-	-	-	-	6	6	3	9
1979.....	345	-	-	-	-	-	1	3	2	6	9

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 INTRAHEPATIC BILE DUCTS (155.1)											
WHITE MALE											
1998.....	1,037	-	-	-	-	-	1	2	3	13	11
1997.....	962	-	-	-	-	-	-	3	2	13	22
1996.....	998	-	-	-	-	1	1	2	5	11	24
1995.....	932	-	-	-	-	-	-	5	2	9	17
1994.....	860	-	-	-	-	-	1	-	3	18	16
1993.....	843	-	-	-	-	-	-	2	8	10	19
1992.....	711	-	-	-	-	-	1	-	3	12	14
1991.....	658	-	-	-	-	-	1	1	3	8	19
1990.....	598	-	-	-	-	-	-	-	4	8	15
1989.....	548	-	-	-	-	-	-	2	6	6	12
1988.....	485	-	1	-	-	-	-	2	7	8	8
1987.....	464	-	-	-	-	-	1	1	6	12	6
1986.....	436	-	-	-	-	-	-	-	3	9	9
1985.....	362	-	-	-	-	-	-	2	3	6	12
1984.....	299	-	1	-	-	-	-	1	1	5	11
1983.....	322	-	-	1	-	-	2	2	3	7	6
1982.....	273	-	-	-	-	-	-	2	2	10	9
1981.....	235	-	-	-	-	-	-	-	3	2	5
1980.....	199	-	-	-	-	-	-	4	3	2	6
1979.....	186	-	-	-	-	-	-	2	1	1	6
WHITE FEMALE											
1998.....	1,108	-	-	-	-	-	1	1	6	6	20
1997.....	1,050	-	-	-	-	-	-	-	3	7	19
1996.....	1,028	-	-	-	-	-	-	1	2	7	11
1995.....	936	-	-	-	-	1	2	1	2	9	14
1994.....	925	-	-	-	-	-	-	2	4	4	19
1993.....	838	-	-	-	-	1	-	2	4	5	9
1992.....	745	-	-	-	-	-	-	-	4	10	10
1991.....	664	-	-	-	-	-	-	-	-	12	13
1990.....	580	-	-	-	-	-	-	2	2	3	5
1989.....	568	-	-	-	-	-	-	1	4	7	9
1988.....	531	-	-	-	-	-	1	1	2	7	9
1987.....	513	-	-	-	-	-	1	-	1	8	10
1986.....	438	-	-	-	-	-	1	-	1	4	7
1985.....	398	-	-	-	-	-	-	1	3	3	4
1984.....	352	-	-	1	-	-	-	3	5	7	6
1983.....	305	-	-	-	-	-	1	-	1	4	4
1982.....	289	-	-	-	-	1	1	2	3	7	5
1981.....	232	-	-	-	-	-	1	1	5	3	5
1980.....	203	-	-	-	-	-	-	2	3	1	3
1979.....	159	-	-	-	-	-	1	1	1	5	3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 INTRAHEPATIC BILE DUCTS (155.1)											
ALL OTHER FEMALE											
1998.....	157	-	-	-	-	-	-	-	1	-	8
1997.....	141	-	-	-	-	-	-	1	-	-	2
1996.....	126	-	-	-	-	-	-	1	-	1	2
1995.....	123	-	-	-	-	-	2	-	1	2	3
1994.....	114	-	-	-	-	-	-	2	2	-	3
1993.....	107	-	-	-	-	-	-	1	-	1	3
1992.....	84	-	-	-	-	-	-	-	1	2	5
1991.....	91	-	-	-	-	-	-	-	1	2	4
1990.....	76	-	-	-	-	-	-	-	-	3	-
1989.....	47	-	-	-	-	-	-	-	-	2	2
1988.....	63	-	-	1	-	-	-	-	1	-	5
1987.....	53	-	-	-	-	-	-	-	-	1	2
1986.....	59	-	-	-	-	-	-	-	2	1	1
1985.....	47	-	-	-	-	1	1	-	1	2	1
1984.....	45	-	-	-	-	-	-	-	1	-	1
1983.....	38	-	-	-	-	-	-	1	-	-	2
1982.....	39	-	-	-	-	-	-	-	1	-	-
1981.....	22	-	-	-	-	-	-	-	-	-	-
1980.....	26	-	-	-	-	1	-	1	-	1	2
1979.....	17	-	-	-	-	-	-	1	-	-	-
BLACK, BOTH SEXES											
1998.....	191	-	-	-	-	-	-	2	1	2	6
1997.....	178	-	-	-	-	-	-	1	1	4	2
1996.....	161	-	-	-	-	-	1	2	-	2	3
1995.....	158	-	-	-	-	-	2	1	1	2	5
1994.....	165	-	-	-	-	-	-	3	2	2	5
1993.....	131	-	-	-	-	-	-	-	-	1	1
1992.....	100	-	-	-	-	-	-	1	1	1	4
1991.....	121	-	-	-	-	-	-	3	1	3	5
1990.....	108	-	-	-	-	-	-	-	-	2	3
1989.....	77	-	-	-	-	-	-	-	-	2	2
1988.....	89	-	-	-	-	-	-	-	1	1	6
1987.....	80	-	-	-	-	1	-	1	-	3	2
1986.....	90	-	-	1	-	-	-	-	2	2	1
1985.....	65	-	-	-	-	1	1	-	2	1	1
1984.....	89	-	-	-	-	-	-	-	2	1	2
1983.....	61	-	-	-	-	-	-	1	-	-	3
1982.....	62	-	-	-	-	-	-	1	1	-	1
1981.....	45	-	-	-	-	-	-	-	-	1	-
1980.....	42	-	-	-	-	1	-	-	-	2	1
1979.....	30	-	-	-	-	-	-	1	-	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 INTRAHEPATIC BILE DUCTS (155.1)											
BLACK MALE											
1998.....	90	-	-	-	-	-	-	2	-	2	2
1997.....	86	-	-	-	-	-	-	-	1	4	2
1996.....	77	-	-	-	-	-	1	1	-	1	2
1995.....	75	-	-	-	-	-	-	1	-	1	3
1994.....	84	-	-	-	-	-	-	1	-	2	2
1993.....	64	-	-	-	-	-	-	-	-	-	1
1992.....	52	-	-	-	-	-	-	1	-	-	2
1991.....	57	-	-	-	-	-	-	3	1	1	2
1990.....	47	-	-	-	-	-	-	-	-	-	3
1989.....	45	-	-	-	-	-	-	-	-	1	1
1988.....	45	-	-	-	-	-	-	-	-	1	3
1987.....	38	-	-	-	-	1	-	1	-	2	-
1986.....	44	-	-	1	-	-	-	-	-	1	-
1985.....	31	-	-	-	-	-	-	-	2	-	-
1984.....	50	-	-	-	-	-	-	-	1	1	1
1983.....	28	-	-	-	-	-	-	-	-	-	1
1982.....	36	-	-	-	-	-	-	1	-	-	1
1981.....	25	-	-	-	-	-	-	-	-	1	-
1980.....	21	-	-	-	-	-	-	-	-	2	-
1979.....	15	-	-	-	-	-	-	-	-	-	-
BLACK FEMALE											
1998.....	101	-	-	-	-	-	-	-	1	-	4
1997.....	92	-	-	-	-	-	-	1	-	-	-
1996.....	84	-	-	-	-	-	-	1	-	1	1
1995.....	83	-	-	-	-	-	2	-	1	1	2
1994.....	81	-	-	-	-	-	-	2	2	-	3
1993.....	67	-	-	-	-	-	-	-	-	1	-
1992.....	48	-	-	-	-	-	-	-	1	1	2
1991.....	64	-	-	-	-	-	-	-	-	2	3
1990.....	61	-	-	-	-	-	-	-	-	2	-
1989.....	32	-	-	-	-	-	-	-	-	1	1
1988.....	44	-	-	-	-	-	-	-	1	-	3
1987.....	42	-	-	-	-	-	-	-	-	1	2
1986.....	46	-	-	-	-	-	-	-	2	1	1
1985.....	34	-	-	-	-	1	1	-	-	1	1
1984.....	39	-	-	-	-	-	-	-	1	-	1
1983.....	33	-	-	-	-	-	-	1	-	-	2
1982.....	26	-	-	-	-	-	-	-	1	-	-
1981.....	20	-	-	-	-	-	-	-	-	-	-
1980.....	21	-	-	-	-	1	-	-	-	-	1
1979.....	15	-	-	-	-	-	-	1	-	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 LIVER, NOT SPECIFIED AS PRIMARY OR SECONDARY (155.2)											
TOTAL, BOTH SEXES											
1998.....	4,229	1	4	2	1	4	5	4	15	29	84
1997.....	4,087	1	2	-	2	3	5	7	19	36	77
1996.....	4,090	1	2	1	2	1	7	6	11	43	88
1995.....	4,055	-	-	1	1	5	3	6	16	29	76
1994.....	3,797	2	3	1	4	2	7	7	17	31	77
1993.....	3,729	1	1	2	1	1	3	4	19	38	63
1992.....	3,459	1	2	-	2	3	7	2	18	34	58
1991.....	3,331	1	2	2	1	4	5	8	17	32	46
1990.....	3,045	1	-	-	2	1	3	6	17	20	53
1989.....	3,091	1	4	2	4	1	2	7	18	26	37
1988.....	3,009	1	1	1	2	2	2	12	9	22	45
1987.....	2,913	-	2	2	4	1	4	11	16	30	35
1986.....	2,948	1	2	1	3	3	5	6	10	31	43
1985.....	2,837	3	4	1	3	4	8	5	14	26	43
1984.....	2,730	1	3	3	2	3	2	10	18	18	41
1983.....	2,697	1	1	-	3	2	3	12	22	21	34
1982.....	2,886	1	3	5	3	3	2	12	14	16	33
1981.....	2,840	2	5	2	2	3	5	7	13	19	34
1980.....	2,768	3	2	2	2	3	4	11	16	21	36
1979.....	2,794	1	1	3	1	1	6	11	12	17	29
TOTAL, MALE											
1998.....	2,498	1	1	2	1	1	4	2	11	14	65
1997.....	2,345	1	-	-	-	-	2	5	9	29	56
1996.....	2,316	-	1	-	2	1	4	2	7	28	62
1995.....	2,280	-	-	-	-	3	1	4	10	16	58
1994.....	2,140	1	2	1	3	1	3	4	10	24	51
1993.....	2,049	-	-	-	-	-	2	2	14	25	42
1992.....	1,985	1	2	-	1	1	4	2	16	20	38
1991.....	1,841	1	2	-	1	2	2	5	10	23	26
1990.....	1,665	1	-	-	-	-	2	4	16	13	33
1989.....	1,744	-	3	-	3	-	1	4	10	18	25
1988.....	1,682	-	1	1	-	-	-	7	5	13	28
1987.....	1,592	-	1	1	2	1	3	7	11	22	23
1986.....	1,623	-	1	1	1	1	5	5	5	22	27
1985.....	1,527	1	3	-	3	2	4	3	7	14	25
1984.....	1,477	1	1	1	1	2	-	6	11	11	25
1983.....	1,485	-	1	-	1	-	2	6	12	16	20
1982.....	1,571	1	2	4	2	-	2	5	8	7	17
1981.....	1,548	1	3	1	2	2	3	2	7	10	20
1980.....	1,543	3	2	1	1	1	4	4	11	10	27
1979.....	1,486	-	-	3	1	1	5	3	8	9	14

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 LIVER, NOT SPECIFIED AS PRIMARY OR SECONDARY (155.2)											
TOTAL, FEMALE											
1998.....	1,731	-	3	-	-	3	1	2	4	15	19
1997.....	1,742	-	2	-	2	3	3	2	10	7	21
1996.....	1,774	1	1	1	-	-	3	4	4	15	26
1995.....	1,775	-	-	1	1	2	2	2	6	13	18
1994.....	1,657	1	1	-	1	1	4	3	7	7	26
1993.....	1,680	1	1	2	1	1	1	2	5	13	21
1992.....	1,474	-	-	-	1	2	3	-	2	14	20
1991.....	1,490	-	-	2	-	2	3	3	7	9	20
1990.....	1,380	-	-	-	2	1	1	2	1	7	20
1989.....	1,347	1	1	2	1	1	1	3	8	8	12
1988.....	1,327	1	-	-	2	2	2	5	4	9	17
1987.....	1,321	-	1	1	2	-	1	4	5	8	12
1986.....	1,325	1	1	-	2	2	-	1	5	9	16
1985.....	1,310	2	1	1	-	2	4	2	7	12	18
1984.....	1,253	-	2	2	1	1	2	4	7	7	16
1983.....	1,212	1	-	-	2	2	1	6	10	5	14
1982.....	1,315	-	1	1	1	3	-	7	6	9	16
1981.....	1,292	1	2	1	-	1	2	5	6	9	14
1980.....	1,225	-	-	1	1	2	-	7	5	11	9
1979.....	1,308	1	1	-	-	-	1	8	4	8	15
WHITE, BOTH SEXES											
1998.....	3,396	1	4	1	1	3	4	3	6	13	61
1997.....	3,319	1	1	-	1	2	2	4	11	24	45
1996.....	3,397	-	2	1	2	1	2	5	7	28	62
1995.....	3,306	-	-	-	-	4	3	4	10	14	51
1994.....	3,149	1	3	1	2	1	6	4	10	20	53
1993.....	3,076	1	1	2	-	1	2	3	10	23	47
1992.....	2,862	1	2	-	1	2	6	2	8	22	29
1991.....	2,728	1	1	1	1	3	2	6	16	20	29
1990.....	2,475	1	-	-	1	1	2	1	10	12	34
1989.....	2,520	1	3	2	4	1	1	5	11	16	24
1988.....	2,519	1	1	1	2	2	2	4	6	11	31
1987.....	2,414	-	2	2	4	1	4	6	13	17	20
1986.....	2,452	-	2	1	2	2	2	4	9	20	32
1985.....	2,402	3	4	1	3	4	6	3	11	16	31
1984.....	2,320	1	2	1	1	3	-	7	10	13	29
1983.....	2,251	1	1	-	2	1	1	8	12	12	21
1982.....	2,430	1	3	4	3	2	1	7	8	11	24
1981.....	2,441	2	4	2	2	2	3	7	10	15	26
1980.....	2,357	2	2	2	1	2	3	8	12	14	26
1979.....	2,378	1	1	2	1	1	4	11	6	14	19

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 LIVER, NOT SPECIFIED AS PRIMARY OR SECONDARY (155.2)											
WHITE MALE											
1998.....	1,979	1	1	1	1	1	3	1	3	6	45
1997.....	1,890	1	-	-	-	-	1	2	6	18	34
1996.....	1,903	-	1	-	2	1	1	1	5	19	42
1995.....	1,851	-	-	-	-	2	1	3	5	6	41
1994.....	1,749	1	2	1	1	-	3	2	6	16	33
1993.....	1,676	-	-	-	-	-	1	1	7	16	28
1992.....	1,604	1	2	-	-	-	3	2	7	14	17
1991.....	1,488	1	1	-	1	1	-	4	9	15	17
1990.....	1,350	1	-	-	-	-	1	-	9	7	25
1989.....	1,387	-	2	-	3	-	-	3	4	11	17
1988.....	1,389	-	1	1	-	-	-	3	4	7	17
1987.....	1,301	-	1	1	2	1	3	4	8	11	13
1986.....	1,308	-	1	1	1	1	2	3	4	12	19
1985.....	1,271	1	3	-	3	2	3	1	5	8	19
1984.....	1,212	1	1	1	-	2	-	4	5	8	15
1983.....	1,206	-	1	-	1	-	1	4	6	8	11
1982.....	1,301	1	2	3	2	-	1	4	4	5	13
1981.....	1,309	1	2	1	2	1	1	2	4	8	14
1980.....	1,288	2	2	1	-	1	3	3	8	6	18
1979.....	1,240	-	-	2	1	1	3	3	4	7	9
WHITE FEMALE											
1998.....	1,417	-	3	-	-	2	1	2	3	7	16
1997.....	1,429	-	1	-	1	2	1	2	5	6	11
1996.....	1,494	-	1	1	-	-	1	4	2	9	20
1995.....	1,455	-	-	-	-	2	2	1	5	8	10
1994.....	1,400	-	1	-	1	1	3	2	4	4	20
1993.....	1,400	1	1	2	-	1	1	2	3	7	19
1992.....	1,258	-	-	-	1	2	3	-	1	8	12
1991.....	1,240	-	-	1	-	2	2	2	7	5	12
1990.....	1,125	-	-	-	1	1	1	1	1	5	9
1989.....	1,133	1	1	2	1	1	1	2	7	5	7
1988.....	1,130	1	-	-	2	2	2	1	2	4	14
1987.....	1,113	-	1	1	2	-	1	2	5	6	7
1986.....	1,144	-	1	-	1	1	-	1	5	8	13
1985.....	1,131	2	1	1	-	2	3	2	6	8	12
1984.....	1,108	-	1	-	1	1	-	3	5	5	14
1983.....	1,045	1	-	-	1	1	-	4	6	4	10
1982.....	1,129	-	1	1	1	2	-	3	4	6	11
1981.....	1,132	1	2	1	-	1	2	5	6	7	12
1980.....	1,069	-	-	1	1	1	-	5	4	8	8
1979.....	1,138	1	1	-	-	-	1	8	2	7	10

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 LIVER, NOT SPECIFIED AS PRIMARY OR SECONDARY (155.2)											
ALL OTHER, BOTH SEXES											
1998.....	833	-	-	1	-	1	1	1	9	16	23
1997.....	768	-	1	-	1	1	3	3	8	12	32
1996.....	693	1	-	-	-	-	5	1	4	15	26
1995.....	749	-	-	1	1	1	-	2	6	15	25
1994.....	648	1	-	-	2	1	1	3	7	11	24
1993.....	653	-	-	-	1	-	1	1	9	15	16
1992.....	597	-	-	-	1	1	1	-	10	12	29
1991.....	603	-	1	1	-	1	3	2	1	12	17
1990.....	570	-	-	-	1	-	1	5	7	8	19
1989.....	571	-	1	-	-	-	1	2	7	10	13
1988.....	490	-	-	-	-	-	-	8	3	11	14
1987.....	499	-	-	-	-	-	-	5	3	13	15
1986.....	496	1	-	-	1	1	3	2	1	11	11
1985.....	435	-	-	-	-	-	2	2	3	10	12
1984.....	410	-	1	2	1	-	2	3	8	5	12
1983.....	446	-	-	-	1	1	2	4	10	9	13
1982.....	456	-	-	1	-	1	1	5	6	5	9
1981.....	399	-	1	-	-	1	2	-	3	4	8
1980.....	411	1	-	-	1	1	1	3	4	7	10
1979.....	416	-	-	1	-	-	2	-	6	3	10
ALL OTHER MALE											
1998.....	519	-	-	1	-	-	1	1	8	8	20
1997.....	455	-	-	-	-	-	1	3	3	11	22
1996.....	413	-	-	-	-	-	3	1	2	9	20
1995.....	429	-	-	-	-	1	-	1	5	10	17
1994.....	391	-	-	-	2	1	-	2	4	8	18
1993.....	373	-	-	-	-	-	1	1	7	9	14
1992.....	381	-	-	-	1	1	1	-	9	6	21
1991.....	353	-	1	-	-	1	2	1	1	8	9
1990.....	315	-	-	-	-	-	1	4	7	6	8
1989.....	357	-	1	-	-	-	1	1	6	7	8
1988.....	293	-	-	-	-	-	-	4	1	6	11
1987.....	291	-	-	-	-	-	-	3	3	11	10
1986.....	315	-	-	-	-	-	3	2	1	10	8
1985.....	256	-	-	-	-	-	1	2	2	6	6
1984.....	265	-	-	-	1	-	-	2	6	3	10
1983.....	279	-	-	-	-	-	1	2	6	8	9
1982.....	270	-	-	1	-	-	1	1	4	2	4
1981.....	239	-	1	-	-	1	2	-	3	2	6
1980.....	255	1	-	-	1	-	1	1	3	4	9
1979.....	246	-	-	1	-	-	2	-	4	2	5

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 LIVER, NOT SPECIFIED AS PRIMARY OR SECONDARY (155.2)											
ALL OTHER FEMALE											
1998.....	314	-	-	-	-	1	-	-	1	8	3
1997.....	313	-	1	-	1	1	2	-	5	1	10
1996.....	280	1	-	-	-	-	2	-	2	6	6
1995.....	320	-	-	1	1	-	-	1	1	5	8
1994.....	257	1	-	-	-	-	1	1	3	3	6
1993.....	280	-	-	-	1	-	-	-	2	6	2
1992.....	216	-	-	-	-	-	-	-	1	6	8
1991.....	250	-	-	1	-	-	1	1	-	4	8
1990.....	255	-	-	-	1	-	-	1	-	2	11
1989.....	214	-	-	-	-	-	-	1	1	3	5
1988.....	197	-	-	-	-	-	-	4	2	5	3
1987.....	208	-	-	-	-	-	-	2	-	2	5
1986.....	181	1	-	-	1	1	-	-	-	1	3
1985.....	179	-	-	-	-	-	1	-	1	4	6
1984.....	145	-	1	2	-	-	2	1	2	2	2
1983.....	167	-	-	-	1	1	1	2	4	1	4
1982.....	186	-	-	-	-	1	-	4	2	3	5
1981.....	160	-	-	-	-	-	-	-	-	2	2
1980.....	156	-	-	-	-	1	-	2	1	3	1
1979.....	170	-	-	-	-	-	-	-	2	1	5
BLACK, BOTH SEXES											
1998.....	632	-	-	1	-	1	-	1	5	10	14
1997.....	551	-	1	-	-	1	2	3	7	5	27
1996.....	529	-	-	-	-	-	4	-	2	13	18
1995.....	571	-	-	1	1	-	-	2	5	12	19
1994.....	469	-	-	-	1	-	1	2	6	9	20
1993.....	508	-	-	-	-	-	1	1	7	13	11
1992.....	463	-	-	-	1	-	1	-	6	6	21
1991.....	465	-	1	1	-	-	2	1	1	8	11
1990.....	445	-	-	-	1	-	1	3	3	6	14
1989.....	453	-	1	-	-	-	1	2	7	7	7
1988.....	400	-	-	-	-	-	-	7	3	8	10
1987.....	403	-	-	-	-	-	-	4	2	8	12
1986.....	419	-	-	-	1	1	3	1	1	6	10
1985.....	365	-	-	-	-	-	2	2	3	5	8
1984.....	350	-	1	2	-	-	2	3	7	4	9
1983.....	385	-	-	-	1	-	2	4	8	9	11
1982.....	396	-	-	1	-	1	1	5	4	4	6
1981.....	355	-	1	-	-	-	2	-	3	3	7
1980.....	367	-	-	-	1	1	1	2	4	7	7
1979.....	370	-	-	-	-	-	2	-	6	3	8

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 LIVER, NOT SPECIFIED AS PRIMARY OR SECONDARY (155.2)											
BLACK MALE											
1998.....	386	-	-	1	-	-	-	1	5	4	11
1997.....	310	-	-	-	-	-	-	3	3	4	18
1996.....	298	-	-	-	-	-	2	-	-	7	13
1995.....	312	-	-	-	-	-	-	1	4	8	13
1994.....	278	-	-	-	1	-	-	1	4	6	15
1993.....	282	-	-	-	-	-	1	1	5	8	9
1992.....	294	-	-	-	1	-	1	-	5	3	16
1991.....	273	-	1	-	-	-	2	-	1	5	5
1990.....	236	-	-	-	-	-	1	2	3	5	4
1989.....	280	-	1	-	-	-	1	1	6	5	4
1988.....	230	-	-	-	-	-	-	3	1	5	8
1987.....	227	-	-	-	-	-	-	2	2	6	8
1986.....	263	-	-	-	-	-	3	1	1	6	8
1985.....	210	-	-	-	-	-	1	2	2	3	3
1984.....	219	-	-	-	-	-	-	2	5	2	7
1983.....	237	-	-	-	-	-	1	2	4	8	7
1982.....	231	-	-	1	-	-	1	1	2	2	2
1981.....	204	-	1	-	-	-	2	-	3	1	5
1980.....	225	-	-	-	1	-	1	1	3	4	6
1979.....	216	-	-	-	-	-	2	-	4	2	3
BLACK FEMALE											
1998.....	246	-	-	-	-	1	-	-	-	6	3
1997.....	241	-	1	-	-	1	2	-	4	1	9
1996.....	231	-	-	-	-	-	2	-	2	6	5
1995.....	259	-	-	1	1	-	-	1	1	4	6
1994.....	191	-	-	-	-	-	1	1	2	3	5
1993.....	226	-	-	-	-	-	-	-	2	5	2
1992.....	169	-	-	-	-	-	-	-	1	3	5
1991.....	192	-	-	1	-	-	-	1	-	3	6
1990.....	209	-	-	-	1	-	-	1	-	1	10
1989.....	173	-	-	-	-	-	-	1	1	2	3
1988.....	170	-	-	-	-	-	-	4	2	3	2
1987.....	176	-	-	-	-	-	-	2	-	2	4
1986.....	156	-	-	-	1	1	-	-	-	-	2
1985.....	155	-	-	-	-	-	1	-	1	2	5
1984.....	131	-	1	2	-	-	2	1	2	2	2
1983.....	148	-	-	-	1	-	1	2	4	1	4
1982.....	165	-	-	-	-	1	-	4	2	2	4
1981.....	151	-	-	-	-	-	-	-	-	2	2
1980.....	142	-	-	-	-	1	-	1	1	3	1
1979.....	154	-	-	-	-	-	-	-	2	1	5

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF GALLBLADDER AND EXTRAHEPATIC BILE DUCTS (156)											
TOTAL, BOTH SEXES											
1998.....	3,505	-	-	-	-	-	-	-	7	17	43
1997.....	3,654	-	-	-	-	-	1	-	7	20	36
1996.....	3,652	-	-	-	-	-	1	-	5	21	38
1995.....	3,811	-	1	1	-	1	1	3	9	22	39
1994.....	3,784	-	-	1	-	-	-	1	5	19	31
1993.....	3,803	-	1	1	1	-	2	3	9	25	43
1992.....	3,944	-	1	-	-	-	1	3	7	24	40
1991.....	3,902	2	-	-	-	-	1	2	7	26	47
1990.....	3,857	1	-	-	-	1	-	2	5	11	35
1989.....	4,031	-	-	-	-	1	-	3	8	22	47
1988.....	3,953	-	-	-	-	-	1	1	5	18	40
1987.....	4,116	-	-	-	-	-	1	6	6	24	39
1986.....	4,211	-	1	-	-	-	-	5	8	11	37
1985.....	4,283	-	-	-	-	-	1	2	13	19	38
1984.....	4,231	-	-	-	-	-	-	7	12	22	39
1983.....	4,328	-	1	1	-	-	1	1	7	11	50
1982.....	4,380	-	-	1	-	-	-	6	5	27	35
1981.....	4,328	-	-	-	-	-	1	2	11	15	31
1980.....	4,421	-	-	1	-	1	6	5	9	16	34
1979.....	4,310	-	-	1	-	1	2	5	9	24	36
TOTAL, MALE											
1998.....	1,299	-	-	-	-	-	-	-	5	8	11
1997.....	1,340	-	-	-	-	-	-	-	4	6	11
1996.....	1,332	-	-	-	-	-	1	-	1	13	11
1995.....	1,399	-	1	-	-	1	-	2	5	14	11
1994.....	1,331	-	-	-	-	-	-	-	3	2	12
1993.....	1,390	-	-	-	1	-	2	2	3	14	17
1992.....	1,426	-	-	-	-	-	1	-	4	7	15
1991.....	1,419	1	-	-	-	-	1	1	4	11	20
1990.....	1,396	-	-	-	-	1	-	2	2	5	12
1989.....	1,496	-	-	-	-	-	-	1	2	10	23
1988.....	1,432	-	-	-	-	-	-	-	5	8	20
1987.....	1,539	-	-	-	-	-	-	3	5	11	13
1986.....	1,506	-	-	-	-	-	-	1	3	5	16
1985.....	1,586	-	-	-	-	-	1	2	4	11	13
1984.....	1,511	-	-	-	-	-	-	3	7	17	15
1983.....	1,603	-	-	1	-	-	1	-	1	8	19
1982.....	1,542	-	-	-	-	-	-	4	3	13	10
1981.....	1,571	-	-	-	-	-	1	2	5	7	17
1980.....	1,554	-	-	1	-	1	3	2	6	9	17
1979.....	1,573	-	-	-	-	-	-	2	6	10	20

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF GALLBLADDER AND EXTRAHEPATIC BILE DUCTS (156)											
TOTAL, FEMALE											
1998.....	2,206	-	-	-	-	-	-	-	2	9	32
1997.....	2,314	-	-	-	-	-	1	-	3	14	25
1996.....	2,320	-	-	-	-	-	-	-	4	8	27
1995.....	2,412	-	-	1	-	-	1	1	4	8	28
1994.....	2,453	-	-	1	-	-	-	1	2	17	19
1993.....	2,413	-	1	1	-	-	-	1	6	11	26
1992.....	2,518	-	1	-	-	-	-	3	3	17	25
1991.....	2,483	1	-	-	-	-	-	1	3	15	27
1990.....	2,461	1	-	-	-	-	-	-	3	6	23
1989.....	2,535	-	-	-	-	1	-	2	6	12	24
1988.....	2,521	-	-	-	-	-	1	1	-	10	20
1987.....	2,577	-	-	-	-	-	1	3	1	13	26
1986.....	2,705	-	1	-	-	-	-	4	5	6	21
1985.....	2,697	-	-	-	-	-	-	-	9	8	25
1984.....	2,720	-	-	-	-	-	-	4	5	5	24
1983.....	2,725	-	1	-	-	-	-	1	6	3	31
1982.....	2,838	-	-	1	-	-	-	2	2	14	25
1981.....	2,757	-	-	-	-	-	-	-	6	8	14
1980.....	2,867	-	-	-	-	-	3	3	3	7	17
1979.....	2,737	-	-	1	-	1	2	3	3	14	16
WHITE, BOTH SEXES											
1998.....	3,096	-	-	-	-	-	-	-	3	10	28
1997.....	3,234	-	-	-	-	-	1	-	6	14	31
1996.....	3,184	-	-	-	-	-	1	-	4	17	30
1995.....	3,393	-	1	-	-	-	1	2	8	15	29
1994.....	3,350	-	-	-	-	-	-	1	4	15	27
1993.....	3,425	-	1	-	-	-	1	2	7	19	35
1992.....	3,520	-	1	-	-	-	1	2	7	16	33
1991.....	3,501	1	-	-	-	-	1	1	4	21	41
1990.....	3,486	1	-	-	-	-	-	1	5	9	32
1989.....	3,627	-	-	-	-	-	-	1	6	18	43
1988.....	3,529	-	-	-	-	-	1	1	3	14	38
1987.....	3,740	-	-	-	-	-	1	6	6	21	30
1986.....	3,850	-	1	-	-	-	-	1	3	11	35
1985.....	3,908	-	-	-	-	-	1	2	11	12	34
1984.....	3,862	-	-	-	-	-	-	5	12	20	30
1983.....	3,964	-	1	1	-	-	1	1	5	7	41
1982.....	4,037	-	-	1	-	-	-	6	5	22	31
1981.....	3,962	-	-	-	-	-	1	2	6	12	26
1980.....	4,035	-	-	1	-	1	4	5	7	12	29
1979.....	3,972	-	-	1	-	1	1	4	6	22	32

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF GALLBLADDER AND EXTRAHEPATIC BILE DUCTS (156)											
WHITE MALE											
1998.....	1,158	-	-	-	-	-	-	-	2	6	7
1997.....	1,192	-	-	-	-	-	-	-	3	3	10
1996.....	1,169	-	-	-	-	-	1	-	-	11	9
1995.....	1,255	-	1	-	-	-	-	1	5	10	8
1994.....	1,190	-	-	-	-	-	-	-	2	2	12
1993.....	1,263	-	-	-	-	-	1	1	3	10	16
1992.....	1,283	-	-	-	-	-	1	-	4	6	13
1991.....	1,275	-	-	-	-	-	1	-	2	8	19
1990.....	1,256	-	-	-	-	-	-	1	2	4	10
1989.....	1,342	-	-	-	-	-	-	-	1	9	20
1988.....	1,284	-	-	-	-	-	-	-	3	6	19
1987.....	1,381	-	-	-	-	-	-	3	5	10	11
1986.....	1,382	-	-	-	-	-	-	1	1	5	16
1985.....	1,461	-	-	-	-	-	1	2	4	7	13
1984.....	1,400	-	-	-	-	-	-	2	7	16	13
1983.....	1,473	-	-	1	-	-	1	-	1	5	16
1982.....	1,394	-	-	-	-	-	-	4	3	10	9
1981.....	1,447	-	-	-	-	-	1	2	4	7	14
1980.....	1,398	-	-	1	-	1	1	2	5	6	15
1979.....	1,440	-	-	-	-	-	-	1	4	8	17
WHITE FEMALE											
1998.....	1,938	-	-	-	-	-	-	-	1	4	21
1997.....	2,042	-	-	-	-	-	1	-	3	11	21
1996.....	2,015	-	-	-	-	-	-	-	4	6	21
1995.....	2,138	-	-	-	-	-	1	1	3	5	21
1994.....	2,160	-	-	-	-	-	-	1	2	13	15
1993.....	2,162	-	1	-	-	-	-	1	4	9	19
1992.....	2,237	-	1	-	-	-	-	2	3	10	20
1991.....	2,226	1	-	-	-	-	-	1	2	13	22
1990.....	2,230	1	-	-	-	-	-	-	3	5	22
1989.....	2,285	-	-	-	-	-	-	1	5	9	23
1988.....	2,245	-	-	-	-	-	1	1	-	8	19
1987.....	2,359	-	-	-	-	-	1	3	1	11	19
1986.....	2,468	-	1	-	-	-	-	-	2	6	19
1985.....	2,447	-	-	-	-	-	-	-	7	5	21
1984.....	2,462	-	-	-	-	-	-	3	5	4	17
1983.....	2,491	-	1	-	-	-	-	1	4	2	25
1982.....	2,643	-	-	1	-	-	-	2	2	12	22
1981.....	2,515	-	-	-	-	-	-	-	2	5	12
1980.....	2,637	-	-	-	-	-	3	3	2	6	14
1979.....	2,532	-	-	1	-	1	1	3	2	14	15

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF GALLBLADDER AND EXTRAHEPATIC BILE DUCTS (156)											
ALL OTHER, BOTH SEXES											
1998.....	409	-	-	-	-	-	-	-	4	7	15
1997.....	420	-	-	-	-	-	-	-	1	6	5
1996.....	468	-	-	-	-	-	-	-	1	4	8
1995.....	418	-	-	1	-	1	-	1	1	7	10
1994.....	434	-	-	1	-	-	-	-	1	4	4
1993.....	378	-	-	1	1	-	1	1	2	6	8
1992.....	424	-	-	-	-	-	-	1	-	8	7
1991.....	401	1	-	-	-	-	-	1	3	5	6
1990.....	371	-	-	-	-	1	-	1	-	2	3
1989.....	404	-	-	-	-	1	-	2	2	4	4
1988.....	424	-	-	-	-	-	-	-	2	4	2
1987.....	376	-	-	-	-	-	-	-	-	3	9
1986.....	361	-	-	-	-	-	-	4	5	-	2
1985.....	375	-	-	-	-	-	-	-	2	7	4
1984.....	369	-	-	-	-	-	-	2	-	2	9
1983.....	364	-	-	-	-	-	-	-	2	4	9
1982.....	343	-	-	-	-	-	-	-	-	5	4
1981.....	366	-	-	-	-	-	-	-	5	3	5
1980.....	386	-	-	-	-	-	2	-	2	4	5
1979.....	338	-	-	-	-	-	1	1	3	2	4
ALL OTHER MALE											
1998.....	141	-	-	-	-	-	-	-	3	2	4
1997.....	148	-	-	-	-	-	-	-	1	3	1
1996.....	163	-	-	-	-	-	-	-	1	2	2
1995.....	144	-	-	-	-	1	-	1	-	4	3
1994.....	141	-	-	-	-	-	-	-	1	-	-
1993.....	127	-	-	-	1	-	1	1	-	4	1
1992.....	143	-	-	-	-	-	-	-	-	1	2
1991.....	144	1	-	-	-	-	-	1	2	3	1
1990.....	140	-	-	-	-	1	-	1	-	1	2
1989.....	154	-	-	-	-	-	-	1	1	1	3
1988.....	148	-	-	-	-	-	-	-	2	2	1
1987.....	158	-	-	-	-	-	-	-	-	1	2
1986.....	124	-	-	-	-	-	-	-	2	-	-
1985.....	125	-	-	-	-	-	-	-	-	4	-
1984.....	111	-	-	-	-	-	-	1	-	1	2
1983.....	130	-	-	-	-	-	-	-	-	3	3
1982.....	148	-	-	-	-	-	-	-	-	3	1
1981.....	124	-	-	-	-	-	-	-	1	-	3
1980.....	156	-	-	-	-	-	2	-	1	3	2
1979.....	133	-	-	-	-	-	-	1	2	2	3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF GALLBLADDER AND EXTRAHEPATIC BILE DUCTS (156)											
ALL OTHER FEMALE											
1998.....	268	-	-	-	-	-	-	-	1	5	11
1997.....	272	-	-	-	-	-	-	-	-	3	4
1996.....	305	-	-	-	-	-	-	-	-	2	6
1995.....	274	-	-	1	-	-	-	-	1	3	7
1994.....	293	-	-	1	-	-	-	-	-	4	4
1993.....	251	-	-	1	-	-	-	-	2	2	7
1992.....	281	-	-	-	-	-	-	1	-	7	5
1991.....	257	-	-	-	-	-	-	-	1	2	5
1990.....	231	-	-	-	-	-	-	-	-	1	1
1989.....	250	-	-	-	-	1	-	1	1	3	1
1988.....	276	-	-	-	-	-	-	-	-	2	1
1987.....	218	-	-	-	-	-	-	-	-	2	7
1986.....	237	-	-	-	-	-	-	4	3	-	2
1985.....	250	-	-	-	-	-	-	-	2	3	4
1984.....	258	-	-	-	-	-	-	1	-	1	7
1983.....	234	-	-	-	-	-	-	-	2	1	6
1982.....	195	-	-	-	-	-	-	-	-	2	3
1981.....	242	-	-	-	-	-	-	-	4	3	2
1980.....	230	-	-	-	-	-	-	-	1	1	3
1979.....	205	-	-	-	-	-	1	-	1	-	1
BLACK, BOTH SEXES											
1998.....	289	-	-	-	-	-	-	-	3	4	9
1997.....	310	-	-	-	-	-	-	-	1	4	5
1996.....	337	-	-	-	-	-	-	-	1	3	5
1995.....	304	-	-	1	-	1	-	1	1	5	6
1994.....	299	-	-	1	-	-	-	-	1	4	4
1993.....	263	-	-	1	1	-	-	1	1	3	6
1992.....	296	-	-	-	-	-	-	-	-	5	6
1991.....	297	1	-	-	-	-	-	1	3	2	6
1990.....	281	-	-	-	-	1	-	-	-	1	3
1989.....	317	-	-	-	-	1	-	1	2	3	4
1988.....	322	-	-	-	-	-	-	-	1	2	2
1987.....	293	-	-	-	-	-	-	-	-	2	9
1986.....	265	-	-	-	-	-	-	3	3	-	2
1985.....	265	-	-	-	-	-	-	-	2	2	2
1984.....	265	-	-	-	-	-	-	2	-	2	3
1983.....	270	-	-	-	-	-	-	-	1	3	7
1982.....	270	-	-	-	-	-	-	-	-	3	2
1981.....	294	-	-	-	-	-	-	-	5	2	5
1980.....	303	-	-	-	-	-	2	-	2	2	4
1979.....	290	-	-	-	-	-	-	1	3	-	4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF GALLBLADDER AND EXTRAHEPATIC BILE DUCTS (156)											
BLACK MALE											
1998.....	94	-	-	-	-	-	-	-	3	-	1
1997.....	106	-	-	-	-	-	-	-	1	1	1
1996.....	115	-	-	-	-	-	-	-	1	2	2
1995.....	102	-	-	-	-	1	-	1	-	2	2
1994.....	83	-	-	-	-	-	-	-	1	-	-
1993.....	82	-	-	-	1	-	-	1	-	2	1
1992.....	88	-	-	-	-	-	-	-	-	-	2
1991.....	106	1	-	-	-	-	-	1	2	2	1
1990.....	104	-	-	-	-	1	-	-	-	1	2
1989.....	117	-	-	-	-	-	-	-	1	-	3
1988.....	114	-	-	-	-	-	-	-	1	1	1
1987.....	112	-	-	-	-	-	-	-	-	1	2
1986.....	90	-	-	-	-	-	-	-	2	-	-
1985.....	87	-	-	-	-	-	-	-	-	1	-
1984.....	80	-	-	-	-	-	-	1	-	1	1
1983.....	99	-	-	-	-	-	-	-	-	2	2
1982.....	112	-	-	-	-	-	-	-	-	2	-
1981.....	92	-	-	-	-	-	-	-	1	-	3
1980.....	116	-	-	-	-	-	2	-	1	1	2
1979.....	117	-	-	-	-	-	-	1	2	-	3
BLACK FEMALE											
1998.....	195	-	-	-	-	-	-	-	-	4	8
1997.....	204	-	-	-	-	-	-	-	-	3	4
1996.....	222	-	-	-	-	-	-	-	-	1	3
1995.....	202	-	-	1	-	-	-	-	1	3	4
1994.....	216	-	-	1	-	-	-	-	-	4	4
1993.....	181	-	-	1	-	-	-	-	1	1	5
1992.....	208	-	-	-	-	-	-	-	-	5	4
1991.....	191	-	-	-	-	-	-	-	1	-	5
1990.....	177	-	-	-	-	-	-	-	-	-	1
1989.....	200	-	-	-	-	1	-	1	1	3	1
1988.....	208	-	-	-	-	-	-	-	-	1	1
1987.....	181	-	-	-	-	-	-	-	-	1	7
1986.....	175	-	-	-	-	-	-	3	1	-	2
1985.....	178	-	-	-	-	-	-	-	2	1	2
1984.....	185	-	-	-	-	-	-	1	-	1	2
1983.....	171	-	-	-	-	-	-	-	1	1	5
1982.....	158	-	-	-	-	-	-	-	-	1	2
1981.....	202	-	-	-	-	-	-	-	4	2	2
1980.....	187	-	-	-	-	-	-	-	1	1	2
1979.....	173	-	-	-	-	-	-	-	1	-	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF PANCREAS (157)											
TOTAL, BOTH SEXES											
1998.....	28,335	-	1	1	1	2	7	20	43	152	401
1997.....	27,675	2	-	-	-	1	5	9	50	160	394
1996.....	27,260	-	-	1	-	3	8	10	44	148	370
1995.....	26,766	-	-	-	-	-	6	11	42	148	350
1994.....	26,834	-	1	-	-	1	3	17	45	151	359
1993.....	26,445	-	1	-	2	2	5	15	47	148	376
1992.....	26,071	-	-	1	2	1	5	28	54	142	343
1991.....	25,536	-	1	-	1	1	8	16	58	140	364
1990.....	25,082	-	-	2	1	2	6	18	46	151	292
1989.....	24,543	1	-	-	-	-	6	11	54	125	307
1988.....	23,848	-	-	-	1	2	4	14	53	120	288
1987.....	23,737	2	-	1	-	1	7	18	45	135	278
1986.....	23,458	2	-	-	1	2	2	16	39	123	295
1985.....	23,102	-	-	1	1	2	13	17	49	131	266
1984.....	23,155	1	-	2	2	2	6	20	47	139	259
1983.....	22,532	-	1	3	3	5	5	28	45	106	278
1982.....	22,010	3	-	-	-	6	7	20	52	108	235
1981.....	21,792	1	-	1	1	-	8	17	51	123	277
1980.....	21,319	1	-	-	2	3	8	12	46	89	249
1979.....	21,058	1	-	1	1	3	11	17	49	115	251
TOTAL, MALE											
1998.....	13,806	-	1	-	1	1	2	9	25	81	241
1997.....	13,470	-	-	-	-	1	3	7	27	107	232
1996.....	13,027	-	-	-	-	-	5	5	24	85	223
1995.....	12,826	-	-	-	-	-	4	7	26	89	235
1994.....	12,920	-	-	-	-	-	1	9	26	99	232
1993.....	12,669	-	-	-	2	1	2	6	25	85	245
1992.....	12,672	-	-	1	1	1	2	13	30	97	220
1991.....	12,375	-	-	-	-	-	1	10	35	88	227
1990.....	12,199	-	-	-	-	-	2	12	33	100	187
1989.....	11,965	-	-	-	-	-	1	7	32	65	197
1988.....	11,722	-	-	-	1	2	2	10	35	87	188
1987.....	11,550	1	-	-	-	1	4	10	25	76	168
1986.....	11,403	1	-	-	1	1	1	10	25	89	194
1985.....	11,542	-	-	1	1	2	8	10	25	86	160
1984.....	11,517	-	-	1	2	-	6	10	31	86	154
1983.....	11,240	-	1	1	1	3	2	16	28	65	161
1982.....	11,228	1	-	-	-	3	3	11	31	67	135
1981.....	11,191	1	-	-	-	-	5	12	30	77	181
1980.....	10,994	1	-	-	1	1	5	6	25	56	146
1979.....	11,023	1	-	-	-	2	5	9	27	75	161

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF PANCREAS (157)											
TOTAL, FEMALE											
1998.....	14,529	-	-	1	-	1	5	11	18	71	160
1997.....	14,205	2	-	-	-	-	2	2	23	53	162
1996.....	14,233	-	-	1	-	3	3	5	20	63	147
1995.....	13,940	-	-	-	-	-	2	4	16	59	115
1994.....	13,914	-	1	-	-	1	2	8	19	52	127
1993.....	13,776	-	1	-	-	1	3	9	22	63	131
1992.....	13,399	-	-	-	1	-	3	15	24	45	123
1991.....	13,161	-	1	-	1	1	7	6	23	52	137
1990.....	12,883	-	-	2	1	2	4	6	13	51	105
1989.....	12,578	1	-	-	-	-	5	4	22	60	110
1988.....	12,126	-	-	-	-	-	2	4	18	33	100
1987.....	12,187	1	-	1	-	-	3	8	20	59	110
1986.....	12,055	1	-	-	-	1	1	6	14	34	101
1985.....	11,560	-	-	-	-	-	5	7	24	45	106
1984.....	11,638	1	-	1	-	2	-	10	16	53	105
1983.....	11,292	-	-	2	2	2	3	12	17	41	117
1982.....	10,782	2	-	-	-	3	4	9	21	41	100
1981.....	10,601	-	-	1	1	-	3	5	21	46	96
1980.....	10,325	-	-	-	1	2	3	6	21	33	103
1979.....	10,035	-	-	1	1	1	6	8	22	40	90
WHITE, BOTH SEXES											
1998.....	24,397	-	1	-	1	2	4	15	34	111	318
1997.....	23,864	-	-	-	-	1	4	6	39	121	316
1996.....	23,513	-	-	1	-	2	6	9	32	112	291
1995.....	23,269	-	-	-	-	-	2	8	34	116	273
1994.....	23,104	-	-	-	-	1	3	13	34	115	269
1993.....	22,859	-	1	-	1	-	5	10	36	114	300
1992.....	22,519	-	-	1	1	1	5	25	41	117	263
1991.....	22,216	-	-	-	1	1	6	13	45	114	290
1990.....	21,728	-	-	1	-	1	2	17	41	110	239
1989.....	21,236	1	-	-	-	-	6	6	41	92	253
1988.....	20,679	-	-	-	-	2	2	9	47	90	235
1987.....	20,664	2	-	-	-	1	6	14	37	105	213
1986.....	20,470	2	-	-	1	1	1	11	36	106	241
1985.....	20,173	-	-	1	1	2	9	13	40	111	219
1984.....	20,153	-	-	1	-	1	5	17	36	108	212
1983.....	19,630	-	-	2	2	3	5	23	36	89	233
1982.....	19,299	-	-	-	-	5	6	15	39	90	191
1981.....	19,262	-	-	1	1	-	4	12	42	103	227
1980.....	18,738	-	-	-	2	1	4	10	43	73	209
1979.....	18,623	1	-	1	-	3	10	15	43	99	212

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF PANCREAS (157)											
WHITE MALE											
1998.....	11,978	-	1	-	1	1	2	7	19	65	200
1997.....	11,702	-	-	-	-	1	2	4	19	80	186
1996.....	11,300	-	-	-	-	-	4	4	18	66	176
1995.....	11,212	-	-	-	-	-	2	6	22	74	185
1994.....	11,149	-	-	-	-	-	1	8	16	77	176
1993.....	10,983	-	-	-	1	-	2	3	20	69	198
1992.....	10,980	-	-	1	-	1	2	13	24	83	168
1991.....	10,802	-	-	-	-	-	1	8	29	70	181
1990.....	10,582	-	-	-	-	-	1	11	31	69	155
1989.....	10,386	-	-	-	-	-	1	3	22	48	162
1988.....	10,188	-	-	-	-	2	2	6	32	65	155
1987.....	10,040	1	-	-	-	1	4	7	19	60	132
1986.....	9,974	1	-	-	1	-	-	9	24	79	162
1985.....	10,070	-	-	1	1	2	6	8	21	71	133
1984.....	10,033	-	-	-	-	-	5	10	25	61	129
1983.....	9,749	-	-	-	1	2	2	14	23	52	134
1982.....	9,835	-	-	-	-	3	3	9	25	54	107
1981.....	9,840	-	-	-	-	-	2	7	26	61	151
1980.....	9,676	-	-	-	1	1	2	5	23	44	125
1979.....	9,794	1	-	-	-	2	4	9	25	66	136
WHITE FEMALE											
1998.....	12,419	-	-	-	-	1	2	8	15	46	118
1997.....	12,162	-	-	-	-	-	2	2	20	41	130
1996.....	12,213	-	-	1	-	2	2	5	14	46	115
1995.....	12,057	-	-	-	-	-	-	2	12	42	88
1994.....	11,955	-	-	-	-	1	2	5	18	38	93
1993.....	11,876	-	1	-	-	-	3	7	16	45	102
1992.....	11,539	-	-	-	1	-	3	12	17	34	95
1991.....	11,414	-	-	-	1	1	5	5	16	44	109
1990.....	11,146	-	-	1	-	1	1	6	10	41	84
1989.....	10,850	1	-	-	-	-	5	3	19	44	91
1988.....	10,491	-	-	-	-	-	-	3	15	25	80
1987.....	10,624	1	-	-	-	-	2	7	18	45	81
1986.....	10,496	1	-	-	-	1	1	2	12	27	79
1985.....	10,103	-	-	-	-	-	3	5	19	40	86
1984.....	10,120	-	-	1	-	1	-	7	11	47	83
1983.....	9,881	-	-	2	1	1	3	9	13	37	99
1982.....	9,464	-	-	-	-	2	3	6	14	36	84
1981.....	9,422	-	-	1	1	-	2	5	16	42	76
1980.....	9,062	-	-	-	1	-	2	5	20	29	84
1979.....	8,829	-	-	1	-	1	6	6	18	33	76

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF PANCREAS (157)											
ALL OTHER, BOTH SEXES											
1998.....	3,938	-	-	1	-	-	3	5	9	41	83
1997.....	3,811	2	-	-	-	-	1	3	11	39	78
1996.....	3,747	-	-	-	-	1	2	1	12	36	79
1995.....	3,497	-	-	-	-	-	4	3	8	32	77
1994.....	3,730	-	1	-	-	-	-	4	11	36	90
1993.....	3,586	-	-	-	1	2	-	5	11	34	76
1992.....	3,552	-	-	-	1	-	-	3	13	25	80
1991.....	3,320	-	1	-	-	-	2	3	13	26	74
1990.....	3,354	-	-	1	1	1	4	1	5	41	53
1989.....	3,307	-	-	-	-	-	-	5	13	33	54
1988.....	3,169	-	-	-	1	-	2	5	6	30	53
1987.....	3,073	-	-	1	-	-	1	4	8	30	65
1986.....	2,988	-	-	-	-	1	1	5	3	17	54
1985.....	2,929	-	-	-	-	-	4	4	9	20	47
1984.....	3,002	1	-	1	2	1	1	3	11	31	47
1983.....	2,902	-	1	1	1	2	-	5	9	17	45
1982.....	2,711	3	-	-	-	1	1	5	13	18	44
1981.....	2,530	1	-	-	-	-	4	5	9	20	50
1980.....	2,581	1	-	-	-	2	4	2	3	16	40
1979.....	2,435	-	-	-	1	-	1	2	6	16	39
ALL OTHER MALE											
1998.....	1,828	-	-	-	-	-	-	2	6	16	41
1997.....	1,768	-	-	-	-	-	1	3	8	27	46
1996.....	1,727	-	-	-	-	-	1	1	6	19	47
1995.....	1,614	-	-	-	-	-	2	1	4	15	50
1994.....	1,771	-	-	-	-	-	-	1	10	22	56
1993.....	1,686	-	-	-	1	1	-	3	5	16	47
1992.....	1,692	-	-	-	1	-	-	-	6	14	52
1991.....	1,573	-	-	-	-	-	-	2	6	18	46
1990.....	1,617	-	-	-	-	-	1	1	2	31	32
1989.....	1,579	-	-	-	-	-	-	4	10	17	35
1988.....	1,534	-	-	-	1	-	-	4	3	22	33
1987.....	1,510	-	-	-	-	-	-	3	6	16	36
1986.....	1,429	-	-	-	-	1	1	1	1	10	32
1985.....	1,472	-	-	-	-	-	2	2	4	15	27
1984.....	1,484	-	-	1	2	-	1	-	6	25	25
1983.....	1,491	-	1	1	-	1	-	2	5	13	27
1982.....	1,393	1	-	-	-	-	-	2	6	13	28
1981.....	1,351	1	-	-	-	-	3	5	4	16	30
1980.....	1,318	1	-	-	-	-	3	1	2	12	21
1979.....	1,229	-	-	-	-	-	1	-	2	9	25

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF PANCREAS (157)											
ALL OTHER FEMALE											
1998.....	2,110	-	-	1	-	-	3	3	3	25	42
1997.....	2,043	2	-	-	-	-	-	-	3	12	32
1996.....	2,020	-	-	-	-	1	1	-	6	17	32
1995.....	1,883	-	-	-	-	-	2	2	4	17	27
1994.....	1,959	-	1	-	-	-	-	3	1	14	34
1993.....	1,900	-	-	-	-	1	-	2	6	18	29
1992.....	1,860	-	-	-	-	-	-	3	7	11	28
1991.....	1,747	-	1	-	-	-	2	1	7	8	28
1990.....	1,737	-	-	1	1	1	3	-	3	10	21
1989.....	1,728	-	-	-	-	-	-	1	3	16	19
1988.....	1,635	-	-	-	-	-	2	1	3	8	20
1987.....	1,563	-	-	1	-	-	1	1	2	14	29
1986.....	1,559	-	-	-	-	-	-	4	2	7	22
1985.....	1,457	-	-	-	-	-	2	2	5	5	20
1984.....	1,518	1	-	-	-	1	-	3	5	6	22
1983.....	1,411	-	-	-	1	1	-	3	4	4	18
1982.....	1,318	2	-	-	-	1	1	3	7	5	16
1981.....	1,179	-	-	-	-	-	1	-	5	4	20
1980.....	1,263	-	-	-	-	2	1	1	1	4	19
1979.....	1,206	-	-	-	1	-	-	2	4	7	14
BLACK, BOTH SEXES											
1998.....	3,385	-	-	-	-	-	3	5	7	35	72
1997.....	3,319	2	-	-	-	-	1	3	10	36	64
1996.....	3,222	-	-	-	-	-	2	1	10	28	68
1995.....	3,032	-	-	-	-	-	4	1	5	27	66
1994.....	3,255	-	1	-	-	-	-	3	9	26	83
1993.....	3,176	-	-	-	1	2	-	4	9	28	67
1992.....	3,180	-	-	-	1	-	-	1	12	22	68
1991.....	2,933	-	1	-	-	-	2	3	12	23	63
1990.....	3,023	-	-	1	1	1	4	1	3	39	47
1989.....	2,954	-	-	-	-	-	-	4	13	30	42
1988.....	2,824	-	-	-	1	-	2	5	5	22	47
1987.....	2,778	-	-	1	-	-	1	3	4	27	58
1986.....	2,740	-	-	-	-	1	1	5	3	16	48
1985.....	2,677	-	-	-	-	-	2	3	8	17	40
1984.....	2,764	-	-	1	2	1	1	3	7	28	44
1983.....	2,674	-	1	-	1	2	-	4	8	15	42
1982.....	2,508	-	-	-	-	1	1	3	12	16	39
1981.....	2,356	-	-	-	-	-	4	3	6	16	43
1980.....	2,401	1	-	-	-	2	2	2	3	15	35
1979.....	2,277	-	-	-	1	-	1	1	6	14	35

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF PANCREAS (157)											
BLACK MALE											
1998.....	1,543	-	-	-	-	-	-	2	4	14	37
1997.....	1,511	-	-	-	-	-	1	3	7	25	39
1996.....	1,472	-	-	-	-	-	1	1	4	17	39
1995.....	1,375	-	-	-	-	-	2	1	2	13	43
1994.....	1,522	-	-	-	-	-	-	-	8	16	53
1993.....	1,475	-	-	-	1	1	-	3	5	15	40
1992.....	1,503	-	-	-	1	-	-	-	6	13	44
1991.....	1,379	-	-	-	-	-	-	2	5	16	43
1990.....	1,442	-	-	-	-	-	1	1	1	29	27
1989.....	1,403	-	-	-	-	-	-	4	10	15	28
1988.....	1,355	-	-	-	1	-	-	4	2	15	29
1987.....	1,348	-	-	-	-	-	-	2	2	14	32
1986.....	1,294	-	-	-	-	1	1	1	1	10	28
1985.....	1,327	-	-	-	-	-	1	2	4	12	23
1984.....	1,347	-	-	1	2	-	1	-	3	23	23
1983.....	1,351	-	1	-	-	1	-	2	4	12	26
1982.....	1,281	-	-	-	-	-	-	2	5	12	24
1981.....	1,258	-	-	-	-	-	3	3	4	13	24
1980.....	1,216	1	-	-	-	-	1	1	2	12	19
1979.....	1,151	-	-	-	-	-	1	-	2	9	24
BLACK FEMALE											
1998.....	1,842	-	-	-	-	-	3	3	3	21	35
1997.....	1,808	2	-	-	-	-	-	-	3	11	25
1996.....	1,750	-	-	-	-	-	1	-	6	11	29
1995.....	1,657	-	-	-	-	-	2	-	3	14	23
1994.....	1,733	-	1	-	-	-	-	3	1	10	30
1993.....	1,701	-	-	-	-	1	-	1	4	13	27
1992.....	1,677	-	-	-	-	-	-	1	6	9	24
1991.....	1,554	-	1	-	-	-	2	1	7	7	20
1990.....	1,581	-	-	1	1	1	3	-	2	10	20
1989.....	1,551	-	-	-	-	-	-	-	3	15	14
1988.....	1,469	-	-	-	-	-	2	1	3	7	18
1987.....	1,430	-	-	1	-	-	1	1	2	13	26
1986.....	1,446	-	-	-	-	-	-	4	2	6	20
1985.....	1,350	-	-	-	-	-	1	1	4	5	17
1984.....	1,417	-	-	-	-	1	-	3	4	5	21
1983.....	1,323	-	-	-	1	1	-	2	4	3	16
1982.....	1,227	-	-	-	-	1	1	1	7	4	15
1981.....	1,098	-	-	-	-	-	1	-	2	3	19
1980.....	1,185	-	-	-	-	2	1	1	1	3	16
1979.....	1,126	-	-	-	1	-	-	1	4	5	11

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF RETROPERITONEUM, PERITONEUM, AND OTHER AND ILL-DEFINED SITES WITHIN THE DIGESTIVE ORGANS AND PERITONEUM (158-159)											
TOTAL, BOTH SEXES											
1998.....	1,896	-	-	-	-	1	4	4	10	9	31
1997.....	1,825	-	-	-	-	-	6	6	12	17	31
1996.....	1,899	-	-	-	1	-	3	4	13	22	30
1995.....	1,827	-	-	-	-	4	2	9	9	17	20
1994.....	1,826	-	-	2	-	1	4	5	7	18	19
1993.....	1,874	1	1	-	2	2	6	10	12	12	26
1992.....	1,964	-	-	1	-	-	3	1	13	18	28
1991.....	2,026	1	1	1	2	1	6	7	8	27	39
1990.....	2,050	-	1	-	-	1	7	6	13	21	22
1989.....	2,126	-	-	-	1	7	4	2	12	21	26
1988.....	2,224	-	-	1	-	-	9	7	10	21	25
1987.....	2,318	-	2	1	2	2	6	8	15	19	31
1986.....	2,392	-	1	-	-	3	4	8	15	14	25
1985.....	2,561	-	1	1	1	1	7	6	17	26	25
1984.....	2,636	2	1	-	1	2	7	10	10	15	26
1983.....	2,704	-	1	-	1	2	4	6	7	19	33
1982.....	2,736	1	2	-	1	4	6	8	9	17	42
1981.....	2,754	-	1	-	2	7	13	13	19	24	28
1980.....	2,935	-	-	2	2	3	16	13	18	31	32
1979.....	2,909	2	-	2	1	-	10	8	19	20	29
TOTAL, MALE											
1998.....	717	-	-	-	-	-	3	3	7	5	18
1997.....	755	-	-	-	-	-	6	6	7	8	20
1996.....	795	-	-	-	1	-	2	2	10	13	11
1995.....	734	-	-	-	-	3	1	5	6	11	13
1994.....	799	-	-	1	-	-	1	4	5	11	13
1993.....	837	-	-	-	1	2	2	4	8	8	16
1992.....	859	-	-	1	-	-	2	1	7	11	18
1991.....	880	-	1	-	1	-	5	6	2	21	17
1990.....	950	-	-	-	-	1	4	5	6	11	12
1989.....	939	-	-	-	-	6	3	1	4	10	16
1988.....	1,034	-	-	1	-	-	6	3	5	15	15
1987.....	1,058	-	1	-	1	1	5	7	9	9	17
1986.....	1,145	-	1	-	-	1	3	7	9	10	12
1985.....	1,195	-	-	-	1	1	7	4	12	16	16
1984.....	1,188	2	1	-	1	1	4	5	6	7	12
1983.....	1,249	-	1	-	-	1	1	5	6	13	20
1982.....	1,313	1	2	-	1	1	4	8	7	10	24
1981.....	1,262	-	-	-	-	6	8	10	16	14	15
1980.....	1,369	-	-	-	2	3	14	7	12	18	18
1979.....	1,328	-	-	1	1	-	6	5	9	10	10

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	
0 OF RETROPERITONEUM, PERITONEUM, AND OTHER AND ILL-DEFINED SITES WITHIN THE DIGESTIVE ORGANS AND PERITONEUM (158-159)												
TOTAL, FEMALE												
1998.....	1,179	-	-	-	-	1	1	1	3	4	13	
1997.....	1,070	-	-	-	-	-	-	-	5	9	11	
1996.....	1,104	-	-	-	-	-	1	2	3	9	19	
1995.....	1,093	-	-	-	-	1	1	4	3	6	7	
1994.....	1,027	-	-	1	-	1	3	1	2	7	6	
1993.....	1,037	1	1	-	1	-	4	6	4	4	10	
1992.....	1,105	-	-	-	-	-	1	-	6	7	10	
1991.....	1,146	1	-	1	1	1	1	1	6	6	22	
1990.....	1,100	-	1	-	-	-	3	1	7	10	10	
1989.....	1,187	-	-	-	1	1	1	1	8	11	10	
1988.....	1,190	-	-	-	-	-	3	4	5	6	10	
1987.....	1,260	-	1	1	1	1	1	1	6	10	14	
1986.....	1,247	-	-	-	-	2	1	1	6	4	13	
1985.....	1,366	-	1	1	-	-	-	2	5	10	9	
1984.....	1,448	-	-	-	-	1	3	5	4	8	14	
1983.....	1,455	-	-	-	1	1	3	1	1	6	13	
1982.....	1,423	-	-	-	-	3	2	-	2	7	18	
1981.....	1,492	-	1	-	2	1	5	3	3	10	13	
1980.....	1,566	-	-	2	-	-	2	6	6	13	14	
1979.....	1,581	2	-	1	-	-	4	3	10	10	19	
WHITE, BOTH SEXES												
1998.....	1,706	-	-	-	-	1	4	4	8	5	24	
1997.....	1,643	-	-	-	-	-	6	5	9	14	26	
1996.....	1,708	-	-	-	1	-	3	3	12	18	26	
1995.....	1,644	-	-	-	-	4	1	8	7	16	18	
1994.....	1,629	-	-	1	-	1	3	5	2	15	18	
1993.....	1,707	1	1	-	2	2	4	10	9	10	23	
1992.....	1,749	-	-	-	-	-	2	1	12	17	25	
1991.....	1,831	1	1	-	2	1	6	5	6	25	31	
1990.....	1,852	-	-	-	-	1	6	6	11	15	19	
1989.....	1,903	-	-	-	1	5	2	2	12	16	17	
1988.....	2,025	-	-	1	-	-	6	5	7	18	21	
1987.....	2,105	-	1	1	2	2	5	7	14	15	28	
1986.....	2,175	-	1	-	-	3	3	6	10	12	22	
1985.....	2,338	-	-	1	1	1	5	5	15	23	20	
1984.....	2,422	2	1	-	1	-	6	7	8	8	23	
1983.....	2,471	-	1	-	1	2	1	6	7	15	23	
1982.....	2,484	1	2	-	1	2	4	6	7	16	38	
1981.....	2,505	-	1	-	2	5	12	11	12	21	22	
1980.....	2,660	-	-	-	2	2	13	11	15	27	30	
1979.....	2,644	1	-	2	1	-	9	8	13	17	26	

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	
0 OF RETROPERITONEUM, PERITONEUM, AND OTHER AND ILL-DEFINED SITES WITHIN THE DIGESTIVE ORGANS AND PERITONEUM (158-159)												
WHITE MALE												
1998.....	629	-	-	-	-	-	3	3	5	3	14	
1997.....	680	-	-	-	-	-	6	5	6	6	17	
1996.....	707	-	-	-	1	-	2	2	9	12	11	
1995.....	658	-	-	-	-	3	1	4	4	10	11	
1994.....	710	-	-	-	-	-	-	4	2	9	12	
1993.....	762	-	-	-	1	2	1	4	6	8	14	
1992.....	771	-	-	-	-	-	1	1	7	11	17	
1991.....	805	-	1	-	1	-	5	4	2	19	13	
1990.....	848	-	-	-	-	1	4	5	4	9	9	
1989.....	831	-	-	-	-	4	2	1	4	6	10	
1988.....	925	-	-	1	-	-	4	1	4	14	11	
1987.....	961	-	1	-	1	1	4	7	9	7	16	
1986.....	1,039	-	1	-	-	1	2	5	7	10	11	
1985.....	1,099	-	-	-	1	1	5	3	11	14	14	
1984.....	1,088	2	1	-	1	-	3	3	4	6	10	
1983.....	1,152	-	1	-	-	1	-	5	6	11	18	
1982.....	1,187	1	2	-	1	1	2	6	5	10	21	
1981.....	1,154	-	-	-	-	4	8	9	11	12	14	
1980.....	1,233	-	-	-	2	2	12	5	10	15	16	
1979.....	1,200	-	-	1	1	-	6	5	7	8	8	
WHITE FEMALE												
1998.....	1,077	-	-	-	-	1	1	1	3	2	10	
1997.....	963	-	-	-	-	-	-	-	3	8	9	
1996.....	1,001	-	-	-	-	-	1	1	3	6	15	
1995.....	986	-	-	-	-	1	-	4	3	6	7	
1994.....	919	-	-	1	-	1	3	1	-	6	6	
1993.....	945	1	1	-	1	-	3	6	3	2	9	
1992.....	978	-	-	-	-	-	1	-	5	6	8	
1991.....	1,026	1	-	-	1	1	1	1	4	6	18	
1990.....	1,004	-	-	-	-	-	2	1	7	6	10	
1989.....	1,072	-	-	-	1	1	-	1	8	10	7	
1988.....	1,100	-	-	-	-	-	2	4	3	4	10	
1987.....	1,144	-	-	1	1	1	1	-	5	8	12	
1986.....	1,136	-	-	-	-	2	1	1	3	2	11	
1985.....	1,239	-	-	1	-	-	-	2	4	9	6	
1984.....	1,334	-	-	-	-	-	3	4	4	2	13	
1983.....	1,319	-	-	-	1	1	1	1	1	4	5	
1982.....	1,297	-	-	-	-	1	2	-	2	6	17	
1981.....	1,351	-	1	-	2	1	4	2	1	9	8	
1980.....	1,427	-	-	-	-	-	1	6	5	12	14	
1979.....	1,444	1	-	1	-	-	3	3	6	9	18	

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF RETROPERITONEUM, PERITONEUM, AND OTHER AND ILL-DEFINED SITES WITHIN THE DIGESTIVE ORGANS AND PERITONEUM (158-159)											
ALL OTHER, BOTH SEXES											
1998.....	190	-	-	-	-	-	-	-	2	4	7
1997.....	182	-	-	-	-	-	-	1	3	3	5
1996.....	191	-	-	-	-	-	-	1	1	4	4
1995.....	183	-	-	-	-	-	1	1	2	1	2
1994.....	197	-	-	1	-	-	1	-	5	3	1
1993.....	167	-	-	-	-	-	2	-	3	2	3
1992.....	215	-	-	1	-	-	1	-	1	1	3
1991.....	195	-	-	1	-	-	-	2	2	2	8
1990.....	198	-	1	-	-	-	1	-	2	6	3
1989.....	223	-	-	-	-	2	2	-	-	5	9
1988.....	199	-	-	-	-	-	3	2	3	3	4
1987.....	213	-	1	-	-	-	1	1	1	4	3
1986.....	217	-	-	-	-	-	1	2	5	2	3
1985.....	223	-	1	-	-	-	2	1	2	3	5
1984.....	214	-	-	-	-	2	1	3	2	7	3
1983.....	233	-	-	-	-	-	3	-	-	4	10
1982.....	252	-	-	-	-	2	2	2	2	1	4
1981.....	249	-	-	-	-	2	1	2	7	3	6
1980.....	275	-	-	2	-	1	3	2	3	4	2
1979.....	265	1	-	-	-	-	1	-	6	3	3
ALL OTHER MALE											
1998.....	88	-	-	-	-	-	-	-	2	2	4
1997.....	75	-	-	-	-	-	-	1	1	2	3
1996.....	88	-	-	-	-	-	-	-	1	1	-
1995.....	76	-	-	-	-	-	-	1	2	1	2
1994.....	89	-	-	1	-	-	1	-	3	2	1
1993.....	75	-	-	-	-	-	1	-	2	-	2
1992.....	88	-	-	1	-	-	1	-	-	-	1
1991.....	75	-	-	-	-	-	-	2	-	2	4
1990.....	102	-	-	-	-	-	-	-	2	2	3
1989.....	108	-	-	-	-	2	1	-	-	4	6
1988.....	109	-	-	-	-	-	2	2	1	1	4
1987.....	97	-	-	-	-	-	1	-	-	2	1
1986.....	106	-	-	-	-	-	1	2	2	-	1
1985.....	96	-	-	-	-	-	2	1	1	2	2
1984.....	100	-	-	-	-	1	1	2	2	1	2
1983.....	97	-	-	-	-	-	1	-	-	2	2
1982.....	126	-	-	-	-	-	2	2	2	-	3
1981.....	108	-	-	-	-	2	-	1	5	2	1
1980.....	136	-	-	-	-	1	2	2	2	3	2
1979.....	128	-	-	-	-	-	-	-	2	2	2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF RETROPERITONEUM, PERITONEUM, AND OTHER AND ILL-DEFINED SITES WITHIN THE DIGESTIVE ORGANS AND PERITONEUM (158-159)											
ALL OTHER FEMALE											
1998.....	102	-	-	-	-	-	-	-	-	2	3
1997.....	107	-	-	-	-	-	-	-	2	1	2
1996.....	103	-	-	-	-	-	-	1	-	3	4
1995.....	107	-	-	-	-	-	1	-	-	-	-
1994.....	108	-	-	-	-	-	-	-	2	1	-
1993.....	92	-	-	-	-	-	1	-	1	2	1
1992.....	127	-	-	-	-	-	-	-	1	1	2
1991.....	120	-	-	1	-	-	-	-	2	-	4
1990.....	96	-	1	-	-	-	1	-	-	4	-
1989.....	115	-	-	-	-	-	1	-	-	1	3
1988.....	90	-	-	-	-	-	1	-	2	2	-
1987.....	116	-	1	-	-	-	-	1	1	2	2
1986.....	111	-	-	-	-	-	-	-	3	2	2
1985.....	127	-	1	-	-	-	-	-	1	1	3
1984.....	114	-	-	-	-	1	-	1	-	6	1
1983.....	136	-	-	-	-	-	2	-	-	2	8
1982.....	126	-	-	-	-	2	-	-	-	1	1
1981.....	141	-	-	-	-	-	1	1	2	1	5
1980.....	139	-	-	2	-	-	1	-	1	1	-
1979.....	137	1	-	-	-	-	1	-	4	1	1
BLACK, BOTH SEXES											
1998.....	164	-	-	-	-	-	-	-	2	3	7
1997.....	156	-	-	-	-	-	-	1	3	2	4
1996.....	171	-	-	-	-	-	-	1	1	4	3
1995.....	156	-	-	-	-	-	-	1	2	1	1
1994.....	169	-	-	-	-	-	1	-	5	3	-
1993.....	147	-	-	-	-	-	-	-	2	2	2
1992.....	194	-	-	-	-	-	1	-	-	-	3
1991.....	170	-	-	1	-	-	-	2	2	1	6
1990.....	173	-	1	-	-	-	1	-	2	2	2
1989.....	206	-	-	-	-	1	2	-	-	5	9
1988.....	187	-	-	-	-	-	2	1	3	3	3
1987.....	191	-	1	-	-	-	1	1	1	4	2
1986.....	198	-	-	-	-	-	1	2	5	-	3
1985.....	204	-	1	-	-	-	1	1	2	3	4
1984.....	196	-	-	-	-	2	1	2	2	7	2
1983.....	212	-	-	-	-	-	2	-	-	4	8
1982.....	228	-	-	-	-	2	2	2	1	1	4
1981.....	230	-	-	-	-	2	1	2	7	3	6
1980.....	257	-	-	2	-	1	3	2	3	3	2
1979.....	241	1	-	-	-	-	1	-	5	3	2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	
0 OF RETROPERITONEUM, PERITONEUM, AND OTHER AND ILL-DEFINED SITES WITHIN THE DIGESTIVE ORGANS AND PERITONEUM (158-159)												
BLACK MALE												
1998.....	77	-	-	-	-	-	-	-	2	2	4	
1997.....	60	-	-	-	-	-	-	1	1	2	2	
1996.....	83	-	-	-	-	-	-	-	1	1	-	
1995.....	63	-	-	-	-	-	-	1	2	1	1	
1994.....	74	-	-	-	-	-	1	-	3	2	-	
1993.....	66	-	-	-	-	-	-	-	1	-	2	
1992.....	79	-	-	-	-	-	1	-	-	-	1	
1991.....	64	-	-	-	-	-	-	2	-	1	3	
1990.....	92	-	-	-	-	-	-	-	2	1	2	
1989.....	99	-	-	-	-	1	1	-	-	4	6	
1988.....	99	-	-	-	-	-	2	1	1	1	3	
1987.....	85	-	-	-	-	-	1	-	-	2	1	
1986.....	99	-	-	-	-	-	1	2	2	-	1	
1985.....	87	-	-	-	-	-	1	1	1	2	1	
1984.....	88	-	-	-	-	1	1	1	2	1	1	
1983.....	85	-	-	-	-	-	-	-	-	2	2	
1982.....	113	-	-	-	-	-	2	2	1	-	3	
1981.....	98	-	-	-	-	2	-	1	5	2	1	
1980.....	128	-	-	-	-	1	2	2	2	2	2	
1979.....	118	-	-	-	-	-	-	-	1	2	1	
BLACK FEMALE												
1998.....	87	-	-	-	-	-	-	-	-	1	3	
1997.....	96	-	-	-	-	-	-	-	2	-	2	
1996.....	88	-	-	-	-	-	-	1	-	3	3	
1995.....	93	-	-	-	-	-	-	-	-	-	-	
1994.....	95	-	-	-	-	-	-	-	2	1	-	
1993.....	81	-	-	-	-	-	-	-	1	2	-	
1992.....	115	-	-	-	-	-	-	-	-	-	2	
1991.....	106	-	-	1	-	-	-	-	2	-	3	
1990.....	81	-	1	-	-	-	1	-	-	1	-	
1989.....	107	-	-	-	-	-	1	-	-	1	3	
1988.....	88	-	-	-	-	-	-	-	2	2	-	
1987.....	106	-	1	-	-	-	-	1	1	2	1	
1986.....	99	-	-	-	-	-	-	-	3	-	2	
1985.....	117	-	1	-	-	-	-	-	1	1	3	
1984.....	108	-	-	-	-	1	-	1	-	6	1	
1983.....	127	-	-	-	-	-	2	-	-	2	6	
1982.....	115	-	-	-	-	2	-	-	-	1	1	
1981.....	132	-	-	-	-	-	1	1	2	1	5	
1980.....	129	-	-	2	-	-	1	-	1	1	-	
1979.....	123	1	-	-	-	-	1	-	4	1	1	

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS (160-165)											
TOTAL, BOTH SEXES											
1998.....	159,736	4	3	5	5	15	31	50	193	744	2,153
1997.....	158,465	2	3	-	2	15	23	65	210	771	2,110
1996.....	157,271	1	1	3	5	7	18	53	258	825	2,001
1995.....	156,378	3	2	6	5	18	23	54	249	796	1,913
1994.....	154,714	1	5	7	2	12	26	54	240	806	1,885
1993.....	154,183	2	1	7	1	14	29	49	261	783	1,918
1992.....	151,269	3	5	3	6	10	33	59	244	814	2,005
1991.....	149,119	4	4	2	6	18	26	74	241	776	1,985
1990.....	146,386	4	3	7	6	13	27	74	266	767	1,936
1989.....	142,281	7	3	4	2	21	26	73	227	732	1,909
1988.....	138,253	3	4	3	6	15	30	68	244	719	1,954
1987.....	134,983	4	5	2	2	10	31	84	247	696	1,937
1986.....	130,450	4	2	1	2	16	36	80	237	670	1,927
1985.....	127,311	5	5	5	6	13	38	91	228	709	1,875
1984.....	123,699	10	8	15	10	17	34	94	208	707	1,784
1983.....	119,962	9	9	9	9	17	39	65	212	728	1,876
1982.....	116,359	6	6	10	9	20	31	72	228	711	1,761
1981.....	111,296	6	2	5	5	19	34	59	213	730	1,781
1980.....	108,504	7	7	10	6	18	40	76	207	674	1,799
1979.....	103,178	1	3	5	6	19	41	88	215	647	1,803
TOTAL, MALE											
1998.....	95,261	2	1	2	1	4	24	30	96	397	1,263
1997.....	95,255	2	1	-	2	8	15	36	125	407	1,228
1996.....	95,540	-	-	2	3	4	11	30	149	472	1,202
1995.....	95,763	2	1	3	3	12	16	29	139	437	1,172
1994.....	95,808	1	1	4	1	6	21	32	136	482	1,178
1993.....	96,569	2	-	2	1	9	17	29	155	484	1,186
1992.....	95,382	2	4	2	4	9	17	26	143	470	1,227
1991.....	95,676	2	3	-	4	13	17	42	123	462	1,213
1990.....	94,950	3	2	4	2	7	22	43	171	459	1,223
1989.....	92,914	4	3	2	2	13	16	43	126	458	1,171
1988.....	91,873	2	2	1	2	11	18	41	151	438	1,227
1987.....	91,083	3	-	-	-	5	19	51	164	440	1,158
1986.....	88,813	1	2	1	1	12	26	54	152	389	1,209
1985.....	87,513	1	2	2	3	10	23	53	128	445	1,208
1984.....	86,336	9	3	14	5	11	26	64	118	420	1,143
1983.....	84,165	8	5	7	5	15	26	42	122	442	1,161
1982.....	83,027	3	4	8	5	14	19	44	139	439	1,093
1981.....	80,458	3	1	3	3	11	25	36	132	449	1,170
1980.....	79,150	5	3	2	3	16	33	51	129	422	1,157
1979.....	76,542	1	1	3	6	11	23	56	136	399	1,180

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS (160-165)											
TOTAL, FEMALE											
1998.....	64,475	2	2	3	4	11	7	20	97	347	890
1997.....	63,210	-	2	-	-	7	8	29	85	364	882
1996.....	61,731	1	1	1	2	3	7	23	109	353	799
1995.....	60,615	1	1	3	2	6	7	25	110	359	741
1994.....	58,906	-	4	3	1	6	5	22	104	324	707
1993.....	57,614	-	1	5	-	5	12	20	106	299	732
1992.....	55,887	1	1	1	2	1	16	33	101	344	778
1991.....	53,443	2	1	2	2	5	9	32	118	314	772
1990.....	51,436	1	1	3	4	6	5	31	95	308	713
1989.....	49,367	3	-	2	-	8	10	30	101	274	738
1988.....	46,380	1	2	2	4	4	12	27	93	281	727
1987.....	43,900	1	5	2	2	5	12	33	83	256	779
1986.....	41,637	3	-	-	1	4	10	26	85	281	718
1985.....	39,798	4	3	3	3	3	15	38	100	264	667
1984.....	37,363	1	5	1	5	6	8	30	90	287	641
1983.....	35,797	1	4	2	4	2	13	23	90	286	715
1982.....	33,332	3	2	2	4	6	12	28	89	272	668
1981.....	30,838	3	1	2	2	8	9	23	81	281	611
1980.....	29,354	2	4	8	3	2	7	25	78	252	642
1979.....	26,636	-	2	2	-	8	18	32	79	248	623
WHITE, BOTH SEXES											
1998.....	140,268	3	2	4	5	9	25	41	168	577	1,650
1997.....	139,272	2	2	-	-	6	19	52	167	585	1,598
1996.....	138,366	1	1	3	5	4	13	40	212	631	1,525
1995.....	137,629	2	2	4	4	16	17	41	202	626	1,450
1994.....	136,169	-	5	6	2	9	21	39	191	625	1,450
1993.....	135,748	2	1	6	1	11	22	41	190	612	1,471
1992.....	133,129	2	4	2	5	7	24	47	181	605	1,533
1991.....	131,320	1	2	1	5	12	19	59	187	587	1,541
1990.....	128,927	3	2	6	4	10	17	59	195	587	1,498
1989.....	125,274	4	3	3	2	17	16	56	175	548	1,496
1988.....	121,941	2	4	3	4	13	21	52	195	550	1,573
1987.....	119,072	2	4	2	1	9	24	68	200	535	1,554
1986.....	115,179	4	2	1	2	13	29	62	191	512	1,520
1985.....	112,512	3	5	4	5	11	28	66	174	576	1,489
1984.....	109,199	5	6	14	8	13	30	72	166	568	1,411
1983.....	106,091	5	6	8	8	16	34	53	165	601	1,499
1982.....	103,042	2	6	9	5	16	24	65	183	580	1,415
1981.....	98,468	4	2	4	5	17	27	50	179	594	1,405
1980.....	96,153	4	5	9	5	15	29	54	169	546	1,456
1979.....	91,638	-	3	3	3	17	34	74	176	526	1,444

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS (160-165)											
WHITE MALE											
1998.....	82,739	2	-	2	1	2	22	23	85	309	961
1997.....	82,786	2	1	-	-	4	13	28	100	302	912
1996.....	82,987	-	-	2	3	3	6	22	122	345	899
1995.....	83,293	1	1	2	2	11	11	23	112	329	867
1994.....	83,277	-	1	4	1	5	16	22	106	369	880
1993.....	83,922	2	-	2	1	7	15	23	110	377	886
1992.....	83,000	1	4	1	4	6	14	22	101	340	918
1991.....	83,342	-	2	-	3	10	14	35	93	340	924
1990.....	82,714	2	1	3	1	5	14	35	120	347	918
1989.....	80,821	2	3	2	2	11	9	34	99	340	882
1988.....	80,166	2	2	1	2	10	12	30	119	320	950
1987.....	79,604	1	-	-	-	4	14	39	129	332	918
1986.....	77,647	1	2	1	1	10	22	40	122	288	919
1985.....	76,567	-	2	2	2	8	17	36	95	347	941
1984.....	75,437	4	2	13	4	8	23	52	88	325	874
1983.....	73,872	4	3	6	5	14	21	33	93	353	907
1982.....	72,924	1	4	7	2	10	14	40	110	348	874
1981.....	70,682	2	1	2	3	10	19	31	111	362	904
1980.....	69,720	3	1	1	3	13	26	38	102	331	905
1979.....	67,575	-	1	2	3	10	20	50	109	321	921
WHITE FEMALE											
1998.....	57,529	1	2	2	4	7	3	18	83	268	689
1997.....	56,486	-	1	-	-	2	6	24	67	283	686
1996.....	55,379	1	1	1	2	1	7	18	90	286	626
1995.....	54,336	1	1	2	2	5	6	18	90	297	583
1994.....	52,892	-	4	2	1	4	5	17	85	256	570
1993.....	51,826	-	1	4	-	4	7	18	80	235	585
1992.....	50,129	1	-	1	1	1	10	25	80	265	615
1991.....	47,978	1	-	1	2	2	5	24	94	247	617
1990.....	46,213	1	1	3	3	5	3	24	75	240	580
1989.....	44,453	2	-	1	-	6	7	22	76	208	614
1988.....	41,775	-	2	2	2	3	9	22	76	230	623
1987.....	39,468	1	4	2	1	5	10	29	71	203	636
1986.....	37,532	3	-	-	1	3	7	22	69	224	601
1985.....	35,945	3	3	2	3	3	11	30	79	229	548
1984.....	33,762	1	4	1	4	5	7	20	78	243	537
1983.....	32,219	1	3	2	3	2	13	20	72	248	592
1982.....	30,118	1	2	2	3	6	10	25	73	232	541
1981.....	27,786	2	1	2	2	7	8	19	68	232	501
1980.....	26,433	1	4	8	2	2	3	16	67	215	551
1979.....	24,063	-	2	1	-	7	14	24	67	205	523

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS (160-165)											
ALL OTHER, BOTH SEXES											
1998.....	19,468	1	1	1	-	6	6	9	25	167	503
1997.....	19,193	-	1	-	2	9	4	13	43	186	512
1996.....	18,905	-	-	-	-	3	5	13	46	194	476
1995.....	18,749	1	-	2	1	2	6	13	47	170	463
1994.....	18,545	1	-	1	-	3	5	15	49	181	435
1993.....	18,435	-	-	1	-	3	7	8	71	171	447
1992.....	18,140	1	1	1	1	3	9	12	63	209	472
1991.....	17,799	3	2	1	1	6	7	15	54	189	444
1990.....	17,459	1	1	1	2	3	10	15	71	180	438
1989.....	17,007	3	-	1	-	4	10	17	52	184	413
1988.....	16,312	1	-	-	2	2	9	16	49	169	381
1987.....	15,911	2	1	-	1	1	7	16	47	161	383
1986.....	15,271	-	-	-	-	3	7	18	46	158	407
1985.....	14,799	2	-	1	1	2	10	25	54	133	386
1984.....	14,500	5	2	1	2	4	4	22	42	139	373
1983.....	13,871	4	3	1	1	1	5	12	47	127	377
1982.....	13,317	4	-	1	4	4	7	7	45	131	346
1981.....	12,828	2	-	1	-	2	7	9	34	136	376
1980.....	12,351	3	2	1	1	3	11	22	38	128	343
1979.....	11,540	1	-	2	3	2	7	14	39	121	359
ALL OTHER MALE											
1998.....	12,522	-	1	-	-	2	2	7	11	88	302
1997.....	12,469	-	-	-	2	4	2	8	25	105	316
1996.....	12,553	-	-	-	-	1	5	8	27	127	303
1995.....	12,470	1	-	1	1	1	5	6	27	108	305
1994.....	12,531	1	-	-	-	1	5	10	30	113	298
1993.....	12,647	-	-	-	-	2	2	6	45	107	300
1992.....	12,382	1	-	1	-	3	3	4	42	130	309
1991.....	12,334	2	1	-	1	3	3	7	30	122	289
1990.....	12,236	1	1	1	1	2	8	8	51	112	305
1989.....	12,093	2	-	-	-	2	7	9	27	118	289
1988.....	11,707	-	-	-	-	1	6	11	32	118	277
1987.....	11,479	2	-	-	-	1	5	12	35	108	240
1986.....	11,166	-	-	-	-	2	4	14	30	101	290
1985.....	10,946	1	-	-	1	2	6	17	33	98	267
1984.....	10,899	5	1	1	1	3	3	12	30	95	269
1983.....	10,293	4	2	1	-	1	5	9	29	89	254
1982.....	10,103	2	-	1	3	4	5	4	29	91	219
1981.....	9,776	1	-	1	-	1	6	5	21	87	266
1980.....	9,430	2	2	1	-	3	7	13	27	91	252
1979.....	8,967	1	-	1	3	1	3	6	27	78	259

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS (160-165)											
ALL OTHER FEMALE											
1998.....	6,946	1	-	1	-	4	4	2	14	79	201
1997.....	6,724	-	1	-	-	5	2	5	18	81	196
1996.....	6,352	-	-	-	-	2	-	5	19	67	173
1995.....	6,279	-	-	1	-	1	1	7	20	62	158
1994.....	6,014	-	-	1	-	2	-	5	19	68	137
1993.....	5,788	-	-	1	-	1	5	2	26	64	147
1992.....	5,758	-	1	-	1	-	6	8	21	79	163
1991.....	5,465	1	1	1	-	3	4	8	24	67	155
1990.....	5,223	-	-	-	1	1	2	7	20	68	133
1989.....	4,914	1	-	1	-	2	3	8	25	66	124
1988.....	4,605	1	-	-	2	1	3	5	17	51	104
1987.....	4,432	-	1	-	1	-	2	4	12	53	143
1986.....	4,105	-	-	-	-	1	3	4	16	57	117
1985.....	3,853	1	-	1	-	-	4	8	21	35	119
1984.....	3,601	-	1	-	1	1	1	10	12	44	104
1983.....	3,578	-	1	-	1	-	-	3	18	38	123
1982.....	3,214	2	-	-	1	-	2	3	16	40	127
1981.....	3,052	1	-	-	-	1	1	4	13	49	110
1980.....	2,921	1	-	-	1	-	4	9	11	37	91
1979.....	2,573	-	-	1	-	1	4	8	12	43	100
BLACK, BOTH SEXES											
1998.....	16,948	-	1	1	-	4	3	6	20	149	445
1997.....	16,879	-	1	-	2	7	4	10	32	164	450
1996.....	16,714	-	-	-	-	3	3	9	37	179	436
1995.....	16,635	1	-	2	1	2	3	9	38	145	423
1994.....	16,539	1	-	1	-	2	5	12	43	165	401
1993.....	16,507	-	-	1	-	3	6	7	67	156	406
1992.....	16,338	1	1	-	1	3	8	12	60	189	433
1991.....	16,057	3	1	1	1	6	6	11	42	170	400
1990.....	15,913	1	1	-	2	2	10	14	62	168	405
1989.....	15,528	3	-	1	-	4	9	14	45	169	369
1988.....	14,938	1	-	-	2	2	9	13	39	153	348
1987.....	14,622	2	1	-	1	1	6	15	43	151	353
1986.....	14,112	-	-	-	-	1	6	15	37	141	378
1985.....	13,729	2	-	1	1	2	9	23	50	122	363
1984.....	13,461	3	1	1	1	3	4	18	36	131	344
1983.....	12,951	1	3	1	1	1	5	11	40	118	349
1982.....	12,537	2	-	1	4	3	6	7	42	123	331
1981.....	12,058	-	-	1	-	2	5	7	31	129	351
1980.....	11,618	2	2	1	1	2	11	21	36	122	327
1979.....	10,844	1	-	1	3	2	7	11	31	112	342

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS (160-165)											
BLACK MALE											
1998.....	10,944	-	1	-	-	1	1	5	9	80	275
1997.....	11,018	-	-	-	2	3	2	5	20	95	283
1996.....	11,151	-	-	-	-	1	3	6	22	116	281
1995.....	11,186	1	-	1	1	1	3	5	21	95	284
1994.....	11,239	1	-	-	-	1	5	7	26	103	279
1993.....	11,399	-	-	-	-	2	1	5	42	102	273
1992.....	11,198	1	-	-	-	3	3	4	41	119	286
1991.....	11,181	2	1	-	1	3	3	5	24	113	267
1990.....	11,219	1	1	-	1	1	8	8	46	106	287
1989.....	11,116	2	-	-	-	2	7	8	23	108	258
1988.....	10,784	-	-	-	-	1	6	9	25	108	256
1987.....	10,647	2	-	-	-	1	4	12	34	104	222
1986.....	10,368	-	-	-	-	1	4	11	25	89	267
1985.....	10,193	1	-	-	1	2	6	16	30	91	255
1984.....	10,181	3	-	1	-	2	3	9	28	88	254
1983.....	9,645	1	2	1	-	1	5	8	26	83	238
1982.....	9,545	1	-	1	3	3	5	4	27	86	209
1981.....	9,220	-	-	1	-	1	4	4	19	84	247
1980.....	8,904	1	2	1	-	2	7	12	26	89	243
1979.....	8,476	1	-	-	3	1	3	5	23	73	253
BLACK FEMALE											
1998.....	6,004	-	-	1	-	3	2	1	11	69	170
1997.....	5,861	-	1	-	-	4	2	5	12	69	167
1996.....	5,563	-	-	-	-	2	-	3	15	63	155
1995.....	5,449	-	-	1	-	1	-	4	17	50	139
1994.....	5,300	-	-	1	-	1	-	5	17	62	122
1993.....	5,108	-	-	1	-	1	5	2	25	54	133
1992.....	5,140	-	1	-	1	-	5	8	19	70	147
1991.....	4,876	1	-	1	-	3	3	6	18	57	133
1990.....	4,694	-	-	-	1	1	2	6	16	62	118
1989.....	4,412	1	-	1	-	2	2	6	22	61	111
1988.....	4,154	1	-	-	2	1	3	4	14	45	92
1987.....	3,975	-	1	-	1	-	2	3	9	47	131
1986.....	3,744	-	-	-	-	-	2	4	12	52	111
1985.....	3,536	1	-	1	-	-	3	7	20	31	108
1984.....	3,280	-	1	-	1	1	1	9	8	43	90
1983.....	3,306	-	1	-	1	-	-	3	14	35	111
1982.....	2,992	1	-	-	1	-	1	3	15	37	122
1981.....	2,838	-	-	-	-	1	1	3	12	45	104
1980.....	2,714	1	-	-	1	-	4	9	10	33	84
1979.....	2,368	-	-	1	-	1	4	6	8	39	89

TABLE 292. DEATHS FOR 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF LARYNX (161)											
TOTAL, BOTH SEXES											
1998.....	3,866	-	-	1	1	1	-	-	2	20	63
1997.....	3,811	-	-	-	-	-	-	-	-	13	56
1996.....	3,918	-	-	-	-	-	-	2	5	26	59
1995.....	3,871	-	-	-	-	-	1	2	3	17	58
1994.....	3,947	1	-	-	-	-	1	-	3	29	61
1993.....	3,981	-	-	-	-	-	1	1	5	19	59
1992.....	3,966	-	-	-	-	-	-	2	4	23	66
1991.....	3,989	-	-	-	-	-	4	3	3	22	71
1990.....	3,710	-	-	-	1	-	-	1	5	17	55
1989.....	3,729	-	-	-	-	-	-	2	6	27	61
1988.....	3,667	1	-	-	-	-	-	-	3	16	58
1987.....	3,671	-	-	-	-	-	1	5	7	18	52
1986.....	3,611	-	-	-	1	-	1	1	6	15	57
1985.....	3,502	-	-	-	-	1	-	1	6	12	43
1984.....	3,626	-	-	1	1	-	1	-	4	12	46
1983.....	3,605	-	-	1	-	-	-	1	6	9	50
1982.....	3,636	-	-	-	1	-	-	-	4	16	52
1981.....	3,531	1	-	-	-	1	-	1	5	12	52
1980.....	3,412	-	-	1	-	-	2	1	4	15	39
1979.....	3,446	-	1	-	-	1	1	-	3	16	49
TOTAL, MALE											
1998.....	3,002	-	-	-	1	-	-	-	2	16	52
1997.....	3,017	-	-	-	-	-	-	-	-	11	34
1996.....	3,095	-	-	-	-	-	-	1	4	21	48
1995.....	3,081	-	-	-	-	-	1	1	-	14	50
1994.....	3,127	1	-	-	-	-	1	-	1	24	45
1993.....	3,163	-	-	-	-	-	-	-	2	15	48
1992.....	3,114	-	-	-	-	-	-	1	4	18	55
1991.....	3,127	-	-	-	-	-	3	2	1	17	60
1990.....	2,977	-	-	-	-	-	-	-	4	12	45
1989.....	2,961	-	-	-	-	-	-	2	4	22	51
1988.....	2,965	-	-	-	-	-	-	-	1	13	51
1987.....	2,975	-	-	-	-	-	1	2	4	13	43
1986.....	2,906	-	-	-	-	1	1	1	6	10	49
1985.....	2,844	-	-	-	-	1	-	-	4	11	35
1984.....	2,960	-	-	-	-	-	-	-	3	8	38
1983.....	2,943	-	-	1	-	-	-	1	5	7	39
1982.....	2,971	-	-	-	1	-	-	-	3	13	37
1981.....	2,905	1	-	-	-	-	-	1	3	10	39
1980.....	2,845	-	-	-	-	-	2	1	3	9	33
1979.....	2,910	-	-	-	-	-	1	-	3	14	41

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF LARYNX (161)											
TOTAL, FEMALE											
1998.....	864	-	-	1	-	1	-	-	-	4	11
1997.....	794	-	-	-	-	-	-	-	-	2	22
1996.....	823	-	-	-	-	-	-	1	1	5	11
1995.....	790	-	-	-	-	-	-	1	3	3	8
1994.....	820	-	-	-	-	-	-	-	2	5	16
1993.....	818	-	-	-	-	-	1	1	3	4	11
1992.....	852	-	-	-	-	-	-	1	-	5	11
1991.....	862	-	-	-	-	-	1	1	2	5	11
1990.....	733	-	-	-	1	-	-	1	1	5	10
1989.....	768	-	-	-	-	-	-	-	2	5	10
1988.....	702	1	-	-	-	-	-	-	2	3	7
1987.....	696	-	-	-	-	-	-	3	3	5	9
1986.....	705	-	-	-	1	-	-	-	-	5	8
1985.....	658	-	-	-	-	-	-	1	2	1	8
1984.....	666	-	-	1	1	-	1	-	1	4	8
1983.....	662	-	-	-	-	-	-	-	1	2	11
1982.....	665	-	-	-	-	-	-	-	1	3	15
1981.....	626	-	-	-	-	1	-	-	2	2	13
1980.....	567	-	-	1	-	-	-	-	1	6	6
1979.....	536	-	1	-	-	1	-	-	-	2	8
WHITE, BOTH SEXES											
1998.....	3,106	-	-	1	1	-	-	-	1	13	43
1997.....	3,041	-	-	-	-	-	-	-	-	8	37
1996.....	3,133	-	-	-	-	-	-	2	5	16	38
1995.....	3,127	-	-	-	-	-	-	1	3	12	45
1994.....	3,174	-	-	-	-	-	1	-	2	22	33
1993.....	3,233	-	-	-	-	-	1	1	4	11	45
1992.....	3,220	-	-	-	-	-	-	1	2	15	35
1991.....	3,245	-	-	-	-	-	3	3	3	11	43
1990.....	3,046	-	-	-	1	-	-	1	5	11	30
1989.....	3,037	-	-	-	-	-	-	2	2	16	33
1988.....	2,975	-	-	-	-	-	-	-	3	8	39
1987.....	3,047	-	-	-	-	-	1	5	5	7	31
1986.....	2,975	-	-	-	1	-	-	1	5	5	30
1985.....	2,883	-	-	-	-	-	-	-	2	7	22
1984.....	2,995	-	-	1	1	-	1	-	3	7	26
1983.....	3,052	-	-	1	-	-	-	-	4	4	25
1982.....	3,088	-	-	-	-	-	-	-	4	9	27
1981.....	2,960	-	-	-	-	1	-	-	4	8	28
1980.....	2,849	-	-	1	-	-	2	1	2	6	21
1979.....	2,957	-	1	-	-	-	1	-	3	12	34

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF LARYNX (161)											
ALL OTHER FEMALE											
1998.....	139	-	-	-	-	1	-	-	-	1	4
1997.....	141	-	-	-	-	-	-	-	-	1	6
1996.....	137	-	-	-	-	-	-	-	-	3	2
1995.....	146	-	-	-	-	-	-	1	-	1	2
1994.....	147	-	-	-	-	-	-	-	-	1	5
1993.....	145	-	-	-	-	-	-	-	-	3	4
1992.....	144	-	-	-	-	-	-	1	-	2	5
1991.....	157	-	-	-	-	-	1	-	-	2	3
1990.....	135	-	-	-	-	-	-	-	-	1	5
1989.....	108	-	-	-	-	-	-	-	2	1	2
1988.....	97	1	-	-	-	-	-	-	-	3	2
1987.....	109	-	-	-	-	-	-	-	-	4	-
1986.....	120	-	-	-	-	-	-	-	-	5	3
1985.....	116	-	-	-	-	-	-	1	1	-	4
1984.....	92	-	-	-	-	-	-	-	-	2	3
1983.....	102	-	-	-	-	-	-	-	1	1	6
1982.....	91	-	-	-	-	-	-	-	-	1	8
1981.....	119	-	-	-	-	-	-	-	1	1	9
1980.....	95	-	-	-	-	-	-	-	1	4	3
1979.....	67	-	-	-	-	1	-	-	-	1	-
BLACK, BOTH SEXES											
1998.....	713	-	-	-	-	1	-	-	1	7	20
1997.....	720	-	-	-	-	-	-	-	-	5	19
1996.....	756	-	-	-	-	-	-	-	-	10	20
1995.....	700	-	-	-	-	-	1	1	-	5	12
1994.....	727	1	-	-	-	-	-	-	1	6	26
1993.....	718	-	-	-	-	-	-	-	1	8	14
1992.....	720	-	-	-	-	-	-	1	2	8	31
1991.....	717	-	-	-	-	-	1	-	-	11	28
1990.....	631	-	-	-	-	-	-	-	-	6	24
1989.....	666	-	-	-	-	-	-	-	4	11	28
1988.....	664	1	-	-	-	-	-	-	-	7	19
1987.....	594	-	-	-	-	-	-	-	2	11	21
1986.....	615	-	-	-	-	-	-	1	1	10	26
1985.....	586	-	-	-	-	1	-	-	4	5	20
1984.....	608	-	-	-	-	-	-	-	1	5	20
1983.....	528	-	-	-	-	-	-	1	2	5	25
1982.....	533	-	-	-	1	-	-	-	-	7	25
1981.....	557	-	-	-	-	-	-	1	1	4	24
1980.....	542	-	-	-	-	-	-	-	2	9	18
1979.....	478	-	-	-	-	1	-	-	-	4	15

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF LARYNX (161)											
BLACK MALE											
1998.....	582	-	-	-	-	-	-	-	1	6	16
1997.....	592	-	-	-	-	-	-	-	-	4	13
1996.....	621	-	-	-	-	-	-	-	-	7	18
1995.....	560	-	-	-	-	-	1	-	-	4	10
1994.....	588	1	-	-	-	-	-	-	1	5	21
1993.....	580	-	-	-	-	-	-	-	1	5	10
1992.....	584	-	-	-	-	-	-	-	2	6	26
1991.....	565	-	-	-	-	-	-	-	-	9	25
1990.....	499	-	-	-	-	-	-	-	-	5	19
1989.....	565	-	-	-	-	-	-	-	2	10	26
1988.....	571	-	-	-	-	-	-	-	-	5	17
1987.....	493	-	-	-	-	-	-	-	2	7	21
1986.....	499	-	-	-	-	-	-	1	1	5	23
1985.....	479	-	-	-	-	1	-	-	3	5	17
1984.....	520	-	-	-	-	-	-	-	1	3	17
1983.....	433	-	-	-	-	-	-	1	1	4	19
1982.....	443	-	-	-	1	-	-	-	-	6	17
1981.....	443	-	-	-	-	-	-	1	-	3	15
1980.....	449	-	-	-	-	-	-	-	1	5	15
1979.....	412	-	-	-	-	-	-	-	-	3	15
BLACK FEMALE											
1998.....	131	-	-	-	-	1	-	-	-	1	4
1997.....	128	-	-	-	-	-	-	-	-	1	6
1996.....	135	-	-	-	-	-	-	-	-	3	2
1995.....	140	-	-	-	-	-	-	1	-	1	2
1994.....	139	-	-	-	-	-	-	-	-	1	5
1993.....	138	-	-	-	-	-	-	-	-	3	4
1992.....	136	-	-	-	-	-	-	1	-	2	5
1991.....	152	-	-	-	-	-	1	-	-	2	3
1990.....	132	-	-	-	-	-	-	-	-	1	5
1989.....	101	-	-	-	-	-	-	-	2	1	2
1988.....	93	1	-	-	-	-	-	-	-	2	2
1987.....	101	-	-	-	-	-	-	-	-	4	-
1986.....	116	-	-	-	-	-	-	-	-	5	3
1985.....	107	-	-	-	-	-	-	-	1	-	3
1984.....	88	-	-	-	-	-	-	-	-	2	3
1983.....	95	-	-	-	-	-	-	-	1	1	6
1982.....	90	-	-	-	-	-	-	-	-	1	8
1981.....	114	-	-	-	-	-	-	-	1	1	9
1980.....	93	-	-	-	-	-	-	-	1	4	3
1979.....	66	-	-	-	-	1	-	-	-	1	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF TRACHEA, BRONCHUS, AND LUNG (162)											
TOTAL, BOTH SEXES											
1998.....	154,561	1	-	1	3	8	21	41	180	686	2,048
1997.....	153,310	1	1	-	1	7	10	53	178	735	2,014
1996.....	152,015	1	-	3	3	3	11	40	224	777	1,905
1995.....	151,200	2	1	4	5	12	14	40	233	746	1,817
1994.....	149,482	-	3	7	1	7	13	40	218	739	1,788
1993.....	148,855	-	-	7	1	8	15	37	233	734	1,811
1992.....	145,943	2	3	1	3	3	25	42	209	754	1,882
1991.....	143,758	3	2	-	4	8	13	54	216	721	1,866
1990.....	141,285	3	1	2	3	8	13	65	239	721	1,843
1989.....	137,150	4	1	3	2	13	13	57	195	670	1,798
1988.....	133,284	1	1	1	2	8	16	48	228	675	1,862
1987.....	130,009	3	3	1	1	6	14	64	215	653	1,837
1986.....	125,522	2	-	-	-	9	21	60	201	620	1,834
1985.....	122,556	3	3	2	5	5	17	68	203	669	1,791
1984.....	118,730	6	4	12	4	7	19	60	175	664	1,704
1983.....	115,023	5	6	7	4	3	24	50	179	684	1,790
1982.....	111,393	4	3	10	5	7	18	54	196	671	1,661
1981.....	106,561	3	-	5	1	9	18	46	185	695	1,697
1980.....	103,844	5	3	4	3	5	17	58	177	631	1,720
1979.....	98,451	1	-	2	1	10	22	55	188	604	1,724
TOTAL, MALE											
1998.....	91,447	1	-	-	-	3	18	24	87	356	1,180
1997.....	91,352	1	-	-	1	3	6	27	99	381	1,163
1996.....	91,620	-	-	2	2	-	7	22	126	440	1,127
1995.....	91,856	2	-	3	3	8	9	22	133	401	1,092
1994.....	91,893	-	1	4	-	3	8	25	119	428	1,106
1993.....	92,564	-	-	2	1	6	8	23	136	452	1,111
1992.....	91,405	2	2	-	1	2	12	17	116	428	1,137
1991.....	91,690	1	2	-	2	6	8	28	113	420	1,123
1990.....	91,091	2	1	-	2	4	11	38	154	425	1,151
1989.....	89,052	3	1	1	2	8	7	30	111	412	1,088
1988.....	88,059	1	1	-	-	6	7	25	140	408	1,158
1987.....	87,261	2	-	-	-	4	9	39	139	407	1,085
1986.....	85,057	-	-	-	-	6	16	38	122	351	1,143
1985.....	83,854	-	1	-	2	4	9	41	112	412	1,148
1984.....	82,491	6	2	12	3	3	13	43	97	392	1,085
1983.....	80,338	5	4	5	2	3	15	30	99	410	1,098
1982.....	79,228	3	2	8	2	3	12	31	119	409	1,025
1981.....	76,764	2	-	3	-	5	13	29	114	421	1,106
1980.....	75,535	3	2	1	3	3	15	38	108	397	1,099
1979.....	72,803	1	-	1	1	5	9	35	113	369	1,118

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF TRACHEA, BRONCHUS, AND LUNG (162)											
TOTAL, FEMALE											
1998.....	63,114	-	-	1	3	5	3	17	93	330	868
1997.....	61,958	-	1	-	-	4	4	26	79	354	851
1996.....	60,395	1	-	1	1	3	4	18	98	337	778
1995.....	59,344	-	1	1	2	4	5	18	100	345	725
1994.....	57,589	-	2	3	1	4	5	15	99	311	682
1993.....	56,291	-	-	5	-	2	7	14	97	282	700
1992.....	54,538	-	1	1	2	1	13	25	93	326	745
1991.....	52,068	2	-	-	2	2	5	26	103	301	743
1990.....	50,194	1	-	2	1	4	2	27	85	296	692
1989.....	48,098	1	-	2	-	5	6	27	84	258	710
1988.....	45,225	-	-	1	2	2	9	23	88	267	704
1987.....	42,748	1	3	1	1	2	5	25	76	246	752
1986.....	40,465	2	-	-	-	3	5	22	79	269	691
1985.....	38,702	3	2	2	3	1	8	27	91	257	643
1984.....	36,239	-	2	-	1	4	6	17	78	272	619
1983.....	34,685	-	2	2	2	-	9	20	80	274	692
1982.....	32,165	1	1	2	3	4	6	23	77	262	636
1981.....	29,797	1	-	2	1	4	5	17	71	274	591
1980.....	28,309	2	1	3	-	2	2	20	69	234	621
1979.....	25,648	-	-	1	-	5	13	20	75	235	606
WHITE, BOTH SEXES											
1998.....	136,026	1	-	1	3	3	19	33	158	535	1,578
1997.....	135,060	1	1	-	-	3	9	44	140	560	1,531
1996.....	134,055	1	-	3	3	1	9	30	186	596	1,460
1995.....	133,366	1	1	3	4	10	11	30	191	588	1,378
1994.....	131,871	-	3	6	1	5	12	29	173	572	1,385
1993.....	131,337	-	-	6	1	5	12	31	169	576	1,389
1992.....	128,719	1	2	1	2	2	18	34	156	563	1,452
1991.....	126,872	1	1	-	4	4	10	43	169	547	1,458
1990.....	124,650	2	-	2	2	5	12	50	174	550	1,437
1989.....	121,023	3	1	2	2	11	7	42	154	505	1,423
1988.....	117,826	1	1	1	1	6	10	37	181	519	1,506
1987.....	114,888	2	2	1	1	5	10	50	175	511	1,480
1986.....	111,049	2	-	-	-	6	20	46	164	482	1,458
1985.....	108,529	2	3	1	4	5	13	46	155	544	1,439
1984.....	105,027	2	3	11	3	5	16	46	143	533	1,355
1983.....	101,857	2	5	6	4	2	21	41	138	566	1,441
1982.....	98,780	1	3	9	3	5	15	47	156	553	1,352
1981.....	94,441	2	-	4	1	8	14	40	156	568	1,350
1980.....	92,182	3	2	3	3	3	12	42	144	515	1,401
1979.....	87,532	-	-	1	-	9	17	44	150	492	1,382

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF TRACHEA, BRONCHUS, AND LUNG (162)											
WHITE MALE											
1998.....	79,649	1	-	-	-	1	17	18	78	278	903
1997.....	79,624	1	-	-	-	2	6	21	78	286	868
1996.....	79,809	-	-	2	2	-	5	16	105	322	849
1995.....	80,088	1	-	2	2	7	7	16	108	303	807
1994.....	80,096	-	1	4	-	2	7	18	93	327	835
1993.....	80,620	-	-	2	1	4	8	18	96	352	825
1992.....	79,728	1	2	-	1	1	9	13	82	311	861
1991.....	80,028	-	1	-	2	3	6	22	86	310	860
1990.....	79,488	1	-	-	1	2	10	30	105	321	870
1989.....	77,659	2	1	1	2	7	3	23	87	309	829
1988.....	77,063	1	1	-	2	5	4	18	110	299	902
1987.....	76,398	1	-	-	-	3	5	29	110	312	871
1986.....	74,517	-	-	-	-	4	16	28	101	263	880
1985.....	73,519	-	1	-	1	4	7	26	83	322	906
1984.....	72,239	2	1	11	3	2	11	35	75	302	835
1983.....	70,598	2	3	4	2	2	12	23	73	328	863
1982.....	69,686	1	2	7	-	1	10	27	94	327	834
1981.....	67,525	2	-	2	-	5	9	25	96	341	858
1980.....	66,651	2	1	-	3	1	11	27	84	314	866
1979.....	64,338	-	-	1	-	4	8	30	87	296	876
WHITE FEMALE											
1998.....	56,377	-	-	1	3	2	2	15	80	257	675
1997.....	55,436	-	1	-	-	1	3	23	62	274	663
1996.....	54,246	1	-	1	1	1	4	14	81	274	611
1995.....	53,278	-	1	1	2	3	4	14	83	285	571
1994.....	51,775	-	2	2	1	3	5	11	80	245	550
1993.....	50,717	-	-	4	-	1	4	13	73	224	564
1992.....	48,991	-	-	1	1	1	9	21	74	252	591
1991.....	46,844	1	-	-	2	1	4	21	83	237	598
1990.....	45,162	1	-	2	1	3	2	20	69	229	567
1989.....	43,364	1	-	1	-	4	4	19	67	196	594
1988.....	40,763	-	-	1	1	1	6	19	71	220	604
1987.....	38,490	1	2	1	1	2	5	21	65	199	609
1986.....	36,532	2	-	-	-	2	4	18	63	219	578
1985.....	35,010	2	2	1	3	1	6	20	72	222	533
1984.....	32,788	-	2	-	-	3	5	11	68	231	520
1983.....	31,259	-	2	2	2	-	9	18	65	238	578
1982.....	29,094	-	1	2	3	4	5	20	62	226	518
1981.....	26,916	-	-	2	1	3	5	15	60	227	492
1980.....	25,531	1	1	3	-	2	1	15	60	201	535
1979.....	23,194	-	-	-	-	5	9	14	63	196	506

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF TRACHEA, BRONCHUS, AND LUNG (162)											
ALL OTHER, BOTH SEXES											
1998.....	18,535	-	-	-	-	5	2	8	22	151	470
1997.....	18,250	-	-	-	1	4	1	9	38	175	483
1996.....	17,960	-	-	-	-	2	2	10	38	181	445
1995.....	17,834	1	-	1	1	2	3	10	42	158	439
1994.....	17,611	-	-	1	-	2	1	11	45	167	403
1993.....	17,518	-	-	1	-	3	3	6	64	158	422
1992.....	17,224	1	1	-	1	1	7	8	53	191	430
1991.....	16,886	2	1	-	-	4	3	11	47	174	408
1990.....	16,635	1	1	-	1	3	1	15	65	171	406
1989.....	16,127	1	-	1	-	2	6	15	41	165	375
1988.....	15,458	-	-	-	1	2	6	11	47	156	356
1987.....	15,121	1	1	-	-	1	4	14	40	142	357
1986.....	14,473	-	-	-	-	3	1	14	37	138	376
1985.....	14,027	1	-	1	1	-	4	22	48	125	352
1984.....	13,703	4	1	1	1	2	3	14	32	131	349
1983.....	13,166	3	1	1	-	1	3	9	41	118	349
1982.....	12,613	3	-	1	2	2	3	7	40	118	309
1981.....	12,120	1	-	1	-	1	4	6	29	127	347
1980.....	11,662	2	1	1	-	2	5	16	33	116	319
1979.....	10,919	1	-	1	1	1	5	11	38	112	342
ALL OTHER MALE											
1998.....	11,798	-	-	-	-	2	1	6	9	78	277
1997.....	11,728	-	-	-	1	1	-	6	21	95	295
1996.....	11,811	-	-	-	-	-	2	6	21	118	278
1995.....	11,768	1	-	1	1	1	2	6	25	98	285
1994.....	11,797	-	-	-	-	1	1	7	26	101	271
1993.....	11,944	-	-	-	-	2	-	5	40	100	286
1992.....	11,677	1	-	-	-	1	3	4	34	117	276
1991.....	11,662	1	1	-	-	3	2	6	27	110	263
1990.....	11,603	1	1	-	1	2	1	8	49	104	281
1989.....	11,393	1	-	-	-	1	4	7	24	103	259
1988.....	10,996	-	-	-	-	1	3	7	30	109	256
1987.....	10,863	1	-	-	-	1	4	10	29	95	214
1986.....	10,540	-	-	-	-	2	-	10	21	88	263
1985.....	10,335	-	-	-	1	-	2	15	29	90	242
1984.....	10,252	4	1	1	-	1	2	8	22	90	250
1983.....	9,740	3	1	1	-	1	3	7	26	82	235
1982.....	9,542	2	-	1	2	2	2	4	25	82	191
1981.....	9,239	-	-	1	-	-	4	4	18	80	248
1980.....	8,884	1	1	1	-	2	4	11	24	83	233
1979.....	8,465	1	-	-	1	1	1	5	26	73	242

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF TRACHEA, BRONCHUS, AND LUNG (162)											
ALL OTHER FEMALE											
1998.....	6,737	-	-	-	-	3	1	2	13	73	193
1997.....	6,522	-	-	-	-	3	1	3	17	80	188
1996.....	6,149	-	-	-	-	2	-	4	17	63	167
1995.....	6,066	-	-	-	-	1	1	4	17	60	154
1994.....	5,814	-	-	1	-	1	-	4	19	66	132
1993.....	5,574	-	-	1	-	1	3	1	24	58	136
1992.....	5,547	-	1	-	1	-	4	4	19	74	154
1991.....	5,224	1	-	-	-	1	1	5	20	64	145
1990.....	5,032	-	-	-	-	1	-	7	16	67	125
1989.....	4,734	-	-	1	-	1	2	8	17	62	116
1988.....	4,462	-	-	-	1	1	3	4	17	47	100
1987.....	4,258	-	1	-	-	-	-	4	11	47	143
1986.....	3,933	-	-	-	-	1	1	4	16	50	113
1985.....	3,692	1	-	1	-	-	2	7	19	35	110
1984.....	3,451	-	-	-	1	1	1	6	10	41	99
1983.....	3,426	-	-	-	-	-	-	2	15	36	114
1982.....	3,071	1	-	-	-	-	1	3	15	36	118
1981.....	2,881	1	-	-	-	1	-	2	11	47	99
1980.....	2,778	1	-	-	-	-	1	5	9	33	86
1979.....	2,454	-	-	1	-	-	4	6	12	39	100
BLACK, BOTH SEXES											
1998.....	16,105	-	-	-	-	3	2	5	18	135	416
1997.....	16,014	-	-	-	1	4	1	7	28	153	423
1996.....	15,835	-	-	-	-	2	2	8	31	166	409
1995.....	15,790	1	-	1	1	2	1	6	35	135	401
1994.....	15,670	-	-	1	-	2	1	9	40	153	372
1993.....	15,641	-	-	1	-	3	3	5	60	144	382
1992.....	15,472	1	1	-	1	1	6	8	50	173	392
1991.....	15,201	2	1	-	-	4	3	7	38	157	366
1990.....	15,144	1	1	-	1	2	1	14	58	159	376
1989.....	14,703	1	-	1	-	2	5	12	34	152	334
1988.....	14,131	-	-	-	1	2	6	9	38	141	325
1987.....	13,886	1	1	-	-	1	3	13	36	134	330
1986.....	13,354	-	-	-	-	1	1	12	28	122	350
1985.....	13,009	1	-	1	1	-	3	21	45	114	333
1984.....	12,708	2	-	1	1	2	3	11	26	123	320
1983.....	12,282	-	1	1	-	1	3	8	35	109	321
1982.....	11,857	1	-	1	2	1	3	7	38	110	295
1981.....	11,372	-	-	1	-	1	3	4	26	122	323
1980.....	10,957	2	1	1	-	2	5	15	31	110	303
1979.....	10,247	1	-	1	1	1	5	8	30	103	326

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF TRACHEA, BRONCHUS, AND LUNG (162)											
BLACK MALE											
1998.....	10,288	-	-	-	-	1	1	4	8	70	253
1997.....	10,336	-	-	-	1	1	-	4	17	85	264
1996.....	10,463	-	-	-	-	-	2	5	18	107	258
1995.....	10,537	1	-	1	1	1	1	5	19	86	266
1994.....	10,555	-	-	-	-	1	1	5	23	93	255
1993.....	10,733	-	-	-	-	2	-	4	37	96	260
1992.....	10,530	1	-	-	-	1	3	4	33	108	254
1991.....	10,545	1	1	-	-	3	2	4	22	102	242
1990.....	10,632	1	1	-	1	1	1	8	44	98	266
1989.....	10,457	1	-	-	-	1	4	6	20	95	230
1988.....	10,112	-	-	-	-	1	3	6	24	99	237
1987.....	10,065	1	-	-	-	1	3	10	28	92	199
1986.....	9,773	-	-	-	-	1	-	8	16	77	243
1985.....	9,615	-	-	-	1	-	2	14	27	83	231
1984.....	9,569	2	-	1	-	1	2	6	20	83	235
1983.....	9,117	-	1	1	-	1	3	6	23	76	219
1982.....	9,003	1	-	1	2	1	2	4	23	77	182
1981.....	8,697	-	-	1	-	-	3	3	16	78	230
1980.....	8,382	1	1	1	-	2	4	10	23	81	224
1979.....	7,991	1	-	-	1	1	1	4	22	68	237
BLACK FEMALE											
1998.....	5,817	-	-	-	-	2	1	1	10	65	163
1997.....	5,678	-	-	-	-	3	1	3	11	68	159
1996.....	5,372	-	-	-	-	2	-	3	13	59	151
1995.....	5,253	-	-	-	-	1	-	1	16	49	135
1994.....	5,115	-	-	1	-	1	-	4	17	60	117
1993.....	4,908	-	-	1	-	1	3	1	23	48	122
1992.....	4,942	-	1	-	1	-	3	4	17	65	138
1991.....	4,656	1	-	-	-	1	1	3	16	55	124
1990.....	4,512	-	-	-	-	1	-	6	14	61	110
1989.....	4,246	-	-	1	-	1	1	6	14	57	104
1988.....	4,019	-	-	-	1	1	3	3	14	42	88
1987.....	3,821	-	1	-	-	-	-	3	8	42	131
1986.....	3,581	-	-	-	-	-	1	4	12	45	107
1985.....	3,394	1	-	1	-	-	1	7	18	31	102
1984.....	3,139	-	-	-	1	1	1	5	6	40	85
1983.....	3,165	-	-	-	-	-	-	2	12	33	102
1982.....	2,854	-	-	-	-	-	1	3	15	33	113
1981.....	2,675	-	-	-	-	1	-	1	10	44	93
1980.....	2,575	1	-	-	-	-	1	5	8	29	79
1979.....	2,256	-	-	1	-	-	4	4	8	35	89

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF ALL OTHER AND ILL-DEFINED SITES WITHIN THE RESPIRATORY SYSTEM AND INTRATHORACIC ORGANS (160,163-165)											
TOTAL, BOTH SEXES											
1998.....	1,309	3	3	3	1	6	10	9	11	38	42
1997.....	1,344	1	2	-	1	8	13	12	32	23	40
1996.....	1,338	-	1	-	2	4	7	11	29	22	37
1995.....	1,307	1	1	2	-	6	8	12	13	33	38
1994.....	1,285	-	2	-	1	5	12	14	19	38	36
1993.....	1,347	2	1	-	-	6	13	11	23	30	48
1992.....	1,360	1	2	2	3	7	8	15	31	37	57
1991.....	1,372	1	2	2	2	10	9	17	22	33	48
1990.....	1,391	1	2	5	2	5	14	8	22	29	38
1989.....	1,402	3	2	1	-	8	13	14	26	35	50
1988.....	1,302	1	3	2	4	7	14	20	13	28	34
1987.....	1,303	1	2	1	1	4	16	15	25	25	48
1986.....	1,317	2	2	1	1	7	14	19	30	35	36
1985.....	1,253	2	2	3	1	7	21	22	19	28	41
1984.....	1,343	4	4	2	5	10	14	34	29	31	34
1983.....	1,334	4	3	1	5	14	15	14	27	35	36
1982.....	1,330	2	3	-	3	13	13	18	28	24	48
1981.....	1,204	2	2	-	4	9	16	12	23	23	32
1980.....	1,248	2	4	5	3	13	21	17	26	28	40
1979.....	1,281	-	2	3	5	8	18	33	24	27	30
TOTAL, MALE											
1998.....	812	1	1	2	-	1	6	6	7	25	31
1997.....	886	1	1	-	1	5	9	9	26	15	31
1996.....	825	-	-	-	1	4	4	7	19	11	27
1995.....	826	-	1	-	-	4	6	6	6	22	30
1994.....	788	-	-	-	1	3	12	7	16	30	27
1993.....	842	2	-	-	-	3	9	6	17	17	27
1992.....	863	-	2	2	3	7	5	8	23	24	35
1991.....	859	1	1	-	2	7	6	12	9	25	30
1990.....	882	1	1	4	-	3	11	5	13	22	27
1989.....	901	1	2	1	-	5	9	11	11	24	32
1988.....	849	1	1	1	2	5	11	16	10	17	18
1987.....	847	1	-	-	-	1	9	10	21	20	30
1986.....	850	1	2	1	1	6	9	15	24	28	17
1985.....	815	1	1	2	1	5	14	12	12	22	25
1984.....	885	3	1	2	2	8	13	21	18	20	20
1983.....	884	3	1	1	3	12	11	11	18	25	24
1982.....	828	-	2	-	2	11	7	13	17	17	31
1981.....	789	-	1	-	3	6	12	6	15	18	25
1980.....	770	2	1	1	-	13	16	12	18	16	25
1979.....	829	-	1	2	5	6	13	21	20	16	21

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF ALL OTHER AND ILL-DEFINED SITES WITHIN THE RESPIRATORY SYSTEM AND INTRATHORACIC ORGANS (160,163-165)											
TOTAL, FEMALE											
1998.....	497	2	2	1	1	5	4	3	4	13	11
1997.....	458	-	1	-	-	3	4	3	6	8	9
1996.....	513	-	1	-	1	-	3	4	10	11	10
1995.....	481	1	-	2	-	2	2	6	7	11	8
1994.....	497	-	2	-	-	2	-	7	3	8	9
1993.....	505	-	1	-	-	3	4	5	6	13	21
1992.....	497	1	-	-	-	-	3	7	8	13	22
1991.....	513	-	1	2	-	3	3	5	13	8	18
1990.....	509	-	1	1	2	2	3	3	9	7	11
1989.....	501	2	-	-	-	3	4	3	15	11	18
1988.....	453	-	2	1	2	2	3	4	3	11	16
1987.....	456	-	2	1	1	3	7	5	4	5	18
1986.....	467	1	-	-	-	1	5	4	6	7	19
1985.....	438	1	1	1	-	2	7	10	7	6	16
1984.....	458	1	3	-	3	2	1	13	11	11	14
1983.....	450	1	2	-	2	2	4	3	9	10	12
1982.....	502	2	1	-	1	2	6	5	11	7	17
1981.....	415	2	1	-	1	3	4	6	8	5	7
1980.....	478	-	3	4	3	-	5	5	8	12	15
1979.....	452	-	1	1	-	2	5	12	4	11	9
WHITE, BOTH SEXES											
1998.....	1,136	2	2	2	1	6	6	8	9	29	29
1997.....	1,171	1	1	-	-	3	10	8	27	17	30
1996.....	1,178	-	1	-	2	3	4	8	21	19	27
1995.....	1,136	1	1	1	-	6	6	10	8	26	27
1994.....	1,124	-	2	-	1	4	8	10	16	31	32
1993.....	1,178	2	1	-	-	6	9	9	17	25	37
1992.....	1,190	1	2	1	3	5	6	12	23	27	46
1991.....	1,203	-	1	1	1	8	6	13	15	29	40
1990.....	1,231	1	2	4	1	5	5	8	16	26	31
1989.....	1,214	1	2	1	-	6	9	12	19	27	40
1988.....	1,140	1	3	2	3	7	11	15	11	23	28
1987.....	1,137	-	2	1	-	4	13	13	20	17	43
1986.....	1,155	2	2	1	1	7	8	16	22	25	32
1985.....	1,100	1	2	3	1	6	15	20	17	25	28
1984.....	1,177	3	3	2	4	8	13	26	20	28	30
1983.....	1,182	3	1	1	4	14	13	12	23	31	33
1982.....	1,174	1	3	-	2	11	9	18	23	18	36
1981.....	1,067	2	2	-	4	8	13	10	19	18	27
1980.....	1,122	1	3	5	2	12	15	11	23	25	34
1979.....	1,149	-	2	2	3	8	16	30	23	22	28

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF ALL OTHER AND ILL-DEFINED SITES WITHIN THE RESPIRATORY SYSTEM AND INTRATHORACIC ORGANS (160,163-165)											
WHITE MALE											
1998.....	709	1	-	2	-	1	5	5	6	21	22
1997.....	774	1	1	-	-	2	7	7	22	9	23
1996.....	731	-	-	-	1	3	1	5	13	9	21
1995.....	722	-	1	-	-	4	4	6	4	16	21
1994.....	680	-	-	-	1	3	8	4	13	24	23
1993.....	742	2	-	-	-	3	7	5	13	15	23
1992.....	760	-	2	1	3	5	5	8	17	17	28
1991.....	774	-	1	-	1	7	5	11	6	22	29
1990.....	778	1	1	3	-	3	4	5	11	19	23
1989.....	785	-	2	1	-	4	6	9	10	19	28
1988.....	733	1	1	1	2	5	8	12	8	13	14
1987.....	746	-	-	-	-	1	8	8	17	14	25
1986.....	740	1	2	1	1	6	5	12	16	20	14
1985.....	707	-	1	2	1	4	10	10	11	19	17
1984.....	777	2	1	2	1	6	12	17	11	18	18
1983.....	782	2	-	1	3	12	9	10	16	22	24
1982.....	724	-	2	-	2	9	4	13	13	14	20
1981.....	704	-	1	-	3	5	10	6	12	14	22
1980.....	692	1	-	1	-	12	13	10	16	13	21
1979.....	749	-	1	1	3	6	11	20	19	14	19
WHITE FEMALE											
1998.....	427	1	2	-	1	5	1	3	3	8	7
1997.....	397	-	-	-	-	1	3	1	5	8	7
1996.....	447	-	1	-	1	-	3	3	8	10	6
1995.....	414	1	-	1	-	2	2	4	4	10	6
1994.....	444	-	2	-	-	1	-	6	3	7	9
1993.....	436	-	1	-	-	3	2	4	4	10	14
1992.....	430	1	-	-	-	-	1	4	6	10	18
1991.....	429	-	-	1	-	1	1	2	9	7	11
1990.....	453	-	1	1	1	2	1	3	5	7	8
1989.....	429	1	-	-	-	2	3	3	9	8	12
1988.....	407	-	2	1	1	2	3	3	3	10	14
1987.....	391	-	2	1	-	3	5	5	3	3	18
1986.....	415	1	-	-	-	1	3	4	6	5	18
1985.....	393	1	1	1	-	2	5	10	6	6	11
1984.....	400	1	2	-	3	2	1	9	9	10	12
1983.....	400	1	1	-	1	2	4	2	7	9	9
1982.....	450	1	1	-	-	2	5	5	10	4	16
1981.....	363	2	1	-	1	3	3	4	7	4	5
1980.....	430	-	3	4	2	-	2	1	7	12	13
1979.....	400	-	1	1	-	2	5	10	4	8	9

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF ALL OTHER AND ILL-DEFINED SITES WITHIN THE RESPIRATORY SYSTEM AND INTRATHORACIC ORGANS (160,163-165)											
ALL OTHER, BOTH SEXES											
1998.....	173	1	1	1	-	-	4	1	2	9	13
1997.....	173	-	1	-	1	5	3	4	5	6	10
1996.....	160	-	-	-	-	1	3	3	8	3	10
1995.....	171	-	-	1	-	-	2	2	5	7	11
1994.....	161	-	-	-	-	1	4	4	3	7	4
1993.....	169	-	-	-	-	-	4	2	6	5	11
1992.....	170	-	-	1	-	2	2	3	8	10	11
1991.....	169	1	1	1	1	2	3	4	7	4	8
1990.....	160	-	-	1	1	-	9	-	6	3	7
1989.....	188	2	-	-	-	2	4	2	7	8	10
1988.....	162	-	-	-	1	-	3	5	2	5	6
1987.....	166	1	-	-	1	-	3	2	5	8	5
1986.....	162	-	-	-	-	-	6	3	8	10	4
1985.....	153	1	-	-	-	1	6	2	2	3	13
1984.....	166	1	1	-	1	2	1	8	9	3	4
1983.....	152	1	2	-	1	-	2	2	4	4	3
1982.....	156	1	-	-	1	2	4	-	5	6	12
1981.....	137	-	-	-	-	1	3	2	4	5	5
1980.....	126	1	1	-	1	1	6	6	3	3	6
1979.....	132	-	-	1	2	-	2	3	1	5	2
ALL OTHER MALE											
1998.....	103	-	1	-	-	-	1	1	1	4	9
1997.....	112	-	-	-	1	3	2	2	4	6	8
1996.....	94	-	-	-	-	1	3	2	6	2	6
1995.....	104	-	-	-	-	-	2	-	2	6	9
1994.....	108	-	-	-	-	-	4	3	3	6	4
1993.....	100	-	-	-	-	-	2	1	4	2	4
1992.....	103	-	-	1	-	2	-	-	6	7	7
1991.....	85	1	-	-	1	-	1	1	3	3	1
1990.....	104	-	-	1	-	-	7	-	2	3	4
1989.....	116	1	-	-	-	1	3	2	1	5	4
1988.....	116	-	-	-	-	-	3	4	2	4	4
1987.....	101	1	-	-	-	-	1	2	4	6	5
1986.....	110	-	-	-	-	-	4	3	8	8	3
1985.....	108	1	-	-	-	1	4	2	1	3	8
1984.....	108	1	-	-	1	2	1	4	7	2	2
1983.....	102	1	1	-	-	-	2	1	2	3	-
1982.....	104	-	-	-	-	2	3	-	4	3	11
1981.....	85	-	-	-	-	1	2	-	3	4	3
1980.....	78	1	1	-	-	1	3	2	2	3	4
1979.....	80	-	-	1	2	-	2	1	1	2	2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF ALL OTHER AND ILL-DEFINED SITES WITHIN THE RESPIRATORY SYSTEM AND INTRATHORACIC ORGANS (160,163-165)											
ALL OTHER FEMALE											
1998.....	70	1	-	1	-	-	3	-	1	5	4
1997.....	61	-	1	-	-	2	1	2	1	-	2
1996.....	66	-	-	-	-	-	-	1	2	1	4
1995.....	67	-	-	1	-	-	-	2	3	1	2
1994.....	53	-	-	-	-	1	-	1	-	1	-
1993.....	69	-	-	-	-	-	2	1	2	3	7
1992.....	67	-	-	-	-	-	2	3	2	3	4
1991.....	84	-	1	1	-	2	2	3	4	1	7
1990.....	56	-	-	-	1	-	2	-	4	-	3
1989.....	72	1	-	-	-	1	1	-	6	3	6
1988.....	46	-	-	-	1	-	-	1	-	1	2
1987.....	65	-	-	-	1	-	2	-	1	2	-
1986.....	52	-	-	-	-	-	2	-	-	2	1
1985.....	45	-	-	-	-	-	2	-	1	-	5
1984.....	58	-	1	-	-	-	-	4	2	1	2
1983.....	50	-	1	-	1	-	-	1	2	1	3
1982.....	52	1	-	-	1	-	1	-	1	3	1
1981.....	52	-	-	-	-	-	1	2	1	1	2
1980.....	48	-	-	-	1	-	3	4	1	-	2
1979.....	52	-	-	-	-	-	-	2	-	3	-
BLACK, BOTH SEXES											
1998.....	130	-	1	1	-	-	1	1	1	7	9
1997.....	145	-	1	-	1	3	3	3	4	6	8
1996.....	123	-	-	-	-	1	1	1	6	3	7
1995.....	145	-	-	1	-	-	1	2	3	5	10
1994.....	142	-	-	-	-	-	4	3	2	6	3
1993.....	148	-	-	-	-	-	3	2	6	4	10
1992.....	146	-	-	-	-	2	2	3	8	8	10
1991.....	139	1	-	1	1	2	2	4	4	2	6
1990.....	138	-	-	-	1	-	9	-	4	3	5
1989.....	159	2	-	-	-	2	4	2	7	6	7
1988.....	143	-	-	-	1	-	3	4	1	5	4
1987.....	142	1	-	-	1	-	3	2	5	6	2
1986.....	143	-	-	-	-	-	5	2	8	9	2
1985.....	134	1	-	-	-	1	6	2	1	3	10
1984.....	145	1	1	-	-	1	1	7	9	3	4
1983.....	141	1	2	-	1	-	2	2	3	4	3
1982.....	147	1	-	-	1	2	3	-	4	6	11
1981.....	129	-	-	-	-	1	2	2	4	3	4
1980.....	119	-	1	-	1	-	6	6	3	3	6
1979.....	119	-	-	-	2	-	2	3	1	5	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1 YEAR 1-4 YEARS 5-9 YEARS 10-14 YEARS 15-19 YEARS 20-24 YEARS 25-29 YEARS 30-34 YEARS 35-39 YEARS 40-44 YEARS

0 OF ALL OTHER AND ILL-DEFINED SITES WITHIN THE RESPIRATORY SYSTEM AND INTRATHORACIC ORGANS (160,163-165)

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
BLACK MALE											
1998.....	74	-	1	-	-	-	-	1	-	4	6
1997.....	90	-	-	-	1	2	2	1	3	6	6
1996.....	67	-	-	-	-	1	1	1	4	2	5
1995.....	89	-	-	-	-	-	1	-	2	5	8
1994.....	96	-	-	-	-	-	4	2	2	5	3
1993.....	86	-	-	-	-	-	1	1	4	1	3
1992.....	84	-	-	-	-	2	-	-	6	5	6
1991.....	71	1	-	-	1	-	1	1	2	2	-
1990.....	88	-	-	-	-	-	7	-	2	3	2
1989.....	94	1	-	-	-	1	3	2	1	3	2
1988.....	101	-	-	-	-	-	3	3	1	4	2
1987.....	89	1	-	-	-	-	1	2	4	5	2
1986.....	96	-	-	-	-	-	4	2	8	7	1
1985.....	99	1	-	-	-	1	4	2	-	3	7
1984.....	92	1	-	-	-	1	1	3	7	2	2
1983.....	95	1	1	-	-	-	2	1	2	3	-
1982.....	99	-	-	-	-	2	3	-	4	3	10
1981.....	80	-	-	-	-	1	1	-	3	3	2
1980.....	73	-	1	-	-	-	3	2	2	3	4
1979.....	73	-	-	-	2	-	2	1	1	2	1
BLACK FEMALE											
1998.....	56	-	-	1	-	-	1	-	1	3	3
1997.....	55	-	1	-	-	1	1	2	1	-	2
1996.....	56	-	-	-	-	-	-	-	2	1	2
1995.....	56	-	-	1	-	-	-	2	1	-	2
1994.....	46	-	-	-	-	-	-	1	-	1	-
1993.....	62	-	-	-	-	-	2	1	2	3	7
1992.....	62	-	-	-	-	-	2	3	2	3	4
1991.....	68	-	-	1	-	2	1	3	2	-	6
1990.....	50	-	-	-	1	-	2	-	2	-	3
1989.....	65	1	-	-	-	1	1	-	6	3	5
1988.....	42	-	-	-	1	-	-	1	-	1	2
1987.....	53	-	-	-	1	-	2	-	1	1	-
1986.....	47	-	-	-	-	-	1	-	-	2	1
1985.....	35	-	-	-	-	-	2	-	1	-	3
1984.....	53	-	1	-	-	-	-	4	2	1	2
1983.....	46	-	1	-	1	-	-	1	1	1	3
1982.....	48	1	-	-	1	-	-	-	-	3	1
1981.....	49	-	-	-	-	-	1	2	1	-	2
1980.....	46	-	-	-	1	-	3	4	1	-	2
1979.....	46	-	-	-	-	-	-	2	-	3	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170-175)											
TOTAL, BOTH SEXES											
1998.....	56,751	4	23	47	85	185	180	284	732	1,560	2,590
1997.....	56,826	6	30	54	68	175	183	343	708	1,607	2,652
1996.....	57,875	2	12	47	69	166	175	330	787	1,634	2,723
1995.....	58,211	4	31	38	87	168	206	329	792	1,703	2,680
1994.....	57,743	3	30	40	86	172	186	316	811	1,716	2,720
1993.....	57,658	6	33	51	79	153	202	349	801	1,646	2,728
1992.....	56,724	11	23	41	84	168	201	360	892	1,717	2,715
1991.....	56,948	3	22	32	89	165	192	386	939	1,725	2,813
1990.....	56,503	8	26	46	84	150	212	376	922	1,730	2,833
1989.....	55,559	13	25	43	84	182	182	398	928	1,713	2,667
1988.....	54,566	8	22	43	72	174	210	396	918	1,783	2,463
1987.....	53,215	7	44	48	87	167	207	416	913	1,761	2,351
1986.....	52,606	3	25	54	82	183	237	489	1,030	1,848	2,398
1985.....	51,963	10	30	34	83	175	281	459	1,017	1,697	2,238
1984.....	50,821	12	26	46	101	188	254	469	1,001	1,656	2,231
1983.....	49,027	10	31	53	116	196	235	436	901	1,436	2,017
1982.....	48,100	13	40	46	109	216	266	416	928	1,446	1,933
1981.....	46,884	10	35	55	111	212	246	427	882	1,300	1,878
1980.....	45,828	8	35	48	111	246	285	426	823	1,318	1,832
1979.....	44,421	9	33	51	123	248	277	411	761	1,202	1,829
TOTAL, MALE											
1998.....	9,116	3	13	29	52	107	112	113	181	285	443
1997.....	8,854	2	14	25	31	98	97	128	196	317	420
1996.....	8,770	-	6	24	34	95	108	130	202	333	426
1995.....	8,620	3	24	25	45	104	126	136	214	289	431
1994.....	8,387	2	19	20	43	103	110	133	212	321	422
1993.....	8,365	4	17	29	37	83	117	136	217	352	437
1992.....	8,193	6	15	21	44	98	117	128	266	340	416
1991.....	8,108	3	9	21	51	96	112	156	279	335	400
1990.....	7,779	6	11	21	35	83	131	157	264	326	414
1989.....	7,630	5	14	20	39	102	109	161	248	355	354
1988.....	7,391	2	13	26	30	95	118	160	236	299	388
1987.....	7,421	5	28	29	48	91	125	179	232	295	369
1986.....	7,228	2	14	27	44	110	148	238	362	403	386
1985.....	7,091	4	18	18	47	101	167	239	326	363	359
1984.....	6,698	8	16	26	49	116	160	200	293	289	345
1983.....	6,544	7	16	25	59	114	129	179	263	293	324
1982.....	6,346	3	22	26	51	130	153	182	261	283	291
1981.....	5,982	4	19	28	57	133	152	170	198	244	277
1980.....	5,947	6	21	26	51	139	188	165	203	242	252
1979.....	5,780	7	14	29	69	156	156	161	184	222	242

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170-175)											
TOTAL, FEMALE											
1998.....	47,635	1	10	18	33	78	68	171	551	1,275	2,147
1997.....	47,972	4	16	29	37	77	86	215	512	1,290	2,232
1996.....	49,105	2	6	23	35	71	67	200	585	1,301	2,297
1995.....	49,591	1	7	13	42	64	80	193	578	1,414	2,249
1994.....	49,356	1	11	20	43	69	76	183	599	1,395	2,298
1993.....	49,293	2	16	22	42	70	85	213	584	1,294	2,291
1992.....	48,531	5	8	20	40	70	84	232	626	1,377	2,299
1991.....	48,840	-	13	11	38	69	80	230	660	1,390	2,413
1990.....	48,724	2	15	25	49	67	81	219	658	1,404	2,419
1989.....	47,929	8	11	23	45	80	73	237	680	1,358	2,313
1988.....	47,175	6	9	17	42	79	92	236	682	1,484	2,075
1987.....	45,794	2	16	19	39	76	82	237	681	1,466	1,982
1986.....	45,378	1	11	27	38	73	89	251	668	1,445	2,012
1985.....	44,872	6	12	16	36	74	114	220	691	1,334	1,879
1984.....	44,123	4	10	20	52	72	94	269	708	1,367	1,886
1983.....	42,483	3	15	28	57	82	106	257	638	1,143	1,693
1982.....	41,754	10	18	20	58	86	113	234	667	1,163	1,642
1981.....	40,902	6	16	27	54	79	94	257	684	1,056	1,601
1980.....	39,881	2	14	22	60	107	97	261	620	1,076	1,580
1979.....	38,641	2	19	22	54	92	121	250	577	980	1,587
WHITE, BOTH SEXES											
1998.....	49,618	4	18	35	64	151	148	230	566	1,214	2,061
1997.....	49,627	4	24	42	58	141	142	262	557	1,270	2,125
1996.....	50,854	1	8	36	58	134	142	264	621	1,274	2,164
1995.....	51,193	3	26	27	68	138	168	266	617	1,388	2,170
1994.....	50,957	3	23	28	60	142	156	265	629	1,376	2,192
1993.....	50,971	3	26	43	68	127	161	264	636	1,302	2,214
1992.....	50,422	9	19	28	68	141	174	289	726	1,392	2,232
1991.....	50,579	3	20	26	74	138	164	320	783	1,400	2,319
1990.....	50,394	5	17	39	68	121	177	306	762	1,410	2,403
1989.....	49,781	10	22	41	66	150	157	328	772	1,411	2,272
1988.....	48,810	3	20	34	59	142	179	343	757	1,444	2,068
1987.....	47,692	7	36	38	73	133	170	350	757	1,461	1,955
1986.....	47,352	2	23	47	66	153	204	409	865	1,531	2,036
1985.....	46,868	9	27	28	67	149	234	416	869	1,425	1,902
1984.....	45,777	7	25	39	82	163	225	404	855	1,412	1,864
1983.....	44,403	7	26	44	93	171	202	385	777	1,222	1,727
1982.....	43,537	10	32	40	85	179	232	358	783	1,236	1,687
1981.....	42,620	9	27	47	91	175	212	369	768	1,125	1,607
1980.....	41,656	8	33	42	97	204	255	360	719	1,156	1,543
1979.....	40,571	7	26	46	100	214	250	366	662	1,039	1,594

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170-175)											
WHITE MALE											
1998.....	8,498	3	9	22	40	86	93	95	157	255	408
1997.....	8,260	1	13	19	25	81	71	106	167	291	380
1996.....	8,164	-	6	20	28	74	92	114	183	295	385
1995.....	8,015	2	19	20	34	89	103	117	190	262	394
1994.....	7,838	2	14	13	32	86	95	122	187	292	381
1993.....	7,782	3	13	25	34	73	96	116	192	323	397
1992.....	7,647	5	12	14	35	83	100	111	234	322	389
1991.....	7,530	3	9	16	42	82	101	138	256	310	370
1990.....	7,204	4	5	16	27	68	109	137	244	299	390
1989.....	7,096	5	12	18	33	86	99	141	222	338	322
1988.....	6,886	1	12	24	28	81	101	149	220	273	356
1987.....	6,906	5	22	24	41	78	105	156	214	281	346
1986.....	6,714	1	13	22	39	89	131	214	334	371	360
1985.....	6,594	4	15	14	36	83	143	221	307	338	334
1984.....	6,258	4	15	23	39	98	143	184	265	271	329
1983.....	6,110	5	13	21	47	100	113	167	245	272	307
1982.....	5,935	3	16	24	41	107	134	165	235	265	272
1981.....	5,616	3	14	24	47	111	138	156	192	235	262
1980.....	5,558	6	21	22	48	114	170	154	195	233	230
1979.....	5,443	5	13	26	55	135	140	150	182	211	230
WHITE FEMALE											
1998.....	41,120	1	9	13	24	65	55	135	409	959	1,653
1997.....	41,367	3	11	23	33	60	71	156	390	979	1,745
1996.....	42,690	1	2	16	30	60	50	150	438	979	1,779
1995.....	43,178	1	7	7	34	49	65	149	427	1,126	1,776
1994.....	43,119	1	9	15	28	56	61	143	442	1,084	1,811
1993.....	43,189	-	13	18	34	54	65	148	444	979	1,817
1992.....	42,775	4	7	14	33	58	74	178	492	1,070	1,843
1991.....	43,049	-	11	10	32	56	63	182	527	1,090	1,949
1990.....	43,190	1	12	23	41	53	68	169	518	1,111	2,013
1989.....	42,685	5	10	23	33	64	58	187	550	1,073	1,950
1988.....	41,924	2	8	10	31	61	78	194	537	1,171	1,712
1987.....	40,786	2	14	14	32	55	65	194	543	1,180	1,609
1986.....	40,638	1	10	25	27	64	73	195	531	1,160	1,676
1985.....	40,274	5	12	14	31	66	91	195	562	1,087	1,568
1984.....	39,519	3	10	16	43	65	82	220	590	1,141	1,535
1983.....	38,293	2	13	23	46	71	89	218	532	950	1,420
1982.....	37,602	7	16	16	44	72	98	193	548	971	1,415
1981.....	37,004	6	13	23	44	64	74	213	576	890	1,345
1980.....	36,098	2	12	20	49	90	85	206	524	923	1,313
1979.....	35,128	2	13	20	45	79	110	216	480	828	1,364

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170-175)											
ALL OTHER, BOTH SEXES											
1998.....	7,133	-	5	12	21	34	32	54	166	346	529
1997.....	7,199	2	6	12	10	34	41	81	151	337	527
1996.....	7,021	1	4	11	11	32	33	66	166	360	559
1995.....	7,018	1	5	11	19	30	38	63	175	315	510
1994.....	6,786	-	7	12	26	30	30	51	182	340	528
1993.....	6,687	3	7	8	11	26	41	85	165	344	514
1992.....	6,302	2	4	13	16	27	27	71	166	325	483
1991.....	6,369	-	2	6	15	27	28	66	156	325	494
1990.....	6,109	3	9	7	16	29	35	70	160	320	430
1989.....	5,778	3	3	2	18	32	25	70	156	302	395
1988.....	5,756	5	2	9	13	32	31	53	161	339	395
1987.....	5,523	-	8	10	14	34	37	66	156	300	396
1986.....	5,254	1	2	7	16	30	33	80	165	317	362
1985.....	5,095	1	3	6	16	26	47	43	148	272	336
1984.....	5,044	5	1	7	19	25	29	65	146	244	367
1983.....	4,624	3	5	9	23	25	33	51	124	214	290
1982.....	4,563	3	8	6	24	37	34	58	145	210	246
1981.....	4,264	1	8	8	20	37	34	58	114	175	271
1980.....	4,172	-	2	6	14	42	30	66	104	162	289
1979.....	3,850	2	7	5	23	34	27	45	99	163	235
ALL OTHER MALE											
1998.....	618	-	4	7	12	21	19	18	24	30	35
1997.....	594	1	1	6	6	17	26	22	29	26	40
1996.....	606	-	-	4	6	21	16	16	19	38	41
1995.....	605	1	5	5	11	15	23	19	24	27	37
1994.....	549	-	5	7	11	17	15	11	25	29	41
1993.....	583	1	4	4	3	10	21	20	25	29	40
1992.....	546	1	3	7	9	15	17	17	32	18	27
1991.....	578	-	-	5	9	14	11	18	23	25	30
1990.....	575	2	6	5	8	15	22	20	20	27	24
1989.....	534	-	2	2	6	16	10	20	26	17	32
1988.....	505	1	1	2	2	14	17	11	16	26	32
1987.....	515	-	6	5	7	13	20	23	18	14	23
1986.....	514	1	1	5	5	21	17	24	28	32	26
1985.....	497	-	3	4	11	18	24	18	19	25	25
1984.....	440	4	1	3	10	18	17	16	28	18	16
1983.....	434	2	3	4	12	14	16	12	18	21	17
1982.....	411	-	6	2	10	23	19	17	26	18	19
1981.....	366	1	5	4	10	22	14	14	6	9	15
1980.....	389	-	-	4	3	25	18	11	8	9	22
1979.....	337	2	1	3	14	21	16	11	2	11	12

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170-175)											
ALL OTHER FEMALE											
1998.....	6,515	-	1	5	9	13	13	36	142	316	494
1997.....	6,605	1	5	6	4	17	15	59	122	311	487
1996.....	6,415	1	4	7	5	11	17	50	147	322	518
1995.....	6,413	-	-	6	8	15	15	44	151	288	473
1994.....	6,237	-	2	5	15	13	15	40	157	311	487
1993.....	6,104	2	3	4	8	16	20	65	140	315	474
1992.....	5,756	1	1	6	7	12	10	54	134	307	456
1991.....	5,791	-	2	1	6	13	17	48	133	300	464
1990.....	5,534	1	3	2	8	14	13	50	140	293	406
1989.....	5,244	3	1	-	12	16	15	50	130	285	363
1988.....	5,251	4	1	7	11	18	14	42	145	313	363
1987.....	5,008	-	2	5	7	21	17	43	138	286	373
1986.....	4,740	-	1	2	11	9	16	56	137	285	336
1985.....	4,598	1	-	2	5	8	23	25	129	247	311
1984.....	4,604	1	-	4	9	7	12	49	118	226	351
1983.....	4,190	1	2	5	11	11	17	39	106	193	273
1982.....	4,152	3	2	4	14	14	15	41	119	192	227
1981.....	3,898	-	3	4	10	15	20	44	108	166	256
1980.....	3,783	-	2	2	11	17	12	55	96	153	267
1979.....	3,513	-	6	2	9	13	11	34	97	152	223
BLACK, BOTH SEXES											
1998.....	6,235	-	5	9	18	29	26	44	141	304	465
1997.....	6,398	2	4	9	8	30	38	72	139	310	452
1996.....	6,227	1	2	11	8	27	28	55	150	309	496
1995.....	6,202	-	5	8	13	20	35	52	154	274	451
1994.....	6,043	-	6	8	22	24	25	43	158	305	466
1993.....	6,012	3	6	7	10	23	28	81	150	304	446
1992.....	5,675	1	1	13	15	21	22	65	146	291	441
1991.....	5,716	-	2	4	15	20	23	58	142	285	434
1990.....	5,544	3	7	5	14	23	33	67	149	282	381
1989.....	5,215	3	3	2	15	24	24	60	141	268	351
1988.....	5,288	5	2	8	12	28	28	49	149	314	364
1987.....	5,077	-	7	10	11	29	32	55	141	288	349
1986.....	4,846	1	2	5	12	26	31	68	154	288	329
1985.....	4,687	1	3	5	12	22	41	41	134	249	307
1984.....	4,684	1	1	6	17	19	29	61	133	227	333
1983.....	4,277	2	4	9	19	21	29	40	109	191	264
1982.....	4,248	1	7	6	23	30	32	56	131	189	228
1981.....	3,981	1	8	7	17	32	30	53	106	155	248
1980.....	3,925	-	1	6	13	39	29	62	93	147	267
1979.....	3,626	2	6	5	23	31	24	41	87	152	211

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
MALIGNANT NEOPLASMS OF BONE, CONNECTIVE TISSUE, SKIN, AND BREAST (170-175)											
BLACK MALE											
1998.....	506	-	4	5	11	16	17	14	18	21	32
1997.....	512	1	1	4	6	16	24	17	26	23	35
1996.....	509	-	-	4	4	18	12	13	17	29	37
1995.....	503	-	5	5	7	11	22	17	20	19	31
1994.....	475	-	4	5	9	13	12	8	24	23	38
1993.....	495	1	3	4	2	9	14	19	23	24	36
1992.....	471	1	1	7	8	13	13	14	29	13	25
1991.....	517	-	-	4	9	11	7	16	21	22	24
1990.....	506	2	5	3	6	10	21	19	18	23	24
1989.....	470	-	2	2	5	12	10	17	21	16	26
1988.....	454	1	1	2	2	12	14	9	15	21	29
1987.....	467	-	6	5	5	11	18	18	16	14	20
1986.....	464	1	1	4	3	18	15	20	24	30	24
1985.....	433	-	3	4	8	16	21	16	17	23	18
1984.....	395	-	1	2	10	14	17	14	26	17	16
1983.....	391	1	3	4	9	13	15	9	15	18	15
1982.....	370	-	5	2	9	18	17	16	23	16	16
1981.....	334	1	5	4	8	19	11	11	6	9	14
1980.....	362	-	-	4	2	24	17	11	7	9	20
1979.....	307	2	-	3	14	18	15	9	1	11	11
BLACK FEMALE											
1998.....	5,729	-	1	4	7	13	9	30	123	283	433
1997.....	5,886	1	3	5	2	14	14	55	113	287	417
1996.....	5,718	1	2	7	4	9	16	42	133	280	459
1995.....	5,699	-	-	3	6	9	13	35	134	255	420
1994.....	5,568	-	2	3	13	11	13	35	134	282	428
1993.....	5,517	2	3	3	8	14	14	62	127	280	410
1992.....	5,204	-	-	6	7	8	9	51	117	278	416
1991.....	5,199	-	2	-	6	9	16	42	121	263	410
1990.....	5,038	1	2	2	8	13	12	48	131	259	357
1989.....	4,745	3	1	-	10	12	14	43	120	252	325
1988.....	4,834	4	1	6	10	16	14	40	134	293	335
1987.....	4,610	-	1	5	6	18	14	37	125	274	329
1986.....	4,382	-	1	1	9	8	16	48	130	258	305
1985.....	4,254	1	-	1	4	6	20	25	117	226	289
1984.....	4,289	1	-	4	7	5	12	47	107	210	317
1983.....	3,886	1	1	5	10	8	14	31	94	173	249
1982.....	3,878	1	2	4	14	12	15	40	108	173	212
1981.....	3,647	-	3	3	9	13	19	42	100	146	234
1980.....	3,563	-	1	2	11	15	12	51	86	138	247
1979.....	3,319	-	6	2	9	13	9	32	86	141	200

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF BONE AND ARTICULAR CARTILAGE (170)											
TOTAL, BOTH SEXES											
1998.....	1,238	-	3	16	56	103	78	42	35	41	43
1997.....	1,179	-	4	16	40	97	80	52	48	44	51
1996.....	1,217	1	1	16	33	106	67	49	38	37	50
1995.....	1,228	2	3	17	59	93	79	51	42	30	45
1994.....	1,202	-	2	18	52	93	74	60	39	42	45
1993.....	1,210	-	10	20	52	87	73	43	40	40	33
1992.....	1,152	3	2	14	50	95	69	52	38	26	35
1991.....	1,139	-	1	14	48	86	76	45	46	35	40
1990.....	1,086	2	4	13	50	77	73	37	43	37	27
1989.....	1,074	-	3	15	44	93	67	55	34	33	33
1988.....	1,059	-	7	16	33	100	76	44	37	30	21
1987.....	1,036	-	6	18	48	92	75	55	43	27	26
1986.....	1,066	1	1	29	49	111	71	45	36	26	25
1985.....	1,093	1	4	17	52	107	107	36	38	30	39
1984.....	1,028	2	4	17	61	113	89	57	48	31	28
1983.....	1,082	3	3	21	66	122	73	41	28	30	25
1982.....	1,060	1	7	19	57	129	96	41	37	28	30
1981.....	1,109	1	2	16	74	114	87	41	30	28	26
1980.....	1,284	1	8	19	74	148	114	64	38	34	31
1979.....	1,190	-	5	16	78	150	90	55	24	25	17
TOTAL, MALE											
1998.....	710	-	3	8	38	67	50	28	19	29	25
1997.....	666	-	4	7	18	57	47	33	39	27	38
1996.....	675	-	1	8	14	65	51	28	21	21	30
1995.....	693	1	1	12	29	61	55	30	28	14	27
1994.....	679	-	1	8	24	58	50	38	20	29	28
1993.....	656	-	3	10	25	50	52	24	24	26	19
1992.....	628	1	-	9	24	58	40	31	29	16	23
1991.....	652	-	-	9	26	55	50	31	29	23	22
1990.....	587	1	1	5	23	45	49	28	25	21	16
1989.....	608	-	2	6	22	56	48	40	21	25	16
1988.....	598	-	4	11	14	58	53	36	24	18	13
1987.....	573	-	3	12	25	53	49	38	25	18	16
1986.....	584	-	1	16	29	68	52	25	22	18	18
1985.....	624	-	2	7	24	70	76	23	19	20	25
1984.....	578	1	3	11	30	74	62	38	33	20	14
1983.....	604	2	1	11	34	74	56	21	16	18	19
1982.....	629	1	4	13	27	82	61	28	23	18	24
1981.....	657	-	1	8	41	78	56	26	22	21	16
1980.....	736	-	2	10	32	82	88	39	18	21	17
1979.....	693	-	1	2	44	96	67	43	16	18	10

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF BONE AND ARTICULAR CARTILAGE (170)											
TOTAL, FEMALE											
1998.....	528	-	-	8	18	36	28	14	16	12	18
1997.....	513	-	-	9	22	40	33	19	9	17	13
1996.....	542	1	-	8	19	41	16	21	17	16	20
1995.....	535	1	2	5	30	32	24	21	14	16	18
1994.....	523	-	1	10	28	35	24	22	19	13	17
1993.....	554	-	7	10	27	37	21	19	16	14	14
1992.....	524	2	2	5	26	37	29	21	9	10	12
1991.....	487	-	1	5	22	31	26	14	17	12	18
1990.....	499	1	3	8	27	32	24	9	18	16	11
1989.....	466	-	1	9	22	37	19	15	13	8	17
1988.....	461	-	3	5	19	42	23	8	13	12	8
1987.....	463	-	3	6	23	39	26	17	18	9	10
1986.....	482	1	-	13	20	43	19	20	14	8	7
1985.....	469	1	2	10	28	37	31	13	19	10	14
1984.....	450	1	1	6	31	39	27	19	15	11	14
1983.....	478	1	2	10	32	48	17	20	12	12	6
1982.....	431	-	3	6	30	47	35	13	14	10	6
1981.....	452	1	1	8	33	36	31	15	8	7	10
1980.....	548	1	6	9	42	66	26	25	20	13	14
1979.....	497	-	4	14	34	54	23	12	8	7	7
WHITE, BOTH SEXES											
1998.....	1,074	-	2	11	43	84	64	33	27	36	36
1997.....	1,026	-	3	15	37	84	64	43	40	40	43
1996.....	1,022	1	1	14	27	84	54	40	29	29	43
1995.....	1,048	2	3	12	44	81	68	44	36	24	31
1994.....	1,029	-	2	15	41	77	65	53	26	33	39
1993.....	1,038	-	9	17	46	71	61	34	32	32	23
1992.....	1,012	3	1	10	43	82	60	42	33	23	32
1991.....	1,007	-	-	13	40	80	67	40	39	30	33
1990.....	933	2	3	12	41	64	64	33	31	34	20
1989.....	946	-	3	14	36	76	59	50	29	29	29
1988.....	909	-	5	14	25	86	64	42	34	23	15
1987.....	894	-	6	16	44	74	61	44	38	21	21
1986.....	925	1	1	26	37	94	61	38	30	23	23
1985.....	961	1	4	14	43	93	92	32	35	26	32
1984.....	903	-	4	17	49	97	83	52	37	26	23
1983.....	971	1	2	21	56	111	59	40	25	25	23
1982.....	934	1	6	17	46	108	86	38	23	21	26
1981.....	977	1	2	13	64	97	75	35	29	25	20
1980.....	1,134	1	6	18	63	124	100	52	34	27	27
1979.....	1,056	-	3	15	66	129	83	50	21	22	15

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF BONE AND ARTICULAR CARTILAGE (170)											
WHITE MALE											
1998.....	617	-	2	6	29	55	41	21	16	25	21
1997.....	580	-	3	7	16	49	34	30	32	25	33
1996.....	578	-	1	6	12	51	43	25	17	18	26
1995.....	585	1	1	9	20	54	48	26	23	10	18
1994.....	589	-	1	7	21	47	46	35	13	24	27
1993.....	569	-	3	9	22	43	44	20	20	21	14
1992.....	552	1	-	6	22	51	36	27	24	14	21
1991.....	581	-	-	8	22	51	43	27	25	20	20
1990.....	494	1	1	4	18	37	41	25	18	18	12
1989.....	544	-	2	5	20	49	46	37	18	23	13
1988.....	515	-	3	11	12	52	44	34	23	13	10
1987.....	493	-	3	11	24	46	40	30	23	14	12
1986.....	511	-	1	14	25	58	46	22	18	15	16
1985.....	544	-	2	5	18	60	67	20	19	17	23
1984.....	502	-	3	11	25	60	58	34	24	18	12
1983.....	542	1	1	11	30	66	47	20	15	16	18
1982.....	558	1	3	11	23	70	55	25	16	14	22
1981.....	586	-	1	7	37	66	49	23	22	19	11
1980.....	656	-	2	9	29	70	78	35	16	17	15
1979.....	615	-	-	2	34	83	63	38	15	15	8
WHITE FEMALE											
1998.....	457	-	-	5	14	29	23	12	11	11	15
1997.....	446	-	-	8	21	35	30	13	8	15	10
1996.....	444	1	-	8	15	33	11	15	12	11	17
1995.....	463	1	2	3	24	27	20	18	13	14	13
1994.....	440	-	1	8	20	30	19	18	13	9	12
1993.....	469	-	6	8	24	28	17	14	12	11	9
1992.....	460	2	1	4	21	31	24	15	9	9	11
1991.....	426	-	-	5	18	29	24	13	14	10	13
1990.....	439	1	2	8	23	27	23	8	13	16	8
1989.....	402	-	1	9	16	27	13	13	11	6	16
1988.....	394	-	2	3	13	34	20	8	11	10	5
1987.....	401	-	3	5	20	28	21	14	15	7	9
1986.....	414	1	-	12	12	36	15	16	12	8	7
1985.....	417	1	2	9	25	33	25	12	16	9	9
1984.....	401	-	1	6	24	37	25	18	13	8	11
1983.....	429	-	1	10	26	45	12	20	10	9	5
1982.....	376	-	3	6	23	38	31	13	7	7	4
1981.....	391	1	1	6	27	31	26	12	7	6	9
1980.....	478	1	4	9	34	54	22	17	18	10	12
1979.....	441	-	3	13	32	46	20	12	6	7	7

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF BONE AND ARTICULAR CARTILAGE (170)											
ALL OTHER, BOTH SEXES											
1998.....	164	-	1	5	13	19	14	9	8	5	7
1997.....	153	-	1	1	3	13	16	9	8	4	8
1996.....	195	-	-	2	6	22	13	9	9	8	7
1995.....	180	-	-	5	15	12	11	7	6	6	14
1994.....	173	-	-	3	11	16	9	7	13	9	6
1993.....	172	-	1	3	6	16	12	9	8	8	10
1992.....	140	-	1	4	7	13	9	10	5	3	3
1991.....	132	-	1	1	8	6	9	5	7	5	7
1990.....	153	-	1	1	9	13	9	4	12	3	7
1989.....	128	-	-	1	8	17	8	5	5	4	4
1988.....	150	-	2	2	8	14	12	2	3	7	6
1987.....	142	-	-	2	4	18	14	11	5	6	5
1986.....	141	-	-	3	12	17	10	7	6	3	2
1985.....	132	-	-	3	9	14	15	4	3	4	7
1984.....	125	2	-	-	12	16	6	5	11	5	5
1983.....	111	2	1	-	10	11	14	1	3	5	2
1982.....	126	-	1	2	11	21	10	3	14	7	4
1981.....	132	-	-	3	10	17	12	6	1	3	6
1980.....	150	-	2	1	11	24	14	12	4	7	4
1979.....	134	-	2	1	12	21	7	5	3	3	2
ALL OTHER MALE											
1998.....	93	-	1	2	9	12	9	7	3	4	4
1997.....	86	-	1	-	2	8	13	3	7	2	5
1996.....	97	-	-	2	2	14	8	3	4	3	4
1995.....	108	-	-	3	9	7	7	4	5	4	9
1994.....	90	-	-	1	3	11	4	3	7	5	1
1993.....	87	-	-	1	3	7	8	4	4	5	5
1992.....	76	-	-	3	2	7	4	4	5	2	2
1991.....	71	-	-	1	4	4	7	4	4	3	2
1990.....	93	-	-	1	5	8	8	3	7	3	4
1989.....	64	-	-	1	2	7	2	3	3	2	3
1988.....	83	-	1	-	2	6	9	2	1	5	3
1987.....	80	-	-	1	1	7	9	8	2	4	4
1986.....	73	-	-	2	4	10	6	3	4	3	2
1985.....	80	-	-	2	6	10	9	3	-	3	2
1984.....	76	1	-	-	5	14	4	4	9	2	2
1983.....	62	1	-	-	4	8	9	1	1	2	1
1982.....	71	-	1	2	4	12	6	3	7	4	2
1981.....	71	-	-	1	4	12	7	3	-	2	5
1980.....	80	-	-	1	3	12	10	4	2	4	2
1979.....	78	-	1	-	10	13	4	5	1	3	2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF BONE AND ARTICULAR CARTILAGE (170)											
ALL OTHER FEMALE											
1998.....	71	-	-	3	4	7	5	2	5	1	3
1997.....	67	-	-	1	1	5	3	6	1	2	3
1996.....	98	-	-	-	4	8	5	6	5	5	3
1995.....	72	-	-	2	6	5	4	3	1	2	5
1994.....	83	-	-	2	8	5	5	4	6	4	5
1993.....	85	-	1	2	3	9	4	5	4	3	5
1992.....	64	-	1	1	5	6	5	6	-	1	1
1991.....	61	-	1	-	4	2	2	1	3	2	5
1990.....	60	-	1	-	4	5	1	1	5	-	3
1989.....	64	-	-	-	6	10	6	2	2	2	1
1988.....	67	-	1	2	6	8	3	-	2	2	3
1987.....	62	-	-	1	3	11	5	3	3	2	1
1986.....	68	-	-	1	8	7	4	4	2	-	-
1985.....	52	-	-	1	3	4	6	1	3	1	5
1984.....	49	1	-	-	7	2	2	1	2	3	3
1983.....	49	1	1	-	6	3	5	-	2	3	1
1982.....	55	-	-	-	7	9	4	-	7	3	2
1981.....	61	-	-	2	6	5	5	3	1	1	1
1980.....	70	-	2	-	8	12	4	8	2	3	2
1979.....	56	-	1	1	2	8	3	-	2	-	-
BLACK, BOTH SEXES											
1998.....	134	-	1	3	11	17	12	6	7	2	6
1997.....	133	-	1	1	3	12	13	7	8	4	7
1996.....	169	-	-	2	4	19	10	7	8	7	4
1995.....	150	-	-	4	11	9	8	6	5	6	12
1994.....	147	-	-	2	10	12	8	5	12	7	3
1993.....	149	-	1	3	5	14	8	9	8	7	7
1992.....	121	-	-	4	7	11	5	8	5	2	3
1991.....	118	-	1	1	8	4	8	4	5	5	5
1990.....	130	-	1	-	7	11	8	4	10	3	7
1989.....	107	-	-	1	6	12	7	4	2	4	4
1988.....	131	-	2	1	7	11	11	2	3	5	5
1987.....	122	-	-	2	3	14	11	8	5	5	4
1986.....	120	-	-	1	9	15	9	3	5	3	2
1985.....	111	-	-	3	6	11	13	3	2	2	7
1984.....	110	1	-	-	10	11	6	3	10	5	5
1983.....	98	2	1	-	9	8	11	1	2	3	2
1982.....	117	-	-	2	10	18	10	3	12	7	4
1981.....	113	-	-	3	7	15	9	4	1	3	5
1980.....	137	-	1	1	10	22	14	12	3	7	4
1979.....	121	-	1	1	12	20	6	5	2	3	2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF BONE AND ARTICULAR CARTILAGE (170)											
BLACK MALE											
1998.....	76	-	1	1	8	10	8	5	2	1	4
1997.....	80	-	1	-	2	8	11	2	7	2	5
1996.....	85	-	-	2	1	12	6	3	4	3	2
1995.....	91	-	-	3	6	5	6	4	4	4	7
1994.....	74	-	-	1	2	8	3	1	7	3	1
1993.....	72	-	-	1	2	6	5	4	4	4	3
1992.....	64	-	-	3	2	6	1	2	5	1	2
1991.....	64	-	-	1	4	2	6	3	3	3	2
1990.....	77	-	-	-	3	6	7	3	6	3	4
1989.....	55	-	-	1	1	4	2	2	1	2	3
1988.....	73	-	1	-	2	4	8	2	1	4	3
1987.....	72	-	-	1	-	5	7	6	2	4	3
1986.....	63	-	-	1	2	9	5	2	4	3	2
1985.....	69	-	-	2	4	8	9	2	-	2	2
1984.....	67	-	-	-	5	10	4	2	8	2	2
1983.....	57	1	-	-	3	7	8	1	-	1	1
1982.....	66	-	-	2	3	10	6	3	7	4	2
1981.....	63	-	-	1	2	12	5	2	-	2	4
1980.....	74	-	-	1	2	12	10	4	2	4	2
1979.....	73	-	-	-	10	12	4	5	-	3	2
BLACK FEMALE											
1998.....	58	-	-	2	3	7	4	1	5	1	2
1997.....	53	-	-	1	1	4	2	5	1	2	2
1996.....	84	-	-	-	3	7	4	4	4	4	2
1995.....	59	-	-	1	5	4	2	2	1	2	5
1994.....	73	-	-	1	8	4	5	4	5	4	2
1993.....	77	-	1	2	3	8	3	5	4	3	4
1992.....	57	-	-	1	5	5	4	6	-	1	1
1991.....	54	-	1	-	4	2	2	1	2	2	3
1990.....	53	-	1	-	4	5	1	1	4	-	3
1989.....	52	-	-	-	5	8	5	2	1	2	1
1988.....	58	-	1	1	5	7	3	-	2	1	2
1987.....	50	-	-	1	3	9	4	2	3	1	1
1986.....	57	-	-	-	7	6	4	1	1	-	-
1985.....	42	-	-	1	2	3	4	1	2	-	5
1984.....	43	1	-	-	5	1	2	1	2	3	3
1983.....	41	1	1	-	6	1	3	-	2	2	1
1982.....	51	-	-	-	7	8	4	-	5	3	2
1981.....	50	-	-	2	5	3	4	2	1	1	1
1980.....	63	-	1	-	8	10	4	8	1	3	2
1979.....	48	-	1	1	2	8	2	-	2	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF CONNECTIVE AND OTHER SOFT TISSUE (171)											
TOTAL, BOTH SEXES											
1998.....	3,937	4	19	30	28	70	60	82	98	133	203
1997.....	4,034	5	25	37	26	66	63	96	103	144	176
1996.....	3,847	-	11	31	34	57	66	81	112	146	190
1995.....	3,796	2	26	19	23	63	78	92	102	131	184
1994.....	3,707	3	27	21	31	67	68	85	127	144	184
1993.....	3,643	6	22	31	25	55	78	92	96	147	162
1992.....	3,390	6	20	24	30	63	82	80	123	128	149
1991.....	3,302	2	20	17	40	74	65	81	109	129	144
1990.....	3,164	6	21	32	31	59	80	88	117	128	151
1989.....	2,997	12	22	28	38	68	64	68	113	111	128
1988.....	2,966	7	13	26	38	65	82	97	108	125	137
1987.....	3,024	7	36	30	36	58	71	94	95	119	123
1986.....	2,826	2	23	23	29	58	90	93	97	114	123
1985.....	2,891	7	25	16	29	52	82	100	102	118	123
1984.....	2,788	6	21	27	38	55	95	100	105	85	91
1983.....	2,649	6	26	26	47	59	74	81	78	92	99
1982.....	2,580	6	30	21	47	71	87	83	85	99	94
1981.....	2,592	7	30	35	34	79	81	98	82	87	83
1980.....	2,496	7	24	27	33	80	89	88	62	81	87
1979.....	2,453	6	26	35	43	82	94	76	56	76	90
TOTAL, MALE											
1998.....	1,891	3	10	20	14	34	34	45	52	71	124
1997.....	1,930	2	10	18	11	34	33	50	64	77	110
1996.....	1,856	-	5	16	19	30	43	47	68	86	95
1995.....	1,882	2	21	13	15	33	50	55	65	69	103
1994.....	1,732	2	18	11	17	40	37	49	75	75	96
1993.....	1,704	4	14	19	10	27	43	53	60	78	81
1992.....	1,641	4	15	10	20	34	50	45	80	73	80
1991.....	1,614	2	8	11	25	39	37	39	63	73	78
1990.....	1,520	5	9	16	11	32	49	51	66	61	79
1989.....	1,453	5	12	14	16	35	38	40	68	66	60
1988.....	1,480	2	7	14	15	34	39	48	64	65	87
1987.....	1,465	5	23	17	20	30	45	55	52	66	72
1986.....	1,383	2	13	10	12	36	60	55	57	69	67
1985.....	1,355	4	15	10	21	21	39	53	60	68	55
1984.....	1,331	4	12	14	17	32	65	51	54	41	47
1983.....	1,318	5	14	14	25	33	39	47	51	51	50
1982.....	1,281	2	18	12	22	42	54	50	60	51	49
1981.....	1,263	3	18	18	15	50	56	49	39	53	37
1980.....	1,234	6	18	15	17	50	55	49	33	36	51
1979.....	1,203	4	13	27	25	51	51	39	32	43	50

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF CONNECTIVE AND OTHER SOFT TISSUE (171)											
TOTAL, FEMALE											
1998.....	2,046	1	9	10	14	36	26	37	46	62	79
1997.....	2,104	3	15	19	15	32	30	46	39	67	66
1996.....	1,991	-	6	15	15	27	23	34	44	60	95
1995.....	1,914	-	5	6	8	30	28	37	37	62	81
1994.....	1,975	1	9	10	14	27	31	36	52	69	88
1993.....	1,939	2	8	12	15	28	35	39	36	69	81
1992.....	1,749	2	5	14	10	29	32	35	43	55	69
1991.....	1,688	-	12	6	15	35	28	42	46	56	66
1990.....	1,644	1	12	16	20	27	31	37	51	67	72
1989.....	1,544	7	10	14	22	33	26	28	45	45	68
1988.....	1,486	5	6	12	23	31	43	49	44	60	50
1987.....	1,559	2	13	13	16	28	26	39	43	53	51
1986.....	1,443	-	10	13	17	22	30	38	40	45	56
1985.....	1,536	3	10	6	8	31	43	47	42	50	68
1984.....	1,457	2	9	13	21	23	30	49	51	44	44
1983.....	1,331	1	12	12	22	26	35	34	27	41	49
1982.....	1,299	4	12	9	25	29	33	33	25	48	45
1981.....	1,329	4	12	17	19	29	25	49	43	34	46
1980.....	1,262	1	6	12	16	30	34	39	29	45	36
1979.....	1,250	2	13	8	18	31	43	37	24	33	40
WHITE, BOTH SEXES											
1998.....	3,342	4	15	23	21	55	46	64	74	104	162
1997.....	3,445	3	21	27	19	46	43	68	81	111	137
1996.....	3,282	-	7	22	30	47	55	66	94	118	146
1995.....	3,256	1	21	15	19	46	61	72	85	104	151
1994.....	3,168	3	20	12	16	54	49	69	104	111	143
1993.....	3,074	3	17	26	20	45	57	62	69	113	124
1992.....	2,924	5	17	17	22	50	68	63	97	103	124
1991.....	2,829	2	19	13	33	54	52	65	90	108	118
1990.....	2,730	3	14	26	24	45	63	65	97	97	136
1989.....	2,601	10	19	27	28	54	51	54	92	97	106
1988.....	2,593	3	13	19	33	48	67	86	90	103	118
1987.....	2,620	7	28	22	26	45	55	76	74	101	105
1986.....	2,455	1	21	20	25	47	74	72	79	97	106
1985.....	2,476	6	22	13	22	42	60	86	80	92	98
1984.....	2,410	5	21	21	32	47	78	90	87	69	79
1983.....	2,330	5	23	18	34	46	62	74	64	73	87
1982.....	2,254	6	23	18	36	57	67	70	67	88	79
1981.....	2,299	7	23	30	25	63	71	77	73	76	70
1980.....	2,171	7	24	22	30	63	76	77	59	73	70
1979.....	2,170	5	21	31	32	70	79	67	55	67	75

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF CONNECTIVE AND OTHER SOFT TISSUE (171)											
WHITE MALE											
1998.....	1,624	3	7	15	11	25	26	36	37	55	103
1997.....	1,678	1	10	12	7	25	21	35	48	60	89
1996.....	1,616	-	5	14	16	23	36	36	57	69	75
1995.....	1,645	1	16	11	13	25	38	42	55	52	84
1994.....	1,525	2	13	5	9	34	27	42	62	59	72
1993.....	1,486	3	10	16	10	24	30	41	45	61	63
1992.....	1,455	4	12	7	13	27	39	36	63	61	69
1991.....	1,408	2	8	8	20	29	33	30	53	63	63
1990.....	1,325	3	4	12	8	26	38	39	57	48	73
1989.....	1,263	5	10	13	12	27	30	32	53	57	48
1988.....	1,327	1	7	12	15	26	31	42	54	54	77
1987.....	1,289	5	17	13	14	25	34	44	42	60	62
1986.....	1,218	1	12	8	11	27	52	42	49	58	62
1985.....	1,178	4	12	8	16	15	28	44	50	55	46
1984.....	1,173	3	12	12	13	28	54	45	46	33	42
1983.....	1,162	4	12	10	17	28	33	42	40	42	43
1982.....	1,123	2	13	12	16	32	41	40	49	46	45
1981.....	1,133	3	13	15	9	41	51	38	35	48	34
1980.....	1,090	6	18	12	17	38	47	43	30	32	43
1979.....	1,072	3	13	24	21	44	40	33	32	38	41
WHITE FEMALE											
1998.....	1,718	1	8	8	10	30	20	28	37	49	59
1997.....	1,767	2	11	15	12	21	22	33	33	51	48
1996.....	1,666	-	2	8	14	24	19	30	37	49	71
1995.....	1,611	-	5	4	6	21	23	30	30	52	67
1994.....	1,643	1	7	7	7	20	22	27	42	52	71
1993.....	1,588	-	7	10	10	21	27	21	24	52	61
1992.....	1,469	1	5	10	9	23	29	27	34	42	55
1991.....	1,421	-	11	5	13	25	19	35	37	45	55
1990.....	1,405	-	10	14	16	19	25	26	40	49	63
1989.....	1,338	5	9	14	16	27	21	22	39	40	58
1988.....	1,266	2	6	7	18	22	36	44	36	49	41
1987.....	1,331	2	11	9	12	20	21	32	32	41	43
1986.....	1,237	-	9	12	14	20	22	30	30	39	44
1985.....	1,298	2	10	5	6	27	32	42	30	37	52
1984.....	1,237	2	9	9	19	19	24	45	41	36	37
1983.....	1,168	1	11	8	17	18	29	32	24	31	44
1982.....	1,131	4	10	6	20	25	26	30	18	42	34
1981.....	1,166	4	10	15	16	22	20	39	38	28	36
1980.....	1,081	1	6	10	13	25	29	34	29	41	27
1979.....	1,098	2	8	7	11	26	39	34	23	29	34

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF CONNECTIVE AND OTHER SOFT TISSUE (171)											
ALL OTHER, BOTH SEXES											
1998.....	595	-	4	7	7	15	14	18	24	29	41
1997.....	589	2	4	10	7	20	20	28	22	33	39
1996.....	565	-	4	9	4	10	11	15	18	28	44
1995.....	540	1	5	4	4	17	17	20	17	27	33
1994.....	539	-	7	9	15	13	19	16	23	33	41
1993.....	569	3	5	5	5	10	21	30	27	34	38
1992.....	466	1	3	7	8	13	14	17	26	25	25
1991.....	473	-	1	4	7	20	13	16	19	21	26
1990.....	434	3	7	6	7	14	17	23	20	31	15
1989.....	396	2	3	1	10	14	13	14	21	14	22
1988.....	373	4	-	7	5	17	15	11	18	22	19
1987.....	404	-	8	8	10	13	16	18	21	18	18
1986.....	371	1	2	3	4	11	16	21	18	17	17
1985.....	415	1	3	3	7	10	22	14	22	26	25
1984.....	378	1	-	6	6	8	17	10	18	16	12
1983.....	319	1	3	8	13	13	12	7	14	19	12
1982.....	326	-	7	3	11	14	20	13	18	11	15
1981.....	293	-	7	5	9	16	10	21	9	11	13
1980.....	325	-	-	5	3	17	13	11	3	8	17
1979.....	283	1	5	4	11	12	15	9	1	9	15
ALL OTHER MALE											
1998.....	267	-	3	5	3	9	8	9	15	16	21
1997.....	252	1	-	6	4	9	12	15	16	17	21
1996.....	240	-	-	2	3	7	7	11	11	17	20
1995.....	237	1	5	2	2	8	12	13	10	17	19
1994.....	207	-	5	6	8	6	10	7	13	16	24
1993.....	218	1	4	3	-	3	13	12	15	17	18
1992.....	186	-	3	3	7	7	11	9	17	12	11
1991.....	206	-	-	3	5	10	4	9	10	10	15
1990.....	195	2	5	4	3	6	11	12	9	13	6
1989.....	190	-	2	1	4	8	8	8	15	9	12
1988.....	153	1	-	2	-	8	8	6	10	11	10
1987.....	176	-	6	4	6	5	11	11	10	6	10
1986.....	165	1	1	2	1	9	8	13	8	11	5
1985.....	177	-	3	2	5	6	11	9	10	13	9
1984.....	158	1	-	2	4	4	11	6	8	8	5
1983.....	156	1	2	4	8	5	6	5	11	9	7
1982.....	158	-	5	-	6	10	13	10	11	5	4
1981.....	130	-	5	3	6	9	5	11	4	5	3
1980.....	144	-	-	3	-	12	8	6	3	4	8
1979.....	131	1	-	3	4	7	11	6	-	5	9

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF CONNECTIVE AND OTHER SOFT TISSUE (171)											
ALL OTHER FEMALE											
1998.....	328	-	1	2	4	6	6	9	9	13	20
1997.....	337	1	4	4	3	11	8	13	6	16	18
1996.....	325	-	4	7	1	3	4	4	7	11	24
1995.....	303	-	-	2	2	9	5	7	7	10	14
1994.....	332	-	2	3	7	7	9	9	10	17	17
1993.....	351	2	1	2	5	7	8	18	12	17	20
1992.....	280	1	-	4	1	6	3	8	9	13	14
1991.....	267	-	1	1	2	10	9	7	9	11	11
1990.....	239	1	2	2	4	8	6	11	11	18	9
1989.....	206	2	1	-	6	6	5	6	6	5	10
1988.....	220	3	-	5	5	9	7	5	8	11	9
1987.....	228	-	2	4	4	8	5	7	11	12	8
1986.....	206	-	1	1	3	2	8	8	10	6	12
1985.....	238	1	-	1	2	4	11	5	12	13	16
1984.....	220	-	-	4	2	4	6	4	10	8	7
1983.....	163	-	1	4	5	8	6	2	3	10	5
1982.....	168	-	2	3	5	4	7	3	7	6	11
1981.....	163	-	2	2	3	7	5	10	5	6	10
1980.....	181	-	-	2	3	5	5	5	-	4	9
1979.....	152	-	5	1	7	5	4	3	1	4	6
BLACK, BOTH SEXES											
1998.....	483	-	4	6	7	12	10	13	19	22	38
1997.....	494	2	2	7	5	17	20	24	19	31	30
1996.....	474	-	2	9	3	8	9	13	15	22	41
1995.....	454	-	5	3	2	11	17	17	13	20	28
1994.....	466	-	6	6	12	11	16	13	21	28	36
1993.....	482	3	4	4	5	9	15	28	23	27	31
1992.....	405	-	1	7	7	9	13	14	22	19	24
1991.....	401	-	1	3	7	15	9	15	15	17	20
1990.....	381	3	6	5	7	11	16	22	17	23	14
1989.....	348	2	3	1	9	11	13	7	18	13	19
1988.....	331	4	-	7	5	16	13	10	17	18	14
1987.....	361	-	7	8	8	12	15	15	18	18	16
1986.....	335	1	2	3	3	10	16	17	16	16	12
1985.....	374	1	3	2	6	9	18	13	19	25	19
1984.....	338	-	-	5	6	7	17	10	17	16	11
1983.....	280	-	2	8	10	12	12	5	12	17	10
1982.....	294	-	7	3	11	11	18	13	14	10	14
1981.....	269	-	7	4	9	14	10	19	8	11	10
1980.....	307	-	-	5	3	16	12	10	2	8	17
1979.....	256	1	5	4	11	10	13	7	1	9	13

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF CONNECTIVE AND OTHER SOFT TISSUE (171)											
BLACK MALE											
1998.....	208	-	3	4	3	6	7	7	11	11	19
1997.....	212	1	-	4	4	8	12	12	14	16	18
1996.....	193	-	-	2	2	6	5	9	10	12	19
1995.....	188	-	5	2	1	6	12	11	8	12	16
1994.....	171	-	4	4	7	5	8	6	12	12	22
1993.....	175	1	3	3	-	3	9	11	13	13	16
1992.....	155	-	1	3	6	6	10	8	14	8	11
1991.....	179	-	-	3	5	9	1	8	9	8	11
1990.....	168	2	5	3	3	4	11	12	8	11	6
1989.....	166	-	2	1	4	7	8	6	13	8	9
1988.....	130	1	-	2	-	8	6	5	9	8	7
1987.....	158	-	6	4	5	5	11	8	8	6	8
1986.....	152	1	1	2	1	8	8	10	6	10	5
1985.....	148	-	3	2	4	6	8	8	8	13	3
1984.....	138	-	-	1	4	4	11	6	7	8	5
1983.....	132	-	2	4	6	5	6	3	9	8	5
1982.....	141	-	5	-	6	8	11	10	8	5	4
1981.....	121	-	5	3	6	7	5	9	4	5	3
1980.....	130	-	-	3	-	11	7	6	2	4	8
1979.....	114	1	-	3	4	5	10	4	-	5	8
BLACK FEMALE											
1998.....	275	-	1	2	4	6	3	6	8	11	19
1997.....	282	1	2	3	1	9	8	12	5	15	12
1996.....	281	-	2	7	1	2	4	4	5	10	22
1995.....	266	-	-	1	1	5	5	6	5	8	12
1994.....	295	-	2	2	5	6	8	7	9	16	14
1993.....	307	2	1	1	5	6	6	17	10	14	15
1992.....	250	-	-	4	1	3	3	6	8	11	13
1991.....	222	-	1	-	2	6	8	7	6	9	9
1990.....	213	1	1	2	4	7	5	10	9	12	8
1989.....	182	2	1	-	5	4	5	1	5	5	10
1988.....	201	3	-	5	5	8	7	5	8	10	7
1987.....	203	-	1	4	3	7	4	7	10	12	8
1986.....	183	-	1	1	2	2	8	7	10	6	7
1985.....	226	1	-	-	2	3	10	5	11	12	16
1984.....	200	-	-	4	2	3	6	4	10	8	6
1983.....	148	-	-	4	4	7	6	2	3	9	5
1982.....	153	-	2	3	5	3	7	3	6	5	10
1981.....	148	-	2	1	3	7	5	10	4	6	7
1980.....	177	-	-	2	3	5	5	4	-	4	9
1979.....	142	-	5	1	7	5	3	3	1	4	5

TABLE 292. DEATHS FOR 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 MELANOMA OF SKIN (172)											
TOTAL, BOTH SEXES											
1998.....	7,431	-	1	1	1	10	38	67	168	277	385
1997.....	7,238	-	1	1	2	11	29	80	137	294	395
1996.....	7,279	-	-	-	-	3	24	96	180	310	429
1995.....	6,907	-	1	1	3	10	35	74	178	310	409
1994.....	6,680	-	1	1	3	9	32	73	153	297	425
1993.....	6,712	-	1	-	1	11	36	90	192	317	432
1992.....	6,568	1	1	2	1	9	37	95	205	331	419
1991.....	6,451	-	-	1	1	4	32	111	230	320	412
1990.....	6,420	-	1	1	2	11	41	109	205	326	426
1989.....	6,161	-	-	-	2	20	35	115	227	327	374
1988.....	5,979	-	1	1	1	6	39	112	214	324	365
1987.....	5,913	-	2	-	3	15	42	122	210	321	361
1986.....	5,673	-	-	-	1	11	46	146	244	322	346
1985.....	5,529	-	1	1	2	15	56	144	270	297	333
1984.....	5,378	3	-	1	-	16	51	138	260	281	373
1983.....	5,216	-	1	-	2	12	65	159	245	293	338
1982.....	5,106	1	1	2	2	12	66	145	244	280	298
1981.....	4,932	-	1	3	2	15	57	160	235	252	317
1980.....	4,679	-	-	-	1	13	70	123	240	267	267
1979.....	4,749	2	1	-	2	16	74	142	216	232	285
TOTAL, MALE											
1998.....	4,747	-	-	1	-	6	27	36	100	171	256
1997.....	4,488	-	-	-	2	7	16	38	85	193	241
1996.....	4,490	-	-	-	-	-	14	52	102	189	252
1995.....	4,297	-	1	-	1	9	18	43	98	184	260
1994.....	4,117	-	-	1	2	4	22	40	89	182	248
1993.....	4,128	-	-	-	1	6	22	44	108	205	274
1992.....	4,045	1	-	2	-	5	23	40	123	216	264
1991.....	4,017	-	-	1	-	2	20	69	149	203	242
1990.....	3,844	-	1	-	-	6	29	58	127	207	265
1989.....	3,736	-	-	-	1	10	17	62	124	222	233
1988.....	3,585	-	1	1	1	3	24	63	127	175	233
1987.....	3,635	-	2	-	3	8	26	74	132	189	237
1986.....	3,378	-	-	-	1	4	23	89	157	192	209
1985.....	3,296	-	1	1	2	9	37	98	156	190	197
1984.....	3,207	3	-	1	-	9	28	86	155	168	226
1983.....	3,073	-	-	-	-	7	32	98	164	184	215
1982.....	3,036	-	-	1	1	5	36	92	161	176	184
1981.....	2,811	-	-	2	1	4	37	94	130	154	203
1980.....	2,750	-	-	-	1	6	44	71	144	175	157
1979.....	2,752	2	-	-	-	9	38	76	135	150	169

TABLE 292. DEATHS FOR 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 MELANOMA OF SKIN (172)											
TOTAL, FEMALE											
1998.....	2,684	-	1	-	1	4	11	31	68	106	129
1997.....	2,750	-	1	1	-	4	13	42	52	101	154
1996.....	2,789	-	-	-	-	3	10	44	78	121	177
1995.....	2,610	-	-	1	2	1	17	31	80	126	149
1994.....	2,563	-	1	-	1	5	10	33	64	115	177
1993.....	2,584	-	1	-	-	5	14	46	84	112	158
1992.....	2,523	-	1	-	1	4	14	55	82	115	155
1991.....	2,434	-	-	-	1	2	12	42	81	117	170
1990.....	2,576	-	-	1	2	5	12	51	78	119	161
1989.....	2,425	-	-	-	1	10	18	53	103	105	141
1988.....	2,394	-	-	-	-	3	15	49	87	149	132
1987.....	2,278	-	-	-	-	7	16	48	78	132	124
1986.....	2,295	-	-	-	-	7	23	57	87	130	137
1985.....	2,233	-	-	-	-	6	19	46	114	107	136
1984.....	2,171	-	-	-	-	7	23	52	105	113	147
1983.....	2,143	-	1	-	2	5	33	61	81	109	123
1982.....	2,070	1	1	1	1	7	30	53	83	104	114
1981.....	2,121	-	1	1	1	11	20	66	105	98	114
1980.....	1,929	-	-	-	-	7	26	52	96	92	110
1979.....	1,997	-	1	-	2	7	36	66	81	82	116
WHITE, BOTH SEXES											
1998.....	7,275	-	1	1	-	10	35	65	163	270	383
1997.....	7,064	-	-	-	2	10	27	76	132	291	388
1996.....	7,141	-	-	-	-	3	23	91	179	301	425
1995.....	6,774	-	1	-	3	9	33	73	174	306	404
1994.....	6,556	-	1	1	3	8	32	73	147	293	418
1993.....	6,572	-	-	-	1	11	35	87	188	310	425
1992.....	6,423	-	1	1	1	9	36	95	203	324	412
1991.....	6,308	-	-	-	1	3	32	111	229	316	407
1990.....	6,290	-	-	1	2	10	39	105	204	320	423
1989.....	6,027	-	-	-	2	19	35	110	224	324	366
1988.....	5,877	-	1	1	1	6	39	111	212	322	360
1987.....	5,786	-	2	-	3	14	41	117	205	321	358
1986.....	5,565	-	-	-	1	11	46	145	241	318	341
1985.....	5,410	-	1	1	2	14	55	142	268	294	325
1984.....	5,264	1	-	-	-	15	50	134	258	279	368
1983.....	5,115	-	1	-	2	11	64	156	244	292	332
1982.....	5,000	1	1	1	1	11	66	145	241	277	292
1981.....	4,826	-	1	3	1	12	56	160	234	250	314
1980.....	4,572	-	-	-	1	13	70	123	235	265	260
1979.....	4,657	1	1	-	2	15	72	142	216	231	285

TABLE 292. DEATHS FOR 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 MELANOMA OF SKIN (172)											
WHITE MALE											
1998.....	4,685	-	-	1	-	6	25	35	96	166	254
1997.....	4,421	-	-	-	2	7	15	35	81	192	236
1996.....	4,423	-	-	-	-	-	13	51	101	184	249
1995.....	4,237	-	1	-	1	9	16	43	96	181	259
1994.....	4,063	-	-	1	2	4	22	40	88	180	245
1993.....	4,078	-	-	-	1	6	22	44	105	202	271
1992.....	3,972	-	-	1	-	5	22	40	121	215	261
1991.....	3,951	-	-	-	-	2	20	69	149	199	240
1990.....	3,778	-	-	-	-	5	28	55	127	204	264
1989.....	3,676	-	-	-	1	9	17	60	122	220	229
1988.....	3,535	-	1	1	1	3	24	62	126	174	229
1987.....	3,578	-	2	-	3	7	26	72	129	189	237
1986.....	3,315	-	-	-	1	4	23	89	155	191	207
1985.....	3,238	-	1	1	2	8	36	96	156	189	192
1984.....	3,161	1	-	-	-	9	27	84	154	167	224
1983.....	3,019	-	-	-	-	6	31	95	163	183	212
1982.....	2,988	-	-	1	1	5	36	92	161	176	180
1981.....	2,762	-	-	2	1	4	36	94	129	153	200
1980.....	2,706	-	-	-	1	6	44	71	143	175	156
1979.....	2,706	1	-	-	-	8	37	76	135	150	169
WHITE FEMALE											
1998.....	2,590	-	1	-	-	4	10	30	67	104	129
1997.....	2,643	-	-	-	-	3	12	41	51	99	152
1996.....	2,718	-	-	-	-	3	10	40	78	117	176
1995.....	2,537	-	-	-	2	-	17	30	78	125	145
1994.....	2,493	-	1	-	1	4	10	33	59	113	173
1993.....	2,494	-	-	-	-	5	13	43	83	108	154
1992.....	2,451	-	1	-	1	4	14	55	82	109	151
1991.....	2,357	-	-	-	1	1	12	42	80	117	167
1990.....	2,512	-	-	1	2	5	11	50	77	116	159
1989.....	2,351	-	-	-	1	10	18	50	102	104	137
1988.....	2,342	-	-	-	-	3	15	49	86	148	131
1987.....	2,208	-	-	-	-	7	15	45	76	132	121
1986.....	2,250	-	-	-	-	7	23	56	86	127	134
1985.....	2,172	-	-	-	-	6	19	46	112	105	133
1984.....	2,103	-	-	-	-	6	23	50	104	112	144
1983.....	2,096	-	1	-	2	5	33	61	81	109	120
1982.....	2,012	1	1	-	-	6	30	53	80	101	112
1981.....	2,064	-	1	1	-	8	20	66	105	97	114
1980.....	1,866	-	-	-	-	7	26	52	92	90	104
1979.....	1,951	-	1	-	2	7	35	66	81	81	116

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 MELANOMA OF SKIN (172)											
ALL OTHER, BOTH SEXES											
1998.....	156	-	-	-	1	-	3	2	5	7	2
1997.....	174	-	1	1	-	1	2	4	5	3	7
1996.....	138	-	-	-	-	-	1	5	1	9	4
1995.....	133	-	-	1	-	1	2	1	4	4	5
1994.....	124	-	-	-	-	1	-	-	6	4	7
1993.....	140	-	1	-	-	-	1	3	4	7	7
1992.....	145	1	-	1	-	-	1	-	2	7	7
1991.....	143	-	-	1	-	1	-	-	1	4	5
1990.....	130	-	1	-	-	1	2	4	1	6	3
1989.....	134	-	-	-	-	1	-	5	3	3	8
1988.....	102	-	-	-	-	-	-	1	2	2	5
1987.....	127	-	-	-	-	1	1	5	5	-	3
1986.....	108	-	-	-	-	-	-	1	3	4	5
1985.....	119	-	-	-	-	1	1	2	2	3	8
1984.....	114	2	-	1	-	1	1	4	2	2	5
1983.....	101	-	-	-	-	1	1	3	1	1	6
1982.....	106	-	-	1	1	1	-	-	3	3	6
1981.....	106	-	-	-	1	3	1	-	1	2	3
1980.....	107	-	-	-	-	-	-	-	5	2	7
1979.....	92	1	-	-	-	1	2	-	-	1	-
ALL OTHER MALE											
1998.....	62	-	-	-	-	-	2	1	4	5	2
1997.....	67	-	-	-	-	-	1	3	4	1	5
1996.....	67	-	-	-	-	-	1	1	1	5	3
1995.....	60	-	-	-	-	-	2	-	2	3	1
1994.....	54	-	-	-	-	-	-	-	1	2	3
1993.....	50	-	-	-	-	-	-	-	3	3	3
1992.....	73	1	-	1	-	-	1	-	2	1	3
1991.....	66	-	-	1	-	-	-	-	-	4	2
1990.....	66	-	1	-	-	1	1	3	-	3	1
1989.....	60	-	-	-	-	1	-	2	2	2	4
1988.....	50	-	-	-	-	-	-	1	1	1	4
1987.....	57	-	-	-	-	1	-	2	3	-	-
1986.....	63	-	-	-	-	-	-	-	2	1	2
1985.....	58	-	-	-	-	1	1	2	-	1	5
1984.....	46	2	-	1	-	-	1	2	1	1	2
1983.....	54	-	-	-	-	1	1	3	1	1	3
1982.....	48	-	-	-	-	-	-	-	-	-	4
1981.....	49	-	-	-	-	-	1	-	1	1	3
1980.....	44	-	-	-	-	-	-	-	1	-	1
1979.....	46	1	-	-	-	1	1	-	-	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 MELANOMA OF SKIN (172)											
ALL OTHER FEMALE											
1998.....	94	-	-	-	1	-	1	1	1	2	-
1997.....	107	-	1	1	-	1	1	1	1	2	2
1996.....	71	-	-	-	-	-	-	4	-	4	1
1995.....	73	-	-	1	-	1	-	1	2	1	4
1994.....	70	-	-	-	-	1	-	-	5	2	4
1993.....	90	-	1	-	-	-	1	3	1	4	4
1992.....	72	-	-	-	-	-	-	-	-	6	4
1991.....	77	-	-	-	-	1	-	-	1	-	3
1990.....	64	-	-	-	-	-	1	1	1	3	2
1989.....	74	-	-	-	-	-	-	3	1	1	4
1988.....	52	-	-	-	-	-	-	-	1	1	1
1987.....	70	-	-	-	-	-	1	3	2	-	3
1986.....	45	-	-	-	-	-	-	1	1	3	3
1985.....	61	-	-	-	-	-	-	-	2	2	3
1984.....	68	-	-	-	-	1	-	2	1	1	3
1983.....	47	-	-	-	-	-	-	-	-	-	3
1982.....	58	-	-	1	1	1	-	-	3	3	2
1981.....	57	-	-	-	1	3	-	-	-	1	-
1980.....	63	-	-	-	-	-	-	-	4	2	6
1979.....	46	-	-	-	-	-	1	-	-	1	-
BLACK, BOTH SEXES											
1998.....	121	-	-	-	-	-	3	2	4	5	2
1997.....	131	-	1	1	-	1	2	3	4	2	4
1996.....	100	-	-	-	-	-	1	3	1	7	2
1995.....	103	-	-	-	-	-	2	1	3	3	3
1994.....	98	-	-	-	-	1	-	-	4	4	4
1993.....	115	-	1	-	-	-	-	3	4	6	6
1992.....	110	1	-	1	-	-	1	-	2	5	4
1991.....	119	-	-	-	-	1	-	-	1	4	1
1990.....	106	-	-	-	-	-	2	3	-	2	2
1989.....	109	-	-	-	-	1	-	5	2	3	5
1988.....	88	-	-	-	-	-	-	-	2	2	5
1987.....	108	-	-	-	-	1	1	4	5	-	2
1986.....	91	-	-	-	-	-	-	-	3	4	4
1985.....	100	-	-	-	-	1	1	2	2	2	6
1984.....	94	-	-	1	-	1	1	3	2	-	5
1983.....	91	-	-	-	-	1	1	2	1	1	5
1982.....	94	-	-	1	1	1	-	-	3	3	4
1981.....	97	-	-	-	1	3	-	-	1	2	3
1980.....	98	-	-	-	-	-	-	-	4	2	6
1979.....	88	1	-	-	-	1	2	-	-	1	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 MELANOMA OF SKIN (172)											
BLACK MALE											
1998.....	44	-	-	-	-	-	2	1	3	4	2
1997.....	48	-	-	-	-	-	1	2	3	1	3
1996.....	47	-	-	-	-	-	1	-	1	5	2
1995.....	46	-	-	-	-	-	2	-	2	2	-
1994.....	41	-	-	-	-	-	-	-	1	2	2
1993.....	38	-	-	-	-	-	-	-	3	3	3
1992.....	53	1	-	1	-	-	1	-	2	1	2
1991.....	52	-	-	-	-	-	-	-	-	4	-
1990.....	51	-	-	-	-	-	1	2	-	1	1
1989.....	46	-	-	-	-	1	-	2	1	2	2
1988.....	41	-	-	-	-	-	-	-	1	1	4
1987.....	46	-	-	-	-	1	-	2	3	-	-
1986.....	56	-	-	-	-	-	-	-	2	1	2
1985.....	46	-	-	-	-	1	1	2	-	-	4
1984.....	36	-	-	1	-	-	1	2	1	-	2
1983.....	49	-	-	-	-	1	1	2	1	1	3
1982.....	40	-	-	-	-	-	-	-	-	-	2
1981.....	42	-	-	-	-	-	-	-	1	1	3
1980.....	39	-	-	-	-	-	-	-	1	-	-
1979.....	42	1	-	-	-	1	1	-	-	-	-
BLACK FEMALE											
1998.....	77	-	-	-	-	-	1	1	1	1	-
1997.....	83	-	1	1	-	1	1	1	1	1	1
1996.....	53	-	-	-	-	-	-	3	-	2	-
1995.....	57	-	-	-	-	-	-	1	1	1	3
1994.....	57	-	-	-	-	1	-	-	3	2	2
1993.....	77	-	1	-	-	-	-	3	1	3	3
1992.....	57	-	-	-	-	-	-	-	-	4	2
1991.....	67	-	-	-	-	1	-	-	1	-	1
1990.....	55	-	-	-	-	-	1	1	-	1	1
1989.....	63	-	-	-	-	-	-	3	1	1	3
1988.....	47	-	-	-	-	-	-	-	1	1	1
1987.....	62	-	-	-	-	-	1	2	2	-	2
1986.....	35	-	-	-	-	-	-	-	1	3	2
1985.....	54	-	-	-	-	-	-	-	2	2	2
1984.....	58	-	-	-	-	1	-	1	1	-	3
1983.....	42	-	-	-	-	-	-	-	-	-	2
1982.....	54	-	-	1	1	1	-	-	3	3	2
1981.....	55	-	-	-	1	3	-	-	-	1	-
1980.....	59	-	-	-	-	-	-	-	3	2	6
1979.....	46	-	-	-	-	-	1	-	-	1	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER MALIGNANT NEOPLASMS OF SKIN (173)											
TOTAL, BOTH SEXES											
1998.....	2,059	-	-	-	-	-	1	6	9	11	33
1997.....	2,078	1	-	-	-	-	1	5	9	23	35
1996.....	2,084	-	-	-	1	-	-	3	18	35	50
1995.....	2,071	-	1	1	2	1	3	9	23	22	39
1994.....	2,146	-	-	-	-	1	1	10	25	35	53
1993.....	2,183	-	-	-	1	-	1	20	30	43	62
1992.....	2,249	-	-	-	2	1	7	13	36	38	57
1991.....	2,207	1	-	-	-	-	7	17	37	34	61
1990.....	2,170	-	-	-	1	2	4	20	50	39	49
1989.....	2,189	-	-	-	-	1	9	23	36	44	48
1988.....	2,101	-	1	-	-	-	3	16	21	41	55
1987.....	2,031	-	-	-	-	-	5	13	23	23	47
1986.....	2,252	-	1	1	3	2	17	71	133	125	92
1985.....	2,067	-	-	-	-	1	16	66	91	83	77
1984.....	1,905	-	1	-	2	1	5	26	51	61	57
1983.....	1,833	-	1	-	-	1	2	13	38	42	43
1982.....	1,669	1	-	-	2	4	4	13	22	35	35
1981.....	1,514	1	1	-	1	4	5	4	9	14	20
1980.....	1,472	-	3	2	1	2	1	7	12	8	27
1979.....	1,407	1	1	-	-	-	1	7	2	14	17
TOTAL, MALE											
1998.....	1,419	-	-	-	-	-	1	4	9	9	27
1997.....	1,416	-	-	-	-	-	1	5	8	18	27
1996.....	1,392	-	-	-	1	-	-	3	10	31	41
1995.....	1,383	-	1	-	-	1	3	7	22	17	36
1994.....	1,495	-	-	-	-	1	1	6	24	29	41
1993.....	1,522	-	-	-	1	-	-	15	24	39	55
1992.....	1,582	-	-	-	-	1	4	12	33	34	41
1991.....	1,559	1	-	-	-	-	5	16	37	32	53
1990.....	1,556	-	-	-	1	-	3	20	46	36	45
1989.....	1,532	-	-	-	-	1	6	19	34	39	39
1988.....	1,439	-	1	-	-	-	2	12	19	37	49
1987.....	1,436	-	-	-	-	-	5	12	21	18	35
1986.....	1,633	-	-	1	2	2	13	69	126	121	85
1985.....	1,526	-	-	-	-	1	14	64	90	80	75
1984.....	1,332	-	1	-	2	1	4	25	48	57	51
1983.....	1,281	-	1	-	-	-	2	12	32	37	37
1982.....	1,129	-	-	-	1	1	2	12	17	32	30
1981.....	997	1	-	-	-	1	3	1	6	13	17
1980.....	971	-	1	1	1	1	1	5	8	8	23
1979.....	910	1	-	-	-	-	-	2	-	9	11

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER MALIGNANT NEOPLASMS OF SKIN (173)											
TOTAL, FEMALE											
1998.....	640	-	-	-	-	-	-	2	-	2	6
1997.....	662	1	-	-	-	-	-	-	1	5	8
1996.....	692	-	-	-	-	-	-	-	8	4	9
1995.....	688	-	-	1	2	-	-	2	1	5	3
1994.....	651	-	-	-	-	-	-	4	1	6	12
1993.....	661	-	-	-	-	-	1	5	6	4	7
1992.....	667	-	-	-	2	-	3	1	3	4	16
1991.....	648	-	-	-	-	-	2	1	-	2	8
1990.....	614	-	-	-	-	2	1	-	4	3	4
1989.....	657	-	-	-	-	-	3	4	2	5	9
1988.....	662	-	-	-	-	-	1	4	2	4	6
1987.....	595	-	-	-	-	-	-	1	2	5	12
1986.....	619	-	1	-	1	-	4	2	7	4	7
1985.....	541	-	-	-	-	-	2	2	1	3	2
1984.....	573	-	-	-	-	-	1	1	3	4	6
1983.....	552	-	-	-	-	1	-	1	6	5	6
1982.....	540	1	-	-	1	3	2	1	5	3	5
1981.....	517	-	1	-	1	3	2	3	3	1	3
1980.....	501	-	2	1	-	1	-	2	4	-	4
1979.....	497	-	1	-	-	-	1	5	2	5	6
WHITE, BOTH SEXES											
1998.....	1,867	-	-	-	-	-	1	5	7	6	24
1997.....	1,898	1	-	-	-	-	1	4	7	18	25
1996.....	1,899	-	-	-	-	-	-	2	12	23	37
1995.....	1,879	-	1	-	2	1	1	8	17	17	28
1994.....	1,932	-	-	-	-	1	-	8	20	26	38
1993.....	1,946	-	-	-	1	-	-	14	23	39	46
1992.....	2,010	-	-	-	2	-	5	8	29	35	42
1991.....	1,957	1	-	-	-	-	7	12	28	26	50
1990.....	1,928	-	-	-	1	2	2	18	45	28	36
1989.....	1,954	-	-	-	-	1	9	16	30	38	37
1988.....	1,875	-	1	-	-	-	3	13	17	32	41
1987.....	1,823	-	-	-	-	-	5	10	20	19	36
1986.....	2,009	-	1	-	3	-	14	63	119	106	73
1985.....	1,875	-	-	-	-	-	13	62	83	74	67
1984.....	1,731	-	-	-	1	1	3	22	39	54	51
1983.....	1,663	-	-	-	-	1	2	10	32	32	36
1982.....	1,512	1	-	-	1	3	3	9	13	26	25
1981.....	1,394	-	-	-	1	3	3	3	7	13	16
1980.....	1,329	-	3	2	1	1	1	6	9	8	17
1979.....	1,324	1	1	-	-	-	1	6	1	11	15

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER MALIGNANT NEOPLASMS OF SKIN (173)											
WHITE MALE											
1998.....	1,271	-	-	-	-	-	1	3	7	5	20
1997.....	1,288	-	-	-	-	-	1	4	6	13	19
1996.....	1,255	-	-	-	-	-	-	2	7	20	30
1995.....	1,249	-	1	-	-	1	1	6	16	14	28
1994.....	1,349	-	-	-	-	1	-	5	20	23	30
1993.....	1,352	-	-	-	1	-	-	11	21	36	42
1992.....	1,412	-	-	-	-	-	3	8	26	32	30
1991.....	1,362	1	-	-	-	-	5	11	28	25	43
1990.....	1,380	-	-	-	1	-	2	18	42	28	34
1989.....	1,348	-	-	-	-	1	6	12	28	35	29
1988.....	1,280	-	1	-	-	-	2	10	16	30	36
1987.....	1,274	-	-	-	-	-	5	10	19	15	27
1986.....	1,455	-	-	-	2	-	10	61	112	104	69
1985.....	1,374	-	-	-	-	-	11	60	82	72	66
1984.....	1,209	-	-	-	1	1	3	21	38	50	46
1983.....	1,161	-	-	-	-	-	2	9	27	29	32
1982.....	1,030	-	-	-	1	-	2	8	9	24	21
1981.....	917	-	-	-	-	-	2	1	5	12	14
1980.....	879	-	1	1	1	-	1	4	6	8	13
1979.....	863	1	-	-	-	-	-	2	-	7	10
WHITE FEMALE											
1998.....	596	-	-	-	-	-	-	2	-	1	4
1997.....	610	1	-	-	-	-	-	-	1	5	6
1996.....	644	-	-	-	-	-	-	-	5	3	7
1995.....	630	-	-	-	2	-	-	2	1	3	-
1994.....	583	-	-	-	-	-	-	3	-	3	8
1993.....	594	-	-	-	-	-	-	3	2	3	4
1992.....	598	-	-	-	2	-	2	-	3	3	12
1991.....	595	-	-	-	-	-	2	1	-	1	7
1990.....	548	-	-	-	-	2	-	-	3	-	2
1989.....	606	-	-	-	-	-	3	4	2	3	8
1988.....	595	-	-	-	-	-	1	3	1	2	5
1987.....	549	-	-	-	-	-	-	-	1	4	9
1986.....	554	-	1	-	1	-	4	2	7	2	4
1985.....	501	-	-	-	-	-	2	2	1	2	1
1984.....	522	-	-	-	-	-	-	1	1	4	5
1983.....	502	-	-	-	-	1	-	1	5	3	4
1982.....	482	1	-	-	-	3	1	1	4	2	4
1981.....	477	-	-	-	1	3	1	2	2	1	2
1980.....	450	-	2	1	-	1	-	2	3	-	4
1979.....	461	-	1	-	-	-	1	4	1	4	5

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER MALIGNANT NEOPLASMS OF SKIN (173)											
ALL OTHER FEMALE											
1998.....	44	-	-	-	-	-	-	-	-	1	2
1997.....	52	-	-	-	-	-	-	-	-	-	2
1996.....	48	-	-	-	-	-	-	-	3	1	2
1995.....	58	-	-	1	-	-	-	-	-	2	3
1994.....	68	-	-	-	-	-	-	1	1	3	4
1993.....	67	-	-	-	-	-	1	2	4	1	3
1992.....	69	-	-	-	-	-	1	1	-	1	4
1991.....	53	-	-	-	-	-	-	-	-	1	1
1990.....	66	-	-	-	-	-	1	-	1	3	2
1989.....	51	-	-	-	-	-	-	-	-	2	1
1988.....	67	-	-	-	-	-	-	1	1	2	1
1987.....	46	-	-	-	-	-	-	1	1	1	3
1986.....	65	-	-	-	-	-	-	-	-	2	3
1985.....	40	-	-	-	-	-	-	-	-	1	1
1984.....	51	-	-	-	-	-	1	-	2	-	1
1983.....	50	-	-	-	-	-	-	-	1	2	2
1982.....	58	-	-	-	1	-	1	-	1	1	1
1981.....	40	-	1	-	-	-	1	1	1	-	1
1980.....	51	-	-	-	-	-	-	-	1	-	-
1979.....	36	-	-	-	-	-	-	1	1	1	1
BLACK, BOTH SEXES											
1998.....	168	-	-	-	-	-	-	1	2	5	8
1997.....	157	-	-	-	-	-	-	1	2	3	10
1996.....	168	-	-	-	1	-	-	1	5	8	12
1995.....	167	-	-	1	-	-	2	1	6	3	11
1994.....	198	-	-	-	-	-	1	2	5	9	15
1993.....	214	-	-	-	-	-	-	6	6	4	16
1992.....	223	-	-	-	-	1	2	5	7	3	13
1991.....	235	-	-	-	-	-	-	5	9	7	11
1990.....	224	-	-	-	-	-	2	2	5	10	13
1989.....	213	-	-	-	-	-	-	7	6	6	10
1988.....	213	-	-	-	-	-	-	3	4	8	14
1987.....	195	-	-	-	-	-	-	3	3	4	11
1986.....	224	-	-	1	-	1	2	8	12	18	18
1985.....	177	-	-	-	-	1	3	4	8	9	9
1984.....	161	-	1	-	1	-	2	4	12	7	6
1983.....	160	-	1	-	-	-	-	3	5	9	7
1982.....	141	-	-	-	1	-	1	3	8	7	9
1981.....	109	1	1	-	-	-	2	-	2	1	4
1980.....	139	-	-	-	-	1	-	1	3	-	9
1979.....	75	-	-	-	-	-	-	1	1	3	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER MALIGNANT NEOPLASMS OF SKIN (173)											
BLACK MALE											
1998.....	130	-	-	-	-	-	-	1	2	4	6
1997.....	113	-	-	-	-	-	-	1	2	3	8
1996.....	122	-	-	-	1	-	-	1	2	7	11
1995.....	115	-	-	-	-	-	2	1	6	1	8
1994.....	138	-	-	-	-	-	1	1	4	6	11
1993.....	156	-	-	-	-	-	-	4	3	3	13
1992.....	162	-	-	-	-	1	1	4	7	2	10
1991.....	188	-	-	-	-	-	-	5	9	6	10
1990.....	166	-	-	-	-	-	1	2	4	8	11
1989.....	168	-	-	-	-	-	-	7	6	4	9
1988.....	152	-	-	-	-	-	-	2	3	6	13
1987.....	152	-	-	-	-	-	-	2	2	3	8
1986.....	162	-	-	1	-	1	2	8	12	16	15
1985.....	141	-	-	-	-	1	3	4	8	8	9
1984.....	118	-	1	-	1	-	1	4	10	7	5
1983.....	115	-	1	-	-	-	-	3	5	7	5
1982.....	88	-	-	-	-	-	-	3	8	6	8
1981.....	73	1	-	-	-	-	1	-	1	1	3
1980.....	90	-	-	-	-	1	-	1	2	-	9
1979.....	44	-	-	-	-	-	-	-	-	2	1
BLACK FEMALE											
1998.....	38	-	-	-	-	-	-	-	-	1	2
1997.....	44	-	-	-	-	-	-	-	-	-	2
1996.....	46	-	-	-	-	-	-	-	3	1	1
1995.....	52	-	-	1	-	-	-	-	-	2	3
1994.....	60	-	-	-	-	-	-	1	1	3	4
1993.....	58	-	-	-	-	-	-	2	3	1	3
1992.....	61	-	-	-	-	-	1	1	-	1	3
1991.....	47	-	-	-	-	-	-	-	-	1	1
1990.....	58	-	-	-	-	-	1	-	1	2	2
1989.....	45	-	-	-	-	-	-	-	-	2	1
1988.....	61	-	-	-	-	-	-	1	1	2	1
1987.....	43	-	-	-	-	-	-	1	1	1	3
1986.....	62	-	-	-	-	-	-	-	-	2	3
1985.....	36	-	-	-	-	-	-	-	-	1	-
1984.....	43	-	-	-	-	-	1	-	2	-	1
1983.....	45	-	-	-	-	-	-	-	-	2	2
1982.....	53	-	-	-	1	-	1	-	-	1	1
1981.....	36	-	1	-	-	-	1	-	1	-	1
1980.....	49	-	-	-	-	-	-	-	1	-	-
1979.....	31	-	-	-	-	-	-	1	1	1	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF FEMALE BREAST (174)											
TOTAL, BOTH SEXES											
1998.....	41,737	-	-	-	-	2	3	87	421	1,093	1,915
1997.....	41,943	-	-	-	-	1	10	108	411	1,100	1,991
1996.....	43,091	1	-	-	1	-	18	101	438	1,100	1,996
1995.....	43,844	-	-	-	-	1	11	102	446	1,205	1,998
1994.....	43,644	-	-	-	-	2	11	88	463	1,192	2,004
1993.....	43,555	-	-	-	-	-	14	104	442	1,095	2,031
1992.....	43,068	1	-	1	1	-	6	120	489	1,193	2,047
1991.....	43,583	-	-	-	-	1	12	131	516	1,203	2,151
1990.....	43,391	-	-	-	-	1	13	122	507	1,199	2,171
1989.....	42,837	1	-	-	-	-	7	137	517	1,195	2,078
1988.....	42,172	1	-	-	-	3	10	126	536	1,259	1,879
1987.....	40,899	-	-	-	-	2	14	132	540	1,267	1,785
1986.....	40,539	-	-	1	-	1	13	134	520	1,258	1,805
1985.....	40,093	2	-	-	-	-	19	112	515	1,164	1,659
1984.....	39,472	1	-	1	-	3	13	148	534	1,195	1,675
1983.....	37,979	1	-	6	1	2	21	141	512	976	1,509
1982.....	37,414	4	2	4	1	-	13	134	540	998	1,472
1981.....	36,483	1	1	1	-	-	16	124	525	916	1,428
1980.....	35,641	-	-	-	2	3	11	143	471	926	1,416
1979.....	34,400	-	-	-	-	-	18	130	462	853	1,418
TOTAL, FEMALE											
1998.....	41,737	-	-	-	-	2	3	87	421	1,093	1,915
1997.....	41,943	-	-	-	-	1	10	108	411	1,100	1,991
1996.....	43,091	1	-	-	1	-	18	101	438	1,100	1,996
1995.....	43,844	-	-	-	-	1	11	102	446	1,205	1,998
1994.....	43,644	-	-	-	-	2	11	88	463	1,192	2,004
1993.....	43,555	-	-	-	-	-	14	104	442	1,095	2,031
1992.....	43,068	1	-	1	1	-	6	120	489	1,193	2,047
1991.....	43,583	-	-	-	-	1	12	131	516	1,203	2,151
1990.....	43,391	-	-	-	-	1	13	122	507	1,199	2,171
1989.....	42,837	1	-	-	-	-	7	137	517	1,195	2,078
1988.....	42,172	1	-	-	-	3	10	126	536	1,259	1,879
1987.....	40,899	-	-	-	-	2	14	132	540	1,267	1,785
1986.....	40,539	-	-	1	-	1	13	134	520	1,258	1,805
1985.....	40,093	2	-	-	-	-	19	112	515	1,164	1,659
1984.....	39,472	1	-	1	-	3	13	148	534	1,195	1,675
1983.....	37,979	1	-	6	1	2	21	141	512	976	1,509
1982.....	37,414	4	2	4	1	-	13	134	540	998	1,472
1981.....	36,483	1	1	1	-	-	16	124	525	916	1,428
1980.....	35,641	-	-	-	2	3	11	143	471	926	1,416
1979.....	34,400	-	-	-	-	-	18	130	462	853	1,418

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF FEMALE BREAST (174)											
WHITE, BOTH SEXES											
1998.....	35,759	-	-	-	-	2	2	63	294	794	1,446
1997.....	35,901	-	-	-	-	1	7	69	297	809	1,529
1996.....	37,218	-	-	-	1	-	10	65	306	799	1,508
1995.....	37,937	-	-	-	-	1	5	69	305	932	1,551
1994.....	37,960	-	-	-	-	2	10	62	328	907	1,547
1993.....	38,044	-	-	-	-	-	8	67	323	805	1,589
1992.....	37,797	1	-	-	-	-	5	81	364	907	1,614
1991.....	38,250	-	-	-	-	1	6	91	396	917	1,707
1990.....	38,286	-	-	-	-	-	9	85	385	930	1,781
1989.....	37,988	-	-	-	-	-	3	98	396	920	1,731
1988.....	37,327	-	-	-	-	2	6	90	403	962	1,530
1987.....	36,297	-	-	-	-	-	8	103	419	996	1,427
1986.....	36,183	-	-	1	-	1	9	91	396	984	1,487
1985.....	35,886	2	-	-	-	-	13	93	403	934	1,373
1984.....	35,256	1	-	1	-	3	10	106	431	981	1,338
1983.....	34,098	1	-	5	1	2	15	104	412	798	1,247
1982.....	33,601	1	2	4	1	-	10	96	439	819	1,261
1981.....	32,906	1	1	1	-	-	7	94	424	758	1,184
1980.....	32,223	-	-	-	2	3	8	101	382	782	1,166
1979.....	31,177	-	-	-	-	-	15	100	369	707	1,202
WHITE FEMALE											
1998.....	35,759	-	-	-	-	2	2	63	294	794	1,446
1997.....	35,901	-	-	-	-	1	7	69	297	809	1,529
1996.....	37,218	-	-	-	1	-	10	65	306	799	1,508
1995.....	37,937	-	-	-	-	1	5	69	305	932	1,551
1994.....	37,960	-	-	-	-	2	10	62	328	907	1,547
1993.....	38,044	-	-	-	-	-	8	67	323	805	1,589
1992.....	37,797	1	-	-	-	-	5	81	364	907	1,614
1991.....	38,250	-	-	-	-	1	6	91	396	917	1,707
1990.....	38,286	-	-	-	-	-	9	85	385	930	1,781
1989.....	37,988	-	-	-	-	-	3	98	396	920	1,731
1988.....	37,327	-	-	-	-	2	6	90	403	962	1,530
1987.....	36,297	-	-	-	-	-	8	103	419	996	1,427
1986.....	36,183	-	-	1	-	1	9	91	396	984	1,487
1985.....	35,886	2	-	-	-	-	13	93	403	934	1,373
1984.....	35,256	1	-	1	-	3	10	106	431	981	1,338
1983.....	34,098	1	-	5	1	2	15	104	412	798	1,247
1982.....	33,601	1	2	4	1	-	10	96	439	819	1,261
1981.....	32,906	1	1	1	-	-	7	94	424	758	1,184
1980.....	32,223	-	-	-	2	3	8	101	382	782	1,166
1979.....	31,177	-	-	-	-	-	15	100	369	707	1,202

TABLE 292. DEATHS FOR 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF FEMALE BREAST (174)											
ALL OTHER, BOTH SEXES											
1998.....	5,978	-	-	-	-	-	1	24	127	299	469
1997.....	6,042	-	-	-	-	-	3	39	114	291	462
1996.....	5,873	1	-	-	-	-	8	36	132	301	488
1995.....	5,907	-	-	-	-	-	6	33	141	273	447
1994.....	5,684	-	-	-	-	-	1	26	135	285	457
1993.....	5,511	-	-	-	-	-	6	37	119	290	442
1992.....	5,271	-	-	1	1	-	1	39	125	286	433
1991.....	5,333	-	-	-	-	-	6	40	120	286	444
1990.....	5,105	-	-	-	-	1	4	37	122	269	390
1989.....	4,849	1	-	-	-	-	4	39	121	275	347
1988.....	4,845	1	-	-	-	1	4	36	133	297	349
1987.....	4,602	-	-	-	-	2	6	29	121	271	358
1986.....	4,356	-	-	-	-	-	4	43	124	274	318
1985.....	4,207	-	-	-	-	-	6	19	112	230	286
1984.....	4,216	-	-	-	-	-	3	42	103	214	337
1983.....	3,881	-	-	1	-	-	6	37	100	178	262
1982.....	3,813	3	-	-	-	-	3	38	101	179	211
1981.....	3,577	-	-	-	-	-	9	30	101	158	244
1980.....	3,418	-	-	-	-	-	3	42	89	144	250
1979.....	3,223	-	-	-	-	-	3	30	93	146	216
ALL OTHER FEMALE											
1998.....	5,978	-	-	-	-	-	1	24	127	299	469
1997.....	6,042	-	-	-	-	-	3	39	114	291	462
1996.....	5,873	1	-	-	-	-	8	36	132	301	488
1995.....	5,907	-	-	-	-	-	6	33	141	273	447
1994.....	5,684	-	-	-	-	-	1	26	135	285	457
1993.....	5,511	-	-	-	-	-	6	37	119	290	442
1992.....	5,271	-	-	1	1	-	1	39	125	286	433
1991.....	5,333	-	-	-	-	-	6	40	120	286	444
1990.....	5,105	-	-	-	-	1	4	37	122	269	390
1989.....	4,849	1	-	-	-	-	4	39	121	275	347
1988.....	4,845	1	-	-	-	1	4	36	133	297	349
1987.....	4,602	-	-	-	-	2	6	29	121	271	358
1986.....	4,356	-	-	-	-	-	4	43	124	274	318
1985.....	4,207	-	-	-	-	-	6	19	112	230	286
1984.....	4,216	-	-	-	-	-	3	42	103	214	337
1983.....	3,881	-	-	1	-	-	6	37	100	178	262
1982.....	3,813	3	-	-	-	-	3	38	101	179	211
1981.....	3,577	-	-	-	-	-	9	30	101	158	244
1980.....	3,418	-	-	-	-	-	3	42	89	144	250
1979.....	3,223	-	-	-	-	-	3	30	93	146	216

TABLE 292. DEATHS FOR 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF FEMALE BREAST (174)											
BLACK, BOTH SEXES											
1998.....	5,281	-	-	-	-	-	1	22	109	269	410
1997.....	5,424	-	-	-	-	-	3	37	106	269	400
1996.....	5,254	1	-	-	-	-	8	31	121	263	434
1995.....	5,265	-	-	-	-	-	6	26	127	242	397
1994.....	5,083	-	-	-	-	-	-	23	116	257	406
1993.....	4,998	-	-	-	-	-	5	35	109	259	385
1992.....	4,779	-	-	1	1	-	1	38	109	261	397
1991.....	4,809	-	-	-	-	-	6	34	112	251	396
1990.....	4,659	-	-	-	-	1	4	36	117	244	343
1989.....	4,403	1	-	-	-	-	4	37	113	242	310
1988.....	4,467	1	-	-	-	1	4	34	122	279	324
1987.....	4,252	-	-	-	-	2	5	25	109	260	315
1986.....	4,045	-	-	-	-	-	4	40	118	247	293
1985.....	3,896	-	-	-	-	-	6	19	102	211	266
1984.....	3,945	-	-	-	-	-	3	41	92	199	304
1983.....	3,610	-	-	1	-	-	5	29	89	160	239
1982.....	3,567	1	-	-	-	-	3	37	94	161	197
1981.....	3,358	-	-	-	-	-	9	30	94	138	225
1980.....	3,215	-	-	-	-	-	3	39	81	129	230
1979.....	3,052	-	-	-	-	-	3	28	82	135	195
BLACK FEMALE											
1998.....	5,281	-	-	-	-	-	1	22	109	269	410
1997.....	5,424	-	-	-	-	-	3	37	106	269	400
1996.....	5,254	1	-	-	-	-	8	31	121	263	434
1995.....	5,265	-	-	-	-	-	6	26	127	242	397
1994.....	5,083	-	-	-	-	-	-	23	116	257	406
1993.....	4,998	-	-	-	-	-	5	35	109	259	385
1992.....	4,779	-	-	1	1	-	1	38	109	261	397
1991.....	4,809	-	-	-	-	-	6	34	112	251	396
1990.....	4,659	-	-	-	-	1	4	36	117	244	343
1989.....	4,403	1	-	-	-	-	4	37	113	242	310
1988.....	4,467	1	-	-	-	1	4	34	122	279	324
1987.....	4,252	-	-	-	-	2	5	25	109	260	315
1986.....	4,045	-	-	-	-	-	4	40	118	247	293
1985.....	3,896	-	-	-	-	-	6	19	102	211	266
1984.....	3,945	-	-	-	-	-	3	41	92	199	304
1983.....	3,610	-	-	1	-	-	5	29	89	160	239
1982.....	3,567	1	-	-	-	-	3	37	94	161	197
1981.....	3,358	-	-	-	-	-	9	30	94	138	225
1980.....	3,215	-	-	-	-	-	3	39	81	129	230
1979.....	3,052	-	-	-	-	-	3	28	82	135	195

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF MALE BREAST (175)											
TOTAL, BOTH SEXES											
1998.....	349	-	-	-	-	-	-	-	1	5	11
1997.....	354	-	-	-	-	-	-	2	-	2	4
1996.....	357	-	-	-	-	-	-	-	1	6	8
1995.....	365	-	-	-	-	-	-	1	1	5	5
1994.....	364	-	-	-	-	-	-	-	4	6	9
1993.....	355	-	-	-	-	-	-	-	1	4	8
1992.....	297	-	-	-	-	-	-	-	1	1	8
1991.....	266	-	1	-	-	-	-	1	1	4	5
1990.....	272	-	-	-	-	-	1	-	-	1	9
1989.....	301	-	-	-	-	-	-	-	1	3	6
1988.....	289	-	-	-	-	-	-	1	2	4	6
1987.....	312	-	-	-	-	-	-	-	2	4	9
1986.....	250	-	-	-	-	-	-	-	-	3	7
1985.....	290	-	-	-	-	-	1	1	1	5	7
1984.....	250	-	-	-	-	-	1	-	3	3	7
1983.....	268	-	-	-	-	-	-	1	-	3	3
1982.....	271	-	-	-	-	-	-	-	-	6	4
1981.....	254	-	-	-	-	-	-	-	1	3	4
1980.....	256	-	-	-	-	-	-	1	-	2	4
1979.....	222	-	-	-	-	-	-	1	1	2	2
TOTAL, MALE											
1998.....	349	-	-	-	-	-	-	-	1	5	11
1997.....	354	-	-	-	-	-	-	2	-	2	4
1996.....	357	-	-	-	-	-	-	-	1	6	8
1995.....	365	-	-	-	-	-	-	1	1	5	5
1994.....	364	-	-	-	-	-	-	-	4	6	9
1993.....	355	-	-	-	-	-	-	-	1	4	8
1992.....	297	-	-	-	-	-	-	-	1	1	8
1991.....	266	-	1	-	-	-	-	1	1	4	5
1990.....	272	-	-	-	-	-	1	-	-	1	9
1989.....	301	-	-	-	-	-	-	-	1	3	6
1988.....	289	-	-	-	-	-	-	1	2	4	6
1987.....	312	-	-	-	-	-	-	-	2	4	9
1986.....	250	-	-	-	-	-	-	-	-	3	7
1985.....	290	-	-	-	-	-	1	1	1	5	7
1984.....	250	-	-	-	-	-	1	-	3	3	7
1983.....	268	-	-	-	-	-	-	1	-	3	3
1982.....	271	-	-	-	-	-	-	-	-	6	4
1981.....	254	-	-	-	-	-	-	-	1	3	4
1980.....	256	-	-	-	-	-	-	1	-	2	4
1979.....	222	-	-	-	-	-	-	1	1	2	2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF MALE BREAST (175)											
WHITE, BOTH SEXES											
1998.....	301	-	-	-	-	-	-	-	1	4	10
1997.....	293	-	-	-	-	-	-	2	-	1	3
1996.....	292	-	-	-	-	-	-	-	1	4	5
1995.....	299	-	-	-	-	-	-	-	-	5	5
1994.....	312	-	-	-	-	-	-	-	4	6	7
1993.....	297	-	-	-	-	-	-	-	1	3	7
1992.....	256	-	-	-	-	-	-	-	-	-	8
1991.....	228	-	1	-	-	-	-	1	1	3	4
1990.....	227	-	-	-	-	-	-	-	-	1	7
1989.....	265	-	-	-	-	-	-	-	1	3	3
1988.....	229	-	-	-	-	-	-	1	1	2	4
1987.....	272	-	-	-	-	-	-	-	1	3	8
1986.....	215	-	-	-	-	-	-	-	-	3	6
1985.....	260	-	-	-	-	-	1	1	-	5	7
1984.....	213	-	-	-	-	-	1	-	3	3	5
1983.....	226	-	-	-	-	-	-	1	-	2	2
1982.....	236	-	-	-	-	-	-	-	-	5	4
1981.....	218	-	-	-	-	-	-	-	1	3	3
1980.....	227	-	-	-	-	-	-	1	-	1	3
1979.....	187	-	-	-	-	-	-	1	-	1	2
WHITE MALE											
1998.....	301	-	-	-	-	-	-	-	1	4	10
1997.....	293	-	-	-	-	-	-	2	-	1	3
1996.....	292	-	-	-	-	-	-	-	1	4	5
1995.....	299	-	-	-	-	-	-	-	-	5	5
1994.....	312	-	-	-	-	-	-	-	4	6	7
1993.....	297	-	-	-	-	-	-	-	1	3	7
1992.....	256	-	-	-	-	-	-	-	-	-	8
1991.....	228	-	1	-	-	-	-	1	1	3	4
1990.....	227	-	-	-	-	-	-	-	-	1	7
1989.....	265	-	-	-	-	-	-	-	1	3	3
1988.....	229	-	-	-	-	-	-	1	1	2	4
1987.....	272	-	-	-	-	-	-	-	1	3	8
1986.....	215	-	-	-	-	-	-	-	-	3	6
1985.....	260	-	-	-	-	-	1	1	-	5	7
1984.....	213	-	-	-	-	-	1	-	3	3	5
1983.....	226	-	-	-	-	-	-	1	-	2	2
1982.....	236	-	-	-	-	-	-	-	-	5	4
1981.....	218	-	-	-	-	-	-	-	1	3	3
1980.....	227	-	-	-	-	-	-	1	-	1	3
1979.....	187	-	-	-	-	-	-	1	-	1	2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF MALE BREAST (175)											
ALL OTHER, BOTH SEXES											
1998.....	48	-	-	-	-	-	-	-	-	1	1
1997.....	61	-	-	-	-	-	-	-	-	1	1
1996.....	65	-	-	-	-	-	-	-	-	2	3
1995.....	66	-	-	-	-	-	-	1	1	-	-
1994.....	52	-	-	-	-	-	-	-	-	-	2
1993.....	58	-	-	-	-	-	-	-	-	1	1
1992.....	41	-	-	-	-	-	-	-	1	1	-
1991.....	38	-	-	-	-	-	-	-	-	1	1
1990.....	45	-	-	-	-	-	1	-	-	-	2
1989.....	36	-	-	-	-	-	-	-	-	-	3
1988.....	60	-	-	-	-	-	-	-	1	2	2
1987.....	40	-	-	-	-	-	-	-	1	1	1
1986.....	35	-	-	-	-	-	-	-	-	-	1
1985.....	30	-	-	-	-	-	-	-	1	-	-
1984.....	37	-	-	-	-	-	-	-	-	-	2
1983.....	42	-	-	-	-	-	-	-	-	1	1
1982.....	35	-	-	-	-	-	-	-	-	1	-
1981.....	36	-	-	-	-	-	-	-	-	-	1
1980.....	29	-	-	-	-	-	-	-	-	1	1
1979.....	35	-	-	-	-	-	-	-	1	1	-
ALL OTHER MALE											
1998.....	48	-	-	-	-	-	-	-	-	1	1
1997.....	61	-	-	-	-	-	-	-	-	1	1
1996.....	65	-	-	-	-	-	-	-	-	2	3
1995.....	66	-	-	-	-	-	-	1	1	-	-
1994.....	52	-	-	-	-	-	-	-	-	-	2
1993.....	58	-	-	-	-	-	-	-	-	1	1
1992.....	41	-	-	-	-	-	-	-	1	1	-
1991.....	38	-	-	-	-	-	-	-	-	1	1
1990.....	45	-	-	-	-	-	1	-	-	-	2
1989.....	36	-	-	-	-	-	-	-	-	-	3
1988.....	60	-	-	-	-	-	-	-	1	2	2
1987.....	40	-	-	-	-	-	-	-	1	1	1
1986.....	35	-	-	-	-	-	-	-	-	-	1
1985.....	30	-	-	-	-	-	-	-	1	-	-
1984.....	37	-	-	-	-	-	-	-	-	-	2
1983.....	42	-	-	-	-	-	-	-	-	1	1
1982.....	35	-	-	-	-	-	-	-	-	1	-
1981.....	36	-	-	-	-	-	-	-	-	-	1
1980.....	29	-	-	-	-	-	-	-	-	1	1
1979.....	35	-	-	-	-	-	-	-	1	1	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF MALE BREAST (175)											
BLACK, BOTH SEXES											
1998.....	48	-	-	-	-	-	-	-	-	1	1
1997.....	59	-	-	-	-	-	-	-	-	1	1
1996.....	62	-	-	-	-	-	-	-	-	2	3
1995.....	63	-	-	-	-	-	-	1	-	-	-
1994.....	51	-	-	-	-	-	-	-	-	-	2
1993.....	54	-	-	-	-	-	-	-	-	1	1
1992.....	37	-	-	-	-	-	-	-	1	1	-
1991.....	34	-	-	-	-	-	-	-	-	1	1
1990.....	44	-	-	-	-	-	1	-	-	-	2
1989.....	35	-	-	-	-	-	-	-	-	-	3
1988.....	58	-	-	-	-	-	-	-	1	2	2
1987.....	39	-	-	-	-	-	-	-	1	1	1
1986.....	31	-	-	-	-	-	-	-	-	-	-
1985.....	29	-	-	-	-	-	-	-	1	-	-
1984.....	36	-	-	-	-	-	-	-	-	-	2
1983.....	38	-	-	-	-	-	-	-	-	1	1
1982.....	35	-	-	-	-	-	-	-	-	1	-
1981.....	35	-	-	-	-	-	-	-	-	-	1
1980.....	29	-	-	-	-	-	-	-	-	1	1
1979.....	34	-	-	-	-	-	-	-	1	1	-
BLACK MALE											
1998.....	48	-	-	-	-	-	-	-	-	1	1
1997.....	59	-	-	-	-	-	-	-	-	1	1
1996.....	62	-	-	-	-	-	-	-	-	2	3
1995.....	63	-	-	-	-	-	-	1	-	-	-
1994.....	51	-	-	-	-	-	-	-	-	-	2
1993.....	54	-	-	-	-	-	-	-	-	1	1
1992.....	37	-	-	-	-	-	-	-	1	1	-
1991.....	34	-	-	-	-	-	-	-	-	1	1
1990.....	44	-	-	-	-	-	1	-	-	-	2
1989.....	35	-	-	-	-	-	-	-	-	-	3
1988.....	58	-	-	-	-	-	-	-	1	2	2
1987.....	39	-	-	-	-	-	-	-	1	1	1
1986.....	31	-	-	-	-	-	-	-	-	-	-
1985.....	29	-	-	-	-	-	-	-	1	-	-
1984.....	36	-	-	-	-	-	-	-	-	-	2
1983.....	38	-	-	-	-	-	-	-	-	1	1
1982.....	35	-	-	-	-	-	-	-	-	1	-
1981.....	35	-	-	-	-	-	-	-	-	-	1
1980.....	29	-	-	-	-	-	-	-	-	1	1
1979.....	34	-	-	-	-	-	-	-	1	1	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187)											
TOTAL, BOTH SEXES											
1998.....	58,367	-	-	-	4	13	68	154	341	643	957
1997.....	59,010	1	3	2	3	16	73	170	361	601	932
1996.....	60,080	-	1	-	4	15	75	190	378	625	933
1995.....	60,507	-	-	1	3	29	66	155	367	621	948
1994.....	61,054	-	2	1	6	19	78	174	379	635	878
1993.....	60,393	-	-	2	5	26	79	170	377	617	903
1992.....	60,050	1	3	1	3	27	71	199	391	644	947
1991.....	58,944	-	1	2	2	15	81	172	409	656	886
1990.....	57,487	2	-	-	5	25	82	185	398	620	885
1989.....	54,952	1	5	3	4	25	91	205	397	568	832
1988.....	53,353	2	4	3	3	20	94	213	365	529	792
1987.....	51,829	-	1	1	6	24	95	240	418	571	709
1986.....	51,247	-	6	2	1	33	101	225	372	539	770
1985.....	49,690	-	3	1	5	44	108	237	357	515	735
1984.....	48,955	1	8	3	14	32	113	220	376	504	751
1983.....	48,709	4	10	10	9	47	138	245	344	519	664
1982.....	47,547	3	4	6	9	56	118	251	377	459	651
1981.....	46,732	2	5	6	7	59	122	236	361	428	686
1980.....	46,430	-	3	3	9	67	154	244	335	472	702
1979.....	45,402	1	5	6	12	56	142	225	341	479	704
TOTAL, MALE											
1998.....	32,800	-	-	-	-	5	31	46	58	73	85
1997.....	33,481	-	1	1	-	10	36	34	57	64	68
1996.....	34,695	-	-	-	-	6	31	58	53	71	66
1995.....	35,023	-	-	-	-	19	29	30	57	69	72
1994.....	35,475	-	-	-	2	9	44	54	63	60	69
1993.....	35,459	-	-	1	1	14	41	57	70	55	72
1992.....	34,821	-	3	1	-	17	31	60	62	58	67
1991.....	34,158	-	-	2	-	5	37	63	71	74	53
1990.....	32,929	2	-	-	-	13	38	57	70	67	52
1989.....	31,141	1	5	2	-	14	40	76	70	62	68
1988.....	29,560	2	1	1	2	8	48	64	62	45	50
1987.....	28,504	-	1	1	1	18	50	89	77	66	47
1986.....	27,878	-	5	-	1	13	58	67	76	55	44
1985.....	26,609	-	3	-	2	17	64	86	83	52	58
1984.....	26,060	-	4	2	2	16	67	73	79	49	50
1983.....	25,634	2	5	3	2	23	76	96	73	45	47
1982.....	24,715	-	3	3	1	28	65	92	83	51	44
1981.....	24,014	-	3	3	1	29	72	88	85	40	38
1980.....	23,647	-	2	1	2	41	87	103	82	51	39
1979.....	23,017	1	3	3	2	27	82	100	80	59	45

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187)											
TOTAL, FEMALE											
1998.....	25,567	-	-	-	4	8	37	108	283	570	872
1997.....	25,529	1	2	1	3	6	37	136	304	537	864
1996.....	25,385	-	1	-	4	9	44	132	325	554	867
1995.....	25,484	-	-	1	3	10	37	125	310	552	876
1994.....	25,579	-	2	1	4	10	34	120	316	575	809
1993.....	24,934	-	-	1	4	12	38	113	307	562	831
1992.....	25,229	1	-	-	3	10	40	139	329	586	880
1991.....	24,786	-	1	-	2	10	44	109	338	582	833
1990.....	24,558	-	-	-	5	12	44	128	328	553	833
1989.....	23,811	-	-	1	4	11	51	129	327	506	764
1988.....	23,793	-	3	2	1	12	46	149	303	484	742
1987.....	23,325	-	-	-	5	6	45	151	341	505	662
1986.....	23,369	-	1	2	-	20	43	158	296	484	726
1985.....	23,081	-	-	1	3	27	44	151	274	463	677
1984.....	22,895	1	4	1	12	16	46	147	297	455	701
1983.....	23,075	2	5	7	7	24	62	149	271	474	617
1982.....	22,832	3	1	3	8	28	53	159	294	408	607
1981.....	22,718	2	2	3	6	30	50	148	276	388	648
1980.....	22,783	-	1	2	7	26	67	141	253	421	663
1979.....	22,385	-	2	3	10	29	60	125	261	420	659
WHITE, BOTH SEXES											
1998.....	48,920	-	-	-	4	8	51	124	270	504	759
1997.....	49,481	1	2	1	1	14	59	131	292	472	709
1996.....	50,371	-	-	-	3	7	60	158	307	496	747
1995.....	51,053	-	-	1	3	27	54	122	298	475	768
1994.....	51,540	-	2	-	5	14	69	144	309	497	690
1993.....	50,797	-	-	2	5	20	66	136	304	484	724
1992.....	50,613	1	2	1	1	21	58	157	304	501	756
1991.....	49,792	-	1	2	-	11	65	149	315	505	695
1990.....	48,635	1	-	-	4	19	73	152	313	510	710
1989.....	46,572	1	5	2	3	20	75	172	322	450	653
1988.....	45,214	-	3	3	3	18	82	175	285	411	646
1987.....	43,951	-	1	-	4	22	72	193	332	463	571
1986.....	43,437	-	6	1	1	28	88	183	289	435	628
1985.....	42,091	-	3	-	4	36	96	196	284	399	608
1984.....	41,510	1	7	3	12	29	100	191	301	412	590
1983.....	41,391	3	10	9	9	39	115	198	270	418	520
1982.....	40,518	2	3	6	6	52	104	211	309	359	536
1981.....	39,817	2	5	5	5	49	107	201	295	333	537
1980.....	39,490	-	3	3	8	56	129	209	275	368	556
1979.....	38,778	1	4	4	11	47	122	186	268	381	564

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187)											
WHITE MALE											
1998.....	26,947	-	-	-	-	4	26	44	55	64	74
1997.....	27,574	-	1	-	-	9	34	31	50	58	53
1996.....	28,539	-	-	-	-	5	29	54	47	63	59
1995.....	28,988	-	-	-	-	18	28	26	53	59	57
1994.....	29,434	-	-	-	2	9	40	52	58	52	57
1993.....	29,378	-	-	1	1	11	38	53	67	51	63
1992.....	28,953	-	2	1	-	14	30	57	55	51	57
1991.....	28,492	-	-	2	-	4	33	60	62	64	47
1990.....	27,412	1	-	-	-	12	37	53	65	61	48
1989.....	26,027	1	5	1	-	11	36	73	62	55	62
1988.....	24,694	-	-	1	2	8	42	60	60	41	43
1987.....	23,742	-	1	-	1	16	40	82	70	63	46
1986.....	23,257	-	5	-	1	10	56	60	74	49	39
1985.....	22,071	-	3	-	1	15	63	78	78	45	53
1984.....	21,684	-	3	2	2	15	65	73	69	40	42
1983.....	21,391	2	5	3	2	22	72	87	70	41	42
1982.....	20,688	-	3	3	1	28	59	86	78	45	36
1981.....	19,995	-	3	2	1	27	68	86	81	35	33
1980.....	19,784	-	2	1	2	36	84	100	77	46	35
1979.....	19,332	1	2	3	2	27	77	95	69	53	37
WHITE FEMALE											
1998.....	21,973	-	-	-	4	4	25	80	215	440	685
1997.....	21,907	1	1	1	1	5	25	100	242	414	656
1996.....	21,832	-	-	-	3	2	31	104	260	433	688
1995.....	22,065	-	-	1	3	9	26	96	245	416	711
1994.....	22,106	-	2	-	3	5	29	92	251	445	633
1993.....	21,419	-	-	1	4	9	28	83	237	433	661
1992.....	21,660	1	-	-	1	7	28	100	249	450	699
1991.....	21,300	-	1	-	-	7	32	89	253	441	648
1990.....	21,223	-	-	-	4	7	36	99	248	449	662
1989.....	20,545	-	-	1	3	9	39	99	260	395	591
1988.....	20,520	-	3	2	1	10	40	115	225	370	603
1987.....	20,209	-	-	-	3	6	32	111	262	400	525
1986.....	20,180	-	1	1	-	18	32	123	215	386	589
1985.....	20,020	-	-	-	3	21	33	118	206	354	555
1984.....	19,826	1	4	1	10	14	35	118	232	372	548
1983.....	20,000	1	5	6	7	17	43	111	200	377	478
1982.....	19,830	2	-	3	5	24	45	125	231	314	500
1981.....	19,822	2	2	3	4	22	39	115	214	298	504
1980.....	19,706	-	1	2	6	20	45	109	198	322	521
1979.....	19,446	-	2	1	9	20	45	91	199	328	527

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187)											
ALL OTHER, BOTH SEXES											
1998.....	9,447	-	-	-	-	5	17	30	71	139	198
1997.....	9,529	-	1	1	2	2	14	39	69	129	223
1996.....	9,709	-	1	-	1	8	15	32	71	129	186
1995.....	9,454	-	-	-	-	2	12	33	69	146	180
1994.....	9,514	-	-	1	1	5	9	30	70	138	188
1993.....	9,596	-	-	-	-	6	13	34	73	133	179
1992.....	9,437	-	1	-	2	6	13	42	87	143	191
1991.....	9,152	-	-	-	2	4	16	23	94	151	191
1990.....	8,852	1	-	-	1	6	9	33	85	110	175
1989.....	8,380	-	-	1	1	5	16	33	75	118	179
1988.....	8,139	2	1	-	-	2	12	38	80	118	146
1987.....	7,878	-	-	1	2	2	23	47	86	108	138
1986.....	7,810	-	-	1	-	5	13	42	83	104	142
1985.....	7,599	-	-	1	1	8	12	41	73	116	127
1984.....	7,445	-	1	-	2	3	13	29	75	92	161
1983.....	7,318	1	-	1	-	8	23	47	74	101	144
1982.....	7,029	1	1	-	3	4	14	40	68	100	115
1981.....	6,915	-	-	1	2	10	15	35	66	95	149
1980.....	6,940	-	-	-	1	11	25	35	60	104	146
1979.....	6,624	-	1	2	1	9	20	39	73	98	140
ALL OTHER MALE											
1998.....	5,853	-	-	-	-	1	5	2	3	9	11
1997.....	5,907	-	-	1	-	1	2	3	7	6	15
1996.....	6,156	-	-	-	-	1	2	4	6	8	7
1995.....	6,035	-	-	-	-	1	1	4	4	10	15
1994.....	6,041	-	-	-	-	-	4	2	5	8	12
1993.....	6,081	-	-	-	-	3	3	4	3	4	9
1992.....	5,868	-	1	-	-	3	1	3	7	7	10
1991.....	5,666	-	-	-	-	1	4	3	9	10	6
1990.....	5,517	1	-	-	-	1	1	4	5	6	4
1989.....	5,114	-	-	1	-	3	4	3	8	7	6
1988.....	4,866	2	1	-	-	-	6	4	2	4	7
1987.....	4,762	-	-	1	-	2	10	7	7	3	1
1986.....	4,621	-	-	-	-	3	2	7	2	6	5
1985.....	4,538	-	-	-	1	2	1	8	5	7	5
1984.....	4,376	-	1	-	-	1	2	-	10	9	8
1983.....	4,243	-	-	-	-	1	4	9	3	4	5
1982.....	4,027	-	-	-	-	-	6	6	5	6	8
1981.....	4,019	-	-	1	-	2	4	2	4	5	5
1980.....	3,863	-	-	-	-	5	3	3	5	5	4
1979.....	3,685	-	1	-	-	-	5	5	11	6	8

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187)											
ALL OTHER FEMALE											
1998.....	3,594	-	-	-	-	4	12	28	68	130	187
1997.....	3,622	-	1	-	2	1	12	36	62	123	208
1996.....	3,553	-	1	-	1	7	13	28	65	121	179
1995.....	3,419	-	-	-	-	1	11	29	65	136	165
1994.....	3,473	-	-	1	1	5	5	28	65	130	176
1993.....	3,515	-	-	-	-	3	10	30	70	129	170
1992.....	3,569	-	-	-	2	3	12	39	80	136	181
1991.....	3,486	-	-	-	2	3	12	20	85	141	185
1990.....	3,335	-	-	-	1	5	8	29	80	104	171
1989.....	3,266	-	-	-	1	2	12	30	67	111	173
1988.....	3,273	-	-	-	-	2	6	34	78	114	139
1987.....	3,116	-	-	-	2	-	13	40	79	105	137
1986.....	3,189	-	-	1	-	2	11	35	81	98	137
1985.....	3,061	-	-	1	-	6	11	33	68	109	122
1984.....	3,069	-	-	-	2	2	11	29	65	83	153
1983.....	3,075	1	-	1	-	7	19	38	71	97	139
1982.....	3,002	1	1	-	3	4	8	34	63	94	107
1981.....	2,896	-	-	-	2	8	11	33	62	90	144
1980.....	3,077	-	-	-	1	6	22	32	55	99	142
1979.....	2,939	-	-	2	1	9	15	34	62	92	132
BLACK, BOTH SEXES											
1998.....	8,580	-	-	-	-	5	13	22	59	123	166
1997.....	8,668	-	1	1	2	1	11	32	61	110	182
1996.....	8,787	-	1	-	1	6	12	23	61	105	149
1995.....	8,629	-	-	-	-	1	11	27	63	130	152
1994.....	8,719	-	-	1	-	5	8	24	61	120	151
1993.....	8,819	-	-	-	-	4	12	31	66	117	142
1992.....	8,688	-	1	-	2	5	12	33	73	126	160
1991.....	8,442	-	-	-	2	3	12	20	78	125	148
1990.....	8,195	1	-	-	-	4	7	26	74	95	147
1989.....	7,762	-	-	1	1	4	13	25	64	94	152
1988.....	7,564	2	1	-	-	2	9	29	73	97	128
1987.....	7,378	-	-	-	2	2	16	38	70	90	123
1986.....	7,322	-	-	1	-	5	11	34	70	94	123
1985.....	7,134	-	-	1	1	7	10	33	66	95	105
1984.....	7,012	-	1	-	2	3	11	27	66	75	142
1983.....	6,935	1	-	1	-	6	21	41	66	86	127
1982.....	6,658	-	1	-	2	4	12	35	64	88	99
1981.....	6,567	-	-	1	2	8	12	33	55	78	131
1980.....	6,626	-	-	-	1	8	24	30	57	93	132
1979.....	6,317	-	-	1	1	9	18	37	62	90	125

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187)											
BLACK MALE											
1998.....	5,491	-	-	-	-	1	2	1	2	9	10
1997.....	5,524	-	-	1	-	-	1	3	6	5	13
1996.....	5,758	-	-	-	-	-	2	2	5	5	5
1995.....	5,636	-	-	-	-	-	-	2	3	9	14
1994.....	5,693	-	-	-	-	-	3	2	5	7	11
1993.....	5,712	-	-	-	-	2	3	3	3	4	8
1992.....	5,538	-	1	-	-	3	1	1	5	7	9
1991.....	5,354	-	-	-	-	-	1	2	6	7	3
1990.....	5,226	1	-	-	-	-	1	2	5	6	4
1989.....	4,840	-	-	1	-	3	3	2	7	6	5
1988.....	4,631	2	1	-	-	-	3	2	2	4	6
1987.....	4,545	-	-	-	-	2	4	5	7	3	1
1986.....	4,420	-	-	-	-	3	2	6	2	5	4
1985.....	4,331	-	-	-	1	2	1	4	4	5	5
1984.....	4,192	-	1	-	-	1	-	-	8	7	8
1983.....	4,103	-	-	-	-	1	3	5	2	4	5
1982.....	3,875	-	-	-	-	-	4	4	4	6	8
1981.....	3,890	-	-	1	-	2	2	2	4	5	4
1980.....	3,742	-	-	-	-	4	3	2	5	5	4
1979.....	3,563	-	-	-	-	-	4	5	7	4	7
BLACK FEMALE											
1998.....	3,089	-	-	-	-	4	11	21	57	114	156
1997.....	3,144	-	1	-	2	1	10	29	55	105	169
1996.....	3,029	-	1	-	1	6	10	21	56	100	144
1995.....	2,993	-	-	-	-	1	11	25	60	121	138
1994.....	3,026	-	-	1	-	5	5	22	56	113	140
1993.....	3,107	-	-	-	-	2	9	28	63	113	134
1992.....	3,150	-	-	-	2	2	11	32	68	119	151
1991.....	3,088	-	-	-	2	3	11	18	72	118	145
1990.....	2,969	-	-	-	-	4	6	24	69	89	143
1989.....	2,922	-	-	-	1	1	10	23	57	88	147
1988.....	2,933	-	-	-	-	2	6	27	71	93	122
1987.....	2,833	-	-	-	2	-	12	33	63	87	122
1986.....	2,902	-	-	1	-	2	9	28	68	89	119
1985.....	2,803	-	-	1	-	5	9	29	62	90	100
1984.....	2,820	-	-	-	2	2	11	27	58	68	134
1983.....	2,832	1	-	1	-	5	18	36	64	82	122
1982.....	2,783	-	1	-	2	4	8	31	60	82	91
1981.....	2,677	-	-	-	2	6	10	31	51	73	127
1980.....	2,884	-	-	-	1	4	21	28	52	88	128
1979.....	2,754	-	-	1	1	9	14	32	55	86	118

TABLE 292. DEATHS FOR 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF CERVIX UTERI (180)											
TOTAL, BOTH SEXES											
1998.....	4,340	-	-	-	-	2	19	76	186	353	435
1997.....	4,499	-	-	-	-	1	22	81	199	327	437
1996.....	4,542	-	-	-	-	-	18	94	208	357	457
1995.....	4,503	-	-	-	-	2	19	80	210	328	455
1994.....	4,602	-	-	1	-	-	14	87	221	360	395
1993.....	4,583	-	-	-	-	1	19	81	222	336	411
1992.....	4,641	-	-	-	-	2	18	95	232	362	437
1991.....	4,514	-	-	-	-	1	17	57	232	351	412
1990.....	4,627	-	-	-	-	1	20	75	228	352	428
1989.....	4,487	-	-	1	-	-	24	78	214	307	391
1988.....	4,443	-	-	-	-	-	18	89	201	275	379
1987.....	4,425	-	-	-	-	-	16	95	237	291	323
1986.....	4,558	-	-	-	-	1	18	102	203	293	320
1985.....	4,508	-	-	-	-	4	21	104	181	291	315
1984.....	4,564	1	-	-	1	-	20	89	189	269	353
1983.....	4,651	1	-	-	-	2	20	85	191	278	314
1982.....	4,631	1	1	-	-	-	19	93	181	241	299
1981.....	4,815	-	-	-	-	1	21	104	176	225	300
1980.....	4,874	-	-	-	-	-	21	98	162	256	295
1979.....	4,936	-	-	-	2	1	16	65	175	240	284
TOTAL, FEMALE											
1998.....	4,340	-	-	-	-	2	19	76	186	353	435
1997.....	4,499	-	-	-	-	1	22	81	199	327	437
1996.....	4,542	-	-	-	-	-	18	94	208	357	457
1995.....	4,503	-	-	-	-	2	19	80	210	328	455
1994.....	4,602	-	-	1	-	-	14	87	221	360	395
1993.....	4,583	-	-	-	-	1	19	81	222	336	411
1992.....	4,641	-	-	-	-	2	18	95	232	362	437
1991.....	4,514	-	-	-	-	1	17	57	232	351	412
1990.....	4,627	-	-	-	-	1	20	75	228	352	428
1989.....	4,487	-	-	1	-	-	24	78	214	307	391
1988.....	4,443	-	-	-	-	-	18	89	201	275	379
1987.....	4,425	-	-	-	-	-	16	95	237	291	323
1986.....	4,558	-	-	-	-	1	18	102	203	293	320
1985.....	4,508	-	-	-	-	4	21	104	181	291	315
1984.....	4,564	1	-	-	1	-	20	89	189	269	353
1983.....	4,651	1	-	-	-	2	20	85	191	278	314
1982.....	4,631	1	1	-	-	-	19	93	181	241	299
1981.....	4,815	-	-	-	-	1	21	104	176	225	300
1980.....	4,874	-	-	-	-	-	21	98	162	256	295
1979.....	4,936	-	-	-	2	1	16	65	175	240	284

TABLE 292. DEATHS FOR 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF CERVIX UTERI (180)											
WHITE, BOTH SEXES											
1998.....	3,272	-	-	-	-	1	13	60	142	271	328
1997.....	3,371	-	-	-	-	1	14	61	147	250	309
1996.....	3,479	-	-	-	-	-	12	77	165	274	348
1995.....	3,359	-	-	-	-	1	12	54	161	232	346
1994.....	3,524	-	-	-	-	-	12	66	178	269	286
1993.....	3,419	-	-	-	-	1	14	60	174	250	299
1992.....	3,433	-	-	-	-	1	15	68	170	268	317
1991.....	3,386	-	-	-	-	-	12	48	176	259	300
1990.....	3,511	-	-	-	-	-	19	60	166	272	316
1989.....	3,321	-	-	1	-	-	18	57	169	233	284
1988.....	3,343	-	-	-	-	-	15	73	147	201	287
1987.....	3,349	-	-	-	-	-	12	70	180	214	237
1986.....	3,391	-	-	-	-	1	13	77	139	220	233
1985.....	3,405	-	-	-	-	3	16	74	132	212	240
1984.....	3,463	1	-	-	1	-	14	72	142	213	244
1983.....	3,497	-	-	-	-	2	15	65	141	212	228
1982.....	3,522	1	-	-	-	-	17	71	142	175	224
1981.....	3,712	-	-	-	-	-	19	82	136	163	204
1980.....	3,691	-	-	-	-	-	14	73	121	181	210
1979.....	3,805	-	-	-	2	-	14	44	130	168	208
WHITE FEMALE											
1998.....	3,272	-	-	-	-	1	13	60	142	271	328
1997.....	3,371	-	-	-	-	1	14	61	147	250	309
1996.....	3,479	-	-	-	-	-	12	77	165	274	348
1995.....	3,359	-	-	-	-	1	12	54	161	232	346
1994.....	3,524	-	-	-	-	-	12	66	178	269	286
1993.....	3,419	-	-	-	-	1	14	60	174	250	299
1992.....	3,433	-	-	-	-	1	15	68	170	268	317
1991.....	3,386	-	-	-	-	-	12	48	176	259	300
1990.....	3,511	-	-	-	-	-	19	60	166	272	316
1989.....	3,321	-	-	1	-	-	18	57	169	233	284
1988.....	3,343	-	-	-	-	-	15	73	147	201	287
1987.....	3,349	-	-	-	-	-	12	70	180	214	237
1986.....	3,391	-	-	-	-	1	13	77	139	220	233
1985.....	3,405	-	-	-	-	3	16	74	132	212	240
1984.....	3,463	1	-	-	1	-	14	72	142	213	244
1983.....	3,497	-	-	-	-	2	15	65	141	212	228
1982.....	3,522	1	-	-	-	-	17	71	142	175	224
1981.....	3,712	-	-	-	-	-	19	82	136	163	204
1980.....	3,691	-	-	-	-	-	14	73	121	181	210
1979.....	3,805	-	-	-	2	-	14	44	130	168	208

TABLE 292. DEATHS FOR 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF CERVIX UTERI (180)											
ALL OTHER, BOTH SEXES											
1998.....	1,068	-	-	-	-	1	6	16	44	82	107
1997.....	1,128	-	-	-	-	-	8	20	52	77	128
1996.....	1,063	-	-	-	-	-	6	17	43	83	109
1995.....	1,144	-	-	-	-	1	7	26	49	96	109
1994.....	1,078	-	-	1	-	-	2	21	43	91	109
1993.....	1,164	-	-	-	-	-	5	21	48	86	112
1992.....	1,208	-	-	-	-	1	3	27	62	94	120
1991.....	1,128	-	-	-	-	1	5	9	56	92	112
1990.....	1,116	-	-	-	-	1	1	15	62	80	112
1989.....	1,166	-	-	-	-	-	6	21	45	74	107
1988.....	1,100	-	-	-	-	-	3	16	54	74	92
1987.....	1,076	-	-	-	-	-	4	25	57	77	86
1986.....	1,167	-	-	-	-	-	5	25	64	73	87
1985.....	1,103	-	-	-	-	1	5	30	49	79	75
1984.....	1,101	-	-	-	-	-	6	17	47	56	109
1983.....	1,154	1	-	-	-	-	5	20	50	66	86
1982.....	1,109	-	1	-	-	-	2	22	39	66	75
1981.....	1,103	-	-	-	-	1	2	22	40	62	96
1980.....	1,183	-	-	-	-	-	7	25	41	75	85
1979.....	1,131	-	-	-	-	1	2	21	45	72	76
ALL OTHER FEMALE											
1998.....	1,068	-	-	-	-	1	6	16	44	82	107
1997.....	1,128	-	-	-	-	-	8	20	52	77	128
1996.....	1,063	-	-	-	-	-	6	17	43	83	109
1995.....	1,144	-	-	-	-	1	7	26	49	96	109
1994.....	1,078	-	-	1	-	-	2	21	43	91	109
1993.....	1,164	-	-	-	-	-	5	21	48	86	112
1992.....	1,208	-	-	-	-	1	3	27	62	94	120
1991.....	1,128	-	-	-	-	1	5	9	56	92	112
1990.....	1,116	-	-	-	-	1	1	15	62	80	112
1989.....	1,166	-	-	-	-	-	6	21	45	74	107
1988.....	1,100	-	-	-	-	-	3	16	54	74	92
1987.....	1,076	-	-	-	-	-	4	25	57	77	86
1986.....	1,167	-	-	-	-	-	5	25	64	73	87
1985.....	1,103	-	-	-	-	1	5	30	49	79	75
1984.....	1,101	-	-	-	-	-	6	17	47	56	109
1983.....	1,154	1	-	-	-	-	5	20	50	66	86
1982.....	1,109	-	1	-	-	-	2	22	39	66	75
1981.....	1,103	-	-	-	-	1	2	22	40	62	96
1980.....	1,183	-	-	-	-	-	7	25	41	75	85
1979.....	1,131	-	-	-	-	1	2	21	45	72	76

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF CERVIX UTERI (180)											
BLACK, BOTH SEXES											
1998.....	906	-	-	-	-	1	5	12	38	73	91
1997.....	969	-	-	-	-	-	8	16	45	67	115
1996.....	907	-	-	-	-	-	6	14	39	69	94
1995.....	995	-	-	-	-	1	7	23	46	88	97
1994.....	931	-	-	1	-	-	2	17	39	83	88
1993.....	1,035	-	-	-	-	-	4	20	46	78	93
1992.....	1,068	-	-	-	-	1	3	24	55	81	102
1991.....	983	-	-	-	-	1	5	8	50	78	91
1990.....	972	-	-	-	-	1	1	12	55	70	97
1989.....	1,049	-	-	-	-	-	6	19	40	64	92
1988.....	974	-	-	-	-	-	3	13	51	63	82
1987.....	969	-	-	-	-	-	4	22	45	68	77
1986.....	1,067	-	-	-	-	-	4	22	55	66	83
1985.....	1,008	-	-	-	-	1	5	26	45	69	66
1984.....	1,008	-	-	-	-	-	6	16	43	47	99
1983.....	1,062	1	-	-	-	-	5	19	47	59	78
1982.....	1,031	-	1	-	-	-	2	21	36	59	66
1981.....	1,023	-	-	-	-	-	2	21	34	54	85
1980.....	1,097	-	-	-	-	-	7	22	38	68	76
1979.....	1,061	-	-	-	-	1	2	20	42	68	70
BLACK FEMALE											
1998.....	906	-	-	-	-	1	5	12	38	73	91
1997.....	969	-	-	-	-	-	8	16	45	67	115
1996.....	907	-	-	-	-	-	6	14	39	69	94
1995.....	995	-	-	-	-	1	7	23	46	88	97
1994.....	931	-	-	1	-	-	2	17	39	83	88
1993.....	1,035	-	-	-	-	-	4	20	46	78	93
1992.....	1,068	-	-	-	-	1	3	24	55	81	102
1991.....	983	-	-	-	-	1	5	8	50	78	91
1990.....	972	-	-	-	-	1	1	12	55	70	97
1989.....	1,049	-	-	-	-	-	6	19	40	64	92
1988.....	974	-	-	-	-	-	3	13	51	63	82
1987.....	969	-	-	-	-	-	4	22	45	68	77
1986.....	1,067	-	-	-	-	-	4	22	55	66	83
1985.....	1,008	-	-	-	-	1	5	26	45	69	66
1984.....	1,008	-	-	-	-	-	6	16	43	47	99
1983.....	1,062	1	-	-	-	-	5	19	47	59	78
1982.....	1,031	-	1	-	-	-	2	21	36	59	66
1981.....	1,023	-	-	-	-	-	2	21	34	54	85
1980.....	1,097	-	-	-	-	-	7	22	38	68	76
1979.....	1,061	-	-	-	-	1	2	20	42	68	70

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF OTHER PARTS OF UTERUS (179,181-182)											
TOTAL, BOTH SEXES											
1998.....	6,437	-	-	-	-	-	1	9	23	50	77
1997.....	6,207	-	1	-	-	1	3	10	26	51	72
1996.....	6,332	-	-	-	-	2	5	8	18	47	89
1995.....	6,249	-	-	-	-	2	2	6	18	41	80
1994.....	6,187	-	-	-	-	2	3	6	15	41	79
1993.....	6,117	-	-	-	-	2	2	7	19	48	73
1992.....	6,076	1	-	-	-	-	9	11	19	45	93
1991.....	5,950	-	-	-	1	1	4	13	18	48	94
1990.....	6,052	-	-	-	-	3	3	6	22	40	85
1989.....	5,867	-	-	-	-	2	3	14	20	33	78
1988.....	5,914	-	-	-	-	-	7	10	15	45	68
1987.....	5,911	-	-	-	-	-	3	13	29	34	64
1986.....	5,869	-	-	-	-	1	5	16	22	42	69
1985.....	5,980	-	-	-	-	1	5	7	24	34	74
1984.....	5,994	-	-	-	-	1	10	13	27	39	54
1983.....	6,041	-	-	2	-	4	10	13	12	33	57
1982.....	5,985	-	-	-	-	5	9	13	24	31	66
1981.....	5,903	1	1	1	1	3	5	8	28	28	73
1980.....	6,057	-	-	1	1	2	10	7	24	31	83
1979.....	5,797	-	-	-	-	1	5	12	21	38	68
TOTAL, FEMALE											
1998.....	6,437	-	-	-	-	-	1	9	23	50	77
1997.....	6,207	-	1	-	-	1	3	10	26	51	72
1996.....	6,332	-	-	-	-	2	5	8	18	47	89
1995.....	6,249	-	-	-	-	2	2	6	18	41	80
1994.....	6,187	-	-	-	-	2	3	6	15	41	79
1993.....	6,117	-	-	-	-	2	2	7	19	48	73
1992.....	6,076	1	-	-	-	-	9	11	19	45	93
1991.....	5,950	-	-	-	1	1	4	13	18	48	94
1990.....	6,052	-	-	-	-	3	3	6	22	40	85
1989.....	5,867	-	-	-	-	2	3	14	20	33	78
1988.....	5,914	-	-	-	-	-	7	10	15	45	68
1987.....	5,911	-	-	-	-	-	3	13	29	34	64
1986.....	5,869	-	-	-	-	1	5	16	22	42	69
1985.....	5,980	-	-	-	-	1	5	7	24	34	74
1984.....	5,994	-	-	-	-	1	10	13	27	39	54
1983.....	6,041	-	-	2	-	4	10	13	12	33	57
1982.....	5,985	-	-	-	-	5	9	13	24	31	66
1981.....	5,903	1	1	1	1	3	5	8	28	28	73
1980.....	6,057	-	-	1	1	2	10	7	24	31	83
1979.....	5,797	-	-	-	-	1	5	12	21	38	68

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF OTHER PARTS OF UTERUS (179,181-182)											
WHITE, BOTH SEXES											
1998.....	5,351	-	-	-	-	-	1	4	17	35	60
1997.....	5,169	-	-	-	-	-	1	7	23	41	53
1996.....	5,233	-	-	-	-	-	3	4	12	34	75
1995.....	5,303	-	-	-	-	2	2	6	16	32	67
1994.....	5,170	-	-	-	-	-	2	6	11	30	58
1993.....	5,096	-	-	-	-	2	1	3	13	32	60
1992.....	5,102	1	-	-	-	-	5	5	11	32	74
1991.....	4,958	-	-	-	-	1	1	8	10	39	73
1990.....	5,083	-	-	-	-	2	1	5	15	37	66
1989.....	4,920	-	-	-	-	1	1	10	12	25	59
1988.....	4,967	-	-	-	-	-	6	5	11	32	53
1987.....	5,014	-	-	-	-	-	3	8	21	31	48
1986.....	4,981	-	-	-	-	1	3	12	15	38	52
1985.....	5,107	-	-	-	-	1	3	7	17	26	60
1984.....	5,100	-	-	-	-	1	7	10	22	30	44
1983.....	5,200	-	-	2	-	3	6	7	8	27	41
1982.....	5,119	-	-	-	-	5	5	11	20	24	57
1981.....	5,091	1	1	1	1	2	2	5	22	21	56
1980.....	5,168	-	-	1	1	1	3	6	20	24	59
1979.....	4,956	-	-	-	-	1	2	8	15	31	53
WHITE FEMALE											
1998.....	5,351	-	-	-	-	-	1	4	17	35	60
1997.....	5,169	-	-	-	-	-	1	7	23	41	53
1996.....	5,233	-	-	-	-	-	3	4	12	34	75
1995.....	5,303	-	-	-	-	2	2	6	16	32	67
1994.....	5,170	-	-	-	-	-	2	6	11	30	58
1993.....	5,096	-	-	-	-	2	1	3	13	32	60
1992.....	5,102	1	-	-	-	-	5	5	11	32	74
1991.....	4,958	-	-	-	-	1	1	8	10	39	73
1990.....	5,083	-	-	-	-	2	1	5	15	37	66
1989.....	4,920	-	-	-	-	1	1	10	12	25	59
1988.....	4,967	-	-	-	-	-	6	5	11	32	53
1987.....	5,014	-	-	-	-	-	3	8	21	31	48
1986.....	4,981	-	-	-	-	1	3	12	15	38	52
1985.....	5,107	-	-	-	-	1	3	7	17	26	60
1984.....	5,100	-	-	-	-	1	7	10	22	30	44
1983.....	5,200	-	-	2	-	3	6	7	8	27	41
1982.....	5,119	-	-	-	-	5	5	11	20	24	57
1981.....	5,091	1	1	1	1	2	2	5	22	21	56
1980.....	5,168	-	-	1	1	1	3	6	20	24	59
1979.....	4,956	-	-	-	-	1	2	8	15	31	53

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF OTHER PARTS OF UTERUS (179,181-182)											
ALL OTHER, BOTH SEXES											
1998.....	1,086	-	-	-	-	-	-	5	6	15	17
1997.....	1,038	-	1	-	-	1	2	3	3	10	19
1996.....	1,099	-	-	-	-	2	2	4	6	13	14
1995.....	946	-	-	-	-	-	-	-	2	9	13
1994.....	1,017	-	-	-	-	2	1	-	4	11	21
1993.....	1,021	-	-	-	-	-	1	4	6	16	13
1992.....	974	-	-	-	-	-	4	6	8	13	19
1991.....	992	-	-	-	1	-	3	5	8	9	21
1990.....	969	-	-	-	-	1	2	1	7	3	19
1989.....	947	-	-	-	-	1	2	4	8	8	19
1988.....	947	-	-	-	-	-	1	5	4	13	15
1987.....	897	-	-	-	-	-	-	5	8	3	16
1986.....	888	-	-	-	-	-	2	4	7	4	17
1985.....	873	-	-	-	-	-	2	-	7	8	14
1984.....	894	-	-	-	-	-	3	3	5	9	10
1983.....	841	-	-	-	-	1	4	6	4	6	16
1982.....	866	-	-	-	-	-	4	2	4	7	9
1981.....	812	-	-	-	-	1	3	3	6	7	17
1980.....	889	-	-	-	-	1	7	1	4	7	24
1979.....	841	-	-	-	-	-	3	4	6	7	15
ALL OTHER FEMALE											
1998.....	1,086	-	-	-	-	-	-	5	6	15	17
1997.....	1,038	-	1	-	-	1	2	3	3	10	19
1996.....	1,099	-	-	-	-	2	2	4	6	13	14
1995.....	946	-	-	-	-	-	-	-	2	9	13
1994.....	1,017	-	-	-	-	2	1	-	4	11	21
1993.....	1,021	-	-	-	-	-	1	4	6	16	13
1992.....	974	-	-	-	-	-	4	6	8	13	19
1991.....	992	-	-	-	1	-	3	5	8	9	21
1990.....	969	-	-	-	-	1	2	1	7	3	19
1989.....	947	-	-	-	-	1	2	4	8	8	19
1988.....	947	-	-	-	-	-	1	5	4	13	15
1987.....	897	-	-	-	-	-	-	5	8	3	16
1986.....	888	-	-	-	-	-	2	4	7	4	17
1985.....	873	-	-	-	-	-	2	-	7	8	14
1984.....	894	-	-	-	-	-	3	3	5	9	10
1983.....	841	-	-	-	-	1	4	6	4	6	16
1982.....	866	-	-	-	-	-	4	2	4	7	9
1981.....	812	-	-	-	-	1	3	3	6	7	17
1980.....	889	-	-	-	-	1	7	1	4	7	24
1979.....	841	-	-	-	-	-	3	4	6	7	15

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF OTHER PARTS OF UTERUS (179,181-182)											
BLACK, BOTH SEXES											
1998.....	974	-	-	-	-	-	-	3	4	13	12
1997.....	942	-	1	-	-	1	1	2	3	8	13
1996.....	988	-	-	-	-	2	1	4	5	12	11
1995.....	866	-	-	-	-	-	-	-	2	6	10
1994.....	939	-	-	-	-	2	1	-	4	9	17
1993.....	945	-	-	-	-	-	1	4	5	14	7
1992.....	894	-	-	-	-	-	4	5	6	13	15
1991.....	921	-	-	-	1	-	3	4	6	7	17
1990.....	899	-	-	-	-	1	2	1	6	3	13
1989.....	873	-	-	-	-	1	2	2	6	4	16
1988.....	888	-	-	-	-	-	1	4	4	13	14
1987.....	845	-	-	-	-	-	-	3	7	3	15
1986.....	837	-	-	-	-	-	2	3	6	4	15
1985.....	830	-	-	-	-	-	1	-	7	7	11
1984.....	842	-	-	-	-	-	3	3	4	8	7
1983.....	796	-	-	-	-	1	4	6	4	5	12
1982.....	813	-	-	-	-	-	4	2	4	5	8
1981.....	773	-	-	-	-	-	3	2	6	6	14
1980.....	855	-	-	-	-	-	6	1	4	7	23
1979.....	800	-	-	-	-	-	3	4	5	6	14
BLACK FEMALE											
1998.....	974	-	-	-	-	-	-	3	4	13	12
1997.....	942	-	1	-	-	1	1	2	3	8	13
1996.....	988	-	-	-	-	2	1	4	5	12	11
1995.....	866	-	-	-	-	-	-	-	2	6	10
1994.....	939	-	-	-	-	2	1	-	4	9	17
1993.....	945	-	-	-	-	-	1	4	5	14	7
1992.....	894	-	-	-	-	-	4	5	6	13	15
1991.....	921	-	-	-	1	-	3	4	6	7	17
1990.....	899	-	-	-	-	1	2	1	6	3	13
1989.....	873	-	-	-	-	1	2	2	6	4	16
1988.....	888	-	-	-	-	-	1	4	4	13	14
1987.....	845	-	-	-	-	-	-	3	7	3	15
1986.....	837	-	-	-	-	-	2	3	6	4	15
1985.....	830	-	-	-	-	-	1	-	7	7	11
1984.....	842	-	-	-	-	-	3	3	4	8	7
1983.....	796	-	-	-	-	1	4	6	4	5	12
1982.....	813	-	-	-	-	-	4	2	4	5	8
1981.....	773	-	-	-	-	-	3	2	6	6	14
1980.....	855	-	-	-	-	-	6	1	4	7	23
1979.....	800	-	-	-	-	-	3	4	5	6	14

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF OVARY AND OTHER UTERINE ADNEXA (183)											
TOTAL, BOTH SEXES											
1998.....	13,544	-	-	-	4	6	16	22	68	154	338
1997.....	13,673	1	1	1	3	4	12	42	76	149	332
1996.....	13,342	-	1	-	4	7	21	27	96	135	310
1995.....	13,524	-	-	1	3	6	15	37	78	172	314
1994.....	13,677	-	2	-	4	7	17	25	70	167	317
1993.....	13,033	-	-	1	4	9	16	21	61	166	326
1992.....	13,393	-	-	-	3	8	13	30	73	172	333
1991.....	13,247	-	1	-	1	8	23	33	81	176	313
1990.....	12,762	-	-	-	5	8	20	42	74	150	307
1989.....	12,431	-	-	-	3	8	24	36	88	156	285
1988.....	12,397	-	1	2	-	12	20	50	79	152	284
1987.....	12,020	-	-	-	5	6	21	42	65	173	259
1986.....	11,903	-	1	2	-	18	18	38	64	138	324
1985.....	11,531	-	-	1	3	22	17	36	60	135	272
1984.....	11,373	-	4	1	11	13	14	43	74	140	283
1983.....	11,375	1	5	4	7	17	30	43	66	150	233
1982.....	11,255	2	-	3	8	21	25	49	83	133	233
1981.....	11,006	1	-	2	5	24	24	31	68	129	261
1980.....	10,895	-	1	1	5	22	35	33	65	126	269
1979.....	10,721	-	1	3	8	22	33	43	64	132	288
TOTAL, FEMALE											
1998.....	13,544	-	-	-	4	6	16	22	68	154	338
1997.....	13,673	1	1	1	3	4	12	42	76	149	332
1996.....	13,342	-	1	-	4	7	21	27	96	135	310
1995.....	13,524	-	-	1	3	6	15	37	78	172	314
1994.....	13,677	-	2	-	4	7	17	25	70	167	317
1993.....	13,033	-	-	1	4	9	16	21	61	166	326
1992.....	13,393	-	-	-	3	8	13	30	73	172	333
1991.....	13,247	-	1	-	1	8	23	33	81	176	313
1990.....	12,762	-	-	-	5	8	20	42	74	150	307
1989.....	12,431	-	-	-	3	8	24	36	88	156	285
1988.....	12,397	-	1	2	-	12	20	50	79	152	284
1987.....	12,020	-	-	-	5	6	21	42	65	173	259
1986.....	11,903	-	1	2	-	18	18	38	64	138	324
1985.....	11,531	-	-	1	3	22	17	36	60	135	272
1984.....	11,373	-	4	1	11	13	14	43	74	140	283
1983.....	11,375	1	5	4	7	17	30	43	66	150	233
1982.....	11,255	2	-	3	8	21	25	49	83	133	233
1981.....	11,006	1	-	2	5	24	24	31	68	129	261
1980.....	10,895	-	1	1	5	22	35	33	65	126	269
1979.....	10,721	-	1	3	8	22	33	43	64	132	288

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF OVARY AND OTHER UTERINE ADNEXA (183)											
WHITE, BOTH SEXES											
1998.....	12,242	-	-	-	4	3	11	15	51	125	280
1997.....	12,330	1	1	1	1	4	10	31	69	116	276
1996.....	12,072	-	-	-	3	2	16	21	80	113	255
1995.....	12,332	-	-	1	3	6	11	34	65	143	274
1994.....	12,412	-	2	-	3	4	15	18	56	140	273
1993.....	11,825	-	-	1	4	6	13	18	47	142	284
1992.....	12,142	-	-	-	1	6	8	24	63	144	295
1991.....	12,006	-	1	-	-	6	19	29	61	140	265
1990.....	11,646	-	-	-	4	5	15	32	64	130	270
1989.....	11,389	-	-	-	2	7	20	31	75	128	243
1988.....	11,293	-	1	2	-	10	19	37	60	128	254
1987.....	11,009	-	-	-	3	6	16	32	53	148	230
1986.....	10,909	-	1	1	-	16	14	32	55	120	291
1985.....	10,571	-	-	-	3	17	13	33	49	113	241
1984.....	10,423	-	4	1	9	11	13	34	63	124	252
1983.....	10,418	1	5	3	7	11	21	35	49	130	199
1982.....	10,340	1	-	3	5	17	23	40	66	113	213
1981.....	10,117	1	-	2	3	18	18	25	52	109	233
1980.....	9,998	-	1	1	4	17	28	27	56	110	242
1979.....	9,850	-	1	1	7	15	24	35	53	120	252
WHITE FEMALE											
1998.....	12,242	-	-	-	4	3	11	15	51	125	280
1997.....	12,330	1	1	1	1	4	10	31	69	116	276
1996.....	12,072	-	-	-	3	2	16	21	80	113	255
1995.....	12,332	-	-	1	3	6	11	34	65	143	274
1994.....	12,412	-	2	-	3	4	15	18	56	140	273
1993.....	11,825	-	-	1	4	6	13	18	47	142	284
1992.....	12,142	-	-	-	1	6	8	24	63	144	295
1991.....	12,006	-	1	-	-	6	19	29	61	140	265
1990.....	11,646	-	-	-	4	5	15	32	64	130	270
1989.....	11,389	-	-	-	2	7	20	31	75	128	243
1988.....	11,293	-	1	2	-	10	19	37	60	128	254
1987.....	11,009	-	-	-	3	6	16	32	53	148	230
1986.....	10,909	-	1	1	-	16	14	32	55	120	291
1985.....	10,571	-	-	-	3	17	13	33	49	113	241
1984.....	10,423	-	4	1	9	11	13	34	63	124	252
1983.....	10,418	1	5	3	7	11	21	35	49	130	199
1982.....	10,340	1	-	3	5	17	23	40	66	113	213
1981.....	10,117	1	-	2	3	18	18	25	52	109	233
1980.....	9,998	-	1	1	4	17	28	27	56	110	242
1979.....	9,850	-	1	1	7	15	24	35	53	120	252

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF OVARY AND OTHER UTERINE ADNEXA (183)											
ALL OTHER, BOTH SEXES											
1998.....	1,302	-	-	-	-	3	5	7	17	29	58
1997.....	1,343	-	-	-	2	-	2	11	7	33	56
1996.....	1,270	-	1	-	1	5	5	6	16	22	55
1995.....	1,192	-	-	-	-	-	4	3	13	29	40
1994.....	1,265	-	-	-	1	3	2	7	14	27	44
1993.....	1,208	-	-	-	-	3	3	3	14	24	42
1992.....	1,251	-	-	-	2	2	5	6	10	28	38
1991.....	1,241	-	-	-	1	2	4	4	20	36	48
1990.....	1,116	-	-	-	1	3	5	10	10	20	37
1989.....	1,042	-	-	-	1	1	4	5	13	28	42
1988.....	1,104	-	-	-	-	2	1	13	19	24	30
1987.....	1,011	-	-	-	2	-	5	10	12	25	29
1986.....	994	-	-	1	-	2	4	6	9	18	33
1985.....	960	-	-	1	-	5	4	3	11	22	31
1984.....	950	-	-	-	2	2	1	9	11	16	31
1983.....	957	-	-	1	-	6	9	8	17	20	34
1982.....	915	1	-	-	3	4	2	9	17	20	20
1981.....	889	-	-	-	2	6	6	6	16	20	28
1980.....	897	-	-	-	1	5	7	6	9	16	27
1979.....	871	-	-	2	1	7	9	8	11	12	36
ALL OTHER FEMALE											
1998.....	1,302	-	-	-	-	3	5	7	17	29	58
1997.....	1,343	-	-	-	2	-	2	11	7	33	56
1996.....	1,270	-	1	-	1	5	5	6	16	22	55
1995.....	1,192	-	-	-	-	-	4	3	13	29	40
1994.....	1,265	-	-	-	1	3	2	7	14	27	44
1993.....	1,208	-	-	-	-	3	3	3	14	24	42
1992.....	1,251	-	-	-	2	2	5	6	10	28	38
1991.....	1,241	-	-	-	1	2	4	4	20	36	48
1990.....	1,116	-	-	-	1	3	5	10	10	20	37
1989.....	1,042	-	-	-	1	1	4	5	13	28	42
1988.....	1,104	-	-	-	-	2	1	13	19	24	30
1987.....	1,011	-	-	-	2	-	5	10	12	25	29
1986.....	994	-	-	1	-	2	4	6	9	18	33
1985.....	960	-	-	1	-	5	4	3	11	22	31
1984.....	950	-	-	-	2	2	1	9	11	16	31
1983.....	957	-	-	1	-	6	9	8	17	20	34
1982.....	915	1	-	-	3	4	2	9	17	20	20
1981.....	889	-	-	-	2	6	6	6	16	20	28
1980.....	897	-	-	-	1	5	7	6	9	16	27
1979.....	871	-	-	2	1	7	9	8	11	12	36

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF OVARY AND OTHER UTERINE ADNEXA (183)											
BLACK, BOTH SEXES											
1998.....	1,090	-	-	-	-	3	5	6	15	24	48
1997.....	1,130	-	-	-	2	-	1	9	7	28	37
1996.....	1,028	-	1	-	1	4	3	2	12	17	38
1995.....	1,008	-	-	-	-	-	4	2	11	25	29
1994.....	1,051	-	-	-	-	3	2	5	9	20	33
1993.....	1,018	-	-	-	-	2	3	2	10	19	31
1992.....	1,057	-	-	-	2	1	4	3	7	24	30
1991.....	1,067	-	-	-	1	2	3	4	15	29	34
1990.....	975	-	-	-	-	2	3	8	7	15	30
1989.....	901	-	-	-	1	-	2	2	11	20	34
1988.....	953	-	-	-	-	2	1	10	15	15	24
1987.....	896	-	-	-	2	-	4	8	9	16	24
1986.....	870	-	-	1	-	2	3	3	6	16	21
1985.....	847	-	-	1	-	4	3	3	9	14	21
1984.....	851	-	-	-	2	2	1	8	9	11	25
1983.....	856	-	-	1	-	4	9	7	13	13	30
1982.....	833	-	-	-	2	4	2	7	17	17	15
1981.....	793	-	-	-	2	6	5	6	11	12	25
1980.....	833	-	-	-	1	4	7	5	9	12	25
1979.....	802	-	-	1	1	7	8	7	8	11	30
BLACK FEMALE											
1998.....	1,090	-	-	-	-	3	5	6	15	24	48
1997.....	1,130	-	-	-	2	-	1	9	7	28	37
1996.....	1,028	-	1	-	1	4	3	2	12	17	38
1995.....	1,008	-	-	-	-	-	4	2	11	25	29
1994.....	1,051	-	-	-	-	3	2	5	9	20	33
1993.....	1,018	-	-	-	-	2	3	2	10	19	31
1992.....	1,057	-	-	-	2	1	4	3	7	24	30
1991.....	1,067	-	-	-	1	2	3	4	15	29	34
1990.....	975	-	-	-	-	2	3	8	7	15	30
1989.....	901	-	-	-	1	-	2	2	11	20	34
1988.....	953	-	-	-	-	2	1	10	15	15	24
1987.....	896	-	-	-	2	-	4	8	9	16	24
1986.....	870	-	-	1	-	2	3	3	6	16	21
1985.....	847	-	-	1	-	4	3	3	9	14	21
1984.....	851	-	-	-	2	2	1	8	9	11	25
1983.....	856	-	-	1	-	4	9	7	13	13	30
1982.....	833	-	-	-	2	4	2	7	17	17	15
1981.....	793	-	-	-	2	6	5	6	11	12	25
1980.....	833	-	-	-	1	4	7	5	9	12	25
1979.....	802	-	-	1	1	7	8	7	8	11	30

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS (184)											
TOTAL, BOTH SEXES											
1998.....	1,246	-	-	-	-	-	1	1	6	13	22
1997.....	1,150	-	-	-	-	-	-	3	3	10	23
1996.....	1,169	-	-	-	-	-	-	3	3	15	11
1995.....	1,208	-	-	-	-	-	1	2	4	11	27
1994.....	1,113	-	-	-	-	1	-	2	10	7	18
1993.....	1,201	-	-	-	-	-	1	4	5	12	21
1992.....	1,119	-	-	-	-	-	-	3	5	7	17
1991.....	1,075	-	-	-	-	-	-	6	7	7	14
1990.....	1,117	-	-	-	-	-	1	5	4	11	13
1989.....	1,026	-	-	-	1	1	-	1	5	10	10
1988.....	1,039	-	2	-	1	-	1	-	8	12	11
1987.....	969	-	-	-	-	-	5	1	10	7	16
1986.....	1,039	-	-	-	-	-	2	2	7	11	13
1985.....	1,062	-	-	-	-	-	1	4	9	3	16
1984.....	964	-	-	-	-	2	2	2	7	7	11
1983.....	1,008	-	-	1	-	1	2	8	2	13	13
1982.....	961	-	-	-	-	2	-	4	6	3	9
1981.....	994	-	1	-	-	2	-	5	4	6	14
1980.....	957	-	-	-	1	2	1	3	2	8	16
1979.....	931	-	1	-	-	5	6	5	1	10	19
TOTAL, FEMALE											
1998.....	1,246	-	-	-	-	-	1	1	6	13	22
1997.....	1,150	-	-	-	-	-	-	3	3	10	23
1996.....	1,169	-	-	-	-	-	-	3	3	15	11
1995.....	1,208	-	-	-	-	-	1	2	4	11	27
1994.....	1,113	-	-	-	-	1	-	2	10	7	18
1993.....	1,201	-	-	-	-	-	1	4	5	12	21
1992.....	1,119	-	-	-	-	-	-	3	5	7	17
1991.....	1,075	-	-	-	-	-	-	6	7	7	14
1990.....	1,117	-	-	-	-	-	1	5	4	11	13
1989.....	1,026	-	-	-	1	1	-	1	5	10	10
1988.....	1,039	-	2	-	1	-	1	-	8	12	11
1987.....	969	-	-	-	-	-	5	1	10	7	16
1986.....	1,039	-	-	-	-	-	2	2	7	11	13
1985.....	1,062	-	-	-	-	-	1	4	9	3	16
1984.....	964	-	-	-	-	2	2	2	7	7	11
1983.....	1,008	-	-	1	-	1	2	8	2	13	13
1982.....	961	-	-	-	-	2	-	4	6	3	9
1981.....	994	-	1	-	-	2	-	5	4	6	14
1980.....	957	-	-	-	1	2	1	3	2	8	16
1979.....	931	-	1	-	-	5	6	5	1	10	19

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS (184)											
WHITE, BOTH SEXES											
1998.....	1,108	-	-	-	-	-	-	1	5	9	17
1997.....	1,037	-	-	-	-	-	-	1	3	7	18
1996.....	1,048	-	-	-	-	-	-	2	3	12	10
1995.....	1,071	-	-	-	-	-	1	2	3	9	24
1994.....	1,000	-	-	-	-	1	-	2	6	6	16
1993.....	1,079	-	-	-	-	-	-	2	3	9	18
1992.....	983	-	-	-	-	-	-	3	5	6	13
1991.....	950	-	-	-	-	-	-	4	6	3	10
1990.....	983	-	-	-	-	-	1	2	3	10	10
1989.....	915	-	-	-	1	1	-	1	4	9	5
1988.....	917	-	2	-	1	-	-	-	7	9	9
1987.....	837	-	-	-	-	-	1	1	8	7	10
1986.....	899	-	-	-	-	-	2	2	6	8	13
1985.....	937	-	-	-	-	-	1	4	8	3	14
1984.....	840	-	-	-	-	2	1	2	5	5	8
1983.....	885	-	-	1	-	1	1	4	2	8	10
1982.....	849	-	-	-	-	2	-	3	3	2	6
1981.....	902	-	1	-	-	2	-	3	4	5	11
1980.....	849	-	-	-	1	2	-	3	1	7	10
1979.....	835	-	1	-	-	4	5	4	1	9	14
WHITE FEMALE											
1998.....	1,108	-	-	-	-	-	-	1	5	9	17
1997.....	1,037	-	-	-	-	-	-	1	3	7	18
1996.....	1,048	-	-	-	-	-	-	2	3	12	10
1995.....	1,071	-	-	-	-	-	1	2	3	9	24
1994.....	1,000	-	-	-	-	1	-	2	6	6	16
1993.....	1,079	-	-	-	-	-	-	2	3	9	18
1992.....	983	-	-	-	-	-	-	3	5	6	13
1991.....	950	-	-	-	-	-	-	4	6	3	10
1990.....	983	-	-	-	-	-	1	2	3	10	10
1989.....	915	-	-	-	1	1	-	1	4	9	5
1988.....	917	-	2	-	1	-	-	-	7	9	9
1987.....	837	-	-	-	-	-	1	1	8	7	10
1986.....	899	-	-	-	-	-	2	2	6	8	13
1985.....	937	-	-	-	-	-	1	4	8	3	14
1984.....	840	-	-	-	-	2	1	2	5	5	8
1983.....	885	-	-	1	-	1	1	4	2	8	10
1982.....	849	-	-	-	-	2	-	3	3	2	6
1981.....	902	-	1	-	-	2	-	3	4	5	11
1980.....	849	-	-	-	1	2	-	3	1	7	10
1979.....	835	-	1	-	-	4	5	4	1	9	14

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS (184)											
ALL OTHER, BOTH SEXES											
1998.....	138	-	-	-	-	-	1	-	1	4	5
1997.....	113	-	-	-	-	-	-	2	-	3	5
1996.....	121	-	-	-	-	-	-	1	-	3	1
1995.....	137	-	-	-	-	-	-	-	1	2	3
1994.....	113	-	-	-	-	-	-	-	4	1	2
1993.....	122	-	-	-	-	-	1	2	2	3	3
1992.....	136	-	-	-	-	-	-	-	-	1	4
1991.....	125	-	-	-	-	-	-	2	1	4	4
1990.....	134	-	-	-	-	-	-	3	1	1	3
1989.....	111	-	-	-	-	-	-	-	1	1	5
1988.....	122	-	-	-	-	-	1	-	1	3	2
1987.....	132	-	-	-	-	-	4	-	2	-	6
1986.....	140	-	-	-	-	-	-	-	1	3	-
1985.....	125	-	-	-	-	-	-	-	1	-	2
1984.....	124	-	-	-	-	-	1	-	2	2	3
1983.....	123	-	-	-	-	-	1	4	-	5	3
1982.....	112	-	-	-	-	-	-	1	3	1	3
1981.....	92	-	-	-	-	-	-	2	-	1	3
1980.....	108	-	-	-	-	-	1	-	1	1	6
1979.....	96	-	-	-	-	1	1	1	-	1	5
ALL OTHER FEMALE											
1998.....	138	-	-	-	-	-	1	-	1	4	5
1997.....	113	-	-	-	-	-	-	2	-	3	5
1996.....	121	-	-	-	-	-	-	1	-	3	1
1995.....	137	-	-	-	-	-	-	-	1	2	3
1994.....	113	-	-	-	-	-	-	-	4	1	2
1993.....	122	-	-	-	-	-	1	2	2	3	3
1992.....	136	-	-	-	-	-	-	-	-	1	4
1991.....	125	-	-	-	-	-	-	2	1	4	4
1990.....	134	-	-	-	-	-	-	3	1	1	3
1989.....	111	-	-	-	-	-	-	-	1	1	5
1988.....	122	-	-	-	-	-	1	-	1	3	2
1987.....	132	-	-	-	-	-	4	-	2	-	6
1986.....	140	-	-	-	-	-	-	-	1	3	-
1985.....	125	-	-	-	-	-	-	-	1	-	2
1984.....	124	-	-	-	-	-	1	-	2	2	3
1983.....	123	-	-	-	-	-	1	4	-	5	3
1982.....	112	-	-	-	-	-	-	1	3	1	3
1981.....	92	-	-	-	-	-	-	2	-	1	3
1980.....	108	-	-	-	-	-	1	-	1	1	6
1979.....	96	-	-	-	-	1	1	1	-	1	5

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF OTHER AND UNSPECIFIED FEMALE GENITAL ORGANS (184)											
BLACK, BOTH SEXES											
1998.....	119	-	-	-	-	-	1	-	-	4	5
1997.....	103	-	-	-	-	-	-	2	-	2	4
1996.....	106	-	-	-	-	-	-	1	-	2	1
1995.....	124	-	-	-	-	-	-	-	1	2	2
1994.....	105	-	-	-	-	-	-	-	4	1	2
1993.....	109	-	-	-	-	-	1	2	2	2	3
1992.....	131	-	-	-	-	-	-	-	-	1	4
1991.....	117	-	-	-	-	-	-	2	1	4	3
1990.....	123	-	-	-	-	-	-	3	1	1	3
1989.....	99	-	-	-	-	-	-	-	-	-	5
1988.....	118	-	-	-	-	-	1	-	1	2	2
1987.....	123	-	-	-	-	-	4	-	2	-	6
1986.....	128	-	-	-	-	-	-	-	1	3	-
1985.....	118	-	-	-	-	-	-	-	1	-	2
1984.....	119	-	-	-	-	-	1	-	2	2	3
1983.....	118	-	-	-	-	-	-	4	-	5	2
1982.....	106	-	-	-	-	-	-	1	3	1	2
1981.....	88	-	-	-	-	-	-	2	-	1	3
1980.....	99	-	-	-	-	-	1	-	1	1	4
1979.....	91	-	-	-	-	1	1	1	-	1	4
BLACK FEMALE											
1998.....	119	-	-	-	-	-	1	-	-	4	5
1997.....	103	-	-	-	-	-	-	2	-	2	4
1996.....	106	-	-	-	-	-	-	1	-	2	1
1995.....	124	-	-	-	-	-	-	-	1	2	2
1994.....	105	-	-	-	-	-	-	-	4	1	2
1993.....	109	-	-	-	-	-	1	2	2	2	3
1992.....	131	-	-	-	-	-	-	-	-	1	4
1991.....	117	-	-	-	-	-	-	2	1	4	3
1990.....	123	-	-	-	-	-	-	3	1	1	3
1989.....	99	-	-	-	-	-	-	-	-	-	5
1988.....	118	-	-	-	-	-	1	-	1	2	2
1987.....	123	-	-	-	-	-	4	-	2	-	6
1986.....	128	-	-	-	-	-	-	-	1	3	-
1985.....	118	-	-	-	-	-	-	-	1	-	2
1984.....	119	-	-	-	-	-	1	-	2	2	3
1983.....	118	-	-	-	-	-	-	4	-	5	2
1982.....	106	-	-	-	-	-	-	1	3	1	2
1981.....	88	-	-	-	-	-	-	2	-	1	3
1980.....	99	-	-	-	-	-	1	-	1	1	4
1979.....	91	-	-	-	-	1	1	1	-	1	4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF PROSTATE (185)											
TOTAL, BOTH SEXES											
1998.....	32,203	-	-	-	-	-	-	2	3	4	33
1997.....	32,891	-	1	-	-	1	1	2	5	7	27
1996.....	34,123	-	-	-	-	-	2	-	1	6	26
1995.....	34,475	-	-	-	-	5	-	2	1	9	27
1994.....	34,902	-	-	-	2	-	-	2	2	4	20
1993.....	34,865	-	-	-	-	2	-	-	3	4	24
1992.....	34,240	-	-	1	-	3	-	1	4	5	22
1991.....	33,564	-	-	1	-	-	3	1	2	4	20
1990.....	32,378	2	-	-	-	1	-	2	2	5	15
1989.....	30,520	-	1	-	-	1	1	-	2	3	23
1988.....	28,982	2	-	1	-	-	2	3	2	4	13
1987.....	27,864	-	1	-	-	2	1	3	3	6	15
1986.....	27,262	-	3	-	1	2	2	1	2	5	10
1985.....	25,943	-	-	-	2	3	-	3	-	2	16
1984.....	25,407	-	1	2	1	2	2	1	3	4	16
1983.....	24,959	1	2	2	-	-	1	2	1	4	20
1982.....	24,021	-	1	2	-	1	-	2	1	4	16
1981.....	23,370	-	-	2	1	2	1	1	3	5	15
1980.....	22,881	-	-	-	-	2	1	1	3	4	11
1979.....	22,240	-	-	1	1	5	2	-	-	1	5
TOTAL, MALE											
1998.....	32,203	-	-	-	-	-	-	2	3	4	33
1997.....	32,891	-	1	-	-	1	1	2	5	7	27
1996.....	34,123	-	-	-	-	-	2	-	1	6	26
1995.....	34,475	-	-	-	-	5	-	2	1	9	27
1994.....	34,902	-	-	-	2	-	-	2	2	4	20
1993.....	34,865	-	-	-	-	2	-	-	3	4	24
1992.....	34,240	-	-	1	-	3	-	1	4	5	22
1991.....	33,564	-	-	1	-	-	3	1	2	4	20
1990.....	32,378	2	-	-	-	1	-	2	2	5	15
1989.....	30,520	-	1	-	-	1	1	-	2	3	23
1988.....	28,982	2	-	1	-	-	2	3	2	4	13
1987.....	27,864	-	1	-	-	2	1	3	3	6	15
1986.....	27,262	-	3	-	1	2	2	1	2	5	10
1985.....	25,943	-	-	-	2	3	-	3	-	2	16
1984.....	25,407	-	1	2	1	2	2	1	3	4	16
1983.....	24,959	1	2	2	-	-	1	2	1	4	20
1982.....	24,021	-	1	2	-	1	-	2	1	4	16
1981.....	23,370	-	-	2	1	2	1	1	3	5	15
1980.....	22,881	-	-	-	-	2	1	1	3	4	11
1979.....	22,240	-	-	1	1	5	2	-	-	1	5

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF PROSTATE (185)											
WHITE, BOTH SEXES											
1998.....	26,416	-	-	-	-	-	-	2	2	3	24
1997.....	27,052	-	1	-	-	1	1	4	6	16	
1996.....	28,021	-	-	-	-	-	2	-	5	21	
1995.....	28,495	-	-	-	-	5	-	1	7	17	
1994.....	28,912	-	-	-	2	-	-	2	2	14	
1993.....	28,847	-	-	-	-	2	-	-	3	16	
1992.....	28,430	-	-	1	-	2	-	1	2	15	
1991.....	27,971	-	-	1	-	-	2	1	1	18	
1990.....	26,917	1	-	-	-	1	-	2	1	14	
1989.....	25,469	-	1	-	-	-	1	-	1	21	
1988.....	24,176	-	-	1	-	-	2	2	2	10	
1987.....	23,169	-	1	-	-	2	-	3	3	14	
1986.....	22,708	-	3	-	1	2	2	1	2	8	
1985.....	21,472	-	-	-	1	3	-	3	-	11	
1984.....	21,104	-	1	2	1	1	2	1	2	12	
1983.....	20,787	1	2	2	-	-	1	1	1	17	
1982.....	20,065	-	1	2	-	1	-	2	1	10	
1981.....	19,405	-	-	1	1	2	1	-	3	12	
1980.....	19,096	-	-	-	-	1	1	1	2	9	
1979.....	18,654	-	-	1	1	5	1	-	-	2	
WHITE MALE											
1998.....	26,416	-	-	-	-	-	-	2	2	3	24
1997.....	27,052	-	1	-	-	1	1	1	4	6	16
1996.....	28,021	-	-	-	-	-	2	-	-	5	21
1995.....	28,495	-	-	-	-	5	-	1	1	7	17
1994.....	28,912	-	-	-	2	-	-	2	2	14	
1993.....	28,847	-	-	-	-	2	-	-	3	16	
1992.....	28,430	-	-	1	-	2	-	1	2	15	
1991.....	27,971	-	-	1	-	-	2	1	1	18	
1990.....	26,917	1	-	-	-	1	-	2	1	14	
1989.....	25,469	-	1	-	-	-	1	-	1	21	
1988.....	24,176	-	-	1	-	-	2	2	2	10	
1987.....	23,169	-	1	-	-	2	-	3	3	14	
1986.....	22,708	-	3	-	1	2	2	1	2	8	
1985.....	21,472	-	-	-	1	3	-	3	-	11	
1984.....	21,104	-	1	2	1	1	2	1	2	12	
1983.....	20,787	1	2	2	-	-	1	1	1	17	
1982.....	20,065	-	1	2	-	1	-	2	1	10	
1981.....	19,405	-	-	1	1	2	1	-	3	12	
1980.....	19,096	-	-	-	-	1	1	1	2	9	
1979.....	18,654	-	-	1	1	5	1	-	-	2	

TABLE 292. DEATHS FOR 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF PROSTATE (185)											
ALL OTHER, BOTH SEXES											
1998.....	5,787	-	-	-	-	-	-	-	1	1	9
1997.....	5,839	-	-	-	-	-	-	1	1	1	11
1996.....	6,102	-	-	-	-	-	-	-	1	1	5
1995.....	5,980	-	-	-	-	-	-	1	-	2	10
1994.....	5,990	-	-	-	-	-	-	-	-	3	6
1993.....	6,018	-	-	-	-	-	-	-	-	1	8
1992.....	5,810	-	-	-	-	1	-	-	2	1	7
1991.....	5,593	-	-	-	-	-	1	-	1	2	2
1990.....	5,461	1	-	-	-	-	-	-	1	4	1
1989.....	5,051	-	-	-	-	1	-	-	1	-	2
1988.....	4,806	2	-	-	-	-	-	1	-	1	3
1987.....	4,695	-	-	-	-	-	1	-	-	2	1
1986.....	4,554	-	-	-	-	-	-	-	-	2	2
1985.....	4,471	-	-	-	1	-	-	-	-	-	5
1984.....	4,303	-	-	-	-	1	-	-	1	2	4
1983.....	4,172	-	-	-	-	-	-	1	-	-	3
1982.....	3,956	-	-	-	-	-	-	-	-	2	6
1981.....	3,965	-	-	1	-	-	-	1	-	1	3
1980.....	3,785	-	-	-	-	1	-	-	1	2	2
1979.....	3,586	-	-	-	-	-	1	-	-	-	3
ALL OTHER MALE											
1998.....	5,787	-	-	-	-	-	-	-	1	1	9
1997.....	5,839	-	-	-	-	-	-	1	1	1	11
1996.....	6,102	-	-	-	-	-	-	-	1	1	5
1995.....	5,980	-	-	-	-	-	-	1	-	2	10
1994.....	5,990	-	-	-	-	-	-	-	-	3	6
1993.....	6,018	-	-	-	-	-	-	-	-	1	8
1992.....	5,810	-	-	-	-	1	-	-	2	1	7
1991.....	5,593	-	-	-	-	-	1	-	1	2	2
1990.....	5,461	1	-	-	-	-	-	-	1	4	1
1989.....	5,051	-	-	-	-	1	-	-	1	-	2
1988.....	4,806	2	-	-	-	-	-	1	-	1	3
1987.....	4,695	-	-	-	-	-	1	-	-	2	1
1986.....	4,554	-	-	-	-	-	-	-	-	2	2
1985.....	4,471	-	-	-	1	-	-	-	-	-	5
1984.....	4,303	-	-	-	-	1	-	-	1	2	4
1983.....	4,172	-	-	-	-	-	-	1	-	-	3
1982.....	3,956	-	-	-	-	-	-	-	-	2	6
1981.....	3,965	-	-	1	-	-	-	1	-	1	3
1980.....	3,785	-	-	-	-	1	-	-	1	2	2
1979.....	3,586	-	-	-	-	-	1	-	-	-	3

TABLE 292. DEATHS FOR 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF PROSTATE (185)											
BLACK, BOTH SEXES											
1998.....	5,436	-	-	-	-	-	-	-	1	1	8
1997.....	5,466	-	-	-	-	-	-	1	1	10	
1996.....	5,717	-	-	-	-	-	-	-	1	3	
1995.....	5,592	-	-	-	-	-	-	1	-	10	
1994.....	5,650	-	-	-	-	-	-	-	-	6	
1993.....	5,656	-	-	-	-	-	-	-	-	7	
1992.....	5,485	-	-	-	-	1	-	-	1	7	
1991.....	5,299	-	-	-	-	-	1	-	1	2	
1990.....	5,181	1	-	-	-	-	-	-	1	4	
1989.....	4,785	-	-	-	-	1	-	-	1	-	
1988.....	4,582	2	-	-	-	-	-	-	-	1	
1987.....	4,488	-	-	-	-	-	1	-	-	2	
1986.....	4,358	-	-	-	-	-	-	-	-	2	
1985.....	4,273	-	-	-	1	-	-	-	-	-	
1984.....	4,130	-	-	-	-	1	-	-	1	2	
1983.....	4,040	-	-	-	-	-	-	1	-	-	
1982.....	3,811	-	-	-	-	-	-	-	-	2	
1981.....	3,839	-	-	1	-	-	-	1	-	1	
1980.....	3,670	-	-	-	-	1	-	-	1	2	
1979.....	3,478	-	-	-	-	-	1	-	-	-	
BLACK MALE											
1998.....	5,436	-	-	-	-	-	-	-	1	1	8
1997.....	5,466	-	-	-	-	-	-	1	1	10	
1996.....	5,717	-	-	-	-	-	-	-	1	1	
1995.....	5,592	-	-	-	-	-	-	1	-	2	
1994.....	5,650	-	-	-	-	-	-	-	-	3	
1993.....	5,656	-	-	-	-	-	-	-	-	1	
1992.....	5,485	-	-	-	-	1	-	-	1	1	
1991.....	5,299	-	-	-	-	-	1	-	1	2	
1990.....	5,181	1	-	-	-	-	-	-	1	4	
1989.....	4,785	-	-	-	-	1	-	-	1	-	
1988.....	4,582	2	-	-	-	-	-	-	-	1	
1987.....	4,488	-	-	-	-	-	1	-	-	2	
1986.....	4,358	-	-	-	-	-	-	-	-	2	
1985.....	4,273	-	-	-	1	-	-	-	-	-	
1984.....	4,130	-	-	-	-	1	-	-	1	2	
1983.....	4,040	-	-	-	-	-	-	1	-	-	
1982.....	3,811	-	-	-	-	-	-	-	-	2	
1981.....	3,839	-	-	1	-	-	-	1	-	1	
1980.....	3,670	-	-	-	-	1	-	-	1	2	
1979.....	3,478	-	-	-	-	-	1	-	-	-	

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR OF TESTIS (186)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
TOTAL, BOTH SEXES											
1998.....	370	-	-	-	-	5	30	44	53	67	50
1997.....	316	-	-	1	-	9	31	31	49	53	37
1996.....	345	-	-	-	-	6	28	57	49	59	34
1995.....	314	-	-	-	-	14	28	28	56	57	36
1994.....	349	-	-	-	-	9	44	52	59	54	44
1993.....	374	-	-	-	1	11	41	56	65	48	41
1992.....	355	-	2	-	-	13	31	58	56	52	41
1991.....	366	-	-	1	-	5	34	62	67	70	28
1990.....	342	-	-	-	-	11	38	55	67	58	33
1989.....	392	1	4	2	-	13	39	76	65	54	37
1988.....	367	-	1	-	2	8	45	58	59	37	33
1987.....	422	-	-	1	1	16	49	85	71	55	32
1986.....	384	-	2	-	-	11	56	66	72	49	25
1985.....	425	-	3	-	-	13	64	81	82	47	33
1984.....	401	-	3	-	1	14	63	72	74	39	24
1983.....	444	1	3	1	2	23	75	92	71	39	22
1982.....	455	-	2	1	1	26	64	89	80	43	24
1981.....	425	-	3	-	-	27	71	87	80	33	18
1980.....	501	-	2	1	2	38	86	100	78	42	24
1979.....	539	1	3	2	1	21	80	100	79	56	34
TOTAL, MALE											
1998.....	370	-	-	-	-	5	30	44	53	67	50
1997.....	316	-	-	1	-	9	31	31	49	53	37
1996.....	345	-	-	-	-	6	28	57	49	59	34
1995.....	314	-	-	-	-	14	28	28	56	57	36
1994.....	349	-	-	-	-	9	44	52	59	54	44
1993.....	374	-	-	-	1	11	41	56	65	48	41
1992.....	355	-	2	-	-	13	31	58	56	52	41
1991.....	366	-	-	1	-	5	34	62	67	70	28
1990.....	342	-	-	-	-	11	38	55	67	58	33
1989.....	392	1	4	2	-	13	39	76	65	54	37
1988.....	367	-	1	-	2	8	45	58	59	37	33
1987.....	422	-	-	1	1	16	49	85	71	55	32
1986.....	384	-	2	-	-	11	56	66	72	49	25
1985.....	425	-	3	-	-	13	64	81	82	47	33
1984.....	401	-	3	-	1	14	63	72	74	39	24
1983.....	444	1	3	1	2	23	75	92	71	39	22
1982.....	455	-	2	1	1	26	64	89	80	43	24
1981.....	425	-	3	-	-	27	71	87	80	33	18
1980.....	501	-	2	1	2	38	86	100	78	42	24
1979.....	539	1	3	2	1	21	80	100	79	56	34

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR OF TESTIS (186)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
WHITE, BOTH SEXES											
1998.....	340	-	-	-	-	4	25	42	51	60	49
1997.....	287	-	-	-	-	8	29	29	43	48	34
1996.....	320	-	-	-	-	5	27	53	44	53	32
1995.....	289	-	-	-	-	13	27	25	52	49	34
1994.....	325	-	-	-	-	9	40	50	55	49	39
1993.....	351	-	-	-	1	8	38	52	63	45	41
1992.....	332	-	2	-	-	12	30	55	52	46	38
1991.....	335	-	-	1	-	4	31	59	59	62	26
1990.....	322	-	-	-	-	10	37	51	63	57	31
1989.....	359	1	4	1	-	11	35	73	60	48	35
1988.....	344	-	-	-	2	8	39	55	57	34	32
1987.....	389	-	-	-	1	14	40	78	67	55	32
1986.....	359	-	2	-	-	8	54	59	70	46	24
1985.....	396	-	3	-	-	11	63	74	77	41	33
1984.....	374	-	2	-	1	14	61	72	66	35	22
1983.....	414	1	3	1	2	22	71	84	69	36	21
1982.....	428	-	2	1	1	26	58	83	76	41	23
1981.....	400	-	3	-	-	25	67	86	77	30	16
1980.....	478	-	2	1	2	34	83	97	74	41	23
1979.....	496	1	2	2	1	21	76	95	69	51	31
WHITE MALE											
1998.....	340	-	-	-	-	4	25	42	51	60	49
1997.....	287	-	-	-	-	8	29	29	43	48	34
1996.....	320	-	-	-	-	5	27	53	44	53	32
1995.....	289	-	-	-	-	13	27	25	52	49	34
1994.....	325	-	-	-	-	9	40	50	55	49	39
1993.....	351	-	-	-	1	8	38	52	63	45	41
1992.....	332	-	2	-	-	12	30	55	52	46	38
1991.....	335	-	-	1	-	4	31	59	59	62	26
1990.....	322	-	-	-	-	10	37	51	63	57	31
1989.....	359	1	4	1	-	11	35	73	60	48	35
1988.....	344	-	-	-	2	8	39	55	57	34	32
1987.....	389	-	-	-	1	14	40	78	67	55	32
1986.....	359	-	2	-	-	8	54	59	70	46	24
1985.....	396	-	3	-	-	11	63	74	77	41	33
1984.....	374	-	2	-	1	14	61	72	66	35	22
1983.....	414	1	3	1	2	22	71	84	69	36	21
1982.....	428	-	2	1	1	26	58	83	76	41	23
1981.....	400	-	3	-	-	25	67	86	77	30	16
1980.....	478	-	2	1	2	34	83	97	74	41	23
1979.....	496	1	2	2	1	21	76	95	69	51	31

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF TESTIS (186)											
ALL OTHER, BOTH SEXES											
1998.....	30	-	-	-	-	1	5	2	2	7	1
1997.....	29	-	-	1	-	1	2	2	6	5	3
1996.....	25	-	-	-	-	1	1	4	5	6	2
1995.....	25	-	-	-	-	1	1	3	4	8	2
1994.....	24	-	-	-	-	-	4	2	4	5	5
1993.....	23	-	-	-	-	3	3	4	2	3	-
1992.....	23	-	-	-	-	1	1	3	4	6	3
1991.....	31	-	-	-	-	1	3	3	8	8	2
1990.....	20	-	-	-	-	1	1	4	4	1	2
1989.....	33	-	-	1	-	2	4	3	5	6	2
1988.....	23	-	1	-	-	-	6	3	2	3	1
1987.....	33	-	-	1	-	2	9	7	4	-	-
1986.....	25	-	-	-	-	3	2	7	2	3	1
1985.....	29	-	-	-	-	2	1	7	5	6	-
1984.....	27	-	1	-	-	-	2	-	8	4	2
1983.....	30	-	-	-	-	1	4	8	2	3	1
1982.....	27	-	-	-	-	-	6	6	4	2	1
1981.....	25	-	-	-	-	2	4	1	3	3	2
1980.....	23	-	-	-	-	4	3	3	4	1	1
1979.....	43	-	1	-	-	-	4	5	10	5	3
ALL OTHER MALE											
1998.....	30	-	-	-	-	1	5	2	2	7	1
1997.....	29	-	-	1	-	1	2	2	6	5	3
1996.....	25	-	-	-	-	1	1	4	5	6	2
1995.....	25	-	-	-	-	1	1	3	4	8	2
1994.....	24	-	-	-	-	-	4	2	4	5	5
1993.....	23	-	-	-	-	3	3	4	2	3	-
1992.....	23	-	-	-	-	1	1	3	4	6	3
1991.....	31	-	-	-	-	1	3	3	8	8	2
1990.....	20	-	-	-	-	1	1	4	4	1	2
1989.....	33	-	-	1	-	2	4	3	5	6	2
1988.....	23	-	1	-	-	-	6	3	2	3	1
1987.....	33	-	-	1	-	2	9	7	4	-	-
1986.....	25	-	-	-	-	3	2	7	2	3	1
1985.....	29	-	-	-	-	2	1	7	5	6	-
1984.....	27	-	1	-	-	-	2	-	8	4	2
1983.....	30	-	-	-	-	1	4	8	2	3	1
1982.....	27	-	-	-	-	-	6	6	4	2	1
1981.....	25	-	-	-	-	2	4	1	3	3	2
1980.....	23	-	-	-	-	4	3	3	4	1	1
1979.....	43	-	1	-	-	-	4	5	10	5	3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR OF TESTIS (186)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
BLACK, BOTH SEXES											
1998.....	24	-	-	-	-	1	2	1	1	7	1
1997.....	24	-	-	1	-	-	1	2	5	4	2
1996.....	17	-	-	-	-	-	1	2	4	3	2
1995.....	14	-	-	-	-	-	-	1	3	7	1
1994.....	21	-	-	-	-	-	3	2	4	4	4
1993.....	21	-	-	-	-	2	3	3	2	3	-
1992.....	18	-	-	-	-	1	1	1	3	6	2
1991.....	18	-	-	-	-	-	-	2	5	5	1
1990.....	15	-	-	-	-	-	1	2	4	1	2
1989.....	28	-	-	1	-	2	3	2	5	5	2
1988.....	17	-	1	-	-	-	3	2	2	3	1
1987.....	24	-	-	-	-	2	3	5	4	-	-
1986.....	21	-	-	-	-	3	2	6	2	2	-
1985.....	22	-	-	-	-	2	1	4	4	4	-
1984.....	19	-	1	-	-	-	-	-	6	3	2
1983.....	22	-	-	-	-	1	3	4	1	3	1
1982.....	22	-	-	-	-	-	4	4	3	2	1
1981.....	22	-	-	-	-	2	2	1	3	3	1
1980.....	19	-	-	-	-	3	3	2	4	1	1
1979.....	35	-	-	-	-	-	3	5	6	3	3
BLACK MALE											
1998.....	24	-	-	-	-	1	2	1	1	7	1
1997.....	24	-	-	1	-	-	1	2	5	4	2
1996.....	17	-	-	-	-	-	1	2	4	3	2
1995.....	14	-	-	-	-	-	-	1	3	7	1
1994.....	21	-	-	-	-	-	3	2	4	4	4
1993.....	21	-	-	-	-	2	3	3	2	3	-
1992.....	18	-	-	-	-	1	1	1	3	6	2
1991.....	18	-	-	-	-	-	-	2	5	5	1
1990.....	15	-	-	-	-	-	1	2	4	1	2
1989.....	28	-	-	1	-	2	3	2	5	5	2
1988.....	17	-	1	-	-	-	3	2	2	3	1
1987.....	24	-	-	-	-	2	3	5	4	-	-
1986.....	21	-	-	-	-	3	2	6	2	2	-
1985.....	22	-	-	-	-	2	1	4	4	4	-
1984.....	19	-	1	-	-	-	-	-	6	3	2
1983.....	22	-	-	-	-	1	3	4	1	3	1
1982.....	22	-	-	-	-	-	4	4	3	2	1
1981.....	22	-	-	-	-	2	2	1	3	3	1
1980.....	19	-	-	-	-	3	3	2	4	1	1
1979.....	35	-	-	-	-	-	3	5	6	3	3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF PENIS AND OTHER MALE GENITAL ORGANS (187)											
TOTAL, BOTH SEXES											
1998.....	227	-	-	-	-	-	1	-	2	2	2
1997.....	274	-	-	-	-	-	4	1	3	4	4
1996.....	227	-	-	-	-	-	1	1	3	6	6
1995.....	234	-	-	-	-	-	1	-	-	3	9
1994.....	224	-	-	-	-	-	-	-	2	2	5
1993.....	220	-	-	1	-	1	-	1	2	3	7
1992.....	226	-	1	-	-	1	-	1	2	1	4
1991.....	228	-	-	-	-	-	-	-	2	-	5
1990.....	209	-	-	-	-	1	-	-	1	4	4
1989.....	229	-	-	-	-	-	-	-	3	5	8
1988.....	211	-	-	-	-	-	1	3	1	4	4
1987.....	218	-	-	-	-	-	-	1	3	5	-
1986.....	232	-	-	-	-	-	-	-	2	1	9
1985.....	241	-	-	-	-	1	-	2	1	3	9
1984.....	252	-	-	-	-	-	2	-	2	6	10
1983.....	231	-	-	-	-	-	-	2	1	2	5
1982.....	239	-	-	-	-	1	1	1	2	4	4
1981.....	219	-	-	1	-	-	-	-	2	2	5
1980.....	265	-	-	-	-	1	-	2	1	5	4
1979.....	238	-	-	-	-	1	-	-	1	2	6
TOTAL, MALE											
1998.....	227	-	-	-	-	-	1	-	2	2	2
1997.....	274	-	-	-	-	-	4	1	3	4	4
1996.....	227	-	-	-	-	-	1	1	3	6	6
1995.....	234	-	-	-	-	-	1	-	-	3	9
1994.....	224	-	-	-	-	-	-	-	2	2	5
1993.....	220	-	-	1	-	1	-	1	2	3	7
1992.....	226	-	1	-	-	1	-	1	2	1	4
1991.....	228	-	-	-	-	-	-	-	2	-	5
1990.....	209	-	-	-	-	1	-	-	1	4	4
1989.....	229	-	-	-	-	-	-	-	3	5	8
1988.....	211	-	-	-	-	-	1	3	1	4	4
1987.....	218	-	-	-	-	-	-	1	3	5	-
1986.....	232	-	-	-	-	-	-	-	2	1	9
1985.....	241	-	-	-	-	1	-	2	1	3	9
1984.....	252	-	-	-	-	-	2	-	2	6	10
1983.....	231	-	-	-	-	-	-	2	1	2	5
1982.....	239	-	-	-	-	1	1	1	2	4	4
1981.....	219	-	-	1	-	-	-	-	2	2	5
1980.....	265	-	-	-	-	1	-	2	1	5	4
1979.....	238	-	-	-	-	1	-	-	1	2	6

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF PENIS AND OTHER MALE GENITAL ORGANS (187)											
WHITE, BOTH SEXES											
1998.....	191	-	-	-	-	-	1	-	2	1	1
1997.....	235	-	-	-	-	-	4	1	3	4	3
1996.....	198	-	-	-	-	-	-	1	3	5	6
1995.....	204	-	-	-	-	-	1	-	-	3	6
1994.....	197	-	-	-	-	-	-	-	1	2	4
1993.....	180	-	-	1	-	1	-	1	1	3	6
1992.....	191	-	-	-	-	-	-	1	1	1	4
1991.....	186	-	-	-	-	-	-	-	2	-	3
1990.....	173	-	-	-	-	1	-	-	1	3	3
1989.....	199	-	-	-	-	-	-	-	1	4	6
1988.....	174	-	-	-	-	-	1	3	1	4	1
1987.....	184	-	-	-	-	-	-	1	-	4	-
1986.....	190	-	-	-	-	-	-	-	2	-	7
1985.....	203	-	-	-	-	1	-	1	1	2	9
1984.....	206	-	-	-	-	-	2	-	1	3	8
1983.....	190	-	-	-	-	-	-	2	-	1	4
1982.....	195	-	-	-	-	1	1	1	1	2	3
1981.....	190	-	-	1	-	-	-	-	1	1	5
1980.....	210	-	-	-	-	1	-	2	1	3	3
1979.....	182	-	-	-	-	1	-	-	-	1	4
WHITE MALE											
1998.....	191	-	-	-	-	-	1	-	2	1	1
1997.....	235	-	-	-	-	-	4	1	3	4	3
1996.....	198	-	-	-	-	-	-	1	3	5	6
1995.....	204	-	-	-	-	-	1	-	-	3	6
1994.....	197	-	-	-	-	-	-	-	1	2	4
1993.....	180	-	-	1	-	1	-	1	1	3	6
1992.....	191	-	-	-	-	-	-	1	1	1	4
1991.....	186	-	-	-	-	-	-	-	2	-	3
1990.....	173	-	-	-	-	1	-	-	1	3	3
1989.....	199	-	-	-	-	-	-	-	1	4	6
1988.....	174	-	-	-	-	-	1	3	1	4	1
1987.....	184	-	-	-	-	-	-	1	-	4	-
1986.....	190	-	-	-	-	-	-	-	2	-	7
1985.....	203	-	-	-	-	1	-	1	1	2	9
1984.....	206	-	-	-	-	-	2	-	1	3	8
1983.....	190	-	-	-	-	-	-	2	-	1	4
1982.....	195	-	-	-	-	1	1	1	1	2	3
1981.....	190	-	-	1	-	-	-	-	1	1	5
1980.....	210	-	-	-	-	1	-	2	1	3	3
1979.....	182	-	-	-	-	1	-	-	-	1	4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF PENIS AND OTHER MALE GENITAL ORGANS (187)											
ALL OTHER, BOTH SEXES											
1998.....	36	-	-	-	-	-	-	-	-	1	1
1997.....	39	-	-	-	-	-	-	-	-	-	1
1996.....	29	-	-	-	-	-	1	-	-	1	-
1995.....	30	-	-	-	-	-	-	-	-	-	3
1994.....	27	-	-	-	-	-	-	-	1	-	1
1993.....	40	-	-	-	-	-	-	-	1	-	1
1992.....	35	-	1	-	-	1	-	-	1	-	-
1991.....	42	-	-	-	-	-	-	-	-	-	2
1990.....	36	-	-	-	-	-	-	-	-	1	1
1989.....	30	-	-	-	-	-	-	-	2	1	2
1988.....	37	-	-	-	-	-	-	-	-	-	3
1987.....	34	-	-	-	-	-	-	-	3	1	-
1986.....	42	-	-	-	-	-	-	-	-	1	2
1985.....	38	-	-	-	-	-	-	1	-	1	-
1984.....	46	-	-	-	-	-	-	-	1	3	2
1983.....	41	-	-	-	-	-	-	-	1	1	1
1982.....	44	-	-	-	-	-	-	-	1	2	1
1981.....	29	-	-	-	-	-	-	-	1	1	-
1980.....	55	-	-	-	-	-	-	-	-	2	1
1979.....	56	-	-	-	-	-	-	-	1	1	2
ALL OTHER MALE											
1998.....	36	-	-	-	-	-	-	-	-	1	1
1997.....	39	-	-	-	-	-	-	-	-	-	1
1996.....	29	-	-	-	-	-	1	-	-	1	-
1995.....	30	-	-	-	-	-	-	-	-	-	3
1994.....	27	-	-	-	-	-	-	-	1	-	1
1993.....	40	-	-	-	-	-	-	-	1	-	1
1992.....	35	-	1	-	-	1	-	-	1	-	-
1991.....	42	-	-	-	-	-	-	-	-	-	2
1990.....	36	-	-	-	-	-	-	-	-	1	1
1989.....	30	-	-	-	-	-	-	-	2	1	2
1988.....	37	-	-	-	-	-	-	-	-	-	3
1987.....	34	-	-	-	-	-	-	-	3	1	-
1986.....	42	-	-	-	-	-	-	-	-	1	2
1985.....	38	-	-	-	-	-	-	1	-	1	-
1984.....	46	-	-	-	-	-	-	-	1	3	2
1983.....	41	-	-	-	-	-	-	-	1	1	1
1982.....	44	-	-	-	-	-	-	-	1	2	1
1981.....	29	-	-	-	-	-	-	-	1	1	-
1980.....	55	-	-	-	-	-	-	-	-	2	1
1979.....	56	-	-	-	-	-	-	-	1	1	2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF PENIS AND OTHER MALE GENITAL ORGANS (187)											
BLACK, BOTH SEXES											
1998.....	31	-	-	-	-	-	-	-	-	1	1
1997.....	34	-	-	-	-	-	-	-	-	-	1
1996.....	24	-	-	-	-	-	1	-	-	1	-
1995.....	30	-	-	-	-	-	-	-	-	-	3
1994.....	22	-	-	-	-	-	-	-	1	-	1
1993.....	35	-	-	-	-	-	-	-	1	-	1
1992.....	35	-	1	-	-	1	-	-	1	-	-
1991.....	37	-	-	-	-	-	-	-	-	-	-
1990.....	30	-	-	-	-	-	-	-	-	1	1
1989.....	27	-	-	-	-	-	-	-	1	1	1
1988.....	32	-	-	-	-	-	-	-	-	-	2
1987.....	33	-	-	-	-	-	-	-	3	1	-
1986.....	41	-	-	-	-	-	-	-	-	1	2
1985.....	36	-	-	-	-	-	-	-	-	1	-
1984.....	43	-	-	-	-	-	-	-	1	2	2
1983.....	41	-	-	-	-	-	-	-	1	1	1
1982.....	42	-	-	-	-	-	-	-	1	2	1
1981.....	29	-	-	-	-	-	-	-	1	1	-
1980.....	53	-	-	-	-	-	-	-	-	2	1
1979.....	50	-	-	-	-	-	-	-	1	1	1
BLACK MALE											
1998.....	31	-	-	-	-	-	-	-	-	1	1
1997.....	34	-	-	-	-	-	-	-	-	-	1
1996.....	24	-	-	-	-	-	1	-	-	1	-
1995.....	30	-	-	-	-	-	-	-	-	-	3
1994.....	22	-	-	-	-	-	-	-	1	-	1
1993.....	35	-	-	-	-	-	-	-	1	-	1
1992.....	35	-	1	-	-	1	-	-	1	-	-
1991.....	37	-	-	-	-	-	-	-	-	-	-
1990.....	30	-	-	-	-	-	-	-	-	1	1
1989.....	27	-	-	-	-	-	-	-	1	1	1
1988.....	32	-	-	-	-	-	-	-	-	-	2
1987.....	33	-	-	-	-	-	-	-	3	1	-
1986.....	41	-	-	-	-	-	-	-	-	1	2
1985.....	36	-	-	-	-	-	-	-	-	1	-
1984.....	43	-	-	-	-	-	-	-	1	2	2
1983.....	41	-	-	-	-	-	-	-	1	1	1
1982.....	42	-	-	-	-	-	-	-	1	2	1
1981.....	29	-	-	-	-	-	-	-	1	1	-
1980.....	53	-	-	-	-	-	-	-	-	2	1
1979.....	50	-	-	-	-	-	-	-	1	1	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
MALIGNANT NEOPLASMS OF URINARY ORGANS (188-189)											
TOTAL, BOTH SEXES											
1998.....	23,768	3	21	25	9	12	13	29	46	143	335
1997.....	23,395	6	18	26	7	8	10	17	46	124	333
1996.....	23,004	5	13	22	5	15	14	26	55	141	304
1995.....	22,639	3	23	17	11	9	15	23	53	150	312
1994.....	22,432	2	17	24	7	9	16	17	64	111	302
1993.....	21,769	5	16	24	4	8	10	34	62	141	293
1992.....	21,643	2	16	26	10	5	13	20	55	137	280
1991.....	21,180	2	14	28	10	11	16	33	49	124	298
1990.....	20,654	-	20	25	7	10	14	27	81	114	274
1989.....	20,233	5	23	22	11	7	14	21	57	141	239
1988.....	19,474	5	20	33	8	9	23	26	70	113	256
1987.....	19,401	2	18	28	6	8	15	23	52	114	243
1986.....	19,113	4	20	40	4	7	18	29	59	125	211
1985.....	18,897	10	18	26	10	10	10	23	44	135	250
1984.....	18,600	2	22	19	10	7	19	31	49	102	223
1983.....	18,555	4	37	31	10	15	22	27	52	102	193
1982.....	18,460	3	24	33	10	14	21	31	61	108	200
1981.....	17,999	4	32	31	10	13	19	29	72	108	197
1980.....	17,828	9	22	32	10	13	22	31	54	78	181
1979.....	17,443	8	29	42	14	12	28	19	41	97	183
TOTAL, MALE											
1998.....	15,316	2	9	8	3	8	9	18	28	87	238
1997.....	14,837	3	7	15	2	3	6	8	30	78	214
1996.....	14,718	1	8	13	2	6	6	16	33	93	216
1995.....	14,415	1	8	6	3	4	7	13	28	97	214
1994.....	14,238	1	9	13	2	6	13	8	34	72	193
1993.....	14,073	3	9	12	2	4	6	21	39	95	203
1992.....	13,741	2	6	12	5	3	5	12	37	91	185
1991.....	13,468	2	11	12	4	4	13	15	29	79	210
1990.....	13,181	-	8	14	3	-	6	12	46	77	193
1989.....	12,976	3	9	10	8	2	7	11	31	92	165
1988.....	12,389	3	8	18	4	5	13	14	45	77	165
1987.....	12,444	-	10	14	2	1	6	12	34	73	170
1986.....	12,153	2	10	15	3	2	9	9	39	74	143
1985.....	12,195	5	9	8	5	5	4	13	26	84	161
1984.....	12,050	1	12	8	3	4	10	15	27	65	154
1983.....	12,029	2	18	14	5	10	12	17	31	68	123
1982.....	12,090	2	13	19	5	8	8	15	40	68	141
1981.....	11,705	3	20	12	8	5	10	17	42	68	136
1980.....	11,692	4	14	9	4	6	12	21	30	49	126
1979.....	11,509	5	21	13	5	6	17	9	20	58	121

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
MALIGNANT NEOPLASMS OF URINARY ORGANS (188-189)											
TOTAL, FEMALE											
1998.....	8,452	1	12	17	6	4	4	11	18	56	97
1997.....	8,558	3	11	11	5	5	4	9	16	46	119
1996.....	8,286	4	5	9	3	9	8	10	22	48	88
1995.....	8,224	2	15	11	8	5	8	10	25	53	98
1994.....	8,194	1	8	11	5	3	3	9	30	39	109
1993.....	7,696	2	7	12	2	4	4	13	23	46	90
1992.....	7,902	-	10	14	5	2	8	8	18	46	95
1991.....	7,712	-	3	16	6	7	3	18	20	45	88
1990.....	7,473	-	12	11	4	10	8	15	35	37	81
1989.....	7,257	2	14	12	3	5	7	10	26	49	74
1988.....	7,085	2	12	15	4	4	10	12	25	36	91
1987.....	6,957	2	8	14	4	7	9	11	18	41	73
1986.....	6,960	2	10	25	1	5	9	20	20	51	68
1985.....	6,702	5	9	18	5	5	6	10	18	51	89
1984.....	6,550	1	10	11	7	3	9	16	22	37	69
1983.....	6,526	2	19	17	5	5	10	10	21	34	70
1982.....	6,370	1	11	14	5	6	13	16	21	40	59
1981.....	6,294	1	12	19	2	8	9	12	30	40	61
1980.....	6,136	5	8	23	6	7	10	10	24	29	55
1979.....	5,934	3	8	29	9	6	11	10	21	39	62
WHITE, BOTH SEXES											
1998.....	21,515	3	15	19	7	7	6	14	34	107	271
1997.....	21,143	6	11	18	4	7	4	9	26	90	283
1996.....	20,821	5	11	16	3	9	5	16	35	112	248
1995.....	20,491	2	17	13	9	5	8	15	41	115	254
1994.....	20,286	2	13	20	7	6	12	9	44	87	241
1993.....	19,722	3	11	15	4	6	6	19	45	107	243
1992.....	19,667	2	10	20	7	4	6	12	40	107	232
1991.....	19,150	1	12	23	7	7	9	22	32	93	242
1990.....	18,694	-	17	22	5	3	10	16	50	93	225
1989.....	18,307	4	18	17	10	6	7	12	41	119	197
1988.....	17,700	4	15	25	5	7	15	15	48	81	219
1987.....	17,669	2	17	21	4	6	10	13	45	93	206
1986.....	17,435	4	12	34	1	6	7	17	41	92	173
1985.....	17,179	5	9	21	6	6	4	13	36	109	212
1984.....	16,922	2	20	12	8	5	12	21	38	84	181
1983.....	16,946	1	30	27	5	11	10	19	31	83	165
1982.....	16,818	2	19	26	5	11	11	18	46	91	174
1981.....	16,419	2	23	26	9	6	11	19	57	88	167
1980.....	16,377	8	15	26	9	13	12	23	44	69	164
1979.....	15,966	8	22	31	10	8	14	14	34	82	148

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
MALIGNANT NEOPLASMS OF URINARY ORGANS (188-189)											
WHITE MALE											
1998.....	13,996	2	5	4	3	4	4	8	20	67	195
1997.....	13,534	3	4	9	2	2	3	4	15	56	179
1996.....	13,475	1	6	10	1	3	1	8	19	79	179
1995.....	13,227	-	5	4	2	1	3	9	23	77	180
1994.....	13,008	1	7	11	2	4	9	5	24	58	159
1993.....	12,886	1	8	8	2	2	3	11	30	73	173
1992.....	12,575	2	6	9	4	3	2	7	27	73	158
1991.....	12,300	1	9	8	3	3	7	9	16	59	168
1990.....	12,047	-	7	12	1	-	4	6	31	67	163
1989.....	11,850	3	7	8	7	1	5	5	21	79	139
1988.....	11,366	2	6	12	1	3	8	8	31	53	143
1987.....	11,420	-	10	13	2	1	3	6	30	61	145
1986.....	11,218	2	7	13	-	2	3	6	28	58	116
1985.....	11,142	3	5	6	3	3	2	8	20	67	139
1984.....	11,061	1	11	5	3	3	5	9	22	56	130
1983.....	11,057	-	15	11	2	7	4	12	20	55	102
1982.....	11,125	1	11	13	2	6	5	9	29	60	124
1981.....	10,749	2	16	11	8	1	6	10	31	54	116
1980.....	10,848	3	11	9	4	6	6	15	24	44	115
1979.....	10,620	5	17	9	3	4	8	7	19	51	103
WHITE FEMALE											
1998.....	7,519	1	10	15	4	3	2	6	14	40	76
1997.....	7,609	3	7	9	2	5	1	5	11	34	104
1996.....	7,346	4	5	6	2	6	4	8	16	33	69
1995.....	7,264	2	12	9	7	4	5	6	18	38	74
1994.....	7,278	1	6	9	5	2	3	4	20	29	82
1993.....	6,836	2	3	7	2	4	3	8	15	34	70
1992.....	7,092	-	4	11	3	1	4	5	13	34	74
1991.....	6,850	-	3	15	4	4	2	13	16	34	74
1990.....	6,647	-	10	10	4	3	6	10	19	26	62
1989.....	6,457	1	11	9	3	5	2	7	20	40	58
1988.....	6,334	2	9	13	4	4	7	7	17	28	76
1987.....	6,249	2	7	8	2	5	7	7	15	32	61
1986.....	6,217	2	5	21	1	4	4	11	13	34	57
1985.....	6,037	2	4	15	3	3	2	5	16	42	73
1984.....	5,861	1	9	7	5	2	7	12	16	28	51
1983.....	5,889	1	15	16	3	4	6	7	11	28	63
1982.....	5,693	1	8	13	3	5	6	9	17	31	50
1981.....	5,670	-	7	15	1	5	5	9	26	34	51
1980.....	5,529	5	4	17	5	7	6	8	20	25	49
1979.....	5,346	3	5	22	7	4	6	7	15	31	45

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
MALIGNANT NEOPLASMS OF URINARY ORGANS (188-189)											
ALL OTHER, BOTH SEXES											
1998.....	2,253	-	6	6	2	5	7	15	12	36	64
1997.....	2,252	-	7	8	3	1	6	8	20	34	50
1996.....	2,183	-	2	6	2	6	9	10	20	29	56
1995.....	2,148	1	6	4	2	4	7	8	12	35	58
1994.....	2,146	-	4	4	-	3	4	8	20	24	61
1993.....	2,047	2	5	9	-	2	4	15	17	34	50
1992.....	1,976	-	6	6	3	1	7	8	15	30	48
1991.....	2,030	1	2	5	3	4	7	11	17	31	56
1990.....	1,960	-	3	3	2	7	4	11	31	21	49
1989.....	1,926	1	5	5	1	1	7	9	16	22	42
1988.....	1,774	1	5	8	3	2	8	11	22	32	37
1987.....	1,732	-	1	7	2	2	5	10	7	21	37
1986.....	1,678	-	8	6	3	1	11	12	18	33	38
1985.....	1,718	5	9	5	4	4	6	10	8	26	38
1984.....	1,678	-	2	7	2	2	7	10	11	18	42
1983.....	1,609	3	7	4	5	4	12	8	21	19	28
1982.....	1,642	1	5	7	5	3	10	13	15	17	26
1981.....	1,580	2	9	5	1	7	8	10	15	20	30
1980.....	1,451	1	7	6	1	-	10	8	10	9	17
1979.....	1,477	-	7	11	4	4	14	5	7	15	35
ALL OTHER MALE											
1998.....	1,320	-	4	4	-	4	5	10	8	20	43
1997.....	1,303	-	3	6	-	1	3	4	15	22	35
1996.....	1,243	-	2	3	1	3	5	8	14	14	37
1995.....	1,188	1	3	2	1	3	4	4	5	20	34
1994.....	1,230	-	2	2	-	2	4	3	10	14	34
1993.....	1,187	2	1	4	-	2	3	10	9	22	30
1992.....	1,166	-	-	3	1	-	3	5	10	18	27
1991.....	1,168	1	2	4	1	1	6	6	13	20	42
1990.....	1,134	-	1	2	2	-	2	6	15	10	30
1989.....	1,126	-	2	2	1	1	2	6	10	13	26
1988.....	1,023	1	2	6	3	2	5	6	14	24	22
1987.....	1,024	-	-	1	-	-	3	6	4	12	25
1986.....	935	-	3	2	3	-	6	3	11	16	27
1985.....	1,053	2	4	2	2	2	2	5	6	17	22
1984.....	989	-	1	3	-	1	5	6	5	9	24
1983.....	972	2	3	3	3	3	8	5	11	13	21
1982.....	965	1	2	6	3	2	3	6	11	8	17
1981.....	956	1	4	1	-	4	4	7	11	14	20
1980.....	844	1	3	-	-	-	6	6	6	5	11
1979.....	889	-	4	4	2	2	9	2	1	7	18

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
MALIGNANT NEOPLASMS OF URINARY ORGANS (188-189)											
ALL OTHER FEMALE											
1998.....	933	-	2	2	2	1	2	5	4	16	21
1997.....	949	-	4	2	3	-	3	4	5	12	15
1996.....	940	-	-	3	1	3	4	2	6	15	19
1995.....	960	-	3	2	1	1	3	4	7	15	24
1994.....	916	-	2	2	-	1	-	5	10	10	27
1993.....	860	-	4	5	-	-	1	5	8	12	20
1992.....	810	-	6	3	2	1	4	3	5	12	21
1991.....	862	-	-	1	2	3	1	5	4	11	14
1990.....	826	-	2	1	-	7	2	5	16	11	19
1989.....	800	1	3	3	-	-	5	3	6	9	16
1988.....	751	-	3	2	-	-	3	5	8	8	15
1987.....	708	-	1	6	2	2	2	4	3	9	12
1986.....	743	-	5	4	-	1	5	9	7	17	11
1985.....	665	3	5	3	2	2	4	5	2	9	16
1984.....	689	-	1	4	2	1	2	4	6	9	18
1983.....	637	1	4	1	2	1	4	3	10	6	7
1982.....	677	-	3	1	2	1	7	7	4	9	9
1981.....	624	1	5	4	1	3	4	3	4	6	10
1980.....	607	-	4	6	1	-	4	2	4	4	6
1979.....	588	-	3	7	2	2	5	3	6	8	17
BLACK, BOTH SEXES											
1998.....	1,913	-	5	5	2	5	5	14	11	32	57
1997.....	1,943	-	7	7	3	1	6	8	17	31	44
1996.....	1,896	-	2	6	2	6	8	10	19	24	48
1995.....	1,896	1	4	3	2	4	7	8	12	33	52
1994.....	1,876	-	3	4	-	3	2	8	18	20	53
1993.....	1,807	2	5	9	-	2	4	11	15	31	49
1992.....	1,748	-	6	6	1	1	7	8	13	22	43
1991.....	1,818	1	2	4	3	4	6	10	16	28	50
1990.....	1,792	-	2	3	2	7	4	11	30	19	44
1989.....	1,741	1	5	5	-	1	7	9	16	19	34
1988.....	1,602	1	4	8	3	2	8	11	20	28	36
1987.....	1,575	-	1	5	2	2	5	10	6	19	35
1986.....	1,536	-	7	6	3	1	11	12	17	30	35
1985.....	1,583	5	7	4	4	4	6	10	8	24	36
1984.....	1,537	-	2	6	2	2	5	10	10	17	36
1983.....	1,495	3	7	4	4	2	12	8	17	18	27
1982.....	1,516	1	2	7	5	2	10	11	14	15	25
1981.....	1,467	1	8	5	1	6	7	10	12	19	23
1980.....	1,349	1	7	6	1	-	10	8	9	8	15
1979.....	1,367	-	6	8	2	3	14	5	6	15	34

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
MALIGNANT NEOPLASMS OF URINARY ORGANS (188-189)											
BLACK MALE											
1998.....	1,099	-	3	4	-	4	4	10	8	18	39
1997.....	1,104	-	3	5	-	1	3	4	12	21	29
1996.....	1,048	-	2	3	1	3	5	8	13	11	30
1995.....	1,030	1	1	1	1	3	4	4	5	18	31
1994.....	1,063	-	1	2	-	2	2	3	9	11	31
1993.....	1,040	2	1	4	-	2	3	8	7	20	29
1992.....	1,008	-	-	3	-	-	3	5	9	12	25
1991.....	1,049	1	2	3	1	1	6	6	12	19	39
1990.....	1,029	-	1	2	2	-	2	6	14	9	26
1989.....	1,009	-	2	2	-	1	2	6	10	12	19
1988.....	912	1	1	6	3	2	5	6	14	20	22
1987.....	918	-	-	1	-	-	3	6	3	11	24
1986.....	855	-	3	2	3	-	6	3	10	15	26
1985.....	962	2	2	2	2	2	2	5	6	15	20
1984.....	888	-	1	2	-	1	4	6	4	8	18
1983.....	899	2	3	3	2	1	8	5	9	13	20
1982.....	885	1	1	6	3	1	3	5	10	6	17
1981.....	875	-	4	1	-	3	4	7	9	13	14
1980.....	772	1	3	-	-	-	6	6	5	5	9
1979.....	829	-	3	3	1	1	9	2	1	7	18
BLACK FEMALE											
1998.....	814	-	2	1	2	1	1	4	3	14	18
1997.....	839	-	4	2	3	-	3	4	5	10	15
1996.....	848	-	-	3	1	3	3	2	6	13	18
1995.....	866	-	3	2	1	1	3	4	7	15	21
1994.....	813	-	2	2	-	1	-	5	9	9	22
1993.....	767	-	4	5	-	-	1	3	8	11	20
1992.....	740	-	6	3	1	1	4	3	4	10	18
1991.....	769	-	-	1	2	3	-	4	4	9	11
1990.....	763	-	1	1	-	7	2	5	16	10	18
1989.....	732	1	3	3	-	-	5	3	6	7	15
1988.....	690	-	3	2	-	-	3	5	6	8	14
1987.....	657	-	1	4	2	2	2	4	3	8	11
1986.....	681	-	4	4	-	1	5	9	7	15	9
1985.....	621	3	5	2	2	2	4	5	2	9	16
1984.....	649	-	1	4	2	1	1	4	6	9	18
1983.....	596	1	4	1	2	1	4	3	8	5	7
1982.....	631	-	1	1	2	1	7	6	4	9	8
1981.....	592	1	4	4	1	3	3	3	3	6	9
1980.....	577	-	4	6	1	-	4	2	4	3	6
1979.....	538	-	3	5	1	2	5	3	5	8	16

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF BLADDER (188)											
TOTAL, BOTH SEXES											
1998.....	11,757	-	-	-	-	-	1	4	6	28	79
1997.....	11,582	-	-	1	-	-	-	1	6	35	76
1996.....	11,452	1	-	-	1	1	1	4	9	35	60
1995.....	11,084	-	-	1	1	-	-	6	12	36	76
1994.....	11,170	-	-	1	1	-	5	4	14	21	65
1993.....	10,962	-	1	-	-	-	-	6	14	28	74
1992.....	10,707	-	1	-	2	-	-	1	12	30	70
1991.....	10,406	-	-	-	-	2	2	4	11	19	59
1990.....	10,341	-	-	-	-	-	-	6	18	21	70
1989.....	10,121	-	2	-	1	-	1	3	11	33	39
1988.....	9,805	-	-	1	1	1	2	5	15	15	45
1987.....	9,589	-	3	-	-	1	1	5	12	33	32
1986.....	9,655	-	1	1	-	-	-	1	10	16	33
1985.....	9,787	1	1	-	-	-	-	6	4	22	47
1984.....	9,716	-	3	-	-	-	1	1	6	18	38
1983.....	9,844	-	1	2	-	2	-	5	9	23	41
1982.....	9,874	-	2	-	-	-	-	2	12	28	48
1981.....	9,815	-	-	1	1	-	1	2	11	22	44
1980.....	9,816	-	-	-	-	-	1	3	9	15	34
1979.....	9,694	2	-	1	1	1	3	1	4	19	43
TOTAL, MALE											
1998.....	7,939	-	-	-	-	-	1	1	3	15	55
1997.....	7,662	-	-	-	-	-	-	1	5	22	46
1996.....	7,683	-	-	-	-	1	-	2	8	21	40
1995.....	7,521	-	-	-	1	-	-	3	9	29	56
1994.....	7,457	-	-	-	1	-	4	1	5	12	45
1993.....	7,474	-	1	-	-	-	-	3	9	17	53
1992.....	7,123	-	-	-	-	-	-	-	8	21	44
1991.....	7,027	-	-	-	-	2	1	-	5	14	39
1990.....	6,910	-	-	-	-	-	-	2	12	15	52
1989.....	6,843	-	1	-	1	-	1	2	5	21	26
1988.....	6,534	-	-	1	1	1	1	3	7	9	22
1987.....	6,490	-	2	-	-	-	-	4	9	17	23
1986.....	6,523	-	-	-	-	-	-	-	9	11	26
1985.....	6,679	-	1	-	-	-	-	4	2	17	29
1984.....	6,601	-	3	-	-	-	-	-	3	13	27
1983.....	6,735	-	1	2	-	2	-	4	4	13	25
1982.....	6,796	-	-	-	-	-	-	-	9	17	37
1981.....	6,711	-	-	-	1	-	1	1	8	12	30
1980.....	6,708	-	-	-	-	-	-	1	6	9	20
1979.....	6,709	1	-	1	1	1	3	1	2	12	23

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF BLADDER (188)											
TOTAL, FEMALE											
1998.....	3,818	-	-	-	-	-	-	3	3	13	24
1997.....	3,920	-	-	1	-	-	-	-	1	13	30
1996.....	3,769	1	-	-	1	-	1	2	1	14	20
1995.....	3,563	-	-	1	-	-	-	3	3	7	20
1994.....	3,713	-	-	1	-	-	1	3	9	9	20
1993.....	3,488	-	-	-	-	-	-	3	5	11	21
1992.....	3,584	-	1	-	2	-	-	1	4	9	26
1991.....	3,379	-	-	-	-	-	1	4	6	5	20
1990.....	3,431	-	-	-	-	-	-	4	6	6	18
1989.....	3,278	-	1	-	-	-	-	1	6	12	13
1988.....	3,271	-	-	-	-	-	1	2	8	6	23
1987.....	3,099	-	1	-	-	1	1	1	3	16	9
1986.....	3,132	-	1	1	-	-	-	1	1	5	7
1985.....	3,108	1	-	-	-	-	-	2	2	5	18
1984.....	3,115	-	-	-	-	-	1	1	3	5	11
1983.....	3,109	-	-	-	-	-	-	1	5	10	16
1982.....	3,078	-	2	-	-	-	-	2	3	11	11
1981.....	3,104	-	-	1	-	-	-	1	3	10	14
1980.....	3,108	-	-	-	-	-	1	2	3	6	14
1979.....	2,985	1	-	-	-	-	-	-	2	7	20
WHITE, BOTH SEXES											
1998.....	10,762	-	-	-	-	-	-	3	5	20	66
1997.....	10,608	-	-	-	-	-	-	1	4	32	67
1996.....	10,463	1	-	-	1	-	-	3	9	29	48
1995.....	10,151	-	-	1	1	-	-	6	7	29	59
1994.....	10,194	-	-	1	1	-	4	4	9	18	49
1993.....	10,025	-	1	-	-	-	-	4	12	22	58
1992.....	9,766	-	1	-	1	-	-	1	9	25	61
1991.....	9,492	-	-	-	-	2	2	2	11	14	49
1990.....	9,430	-	-	-	-	-	-	5	15	18	58
1989.....	9,193	-	2	-	1	-	-	2	9	30	34
1988.....	8,951	-	-	-	1	1	2	3	13	11	36
1987.....	8,742	-	2	-	-	-	1	3	10	28	25
1986.....	8,849	-	-	1	-	-	-	-	9	11	31
1985.....	8,949	1	1	-	-	-	-	4	4	18	41
1984.....	8,849	-	2	-	-	-	1	1	6	18	28
1983.....	8,999	-	1	2	-	1	-	5	4	18	32
1982.....	9,004	-	1	-	-	-	-	2	7	23	42
1981.....	8,973	-	-	-	1	-	-	2	7	21	35
1980.....	9,018	-	-	-	-	-	1	3	8	14	32
1979.....	8,862	2	-	1	1	-	1	1	4	17	36

TABLE 292. DEATHS FOR 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF BLADDER (188)											
WHITE MALE											
1998.....	7,397	-	-	-	-	-	-	1	2	11	45
1997.....	7,139	-	-	-	-	-	-	1	3	20	41
1996.....	7,147	-	-	-	-	-	-	1	8	16	32
1995.....	7,022	-	-	-	1	-	-	3	5	24	46
1994.....	6,925	-	-	-	1	-	3	1	4	9	36
1993.....	6,936	-	1	-	-	-	-	2	7	13	43
1992.....	6,593	-	-	-	-	-	-	-	5	17	38
1991.....	6,517	-	-	-	-	2	1	-	5	10	35
1990.....	6,403	-	-	-	-	-	-	1	9	15	46
1989.....	6,308	-	1	-	1	-	-	1	3	20	22
1988.....	6,077	-	-	-	1	1	1	2	5	5	19
1987.....	6,006	-	2	-	-	-	-	2	7	16	18
1986.....	6,093	-	-	-	-	-	-	-	8	8	25
1985.....	6,175	-	1	-	-	-	-	3	2	15	26
1984.....	6,093	-	2	-	-	-	-	-	3	13	20
1983.....	6,232	-	1	2	-	1	-	4	2	10	18
1982.....	6,295	-	-	-	-	-	-	-	4	14	32
1981.....	6,211	-	-	-	1	-	1	1	5	11	24
1980.....	6,270	-	-	-	-	-	-	1	5	8	20
1979.....	6,203	1	-	1	1	-	1	1	2	11	22
WHITE FEMALE											
1998.....	3,365	-	-	-	-	-	-	2	3	9	21
1997.....	3,469	-	-	-	-	-	-	-	1	12	26
1996.....	3,316	1	-	-	1	-	-	2	1	13	16
1995.....	3,129	-	-	1	-	-	-	3	2	5	13
1994.....	3,269	-	-	1	-	-	1	3	5	9	13
1993.....	3,089	-	-	-	-	-	-	2	5	9	15
1992.....	3,173	-	1	-	1	-	-	1	4	8	23
1991.....	2,975	-	-	-	-	-	1	2	6	4	14
1990.....	3,027	-	-	-	-	-	-	4	6	3	12
1989.....	2,885	-	1	-	-	-	-	1	6	10	12
1988.....	2,874	-	-	-	-	-	1	1	8	6	17
1987.....	2,736	-	-	-	-	-	1	1	3	12	7
1986.....	2,756	-	-	1	-	-	-	-	1	3	6
1985.....	2,774	1	-	-	-	-	-	1	2	3	15
1984.....	2,756	-	-	-	-	-	1	1	3	5	8
1983.....	2,767	-	-	-	-	-	-	1	2	8	14
1982.....	2,709	-	1	-	-	-	-	2	3	9	10
1981.....	2,762	-	-	-	-	-	-	1	2	10	11
1980.....	2,748	-	-	-	-	-	1	2	3	6	12
1979.....	2,659	1	-	-	-	-	-	-	2	6	14

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF BLADDER (188)											
ALL OTHER, BOTH SEXES											
1998.....	995	-	-	-	-	-	1	1	1	8	13
1997.....	974	-	-	1	-	-	-	-	2	3	9
1996.....	989	-	-	-	-	1	1	1	-	6	12
1995.....	933	-	-	-	-	-	-	-	5	7	17
1994.....	976	-	-	-	-	-	1	-	5	3	16
1993.....	937	-	-	-	-	-	-	2	2	6	16
1992.....	941	-	-	-	1	-	-	-	3	5	9
1991.....	914	-	-	-	-	-	-	2	-	5	10
1990.....	911	-	-	-	-	-	-	1	3	3	12
1989.....	928	-	-	-	-	-	1	1	2	3	5
1988.....	854	-	-	1	-	-	-	2	2	4	9
1987.....	847	-	1	-	-	1	-	2	2	5	7
1986.....	806	-	1	-	-	-	-	1	1	5	2
1985.....	838	-	-	-	-	-	-	2	-	4	6
1984.....	867	-	1	-	-	-	-	-	-	-	10
1983.....	845	-	-	-	-	1	-	-	5	5	9
1982.....	870	-	1	-	-	-	-	-	5	5	6
1981.....	842	-	-	1	-	-	-	-	4	1	9
1980.....	798	-	-	-	-	-	-	-	1	1	2
1979.....	832	-	-	-	-	1	2	-	-	2	7
ALL OTHER MALE											
1998.....	542	-	-	-	-	-	1	-	1	4	10
1997.....	523	-	-	-	-	-	-	-	2	2	5
1996.....	536	-	-	-	-	1	-	1	-	5	8
1995.....	499	-	-	-	-	-	-	-	4	5	10
1994.....	532	-	-	-	-	-	1	-	1	3	9
1993.....	538	-	-	-	-	-	-	1	2	4	10
1992.....	530	-	-	-	-	-	-	-	3	4	6
1991.....	510	-	-	-	-	-	-	-	-	4	4
1990.....	507	-	-	-	-	-	-	1	3	-	6
1989.....	535	-	-	-	-	-	1	1	2	1	4
1988.....	457	-	-	1	-	-	-	1	2	4	3
1987.....	484	-	-	-	-	-	-	2	2	1	5
1986.....	430	-	-	-	-	-	-	-	1	3	1
1985.....	504	-	-	-	-	-	-	1	-	2	3
1984.....	508	-	1	-	-	-	-	-	-	-	7
1983.....	503	-	-	-	-	1	-	-	2	3	7
1982.....	501	-	-	-	-	-	-	-	5	3	5
1981.....	500	-	-	-	-	-	-	-	3	1	6
1980.....	438	-	-	-	-	-	-	-	1	1	-
1979.....	506	-	-	-	-	1	2	-	-	1	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF BLADDER (188)											
ALL OTHER FEMALE											
1998.....	453	-	-	-	-	-	-	1	-	4	3
1997.....	451	-	-	1	-	-	-	-	-	1	4
1996.....	453	-	-	-	-	-	1	-	-	1	4
1995.....	434	-	-	-	-	-	-	-	1	2	7
1994.....	444	-	-	-	-	-	-	-	4	-	7
1993.....	399	-	-	-	-	-	-	1	-	2	6
1992.....	411	-	-	-	1	-	-	-	-	1	3
1991.....	404	-	-	-	-	-	-	2	-	1	6
1990.....	404	-	-	-	-	-	-	-	-	3	6
1989.....	393	-	-	-	-	-	-	-	-	2	1
1988.....	397	-	-	-	-	-	-	1	-	-	6
1987.....	363	-	1	-	-	1	-	-	-	4	2
1986.....	376	-	1	-	-	-	-	1	-	2	1
1985.....	334	-	-	-	-	-	-	1	-	2	3
1984.....	359	-	-	-	-	-	-	-	-	-	3
1983.....	342	-	-	-	-	-	-	-	3	2	2
1982.....	369	-	1	-	-	-	-	-	-	2	1
1981.....	342	-	-	1	-	-	-	-	1	-	3
1980.....	360	-	-	-	-	-	-	-	-	-	2
1979.....	326	-	-	-	-	-	-	-	-	1	6
BLACK, BOTH SEXES											
1998.....	875	-	-	-	-	-	1	1	1	6	12
1997.....	862	-	-	1	-	-	-	-	1	3	6
1996.....	885	-	-	-	-	1	1	1	-	5	12
1995.....	845	-	-	-	-	-	-	-	5	7	14
1994.....	879	-	-	-	-	-	-	-	3	2	15
1993.....	838	-	-	-	-	-	-	1	1	6	16
1992.....	848	-	-	-	1	-	-	-	2	3	9
1991.....	841	-	-	-	-	-	-	1	-	3	10
1990.....	847	-	-	-	-	-	-	1	3	3	10
1989.....	853	-	-	-	-	-	1	1	2	1	3
1988.....	782	-	-	1	-	-	-	2	2	3	9
1987.....	785	-	1	-	-	1	-	2	2	4	7
1986.....	752	-	1	-	-	-	-	1	-	4	2
1985.....	785	-	-	-	-	-	-	2	-	4	6
1984.....	814	-	1	-	-	-	-	-	-	-	8
1983.....	802	-	-	-	-	-	-	-	4	5	8
1982.....	824	-	1	-	-	-	-	-	5	4	6
1981.....	807	-	-	1	-	-	-	-	3	1	8
1980.....	756	-	-	-	-	-	-	-	1	1	2
1979.....	785	-	-	-	-	-	2	-	-	2	6

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF KIDNEY AND OTHER AND UNSPECIFIED URINARY ORGANS (189)											
TOTAL, BOTH SEXES											
1998.....	12,011	3	21	25	9	12	12	25	40	115	256
1997.....	11,813	6	18	25	7	8	10	16	40	89	257
1996.....	11,552	4	13	22	4	14	13	22	46	106	244
1995.....	11,555	3	23	16	10	9	15	17	41	114	236
1994.....	11,262	2	17	23	6	9	11	13	50	90	237
1993.....	10,807	5	15	24	4	8	10	28	48	113	219
1992.....	10,936	2	15	26	8	5	13	19	43	107	210
1991.....	10,774	2	14	28	10	9	14	29	38	105	239
1990.....	10,313	-	20	25	7	10	14	21	63	93	204
1989.....	10,112	5	21	22	10	7	13	18	46	108	200
1988.....	9,669	5	20	32	7	8	21	21	55	98	211
1987.....	9,812	2	15	28	6	7	14	18	40	81	211
1986.....	9,458	4	19	39	4	7	18	28	49	109	178
1985.....	9,110	9	17	26	10	10	10	17	40	113	203
1984.....	8,884	2	19	19	10	7	18	30	43	84	185
1983.....	8,711	4	36	29	10	13	22	22	43	79	152
1982.....	8,586	3	22	33	10	14	21	29	49	80	152
1981.....	8,184	4	32	30	9	13	18	27	61	86	153
1980.....	8,012	9	22	32	10	13	21	28	45	63	147
1979.....	7,749	6	29	41	13	11	25	18	37	78	140
TOTAL, MALE											
1998.....	7,377	2	9	8	3	8	8	17	25	72	183
1997.....	7,175	3	7	15	2	3	6	7	25	56	168
1996.....	7,035	1	8	13	2	5	6	14	25	72	176
1995.....	6,894	1	8	6	2	4	7	10	19	68	158
1994.....	6,781	1	9	13	1	6	9	7	29	60	148
1993.....	6,599	3	8	12	2	4	6	18	30	78	150
1992.....	6,618	2	6	12	5	3	5	12	29	70	141
1991.....	6,441	2	11	12	4	2	12	15	24	65	171
1990.....	6,271	-	8	14	3	-	6	10	34	62	141
1989.....	6,133	3	8	10	7	2	6	9	26	71	139
1988.....	5,855	3	8	17	3	4	12	11	38	68	143
1987.....	5,954	-	8	14	2	1	6	8	25	56	147
1986.....	5,630	2	10	15	3	2	9	9	30	63	117
1985.....	5,516	5	8	8	5	5	4	9	24	67	132
1984.....	5,449	1	9	8	3	4	10	15	24	52	127
1983.....	5,294	2	17	12	5	8	12	13	27	55	98
1982.....	5,294	2	13	19	5	8	8	15	31	51	104
1981.....	4,994	3	20	12	7	5	9	16	34	56	106
1980.....	4,984	4	14	9	4	6	12	20	24	40	106
1979.....	4,800	4	21	12	4	5	14	8	18	46	98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF KIDNEY AND OTHER AND UNSPECIFIED URINARY ORGANS (189)											
TOTAL, FEMALE											
1998.....	4,634	1	12	17	6	4	4	8	15	43	73
1997.....	4,638	3	11	10	5	5	4	9	15	33	89
1996.....	4,517	3	5	9	2	9	7	8	21	34	68
1995.....	4,661	2	15	10	8	5	8	7	22	46	78
1994.....	4,481	1	8	10	5	3	2	6	21	30	89
1993.....	4,208	2	7	12	2	4	4	10	18	35	69
1992.....	4,318	-	9	14	3	2	8	7	14	37	69
1991.....	4,333	-	3	16	6	7	2	14	14	40	68
1990.....	4,042	-	12	11	4	10	8	11	29	31	63
1989.....	3,979	2	13	12	3	5	7	9	20	37	61
1988.....	3,814	2	12	15	4	4	9	10	17	30	68
1987.....	3,858	2	7	14	4	6	8	10	15	25	64
1986.....	3,828	2	9	24	1	5	9	19	19	46	61
1985.....	3,594	4	9	18	5	5	6	8	16	46	71
1984.....	3,435	1	10	11	7	3	8	15	19	32	58
1983.....	3,417	2	19	17	5	5	10	9	16	24	54
1982.....	3,292	1	9	14	5	6	13	14	18	29	48
1981.....	3,190	1	12	18	2	8	9	11	27	30	47
1980.....	3,028	5	8	23	6	7	9	8	21	23	41
1979.....	2,949	2	8	29	9	6	11	10	19	32	42
WHITE, BOTH SEXES											
1998.....	10,753	3	15	19	7	7	6	11	29	87	205
1997.....	10,535	6	11	18	4	7	4	8	22	58	216
1996.....	10,358	4	11	16	2	9	5	13	26	83	200
1995.....	10,340	2	17	12	8	5	8	9	34	86	195
1994.....	10,092	2	13	19	6	6	8	5	35	69	192
1993.....	9,697	3	10	15	4	6	6	15	33	85	185
1992.....	9,901	2	9	20	6	4	6	11	31	82	171
1991.....	9,658	1	12	23	7	5	7	20	21	79	193
1990.....	9,264	-	17	22	5	3	10	11	35	75	167
1989.....	9,114	4	16	17	9	6	7	10	32	89	163
1988.....	8,749	4	15	25	4	6	13	12	35	70	183
1987.....	8,927	2	15	21	4	6	9	10	35	65	181
1986.....	8,586	4	12	33	1	6	7	17	32	81	142
1985.....	8,230	4	8	21	6	6	4	9	32	91	171
1984.....	8,073	2	18	12	8	5	11	20	32	66	153
1983.....	7,947	1	29	25	5	10	10	14	27	65	133
1982.....	7,814	2	18	26	5	11	11	16	39	68	132
1981.....	7,446	2	23	26	8	6	10	17	50	67	132
1980.....	7,359	8	15	26	9	13	11	20	36	55	132
1979.....	7,104	6	22	30	9	8	13	13	30	65	112

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF KIDNEY AND OTHER AND UNSPECIFIED URINARY ORGANS (189)											
WHITE MALE											
1998.....	6,599	2	5	4	3	4	4	7	18	56	150
1997.....	6,395	3	4	9	2	2	3	3	12	36	138
1996.....	6,328	1	6	10	1	3	1	7	11	63	147
1995.....	6,205	-	5	4	1	1	3	6	18	53	134
1994.....	6,083	1	7	11	1	4	6	4	20	49	123
1993.....	5,950	1	7	8	2	2	3	9	23	60	130
1992.....	5,982	2	6	9	4	3	2	7	22	56	120
1991.....	5,783	1	9	8	3	1	6	9	11	49	133
1990.....	5,644	-	7	12	1	-	4	5	22	52	117
1989.....	5,542	3	6	8	6	1	5	4	18	59	117
1988.....	5,289	2	6	12	-	2	7	6	26	48	124
1987.....	5,414	-	8	13	2	1	3	4	23	45	127
1986.....	5,125	2	7	13	-	2	3	6	20	50	91
1985.....	4,967	3	4	6	3	3	2	5	18	52	113
1984.....	4,968	1	9	5	3	3	5	9	19	43	110
1983.....	4,825	-	14	9	2	6	4	8	18	45	84
1982.....	4,830	1	11	13	2	6	5	9	25	46	92
1981.....	4,538	2	16	11	7	1	5	9	26	43	92
1980.....	4,578	3	11	9	4	6	6	14	19	36	95
1979.....	4,417	4	17	8	2	4	7	6	17	40	81
WHITE FEMALE											
1998.....	4,154	1	10	15	4	3	2	4	11	31	55
1997.....	4,140	3	7	9	2	5	1	5	10	22	78
1996.....	4,030	3	5	6	1	6	4	6	15	20	53
1995.....	4,135	2	12	8	7	4	5	3	16	33	61
1994.....	4,009	1	6	8	5	2	2	1	15	20	69
1993.....	3,747	2	3	7	2	4	3	6	10	25	55
1992.....	3,919	-	3	11	2	1	4	4	9	26	51
1991.....	3,875	-	3	15	4	4	1	11	10	30	60
1990.....	3,620	-	10	10	4	3	6	6	13	23	50
1989.....	3,572	1	10	9	3	5	2	6	14	30	46
1988.....	3,460	2	9	13	4	4	6	6	9	22	59
1987.....	3,513	2	7	8	2	5	6	6	12	20	54
1986.....	3,461	2	5	20	1	4	4	11	12	31	51
1985.....	3,263	1	4	15	3	3	2	4	14	39	58
1984.....	3,105	1	9	7	5	2	6	11	13	23	43
1983.....	3,122	1	15	16	3	4	6	6	9	20	49
1982.....	2,984	1	7	13	3	5	6	7	14	22	40
1981.....	2,908	-	7	15	1	5	5	8	24	24	40
1980.....	2,781	5	4	17	5	7	5	6	17	19	37
1979.....	2,687	2	5	22	7	4	6	7	13	25	31

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF KIDNEY AND OTHER AND UNSPECIFIED URINARY ORGANS (189)											
ALL OTHER, BOTH SEXES											
1998.....	1,258	-	6	6	2	5	6	14	11	28	51
1997.....	1,278	-	7	7	3	1	6	8	18	31	41
1996.....	1,194	-	2	6	2	5	8	9	20	23	44
1995.....	1,215	1	6	4	2	4	7	8	7	28	41
1994.....	1,170	-	4	4	-	3	3	8	15	21	45
1993.....	1,110	2	5	9	-	2	4	13	15	28	34
1992.....	1,035	-	6	6	2	1	7	8	12	25	39
1991.....	1,116	1	2	5	3	4	7	9	17	26	46
1990.....	1,049	-	3	3	2	7	4	10	28	18	37
1989.....	998	1	5	5	1	1	6	8	14	19	37
1988.....	920	1	5	7	3	2	8	9	20	28	28
1987.....	885	-	-	7	2	1	5	8	5	16	30
1986.....	872	-	7	6	3	1	11	11	17	28	36
1985.....	880	5	9	5	4	4	6	8	8	22	32
1984.....	811	-	1	7	2	2	7	10	11	18	32
1983.....	764	3	7	4	5	3	12	8	16	14	19
1982.....	772	1	4	7	5	3	10	13	10	12	20
1981.....	738	2	9	4	1	7	8	10	11	19	21
1980.....	653	1	7	6	1	-	10	8	9	8	15
1979.....	645	-	7	11	4	3	12	5	7	13	28
ALL OTHER MALE											
1998.....	778	-	4	4	-	4	4	10	7	16	33
1997.....	780	-	3	6	-	1	3	4	13	20	30
1996.....	707	-	2	3	1	2	5	7	14	9	29
1995.....	689	1	3	2	1	3	4	4	1	15	24
1994.....	698	-	2	2	-	2	3	3	9	11	25
1993.....	649	2	1	4	-	2	3	9	7	18	20
1992.....	636	-	-	3	1	-	3	5	7	14	21
1991.....	658	1	2	4	1	1	6	6	13	16	38
1990.....	627	-	1	2	2	-	2	5	12	10	24
1989.....	591	-	2	2	1	1	1	5	8	12	22
1988.....	566	1	2	5	3	2	5	5	12	20	19
1987.....	540	-	-	1	-	-	3	4	2	11	20
1986.....	505	-	3	2	3	-	6	3	10	13	26
1985.....	549	2	4	2	2	2	2	4	6	15	19
1984.....	481	-	-	3	-	1	5	6	5	9	17
1983.....	469	2	3	3	3	2	8	5	9	10	14
1982.....	464	1	2	6	3	2	3	6	6	5	12
1981.....	456	1	4	1	-	4	4	7	8	13	14
1980.....	406	1	3	-	-	-	6	6	5	4	11
1979.....	383	-	4	4	2	1	7	2	1	6	17

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF KIDNEY AND OTHER AND UNSPECIFIED URINARY ORGANS (189)											
ALL OTHER FEMALE											
1998.....	480	-	2	2	2	1	2	4	4	12	18
1997.....	498	-	4	1	3	-	3	4	5	11	11
1996.....	487	-	-	3	1	3	3	2	6	14	15
1995.....	526	-	3	2	1	1	3	4	6	13	17
1994.....	472	-	2	2	-	1	-	5	6	10	20
1993.....	461	-	4	5	-	-	1	4	8	10	14
1992.....	399	-	6	3	1	1	4	3	5	11	18
1991.....	458	-	-	1	2	3	1	3	4	10	8
1990.....	422	-	2	1	-	7	2	5	16	8	13
1989.....	407	1	3	3	-	-	5	3	6	7	15
1988.....	354	-	3	2	-	-	3	4	8	8	9
1987.....	345	-	-	6	2	1	2	4	3	5	10
1986.....	367	-	4	4	-	1	5	8	7	15	10
1985.....	331	3	5	3	2	2	4	4	2	7	13
1984.....	330	-	1	4	2	1	2	4	6	9	15
1983.....	295	1	4	1	2	1	4	3	7	4	5
1982.....	308	-	2	1	2	1	7	7	4	7	8
1981.....	282	1	5	3	1	3	4	3	3	6	7
1980.....	247	-	4	6	1	-	4	2	4	4	4
1979.....	262	-	3	7	2	2	5	3	6	7	11
BLACK, BOTH SEXES											
1998.....	1,038	-	5	5	2	5	4	13	10	26	45
1997.....	1,081	-	7	6	3	1	6	8	16	28	38
1996.....	1,011	-	2	6	2	5	7	9	19	19	36
1995.....	1,051	1	4	3	2	4	7	8	7	26	38
1994.....	997	-	3	4	-	3	2	8	15	18	38
1993.....	969	2	5	9	-	2	4	10	14	25	33
1992.....	900	-	6	6	-	1	7	8	11	19	34
1991.....	977	1	2	4	3	4	6	9	16	25	40
1990.....	945	-	2	3	2	7	4	10	27	16	34
1989.....	888	1	5	5	-	1	6	8	14	18	31
1988.....	820	1	4	7	3	2	8	9	18	25	27
1987.....	790	-	-	5	2	1	5	8	4	15	28
1986.....	784	-	6	6	3	1	11	11	17	26	33
1985.....	798	5	7	4	4	4	6	8	8	20	30
1984.....	723	-	1	6	2	2	5	10	10	17	28
1983.....	693	3	7	4	4	2	12	8	13	13	19
1982.....	692	1	1	7	5	2	10	11	9	11	19
1981.....	660	1	8	4	1	6	7	10	9	18	15
1980.....	593	1	7	6	1	-	10	8	8	7	13
1979.....	582	-	6	8	2	3	12	5	6	13	28

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF KIDNEY AND OTHER AND UNSPECIFIED URINARY ORGANS (189)											
BLACK MALE											
1998.....	646	-	3	4	-	4	3	10	7	15	29
1997.....	648	-	3	5	-	1	3	4	11	19	27
1996.....	582	-	2	3	1	2	5	7	13	7	22
1995.....	589	1	1	1	1	3	4	4	1	13	23
1994.....	589	-	1	2	-	2	2	3	9	9	22
1993.....	570	2	1	4	-	2	3	7	6	16	19
1992.....	539	-	-	3	-	-	3	5	7	10	19
1991.....	578	1	2	3	1	1	6	6	12	16	35
1990.....	563	-	1	2	2	-	2	5	11	9	21
1989.....	525	-	2	2	-	1	1	5	8	12	17
1988.....	501	1	1	5	3	2	5	5	12	17	19
1987.....	474	-	-	1	-	-	3	4	1	10	19
1986.....	458	-	3	2	3	-	6	3	10	13	25
1985.....	497	2	2	2	2	2	2	4	6	13	17
1984.....	422	-	-	2	-	1	4	6	4	8	13
1983.....	424	2	3	3	2	1	8	5	7	10	14
1982.....	415	1	1	6	3	1	3	5	5	4	12
1981.....	401	-	4	1	-	3	4	7	6	12	9
1980.....	361	1	3	-	-	-	6	6	4	4	9
1979.....	347	-	3	3	1	1	7	2	1	6	17
BLACK FEMALE											
1998.....	392	-	2	1	2	1	1	3	3	11	16
1997.....	433	-	4	1	3	-	3	4	5	9	11
1996.....	429	-	-	3	1	3	2	2	6	12	14
1995.....	462	-	3	2	1	1	3	4	6	13	15
1994.....	408	-	2	2	-	1	-	5	6	9	16
1993.....	399	-	4	5	-	-	1	3	8	9	14
1992.....	361	-	6	3	-	1	4	3	4	9	15
1991.....	399	-	-	1	2	3	-	3	4	9	5
1990.....	382	-	1	1	-	7	2	5	16	7	13
1989.....	363	1	3	3	-	-	5	3	6	6	14
1988.....	319	-	3	2	-	-	3	4	6	8	8
1987.....	316	-	-	4	2	1	2	4	3	5	9
1986.....	326	-	3	4	-	1	5	8	7	13	8
1985.....	301	3	5	2	2	2	4	4	2	7	13
1984.....	301	-	1	4	2	1	1	4	6	9	15
1983.....	269	1	4	1	2	1	4	3	6	3	5
1982.....	277	-	-	1	2	1	7	6	4	7	7
1981.....	259	1	4	3	1	3	3	3	3	6	6
1980.....	232	-	4	6	1	-	4	2	4	3	4
1979.....	235	-	3	5	1	2	5	3	5	7	11

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES (190-199)											
TOTAL, BOTH SEXES											
1998.....	50,724	38	168	240	183	164	175	270	474	885	1,376
1997.....	51,098	34	223	246	161	149	159	288	469	854	1,353
1996.....	52,024	42	216	258	180	158	160	276	497	853	1,328
1995.....	51,676	32	235	229	153	129	181	277	534	918	1,300
1994.....	52,019	24	247	255	165	151	183	317	566	918	1,352
1993.....	51,567	36	276	246	149	161	195	288	574	857	1,272
1992.....	49,528	29	226	241	170	157	187	293	562	801	1,298
1991.....	48,817	38	269	246	172	150	196	323	546	833	1,299
1990.....	47,381	44	253	264	167	145	183	344	548	771	1,203
1989.....	48,609	39	246	282	147	146	204	338	510	779	1,214
1988.....	49,025	40	262	223	175	175	176	329	540	826	1,196
1987.....	48,496	45	245	252	127	167	214	349	543	758	1,132
1986.....	47,629	52	271	227	167	170	214	378	501	774	1,081
1985.....	46,325	45	255	241	154	188	200	349	519	793	1,047
1984.....	45,137	36	275	234	158	182	210	334	483	724	1,080
1983.....	44,072	54	277	219	182	183	252	327	492	685	971
1982.....	42,776	52	297	245	188	198	243	300	488	671	930
1981.....	41,554	36	289	239	189	187	247	320	450	592	923
1980.....	40,748	44	262	258	174	191	288	349	496	590	879
1979.....	38,792	48	247	230	209	220	241	303	436	545	850
TOTAL, MALE											
1998.....	26,198	20	90	135	105	104	104	156	277	497	742
1997.....	25,970	19	128	122	90	86	106	181	274	473	779
1996.....	26,870	27	125	146	98	94	99	148	288	495	753
1995.....	26,589	17	142	118	92	78	124	167	307	520	720
1994.....	26,703	10	138	140	101	84	112	185	318	521	796
1993.....	26,759	24	161	136	82	93	114	142	328	513	730
1992.....	25,560	13	109	125	98	101	117	166	324	433	737
1991.....	25,205	20	147	135	100	88	112	185	310	487	754
1990.....	24,384	21	142	143	88	78	114	204	301	442	687
1989.....	25,298	22	132	137	78	83	100	183	303	428	711
1988.....	25,711	26	136	120	96	93	100	199	306	454	696
1987.....	25,160	20	137	139	72	103	136	195	298	431	673
1986.....	24,685	28	147	118	88	106	119	213	293	461	580
1985.....	24,161	30	137	134	82	124	104	205	296	454	606
1984.....	23,390	16	156	126	96	109	127	183	296	424	606
1983.....	22,974	30	150	111	115	109	145	197	287	383	519
1982.....	21,851	29	161	134	101	118	147	174	289	377	499
1981.....	21,358	22	166	127	102	104	143	183	252	319	526
1980.....	21,325	20	163	142	97	108	185	218	290	343	472
1979.....	20,144	25	129	123	116	133	146	203	242	291	498

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES (190-199)											
TOTAL, FEMALE											
1998.....	24,526	18	78	105	78	60	71	114	197	388	634
1997.....	25,128	15	95	124	71	63	53	107	195	381	574
1996.....	25,154	15	91	112	82	64	61	128	209	358	575
1995.....	25,087	15	93	111	61	51	57	110	227	398	580
1994.....	25,316	14	109	115	64	67	71	132	248	397	556
1993.....	24,808	12	115	110	67	68	81	146	246	344	542
1992.....	23,968	16	117	116	72	56	70	127	238	368	561
1991.....	23,612	18	122	111	72	62	84	138	236	346	545
1990.....	22,997	23	111	121	79	67	69	140	247	329	516
1989.....	23,311	17	114	145	69	63	104	155	207	351	503
1988.....	23,314	14	126	103	79	82	76	130	234	372	500
1987.....	23,336	25	108	113	55	64	78	154	245	327	459
1986.....	22,944	24	124	109	79	64	95	165	208	313	501
1985.....	22,164	15	118	107	72	64	96	144	223	339	441
1984.....	21,747	20	119	108	62	73	83	151	187	300	474
1983.....	21,098	24	127	108	67	74	107	130	205	302	452
1982.....	20,925	23	136	111	87	80	96	126	199	294	431
1981.....	20,196	14	123	112	87	83	104	137	198	273	397
1980.....	19,423	24	99	116	77	83	103	131	206	247	407
1979.....	18,648	23	118	107	93	87	95	100	194	254	352
WHITE, BOTH SEXES											
1998.....	44,711	32	134	191	150	142	135	221	406	744	1,132
1997.....	44,963	22	176	201	135	112	126	243	409	717	1,123
1996.....	46,018	40	173	213	144	123	124	229	426	721	1,087
1995.....	45,468	27	186	175	126	99	142	233	435	755	1,067
1994.....	45,998	18	200	200	131	126	152	271	476	782	1,105
1993.....	45,468	30	225	204	124	126	168	239	497	718	1,043
1992.....	43,797	25	175	198	145	127	158	244	488	693	1,080
1991.....	43,098	33	207	200	143	130	158	279	463	697	1,085
1990.....	41,732	33	205	212	143	116	150	287	444	646	1,000
1989.....	42,854	34	202	226	120	126	170	280	424	639	1,009
1988.....	43,256	34	214	179	138	142	140	271	466	689	1,001
1987.....	42,744	38	201	216	101	131	176	305	477	640	933
1986.....	42,084	46	219	185	136	142	181	322	424	653	904
1985.....	40,786	40	220	203	132	161	169	303	438	677	863
1984.....	39,741	30	231	192	127	153	179	287	410	610	898
1983.....	38,795	45	234	181	145	161	206	279	423	598	834
1982.....	37,873	42	257	199	166	160	205	257	417	594	771
1981.....	36,744	30	248	187	148	154	207	280	378	510	753
1980.....	36,046	34	219	213	143	167	245	305	438	506	718
1979.....	34,224	40	214	191	173	188	202	260	385	480	706

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES (190-199)											
WHITE MALE											
1998.....	23,151	16	77	105	85	89	83	134	245	421	622
1997.....	22,876	11	99	102	76	69	84	147	245	399	653
1996.....	23,768	25	101	124	81	76	76	123	252	425	622
1995.....	23,358	16	116	95	77	62	97	139	248	420	593
1994.....	23,598	7	114	104	83	72	93	162	264	447	663
1993.....	23,526	19	133	111	68	72	101	117	282	428	620
1992.....	22,621	12	83	102	86	81	101	143	279	380	608
1991.....	22,168	17	111	110	83	75	94	157	269	414	630
1990.....	21,389	15	114	115	76	61	94	170	252	366	571
1989.....	22,173	20	115	110	68	72	81	152	259	358	579
1988.....	22,662	22	113	96	76	75	83	165	270	386	590
1987.....	22,079	16	109	117	61	80	111	172	258	370	562
1986.....	21,785	26	123	98	74	90	106	187	251	386	498
1985.....	21,135	28	121	117	74	103	86	179	255	385	490
1984.....	20,441	12	130	104	81	93	109	160	248	362	496
1983.....	20,114	24	122	91	91	99	119	171	252	333	451
1982.....	19,245	23	141	110	93	96	129	152	250	339	412
1981.....	18,766	16	143	101	85	81	116	157	210	274	431
1980.....	18,838	15	138	118	78	97	160	197	258	294	394
1979.....	17,710	23	111	105	93	111	125	179	216	257	408
WHITE FEMALE											
1998.....	21,560	16	57	86	65	53	52	87	161	323	510
1997.....	22,087	11	77	99	59	43	42	96	164	318	470
1996.....	22,250	15	72	89	63	47	48	106	174	296	465
1995.....	22,110	11	70	80	49	37	45	94	187	335	474
1994.....	22,400	11	86	96	48	54	59	109	212	335	442
1993.....	21,942	11	92	93	56	54	67	122	215	290	423
1992.....	21,176	13	92	96	59	46	57	101	209	313	472
1991.....	20,930	16	96	90	60	55	64	122	194	283	455
1990.....	20,343	18	91	97	67	55	56	117	192	280	429
1989.....	20,681	14	87	116	52	54	89	128	165	281	430
1988.....	20,594	12	101	83	62	67	57	106	196	303	411
1987.....	20,665	22	92	99	40	51	65	133	219	270	371
1986.....	20,299	20	96	87	62	52	75	135	173	267	406
1985.....	19,651	12	99	86	58	58	83	124	183	292	373
1984.....	19,300	18	101	88	46	60	70	127	162	248	402
1983.....	18,681	21	112	90	54	62	87	108	171	265	383
1982.....	18,628	19	116	89	73	64	76	105	167	255	359
1981.....	17,978	14	105	86	63	73	91	123	168	236	322
1980.....	17,208	19	81	95	65	70	85	108	180	212	324
1979.....	16,514	17	103	86	80	77	77	81	169	223	298

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES (190-199)											
ALL OTHER, BOTH SEXES											
1998.....	6,013	6	34	49	33	22	40	49	68	141	244
1997.....	6,135	12	47	45	26	37	33	45	60	137	230
1996.....	6,006	2	43	45	36	35	36	47	71	132	241
1995.....	6,208	5	49	54	27	30	39	44	99	163	233
1994.....	6,021	6	47	55	34	25	31	46	90	136	247
1993.....	6,099	6	51	42	25	35	27	49	77	139	229
1992.....	5,731	4	51	43	25	30	29	49	74	108	218
1991.....	5,719	5	62	46	29	20	38	44	83	136	214
1990.....	5,649	11	48	52	24	29	33	57	104	125	203
1989.....	5,755	5	44	56	27	20	34	58	86	140	205
1988.....	5,769	6	48	44	37	33	36	58	74	137	195
1987.....	5,752	7	44	36	26	36	38	44	66	118	199
1986.....	5,545	6	52	42	31	28	33	56	77	121	177
1985.....	5,539	5	35	38	22	27	31	46	81	116	184
1984.....	5,396	6	44	42	31	29	31	47	73	114	182
1983.....	5,277	9	43	38	37	22	46	48	69	87	137
1982.....	4,903	10	40	46	22	38	38	43	71	77	159
1981.....	4,810	6	41	52	41	33	40	40	72	82	170
1980.....	4,702	10	43	45	31	24	43	44	58	84	161
1979.....	4,568	8	33	39	36	32	39	43	51	65	144
ALL OTHER MALE											
1998.....	3,047	4	13	30	20	15	21	22	32	76	120
1997.....	3,094	8	29	20	14	17	22	34	29	74	126
1996.....	3,102	2	24	22	17	18	23	25	36	70	131
1995.....	3,231	1	26	23	15	16	27	28	59	100	127
1994.....	3,105	3	24	36	18	12	19	23	54	74	133
1993.....	3,233	5	28	25	14	21	13	25	46	85	110
1992.....	2,939	1	26	23	12	20	16	23	45	53	129
1991.....	3,037	3	36	25	17	13	18	28	41	73	124
1990.....	2,995	6	28	28	12	17	20	34	49	76	116
1989.....	3,125	2	17	27	10	11	19	31	44	70	132
1988.....	3,049	4	23	24	20	18	17	34	36	68	106
1987.....	3,081	4	28	22	11	23	25	23	40	61	111
1986.....	2,900	2	24	20	14	16	13	26	42	75	82
1985.....	3,026	2	16	17	8	21	18	26	41	69	116
1984.....	2,949	4	26	22	15	16	18	23	48	62	110
1983.....	2,860	6	28	20	24	10	26	26	35	50	68
1982.....	2,606	6	20	24	8	22	18	22	39	38	87
1981.....	2,592	6	23	26	17	23	27	26	42	45	95
1980.....	2,487	5	25	24	19	11	25	21	32	49	78
1979.....	2,434	2	18	18	23	22	21	24	26	34	90

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES (190-199)											
ALL OTHER FEMALE											
1998.....	2,966	2	21	19	13	7	19	27	36	65	124
1997.....	3,041	4	18	25	12	20	11	11	31	63	104
1996.....	2,904	-	19	23	19	17	13	22	35	62	110
1995.....	2,977	4	23	31	12	14	12	16	40	63	106
1994.....	2,916	3	23	19	16	13	12	23	36	62	114
1993.....	2,866	1	23	17	11	14	14	24	31	54	119
1992.....	2,792	3	25	20	13	10	13	26	29	55	89
1991.....	2,682	2	26	21	12	7	20	16	42	63	90
1990.....	2,654	5	20	24	12	12	13	23	55	49	87
1989.....	2,630	3	27	29	17	9	15	27	42	70	73
1988.....	2,720	2	25	20	17	15	19	24	38	69	89
1987.....	2,671	3	16	14	15	13	13	21	26	57	88
1986.....	2,645	4	28	22	17	12	20	30	35	46	95
1985.....	2,513	3	19	21	14	6	13	20	40	47	68
1984.....	2,447	2	18	20	16	13	13	24	25	52	72
1983.....	2,417	3	15	18	13	12	20	22	34	37	69
1982.....	2,297	4	20	22	14	16	20	21	32	39	72
1981.....	2,218	-	18	26	24	10	13	14	30	37	75
1980.....	2,215	5	18	21	12	13	18	23	26	35	83
1979.....	2,134	6	15	21	13	10	18	19	25	31	54
BLACK, BOTH SEXES											
1998.....	5,090	6	25	42	24	13	30	34	57	108	204
1997.....	5,269	8	33	36	19	27	25	40	44	111	201
1996.....	5,134	2	34	36	33	29	31	37	55	107	200
1995.....	5,403	5	39	44	22	25	37	36	76	145	203
1994.....	5,253	4	38	44	30	22	24	37	76	119	212
1993.....	5,273	4	37	32	19	28	25	40	59	119	186
1992.....	5,039	4	38	34	21	26	23	40	66	91	193
1991.....	5,030	3	56	38	22	16	30	37	73	117	189
1990.....	5,025	10	43	43	20	24	26	50	87	106	178
1989.....	5,134	5	36	49	21	17	31	51	71	121	185
1988.....	5,171	5	43	38	31	30	31	50	62	122	175
1987.....	5,240	6	39	30	23	33	35	38	53	101	170
1986.....	5,043	5	41	37	29	28	28	50	63	103	143
1985.....	5,035	5	28	34	19	22	27	39	74	98	159
1984.....	4,936	5	36	37	26	22	29	39	62	99	153
1983.....	4,834	8	38	36	30	18	39	38	59	79	121
1982.....	4,530	6	40	40	19	33	37	38	61	68	145
1981.....	4,453	4	32	47	40	30	35	35	60	76	154
1980.....	4,394	9	42	38	29	21	38	38	51	74	150
1979.....	4,298	7	33	33	36	29	37	39	45	57	136

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
MALIGNANT NEOPLASMS OF OTHER AND UNSPECIFIED SITES (190-199)											
BLACK MALE											
1998.....	2,567	4	9	26	15	8	14	12	23	52	102
1997.....	2,681	7	22	15	9	13	16	33	20	64	111
1996.....	2,673	2	18	19	17	17	20	19	29	57	115
1995.....	2,803	1	22	18	12	14	25	23	48	92	112
1994.....	2,717	2	22	27	15	11	15	19	47	65	114
1993.....	2,814	3	21	18	10	18	13	20	35	75	93
1992.....	2,601	1	20	16	9	17	12	20	39	43	115
1991.....	2,687	1	31	20	13	11	13	23	37	63	111
1990.....	2,668	6	23	23	11	14	15	28	41	62	102
1989.....	2,788	2	16	23	8	8	18	27	33	65	119
1988.....	2,748	3	20	21	14	15	13	28	32	64	95
1987.....	2,827	3	26	16	9	21	23	21	31	53	100
1986.....	2,622	1	16	19	13	16	10	22	35	66	68
1985.....	2,753	2	12	15	7	17	14	22	38	58	105
1984.....	2,696	4	20	20	10	13	16	18	42	53	94
1983.....	2,621	6	23	19	20	8	21	20	31	47	64
1982.....	2,412	3	20	20	7	19	17	20	32	35	79
1981.....	2,403	4	16	24	17	21	24	24	35	42	88
1980.....	2,326	5	25	20	18	10	21	18	31	43	72
1979.....	2,293	2	18	15	23	20	20	21	22	32	85
BLACK FEMALE											
1998.....	2,523	2	16	16	9	5	16	22	34	56	102
1997.....	2,588	1	11	21	10	14	9	7	24	47	90
1996.....	2,461	-	16	17	16	12	11	18	26	50	85
1995.....	2,600	4	17	26	10	11	12	13	28	53	91
1994.....	2,536	2	16	17	15	11	9	18	29	54	98
1993.....	2,459	1	16	14	9	10	12	20	24	44	93
1992.....	2,438	3	18	18	12	9	11	20	27	48	78
1991.....	2,343	2	25	18	9	5	17	14	36	54	78
1990.....	2,357	4	20	20	9	10	11	22	46	44	76
1989.....	2,346	3	20	26	13	9	13	24	38	56	66
1988.....	2,423	2	23	17	17	15	18	22	30	58	80
1987.....	2,413	3	13	14	14	12	12	17	22	48	70
1986.....	2,421	4	25	18	16	12	18	28	28	37	75
1985.....	2,282	3	16	19	12	5	13	17	36	40	54
1984.....	2,240	1	16	17	16	9	13	21	20	46	59
1983.....	2,213	2	15	17	10	10	18	18	28	32	57
1982.....	2,118	3	20	20	12	14	20	18	29	33	66
1981.....	2,050	-	16	23	23	9	11	11	25	34	66
1980.....	2,068	4	17	18	11	11	17	20	20	31	78
1979.....	2,005	5	15	18	13	9	17	18	23	25	51

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR OF EYE (190)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
TOTAL, BOTH SEXES											
1998.....	278	-	7	4	1	-	-	3	2	8	7
1997.....	257	-	2	2	-	1	-	-	3	7	7
1996.....	280	1	3	2	-	2	1	4	2	1	4
1995.....	256	-	8	5	1	-	2	1	3	5	9
1994.....	298	1	10	1	-	1	-	3	4	5	9
1993.....	255	-	7	4	-	-	3	2	5	2	8
1992.....	257	-	13	3	-	2	-	1	1	4	4
1991.....	250	-	15	1	-	-	-	2	4	5	9
1990.....	255	-	13	3	1	1	2	1	5	4	3
1989.....	251	1	12	5	-	-	3	-	4	2	7
1988.....	257	-	8	4	2	1	-	1	1	2	5
1987.....	252	-	9	6	1	2	-	-	2	4	4
1986.....	259	1	12	1	2	1	1	3	1	6	2
1985.....	252	3	13	4	-	1	2	2	5	3	7
1984.....	289	1	13	2	-	2	-	2	5	3	6
1983.....	277	-	8	3	1	2	2	5	1	7	4
1982.....	289	1	11	6	2	-	-	2	4	4	7
1981.....	260	1	10	2	1	2	1	1	2	2	7
1980.....	272	1	6	2	1	1	3	3	2	1	2
1979.....	290	-	14	1	1	-	2	-	1	3	8
TOTAL, MALE											
1998.....	142	-	3	3	-	-	-	1	-	2	3
1997.....	127	-	1	1	-	-	-	-	1	3	5
1996.....	142	1	1	2	-	1	1	3	-	1	2
1995.....	121	-	2	3	-	-	1	-	3	3	4
1994.....	144	-	4	1	-	1	-	-	1	3	3
1993.....	127	-	3	4	-	-	-	-	-	-	6
1992.....	136	-	8	-	-	-	-	-	-	1	2
1991.....	124	-	9	-	-	-	-	-	2	2	5
1990.....	139	-	6	2	1	1	1	-	1	1	-
1989.....	115	-	7	2	-	-	1	-	2	1	5
1988.....	123	-	2	1	1	1	-	-	1	2	4
1987.....	125	-	7	3	-	1	-	-	-	2	3
1986.....	116	1	4	-	-	1	-	-	-	3	1
1985.....	118	2	7	1	-	1	1	1	4	1	4
1984.....	142	1	8	2	-	-	-	2	4	2	5
1983.....	134	-	7	-	-	1	1	2	-	5	2
1982.....	144	-	9	3	2	-	-	1	2	2	4
1981.....	133	1	6	-	1	-	1	1	-	2	4
1980.....	134	-	2	2	-	-	3	2	2	-	1
1979.....	138	-	6	1	1	-	1	-	-	1	6

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF EYE (190)											
TOTAL, FEMALE											
1998.....	136	-	4	1	1	-	-	2	2	6	4
1997.....	130	-	1	1	-	1	-	-	2	4	2
1996.....	138	-	2	-	-	1	-	1	2	-	2
1995.....	135	-	6	2	1	-	1	1	-	2	5
1994.....	154	1	6	-	-	-	-	3	3	2	6
1993.....	128	-	4	-	-	-	3	2	5	2	2
1992.....	121	-	5	3	-	2	-	1	1	3	2
1991.....	126	-	6	1	-	-	-	2	2	3	4
1990.....	116	-	7	1	-	-	1	1	4	3	3
1989.....	136	1	5	3	-	-	2	-	2	1	2
1988.....	134	-	6	3	1	-	-	1	-	-	1
1987.....	127	-	2	3	1	1	-	-	2	2	1
1986.....	143	-	8	1	2	-	1	3	1	3	1
1985.....	134	1	6	3	-	-	1	1	1	2	3
1984.....	147	-	5	-	-	2	-	-	1	1	1
1983.....	143	-	1	3	1	1	1	3	1	2	2
1982.....	145	1	2	3	-	-	-	1	2	2	3
1981.....	127	-	4	2	-	2	-	-	2	-	3
1980.....	138	1	4	-	1	1	-	1	-	1	1
1979.....	152	-	8	-	-	-	1	-	1	2	2
WHITE, BOTH SEXES											
1998.....	262	-	2	4	1	-	-	3	1	8	7
1997.....	243	-	1	2	-	-	-	-	1	6	7
1996.....	269	1	2	2	-	2	1	4	2	-	4
1995.....	237	-	3	3	-	-	1	1	2	5	9
1994.....	287	1	7	1	-	1	-	3	3	5	9
1993.....	245	-	5	3	-	-	3	2	5	2	8
1992.....	249	-	11	3	-	1	-	1	1	4	3
1991.....	233	-	8	-	-	-	-	2	4	3	8
1990.....	241	-	8	3	1	1	1	1	4	2	3
1989.....	233	1	7	3	-	-	3	-	4	2	6
1988.....	245	-	4	4	-	1	-	1	1	2	5
1987.....	232	-	3	3	1	2	-	-	2	3	3
1986.....	251	1	8	1	2	1	1	3	1	6	2
1985.....	239	2	9	3	-	1	2	1	5	3	7
1984.....	271	1	5	1	-	1	-	2	5	3	6
1983.....	265	-	5	3	1	2	-	5	-	6	4
1982.....	279	-	9	4	2	-	-	2	4	4	7
1981.....	245	-	8	-	1	2	-	1	2	1	5
1980.....	262	1	5	1	1	1	2	2	2	1	1
1979.....	275	-	10	-	1	-	2	-	1	3	7

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF EYE (190)											
WHITE MALE											
1998.....	136	-	1	3	-	-	-	1	-	2	3
1997.....	121	-	1	1	-	-	-	-	-	2	5
1996.....	134	1	-	2	-	1	1	3	-	-	2
1995.....	114	-	-	2	-	-	1	-	2	3	4
1994.....	140	-	4	1	-	1	-	-	-	3	3
1993.....	122	-	3	3	-	-	-	-	-	-	6
1992.....	133	-	6	-	-	-	-	-	-	1	2
1991.....	116	-	4	-	-	-	-	-	2	2	5
1990.....	132	-	4	2	1	1	1	-	1	1	-
1989.....	104	-	2	1	-	-	1	-	2	1	4
1988.....	116	-	-	1	-	1	-	-	1	2	4
1987.....	115	-	1	1	-	1	-	-	-	2	3
1986.....	111	1	2	-	-	1	-	-	-	3	1
1985.....	109	1	5	-	-	1	1	-	4	1	4
1984.....	135	1	3	1	-	-	-	2	4	2	5
1983.....	126	-	5	-	-	1	-	2	-	4	2
1982.....	138	-	7	2	2	-	-	1	2	2	4
1981.....	124	-	6	-	1	-	1	1	-	1	2
1980.....	129	-	2	1	-	-	2	2	2	-	1
1979.....	133	-	5	-	1	-	1	-	-	1	5
WHITE FEMALE											
1998.....	126	-	1	1	1	-	-	2	1	6	4
1997.....	122	-	-	1	-	-	-	-	1	4	2
1996.....	135	-	2	-	-	1	-	1	2	-	2
1995.....	123	-	3	1	-	-	-	1	-	2	5
1994.....	147	1	3	-	-	-	-	3	3	2	6
1993.....	123	-	2	-	-	-	3	2	5	2	2
1992.....	116	-	5	3	-	1	-	1	1	3	1
1991.....	117	-	4	-	-	-	-	2	2	1	3
1990.....	109	-	4	1	-	-	-	1	3	1	3
1989.....	129	1	5	2	-	-	2	-	2	1	2
1988.....	129	-	4	3	-	-	-	1	-	-	1
1987.....	117	-	2	2	1	1	-	-	2	1	-
1986.....	140	-	6	1	2	-	1	3	1	3	1
1985.....	130	1	4	3	-	-	1	1	1	2	3
1984.....	136	-	2	-	-	1	-	-	1	1	1
1983.....	139	-	-	3	1	1	-	3	-	2	2
1982.....	141	-	2	2	-	-	-	1	2	2	3
1981.....	121	-	2	-	-	2	-	-	2	-	3
1980.....	133	1	3	-	1	1	-	-	-	1	-
1979.....	142	-	5	-	-	-	1	-	1	2	2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR OF EYE (190)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ALL OTHER, BOTH SEXES											
1998.....	16	-	5	-	-	-	-	-	1	-	-
1997.....	14	-	1	-	-	1	-	-	2	1	-
1996.....	11	-	1	-	-	-	-	-	-	1	-
1995.....	19	-	5	2	1	-	1	-	1	-	-
1994.....	11	-	3	-	-	-	-	-	1	-	-
1993.....	10	-	2	1	-	-	-	-	-	-	-
1992.....	8	-	2	-	-	1	-	-	-	-	1
1991.....	17	-	7	1	-	-	-	-	-	2	1
1990.....	14	-	5	-	-	-	1	-	1	2	-
1989.....	18	-	5	2	-	-	-	-	-	-	1
1988.....	12	-	4	-	2	-	-	-	-	-	-
1987.....	20	-	6	3	-	-	-	-	-	1	1
1986.....	8	-	4	-	-	-	-	-	-	-	-
1985.....	13	1	4	1	-	-	-	1	-	-	-
1984.....	18	-	8	1	-	1	-	-	-	-	-
1983.....	12	-	3	-	-	-	2	-	1	1	-
1982.....	10	1	2	2	-	-	-	-	-	-	-
1981.....	15	1	2	2	-	-	-	-	-	1	2
1980.....	10	-	1	1	-	-	1	1	-	-	1
1979.....	15	-	4	1	-	-	-	-	-	-	1
ALL OTHER MALE											
1998.....	6	-	2	-	-	-	-	-	-	-	-
1997.....	6	-	-	-	-	-	-	-	1	1	-
1996.....	8	-	1	-	-	-	-	-	-	1	-
1995.....	7	-	2	1	-	-	-	-	1	-	-
1994.....	4	-	-	-	-	-	-	-	1	-	-
1993.....	5	-	-	1	-	-	-	-	-	-	-
1992.....	3	-	2	-	-	-	-	-	-	-	-
1991.....	8	-	5	-	-	-	-	-	-	-	-
1990.....	7	-	2	-	-	-	-	-	-	-	-
1989.....	11	-	5	1	-	-	-	-	-	-	1
1988.....	7	-	2	-	1	-	-	-	-	-	-
1987.....	10	-	6	2	-	-	-	-	-	-	-
1986.....	5	-	2	-	-	-	-	-	-	-	-
1985.....	9	1	2	1	-	-	-	1	-	-	-
1984.....	7	-	5	1	-	-	-	-	-	-	-
1983.....	8	-	2	-	-	-	1	-	-	1	-
1982.....	6	-	2	1	-	-	-	-	-	-	-
1981.....	9	1	-	-	-	-	-	-	-	1	2
1980.....	5	-	-	1	-	-	1	-	-	-	-
1979.....	5	-	1	1	-	-	-	-	-	-	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF EYE (190)											
ALL OTHER FEMALE											
1998.....	10	-	3	-	-	-	-	-	1	-	-
1997.....	8	-	1	-	-	1	-	-	1	-	-
1996.....	3	-	-	-	-	-	-	-	-	-	-
1995.....	12	-	3	1	1	-	1	-	-	-	-
1994.....	7	-	3	-	-	-	-	-	-	-	-
1993.....	5	-	2	-	-	-	-	-	-	-	-
1992.....	5	-	-	-	-	1	-	-	-	-	1
1991.....	9	-	2	1	-	-	-	-	-	2	1
1990.....	7	-	3	-	-	-	1	-	1	2	-
1989.....	7	-	-	1	-	-	-	-	-	-	-
1988.....	5	-	2	-	1	-	-	-	-	-	-
1987.....	10	-	-	1	-	-	-	-	-	1	1
1986.....	3	-	2	-	-	-	-	-	-	-	-
1985.....	4	-	2	-	-	-	-	-	-	-	-
1984.....	11	-	3	-	-	1	-	-	-	-	-
1983.....	4	-	1	-	-	-	1	-	1	-	-
1982.....	4	1	-	1	-	-	-	-	-	-	-
1981.....	6	-	2	2	-	-	-	-	-	-	-
1980.....	5	-	1	-	-	-	-	1	-	-	1
1979.....	10	-	3	-	-	-	-	-	-	-	-
BLACK, BOTH SEXES											
1998.....	11	-	2	-	-	-	-	-	1	-	-
1997.....	13	-	1	-	-	1	-	-	2	1	-
1996.....	8	-	1	-	-	-	-	-	-	1	-
1995.....	14	-	3	1	1	-	1	-	1	-	-
1994.....	8	-	1	-	-	-	-	-	1	-	-
1993.....	7	-	1	1	-	-	-	-	-	-	-
1992.....	6	-	2	-	-	1	-	-	-	-	1
1991.....	13	-	5	1	-	-	-	-	-	2	1
1990.....	11	-	4	-	-	-	1	-	1	1	-
1989.....	16	-	5	2	-	-	-	-	-	-	1
1988.....	11	-	4	-	2	-	-	-	-	-	-
1987.....	19	-	6	3	-	-	-	-	-	1	1
1986.....	7	-	4	-	-	-	-	-	-	-	-
1985.....	13	1	4	1	-	-	-	1	-	-	-
1984.....	14	-	5	1	-	-	-	-	-	-	-
1983.....	9	-	3	-	-	-	1	-	1	1	-
1982.....	9	1	2	2	-	-	-	-	-	-	-
1981.....	12	1	1	1	-	-	-	-	-	1	2
1980.....	10	-	1	1	-	-	1	1	-	-	1
1979.....	13	-	4	1	-	-	-	-	-	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF BRAIN (191)											
TOTAL, BOTH SEXES											
1998.....	12,383	21	86	161	138	107	99	165	276	462	593
1997.....	12,193	21	122	157	121	100	90	178	272	444	599
1996.....	12,106	25	119	177	129	104	102	162	284	429	589
1995.....	11,778	16	115	156	118	94	105	153	316	435	538
1994.....	12,046	14	117	181	125	99	107	198	329	464	564
1993.....	11,749	17	147	174	110	112	123	177	354	415	541
1992.....	11,674	17	114	161	124	104	116	183	337	421	582
1991.....	11,684	18	128	178	130	100	116	192	319	441	595
1990.....	11,355	20	108	187	131	98	117	185	315	404	518
1989.....	10,813	22	106	191	115	100	120	194	288	365	501
1988.....	10,646	21	108	146	138	124	107	195	294	385	491
1987.....	10,573	17	102	166	88	102	127	205	300	383	474
1986.....	10,067	26	113	163	124	114	137	209	296	381	426
1985.....	10,001	17	107	162	120	129	120	208	281	384	433
1984.....	9,866	22	116	149	122	123	116	184	248	345	431
1983.....	9,411	21	116	148	146	117	136	186	275	318	381
1982.....	9,379	31	129	174	141	138	136	180	260	307	356
1981.....	9,091	17	118	152	137	113	141	193	244	282	352
1980.....	9,037	21	106	177	135	125	163	195	276	255	329
1979.....	8,691	23	106	159	164	134	135	189	255	265	349
TOTAL, MALE											
1998.....	6,784	9	43	90	76	74	61	96	176	280	353
1997.....	6,601	12	69	71	73	56	62	107	169	269	381
1996.....	6,594	17	69	100	70	59	63	88	170	264	344
1995.....	6,391	7	73	79	71	58	73	92	188	264	314
1994.....	6,573	7	66	95	78	56	64	116	200	277	361
1993.....	6,416	11	86	90	61	62	70	93	218	253	338
1992.....	6,308	6	53	76	69	73	67	104	201	246	340
1991.....	6,280	10	59	95	78	63	58	105	178	275	365
1990.....	6,192	8	59	101	74	54	71	114	181	247	314
1989.....	5,886	13	62	90	60	67	52	115	172	213	320
1988.....	5,930	13	56	77	76	65	57	126	168	221	306
1987.....	5,691	8	55	93	52	57	81	120	172	236	296
1986.....	5,547	15	65	86	70	70	79	121	178	227	263
1985.....	5,452	12	60	89	67	82	57	131	160	229	279
1984.....	5,395	7	67	72	78	71	70	97	157	219	252
1983.....	5,118	14	59	74	96	74	70	119	161	193	227
1982.....	5,093	17	65	95	73	81	73	107	168	194	223
1981.....	4,997	10	68	82	74	58	88	107	141	166	225
1980.....	5,093	6	69	95	72	72	103	123	170	169	209
1979.....	4,842	12	50	81	87	79	77	132	150	163	219

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF BRAIN (191)											
TOTAL, FEMALE											
1998.....	5,599	12	43	71	62	33	38	69	100	182	240
1997.....	5,592	9	53	86	48	44	28	71	103	175	218
1996.....	5,512	8	50	77	59	45	39	74	114	165	245
1995.....	5,387	9	42	77	47	36	32	61	128	171	224
1994.....	5,473	7	51	86	47	43	43	82	129	187	203
1993.....	5,333	6	61	84	49	50	53	84	136	162	203
1992.....	5,366	11	61	85	55	31	49	79	136	175	242
1991.....	5,404	8	69	83	52	37	58	87	141	166	230
1990.....	5,163	12	49	86	57	44	46	71	134	157	204
1989.....	4,927	9	44	101	55	33	68	79	116	152	181
1988.....	4,716	8	52	69	62	59	50	69	126	164	185
1987.....	4,882	9	47	73	36	45	46	85	128	147	178
1986.....	4,520	11	48	77	54	44	58	88	118	154	163
1985.....	4,549	5	47	73	53	47	63	77	121	155	154
1984.....	4,471	15	49	77	44	52	46	87	91	126	179
1983.....	4,293	7	57	74	50	43	66	67	114	125	154
1982.....	4,286	14	64	79	68	57	63	73	92	113	133
1981.....	4,094	7	50	70	63	55	53	86	103	116	127
1980.....	3,944	15	37	82	63	53	60	72	106	86	120
1979.....	3,849	11	56	78	77	55	58	57	105	102	130
WHITE, BOTH SEXES											
1998.....	11,470	18	67	122	117	91	78	137	250	418	532
1997.....	11,269	15	101	124	101	74	79	154	247	396	539
1996.....	11,294	24	95	149	107	86	80	142	260	395	541
1995.....	10,914	13	93	115	99	78	92	137	270	389	497
1994.....	11,221	10	95	142	97	81	90	174	297	422	513
1993.....	10,915	16	119	144	95	88	107	153	323	381	496
1992.....	10,894	14	86	131	105	84	100	157	307	389	538
1991.....	10,906	16	99	144	109	90	96	173	283	407	544
1990.....	10,581	13	96	151	115	78	99	158	280	368	471
1989.....	10,090	19	90	155	96	84	108	168	256	325	463
1988.....	9,898	17	88	115	110	100	88	168	272	349	460
1987.....	9,886	13	82	144	70	83	111	195	274	352	424
1986.....	9,378	24	92	136	101	97	121	188	264	356	385
1985.....	9,386	16	95	137	102	113	98	191	258	358	400
1984.....	9,254	20	102	121	102	106	104	169	229	314	407
1983.....	8,837	19	103	123	120	102	119	169	253	304	356
1982.....	8,780	28	114	146	120	114	117	158	240	289	330
1981.....	8,510	13	101	122	107	97	123	176	223	263	319
1980.....	8,489	18	91	145	108	108	148	174	253	232	311
1979.....	8,133	22	92	129	136	116	117	172	241	247	320

TABLE 292. DEATHS FOR 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF BRAIN (191)											
WHITE MALE											
1998.....	6,282	7	36	65	65	63	50	83	162	251	313
1997.....	6,137	9	56	59	63	42	52	91	154	243	350
1996.....	6,171	16	57	86	63	51	48	74	157	247	315
1995.....	5,941	7	62	64	61	52	65	83	157	234	297
1994.....	6,129	6	56	72	62	46	54	107	176	252	332
1993.....	5,971	11	70	75	52	50	64	82	195	232	316
1992.....	5,903	5	38	60	60	59	60	92	182	228	309
1991.....	5,872	9	47	78	66	57	50	93	160	256	334
1990.....	5,769	3	52	82	65	44	60	98	164	221	290
1989.....	5,499	11	58	74	54	57	49	98	155	191	289
1988.....	5,530	10	46	60	62	52	49	111	156	202	288
1987.....	5,314	6	45	79	47	46	71	113	155	213	269
1986.....	5,177	15	58	76	59	62	73	110	160	211	245
1985.....	5,101	12	55	79	59	69	44	117	150	213	254
1984.....	5,040	5	60	58	68	61	62	91	141	196	236
1983.....	4,816	12	53	61	78	65	62	108	152	184	214
1982.....	4,763	14	59	80	65	66	67	95	155	185	208
1981.....	4,656	6	56	68	63	45	75	96	127	154	200
1980.....	4,798	6	61	80	56	63	97	115	157	151	203
1979.....	4,540	12	42	70	69	66	69	122	144	153	200
WHITE FEMALE											
1998.....	5,188	11	31	57	52	28	28	54	88	167	219
1997.....	5,132	6	45	65	38	32	27	63	93	153	189
1996.....	5,123	8	38	63	44	35	32	68	103	148	226
1995.....	4,973	6	31	51	38	26	27	54	113	155	200
1994.....	5,092	4	39	70	35	35	36	67	121	170	181
1993.....	4,944	5	49	69	43	38	43	71	128	149	180
1992.....	4,991	9	48	71	45	25	40	65	125	161	229
1991.....	5,034	7	52	66	43	33	46	80	123	151	210
1990.....	4,812	10	44	69	50	34	39	60	116	147	181
1989.....	4,591	8	32	81	42	27	59	70	101	134	174
1988.....	4,368	7	42	55	48	48	39	57	116	147	172
1987.....	4,572	7	37	65	23	37	40	82	119	139	155
1986.....	4,201	9	34	60	42	35	48	78	104	145	140
1985.....	4,285	4	40	58	43	44	54	74	108	145	146
1984.....	4,214	15	42	63	34	45	42	78	88	118	171
1983.....	4,021	7	50	62	42	37	57	61	101	120	142
1982.....	4,017	14	55	66	55	48	50	63	85	104	122
1981.....	3,854	7	45	54	44	52	48	80	96	109	119
1980.....	3,691	12	30	65	52	45	51	59	96	81	108
1979.....	3,593	10	50	59	67	50	48	50	97	94	120

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF BRAIN (191)											
ALL OTHER, BOTH SEXES											
1998.....	913	3	19	39	21	16	21	28	26	44	61
1997.....	924	6	21	33	20	26	11	24	25	48	60
1996.....	812	1	24	28	22	18	22	20	24	34	48
1995.....	864	3	22	41	19	16	13	16	46	46	41
1994.....	825	4	22	39	28	18	17	24	32	42	51
1993.....	834	1	28	30	15	24	16	24	31	34	45
1992.....	780	3	28	30	19	20	16	26	30	32	44
1991.....	778	2	29	34	21	10	20	19	36	34	51
1990.....	774	7	12	36	16	20	18	27	35	36	47
1989.....	723	3	16	36	19	16	12	26	32	40	38
1988.....	748	4	20	31	28	24	19	27	22	36	31
1987.....	687	4	20	22	18	19	16	10	26	31	50
1986.....	689	2	21	27	23	17	16	21	32	25	41
1985.....	615	1	12	25	18	16	22	17	23	26	33
1984.....	612	2	14	28	20	17	12	15	19	31	24
1983.....	574	2	13	25	26	15	17	17	22	14	25
1982.....	599	3	15	28	21	24	19	22	20	18	26
1981.....	581	4	17	30	30	16	18	17	21	19	33
1980.....	548	3	15	32	27	17	15	21	23	23	18
1979.....	558	1	14	30	28	18	18	17	14	18	29
ALL OTHER MALE											
1998.....	502	2	7	25	11	11	11	13	14	29	40
1997.....	464	3	13	12	10	14	10	16	15	26	31
1996.....	423	1	12	14	7	8	15	14	13	17	29
1995.....	450	-	11	15	10	6	8	9	31	30	17
1994.....	444	1	10	23	16	10	10	9	24	25	29
1993.....	445	-	16	15	9	12	6	11	23	21	22
1992.....	405	1	15	16	9	14	7	12	19	18	31
1991.....	408	1	12	17	12	6	8	12	18	19	31
1990.....	423	5	7	19	9	10	11	16	17	26	24
1989.....	387	2	4	16	6	10	3	17	17	22	31
1988.....	400	3	10	17	14	13	8	15	12	19	18
1987.....	377	2	10	14	5	11	10	7	17	23	27
1986.....	370	-	7	10	11	8	6	11	18	16	18
1985.....	351	-	5	10	8	13	13	14	10	16	25
1984.....	355	2	7	14	10	10	8	6	16	23	16
1983.....	302	2	6	13	18	9	8	11	9	9	13
1982.....	330	3	6	15	8	15	6	12	13	9	15
1981.....	341	4	12	14	11	13	13	11	14	12	25
1980.....	295	-	8	15	16	9	6	8	13	18	6
1979.....	302	-	8	11	18	13	8	10	6	10	19

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF BRAIN (191)											
ALL OTHER FEMALE											
1998.....	411	1	12	14	10	5	10	15	12	15	21
1997.....	460	3	8	21	10	12	1	8	10	22	29
1996.....	389	-	12	14	15	10	7	6	11	17	19
1995.....	414	3	11	26	9	10	5	7	15	16	24
1994.....	381	3	12	16	12	8	7	15	8	17	22
1993.....	389	1	12	15	6	12	10	13	8	13	23
1992.....	375	2	13	14	10	6	9	14	11	14	13
1991.....	370	1	17	17	9	4	12	7	18	15	20
1990.....	351	2	5	17	7	10	7	11	18	10	23
1989.....	336	1	12	20	13	6	9	9	15	18	7
1988.....	348	1	10	14	14	11	11	12	10	17	13
1987.....	310	2	10	8	13	8	6	3	9	8	23
1986.....	319	2	14	17	12	9	10	10	14	9	23
1985.....	264	1	7	15	10	3	9	3	13	10	8
1984.....	257	-	7	14	10	7	4	9	3	8	8
1983.....	272	-	7	12	8	6	9	6	13	5	12
1982.....	269	-	9	13	13	9	13	10	7	9	11
1981.....	240	-	5	16	19	3	5	6	7	7	8
1980.....	253	3	7	17	11	8	9	13	10	5	12
1979.....	256	1	6	19	10	5	10	7	8	8	10
BLACK, BOTH SEXES											
1998.....	719	3	15	34	16	8	16	19	21	28	45
1997.....	741	3	15	29	15	20	8	20	19	35	52
1996.....	661	1	17	23	21	15	18	14	22	26	37
1995.....	692	3	19	34	15	12	12	13	32	41	34
1994.....	666	2	17	30	24	16	12	16	27	37	36
1993.....	679	1	20	22	11	19	14	20	22	26	34
1992.....	654	3	23	21	16	16	11	20	27	26	35
1991.....	649	1	27	29	15	10	16	16	30	29	42
1990.....	655	6	9	29	14	17	14	26	24	29	39
1989.....	605	3	11	31	15	13	11	22	21	33	34
1988.....	640	3	18	28	24	21	17	22	14	32	27
1987.....	606	3	18	16	16	17	15	8	23	26	41
1986.....	592	2	17	23	22	17	13	17	27	17	35
1985.....	527	1	10	21	15	14	18	12	22	18	24
1984.....	537	2	11	25	15	14	11	13	14	27	17
1983.....	515	2	11	23	21	13	16	13	21	10	22
1982.....	543	1	15	25	18	21	18	20	16	14	25
1981.....	517	3	11	28	30	14	15	15	17	18	29
1980.....	503	2	14	26	25	14	14	18	21	20	17
1979.....	516	1	14	25	28	18	17	17	12	12	28

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF BRAIN (191)											
BLACK MALE											
1998.....	386	2	5	23	9	5	8	7	11	15	30
1997.....	373	2	11	9	7	11	7	15	11	21	26
1996.....	348	1	8	13	7	7	12	11	12	13	23
1995.....	359	-	11	13	8	5	7	7	22	27	15
1994.....	348	-	8	16	13	9	8	6	21	21	19
1993.....	364	-	11	10	7	10	6	10	16	17	15
1992.....	340	1	12	9	7	11	4	11	17	14	24
1991.....	335	-	11	14	8	6	5	10	16	16	25
1990.....	352	5	4	16	8	9	8	15	11	20	20
1989.....	321	2	4	14	5	7	3	15	7	20	27
1988.....	345	2	9	15	10	10	6	11	9	19	14
1987.....	331	1	9	8	4	10	9	6	15	20	23
1986.....	317	-	5	9	10	8	5	8	15	12	14
1985.....	295	-	3	8	7	11	9	10	10	10	20
1984.....	310	2	4	14	5	9	7	5	12	19	12
1983.....	263	2	4	12	15	7	7	7	9	7	12
1982.....	300	1	6	13	7	13	5	11	9	8	15
1981.....	298	3	6	13	11	11	11	10	13	12	23
1980.....	271	-	8	12	15	8	5	8	13	16	5
1979.....	278	-	8	9	18	13	7	10	4	8	19
BLACK FEMALE											
1998.....	333	1	10	11	7	3	8	12	10	13	15
1997.....	368	1	4	20	8	9	1	5	8	14	26
1996.....	313	-	9	10	14	8	6	3	10	13	14
1995.....	333	3	8	21	7	7	5	6	10	14	19
1994.....	318	2	9	14	11	7	4	10	6	16	17
1993.....	315	1	9	12	4	9	8	10	6	9	19
1992.....	314	2	11	12	9	5	7	9	10	12	11
1991.....	314	1	16	15	7	4	11	6	14	13	17
1990.....	303	1	5	13	6	8	6	11	13	9	19
1989.....	284	1	7	17	10	6	8	7	14	13	7
1988.....	295	1	9	13	14	11	11	11	5	13	13
1987.....	275	2	9	8	12	7	6	2	8	6	18
1986.....	275	2	12	14	12	9	8	9	12	5	21
1985.....	232	1	7	13	8	3	9	2	12	8	4
1984.....	227	-	7	11	10	5	4	8	2	8	5
1983.....	252	-	7	11	6	6	9	6	12	3	10
1982.....	243	-	9	12	11	8	13	9	7	6	10
1981.....	219	-	5	15	19	3	4	5	4	6	6
1980.....	232	2	6	14	10	6	9	10	8	4	12
1979.....	238	1	6	16	10	5	10	7	8	4	9

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF OTHER AND UNSPECIFIED PARTS OF NERVOUS SYSTEM (192)											
TOTAL, BOTH SEXES											
1998.....	284	1	4	7	7	8	6	6	6	8	10
1997.....	281	1	4	5	4	6	10	8	2	6	13
1996.....	270	2	9	3	7	3	3	7	6	8	12
1995.....	285	2	6	7	3	3	8	12	6	9	15
1994.....	267	-	5	3	4	9	6	3	8	9	13
1993.....	244	1	6	2	3	3	4	1	10	9	6
1992.....	267	-	4	4	12	6	1	3	5	14	10
1991.....	268	1	5	6	6	6	3	3	3	16	13
1990.....	275	-	9	3	2	10	6	5	6	11	17
1989.....	317	1	11	9	11	4	5	6	8	10	13
1988.....	297	3	6	9	3	4	7	12	8	13	7
1987.....	260	2	6	4	5	8	5	3	10	10	11
1986.....	255	1	6	2	7	9	5	9	5	4	15
1985.....	264	1	7	6	2	4	3	7	13	10	11
1984.....	250	-	4	7	7	4	7	12	9	8	8
1983.....	263	3	5	10	5	5	10	13	11	10	4
1982.....	245	-	4	6	9	8	8	8	11	8	13
1981.....	291	1	7	17	8	6	7	5	11	8	12
1980.....	263	1	5	6	7	7	15	11	11	14	9
1979.....	245	3	3	8	7	12	10	10	13	7	6
TOTAL, MALE											
1998.....	152	1	3	3	5	3	3	4	3	4	4
1997.....	139	-	-	2	1	4	8	4	2	4	8
1996.....	139	-	4	1	4	3	3	4	3	6	3
1995.....	146	-	2	5	2	3	6	9	5	6	9
1994.....	129	-	4	1	3	6	4	2	4	7	6
1993.....	135	1	3	2	1	2	4	1	8	6	2
1992.....	124	-	4	2	8	3	-	2	4	7	5
1991.....	151	1	2	3	4	4	2	2	2	11	11
1990.....	147	-	5	1	-	7	6	4	4	5	12
1989.....	160	1	3	5	3	-	2	1	4	5	8
1988.....	146	2	3	5	2	3	6	9	4	7	3
1987.....	133	1	3	1	1	5	3	1	4	9	6
1986.....	122	-	3	1	4	5	-	3	3	3	6
1985.....	128	1	1	-	-	1	1	6	6	7	9
1984.....	120	-	2	4	1	2	3	5	8	3	7
1983.....	124	3	2	4	1	4	4	7	10	6	3
1982.....	131	-	2	-	6	6	6	5	7	2	7
1981.....	137	1	3	7	3	3	3	2	10	5	5
1980.....	149	1	4	3	5	4	8	7	7	7	6
1979.....	130	2	1	4	5	8	5	5	6	4	3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF OTHER AND UNSPECIFIED PARTS OF NERVOUS SYSTEM (192)											
TOTAL, FEMALE											
1998.....	132	-	1	4	2	5	3	2	3	4	6
1997.....	142	1	4	3	3	2	2	4	-	2	5
1996.....	131	2	5	2	3	-	-	3	3	2	9
1995.....	139	2	4	2	1	-	2	3	1	3	6
1994.....	138	-	1	2	1	3	2	1	4	2	7
1993.....	109	-	3	-	2	1	-	-	2	3	4
1992.....	143	-	-	2	4	3	1	1	1	7	5
1991.....	117	-	3	3	2	2	1	1	1	5	2
1990.....	128	-	4	2	2	3	-	1	2	6	5
1989.....	157	-	8	4	8	4	3	5	4	5	5
1988.....	151	1	3	4	1	1	1	3	4	6	4
1987.....	127	1	3	3	4	3	2	2	6	1	5
1986.....	133	1	3	1	3	4	5	6	2	1	9
1985.....	136	-	6	6	2	3	2	1	7	3	2
1984.....	130	-	2	3	6	2	4	7	1	5	1
1983.....	139	-	3	6	4	1	6	6	1	4	1
1982.....	114	-	2	6	3	2	2	3	4	6	6
1981.....	154	-	4	10	5	3	4	3	1	3	7
1980.....	114	-	1	3	2	3	7	4	4	7	3
1979.....	115	1	2	4	2	4	5	5	7	3	3
WHITE, BOTH SEXES											
1998.....	248	1	4	5	6	8	2	3	6	7	10
1997.....	249	1	2	5	3	6	6	7	2	6	12
1996.....	229	2	7	3	2	-	3	5	4	7	10
1995.....	251	2	4	7	3	2	7	8	5	9	13
1994.....	244	-	4	3	4	9	5	3	7	7	12
1993.....	217	-	4	1	2	3	4	1	10	4	5
1992.....	238	-	3	4	11	6	1	1	4	11	8
1991.....	227	-	5	6	6	4	3	1	2	16	10
1990.....	233	-	7	3	2	6	5	5	4	9	15
1989.....	282	1	8	6	11	4	4	6	6	10	12
1988.....	263	3	6	6	2	3	4	12	6	12	6
1987.....	223	2	4	3	5	8	4	3	9	9	7
1986.....	227	1	6	1	4	8	3	7	5	3	10
1985.....	226	1	7	5	2	3	3	5	10	6	10
1984.....	222	-	3	6	6	2	7	11	8	7	6
1983.....	234	3	5	8	3	5	8	11	9	8	3
1982.....	221	-	4	5	9	7	8	8	10	7	10
1981.....	262	1	6	15	5	4	6	4	10	8	10
1980.....	238	1	5	5	6	7	14	11	10	12	8
1979.....	220	2	3	7	7	12	8	7	10	6	5

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF OTHER AND UNSPECIFIED PARTS OF NERVOUS SYSTEM (192)											
WHITE MALE											
1998.....	133	1	3	3	4	3	2	3	3	4	4
1997.....	126	-	-	2	-	4	5	3	2	4	7
1996.....	116	-	3	1	-	-	3	3	2	5	3
1995.....	126	-	1	5	2	2	5	5	4	6	9
1994.....	117	-	3	1	3	6	4	2	4	5	5
1993.....	118	-	2	1	-	2	4	1	8	3	2
1992.....	111	-	3	2	7	3	-	1	3	5	5
1991.....	130	-	2	3	4	3	2	1	1	11	8
1990.....	121	-	5	1	-	3	5	4	2	4	11
1989.....	142	1	3	3	3	-	1	1	4	5	7
1988.....	129	2	3	3	1	2	4	9	3	6	2
1987.....	112	1	1	-	1	5	2	1	3	9	4
1986.....	111	-	3	-	2	4	-	3	3	2	5
1985.....	111	1	1	-	-	1	1	4	3	5	9
1984.....	105	-	1	4	1	1	3	4	7	3	5
1983.....	109	3	2	2	1	4	3	6	8	6	3
1982.....	120	-	2	-	6	6	6	5	7	2	5
1981.....	124	1	3	7	1	2	2	1	9	5	5
1980.....	135	1	4	3	4	4	7	7	6	6	6
1979.....	115	2	1	4	5	8	4	4	5	3	2
WHITE FEMALE											
1998.....	115	-	1	2	2	5	-	-	3	3	6
1997.....	123	1	2	3	3	2	1	4	-	2	5
1996.....	113	2	4	2	2	-	-	2	2	2	7
1995.....	125	2	3	2	1	-	2	3	1	3	4
1994.....	127	-	1	2	1	3	1	1	3	2	7
1993.....	99	-	2	-	2	1	-	-	2	1	3
1992.....	127	-	-	2	4	3	1	-	1	6	3
1991.....	97	-	3	3	2	1	1	-	1	5	2
1990.....	112	-	2	2	2	3	-	1	2	5	4
1989.....	140	-	5	3	8	4	3	5	2	5	5
1988.....	134	1	3	3	1	1	-	3	3	6	4
1987.....	111	1	3	3	4	3	2	2	6	-	3
1986.....	116	1	3	1	2	4	3	4	2	1	5
1985.....	115	-	6	5	2	2	2	1	7	1	1
1984.....	117	-	2	2	5	1	4	7	1	4	1
1983.....	125	-	3	6	2	1	5	5	1	2	-
1982.....	101	-	2	5	3	1	2	3	3	5	5
1981.....	138	-	3	8	4	2	4	3	1	3	5
1980.....	103	-	1	2	2	3	7	4	4	6	2
1979.....	105	-	2	3	2	4	4	3	5	3	3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF OTHER AND UNSPECIFIED PARTS OF NERVOUS SYSTEM (192)											
ALL OTHER, BOTH SEXES											
1998.....	36	-	-	2	1	-	4	3	-	1	-
1997.....	32	-	2	-	1	-	4	1	-	-	1
1996.....	41	-	2	-	5	3	-	2	2	1	2
1995.....	34	-	2	-	-	1	1	4	1	-	2
1994.....	23	-	1	-	-	-	1	-	1	2	1
1993.....	27	1	2	1	1	-	-	-	-	5	1
1992.....	29	-	1	-	1	-	-	2	1	3	2
1991.....	41	1	-	-	-	2	-	2	1	-	3
1990.....	42	-	2	-	-	4	1	-	2	2	2
1989.....	35	-	3	3	-	-	1	-	2	-	1
1988.....	34	-	-	3	1	1	3	-	2	1	1
1987.....	37	-	2	1	-	-	1	-	1	1	4
1986.....	28	-	-	1	3	1	2	2	-	1	5
1985.....	38	-	-	1	-	1	-	2	3	4	1
1984.....	28	-	1	1	1	2	-	1	1	1	2
1983.....	29	-	-	2	2	-	2	2	2	2	1
1982.....	24	-	-	1	-	1	-	-	1	1	3
1981.....	29	-	1	2	3	2	1	1	1	-	2
1980.....	25	-	-	1	1	-	1	-	1	2	1
1979.....	25	1	-	1	-	-	2	3	3	1	1
ALL OTHER MALE											
1998.....	19	-	-	-	1	-	1	1	-	-	-
1997.....	13	-	-	-	1	-	3	1	-	-	1
1996.....	23	-	1	-	4	3	-	1	1	1	-
1995.....	20	-	1	-	-	1	1	4	1	-	-
1994.....	12	-	1	-	-	-	-	-	-	2	1
1993.....	17	1	1	1	1	-	-	-	-	3	-
1992.....	13	-	1	-	1	-	-	1	1	2	-
1991.....	21	1	-	-	-	1	-	1	1	-	3
1990.....	26	-	-	-	-	4	1	-	2	1	1
1989.....	18	-	-	2	-	-	1	-	-	-	1
1988.....	17	-	-	2	1	1	2	-	1	1	1
1987.....	21	-	2	1	-	-	1	-	1	-	2
1986.....	11	-	-	1	2	1	-	-	-	1	1
1985.....	17	-	-	-	-	-	-	2	3	2	-
1984.....	15	-	1	-	-	1	-	1	1	-	2
1983.....	15	-	-	2	-	-	1	1	2	-	-
1982.....	11	-	-	-	-	-	-	-	-	-	2
1981.....	13	-	-	-	2	1	1	1	1	-	-
1980.....	14	-	-	-	1	-	1	-	1	1	-
1979.....	15	-	-	-	-	-	1	1	1	1	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF OTHER AND UNSPECIFIED PARTS OF NERVOUS SYSTEM (192)											
ALL OTHER FEMALE											
1998.....	17	-	-	2	-	-	3	2	-	1	-
1997.....	19	-	2	-	-	-	1	-	-	-	-
1996.....	18	-	1	-	1	-	-	1	1	-	2
1995.....	14	-	1	-	-	-	-	-	-	-	2
1994.....	11	-	-	-	-	-	1	-	1	-	-
1993.....	10	-	1	-	-	-	-	-	-	2	1
1992.....	16	-	-	-	-	-	-	1	-	1	2
1991.....	20	-	-	-	-	1	-	1	-	-	-
1990.....	16	-	2	-	-	-	-	-	-	1	1
1989.....	17	-	3	1	-	-	-	-	2	-	-
1988.....	17	-	-	1	-	-	1	-	1	-	-
1987.....	16	-	-	-	-	-	-	-	-	1	2
1986.....	17	-	-	-	1	-	2	2	-	-	4
1985.....	21	-	-	1	-	1	-	-	-	2	1
1984.....	13	-	-	1	1	1	-	-	-	1	-
1983.....	14	-	-	-	2	-	1	1	-	2	1
1982.....	13	-	-	1	-	1	-	-	1	1	1
1981.....	16	-	1	2	1	1	-	-	-	-	2
1980.....	11	-	-	1	-	-	-	-	-	1	1
1979.....	10	1	-	1	-	-	1	2	2	-	-
BLACK, BOTH SEXES											
1998.....	28	-	-	2	1	-	3	1	-	1	-
1997.....	24	-	-	-	-	-	2	1	-	-	1
1996.....	34	-	1	-	5	3	-	2	1	-	2
1995.....	28	-	1	-	-	1	1	4	1	-	1
1994.....	19	-	1	-	-	-	1	-	1	1	1
1993.....	18	1	1	-	1	-	-	-	-	5	-
1992.....	26	-	1	-	-	-	-	1	1	3	2
1991.....	32	-	-	-	-	1	-	2	1	-	1
1990.....	36	-	2	-	-	3	1	-	2	2	2
1989.....	29	-	3	2	-	-	1	-	2	-	-
1988.....	29	-	-	3	1	1	1	-	2	1	1
1987.....	35	-	2	1	-	-	1	-	1	1	3
1986.....	24	-	-	1	3	1	2	1	-	1	4
1985.....	32	-	-	1	-	-	-	2	2	4	1
1984.....	20	-	-	1	1	2	-	1	1	-	2
1983.....	26	-	-	2	1	-	2	2	2	2	1
1982.....	20	-	-	1	-	-	-	-	-	1	3
1981.....	25	-	1	2	3	1	1	1	-	-	2
1980.....	24	-	-	1	1	-	1	-	1	2	1
1979.....	23	1	-	1	-	-	2	2	3	1	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF OTHER AND UNSPECIFIED PARTS OF NERVOUS SYSTEM (192)											
BLACK MALE											
1998.....	13	-	-	-	1	-	-	-	-	-	-
1997.....	8	-	-	-	-	-	1	1	-	-	1
1996.....	17	-	-	-	4	3	-	1	1	-	-
1995.....	18	-	1	-	-	1	1	4	1	-	-
1994.....	9	-	1	-	-	-	-	-	-	1	1
1993.....	15	1	1	-	1	-	-	-	-	3	-
1992.....	11	-	1	-	-	-	-	-	1	2	-
1991.....	15	-	-	-	-	1	-	1	1	-	1
1990.....	20	-	-	-	-	3	1	-	2	1	1
1989.....	14	-	-	1	-	-	1	-	-	-	-
1988.....	13	-	-	2	1	1	1	-	1	1	1
1987.....	20	-	2	1	-	-	1	-	1	-	2
1986.....	11	-	-	1	2	1	-	-	-	1	1
1985.....	14	-	-	-	-	-	-	2	2	2	-
1984.....	10	-	-	-	-	1	-	1	1	-	2
1983.....	14	-	-	2	-	-	1	1	2	-	-
1982.....	11	-	-	-	-	-	-	-	-	-	2
1981.....	10	-	-	-	2	1	1	1	-	-	-
1980.....	14	-	-	-	1	-	1	-	1	1	-
1979.....	14	-	-	-	-	-	1	1	1	1	1
BLACK FEMALE											
1998.....	15	-	-	2	-	-	3	1	-	1	-
1997.....	16	-	-	-	-	-	1	-	-	-	-
1996.....	17	-	1	-	1	-	-	1	-	-	2
1995.....	10	-	-	-	-	-	-	-	-	-	1
1994.....	10	-	-	-	-	-	1	-	1	-	-
1993.....	3	-	-	-	-	-	-	-	-	2	-
1992.....	15	-	-	-	-	-	-	1	-	1	2
1991.....	17	-	-	-	-	-	-	1	-	-	-
1990.....	16	-	2	-	-	-	-	-	-	1	1
1989.....	15	-	3	1	-	-	-	-	2	-	-
1988.....	16	-	-	1	-	-	-	-	1	-	-
1987.....	15	-	-	-	-	-	-	-	-	1	1
1986.....	13	-	-	-	1	-	2	1	-	-	3
1985.....	18	-	-	1	-	-	-	-	-	2	1
1984.....	10	-	-	1	1	1	-	-	-	-	-
1983.....	12	-	-	-	1	-	1	1	-	2	1
1982.....	9	-	-	1	-	-	-	-	-	1	1
1981.....	15	-	1	2	1	-	-	-	-	-	2
1980.....	10	-	-	1	-	-	-	-	-	1	1
1979.....	9	1	-	1	-	-	1	1	2	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF THYROID GLAND AND OTHER ENDOCRINE GLANDS AND RELATED STRUCTURES (193-194)											
TOTAL, BOTH SEXES											
1998.....	1,935	7	66	59	27	14	21	14	37	40	59
1997.....	1,948	9	80	69	23	13	16	16	22	41	41
1996.....	1,902	8	71	64	23	12	17	19	20	45	44
1995.....	1,816	7	92	52	20	9	14	11	19	43	43
1994.....	1,755	7	107	63	21	12	9	16	28	38	43
1993.....	1,862	13	100	55	19	9	14	16	21	40	51
1992.....	1,823	9	82	64	19	11	19	19	26	28	49
1991.....	1,706	12	102	48	18	17	12	17	26	36	43
1990.....	1,709	17	103	60	22	10	16	36	25	29	44
1989.....	1,661	10	104	69	12	4	12	24	24	31	45
1988.....	1,667	12	129	49	12	11	14	18	30	41	53
1987.....	1,672	21	112	59	14	15	14	19	30	39	32
1986.....	1,675	11	120	55	17	12	21	31	26	20	45
1985.....	1,579	16	103	59	15	15	13	26	28	27	37
1984.....	1,626	6	128	57	16	14	23	19	27	25	50
1983.....	1,568	21	125	52	15	22	22	22	27	39	45
1982.....	1,614	12	132	47	17	17	20	16	26	27	28
1981.....	1,661	14	132	54	23	30	25	16	21	27	47
1980.....	1,573	20	124	59	22	17	25	27	29	22	39
1979.....	1,554	16	112	50	16	18	15	15	25	26	38
TOTAL, MALE											
1998.....	815	4	38	37	19	4	7	6	18	20	26
1997.....	866	6	48	43	10	8	10	8	9	18	20
1996.....	832	5	45	37	17	6	11	8	6	20	29
1995.....	812	5	56	25	13	3	10	7	3	22	26
1994.....	746	1	60	37	13	4	4	9	12	16	19
1993.....	792	9	59	33	12	3	7	5	8	21	30
1992.....	747	5	37	41	11	4	13	7	13	13	20
1991.....	727	7	66	30	8	6	9	8	12	21	19
1990.....	721	8	60	35	10	4	10	20	12	13	23
1989.....	724	6	56	33	8	1	8	11	14	13	29
1988.....	752	8	70	28	8	5	9	10	14	23	33
1987.....	731	9	67	32	7	9	7	7	11	16	19
1986.....	704	6	66	30	5	7	13	15	13	12	27
1985.....	688	11	63	40	5	9	10	15	17	18	13
1984.....	690	4	71	38	10	8	14	13	13	13	26
1983.....	656	9	70	28	7	12	11	10	14	21	20
1982.....	674	8	73	28	10	6	11	8	14	20	15
1981.....	704	7	77	32	13	17	7	11	11	11	28
1980.....	675	12	76	35	15	8	16	14	12	12	24
1979.....	651	7	69	32	8	8	7	10	9	10	18

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF THYROID GLAND AND OTHER ENDOCRINE GLANDS AND RELATED STRUCTURES (193-194)											
TOTAL, FEMALE											
1998.....	1,120	3	28	22	8	10	14	8	19	20	33
1997.....	1,082	3	32	26	13	5	6	8	13	23	21
1996.....	1,070	3	26	27	6	6	6	11	14	25	15
1995.....	1,004	2	36	27	7	6	4	4	16	21	17
1994.....	1,009	6	47	26	8	8	5	7	16	22	24
1993.....	1,070	4	41	22	7	6	7	11	13	19	21
1992.....	1,076	4	45	23	8	7	6	12	13	15	29
1991.....	979	5	36	18	10	11	3	9	14	15	24
1990.....	988	9	43	25	12	6	6	16	13	16	21
1989.....	937	4	48	36	4	3	4	13	10	18	16
1988.....	915	4	59	21	4	6	5	8	16	18	20
1987.....	941	12	45	27	7	6	7	12	19	23	13
1986.....	971	5	54	25	12	5	8	16	13	8	18
1985.....	891	5	40	19	10	6	3	11	11	9	24
1984.....	936	2	57	19	6	6	9	6	14	12	24
1983.....	912	12	55	24	8	10	11	12	13	18	25
1982.....	940	4	59	19	7	11	9	8	12	7	13
1981.....	957	7	55	22	10	13	18	5	10	16	19
1980.....	898	8	48	24	7	9	9	13	17	10	15
1979.....	903	9	43	18	8	10	8	5	16	16	20
WHITE, BOTH SEXES											
1998.....	1,693	7	56	51	19	10	18	14	28	38	46
1997.....	1,685	3	59	58	20	6	13	15	17	29	38
1996.....	1,678	7	56	53	17	8	16	13	18	42	38
1995.....	1,604	5	74	42	15	6	6	9	16	36	35
1994.....	1,545	7	89	51	16	12	8	15	25	32	38
1993.....	1,633	10	83	46	13	8	14	12	20	35	43
1992.....	1,597	8	65	52	16	10	15	17	24	23	47
1991.....	1,474	11	82	39	14	15	11	14	19	30	38
1990.....	1,502	14	78	46	17	7	14	35	21	26	38
1989.....	1,451	9	85	57	8	4	11	19	19	26	41
1988.....	1,458	10	105	40	9	10	12	15	26	35	38
1987.....	1,482	18	97	51	11	10	14	14	29	35	27
1986.....	1,466	8	97	42	15	9	17	28	22	15	38
1985.....	1,385	15	87	50	12	13	13	22	23	21	29
1984.....	1,437	4	109	48	10	11	21	17	24	19	44
1983.....	1,387	17	101	41	10	19	17	16	24	34	40
1982.....	1,428	9	114	36	17	11	15	14	19	24	20
1981.....	1,475	14	114	38	20	22	20	15	18	19	45
1980.....	1,401	13	101	51	20	16	21	24	24	18	34
1979.....	1,404	13	99	43	12	14	12	14	20	24	35

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF THYROID GLAND AND OTHER ENDOCRINE GLANDS AND RELATED STRUCTURES (193-194)											
WHITE MALE											
1998.....	733	4	34	32	14	2	5	6	14	19	22
1997.....	759	1	33	35	9	5	8	7	8	12	19
1996.....	738	4	36	32	11	2	10	5	6	17	26
1995.....	728	4	45	19	9	2	4	5	3	18	19
1994.....	654	1	48	27	12	4	3	8	10	13	17
1993.....	709	6	49	26	10	3	7	4	7	18	28
1992.....	666	5	30	35	11	4	10	6	12	11	19
1991.....	640	7	51	23	7	4	8	5	11	18	16
1990.....	641	7	44	26	8	2	8	20	10	11	18
1989.....	645	6	48	27	7	1	8	9	10	12	26
1988.....	671	7	59	24	7	5	7	8	13	19	27
1987.....	656	7	57	28	5	6	7	5	11	15	15
1986.....	614	4	52	22	5	6	10	13	11	10	25
1985.....	617	11	54	35	5	8	10	12	14	14	10
1984.....	614	3	58	31	7	6	13	12	10	12	22
1983.....	580	7	52	23	4	12	10	8	12	20	17
1982.....	602	6	64	22	10	5	9	7	9	19	10
1981.....	639	7	68	20	11	15	4	10	9	8	27
1980.....	595	7	61	30	13	8	13	12	8	10	20
1979.....	591	6	60	26	6	5	5	10	7	8	16
WHITE FEMALE											
1998.....	960	3	22	19	5	8	13	8	14	19	24
1997.....	926	2	26	23	11	1	5	8	9	17	19
1996.....	940	3	20	21	6	6	6	8	12	25	12
1995.....	876	1	29	23	6	4	2	4	13	18	16
1994.....	891	6	41	24	4	8	5	7	15	19	21
1993.....	924	4	34	20	3	5	7	8	13	17	15
1992.....	931	3	35	17	5	6	5	11	12	12	28
1991.....	834	4	31	16	7	11	3	9	8	12	22
1990.....	861	7	34	20	9	5	6	15	11	15	20
1989.....	806	3	37	30	1	3	3	10	9	14	15
1988.....	787	3	46	16	2	5	5	7	13	16	11
1987.....	826	11	40	23	6	4	7	9	18	20	12
1986.....	852	4	45	20	10	3	7	15	11	5	13
1985.....	768	4	33	15	7	5	3	10	9	7	19
1984.....	823	1	51	17	3	5	8	5	14	7	22
1983.....	807	10	49	18	6	7	7	8	12	14	23
1982.....	826	3	50	14	7	6	6	7	10	5	10
1981.....	836	7	46	18	9	7	16	5	9	11	18
1980.....	806	6	40	21	7	8	8	12	16	8	14
1979.....	813	7	39	17	6	9	7	4	13	16	19

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF THYROID GLAND AND OTHER ENDOCRINE GLANDS AND RELATED STRUCTURES (193-194)											
ALL OTHER, BOTH SEXES											
1998.....	242	-	10	8	8	4	3	-	9	2	13
1997.....	263	6	21	11	3	7	3	1	5	12	3
1996.....	224	1	15	11	6	4	1	6	2	3	6
1995.....	212	2	18	10	5	3	8	2	3	7	8
1994.....	210	-	18	12	5	-	1	1	3	6	5
1993.....	229	3	17	9	6	1	-	4	1	5	8
1992.....	226	1	17	12	3	1	4	2	2	5	2
1991.....	232	1	20	9	4	2	1	3	7	6	5
1990.....	207	3	25	14	5	3	2	1	4	3	6
1989.....	210	1	19	12	4	-	1	5	5	5	4
1988.....	209	2	24	9	3	1	2	3	4	6	15
1987.....	190	3	15	8	3	5	-	5	1	4	5
1986.....	209	3	23	13	2	3	4	3	4	5	7
1985.....	194	1	16	9	3	2	-	4	5	6	8
1984.....	189	2	19	9	6	3	2	2	3	6	6
1983.....	181	4	24	11	5	3	5	6	3	5	5
1982.....	186	3	18	11	-	6	5	2	7	3	8
1981.....	186	-	18	16	3	8	5	1	3	8	2
1980.....	172	7	23	8	2	1	4	3	5	4	5
1979.....	150	3	13	7	4	4	3	1	5	2	3
ALL OTHER MALE											
1998.....	82	-	4	5	5	2	2	-	4	1	4
1997.....	107	5	15	8	1	3	2	1	1	6	1
1996.....	94	1	9	5	6	4	1	3	-	3	3
1995.....	84	1	11	6	4	1	6	2	-	4	7
1994.....	92	-	12	10	1	-	1	1	2	3	2
1993.....	83	3	10	7	2	-	-	1	1	3	2
1992.....	81	-	7	6	-	-	3	1	1	2	1
1991.....	87	-	15	7	1	2	1	3	1	3	3
1990.....	80	1	16	9	2	2	2	-	2	2	5
1989.....	79	-	8	6	1	-	-	2	4	1	3
1988.....	81	1	11	4	1	-	2	2	1	4	6
1987.....	75	2	10	4	2	3	-	2	-	1	4
1986.....	90	2	14	8	-	1	3	2	2	2	2
1985.....	71	-	9	5	-	1	-	3	3	4	3
1984.....	76	1	13	7	3	2	1	1	3	1	4
1983.....	76	2	18	5	3	-	1	2	2	1	3
1982.....	72	2	9	6	-	1	2	1	5	1	5
1981.....	65	-	9	12	2	2	3	1	2	3	1
1980.....	80	5	15	5	2	-	3	2	4	2	4
1979.....	60	1	9	6	2	3	2	-	2	2	2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF THYROID GLAND AND OTHER ENDOCRINE GLANDS AND RELATED STRUCTURES (193-194)											
ALL OTHER FEMALE											
1998.....	160	-	6	3	3	2	1	-	5	1	9
1997.....	156	1	6	3	2	4	1	-	4	6	2
1996.....	130	-	6	6	-	-	-	3	2	-	3
1995.....	128	1	7	4	1	2	2	-	3	3	1
1994.....	118	-	6	2	4	-	-	-	1	3	3
1993.....	146	-	7	2	4	1	-	3	-	2	6
1992.....	145	1	10	6	3	1	1	1	1	3	1
1991.....	145	1	5	2	3	-	-	-	6	3	2
1990.....	127	2	9	5	3	1	-	1	2	1	1
1989.....	131	1	11	6	3	-	1	3	1	4	1
1988.....	128	1	13	5	2	1	-	1	3	2	9
1987.....	115	1	5	4	1	2	-	3	1	3	1
1986.....	119	1	9	5	2	2	1	1	2	3	5
1985.....	123	1	7	4	3	1	-	1	2	2	5
1984.....	113	1	6	2	3	1	1	1	-	5	2
1983.....	105	2	6	6	2	3	4	4	1	4	2
1982.....	114	1	9	5	-	5	3	1	2	2	3
1981.....	121	-	9	4	1	6	2	-	1	5	1
1980.....	92	2	8	3	-	1	1	1	1	2	1
1979.....	90	2	4	1	2	1	1	1	3	-	1
BLACK, BOTH SEXES											
1998.....	183	-	8	6	7	3	3	-	8	2	12
1997.....	196	5	16	7	3	4	2	1	5	10	3
1996.....	174	1	14	8	6	4	1	6	-	3	6
1995.....	171	2	14	9	4	3	7	2	3	7	7
1994.....	165	-	17	12	5	-	1	1	3	5	4
1993.....	176	2	14	8	5	-	-	4	-	4	5
1992.....	166	1	11	12	3	1	3	1	2	5	1
1991.....	170	1	18	6	3	1	-	2	5	4	4
1990.....	173	3	24	12	4	2	1	1	3	2	6
1989.....	175	1	16	12	3	-	1	4	5	4	4
1988.....	168	2	21	6	2	1	2	2	3	4	14
1987.....	157	3	12	8	3	5	-	4	1	3	5
1986.....	179	2	17	12	2	3	4	3	4	5	5
1985.....	157	1	12	9	3	1	-	3	5	6	4
1984.....	161	2	18	7	6	2	2	2	3	4	4
1983.....	157	3	22	11	5	3	3	4	3	4	4
1982.....	167	2	18	10	-	6	5	2	7	2	6
1981.....	167	-	16	14	3	8	4	1	3	8	2
1980.....	158	7	23	8	2	1	2	2	5	2	5
1979.....	136	3	13	6	4	2	3	1	5	2	3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF THYROID GLAND AND OTHER ENDOCRINE GLANDS AND RELATED STRUCTURES (193-194)											
BLACK MALE											
1998.....	62	-	3	3	5	1	2	-	3	1	4
1997.....	76	5	10	6	1	2	1	1	1	5	1
1996.....	77	1	8	3	6	4	1	3	-	3	3
1995.....	66	1	8	5	3	1	5	2	-	4	6
1994.....	74	-	12	10	1	-	1	1	2	2	2
1993.....	64	2	9	6	1	-	-	1	-	3	2
1992.....	63	-	5	6	-	-	2	1	1	2	1
1991.....	67	-	13	5	1	1	-	2	1	2	2
1990.....	67	1	15	7	2	1	1	-	2	1	5
1989.....	64	-	7	6	-	-	-	1	4	1	3
1988.....	68	1	9	3	-	-	2	2	1	3	6
1987.....	63	2	9	4	2	3	-	2	-	1	4
1986.....	74	1	9	8	-	1	3	2	2	2	2
1985.....	59	-	7	5	-	-	-	3	3	4	2
1984.....	58	1	12	5	3	1	1	1	3	-	3
1983.....	68	2	16	5	3	-	1	1	2	1	3
1982.....	63	1	9	6	-	1	2	1	5	1	4
1981.....	59	-	8	11	2	2	2	1	2	3	1
1980.....	73	5	15	5	2	-	2	1	4	1	4
1979.....	54	1	9	5	2	2	2	-	2	2	2
BLACK FEMALE											
1998.....	121	-	5	3	2	2	1	-	5	1	8
1997.....	120	-	6	1	2	2	1	-	4	5	2
1996.....	97	-	6	5	-	-	-	3	-	-	3
1995.....	105	1	6	4	1	2	2	-	3	3	1
1994.....	91	-	5	2	4	-	-	-	1	3	2
1993.....	112	-	5	2	4	-	-	3	-	1	3
1992.....	103	1	6	6	3	1	1	-	1	3	-
1991.....	103	1	5	1	2	-	-	-	4	2	2
1990.....	106	2	9	5	2	1	-	1	1	1	1
1989.....	111	1	9	6	3	-	1	3	1	3	1
1988.....	100	1	12	3	2	1	-	-	2	1	8
1987.....	94	1	3	4	1	2	-	2	1	2	1
1986.....	105	1	8	4	2	2	1	1	2	3	3
1985.....	98	1	5	4	3	1	-	-	2	2	2
1984.....	103	1	6	2	3	1	1	1	-	4	1
1983.....	89	1	6	6	2	3	2	3	1	3	1
1982.....	104	1	9	4	-	5	3	1	2	1	2
1981.....	108	-	8	3	1	6	2	-	1	5	1
1980.....	85	2	8	3	-	1	-	1	1	1	1
1979.....	82	2	4	1	2	-	1	1	3	-	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF ALL OTHER AND UNSPECIFIED SITES (195-199)											
TOTAL, BOTH SEXES											
1998.....	35,844	9	5	9	10	35	49	82	153	367	707
1997.....	36,419	3	15	13	13	29	43	86	170	356	693
1996.....	37,466	6	14	12	21	37	37	84	185	370	679
1995.....	37,541	7	14	9	11	23	52	100	190	426	695
1994.....	37,653	2	8	7	15	30	61	97	197	402	723
1993.....	37,457	5	16	11	17	37	51	92	184	391	666
1992.....	35,507	3	13	9	15	34	51	87	193	334	653
1991.....	34,909	7	19	13	18	27	65	109	194	335	639
1990.....	33,787	7	20	11	11	26	42	117	197	323	621
1989.....	35,567	5	13	8	9	38	64	114	186	371	648
1988.....	36,158	4	11	15	20	35	48	103	207	385	640
1987.....	35,739	5	16	17	19	40	68	122	201	322	611
1986.....	35,373	13	20	6	17	34	50	126	173	363	593
1985.....	34,229	8	25	10	17	39	62	106	192	369	559
1984.....	33,106	7	14	19	13	39	64	117	194	343	585
1983.....	32,553	9	23	6	15	37	82	101	178	311	537
1982.....	31,249	8	21	12	19	35	79	94	187	325	526
1981.....	30,251	3	22	14	20	36	73	105	172	273	505
1980.....	29,603	1	21	14	9	41	82	113	178	298	500
1979.....	28,012	6	12	12	21	56	79	89	142	244	449
TOTAL, MALE											
1998.....	18,305	6	3	2	5	23	33	49	80	191	356
1997.....	18,237	1	10	5	6	18	26	62	93	179	365
1996.....	19,163	4	6	6	7	25	21	45	109	204	375
1995.....	19,119	5	9	6	6	14	34	59	108	225	367
1994.....	19,111	2	4	6	7	17	40	58	101	218	407
1993.....	19,289	3	10	7	8	26	33	43	94	233	354
1992.....	18,245	2	7	6	10	21	37	53	106	166	370
1991.....	17,923	2	11	7	10	15	43	70	116	178	354
1990.....	17,185	5	12	4	3	12	26	66	103	176	338
1989.....	18,413	2	4	7	7	15	37	56	111	196	349
1988.....	18,760	3	5	9	9	19	28	54	119	201	350
1987.....	18,480	2	5	10	12	31	45	67	111	168	349
1986.....	18,196	6	9	1	9	23	27	74	99	216	283
1985.....	17,775	4	6	4	10	31	35	52	109	199	301
1984.....	17,043	4	8	10	7	28	40	66	114	187	316
1983.....	16,942	4	12	5	11	18	59	59	102	158	267
1982.....	15,809	4	12	8	10	25	57	53	98	159	250
1981.....	15,387	3	12	6	11	26	44	62	90	135	264
1980.....	15,274	1	12	7	5	24	55	72	99	155	232
1979.....	14,383	4	3	5	15	38	56	56	77	113	252

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR		RACE, AND SEX: UNITED STATES, 1979-98									
		UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
0 OF ALL OTHER AND UNSPECIFIED SITES (195-199)		TOTAL YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
TOTAL, FEMALE											
1998.....	17,539	3	2	7	5	12	16	33	73	176	351
1997.....	18,182	2	5	8	7	11	17	24	77	177	328
1996.....	18,303	2	8	6	14	12	16	39	76	166	304
1995.....	18,422	2	5	3	5	9	18	41	82	201	328
1994.....	18,542	-	4	1	8	13	21	39	96	184	316
1993.....	18,168	2	6	4	9	11	18	49	90	158	312
1992.....	17,262	1	6	3	5	13	14	34	87	168	283
1991.....	16,986	5	8	6	8	12	22	39	78	157	285
1990.....	16,602	2	8	7	8	14	16	51	94	147	283
1989.....	17,154	3	9	1	2	23	27	58	75	175	299
1988.....	17,398	1	6	6	11	16	20	49	88	184	290
1987.....	17,259	3	11	7	7	9	23	55	90	154	262
1986.....	17,177	7	11	5	8	11	23	52	74	147	310
1985.....	16,454	4	19	6	7	8	27	54	83	170	258
1984.....	16,063	3	6	9	6	11	24	51	80	156	269
1983.....	15,611	5	11	1	4	19	23	42	76	153	270
1982.....	15,440	4	9	4	9	10	22	41	89	166	276
1981.....	14,864	-	10	8	9	10	29	43	82	138	241
1980.....	14,329	-	9	7	4	17	27	41	79	143	268
1979.....	13,629	2	9	7	6	18	23	33	65	131	197
WHITE, BOTH SEXES											
1998.....	31,038	6	5	9	7	33	37	64	121	273	537
1997.....	31,517	3	13	12	11	26	28	67	142	280	527
1996.....	32,548	6	13	6	18	27	24	65	142	277	494
1995.....	32,462	7	12	8	9	13	36	78	142	316	513
1994.....	32,701	-	5	3	14	23	49	76	144	316	533
1993.....	32,458	4	14	10	14	27	40	71	139	296	491
1992.....	30,819	3	10	8	13	26	42	68	152	266	484
1991.....	30,258	6	13	11	14	21	48	89	155	241	485
1990.....	29,175	6	16	9	8	24	31	88	135	241	473
1989.....	30,798	4	12	5	5	34	44	87	139	276	487
1988.....	31,392	4	11	14	17	28	36	75	161	291	492
1987.....	30,921	5	15	15	14	28	47	93	163	241	472
1986.....	30,762	12	16	5	14	27	39	96	132	273	469
1985.....	29,550	6	22	8	16	31	53	84	142	289	417
1984.....	28,557	5	12	16	9	33	47	88	144	267	435
1983.....	28,072	6	20	6	11	33	62	78	137	246	431
1982.....	27,165	5	16	8	18	28	65	75	144	270	404
1981.....	26,252	2	19	12	15	29	57	84	125	219	374
1980.....	25,656	1	17	11	8	35	60	94	149	243	364
1979.....	24,192	3	10	12	17	46	63	67	113	200	339

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF ALL OTHER AND UNSPECIFIED SITES (195-199)											
WHITE MALE											
1998.....	15,867	4	3	2	2	21	26	41	66	145	280
1997.....	15,733	1	9	5	4	18	19	46	81	138	272
1996.....	16,609	4	5	3	7	22	14	38	87	156	276
1995.....	16,449	5	8	5	5	6	22	46	82	159	264
1994.....	16,558	-	3	3	6	15	32	45	74	174	306
1993.....	16,606	2	9	6	6	17	26	30	72	175	268
1992.....	15,808	2	6	5	8	15	31	44	82	135	273
1991.....	15,410	1	7	6	6	11	34	58	95	127	267
1990.....	14,726	5	9	4	2	11	20	48	75	129	252
1989.....	15,783	2	4	5	4	14	22	44	88	149	253
1988.....	16,216	3	5	8	6	15	23	37	97	157	269
1987.....	15,882	2	5	9	8	22	31	53	89	131	271
1986.....	15,772	6	8	-	8	17	23	61	77	160	222
1985.....	15,197	3	6	3	10	24	30	46	84	152	213
1984.....	14,547	3	8	10	5	25	31	51	86	149	228
1983.....	14,483	2	10	5	8	17	44	47	80	119	215
1982.....	13,622	3	9	6	10	19	47	44	77	131	185
1981.....	13,223	2	10	6	9	19	34	49	65	106	197
1980.....	13,181	1	10	4	5	22	41	61	85	127	164
1979.....	12,331	3	3	5	12	32	46	43	60	92	185
WHITE FEMALE											
1998.....	15,171	2	2	7	5	12	11	23	55	128	257
1997.....	15,784	2	4	7	7	8	9	21	61	142	255
1996.....	15,939	2	8	3	11	5	10	27	55	121	218
1995.....	16,013	2	4	3	4	7	14	32	60	157	249
1994.....	16,143	-	2	-	8	8	17	31	70	142	227
1993.....	15,852	2	5	4	8	10	14	41	67	121	223
1992.....	15,011	1	4	3	5	11	11	24	70	131	211
1991.....	14,848	5	6	5	8	10	14	31	60	114	218
1990.....	14,449	1	7	5	6	13	11	40	60	112	221
1989.....	15,015	2	8	-	1	20	22	43	51	127	234
1988.....	15,176	1	6	6	11	13	13	38	64	134	223
1987.....	15,039	3	10	6	6	6	16	40	74	110	201
1986.....	14,990	6	8	5	6	10	16	35	55	113	247
1985.....	14,353	3	16	5	6	7	23	38	58	137	204
1984.....	14,010	2	4	6	4	8	16	37	58	118	207
1983.....	13,589	4	10	1	3	16	18	31	57	127	216
1982.....	13,543	2	7	2	8	9	18	31	67	139	219
1981.....	13,029	-	9	6	6	10	23	35	60	113	177
1980.....	12,475	-	7	7	3	13	19	33	64	116	200
1979.....	11,861	-	7	7	5	14	17	24	53	108	154

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF ALL OTHER AND UNSPECIFIED SITES (195-199)											
ALL OTHER, BOTH SEXES											
1998.....	4,806	3	-	-	3	2	12	18	32	94	170
1997.....	4,902	-	2	1	2	3	15	19	28	76	166
1996.....	4,918	-	1	6	3	10	13	19	43	93	185
1995.....	5,079	-	2	1	2	10	16	22	48	110	182
1994.....	4,952	2	3	4	1	7	12	21	53	86	190
1993.....	4,999	1	2	1	3	10	11	21	45	95	175
1992.....	4,688	-	3	1	2	8	9	19	41	68	169
1991.....	4,651	1	6	2	4	6	17	20	39	94	154
1990.....	4,612	1	4	2	3	2	11	29	62	82	148
1989.....	4,769	1	1	3	4	4	20	27	47	95	161
1988.....	4,766	-	-	1	3	7	12	28	46	94	148
1987.....	4,818	-	1	2	5	12	21	29	38	81	139
1986.....	4,611	1	4	1	3	7	11	30	41	90	124
1985.....	4,679	2	3	2	1	8	9	22	50	80	142
1984.....	4,549	2	2	3	4	6	17	29	50	76	150
1983.....	4,481	3	3	-	4	4	20	23	41	65	106
1982.....	4,084	3	5	4	1	7	14	19	43	55	122
1981.....	3,999	1	3	2	5	7	16	21	47	54	131
1980.....	3,947	-	4	3	1	6	22	19	29	55	136
1979.....	3,820	3	2	-	4	10	16	22	29	44	110
ALL OTHER MALE											
1998.....	2,438	2	-	-	3	2	7	8	14	46	76
1997.....	2,504	-	1	-	2	-	7	16	12	41	93
1996.....	2,554	-	1	3	-	3	7	7	22	48	99
1995.....	2,670	-	1	1	1	8	12	13	26	66	103
1994.....	2,553	2	1	3	1	2	8	13	27	44	101
1993.....	2,683	1	1	1	2	9	7	13	22	58	86
1992.....	2,437	-	1	1	2	6	6	9	24	31	97
1991.....	2,513	1	4	1	4	4	9	12	21	51	87
1990.....	2,459	-	3	-	1	1	6	18	28	47	86
1989.....	2,630	-	-	2	3	1	15	12	23	47	96
1988.....	2,544	-	-	1	3	4	5	17	22	44	81
1987.....	2,598	-	-	1	4	9	14	14	22	37	78
1986.....	2,424	-	1	1	1	6	4	13	22	56	61
1985.....	2,578	1	-	1	-	7	5	6	25	47	88
1984.....	2,496	1	-	-	2	3	9	15	28	38	88
1983.....	2,459	2	2	-	3	1	15	12	22	39	52
1982.....	2,187	1	3	2	-	6	10	9	21	28	65
1981.....	2,164	1	2	-	2	7	10	13	25	29	67
1980.....	2,093	-	2	3	-	2	14	11	14	28	68
1979.....	2,052	1	-	-	3	6	10	13	17	21	67

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF ALL OTHER AND UNSPECIFIED SITES (195-199)											
ALL OTHER FEMALE											
1998.....	2,368	1	-	-	-	-	5	10	18	48	94
1997.....	2,398	-	1	1	-	3	8	3	16	35	73
1996.....	2,364	-	-	3	3	7	6	12	21	45	86
1995.....	2,409	-	1	-	1	2	4	9	22	44	79
1994.....	2,399	-	2	1	-	5	4	8	26	42	89
1993.....	2,316	-	1	-	1	1	4	8	23	37	89
1992.....	2,251	-	2	-	-	2	3	10	17	37	72
1991.....	2,138	-	2	1	-	2	8	8	18	43	67
1990.....	2,153	1	1	2	2	1	5	11	34	35	62
1989.....	2,139	1	1	1	1	3	5	15	24	48	65
1988.....	2,222	-	-	-	-	3	7	11	24	50	67
1987.....	2,220	-	1	1	1	3	7	15	16	44	61
1986.....	2,187	1	3	-	2	1	7	17	19	34	63
1985.....	2,101	1	3	1	1	1	4	16	25	33	54
1984.....	2,053	1	2	3	2	3	8	14	22	38	62
1983.....	2,022	1	1	-	1	3	5	11	19	26	54
1982.....	1,897	2	2	2	1	1	4	10	22	27	57
1981.....	1,835	-	1	2	3	-	6	8	22	25	64
1980.....	1,854	-	2	-	1	4	8	8	15	27	68
1979.....	1,768	2	2	-	1	4	6	9	12	23	43
BLACK, BOTH SEXES											
1998.....	4,149	3	-	-	-	2	8	14	27	77	147
1997.....	4,295	-	1	-	1	2	13	18	18	65	145
1996.....	4,257	-	1	5	1	7	12	15	32	77	155
1995.....	4,498	-	2	-	2	9	16	17	39	97	161
1994.....	4,395	2	2	2	1	6	10	20	44	76	171
1993.....	4,393	-	1	1	2	9	11	16	37	84	147
1992.....	4,187	-	1	1	2	8	9	18	36	57	154
1991.....	4,166	1	6	2	4	4	14	17	37	82	141
1990.....	4,150	1	4	2	2	2	9	23	57	72	131
1989.....	4,309	1	1	2	3	4	18	25	43	84	146
1988.....	4,323	-	-	1	2	7	11	26	43	85	133
1987.....	4,423	-	1	2	4	11	19	26	28	70	120
1986.....	4,241	1	3	1	2	7	9	29	32	80	99
1985.....	4,306	2	2	2	1	7	9	21	45	70	130
1984.....	4,204	1	2	3	4	4	16	23	44	68	130
1983.....	4,127	3	2	-	3	2	17	19	32	62	94
1982.....	3,791	2	5	2	1	6	14	16	38	51	111
1981.....	3,732	-	3	2	4	7	15	18	40	49	119
1980.....	3,699	-	4	2	1	6	20	17	24	50	126
1979.....	3,610	2	2	-	4	9	15	19	25	42	104

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF ALL OTHER AND UNSPECIFIED SITES (195-199)											
BLACK MALE											
1998.....	2,103	2	-	-	-	2	4	5	9	36	68
1997.....	2,218	-	1	-	1	-	7	16	7	37	83
1996.....	2,225	-	1	3	-	3	7	4	16	40	89
1995.....	2,355	-	1	-	1	7	12	10	24	61	91
1994.....	2,282	2	1	1	1	2	6	12	23	41	92
1993.....	2,368	-	-	1	1	8	7	9	19	52	76
1992.....	2,185	-	-	1	2	6	6	8	20	25	90
1991.....	2,266	1	4	1	4	3	8	10	19	45	83
1990.....	2,224	-	3	-	1	1	5	13	26	40	76
1989.....	2,379	-	-	1	3	1	14	11	22	44	88
1988.....	2,316	-	-	1	2	4	4	15	21	41	74
1987.....	2,403	-	-	1	3	8	13	13	15	32	71
1986.....	2,216	-	-	1	1	6	2	12	18	51	51
1985.....	2,376	1	-	1	-	6	5	6	23	42	83
1984.....	2,312	1	-	-	2	2	8	11	26	34	77
1983.....	2,271	2	1	-	2	1	12	11	18	38	49
1982.....	2,032	1	3	-	-	5	10	8	18	26	58
1981.....	2,027	-	2	-	2	7	10	12	20	26	62
1980.....	1,963	-	2	2	-	2	12	9	13	25	63
1979.....	1,944	1	-	-	3	5	10	10	15	21	63
BLACK FEMALE											
1998.....	2,046	1	-	-	-	-	4	9	18	41	79
1997.....	2,077	-	-	-	-	2	6	2	11	28	62
1996.....	2,032	-	-	2	1	4	5	11	16	37	66
1995.....	2,143	-	1	-	1	2	4	7	15	36	70
1994.....	2,113	-	1	1	-	4	4	8	21	35	79
1993.....	2,025	-	1	-	1	1	4	7	18	32	71
1992.....	2,002	-	1	-	-	2	3	10	16	32	64
1991.....	1,900	-	2	1	-	1	6	7	18	37	58
1990.....	1,926	1	1	2	1	1	4	10	31	32	55
1989.....	1,930	1	1	1	-	3	4	14	21	40	58
1988.....	2,007	-	-	-	-	3	7	11	22	44	59
1987.....	2,020	-	1	1	1	3	6	13	13	38	49
1986.....	2,025	1	3	-	1	1	7	17	14	29	48
1985.....	1,930	1	2	1	1	1	4	15	22	28	47
1984.....	1,892	-	2	3	2	2	8	12	18	34	53
1983.....	1,856	1	1	-	1	1	5	8	14	24	45
1982.....	1,759	1	2	2	1	1	4	8	20	25	53
1981.....	1,705	-	1	2	2	-	5	6	20	23	57
1980.....	1,736	-	2	-	1	4	8	8	11	25	63
1979.....	1,666	1	2	-	1	4	5	9	10	21	41

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-208)											
TOTAL, BOTH SEXES											
1998.....	55,538	24	132	163	219	290	406	476	631	930	1,290
1997.....	55,835	35	140	208	231	289	412	524	692	965	1,336
1996.....	54,930	33	163	181	230	287	400	518	778	961	1,322
1995.....	54,367	23	171	224	231	292	372	533	814	1,032	1,366
1994.....	53,080	23	185	203	231	322	422	577	808	958	1,283
1993.....	51,627	32	174	242	250	315	407	578	840	988	1,294
1992.....	50,384	37	191	234	259	323	466	630	899	1,075	1,185
1991.....	49,590	22	189	259	233	348	455	600	813	1,004	1,270
1990.....	47,741	24	185	218	245	373	455	664	850	956	1,138
1989.....	46,751	35	184	262	266	341	466	632	828	956	1,167
1988.....	44,762	24	212	269	237	369	459	604	753	972	1,114
1987.....	43,599	39	210	295	258	386	471	608	740	869	995
1986.....	43,531	28	223	289	276	401	549	685	807	926	1,017
1985.....	42,478	36	207	286	300	383	527	660	749	846	1,045
1984.....	41,202	37	196	263	302	438	565	602	730	865	993
1983.....	40,311	39	265	321	306	454	531	633	686	813	876
1982.....	39,461	36	227	375	325	486	594	602	716	819	862
1981.....	37,826	22	261	372	337	504	547	631	677	724	807
1980.....	37,971	33	213	411	386	560	605	682	672	774	821
1979.....	36,445	38	243	436	377	536	588	615	638	688	751
TOTAL, MALE											
1998.....	29,537	13	66	102	127	190	242	299	394	591	817
1997.....	29,754	14	77	118	139	174	262	346	441	580	823
1996.....	29,158	13	95	112	135	175	237	307	502	619	830
1995.....	28,887	11	105	143	139	187	226	342	535	668	872
1994.....	28,151	10	96	120	142	199	266	360	529	614	787
1993.....	27,146	20	104	140	164	193	240	347	550	635	826
1992.....	26,779	21	104	150	158	204	283	375	588	693	766
1991.....	25,977	11	101	154	156	220	279	399	512	640	803
1990.....	25,504	12	103	136	164	238	273	428	556	588	706
1989.....	24,801	12	102	159	172	211	300	403	543	612	724
1988.....	23,792	6	109	176	154	243	284	397	474	611	670
1987.....	22,939	20	110	194	154	231	300	374	462	561	613
1986.....	23,151	18	131	187	158	253	354	446	505	571	637
1985.....	22,542	14	126	174	180	249	327	396	462	543	645
1984.....	21,667	18	105	166	186	276	349	375	451	529	598
1983.....	21,509	17	160	196	185	286	326	388	432	469	533
1982.....	21,029	18	126	246	204	303	342	364	417	499	548
1981.....	20,100	12	139	236	204	307	342	396	408	424	479
1980.....	20,341	21	119	278	243	345	386	413	391	452	493
1979.....	19,826	21	138	281	234	348	377	377	380	408	448

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-208)											
TOTAL, FEMALE											
1998.....	26,001	11	66	61	92	100	164	177	237	339	473
1997.....	26,081	21	63	90	92	115	150	178	251	385	513
1996.....	25,772	20	68	69	95	112	163	211	276	342	492
1995.....	25,480	12	66	81	92	105	146	191	279	364	494
1994.....	24,929	13	89	83	89	123	156	217	279	344	496
1993.....	24,481	12	70	102	86	122	167	231	290	353	468
1992.....	23,605	16	87	84	101	119	183	255	311	382	419
1991.....	23,613	11	88	105	77	128	176	201	301	364	467
1990.....	22,237	12	82	82	81	135	182	236	294	368	432
1989.....	21,950	23	82	103	94	130	166	229	285	344	443
1988.....	20,970	18	103	93	83	126	175	207	279	361	444
1987.....	20,660	19	100	101	104	155	171	234	278	308	382
1986.....	20,380	10	92	102	118	148	195	239	302	355	380
1985.....	19,936	22	81	112	120	134	200	264	287	303	400
1984.....	19,535	19	91	97	116	162	216	227	279	336	395
1983.....	18,802	22	105	125	121	168	205	245	254	344	343
1982.....	18,432	18	101	129	121	183	252	238	299	320	314
1981.....	17,726	10	122	136	133	197	205	235	269	300	328
1980.....	17,630	12	94	133	143	215	219	269	281	322	328
1979.....	16,619	17	105	155	143	188	211	238	258	280	303
WHITE, BOTH SEXES											
1998.....	49,365	21	106	132	174	244	344	358	506	729	1,034
1997.....	49,769	30	108	165	193	237	328	403	555	744	1,057
1996.....	48,912	27	136	142	180	234	314	421	614	771	1,073
1995.....	48,557	18	128	185	166	226	294	425	629	842	1,148
1994.....	47,532	19	141	169	189	254	347	466	658	786	1,067
1993.....	46,071	25	140	198	212	258	304	466	677	813	1,070
1992.....	45,120	34	166	200	210	270	370	493	743	874	974
1991.....	44,288	14	154	219	196	280	383	491	654	825	1,044
1990.....	42,755	19	155	177	203	306	379	543	708	783	934
1989.....	41,906	33	143	222	218	270	386	532	671	796	987
1988.....	40,197	20	174	225	199	315	377	514	627	817	936
1987.....	39,147	34	173	252	218	301	399	514	623	713	860
1986.....	39,102	22	190	238	231	340	476	583	690	776	865
1985.....	38,227	28	173	243	240	330	446	548	642	725	900
1984.....	37,154	28	162	227	248	363	480	510	614	741	841
1983.....	36,303	36	226	271	254	393	452	542	565	693	755
1982.....	35,613	30	185	326	267	406	512	515	621	711	746
1981.....	34,109	18	217	314	285	429	482	542	587	612	667
1980.....	34,386	27	178	375	329	473	516	598	576	669	718
1979.....	33,069	31	202	393	327	460	512	521	566	591	649

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-208)											
WHITE MALE											
1998.....	26,348	11	51	83	103	161	209	229	318	465	666
1997.....	26,532	12	61	93	114	146	203	266	364	443	660
1996.....	25,978	8	82	87	110	144	187	253	396	506	680
1995.....	25,853	9	84	123	103	145	183	275	423	554	744
1994.....	25,227	9	76	99	114	163	218	292	430	507	654
1993.....	24,216	15	84	116	139	158	181	282	436	526	685
1992.....	23,980	19	94	125	130	170	228	298	487	560	642
1991.....	23,178	6	78	132	133	180	238	327	412	531	666
1990.....	22,812	10	89	110	137	199	225	357	472	480	586
1989.....	22,146	11	85	136	140	163	244	332	438	515	617
1988.....	21,375	5	93	150	132	209	235	340	404	509	567
1987.....	20,562	18	93	166	133	179	264	322	387	474	528
1986.....	20,751	15	115	155	131	212	306	388	435	480	544
1985.....	20,268	11	100	148	141	218	272	329	403	474	559
1984.....	19,486	13	85	143	155	228	296	311	386	456	512
1983.....	19,327	17	138	170	156	248	275	334	359	416	457
1982.....	18,953	16	106	213	169	249	298	315	363	443	482
1981.....	18,139	9	118	199	173	259	302	352	353	362	402
1980.....	18,386	17	101	258	208	290	332	368	341	395	437
1979.....	17,992	16	117	254	205	295	335	320	339	353	393
WHITE FEMALE											
1998.....	23,017	10	55	49	71	83	135	129	188	264	368
1997.....	23,237	18	47	72	79	91	125	137	191	301	397
1996.....	22,934	19	54	55	70	90	127	168	218	265	393
1995.....	22,704	9	44	62	63	81	111	150	206	288	404
1994.....	22,305	10	65	70	75	91	129	174	228	279	413
1993.....	21,855	10	56	82	73	100	123	184	241	287	385
1992.....	21,140	15	72	75	80	100	142	195	256	314	332
1991.....	21,110	8	76	87	63	100	145	164	242	294	378
1990.....	19,943	9	66	67	66	107	154	186	236	303	348
1989.....	19,760	22	58	86	78	107	142	200	233	281	370
1988.....	18,822	15	81	75	67	106	142	174	223	308	369
1987.....	18,585	16	80	86	85	122	135	192	236	239	332
1986.....	18,351	7	75	83	100	128	170	195	255	296	321
1985.....	17,959	17	73	95	99	112	174	219	239	251	341
1984.....	17,668	15	77	84	93	135	184	199	228	285	329
1983.....	16,976	19	88	101	98	145	177	208	206	277	298
1982.....	16,660	14	79	113	98	157	214	200	258	268	264
1981.....	15,970	9	99	115	112	170	180	190	234	250	265
1980.....	16,000	10	77	117	121	183	184	230	235	274	281
1979.....	15,077	15	85	139	122	165	177	201	227	238	256

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-208)											
ALL OTHER, BOTH SEXES											
1998.....	6,173	3	26	31	45	46	62	118	125	201	256
1997.....	6,066	5	32	43	38	52	84	121	137	221	279
1996.....	6,018	6	27	39	50	53	86	97	164	190	249
1995.....	5,810	5	43	39	65	66	78	108	185	190	218
1994.....	5,548	4	44	34	42	68	75	111	150	172	216
1993.....	5,556	7	34	44	38	57	103	112	163	175	224
1992.....	5,264	3	25	34	49	53	96	137	156	201	211
1991.....	5,302	8	35	40	37	68	72	109	159	179	226
1990.....	4,986	5	30	41	42	67	76	121	142	173	204
1989.....	4,845	2	41	40	48	71	80	100	157	160	180
1988.....	4,565	4	38	44	38	54	82	90	126	155	178
1987.....	4,452	5	37	43	40	85	72	94	117	156	135
1986.....	4,429	6	33	51	45	61	73	102	117	150	152
1985.....	4,251	8	34	43	60	53	81	112	107	121	145
1984.....	4,048	9	34	36	54	75	85	92	116	124	152
1983.....	4,008	3	39	50	52	61	79	91	121	120	121
1982.....	3,848	6	42	49	58	80	82	87	95	108	116
1981.....	3,717	4	44	58	52	75	65	89	90	112	140
1980.....	3,585	6	35	36	57	87	89	84	96	105	103
1979.....	3,376	7	41	43	50	76	76	94	72	97	102
ALL OTHER MALE											
1998.....	3,189	2	15	19	24	29	33	70	76	126	151
1997.....	3,222	2	16	25	25	28	59	80	77	137	163
1996.....	3,180	5	13	25	25	31	50	54	106	113	150
1995.....	3,034	2	21	20	36	42	43	67	112	114	128
1994.....	2,924	1	20	21	28	36	48	68	99	107	133
1993.....	2,930	5	20	24	25	35	59	65	114	109	141
1992.....	2,799	2	10	25	28	34	55	77	101	133	124
1991.....	2,799	5	23	22	23	40	41	72	100	109	137
1990.....	2,692	2	14	26	27	39	48	71	84	108	120
1989.....	2,655	1	17	23	32	48	56	71	105	97	107
1988.....	2,417	1	16	26	22	34	49	57	70	102	103
1987.....	2,377	2	17	28	21	52	36	52	75	87	85
1986.....	2,400	3	16	32	27	41	48	58	70	91	93
1985.....	2,274	3	26	26	39	31	55	67	59	69	86
1984.....	2,181	5	20	23	31	48	53	64	65	73	86
1983.....	2,182	-	22	26	29	38	51	54	73	53	76
1982.....	2,076	2	20	33	35	54	44	49	54	56	66
1981.....	1,961	3	21	37	31	48	40	44	55	62	77
1980.....	1,955	4	18	20	35	55	54	45	50	57	56
1979.....	1,834	5	21	27	29	53	42	57	41	55	55

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-208)											
ALL OTHER FEMALE											
1998.....	2,984	1	11	12	21	17	29	48	49	75	105
1997.....	2,844	3	16	18	13	24	25	41	60	84	116
1996.....	2,838	1	14	14	25	22	36	43	58	77	99
1995.....	2,776	3	22	19	29	24	35	41	73	76	90
1994.....	2,624	3	24	13	14	32	27	43	51	65	83
1993.....	2,626	2	14	20	13	22	44	47	49	66	83
1992.....	2,465	1	15	9	21	19	41	60	55	68	87
1991.....	2,503	3	12	18	14	28	31	37	59	70	89
1990.....	2,294	3	16	15	15	28	28	50	58	65	84
1989.....	2,190	1	24	17	16	23	24	29	52	63	73
1988.....	2,148	3	22	18	16	20	33	33	56	53	75
1987.....	2,075	3	20	15	19	33	36	42	42	69	50
1986.....	2,029	3	17	19	18	20	25	44	47	59	59
1985.....	1,977	5	8	17	21	22	26	45	48	52	59
1984.....	1,867	4	14	13	23	27	32	28	51	51	66
1983.....	1,826	3	17	24	23	23	28	37	48	67	45
1982.....	1,772	4	22	16	23	26	38	38	41	52	50
1981.....	1,756	1	23	21	21	27	25	45	35	50	63
1980.....	1,630	2	17	16	22	32	35	39	46	48	47
1979.....	1,542	2	20	16	21	23	34	37	31	42	47
BLACK, BOTH SEXES											
1998.....	5,222	2	20	26	30	34	51	100	103	173	216
1997.....	5,128	1	24	31	29	43	71	92	119	190	235
1996.....	5,148	4	17	33	36	43	69	80	138	156	216
1995.....	4,958	1	33	30	44	56	58	88	152	163	185
1994.....	4,746	4	31	24	29	57	60	84	116	145	180
1993.....	4,791	5	22	36	28	45	81	93	133	157	184
1992.....	4,575	2	14	26	35	38	77	117	132	179	190
1991.....	4,633	6	29	27	30	54	63	93	138	151	193
1990.....	4,364	2	20	30	29	53	63	99	123	142	170
1989.....	4,235	2	28	26	41	62	73	83	126	132	157
1988.....	4,022	4	27	27	26	44	73	83	113	129	150
1987.....	3,958	3	23	35	28	70	61	79	101	134	114
1986.....	3,973	6	29	42	36	51	69	92	101	127	129
1985.....	3,774	6	22	34	50	40	67	95	87	104	130
1984.....	3,643	6	26	30	47	67	74	88	105	104	141
1983.....	3,617	3	27	41	46	47	65	80	106	105	103
1982.....	3,494	5	34	42	49	67	69	76	87	99	101
1981.....	3,393	4	40	52	43	66	59	77	80	94	119
1980.....	3,271	6	29	32	50	73	79	77	88	86	89
1979.....	3,111	6	34	38	44	69	71	78	62	81	92

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-208)											
BLACK MALE											
1998.....	2,677	1	12	17	14	21	28	66	65	106	125
1997.....	2,693	-	14	15	18	23	50	58	68	119	148
1996.....	2,700	4	7	20	18	23	41	44	98	96	132
1995.....	2,586	1	15	17	21	34	29	59	93	103	111
1994.....	2,473	1	13	16	19	32	38	53	79	86	110
1993.....	2,494	3	13	17	18	28	48	54	91	98	113
1992.....	2,391	1	5	19	19	23	42	65	89	119	113
1991.....	2,416	3	20	14	18	31	35	64	90	89	121
1990.....	2,346	1	9	20	20	31	38	56	76	89	97
1989.....	2,302	1	12	19	28	40	52	60	85	82	92
1988.....	2,121	1	13	16	17	32	42	54	62	85	88
1987.....	2,116	1	13	21	14	41	31	46	69	74	72
1986.....	2,124	3	14	28	24	34	45	51	62	79	75
1985.....	1,999	2	19	20	32	23	46	56	50	61	77
1984.....	1,953	2	13	19	28	42	44	61	61	63	80
1983.....	1,947	-	16	21	26	26	40	47	64	47	65
1982.....	1,865	1	15	28	32	46	39	43	48	49	59
1981.....	1,772	3	19	34	27	44	36	36	49	54	66
1980.....	1,772	4	16	18	30	47	50	43	47	46	51
1979.....	1,673	4	17	24	24	47	39	47	35	46	49
BLACK FEMALE											
1998.....	2,545	1	8	9	16	13	23	34	38	67	91
1997.....	2,435	1	10	16	11	20	21	34	51	71	87
1996.....	2,448	-	10	13	18	20	28	36	40	60	84
1995.....	2,372	-	18	13	23	22	29	29	59	60	74
1994.....	2,273	3	18	8	10	25	22	31	37	59	70
1993.....	2,297	2	9	19	10	17	33	39	42	59	71
1992.....	2,184	1	9	7	16	15	35	52	43	60	77
1991.....	2,217	3	9	13	12	23	28	29	48	62	72
1990.....	2,018	1	11	10	9	22	25	43	47	53	73
1989.....	1,933	1	16	7	13	22	21	23	41	50	65
1988.....	1,901	3	14	11	9	12	31	29	51	44	62
1987.....	1,842	2	10	14	14	29	30	33	32	60	42
1986.....	1,849	3	15	14	12	17	24	41	39	48	54
1985.....	1,775	4	3	14	18	17	21	39	37	43	53
1984.....	1,690	4	13	11	19	25	30	27	44	41	61
1983.....	1,670	3	11	20	20	21	25	33	42	58	38
1982.....	1,629	4	19	14	17	21	30	33	39	50	42
1981.....	1,621	1	21	18	16	22	23	41	31	40	53
1980.....	1,499	2	13	14	20	26	29	34	41	40	38
1979.....	1,438	2	17	14	20	22	32	31	27	35	43

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 LYMPHOSARCOMA AND RETICULOSARCOMA (200)											
TOTAL, BOTH SEXES											
1998.....	738	1	4	3	8	13	10	8	10	40	21
1997.....	886	-	1	11	6	11	17	26	14	17	27
1996.....	982	-	2	11	13	13	20	19	23	33	32
1995.....	1,051	-	1	11	3	19	17	13	41	23	49
1994.....	1,160	-	3	9	13	10	8	28	29	36	39
1993.....	1,261	-	3	10	13	13	11	19	35	44	36
1992.....	1,396	-	10	8	9	18	27	26	31	34	38
1991.....	1,686	1	6	17	17	24	33	26	39	35	51
1990.....	1,871	-	6	13	20	27	26	29	39	52	46
1989.....	2,317	1	3	19	16	26	31	43	42	52	63
1988.....	2,465	-	13	20	18	27	30	41	38	57	56
1987.....	2,846	2	8	16	15	35	32	39	43	64	62
1986.....	3,435	1	11	22	22	28	40	62	76	96	77
1985.....	3,913	-	9	14	15	40	59	74	74	86	108
1984.....	4,274	-	7	12	17	36	53	64	89	107	132
1983.....	4,648	-	14	26	29	40	64	68	71	97	105
1982.....	4,948	1	11	42	28	36	65	71	74	99	127
1981.....	5,064	1	13	20	30	47	63	74	82	97	120
1980.....	5,251	-	10	24	21	47	80	82	73	117	124
1979.....	5,156	-	11	31	23	44	54	81	77	87	106
TOTAL, MALE											
1998.....	416	-	4	3	7	11	9	5	7	26	13
1997.....	494	-	1	8	4	9	15	19	12	9	20
1996.....	522	-	2	8	12	9	15	13	14	23	20
1995.....	599	-	-	9	3	15	15	12	34	19	35
1994.....	639	-	1	9	12	8	5	19	21	25	30
1993.....	652	-	3	10	12	8	9	16	25	31	27
1992.....	741	-	6	6	8	13	22	18	19	22	27
1991.....	897	-	4	13	15	17	22	18	31	26	33
1990.....	1,049	-	6	12	15	20	16	22	29	35	31
1989.....	1,231	-	2	16	13	17	22	27	33	38	44
1988.....	1,301	-	10	16	16	23	23	34	23	38	31
1987.....	1,543	1	6	14	11	29	23	28	33	44	41
1986.....	1,800	-	9	18	17	18	24	44	55	68	52
1985.....	2,046	-	5	12	12	32	41	50	53	62	71
1984.....	2,211	-	5	11	12	23	40	44	63	72	79
1983.....	2,478	-	9	24	22	26	48	49	51	66	74
1982.....	2,668	-	9	35	22	26	36	50	51	67	87
1981.....	2,582	1	9	16	22	27	40	54	58	58	76
1980.....	2,738	-	6	21	18	38	59	56	45	76	80
1979.....	2,723	-	8	25	21	33	36	50	43	63	73

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 LYMPHOSARCOMA AND RETICULOSARCOMA (200)											
TOTAL, FEMALE											
1998.....	322	1	-	-	1	2	1	3	3	14	8
1997.....	392	-	-	3	2	2	2	7	2	8	7
1996.....	460	-	-	3	1	4	5	6	9	10	12
1995.....	452	-	1	2	-	4	2	1	7	4	14
1994.....	521	-	2	-	1	2	3	9	8	11	9
1993.....	609	-	-	-	1	5	2	3	10	13	9
1992.....	655	-	4	2	1	5	5	8	12	12	11
1991.....	789	1	2	4	2	7	11	8	8	9	18
1990.....	822	-	-	1	5	7	10	7	10	17	15
1989.....	1,086	1	1	3	3	9	9	16	9	14	19
1988.....	1,164	-	3	4	2	4	7	7	15	19	25
1987.....	1,303	1	2	2	4	6	9	11	10	20	21
1986.....	1,635	1	2	4	5	10	16	18	21	28	25
1985.....	1,867	-	4	2	3	8	18	24	21	24	37
1984.....	2,063	-	2	1	5	13	13	20	26	35	53
1983.....	2,170	-	5	2	7	14	16	19	20	31	31
1982.....	2,280	1	2	7	6	10	29	21	23	32	40
1981.....	2,482	-	4	4	8	20	23	20	24	39	44
1980.....	2,513	-	4	3	3	9	21	26	28	41	44
1979.....	2,433	-	3	6	2	11	18	31	34	24	33
WHITE, BOTH SEXES											
1998.....	665	1	3	3	7	13	10	4	9	31	18
1997.....	796	-	1	10	4	10	14	21	13	11	24
1996.....	891	-	2	6	11	12	16	16	18	29	27
1995.....	969	-	1	9	1	19	14	7	36	18	42
1994.....	1,065	-	3	9	11	9	6	25	24	32	37
1993.....	1,152	-	2	9	13	10	9	15	22	33	33
1992.....	1,279	-	10	7	6	15	21	21	28	26	33
1991.....	1,577	1	6	17	15	20	30	24	34	32	45
1990.....	1,728	-	5	12	18	23	16	27	30	45	36
1989.....	2,168	1	2	18	15	22	27	34	35	45	57
1988.....	2,278	-	11	17	16	27	24	37	35	48	50
1987.....	2,658	1	8	14	15	29	28	33	41	48	53
1986.....	3,203	1	8	19	20	24	32	52	68	80	66
1985.....	3,639	-	7	13	14	35	52	61	61	75	89
1984.....	3,999	-	5	11	14	29	48	57	67	98	113
1983.....	4,326	-	13	24	23	34	50	61	58	87	94
1982.....	4,596	1	9	36	24	30	60	57	63	84	114
1981.....	4,720	1	10	16	29	43	50	62	73	81	101
1980.....	4,927	-	10	23	16	41	65	75	66	96	112
1979.....	4,843	-	9	27	20	40	48	71	68	78	99

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 LYMPHOSARCOMA AND RETICULOSARCOMA (200)											
WHITE MALE											
1998.....	378	-	3	3	7	11	9	2	6	22	11
1997.....	439	-	1	7	2	8	12	15	12	6	19
1996.....	468	-	2	4	10	9	11	11	12	21	18
1995.....	551	-	-	8	1	15	12	7	31	16	30
1994.....	593	-	1	9	10	7	4	17	19	24	29
1993.....	589	-	2	9	12	7	7	12	16	23	25
1992.....	678	-	6	5	6	11	17	16	16	17	23
1991.....	842	-	4	13	13	14	21	17	29	25	30
1990.....	963	-	5	12	13	17	10	20	24	30	23
1989.....	1,143	-	1	15	12	13	18	20	28	31	41
1988.....	1,179	-	8	15	14	23	18	30	21	30	26
1987.....	1,432	-	6	12	11	24	22	24	31	34	33
1986.....	1,660	-	6	17	15	16	19	37	51	55	45
1985.....	1,892	-	4	11	12	28	35	40	43	55	58
1984.....	2,061	-	3	10	9	19	36	42	50	66	69
1983.....	2,288	-	8	22	20	23	38	43	39	62	66
1982.....	2,462	-	7	29	18	22	34	41	42	55	75
1981.....	2,397	1	8	13	21	24	31	49	53	45	66
1980.....	2,550	-	6	20	14	32	49	50	43	65	73
1979.....	2,556	-	6	21	19	30	34	45	38	56	68
WHITE FEMALE											
1998.....	287	1	-	-	-	2	1	2	3	9	7
1997.....	357	-	-	3	2	2	2	6	1	5	5
1996.....	423	-	-	2	1	3	5	5	6	8	9
1995.....	418	-	1	1	-	4	2	-	5	2	12
1994.....	472	-	2	-	1	2	2	8	5	8	8
1993.....	563	-	-	-	1	3	2	3	6	10	8
1992.....	601	-	4	2	-	4	4	5	12	9	10
1991.....	735	1	2	4	2	6	9	7	5	7	15
1990.....	765	-	-	-	5	6	6	7	6	15	13
1989.....	1,025	1	1	3	3	9	9	14	7	14	16
1988.....	1,099	-	3	2	2	4	6	7	14	18	24
1987.....	1,226	1	2	2	4	5	6	9	10	14	20
1986.....	1,543	1	2	2	5	8	13	15	17	25	21
1985.....	1,747	-	3	2	2	7	17	21	18	20	31
1984.....	1,938	-	2	1	5	10	12	15	17	32	44
1983.....	2,038	-	5	2	3	11	12	18	19	25	28
1982.....	2,134	1	2	7	6	8	26	16	21	29	39
1981.....	2,323	-	2	3	8	19	19	13	20	36	35
1980.....	2,377	-	4	3	2	9	16	25	23	31	39
1979.....	2,287	-	3	6	1	10	14	26	30	22	31

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 LYMPHOSARCOMA AND RETICULOSARCOMA (200)											
ALL OTHER, BOTH SEXES											
1998.....	73	-	1	-	1	-	-	4	1	9	3
1997.....	90	-	-	1	2	1	3	5	1	6	3
1996.....	91	-	-	5	2	1	4	3	5	4	5
1995.....	82	-	-	2	2	-	3	6	5	5	7
1994.....	95	-	-	-	2	1	2	3	5	4	2
1993.....	109	-	1	1	-	3	2	4	13	11	3
1992.....	117	-	-	1	3	3	6	5	3	8	5
1991.....	109	-	-	-	2	4	3	2	5	3	6
1990.....	143	-	1	1	2	4	10	2	9	7	10
1989.....	149	-	1	1	1	4	4	9	7	7	6
1988.....	187	-	2	3	2	-	6	4	3	9	6
1987.....	188	1	-	2	-	6	4	6	2	16	9
1986.....	232	-	3	3	2	4	8	10	8	16	11
1985.....	274	-	2	1	1	5	7	13	13	11	19
1984.....	275	-	2	1	3	7	5	7	22	9	19
1983.....	322	-	1	2	6	6	14	7	13	10	11
1982.....	352	-	2	6	4	6	5	14	11	15	13
1981.....	344	-	3	4	1	4	13	12	9	16	19
1980.....	324	-	-	1	5	6	15	7	7	21	12
1979.....	313	-	2	4	3	4	6	10	9	9	7
ALL OTHER MALE											
1998.....	38	-	1	-	-	-	-	3	1	4	2
1997.....	55	-	-	1	2	1	3	4	-	3	1
1996.....	54	-	-	4	2	-	4	2	2	2	2
1995.....	48	-	-	1	2	-	3	5	3	3	5
1994.....	46	-	-	-	2	1	1	2	2	1	1
1993.....	63	-	1	1	-	1	2	4	9	8	2
1992.....	63	-	-	1	2	2	5	2	3	5	4
1991.....	55	-	-	-	2	3	1	1	2	1	3
1990.....	86	-	1	-	2	3	6	2	5	5	8
1989.....	88	-	1	1	1	4	4	7	5	7	3
1988.....	122	-	2	1	2	-	5	4	2	8	5
1987.....	111	1	-	2	-	5	1	4	2	10	8
1986.....	140	-	3	1	2	2	5	7	4	13	7
1985.....	154	-	1	1	-	4	6	10	10	7	13
1984.....	150	-	2	1	3	4	4	2	13	6	10
1983.....	190	-	1	2	2	3	10	6	12	4	8
1982.....	206	-	2	6	4	4	2	9	9	12	12
1981.....	185	-	1	3	1	3	9	5	5	13	10
1980.....	188	-	-	1	4	6	10	6	2	11	7
1979.....	167	-	2	4	2	3	2	5	5	7	5

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 LYMPHOSARCOMA AND RETICULOSARCOMA (200)											
ALL OTHER FEMALE											
1998.....	35	-	-	-	1	-	-	1	-	5	1
1997.....	35	-	-	-	-	-	-	1	1	3	2
1996.....	37	-	-	1	-	1	-	1	3	2	3
1995.....	34	-	-	1	-	-	-	1	2	2	2
1994.....	49	-	-	-	-	-	1	1	3	3	1
1993.....	46	-	-	-	-	2	-	-	4	3	1
1992.....	54	-	-	-	1	1	1	3	-	3	1
1991.....	54	-	-	-	-	1	2	1	3	2	3
1990.....	57	-	-	1	-	1	4	-	4	2	2
1989.....	61	-	-	-	-	-	-	2	2	-	3
1988.....	65	-	-	2	-	-	1	-	1	1	1
1987.....	77	-	-	-	-	1	3	2	-	6	1
1986.....	92	-	-	2	-	2	3	3	4	3	4
1985.....	120	-	1	-	1	1	1	3	3	4	6
1984.....	125	-	-	-	-	3	1	5	9	3	9
1983.....	132	-	-	-	4	3	4	1	1	6	3
1982.....	146	-	-	-	-	2	3	5	2	3	1
1981.....	159	-	2	1	-	1	4	7	4	3	9
1980.....	136	-	-	-	1	-	5	1	5	10	5
1979.....	146	-	-	-	1	1	4	5	4	2	2
BLACK, BOTH SEXES											
1998.....	55	-	1	-	-	-	-	4	-	7	1
1997.....	73	-	-	1	2	1	3	2	1	5	2
1996.....	71	-	-	5	1	1	4	1	4	4	3
1995.....	68	-	-	2	-	-	1	5	5	4	5
1994.....	70	-	-	-	2	1	1	2	5	3	1
1993.....	96	-	1	1	-	3	1	4	12	11	3
1992.....	98	-	-	1	3	3	5	5	2	7	5
1991.....	94	-	-	-	1	4	3	2	5	3	5
1990.....	116	-	-	1	-	4	9	2	8	5	7
1989.....	118	-	1	-	1	4	4	8	4	7	5
1988.....	155	-	2	2	2	-	5	4	3	8	4
1987.....	160	-	-	2	-	6	4	6	2	16	8
1986.....	197	-	2	2	1	4	7	9	7	14	10
1985.....	230	-	1	-	1	3	4	12	11	9	17
1984.....	232	-	-	1	3	6	5	6	19	8	17
1983.....	284	-	-	1	6	5	13	6	12	9	9
1982.....	318	-	2	4	4	5	5	14	11	14	12
1981.....	312	-	3	4	1	4	13	9	9	15	18
1980.....	282	-	-	1	4	5	12	7	7	17	10
1979.....	274	-	2	4	3	4	5	6	7	8	6

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 LYMPHOSARCOMA AND RETICULOSARCOMA (200)											
BLACK MALE											
1998.....	29	-	1	-	-	-	-	3	-	4	1
1997.....	47	-	-	1	2	1	3	1	-	3	1
1996.....	42	-	-	4	1	-	4	-	2	2	1
1995.....	42	-	-	1	-	-	1	4	3	3	4
1994.....	34	-	-	-	2	1	-	1	2	-	1
1993.....	53	-	1	1	-	1	1	4	8	8	2
1992.....	54	-	-	1	2	2	4	2	2	5	4
1991.....	47	-	-	-	1	3	1	1	2	1	3
1990.....	65	-	-	-	-	3	5	2	4	3	5
1989.....	68	-	1	-	1	4	4	6	3	7	2
1988.....	103	-	2	1	2	-	4	4	2	7	4
1987.....	93	-	-	2	-	5	1	4	2	10	8
1986.....	118	-	2	1	1	2	4	6	3	11	6
1985.....	127	-	1	-	-	3	4	9	8	6	11
1984.....	125	-	-	1	3	3	4	2	13	6	8
1983.....	166	-	-	1	2	3	9	5	11	4	6
1982.....	182	-	2	4	4	3	2	9	9	11	11
1981.....	169	-	1	3	1	3	9	3	5	12	9
1980.....	165	-	-	1	3	5	8	6	2	9	7
1979.....	146	-	2	4	2	3	2	3	4	6	4
BLACK FEMALE											
1998.....	26	-	-	-	-	-	-	1	-	3	-
1997.....	26	-	-	-	-	-	-	1	1	2	1
1996.....	29	-	-	1	-	1	-	1	2	2	2
1995.....	26	-	-	1	-	-	-	1	2	1	1
1994.....	36	-	-	-	-	-	1	1	3	3	-
1993.....	43	-	-	-	-	2	-	-	4	3	1
1992.....	44	-	-	-	1	1	1	3	-	2	1
1991.....	47	-	-	-	-	1	2	1	3	2	2
1990.....	51	-	-	1	-	1	4	-	4	2	2
1989.....	50	-	-	-	-	-	-	2	1	-	3
1988.....	52	-	-	1	-	-	1	-	1	1	-
1987.....	67	-	-	-	-	1	3	2	-	6	-
1986.....	79	-	-	1	-	2	3	3	4	3	4
1985.....	103	-	-	-	1	-	-	3	3	3	6
1984.....	107	-	-	-	-	3	1	4	6	2	9
1983.....	118	-	-	-	4	2	4	1	1	5	3
1982.....	136	-	-	-	-	2	3	5	2	3	1
1981.....	143	-	2	1	-	1	4	6	4	3	9
1980.....	117	-	-	-	1	-	4	1	5	8	3
1979.....	128	-	-	-	1	1	3	3	3	2	2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 HODGKIN'S DISEASE (201)											
TOTAL, BOTH SEXES											
1998.....	1,311	-	-	1	7	22	60	102	78	106	75
1997.....	1,443	-	-	2	9	18	56	88	110	120	109
1996.....	1,408	-	1	1	7	27	75	91	105	102	101
1995.....	1,431	-	-	1	1	35	63	98	111	110	99
1994.....	1,440	-	2	1	8	20	62	84	129	96	99
1993.....	1,574	-	-	-	7	21	73	109	141	119	103
1992.....	1,639	-	-	1	12	28	88	139	160	123	103
1991.....	1,625	-	-	3	6	32	88	130	141	127	111
1990.....	1,632	-	1	2	5	38	82	153	162	125	108
1989.....	1,721	-	-	2	7	35	91	139	149	157	125
1988.....	1,608	-	-	4	10	39	87	126	153	143	103
1987.....	1,755	-	-	3	3	47	96	154	168	117	93
1986.....	1,828	-	1	2	12	41	122	168	157	136	106
1985.....	1,778	-	-	2	10	44	133	154	158	139	97
1984.....	1,960	-	2	2	14	62	133	150	181	137	102
1983.....	1,892	-	-	4	10	51	127	163	160	139	90
1982.....	1,930	-	1	-	9	47	127	155	164	135	98
1981.....	1,997	-	-	2	5	72	133	171	133	136	101
1980.....	2,064	-	-	4	18	74	125	157	150	126	101
1979.....	2,021	-	2	5	12	59	118	184	160	124	82
TOTAL, MALE											
1998.....	767	-	-	1	3	14	40	63	50	68	52
1997.....	760	-	-	-	1	11	32	53	63	65	64
1996.....	764	-	1	1	3	9	47	50	69	62	67
1995.....	799	-	-	-	1	16	44	64	75	70	56
1994.....	773	-	1	-	6	8	32	38	71	52	55
1993.....	900	-	-	-	3	15	36	61	85	78	62
1992.....	949	-	-	1	4	15	42	73	102	80	68
1991.....	928	-	-	3	5	16	43	87	87	80	63
1990.....	956	-	-	1	4	25	49	92	113	84	65
1989.....	1,007	-	-	1	2	19	55	90	96	103	78
1988.....	945	-	-	3	4	20	48	79	94	93	65
1987.....	1,023	-	-	2	1	22	56	90	113	78	64
1986.....	1,069	-	1	-	7	22	67	108	103	88	75
1985.....	1,033	-	-	2	7	23	80	98	100	96	65
1984.....	1,204	-	1	2	8	35	86	101	110	85	68
1983.....	1,093	-	-	3	4	29	71	92	92	92	64
1982.....	1,090	-	1	-	4	21	81	94	105	86	66
1981.....	1,122	-	-	2	3	41	79	106	80	84	65
1980.....	1,174	-	-	4	8	42	72	90	96	74	67
1979.....	1,202	-	1	3	9	36	76	115	101	77	55

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 HODGKIN'S DISEASE (201)											
TOTAL, FEMALE											
1998.....	544	-	-	-	4	8	20	39	28	38	23
1997.....	683	-	-	2	8	7	24	35	47	55	45
1996.....	644	-	-	-	4	18	28	41	36	40	34
1995.....	632	-	-	1	-	19	19	34	36	40	43
1994.....	667	-	1	1	2	12	30	46	58	44	44
1993.....	674	-	-	-	4	6	37	48	56	41	41
1992.....	690	-	-	-	8	13	46	66	58	43	35
1991.....	697	-	-	-	1	16	45	43	54	47	48
1990.....	676	-	1	1	1	13	33	61	49	41	43
1989.....	714	-	-	1	5	16	36	49	53	54	47
1988.....	663	-	-	1	6	19	39	47	59	50	38
1987.....	732	-	-	1	2	25	40	64	55	39	29
1986.....	759	-	-	2	5	19	55	60	54	48	31
1985.....	745	-	-	-	3	21	53	56	58	43	32
1984.....	756	-	1	-	6	27	47	49	71	52	34
1983.....	799	-	-	1	6	22	56	71	68	47	26
1982.....	840	-	-	-	5	26	46	61	59	49	32
1981.....	875	-	-	-	2	31	54	65	53	52	36
1980.....	890	-	-	-	10	32	53	67	54	52	34
1979.....	819	-	1	2	3	23	42	69	59	47	27
WHITE, BOTH SEXES											
1998.....	1,148	-	-	-	4	18	47	81	62	91	62
1997.....	1,262	-	-	2	7	11	45	69	89	96	86
1996.....	1,249	-	1	1	3	20	59	80	88	82	85
1995.....	1,262	-	-	1	1	22	42	79	91	97	81
1994.....	1,263	-	-	1	3	18	55	66	107	78	83
1993.....	1,405	-	-	-	6	16	58	94	124	101	90
1992.....	1,466	-	-	-	8	27	77	118	134	101	89
1991.....	1,422	-	-	3	5	22	71	106	114	107	94
1990.....	1,471	-	1	1	5	35	69	129	146	109	93
1989.....	1,533	-	-	-	5	29	77	121	121	142	113
1988.....	1,445	-	-	4	8	32	75	117	127	127	88
1987.....	1,574	-	-	3	2	38	86	139	144	101	82
1986.....	1,659	-	1	1	10	36	114	155	135	122	93
1985.....	1,588	-	-	1	7	34	114	140	136	122	86
1984.....	1,757	-	2	2	10	48	123	127	150	126	94
1983.....	1,730	-	-	3	6	43	112	145	138	122	83
1982.....	1,769	-	1	-	7	37	115	138	150	120	94
1981.....	1,820	-	-	2	3	62	120	154	120	124	89
1980.....	1,891	-	-	3	15	68	113	141	133	112	94
1979.....	1,854	-	2	4	9	52	104	159	145	114	74

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 HODGKIN'S DISEASE (201)											
WHITE MALE											
1998.....	668	-	-	-	3	12	33	47	40	62	41
1997.....	661	-	-	-	1	9	27	44	48	47	50
1996.....	672	-	1	1	-	7	37	45	58	50	58
1995.....	692	-	-	-	1	9	30	50	62	61	48
1994.....	668	-	-	-	2	8	29	30	57	40	44
1993.....	794	-	-	-	3	12	27	52	76	66	53
1992.....	847	-	-	-	2	15	39	64	86	62	59
1991.....	806	-	-	3	4	14	36	69	68	64	55
1990.....	853	-	-	-	4	22	39	77	104	73	55
1989.....	892	-	-	-	1	15	45	76	78	94	72
1988.....	851	-	-	3	2	17	41	72	79	83	59
1987.....	915	-	-	2	1	18	51	81	99	69	56
1986.....	972	-	1	-	6	19	64	99	90	78	66
1985.....	922	-	-	1	4	18	68	91	86	84	58
1984.....	1,066	-	1	2	5	25	80	83	91	77	62
1983.....	994	-	-	3	4	24	64	82	80	82	57
1982.....	1,005	-	1	-	4	14	74	84	98	78	64
1981.....	1,025	-	-	2	2	34	72	99	71	77	57
1980.....	1,066	-	-	3	6	39	66	84	85	64	62
1979.....	1,093	-	1	3	7	29	66	99	92	71	52
WHITE FEMALE											
1998.....	480	-	-	-	1	6	14	34	22	29	21
1997.....	601	-	-	2	6	2	18	25	41	49	36
1996.....	577	-	-	-	3	13	22	35	30	32	27
1995.....	570	-	-	1	-	13	12	29	29	36	33
1994.....	595	-	-	1	1	10	26	36	50	38	39
1993.....	611	-	-	-	3	4	31	42	48	35	37
1992.....	619	-	-	-	6	12	38	54	48	39	30
1991.....	616	-	-	-	1	8	35	37	46	43	39
1990.....	618	-	1	1	1	13	30	52	42	36	38
1989.....	641	-	-	-	4	14	32	45	43	48	41
1988.....	594	-	-	1	6	15	34	45	48	44	29
1987.....	659	-	-	1	1	20	35	58	45	32	26
1986.....	687	-	-	1	4	17	50	56	45	44	27
1985.....	666	-	-	-	3	16	46	49	50	38	28
1984.....	691	-	1	-	5	23	43	44	59	49	32
1983.....	736	-	-	-	2	19	48	63	58	40	26
1982.....	764	-	-	-	3	23	41	54	52	42	30
1981.....	795	-	-	-	1	28	48	55	49	47	32
1980.....	825	-	-	-	9	29	47	57	48	48	32
1979.....	761	-	1	1	2	23	38	60	53	43	22

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 HODGKIN'S DISEASE (201)											
ALL OTHER, BOTH SEXES											
1998.....	163	-	-	1	3	4	13	21	16	15	13
1997.....	181	-	-	-	2	7	11	19	21	24	23
1996.....	159	-	-	-	4	7	16	11	17	20	16
1995.....	169	-	-	-	-	13	21	19	20	13	18
1994.....	177	-	2	-	5	2	7	18	22	18	16
1993.....	169	-	-	-	1	5	15	15	17	18	13
1992.....	173	-	-	1	4	1	11	21	26	22	14
1991.....	203	-	-	-	1	10	17	24	27	20	17
1990.....	161	-	-	1	-	3	13	24	16	16	15
1989.....	188	-	-	2	2	6	14	18	28	15	12
1988.....	163	-	-	-	2	7	12	9	26	16	15
1987.....	181	-	-	-	1	9	10	15	24	16	11
1986.....	169	-	-	1	2	5	8	13	22	14	13
1985.....	190	-	-	1	3	10	19	14	22	17	11
1984.....	203	-	-	-	4	14	10	23	31	11	8
1983.....	162	-	-	1	4	8	15	18	22	17	7
1982.....	161	-	-	-	2	10	12	17	14	15	4
1981.....	177	-	-	-	2	10	13	17	13	12	12
1980.....	173	-	-	1	3	6	12	16	17	14	7
1979.....	167	-	-	1	3	7	14	25	15	10	8
ALL OTHER MALE											
1998.....	99	-	-	1	-	2	7	16	10	6	11
1997.....	99	-	-	-	-	2	5	9	15	18	14
1996.....	92	-	-	-	3	2	10	5	11	12	9
1995.....	107	-	-	-	-	7	14	14	13	9	8
1994.....	105	-	1	-	4	-	3	8	14	12	11
1993.....	106	-	-	-	-	3	9	9	9	12	9
1992.....	102	-	-	1	2	-	3	9	16	18	9
1991.....	122	-	-	-	1	2	7	18	19	16	8
1990.....	103	-	-	1	-	3	10	15	9	11	10
1989.....	115	-	-	1	1	4	10	14	18	9	6
1988.....	94	-	-	-	2	3	7	7	15	10	6
1987.....	108	-	-	-	-	4	5	9	14	9	8
1986.....	97	-	-	-	1	3	3	9	13	10	9
1985.....	111	-	-	1	3	5	12	7	14	12	7
1984.....	138	-	-	-	3	10	6	18	19	8	6
1983.....	99	-	-	-	-	5	7	10	12	10	7
1982.....	85	-	-	-	-	7	7	10	7	8	2
1981.....	97	-	-	-	1	7	7	7	9	7	8
1980.....	108	-	-	1	2	3	6	6	11	10	5
1979.....	109	-	-	-	2	7	10	16	9	6	3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 HODGKIN'S DISEASE (201)											
ALL OTHER FEMALE											
1998.....	64	-	-	-	3	2	6	5	6	9	2
1997.....	82	-	-	-	2	5	6	10	6	6	9
1996.....	67	-	-	-	1	5	6	6	6	8	7
1995.....	62	-	-	-	-	6	7	5	7	4	10
1994.....	72	-	1	-	1	2	4	10	8	6	5
1993.....	63	-	-	-	1	2	6	6	8	6	4
1992.....	71	-	-	-	2	1	8	12	10	4	5
1991.....	81	-	-	-	-	8	10	6	8	4	9
1990.....	58	-	-	-	-	-	3	9	7	5	5
1989.....	73	-	-	1	1	2	4	4	10	6	6
1988.....	69	-	-	-	-	4	5	2	11	6	9
1987.....	73	-	-	-	1	5	5	6	10	7	3
1986.....	72	-	-	1	1	2	5	4	9	4	4
1985.....	79	-	-	-	-	5	7	7	8	5	4
1984.....	65	-	-	-	1	4	4	5	12	3	2
1983.....	63	-	-	1	4	3	8	8	10	7	-
1982.....	76	-	-	-	2	3	5	7	7	7	2
1981.....	80	-	-	-	1	3	6	10	4	5	4
1980.....	65	-	-	-	1	3	6	10	6	4	2
1979.....	58	-	-	1	1	-	4	9	6	4	5
BLACK, BOTH SEXES											
1998.....	147	-	-	1	3	3	12	20	16	14	12
1997.....	164	-	-	-	2	6	10	16	21	21	21
1996.....	142	-	-	-	4	6	13	10	16	18	15
1995.....	157	-	-	-	-	12	17	19	20	10	18
1994.....	152	-	1	-	4	2	6	12	20	17	14
1993.....	154	-	-	-	1	5	14	13	16	18	12
1992.....	163	-	-	1	4	1	11	21	26	21	14
1991.....	184	-	-	-	-	8	17	23	26	18	16
1990.....	148	-	-	1	-	2	12	22	15	16	14
1989.....	173	-	-	2	2	6	14	18	26	14	12
1988.....	150	-	-	-	2	7	12	8	26	15	13
1987.....	161	-	-	-	1	9	9	14	21	15	11
1986.....	155	-	-	1	2	5	8	13	21	10	12
1985.....	174	-	-	1	3	10	17	14	22	17	9
1984.....	187	-	-	-	2	12	10	23	30	11	8
1983.....	152	-	-	1	4	8	14	17	21	16	7
1982.....	151	-	-	-	1	10	10	16	14	15	4
1981.....	161	-	-	-	1	8	12	16	13	11	10
1980.....	160	-	-	1	3	5	12	14	16	14	6
1979.....	159	-	-	1	3	7	12	23	15	10	8

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 HODGKIN'S DISEASE (201)											
BLACK MALE											
1998.....	91	-	-	1	-	2	6	16	10	5	10
1997.....	92	-	-	-	-	2	5	8	15	15	13
1996.....	83	-	-	-	3	2	9	4	10	12	8
1995.....	98	-	-	-	-	6	11	14	13	8	8
1994.....	87	-	1	-	3	-	2	4	12	11	9
1993.....	94	-	-	-	-	3	8	8	9	12	8
1992.....	92	-	-	1	2	-	3	9	16	17	9
1991.....	110	-	-	-	-	1	7	17	19	14	7
1990.....	96	-	-	1	-	2	9	15	9	11	9
1989.....	107	-	-	1	1	4	10	14	17	9	6
1988.....	84	-	-	-	2	3	7	6	15	9	5
1987.....	98	-	-	-	-	4	5	9	13	8	8
1986.....	91	-	-	-	1	3	3	9	13	8	9
1985.....	104	-	-	1	3	5	11	7	14	12	5
1984.....	127	-	-	-	2	10	6	18	18	8	6
1983.....	90	-	-	-	-	5	6	9	11	9	7
1982.....	77	-	-	-	-	7	5	9	7	8	2
1981.....	85	-	-	-	1	5	6	6	9	7	7
1980.....	101	-	-	1	2	3	6	6	10	10	5
1979.....	102	-	-	-	2	7	8	15	9	6	3
BLACK FEMALE											
1998.....	56	-	-	-	3	1	6	4	6	9	2
1997.....	72	-	-	-	2	4	5	8	6	6	8
1996.....	59	-	-	-	1	4	4	6	6	6	7
1995.....	59	-	-	-	-	6	6	5	7	2	10
1994.....	65	-	-	-	1	2	4	8	8	6	5
1993.....	60	-	-	-	1	2	6	5	7	6	4
1992.....	71	-	-	-	2	1	8	12	10	4	5
1991.....	74	-	-	-	-	7	10	6	7	4	9
1990.....	52	-	-	-	-	-	3	7	6	5	5
1989.....	66	-	-	1	1	2	4	4	9	5	6
1988.....	66	-	-	-	-	4	5	2	11	6	8
1987.....	63	-	-	-	1	5	4	5	8	7	3
1986.....	64	-	-	1	1	2	5	4	8	2	3
1985.....	70	-	-	-	-	5	6	7	8	5	4
1984.....	60	-	-	-	-	2	4	5	12	3	2
1983.....	62	-	-	1	4	3	8	8	10	7	-
1982.....	74	-	-	-	1	3	5	7	7	7	2
1981.....	76	-	-	-	-	3	6	10	4	4	3
1980.....	59	-	-	-	1	2	6	8	6	4	1
1979.....	57	-	-	1	1	-	4	8	6	4	5

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER MALIGNANT NEOPLASMS OF LYMPHOID AND HISTIOCYTIC TISSUE (202)											
TOTAL, BOTH SEXES											
1998.....	22,806	4	11	17	18	46	97	142	261	361	523
1997.....	22,807	3	5	20	25	47	101	156	290	426	611
1996.....	21,952	1	10	6	23	44	75	171	299	431	614
1995.....	21,471	1	15	16	27	41	69	152	326	483	615
1994.....	20,770	4	10	14	28	44	98	166	320	428	553
1993.....	19,370	1	16	23	25	52	81	181	301	392	519
1992.....	18,783	1	7	13	28	53	90	181	316	461	504
1991.....	18,014	1	7	17	18	51	89	158	290	427	517
1990.....	16,730	-	8	16	25	34	85	167	275	329	442
1989.....	15,880	2	21	16	38	40	77	151	233	320	430
1988.....	14,794	3	12	17	21	46	78	161	243	312	393
1987.....	13,573	6	10	17	25	49	82	123	180	261	310
1986.....	12,916	2	17	28	30	56	87	141	202	274	315
1985.....	11,649	4	16	20	24	39	70	116	168	218	305
1984.....	10,418	5	12	15	24	50	55	96	132	179	253
1983.....	9,650	2	15	22	28	64	53	88	109	153	205
1982.....	8,855	2	15	27	28	46	66	78	119	149	200
1981.....	7,763	3	14	34	37	60	55	66	102	125	163
1980.....	7,510	2	15	31	44	45	59	80	100	134	141
1979.....	6,866	4	20	40	40	56	59	70	67	107	152
TOTAL, MALE											
1998.....	11,863	2	7	11	11	32	52	93	183	238	359
1997.....	11,875	1	4	16	14	30	61	116	206	285	416
1996.....	11,440	-	5	5	16	28	39	102	212	309	420
1995.....	11,095	1	12	13	18	32	40	108	231	344	419
1994.....	10,734	2	6	10	22	24	60	112	223	305	375
1993.....	9,908	-	10	16	15	34	49	117	220	282	369
1992.....	9,801	1	5	9	18	40	59	119	234	332	345
1991.....	9,260	-	5	13	14	30	65	112	206	320	364
1990.....	8,746	-	3	14	16	21	57	122	198	229	311
1989.....	8,189	1	16	12	27	26	57	109	175	234	275
1988.....	7,591	-	6	11	17	29	48	118	161	217	244
1987.....	6,805	5	5	13	18	30	55	84	116	186	207
1986.....	6,685	1	12	21	25	36	53	103	144	191	205
1985.....	6,086	1	9	11	16	29	48	73	112	150	195
1984.....	5,239	1	5	14	13	35	34	63	93	110	156
1983.....	4,904	2	7	14	24	36	34	59	81	93	128
1982.....	4,473	2	10	24	22	37	37	54	78	92	136
1981.....	3,941	1	7	25	20	39	35	40	69	78	106
1980.....	3,835	2	8	27	31	30	46	49	62	87	88
1979.....	3,675	4	11	32	30	42	43	42	40	71	95

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER MALIGNANT NEOPLASMS OF LYMPHOID AND HISTIOCYTIC TISSUE (202)											
TOTAL, FEMALE											
1998.....	10,943	2	4	6	7	14	45	49	78	123	164
1997.....	10,932	2	1	4	11	17	40	40	84	141	195
1996.....	10,512	1	5	1	7	16	36	69	87	122	194
1995.....	10,376	-	3	3	9	9	29	44	95	139	196
1994.....	10,036	2	4	4	6	20	38	54	97	123	178
1993.....	9,462	1	6	7	10	18	32	64	81	110	150
1992.....	8,982	-	2	4	10	13	31	62	82	129	159
1991.....	8,754	1	2	4	4	21	24	46	84	107	153
1990.....	7,984	-	5	2	9	13	28	45	77	100	131
1989.....	7,691	1	5	4	11	14	20	42	58	86	155
1988.....	7,203	3	6	6	4	17	30	43	82	95	149
1987.....	6,768	1	5	4	7	19	27	39	64	75	103
1986.....	6,231	1	5	7	5	20	34	38	58	83	110
1985.....	5,563	3	7	9	8	10	22	43	56	68	110
1984.....	5,179	4	7	1	11	15	21	33	39	69	97
1983.....	4,746	-	8	8	4	28	19	29	28	60	77
1982.....	4,382	-	5	3	6	9	29	24	41	57	64
1981.....	3,822	2	7	9	17	21	20	26	33	47	57
1980.....	3,675	-	7	4	13	15	13	31	38	47	53
1979.....	3,191	-	9	8	10	14	16	28	27	36	57
WHITE, BOTH SEXES											
1998.....	20,938	2	10	13	15	37	81	104	210	282	417
1997.....	20,900	3	4	13	21	35	76	124	236	325	492
1996.....	20,171	1	7	4	19	40	58	129	229	349	504
1995.....	19,811	-	12	11	22	33	55	120	255	391	514
1994.....	19,204	3	7	11	23	31	75	135	256	358	461
1993.....	17,878	1	12	17	20	47	58	146	248	322	434
1992.....	17,329	1	7	12	24	45	67	140	254	370	418
1991.....	16,596	-	6	14	15	42	76	127	219	357	430
1990.....	15,457	-	6	13	20	27	69	137	224	273	371
1989.....	14,665	1	15	14	32	30	60	121	186	265	364
1988.....	13,728	3	10	15	19	36	63	138	195	267	337
1987.....	12,617	5	8	14	17	41	66	107	145	220	275
1986.....	11,975	2	14	21	22	45	74	118	173	235	275
1985.....	10,829	2	15	18	19	35	57	84	145	181	275
1984.....	9,719	2	10	15	22	42	42	76	114	153	222
1983.....	9,007	2	14	15	21	53	46	70	92	125	184
1982.....	8,294	1	14	23	23	39	57	63	101	134	182
1981.....	7,242	2	14	30	30	44	49	58	87	106	132
1980.....	6,982	1	10	30	35	38	52	66	85	121	131
1979.....	6,397	2	16	35	38	47	50	57	56	96	132

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER MALIGNANT NEOPLASMS OF LYMPHOID AND HISTIOCYTIC TISSUE (202)											
WHITE MALE											
1998.....	10,875	1	6	9	8	25	44	72	153	190	289
1997.....	10,802	1	3	10	11	23	42	91	174	215	342
1996.....	10,441	-	4	4	14	26	29	80	158	255	345
1995.....	10,181	-	11	10	15	26	31	85	185	284	357
1994.....	9,897	2	6	8	17	21	41	91	178	259	309
1993.....	9,069	-	7	13	12	32	35	96	179	234	312
1992.....	8,995	1	5	8	16	34	44	92	190	265	294
1991.....	8,494	-	4	10	12	26	55	92	160	272	309
1990.....	8,042	-	3	11	13	16	45	104	160	193	267
1989.....	7,500	-	11	11	24	19	43	82	138	197	234
1988.....	6,998	-	5	9	15	22	40	102	135	185	207
1987.....	6,277	4	3	12	13	24	46	74	93	160	182
1986.....	6,135	1	10	15	17	27	43	90	126	165	178
1985.....	5,655	1	8	10	12	26	36	53	99	126	180
1984.....	4,865	-	4	14	12	30	26	45	81	96	132
1983.....	4,535	2	7	10	18	30	29	47	69	77	114
1982.....	4,162	1	9	21	19	31	32	44	65	86	126
1981.....	3,669	-	7	21	20	29	31	34	60	71	85
1980.....	3,540	1	6	26	26	27	40	43	53	79	83
1979.....	3,410	2	9	27	29	35	36	35	35	64	83
WHITE FEMALE											
1998.....	10,063	1	4	4	7	12	37	32	57	92	128
1997.....	10,098	2	1	3	10	12	34	33	62	110	150
1996.....	9,730	1	3	-	5	14	29	49	71	94	159
1995.....	9,630	-	1	1	7	7	24	35	70	107	157
1994.....	9,307	1	1	3	6	10	34	44	78	99	152
1993.....	8,809	1	5	4	8	15	23	50	69	88	122
1992.....	8,334	-	2	4	8	11	23	48	64	105	124
1991.....	8,102	-	2	4	3	16	21	35	59	85	121
1990.....	7,415	-	3	2	7	11	24	33	64	80	104
1989.....	7,165	1	4	3	8	11	17	39	48	68	130
1988.....	6,730	3	5	6	4	14	23	36	60	82	130
1987.....	6,340	1	5	2	4	17	20	33	52	60	93
1986.....	5,840	1	4	6	5	18	31	28	47	70	97
1985.....	5,174	1	7	8	7	9	21	31	46	55	95
1984.....	4,854	2	6	1	10	12	16	31	33	57	90
1983.....	4,472	-	7	5	3	23	17	23	23	48	70
1982.....	4,132	-	5	2	4	8	25	19	36	48	56
1981.....	3,573	2	7	9	10	15	18	24	27	35	47
1980.....	3,442	-	4	4	9	11	12	23	32	42	48
1979.....	2,987	-	7	8	9	12	14	22	21	32	49

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER MALIGNANT NEOPLASMS OF LYMPHOID AND HISTIOCYTIC TISSUE (202)											
ALL OTHER, BOTH SEXES											
1998.....	1,868	2	1	4	3	9	16	38	51	79	106
1997.....	1,907	-	1	7	4	12	25	32	54	101	119
1996.....	1,781	-	3	2	4	4	17	42	70	82	110
1995.....	1,660	1	3	5	5	8	14	32	71	92	101
1994.....	1,566	1	3	3	5	13	23	31	64	70	92
1993.....	1,492	-	4	6	5	5	23	35	53	70	85
1992.....	1,454	-	-	1	4	8	23	41	62	91	86
1991.....	1,418	1	1	3	3	9	13	31	71	70	87
1990.....	1,273	-	2	3	5	7	16	30	51	56	71
1989.....	1,215	1	6	2	6	10	17	30	47	55	66
1988.....	1,066	-	2	2	2	10	15	23	48	45	56
1987.....	956	1	2	3	8	8	16	16	35	41	35
1986.....	941	-	3	7	8	11	13	23	29	39	40
1985.....	820	2	1	2	5	4	13	32	23	37	30
1984.....	699	3	2	-	2	8	13	20	18	26	31
1983.....	643	-	1	7	7	11	7	18	17	28	21
1982.....	561	1	1	4	5	7	9	15	18	15	18
1981.....	521	1	-	4	7	16	6	8	15	19	31
1980.....	528	1	5	1	9	7	7	14	15	13	10
1979.....	469	2	4	5	2	9	9	13	11	11	20
ALL OTHER MALE											
1998.....	988	1	1	2	3	7	8	21	30	48	70
1997.....	1,073	-	1	6	3	7	19	25	32	70	74
1996.....	999	-	1	1	2	2	10	22	54	54	75
1995.....	914	1	1	3	3	6	9	23	46	60	62
1994.....	837	-	-	2	5	3	19	21	45	46	66
1993.....	839	-	3	3	3	2	14	21	41	48	57
1992.....	806	-	-	1	2	6	15	27	44	67	51
1991.....	766	-	1	3	2	4	10	20	46	48	55
1990.....	704	-	-	3	3	5	12	18	38	36	44
1989.....	689	1	5	1	3	7	14	27	37	37	41
1988.....	593	-	1	2	2	7	8	16	26	32	37
1987.....	528	1	2	1	5	6	9	10	23	26	25
1986.....	550	-	2	6	8	9	10	13	18	26	27
1985.....	431	-	1	1	4	3	12	20	13	24	15
1984.....	374	1	1	-	1	5	8	18	12	14	24
1983.....	369	-	-	4	6	6	5	12	12	16	14
1982.....	311	1	1	3	3	6	5	10	13	6	10
1981.....	272	1	-	4	-	10	4	6	9	7	21
1980.....	295	1	2	1	5	3	6	6	9	8	5
1979.....	265	2	2	5	1	7	7	7	5	7	12

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER MALIGNANT NEOPLASMS OF LYMPHOID AND HISTIOCYTIC TISSUE (202)											
ALL OTHER FEMALE											
1998.....	880	1	-	2	-	2	8	17	21	31	36
1997.....	834	-	-	1	1	5	6	7	22	31	45
1996.....	782	-	2	1	2	2	7	20	16	28	35
1995.....	746	-	2	2	2	2	5	9	25	32	39
1994.....	729	1	3	1	-	10	4	10	19	24	26
1993.....	653	-	1	3	2	3	9	14	12	22	28
1992.....	648	-	-	-	2	2	8	14	18	24	35
1991.....	652	1	-	-	1	5	3	11	25	22	32
1990.....	569	-	2	-	2	2	4	12	13	20	27
1989.....	526	-	1	1	3	3	3	3	10	18	25
1988.....	473	-	1	-	-	3	7	7	22	13	19
1987.....	428	-	-	2	3	2	7	6	12	15	10
1986.....	391	-	1	1	-	2	3	10	11	13	13
1985.....	389	2	-	1	1	1	1	12	10	13	15
1984.....	325	2	1	-	1	3	5	2	6	12	7
1983.....	274	-	1	3	1	5	2	6	5	12	7
1982.....	250	-	-	1	2	1	4	5	5	9	8
1981.....	249	-	-	-	7	6	2	2	6	12	10
1980.....	233	-	3	-	4	4	1	8	6	5	5
1979.....	204	-	2	-	1	2	2	6	6	4	8
BLACK, BOTH SEXES											
1998.....	1,463	1	-	4	2	5	12	34	37	68	89
1997.....	1,510	-	-	5	4	10	21	24	46	89	108
1996.....	1,446	-	2	1	4	4	16	35	60	70	100
1995.....	1,331	-	2	5	5	8	10	29	57	83	90
1994.....	1,240	1	2	2	1	10	19	24	52	61	75
1993.....	1,216	-	3	5	3	3	17	30	45	62	70
1992.....	1,184	-	-	-	2	5	19	34	55	80	79
1991.....	1,166	1	1	3	2	7	13	26	61	61	73
1990.....	1,056	-	2	3	3	6	14	25	48	47	64
1989.....	1,017	1	4	2	6	8	15	25	42	49	60
1988.....	892	-	1	1	1	6	15	21	43	41	44
1987.....	811	1	2	2	4	6	14	16	31	33	34
1986.....	809	-	3	7	7	8	13	22	26	36	34
1985.....	696	2	1	2	5	4	11	27	18	32	28
1984.....	608	2	2	-	2	8	12	20	18	22	28
1983.....	557	-	-	6	6	8	2	16	15	24	19
1982.....	474	-	-	2	4	7	7	13	17	13	13
1981.....	449	1	-	4	5	15	5	6	13	14	26
1980.....	460	1	3	1	9	7	7	14	12	11	8
1979.....	408	2	4	5	2	9	9	11	11	9	18

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER MALIGNANT NEOPLASMS OF LYMPHOID AND HISTIOCYTIC TISSUE (202)											
BLACK MALE											
1998.....	772	-	-	2	2	4	6	20	22	40	57
1997.....	834	-	-	4	3	6	16	19	25	62	70
1996.....	809	-	1	-	2	2	9	19	49	46	69
1995.....	738	-	-	3	3	6	6	22	37	55	55
1994.....	658	-	-	2	1	3	15	19	39	40	52
1993.....	673	-	2	2	2	1	10	18	34	43	46
1992.....	650	-	-	-	1	3	12	24	41	59	49
1991.....	623	-	1	3	1	4	10	17	41	42	48
1990.....	586	-	-	3	2	5	11	14	35	29	40
1989.....	575	1	3	1	3	6	12	23	33	34	38
1988.....	497	-	1	1	1	6	8	15	22	28	31
1987.....	451	1	2	-	3	4	9	10	22	20	25
1986.....	458	-	2	6	7	7	10	12	17	24	22
1985.....	362	-	1	1	4	3	10	17	12	21	14
1984.....	328	-	1	-	1	5	7	18	12	10	21
1983.....	315	-	-	3	5	4	1	10	10	14	12
1982.....	255	-	-	2	3	6	4	8	12	5	8
1981.....	234	1	-	4	-	10	3	5	8	6	17
1980.....	256	1	1	1	5	3	6	6	8	7	4
1979.....	227	2	2	5	1	7	7	6	5	5	11
BLACK FEMALE											
1998.....	691	1	-	2	-	1	6	14	15	28	32
1997.....	676	-	-	1	1	4	5	5	21	27	38
1996.....	637	-	1	1	2	2	7	16	11	24	31
1995.....	593	-	2	2	2	2	4	7	20	28	35
1994.....	582	1	2	-	-	7	4	5	13	21	23
1993.....	543	-	1	3	1	2	7	12	11	19	24
1992.....	534	-	-	-	1	2	7	10	14	21	30
1991.....	543	1	-	-	1	3	3	9	20	19	25
1990.....	470	-	2	-	1	1	3	11	13	18	24
1989.....	442	-	1	1	3	2	3	2	9	15	22
1988.....	395	-	-	-	-	-	7	6	21	13	13
1987.....	360	-	-	2	1	2	5	6	9	13	9
1986.....	351	-	1	1	-	1	3	10	9	12	12
1985.....	334	2	-	1	1	1	1	10	6	11	14
1984.....	280	2	1	-	1	3	5	2	6	12	7
1983.....	242	-	-	3	1	4	1	6	5	10	7
1982.....	219	-	-	-	1	1	3	5	5	8	5
1981.....	215	-	-	-	5	5	2	1	5	8	9
1980.....	204	-	2	-	4	4	1	8	4	4	4
1979.....	181	-	2	-	1	2	2	5	6	4	7

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 MULTIPLE MYELOMA AND IMMUNOPROLIFERATIVE NEOPLASMS (203)											
TOTAL, BOTH SEXES											
1998.....	10,359	-	1	-	-	-	1	2	9	38	127
1997.....	10,386	-	-	-	-	-	1	3	14	35	113
1996.....	10,248	-	-	-	-	1	2	1	16	43	113
1995.....	10,266	-	-	-	-	-	-	6	16	41	116
1994.....	10,041	-	-	-	-	-	2	-	9	42	122
1993.....	9,892	-	1	1	1	-	1	2	14	45	112
1992.....	9,294	-	-	-	-	-	4	5	16	49	100
1991.....	9,320	-	-	-	-	-	1	4	17	48	111
1990.....	8,934	-	-	-	-	-	1	6	15	30	90
1989.....	8,587	-	-	1	-	1	1	5	16	31	89
1988.....	8,318	-	-	-	-	-	3	5	10	33	90
1987.....	8,141	1	-	-	1	-	-	2	8	33	99
1986.....	7,987	-	-	1	-	-	2	1	16	34	95
1985.....	7,819	1	-	-	-	-	-	6	15	46	92
1984.....	7,470	-	-	1	2	1	2	1	8	38	80
1983.....	7,301	-	-	-	1	-	-	4	10	34	80
1982.....	7,024	-	-	-	-	1	3	4	12	32	79
1981.....	6,729	-	1	1	1	1	2	6	12	23	69
1980.....	6,613	-	-	-	-	-	-	5	11	32	76
1979.....	6,414	1	-	-	-	-	-	2	12	34	73
TOTAL, MALE											
1998.....	5,290	-	-	-	-	-	1	1	5	23	78
1997.....	5,360	-	-	-	-	-	1	3	8	23	64
1996.....	5,253	-	-	-	-	1	2	-	11	25	70
1995.....	5,165	-	-	-	-	-	-	4	6	22	72
1994.....	5,165	-	-	-	-	-	1	-	5	23	80
1993.....	4,936	-	-	-	-	-	1	2	7	29	73
1992.....	4,679	-	-	-	-	-	3	5	10	33	58
1991.....	4,698	-	-	-	-	-	1	3	11	27	77
1990.....	4,561	-	-	-	-	-	1	2	9	17	61
1989.....	4,335	-	-	1	-	-	-	2	11	18	56
1988.....	4,231	-	-	-	-	-	3	4	6	18	52
1987.....	4,181	-	-	-	-	-	-	2	4	20	61
1986.....	4,032	-	-	-	-	-	2	1	7	21	60
1985.....	3,935	1	-	-	-	-	-	5	11	25	59
1984.....	3,737	-	-	1	1	-	1	-	1	25	54
1983.....	3,722	-	-	-	1	-	-	1	4	22	46
1982.....	3,554	-	-	-	-	-	3	3	9	20	49
1981.....	3,377	-	-	-	-	-	1	4	8	13	43
1980.....	3,401	-	-	-	-	-	-	4	8	18	49
1979.....	3,333	1	-	-	-	-	-	-	11	21	46

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 MULTIPLE MYELOMA AND IMMUNOPROLIFERATIVE NEOPLASMS (203)											
TOTAL, FEMALE											
1998.....	5,069	-	1	-	-	-	-	1	4	15	49
1997.....	5,026	-	-	-	-	-	-	-	6	12	49
1996.....	4,995	-	-	-	-	-	-	1	5	18	43
1995.....	5,101	-	-	-	-	-	-	2	10	19	44
1994.....	4,876	-	-	-	-	-	1	-	4	19	42
1993.....	4,956	-	1	1	1	-	-	-	7	16	39
1992.....	4,615	-	-	-	-	-	1	-	6	16	42
1991.....	4,622	-	-	-	-	-	-	1	6	21	34
1990.....	4,373	-	-	-	-	-	-	4	6	13	29
1989.....	4,252	-	-	-	-	1	1	3	5	13	33
1988.....	4,087	-	-	-	-	-	-	1	4	15	38
1987.....	3,960	1	-	-	1	-	-	-	4	13	38
1986.....	3,955	-	-	1	-	-	-	-	9	13	35
1985.....	3,884	-	-	-	-	-	-	1	4	21	33
1984.....	3,733	-	-	-	1	1	1	1	7	13	26
1983.....	3,579	-	-	-	-	-	-	3	6	12	34
1982.....	3,470	-	-	-	-	1	-	1	3	12	30
1981.....	3,352	-	1	1	1	1	1	2	4	10	26
1980.....	3,212	-	-	-	-	-	-	1	3	14	27
1979.....	3,081	-	-	-	-	-	-	2	1	13	27
WHITE, BOTH SEXES											
1998.....	8,400	-	1	-	-	-	-	-	7	28	90
1997.....	8,528	-	-	-	-	-	1	3	6	22	74
1996.....	8,367	-	-	-	-	-	1	1	11	26	77
1995.....	8,406	-	-	-	-	-	-	3	10	25	89
1994.....	8,292	-	-	-	-	-	1	-	5	33	91
1993.....	8,132	-	1	1	1	-	1	2	11	37	83
1992.....	7,641	-	-	-	-	-	2	4	10	35	70
1991.....	7,629	-	-	-	-	-	1	4	11	30	79
1990.....	7,377	-	-	-	-	-	-	5	13	17	56
1989.....	7,106	-	-	1	-	1	-	4	8	19	66
1988.....	6,892	-	-	-	-	-	2	3	8	24	61
1987.....	6,729	1	-	-	1	-	-	1	5	22	75
1986.....	6,556	-	-	1	-	-	2	1	12	22	65
1985.....	6,468	-	-	-	-	-	-	5	10	38	67
1984.....	6,200	-	-	1	2	1	1	1	5	30	51
1983.....	6,009	-	-	-	1	-	-	3	5	27	58
1982.....	5,802	-	-	-	-	1	3	4	9	20	52
1981.....	5,541	-	1	-	1	1	2	5	10	15	50
1980.....	5,505	-	-	-	-	-	-	4	6	24	52
1979.....	5,368	1	-	-	-	-	-	1	9	25	51

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 MULTIPLE MYELOMA AND IMMUNOPROLIFERATIVE NEOPLASMS (203)											
WHITE MALE											
1998.....	4,357	-	-	-	-	-	-	-	4	18	63
1997.....	4,459	-	-	-	-	-	1	3	5	16	42
1996.....	4,342	-	-	-	-	-	1	-	7	15	48
1995.....	4,286	-	-	-	-	-	-	2	4	13	52
1994.....	4,297	-	-	-	-	-	-	-	3	19	61
1993.....	4,106	-	-	-	-	-	1	2	6	25	54
1992.....	3,865	-	-	-	-	-	1	4	7	25	43
1991.....	3,871	-	-	-	-	-	1	3	8	19	55
1990.....	3,765	-	-	-	-	-	-	2	7	9	40
1989.....	3,600	-	-	1	-	-	-	2	6	12	44
1988.....	3,562	-	-	-	-	-	2	3	6	14	39
1987.....	3,458	-	-	-	-	-	-	1	2	15	48
1986.....	3,299	-	-	-	-	-	2	1	4	13	44
1985.....	3,251	-	-	-	-	-	-	4	9	19	44
1984.....	3,085	-	-	1	1	-	1	-	1	20	35
1983.....	3,049	-	-	-	1	-	-	1	2	21	34
1982.....	2,922	-	-	-	-	-	3	3	6	15	34
1981.....	2,772	-	-	-	-	-	1	4	6	10	34
1980.....	2,834	-	-	-	-	-	-	3	5	15	32
1979.....	2,795	1	-	-	-	-	-	-	8	17	36
WHITE FEMALE											
1998.....	4,043	-	1	-	-	-	-	-	3	10	27
1997.....	4,069	-	-	-	-	-	-	-	1	6	32
1996.....	4,025	-	-	-	-	-	-	1	4	11	29
1995.....	4,120	-	-	-	-	-	-	1	6	12	37
1994.....	3,995	-	-	-	-	-	1	-	2	14	30
1993.....	4,026	-	1	1	1	-	-	-	5	12	29
1992.....	3,776	-	-	-	-	-	1	-	3	10	27
1991.....	3,758	-	-	-	-	-	-	1	3	11	24
1990.....	3,612	-	-	-	-	-	-	3	6	8	16
1989.....	3,506	-	-	-	-	1	-	2	2	7	22
1988.....	3,330	-	-	-	-	-	-	-	2	10	22
1987.....	3,271	1	-	-	1	-	-	-	3	7	27
1986.....	3,257	-	-	1	-	-	-	-	8	9	21
1985.....	3,217	-	-	-	-	-	-	1	1	19	23
1984.....	3,115	-	-	-	1	1	-	1	4	10	16
1983.....	2,960	-	-	-	-	-	-	2	3	6	24
1982.....	2,880	-	-	-	-	1	-	1	3	5	18
1981.....	2,769	-	1	-	1	1	1	1	4	5	16
1980.....	2,671	-	-	-	-	-	-	1	1	9	20
1979.....	2,573	-	-	-	-	-	-	1	1	8	15

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 MULTIPLE MYELOMA AND IMMUNOPROLIFERATIVE NEOPLASMS (203)											
ALL OTHER, BOTH SEXES											
1998.....	1,959	-	-	-	-	-	1	2	2	10	37
1997.....	1,858	-	-	-	-	-	-	-	8	13	39
1996.....	1,881	-	-	-	-	1	1	-	5	17	36
1995.....	1,860	-	-	-	-	-	-	3	6	16	27
1994.....	1,749	-	-	-	-	-	1	-	4	9	31
1993.....	1,760	-	-	-	-	-	-	-	3	8	29
1992.....	1,653	-	-	-	-	-	2	1	6	14	30
1991.....	1,691	-	-	-	-	-	-	-	6	18	32
1990.....	1,557	-	-	-	-	-	1	1	2	13	34
1989.....	1,481	-	-	-	-	-	1	1	8	12	23
1988.....	1,426	-	-	-	-	-	1	2	2	9	29
1987.....	1,412	-	-	-	-	-	-	1	3	11	24
1986.....	1,431	-	-	-	-	-	-	-	4	12	30
1985.....	1,351	1	-	-	-	-	-	1	5	8	25
1984.....	1,270	-	-	-	-	-	1	-	3	8	29
1983.....	1,292	-	-	-	-	-	-	1	5	7	22
1982.....	1,222	-	-	-	-	-	-	-	3	12	27
1981.....	1,188	-	-	1	-	-	-	1	2	8	19
1980.....	1,108	-	-	-	-	-	-	1	5	8	24
1979.....	1,046	-	-	-	-	-	-	1	3	9	22
ALL OTHER MALE											
1998.....	933	-	-	-	-	-	1	1	1	5	15
1997.....	901	-	-	-	-	-	-	-	3	7	22
1996.....	911	-	-	-	-	1	1	-	4	10	22
1995.....	879	-	-	-	-	-	-	2	2	9	20
1994.....	868	-	-	-	-	-	1	-	2	4	19
1993.....	830	-	-	-	-	-	-	-	1	4	19
1992.....	814	-	-	-	-	-	2	1	3	8	15
1991.....	827	-	-	-	-	-	-	-	3	8	22
1990.....	796	-	-	-	-	-	1	-	2	8	21
1989.....	735	-	-	-	-	-	-	-	5	6	12
1988.....	669	-	-	-	-	-	1	1	-	4	13
1987.....	723	-	-	-	-	-	-	1	2	5	13
1986.....	733	-	-	-	-	-	-	-	3	8	16
1985.....	684	1	-	-	-	-	-	1	2	6	15
1984.....	652	-	-	-	-	-	-	-	-	5	19
1983.....	673	-	-	-	-	-	-	-	2	1	12
1982.....	632	-	-	-	-	-	-	-	3	5	15
1981.....	605	-	-	-	-	-	-	-	2	3	9
1980.....	567	-	-	-	-	-	-	1	3	3	17
1979.....	538	-	-	-	-	-	-	-	3	4	10

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 MULTIPLE MYELOMA AND IMMUNOPROLIFERATIVE NEOPLASMS (203)											
ALL OTHER FEMALE											
1998.....	1,026	-	-	-	-	-	-	1	1	5	22
1997.....	957	-	-	-	-	-	-	-	5	6	17
1996.....	970	-	-	-	-	-	-	-	1	7	14
1995.....	981	-	-	-	-	-	-	1	4	7	7
1994.....	881	-	-	-	-	-	-	-	2	5	12
1993.....	930	-	-	-	-	-	-	-	2	4	10
1992.....	839	-	-	-	-	-	-	-	3	6	15
1991.....	864	-	-	-	-	-	-	-	3	10	10
1990.....	761	-	-	-	-	-	-	1	-	5	13
1989.....	746	-	-	-	-	-	1	1	3	6	11
1988.....	757	-	-	-	-	-	-	1	2	5	16
1987.....	689	-	-	-	-	-	-	-	1	6	11
1986.....	698	-	-	-	-	-	-	-	1	4	14
1985.....	667	-	-	-	-	-	-	-	3	2	10
1984.....	618	-	-	-	-	-	1	-	3	3	10
1983.....	619	-	-	-	-	-	-	1	3	6	10
1982.....	590	-	-	-	-	-	-	-	-	7	12
1981.....	583	-	-	1	-	-	-	1	-	5	10
1980.....	541	-	-	-	-	-	-	-	2	5	7
1979.....	508	-	-	-	-	-	-	1	-	5	12
BLACK, BOTH SEXES											
1998.....	1,805	-	-	-	-	-	1	2	2	10	36
1997.....	1,708	-	-	-	-	-	-	-	8	10	37
1996.....	1,726	-	-	-	-	1	1	-	4	14	33
1995.....	1,716	-	-	-	-	-	-	2	5	15	24
1994.....	1,650	-	-	-	-	-	1	-	4	8	30
1993.....	1,644	-	-	-	-	-	-	-	3	8	27
1992.....	1,543	-	-	-	-	-	1	1	4	13	27
1991.....	1,580	-	-	-	-	-	-	-	6	17	32
1990.....	1,453	-	-	-	-	-	1	1	2	11	32
1989.....	1,387	-	-	-	-	-	1	1	6	11	20
1988.....	1,347	-	-	-	-	-	1	2	2	9	28
1987.....	1,347	-	-	-	-	-	-	1	3	11	22
1986.....	1,352	-	-	-	-	-	-	-	3	12	28
1985.....	1,273	1	-	-	-	-	-	1	4	7	22
1984.....	1,209	-	-	-	-	-	1	-	2	7	29
1983.....	1,230	-	-	-	-	-	-	-	4	7	21
1982.....	1,173	-	-	-	-	-	-	-	3	11	26
1981.....	1,134	-	-	1	-	-	-	1	2	7	18
1980.....	1,059	-	-	-	-	-	-	1	5	8	20
1979.....	1,008	-	-	-	-	-	-	1	3	8	21

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	
0 MULTIPLE MYELOMA AND IMMUNOPROLIFERATIVE NEOPLASMS (203)												
BLACK MALE												
1998.....	849	-	-	-	-	-	1	1	1	5	14	
1997.....	815	-	-	-	-	-	-	-	3	5	21	
1996.....	835	-	-	-	-	1	1	-	4	8	20	
1995.....	800	-	-	-	-	-	-	1	2	8	18	
1994.....	809	-	-	-	-	-	1	-	2	3	18	
1993.....	768	-	-	-	-	-	-	-	1	4	17	
1992.....	755	-	-	-	-	-	1	1	3	7	13	
1991.....	767	-	-	-	-	-	-	-	3	7	22	
1990.....	745	-	-	-	-	-	1	-	2	8	19	
1989.....	684	-	-	-	-	-	-	-	4	5	10	
1988.....	631	-	-	-	-	-	1	1	-	4	12	
1987.....	693	-	-	-	-	-	-	1	2	5	12	
1986.....	686	-	-	-	-	-	-	-	2	8	14	
1985.....	637	1	-	-	-	-	-	1	2	5	13	
1984.....	619	-	-	-	-	-	-	-	-	5	19	
1983.....	635	-	-	-	-	-	-	-	2	1	12	
1982.....	606	-	-	-	-	-	-	-	3	4	15	
1981.....	575	-	-	-	-	-	-	-	2	2	9	
1980.....	536	-	-	-	-	-	-	1	3	3	14	
1979.....	521	-	-	-	-	-	-	-	3	4	9	
BLACK FEMALE												
1998.....	956	-	-	-	-	-	-	1	1	5	22	
1997.....	893	-	-	-	-	-	-	-	5	5	16	
1996.....	891	-	-	-	-	-	-	-	-	6	13	
1995.....	916	-	-	-	-	-	-	1	3	7	6	
1994.....	841	-	-	-	-	-	-	-	2	5	12	
1993.....	876	-	-	-	-	-	-	-	2	4	10	
1992.....	788	-	-	-	-	-	-	-	1	6	14	
1991.....	813	-	-	-	-	-	-	-	3	10	10	
1990.....	708	-	-	-	-	-	-	1	-	3	13	
1989.....	703	-	-	-	-	-	1	1	2	6	10	
1988.....	716	-	-	-	-	-	-	1	2	5	16	
1987.....	654	-	-	-	-	-	-	-	1	6	10	
1986.....	666	-	-	-	-	-	-	-	1	4	14	
1985.....	636	-	-	-	-	-	-	-	2	2	9	
1984.....	590	-	-	-	-	-	1	-	2	2	10	
1983.....	595	-	-	-	-	-	-	-	2	6	9	
1982.....	567	-	-	-	-	-	-	-	-	7	11	
1981.....	559	-	-	1	-	-	-	1	-	5	9	
1980.....	523	-	-	-	-	-	-	-	2	5	6	
1979.....	487	-	-	-	-	-	-	1	-	4	12	

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 LEUKEMIA (204-208)											
TOTAL, BOTH SEXES											
1998.....	20,324	19	116	142	186	209	238	222	273	385	544
1997.....	20,313	32	134	175	191	213	237	251	264	367	476
1996.....	20,340	32	150	163	187	202	228	236	335	352	462
1995.....	20,148	22	155	196	200	197	223	264	320	375	487
1994.....	19,669	19	170	179	182	248	252	299	321	356	470
1993.....	19,530	31	154	208	204	229	241	267	349	388	524
1992.....	19,272	36	174	212	210	224	257	279	376	408	440
1991.....	18,945	20	176	222	192	241	244	282	326	367	480
1990.....	18,574	24	170	187	195	274	261	309	359	420	452
1989.....	18,246	32	160	224	205	239	266	294	388	396	460
1988.....	17,577	21	187	228	188	257	261	271	309	427	472
1987.....	17,284	30	192	259	214	255	261	290	341	394	431
1986.....	17,365	25	194	236	212	276	298	313	356	386	424
1985.....	17,319	31	182	250	251	260	265	310	334	357	443
1984.....	17,080	32	175	233	245	289	322	291	320	404	426
1983.....	16,820	37	236	269	238	299	287	310	336	390	396
1982.....	16,704	33	200	306	260	356	333	294	347	404	358
1981.....	16,273	18	233	315	264	324	294	314	348	343	354
1980.....	16,533	31	188	352	303	394	341	358	338	365	379
1979.....	15,988	33	210	360	302	377	357	278	322	336	338
TOTAL, MALE											
1998.....	11,201	11	55	87	106	133	140	137	149	236	315
1997.....	11,265	13	72	94	120	124	153	155	152	198	259
1996.....	11,179	13	87	98	104	128	134	142	196	200	253
1995.....	11,229	10	93	121	117	124	127	154	189	213	290
1994.....	10,840	8	88	101	102	159	168	191	209	209	247
1993.....	10,750	20	91	114	134	136	145	151	213	215	295
1992.....	10,609	20	93	134	128	136	157	160	223	226	268
1991.....	10,194	11	92	125	122	157	148	179	177	187	266
1990.....	10,192	12	94	109	129	172	150	190	207	223	238
1989.....	10,039	11	84	129	130	149	166	175	228	219	271
1988.....	9,724	6	93	146	117	171	162	162	190	245	278
1987.....	9,387	14	99	165	124	150	166	170	196	233	240
1986.....	9,565	17	109	148	109	177	208	190	196	203	245
1985.....	9,442	12	112	149	145	165	158	170	186	210	255
1984.....	9,276	17	94	138	152	183	188	167	184	237	241
1983.....	9,312	15	144	155	134	195	173	187	204	196	221
1982.....	9,244	16	106	187	156	219	185	163	174	234	210
1981.....	9,078	10	123	193	159	200	187	192	193	191	189
1980.....	9,193	19	105	226	186	235	209	214	180	197	209
1979.....	8,893	16	118	221	174	237	222	170	185	176	179

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 LEUKEMIA (204-208)											
TOTAL, FEMALE											
1998.....	9,123	8	61	55	80	76	98	85	124	149	229
1997.....	9,048	19	62	81	71	89	84	96	112	169	217
1996.....	9,161	19	63	65	83	74	94	94	139	152	209
1995.....	8,919	12	62	75	83	73	96	110	131	162	197
1994.....	8,829	11	82	78	80	89	84	108	112	147	223
1993.....	8,780	11	63	94	70	93	96	116	136	173	229
1992.....	8,663	16	81	78	82	88	100	119	153	182	172
1991.....	8,751	9	84	97	70	84	96	103	149	180	214
1990.....	8,382	12	76	78	66	102	111	119	152	197	214
1989.....	8,207	21	76	95	75	90	100	119	160	177	189
1988.....	7,853	15	94	82	71	86	99	109	119	182	194
1987.....	7,897	16	93	94	90	105	95	120	145	161	191
1986.....	7,800	8	85	88	103	99	90	123	160	183	179
1985.....	7,877	19	70	101	106	95	107	140	148	147	188
1984.....	7,804	15	81	95	93	106	134	124	136	167	185
1983.....	7,508	22	92	114	104	104	114	123	132	194	175
1982.....	7,460	17	94	119	104	137	148	131	173	170	148
1981.....	7,195	8	110	122	105	124	107	122	155	152	165
1980.....	7,340	12	83	126	117	159	132	144	158	168	170
1979.....	7,095	17	92	139	128	140	135	108	137	160	159
WHITE, BOTH SEXES											
1998.....	18,214	18	92	116	148	176	206	169	218	297	447
1997.....	18,283	27	103	140	161	181	192	186	211	290	381
1996.....	18,234	26	126	131	147	162	180	195	268	285	380
1995.....	18,109	18	115	164	142	152	183	216	237	311	422
1994.....	17,708	16	131	148	152	196	210	240	266	285	395
1993.....	17,504	24	125	171	172	185	178	209	272	320	430
1992.....	17,405	33	149	181	172	183	203	210	317	342	364
1991.....	17,064	13	142	185	161	196	205	230	276	299	396
1990.....	16,722	19	143	151	160	221	225	245	295	339	378
1989.....	16,434	31	126	189	166	188	222	252	321	325	387
1988.....	15,854	17	153	189	156	220	213	219	262	351	400
1987.....	15,569	27	157	221	183	193	219	234	288	322	375
1986.....	15,709	19	167	196	179	235	254	257	302	317	366
1985.....	15,703	26	151	211	200	226	223	258	290	309	383
1984.....	15,479	26	145	198	200	243	266	249	278	334	361
1983.....	15,231	34	199	229	203	263	244	263	272	332	336
1982.....	15,152	28	161	267	213	299	277	253	298	353	304
1981.....	14,786	15	192	266	222	279	261	263	297	286	295
1980.....	15,081	26	158	319	263	326	286	312	286	316	329
1979.....	14,607	28	175	327	260	321	310	233	288	278	293

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 LEUKEMIA (204-208)											
WHITE MALE											
1998.....	10,070	10	42	71	85	113	123	108	115	173	262
1997.....	10,171	11	57	76	100	106	121	113	125	159	207
1996.....	10,055	8	75	78	86	102	109	117	161	165	211
1995.....	10,143	9	73	105	86	95	110	131	141	180	257
1994.....	9,772	7	69	82	85	127	144	154	173	165	211
1993.....	9,658	15	75	94	112	107	111	120	159	178	241
1992.....	9,595	18	83	112	106	110	127	122	188	191	223
1991.....	9,165	6	70	106	104	126	125	146	147	151	217
1990.....	9,189	10	81	87	107	144	131	154	177	175	201
1989.....	9,011	11	73	109	103	116	138	152	188	181	226
1988.....	8,785	5	80	123	101	147	134	133	163	197	236
1987.....	8,480	14	84	140	108	113	145	142	162	196	209
1986.....	8,685	14	98	123	93	150	178	161	164	169	211
1985.....	8,548	10	88	126	113	146	133	141	166	190	219
1984.....	8,409	13	77	116	128	154	153	141	163	197	214
1983.....	8,461	15	123	135	113	171	144	161	169	174	186
1982.....	8,402	15	89	163	128	182	155	143	152	209	183
1981.....	8,276	8	103	163	130	172	167	166	163	159	160
1980.....	8,396	16	89	209	162	192	177	188	155	172	187
1979.....	8,138	13	101	203	150	201	199	141	166	145	154
WHITE FEMALE											
1998.....	8,144	8	50	45	63	63	83	61	103	124	185
1997.....	8,112	16	46	64	61	75	71	73	86	131	174
1996.....	8,179	18	51	53	61	60	71	78	107	120	169
1995.....	7,966	9	42	59	56	57	73	85	96	131	165
1994.....	7,936	9	62	66	67	69	66	86	93	120	184
1993.....	7,846	9	50	77	60	78	67	89	113	142	189
1992.....	7,810	15	66	69	66	73	76	88	129	151	141
1991.....	7,899	7	72	79	57	70	80	84	129	148	179
1990.....	7,533	9	62	64	53	77	94	91	118	164	177
1989.....	7,423	20	53	80	63	72	84	100	133	144	161
1988.....	7,069	12	73	66	55	73	79	86	99	154	164
1987.....	7,089	13	73	81	75	80	74	92	126	126	166
1986.....	7,024	5	69	73	86	85	76	96	138	148	155
1985.....	7,155	16	63	85	87	80	90	117	124	119	164
1984.....	7,070	13	68	82	72	89	113	108	115	137	147
1983.....	6,770	19	76	94	90	92	100	102	103	158	150
1982.....	6,750	13	72	104	85	117	122	110	146	144	121
1981.....	6,510	7	89	103	92	107	94	97	134	127	135
1980.....	6,685	10	69	110	101	134	109	124	131	144	142
1979.....	6,469	15	74	124	110	120	111	92	122	133	139

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 LEUKEMIA (204-208)											
ALL OTHER, BOTH SEXES											
1998.....	2,110	1	24	26	38	33	32	53	55	88	97
1997.....	2,030	5	31	35	30	32	45	65	53	77	95
1996.....	2,106	6	24	32	40	40	48	41	67	67	82
1995.....	2,039	4	40	32	58	45	40	48	83	64	65
1994.....	1,961	3	39	31	30	52	42	59	55	71	75
1993.....	2,026	7	29	37	32	44	63	58	77	68	94
1992.....	1,867	3	25	31	38	41	54	69	59	66	76
1991.....	1,881	7	34	37	31	45	39	52	50	68	84
1990.....	1,852	5	27	36	35	53	36	64	64	81	74
1989.....	1,812	1	34	35	39	51	44	42	67	71	73
1988.....	1,723	4	34	39	32	37	48	52	47	76	72
1987.....	1,715	3	35	38	31	62	42	56	53	72	56
1986.....	1,656	6	27	40	33	41	44	56	54	69	58
1985.....	1,616	5	31	39	51	34	42	52	44	48	60
1984.....	1,601	6	30	35	45	46	56	42	42	70	65
1983.....	1,589	3	37	40	35	36	43	47	64	58	60
1982.....	1,552	5	39	39	47	57	56	41	49	51	54
1981.....	1,487	3	41	49	42	45	33	51	51	57	59
1980.....	1,452	5	30	33	40	68	55	46	52	49	50
1979.....	1,381	5	35	33	42	56	47	45	34	58	45
ALL OTHER MALE											
1998.....	1,131	1	13	16	21	20	17	29	34	63	53
1997.....	1,094	2	15	18	20	18	32	42	27	39	52
1996.....	1,124	5	12	20	18	26	25	25	35	35	42
1995.....	1,086	1	20	16	31	29	17	23	48	33	33
1994.....	1,068	1	19	19	17	32	24	37	36	44	36
1993.....	1,092	5	16	20	22	29	34	31	54	37	54
1992.....	1,014	2	10	22	22	26	30	38	35	35	45
1991.....	1,029	5	22	19	18	31	23	33	30	36	49
1990.....	1,003	2	13	22	22	28	19	36	30	48	37
1989.....	1,028	-	11	20	27	33	28	23	40	38	45
1988.....	939	1	13	23	16	24	28	29	27	48	42
1987.....	907	-	15	25	16	37	21	28	34	37	31
1986.....	880	3	11	25	16	27	30	29	32	34	34
1985.....	894	2	24	23	32	19	25	29	20	20	36
1984.....	867	4	17	22	24	29	35	26	21	40	27
1983.....	851	-	21	20	21	24	29	26	35	22	35
1982.....	842	1	17	24	28	37	30	20	22	25	27
1981.....	802	2	20	30	29	28	20	26	30	32	29
1980.....	797	3	16	17	24	43	32	26	25	25	22
1979.....	755	3	17	18	24	36	23	29	19	31	25

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 LEUKEMIA (204-208)											
ALL OTHER FEMALE											
1998.....	979	-	11	10	17	13	15	24	21	25	44
1997.....	936	3	16	17	10	14	13	23	26	38	43
1996.....	982	1	12	12	22	14	23	16	32	32	40
1995.....	953	3	20	16	27	16	23	25	35	31	32
1994.....	893	2	20	12	13	20	18	22	19	27	39
1993.....	934	2	13	17	10	15	29	27	23	31	40
1992.....	853	1	15	9	16	15	24	31	24	31	31
1991.....	852	2	12	18	13	14	16	19	20	32	35
1990.....	849	3	14	14	13	25	17	28	34	33	37
1989.....	784	1	23	15	12	18	16	19	27	33	28
1988.....	784	3	21	16	16	13	20	23	20	28	30
1987.....	808	3	20	13	15	25	21	28	19	35	25
1986.....	776	3	16	15	17	14	14	27	22	35	24
1985.....	722	3	7	16	19	15	17	23	24	28	24
1984.....	734	2	13	13	21	17	21	16	21	30	38
1983.....	738	3	16	20	14	12	14	21	29	36	25
1982.....	710	4	22	15	19	20	26	21	27	26	27
1981.....	685	1	21	19	13	17	13	25	21	25	30
1980.....	655	2	14	16	16	25	23	20	27	24	28
1979.....	626	2	18	15	18	20	24	16	15	27	20
BLACK, BOTH SEXES											
1998.....	1,752	1	19	21	25	26	26	40	48	74	78
1997.....	1,673	1	24	25	21	26	37	50	43	65	67
1996.....	1,763	4	15	27	27	31	35	34	54	50	65
1995.....	1,686	1	31	23	39	36	30	33	65	51	48
1994.....	1,634	3	28	22	22	44	33	46	35	56	60
1993.....	1,681	5	18	30	24	34	49	46	57	58	72
1992.....	1,587	2	14	24	26	29	41	56	45	58	65
1991.....	1,609	5	28	24	27	35	30	42	40	52	67
1990.....	1,591	2	18	25	26	41	27	49	50	63	53
1989.....	1,540	1	23	22	32	44	39	31	48	51	60
1988.....	1,478	4	24	24	21	31	40	48	39	56	61
1987.....	1,479	2	21	31	23	49	34	42	44	59	39
1986.....	1,460	6	24	32	26	34	41	48	44	55	45
1985.....	1,401	3	20	31	41	23	35	41	32	39	54
1984.....	1,407	4	24	29	40	41	46	39	36	56	59
1983.....	1,394	3	27	33	30	26	36	41	54	49	47
1982.....	1,378	5	32	36	40	45	47	33	42	46	46
1981.....	1,337	3	37	43	36	39	29	45	43	47	47
1980.....	1,310	5	26	29	34	56	48	41	48	36	45
1979.....	1,262	4	28	28	36	49	45	37	26	46	39

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 LEUKEMIA (204-208)											
BLACK MALE											
1998.....	936	1	11	14	12	15	15	26	32	52	43
1997.....	905	-	14	10	13	14	26	30	25	34	43
1996.....	931	4	6	16	12	18	18	21	33	28	34
1995.....	908	1	15	13	18	22	11	18	38	29	26
1994.....	885	1	12	14	13	28	20	29	24	32	30
1993.....	906	3	10	14	16	23	29	24	39	31	40
1992.....	840	1	5	17	14	18	22	29	27	31	38
1991.....	869	3	19	11	16	23	17	29	25	25	41
1990.....	854	1	9	16	18	21	12	25	26	38	24
1989.....	868	-	8	17	23	26	26	17	28	27	36
1988.....	806	1	10	14	12	23	22	28	23	37	36
1987.....	781	-	11	19	11	28	16	22	30	31	19
1986.....	771	3	10	21	15	22	28	24	27	28	24
1985.....	769	1	17	18	25	12	21	22	14	17	34
1984.....	754	2	12	18	22	24	27	23	18	34	26
1983.....	741	-	16	17	19	14	24	23	30	19	28
1982.....	745	1	13	22	25	30	28	17	17	21	23
1981.....	709	2	18	27	25	26	18	22	25	27	24
1980.....	714	3	15	15	20	36	30	24	24	17	21
1979.....	677	2	13	15	19	30	22	23	14	25	22
BLACK FEMALE											
1998.....	816	-	8	7	13	11	11	14	16	22	35
1997.....	768	1	10	15	8	12	11	20	18	31	24
1996.....	832	-	9	11	15	13	17	13	21	22	31
1995.....	778	-	16	10	21	14	19	15	27	22	22
1994.....	749	2	16	8	9	16	13	17	11	24	30
1993.....	775	2	8	16	8	11	20	22	18	27	32
1992.....	747	1	9	7	12	11	19	27	18	27	27
1991.....	740	2	9	13	11	12	13	13	15	27	26
1990.....	737	1	9	9	8	20	15	24	24	25	29
1989.....	672	1	15	5	9	18	13	14	20	24	24
1988.....	672	3	14	10	9	8	18	20	16	19	25
1987.....	698	2	10	12	12	21	18	20	14	28	20
1986.....	689	3	14	11	11	12	13	24	17	27	21
1985.....	632	2	3	13	16	11	14	19	18	22	20
1984.....	653	2	12	11	18	17	19	16	18	22	33
1983.....	653	3	11	16	11	12	12	18	24	30	19
1982.....	633	4	19	14	15	15	19	16	25	25	23
1981.....	628	1	19	16	11	13	11	23	18	20	23
1980.....	596	2	11	14	14	20	18	17	24	19	24
1979.....	585	2	15	13	17	19	23	14	12	21	17

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 LYMPHOID LEUKEMIA (204)											
TOTAL, BOTH SEXES											
1998.....	5,882	8	39	78	99	92	95	51	67	70	103
1997.....	5,864	16	42	92	93	87	98	69	60	72	84
1996.....	6,102	11	50	91	99	85	91	67	73	69	80
1995.....	6,013	7	50	116	111	88	78	64	70	66	85
1994.....	5,728	7	54	98	94	102	101	80	62	65	76
1993.....	5,896	9	54	101	93	86	80	54	60	67	91
1992.....	5,799	7	63	126	103	101	89	64	72	71	68
1991.....	5,690	4	64	113	92	111	82	76	75	64	91
1990.....	5,508	5	70	106	112	128	89	76	79	71	76
1989.....	5,390	11	60	129	114	101	109	69	82	64	62
1988.....	5,015	7	76	117	97	108	83	70	49	63	71
1987.....	4,987	8	73	142	113	118	99	61	58	76	65
1986.....	5,004	5	80	138	114	124	97	76	73	62	41
1985.....	5,061	9	83	158	145	117	88	64	44	59	56
1984.....	4,797	5	77	150	154	132	92	63	46	50	58
1983.....	4,892	12	119	171	123	147	100	77	49	50	46
1982.....	4,854	6	87	203	158	175	102	60	51	53	41
1981.....	4,728	2	117	212	163	141	106	58	36	38	50
1980.....	4,752	5	85	221	174	175	113	54	46	48	49
1979.....	4,659	10	109	250	162	172	107	47	37	44	28
TOTAL, MALE											
1998.....	3,405	5	20	48	62	67	65	33	36	42	69
1997.....	3,378	6	19	48	63	50	70	51	39	40	49
1996.....	3,432	4	31	55	57	54	62	43	45	41	53
1995.....	3,514	3	32	73	67	55	47	41	50	32	59
1994.....	3,342	2	28	58	55	67	79	54	44	42	41
1993.....	3,392	6	36	49	62	59	57	31	42	44	53
1992.....	3,310	5	32	78	56	68	64	41	45	41	48
1991.....	3,139	2	33	68	63	73	52	51	40	35	57
1990.....	3,160	2	42	57	81	79	52	55	54	44	42
1989.....	3,105	4	31	82	77	70	68	44	57	45	44
1988.....	2,906	1	33	77	61	74	58	49	34	37	49
1987.....	2,870	6	38	97	71	73	65	36	40	54	44
1986.....	2,891	2	44	85	66	83	68	53	40	41	19
1985.....	2,948	4	46	93	88	83	55	38	24	37	35
1984.....	2,714	1	48	95	102	95	60	40	22	28	38
1983.....	2,855	6	71	106	77	104	64	53	37	24	25
1982.....	2,797	-	45	123	96	118	65	38	34	32	32
1981.....	2,769	1	74	127	100	95	74	36	20	25	28
1980.....	2,762	2	51	143	112	113	70	35	25	30	29
1979.....	2,712	4	61	159	99	113	74	31	27	25	14

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 LYMPHOID LEUKEMIA (204)											
TOTAL, FEMALE											
1998.....	2,477	3	19	30	37	25	30	18	31	28	34
1997.....	2,486	10	23	44	30	37	28	18	21	32	35
1996.....	2,670	7	19	36	42	31	29	24	28	28	27
1995.....	2,499	4	18	43	44	33	31	23	20	34	26
1994.....	2,386	5	26	40	39	35	22	26	18	23	35
1993.....	2,504	3	18	52	31	27	23	23	18	23	38
1992.....	2,489	2	31	48	47	33	25	23	27	30	20
1991.....	2,551	2	31	45	29	38	30	25	35	29	34
1990.....	2,348	3	28	49	31	49	37	21	25	27	34
1989.....	2,285	7	29	47	37	31	41	25	25	19	18
1988.....	2,109	6	43	40	36	34	25	21	15	26	22
1987.....	2,117	2	35	45	42	45	34	25	18	22	21
1986.....	2,113	3	36	53	48	41	29	23	33	21	22
1985.....	2,113	5	37	65	57	34	33	26	20	22	21
1984.....	2,083	4	29	55	52	37	32	23	24	22	20
1983.....	2,037	6	48	65	46	43	36	24	12	26	21
1982.....	2,057	6	42	80	62	57	37	22	17	21	9
1981.....	1,959	1	43	85	63	46	32	22	16	13	22
1980.....	1,990	3	34	78	62	62	43	19	21	18	20
1979.....	1,947	6	48	91	63	59	33	16	10	19	14
WHITE, BOTH SEXES											
1998.....	5,320	7	32	68	87	82	89	41	57	52	84
1997.....	5,307	13	34	79	80	74	82	53	53	56	73
1996.....	5,485	8	42	72	78	70	77	63	62	61	68
1995.....	5,404	5	40	102	83	62	67	53	57	51	69
1994.....	5,227	7	46	84	81	88	92	73	55	50	69
1993.....	5,321	8	49	84	82	74	58	43	48	52	79
1992.....	5,276	7	53	113	86	86	77	55	62	65	55
1991.....	5,138	4	58	94	77	90	68	67	69	54	77
1990.....	4,914	3	58	87	94	109	76	64	69	58	56
1989.....	4,867	10	49	108	95	84	98	58	71	52	53
1988.....	4,513	5	61	97	84	90	70	53	43	48	57
1987.....	4,504	8	63	121	96	93	91	49	50	59	52
1986.....	4,545	2	73	108	97	113	87	70	62	56	33
1985.....	4,580	8	69	134	115	109	79	57	40	46	46
1984.....	4,393	2	61	132	129	118	83	59	38	44	51
1983.....	4,419	12	102	144	105	129	84	66	41	45	39
1982.....	4,390	5	69	182	135	150	86	51	44	45	40
1981.....	4,286	2	99	181	138	128	94	49	33	30	35
1980.....	4,338	5	69	205	155	149	100	50	38	42	42
1979.....	4,242	8	98	227	141	144	96	42	36	38	21

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 LYMPHOID LEUKEMIA (204)											
WHITE MALE											
1998.....	3,095	4	15	40	53	60	62	29	30	33	59
1997.....	3,063	5	16	42	52	43	55	40	34	31	45
1996.....	3,093	2	27	42	46	46	53	41	40	38	45
1995.....	3,165	2	28	66	51	38	41	36	41	25	51
1994.....	3,035	2	25	50	47	55	72	48	40	31	36
1993.....	3,061	5	33	42	54	53	40	28	33	35	46
1992.....	2,996	5	29	67	48	55	56	36	40	38	42
1991.....	2,831	2	30	58	53	59	43	44	38	27	49
1990.....	2,818	2	35	45	69	71	46	45	49	36	30
1989.....	2,805	4	29	69	63	59	62	37	49	37	37
1988.....	2,611	-	31	66	54	61	47	38	29	27	37
1987.....	2,592	6	35	82	59	56	59	31	38	42	37
1986.....	2,632	1	40	65	55	76	62	48	33	38	16
1985.....	2,668	3	37	78	68	78	48	34	22	32	28
1984.....	2,481	-	39	80	84	85	53	37	20	25	36
1983.....	2,565	6	61	92	64	92	52	45	32	22	18
1982.....	2,524	-	36	109	85	100	57	33	30	29	31
1981.....	2,514	1	61	111	81	83	67	31	18	17	21
1980.....	2,525	2	43	133	98	98	62	33	22	28	27
1979.....	2,472	3	55	147	88	96	67	28	26	20	10
WHITE FEMALE											
1998.....	2,225	3	17	28	34	22	27	12	27	19	25
1997.....	2,244	8	18	37	28	31	27	13	19	25	28
1996.....	2,392	6	15	30	32	24	24	22	22	23	23
1995.....	2,239	3	12	36	32	24	26	17	16	26	18
1994.....	2,192	5	21	34	34	33	20	25	15	19	33
1993.....	2,260	3	16	42	28	21	18	15	15	17	33
1992.....	2,280	2	24	46	38	31	21	19	22	27	13
1991.....	2,307	2	28	36	24	31	25	23	31	27	28
1990.....	2,096	1	23	42	25	38	30	19	20	22	26
1989.....	2,062	6	20	39	32	25	36	21	22	15	16
1988.....	1,902	5	30	31	30	29	23	15	14	21	20
1987.....	1,912	2	28	39	37	37	32	18	12	17	15
1986.....	1,913	1	33	43	42	37	25	22	29	18	17
1985.....	1,912	5	32	56	47	31	31	23	18	14	18
1984.....	1,912	2	22	52	45	33	30	22	18	19	15
1983.....	1,854	6	41	52	41	37	32	21	9	23	21
1982.....	1,866	5	33	73	50	50	29	18	14	16	9
1981.....	1,772	1	38	70	57	45	27	18	15	13	14
1980.....	1,813	3	26	72	57	51	38	17	16	14	15
1979.....	1,770	5	43	80	53	48	29	14	10	18	11

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 LYMPHOID LEUKEMIA (204)											
ALL OTHER, BOTH SEXES											
1998.....	562	1	7	10	12	10	6	10	10	18	19
1997.....	557	3	8	13	13	13	16	16	7	16	11
1996.....	617	3	8	19	21	15	14	4	11	8	12
1995.....	609	2	10	14	28	26	11	11	13	15	16
1994.....	501	-	8	14	13	14	9	7	7	15	7
1993.....	575	1	5	17	11	12	22	11	12	15	12
1992.....	523	-	10	13	17	15	12	9	10	6	13
1991.....	552	-	6	19	15	21	14	9	6	10	14
1990.....	594	2	12	19	18	19	13	12	10	13	20
1989.....	523	1	11	21	19	17	11	11	11	12	9
1988.....	502	2	15	20	13	18	13	17	6	15	14
1987.....	483	-	10	21	17	25	8	12	8	17	13
1986.....	459	3	7	30	17	11	10	6	11	6	8
1985.....	481	1	14	24	30	8	9	7	4	13	10
1984.....	404	3	16	18	25	14	9	4	8	6	7
1983.....	473	-	17	27	18	18	16	11	8	5	7
1982.....	464	1	18	21	23	25	16	9	7	8	1
1981.....	442	-	18	31	25	13	12	9	3	8	15
1980.....	414	-	16	16	19	26	13	4	8	6	7
1979.....	417	2	11	23	21	28	11	5	1	6	7
ALL OTHER MALE											
1998.....	310	1	5	8	9	7	3	4	6	9	10
1997.....	315	1	3	6	11	7	15	11	5	9	4
1996.....	339	2	4	13	11	8	9	2	5	3	8
1995.....	349	1	4	7	16	17	6	5	9	7	8
1994.....	307	-	3	8	8	12	7	6	4	11	5
1993.....	331	1	3	7	8	6	17	3	9	9	7
1992.....	314	-	3	11	8	13	8	5	5	3	6
1991.....	308	-	3	10	10	14	9	7	2	8	8
1990.....	342	-	7	12	12	8	6	10	5	8	12
1989.....	300	-	2	13	14	11	6	7	8	8	7
1988.....	295	1	2	11	7	13	11	11	5	10	12
1987.....	278	-	3	15	12	17	6	5	2	12	7
1986.....	259	1	4	20	11	7	6	5	7	3	3
1985.....	280	1	9	15	20	5	7	4	2	5	7
1984.....	233	1	9	15	18	10	7	3	2	3	2
1983.....	290	-	10	14	13	12	12	8	5	2	7
1982.....	273	-	9	14	11	18	8	5	4	3	1
1981.....	255	-	13	16	19	12	7	5	2	8	7
1980.....	237	-	8	10	14	15	8	2	3	2	2
1979.....	240	1	6	12	11	17	7	3	1	5	4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 LYMPHOID LEUKEMIA (204)											
ALL OTHER FEMALE											
1998.....	252	-	2	2	3	3	3	6	4	9	9
1997.....	242	2	5	7	2	6	1	5	2	7	7
1996.....	278	1	4	6	10	7	5	2	6	5	4
1995.....	260	1	6	7	12	9	5	6	4	8	8
1994.....	194	-	5	6	5	2	2	1	3	4	2
1993.....	244	-	2	10	3	6	5	8	3	6	5
1992.....	209	-	7	2	9	2	4	4	5	3	7
1991.....	244	-	3	9	5	7	5	2	4	2	6
1990.....	252	2	5	7	6	11	7	2	5	5	8
1989.....	223	1	9	8	5	6	5	4	3	4	2
1988.....	207	1	13	9	6	5	2	6	1	5	2
1987.....	205	-	7	6	5	8	2	7	6	5	6
1986.....	200	2	3	10	6	4	4	1	4	3	5
1985.....	201	-	5	9	10	3	2	3	2	8	3
1984.....	171	2	7	3	7	4	2	1	6	3	5
1983.....	183	-	7	13	5	6	4	3	3	3	-
1982.....	191	1	9	7	12	7	8	4	3	5	-
1981.....	187	-	5	15	6	1	5	4	1	-	8
1980.....	177	-	8	6	5	11	5	2	5	4	5
1979.....	177	1	5	11	10	11	4	2	-	1	3
BLACK, BOTH SEXES											
1998.....	494	1	6	9	5	9	6	7	8	13	15
1997.....	491	1	5	11	7	10	13	14	5	13	7
1996.....	542	2	5	17	12	11	9	2	10	6	11
1995.....	537	1	7	9	19	22	7	9	10	10	12
1994.....	452	-	6	10	9	12	8	6	5	11	6
1993.....	510	-	1	13	10	10	15	9	8	13	10
1992.....	477	-	6	11	13	8	10	8	8	5	12
1991.....	502	-	5	14	14	15	9	7	4	6	12
1990.....	542	1	8	14	14	16	12	9	9	13	14
1989.....	468	1	8	14	17	14	10	8	7	9	8
1988.....	449	2	10	13	8	17	10	14	6	11	12
1987.....	434	-	8	16	13	21	7	6	5	14	10
1986.....	428	3	7	24	15	10	9	5	7	5	7
1985.....	444	1	10	20	24	7	8	5	2	12	10
1984.....	366	3	13	17	23	11	6	3	7	4	4
1983.....	425	-	12	22	16	12	13	10	7	4	5
1982.....	429	1	15	19	20	21	14	6	6	8	-
1981.....	406	-	17	25	22	12	10	8	1	7	12
1980.....	386	-	14	15	16	21	10	2	8	4	6
1979.....	387	2	8	19	17	22	9	4	1	5	7

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 LYMPHOID LEUKEMIA (204)											
BLACK MALE											
1998.....	279	1	4	8	4	6	3	3	6	7	8
1997.....	280	-	3	5	6	4	12	9	4	9	4
1996.....	298	2	3	11	6	4	6	1	5	3	7
1995.....	310	1	3	5	10	14	3	4	6	6	7
1994.....	281	-	2	7	5	11	6	5	3	9	5
1993.....	294	-	-	3	7	6	12	3	7	8	7
1992.....	291	-	2	9	6	8	6	4	4	3	6
1991.....	275	-	3	6	10	8	5	5	2	5	7
1990.....	315	-	5	9	11	7	6	7	5	8	10
1989.....	271	-	2	11	13	8	6	5	4	6	6
1988.....	264	1	2	7	5	13	8	10	5	6	10
1987.....	254	-	3	11	9	15	5	3	1	11	5
1986.....	245	1	4	17	11	7	5	4	5	3	2
1985.....	261	1	8	13	16	4	6	3	1	5	7
1984.....	209	1	6	14	17	7	4	2	2	2	2
1983.....	258	-	7	11	12	6	10	8	4	2	5
1982.....	260	-	8	13	11	15	8	4	4	3	-
1981.....	229	-	12	13	16	11	6	4	1	7	6
1980.....	223	-	7	10	12	13	7	2	3	1	2
1979.....	220	1	4	9	8	12	6	2	1	5	4
BLACK FEMALE											
1998.....	215	-	2	1	1	3	3	4	2	6	7
1997.....	211	1	2	6	1	6	1	5	1	4	3
1996.....	244	-	2	6	6	7	3	1	5	3	4
1995.....	227	-	4	4	9	8	4	5	4	4	5
1994.....	171	-	4	3	4	1	2	1	2	2	1
1993.....	216	-	1	10	3	4	3	6	1	5	3
1992.....	186	-	4	2	7	-	4	4	4	2	6
1991.....	227	-	2	8	4	7	4	2	2	1	5
1990.....	227	1	3	5	3	9	6	2	4	5	4
1989.....	197	1	6	3	4	6	4	3	3	3	2
1988.....	185	1	8	6	3	4	2	4	1	5	2
1987.....	180	-	5	5	4	6	2	3	4	3	5
1986.....	183	2	3	7	4	3	4	1	2	2	5
1985.....	183	-	2	7	8	3	2	2	1	7	3
1984.....	157	2	7	3	6	4	2	1	5	2	2
1983.....	167	-	5	11	4	6	3	2	3	2	-
1982.....	169	1	7	6	9	6	6	2	2	5	-
1981.....	177	-	5	12	6	1	4	4	-	-	6
1980.....	163	-	7	5	4	8	3	-	5	3	4
1979.....	167	1	4	10	9	10	3	2	-	-	3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 MYELOID LEUKEMIA (205)											
TOTAL, BOTH SEXES											
1998.....	9,074	8	47	45	55	78	109	122	156	223	326
1997.....	8,996	6	51	47	63	76	103	135	149	226	290
1996.....	8,860	13	62	41	46	71	100	120	199	222	268
1995.....	8,590	4	62	42	44	70	107	134	189	225	309
1994.....	8,320	5	71	43	49	85	106	157	183	209	283
1993.....	8,122	9	50	52	66	78	103	149	193	240	317
1992.....	8,109	12	58	42	51	71	112	150	206	241	262
1991.....	7,919	7	54	60	51	73	106	143	187	211	277
1990.....	7,700	5	36	33	44	76	114	160	198	234	258
1989.....	7,477	10	37	38	40	77	96	146	209	226	273
1988.....	7,154	6	40	36	46	79	99	120	171	245	273
1987.....	7,234	3	54	52	47	76	101	161	186	221	267
1986.....	7,352	8	49	43	44	86	105	162	193	229	257
1985.....	7,506	8	51	42	56	88	112	167	202	218	280
1984.....	7,480	5	43	33	49	97	155	152	191	244	254
1983.....	7,322	8	43	43	61	97	122	164	218	236	249
1982.....	7,374	7	65	55	56	112	145	162	222	257	224
1981.....	7,388	8	61	53	52	116	131	173	237	215	233
1980.....	7,510	13	51	62	62	121	158	216	215	236	231
1979.....	7,376	11	51	46	88	122	164	161	217	228	220
TOTAL, MALE											
1998.....	4,906	4	21	26	25	44	57	74	90	138	176
1997.....	4,976	3	28	24	38	38	60	74	82	119	155
1996.....	4,875	6	36	25	24	44	51	74	115	129	138
1995.....	4,655	3	34	28	26	42	61	70	109	126	183
1994.....	4,508	1	41	19	26	52	61	92	116	119	140
1993.....	4,367	7	28	28	44	38	51	75	114	124	178
1992.....	4,485	7	35	26	33	37	67	88	130	131	160
1991.....	4,203	5	30	29	30	44	62	80	98	108	147
1990.....	4,198	3	23	23	22	48	70	94	109	129	135
1989.....	4,069	2	22	19	28	43	57	85	113	113	149
1988.....	3,849	3	23	22	24	55	57	67	102	138	158
1987.....	3,817	1	33	31	20	40	63	93	106	132	141
1986.....	3,969	6	33	25	16	53	77	93	103	116	151
1985.....	3,964	3	37	25	26	49	60	87	111	126	156
1984.....	3,982	4	19	17	28	48	88	84	110	136	142
1983.....	3,952	4	29	18	31	54	66	93	129	118	142
1982.....	3,973	5	35	31	35	59	80	81	107	146	125
1981.....	4,009	5	27	32	33	72	75	99	128	118	119
1980.....	4,079	8	28	39	33	74	88	127	114	122	128
1979.....	3,974	5	25	23	38	70	93	90	121	115	118

TABLE 292. DEATHS FOR 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 MYELOID LEUKEMIA (205)											
TOTAL, FEMALE											
1998.....	4,168	4	26	19	30	34	52	48	66	85	150
1997.....	4,020	3	23	23	25	38	43	61	67	107	135
1996.....	3,985	7	26	16	22	27	49	46	84	93	130
1995.....	3,935	1	28	14	18	28	46	64	80	99	126
1994.....	3,812	4	30	24	23	33	45	65	67	90	143
1993.....	3,755	2	22	24	22	40	52	74	79	116	139
1992.....	3,624	5	23	16	18	34	45	62	76	110	102
1991.....	3,716	2	24	31	21	29	44	63	89	103	130
1990.....	3,502	2	13	10	22	28	44	66	89	105	123
1989.....	3,408	8	15	19	12	34	39	61	96	113	124
1988.....	3,305	3	17	14	22	24	42	53	69	107	115
1987.....	3,417	2	21	21	27	36	38	68	80	89	126
1986.....	3,383	2	16	18	28	33	28	69	90	113	106
1985.....	3,542	5	14	17	30	39	52	80	91	92	124
1984.....	3,498	1	24	16	21	49	67	68	81	108	112
1983.....	3,370	4	14	25	30	43	56	71	89	118	107
1982.....	3,401	2	30	24	21	53	65	81	115	111	99
1981.....	3,379	3	34	21	19	44	56	74	109	97	114
1980.....	3,431	5	23	23	29	47	70	89	101	114	103
1979.....	3,402	6	26	23	50	52	71	71	96	113	102
WHITE, BOTH SEXES											
1998.....	8,077	8	39	36	40	65	88	88	123	172	271
1997.....	8,078	4	38	30	51	64	82	93	113	177	231
1996.....	7,922	11	56	33	33	54	74	89	159	174	224
1995.....	7,715	4	44	30	29	57	86	110	136	189	273
1994.....	7,463	2	52	36	40	62	83	116	154	170	238
1993.....	7,229	5	35	43	53	61	78	118	146	203	270
1992.....	7,288	10	52	36	43	54	81	108	171	197	216
1991.....	7,093	6	39	46	44	58	88	113	158	172	228
1990.....	6,945	3	34	25	35	56	95	124	159	189	221
1989.....	6,721	10	30	33	31	57	77	129	171	188	232
1988.....	6,446	5	30	27	37	69	74	96	139	204	233
1987.....	6,469	2	41	43	40	59	82	131	151	187	235
1986.....	6,634	7	41	38	35	68	83	125	161	189	226
1985.....	6,802	7	46	35	44	73	87	132	170	190	245
1984.....	6,720	4	37	22	37	71	121	123	168	202	209
1983.....	6,647	7	37	35	50	83	102	140	173	197	211
1982.....	6,711	7	55	43	41	94	123	137	189	227	186
1981.....	6,737	6	54	42	41	92	119	143	202	183	200
1980.....	6,843	12	46	54	52	96	129	186	183	206	202
1979.....	6,738	10	41	42	74	107	141	134	190	186	190

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 MYELOID LEUKEMIA (205)											
WHITE MALE											
1998.....	4,379	4	17	23	19	36	45	54	69	100	144
1997.....	4,481	2	21	15	32	31	47	47	64	94	117
1996.....	4,380	4	34	22	20	32	39	53	93	104	115
1995.....	4,225	3	24	21	17	35	54	60	79	108	167
1994.....	4,062	-	31	15	21	42	49	68	95	98	122
1993.....	3,910	4	20	21	37	29	41	60	82	104	152
1992.....	4,051	6	31	21	28	30	50	63	107	107	132
1991.....	3,769	4	20	24	27	32	50	66	80	89	119
1990.....	3,788	1	22	18	17	33	58	77	90	101	118
1989.....	3,641	2	20	16	20	32	43	76	92	94	127
1988.....	3,488	3	19	17	20	49	46	55	87	112	135
1987.....	3,415	1	26	26	19	32	54	75	81	115	122
1986.....	3,595	6	28	23	12	40	61	75	85	98	133
1985.....	3,583	3	33	21	19	41	45	67	96	115	137
1984.....	3,589	3	16	11	25	34	69	68	100	113	121
1983.....	3,609	4	27	14	26	45	54	81	104	103	124
1982.....	3,621	5	32	25	23	49	65	72	93	131	106
1981.....	3,683	4	25	23	26	58	68	87	108	105	105
1980.....	3,728	7	25	36	30	58	75	112	98	105	114
1979.....	3,647	4	20	22	31	63	83	74	106	94	100
WHITE FEMALE											
1998.....	3,698	4	22	13	21	29	43	34	54	72	127
1997.....	3,597	2	17	15	19	33	35	46	49	83	114
1996.....	3,542	7	22	11	13	22	35	36	66	70	109
1995.....	3,490	1	20	9	12	22	32	50	57	81	106
1994.....	3,401	2	21	21	19	20	34	48	59	72	116
1993.....	3,319	1	15	22	16	32	37	58	64	99	118
1992.....	3,237	4	21	15	15	24	31	45	64	90	84
1991.....	3,324	2	19	22	17	26	38	47	78	83	109
1990.....	3,157	2	12	7	18	23	37	47	69	88	103
1989.....	3,080	8	10	17	11	25	34	53	79	94	105
1988.....	2,958	2	11	10	17	20	28	41	52	92	98
1987.....	3,054	1	15	17	21	27	28	56	70	72	113
1986.....	3,039	1	13	15	23	28	22	50	76	91	93
1985.....	3,219	4	13	14	25	32	42	65	74	75	108
1984.....	3,131	1	21	11	12	37	52	55	68	89	88
1983.....	3,038	3	10	21	24	38	48	59	69	94	87
1982.....	3,090	2	23	18	18	45	58	65	96	96	80
1981.....	3,054	2	29	19	15	34	51	56	94	78	95
1980.....	3,115	5	21	18	22	38	54	74	85	101	88
1979.....	3,091	6	21	20	43	44	58	60	84	92	90

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 MYELOID LEUKEMIA (205)											
ALL OTHER, BOTH SEXES											
1998.....	997	-	8	9	15	13	21	34	33	51	55
1997.....	918	2	13	17	12	12	21	42	36	49	59
1996.....	938	2	6	8	13	17	26	31	40	48	44
1995.....	875	-	18	12	15	13	21	24	53	36	36
1994.....	857	3	19	7	9	23	23	41	29	39	45
1993.....	893	4	15	9	13	17	25	31	47	37	47
1992.....	821	2	6	6	8	17	31	42	35	44	46
1991.....	826	1	15	14	7	15	18	30	29	39	49
1990.....	755	2	2	8	9	20	19	36	39	45	37
1989.....	756	-	7	5	9	20	19	17	38	38	41
1988.....	708	1	10	9	9	10	25	24	32	41	40
1987.....	765	1	13	9	7	17	19	30	35	34	32
1986.....	718	1	8	5	9	18	22	37	32	40	31
1985.....	704	1	5	7	12	15	25	35	32	28	35
1984.....	760	1	6	11	12	26	34	29	23	42	45
1983.....	675	1	6	8	11	14	20	24	45	39	38
1982.....	663	-	10	12	15	18	22	25	33	30	38
1981.....	651	2	7	11	11	24	12	30	35	32	33
1980.....	667	1	5	8	10	25	29	30	32	30	29
1979.....	638	1	10	4	14	15	23	27	27	42	30
ALL OTHER MALE											
1998.....	527	-	4	3	6	8	12	20	21	38	32
1997.....	495	1	7	9	6	7	13	27	18	25	38
1996.....	495	2	2	3	4	12	12	21	22	25	23
1995.....	430	-	10	7	9	7	7	10	30	18	16
1994.....	446	1	10	4	5	10	12	24	21	21	18
1993.....	457	3	8	7	7	9	10	15	32	20	26
1992.....	434	1	4	5	5	7	17	25	23	24	28
1991.....	434	1	10	5	3	12	12	14	18	19	28
1990.....	410	2	1	5	5	15	12	17	19	28	17
1989.....	428	-	2	3	8	11	14	9	21	19	22
1988.....	361	-	4	5	4	6	11	12	15	26	23
1987.....	402	-	7	5	1	8	9	18	25	17	19
1986.....	374	-	5	2	4	13	16	18	18	18	18
1985.....	381	-	4	4	7	8	15	20	15	11	19
1984.....	393	1	3	6	3	14	19	16	10	23	21
1983.....	343	-	2	4	5	9	12	12	25	15	18
1982.....	352	-	3	6	12	10	15	9	14	15	19
1981.....	326	1	2	9	7	14	7	12	20	13	14
1980.....	351	1	3	3	3	16	13	15	16	17	14
1979.....	327	1	5	1	7	7	10	16	15	21	18

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 MYELOID LEUKEMIA (205)											
ALL OTHER FEMALE											
1998.....	470	-	4	6	9	5	9	14	12	13	23
1997.....	423	1	6	8	6	5	8	15	18	24	21
1996.....	443	-	4	5	9	5	14	10	18	23	21
1995.....	445	-	8	5	6	6	14	14	23	18	20
1994.....	411	2	9	3	4	13	11	17	8	18	27
1993.....	436	1	7	2	6	8	15	16	15	17	21
1992.....	387	1	2	1	3	10	14	17	12	20	18
1991.....	392	-	5	9	4	3	6	16	11	20	21
1990.....	345	-	1	3	4	5	7	19	20	17	20
1989.....	328	-	5	2	1	9	5	8	17	19	19
1988.....	347	1	6	4	5	4	14	12	17	15	17
1987.....	363	1	6	4	6	9	10	12	10	17	13
1986.....	344	1	3	3	5	5	6	19	14	22	13
1985.....	323	1	1	3	5	7	10	15	17	17	16
1984.....	367	-	3	5	9	12	15	13	13	19	24
1983.....	332	1	4	4	6	5	8	12	20	24	20
1982.....	311	-	7	6	3	8	7	16	19	15	19
1981.....	325	1	5	2	4	10	5	18	15	19	19
1980.....	316	-	2	5	7	9	16	15	16	13	15
1979.....	311	-	5	3	7	8	13	11	12	21	12
BLACK, BOTH SEXES											
1998.....	800	-	7	7	10	9	18	25	30	46	45
1997.....	731	-	11	11	10	11	16	31	31	41	42
1996.....	768	1	3	6	10	14	18	26	31	37	34
1995.....	701	-	15	10	8	10	16	17	41	32	27
1994.....	680	3	14	5	6	19	19	31	17	32	34
1993.....	728	3	11	8	9	13	24	26	38	30	35
1992.....	672	1	2	5	5	14	24	33	27	38	39
1991.....	674	1	12	7	5	12	15	23	24	31	40
1990.....	620	1	2	5	7	13	11	29	30	28	27
1989.....	626	-	3	3	6	19	15	14	29	30	33
1988.....	586	1	6	4	7	8	23	24	27	28	35
1987.....	659	1	7	8	6	13	15	24	31	28	23
1986.....	614	1	7	4	7	15	21	34	29	30	22
1985.....	583	-	3	6	9	9	20	27	23	23	30
1984.....	666	-	4	8	11	24	29	28	21	31	43
1983.....	584	1	5	7	9	12	17	22	37	35	29
1982.....	575	-	8	11	12	14	18	20	28	27	34
1981.....	579	2	6	11	9	21	11	26	30	25	26
1980.....	590	1	4	8	8	20	25	28	30	22	25
1979.....	576	1	7	3	13	15	23	24	21	34	25

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 MYELOID LEUKEMIA (205)											
BLACK MALE											
1998.....	418	-	4	3	3	6	11	18	20	33	26
1997.....	396	-	7	3	4	7	10	18	17	21	31
1996.....	396	1	-	2	3	9	8	18	21	19	18
1995.....	348	-	8	6	4	4	4	8	24	16	12
1994.....	346	1	7	2	4	8	11	18	13	15	14
1993.....	371	2	6	7	5	7	10	13	25	15	17
1992.....	338	-	1	4	2	6	13	20	18	21	23
1991.....	349	1	9	2	1	11	10	13	16	14	25
1990.....	327	1	1	3	4	9	5	12	17	19	9
1989.....	351	-	1	3	6	10	12	8	15	14	16
1988.....	300	-	1	2	4	6	10	12	14	20	21
1987.....	339	-	4	4	1	5	6	15	23	15	12
1986.....	312	-	4	2	3	11	15	17	17	14	11
1985.....	312	-	3	3	5	4	12	15	10	10	18
1984.....	345	-	2	4	2	12	16	15	10	18	20
1983.....	294	-	2	4	5	7	9	10	21	14	14
1982.....	298	-	1	5	9	9	13	7	10	13	17
1981.....	287	1	2	9	6	13	7	10	17	10	11
1980.....	305	1	3	3	2	13	12	14	15	12	13
1979.....	290	1	4	1	6	7	10	15	12	16	16
BLACK FEMALE											
1998.....	382	-	3	4	7	3	7	7	10	13	19
1997.....	335	-	4	8	6	4	6	13	14	20	11
1996.....	372	-	3	4	7	5	10	8	10	18	16
1995.....	353	-	7	4	4	6	12	9	17	16	15
1994.....	334	2	7	3	2	11	8	13	4	17	20
1993.....	357	1	5	1	4	6	14	13	13	15	18
1992.....	334	1	1	1	3	8	11	13	9	17	16
1991.....	325	-	3	5	4	1	5	10	8	17	15
1990.....	293	-	1	2	3	4	6	17	13	9	18
1989.....	275	-	2	-	-	9	3	6	14	16	17
1988.....	286	1	5	2	3	2	13	12	13	8	14
1987.....	320	1	3	4	5	8	9	9	8	13	11
1986.....	302	1	3	2	4	4	6	17	12	16	11
1985.....	271	-	-	3	4	5	8	12	13	13	12
1984.....	321	-	2	4	9	12	13	13	11	13	23
1983.....	290	1	3	3	4	5	8	12	16	21	15
1982.....	277	-	7	6	3	5	5	13	18	14	17
1981.....	292	1	4	2	3	8	4	16	13	15	15
1980.....	285	-	1	5	6	7	13	14	15	10	12
1979.....	286	-	3	2	7	8	13	9	9	18	9

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 MONOCYTTIC LEUKEMIA (206)											
TOTAL, BOTH SEXES											
1998.....	165	-	2	1	3	1	-	1	1	5	5
1997.....	196	-	4	2	1	1	2	-	3	3	-
1996.....	183	1	5	-	2	1	-	1	1	-	4
1995.....	220	-	3	1	1	4	-	1	6	6	3
1994.....	239	-	5	2	2	3	2	2	1	4	4
1993.....	213	1	1	-	1	2	2	3	3	2	6
1992.....	243	2	4	1	3	7	2	3	4	9	5
1991.....	245	-	1	3	2	2	1	4	2	5	3
1990.....	269	1	5	-	1	2	5	5	-	8	3
1989.....	278	-	7	5	3	2	7	5	3	3	7
1988.....	266	1	11	3	4	2	3	2	6	6	3
1987.....	269	4	10	2	4	5	1	1	8	6	4
1986.....	283	2	13	5	3	6	2	2	4	4	7
1985.....	310	3	6	1	4	7	2	7	6	1	6
1984.....	334	2	10	5	3	3	3	6	5	8	6
1983.....	344	4	8	1	7	3	7	5	3	7	10
1982.....	395	1	7	8	8	3	5	8	1	3	7
1981.....	313	2	9	3	2	5	1	7	8	7	4
1980.....	381	2	4	2	9	10	4	5	8	5	9
1979.....	378	2	5	4	4	6	5	1	10	10	7
TOTAL, MALE											
1998.....	101	-	1	1	1	1	-	1	1	3	3
1997.....	100	-	2	1	-	1	-	-	3	1	-
1996.....	107	1	3	-	2	-	-	-	-	-	1
1995.....	116	-	1	-	-	2	-	1	4	6	2
1994.....	117	-	1	2	1	1	2	1	1	-	3
1993.....	107	-	1	-	-	2	1	3	1	-	5
1992.....	140	1	1	1	2	3	2	1	2	5	1
1991.....	142	-	-	3	2	2	1	3	2	1	1
1990.....	137	-	2	-	1	1	2	3	-	4	-
1989.....	151	-	3	-	2	2	6	4	-	1	2
1988.....	135	-	4	2	2	-	2	-	3	4	1
1987.....	132	2	6	-	3	3	1	1	4	3	3
1986.....	145	1	4	5	2	3	2	-	2	-	3
1985.....	161	1	2	1	1	5	2	5	4	-	3
1984.....	177	1	4	1	1	2	2	3	3	4	3
1983.....	181	2	6	-	2	2	5	3	2	2	4
1982.....	222	-	2	5	5	2	3	5	-	-	3
1981.....	180	1	3	3	1	-	1	6	4	6	3
1980.....	214	2	3	2	2	4	4	1	5	4	7
1979.....	209	2	3	3	-	3	2	1	8	6	5

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 MONOCYTTIC LEUKEMIA (206)											
TOTAL, FEMALE											
1998.....	64	-	1	-	2	-	-	-	-	2	2
1997.....	96	-	2	1	1	-	2	-	-	2	-
1996.....	76	-	2	-	-	1	-	1	1	-	3
1995.....	104	-	2	1	1	2	-	-	2	-	1
1994.....	122	-	4	-	1	2	-	1	-	4	1
1993.....	106	1	-	-	1	-	1	-	2	2	1
1992.....	103	1	3	-	1	4	-	2	2	4	4
1991.....	103	-	1	-	-	-	-	1	-	4	2
1990.....	132	1	3	-	-	1	3	2	-	4	3
1989.....	127	-	4	5	1	-	1	1	3	2	5
1988.....	131	1	7	1	2	2	1	2	3	2	2
1987.....	137	2	4	2	1	2	-	-	4	3	1
1986.....	138	1	9	-	1	3	-	2	2	4	4
1985.....	149	2	4	-	3	2	-	2	2	1	3
1984.....	157	1	6	4	2	1	1	3	2	4	3
1983.....	163	2	2	1	5	1	2	2	1	5	6
1982.....	173	1	5	3	3	1	2	3	1	3	4
1981.....	133	1	6	-	1	5	-	1	4	1	1
1980.....	167	-	1	-	7	6	-	4	3	1	2
1979.....	169	-	2	1	4	3	3	-	2	4	2
WHITE, BOTH SEXES											
1998.....	151	-	2	1	1	-	-	1	1	5	4
1997.....	178	-	3	2	-	1	1	-	3	3	-
1996.....	173	1	4	-	2	-	-	1	-	-	3
1995.....	196	-	3	1	-	4	-	1	2	6	3
1994.....	214	-	3	1	-	3	2	2	-	4	4
1993.....	204	1	1	-	1	2	1	3	3	2	5
1992.....	229	2	4	1	3	6	2	3	4	7	5
1991.....	228	-	1	3	2	2	1	3	1	5	2
1990.....	249	1	4	-	1	2	4	4	-	5	2
1989.....	254	-	6	4	3	2	5	5	2	3	6
1988.....	244	1	10	2	3	2	3	2	6	6	3
1987.....	251	4	9	2	4	5	1	1	8	4	4
1986.....	264	2	11	3	2	5	2	2	4	4	7
1985.....	286	2	5	1	4	6	2	5	6	1	6
1984.....	313	2	8	5	2	3	2	5	4	7	5
1983.....	316	4	7	1	7	3	6	4	3	6	8
1982.....	362	1	6	8	8	2	5	7	-	3	4
1981.....	286	2	6	3	-	4	1	7	8	6	3
1980.....	357	1	3	2	8	6	3	5	7	4	9
1979.....	358	2	5	4	4	5	5	1	10	8	6

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 MONOCYTTIC LEUKEMIA (206)											
WHITE MALE											
1998.....	93	-	1	1	1	-	-	1	1	3	3
1997.....	91	-	1	1	-	1	-	-	3	1	-
1996.....	102	1	2	-	2	-	-	-	-	-	1
1995.....	102	-	1	-	-	2	-	1	1	6	2
1994.....	101	-	-	1	-	1	2	1	-	-	3
1993.....	104	-	1	-	-	2	1	3	1	-	4
1992.....	133	1	1	1	2	3	2	1	2	4	1
1991.....	134	-	-	3	2	2	1	2	1	1	1
1990.....	128	-	2	-	1	1	2	2	-	3	-
1989.....	137	-	2	-	2	2	5	4	-	1	2
1988.....	125	-	3	2	2	-	2	-	3	4	1
1987.....	124	2	6	-	3	3	1	1	4	2	3
1986.....	134	1	4	3	1	3	2	-	2	-	3
1985.....	150	1	1	1	1	4	2	4	4	-	3
1984.....	169	1	3	1	1	2	1	3	3	3	3
1983.....	170	2	5	-	2	2	4	2	2	2	3
1982.....	206	-	1	5	5	1	3	4	-	-	1
1981.....	166	1	3	3	-	-	1	6	4	6	2
1980.....	198	1	2	2	2	1	3	1	4	4	7
1979.....	197	2	3	3	-	2	2	1	8	4	4
WHITE FEMALE											
1998.....	58	-	1	-	-	-	-	-	-	2	1
1997.....	87	-	2	1	-	-	1	-	-	2	-
1996.....	71	-	2	-	-	-	-	1	-	-	2
1995.....	94	-	2	1	-	2	-	-	1	-	1
1994.....	113	-	3	-	-	2	-	1	-	4	1
1993.....	100	1	-	-	1	-	-	-	2	2	1
1992.....	96	1	3	-	1	3	-	2	2	3	4
1991.....	94	-	1	-	-	-	-	1	-	4	1
1990.....	121	1	2	-	-	1	2	2	-	2	2
1989.....	117	-	4	4	1	-	-	1	2	2	4
1988.....	119	1	7	-	1	2	1	2	3	2	2
1987.....	127	2	3	2	1	2	-	-	4	2	1
1986.....	130	1	7	-	1	2	-	2	2	4	4
1985.....	136	1	4	-	3	2	-	1	2	1	3
1984.....	144	1	5	4	1	1	1	2	1	4	2
1983.....	146	2	2	1	5	1	2	2	1	4	5
1982.....	156	1	5	3	3	1	2	3	-	3	3
1981.....	120	1	3	-	-	4	-	1	4	-	1
1980.....	159	-	1	-	6	5	-	4	3	-	2
1979.....	161	-	2	1	4	3	3	-	2	4	2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 MONOCYTTIC LEUKEMIA (206)											
ALL OTHER, BOTH SEXES											
1998.....	14	-	-	-	2	1	-	-	-	-	1
1997.....	18	-	1	-	1	-	1	-	-	-	-
1996.....	10	-	1	-	-	1	-	-	1	-	1
1995.....	24	-	-	-	1	-	-	-	4	-	-
1994.....	25	-	2	1	2	-	-	-	1	-	-
1993.....	9	-	-	-	-	-	1	-	-	-	1
1992.....	14	-	-	-	-	1	-	-	-	2	-
1991.....	17	-	-	-	-	-	-	1	1	-	1
1990.....	20	-	1	-	-	-	1	1	-	3	1
1989.....	24	-	1	1	-	-	2	-	1	-	1
1988.....	22	-	1	1	1	-	-	-	-	-	-
1987.....	18	-	1	-	-	-	-	-	-	2	-
1986.....	19	-	2	2	1	1	-	-	-	-	-
1985.....	24	1	1	-	-	1	-	2	-	-	-
1984.....	21	-	2	-	1	-	1	1	1	1	1
1983.....	28	-	1	-	-	-	1	1	-	1	2
1982.....	33	-	1	-	-	1	-	1	1	-	3
1981.....	27	-	3	-	2	1	-	-	-	1	1
1980.....	24	1	1	-	1	4	1	-	1	1	-
1979.....	20	-	-	-	-	1	-	-	-	2	1
ALL OTHER MALE											
1998.....	8	-	-	-	-	1	-	-	-	-	-
1997.....	9	-	1	-	-	-	-	-	-	-	-
1996.....	5	-	1	-	-	-	-	-	-	-	-
1995.....	14	-	-	-	-	-	-	-	3	-	-
1994.....	16	-	1	1	1	-	-	-	1	-	-
1993.....	3	-	-	-	-	-	-	-	-	-	1
1992.....	7	-	-	-	-	-	-	-	-	1	-
1991.....	8	-	-	-	-	-	-	1	1	-	-
1990.....	9	-	-	-	-	-	-	1	-	1	-
1989.....	14	-	1	-	-	-	1	-	-	-	-
1988.....	10	-	1	-	-	-	-	-	-	-	-
1987.....	8	-	-	-	-	-	-	-	-	1	-
1986.....	11	-	-	2	1	-	-	-	-	-	-
1985.....	11	-	1	-	-	1	-	1	-	-	-
1984.....	8	-	1	-	-	-	1	-	-	1	-
1983.....	11	-	1	-	-	-	1	1	-	-	1
1982.....	16	-	1	-	-	1	-	1	-	-	2
1981.....	14	-	-	-	1	-	-	-	-	-	1
1980.....	16	1	1	-	-	3	1	-	1	-	-
1979.....	12	-	-	-	-	1	-	-	-	2	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 MONOCYTTIC LEUKEMIA (206)											
ALL OTHER FEMALE											
1998.....	6	-	-	-	2	-	-	-	-	-	1
1997.....	9	-	-	-	1	-	1	-	-	-	-
1996.....	5	-	-	-	-	1	-	-	1	-	1
1995.....	10	-	-	-	1	-	-	-	1	-	-
1994.....	9	-	1	-	1	-	-	-	-	-	-
1993.....	6	-	-	-	-	-	1	-	-	-	-
1992.....	7	-	-	-	-	1	-	-	-	1	-
1991.....	9	-	-	-	-	-	-	-	-	-	1
1990.....	11	-	1	-	-	-	1	-	-	2	1
1989.....	10	-	-	1	-	-	1	-	1	-	1
1988.....	12	-	-	1	1	-	-	-	-	-	-
1987.....	10	-	1	-	-	-	-	-	-	1	-
1986.....	8	-	2	-	-	1	-	-	-	-	-
1985.....	13	1	-	-	-	-	-	1	-	-	-
1984.....	13	-	1	-	1	-	-	1	1	-	1
1983.....	17	-	-	-	-	-	-	-	-	1	1
1982.....	17	-	-	-	-	-	-	-	1	-	1
1981.....	13	-	3	-	1	1	-	-	-	1	-
1980.....	8	-	-	-	1	1	-	-	-	1	-
1979.....	8	-	-	-	-	-	-	-	-	-	-
BLACK, BOTH SEXES											
1998.....	12	-	-	-	2	1	-	-	-	-	-
1997.....	16	-	1	-	1	-	1	-	-	-	-
1996.....	5	-	-	-	-	-	-	-	-	-	1
1995.....	21	-	-	-	1	-	-	-	4	-	-
1994.....	23	-	2	1	2	-	-	-	1	-	-
1993.....	7	-	-	-	-	-	-	-	-	-	-
1992.....	11	-	-	-	-	1	-	-	-	2	-
1991.....	16	-	-	-	-	-	-	1	1	-	1
1990.....	20	-	1	-	-	-	1	1	-	3	1
1989.....	20	-	-	-	-	-	2	-	1	-	-
1988.....	15	-	1	-	-	-	-	-	-	-	-
1987.....	17	-	-	-	-	-	-	-	-	2	-
1986.....	17	-	1	2	1	1	-	-	-	-	-
1985.....	21	1	-	-	-	1	-	2	-	-	-
1984.....	17	-	2	-	-	-	1	1	1	1	1
1983.....	25	-	1	-	-	-	1	1	-	-	2
1982.....	28	-	1	-	-	-	-	1	1	-	3
1981.....	25	-	3	-	2	-	-	-	-	1	-
1980.....	23	1	1	-	1	4	1	-	1	1	-
1979.....	19	-	-	-	-	1	-	-	-	2	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER AND UNSPECIFIED LEUKEMIA (207-208)											
TOTAL, BOTH SEXES											
1998.....	5,203	3	28	18	29	38	34	48	49	87	110
1997.....	5,257	10	37	34	34	49	34	47	52	66	102
1996.....	5,195	7	33	31	40	45	37	48	62	61	110
1995.....	5,325	11	40	37	44	35	38	65	55	78	90
1994.....	5,382	7	40	36	37	58	43	60	75	78	107
1993.....	5,299	12	49	55	44	63	56	61	93	79	110
1992.....	5,121	15	49	43	53	45	54	62	94	87	105
1991.....	5,091	9	57	46	47	55	55	59	62	87	109
1990.....	5,097	13	59	48	38	68	53	68	82	107	115
1989.....	5,101	11	56	52	48	59	54	74	94	103	118
1988.....	5,142	7	60	72	41	68	76	79	83	113	125
1987.....	4,794	15	55	63	50	56	60	67	89	91	95
1986.....	4,726	10	52	50	51	60	94	73	86	91	119
1985.....	4,442	11	42	49	46	48	63	72	82	79	101
1984.....	4,469	20	45	45	39	57	72	70	78	102	108
1983.....	4,262	13	66	54	47	52	58	64	66	97	91
1982.....	4,081	19	41	40	38	66	81	64	73	91	86
1981.....	3,844	6	46	47	47	62	56	76	67	83	67
1980.....	3,890	11	48	67	58	88	66	83	69	76	90
1979.....	3,575	10	45	60	48	77	81	69	58	54	83
TOTAL, MALE											
1998.....	2,789	2	13	12	18	21	18	29	22	53	67
1997.....	2,811	4	23	21	19	35	23	30	28	38	55
1996.....	2,765	2	17	18	21	30	21	25	36	30	61
1995.....	2,944	4	26	20	24	25	19	42	26	49	46
1994.....	2,873	5	18	22	20	39	26	44	48	48	63
1993.....	2,884	7	26	37	28	37	36	42	56	47	59
1992.....	2,674	7	25	29	37	28	24	30	46	49	59
1991.....	2,710	4	29	25	27	38	33	45	37	43	61
1990.....	2,697	7	27	29	25	44	26	38	44	46	61
1989.....	2,714	5	28	28	23	34	35	42	58	60	76
1988.....	2,834	2	33	45	30	42	45	46	51	66	70
1987.....	2,568	5	22	37	30	34	37	40	46	44	52
1986.....	2,560	8	28	33	25	38	61	44	51	46	72
1985.....	2,369	4	27	30	30	28	41	40	47	47	61
1984.....	2,403	11	23	25	21	38	38	40	49	69	58
1983.....	2,324	3	38	31	24	35	38	38	36	52	50
1982.....	2,252	11	24	28	20	40	37	39	33	56	50
1981.....	2,120	3	19	31	25	33	37	51	41	42	39
1980.....	2,138	7	23	42	39	44	47	51	36	41	45
1979.....	1,998	5	29	36	37	51	53	48	29	30	42

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER AND UNSPECIFIED LEUKEMIA (207-208)											
TOTAL, FEMALE											
1998.....	2,414	1	15	6	11	17	16	19	27	34	43
1997.....	2,446	6	14	13	15	14	11	17	24	28	47
1996.....	2,430	5	16	13	19	15	16	23	26	31	49
1995.....	2,381	7	14	17	20	10	19	23	29	29	44
1994.....	2,509	2	22	14	17	19	17	16	27	30	44
1993.....	2,415	5	23	18	16	26	20	19	37	32	51
1992.....	2,447	8	24	14	16	17	30	32	48	38	46
1991.....	2,381	5	28	21	20	17	22	14	25	44	48
1990.....	2,400	6	32	19	13	24	27	30	38	61	54
1989.....	2,387	6	28	24	25	25	19	32	36	43	42
1988.....	2,308	5	27	27	11	26	31	33	32	47	55
1987.....	2,226	10	33	26	20	22	23	27	43	47	43
1986.....	2,166	2	24	17	26	22	33	29	35	45	47
1985.....	2,073	7	15	19	16	20	22	32	35	32	40
1984.....	2,066	9	22	20	18	19	34	30	29	33	50
1983.....	1,938	10	28	23	23	17	20	26	30	45	41
1982.....	1,829	8	17	12	18	26	44	25	40	35	36
1981.....	1,724	3	27	16	22	29	19	25	26	41	28
1980.....	1,752	4	25	25	19	44	19	32	33	35	45
1979.....	1,577	5	16	24	11	26	28	21	29	24	41
WHITE, BOTH SEXES											
1998.....	4,666	3	19	11	20	29	29	39	37	68	88
1997.....	4,720	10	28	29	30	42	27	40	42	54	77
1996.....	4,654	6	24	26	34	38	29	42	47	50	85
1995.....	4,794	9	28	31	30	29	30	52	42	65	77
1994.....	4,804	7	30	27	31	43	33	49	57	61	84
1993.....	4,750	10	40	44	36	48	41	45	75	63	76
1992.....	4,612	14	40	31	40	37	43	44	80	73	88
1991.....	4,605	3	44	42	38	46	48	47	48	68	89
1990.....	4,614	12	47	39	30	54	50	53	67	87	99
1989.....	4,592	11	41	44	37	45	42	60	77	82	96
1988.....	4,651	6	52	63	32	59	66	68	74	93	107
1987.....	4,345	13	44	55	43	36	45	53	79	72	84
1986.....	4,266	8	42	47	45	49	82	60	75	68	100
1985.....	4,035	9	31	41	37	38	55	64	74	72	86
1984.....	4,053	18	39	39	32	51	60	62	68	81	96
1983.....	3,849	11	53	49	41	48	52	53	55	84	78
1982.....	3,689	15	31	34	29	53	63	58	65	78	74
1981.....	3,477	5	33	40	43	55	47	64	54	67	57
1980.....	3,543	8	40	58	48	75	54	71	58	64	76
1979.....	3,269	8	31	54	41	65	68	56	52	46	76

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER AND UNSPECIFIED LEUKEMIA (207-208)											
WHITE MALE											
1998.....	2,503	2	9	7	12	17	16	24	15	37	56
1997.....	2,536	4	19	18	16	31	19	26	24	33	45
1996.....	2,480	1	12	14	18	24	17	23	28	23	50
1995.....	2,651	4	20	18	18	20	15	34	20	41	37
1994.....	2,574	5	13	16	17	29	21	37	38	36	50
1993.....	2,583	6	21	31	21	23	29	29	43	39	39
1992.....	2,415	6	22	23	28	22	19	22	39	42	48
1991.....	2,431	-	20	21	22	33	31	34	28	34	48
1990.....	2,455	7	22	24	20	39	25	30	38	35	53
1989.....	2,428	5	22	24	18	23	28	35	47	49	60
1988.....	2,561	2	27	38	25	37	39	40	44	54	63
1987.....	2,349	5	17	32	27	22	31	35	39	37	47
1986.....	2,324	6	26	32	25	31	53	38	44	33	59
1985.....	2,147	3	17	26	25	23	38	36	44	43	51
1984.....	2,170	9	19	24	18	33	30	33	40	56	54
1983.....	2,117	3	30	29	21	32	34	33	31	47	41
1982.....	2,051	10	20	24	15	32	30	34	29	49	45
1981.....	1,913	2	14	26	23	31	31	42	33	31	32
1980.....	1,945	6	19	38	32	35	37	42	31	35	39
1979.....	1,822	4	23	31	31	40	47	38	26	27	40
WHITE FEMALE											
1998.....	2,163	1	10	4	8	12	13	15	22	31	32
1997.....	2,184	6	9	11	14	11	8	14	18	21	32
1996.....	2,174	5	12	12	16	14	12	19	19	27	35
1995.....	2,143	5	8	13	12	9	15	18	22	24	40
1994.....	2,230	2	17	11	14	14	12	12	19	25	34
1993.....	2,167	4	19	13	15	25	12	16	32	24	37
1992.....	2,197	8	18	8	12	15	24	22	41	31	40
1991.....	2,174	3	24	21	16	13	17	13	20	34	41
1990.....	2,159	5	25	15	10	15	25	23	29	52	46
1989.....	2,164	6	19	20	19	22	14	25	30	33	36
1988.....	2,090	4	25	25	7	22	27	28	30	39	44
1987.....	1,996	8	27	23	16	14	14	18	40	35	37
1986.....	1,942	2	16	15	20	18	29	22	31	35	41
1985.....	1,888	6	14	15	12	15	17	28	30	29	35
1984.....	1,883	9	20	15	14	18	30	29	28	25	42
1983.....	1,732	8	23	20	20	16	18	20	24	37	37
1982.....	1,638	5	11	10	14	21	33	24	36	29	29
1981.....	1,564	3	19	14	20	24	16	22	21	36	25
1980.....	1,598	2	21	20	16	40	17	29	27	29	37
1979.....	1,447	4	8	23	10	25	21	18	26	19	36

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER AND UNSPECIFIED LEUKEMIA (207-208)											
ALL OTHER, BOTH SEXES											
1998.....	537	-	9	7	9	9	5	9	12	19	22
1997.....	537	-	9	5	4	7	7	7	10	12	25
1996.....	541	1	9	5	6	7	8	6	15	11	25
1995.....	531	2	12	6	14	6	8	13	13	13	13
1994.....	578	-	10	9	6	15	10	11	18	17	23
1993.....	549	2	9	11	8	15	15	16	18	16	34
1992.....	509	1	9	12	13	8	11	18	14	14	17
1991.....	486	6	13	4	9	9	7	12	14	19	20
1990.....	483	1	12	9	8	14	3	15	15	20	16
1989.....	509	-	15	8	11	14	12	14	17	21	22
1988.....	491	1	8	9	9	9	10	11	9	20	18
1987.....	449	2	11	8	7	20	15	14	10	19	11
1986.....	460	2	10	3	6	11	12	13	11	23	19
1985.....	407	2	11	8	9	10	8	8	8	7	15
1984.....	416	2	6	6	7	6	12	8	10	21	12
1983.....	413	2	13	5	6	4	6	11	11	13	13
1982.....	392	4	10	6	9	13	18	6	8	13	12
1981.....	367	1	13	7	4	7	9	12	13	16	10
1980.....	347	3	8	9	10	13	12	12	11	12	14
1979.....	306	2	14	6	7	12	13	13	6	8	7
ALL OTHER MALE											
1998.....	286	-	4	5	6	4	2	5	7	16	11
1997.....	275	-	4	3	3	4	4	4	4	5	10
1996.....	285	1	5	4	3	6	4	2	8	7	11
1995.....	293	-	6	2	6	5	4	8	6	8	9
1994.....	299	-	5	6	3	10	5	7	10	12	13
1993.....	301	1	5	6	7	14	7	13	13	8	20
1992.....	259	1	3	6	9	6	5	8	7	7	11
1991.....	279	4	9	4	5	5	2	11	9	9	13
1990.....	242	-	5	5	5	5	1	8	6	11	8
1989.....	286	-	6	4	5	11	7	7	11	11	16
1988.....	273	-	6	7	5	5	6	6	7	12	7
1987.....	219	-	5	5	3	12	6	5	7	7	5
1986.....	236	2	2	1	-	7	8	6	7	13	13
1985.....	222	1	10	4	5	5	3	4	3	4	10
1984.....	233	2	4	1	3	5	8	7	9	13	4
1983.....	207	-	8	2	3	3	4	5	5	5	9
1982.....	201	1	4	4	5	8	7	5	4	7	5
1981.....	207	1	5	5	2	2	6	9	8	11	7
1980.....	193	1	4	4	7	9	10	9	5	6	6
1979.....	176	1	6	5	6	11	6	10	3	3	2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER AND UNSPECIFIED LEUKEMIA (207-208)											
ALL OTHER FEMALE											
1998.....	251	-	5	2	3	5	3	4	5	3	11
1997.....	262	-	5	2	1	3	3	3	6	7	15
1996.....	256	-	4	1	3	1	4	4	7	4	14
1995.....	238	2	6	4	8	1	4	5	7	5	4
1994.....	279	-	5	3	3	5	5	4	8	5	10
1993.....	248	1	4	5	1	1	8	3	5	8	14
1992.....	250	-	6	6	4	2	6	10	7	7	6
1991.....	207	2	4	-	4	4	5	1	5	10	7
1990.....	241	1	7	4	3	9	2	7	9	9	8
1989.....	223	-	9	4	6	3	5	7	6	10	6
1988.....	218	1	2	2	4	4	4	5	2	8	11
1987.....	230	2	6	3	4	8	9	9	3	12	6
1986.....	224	-	8	2	6	4	4	7	4	10	6
1985.....	185	1	1	4	4	5	5	4	5	3	5
1984.....	183	-	2	5	4	1	4	1	1	8	8
1983.....	206	2	5	3	3	1	2	6	6	8	4
1982.....	191	3	6	2	4	5	11	1	4	6	7
1981.....	160	-	8	2	2	5	3	3	5	5	3
1980.....	154	2	4	5	3	4	2	3	6	6	8
1979.....	130	1	8	1	1	1	7	3	3	5	5
BLACK, BOTH SEXES											
1998.....	446	-	6	5	8	7	2	8	10	15	18
1997.....	435	-	7	3	3	5	7	5	7	11	18
1996.....	448	1	7	4	5	6	8	6	13	7	19
1995.....	427	-	9	4	11	4	7	7	10	9	9
1994.....	479	-	6	6	5	13	6	9	12	13	20
1993.....	436	2	6	9	5	11	10	11	11	15	27
1992.....	427	1	6	8	8	6	7	15	10	13	14
1991.....	417	4	11	3	8	8	6	11	11	15	14
1990.....	409	-	7	6	5	12	3	10	11	19	11
1989.....	426	-	12	5	9	11	12	9	11	12	19
1988.....	428	1	7	7	6	6	7	10	6	17	14
1987.....	369	1	6	7	4	15	12	12	8	15	6
1986.....	401	2	9	2	3	8	11	9	8	20	16
1985.....	353	1	7	5	8	6	7	7	7	4	14
1984.....	358	1	5	4	6	6	10	7	7	20	11
1983.....	360	2	9	4	5	2	5	8	10	10	11
1982.....	346	4	8	6	8	10	15	6	7	11	9
1981.....	327	1	11	7	3	6	8	11	12	14	9
1980.....	311	3	7	6	9	11	12	11	9	9	14
1979.....	280	1	13	6	6	11	13	9	4	5	7

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OTHER AND UNSPECIFIED LEUKEMIA (207-208)											
BLACK MALE											
1998.....	231	-	3	3	5	2	1	5	6	12	9
1997.....	222	-	3	2	3	3	4	3	4	4	8
1996.....	234	1	3	3	3	5	4	2	7	6	9
1995.....	238	-	4	2	4	4	4	6	5	7	7
1994.....	244	-	2	4	3	9	3	6	7	8	11
1993.....	239	1	4	4	4	10	7	8	7	8	16
1992.....	206	1	2	4	6	4	3	5	5	6	9
1991.....	238	2	7	3	5	4	2	10	6	6	9
1990.....	203	-	3	4	3	5	1	5	4	10	5
1989.....	234	-	5	3	4	8	7	4	9	7	14
1988.....	235	-	6	5	3	4	4	6	4	11	5
1987.....	180	-	4	4	1	8	5	4	6	4	2
1986.....	203	2	2	-	-	4	8	3	5	11	11
1985.....	186	-	6	2	4	3	3	3	3	2	9
1984.....	193	1	3	-	3	5	6	6	6	13	4
1983.....	179	-	6	2	2	1	4	4	5	3	8
1982.....	174	1	3	4	5	6	7	5	3	5	4
1981.....	180	1	4	5	2	2	5	8	7	10	7
1980.....	170	1	4	2	6	7	10	8	5	4	6
1979.....	156	-	5	5	5	10	6	6	1	2	2
BLACK FEMALE											
1998.....	215	-	3	2	3	5	1	3	4	3	9
1997.....	213	-	4	1	-	2	3	2	3	7	10
1996.....	214	-	4	1	2	1	4	4	6	1	10
1995.....	189	-	5	2	7	-	3	1	5	2	2
1994.....	235	-	4	2	2	4	3	3	5	5	9
1993.....	197	1	2	5	1	1	3	3	4	7	11
1992.....	221	-	4	4	2	2	4	10	5	7	5
1991.....	179	2	4	-	3	4	4	1	5	9	5
1990.....	206	-	4	2	2	7	2	5	7	9	6
1989.....	192	-	7	2	5	3	5	5	2	5	5
1988.....	193	1	1	2	3	2	3	4	2	6	9
1987.....	189	1	2	3	3	7	7	8	2	11	4
1986.....	198	-	7	2	3	4	3	6	3	9	5
1985.....	167	1	1	3	4	3	4	4	4	2	5
1984.....	165	-	2	4	3	1	4	1	1	7	7
1983.....	181	2	3	2	3	1	1	4	5	7	3
1982.....	172	3	5	2	3	4	8	1	4	6	5
1981.....	147	-	7	2	1	4	3	3	5	4	2
1980.....	141	2	3	4	3	4	2	3	4	5	8
1979.....	124	1	8	1	1	1	7	3	3	3	5

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
BENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR AND OF UNSPECIFIED NATURE (210-239)											
TOTAL, BOTH SEXES											
1998.....	7,933	60	53	52	32	62	59	63	112	123	208
1997.....	7,659	63	65	35	41	57	58	67	120	127	189
1996.....	7,647	60	70	47	38	55	43	59	105	147	210
1995.....	7,759	74	54	50	55	49	53	82	128	162	169
1994.....	7,517	67	79	54	47	52	58	68	121	173	211
1993.....	7,441	61	77	38	34	41	55	83	136	171	170
1992.....	7,070	62	61	53	44	39	62	82	115	133	188
1991.....	6,994	60	76	39	34	45	58	80	115	151	140
1990.....	6,752	71	75	53	47	45	48	86	127	142	154
1989.....	6,701	56	66	48	37	44	43	66	100	115	169
1988.....	6,735	60	69	54	49	47	53	92	102	138	135
1987.....	6,570	59	55	44	37	47	59	89	94	106	140
1986.....	6,730	78	56	47	43	55	77	75	128	131	131
1985.....	6,699	61	68	47	40	50	50	99	86	139	144
1984.....	6,436	78	49	44	36	47	52	82	104	124	134
1983.....	6,483	53	54	42	48	58	62	76	102	126	143
1982.....	6,460	60	56	57	36	60	73	82	94	122	122
1981.....	6,235	54	48	49	43	42	74	74	96	111	150
1980.....	6,193	67	38	52	52	62	68	83	112	112	152
1979.....	5,904	48	47	50	41	56	75	87	109	96	152
TOTAL, MALE											
1998.....	3,516	29	28	30	16	35	37	42	63	68	106
1997.....	3,366	31	32	10	20	33	31	33	68	64	96
1996.....	3,412	26	39	24	15	33	27	36	61	84	114
1995.....	3,474	43	35	21	31	28	29	57	79	90	96
1994.....	3,404	33	44	32	20	30	30	37	76	110	119
1993.....	3,424	30	47	19	16	26	28	48	78	108	92
1992.....	3,256	34	34	24	27	16	36	53	62	75	100
1991.....	3,179	30	39	23	21	23	26	44	74	83	79
1990.....	3,012	31	35	23	22	24	23	47	71	87	78
1989.....	3,048	29	34	27	20	24	24	43	51	70	73
1988.....	3,012	26	36	27	22	30	29	48	53	82	74
1987.....	3,065	26	28	29	20	23	28	55	49	56	59
1986.....	3,114	37	28	17	29	34	46	45	72	75	71
1985.....	3,008	22	45	24	19	24	28	58	40	73	81
1984.....	2,920	34	23	18	16	25	25	53	54	68	77
1983.....	2,985	29	26	21	25	37	28	40	57	69	78
1982.....	2,977	28	31	30	14	27	37	44	46	65	61
1981.....	2,934	30	26	23	26	26	38	29	52	56	79
1980.....	2,879	36	22	22	33	34	38	39	57	51	81
1979.....	2,704	17	25	24	19	31	37	46	55	48	69

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
BENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR AND OF UNSPECIFIED NATURE (210-239)											
TOTAL, FEMALE											
1998.....	4,417	31	25	22	16	27	22	21	49	55	102
1997.....	4,293	32	33	25	21	24	27	34	52	63	93
1996.....	4,235	34	31	23	23	22	16	23	44	63	96
1995.....	4,285	31	19	29	24	21	24	25	49	72	73
1994.....	4,113	34	35	22	27	22	28	31	45	63	92
1993.....	4,017	31	30	19	18	15	27	35	58	63	78
1992.....	3,814	28	27	29	17	23	26	29	53	58	88
1991.....	3,815	30	37	16	13	22	32	36	41	68	61
1990.....	3,740	40	40	30	25	21	25	39	56	55	76
1989.....	3,653	27	32	21	17	20	19	23	49	45	96
1988.....	3,723	34	33	27	27	17	24	44	49	56	61
1987.....	3,505	33	27	15	17	24	31	34	45	50	81
1986.....	3,616	41	28	30	14	21	31	30	56	56	60
1985.....	3,691	39	23	23	21	26	22	41	46	66	63
1984.....	3,516	44	26	26	20	22	27	29	50	56	57
1983.....	3,498	24	28	21	23	21	34	36	45	57	65
1982.....	3,483	32	25	27	22	33	36	38	48	57	61
1981.....	3,301	24	22	26	17	16	36	45	44	55	71
1980.....	3,314	31	16	30	19	28	30	44	55	61	71
1979.....	3,200	31	22	26	22	25	38	41	54	48	83
WHITE, BOTH SEXES											
1998.....	6,940	44	39	34	24	45	46	53	88	93	156
1997.....	6,682	48	56	22	29	43	47	54	91	96	147
1996.....	6,657	51	49	33	28	39	33	43	71	114	162
1995.....	6,748	68	37	37	42	36	34	66	102	127	120
1994.....	6,595	51	62	43	36	40	49	56	97	138	163
1993.....	6,539	49	66	30	23	35	48	68	102	133	133
1992.....	6,191	47	51	43	39	31	50	68	89	106	158
1991.....	6,136	48	64	36	27	35	46	56	85	126	111
1990.....	5,908	57	62	47	38	35	36	70	110	114	120
1989.....	5,858	39	46	37	33	28	35	55	79	87	138
1988.....	5,870	53	53	45	38	34	40	73	76	118	117
1987.....	5,802	54	42	37	31	43	40	73	76	85	113
1986.....	5,895	65	44	38	36	38	65	65	109	105	111
1985.....	5,839	50	53	37	29	36	40	85	70	116	107
1984.....	5,656	61	42	34	29	37	45	69	87	101	112
1983.....	5,728	43	42	37	34	45	53	63	79	105	119
1982.....	5,654	42	45	45	25	52	54	67	75	97	99
1981.....	5,508	43	38	41	34	36	54	56	86	89	130
1980.....	5,383	53	30	39	41	50	60	76	87	94	129
1979.....	5,201	41	36	35	34	43	61	76	88	76	116

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
BENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR AND OF UNSPECIFIED NATURE (210-239)											
WHITE MALE											
1998.....	3,079	20	22	20	13	25	32	33	50	56	81
1997.....	2,926	20	27	7	11	26	26	27	54	54	77
1996.....	2,973	24	30	16	11	23	23	29	44	66	96
1995.....	3,025	39	24	16	21	22	19	45	69	73	67
1994.....	2,997	24	35	26	16	24	25	31	61	90	98
1993.....	2,997	24	40	15	11	21	25	41	56	85	72
1992.....	2,843	24	27	19	23	12	29	43	49	62	89
1991.....	2,783	23	33	21	17	17	24	31	54	72	68
1990.....	2,658	25	31	20	17	20	15	38	60	71	58
1989.....	2,685	24	21	24	18	11	17	38	46	57	65
1988.....	2,639	21	29	22	19	22	23	41	39	72	67
1987.....	2,683	25	20	26	17	21	20	45	40	42	46
1986.....	2,740	31	23	15	22	24	37	38	62	63	62
1985.....	2,632	17	38	21	13	17	22	50	32	64	59
1984.....	2,568	27	21	14	14	19	22	44	46	56	63
1983.....	2,639	26	20	16	18	29	23	34	47	58	66
1982.....	2,617	19	23	23	10	24	27	35	39	53	49
1981.....	2,625	25	21	21	20	23	30	22	47	51	70
1980.....	2,514	30	17	17	26	28	36	36	49	47	68
1979.....	2,406	14	21	19	16	27	31	39	42	37	46
WHITE FEMALE											
1998.....	3,861	24	17	14	11	20	14	20	38	37	75
1997.....	3,756	28	29	15	18	17	21	27	37	42	70
1996.....	3,684	27	19	17	17	16	10	14	27	48	66
1995.....	3,723	29	13	21	21	14	15	21	33	54	53
1994.....	3,598	27	27	17	20	16	24	25	36	48	65
1993.....	3,542	25	26	15	12	14	23	27	46	48	61
1992.....	3,348	23	24	24	16	19	21	25	40	44	69
1991.....	3,353	25	31	15	10	18	22	25	31	54	43
1990.....	3,250	32	31	27	21	15	21	32	50	43	62
1989.....	3,173	15	25	13	15	17	18	17	33	30	73
1988.....	3,231	32	24	23	19	12	17	32	37	46	50
1987.....	3,119	29	22	11	14	22	20	28	36	43	67
1986.....	3,155	34	21	23	14	14	28	27	47	42	49
1985.....	3,207	33	15	16	16	19	18	35	38	52	48
1984.....	3,088	34	21	20	15	18	23	25	41	45	49
1983.....	3,089	17	22	21	16	16	30	29	32	47	53
1982.....	3,037	23	22	22	15	28	27	32	36	44	50
1981.....	2,883	18	17	20	14	13	24	34	39	38	60
1980.....	2,869	23	13	22	15	22	24	40	38	47	61
1979.....	2,795	27	15	16	18	16	30	37	46	39	70

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
BENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR AND OF UNSPECIFIED NATURE (210-239)											
ALL OTHER, BOTH SEXES											
1998.....	993	16	14	18	8	17	13	10	24	30	52
1997.....	977	15	9	13	12	14	11	13	29	31	42
1996.....	990	9	21	14	10	16	10	16	34	33	48
1995.....	1,011	6	17	13	13	13	19	16	26	35	49
1994.....	922	16	17	11	11	12	9	12	24	35	48
1993.....	902	12	11	8	11	6	7	15	34	38	37
1992.....	879	15	10	10	5	8	12	14	26	27	30
1991.....	858	12	12	3	7	10	12	24	30	25	29
1990.....	844	14	13	6	9	10	12	16	17	28	34
1989.....	843	17	20	11	4	16	8	11	21	28	31
1988.....	865	7	16	9	11	13	13	19	26	20	18
1987.....	768	5	13	7	6	4	19	16	18	21	27
1986.....	835	13	12	9	7	17	12	10	19	26	20
1985.....	860	11	15	10	11	14	10	14	16	23	37
1984.....	780	17	7	10	7	10	7	13	17	23	22
1983.....	755	10	12	5	14	13	9	13	23	21	24
1982.....	806	18	11	12	11	8	19	15	19	25	23
1981.....	727	11	10	8	9	6	20	18	10	22	20
1980.....	810	14	8	13	11	12	8	7	25	18	23
1979.....	703	7	11	15	7	13	14	11	21	20	36
ALL OTHER MALE											
1998.....	437	9	6	10	3	10	5	9	13	12	25
1997.....	440	11	5	3	9	7	5	6	14	10	19
1996.....	439	2	9	8	4	10	4	7	17	18	18
1995.....	449	4	11	5	10	6	10	12	10	17	29
1994.....	407	9	9	6	4	6	5	6	15	20	21
1993.....	427	6	7	4	5	5	3	7	22	23	20
1992.....	413	10	7	5	4	4	7	10	13	13	11
1991.....	396	7	6	2	4	6	2	13	20	11	11
1990.....	354	6	4	3	5	4	8	9	11	16	20
1989.....	363	5	13	3	2	13	7	5	5	13	8
1988.....	373	5	7	5	3	8	6	7	14	10	7
1987.....	382	1	8	3	3	2	8	10	9	14	13
1986.....	374	6	5	2	7	10	9	7	10	12	9
1985.....	376	5	7	3	6	7	6	8	8	9	22
1984.....	352	7	2	4	2	6	3	9	8	12	14
1983.....	346	3	6	5	7	8	5	6	10	11	12
1982.....	360	9	8	7	4	3	10	9	7	12	12
1981.....	309	5	5	2	6	3	8	7	5	5	9
1980.....	365	6	5	5	7	6	2	3	8	4	13
1979.....	298	3	4	5	3	4	6	7	13	11	23

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
BENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR AND OF UNSPECIFIED NATURE (210-239)											
ALL OTHER FEMALE											
1998.....	556	7	8	8	5	7	8	1	11	18	27
1997.....	537	4	4	10	3	7	6	7	15	21	23
1996.....	551	7	12	6	6	6	6	9	17	15	30
1995.....	562	2	6	8	3	7	9	4	16	18	20
1994.....	515	7	8	5	7	6	4	6	9	15	27
1993.....	475	6	4	4	6	1	4	8	12	15	17
1992.....	466	5	3	5	1	4	5	4	13	14	19
1991.....	462	5	6	1	3	4	10	11	10	14	18
1990.....	490	8	9	3	4	6	4	7	6	12	14
1989.....	480	12	7	8	2	3	1	6	16	15	23
1988.....	492	2	9	4	8	5	7	12	12	10	11
1987.....	386	4	5	4	3	2	11	6	9	7	14
1986.....	461	7	7	7	-	7	3	3	9	14	11
1985.....	484	6	8	7	5	7	4	6	8	14	15
1984.....	428	10	5	6	5	4	4	4	9	11	8
1983.....	409	7	6	-	7	5	4	7	13	10	12
1982.....	446	9	3	5	7	5	9	6	12	13	11
1981.....	418	6	5	6	3	3	12	11	5	17	11
1980.....	445	8	3	8	4	6	6	4	17	14	10
1979.....	405	4	7	10	4	9	8	4	8	9	13
BLACK, BOTH SEXES											
1998.....	855	14	11	16	8	16	11	8	21	27	45
1997.....	861	12	8	10	10	12	8	11	27	28	37
1996.....	855	6	20	11	10	14	8	15	29	28	44
1995.....	878	4	14	10	12	10	16	14	23	31	40
1994.....	804	7	14	10	10	6	9	10	23	32	44
1993.....	798	9	9	5	9	5	5	15	31	36	36
1992.....	778	12	9	9	3	7	11	14	23	24	25
1991.....	777	12	9	3	4	10	9	23	27	22	27
1990.....	747	14	10	6	7	8	10	14	15	23	32
1989.....	742	15	14	9	3	13	7	10	19	23	25
1988.....	784	4	14	8	10	9	11	14	23	19	15
1987.....	689	3	9	6	5	4	16	15	17	20	24
1986.....	756	11	12	9	5	11	10	8	17	18	19
1985.....	776	9	12	9	7	14	10	12	15	19	33
1984.....	697	12	6	9	6	10	5	11	13	23	21
1983.....	684	7	9	2	12	11	9	13	19	21	23
1982.....	748	14	9	11	10	8	18	15	18	21	21
1981.....	665	9	10	8	7	6	18	16	9	22	19
1980.....	749	12	8	12	10	12	8	7	20	15	20
1979.....	654	7	10	14	7	12	14	9	19	20	34

CAUSE-OF-DEATH CODE,
RACE, SEX, AND YEAR TOTAL UNDER 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44
BENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR AND OF UNSPECIFIED NATURE (210-239) YEARS YEARS

	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
BLACK MALE											
1998.....	366	8	6	8	3	9	5	7	12	12	20
1997.....	376	8	5	3	7	5	3	5	12	8	18
1996.....	372	1	9	6	4	9	3	7	14	15	17
1995.....	394	2	9	3	9	5	8	12	9	14	24
1994.....	352	5	8	6	3	4	5	5	14	18	20
1993.....	374	4	7	3	3	4	2	7	21	22	20
1992.....	360	10	6	5	2	3	7	10	11	13	8
1991.....	354	7	5	2	1	6	-	12	17	9	10
1990.....	316	6	4	3	3	3	6	8	9	14	19
1989.....	321	5	8	3	2	11	7	5	4	12	7
1988.....	330	4	7	4	2	5	4	5	13	9	7
1987.....	339	1	5	2	2	2	6	9	9	14	11
1986.....	332	4	5	2	5	6	7	5	8	11	9
1985.....	332	4	5	3	4	7	6	6	8	7	19
1984.....	308	5	2	4	2	6	1	7	7	12	13
1983.....	307	3	3	2	6	6	5	6	9	11	11
1982.....	331	7	6	6	3	3	10	9	7	11	10
1981.....	273	4	5	2	5	3	7	5	4	5	9
1980.....	339	5	5	4	6	6	2	3	5	4	13
1979.....	276	3	3	4	3	3	6	6	12	11	21
BLACK FEMALE											
1998.....	489	6	5	8	5	7	6	1	9	15	25
1997.....	485	4	3	7	3	7	5	6	15	20	19
1996.....	483	5	11	5	6	5	5	8	15	13	27
1995.....	484	2	5	7	3	5	8	2	14	17	16
1994.....	452	2	6	4	7	2	4	5	9	14	24
1993.....	424	5	2	2	6	1	3	8	10	14	16
1992.....	418	2	3	4	1	4	4	4	12	11	17
1991.....	423	5	4	1	3	4	9	11	10	13	17
1990.....	431	8	6	3	4	5	4	6	6	9	13
1989.....	421	10	6	6	1	2	-	5	15	11	18
1988.....	454	-	7	4	8	4	7	9	10	10	8
1987.....	350	2	4	4	3	2	10	6	8	6	13
1986.....	424	7	7	7	-	5	3	3	9	7	10
1985.....	444	5	7	6	3	7	4	6	7	12	14
1984.....	389	7	4	5	4	4	4	4	6	11	8
1983.....	377	4	6	-	6	5	4	7	10	10	12
1982.....	417	7	3	5	7	5	8	6	11	10	11
1981.....	392	5	5	6	2	3	11	11	5	17	10
1980.....	410	7	3	8	4	6	6	4	15	11	7
1979.....	378	4	7	10	4	9	8	3	7	9	13

TABLE 292. DEATHS FOR 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 BENIGN NEOPLASMS (210-229)											
TOTAL, BOTH SEXES											
1998.....	1,618	20	11	5	2	16	12	14	30	31	44
1997.....	1,576	25	16	8	7	11	15	17	22	23	49
1996.....	1,544	22	23	7	4	15	12	11	22	28	48
1995.....	1,499	26	12	13	9	10	14	20	20	26	47
1994.....	1,524	31	17	7	12	16	10	18	23	40	56
1993.....	1,499	18	24	8	3	7	9	16	19	40	38
1992.....	1,536	23	21	3	12	7	7	16	22	28	46
1991.....	1,430	21	22	4	6	11	12	15	22	36	22
1990.....	1,477	30	21	12	5	12	16	20	28	28	33
1989.....	1,456	14	20	9	5	11	7	11	15	29	36
1988.....	1,482	21	18	9	6	8	7	13	15	25	35
1987.....	1,443	18	15	3	7	8	11	23	21	23	37
1986.....	1,352	34	7	2	7	11	17	10	15	28	27
1985.....	1,446	22	15	5	4	10	9	14	13	26	35
1984.....	1,482	34	10	1	1	5	13	15	27	25	27
1983.....	1,518	21	15	7	4	3	18	12	26	31	40
1982.....	1,532	27	11	8	7	8	19	21	20	33	32
1981.....	1,483	18	9	7	4	7	9	21	22	36	46
1980.....	1,509	29	5	3	4	10	12	23	34	27	45
1979.....	1,431	20	11	8	4	9	18	18	28	27	52
TOTAL, MALE											
1998.....	619	9	4	2	-	4	7	6	14	16	15
1997.....	579	14	5	2	4	6	5	6	10	12	18
1996.....	578	11	11	2	2	11	4	7	11	10	14
1995.....	569	14	8	7	4	6	9	13	9	9	16
1994.....	570	20	9	5	5	9	2	4	12	24	24
1993.....	580	7	14	3	2	3	4	8	9	19	17
1992.....	622	16	11	2	7	4	3	10	11	12	19
1991.....	539	15	11	1	5	3	4	7	12	13	12
1990.....	540	14	11	3	1	7	9	9	14	16	18
1989.....	569	8	14	4	2	6	2	5	7	15	9
1988.....	541	9	7	6	2	6	2	4	7	9	15
1987.....	592	11	5	-	3	3	4	10	12	10	6
1986.....	510	19	4	-	4	5	9	2	8	13	12
1985.....	535	9	10	2	2	4	3	6	7	12	16
1984.....	552	18	3	-	1	3	6	7	8	11	13
1983.....	584	13	7	3	1	3	7	4	11	11	18
1982.....	614	17	3	4	1	4	11	12	11	13	12
1981.....	577	10	3	4	2	3	3	9	8	19	18
1980.....	562	16	2	2	2	7	7	9	12	12	20
1979.....	545	8	6	5	4	4	8	8	13	14	17

TABLE 292. DEATHS FOR 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 BENIGN NEOPLASMS (210-229)											
TOTAL, FEMALE											
1998.....	999	11	7	3	2	12	5	8	16	15	29
1997.....	997	11	11	6	3	5	10	11	12	11	31
1996.....	966	11	12	5	2	4	8	4	11	18	34
1995.....	930	12	4	6	5	4	5	7	11	17	31
1994.....	954	11	8	2	7	7	8	14	11	16	32
1993.....	919	11	10	5	1	4	5	8	10	21	21
1992.....	914	7	10	1	5	3	4	6	11	16	27
1991.....	891	6	11	3	1	8	8	8	10	23	10
1990.....	937	16	10	9	4	5	7	11	14	12	15
1989.....	887	6	6	5	3	5	5	6	8	14	27
1988.....	941	12	11	3	4	2	5	9	8	16	20
1987.....	851	7	10	3	4	5	7	13	9	13	31
1986.....	842	15	3	2	3	6	8	8	7	15	15
1985.....	911	13	5	3	2	6	6	8	6	14	19
1984.....	930	16	7	1	-	2	7	8	19	14	14
1983.....	934	8	8	4	3	-	11	8	15	20	22
1982.....	918	10	8	4	6	4	8	9	9	20	20
1981.....	906	8	6	3	2	4	6	12	14	17	28
1980.....	947	13	3	1	2	3	5	14	22	15	25
1979.....	886	12	5	3	-	5	10	10	15	13	35
WHITE, BOTH SEXES											
1998.....	1,340	12	8	5	1	14	11	13	22	25	30
1997.....	1,309	18	13	4	5	10	13	14	13	17	37
1996.....	1,265	20	14	5	3	10	8	6	12	19	33
1995.....	1,219	24	9	11	6	8	8	14	15	17	34
1994.....	1,272	22	10	5	10	13	8	15	17	30	36
1993.....	1,267	15	24	6	2	7	8	15	11	33	30
1992.....	1,274	17	18	-	12	6	5	13	18	20	33
1991.....	1,208	17	18	2	6	10	11	12	14	28	17
1990.....	1,232	22	15	10	3	10	11	13	23	19	25
1989.....	1,195	9	12	5	5	5	7	9	11	15	28
1988.....	1,218	17	13	6	4	5	5	7	9	18	31
1987.....	1,200	15	11	2	6	7	8	17	14	19	29
1986.....	1,109	28	4	2	6	6	14	7	10	24	20
1985.....	1,186	17	12	5	2	7	7	10	10	16	21
1984.....	1,234	27	6	1	1	4	12	12	19	17	22
1983.....	1,260	17	11	6	2	2	15	7	17	22	33
1982.....	1,262	16	7	6	5	6	15	16	16	24	23
1981.....	1,255	17	8	5	4	5	8	14	20	29	36
1980.....	1,245	26	3	2	4	7	10	22	26	21	37
1979.....	1,191	15	7	5	2	7	13	15	22	18	36

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 BENIGN NEOPLASMS (210-229)											
WHITE MALE											
1998.....	517	6	3	2	-	4	7	5	10	14	12
1997.....	479	9	3	1	2	5	5	4	8	11	15
1996.....	484	11	7	2	1	8	3	5	6	6	12
1995.....	466	13	5	6	3	5	4	8	8	8	11
1994.....	475	14	5	4	4	8	1	4	9	22	19
1993.....	494	5	14	2	2	3	4	8	5	16	12
1992.....	513	11	9	-	7	3	3	7	9	11	14
1991.....	457	12	9	-	5	3	4	7	7	11	12
1990.....	450	10	9	2	-	6	5	5	11	11	12
1989.....	460	6	8	3	2	1	2	4	7	7	8
1988.....	445	6	4	5	2	3	1	3	5	7	13
1987.....	476	10	3	-	3	2	3	7	8	7	4
1986.....	420	16	3	-	3	3	8	-	6	12	11
1985.....	442	7	8	2	1	2	2	5	7	9	10
1984.....	453	13	2	-	1	2	6	5	7	8	10
1983.....	488	11	5	2	-	2	5	3	7	8	16
1982.....	511	11	1	4	1	4	10	7	10	10	7
1981.....	494	9	2	4	2	3	3	7	8	17	16
1980.....	460	16	2	2	2	4	6	9	10	11	16
1979.....	458	6	4	4	2	4	7	6	9	9	8
WHITE FEMALE											
1998.....	823	6	5	3	1	10	4	8	12	11	18
1997.....	830	9	10	3	3	5	8	10	5	6	22
1996.....	781	9	7	3	2	2	5	1	6	13	21
1995.....	753	11	4	5	3	3	4	6	7	9	23
1994.....	797	8	5	1	6	5	7	11	8	8	17
1993.....	773	10	10	4	-	4	4	7	6	17	18
1992.....	761	6	9	-	5	3	2	6	9	9	19
1991.....	751	5	9	2	1	7	7	5	7	17	5
1990.....	782	12	6	8	3	4	6	8	12	8	13
1989.....	735	3	4	2	3	4	5	5	4	8	20
1988.....	773	11	9	1	2	2	4	4	4	11	18
1987.....	724	5	8	2	3	5	5	10	6	12	25
1986.....	689	12	1	2	3	3	6	7	4	12	9
1985.....	744	10	4	3	1	5	5	5	3	7	11
1984.....	781	14	4	1	-	2	6	7	12	9	12
1983.....	772	6	6	4	2	-	10	4	10	14	17
1982.....	751	5	6	2	4	2	5	9	6	14	16
1981.....	761	8	6	1	2	2	5	7	12	12	20
1980.....	785	10	1	-	2	3	4	13	16	10	21
1979.....	733	9	3	1	-	3	6	9	13	9	28

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 BENIGN NEOPLASMS (210-229)											
ALL OTHER, BOTH SEXES											
1998.....	278	8	3	-	1	2	1	1	8	6	14
1997.....	267	7	3	4	2	1	2	3	9	6	12
1996.....	279	2	9	2	1	5	4	5	10	9	15
1995.....	280	2	3	2	3	2	6	6	5	9	13
1994.....	252	9	7	2	2	3	2	3	6	10	20
1993.....	232	3	-	2	1	-	1	1	8	7	8
1992.....	262	6	3	3	-	1	2	3	4	8	13
1991.....	222	4	4	2	-	1	1	3	8	8	5
1990.....	245	8	6	2	2	2	5	7	5	9	8
1989.....	261	5	8	4	-	6	-	2	4	14	8
1988.....	264	4	5	3	2	3	2	6	6	7	4
1987.....	243	3	4	1	1	1	3	6	7	4	8
1986.....	243	6	3	-	1	5	3	3	5	4	7
1985.....	260	5	3	-	2	3	2	4	3	10	14
1984.....	248	7	4	-	-	1	1	3	8	8	5
1983.....	258	4	4	1	2	1	3	5	9	9	7
1982.....	270	11	4	2	2	2	4	5	4	9	9
1981.....	228	1	1	2	-	2	1	7	2	7	10
1980.....	264	3	2	1	-	3	2	1	8	6	8
1979.....	240	5	4	3	2	2	5	3	6	9	16
ALL OTHER MALE											
1998.....	102	3	1	-	-	-	-	1	4	2	3
1997.....	100	5	2	1	2	1	-	2	2	1	3
1996.....	94	-	4	-	1	3	1	2	5	4	2
1995.....	103	1	3	1	1	1	5	5	1	1	5
1994.....	95	6	4	1	1	1	1	-	3	2	5
1993.....	86	2	-	1	-	-	-	-	4	3	5
1992.....	109	5	2	2	-	1	-	3	2	1	5
1991.....	82	3	2	1	-	-	-	-	5	2	-
1990.....	90	4	2	1	1	1	4	4	3	5	6
1989.....	109	2	6	1	-	5	-	1	-	8	1
1988.....	96	3	3	1	-	3	1	1	2	2	2
1987.....	116	1	2	-	-	1	1	3	4	3	2
1986.....	90	3	1	-	1	2	1	2	2	1	1
1985.....	93	2	2	-	1	2	1	1	-	3	6
1984.....	99	5	1	-	-	1	-	2	1	3	3
1983.....	96	2	2	1	1	1	2	1	4	3	2
1982.....	103	6	2	-	-	-	1	5	1	3	5
1981.....	83	1	1	-	-	-	-	2	-	2	2
1980.....	102	-	-	-	-	3	1	-	2	1	4
1979.....	87	2	2	1	2	-	1	2	4	5	9

TABLE 292. DEATHS FOR 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	
0 BENIGN NEOPLASMS (210-229)												
ALL OTHER FEMALE												
1998.....	176	5	2	-	1	2	1	-	4	4	11	
1997.....	167	2	1	3	-	-	2	1	7	5	9	
1996.....	185	2	5	2	-	2	3	3	5	5	13	
1995.....	177	1	-	1	2	1	1	1	4	8	8	
1994.....	157	3	3	1	1	2	1	3	3	8	15	
1993.....	146	1	-	1	1	-	1	1	4	4	3	
1992.....	153	1	1	1	-	1	2	-	2	7	8	
1991.....	140	1	2	1	-	1	1	3	3	6	5	
1990.....	155	4	4	1	1	1	1	3	2	4	2	
1989.....	152	3	2	3	-	1	-	1	4	6	7	
1988.....	168	1	2	2	2	-	1	5	4	5	2	
1987.....	127	2	2	1	1	-	2	3	3	1	6	
1986.....	153	3	2	-	-	3	2	1	3	3	6	
1985.....	167	3	1	-	1	1	1	3	3	7	8	
1984.....	149	2	3	-	-	-	1	1	7	5	2	
1983.....	162	2	2	-	1	-	1	4	5	6	5	
1982.....	167	5	2	2	2	2	3	-	3	6	4	
1981.....	145	-	-	2	-	2	1	5	2	5	8	
1980.....	162	3	2	1	-	-	1	1	6	5	4	
1979.....	153	3	2	2	-	2	4	1	2	4	7	
BLACK, BOTH SEXES												
1998.....	236	7	3	-	1	2	1	1	8	5	14	
1997.....	240	5	3	3	2	1	1	2	8	5	10	
1996.....	247	2	9	2	1	5	3	5	9	8	14	
1995.....	240	1	3	1	3	1	5	5	5	8	10	
1994.....	220	5	5	2	1	-	2	2	6	10	17	
1993.....	209	3	-	1	1	-	-	1	8	7	8	
1992.....	232	6	3	3	-	1	1	3	3	7	9	
1991.....	201	4	4	2	-	1	1	3	6	6	4	
1990.....	216	8	5	2	1	2	4	7	4	8	7	
1989.....	231	5	5	4	-	6	-	2	4	13	6	
1988.....	242	2	5	3	2	2	2	4	6	7	3	
1987.....	227	3	4	1	1	1	2	6	6	4	8	
1986.....	222	5	3	-	1	4	2	3	4	3	7	
1985.....	245	4	2	-	2	3	2	4	2	10	13	
1984.....	224	4	4	-	-	1	1	3	5	8	5	
1983.....	238	3	4	1	2	-	3	5	7	9	7	
1982.....	252	8	4	2	2	2	4	5	4	8	7	
1981.....	212	1	1	2	-	2	1	6	2	7	9	
1980.....	244	2	2	1	-	3	2	1	6	6	8	
1979.....	221	5	4	2	2	2	5	2	5	9	16	

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	
0 BENIGN NEOPLASMS (210-229)												
BLACK MALE												
1998.....	81	3	1	-	-	-	-	1	4	2	3	
1997.....	88	3	2	1	2	1	-	1	1	1	3	
1996.....	78	-	4	-	1	3	-	2	5	3	2	
1995.....	90	-	3	1	1	1	4	5	1	1	4	
1994.....	81	4	3	1	-	-	1	-	3	2	5	
1993.....	79	2	-	1	-	-	-	-	4	3	5	
1992.....	95	5	2	2	-	1	-	3	1	1	3	
1991.....	73	3	2	1	-	-	-	-	3	1	-	
1990.....	79	4	2	1	-	1	3	4	2	5	5	
1989.....	95	2	3	1	-	5	-	1	-	7	1	
1988.....	86	2	3	1	-	2	1	1	2	2	2	
1987.....	106	1	2	-	-	1	1	3	4	3	2	
1986.....	80	2	1	-	1	2	-	2	1	1	1	
1985.....	91	2	2	-	1	2	1	1	-	3	6	
1984.....	86	3	1	-	-	1	-	2	1	3	3	
1983.....	90	2	2	1	1	-	2	1	4	3	2	
1982.....	95	5	2	-	-	-	1	5	1	3	3	
1981.....	76	1	1	-	-	-	-	1	-	2	2	
1980.....	92	-	-	-	-	3	1	-	1	1	4	
1979.....	78	2	2	-	2	-	1	1	3	5	9	
BLACK FEMALE												
1998.....	155	4	2	-	1	2	1	-	4	3	11	
1997.....	152	2	1	2	-	-	1	1	7	4	7	
1996.....	169	2	5	2	-	2	3	3	4	5	12	
1995.....	150	1	-	-	2	-	1	-	4	7	6	
1994.....	139	1	2	1	1	-	1	2	3	8	12	
1993.....	130	1	-	-	1	-	-	1	4	4	3	
1992.....	137	1	1	1	-	-	1	-	2	6	6	
1991.....	128	1	2	1	-	1	1	3	3	5	4	
1990.....	137	4	3	1	1	1	1	3	2	3	2	
1989.....	136	3	2	3	-	1	-	1	4	6	5	
1988.....	156	-	2	2	2	-	1	3	4	5	1	
1987.....	121	2	2	1	1	-	1	3	2	1	6	
1986.....	142	3	2	-	-	2	2	1	3	2	6	
1985.....	154	2	-	-	1	1	1	3	2	7	7	
1984.....	138	1	3	-	-	-	1	1	4	5	2	
1983.....	148	1	2	-	1	-	1	4	3	6	5	
1982.....	157	3	2	2	2	2	3	-	3	5	4	
1981.....	136	-	-	2	-	2	1	5	2	5	7	
1980.....	152	2	2	1	-	-	1	1	5	5	4	
1979.....	143	3	2	2	-	2	4	1	2	4	7	

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF FEMALE GENITAL ORGANS (218-221)											
TOTAL, BOTH SEXES											
1998.....	52	-	-	-	-	1	1	-	1	2	6
1997.....	47	-	-	-	1	1	-	-	3	6	5
1996.....	33	-	-	-	-	-	2	-	2	1	6
1995.....	49	-	-	-	1	-	-	-	1	6	7
1994.....	36	-	-	-	-	1	-	-	2	4	7
1993.....	36	1	-	-	-	-	1	-	1	3	2
1992.....	41	-	-	-	-	-	1	-	1	7	3
1991.....	39	-	-	-	-	-	-	1	1	4	4
1990.....	37	-	-	-	-	-	-	-	1	-	3
1989.....	24	-	-	-	-	-	-	-	2	-	3
1988.....	45	1	-	-	-	-	-	-	2	4	4
1987.....	30	-	-	-	-	-	1	-	1	-	6
1986.....	36	-	-	-	-	-	-	-	1	2	3
1985.....	35	1	-	-	-	-	1	-	-	3	5
1984.....	47	-	-	-	-	-	2	-	1	4	1
1983.....	43	-	-	-	-	-	-	-	1	1	6
1982.....	32	-	-	-	-	-	1	-	1	2	2
1981.....	44	-	-	-	-	-	2	3	1	2	5
1980.....	50	-	-	-	-	1	2	-	4	2	1
1979.....	46	1	-	-	-	-	1	-	-	1	9
TOTAL, FEMALE											
1998.....	52	-	-	-	-	1	1	-	1	2	6
1997.....	47	-	-	-	1	1	-	-	3	6	5
1996.....	33	-	-	-	-	-	2	-	2	1	6
1995.....	49	-	-	-	1	-	-	-	1	6	7
1994.....	36	-	-	-	-	1	-	-	2	4	7
1993.....	36	1	-	-	-	-	1	-	1	3	2
1992.....	41	-	-	-	-	-	1	-	1	7	3
1991.....	39	-	-	-	-	-	-	1	1	4	4
1990.....	37	-	-	-	-	-	-	-	1	-	3
1989.....	24	-	-	-	-	-	-	-	2	-	3
1988.....	45	1	-	-	-	-	-	-	2	4	4
1987.....	30	-	-	-	-	-	1	-	1	-	6
1986.....	36	-	-	-	-	-	-	-	1	2	3
1985.....	35	1	-	-	-	-	1	-	-	3	5
1984.....	47	-	-	-	-	-	2	-	1	4	1
1983.....	43	-	-	-	-	-	-	-	1	1	6
1982.....	32	-	-	-	-	-	1	-	1	2	2
1981.....	44	-	-	-	-	-	2	3	1	2	5
1980.....	50	-	-	-	-	1	2	-	4	2	1
1979.....	46	1	-	-	-	-	1	-	-	1	9

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF FEMALE GENITAL ORGANS (218-221)											
WHITE, BOTH SEXES											
1998.....	30	-	-	-	-	1	1	-	-	-	2
1997.....	27	-	-	-	1	1	-	-	-	2	2
1996.....	21	-	-	-	-	-	1	-	-	-	2
1995.....	26	-	-	-	1	-	-	-	-	-	3
1994.....	12	-	-	-	-	-	-	-	1	1	-
1993.....	25	1	-	-	-	-	1	-	-	2	1
1992.....	24	-	-	-	-	-	-	-	1	2	1
1991.....	25	-	-	-	-	-	-	1	-	2	-
1990.....	28	-	-	-	-	-	-	-	1	-	2
1989.....	16	-	-	-	-	-	-	-	1	-	-
1988.....	31	1	-	-	-	-	-	-	1	2	2
1987.....	17	-	-	-	-	-	1	-	-	-	3
1986.....	18	-	-	-	-	-	-	-	-	-	1
1985.....	24	-	-	-	-	-	1	-	-	-	2
1984.....	31	-	-	-	-	-	2	-	1	-	1
1983.....	27	-	-	-	-	-	-	-	-	-	3
1982.....	20	-	-	-	-	-	-	-	-	-	2
1981.....	22	-	-	-	-	-	2	1	-	1	2
1980.....	29	-	-	-	-	1	2	-	1	2	1
1979.....	34	1	-	-	-	-	1	-	-	-	5
WHITE FEMALE											
1998.....	30	-	-	-	-	1	1	-	-	-	2
1997.....	27	-	-	-	1	1	-	-	-	2	2
1996.....	21	-	-	-	-	-	1	-	-	-	2
1995.....	26	-	-	-	1	-	-	-	-	-	3
1994.....	12	-	-	-	-	-	-	-	1	1	-
1993.....	25	1	-	-	-	-	1	-	-	2	1
1992.....	24	-	-	-	-	-	-	-	1	2	1
1991.....	25	-	-	-	-	-	-	1	-	2	-
1990.....	28	-	-	-	-	-	-	-	1	-	2
1989.....	16	-	-	-	-	-	-	-	1	-	-
1988.....	31	1	-	-	-	-	-	-	1	2	2
1987.....	17	-	-	-	-	-	1	-	-	-	3
1986.....	18	-	-	-	-	-	-	-	-	-	1
1985.....	24	-	-	-	-	-	1	-	-	-	2
1984.....	31	-	-	-	-	-	2	-	1	-	1
1983.....	27	-	-	-	-	-	-	-	-	-	3
1982.....	20	-	-	-	-	-	-	-	-	-	2
1981.....	22	-	-	-	-	-	2	1	-	1	2
1980.....	29	-	-	-	-	1	2	-	1	2	1
1979.....	34	1	-	-	-	-	1	-	-	-	5

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM (224-225)											
TOTAL, BOTH SEXES											
1998.....	980	2	1	-	-	4	3	3	11	11	19
1997.....	935	-	3	2	2	2	3	4	6	9	16
1996.....	948	3	5	4	-	5	2	1	9	11	21
1995.....	949	-	3	5	3	2	5	11	5	8	22
1994.....	921	1	8	1	3	2	1	3	8	16	19
1993.....	952	1	7	1	2	3	3	4	6	17	15
1992.....	875	1	12	1	2	3	1	7	3	12	19
1991.....	873	1	11	2	3	1	3	7	8	19	6
1990.....	896	1	8	4	3	3	6	7	10	12	18
1989.....	922	2	5	5	2	3	2	4	3	14	17
1988.....	909	7	4	1	3	1	3	6	4	10	12
1987.....	918	3	5	-	3	3	2	9	8	11	12
1986.....	845	5	5	-	3	8	6	6	5	13	12
1985.....	892	1	5	2	3	2	5	5	7	9	21
1984.....	890	1	5	1	1	1	2	6	14	9	15
1983.....	919	2	5	2	3	3	7	5	14	14	19
1982.....	946	2	2	3	4	-	11	7	8	17	15
1981.....	894	2	2	4	2	3	4	7	6	15	21
1980.....	879	2	1	1	3	3	5	12	14	12	21
1979.....	824	-	3	1	3	3	6	9	8	10	25
TOTAL, MALE											
1998.....	357	2	-	-	-	2	2	2	7	9	8
1997.....	330	-	-	1	1	1	1	1	4	6	5
1996.....	300	1	2	1	-	3	-	1	5	5	6
1995.....	333	-	1	2	-	1	3	9	4	4	8
1994.....	312	1	5	1	1	2	1	2	6	11	7
1993.....	330	1	5	-	1	2	1	2	1	8	7
1992.....	321	-	4	-	-	1	1	5	1	8	7
1991.....	289	1	6	-	2	-	1	4	5	8	5
1990.....	287	-	3	1	1	1	4	2	6	6	10
1989.....	321	1	2	3	1	2	-	3	3	6	1
1988.....	294	3	2	1	1	1	1	2	1	4	6
1987.....	331	2	1	-	1	1	1	4	4	6	1
1986.....	277	4	3	-	1	5	3	1	3	5	5
1985.....	299	1	1	1	1	-	2	2	3	4	10
1984.....	296	-	2	-	1	1	2	1	4	4	5
1983.....	320	1	3	2	1	3	4	3	8	2	10
1982.....	323	2	-	1	1	-	6	3	3	7	4
1981.....	309	2	1	3	1	2	2	5	3	7	10
1980.....	289	-	-	1	2	3	3	7	4	6	9
1979.....	303	-	2	1	3	2	4	5	3	6	9

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM (224-225)											
TOTAL, FEMALE											
1998.....	623	-	1	-	-	2	1	1	4	2	11
1997.....	605	-	3	1	1	1	2	3	2	3	11
1996.....	648	2	3	3	-	2	2	-	4	6	15
1995.....	616	-	2	3	3	1	2	2	1	4	14
1994.....	609	-	3	-	2	-	-	1	2	5	12
1993.....	622	-	2	1	1	1	2	2	5	9	8
1992.....	554	1	8	1	2	2	-	2	2	4	12
1991.....	584	-	5	2	1	1	2	3	3	11	1
1990.....	609	1	5	3	2	2	2	5	4	6	8
1989.....	601	1	3	2	1	1	2	1	-	8	16
1988.....	615	4	2	-	2	-	2	4	3	6	6
1987.....	587	1	4	-	2	2	1	5	4	5	11
1986.....	568	1	2	-	2	3	3	5	2	8	7
1985.....	593	-	4	1	2	2	3	3	4	5	11
1984.....	594	1	3	1	-	-	-	5	10	5	10
1983.....	599	1	2	-	2	-	3	2	6	12	9
1982.....	623	-	2	2	3	-	5	4	5	10	11
1981.....	585	-	1	1	1	1	2	2	3	8	11
1980.....	590	2	1	-	1	-	2	5	10	6	12
1979.....	521	-	1	-	-	1	2	4	5	4	16
WHITE, BOTH SEXES											
1998.....	827	2	-	-	-	3	2	3	8	10	13
1997.....	797	-	3	-	2	2	2	4	5	8	12
1996.....	806	3	5	2	-	3	2	-	8	9	17
1995.....	789	-	2	3	1	2	2	8	3	7	17
1994.....	788	1	4	-	3	1	1	3	5	13	13
1993.....	819	1	7	1	1	3	2	4	4	15	13
1992.....	738	1	11	-	2	3	1	5	2	10	15
1991.....	749	1	10	1	3	-	3	5	6	16	6
1990.....	757	-	7	4	2	2	4	6	8	8	14
1989.....	774	1	5	2	2	2	2	4	3	9	14
1988.....	768	6	3	1	3	-	2	4	2	8	10
1987.....	790	3	5	-	3	3	2	4	8	9	10
1986.....	698	3	3	-	3	5	6	4	3	13	9
1985.....	738	1	4	2	2	2	3	3	5	6	14
1984.....	764	1	4	1	1	-	2	6	10	8	11
1983.....	800	1	4	2	2	2	6	3	11	13	18
1982.....	795	2	2	3	4	-	9	6	7	13	11
1981.....	775	2	2	3	2	3	3	5	6	11	19
1980.....	752	2	1	1	3	3	4	12	12	9	17
1979.....	699	-	3	1	2	3	3	7	6	8	18

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM (224-225)											
WHITE MALE											
1998.....	309	2	-	-	-	2	2	2	5	8	8
1997.....	279	-	-	-	1	1	1	1	3	6	3
1996.....	259	1	2	1	-	1	-	-	4	3	4
1995.....	275	-	-	1	-	1	-	6	3	4	6
1994.....	258	1	2	-	1	1	1	2	4	10	6
1993.....	290	1	5	-	1	2	1	2	1	7	5
1992.....	263	-	3	-	-	1	1	3	1	7	5
1991.....	251	1	5	-	2	-	1	4	4	8	5
1990.....	245	-	3	1	-	1	2	2	5	5	7
1989.....	271	1	2	2	1	1	-	3	3	3	1
1988.....	250	2	1	1	1	-	-	2	-	3	4
1987.....	275	2	1	-	1	1	1	1	4	4	1
1986.....	228	3	2	-	1	3	3	-	2	5	4
1985.....	252	1	1	1	1	-	1	2	3	3	6
1984.....	253	-	2	-	1	-	2	1	4	3	3
1983.....	286	1	2	2	-	2	3	3	6	2	9
1982.....	271	2	-	1	1	-	6	2	3	5	3
1981.....	269	2	1	3	1	2	2	4	3	6	10
1980.....	247	-	-	1	2	3	2	7	4	5	7
1979.....	265	-	2	1	2	2	3	3	3	4	5
WHITE FEMALE											
1998.....	518	-	-	-	-	1	-	1	3	2	5
1997.....	518	-	3	-	1	1	1	3	2	2	9
1996.....	547	2	3	1	-	2	2	-	4	6	13
1995.....	514	-	2	2	1	1	2	2	-	3	11
1994.....	530	-	2	-	2	-	-	1	1	3	7
1993.....	529	-	2	1	-	1	1	2	3	8	8
1992.....	475	1	8	-	2	2	-	2	1	3	10
1991.....	498	-	5	1	1	-	2	1	2	8	1
1990.....	512	-	4	3	2	1	2	4	3	3	7
1989.....	503	-	3	-	1	1	2	1	-	6	13
1988.....	518	4	2	-	2	-	2	2	2	5	6
1987.....	515	1	4	-	2	2	1	3	4	5	9
1986.....	470	-	1	-	2	2	3	4	1	8	5
1985.....	486	-	3	1	1	2	2	1	2	3	8
1984.....	511	1	2	1	-	-	-	5	6	5	8
1983.....	514	-	2	-	2	-	3	-	5	11	9
1982.....	524	-	2	2	3	-	3	4	4	8	8
1981.....	506	-	1	-	1	1	1	1	3	5	9
1980.....	505	2	1	-	1	-	2	5	8	4	10
1979.....	434	-	1	-	-	1	-	4	3	4	13

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM (224-225)											
ALL OTHER, BOTH SEXES											
1998.....	153	-	1	-	-	1	1	-	3	1	6
1997.....	138	-	-	2	-	-	1	-	1	1	4
1996.....	142	-	-	2	-	2	-	1	1	2	4
1995.....	160	-	1	2	2	-	3	3	2	1	5
1994.....	133	-	4	1	-	1	-	-	3	3	6
1993.....	133	-	-	-	1	-	1	-	2	2	2
1992.....	137	-	1	1	-	-	-	2	1	2	4
1991.....	124	-	1	1	-	1	-	2	2	3	-
1990.....	139	1	1	-	1	1	2	1	2	4	4
1989.....	148	1	-	3	-	1	-	-	-	5	3
1988.....	141	1	1	-	-	1	1	2	2	2	2
1987.....	128	-	-	-	-	-	-	5	-	2	2
1986.....	147	2	2	-	-	3	-	2	2	-	3
1985.....	154	-	1	-	1	-	2	2	2	3	7
1984.....	126	-	1	-	-	1	-	-	4	1	4
1983.....	119	1	1	-	1	1	1	2	3	1	1
1982.....	151	-	-	-	-	-	2	1	1	4	4
1981.....	119	-	-	1	-	-	1	2	-	4	2
1980.....	127	-	-	-	-	-	1	-	2	3	4
1979.....	125	-	-	-	1	-	3	2	2	2	7
ALL OTHER MALE											
1998.....	48	-	-	-	-	-	-	-	2	1	-
1997.....	51	-	-	1	-	-	-	-	1	-	2
1996.....	41	-	-	-	-	2	-	1	1	2	2
1995.....	58	-	1	1	-	-	3	3	1	-	2
1994.....	54	-	3	1	-	1	-	-	2	1	1
1993.....	40	-	-	-	-	-	-	-	-	1	2
1992.....	58	-	1	-	-	-	-	2	-	1	2
1991.....	38	-	1	-	-	-	-	-	1	-	-
1990.....	42	-	-	-	1	-	2	-	1	1	3
1989.....	50	-	-	1	-	1	-	-	-	3	-
1988.....	44	1	1	-	-	1	1	-	1	1	2
1987.....	56	-	-	-	-	-	-	3	-	2	-
1986.....	49	1	1	-	-	2	-	1	1	-	1
1985.....	47	-	-	-	-	-	1	-	-	1	4
1984.....	43	-	-	-	-	1	-	-	-	1	2
1983.....	34	-	1	-	1	1	1	-	2	-	1
1982.....	52	-	-	-	-	-	-	1	-	2	1
1981.....	40	-	-	-	-	-	-	1	-	1	-
1980.....	42	-	-	-	-	-	1	-	-	1	2
1979.....	38	-	-	-	1	-	1	2	-	2	4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM (224-225)											
ALL OTHER FEMALE											
1998.....	105	-	1	-	-	1	1	-	1	-	6
1997.....	87	-	-	1	-	-	1	-	-	1	2
1996.....	101	-	-	2	-	-	-	-	-	-	2
1995.....	102	-	-	1	2	-	-	-	1	1	3
1994.....	79	-	1	-	-	-	-	-	1	2	5
1993.....	93	-	-	-	1	-	1	-	2	1	-
1992.....	79	-	-	1	-	-	-	-	1	1	2
1991.....	86	-	-	1	-	1	-	2	1	3	-
1990.....	97	1	1	-	-	1	-	1	1	3	1
1989.....	98	1	-	2	-	-	-	-	-	2	3
1988.....	97	-	-	-	-	-	-	2	1	1	-
1987.....	72	-	-	-	-	-	-	2	-	-	2
1986.....	98	1	1	-	-	1	-	1	1	-	2
1985.....	107	-	1	-	1	-	1	2	2	2	3
1984.....	83	-	1	-	-	-	-	-	4	-	2
1983.....	85	1	-	-	-	-	-	2	1	1	-
1982.....	99	-	-	-	-	-	2	-	1	2	3
1981.....	79	-	-	1	-	-	1	1	-	3	2
1980.....	85	-	-	-	-	-	-	-	2	2	2
1979.....	87	-	-	-	-	-	2	-	2	-	3
BLACK, BOTH SEXES											
1998.....	129	-	1	-	-	1	1	-	3	1	6
1997.....	129	-	-	2	-	-	1	-	-	1	4
1996.....	123	-	-	2	-	2	-	1	1	1	4
1995.....	133	-	1	1	2	-	2	3	2	1	3
1994.....	118	-	2	1	-	-	-	-	3	3	4
1993.....	119	-	-	-	1	-	-	-	2	2	2
1992.....	122	-	1	1	-	-	-	2	1	2	2
1991.....	117	-	1	1	-	1	-	2	2	2	-
1990.....	127	1	1	-	-	1	1	1	1	4	4
1989.....	133	1	-	3	-	1	-	-	-	5	1
1988.....	130	1	1	-	-	-	1	2	2	2	2
1987.....	121	-	-	-	-	-	-	5	-	2	2
1986.....	133	2	2	-	-	3	-	2	2	-	3
1985.....	144	-	-	-	1	-	2	2	2	3	6
1984.....	117	-	1	-	-	1	-	-	2	1	4
1983.....	105	-	1	-	1	-	1	2	2	1	1
1982.....	144	-	-	-	-	-	2	1	1	4	4
1981.....	108	-	-	1	-	-	1	1	-	4	1
1980.....	120	-	-	-	-	-	1	-	2	3	4
1979.....	111	-	-	-	1	-	3	1	2	2	7

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF EYE, BRAIN, AND OTHER PARTS OF NERVOUS SYSTEM (224-225)											
BLACK MALE											
1998.....	38	-	-	-	-	-	-	-	2	1	-
1997.....	46	-	-	1	-	-	-	-	-	-	2
1996.....	33	-	-	-	-	2	-	1	1	1	2
1995.....	49	-	1	1	-	-	2	3	1	-	2
1994.....	47	-	2	1	-	-	-	-	2	1	1
1993.....	37	-	-	-	-	-	-	-	-	1	2
1992.....	52	-	1	-	-	-	-	2	-	1	1
1991.....	36	-	1	-	-	-	-	-	1	-	-
1990.....	38	-	-	-	-	-	1	-	-	1	3
1989.....	45	-	-	1	-	1	-	-	-	3	-
1988.....	39	1	1	-	-	-	1	-	1	1	2
1987.....	51	-	-	-	-	-	-	3	-	2	-
1986.....	44	1	1	-	-	2	-	1	1	-	1
1985.....	46	-	-	-	-	-	1	-	-	1	4
1984.....	39	-	-	-	-	1	-	-	-	1	2
1983.....	30	-	1	-	1	-	1	-	2	-	1
1982.....	49	-	-	-	-	-	-	1	-	2	1
1981.....	37	-	-	-	-	-	-	-	-	1	-
1980.....	40	-	-	-	-	-	1	-	-	1	2
1979.....	32	-	-	-	1	-	1	1	-	2	4
BLACK FEMALE											
1998.....	91	-	1	-	-	1	1	-	1	-	6
1997.....	83	-	-	1	-	-	1	-	-	1	2
1996.....	90	-	-	2	-	-	-	-	-	-	2
1995.....	84	-	-	-	2	-	-	-	1	1	1
1994.....	71	-	-	-	-	-	-	-	1	2	3
1993.....	82	-	-	-	1	-	-	-	2	1	-
1992.....	70	-	-	1	-	-	-	-	1	1	1
1991.....	81	-	-	1	-	1	-	2	1	2	-
1990.....	89	1	1	-	-	1	-	1	1	3	1
1989.....	88	1	-	2	-	-	-	-	-	2	1
1988.....	91	-	-	-	-	-	-	2	1	1	-
1987.....	70	-	-	-	-	-	-	2	-	-	2
1986.....	89	1	1	-	-	1	-	1	1	-	2
1985.....	98	-	-	-	1	-	1	2	2	2	2
1984.....	78	-	1	-	-	-	-	-	2	-	2
1983.....	75	-	-	-	-	-	-	2	-	1	-
1982.....	95	-	-	-	-	-	2	-	1	2	3
1981.....	71	-	-	1	-	-	1	1	-	3	1
1980.....	80	-	-	-	-	-	-	-	2	2	2
1979.....	79	-	-	-	-	-	2	-	2	-	3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF ALL OTHER AND UNSPECIFIED SITES (210-217,222-223,226-229)											
TOTAL, BOTH SEXES											
1998.....	586	18	10	5	2	11	8	11	18	18	19
1997.....	594	25	13	6	4	8	12	13	13	8	28
1996.....	563	19	18	3	4	10	8	10	11	16	21
1995.....	501	26	9	8	5	8	9	9	14	12	18
1994.....	567	30	9	6	9	13	9	15	13	20	30
1993.....	511	16	17	7	1	4	5	12	12	20	21
1992.....	620	22	9	2	10	4	5	9	18	9	24
1991.....	518	20	11	2	3	10	9	7	13	13	12
1990.....	544	29	13	8	2	9	10	13	17	16	12
1989.....	510	12	15	4	3	8	5	7	10	15	16
1988.....	528	13	14	8	3	7	4	7	9	11	19
1987.....	495	15	10	3	4	5	8	14	12	12	19
1986.....	471	29	2	2	4	3	11	4	9	13	12
1985.....	519	20	10	3	1	8	3	9	6	14	9
1984.....	545	33	5	-	-	4	9	9	12	12	11
1983.....	556	19	10	5	1	-	11	7	11	16	15
1982.....	554	25	9	5	3	8	7	14	11	14	15
1981.....	545	16	7	3	2	4	3	11	15	19	20
1980.....	580	27	4	2	1	6	5	11	16	13	23
1979.....	561	19	8	7	1	6	11	9	20	16	18
TOTAL, MALE											
1998.....	262	7	4	2	-	2	5	4	7	7	7
1997.....	249	14	5	1	3	5	4	5	6	6	13
1996.....	278	10	9	1	2	8	4	6	6	5	8
1995.....	236	14	7	5	4	5	6	4	5	5	8
1994.....	258	19	4	4	4	7	1	2	6	13	17
1993.....	250	6	9	3	1	1	3	6	8	11	10
1992.....	301	16	7	2	7	3	2	5	10	4	12
1991.....	250	14	5	1	3	3	3	3	7	5	7
1990.....	253	14	8	2	-	6	5	7	8	10	8
1989.....	248	7	12	1	1	4	2	2	4	9	8
1988.....	247	6	5	5	1	5	1	2	6	5	9
1987.....	261	9	4	-	2	2	3	6	8	4	5
1986.....	233	15	1	-	3	-	6	1	5	8	7
1985.....	236	8	9	1	1	4	1	4	4	8	6
1984.....	256	18	1	-	-	2	4	6	4	7	8
1983.....	264	12	4	1	-	-	3	1	3	9	8
1982.....	291	15	3	3	-	4	5	9	8	6	8
1981.....	268	8	2	1	1	1	1	4	5	12	8
1980.....	273	16	2	1	-	4	4	2	8	6	11
1979.....	242	8	4	4	1	2	4	3	10	8	8

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF ALL OTHER AND UNSPECIFIED SITES (210-217,222-223,226-229)											
TOTAL, FEMALE											
1998.....	324	11	6	3	2	9	3	7	11	11	12
1997.....	345	11	8	5	1	3	8	8	7	2	15
1996.....	285	9	9	2	2	2	4	4	5	11	13
1995.....	265	12	2	3	1	3	3	5	9	7	10
1994.....	309	11	5	2	5	6	8	13	7	7	13
1993.....	261	10	8	4	-	3	2	6	4	9	11
1992.....	319	6	2	-	3	1	3	4	8	5	12
1991.....	268	6	6	1	-	7	6	4	6	8	5
1990.....	291	15	5	6	2	3	5	6	9	6	4
1989.....	262	5	3	3	2	4	3	5	6	6	8
1988.....	281	7	9	3	2	2	3	5	3	6	10
1987.....	234	6	6	3	2	3	5	8	4	8	14
1986.....	238	14	1	2	1	3	5	3	4	5	5
1985.....	283	12	1	2	-	4	2	5	2	6	3
1984.....	289	15	4	-	-	2	5	3	8	5	3
1983.....	292	7	6	4	1	-	8	6	8	7	7
1982.....	263	10	6	2	3	4	2	5	3	8	7
1981.....	277	8	5	2	1	3	2	7	10	7	12
1980.....	307	11	2	1	1	2	1	9	8	7	12
1979.....	319	11	4	3	-	4	7	6	10	8	10
WHITE, BOTH SEXES											
1998.....	483	10	8	5	1	10	8	10	14	15	15
1997.....	485	18	10	4	2	7	11	10	8	7	23
1996.....	438	17	9	3	3	7	5	6	4	10	14
1995.....	404	24	7	8	4	6	6	6	12	10	14
1994.....	472	21	6	5	7	12	7	12	11	16	23
1993.....	423	13	17	5	1	4	5	11	7	16	16
1992.....	512	16	7	-	10	3	4	8	15	8	17
1991.....	434	16	8	1	3	10	8	6	8	10	11
1990.....	447	22	8	6	1	8	7	7	14	11	9
1989.....	405	8	7	3	3	3	5	5	7	6	14
1988.....	419	10	10	5	1	5	3	3	6	8	19
1987.....	393	12	6	2	3	4	5	13	6	10	16
1986.....	393	25	1	2	3	1	8	3	7	11	10
1985.....	424	16	8	3	-	5	3	7	5	10	5
1984.....	439	26	2	-	-	4	8	6	8	9	10
1983.....	433	16	7	4	-	-	9	4	6	9	12
1982.....	447	14	5	3	1	6	6	10	9	11	10
1981.....	458	15	6	2	2	2	3	8	14	17	15
1980.....	464	24	2	1	1	3	4	10	13	10	19
1979.....	458	14	4	4	-	4	9	8	16	10	13

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF ALL OTHER AND UNSPECIFIED SITES (210-217,222-223,226-229)											
WHITE MALE											
1998.....	208	4	3	2	-	2	5	3	5	6	4
1997.....	200	9	3	1	1	4	4	3	5	5	12
1996.....	225	10	5	1	1	7	3	5	2	3	8
1995.....	191	13	5	5	3	4	4	2	5	4	5
1994.....	217	13	3	4	3	7	-	2	5	12	13
1993.....	204	4	9	2	1	1	3	6	4	9	7
1992.....	250	11	6	-	7	2	2	4	8	4	9
1991.....	206	11	4	-	3	3	3	3	3	3	7
1990.....	205	10	6	1	-	5	3	3	6	6	5
1989.....	189	5	6	1	1	-	2	1	4	4	7
1988.....	195	4	3	4	1	3	1	1	5	4	9
1987.....	201	8	2	-	2	1	2	6	4	3	3
1986.....	192	13	1	-	2	-	5	-	4	7	7
1985.....	190	6	7	1	-	2	1	3	4	6	4
1984.....	200	13	-	-	-	2	4	4	3	5	7
1983.....	202	10	3	-	-	-	2	-	1	6	7
1982.....	240	9	1	3	-	4	4	5	7	5	4
1981.....	225	7	1	1	1	1	1	3	5	11	6
1980.....	213	16	2	1	-	1	4	2	6	6	9
1979.....	193	6	2	3	-	2	4	3	6	5	3
WHITE FEMALE											
1998.....	275	6	5	3	1	8	3	7	9	9	11
1997.....	285	9	7	3	1	3	7	7	3	2	11
1996.....	213	7	4	2	2	-	2	1	2	7	6
1995.....	213	11	2	3	1	2	2	4	7	6	9
1994.....	255	8	3	1	4	5	7	10	6	4	10
1993.....	219	9	8	3	-	3	2	5	3	7	9
1992.....	262	5	1	-	3	1	2	4	7	4	8
1991.....	228	5	4	1	-	7	5	3	5	7	4
1990.....	242	12	2	5	1	3	4	4	8	5	4
1989.....	216	3	1	2	2	3	3	4	3	2	7
1988.....	224	6	7	1	-	2	2	2	1	4	10
1987.....	192	4	4	2	1	3	3	7	2	7	13
1986.....	201	12	-	2	1	1	3	3	3	4	3
1985.....	234	10	1	2	-	3	2	4	1	4	1
1984.....	239	13	2	-	-	2	4	2	5	4	3
1983.....	231	6	4	4	-	-	7	4	5	3	5
1982.....	207	5	4	-	1	2	2	5	2	6	6
1981.....	233	8	5	1	1	1	2	5	9	6	9
1980.....	251	8	-	-	1	2	-	8	7	4	10
1979.....	265	8	2	1	-	2	5	5	10	5	10

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF ALL OTHER AND UNSPECIFIED SITES (210-217,222-223,226-229)											
ALL OTHER, BOTH SEXES											
1998.....	103	8	2	-	1	1	-	1	4	3	4
1997.....	109	7	3	2	2	1	1	3	5	1	5
1996.....	125	2	9	-	1	3	3	4	7	6	7
1995.....	97	2	2	-	1	2	3	3	2	2	4
1994.....	95	9	3	1	2	1	2	3	2	4	7
1993.....	88	3	-	2	-	-	-	1	5	4	5
1992.....	108	6	2	2	-	1	1	1	3	1	7
1991.....	84	4	3	1	-	-	1	1	5	3	1
1990.....	97	7	5	2	1	1	3	6	3	5	3
1989.....	105	4	8	1	-	5	-	2	3	9	2
1988.....	109	3	4	3	2	2	1	4	3	3	-
1987.....	102	3	4	1	1	1	3	1	6	2	3
1986.....	78	4	1	-	1	2	3	1	2	2	2
1985.....	95	4	2	-	1	3	-	2	1	4	4
1984.....	106	7	3	-	-	-	1	3	4	3	1
1983.....	123	3	3	1	1	-	2	3	5	7	3
1982.....	107	11	4	2	2	2	1	4	2	3	5
1981.....	87	1	1	1	-	2	-	3	1	2	5
1980.....	116	3	2	1	-	3	1	1	3	3	4
1979.....	103	5	4	3	1	2	2	1	4	6	5
ALL OTHER MALE											
1998.....	54	3	1	-	-	-	-	1	2	1	3
1997.....	49	5	2	-	2	1	-	2	1	1	1
1996.....	53	-	4	-	1	1	1	1	4	2	-
1995.....	45	1	2	-	1	1	2	2	-	1	3
1994.....	41	6	1	-	1	-	1	-	1	1	4
1993.....	46	2	-	1	-	-	-	-	4	2	3
1992.....	51	5	1	2	-	1	-	1	2	-	3
1991.....	44	3	1	1	-	-	-	-	4	2	-
1990.....	48	4	2	1	-	1	2	4	2	4	3
1989.....	59	2	6	-	-	4	-	1	-	5	1
1988.....	52	2	2	1	-	2	-	1	1	1	-
1987.....	60	1	2	-	-	1	1	-	4	1	2
1986.....	41	2	-	-	1	-	1	1	1	1	-
1985.....	46	2	2	-	1	2	-	1	-	2	2
1984.....	56	5	1	-	-	-	-	2	1	2	1
1983.....	62	2	1	1	-	-	1	1	2	3	1
1982.....	51	6	2	-	-	-	1	4	1	1	4
1981.....	43	1	1	-	-	-	-	1	-	1	2
1980.....	60	-	-	-	-	3	-	-	2	-	2
1979.....	49	2	2	1	1	-	-	-	4	3	5

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	
0 OF ALL OTHER AND UNSPECIFIED SITES (210-217,222-223,226-229)												
ALL OTHER FEMALE												
1998.....	49	5	1	-	1	1	-	-	2	2	1	
1997.....	60	2	1	2	-	-	1	1	4	-	4	
1996.....	72	2	5	-	-	2	2	3	3	4	7	
1995.....	52	1	-	-	-	1	1	1	2	1	1	
1994.....	54	3	2	1	1	1	1	3	1	3	3	
1993.....	42	1	-	1	-	-	-	1	1	2	2	
1992.....	57	1	1	-	-	-	1	-	1	1	4	
1991.....	40	1	2	-	-	-	1	1	1	1	1	
1990.....	49	3	3	1	1	-	1	2	1	1	-	
1989.....	46	2	2	1	-	1	-	1	3	4	1	
1988.....	57	1	2	2	2	-	1	3	2	2	-	
1987.....	42	2	2	1	1	-	2	1	2	1	1	
1986.....	37	2	1	-	-	2	2	-	1	1	2	
1985.....	49	2	-	-	-	1	-	1	1	2	2	
1984.....	50	2	2	-	-	-	1	1	3	1	-	
1983.....	61	1	2	-	1	-	1	2	3	4	2	
1982.....	56	5	2	2	2	2	-	-	1	2	1	
1981.....	44	-	-	1	-	2	-	2	1	1	3	
1980.....	56	3	2	1	-	-	1	1	1	3	2	
1979.....	54	3	2	2	-	2	2	1	-	3	-	
BLACK, BOTH SEXES												
1998.....	87	7	2	-	1	1	-	1	4	2	4	
1997.....	93	5	3	1	2	1	-	2	5	1	3	
1996.....	112	2	9	-	1	3	2	4	6	6	6	
1995.....	86	1	2	-	1	1	3	2	2	1	3	
1994.....	80	5	3	1	1	-	2	2	2	4	7	
1993.....	79	3	-	1	-	-	-	1	5	4	5	
1992.....	93	6	2	2	-	1	-	1	2	-	5	
1991.....	71	4	3	1	-	-	1	1	3	2	-	
1990.....	81	7	4	2	1	1	3	6	3	4	2	
1989.....	90	4	5	1	-	5	-	2	3	8	2	
1988.....	99	1	4	3	2	2	1	2	3	3	-	
1987.....	93	3	4	1	1	1	2	1	5	2	3	
1986.....	71	3	1	-	1	1	2	1	1	1	2	
1985.....	91	4	2	-	1	3	-	2	-	4	4	
1984.....	91	4	3	-	-	-	1	3	3	3	1	
1983.....	118	3	3	1	1	-	2	3	5	7	3	
1982.....	98	8	4	2	2	2	1	4	2	3	3	
1981.....	82	1	1	1	-	2	-	3	1	2	5	
1980.....	103	2	2	1	-	3	1	1	1	3	4	
1979.....	99	5	4	2	1	2	2	1	3	6	5	

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF ALL OTHER AND UNSPECIFIED SITES (210-217,222-223,226-229)											
BLACK MALE											
1998.....	43	3	1	-	-	-	-	1	2	1	3
1997.....	42	3	2	-	2	1	-	1	1	1	1
1996.....	45	-	4	-	1	1	-	1	4	2	-
1995.....	41	-	2	-	1	1	2	2	-	1	2
1994.....	34	4	1	-	-	-	1	-	1	1	4
1993.....	42	2	-	1	-	-	-	-	4	2	3
1992.....	43	5	1	2	-	1	1	1	1	-	2
1991.....	37	3	1	1	-	-	-	-	2	1	-
1990.....	41	4	2	1	-	1	2	4	2	4	2
1989.....	50	2	3	-	-	4	-	1	-	4	1
1988.....	47	1	2	1	-	2	-	1	1	1	-
1987.....	55	1	2	-	-	1	1	-	4	1	2
1986.....	36	1	-	-	1	-	-	1	-	1	-
1985.....	45	2	2	-	1	2	-	1	-	2	2
1984.....	47	3	1	-	-	-	-	2	1	2	1
1983.....	60	2	1	1	-	-	1	1	2	3	1
1982.....	46	5	2	-	-	-	1	4	1	1	2
1981.....	39	1	1	-	-	-	-	1	-	1	2
1980.....	52	-	-	-	-	3	-	-	1	-	2
1979.....	46	2	2	-	1	-	-	-	3	3	5
BLACK FEMALE											
1998.....	44	4	1	-	1	1	-	-	2	1	1
1997.....	51	2	1	1	-	-	-	1	4	-	2
1996.....	67	2	5	-	-	2	2	3	2	4	6
1995.....	45	1	-	-	-	-	1	-	2	-	1
1994.....	46	1	2	1	1	-	1	2	1	3	3
1993.....	37	1	-	-	-	-	-	1	1	2	2
1992.....	50	1	1	-	-	-	-	-	1	-	3
1991.....	34	1	2	-	-	-	1	1	1	1	-
1990.....	40	3	2	1	1	-	1	2	1	-	-
1989.....	40	2	2	1	-	1	-	1	3	4	1
1988.....	52	-	2	2	2	-	1	1	2	2	-
1987.....	38	2	2	1	1	-	1	1	1	1	1
1986.....	35	2	1	-	-	1	2	-	1	-	2
1985.....	46	2	-	-	-	1	-	1	-	2	2
1984.....	44	1	2	-	-	-	1	1	2	1	-
1983.....	58	1	2	-	1	-	1	2	3	4	2
1982.....	52	3	2	2	2	2	-	-	1	2	1
1981.....	43	-	-	1	-	2	-	2	1	1	3
1980.....	51	2	2	1	-	-	1	1	-	3	2
1979.....	53	3	2	2	-	2	2	1	-	3	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 CARCINOMA IN SITU (230-234)											
TOTAL, FEMALE											
1998.....	4	-	-	-	-	-	-	-	-	-	-
1997.....	3	-	-	-	-	-	-	-	-	1	-
1996.....	7	-	-	-	-	-	-	-	-	-	-
1995.....	3	-	-	-	-	-	-	-	-	-	-
1994.....	6	-	-	-	-	-	-	-	-	-	-
1993.....	5	-	-	-	-	-	-	-	-	-	-
1992.....	3	-	-	-	-	-	-	-	-	1	-
1991.....	6	-	-	-	-	-	-	-	1	-	-
1990.....	10	-	-	-	-	-	-	-	-	-	-
1989.....	5	-	-	-	-	-	-	-	-	-	-
1988.....	6	-	-	-	-	-	-	1	-	-	-
1987.....	2	-	-	-	-	-	-	-	-	-	-
1986.....	9	-	-	-	-	-	-	-	-	-	-
1985.....	6	-	-	-	-	-	-	-	-	-	-
1984.....	10	-	-	-	-	-	-	-	-	1	-
1983.....	6	-	-	-	-	-	-	-	1	-	-
1982.....	4	-	-	-	-	-	-	-	1	-	-
1981.....	8	-	-	-	-	-	-	-	-	-	1
1980.....	7	-	-	-	-	-	-	-	-	-	-
1979.....	5	-	-	-	-	-	-	1	1	-	-
WHITE, BOTH SEXES											
1998.....	11	-	-	-	-	-	-	-	-	-	-
1997.....	7	-	-	-	-	-	-	-	-	-	-
1996.....	13	-	-	-	-	-	-	-	-	-	-
1995.....	6	-	-	-	-	-	-	-	-	-	-
1994.....	7	-	-	-	-	-	-	-	-	-	-
1993.....	9	-	-	-	-	-	-	-	-	-	-
1992.....	4	-	-	-	-	-	-	-	1	1	-
1991.....	8	-	-	-	-	-	-	-	1	-	-
1990.....	10	-	-	-	-	-	-	-	-	-	-
1989.....	10	-	-	-	-	1	-	-	-	1	-
1988.....	8	-	-	-	-	-	-	1	-	-	-
1987.....	7	-	-	-	-	-	-	-	-	-	-
1986.....	11	-	-	-	-	-	-	-	-	-	-
1985.....	6	-	-	-	-	-	-	1	-	-	-
1984.....	10	-	-	-	-	-	-	-	-	1	-
1983.....	7	-	-	-	-	-	-	-	1	-	-
1982.....	5	-	-	-	-	-	-	-	-	-	-
1981.....	9	-	-	-	-	-	-	-	-	-	-
1980.....	8	-	-	-	-	-	-	-	-	-	-
1979.....	6	-	-	-	-	-	-	1	-	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 CARCINOMA IN SITU (230-234)											
WHITE MALE											
1998.....	7	-	-	-	-	-	-	-	-	-	-
1997.....	6	-	-	-	-	-	-	-	-	-	-
1996.....	7	-	-	-	-	-	-	-	-	-	-
1995.....	3	-	-	-	-	-	-	-	-	-	-
1994.....	3	-	-	-	-	-	-	-	-	-	-
1993.....	5	-	-	-	-	-	-	-	-	-	-
1992.....	2	-	-	-	-	-	-	-	1	-	-
1991.....	4	-	-	-	-	-	-	-	-	-	-
1990.....	1	-	-	-	-	-	-	-	-	-	-
1989.....	5	-	-	-	-	1	-	-	-	1	-
1988.....	3	-	-	-	-	-	-	-	-	-	-
1987.....	5	-	-	-	-	-	-	-	-	-	-
1986.....	3	-	-	-	-	-	-	-	-	-	-
1985.....	1	-	-	-	-	-	-	1	-	-	-
1984.....	1	-	-	-	-	-	-	-	-	-	-
1983.....	2	-	-	-	-	-	-	-	-	-	-
1982.....	2	-	-	-	-	-	-	-	-	-	-
1981.....	3	-	-	-	-	-	-	-	-	-	-
1980.....	3	-	-	-	-	-	-	-	-	-	-
1979.....	2	-	-	-	-	-	-	-	-	-	-
WHITE FEMALE											
1998.....	4	-	-	-	-	-	-	-	-	-	-
1997.....	1	-	-	-	-	-	-	-	-	-	-
1996.....	6	-	-	-	-	-	-	-	-	-	-
1995.....	3	-	-	-	-	-	-	-	-	-	-
1994.....	4	-	-	-	-	-	-	-	-	-	-
1993.....	4	-	-	-	-	-	-	-	-	-	-
1992.....	2	-	-	-	-	-	-	-	-	1	-
1991.....	4	-	-	-	-	-	-	-	1	-	-
1990.....	9	-	-	-	-	-	-	-	-	-	-
1989.....	5	-	-	-	-	-	-	-	-	-	-
1988.....	5	-	-	-	-	-	-	1	-	-	-
1987.....	2	-	-	-	-	-	-	-	-	-	-
1986.....	8	-	-	-	-	-	-	-	-	-	-
1985.....	5	-	-	-	-	-	-	-	-	-	-
1984.....	9	-	-	-	-	-	-	-	-	1	-
1983.....	5	-	-	-	-	-	-	-	1	-	-
1982.....	3	-	-	-	-	-	-	-	-	-	-
1981.....	6	-	-	-	-	-	-	-	-	-	-
1980.....	5	-	-	-	-	-	-	-	-	-	-
1979.....	4	-	-	-	-	-	-	1	-	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 CARCINOMA IN SITU (230-234)											
ALL OTHER FEMALE											
1997.....	2	-	-	-	-	-	-	-	-	1	-
1996.....	1	-	-	-	-	-	-	-	-	-	-
1994.....	2	-	-	-	-	-	-	-	-	-	-
1993.....	1	-	-	-	-	-	-	-	-	-	-
1992.....	1	-	-	-	-	-	-	-	-	-	-
1991.....	2	-	-	-	-	-	-	-	-	-	-
1990.....	1	-	-	-	-	-	-	-	-	-	-
1988.....	1	-	-	-	-	-	-	-	-	-	-
1986.....	1	-	-	-	-	-	-	-	-	-	-
1985.....	1	-	-	-	-	-	-	-	-	-	-
1984.....	1	-	-	-	-	-	-	-	-	-	-
1983.....	1	-	-	-	-	-	-	-	-	-	-
1982.....	1	-	-	-	-	-	-	1	-	-	-
1981.....	2	-	-	-	-	-	-	-	-	-	1
1980.....	2	-	-	-	-	-	-	-	-	-	-
1979.....	1	-	-	-	-	-	-	1	-	-	-
BLACK, BOTH SEXES											
1997.....	2	-	-	-	-	-	-	-	-	1	-
1996.....	1	-	-	-	-	-	-	-	-	-	-
1995.....	3	-	-	-	-	-	-	-	-	-	-
1994.....	2	-	-	-	-	-	-	-	-	-	-
1993.....	1	-	-	-	-	-	-	-	-	-	-
1992.....	2	-	-	-	-	-	-	-	-	-	-
1991.....	2	-	-	-	-	-	-	-	-	-	-
1990.....	1	-	-	-	-	-	-	-	-	-	-
1988.....	2	-	-	-	-	-	-	-	-	-	-
1987.....	3	-	-	-	-	-	-	-	-	-	-
1986.....	1	-	-	-	-	-	-	-	-	-	-
1985.....	1	-	-	-	-	-	-	-	-	-	-
1984.....	1	-	-	-	-	-	-	-	-	-	-
1983.....	1	-	-	-	-	-	-	-	-	-	-
1982.....	1	-	-	-	-	-	-	1	-	-	-
1981.....	3	-	-	-	-	-	-	-	-	-	1
1980.....	3	-	-	-	-	-	-	-	-	-	-
1979.....	1	-	-	-	-	-	-	1	-	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 CARCINOMA IN SITU (230-234)											
BLACK MALE											
1997.....	1	-	-	-	-	-	-	-	-	-	-
1996.....	1	-	-	-	-	-	-	-	-	-	-
1995.....	3	-	-	-	-	-	-	-	-	-	-
1992.....	1	-	-	-	-	-	-	-	-	-	-
1991.....	1	-	-	-	-	-	-	-	-	-	-
1988.....	1	-	-	-	-	-	-	-	-	-	-
1987.....	3	-	-	-	-	-	-	-	-	-	-
1981.....	1	-	-	-	-	-	-	-	-	-	-
1980.....	1	-	-	-	-	-	-	-	-	-	-
BLACK FEMALE											
1997.....	1	-	-	-	-	-	-	-	-	1	-
1994.....	2	-	-	-	-	-	-	-	-	-	-
1993.....	1	-	-	-	-	-	-	-	-	-	-
1992.....	1	-	-	-	-	-	-	-	-	-	-
1991.....	1	-	-	-	-	-	-	-	-	-	-
1990.....	1	-	-	-	-	-	-	-	-	-	-
1988.....	1	-	-	-	-	-	-	-	-	-	-
1986.....	1	-	-	-	-	-	-	-	-	-	-
1985.....	1	-	-	-	-	-	-	-	-	-	-
1984.....	1	-	-	-	-	-	-	-	-	-	-
1983.....	1	-	-	-	-	-	-	-	-	-	-
1982.....	1	-	-	-	-	-	-	-	1	-	-
1981.....	2	-	-	-	-	-	-	-	-	-	1
1980.....	2	-	-	-	-	-	-	-	-	-	-
1979.....	1	-	-	-	-	-	-	-	1	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF BREAST AND GENITOURINARY SYSTEM (233)											
TOTAL, FEMALE											
1998.....	2	-	-	-	-	-	-	-	-	-	-
1997.....	2	-	-	-	-	-	-	-	-	1	-
1996.....	3	-	-	-	-	-	-	-	-	-	-
1994.....	1	-	-	-	-	-	-	-	-	-	-
1993.....	1	-	-	-	-	-	-	-	-	-	-
1992.....	2	-	-	-	-	-	-	-	-	1	-
1991.....	2	-	-	-	-	-	-	-	-	-	-
1990.....	7	-	-	-	-	-	-	-	-	-	-
1989.....	3	-	-	-	-	-	-	-	-	-	-
1988.....	3	-	-	-	-	-	-	1	-	-	-
1986.....	4	-	-	-	-	-	-	-	-	-	-
1984.....	3	-	-	-	-	-	-	-	-	-	-
1983.....	2	-	-	-	-	-	-	-	-	-	-
1982.....	2	-	-	-	-	-	-	-	1	-	-
1981.....	4	-	-	-	-	-	-	-	-	-	1
1980.....	6	-	-	-	-	-	-	-	-	-	-
1979.....	4	-	-	-	-	-	-	1	1	-	-
WHITE, BOTH SEXES											
1998.....	3	-	-	-	-	-	-	-	-	-	-
1997.....	2	-	-	-	-	-	-	-	-	-	-
1996.....	3	-	-	-	-	-	-	-	-	-	-
1995.....	1	-	-	-	-	-	-	-	-	-	-
1994.....	1	-	-	-	-	-	-	-	-	-	-
1993.....	4	-	-	-	-	-	-	-	-	-	-
1992.....	1	-	-	-	-	-	-	-	-	1	-
1991.....	3	-	-	-	-	-	-	-	-	-	-
1990.....	6	-	-	-	-	-	-	-	-	-	-
1989.....	5	-	-	-	-	-	-	-	-	-	-
1988.....	4	-	-	-	-	-	-	1	-	-	-
1987.....	2	-	-	-	-	-	-	-	-	-	-
1986.....	4	-	-	-	-	-	-	-	-	-	-
1984.....	2	-	-	-	-	-	-	-	-	-	-
1983.....	2	-	-	-	-	-	-	-	-	-	-
1982.....	1	-	-	-	-	-	-	-	-	-	-
1981.....	2	-	-	-	-	-	-	-	-	-	-
1980.....	4	-	-	-	-	-	-	-	-	-	-
1979.....	4	-	-	-	-	-	-	1	-	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF BREAST AND GENITOURINARY SYSTEM (233)											
WHITE MALE											
1998.....	1	-	-	-	-	-	-	-	-	-	-
1997.....	1	-	-	-	-	-	-	-	-	-	-
1996.....	1	-	-	-	-	-	-	-	-	-	-
1995.....	1	-	-	-	-	-	-	-	-	-	-
1993.....	3	-	-	-	-	-	-	-	-	-	-
1991.....	1	-	-	-	-	-	-	-	-	-	-
1989.....	2	-	-	-	-	-	-	-	-	-	-
1988.....	1	-	-	-	-	-	-	-	-	-	-
1987.....	2	-	-	-	-	-	-	-	-	-	-
1983.....	1	-	-	-	-	-	-	-	-	-	-
1979.....	1	-	-	-	-	-	-	-	-	-	-
WHITE FEMALE											
1998.....	2	-	-	-	-	-	-	-	-	-	-
1997.....	1	-	-	-	-	-	-	-	-	-	-
1996.....	2	-	-	-	-	-	-	-	-	-	-
1994.....	1	-	-	-	-	-	-	-	-	-	-
1993.....	1	-	-	-	-	-	-	-	-	-	-
1992.....	1	-	-	-	-	-	-	-	-	1	-
1991.....	2	-	-	-	-	-	-	-	-	-	-
1990.....	6	-	-	-	-	-	-	-	-	-	-
1989.....	3	-	-	-	-	-	-	-	-	-	-
1988.....	3	-	-	-	-	-	-	1	-	-	-
1986.....	4	-	-	-	-	-	-	-	-	-	-
1984.....	2	-	-	-	-	-	-	-	-	-	-
1983.....	1	-	-	-	-	-	-	-	-	-	-
1982.....	1	-	-	-	-	-	-	-	-	-	-
1981.....	2	-	-	-	-	-	-	-	-	-	-
1980.....	4	-	-	-	-	-	-	-	-	-	-
1979.....	3	-	-	-	-	-	-	1	-	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 OF BREAST AND GENITOURINARY SYSTEM (233)											
ALL OTHER, BOTH SEXES											
1997.....	1	-	-	-	-	-	-	-	-	1	-
1996.....	1	-	-	-	-	-	-	-	-	-	-
1992.....	2	-	-	-	-	-	-	-	-	-	-
1990.....	1	-	-	-	-	-	-	-	-	-	-
1984.....	1	-	-	-	-	-	-	-	-	-	-
1983.....	1	-	-	-	-	-	-	-	-	-	-
1982.....	1	-	-	-	-	-	-	-	1	-	-
1981.....	2	-	-	-	-	-	-	-	-	-	1
1980.....	2	-	-	-	-	-	-	-	-	-	-
1979.....	1	-	-	-	-	-	-	-	1	-	-
ALL OTHER MALE											
1992.....	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER FEMALE											
1997.....	1	-	-	-	-	-	-	-	-	1	-
1996.....	1	-	-	-	-	-	-	-	-	-	-
1992.....	1	-	-	-	-	-	-	-	-	-	-
1990.....	1	-	-	-	-	-	-	-	-	-	-
1984.....	1	-	-	-	-	-	-	-	-	-	-
1983.....	1	-	-	-	-	-	-	-	-	-	-
1982.....	1	-	-	-	-	-	-	-	1	-	-
1981.....	2	-	-	-	-	-	-	-	-	-	1
1980.....	2	-	-	-	-	-	-	-	-	-	-
1979.....	1	-	-	-	-	-	-	-	1	-	-
BLACK, BOTH SEXES											
1997.....	1	-	-	-	-	-	-	-	-	1	-
1992.....	2	-	-	-	-	-	-	-	-	-	-
1990.....	1	-	-	-	-	-	-	-	-	-	-
1984.....	1	-	-	-	-	-	-	-	-	-	-
1983.....	1	-	-	-	-	-	-	-	-	-	-
1982.....	1	-	-	-	-	-	-	-	1	-	-
1981.....	2	-	-	-	-	-	-	-	-	-	1
1980.....	2	-	-	-	-	-	-	-	-	-	-
1979.....	1	-	-	-	-	-	-	-	1	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR		RACE, AND SEX: UNITED STATES, 1979-98										
		TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
		YEAR	YEAR	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS	YEARS
0 OF BREAST AND GENITOURINARY SYSTEM (233)												
BLACK MALE												
1992.....		1	-	-	-	-	-	-	-	-	-	-
BLACK FEMALE												
1997.....		1	-	-	-	-	-	-	-	-	1	-
1992.....		1	-	-	-	-	-	-	-	-	-	-
1990.....		1	-	-	-	-	-	-	-	-	-	-
1984.....		1	-	-	-	-	-	-	-	-	-	-
1983.....		1	-	-	-	-	-	-	-	-	-	-
1982.....		1	-	-	-	-	-	-	-	1	-	-
1981.....		2	-	-	-	-	-	-	-	-	-	1
1980.....		2	-	-	-	-	-	-	-	-	-	-
1979.....		1	-	-	-	-	-	-	-	1	-	-

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 NEOPLASMS OF UNCERTAIN BEHAVIOR (235-238)											
TOTAL, BOTH SEXES											
1998.....	1,849	17	5	7	8	14	18	15	16	21	40
1997.....	1,816	17	12	5	5	13	16	12	17	21	30
1996.....	1,788	17	5	6	4	9	9	10	17	27	31
1995.....	1,844	23	7	4	5	11	13	20	27	28	28
1994.....	1,758	9	11	5	7	7	12	17	28	25	38
1993.....	1,773	24	10	3	5	8	8	15	29	37	23
1992.....	1,687	12	8	6	5	12	20	16	18	20	28
1991.....	1,766	16	12	3	4	13	16	13	25	28	26
1990.....	1,580	16	8	6	5	13	7	19	24	27	23
1989.....	1,662	14	12	7	4	14	12	15	21	27	42
1988.....	1,538	22	10	6	10	8	8	22	24	15	17
1987.....	1,446	20	6	1	4	10	14	16	15	25	16
1986.....	1,449	17	7	1	9	10	17	24	18	23	20
1985.....	1,436	13	8	2	10	17	10	21	20	24	23
1984.....	1,404	17	4	6	8	15	9	26	23	17	31
1983.....	1,456	8	4	7	7	12	16	24	21	26	19
1982.....	1,345	14	11	7	6	12	13	21	16	20	22
1981.....	1,288	12	12	6	8	10	21	21	20	9	25
1980.....	1,257	16	13	8	18	15	20	26	16	24	28
1979.....	1,229	9	7	8	9	14	24	24	16	22	26
TOTAL, MALE											
1998.....	891	7	5	5	4	6	12	12	9	8	24
1997.....	865	9	11	1	3	9	10	7	10	8	16
1996.....	839	5	2	2	2	7	7	6	8	16	16
1995.....	852	11	5	1	4	5	7	10	13	16	20
1994.....	863	2	8	4	2	5	5	4	17	14	24
1993.....	866	12	5	-	2	5	5	8	13	21	10
1992.....	798	6	5	3	3	3	8	10	8	9	15
1991.....	833	5	8	3	3	8	8	7	11	13	16
1990.....	741	7	3	5	1	9	2	8	10	14	8
1989.....	821	6	5	3	2	8	9	14	10	15	19
1988.....	740	6	5	4	3	6	5	9	9	7	5
1987.....	741	6	3	1	3	5	8	13	3	14	8
1986.....	730	7	6	1	7	4	9	18	9	14	11
1985.....	668	3	6	1	4	9	6	12	10	10	11
1984.....	710	4	1	3	2	6	3	20	14	10	19
1983.....	753	4	1	5	5	8	9	10	12	15	15
1982.....	680	3	5	4	3	6	8	12	8	10	12
1981.....	664	4	9	1	5	5	11	9	16	6	15
1980.....	633	7	10	2	12	7	11	14	6	12	19
1979.....	588	1	3	2	3	8	14	15	7	14	9

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 NEOPLASMS OF UNCERTAIN BEHAVIOR (235-238)											
TOTAL, FEMALE											
1998.....	958	10	-	2	4	8	6	3	7	13	16
1997.....	951	8	1	4	2	4	6	5	7	13	14
1996.....	949	12	3	4	2	2	2	4	9	11	15
1995.....	992	12	2	3	1	6	6	10	14	12	8
1994.....	895	7	3	1	5	2	7	13	11	11	14
1993.....	907	12	5	3	3	3	3	7	16	16	13
1992.....	889	6	3	3	2	9	12	6	10	11	13
1991.....	933	11	4	-	1	5	8	6	14	15	10
1990.....	839	9	5	1	4	4	5	11	14	13	15
1989.....	841	8	7	4	2	6	3	1	11	12	23
1988.....	798	16	5	2	7	2	3	13	15	8	12
1987.....	705	14	3	-	1	5	6	3	12	11	8
1986.....	719	10	1	-	2	6	8	6	9	9	9
1985.....	768	10	2	1	6	8	4	9	10	14	12
1984.....	694	13	3	3	6	9	6	6	9	7	12
1983.....	703	4	3	2	2	4	7	14	9	11	4
1982.....	665	11	6	3	3	6	5	9	8	10	10
1981.....	624	8	3	5	3	5	10	12	4	3	10
1980.....	624	9	3	6	6	8	9	12	10	12	9
1979.....	641	8	4	6	6	6	10	9	9	8	17
WHITE, BOTH SEXES											
1998.....	1,667	14	4	5	5	7	14	11	10	14	30
1997.....	1,641	12	12	3	2	8	11	11	13	18	24
1996.....	1,629	14	3	6	4	6	8	6	11	23	27
1995.....	1,648	21	3	3	3	8	7	17	21	24	18
1994.....	1,569	7	9	5	4	6	8	13	22	17	28
1993.....	1,599	18	10	3	3	8	7	14	20	26	16
1992.....	1,503	9	6	4	3	9	16	13	12	19	24
1991.....	1,605	11	9	3	3	9	12	9	16	22	22
1990.....	1,411	15	8	6	5	10	5	17	21	18	13
1989.....	1,503	9	8	4	4	7	10	14	18	23	36
1988.....	1,392	20	6	6	6	8	6	19	19	13	14
1987.....	1,331	19	5	-	2	10	10	13	13	18	14
1986.....	1,314	13	5	1	6	8	16	21	16	18	18
1985.....	1,308	13	6	1	7	14	8	17	14	20	20
1984.....	1,260	14	3	4	6	12	7	19	18	17	25
1983.....	1,345	6	2	5	6	12	16	23	17	22	13
1982.....	1,211	13	10	5	3	11	9	18	13	15	18
1981.....	1,170	10	8	6	6	10	11	16	16	9	22
1980.....	1,139	13	9	5	13	13	18	22	12	21	25
1979.....	1,118	8	6	6	7	10	20	23	12	18	21

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 NEOPLASMS OF UNCERTAIN BEHAVIOR (235-238)											
WHITE MALE											
1998.....	793	4	4	4	3	3	10	8	4	5	17
1997.....	774	5	11	1	2	6	7	7	9	8	12
1996.....	767	4	2	2	2	4	7	3	6	13	15
1995.....	758	10	3	1	2	4	4	8	12	13	12
1994.....	777	1	6	4	2	5	3	3	15	9	17
1993.....	781	9	5	-	2	5	5	8	7	14	7
1992.....	711	4	4	2	2	2	5	8	6	9	14
1991.....	760	2	7	3	2	5	7	5	7	10	13
1990.....	664	6	3	5	1	6	-	7	8	10	4
1989.....	748	4	4	3	2	2	7	13	9	14	17
1988.....	680	5	3	4	2	6	4	7	7	6	5
1987.....	675	6	3	-	2	5	6	11	3	9	8
1986.....	661	5	4	1	4	2	8	15	8	11	11
1985.....	615	3	5	1	1	7	5	10	6	9	9
1984.....	627	4	1	3	1	5	1	14	9	10	15
1983.....	695	4	1	3	5	8	9	10	11	13	10
1982.....	614	3	4	2	1	6	5	12	7	7	10
1981.....	608	4	6	1	5	5	7	6	14	6	13
1980.....	572	6	6	2	8	6	11	11	4	11	17
1979.....	539	1	2	2	3	7	12	14	5	11	6
WHITE FEMALE											
1998.....	874	10	-	1	2	4	4	3	6	9	13
1997.....	867	7	1	2	-	2	4	4	4	10	12
1996.....	862	10	1	4	2	2	1	3	5	10	12
1995.....	890	11	-	2	1	4	3	9	9	11	6
1994.....	792	6	3	1	2	1	5	10	7	8	11
1993.....	818	9	5	3	1	3	2	6	13	12	9
1992.....	792	5	2	2	1	7	11	5	6	10	10
1991.....	845	9	2	-	1	4	5	4	9	12	9
1990.....	747	9	5	1	4	4	5	10	13	8	9
1989.....	755	5	4	1	2	5	3	1	9	9	19
1988.....	712	15	3	2	4	2	2	12	12	7	9
1987.....	656	13	2	-	-	5	4	2	10	9	6
1986.....	653	8	1	-	2	6	8	6	8	7	7
1985.....	693	10	1	-	6	7	3	7	8	11	11
1984.....	633	10	2	1	5	7	6	5	9	7	10
1983.....	650	2	1	2	1	4	7	13	6	9	3
1982.....	597	10	6	3	2	5	4	6	6	8	8
1981.....	562	6	2	5	1	5	4	10	2	3	9
1980.....	567	7	3	3	5	7	7	11	8	10	8
1979.....	579	7	4	4	4	3	8	9	7	7	15

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 NEOPLASMS OF UNCERTAIN BEHAVIOR (235-238)											
ALL OTHER, BOTH SEXES											
1998.....	182	3	1	2	3	7	4	4	6	7	10
1997.....	175	5	-	2	3	5	5	1	4	3	6
1996.....	159	3	2	-	-	3	1	4	6	4	4
1995.....	196	2	4	1	2	3	6	3	6	4	10
1994.....	189	2	2	-	3	1	4	4	6	8	10
1993.....	174	6	-	-	2	-	1	1	9	11	7
1992.....	184	3	2	2	2	3	4	3	6	1	4
1991.....	161	5	3	-	1	4	4	4	9	6	4
1990.....	169	1	-	-	-	3	2	2	3	9	10
1989.....	159	5	4	3	-	7	2	1	3	4	6
1988.....	146	2	4	-	4	-	2	3	5	2	3
1987.....	115	1	1	1	2	-	4	3	2	7	2
1986.....	135	4	2	-	3	2	1	3	2	5	2
1985.....	128	-	2	1	3	3	2	4	6	4	3
1984.....	144	3	1	2	2	3	2	7	5	-	6
1983.....	111	2	2	2	1	-	-	1	4	4	6
1982.....	134	1	1	2	3	1	4	3	3	5	4
1981.....	118	2	4	-	2	-	10	5	4	-	3
1980.....	118	3	4	3	5	2	2	4	4	3	3
1979.....	111	1	1	2	2	4	4	1	4	4	5
ALL OTHER MALE											
1998.....	98	3	1	1	1	3	2	4	5	3	7
1997.....	91	4	-	-	1	3	3	-	1	-	4
1996.....	72	1	-	-	-	3	-	3	2	3	1
1995.....	94	1	2	-	2	1	3	2	1	3	8
1994.....	86	1	2	-	-	-	2	1	2	5	7
1993.....	85	3	-	-	-	-	-	-	6	7	3
1992.....	87	2	1	1	1	1	3	2	2	-	1
1991.....	73	3	1	-	1	3	1	2	4	3	3
1990.....	77	1	-	-	-	3	2	1	2	4	4
1989.....	73	2	1	-	-	6	2	1	1	1	2
1988.....	60	1	2	-	1	-	1	2	2	1	-
1987.....	66	-	-	1	1	-	2	2	-	5	-
1986.....	69	2	2	-	3	2	1	3	1	3	-
1985.....	53	-	1	-	3	2	1	2	4	1	2
1984.....	83	-	-	-	1	1	2	6	5	-	4
1983.....	58	-	-	2	-	-	-	-	1	2	5
1982.....	66	-	1	2	2	-	3	-	1	3	2
1981.....	56	-	3	-	-	-	4	3	2	-	2
1980.....	61	1	4	-	4	1	-	3	2	1	2
1979.....	49	-	1	-	-	1	2	1	2	3	3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 NEOPLASMS OF UNCERTAIN BEHAVIOR (235-238)											
ALL OTHER FEMALE											
1998.....	84	-	-	1	2	4	2	-	1	4	3
1997.....	84	1	-	2	2	2	2	1	3	3	2
1996.....	87	2	2	-	-	-	1	1	4	1	3
1995.....	102	1	2	1	-	2	3	1	5	1	2
1994.....	103	1	-	-	3	1	2	3	4	3	3
1993.....	89	3	-	-	2	-	1	1	3	4	4
1992.....	97	1	1	1	1	2	1	1	4	1	3
1991.....	88	2	2	-	-	1	3	2	5	3	1
1990.....	92	-	-	-	-	-	-	1	1	5	6
1989.....	86	3	3	3	-	1	-	-	2	3	4
1988.....	86	1	2	-	3	-	1	1	3	1	3
1987.....	49	1	1	-	1	-	2	1	2	2	2
1986.....	66	2	-	-	-	-	-	-	1	2	2
1985.....	75	-	1	1	-	1	1	2	2	3	1
1984.....	61	3	1	2	1	2	-	1	-	-	2
1983.....	53	2	2	-	1	-	-	1	3	2	1
1982.....	68	1	-	-	1	1	1	3	2	2	2
1981.....	62	2	1	-	2	-	6	2	2	-	1
1980.....	57	2	-	3	1	1	2	1	2	2	1
1979.....	62	1	-	2	2	3	2	-	2	1	2
BLACK, BOTH SEXES											
1998.....	167	2	1	2	3	7	4	4	6	7	9
1997.....	148	4	-	2	3	3	4	1	4	3	5
1996.....	145	3	2	-	-	3	1	3	5	4	4
1995.....	175	2	4	1	2	3	5	3	5	3	9
1994.....	168	2	2	-	3	1	4	4	5	8	10
1993.....	157	4	-	-	2	-	1	1	8	11	7
1992.....	167	2	2	1	2	3	4	3	6	1	4
1991.....	144	5	2	-	-	4	2	4	9	5	3
1990.....	154	1	-	-	-	2	2	1	3	6	10
1989.....	136	5	2	1	-	4	2	1	2	3	6
1988.....	126	1	3	-	3	-	1	3	5	2	1
1987.....	101	-	-	-	2	-	3	3	2	7	2
1986.....	126	4	2	-	3	1	1	3	2	4	2
1985.....	116	-	2	1	2	3	2	4	6	2	2
1984.....	123	2	1	2	2	3	1	5	4	-	5
1983.....	102	2	2	-	1	-	-	1	3	4	5
1982.....	123	1	1	1	3	1	3	3	3	4	4
1981.....	104	1	4	-	2	-	9	5	4	-	3
1980.....	111	3	4	3	4	2	2	4	4	3	3
1979.....	105	1	1	2	2	4	4	1	3	4	5

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 NEOPLASMS OF UNCERTAIN BEHAVIOR (235-238)											
BLACK MALE											
1998.....	89	2	1	1	1	3	2	4	5	3	6
1997.....	72	3	-	-	1	1	2	-	1	-	3
1996.....	66	1	-	-	-	3	-	3	2	3	1
1995.....	86	1	2	-	2	1	2	2	1	2	7
1994.....	75	1	2	-	-	-	2	1	1	5	7
1993.....	76	2	-	-	-	-	-	-	6	7	3
1992.....	76	2	1	1	1	1	3	2	2	-	1
1991.....	63	3	1	-	-	3	-	2	4	2	2
1990.....	70	1	-	-	-	2	2	-	2	3	4
1989.....	66	2	-	-	-	4	2	1	1	1	2
1988.....	51	1	2	-	-	-	-	2	2	1	-
1987.....	57	-	-	-	1	-	1	2	-	5	-
1986.....	62	2	2	-	3	1	1	3	1	3	-
1985.....	44	-	1	-	2	2	1	2	4	-	1
1984.....	68	-	-	-	1	1	1	4	4	-	3
1983.....	51	-	-	-	-	-	-	-	1	2	4
1982.....	60	-	1	1	2	-	3	-	1	2	2
1981.....	46	-	3	-	-	-	3	3	2	-	2
1980.....	59	1	4	-	3	1	-	3	2	1	2
1979.....	48	-	1	-	-	1	2	1	2	3	3
BLACK FEMALE											
1998.....	78	-	-	1	2	4	2	-	1	4	3
1997.....	76	1	-	2	2	2	2	1	3	3	2
1996.....	79	2	2	-	-	-	1	-	3	1	3
1995.....	89	1	2	1	-	2	3	1	4	1	2
1994.....	93	1	-	-	3	1	2	3	4	3	3
1993.....	81	2	-	-	2	-	1	1	2	4	4
1992.....	91	-	1	-	1	2	1	1	4	1	3
1991.....	81	2	1	-	-	1	2	2	5	3	1
1990.....	84	-	-	-	-	-	-	1	1	3	6
1989.....	70	3	2	1	-	-	-	-	1	2	4
1988.....	75	-	1	-	3	-	1	1	3	1	1
1987.....	44	-	-	-	1	-	2	1	2	2	2
1986.....	64	2	-	-	-	-	-	-	1	1	2
1985.....	72	-	1	1	-	1	1	2	2	2	1
1984.....	55	2	1	2	1	2	-	1	-	-	2
1983.....	51	2	2	-	1	-	-	1	2	2	1
1982.....	63	1	-	-	1	1	-	3	2	2	2
1981.....	58	1	1	-	2	-	6	2	2	-	1
1980.....	52	2	-	3	1	1	2	1	2	2	1
1979.....	57	1	-	2	2	3	2	-	1	1	2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 NEOPLASMS OF UNSPECIFIED NATURE (239)											
TOTAL, BOTH SEXES											
1998.....	4,455	23	37	40	22	32	29	34	66	71	124
1997.....	4,257	21	37	22	29	33	27	38	81	82	110
1996.....	4,300	21	42	34	30	31	22	38	66	92	131
1995.....	4,407	25	35	33	41	28	26	42	81	108	94
1994.....	4,226	27	51	42	28	29	36	33	70	108	117
1993.....	4,159	19	43	27	26	26	38	52	88	94	109
1992.....	3,841	27	32	44	27	20	35	50	74	84	114
1991.....	3,787	23	42	32	24	21	30	52	67	87	92
1990.....	3,684	25	46	35	37	20	25	47	75	87	98
1989.....	3,573	28	34	32	28	18	24	40	64	58	91
1988.....	3,705	17	41	39	33	31	38	56	63	98	83
1987.....	3,671	21	34	40	26	29	34	50	58	58	87
1986.....	3,917	27	42	44	27	34	43	41	95	80	84
1985.....	3,810	26	45	40	26	23	31	63	53	89	86
1984.....	3,539	27	35	37	27	27	30	41	54	81	76
1983.....	3,501	24	35	28	37	43	28	40	54	69	84
1982.....	3,577	19	34	42	23	40	41	40	57	69	68
1981.....	3,452	24	27	36	31	25	44	32	54	66	78
1980.....	3,416	22	20	41	30	37	36	34	62	61	79
1979.....	3,237	19	29	34	28	33	33	44	64	47	74
TOTAL, MALE											
1998.....	1,999	13	19	23	12	25	18	24	40	44	67
1997.....	1,915	8	16	7	13	18	16	20	48	44	62
1996.....	1,987	10	26	20	11	15	16	23	42	58	84
1995.....	2,047	18	22	13	23	17	13	34	57	65	60
1994.....	1,968	11	27	23	13	16	23	29	47	72	71
1993.....	1,973	11	28	16	12	18	19	32	56	68	65
1992.....	1,833	12	18	19	17	9	25	33	42	54	66
1991.....	1,802	10	20	19	13	12	14	30	51	57	51
1990.....	1,730	10	21	15	20	8	12	30	47	57	52
1989.....	1,653	15	15	20	16	9	13	24	34	39	45
1988.....	1,727	11	24	17	17	18	22	35	37	66	54
1987.....	1,724	9	20	28	14	15	16	32	34	32	45
1986.....	1,871	11	18	16	18	25	28	25	55	48	48
1985.....	1,804	10	29	21	13	11	19	39	23	51	54
1984.....	1,657	12	19	15	13	16	16	26	32	47	45
1983.....	1,646	12	18	13	19	26	12	26	34	43	45
1982.....	1,681	8	23	22	10	17	18	20	27	42	37
1981.....	1,689	16	14	18	19	18	24	11	28	31	46
1980.....	1,680	13	10	18	19	20	20	16	39	27	42
1979.....	1,569	8	16	17	12	19	15	23	35	20	43

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 NEOPLASMS OF UNSPECIFIED NATURE (239)											
TOTAL, FEMALE											
1998.....	2,456	10	18	17	10	7	11	10	26	27	57
1997.....	2,342	13	21	15	16	15	11	18	33	38	48
1996.....	2,313	11	16	14	19	16	6	15	24	34	47
1995.....	2,360	7	13	20	18	11	13	8	24	43	34
1994.....	2,258	16	24	19	15	13	13	4	23	36	46
1993.....	2,186	8	15	11	14	8	19	20	32	26	44
1992.....	2,008	15	14	25	10	11	10	17	32	30	48
1991.....	1,985	13	22	13	11	9	16	22	16	30	41
1990.....	1,954	15	25	20	17	12	13	17	28	30	46
1989.....	1,920	13	19	12	12	9	11	16	30	19	46
1988.....	1,978	6	17	22	16	13	16	21	26	32	29
1987.....	1,947	12	14	12	12	14	18	18	24	26	42
1986.....	2,046	16	24	28	9	9	15	16	40	32	36
1985.....	2,006	16	16	19	13	12	12	24	30	38	32
1984.....	1,882	15	16	22	14	11	14	15	22	34	31
1983.....	1,855	12	17	15	18	17	16	14	20	26	39
1982.....	1,896	11	11	20	13	23	23	20	30	27	31
1981.....	1,763	8	13	18	12	7	20	21	26	35	32
1980.....	1,736	9	10	23	11	17	16	18	23	34	37
1979.....	1,668	11	13	17	16	14	18	21	29	27	31
WHITE, BOTH SEXES											
1998.....	3,922	18	27	24	18	24	21	29	56	54	96
1997.....	3,725	18	31	15	22	25	23	29	65	61	86
1996.....	3,750	17	32	22	21	23	17	31	48	72	102
1995.....	3,875	23	25	23	33	20	19	35	66	86	68
1994.....	3,747	22	43	33	22	21	33	28	58	91	99
1993.....	3,664	16	32	21	18	20	33	39	71	74	87
1992.....	3,410	21	27	39	24	16	29	42	58	66	101
1991.....	3,315	20	37	31	18	16	23	35	54	76	72
1990.....	3,255	20	39	31	30	15	20	40	66	77	82
1989.....	3,150	21	26	28	24	15	18	32	50	48	74
1988.....	3,252	16	34	33	28	21	29	46	48	87	72
1987.....	3,264	20	26	35	23	26	22	43	49	48	70
1986.....	3,461	24	35	35	24	24	35	37	83	63	73
1985.....	3,339	20	35	31	20	15	25	57	46	80	66
1984.....	3,152	20	33	29	22	21	26	38	50	66	65
1983.....	3,116	20	29	26	26	31	22	33	44	61	73
1982.....	3,176	13	28	34	17	35	30	33	46	58	58
1981.....	3,074	16	22	30	24	21	35	26	50	51	72
1980.....	2,991	14	18	32	24	30	32	32	49	52	67
1979.....	2,886	18	23	24	25	26	28	37	54	40	59

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 NEOPLASMS OF UNSPECIFIED NATURE (239)											
WHITE MALE											
1998.....	1,762	10	15	14	10	18	15	20	36	37	52
1997.....	1,667	6	13	5	7	15	14	16	37	35	50
1996.....	1,715	9	21	12	8	11	13	21	32	47	69
1995.....	1,798	16	16	9	16	13	11	29	49	52	44
1994.....	1,742	9	24	18	10	11	21	24	37	59	62
1993.....	1,717	10	21	13	7	13	16	25	44	55	53
1992.....	1,617	9	14	17	14	7	21	28	33	42	61
1991.....	1,562	9	17	18	10	9	13	19	40	51	43
1990.....	1,543	9	19	13	16	8	10	26	41	50	42
1989.....	1,472	14	9	18	14	7	8	21	30	35	40
1988.....	1,511	10	22	13	15	13	18	31	27	59	49
1987.....	1,527	9	14	26	12	14	11	27	29	26	34
1986.....	1,656	10	16	14	15	19	21	23	48	40	40
1985.....	1,574	7	25	18	11	8	15	34	19	46	40
1984.....	1,487	10	18	11	12	12	15	25	30	38	38
1983.....	1,454	11	14	11	13	19	9	21	29	37	40
1982.....	1,490	5	18	17	8	14	12	16	22	36	32
1981.....	1,520	12	13	16	13	15	20	9	25	28	41
1980.....	1,479	8	9	13	16	18	19	16	35	25	35
1979.....	1,407	7	15	13	11	16	12	19	28	17	32
WHITE FEMALE											
1998.....	2,160	8	12	10	8	6	6	9	20	17	44
1997.....	2,058	12	18	10	15	10	9	13	28	26	36
1996.....	2,035	8	11	10	13	12	4	10	16	25	33
1995.....	2,077	7	9	14	17	7	8	6	17	34	24
1994.....	2,005	13	19	15	12	10	12	4	21	32	37
1993.....	1,947	6	11	8	11	7	17	14	27	19	34
1992.....	1,793	12	13	22	10	9	8	14	25	24	40
1991.....	1,753	11	20	13	8	7	10	16	14	25	29
1990.....	1,712	11	20	18	14	7	10	14	25	27	40
1989.....	1,678	7	17	10	10	8	10	11	20	13	34
1988.....	1,741	6	12	20	13	8	11	15	21	28	23
1987.....	1,737	11	12	9	11	12	11	16	20	22	36
1986.....	1,805	14	19	21	9	5	14	14	35	23	33
1985.....	1,765	13	10	13	9	7	10	23	27	34	26
1984.....	1,665	10	15	18	10	9	11	13	20	28	27
1983.....	1,662	9	15	15	13	12	13	12	15	24	33
1982.....	1,686	8	10	17	9	21	18	17	24	22	26
1981.....	1,554	4	9	14	11	6	15	17	25	23	31
1980.....	1,512	6	9	19	8	12	13	16	14	27	32
1979.....	1,479	11	8	11	14	10	16	18	26	23	27

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 NEOPLASMS OF UNSPECIFIED NATURE (239)											
ALL OTHER, BOTH SEXES											
1998.....	533	5	10	16	4	8	8	5	10	17	28
1997.....	532	3	6	7	7	8	4	9	16	21	24
1996.....	550	4	10	12	9	8	5	7	18	20	29
1995.....	532	2	10	10	8	8	7	7	15	22	26
1994.....	479	5	8	9	6	8	3	5	12	17	18
1993.....	495	3	11	6	8	6	5	13	17	20	22
1992.....	431	6	5	5	3	4	6	8	16	18	13
1991.....	472	3	5	1	6	5	7	17	13	11	20
1990.....	429	5	7	4	7	5	5	7	9	10	16
1989.....	423	7	8	4	4	3	6	8	14	10	17
1988.....	453	1	7	6	5	10	9	10	15	11	11
1987.....	407	1	8	5	3	3	12	7	9	10	17
1986.....	456	3	7	9	3	10	8	4	12	17	11
1985.....	471	6	10	9	6	8	6	6	7	9	20
1984.....	387	7	2	8	5	6	4	3	4	15	11
1983.....	385	4	6	2	11	12	6	7	10	8	11
1982.....	401	6	6	8	6	5	11	7	11	11	10
1981.....	378	8	5	6	7	4	9	6	4	15	6
1980.....	425	8	2	9	6	7	4	2	13	9	12
1979.....	351	1	6	10	3	7	5	7	10	7	15
ALL OTHER MALE											
1998.....	237	3	4	9	2	7	3	4	4	7	15
1997.....	248	2	3	2	6	3	2	4	11	9	12
1996.....	272	1	5	8	3	4	3	2	10	11	15
1995.....	249	2	6	4	7	4	2	5	8	13	16
1994.....	226	2	3	5	3	5	2	5	10	13	9
1993.....	256	1	7	3	5	5	3	7	12	13	12
1992.....	216	3	4	2	3	2	4	5	9	12	5
1991.....	240	1	3	1	3	3	1	11	11	6	8
1990.....	187	1	2	2	4	-	2	4	6	7	10
1989.....	181	1	6	2	2	2	5	3	4	4	5
1988.....	216	1	2	4	2	5	4	4	10	7	5
1987.....	197	-	6	2	2	1	5	5	5	6	11
1986.....	215	1	2	2	3	6	7	2	7	8	8
1985.....	230	3	4	3	2	3	4	5	4	5	14
1984.....	170	2	1	4	1	4	1	1	2	9	7
1983.....	192	1	4	2	6	7	3	5	5	6	5
1982.....	191	3	5	5	2	3	6	4	5	6	5
1981.....	169	4	1	2	6	3	4	2	3	3	5
1980.....	201	5	1	5	3	2	1	-	4	2	7
1979.....	162	1	1	4	1	3	3	4	7	3	11

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 NEOPLASMS OF UNSPECIFIED NATURE (239)											
ALL OTHER FEMALE											
1998.....	296	2	6	7	2	1	5	1	6	10	13
1997.....	284	1	3	5	1	5	2	5	5	12	12
1996.....	278	3	5	4	6	4	2	5	8	9	14
1995.....	283	-	4	6	1	4	5	2	7	9	10
1994.....	253	3	5	4	3	3	1	-	2	4	9
1993.....	239	2	4	3	3	1	2	6	5	7	10
1992.....	215	3	1	3	-	2	2	3	7	6	8
1991.....	232	2	2	-	3	2	6	6	2	5	12
1990.....	242	4	5	2	3	5	3	3	3	3	6
1989.....	242	6	2	2	2	1	1	5	10	6	12
1988.....	237	-	5	2	3	5	5	6	5	4	6
1987.....	210	1	2	3	1	2	7	2	4	4	6
1986.....	241	2	5	7	-	4	1	2	5	9	3
1985.....	241	3	6	6	4	5	2	1	3	4	6
1984.....	217	5	1	4	4	2	3	2	2	6	4
1983.....	193	3	2	-	5	5	3	2	5	2	6
1982.....	210	3	1	3	4	2	5	3	6	5	5
1981.....	209	4	4	4	1	1	5	4	1	12	1
1980.....	224	3	1	4	3	5	3	2	9	7	5
1979.....	189	-	5	6	2	4	2	3	3	4	4
BLACK, BOTH SEXES											
1998.....	452	5	7	14	4	7	6	3	7	15	22
1997.....	471	3	5	5	5	8	3	8	15	19	22
1996.....	462	1	9	9	9	6	4	7	15	16	26
1995.....	460	1	7	8	7	6	6	6	13	20	21
1994.....	414	-	7	8	6	5	3	4	12	14	17
1993.....	431	2	9	4	6	5	4	13	15	18	21
1992.....	377	4	4	5	1	3	6	8	14	16	12
1991.....	430	3	3	1	4	5	6	16	12	11	20
1990.....	376	5	5	4	6	4	4	6	8	9	15
1989.....	375	5	7	4	3	3	5	7	13	7	13
1988.....	414	1	6	5	5	7	8	7	12	10	11
1987.....	358	-	5	5	2	3	11	6	9	9	14
1986.....	407	2	7	9	1	6	7	2	11	11	10
1985.....	414	5	8	8	3	8	6	4	7	7	18
1984.....	349	6	1	7	4	6	3	3	4	15	11
1983.....	343	2	3	1	9	11	6	7	9	8	11
1982.....	372	5	4	8	5	5	11	7	10	9	10
1981.....	346	7	5	6	5	4	8	5	3	15	6
1980.....	391	7	2	8	6	7	4	2	10	6	9
1979.....	327	1	5	10	3	6	5	6	10	7	13

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 NEOPLASMS OF UNSPECIFIED NATURE (239)											
BLACK MALE											
1998.....	196	3	4	7	2	6	3	2	3	7	11
1997.....	215	2	3	2	4	3	1	4	10	7	12
1996.....	227	-	5	6	3	3	3	2	7	9	14
1995.....	215	1	4	2	6	3	2	5	7	11	13
1994.....	196	-	3	5	3	4	2	4	10	11	8
1993.....	219	-	7	2	3	4	2	7	11	12	12
1992.....	188	3	3	2	1	1	4	5	8	12	4
1991.....	217	1	2	1	1	3	-	10	10	6	8
1990.....	167	1	2	2	3	-	1	4	5	6	10
1989.....	160	1	5	2	2	2	5	3	3	4	4
1988.....	192	1	2	3	2	3	3	2	9	6	5
1987.....	173	-	3	2	1	1	4	4	5	6	9
1986.....	190	-	2	2	1	3	6	-	6	7	8
1985.....	197	2	2	3	1	3	4	3	4	4	12
1984.....	154	2	1	4	1	4	-	1	2	9	7
1983.....	166	1	1	1	5	6	3	5	4	6	5
1982.....	176	2	3	5	1	3	6	4	5	6	5
1981.....	150	3	1	2	5	3	4	1	2	3	5
1980.....	187	4	1	4	3	2	1	-	2	2	7
1979.....	150	1	-	4	1	2	3	4	7	3	9
BLACK FEMALE											
1998.....	256	2	3	7	2	1	3	1	4	8	11
1997.....	256	1	2	3	1	5	2	4	5	12	10
1996.....	235	1	4	3	6	3	1	5	8	7	12
1995.....	245	-	3	6	1	3	4	1	6	9	8
1994.....	218	-	4	3	3	1	1	-	2	3	9
1993.....	212	2	2	2	3	1	2	6	4	6	9
1992.....	189	1	1	3	-	2	2	3	6	4	8
1991.....	213	2	1	-	3	2	6	6	2	5	12
1990.....	209	4	3	2	3	4	3	2	3	3	5
1989.....	215	4	2	2	1	1	-	4	10	3	9
1988.....	222	-	4	2	3	4	5	5	3	4	6
1987.....	185	-	2	3	1	2	7	2	4	3	5
1986.....	217	2	5	7	-	3	1	2	5	4	2
1985.....	217	3	6	5	2	5	2	1	3	3	6
1984.....	195	4	-	3	3	2	3	2	2	6	4
1983.....	177	1	2	-	4	5	3	2	5	2	6
1982.....	196	3	1	3	4	2	5	3	5	3	5
1981.....	196	4	4	4	-	1	4	4	1	12	1
1980.....	204	3	1	4	3	5	3	2	8	4	2
1979.....	177	-	5	6	2	4	2	2	3	4	4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES AND IMMUNITY DISORDERS (240-279)											
TOTAL, BOTH SEXES											
1998.....	88,158	304	116	75	96	194	281	433	759	1,190	1,774
1997.....	84,967	337	120	95	103	176	274	435	711	1,191	1,669
1996.....	82,767	307	146	81	119	148	255	446	793	1,212	1,748
1995.....	79,620	320	147	78	118	194	282	460	828	1,278	1,667
1994.....	76,165	310	143	88	96	173	274	492	876	1,185	1,690
1993.....	72,666	299	162	96	105	140	290	468	785	1,216	1,500
1992.....	67,511	344	176	105	105	144	265	505	820	1,093	1,455
1991.....	65,823	391	135	118	115	149	262	452	794	1,107	1,382
1990.....	63,576	364	152	112	120	161	246	439	728	979	1,273
1989.....	62,686	381	148	119	133	169	257	475	739	931	1,259
1988.....	55,269	393	162	125	96	137	231	433	666	975	1,097
1987.....	52,343	365	150	105	91	162	239	405	672	877	938
1986.....	56,545	386	179	118	128	167	443	1,165	2,004	2,126	1,734
1985.....	53,268	394	204	129	132	185	332	873	1,290	1,453	1,315
1984.....	49,544	411	167	125	139	168	319	619	847	1,009	991
1983.....	48,882	414	165	150	162	219	274	473	656	772	888
1982.....	46,043	432	163	145	155	188	270	353	525	611	746
1981.....	45,811	426	188	133	168	205	283	357	537	581	742
1980.....	46,360	441	181	185	160	199	250	393	500	595	722
1979.....	43,788	457	177	141	171	216	293	377	457	586	713
TOTAL, MALE											
1998.....	38,973	161	51	35	52	93	143	234	436	684	1,082
1997.....	37,279	182	65	49	57	92	137	220	386	731	1,010
1996.....	36,406	173	88	42	51	74	142	252	481	763	1,064
1995.....	34,577	181	88	42	52	111	161	265	516	763	1,018
1994.....	33,015	183	81	47	51	87	149	276	523	746	1,051
1993.....	31,483	150	92	48	51	73	156	284	475	740	910
1992.....	29,177	187	80	58	50	82	145	299	502	720	895
1991.....	28,454	212	69	60	57	70	150	255	494	668	870
1990.....	27,120	214	78	67	59	72	130	248	449	635	762
1989.....	26,530	199	71	58	74	86	134	284	464	594	765
1988.....	23,299	204	79	43	38	67	123	234	444	606	669
1987.....	22,263	213	75	47	45	82	125	227	426	540	552
1986.....	26,455	192	103	56	72	83	302	894	1,590	1,672	1,319
1985.....	23,725	212	106	55	63	88	205	626	994	1,096	940
1984.....	21,375	216	99	65	72	82	192	396	590	689	646
1983.....	20,397	222	90	67	75	108	138	275	413	486	522
1982.....	19,233	230	79	66	70	88	144	200	294	347	426
1981.....	18,989	240	100	75	80	95	144	198	295	304	397
1980.....	19,286	247	93	80	82	77	129	191	285	332	383
1979.....	18,447	262	97	53	79	102	150	203	235	305	405

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES AND IMMUNITY DISORDERS (240-279)											
TOTAL, FEMALE											
1998.....	49,185	143	65	40	44	101	138	199	323	506	692
1997.....	47,688	155	55	46	46	84	137	215	325	460	659
1996.....	46,361	134	58	39	68	74	113	194	312	449	684
1995.....	45,043	139	59	36	66	83	121	195	312	515	649
1994.....	43,150	127	62	41	45	86	125	216	353	439	639
1993.....	41,183	149	70	48	54	67	134	184	310	476	590
1992.....	38,334	157	96	47	55	62	120	206	318	373	560
1991.....	37,369	179	66	58	58	79	112	197	300	439	512
1990.....	36,456	150	74	45	61	89	116	191	279	344	511
1989.....	36,156	182	77	61	59	83	123	191	275	337	494
1988.....	31,970	189	83	82	58	70	108	199	222	369	428
1987.....	30,080	152	75	58	46	80	114	178	246	337	386
1986.....	30,090	194	76	62	56	84	141	271	414	454	415
1985.....	29,543	182	98	74	69	97	127	247	296	357	375
1984.....	28,169	195	68	60	67	86	127	223	257	320	345
1983.....	28,485	192	75	83	87	111	136	198	243	286	366
1982.....	26,810	202	84	79	85	100	126	153	231	264	320
1981.....	26,822	186	88	58	88	110	139	159	242	277	345
1980.....	27,074	194	88	105	78	122	121	202	215	263	339
1979.....	25,341	195	80	88	92	114	143	174	222	281	308
WHITE, BOTH SEXES											
1998.....	71,705	210	82	63	77	159	208	291	524	858	1,244
1997.....	68,972	235	96	77	83	141	204	284	478	858	1,185
1996.....	67,331	216	100	65	96	123	185	322	564	867	1,230
1995.....	64,734	225	114	66	103	153	206	310	580	888	1,201
1994.....	62,029	211	112	68	82	140	211	358	632	812	1,211
1993.....	59,218	183	112	77	94	112	223	327	564	855	1,067
1992.....	55,030	236	142	79	92	113	190	364	618	799	1,061
1991.....	53,674	257	109	94	99	131	200	335	582	822	1,008
1990.....	51,912	249	112	99	102	132	189	315	542	718	946
1989.....	51,180	271	124	100	115	132	202	358	557	664	935
1988.....	45,056	260	123	115	79	115	186	328	498	688	794
1987.....	42,807	255	106	94	78	142	192	308	508	674	702
1986.....	45,591	269	122	109	111	139	310	831	1,381	1,519	1,281
1985.....	43,494	279	148	110	116	160	231	616	900	1,073	961
1984.....	40,766	267	123	108	125	146	255	469	586	754	736
1983.....	40,395	281	125	133	148	193	223	358	481	585	660
1982.....	38,474	313	136	127	138	168	213	293	406	477	571
1981.....	38,070	293	149	124	152	172	233	278	422	444	541
1980.....	38,468	309	143	171	145	180	205	301	393	433	519
1979.....	36,420	325	149	130	155	196	242	303	353	423	509

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES AND IMMUNITY DISORDERS (240-279)											
WHITE MALE											
1998.....	32,162	108	35	31	40	76	108	159	311	504	773
1997.....	30,643	128	53	43	46	74	102	141	248	552	733
1996.....	30,150	125	66	35	41	67	103	189	343	556	767
1995.....	28,408	133	71	34	47	87	113	180	366	540	752
1994.....	27,205	124	63	35	42	70	114	201	383	528	784
1993.....	25,977	94	60	40	49	56	119	203	342	525	665
1992.....	24,118	135	64	44	42	62	103	215	385	552	688
1991.....	23,536	142	61	47	50	62	113	186	363	505	648
1990.....	22,415	146	58	57	49	62	107	174	335	475	586
1989.....	21,856	151	58	49	63	65	106	209	355	437	584
1988.....	19,161	142	60	41	34	57	97	180	331	436	492
1987.....	18,480	144	55	41	38	71	101	172	338	432	422
1986.....	21,325	131	69	50	62	62	208	642	1,124	1,231	1,006
1985.....	19,459	155	78	49	52	73	140	454	711	825	697
1984.....	17,682	141	70	52	61	70	150	304	412	517	499
1983.....	16,967	148	71	59	69	92	113	199	299	373	397
1982.....	16,290	164	67	60	61	80	115	168	222	272	332
1981.....	16,021	166	80	72	71	76	118	162	234	241	292
1980.....	16,210	165	77	71	73	69	108	155	228	245	280
1979.....	15,518	188	81	49	73	90	123	168	185	237	291
WHITE FEMALE											
1998.....	39,543	102	47	32	37	83	100	132	213	354	471
1997.....	38,329	107	43	34	37	67	102	143	230	306	452
1996.....	37,181	91	34	30	55	56	82	133	221	311	463
1995.....	36,326	92	43	32	56	66	93	130	214	348	449
1994.....	34,824	87	49	33	40	70	97	157	249	284	427
1993.....	33,241	89	52	37	45	56	104	124	222	330	402
1992.....	30,912	101	78	35	50	51	87	149	233	247	373
1991.....	30,138	115	48	47	49	69	87	149	219	317	360
1990.....	29,497	103	54	42	53	70	82	141	207	243	360
1989.....	29,324	120	66	51	52	67	96	149	202	227	351
1988.....	25,895	118	63	74	45	58	89	148	167	252	302
1987.....	24,327	111	51	53	40	71	91	136	170	242	280
1986.....	24,266	138	53	59	49	77	102	189	257	288	275
1985.....	24,035	124	70	61	64	87	91	162	189	248	264
1984.....	23,084	126	53	56	64	76	105	165	174	237	237
1983.....	23,428	133	54	74	79	101	110	159	182	212	263
1982.....	22,184	149	69	67	77	88	98	125	184	205	239
1981.....	22,049	127	69	52	81	96	115	116	188	203	249
1980.....	22,258	144	66	100	72	111	97	146	165	188	239
1979.....	20,902	137	68	81	82	106	119	135	168	186	218

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES AND IMMUNITY DISORDERS (240-279)											
ALL OTHER, BOTH SEXES											
1998.....	16,453	94	34	12	19	35	73	142	235	332	530
1997.....	15,995	102	24	18	20	35	70	151	233	333	484
1996.....	15,436	91	46	16	23	25	70	124	229	345	518
1995.....	14,886	95	33	12	15	41	76	150	248	390	466
1994.....	14,136	99	31	20	14	33	63	134	244	373	479
1993.....	13,448	116	50	19	11	28	67	141	221	361	433
1992.....	12,481	108	34	26	13	31	75	141	202	294	394
1991.....	12,149	134	26	24	16	18	62	117	212	285	374
1990.....	11,664	115	40	13	18	29	57	124	186	261	327
1989.....	11,506	110	24	19	18	37	55	117	182	267	324
1988.....	10,213	133	39	10	17	22	45	105	168	287	303
1987.....	9,536	110	44	11	13	20	47	97	164	203	236
1986.....	10,954	117	57	9	17	28	133	334	623	607	453
1985.....	9,774	115	56	19	16	25	101	257	390	380	354
1984.....	8,778	144	44	17	14	22	64	150	261	255	255
1983.....	8,487	133	40	17	14	26	51	115	175	187	228
1982.....	7,569	119	27	18	17	20	57	60	119	134	175
1981.....	7,741	133	39	9	16	33	50	79	115	137	201
1980.....	7,892	132	38	14	15	19	45	92	107	162	203
1979.....	7,368	132	28	11	16	20	51	74	104	163	204
ALL OTHER MALE											
1998.....	6,811	53	16	4	12	17	35	75	125	180	309
1997.....	6,636	54	12	6	11	18	35	79	138	179	277
1996.....	6,256	48	22	7	10	7	39	63	138	207	297
1995.....	6,169	48	17	8	5	24	48	85	150	223	266
1994.....	5,810	59	18	12	9	17	35	75	140	218	267
1993.....	5,506	56	32	8	2	17	37	81	133	215	245
1992.....	5,059	52	16	14	8	20	42	84	117	168	207
1991.....	4,918	70	8	13	7	8	37	69	131	163	222
1990.....	4,705	68	20	10	10	10	23	74	114	160	176
1989.....	4,674	48	13	9	11	21	28	75	109	157	181
1988.....	4,138	62	19	2	4	10	26	54	113	170	177
1987.....	3,783	69	20	6	7	11	24	55	88	108	130
1986.....	5,130	61	34	6	10	21	94	252	466	441	313
1985.....	4,266	57	28	6	11	15	65	172	283	271	243
1984.....	3,693	75	29	13	11	12	42	92	178	172	147
1983.....	3,430	74	19	8	6	16	25	76	114	113	125
1982.....	2,943	66	12	6	9	8	29	32	72	75	94
1981.....	2,968	74	20	3	9	19	26	36	61	63	105
1980.....	3,076	82	16	9	9	8	21	36	57	87	103
1979.....	2,929	74	16	4	6	12	27	35	50	68	114

CAUSE-OF-DEATH CODE,
RACE, SEX, AND YEAR TOTAL UNDER 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44
0 III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES AND IMMUNITY DISORDERS (240-279)

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44
ALL OTHER FEMALE											
1998.....	9,642	41	18	8	7	18	38	67	110	152	221
1997.....	9,359	48	12	12	9	17	35	72	95	154	207
1996.....	9,180	43	24	9	13	18	31	61	91	138	221
1995.....	8,717	47	16	4	10	17	28	65	98	167	200
1994.....	8,326	40	13	8	5	16	28	59	104	155	212
1993.....	7,942	60	18	11	9	11	30	60	88	146	188
1992.....	7,422	56	18	12	5	11	33	57	85	126	187
1991.....	7,231	64	18	11	9	10	25	48	81	122	152
1990.....	6,959	47	20	3	8	19	34	50	72	101	151
1989.....	6,832	62	11	10	7	16	27	42	73	110	143
1988.....	6,075	71	20	8	13	12	19	51	55	117	126
1987.....	5,753	41	24	5	6	9	23	42	76	95	106
1986.....	5,824	56	23	3	7	7	39	82	157	166	140
1985.....	5,508	58	28	13	5	10	36	85	107	109	111
1984.....	5,085	69	15	4	3	10	22	58	83	83	108
1983.....	5,057	59	21	9	8	10	26	39	61	74	103
1982.....	4,626	53	15	12	8	12	28	28	47	59	81
1981.....	4,773	59	19	6	7	14	24	43	54	74	96
1980.....	4,816	50	22	5	6	11	24	56	50	75	100
1979.....	4,439	58	12	7	10	8	24	39	54	95	90
BLACK, BOTH SEXES											
1998.....	14,436	81	27	8	18	32	68	130	214	312	492
1997.....	14,036	86	16	15	20	30	65	142	225	310	438
1996.....	13,717	78	37	14	18	24	66	115	208	321	472
1995.....	13,227	78	25	10	13	37	67	144	231	370	431
1994.....	12,705	87	25	17	10	31	62	124	237	360	450
1993.....	12,146	108	42	16	11	25	63	133	208	347	404
1992.....	11,283	96	31	23	10	27	73	139	191	282	369
1991.....	11,104	122	19	20	14	17	59	111	202	268	350
1990.....	10,618	104	33	10	15	27	50	121	180	246	302
1989.....	10,503	95	18	13	17	35	52	112	168	259	308
1988.....	9,339	114	35	8	14	17	41	100	162	274	290
1987.....	8,756	98	36	9	13	19	44	93	151	194	216
1986.....	10,165	108	54	8	12	26	128	325	615	595	431
1985.....	9,051	101	51	18	15	22	96	252	377	367	339
1984.....	8,123	126	40	16	13	21	62	147	251	244	244
1983.....	7,880	112	36	15	13	25	50	112	173	173	211
1982.....	6,992	105	22	17	15	18	50	60	114	127	164
1981.....	7,180	120	34	8	12	28	48	73	111	130	189
1980.....	7,348	121	35	13	14	19	41	84	104	159	183
1979.....	6,862	117	25	10	13	19	47	66	100	155	190

CAUSE-OF-DEATH CODE,
RACE, SEX, AND YEAR TOTAL UNDER 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44
0 III. ENDOCRINE, NUTRITIONAL, AND METABOLIC DISEASES AND IMMUNITY DISORDERS (240-279)

BLACK MALE

1998.....	5,824	45	13	2	12	17	32	68	111	166	286
1997.....	5,693	45	7	6	11	16	30	75	133	163	248
1996.....	5,441	42	18	6	8	7	37	57	126	195	266
1995.....	5,426	40	14	6	5	21	43	82	141	212	243
1994.....	5,153	51	13	11	6	16	34	70	136	211	248
1993.....	4,918	53	27	6	2	15	36	75	122	209	231
1992.....	4,511	45	16	13	6	17	42	83	112	160	195
1991.....	4,449	64	5	10	6	7	34	63	124	155	206
1990.....	4,204	61	13	8	8	10	19	72	111	150	161
1989.....	4,201	40	11	7	10	20	26	71	98	152	171
1988.....	3,727	53	18	1	3	8	24	50	107	164	166
1987.....	3,414	64	15	5	7	11	22	54	79	103	116
1986.....	4,735	52	32	5	7	19	92	248	460	434	302
1985.....	3,894	47	25	5	10	12	63	169	276	260	234
1984.....	3,372	70	26	12	10	12	40	92	172	164	142
1983.....	3,155	64	17	7	5	15	25	74	112	103	115
1982.....	2,686	60	11	6	7	8	24	32	69	72	87
1981.....	2,680	69	16	3	6	16	25	34	58	61	97
1980.....	2,836	74	15	8	9	8	19	31	56	85	88
1979.....	2,675	65	14	4	4	11	25	30	49	61	103

BLACK FEMALE

1998.....	8,612	36	14	6	6	15	36	62	103	146	206
1997.....	8,343	41	9	9	9	14	35	67	92	147	190
1996.....	8,276	36	19	8	10	17	29	58	82	126	206
1995.....	7,801	38	11	4	8	16	24	62	90	158	188
1994.....	7,552	36	12	6	4	15	28	54	101	149	202
1993.....	7,228	55	15	10	9	10	27	58	86	138	173
1992.....	6,772	51	15	10	4	10	31	56	79	122	174
1991.....	6,655	58	14	10	8	10	25	48	78	113	144
1990.....	6,414	43	20	2	7	17	31	49	69	96	141
1989.....	6,302	55	7	6	7	15	26	41	70	107	137
1988.....	5,612	61	17	7	11	9	17	50	55	110	124
1987.....	5,342	34	21	4	6	8	22	39	72	91	100
1986.....	5,430	56	22	3	5	7	36	77	155	161	129
1985.....	5,157	54	26	13	5	10	33	83	101	107	105
1984.....	4,751	56	14	4	3	9	22	55	79	80	102
1983.....	4,725	48	19	8	8	10	25	38	61	70	96
1982.....	4,306	45	11	11	8	10	26	28	45	55	77
1981.....	4,500	51	18	5	6	12	23	39	53	69	92
1980.....	4,512	47	20	5	5	11	22	53	48	74	95
1979.....	4,187	52	11	6	9	8	22	36	51	94	87

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ENDOCRINE AND METABOLIC DISEASES AND IMMUNITY DISORDERS (240-259,270-279)											
TOTAL, BOTH SEXES											
1998.....	84,081	293	111	75	93	190	278	427	753	1,172	1,749
1997.....	81,039	326	119	92	102	175	269	430	705	1,173	1,639
1996.....	79,061	295	143	79	118	146	251	437	787	1,201	1,733
1995.....	76,036	313	141	76	116	193	277	454	818	1,261	1,652
1994.....	72,714	291	140	87	96	168	268	489	861	1,173	1,672
1993.....	69,215	276	156	96	105	140	286	460	774	1,194	1,482
1992.....	64,376	322	171	99	105	140	262	494	809	1,080	1,435
1991.....	62,832	369	132	118	114	148	255	444	783	1,093	1,372
1990.....	60,559	348	148	112	119	157	241	437	716	959	1,262
1989.....	59,640	367	145	116	132	165	253	468	729	918	1,235
1988.....	52,284	366	158	121	96	135	228	425	655	958	1,074
1987.....	49,454	340	142	101	89	158	234	395	661	863	927
1986.....	53,683	362	179	116	127	166	438	1,157	1,995	2,116	1,710
1985.....	50,394	364	201	127	130	181	329	868	1,283	1,439	1,301
1984.....	46,944	393	160	123	137	168	317	611	836	1,004	976
1983.....	46,226	380	160	147	160	214	272	470	647	761	876
1982.....	43,613	401	154	143	154	183	268	346	517	603	735
1981.....	43,480	398	178	133	164	203	279	351	529	569	720
1980.....	43,996	412	172	184	158	198	242	384	491	584	707
1979.....	41,578	412	175	140	171	215	286	369	446	574	693
TOTAL, MALE											
1998.....	37,695	155	49	35	51	90	141	232	432	672	1,069
1997.....	36,066	177	64	49	56	92	136	219	386	726	995
1996.....	35,181	166	86	41	50	73	141	248	480	759	1,056
1995.....	33,384	178	82	40	51	111	157	260	510	750	1,010
1994.....	31,829	169	81	47	51	85	146	273	515	738	1,040
1993.....	30,226	134	88	48	51	73	155	281	469	729	903
1992.....	28,088	176	77	53	50	79	144	294	495	712	886
1991.....	27,369	197	68	60	56	69	146	254	487	663	864
1990.....	26,012	204	75	67	58	70	129	247	443	622	759
1989.....	25,432	190	70	56	74	84	133	280	459	587	754
1988.....	22,203	191	77	42	38	66	120	231	435	593	658
1987.....	21,156	197	69	45	44	78	122	224	420	535	546
1986.....	25,367	185	103	55	72	82	301	891	1,584	1,666	1,304
1985.....	22,639	198	105	54	63	85	204	624	990	1,087	932
1984.....	20,398	203	94	63	71	82	190	394	582	688	641
1983.....	19,332	204	89	66	73	104	137	272	407	480	516
1982.....	18,239	214	77	65	69	87	143	198	289	344	418
1981.....	18,048	221	95	75	77	94	141	195	292	301	389
1980.....	18,324	231	91	79	81	76	123	184	280	327	375
1979.....	17,520	228	96	52	79	101	148	198	229	297	396

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ENDOCRINE AND METABOLIC DISEASES AND IMMUNITY DISORDERS (240-259,270-279)											
TOTAL, FEMALE											
1998.....	46,386	138	62	40	42	100	137	195	321	500	680
1997.....	44,973	149	55	43	46	83	133	211	319	447	644
1996.....	43,880	129	57	38	68	73	110	189	307	442	677
1995.....	42,652	135	59	36	65	82	120	194	308	511	642
1994.....	40,885	122	59	40	45	83	122	216	346	435	632
1993.....	38,989	142	68	48	54	67	131	179	305	465	579
1992.....	36,288	146	94	46	55	61	118	200	314	368	549
1991.....	35,463	172	64	58	58	79	109	190	296	430	508
1990.....	34,547	144	73	45	61	87	112	190	273	337	503
1989.....	34,208	177	75	60	58	81	120	188	270	331	481
1988.....	30,081	175	81	79	58	69	108	194	220	365	416
1987.....	28,298	143	73	56	45	80	112	171	241	328	381
1986.....	28,316	177	76	61	55	84	137	266	411	450	406
1985.....	27,755	166	96	73	67	96	125	244	293	352	369
1984.....	26,546	190	66	60	66	86	127	217	254	316	335
1983.....	26,894	176	71	81	87	110	135	198	240	281	360
1982.....	25,374	187	77	78	85	96	125	148	228	259	317
1981.....	25,432	177	83	58	87	109	138	156	237	268	331
1980.....	25,672	181	81	105	77	122	119	200	211	257	332
1979.....	24,058	184	79	88	92	114	138	171	217	277	297
WHITE, BOTH SEXES											
1998.....	68,166	203	80	63	75	155	205	285	518	844	1,228
1997.....	65,525	230	95	74	82	141	200	282	474	845	1,164
1996.....	64,076	209	99	63	95	122	182	316	560	860	1,219
1995.....	61,616	221	110	64	101	152	203	306	574	872	1,191
1994.....	59,022	203	110	68	82	138	206	357	622	806	1,203
1993.....	56,232	174	110	77	94	112	220	324	558	842	1,053
1992.....	52,388	224	140	76	92	111	188	358	608	790	1,047
1991.....	51,116	242	107	94	98	130	194	329	573	810	999
1990.....	49,366	238	108	99	101	129	185	313	533	706	939
1989.....	48,609	263	122	98	114	131	198	352	553	657	915
1988.....	42,530	245	122	113	79	114	184	323	490	676	781
1987.....	40,329	244	102	92	77	139	190	300	503	666	696
1986.....	43,153	257	122	107	110	138	306	827	1,375	1,512	1,264
1985.....	41,004	259	147	109	114	156	228	613	896	1,065	953
1984.....	38,535	255	118	106	124	146	253	462	577	750	727
1983.....	38,143	265	123	131	147	191	222	357	475	577	650
1982.....	36,425	294	132	126	138	164	212	286	399	471	564
1981.....	36,081	279	144	124	148	171	231	272	414	434	524
1980.....	36,460	300	139	170	145	179	199	294	387	426	509
1979.....	34,558	304	147	130	155	196	235	297	344	414	498

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ENDOCRINE AND METABOLIC DISEASES AND IMMUNITY DISORDERS (240-259,270-279)											
WHITE MALE											
1998.....	31,095	103	34	31	39	73	106	157	307	494	767
1997.....	29,640	127	52	43	45	74	101	141	248	549	724
1996.....	29,115	121	65	34	40	66	102	186	342	552	760
1995.....	27,409	131	67	32	46	87	110	177	363	528	748
1994.....	26,210	119	63	35	42	69	111	200	377	525	780
1993.....	24,931	88	58	40	49	56	119	202	339	517	660
1992.....	23,246	128	63	41	42	60	102	214	378	546	683
1991.....	22,668	132	60	47	49	61	110	185	358	502	643
1990.....	21,512	139	55	57	48	60	106	173	330	468	585
1989.....	20,961	145	57	47	63	65	105	206	352	432	576
1988.....	18,277	135	59	41	34	56	95	178	325	427	487
1987.....	17,579	136	53	40	37	68	100	169	335	429	420
1986.....	20,442	127	69	49	62	61	207	642	1,120	1,228	994
1985.....	18,543	146	77	48	52	70	139	454	708	819	691
1984.....	16,883	133	66	50	61	70	148	302	406	516	497
1983.....	16,114	139	71	59	68	91	112	198	296	369	392
1982.....	15,472	154	66	60	61	79	114	166	218	270	327
1981.....	15,235	157	76	72	68	76	116	159	231	239	286
1980.....	15,431	161	75	70	73	68	103	149	224	242	276
1979.....	14,768	173	80	49	73	90	121	164	180	231	286
WHITE FEMALE											
1998.....	37,071	100	46	32	36	82	99	128	211	350	461
1997.....	35,885	103	43	31	37	67	99	141	226	296	440
1996.....	34,961	88	34	29	55	56	80	130	218	308	459
1995.....	34,207	90	43	32	55	65	93	129	211	344	443
1994.....	32,812	84	47	33	40	69	95	157	245	281	423
1993.....	31,301	86	52	37	45	56	101	122	219	325	393
1992.....	29,142	96	77	35	50	51	86	144	230	244	364
1991.....	28,448	110	47	47	49	69	84	144	215	308	356
1990.....	27,854	99	53	42	53	69	79	140	203	238	354
1989.....	27,648	118	65	51	51	66	93	146	201	225	339
1988.....	24,253	110	63	72	45	58	89	145	165	249	294
1987.....	22,750	108	49	52	40	71	90	131	168	237	276
1986.....	22,711	130	53	58	48	77	99	185	255	284	270
1985.....	22,461	113	70	61	62	86	89	159	188	246	262
1984.....	21,652	122	52	56	63	76	105	160	171	234	230
1983.....	22,029	126	52	72	79	100	110	159	179	208	258
1982.....	20,953	140	66	66	77	85	98	120	181	201	237
1981.....	20,846	122	68	52	80	95	115	113	183	195	238
1980.....	21,029	139	64	100	72	111	96	145	163	184	233
1979.....	19,790	131	67	81	82	106	114	133	164	183	212

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ENDOCRINE AND METABOLIC DISEASES AND IMMUNITY DISORDERS (240-259,270-279)											
ALL OTHER, BOTH SEXES											
1998.....	15,915	90	31	12	18	35	73	142	235	328	521
1997.....	15,514	96	24	18	20	34	69	148	231	328	475
1996.....	14,985	86	44	16	23	24	69	121	227	341	514
1995.....	14,420	92	31	12	15	41	74	148	244	389	461
1994.....	13,692	88	30	19	14	30	62	132	239	367	469
1993.....	12,983	102	46	19	11	28	66	136	216	352	429
1992.....	11,988	98	31	23	13	29	74	136	201	290	388
1991.....	11,716	127	25	24	16	18	61	115	210	283	373
1990.....	11,193	110	40	13	18	28	56	124	183	253	323
1989.....	11,031	104	23	18	18	34	55	116	176	261	320
1988.....	9,754	121	36	8	17	21	44	102	165	282	293
1987.....	9,125	96	40	9	12	19	44	95	158	197	231
1986.....	10,530	105	57	9	17	28	132	330	620	604	446
1985.....	9,390	105	54	18	16	25	101	255	387	374	348
1984.....	8,409	138	42	17	13	22	64	149	259	254	249
1983.....	8,083	115	37	16	13	23	50	113	172	184	226
1982.....	7,188	107	22	17	16	19	56	60	118	132	171
1981.....	7,399	119	34	9	16	32	48	79	115	135	196
1980.....	7,536	112	33	14	13	19	43	90	104	158	198
1979.....	7,020	108	28	10	16	19	51	72	102	160	195
ALL OTHER MALE											
1998.....	6,600	52	15	4	12	17	35	75	125	178	302
1997.....	6,426	50	12	6	11	18	35	78	138	177	271
1996.....	6,066	45	21	7	10	7	39	62	138	207	296
1995.....	5,975	47	15	8	5	24	47	83	147	222	262
1994.....	5,619	50	18	12	9	16	35	73	138	213	260
1993.....	5,295	46	30	8	2	17	36	79	130	212	243
1992.....	4,842	48	14	12	8	19	42	80	117	166	203
1991.....	4,701	65	8	13	7	8	36	69	129	161	221
1990.....	4,500	65	20	10	10	10	23	74	113	154	174
1989.....	4,471	45	13	9	11	19	28	74	107	155	178
1988.....	3,926	56	18	1	4	10	25	53	110	166	171
1987.....	3,577	61	16	5	7	10	22	55	85	106	126
1986.....	4,925	58	34	6	10	21	94	249	464	438	310
1985.....	4,096	52	28	6	11	15	65	170	282	268	241
1984.....	3,515	70	28	13	10	12	42	92	176	172	144
1983.....	3,218	65	18	7	5	13	25	74	111	111	124
1982.....	2,767	60	11	5	8	8	29	32	71	74	91
1981.....	2,813	64	19	3	9	18	25	36	61	62	103
1980.....	2,893	70	16	9	8	8	20	35	56	85	99
1979.....	2,752	55	16	3	6	11	27	34	49	66	110

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ENDOCRINE AND METABOLIC DISEASES AND IMMUNITY DISORDERS (240-259,270-279)											
ALL OTHER FEMALE											
1998.....	9,315	38	16	8	6	18	38	67	110	150	219
1997.....	9,088	46	12	12	9	16	34	70	93	151	204
1996.....	8,919	41	23	9	13	17	30	59	89	134	218
1995.....	8,445	45	16	4	10	17	27	65	97	167	199
1994.....	8,073	38	12	7	5	14	27	59	101	154	209
1993.....	7,688	56	16	11	9	11	30	57	86	140	186
1992.....	7,146	50	17	11	5	10	32	56	84	124	185
1991.....	7,015	62	17	11	9	10	25	46	81	122	152
1990.....	6,693	45	20	3	8	18	33	50	70	99	149
1989.....	6,560	59	10	9	7	15	27	42	69	106	142
1988.....	5,828	65	18	7	13	11	19	49	55	116	122
1987.....	5,548	35	24	4	5	9	22	40	73	91	105
1986.....	5,605	47	23	3	7	7	38	81	156	166	136
1985.....	5,294	53	26	12	5	10	36	85	105	106	107
1984.....	4,894	68	14	4	3	10	22	57	83	82	105
1983.....	4,865	50	19	9	8	10	25	39	61	73	102
1982.....	4,421	47	11	12	8	11	27	28	47	58	80
1981.....	4,586	55	15	6	7	14	23	43	54	73	93
1980.....	4,643	42	17	5	5	11	23	55	48	73	99
1979.....	4,268	53	12	7	10	8	24	38	53	94	85
BLACK, BOTH SEXES											
1998.....	13,956	77	24	8	17	32	68	130	214	308	483
1997.....	13,607	80	16	15	20	29	64	139	223	306	430
1996.....	13,321	73	35	14	18	23	65	112	206	318	468
1995.....	12,809	75	23	10	13	37	65	142	227	369	426
1994.....	12,294	77	24	17	10	28	61	122	232	354	440
1993.....	11,722	95	38	16	11	25	62	128	204	338	400
1992.....	10,838	86	28	20	10	25	72	134	190	278	363
1991.....	10,711	115	18	20	14	17	58	109	200	266	349
1990.....	10,185	99	33	10	15	26	50	121	178	239	298
1989.....	10,060	89	17	13	17	32	52	111	162	253	304
1988.....	8,919	103	32	7	14	16	41	97	160	269	281
1987.....	8,373	84	32	7	12	18	41	91	145	188	211
1986.....	9,773	96	54	8	12	26	127	321	612	592	424
1985.....	8,702	91	49	17	15	22	96	250	374	361	333
1984.....	7,785	120	39	16	12	21	62	146	249	243	238
1983.....	7,508	96	33	14	12	22	49	110	170	170	209
1982.....	6,646	94	18	16	15	17	49	60	113	125	160
1981.....	6,870	106	29	8	12	28	46	73	111	128	184
1980.....	7,015	101	30	13	13	19	39	82	101	155	178
1979.....	6,537	94	25	9	13	19	47	65	98	152	182

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
ENDOCRINE AND METABOLIC DISEASES AND IMMUNITY DISORDERS (240-259,270-279)											
BLACK MALE											
1998.....	5,636	44	12	2	12	17	32	68	111	164	279
1997.....	5,508	41	7	6	11	16	30	74	133	162	243
1996.....	5,274	39	17	6	8	7	37	56	126	195	265
1995.....	5,250	39	12	6	5	21	42	80	138	211	239
1994.....	4,976	43	13	11	6	15	34	68	134	206	241
1993.....	4,725	44	25	6	2	15	35	73	119	206	229
1992.....	4,316	41	14	11	6	16	42	79	112	158	191
1991.....	4,256	59	5	10	6	7	33	63	122	153	205
1990.....	4,015	58	13	8	8	10	19	72	110	145	159
1989.....	4,013	37	11	7	10	18	26	70	96	150	168
1988.....	3,532	47	17	1	3	8	24	49	105	160	161
1987.....	3,220	56	11	4	7	10	20	54	76	101	112
1986.....	4,545	49	32	5	7	19	92	245	458	431	299
1985.....	3,745	42	25	5	10	12	63	167	275	257	232
1984.....	3,211	65	25	12	9	12	40	92	170	164	139
1983.....	2,956	56	16	6	4	12	25	72	109	101	114
1982.....	2,527	54	10	5	7	8	24	32	68	71	84
1981.....	2,543	59	15	3	6	16	24	34	58	60	95
1980.....	2,664	62	15	8	8	8	18	30	55	83	84
1979.....	2,510	47	14	3	4	11	25	30	48	59	100
BLACK FEMALE											
1998.....	8,320	33	12	6	5	15	36	62	103	144	204
1997.....	8,099	39	9	9	9	13	34	65	90	144	187
1996.....	8,047	34	18	8	10	16	28	56	80	123	203
1995.....	7,559	36	11	4	8	16	23	62	89	158	187
1994.....	7,318	34	11	6	4	13	27	54	98	148	199
1993.....	6,997	51	13	10	9	10	27	55	85	132	171
1992.....	6,522	45	14	9	4	9	30	55	78	120	172
1991.....	6,455	56	13	10	8	10	25	46	78	113	144
1990.....	6,170	41	20	2	7	16	31	49	68	94	139
1989.....	6,047	52	6	6	7	14	26	41	66	103	136
1988.....	5,387	56	15	6	11	8	17	48	55	109	120
1987.....	5,153	28	21	3	5	8	21	37	69	87	99
1986.....	5,228	47	22	3	5	7	35	76	154	161	125
1985.....	4,957	49	24	12	5	10	33	83	99	104	101
1984.....	4,574	55	14	4	3	9	22	54	79	79	99
1983.....	4,552	40	17	8	8	10	24	38	61	69	95
1982.....	4,119	40	8	11	8	9	25	28	45	54	76
1981.....	4,327	47	14	5	6	12	22	39	53	68	89
1980.....	4,351	39	15	5	5	11	21	52	46	72	94
1979.....	4,027	47	11	6	9	8	22	35	50	93	82

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 DISORDERS OF THYROID GLAND (240-246)											
TOTAL, BOTH SEXES											
1998.....	1,512	3	1	1	-	4	9	7	11	16	26
1997.....	1,429	-	-	1	2	2	1	6	14	17	19
1996.....	1,324	-	-	-	-	1	6	5	18	15	13
1995.....	1,284	1	-	-	-	2	6	8	22	23	20
1994.....	1,220	3	-	-	-	2	3	5	13	17	22
1993.....	1,156	2	1	-	2	2	5	9	14	18	21
1992.....	1,062	2	-	2	-	1	3	6	11	11	10
1991.....	1,013	1	-	-	-	3	4	9	12	9	15
1990.....	953	1	-	-	3	-	3	5	17	9	10
1989.....	887	2	-	-	-	3	4	5	9	7	14
1988.....	730	3	-	-	-	2	2	8	6	8	11
1987.....	737	-	-	-	-	-	4	3	13	8	12
1986.....	710	2	1	-	1	1	8	9	3	10	7
1985.....	741	1	1	-	-	-	6	10	11	3	10
1984.....	748	1	-	-	-	3	8	4	-	6	14
1983.....	756	4	1	-	-	1	6	8	9	8	12
1982.....	775	2	2	-	-	1	3	7	11	15	8
1981.....	765	3	1	-	1	2	8	8	6	8	9
1980.....	888	5	1	-	1	4	7	7	6	7	20
1979.....	832	3	1	-	1	3	5	9	7	9	11
TOTAL, MALE											
1998.....	315	-	-	-	-	2	3	5	5	6	8
1997.....	297	-	-	1	2	-	-	2	6	3	5
1996.....	316	-	-	-	-	-	4	3	8	5	6
1995.....	295	1	-	-	-	-	2	4	12	14	5
1994.....	284	2	-	-	-	2	1	4	5	8	9
1993.....	264	2	-	-	-	-	3	3	4	4	6
1992.....	226	-	-	1	-	-	-	1	3	4	4
1991.....	242	-	-	-	-	1	3	3	5	3	6
1990.....	241	-	-	-	1	-	2	3	8	5	4
1989.....	191	1	-	-	-	1	-	2	3	1	6
1988.....	176	1	-	-	-	-	1	3	3	2	4
1987.....	174	-	-	-	-	-	1	-	5	4	3
1986.....	162	1	-	-	1	-	4	5	2	2	2
1985.....	162	1	-	-	-	-	2	4	3	1	3
1984.....	174	1	-	-	-	-	6	1	-	2	5
1983.....	189	3	-	-	-	-	2	2	4	4	4
1982.....	187	1	-	-	-	1	2	5	3	4	2
1981.....	167	2	-	-	-	1	4	2	1	3	4
1980.....	189	2	-	-	-	1	2	1	4	1	5
1979.....	196	1	-	-	-	1	2	2	4	4	3

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 DISORDERS OF THYROID GLAND (240-246)											
TOTAL, FEMALE											
1998.....	1,197	3	1	1	-	2	6	2	6	10	18
1997.....	1,132	-	-	-	-	2	1	4	8	14	14
1996.....	1,008	-	-	-	-	1	2	2	10	10	7
1995.....	989	-	-	-	-	2	4	4	10	9	15
1994.....	936	1	-	-	-	-	2	1	8	9	13
1993.....	892	-	1	-	2	2	2	6	10	14	15
1992.....	836	2	-	1	-	1	3	5	8	7	6
1991.....	771	1	-	-	-	2	1	6	7	6	9
1990.....	712	1	-	-	2	-	1	2	9	4	6
1989.....	696	1	-	-	-	2	4	3	6	6	8
1988.....	554	2	-	-	-	2	1	5	3	6	7
1987.....	563	-	-	-	-	-	3	3	8	4	9
1986.....	548	1	1	-	-	1	4	4	1	8	5
1985.....	579	-	1	-	-	-	4	6	8	2	7
1984.....	574	-	-	-	-	3	2	3	-	4	9
1983.....	567	1	1	-	-	1	4	6	5	4	8
1982.....	588	1	2	-	-	-	1	2	8	11	6
1981.....	598	1	1	-	1	1	4	6	5	5	5
1980.....	699	3	1	-	1	3	5	6	2	6	15
1979.....	636	2	1	-	1	2	3	7	3	5	8
WHITE, BOTH SEXES											
1998.....	1,288	1	-	-	-	2	4	1	6	6	18
1997.....	1,251	-	-	1	2	-	-	2	8	5	10
1996.....	1,140	-	-	-	-	-	1	3	8	7	8
1995.....	1,128	1	-	-	-	1	3	6	13	12	11
1994.....	1,060	2	-	-	-	2	2	1	7	10	16
1993.....	997	2	-	-	2	1	3	8	11	9	10
1992.....	919	2	-	2	-	-	3	6	7	7	7
1991.....	877	-	-	-	-	3	2	5	9	4	9
1990.....	819	1	-	-	3	-	3	4	11	3	5
1989.....	745	2	-	-	-	1	3	4	5	6	8
1988.....	622	2	-	-	-	1	1	5	2	5	9
1987.....	623	-	-	-	-	-	3	1	7	5	6
1986.....	624	2	1	-	1	-	6	5	3	2	6
1985.....	627	1	1	-	-	-	3	4	6	2	5
1984.....	652	1	-	-	-	-	2	2	-	4	7
1983.....	635	4	-	-	-	-	3	6	7	5	7
1982.....	663	2	1	-	-	-	-	5	5	9	7
1981.....	661	3	1	-	1	-	4	4	4	6	5
1980.....	768	5	-	-	1	1	4	2	3	2	11
1979.....	721	3	-	-	-	3	2	7	4	6	5

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 DISORDERS OF THYROID GLAND (240-246)											
WHITE MALE											
1998.....	265	-	-	-	-	1	2	1	3	1	5
1997.....	252	-	-	1	2	-	-	-	4	1	2
1996.....	255	-	-	-	-	-	1	1	3	3	5
1995.....	250	1	-	-	-	-	1	3	9	7	3
1994.....	241	2	-	-	-	2	1	1	3	5	7
1993.....	225	2	-	-	-	-	2	3	2	3	3
1992.....	191	-	-	1	-	-	-	1	1	1	4
1991.....	196	-	-	-	-	1	2	2	5	1	4
1990.....	198	-	-	-	1	-	2	2	5	2	2
1989.....	156	1	-	-	-	1	-	2	2	1	3
1988.....	142	1	-	-	-	-	1	1	2	1	4
1987.....	150	-	-	-	-	-	-	-	4	3	2
1986.....	137	1	-	-	1	-	3	2	2	-	2
1985.....	133	1	-	-	-	-	2	2	1	1	2
1984.....	145	1	-	-	-	-	1	-	-	1	3
1983.....	154	3	-	-	-	-	1	1	4	2	2
1982.....	152	1	-	-	-	-	-	3	2	2	1
1981.....	138	2	-	-	-	-	1	2	-	2	3
1980.....	161	2	-	-	-	1	1	1	1	-	1
1979.....	168	1	-	-	-	1	1	2	2	3	1
WHITE FEMALE											
1998.....	1,023	1	-	-	-	1	2	-	3	5	13
1997.....	999	-	-	-	-	-	-	2	4	4	8
1996.....	885	-	-	-	-	-	-	2	5	4	3
1995.....	878	-	-	-	-	1	2	3	4	5	8
1994.....	819	-	-	-	-	-	1	-	4	5	9
1993.....	772	-	-	-	2	1	1	5	9	6	7
1992.....	728	2	-	1	-	-	3	5	6	6	3
1991.....	681	-	-	-	-	2	-	3	4	3	5
1990.....	621	1	-	-	2	-	1	2	6	1	3
1989.....	589	1	-	-	-	-	3	2	3	5	5
1988.....	480	1	-	-	-	1	-	4	-	4	5
1987.....	473	-	-	-	-	-	3	1	3	2	4
1986.....	487	1	1	-	-	-	3	3	1	2	4
1985.....	494	-	1	-	-	-	1	2	5	1	3
1984.....	507	-	-	-	-	-	1	2	-	3	4
1983.....	481	1	-	-	-	-	2	5	3	3	5
1982.....	511	1	1	-	-	-	-	2	3	7	6
1981.....	523	1	1	-	1	-	3	2	4	4	2
1980.....	607	3	-	-	1	-	3	1	2	2	10
1979.....	553	2	-	-	-	2	1	5	2	3	4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 DISORDERS OF THYROID GLAND (240-246)											
ALL OTHER, BOTH SEXES											
1998.....	224	2	1	1	-	2	5	6	5	10	8
1997.....	178	-	-	-	-	2	1	4	6	12	9
1996.....	184	-	-	-	-	1	5	2	10	8	5
1995.....	156	-	-	-	-	1	3	2	9	11	9
1994.....	160	1	-	-	-	-	1	4	6	7	6
1993.....	159	-	1	-	-	1	2	1	3	9	11
1992.....	143	-	-	-	-	1	-	-	4	4	3
1991.....	136	1	-	-	-	-	2	4	3	5	6
1990.....	134	-	-	-	-	-	-	1	6	6	5
1989.....	142	-	-	-	-	2	1	1	4	1	6
1988.....	108	1	-	-	-	1	1	3	4	3	2
1987.....	114	-	-	-	-	-	1	2	6	3	6
1986.....	86	-	-	-	-	1	2	4	-	8	1
1985.....	114	-	-	-	-	-	3	6	5	1	5
1984.....	96	-	-	-	-	3	6	2	-	2	7
1983.....	121	-	1	-	-	1	3	2	2	3	5
1982.....	112	-	1	-	-	1	3	2	6	6	1
1981.....	104	-	-	-	-	2	4	4	2	2	4
1980.....	120	-	1	-	-	3	3	5	3	5	9
1979.....	111	-	1	-	1	-	3	2	3	3	6
ALL OTHER MALE											
1998.....	50	-	-	-	-	1	1	4	2	5	3
1997.....	45	-	-	-	-	-	-	2	2	2	3
1996.....	61	-	-	-	-	-	3	2	5	2	1
1995.....	45	-	-	-	-	-	1	1	3	7	2
1994.....	43	-	-	-	-	-	-	3	2	3	2
1993.....	39	-	-	-	-	-	1	-	2	1	3
1992.....	35	-	-	-	-	-	-	-	2	3	-
1991.....	46	-	-	-	-	-	1	1	-	2	2
1990.....	43	-	-	-	-	-	-	1	3	3	2
1989.....	35	-	-	-	-	-	-	-	1	-	3
1988.....	34	-	-	-	-	-	-	2	1	1	-
1987.....	24	-	-	-	-	-	1	-	1	1	1
1986.....	25	-	-	-	-	-	1	3	-	2	-
1985.....	29	-	-	-	-	-	-	2	2	-	1
1984.....	29	-	-	-	-	-	5	1	-	1	2
1983.....	35	-	-	-	-	-	1	1	-	2	2
1982.....	35	-	-	-	-	1	2	2	1	2	1
1981.....	29	-	-	-	-	1	3	-	1	1	1
1980.....	28	-	-	-	-	-	1	-	3	1	4
1979.....	28	-	-	-	-	-	1	-	2	1	2

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 DISORDERS OF THYROID GLAND (240-246)											
ALL OTHER FEMALE											
1998.....	174	2	1	1	-	1	4	2	3	5	5
1997.....	133	-	-	-	-	2	1	2	4	10	6
1996.....	123	-	-	-	-	1	2	-	5	6	4
1995.....	111	-	-	-	-	1	2	1	6	4	7
1994.....	117	1	-	-	-	-	1	1	4	4	4
1993.....	120	-	1	-	-	1	1	1	1	8	8
1992.....	108	-	-	-	-	1	-	-	2	1	3
1991.....	90	1	-	-	-	-	1	3	3	3	4
1990.....	91	-	-	-	-	-	-	-	3	3	3
1989.....	107	-	-	-	-	2	1	1	3	1	3
1988.....	74	1	-	-	-	1	1	1	3	2	2
1987.....	90	-	-	-	-	-	-	2	5	2	5
1986.....	61	-	-	-	-	1	1	1	-	6	1
1985.....	85	-	-	-	-	-	3	4	3	1	4
1984.....	67	-	-	-	-	3	1	1	-	1	5
1983.....	86	-	1	-	-	1	2	1	2	1	3
1982.....	77	-	1	-	-	-	1	-	5	4	-
1981.....	75	-	-	-	-	1	1	4	1	1	3
1980.....	92	-	1	-	-	3	2	5	-	4	5
1979.....	83	-	1	-	1	-	2	2	1	2	4
BLACK, BOTH SEXES											
1998.....	204	2	1	1	-	2	5	4	5	9	7
1997.....	158	-	-	-	-	1	1	4	6	11	7
1996.....	171	-	-	-	-	1	4	2	9	8	5
1995.....	144	-	-	-	-	1	3	2	7	11	8
1994.....	144	1	-	-	-	-	1	3	5	7	6
1993.....	143	-	1	-	-	1	1	1	3	9	10
1992.....	126	-	-	-	-	1	-	-	4	4	3
1991.....	129	1	-	-	-	-	2	4	3	4	6
1990.....	125	-	-	-	-	-	-	1	6	5	5
1989.....	134	-	-	-	-	2	1	1	3	1	6
1988.....	99	1	-	-	-	-	1	3	4	2	2
1987.....	108	-	-	-	-	-	1	2	6	3	6
1986.....	74	-	-	-	-	1	2	3	-	7	1
1985.....	104	-	-	-	-	-	3	6	4	1	4
1984.....	88	-	-	-	-	3	5	2	-	2	7
1983.....	116	-	1	-	-	1	2	2	2	2	4
1982.....	103	-	1	-	-	1	2	2	6	5	1
1981.....	95	-	-	-	-	1	3	4	2	2	4
1980.....	106	-	1	-	-	3	3	4	3	5	7
1979.....	99	-	1	-	1	-	3	1	2	3	5

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 DISORDERS OF THYROID GLAND (240-246)											
BLACK MALE											
1998.....	43	-	-	-	-	1	1	2	2	5	2
1997.....	36	-	-	-	-	-	-	2	2	1	3
1996.....	56	-	-	-	-	-	2	2	4	2	1
1995.....	39	-	-	-	-	-	1	1	1	7	1
1994.....	37	-	-	-	-	-	-	2	1	3	2
1993.....	34	-	-	-	-	-	1	-	2	1	3
1992.....	32	-	-	-	-	-	-	-	2	3	-
1991.....	44	-	-	-	-	-	1	1	-	2	2
1990.....	39	-	-	-	-	-	-	1	3	3	2
1989.....	32	-	-	-	-	-	-	-	-	-	3
1988.....	30	-	-	-	-	-	-	2	1	-	-
1987.....	22	-	-	-	-	-	1	-	1	1	1
1986.....	21	-	-	-	-	-	1	3	-	2	-
1985.....	26	-	-	-	-	-	-	2	2	-	-
1984.....	26	-	-	-	-	-	4	1	-	1	2
1983.....	34	-	-	-	-	-	1	1	-	2	2
1982.....	30	-	-	-	-	1	1	2	1	1	1
1981.....	24	-	-	-	-	1	2	-	1	1	1
1980.....	25	-	-	-	-	-	1	-	3	1	4
1979.....	25	-	-	-	-	-	1	-	1	1	1
BLACK FEMALE											
1998.....	161	2	1	1	-	1	4	2	3	4	5
1997.....	122	-	-	-	-	1	1	2	4	10	4
1996.....	115	-	-	-	-	1	2	-	5	6	4
1995.....	105	-	-	-	-	1	2	1	6	4	7
1994.....	107	1	-	-	-	-	1	1	4	4	4
1993.....	109	-	1	-	-	1	-	1	1	8	7
1992.....	94	-	-	-	-	1	-	-	2	1	3
1991.....	85	1	-	-	-	-	1	3	3	2	4
1990.....	86	-	-	-	-	-	-	-	3	2	3
1989.....	102	-	-	-	-	2	1	1	3	1	3
1988.....	69	1	-	-	-	-	1	1	3	2	2
1987.....	86	-	-	-	-	-	-	2	5	2	5
1986.....	53	-	-	-	-	1	1	-	-	5	1
1985.....	78	-	-	-	-	-	3	4	2	1	4
1984.....	62	-	-	-	-	3	1	1	-	1	5
1983.....	82	-	1	-	-	1	1	1	2	-	2
1982.....	73	-	1	-	-	-	1	-	5	4	-
1981.....	71	-	-	-	-	-	1	4	1	1	3
1980.....	81	-	1	-	-	3	2	4	-	4	3
1979.....	74	-	1	-	1	-	2	1	1	2	4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 DIABETES MELLITUS (250)											
TOTAL, BOTH SEXES											
1998.....	64,751	2	6	9	11	43	94	197	439	707	1,178
1997.....	62,636	2	3	13	15	40	89	222	398	752	1,106
1996.....	61,767	-	6	6	20	40	105	207	440	713	1,166
1995.....	59,254	-	6	6	11	47	89	208	406	754	1,090
1994.....	56,692	1	4	5	14	32	94	228	454	690	1,095
1993.....	53,894	1	14	11	13	27	91	203	399	722	975
1992.....	50,067	4	4	14	12	36	97	234	424	666	934
1991.....	48,951	1	8	12	22	29	93	216	442	657	896
1990.....	47,664	4	7	7	17	29	86	244	430	617	893
1989.....	46,833	6	15	11	21	31	105	250	437	593	839
1988.....	40,368	1	8	15	16	31	88	237	419	641	754
1987.....	38,532	-	10	10	21	34	85	220	398	566	637
1986.....	37,184	2	9	10	15	30	110	223	411	542	632
1985.....	36,969	2	11	11	20	38	83	211	326	539	626
1984.....	35,787	4	5	10	17	28	91	225	353	501	571
1983.....	36,246	4	9	11	27	32	97	230	354	492	572
1982.....	34,583	11	12	13	27	37	97	200	333	421	501
1981.....	34,642	6	8	12	20	43	106	194	360	388	528
1980.....	34,851	4	12	15	22	33	95	244	328	415	485
1979.....	33,192	3	10	15	29	50	120	217	296	393	511
TOTAL, MALE											
1998.....	29,584	-	2	4	8	20	42	105	251	419	732
1997.....	28,187	2	1	5	7	23	43	110	215	474	684
1996.....	27,646	-	4	2	6	18	64	106	261	452	687
1995.....	26,124	-	5	4	5	29	54	119	226	430	646
1994.....	24,758	1	4	3	9	18	46	121	265	419	675
1993.....	23,430	1	5	3	7	17	49	105	218	430	590
1992.....	21,672	4	2	6	7	18	59	136	246	423	542
1991.....	21,096	-	3	7	9	15	56	109	258	377	538
1990.....	20,266	3	1	6	8	9	41	125	248	379	535
1989.....	19,730	5	8	3	7	14	54	145	267	373	517
1988.....	16,975	-	3	5	7	18	49	123	268	386	456
1987.....	16,237	-	5	4	10	17	43	116	247	349	385
1986.....	15,369	-	5	4	6	15	57	117	238	317	363
1985.....	15,263	-	3	7	8	14	41	106	208	332	371
1984.....	14,859	-	3	4	9	15	45	117	201	296	338
1983.....	14,668	2	3	3	10	10	48	109	203	295	322
1982.....	14,171	6	4	3	12	15	58	100	189	242	295
1981.....	14,211	5	4	9	6	15	54	106	209	221	296
1980.....	14,325	2	7	8	13	15	48	118	201	243	263
1979.....	13,795	3	2	3	10	23	66	122	157	214	308

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 DIABETES MELLITUS (250)											
TOTAL, FEMALE											
1998.....	35,167	2	4	5	3	23	52	92	188	288	446
1997.....	34,449	-	2	8	8	17	46	112	183	278	422
1996.....	34,121	-	2	4	14	22	41	101	179	261	479
1995.....	33,130	-	1	2	6	18	35	89	180	324	444
1994.....	31,934	-	-	2	5	14	48	107	189	271	420
1993.....	30,464	-	9	8	6	10	42	98	181	292	385
1992.....	28,395	-	2	8	5	18	38	98	178	243	392
1991.....	27,855	1	5	5	13	14	37	107	184	280	358
1990.....	27,398	1	6	1	9	20	45	119	182	238	358
1989.....	27,103	1	7	8	14	17	51	105	170	220	322
1988.....	23,393	1	5	10	9	13	39	114	151	255	298
1987.....	22,295	-	5	6	11	17	42	104	151	217	252
1986.....	21,815	2	4	6	9	15	53	106	173	225	269
1985.....	21,706	2	8	4	12	24	42	105	118	207	255
1984.....	20,928	4	2	6	8	13	46	108	152	205	233
1983.....	21,578	2	6	8	17	22	49	121	151	197	250
1982.....	20,412	5	8	10	15	22	39	100	144	179	206
1981.....	20,431	1	4	3	14	28	52	88	151	167	232
1980.....	20,526	2	5	7	9	18	47	126	127	172	222
1979.....	19,397	-	8	12	19	27	54	95	139	179	203
WHITE, BOTH SEXES											
1998.....	51,706	2	5	8	9	30	56	128	299	505	836
1997.....	49,850	2	3	10	9	28	55	135	279	549	777
1996.....	49,511	-	4	4	10	27	65	147	327	527	829
1995.....	47,475	-	5	5	7	31	52	134	291	548	806
1994.....	45,650	1	3	5	10	21	59	168	343	492	794
1993.....	43,461	1	9	9	8	16	59	141	301	528	696
1992.....	40,442	4	4	8	10	23	62	166	331	497	684
1991.....	39,600	1	8	8	14	20	62	161	334	498	638
1990.....	38,696	3	7	3	12	21	54	176	321	473	665
1989.....	38,053	6	13	8	19	17	71	181	345	439	645
1988.....	32,692	-	8	12	13	21	66	173	326	467	550
1987.....	31,395	-	6	8	14	28	67	162	312	450	485
1986.....	30,284	1	9	8	13	21	90	179	337	400	458
1985.....	30,305	1	11	10	11	25	53	167	257	426	468
1984.....	29,466	3	4	9	12	19	74	184	257	386	407
1983.....	29,987	3	6	9	19	27	71	186	269	387	418
1982.....	28,910	8	11	8	18	30	72	164	251	335	384
1981.....	28,750	6	6	8	15	32	74	150	286	300	380
1980.....	28,868	2	7	13	15	26	70	186	266	307	349
1979.....	27,624	3	8	12	21	40	91	175	232	289	359

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 DIABETES MELLITUS (250)											
WHITE MALE											
1998.....	24,249	-	2	4	6	14	25	67	173	304	527
1997.....	22,968	2	1	4	3	15	27	61	140	357	493
1996.....	22,829	-	3	1	2	14	40	78	199	334	498
1995.....	21,407	-	5	3	4	20	30	75	164	315	487
1994.....	20,391	1	3	3	7	10	28	86	201	307	510
1993.....	19,311	1	2	2	6	9	32	74	160	307	440
1992.....	17,951	4	2	3	5	9	41	96	196	326	415
1991.....	17,473	-	3	5	6	10	38	80	198	289	387
1990.....	16,817	2	1	2	5	7	32	86	184	296	411
1989.....	16,282	5	7	1	6	7	35	102	207	283	402
1988.....	14,008	-	3	5	6	13	37	93	210	284	338
1987.....	13,553	-	3	3	7	15	35	84	204	286	297
1986.....	12,788	-	5	3	5	8	47	93	197	235	269
1985.....	12,758	-	3	6	2	8	26	88	165	268	276
1984.....	12,450	-	2	3	4	12	38	98	145	234	252
1983.....	12,337	2	3	3	7	8	36	85	154	231	243
1982.....	12,092	4	4	2	9	13	46	83	138	192	230
1981.....	12,066	5	3	8	4	11	36	83	164	177	214
1980.....	12,125	1	2	6	10	10	36	93	167	180	193
1979.....	11,688	3	1	2	8	17	50	98	123	170	222
WHITE FEMALE											
1998.....	27,457	2	3	4	3	16	31	61	126	201	309
1997.....	26,882	-	2	6	6	13	28	74	139	192	284
1996.....	26,682	-	1	3	8	13	25	69	128	193	331
1995.....	26,068	-	-	2	3	11	22	59	127	233	319
1994.....	25,259	-	-	2	3	11	31	82	142	185	284
1993.....	24,150	-	7	7	2	7	27	67	141	221	256
1992.....	22,491	-	2	5	5	14	21	70	135	171	269
1991.....	22,127	1	5	3	8	10	24	81	136	209	251
1990.....	21,879	1	6	1	7	14	22	90	137	177	254
1989.....	21,771	1	6	7	13	10	36	79	138	156	243
1988.....	18,684	-	5	7	7	8	29	80	116	183	212
1987.....	17,842	-	3	5	7	13	32	78	108	164	188
1986.....	17,496	1	4	5	8	13	43	86	140	165	189
1985.....	17,547	1	8	4	9	17	27	79	92	158	192
1984.....	17,016	3	2	6	8	7	36	86	112	152	155
1983.....	17,650	1	3	6	12	19	35	101	115	156	175
1982.....	16,818	4	7	6	9	17	26	81	113	143	154
1981.....	16,684	1	3	-	11	21	38	67	122	123	166
1980.....	16,743	1	5	7	5	16	34	93	99	127	156
1979.....	15,936	-	7	10	13	23	41	77	109	119	137

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 DIABETES MELLITUS (250)											
ALL OTHER, BOTH SEXES											
1998.....	13,045	-	1	1	2	13	38	69	140	202	342
1997.....	12,786	-	-	3	6	12	34	87	119	203	329
1996.....	12,256	-	2	2	10	13	40	60	113	186	337
1995.....	11,779	-	1	1	4	16	37	74	115	206	284
1994.....	11,042	-	1	-	4	11	35	60	111	198	301
1993.....	10,433	-	5	2	5	11	32	62	98	194	279
1992.....	9,625	-	-	6	2	13	35	68	93	169	250
1991.....	9,351	-	-	4	8	9	31	55	108	159	258
1990.....	8,968	1	-	4	5	8	32	68	109	144	228
1989.....	8,780	-	2	3	2	14	34	69	92	154	194
1988.....	7,676	1	-	3	3	10	22	64	93	174	204
1987.....	7,137	-	4	2	7	6	18	58	86	116	152
1986.....	6,900	1	-	2	2	9	20	44	74	142	174
1985.....	6,664	1	-	1	9	13	30	44	69	113	158
1984.....	6,321	1	1	1	5	9	17	41	96	115	164
1983.....	6,259	1	3	2	8	5	26	44	85	105	154
1982.....	5,673	3	1	5	9	7	25	36	82	86	117
1981.....	5,892	-	2	4	5	11	32	44	74	88	148
1980.....	5,983	2	5	2	7	7	25	58	62	108	136
1979.....	5,568	-	2	3	8	10	29	42	64	104	152
ALL OTHER MALE											
1998.....	5,335	-	-	-	2	6	17	38	78	115	205
1997.....	5,219	-	-	1	4	8	16	49	75	117	191
1996.....	4,817	-	1	1	4	4	24	28	62	118	189
1995.....	4,717	-	-	1	1	9	24	44	62	115	159
1994.....	4,367	-	1	-	2	8	18	35	64	112	165
1993.....	4,119	-	3	1	1	8	17	31	58	123	150
1992.....	3,721	-	-	3	2	9	18	40	50	97	127
1991.....	3,623	-	-	2	3	5	18	29	60	88	151
1990.....	3,449	1	-	4	3	2	9	39	64	83	124
1989.....	3,448	-	1	2	1	7	19	43	60	90	115
1988.....	2,967	-	-	-	1	5	12	30	58	102	118
1987.....	2,684	-	2	1	3	2	8	32	43	63	88
1986.....	2,581	-	-	1	1	7	10	24	41	82	94
1985.....	2,505	-	-	1	6	6	15	18	43	64	95
1984.....	2,409	-	1	1	5	3	7	19	56	62	86
1983.....	2,331	-	-	-	3	2	12	24	49	64	79
1982.....	2,079	2	-	1	3	2	12	17	51	50	65
1981.....	2,145	-	1	1	2	4	18	23	45	44	82
1980.....	2,200	1	5	2	3	5	12	25	34	63	70
1979.....	2,107	-	1	1	2	6	16	24	34	44	86

TABLE 292. DEATHS FOR 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS,
RACE, AND SEX: UNITED STATES, 1979-98

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 DIABETES MELLITUS (250)											
ALL OTHER FEMALE											
1998.....	7,710	-	1	1	-	7	21	31	62	87	137
1997.....	7,567	-	-	2	2	4	18	38	44	86	138
1996.....	7,439	-	1	1	6	9	16	32	51	68	148
1995.....	7,062	-	1	-	3	7	13	30	53	91	125
1994.....	6,675	-	-	-	2	3	17	25	47	86	136
1993.....	6,314	-	2	1	4	3	15	31	40	71	129
1992.....	5,904	-	-	3	-	4	17	28	43	72	123
1991.....	5,728	-	-	2	5	4	13	26	48	71	107
1990.....	5,519	-	-	-	2	6	23	29	45	61	104
1989.....	5,332	-	1	1	1	7	15	26	32	64	79
1988.....	4,709	1	-	3	2	5	10	34	35	72	86
1987.....	4,453	-	2	1	4	4	10	26	43	53	64
1986.....	4,319	1	-	1	1	2	10	20	33	60	80
1985.....	4,159	1	-	-	3	7	15	26	26	49	63
1984.....	3,912	1	-	-	-	6	10	22	40	53	78
1983.....	3,928	1	3	2	5	3	14	20	36	41	75
1982.....	3,594	1	1	4	6	5	13	19	31	36	52
1981.....	3,747	-	1	3	3	7	14	21	29	44	66
1980.....	3,783	1	-	-	4	2	13	33	28	45	66
1979.....	3,461	-	1	2	6	4	13	18	30	60	66
BLACK, BOTH SEXES											
1998.....	11,378	-	1	1	2	12	37	68	125	190	317
1997.....	11,130	-	-	3	6	12	32	84	117	190	292
1996.....	10,800	-	2	1	7	13	39	53	97	168	298
1995.....	10,402	-	1	1	4	15	35	69	105	191	259
1994.....	9,849	-	1	-	4	11	35	57	108	186	279
1993.....	9,380	-	5	2	5	11	31	58	92	187	264
1992.....	8,653	-	-	6	2	12	34	68	86	163	232
1991.....	8,517	-	-	3	8	9	29	54	104	150	241
1990.....	8,114	1	-	3	5	7	30	67	105	134	207
1989.....	7,955	-	2	3	2	13	33	67	82	152	184
1988.....	6,972	1	-	3	3	8	20	62	89	164	195
1987.....	6,497	-	3	2	7	6	17	55	79	111	139
1986.....	6,299	1	-	2	2	9	20	39	72	135	160
1985.....	6,104	-	-	1	9	13	29	44	64	106	148
1984.....	5,810	1	1	1	4	8	16	39	92	112	157
1983.....	5,790	-	3	2	8	5	26	42	83	98	142
1982.....	5,227	2	1	5	9	6	22	36	77	83	109
1981.....	5,461	-	2	3	5	11	32	41	70	84	138
1980.....	5,544	1	5	2	7	7	24	52	61	106	121
1979.....	5,174	-	1	3	8	10	25	41	62	100	140

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 DIABETES MELLITUS (250)											
BLACK MALE											
1998.....	4,511	-	-	-	2	6	16	37	66	104	190
1997.....	4,440	-	-	1	4	8	14	49	73	110	169
1996.....	4,132	-	1	-	2	4	23	23	53	108	163
1995.....	4,110	-	-	1	1	9	23	42	58	108	142
1994.....	3,834	-	1	-	2	8	18	34	63	105	150
1993.....	3,648	-	3	1	1	8	17	29	53	121	142
1992.....	3,271	-	-	3	2	8	18	40	47	94	116
1991.....	3,267	-	-	1	3	5	16	28	58	85	138
1990.....	3,049	1	-	3	3	2	8	38	62	76	110
1989.....	3,072	-	1	2	1	7	18	41	53	89	108
1988.....	2,640	-	-	-	1	4	12	29	54	99	111
1987.....	2,388	-	1	1	3	2	7	32	39	60	79
1986.....	2,295	-	-	1	1	7	10	23	40	77	89
1985.....	2,230	-	-	1	6	6	15	18	41	59	87
1984.....	2,160	-	1	1	4	3	6	19	54	59	83
1983.....	2,123	-	-	-	3	2	12	22	47	58	72
1982.....	1,878	2	-	1	3	2	11	17	48	49	59
1981.....	1,925	-	1	1	2	4	18	21	42	43	74
1980.....	2,010	-	5	2	3	5	11	21	34	62	58
1979.....	1,915	-	1	1	2	6	14	23	34	40	77
BLACK FEMALE											
1998.....	6,867	-	1	1	-	6	21	31	59	86	127
1997.....	6,690	-	-	2	2	4	18	35	44	80	123
1996.....	6,668	-	1	1	5	9	16	30	44	60	135
1995.....	6,292	-	1	-	3	6	12	27	47	83	117
1994.....	6,015	-	-	-	2	3	17	23	45	81	129
1993.....	5,732	-	2	1	4	3	14	29	39	66	122
1992.....	5,382	-	-	3	-	4	16	28	39	69	116
1991.....	5,250	-	-	2	5	4	13	26	46	65	103
1990.....	5,065	-	-	-	2	5	22	29	43	58	97
1989.....	4,883	-	1	1	1	6	15	26	29	63	76
1988.....	4,332	1	-	3	2	4	8	33	35	65	84
1987.....	4,109	-	2	1	4	4	10	23	40	51	60
1986.....	4,004	1	-	1	1	2	10	16	32	58	71
1985.....	3,874	-	-	-	3	7	14	26	23	47	61
1984.....	3,650	1	-	-	-	5	10	20	38	53	74
1983.....	3,667	-	3	2	5	3	14	20	36	40	70
1982.....	3,349	-	1	4	6	4	11	19	29	34	50
1981.....	3,536	-	1	2	3	7	14	20	28	41	64
1980.....	3,534	1	-	-	4	2	13	31	27	44	63
1979.....	3,259	-	-	2	6	4	11	18	28	60	63

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1 YEAR 1-4 YEARS 5-9 YEARS 10-14 YEARS 15-19 YEARS 20-24 YEARS 25-29 YEARS 30-34 YEARS 35-39 YEARS 40-44 YEARS

0 DISORDERS OF THE PITUITARY GLAND AND ITS HYPOTHALAMIC CONTROL (253)

TOTAL, BOTH SEXES											
1998.....	208	5	5	1	3	2	1	5	3	1	4
1997.....	188	4	8	3	1	2	-	2	1	2	4
1996.....	197	4	4	1	2	3	2	2	3	4	4
1995.....	225	2	10	5	-	1	1	4	7	4	8
1994.....	208	3	7	1	2	1	-	2	1	8	2
1993.....	192	3	4	-	3	1	4	3	-	7	4
1992.....	182	2	8	4	2	2	6	1	1	3	4
1991.....	214	7	5	4	2	1	4	2	3	6	5
1990.....	202	5	5	2	-	3	-	2	4	6	5
1989.....	198	3	11	2	2	1	1	3	5	4	6
1988.....	185	2	5	2	1	1	2	2	2	2	-
1987.....	163	4	7	-	1	1	3	1	3	4	3
1986.....	196	5	4	4	2	1	1	6	-	8	3
1985.....	161	5	3	2	1	-	2	4	5	7	5
1984.....	153	2	5	1	-	1	1	4	2	-	4
1983.....	154	8	1	1	1	2	2	2	3	1	2
1982.....	157	2	2	3	1	1	1	-	4	3	5
1981.....	168	8	4	1	2	2	-	5	2	1	5
1980.....	147	5	4	1	1	5	3	3	3	8	3
1979.....	164	12	4	1	3	1	2	3	2	2	8
TOTAL, MALE											
1998.....	83	3	1	1	1	1	1	3	1	1	2
1997.....	77	2	4	1	-	-	-	1	1	-	2
1996.....	86	3	1	1	-	2	-	2	2	1	2
1995.....	82	-	5	2	-	-	1	1	3	1	4
1994.....	100	2	4	1	1	1	-	-	1	4	1
1993.....	78	1	4	-	1	-	1	2	-	4	1
1992.....	81	-	3	3	1	2	2	1	1	2	1
1991.....	89	2	3	3	1	1	2	-	-	1	4
1990.....	89	3	3	-	-	1	-	1	4	3	4
1989.....	80	2	4	2	1	-	-	1	2	2	3
1988.....	74	1	3	2	-	1	1	1	1	2	-
1987.....	63	1	3	-	1	-	2	-	2	2	1
1986.....	89	4	2	2	2	1	1	3	-	5	1
1985.....	60	3	1	2	1	-	1	1	3	2	3
1984.....	66	-	3	1	-	-	1	3	1	-	2
1983.....	67	4	-	-	1	-	2	-	1	1	-
1982.....	58	1	-	-	-	1	1	-	2	1	2
1981.....	59	4	1	1	1	-	-	2	-	-	2
1980.....	63	5	1	-	1	4	2	1	-	3	1
1979.....	68	8	2	-	-	1	1	-	1	-	4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 DISORDERS OF THE PITUITARY GLAND AND ITS HYPOTHALAMIC CONTROL (253)											
TOTAL, FEMALE											
1998.....	125	2	4	-	2	1	-	2	2	-	2
1997.....	111	2	4	2	1	2	-	1	-	2	2
1996.....	111	1	3	-	2	1	2	-	1	3	2
1995.....	143	2	5	3	-	1	-	3	4	3	4
1994.....	108	1	3	-	1	-	-	2	-	4	1
1993.....	114	2	-	-	2	1	3	1	-	3	3
1992.....	101	2	5	1	1	-	4	-	-	1	3
1991.....	125	5	2	1	1	-	2	2	3	5	1
1990.....	113	2	2	2	-	2	-	1	-	3	1
1989.....	118	1	7	-	1	1	1	2	3	2	3
1988.....	111	1	2	-	1	-	1	1	1	-	-
1987.....	100	3	4	-	-	1	1	1	1	2	2
1986.....	107	1	2	2	-	-	-	3	-	3	2
1985.....	101	2	2	-	-	-	1	3	2	5	2
1984.....	87	2	2	-	-	1	-	1	1	-	2
1983.....	87	4	1	1	-	2	-	2	2	-	2
1982.....	99	1	2	3	1	-	-	-	2	2	3
1981.....	109	4	3	-	1	2	-	3	2	1	3
1980.....	84	-	3	1	-	1	1	2	3	5	2
1979.....	96	4	2	1	3	-	1	3	1	2	4
WHITE, BOTH SEXES											
1998.....	184	2	5	1	3	1	1	4	3	1	2
1997.....	162	4	6	1	-	2	-	2	1	2	4
1996.....	165	2	3	1	1	3	2	1	3	3	1
1995.....	186	-	7	4	-	1	1	3	4	2	4
1994.....	173	2	4	-	2	1	-	2	1	5	1
1993.....	162	3	2	-	2	-	3	3	-	5	3
1992.....	157	2	7	4	2	2	4	1	1	1	2
1991.....	170	1	4	2	2	1	3	1	-	5	3
1990.....	168	4	2	2	-	2	-	1	3	4	4
1989.....	169	2	6	2	1	1	-	3	2	3	4
1988.....	159	1	2	2	1	1	1	2	1	2	-
1987.....	135	2	4	-	1	-	3	-	2	3	3
1986.....	166	3	3	2	1	-	1	6	-	4	2
1985.....	135	5	3	1	1	-	1	-	4	6	4
1984.....	133	2	3	-	-	1	1	3	2	-	4
1983.....	131	6	-	1	1	2	1	2	2	1	1
1982.....	136	2	2	2	1	1	-	-	4	2	4
1981.....	145	6	4	1	2	2	-	4	2	1	3
1980.....	119	4	4	1	-	5	2	3	2	6	3
1979.....	139	10	4	1	3	1	2	1	2	1	7

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 DISORDERS OF THE PITUITARY GLAND AND ITS HYPOTHALAMIC CONTROL (253)											
WHITE MALE											
1998.....	70	1	1	1	1	1	1	2	1	1	-
1997.....	67	2	2	1	-	-	-	1	1	-	2
1996.....	71	1	-	1	-	2	-	1	2	1	-
1995.....	71	-	4	2	-	-	1	1	3	1	2
1994.....	83	1	3	-	1	1	-	-	1	3	-
1993.....	64	1	2	-	1	-	1	2	-	3	1
1992.....	72	-	3	3	1	2	2	1	1	1	1
1991.....	74	-	3	2	1	1	2	-	-	1	2
1990.....	71	2	1	-	-	1	-	1	3	1	3
1989.....	71	1	2	2	-	-	-	1	2	2	3
1988.....	57	1	1	2	-	1	1	1	-	2	-
1987.....	56	-	3	-	1	-	2	-	1	2	1
1986.....	73	2	1	-	1	-	1	3	-	4	-
1985.....	50	3	1	1	1	-	1	-	2	2	3
1984.....	55	-	1	-	-	-	1	2	1	-	2
1983.....	56	2	-	-	1	-	1	-	1	1	-
1982.....	43	1	-	-	-	1	-	-	2	1	1
1981.....	52	4	1	1	1	-	-	2	-	-	1
1980.....	50	4	1	-	-	4	1	1	-	3	1
1979.....	57	7	2	-	-	1	1	-	1	-	3
WHITE FEMALE											
1998.....	114	1	4	-	2	-	-	2	2	-	2
1997.....	95	2	4	-	-	2	-	1	-	2	2
1996.....	94	1	3	-	1	1	2	-	1	2	1
1995.....	115	-	3	2	-	1	-	2	1	1	2
1994.....	90	1	1	-	1	-	-	2	-	2	1
1993.....	98	2	-	-	1	-	2	1	-	2	2
1992.....	85	2	4	1	1	-	2	-	-	-	1
1991.....	96	1	1	-	1	-	1	1	-	4	1
1990.....	97	2	1	2	-	1	-	-	-	3	1
1989.....	98	1	4	-	1	1	-	2	-	1	1
1988.....	102	-	1	-	1	-	-	1	1	-	-
1987.....	79	2	1	-	-	-	1	-	1	1	2
1986.....	93	1	2	2	-	-	-	3	-	-	2
1985.....	85	2	2	-	-	-	-	-	2	4	1
1984.....	78	2	2	-	-	1	-	1	1	-	2
1983.....	75	4	-	1	-	2	-	2	1	-	1
1982.....	93	1	2	2	1	-	-	-	2	1	3
1981.....	93	2	3	-	1	2	-	2	2	1	2
1980.....	69	-	3	1	-	1	1	2	2	3	2
1979.....	82	3	2	1	3	-	1	1	1	1	4

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS
0 DISORDERS OF THE PITUITARY GLAND AND ITS HYPOTHALAMIC CONTROL (253)											
ALL OTHER FEMALE											
1998.....	11	1	-	-	-	1	-	-	-	-	-
1997.....	16	-	-	2	1	-	-	-	-	-	-
1996.....	17	-	-	-	1	-	-	-	-	1	1
1995.....	28	2	2	1	-	-	-	1	3	2	2
1994.....	18	-	2	-	-	-	-	-	-	2	-
1993.....	16	-	-	-	1	1	1	-	-	1	1
1992.....	16	-	1	-	-	-	2	-	-	1	2
1991.....	29	4	1	1	-	-	1	1	3	1	-
1990.....	16	-	1	-	-	1	-	1	-	-	-
1989.....	20	-	3	-	-	-	1	-	3	1	2
1988.....	9	1	1	-	-	-	1	-	-	-	-
1987.....	21	1	3	-	-	1	-	1	-	1	-
1986.....	14	-	-	-	-	-	-	-	-	3	-
1985.....	16	-	-	-	-	-	1	3	-	1	1
1984.....	9	-	-	-	-	-	-	-	-	-	-
1983.....	12	-	1	-	-	-	-	-	1	-	1
1982.....	6	-	-	1	-	-	-	-	-	1	-
1981.....	16	2	-	-	-	-	-	1	-	-	1
1980.....	15	-	-	-	-	-	-	-	1	2	-
1979.....	14	1	-	-	-	-	-	2	-	1	-
BLACK, BOTH SEXES											
1998.....	19	2	-	-	-	1	-	-	-	-	2
1997.....	23	-	1	1	1	-	-	-	-	-	-
1996.....	32	2	1	-	1	-	-	1	-	1	3
1995.....	36	2	3	1	-	-	-	1	3	2	4
1994.....	30	1	2	1	-	-	-	-	-	3	1
1993.....	26	-	2	-	1	1	1	-	-	2	-
1992.....	23	-	-	-	-	-	2	-	-	2	2
1991.....	43	6	1	2	-	-	1	1	3	1	2
1990.....	30	1	3	-	-	1	-	1	1	2	1
1989.....	25	1	3	-	1	-	1	-	3	1	2
1988.....	25	1	3	-	-	-	1	-	1	-	-
1987.....	27	2	2	-	-	1	-	1	1	1	-
1986.....	26	1	1	2	1	1	-	-	-	4	-
1985.....	22	-	-	1	-	-	1	4	-	1	-
1984.....	20	-	2	1	-	-	-	1	-	-	-
1983.....	22	1	1	-	-	-	1	-	1	-	1
1982.....	21	-	-	1	-	-	1	-	-	1	1
1981.....	20	1	-	-	-	-	-	1	-	-	2
1980.....	28	1	-	-	1	-	1	-	1	2	-
1979.....	22	2	-	-	-	-	-	1	-	1	1

CAUSE-OF-DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1 YEAR 1-4 YEARS 5-9 YEARS 10-14 YEARS 15-19 YEARS 20-24 YEARS 25-29 YEARS 30-34 YEARS 35-39 YEARS 40-44 YEARS

0 DISORDERS OF THE PITUITARY GLAND AND ITS HYPOTHALAMIC CONTROL (253)

BLACK MALE

1998.....	9	1	-	-	-	-	-	-	-	-	2
1997.....	8	-	1	-	-	-	-	-	-	-	-
1996.....	15	2	1	-	-	-	-	1	-	-	2
1995.....	10	-	1	-	-	-	-	-	-	-	2
1994.....	16	1	-	1	-	-	-	-	-	1	1
1993.....	14	-	2	-	-	-	-	-	-	1	-
1992.....	9	-	-	-	-	-	-	-	-	1	-
1991.....	14	2	-	1	-	-	-	-	-	-	2
1990.....	16	1	2	-	-	-	-	-	1	2	1
1989.....	8	1	2	-	1	-	-	-	-	-	-
1988.....	16	-	2	-	-	-	-	-	1	-	-
1987.....	7	1	-	-	-	-	-	-	1	-	-
1986.....	13	1	1	2	1	1	-	-	-	1	-
1985.....	8	-	-	1	-	-	-	1	-	-	-
1984.....	11	-	2	1	-	-	-	1	-	-	-
1983.....	10	1	-	-	-	-	1	-	-	-	-
1982.....	15	-	-	-	-	-	1	-	-	-	1
1981.....	7	-	-	-	-	-	-	-	-	-	1
1980.....	13	1	-	-	1	-	1	-	-	-	-
1979.....	11	1	-	-	-	-	-	-	-	-	1

BLACK FEMALE

1998.....	10	1	-	-	-	1	-	-	-	-	-
1997.....	15	-	-	1	1	-	-	-	-	-	-
1996.....	17	-	-	-	1	-	-	-	-	1	1
1995.....	26	2	2	1	-	-	-	1	3	2	2
1994.....	14	-	2	-	-	-	-	-	-	2	-
1993.....	12	-	-	-	1	1	1	-	-	1	-
1992.....	14	-	-	-	-	-	2	-	-	1	2
1991.....	29	4	1	1	-	-	1	1	3	1	-
1990.....	14	-	1	-	-	1	-	1	-	-	-
1989.....	17	-	1	-	-	-	1	-	3	1	2
1988.....	9	1	1	-	-	-	1	-	-	-	-
1987.....	20	1	2	-	-	1	-	1	-	1	-
1986.....	13	-	-	-	-	-	-	-	-	3	-
1985.....	14	-	-	-	-	-	1	3	-	1	-
1984.....	9	-	-	-	-	-	-	-	-	-	-
1983.....	12	-	1	-	-	-	-	-	1	-	1
1982.....	6	-	-	1	-	-	-	-	-	1	-
1981.....	13	1	-	-	-	-	-	1	-	-	1
1980.....	15	-	-	-	-	-	-	-	1	2	-
1979.....	11	1	-	-	-	-	-	1	-	1	-

