

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,918

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
FRACTURE, CAUSE UNSPECIFIED, AND OTHER AND UNSPECIFIED FALLS (E887-E888)												
CONNECTICUT -----	3	-	1	3	15	11	32	32	28	9	3	-
WHITE-----MALE----	1	-	-	2	8	6	10	11	8	-	1	-
FEMALE--	2	-	1	1	7	5	20	20	20	9	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
DELAWARE -----	1	2	1	2	3	5	4	2	3	3	1	-
WHITE-----MALE----	1	1	1	2	1	3	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	2	4	2	3	3	1	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	1	1	-	5	3	3	4	-	1	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	3	-	-	3	-	1	-	-
ALL OTHER--MALE----	-	1	-	-	2	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	2	-	-	-	-	-
BLACK---MALE----	-	1	-	-	2	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	1	-	-	-	-	-
FLORIDA -----	10	9	23	27	45	69	108	134	81	30	4	-
WHITE-----MALE----	5	3	16	15	19	42	53	51	32	9	-	-
FEMALE--	4	5	5	10	24	26	52	79	46	19	3	-
ALL OTHER--MALE----	1	1	2	-	2	-	2	1	-	1	-	-
FEMALE--	-	-	-	2	-	1	1	3	3	1	1	-
BLACK---MALE----	1	1	2	-	2	-	2	1	-	1	-	-
FEMALE--	-	-	-	2	-	1	1	3	3	1	1	-
GEORGIA -----	4	3	11	20	16	22	58	45	32	11	3	-
WHITE-----MALE----	2	3	9	9	4	10	20	11	5	3	-	-
FEMALE--	2	-	1	6	7	7	32	32	22	7	3	-
ALL OTHER--MALE----	-	-	1	1	3	2	3	2	1	-	-	-
FEMALE--	-	-	-	4	2	3	3	-	4	1	-	-
BLACK---MALE----	-	-	1	1	3	2	3	2	1	-	-	-
FEMALE--	-	-	-	3	2	3	3	-	4	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,919  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 FRACTURE, CAUSE UNSPECIFIED, AND OTHER AND UNSPECIFIED FALLS (E887-E888)												
HAWAII -----	42	-	-	-	-	1	-	-	-	-	1	2
WHITE-----MALE----	5	-	-	-	-	1	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	21	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	47	-	-	-	1	2	-	-	-	-	-	2
WHITE-----MALE----	21	-	-	-	1	1	-	-	-	-	-	2
FEMALE--	24	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	376	2	-	-	2	-	-	3	2	13	9	11
WHITE-----MALE----	158	-	-	-	2	-	-	2	-	8	5	5
FEMALE--	180	1	-	-	-	-	-	1	-	-	1	3
ALL OTHER--MALE----	28	-	-	-	-	-	-	-	1	4	2	3
FEMALE--	10	1	-	-	-	-	-	-	1	1	1	-
BLACK---MALE----	27	-	-	-	-	-	-	-	1	3	2	3
FEMALE--	8	1	-	-	-	-	-	-	1	1	1	-
INDIANA -----	229	-	-	1	-	-	2	2	-	4	3	4
WHITE-----MALE----	87	-	-	1	-	-	1	1	-	2	3	2
FEMALE--	131	-	-	-	-	-	1	-	-	1	-	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	4	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	-
IOWA -----	213	-	-	-	-	-	-	-	1	2	1	-
WHITE-----MALE----	88	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	125	-	-	-	-	-	-	-	1	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	185	-	-	-	-	-	-	1	1	1	2	3
WHITE-----MALE----	77	-	-	-	-	-	-	1	1	-	1	1
FEMALE--	103	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,920  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 FRACTURE, CAUSE UNSPECIFIED, AND OTHER AND UNSPECIFIED FALLS (E887-E888)												
KENTUCKY -----	3	2	2	6	8	24	34	40	33	12	6	-
WHITE-----MALE----	3	-	2	3	3	7	15	20	10	3	2	-
FEMALE--	-	2	-	3	5	15	18	20	23	9	4	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
LOUISIANA -----	2	2	3	13	16	25	34	39	18	14	3	-
WHITE-----MALE----	2	1	2	4	7	9	17	8	7	3	-	-
FEMALE--	-	1	1	3	7	13	14	23	9	10	-	-
ALL OTHER--MALE----	-	-	-	3	-	1	3	3	1	-	-	-
FEMALE--	-	-	-	3	2	2	-	5	1	1	3	-
BLACK---MALE----	-	-	-	3	-	1	3	3	1	-	-	-
FEMALE--	-	-	-	3	2	2	-	5	1	1	3	-
MAINE -----	-	1	1	3	2	10	8	10	11	8	4	-
WHITE-----MALE----	-	-	1	1	1	8	1	6	3	1	1	-
FEMALE--	-	1	-	2	1	2	7	4	8	7	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2	2	6	5	10	20	22	23	15	1	4	-
WHITE-----MALE----	2	-	2	4	-	6	4	9	5	1	-	-
FEMALE--	-	1	3	1	7	12	16	13	9	-	4	-
ALL OTHER--MALE----	-	1	1	-	3	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	2	2	2	-	-	-	-	-
BLACK---MALE----	-	1	1	-	3	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	2	2	-	-	-	-	-
MASSACHUSETTS -----	-	4	4	8	13	27	31	52	47	21	7	-
WHITE-----MALE----	-	4	2	7	6	16	15	25	17	4	1	-
FEMALE--	-	-	2	1	6	11	16	27	30	17	6	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	7	7	9	18	29	35	56	99	50	21	7	-
WHITE-----MALE----	3	2	2	8	12	16	25	36	9	4	1	-
FEMALE--	2	2	4	3	14	17	25	55	41	17	6	-
ALL OTHER--MALE----	1	3	3	4	-	2	4	5	-	-	-	-
FEMALE--	1	-	-	3	3	-	2	3	-	-	-	-
BLACK---MALE----	1	3	3	4	-	1	4	3	-	-	-	-
FEMALE--	1	-	-	3	3	-	2	2	-	-	-	-













TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,923  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 FRACTURE, CAUSE UNSPECIFIED, AND OTHER AND UNSPECIFIED FALLS (E887-E888)												
OHIO -----	5	3	11	18	42	47	91	99	75	36	4	-
WHITE-----MALE----	2	2	4	12	19	19	32	31	19	8	1	-
FEMALE--	2	-	5	6	18	24	54	68	55	28	2	-
ALL OTHER--MALE----	-	-	1	-	4	2	2	-	-	-	-	-
FEMALE--	1	1	1	-	1	2	3	-	1	-	1	-
BLACK---MALE----	-	-	1	-	4	2	2	-	-	-	-	-
FEMALE--	1	1	1	-	1	1	3	-	1	-	1	-
OKLAHOMA -----	4	4	7	5	10	11	40	39	21	5	1	-
WHITE-----MALE----	3	4	5	1	6	5	12	10	6	2	-	-
FEMALE--	-	-	2	3	4	6	25	28	15	3	1	-
ALL OTHER--MALE----	1	-	-	1	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
OREGON -----	1	-	1	5	12	18	29	38	35	15	7	-
WHITE-----MALE----	-	-	1	4	9	4	10	15	7	4	1	-
FEMALE--	1	-	-	1	3	14	19	22	26	11	6	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
PENNSYLVANIA -----	6	8	12	16	32	50	80	108	86	41	5	-
WHITE-----MALE----	6	3	5	9	14	23	36	40	31	9	3	-
FEMALE--	-	4	5	4	15	25	42	68	55	31	2	-
ALL OTHER--MALE----	-	1	1	3	2	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	2	2	-	-	1	-	-
BLACK---MALE----	-	1	1	3	2	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	2	2	-	-	1	-	-
RHODE ISLAND -----	-	-	1	2	4	4	7	7	7	1	-	-
WHITE-----MALE----	-	-	1	1	3	3	4	2	4	-	-	-
FEMALE--	-	-	-	1	1	1	3	5	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	4	6	2	6	14	11	25	28	20	5	-	-
WHITE-----MALE----	2	2	1	3	5	5	7	7	5	-	-	-
FEMALE--	-	2	1	1	7	5	15	21	10	5	-	-
ALL OTHER--MALE----	2	2	-	1	2	-	1	-	1	-	-	-
FEMALE--	-	-	-	1	-	1	2	-	4	-	-	-
BLACK---MALE----	2	2	-	1	2	-	1	-	1	-	-	-
FEMALE--	-	-	-	1	-	1	2	-	4	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,924  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 FRACTURE, CAUSE UNSPECIFIED, AND OTHER AND UNSPECIFIED FALLS (E887-E888)												
SOUTH DAKOTA -----	3	-	-	2	1	1	4	8	13	6	1	-
WHITE-----MALE----	1	-	-	2	-	-	3	5	3	1	-	-
FEMALE--	1	-	-	-	1	1	1	3	10	5	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	5	7	7	15	18	26	36	45	40	8	1	-
WHITE-----MALE----	-	5	1	8	9	13	11	9	9	2	-	-
FEMALE--	4	1	3	6	8	11	21	31	30	6	1	-
ALL OTHER--MALE----	1	1	-	1	1	1	1	1	-	-	-	-
FEMALE--	-	-	3	-	-	1	3	4	1	-	-	-
BLACK---MALE----	1	1	-	1	1	1	1	1	-	-	-	-
FEMALE--	-	-	2	-	-	1	3	4	1	-	-	-
TEXAS -----	10	14	13	26	34	65	97	134	84	37	9	1
WHITE-----MALE----	6	8	9	17	14	39	39	52	26	7	1	1
FEMALE--	2	5	3	8	15	25	53	79	54	26	8	-
ALL OTHER--MALE----	1	-	-	1	1	1	5	1	2	1	-	-
FEMALE--	1	1	1	-	4	-	-	2	2	3	-	-
BLACK---MALE----	1	-	-	1	1	1	5	1	2	1	-	-
FEMALE--	1	1	1	-	4	-	-	2	2	2	-	-
UTAH -----	-	-	2	2	6	6	13	13	9	4	2	-
WHITE-----MALE----	-	-	1	2	4	2	3	5	3	2	1	-
FEMALE--	-	-	1	-	2	4	10	7	6	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	1	2	1	1	5	3	3	-	-	-
WHITE-----MALE----	-	-	-	1	-	1	4	1	1	-	-	-
FEMALE--	-	-	1	1	1	-	1	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	3	8	8	21	33	50	60	37	19	3	-
WHITE-----MALE----	-	-	4	3	10	12	15	22	10	4	-	-
FEMALE--	-	3	3	4	8	17	32	34	23	13	3	-
ALL OTHER--MALE----	-	-	-	-	2	2	-	1	2	-	-	-
FEMALE--	-	-	1	1	1	2	3	3	2	2	-	-
BLACK---MALE----	-	-	-	-	2	1	-	1	2	-	-	-
FEMALE--	-	-	1	-	-	2	3	3	2	2	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,926  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACCIDENTS CAUSED BY FIRE AND FLAMES (E890-E899)												
0 UNITED STATES --	3,761	64	446	224	99	68	130	149	187	223	213	223
WHITE-----MALE----	1,509	16	151	75	34	28	50	68	96	114	108	111
FEMALE--	1,015	20	102	62	20	15	44	32	42	46	47	45
ALL OTHER--MALE----	723	12	117	42	22	16	18	32	28	37	38	51
FEMALE--	514	16	76	45	23	9	18	17	21	26	20	16
BLACK---MALE----	661	12	104	42	22	12	16	28	24	33	31	44
FEMALE--	470	15	65	41	22	8	14	14	21	24	19	14
ALABAMA -----	132	1	16	8	1	-	5	8	6	10	7	7
WHITE-----MALE----	43	1	4	3	1	-	1	4	4	5	2	3
FEMALE--	24	-	3	-	-	-	2	-	-	1	1	1
ALL OTHER--MALE----	40	-	6	2	-	-	1	1	2	2	4	2
FEMALE--	25	-	3	3	-	-	1	3	-	2	-	1
BLACK---MALE----	40	-	6	2	-	-	1	1	2	2	4	2
FEMALE--	25	-	3	3	-	-	1	3	-	2	-	1
ALASKA -----	18	-	6	-	-	-	3	1	-	2	2	1
WHITE-----MALE----	5	-	-	-	-	-	1	-	-	1	1	1
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	9	-	5	-	-	-	1	-	-	1	1	-
FEMALE--	2	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	35	-	7	1	1	2	4	-	2	-	-	2
WHITE-----MALE----	12	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	13	-	2	-	-	-	2	-	1	-	-	1
ALL OTHER--MALE----	5	-	-	-	1	1	1	-	1	-	-	1
FEMALE--	5	-	4	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	2	-	2	-	-	-	-	-	-	-	-	-
ARKANSAS -----	78	3	5	2	-	-	5	-	3	2	7	5
WHITE-----MALE----	30	1	3	-	-	-	1	-	-	-	4	3
FEMALE--	29	1	1	1	-	-	3	-	2	-	2	2
ALL OTHER--MALE----	12	-	1	1	-	-	-	-	1	1	-	-
FEMALE--	7	1	-	-	-	-	1	-	-	1	1	-
BLACK---MALE----	12	-	1	1	-	-	-	-	1	1	-	-
FEMALE--	7	1	-	-	-	-	1	-	-	1	1	-
CALIFORNIA -----	241	9	29	15	4	3	6	5	17	12	17	15
WHITE-----MALE----	94	1	7	3	2	-	-	3	9	7	8	9
FEMALE--	77	2	3	8	2	1	4	-	4	3	4	3
ALL OTHER--MALE----	38	3	14	-	-	1	2	1	2	-	3	2
FEMALE--	32	3	5	4	-	1	-	1	2	2	2	1
BLACK---MALE----	30	3	11	-	-	1	2	1	2	-	1	2
FEMALE--	29	3	4	3	-	1	-	-	2	2	2	1



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,926  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACCIDENTS CAUSED BY FIRE AND FLAMES (E890-E899)												
0 UNITED STATES --	157	168	205	206	244	250	228	147	100	22	6	2
WHITE-----MALE----	78	75	84	78	87	95	79	45	29	8	-	-
FEMALE--	35	33	45	65	82	92	76	60	46	5	1	-
ALL OTHER--MALE----	30	32	53	39	43	34	40	19	14	2	2	2
FEMALE--	14	28	23	24	32	29	33	23	11	7	3	-
BLACK---MALE----	29	30	49	38	40	32	40	18	12	1	2	2
FEMALE--	13	26	21	22	29	28	30	23	11	7	3	-
ALABAMA -----	8	6	9	8	5	8	7	5	3	3	1	-
WHITE-----MALE----	5	3	2	1	-	1	1	1	-	1	-	-
FEMALE--	-	1	2	1	2	4	3	2	1	-	-	-
ALL OTHER--MALE----	3	-	5	5	1	2	2	-	1	-	1	-
FEMALE--	-	2	-	1	2	1	1	2	1	2	-	-
BLACK---MALE----	3	-	5	5	1	2	2	-	1	-	1	-
FEMALE--	-	2	-	1	2	1	1	2	1	2	-	-
ALASKA -----	1	-	2	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	3	3	2	3	2	-	2	1	-	-	-	-
WHITE-----MALE----	2	1	2	2	-	-	1	1	-	-	-	-
FEMALE--	1	2	-	1	2	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	3	2	4	7	8	4	6	6	4	2	-	-
WHITE-----MALE----	2	1	1	3	2	2	1	4	1	1	-	-
FEMALE--	1	1	2	2	3	2	3	2	1	-	-	-
ALL OTHER--MALE----	-	-	1	1	3	-	1	-	1	1	-	-
FEMALE--	-	-	-	1	-	-	1	-	1	-	-	-
BLACK---MALE----	-	-	1	1	3	-	1	-	1	1	-	-
FEMALE--	-	-	-	1	-	-	1	-	1	-	-	-
CALIFORNIA -----	6	13	16	17	21	14	12	7	3	-	-	-
WHITE-----MALE----	3	11	5	9	9	1	4	3	-	-	-	-
FEMALE--	1	-	5	7	8	10	6	3	3	-	-	-
ALL OTHER--MALE----	-	2	4	1	1	1	1	-	-	-	-	-
FEMALE--	2	-	2	-	3	2	1	1	-	-	-	-
BLACK---MALE----	-	2	2	-	1	1	1	-	-	-	-	-
FEMALE--	2	-	2	-	3	2	1	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,927  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACCIDENTS CAUSED BY FIRE AND FLAMES (E890-E899)												
COLORADO -----	18	-	2	1	-	-	1	-	1	-	1	1
WHITE-----MALE----	5	-	-	1	-	-	1	-	-	-	-	1
FEMALE--	11	-	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	33	-	4	2	2	2	-	2	-	2	-	2
WHITE-----MALE----	15	-	3	1	1	-	-	1	-	-	-	1
FEMALE--	11	-	1	-	-	2	-	1	-	1	-	-
ALL OTHER--MALE----	4	-	-	-	1	-	-	-	-	-	-	1
FEMALE--	3	-	-	1	-	-	-	-	-	1	-	-
BLACK---MALE----	4	-	-	-	1	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
DELAWARE -----	10	-	-	-	-	-	-	-	1	1	1	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	4	-	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	8	-	1	-	-	-	-	-	-	1	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	140	1	14	2	2	1	3	5	11	9	7	7
WHITE-----MALE----	52	-	3	-	1	1	1	1	6	6	3	3
FEMALE--	32	1	2	-	-	-	1	-	2	1	1	2
ALL OTHER--MALE----	32	-	7	2	-	-	1	3	2	2	1	1
FEMALE--	24	-	2	-	1	-	-	1	1	-	2	1
BLACK---MALE----	32	-	7	2	-	-	1	3	2	2	1	1
FEMALE--	24	-	2	-	1	-	-	1	1	-	2	1
GEORGIA -----	177	3	19	13	5	4	6	6	7	5	10	9
WHITE-----MALE----	51	2	4	1	1	-	-	4	4	3	3	3
FEMALE--	38	1	4	2	-	1	3	1	-	2	4	-
ALL OTHER--MALE----	56	-	11	6	2	1	1	-	1	-	2	5
FEMALE--	32	-	-	4	2	2	2	1	2	-	1	1
BLACK---MALE----	56	-	11	6	2	1	1	-	1	-	2	5
FEMALE--	32	-	-	4	2	2	2	1	2	-	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,927  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACCIDENTS CAUSED BY FIRE AND FLAMES (E890-E899)												
COLORADO -----	-	-	1	1	-	3	1	3	1	1	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	3	1	2	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	2	1	3	3	4	-	1	2	-	-	-
WHITE-----MALE----	1	1	1	1	1	2	-	1	-	-	-	-
FEMALE--	-	1	-	-	2	1	-	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
DELAWARE -----	1	-	-	-	-	3	-	1	1	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	-	-	-	1	2	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	1	-	-	-	-	-
FLORIDA -----	8	5	7	14	10	14	10	8	1	-	1	-
WHITE-----MALE----	3	1	1	7	6	7	-	1	1	-	-	-
FEMALE--	2	3	2	5	1	1	6	2	-	-	-	-
ALL OTHER--MALE----	1	1	3	2	1	3	1	1	-	-	-	-
FEMALE--	2	-	1	-	2	3	3	4	-	-	1	-
BLACK---MALE----	1	1	3	2	1	3	1	1	-	-	-	-
FEMALE--	2	-	1	-	2	3	3	4	-	-	1	-
GEORGIA -----	10	5	10	13	12	8	17	8	4	2	-	1
WHITE-----MALE----	5	2	3	2	6	4	4	-	-	-	-	-
FEMALE--	3	-	3	6	3	1	-	3	-	1	-	-
ALL OTHER--MALE----	2	2	1	5	3	1	8	1	3	-	-	1
FEMALE--	-	1	3	-	-	2	5	4	1	1	-	-
BLACK---MALE----	2	2	1	5	3	1	8	1	3	-	-	1
FEMALE--	-	1	3	-	-	2	5	4	1	1	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,929  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACCIDENTS CAUSED BY FIRE AND FLAMES (E890-E899)												
KENTUCKY -----	88	1	14	2	3	2	4	5	3	4	8	4
WHITE-----MALE----	48	1	3	2	2	2	3	3	2	4	7	3
FEMALE--	26	-	7	-	-	-	-	2	-	-	1	-
ALL OTHER--MALE----	9	-	3	-	-	-	1	-	1	-	-	-
FEMALE--	5	-	1	-	1	-	-	-	-	-	-	1
BLACK---MALE----	8	-	2	-	-	-	1	-	1	-	-	-
FEMALE--	4	-	1	-	1	-	-	-	-	-	-	-
LOUISIANA -----	83	1	4	4	1	1	3	6	3	5	6	4
WHITE-----MALE----	18	-	-	-	-	1	1	2	2	4	1	1
FEMALE--	16	1	-	-	1	-	2	1	-	-	2	-
ALL OTHER--MALE----	32	-	3	2	-	-	-	3	-	1	2	3
FEMALE--	17	-	1	2	-	-	-	-	1	-	1	-
BLACK---MALE----	32	-	3	2	-	-	-	3	-	1	2	3
FEMALE--	17	-	1	2	-	-	-	-	1	-	1	-
MAINE -----	11	-	-	-	-	1	1	-	1	-	-	1
WHITE-----MALE----	9	-	-	-	-	1	1	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	77	1	11	9	3	-	1	1	2	5	4	3
WHITE-----MALE----	21	1	2	-	1	-	1	1	1	1	1	-
FEMALE--	17	-	2	2	-	-	-	-	1	-	-	2
ALL OTHER--MALE----	23	-	2	7	2	-	-	-	-	1	1	1
FEMALE--	16	-	5	-	-	-	-	-	-	3	2	-
BLACK---MALE----	23	-	2	7	2	-	-	-	-	1	1	1
FEMALE--	16	-	5	-	-	-	-	-	-	3	2	-
MASSACHUSETTS -----	45	-	3	5	-	1	4	2	1	1	3	3
WHITE-----MALE----	26	-	-	5	-	1	2	1	1	1	3	2
FEMALE--	12	-	2	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	5	-	1	-	-	-	2	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	157	1	28	8	3	6	7	3	9	7	7	8
WHITE-----MALE----	57	-	7	1	1	-	3	2	5	4	4	5
FEMALE--	48	-	4	4	1	-	2	-	3	2	-	3
ALL OTHER--MALE----	30	-	9	1	-	4	1	1	1	1	3	-
FEMALE--	22	1	8	2	1	2	1	-	-	-	-	-
BLACK---MALE----	29	-	9	1	-	4	1	1	1	1	3	-
FEMALE--	16	-	5	2	1	1	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,929  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACCIDENTS CAUSED BY FIRE AND FLAMES (E890-E899)												
KENTUCKY -----	4	2	-	3	6	9	6	4	4	-	-	-
WHITE-----MALE----	3	-	-	1	-	4	4	3	1	-	-	-
FEMALE--	1	-	-	1	3	5	2	1	3	-	-	-
ALL OTHER--MALE----	-	1	-	1	2	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	1	2	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
LOUISIANA -----	5	7	5	4	5	3	7	7	1	-	1	-
WHITE-----MALE----	1	1	-	1	2	1	-	-	-	-	-	-
FEMALE--	-	1	1	-	1	1	2	2	1	-	-	-
ALL OTHER--MALE----	3	3	2	3	-	-	4	3	-	-	-	-
FEMALE--	1	2	2	-	2	1	1	2	-	-	1	-
BLACK---MALE----	3	3	2	3	-	-	4	3	-	-	-	-
FEMALE--	1	2	2	-	2	1	1	2	-	-	1	-
MAINE -----	2	1	1	1	1	1	-	-	-	-	-	-
WHITE-----MALE----	2	1	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2	4	6	9	3	1	6	1	4	1	-	-
WHITE-----MALE----	1	-	4	3	-	1	1	-	1	1	-	-
FEMALE--	-	2	-	1	1	-	3	1	2	-	-	-
ALL OTHER--MALE----	1	2	1	2	-	-	2	-	1	-	-	-
FEMALE--	-	-	1	3	2	-	-	-	-	-	-	-
BLACK---MALE----	1	2	1	2	-	-	2	-	1	-	-	-
FEMALE--	-	-	1	3	2	-	-	-	-	-	-	-
MASSACHUSETTS -----	5	1	6	-	4	3	1	1	1	-	-	-
WHITE-----MALE----	1	1	5	-	2	1	-	-	-	-	-	-
FEMALE--	2	-	1	-	2	2	1	1	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	4	7	9	7	10	11	12	8	2	-	-	-
WHITE-----MALE----	3	3	2	4	5	1	4	2	1	-	-	-
FEMALE--	1	3	4	1	3	7	4	5	1	-	-	-
ALL OTHER--MALE----	-	-	2	-	1	2	3	1	-	-	-	-
FEMALE--	-	1	1	2	1	1	1	-	-	-	-	-
BLACK---MALE----	-	-	2	-	1	1	3	1	-	-	-	-
FEMALE--	-	1	1	2	1	1	-	-	-	-	-	-











TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,932  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACCIDENTS CAUSED BY FIRE AND FLAMES (E890-E899)												
OHIO -----	126	2	20	4	4	5	3	6	7	6	5	5
WHITE-----MALE----	62	1	8	3	1	2	2	2	4	1	3	3
FEMALE--	40	-	8	1	-	1	1	-	2	3	1	-
ALL OTHER--MALE----	11	-	-	-	-	2	-	3	1	1	-	1
FEMALE--	13	1	4	-	3	-	-	1	-	1	1	1
BLACK---MALE----	11	-	-	-	-	2	-	3	1	1	-	1
FEMALE--	13	1	4	-	3	-	-	1	-	1	1	1
OKLAHOMA -----	59	-	9	3	-	2	1	3	4	7	5	5
WHITE-----MALE----	32	-	5	2	-	1	-	1	3	3	3	2
FEMALE--	15	-	-	1	-	1	1	1	1	4	-	1
ALL OTHER--MALE----	8	-	3	-	-	-	-	-	-	-	1	1
FEMALE--	4	-	1	-	-	-	-	1	-	-	1	1
BLACK---MALE----	5	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
OREGON -----	29	1	4	1	-	2	-	1	-	1	2	2
WHITE-----MALE----	19	-	3	1	-	2	-	1	-	1	1	2
FEMALE--	10	1	1	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	200	3	27	11	5	3	6	12	9	9	11	20
WHITE-----MALE----	74	-	7	4	-	-	3	4	5	6	6	9
FEMALE--	56	-	2	3	2	2	3	5	2	2	1	3
ALL OTHER--MALE----	39	2	11	1	1	-	-	2	-	1	2	5
FEMALE--	31	1	7	3	2	1	-	1	2	-	2	3
BLACK---MALE----	39	2	11	1	1	-	-	2	-	1	2	5
FEMALE--	31	1	7	3	2	1	-	1	2	-	2	3
RHODE ISLAND -----	21	-	3	1	2	1	1	1	1	2	-	2
WHITE-----MALE----	12	-	2	1	2	1	-	1	-	2	-	1
FEMALE--	7	-	1	-	-	-	1	-	1	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	110	1	10	5	2	2	7	6	7	9	5	9
WHITE-----MALE----	31	-	3	-	-	1	4	3	3	1	4	2
FEMALE--	16	-	3	-	-	-	2	1	1	2	-	-
ALL OTHER--MALE----	46	-	2	3	1	1	1	2	3	5	1	6
FEMALE--	17	1	2	2	1	-	-	-	-	1	-	1
BLACK---MALE----	46	-	2	3	1	1	1	2	3	5	1	6
FEMALE--	17	1	2	2	1	-	-	-	-	1	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,932  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACCIDENTS CAUSED BY FIRE AND FLAMES (E890-E899)												
OHIO -----	4	8	8	12	9	7	2	3	6	-	-	-
WHITE-----MALE----	3	4	4	6	6	4	1	2	2	-	-	-
FEMALE--	1	3	3	5	3	2	1	1	4	-	-	-
ALL OTHER--MALE----	-	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	2	-	4	-	2	5	3	2	1	1	-	-
WHITE-----MALE----	-	-	4	-	2	4	1	-	-	1	-	-
FEMALE--	2	-	-	-	-	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	3	1	1	2	2	2	2	2	-	-	-
WHITE-----MALE----	-	2	1	1	1	2	1	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	1	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	7	5	10	8	12	15	14	6	6	1	-	-
WHITE-----MALE----	4	2	5	1	2	5	6	1	4	-	-	-
FEMALE--	3	1	1	6	5	4	3	5	2	1	-	-
ALL OTHER--MALE----	-	1	3	-	3	4	3	-	-	-	-	-
FEMALE--	-	1	1	1	2	2	2	-	-	-	-	-
BLACK---MALE----	-	1	3	-	3	4	3	-	-	-	-	-
FEMALE--	-	1	1	1	2	2	2	-	-	-	-	-
RHODE ISLAND -----	1	1	1	1	2	1	-	-	-	-	-	-
WHITE-----MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	6	6	8	8	5	8	4	-	2	-	-	-
WHITE-----MALE----	1	2	1	3	1	2	-	-	-	-	-	-
FEMALE--	2	1	-	-	1	1	2	-	-	-	-	-
ALL OTHER--MALE----	3	2	5	3	3	3	1	-	1	-	-	-
FEMALE--	-	1	2	2	-	2	1	-	1	-	-	-
BLACK---MALE----	3	2	5	3	3	3	1	-	1	-	-	-
FEMALE--	-	1	2	2	-	2	1	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,933  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACCIDENTS CAUSED BY FIRE AND FLAMES (E890-E899)												
SOUTH DAKOTA -----	14	-	-	-	-	1	-	-	-	3	1	3
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	2	1	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	1	-	-	-	1	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	122	2	12	6	3	1	1	8	9	8	5	8
WHITE-----MALE----	56	-	5	1	-	-	1	4	6	4	2	4
FEMALE--	23	1	3	2	-	1	-	3	2	2	1	2
ALL OTHER--MALE----	21	-	2	-	2	-	-	-	1	1	1	2
FEMALE--	22	1	2	3	1	-	-	1	-	1	1	-
BLACK---MALE----	21	-	2	-	2	-	-	-	1	1	1	2
FEMALE--	22	1	2	3	1	-	-	1	-	1	1	-
TEXAS -----	251	9	39	15	8	3	9	8	9	20	12	7
WHITE-----MALE----	107	2	15	6	1	2	3	5	5	11	7	5
FEMALE--	78	6	9	3	4	1	5	-	1	5	5	1
ALL OTHER--MALE----	44	-	10	5	2	-	-	1	2	3	-	-
FEMALE--	22	1	5	1	1	-	1	2	1	1	-	1
BLACK---MALE----	43	-	9	5	2	-	-	1	2	3	-	-
FEMALE--	22	1	5	1	1	-	1	2	1	1	-	1
UTAH -----	14	1	3	1	-	-	1	1	-	-	1	-
WHITE-----MALE----	8	-	3	-	-	-	-	1	-	-	1	-
FEMALE--	4	1	-	1	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	6	-	-	-	-	-	-	-	2	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	108	1	4	4	2	1	-	6	5	9	4	8
WHITE-----MALE----	32	-	1	1	1	-	-	2	3	5	1	2
FEMALE--	28	-	-	1	-	-	-	1	1	1	1	5
ALL OTHER--MALE----	26	-	1	-	-	-	-	1	1	3	1	1
FEMALE--	22	1	2	2	1	1	-	2	-	-	1	-
BLACK---MALE----	25	-	1	-	-	-	-	1	1	3	1	1
FEMALE--	22	1	2	2	1	1	-	2	-	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,933  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACCIDENTS CAUSED BY FIRE AND FLAMES (E890-E899)												
SOUTH DAKOTA -----	-	-	1	1	2	-	-	1	-	1	-	-
WHITE-----MALE----	-	-	-	1	1	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	10	5	12	1	9	7	10	1	3	-	1	-
WHITE-----MALE----	6	2	7	1	3	2	6	1	1	-	-	-
FEMALE--	1	-	-	-	2	1	1	-	1	-	-	-
ALL OTHER--MALE----	1	3	2	-	1	2	2	-	-	-	1	-
FEMALE--	2	-	3	-	3	2	1	-	1	-	-	-
BLACK---MALE----	1	3	2	-	1	2	2	-	-	-	1	-
FEMALE--	2	-	3	-	3	2	1	-	1	-	-	-
TEXAS -----	8	11	9	13	19	15	19	11	2	3	2	-
WHITE-----MALE----	2	5	3	5	4	9	7	6	2	2	-	-
FEMALE--	3	3	2	5	11	5	6	1	-	1	1	-
ALL OTHER--MALE----	2	2	4	2	3	1	3	4	-	-	-	-
FEMALE--	1	1	-	1	1	-	3	-	-	-	1	-
BLACK---MALE----	2	2	4	2	3	1	3	4	-	-	-	-
FEMALE--	1	1	-	1	1	-	3	-	-	-	1	-
UTAH -----	-	-	2	1	1	-	1	-	-	1	-	-
WHITE-----MALE----	-	-	1	-	-	-	1	-	-	1	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	1	-	1	1	-	-	1	-	-	-	-
WHITE-----MALE----	-	1	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	6	5	9	8	10	12	7	3	3	1	-	-
WHITE-----MALE----	1	3	3	3	3	1	2	-	-	-	-	-
FEMALE--	2	-	-	3	2	4	4	2	1	-	-	-
ALL OTHER--MALE----	2	1	5	-	3	3	1	1	2	-	-	-
FEMALE--	1	1	1	2	2	4	-	-	-	1	-	-
BLACK---MALE----	2	1	5	-	2	3	1	1	2	-	-	-
FEMALE--	1	1	1	2	2	4	-	-	-	1	-	-







TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,935  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER ACCIDENTS, INCLUDING LATE EFFECTS (E900-E929)												
0 UNITED STATES --	17,778	488	885	386	526	938	841	842	1,029	1,160	1,075	872
WHITE-----MALE----	10,344	186	445	197	299	625	604	602	712	828	732	570
FEMALE--	4,212	136	256	81	78	77	72	94	122	140	131	127
ALL OTHER--MALE----	2,339	78	111	83	118	211	145	130	167	158	170	141
FEMALE--	883	88	73	25	31	25	20	16	28	34	42	34
BLACK---MALE----	1,976	71	81	61	103	184	113	102	131	139	134	125
FEMALE--	769	80	57	16	26	19	15	13	24	27	38	29
ALABAMA -----	594	11	14	7	18	29	35	40	35	44	35	34
WHITE-----MALE----	299	2	6	2	9	15	21	21	20	29	21	25
FEMALE--	130	4	3	1	1	1	4	7	5	9	5	3
ALL OTHER--MALE----	114	1	3	3	6	11	8	12	6	6	5	6
FEMALE--	51	4	2	1	2	2	2	-	4	-	4	-
BLACK---MALE----	113	1	3	3	6	11	8	12	5	6	5	6
FEMALE--	50	4	2	1	2	2	2	-	3	-	4	-
ALASKA -----	105	3	7	6	3	4	8	6	12	9	17	7
WHITE-----MALE----	44	-	2	2	1	1	3	3	4	5	7	5
FEMALE--	8	-	3	-	1	-	-	-	1	-	2	-
ALL OTHER--MALE----	41	1	2	2	1	2	4	2	7	3	8	2
FEMALE--	12	2	-	2	-	1	1	1	-	1	-	-
BLACK---MALE----	2	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	1	-	1	-	-	-	-	-	-	-	-
ARIZONA -----	354	8	34	13	10	19	28	18	23	18	31	14
WHITE-----MALE----	217	4	19	7	5	15	24	15	16	14	21	10
FEMALE--	88	4	7	2	3	1	2	1	3	3	5	3
ALL OTHER--MALE----	37	-	7	3	1	3	2	2	4	1	3	-
FEMALE--	12	-	1	1	1	-	-	-	-	-	2	1
BLACK---MALE----	8	-	2	-	-	1	-	-	-	-	1	-
FEMALE--	3	-	-	1	-	-	-	-	-	-	-	-
ARKANSAS -----	260	10	13	4	11	12	7	12	17	18	9	7
WHITE-----MALE----	137	2	7	2	7	6	4	10	9	9	7	3
FEMALE--	61	4	4	-	1	1	2	-	3	3	-	2
ALL OTHER--MALE----	39	-	1	2	2	5	1	1	5	5	2	2
FEMALE--	23	4	1	-	1	-	-	1	-	1	-	-
BLACK---MALE----	38	-	1	2	2	5	-	1	5	5	2	2
FEMALE--	23	4	1	-	1	-	-	1	-	1	-	-
CALIFORNIA -----	1,388	39	119	42	42	87	104	74	114	117	117	83
WHITE-----MALE----	877	12	65	21	27	61	83	57	78	76	89	59
FEMALE--	281	15	32	8	5	8	7	9	14	21	14	12
ALL OTHER--MALE----	178	6	14	11	8	17	13	7	19	17	11	7
FEMALE--	52	6	8	2	2	1	1	1	3	3	3	5
BLACK---MALE----	106	6	7	7	5	10	6	3	8	12	6	4
FEMALE--	24	4	4	-	1	-	-	-	2	2	3	4

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,935  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER ACCIDENTS, INCLUDING LATE EFFECTS (E900-E929)												
0 UNITED STATES --	794	734	772	797	1,023	1,165	1,253	1,170	673	261	44	50
WHITE-----MALE----	542	457	451	476	586	606	577	487	237	67	12	46
FEMALE--	104	132	162	183	281	403	526	552	368	163	23	1
ALL OTHER--MALE----	105	115	118	102	95	96	80	65	32	13	3	3
FEMALE--	43	30	41	36	61	60	70	66	36	18	6	-
BLACK---MALE----	95	95	104	88	84	90	76	58	25	12	2	3
FEMALE--	37	25	38	33	58	59	60	57	34	18	6	-
ALABAMA -----	22	16	31	31	36	31	45	36	39	4	1	-
WHITE-----MALE----	8	10	17	18	19	17	18	9	12	-	-	-
FEMALE--	2	3	6	6	12	4	17	17	18	2	-	-
ALL OTHER--MALE----	8	3	7	5	2	6	8	7	1	-	-	-
FEMALE--	4	-	1	2	3	4	2	3	8	2	1	-
BLACK---MALE----	8	3	7	5	2	6	8	7	1	-	-	-
FEMALE--	4	-	1	2	3	4	2	3	8	2	1	-
ALASKA -----	4	7	3	4	1	3	-	1	-	-	-	-
WHITE-----MALE----	2	5	2	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	1	2	1	1	-	-	-	-	-	-
FEMALE--	1	1	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	12	8	16	17	16	15	19	19	13	1	1	1
WHITE-----MALE----	9	5	10	10	7	7	4	10	4	-	-	1
FEMALE--	2	1	3	5	7	7	11	9	7	1	1	-
ALL OTHER--MALE----	1	1	2	2	2	-	1	-	2	-	-	-
FEMALE--	-	1	1	-	-	1	3	-	-	-	-	-
BLACK---MALE----	-	-	2	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
ARKANSAS -----	11	15	14	7	13	24	17	19	13	6	1	-
WHITE-----MALE----	8	9	9	4	8	9	7	12	4	1	-	-
FEMALE--	1	4	3	1	3	10	5	6	6	2	-	-
ALL OTHER--MALE----	2	1	1	2	1	1	4	-	1	-	-	-
FEMALE--	-	1	1	-	1	4	1	1	2	3	1	-
BLACK---MALE----	2	1	1	2	1	1	4	-	1	-	-	-
FEMALE--	-	1	1	-	1	4	1	1	2	3	1	-
CALIFORNIA -----	56	47	52	40	62	45	54	51	21	9	1	12
WHITE-----MALE----	45	32	24	23	30	21	27	20	12	3	-	12
FEMALE--	6	9	14	11	20	20	20	23	7	5	1	-
ALL OTHER--MALE----	5	5	11	5	9	2	3	5	2	1	-	-
FEMALE--	-	1	3	1	3	2	4	3	-	-	-	-
BLACK---MALE----	5	4	9	3	6	2	-	3	-	-	-	-
FEMALE--	-	-	1	-	1	1	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,936  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER ACCIDENTS, INCLUDING LATE EFFECTS (E900-E929)												
COLORADO -----	250	3	7	1	9	12	13	22	19	19	17	11
WHITE-----MALE----	178	2	3	1	4	9	13	16	13	16	17	8
FEMALE--	60	1	3	-	4	2	-	5	6	1	-	2
ALL OTHER--MALE----	9	-	-	-	1	1	-	1	-	1	-	-
FEMALE--	3	-	1	-	-	-	-	-	-	1	-	1
BLACK---MALE----	5	-	-	-	-	1	-	1	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	216	3	4	3	2	10	5	11	11	12	8	10
WHITE-----MALE----	125	1	2	1	-	9	3	7	11	8	5	8
FEMALE--	66	1	2	1	-	-	2	1	-	3	2	1
ALL OTHER--MALE----	19	-	-	1	1	1	-	3	-	1	1	1
FEMALE--	6	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	19	-	-	1	1	1	-	3	-	1	1	1
FEMALE--	6	1	-	-	1	-	-	-	-	-	-	-
DELAWARE -----	54	1	2	1	-	3	2	2	5	-	3	1
WHITE-----MALE----	33	-	1	-	-	2	1	2	3	-	3	1
FEMALE--	11	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	1	-	-	1	1	-	1	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	8	-	1	-	-	1	1	-	1	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	1	-	-	-
DISTRICT OF COLUMBIA ----	52	1	5	-	1	1	1	2	1	4	1	2
WHITE-----MALE----	8	-	-	-	1	-	-	1	1	2	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	21	-	3	-	-	1	1	1	-	2	1	-
FEMALE--	17	1	2	-	-	-	-	-	-	-	-	2
BLACK---MALE----	21	-	3	-	-	1	1	1	-	2	1	-
FEMALE--	17	1	2	-	-	-	-	-	-	-	-	2
FLORIDA -----	974	31	85	21	28	37	44	43	45	74	62	38
WHITE-----MALE----	585	19	41	9	14	20	31	35	30	54	46	25
FEMALE--	217	8	26	3	4	2	3	3	5	6	9	2
ALL OTHER--MALE----	144	3	11	6	10	13	10	4	7	14	6	10
FEMALE--	28	1	7	3	-	2	-	1	3	-	1	1
BLACK---MALE----	131	3	10	5	8	11	8	4	6	14	5	10
FEMALE--	27	1	7	2	-	2	-	1	3	-	1	1
GEORGIA -----	537	14	32	8	20	34	31	19	26	25	34	29
WHITE-----MALE----	256	3	15	3	9	15	17	11	16	16	20	16
FEMALE--	102	5	10	3	-	2	3	2	-	3	3	3
ALL OTHER--MALE----	114	2	3	2	6	14	9	4	10	5	10	9
FEMALE--	65	4	4	-	5	3	2	2	-	1	1	1
BLACK---MALE----	111	2	3	2	6	13	9	3	10	5	10	9
FEMALE--	63	4	4	-	4	3	2	2	-	1	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,936  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER ACCIDENTS, INCLUDING LATE EFFECTS (E900-E929)												
COLORADO -----	4	10	12	7	13	19	15	17	12	8	-	-
WHITE-----MALE----	3	9	10	5	8	13	12	7	6	3	-	-
FEMALE--	1	-	1	2	3	5	3	10	6	5	-	-
ALL OTHER--MALE----	-	1	1	-	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	6	8	11	12	14	26	19	25	11	5	-	-
WHITE-----MALE----	4	4	9	6	9	13	8	14	2	1	-	-
FEMALE--	-	1	1	4	2	11	10	11	9	4	-	-
ALL OTHER--MALE----	-	3	1	2	2	1	1	-	-	-	-	-
FEMALE--	2	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	3	1	2	2	1	1	-	-	-	-	-
FEMALE--	2	-	-	-	1	1	-	-	-	-	-	-
DELAWARE -----	3	3	3	2	3	6	2	4	6	2	-	-
WHITE-----MALE----	3	2	2	2	3	2	-	2	3	1	-	-
FEMALE--	-	-	1	-	-	2	2	1	3	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	2	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	2	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	3	3	3	5	3	3	4	3	3	3	-	-
WHITE-----MALE----	1	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	2	1	1	-	-
ALL OTHER--MALE----	2	2	1	2	1	2	-	-	1	1	-	-
FEMALE--	-	1	2	2	1	-	3	1	1	1	-	-
BLACK---MALE----	2	2	1	2	1	2	-	-	1	1	-	-
FEMALE--	-	1	2	2	1	-	3	1	1	1	-	-
FLORIDA -----	56	45	35	42	58	62	74	48	27	13	2	4
WHITE-----MALE----	40	27	24	22	33	30	36	26	14	5	1	3
FEMALE--	7	7	5	13	17	29	27	21	12	8	-	-
ALL OTHER--MALE----	9	10	6	6	5	2	8	1	1	-	1	1
FEMALE--	-	1	-	1	3	1	3	-	-	-	-	-
BLACK---MALE----	8	9	5	6	5	2	8	1	1	-	1	1
FEMALE--	-	1	-	1	3	1	3	-	-	-	-	-
GEORGIA -----	33	26	29	22	29	32	31	40	16	5	2	-
WHITE-----MALE----	18	17	13	12	11	15	7	12	8	2	-	-
FEMALE--	6	4	4	4	5	11	10	17	6	1	-	-
ALL OTHER--MALE----	6	4	7	3	7	4	4	5	-	-	-	-
FEMALE--	3	1	5	3	6	2	10	6	2	2	2	-
BLACK---MALE----	6	4	7	3	7	4	4	4	-	-	-	-
FEMALE--	2	1	5	3	6	2	10	6	2	2	2	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,937  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER ACCIDENTS, INCLUDING LATE EFFECTS (E900-E929)												
HAWAII -----	-	4	4	4	2	1	2	5	1	-	-	-
WHITE-----MALE----	-	-	-	2	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	3	4	2	-	-	-	1	1	-	-	-
FEMALE--	-	1	-	-	-	-	1	3	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	8	5	3	6	3	8	3	4	8	-	-	-
WHITE-----MALE----	6	5	2	5	3	6	2	2	3	-	-	-
FEMALE--	1	-	1	1	-	2	1	2	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	31	32	28	43	70	59	73	56	28	11	2	-
WHITE-----MALE----	22	23	17	23	32	31	39	18	8	1	1	-
FEMALE--	7	4	3	12	16	19	26	28	16	9	1	-
ALL OTHER--MALE----	1	5	5	5	12	4	4	5	1	-	-	-
FEMALE--	1	-	3	3	10	5	4	5	3	1	-	-
BLACK---MALE----	1	5	5	5	12	4	4	4	1	-	-	-
FEMALE--	1	-	3	3	10	5	3	5	3	1	-	-
INDIANA -----	28	20	17	30	38	43	27	43	28	14	3	-
WHITE-----MALE----	23	10	15	12	25	23	10	22	11	4	1	-
FEMALE--	2	6	1	12	12	15	15	21	17	10	2	-
ALL OTHER--MALE----	2	4	1	5	1	4	2	-	-	-	-	-
FEMALE--	1	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	2	4	1	4	1	4	2	-	-	-	-	-
FEMALE--	1	-	-	1	-	1	-	-	-	-	-	-
IOWA -----	10	7	14	8	18	18	28	12	8	2	1	-
WHITE-----MALE----	8	5	11	6	14	15	17	7	2	-	-	-
FEMALE--	2	2	3	2	4	3	11	3	6	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	10	7	13	8	14	10	25	19	11	7	2	1
WHITE-----MALE----	5	5	6	6	9	4	14	5	3	-	-	1
FEMALE--	3	2	5	2	4	5	10	14	6	4	2	-
ALL OTHER--MALE----	2	-	2	-	1	-	1	-	1	1	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	2	-	-
BLACK---MALE----	2	-	1	-	1	-	1	-	1	1	-	-
FEMALE--	-	-	-	-	-	1	-	-	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,938  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER ACCIDENTS, INCLUDING LATE EFFECTS (E900-E929)												
KENTUCKY -----	381	13	9	6	10	20	21	13	28	21	16	24
WHITE-----MALE----	267	4	5	4	7	18	18	12	20	19	16	19
FEMALE--	84	5	3	1	2	1	3	1	5	2	-	2
ALL OTHER--MALE----	25	2	1	1	1	1	-	-	3	-	-	3
FEMALE--	5	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	25	2	1	1	1	1	-	-	3	-	-	3
FEMALE--	5	2	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	417	10	21	17	17	25	22	32	34	22	27	19
WHITE-----MALE----	188	1	8	5	8	13	13	22	19	13	17	9
FEMALE--	73	-	4	6	1	-	1	1	3	1	6	2
ALL OTHER--MALE----	111	3	6	4	7	11	6	8	11	5	3	7
FEMALE--	45	6	3	2	1	1	2	1	1	3	1	1
BLACK---MALE----	110	3	6	4	7	11	6	8	11	5	3	7
FEMALE--	43	6	2	2	1	1	2	1	1	3	1	1
MAINE -----	82	2	-	1	3	4	3	3	5	7	3	2
WHITE-----MALE----	52	-	-	-	3	3	3	3	5	4	2	2
FEMALE--	30	2	-	1	-	1	-	-	-	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	278	4	10	7	6	11	4	10	16	23	20	12
WHITE-----MALE----	132	1	6	4	4	6	3	6	6	10	11	5
FEMALE--	57	1	3	-	1	1	-	-	2	4	2	2
ALL OTHER--MALE----	54	1	-	2	1	4	1	4	8	7	4	4
FEMALE--	35	1	1	1	-	-	-	-	-	2	3	1
BLACK---MALE----	51	1	-	2	1	3	1	4	8	7	4	3
FEMALE--	35	1	1	1	-	-	-	-	-	2	3	1
MASSACHUSETTS -----	265	5	11	4	5	6	6	8	19	15	18	10
WHITE-----MALE----	146	1	5	4	4	4	6	6	15	11	9	6
FEMALE--	104	4	3	-	-	-	-	2	4	2	7	4
ALL OTHER--MALE----	9	-	1	-	-	1	-	-	-	1	2	-
FEMALE--	6	-	2	-	1	1	-	-	-	1	-	-
BLACK---MALE----	7	-	-	-	-	1	-	-	-	1	2	-
FEMALE--	5	-	1	-	1	1	-	-	-	1	-	-
MICHIGAN -----	607	34	32	12	11	30	20	33	37	25	31	36
WHITE-----MALE----	356	8	16	7	7	23	14	27	30	16	19	22
FEMALE--	143	11	6	3	2	3	3	1	5	1	2	4
ALL OTHER--MALE----	75	7	8	-	1	4	3	4	2	5	7	6
FEMALE--	33	8	2	2	1	-	-	1	-	3	3	4
BLACK---MALE----	70	7	8	-	1	3	3	2	2	5	7	4
FEMALE--	32	8	2	2	1	-	-	1	-	3	3	4



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,938  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER ACCIDENTS, INCLUDING LATE EFFECTS (E900-E929)												
KENTUCKY -----	22	11	13	17	32	28	32	26	14	5	-	-
WHITE-----MALE----	19	10	8	13	20	16	22	13	4	-	-	-
FEMALE--	1	1	3	3	6	11	8	12	9	5	-	-
ALL OTHER--MALE----	2	-	1	1	5	1	2	-	1	-	-	-
FEMALE--	-	-	1	-	1	-	-	1	-	-	-	-
BLACK---MALE----	2	-	1	1	5	1	2	-	1	-	-	-
FEMALE--	-	-	1	-	1	-	-	1	-	-	-	-
LOUISIANA -----	21	24	17	17	12	28	16	18	15	3	-	-
WHITE-----MALE----	13	5	7	10	2	11	5	5	1	1	-	-
FEMALE--	4	2	3	1	4	7	5	11	9	2	-	-
ALL OTHER--MALE----	3	11	5	4	3	8	4	1	1	-	-	-
FEMALE--	1	6	2	2	3	2	2	1	4	-	-	-
BLACK---MALE----	3	11	5	3	3	8	4	1	1	-	-	-
FEMALE--	1	6	2	2	3	2	1	1	4	-	-	-
MAINE -----	6	2	3	3	6	9	6	8	4	2	-	-
WHITE-----MALE----	6	2	3	2	3	1	3	3	4	-	-	-
FEMALE--	-	-	-	1	3	8	3	5	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	15	10	11	11	17	34	18	24	8	7	-	-
WHITE-----MALE----	7	7	5	3	10	20	4	10	3	1	-	-
FEMALE--	2	1	1	4	3	9	8	6	3	4	-	-
ALL OTHER--MALE----	3	2	3	2	3	1	1	2	1	-	-	-
FEMALE--	3	-	2	2	1	4	5	6	1	2	-	-
BLACK---MALE----	3	2	3	2	3	1	1	2	-	-	-	-
FEMALE--	3	-	2	2	1	4	5	6	1	2	-	-
MASSACHUSETTS -----	7	8	8	9	15	23	30	30	18	9	1	-
WHITE-----MALE----	6	3	7	6	9	11	13	13	4	3	-	-
FEMALE--	1	4	1	3	5	12	16	15	14	6	1	-
ALL OTHER--MALE----	-	1	-	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
MICHIGAN -----	22	28	17	26	41	45	50	42	24	7	3	1
WHITE-----MALE----	16	16	10	16	25	22	27	24	8	2	1	-
FEMALE--	2	7	6	5	11	18	15	15	16	5	2	-
ALL OTHER--MALE----	4	4	1	4	3	4	4	3	-	-	-	1
FEMALE--	-	1	-	1	2	1	4	-	-	-	-	-
BLACK---MALE----	4	4	1	4	3	4	4	3	-	-	-	1
FEMALE--	-	-	-	1	2	1	4	-	-	-	-	-









TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,941  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER ACCIDENTS, INCLUDING LATE EFFECTS (E900-E929)												
OHIO -----	649	19	15	16	21	33	39	34	31	44	30	21
WHITE-----MALE----	395	10	7	10	10	22	31	29	24	36	22	12
FEMALE--	162	3	8	1	6	3	4	-	5	5	3	4
ALL OTHER--MALE----	66	4	-	3	5	7	4	5	1	3	4	5
FEMALE--	26	2	-	2	-	1	-	-	1	-	1	-
BLACK---MALE----	63	4	-	3	4	7	4	4	1	3	4	5
FEMALE--	26	2	-	2	-	1	-	-	1	-	1	-
OKLAHOMA -----	336	4	23	7	14	16	18	19	22	17	21	10
WHITE-----MALE----	212	2	14	4	13	9	13	15	17	12	13	7
FEMALE--	79	2	5	3	1	2	2	3	1	1	3	1
ALL OTHER--MALE----	34	-	3	-	-	4	3	1	3	2	5	2
FEMALE--	11	-	1	-	-	1	-	-	1	2	-	-
BLACK---MALE----	19	-	2	-	-	4	1	-	-	1	3	-
FEMALE--	9	-	1	-	-	1	-	-	1	1	-	-
OREGON -----	257	7	12	4	15	23	14	7	13	23	15	10
WHITE-----MALE----	175	4	4	1	11	20	12	6	10	19	11	7
FEMALE--	69	2	7	3	3	2	1	-	1	2	3	3
ALL OTHER--MALE----	9	-	-	-	1	1	1	-	1	2	1	-
FEMALE--	4	1	1	-	-	-	-	1	1	-	-	-
BLACK---MALE----	4	-	-	-	-	1	1	-	1	-	-	-
FEMALE--	2	-	1	-	-	-	-	1	-	-	-	-
PENNSYLVANIA -----	793	10	16	13	18	25	23	32	27	41	40	31
WHITE-----MALE----	462	2	8	7	13	17	19	25	21	31	27	19
FEMALE--	233	2	5	2	3	5	2	5	1	7	9	6
ALL OTHER--MALE----	68	4	2	3	2	2	2	2	4	3	4	5
FEMALE--	30	2	1	1	-	1	-	-	1	-	-	1
BLACK---MALE----	67	4	2	2	2	2	2	2	4	3	4	5
FEMALE--	27	2	1	-	-	-	-	-	-	-	-	1
RHODE ISLAND -----	39	2	-	1	1	1	1	1	2	3	2	2
WHITE-----MALE----	29	2	-	1	1	1	1	-	2	3	2	1
FEMALE--	9	-	-	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	312	10	13	9	18	18	12	10	16	25	22	21
WHITE-----MALE----	139	5	8	3	6	6	6	7	7	16	12	13
FEMALE--	56	-	3	-	3	-	-	1	-	4	2	2
ALL OTHER--MALE----	92	3	1	6	9	11	6	2	7	3	7	5
FEMALE--	25	2	1	-	-	1	-	-	2	2	1	1
BLACK---MALE----	92	3	1	6	9	11	6	2	7	3	7	5
FEMALE--	23	2	-	-	-	1	-	-	2	2	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,941  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER ACCIDENTS, INCLUDING LATE EFFECTS (E900-E929)												
OHIO -----	20	27	30	37	53	47	58	36	26	12	-	-
WHITE-----MALE----	12	17	14	22	34	22	28	19	8	6	-	-
FEMALE--	4	8	11	7	15	16	24	15	15	5	-	-
ALL OTHER--MALE----	1	-	3	7	3	6	4	1	-	-	-	-
FEMALE--	3	2	2	1	1	3	2	1	3	1	-	-
BLACK---MALE----	1	-	3	6	3	6	4	1	-	-	-	-
FEMALE--	3	2	2	1	1	3	2	1	3	1	-	-
OKLAHOMA -----	13	12	18	16	18	18	27	20	19	3	1	-
WHITE-----MALE----	7	8	12	11	13	11	13	9	8	1	-	-
FEMALE--	4	3	2	4	4	4	11	11	10	1	1	-
ALL OTHER--MALE----	1	1	3	1	-	2	2	-	-	1	-	-
FEMALE--	1	-	1	-	1	1	1	-	1	-	-	-
BLACK---MALE----	1	1	3	-	-	1	1	-	-	1	-	-
FEMALE--	1	-	1	-	-	1	1	-	1	-	-	-
OREGON -----	8	9	6	11	12	19	22	17	7	3	-	-
WHITE-----MALE----	6	7	6	8	9	8	14	7	3	2	-	-
FEMALE--	2	1	-	3	3	10	8	10	4	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	31	34	41	49	65	64	89	83	45	14	2	-
WHITE-----MALE----	25	23	25	33	36	37	44	30	13	6	1	-
FEMALE--	3	7	11	11	23	15	40	41	27	8	-	-
ALL OTHER--MALE----	2	4	5	3	3	5	2	9	2	-	-	-
FEMALE--	1	-	-	2	3	7	3	3	3	-	1	-
BLACK---MALE----	2	4	5	3	3	5	2	9	2	-	-	-
FEMALE--	1	-	-	2	3	7	3	3	3	-	1	-
RHODE ISLAND -----	3	1	5	-	2	4	2	2	2	2	-	-
WHITE-----MALE----	3	1	3	-	2	3	1	1	-	1	-	-
FEMALE--	-	-	2	-	-	1	1	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	13	17	5	12	21	16	25	21	5	2	1	-
WHITE-----MALE----	6	9	2	4	7	6	11	5	-	-	-	-
FEMALE--	2	2	2	1	4	5	8	10	5	2	-	-
ALL OTHER--MALE----	5	5	1	4	6	2	5	4	-	-	-	-
FEMALE--	-	1	-	3	4	3	1	2	-	-	1	-
BLACK---MALE----	5	5	1	4	6	2	5	4	-	-	-	-
FEMALE--	-	1	-	3	4	3	1	1	-	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,942  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER ACCIDENTS, INCLUDING LATE EFFECTS (E900-E929)												
SOUTH DAKOTA -----	67	3	4	5	2	8	6	5	4	1	5	2
WHITE-----MALE----	41	2	3	2	-	5	5	3	3	-	1	2
FEMALE--	10	-	1	1	1	-	-	-	1	1	2	-
ALL OTHER--MALE----	13	-	-	1	1	3	1	2	-	-	2	-
FEMALE--	3	1	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	526	20	20	6	13	36	30	23	33	33	27	35
WHITE-----MALE----	309	7	14	3	5	22	22	13	19	25	17	25
FEMALE--	132	11	3	2	5	4	2	5	5	5	5	4
ALL OTHER--MALE----	63	-	1	1	3	9	6	5	7	3	3	5
FEMALE--	22	2	2	-	-	1	-	-	2	-	2	1
BLACK---MALE----	61	-	1	1	3	9	5	5	6	3	3	5
FEMALE--	22	2	2	-	-	1	-	-	2	-	2	1
TEXAS -----	1,158	27	69	30	43	78	66	57	77	100	73	55
WHITE-----MALE----	755	12	34	20	24	61	52	41	54	77	54	43
FEMALE--	241	11	25	6	7	9	9	5	10	12	6	6
ALL OTHER--MALE----	119	3	3	3	8	7	5	10	11	8	9	5
FEMALE--	43	1	7	1	4	1	-	1	2	3	4	1
BLACK---MALE----	109	3	3	2	8	6	4	8	10	8	8	5
FEMALE--	41	1	6	1	4	1	-	1	2	2	4	1
UTAH -----	118	4	6	6	4	8	5	7	6	6	14	8
WHITE-----MALE----	79	2	1	1	3	8	4	4	5	6	9	7
FEMALE--	33	2	4	3	1	-	-	3	1	-	3	1
ALL OTHER--MALE----	5	-	-	2	-	-	1	-	-	-	2	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	43	1	3	1	-	5	1	3	1	6	3	5
WHITE-----MALE----	34	-	3	1	-	4	-	3	1	6	3	3
FEMALE--	9	1	-	-	-	1	1	-	-	-	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	482	13	24	8	10	24	14	27	24	29	33	19
WHITE-----MALE----	239	5	10	3	3	11	8	17	16	18	20	9
FEMALE--	112	1	7	1	2	5	-	2	5	4	4	3
ALL OTHER--MALE----	101	3	5	4	5	7	5	7	2	7	8	6
FEMALE--	30	4	2	-	-	1	1	1	1	-	1	1
BLACK---MALE----	99	3	5	4	5	7	5	7	2	7	7	6
FEMALE--	28	4	2	-	-	1	-	1	1	-	1	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,942  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER ACCIDENTS, INCLUDING LATE EFFECTS (E900-E929)												
SOUTH DAKOTA -----	4	1	3	-	2	3	4	3	1	1	-	-
WHITE-----MALE----	3	-	-	-	2	2	3	3	1	1	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	32	32	22	24	18	37	32	36	14	2	-	1
WHITE-----MALE----	17	23	12	17	13	21	12	15	6	-	-	1
FEMALE--	8	5	7	3	4	11	14	20	7	2	-	-
ALL OTHER--MALE----	3	4	2	2	-	4	3	1	1	-	-	-
FEMALE--	4	-	1	2	1	1	3	-	-	-	-	-
BLACK---MALE----	3	4	2	2	-	4	3	1	1	-	-	-
FEMALE--	4	-	1	2	1	1	3	-	-	-	-	-
TEXAS -----	54	54	40	45	49	53	55	63	28	15	3	24
WHITE-----MALE----	41	38	19	27	33	32	28	27	10	3	3	22
FEMALE--	5	7	13	9	10	16	22	29	14	9	-	1
ALL OTHER--MALE----	5	9	5	6	4	4	4	4	3	2	-	1
FEMALE--	3	-	3	3	2	1	3	1	2	1	-	-
BLACK---MALE----	5	8	5	6	3	4	4	4	2	2	-	1
FEMALE--	3	-	3	3	2	1	3	3	1	1	-	-
UTAH -----	4	7	3	5	3	5	6	6	2	3	-	-
WHITE-----MALE----	3	5	3	5	3	3	3	3	-	1	-	-
FEMALE--	1	2	-	-	-	2	3	3	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	1	3	2	1	1	3	2	-	-	-	-
WHITE-----MALE----	1	1	3	2	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	19	23	32	29	21	34	30	33	25	9	2	-
WHITE-----MALE----	13	9	15	18	13	19	9	13	8	2	-	-
FEMALE--	1	6	4	6	4	7	16	12	15	7	-	-
ALL OTHER--MALE----	3	5	10	4	3	6	4	3	2	-	2	-
FEMALE--	2	3	3	1	1	2	1	5	-	-	-	-
BLACK---MALE----	3	5	10	4	3	6	4	3	2	-	1	-
FEMALE--	2	3	3	1	1	2	1	5	-	-	-	-















































TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,953  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACCIDENTAL DROWNING AND SUBMERSION (E910)												
0 UNITED STATES --	128	122	107	90	88	83	66	46	15	4	-	36
WHITE-----MALE----	95	78	69	45	56	46	28	27	10	3	-	35
FEMALE--	14	20	18	23	19	29	23	14	5	1	-	-
ALL OTHER--MALE----	17	22	16	21	9	6	10	3	-	-	-	1
FEMALE--	2	2	4	1	4	2	5	2	-	-	-	-
BLACK---MALE----	15	18	13	17	7	6	8	3	-	-	-	1
FEMALE--	2	2	4	1	3	1	1	1	-	-	-	-
ALABAMA -----	3	4	4	1	-	-	2	-	-	-	-	-
WHITE-----MALE----	2	3	3	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALASKA -----	-	2	1	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	2	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	1	2	-	-	3	2	2	-	-	-	-
WHITE-----MALE----	1	1	1	-	-	2	1	2	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	1	3	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	3	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	18	14	11	6	17	9	16	9	5	1	-	9
WHITE-----MALE----	15	10	8	1	6	1	7	6	3	1	-	9
FEMALE--	1	2	3	4	7	6	5	1	2	-	-	-
ALL OTHER--MALE----	2	2	-	1	3	1	2	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	2	1	-	-	-	-
BLACK---MALE----	2	2	-	-	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,954  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACCIDENTAL DROWNING AND SUBMERSION (E910)												
COLORADO -----	41	-	3	1	1	3	3	10	4	2	5	1
WHITE-----MALE----	31	-	2	1	1	2	3	7	2	2	5	1
FEMALE--	8	-	-	-	-	1	-	2	2	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	37	2	1	1	1	6	-	2	3	4	3	2
WHITE-----MALE----	26	-	1	1	-	6	-	2	3	2	2	1
FEMALE--	7	1	-	-	-	-	-	-	-	2	1	1
ALL OTHER--MALE----	3	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	10	-	1	1	-	1	1	2	1	-	1	-
WHITE-----MALE----	7	-	1	-	-	-	1	2	-	-	1	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	11	-	2	-	-	1	-	1	1	1	1	1
WHITE-----MALE----	3	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	1	-	-	1	-	-	-	1	1	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	1
BLACK---MALE----	5	-	1	-	-	1	-	-	-	1	1	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	1
FLORIDA -----	359	9	69	13	14	24	17	15	14	26	26	14
WHITE-----MALE----	200	5	32	6	3	12	14	11	8	15	20	8
FEMALE--	66	1	21	-	1	1	-	-	2	3	4	1
ALL OTHER--MALE----	78	2	10	5	10	9	3	4	2	8	1	4
FEMALE--	15	1	6	2	-	2	-	-	2	-	1	1
BLACK---MALE----	70	2	9	4	8	7	3	4	2	8	1	4
FEMALE--	14	1	6	1	-	2	-	-	2	-	1	1
GEORGIA -----	127	4	21	5	10	17	11	5	10	8	7	5
WHITE-----MALE----	59	-	10	1	2	6	6	2	5	6	3	4
FEMALE--	13	2	7	2	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	42	1	2	2	4	9	4	1	5	2	4	1
FEMALE--	13	1	2	-	4	2	1	2	-	-	-	-
BLACK---MALE----	40	1	2	2	4	8	4	-	5	2	4	1
FEMALE--	12	1	2	-	3	2	1	2	-	-	-	-









TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,956  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACCIDENTAL DROWNING AND SUBMERSION (E910)												
KENTUCKY -----	49	1	5	2	3	5	6	4	7	1	6	2
WHITE-----MALE----	41	1	4	1	2	5	6	4	4	1	6	2
FEMALE--	5	-	1	1	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	100	-	9	8	7	6	8	7	14	6	6	10
WHITE-----MALE----	45	-	6	3	2	3	4	2	5	4	5	4
FEMALE--	12	-	2	3	-	-	1	1	-	-	1	1
ALL OTHER--MALE----	37	-	1	2	5	3	2	4	9	1	-	4
FEMALE--	6	-	-	-	-	-	1	-	-	1	-	1
BLACK---MALE----	37	-	1	2	5	3	2	4	9	1	-	4
FEMALE--	5	-	-	-	-	-	1	-	-	1	-	1
MAINE -----	12	-	-	-	1	1	2	1	-	3	-	-
WHITE-----MALE----	11	-	-	-	1	1	2	1	-	3	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	48	-	7	4	2	6	-	3	3	8	5	1
WHITE-----MALE----	29	-	5	2	2	2	-	3	2	4	3	1
FEMALE--	8	-	2	-	-	1	-	-	-	2	1	-
ALL OTHER--MALE----	8	-	-	1	-	3	-	-	1	1	-	-
FEMALE--	3	-	-	1	-	-	-	-	-	1	1	-
BLACK---MALE----	7	-	-	1	-	2	-	-	1	1	-	-
FEMALE--	3	-	-	1	-	-	-	-	-	1	1	-
MASSACHUSETTS -----	45	-	7	4	2	3	5	3	4	2	7	2
WHITE-----MALE----	33	-	3	4	1	2	5	2	3	2	4	1
FEMALE--	9	-	3	-	-	-	-	1	1	-	3	1
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	2	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	2	-	1	-	1	-	-	-	-	-	-	-
MICHIGAN -----	117	5	18	7	5	11	6	9	10	6	5	7
WHITE-----MALE----	76	-	11	5	2	7	5	7	8	2	4	6
FEMALE--	18	3	3	1	2	2	-	1	1	-	-	1
ALL OTHER--MALE----	16	-	2	-	-	2	1	1	1	3	1	-
FEMALE--	7	2	2	1	1	-	-	-	-	1	-	-
BLACK---MALE----	15	-	2	-	-	1	1	1	1	3	1	-
FEMALE--	7	2	2	1	1	-	-	-	-	1	-	-













TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,959  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACCIDENTAL DROWNING AND SUBMERSION (E910)												
OHIO -----	92	1	6	9	6	11	12	9	5	9	4	3
WHITE-----MALE----	60	-	1	4	3	10	9	6	3	6	3	2
FEMALE--	14	1	5	-	1	-	1	-	1	2	-	-
ALL OTHER--MALE----	16	-	-	3	2	1	2	3	1	1	1	1
FEMALE--	2	-	-	2	-	-	-	-	-	-	-	-
BLACK---MALE----	14	-	-	3	2	1	2	2	1	1	1	1
FEMALE--	2	-	-	2	-	-	-	-	-	-	-	-
OKLAHOMA -----	74	-	17	2	3	3	9	3	9	7	5	2
WHITE-----MALE----	47	-	13	-	3	1	5	3	7	5	1	-
FEMALE--	12	-	4	2	-	-	1	-	1	-	1	1
ALL OTHER--MALE----	11	-	-	-	-	2	3	-	-	1	3	1
FEMALE--	4	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	6	-	-	-	-	2	1	-	-	-	2	-
FEMALE--	4	-	-	-	-	-	-	-	1	1	-	-
OREGON -----	58	2	8	2	6	9	6	1	7	4	3	1
WHITE-----MALE----	43	2	4	1	4	7	6	1	6	3	2	-
FEMALE--	13	-	4	1	1	2	-	-	-	1	1	1
ALL OTHER--MALE----	2	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	99	-	12	9	7	11	7	7	6	7	10	2
WHITE-----MALE----	63	-	8	4	3	8	4	6	5	5	8	-
FEMALE--	17	-	2	1	2	2	2	-	-	1	1	-
ALL OTHER--MALE----	17	-	2	3	2	1	1	1	1	1	1	2
FEMALE--	2	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	16	-	2	2	2	1	1	1	1	1	1	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	13	-	-	1	1	1	1	1	1	-	-	1
WHITE-----MALE----	10	-	-	1	1	1	1	-	1	-	-	-
FEMALE--	3	-	-	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	68	-	8	7	8	8	2	4	7	9	4	2
WHITE-----MALE----	30	-	6	3	-	2	1	2	2	8	3	1
FEMALE--	7	-	2	-	1	-	-	1	-	1	-	-
ALL OTHER--MALE----	28	-	-	4	7	5	1	1	4	-	1	-
FEMALE--	3	-	-	-	-	1	-	-	1	-	-	1
BLACK---MALE----	28	-	-	4	7	5	1	1	4	-	1	-
FEMALE--	3	-	-	-	-	1	-	-	1	-	-	1



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,960  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACCIDENTAL DROWNING AND SUBMERSION (E910)												
SOUTH DAKOTA -----	16	-	2	1	-	5	2	2	1	-	1	-
WHITE-----MALE----	10	-	2	1	-	4	1	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	4	-	-	-	-	1	1	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	96	2	8	3	6	17	7	7	11	7	8	7
WHITE-----MALE----	64	-	5	1	2	13	6	4	9	4	7	5
FEMALE--	14	1	1	1	2	-	1	1	1	1	1	2
ALL OTHER--MALE----	15	-	1	1	2	3	-	2	1	2	-	-
FEMALE--	3	1	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	15	-	1	1	2	3	-	2	1	2	-	-
FEMALE--	3	1	1	-	-	1	-	-	-	-	-	-
TEXAS -----	333	3	43	24	27	44	24	18	29	30	20	10
WHITE-----MALE----	219	1	21	16	11	32	17	13	18	22	14	7
FEMALE--	63	2	17	4	5	7	4	1	5	3	2	3
ALL OTHER--MALE----	39	-	1	3	7	4	3	4	6	4	3	-
FEMALE--	12	-	4	1	4	1	-	-	1	1	1	-
BLACK---MALE----	33	-	1	2	7	3	2	2	6	4	2	-
FEMALE--	10	-	3	1	4	1	-	-	-	-	1	-
UTAH -----	30	-	5	2	1	3	2	2	2	1	2	4
WHITE-----MALE----	17	-	1	-	1	3	1	1	1	1	1	4
FEMALE--	9	-	3	1	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	3	-	-	1	-	-	1	-	-	-	1	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	10	-	1	-	-	2	-	2	-	1	1	-
WHITE-----MALE----	9	-	1	-	-	2	-	2	-	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	94	1	11	4	3	11	4	9	4	9	10	6
WHITE-----MALE----	49	-	3	1	-	5	2	5	4	6	7	3
FEMALE--	17	-	5	-	-	1	-	2	-	2	2	-
ALL OTHER--MALE----	25	1	2	3	3	4	2	2	-	1	1	3
FEMALE--	3	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	25	1	2	3	3	4	2	2	-	1	1	3
FEMALE--	3	-	1	-	-	1	-	-	-	-	-	-







TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,962  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OF RESPIRATORY TRACT OR SUFFOCATION (E911-E912)												
0 UNITED STATES --	3,185	81	86	32	14	22	22	35	47	67	68	74
WHITE-----MALE----	1,355	34	31	14	4	11	8	22	29	32	41	35
FEMALE--	1,294	19	22	8	4	5	7	6	10	17	13	22
ALL OTHER--MALE----	313	18	22	6	3	4	5	5	6	12	9	14
FEMALE--	223	10	11	4	3	2	2	2	2	6	5	3
BLACK---MALE----	279	16	15	6	3	4	5	5	4	12	9	13
FEMALE--	204	9	9	4	3	2	2	2	1	6	5	3
ALABAMA -----	131	2	1	-	-	1	3	3	2	1	3	1
WHITE-----MALE----	50	1	-	-	-	-	-	2	1	1	1	-
FEMALE--	46	1	-	-	-	-	1	-	-	-	1	-
ALL OTHER--MALE----	18	-	1	-	-	1	1	1	-	-	1	1
FEMALE--	17	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	18	-	1	-	-	1	1	1	-	-	1	1
FEMALE--	16	-	-	-	-	-	1	-	-	-	-	-
ALASKA -----	10	-	2	-	-	-	-	-	1	1	1	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	48	-	1	2	1	1	-	-	1	1	4	3
WHITE-----MALE----	22	-	1	1	-	1	-	-	-	1	3	2
FEMALE--	21	-	-	-	1	-	-	-	-	-	1	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	3	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
ARKANSAS -----	51	-	1	-	-	-	1	-	2	1	-	-
WHITE-----MALE----	25	-	1	-	-	-	-	-	1	1	-	-
FEMALE--	19	-	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	143	6	14	1	1	1	1	2	2	5	5	5
WHITE-----MALE----	60	2	6	-	-	-	1	2	1	2	3	4
FEMALE--	53	2	4	-	-	-	-	-	1	2	2	1
ALL OTHER--MALE----	23	2	3	1	-	1	-	-	-	1	-	-
FEMALE--	7	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	14	2	1	1	-	1	-	-	-	1	-	-
FEMALE--	3	-	-	-	1	-	-	-	-	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,962  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OF RESPIRATORY TRACT OR SUFFOCATION (E911-E912)												
0 UNITED STATES --	107	127	138	189	299	376	438	483	324	135	21	-
WHITE-----MALE----	59	54	63	85	148	180	182	184	108	27	4	-
FEMALE--	28	43	49	67	96	157	199	242	179	89	12	-
ALL OTHER--MALE----	10	18	20	25	28	22	30	32	15	8	1	-
FEMALE--	10	12	6	12	27	17	27	25	22	11	4	-
BLACK---MALE----	9	14	17	20	27	22	29	30	11	7	1	-
FEMALE--	9	8	6	12	27	17	24	19	21	11	4	-
ALABAMA -----	3	2	5	5	16	11	18	18	33	2	1	-
WHITE-----MALE----	-	2	2	3	8	8	5	5	11	-	-	-
FEMALE--	1	-	2	1	6	2	8	8	14	1	-	-
ALL OTHER--MALE----	-	-	1	1	-	1	4	4	1	-	-	-
FEMALE--	2	-	-	-	2	-	1	1	7	1	1	-
BLACK---MALE----	-	-	1	1	-	1	4	4	1	-	-	-
FEMALE--	2	-	-	-	2	-	1	1	7	1	1	-
ALASKA -----	1	1	-	1	-	1	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	3	1	3	7	3	6	7	3	1	-	-
WHITE-----MALE----	-	1	-	2	4	-	2	3	1	-	-	-
FEMALE--	-	1	1	1	3	3	2	4	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	3	1	3	3	4	4	5	9	9	4	1	-
WHITE-----MALE----	1	-	2	3	3	2	2	5	3	1	-	-
FEMALE--	1	1	1	-	-	2	3	4	4	1	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	2	1	-
BLACK---MALE----	1	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	2	1	-
CALIFORNIA -----	7	8	11	8	11	10	13	17	10	5	-	-
WHITE-----MALE----	4	4	3	5	3	3	5	6	5	1	-	-
FEMALE--	2	2	5	1	5	6	6	8	3	3	-	-
ALL OTHER--MALE----	1	2	3	2	2	-	-	2	2	1	-	-
FEMALE--	-	-	-	-	1	1	2	1	-	-	-	-
BLACK---MALE----	1	1	3	1	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,963  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OF RESPIRATORY TRACT OR SUFFOCATION (E911-E912)												
COLORADO -----	43	-	1	-	1	-	-	-	-	-	-	2
WHITE-----MALE----	24	-	1	-	-	-	-	-	-	-	-	2
FEMALE--	17	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	61	-	-	1	-	-	-	-	1	3	-	1
WHITE-----MALE----	25	-	-	-	-	-	-	-	1	1	-	1
FEMALE--	32	-	-	1	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	10	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	5	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	16	-	1	-	-	-	-	-	-	2	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	1	-	-	-	-	-	-	1	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	1	-	-	-	-	-	-	1	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	170	1	2	2	1	-	1	2	2	2	1	4
WHITE-----MALE----	89	1	-	1	-	-	-	2	2	1	1	2
FEMALE--	61	-	2	-	1	-	1	-	-	-	-	1
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	6	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	14	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	6	-	-	1	-	-	-	-	-	-	-	-
GEORGIA -----	121	3	1	1	1	2	2	1	1	3	3	3
WHITE-----MALE----	41	1	-	1	-	1	1	-	-	1	2	-
FEMALE--	38	1	1	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	19	-	-	-	-	-	1	1	1	1	1	1
FEMALE--	23	1	-	-	1	1	-	-	-	-	-	1
BLACK---MALE----	19	-	-	-	-	-	1	1	1	1	1	1
FEMALE--	23	1	-	-	1	1	-	-	-	-	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,963  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OF RESPIRATORY TRACT OR SUFFOCATION (E911-E912)												
COLORADO -----	2	2	1	1	3	8	5	8	6	3	-	-
WHITE-----MALE----	1	2	-	1	3	3	3	3	4	1	-	-
FEMALE--	1	-	-	-	-	4	2	5	2	2	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	-	1	4	4	16	7	13	6	3	-	-
WHITE-----MALE----	1	-	1	2	2	7	2	6	1	-	-	-
FEMALE--	-	-	-	2	1	7	5	7	5	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	1	4	1	1	1	1	-	-
WHITE-----MALE----	-	-	-	-	1	2	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	1	2	3	1	-	1	3	-	2	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	-	1	-	-
ALL OTHER--MALE----	-	-	1	2	1	-	-	-	-	-	-	-
FEMALE--	-	1	1	1	-	-	-	1	-	1	-	-
BLACK---MALE----	-	-	1	2	1	-	-	-	-	-	-	-
FEMALE--	-	1	1	1	-	-	-	1	-	1	-	-
FLORIDA -----	8	9	3	12	23	18	34	18	16	9	2	-
WHITE-----MALE----	3	8	1	5	15	6	16	10	10	4	1	-
FEMALE--	2	-	2	5	6	10	12	8	6	5	-	-
ALL OTHER--MALE----	3	1	-	1	1	1	4	-	-	-	1	-
FEMALE--	-	-	-	1	1	1	2	-	-	-	-	-
BLACK---MALE----	3	1	-	1	1	1	4	-	-	-	1	-
FEMALE--	-	-	-	1	1	1	2	-	-	-	-	-
GEORGIA -----	7	4	6	10	10	11	14	21	12	3	2	-
WHITE-----MALE----	2	1	4	4	4	5	3	5	5	1	-	-
FEMALE--	4	1	-	4	-	4	6	10	5	-	-	-
ALL OTHER--MALE----	-	2	1	1	4	1	1	3	-	-	-	-
FEMALE--	1	-	1	1	2	1	4	3	2	2	2	-
BLACK---MALE----	-	2	1	1	4	1	1	3	-	-	-	-
FEMALE--	1	-	1	1	2	1	4	3	2	2	2	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,964  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OF RESPIRATORY TRACT OR SUFFOCATION (E911-E912)												
HAWAII -----	-	1	1	2	1	1	1	3	1	-	-	-
WHITE-----MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	1	-	-	-
FEMALE--	-	1	-	-	-	-	-	3	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	1	-	1	-	2	3	2	-	2	-	-	-
WHITE-----MALE----	1	-	1	-	2	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	8	3	-	8	20	22	18	22	8	3	2	-
WHITE-----MALE----	5	1	-	2	9	14	8	7	5	-	1	-
FEMALE--	3	2	-	4	4	7	8	12	2	3	1	-
ALL OTHER--MALE----	-	-	-	1	5	1	2	2	-	-	-	-
FEMALE--	-	-	-	1	2	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	1	5	1	2	2	-	-	-	-
FEMALE--	-	-	-	1	2	-	-	1	1	-	-	-
INDIANA -----	4	4	4	13	14	15	14	28	13	9	3	-
WHITE-----MALE----	4	1	4	6	9	7	4	14	4	3	1	-
FEMALE--	-	3	-	4	5	7	9	14	9	6	2	-
ALL OTHER--MALE----	-	-	-	3	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	3	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA -----	3	2	2	2	5	7	7	2	5	1	-	-
WHITE-----MALE----	3	2	2	2	3	5	5	1	-	-	-	-
FEMALE--	-	-	-	-	2	2	2	1	5	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	4	-	3	1	6	3	12	14	6	3	2	-
WHITE-----MALE----	2	-	1	-	2	1	7	4	1	-	-	-
FEMALE--	2	-	2	1	3	2	5	10	3	2	2	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,965  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OF RESPIRATORY TRACT OR SUFFOCATION (E911-E912)												
KENTUCKY -----	61	3	-	1	-	-	-	-	-	-	-	3
WHITE-----MALE----	24	1	-	1	-	-	-	-	-	-	-	1
FEMALE--	27	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	7	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	1	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	90	4	2	4	2	2	1	5	2	3	4	1
WHITE-----MALE----	25	-	-	-	-	1	1	3	1	1	1	-
FEMALE--	30	-	-	1	-	-	-	-	1	-	3	-
ALL OTHER--MALE----	18	2	2	2	1	-	-	1	-	1	-	1
FEMALE--	17	2	-	1	1	1	-	1	-	1	-	-
BLACK---MALE----	18	2	2	2	1	-	-	1	-	1	-	1
FEMALE--	17	2	-	1	1	1	-	1	-	1	-	-
MAINE -----	23	-	-	1	-	-	-	1	1	-	1	-
WHITE-----MALE----	11	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	12	-	-	1	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	62	-	-	1	-	-	-	-	-	2	2	1
WHITE-----MALE----	21	-	-	1	-	-	-	-	-	1	-	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	1	2	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	1	2	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	71	-	2	-	-	-	-	1	-	2	-	2
WHITE-----MALE----	30	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	37	-	-	-	-	-	-	-	-	1	-	2
ALL OTHER--MALE----	3	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
MICHIGAN -----	98	3	2	1	-	-	-	1	4	1	4	2
WHITE-----MALE----	42	-	-	-	-	-	-	-	3	-	1	-
FEMALE--	36	3	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	13	-	2	-	-	-	-	-	1	-	2	1
FEMALE--	7	-	-	1	-	-	-	1	-	1	-	1
BLACK---MALE----	12	-	2	-	-	-	-	-	1	-	2	-
FEMALE--	6	-	-	1	-	-	-	1	-	1	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,965  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OF RESPIRATORY TRACT OR SUFFOCATION (E911-E912)												
KENTUCKY -----	4	1	1	3	6	9	9	12	7	2	-	-
WHITE-----MALE----	3	1	1	1	1	3	7	3	1	-	-	-
FEMALE--	-	-	-	1	3	6	1	8	5	2	-	-
ALL OTHER--MALE----	1	-	-	1	1	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	1	1	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
LOUISIANA -----	3	5	5	3	6	10	3	13	10	2	-	-
WHITE-----MALE----	-	1	2	2	1	4	1	4	1	1	-	-
FEMALE--	1	1	2	-	2	4	1	8	5	1	-	-
ALL OTHER--MALE----	1	1	1	-	1	2	1	1	-	-	-	-
FEMALE--	1	2	-	1	2	-	-	-	4	-	-	-
BLACK---MALE----	1	1	1	-	1	2	1	1	-	-	-	-
FEMALE--	1	2	-	1	2	-	-	-	4	-	-	-
MAINE -----	1	-	-	1	3	3	3	3	3	2	-	-
WHITE-----MALE----	1	-	-	-	1	1	2	1	3	-	-	-
FEMALE--	-	-	-	1	2	2	1	2	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	4	2	2	6	9	10	15	1	6	-	-
WHITE-----MALE----	-	3	1	-	2	5	1	6	-	1	-	-
FEMALE--	-	1	-	2	1	2	5	3	-	3	-	-
ALL OTHER--MALE----	-	-	-	-	2	1	-	2	1	-	-	-
FEMALE--	1	-	1	-	1	1	4	4	-	2	-	-
BLACK---MALE----	-	-	-	-	2	1	-	2	-	-	-	-
FEMALE--	1	-	1	-	1	1	4	4	-	2	-	-
MASSACHUSETTS -----	1	4	2	3	4	10	12	15	10	3	-	-
WHITE-----MALE----	1	1	2	1	1	4	5	8	3	2	-	-
FEMALE--	-	2	-	2	2	6	7	7	7	1	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	2	7	4	5	10	13	14	11	11	3	-	-
WHITE-----MALE----	1	2	3	3	5	7	6	6	4	1	-	-
FEMALE--	1	2	1	2	3	5	6	3	7	2	-	-
ALL OTHER--MALE----	-	2	-	-	-	1	2	2	-	-	-	-
FEMALE--	-	1	-	-	2	-	-	-	-	-	-	-
BLACK---MALE----	-	2	-	-	-	1	2	2	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-











TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,968  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OF RESPIRATORY TRACT OR SUFFOCATION (E911-E912)												
OHIO -----	111	5	1	2	-	2	-	2	1	4	3	6
WHITE-----MALE----	45	3	1	2	-	-	-	2	1	2	2	3
FEMALE--	48	-	-	-	-	2	-	-	-	1	1	1
ALL OTHER--MALE----	10	2	-	-	-	-	-	-	-	1	-	2
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	10	2	-	-	-	-	-	-	-	1	-	2
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	71	2	1	-	1	1	1	1	1	1	-	-
WHITE-----MALE----	29	1	-	-	-	1	-	1	1	1	-	-
FEMALE--	37	1	1	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	20	1	-	-	1	-	-	-	-	2	-	2
WHITE-----MALE----	9	-	-	-	1	-	-	-	-	1	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	205	4	1	-	-	-	3	3	3	2	2	4
WHITE-----MALE----	98	-	-	-	-	-	-	1	2	2	1	3
FEMALE--	77	1	-	-	-	-	2	-	-	-	1	1
ALL OTHER--MALE----	16	1	-	-	-	-	-	-	1	-	-	-
FEMALE--	14	2	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	16	1	-	-	-	-	-	-	1	-	-	-
FEMALE--	14	2	1	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	10	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	77	5	2	-	-	-	-	-	1	3	-	3
WHITE-----MALE----	24	2	1	-	-	-	-	-	-	-	-	1
FEMALE--	32	-	-	-	-	-	-	-	-	2	-	-
ALL OTHER--MALE----	9	2	-	-	-	-	-	-	-	-	-	2
FEMALE--	12	1	1	-	-	-	-	-	1	1	-	-
BLACK---MALE----	9	2	-	-	-	-	-	-	-	-	-	2
FEMALE--	10	1	-	-	-	-	-	-	1	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,968  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OF RESPIRATORY TRACT OR SUFFOCATION (E911-E912)												
OHIO -----	3	6	4	6	13	13	15	12	10	3	-	-
WHITE-----MALE----	1	2	-	-	8	5	6	6	1	-	-	-
FEMALE--	1	4	2	3	5	7	7	5	7	2	-	-
ALL OTHER--MALE----	-	-	1	2	-	-	1	1	-	-	-	-
FEMALE--	1	-	1	1	-	1	1	-	2	1	-	-
BLACK---MALE----	-	-	1	2	-	-	1	1	-	-	-	-
FEMALE--	1	-	1	1	-	1	1	-	2	1	-	-
OKLAHOMA -----	3	2	4	4	3	6	11	11	14	3	1	-
WHITE-----MALE----	-	1	1	2	-	3	4	5	7	1	-	-
FEMALE--	2	1	2	2	3	3	5	6	7	1	1	-
ALL OTHER--MALE----	1	-	1	-	-	-	2	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	1	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	1	1	1	-	3	3	2	3	-	-	-
WHITE-----MALE----	-	1	1	-	-	-	1	1	2	-	-	-
FEMALE--	-	-	-	1	-	3	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	2	9	12	16	27	25	33	36	17	9	-	-
WHITE-----MALE----	2	4	8	10	16	13	15	14	3	4	-	-
FEMALE--	-	4	3	4	9	6	14	15	12	5	-	-
ALL OTHER--MALE----	-	1	1	2	1	1	1	6	1	-	-	-
FEMALE--	-	-	-	-	1	5	3	1	1	-	-	-
BLACK---MALE----	-	1	1	2	1	1	1	6	1	-	-	-
FEMALE--	-	-	-	-	1	5	3	1	1	-	-	-
RHODE ISLAND -----	1	-	1	-	1	1	-	2	2	2	-	-
WHITE-----MALE----	1	-	-	-	1	1	-	1	-	1	-	-
FEMALE--	-	-	1	-	-	-	-	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	4	2	5	10	9	12	14	4	2	-	-
WHITE-----MALE----	-	2	1	1	5	3	5	3	-	-	-	-
FEMALE--	1	2	1	1	2	4	5	8	4	2	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	1	2	-	-	-	-
FEMALE--	-	-	-	2	2	2	1	1	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	1	2	-	-	-	-
FEMALE--	-	-	-	2	2	2	1	-	-	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,969  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INHALATION AND INGESTION OF FOOD OR OTHER OBJECT CAUSING OBSTRUCTION OF RESPIRATORY TRACT OR SUFFOCATION (E911-E912)												
SOUTH DAKOTA -----	-	-	-	-	-	-	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	6	4	7	5	4	13	14	15	7	1	-	-
WHITE-----MALE----	4	3	2	3	1	7	5	6	3	-	-	-
FEMALE--	1	1	4	2	2	4	6	9	3	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	1	-	1	-	-	-
FEMALE--	1	-	-	-	1	1	2	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	1	1	-	1	-	-	-
FEMALE--	1	-	-	-	1	1	2	-	-	-	-	-
TEXAS -----	4	6	8	11	17	16	15	26	16	9	1	-
WHITE-----MALE----	3	3	2	6	10	9	7	12	5	1	1	-
FEMALE--	-	3	6	3	3	6	7	12	9	6	-	-
ALL OTHER--MALE----	-	-	-	-	2	1	1	1	1	2	-	-
FEMALE--	1	-	-	2	2	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	2	1	1	1	1	2	-	-
FEMALE--	1	-	-	2	2	-	-	1	1	-	-	-
UTAH -----	-	-	-	1	-	-	1	-	1	1	-	-
WHITE-----MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	1	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	7	8	6	1	8	10	12	9	5	-	-
WHITE-----MALE----	1	-	2	1	-	3	1	6	3	-	-	-
FEMALE--	-	2	1	3	-	1	8	4	6	5	-	-
ALL OTHER--MALE----	-	3	4	1	-	3	1	2	-	-	-	-
FEMALE--	-	2	1	1	1	1	-	-	-	-	-	-
BLACK---MALE----	-	3	4	1	-	3	1	2	-	-	-	-
FEMALE--	-	2	1	1	1	1	-	-	-	-	-	-















































TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,980  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACCIDENTS CAUSED BY ALL OTHER AND UNSPECIFIED FIREARMS (E922.1-E922.9)												
0 UNITED STATES --	992	-	16	27	96	193	123	101	86	85	57	49
WHITE-----MALE----	637	-	5	13	69	119	72	62	55	59	33	33
FEMALE--	126	-	4	6	10	10	11	12	15	18	13	8
ALL OTHER--MALE----	209	-	7	5	17	63	38	26	12	6	7	7
FEMALE--	20	-	-	3	-	1	2	1	4	2	4	1
BLACK---MALE----	186	-	7	3	14	57	36	25	8	4	6	5
FEMALE--	15	-	-	-	-	-	1	1	4	2	4	1
ALABAMA -----	76	-	-	-	3	9	11	7	7	11	8	8
WHITE-----MALE----	38	-	-	-	2	4	4	1	3	6	6	5
FEMALE--	16	-	-	-	-	1	3	4	1	4	-	1
ALL OTHER--MALE----	16	-	-	-	1	4	3	2	-	1	1	2
FEMALE--	6	-	-	-	-	-	1	-	3	-	1	-
BLACK---MALE----	16	-	-	-	1	4	3	2	-	1	1	2
FEMALE--	6	-	-	-	-	-	1	-	3	-	1	-
ALASKA -----	11	-	-	3	1	-	2	-	1	1	1	-
WHITE-----MALE----	4	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	4	-	-	1	-	-	1	-	1	1	-	-
FEMALE--	2	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	23	-	-	1	2	4	7	1	4	2	1	-
WHITE-----MALE----	17	-	-	-	1	3	6	1	3	2	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	1	-
ALL OTHER--MALE----	4	-	-	1	1	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	12	-	1	-	-	1	-	2	1	1	1	-
WHITE-----MALE----	8	-	1	-	-	-	-	1	1	1	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	71	-	-	2	12	16	11	10	7	5	3	2
WHITE-----MALE----	50	-	-	2	10	9	8	8	4	3	2	2
FEMALE--	7	-	-	-	1	2	1	-	1	-	1	-
ALL OTHER--MALE----	13	-	-	-	1	5	2	2	2	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	7	-	-	-	-	4	2	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,981  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACCIDENTS CAUSED BY ALL OTHER AND UNSPECIFIED FIREARMS (E922.1-E922.9)												
COLORADO -----	18	-	-	-	1	3	2	1	2	3	1	1
WHITE-----MALE----	16	-	-	-	1	2	2	-	2	3	1	1
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	5	-	-	-	-	1	-	2	-	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	2	-	-	-	-	-	1	-	-	-	1	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	23	-	1	-	2	5	5	2	1	1	3	-
WHITE-----MALE----	12	-	-	-	2	2	1	2	1	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	9	-	1	-	-	3	4	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	1	-	-	3	3	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	33	-	-	-	5	7	3	4	1	2	3	5
WHITE-----MALE----	19	-	-	-	3	4	1	3	-	1	1	4
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	10	-	-	-	2	3	2	1	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	10	-	-	-	2	3	2	1	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	1	-



















































































TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,999  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACCIDENT CAUSED BY HOT SUBSTANCE OR OBJECT, CAUSTIC OR CORROSIVE MATERIAL, STEAM, AND EXPOSURE TO RADIATION (E924,E926)												
COLORADO -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	-	1	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
FLORIDA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	-	1	-	-	-	-	-	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-









































































TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 3,016  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER ACCIDENTS AND LATE EFFECTS OF ACCIDENTAL INJURY (E900-E906,E908-E909,E913-E921,E927-E929)												
0 UNITED STATES --	8,676	345	233	102	130	213	292	344	461	589	589	494
WHITE-----MALE----	5,196	135	114	61	95	152	225	248	333	432	407	336
FEMALE--	2,083	93	71	29	17	32	29	46	61	67	67	64
ALL OTHER--MALE----	947	52	27	9	13	22	31	40	51	72	91	76
FEMALE--	450	65	21	3	5	7	7	10	16	18	24	18
BLACK---MALE----	809	47	22	4	9	19	22	28	43	64	72	67
FEMALE--	400	59	16	2	4	5	5	7	14	14	22	15
ALABAMA -----	250	8	4	2	3	7	12	12	11	18	15	14
WHITE-----MALE----	132	1	2	1	2	6	11	8	5	11	9	12
FEMALE--	56	2	1	1	-	-	-	2	3	4	3	-
ALL OTHER--MALE----	43	1	1	-	1	-	1	2	3	3	1	2
FEMALE--	19	4	-	-	-	1	-	-	-	-	2	-
BLACK---MALE----	43	1	1	-	1	-	1	2	3	3	1	2
FEMALE--	19	4	-	-	-	1	-	-	-	-	2	-
ALASKA -----	50	3	2	-	-	1	3	4	5	4	10	6
WHITE-----MALE----	24	-	1	-	-	-	1	1	3	4	5	4
FEMALE--	3	-	1	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	18	1	-	-	-	-	2	2	1	-	5	2
FEMALE--	5	2	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	2	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	159	4	8	4	1	6	5	6	12	7	17	5
WHITE-----MALE----	92	3	6	1	1	4	3	5	9	4	14	3
FEMALE--	45	1	1	2	-	1	1	-	2	2	1	1
ALL OTHER--MALE----	16	-	1	1	-	1	1	1	1	1	1	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	3	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	129	8	6	1	4	4	1	6	7	6	5	4
WHITE-----MALE----	69	2	4	1	4	4	-	5	4	1	5	2
FEMALE--	30	3	1	-	-	-	1	-	2	1	-	1
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	1	3	-	1
FEMALE--	16	3	1	-	-	-	-	1	-	1	-	-
BLACK---MALE----	14	-	-	-	-	-	-	-	1	3	-	1
FEMALE--	16	3	1	-	-	-	-	1	-	1	-	-
CALIFORNIA -----	596	24	22	14	11	14	36	26	48	61	74	53
WHITE-----MALE----	384	7	11	9	6	8	29	16	36	40	58	36
FEMALE--	124	10	6	2	1	3	3	7	6	10	7	8
ALL OTHER--MALE----	65	4	2	2	3	3	4	2	4	10	7	6
FEMALE--	23	3	3	1	1	-	-	1	2	1	2	3
BLACK---MALE----	45	4	2	1	2	2	2	1	3	6	4	4
FEMALE--	13	2	2	-	-	-	-	-	2	1	2	3



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 3,017  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER ACCIDENTS AND LATE EFFECTS OF ACCIDENTAL INJURY (E900-E906,E908-E909,E913-E921,E927-E929)												
COLORADO -----	130	3	3	-	3	4	6	8	10	13	10	6
WHITE-----MALE----	93	2	-	-	1	3	6	7	6	10	10	3
FEMALE--	30	1	3	-	1	1	-	1	4	1	-	2
ALL OTHER--MALE----	5	-	-	-	1	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	107	1	3	-	1	3	5	7	6	4	5	7
WHITE-----MALE----	67	1	1	-	-	3	3	3	6	4	3	6
FEMALE--	26	-	2	-	-	-	2	1	-	-	1	-
ALL OTHER--MALE----	11	-	-	-	-	-	-	3	-	-	1	1
FEMALE--	3	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	11	-	-	-	-	-	-	3	-	-	1	1
FEMALE--	3	-	-	-	1	-	-	-	-	-	-	-
DELAWARE -----	32	1	1	-	-	1	-	-	4	-	1	1
WHITE-----MALE----	20	-	-	-	-	1	-	-	3	-	1	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	4	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	1	-	-	-
DISTRICT OF COLUMBIA ----	22	1	2	-	-	-	1	-	-	1	-	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	9	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	9	1	1	-	-	-	-	-	-	-	-	1
BLACK---MALE----	9	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	9	1	1	-	-	-	-	-	-	-	-	1
FLORIDA -----	357	20	13	4	8	5	13	19	20	33	30	18
WHITE-----MALE----	232	12	9	1	6	3	10	15	13	29	23	13
FEMALE--	85	7	3	3	2	1	2	3	3	2	3	-
ALL OTHER--MALE----	33	1	-	-	-	1	1	-	3	2	4	5
FEMALE--	7	-	1	-	-	-	-	1	1	-	-	-
BLACK---MALE----	32	1	-	-	-	1	-	-	3	2	4	5
FEMALE--	7	-	1	-	-	-	-	1	1	-	-	-
GEORGIA -----	227	7	10	2	4	5	12	6	11	11	17	14
WHITE-----MALE----	121	2	5	1	4	4	6	3	9	8	11	8
FEMALE--	46	2	2	1	-	1	3	2	-	2	1	1
ALL OTHER--MALE----	35	1	1	-	-	-	2	1	2	1	5	5
FEMALE--	25	2	2	-	-	-	1	-	-	-	-	-
BLACK---MALE----	34	1	1	-	-	-	2	1	2	1	5	5
FEMALE--	24	2	2	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 3,017  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER ACCIDENTS AND LATE EFFECTS OF ACCIDENTAL INJURY (E900-E906,E908-E909,E913-E921,E927-E929)												
COLORADO -----	2	8	7	5	7	9	8	8	5	5	-	-
WHITE-----MALE----	2	7	7	4	3	8	8	3	1	2	-	-
FEMALE--	-	-	-	1	2	1	-	5	4	3	-	-
ALL OTHER--MALE----	-	1	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	4	3	7	4	9	9	10	12	5	2	-	-
WHITE-----MALE----	2	1	5	1	7	5	6	8	1	1	-	-
FEMALE--	-	-	1	1	1	4	4	4	4	1	-	-
ALL OTHER--MALE----	-	2	1	2	1	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	2	1	2	1	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	3	1	3	2	2	2	1	3	5	1	-	-
WHITE-----MALE----	3	-	2	2	2	-	-	1	3	1	-	-
FEMALE--	-	-	1	-	-	1	1	1	2	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	2	2	1	1	1	3	2	-	3	1	-	-
WHITE-----MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	2	-	-	-	2	-	-	1	1	-	-
FEMALE--	-	-	1	1	1	-	2	-	1	-	-	-
BLACK---MALE----	1	2	-	-	-	2	-	-	1	1	-	-
FEMALE--	-	-	1	1	1	-	2	-	1	-	-	-
FLORIDA -----	24	16	11	19	19	27	29	18	7	4	-	-
WHITE-----MALE----	17	9	9	13	8	15	15	10	1	1	-	-
FEMALE--	3	2	1	4	7	11	12	8	5	3	-	-
ALL OTHER--MALE----	4	4	1	2	2	1	1	-	1	-	-	-
FEMALE--	-	1	-	-	2	-	1	-	-	-	-	-
BLACK---MALE----	4	4	1	2	2	1	1	-	1	-	-	-
FEMALE--	-	1	-	-	2	-	1	-	-	-	-	-
GEORGIA -----	18	14	16	8	17	15	17	17	4	2	-	-
WHITE-----MALE----	10	9	8	6	5	7	4	7	3	1	-	-
FEMALE--	1	3	3	-	5	7	4	6	1	1	-	-
ALL OTHER--MALE----	5	1	3	-	3	-	3	2	-	-	-	-
FEMALE--	2	1	2	2	4	1	6	2	-	-	-	-
BLACK---MALE----	5	1	3	-	3	-	3	1	-	-	-	-
FEMALE--	1	1	2	2	4	1	6	2	-	-	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 3,018  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER ACCIDENTS AND LATE EFFECTS OF ACCIDENTAL INJURY (E900-E906,E908-E909,E913-E921,E927-E929)												
HAWAII -----	-	1	2	-	-	-	-	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	1	2	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	7	2	2	5	1	4	1	4	6	-	-	-
WHITE-----MALE----	5	2	1	4	1	3	1	2	3	-	-	-
FEMALE--	1	-	1	1	-	1	-	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	13	27	23	32	45	33	49	34	19	7	-	-
WHITE-----MALE----	10	20	14	21	19	16	27	11	3	1	-	-
FEMALE--	2	2	2	5	11	10	16	16	14	5	-	-
ALL OTHER--MALE----	1	5	4	4	7	3	2	3	1	-	-	-
FEMALE--	-	-	3	2	8	4	4	4	1	1	-	-
BLACK---MALE----	1	5	4	4	7	3	2	2	1	-	-	-
FEMALE--	-	-	3	2	8	4	3	4	1	1	-	-
INDIANA -----	16	13	10	13	19	22	13	15	15	5	-	-
WHITE-----MALE----	12	8	8	5	11	13	6	8	7	1	-	-
FEMALE--	2	3	1	6	7	6	6	7	8	4	-	-
ALL OTHER--MALE----	1	2	1	1	1	2	1	-	-	-	-	-
FEMALE--	1	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	1	2	1	-	1	2	1	-	-	-	-	-
FEMALE--	1	-	-	1	-	1	-	-	-	-	-	-
IOWA -----	6	4	10	5	13	9	20	10	3	1	1	-
WHITE-----MALE----	4	2	7	3	11	8	12	6	2	-	-	-
FEMALE--	2	2	3	2	2	1	8	2	1	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	6	3	8	5	6	7	13	5	5	3	-	1
WHITE-----MALE----	3	2	5	4	6	3	7	1	2	-	-	1
FEMALE--	1	1	3	1	-	3	5	4	3	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	1	-	-
BLACK---MALE----	2	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 3,019  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER ACCIDENTS AND LATE EFFECTS OF ACCIDENTAL INJURY (E900-E906,E908-E909,E913-E921,E927-E929)												
KENTUCKY -----	209	9	3	2	5	6	9	5	10	15	5	17
WHITE-----MALE----	155	2	1	1	5	5	9	4	9	13	5	14
FEMALE--	42	5	1	-	-	1	-	1	1	2	-	1
ALL OTHER--MALE----	11	1	1	1	-	-	-	-	-	-	-	2
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	11	1	1	1	-	-	-	-	-	-	-	2
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	144	6	8	3	-	7	4	7	12	7	10	4
WHITE-----MALE----	64	1	2	2	-	6	2	6	7	2	7	2
FEMALE--	24	-	1	-	-	-	-	-	2	1	1	1
ALL OTHER--MALE----	34	1	2	-	-	1	1	1	2	3	1	1
FEMALE--	22	4	3	1	-	-	1	-	1	1	1	-
BLACK---MALE----	34	1	2	-	-	1	1	1	2	3	1	1
FEMALE--	21	4	2	1	-	-	1	-	1	1	1	-
MAINE -----	40	2	-	-	2	2	1	1	2	3	2	-
WHITE-----MALE----	24	-	-	-	2	1	1	1	2	1	2	-
FEMALE--	16	2	-	-	-	1	-	-	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	143	4	3	2	3	3	1	4	9	12	9	9
WHITE-----MALE----	71	1	1	1	2	2	1	3	4	4	5	4
FEMALE--	26	1	1	-	-	-	-	-	1	2	1	1
ALL OTHER--MALE----	28	1	-	1	1	1	-	1	4	5	1	3
FEMALE--	18	1	1	-	-	-	-	-	-	1	2	1
BLACK---MALE----	28	1	-	1	1	1	-	1	4	5	1	3
FEMALE--	18	1	1	-	-	-	-	-	-	1	2	1
MASSACHUSETTS -----	140	5	2	-	3	3	1	3	14	8	10	6
WHITE-----MALE----	75	1	1	-	3	2	1	3	11	6	4	5
FEMALE--	57	4	-	-	-	-	-	-	3	1	4	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	1	2	-
FEMALE--	3	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	1	2	-
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	-
MICHIGAN -----	335	26	10	3	4	9	7	17	20	12	17	26
WHITE-----MALE----	198	8	5	2	4	9	3	15	16	9	11	15
FEMALE--	83	5	3	1	-	-	3	-	4	-	1	3
ALL OTHER--MALE----	35	7	2	-	-	-	1	2	-	2	2	5
FEMALE--	19	6	-	-	-	-	-	-	-	1	3	3
BLACK---MALE----	32	7	2	-	-	-	1	-	-	2	2	4
FEMALE--	19	6	-	-	-	-	-	-	-	1	3	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 3,019  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER ACCIDENTS AND LATE EFFECTS OF ACCIDENTAL INJURY (E900-E906,E908-E909,E913-E921,E927-E929)												
KENTUCKY -----	12	8	10	12	20	16	22	13	7	3	-	-
WHITE-----MALE----	11	7	6	10	13	12	15	10	3	-	-	-
FEMALE--	-	1	3	2	3	4	7	3	4	3	-	-
ALL OTHER--MALE----	1	-	1	-	4	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	4	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	8	15	10	6	2	15	10	5	4	1	-	-
WHITE-----MALE----	6	4	4	5	-	4	3	1	-	-	-	-
FEMALE--	1	1	1	-	2	3	3	3	3	1	-	-
ALL OTHER--MALE----	1	7	3	-	-	6	3	-	1	-	-	-
FEMALE--	-	3	2	1	-	2	1	1	-	-	-	-
BLACK---MALE----	1	7	3	-	-	6	3	-	1	-	-	-
FEMALE--	-	3	2	1	-	2	1	1	-	-	-	-
MAINE -----	3	2	1	2	3	5	3	5	1	-	-	-
WHITE-----MALE----	3	2	1	2	2	-	1	2	1	-	-	-
FEMALE--	-	-	-	-	1	5	2	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	10	6	7	8	10	22	6	8	6	1	-	-
WHITE-----MALE----	4	4	3	3	7	13	3	4	2	-	-	-
FEMALE--	1	-	1	2	2	6	1	2	3	1	-	-
ALL OTHER--MALE----	3	2	2	1	1	-	1	-	-	-	-	-
FEMALE--	2	-	1	2	-	3	1	2	1	-	-	-
BLACK---MALE----	3	2	2	1	1	-	1	-	-	-	-	-
FEMALE--	2	-	1	2	-	3	1	2	1	-	-	-
MASSACHUSETTS -----	4	3	2	5	10	13	18	15	8	6	1	-
WHITE-----MALE----	3	1	1	4	7	7	8	5	1	-	-	-
FEMALE--	1	2	1	1	3	6	9	8	7	5	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
MICHIGAN -----	16	15	9	13	23	27	32	29	12	4	3	1
WHITE-----MALE----	12	9	6	8	15	12	18	16	3	1	1	-
FEMALE--	1	4	3	2	7	12	8	12	9	3	2	-
ALL OTHER--MALE----	3	2	-	2	1	2	2	1	-	-	-	1
FEMALE--	-	-	-	1	-	1	4	-	-	-	-	-
BLACK---MALE----	3	2	-	2	1	2	2	1	-	-	-	1
FEMALE--	-	-	-	1	-	1	4	-	-	-	-	-









TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 3,022  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER ACCIDENTS AND LATE EFFECTS OF ACCIDENTAL INJURY (E900-E906,E908-E909,E913-E921,E927-E929)												
OHIO -----	359	13	8	4	7	5	18	14	17	21	21	10
WHITE-----MALE----	231	7	5	3	4	5	16	13	13	19	16	6
FEMALE--	89	2	3	1	1	-	2	-	3	1	2	3
ALL OTHER--MALE----	26	2	-	-	2	-	-	1	-	1	2	1
FEMALE--	13	2	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	25	2	-	-	1	-	-	1	-	1	2	1
FEMALE--	13	2	-	-	-	-	-	-	1	-	1	-
OKLAHOMA -----	146	2	4	4	5	7	7	6	7	3	13	5
WHITE-----MALE----	101	1	1	3	5	4	7	5	5	1	9	5
FEMALE--	26	1	-	1	-	2	-	1	-	-	2	-
ALL OTHER--MALE----	12	-	2	-	-	-	-	-	2	1	2	-
FEMALE--	7	-	1	-	-	1	-	-	-	1	-	-
BLACK---MALE----	6	-	1	-	-	-	-	-	-	1	1	-
FEMALE--	5	-	1	-	-	1	-	-	-	-	-	-
OREGON -----	146	4	3	1	5	8	5	5	4	11	10	7
WHITE-----MALE----	98	2	-	-	4	7	4	4	3	10	8	6
FEMALE--	41	2	3	1	1	-	1	-	-	-	1	1
ALL OTHER--MALE----	5	-	-	-	-	1	-	-	-	1	1	-
FEMALE--	2	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
PENNSYLVANIA -----	418	6	3	4	5	10	10	14	8	23	23	17
WHITE-----MALE----	243	2	-	3	4	6	9	11	5	17	15	9
FEMALE--	127	1	3	1	1	2	-	2	-	4	5	4
ALL OTHER--MALE----	35	3	-	-	-	1	1	1	2	2	3	3
FEMALE--	13	-	-	-	-	1	-	-	1	-	-	1
BLACK---MALE----	35	3	-	-	-	1	1	1	2	2	3	3
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	1
RHODE ISLAND -----	14	2	-	-	-	-	-	-	1	1	2	1
WHITE-----MALE----	12	2	-	-	-	-	-	-	1	1	2	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	118	5	3	1	1	3	3	2	4	12	14	10
WHITE-----MALE----	59	3	1	-	-	2	2	1	3	8	7	7
FEMALE--	14	-	1	-	1	-	-	-	-	1	1	1
ALL OTHER--MALE----	35	1	1	1	-	1	1	1	1	2	5	2
FEMALE--	10	1	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	35	1	1	1	-	1	1	1	1	2	5	2
FEMALE--	10	1	-	-	-	-	-	-	-	1	1	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 3,022  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER ACCIDENTS AND LATE EFFECTS OF ACCIDENTAL INJURY (E900-E906,E908-E909,E913-E921,E927-E929)												
OHIO -----	11	13	24	23	33	30	40	22	16	9	-	-
WHITE-----MALE----	6	9	13	15	20	16	20	12	7	6	-	-
FEMALE--	3	3	8	4	10	7	16	9	8	3	-	-
ALL OTHER--MALE----	-	-	2	4	2	6	3	-	-	-	-	-
FEMALE--	2	1	1	-	1	1	1	1	1	-	-	-
BLACK---MALE----	-	-	2	4	2	6	3	-	-	-	-	-
FEMALE--	2	1	1	-	1	1	1	1	1	-	-	-
OKLAHOMA -----	7	7	8	9	11	12	15	9	5	-	-	-
WHITE-----MALE----	6	5	7	7	9	8	8	4	1	-	-	-
FEMALE--	1	1	-	1	1	1	6	5	3	-	-	-
ALL OTHER--MALE----	-	1	1	1	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	1	-	-	-
BLACK---MALE----	-	1	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
OREGON -----	5	7	2	7	12	12	18	13	4	3	-	-
WHITE-----MALE----	3	5	2	5	9	6	12	5	1	2	-	-
FEMALE--	2	1	-	2	3	5	6	8	3	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	23	20	24	28	36	34	52	46	26	5	1	-
WHITE-----MALE----	20	14	15	18	19	21	26	16	10	2	1	-
FEMALE--	1	3	6	7	14	7	25	25	13	3	-	-
ALL OTHER--MALE----	1	3	3	1	2	4	1	3	1	-	-	-
FEMALE--	1	-	-	2	1	2	-	2	2	-	-	-
BLACK---MALE----	1	3	3	1	2	4	1	3	1	-	-	-
FEMALE--	1	-	-	2	1	2	-	2	2	-	-	-
RHODE ISLAND -----	1	1	1	-	-	2	2	-	-	-	-	-
WHITE-----MALE----	1	1	1	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	8	8	2	7	10	5	12	6	1	-	1	-
WHITE-----MALE----	4	4	1	3	2	3	6	2	-	-	-	-
FEMALE--	1	-	-	-	2	-	3	2	1	-	-	-
ALL OTHER--MALE----	3	3	1	3	4	1	3	1	-	-	-	-
FEMALE--	-	1	-	1	2	1	-	1	-	-	1	-
BLACK---MALE----	3	3	1	3	4	1	3	1	-	-	-	-
FEMALE--	-	1	-	1	2	1	-	1	-	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 3,023  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER ACCIDENTS AND LATE EFFECTS OF ACCIDENTAL INJURY (E900-E906,E908-E909,E913-E921,E927-E929)												
SOUTH DAKOTA -----	38	3	1	2	1	-	2	2	2	1	4	2
WHITE-----MALE----	25	2	1	1	-	-	2	2	2	-	1	2
FEMALE--	4	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	7	-	-	1	1	-	-	-	-	-	2	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	242	8	8	-	1	8	13	10	14	14	10	15
WHITE-----MALE----	143	3	7	-	-	2	10	6	7	13	3	11
FEMALE--	62	4	1	-	1	4	1	2	2	-	3	1
ALL OTHER--MALE----	26	-	-	-	-	2	2	2	4	1	2	2
FEMALE--	11	1	-	-	-	-	-	-	1	-	2	1
BLACK---MALE----	24	-	-	-	-	2	1	2	3	1	2	2
FEMALE--	11	1	-	-	-	-	-	-	1	-	2	1
TEXAS -----	489	16	15	4	8	8	19	21	31	49	35	30
WHITE-----MALE----	322	5	7	3	6	7	17	15	21	41	27	25
FEMALE--	99	9	5	1	1	1	1	3	4	4	4	3
ALL OTHER--MALE----	47	1	1	-	1	-	1	2	4	2	3	1
FEMALE--	21	1	2	-	-	-	-	1	2	2	1	1
BLACK---MALE----	44	1	1	-	1	-	1	2	3	2	3	1
FEMALE--	21	1	2	-	-	-	-	1	2	2	1	1
UTAH -----	71	4	1	3	3	3	1	4	4	4	10	3
WHITE-----MALE----	49	2	-	1	2	3	1	2	4	4	6	2
FEMALE--	20	2	1	1	1	-	-	2	-	-	3	1
ALL OTHER--MALE----	2	-	-	1	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	25	1	2	1	-	2	1	-	1	4	1	4
WHITE-----MALE----	18	-	2	1	-	1	-	-	1	4	1	2
FEMALE--	7	1	-	-	-	1	1	-	-	-	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	252	10	7	1	2	9	6	11	14	12	16	8
WHITE-----MALE----	134	5	5	1	1	4	5	8	8	7	8	3
FEMALE--	56	1	1	-	1	3	-	-	3	1	2	2
ALL OTHER--MALE----	44	1	-	-	-	2	1	2	2	4	6	2
FEMALE--	18	3	1	-	-	-	-	1	1	-	-	1
BLACK---MALE----	42	1	-	-	-	2	1	2	2	4	5	2
FEMALE--	17	3	1	-	-	-	-	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 3,023

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER ACCIDENTS AND LATE EFFECTS OF ACCIDENTAL INJURY (E900-E906,E908-E909,E913-E921,E927-E929)												
SOUTH DAKOTA -----	4	1	3	-	2	2	2	2	1	1	-	-
WHITE-----MALE----	3	-	-	-	2	2	1	2	1	1	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	19	18	11	16	13	22	16	19	6	1	-	-
WHITE-----MALE----	11	13	7	11	11	12	5	9	2	-	-	-
FEMALE--	5	4	2	1	2	7	8	9	4	1	-	-
ALL OTHER--MALE----	1	1	1	2	-	3	2	1	-	-	-	-
FEMALE--	2	-	1	2	-	-	1	-	-	-	-	-
BLACK---MALE----	1	1	1	2	-	3	2	1	-	-	-	-
FEMALE--	2	-	1	2	-	-	1	-	-	-	-	-
TEXAS -----	36	28	23	24	22	31	35	32	10	6	2	4
WHITE-----MALE----	28	19	12	15	15	18	19	12	4	2	2	2
FEMALE--	2	3	3	4	5	9	13	15	5	3	-	1
ALL OTHER--MALE----	4	6	5	4	2	3	2	3	1	-	-	1
FEMALE--	2	-	3	1	-	1	2	2	-	1	-	-
BLACK---MALE----	4	5	5	4	1	3	2	3	1	-	-	1
FEMALE--	2	-	3	1	-	1	1	2	-	1	-	-
UTAH -----	1	6	3	4	3	5	2	4	1	2	-	-
WHITE-----MALE----	-	4	3	4	3	3	2	2	-	1	-	-
FEMALE--	1	2	-	-	-	2	-	2	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	2	1	-	-	3	1	-	-	-	-
WHITE-----MALE----	1	-	2	1	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	10	13	20	17	14	26	18	17	15	4	2	-
WHITE-----MALE----	5	8	11	13	9	16	6	4	5	2	-	-
FEMALE--	1	3	2	2	3	6	8	7	8	2	-	-
ALL OTHER--MALE----	2	2	5	2	2	3	3	1	2	-	2	-
FEMALE--	2	-	2	-	-	1	1	5	-	-	-	-
BLACK---MALE----	2	2	5	2	2	3	3	1	2	-	1	-
FEMALE--	2	-	2	-	-	1	1	5	-	-	-	-







TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 3,025  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 DRUGS, MEDICAMENTS, AND BIOLOGICAL SUBSTANCES CAUSING ADVERSE EFFECTS IN THERAPEUTIC USE (E930-E949)												
0 UNITED STATES --	12	7	17	18	20	19	16	12	5	-	-	-
WHITE-----MALE----	5	2	8	9	10	7	6	3	1	-	-	-
FEMALE--	4	4	7	7	6	9	6	6	2	-	-	-
ALL OTHER--MALE----	1	1	1	-	-	1	1	-	1	-	-	-
FEMALE--	2	-	1	2	4	2	3	3	1	-	-	-
BLACK---MALE----	1	1	-	-	-	1	1	-	-	-	-	-
FEMALE--	2	-	1	1	4	2	3	3	1	-	-	-
ALABAMA -----	-	1	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	-	1	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	1	-	-	-	1	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
CALIFORNIA -----	2	-	-	-	2	1	1	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-













TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 3,028  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 DRUGS, MEDICAMENTS, AND BIOLOGICAL SUBSTANCES CAUSING ADVERSE EFFECTS IN THERAPEUTIC USE (E930-E949)												
KENTUCKY -----	-	-	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
LOUISIANA -----	1	-	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	-	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	-	-	1	1	-	-	3	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
MASSACHUSETTS -----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	-	-	-	1	-	1	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-













TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 3,031  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 DRUGS, MEDICAMENTS, AND BIOLOGICAL SUBSTANCES CAUSING ADVERSE EFFECTS IN THERAPEUTIC USE (E930-E949)												
OHIO -----	-	-	-	1	-	2	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	-	-	-	1	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	-	1	-	2	1	1	2	1	-	-	-
WHITE-----MALE----	-	-	1	-	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
RHODE ISLAND -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	-	-	-	-	-	-	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-









TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 3,034  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SUICIDE (E950-E959)												
UNITED STATES --	31,284	...	...	7	330	1,890	2,894	2,880	3,412	3,332	3,135	2,561
WHITE-----MALE----	22,853	...	...	5	218	1,360	2,099	2,084	2,430	2,370	2,214	1,814
FEMALE--	5,334	...	...	-	66	227	317	359	547	615	643	564
ALL OTHER--MALE----	2,516	...	...	2	35	256	417	365	355	277	219	138
FEMALE--	581	...	...	-	11	47	61	72	80	70	59	45
BLACK---MALE----	1,878	...	...	1	24	197	295	273	262	218	173	107
FEMALE--	353	...	...	-	6	32	28	48	50	48	45	25
ALABAMA -----	563	...	...	-	5	42	47	48	69	51	45	43
WHITE-----MALE----	394	...	...	-	3	27	26	35	45	28	31	32
FEMALE--	73	...	...	-	1	-	5	4	10	9	8	6
ALL OTHER--MALE----	83	...	...	-	1	13	15	8	11	13	5	4
FEMALE--	13	...	...	-	-	2	1	1	3	1	1	1
BLACK---MALE----	82	...	...	-	1	13	14	8	11	13	5	4
FEMALE--	11	...	...	-	-	2	-	1	3	1	1	-
ALASKA -----	103	...	...	-	1	11	13	11	17	12	16	9
WHITE-----MALE----	62	...	...	-	-	9	5	4	8	11	9	6
FEMALE--	9	...	...	-	-	-	-	1	3	-	3	1
ALL OTHER--MALE----	25	...	...	-	-	2	7	5	5	1	3	1
FEMALE--	7	...	...	-	1	-	1	1	1	-	1	1
BLACK---MALE----	2	...	...	-	-	-	1	-	-	-	-	1
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
ARIZONA -----	805	...	...	-	5	42	68	93	91	86	84	60
WHITE-----MALE----	586	...	...	-	1	34	52	68	67	56	60	38
FEMALE--	159	...	...	-	3	2	8	10	15	22	19	21
ALL OTHER--MALE----	50	...	...	-	1	4	7	14	8	5	3	1
FEMALE--	10	...	...	-	-	2	1	1	1	3	2	-
BLACK---MALE----	13	...	...	-	-	2	3	3	-	-	-	1
FEMALE--	4	...	...	-	-	1	-	1	1	1	-	-
ARKANSAS -----	360	...	...	-	9	29	40	30	40	39	38	26
WHITE-----MALE----	264	...	...	-	6	20	30	24	30	24	30	19
FEMALE--	68	...	...	-	2	7	3	2	6	10	6	7
ALL OTHER--MALE----	26	...	...	-	1	2	7	4	3	4	2	-
FEMALE--	2	...	...	-	-	-	-	-	1	1	-	-
BLACK---MALE----	23	...	...	-	1	2	6	4	3	2	2	-
FEMALE--	2	...	...	-	-	-	-	-	1	1	-	-
CALIFORNIA -----	3,694	...	...	-	37	178	321	349	392	370	374	317
WHITE-----MALE----	2,602	...	...	-	21	121	224	235	276	268	251	232
FEMALE--	646	...	...	-	8	26	31	45	56	66	85	57
ALL OTHER--MALE----	337	...	...	-	5	21	55	57	45	30	29	18
FEMALE--	109	...	...	-	3	10	11	12	15	6	9	10
BLACK---MALE----	163	...	...	-	2	9	22	33	26	15	18	9
FEMALE--	40	...	...	-	2	4	2	5	5	3	5	6



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 3,034  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 SUICIDE (E950-E959)												
0 UNITED STATES --	1,971	1,435	1,369	1,436	1,524	1,307	1,004	550	200	31	4	12
WHITE-----MALE----	1,414	1,056	1,017	1,080	1,182	1,061	812	447	157	20	3	10
FEMALE--	433	287	262	267	255	193	164	87	35	11	1	1
ALL OTHER--MALE----	99	71	70	62	69	42	23	8	7	-	-	1
FEMALE--	25	21	20	27	18	11	5	8	1	-	-	-
BLACK---MALE----	77	51	48	40	51	32	18	4	6	-	-	1
FEMALE--	13	11	11	17	10	5	1	3	-	-	-	-
ALABAMA -----	31	27	30	34	40	22	17	12	-	-	-	-
WHITE-----MALE----	19	17	27	31	29	19	16	9	-	-	-	-
FEMALE--	10	4	3	2	7	1	-	3	-	-	-	-
ALL OTHER--MALE----	2	4	-	1	4	2	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	2	4	-	1	4	2	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	1	-	-	-	-	-
ALASKA -----	6	4	-	2	-	-	-	1	-	-	-	-
WHITE-----MALE----	5	4	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	40	33	30	39	43	37	36	13	3	-	1	1
WHITE-----MALE----	26	25	20	30	31	32	31	10	3	-	1	1
FEMALE--	12	8	10	7	11	4	4	3	-	-	-	-
ALL OTHER--MALE----	2	-	-	2	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	19	12	13	15	13	23	10	4	-	-	-	-
WHITE-----MALE----	14	9	11	10	11	17	7	2	-	-	-	-
FEMALE--	4	2	1	5	2	6	3	2	-	-	-	-
ALL OTHER--MALE----	1	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	255	174	197	142	180	177	121	74	22	8	2	4
WHITE-----MALE----	178	114	143	96	131	143	91	54	16	4	1	3
FEMALE--	53	42	38	33	33	22	24	16	5	4	1	1
ALL OTHER--MALE----	14	15	14	10	12	5	5	2	-	-	-	-
FEMALE--	10	3	2	3	4	7	1	2	1	-	-	-
BLACK---MALE----	9	6	4	1	5	2	2	-	-	-	-	-
FEMALE--	5	-	-	1	1	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 3,035  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX SUICIDE (E950-E959)	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	654	...	...	-	8	36	63	68	81	74	84	51
WHITE-----MALE----	494	...	...	-	4	28	48	56	58	57	59	38
FEMALE--	134	...	...	-	3	4	11	7	17	16	23	12
ALL OTHER--MALE----	24	...	...	-	-	4	4	4	6	1	2	1
FEMALE--	2	...	...	-	1	-	-	1	-	-	-	-
BLACK---MALE----	13	...	...	-	-	1	3	2	3	1	2	-
FEMALE--	1	...	...	-	1	-	-	-	-	-	-	-
CONNECTICUT -----	323	...	...	-	6	11	29	32	31	41	31	25
WHITE-----MALE----	250	...	...	-	4	10	23	22	21	32	24	17
FEMALE--	57	...	...	-	2	-	5	6	8	6	5	7
ALL OTHER--MALE----	12	...	...	-	-	1	1	2	2	3	2	1
FEMALE--	4	...	...	-	-	-	-	2	-	-	-	-
BLACK---MALE----	10	...	...	-	-	1	1	1	2	3	1	1
FEMALE--	4	...	...	-	-	-	-	2	-	-	-	-
DELAWARE -----	80	...	...	-	2	3	4	12	9	6	11	10
WHITE-----MALE----	53	...	...	-	2	3	1	7	8	4	8	3
FEMALE--	17	...	...	-	-	-	1	1	1	-	2	7
ALL OTHER--MALE----	10	...	...	-	-	-	2	4	-	2	1	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	10	...	...	-	-	-	2	4	-	2	1	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	39	...	...	-	-	3	2	7	6	3	3	3
WHITE-----MALE----	9	...	...	-	-	-	1	1	1	2	1	1
FEMALE--	2	...	...	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	26	...	...	-	-	3	1	6	5	1	2	2
FEMALE--	2	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	26	...	...	-	-	3	1	6	5	1	2	2
FEMALE--	2	...	...	-	-	-	-	-	-	-	-	-
FLORIDA -----	2,165	...	...	1	17	69	151	158	188	219	216	171
WHITE-----MALE----	1,614	...	...	1	13	47	118	120	126	152	160	127
FEMALE--	410	...	...	-	2	5	16	18	38	47	42	38
ALL OTHER--MALE----	114	...	...	-	2	12	15	17	18	17	12	6
FEMALE--	27	...	...	-	-	5	2	3	6	3	2	-
BLACK---MALE----	101	...	...	-	2	10	13	17	15	16	9	5
FEMALE--	25	...	...	-	-	5	2	3	6	3	2	-
GEORGIA -----	825	...	...	-	7	58	83	79	71	86	88	83
WHITE-----MALE----	541	...	...	-	4	33	50	53	39	55	54	55
FEMALE--	138	...	...	-	-	9	9	8	11	17	15	19
ALL OTHER--MALE----	129	...	...	-	3	14	21	17	18	12	18	6
FEMALE--	17	...	...	-	-	2	3	1	3	2	1	3
BLACK---MALE----	125	...	...	-	3	13	19	16	18	12	18	6
FEMALE--	14	...	...	-	-	1	3	1	3	2	1	2







TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 3,037  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX SUICIDE (E950-E959)	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	480	...	...	-	2	33	46	38	52	45	58	44
WHITE-----MALE----	380	...	...	-	1	27	38	29	43	37	43	31
FEMALE--	71	...	...	-	1	2	4	6	4	6	11	12
ALL OTHER--MALE----	25	...	...	-	-	4	3	3	3	2	3	1
FEMALE--	4	...	...	-	-	-	1	-	2	-	1	-
BLACK---MALE----	24	...	...	-	-	4	3	3	3	2	2	1
FEMALE--	4	...	...	-	-	-	1	-	2	-	1	-
LOUISIANA -----	544	...	...	1	6	37	49	54	61	60	62	38
WHITE-----MALE----	342	...	...	1	2	22	26	35	37	30	42	28
FEMALE--	101	...	...	-	2	5	7	5	12	18	10	6
ALL OTHER--MALE----	84	...	...	-	2	8	13	12	10	9	8	4
FEMALE--	17	...	...	-	-	2	3	2	2	3	2	-
BLACK---MALE----	82	...	...	-	2	8	12	12	10	9	8	4
FEMALE--	16	...	...	-	-	2	3	2	2	3	2	-
MAINE -----	161	...	...	-	4	5	10	12	19	17	25	6
WHITE-----MALE----	137	...	...	-	4	5	9	10	13	14	21	4
FEMALE--	24	...	...	-	-	-	1	2	6	3	4	2
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
MARYLAND -----	509	...	...	-	3	31	37	48	63	75	63	40
WHITE-----MALE----	338	...	...	-	1	18	24	31	43	50	41	25
FEMALE--	69	...	...	-	1	1	1	6	6	8	9	8
ALL OTHER--MALE----	86	...	...	-	1	11	11	9	12	11	12	6
FEMALE--	16	...	...	-	-	1	1	2	2	6	1	1
BLACK---MALE----	80	...	...	-	1	9	9	9	12	11	11	6
FEMALE--	13	...	...	-	-	1	1	2	2	5	1	-
MASSACHUSETTS -----	489	...	...	-	4	29	44	61	65	62	50	44
WHITE-----MALE----	350	...	...	-	3	25	29	47	48	38	33	31
FEMALE--	103	...	...	-	1	2	9	10	13	16	13	10
ALL OTHER--MALE----	25	...	...	-	-	2	4	3	3	6	2	2
FEMALE--	11	...	...	-	-	-	2	1	1	2	2	1
BLACK---MALE----	20	...	...	-	-	2	2	2	3	5	2	2
FEMALE--	9	...	...	-	-	-	1	1	1	1	2	1
MICHIGAN -----	980	...	...	-	4	72	82	94	108	107	96	83
WHITE-----MALE----	709	...	...	-	3	52	59	67	79	67	65	50
FEMALE--	145	...	...	-	1	5	5	8	12	25	16	21
ALL OTHER--MALE----	99	...	...	-	-	11	17	15	14	11	11	8
FEMALE--	27	...	...	-	-	4	1	4	3	4	4	4
BLACK---MALE----	91	...	...	-	-	10	15	15	14	9	10	7
FEMALE--	21	...	...	-	-	3	1	4	2	4	3	2



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 3,038  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX SUICIDE (E950-E959)	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
MINNESOTA -----	520	...	...	-	12	36	46	51	58	61	54	37
WHITE-----MALE----	409	...	...	-	11	24	35	36	50	48	38	28
FEMALE--	79	...	...	-	1	5	7	10	4	9	15	6
ALL OTHER--MALE----	23	...	...	-	-	7	2	4	3	3	-	2
FEMALE--	9	...	...	-	-	-	2	1	1	1	1	1
BLACK---MALE----	8	...	...	-	-	2	1	1	-	1	-	2
FEMALE--	4	...	...	-	-	-	1	1	-	-	1	1
MISSISSIPPI -----	319	...	...	1	5	27	34	27	36	28	20	26
WHITE-----MALE----	211	...	...	1	4	18	20	15	20	21	13	18
FEMALE--	48	...	...	-	-	2	3	5	8	3	2	5
ALL OTHER--MALE----	52	...	...	-	1	7	10	7	7	4	5	2
FEMALE--	8	...	...	-	-	-	1	-	1	-	-	1
BLACK---MALE----	52	...	...	-	1	7	10	7	7	4	5	2
FEMALE--	8	...	...	-	-	-	1	-	1	-	-	1
MISSOURI -----	721	...	...	-	7	48	77	59	78	77	67	64
WHITE-----MALE----	547	...	...	-	4	34	51	45	60	63	55	53
FEMALE--	111	...	...	-	1	9	14	6	12	8	7	6
ALL OTHER--MALE----	52	...	...	-	2	5	11	7	6	5	2	5
FEMALE--	11	...	...	-	-	-	1	1	-	1	3	-
BLACK---MALE----	45	...	...	-	1	5	10	5	6	5	2	4
FEMALE--	10	...	...	-	-	-	1	1	-	1	2	-
MONTANA -----	201	...	...	-	1	19	23	13	16	22	21	21
WHITE-----MALE----	156	...	...	-	-	18	19	6	10	16	17	13
FEMALE--	30	...	...	-	-	1	1	4	3	5	3	8
ALL OTHER--MALE----	14	...	...	-	1	-	3	3	2	1	1	-
FEMALE--	1	...	...	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
NEBRASKA -----	187	...	...	-	1	14	13	24	22	18	22	9
WHITE-----MALE----	147	...	...	-	-	8	9	18	16	15	20	6
FEMALE--	30	...	...	-	1	4	2	2	6	3	2	2
ALL OTHER--MALE----	8	...	...	-	-	2	1	4	-	-	-	-
FEMALE--	2	...	...	-	-	-	1	-	-	-	-	1
BLACK---MALE----	5	...	...	-	-	1	-	3	-	-	-	-
FEMALE--	2	...	...	-	-	-	1	-	-	-	-	1
NEVADA -----	395	...	...	-	2	22	35	34	42	46	42	36
WHITE-----MALE----	299	...	...	-	1	14	23	30	27	35	30	29
FEMALE--	66	...	...	-	-	6	4	1	8	9	8	6
ALL OTHER--MALE----	24	...	...	-	1	2	6	2	6	1	4	1
FEMALE--	6	...	...	-	-	-	2	1	1	1	-	-
BLACK---MALE----	14	...	...	-	-	1	4	2	3	1	3	-
FEMALE--	3	...	...	-	-	-	1	1	-	-	-	-









TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 3,040  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX SUICIDE (E950-E959)	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	1,077	...	...	1	18	71	104	82	104	136	106	75
WHITE-----MALE----	806	...	...	-	13	58	79	62	87	97	76	50
FEMALE--	178	...	...	-	3	3	11	12	10	30	20	20
ALL OTHER--MALE----	76	...	...	1	2	8	14	4	7	8	6	5
FEMALE--	17	...	...	-	-	2	-	4	-	1	4	-
BLACK---MALE----	74	...	...	1	2	8	14	4	6	8	6	5
FEMALE--	16	...	...	-	-	2	-	4	-	1	4	-
OKLAHOMA -----	502	...	...	-	9	34	58	35	64	53	48	39
WHITE-----MALE----	376	...	...	-	7	21	39	27	47	41	33	29
FEMALE--	94	...	...	-	2	6	7	6	14	10	13	9
ALL OTHER--MALE----	30	...	...	-	-	7	11	2	3	2	2	1
FEMALE--	2	...	...	-	-	-	1	-	-	-	-	-
BLACK---MALE----	14	...	...	-	-	4	3	-	2	2	1	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
OREGON -----	497	...	...	-	5	36	45	45	50	59	48	40
WHITE-----MALE----	390	...	...	-	2	26	35	35	37	48	36	31
FEMALE--	81	...	...	-	2	6	5	6	11	6	10	8
ALL OTHER--MALE----	18	...	...	-	1	4	4	2	2	2	-	1
FEMALE--	8	...	...	-	-	-	1	2	-	3	2	-
BLACK---MALE----	7	...	...	-	1	1	2	-	1	1	-	-
FEMALE--	3	...	...	-	-	-	-	1	-	1	1	-
PENNSYLVANIA -----	1,459	...	...	-	11	67	121	126	174	163	150	117
WHITE-----MALE----	1,129	...	...	-	9	55	103	99	135	120	104	88
FEMALE--	239	...	...	-	2	8	11	16	21	25	37	22
ALL OTHER--MALE----	73	...	...	-	-	3	6	10	15	15	7	5
FEMALE--	18	...	...	-	-	1	1	1	3	3	2	2
BLACK---MALE----	64	...	...	-	-	3	5	8	12	12	7	5
FEMALE--	12	...	...	-	-	1	-	-	3	2	2	2
RHODE ISLAND -----	89	...	...	-	-	2	8	4	14	5	16	9
WHITE-----MALE----	69	...	...	-	-	2	7	2	11	5	11	8
FEMALE--	20	...	...	-	-	-	1	2	3	-	5	1
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	436	...	...	-	5	26	41	38	51	54	53	41
WHITE-----MALE----	285	...	...	-	2	20	26	24	35	27	39	25
FEMALE--	81	...	...	-	2	3	3	4	9	14	9	13
ALL OTHER--MALE----	61	...	...	-	1	3	12	9	4	10	4	3
FEMALE--	9	...	...	-	-	-	-	1	3	3	1	-
BLACK---MALE----	60	...	...	-	1	3	12	8	4	10	4	3
FEMALE--	9	...	...	-	-	-	-	1	3	3	1	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 3,041  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	86	...	...	-	-	9	9	10	10	10	5	6
WHITE-----MALE----	58	...	...	-	-	5	6	6	7	3	4	5
FEMALE--	12	...	...	-	-	2	-	1	1	3	1	1
ALL OTHER--MALE----	13	...	...	-	-	2	2	3	2	2	-	-
FEMALE--	3	...	...	-	-	-	1	-	-	2	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	1	...	...	-	-	-	-	-	-	1	-	-
TENNESSEE -----	681	...	...	-	6	40	67	79	73	82	59	43
WHITE-----MALE----	504	...	...	-	5	30	45	60	54	53	42	34
FEMALE--	113	...	...	-	1	4	9	9	12	19	12	7
ALL OTHER--MALE----	56	...	...	-	-	5	11	9	6	9	5	2
FEMALE--	8	...	...	-	-	1	2	1	1	1	-	-
BLACK---MALE----	54	...	...	-	-	4	11	9	5	9	5	2
FEMALE--	7	...	...	-	-	1	1	1	1	1	-	-
TEXAS -----	2,234	...	...	1	32	160	209	220	238	251	220	168
WHITE-----MALE----	1,669	...	...	1	27	124	160	164	163	188	153	114
FEMALE--	426	...	...	-	5	23	27	31	51	48	57	44
ALL OTHER--MALE----	111	...	...	-	-	10	20	21	18	10	8	8
FEMALE--	28	...	...	-	-	3	2	4	6	5	2	2
BLACK---MALE----	95	...	...	-	-	10	16	19	15	8	7	6
FEMALE--	19	...	...	-	-	2	2	3	5	1	2	1
UTAH -----	288	...	...	-	10	36	37	26	34	36	30	28
WHITE-----MALE----	222	...	...	-	8	33	31	22	23	28	18	21
FEMALE--	57	...	...	-	2	3	5	2	11	7	7	7
ALL OTHER--MALE----	8	...	...	-	-	-	1	2	-	-	5	-
FEMALE--	1	...	...	-	-	-	-	-	-	1	-	-
BLACK---MALE----	4	...	...	-	-	-	-	1	-	-	3	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
VERMONT -----	76	...	...	-	1	5	9	3	8	6	7	3
WHITE-----MALE----	60	...	...	-	1	4	8	3	7	5	5	2
FEMALE--	16	...	...	-	-	1	1	-	1	1	2	1
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
VIRGINIA -----	827	...	...	-	7	34	87	72	97	78	79	70
WHITE-----MALE----	576	...	...	-	4	21	59	44	70	50	53	45
FEMALE--	146	...	...	-	3	5	9	15	10	17	14	20
ALL OTHER--MALE----	89	...	...	-	-	8	17	12	13	8	10	5
FEMALE--	16	...	...	-	-	-	2	1	4	3	2	-
BLACK---MALE----	75	...	...	-	-	8	12	10	11	7	8	4
FEMALE--	13	...	...	-	-	-	2	1	3	3	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 3,041  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SUICIDE (E950-E959)												
SOUTH DAKOTA -----	6	2	3	7	4	2	2	-	1	-	-	-
WHITE-----MALE----	5	1	3	5	4	2	1	-	1	-	-	-
FEMALE--	-	1	-	1	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	45	45	19	28	33	26	21	13	2	-	-	-
WHITE-----MALE----	35	36	15	23	21	20	16	13	2	-	-	-
FEMALE--	8	9	4	2	7	6	4	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	2	4	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	2	4	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
TEXAS -----	157	94	92	103	103	75	67	29	11	3	-	1
WHITE-----MALE----	115	72	65	76	87	61	58	29	9	2	-	1
FEMALE--	37	20	22	24	14	13	8	-	1	1	-	-
ALL OTHER--MALE----	3	2	4	3	1	1	1	-	1	-	-	-
FEMALE--	2	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	3	2	4	3	-	-	1	-	1	-	-	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	-
UTAH -----	12	12	5	8	1	5	6	1	1	-	-	-
WHITE-----MALE----	8	11	3	5	1	5	4	1	-	-	-	-
FEMALE--	4	1	2	3	-	-	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	3	5	6	8	1	5	1	4	-	1	-	-
WHITE-----MALE----	2	5	3	5	1	4	-	4	-	1	-	-
FEMALE--	1	-	3	3	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	53	41	45	34	43	39	24	16	7	-	-	1
WHITE-----MALE----	39	27	35	26	36	27	21	12	6	-	-	1
FEMALE--	13	9	8	4	6	8	1	3	1	-	-	-
ALL OTHER--MALE----	1	5	1	2	1	4	2	-	-	-	-	-
FEMALE--	-	-	1	2	-	-	-	1	-	-	-	-
BLACK---MALE----	1	4	1	2	1	4	2	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-







TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 3,043  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SUICIDE BY DRUGS, MEDICAMENTS, AND BIOLOGICALS (E950.0-E950.5)												
0 UNITED STATES --	2,874	...	...	2	12	66	125	204	350	448	471	365
WHITE-----MALE----	1,260	...	...	1	3	23	53	102	159	209	224	161
FEMALE--	1,383	...	...	-	6	35	52	81	152	194	217	182
ALL OTHER--MALE----	116	...	...	1	2	2	11	11	15	26	14	12
FEMALE--	115	...	...	-	1	6	9	10	24	19	16	10
BLACK---MALE----	82	...	...	1	1	1	7	8	11	20	12	9
FEMALE--	75	...	...	-	-	3	4	6	14	15	12	9
ALABAMA -----	24	...	...	-	-	-	1	2	7	1	2	4
WHITE-----MALE----	8	...	...	-	-	-	-	2	3	-	-	1
FEMALE--	14	...	...	-	-	-	1	-	3	-	2	3
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	2	...	...	-	-	-	-	-	1	1	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	2	...	...	-	-	-	-	-	1	1	-	-
ALASKA -----	3	...	...	-	-	-	-	-	1	1	1	-
WHITE-----MALE----	2	...	...	-	-	-	-	-	1	1	-	-
FEMALE--	1	...	...	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
ARIZONA -----	95	...	...	-	1	-	7	9	7	21	15	9
WHITE-----MALE----	37	...	...	-	-	-	4	5	2	9	6	2
FEMALE--	55	...	...	-	1	-	3	3	4	11	9	7
ALL OTHER--MALE----	1	...	...	-	-	-	-	-	1	-	-	-
FEMALE--	2	...	...	-	-	-	-	-	1	1	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	2	...	...	-	-	-	-	-	1	1	-	-
ARKANSAS -----	21	...	...	-	-	1	1	1	5	5	4	-
WHITE-----MALE----	8	...	...	-	-	-	-	1	3	2	2	-
FEMALE--	11	...	...	-	-	1	-	-	2	2	2	-
ALL OTHER--MALE----	1	...	...	-	-	-	1	-	-	-	-	-
FEMALE--	1	...	...	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	...	...	-	-	-	1	-	-	-	-	-
FEMALE--	1	...	...	-	-	-	-	-	-	1	-	-
CALIFORNIA -----	414	...	...	-	2	9	17	33	36	63	66	51
WHITE-----MALE----	193	...	...	-	-	2	11	17	17	31	34	22
FEMALE--	167	...	...	-	-	3	6	12	11	21	24	22
ALL OTHER--MALE----	27	...	...	-	1	-	-	2	3	8	2	4
FEMALE--	27	...	...	-	1	4	-	2	5	3	6	3
BLACK---MALE----	16	...	...	-	-	-	-	1	2	5	2	3
FEMALE--	17	...	...	-	-	1	-	2	2	3	4	3



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 3,044  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SUICIDE BY DRUGS, MEDICAMENTS, AND BIOLOGICALS (E950.0-E950.5)												
COLORADO -----	71	...	...	-	1	4	4	1	10	11	14	6
WHITE-----MALE----	25	...	...	-	-	2	1	-	4	4	3	4
FEMALE--	44	...	...	-	1	1	3	1	5	7	11	2
ALL OTHER--MALE----	2	...	...	-	-	1	-	-	1	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	...	...	-	-	-	-	-	1	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	25	...	...	-	1	-	1	1	-	6	4	5
WHITE-----MALE----	12	...	...	-	-	-	-	1	-	3	3	2
FEMALE--	12	...	...	-	1	-	1	-	-	3	1	3
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	1	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	1	...	...	-	-	-	-	-	-	-	-	-
DELAWARE -----	9	...	...	-	-	-	-	1	-	1	3	1
WHITE-----MALE----	2	...	...	-	-	-	-	-	-	1	1	-
FEMALE--	6	...	...	-	-	-	-	1	-	-	1	1
ALL OTHER--MALE----	1	...	...	-	-	-	-	-	-	-	1	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	...	...	-	-	-	-	-	-	-	1	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	-	...	...	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
FLORIDA -----	247	...	...	1	1	2	6	15	27	37	41	30
WHITE-----MALE----	118	...	...	1	1	-	3	10	10	17	28	17
FEMALE--	114	...	...	-	-	1	2	4	13	15	12	13
ALL OTHER--MALE----	8	...	...	-	-	1	1	-	2	3	1	-
FEMALE--	7	...	...	-	-	-	-	1	2	2	-	-
BLACK---MALE----	8	...	...	-	-	1	1	-	2	3	1	-
FEMALE--	6	...	...	-	-	-	-	1	2	2	-	-
GEORGIA -----	41	...	...	-	-	2	2	3	3	8	9	7
WHITE-----MALE----	13	...	...	-	-	1	-	1	2	4	4	1
FEMALE--	23	...	...	-	-	1	-	1	1	4	4	5
ALL OTHER--MALE----	3	...	...	-	-	-	1	1	-	-	1	-
FEMALE--	2	...	...	-	-	-	1	-	-	-	-	1
BLACK---MALE----	2	...	...	-	-	-	-	1	-	-	1	-
FEMALE--	2	...	...	-	-	-	1	-	-	-	-	1







TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 3,046  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SUICIDE BY DRUGS, MEDICAMENTS, AND BIOLOGICALS (E950.0-E950.5)												
KENTUCKY -----	29	...	...	-	-	-	-	3	5	4	7	3
WHITE-----MALE----	12	...	...	-	-	-	-	1	2	2	4	-
FEMALE--	14	...	...	-	-	-	-	2	2	1	3	3
ALL OTHER--MALE----	2	...	...	-	-	-	-	-	-	1	-	-
FEMALE--	1	...	...	-	-	-	-	-	1	-	-	-
BLACK---MALE----	2	...	...	-	-	-	-	-	-	1	-	-
FEMALE--	1	...	...	-	-	-	-	-	1	-	-	-
LOUISIANA -----	31	...	...	-	1	1	3	2	3	4	4	2
WHITE-----MALE----	16	...	...	-	-	-	1	2	2	3	1	2
FEMALE--	10	...	...	-	-	-	-	-	-	1	3	-
ALL OTHER--MALE----	2	...	...	-	1	-	1	-	-	-	-	-
FEMALE--	3	...	...	-	-	1	1	-	1	-	-	-
BLACK---MALE----	2	...	...	-	1	-	1	-	-	-	-	-
FEMALE--	3	...	...	-	-	1	1	-	1	-	-	-
MAINE -----	15	...	...	-	-	-	-	-	3	3	4	1
WHITE-----MALE----	9	...	...	-	-	-	-	-	2	2	3	-
FEMALE--	6	...	...	-	-	-	-	-	1	1	1	1
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
MARYLAND -----	53	...	...	-	-	-	1	4	7	12	8	4
WHITE-----MALE----	26	...	...	-	-	-	1	1	4	9	5	2
FEMALE--	22	...	...	-	-	-	-	3	2	2	3	2
ALL OTHER--MALE----	2	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	3	...	...	-	-	-	-	-	1	1	-	-
BLACK---MALE----	1	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	3	...	...	-	-	-	-	-	1	1	-	-
MASSACHUSETTS -----	66	...	...	-	-	-	7	4	9	10	9	11
WHITE-----MALE----	24	...	...	-	-	-	2	1	4	4	3	4
FEMALE--	38	...	...	-	-	-	3	3	5	6	6	5
ALL OTHER--MALE----	2	...	...	-	-	-	1	-	-	-	-	1
FEMALE--	2	...	...	-	-	-	1	-	-	-	-	1
BLACK---MALE----	1	...	...	-	-	-	-	-	-	-	-	1
FEMALE--	2	...	...	-	-	-	1	-	-	-	-	1
MICHIGAN -----	82	...	...	-	-	4	2	2	10	14	12	18
WHITE-----MALE----	27	...	...	-	-	1	-	2	3	3	5	2
FEMALE--	45	...	...	-	-	2	1	-	6	10	6	11
ALL OTHER--MALE----	4	...	...	-	-	-	1	-	-	-	-	3
FEMALE--	6	...	...	-	-	1	-	-	1	1	1	2
BLACK---MALE----	4	...	...	-	-	-	1	-	-	-	-	3
FEMALE--	4	...	...	-	-	1	-	-	1	1	-	1





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 3,047  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SUICIDE BY DRUGS, MEDICAMENTS, AND BIOLOGICALS (E950.0-E950.5)												
MINNESOTA -----	51	...	...	-	-	1	2	5	6	11	10	4
WHITE-----MALE----	17	...	...	-	-	-	-	2	5	3	2	2
FEMALE--	29	...	...	-	-	1	2	3	1	5	7	2
ALL OTHER--MALE----	2	...	...	-	-	-	-	-	-	2	-	-
FEMALE--	3	...	...	-	-	-	-	-	-	1	1	-
BLACK---MALE----	1	...	...	-	-	-	-	-	-	1	-	-
FEMALE--	1	...	...	-	-	-	-	-	-	-	1	-
MISSISSIPPI -----	18	...	...	-	-	-	-	3	3	4	1	4
WHITE-----MALE----	11	...	...	-	-	-	-	1	2	3	1	3
FEMALE--	5	...	...	-	-	-	-	-	1	1	-	1
ALL OTHER--MALE----	2	...	...	-	-	-	-	2	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	...	...	-	-	-	-	2	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
MISSOURI -----	63	...	...	-	1	2	4	4	2	12	13	9
WHITE-----MALE----	32	...	...	-	1	-	2	2	1	8	5	6
FEMALE--	25	...	...	-	-	2	2	1	1	3	6	3
ALL OTHER--MALE----	4	...	...	-	-	-	-	1	-	1	1	-
FEMALE--	2	...	...	-	-	-	-	-	-	-	1	-
BLACK---MALE----	4	...	...	-	-	-	-	1	-	1	1	-
FEMALE--	2	...	...	-	-	-	-	-	-	-	1	-
MONTANA -----	21	...	...	-	-	-	1	-	2	7	3	4
WHITE-----MALE----	10	...	...	-	-	-	-	-	1	5	3	-
FEMALE--	9	...	...	-	-	-	1	-	-	2	-	4
ALL OTHER--MALE----	1	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	1	...	...	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
NEBRASKA -----	14	...	...	-	-	3	-	2	1	2	5	-
WHITE-----MALE----	6	...	...	-	-	-	-	2	-	1	3	-
FEMALE--	8	...	...	-	-	3	-	-	1	1	2	-
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
NEVADA -----	40	...	...	-	-	-	2	4	6	5	5	5
WHITE-----MALE----	19	...	...	-	-	-	1	3	3	2	2	1
FEMALE--	17	...	...	-	-	-	-	-	3	2	3	3
ALL OTHER--MALE----	2	...	...	-	-	-	1	-	-	-	-	1
FEMALE--	2	...	...	-	-	-	-	1	-	1	-	-
BLACK---MALE----	1	...	...	-	-	-	1	-	-	-	-	-
FEMALE--	1	...	...	-	-	-	-	1	-	-	-	-







TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 3,049  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SUICIDE BY DRUGS, MEDICAMENTS, AND BIOLOGICALS (E950.0-E950.5)												
OHIO -----	79	...	...	1	-	3	2	4	6	11	21	9
WHITE-----MALE----	34	...	...	-	-	2	1	1	4	6	13	4
FEMALE--	40	...	...	-	-	1	1	3	2	5	7	5
ALL OTHER--MALE----	2	...	...	1	-	-	-	-	-	-	-	-
FEMALE--	3	...	...	-	-	-	-	-	-	-	1	-
BLACK---MALE----	2	...	...	1	-	-	-	-	-	-	-	-
FEMALE--	3	...	...	-	-	-	-	-	-	-	1	-
OKLAHOMA -----	49	...	...	-	-	1	-	4	8	10	8	7
WHITE-----MALE----	26	...	...	-	-	1	-	2	4	7	3	5
FEMALE--	22	...	...	-	-	-	-	2	4	3	5	1
ALL OTHER--MALE----	1	...	...	-	-	-	-	-	-	-	-	1
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
OREGON -----	37	...	...	-	-	-	4	4	5	4	5	5
WHITE-----MALE----	15	...	...	-	-	-	1	-	1	2	3	2
FEMALE--	16	...	...	-	-	-	2	1	4	2	1	3
ALL OTHER--MALE----	2	...	...	-	-	-	-	1	-	-	-	-
FEMALE--	4	...	...	-	-	-	1	2	-	-	1	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	1	...	...	-	-	-	-	1	-	-	-	-
PENNSYLVANIA -----	139	...	...	-	-	2	3	12	12	21	21	14
WHITE-----MALE----	67	...	...	-	-	2	2	7	8	12	10	7
FEMALE--	68	...	...	-	-	-	1	5	4	9	9	7
ALL OTHER--MALE----	1	...	...	-	-	-	-	-	-	-	1	-
FEMALE--	3	...	...	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	...	...	-	-	-	-	-	-	-	1	-
FEMALE--	2	...	...	-	-	-	-	-	-	-	1	-
RHODE ISLAND -----	10	...	...	-	-	-	-	1	3	-	2	-
WHITE-----MALE----	5	...	...	-	-	-	-	-	1	-	2	-
FEMALE--	5	...	...	-	-	-	-	1	2	-	-	-
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	40	...	...	-	-	2	3	4	5	9	6	4
WHITE-----MALE----	17	...	...	-	-	1	2	2	2	4	4	-
FEMALE--	20	...	...	-	-	1	-	2	3	4	2	4
ALL OTHER--MALE----	2	...	...	-	-	-	1	-	-	-	-	-
FEMALE--	1	...	...	-	-	-	-	-	-	1	-	-
BLACK---MALE----	2	...	...	-	-	-	1	-	-	-	-	-
FEMALE--	1	...	...	-	-	-	-	-	-	1	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 3,050  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SUICIDE BY DRUGS, MEDICAMENTS, AND BIOLOGICALS (E950.0-E950.5)												
SOUTH DAKOTA -----	5	...	...	-	-	-	-	-	-	2	1	1
WHITE-----MALE----	1	...	...	-	-	-	-	-	-	-	-	1
FEMALE--	3	...	...	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	1	...	...	-	-	-	-	-	-	1	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
TENNESSEE -----	51	...	...	-	-	-	1	5	10	7	13	4
WHITE-----MALE----	31	...	...	-	-	-	-	2	5	3	10	3
FEMALE--	18	...	...	-	-	-	1	3	4	3	3	1
ALL OTHER--MALE----	2	...	...	-	-	-	-	-	1	1	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	...	...	-	-	-	-	-	1	1	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
TEXAS -----	223	...	...	-	2	9	9	15	37	38	35	29
WHITE-----MALE----	103	...	...	-	1	3	4	8	16	19	16	16
FEMALE--	107	...	...	-	1	6	5	7	17	16	18	12
ALL OTHER--MALE----	4	...	...	-	-	-	-	-	-	1	-	-
FEMALE--	9	...	...	-	-	-	-	-	4	2	1	1
BLACK---MALE----	3	...	...	-	-	-	-	-	-	1	-	-
FEMALE--	7	...	...	-	-	-	-	-	3	1	1	1
UTAH -----	41	...	...	-	-	-	3	2	7	8	7	6
WHITE-----MALE----	17	...	...	-	-	-	1	2	2	3	3	1
FEMALE--	22	...	...	-	-	-	2	-	5	4	3	5
ALL OTHER--MALE----	1	...	...	-	-	-	-	-	-	-	1	-
FEMALE--	1	...	...	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	...	...	-	-	-	-	-	-	-	1	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
VERMONT -----	4	...	...	-	-	-	-	-	-	1	-	2
WHITE-----MALE----	2	...	...	-	-	-	-	-	-	-	-	1
FEMALE--	2	...	...	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
VIRGINIA -----	76	...	...	-	1	2	3	7	8	15	11	10
WHITE-----MALE----	30	...	...	-	-	-	1	1	5	5	3	6
FEMALE--	41	...	...	-	1	2	2	5	2	8	7	4
ALL OTHER--MALE----	2	...	...	-	-	-	-	-	-	1	1	-
FEMALE--	3	...	...	-	-	-	-	1	1	1	-	-
BLACK---MALE----	2	...	...	-	-	-	-	-	-	1	1	-
FEMALE--	3	...	...	-	-	-	-	1	1	1	-	-

















































TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 3,061  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SUICIDE BY GASES AND VAPORS (E951-E952)												
0 UNITED STATES --	2,095	...	...	-	1	67	137	180	248	282	296	228
WHITE-----MALE----	1,580	...	...	-	-	52	105	142	192	214	228	166
FEMALE--	438	...	...	-	1	12	23	25	46	54	58	54
ALL OTHER--MALE----	58	...	...	-	-	2	9	9	8	10	6	7
FEMALE--	19	...	...	-	-	1	-	4	2	4	4	1
BLACK---MALE----	43	...	...	-	-	2	6	7	4	9	6	4
FEMALE--	14	...	...	-	-	-	-	4	1	4	3	-
ALABAMA -----	23	...	...	-	-	2	2	4	6	1	1	-
WHITE-----MALE----	20	...	...	-	-	2	2	4	5	-	1	-
FEMALE--	2	...	...	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	...	...	-	-	-	-	-	1	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	...	...	-	-	-	-	-	1	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
ALASKA -----	6	...	...	-	-	2	-	1	1	1	-	1
WHITE-----MALE----	4	...	...	-	-	2	-	1	-	1	-	-
FEMALE--	2	...	...	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
ARIZONA -----	41	...	...	-	-	2	4	4	4	2	3	9
WHITE-----MALE----	31	...	...	-	-	2	4	3	4	2	2	4
FEMALE--	9	...	...	-	-	-	-	1	-	-	1	5
ALL OTHER--MALE----	1	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
ARKANSAS -----	13	...	...	-	-	-	4	1	1	-	3	1
WHITE-----MALE----	10	...	...	-	-	-	3	1	1	-	2	1
FEMALE--	2	...	...	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	...	...	-	-	-	1	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	...	...	-	-	-	1	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	198	...	...	-	-	-	11	14	26	25	20	32
WHITE-----MALE----	148	...	...	-	-	-	7	11	20	22	16	26
FEMALE--	35	...	...	-	-	-	1	-	4	3	4	4
ALL OTHER--MALE----	12	...	...	-	-	-	3	2	2	-	-	2
FEMALE--	3	...	...	-	-	-	-	1	-	-	-	-
BLACK---MALE----	7	...	...	-	-	-	2	1	1	-	-	1
FEMALE--	2	...	...	-	-	-	-	1	-	-	-	-







































TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 3,070  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION (E953)												
0 UNITED STATES --	5,217	...	...	3	123	371	627	638	723	605	519	365
WHITE-----MALE----	3,778	...	...	2	90	274	464	480	531	456	386	268
FEMALE--	715	...	...	-	14	44	55	51	70	64	58	62
ALL OTHER--MALE----	595	...	...	1	14	46	91	92	108	72	65	26
FEMALE--	129	...	...	-	5	7	17	15	14	13	10	9
BLACK---MALE----	371	...	...	-	9	31	49	62	72	52	46	19
FEMALE--	35	...	...	-	2	2	3	5	7	5	6	2
ALABAMA -----	60	...	...	-	1	5	11	4	12	8	7	6
WHITE-----MALE----	44	...	...	-	1	4	10	3	9	3	5	5
FEMALE--	5	...	...	-	-	-	-	-	-	3	-	1
ALL OTHER--MALE----	10	...	...	-	-	1	1	1	2	2	2	-
FEMALE--	1	...	...	-	-	-	-	-	1	-	-	-
BLACK---MALE----	10	...	...	-	-	1	1	1	2	2	2	-
FEMALE--	1	...	...	-	-	-	-	-	1	-	-	-
ALASKA -----	17	...	...	-	1	1	-	1	5	2	3	2
WHITE-----MALE----	9	...	...	-	-	1	-	-	3	2	1	1
FEMALE--	1	...	...	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	4	...	...	-	-	-	-	1	1	-	1	1
FEMALE--	3	...	...	-	1	-	-	-	-	-	1	-
BLACK---MALE----	1	...	...	-	-	-	-	-	-	-	-	1
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
ARIZONA -----	93	...	...	-	1	6	8	21	15	9	10	2
WHITE-----MALE----	60	...	...	-	-	5	5	15	9	6	7	1
FEMALE--	11	...	...	-	-	-	1	-	-	-	-	1
ALL OTHER--MALE----	21	...	...	-	1	1	2	6	6	3	2	-
FEMALE--	1	...	...	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
ARKANSAS -----	44	...	...	-	-	6	6	9	5	5	4	2
WHITE-----MALE----	34	...	...	-	-	5	3	7	3	3	4	2
FEMALE--	2	...	...	-	-	-	1	-	-	1	-	-
ALL OTHER--MALE----	8	...	...	-	-	1	2	2	2	1	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	...	...	-	-	1	1	2	2	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	770	...	...	-	12	46	102	96	93	83	80	54
WHITE-----MALE----	532	...	...	-	7	35	76	68	68	62	58	43
FEMALE--	108	...	...	-	1	6	3	8	11	9	12	6
ALL OTHER--MALE----	94	...	...	-	2	3	18	17	11	9	9	3
FEMALE--	36	...	...	-	2	2	5	3	3	3	1	2
BLACK---MALE----	31	...	...	-	1	1	3	9	8	3	4	-
FEMALE--	6	...	...	-	2	1	-	-	2	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 3,070  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION (E953)												
0 UNITED STATES --	242	191	142	147	148	122	110	83	46	8	-	4
WHITE-----MALE----	183	136	101	93	93	72	69	42	33	2	-	3
FEMALE--	37	39	23	33	38	38	38	34	11	6	-	-
ALL OTHER--MALE----	18	13	14	11	11	7	1	3	1	-	-	1
FEMALE--	4	3	4	10	6	5	2	4	1	-	-	-
BLACK---MALE----	9	5	5	4	5	2	-	-	-	-	-	1
FEMALE--	-	-	-	2	1	-	-	-	-	-	-	-
ALABAMA -----	2	1	1	1	-	-	1	-	-	-	-	-
WHITE-----MALE----	1	-	1	1	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	1	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	4	1	2	5	2	1	1	1	-	-	-	-
WHITE-----MALE----	3	1	2	3	1	2	-	-	-	-	-	-
FEMALE--	1	-	-	2	4	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	2	2	1	-	-	1	1	-	-	-	-	-
WHITE-----MALE----	2	2	1	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	40	28	26	17	19	24	17	15	11	4	-	3
WHITE-----MALE----	32	17	17	6	10	12	8	4	6	-	-	3
FEMALE--	1	6	5	6	5	4	9	8	4	4	-	-
ALL OTHER--MALE----	5	5	4	3	-	3	-	2	-	-	-	-
FEMALE--	2	-	-	2	4	5	-	1	1	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 3,071  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION (E953)												
COLORADO -----	97	...	...	-	3	4	19	16	12	9	9	8
WHITE-----MALE----	78	...	...	-	2	2	17	13	11	9	8	4
FEMALE--	16	...	...	-	1	1	2	1	1	-	1	4
ALL OTHER--MALE----	2	...	...	-	-	1	-	1	-	-	-	-
FEMALE--	1	...	...	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	...	...	-	-	1	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	87	...	...	-	4	3	10	10	9	7	9	5
WHITE-----MALE----	63	...	...	-	3	3	8	7	6	6	7	2
FEMALE--	18	...	...	-	1	-	2	1	1	1	1	2
ALL OTHER--MALE----	5	...	...	-	-	-	-	1	2	-	1	1
FEMALE--	1	...	...	-	-	-	-	1	-	-	-	-
BLACK---MALE----	3	...	...	-	-	-	-	-	2	-	-	1
FEMALE--	1	...	...	-	-	-	-	1	-	-	-	-
DELAWARE -----	13	...	...	-	-	1	-	2	1	1	2	2
WHITE-----MALE----	11	...	...	-	-	1	-	2	1	-	2	2
FEMALE--	1	...	...	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	...	...	-	-	-	-	-	-	1	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	...	...	-	-	-	-	-	-	1	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	12	...	...	-	-	1	-	3	5	1	1	-
WHITE-----MALE----	3	...	...	-	-	-	-	1	1	1	-	-
FEMALE--	1	...	...	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	...	...	-	-	1	-	2	4	-	1	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	...	...	-	-	1	-	2	4	-	1	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
FLORIDA -----	309	...	...	-	4	16	31	32	31	38	40	18
WHITE-----MALE----	247	...	...	-	4	13	28	29	25	31	28	16
FEMALE--	41	...	...	-	-	1	2	2	1	3	7	2
ALL OTHER--MALE----	17	...	...	-	-	2	1	1	4	3	4	-
FEMALE--	4	...	...	-	-	-	-	-	1	1	1	-
BLACK---MALE----	13	...	...	-	-	1	1	1	3	3	2	-
FEMALE--	3	...	...	-	-	-	-	-	1	1	1	-
GEORGIA -----	112	...	...	-	3	12	13	14	13	15	9	9
WHITE-----MALE----	73	...	...	-	2	9	8	10	7	12	6	5
FEMALE--	9	...	...	-	-	1	1	-	-	-	-	1
ALL OTHER--MALE----	25	...	...	-	1	1	4	4	6	2	2	2
FEMALE--	5	...	...	-	-	1	-	-	-	1	1	1
BLACK---MALE----	25	...	...	-	1	1	4	4	6	2	2	2
FEMALE--	2	...	...	-	-	-	-	-	-	1	1	-







TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 3,073  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION (E953)												
KENTUCKY -----	52	...	...	-	-	5	6	5	7	7	6	4
WHITE-----MALE----	40	...	...	-	-	5	5	5	5	7	3	3
FEMALE--	11	...	...	-	-	-	1	-	2	-	2	1
ALL OTHER--MALE----	1	...	...	-	-	-	-	-	-	-	1	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	...	...	-	-	-	-	-	-	-	1	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
LOUISIANA -----	56	...	...	1	1	3	5	7	7	7	10	3
WHITE-----MALE----	26	...	...	1	1	2	3	4	4	3	3	1
FEMALE--	11	...	...	-	-	-	-	1	-	1	2	1
ALL OTHER--MALE----	16	...	...	-	-	1	2	2	2	3	4	1
FEMALE--	3	...	...	-	-	-	-	-	1	-	1	-
BLACK---MALE----	14	...	...	-	-	1	1	2	2	3	4	1
FEMALE--	2	...	...	-	-	-	-	-	1	-	1	-
MAINE -----	28	...	...	-	2	-	2	2	2	5	5	-
WHITE-----MALE----	24	...	...	-	2	-	2	2	1	4	5	-
FEMALE--	4	...	...	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
MARYLAND -----	105	...	...	-	2	7	7	14	12	17	21	8
WHITE-----MALE----	63	...	...	-	1	4	4	8	10	10	12	5
FEMALE--	13	...	...	-	-	-	-	1	2	2	2	2
ALL OTHER--MALE----	27	...	...	-	1	3	2	4	-	5	7	1
FEMALE--	2	...	...	-	-	-	1	1	-	-	-	-
BLACK---MALE----	25	...	...	-	1	2	2	4	-	5	6	1
FEMALE--	2	...	...	-	-	-	1	1	-	-	-	-
MASSACHUSETTS -----	160	...	...	-	4	15	10	27	24	18	19	15
WHITE-----MALE----	123	...	...	-	3	13	8	20	17	11	15	12
FEMALE--	27	...	...	-	1	2	2	4	4	4	4	3
ALL OTHER--MALE----	8	...	...	-	-	-	-	2	3	2	-	-
FEMALE--	2	...	...	-	-	-	-	1	-	1	-	-
BLACK---MALE----	7	...	...	-	-	-	-	2	3	2	-	-
FEMALE--	1	...	...	-	-	-	-	1	-	-	-	-
MICHIGAN -----	170	...	...	-	1	12	20	15	25	23	15	14
WHITE-----MALE----	113	...	...	-	1	11	11	10	19	13	10	10
FEMALE--	29	...	...	-	-	1	3	1	1	7	1	2
ALL OTHER--MALE----	23	...	...	-	-	-	6	4	4	2	4	1
FEMALE--	5	...	...	-	-	-	-	-	1	1	-	1
BLACK---MALE----	22	...	...	-	-	-	6	4	4	2	4	1
FEMALE--	2	...	...	-	-	-	-	-	-	1	-	-













TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 3,076  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION (E953)												
OHIO -----	186	...	...	-	8	21	21	18	24	16	25	7
WHITE-----MALE----	152	...	...	-	7	20	18	15	21	12	22	5
FEMALE--	19	...	...	-	-	-	-	1	2	2	1	2
ALL OTHER--MALE----	14	...	...	-	1	1	3	2	1	2	2	-
FEMALE--	1	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	12	...	...	-	1	1	3	2	-	2	2	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	62	...	...	-	2	3	17	3	9	11	7	4
WHITE-----MALE----	52	...	...	-	2	1	14	3	7	9	6	4
FEMALE--	6	...	...	-	-	2	1	-	1	1	1	-
ALL OTHER--MALE----	3	...	...	-	-	-	1	-	1	1	-	-
FEMALE--	1	...	...	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	...	...	-	-	-	-	-	-	1	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
OREGON -----	76	...	...	-	2	7	7	9	10	18	7	8
WHITE-----MALE----	64	...	...	-	1	6	5	7	10	15	7	7
FEMALE--	9	...	...	-	1	-	1	2	-	2	-	1
ALL OTHER--MALE----	3	...	...	-	-	1	1	-	-	1	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	264	...	...	-	4	17	28	28	49	25	19	16
WHITE-----MALE----	203	...	...	-	4	13	24	22	39	20	14	11
FEMALE--	38	...	...	-	-	3	1	4	3	2	3	4
ALL OTHER--MALE----	19	...	...	-	-	1	2	1	7	3	2	1
FEMALE--	4	...	...	-	-	-	1	1	-	-	-	-
BLACK---MALE----	18	...	...	-	-	1	2	1	6	3	2	1
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	21	...	...	-	-	1	3	1	3	1	3	2
WHITE-----MALE----	15	...	...	-	-	1	2	1	2	1	1	2
FEMALE--	6	...	...	-	-	-	1	-	1	-	2	-
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	45	...	...	-	1	3	6	3	3	9	9	5
WHITE-----MALE----	31	...	...	-	-	3	5	2	1	5	7	4
FEMALE--	8	...	...	-	1	-	1	-	1	1	1	1
ALL OTHER--MALE----	5	...	...	-	-	-	-	1	1	2	1	-
FEMALE--	1	...	...	-	-	-	-	-	-	1	-	-
BLACK---MALE----	5	...	...	-	-	-	-	1	1	2	1	-
FEMALE--	1	...	...	-	-	-	-	-	-	1	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 3,077  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SUICIDE BY HANGING, STRANGULATION, AND SUFFOCATION (E953)												
SOUTH DAKOTA -----	16	...	...	-	-	1	3	1	4	2	2	1
WHITE-----MALE----	10	...	...	-	-	1	1	1	3	-	2	1
FEMALE--	2	...	...	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	3	...	...	-	-	-	1	-	1	1	-	-
FEMALE--	1	...	...	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
TENNESSEE -----	57	...	...	-	-	2	8	16	6	7	4	3
WHITE-----MALE----	39	...	...	-	-	2	6	12	3	4	3	2
FEMALE--	5	...	...	-	-	-	-	1	-	1	-	1
ALL OTHER--MALE----	11	...	...	-	-	-	1	2	3	2	1	-
FEMALE--	2	...	...	-	-	-	1	1	-	-	-	-
BLACK---MALE----	10	...	...	-	-	-	1	2	2	2	1	-
FEMALE--	1	...	...	-	-	-	-	1	-	-	-	-
TEXAS -----	324	...	...	1	15	33	45	48	54	31	26	21
WHITE-----MALE----	254	...	...	1	15	26	35	39	39	24	23	15
FEMALE--	47	...	...	-	-	6	5	3	8	6	2	5
ALL OTHER--MALE----	20	...	...	-	-	1	5	6	6	-	1	-
FEMALE--	3	...	...	-	-	-	-	-	1	1	-	1
BLACK---MALE----	18	...	...	-	-	1	4	6	6	-	1	-
FEMALE--	1	...	...	-	-	-	-	-	1	-	-	-
UTAH -----	46	...	...	-	1	6	5	7	6	7	4	3
WHITE-----MALE----	35	...	...	-	1	5	4	5	6	4	3	3
FEMALE--	9	...	...	-	-	1	1	1	-	3	-	-
ALL OTHER--MALE----	2	...	...	-	-	-	-	1	-	-	1	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	...	...	-	-	-	-	-	-	-	1	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
VERMONT -----	11	...	...	-	1	-	3	1	-	-	2	-
WHITE-----MALE----	7	...	...	-	1	-	2	1	-	-	1	-
FEMALE--	4	...	...	-	-	-	1	-	-	-	1	-
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
VIRGINIA -----	112	...	...	-	1	6	15	12	20	8	11	15
WHITE-----MALE----	73	...	...	-	1	5	10	7	13	6	7	11
FEMALE--	18	...	...	-	-	-	2	2	2	-	1	2
ALL OTHER--MALE----	16	...	...	-	-	1	3	3	3	1	3	2
FEMALE--	5	...	...	-	-	-	-	-	2	1	-	-
BLACK---MALE----	11	...	...	-	-	1	2	2	2	-	3	1
FEMALE--	2	...	...	-	-	-	-	-	1	1	-	-









TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 3,079  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SUICIDE BY HANDGUN (E955.0)												
0 UNITED STATES --	3,700	...	...	-	34	223	316	328	340	298	318	298
WHITE-----MALE----	2,810	...	...	-	23	146	223	242	248	216	236	228
FEMALE--	582	...	...	-	8	34	35	39	56	58	63	60
ALL OTHER--MALE----	267	...	...	-	2	38	49	43	29	22	17	8
FEMALE--	41	...	...	-	1	5	9	4	7	2	2	2
BLACK---MALE----	188	...	...	-	1	29	31	31	18	19	13	4
FEMALE--	25	...	...	-	1	3	5	2	4	-	1	2
ALABAMA -----	100	...	...	-	1	8	7	12	13	8	5	6
WHITE-----MALE----	64	...	...	-	1	4	4	7	6	4	4	6
FEMALE--	13	...	...	-	-	-	2	2	3	-	1	-
ALL OTHER--MALE----	17	...	...	-	-	3	1	2	3	4	-	-
FEMALE--	6	...	...	-	-	1	-	1	1	-	-	-
BLACK---MALE----	17	...	...	-	-	3	1	2	3	4	-	-
FEMALE--	6	...	...	-	-	1	-	1	1	-	-	-
ALASKA -----	4	...	...	-	-	-	-	1	1	-	1	-
WHITE-----MALE----	3	...	...	-	-	-	-	-	1	-	1	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	...	...	-	-	-	-	1	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
ARIZONA -----	184	...	...	-	2	11	15	18	15	13	16	21
WHITE-----MALE----	139	...	...	-	1	7	12	15	11	7	12	15
FEMALE--	34	...	...	-	1	2	1	1	4	4	3	6
ALL OTHER--MALE----	6	...	...	-	-	1	1	1	-	1	-	-
FEMALE--	5	...	...	-	-	1	1	1	-	1	1	-
BLACK---MALE----	3	...	...	-	-	1	1	-	-	-	-	-
FEMALE--	2	...	...	-	-	1	-	1	-	-	-	-
ARKANSAS -----	21	...	...	-	3	2	2	4	-	-	-	1
WHITE-----MALE----	16	...	...	-	2	1	1	4	-	-	-	1
FEMALE--	4	...	...	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	...	...	-	-	-	1	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	...	...	-	-	-	1	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	1,029	...	...	-	11	53	68	88	97	79	98	75
WHITE-----MALE----	773	...	...	-	7	33	39	61	70	59	66	59
FEMALE--	150	...	...	-	3	5	8	10	14	14	24	13
ALL OTHER--MALE----	92	...	...	-	1	12	18	16	10	6	8	2
FEMALE--	14	...	...	-	-	3	3	1	3	-	-	1
BLACK---MALE----	47	...	...	-	1	6	7	11	4	4	4	1
FEMALE--	5	...	...	-	-	1	-	-	1	-	-	1





























TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 3,086  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SUICIDE BY HANDGUN (E955.0)												
SOUTH DAKOTA -----	21	...	...	-	-	2	2	2	2	3	-	2
WHITE-----MALE----	12	...	...	-	-	1	2	1	-	1	-	1
FEMALE--	6	...	...	-	-	1	-	1	1	1	-	1
ALL OTHER--MALE----	2	...	...	-	-	-	-	-	1	-	-	-
FEMALE--	1	...	...	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
TENNESSEE -----	34	...	...	-	-	2	3	4	3	4	4	2
WHITE-----MALE----	23	...	...	-	-	2	2	2	2	2	2	1
FEMALE--	6	...	...	-	-	-	-	-	1	1	1	1
ALL OTHER--MALE----	5	...	...	-	-	-	1	2	-	1	1	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	...	...	-	-	-	1	2	-	1	1	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
TEXAS -----	133	...	...	-	-	10	12	8	8	8	14	8
WHITE-----MALE----	109	...	...	-	-	8	11	6	7	7	12	5
FEMALE--	22	...	...	-	-	1	1	2	1	1	2	3
ALL OTHER--MALE----	2	...	...	-	-	1	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	...	...	-	-	1	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
UTAH -----	87	...	...	-	3	12	16	9	8	8	7	8
WHITE-----MALE----	69	...	...	-	2	10	13	7	6	8	5	7
FEMALE--	16	...	...	-	1	2	2	1	2	-	2	1
ALL OTHER--MALE----	2	...	...	-	-	-	1	1	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	...	...	-	-	-	-	1	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
VERMONT -----	9	...	...	-	-	-	-	-	1	1	-	1
WHITE-----MALE----	7	...	...	-	-	-	-	-	1	1	-	1
FEMALE--	2	...	...	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
VIRGINIA -----	151	...	...	-	1	3	15	13	14	13	11	11
WHITE-----MALE----	106	...	...	-	1	2	8	7	10	11	6	8
FEMALE--	20	...	...	-	-	-	1	2	2	1	2	3
ALL OTHER--MALE----	22	...	...	-	-	1	4	4	2	1	2	-
FEMALE--	3	...	...	-	-	-	2	-	-	-	1	-
BLACK---MALE----	19	...	...	-	-	1	2	4	2	1	2	-
FEMALE--	3	...	...	-	-	-	2	-	-	-	1	-









TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 3,088  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SUICIDE BY ALL OTHER AND UNSPECIFIED FIREARMS (E955.1-E955.4)												
0 UNITED STATES --	14,803	...	...	1	149	1,043	1,486	1,299	1,428	1,400	1,262	1,056
WHITE-----MALE----	11,803	...	...	1	95	783	1,115	984	1,075	1,079	985	828
FEMALE--	1,665	...	...	-	34	86	131	130	178	188	191	154
ALL OTHER--MALE----	1,180	...	...	-	16	153	222	166	153	115	76	63
FEMALE--	155	...	...	-	4	21	18	19	22	18	10	11
BLACK---MALE----	965	...	...	-	12	123	177	131	125	90	62	53
FEMALE--	126	...	...	-	3	20	12	17	17	13	9	6
ALABAMA -----	330	...	...	-	3	26	23	25	28	29	25	26
WHITE-----MALE----	244	...	...	-	1	17	9	18	20	19	17	20
FEMALE--	34	...	...	-	1	-	2	2	3	4	5	2
ALL OTHER--MALE----	50	...	...	-	1	8	11	5	5	6	3	4
FEMALE--	2	...	...	-	-	1	1	-	-	-	-	-
BLACK---MALE----	49	...	...	-	1	8	10	5	5	6	3	4
FEMALE--	1	...	...	-	-	1	-	-	-	-	-	-
ALASKA -----	71	...	...	-	-	8	13	8	9	8	9	6
WHITE-----MALE----	42	...	...	-	-	6	5	3	3	7	5	5
FEMALE--	5	...	...	-	-	-	-	1	1	-	2	-
ALL OTHER--MALE----	20	...	...	-	-	2	7	3	4	1	2	-
FEMALE--	4	...	...	-	-	-	1	1	1	-	-	1
BLACK---MALE----	1	...	...	-	-	-	1	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
ARIZONA -----	362	...	...	-	1	22	33	37	43	38	36	18
WHITE-----MALE----	303	...	...	-	-	20	27	29	34	30	30	16
FEMALE--	41	...	...	-	1	-	3	4	7	6	5	2
ALL OTHER--MALE----	17	...	...	-	-	2	3	4	2	1	1	-
FEMALE--	1	...	...	-	-	-	-	-	-	1	-	-
BLACK---MALE----	7	...	...	-	-	1	1	2	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
ARKANSAS -----	243	...	...	-	6	17	24	15	25	27	24	21
WHITE-----MALE----	186	...	...	-	4	13	21	11	20	18	20	14
FEMALE--	44	...	...	-	1	3	2	2	4	6	3	7
ALL OTHER--MALE----	12	...	...	-	1	1	1	2	-	3	1	-
FEMALE--	1	...	...	-	-	-	-	-	1	-	-	-
BLACK---MALE----	11	...	...	-	1	1	1	2	-	2	1	-
FEMALE--	1	...	...	-	-	-	-	-	1	-	-	-
CALIFORNIA -----	880	...	...	-	11	54	87	76	88	80	67	60
WHITE-----MALE----	699	...	...	-	7	41	68	54	64	64	53	48
FEMALE--	93	...	...	-	3	7	7	7	8	11	9	5
ALL OTHER--MALE----	73	...	...	-	1	5	11	13	14	5	3	4
FEMALE--	15	...	...	-	-	1	1	2	2	-	2	3
BLACK---MALE----	42	...	...	-	-	1	8	8	8	2	3	2
FEMALE--	8	...	...	-	-	1	1	2	-	-	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 3,088  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 SUICIDE BY ALL OTHER AND UNSPECIFIED FIREARMS (E955.1-E955.4)												
0 UNITED STATES --	887	717	714	780	860	753	555	302	94	10	1	6
WHITE-----MALE----	707	583	595	664	747	673	510	279	84	10	1	5
FEMALE--	135	89	83	82	71	57	34	16	5	-	-	1
ALL OTHER--MALE----	41	43	26	28	39	19	11	4	5	-	-	-
FEMALE--	4	2	10	6	3	4	-	3	-	-	-	-
BLACK---MALE----	36	37	24	20	36	19	11	4	5	-	-	-
FEMALE--	3	2	9	6	3	3	-	3	-	-	-	-
ALABAMA -----	15	17	22	22	28	19	13	9	-	-	-	-
WHITE-----MALE----	10	13	21	20	23	17	13	6	-	-	-	-
FEMALE--	5	2	1	1	2	1	-	3	-	-	-	-
ALL OTHER--MALE----	-	2	-	1	3	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	2	-	1	3	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	6	2	-	1	-	-	-	1	-	-	-	-
WHITE-----MALE----	5	2	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	20	13	11	21	25	16	19	5	3	-	-	1
WHITE-----MALE----	15	11	10	19	21	14	18	5	3	-	-	1
FEMALE--	4	2	1	2	3	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	16	8	9	12	11	19	6	3	-	-	-	-
WHITE-----MALE----	12	6	7	9	9	15	5	2	-	-	-	-
FEMALE--	3	1	1	3	2	4	1	1	-	-	-	-
ALL OTHER--MALE----	1	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	60	40	55	39	50	56	31	20	4	1	-	1
WHITE-----MALE----	47	30	47	28	46	49	29	19	4	1	-	-
FEMALE--	11	3	6	7	-	5	2	1	-	-	-	1
ALL OTHER--MALE----	2	7	1	3	4	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	2	-	-	-	-	-	-
BLACK---MALE----	2	5	-	-	3	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 3,089  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SUICIDE BY ALL OTHER AND UNSPECIFIED FIREARMS (E955.1-E955.4)												
COLORADO -----	272	...	...	-	4	15	23	28	37	23	32	19
WHITE-----MALE----	223	...	...	-	2	12	16	27	28	20	27	14
FEMALE--	37	...	...	-	1	1	4	1	6	2	4	4
ALL OTHER--MALE----	11	...	...	-	-	2	3	-	3	1	1	1
FEMALE--	1	...	...	-	1	-	-	-	-	-	-	-
BLACK---MALE----	6	...	...	-	-	-	3	-	1	1	1	-
FEMALE--	1	...	...	-	1	-	-	-	-	-	-	-
CONNECTICUT -----	144	...	...	-	-	5	14	10	16	19	8	13
WHITE-----MALE----	128	...	...	-	-	5	13	6	13	17	7	12
FEMALE--	12	...	...	-	-	-	-	3	3	1	1	1
ALL OTHER--MALE----	3	...	...	-	-	-	1	1	-	1	-	-
FEMALE--	1	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	...	...	-	-	-	1	1	-	1	-	-
FEMALE--	1	...	...	-	-	-	-	-	-	-	-	-
DELAWARE -----	39	...	...	-	2	1	3	5	6	3	4	3
WHITE-----MALE----	28	...	...	-	2	1	1	2	6	2	3	-
FEMALE--	4	...	...	-	-	-	-	-	-	-	1	3
ALL OTHER--MALE----	7	...	...	-	-	-	2	3	-	1	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	...	...	-	-	-	2	3	-	1	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	16	...	...	-	-	2	2	3	1	-	1	1
WHITE-----MALE----	3	...	...	-	-	-	1	-	-	-	-	1
FEMALE--	1	...	...	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	12	...	...	-	-	2	1	3	1	-	1	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	12	...	...	-	-	2	1	3	1	-	1	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
FLORIDA -----	1,246	...	...	-	10	45	92	89	99	103	91	97
WHITE-----MALE----	992	...	...	-	7	30	71	64	69	77	68	74
FEMALE--	175	...	...	-	1	3	11	11	18	17	18	17
ALL OTHER--MALE----	70	...	...	-	2	7	9	13	10	9	5	6
FEMALE--	9	...	...	-	-	5	1	1	2	-	-	-
BLACK---MALE----	64	...	...	-	2	6	8	13	9	8	5	5
FEMALE--	9	...	...	-	-	5	1	1	2	-	-	-
GEORGIA -----	583	...	...	-	4	41	59	55	46	53	56	56
WHITE-----MALE----	397	...	...	-	2	21	37	37	24	33	36	40
FEMALE--	92	...	...	-	-	7	7	6	8	11	9	12
ALL OTHER--MALE----	85	...	...	-	2	12	13	11	12	8	11	3
FEMALE--	9	...	...	-	-	1	2	1	2	1	-	1
BLACK---MALE----	83	...	...	-	2	11	13	10	12	8	11	3
FEMALE--	9	...	...	-	-	1	2	1	2	1	-	1









TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 3,091  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SUICIDE BY ALL OTHER AND UNSPECIFIED FIREARMS (E955.1-E955.4)												
KENTUCKY -----	298	...	...	-	2	24	29	23	27	19	35	29
WHITE-----MALE----	250	...	...	-	1	19	26	17	24	17	28	24
FEMALE--	31	...	...	-	1	1	2	4	-	2	5	4
ALL OTHER--MALE----	15	...	...	-	-	4	1	2	2	-	1	1
FEMALE--	2	...	...	-	-	-	-	-	1	-	1	-
BLACK---MALE----	14	...	...	-	-	4	1	2	2	-	-	1
FEMALE--	2	...	...	-	-	-	-	-	1	-	1	-
LOUISIANA -----	398	...	...	-	4	32	38	39	39	45	42	23
WHITE-----MALE----	262	...	...	-	1	19	20	24	22	23	33	17
FEMALE--	66	...	...	-	2	5	6	4	11	14	4	4
ALL OTHER--MALE----	59	...	...	-	1	7	10	9	6	5	4	2
FEMALE--	11	...	...	-	-	1	2	2	-	3	1	-
BLACK---MALE----	59	...	...	-	1	7	10	9	6	5	4	2
FEMALE--	11	...	...	-	-	1	2	2	-	3	1	-
MAINE -----	70	...	...	-	-	3	5	6	10	5	10	2
WHITE-----MALE----	65	...	...	-	-	3	5	6	7	5	9	1
FEMALE--	5	...	...	-	-	-	-	-	3	-	1	1
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
MARYLAND -----	260	...	...	-	1	19	23	23	29	33	21	20
WHITE-----MALE----	185	...	...	-	-	11	14	16	17	24	16	11
FEMALE--	25	...	...	-	1	-	1	2	2	3	3	4
ALL OTHER--MALE----	48	...	...	-	-	7	8	5	10	5	2	5
FEMALE--	2	...	...	-	-	1	-	-	-	1	-	-
BLACK---MALE----	45	...	...	-	-	6	6	5	10	5	2	5
FEMALE--	2	...	...	-	-	1	-	-	-	1	-	-
MASSACHUSETTS -----	148	...	...	-	-	8	16	20	14	22	10	8
WHITE-----MALE----	126	...	...	-	-	7	12	17	13	16	7	8
FEMALE--	14	...	...	-	-	-	3	2	1	4	1	-
ALL OTHER--MALE----	5	...	...	-	-	1	1	1	-	1	1	-
FEMALE--	3	...	...	-	-	-	-	-	-	1	1	-
BLACK---MALE----	3	...	...	-	-	1	1	-	-	-	1	-
FEMALE--	3	...	...	-	-	-	-	-	-	1	1	-
MICHIGAN -----	564	...	...	-	3	47	52	55	57	51	48	38
WHITE-----MALE----	459	...	...	-	2	33	41	40	45	38	38	31
FEMALE--	34	...	...	-	1	2	-	4	3	5	3	4
ALL OTHER--MALE----	59	...	...	-	-	10	10	7	8	7	5	3
FEMALE--	12	...	...	-	-	2	1	4	1	1	2	-
BLACK---MALE----	52	...	...	-	-	9	8	7	8	5	4	2
FEMALE--	12	...	...	-	-	2	1	4	1	1	2	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 3,092  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SUICIDE BY ALL OTHER AND UNSPECIFIED FIREARMS (E955.1-E955.4)												
MINNESOTA -----	252	...	...	-	5	18	22	21	25	21	27	15
WHITE-----MALE----	223	...	...	-	5	13	19	17	24	19	21	11
FEMALE--	16	...	...	-	-	1	2	-	1	1	6	2
ALL OTHER--MALE----	12	...	...	-	-	4	-	4	-	1	-	2
FEMALE--	1	...	...	-	-	-	1	-	-	-	-	-
BLACK---MALE----	5	...	...	-	-	1	-	1	-	-	-	2
FEMALE--	1	...	...	-	-	-	1	-	-	-	-	-
MISSISSIPPI -----	188	...	...	1	2	14	24	18	20	13	13	15
WHITE-----MALE----	136	...	...	1	2	9	14	10	11	11	9	14
FEMALE--	23	...	...	-	-	1	3	5	6	-	2	1
ALL OTHER--MALE----	25	...	...	-	-	4	6	3	3	2	2	-
FEMALE--	4	...	...	-	-	-	1	-	-	-	-	-
BLACK---MALE----	25	...	...	-	-	4	6	3	3	2	2	-
FEMALE--	4	...	...	-	-	-	1	-	-	-	-	-
MISSOURI -----	249	...	...	-	1	21	36	18	23	17	21	15
WHITE-----MALE----	207	...	...	-	1	19	24	15	20	16	19	12
FEMALE--	18	...	...	-	-	1	5	1	1	-	1	1
ALL OTHER--MALE----	20	...	...	-	-	1	7	2	2	-	-	2
FEMALE--	4	...	...	-	-	-	-	-	-	1	1	-
BLACK---MALE----	18	...	...	-	-	1	6	1	2	-	-	2
FEMALE--	4	...	...	-	-	-	-	-	-	1	1	-
MONTANA -----	111	...	...	-	1	10	15	8	11	10	10	10
WHITE-----MALE----	91	...	...	-	-	9	15	3	7	7	6	9
FEMALE--	12	...	...	-	-	1	-	2	3	2	3	1
ALL OTHER--MALE----	8	...	...	-	1	-	-	3	1	1	1	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
NEBRASKA -----	107	...	...	-	-	7	8	13	13	12	10	5
WHITE-----MALE----	95	...	...	-	-	6	8	10	9	10	10	5
FEMALE--	8	...	...	-	-	1	-	-	4	2	-	-
ALL OTHER--MALE----	4	...	...	-	-	-	-	3	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	...	...	-	-	-	-	2	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
NEVADA -----	111	...	...	-	-	11	11	11	9	10	13	9
WHITE-----MALE----	89	...	...	-	-	7	7	11	4	7	11	8
FEMALE--	14	...	...	-	-	3	1	-	1	3	2	1
ALL OTHER--MALE----	5	...	...	-	-	1	1	-	3	-	-	-
FEMALE--	3	...	...	-	-	-	2	-	1	-	-	-
BLACK---MALE----	1	...	...	-	-	-	-	-	1	-	-	-
FEMALE--	1	...	...	-	-	-	1	-	-	-	-	-







TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 3,094  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SUICIDE BY ALL OTHER AND UNSPECIFIED FIREARMS (E955.1-E955.4)												
OHIO -----	598	...	...	-	10	32	65	49	58	66	41	47
WHITE-----MALE----	474	...	...	-	6	26	47	37	48	53	31	34
FEMALE--	67	...	...	-	3	1	7	7	4	10	6	9
ALL OTHER--MALE----	49	...	...	-	1	4	11	2	6	3	2	4
FEMALE--	8	...	...	-	-	1	-	3	-	-	2	-
BLACK---MALE----	49	...	...	-	1	4	11	2	6	3	2	4
FEMALE--	8	...	...	-	-	1	-	3	-	-	2	-
OKLAHOMA -----	333	...	...	-	7	27	35	23	39	24	28	20
WHITE-----MALE----	260	...	...	-	5	18	22	20	30	19	20	15
FEMALE--	50	...	...	-	2	3	4	2	7	4	7	5
ALL OTHER--MALE----	22	...	...	-	-	6	9	1	2	1	1	-
FEMALE--	1	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	10	...	...	-	-	3	2	-	2	1	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
OREGON -----	159	...	...	-	1	14	16	14	11	17	15	10
WHITE-----MALE----	138	...	...	-	1	11	13	13	9	16	13	8
FEMALE--	15	...	...	-	-	2	1	-	1	-	2	2
ALL OTHER--MALE----	5	...	...	-	-	1	2	1	1	-	-	-
FEMALE--	1	...	...	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	...	...	-	-	-	1	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	779	...	...	-	6	41	76	68	82	83	71	60
WHITE-----MALE----	659	...	...	-	4	36	65	56	65	68	56	50
FEMALE--	79	...	...	-	2	3	7	5	11	8	13	5
ALL OTHER--MALE----	35	...	...	-	-	1	4	7	5	6	2	3
FEMALE--	6	...	...	-	-	1	-	-	1	1	-	2
BLACK---MALE----	32	...	...	-	-	1	3	6	5	5	2	3
FEMALE--	5	...	...	-	-	1	-	-	1	-	-	2
RHODE ISLAND -----	35	...	...	-	-	-	4	1	5	3	7	2
WHITE-----MALE----	33	...	...	-	-	-	4	1	5	3	6	2
FEMALE--	2	...	...	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	271	...	...	-	3	18	29	24	29	29	27	21
WHITE-----MALE----	191	...	...	-	1	14	17	15	21	16	21	16
FEMALE--	38	...	...	-	1	1	2	2	3	7	6	3
ALL OTHER--MALE----	36	...	...	-	1	3	10	6	2	5	-	2
FEMALE--	6	...	...	-	-	-	-	1	3	1	-	-
BLACK---MALE----	35	...	...	-	1	3	10	5	2	5	-	2
FEMALE--	6	...	...	-	-	-	-	1	3	1	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 3,095  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SUICIDE BY ALL OTHER AND UNSPECIFIED FIREARMS (E955.1-E955.4)												
SOUTH DAKOTA -----	36	...	...	-	-	5	4	5	4	2	1	2
WHITE-----MALE----	30	...	...	-	-	3	3	3	4	2	1	2
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	...	...	-	-	2	1	2	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
TENNESSEE -----	463	...	...	-	6	32	49	48	44	51	28	30
WHITE-----MALE----	362	...	...	-	5	24	33	43	37	34	21	25
FEMALE--	67	...	...	-	1	3	8	2	5	13	5	3
ALL OTHER--MALE----	29	...	...	-	-	4	8	3	1	3	2	2
FEMALE--	5	...	...	-	-	1	-	-	1	1	-	-
BLACK---MALE----	29	...	...	-	-	4	8	3	1	3	2	2
FEMALE--	5	...	...	-	-	1	-	-	1	1	-	-
TEXAS -----	1,336	...	...	-	15	101	129	129	115	141	119	83
WHITE-----MALE----	1,064	...	...	-	11	84	100	97	86	112	86	64
FEMALE--	192	...	...	-	4	7	14	19	18	20	27	13
ALL OTHER--MALE----	70	...	...	-	-	7	14	12	10	7	6	6
FEMALE--	10	...	...	-	-	3	1	1	1	2	-	-
BLACK---MALE----	59	...	...	-	-	7	11	11	7	5	5	5
FEMALE--	6	...	...	-	-	2	1	-	1	-	-	-
UTAH -----	79	...	...	-	5	17	10	5	7	7	4	8
WHITE-----MALE----	74	...	...	-	5	17	10	5	6	7	2	7
FEMALE--	3	...	...	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	2	...	...	-	-	-	-	-	-	-	2	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
VERMONT -----	40	...	...	-	-	5	6	-	5	3	3	-
WHITE-----MALE----	32	...	...	-	-	4	6	-	4	3	2	-
FEMALE--	8	...	...	-	-	1	-	-	1	-	1	-
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
VIRGINIA -----	397	...	...	-	4	21	41	33	47	31	35	23
WHITE-----MALE----	305	...	...	-	2	13	29	23	34	23	29	13
FEMALE--	46	...	...	-	2	2	3	5	4	3	4	9
ALL OTHER--MALE----	42	...	...	-	-	6	9	5	8	4	2	1
FEMALE--	4	...	...	-	-	-	-	-	1	1	-	-
BLACK---MALE----	38	...	...	-	-	6	8	4	7	4	1	1
FEMALE--	4	...	...	-	-	-	-	-	1	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 3,095

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 SUICIDE BY ALL OTHER AND UNSPECIFIED FIREARMS (E955.1-E955.4)												
SOUTH DAKOTA -----	5	1	-	3	1	2	1	-	-	-	-	-
WHITE-----MALE----	4	1	-	3	1	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	29	34	15	24	23	22	16	11	1	-	-	-
WHITE-----MALE----	23	27	12	20	15	17	14	11	1	-	-	-
FEMALE--	5	7	3	1	5	5	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	2	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	2	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
TEXAS -----	97	66	57	74	74	54	51	20	8	2	-	1
WHITE-----MALE----	77	53	45	60	70	43	47	20	6	2	-	1
FEMALE--	17	11	9	14	4	11	3	-	1	-	-	-
ALL OTHER--MALE----	2	2	2	-	-	-	1	-	1	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	2	2	-	-	-	1	-	1	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
UTAH -----	1	3	3	2	-	4	3	-	-	-	-	-
WHITE-----MALE----	1	3	2	2	-	4	3	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	3	4	5	1	2	-	3	-	-	-	-
WHITE-----MALE----	-	3	2	3	1	1	-	3	-	-	-	-
FEMALE--	-	-	2	2	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	25	18	21	16	27	22	17	10	5	-	-	1
WHITE-----MALE----	19	13	19	14	25	20	15	8	5	-	-	1
FEMALE--	6	2	1	2	1	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	3	-	-	1	1	2	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	3	-	-	1	1	2	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 3,097  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SUICIDE BY ALL OTHER MEANS AND LATE EFFECTS OF SELF-INFLICTED INJURY (E954,E955.5-E959)												
0 UNITED STATES --	2,417	...	...	1	10	118	195	216	304	279	245	231
WHITE-----MALE----	1,513	...	...	1	6	82	134	126	212	179	141	152
FEMALE--	507	...	...	-	3	15	20	30	42	54	51	48
ALL OTHER--MALE----	284	...	...	-	1	14	35	41	40	32	38	20
FEMALE--	113	...	...	-	-	7	6	19	10	14	15	11
BLACK---MALE----	218	...	...	-	1	10	25	33	30	28	32	16
FEMALE--	76	...	...	-	-	4	4	13	7	11	13	6
ALABAMA -----	24	...	...	-	-	1	3	1	3	4	5	-
WHITE-----MALE----	14	...	...	-	-	-	1	1	2	2	4	-
FEMALE--	4	...	...	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	5	...	...	-	-	1	2	-	-	1	-	-
FEMALE--	1	...	...	-	-	-	-	-	-	-	1	-
BLACK---MALE----	5	...	...	-	-	1	2	-	-	1	-	-
FEMALE--	1	...	...	-	-	-	-	-	-	-	1	-
ALASKA -----	2	...	...	-	-	-	-	-	-	-	2	-
WHITE-----MALE----	2	...	...	-	-	-	-	-	-	-	2	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
ARIZONA -----	25	...	...	-	-	1	1	4	5	2	4	1
WHITE-----MALE----	14	...	...	-	-	-	-	1	5	2	3	-
FEMALE--	6	...	...	-	-	-	-	1	-	-	1	-
ALL OTHER--MALE----	4	...	...	-	-	-	1	2	-	-	-	1
FEMALE--	1	...	...	-	-	1	-	-	-	-	-	-
BLACK---MALE----	3	...	...	-	-	-	1	1	-	-	-	1
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
ARKANSAS -----	16	...	...	-	-	3	3	-	4	1	2	1
WHITE-----MALE----	8	...	...	-	-	1	2	-	3	-	1	1
FEMALE--	5	...	...	-	-	2	-	-	-	1	-	-
ALL OTHER--MALE----	3	...	...	-	-	-	1	-	1	-	1	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	...	...	-	-	-	1	-	1	-	1	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	375	...	...	-	1	16	33	40	49	35	41	42
WHITE-----MALE----	241	...	...	-	-	10	22	23	37	25	22	32
FEMALE--	84	...	...	-	1	5	5	8	6	8	12	6
ALL OTHER--MALE----	38	...	...	-	-	1	5	6	5	2	7	3
FEMALE--	12	...	...	-	-	-	1	3	1	-	-	1
BLACK---MALE----	20	...	...	-	-	1	2	3	3	1	5	2
FEMALE--	2	...	...	-	-	-	1	-	-	-	-	1



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 3,098  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SUICIDE BY ALL OTHER MEANS AND LATE EFFECTS OF SELF-INFLICTED INJURY (E954,E955.5-E959)												
COLORADO -----	32	...	...	-	-	2	2	3	2	5	5	4
WHITE-----MALE----	23	...	...	-	-	1	2	1	2	5	3	4
FEMALE--	8	...	...	-	-	1	-	1	-	-	2	-
ALL OTHER--MALE----	1	...	...	-	-	-	-	1	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	...	...	-	-	-	-	1	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	34	...	...	-	1	3	1	6	3	6	3	1
WHITE-----MALE----	23	...	...	-	1	2	1	4	1	3	3	-
FEMALE--	7	...	...	-	-	-	-	1	2	1	-	1
ALL OTHER--MALE----	3	...	...	-	-	1	-	-	-	2	-	-
FEMALE--	1	...	...	-	-	-	-	1	-	-	-	-
BLACK---MALE----	3	...	...	-	-	1	-	-	-	2	-	-
FEMALE--	1	...	...	-	-	-	-	1	-	-	-	-
DELAWARE -----	11	...	...	-	-	1	1	3	-	1	-	3
WHITE-----MALE----	6	...	...	-	-	1	-	2	-	1	-	1
FEMALE--	4	...	...	-	-	-	1	-	-	-	-	2
ALL OTHER--MALE----	1	...	...	-	-	-	-	1	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	...	...	-	-	-	-	1	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	8	...	...	-	-	-	-	1	-	2	-	2
WHITE-----MALE----	1	...	...	-	-	-	-	-	-	1	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	...	...	-	-	-	-	1	-	1	-	2
FEMALE--	2	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	...	...	-	-	-	-	1	-	1	-	2
FEMALE--	2	...	...	-	-	-	-	-	-	-	-	-
FLORIDA -----	170	...	...	-	2	2	11	10	19	20	15	9
WHITE-----MALE----	101	...	...	-	1	1	7	5	12	12	12	7
FEMALE--	48	...	...	-	1	-	1	1	4	6	1	2
ALL OTHER--MALE----	15	...	...	-	-	1	2	3	2	2	1	-
FEMALE--	6	...	...	-	-	-	1	1	1	-	1	-
BLACK---MALE----	14	...	...	-	-	1	2	3	1	2	1	-
FEMALE--	6	...	...	-	-	-	1	1	1	-	1	-
GEORGIA -----	38	...	...	-	-	1	3	3	4	3	7	4
WHITE-----MALE----	21	...	...	-	-	-	1	2	2	2	3	4
FEMALE--	6	...	...	-	-	-	-	-	1	1	1	-
ALL OTHER--MALE----	10	...	...	-	-	1	2	1	-	-	3	-
FEMALE--	1	...	...	-	-	-	-	-	1	-	-	-
BLACK---MALE----	10	...	...	-	-	1	2	1	-	-	3	-
FEMALE--	1	...	...	-	-	-	-	-	1	-	-	-









TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 3,100

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SUICIDE BY ALL OTHER MEANS AND LATE EFFECTS OF SELF-INFLICTED INJURY (E954,E955.5-E959)												
KENTUCKY -----	24	...	...	-	-	1	4	1	4	3	3	2
WHITE-----MALE----	18	...	...	-	-	-	3	1	3	2	3	1
FEMALE--	3	...	...	-	-	1	-	-	-	-	-	1
ALL OTHER--MALE----	3	...	...	-	-	-	1	-	1	1	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	...	...	-	-	-	1	-	1	1	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
LOUISIANA -----	22	...	...	-	-	-	-	4	2	2	4	2
WHITE-----MALE----	11	...	...	-	-	-	-	3	2	-	3	1
FEMALE--	6	...	...	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	5	...	...	-	-	-	-	1	-	1	-	1
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	...	...	-	-	-	-	1	-	1	-	1
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
MAINE -----	10	...	...	-	1	-	1	1	1	2	1	-
WHITE-----MALE----	8	...	...	-	1	-	1	-	-	2	1	-
FEMALE--	2	...	...	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	...	...	-	-	-	-	-	-	-	-	-
FEMALE--	-	...	...	-	-	-	-	-	-	-	-	-
MARYLAND -----	62	...	...	-	-	3	5	5	9	7	8	7
WHITE-----MALE----	40	...	...	-	-	3	4	4	6	3	4	6
FEMALE--	6	...	...	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	...	...	-	-	-	1	-	2	1	3	-
FEMALE--	8	...	...	-	-	-	-	1	1	3	1	1
BLACK---MALE----	8	...	...	-	-	-	1	-	2	1	3	-
FEMALE--	5	...	...	-	-	-	-	1	1	2	1	-
MASSACHUSETTS -----	78	...	...	-	-	6	8	6	11	8	6	6
WHITE-----MALE----	52	...	...	-	-	5	6	5	9	4	4	4
FEMALE--	16	...	...	-	-	-	-	1	2	2	1	1
ALL OTHER--MALE----	8	...	...	-	-	1	2	-	-	2	-	1
FEMALE--	2	...	...	-	-	-	-	-	-	-	1	-
BLACK---MALE----	7	...	...	-	-	1	1	-	-	2	-	1
FEMALE--	2	...	...	-	-	-	-	-	-	-	1	-
MICHIGAN -----	62	...	...	-	-	5	4	9	4	10	5	6
WHITE-----MALE----	38	...	...	-	-	5	4	5	3	6	2	3
FEMALE--	12	...	...	-	-	-	-	1	-	1	1	1
ALL OTHER--MALE----	10	...	...	-	-	-	-	3	1	2	2	1
FEMALE--	2	...	...	-	-	-	-	-	-	1	-	1
BLACK---MALE----	10	...	...	-	-	-	-	3	1	2	2	1
FEMALE--	2	...	...	-	-	-	-	-	-	1	-	1

























TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 3,106  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
HOMICIDE AND LEGAL INTERVENTION (E960-E978)												
0 UNITED STATES --	22,895	311	452	157	405	3,292	3,992	3,227	2,935	2,313	1,805	1,171
WHITE-----MALE----	8,336	110	133	51	152	1,086	1,335	1,114	1,063	869	760	492
FEMALE--	3,028	74	109	43	70	273	291	336	362	322	277	196
ALL OTHER--MALE----	9,404	65	120	36	135	1,690	2,113	1,486	1,177	846	595	407
FEMALE--	2,127	62	90	27	48	243	253	291	333	276	173	76
BLACK---MALE----	8,847	61	109	32	119	1,581	2,021	1,412	1,110	799	558	377
FEMALE--	1,936	59	83	23	42	228	230	265	309	252	151	70
ALABAMA -----	530	6	12	2	4	61	90	65	65	60	49	26
WHITE-----MALE----	132	1	3	-	-	4	16	17	16	14	19	9
FEMALE--	59	-	3	-	1	3	2	9	6	11	5	1
ALL OTHER--MALE----	278	3	2	1	3	42	65	35	31	26	21	15
FEMALE--	61	2	4	1	-	12	7	4	12	9	4	1
BLACK---MALE----	277	3	2	1	3	42	65	35	31	25	21	15
FEMALE--	61	2	4	1	-	12	7	4	12	9	4	1
ALASKA -----	54	1	1	-	-	7	5	10	7	5	10	2
WHITE-----MALE----	19	-	-	-	-	1	2	4	3	1	5	1
FEMALE--	11	1	-	-	-	1	1	1	2	1	2	1
ALL OTHER--MALE----	13	-	1	-	-	3	1	4	1	-	2	-
FEMALE--	11	-	-	-	-	2	1	1	1	3	1	-
BLACK---MALE----	2	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	2	-	-	-	-	2	-	-	-	-	-	-
ARIZONA -----	537	6	11	2	13	95	72	75	65	56	51	31
WHITE-----MALE----	342	4	4	1	8	54	52	51	45	36	34	21
FEMALE--	84	-	1	-	2	10	7	8	10	10	14	3
ALL OTHER--MALE----	91	1	4	-	1	29	13	15	6	8	3	5
FEMALE--	20	1	2	1	2	2	-	1	4	2	-	2
BLACK---MALE----	48	-	2	-	1	18	6	9	3	2	1	3
FEMALE--	9	-	1	-	1	2	-	1	-	1	-	1
ARKANSAS -----	287	5	6	4	10	40	41	35	34	33	22	19
WHITE-----MALE----	92	2	4	3	2	3	5	11	11	17	9	9
FEMALE--	40	1	-	1	1	4	5	4	4	5	1	3
ALL OTHER--MALE----	127	2	2	-	5	29	27	15	15	10	11	6
FEMALE--	28	-	-	-	2	4	4	5	4	1	1	1
BLACK---MALE----	126	2	2	-	5	28	27	15	15	10	11	6
FEMALE--	27	-	-	-	2	4	4	5	4	1	1	1
CALIFORNIA -----	3,649	41	55	15	78	647	705	563	486	311	232	170
WHITE-----MALE----	2,035	21	19	4	47	407	426	323	248	163	132	92
FEMALE--	408	10	18	5	9	45	53	43	43	47	25	26
ALL OTHER--MALE----	1,005	5	11	3	18	171	205	172	161	74	55	46
FEMALE--	201	5	7	3	4	24	21	25	34	27	20	6
BLACK---MALE----	813	5	10	2	9	118	180	150	139	65	43	32
FEMALE--	149	4	5	1	2	21	17	17	27	19	15	4



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 3,106  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HOMICIDE AND LEGAL INTERVENTION (E960-E978)												
0 UNITED STATES --	756	554	400	346	264	205	138	76	30	13	1	52
WHITE-----MALE----	337	249	189	152	84	62	38	23	7	2	-	28
FEMALE--	142	97	66	73	97	72	68	32	10	7	-	11
ALL OTHER--MALE----	222	166	118	87	63	40	19	7	3	1	-	8
FEMALE--	55	42	27	34	20	31	13	14	10	3	1	5
BLACK---MALE----	199	147	104	84	61	38	17	7	2	1	-	8
FEMALE--	46	35	24	30	16	29	12	14	10	3	1	4
ALABAMA -----	21	21	14	11	11	10	1	-	1	-	-	-
WHITE-----MALE----	9	8	6	5	3	2	-	-	-	-	-	-
FEMALE--	3	3	3	2	5	1	-	-	1	-	-	-
ALL OTHER--MALE----	9	9	5	4	3	3	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	4	-	-	-	-	-	-
BLACK---MALE----	9	9	5	4	3	3	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	4	-	-	-	-	-	-
ALASKA -----	1	2	-	1	1	-	1	-	-	-	-	-
WHITE-----MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	19	12	3	9	4	2	4	-	1	-	-	6
WHITE-----MALE----	9	8	2	6	2	2	-	-	-	-	-	3
FEMALE--	6	2	-	3	1	-	4	-	1	-	-	2
ALL OTHER--MALE----	3	2	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
ARKANSAS -----	8	5	7	5	4	3	3	1	1	-	-	1
WHITE-----MALE----	1	5	3	2	1	2	1	-	-	-	-	1
FEMALE--	5	-	-	2	2	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	4	1	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	1	-	1	1	1	-	-	-
BLACK---MALE----	-	-	4	1	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	1	1	-	-	-
CALIFORNIA -----	115	72	39	30	24	24	12	15	2	1	-	12
WHITE-----MALE----	47	36	26	18	6	8	1	3	1	-	-	7
FEMALE--	20	11	3	4	12	12	8	8	1	1	-	4
ALL OTHER--MALE----	40	20	7	5	4	2	3	2	-	-	-	1
FEMALE--	8	5	3	3	2	2	-	2	-	-	-	-
BLACK---MALE----	29	14	4	4	3	2	1	2	-	-	-	1
FEMALE--	6	3	2	1	1	2	-	2	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 3,107  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
HOMICIDE AND LEGAL INTERVENTION (E960-E978)												
COLORADO -----	213	2	7	2	2	30	39	33	21	31	11	12
WHITE-----MALE----	113	1	3	1	1	15	15	21	9	17	10	8
FEMALE--	44	1	3	-	-	3	6	4	5	9	1	3
ALL OTHER--MALE----	44	-	-	-	1	11	14	6	6	4	-	1
FEMALE--	12	-	1	1	-	1	4	2	1	1	-	-
BLACK---MALE----	41	-	-	-	1	11	12	6	5	4	-	1
FEMALE--	8	-	1	1	-	-	2	1	1	1	-	-
CONNECTICUT -----	149	2	6	1	-	25	33	32	13	11	8	2
WHITE-----MALE----	59	1	1	-	-	9	12	11	4	7	5	-
FEMALE--	20	1	2	-	-	1	4	5	1	-	1	2
ALL OTHER--MALE----	58	-	2	1	-	13	13	13	7	4	1	-
FEMALE--	12	-	1	-	-	2	4	3	1	-	1	-
BLACK---MALE----	57	-	2	1	-	13	13	13	6	4	1	-
FEMALE--	12	-	1	-	-	2	4	3	1	-	1	-
DELAWARE -----	42	2	4	3	-	4	4	4	1	6	5	2
WHITE-----MALE----	16	1	1	2	-	1	1	2	-	2	2	1
FEMALE--	14	-	2	1	-	2	2	1	-	1	1	-
ALL OTHER--MALE----	10	1	1	-	-	1	1	1	1	2	2	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	10	1	1	-	-	1	1	1	1	2	2	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	1
DISTRICT OF COLUMBIA ----	315	-	2	-	5	73	81	48	40	26	10	10
WHITE-----MALE----	10	-	-	-	1	1	1	1	1	1	1	1
FEMALE--	3	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	265	-	1	-	3	68	76	39	33	19	6	8
FEMALE--	37	-	1	-	1	4	3	7	6	6	3	1
BLACK---MALE----	265	-	1	-	3	68	76	39	33	19	6	8
FEMALE--	37	-	1	-	1	4	3	7	6	6	3	1
FLORIDA -----	1,244	16	19	12	29	115	190	152	182	131	121	80
WHITE-----MALE----	471	6	3	2	12	31	57	63	64	52	51	37
FEMALE--	202	5	6	4	7	15	17	20	26	21	20	12
ALL OTHER--MALE----	462	2	6	6	5	63	102	56	75	43	36	27
FEMALE--	109	3	4	-	5	6	14	13	17	15	14	4
BLACK---MALE----	454	2	6	6	5	62	100	56	75	43	34	25
FEMALE--	107	3	4	-	5	6	13	13	17	15	13	4
GEORGIA -----	741	10	9	2	10	97	108	90	118	87	59	45
WHITE-----MALE----	173	2	2	1	1	13	17	21	28	25	15	12
FEMALE--	79	1	2	1	1	8	6	8	10	7	4	5
ALL OTHER--MALE----	384	2	5	-	5	64	72	47	54	44	29	27
FEMALE--	105	5	-	-	3	12	13	14	26	11	11	1
BLACK---MALE----	383	2	5	-	5	64	72	47	54	44	29	26
FEMALE--	103	5	-	-	3	12	13	14	26	10	11	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 3,107  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HOMICIDE AND LEGAL INTERVENTION (E960-E978)												
COLORADO -----	3	1	3	5	2	2	2	2	1	2	-	-
WHITE-----MALE----	2	1	3	2	2	1	1	-	-	-	-	-
FEMALE--	-	-	-	2	-	1	1	2	1	2	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	4	4	1	2	2	1	1	1	-	-	-	-
WHITE-----MALE----	2	4	-	1	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	2	2	-	1	-	2	-	-	-	-	-	-
WHITE-----MALE----	1	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	1	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	7	3	1	2	2	3	-	1	1	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	2	-	2	2	-	-	-	1	-	-	-
FEMALE--	-	1	-	-	-	3	-	1	-	-	-	-
BLACK---MALE----	5	2	-	2	2	-	-	-	1	-	-	-
FEMALE--	-	1	-	-	-	3	-	1	-	-	-	-
FLORIDA -----	46	44	34	27	11	12	11	3	3	-	-	6
WHITE-----MALE----	26	19	18	13	5	2	5	1	2	-	-	2
FEMALE--	8	10	6	6	5	6	6	1	1	-	-	-
ALL OTHER--MALE----	9	15	9	5	1	1	-	-	-	-	-	1
FEMALE--	3	-	1	3	-	3	-	1	-	-	-	3
BLACK---MALE----	9	14	9	5	1	1	-	-	-	-	-	1
FEMALE--	3	-	1	3	-	3	-	1	-	-	-	3
GEORGIA -----	34	15	16	12	12	4	8	1	3	-	-	1
WHITE-----MALE----	12	4	9	5	3	-	1	1	-	-	-	1
FEMALE--	7	6	-	1	4	2	5	-	1	-	-	-
ALL OTHER--MALE----	13	5	6	3	4	2	2	-	-	-	-	-
FEMALE--	2	-	1	3	1	-	-	-	2	-	-	-
BLACK---MALE----	13	5	6	3	4	2	2	-	-	-	-	-
FEMALE--	2	-	1	2	1	-	-	-	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 3,108  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
HOMICIDE AND LEGAL INTERVENTION (E960-E978)												
HAWAII -----	58	-	5	-	1	3	6	8	7	8	5	3
WHITE-----MALE----	18	-	1	-	1	-	2	2	4	1	1	2
FEMALE--	5	-	-	-	-	-	1	-	-	-	2	-
ALL OTHER--MALE----	27	-	3	-	-	3	2	4	3	5	2	1
FEMALE--	8	-	1	-	-	-	1	2	-	2	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	47	1	5	1	1	5	4	2	-	10	6	4
WHITE-----MALE----	31	1	2	-	-	5	3	1	-	7	4	3
FEMALE--	12	-	3	1	1	-	1	1	-	-	1	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	2	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	1,296	22	31	12	38	244	261	174	151	125	77	50
WHITE-----MALE----	325	5	5	4	15	66	67	39	38	28	18	12
FEMALE--	113	6	6	3	7	13	7	10	17	14	7	4
ALL OTHER--MALE----	698	8	10	2	12	145	165	109	73	58	41	27
FEMALE--	160	3	10	3	4	20	22	16	23	25	11	7
BLACK---MALE----	694	8	10	2	12	145	165	108	73	58	41	26
FEMALE--	159	3	10	3	4	20	22	16	22	25	11	7
INDIANA -----	450	3	8	5	5	72	90	58	54	48	28	24
WHITE-----MALE----	124	3	3	2	3	16	22	14	13	11	12	8
FEMALE--	82	-	2	2	1	10	9	11	9	7	8	5
ALL OTHER--MALE----	188	-	2	1	-	39	52	22	20	24	4	9
FEMALE--	56	-	1	-	1	7	7	11	12	6	4	2
BLACK---MALE----	188	-	2	1	-	39	52	22	20	24	4	9
FEMALE--	55	-	1	-	1	7	6	11	12	6	4	2
IOWA -----	66	4	4	2	2	6	10	4	6	13	7	3
WHITE-----MALE----	29	2	2	1	2	4	4	1	3	5	4	1
FEMALE--	22	2	1	-	-	-	3	1	2	5	3	2
ALL OTHER--MALE----	12	-	1	-	-	2	3	1	1	3	-	-
FEMALE--	3	-	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	11	-	1	-	-	2	2	1	1	3	-	-
FEMALE--	2	-	-	1	-	-	-	-	-	-	-	-
KANSAS -----	162	2	7	1	3	25	32	19	19	20	15	3
WHITE-----MALE----	59	2	4	-	1	4	8	8	4	8	10	2
FEMALE--	21	-	1	-	1	2	3	1	6	2	-	1
ALL OTHER--MALE----	69	-	1	1	-	17	19	10	5	8	5	-
FEMALE--	13	-	1	-	1	2	2	-	4	2	-	-
BLACK---MALE----	67	-	1	-	-	17	18	10	5	8	5	-
FEMALE--	13	-	1	-	1	2	2	-	4	2	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 3,109  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
HOMICIDE AND LEGAL INTERVENTION (E960-E978)												
KENTUCKY -----	250	6	4	1	5	23	27	35	30	26	29	18
WHITE-----MALE----	133	3	2	-	2	7	9	14	16	15	20	11
FEMALE--	60	1	1	1	2	4	7	12	9	5	5	5
ALL OTHER--MALE----	44	1	1	-	1	10	9	7	4	3	3	2
FEMALE--	13	1	-	-	-	2	2	2	1	3	1	-
BLACK---MALE----	44	1	1	-	1	10	9	7	4	3	3	2
FEMALE--	13	1	-	-	-	2	2	2	1	3	1	-
LOUISIANA -----	763	6	7	-	11	110	170	116	89	68	61	52
WHITE-----MALE----	117	2	-	-	1	6	16	12	11	16	18	12
FEMALE--	34	-	-	-	1	5	-	4	4	3	4	5
ALL OTHER--MALE----	524	2	4	-	8	87	141	84	60	40	34	30
FEMALE--	88	2	3	-	1	12	13	16	14	9	5	5
BLACK---MALE----	512	2	4	-	7	84	138	82	60	40	33	29
FEMALE--	85	2	3	-	1	12	12	16	13	9	5	5
MAINE -----	21	2	-	-	-	-	2	3	3	3	1	2
WHITE-----MALE----	10	-	-	-	-	-	1	-	1	2	1	2
FEMALE--	9	1	-	-	-	-	1	2	2	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	640	2	5	3	10	123	117	117	82	60	38	29
WHITE-----MALE----	96	-	-	2	-	7	7	11	17	18	11	9
FEMALE--	52	-	2	-	-	7	5	9	8	6	5	3
ALL OTHER--MALE----	416	2	3	-	5	96	94	84	49	27	17	15
FEMALE--	76	-	-	1	5	13	11	13	8	9	5	2
BLACK---MALE----	412	2	3	-	5	96	93	83	48	27	17	15
FEMALE--	74	-	-	1	5	13	10	12	8	9	5	2
MASSACHUSETTS -----	226	3	3	1	2	39	41	35	30	20	14	12
WHITE-----MALE----	89	1	3	-	1	12	16	14	7	10	4	7
FEMALE--	43	2	-	-	-	3	5	5	11	2	6	2
ALL OTHER--MALE----	78	-	-	1	1	23	17	14	7	6	3	1
FEMALE--	16	-	-	-	-	1	3	2	5	2	1	2
BLACK---MALE----	74	-	-	-	-	22	17	13	7	6	3	1
FEMALE--	15	-	-	-	-	1	2	2	5	2	1	2
MICHIGAN -----	946	12	17	13	15	140	171	131	106	99	70	55
WHITE-----MALE----	188	2	1	1	1	20	22	22	26	21	23	12
FEMALE--	92	3	3	2	3	8	7	5	10	13	8	5
ALL OTHER--MALE----	543	2	8	6	10	99	130	84	55	47	32	30
FEMALE--	123	5	5	4	1	13	12	20	15	18	7	8
BLACK---MALE----	534	1	7	6	10	99	126	83	54	47	32	30
FEMALE--	118	4	4	4	1	13	12	20	15	18	6	8

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 3,109  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HOMICIDE AND LEGAL INTERVENTION (E960-E978)												
KENTUCKY -----	12	9	2	5	5	8	1	4	-	-	-	-
WHITE-----MALE----	10	8	1	3	4	5	1	2	-	-	-	-
FEMALE--	1	1	-	2	1	2	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
LOUISIANA -----	23	11	9	13	4	9	2	1	-	1	-	-
WHITE-----MALE----	5	5	5	4	1	3	-	-	-	-	-	-
FEMALE--	1	1	-	2	1	1	1	-	-	1	-	-
ALL OTHER--MALE----	14	4	4	5	2	3	1	1	-	-	-	-
FEMALE--	3	1	-	2	-	2	-	-	-	-	-	-
BLACK---MALE----	14	4	4	5	2	2	1	1	-	-	-	-
FEMALE--	3	-	-	2	-	2	-	-	-	-	-	-
MAINE -----	2	1	-	-	2	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	12	7	6	5	11	4	1	1	2	-	-	2
WHITE-----MALE----	5	-	1	2	3	2	1	-	-	-	-	-
FEMALE--	-	-	1	-	2	1	3	-	-	-	-	-
ALL OTHER--MALE----	6	5	3	2	5	-	-	1	1	-	-	1
FEMALE--	1	2	1	1	1	1	-	-	1	-	-	1
BLACK---MALE----	6	5	3	2	5	-	-	1	-	-	-	1
FEMALE--	1	2	1	1	1	1	-	-	1	-	-	1
MASSACHUSETTS -----	5	6	4	3	1	1	4	1	-	-	-	1
WHITE-----MALE----	1	4	2	2	1	-	4	-	-	-	-	-
FEMALE--	3	-	1	1	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	1	2	1	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	2	1	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	21	21	18	17	20	13	3	3	1	-	-	-
WHITE-----MALE----	5	4	8	7	4	7	1	1	-	-	-	-
FEMALE--	2	4	4	3	7	3	-	2	-	-	-	-
ALL OTHER--MALE----	12	7	4	6	6	2	2	-	1	-	-	-
FEMALE--	2	6	2	1	3	1	-	-	-	-	-	-
BLACK---MALE----	12	6	4	6	6	2	2	-	1	-	-	-
FEMALE--	1	6	1	1	3	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 3,110  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
HOMICIDE AND LEGAL INTERVENTION (E960-E978)												
MINNESOTA -----	177	6	4	1	3	27	27	18	32	13	13	9
WHITE-----MALE----	50	1	2	-	1	4	5	8	9	5	5	2
FEMALE--	34	2	1	1	-	2	-	2	5	1	5	5
ALL OTHER--MALE----	76	1	1	-	1	19	18	8	16	6	1	1
FEMALE--	17	2	-	-	1	2	4	-	2	1	2	1
BLACK---MALE----	58	1	-	-	1	14	13	7	12	5	-	1
FEMALE--	14	2	-	-	-	2	4	-	1	1	2	1
MISSISSIPPI -----	429	1	15	1	13	42	67	59	55	48	39	21
WHITE-----MALE----	87	-	3	1	1	4	10	12	12	5	8	5
FEMALE--	42	-	1	-	2	4	2	3	4	6	4	4
ALL OTHER--MALE----	234	-	8	-	8	24	49	35	32	27	22	9
FEMALE--	66	1	3	-	2	10	6	9	7	10	5	3
BLACK---MALE----	230	-	8	-	8	23	49	34	32	27	22	8
FEMALE--	66	1	3	-	2	10	6	9	7	10	5	3
MISSOURI -----	475	10	12	3	10	79	79	49	63	44	40	29
WHITE-----MALE----	122	5	2	1	1	9	14	13	18	17	11	8
FEMALE--	59	-	4	-	2	3	8	4	8	4	7	7
ALL OTHER--MALE----	248	1	1	2	4	62	54	29	30	16	20	11
FEMALE--	46	4	5	-	3	5	3	3	7	7	2	3
BLACK---MALE----	245	1	1	2	4	62	54	26	30	16	20	11
FEMALE--	45	4	5	-	3	5	3	3	7	6	2	3
MONTANA -----	47	-	3	-	2	5	3	10	6	3	4	2
WHITE-----MALE----	23	-	1	-	2	1	1	5	1	1	3	1
FEMALE--	12	-	2	-	-	-	1	1	3	1	1	1
ALL OTHER--MALE----	11	-	-	-	-	3	1	4	2	1	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	67	1	3	2	4	11	10	6	9	7	9	3
WHITE-----MALE----	17	-	1	1	1	3	2	2	1	2	3	1
FEMALE--	18	1	1	1	2	1	4	1	1	-	4	1
ALL OTHER--MALE----	26	-	1	-	1	5	2	3	7	3	2	1
FEMALE--	6	-	-	-	-	2	2	-	-	2	-	-
BLACK---MALE----	23	-	1	-	1	4	2	2	6	3	2	1
FEMALE--	5	-	-	-	-	1	2	-	-	2	-	-
NEVADA -----	171	5	1	2	2	16	29	19	22	25	19	8
WHITE-----MALE----	94	2	1	1	1	10	17	9	14	13	11	4
FEMALE--	28	1	-	-	1	-	2	6	2	5	3	1
ALL OTHER--MALE----	33	-	-	-	-	3	9	4	5	4	3	3
FEMALE--	16	2	-	1	-	3	1	-	1	3	2	-
BLACK---MALE----	31	-	-	-	-	3	8	4	5	3	3	3
FEMALE--	14	2	-	1	-	3	1	-	1	3	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 3,110  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HOMICIDE AND LEGAL INTERVENTION (E960-E978)												
MINNESOTA -----	6	5	3	4	1	2	1	1	-	-	-	1
WHITE-----MALE----	3	1	-	2	-	1	1	-	-	-	-	-
FEMALE--	2	2	2	2	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	1	-	-	-	-	-	1
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	1	-	-	-	-	-	1
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	18	17	9	6	9	4	2	2	-	1	-	-
WHITE-----MALE----	6	9	1	5	3	-	2	-	-	-	-	-
FEMALE--	4	1	2	1	3	1	-	-	-	-	-	-
ALL OTHER--MALE----	5	4	5	-	2	3	-	-	-	1	-	-
FEMALE--	3	3	1	-	1	-	-	2	-	-	-	-
BLACK---MALE----	5	4	4	-	2	3	-	-	-	1	-	-
FEMALE--	3	3	1	-	1	-	-	2	-	-	-	-
MISSOURI -----	11	12	7	11	4	6	4	-	-	2	-	-
WHITE-----MALE----	5	3	5	4	3	2	-	-	-	1	-	-
FEMALE--	3	-	1	1	1	3	3	-	-	-	-	-
ALL OTHER--MALE----	3	9	-	4	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	2	-	-	-	-	-	1	-	-
BLACK---MALE----	3	9	-	4	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	2	-	-	-	-	-	1	-	-
MONTANA -----	2	2	-	2	-	2	-	-	-	-	-	1
WHITE-----MALE----	1	1	-	2	-	2	-	-	-	-	-	1
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	1	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	11	3	4	-	4	-	-	1	-	-	-	-
WHITE-----MALE----	4	2	3	-	2	-	-	-	-	-	-	-
FEMALE--	4	-	1	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 3,111  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
HOMICIDE AND LEGAL INTERVENTION (E960-E978)												
NEW HAMPSHIRE -----	17	1	1	1	-	3	-	2	2	1	1	1
WHITE-----MALE----	7	-	1	-	-	2	-	-	-	1	1	1
FEMALE--	10	1	-	1	-	1	-	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY -----	433	9	17	1	5	47	83	68	58	41	24	20
WHITE-----MALE----	122	2	4	-	1	6	20	15	19	16	6	9
FEMALE--	50	1	-	-	1	1	7	4	8	5	6	3
ALL OTHER--MALE----	210	4	5	-	3	35	54	43	23	13	9	6
FEMALE--	51	2	8	1	-	5	2	6	8	7	3	2
BLACK---MALE----	206	3	5	-	3	35	53	43	23	12	9	6
FEMALE--	45	2	8	1	-	5	2	5	7	7	1	2
NEW MEXICO -----	170	3	6	-	2	20	22	26	32	26	14	3
WHITE-----MALE----	101	1	3	-	-	15	15	13	21	11	10	3
FEMALE--	25	1	-	-	-	2	1	5	3	5	1	-
ALL OTHER--MALE----	34	-	2	-	2	1	6	6	5	9	3	-
FEMALE--	10	1	1	-	-	2	-	2	3	1	-	-
BLACK---MALE----	16	-	-	-	-	1	3	3	3	3	3	-
FEMALE--	4	1	-	-	-	1	-	-	1	1	-	-
NEW YORK -----	1,582	16	26	6	14	192	306	270	200	152	132	71
WHITE-----MALE----	554	4	5	-	5	59	118	80	75	52	46	29
FEMALE--	185	3	7	3	2	16	17	30	15	18	20	9
ALL OTHER--MALE----	690	5	7	-	4	105	156	136	87	62	52	29
FEMALE--	153	4	7	3	3	12	15	24	23	20	14	4
BLACK---MALE----	659	4	7	-	4	103	149	132	81	60	50	28
FEMALE--	140	4	7	2	3	12	14	21	22	17	13	4
NORTH CAROLINA -----	692	4	3	3	9	81	112	104	101	72	75	33
WHITE-----MALE----	192	1	2	1	2	10	21	33	33	20	21	13
FEMALE--	86	1	-	1	3	6	9	10	12	8	15	4
ALL OTHER--MALE----	339	1	1	-	3	58	71	52	41	35	29	15
FEMALE--	75	1	-	1	1	7	11	9	15	9	10	1
BLACK---MALE----	320	1	1	-	3	53	69	48	37	35	26	15
FEMALE--	69	1	-	1	1	7	10	9	14	9	7	1
NORTH DAKOTA -----	13	-	-	1	-	1	2	2	1	2	-	-
WHITE-----MALE----	4	-	-	-	-	-	1	1	-	2	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	1	-	-	1	1	1	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 3,112  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
HOMICIDE AND LEGAL INTERVENTION (E960-E978)												
OHIO -----	538	10	15	9	8	66	88	63	63	66	34	30
WHITE-----MALE----	154	2	4	5	1	16	22	16	12	20	17	5
FEMALE--	83	3	3	-	2	4	5	6	12	10	6	8
ALL OTHER--MALE----	237	3	5	1	4	39	54	33	30	29	8	12
FEMALE--	64	2	3	3	1	7	7	8	9	7	3	5
BLACK---MALE----	235	3	5	1	4	39	54	33	30	29	8	12
FEMALE--	64	2	3	3	1	7	7	8	9	7	3	5
OKLAHOMA -----	441	11	21	5	4	26	38	49	43	51	51	35
WHITE-----MALE----	198	5	8	5	1	13	11	20	20	20	22	20
FEMALE--	125	2	8	-	-	5	7	11	12	19	15	13
ALL OTHER--MALE----	78	3	4	-	1	7	16	13	7	9	7	1
FEMALE--	40	1	1	-	2	1	4	5	4	3	7	1
BLACK---MALE----	61	3	4	-	1	5	11	9	5	7	7	1
FEMALE--	26	1	1	-	1	-	3	4	3	1	5	-
OREGON -----	149	3	3	1	2	21	22	11	27	21	12	11
WHITE-----MALE----	80	-	1	-	1	8	16	6	15	10	8	8
FEMALE--	41	1	2	1	-	8	1	3	7	5	4	2
ALL OTHER--MALE----	25	1	-	-	1	4	4	2	5	6	-	1
FEMALE--	3	1	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	18	1	-	-	1	4	3	-	3	5	-	1
FEMALE--	3	1	-	-	-	1	1	-	-	-	-	-
PENNSYLVANIA -----	785	17	15	6	9	102	140	124	83	60	67	44
WHITE-----MALE----	204	7	4	1	2	22	32	19	27	20	24	14
FEMALE--	103	2	3	2	-	8	7	14	11	13	6	11
ALL OTHER--MALE----	403	4	5	2	7	67	93	74	37	20	32	17
FEMALE--	75	4	3	1	-	5	8	17	8	7	5	2
BLACK---MALE----	388	4	5	2	7	66	87	74	36	20	30	15
FEMALE--	69	4	3	1	-	4	7	16	8	7	4	1
RHODE ISLAND -----	35	1	1	-	-	8	7	6	3	5	2	-
WHITE-----MALE----	18	1	1	-	-	4	2	3	1	2	2	-
FEMALE--	3	-	-	-	-	1	2	-	-	-	-	-
ALL OTHER--MALE----	14	-	-	-	-	3	3	3	2	3	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	13	-	-	-	-	3	2	3	2	3	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	328	1	6	1	2	28	47	44	47	44	31	18
WHITE-----MALE----	86	-	1	-	2	3	8	3	15	13	13	7
FEMALE--	33	-	1	-	-	6	6	7	2	2	2	1
ALL OTHER--MALE----	156	1	2	1	-	15	30	28	19	17	10	9
FEMALE--	53	-	2	-	-	4	3	6	11	12	6	1
BLACK---MALE----	156	1	2	1	-	15	30	28	19	17	10	9
FEMALE--	53	-	2	-	-	4	3	6	11	12	6	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 3,112  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HOMICIDE AND LEGAL INTERVENTION (E960-E978)												
OHIO -----	17	20	11	13	9	6	8	2	-	-	-	-
WHITE-----MALE----	10	11	3	3	3	2	1	1	-	-	-	-
FEMALE--	2	5	1	5	2	3	5	1	-	-	-	-
ALL OTHER--MALE----	2	3	6	4	3	1	-	-	-	-	-	-
FEMALE--	3	1	1	1	1	-	2	-	-	-	-	-
BLACK---MALE----	1	3	5	4	3	1	-	-	-	-	-	-
FEMALE--	3	1	1	1	1	-	2	-	-	-	-	-
OKLAHOMA -----	32	22	19	11	8	4	1	1	2	1	-	6
WHITE-----MALE----	19	6	9	7	4	2	-	1	1	1	-	3
FEMALE--	9	10	6	1	3	1	1	-	-	-	-	2
ALL OTHER--MALE----	3	2	3	1	1	-	-	-	-	-	-	-
FEMALE--	1	4	1	2	-	1	-	-	1	-	-	1
BLACK---MALE----	2	1	3	1	1	-	-	-	-	-	-	-
FEMALE--	-	3	1	2	-	-	-	-	1	-	-	-
OREGON -----	7	1	1	1	2	2	1	-	-	-	-	-
WHITE-----MALE----	5	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	2	1	-	-	2	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	30	24	19	10	6	12	11	3	2	-	1	-
WHITE-----MALE----	10	9	4	4	-	3	2	-	-	-	-	-
FEMALE--	4	1	5	2	4	4	4	1	1	-	-	-
ALL OTHER--MALE----	12	13	6	3	2	5	3	1	-	-	-	-
FEMALE--	4	1	4	1	-	-	2	1	1	-	1	-
BLACK---MALE----	11	12	5	3	2	5	3	1	-	-	-	-
FEMALE--	3	1	4	1	-	-	2	1	1	-	1	-
RHODE ISLAND -----	1	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	13	13	12	5	6	5	2	1	2	-	-	-
WHITE-----MALE----	4	7	3	2	2	1	2	-	-	-	-	-
FEMALE--	1	1	2	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	7	5	7	1	3	1	-	-	-	-	-	-
FEMALE--	1	-	-	2	-	3	-	-	2	-	-	-
BLACK---MALE----	7	5	7	1	3	1	-	-	-	-	-	-
FEMALE--	1	-	-	2	-	3	-	-	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 3,113  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
HOMICIDE AND LEGAL INTERVENTION (E960-E978)												
SOUTH DAKOTA -----	18	-	1	-	1	1	2	2	2	3	1	1
WHITE-----MALE----	8	-	-	-	-	-	1	1	2	-	1	1
FEMALE--	3	-	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	6	-	1	-	1	-	-	-	-	3	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	585	8	9	-	13	74	82	75	78	84	55	25
WHITE-----MALE----	191	3	2	-	3	16	12	22	24	34	27	10
FEMALE--	70	1	2	-	2	2	10	7	14	6	6	6
ALL OTHER--MALE----	278	2	3	-	7	52	53	42	33	41	16	7
FEMALE--	46	2	2	-	1	4	7	4	7	3	6	2
BLACK---MALE----	274	2	3	-	6	51	53	42	33	41	16	6
FEMALE--	46	2	2	-	1	4	7	4	7	3	6	2
TEXAS -----	1,791	22	39	23	31	287	316	238	233	161	145	89
WHITE-----MALE----	886	6	17	8	16	154	156	117	111	78	70	46
FEMALE--	273	7	12	8	7	28	28	29	35	22	24	19
ALL OTHER--MALE----	503	5	3	5	6	89	115	70	67	45	39	21
FEMALE--	129	4	7	2	2	16	17	22	20	16	12	3
BLACK---MALE----	478	5	3	5	6	84	113	68	63	41	36	18
FEMALE--	123	4	7	2	2	14	17	21	18	15	12	3
UTAH -----	76	2	4	2	3	11	15	8	7	8	8	2
WHITE-----MALE----	46	-	1	1	2	5	10	7	4	5	6	-
FEMALE--	26	2	3	1	-	5	4	1	3	3	2	1
ALL OTHER--MALE----	4	-	-	-	1	1	1	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	14	1	-	-	-	-	-	1	-	2	3	3
WHITE-----MALE----	9	1	-	-	-	-	-	1	-	1	1	2
FEMALE--	5	-	-	-	-	-	-	-	-	1	2	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	519	4	7	1	8	69	96	68	73	56	41	28
WHITE-----MALE----	121	-	2	-	2	11	18	15	16	15	8	11
FEMALE--	65	2	-	-	4	4	7	5	7	5	10	3
ALL OTHER--MALE----	267	1	1	1	2	46	61	38	37	28	20	11
FEMALE--	66	1	4	-	-	8	10	10	13	8	3	3
BLACK---MALE----	262	1	1	1	2	45	59	38	36	28	19	11
FEMALE--	64	1	3	-	-	8	9	10	13	8	3	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 3,113  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HOMICIDE AND LEGAL INTERVENTION (E960-E978)												
SOUTH DAKOTA -----	2	1	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	25	11	12	11	8	6	4	2	1	-	-	2
WHITE-----MALE----	10	8	7	5	3	4	-	-	-	-	-	1
FEMALE--	3	1	1	3	2	-	1	1	1	-	-	1
ALL OTHER--MALE----	9	2	4	2	2	1	2	-	-	-	-	-
FEMALE--	3	-	-	1	1	1	1	1	-	-	-	-
BLACK---MALE----	9	2	3	2	2	1	2	-	-	-	-	-
FEMALE--	3	-	-	1	1	1	1	1	-	-	-	-
TEXAS -----	56	42	34	28	16	10	6	6	3	-	-	6
WHITE-----MALE----	32	22	23	10	7	3	2	2	2	-	-	4
FEMALE--	15	9	5	7	7	3	4	2	1	-	-	1
ALL OTHER--MALE----	9	9	5	9	2	3	-	-	-	-	-	1
FEMALE--	-	2	1	2	-	1	-	2	-	-	-	-
BLACK---MALE----	9	8	5	9	2	2	-	-	-	-	-	1
FEMALE--	-	2	1	2	-	1	-	2	-	-	-	-
UTAH -----	1	3	1	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	1	3	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	2	-	1	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	15	12	12	12	8	5	4	-	-	-	-	-
WHITE-----MALE----	6	5	6	4	1	-	1	-	-	-	-	-
FEMALE--	2	5	1	1	4	2	3	-	-	-	-	-
ALL OTHER--MALE----	4	2	4	6	2	3	-	-	-	-	-	-
FEMALE--	3	-	1	1	1	-	-	-	-	-	-	-
BLACK---MALE----	4	2	4	6	2	3	-	-	-	-	-	-
FEMALE--	3	-	1	1	1	-	-	-	-	-	-	-







TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 3,115  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ASSAULT BY HANDGUN (E965.0)												
0 UNITED STATES --	1,405	1	10	6	32	232	286	213	195	138	105	64
WHITE-----MALE----	560	-	5	3	20	99	103	78	79	59	39	31
FEMALE--	153	-	3	-	3	12	16	15	22	18	20	11
ALL OTHER--MALE----	594	-	1	3	7	103	160	108	78	46	31	18
FEMALE--	98	1	1	-	2	18	7	12	16	15	15	4
BLACK---MALE----	539	-	1	2	4	93	150	101	72	43	28	15
FEMALE--	87	1	1	-	2	17	6	10	14	14	13	4
ALABAMA -----	79	-	-	-	1	8	18	10	13	5	12	4
WHITE-----MALE----	9	-	-	-	-	-	-	1	1	-	3	1
FEMALE--	2	-	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	60	-	-	-	1	8	18	9	8	4	5	2
FEMALE--	8	-	-	-	-	-	-	-	3	1	3	1
BLACK---MALE----	60	-	-	-	1	8	18	9	8	4	5	2
FEMALE--	8	-	-	-	-	-	-	-	3	1	3	1
ALASKA -----	1	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	8	-	-	-	-	1	-	1	1	2	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	1	-	2	-	-
FEMALE--	3	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	23	-	-	-	2	6	3	5	3	3	1	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	1	3	1	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	13	-	-	-	1	5	3	3	1	-	-	-
FEMALE--	4	-	-	-	1	1	-	1	1	-	-	-
BLACK---MALE----	13	-	-	-	1	5	3	3	1	-	-	-
FEMALE--	4	-	-	-	1	1	-	1	1	-	-	-
CALIFORNIA -----	559	-	6	1	13	105	122	93	81	42	24	29
WHITE-----MALE----	307	-	3	1	11	66	69	46	40	23	13	18
FEMALE--	42	-	2	-	1	4	5	5	9	4	1	2
ALL OTHER--MALE----	181	-	1	-	1	31	44	38	28	10	8	7
FEMALE--	29	-	-	-	-	4	4	4	4	5	2	2
BLACK---MALE----	147	-	1	-	-	23	38	34	24	9	6	5
FEMALE--	22	-	-	-	-	4	3	3	2	4	2	2



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 3,116  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ASSAULT BY HANDGUN (E965.0)												
COLORADO -----	11	-	-	-	-	1	1	2	1	3	-	1
WHITE-----MALE----	6	-	-	-	-	1	-	2	1	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	2	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	11	-	-	-	-	1	2	3	1	1	2	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	1	-	3	1	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	7	-	-	-	-	1	-	3	1	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	7	-	-	-	-	1	2	-	1	2	1	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	2	-	1	-	-	-
FEMALE--	3	-	-	-	-	1	-	-	-	1	1	-
BLACK---MALE----	3	-	-	-	-	-	2	-	1	-	-	-
FEMALE--	3	-	-	-	-	1	-	-	-	1	1	-







TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 3,118  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ASSAULT BY HANDGUN (E965.0)												
KENTUCKY -----	12	-	-	-	-	1	2	2	2	1	2	-
WHITE-----MALE----	6	-	-	-	-	-	-	1	2	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	1	2	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	5	-	-	-	-	1	2	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
LOUISIANA -----	6	-	-	-	-	1	2	-	-	2	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	3	-	-	-	-	-	-	2	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	6	-	-	-	-	1	2	1	1	-	-	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	1	2	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	3	-	-	-	-	1	1	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 3,119  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ASSAULT BY HANDGUN (E965.0)												
MINNESOTA -----	1	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	109	-	-	-	2	11	24	18	14	13	9	6
WHITE-----MALE----	9	-	-	-	-	-	1	2	1	1	1	1
FEMALE--	6	-	-	-	1	-	-	-	1	-	1	1
ALL OTHER--MALE----	82	-	-	-	1	9	23	14	12	9	5	4
FEMALE--	12	-	-	-	-	2	-	2	-	3	2	-
BLACK---MALE----	80	-	-	-	1	9	23	13	12	9	5	3
FEMALE--	12	-	-	-	-	2	-	2	-	3	2	-
MISSOURI -----	55	-	1	-	-	8	12	7	11	2	4	5
WHITE-----MALE----	17	-	-	-	-	2	3	3	4	2	1	1
FEMALE--	5	-	1	-	-	-	-	-	-	-	1	3
ALL OTHER--MALE----	32	-	-	-	-	6	9	4	7	-	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	31	-	-	-	-	6	9	3	7	-	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
MONTANA -----	1	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	2	-	-	-	-	-	-	-	-	-	2	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	38	1	-	-	1	7	5	4	6	6	4	-
WHITE-----MALE----	20	-	-	-	1	4	3	2	2	5	2	-
FEMALE--	6	-	-	-	-	-	-	-	1	1	2	-
ALL OTHER--MALE----	8	-	-	-	-	1	2	2	2	-	-	-
FEMALE--	4	1	-	-	-	2	-	-	1	-	-	-
BLACK---MALE----	8	-	-	-	-	1	2	2	2	-	-	-
FEMALE--	4	1	-	-	-	2	-	-	1	-	-	-







TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 3,121  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ASSAULT BY HANDGUN (E965.0)												
OHIO -----	9	-	-	-	-	1	2	2	1	2	-	-
WHITE-----MALE----	4	-	-	-	-	1	2	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	2	1	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	2	1	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	38	-	-	-	-	6	6	3	9	2	4	5
WHITE-----MALE----	25	-	-	-	-	4	3	2	6	-	3	5
FEMALE--	7	-	-	-	-	2	-	1	2	-	1	-
ALL OTHER--MALE----	6	-	-	-	-	-	3	-	1	2	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	2	-	1	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	2	-	-	-	-	-	1	-	-	-	1	-
WHITE-----MALE----	2	-	-	-	-	-	1	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	18	-	-	-	-	3	6	2	3	-	2	-
WHITE-----MALE----	2	-	-	-	-	-	1	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	2	1	1	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	1	3	-	2	-	-	-
FEMALE--	4	-	-	-	-	2	-	1	-	-	1	-
BLACK---MALE----	8	-	-	-	-	1	3	-	2	-	-	-
FEMALE--	4	-	-	-	-	2	-	1	-	-	1	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 3,122  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ASSAULT BY HANDGUN (E965.0)												
SOUTH DAKOTA -----	3	-	-	-	-	-	-	-	1	-	-	1
WHITE-----MALE----	2	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	6	-	-	-	-	1	-	-	2	1	1	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	2	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	27	-	-	-	-	3	2	4	3	5	4	1
WHITE-----MALE----	15	-	-	-	-	1	2	2	2	2	2	1
FEMALE--	5	-	-	-	-	-	-	1	-	2	-	-
ALL OTHER--MALE----	5	-	-	-	-	2	-	1	-	1	1	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	4	-	-	-	-	1	-	1	-	1	1	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	1	-
UTAH -----	8	-	-	1	1	2	2	-	-	2	-	-
WHITE-----MALE----	6	-	-	1	-	2	1	-	-	2	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	98	-	-	-	1	18	27	15	8	15	7	4
WHITE-----MALE----	11	-	-	-	-	2	-	3	1	2	2	1
FEMALE--	8	-	-	-	-	-	1	-	1	1	3	1
ALL OTHER--MALE----	64	-	-	-	1	12	23	11	3	9	2	1
FEMALE--	15	-	-	-	-	4	3	1	3	3	-	1
BLACK---MALE----	63	-	-	-	1	12	22	11	3	9	2	1
FEMALE--	15	-	-	-	-	4	3	1	3	3	-	1









TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 3,124  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ASSAULT BY ALL OTHER AND UNSPECIFIED FIREARMS (E965.1-E965.4)												
0 UNITED STATES --	14,146	7	64	64	278	2,555	2,971	2,226	1,814	1,299	1,005	611
WHITE-----MALE----	5,114	2	18	22	101	809	947	770	674	510	446	265
FEMALE--	1,317	2	15	21	30	143	143	164	181	150	135	79
ALL OTHER--MALE----	6,753	-	21	13	116	1,439	1,724	1,146	813	527	356	233
FEMALE--	962	3	10	8	31	164	157	146	146	112	68	34
BLACK---MALE----	6,439	-	19	12	104	1,361	1,668	1,099	777	505	337	218
FEMALE--	870	3	8	6	26	154	143	133	135	102	55	31
ALABAMA -----	321	-	-	-	2	50	61	40	40	42	23	14
WHITE-----MALE----	88	-	-	-	-	4	13	13	13	12	10	5
FEMALE--	32	-	-	-	-	2	1	4	3	5	3	1
ALL OTHER--MALE----	171	-	-	-	2	34	42	20	19	20	9	8
FEMALE--	30	-	-	-	-	10	5	3	5	5	1	-
BLACK---MALE----	170	-	-	-	2	34	42	20	19	19	9	8
FEMALE--	30	-	-	-	-	10	5	3	5	5	1	-
ALASKA -----	31	-	-	-	-	7	5	5	4	1	5	2
WHITE-----MALE----	12	-	-	-	-	1	2	2	2	-	3	1
FEMALE--	6	-	-	-	-	1	1	-	1	-	1	1
ALL OTHER--MALE----	7	-	-	-	-	3	1	2	1	-	-	-
FEMALE--	6	-	-	-	-	2	1	1	-	1	1	-
BLACK---MALE----	2	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	2	-	-	-	-	2	-	-	-	-	-	-
ARIZONA -----	374	-	2	2	9	78	58	56	42	37	38	21
WHITE-----MALE----	259	-	-	1	6	46	44	42	31	26	29	15
FEMALE--	47	-	1	-	1	7	5	4	4	7	8	3
ALL OTHER--MALE----	59	-	1	-	1	23	9	10	4	3	1	3
FEMALE--	9	-	-	1	1	2	-	-	3	1	-	-
BLACK---MALE----	43	-	-	-	1	17	6	9	2	1	1	3
FEMALE--	4	-	-	-	-	2	-	-	-	1	-	-
ARKANSAS -----	189	-	1	3	7	29	27	21	24	21	16	12
WHITE-----MALE----	65	-	-	2	2	3	4	8	8	11	6	8
FEMALE--	26	-	-	1	1	1	2	2	4	4	1	2
ALL OTHER--MALE----	87	-	1	-	4	23	19	9	10	6	9	2
FEMALE--	11	-	-	-	-	2	2	2	2	-	-	-
BLACK---MALE----	86	-	1	-	4	22	19	9	10	6	9	2
FEMALE--	11	-	-	-	-	2	2	2	2	-	-	-
CALIFORNIA -----	2,118	1	4	6	53	461	482	357	295	149	118	74
WHITE-----MALE----	1,227	1	1	1	28	291	295	215	150	80	68	38
FEMALE--	169	-	1	1	5	30	30	20	20	16	12	8
ALL OTHER--MALE----	641	-	-	2	16	128	146	113	108	45	28	25
FEMALE--	81	-	2	2	4	12	11	9	17	8	10	3
BLACK---MALE----	523	-	-	2	9	87	128	98	96	40	22	18
FEMALE--	59	-	1	1	2	10	8	7	14	4	7	2



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 3,125  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ASSAULT BY ALL OTHER AND UNSPECIFIED FIREARMS (E965.1-E965.4)												
COLORADO -----	108	1	1	-	1	24	20	17	12	11	6	7
WHITE-----MALE----	55	-	1	-	-	12	6	8	5	8	5	6
FEMALE--	18	1	-	-	-	2	2	3	4	2	1	1
ALL OTHER--MALE----	30	-	-	-	1	9	10	5	3	1	-	-
FEMALE--	5	-	-	-	-	1	2	1	-	-	-	-
BLACK---MALE----	29	-	-	-	1	9	10	5	2	1	-	-
FEMALE--	4	-	-	-	-	-	2	1	-	-	-	-
CONNECTICUT -----	104	-	2	-	-	21	26	26	10	5	4	2
WHITE-----MALE----	42	-	-	-	-	8	11	9	4	4	3	-
FEMALE--	8	-	-	-	-	-	1	2	1	-	-	2
ALL OTHER--MALE----	45	-	1	-	-	11	11	13	4	1	1	-
FEMALE--	9	-	1	-	-	2	3	2	1	-	-	-
BLACK---MALE----	44	-	1	-	-	11	11	13	3	1	1	-
FEMALE--	9	-	1	-	-	2	3	2	1	-	-	-
DELAWARE -----	19	-	3	2	-	2	-	2	-	3	2	2
WHITE-----MALE----	8	-	1	1	-	1	-	1	-	1	1	1
FEMALE--	8	-	2	1	-	-	-	1	-	1	1	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	1
DISTRICT OF COLUMBIA ----	249	-	-	-	4	69	76	39	29	14	5	6
WHITE-----MALE----	7	-	-	-	1	1	1	1	1	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	223	-	-	-	2	64	72	35	26	13	3	4
FEMALE--	19	-	-	-	1	4	3	3	2	1	2	1
BLACK---MALE----	223	-	-	-	2	64	72	35	26	13	3	4
FEMALE--	19	-	-	-	1	4	3	3	2	1	2	1
FLORIDA -----	798	-	7	9	25	90	146	109	121	75	71	44
WHITE-----MALE----	300	-	2	1	12	25	43	46	41	30	30	20
FEMALE--	105	-	2	4	3	7	7	10	16	12	11	5
ALL OTHER--MALE----	338	-	3	4	5	54	86	45	55	24	27	16
FEMALE--	55	-	-	-	5	4	10	8	9	9	3	3
BLACK---MALE----	331	-	3	4	5	53	84	45	55	24	25	14
FEMALE--	54	-	-	-	5	4	9	8	9	9	3	3
GEORGIA -----	514	-	2	-	9	82	93	68	74	54	39	26
WHITE-----MALE----	118	-	1	-	1	10	11	16	22	15	11	6
FEMALE--	46	-	-	-	1	6	4	5	5	6	2	2
ALL OTHER--MALE----	295	-	1	-	5	59	67	39	34	30	22	18
FEMALE--	55	-	-	-	2	7	11	8	13	3	4	-
BLACK---MALE----	294	-	1	-	5	59	67	39	34	30	22	17
FEMALE--	54	-	-	-	2	7	11	8	13	3	4	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 3,125  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ASSAULT BY ALL OTHER AND UNSPECIFIED FIREARMS (E965.1-E965.4)												
COLORADO -----	2	-	2	2	-	-	1	-	1	-	-	-
WHITE-----MALE----	1	-	2	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	3	2	1	1	1	-	-	-	-	-	-	-
WHITE-----MALE----	1	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	1	1	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	4	2	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
FLORIDA -----	27	25	19	12	6	6	4	1	-	-	-	1
WHITE-----MALE----	14	13	12	8	2	1	-	-	-	-	-	-
FEMALE--	4	6	3	2	4	4	4	1	-	-	-	-
ALL OTHER--MALE----	6	6	4	2	-	1	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	6	6	4	2	-	1	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
GEORGIA -----	23	12	12	6	8	3	2	-	-	-	-	1
WHITE-----MALE----	9	4	7	1	2	-	1	-	-	-	-	1
FEMALE--	5	4	-	-	3	2	1	-	-	-	-	-
ALL OTHER--MALE----	7	4	4	2	2	1	-	-	-	-	-	-
FEMALE--	2	-	1	3	1	-	-	-	-	-	-	-
BLACK---MALE----	7	4	4	2	2	1	-	-	-	-	-	-
FEMALE--	2	-	1	2	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 3,126  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ASSAULT BY ALL OTHER AND UNSPECIFIED FIREARMS (E965.1-E965.4)												
HAWAII -----	27	-	2	-	-	-	3	7	4	4	3	1
WHITE-----MALE----	4	-	-	-	-	-	-	1	1	-	-	1
FEMALE--	3	-	-	-	-	-	1	-	-	-	2	-
ALL OTHER--MALE----	13	-	1	-	-	-	1	4	3	2	1	-
FEMALE--	7	-	1	-	-	-	1	2	-	2	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	24	-	2	-	-	5	3	2	-	7	3	-
WHITE-----MALE----	19	-	1	-	-	5	2	1	-	6	2	-
FEMALE--	4	-	1	-	-	-	1	1	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	790	-	1	4	23	204	201	125	81	60	30	22
WHITE-----MALE----	204	-	-	1	7	54	54	28	25	14	9	4
FEMALE--	33	-	-	1	2	6	3	8	4	2	1	1
ALL OTHER--MALE----	506	-	1	-	11	127	136	86	49	39	19	15
FEMALE--	47	-	-	2	3	17	8	3	3	5	1	2
BLACK---MALE----	503	-	1	-	11	127	136	85	49	39	19	15
FEMALE--	47	-	-	2	3	17	8	3	3	5	1	2
INDIANA -----	304	-	-	1	2	50	76	41	41	29	20	15
WHITE-----MALE----	82	-	-	-	1	10	17	10	10	7	11	5
FEMALE--	42	-	-	1	1	4	7	5	7	5	3	3
ALL OTHER--MALE----	150	-	-	-	-	33	47	21	15	14	3	6
FEMALE--	30	-	-	-	-	3	5	5	9	3	3	1
BLACK---MALE----	150	-	-	-	-	33	47	21	15	14	3	6
FEMALE--	29	-	-	-	-	3	4	5	9	3	3	1
IOWA -----	15	-	-	-	1	3	4	1	1	3	2	-
WHITE-----MALE----	5	-	-	-	1	1	1	1	-	-	1	-
FEMALE--	5	-	-	-	-	-	1	-	1	2	1	-
ALL OTHER--MALE----	5	-	-	-	-	2	2	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	2	2	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	109	-	2	-	2	22	24	14	13	9	11	2
WHITE-----MALE----	40	-	-	-	1	3	5	7	4	5	8	1
FEMALE--	10	-	-	-	1	2	1	-	2	1	-	1
ALL OTHER--MALE----	50	-	1	-	-	15	16	7	4	3	3	-
FEMALE--	9	-	1	-	-	2	2	-	3	-	-	-
BLACK---MALE----	49	-	1	-	-	15	15	7	4	3	3	-
FEMALE--	9	-	1	-	-	2	2	-	3	-	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 3,127  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ASSAULT BY ALL OTHER AND UNSPECIFIED FIREARMS (E965.1-E965.4)												
KENTUCKY -----	155	-	1	-	3	15	19	28	20	19	14	14
WHITE-----MALE----	86	-	-	-	2	6	6	11	11	12	11	9
FEMALE--	32	-	1	-	1	-	4	9	6	2	2	4
ALL OTHER--MALE----	28	-	-	-	-	8	7	6	3	2	1	1
FEMALE--	9	-	-	-	-	1	2	2	-	3	-	-
BLACK---MALE----	28	-	-	-	-	8	7	6	3	2	1	1
FEMALE--	9	-	-	-	-	1	2	2	-	3	-	-
LOUISIANA -----	599	2	2	-	9	101	154	100	63	43	42	38
WHITE-----MALE----	82	1	-	-	1	6	14	9	6	7	13	9
FEMALE--	23	-	-	-	-	3	-	4	3	2	2	4
ALL OTHER--MALE----	441	-	1	-	7	82	130	76	46	32	24	21
FEMALE--	53	1	1	-	1	10	10	11	8	2	3	4
BLACK---MALE----	429	-	1	-	6	79	127	74	46	32	23	20
FEMALE--	52	1	1	-	1	10	9	11	8	2	3	4
MAINE -----	8	-	-	-	-	-	1	-	1	1	1	2
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	3	-	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	458	-	2	1	6	109	100	88	57	27	26	14
WHITE-----MALE----	63	-	-	1	-	5	7	9	13	7	8	5
FEMALE--	22	-	-	-	-	2	1	6	6	2	3	1
ALL OTHER--MALE----	335	-	2	-	5	91	85	68	37	13	13	7
FEMALE--	38	-	-	-	1	11	7	5	1	5	2	1
BLACK---MALE----	333	-	2	-	5	91	85	67	36	13	13	7
FEMALE--	36	-	-	-	1	11	6	4	1	5	2	1
MASSACHUSETTS -----	123	-	-	1	1	30	23	26	15	8	7	5
WHITE-----MALE----	47	-	-	-	-	9	9	10	4	5	2	5
FEMALE--	12	-	-	-	-	1	-	2	5	-	3	-
ALL OTHER--MALE----	60	-	-	1	1	20	13	13	5	2	2	-
FEMALE--	4	-	-	-	-	-	1	1	1	1	-	-
BLACK---MALE----	56	-	-	-	-	19	13	12	5	2	2	-
FEMALE--	4	-	-	-	-	-	1	1	1	1	-	-
MICHIGAN -----	656	1	1	3	9	114	143	104	77	65	51	33
WHITE-----MALE----	131	-	-	-	1	13	17	17	21	16	16	9
FEMALE--	39	-	-	1	-	4	2	2	6	7	6	3
ALL OTHER--MALE----	419	-	-	1	7	86	115	75	39	31	27	17
FEMALE--	67	1	1	1	1	11	9	10	11	11	2	4
BLACK---MALE----	415	-	-	1	7	86	113	74	38	31	27	17
FEMALE--	66	1	1	1	1	11	9	10	11	11	1	4



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 3,128  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ASSAULT BY ALL OTHER AND UNSPECIFIED FIREARMS (E965.1-E965.4)												
MINNESOTA -----	103	-	-	-	2	20	19	15	21	7	6	4
WHITE-----MALE----	27	-	-	-	-	3	3	6	7	2	1	2
FEMALE--	13	-	-	-	-	1	-	2	2	-	4	1
ALL OTHER--MALE----	52	-	-	-	1	15	13	7	10	5	-	-
FEMALE--	11	-	-	-	1	1	3	-	2	-	1	1
BLACK---MALE----	43	-	-	-	1	11	10	6	10	4	-	-
FEMALE--	8	-	-	-	-	1	3	-	1	-	1	1
MISSISSIPPI -----	175	-	1	-	9	25	31	23	20	18	13	9
WHITE-----MALE----	44	-	-	-	1	4	6	4	6	1	5	4
FEMALE--	16	-	-	-	1	3	1	1	1	3	-	1
ALL OTHER--MALE----	96	-	1	-	6	12	23	15	10	13	6	3
FEMALE--	19	-	-	-	1	6	1	3	3	1	2	1
BLACK---MALE----	96	-	1	-	6	12	23	15	10	13	6	3
FEMALE--	19	-	-	-	1	6	1	3	3	1	2	1
MISSOURI -----	283	-	2	1	6	66	54	29	35	25	25	14
WHITE-----MALE----	65	-	1	-	1	6	9	6	12	9	7	2
FEMALE--	18	-	-	-	-	1	3	1	6	-	4	1
ALL OTHER--MALE----	177	-	-	1	3	54	40	20	15	12	14	8
FEMALE--	23	-	1	-	2	5	2	2	2	4	-	3
BLACK---MALE----	176	-	-	1	3	54	40	19	15	12	14	8
FEMALE--	23	-	1	-	2	5	2	2	2	4	-	3
MONTANA -----	22	-	-	-	1	2	1	6	2	2	3	1
WHITE-----MALE----	12	-	-	-	1	1	-	3	1	1	2	1
FEMALE--	6	-	-	-	-	-	1	1	-	1	1	-
ALL OTHER--MALE----	4	-	-	-	-	1	-	2	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	43	-	1	2	3	8	7	4	6	5	4	2
WHITE-----MALE----	9	-	1	1	1	2	1	-	1	1	1	-
FEMALE--	9	-	-	1	1	-	2	1	1	-	2	1
ALL OTHER--MALE----	21	-	-	-	1	5	2	3	4	3	1	1
FEMALE--	4	-	-	-	-	1	2	-	-	1	-	-
BLACK---MALE----	19	-	-	-	1	4	2	2	4	3	1	1
FEMALE--	4	-	-	-	-	1	2	-	-	1	-	-
NEVADA -----	71	-	-	-	1	7	12	9	10	9	9	2
WHITE-----MALE----	37	-	-	-	-	4	7	4	6	4	6	-
FEMALE--	10	-	-	-	1	-	-	3	1	1	1	1
ALL OTHER--MALE----	19	-	-	-	-	2	5	2	3	3	2	1
FEMALE--	5	-	-	-	-	1	-	-	-	1	-	-
BLACK---MALE----	18	-	-	-	-	2	4	2	3	3	2	1
FEMALE--	5	-	-	-	-	1	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 3,128  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ASSAULT BY ALL OTHER AND UNSPECIFIED FIREARMS (E965.1-E965.4)												
MINNESOTA -----	4	1	2	1	1	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	6	9	2	3	4	2	-	-	-	-	-	-
WHITE-----MALE----	3	5	-	3	2	-	-	-	-	-	-	-
FEMALE--	1	1	1	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	2	2	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	2	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
MISSOURI -----	5	7	5	6	1	1	1	-	-	-	-	-
WHITE-----MALE----	2	3	4	1	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	2	4	-	4	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	2	4	-	4	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
MONTANA -----	2	1	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	-	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	5	2	2	-	3	-	-	-	-	-	-	-
WHITE-----MALE----	2	1	2	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 3,129  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ASSAULT BY ALL OTHER AND UNSPECIFIED FIREARMS (E965.1-E965.4)												
NEW HAMPSHIRE -----	7	-	-	-	-	2	-	2	1	1	1	-
WHITE-----MALE----	3	-	-	-	-	1	-	-	-	1	1	-
FEMALE--	4	-	-	-	-	1	-	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY -----	245	-	1	-	3	36	63	47	30	23	13	6
WHITE-----MALE----	58	-	-	-	1	3	12	9	8	11	2	2
FEMALE--	20	-	-	-	-	1	4	1	3	2	4	2
ALL OTHER--MALE----	152	-	1	-	2	30	47	34	17	8	5	2
FEMALE--	15	-	-	-	-	2	-	3	2	2	2	-
BLACK---MALE----	149	-	1	-	2	30	46	34	17	7	5	2
FEMALE--	11	-	-	-	-	2	-	2	2	2	1	-
NEW MEXICO -----	60	-	-	-	1	11	7	11	14	7	5	2
WHITE-----MALE----	39	-	-	-	-	9	7	4	9	2	4	2
FEMALE--	5	-	-	-	-	-	-	2	1	2	-	-
ALL OTHER--MALE----	12	-	-	-	1	-	-	5	3	2	1	-
FEMALE--	4	-	-	-	-	2	-	-	1	1	-	-
BLACK---MALE----	8	-	-	-	-	-	-	3	3	1	1	-
FEMALE--	3	-	-	-	-	1	-	-	1	1	-	-
NEW YORK -----	1,050	1	3	1	10	155	246	191	137	109	75	34
WHITE-----MALE----	384	-	1	-	4	48	89	64	53	41	25	13
FEMALE--	79	-	-	1	1	8	8	12	8	14	10	2
ALL OTHER--MALE----	529	-	1	-	4	94	138	103	68	46	34	19
FEMALE--	58	1	1	-	1	5	11	12	8	8	6	-
BLACK---MALE----	508	-	1	-	4	94	132	99	64	44	33	19
FEMALE--	56	1	1	-	1	5	11	11	8	8	5	-
NORTH CAROLINA -----	480	-	1	2	7	63	94	77	71	56	44	20
WHITE-----MALE----	133	-	1	1	1	7	17	27	23	17	13	8
FEMALE--	46	-	-	1	2	1	6	5	7	4	11	2
ALL OTHER--MALE----	263	-	-	-	3	50	65	41	34	29	14	9
FEMALE--	38	-	-	-	1	5	6	4	7	6	6	1
BLACK---MALE----	248	-	-	-	3	46	63	37	31	29	13	9
FEMALE--	33	-	-	-	1	5	5	4	6	6	3	1
NORTH DAKOTA -----	6	-	-	-	-	1	1	-	1	1	-	-
WHITE-----MALE----	2	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 3,130  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ASSAULT BY ALL OTHER AND UNSPECIFIED FIREARMS (E965.1-E965.4)												
OHIO -----	328	-	1	4	5	53	69	42	38	34	22	22
WHITE-----MALE----	89	-	-	3	-	12	14	11	4	12	14	5
FEMALE--	32	-	-	-	-	2	3	3	6	3	3	6
ALL OTHER--MALE----	177	-	1	-	4	34	47	25	23	17	4	8
FEMALE--	30	-	-	1	1	5	5	3	5	2	1	3
BLACK---MALE----	176	-	1	-	4	34	47	25	23	17	4	8
FEMALE--	30	-	-	1	1	5	5	3	5	2	1	3
OKLAHOMA -----	165	-	2	3	4	21	19	23	19	27	16	3
WHITE-----MALE----	78	-	2	3	1	10	6	13	10	14	7	3
FEMALE--	29	-	-	-	-	4	2	-	3	7	4	-
ALL OTHER--MALE----	41	-	-	-	1	6	10	8	5	5	3	-
FEMALE--	17	-	-	-	2	1	1	2	1	1	2	-
BLACK---MALE----	36	-	-	-	1	5	9	6	5	5	3	-
FEMALE--	7	-	-	-	1	-	-	1	-	-	1	-
OREGON -----	55	1	2	1	1	7	11	3	8	10	4	1
WHITE-----MALE----	27	-	-	-	-	1	8	3	5	4	2	1
FEMALE--	17	1	2	1	-	2	1	-	2	4	2	-
ALL OTHER--MALE----	10	-	-	-	1	4	1	-	1	2	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	9	-	-	-	1	4	1	-	1	2	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
PENNSYLVANIA -----	518	-	2	-	8	90	114	95	59	37	38	26
WHITE-----MALE----	126	-	2	-	1	19	23	13	20	13	14	9
FEMALE--	43	-	-	-	-	5	5	5	5	7	3	4
ALL OTHER--MALE----	318	-	-	-	7	63	82	66	31	14	20	12
FEMALE--	31	-	-	-	-	3	4	11	3	3	1	1
BLACK---MALE----	307	-	-	-	7	62	78	66	30	14	19	10
FEMALE--	27	-	-	-	-	2	4	10	3	3	1	-
RHODE ISLAND -----	23	-	-	-	-	6	4	6	2	4	-	-
WHITE-----MALE----	10	-	-	-	-	3	1	3	-	2	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	13	-	-	-	-	3	3	3	2	2	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	12	-	-	-	-	3	2	3	2	2	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	173	-	2	-	2	19	27	32	23	21	13	9
WHITE-----MALE----	45	-	-	-	2	2	2	3	12	7	6	5
FEMALE--	14	-	1	-	-	4	1	3	1	-	-	-
ALL OTHER--MALE----	97	-	1	-	-	11	22	24	8	10	5	3
FEMALE--	17	-	-	-	-	2	2	2	2	4	2	1
BLACK---MALE----	97	-	1	-	-	11	22	24	8	10	5	3
FEMALE--	17	-	-	-	-	2	2	2	2	4	2	1



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 3,130  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ASSAULT BY ALL OTHER AND UNSPECIFIED FIREARMS (E965.1-E965.4)												
OHIO -----	9	8	7	7	5	-	2	-	-	-	-	-
WHITE-----MALE----	6	4	1	1	2	-	-	-	-	-	-	-
FEMALE--	-	3	-	2	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	1	5	4	3	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	1	4	4	3	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	1	-	-	-	-	-
OKLAHOMA -----	7	4	3	5	3	1	-	-	1	-	-	4
WHITE-----MALE----	3	-	2	2	1	-	-	-	-	-	-	1
FEMALE--	2	2	1	-	1	1	-	-	-	-	-	2
ALL OTHER--MALE----	1	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	1	2	-	2	-	-	-	-	1	-	-	1
BLACK---MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	2	-	-	-	-	1	-	-	-
OREGON -----	3	-	1	1	1	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	20	13	7	3	2	2	2	-	-	-	-	-
WHITE-----MALE----	5	5	-	1	-	-	1	-	-	-	-	-
FEMALE--	3	-	3	1	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	9	8	2	1	1	1	1	-	-	-	-	-
FEMALE--	3	-	2	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	7	2	1	1	1	1	-	-	-	-	-
FEMALE--	2	-	2	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	6	6	5	3	1	2	1	1	-	-	-	-
WHITE-----MALE----	1	2	-	1	-	1	1	-	-	-	-	-
FEMALE--	-	1	1	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	5	3	4	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	5	3	4	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 3,131  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ASSAULT BY ALL OTHER AND UNSPECIFIED FIREARMS (E965.1-E965.4)												
SOUTH DAKOTA -----	5	-	-	-	1	1	-	-	-	3	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	1	-	-	-	-	3	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	397	-	2	-	10	62	67	58	55	53	34	17
WHITE-----MALE----	121	-	-	-	2	10	6	16	17	23	16	10
FEMALE--	35	-	1	-	1	2	8	3	9	3	1	2
ALL OTHER--MALE----	219	-	1	-	6	47	48	36	28	26	12	4
FEMALE--	22	-	-	-	1	3	5	3	1	1	5	1
BLACK---MALE----	216	-	1	-	5	46	48	36	28	26	12	4
FEMALE--	22	-	-	-	1	3	5	3	1	1	5	1
TEXAS -----	1,214	-	8	15	27	236	262	175	151	100	87	52
WHITE-----MALE----	621	-	2	5	16	128	133	86	74	52	46	28
FEMALE--	140	-	3	5	3	15	17	19	19	10	12	11
ALL OTHER--MALE----	381	-	2	4	6	81	99	53	47	29	24	13
FEMALE--	72	-	1	1	2	12	13	17	11	9	5	-
BLACK---MALE----	364	-	2	4	6	77	97	51	45	26	22	11
FEMALE--	66	-	1	1	2	10	13	16	9	8	5	-
UTAH -----	43	-	-	1	2	7	8	5	4	4	7	-
WHITE-----MALE----	30	-	-	-	2	3	6	5	3	2	5	-
FEMALE--	12	-	-	1	-	3	2	-	1	2	2	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	7	-	-	-	-	-	-	-	-	2	1	3
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	3	-	-	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	265	-	-	-	5	41	51	41	44	23	18	13
WHITE-----MALE----	65	-	-	-	1	7	12	8	9	5	6	5
FEMALE--	23	-	-	-	3	-	2	2	3	4	2	1
ALL OTHER--MALE----	151	-	-	-	1	31	32	26	26	11	9	6
FEMALE--	26	-	-	-	-	3	5	5	6	3	1	1
BLACK---MALE----	147	-	-	-	1	30	31	26	25	11	8	6
FEMALE--	25	-	-	-	-	3	4	5	6	3	1	1







TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 3,133  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ASSAULT BY CUTTING AND PIERCING INSTRUMENT (E966)												
0 UNITED STATES --	2,780	4	15	6	33	245	363	404	425	386	253	176
WHITE-----MALE----	990	2	4	-	12	103	146	130	152	124	91	61
FEMALE--	434	1	7	2	11	34	44	60	48	50	35	33
ALL OTHER--MALE----	991	1	3	1	4	82	140	156	160	141	97	66
FEMALE--	365	-	1	3	6	26	33	58	65	71	30	16
BLACK---MALE----	908	1	2	-	4	71	125	142	150	129	90	58
FEMALE--	332	-	1	2	6	25	29	54	60	63	27	16
ALABAMA -----	48	-	1	-	-	-	7	6	5	7	8	1
WHITE-----MALE----	12	-	-	-	-	-	2	1	1	1	4	-
FEMALE--	8	-	1	-	-	-	-	1	-	2	-	-
ALL OTHER--MALE----	24	-	-	-	-	-	5	4	3	2	4	1
FEMALE--	4	-	-	-	-	-	-	-	1	2	-	-
BLACK---MALE----	24	-	-	-	-	-	5	4	3	2	4	1
FEMALE--	4	-	-	-	-	-	-	-	1	2	-	-
ALASKA -----	15	-	-	-	-	-	-	4	1	3	4	-
WHITE-----MALE----	4	-	-	-	-	-	-	1	-	1	1	-
FEMALE--	3	-	-	-	-	-	-	1	1	-	1	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	2	-	-	2	-
FEMALE--	4	-	-	-	-	-	-	-	-	2	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	49	-	-	-	1	5	6	5	8	9	5	3
WHITE-----MALE----	16	-	-	-	1	2	2	1	4	2	1	1
FEMALE--	14	-	-	-	-	1	-	1	3	2	3	-
ALL OTHER--MALE----	16	-	-	-	-	2	4	3	1	4	1	1
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
ARKANSAS -----	28	-	-	-	-	-	3	7	4	4	1	6
WHITE-----MALE----	7	-	-	-	-	-	-	2	2	1	1	1
FEMALE--	5	-	-	-	-	-	1	1	-	-	-	1
ALL OTHER--MALE----	13	-	-	-	-	-	2	3	2	3	-	3
FEMALE--	3	-	-	-	-	-	-	1	-	-	-	1
BLACK---MALE----	13	-	-	-	-	-	2	3	2	3	-	3
FEMALE--	3	-	-	-	-	-	-	1	-	-	-	1
CALIFORNIA -----	395	-	-	1	5	52	58	58	55	50	33	24
WHITE-----MALE----	225	-	-	-	4	35	41	29	30	27	21	12
FEMALE--	56	-	-	-	1	7	6	8	5	8	4	5
ALL OTHER--MALE----	76	-	-	-	-	5	9	15	12	8	6	7
FEMALE--	38	-	-	1	-	5	2	6	8	7	2	-
BLACK---MALE----	65	-	-	-	-	3	8	13	12	8	6	3
FEMALE--	31	-	-	-	-	5	2	4	7	5	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 3,133  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ASSAULT BY CUTTING AND PIERCING INSTRUMENT (E966)												
0 UNITED STATES --	107	91	64	65	52	37	24	11	6	2	-	11
WHITE-----MALE----	38	35	25	23	13	13	6	3	2	-	-	7
FEMALE--	24	15	13	15	22	8	6	5	-	1	-	-
ALL OTHER--MALE----	33	33	21	20	13	8	7	2	1	-	-	2
FEMALE--	12	8	5	7	4	8	5	1	3	1	-	2
BLACK---MALE----	33	31	19	20	13	8	7	2	1	-	-	2
FEMALE--	11	7	5	5	2	7	5	1	3	1	-	2
ALABAMA -----	2	4	2	1	1	3	-	-	-	-	-	-
WHITE-----MALE----	-	1	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	1	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	2	2	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	2	2	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALASKA -----	1	-	-	1	1	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	3	-	2	1	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	-	-	-	1	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
CALIFORNIA -----	17	9	7	5	7	7	3	2	-	1	-	1
WHITE-----MALE----	5	6	5	2	3	3	1	-	-	-	-	1
FEMALE--	2	-	1	2	3	2	1	-	-	1	-	-
ALL OTHER--MALE----	8	3	-	-	1	-	1	1	-	-	-	-
FEMALE--	2	-	1	1	-	2	-	1	-	-	-	-
BLACK---MALE----	8	1	-	-	1	-	1	1	-	-	-	-
FEMALE--	2	-	1	-	-	2	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 3,134  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ASSAULT BY CUTTING AND PIERCING INSTRUMENT (E966)												
COLORADO -----	40	-	-	-	1	2	13	10	5	6	-	2
WHITE-----MALE----	22	-	-	-	1	1	7	7	1	3	-	1
FEMALE--	7	-	-	-	-	-	3	1	-	2	-	1
ALL OTHER--MALE----	9	-	-	-	-	1	3	1	3	1	-	-
FEMALE--	2	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	7	-	-	-	-	1	1	1	3	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
CONNECTICUT -----	19	-	-	-	-	-	2	4	2	4	1	-
WHITE-----MALE----	11	-	-	-	-	-	1	2	-	2	1	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	1	-	2	2	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	1	-	2	2	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
DELAWARE -----	8	-	-	-	-	1	3	1	1	-	1	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	1	2	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	1	1	1	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	1	1	1	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	27	-	1	-	1	2	1	4	3	6	2	3
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	24	-	1	-	1	2	1	2	3	5	2	3
FEMALE--	2	-	-	-	-	-	-	1	-	1	-	-
BLACK---MALE----	24	-	1	-	1	2	1	2	3	5	2	3
FEMALE--	2	-	-	-	-	-	-	1	-	1	-	-
FLORIDA -----	157	-	-	-	-	9	16	20	29	21	14	16
WHITE-----MALE----	52	-	-	-	-	2	5	6	12	5	6	7
FEMALE--	19	-	-	-	-	1	1	4	2	1	-	4
ALL OTHER--MALE----	63	-	-	-	-	4	9	7	10	10	4	5
FEMALE--	23	-	-	-	-	2	1	3	5	5	4	-
BLACK---MALE----	63	-	-	-	-	4	9	7	10	10	4	5
FEMALE--	23	-	-	-	-	2	1	3	5	5	4	-
GEORGIA -----	84	1	-	-	-	5	8	10	17	16	8	8
WHITE-----MALE----	22	-	-	-	-	1	5	3	2	3	2	3
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	46	1	-	-	-	2	3	4	10	10	4	5
FEMALE--	14	-	-	-	-	2	-	3	4	3	2	-
BLACK---MALE----	46	1	-	-	-	2	3	4	10	10	4	5
FEMALE--	14	-	-	-	-	2	-	3	4	3	2	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 3,135  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ASSAULT BY CUTTING AND PIERCING INSTRUMENT (E966)												
HAWAII -----	9	-	-	-	-	-	1	1	-	2	2	1
WHITE-----MALE----	4	-	-	-	-	-	-	1	-	-	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	1	-	-	2	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	6	-	1	-	1	-	-	-	-	2	-	1
WHITE-----MALE----	3	-	1	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	154	-	-	-	6	11	19	21	24	28	15	9
WHITE-----MALE----	38	-	-	-	1	4	5	6	6	3	3	3
FEMALE--	23	-	-	-	3	2	2	1	2	5	2	-
ALL OTHER--MALE----	57	-	-	-	1	4	8	10	12	8	8	3
FEMALE--	36	-	-	-	1	1	4	4	4	12	2	3
BLACK---MALE----	57	-	-	-	1	4	8	10	12	8	8	3
FEMALE--	36	-	-	-	1	1	4	4	4	12	2	3
INDIANA -----	48	-	-	-	-	5	7	8	7	6	2	3
WHITE-----MALE----	16	-	-	-	-	1	3	3	2	2	1	1
FEMALE--	6	-	-	-	-	1	1	2	-	-	-	-
ALL OTHER--MALE----	16	-	-	-	-	3	2	1	2	3	1	1
FEMALE--	10	-	-	-	-	-	1	2	3	1	-	1
BLACK---MALE----	16	-	-	-	-	3	2	1	2	3	1	1
FEMALE--	10	-	-	-	-	-	1	2	3	1	-	1
IOWA -----	9	1	-	-	-	2	-	-	2	2	-	1
WHITE-----MALE----	6	1	-	-	-	2	-	-	2	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	20	-	-	1	-	1	4	1	2	6	2	-
WHITE-----MALE----	6	-	-	-	-	1	1	-	-	2	2	-
FEMALE--	5	-	-	-	-	-	2	1	1	-	-	-
ALL OTHER--MALE----	8	-	-	1	-	-	1	-	1	3	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	7	-	-	-	-	-	1	-	1	3	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 3,136  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ASSAULT BY CUTTING AND PIERCING INSTRUMENT (E966)												
KENTUCKY -----	30	-	-	-	-	3	4	4	4	4	6	-
WHITE-----MALE----	15	-	-	-	-	-	3	2	1	1	4	-
FEMALE--	8	-	-	-	-	1	1	2	1	2	-	-
ALL OTHER--MALE----	5	-	-	-	-	1	-	-	1	1	2	-
FEMALE--	2	-	-	-	-	1	-	-	1	-	-	-
BLACK---MALE----	5	-	-	-	-	1	-	-	1	1	2	-
FEMALE--	2	-	-	-	-	1	-	-	1	-	-	-
LOUISIANA -----	78	-	-	-	1	2	10	10	13	9	11	9
WHITE-----MALE----	18	-	-	-	-	-	1	2	3	3	3	2
FEMALE--	4	-	-	-	-	1	-	-	-	1	1	-
ALL OTHER--MALE----	45	-	-	-	1	1	7	6	9	4	5	6
FEMALE--	11	-	-	-	-	-	2	2	1	1	2	1
BLACK---MALE----	45	-	-	-	1	1	7	6	9	4	5	6
FEMALE--	9	-	-	-	-	-	2	2	-	1	2	1
MAINE -----	4	-	-	-	-	-	-	1	1	1	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	83	-	-	1	2	7	7	19	16	16	4	2
WHITE-----MALE----	13	-	-	-	-	1	-	2	1	6	1	-
FEMALE--	11	-	-	-	-	3	2	1	1	1	1	1
ALL OTHER--MALE----	39	-	-	-	-	3	4	10	9	6	1	1
FEMALE--	20	-	-	1	2	-	1	6	5	3	1	-
BLACK---MALE----	39	-	-	-	-	3	4	10	9	6	1	1
FEMALE--	20	-	-	1	2	-	1	6	5	3	1	-
MASSACHUSETTS -----	51	-	-	-	-	6	10	5	8	7	5	3
WHITE-----MALE----	15	-	-	-	-	2	4	2	1	1	1	-
FEMALE--	17	-	-	-	-	1	2	1	4	1	3	2
ALL OTHER--MALE----	13	-	-	-	-	2	3	1	1	4	1	1
FEMALE--	6	-	-	-	-	1	1	1	2	1	-	-
BLACK---MALE----	13	-	-	-	-	2	3	1	1	4	1	1
FEMALE--	5	-	-	-	-	1	-	1	2	1	-	-
MICHIGAN -----	97	-	1	-	2	11	10	12	12	19	6	3
WHITE-----MALE----	19	-	-	-	-	4	1	2	3	3	3	-
FEMALE--	17	-	1	-	2	-	2	-	-	4	-	-
ALL OTHER--MALE----	44	-	-	-	-	6	6	6	7	8	1	1
FEMALE--	17	-	-	-	-	1	1	4	2	4	2	2
BLACK---MALE----	44	-	-	-	-	6	6	6	7	8	1	1
FEMALE--	17	-	-	-	-	1	1	4	2	4	2	2



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 3,137  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ASSAULT BY CUTTING AND PIERCING INSTRUMENT (E966)												
MINNESOTA -----	34	-	2	1	1	4	4	-	7	1	5	3
WHITE-----MALE----	11	-	1	-	1	1	-	-	2	1	2	-
FEMALE--	8	-	1	1	-	-	-	-	1	-	1	2
ALL OTHER--MALE----	14	-	-	-	-	3	4	-	4	-	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	9	-	-	-	-	3	3	-	1	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
MISSISSIPPI -----	57	-	-	-	1	3	7	8	9	6	10	3
WHITE-----MALE----	11	-	-	-	-	-	2	2	2	3	1	-
FEMALE--	7	-	-	-	-	-	-	1	1	1	2	1
ALL OTHER--MALE----	30	-	-	-	-	2	2	5	6	2	7	1
FEMALE--	9	-	-	-	1	1	3	-	-	-	-	1
BLACK---MALE----	29	-	-	-	-	1	2	5	6	2	7	1
FEMALE--	9	-	-	-	1	1	3	-	-	-	-	1
MISSOURI -----	51	-	-	-	3	2	7	8	11	8	1	4
WHITE-----MALE----	12	-	-	-	-	-	2	1	2	4	1	1
FEMALE--	9	-	-	-	1	-	1	1	1	1	-	1
ALL OTHER--MALE----	24	-	-	-	1	2	3	5	6	3	-	2
FEMALE--	6	-	-	-	1	-	1	1	2	-	-	-
BLACK---MALE----	23	-	-	-	1	2	3	4	6	3	-	2
FEMALE--	6	-	-	-	1	-	1	1	2	-	-	-
MONTANA -----	10	-	-	-	-	2	1	2	1	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	2	1	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	11	-	1	-	-	2	1	2	2	2	1	-
WHITE-----MALE----	5	-	-	-	-	1	1	2	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	3	-	1	-	-	-	-	-	2	-	-	-
FEMALE--	2	-	-	-	-	1	-	-	-	1	-	-
BLACK---MALE----	2	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
NEVADA -----	18	-	-	1	-	1	3	3	3	2	2	2
WHITE-----MALE----	10	-	-	-	-	1	2	1	3	-	1	1
FEMALE--	2	-	-	-	-	-	-	2	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	1	-	-	1	-	-	2	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	1	-	-	1	-	-	2	-	-









TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 3,139  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ASSAULT BY CUTTING AND PIERCING INSTRUMENT (E966)												
OHIO -----	66	-	1	-	1	6	12	9	8	9	4	3
WHITE-----MALE----	18	-	1	-	1	2	3	1	2	2	-	-
FEMALE--	14	-	-	-	-	-	1	2	2	2	-	-
ALL OTHER--MALE----	23	-	-	-	-	3	7	2	3	5	1	2
FEMALE--	11	-	-	-	-	1	1	4	1	-	1	1
BLACK---MALE----	23	-	-	-	-	3	7	2	3	5	1	2
FEMALE--	11	-	-	-	-	1	1	4	1	-	1	1
OKLAHOMA -----	37	-	-	-	-	2	5	4	6	6	2	-
WHITE-----MALE----	21	-	-	-	-	1	2	2	5	3	-	-
FEMALE--	3	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	9	-	-	-	-	1	1	1	1	3	1	-
FEMALE--	4	-	-	-	-	-	1	-	-	-	1	-
BLACK---MALE----	4	-	-	-	-	-	1	-	-	1	1	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
OREGON -----	20	-	-	-	1	3	3	3	5	3	1	-
WHITE-----MALE----	10	-	-	-	1	2	3	-	2	2	-	-
FEMALE--	4	-	-	-	-	-	-	1	1	-	1	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	2	2	1	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
PENNSYLVANIA -----	83	-	1	-	-	5	9	15	8	9	9	5
WHITE-----MALE----	18	-	-	-	-	2	3	3	1	2	2	1
FEMALE--	17	-	1	-	-	-	-	3	2	3	-	3
ALL OTHER--MALE----	34	-	-	-	-	2	4	6	2	2	6	1
FEMALE--	14	-	-	-	-	1	2	3	3	2	1	-
BLACK---MALE----	32	-	-	-	-	2	4	6	2	2	5	1
FEMALE--	13	-	-	-	-	1	1	3	3	2	1	-
RHODE ISLAND -----	5	-	-	-	-	2	1	-	1	-	1	-
WHITE-----MALE----	3	-	-	-	-	1	-	-	1	-	1	-
FEMALE--	2	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	58	-	-	-	-	4	10	4	8	8	7	7
WHITE-----MALE----	15	-	-	-	-	1	4	-	1	3	3	2
FEMALE--	3	-	-	-	-	-	1	-	-	1	-	1
ALL OTHER--MALE----	33	-	-	-	-	3	4	3	6	4	3	4
FEMALE--	7	-	-	-	-	-	1	1	1	-	1	-
BLACK---MALE----	33	-	-	-	-	3	4	3	6	4	3	4
FEMALE--	7	-	-	-	-	-	1	1	1	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 3,139  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ASSAULT BY CUTTING AND PIERCING INSTRUMENT (E966)												
OHIO -----	1	3	1	4	2	-	1	1	-	-	-	-
WHITE-----MALE----	-	2	1	1	1	-	-	1	-	-	-	-
FEMALE--	-	1	-	3	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
OKLAHOMA -----	2	1	1	4	1	1	-	-	-	-	-	2
WHITE-----MALE----	1	-	1	4	-	-	-	-	-	-	-	2
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	4	7	2	-	2	3	3	1	-	-	-	-
WHITE-----MALE----	-	2	1	-	-	1	-	-	-	-	-	-
FEMALE--	1	1	-	-	2	-	1	-	-	-	-	-
ALL OTHER--MALE----	2	4	1	-	-	2	1	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	2	4	-	-	-	2	1	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	3	1	1	1	1	2	-	-	1	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	1	-	-	-
BLACK---MALE----	2	1	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 3,140  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ASSAULT BY CUTTING AND PIERCING INSTRUMENT (E966)												
SOUTH DAKOTA -----	4	-	-	-	-	-	1	2	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	82	-	-	-	-	6	8	9	13	14	8	3
WHITE-----MALE----	22	-	-	-	-	1	1	1	4	4	4	-
FEMALE--	13	-	-	-	-	-	1	2	2	1	2	-
ALL OTHER--MALE----	37	-	-	-	-	4	5	6	4	7	2	2
FEMALE--	10	-	-	-	-	1	1	-	3	2	-	1
BLACK---MALE----	36	-	-	-	-	4	5	6	4	7	2	1
FEMALE--	10	-	-	-	-	1	1	-	3	2	-	1
TEXAS -----	224	-	3	-	-	30	30	40	38	27	16	12
WHITE-----MALE----	103	-	1	-	-	19	13	17	21	11	4	4
FEMALE--	42	-	2	-	-	4	4	8	4	7	2	3
ALL OTHER--MALE----	59	-	-	-	-	5	11	12	9	4	8	5
FEMALE--	20	-	-	-	-	2	2	3	4	5	2	-
BLACK---MALE----	56	-	-	-	-	5	11	12	8	3	8	4
FEMALE--	20	-	-	-	-	2	2	3	4	5	2	-
UTAH -----	5	-	-	-	-	1	1	-	1	1	-	1
WHITE-----MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	3	-	-	-	-	1	-	-	1	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	67	1	-	-	1	5	10	6	12	9	8	3
WHITE-----MALE----	20	-	-	-	1	1	3	3	4	3	-	2
FEMALE--	16	1	-	-	-	2	4	2	1	-	3	-
ALL OTHER--MALE----	26	-	-	-	-	2	3	1	4	5	5	1
FEMALE--	5	-	-	-	-	-	-	-	3	1	-	-
BLACK---MALE----	26	-	-	-	-	2	3	1	4	5	5	1
FEMALE--	5	-	-	-	-	-	-	-	3	1	-	-







TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 3,142  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ASSAULT BY ALL OTHER MEANS AND LATE EFFECTS OF INJURY PURPOSELY INFLICTED BY OTHER PERSON (E960-E964,E965.5-E965.9,E967-E969)												
0 UNITED STATES --	4,221	299	363	81	61	230	322	348	438	438	391	295
WHITE-----MALE----	1,445	106	106	26	19	59	111	108	121	136	151	116
FEMALE--	1,117	71	84	20	26	84	88	97	110	104	86	72
ALL OTHER--MALE----	961	64	95	19	7	52	68	68	101	121	95	85
FEMALE--	698	58	78	16	9	35	55	75	106	77	59	22
BLACK---MALE----	871	60	87	18	6	43	60	63	90	113	89	82
FEMALE--	643	55	73	15	8	32	51	68	100	72	55	19
ALABAMA -----	79	6	11	2	1	3	4	9	6	6	5	6
WHITE-----MALE----	22	1	3	-	-	-	1	2	1	1	2	2
FEMALE--	17	-	2	-	1	1	1	4	2	4	1	-
ALL OTHER--MALE----	21	3	2	1	-	-	-	2	-	-	2	4
FEMALE--	19	2	4	1	-	2	2	1	3	1	-	-
BLACK---MALE----	21	3	2	1	-	-	-	2	-	-	2	4
FEMALE--	19	2	4	1	-	2	2	1	3	1	-	-
ALASKA -----	7	1	1	-	-	-	-	1	2	1	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	87	6	9	-	3	7	6	11	13	4	7	4
WHITE-----MALE----	45	4	4	-	1	2	4	5	9	2	3	2
FEMALE--	20	-	-	-	1	1	2	3	3	1	3	-
ALL OTHER--MALE----	14	1	3	-	-	4	-	2	-	1	1	1
FEMALE--	8	1	2	-	1	-	-	1	1	-	-	1
BLACK---MALE----	4	-	2	-	-	1	-	-	-	1	-	-
FEMALE--	3	-	1	-	1	-	-	1	-	-	-	-
ARKANSAS -----	42	5	5	1	1	5	6	2	3	4	3	1
WHITE-----MALE----	13	2	4	1	-	1	1	1	-	1	1	-
FEMALE--	8	1	-	-	-	3	2	-	-	1	-	-
ALL OTHER--MALE----	11	2	1	-	-	1	1	-	2	1	1	1
FEMALE--	10	-	-	-	1	1	2	1	1	1	1	-
BLACK---MALE----	11	2	1	-	-	1	1	-	2	1	1	1
FEMALE--	9	-	-	-	1	1	2	1	1	1	1	-
CALIFORNIA -----	501	40	45	7	7	23	34	44	41	51	49	37
WHITE-----MALE----	220	20	15	2	4	12	15	24	19	18	25	18
FEMALE--	139	10	15	4	2	4	12	10	8	19	7	11
ALL OTHER--MALE----	90	5	10	1	1	4	3	4	9	7	12	7
FEMALE--	52	5	5	-	-	3	4	6	5	7	5	1
BLACK---MALE----	67	5	9	-	-	2	3	4	5	6	9	6
FEMALE--	36	4	4	-	-	2	4	3	4	6	3	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 3,142  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ASSAULT BY ALL OTHER MEANS AND LATE EFFECTS OF INJURY PURPOSELY INFLICTED BY OTHER PERSON (E960-E964,E965.5-E965.9,E967-E969)												
0 UNITED STATES --	194	156	120	114	103	101	74	45	21	9	1	17
WHITE-----MALE----	88	72	61	54	34	26	23	14	5	2	-	7
FEMALE--	44	31	24	28	37	36	37	17	8	5	-	8
ALL OTHER--MALE----	48	40	25	20	21	20	7	2	2	-	-	1
FEMALE--	14	13	10	12	11	19	7	12	6	2	1	1
BLACK---MALE----	40	33	20	18	21	19	5	2	1	-	-	1
FEMALE--	10	12	7	11	9	18	6	12	6	2	1	1
ALABAMA -----	2	6	2	2	4	4	-	-	-	-	-	-
WHITE-----MALE----	2	2	2	1	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	3	-	1	1	2	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	2	-	-	-	-	-	-
BLACK---MALE----	-	3	-	1	1	2	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	2	-	-	-	-	-	-
ALASKA -----	-	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	4	4	-	3	3	-	1	-	1	-	-	1
WHITE-----MALE----	1	3	-	3	2	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	-	1	-	1	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	1	1	1	1	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
CALIFORNIA -----	32	27	10	12	10	9	6	9	2	-	-	6
WHITE-----MALE----	10	13	8	7	2	3	-	2	1	-	-	2
FEMALE--	6	5	-	1	5	5	4	6	1	-	-	4
ALL OTHER--MALE----	14	6	1	2	1	1	2	-	-	-	-	-
FEMALE--	2	3	1	2	2	-	-	1	-	-	-	-
BLACK---MALE----	10	4	-	2	1	1	-	-	-	-	-	-
FEMALE--	1	2	-	1	1	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 3,143  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ASSAULT BY ALL OTHER MEANS AND LATE EFFECTS OF INJURY PURPOSELY INFLICTED BY OTHER PERSON (E960-E964,E965.5-E965.9,E967-E969)												
COLORADO -----	43	1	6	2	-	1	3	2	2	10	3	2
WHITE-----MALE----	20	1	2	1	-	-	-	2	1	4	3	1
FEMALE--	15	-	3	-	-	1	1	-	1	3	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	2	-	1
FEMALE--	5	-	1	1	-	-	2	-	-	1	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	2	-	1
FEMALE--	3	-	1	1	-	-	-	-	-	1	-	-
CONNECTICUT -----	26	2	4	1	-	4	5	2	1	2	3	-
WHITE-----MALE----	6	1	1	-	-	1	-	-	-	1	1	-
FEMALE--	11	1	2	-	-	1	3	2	-	-	1	-
ALL OTHER--MALE----	7	-	1	1	-	2	1	-	1	1	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	1	-
BLACK---MALE----	7	-	1	1	-	2	1	-	1	1	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	1	-
DELAWARE -----	14	2	1	1	-	1	1	-	-	3	2	-
WHITE-----MALE----	6	1	-	1	-	-	1	-	-	1	1	-
FEMALE--	3	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	5	1	1	-	-	-	-	-	-	2	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	1	1	-	-	-	-	-	-	2	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	36	-	1	-	-	1	4	4	7	6	3	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	15	-	-	-	-	1	3	1	3	1	1	1
FEMALE--	16	-	1	-	-	-	-	3	4	4	1	-
BLACK---MALE----	15	-	-	-	-	1	3	1	3	1	1	1
FEMALE--	16	-	1	-	-	-	-	3	4	4	1	-
FLORIDA -----	264	16	12	3	4	15	24	18	27	33	30	19
WHITE-----MALE----	108	6	1	1	-	4	9	10	7	16	11	9
FEMALE--	75	5	4	-	4	7	7	6	8	8	9	3
ALL OTHER--MALE----	51	2	3	2	-	4	5	-	9	8	4	6
FEMALE--	30	3	4	-	-	-	3	2	3	1	6	1
BLACK---MALE----	50	2	3	2	-	4	5	-	9	8	4	6
FEMALE--	30	3	4	-	-	-	3	2	3	1	6	1
GEORGIA -----	126	9	7	2	1	7	4	10	24	14	10	10
WHITE-----MALE----	28	2	1	1	-	1	1	1	3	5	2	3
FEMALE--	30	1	2	1	-	2	2	3	4	1	2	2
ALL OTHER--MALE----	36	1	4	-	-	2	-	3	8	4	2	4
FEMALE--	32	5	-	-	1	2	1	3	9	4	4	1
BLACK---MALE----	36	1	4	-	-	2	-	3	8	4	2	4
FEMALE--	31	5	-	-	1	2	1	3	9	3	4	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 3,143  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ASSAULT BY ALL OTHER MEANS AND LATE EFFECTS OF INJURY PURPOSELY INFLICTED BY OTHER PERSON (E960-E964,E965.5-E965.9,E967-E969)												
COLORADO -----	1	1	1	2	1	-	1	2	-	2	-	-
WHITE-----MALE----	1	1	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	2	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	-	-	1	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	1	-	1	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	1	1	-	2	2	-	1	1	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	2	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	2	-	1	-	-	-	-
BLACK---MALE----	-	1	-	-	2	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	2	-	1	-	-	-	-
FLORIDA -----	14	11	9	10	3	5	6	2	2	-	-	1
WHITE-----MALE----	10	5	5	5	2	-	4	1	1	-	-	1
FEMALE--	3	2	1	3	-	2	2	-	1	-	-	-
ALL OTHER--MALE----	1	4	2	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	2	-	3	-	1	-	-	-	-
BLACK---MALE----	1	3	2	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	2	-	3	-	1	-	-	-	-
GEORGIA -----	9	3	2	3	4	-	3	1	3	-	-	-
WHITE-----MALE----	3	-	1	2	1	-	-	1	-	-	-	-
FEMALE--	2	2	-	1	-	-	3	-	1	-	-	-
ALL OTHER--MALE----	4	1	1	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	-	-	-
BLACK---MALE----	4	1	1	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 3,144  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ASSAULT BY ALL OTHER MEANS AND LATE EFFECTS OF INJURY PURPOSELY INFLICTED BY OTHER PERSON (E960-E964,E965.5-E965.9,E967-E969)												
HAWAII -----	20	-	3	-	1	3	1	-	3	2	-	-
WHITE-----MALE----	9	-	1	-	1	-	1	-	3	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	9	-	2	-	-	3	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	14	1	2	1	-	-	1	-	-	-	2	2
WHITE-----MALE----	7	1	-	-	-	-	1	-	-	-	2	1
FEMALE--	7	-	2	1	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	274	22	30	7	7	14	26	18	38	26	24	15
WHITE-----MALE----	64	5	5	3	6	3	5	3	6	9	4	4
FEMALE--	51	6	6	2	1	4	2	1	11	5	4	3
ALL OTHER--MALE----	87	8	9	1	-	5	9	5	7	6	9	6
FEMALE--	72	3	10	1	-	2	10	9	14	6	7	2
BLACK---MALE----	86	8	9	1	-	5	9	5	7	6	9	5
FEMALE--	71	3	10	1	-	2	10	9	13	6	7	2
INDIANA -----	74	3	8	3	3	11	4	7	5	10	4	5
WHITE-----MALE----	19	3	3	1	2	3	1	1	-	2	-	2
FEMALE--	26	-	2	1	-	5	1	3	2	1	3	1
ALL OTHER--MALE----	16	-	2	1	-	-	1	-	3	6	-	2
FEMALE--	13	-	1	-	1	3	1	3	-	1	1	-
BLACK---MALE----	16	-	2	1	-	-	1	-	3	6	-	2
FEMALE--	13	-	1	-	1	3	1	3	-	1	1	-
IOWA -----	23	3	3	2	-	-	3	1	1	3	1	2
WHITE-----MALE----	8	1	1	1	-	-	2	-	-	1	1	1
FEMALE--	12	2	1	-	-	-	1	1	1	2	-	1
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	1	-	-	-	-	-	-	-	-
KANSAS -----	20	2	5	-	1	-	-	1	3	3	1	1
WHITE-----MALE----	10	2	4	-	-	-	-	-	-	1	-	1
FEMALE--	5	-	1	-	-	-	-	-	2	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	3	-	-	-	1	-	-	-	1	1	-	-
BLACK---MALE----	2	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	3	-	-	-	1	-	-	-	1	1	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 3,145  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ASSAULT BY ALL OTHER MEANS AND LATE EFFECTS OF INJURY PURPOSELY INFLICTED BY OTHER PERSON (E960-E964,E965.5-E965.9,E967-E969)												
KENTUCKY -----	52	6	3	1	2	4	2	1	4	2	7	4
WHITE-----MALE----	25	3	2	-	-	1	-	-	2	1	4	2
FEMALE--	20	1	-	1	1	3	2	1	2	1	3	1
ALL OTHER--MALE----	6	1	1	-	1	-	-	-	-	-	-	1
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	1	1	-	1	-	-	-	-	-	-	1
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	79	4	5	-	1	6	4	6	13	14	8	5
WHITE-----MALE----	15	1	-	-	-	-	1	1	2	4	2	1
FEMALE--	7	-	-	-	1	1	-	-	1	-	1	1
ALL OTHER--MALE----	33	2	3	-	-	3	2	2	5	4	5	3
FEMALE--	24	1	2	-	-	2	1	3	5	6	-	-
BLACK---MALE----	33	2	3	-	-	3	2	2	5	4	5	3
FEMALE--	24	1	2	-	-	2	1	3	5	6	-	-
MAINE -----	6	2	-	-	-	-	1	-	-	1	-	-
WHITE-----MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	3	1	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	91	2	3	1	2	5	10	8	8	14	8	13
WHITE-----MALE----	17	-	-	1	-	1	-	-	3	2	2	4
FEMALE--	19	-	2	-	-	2	2	2	1	3	1	1
ALL OTHER--MALE----	37	2	1	-	-	-	5	4	2	8	3	7
FEMALE--	18	-	-	-	2	2	3	2	2	1	2	1
BLACK---MALE----	35	2	1	-	-	-	4	4	2	8	3	7
FEMALE--	18	-	-	-	2	2	3	2	2	1	2	1
MASSACHUSETTS -----	51	3	3	-	1	3	7	4	7	5	2	4
WHITE-----MALE----	26	1	3	-	1	1	2	2	2	4	1	2
FEMALE--	14	2	-	-	-	1	3	2	2	1	-	-
ALL OTHER--MALE----	5	-	-	-	-	1	1	-	1	-	-	-
FEMALE--	6	-	-	-	-	-	1	-	2	-	1	2
BLACK---MALE----	5	-	-	-	-	1	1	-	1	-	-	-
FEMALE--	6	-	-	-	-	-	1	-	2	-	1	2
MICHIGAN -----	180	11	15	10	3	14	15	12	14	15	12	18
WHITE-----MALE----	35	2	1	1	-	3	4	1	2	2	4	2
FEMALE--	36	3	2	1	1	4	3	3	4	2	2	2
ALL OTHER--MALE----	71	2	8	5	2	6	6	3	6	8	3	12
FEMALE--	38	4	4	3	-	1	2	5	2	3	3	2
BLACK---MALE----	67	1	7	5	2	6	5	3	6	8	3	12
FEMALE--	34	3	3	3	-	1	2	5	2	3	3	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 3,145  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ASSAULT BY ALL OTHER MEANS AND LATE EFFECTS OF INJURY PURPOSELY INFLICTED BY OTHER PERSON (E960-E964,E965.5-E965.9,E967-E969)												
KENTUCKY -----	1	2	2	2	1	4	1	3	-	-	-	-
WHITE-----MALE----	1	2	1	-	1	2	1	2	-	-	-	-
FEMALE--	-	-	-	2	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	4	-	-	2	-	4	2	-	-	1	-	-
WHITE-----MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	1	-	1	1	-	-	-	-	-
FEMALE--	1	-	-	1	-	2	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	1	1	-	-	-	-	-
FEMALE--	1	-	-	1	-	2	-	-	-	-	-	-
MAINE -----	1	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3	2	1	2	1	3	3	-	1	-	-	1
WHITE-----MALE----	1	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	3	-	-	-	-	-
ALL OTHER--MALE----	1	2	-	1	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	1
BLACK---MALE----	1	2	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	1
MASSACHUSETTS -----	1	4	2	1	1	1	2	-	-	-	-	-
WHITE-----MALE----	-	3	-	1	1	-	2	-	-	-	-	-
FEMALE--	1	-	1	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	7	3	4	9	9	7	-	2	-	-	-	-
WHITE-----MALE----	3	-	3	4	-	3	-	4	-	-	-	-
FEMALE--	-	-	-	2	4	1	-	2	-	-	-	-
ALL OTHER--MALE----	3	1	-	2	2	2	-	-	-	-	-	-
FEMALE--	1	2	1	1	3	1	-	-	-	-	-	-
BLACK---MALE----	3	-	-	2	2	2	-	-	-	-	-	-
FEMALE--	-	2	-	1	3	1	-	-	-	-	-	-











TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 3,148  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ASSAULT BY ALL OTHER MEANS AND LATE EFFECTS OF INJURY PURPOSELY INFLICTED BY OTHER PERSON (E960-E964,E965.5-E965.9,E967-E969)												
OHIO -----	125	10	13	5	2	5	4	9	14	19	7	5
WHITE-----MALE----	38	2	3	2	-	1	2	3	5	5	3	-
FEMALE--	35	3	3	-	2	2	1	1	4	4	1	2
ALL OTHER--MALE----	29	3	4	1	-	1	-	4	2	5	2	2
FEMALE--	23	2	3	2	-	1	1	1	3	5	1	1
BLACK---MALE----	28	3	4	1	-	1	-	4	2	5	2	2
FEMALE--	23	2	3	2	-	1	1	1	3	5	1	1
OKLAHOMA -----	226	11	19	2	-	2	10	21	18	18	30	30
WHITE-----MALE----	89	5	6	2	-	1	1	4	5	3	12	15
FEMALE--	93	2	8	-	-	1	4	10	9	12	11	13
ALL OTHER--MALE----	25	3	4	-	-	-	3	4	1	1	3	1
FEMALE--	19	1	1	-	-	-	2	3	3	2	4	1
BLACK---MALE----	19	3	4	-	-	-	-	3	-	1	3	1
FEMALE--	17	1	1	-	-	-	2	3	3	1	4	-
OREGON -----	33	2	1	-	-	4	2	2	5	6	2	4
WHITE-----MALE----	15	-	1	-	-	-	2	1	2	4	2	1
FEMALE--	13	-	-	-	-	4	-	1	2	1	-	2
ALL OTHER--MALE----	4	1	-	-	-	-	-	-	1	1	-	1
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	1	-	-	-	-	-	-	-	1	-	1
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	170	17	12	6	1	7	13	14	13	13	16	13
WHITE-----MALE----	50	7	2	1	1	1	4	3	4	4	5	4
FEMALE--	43	2	2	2	-	3	2	6	4	3	3	4
ALL OTHER--MALE----	47	4	5	2	-	2	5	2	3	4	5	4
FEMALE--	30	4	3	1	-	1	2	3	2	2	3	1
BLACK---MALE----	46	4	5	2	-	2	4	2	3	4	5	4
FEMALE--	29	4	3	1	-	1	2	3	2	2	2	1
RHODE ISLAND -----	5	1	1	-	-	-	1	-	-	1	1	-
WHITE-----MALE----	3	1	1	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	77	1	4	1	-	2	4	6	13	14	9	2
WHITE-----MALE----	23	-	1	-	-	-	1	-	2	3	3	-
FEMALE--	12	-	-	-	-	2	2	3	-	1	2	-
ALL OTHER--MALE----	17	1	1	1	-	-	1	1	3	2	2	2
FEMALE--	25	-	2	-	-	-	-	2	8	8	2	-
BLACK---MALE----	17	1	1	1	-	-	1	1	3	2	2	2
FEMALE--	25	-	2	-	-	-	-	2	8	8	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 3,148  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ASSAULT BY ALL OTHER MEANS AND LATE EFFECTS OF INJURY PURPOSELY INFLICTED BY OTHER PERSON (E960-E964,E965.5-E965.9,E967-E969)												
OHIO -----	5	9	3	2	2	6	4	1	-	-	-	-
WHITE-----MALE----	2	5	1	1	-	2	1	-	-	-	-	-
FEMALE--	2	1	1	-	1	3	3	1	-	-	-	-
ALL OTHER--MALE----	1	2	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	2	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	-	-	-	-	-	-	-
OKLAHOMA -----	23	16	14	2	4	2	1	1	1	1	-	-
WHITE-----MALE----	15	5	6	1	3	2	-	1	1	1	-	-
FEMALE--	7	8	5	1	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	2	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
OREGON -----	1	1	-	-	1	1	1	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	5	4	9	7	2	7	6	2	2	-	1	-
WHITE-----MALE----	4	2	2	3	-	2	1	-	-	-	-	-
FEMALE--	-	-	2	1	1	3	3	1	1	-	-	-
ALL OTHER--MALE----	1	1	3	2	1	2	1	-	-	-	-	-
FEMALE--	-	1	2	1	-	-	1	1	1	-	1	-
BLACK---MALE----	1	1	3	2	1	2	1	-	-	-	-	-
FEMALE--	-	1	2	1	-	-	1	1	1	-	1	-
RHODE ISLAND -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	4	4	5	1	4	1	1	-	1	-	-	-
WHITE-----MALE----	2	4	3	1	2	-	1	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	2	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	1	-	-	-
BLACK---MALE----	-	-	1	-	2	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 3,149  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ASSAULT BY ALL OTHER MEANS AND LATE EFFECTS OF INJURY PURPOSELY INFLICTED BY OTHER PERSON (E960-E964,E965.5-E965.9,E967-E969)												
SOUTH DAKOTA -----	6	-	1	-	-	-	1	-	1	-	1	-
WHITE-----MALE----	4	-	-	-	-	-	1	-	1	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	97	8	7	-	3	5	5	8	8	15	12	5
WHITE-----MALE----	40	3	2	-	1	5	3	5	1	5	6	-
FEMALE--	22	1	1	-	1	-	1	2	3	2	3	4
ALL OTHER--MALE----	21	2	2	-	1	-	-	-	1	8	2	1
FEMALE--	14	2	2	-	-	-	1	1	3	-	1	-
BLACK---MALE----	21	2	2	-	1	-	-	-	1	8	2	1
FEMALE--	14	2	2	-	-	-	1	1	3	-	1	-
TEXAS -----	288	22	28	8	4	17	18	16	29	24	29	24
WHITE-----MALE----	123	6	14	3	-	5	7	9	7	10	12	13
FEMALE--	86	7	7	3	4	9	7	1	12	3	10	5
ALL OTHER--MALE----	44	5	1	1	-	1	2	4	6	9	3	3
FEMALE--	35	4	6	1	-	2	2	2	4	2	4	3
BLACK---MALE----	41	5	1	1	-	1	2	4	5	9	3	3
FEMALE--	35	4	6	1	-	2	2	2	4	2	4	3
UTAH -----	18	2	4	-	-	1	3	3	2	-	1	1
WHITE-----MALE----	7	-	1	-	-	-	1	2	1	-	1	-
FEMALE--	10	2	3	-	-	1	1	1	1	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	5	1	-	-	-	-	-	-	-	-	2	-
WHITE-----MALE----	3	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	80	3	7	1	1	5	7	6	6	7	8	7
WHITE-----MALE----	20	-	2	-	-	1	3	1	1	3	-	3
FEMALE--	18	1	-	-	1	2	-	1	2	-	2	1
ALL OTHER--MALE----	22	1	1	1	-	1	2	-	2	3	4	2
FEMALE--	20	1	4	-	-	1	2	4	1	1	2	1
BLACK---MALE----	22	1	1	1	-	1	2	-	2	3	4	2
FEMALE--	19	1	3	-	-	1	2	4	1	1	2	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 3,149  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ASSAULT BY ALL OTHER MEANS AND LATE EFFECTS OF INJURY PURPOSELY INFLICTED BY OTHER PERSON (E960-E964,E965.5-E965.9,E967-E969)												
SOUTH DAKOTA -----	1	-	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2	2	4	4	2	2	2	1	1	-	-	1
WHITE-----MALE----	1	1	3	2	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	1	-	-	1
ALL OTHER--MALE----	-	1	1	1	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	-	1	-	-	-	-
BLACK---MALE----	-	1	1	1	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	-	1	-	-	-	-
TEXAS -----	14	12	9	9	9	6	2	4	2	-	-	2
WHITE-----MALE----	5	8	8	4	4	2	2	2	1	-	-	1
FEMALE--	7	1	-	2	5	1	-	-	1	-	-	1
ALL OTHER--MALE----	2	3	1	1	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	1	-	2	-	-	-	-
BLACK---MALE----	2	2	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	1	-	2	-	-	-	-
UTAH -----	-	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2	4	3	2	4	4	3	-	-	-	-	-
WHITE-----MALE----	1	2	2	1	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	1	2	3	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	2	2	-	-	-	-	-	-
FEMALE--	1	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	2	2	-	-	-	-	-	-
FEMALE--	1	-	1	-	1	-	-	-	-	-	-	-



















































TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 3,161  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER LEGAL INTERVENTION AND LATE EFFECTS OF INJURY DUE TO LEGAL INTERVENTION (E970-E977)												
COLORADO -----	11	-	-	-	-	2	2	2	1	1	2	-
WHITE-----MALE----	10	-	-	-	-	1	2	2	1	1	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	3	-	-	-	-	1	-	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	1	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	1	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	12	-	-	-	-	-	2	2	3	1	3	1
WHITE-----MALE----	9	-	-	-	-	-	-	1	3	1	3	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	8	-	-	-	-	2	1	2	1	-	1	1
WHITE-----MALE----	2	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	4	-	-	-	-	1	-	1	1	-	1	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	1	-	1	1	-	1	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-



































TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 3,169  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
INJURY UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED (E980-E989)												
0 UNITED STATES --	3,301	57	45	11	35	154	209	278	502	621	510	317
WHITE-----MALE----	1,833	16	14	6	23	89	123	159	295	385	293	156
FEMALE--	642	18	12	2	3	13	24	54	98	90	92	63
ALL OTHER--MALE----	628	12	14	2	6	44	51	47	75	110	101	79
FEMALE--	198	11	5	1	3	8	11	18	34	36	24	19
BLACK---MALE----	560	10	13	2	6	32	41	39	71	106	93	71
FEMALE--	169	9	5	1	3	7	8	17	31	29	19	14
ALABAMA -----	51	2	3	1	2	4	6	5	4	5	6	5
WHITE-----MALE----	27	-	-	1	1	1	3	3	4	3	3	3
FEMALE--	8	-	1	-	-	-	-	1	-	2	1	1
ALL OTHER--MALE----	13	2	-	-	1	3	3	1	-	-	2	-
FEMALE--	3	-	2	-	-	-	-	-	-	-	-	1
BLACK---MALE----	13	2	-	-	1	3	3	1	-	-	2	-
FEMALE--	3	-	2	-	-	-	-	-	-	-	-	1
ALASKA -----	8	-	-	-	-	-	-	-	2	2	-	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	38	-	1	-	1	5	2	2	6	6	6	3
WHITE-----MALE----	21	-	1	-	1	1	2	1	4	3	4	2
FEMALE--	11	-	-	-	-	-	-	-	2	3	2	-
ALL OTHER--MALE----	5	-	-	-	-	3	-	1	-	-	-	1
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	61	4	3	1	-	7	6	5	9	5	10	6
WHITE-----MALE----	36	-	1	-	-	6	2	3	7	4	7	2
FEMALE--	12	2	-	-	-	-	1	1	1	-	3	3
ALL OTHER--MALE----	10	1	2	-	-	-	3	1	1	1	-	1
FEMALE--	3	1	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	10	1	2	-	-	-	3	1	1	1	-	1
FEMALE--	3	1	-	1	-	1	-	-	-	-	-	-
CALIFORNIA -----	169	4	4	1	2	13	23	14	16	19	17	14
WHITE-----MALE----	98	3	3	1	1	7	12	10	9	13	11	5
FEMALE--	33	-	-	-	-	2	4	4	1	2	3	5
ALL OTHER--MALE----	28	-	-	-	1	3	7	-	3	2	3	3
FEMALE--	10	1	1	-	-	1	-	-	3	2	-	1
BLACK---MALE----	20	-	-	-	1	1	6	-	3	1	2	2
FEMALE--	6	-	1	-	-	1	-	-	2	1	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 3,170  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
INJURY UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED (E980-E989)												
COLORADO -----	82	1	2	-	-	1	3	5	11	11	20	11
WHITE-----MALE----	51	-	-	-	-	-	1	5	7	7	14	8
FEMALE--	24	1	2	-	-	-	1	-	3	2	6	3
ALL OTHER--MALE----	5	-	-	-	-	1	-	-	1	1	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	1	-	-
BLACK---MALE----	4	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	1	-	-
CONNECTICUT -----	9	1	-	-	-	-	-	-	2	1	2	2
WHITE-----MALE----	6	-	-	-	-	-	-	-	2	1	1	2
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	1	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	7	-	-	-	-	-	1	-	1	3	-	1
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	1	-	1	3	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	1	-	1	3	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	73	-	2	1	1	3	5	8	6	8	9	9
WHITE-----MALE----	44	-	-	1	1	2	4	2	4	6	3	6
FEMALE--	14	-	-	-	-	1	-	3	1	-	5	1
ALL OTHER--MALE----	11	-	2	-	-	-	1	3	1	2	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	11	-	2	-	-	-	1	3	1	2	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
GEORGIA -----	66	1	1	-	-	2	6	9	4	8	10	7
WHITE-----MALE----	31	-	-	-	-	1	2	4	4	5	2	4
FEMALE--	13	1	1	-	-	-	1	1	-	-	3	1
ALL OTHER--MALE----	12	-	-	-	-	-	1	2	-	2	3	-
FEMALE--	10	-	-	-	-	1	2	2	-	1	2	2
BLACK---MALE----	12	-	-	-	-	-	1	2	-	2	3	-
FEMALE--	10	-	-	-	-	1	2	2	-	1	2	2









TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 3,172  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
INJURY UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED (E980-E989)												
KENTUCKY -----	24	-	-	-	-	-	-	1	6	4	3	1
WHITE-----MALE----	18	-	-	-	-	-	-	1	4	4	3	-
FEMALE--	6	-	-	-	-	-	-	-	2	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	71	-	1	-	-	4	4	8	11	12	10	10
WHITE-----MALE----	27	-	-	-	-	2	1	2	6	3	5	4
FEMALE--	14	-	-	-	-	-	-	3	2	5	-	2
ALL OTHER--MALE----	21	-	1	-	-	2	3	2	1	3	2	3
FEMALE--	9	-	-	-	-	-	-	1	2	1	3	1
BLACK---MALE----	20	-	1	-	-	1	3	2	1	3	2	3
FEMALE--	9	-	-	-	-	-	-	1	2	1	3	1
MAINE -----	1	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	473	2	2	1	2	5	19	49	81	132	85	47
WHITE-----MALE----	183	-	-	1	1	3	8	25	33	51	35	15
FEMALE--	40	1	2	-	-	1	4	2	5	7	5	2
ALL OTHER--MALE----	207	1	-	-	-	1	7	15	34	64	41	27
FEMALE--	43	-	-	-	1	-	-	7	9	10	4	3
BLACK---MALE----	205	1	-	-	-	1	5	15	34	64	41	27
FEMALE--	43	-	-	-	1	-	-	7	9	10	4	3
MASSACHUSETTS -----	361	1	2	-	-	9	18	37	70	83	65	48
WHITE-----MALE----	264	-	-	-	-	7	14	23	53	68	50	33
FEMALE--	63	1	-	-	-	1	2	9	13	13	10	6
ALL OTHER--MALE----	28	-	1	-	-	-	2	4	3	1	5	9
FEMALE--	6	-	1	-	-	1	-	1	1	1	-	-
BLACK---MALE----	27	-	1	-	-	-	2	4	2	1	5	9
FEMALE--	6	-	1	-	-	1	-	1	1	1	-	-
MICHIGAN -----	134	2	1	-	1	7	9	5	13	30	36	10
WHITE-----MALE----	58	1	1	-	-	2	3	4	5	19	18	1
FEMALE--	32	-	-	-	-	1	1	1	4	5	9	2
ALL OTHER--MALE----	31	1	-	-	1	3	4	-	3	3	6	5
FEMALE--	13	-	-	-	-	1	1	-	1	3	3	2
BLACK---MALE----	29	1	-	-	1	3	2	-	3	3	6	5
FEMALE--	13	-	-	-	-	1	1	-	1	3	3	2



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 3,173  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
INJURY UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED (E980-E989)												
MINNESOTA -----	41	-	1	1	2	1	5	3	2	8	3	2
WHITE-----MALE----	29	-	-	-	2	1	3	2	2	6	2	2
FEMALE--	6	-	-	-	-	-	1	1	-	-	1	-
ALL OTHER--MALE----	4	-	1	1	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	1	-	-
BLACK---MALE----	2	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	34	-	2	-	-	6	5	1	8	2	2	2
WHITE-----MALE----	17	-	-	-	-	4	2	-	5	1	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	12	-	1	-	-	2	2	-	3	1	1	1
FEMALE--	4	-	1	-	-	-	1	1	-	-	-	-
BLACK---MALE----	12	-	1	-	-	2	2	-	3	1	1	1
FEMALE--	4	-	1	-	-	-	1	1	-	-	-	-
MISSOURI -----	48	1	1	-	1	4	3	2	7	9	3	7
WHITE-----MALE----	31	1	-	-	-	2	1	1	7	5	2	5
FEMALE--	7	-	-	-	-	-	-	-	-	2	-	2
ALL OTHER--MALE----	9	-	1	-	-	2	2	1	-	2	1	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	9	-	1	-	-	2	2	1	-	2	1	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
MONTANA -----	12	-	-	-	-	1	-	1	-	2	1	3
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	2	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	24	1	-	-	-	2	-	1	3	3	2	1
WHITE-----MALE----	12	-	-	-	-	2	-	1	2	3	1	1
FEMALE--	10	1	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	80	-	-	-	-	1	3	4	23	18	15	3
WHITE-----MALE----	53	-	-	-	-	1	1	4	12	15	8	3
FEMALE--	16	-	-	-	-	-	1	-	7	1	4	-
ALL OTHER--MALE----	9	-	-	-	-	-	1	-	3	1	3	-
FEMALE--	2	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	9	-	-	-	-	-	1	-	3	1	3	-
FEMALE--	2	-	-	-	-	-	-	-	1	1	-	-









TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 3,175  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
INJURY UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED (E980-E989)												
OHIO -----	71	3	3	-	2	4	8	5	13	7	9	5
WHITE-----MALE----	44	-	2	-	2	2	6	2	10	4	4	3
FEMALE--	14	2	1	-	-	-	-	1	2	2	2	1
ALL OTHER--MALE----	11	1	-	-	-	2	2	2	1	-	2	1
FEMALE--	2	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	10	1	-	-	-	2	2	1	1	-	2	1
FEMALE--	2	-	-	-	-	-	-	-	-	1	1	-
OKLAHOMA -----	15	1	-	-	3	1	1	-	1	5	-	-
WHITE-----MALE----	9	-	-	-	3	1	1	-	-	3	-	-
FEMALE--	4	-	-	-	-	-	-	-	1	2	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
OREGON -----	38	1	1	-	-	3	2	1	6	4	6	4
WHITE-----MALE----	20	-	1	-	-	2	2	-	2	1	4	3
FEMALE--	14	1	-	-	-	-	-	1	3	2	1	1
ALL OTHER--MALE----	2	-	-	-	-	1	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	188	-	1	1	1	6	12	18	37	43	26	11
WHITE-----MALE----	121	-	-	-	-	6	10	12	27	31	18	3
FEMALE--	39	-	-	1	-	-	-	5	7	8	3	3
ALL OTHER--MALE----	21	-	1	-	1	-	2	-	3	2	4	5
FEMALE--	7	-	-	-	-	-	-	1	-	2	1	-
BLACK---MALE----	20	-	1	-	1	-	1	-	3	2	4	5
FEMALE--	7	-	-	-	-	-	-	1	-	2	1	-
RHODE ISLAND -----	57	-	-	-	-	1	4	6	8	15	13	2
WHITE-----MALE----	34	-	-	-	-	1	4	4	3	8	9	1
FEMALE--	16	-	-	-	-	-	-	1	4	7	1	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	1	-	-	2	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	1	1
BLACK---MALE----	4	-	-	-	-	-	-	1	-	-	2	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	1	1
SOUTH CAROLINA -----	18	1	1	-	1	1	1	2	4	1	3	-
WHITE-----MALE----	5	-	-	-	-	-	-	1	2	1	1	-
FEMALE--	8	-	1	-	1	1	-	1	1	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	1	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	1	-	-	-	-	1	-	1	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 3,176  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
INJURY UNDETERMINED WHETHER ACCIDENTALLY OR PURPOSELY INFLICTED (E980-E989)												
SOUTH DAKOTA -----	5	1	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	68	3	-	1	-	7	4	6	11	7	7	5
WHITE-----MALE----	37	2	-	1	-	3	4	3	5	3	3	2
FEMALE--	25	-	-	-	-	2	-	3	6	2	3	3
ALL OTHER--MALE----	5	-	-	-	-	2	-	-	-	2	1	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	1	-	-	-	2	1	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
TEXAS -----	171	3	2	-	4	14	12	13	18	29	21	16
WHITE-----MALE----	100	1	1	-	4	9	10	5	8	19	14	7
FEMALE--	41	2	1	-	-	-	1	6	5	5	3	7
ALL OTHER--MALE----	22	-	-	-	-	5	1	2	2	4	3	1
FEMALE--	8	-	-	-	-	-	-	-	3	1	1	1
BLACK---MALE----	21	-	-	-	-	5	1	2	1	4	3	1
FEMALE--	7	-	-	-	-	-	-	-	3	1	1	1
UTAH -----	75	-	1	-	1	3	7	5	16	20	9	7
WHITE-----MALE----	57	-	1	-	1	3	6	5	11	18	6	3
FEMALE--	13	-	-	-	-	-	-	-	5	1	1	4
ALL OTHER--MALE----	3	-	-	-	-	-	1	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	9	-	-	-	-	-	-	1	1	2	3	1
WHITE-----MALE----	8	-	-	-	-	-	-	1	1	1	3	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	33	3	-	1	-	2	2	3	2	6	3	4
WHITE-----MALE----	21	2	-	-	-	1	1	1	2	5	2	2
FEMALE--	6	-	-	-	-	1	1	1	-	1	1	-
ALL OTHER--MALE----	3	-	-	1	-	-	-	-	-	-	-	2
FEMALE--	3	1	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	3	-	-	1	-	-	-	-	-	-	-	2
FEMALE--	3	1	-	-	-	-	-	1	-	-	-	-













TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 3,179  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 FROM POISONING BY DRUGS, MEDICAMENTS, AND BIOLOGICALS (E980.0-E980.5)												
COLORADO -----	53	-	1	-	-	-	3	3	7	7	16	7
WHITE-----MALE----	32	-	-	-	-	-	1	3	5	5	11	4
FEMALE--	18	-	1	-	-	-	1	-	2	1	5	3
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
CONNECTICUT -----	7	1	-	-	-	-	-	-	1	1	2	2
WHITE-----MALE----	5	-	-	-	-	-	-	-	1	1	1	2
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	1	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	4	-	-	-	-	-	-	-	1	2	-	1
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	1	2	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	1	2	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	23	-	-	-	-	-	2	4	3	2	5	2
WHITE-----MALE----	14	-	-	-	-	-	2	1	2	1	3	2
FEMALE--	4	-	-	-	-	-	-	1	1	-	2	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	2	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	2	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	14	-	-	-	-	-	-	3	2	2	2	3
WHITE-----MALE----	8	-	-	-	-	-	-	2	2	2	-	2
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-







TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 3,181  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 FROM POISONING BY DRUGS, MEDICAMENTS, AND BIOLOGICALS (E980.0-E980.5)												
KENTUCKY -----	9	-	-	-	-	-	-	1	4	1	1	-
WHITE-----MALE----	7	-	-	-	-	-	-	1	2	1	1	-
FEMALE--	2	-	-	-	-	-	-	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	41	-	-	-	-	1	1	3	6	11	9	8
WHITE-----MALE----	13	-	-	-	-	-	-	1	2	3	4	3
FEMALE--	11	-	-	-	-	-	-	2	2	5	-	1
ALL OTHER--MALE----	11	-	-	-	-	1	1	-	1	2	2	3
FEMALE--	6	-	-	-	-	-	-	-	1	1	3	1
BLACK---MALE----	11	-	-	-	-	1	1	-	1	2	2	3
FEMALE--	6	-	-	-	-	-	-	-	1	1	3	1
MAINE -----	1	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	417	2	-	-	-	3	15	45	78	123	81	43
WHITE-----MALE----	163	-	-	-	-	2	8	23	31	47	33	14
FEMALE--	31	1	-	-	-	1	2	2	4	7	5	2
ALL OTHER--MALE----	186	1	-	-	-	-	5	13	34	59	39	25
FEMALE--	37	-	-	-	-	-	-	7	9	10	4	2
BLACK---MALE----	184	1	-	-	-	-	3	13	34	59	39	25
FEMALE--	37	-	-	-	-	-	-	7	9	10	4	2
MASSACHUSETTS -----	324	-	-	-	-	9	15	36	64	80	62	41
WHITE-----MALE----	243	-	-	-	-	7	12	23	50	65	48	29
FEMALE--	53	-	-	-	-	1	2	9	11	13	9	4
ALL OTHER--MALE----	23	-	-	-	-	-	1	3	2	1	5	8
FEMALE--	5	-	-	-	-	1	-	1	1	1	-	-
BLACK---MALE----	23	-	-	-	-	-	1	3	2	1	5	8
FEMALE--	5	-	-	-	-	1	-	1	1	1	-	-
MICHIGAN -----	85	-	1	-	-	1	4	4	9	22	27	6
WHITE-----MALE----	40	-	1	-	-	-	2	3	4	16	13	-
FEMALE--	25	-	-	-	-	1	-	1	3	3	8	2
ALL OTHER--MALE----	9	-	-	-	-	-	1	-	1	1	3	2
FEMALE--	11	-	-	-	-	-	1	-	1	2	3	2
BLACK---MALE----	8	-	-	-	-	-	-	-	1	1	3	2
FEMALE--	11	-	-	-	-	-	1	-	1	2	3	2



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 3,182  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 FROM POISONING BY DRUGS, MEDICAMENTS, AND BIOLOGICALS (E980.0-E980.5)												
MINNESOTA -----	10	-	-	-	-	1	-	1	-	4	2	-
WHITE-----MALE----	7	-	-	-	-	1	-	-	-	3	1	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	4	-	-	-	-	-	-	-	2	-	1	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSOURI -----	20	-	-	-	-	1	-	1	4	7	2	2
WHITE-----MALE----	15	-	-	-	-	1	-	1	4	5	1	1
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA -----	3	-	-	-	-	-	-	1	-	1	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	7	-	-	-	-	-	-	-	2	2	1	1
WHITE-----MALE----	4	-	-	-	-	-	-	-	1	2	-	1
FEMALE--	3	-	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	62	-	-	-	-	-	3	3	17	17	12	3
WHITE-----MALE----	45	-	-	-	-	-	1	3	11	14	8	3
FEMALE--	10	-	-	-	-	-	1	-	4	1	2	-
ALL OTHER--MALE----	5	-	-	-	-	-	1	-	1	1	2	-
FEMALE--	2	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	5	-	-	-	-	-	1	-	1	1	2	-
FEMALE--	2	-	-	-	-	-	-	-	1	1	-	-









TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 3,184  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 FROM POISONING BY DRUGS, MEDICAMENTS, AND BIOLOGICALS (E980.0-E980.5)												
OHIO -----	17	-	1	-	-	-	1	1	6	2	2	2
WHITE-----MALE----	8	-	-	-	-	-	1	-	5	-	1	-
FEMALE--	7	-	1	-	-	-	-	-	1	2	1	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	7	-	-	-	-	-	-	-	1	4	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	2	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	23	-	-	-	-	1	-	1	5	3	5	3
WHITE-----MALE----	9	-	-	-	-	1	-	-	1	1	3	2
FEMALE--	11	-	-	-	-	-	-	1	3	1	1	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	136	-	-	-	-	3	7	18	32	35	20	7
WHITE-----MALE----	94	-	-	-	-	3	7	12	25	26	13	2
FEMALE--	31	-	-	-	-	-	-	5	7	7	3	3
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	2	3	2
FEMALE--	3	-	-	-	-	-	-	1	-	-	1	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	2	3	2
FEMALE--	3	-	-	-	-	-	-	1	-	-	1	-
RHODE ISLAND -----	47	-	-	-	-	-	3	6	7	13	10	2
WHITE-----MALE----	27	-	-	-	-	-	3	4	2	7	7	1
FEMALE--	13	-	-	-	-	-	-	1	4	6	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	1	-	-	2	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	1	1
BLACK---MALE----	4	-	-	-	-	-	-	1	-	-	2	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	1	1
SOUTH CAROLINA -----	6	1	-	-	-	-	1	1	1	-	1	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	3	-	-	-	-	-	-	1	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	1	-	-	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 3,185  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 FROM POISONING BY DRUGS, MEDICAMENTS, AND BIOLOGICALS (E980.0-E980.5)												
SOUTH DAKOTA -----	2	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	28	-	-	-	-	2	-	4	5	3	6	1
WHITE-----MALE----	13	-	-	-	-	1	-	1	2	2	2	-
FEMALE--	14	-	-	-	-	1	-	3	3	1	3	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	70	-	-	-	1	-	3	6	8	15	14	9
WHITE-----MALE----	40	-	-	-	1	-	2	4	2	12	9	4
FEMALE--	24	-	-	-	-	-	1	2	5	2	3	4
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	1	1	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	3	-	-	-	-	-	-	-	1	1	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	1
UTAH -----	62	-	-	-	-	1	7	5	15	19	8	3
WHITE-----MALE----	48	-	-	-	-	1	6	5	10	17	6	1
FEMALE--	11	-	-	-	-	-	-	-	5	1	1	2
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	8	-	-	-	-	-	-	1	1	2	3	1
WHITE-----MALE----	7	-	-	-	-	-	-	1	1	1	3	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	8	-	-	-	-	-	-	2	1	3	-	1
WHITE-----MALE----	6	-	-	-	-	-	-	-	1	3	-	1
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-

















































TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 3,196  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 FROM INJURY BY HANDGUN (E985.0)												
0 UNITED STATES --	85	-	1	-	4	29	17	10	8	2	3	2
WHITE-----MALE----	48	-	-	-	2	13	12	5	6	2	1	1
FEMALE--	13	-	-	-	-	3	-	3	2	-	2	1
ALL OTHER--MALE----	21	-	1	-	2	12	3	2	-	-	-	-
FEMALE--	3	-	-	-	-	1	2	-	-	-	-	-
BLACK---MALE----	15	-	1	-	2	7	3	1	-	-	-	-
FEMALE--	3	-	-	-	-	1	2	-	-	-	-	-
ALABAMA -----	5	-	-	-	1	1	2	-	1	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	4	-	-	-	-	1	1	2	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	-	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	16	-	-	-	1	6	5	3	1	-	-	-
WHITE-----MALE----	8	-	-	-	1	2	4	1	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	2	1	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	3	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-











































TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 3,206  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 FROM INJURY BY ALL OTHER AND UNSPECIFIED FIREARMS (E985.1-E985.4)												
COLORADO -----	4	-	-	-	-	1	-	1	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	12	-	-	1	1	2	-	2	1	-	2	2
WHITE-----MALE----	7	-	-	1	1	2	-	-	1	-	-	1
FEMALE--	5	-	-	-	-	-	-	2	-	-	2	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	18	-	-	-	-	-	4	6	1	3	1	-
WHITE-----MALE----	10	-	-	-	-	-	2	2	1	2	-	-
FEMALE--	2	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	4	-	-	-	-	-	1	1	-	1	1	-
BLACK---MALE----	2	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	4	-	-	-	-	-	1	1	-	1	1	-









TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 3,208  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 FROM INJURY BY ALL OTHER AND UNSPECIFIED FIREARMS (E985.1-E985.4)												
KENTUCKY -----	2	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	13	-	-	-	-	2	1	2	3	-	1	-
WHITE-----MALE----	7	-	-	-	-	1	-	-	3	-	1	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	11	-	-	-	2	2	4	1	-	-	1	-
WHITE-----MALE----	2	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	1	2	1	-	-	1	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	1	2	1	-	-	1	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
MASSACHUSETTS -----	1	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	14	-	-	-	1	6	3	-	1	1	1	-
WHITE-----MALE----	4	-	-	-	-	2	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	7	-	-	-	1	3	2	-	-	-	1	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	1	3	2	-	-	-	1	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-

























TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 3,214  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 FROM INJURY BY ALL OTHER MEANS AND LATE EFFECTS OF INJURY, UNDETER WHETHER ACCIDENTALLY OR PURPOSELY INFL (E981-E984,E985.5-E989)												
0 UNITED STATES --	976	49	35	7	16	32	53	50	114	122	103	102
WHITE-----MALE----	494	14	13	3	12	22	27	27	56	66	60	46
FEMALE--	180	15	8	2	2	2	5	6	18	16	15	16
ALL OTHER--MALE----	228	11	11	2	2	6	17	13	27	30	22	31
FEMALE--	74	9	3	-	-	2	4	4	13	10	6	9
BLACK---MALE----	187	9	10	2	2	3	13	9	23	28	17	24
FEMALE--	62	8	3	-	-	2	2	4	12	7	5	5
ALABAMA -----	17	2	1	1	-	-	1	1	1	2	3	2
WHITE-----MALE----	8	-	-	1	-	-	-	-	1	1	1	2
FEMALE--	4	-	1	-	-	-	-	1	-	1	1	-
ALL OTHER--MALE----	5	2	-	-	-	-	1	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	2	-	-	-	-	1	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	4	-	-	-	-	-	-	-	1	1	-	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	16	-	1	-	-	3	1	-	3	1	1	3
WHITE-----MALE----	10	-	1	-	-	-	1	-	2	1	1	2
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	3	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	18	4	2	-	-	2	2	-	2	1	3	1
WHITE-----MALE----	9	-	1	-	-	2	1	-	1	1	1	1
FEMALE--	4	2	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	4	1	1	-	-	-	1	-	1	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	1	1	-	-	-	1	-	1	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	94	1	4	1	1	2	8	4	11	13	10	7
WHITE-----MALE----	60	1	3	1	-	2	5	4	6	9	8	2
FEMALE--	8	-	-	-	-	-	1	-	-	-	-	1
ALL OTHER--MALE----	18	-	-	-	1	-	2	-	2	2	2	3
FEMALE--	8	-	1	-	-	-	-	-	3	2	-	1
BLACK---MALE----	13	-	-	-	1	-	2	-	2	1	1	2
FEMALE--	5	-	1	-	-	-	-	-	2	1	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 3,215  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 FROM INJURY BY ALL OTHER MEANS AND LATE EFFECTS OF INJURY, UNDETER WHETHER ACCIDENTALLY OR PURPOSELY INFL (E981-E984,E985.5-E989)												
COLORADO -----	20	1	1	-	-	-	-	1	4	2	3	3
WHITE-----MALE----	13	-	-	-	-	-	-	1	2	-	3	3
FEMALE--	4	1	1	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
CONNECTICUT -----	1	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	3	-	-	-	-	-	1	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	35	-	2	-	-	1	3	2	2	6	2	4
WHITE-----MALE----	21	-	-	-	-	-	2	1	1	5	-	2
FEMALE--	4	-	-	-	-	1	-	-	-	-	1	-
ALL OTHER--MALE----	7	-	2	-	-	-	1	1	1	1	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	7	-	2	-	-	-	1	1	1	1	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
GEORGIA -----	31	1	1	-	-	2	2	-	-	3	6	4
WHITE-----MALE----	10	-	-	-	-	1	-	-	-	1	1	2
FEMALE--	8	1	1	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	8	-	-	-	-	-	1	-	-	2	2	-
FEMALE--	5	-	-	-	-	1	1	-	-	-	1	2
BLACK---MALE----	8	-	-	-	-	-	1	-	-	2	2	-
FEMALE--	5	-	-	-	-	1	1	-	-	-	1	2







TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 3,217  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 FROM INJURY BY ALL OTHER MEANS AND LATE EFFECTS OF INJURY, UNDETER WHETHER ACCIDENTALLY OR PURPOSELY INFL (E981-E984,E985.5-E989)												
KENTUCKY -----	12	-	-	-	-	-	-	-	1	3	1	1
WHITE-----MALE----	8	-	-	-	-	-	-	-	1	3	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	15	-	1	-	-	-	2	3	1	1	-	2
WHITE-----MALE----	5	-	-	-	-	-	1	1	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	6	-	1	-	-	-	1	1	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	6	-	1	-	-	-	1	1	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	1	1	-	-	-
MAINE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	38	-	2	1	-	-	-	3	3	6	2	3
WHITE-----MALE----	14	-	-	1	-	-	-	2	2	2	1	1
FEMALE--	6	-	2	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	14	-	-	-	-	-	-	1	-	4	1	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	14	-	-	-	-	-	-	1	-	4	1	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
MASSACHUSETTS -----	32	1	2	-	-	-	2	1	6	2	3	5
WHITE-----MALE----	19	-	-	-	-	-	2	-	3	2	2	3
FEMALE--	8	1	-	-	-	-	-	-	2	-	1	1
ALL OTHER--MALE----	4	-	1	-	-	-	-	1	1	-	-	1
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	1	-	-	-	-	1	-	-	-	1
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
MICHIGAN -----	33	2	-	-	-	-	2	1	3	7	7	4
WHITE-----MALE----	12	1	-	-	-	-	1	1	1	2	4	1
FEMALE--	5	-	-	-	-	-	-	-	-	2	1	-
ALL OTHER--MALE----	15	1	-	-	-	-	1	-	2	2	2	3
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	14	1	-	-	-	-	-	-	2	2	2	3
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-













TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 3,220  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 FROM INJURY BY ALL OTHER MEANS AND LATE EFFECTS OF INJURY, UNDETER WHETHER ACCIDENTALLY OR PURPOSELY INFL (E981-E984,E985.5-E989)												
OHIO -----	37	3	2	-	2	1	4	2	5	3	3	3
WHITE-----MALE----	24	-	2	-	2	1	2	-	3	2	2	3
FEMALE--	6	2	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	5	1	-	-	-	-	2	1	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	4	1	-	-	-	-	2	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	1	-
OKLAHOMA -----	4	1	-	-	2	-	-	-	-	1	-	-
WHITE-----MALE----	3	-	-	-	2	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
OREGON -----	10	1	1	-	-	1	-	-	1	1	1	-
WHITE-----MALE----	6	-	1	-	-	-	-	-	1	-	1	-
FEMALE--	3	1	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	37	-	-	1	1	2	2	-	3	5	5	3
WHITE-----MALE----	19	-	-	-	-	2	1	-	1	3	4	1
FEMALE--	7	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	1	-	1	-	2	-	1	2
FEMALE--	3	-	-	-	-	-	-	-	-	2	-	-
BLACK---MALE----	8	-	-	-	1	-	1	-	2	-	1	2
FEMALE--	3	-	-	-	-	-	-	-	-	2	-	-
RHODE ISLAND -----	5	-	-	-	-	1	-	-	1	2	-	-
WHITE-----MALE----	4	-	-	-	-	1	-	-	1	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	7	-	1	-	-	-	-	-	3	1	1	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	3	-	1	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-



















































