

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 358

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER VENEREAL DISEASES (099)												
OHIO -----	-	-	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 361
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OTHER INFECTIOUS AND PARASITIC DISEASES AND LATE EFFECTS OF INFECTIOUS AND PARASITIC DISEASES (100-139)												
0 UNITED STATES --	4,377	121	29	23	26	31	50	99	226	324	303	287
WHITE-----MALE----	1,801	48	10	9	10	8	17	42	101	146	107	110
FEMALE--	1,394	26	11	9	10	13	14	20	33	44	56	50
ALL OTHER--MALE----	594	29	3	-	3	6	13	21	57	72	80	62
FEMALE--	588	18	5	5	3	4	6	16	35	62	60	65
BLACK---MALE----	534	26	3	-	3	5	13	21	52	62	76	60
FEMALE--	532	16	4	3	3	4	5	15	33	57	54	61
ALABAMA -----	69	3	-	-	-	-	-	-	6	4	1	9
WHITE-----MALE----	24	-	-	-	-	-	-	-	1	2	-	2
FEMALE--	17	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	11	2	-	-	-	-	-	-	2	-	-	3
FEMALE--	17	1	-	-	-	-	-	-	3	1	1	3
BLACK---MALE----	11	2	-	-	-	-	-	-	2	-	-	3
FEMALE--	17	1	-	-	-	-	-	-	3	1	1	3
ALASKA -----	1	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ARIZONA -----	83	-	1	1	-	-	1	4	4	3	7	2
WHITE-----MALE----	36	-	-	-	-	-	-	1	2	2	3	1
FEMALE--	29	-	-	-	-	-	-	1	-	-	3	1
ALL OTHER--MALE----	7	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	11	-	1	1	-	-	1	1	2	-	1	-
BLACK---MALE----	3	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	5	-	-	-	-	-	1	-	2	-	-	-
ARKANSAS -----	33	1	-	-	-	1	1	-	2	2	-	2
WHITE-----MALE----	17	1	-	-	-	-	-	-	-	2	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	6	-	-	-	-	1	-	-	1	-	-	2
BLACK---MALE----	3	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	6	-	-	-	-	1	-	-	1	-	-	2
CALIFORNIA -----	597	13	4	2	4	3	14	21	36	45	52	46
WHITE-----MALE----	282	9	1	-	-	1	7	16	24	26	29	26
FEMALE--	190	3	3	1	3	1	5	5	4	5	6	10
ALL OTHER--MALE----	66	1	-	-	-	1	1	-	5	11	9	5
FEMALE--	59	-	-	1	1	-	1	-	3	3	8	5
BLACK---MALE----	42	1	-	-	-	-	1	-	3	7	6	5
FEMALE--	39	-	-	-	1	-	1	-	2	2	6	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 361
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OTHER INFECTIOUS AND PARASITIC DISEASES AND LATE EFFECTS OF INFECTIOUS AND PARASITIC DISEASES (100-139)												
0 UNITED STATES --	325	286	302	402	463	463	309	195	81	24	8	-
WHITE-----MALE----	110	107	114	185	212	211	138	82	27	6	1	-
FEMALE--	87	87	105	152	187	200	128	97	42	17	6	-
ALL OTHER--MALE----	56	37	30	33	26	31	20	7	7	-	1	-
FEMALE--	72	55	53	32	38	21	23	9	5	1	-	-
BLACK---MALE----	50	32	26	29	22	25	15	6	7	-	1	-
FEMALE--	65	50	47	28	35	20	20	7	4	1	-	-
ALABAMA -----	4	3	10	2	9	5	8	4	1	-	-	-
WHITE-----MALE----	1	1	4	1	4	4	3	1	-	-	-	-
FEMALE--	-	-	4	1	1	1	4	3	1	-	-	-
ALL OTHER--MALE----	1	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	2	1	1	-	3	-	1	-	-	-	-	-
BLACK---MALE----	1	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	2	1	1	-	3	-	1	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	3	5	10	10	7	6	15	3	1	-	-	-
WHITE-----MALE----	1	3	4	1	3	2	12	1	-	-	-	-
FEMALE--	2	-	4	5	4	4	2	2	1	-	-	-
ALL OTHER--MALE----	-	-	1	3	-	-	1	-	-	-	-	-
FEMALE--	-	2	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
ARKANSAS -----	2	2	1	5	3	5	3	1	2	-	-	-
WHITE-----MALE----	2	2	-	3	1	4	1	1	-	-	-	-
FEMALE--	-	-	1	1	1	1	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
CALIFORNIA -----	49	45	35	50	55	52	36	28	5	2	-	-
WHITE-----MALE----	20	20	18	20	25	18	11	10	1	-	-	-
FEMALE--	9	16	9	24	22	24	19	15	4	2	-	-
ALL OTHER--MALE----	7	3	1	4	4	8	4	2	-	-	-	-
FEMALE--	13	6	7	2	4	2	2	1	-	-	-	-
BLACK---MALE----	4	3	-	3	1	5	2	1	-	-	-	-
FEMALE--	9	5	4	2	2	1	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 362
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OTHER INFECTIOUS AND PARASITIC DISEASES AND LATE EFFECTS OF INFECTIOUS AND PARASITIC DISEASES (100-139)												
COLORADO -----	42	1	-	-	-	-	-	1	1	6	2	-
WHITE-----MALE----	23	1	-	-	-	-	-	-	1	4	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	1	-	1	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	1	-	1	1	-
CONNECTICUT -----	55	1	-	-	-	-	-	2	4	5	2	2
WHITE-----MALE----	26	-	-	-	-	-	-	2	1	2	-	1
FEMALE--	17	1	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	3	2	1	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	10	-	-	-	-	-	-	-	3	2	1	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	16	-	-	-	-	-	-	-	2	3	1	2
WHITE-----MALE----	6	-	-	-	-	-	-	-	2	1	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	2	-	-	-	-	-	-	-	-	2	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	2	-	-	-	-	-	-	-	-	2	-	-
DISTRICT OF COLUMBIA ----	33	1	-	-	-	-	1	1	3	2	3	2
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	10	-	-	-	-	-	1	-	2	-	2	1
FEMALE--	16	1	-	-	-	-	-	1	1	-	1	1
BLACK---MALE----	10	-	-	-	-	-	1	-	2	-	2	1
FEMALE--	16	1	-	-	-	-	-	1	1	-	1	1
FLORIDA -----	259	6	3	2	2	3	-	3	20	26	20	13
WHITE-----MALE----	116	2	1	2	2	-	-	1	11	12	8	3
FEMALE--	79	1	1	-	-	1	-	-	1	2	4	4
ALL OTHER--MALE----	28	2	1	-	-	1	-	1	4	4	3	2
FEMALE--	36	1	-	-	-	1	-	1	4	8	5	4
BLACK---MALE----	27	2	1	-	-	1	-	1	4	3	3	2
FEMALE--	34	1	-	-	-	1	-	1	4	6	5	4
GEORGIA -----	120	4	-	2	-	1	4	2	9	15	9	17
WHITE-----MALE----	42	-	-	1	-	-	1	-	2	6	2	7
FEMALE--	26	2	-	-	-	-	1	-	1	-	1	2
ALL OTHER--MALE----	26	2	-	-	-	-	1	1	4	4	5	5
FEMALE--	26	-	-	1	-	1	1	1	2	5	1	3
BLACK---MALE----	26	2	-	-	-	-	1	1	4	4	5	5
FEMALE--	26	-	-	1	-	1	1	1	2	5	1	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 362

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 OTHER INFECTIOUS AND PARASITIC DISEASES AND LATE EFFECTS OF INFECTIOUS AND PARASITIC DISEASES (100-139)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	5	5	2	5	3	3	5	2	1	-	-	-
WHITE-----MALE----	1	2	1	3	2	3	4	1	-	-	-	-
FEMALE--	3	1	1	2	1	-	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	2	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	3	-	1	7	6	13	4	3	2	-	-	-
WHITE-----MALE----	-	-	1	4	3	8	2	-	2	-	-	-
FEMALE--	2	-	-	1	2	4	2	3	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
DELAWARE -----	2	-	1	2	-	1	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	1	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	2	1	-	3	3	5	3	1	2	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	-	1	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	1	1	-	-	-	-	-
FEMALE--	1	-	-	2	2	3	2	-	1	-	-	-
BLACK---MALE----	1	1	-	-	-	1	1	-	-	-	-	-
FEMALE--	1	-	-	2	2	3	2	-	1	-	-	-
FLORIDA -----	12	18	17	27	27	27	17	13	3	-	-	-
WHITE-----MALE----	4	5	6	14	13	12	12	6	2	-	-	-
FEMALE--	3	7	8	11	11	14	5	6	-	-	-	-
ALL OTHER--MALE----	1	3	1	1	2	-	-	1	1	-	-	-
FEMALE--	4	3	2	1	1	1	-	-	-	-	-	-
BLACK---MALE----	1	3	1	1	2	-	-	1	1	-	-	-
FEMALE--	4	3	2	1	1	1	-	-	-	-	-	-
GEORGIA -----	8	10	9	4	4	11	4	4	2	1	-	-
WHITE-----MALE----	2	4	4	2	1	6	2	1	-	1	-	-
FEMALE--	3	2	3	2	1	3	1	3	1	-	-	-
ALL OTHER--MALE----	2	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	1	4	1	-	2	1	1	-	1	-	-	-
BLACK---MALE----	2	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	1	4	1	-	2	1	1	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 364
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OTHER INFECTIOUS AND PARASITIC DISEASES AND LATE EFFECTS OF INFECTIOUS AND PARASITIC DISEASES (100-139)												
KENTUCKY -----	69	2	-	1	1	2	2	1	1	2	6	3
WHITE-----MALE----	38	1	-	-	-	2	1	1	1	1	4	1
FEMALE--	22	-	-	1	1	-	-	-	-	1	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	6	1	-	-	-	-	1	-	-	-	1	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	5	1	-	-	-	-	-	-	-	-	1	-
LOUISIANA -----	80	3	-	-	-	-	2	2	1	6	6	7
WHITE-----MALE----	15	-	-	-	-	-	-	-	-	3	-	1
FEMALE--	19	1	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	22	1	-	-	-	-	1	1	1	1	4	1
FEMALE--	24	1	-	-	-	-	1	1	-	1	2	4
BLACK---MALE----	22	1	-	-	-	-	1	1	1	1	4	1
FEMALE--	24	1	-	-	-	-	1	1	-	1	2	4
MAINE -----	16	-	2	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	2	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	119	2	-	-	1	-	1	3	7	12	13	9
WHITE-----MALE----	28	-	-	-	-	-	-	-	4	2	3	3
FEMALE--	30	-	-	-	1	-	-	-	1	2	1	-
ALL OTHER--MALE----	33	2	-	-	-	-	1	2	2	3	5	4
FEMALE--	28	-	-	-	-	-	-	1	-	5	4	2
BLACK---MALE----	32	2	-	-	-	-	1	2	2	2	5	4
FEMALE--	28	-	-	-	-	-	-	1	-	5	4	2
MASSACHUSETTS -----	84	2	-	-	1	1	3	1	3	7	2	3
WHITE-----MALE----	32	1	-	-	-	1	1	-	1	5	1	1
FEMALE--	42	-	-	-	1	-	2	-	-	-	1	2
ALL OTHER--MALE----	5	1	-	-	-	-	-	-	-	2	-	-
FEMALE--	5	-	-	-	-	-	-	1	2	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	4	-	-	-	-	-	-	1	2	-	-	-
MICHIGAN -----	120	5	-	-	1	1	4	1	2	7	7	11
WHITE-----MALE----	40	4	-	-	-	-	1	-	1	2	1	3
FEMALE--	41	1	-	-	1	1	2	-	1	-	1	1
ALL OTHER--MALE----	16	-	-	-	-	-	1	1	-	3	3	1
FEMALE--	23	-	-	-	-	-	-	-	-	2	2	6
BLACK---MALE----	16	-	-	-	-	-	1	1	-	3	3	1
FEMALE--	23	-	-	-	-	-	-	-	-	2	2	6

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 364

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 OTHER INFECTIOUS AND PARASITIC DISEASES AND LATE EFFECTS OF INFECTIOUS AND PARASITIC DISEASES (100-139)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	7	4	3	6	11	10	4	2	-	1	-	-
WHITE-----MALE----	4	3	-	4	6	4	3	2	-	-	-	-
FEMALE--	3	-	3	1	5	6	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	1	-	-	-	-	-
LOUISIANA -----	7	9	6	7	11	6	5	1	1	-	-	-
WHITE-----MALE----	-	3	3	3	1	1	-	-	-	-	-	-
FEMALE--	2	1	-	2	5	5	-	1	-	-	-	-
ALL OTHER--MALE----	1	4	-	1	2	-	3	-	1	-	-	-
FEMALE--	4	1	3	1	3	-	2	-	-	-	-	-
BLACK---MALE----	1	4	-	1	2	-	3	-	1	-	-	-
FEMALE--	4	1	3	1	3	-	2	-	-	-	-	-
MAINE -----	3	-	2	2	2	3	-	1	-	-	-	-
WHITE-----MALE----	-	-	2	2	2	1	-	1	-	-	-	-
FEMALE--	2	-	-	-	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	8	5	15	11	7	13	3	5	3	1	-	-
WHITE-----MALE----	-	1	4	3	1	5	-	-	1	1	-	-
FEMALE--	1	-	4	4	2	4	3	5	2	-	-	-
ALL OTHER--MALE----	1	2	4	3	1	3	-	-	-	-	-	-
FEMALE--	6	2	3	1	3	1	-	-	-	-	-	-
BLACK---MALE----	1	2	4	3	1	3	-	-	-	-	-	-
FEMALE--	6	2	3	1	3	1	-	-	-	-	-	-
MASSACHUSETTS -----	1	7	5	12	12	9	6	5	2	-	2	-
WHITE-----MALE----	-	3	1	5	5	5	-	-	2	-	-	-
FEMALE--	-	4	3	7	7	4	4	5	-	-	2	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
MICHIGAN -----	8	9	12	9	13	17	3	6	3	1	-	-
WHITE-----MALE----	3	4	3	-	5	8	-	2	2	1	-	-
FEMALE--	1	2	7	4	6	6	2	4	1	-	-	-
ALL OTHER--MALE----	1	1	-	1	1	2	1	-	-	-	-	-
FEMALE--	3	2	2	4	1	1	-	-	-	-	-	-
BLACK---MALE----	1	1	-	1	1	2	1	-	-	-	-	-
FEMALE--	3	2	2	4	1	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 367

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OTHER INFECTIOUS AND PARASITIC DISEASES AND LATE EFFECTS OF INFECTIOUS AND PARASITIC DISEASES (100-139)												
OHIO -----	173	5	-	1	2	-	1	3	4	12	9	11
WHITE-----MALE----	71	1	-	-	1	-	-	-	3	5	3	7
FEMALE--	64	2	-	1	1	-	1	1	-	1	4	2
ALL OTHER--MALE----	21	1	-	-	-	-	-	1	1	2	2	-
FEMALE--	17	1	-	-	-	-	-	1	-	4	-	2
BLACK---MALE----	20	1	-	-	-	-	-	1	1	2	2	-
FEMALE--	17	1	-	-	-	-	-	1	-	4	-	2
OKLAHOMA -----	42	1	-	-	-	1	-	2	4	1	1	3
WHITE-----MALE----	18	-	-	-	-	-	-	1	2	1	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	1	2	-	-	-
FEMALE--	7	1	-	-	-	1	-	-	-	-	1	2
BLACK---MALE----	3	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	3	1	-	-	-	1	-	-	-	-	-	1
OREGON -----	35	1	1	-	-	2	-	1	-	3	3	2
WHITE-----MALE----	21	1	-	-	-	-	-	-	-	3	2	1
FEMALE--	13	-	1	-	-	2	-	1	-	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	218	5	-	1	-	1	-	6	5	6	9	7
WHITE-----MALE----	90	2	-	-	-	-	-	2	3	2	4	1
FEMALE--	84	2	-	1	-	-	-	2	1	1	2	-
ALL OTHER--MALE----	22	-	-	-	-	1	-	1	-	3	2	5
FEMALE--	22	1	-	-	-	-	-	1	1	-	1	1
BLACK---MALE----	22	-	-	-	-	1	-	1	-	3	2	5
FEMALE--	22	1	-	-	-	-	-	1	1	-	1	1
RHODE ISLAND -----	14	-	-	-	-	-	-	-	1	-	1	-
WHITE-----MALE----	7	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	75	1	-	-	1	-	1	1	4	9	9	3
WHITE-----MALE----	21	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	15	-	-	-	1	-	-	-	1	1	-	1
ALL OTHER--MALE----	27	-	-	-	-	-	1	1	1	4	6	2
FEMALE--	12	1	-	-	-	-	-	-	1	3	3	-
BLACK---MALE----	27	-	-	-	-	-	1	1	1	4	6	2
FEMALE--	12	1	-	-	-	-	-	-	1	3	3	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 368
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OTHER INFECTIOUS AND PARASITIC DISEASES AND LATE EFFECTS OF INFECTIOUS AND PARASITIC DISEASES (100-139)												
SOUTH DAKOTA -----	6	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	4	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	103	6	-	-	-	1	-	3	6	5	9	5
WHITE-----MALE----	47	1	-	-	-	1	-	1	3	2	4	4
FEMALE--	29	2	-	-	-	-	-	1	2	1	2	-
ALL OTHER--MALE----	13	2	-	-	-	-	-	1	-	1	2	1
FEMALE--	14	1	-	-	-	-	-	-	1	1	1	-
BLACK---MALE----	13	2	-	-	-	-	-	1	-	1	2	1
FEMALE--	14	1	-	-	-	-	-	-	1	1	1	-
TEXAS -----	318	11	6	3	5	1	4	10	18	28	20	21
WHITE-----MALE----	157	3	4	2	3	-	3	6	12	14	9	9
FEMALE--	89	3	1	1	-	-	1	1	2	6	4	7
ALL OTHER--MALE----	34	4	1	-	2	1	-	3	4	4	4	1
FEMALE--	38	1	-	-	-	-	-	-	-	4	3	4
BLACK---MALE----	33	3	1	-	2	1	-	3	4	4	4	1
FEMALE--	36	1	-	-	-	-	-	-	-	4	3	4
UTAH -----	20	-	-	1	-	-	-	-	2	1	4	-
WHITE-----MALE----	13	-	-	1	-	-	-	-	2	-	2	-
FEMALE--	6	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
VERMONT -----	12	-	-	1	-	-	-	-	-	-	-	1
WHITE-----MALE----	9	-	-	1	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	95	2	-	-	-	3	1	1	7	11	4	4
WHITE-----MALE----	43	1	-	-	-	-	-	1	3	4	1	2
FEMALE--	20	-	-	-	-	1	-	-	-	1	-	-
ALL OTHER--MALE----	18	1	-	-	-	2	1	-	4	3	1	1
FEMALE--	14	-	-	-	-	-	-	-	-	3	2	1
BLACK---MALE----	18	1	-	-	-	2	1	-	4	3	1	1
FEMALE--	13	-	-	-	-	-	-	-	-	3	2	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 368

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OTHER INFECTIOUS AND PARASITIC DISEASES AND LATE EFFECTS OF INFECTIOUS AND PARASITIC DISEASES (100-139)												
SOUTH DAKOTA -----	-	-	-	2	-	2	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	1	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	8	9	8	9	14	9	7	2	2	-	-	-
WHITE-----MALE----	2	6	5	4	6	6	1	1	-	-	-	-
FEMALE--	3	1	-	4	6	2	3	1	1	-	-	-
ALL OTHER--MALE----	1	1	1	-	-	1	1	-	1	-	-	-
FEMALE--	2	1	2	1	2	-	2	-	-	-	-	-
BLACK---MALE----	1	1	1	-	-	1	1	-	1	-	-	-
FEMALE--	2	1	2	1	2	-	2	-	-	-	-	-
TEXAS -----	26	18	29	26	25	25	20	13	7	2	-	-
WHITE-----MALE----	13	8	10	16	13	12	11	9	-	-	-	-
FEMALE--	7	4	12	5	10	9	5	3	6	2	-	-
ALL OTHER--MALE----	2	1	3	1	-	2	1	-	-	-	-	-
FEMALE--	4	5	4	4	2	2	3	1	1	-	-	-
BLACK---MALE----	2	1	3	1	-	2	1	-	-	-	-	-
FEMALE--	4	5	4	3	2	2	2	1	1	-	-	-
UTAH -----	1	3	-	1	-	-	5	2	-	-	-	-
WHITE-----MALE----	-	1	-	1	-	-	5	1	-	-	-	-
FEMALE--	1	2	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	2	1	1	1	3	1	-	-	-	-	-
WHITE-----MALE----	-	1	1	1	1	3	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	7	4	7	6	6	15	6	7	3	1	-	-
WHITE-----MALE----	5	1	4	1	5	6	4	3	2	-	-	-
FEMALE--	-	-	-	3	1	8	1	3	1	1	-	-
ALL OTHER--MALE----	-	1	1	1	-	-	1	1	-	-	-	-
FEMALE--	2	2	2	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	1	1	1	-	-	1	1	-	-	-	-
FEMALE--	2	1	2	1	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 370
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MYCOSES (110-118)												
0 UNITED STATES --	2,484	105	19	14	21	24	35	54	119	188	161	143
WHITE-----MALE----	1,132	43	6	5	7	8	10	25	61	109	73	67
FEMALE--	814	21	7	6	9	9	11	12	23	28	36	37
ALL OTHER--MALE----	309	27	1	-	3	5	9	12	25	35	36	23
FEMALE--	229	14	5	3	2	2	5	5	10	16	16	16
BLACK---MALE----	268	24	1	-	3	5	9	12	22	28	32	22
FEMALE--	191	14	4	2	2	2	5	4	8	13	12	13
ALABAMA -----	38	3	-	-	-	-	-	-	2	3	1	2
WHITE-----MALE----	15	-	-	-	-	-	-	-	1	1	-	1
FEMALE--	12	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	5	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	1	-	-	-	-	-	-	1	1	1	-
BLACK---MALE----	5	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	1	-	-	-	-	-	-	1	1	1	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	54	-	1	-	-	-	1	2	1	2	6	1
WHITE-----MALE----	24	-	-	-	-	-	-	-	1	1	2	1
FEMALE--	18	-	-	-	-	-	-	-	-	-	3	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	6	-	1	-	-	-	1	1	-	-	1	-
BLACK---MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
ARKANSAS -----	12	1	-	-	-	1	-	-	-	1	-	1
WHITE-----MALE----	10	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	1
CALIFORNIA -----	406	9	2	2	3	2	10	17	27	35	40	35
WHITE-----MALE----	209	6	-	-	-	1	5	14	17	23	25	22
FEMALE--	123	2	2	1	2	1	3	3	3	3	5	8
ALL OTHER--MALE----	43	1	-	-	-	-	1	-	5	8	6	3
FEMALE--	31	-	-	1	1	-	1	-	2	1	4	2
BLACK---MALE----	26	1	-	-	-	-	1	-	3	4	3	3
FEMALE--	20	-	-	-	1	-	1	-	1	1	4	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 370
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MYCOSES (110-118)												
0 UNITED STATES --	169	152	178	231	276	271	176	104	32	10	2	-
WHITE-----MALE----	69	71	74	112	129	131	84	36	8	3	1	-
FEMALE--	47	53	64	84	115	107	63	57	19	6	-	-
ALL OTHER--MALE----	22	12	18	22	14	23	15	3	3	-	1	-
FEMALE--	31	16	22	13	18	10	14	8	2	1	-	-
BLACK---MALE----	19	8	15	18	12	20	11	3	3	-	1	-
FEMALE--	26	12	16	10	16	10	13	7	1	1	-	-
ALABAMA -----	1	1	6	1	6	4	5	2	1	-	-	-
WHITE-----MALE----	-	1	3	-	3	3	2	-	-	-	-	-
FEMALE--	-	-	1	1	1	1	3	2	1	-	-	-
ALL OTHER--MALE----	1	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2	4	6	6	5	3	12	2	-	-	-	-
WHITE-----MALE----	1	2	3	1	2	1	9	-	-	-	-	-
FEMALE--	1	-	3	2	3	2	2	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	3	-	-	1	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	2	-	2	1	2	1	-	-	-	-	-
WHITE-----MALE----	-	2	-	2	1	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	33	24	25	34	39	31	25	10	3	-	-	-
WHITE-----MALE----	16	12	13	16	16	10	9	3	1	-	-	-
FEMALE--	3	11	6	15	19	16	12	6	2	-	-	-
ALL OTHER--MALE----	4	-	1	3	3	4	3	1	-	-	-	-
FEMALE--	10	1	5	-	1	1	1	-	-	-	-	-
BLACK---MALE----	2	-	-	2	1	3	2	1	-	-	-	-
FEMALE--	7	1	2	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 371
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MYCOSES (110-118)												
COLORADO -----	23	1	-	-	-	-	-	-	1	4	1	-
WHITE-----MALE----	15	1	-	-	-	-	-	-	1	4	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	28	-	-	-	-	-	-	-	1	5	1	2
WHITE-----MALE----	14	-	-	-	-	-	-	-	-	2	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	1	2	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	1	2	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	7	-	-	-	-	-	-	-	2	1	-	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	2	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	17	1	-	-	-	-	-	-	2	2	2	1
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	1	-	2	1
FEMALE--	6	1	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	1	-	2	1
FEMALE--	6	1	-	-	-	-	-	-	1	-	-	-
FLORIDA -----	151	6	2	-	1	2	-	2	11	16	10	9
WHITE-----MALE----	69	2	1	-	1	-	-	1	7	8	5	3
FEMALE--	56	1	1	-	-	1	-	-	1	2	4	3
ALL OTHER--MALE----	14	2	-	-	-	1	-	-	2	3	1	1
FEMALE--	12	1	-	-	-	-	-	1	1	3	-	2
BLACK---MALE----	13	2	-	-	-	1	-	-	2	2	1	1
FEMALE--	10	1	-	-	-	-	-	1	1	1	-	2
GEORGIA -----	66	4	-	2	-	-	4	-	3	8	3	9
WHITE-----MALE----	24	-	-	1	-	-	1	-	1	5	1	4
FEMALE--	19	2	-	-	-	-	1	-	-	-	-	2
ALL OTHER--MALE----	12	2	-	-	-	-	1	-	2	1	2	2
FEMALE--	11	-	-	1	-	-	1	-	-	2	-	1
BLACK---MALE----	12	2	-	-	-	-	1	-	2	1	2	2
FEMALE--	11	-	-	1	-	-	-	-	-	2	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 371
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MYCOSES (110-118)												
COLORADO -----	1	3	2	4	1	-	2	2	1	-	-	-
WHITE-----MALE----	-	2	1	3	1	-	1	1	-	-	-	-
FEMALE--	1	1	1	1	-	-	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	2	-	1	4	4	4	2	2	-	-	-	-
WHITE-----MALE----	-	-	1	3	2	3	2	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	-	2	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	1	-	-	1	-	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	-	-	1	2	4	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	2	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	2	-	-	-	-	-	-
FLORIDA -----	6	9	12	18	11	17	13	4	2	-	-	-
WHITE-----MALE----	1	4	4	9	4	7	9	2	1	-	-	-
FEMALE--	3	4	6	7	7	10	4	2	-	-	-	-
ALL OTHER--MALE----	-	1	1	1	-	-	-	-	1	-	-	-
FEMALE--	2	-	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	1	1	-	-	-	-	1	-	-	-
FEMALE--	2	-	1	1	-	-	-	-	-	-	-	-
GEORGIA -----	3	6	5	4	2	6	2	3	2	-	-	-
WHITE-----MALE----	-	2	2	2	1	3	1	-	-	-	-	-
FEMALE--	3	1	2	2	-	2	-	3	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	3	-	-	1	-	1	-	1	-	-	-
BLACK---MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	3	-	-	1	-	1	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 373
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MYCOSES (110-118)												
KENTUCKY -----	3	3	3	4	7	5	3	2	-	-	-	-
WHITE-----MALE----	2	3	-	3	3	2	3	2	-	-	-	-
FEMALE--	1	-	3	-	4	3	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
LOUISIANA -----	3	2	4	1	7	3	1	1	-	-	-	-
WHITE-----MALE----	-	2	1	1	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	4	3	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	2	-	3	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	2	-	3	-	1	-	1	-	-	-	-	-
MAINE -----	1	-	1	1	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	2	11	7	3	8	2	4	2	-	-	-
WHITE-----MALE----	-	1	2	2	1	3	-	-	1	-	-	-
FEMALE--	-	-	4	3	1	2	2	4	1	-	-	-
ALL OTHER--MALE----	-	-	3	2	-	3	-	-	-	-	-	-
FEMALE--	1	1	2	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	3	2	-	3	-	-	-	-	-	-
FEMALE--	1	1	2	-	1	-	-	-	-	-	-	-
MASSACHUSETTS -----	1	4	-	4	7	3	5	3	1	-	-	-
WHITE-----MALE----	-	1	-	-	3	1	-	-	1	-	-	-
FEMALE--	-	3	-	4	4	2	3	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
MICHIGAN -----	2	5	7	2	8	11	2	1	2	1	-	-
WHITE-----MALE----	2	3	1	-	4	5	-	1	1	1	-	-
FEMALE--	-	1	5	1	3	3	1	-	1	-	-	-
ALL OTHER--MALE----	-	1	-	1	1	2	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	1	-	1	1	2	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 406

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER INFECTIOUS AND PARASITIC DISEASES AND LATE EFFECTS OF OTHER INFECTIOUS AND PARASITIC DISEASES (100-104,130-136,139)												
0 UNITED STATES --	1,524	16	10	8	5	6	13	43	105	133	136	129
WHITE-----MALE----	494	5	4	4	3	-	6	17	39	36	29	35
FEMALE--	425	5	4	3	1	3	2	6	9	15	19	9
ALL OTHER--MALE----	261	2	2	-	-	1	4	9	32	36	44	37
FEMALE--	344	4	-	1	1	2	1	11	25	46	44	48
BLACK---MALE----	249	2	2	-	-	-	4	9	30	33	44	37
FEMALE--	333	2	-	1	1	2	-	11	25	44	42	48
ALABAMA -----	28	-	-	-	-	-	-	-	4	1	-	6
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	2	-	-	3
FEMALE--	11	-	-	-	-	-	-	-	2	-	-	3
BLACK---MALE----	5	-	-	-	-	-	-	-	2	-	-	3
FEMALE--	11	-	-	-	-	-	-	-	2	-	-	3
ALASKA -----	1	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ARIZONA -----	19	-	-	-	-	-	-	2	3	1	1	1
WHITE-----MALE----	8	-	-	-	-	-	-	1	1	1	1	-
FEMALE--	6	-	-	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	2	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	2	-	-	-
ARKANSAS -----	16	-	-	-	-	-	1	-	2	1	-	1
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	3	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	1
CALIFORNIA -----	123	4	2	-	1	1	2	2	8	9	11	7
WHITE-----MALE----	48	3	1	-	-	-	1	2	6	3	3	2
FEMALE--	34	1	1	-	1	-	1	-	1	1	1	1
ALL OTHER--MALE----	17	-	-	-	-	1	-	-	-	3	3	2
FEMALE--	24	-	-	-	-	-	-	-	1	2	4	2
BLACK---MALE----	14	-	-	-	-	-	-	-	-	3	3	2
FEMALE--	19	-	-	-	-	-	-	-	1	1	2	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 406

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER INFECTIOUS AND PARASITIC DISEASES AND LATE EFFECTS OF OTHER INFECTIOUS AND PARASITIC DISEASES (100-104,130-136,139)												
0 UNITED STATES --	134	111	102	128	138	120	75	59	37	11	5	-
WHITE-----MALE----	34	22	29	52	54	52	27	31	13	2	-	-
FEMALE--	30	29	33	49	57	56	36	27	18	9	5	-
ALL OTHER--MALE----	32	21	10	10	9	4	4	1	3	-	-	-
FEMALE--	38	39	30	17	18	8	8	-	3	-	-	-
BLACK---MALE----	29	20	10	10	8	3	4	1	3	-	-	-
FEMALE--	38	38	30	17	17	8	6	-	3	-	-	-
ALABAMA -----	3	1	4	1	3	1	3	1	-	-	-	-
WHITE-----MALE----	1	-	1	1	1	1	1	1	-	-	-	-
FEMALE--	-	-	3	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	2	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	2	-	1	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	1	3	2	2	-	1	1	-	-	-	-
WHITE-----MALE----	-	1	-	-	1	-	1	1	-	-	-	-
FEMALE--	1	-	1	1	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
ARKANSAS -----	1	-	1	2	1	2	1	1	2	-	-	-
WHITE-----MALE----	1	-	-	1	-	1	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	1	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
CALIFORNIA -----	12	12	6	12	9	9	4	10	1	1	-	-
WHITE-----MALE----	4	3	2	2	5	5	1	5	-	-	-	-
FEMALE--	3	2	2	7	1	2	2	5	1	1	-	-
ALL OTHER--MALE----	3	2	-	1	-	2	-	-	-	-	-	-
FEMALE--	2	5	2	2	3	-	1	-	-	-	-	-
BLACK---MALE----	2	2	-	1	-	1	-	-	-	-	-	-
FEMALE--	2	4	2	2	2	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 407

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER INFECTIOUS AND PARASITIC DISEASES AND LATE EFFECTS OF OTHER INFECTIOUS AND PARASITIC DISEASES (100-104,130-136,139)												
COLORADO -----	16	-	-	-	-	-	-	1	-	2	1	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	1	-	1	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	1	-	1	1	-
CONNECTICUT -----	24	1	-	-	-	-	-	2	3	-	1	-
WHITE-----MALE----	10	-	-	-	-	-	-	2	1	-	-	-
FEMALE--	10	1	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	9	-	-	-	-	-	-	-	-	2	1	2
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	2	-	-	-	-	-	-	-	-	2	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	2	-	-	-	-	-	-	-	-	2	-	-
DISTRICT OF COLUMBIA ----	15	-	-	-	-	-	1	1	1	-	1	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	10	-	-	-	-	-	-	1	-	-	1	1
BLACK---MALE----	3	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	10	-	-	-	-	-	-	1	-	-	1	1
FLORIDA -----	84	-	1	2	1	1	-	1	9	9	10	4
WHITE-----MALE----	33	-	-	2	1	-	-	-	4	4	3	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	11	-	1	-	-	-	-	1	2	-	2	1
FEMALE--	24	-	-	-	-	1	-	-	3	5	5	2
BLACK---MALE----	11	-	1	-	-	-	-	1	2	-	2	1
FEMALE--	24	-	-	-	-	1	-	-	3	5	5	2
GEORGIA -----	49	-	-	-	-	1	-	2	6	7	5	8
WHITE-----MALE----	15	-	-	-	-	-	-	-	1	1	-	3
FEMALE--	6	-	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	14	-	-	-	-	-	-	1	2	3	3	3
FEMALE--	14	-	-	-	-	1	-	1	2	3	1	2
BLACK---MALE----	14	-	-	-	-	-	-	1	2	3	3	3
FEMALE--	14	-	-	-	-	1	-	1	2	3	1	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 407

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 0 ALL OTHER INFECTIOUS AND PARASITIC DISEASES AND LATE EFFECTS OF OTHER INFECTIOUS AND PARASITIC DISEASES (100-104,130-136,139)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	4	2	-	1	2	1	2	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	1	1	2	-	-	-	-	-
FEMALE--	2	-	-	1	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	2	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	-	-	3	2	7	1	1	2	-	-	-
WHITE-----MALE----	-	-	-	1	1	3	-	-	2	-	-	-
FEMALE--	1	-	-	1	1	3	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
DELAWARE -----	1	-	1	1	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	1	-	2	1	1	2	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	1	1	2	-	1	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	1	1	2	-	1	-	-	-
FLORIDA -----	5	7	3	8	10	8	2	2	1	-	-	-
WHITE-----MALE----	2	-	1	4	4	4	2	1	1	-	-	-
FEMALE--	-	3	1	4	4	3	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	1	-	-	1	-	-	-	-
FEMALE--	2	3	1	-	1	1	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	1	-	-	1	-	-	-	-
FEMALE--	2	3	1	-	1	1	-	-	-	-	-	-
GEORGIA -----	4	4	3	-	2	4	2	-	-	1	-	-
WHITE-----MALE----	2	2	2	-	-	2	1	-	-	1	-	-
FEMALE--	-	1	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	1	1	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	1	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 409

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER INFECTIOUS AND PARASITIC DISEASES AND LATE EFFECTS OF OTHER INFECTIOUS AND PARASITIC DISEASES (100-104,130-136,139)												
KENTUCKY -----	20	-	-	-	-	-	2	-	-	-	4	1
WHITE-----MALE----	10	-	-	-	-	-	1	-	-	-	2	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	3	-	-	-	-	-	1	-	-	-	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
LOUISIANA -----	41	-	-	-	-	-	1	2	1	3	3	4
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	15	-	-	-	-	-	1	1	1	1	2	-
FEMALE--	14	-	-	-	-	-	-	1	-	1	1	4
BLACK---MALE----	15	-	-	-	-	-	1	1	1	1	2	-
FEMALE--	14	-	-	-	-	-	-	1	-	1	1	4
MAINE -----	7	-	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	46	-	-	-	-	-	-	1	5	6	7	3
WHITE-----MALE----	6	-	-	-	-	-	-	-	2	1	-	-
FEMALE--	10	-	-	-	-	-	-	-	1	2	-	-
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	2	-	4	2
FEMALE--	16	-	-	-	-	-	-	1	-	3	3	1
BLACK---MALE----	14	-	-	-	-	-	-	-	2	-	4	2
FEMALE--	16	-	-	-	-	-	-	1	-	3	3	1
MASSACHUSETTS -----	36	-	-	-	-	-	1	1	3	3	2	-
WHITE-----MALE----	16	-	-	-	-	-	1	-	1	2	1	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	1	2	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	1	2	-	-	-
MICHIGAN -----	47	-	-	-	-	1	1	1	1	6	1	8
WHITE-----MALE----	13	-	-	-	-	-	1	-	1	2	-	3
FEMALE--	12	-	-	-	-	1	-	-	-	-	-	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	1	-	2	-	1
FEMALE--	17	-	-	-	-	-	-	-	-	2	1	3
BLACK---MALE----	5	-	-	-	-	-	-	1	-	2	-	1
FEMALE--	17	-	-	-	-	-	-	-	-	2	1	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 409

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER INFECTIOUS AND PARASITIC DISEASES AND LATE EFFECTS OF OTHER INFECTIOUS AND PARASITIC DISEASES (100-104,130-136,139)												
KENTUCKY -----	3	1	-	1	3	4	-	-	-	1	-	-
WHITE-----MALE----	2	-	-	-	3	2	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	2	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	4	7	2	4	4	2	4	-	-	-	-	-
WHITE-----MALE----	-	1	2	2	-	1	-	-	-	-	-	-
FEMALE--	1	1	-	1	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	4	-	-	1	-	3	-	-	-	-	-
FEMALE--	2	1	-	1	2	-	1	-	-	-	-	-
BLACK---MALE----	1	4	-	-	1	-	3	-	-	-	-	-
FEMALE--	2	1	-	1	2	-	1	-	-	-	-	-
MAINE -----	1	-	1	1	1	1	-	1	-	-	-	-
WHITE-----MALE----	-	-	1	1	1	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	7	3	4	3	3	1	1	1	1	-	-	-
WHITE-----MALE----	-	-	2	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	1	1	1	1	1	-	-	-
ALL OTHER--MALE----	1	2	1	1	1	-	-	-	-	-	-	-
FEMALE--	5	1	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	2	1	1	1	-	-	-	-	-	-	-
FEMALE--	5	1	1	-	1	-	-	-	-	-	-	-
MASSACHUSETTS -----	-	3	5	7	4	4	-	2	-	-	1	-
WHITE-----MALE----	-	2	1	4	1	3	-	-	-	-	-	-
FEMALE--	-	1	3	3	3	1	-	2	-	-	1	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	5	4	3	5	3	4	-	3	1	-	-	-
WHITE-----MALE----	1	1	-	-	-	2	-	1	1	-	-	-
FEMALE--	-	1	2	1	2	2	-	2	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	2	1	4	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	2	1	4	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 412
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER INFECTIOUS AND PARASITIC DISEASES AND LATE EFFECTS OF OTHER INFECTIOUS AND PARASITIC DISEASES (100-104,130-136,139)												
OHIO -----	56	3	-	-	-	-	-	1	3	3	6	4
WHITE-----MALE----	17	-	-	-	-	-	-	-	2	-	2	2
FEMALE--	22	2	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	1	1	2	-
FEMALE--	9	1	-	-	-	-	-	1	-	2	-	2
BLACK---MALE----	8	-	-	-	-	-	-	-	1	1	2	-
FEMALE--	9	1	-	-	-	-	-	1	-	2	-	2
OKLAHOMA -----	13	-	-	-	-	-	-	2	-	-	-	1
WHITE-----MALE----	7	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
OREGON -----	12	-	-	-	-	1	-	-	-	1	-	-
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	93	1	-	1	-	-	-	5	1	2	3	6
WHITE-----MALE----	27	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	35	1	-	1	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	18	-	-	-	-	-	-	1	-	2	2	5
FEMALE--	13	-	-	-	-	-	-	1	1	-	1	1
BLACK---MALE----	18	-	-	-	-	-	-	1	-	2	2	5
FEMALE--	13	-	-	-	-	-	-	1	1	-	1	1
RHODE ISLAND -----	5	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	30	-	-	-	-	-	-	1	3	7	5	1
WHITE-----MALE----	5	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	13	-	-	-	-	-	-	1	1	4	2	1
FEMALE--	9	-	-	-	-	-	-	-	1	3	3	-
BLACK---MALE----	13	-	-	-	-	-	-	1	1	4	2	1
FEMALE--	9	-	-	-	-	-	-	-	1	3	3	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 413

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER INFECTIOUS AND PARASITIC DISEASES AND LATE EFFECTS OF OTHER INFECTIOUS AND PARASITIC DISEASES (100-104,130-136,139)												
SOUTH DAKOTA -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	23	-	-	-	-	-	-	2	3	1	5	1
WHITE-----MALE----	10	-	-	-	-	-	-	-	3	-	3	1
FEMALE--	4	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	1	-	1	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	4	-	-	-	-	-	-	1	-	1	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
TEXAS -----	106	1	3	2	2	-	2	3	8	12	12	8
WHITE-----MALE----	47	-	2	1	2	-	2	2	6	3	5	3
FEMALE--	20	-	-	1	-	-	-	-	-	3	3	1
ALL OTHER--MALE----	12	-	1	-	-	-	-	1	2	2	1	-
FEMALE--	27	1	-	-	-	-	-	-	-	4	3	4
BLACK---MALE----	12	-	1	-	-	-	-	1	2	2	1	-
FEMALE--	26	1	-	-	-	-	-	-	-	4	3	4
UTAH -----	8	-	-	1	-	-	-	-	-	-	1	-
WHITE-----MALE----	5	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
VERMONT -----	5	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	34	-	-	-	-	-	-	-	3	6	1	4
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	3	2	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	3	1	1
BLACK---MALE----	8	-	-	-	-	-	-	-	3	2	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	3	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 413

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER INFECTIOUS AND PARASITIC DISEASES AND LATE EFFECTS OF OTHER INFECTIOUS AND PARASITIC DISEASES (100-104,130-136,139)												
SOUTH DAKOTA -----	-	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1	4	3	1	-	1	1	-	-	-	-	-
WHITE-----MALE----	-	1	1	-	-	1	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	2	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	2	1	-	-	-	-	-	-	-	-
TEXAS -----	9	3	10	8	10	5	3	1	4	-	-	-
WHITE-----MALE----	3	-	2	4	7	2	2	1	-	-	-	-
FEMALE--	1	-	4	1	1	2	-	-	3	-	-	-
ALL OTHER--MALE----	2	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	3	3	3	2	2	-	1	-	1	-	-	-
BLACK---MALE----	2	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	3	3	3	2	2	-	-	-	1	-	-	-
UTAH -----	1	-	-	1	-	-	2	2	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	2	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	1	-	-	1	-	1	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2	1	1	3	2	2	4	3	1	1	-	-
WHITE-----MALE----	1	-	-	1	2	-	3	1	1	-	-	-
FEMALE--	-	-	-	2	-	1	1	2	-	1	-	-
ALL OTHER--MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 415
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 II. NEOPLASMS (140-239)												
0 UNITED STATES --	546,214	144	542	573	558	740	1,004	1,675	3,410	6,471	10,970	18,224
WHITE-----MALE----	247,025	69	257	264	244	364	482	716	1,306	2,242	3,964	6,953
FEMALE--	228,620	54	160	184	185	217	299	608	1,343	2,875	4,645	7,735
ALL OTHER--MALE----	38,060	10	68	56	75	92	128	177	321	566	1,099	1,681
FEMALE--	32,509	11	57	69	54	67	95	174	440	788	1,262	1,855
BLACK---MALE----	33,274	6	54	45	52	72	103	147	263	483	945	1,467
FEMALE--	28,207	8	46	54	44	53	84	129	368	674	1,077	1,559
ALABAMA -----	9,548	-	6	7	9	12	16	29	54	127	209	328
WHITE-----MALE----	3,957	-	2	3	4	7	7	6	19	36	66	121
FEMALE--	3,342	-	1	3	3	2	5	13	17	46	68	100
ALL OTHER--MALE----	1,274	-	2	1	2	1	1	7	6	16	38	57
FEMALE--	975	-	1	-	-	2	3	3	12	29	37	50
BLACK---MALE----	1,267	-	1	1	2	1	1	7	6	16	38	56
FEMALE--	969	-	1	-	-	2	3	3	12	29	36	50
ALASKA -----	578	-	1	2	-	2	3	7	9	11	23	42
WHITE-----MALE----	266	-	1	1	-	-	2	3	3	4	9	14
FEMALE--	192	-	-	-	-	1	1	1	3	5	6	24
ALL OTHER--MALE----	57	-	-	1	-	1	-	-	1	1	3	3
FEMALE--	63	-	-	-	-	-	-	3	2	1	5	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
ARIZONA -----	8,147	6	5	9	5	12	26	20	52	74	148	211
WHITE-----MALE----	4,170	4	2	5	3	7	13	10	21	28	60	84
FEMALE--	3,577	2	1	2	-	4	11	4	25	37	73	106
ALL OTHER--MALE----	212	-	2	1	1	1	1	4	4	4	4	10
FEMALE--	188	-	-	1	1	-	1	2	2	5	11	11
BLACK---MALE----	108	-	1	-	-	-	-	2	3	1	2	5
FEMALE--	80	-	-	-	-	-	-	1	-	4	5	6
ARKANSAS -----	6,160	5	7	4	7	5	10	17	51	67	101	194
WHITE-----MALE----	2,968	-	5	1	6	2	5	7	19	25	38	83
FEMALE--	2,303	2	1	1	1	1	2	4	20	28	35	74
ALL OTHER--MALE----	493	2	1	1	-	2	-	5	6	3	13	18
FEMALE--	396	1	-	1	-	-	3	1	6	11	15	19
BLACK---MALE----	483	2	1	1	-	2	-	4	4	3	13	18
FEMALE--	390	1	-	1	-	-	3	1	6	11	14	19
CALIFORNIA -----	52,028	18	73	85	70	99	125	192	412	679	1,157	1,853
WHITE-----MALE----	22,953	9	41	38	27	47	60	88	158	241	401	684
FEMALE--	21,959	9	27	32	25	32	41	67	171	296	501	798
ALL OTHER--MALE----	3,790	-	4	6	9	11	19	13	27	57	118	165
FEMALE--	3,326	-	1	9	9	9	5	24	56	85	137	206
BLACK---MALE----	2,036	-	1	3	2	6	9	4	13	25	65	89
FEMALE--	1,793	-	1	2	5	4	3	9	26	40	78	108

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 415
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 II. NEOPLASMS (140-239)												
0 UNITED STATES --	26,464	36,373	52,329	74,328	90,148	84,777	69,628	43,755	18,594	4,775	714	18
WHITE-----MALE----	10,907	16,178	24,567	36,210	43,856	40,528	31,699	18,004	6,651	1,414	148	2
FEMALE--	10,765	14,180	19,589	28,337	35,721	35,542	31,064	21,671	10,110	2,891	437	8
ALL OTHER--MALE----	2,549	3,295	4,644	5,603	6,049	4,884	3,616	2,034	850	218	40	5
FEMALE--	2,243	2,720	3,529	4,178	4,522	3,823	3,249	2,046	983	252	89	3
BLACK---MALE----	2,245	2,918	4,117	4,962	5,303	4,261	3,130	1,725	751	185	35	5
FEMALE--	1,889	2,351	3,037	3,657	3,992	3,349	2,838	1,811	879	227	79	2
ALABAMA -----	476	691	992	1,383	1,581	1,406	1,139	728	267	80	7	1
WHITE-----MALE----	177	283	430	637	722	630	450	251	85	20	1	-
FEMALE--	159	252	316	440	527	504	424	309	110	39	4	-
ALL OTHER--MALE----	86	88	142	187	195	146	159	87	42	11	-	-
FEMALE--	54	68	104	119	137	126	106	81	30	10	2	1
BLACK---MALE----	84	88	142	187	195	146	158	85	42	11	-	-
FEMALE--	53	67	103	119	137	125	105	81	30	10	2	1
ALASKA -----	40	48	73	85	84	67	51	20	9	1	-	-
WHITE-----MALE----	21	29	36	46	40	33	13	7	4	-	-	-
FEMALE--	12	9	18	20	30	21	27	10	3	1	-	-
ALL OTHER--MALE----	2	2	11	9	9	9	4	1	-	-	-	-
FEMALE--	5	8	8	10	5	4	7	2	2	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	1	-	1	-	-	-	-	-
ARIZONA -----	350	526	802	1,157	1,420	1,323	1,110	586	224	70	9	2
WHITE-----MALE----	155	274	430	609	771	704	583	270	110	25	1	1
FEMALE--	171	224	329	495	600	557	483	301	101	44	6	1
ALL OTHER--MALE----	9	13	26	32	32	32	22	8	4	1	1	-
FEMALE--	15	15	17	21	17	30	22	7	9	-	1	-
BLACK---MALE----	5	5	16	19	14	21	11	2	1	-	-	-
FEMALE--	6	4	10	11	7	12	8	2	4	-	-	-
ARKANSAS -----	285	443	593	869	1,009	886	837	486	223	51	10	-
WHITE-----MALE----	141	222	308	458	527	437	389	196	88	10	1	-
FEMALE--	97	155	208	291	361	332	325	238	96	26	5	-
ALL OTHER--MALE----	26	34	44	66	71	63	77	28	22	10	1	-
FEMALE--	21	32	33	54	50	54	46	24	17	5	3	-
BLACK---MALE----	26	34	42	65	69	63	76	28	22	9	1	-
FEMALE--	21	30	33	54	50	51	46	24	17	5	3	-
CALIFORNIA -----	2,576	3,507	4,999	6,738	8,703	8,132	6,570	3,979	1,597	395	68	1
WHITE-----MALE----	979	1,468	2,291	3,141	4,070	3,790	2,999	1,694	579	133	15	-
FEMALE--	1,077	1,420	1,891	2,697	3,524	3,463	2,902	1,876	845	223	42	-
ALL OTHER--MALE----	241	321	441	510	645	517	356	218	90	18	3	1
FEMALE--	279	298	376	390	464	362	313	191	83	21	8	-
BLACK---MALE----	129	190	257	302	338	270	182	88	50	9	3	1
FEMALE--	159	178	200	210	269	193	156	92	43	11	6	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 416
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 II. NEOPLASMS (140-239)												
COLORADO -----	5,550	3	6	7	9	4	7	12	50	74	133	221
WHITE-----MALE----	2,702	2	4	4	5	1	4	7	23	33	58	90
FEMALE--	2,595	1	2	2	1	3	3	21	33	66	113	
ALL OTHER--MALE----	133	-	-	1	2	-	-	-	3	3	3	10
FEMALE--	120	-	-	-	1	-	-	2	3	5	6	8
BLACK---MALE----	99	-	-	1	1	-	-	-	2	2	3	8
FEMALE--	85	-	-	-	-	-	-	-	-	4	5	6
CONNECTICUT -----	7,193	1	5	5	5	8	10	23	35	77	129	202
WHITE-----MALE----	3,366	-	4	5	2	5	5	10	18	27	51	72
FEMALE--	3,405	1	1	-	2	1	1	10	12	40	66	102
ALL OTHER--MALE----	239	-	-	-	-	2	3	2	3	4	6	16
FEMALE--	183	-	-	-	1	-	1	1	2	6	6	12
BLACK---MALE----	223	-	-	-	-	2	3	1	2	4	6	15
FEMALE--	165	-	-	-	1	-	1	1	1	6	4	11
DELAWARE -----	1,654	-	1	-	2	4	1	7	8	20	27	49
WHITE-----MALE----	711	-	-	-	-	2	1	2	2	7	5	22
FEMALE--	663	-	-	-	-	-	-	3	4	10	13	14
ALL OTHER--MALE----	159	-	1	-	1	2	-	2	1	2	4	6
FEMALE--	121	-	-	-	1	-	-	-	1	1	5	7
BLACK---MALE----	156	-	1	-	1	2	-	2	1	2	4	6
FEMALE--	117	-	-	-	1	-	-	-	1	1	5	6
DISTRICT OF COLUMBIA ----	1,503	-	2	-	3	2	-	3	16	24	35	50
WHITE-----MALE----	180	-	-	-	-	-	-	1	5	6	3	3
FEMALE--	149	-	1	-	-	-	-	-	1	2	-	2
ALL OTHER--MALE----	622	-	-	-	2	2	-	1	4	2	17	23
FEMALE--	552	-	1	-	1	-	-	1	6	14	15	22
BLACK---MALE----	617	-	-	-	2	2	-	1	4	2	17	23
FEMALE--	547	-	-	-	1	-	-	1	6	13	15	21
FLORIDA -----	37,800	15	20	27	28	36	51	91	193	367	621	1,061
WHITE-----MALE----	18,546	10	10	11	10	12	18	40	84	128	229	442
FEMALE--	15,789	5	4	9	14	12	15	35	65	162	276	433
ALL OTHER--MALE----	1,957	-	4	1	3	9	11	6	20	36	48	101
FEMALE--	1,508	-	2	6	1	3	7	10	24	41	68	85
BLACK---MALE----	1,907	-	4	1	3	8	11	6	18	35	45	96
FEMALE--	1,430	-	2	5	1	3	7	8	21	37	66	78
GEORGIA -----	12,968	3	16	18	13	19	29	52	115	179	325	572
WHITE-----MALE----	5,198	3	3	9	8	8	11	23	31	47	92	166
FEMALE--	4,481	-	6	5	2	2	7	9	36	60	114	203
ALL OTHER--MALE----	1,786	-	4	-	2	6	6	7	22	29	43	101
FEMALE--	1,503	-	3	4	1	3	5	13	26	43	76	102
BLACK---MALE----	1,757	-	4	-	1	6	6	7	20	27	42	97
FEMALE--	1,477	-	3	4	1	3	5	13	25	40	74	101

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 416
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 II. NEOPLASMS (140-239)												
COLORADO -----	263	339	553	736	943	819	676	459	181	52	3	-
WHITE-----MALE----	127	172	288	386	473	413	338	193	65	14	2	-
FEMALE--	120	146	239	317	431	379	320	251	108	35	1	-
ALL OTHER--MALE----	11	12	14	21	17	14	12	7	2	1	-	-
FEMALE--	5	9	12	12	22	13	6	8	6	2	-	-
BLACK---MALE----	7	10	13	14	12	11	8	4	2	1	-	-
FEMALE--	3	8	10	7	16	9	5	6	4	2	-	-
CONNECTICUT -----	304	443	622	949	1,118	1,214	987	670	275	96	15	-
WHITE-----MALE----	123	201	300	495	579	596	455	286	105	24	3	-
FEMALE--	142	187	267	398	491	571	506	366	162	67	12	-
ALL OTHER--MALE----	21	31	35	37	29	25	14	8	2	1	-	-
FEMALE--	18	24	20	19	19	22	12	10	6	4	-	-
BLACK---MALE----	19	28	35	36	27	24	11	7	2	1	-	-
FEMALE--	16	20	18	18	18	21	10	9	6	4	-	-
DELAWARE -----	84	117	157	251	303	263	179	127	44	8	2	-
WHITE-----MALE----	37	47	68	120	138	119	77	43	19	1	1	-
FEMALE--	26	41	54	96	121	111	81	63	20	6	-	-
ALL OTHER--MALE----	10	20	23	21	28	19	6	10	2	-	1	-
FEMALE--	11	9	12	14	16	14	15	11	3	1	-	-
BLACK---MALE----	9	19	22	21	28	19	6	10	2	-	1	-
FEMALE--	11	9	11	14	15	13	15	11	3	1	-	-
DISTRICT OF COLUMBIA ----	82	122	161	195	226	215	200	108	43	15	1	-
WHITE-----MALE----	6	9	11	30	24	22	38	15	4	3	-	-
FEMALE--	8	8	8	10	19	25	28	24	9	4	-	-
ALL OTHER--MALE----	39	59	82	82	102	86	70	32	15	4	-	-
FEMALE--	29	46	60	73	81	82	64	37	15	4	1	-
BLACK---MALE----	38	58	82	82	102	86	69	30	15	4	-	-
FEMALE--	29	46	60	73	79	82	64	37	15	4	1	-
FLORIDA -----	1,569	2,211	3,447	5,101	6,410	6,207	5,244	3,364	1,351	333	52	1
WHITE-----MALE----	671	1,039	1,732	2,648	3,266	3,243	2,673	1,620	538	107	15	-
FEMALE--	653	872	1,308	1,983	2,654	2,553	2,236	1,537	736	197	30	-
ALL OTHER--MALE----	133	173	250	286	282	232	189	118	38	14	3	-
FEMALE--	112	127	157	184	208	179	146	89	39	15	4	1
BLACK---MALE----	128	169	246	281	276	225	183	117	38	14	3	-
FEMALE--	101	124	145	176	200	171	143	86	37	14	4	1
GEORGIA -----	795	1,064	1,340	1,827	2,026	1,894	1,423	857	311	79	10	1
WHITE-----MALE----	323	424	590	814	867	807	567	294	90	19	2	-
FEMALE--	252	349	401	570	675	681	531	392	141	40	5	-
ALL OTHER--MALE----	131	179	199	260	284	221	167	88	33	3	-	1
FEMALE--	89	112	150	183	200	185	158	83	47	17	3	-
BLACK---MALE----	129	178	196	259	280	216	166	86	33	3	-	1
FEMALE--	87	109	148	182	199	180	154	82	47	17	3	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 417
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 II. NEOPLASMS (140-239)												
HAWAII -----	1,885	1	4	4	4	4	3	10	12	27	47	77
WHITE-----MALE----	302	-	-	2	-	-	-	1	-	2	6	13
FEMALE--	230	-	-	-	-	-	-	-	1	3	7	12
ALL OTHER--MALE----	773	1	2	-	4	3	2	3	5	8	20	25
FEMALE--	580	-	2	2	-	1	1	6	6	14	14	27
BLACK---MALE----	13	-	-	-	-	-	-	1	-	-	-	2
FEMALE--	5	-	-	-	-	-	-	-	-	2	-	-
IDAHO -----	2,036	-	1	2	3	6	3	5	17	20	40	61
WHITE-----MALE----	1,080	-	-	2	2	3	2	4	9	9	20	29
FEMALE--	931	-	1	-	1	3	1	1	8	10	19	32
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	25,506	8	25	25	29	29	42	83	132	309	522	824
WHITE-----MALE----	11,080	4	12	10	8	13	21	29	46	99	187	306
FEMALE--	10,549	4	4	10	14	10	11	32	45	129	206	331
ALL OTHER--MALE----	2,094	-	5	2	5	2	7	10	22	32	73	90
FEMALE--	1,783	-	4	3	2	4	3	12	19	49	56	97
BLACK---MALE----	1,978	-	5	2	3	2	5	8	20	30	67	87
FEMALE--	1,680	-	2	3	2	3	2	11	19	46	51	92
INDIANA -----	12,731	5	16	11	11	11	16	36	68	139	233	373
WHITE-----MALE----	6,059	1	10	4	6	10	7	12	34	51	82	163
FEMALE--	5,720	4	4	4	4	1	7	22	25	72	121	173
ALL OTHER--MALE----	506	-	1	2	-	-	2	2	4	5	13	17
FEMALE--	446	-	1	1	1	-	-	-	5	11	17	20
BLACK---MALE----	500	-	1	2	-	-	2	1	3	5	13	17
FEMALE--	430	-	1	1	1	-	-	-	5	11	17	20
IOWA -----	6,300	2	5	6	2	10	12	16	35	56	111	171
WHITE-----MALE----	3,162	-	4	2	1	7	6	5	18	18	45	74
FEMALE--	3,028	2	1	4	1	2	5	11	17	36	63	93
ALL OTHER--MALE----	64	-	-	-	-	-	1	-	-	2	3	-
FEMALE--	46	-	-	-	-	1	-	-	-	-	-	4
BLACK---MALE----	55	-	-	-	-	-	-	-	-	-	3	-
FEMALE--	39	-	-	-	-	1	-	-	-	-	-	2
KANSAS -----	5,360	1	7	2	9	2	11	14	26	56	84	150
WHITE-----MALE----	2,611	1	2	-	5	1	5	8	9	21	41	64
FEMALE--	2,440	-	2	2	3	1	5	5	14	31	36	82
ALL OTHER--MALE----	155	-	2	-	-	-	1	-	-	1	5	2
FEMALE--	154	-	1	-	1	-	-	1	3	3	2	2
BLACK---MALE----	142	-	2	-	-	-	1	-	-	1	4	2
FEMALE--	131	-	-	-	1	-	-	1	2	3	2	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 417
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 II. NEOPLASMS (140-239)												
HAWAII -----	113	128	172	239	306	270	228	149	63	22	1	1
WHITE-----MALE----	20	17	24	53	52	50	28	23	9	2	-	-
FEMALE--	17	21	18	21	39	32	27	18	11	2	-	1
ALL OTHER--MALE----	37	50	76	95	124	105	108	67	24	14	-	-
FEMALE--	39	40	54	70	91	83	65	41	19	4	1	-
BLACK---MALE----	1	-	3	-	2	2	2	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	1	-	-	-	-
IDAHO -----	100	145	175	267	338	300	284	164	70	29	6	-
WHITE-----MALE----	57	77	90	124	181	182	153	95	29	11	1	-
FEMALE--	39	66	83	137	152	117	129	68	41	18	5	-
ALL OTHER--MALE----	2	2	-	4	1	1	-	-	-	-	-	-
FEMALE--	2	-	2	2	4	-	2	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ILLINOIS -----	1,193	1,670	2,466	3,500	4,248	3,925	3,324	2,003	920	202	27	-
WHITE-----MALE----	453	705	1,083	1,664	1,989	1,824	1,449	796	319	59	4	-
FEMALE--	486	621	878	1,236	1,670	1,663	1,539	1,016	502	126	16	-
ALL OTHER--MALE----	135	192	289	354	327	231	168	93	46	10	1	-
FEMALE--	119	152	216	246	262	207	168	98	53	7	6	-
BLACK---MALE----	124	185	271	335	314	216	162	87	44	10	1	-
FEMALE--	112	142	210	228	249	194	161	91	50	7	5	-
INDIANA -----	598	918	1,235	1,826	2,161	2,005	1,567	965	419	101	17	-
WHITE-----MALE----	274	436	626	938	1,110	989	735	392	148	25	6	-
FEMALE--	274	395	511	737	901	902	727	506	250	69	11	-
ALL OTHER--MALE----	28	46	53	73	81	68	58	36	10	7	-	-
FEMALE--	22	41	45	78	69	46	47	31	11	-	-	-
BLACK---MALE----	27	45	53	73	80	68	58	35	10	7	-	-
FEMALE--	21	38	43	75	66	43	46	31	11	-	-	-
IOWA -----	251	345	553	758	974	1,011	901	664	316	87	14	-
WHITE-----MALE----	121	186	298	402	533	540	456	296	124	24	2	-
FEMALE--	127	151	231	343	424	461	434	360	188	62	12	-
ALL OTHER--MALE----	3	6	12	9	10	5	5	6	2	-	-	-
FEMALE--	-	2	12	4	7	5	6	2	2	1	-	-
BLACK---MALE----	3	6	11	9	8	4	4	5	2	-	-	-
FEMALE--	-	2	10	4	5	4	6	2	2	1	-	-
KANSAS -----	230	304	483	705	830	840	729	519	266	80	12	-
WHITE-----MALE----	105	142	257	375	434	414	362	244	91	27	3	-
FEMALE--	102	135	197	283	340	391	334	256	165	49	7	-
ALL OTHER--MALE----	15	10	16	22	27	17	19	11	4	2	1	-
FEMALE--	8	17	13	25	29	18	14	8	6	2	1	-
BLACK---MALE----	13	9	15	21	23	17	17	10	4	2	1	-
FEMALE--	6	14	11	21	24	14	13	8	6	2	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 418
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 II. NEOPLASMS (140-239)												
KENTUCKY -----	8,959	-	10	7	4	3	16	26	52	101	167	344
WHITE-----MALE----	4,483	-	5	3	2	2	8	17	20	42	72	148
FEMALE--	3,777	-	3	1	-	-	6	9	26	52	78	168
ALL OTHER--MALE----	382	-	-	2	2	-	1	-	2	3	7	14
FEMALE--	317	-	2	1	-	1	1	-	4	4	10	14
BLACK---MALE----	375	-	-	2	2	-	1	-	2	3	7	14
FEMALE--	310	-	2	1	-	1	1	-	4	4	10	13
LOUISIANA -----	9,474	2	13	9	11	7	21	33	67	123	236	375
WHITE-----MALE----	3,530	2	3	4	3	2	4	7	18	43	66	102
FEMALE--	3,137	-	3	1	1	-	4	8	23	42	64	127
ALL OTHER--MALE----	1,552	-	3	-	5	4	5	8	8	21	48	79
FEMALE--	1,255	-	4	4	2	1	8	10	18	17	58	67
BLACK---MALE----	1,537	-	3	-	5	4	5	8	8	21	47	78
FEMALE--	1,238	-	4	4	2	1	8	9	18	16	57	65
MAINE -----	3,065	1	4	6	3	5	2	9	18	29	51	98
WHITE-----MALE----	1,575	-	2	5	1	3	2	5	4	12	25	39
FEMALE--	1,482	1	2	1	2	2	-	3	13	17	26	59
ALL OTHER--MALE----	4	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	10,343	3	10	12	8	21	20	36	84	139	263	385
WHITE-----MALE----	3,911	1	3	5	3	7	4	7	28	45	76	122
FEMALE--	3,853	2	1	-	1	4	8	13	19	42	89	121
ALL OTHER--MALE----	1,398	-	3	4	1	7	6	8	16	23	54	70
FEMALE--	1,181	-	3	3	3	3	2	8	21	29	44	72
BLACK---MALE----	1,338	-	3	2	1	6	6	8	16	22	50	64
FEMALE--	1,119	-	3	3	3	3	2	7	20	28	40	64
MASSACHUSETTS -----	14,306	-	16	17	14	16	27	47	84	152	230	437
WHITE-----MALE----	6,780	-	9	9	6	11	13	23	36	61	95	196
FEMALE--	6,865	-	4	6	6	4	8	21	35	76	106	201
ALL OTHER--MALE----	347	-	1	1	-	-	5	2	5	8	13	23
FEMALE--	314	-	2	1	2	1	1	1	8	7	16	17
BLACK---MALE----	269	-	-	-	-	-	4	2	2	3	10	17
FEMALE--	246	-	2	1	1	1	-	1	6	5	12	15
MICHIGAN -----	19,700	4	20	21	12	23	38	65	99	247	400	670
WHITE-----MALE----	8,737	2	7	10	6	12	12	29	34	75	128	261
FEMALE--	8,184	1	6	7	3	5	17	23	41	122	167	263
ALL OTHER--MALE----	1,496	-	5	4	2	2	3	8	8	17	49	62
FEMALE--	1,283	1	2	-	1	4	6	5	16	33	56	84
BLACK---MALE----	1,418	-	5	4	2	2	3	7	7	16	48	60
FEMALE--	1,192	1	-	-	1	3	5	4	15	32	51	74

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 418
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 II. NEOPLASMS (140-239)												
KENTUCKY -----	486	686	958	1,242	1,531	1,313	1,031	657	237	83	5	-
WHITE-----MALE----	253	328	512	688	843	673	485	265	92	25	-	-
FEMALE--	195	305	363	452	564	555	480	344	121	51	4	-
ALL OTHER--MALE----	22	32	45	56	71	49	35	27	14	-	-	-
FEMALE--	16	21	38	46	53	36	31	21	10	7	1	-
BLACK---MALE----	22	31	44	54	70	48	35	27	13	-	-	-
FEMALE--	16	20	36	45	53	35	31	20	10	7	1	-
LOUISIANA -----	519	699	972	1,325	1,516	1,357	1,112	716	277	69	15	-
WHITE-----MALE----	166	270	349	573	598	575	412	241	72	19	1	-
FEMALE--	151	201	300	389	510	450	408	302	124	25	4	-
ALL OTHER--MALE----	114	120	185	219	250	190	152	95	31	12	3	-
FEMALE--	88	108	138	144	158	142	140	78	50	13	7	-
BLACK---MALE----	113	118	184	216	247	188	152	94	31	12	3	-
FEMALE--	85	106	136	142	158	141	139	78	50	13	6	-
MAINE -----	153	191	266	421	488	503	401	263	114	36	3	-
WHITE-----MALE----	66	109	146	232	281	266	214	114	40	7	2	-
FEMALE--	86	80	120	189	206	237	185	149	74	29	1	-
ALL OTHER--MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
MARYLAND -----	552	741	1,051	1,436	1,645	1,562	1,235	741	313	70	16	-
WHITE-----MALE----	163	276	405	586	664	645	489	269	94	17	2	-
FEMALE--	209	238	345	493	603	609	519	328	159	40	10	-
ALL OTHER--MALE----	91	124	163	203	224	173	128	64	29	6	1	-
FEMALE--	89	103	138	154	154	135	99	80	31	7	3	-
BLACK---MALE----	91	118	159	196	212	168	122	59	28	6	1	-
FEMALE--	85	94	129	149	149	130	92	78	30	7	3	-
MASSACHUSETTS -----	632	830	1,269	1,792	2,336	2,314	1,961	1,290	631	181	30	-
WHITE-----MALE----	273	402	642	926	1,231	1,173	903	524	193	46	8	-
FEMALE--	307	367	559	790	1,018	1,066	993	729	421	129	19	-
ALL OTHER--MALE----	27	29	42	47	53	37	33	12	6	3	-	-
FEMALE--	25	32	26	29	34	38	32	25	11	3	3	-
BLACK---MALE----	21	25	33	36	41	31	26	9	6	3	-	-
FEMALE--	17	25	20	23	28	28	27	19	10	3	2	-
MICHIGAN -----	961	1,395	1,834	2,800	3,400	3,065	2,389	1,445	638	150	24	-
WHITE-----MALE----	412	623	844	1,264	1,615	1,447	1,087	592	227	44	6	-
FEMALE--	384	539	705	1,100	1,335	1,258	1,047	716	342	89	14	-
ALL OTHER--MALE----	80	134	164	251	260	208	137	66	32	4	-	-
FEMALE--	85	99	121	185	190	152	118	71	37	13	4	-
BLACK---MALE----	75	125	154	240	246	198	129	61	32	4	-	-
FEMALE--	74	90	108	172	183	145	113	68	37	12	4	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 419
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 II. NEOPLASMS (140-239)												
MINNESOTA -----	8,823	3	8	9	9	11	12	26	50	96	159	260
WHITE-----MALE----	4,394	1	3	7	6	7	8	9	23	38	68	101
FEMALE--	4,213	1	5	2	2	3	4	15	25	55	84	138
ALL OTHER--MALE----	125	1	-	-	1	1	-	1	1	2	6	6
FEMALE--	91	-	-	-	-	-	-	1	1	1	1	15
BLACK---MALE----	72	-	-	-	1	-	-	1	-	2	4	5
FEMALE--	43	-	-	-	-	-	-	1	1	1	-	6
MISSISSIPPI -----	5,815	3	5	5	2	12	13	16	41	76	147	215
WHITE-----MALE----	2,193	2	-	-	1	1	4	6	12	17	43	61
FEMALE--	1,760	1	1	4	-	3	5	3	11	17	42	70
ALL OTHER--MALE----	1,060	-	1	1	1	5	2	4	11	21	30	46
FEMALE--	802	-	3	-	-	3	2	3	7	21	32	38
BLACK---MALE----	1,055	-	1	1	1	5	1	4	11	21	30	46
FEMALE--	791	-	3	-	-	3	2	3	7	20	32	37
MISSOURI -----	12,454	1	10	10	10	14	24	34	66	132	239	429
WHITE-----MALE----	5,800	-	9	6	7	4	15	13	28	51	88	168
FEMALE--	5,364	-	-	2	1	7	5	19	23	56	119	198
ALL OTHER--MALE----	683	-	1	-	2	3	3	1	7	10	11	33
FEMALE--	607	1	-	2	-	-	1	1	8	15	21	30
BLACK---MALE----	658	-	1	-	2	3	3	-	7	10	11	33
FEMALE--	585	1	-	1	-	-	1	1	8	15	19	29
MONTANA -----	1,793	-	1	3	2	3	3	8	28	30	57	
WHITE-----MALE----	895	-	-	-	2	2	2	1	4	9	15	23
FEMALE--	816	-	1	2	-	1	1	2	4	18	13	29
ALL OTHER--MALE----	38	-	-	1	-	-	-	-	-	-	-	2
FEMALE--	44	-	-	-	-	-	-	-	-	1	2	3
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	3,415	-	-	7	1	8	10	9	17	42	68	99
WHITE-----MALE----	1,734	-	-	2	1	3	7	5	5	24	30	39
FEMALE--	1,573	-	-	5	1	4	2	4	10	18	34	52
ALL OTHER--MALE----	62	-	-	-	-	-	1	-	1	-	1	6
FEMALE--	46	-	-	-	-	1	-	-	1	-	3	2
BLACK---MALE----	53	-	-	-	-	-	1	-	1	-	1	4
FEMALE--	37	-	-	-	-	1	-	-	-	-	3	2
NEVADA -----	3,026	2	1	2	3	3	1	8	17	28	56	118
WHITE-----MALE----	1,534	2	-	2	-	1	1	4	5	11	20	52
FEMALE--	1,264	-	1	-	3	-	-	3	8	13	26	57
ALL OTHER--MALE----	114	-	-	-	-	1	-	1	2	2	4	4
FEMALE--	114	-	-	-	-	1	-	-	2	2	6	5
BLACK---MALE----	80	-	-	-	-	1	-	1	2	1	3	4
FEMALE--	66	-	-	-	-	1	-	-	1	2	2	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 419
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 II. NEOPLASMS (140-239)												
MINNESOTA -----	419	511	781	1,115	1,315	1,360	1,213	871	459	126	10	-
WHITE-----MALE----	196	251	397	609	728	713	587	399	193	47	3	-
FEMALE--	201	243	359	479	558	627	605	460	262	78	7	-
ALL OTHER--MALE----	13	9	15	20	17	14	10	6	1	1	-	-
FEMALE--	9	8	10	7	12	6	11	6	3	-	-	-
BLACK---MALE----	9	4	11	8	8	7	6	4	1	1	-	-
FEMALE--	2	4	7	1	6	3	5	5	1	-	-	-
MISSISSIPPI -----	293	453	621	803	872	811	721	456	190	45	15	-
WHITE-----MALE----	91	185	253	342	374	312	287	161	35	5	1	-
FEMALE--	84	127	181	229	273	240	228	132	81	25	3	-
ALL OTHER--MALE----	69	77	110	125	129	164	120	90	40	7	7	-
FEMALE--	49	64	77	107	96	95	86	73	34	8	4	-
BLACK---MALE----	69	73	110	125	129	164	120	90	40	7	7	-
FEMALE--	49	61	75	105	96	95	84	73	34	8	4	-
MISSOURI -----	565	832	1,263	1,702	2,081	1,793	1,573	1,029	516	121	10	-
WHITE-----MALE----	229	370	658	870	1,030	912	729	398	173	39	3	-
FEMALE--	255	355	438	652	846	736	723	550	298	75	6	-
ALL OTHER--MALE----	39	60	95	106	120	73	66	34	16	3	-	-
FEMALE--	42	47	72	74	85	72	55	47	29	4	1	-
BLACK---MALE----	37	57	88	102	116	73	64	32	16	3	-	-
FEMALE--	40	47	65	70	83	70	55	46	29	4	1	-
MONTANA -----	93	85	176	239	277	282	271	145	73	13	1	-
WHITE-----MALE----	44	44	90	107	158	158	126	67	36	7	-	-
FEMALE--	46	36	77	120	107	108	134	77	34	5	1	-
ALL OTHER--MALE----	1	3	5	4	7	7	6	-	2	-	-	-
FEMALE--	2	2	4	8	5	9	5	1	1	1	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	107	197	318	459	536	524	481	314	166	48	4	-
WHITE-----MALE----	55	104	165	248	268	291	258	141	70	16	2	-
FEMALE--	47	84	141	194	254	225	205	165	95	32	2	-
ALL OTHER--MALE----	4	7	8	8	6	5	8	6	1	-	-	-
FEMALE--	1	2	4	9	8	3	10	2	-	-	-	-
BLACK---MALE----	4	4	7	7	5	4	8	6	1	-	-	-
FEMALE--	1	2	3	6	7	-	10	2	-	-	-	-
NEVADA -----	205	209	346	490	562	437	332	141	54	11	-	-
WHITE-----MALE----	94	97	183	253	309	222	175	73	24	6	-	-
FEMALE--	86	93	124	199	229	192	140	59	26	5	-	-
ALL OTHER--MALE----	9	8	16	20	11	17	11	6	2	-	-	-
FEMALE--	16	11	23	18	13	6	6	3	2	-	-	-
BLACK---MALE----	3	7	11	14	7	11	8	5	2	-	-	-
FEMALE--	10	8	11	9	9	6	3	-	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 420
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 II. NEOPLASMS (140-239)												
NEW HAMPSHIRE -----	96	174	230	326	408	365	293	199	83	28	1	-
WHITE-----MALE----	60	94	122	189	209	189	141	77	29	5	-	-
FEMALE--	35	79	106	135	194	176	152	121	54	23	1	-
ALL OTHER--MALE----	-	1	2	2	4	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	1	2	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY -----	862	1,182	1,662	2,556	3,130	2,985	2,514	1,580	636	159	18	-
WHITE-----MALE----	336	487	717	1,173	1,511	1,352	1,103	642	211	46	8	-
FEMALE--	339	478	635	1,022	1,249	1,346	1,202	833	364	95	5	-
ALL OTHER--MALE----	97	119	174	193	220	162	103	54	20	8	-	-
FEMALE--	90	98	136	168	150	125	106	51	41	10	5	-
BLACK---MALE----	91	107	158	183	205	145	91	44	18	8	-	-
FEMALE--	81	89	124	156	139	116	101	49	40	9	5	-
NEW MEXICO -----	136	169	272	365	452	409	355	212	108	23	2	-
WHITE-----MALE----	47	82	123	181	259	193	189	90	46	7	-	-
FEMALE--	74	69	123	159	177	196	149	107	55	14	1	-
ALL OTHER--MALE----	8	7	18	15	10	10	10	8	4	-	1	-
FEMALE--	7	11	8	10	6	10	7	7	3	2	-	-
BLACK---MALE----	2	3	5	3	4	5	3	3	1	-	-	-
FEMALE--	2	3	3	4	2	2	-	4	-	-	-	-
NEW YORK -----	2,011	2,627	3,652	5,355	6,160	5,961	5,151	3,284	1,426	363	45	-
WHITE-----MALE----	754	1,095	1,553	2,384	2,806	2,704	2,231	1,319	488	102	8	-
FEMALE--	793	978	1,381	2,159	2,482	2,636	2,438	1,696	820	234	31	-
ALL OTHER--MALE----	237	283	365	428	458	335	223	119	46	13	1	-
FEMALE--	227	271	353	384	414	286	259	150	72	14	5	-
BLACK---MALE----	216	247	322	371	413	292	192	100	35	10	1	-
FEMALE--	202	244	319	354	379	267	226	137	63	12	4	-
NORTH CAROLINA -----	827	1,092	1,620	2,102	2,500	2,254	1,757	1,027	414	111	19	-
WHITE-----MALE----	321	431	724	1,035	1,143	1,015	667	334	125	30	4	-
FEMALE--	275	365	529	649	833	803	683	490	195	59	9	-
ALL OTHER--MALE----	124	156	221	238	302	251	223	88	46	5	1	-
FEMALE--	107	140	146	180	222	185	184	115	48	17	5	-
BLACK---MALE----	121	151	214	229	289	243	214	88	46	5	1	-
FEMALE--	103	128	142	176	213	181	178	112	48	16	5	-
NORTH DAKOTA -----	49	68	129	144	193	230	211	166	79	24	-	-
WHITE-----MALE----	21	26	69	81	119	126	112	78	37	9	-	-
FEMALE--	25	38	58	60	73	97	95	86	42	15	-	-
ALL OTHER--MALE----	2	3	2	3	-	1	2	1	-	-	-	-
FEMALE--	1	1	-	-	1	6	2	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 421
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 II. NEOPLASMS (140-239)												
OHIO -----	25,602	3	17	25	21	29	46	89	168	295	465	796
WHITE-----MALE----	11,573	3	5	9	10	17	25	47	76	103	177	324
FEMALE--	11,224	-	8	9	7	9	12	25	68	144	216	371
ALL OTHER--MALE----	1,470	-	2	6	4	2	5	4	8	19	42	50
FEMALE--	1,335	-	2	1	-	1	4	13	16	29	30	51
BLACK---MALE----	1,448	-	2	6	4	1	5	4	8	19	42	49
FEMALE--	1,307	-	2	1	-	1	4	12	16	28	30	49
OKLAHOMA -----	7,237	1	8	9	4	24	11	23	40	80	152	217
WHITE-----MALE----	3,484	1	6	1	2	14	7	10	19	34	63	101
FEMALE--	3,091	-	1	6	2	7	3	10	11	31	66	86
ALL OTHER--MALE----	362	-	-	1	-	1	-	3	5	3	8	13
FEMALE--	300	-	1	1	-	2	1	-	5	12	15	17
BLACK---MALE----	227	-	-	1	-	1	-	3	4	2	8	7
FEMALE--	195	-	1	-	-	-	1	-	3	9	8	12
OREGON -----	6,857	2	8	5	3	13	8	11	21	77	129	214
WHITE-----MALE----	3,434	-	3	2	1	8	5	6	14	34	54	99
FEMALE--	3,228	1	5	3	2	5	3	4	6	41	65	105
ALL OTHER--MALE----	105	1	-	-	-	-	-	-	-	-	4	4
FEMALE--	90	-	-	-	-	-	-	1	1	2	6	6
BLACK---MALE----	51	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	28	-	-	-	-	-	-	-	-	1	1	-
PENNSYLVANIA -----	30,741	5	25	17	27	37	48	64	137	290	520	841
WHITE-----MALE----	14,295	3	10	9	11	20	28	32	49	101	227	348
FEMALE--	13,615	2	9	8	10	11	13	25	77	150	214	378
ALL OTHER--MALE----	1,496	-	4	-	1	3	4	6	5	18	36	60
FEMALE--	1,335	-	2	-	5	3	3	1	6	21	43	55
BLACK---MALE----	1,449	-	3	-	1	2	4	5	5	16	35	57
FEMALE--	1,272	-	1	-	3	2	3	1	5	19	41	52
RHODE ISLAND -----	2,508	-	4	1	2	1	3	3	12	18	48	63
WHITE-----MALE----	1,220	-	1	-	-	-	1	3	5	5	20	27
FEMALE--	1,192	-	1	-	2	1	2	-	6	11	23	31
ALL OTHER--MALE----	47	-	2	-	-	-	-	-	1	-	3	1
FEMALE--	49	-	-	1	-	-	-	-	-	2	2	4
BLACK---MALE----	35	-	-	-	-	-	-	-	1	-	2	1
FEMALE--	40	-	-	1	-	-	-	-	-	2	-	1
SOUTH CAROLINA -----	7,506	3	9	11	9	8	17	21	58	105	171	280
WHITE-----MALE----	2,886	-	3	4	1	3	6	4	14	29	41	93
FEMALE--	2,448	1	3	3	2	3	2	6	21	42	54	81
ALL OTHER--MALE----	1,177	2	-	2	2	1	1	7	6	7	33	49
FEMALE--	995	-	3	2	4	1	8	4	17	27	43	57
BLACK---MALE----	1,168	1	-	2	2	1	1	7	6	7	32	48
FEMALE--	985	-	3	2	4	1	8	4	17	26	43	57

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 421
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 II. NEOPLASMS (140-239)												
OHIO -----	1,181	1,739	2,440	3,535	4,422	4,046	3,154	1,979	864	241	47	-
WHITE-----MALE----	525	779	1,171	1,690	2,126	1,918	1,403	788	300	68	9	-
FEMALE--	490	712	927	1,400	1,828	1,776	1,507	1,024	501	156	34	-
ALL OTHER--MALE----	89	134	189	256	249	186	117	68	29	8	3	-
FEMALE--	77	114	153	189	219	166	127	99	34	9	1	-
BLACK---MALE----	88	134	187	254	244	184	113	65	29	8	2	-
FEMALE--	75	110	150	184	214	165	125	99	32	9	1	-
OKLAHOMA -----	335	540	704	994	1,122	1,111	917	620	236	72	14	3
WHITE-----MALE----	151	262	372	500	576	550	433	266	90	23	2	1
FEMALE--	150	225	265	387	467	472	413	306	125	45	11	2
ALL OTHER--MALE----	23	27	36	69	43	45	45	27	10	2	1	-
FEMALE--	11	26	31	38	36	44	26	21	11	2	-	-
BLACK---MALE----	11	14	20	39	25	27	32	23	7	2	1	-
FEMALE--	8	20	16	27	24	25	14	19	7	1	-	-
OREGON -----	323	401	597	862	1,153	1,133	980	588	245	73	11	-
WHITE-----MALE----	140	198	294	464	584	586	526	273	114	27	2	-
FEMALE--	174	186	279	373	537	516	440	301	128	45	9	-
ALL OTHER--MALE----	7	9	12	19	15	20	5	8	-	1	-	-
FEMALE--	2	8	12	6	17	11	9	6	3	-	-	-
BLACK---MALE----	3	3	7	7	8	10	2	7	-	1	-	-
FEMALE--	1	2	4	1	8	3	4	3	-	-	-	-
PENNSYLVANIA -----	1,303	1,848	2,700	4,315	5,250	5,258	4,133	2,553	1,095	233	41	1
WHITE-----MALE----	562	851	1,313	2,176	2,628	2,551	1,877	1,036	384	74	5	-
FEMALE--	557	752	1,040	1,711	2,144	2,324	2,015	1,370	637	137	30	1
ALL OTHER--MALE----	93	139	199	233	271	214	110	59	32	7	2	-
FEMALE--	91	106	148	195	207	169	131	88	42	15	4	-
BLACK---MALE----	88	135	191	227	263	211	108	57	32	7	2	-
FEMALE--	85	101	139	186	200	161	128	85	42	15	3	-
RHODE ISLAND -----	108	125	205	336	432	448	331	234	108	24	2	-
WHITE-----MALE----	47	52	117	166	239	239	146	101	43	7	1	-
FEMALE--	54	65	75	151	183	200	176	129	65	16	1	-
ALL OTHER--MALE----	2	5	5	11	6	4	5	1	-	1	-	-
FEMALE--	5	3	8	8	4	5	4	3	-	-	-	-
BLACK---MALE----	1	4	3	9	5	4	4	1	-	-	-	-
FEMALE--	4	3	8	7	3	5	3	3	-	-	-	-
SOUTH CAROLINA -----	409	577	827	1,045	1,285	1,136	855	466	171	31	12	-
WHITE-----MALE----	151	212	339	474	560	429	313	157	45	8	-	-
FEMALE--	127	174	263	296	402	390	294	199	72	10	3	-
ALL OTHER--MALE----	80	111	142	158	189	183	118	52	23	7	4	-
FEMALE--	51	80	83	117	134	134	130	58	31	6	5	-
BLACK---MALE----	80	110	142	157	187	183	117	51	23	7	4	-
FEMALE--	51	78	82	115	131	134	129	58	31	6	5	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 422
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 II. NEOPLASMS (140-239)												
SOUTH DAKOTA -----	1,583	-	1	-	-	1	4	3	4	15	22	43
WHITE-----MALE----	826	-	1	-	-	-	2	-	1	9	10	15
FEMALE--	679	-	-	-	-	1	1	1	2	6	11	24
ALL OTHER--MALE----	42	-	-	-	-	-	-	1	-	-	1	1
FEMALE--	36	-	-	-	-	-	1	1	1	-	-	3
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	11,719	5	11	21	13	13	17	41	81	142	250	463
WHITE-----MALE----	5,320	4	7	9	3	8	12	16	40	49	96	180
FEMALE--	4,518	1	1	7	6	3	-	14	21	63	103	188
ALL OTHER--MALE----	1,014	-	1	-	3	2	3	5	10	8	22	48
FEMALE--	867	-	2	5	1	-	2	6	10	22	29	47
BLACK---MALE----	1,001	-	1	-	2	2	3	5	10	8	22	47
FEMALE--	849	-	2	5	1	-	2	5	10	20	27	46
TEXAS -----	31,983	12	50	46	62	60	72	122	251	483	785	1,178
WHITE-----MALE----	14,672	5	22	24	32	28	43	51	105	163	287	453
FEMALE--	12,955	5	18	14	19	18	18	49	103	226	335	489
ALL OTHER--MALE----	2,397	1	5	4	4	6	6	14	16	39	87	96
FEMALE--	1,959	1	5	4	7	8	5	8	27	55	76	140
BLACK---MALE----	2,277	1	4	4	2	5	6	14	15	38	80	88
FEMALE--	1,838	1	3	4	7	8	5	6	27	49	66	130
UTAH -----	2,186	1	6	3	2	8	13	13	16	23	66	66
WHITE-----MALE----	1,123	-	5	1	-	4	8	4	10	13	29	34
FEMALE--	994	1	1	2	2	4	4	5	6	10	33	29
ALL OTHER--MALE----	40	-	-	-	-	-	1	2	-	-	3	2
FEMALE--	29	-	-	-	-	-	-	2	-	-	1	1
BLACK---MALE----	15	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1,181	-	-	3	3	3	1	-	13	14	21	34
WHITE-----MALE----	614	-	-	1	1	2	1	-	6	7	9	17
FEMALE--	566	-	-	2	2	1	-	-	7	7	12	17
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	12,818	4	14	10	15	16	28	46	90	180	273	483
WHITE-----MALE----	5,259	3	7	2	8	9	10	15	34	62	85	162
FEMALE--	4,743	-	3	3	4	5	7	13	31	64	103	204
ALL OTHER--MALE----	1,544	-	2	3	1	2	7	10	11	26	33	54
FEMALE--	1,272	1	2	2	2	-	4	8	14	28	52	63
BLACK---MALE----	1,482	-	2	3	1	2	7	9	10	24	27	52
FEMALE--	1,207	-	2	2	2	-	4	7	14	28	47	57

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 422
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 II. NEOPLASMS (140-239)												
SOUTH DAKOTA -----	46	90	116	192	247	262	243	181	78	31	4	-
WHITE-----MALE----	22	43	61	126	147	149	111	86	29	14	-	-
FEMALE--	23	42	45	53	90	98	126	89	49	16	2	-
ALL OTHER--MALE----	-	3	4	6	4	14	5	1	-	1	1	-
FEMALE--	1	2	6	7	6	1	1	5	-	-	1	-
BLACK---MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	662	889	1,205	1,642	1,902	1,725	1,360	852	336	74	14	1
WHITE-----MALE----	281	423	572	833	934	779	607	326	113	24	4	-
FEMALE--	248	323	431	547	686	709	529	418	176	38	6	-
ALL OTHER--MALE----	76	79	110	151	155	134	120	57	20	9	-	1
FEMALE--	57	64	92	111	127	103	104	51	27	3	4	-
BLACK---MALE----	75	77	108	150	155	133	118	56	20	8	-	1
FEMALE--	54	64	91	106	126	103	104	49	27	3	4	-
TEXAS -----	1,747	2,239	3,217	4,323	5,159	4,645	3,796	2,418	1,043	231	43	1
WHITE-----MALE----	747	1,024	1,498	2,153	2,542	2,288	1,764	996	378	61	8	-
FEMALE--	708	831	1,172	1,576	2,034	1,831	1,664	1,147	533	136	28	1
ALL OTHER--MALE----	163	212	330	363	342	298	182	142	66	18	3	-
FEMALE--	129	172	217	231	241	228	186	133	66	16	4	-
BLACK---MALE----	151	203	317	348	330	280	171	136	65	17	2	-
FEMALE--	113	155	204	215	233	222	178	128	65	15	4	-
UTAH -----	86	147	182	273	359	360	263	214	72	13	-	-
WHITE-----MALE----	38	75	97	140	199	194	136	93	39	4	-	-
FEMALE--	44	63	78	123	149	158	122	120	32	8	-	-
ALL OTHER--MALE----	1	5	2	5	9	5	4	-	1	-	-	-
FEMALE--	3	4	5	5	2	3	1	1	-	1	-	-
BLACK---MALE----	1	1	-	1	3	2	3	-	1	-	-	-
FEMALE--	1	1	2	1	-	-	-	1	-	1	-	-
VERMONT -----	46	82	129	146	174	186	160	97	57	10	2	-
WHITE-----MALE----	23	41	76	81	93	96	84	48	25	2	1	-
FEMALE--	23	41	52	65	81	90	76	49	32	8	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
VIRGINIA -----	731	856	1,330	1,889	2,185	1,885	1,419	895	358	95	12	4
WHITE-----MALE----	279	345	582	838	960	808	605	306	109	28	2	-
FEMALE--	262	311	427	652	773	701	535	404	176	56	8	1
ALL OTHER--MALE----	108	110	192	223	272	215	149	86	33	5	-	2
FEMALE--	82	90	129	176	180	161	130	99	40	6	2	1
BLACK---MALE----	100	107	184	214	262	210	144	85	32	5	-	2
FEMALE--	75	84	122	169	171	157	124	95	39	6	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 423
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 II. NEOPLASMS (140-239)												
WASHINGTON -----	524	632	950	1,322	1,648	1,605	1,326	809	345	94	8	-
WHITE-----MALE----	245	304	469	674	857	818	662	366	146	27	3	-
FEMALE--	233	292	418	570	721	719	628	412	189	64	4	-
ALL OTHER--MALE----	17	22	27	48	35	44	17	21	7	1	1	-
FEMALE--	29	14	36	30	35	24	19	10	3	2	-	-
BLACK---MALE----	10	7	9	19	14	21	4	10	2	-	1	-
FEMALE--	13	5	9	10	15	7	5	4	2	2	-	-
WEST VIRGINIA -----	216	320	476	704	891	767	616	332	137	28	7	1
WHITE-----MALE----	111	193	252	401	485	382	272	149	48	11	2	-
FEMALE--	101	121	206	273	378	361	315	174	84	17	5	1
ALL OTHER--MALE----	2	4	12	16	17	11	18	5	2	-	-	-
FEMALE--	2	2	6	14	11	13	11	4	3	-	-	-
BLACK---MALE----	2	3	11	16	17	11	17	5	2	-	-	-
FEMALE--	1	2	6	11	10	13	11	4	3	-	-	-
WISCONSIN -----	436	654	911	1,389	1,686	1,773	1,503	1,059	418	154	24	-
WHITE-----MALE----	191	334	489	760	928	917	727	478	181	51	4	-
FEMALE--	204	280	367	566	707	813	738	559	233	103	20	-
ALL OTHER--MALE----	22	24	39	39	34	20	19	13	1	-	-	-
FEMALE--	19	16	16	24	17	23	19	9	3	-	3	-
BLACK---MALE----	19	23	32	31	28	19	13	12	1	-	-	-
FEMALE--	16	14	11	21	16	20	14	7	2	-	-	-
WYOMING -----	36	72	97	103	151	135	122	74	38	9	1	-
WHITE-----MALE----	23	37	51	53	76	65	73	36	15	4	-	-
FEMALE--	13	35	43	50	71	64	47	35	23	5	1	-
ALL OTHER--MALE----	-	-	2	-	2	4	-	-	-	-	-	-
FEMALE--	-	-	1	-	2	2	3	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	2	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 424
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)												
0 UNITED STATES --	538,455	70	488	523	503	691	951	1,593	3,282	6,309	10,801	18,003
WHITE-----MALE----	244,000	30	233	248	223	342	463	671	1,237	2,169	3,897	6,858
FEMALE--	224,897	25	147	163	164	203	284	587	1,310	2,821	4,592	7,650
ALL OTHER--MALE----	37,611	6	57	51	65	86	118	165	311	549	1,070	1,660
FEMALE--	31,947	9	51	61	51	60	86	170	424	770	1,242	1,835
BLACK---MALE----	32,880	4	45	42	43	67	95	135	254	469	921	1,448
FEMALE--	27,723	6	41	47	41	48	76	127	354	657	1,061	1,543
ALABAMA -----	9,414	-	6	6	9	10	15	29	52	126	207	322
WHITE-----MALE----	3,913	-	2	2	4	7	7	6	18	35	65	118
FEMALE--	3,286	-	1	3	3	2	5	13	17	46	67	99
ALL OTHER--MALE----	1,259	-	2	1	2	1	1	7	6	16	38	56
FEMALE--	956	-	1	-	-	-	2	3	11	29	37	49
BLACK---MALE----	1,252	-	1	1	2	1	1	7	6	16	38	55
FEMALE--	950	-	1	-	-	-	2	3	11	29	36	49
ALASKA -----	574	-	1	2	-	2	3	7	9	11	23	41
WHITE-----MALE----	265	-	1	1	-	-	2	3	3	4	9	14
FEMALE--	190	-	-	-	-	1	1	1	3	5	6	24
ALL OTHER--MALE----	56	-	-	1	-	1	-	-	1	1	3	2
FEMALE--	63	-	-	-	-	-	-	3	2	1	5	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
ARIZONA -----	8,020	3	4	7	5	11	25	19	48	70	145	206
WHITE-----MALE----	4,108	2	2	5	3	6	12	10	21	25	57	82
FEMALE--	3,519	1	1	1	-	4	11	4	22	36	73	103
ALL OTHER--MALE----	207	-	1	-	1	1	1	4	3	4	4	10
FEMALE--	186	-	-	1	1	-	1	1	2	5	11	11
BLACK---MALE----	105	-	1	-	-	-	-	2	2	1	2	5
FEMALE--	79	-	-	-	-	-	-	1	-	4	5	6
ARKANSAS -----	6,079	3	7	2	5	5	10	17	50	67	100	190
WHITE-----MALE----	2,941	-	5	1	5	2	5	7	19	25	38	81
FEMALE--	2,264	1	1	-	1	1	2	4	19	28	35	72
ALL OTHER--MALE----	486	1	1	1	-	2	-	5	6	3	12	18
FEMALE--	388	1	-	-	-	-	3	1	6	11	15	19
BLACK---MALE----	476	1	1	1	-	2	-	4	4	3	12	18
FEMALE--	382	1	-	-	-	-	3	1	6	11	14	19
CALIFORNIA -----	51,423	9	65	80	67	95	120	182	405	664	1,139	1,833
WHITE-----MALE----	22,721	3	36	36	25	46	59	82	152	235	393	676
FEMALE--	21,680	6	25	29	25	31	40	63	171	290	498	793
ALL OTHER--MALE----	3,743	-	4	6	8	10	16	13	27	55	112	162
FEMALE--	3,279	-	-	9	9	8	5	24	55	84	136	202
BLACK---MALE----	2,009	-	1	3	2	6	8	4	13	24	62	87
FEMALE--	1,778	-	-	2	5	4	3	9	26	40	77	106

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 424
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)												
0 UNITED STATES --	26,183	36,057	51,841	73,634	89,230	83,677	68,431	42,758	18,108	4,618	686	18
WHITE-----MALE----	10,766	16,027	24,353	35,890	43,477	40,061	31,281	17,740	6,508	1,379	145	2
FEMALE--	10,672	14,062	19,389	28,072	35,297	35,002	30,393	21,044	9,812	2,782	418	8
ALL OTHER--MALE----	2,528	3,275	4,610	5,554	5,997	4,852	3,572	1,989	837	216	38	5
FEMALE--	2,217	2,693	3,489	4,118	4,459	3,762	3,185	1,985	951	241	85	3
BLACK---MALE----	2,227	2,898	4,088	4,917	5,255	4,230	3,093	1,689	739	183	33	5
FEMALE--	1,868	2,329	3,001	3,603	3,940	3,295	2,780	1,759	850	219	76	2
ALABAMA -----	475	682	987	1,367	1,569	1,384	1,117	705	260	79	6	1
WHITE-----MALE----	176	279	428	632	717	622	444	248	83	20	-	-
FEMALE--	159	250	313	434	523	494	415	294	106	38	4	-
ALL OTHER--MALE----	86	87	142	184	194	145	154	85	41	11	-	-
FEMALE--	54	66	104	117	135	123	104	78	30	10	2	1
BLACK---MALE----	84	87	142	184	194	145	153	83	41	11	-	-
FEMALE--	53	65	103	117	135	122	103	78	30	10	2	1
ALASKA -----	40	48	73	84	83	67	51	20	8	1	-	-
WHITE-----MALE----	21	29	36	45	40	33	13	7	4	-	-	-
FEMALE--	12	9	18	20	29	21	27	10	2	1	-	-
ALL OTHER--MALE----	2	2	11	9	9	4	1	-	-	-	-	-
FEMALE--	5	8	8	10	5	4	7	2	2	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	1	-	1	-	-	-	-	-
ARIZONA -----	344	521	795	1,147	1,398	1,302	1,093	576	222	69	8	2
WHITE-----MALE----	151	270	426	603	761	694	574	269	109	25	-	1
FEMALE--	169	223	328	492	588	546	475	292	100	43	6	1
ALL OTHER--MALE----	9	13	24	32	32	32	22	8	4	1	1	-
FEMALE--	15	15	17	20	17	30	22	7	9	-	1	-
BLACK---MALE----	5	5	14	19	14	21	11	2	1	-	-	-
FEMALE--	6	4	10	10	7	12	8	2	4	-	-	-
ARKANSAS -----	283	440	590	863	1,000	873	827	474	214	49	10	-
WHITE-----MALE----	139	221	307	458	523	432	385	192	86	9	1	-
FEMALE--	97	153	206	288	357	327	320	230	92	26	5	-
ALL OTHER--MALE----	26	34	44	66	70	61	76	28	21	10	1	-
FEMALE--	21	32	33	51	50	53	46	24	15	4	3	-
BLACK---MALE----	26	34	42	65	68	61	75	28	21	9	1	-
FEMALE--	21	30	33	51	50	50	46	24	15	4	3	-
CALIFORNIA -----	2,550	3,482	4,972	6,687	8,624	8,068	6,474	3,901	1,566	376	63	1
WHITE-----MALE----	968	1,461	2,281	3,122	4,034	3,765	2,961	1,674	567	130	15	-
FEMALE--	1,068	1,409	1,877	2,669	3,494	3,429	2,855	1,829	831	209	39	-
ALL OTHER--MALE----	239	317	440	509	639	515	350	212	88	18	2	1
FEMALE--	275	295	374	387	457	359	308	186	80	19	7	-
BLACK---MALE----	128	186	257	301	332	268	180	87	48	9	2	1
FEMALE--	157	178	199	208	268	193	154	91	41	11	6	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 425
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)												
COLORADO -----	5,467	2	5	6	9	4	7	11	47	74	131	217
WHITE-----MALE----	2,667	1	3	4	5	1	4	7	21	33	57	88
FEMALE--	2,554	1	2	1	1	3	3	2	21	33	65	111
ALL OTHER--MALE----	128	-	-	1	2	-	-	-	3	3	3	10
FEMALE--	118	-	-	-	1	-	-	2	2	5	6	8
BLACK---MALE----	95	-	-	1	1	-	-	-	2	2	3	8
FEMALE--	85	-	-	-	-	-	-	-	-	4	5	6
CONNECTICUT -----	7,060	-	4	5	5	7	10	23	34	76	126	194
WHITE-----MALE----	3,317	-	3	5	2	5	5	10	17	26	50	69
FEMALE--	3,326	-	1	-	2	1	1	10	12	40	64	98
ALL OTHER--MALE----	237	-	-	-	-	1	3	2	3	4	6	16
FEMALE--	180	-	-	-	1	-	1	1	2	6	6	11
BLACK---MALE----	221	-	-	-	-	1	3	1	2	4	6	15
FEMALE--	162	-	-	-	1	-	1	1	1	6	4	10
DELAWARE -----	1,630	-	-	-	2	4	1	5	8	19	26	47
WHITE-----MALE----	702	-	-	-	-	2	1	1	2	7	5	20
FEMALE--	652	-	-	-	-	-	-	3	4	9	13	14
ALL OTHER--MALE----	157	-	-	-	1	2	-	1	1	2	4	6
FEMALE--	119	-	-	-	1	-	-	-	1	1	4	7
BLACK---MALE----	154	-	-	-	1	2	-	1	1	2	4	6
FEMALE--	115	-	-	-	1	-	-	-	1	1	4	6
DISTRICT OF COLUMBIA ----	1,481	-	2	-	3	2	-	3	15	24	35	49
WHITE-----MALE----	174	-	-	-	-	-	-	1	5	6	3	2
FEMALE--	147	-	1	-	-	-	-	-	1	2	-	2
ALL OTHER--MALE----	621	-	-	-	2	2	-	1	3	2	17	23
FEMALE--	539	-	1	-	1	-	-	1	6	14	15	22
BLACK---MALE----	616	-	-	-	2	2	-	1	3	2	17	23
FEMALE--	534	-	-	-	1	-	-	1	6	13	15	21
FLORIDA -----	37,321	8	19	26	28	34	45	88	186	361	613	1,050
WHITE-----MALE----	18,356	6	10	11	10	12	15	38	78	127	227	437
FEMALE--	15,563	2	4	8	14	11	13	34	65	161	273	430
ALL OTHER--MALE----	1,923	-	3	1	3	8	10	6	20	33	47	99
FEMALE--	1,479	-	2	6	1	3	7	10	23	40	66	84
BLACK---MALE----	1,873	-	3	1	3	7	10	6	18	32	44	94
FEMALE--	1,402	-	2	5	1	3	7	8	20	36	64	77
GEORGIA -----	12,765	2	15	17	11	19	28	48	109	175	316	566
WHITE-----MALE----	5,136	2	3	9	7	8	11	19	28	46	91	164
FEMALE--	4,400	-	5	5	2	7	7	9	34	59	111	200
ALL OTHER--MALE----	1,759	-	4	-	1	6	5	7	21	29	40	100
FEMALE--	1,470	-	3	3	1	3	5	13	26	41	74	102
BLACK---MALE----	1,731	-	4	-	-	6	5	7	19	27	39	96
FEMALE--	1,444	-	3	3	1	3	5	13	25	38	72	101

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 425
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)												
COLORADO -----	261	335	547	730	935	807	665	445	175	51	3	-
WHITE-----MALE----	126	170	284	383	468	408	334	192	63	13	2	-
FEMALE--	120	144	237	315	428	374	314	239	104	35	1	-
ALL OTHER--MALE----	10	12	14	20	17	13	11	6	2	1	-	-
FEMALE--	5	9	12	12	22	12	6	8	6	2	-	-
BLACK---MALE----	6	10	13	13	12	10	8	3	2	1	-	-
FEMALE--	3	8	10	7	16	9	5	6	4	2	-	-
CONNECTICUT -----	302	435	616	939	1,106	1,194	959	652	266	92	15	-
WHITE-----MALE----	122	195	297	490	574	592	448	277	104	23	3	-
FEMALE--	141	186	265	393	484	556	485	357	154	64	12	-
ALL OTHER--MALE----	21	31	34	37	29	25	14	8	2	1	-	-
FEMALE--	18	23	20	19	19	21	12	10	6	4	-	-
BLACK---MALE----	19	28	34	36	27	24	11	7	2	1	-	-
FEMALE--	16	19	18	18	18	20	10	9	6	4	-	-
DELAWARE -----	83	116	156	251	300	259	175	124	44	8	2	-
WHITE-----MALE----	36	46	67	120	137	119	76	42	19	1	1	-
FEMALE--	26	41	54	96	119	108	78	61	20	6	-	-
ALL OTHER--MALE----	10	20	23	21	28	19	6	10	2	-	1	-
FEMALE--	11	9	12	14	16	13	15	11	3	1	-	-
BLACK---MALE----	9	19	22	21	28	19	6	10	2	-	1	-
FEMALE--	11	9	11	14	15	12	15	11	3	1	-	-
DISTRICT OF COLUMBIA ----	81	121	154	194	224	213	197	106	42	15	1	-
WHITE-----MALE----	6	9	10	30	23	22	36	14	4	3	-	-
FEMALE--	8	8	8	10	18	25	28	23	9	4	-	-
ALL OTHER--MALE----	39	59	82	82	102	86	70	32	15	4	-	-
FEMALE--	28	45	54	72	81	80	63	37	14	4	1	-
BLACK---MALE----	38	58	82	82	102	86	69	30	15	4	-	-
FEMALE--	28	45	54	72	79	80	63	37	14	4	1	-
FLORIDA -----	1,557	2,198	3,426	5,049	6,348	6,130	5,158	3,298	1,321	327	50	1
WHITE-----MALE----	668	1,036	1,725	2,622	3,240	3,202	2,645	1,599	528	105	15	-
FEMALE--	647	866	1,296	1,967	2,623	2,527	2,184	1,499	718	193	28	-
ALL OTHER--MALE----	132	171	249	280	278	228	187	114	37	14	3	-
FEMALE--	110	125	156	180	207	173	142	86	38	15	4	1
BLACK---MALE----	127	167	245	275	272	221	181	113	37	14	3	-
FEMALE--	99	122	144	172	199	165	139	84	36	14	4	1
GEORGIA -----	787	1,055	1,320	1,805	1,997	1,864	1,397	838	308	77	10	1
WHITE-----MALE----	319	420	585	805	862	794	563	290	89	19	2	-
FEMALE--	249	346	392	562	666	670	516	383	139	38	5	-
ALL OTHER--MALE----	131	178	197	256	278	220	163	86	33	3	-	1
FEMALE--	88	111	146	182	191	180	155	79	47	17	3	-
BLACK---MALE----	129	177	194	255	275	215	162	84	33	3	-	1
FEMALE--	86	108	144	181	190	175	151	78	47	17	3	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 426
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)												
HAWAII -----	1,856	-	2	3	4	4	3	9	12	25	45	76
WHITE-----MALE----	292	-	-	1	-	-	-	1	-	1	6	13
FEMALE--	228	-	-	-	-	-	-	-	1	3	6	12
ALL OTHER--MALE----	764	-	1	-	4	3	2	3	5	7	19	25
FEMALE--	572	-	1	2	-	1	1	5	6	14	14	26
BLACK---MALE----	13	-	-	-	-	-	-	1	-	-	-	2
FEMALE--	5	-	-	-	-	-	-	-	-	2	-	-
IDAHO -----	2,006	-	1	2	3	6	3	4	14	19	38	60
WHITE-----MALE----	1,072	-	-	2	2	3	2	4	7	9	19	28
FEMALE--	910	-	1	-	1	3	1	-	7	9	18	32
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	25,100	3	22	24	21	24	35	79	127	306	516	815
WHITE-----MALE----	10,920	2	11	10	6	10	19	28	41	98	184	303
FEMALE--	10,371	1	4	9	11	10	8	31	45	129	206	327
ALL OTHER--MALE----	2,064	-	3	2	4	1	6	9	22	31	70	89
FEMALE--	1,745	-	4	3	3	3	2	11	19	48	56	96
BLACK---MALE----	1,953	-	3	2	2	1	4	7	20	29	65	86
FEMALE--	1,646	-	2	3	-	2	2	10	19	45	51	91
INDIANA -----	12,554	2	15	10	9	10	15	35	65	135	231	366
WHITE-----MALE----	5,986	-	9	4	4	9	6	11	32	50	82	156
FEMALE--	5,627	2	4	3	4	1	7	22	24	71	120	173
ALL OTHER--MALE----	500	-	1	2	-	-	2	2	4	4	12	17
FEMALE--	441	-	1	1	1	-	-	-	5	10	17	20
BLACK---MALE----	496	-	1	2	-	-	2	1	3	4	12	17
FEMALE--	425	-	1	1	1	-	-	-	5	10	17	20
IOWA -----	6,226	2	4	5	2	10	12	16	34	55	108	170
WHITE-----MALE----	3,139	-	3	1	1	7	6	5	18	18	45	73
FEMALE--	2,979	2	1	4	1	2	5	11	16	35	61	93
ALL OTHER--MALE----	62	-	-	-	-	-	1	-	-	2	2	-
FEMALE--	46	-	-	-	-	1	-	-	-	-	-	4
BLACK---MALE----	53	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	39	-	-	-	-	1	-	-	-	-	-	2
KANSAS -----	5,283	1	6	2	8	2	11	14	22	55	84	145
WHITE-----MALE----	2,583	1	2	-	5	1	5	8	7	20	41	62
FEMALE--	2,397	-	1	2	2	1	5	5	12	31	36	80
ALL OTHER--MALE----	152	-	2	-	-	-	1	-	-	1	5	2
FEMALE--	151	-	1	-	1	-	-	1	3	3	2	1
BLACK---MALE----	139	-	2	-	-	-	1	-	-	1	4	2
FEMALE--	128	-	-	-	1	-	-	1	2	3	2	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 426
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)												
HAWAII -----	112	127	172	236	304	269	225	144	61	21	1	1
WHITE-----MALE----	19	16	24	53	51	49	27	21	9	1	-	-
FEMALE--	17	21	18	20	39	32	27	18	11	2	-	1
ALL OTHER--MALE----	37	50	76	94	124	105	108	64	23	14	-	-
FEMALE--	39	40	54	69	90	83	63	41	18	4	1	-
BLACK---MALE----	1	-	3	-	2	2	2	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	1	-	-	-	-
IDAHO -----	99	145	175	265	332	296	281	162	70	25	6	-
WHITE-----MALE----	57	77	90	124	180	181	152	95	29	10	1	-
FEMALE--	39	66	83	135	147	114	127	66	41	15	5	-
ALL OTHER--MALE----	2	2	-	4	1	1	-	-	-	-	-	-
FEMALE--	1	-	2	2	4	-	2	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ILLINOIS -----	1,173	1,655	2,443	3,460	4,195	3,859	3,273	1,960	890	195	25	-
WHITE-----MALE----	441	698	1,072	1,648	1,970	1,799	1,423	783	312	58	4	-
FEMALE--	482	615	871	1,222	1,645	1,628	1,517	994	481	120	15	-
ALL OTHER--MALE----	132	191	287	348	323	231	168	92	45	10	-	-
FEMALE--	118	151	213	242	257	201	165	91	52	7	6	-
BLACK---MALE----	123	184	270	330	310	216	162	86	43	10	-	-
FEMALE--	111	141	207	224	246	188	158	85	49	7	5	-
INDIANA -----	591	912	1,227	1,807	2,141	1,977	1,539	943	411	96	17	-
WHITE-----MALE----	268	434	625	926	1,104	978	723	390	144	25	6	-
FEMALE--	273	392	505	731	889	886	711	488	246	64	11	-
ALL OTHER--MALE----	28	46	53	73	79	67	58	35	10	7	-	-
FEMALE--	22	40	44	77	69	46	47	30	11	-	-	-
BLACK---MALE----	27	45	53	73	79	67	58	35	10	7	-	-
FEMALE--	21	37	42	74	66	43	46	30	11	-	-	-
IOWA -----	249	343	547	756	963	1,002	889	650	311	84	14	-
WHITE-----MALE----	120	186	295	401	528	537	454	293	123	23	2	-
FEMALE--	126	149	229	342	418	455	424	349	184	60	12	-
ALL OTHER--MALE----	3	6	11	9	10	5	5	6	2	-	-	-
FEMALE--	-	2	12	4	7	5	6	2	2	1	-	-
BLACK---MALE----	3	6	10	9	8	4	4	5	2	-	-	-
FEMALE--	-	2	10	4	5	4	6	2	2	1	-	-
KANSAS -----	228	301	475	694	826	829	720	509	260	79	12	-
WHITE-----MALE----	105	141	254	368	432	409	360	242	90	27	3	-
FEMALE--	101	134	193	280	338	386	327	248	160	48	7	-
ALL OTHER--MALE----	14	10	15	21	27	17	19	11	4	2	1	-
FEMALE--	8	16	13	25	29	17	14	8	6	2	1	-
BLACK---MALE----	12	9	14	20	23	17	17	10	4	2	1	-
FEMALE--	6	13	11	21	24	13	13	8	6	2	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 427
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)												
KENTUCKY -----	8,847	-	8	6	4	3	16	26	52	101	163	343
WHITE-----MALE----	4,440	-	4	3	2	2	8	17	20	42	71	147
FEMALE--	3,721	-	3	1	-	-	6	9	26	52	75	168
ALL OTHER--MALE----	379	-	-	1	2	-	1	-	2	3	7	14
FEMALE--	307	-	1	1	-	1	1	-	4	4	10	14
BLACK---MALE----	372	-	-	1	2	-	1	-	2	3	7	14
FEMALE--	300	-	1	1	-	1	1	-	4	4	10	13
LOUISIANA -----	9,304	-	12	7	9	6	21	32	62	120	233	368
WHITE-----MALE----	3,459	-	3	4	3	1	4	6	16	40	65	100
FEMALE--	3,083	-	2	1	-	-	4	8	22	42	64	125
ALL OTHER--MALE----	1,533	-	3	-	4	4	5	8	8	21	46	77
FEMALE--	1,229	-	4	2	2	1	8	10	16	17	58	66
BLACK---MALE----	1,518	-	3	-	4	4	5	8	8	21	45	76
FEMALE--	1,213	-	4	2	2	1	8	9	16	16	57	64
MAINE -----	3,015	-	4	6	3	4	1	9	18	29	50	98
WHITE-----MALE----	1,551	-	2	5	1	3	1	5	4	12	24	39
FEMALE--	1,456	-	2	1	2	1	-	3	13	17	26	59
ALL OTHER--MALE----	4	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	10,181	1	10	10	7	19	17	35	79	131	259	378
WHITE-----MALE----	3,852	-	3	5	2	5	3	7	26	42	75	121
FEMALE--	3,793	1	1	-	1	4	7	12	19	40	88	119
ALL OTHER--MALE----	1,376	-	3	2	1	7	6	8	14	21	53	67
FEMALE--	1,160	-	3	3	3	3	1	8	20	28	43	71
BLACK---MALE----	1,317	-	3	1	1	6	6	8	14	20	49	61
FEMALE--	1,098	-	3	3	3	3	1	7	19	27	39	63
MASSACHUSETTS -----	14,083	-	16	17	12	16	27	41	79	146	227	433
WHITE-----MALE----	6,689	-	9	9	6	11	13	18	32	59	93	195
FEMALE--	6,736	-	4	6	4	4	8	20	34	72	105	198
ALL OTHER--MALE----	346	-	1	1	-	-	5	2	5	8	13	23
FEMALE--	312	-	2	1	2	1	1	1	8	7	16	17
BLACK---MALE----	268	-	-	-	-	-	4	2	2	3	10	17
FEMALE--	244	-	2	1	1	1	-	1	6	5	12	15
MICHIGAN -----	19,430	2	19	21	12	21	36	59	96	241	392	664
WHITE-----MALE----	8,633	2	7	10	6	11	12	25	33	73	125	260
FEMALE--	8,053	-	6	7	3	5	16	22	39	120	162	260
ALL OTHER--MALE----	1,484	-	4	4	2	1	3	7	8	17	49	60
FEMALE--	1,260	-	2	-	1	4	5	5	16	31	56	84
BLACK---MALE----	1,407	-	4	4	2	1	3	6	7	16	48	58
FEMALE--	1,171	-	-	-	1	3	4	4	15	30	51	74

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 427
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)												
KENTUCKY -----	484	680	950	1,234	1,511	1,292	1,015	641	233	80	5	-
WHITE-----MALE----	251	323	507	686	836	665	478	261	92	25	-	-
FEMALE--	195	304	360	446	556	545	472	333	117	49	4	-
ALL OTHER--MALE----	22	32	45	56	70	49	34	27	14	-	-	-
FEMALE--	16	21	38	46	49	33	31	20	10	6	1	-
BLACK---MALE----	22	31	44	54	69	48	34	27	13	-	-	-
FEMALE--	16	20	36	45	49	32	31	19	10	6	1	-
LOUISIANA -----	514	694	963	1,300	1,492	1,333	1,089	695	271	68	15	-
WHITE-----MALE----	165	267	347	563	585	566	401	232	71	19	1	-
FEMALE--	151	201	296	382	503	438	399	294	122	25	4	-
ALL OTHER--MALE----	112	120	184	213	249	189	150	94	31	12	3	-
FEMALE--	86	106	136	142	155	140	139	75	47	12	7	-
BLACK---MALE----	111	118	183	210	246	187	150	93	31	12	3	-
FEMALE--	83	104	135	140	155	139	138	75	47	12	6	-
MAINE -----	150	189	262	421	483	496	394	252	110	34	2	-
WHITE-----MALE----	65	107	143	232	278	263	212	110	37	6	2	-
FEMALE--	84	80	119	189	204	233	180	142	73	28	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	1	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
MARYLAND -----	547	732	1,034	1,425	1,632	1,539	1,211	725	305	69	16	-
WHITE-----MALE----	161	271	398	582	658	636	481	265	93	16	2	-
FEMALE--	207	234	341	491	597	598	508	320	155	40	10	-
ALL OTHER--MALE----	90	124	159	201	224	171	127	63	28	6	1	-
FEMALE--	89	103	136	151	153	134	95	77	29	7	3	-
BLACK---MALE----	90	118	155	194	212	166	121	58	27	6	1	-
FEMALE--	85	94	127	146	148	129	88	75	28	7	3	-
MASSACHUSETTS -----	622	823	1,248	1,779	2,310	2,286	1,922	1,262	614	174	29	-
WHITE-----MALE----	271	398	629	918	1,220	1,161	889	518	187	45	8	-
FEMALE--	299	364	552	785	1,003	1,051	968	708	410	123	18	-
ALL OTHER--MALE----	27	29	42	47	53	37	33	11	6	3	-	-
FEMALE--	25	32	25	29	34	37	32	25	11	3	3	-
BLACK---MALE----	21	25	33	36	41	31	26	8	6	3	-	-
FEMALE--	17	25	19	23	28	27	27	19	10	3	2	-
MICHIGAN -----	948	1,384	1,813	2,772	3,371	3,025	2,354	1,412	621	145	22	-
WHITE-----MALE----	405	618	837	1,250	1,601	1,426	1,080	582	220	44	6	-
FEMALE--	380	534	692	1,089	1,326	1,242	1,024	696	333	85	12	-
ALL OTHER--MALE----	79	133	164	251	259	206	136	65	32	4	-	-
FEMALE--	84	99	120	182	185	151	114	69	36	12	4	-
BLACK---MALE----	74	124	154	240	245	197	128	60	32	4	-	-
FEMALE--	73	90	108	170	178	144	109	66	36	11	4	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 428
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)												
MINNESOTA -----	8,693	1	8	9	8	11	12	26	49	94	156	258
WHITE-----MALE----	4,355	-	3	7	6	7	8	9	22	36	66	99
FEMALE--	4,125	1	5	2	1	3	4	15	25	55	83	138
ALL OTHER--MALE----	122	-	-	-	1	1	-	1	1	2	6	6
FEMALE--	91	-	-	-	-	-	-	1	1	1	1	15
BLACK---MALE----	72	-	-	-	1	-	-	1	-	2	4	5
FEMALE--	43	-	-	-	-	-	-	1	1	1	-	6
MISSISSIPPI -----	5,748	-	4	4	1	12	12	15	40	74	144	213
WHITE-----MALE----	2,172	-	-	-	1	1	4	5	12	17	42	59
FEMALE--	1,737	-	1	4	-	3	4	3	11	17	41	70
ALL OTHER--MALE----	1,050	-	-	-	-	5	2	4	11	21	30	46
FEMALE--	789	-	3	-	-	3	2	3	6	19	31	38
BLACK---MALE----	1,045	-	-	-	-	5	1	4	11	21	30	46
FEMALE--	778	-	3	-	-	3	2	3	6	18	31	37
MISSOURI -----	12,282	1	6	9	8	11	21	34	61	131	237	419
WHITE-----MALE----	5,730	-	6	5	6	4	13	13	25	51	88	165
FEMALE--	5,276	-	-	2	1	4	4	19	21	55	117	192
ALL OTHER--MALE----	676	-	-	-	1	3	3	1	7	10	11	33
FEMALE--	600	1	-	2	-	-	1	1	8	15	21	29
BLACK---MALE----	651	-	-	-	1	3	3	-	7	10	11	33
FEMALE--	578	1	-	1	-	-	1	1	8	15	19	28
MONTANA -----	1,770	-	1	3	2	3	3	3	8	28	29	55
WHITE-----MALE----	881	-	-	-	2	2	2	1	4	9	14	22
FEMALE--	809	-	1	2	-	1	1	2	4	18	13	28
ALL OTHER--MALE----	38	-	-	1	-	-	-	-	-	-	-	2
FEMALE--	42	-	-	-	-	-	-	-	-	1	2	3
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	3,375	-	-	7	1	7	9	8	16	42	66	99
WHITE-----MALE----	1,713	-	-	2	1	3	6	4	4	24	28	39
FEMALE--	1,554	-	-	5	-	3	2	4	10	18	34	52
ALL OTHER--MALE----	62	-	-	-	-	-	1	-	1	-	1	6
FEMALE--	46	-	-	-	-	1	-	-	1	-	3	2
BLACK---MALE----	53	-	-	-	-	-	1	-	1	-	1	4
FEMALE--	37	-	-	-	-	1	-	-	-	-	3	2
NEVADA -----	2,976	-	1	1	2	3	1	8	17	27	56	116
WHITE-----MALE----	1,513	-	-	1	-	1	1	4	5	11	20	51
FEMALE--	1,240	-	1	-	2	-	-	3	8	12	26	56
ALL OTHER--MALE----	112	-	-	-	-	1	-	1	2	2	4	4
FEMALE--	111	-	-	-	-	1	-	-	2	2	6	5
BLACK---MALE----	78	-	-	-	-	1	-	1	2	1	3	4
FEMALE--	65	-	-	-	-	1	-	-	1	2	2	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 428

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)												
MINNESOTA -----	417	504	777	1,106	1,292	1,341	1,193	854	445	122	10	-
WHITE-----MALE----	196	248	396	606	723	708	580	396	190	46	3	-
FEMALE--	199	239	356	473	542	613	592	446	251	75	7	-
ALL OTHER--MALE----	13	9	15	20	15	14	10	6	1	1	-	-
FEMALE--	9	8	10	7	12	6	11	6	3	-	-	-
BLACK---MALE----	9	4	11	8	8	7	6	4	1	1	-	-
FEMALE--	2	4	7	1	6	3	5	5	1	-	-	-
MISSISSIPPI -----	290	451	620	796	864	800	713	450	185	45	15	-
WHITE-----MALE----	89	185	253	341	369	309	285	160	34	5	1	-
FEMALE--	83	127	180	227	271	234	225	129	79	25	3	-
ALL OTHER--MALE----	69	76	110	124	129	163	118	89	39	7	7	-
FEMALE--	49	63	77	104	95	94	85	72	33	8	4	-
BLACK---MALE----	69	72	110	124	129	163	118	89	39	7	7	-
FEMALE--	49	60	75	102	95	94	83	72	33	8	4	-
MISSOURI -----	558	821	1,252	1,687	2,064	1,770	1,550	1,009	504	119	10	-
WHITE-----MALE----	225	363	654	865	1,022	903	722	392	166	39	3	-
FEMALE--	253	352	434	642	839	723	708	537	294	73	6	-
ALL OTHER--MALE----	39	59	94	106	118	73	65	34	16	3	-	-
FEMALE--	41	47	70	74	85	71	55	46	28	4	1	-
BLACK---MALE----	37	56	87	102	114	73	63	32	16	3	-	-
FEMALE--	39	47	63	70	83	69	55	45	28	4	1	-
MONTANA -----	90	85	175	238	274	279	266	143	71	13	1	-
WHITE-----MALE----	42	44	89	106	157	157	123	66	34	7	-	-
FEMALE--	45	36	77	120	105	107	132	77	34	5	1	-
ALL OTHER--MALE----	1	3	5	4	7	7	6	-	2	-	-	-
FEMALE--	2	2	4	8	5	8	5	-	1	1	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	105	196	315	456	530	520	474	310	163	48	3	-
WHITE-----MALE----	55	103	163	245	265	289	254	140	70	16	2	-
FEMALE--	45	84	140	194	251	223	202	162	92	32	1	-
ALL OTHER--MALE----	4	7	8	8	6	5	8	6	1	-	-	-
FEMALE--	1	2	4	9	8	3	10	2	-	-	-	-
BLACK---MALE----	4	4	7	7	5	4	8	6	1	-	-	-
FEMALE--	1	2	3	6	7	-	10	2	-	-	-	-
NEVADA -----	203	208	340	485	551	430	325	139	52	11	-	-
WHITE-----MALE----	93	97	179	252	304	220	172	72	24	6	-	-
FEMALE--	86	93	124	196	223	187	136	58	24	5	-	-
ALL OTHER--MALE----	9	7	15	20	11	17	11	6	2	-	-	-
FEMALE--	15	11	22	17	13	6	6	3	2	-	-	-
BLACK---MALE----	3	6	10	14	7	11	8	5	2	-	-	-
FEMALE--	9	8	11	9	9	6	3	-	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 429
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)												
NEW HAMPSHIRE -----	93	173	229	323	403	357	286	198	79	27	1	-
WHITE-----MALE----	58	93	121	187	206	184	138	77	28	5	-	-
FEMALE--	34	79	106	134	192	173	148	120	51	22	1	-
ALL OTHER--MALE----	-	1	2	2	4	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	1	2	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY -----	843	1,170	1,645	2,522	3,096	2,930	2,462	1,535	614	152	17	-
WHITE-----MALE----	322	481	708	1,158	1,497	1,322	1,083	630	207	45	8	-
FEMALE--	335	473	630	1,008	1,233	1,326	1,174	803	347	89	5	-
ALL OTHER--MALE----	96	119	174	191	219	160	102	52	20	8	-	-
FEMALE--	90	97	133	165	147	122	103	50	40	10	4	-
BLACK---MALE----	90	107	158	182	204	143	90	42	18	8	-	-
FEMALE--	81	88	121	153	137	113	98	48	39	9	4	-
NEW MEXICO -----	133	166	269	361	443	405	341	204	104	19	2	-
WHITE-----MALE----	47	81	122	179	254	189	182	88	45	6	-	-
FEMALE--	72	67	122	158	173	196	142	102	52	12	1	-
ALL OTHER--MALE----	7	7	17	15	10	10	10	8	4	-	1	-
FEMALE--	7	11	8	9	6	10	7	6	3	1	-	-
BLACK---MALE----	1	3	5	3	4	5	3	3	1	-	-	-
FEMALE--	2	3	3	4	2	2	-	4	-	-	-	-
NEW YORK -----	1,984	2,595	3,602	5,304	6,098	5,875	5,074	3,214	1,394	353	45	-
WHITE-----MALE----	743	1,077	1,530	2,359	2,782	2,669	2,209	1,301	480	101	8	-
FEMALE--	785	968	1,362	2,141	2,455	2,592	2,389	1,650	798	226	31	-
ALL OTHER--MALE----	233	283	359	424	451	333	220	117	46	13	1	-
FEMALE--	223	267	351	380	410	281	256	146	70	13	5	-
BLACK---MALE----	212	247	318	368	406	290	191	98	35	10	1	-
FEMALE--	199	241	317	350	376	262	223	133	62	11	4	-
NORTH CAROLINA -----	819	1,083	1,611	2,090	2,476	2,222	1,733	1,003	402	107	19	-
WHITE-----MALE----	315	428	720	1,029	1,131	1,000	659	330	123	29	4	-
FEMALE--	274	363	525	645	829	789	671	476	188	57	9	-
ALL OTHER--MALE----	124	153	220	236	301	250	220	87	45	5	1	-
FEMALE--	106	139	146	180	215	183	183	110	46	16	5	-
BLACK---MALE----	121	148	213	227	288	242	211	87	45	5	1	-
FEMALE--	102	127	142	176	206	180	177	107	46	15	5	-
NORTH DAKOTA -----	48	68	129	144	190	230	207	164	79	22	-	-
WHITE-----MALE----	21	26	69	81	118	126	109	78	37	8	-	-
FEMALE--	24	38	58	60	71	97	94	84	42	14	-	-
ALL OTHER--MALE----	2	3	2	3	-	1	2	1	-	-	-	-
FEMALE--	1	1	-	-	1	6	2	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 430
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)												
OHIO -----	25,208	2	13	22	19	26	45	83	163	286	459	788
WHITE-----MALE----	11,418	2	3	8	10	16	25	42	72	97	174	320
FEMALE--	11,025	-	7	8	6	8	12	25	68	141	213	368
ALL OTHER--MALE----	1,455	-	1	6	3	2	4	3	8	19	42	49
FEMALE--	1,310	-	2	-	-	-	4	13	15	29	30	51
BLACK---MALE----	1,433	-	1	6	3	1	4	3	8	19	42	48
FEMALE--	1,282	-	2	-	-	-	4	12	15	28	30	49
OKLAHOMA -----	7,142	-	7	9	4	21	9	22	38	77	150	216
WHITE-----MALE----	3,445	-	5	1	2	11	7	10	18	31	62	101
FEMALE--	3,044	-	1	6	2	7	2	9	10	31	66	85
ALL OTHER--MALE----	359	-	-	1	-	1	-	3	5	3	8	13
FEMALE--	294	-	1	1	-	2	-	-	5	12	14	17
BLACK---MALE----	224	-	-	1	-	1	-	3	4	2	8	7
FEMALE--	190	-	1	-	-	-	-	-	3	9	7	12
OREGON -----	6,744	1	5	4	3	13	8	11	20	77	127	212
WHITE-----MALE----	3,377	-	2	1	1	8	5	6	13	34	52	99
FEMALE--	3,176	-	3	3	2	5	3	4	6	41	65	104
ALL OTHER--MALE----	102	1	-	-	-	-	-	-	-	-	4	4
FEMALE--	89	-	-	-	-	-	-	1	1	2	6	5
BLACK---MALE----	48	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	28	-	-	-	-	-	-	-	-	1	1	-
PENNSYLVANIA -----	30,267	1	17	14	22	34	47	60	132	282	515	830
WHITE-----MALE----	14,111	1	6	8	10	20	28	30	47	97	226	345
FEMALE--	13,357	-	6	6	7	8	12	24	74	146	213	371
ALL OTHER--MALE----	1,480	-	4	-	1	3	4	5	5	18	35	59
FEMALE--	1,319	-	1	-	4	3	3	1	6	21	41	55
BLACK---MALE----	1,433	-	3	-	1	2	4	4	5	16	34	56
FEMALE--	1,258	-	-	-	2	2	3	1	5	19	39	52
RHODE ISLAND -----	2,478	-	4	1	2	1	3	3	12	17	47	62
WHITE-----MALE----	1,209	-	1	-	-	-	1	3	5	4	19	27
FEMALE--	1,173	-	1	-	2	1	2	-	6	11	23	30
ALL OTHER--MALE----	47	-	2	-	-	-	-	-	1	-	3	1
FEMALE--	49	-	-	1	-	-	-	-	-	2	2	4
BLACK---MALE----	35	-	-	-	-	-	-	-	1	-	2	1
FEMALE--	40	-	-	1	-	-	-	-	-	2	-	1
SOUTH CAROLINA -----	7,416	2	9	11	8	8	17	20	56	105	170	278
WHITE-----MALE----	2,865	-	3	4	1	3	6	4	14	29	41	93
FEMALE--	2,411	-	3	3	2	3	2	6	20	42	53	81
ALL OTHER--MALE----	1,164	2	-	2	1	1	1	6	6	7	33	49
FEMALE--	976	-	3	2	4	1	8	4	16	27	43	55
BLACK---MALE----	1,155	1	-	2	1	1	1	6	6	7	32	48
FEMALE--	966	-	3	2	4	1	8	4	16	26	43	55

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 430
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)												
OHIO -----	1,168	1,726	2,415	3,498	4,370	3,996	3,096	1,929	830	231	43	-
WHITE-----MALE----	517	773	1,160	1,670	2,107	1,895	1,383	776	293	66	9	-
FEMALE--	486	710	916	1,387	1,798	1,750	1,474	992	475	151	30	-
ALL OTHER--MALE----	88	133	188	255	247	186	117	65	29	7	3	-
FEMALE--	77	110	151	186	218	165	122	96	33	7	1	-
BLACK---MALE----	87	133	186	253	242	184	113	62	29	7	2	-
FEMALE--	75	106	148	181	213	164	120	96	31	7	1	-
OKLAHOMA -----	334	534	697	987	1,113	1,099	907	603	230	69	13	3
WHITE-----MALE----	150	261	369	497	572	545	430	260	88	22	2	1
FEMALE--	150	220	261	386	462	465	409	295	122	43	10	2
ALL OTHER--MALE----	23	27	36	68	43	45	43	27	10	2	1	-
FEMALE--	11	26	31	36	36	44	25	21	10	2	-	-
BLACK---MALE----	11	14	20	38	25	27	30	23	7	2	1	-
FEMALE--	8	20	16	26	24	25	13	19	6	1	-	-
OREGON -----	320	397	590	852	1,136	1,115	964	574	234	70	11	-
WHITE-----MALE----	138	196	289	460	576	577	517	265	110	26	2	-
FEMALE--	173	185	277	368	528	507	433	296	121	43	9	-
ALL OTHER--MALE----	7	8	12	18	15	20	5	7	-	1	-	-
FEMALE--	2	8	12	6	17	11	9	6	3	-	-	-
BLACK---MALE----	3	2	7	6	8	10	2	6	-	1	-	-
FEMALE--	1	2	4	1	8	3	4	3	-	-	-	-
PENNSYLVANIA -----	1,289	1,834	2,665	4,279	5,198	5,191	4,047	2,487	1,060	223	39	1
WHITE-----MALE----	556	842	1,296	2,154	2,605	2,525	1,848	1,020	372	70	5	-
FEMALE--	552	748	1,023	1,701	2,117	2,288	1,960	1,324	616	131	29	1
ALL OTHER--MALE----	91	139	198	231	270	210	108	58	32	7	2	-
FEMALE--	90	105	148	193	206	168	131	85	40	15	3	-
BLACK---MALE----	86	135	190	225	262	207	106	56	32	7	2	-
FEMALE--	84	101	139	184	199	160	128	83	40	15	2	-
RHODE ISLAND -----	108	121	203	335	428	441	327	230	107	24	2	-
WHITE-----MALE----	47	51	115	165	238	236	146	100	43	7	1	-
FEMALE--	54	62	75	151	180	196	172	126	64	16	1	-
ALL OTHER--MALE----	2	5	5	11	6	4	5	1	-	1	-	-
FEMALE--	5	3	8	8	4	5	4	3	-	-	-	-
BLACK---MALE----	1	4	3	9	5	4	4	1	-	-	-	-
FEMALE--	4	3	8	7	3	5	3	3	-	-	-	-
SOUTH CAROLINA -----	406	573	813	1,035	1,273	1,124	845	455	168	29	11	-
WHITE-----MALE----	149	211	335	470	557	426	311	156	45	7	-	-
FEMALE--	126	171	256	294	399	384	291	192	70	10	3	-
ALL OTHER--MALE----	80	111	139	157	186	182	118	51	22	6	4	-
FEMALE--	51	80	83	114	131	132	125	56	31	6	4	-
BLACK---MALE----	80	110	139	156	184	182	117	50	22	6	4	-
FEMALE--	51	78	82	112	128	132	124	56	31	6	4	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 431
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)												
SOUTH DAKOTA -----	1,564	-	1	-	-	1	4	3	4	15	22	43
WHITE-----MALE----	819	-	1	-	-	-	2	-	1	9	10	15
FEMALE--	667	-	-	-	-	1	1	1	2	6	11	24
ALL OTHER--MALE----	42	-	-	-	-	-	-	1	-	-	1	1
FEMALE--	36	-	-	-	-	-	1	1	1	-	-	3
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	11,611	1	11	18	12	12	17	40	78	139	248	463
WHITE-----MALE----	5,287	-	7	8	3	7	12	16	39	48	95	180
FEMALE--	4,460	1	1	5	5	3	-	13	20	61	102	188
ALL OTHER--MALE----	1,004	-	1	-	3	2	3	5	9	8	22	48
FEMALE--	860	-	2	5	1	-	2	6	10	22	29	47
BLACK---MALE----	991	-	1	-	2	2	3	5	9	8	22	47
FEMALE--	842	-	2	5	1	-	2	5	10	20	27	46
TEXAS -----	31,622	7	50	45	60	59	70	114	249	473	775	1,167
WHITE-----MALE----	14,518	4	22	24	32	28	42	46	103	158	283	448
FEMALE--	12,796	1	18	13	18	18	18	47	103	222	332	488
ALL OTHER--MALE----	2,383	1	5	4	3	5	6	13	16	39	86	95
FEMALE--	1,925	1	5	4	1	8	4	8	27	54	74	136
BLACK---MALE----	2,263	1	4	4	1	4	6	13	15	38	79	87
FEMALE--	1,809	1	3	4	7	8	4	6	27	48	66	126
UTAH -----	2,119	-	6	3	1	7	12	11	13	20	62	63
WHITE-----MALE----	1,094	-	5	1	-	3	8	2	8	10	28	32
FEMALE--	956	-	1	2	1	4	3	5	5	10	30	28
ALL OTHER--MALE----	40	-	-	-	-	-	1	2	-	-	3	2
FEMALE--	29	-	-	-	-	-	-	2	-	-	1	1
BLACK---MALE----	15	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1,163	-	-	2	2	3	1	-	13	14	21	33
WHITE-----MALE----	608	-	-	1	1	2	1	-	6	7	9	16
FEMALE--	554	-	-	1	1	1	-	-	7	7	12	17
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	12,600	3	13	6	13	13	25	44	86	172	265	475
WHITE-----MALE----	5,172	2	7	1	7	7	10	15	32	58	83	157
FEMALE--	4,658	-	3	1	4	4	7	12	30	62	101	201
ALL OTHER--MALE----	1,522	-	1	3	-	2	5	9	10	25	31	54
FEMALE--	1,248	1	2	1	2	-	3	8	14	27	50	63
BLACK---MALE----	1,460	-	1	3	-	2	5	8	9	23	25	52
FEMALE--	1,184	-	2	1	2	-	3	7	14	27	46	57

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 431
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)												
SOUTH DAKOTA -----	46	90	116	187	246	260	239	177	76	30	4	-
WHITE-----MALE----	22	43	61	123	146	148	109	86	29	14	-	-
FEMALE--	23	42	45	51	90	97	124	85	47	15	2	-
ALL OTHER--MALE----	-	3	4	6	4	14	5	1	-	1	1	-
FEMALE--	1	2	6	7	6	1	1	5	-	-	1	-
BLACK---MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	657	885	1,202	1,628	1,894	1,714	1,340	836	327	74	14	1
WHITE-----MALE----	280	422	571	827	931	777	600	326	110	24	4	-
FEMALE--	245	321	429	542	684	701	521	404	170	38	6	-
ALL OTHER--MALE----	76	78	110	151	153	133	117	55	20	9	-	1
FEMALE--	56	64	92	108	126	103	102	51	27	3	4	-
BLACK---MALE----	75	76	108	150	153	132	115	54	20	8	-	1
FEMALE--	53	64	91	103	125	103	102	49	27	3	4	-
TEXAS -----	1,733	2,229	3,204	4,290	5,119	4,601	3,735	2,368	1,008	224	41	1
WHITE-----MALE----	737	1,018	1,490	2,142	2,526	2,266	1,742	977	365	58	7	-
FEMALE--	706	827	1,171	1,559	2,014	1,810	1,630	1,125	516	132	27	1
ALL OTHER--MALE----	163	212	330	361	341	298	182	138	64	18	3	-
FEMALE--	127	172	213	228	238	227	181	128	63	16	4	-
BLACK---MALE----	151	203	317	346	329	280	171	132	63	17	2	-
FEMALE--	112	155	200	212	230	222	174	123	62	15	4	-
UTAH -----	86	144	179	270	355	355	250	199	70	13	-	-
WHITE-----MALE----	38	73	96	139	198	191	131	89	38	4	-	-
FEMALE--	44	62	76	121	146	156	114	109	31	8	-	-
ALL OTHER--MALE----	1	5	2	5	9	5	4	-	1	-	-	-
FEMALE--	3	4	5	5	2	3	1	1	-	1	-	-
BLACK---MALE----	1	1	-	1	3	2	3	-	1	-	-	-
FEMALE--	1	1	2	1	-	-	-	1	-	1	-	-
VERMONT -----	46	81	129	144	172	184	157	94	55	10	2	-
WHITE-----MALE----	23	41	76	79	92	95	84	47	25	2	1	-
FEMALE--	23	40	52	65	80	89	73	47	30	8	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
VIRGINIA -----	725	848	1,310	1,874	2,157	1,859	1,376	875	352	93	12	4
WHITE-----MALE----	278	340	573	827	947	797	592	302	108	27	2	-
FEMALE--	258	308	421	651	762	692	513	392	172	55	8	1
ALL OTHER--MALE----	108	110	190	223	269	212	147	83	33	5	-	2
FEMALE--	81	90	126	173	179	158	124	98	39	6	2	1
BLACK---MALE----	100	107	182	214	259	207	142	82	32	5	-	2
FEMALE--	74	84	119	166	170	154	118	94	38	6	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 432
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)												
WASHINGTON -----	517	624	941	1,309	1,639	1,581	1,297	787	337	89	8	-
WHITE-----MALE----	242	297	469	667	854	809	653	358	142	27	3	-
FEMALE--	230	291	410	564	715	704	608	398	185	59	4	-
ALL OTHER--MALE----	17	22	26	48	35	44	17	21	7	1	1	-
FEMALE--	28	14	36	30	35	24	19	10	3	2	-	-
BLACK---MALE----	10	7	8	19	14	21	4	10	2	-	1	-
FEMALE--	12	5	9	10	15	7	5	4	2	2	-	-
WEST VIRGINIA -----	215	316	469	690	882	758	604	326	134	27	6	1
WHITE-----MALE----	111	192	247	392	482	379	267	147	47	11	2	-
FEMALE--	100	118	204	269	372	355	309	170	84	16	4	1
ALL OTHER--MALE----	2	4	12	15	17	11	18	5	2	-	-	-
FEMALE--	2	2	6	14	11	13	10	4	1	-	-	-
BLACK---MALE----	2	3	11	15	17	11	17	5	2	-	-	-
FEMALE--	1	2	6	11	10	13	10	4	1	-	-	-
WISCONSIN -----	434	645	904	1,376	1,674	1,742	1,477	1,030	408	151	24	-
WHITE-----MALE----	189	332	485	756	922	902	721	470	177	50	4	-
FEMALE--	204	274	364	557	701	799	721	539	227	101	20	-
ALL OTHER--MALE----	22	23	39	39	34	20	18	13	1	-	-	-
FEMALE--	19	16	16	24	17	21	17	8	3	-	3	-
BLACK---MALE----	19	22	32	31	28	19	12	12	1	-	-	-
FEMALE--	16	14	11	21	16	18	12	6	2	-	-	-
WYOMING -----	36	72	95	103	149	134	121	71	37	9	1	-
WHITE-----MALE----	23	37	50	53	74	64	72	35	15	4	-	-
FEMALE--	13	35	42	50	71	64	47	33	22	5	1	-
ALL OTHER--MALE----	-	-	2	-	2	4	-	-	-	-	-	-
FEMALE--	-	-	1	-	2	2	2	3	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	2	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 433
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY, AND PHARYNX (140-149)												
0 UNITED STATES --	8,060	-	2	-	3	8	13	26	32	108	207	379
WHITE-----MALE----	4,257	-	-	-	1	4	10	9	8	54	95	196
FEMALE--	2,324	-	2	-	2	2	1	8	7	20	31	53
ALL OTHER--MALE----	1,070	-	-	-	-	2	2	7	10	25	65	100
FEMALE--	409	-	-	-	-	-	-	2	7	9	16	30
BLACK---MALE----	926	-	-	-	-	2	2	3	8	21	51	83
FEMALE--	348	-	-	-	-	-	-	2	4	9	14	24
ALABAMA -----	143	-	-	-	-	-	-	-	-	3	5	6
WHITE-----MALE----	68	-	-	-	-	-	-	-	-	2	5	3
FEMALE--	34	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	31	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	31	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	6	-	-	-	-	-	-	1	-	-	1	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	96	-	-	-	-	-	-	1	-	1	3	4
WHITE-----MALE----	51	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	34	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
ARKANSAS -----	90	-	-	-	-	-	1	1	1	-	1	-
WHITE-----MALE----	52	-	-	-	-	-	1	-	-	-	1	-
FEMALE--	23	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	13	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	13	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	920	-	-	-	1	-	-	2	4	17	27	37
WHITE-----MALE----	486	-	-	-	-	-	-	-	-	7	9	17
FEMALE--	281	-	-	-	1	-	-	-	1	3	3	8
ALL OTHER--MALE----	103	-	-	-	-	-	-	2	1	6	13	7
FEMALE--	50	-	-	-	-	-	-	-	2	1	2	5
BLACK---MALE----	49	-	-	-	-	-	-	1	1	3	6	3
FEMALE--	25	-	-	-	-	-	-	-	-	1	2	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 433
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY, AND PHARYNX (140-149)												
0 UNITED STATES --	638	788	957	1,208	1,179	952	750	474	248	75	13	-
WHITE-----MALE----	343	431	523	706	671	515	371	213	85	17	5	-
FEMALE--	96	151	200	316	357	327	310	233	147	54	7	-
ALL OTHER--MALE----	166	151	167	133	98	74	43	18	7	2	-	-
FEMALE--	33	55	67	53	53	36	26	10	9	2	1	-
BLACK---MALE----	144	134	150	119	87	64	38	14	5	1	-	-
FEMALE--	28	50	57	49	41	28	22	9	9	1	1	-
ALABAMA -----	11	14	19	21	16	18	16	11	2	1	-	-
WHITE-----MALE----	2	6	11	14	6	8	6	5	-	-	-	-
FEMALE--	1	1	2	4	5	8	6	5	1	-	-	-
ALL OTHER--MALE----	7	5	5	3	2	2	4	-	-	-	-	-
FEMALE--	1	2	1	-	3	-	-	1	1	1	-	-
BLACK---MALE----	7	5	5	3	2	2	4	-	-	-	-	-
FEMALE--	1	2	1	-	3	-	-	1	1	1	-	-
ALASKA -----	1	1	1	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	10	7	12	14	16	12	9	4	2	1	-	-
WHITE-----MALE----	7	4	8	7	8	4	5	2	1	1	-	-
FEMALE--	3	3	4	4	5	6	4	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	2	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	2	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	2	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
ARKANSAS -----	6	14	12	13	12	8	9	9	3	-	-	-
WHITE-----MALE----	4	8	7	10	7	6	4	3	1	-	-	-
FEMALE--	1	1	3	2	4	2	3	4	2	-	-	-
ALL OTHER--MALE----	1	4	2	1	1	-	2	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	4	2	1	1	-	2	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
CALIFORNIA -----	82	88	106	134	150	119	80	45	18	10	-	-
WHITE-----MALE----	51	47	62	81	83	61	39	19	8	2	-	-
FEMALE--	11	22	25	38	51	43	38	24	6	7	-	-
ALL OTHER--MALE----	15	14	12	9	10	8	2	2	2	-	-	-
FEMALE--	5	5	7	6	6	7	1	-	2	1	-	-
BLACK---MALE----	2	8	4	5	6	6	1	1	2	-	-	-
FEMALE--	4	4	3	3	1	2	-	-	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 434

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY, AND PHARYNX (140-149)												
COLORADO -----	67	-	-	-	-	-	-	-	1	2	-	2
WHITE-----MALE----	41	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	22	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
CONNECTICUT -----	102	-	-	-	-	1	1	-	-	2	2	5
WHITE-----MALE----	65	-	-	-	-	-	-	-	-	1	1	3
FEMALE--	28	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	7	-	-	-	-	1	1	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	1	1	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	30	-	-	-	-	-	-	-	1	-	-	1
WHITE-----MALE----	21	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	33	-	-	-	-	-	-	-	-	1	2	1
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	23	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	23	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-
FLORIDA -----	655	-	-	-	-	1	-	2	3	4	11	27
WHITE-----MALE----	390	-	-	-	-	1	-	-	1	2	7	11
FEMALE--	178	-	-	-	-	-	-	2	1	1	1	2
ALL OTHER--MALE----	62	-	-	-	-	-	-	-	-	-	2	11
FEMALE--	25	-	-	-	-	-	-	-	1	1	1	3
BLACK---MALE----	58	-	-	-	-	-	-	-	-	-	1	9
FEMALE--	25	-	-	-	-	-	-	-	1	1	1	3
GEORGIA -----	225	-	-	-	-	1	-	2	-	5	7	13
WHITE-----MALE----	99	-	-	-	-	-	-	1	-	2	2	4
FEMALE--	50	-	-	-	-	1	-	-	-	-	2	-
ALL OTHER--MALE----	55	-	-	-	-	-	-	-	-	2	2	8
FEMALE--	21	-	-	-	-	-	-	-	-	1	1	1
BLACK---MALE----	54	-	-	-	-	-	-	-	-	1	2	8
FEMALE--	21	-	-	-	-	-	-	-	-	1	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 434
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY, AND PHARYNX (140-149)												
COLORADO -----	2	4	9	13	12	5	10	3	3	1	-	-
WHITE-----MALE----	2	3	6	8	9	4	6	1	-	-	-	-
FEMALE--	-	1	2	4	2	1	4	2	3	1	-	-
ALL OTHER--MALE----	-	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	4	13	9	14	17	14	9	6	3	2	-	-
WHITE-----MALE----	4	9	8	11	15	6	2	4	1	-	-	-
FEMALE--	-	1	-	3	2	8	6	2	2	1	-	-
ALL OTHER--MALE----	-	2	1	-	-	-	-	-	-	1	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	1	1	-	-	-	-	-	-	1	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	4	2	10	5	1	4	1	1	-	-	-
WHITE-----MALE----	-	4	2	8	2	1	3	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	2	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	2	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
DISTRICT OF COLUMBIA ----	6	3	7	6	2	2	2	1	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	6	3	6	3	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	2	1	1	-	-	-	-	-	-
BLACK---MALE----	6	3	6	3	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	2	1	1	-	-	-	-	-	-
FLORIDA -----	57	56	78	101	103	81	63	50	16	1	1	-
WHITE-----MALE----	36	31	51	63	62	49	38	32	5	-	1	-
FEMALE--	9	12	15	28	30	27	21	17	11	1	-	-
ALL OTHER--MALE----	10	8	8	7	8	4	3	1	-	-	-	-
FEMALE--	2	5	4	3	3	1	1	-	-	-	-	-
BLACK---MALE----	9	8	8	7	8	4	3	1	-	-	-	-
FEMALE--	2	5	4	3	3	1	1	-	-	-	-	-
GEORGIA -----	22	33	32	28	30	19	20	5	5	3	-	-
WHITE-----MALE----	7	12	16	17	18	7	8	1	3	1	-	-
FEMALE--	2	7	7	5	5	5	8	3	2	2	-	-
ALL OTHER--MALE----	10	12	5	5	4	3	3	1	-	-	-	-
FEMALE--	3	2	4	1	3	4	1	-	-	-	-	-
BLACK---MALE----	10	12	5	5	4	3	3	1	-	-	-	-
FEMALE--	3	2	4	1	3	4	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 435

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY, AND PHARYNX (140-149)												
HAWAII -----	9	5	3	4	2	6	5	3	2	1	-	-
WHITE-----MALE----	6	1	1	1	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	3	2	3	1	3	2	1	2	1	-	-
FEMALE--	2	1	-	-	-	3	2	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	2	2	1	3	4	2	2	1	2	1	-	-
WHITE-----MALE----	2	2	1	2	2	2	-	1	1	-	-	-
FEMALE--	-	-	-	1	2	-	2	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	17	38	44	67	60	50	28	16	10	2	-	-
WHITE-----MALE----	11	20	23	36	35	21	14	7	3	1	-	-
FEMALE--	1	8	4	15	18	20	10	8	6	1	-	-
ALL OTHER--MALE----	5	7	6	13	4	6	2	1	1	-	-	-
FEMALE--	-	3	11	3	3	3	2	-	-	-	-	-
BLACK---MALE----	5	6	5	13	4	6	2	1	1	-	-	-
FEMALE--	-	3	11	3	3	3	2	-	-	-	-	-
INDIANA -----	16	12	11	14	18	25	12	16	12	3	1	-
WHITE-----MALE----	9	9	6	8	11	12	7	10	3	-	-	-
FEMALE--	4	2	2	6	7	11	5	5	9	3	1	-
ALL OTHER--MALE----	3	1	3	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	3	1	3	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
IOWA -----	2	5	10	6	7	10	11	8	7	2	-	-
WHITE-----MALE----	1	3	8	6	4	4	5	1	-	1	-	-
FEMALE--	1	2	1	-	3	6	6	7	6	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
KANSAS -----	2	6	4	12	8	10	14	4	1	-	-	-
WHITE-----MALE----	1	5	4	6	4	8	7	3	1	-	-	-
FEMALE--	1	-	-	4	3	2	6	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	2	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	2	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 436

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY, AND PHARYNX (140-149)												
KENTUCKY -----	123	-	-	-	-	-	2	-	-	1	2	4
WHITE-----MALE----	73	-	-	-	-	-	2	-	-	-	2	2
FEMALE--	37	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	166	-	-	-	-	-	1	-	-	5	1	9
WHITE-----MALE----	64	-	-	-	-	-	-	-	-	2	1	2
FEMALE--	45	-	-	-	-	-	1	-	-	1	-	3
ALL OTHER--MALE----	40	-	-	-	-	-	-	-	-	2	-	4
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	40	-	-	-	-	-	-	-	-	2	-	4
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	40	-	-	-	-	-	-	-	-	1	1	4
WHITE-----MALE----	29	-	-	-	-	-	-	-	-	1	1	3
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	175	-	-	-	-	-	-	1	-	3	5	11
WHITE-----MALE----	70	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	47	-	-	-	-	-	-	-	-	1	3	1
ALL OTHER--MALE----	49	-	-	-	-	-	-	-	-	1	2	6
FEMALE--	9	-	-	-	-	-	-	1	-	-	-	2
BLACK---MALE----	47	-	-	-	-	-	-	-	-	1	2	5
FEMALE--	8	-	-	-	-	-	-	1	-	-	-	2
MASSACHUSETTS -----	224	-	-	-	-	-	-	-	2	2	4	7
WHITE-----MALE----	134	-	-	-	-	-	-	-	2	2	2	4
FEMALE--	73	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	-
MICHIGAN -----	250	-	-	-	-	1	1	1	-	1	9	10
WHITE-----MALE----	139	-	-	-	-	1	1	-	-	1	3	5
FEMALE--	72	-	-	-	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	25	-	-	-	-	-	-	-	-	-	3	3
FEMALE--	14	-	-	-	-	-	-	1	-	-	1	1
BLACK---MALE----	23	-	-	-	-	-	-	-	-	-	3	3
FEMALE--	14	-	-	-	-	-	-	1	-	-	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 436
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY, AND PHARYNX (140-149)												
KENTUCKY -----	9	13	12	26	13	13	14	8	4	2	-	-
WHITE-----MALE----	8	8	6	16	10	6	5	4	3	1	-	-
FEMALE--	1	4	2	10	2	6	2	2	1	1	-	-
ALL OTHER--MALE----	-	-	2	-	-	1	2	2	-	-	-	-
FEMALE--	-	1	2	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	2	-	-	1	2	2	-	-	-	-
FEMALE--	-	1	2	-	1	-	1	-	-	-	-	-
LOUISIANA -----	16	16	25	30	22	17	14	7	3	-	-	-
WHITE-----MALE----	4	7	13	14	5	5	8	1	2	-	-	-
FEMALE--	-	7	2	8	9	6	4	4	-	-	-	-
ALL OTHER--MALE----	9	-	8	6	7	3	-	1	-	-	-	-
FEMALE--	3	2	2	2	1	3	2	1	1	-	-	-
BLACK---MALE----	9	-	8	6	7	3	-	1	-	-	-	-
FEMALE--	3	2	2	2	1	3	2	1	1	-	-	-
MAINE -----	1	2	5	6	9	4	3	2	1	1	-	-
WHITE-----MALE----	1	2	3	5	7	3	3	-	-	-	-	-
FEMALE--	-	-	2	1	2	1	-	2	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	8	18	25	30	20	23	12	10	8	-	1	-
WHITE-----MALE----	2	14	8	14	5	13	5	3	2	-	1	-
FEMALE--	1	2	3	7	7	7	5	5	5	-	-	-
ALL OTHER--MALE----	5	1	13	6	7	3	2	2	1	-	-	-
FEMALE--	-	1	1	3	1	-	-	-	-	-	-	-
BLACK---MALE----	5	1	13	5	7	3	2	2	1	-	-	-
FEMALE--	-	-	1	3	1	-	-	-	-	-	-	-
MASSACHUSETTS -----	13	21	30	29	29	35	21	20	10	1	-	-
WHITE-----MALE----	7	17	19	19	17	23	10	8	4	-	-	-
FEMALE--	5	3	7	8	10	11	11	11	5	1	-	-
ALL OTHER--MALE----	1	-	4	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	-	-	1	1	-	-	-
BLACK---MALE----	1	-	3	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	1	-	1	1	-	-	-
MICHIGAN -----	20	27	27	44	32	25	25	14	10	2	1	-
WHITE-----MALE----	11	12	16	24	22	13	18	5	5	1	1	-
FEMALE--	4	6	6	13	9	10	7	8	5	1	-	-
ALL OTHER--MALE----	4	5	3	4	1	1	-	1	-	-	-	-
FEMALE--	1	4	2	3	-	1	-	-	-	-	-	-
BLACK---MALE----	3	5	3	4	1	1	-	-	-	-	-	-
FEMALE--	1	4	2	3	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 437
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY, AND PHARYNX (140-149)												
MINNESOTA -----	6	5	10	17	16	13	11	9	4	-	-	-
WHITE-----MALE----	6	5	5	11	9	9	5	2	3	-	-	-
FEMALE--	-	-	5	6	7	3	4	7	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	7	11	13	17	14	4	7	6	6	-	-	-
WHITE-----MALE----	2	5	2	8	5	1	2	4	-	-	-	-
FEMALE--	1	1	2	3	4	2	2	2	6	-	-	-
ALL OTHER--MALE----	3	3	8	4	3	-	1	-	-	-	-	-
FEMALE--	1	2	1	2	2	1	2	-	-	-	-	-
BLACK---MALE----	3	3	8	4	3	-	1	-	-	-	-	-
FEMALE--	1	2	-	2	2	1	2	-	-	-	-	-
MISSOURI -----	11	19	14	20	20	9	12	10	5	4	1	-
WHITE-----MALE----	4	9	9	11	12	6	4	4	2	2	1	-
FEMALE--	2	5	2	6	6	3	8	5	3	2	-	-
ALL OTHER--MALE----	4	5	1	2	1	-	-	-	-	-	-	-
FEMALE--	1	-	2	1	1	-	-	1	-	-	-	-
BLACK---MALE----	3	5	1	2	1	-	-	-	-	-	-	-
FEMALE--	1	-	2	1	1	-	-	1	-	-	-	-
MONTANA -----	2	1	2	3	4	2	3	5	1	-	-	-
WHITE-----MALE----	2	-	1	-	3	2	-	3	-	-	-	-
FEMALE--	-	-	1	3	1	-	3	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	2	4	7	9	4	5	5	3	2	-	-	-
WHITE-----MALE----	2	2	5	4	2	2	2	1	-	-	-	-
FEMALE--	-	2	1	4	2	3	1	2	2	-	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
NEVADA -----	2	2	3	9	4	3	2	2	4	-	-	-
WHITE-----MALE----	-	2	2	6	2	-	-	-	1	-	-	-
FEMALE--	1	-	-	2	1	2	2	2	1	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	1	-	-	1	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 439
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY, AND PHARYNX (140-149)												
OHIO -----	356	-	-	-	-	-	-	1	-	6	10	11
WHITE-----MALE----	194	-	-	-	-	-	-	1	-	4	9	6
FEMALE--	103	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	39	-	-	-	-	-	-	-	-	1	1	3
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	38	-	-	-	-	-	-	-	-	1	1	3
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	2
OKLAHOMA -----	102	-	-	-	-	-	1	1	1	1	2	4
WHITE-----MALE----	53	-	-	-	-	-	-	-	-	1	2	2
FEMALE--	35	-	-	-	-	-	1	-	-	-	-	2
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	88	-	-	-	-	-	-	-	-	2	1	7
WHITE-----MALE----	53	-	-	-	-	-	-	-	-	2	1	4
FEMALE--	31	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	336	-	-	-	-	-	1	2	1	6	11	19
WHITE-----MALE----	198	-	-	-	-	-	1	1	1	3	7	13
FEMALE--	93	-	-	-	-	-	-	-	-	3	3	2
ALL OTHER--MALE----	35	-	-	-	-	-	-	1	-	-	1	4
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	34	-	-	-	-	-	-	1	-	-	1	4
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	34	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	22	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	161	-	-	-	-	-	-	-	2	3	11	9
WHITE-----MALE----	53	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	44	-	-	-	-	-	-	-	-	-	2	2
ALL OTHER--MALE----	53	-	-	-	-	-	-	-	1	1	7	4
FEMALE--	11	-	-	-	-	-	-	-	1	1	1	1
BLACK---MALE----	53	-	-	-	-	-	-	-	1	1	7	4
FEMALE--	11	-	-	-	-	-	-	-	1	1	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 439
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY, AND PHARYNX (140-149)												
OHIO -----	24	31	43	62	59	44	26	18	13	7	1	-
WHITE-----MALE----	12	16	27	33	36	26	14	6	2	2	-	-
FEMALE--	3	5	5	19	18	14	11	10	11	5	1	-
ALL OTHER--MALE----	8	6	6	7	4	2	1	-	-	-	-	-
FEMALE--	1	4	5	3	1	2	-	2	-	-	-	-
BLACK---MALE----	8	6	6	7	3	2	1	-	-	-	-	-
FEMALE--	1	4	5	3	1	2	-	2	-	-	-	-
OKLAHOMA -----	6	7	9	15	19	10	15	8	3	1	-	-
WHITE-----MALE----	2	4	6	5	10	7	8	5	1	-	-	-
FEMALE--	1	1	2	8	6	2	6	3	2	1	-	-
ALL OTHER--MALE----	3	1	-	1	2	1	-	-	-	-	-	-
FEMALE--	-	1	1	1	1	-	1	-	-	-	-	-
BLACK---MALE----	3	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	1	1	-	-	1	-	-	-	-	-
OREGON -----	7	3	11	14	17	9	9	2	4	2	-	-
WHITE-----MALE----	5	2	5	11	9	6	6	1	1	-	-	-
FEMALE--	2	1	6	2	7	3	3	1	3	2	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	32	37	31	42	52	34	34	18	11	3	2	-
WHITE-----MALE----	19	21	22	24	30	21	15	11	6	2	1	-
FEMALE--	1	9	3	11	18	10	19	7	5	1	1	-
ALL OTHER--MALE----	11	6	4	3	2	3	-	-	-	-	-	-
FEMALE--	1	1	2	4	2	-	-	-	-	-	-	-
BLACK---MALE----	11	6	4	2	2	3	-	-	-	-	-	-
FEMALE--	1	1	2	4	2	-	-	-	-	-	-	-
RHODE ISLAND -----	1	2	2	5	4	5	7	4	3	-	-	-
WHITE-----MALE----	1	1	2	5	3	3	3	2	1	-	-	-
FEMALE--	-	-	-	-	1	2	4	2	2	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	20	20	21	15	15	20	15	7	3	-	-	-
WHITE-----MALE----	5	8	6	3	8	12	3	3	1	-	-	-
FEMALE--	3	2	7	3	5	6	9	3	2	-	-	-
ALL OTHER--MALE----	11	10	7	8	1	1	2	-	-	-	-	-
FEMALE--	1	-	1	1	1	1	1	1	-	-	-	-
BLACK---MALE----	11	10	7	8	1	1	2	-	-	-	-	-
FEMALE--	1	-	1	1	1	1	1	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 440
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY, AND PHARYNX (140-149)												
SOUTH DAKOTA -----	16	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	178	-	-	-	-	-	1	-	1	2	5	4
WHITE-----MALE----	85	-	-	-	-	-	1	-	-	1	1	1
FEMALE--	61	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	23	-	-	-	-	-	-	-	-	1	2	2
FEMALE--	9	-	-	-	-	-	-	-	1	-	1	1
BLACK---MALE----	23	-	-	-	-	-	-	-	-	1	2	2
FEMALE--	9	-	-	-	-	-	-	-	1	-	1	1
TEXAS -----	482	-	-	-	-	-	1	-	2	9	7	27
WHITE-----MALE----	259	-	-	-	-	-	1	-	-	5	5	19
FEMALE--	149	-	-	-	-	-	-	-	2	2	-	4
ALL OTHER--MALE----	53	-	-	-	-	-	-	-	-	2	1	3
FEMALE--	21	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	48	-	-	-	-	-	-	-	-	2	1	1
FEMALE--	20	-	-	-	-	-	-	-	-	-	1	1
UTAH -----	31	-	-	-	-	1	-	-	-	-	1	1
WHITE-----MALE----	20	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	1	-	-	-	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	17	-	-	-	-	-	-	-	-	1	1	-
WHITE-----MALE----	14	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	194	-	-	-	-	-	1	1	2	3	4	12
WHITE-----MALE----	96	-	-	-	-	-	1	-	1	-	1	3
FEMALE--	45	-	-	-	-	-	-	1	-	1	2	2
ALL OTHER--MALE----	46	-	-	-	-	-	-	-	1	1	1	6
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	43	-	-	-	-	-	-	-	-	1	-	6
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 451
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF TONGUE (141)												
0 UNITED STATES --	142	183	204	274	276	196	177	89	53	19	1	-
WHITE-----MALE----	81	113	117	168	175	113	79	41	14	5	-	-
FEMALE--	20	29	39	73	77	71	85	44	36	13	-	-
ALL OTHER--MALE----	37	28	34	22	14	9	9	3	2	1	-	-
FEMALE--	4	13	14	11	10	3	4	1	1	-	1	-
BLACK---MALE----	36	24	33	17	13	9	7	3	1	-	-	-
FEMALE--	4	12	11	11	8	2	4	-	1	-	1	-
ALABAMA -----	3	2	4	5	3	4	-	-	-	-	-	-
WHITE-----MALE----	-	1	4	3	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	2	-	3	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	2	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	2	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	2	5	4	4	2	3	3	-	-	-	-
WHITE-----MALE----	-	2	3	1	3	-	2	1	-	-	-	-
FEMALE--	-	-	2	2	1	2	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	3	3	1	1	-	-	1	2	-	-	-	-
WHITE-----MALE----	2	2	1	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	2	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	20	21	25	33	39	22	19	6	4	3	-	-
WHITE-----MALE----	17	13	15	24	24	16	7	3	1	1	-	-
FEMALE--	2	5	8	7	14	4	12	3	1	2	-	-
ALL OTHER--MALE----	1	2	-	2	-	1	-	-	1	-	-	-
FEMALE--	-	1	2	-	1	1	-	-	1	-	-	-
BLACK---MALE----	1	1	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 453
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF TONGUE (141)												
HAWAII -----	1	1	1	2	1	-	2	1	1	1	-	-
WHITE-----MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	1	2	1	-	1	-	1	1	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	-	1	-	-	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	3	8	13	16	21	7	7	3	2	1	-	-
WHITE-----MALE----	2	7	5	10	13	2	4	1	1	-	-	-
FEMALE--	-	1	3	4	6	3	3	2	1	1	-	-
ALL OTHER--MALE----	1	-	2	1	-	2	-	-	-	-	-	-
FEMALE--	-	-	3	1	2	-	-	-	-	-	-	-
BLACK---MALE----	1	-	2	1	-	2	-	-	-	-	-	-
FEMALE--	-	-	3	1	2	-	-	-	-	-	-	-
INDIANA -----	2	4	1	3	1	3	1	4	3	-	-	-
WHITE-----MALE----	1	3	1	3	1	1	-	3	1	-	-	-
FEMALE--	1	1	-	-	-	2	1	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA -----	-	2	1	2	4	-	4	1	3	1	-	-
WHITE-----MALE----	-	1	1	2	3	-	3	-	-	1	-	-
FEMALE--	-	1	-	-	1	-	1	1	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	2	2	-	5	1	3	6	1	-	-	-	-
WHITE-----MALE----	1	2	-	3	-	2	5	1	-	-	-	-
FEMALE--	1	-	-	1	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 457
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF TONGUE (141)												
OHIO -----	82	-	-	-	-	-	-	1	-	2	6	-
WHITE-----MALE----	49	-	-	-	-	-	-	1	-	2	5	-
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	19	-	-	-	-	-	1	-	-	-	2	-
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	6	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	24	-	-	-	-	-	-	-	-	1	-	1
WHITE-----MALE----	18	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	78	-	-	-	-	-	1	1	-	1	1	6
WHITE-----MALE----	44	-	-	-	-	-	1	1	-	1	1	3
FEMALE--	22	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	12	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	25	-	-	-	-	-	-	-	-	2	2	3
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	4	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	4	-	-	-	-	-	-	-	-	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 457
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF TONGUE (141)												
OHIO -----	8	7	6	15	16	10	3	2	5	1	-	-
WHITE-----MALE----	3	5	4	9	11	7	2	-	-	-	-	-
FEMALE--	-	1	-	4	4	3	1	2	5	1	-	-
ALL OTHER--MALE----	5	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	1	1	-	-	-	-	-	-	-	-
OKLAHOMA -----	-	2	2	1	4	3	4	-	-	-	-	-
WHITE-----MALE----	-	1	1	-	3	3	2	-	-	-	-	-
FEMALE--	-	-	1	1	1	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	1	2	1	5	5	5	2	-	1	-	-	-
WHITE-----MALE----	1	1	1	4	3	3	2	-	1	-	-	-
FEMALE--	-	1	-	1	2	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	9	4	6	10	8	10	12	6	3	-	-	-
WHITE-----MALE----	6	3	4	4	6	6	5	2	1	-	-	-
FEMALE--	-	-	-	3	2	3	7	4	2	-	-	-
ALL OTHER--MALE----	2	1	2	2	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	2	1	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	4	1	2	2	1	1	-	-	-
WHITE-----MALE----	-	-	-	4	1	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	3	1	1	4	4	4	-	1	-	-	-
WHITE-----MALE----	-	1	-	1	4	1	-	-	1	-	-	-
FEMALE--	-	-	1	-	-	2	3	-	-	-	-	-
ALL OTHER--MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 461
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 0 OF PHARYNX (146-149.0)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	2	2	6	7	4	3	5	-	1	-	-	-
WHITE-----MALE----	2	1	4	5	3	3	3	-	-	-	-	-
FEMALE--	-	1	1	1	1	-	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	2	3	4	9	8	6	3	2	1	2	-	-
WHITE-----MALE----	2	1	4	7	7	4	1	1	1	-	-	-
FEMALE--	-	1	-	2	1	2	1	1	-	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	3	1	8	2	1	3	1	1	-	-	-
WHITE-----MALE----	-	3	1	6	-	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
DISTRICT OF COLUMBIA ----	4	-	4	2	1	2	1	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	4	-	3	2	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	4	-	3	2	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
FLORIDA -----	30	26	36	44	43	46	22	22	8	-	-	-
WHITE-----MALE----	20	14	19	32	25	27	11	14	4	-	-	-
FEMALE--	3	5	9	8	11	14	10	7	4	-	-	-
ALL OTHER--MALE----	6	5	5	2	5	4	1	1	-	-	-	-
FEMALE--	1	2	3	2	2	1	-	-	-	-	-	-
BLACK---MALE----	6	5	5	2	5	4	1	1	-	-	-	-
FEMALE--	1	2	3	2	2	1	-	-	-	-	-	-
GEORGIA -----	13	18	20	18	19	11	7	-	2	1	-	-
WHITE-----MALE----	4	5	11	10	12	4	4	-	2	1	-	-
FEMALE--	1	5	3	3	3	3	2	-	-	-	-	-
ALL OTHER--MALE----	6	7	3	4	2	3	-	-	-	-	-	-
FEMALE--	2	1	3	1	2	1	1	-	-	-	-	-
BLACK---MALE----	6	7	3	4	2	3	-	-	-	-	-	-
FEMALE--	2	1	3	1	2	1	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 463
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 0 OF PHARYNX (146-149.0)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	6	10	5	11	10	5	3	4	1	1	-	-
WHITE-----MALE----	5	6	2	5	8	3	1	1	-	1	-	-
FEMALE--	1	3	2	6	1	2	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	2	-	-	-	-
FEMALE--	-	1	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	2	-	-	-	-
FEMALE--	-	1	1	-	1	-	-	-	-	-	-	-
LOUISIANA -----	10	6	19	19	14	10	6	5	1	-	-	-
WHITE-----MALE----	2	2	9	11	4	3	3	1	1	-	-	-
FEMALE--	-	3	2	2	4	2	3	2	-	-	-	-
ALL OTHER--MALE----	5	-	6	5	6	3	-	1	-	-	-	-
FEMALE--	3	1	2	1	-	2	-	1	-	-	-	-
BLACK---MALE----	5	-	6	5	6	3	-	1	-	-	-	-
FEMALE--	3	1	2	1	-	2	-	1	-	-	-	-
MAINE -----	-	2	4	1	3	4	2	-	-	-	-	-
WHITE-----MALE----	-	2	2	1	3	3	2	-	-	-	-	-
FEMALE--	-	-	2	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	5	10	13	15	15	9	3	4	-	-	-	-
WHITE-----MALE----	2	7	4	7	3	5	1	1	-	-	-	-
FEMALE--	1	2	2	2	6	3	2	2	-	-	-	-
ALL OTHER--MALE----	2	-	6	4	6	1	-	1	-	-	-	-
FEMALE--	-	1	1	2	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	6	4	6	1	-	1	-	-	-	-
FEMALE--	-	-	1	2	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	8	11	14	13	11	16	10	8	1	-	-	-
WHITE-----MALE----	3	9	9	8	6	10	5	3	-	-	-	-
FEMALE--	4	2	3	5	4	6	5	4	-	-	-	-
ALL OTHER--MALE----	1	-	2	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
MICHIGAN -----	7	10	13	22	15	13	7	3	4	-	1	-
WHITE-----MALE----	6	1	7	12	11	6	4	1	2	-	1	-
FEMALE--	-	4	2	3	3	6	3	2	2	-	-	-
ALL OTHER--MALE----	-	3	3	4	1	-	-	-	-	-	-	-
FEMALE--	1	2	1	3	-	1	-	-	-	-	-	-
BLACK---MALE----	-	3	3	4	1	-	-	-	-	-	-	-
FEMALE--	1	2	1	3	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 464
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF PHARYNX (146-149.0)												
MINNESOTA -----	3	4	4	8	8	5	5	5	-	-	-	-
WHITE-----MALE----	3	4	2	6	4	4	3	1	-	-	-	-
FEMALE--	-	-	2	2	4	-	1	4	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	5	5	8	13	9	3	6	4	1	-	-	-
WHITE-----MALE----	-	4	-	5	3	1	2	3	-	-	-	-
FEMALE--	1	-	2	2	2	1	2	1	1	-	-	-
ALL OTHER--MALE----	3	1	6	4	2	-	1	-	-	-	-	-
FEMALE--	1	-	-	2	2	1	1	-	-	-	-	-
BLACK---MALE----	3	1	6	4	2	-	1	-	-	-	-	-
FEMALE--	1	-	-	2	2	1	1	-	-	-	-	-
MISSOURI -----	8	10	8	10	10	5	4	4	1	3	-	-
WHITE-----MALE----	3	5	5	6	5	2	1	3	1	2	-	-
FEMALE--	1	3	-	2	3	3	3	1	-	1	-	-
ALL OTHER--MALE----	3	2	1	2	1	-	-	-	-	-	-	-
FEMALE--	1	-	2	-	1	-	-	-	-	-	-	-
BLACK---MALE----	2	2	1	2	1	-	-	-	-	-	-	-
FEMALE--	1	-	2	-	1	-	-	-	-	-	-	-
MONTANA -----	-	-	-	1	1	1	1	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	-	2	4	3	2	1	2	1	-	-	-	-
WHITE-----MALE----	-	1	3	3	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
NEVADA -----	1	1	1	7	2	3	-	1	3	-	-	-
WHITE-----MALE----	-	1	-	5	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	2	-	1	1	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	1	-	-	1	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 466
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF PHARYNX (146-149.0)												
OHIO -----	152	-	-	-	-	-	-	-	-	1	2	5
WHITE-----MALE----	86	-	-	-	-	-	-	-	-	1	2	3
FEMALE--	34	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	20	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	19	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	2
OKLAHOMA -----	53	-	-	-	-	-	-	-	1	1	-	3
WHITE-----MALE----	24	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	39	-	-	-	-	-	-	-	-	-	1	5
WHITE-----MALE----	23	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	154	-	-	-	-	-	-	1	1	4	8	9
WHITE-----MALE----	91	-	-	-	-	-	-	-	1	2	4	8
FEMALE--	38	-	-	-	-	-	-	-	-	2	3	-
ALL OTHER--MALE----	20	-	-	-	-	-	-	1	-	-	1	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	20	-	-	-	-	-	-	1	-	-	1	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	15	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	77	-	-	-	-	-	-	-	1	1	7	3
WHITE-----MALE----	24	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	17	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	31	-	-	-	-	-	-	-	-	1	6	-
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	31	-	-	-	-	-	-	-	-	1	6	-
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 466
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF PHARYNX (146-149.0)												
OHIO -----	9	18	22	30	27	16	14	4	3	-	1	-
WHITE-----MALE----	5	9	15	17	16	9	7	1	1	-	-	-
FEMALE--	1	3	-	7	7	5	6	2	2	-	1	-
ALL OTHER--MALE----	2	3	5	5	3	1	1	-	-	-	-	-
FEMALE--	1	3	2	1	1	1	-	1	-	-	-	-
BLACK---MALE----	2	3	5	5	2	1	1	-	-	-	-	-
FEMALE--	1	3	2	1	1	1	-	1	-	-	-	-
OKLAHOMA -----	5	3	4	8	8	6	8	4	1	1	-	-
WHITE-----MALE----	1	1	2	1	3	4	6	3	-	-	-	-
FEMALE--	1	1	1	5	4	1	1	1	1	1	-	-
ALL OTHER--MALE----	3	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	1	1	1	1	-	1	-	-	-	-	-
BLACK---MALE----	3	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	1	-	1	-	-	-	-	-	-
OREGON -----	3	1	6	8	5	3	2	2	1	2	-	-
WHITE-----MALE----	3	1	2	6	2	3	2	1	-	-	-	-
FEMALE--	-	-	4	1	3	-	-	1	1	2	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	15	21	17	17	29	13	10	4	3	1	1	-
WHITE-----MALE----	7	11	12	10	15	9	4	4	2	1	1	-
FEMALE--	1	6	2	5	10	2	6	-	1	-	-	-
ALL OTHER--MALE----	7	4	1	1	2	2	-	-	-	-	-	-
FEMALE--	-	-	2	1	2	-	-	-	-	-	-	-
BLACK---MALE----	7	4	1	1	2	2	-	-	-	-	-	-
FEMALE--	-	-	2	1	2	-	-	-	-	-	-	-
RHODE ISLAND -----	1	2	2	1	3	-	4	1	1	-	-	-
WHITE-----MALE----	1	1	2	1	2	-	2	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	2	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	12	8	12	8	7	8	6	3	1	-	-	-
WHITE-----MALE----	3	2	4	-	3	7	2	2	-	-	-	-
FEMALE--	-	1	4	2	2	1	3	1	1	-	-	-
ALL OTHER--MALE----	8	5	4	5	1	-	1	-	-	-	-	-
FEMALE--	1	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	8	5	4	5	1	-	1	-	-	-	-	-
FEMALE--	1	-	-	1	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 467
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF PHARYNX (146-149.0)												
SOUTH DAKOTA -----	5	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	79	-	-	-	-	-	-	-	-	1	3	-
WHITE-----MALE----	43	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	23	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	11	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	255	-	-	-	-	-	1	-	-	7	3	11
WHITE-----MALE----	144	-	-	-	-	-	1	-	-	4	2	6
FEMALE--	62	-	-	-	-	-	-	-	-	1	-	3
ALL OTHER--MALE----	35	-	-	-	-	-	-	-	-	2	1	2
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	30	-	-	-	-	-	-	-	-	2	1	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
UTAH -----	16	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	4	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	94	-	-	-	-	-	1	-	2	1	2	6
WHITE-----MALE----	47	-	-	-	-	-	1	-	1	-	1	-
FEMALE--	20	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	25	-	-	-	-	-	-	-	1	-	-	5
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	24	-	-	-	-	-	-	-	-	-	-	5
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 469
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF OTHER AND ILL-DEFINED SITES WITHIN THE LIP, ORAL CAVITY, AND PHARYNX (142-145,149.1-149.9)												
0 UNITED STATES --	2,306	-	1	-	-	-	3	5	6	22	47	95
WHITE-----MALE----	1,137	-	-	-	-	-	1	2	1	11	21	55
FEMALE--	850	-	1	-	-	-	1	1	2	5	8	16
ALL OTHER--MALE----	218	-	-	-	-	-	1	1	3	3	16	18
FEMALE--	101	-	-	-	-	-	-	1	-	3	2	6
BLACK---MALE----	191	-	-	-	-	-	1	-	3	3	12	18
FEMALE--	88	-	-	-	-	-	-	1	-	3	2	6
ALABAMA -----	38	-	-	-	-	-	-	-	-	1	1	-
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	25	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	24	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	15	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	271	-	-	-	-	-	-	-	1	5	4	8
WHITE-----MALE----	127	-	-	-	-	-	-	-	-	1	1	3
FEMALE--	116	-	-	-	-	-	-	-	1	2	-	3
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	16	-	-	-	-	-	-	-	-	1	1	1
BLACK---MALE----	7	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	13	-	-	-	-	-	-	-	-	1	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 469
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF OTHER AND ILL-DEFINED SITES WITHIN THE LIP, ORAL CAVITY, AND PHARYNX (142-145,149.1-149.9)												
0 UNITED STATES --	155	191	231	289	309	314	254	213	128	35	8	-
WHITE-----MALE----	86	100	130	162	158	158	117	89	39	5	2	-
FEMALE--	37	40	60	90	119	125	115	117	79	28	6	-
ALL OTHER--MALE----	26	38	33	26	20	15	12	3	3	-	-	-
FEMALE--	6	13	8	11	12	16	10	4	7	2	-	-
BLACK---MALE----	24	35	29	23	17	13	10	1	2	-	-	-
FEMALE--	5	12	7	10	10	12	8	4	7	1	-	-
ALABAMA -----	3	3	3	2	4	6	6	6	2	1	-	-
WHITE-----MALE----	1	-	2	-	1	2	3	2	-	-	-	-
FEMALE--	-	-	-	1	3	3	2	4	1	-	-	-
ALL OTHER--MALE----	2	3	1	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	2	3	1	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	1	-	-
ALASKA -----	-	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	4	1	3	3	6	4	2	-	2	-	-	-
WHITE-----MALE----	3	1	2	1	1	2	1	-	1	-	-	-
FEMALE--	1	-	1	-	2	2	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	2	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
ARKANSAS -----	2	3	3	5	2	1	3	3	2	-	-	-
WHITE-----MALE----	2	-	2	4	1	1	3	1	1	-	-	-
FEMALE--	-	1	1	1	1	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
CALIFORNIA -----	14	24	24	29	45	51	27	25	7	7	-	-
WHITE-----MALE----	8	15	14	16	24	21	10	9	4	1	-	-
FEMALE--	3	7	7	11	19	24	16	16	2	5	-	-
ALL OTHER--MALE----	-	1	2	1	1	2	1	-	-	-	-	-
FEMALE--	3	1	1	1	1	4	-	-	1	1	-	-
BLACK---MALE----	-	1	1	1	-	1	-	-	-	-	-	-
FEMALE--	3	1	1	1	1	2	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 470
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF OTHER AND ILL-DEFINED SITES WITHIN THE LIP, ORAL CAVITY, AND PHARYNX (142-145,149.1-149.9)												
COLORADO -----	16	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	33	-	-	-	-	-	1	-	-	-	-	1
WHITE-----MALE----	16	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	4	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	11	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
FLORIDA -----	173	-	-	-	-	-	-	-	-	-	2	7
WHITE-----MALE----	102	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	56	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	2
GEORGIA -----	53	-	-	-	-	-	-	1	-	1	1	4
WHITE-----MALE----	20	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	19	-	-	-	-	-	-	1	-	-	1	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 470

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF OTHER AND ILL-DEFINED SITES WITHIN THE LIP, ORAL CAVITY, AND PHARYNX (142-145,149.1-149.9)												
COLORADO -----	-	1	1	3	4	2	3	1	-	1	-	-
WHITE-----MALE----	-	1	1	1	3	1	2	-	-	-	-	-
FEMALE--	-	-	-	2	-	1	1	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	1	4	4	3	8	5	4	1	-	-	-
WHITE-----MALE----	1	1	3	3	2	2	1	3	-	-	-	-
FEMALE--	-	-	-	1	1	6	4	1	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	3	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	2	2	2	1	1	-	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	2	2	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	2	2	2	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
FLORIDA -----	14	10	19	24	35	18	18	19	6	-	1	-
WHITE-----MALE----	7	5	15	14	18	12	12	13	1	-	1	-
FEMALE--	5	4	3	8	13	6	5	6	5	-	-	-
ALL OTHER--MALE----	1	-	1	2	3	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	2	3	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	-	1	-	-	-	-	-
GEORGIA -----	5	5	4	4	7	7	7	4	1	2	-	-
WHITE-----MALE----	3	1	1	2	5	2	2	1	-	-	-	-
FEMALE--	1	1	1	1	1	2	4	3	1	2	-	-
ALL OTHER--MALE----	1	2	2	1	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	1	3	-	-	-	-	-	-
BLACK---MALE----	1	2	2	1	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	1	3	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 472

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF OTHER AND ILL-DEFINED SITES WITHIN THE LIP, ORAL CAVITY, AND PHARYNX (142-145,149.1-149.9)												
KENTUCKY -----	35	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	24	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	34	-	-	-	-	-	1	-	-	-	1	3
WHITE-----MALE----	17	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	12	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	19	-	-	-	-	-	-	-	-	1	-	3
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	44	-	-	-	-	-	-	-	-	1	-	1
WHITE-----MALE----	18	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	68	-	-	-	-	-	-	-	-	-	1	3
WHITE-----MALE----	39	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	24	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	97	-	-	-	-	-	-	1	-	-	3	4
WHITE-----MALE----	57	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	30	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	3	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	3	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 473

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF OTHER AND ILL-DEFINED SITES WITHIN THE LIP, ORAL CAVITY, AND PHARYNX (142-145,149.1-149.9)												
MINNESOTA -----	-	-	5	8	3	2	4	2	4	-	-	-
WHITE-----MALE----	-	-	3	5	1	2	1	1	3	-	-	-
FEMALE--	-	-	2	3	2	-	3	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	1	5	-	1	3	-	1	2	3	-	-	-
WHITE-----MALE----	1	-	-	1	1	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	1	3	-	-	-
ALL OTHER--MALE----	-	2	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	2	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	1	-	-	-	-	-
MISSOURI -----	1	6	2	7	3	2	8	4	4	-	1	-
WHITE-----MALE----	-	3	-	4	3	2	3	1	1	-	1	-
FEMALE--	-	1	2	2	-	-	5	2	3	-	-	-
ALL OTHER--MALE----	1	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	1	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
MONTANA -----	1	1	2	1	2	-	1	1	-	-	-	-
WHITE-----MALE----	1	-	1	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	1	1	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	2	1	2	4	1	1	2	1	1	-	-	-
WHITE-----MALE----	2	-	1	1	1	-	2	1	-	-	-	-
FEMALE--	-	1	1	2	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	-	1	2	2	1	-	1	1	1	-	-	-
WHITE-----MALE----	-	1	2	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 475

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF OTHER AND ILL-DEFINED SITES WITHIN THE LIP, ORAL CAVITY, AND PHARYNX (142-145,149.1-149.9)												
OHIO -----	7	6	14	17	16	18	9	11	5	6	-	-
WHITE-----MALE----	4	2	8	7	9	10	5	5	1	2	-	-
FEMALE--	2	1	5	8	7	6	4	5	4	4	-	-
ALL OTHER--MALE----	1	3	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	1	-	1	-	-	-	-
BLACK---MALE----	1	3	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	1	-	1	-	-	-	-
OKLAHOMA -----	1	2	3	6	5	1	3	3	2	-	-	-
WHITE-----MALE----	1	2	3	4	2	-	-	2	1	-	-	-
FEMALE--	-	-	-	2	1	1	3	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	3	-	4	1	7	1	4	-	2	-	-	-
WHITE-----MALE----	1	-	2	1	4	-	1	-	-	-	-	-
FEMALE--	2	-	2	-	2	1	3	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	8	12	8	15	15	11	10	8	5	1	1	-
WHITE-----MALE----	6	7	6	10	9	6	5	5	3	1	-	-
FEMALE--	-	3	1	3	6	5	5	3	2	-	1	-
ALL OTHER--MALE----	2	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	2	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	2	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	3	1	2	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	2	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	8	8	8	6	4	7	5	4	1	-	-	-
WHITE-----MALE----	2	4	2	2	1	3	1	1	-	-	-	-
FEMALE--	3	1	2	1	3	3	3	2	1	-	-	-
ALL OTHER--MALE----	3	3	3	3	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	3	3	3	3	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 478
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159)												
0 UNITED STATES --	126,617	5	24	8	10	38	75	196	441	981	2,075	3,607
WHITE-----MALE----	57,009	2	8	4	4	12	28	73	180	414	967	1,774
FEMALE--	50,916	1	11	2	4	16	25	66	130	301	539	1,001
ALL OTHER--MALE----	9,978	-	2	-	1	6	13	30	70	145	359	513
FEMALE--	8,714	2	3	2	1	4	9	27	61	121	210	319
BLACK---MALE----	8,210	-	2	-	1	2	10	22	56	112	287	427
FEMALE--	7,396	2	3	2	1	3	8	15	45	94	164	259
ALABAMA -----	1,917	-	1	1	-	-	2	4	9	16	38	59
WHITE-----MALE----	737	-	-	-	-	-	1	1	2	3	10	19
FEMALE--	639	-	1	1	-	-	1	1	1	7	6	15
ALL OTHER--MALE----	274	-	-	-	-	-	-	2	3	4	13	13
FEMALE--	267	-	-	-	-	-	-	-	3	2	9	12
BLACK---MALE----	273	-	-	-	-	-	-	2	3	4	13	13
FEMALE--	263	-	-	-	-	-	-	-	3	2	9	12
ALASKA -----	136	-	-	-	-	1	-	1	-	2	7	3
WHITE-----MALE----	66	-	-	-	-	-	-	-	-	-	4	2
FEMALE--	31	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	18	-	-	-	-	1	-	-	-	1	1	-
FEMALE--	21	-	-	-	-	-	-	1	-	1	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1,822	-	-	-	-	-	1	2	5	9	27	43
WHITE-----MALE----	914	-	-	-	-	-	-	1	3	5	19	26
FEMALE--	806	-	-	-	-	-	-	-	2	2	5	14
ALL OTHER--MALE----	49	-	-	-	-	-	-	-	-	2	2	1
FEMALE--	53	-	-	-	-	-	1	1	-	-	1	2
BLACK---MALE----	17	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	22	-	-	-	-	-	-	1	-	-	1	-
ARKANSAS -----	1,346	1	1	-	-	-	3	2	8	12	26	32
WHITE-----MALE----	605	-	1	-	-	-	2	-	4	3	11	21
FEMALE--	517	1	-	-	-	-	-	1	1	4	9	7
ALL OTHER--MALE----	115	-	-	-	-	-	-	1	3	1	3	3
FEMALE--	109	-	-	-	-	-	1	-	-	4	3	1
BLACK---MALE----	112	-	-	-	-	-	-	-	2	1	3	3
FEMALE--	106	-	-	-	-	-	1	-	-	4	3	1
CALIFORNIA -----	12,439	-	6	2	2	7	9	29	66	115	228	382
WHITE-----MALE----	5,590	-	1	1	-	-	3	12	25	46	101	188
FEMALE--	4,720	-	5	-	2	5	5	9	25	35	64	96
ALL OTHER--MALE----	1,183	-	-	-	-	-	1	4	7	13	42	60
FEMALE--	946	-	-	1	-	2	-	4	9	21	21	38
BLACK---MALE----	506	-	-	-	-	-	1	1	3	3	21	27
FEMALE--	440	-	-	1	-	1	-	-	2	6	8	14

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 478
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159)												
0 UNITED STATES --	5,397	7,818	11,637	16,391	20,662	20,161	17,798	11,982	5,611	1,466	230	4
WHITE-----MALE----	2,621	3,964	5,976	8,287	10,097	9,197	7,334	4,184	1,537	318	28	-
FEMALE--	1,576	2,311	3,528	5,484	7,710	8,504	8,481	6,598	3,467	998	161	2
ALL OTHER--MALE----	753	916	1,286	1,489	1,562	1,246	868	459	203	48	8	1
FEMALE--	447	627	847	1,131	1,293	1,214	1,115	741	404	102	33	1
BLACK---MALE----	623	772	1,075	1,246	1,277	1,003	702	371	174	40	7	1
FEMALE--	364	529	706	952	1,111	1,039	973	651	355	89	30	1
ALABAMA -----	81	110	201	256	328	295	236	184	78	15	2	1
WHITE-----MALE----	31	46	93	104	136	137	79	50	23	2	-	-
FEMALE--	21	27	56	74	102	95	99	88	36	6	2	-
ALL OTHER--MALE----	17	21	33	50	44	29	21	13	8	3	-	-
FEMALE--	12	16	19	28	46	34	37	33	11	4	-	1
BLACK---MALE----	16	21	33	50	44	29	21	13	8	3	-	-
FEMALE--	11	16	18	28	46	33	36	33	11	4	-	1
ALASKA -----	10	19	16	28	19	9	12	7	2	-	-	-
WHITE-----MALE----	6	11	7	16	12	4	2	2	-	-	-	-
FEMALE--	2	3	2	4	4	3	6	4	1	-	-	-
ALL OTHER--MALE----	1	1	4	4	2	1	2	-	-	-	-	-
FEMALE--	1	4	3	4	1	1	2	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	61	119	171	257	321	293	274	146	65	25	3	-
WHITE-----MALE----	29	74	103	139	156	154	124	51	26	4	-	-
FEMALE--	28	39	59	104	145	124	136	91	34	21	2	-
ALL OTHER--MALE----	2	3	5	9	12	4	6	1	2	-	-	-
FEMALE--	2	3	4	5	8	11	8	3	3	-	1	-
BLACK---MALE----	1	2	2	4	5	-	2	-	-	-	-	-
FEMALE--	-	1	3	2	5	4	3	-	2	-	-	-
ARKANSAS -----	63	79	120	174	214	194	200	134	61	19	3	-
WHITE-----MALE----	35	40	66	92	98	79	82	41	24	6	-	-
FEMALE--	13	26	37	50	83	78	87	83	27	9	1	-
ALL OTHER--MALE----	10	7	13	20	18	13	13	3	5	2	-	-
FEMALE--	5	6	4	12	15	24	18	7	5	2	2	-
BLACK---MALE----	10	7	13	19	18	13	13	3	5	2	-	-
FEMALE--	5	5	4	12	15	22	18	7	5	2	2	-
CALIFORNIA -----	529	819	1,199	1,611	2,071	1,948	1,714	1,090	480	113	18	1
WHITE-----MALE----	234	403	603	788	978	884	728	426	136	27	6	-
FEMALE--	161	251	347	546	734	770	766	534	280	74	11	-
ALL OTHER--MALE----	77	98	149	156	220	169	105	55	22	4	-	1
FEMALE--	57	67	100	121	139	125	115	75	42	8	1	-
BLACK---MALE----	28	48	78	72	86	72	38	14	11	2	-	1
FEMALE--	28	38	50	43	66	63	56	40	19	4	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 479
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159)												
COLORADO -----	1,234	-	-	-	-	-	1	2	6	15	17	42
WHITE-----MALE----	616	-	-	-	-	-	1	1	2	7	12	20
FEMALE--	553	-	-	-	-	-	-	-	3	7	5	15
ALL OTHER--MALE----	37	-	-	-	-	-	-	-	-	-	-	5
FEMALE--	28	-	-	-	-	-	-	1	1	1	-	2
BLACK---MALE----	26	-	-	-	-	-	-	-	-	-	-	5
FEMALE--	19	-	-	-	-	-	-	-	-	1	-	1
CONNECTICUT -----	1,720	-	1	-	-	2	-	3	5	8	21	36
WHITE-----MALE----	816	-	-	-	-	2	-	-	3	2	13	21
FEMALE--	792	-	1	-	-	-	1	1	1	2	6	7
ALL OTHER--MALE----	64	-	-	-	-	-	-	1	1	2	1	6
FEMALE--	48	-	-	-	-	-	-	1	-	2	1	2
BLACK---MALE----	59	-	-	-	-	-	-	-	-	2	1	6
FEMALE--	42	-	-	-	-	-	-	1	-	2	-	1
DELAWARE -----	379	-	-	-	1	-	-	1	1	1	7	11
WHITE-----MALE----	172	-	-	-	-	-	-	-	-	1	2	5
FEMALE--	133	-	-	-	-	-	-	1	-	-	-	2
ALL OTHER--MALE----	39	-	-	-	-	-	-	-	-	-	3	2
FEMALE--	35	-	-	-	1	-	-	-	1	-	2	2
BLACK---MALE----	37	-	-	-	-	-	-	-	-	-	3	2
FEMALE--	34	-	-	-	1	-	-	-	1	-	2	2
DISTRICT OF COLUMBIA ----	391	-	-	-	-	-	-	-	3	3	9	5
WHITE-----MALE----	41	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	37	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	168	-	-	-	-	-	-	-	1	-	4	4
FEMALE--	145	-	-	-	-	-	-	-	1	2	5	1
BLACK---MALE----	166	-	-	-	-	-	-	-	1	-	4	4
FEMALE--	143	-	-	-	-	-	-	-	1	2	5	1
FLORIDA -----	8,539	-	-	-	-	1	3	8	28	58	94	207
WHITE-----MALE----	4,255	-	-	-	-	-	-	6	13	34	45	103
FEMALE--	3,444	-	-	-	-	-	2	-	7	16	31	61
ALL OTHER--MALE----	443	-	-	-	-	1	-	1	5	3	9	29
FEMALE--	397	-	-	-	-	-	1	1	3	5	9	14
BLACK---MALE----	422	-	-	-	-	-	-	1	4	2	8	27
FEMALE--	386	-	-	-	-	-	1	1	3	5	9	14
GEORGIA -----	2,693	-	-	-	1	1	3	6	16	31	48	120
WHITE-----MALE----	987	-	-	-	1	-	1	2	4	6	15	42
FEMALE--	885	-	-	-	-	-	1	-	4	5	10	23
ALL OTHER--MALE----	428	-	-	-	-	1	1	1	5	13	11	35
FEMALE--	393	-	-	-	-	-	-	3	3	7	12	20
BLACK---MALE----	418	-	-	-	-	1	1	1	5	12	10	33
FEMALE--	381	-	-	-	-	-	-	3	3	7	11	20

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 479
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159)												
COLORADO -----	57	76	130	150	211	183	159	120	53	11	1	-
WHITE-----MALE----	38	44	79	88	107	87	72	37	18	3	-	-
FEMALE--	14	27	43	54	100	85	83	78	30	8	1	-
ALL OTHER--MALE----	4	4	3	8	2	7	3	1	-	-	-	-
FEMALE--	1	1	5	-	2	4	1	4	5	-	-	-
BLACK---MALE----	1	3	2	5	2	6	1	1	-	-	-	-
FEMALE--	1	-	5	-	2	3	1	2	3	-	-	-
CONNECTICUT -----	65	90	155	211	276	304	235	188	78	36	6	-
WHITE-----MALE----	31	51	78	119	152	153	100	61	22	7	1	-
FEMALE--	19	32	63	77	110	141	125	121	53	28	5	-
ALL OTHER--MALE----	8	5	10	12	8	2	4	4	-	-	-	-
FEMALE--	7	2	4	3	6	8	6	2	3	1	-	-
BLACK---MALE----	7	4	10	12	8	2	3	4	-	-	-	-
FEMALE--	6	2	4	3	5	7	5	2	3	1	-	-
DELAWARE -----	21	27	45	47	75	50	44	32	13	2	1	-
WHITE-----MALE----	10	14	24	24	34	23	17	12	5	-	1	-
FEMALE--	5	4	6	14	30	22	24	16	7	2	-	-
ALL OTHER--MALE----	3	4	10	5	7	3	1	1	-	-	-	-
FEMALE--	3	5	5	4	4	2	2	3	1	-	-	-
BLACK---MALE----	2	4	9	5	7	3	1	1	-	-	-	-
FEMALE--	3	5	4	4	4	2	2	3	1	-	-	-
DISTRICT OF COLUMBIA ----	10	37	47	41	65	66	54	31	16	4	-	-
WHITE-----MALE----	-	2	2	7	8	7	9	3	-	1	-	-
FEMALE--	1	1	1	1	5	8	10	4	5	1	-	-
ALL OTHER--MALE----	7	20	26	21	32	22	17	9	4	1	-	-
FEMALE--	2	14	18	12	20	29	18	15	7	1	-	-
BLACK---MALE----	7	19	26	21	32	22	17	8	4	1	-	-
FEMALE--	2	14	18	12	18	29	18	15	7	1	-	-
FLORIDA -----	283	475	731	1,083	1,496	1,433	1,262	875	389	95	18	-
WHITE-----MALE----	154	253	396	592	793	731	632	353	124	23	3	-
FEMALE--	79	144	227	376	585	591	547	464	239	63	12	-
ALL OTHER--MALE----	36	45	72	67	57	49	34	21	10	3	1	-
FEMALE--	14	33	36	48	61	62	49	37	16	6	2	-
BLACK---MALE----	36	42	69	65	55	47	31	21	10	3	1	-
FEMALE--	14	33	33	47	60	59	48	37	15	5	2	-
GEORGIA -----	144	206	268	355	411	421	321	225	96	19	1	-
WHITE-----MALE----	62	88	110	163	169	148	96	58	20	2	-	-
FEMALE--	29	50	79	88	124	159	131	122	47	13	-	-
ALL OTHER--MALE----	37	44	46	52	72	50	33	19	8	-	-	-
FEMALE--	16	24	33	52	46	64	61	26	21	4	1	-
BLACK---MALE----	35	44	45	52	71	48	33	19	8	-	-	-
FEMALE--	16	21	32	51	46	62	57	26	21	4	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 480
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159)												
HAWAII -----	33	38	57	64	99	96	80	45	18	8	-	-
WHITE-----MALE----	3	6	5	12	11	11	7	4	2	-	-	-
FEMALE--	3	5	5	4	5	12	10	5	5	1	-	-
ALL OTHER--MALE----	18	17	31	34	45	45	40	20	6	5	-	-
FEMALE--	9	10	16	14	38	28	23	16	5	2	-	-
BLACK---MALE----	1	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
IDAHO -----	20	36	31	47	71	64	69	30	16	8	1	-
WHITE-----MALE----	8	24	16	21	41	37	35	14	7	3	-	-
FEMALE--	10	11	15	24	29	26	34	16	9	5	1	-
ALL OTHER--MALE----	2	1	-	2	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	246	345	548	814	1,035	947	894	597	282	65	9	-
WHITE-----MALE----	121	164	279	420	512	404	333	215	75	13	1	-
FEMALE--	70	103	152	242	351	426	457	322	174	47	7	-
ALL OTHER--MALE----	37	46	76	97	88	57	52	24	14	3	-	-
FEMALE--	18	32	41	55	84	60	52	36	19	2	1	-
BLACK---MALE----	31	44	71	88	83	47	49	21	13	3	-	-
FEMALE--	18	29	41	48	78	51	49	34	17	2	-	-
INDIANA -----	109	191	295	384	442	462	402	253	108	20	6	-
WHITE-----MALE----	54	101	169	184	238	230	161	75	23	3	1	-
FEMALE--	41	63	104	146	173	208	215	156	76	16	5	-
ALL OTHER--MALE----	9	16	13	28	13	12	15	4	3	1	-	-
FEMALE--	5	11	9	26	18	12	11	18	6	-	-	-
BLACK---MALE----	9	16	13	28	13	12	15	4	3	1	-	-
FEMALE--	4	11	9	23	17	11	10	18	6	-	-	-
IOWA -----	42	80	123	173	228	214	251	178	92	30	5	-
WHITE-----MALE----	18	49	72	91	136	101	111	62	29	4	-	-
FEMALE--	23	30	49	78	87	111	135	114	62	25	5	-
ALL OTHER--MALE----	1	1	-	2	4	2	1	2	1	-	-	-
FEMALE--	-	-	2	2	1	-	4	-	1	-	-	-
BLACK---MALE----	1	1	-	2	4	1	2	1	1	-	-	-
FEMALE--	-	-	2	2	-	-	4	-	-	1	-	-
KANSAS -----	49	74	109	140	163	194	182	141	81	18	3	-
WHITE-----MALE----	31	42	67	81	86	105	73	60	21	3	-	-
FEMALE--	13	23	32	50	63	80	94	76	57	15	3	-
ALL OTHER--MALE----	3	7	7	4	5	5	8	1	2	-	-	-
FEMALE--	2	2	3	5	9	4	7	4	1	-	-	-
BLACK---MALE----	3	7	6	4	4	5	7	1	2	-	-	-
FEMALE--	1	2	2	4	8	4	6	4	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 481
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159)												
KENTUCKY -----	1,889	-	-	-	-	1	-	-	7	15	37	63
WHITE-----MALE----	938	-	-	-	-	1	-	-	4	8	24	33
FEMALE--	797	-	-	-	-	-	-	-	2	6	12	25
ALL OTHER--MALE----	83	-	-	-	-	-	-	-	-	1	1	3
FEMALE--	71	-	-	-	-	-	-	-	1	-	-	2
BLACK---MALE----	82	-	-	-	-	-	-	-	-	1	1	3
FEMALE--	69	-	-	-	-	-	-	-	1	-	-	1
LOUISIANA -----	2,185	-	1	1	-	-	4	3	6	20	53	78
WHITE-----MALE----	762	-	-	-	-	-	-	1	1	7	18	25
FEMALE--	716	-	-	-	-	-	-	-	-	4	7	23
ALL OTHER--MALE----	364	-	-	-	-	-	1	-	2	6	19	25
FEMALE--	343	-	1	1	-	-	3	2	3	3	9	5
BLACK---MALE----	358	-	-	-	-	-	1	-	2	6	18	24
FEMALE--	336	-	1	1	-	-	3	2	3	3	9	5
MAINE -----	685	-	-	-	-	-	-	3	3	3	10	13
WHITE-----MALE----	335	-	-	-	-	-	-	2	1	1	9	10
FEMALE--	346	-	-	-	-	-	-	1	1	2	1	3
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2,428	-	-	1	-	1	-	1	10	24	47	74
WHITE-----MALE----	932	-	-	1	-	1	-	-	4	6	15	24
FEMALE--	833	-	-	-	-	-	-	-	-	5	8	20
ALL OTHER--MALE----	367	-	-	-	-	-	-	1	3	9	18	20
FEMALE--	296	-	-	-	-	-	-	-	3	4	6	10
BLACK---MALE----	346	-	-	-	-	-	-	1	3	8	15	18
FEMALE--	277	-	-	-	-	-	-	-	2	3	5	10
MASSACHUSETTS -----	3,549	-	-	-	-	1	2	3	16	30	49	78
WHITE-----MALE----	1,726	-	-	-	-	-	-	1	5	15	25	46
FEMALE--	1,638	-	-	-	-	1	2	2	4	10	14	23
ALL OTHER--MALE----	104	-	-	-	-	-	-	-	3	4	5	7
FEMALE--	81	-	-	-	-	-	-	-	4	1	5	2
BLACK---MALE----	79	-	-	-	-	-	-	-	2	1	4	5
FEMALE--	57	-	-	-	-	-	-	-	2	-	3	2
MICHIGAN -----	4,470	-	2	-	1	1	5	9	18	36	86	125
WHITE-----MALE----	2,032	-	2	-	-	-	1	1	7	10	38	64
FEMALE--	1,687	-	-	-	1	-	2	5	5	13	16	35
ALL OTHER--MALE----	410	-	-	-	-	-	1	3	1	4	23	16
FEMALE--	341	-	-	-	-	1	1	-	5	9	9	10
BLACK---MALE----	379	-	-	-	-	-	1	2	1	3	23	16
FEMALE--	327	-	-	-	-	1	1	-	4	8	8	10

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 481
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159)												
KENTUCKY -----	97	118	169	249	306	290	248	185	67	34	3	-
WHITE-----MALE----	53	62	100	151	158	144	106	66	19	9	-	-
FEMALE--	36	46	57	75	118	126	125	105	40	22	2	-
ALL OTHER--MALE----	5	5	11	12	17	12	6	7	3	-	-	-
FEMALE--	3	5	1	11	13	8	11	7	5	3	1	-
BLACK---MALE----	5	5	11	12	16	12	6	7	3	-	-	-
FEMALE--	3	5	1	11	13	8	11	6	5	3	1	-
LOUISIANA -----	110	162	210	289	336	310	274	209	100	14	5	-
WHITE-----MALE----	37	64	73	130	123	119	91	56	15	2	-	-
FEMALE--	22	38	54	73	113	116	106	97	56	6	1	-
ALL OTHER--MALE----	29	31	50	46	59	32	34	21	5	3	1	-
FEMALE--	22	29	33	40	41	43	43	35	24	3	3	-
BLACK---MALE----	29	31	50	46	57	31	34	20	5	3	1	-
FEMALE--	20	27	33	39	41	42	42	35	24	3	3	-
MAINE -----	27	34	55	84	101	115	106	78	40	13	-	-
WHITE-----MALE----	19	19	32	43	49	56	56	25	12	1	-	-
FEMALE--	8	14	23	41	51	59	49	53	28	12	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	136	177	243	335	379	358	320	202	93	21	6	-
WHITE-----MALE----	51	76	103	138	158	147	127	48	28	5	-	-
FEMALE--	37	48	59	96	122	132	128	110	50	13	5	-
ALL OTHER--MALE----	29	31	45	53	62	46	29	15	4	2	-	-
FEMALE--	19	22	36	48	37	33	36	29	11	1	1	-
BLACK---MALE----	29	30	43	52	57	45	26	13	4	2	-	-
FEMALE--	18	18	32	46	37	32	33	29	10	1	1	-
MASSACHUSETTS -----	125	189	286	417	574	605	533	387	186	60	8	-
WHITE-----MALE----	70	112	160	236	317	307	229	141	44	16	2	-
FEMALE--	43	59	106	159	238	272	285	237	136	42	5	-
ALL OTHER--MALE----	10	8	15	12	15	12	10	2	1	-	-	-
FEMALE--	2	10	5	10	4	14	9	7	5	2	1	-
BLACK---MALE----	9	7	11	9	10	9	9	2	1	-	-	-
FEMALE--	1	6	3	8	4	9	7	5	4	2	1	-
MICHIGAN -----	209	284	405	577	741	715	621	376	198	55	6	-
WHITE-----MALE----	108	142	228	283	346	334	263	137	59	8	1	-
FEMALE--	52	81	110	185	262	274	286	197	122	38	3	-
ALL OTHER--MALE----	28	43	39	63	73	54	35	18	6	3	-	-
FEMALE--	21	18	28	46	60	53	37	24	11	6	2	-
BLACK---MALE----	26	37	36	59	69	49	33	15	6	3	-	-
FEMALE--	18	18	25	46	59	52	36	22	11	6	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 482
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159)												
MINNESOTA -----	74	109	195	245	324	336	307	222	133	38	3	-
WHITE-----MALE----	40	66	111	146	189	172	126	87	38	8	-	-
FEMALE--	27	37	73	89	126	160	178	132	94	30	3	-
ALL OTHER--MALE----	7	4	8	8	4	2	1	1	1	-	-	-
FEMALE--	-	2	3	2	5	2	2	2	-	-	-	-
BLACK---MALE----	4	2	6	-	2	2	1	1	1	-	-	-
FEMALE--	-	1	1	1	2	1	1	1	-	-	-	-
MISSISSIPPI -----	64	104	142	163	186	187	156	108	50	17	4	-
WHITE-----MALE----	17	46	49	65	78	62	43	35	3	2	-	-
FEMALE--	14	23	35	40	59	59	65	30	24	7	-	-
ALL OTHER--MALE----	24	22	29	30	24	40	19	17	10	2	3	-
FEMALE--	9	13	29	28	25	26	29	26	13	6	1	-
BLACK---MALE----	24	20	29	30	24	40	19	17	10	2	3	-
FEMALE--	9	12	28	28	25	26	29	26	13	6	1	-
MISSOURI -----	106	161	252	355	470	413	373	259	151	38	3	-
WHITE-----MALE----	43	88	130	193	227	191	139	81	30	6	1	-
FEMALE--	44	55	83	115	183	180	196	155	103	29	2	-
ALL OTHER--MALE----	12	11	25	27	37	20	17	8	6	1	-	-
FEMALE--	7	7	14	20	23	22	21	15	12	2	-	-
BLACK---MALE----	12	10	23	26	35	20	16	7	6	1	-	-
FEMALE--	6	7	11	19	23	21	21	15	12	2	-	-
MONTANA -----	18	15	46	51	67	68	53	47	27	2	1	-
WHITE-----MALE----	12	9	28	21	47	33	24	19	10	-	-	-
FEMALE--	5	4	17	28	18	32	29	28	14	2	1	-
ALL OTHER--MALE----	-	1	1	1	2	2	-	-	2	-	-	-
FEMALE--	1	1	-	1	-	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	30	52	68	114	119	149	128	74	54	16	1	-
WHITE-----MALE----	17	34	30	68	57	83	62	30	19	3	1	-
FEMALE--	11	15	34	42	61	61	61	44	34	13	-	-
ALL OTHER--MALE----	2	2	3	2	-	2	3	-	1	-	-	-
FEMALE--	-	1	1	2	1	3	2	-	-	-	-	-
BLACK---MALE----	2	2	2	2	-	2	3	-	1	-	-	-
FEMALE--	-	1	1	1	1	-	2	-	-	-	-	-
NEVADA -----	44	42	84	96	113	101	70	36	10	1	-	-
WHITE-----MALE----	21	29	44	59	59	56	33	17	4	-	-	-
FEMALE--	16	10	28	30	50	39	34	15	6	1	-	-
ALL OTHER--MALE----	4	1	5	3	1	6	1	2	-	-	-	-
FEMALE--	3	2	7	4	3	-	2	2	-	-	-	-
BLACK---MALE----	3	1	1	3	1	3	1	2	-	-	-	-
FEMALE--	3	1	4	1	1	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 484
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159)												
OHIO -----	5,734	-	-	-	-	1	2	12	23	37	72	162
WHITE-----MALE----	2,586	-	-	-	-	1	-	7	10	13	38	93
FEMALE--	2,444	-	-	-	-	-	-	2	5	15	23	48
ALL OTHER--MALE----	344	-	-	-	-	-	2	-	4	6	9	14
FEMALE--	360	-	-	-	-	-	-	3	4	3	2	7
BLACK---MALE----	340	-	-	-	-	-	2	-	4	6	9	14
FEMALE--	353	-	-	-	-	-	-	2	4	3	2	7
OKLAHOMA -----	1,454	-	-	-	-	2	1	5	5	10	32	37
WHITE-----MALE----	652	-	-	-	-	-	1	3	3	3	16	21
FEMALE--	627	-	-	-	-	2	-	1	1	4	7	8
ALL OTHER--MALE----	94	-	-	-	-	-	-	1	1	1	4	4
FEMALE--	81	-	-	-	-	-	-	-	-	2	5	4
BLACK---MALE----	63	-	-	-	-	-	-	1	1	1	4	3
FEMALE--	53	-	-	-	-	-	-	-	-	1	3	2
OREGON -----	1,506	-	1	-	-	-	1	2	1	12	29	41
WHITE-----MALE----	783	-	-	-	-	-	-	1	1	5	11	27
FEMALE--	669	-	1	-	-	-	1	-	-	7	13	13
ALL OTHER--MALE----	30	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	24	-	-	-	-	-	-	1	-	-	4	-
BLACK---MALE----	13	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	7,408	-	-	-	1	2	3	6	13	40	111	171
WHITE-----MALE----	3,437	-	-	-	1	1	-	2	5	23	62	96
FEMALE--	3,224	-	-	-	-	1	2	4	7	12	29	47
ALL OTHER--MALE----	398	-	-	-	-	-	1	-	1	4	14	22
FEMALE--	349	-	-	-	-	-	-	-	-	1	6	6
BLACK---MALE----	380	-	-	-	-	-	1	-	1	3	13	21
FEMALE--	331	-	-	-	-	-	-	-	-	1	5	5
RHODE ISLAND -----	622	-	-	-	-	-	-	-	1	1	11	9
WHITE-----MALE----	311	-	-	-	-	-	-	-	1	-	4	4
FEMALE--	287	-	-	-	-	-	-	-	-	1	3	5
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	-	-	3	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	12	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1,678	-	-	-	-	1	2	3	6	18	38	57
WHITE-----MALE----	577	-	-	-	-	1	-	-	-	6	10	20
FEMALE--	508	-	-	-	-	-	-	1	3	5	11	16
ALL OTHER--MALE----	309	-	-	-	-	-	1	2	1	3	11	12
FEMALE--	284	-	-	-	-	-	1	-	2	4	6	9
BLACK---MALE----	306	-	-	-	-	-	1	2	1	3	10	12
FEMALE--	280	-	-	-	-	-	1	-	2	4	6	9

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 484
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159)												
OHIO -----	218	350	491	717	973	971	836	548	229	76	16	-
WHITE-----MALE----	115	179	268	362	482	427	332	179	59	21	-	-
FEMALE--	80	116	143	243	361	437	436	317	152	52	14	-
ALL OTHER--MALE----	15	27	43	62	63	52	26	14	5	-	2	-
FEMALE--	8	28	37	50	67	55	42	38	13	3	-	-
BLACK---MALE----	15	27	43	61	62	52	25	14	5	-	1	-
FEMALE--	7	27	35	49	67	55	42	38	12	3	-	-
OKLAHOMA -----	65	109	118	179	198	240	207	146	68	25	5	2
WHITE-----MALE----	42	56	65	82	100	108	79	50	17	5	1	-
FEMALE--	16	39	44	68	77	108	104	82	42	18	4	2
ALL OTHER--MALE----	5	7	5	19	9	11	15	9	3	-	-	-
FEMALE--	2	7	4	10	12	13	9	5	6	2	-	-
BLACK---MALE----	3	3	3	9	8	6	11	8	2	-	-	-
FEMALE--	1	5	2	6	9	8	7	5	3	1	-	-
OREGON -----	52	72	151	174	249	243	223	164	71	17	3	-
WHITE-----MALE----	25	52	89	110	130	126	108	69	25	4	-	-
FEMALE--	23	16	57	55	110	107	112	94	45	12	3	-
ALL OTHER--MALE----	3	4	4	7	4	4	1	-	-	1	-	-
FEMALE--	1	-	1	2	5	6	2	1	1	-	-	-
BLACK---MALE----	1	1	2	2	1	3	1	-	-	1	-	-
FEMALE--	-	-	-	1	4	1	1	-	-	-	-	-
PENNSYLVANIA -----	281	418	606	1,017	1,208	1,330	1,077	691	345	79	9	-
WHITE-----MALE----	151	217	315	501	623	625	462	243	89	21	-	-
FEMALE--	86	136	206	398	465	594	546	407	227	48	9	-
ALL OTHER--MALE----	30	35	49	69	70	58	20	14	10	1	-	-
FEMALE--	14	30	36	49	50	53	49	27	19	9	-	-
BLACK---MALE----	28	32	47	69	64	57	19	14	10	1	-	-
FEMALE--	12	29	33	46	48	49	48	27	19	9	-	-
RHODE ISLAND -----	21	31	49	75	107	114	90	71	34	8	-	-
WHITE-----MALE----	8	13	33	41	66	63	35	31	9	3	-	-
FEMALE--	11	17	14	30	38	47	53	38	25	5	-	-
ALL OTHER--MALE----	2	1	1	1	2	3	2	-	-	-	-	-
FEMALE--	-	-	1	3	1	1	-	2	-	-	-	-
BLACK---MALE----	1	1	1	-	2	3	2	-	-	-	-	-
FEMALE--	-	-	1	3	1	1	-	2	-	-	-	-
SOUTH CAROLINA -----	101	131	184	195	294	260	218	115	41	8	6	-
WHITE-----MALE----	34	52	73	79	119	76	70	27	8	2	-	-
FEMALE--	17	28	46	57	86	87	75	54	17	3	2	-
ALL OTHER--MALE----	34	31	41	29	41	52	32	13	4	2	-	-
FEMALE--	16	20	24	30	48	45	41	21	12	1	4	-
BLACK---MALE----	34	31	41	28	40	52	32	13	4	2	-	-
FEMALE--	16	19	24	28	47	45	41	21	12	1	4	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 485
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159)												
SOUTH DAKOTA -----	382	-	-	-	-	-	-	1	1	1	4	6
WHITE-----MALE----	188	-	-	-	-	-	-	-	-	1	3	3
FEMALE--	182	-	-	-	-	-	-	-	1	-	1	3
ALL OTHER--MALE----	7	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2,507	-	1	-	-	1	2	7	11	26	45	83
WHITE-----MALE----	1,058	-	-	-	-	1	2	2	6	15	23	40
FEMALE--	944	-	-	-	-	-	-	1	1	6	6	21
ALL OTHER--MALE----	255	-	-	-	-	-	-	3	2	3	10	12
FEMALE--	250	-	1	-	-	-	-	1	2	2	6	10
BLACK---MALE----	251	-	-	-	-	-	-	3	2	3	10	12
FEMALE--	242	-	1	-	-	-	-	-	2	2	5	10
TEXAS -----	7,365	1	1	-	-	2	12	13	29	85	163	236
WHITE-----MALE----	3,402	1	1	-	-	-	7	5	12	40	81	113
FEMALE--	2,811	-	-	-	-	-	4	7	12	26	40	66
ALL OTHER--MALE----	606	-	-	-	-	2	-	1	2	11	27	29
FEMALE--	546	-	-	-	-	-	1	-	3	8	15	28
BLACK---MALE----	556	-	-	-	-	1	-	1	1	11	21	26
FEMALE--	510	-	-	-	-	-	1	-	3	7	14	26
UTAH -----	514	-	-	-	-	-	-	3	-	4	13	12
WHITE-----MALE----	256	-	-	-	-	-	-	-	-	2	7	6
FEMALE--	231	-	-	-	-	-	-	1	-	2	3	5
ALL OTHER--MALE----	14	-	-	-	-	-	-	1	-	-	3	1
FEMALE--	13	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	246	-	-	-	-	-	-	-	2	1	2	4
WHITE-----MALE----	133	-	-	-	-	-	-	-	2	1	1	3
FEMALE--	113	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2,833	-	2	-	1	2	3	4	12	33	50	97
WHITE-----MALE----	1,111	-	-	-	-	-	1	3	4	15	21	41
FEMALE--	987	-	1	-	1	2	1	1	4	7	11	26
ALL OTHER--MALE----	401	-	1	-	-	-	1	-	4	8	12	15
FEMALE--	334	-	-	-	-	-	-	-	-	3	6	15
BLACK---MALE----	370	-	1	-	-	-	1	-	4	7	10	13
FEMALE--	311	-	-	-	-	-	-	-	-	3	6	15

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 485
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159)												
SOUTH DAKOTA -----	8	23	32	47	55	69	57	49	23	4	2	-
WHITE-----MALE----	5	11	19	31	30	37	22	21	4	1	-	-
FEMALE--	2	11	10	16	24	29	35	27	19	3	1	-
ALL OTHER--MALE----	-	1	2	-	-	3	-	-	-	-	-	-
FEMALE--	1	-	1	-	1	-	-	1	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	140	162	243	308	412	402	313	229	98	18	6	-
WHITE-----MALE----	66	85	118	145	171	157	116	76	27	8	-	-
FEMALE--	31	42	70	96	163	189	133	118	54	9	4	-
ALL OTHER--MALE----	27	19	36	33	38	30	23	15	4	-	-	-
FEMALE--	16	16	19	34	40	26	41	20	13	1	2	-
BLACK---MALE----	26	18	35	33	38	29	23	15	4	-	-	-
FEMALE--	14	16	18	32	40	26	41	19	13	1	2	-
TEXAS -----	356	499	722	966	1,173	1,057	988	643	327	79	13	-
WHITE-----MALE----	180	268	377	483	581	495	426	224	89	18	1	-
FEMALE--	105	126	201	301	451	426	459	338	188	50	11	-
ALL OTHER--MALE----	42	67	88	107	72	62	39	32	21	4	-	-
FEMALE--	29	38	56	75	69	74	64	49	29	7	1	-
BLACK---MALE----	39	62	84	99	67	54	36	29	21	4	-	-
FEMALE--	27	33	50	69	66	71	62	46	28	6	1	-
UTAH -----	17	31	48	70	77	78	75	60	19	7	-	-
WHITE-----MALE----	10	19	27	40	46	39	30	19	9	2	-	-
FEMALE--	5	10	18	24	29	37	43	40	10	4	-	-
ALL OTHER--MALE----	1	1	1	3	1	1	1	-	-	-	-	-
FEMALE--	1	1	2	3	1	1	1	1	-	1	-	-
BLACK---MALE----	1	1	-	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	1	-	-
VERMONT -----	6	13	28	32	31	43	33	28	22	1	-	-
WHITE-----MALE----	3	7	21	18	16	25	19	11	6	-	-	-
FEMALE--	3	6	7	14	15	18	14	17	16	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	172	183	261	405	458	415	359	237	98	36	5	-
WHITE-----MALE----	74	80	127	161	194	168	120	75	21	5	1	-
FEMALE--	49	49	64	136	150	143	145	114	54	26	3	-
ALL OTHER--MALE----	29	34	44	64	65	57	39	19	7	2	-	-
FEMALE--	20	20	26	44	49	47	55	29	16	3	1	-
BLACK---MALE----	23	31	40	60	63	53	36	19	7	2	-	-
FEMALE--	19	18	25	40	43	45	51	27	15	3	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 486
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159)												
WASHINGTON -----	113	136	190	289	369	344	316	231	119	28	1	-
WHITE-----MALE----	69	73	112	174	202	175	147	92	39	5	-	-
FEMALE--	26	49	57	94	141	147	155	128	76	21	1	-
ALL OTHER--MALE----	10	11	5	12	13	17	6	4	4	-	-	-
FEMALE--	8	3	16	9	13	5	8	7	-	2	-	-
BLACK---MALE----	7	1	2	1	4	6	1	4	1	-	-	-
FEMALE--	2	1	4	2	6	1	2	4	-	2	-	-
WEST VIRGINIA -----	35	44	85	132	205	153	142	81	32	8	1	-
WHITE-----MALE----	23	30	53	72	109	66	60	26	11	1	-	-
FEMALE--	12	12	29	54	90	81	74	54	20	7	1	-
ALL OTHER--MALE----	-	1	2	4	3	3	6	1	-	-	-	-
FEMALE--	-	1	1	2	3	3	2	-	1	-	-	-
BLACK---MALE----	-	1	2	4	3	3	5	1	-	-	-	-
FEMALE--	-	1	1	1	3	3	2	-	1	-	-	-
WISCONSIN -----	87	157	206	323	413	431	389	294	127	45	12	-
WHITE-----MALE----	46	102	120	209	228	222	171	109	42	11	1	-
FEMALE--	36	46	72	104	173	197	210	176	84	34	11	-
ALL OTHER--MALE----	4	6	10	6	9	6	2	5	1	-	-	-
FEMALE--	1	3	4	4	3	6	6	4	-	-	-	-
BLACK---MALE----	4	6	5	4	6	6	1	5	1	-	-	-
FEMALE--	1	3	3	2	3	6	6	4	-	-	-	-
WYOMING -----	8	20	23	24	30	39	29	18	13	5	-	-
WHITE-----MALE----	7	13	14	12	15	19	19	6	2	3	-	-
FEMALE--	1	7	8	12	15	18	10	11	11	2	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 487
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF ESOPHAGUS (150)												
0 UNITED STATES --	684	985	1,358	1,800	1,907	1,546	1,145	554	216	46	2	1
WHITE-----MALE----	396	603	862	1,176	1,272	1,012	678	268	90	15	1	-
FEMALE--	68	102	186	294	340	350	349	240	111	26	1	1
ALL OTHER--MALE----	173	219	240	256	219	130	74	32	4	-	-	-
FEMALE--	47	61	70	74	76	54	44	14	11	5	-	-
BLACK---MALE----	164	211	225	233	197	118	65	24	3	-	-	-
FEMALE--	46	56	65	67	72	48	43	13	10	4	-	-
ALABAMA -----	12	17	24	31	26	16	19	8	6	1	1	-
WHITE-----MALE----	5	7	11	13	13	10	12	3	3	-	-	-
FEMALE--	-	1	3	8	5	1	3	5	3	1	1	-
ALL OTHER--MALE----	7	8	6	9	5	5	2	-	-	-	-	-
FEMALE--	-	1	4	1	3	-	2	-	-	-	-	-
BLACK---MALE----	7	8	6	9	5	5	2	-	-	-	-	-
FEMALE--	-	1	4	1	3	-	2	-	-	-	-	-
ALASKA -----	4	1	5	5	1	-	2	-	-	-	-	-
WHITE-----MALE----	2	1	2	5	1	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	2	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	6	18	19	29	37	29	23	7	2	-	-	-
WHITE-----MALE----	6	15	15	21	24	23	19	4	1	-	-	-
FEMALE--	-	2	4	8	11	5	3	3	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	10	5	17	24	9	12	6	7	2	1	-	-
WHITE-----MALE----	4	3	8	15	6	7	5	4	1	-	-	-
FEMALE--	1	-	4	3	2	1	1	3	1	-	-	-
ALL OTHER--MALE----	5	2	5	4	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	2	1	3	-	-	-	1	-	-
BLACK---MALE----	5	2	5	3	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	2	1	3	-	-	-	1	-	-
CALIFORNIA -----	50	89	124	171	187	165	110	53	23	1	-	-
WHITE-----MALE----	36	59	77	120	119	104	63	24	9	-	-	-
FEMALE--	3	15	31	31	41	41	40	24	12	1	-	-
ALL OTHER--MALE----	7	14	7	14	23	13	6	3	1	-	-	-
FEMALE--	4	1	9	6	4	7	1	2	1	-	-	-
BLACK---MALE----	5	11	7	9	13	9	3	-	1	-	-	-
FEMALE--	4	1	6	2	3	4	1	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 488
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 0 OF ESOPHAGUS (150)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	7	6	16	7	16	16	13	4	2	-	-	-
WHITE-----MALE----	7	4	12	7	11	13	8	3	2	-	-	-
FEMALE--	-	-	3	-	4	2	4	1	-	-	-	-
ALL OTHER--MALE----	-	2	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	2	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	1	-	-	-	-	-
CONNECTICUT -----	7	9	12	27	27	37	20	12	4	5	-	-
WHITE-----MALE----	4	4	8	15	15	31	11	4	1	1	-	-
FEMALE--	1	2	2	7	8	6	8	8	3	4	-	-
ALL OTHER--MALE----	1	3	2	5	3	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	2	2	5	3	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
DELAWARE -----	5	6	6	6	12	2	3	2	1	-	-	-
WHITE-----MALE----	3	3	2	4	6	1	2	-	1	-	-	-
FEMALE--	-	-	-	1	2	1	1	2	-	-	-	-
ALL OTHER--MALE----	1	2	3	1	3	-	-	-	-	-	-	-
FEMALE--	1	1	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	2	3	1	3	-	-	-	-	-	-	-
FEMALE--	1	1	1	-	1	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	5	9	14	8	10	7	8	-	1	-	-	-
WHITE-----MALE----	-	-	1	1	3	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	1	-	-	-
ALL OTHER--MALE----	4	7	10	7	5	4	5	-	-	-	-	-
FEMALE--	1	2	3	-	2	1	-	-	-	-	-	-
BLACK---MALE----	4	7	10	7	5	4	5	-	-	-	-	-
FEMALE--	1	2	3	-	2	1	-	-	-	-	-	-
FLORIDA -----	34	61	80	123	153	107	88	45	10	3	-	-
WHITE-----MALE----	18	36	47	79	111	70	61	26	5	1	-	-
FEMALE--	5	7	12	28	30	29	21	18	5	2	-	-
ALL OTHER--MALE----	10	13	18	12	9	6	6	1	-	-	-	-
FEMALE--	1	5	3	4	3	2	-	-	-	-	-	-
BLACK---MALE----	10	13	18	12	9	6	6	1	-	-	-	-
FEMALE--	1	5	3	4	3	2	-	-	-	-	-	-
GEORGIA -----	16	36	31	25	41	32	12	14	6	-	-	-
WHITE-----MALE----	6	14	14	13	19	15	3	5	1	-	-	-
FEMALE--	1	1	5	1	6	9	5	7	1	-	-	-
ALL OTHER--MALE----	8	19	12	5	15	4	3	1	-	-	-	-
FEMALE--	1	2	-	6	1	4	1	1	4	-	-	-
BLACK---MALE----	8	19	12	5	15	4	3	1	-	-	-	-
FEMALE--	1	1	-	6	1	4	1	1	4	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 489
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 0 OF ESOPHAGUS (150)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	3	4	6	5	8	4	4	3	2	-	-	-
WHITE-----MALE----	1	-	-	2	1	2	2	-	1	-	-	-
FEMALE--	-	1	1	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	2	1	5	3	6	2	1	2	1	-	-	-
FEMALE--	-	2	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	3	6	4	8	7	8	8	1	-	-	-	-
WHITE-----MALE----	1	5	1	4	5	7	5	1	-	-	-	-
FEMALE--	1	1	3	3	2	1	3	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	49	45	72	94	110	70	39	25	12	3	-	-
WHITE-----MALE----	25	22	42	65	72	41	22	13	4	1	-	-
FEMALE--	4	5	11	12	15	18	13	11	7	2	-	-
ALL OTHER--MALE----	16	13	13	14	13	8	2	1	1	-	-	-
FEMALE--	4	5	6	3	10	3	2	-	-	-	-	-
BLACK---MALE----	15	13	12	14	13	7	2	1	1	-	-	-
FEMALE--	4	5	6	3	8	3	2	-	-	-	-	-
INDIANA -----	12	21	37	54	39	39	26	8	5	-	-	-
WHITE-----MALE----	9	17	29	38	30	29	21	6	1	-	-	-
FEMALE--	2	1	6	6	4	9	4	2	4	-	-	-
ALL OTHER--MALE----	1	2	2	10	3	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	2	1	-	-	-	-	-	-
BLACK---MALE----	1	2	2	10	3	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	2	1	-	-	-	-	-	-
IOWA -----	4	8	11	21	23	21	21	7	8	-	-	-
WHITE-----MALE----	2	7	9	18	19	15	10	1	6	-	-	-
FEMALE--	2	1	1	3	3	6	10	6	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
KANSAS -----	4	12	7	14	11	8	15	10	2	-	-	-
WHITE-----MALE----	3	8	6	13	9	8	8	6	-	-	-	-
FEMALE--	1	-	1	-	1	-	7	4	2	-	-	-
ALL OTHER--MALE----	-	4	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	4	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 490
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF ESOPHAGUS (150)												
KENTUCKY -----	8	21	29	18	32	24	11	5	3	1	-	-
WHITE-----MALE----	7	15	21	13	24	16	6	2	3	-	-	-
FEMALE--	1	3	3	3	4	6	1	3	-	1	-	-
ALL OTHER--MALE----	-	2	5	1	4	2	1	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	3	-	-	-	-	-
BLACK---MALE----	-	2	5	1	4	2	1	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	3	-	-	-	-	-
LOUISIANA -----	12	18	17	32	33	19	20	6	4	1	-	-
WHITE-----MALE----	4	4	7	15	14	13	11	2	1	-	-	-
FEMALE--	-	3	2	4	7	2	4	2	3	1	-	-
ALL OTHER--MALE----	8	10	5	9	9	4	3	2	-	-	-	-
FEMALE--	-	1	3	4	3	-	2	-	-	-	-	-
BLACK---MALE----	8	10	5	9	8	4	3	2	-	-	-	-
FEMALE--	-	1	3	3	3	-	2	-	-	-	-	-
MAINE -----	2	7	7	10	6	8	14	1	3	-	-	-
WHITE-----MALE----	2	7	7	7	3	5	9	1	2	-	-	-
FEMALE--	-	-	-	3	3	3	4	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	17	28	30	37	40	27	27	14	2	3	-	-
WHITE-----MALE----	5	12	16	20	19	15	14	7	1	2	-	-
FEMALE--	2	2	2	4	7	4	10	3	1	1	-	-
ALL OTHER--MALE----	6	9	11	11	11	7	2	3	-	-	-	-
FEMALE--	4	5	1	2	3	1	1	1	-	-	-	-
BLACK---MALE----	6	9	11	11	11	6	2	3	-	-	-	-
FEMALE--	4	4	1	2	3	1	1	1	-	-	-	-
MASSACHUSETTS -----	20	29	34	50	63	44	32	27	4	2	-	-
WHITE-----MALE----	15	24	27	36	45	31	22	14	1	-	-	-
FEMALE--	1	2	4	9	17	12	9	13	3	2	-	-
ALL OTHER--MALE----	3	2	3	4	1	-	1	-	-	-	-	-
FEMALE--	1	1	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	3	2	3	3	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
MICHIGAN -----	29	37	69	72	67	47	55	12	11	2	-	-
WHITE-----MALE----	20	22	48	50	48	32	35	8	3	1	-	-
FEMALE--	3	5	10	9	8	6	16	3	8	-	-	-
ALL OTHER--MALE----	5	7	11	9	7	6	3	1	-	-	-	-
FEMALE--	1	3	-	4	4	3	1	-	-	1	-	-
BLACK---MALE----	5	7	11	9	7	6	3	-	-	-	-	-
FEMALE--	1	3	-	4	4	3	1	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 493
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF ESOPHAGUS (150)												
OHIO -----	25	34	57	75	93	76	59	30	6	2	-	-
WHITE-----MALE----	16	22	41	56	63	48	34	10	1	1	-	-
FEMALE--	2	5	7	8	20	19	14	17	5	1	-	-
ALL OTHER--MALE----	6	3	4	9	8	7	5	1	-	-	-	-
FEMALE--	1	4	5	2	2	2	6	2	-	-	-	-
BLACK---MALE----	6	3	4	9	8	7	4	1	-	-	-	-
FEMALE--	1	4	5	2	2	2	6	2	-	-	-	-
OKLAHOMA -----	8	14	9	14	19	14	6	5	-	-	-	1
WHITE-----MALE----	7	10	5	9	10	7	3	2	-	-	-	-
FEMALE--	-	2	4	2	3	5	3	3	-	-	-	1
ALL OTHER--MALE----	1	1	-	3	4	2	-	-	-	-	-	-
FEMALE--	-	1	-	-	2	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	4	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	2	-	-	-	-	-	-	-
OREGON -----	8	14	10	17	30	25	14	12	4	-	-	-
WHITE-----MALE----	7	11	10	15	23	18	12	8	2	-	-	-
FEMALE--	1	3	-	2	7	7	1	4	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	28	49	77	111	105	95	68	29	5	3	-	-
WHITE-----MALE----	21	36	47	77	70	69	43	15	3	2	-	-
FEMALE--	1	6	16	22	18	21	19	13	2	1	-	-
ALL OTHER--MALE----	4	4	9	10	14	3	3	-	-	-	-	-
FEMALE--	2	3	5	2	3	2	3	1	-	-	-	-
BLACK---MALE----	4	4	9	10	12	3	3	-	-	-	-	-
FEMALE--	2	3	5	2	3	2	3	1	-	-	-	-
RHODE ISLAND -----	-	3	8	10	11	11	1	5	2	-	-	-
WHITE-----MALE----	-	3	6	7	8	9	1	4	1	-	-	-
FEMALE--	-	-	2	3	3	2	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	21	22	19	27	25	17	5	3	2	-	-	-
WHITE-----MALE----	2	9	4	11	15	8	2	-	-	-	-	-
FEMALE--	-	-	1	3	2	2	1	3	1	-	-	-
ALL OTHER--MALE----	16	10	12	10	6	5	1	-	-	-	-	-
FEMALE--	3	3	2	3	2	2	1	-	1	-	-	-
BLACK---MALE----	16	10	12	10	6	5	1	-	-	-	-	-
FEMALE--	3	3	2	3	2	2	1	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 494
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF ESOPHAGUS (150)												
SOUTH DAKOTA -----	1	1	4	8	7	7	3	1	3	-	-	-
WHITE-----MALE----	1	-	2	6	7	6	1	-	2	-	-	-
FEMALE--	-	1	-	2	-	1	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	27	19	22	30	34	23	15	6	4	1	-	-
WHITE-----MALE----	14	7	10	17	17	16	8	4	2	1	-	-
FEMALE--	4	2	2	4	7	5	5	2	1	-	-	-
ALL OTHER--MALE----	7	10	8	6	10	2	1	-	-	-	-	-
FEMALE--	2	-	2	3	-	-	1	-	1	-	-	-
BLACK---MALE----	7	10	8	6	10	2	1	-	-	-	-	-
FEMALE--	2	-	2	2	-	-	1	-	1	-	-	-
TEXAS -----	34	54	88	92	92	79	60	40	7	6	-	-
WHITE-----MALE----	19	34	58	57	72	50	33	19	1	1	-	-
FEMALE--	4	5	12	15	13	16	24	16	5	4	-	-
ALL OTHER--MALE----	6	10	15	15	3	11	2	4	-	-	-	-
FEMALE--	5	5	3	5	4	2	1	1	1	1	-	-
BLACK---MALE----	6	10	15	15	3	10	2	3	-	-	-	-
FEMALE--	5	5	3	5	4	2	1	1	1	1	-	-
UTAH -----	-	-	2	9	5	3	3	2	1	-	-	-
WHITE-----MALE----	-	-	2	7	4	3	2	1	1	-	-	-
FEMALE--	-	-	-	2	1	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	1	3	6	2	10	6	2	2	-	-	-
WHITE-----MALE----	-	1	3	5	2	7	5	2	-	-	-	-
FEMALE--	-	-	-	1	-	3	1	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	23	24	33	60	53	41	31	8	3	1	1	-
WHITE-----MALE----	12	12	24	27	29	17	15	3	1	-	1	-
FEMALE--	2	4	1	11	12	12	9	2	2	-	-	-
ALL OTHER--MALE----	5	7	5	17	9	8	3	2	-	-	-	-
FEMALE--	4	1	3	5	3	4	4	1	-	1	-	-
BLACK---MALE----	5	7	5	17	9	8	3	2	-	-	-	-
FEMALE--	4	1	2	5	3	4	4	1	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 496
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF STOMACH (151)												
0 UNITED STATES --	13,645	-	-	-	-	2	16	38	81	184	275	481
WHITE-----MALE----	6,351	-	-	-	-	1	5	9	23	68	129	229
FEMALE--	4,349	-	-	-	-	1	4	10	25	55	66	111
ALL OTHER--MALE----	1,659	-	-	-	-	-	4	9	13	30	41	84
FEMALE--	1,286	-	-	-	-	-	3	10	20	31	39	57
BLACK---MALE----	1,289	-	-	-	-	-	3	5	12	24	35	68
FEMALE--	985	-	-	-	-	-	3	6	15	21	26	31
ALABAMA -----	198	-	-	-	-	-	1	1	-	1	2	3
WHITE-----MALE----	72	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	49	-	-	-	-	-	1	-	-	1	-	1
ALL OTHER--MALE----	47	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	30	-	-	-	-	-	-	-	-	-	2	1
BLACK---MALE----	47	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	30	-	-	-	-	-	-	-	-	-	2	1
ALASKA -----	15	-	-	-	-	-	-	-	-	2	1	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	185	-	-	-	-	-	-	1	-	1	5	5
WHITE-----MALE----	102	-	-	-	-	-	-	-	-	-	4	2
FEMALE--	66	-	-	-	-	-	-	-	-	-	1	3
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	7	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	1	-	-	-	-
ARKANSAS -----	135	-	-	-	-	-	3	-	-	4	-	1
WHITE-----MALE----	64	-	-	-	-	-	2	-	-	-	-	1
FEMALE--	41	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	16	-	-	-	-	-	1	-	-	2	-	-
BLACK---MALE----	14	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	16	-	-	-	-	-	1	-	-	2	-	-
CALIFORNIA -----	1,630	-	-	-	-	1	3	8	15	30	36	64
WHITE-----MALE----	727	-	-	-	-	-	1	1	2	10	17	26
FEMALE--	483	-	-	-	-	1	1	2	8	9	8	16
ALL OTHER--MALE----	221	-	-	-	-	-	1	2	1	4	3	13
FEMALE--	199	-	-	-	-	-	-	3	4	7	8	9
BLACK---MALE----	76	-	-	-	-	-	1	-	-	2	1	7
FEMALE--	61	-	-	-	-	-	-	-	1	1	3	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 496
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF STOMACH (151)												
0 UNITED STATES --	633	843	1,180	1,622	2,107	2,106	1,937	1,358	622	135	25	-
WHITE-----MALE----	323	437	601	858	1,062	1,029	830	528	180	35	4	-
FEMALE--	146	189	258	412	589	687	768	624	323	67	14	-
ALL OTHER--MALE----	111	134	215	216	276	222	168	82	39	12	3	-
FEMALE--	53	83	106	136	180	168	171	124	80	21	4	-
BLACK---MALE----	90	108	176	170	207	163	121	61	32	11	3	-
FEMALE--	34	52	76	103	152	124	141	109	70	19	3	-
ALABAMA -----	8	13	27	22	38	34	19	14	13	2	-	-
WHITE-----MALE----	3	5	10	6	14	18	8	1	5	1	-	-
FEMALE--	1	1	7	7	9	8	5	5	3	-	-	-
ALL OTHER--MALE----	3	4	8	6	13	5	4	2	1	-	-	-
FEMALE--	1	3	2	3	2	3	2	6	4	1	-	-
BLACK---MALE----	3	4	8	6	13	5	4	2	1	-	-	-
FEMALE--	1	3	2	3	2	3	2	6	4	1	-	-
ALASKA -----	-	2	2	2	5	-	-	1	-	-	-	-
WHITE-----MALE----	-	1	-	1	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	2	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	8	12	16	33	32	19	33	14	5	1	-	-
WHITE-----MALE----	3	7	12	18	18	12	17	6	2	1	-	-
FEMALE--	4	5	4	13	8	6	13	7	2	-	-	-
ALL OTHER--MALE----	1	-	-	1	5	-	1	1	-	-	-	-
FEMALE--	-	-	-	1	1	1	2	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
ARKANSAS -----	6	8	11	19	20	17	25	14	7	-	-	-
WHITE-----MALE----	5	6	7	8	11	8	10	3	3	-	-	-
FEMALE--	-	1	3	5	5	6	9	9	2	-	-	-
ALL OTHER--MALE----	1	-	1	5	2	1	1	1	1	-	-	-
FEMALE--	-	1	-	1	2	2	5	1	1	-	-	-
BLACK---MALE----	1	-	1	5	2	1	1	1	1	-	-	-
FEMALE--	-	1	-	1	2	2	5	1	1	-	-	-
CALIFORNIA -----	77	125	151	190	258	246	212	138	59	14	3	-
WHITE-----MALE----	37	56	69	104	133	105	85	56	18	6	1	-
FEMALE--	20	30	36	43	57	74	85	55	28	8	2	-
ALL OTHER--MALE----	12	19	29	20	42	34	25	12	4	-	-	-
FEMALE--	8	20	17	23	26	33	17	15	9	-	-	-
BLACK---MALE----	2	9	13	10	12	10	6	1	2	-	-	-
FEMALE--	1	4	6	4	10	10	6	10	3	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 497
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF STOMACH (151)	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	128	-	-	-	-	-	-	1	2	4	2	7
WHITE-----MALE----	70	-	-	-	-	-	-	-	-	2	1	4
FEMALE--	50	-	-	-	-	-	-	-	2	2	1	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	1	-	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	202	-	-	-	-	-	-	1	-	-	3	8
WHITE-----MALE----	102	-	-	-	-	-	-	-	-	-	1	4
FEMALE--	86	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	9	-	-	-	-	-	-	1	-	-	-	2
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	33	-	-	-	-	-	-	-	-	-	-	2
WHITE-----MALE----	15	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	53	-	-	-	-	-	-	-	1	1	2	1
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	32	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	16	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	31	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	16	-	-	-	-	-	-	-	1	-	-	-
FLORIDA -----	927	-	-	-	-	-	1	-	2	10	20	20
WHITE-----MALE----	498	-	-	-	-	-	-	-	2	6	12	11
FEMALE--	289	-	-	-	-	-	-	-	-	2	5	4
ALL OTHER--MALE----	79	-	-	-	-	-	-	-	-	-	2	3
FEMALE--	61	-	-	-	-	-	1	-	-	2	1	2
BLACK---MALE----	75	-	-	-	-	-	-	-	-	-	2	3
FEMALE--	58	-	-	-	-	-	1	-	-	2	1	2
GEORGIA -----	297	-	-	-	-	-	-	2	2	3	9	10
WHITE-----MALE----	108	-	-	-	-	-	-	-	-	1	3	6
FEMALE--	61	-	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	67	-	-	-	-	-	-	-	1	2	1	3
FEMALE--	61	-	-	-	-	-	-	2	-	-	4	1
BLACK---MALE----	65	-	-	-	-	-	-	-	1	2	1	3
FEMALE--	59	-	-	-	-	-	-	2	-	-	3	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 497
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF STOMACH (151)												
COLORADO -----	7	10	13	13	16	20	21	8	4	-	-	-
WHITE-----MALE----	4	9	10	8	9	11	7	3	2	-	-	-
FEMALE--	3	1	2	5	6	9	13	4	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	1	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
CONNECTICUT -----	5	10	13	14	37	26	34	29	15	6	1	-
WHITE-----MALE----	-	7	6	10	24	14	19	12	3	2	-	-
FEMALE--	3	3	6	3	11	11	15	15	12	4	1	-
ALL OTHER--MALE----	-	-	1	1	2	1	-	1	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	1	1	2	1	-	1	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
DELAWARE -----	-	3	5	5	10	2	4	1	1	-	-	-
WHITE-----MALE----	-	1	2	2	5	1	2	1	-	-	-	-
FEMALE--	-	-	-	1	3	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	1	2	1	2	-	1	-	-	-	-	-
FEMALE--	-	1	1	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	1	1	1	2	-	1	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	1	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	3	9	7	11	6	6	2	2	1	-	-
WHITE-----MALE----	-	-	-	3	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	3	7	3	8	2	3	2	-	1	-	-
FEMALE--	1	-	2	1	3	4	2	-	2	-	-	-
BLACK---MALE----	-	3	7	3	8	2	3	1	-	1	-	-
FEMALE--	1	-	2	1	3	4	2	-	2	-	-	-
FLORIDA -----	35	63	85	98	165	138	155	88	35	7	5	-
WHITE-----MALE----	17	32	43	58	88	82	87	43	14	3	-	-
FEMALE--	9	20	20	22	52	43	55	34	16	4	3	-
ALL OTHER--MALE----	7	9	14	10	16	5	3	8	1	-	1	-
FEMALE--	2	2	8	8	9	8	10	3	4	-	1	-
BLACK---MALE----	7	9	12	10	15	5	2	8	1	-	1	-
FEMALE--	2	2	6	8	9	7	10	3	4	-	1	-
GEORGIA -----	18	15	34	38	45	48	40	20	10	3	-	-
WHITE-----MALE----	9	4	11	18	24	14	9	8	1	-	-	-
FEMALE--	-	3	9	9	8	14	10	5	-	1	-	-
ALL OTHER--MALE----	7	7	10	8	8	8	8	1	3	-	-	-
FEMALE--	2	1	4	3	5	12	13	6	6	2	-	-
BLACK---MALE----	6	7	9	8	8	8	8	1	3	-	-	-
FEMALE--	2	1	4	3	5	12	12	6	6	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 498
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 0 OF STOMACH (151)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	1	5	11	9	14	26	20	10	6	3	-	-
WHITE-----MALE----	-	-	-	1	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	3	2	2	1	-	-	-
ALL OTHER--MALE----	1	3	7	6	10	16	13	3	4	1	-	-
FEMALE--	-	2	4	2	4	5	5	5	1	2	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	2	8	1	7	9	10	5	3	1	-	-	-
WHITE-----MALE----	1	7	1	2	4	5	1	1	1	-	-	-
FEMALE--	1	-	-	5	4	5	4	2	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	22	41	63	90	104	94	93	65	32	3	-	-
WHITE-----MALE----	14	22	35	45	52	47	39	29	12	-	-	-
FEMALE--	4	9	12	24	27	33	39	26	15	2	-	-
ALL OTHER--MALE----	3	3	12	14	12	7	10	4	1	1	-	-
FEMALE--	1	7	4	7	13	7	5	6	4	-	-	-
BLACK---MALE----	2	2	11	12	10	5	9	3	1	1	-	-
FEMALE--	1	5	4	6	12	4	4	6	4	-	-	-
INDIANA -----	12	15	23	30	28	33	36	13	11	2	-	-
WHITE-----MALE----	7	11	18	12	16	19	13	5	1	-	-	-
FEMALE--	5	1	4	11	12	11	18	8	9	1	-	-
ALL OTHER--MALE----	-	2	-	4	-	1	3	-	-	1	-	-
FEMALE--	-	1	1	3	-	2	2	-	1	-	-	-
BLACK---MALE----	-	2	-	4	-	1	3	-	-	1	-	-
FEMALE--	-	1	1	2	-	1	2	-	1	-	-	-
IOWA -----	4	9	12	11	9	18	14	15	6	1	-	-
WHITE-----MALE----	2	7	9	6	7	10	8	9	4	-	-	-
FEMALE--	1	1	3	4	2	7	6	6	2	1	-	-
ALL OTHER--MALE----	1	1	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	5	8	6	11	13	17	18	13	6	-	1	-
WHITE-----MALE----	3	5	4	8	6	10	6	8	3	-	-	-
FEMALE--	1	-	2	2	6	6	10	4	3	-	1	-
ALL OTHER--MALE----	-	3	-	-	-	1	2	1	-	-	-	-
FEMALE--	1	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	3	-	-	-	1	2	1	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 499
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF STOMACH (151)												
KENTUCKY -----	175	-	-	-	-	1	-	-	2	1	3	9
WHITE-----MALE----	89	-	-	-	-	1	-	-	1	1	2	6
FEMALE--	65	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	11	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	10	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	10	-	-	-	-	-	-	-	1	-	-	-
LOUISIANA -----	252	-	-	-	-	-	-	2	2	1	6	14
WHITE-----MALE----	84	-	-	-	-	-	-	1	-	1	1	3
FEMALE--	61	-	-	-	-	-	-	-	-	-	2	4
ALL OTHER--MALE----	61	-	-	-	-	-	-	-	1	-	3	6
FEMALE--	46	-	-	-	-	-	-	1	1	-	-	1
BLACK---MALE----	61	-	-	-	-	-	-	-	1	-	3	6
FEMALE--	44	-	-	-	-	-	-	1	1	-	-	1
MAINE -----	69	-	-	-	-	-	-	-	-	1	1	2
WHITE-----MALE----	45	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	23	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	286	-	-	-	-	-	-	-	2	6	4	9
WHITE-----MALE----	101	-	-	-	-	-	-	-	-	2	3	2
FEMALE--	71	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	67	-	-	-	-	-	-	-	1	2	-	5
FEMALE--	47	-	-	-	-	-	-	-	1	1	1	1
BLACK---MALE----	60	-	-	-	-	-	-	-	1	2	-	4
FEMALE--	44	-	-	-	-	-	-	-	1	-	1	1
MASSACHUSETTS -----	386	-	-	-	-	-	-	-	8	8	8	8
WHITE-----MALE----	213	-	-	-	-	-	-	-	2	5	1	6
FEMALE--	138	-	-	-	-	-	-	-	3	1	4	2
ALL OTHER--MALE----	19	-	-	-	-	-	-	-	1	1	2	-
FEMALE--	16	-	-	-	-	-	-	-	2	1	1	-
BLACK---MALE----	13	-	-	-	-	-	-	-	1	-	2	-
FEMALE--	10	-	-	-	-	-	-	-	1	-	-	-
MICHIGAN -----	422	-	-	-	-	-	1	1	2	9	13	12
WHITE-----MALE----	192	-	-	-	-	-	-	-	-	1	6	8
FEMALE--	126	-	-	-	-	-	-	1	-	4	2	2
ALL OTHER--MALE----	58	-	-	-	-	-	-	-	-	1	3	2
FEMALE--	46	-	-	-	-	-	1	-	2	3	2	-
BLACK---MALE----	55	-	-	-	-	-	-	-	-	1	3	2
FEMALE--	45	-	-	-	-	-	1	-	2	3	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 499
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF STOMACH (151)												
KENTUCKY -----	8	6	17	27	28	25	18	16	8	5	1	-
WHITE-----MALE----	5	3	10	16	10	13	8	7	4	2	-	-
FEMALE--	3	2	5	9	13	9	9	8	2	1	1	-
ALL OTHER--MALE----	-	1	2	1	1	2	1	-	1	-	-	-
FEMALE--	-	-	-	1	4	1	-	1	1	2	-	-
BLACK---MALE----	-	1	2	1	1	2	1	-	1	-	-	-
FEMALE--	-	-	-	1	4	1	-	-	1	2	-	-
LOUISIANA -----	17	17	23	42	39	18	31	27	11	2	-	-
WHITE-----MALE----	6	5	8	23	10	7	10	7	2	-	-	-
FEMALE--	3	3	3	9	7	5	9	10	6	-	-	-
ALL OTHER--MALE----	4	2	10	6	13	2	7	6	-	1	-	-
FEMALE--	4	7	2	4	9	4	5	4	3	1	-	-
BLACK---MALE----	4	2	10	6	13	2	7	6	-	1	-	-
FEMALE--	3	7	2	4	9	4	4	4	3	1	-	-
MAINE -----	5	2	4	12	10	12	9	7	4	-	-	-
WHITE-----MALE----	5	1	4	8	5	10	5	3	2	-	-	-
FEMALE--	-	-	-	4	5	2	4	4	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	19	21	24	35	47	44	39	23	11	2	-	-
WHITE-----MALE----	8	10	5	12	17	17	15	6	4	-	-	-
FEMALE--	3	2	5	9	12	15	10	7	5	1	-	-
ALL OTHER--MALE----	6	6	9	9	11	9	6	2	-	1	-	-
FEMALE--	2	3	5	5	7	3	8	8	2	-	-	-
BLACK---MALE----	6	6	9	8	9	9	4	1	-	1	-	-
FEMALE--	1	2	5	5	7	3	8	8	2	-	-	-
MASSACHUSETTS -----	14	17	28	42	58	67	62	45	15	6	-	-
WHITE-----MALE----	6	11	16	28	41	43	28	23	3	-	-	-
FEMALE--	5	5	7	10	14	21	30	21	9	6	-	-
ALL OTHER--MALE----	3	1	1	3	2	3	2	-	-	-	-	-
FEMALE--	-	-	4	1	1	-	2	1	3	-	-	-
BLACK---MALE----	2	1	1	1	1	3	1	-	-	-	-	-
FEMALE--	-	-	2	1	1	-	2	1	2	-	-	-
MICHIGAN -----	23	20	35	56	69	70	46	42	15	7	1	-
WHITE-----MALE----	12	7	22	30	33	35	18	15	4	1	-	-
FEMALE--	3	4	9	13	17	27	13	19	9	2	1	-
ALL OTHER--MALE----	4	8	2	10	11	5	7	2	1	2	-	-
FEMALE--	4	1	2	3	8	3	8	6	1	2	-	-
BLACK---MALE----	4	6	2	10	11	4	7	2	1	2	-	-
FEMALE--	4	1	2	3	8	3	8	6	1	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 502
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF STOMACH (151)												
OHIO -----	544	-	-	-	-	-	1	3	5	7	3	17
WHITE-----MALE----	252	-	-	-	-	-	-	3	2	1	3	13
FEMALE--	191	-	-	-	-	-	-	-	2	5	-	2
ALL OTHER--MALE----	58	-	-	-	-	-	1	-	1	1	-	2
FEMALE--	43	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	58	-	-	-	-	-	1	-	1	1	-	2
FEMALE--	41	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	137	-	-	-	-	-	-	1	3	1	3	3
WHITE-----MALE----	57	-	-	-	-	-	-	-	2	-	1	2
FEMALE--	50	-	-	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	18	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	9	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	-
OREGON -----	130	-	-	-	-	-	-	1	-	3	2	5
WHITE-----MALE----	77	-	-	-	-	-	-	1	-	1	2	3
FEMALE--	51	-	-	-	-	-	-	-	-	2	-	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	775	-	-	-	-	-	1	-	2	9	12	24
WHITE-----MALE----	395	-	-	-	-	-	-	-	2	6	9	14
FEMALE--	272	-	-	-	-	-	-	-	-	2	1	2
ALL OTHER--MALE----	55	-	-	-	-	-	1	-	-	-	1	6
FEMALE--	53	-	-	-	-	-	-	-	-	1	1	2
BLACK---MALE----	52	-	-	-	-	-	1	-	-	-	1	6
FEMALE--	47	-	-	-	-	-	-	-	-	1	-	1
RHODE ISLAND -----	89	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	46	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	32	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	190	-	-	-	-	-	-	-	3	1	4	3
WHITE-----MALE----	63	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	36	-	-	-	-	-	-	-	2	-	-	1
ALL OTHER--MALE----	49	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	42	-	-	-	-	-	-	-	-	1	3	-
BLACK---MALE----	48	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	41	-	-	-	-	-	-	-	-	1	3	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 502
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF STOMACH (151)												
OHIO -----	21	28	35	71	86	94	81	60	27	5	-	-
WHITE-----MALE----	9	14	15	32	50	50	36	17	7	-	-	-
FEMALE--	9	7	8	19	20	30	37	33	14	5	-	-
ALL OTHER--MALE----	3	3	8	13	7	11	4	3	1	-	-	-
FEMALE--	-	4	4	7	9	3	4	7	5	-	-	-
BLACK---MALE----	3	3	8	13	7	11	4	3	1	-	-	-
FEMALE--	-	3	3	7	9	3	4	7	5	-	-	-
OKLAHOMA -----	6	13	10	24	16	18	17	14	7	1	-	-
WHITE-----MALE----	4	4	6	11	10	8	7	1	1	-	-	-
FEMALE--	1	6	2	5	5	6	8	11	2	1	-	-
ALL OTHER--MALE----	-	2	2	6	-	3	-	1	2	-	-	-
FEMALE--	1	1	-	2	1	1	2	1	2	-	-	-
BLACK---MALE----	-	1	1	2	-	1	-	1	1	-	-	-
FEMALE--	-	-	-	2	-	-	2	1	1	-	-	-
OREGON -----	4	4	10	11	19	24	21	18	6	2	-	-
WHITE-----MALE----	3	3	6	6	11	16	11	9	3	2	-	-
FEMALE--	1	1	3	4	8	8	10	9	3	-	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	36	40	49	94	111	149	113	83	35	16	1	-
WHITE-----MALE----	18	18	23	59	64	80	62	25	9	6	-	-
FEMALE--	10	11	15	26	36	52	41	50	21	4	1	-
ALL OTHER--MALE----	6	8	8	5	5	8	3	2	1	1	-	-
FEMALE--	2	3	3	4	6	9	7	6	4	5	-	-
BLACK---MALE----	6	6	8	5	4	8	3	2	1	1	-	-
FEMALE--	-	2	3	4	6	8	7	6	4	5	-	-
RHODE ISLAND -----	4	8	4	9	18	13	18	7	6	-	-	-
WHITE-----MALE----	2	3	4	6	11	9	7	3	1	-	-	-
FEMALE--	1	4	-	2	4	2	9	4	5	-	-	-
ALL OTHER--MALE----	1	1	-	-	2	2	2	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	2	2	2	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
SOUTH CAROLINA -----	15	14	15	21	35	33	22	16	4	3	1	-
WHITE-----MALE----	6	8	7	10	9	8	9	3	1	1	-	-
FEMALE--	-	1	2	7	6	8	2	6	1	-	-	-
ALL OTHER--MALE----	5	4	3	2	10	11	6	3	1	1	-	-
FEMALE--	4	1	3	2	10	6	5	4	1	1	1	-
BLACK---MALE----	5	4	3	1	10	11	6	3	1	1	-	-
FEMALE--	4	-	3	2	10	6	5	4	1	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 503
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF STOMACH (151)												
SOUTH DAKOTA -----	-	1	1	3	4	7	9	2	1	1	1	-
WHITE-----MALE----	-	-	1	2	2	4	5	1	1	-	-	-
FEMALE--	-	1	-	1	2	3	4	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	8	12	28	27	38	41	35	26	9	2	-	-
WHITE-----MALE----	4	9	14	12	14	15	11	9	1	1	-	-
FEMALE--	1	2	8	8	13	21	15	10	4	1	-	-
ALL OTHER--MALE----	2	1	5	5	7	4	5	3	2	-	-	-
FEMALE--	1	-	1	2	4	1	4	4	2	-	-	-
BLACK---MALE----	2	1	5	5	7	4	5	3	2	-	-	-
FEMALE--	-	-	1	2	4	1	4	4	2	-	-	-
TEXAS -----	51	48	77	89	116	115	97	75	42	8	4	-
WHITE-----MALE----	29	28	46	49	48	50	35	30	6	3	1	-
FEMALE--	12	10	15	21	41	49	48	32	26	3	2	-
ALL OTHER--MALE----	8	6	12	9	16	6	7	5	5	-	-	-
FEMALE--	2	4	4	10	11	10	7	8	5	2	1	-
BLACK---MALE----	7	5	12	8	15	4	7	4	5	-	-	-
FEMALE--	1	3	3	9	10	8	7	8	5	2	1	-
UTAH -----	3	1	5	8	10	4	7	4	3	1	-	-
WHITE-----MALE----	3	1	2	5	8	2	2	2	2	-	-	-
FEMALE--	-	-	2	3	1	2	5	2	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	2	4	2	5	2	1	3	-	-	-
WHITE-----MALE----	-	-	2	4	-	3	1	1	1	-	-	-
FEMALE--	-	-	-	-	2	2	1	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	18	19	22	39	42	54	32	30	11	1	-	-
WHITE-----MALE----	7	9	12	17	23	23	11	12	2	-	-	-
FEMALE--	5	2	2	6	7	11	8	11	7	1	-	-
ALL OTHER--MALE----	3	4	7	10	9	14	6	3	1	-	-	-
FEMALE--	3	4	1	6	3	6	7	4	1	-	-	-
BLACK---MALE----	2	3	7	8	9	14	6	3	1	-	-	-
FEMALE--	2	3	1	3	3	5	6	3	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 505
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF SMALL INTESTINE, INCLUDING DUODENUM (152)												
0 UNITED STATES --	66	73	104	152	173	166	120	81	30	5	-	-
WHITE-----MALE----	30	32	48	82	96	85	54	29	13	3	-	-
FEMALE--	19	34	33	48	59	65	53	44	15	2	-	-
ALL OTHER--MALE----	9	5	10	8	11	12	6	2	-	-	-	-
FEMALE--	8	2	13	14	7	4	7	6	2	-	-	-
BLACK---MALE----	8	5	9	7	9	8	5	1	-	-	-	-
FEMALE--	5	2	10	11	5	4	5	5	2	-	-	-
ALABAMA -----	-	2	2	2	-	2	4	-	1	-	-	-
WHITE-----MALE----	-	-	2	2	-	1	1	-	1	-	-	-
FEMALE--	-	1	-	-	-	1	2	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	2	1	4	2	2	2	-	2	-	-	-
WHITE-----MALE----	-	1	-	2	-	1	1	-	1	-	-	-
FEMALE--	1	1	-	2	2	1	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	3	-	-	2	1	3	1	-	-	-	-
WHITE-----MALE----	-	2	-	-	1	1	2	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	8	12	17	21	20	18	9	3	5	2	-	-
WHITE-----MALE----	1	5	6	10	10	8	2	2	3	2	-	-
FEMALE--	5	5	5	8	6	6	6	-	2	-	-	-
ALL OTHER--MALE----	1	1	3	2	2	3	-	-	-	-	-	-
FEMALE--	1	1	3	1	2	1	1	1	-	-	-	-
BLACK---MALE----	1	1	2	1	1	1	-	-	-	-	-	-
FEMALE--	-	1	1	1	-	1	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 506

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF SMALL INTESTINE, INCLUDING DUODENUM (152)												
COLORADO -----	12	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	9	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	4	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	73	-	-	-	-	-	-	-	-	-	-	3
WHITE-----MALE----	45	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	26	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	22	-	-	-	-	-	-	1	1	-	2	-
WHITE-----MALE----	10	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 506

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF SMALL INTESTINE, INCLUDING DUODENUM (152)												
COLORADO -----	1	1	-	-	4	2	2	1	-	-	-	-
WHITE-----MALE----	1	-	-	-	3	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	1	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	1	2	2	1	1	2	-	-	-	-
WHITE-----MALE----	-	-	1	1	2	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	1	1	-	1	1	-	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	4	1	6	7	20	13	9	8	2	-	-	-
WHITE-----MALE----	3	1	2	5	13	10	4	4	1	-	-	-
FEMALE--	1	-	4	2	7	3	4	4	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
GEORGIA -----	4	1	2	4	1	1	3	2	-	-	-	-
WHITE-----MALE----	1	-	-	3	-	1	1	2	-	-	-	-
FEMALE--	3	1	1	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 508

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF SMALL INTESTINE, INCLUDING DUODENUM (152)												
KENTUCKY -----	1	1	1	1	2	4	2	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	3	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	1	-	3	2	1	2	2	-	-	-	-	-
WHITE-----MALE----	1	-	2	2	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
MAINE -----	-	-	-	1	2	3	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	3	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	2	2	6	4	2	2	1	-	-	-	-
WHITE-----MALE----	-	-	2	2	2	1	1	1	-	-	-	-
FEMALE--	-	2	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	2	1	1	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	-	2	1	6	2	4	3	2	1	1	-	-
WHITE-----MALE----	-	1	1	4	1	2	-	-	1	-	-	-
FEMALE--	-	1	-	2	1	2	3	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	1	5	4	2	9	1	4	4	2	-	-	-
WHITE-----MALE----	-	2	2	1	4	-	1	1	-	-	-	-
FEMALE--	-	3	-	1	3	1	3	2	2	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	1	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 511
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF SMALL INTESTINE, INCLUDING DUODENUM (152)												
OHIO -----	48	-	-	-	-	-	-	1	2	-	1	2
WHITE-----MALE----	16	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	23	-	-	-	-	-	-	-	1	-	-	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	1	1	-	-	-
OKLAHOMA -----	13	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	10	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	61	-	-	-	-	-	-	-	-	-	5	-
WHITE-----MALE----	30	-	-	-	-	-	-	-	-	-	4	-
FEMALE--	24	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	16	-	-	-	-	-	-	-	1	-	1	1
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 512
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF SMALL INTESTINE, INCLUDING DUODENUM (152)												
SOUTH DAKOTA -----	-	-	-	1	2	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	5	1	5	4	1	2	3	1	1	-	-	-
WHITE-----MALE----	4	1	2	2	1	-	2	1	1	-	-	-
FEMALE--	1	-	2	2	-	2	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
TEXAS -----	6	5	6	8	7	19	2	11	-	-	-	-
WHITE-----MALE----	3	1	4	6	4	9	1	2	-	-	-	-
FEMALE--	1	2	-	1	3	6	1	7	-	-	-	-
ALL OTHER--MALE----	2	1	1	1	-	2	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	2	-	2	-	-	-	-
BLACK---MALE----	1	1	1	1	-	2	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	2	-	2	-	-	-	-
UTAH -----	-	-	-	1	-	2	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2	3	4	6	5	3	1	1	2	-	-	-
WHITE-----MALE----	-	2	2	2	3	2	1	-	-	-	-	-
FEMALE--	-	-	2	1	2	1	-	1	1	-	-	-
ALL OTHER--MALE----	1	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	2	-	-	-	-	1	-	-	-
BLACK---MALE----	1	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 514
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF COLON (153)												
0 UNITED STATES --	48,870	2	-	-	3	11	26	78	161	323	676	1,129
WHITE-----MALE----	20,721	-	-	-	3	3	12	25	62	130	266	499
FEMALE--	21,847	-	-	-	-	2	8	34	53	118	238	385
ALL OTHER--MALE----	2,983	-	-	-	2	5	11	25	34	85	117	
FEMALE--	3,319	2	-	-	-	4	1	8	21	41	87	128
BLACK---MALE----	2,602	-	-	-	-	1	4	10	22	27	70	101
FEMALE--	2,969	2	-	-	-	3	1	4	12	36	74	111
ALABAMA -----	724	-	-	-	-	-	-	1	4	5	11	17
WHITE-----MALE----	249	-	-	-	-	-	-	-	-	1	2	6
FEMALE--	264	-	-	-	-	-	-	-	1	2	3	4
ALL OTHER--MALE----	90	-	-	-	-	-	-	1	2	2	2	4
FEMALE--	121	-	-	-	-	-	-	-	1	-	4	3
BLACK---MALE----	90	-	-	-	-	-	-	1	2	2	2	4
FEMALE--	118	-	-	-	-	-	-	-	1	-	4	3
ALASKA -----	43	-	-	-	-	-	-	-	-	-	3	-
WHITE-----MALE----	19	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	682	-	-	-	-	-	-	1	3	3	9	15
WHITE-----MALE----	319	-	-	-	-	-	-	1	1	2	6	8
FEMALE--	333	-	-	-	-	-	-	-	2	1	2	5
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	516	-	-	-	-	-	-	1	3	4	12	15
WHITE-----MALE----	215	-	-	-	-	-	-	-	2	1	5	6
FEMALE--	223	-	-	-	-	-	-	1	-	2	4	7
ALL OTHER--MALE----	36	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	42	-	-	-	-	-	-	-	-	1	3	1
BLACK---MALE----	36	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	41	-	-	-	-	-	-	-	-	1	3	1
CALIFORNIA -----	4,226	-	-	-	-	2	4	8	20	30	64	87
WHITE-----MALE----	1,838	-	-	-	-	-	2	3	9	9	24	39
FEMALE--	1,791	-	-	-	-	-	2	3	9	14	23	22
ALL OTHER--MALE----	320	-	-	-	-	-	-	1	-	3	12	11
FEMALE--	277	-	-	-	-	2	-	1	2	4	5	15
BLACK---MALE----	174	-	-	-	-	-	-	1	-	-	8	3
FEMALE--	154	-	-	-	-	1	-	-	-	1	2	7

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 514
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF COLON (153)												
0 UNITED STATES --	1,741	2,658	3,924	5,860	7,686	8,044	7,605	5,387	2,648	778	128	2
WHITE-----MALE----	770	1,276	1,937	2,850	3,592	3,523	3,034	1,841	703	181	14	-
FEMALE--	644	945	1,363	2,124	3,134	3,613	3,821	3,057	1,678	537	92	1
ALL OTHER--MALE----	165	215	338	448	491	423	326	181	89	23	5	-
FEMALE--	162	222	286	438	469	485	424	308	178	37	17	1
BLACK---MALE----	141	189	292	396	426	374	284	160	80	21	4	-
FEMALE--	143	202	260	388	429	435	389	275	159	29	16	1
ALABAMA -----	27	29	63	88	117	122	107	92	33	6	1	1
WHITE-----MALE----	7	10	27	38	45	47	29	28	8	1	-	-
FEMALE--	10	11	20	24	42	42	49	39	14	2	1	-
ALL OTHER--MALE----	3	3	13	13	10	12	10	7	6	2	-	-
FEMALE--	7	5	3	13	20	21	19	18	5	1	-	1
BLACK---MALE----	3	3	13	13	10	12	10	7	6	2	-	-
FEMALE--	6	5	3	13	20	20	18	18	5	1	-	1
ALASKA -----	2	8	2	9	9	1	5	3	1	-	-	-
WHITE-----MALE----	1	5	1	3	6	1	-	1	-	-	-	-
FEMALE--	1	2	1	2	1	-	3	1	1	-	-	-
ALL OTHER--MALE----	-	1	-	2	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	2	1	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	17	34	50	88	112	124	111	63	35	15	2	-
WHITE-----MALE----	5	17	28	46	54	66	45	22	16	2	-	-
FEMALE--	9	16	20	34	54	55	62	40	18	13	2	-
ALL OTHER--MALE----	1	-	1	6	1	-	2	-	1	-	-	-
FEMALE--	2	1	1	2	3	3	2	1	-	-	-	-
BLACK---MALE----	-	-	1	2	1	-	2	-	-	-	-	-
FEMALE--	-	-	1	2	3	2	1	-	-	-	-	-
ARKANSAS -----	25	23	36	57	80	77	81	62	29	10	1	-
WHITE-----MALE----	15	9	18	30	30	35	27	20	13	4	-	-
FEMALE--	6	8	14	19	35	30	41	39	11	5	1	-
ALL OTHER--MALE----	1	2	3	6	8	3	7	-	3	1	-	-
FEMALE--	3	4	1	2	7	9	6	3	2	-	-	-
BLACK---MALE----	1	2	3	6	8	3	7	-	3	1	-	-
FEMALE--	3	4	1	2	7	8	6	3	2	-	-	-
CALIFORNIA -----	149	237	341	501	683	732	651	458	196	53	10	-
WHITE-----MALE----	59	114	175	228	327	332	281	170	51	14	1	-
FEMALE--	59	89	107	198	261	304	300	239	121	32	8	-
ALL OTHER--MALE----	19	13	38	39	61	64	32	19	5	3	-	-
FEMALE--	12	21	21	36	34	32	38	30	19	4	1	-
BLACK---MALE----	10	7	25	18	29	43	18	8	2	2	-	-
FEMALE--	9	15	14	15	19	22	23	15	10	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 515
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF COLON (153)	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	454	-	-	-	-	-	1	-	3	4	5	10
WHITE-----MALE----	220	-	-	-	-	-	1	-	1	4	4	5
FEMALE--	213	-	-	-	-	-	-	-	1	-	1	5
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	603	-	-	-	-	-	-	2	4	1	6	10
WHITE-----MALE----	266	-	-	-	-	-	-	-	2	-	3	6
FEMALE--	306	-	-	-	-	-	-	1	1	1	2	3
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	15	-	-	-	-	-	-	1	-	-	-	1
BLACK---MALE----	14	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	15	-	-	-	-	-	-	1	-	-	-	1
DELAWARE -----	135	-	-	-	-	-	-	-	1	-	1	3
WHITE-----MALE----	57	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	57	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	9	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	11	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	9	-	-	-	-	-	-	-	1	-	-	1
DISTRICT OF COLUMBIA ----	137	-	-	-	-	-	-	-	-	1	4	-
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	48	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	59	-	-	-	-	-	-	-	-	1	3	-
BLACK---MALE----	48	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	59	-	-	-	-	-	-	-	-	1	3	-
FLORIDA -----	3,243	-	-	-	-	-	1	3	8	20	31	75
WHITE-----MALE----	1,530	-	-	-	-	-	-	3	4	11	14	37
FEMALE--	1,444	-	-	-	-	-	1	-	2	7	10	27
ALL OTHER--MALE----	124	-	-	-	-	-	-	-	2	-	3	8
FEMALE--	145	-	-	-	-	-	-	-	-	2	4	3
BLACK---MALE----	121	-	-	-	-	-	-	-	2	-	3	8
FEMALE--	143	-	-	-	-	-	-	-	-	2	4	3
GEORGIA -----	1,034	-	-	-	1	1	1	1	4	14	11	44
WHITE-----MALE----	367	-	-	-	1	-	-	-	1	2	3	14
FEMALE--	386	-	-	-	-	-	-	-	1	5	2	14
ALL OTHER--MALE----	140	-	-	-	-	1	1	-	2	3	2	10
FEMALE--	141	-	-	-	-	-	-	1	-	4	4	6
BLACK---MALE----	139	-	-	-	-	1	1	-	2	3	2	10
FEMALE--	139	-	-	-	-	-	-	1	-	4	4	6

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 515
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF COLON (153)												
COLORADO -----	19	31	34	56	85	60	55	56	27	7	1	-
WHITE-----MALE----	14	18	21	35	37	27	27	15	9	2	-	-
FEMALE--	3	10	11	18	47	29	28	39	15	5	1	-
ALL OTHER--MALE----	1	2	-	3	1	3	-	1	-	-	-	-
FEMALE--	1	1	2	-	-	1	-	1	3	-	-	-
BLACK---MALE----	1	1	-	3	1	3	-	1	-	-	-	-
FEMALE--	1	-	2	-	-	1	-	1	3	-	-	-
CONNECTICUT -----	17	31	43	77	98	101	90	80	32	8	3	-
WHITE-----MALE----	12	16	21	41	54	47	29	25	9	-	1	-
FEMALE--	2	13	17	31	42	53	57	53	20	8	2	-
ALL OTHER--MALE----	1	1	3	2	2	-	3	2	-	-	-	-
FEMALE--	2	1	2	3	-	1	1	-	3	-	-	-
BLACK---MALE----	1	1	3	2	2	-	2	2	-	-	-	-
FEMALE--	2	1	2	3	-	1	1	-	3	-	-	-
DELAWARE -----	5	8	12	15	26	25	18	12	7	2	-	-
WHITE-----MALE----	2	5	9	7	12	7	6	5	3	-	-	-
FEMALE--	-	2	1	4	11	14	12	6	4	2	-	-
ALL OTHER--MALE----	1	-	2	3	1	3	-	1	-	-	-	-
FEMALE--	2	1	-	1	2	1	-	-	-	-	-	-
BLACK---MALE----	-	-	2	3	1	3	-	1	-	-	-	-
FEMALE--	2	1	-	1	2	1	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	10	8	15	21	27	28	16	4	2	-	-
WHITE-----MALE----	-	-	-	2	1	4	4	2	-	-	-	-
FEMALE--	-	-	-	-	1	3	7	4	1	1	-	-
ALL OTHER--MALE----	1	5	3	6	13	7	7	5	-	-	-	-
FEMALE--	-	5	5	7	6	13	10	5	3	1	-	-
BLACK---MALE----	1	5	3	6	13	7	7	5	-	-	-	-
FEMALE--	-	5	5	7	6	13	10	5	3	1	-	-
FLORIDA -----	88	169	215	409	531	548	524	369	192	49	11	-
WHITE-----MALE----	42	90	125	226	262	269	244	135	53	12	3	-
FEMALE--	34	62	68	143	233	235	249	210	125	31	7	-
ALL OTHER--MALE----	8	8	9	20	14	19	15	8	7	3	-	-
FEMALE--	4	9	13	20	22	25	16	16	7	3	1	-
BLACK---MALE----	8	7	9	20	13	19	14	8	7	3	-	-
FEMALE--	4	9	13	20	22	24	16	16	6	3	1	-
GEORGIA -----	53	74	101	128	135	175	143	97	42	9	-	-
WHITE-----MALE----	21	33	42	54	51	62	51	23	7	2	-	-
FEMALE--	13	19	34	31	48	71	61	56	26	5	-	-
ALL OTHER--MALE----	9	11	11	24	22	18	11	12	3	-	-	-
FEMALE--	10	11	14	19	14	24	20	6	6	2	-	-
BLACK---MALE----	9	11	11	24	22	17	11	12	3	-	-	-
FEMALE--	10	10	14	19	14	24	19	6	6	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 516
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF COLON (153)												
HAWAII -----	8	16	17	16	29	25	26	10	5	2	-	-
WHITE-----MALE----	-	5	3	7	3	2	2	3	1	-	-	-
FEMALE--	1	1	2	-	2	5	4	-	3	1	-	-
ALL OTHER--MALE----	3	7	9	4	12	6	12	5	-	1	-	-
FEMALE--	4	3	3	5	12	12	8	2	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
IDAHO -----	3	14	13	9	20	24	33	14	6	3	-	-
WHITE-----MALE----	-	8	7	5	11	9	18	7	3	1	-	-
FEMALE--	3	6	6	4	9	14	15	7	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	80	119	195	283	374	408	403	280	154	38	5	-
WHITE-----MALE----	36	47	89	150	165	161	145	109	37	8	1	-
FEMALE--	28	45	67	84	146	201	222	146	101	28	3	-
ALL OTHER--MALE----	8	17	19	28	32	17	16	8	7	2	-	-
FEMALE--	8	10	20	21	31	29	20	17	9	-	1	-
BLACK---MALE----	7	16	17	28	31	16	15	8	6	2	-	-
FEMALE--	8	9	20	20	31	25	20	15	7	-	-	-
INDIANA -----	41	66	105	139	179	195	196	140	54	13	5	-
WHITE-----MALE----	16	33	48	74	90	91	78	38	11	2	1	-
FEMALE--	17	23	46	49	72	91	104	90	39	11	4	-
ALL OTHER--MALE----	4	5	5	7	6	8	8	3	2	-	-	-
FEMALE--	4	5	6	9	11	5	6	9	2	-	-	-
BLACK---MALE----	4	5	5	7	6	8	8	3	2	-	-	-
FEMALE--	3	5	6	8	11	5	5	9	2	-	-	-
IOWA -----	18	33	50	71	93	91	126	81	50	18	4	-
WHITE-----MALE----	6	19	25	31	53	36	58	28	12	1	-	-
FEMALE--	12	14	25	38	40	54	66	51	37	17	4	-
ALL OTHER--MALE----	-	-	-	1	-	1	1	2	1	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	1	1	2	1	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
KANSAS -----	14	26	39	62	69	74	79	69	41	14	-	-
WHITE-----MALE----	7	13	26	33	34	46	29	31	9	3	-	-
FEMALE--	6	12	8	24	31	26	44	34	30	11	-	-
ALL OTHER--MALE----	1	-	5	3	2	-	4	-	1	-	-	-
FEMALE--	-	1	-	2	2	2	2	4	1	-	-	-
BLACK---MALE----	1	-	4	3	2	-	4	-	1	-	-	-
FEMALE--	-	1	-	2	2	2	2	4	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 517
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF COLON (153)												
KENTUCKY -----	807	-	-	-	-	-	-	-	2	3	9	26
WHITE-----MALE----	372	-	-	-	-	-	-	-	1	2	4	9
FEMALE--	377	-	-	-	-	-	-	-	1	1	5	16
ALL OTHER--MALE----	28	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	30	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	28	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	30	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	837	-	-	-	-	-	2	-	3	10	21	32
WHITE-----MALE----	302	-	-	-	-	-	-	-	-	3	7	13
FEMALE--	296	-	-	-	-	-	-	-	-	4	3	12
ALL OTHER--MALE----	107	-	-	-	-	-	1	-	1	2	6	5
FEMALE--	132	-	-	-	-	-	1	-	2	1	5	2
BLACK---MALE----	105	-	-	-	-	-	1	-	1	2	6	5
FEMALE--	131	-	-	-	-	-	1	-	2	1	5	2
MAINE -----	260	-	-	-	-	-	-	1	-	1	2	4
WHITE-----MALE----	106	-	-	-	-	-	-	-	-	-	1	4
FEMALE--	154	-	-	-	-	-	-	1	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	977	-	-	-	-	-	-	1	4	5	21	29
WHITE-----MALE----	361	-	-	-	-	-	-	-	1	1	6	9
FEMALE--	378	-	-	-	-	-	-	-	-	2	4	10
ALL OTHER--MALE----	116	-	-	-	-	-	-	1	1	1	9	4
FEMALE--	122	-	-	-	-	-	-	-	2	1	2	6
BLACK---MALE----	111	-	-	-	-	-	-	1	1	1	6	3
FEMALE--	119	-	-	-	-	-	-	-	1	1	1	6
MASSACHUSETTS -----	1,359	-	-	-	-	-	-	2	3	6	19	15
WHITE-----MALE----	604	-	-	-	-	-	-	-	-	1	11	5
FEMALE--	704	-	-	-	-	-	-	2	1	5	5	8
ALL OTHER--MALE----	25	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	26	-	-	-	-	-	-	-	1	-	3	1
BLACK---MALE----	23	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	20	-	-	-	-	-	-	-	-	-	3	1
MICHIGAN -----	1,741	-	-	-	-	1	1	5	10	11	23	37
WHITE-----MALE----	745	-	-	-	-	-	-	1	3	2	10	14
FEMALE--	729	-	-	-	-	-	1	2	3	5	8	16
ALL OTHER--MALE----	119	-	-	-	-	-	-	2	1	-	2	3
FEMALE--	148	-	-	-	-	1	-	-	3	4	3	4
BLACK---MALE----	112	-	-	-	-	-	-	1	1	-	2	3
FEMALE--	140	-	-	-	-	1	-	-	2	3	3	4

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 517
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF COLON (153)												
KENTUCKY -----	40	40	58	114	114	124	132	89	36	18	2	-
WHITE-----MALE----	21	16	33	64	60	56	61	30	9	6	-	-
FEMALE--	17	21	24	39	43	60	62	52	24	11	1	-
ALL OTHER--MALE----	1	1	1	5	6	5	3	4	1	-	-	-
FEMALE--	1	2	-	6	5	3	6	3	2	1	1	-
BLACK---MALE----	1	1	1	5	6	5	3	4	1	-	-	-
FEMALE--	1	2	-	6	5	3	6	3	2	1	1	-
LOUISIANA -----	37	57	64	103	131	126	117	74	48	9	3	-
WHITE-----MALE----	10	23	24	56	48	50	38	20	8	2	-	-
FEMALE--	9	16	15	27	47	47	50	37	23	5	1	-
ALL OTHER--MALE----	5	7	12	9	21	12	14	6	4	1	1	-
FEMALE--	13	11	13	11	15	17	15	11	13	1	1	-
BLACK---MALE----	5	7	12	9	20	11	14	6	4	1	1	-
FEMALE--	13	11	13	11	15	16	15	11	13	1	1	-
MAINE -----	10	6	23	24	44	44	38	42	16	5	-	-
WHITE-----MALE----	4	3	12	9	21	20	19	9	4	-	-	-
FEMALE--	6	3	11	15	23	24	19	33	12	5	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	46	56	99	126	161	144	136	87	49	9	4	-
WHITE-----MALE----	17	24	43	46	64	60	49	24	14	3	-	-
FEMALE--	18	16	27	40	61	56	64	47	25	5	3	-
ALL OTHER--MALE----	5	8	13	20	22	15	12	3	2	-	-	-
FEMALE--	6	8	16	20	14	13	11	13	8	1	1	-
BLACK---MALE----	5	8	12	20	22	15	12	3	2	-	-	-
FEMALE--	6	8	15	20	14	13	11	13	8	1	1	-
MASSACHUSETTS -----	35	71	96	148	198	253	224	169	82	31	7	-
WHITE-----MALE----	19	38	45	75	115	115	95	59	16	8	2	-
FEMALE--	15	29	49	66	77	128	123	106	63	22	5	-
ALL OTHER--MALE----	1	2	2	4	6	3	3	1	1	-	-	-
FEMALE--	-	2	-	3	-	7	3	3	2	1	-	-
BLACK---MALE----	1	2	1	4	6	2	3	1	1	-	-	-
FEMALE--	-	2	-	3	-	3	3	2	2	1	-	-
MICHIGAN -----	63	97	122	218	287	293	267	187	87	27	5	-
WHITE-----MALE----	30	51	66	93	127	139	108	68	28	4	1	-
FEMALE--	19	28	37	79	109	108	139	100	51	22	2	-
ALL OTHER--MALE----	6	9	7	22	25	21	8	9	3	1	-	-
FEMALE--	8	9	12	24	26	25	12	10	5	-	2	-
BLACK---MALE----	5	8	7	19	25	21	7	9	3	1	-	-
FEMALE--	5	9	11	24	25	25	12	9	5	-	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 520
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF COLON (153)												
OHIO -----	2,362	-	-	-	-	-	-	6	9	14	31	43
WHITE-----MALE----	1,010	-	-	-	-	-	-	3	5	4	14	24
FEMALE--	1,102	-	-	-	-	-	-	1	1	5	15	13
ALL OTHER--MALE----	113	-	-	-	-	-	-	-	1	3	2	3
FEMALE--	137	-	-	-	-	-	-	2	2	2	-	3
BLACK---MALE----	112	-	-	-	-	-	-	-	1	3	2	3
FEMALE--	134	-	-	-	-	-	-	1	2	2	-	3
OKLAHOMA -----	590	-	-	-	-	-	-	1	2	3	10	11
WHITE-----MALE----	255	-	-	-	-	-	-	1	1	-	6	5
FEMALE--	280	-	-	-	-	-	-	-	1	2	2	3
ALL OTHER--MALE----	28	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	27	-	-	-	-	-	-	-	-	1	2	3
BLACK---MALE----	22	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	18	-	-	-	-	-	-	-	-	1	1	1
OREGON -----	593	-	-	-	-	-	1	-	-	5	11	10
WHITE-----MALE----	289	-	-	-	-	-	-	-	-	2	2	7
FEMALE--	280	-	-	-	-	-	1	-	-	3	6	2
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	14	-	-	-	-	-	-	-	-	-	3	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	3,003	-	-	-	-	-	1	3	2	14	32	51
WHITE-----MALE----	1,294	-	-	-	-	-	-	-	-	5	11	28
FEMALE--	1,441	-	-	-	-	-	1	3	1	6	15	19
ALL OTHER--MALE----	117	-	-	-	-	-	-	-	1	3	2	2
FEMALE--	151	-	-	-	-	-	-	-	-	-	4	2
BLACK---MALE----	113	-	-	-	-	-	-	-	1	2	2	2
FEMALE--	145	-	-	-	-	-	-	-	-	-	4	2
RHODE ISLAND -----	231	-	-	-	-	-	-	-	1	1	5	4
WHITE-----MALE----	118	-	-	-	-	-	-	-	1	-	2	3
FEMALE--	109	-	-	-	-	-	-	-	-	1	2	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	628	-	-	-	-	1	1	3	-	6	17	23
WHITE-----MALE----	211	-	-	-	-	1	-	-	-	3	3	4
FEMALE--	217	-	-	-	-	-	-	1	-	-	8	7
ALL OTHER--MALE----	100	-	-	-	-	-	1	2	-	1	4	5
FEMALE--	100	-	-	-	-	-	-	-	-	2	2	7
BLACK---MALE----	100	-	-	-	-	-	1	2	-	1	4	5
FEMALE--	100	-	-	-	-	-	-	-	-	2	2	7

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 520
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF COLON (153)												
OHIO -----	71	144	174	272	382	419	369	259	115	42	12	-
WHITE-----MALE----	35	65	88	135	182	170	146	97	27	15	-	-
FEMALE--	29	61	62	101	150	209	196	143	81	25	10	-
ALL OTHER--MALE----	3	8	15	22	23	13	9	7	2	-	2	-
FEMALE--	4	10	9	14	27	27	18	12	5	2	-	-
BLACK---MALE----	3	8	15	22	23	13	9	7	2	-	1	-
FEMALE--	3	10	9	14	27	27	18	12	4	2	-	-
OKLAHOMA -----	21	35	53	54	74	101	97	78	34	14	1	1
WHITE-----MALE----	12	16	27	28	34	53	35	25	10	2	-	-
FEMALE--	7	16	22	18	35	41	52	47	21	11	1	1
ALL OTHER--MALE----	1	2	3	3	2	3	9	4	1	-	-	-
FEMALE--	1	1	1	5	3	4	1	2	2	1	-	-
BLACK---MALE----	1	2	2	1	2	2	7	4	1	-	-	-
FEMALE--	1	1	-	3	3	3	1	2	1	-	-	-
OREGON -----	17	23	60	59	109	97	80	72	38	9	2	-
WHITE-----MALE----	6	17	39	34	56	48	37	29	12	-	-	-
FEMALE--	10	6	19	21	50	42	42	43	25	8	2	-
ALL OTHER--MALE----	1	-	2	2	1	2	-	-	-	1	-	-
FEMALE--	-	-	-	2	2	5	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	2	-	-	-	1	-	-
FEMALE--	-	-	-	1	1	1	1	-	-	-	-	-
PENNSYLVANIA -----	102	156	220	384	452	575	481	312	177	37	4	-
WHITE-----MALE----	53	76	115	169	223	253	193	109	47	12	-	-
FEMALE--	39	63	82	162	189	277	255	185	117	23	4	-
ALL OTHER--MALE----	5	6	10	28	19	22	7	8	4	-	-	-
FEMALE--	5	11	13	25	21	23	26	10	9	2	-	-
BLACK---MALE----	5	6	10	28	17	22	6	8	4	-	-	-
FEMALE--	5	11	12	23	20	21	26	10	9	2	-	-
RHODE ISLAND -----	9	7	15	22	39	45	27	39	13	4	-	-
WHITE-----MALE----	4	1	7	14	25	26	12	16	5	2	-	-
FEMALE--	5	6	7	7	14	19	15	22	8	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	1	-	-	-	-
SOUTH CAROLINA -----	25	42	60	68	99	102	102	55	18	4	2	-
WHITE-----MALE----	12	19	25	32	41	27	28	10	5	1	-	-
FEMALE--	4	12	15	15	33	43	41	28	8	2	-	-
ALL OTHER--MALE----	3	5	16	9	10	20	15	7	1	1	-	-
FEMALE--	6	6	4	12	15	12	18	10	4	-	2	-
BLACK---MALE----	3	5	16	9	10	20	15	7	1	1	-	-
FEMALE--	6	6	4	12	15	12	18	10	4	-	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 521
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF COLON (153)												
SOUTH DAKOTA -----	148	-	-	-	-	-	-	-	-	-	1	2
WHITE-----MALE----	75	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	70	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1,011	-	-	-	-	1	1	3	3	10	16	30
WHITE-----MALE----	422	-	-	-	-	1	1	-	2	7	8	9
FEMALE--	398	-	-	-	-	-	-	1	1	2	4	14
ALL OTHER--MALE----	81	-	-	-	-	-	-	2	-	-	2	1
FEMALE--	110	-	-	-	-	-	-	-	-	1	2	6
BLACK---MALE----	81	-	-	-	-	-	-	2	-	-	2	1
FEMALE--	109	-	-	-	-	-	-	-	-	1	2	6
TEXAS -----	2,701	-	-	-	-	1	4	5	13	28	57	73
WHITE-----MALE----	1,164	-	-	-	-	-	3	2	6	14	25	28
FEMALE--	1,144	-	-	-	-	-	1	3	5	10	21	23
ALL OTHER--MALE----	186	-	-	-	-	1	-	-	1	1	6	9
FEMALE--	207	-	-	-	-	-	-	-	1	3	5	13
BLACK---MALE----	180	-	-	-	-	-	-	-	-	1	6	9
FEMALE--	196	-	-	-	-	-	-	-	1	3	4	13
UTAH -----	213	-	-	-	-	-	-	1	-	1	3	6
WHITE-----MALE----	100	-	-	-	-	-	-	-	-	-	2	4
FEMALE--	102	-	-	-	-	-	-	1	-	1	1	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	98	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	35	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	63	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1,101	-	-	-	-	1	1	1	2	13	20	36
WHITE-----MALE----	405	-	-	-	-	-	-	1	1	6	9	17
FEMALE--	429	-	-	-	-	1	1	-	1	1	4	10
ALL OTHER--MALE----	130	-	-	-	-	-	-	-	-	4	3	3
FEMALE--	137	-	-	-	-	-	-	-	-	2	4	6
BLACK---MALE----	123	-	-	-	-	-	-	-	-	4	3	3
FEMALE--	134	-	-	-	-	-	-	-	-	2	4	6

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 521
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF COLON (153)												
SOUTH DAKOTA -----	3	11	13	15	26	26	22	21	6	1	1	-
WHITE-----MALE----	1	9	10	10	14	13	8	9	-	1	-	-
FEMALE--	2	2	3	5	11	12	14	11	6	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	53	68	95	118	167	161	133	97	42	9	4	-
WHITE-----MALE----	23	35	43	60	68	60	60	27	13	5	-	-
FEMALE--	15	19	27	34	70	78	48	55	23	4	3	-
ALL OTHER--MALE----	9	5	15	10	11	12	8	5	1	-	-	-
FEMALE--	6	9	10	14	18	11	17	10	5	-	1	-
BLACK---MALE----	9	5	15	10	11	12	8	5	1	-	-	-
FEMALE--	6	9	9	14	18	11	17	10	5	-	1	-
TEXAS -----	98	172	232	327	414	382	421	272	161	35	6	-
WHITE-----MALE----	45	87	100	144	203	177	182	92	48	8	-	-
FEMALE--	37	49	77	121	172	158	199	154	84	24	6	-
ALL OTHER--MALE----	9	23	28	34	19	16	14	10	13	2	-	-
FEMALE--	7	13	27	28	20	31	26	16	16	1	-	-
BLACK---MALE----	9	21	27	34	19	16	13	10	13	2	-	-
FEMALE--	6	13	23	27	20	31	25	14	15	1	-	-
UTAH -----	12	11	17	25	34	36	30	26	6	5	-	-
WHITE-----MALE----	5	9	11	13	20	14	12	7	2	1	-	-
FEMALE--	5	2	5	9	13	21	17	19	4	3	-	-
ALL OTHER--MALE----	1	-	-	2	1	-	1	-	-	-	-	-
FEMALE--	1	-	1	1	-	1	-	-	-	1	-	-
BLACK---MALE----	1	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	1	-	-
VERMONT -----	4	5	12	12	14	13	14	11	11	1	-	-
WHITE-----MALE----	1	1	7	3	7	5	5	3	3	-	-	-
FEMALE--	3	4	5	9	7	8	9	8	8	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	61	66	98	135	160	166	166	107	46	20	2	-
WHITE-----MALE----	28	22	47	47	61	69	50	32	12	3	-	-
FEMALE--	22	27	26	55	52	62	80	52	20	14	1	-
ALL OTHER--MALE----	8	12	13	15	23	17	18	8	4	2	-	-
FEMALE--	3	5	12	18	24	18	18	15	10	1	1	-
BLACK---MALE----	5	12	12	15	23	16	16	8	4	2	-	-
FEMALE--	3	5	12	18	22	18	18	15	9	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 522
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF COLON (153)												
WASHINGTON -----	34	45	77	92	128	112	122	99	56	19	-	-
WHITE-----MALE----	22	18	42	47	61	56	51	34	12	4	-	-
FEMALE--	10	25	28	39	58	52	67	61	41	14	-	-
ALL OTHER--MALE----	2	2	2	3	4	3	2	2	3	-	-	-
FEMALE--	-	-	5	3	5	1	2	2	-	1	-	-
BLACK---MALE----	2	-	1	-	2	1	1	2	1	-	-	-
FEMALE--	-	-	1	1	3	-	-	1	-	1	-	-
WEST VIRGINIA -----	14	9	40	54	84	62	65	36	10	5	1	-
WHITE-----MALE----	6	4	25	27	41	24	32	7	4	1	-	-
FEMALE--	8	5	13	26	40	34	31	29	6	4	1	-
ALL OTHER--MALE----	-	-	1	1	2	1	2	-	-	-	-	-
FEMALE--	-	-	1	-	1	3	-	-	-	-	-	-
BLACK---MALE----	-	-	1	1	2	1	2	-	-	-	-	-
FEMALE--	-	-	1	-	1	3	-	-	-	-	-	-
WISCONSIN -----	24	47	73	118	165	160	166	117	56	27	7	-
WHITE-----MALE----	11	27	38	76	81	76	68	39	21	7	1	-
FEMALE--	13	16	31	37	81	81	98	74	35	20	6	-
ALL OTHER--MALE----	-	1	4	2	1	2	-	2	-	-	-	-
FEMALE--	-	3	-	3	2	1	-	2	-	-	-	-
BLACK---MALE----	-	1	1	1	-	2	-	2	-	-	-	-
FEMALE--	-	3	-	1	2	1	-	2	-	-	-	-
WYOMING -----	4	9	6	10	9	15	8	10	8	3	-	-
WHITE-----MALE----	3	5	1	4	5	7	4	4	1	2	-	-
FEMALE--	1	4	4	6	4	6	4	6	7	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 523
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HEPATIC AND SPLENIC FLEXURES AND TRANSVERSE COLON (153.0-153.1,153.7)												
0 UNITED STATES --	9	11	18	26	35	29	27	28	9	6	2	-
WHITE-----MALE----	3	2	10	13	14	12	7	6	4	1	1	-
FEMALE--	3	7	3	10	14	13	15	19	5	5	1	-
ALL OTHER--MALE----	1	1	4	2	2	2	3	1	-	-	-	-
FEMALE--	2	1	1	1	5	2	2	2	-	-	-	-
BLACK---MALE----	1	1	4	2	2	2	3	-	-	-	-	-
FEMALE--	2	1	1	-	5	2	1	1	-	-	-	-
ALABAMA -----	-	-	1	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	1	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	1	2	6	8	9	11	7	9	3	2	-	-
WHITE-----MALE----	-	1	4	3	5	3	3	2	1	1	-	-
FEMALE--	1	1	1	3	2	5	3	5	2	1	-	-
ALL OTHER--MALE----	-	-	1	1	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	2	2	1	1	-	-	-	-
BLACK---MALE----	-	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	2	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 532
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 DESCENDING COLON (153.2)												
0 UNITED STATES --	3	7	13	31	47	45	31	18	15	2	-	-
WHITE-----MALE----	1	4	5	17	29	21	14	4	5	-	-	-
FEMALE--	1	-	6	9	14	21	12	13	7	2	-	-
ALL OTHER--MALE----	1	1	2	4	2	3	4	-	1	-	-	-
FEMALE--	-	2	-	1	2	-	1	1	2	-	-	-
BLACK---MALE----	1	-	1	2	1	3	2	-	1	-	-	-
FEMALE--	-	1	-	1	1	-	1	-	2	-	-	-
ALABAMA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	1	4	9	19	29	21	14	7	3	-	-	-
WHITE-----MALE----	-	1	4	10	18	11	8	1	1	-	-	-
FEMALE--	-	-	4	6	8	8	2	5	1	-	-	-
ALL OTHER--MALE----	1	1	1	2	2	2	3	-	-	-	-	-
FEMALE--	-	2	-	1	1	-	1	1	1	-	-	-
BLACK---MALE----	1	-	-	1	1	2	1	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	1	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 541
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 SIGMOID COLON (153.3)												
0 UNITED STATES --	26	41	63	105	141	165	138	105	54	14	4	-
WHITE-----MALE----	11	21	31	59	65	76	56	41	14	2	-	-
FEMALE--	11	12	25	33	59	72	70	55	36	10	3	-
ALL OTHER--MALE----	3	5	5	8	8	8	6	3	1	-	-	-
FEMALE--	1	3	2	5	9	9	6	6	3	2	1	-
BLACK---MALE----	2	4	5	6	3	6	5	3	1	-	-	-
FEMALE--	1	2	1	3	6	8	5	6	1	1	1	-
ALABAMA -----	-	-	-	-	1	-	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	1	1	1	2	2	1	1	1	1	-	-
WHITE-----MALE----	-	1	-	-	1	2	1	1	1	-	-	-
FEMALE--	-	-	1	1	1	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	1	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	8	15	20	34	42	53	36	29	12	-	2	-
WHITE-----MALE----	4	6	8	23	19	20	15	12	5	-	-	-
FEMALE--	3	4	9	9	17	26	16	15	6	-	1	-
ALL OTHER--MALE----	1	3	2	2	5	4	2	-	-	-	-	-
FEMALE--	-	2	1	-	1	3	3	2	1	-	1	-
BLACK---MALE----	-	2	2	1	1	2	2	-	-	-	-	-
FEMALE--	-	1	-	-	-	2	2	2	-	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 542
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 SIGMOID COLON (153.3)												
COLORADO -----	-	-	-	2	1	2	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	2	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	1	-	2	2	2	-	1	1	-	-	-
WHITE-----MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	2	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	-	2	3	7	7	8	4	10	3	2	-	-
WHITE-----MALE----	-	2	2	5	5	5	1	4	1	-	-	-
FEMALE--	-	-	-	1	2	2	3	6	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	1	-	-	-	-	-	-
GEORGIA -----	-	2	1	1	3	4	1	3	1	-	-	-
WHITE-----MALE----	-	-	-	1	1	2	-	-	-	-	-	-
FEMALE--	-	2	1	-	1	2	1	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 544
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 SIGMOID COLON (153.3)												
KENTUCKY -----	-	-	-	-	1	2	-	1	1	1	-	-
WHITE-----MALE----	-	-	-	-	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	-	1	1	1	3	-	1	-	1	-	-	-
WHITE-----MALE----	-	1	-	-	2	-	-	-	1	-	-	-
FEMALE--	-	-	1	1	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	1	1	-	1	1	1	1	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	-	-	1	1	1	4	2	-	1	-	-	-
WHITE-----MALE----	-	-	-	1	1	1	-	-	1	-	-	-
FEMALE--	-	-	1	-	-	3	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	2	1	2	1	3	5	6	2	2	-	1	-
WHITE-----MALE----	2	1	2	1	2	3	3	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	3	2	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 547
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 SIGMOID COLON (153.3)												
OHIO -----	-	2	2	5	8	4	5	6	1	-	-	-
WHITE-----MALE----	-	1	1	2	2	2	1	2	-	-	-	-
FEMALE--	-	1	1	-	5	1	3	4	1	-	-	-
ALL OTHER--MALE----	-	-	-	3	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	3	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
OKLAHOMA -----	-	-	-	-	2	1	2	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	-	5	3	2	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	2	1	2	1	-	-	-	-	-
FEMALE--	-	-	-	2	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1	1	3	7	5	5	5	4	4	-	-	-
WHITE-----MALE----	-	-	1	3	3	1	4	2	-	-	-	-
FEMALE--	1	-	2	3	2	4	1	2	4	-	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	1	2	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	-	-	-	2	-	2	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 550
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CECUM, APPENDIX, AND ASCENDING COLON (153.4-153.6)												
0 UNITED STATES --	1,564	-	-	-	-	2	3	1	6	13	28	43
WHITE-----MALE----	628	-	-	-	-	-	3	-	4	4	12	20
FEMALE--	745	-	-	-	-	1	-	-	1	4	11	13
ALL OTHER--MALE----	91	-	-	-	-	-	-	-	1	3	4	6
FEMALE--	100	-	-	-	-	1	-	1	-	2	1	4
BLACK---MALE----	70	-	-	-	-	-	-	-	1	2	2	6
FEMALE--	81	-	-	-	-	1	-	-	-	1	1	4
ALABAMA -----	10	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	15	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	9	-	-	-	-	-	-	-	-	1	1	1
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	475	-	-	-	-	-	1	-	2	2	6	8
WHITE-----MALE----	201	-	-	-	-	-	1	-	2	-	1	4
FEMALE--	205	-	-	-	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	33	-	-	-	-	-	-	-	-	-	3	1
FEMALE--	36	-	-	-	-	-	-	-	-	2	-	2
BLACK---MALE----	20	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	22	-	-	-	-	-	-	-	-	1	-	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 550
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CECUM, APPENDIX, AND ASCENDING COLON (153.4-153.6)												
0 UNITED STATES --	43	85	99	169	219	250	229	226	111	32	5	-
WHITE-----MALE----	18	45	46	76	91	111	91	73	28	5	1	-
FEMALE--	22	30	37	70	96	110	119	133	69	26	3	-
ALL OTHER--MALE----	2	6	6	7	20	15	10	7	4	-	-	-
FEMALE--	1	4	10	16	12	14	9	13	10	1	1	-
BLACK---MALE----	1	6	6	6	14	10	7	6	3	-	-	-
FEMALE--	1	4	9	8	9	12	7	13	9	1	1	-
ALABAMA -----	1	2	-	1	3	-	1	2	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	2	-	1	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	1	-	-	-	-
ALASKA -----	-	-	-	-	-	-	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	1	-	2	2	2	3	2	3	-	-	-
WHITE-----MALE----	-	1	-	2	1	2	2	1	1	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	1	-	1	-	-	1	3	-	-	-	-
WHITE-----MALE----	-	1	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	11	24	30	53	84	87	78	59	27	2	1	-
WHITE-----MALE----	2	13	16	19	35	41	36	23	7	1	-	-
FEMALE--	9	10	8	25	32	33	37	29	17	1	1	-
ALL OTHER--MALE----	-	-	3	-	11	8	3	3	1	-	-	-
FEMALE--	-	1	3	9	6	5	2	4	2	-	-	-
BLACK---MALE----	-	-	3	-	6	4	3	2	-	-	-	-
FEMALE--	-	1	2	2	3	5	1	4	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 551

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CECUM, APPENDIX, AND ASCENDING COLON (153.4-153.6)												
COLORADO -----	1	2	1	4	2	-	2	2	2	1	-	-
WHITE-----MALE----	-	1	-	3	-	-	-	-	-	-	-	-
FEMALE--	1	1	1	1	2	-	2	2	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	1	-	2	2	1	-	2	1	-	-	-
WHITE-----MALE----	-	1	-	1	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	1	1	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	1	-	1	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	-	1	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	1	3	4	6	14	11	12	13	8	2	2	-
WHITE-----MALE----	-	1	3	3	7	5	6	5	2	-	-	-
FEMALE--	1	1	1	2	7	4	5	8	4	2	1	-
ALL OTHER--MALE----	-	1	-	1	-	2	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	-	1	-	1	-	2	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	1	-
GEORGIA -----	-	3	-	2	2	1	3	4	-	-	-	-
WHITE-----MALE----	-	1	-	1	-	-	1	2	-	-	-	-
FEMALE--	-	-	-	-	2	1	1	2	-	-	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 552
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CECUM, APPENDIX, AND ASCENDING COLON (153.4-153.6)												
HAWAII -----	-	1	-	-	-	-	3	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	1	-	-	-	4	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	2	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	-	4	1	3	13	7	15	9	5	1	-	-
WHITE-----MALE----	-	2	-	3	4	2	4	5	-	-	-	-
FEMALE--	-	1	1	-	7	4	9	3	5	1	-	-
ALL OTHER--MALE----	-	1	-	-	2	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	-	-	-	-	-
BLACK---MALE----	-	1	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	-	-	-	-	-
INDIANA -----	1	1	3	7	3	7	3	1	-	1	-	-
WHITE-----MALE----	1	1	2	3	1	3	3	1	-	-	-	-
FEMALE--	-	-	1	4	2	2	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA -----	-	2	1	2	2	3	3	4	4	1	-	-
WHITE-----MALE----	-	-	-	1	1	1	2	2	-	-	-	-
FEMALE--	-	2	1	1	1	2	1	2	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	2	-	1	1	-	1	-	3	3	-	-	-
WHITE-----MALE----	1	-	1	1	-	1	-	1	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 553

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CECUM, APPENDIX, AND ASCENDING COLON (153.4-153.6)												
KENTUCKY -----	1	-	1	1	1	1	6	7	-	2	-	-
WHITE-----MALE----	1	-	-	-	1	-	4	3	-	1	-	-
FEMALE--	-	-	1	1	-	1	2	3	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
LOUISIANA -----	-	-	-	1	2	1	2	2	2	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	2	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
MAINE -----	-	-	1	-	1	2	-	3	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	-	1	1	2	3	3	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	1	1	1	3	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	-	1	2	3	-	6	4	6	1	1	1	-
WHITE-----MALE----	-	-	1	2	-	3	2	1	-	-	1	-
FEMALE--	-	1	1	1	-	3	2	5	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	1	3	2	8	8	7	7	7	3	1	1	-
WHITE-----MALE----	-	1	-	1	4	6	2	1	-	-	-	-
FEMALE--	1	2	2	6	3	1	5	5	3	1	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 556

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CECUM, APPENDIX, AND ASCENDING COLON (153.4-153.6)												
OHIO -----	1	6	2	5	5	16	8	4	4	3	-	-
WHITE-----MALE----	1	3	-	3	-	5	2	-	1	1	-	-
FEMALE--	-	2	1	2	3	9	5	3	2	2	-	-
ALL OTHER--MALE----	-	1	1	-	1	1	1	-	1	-	-	-
FEMALE--	-	-	-	-	1	1	-	1	-	-	-	-
BLACK---MALE----	-	1	1	-	1	1	1	-	1	-	-	-
FEMALE--	-	-	-	-	1	1	-	1	-	-	-	-
OKLAHOMA -----	-	1	2	1	3	1	3	1	-	-	-	-
WHITE-----MALE----	-	-	2	-	3	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
OREGON -----	-	1	1	2	1	3	1	3	2	1	-	-
WHITE-----MALE----	-	1	1	2	-	2	1	1	1	-	-	-
FEMALE--	-	-	-	-	1	1	-	2	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	3	3	5	5	7	12	9	10	8	1	-	-
WHITE-----MALE----	2	3	1	2	4	5	4	3	3	-	-	-
FEMALE--	1	-	3	3	3	6	5	7	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	1	-	-	-
RHODE ISLAND -----	1	-	-	1	3	1	-	1	1	-	-	-
WHITE-----MALE----	1	-	-	1	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	1	-	2	2	1	-	-	1	1	-	-
WHITE-----MALE----	-	1	-	1	2	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 557

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CECUM, APPENDIX, AND ASCENDING COLON (153.4-153.6)												
SOUTH DAKOTA -----	-	-	-	-	1	1	3	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	3	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2	1	3	4	4	7	3	7	1	-	-	-
WHITE-----MALE----	-	1	-	1	1	4	1	1	-	-	-	-
FEMALE--	1	-	2	1	2	2	2	6	1	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	1	1	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	1	1	-	-	-	-	-	-
TEXAS -----	-	1	5	10	11	9	8	7	3	-	-	-
WHITE-----MALE----	-	1	2	3	4	5	5	1	1	-	-	-
FEMALE--	-	-	1	6	5	4	2	5	2	-	-	-
ALL OTHER--MALE----	-	-	-	1	2	-	1	-	-	-	-	-
FEMALE--	-	-	2	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	1	2	-	1	-	-	-	-	-
FEMALE--	-	-	2	-	-	-	-	1	-	-	-	-
UTAH -----	-	-	-	-	-	1	2	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	1	1	-	-	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	1	1	1	3	6	3	2	3	2	-	-
WHITE-----MALE----	-	1	1	-	2	2	1	-	-	1	-	-
FEMALE--	1	-	-	-	-	3	1	1	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	1	1	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 559
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER AND COLON, UNSPECIFIED (153.8-153.9)												
0 UNITED STATES --	45,971	2	-	-	3	9	23	75	149	296	636	1,053
WHITE-----MALE----	19,512	-	-	-	3	3	9	25	54	119	248	464
FEMALE--	20,513	-	-	-	-	1	8	33	52	109	224	358
ALL OTHER--MALE----	2,806	-	-	-	-	2	5	11	23	31	79	109
FEMALE--	3,140	2	-	-	-	3	1	6	20	37	85	122
BLACK---MALE----	2,468	-	-	-	-	1	4	10	20	25	67	94
FEMALE--	2,833	2	-	-	-	2	1	4	12	35	72	107
ALABAMA -----	709	-	-	-	-	-	-	1	4	5	11	17
WHITE-----MALE----	246	-	-	-	-	-	-	-	-	1	2	6
FEMALE--	257	-	-	-	-	-	-	-	1	2	3	4
ALL OTHER--MALE----	90	-	-	-	-	-	-	1	2	2	2	4
FEMALE--	116	-	-	-	-	-	-	-	1	-	4	3
BLACK---MALE----	90	-	-	-	-	-	-	1	2	2	2	4
FEMALE--	113	-	-	-	-	-	-	-	1	-	4	3
ALASKA -----	41	-	-	-	-	-	-	-	-	-	3	-
WHITE-----MALE----	19	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	653	-	-	-	-	-	-	1	3	2	9	15
WHITE-----MALE----	301	-	-	-	-	-	-	1	1	1	6	8
FEMALE--	322	-	-	-	-	-	-	-	2	1	2	5
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	502	-	-	-	-	-	-	1	3	3	11	14
WHITE-----MALE----	207	-	-	-	-	-	-	-	2	1	5	5
FEMALE--	217	-	-	-	-	-	-	1	-	1	3	7
ALL OTHER--MALE----	36	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	42	-	-	-	-	-	-	-	-	1	3	1
BLACK---MALE----	36	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	41	-	-	-	-	-	-	-	-	1	3	1
CALIFORNIA -----	3,303	-	-	-	-	2	3	7	13	20	53	66
WHITE-----MALE----	1,436	-	-	-	-	-	1	3	3	6	22	31
FEMALE--	1,411	-	-	-	-	-	2	3	9	11	19	15
ALL OTHER--MALE----	249	-	-	-	-	-	-	1	-	3	7	9
FEMALE--	207	-	-	-	-	2	-	-	1	-	5	11
BLACK---MALE----	134	-	-	-	-	-	-	1	-	-	6	2
FEMALE--	116	-	-	-	-	1	-	-	-	-	2	5

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 559
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER AND COLON, UNSPECIFIED (153.8-153.9)												
0 UNITED STATES --	1,660	2,514	3,731	5,529	7,244	7,555	7,180	5,010	2,459	724	117	2
WHITE-----MALE----	737	1,204	1,845	2,685	3,393	3,303	2,866	1,717	652	173	12	-
FEMALE--	607	896	1,292	2,002	2,951	3,397	3,605	2,837	1,561	494	85	1
ALL OTHER--MALE----	158	202	321	427	459	395	303	170	83	23	5	-
FEMALE--	158	212	273	415	441	460	406	286	163	34	15	1
BLACK---MALE----	136	178	276	380	406	353	267	151	75	21	4	-
FEMALE--	139	194	249	376	408	413	375	255	147	27	14	1
ALABAMA -----	26	27	62	87	113	122	105	88	33	6	1	1
WHITE-----MALE----	6	10	27	38	45	47	29	26	8	1	-	-
FEMALE--	10	9	20	23	40	42	47	39	14	2	1	-
ALL OTHER--MALE----	3	3	13	13	10	12	10	7	6	2	-	-
FEMALE--	7	5	2	13	18	21	19	16	5	1	-	1
BLACK---MALE----	3	3	13	13	10	12	10	7	6	2	-	-
FEMALE--	6	5	2	13	18	20	18	16	5	1	-	1
ALASKA -----	2	8	2	9	9	1	4	2	1	-	-	-
WHITE-----MALE----	1	5	1	3	6	1	-	1	-	-	-	-
FEMALE--	1	2	1	2	1	-	2	-	1	-	-	-
ALL OTHER--MALE----	-	1	-	2	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	2	1	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	16	32	49	85	108	120	106	60	31	14	2	-
WHITE-----MALE----	5	15	28	44	52	62	42	20	14	2	-	-
FEMALE--	8	16	19	33	52	55	60	39	16	12	2	-
ALL OTHER--MALE----	1	-	1	6	1	-	2	-	1	-	-	-
FEMALE--	2	1	1	2	3	3	2	1	-	-	-	-
BLACK---MALE----	-	-	1	2	1	-	2	-	-	-	-	-
FEMALE--	-	-	1	2	3	2	1	-	-	-	-	-
ARKANSAS -----	25	22	34	55	80	77	78	59	29	10	1	-
WHITE-----MALE----	15	8	16	28	30	35	26	19	13	4	-	-
FEMALE--	6	8	14	19	35	30	39	37	11	5	1	-
ALL OTHER--MALE----	1	2	3	6	8	3	7	-	3	1	-	-
FEMALE--	3	4	1	2	7	9	6	3	2	-	-	-
BLACK---MALE----	1	2	3	6	8	3	7	-	3	1	-	-
FEMALE--	3	4	1	2	7	8	6	3	2	-	-	-
CALIFORNIA -----	128	192	276	387	519	560	516	354	151	49	7	-
WHITE-----MALE----	53	93	143	173	250	257	219	132	37	12	1	-
FEMALE--	46	74	85	155	202	232	242	185	95	30	6	-
ALL OTHER--MALE----	17	9	31	34	43	49	24	15	4	3	-	-
FEMALE--	12	16	17	25	24	22	31	22	15	4	-	-
BLACK---MALE----	9	5	19	15	21	34	12	6	2	2	-	-
FEMALE--	9	12	12	12	14	13	19	9	8	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 560
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER AND COLON, UNSPECIFIED (153.8-153.9)												
COLORADO -----	427	-	-	-	-	-	1	-	2	4	5	9
WHITE-----MALE----	208	-	-	-	-	-	1	-	-	4	4	4
FEMALE--	198	-	-	-	-	-	-	-	1	-	1	5
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	580	-	-	-	-	-	-	2	4	1	6	10
WHITE-----MALE----	257	-	-	-	-	-	-	-	2	-	3	6
FEMALE--	293	-	-	-	-	-	-	1	1	1	2	3
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	15	-	-	-	-	-	-	1	-	-	-	1
BLACK---MALE----	13	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	15	-	-	-	-	-	-	1	-	-	-	1
DELAWARE -----	131	-	-	-	-	-	-	-	1	-	1	3
WHITE-----MALE----	54	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	56	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	9	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	11	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	9	-	-	-	-	-	-	-	1	-	-	1
DISTRICT OF COLUMBIA ----	135	-	-	-	-	-	-	-	-	1	4	-
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	48	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	59	-	-	-	-	-	-	-	-	1	3	-
BLACK---MALE----	48	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	59	-	-	-	-	-	-	-	-	1	3	-
FLORIDA -----	3,095	-	-	-	-	-	1	3	8	20	29	69
WHITE-----MALE----	1,464	-	-	-	-	-	-	3	4	11	14	32
FEMALE--	1,376	-	-	-	-	-	1	-	2	7	9	27
ALL OTHER--MALE----	116	-	-	-	-	-	-	-	2	-	2	7
FEMALE--	139	-	-	-	-	-	-	-	-	2	4	3
BLACK---MALE----	114	-	-	-	-	-	-	-	2	-	2	7
FEMALE--	137	-	-	-	-	-	-	-	-	2	4	3
GEORGIA -----	992	-	-	-	1	1	1	1	4	14	11	41
WHITE-----MALE----	356	-	-	-	1	-	-	-	1	2	3	13
FEMALE--	366	-	-	-	-	-	-	-	1	5	2	13
ALL OTHER--MALE----	133	-	-	-	-	1	1	-	2	3	2	9
FEMALE--	137	-	-	-	-	-	-	1	-	4	4	6
BLACK---MALE----	132	-	-	-	-	1	1	-	2	3	2	9
FEMALE--	135	-	-	-	-	-	-	1	-	4	4	6

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 560

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER AND COLON, UNSPECIFIED (153.8-153.9)												
COLORADO -----	18	29	32	50	82	58	51	54	25	6	1	-
WHITE-----MALE----	14	17	20	30	36	26	26	15	9	2	-	-
FEMALE--	2	9	10	17	45	28	25	37	13	4	1	-
ALL OTHER--MALE----	1	2	-	3	1	3	-	1	-	-	-	-
FEMALE--	1	1	2	-	-	1	-	1	3	-	-	-
BLACK---MALE----	1	1	-	3	1	3	-	1	-	-	-	-
FEMALE--	1	-	2	-	-	1	-	1	3	-	-	-
CONNECTICUT -----	17	29	43	73	91	97	89	77	30	8	3	-
WHITE-----MALE----	12	15	21	39	49	47	29	25	8	-	1	-
FEMALE--	2	12	17	29	40	49	57	50	19	8	2	-
ALL OTHER--MALE----	1	1	3	2	2	-	2	2	-	-	-	-
FEMALE--	2	1	2	3	-	1	1	-	3	-	-	-
BLACK---MALE----	1	1	3	2	2	-	1	2	-	-	-	-
FEMALE--	2	1	2	3	-	1	1	-	3	-	-	-
DELAWARE -----	5	8	11	15	25	23	18	12	7	2	-	-
WHITE-----MALE----	2	5	8	7	11	6	6	5	3	-	-	-
FEMALE--	-	2	1	4	11	13	12	6	4	2	-	-
ALL OTHER--MALE----	1	-	2	3	1	3	-	1	-	-	-	-
FEMALE--	2	1	-	1	2	1	-	-	-	-	-	-
BLACK---MALE----	-	-	2	3	1	3	-	1	-	-	-	-
FEMALE--	2	1	-	1	2	1	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	10	8	15	20	27	28	15	4	2	-	-
WHITE-----MALE----	-	-	-	2	1	4	4	2	-	-	-	-
FEMALE--	-	-	-	-	-	3	7	3	1	1	-	-
ALL OTHER--MALE----	1	5	3	6	13	7	7	5	-	-	-	-
FEMALE--	-	5	5	7	6	13	10	5	3	1	-	-
BLACK---MALE----	1	5	3	6	13	7	7	5	-	-	-	-
FEMALE--	-	5	5	7	6	13	10	5	3	1	-	-
FLORIDA -----	86	164	207	394	510	524	505	341	180	45	9	-
WHITE-----MALE----	42	87	119	217	250	258	236	126	50	12	3	-
FEMALE--	33	61	67	139	224	225	239	191	118	27	6	-
ALL OTHER--MALE----	8	7	9	19	14	17	14	8	6	3	-	-
FEMALE--	3	9	12	19	22	24	16	16	6	3	-	-
BLACK---MALE----	8	6	9	19	13	17	14	8	6	3	-	-
FEMALE--	3	9	12	19	22	23	16	16	5	3	-	-
GEORGIA -----	53	68	98	125	128	169	138	90	41	8	-	-
WHITE-----MALE----	21	32	42	52	49	60	50	21	7	2	-	-
FEMALE--	13	17	33	31	44	67	59	52	25	4	-	-
ALL OTHER--MALE----	9	10	9	23	22	18	10	11	3	-	-	-
FEMALE--	10	9	14	19	13	24	19	6	6	2	-	-
BLACK---MALE----	9	10	9	23	22	17	10	11	3	-	-	-
FEMALE--	10	8	14	19	13	24	18	6	6	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 561
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER AND COLON, UNSPECIFIED (153.8-153.9)												
HAWAII -----	8	15	17	15	28	25	23	10	5	2	-	-
WHITE-----MALE----	-	4	3	7	3	2	2	3	1	-	-	-
FEMALE--	1	1	2	-	2	5	4	-	3	1	-	-
ALL OTHER--MALE----	3	7	9	4	12	6	10	5	-	1	-	-
FEMALE--	4	3	3	4	11	12	7	2	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
IDAHO -----	3	14	12	9	20	23	29	13	6	3	-	-
WHITE-----MALE----	-	8	7	5	11	9	16	6	3	1	-	-
FEMALE--	3	6	5	4	9	13	13	7	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	78	112	190	275	354	387	382	264	144	37	5	-
WHITE-----MALE----	36	44	87	144	158	152	138	101	36	8	1	-
FEMALE--	27	42	65	83	136	192	210	141	93	27	3	-
ALL OTHER--MALE----	7	16	18	27	30	16	16	7	7	2	-	-
FEMALE--	8	10	20	21	30	27	18	15	8	-	1	-
BLACK---MALE----	6	15	16	27	30	15	15	7	6	2	-	-
FEMALE--	8	9	20	20	30	23	18	13	7	-	-	-
INDIANA -----	40	64	101	131	173	186	191	135	53	11	5	-
WHITE-----MALE----	15	31	45	71	87	87	75	37	10	2	1	-
FEMALE--	17	23	45	44	69	89	103	86	39	9	4	-
ALL OTHER--MALE----	4	5	5	7	6	5	8	3	2	-	-	-
FEMALE--	4	5	6	9	11	5	5	9	2	-	-	-
BLACK---MALE----	4	5	5	7	6	5	8	3	2	-	-	-
FEMALE--	3	5	6	8	11	5	4	9	2	-	-	-
IOWA -----	18	30	46	68	90	87	119	75	45	16	3	-
WHITE-----MALE----	6	18	23	29	51	34	54	25	12	1	-	-
FEMALE--	12	12	23	37	39	52	63	48	33	15	3	-
ALL OTHER--MALE----	-	-	-	1	-	1	1	2	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	1	1	2	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
KANSAS -----	11	26	37	60	67	71	76	65	37	14	-	-
WHITE-----MALE----	6	13	24	31	32	45	29	30	7	3	-	-
FEMALE--	4	12	8	24	31	24	42	32	28	11	-	-
ALL OTHER--MALE----	1	-	5	3	2	-	3	-	1	-	-	-
FEMALE--	-	1	-	2	2	2	2	3	1	-	-	-
BLACK---MALE----	1	-	4	3	2	-	3	-	1	-	-	-
FEMALE--	-	1	-	2	2	2	2	3	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 562
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER AND COLON, UNSPECIFIED (153.8-153.9)												
KENTUCKY -----	776	-	-	-	-	-	-	-	2	3	9	25
WHITE-----MALE----	357	-	-	-	-	-	-	-	1	2	4	9
FEMALE--	363	-	-	-	-	-	-	-	1	1	5	15
ALL OTHER--MALE----	28	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	28	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	28	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	28	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	824	-	-	-	-	-	2	-	3	10	21	31
WHITE-----MALE----	299	-	-	-	-	-	-	-	-	3	7	13
FEMALE--	289	-	-	-	-	-	-	-	-	4	3	11
ALL OTHER--MALE----	106	-	-	-	-	-	1	-	1	2	6	5
FEMALE--	130	-	-	-	-	-	1	-	2	1	5	2
BLACK---MALE----	104	-	-	-	-	-	1	-	1	2	6	5
FEMALE--	130	-	-	-	-	-	1	-	2	1	5	2
MAINE -----	245	-	-	-	-	-	-	1	-	1	2	4
WHITE-----MALE----	99	-	-	-	-	-	-	-	-	-	1	4
FEMALE--	146	-	-	-	-	-	-	1	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	955	-	-	-	-	-	-	1	4	5	21	29
WHITE-----MALE----	355	-	-	-	-	-	-	-	1	1	6	9
FEMALE--	365	-	-	-	-	-	-	-	-	2	4	10
ALL OTHER--MALE----	114	-	-	-	-	-	-	1	1	1	9	4
FEMALE--	121	-	-	-	-	-	-	-	2	1	2	6
BLACK---MALE----	109	-	-	-	-	-	-	1	1	1	6	3
FEMALE--	118	-	-	-	-	-	-	-	1	1	1	6
MASSACHUSETTS -----	1,320	-	-	-	-	-	-	2	3	6	19	13
WHITE-----MALE----	589	-	-	-	-	-	-	-	-	1	11	5
FEMALE--	681	-	-	-	-	-	-	2	1	5	5	7
ALL OTHER--MALE----	24	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	26	-	-	-	-	-	-	-	1	-	3	1
BLACK---MALE----	22	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	20	-	-	-	-	-	-	-	-	-	3	1
MICHIGAN -----	1,660	-	-	-	-	1	1	5	9	11	21	37
WHITE-----MALE----	713	-	-	-	-	-	-	1	3	2	9	14
FEMALE--	688	-	-	-	-	-	1	2	3	5	8	16
ALL OTHER--MALE----	115	-	-	-	-	-	-	2	-	-	2	3
FEMALE--	144	-	-	-	-	1	-	-	3	4	2	4
BLACK---MALE----	108	-	-	-	-	-	-	1	-	-	2	3
FEMALE--	136	-	-	-	-	1	-	-	2	3	2	4

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 562
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER AND COLON, UNSPECIFIED (153.8-153.9)												
KENTUCKY -----	39	40	57	112	111	120	125	81	35	15	2	-
WHITE-----MALE----	20	16	33	63	58	54	56	27	9	5	-	-
FEMALE--	17	21	23	38	43	58	60	48	23	9	1	-
ALL OTHER--MALE----	1	1	1	5	6	5	3	4	1	-	-	-
FEMALE--	1	2	-	6	4	3	6	2	2	1	1	-
BLACK---MALE----	1	1	1	5	6	5	3	4	1	-	-	-
FEMALE--	1	2	-	6	4	3	6	2	2	1	1	-
LOUISIANA -----	37	57	64	101	129	125	114	72	46	9	3	-
WHITE-----MALE----	10	23	24	55	47	50	38	20	7	2	-	-
FEMALE--	9	16	15	26	47	47	47	35	23	5	1	-
ALL OTHER--MALE----	5	7	12	9	20	12	14	6	4	1	1	-
FEMALE--	13	11	13	11	15	16	15	11	12	1	1	-
BLACK---MALE----	5	7	12	9	19	11	14	6	4	1	1	-
FEMALE--	13	11	13	11	15	16	15	11	12	1	1	-
MAINE -----	10	5	21	23	40	42	37	39	15	5	-	-
WHITE-----MALE----	4	2	12	9	18	19	19	8	3	-	-	-
FEMALE--	6	3	9	14	22	23	18	31	12	5	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	45	55	97	125	157	139	132	85	47	9	4	-
WHITE-----MALE----	16	23	43	46	62	59	48	24	14	3	-	-
FEMALE--	18	16	25	39	59	53	61	46	24	5	3	-
ALL OTHER--MALE----	5	8	13	20	22	14	12	2	2	-	-	-
FEMALE--	6	8	16	20	14	13	11	13	7	1	1	-
BLACK---MALE----	5	8	12	20	22	14	12	2	2	-	-	-
FEMALE--	6	8	15	20	14	13	11	13	7	1	1	-
MASSACHUSETTS -----	35	70	93	143	197	243	217	163	80	30	6	-
WHITE-----MALE----	19	38	44	71	114	111	93	58	15	8	1	-
FEMALE--	15	28	47	65	77	122	118	101	62	21	5	-
ALL OTHER--MALE----	1	2	2	4	6	3	3	1	1	-	-	-
FEMALE--	-	2	-	3	-	7	3	3	2	1	-	-
BLACK---MALE----	1	2	1	4	6	2	3	1	1	-	-	-
FEMALE--	-	2	-	3	-	3	3	2	2	1	-	-
MICHIGAN -----	59	93	118	209	273	281	253	178	82	26	3	-
WHITE-----MALE----	27	49	64	91	120	130	103	67	28	4	1	-
FEMALE--	18	26	35	73	104	105	131	93	47	21	-	-
ALL OTHER--MALE----	6	9	7	21	25	21	7	9	2	1	-	-
FEMALE--	8	9	12	24	24	25	12	9	5	-	2	-
BLACK---MALE----	5	8	7	18	25	21	6	9	2	1	-	-
FEMALE--	5	9	11	24	23	25	12	8	5	-	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 565

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER AND COLON, UNSPECIFIED (153.8-153.9)												
OHIO -----	2,259	-	-	-	-	-	-	6	9	14	27	41
WHITE-----MALE----	975	-	-	-	-	-	-	3	5	4	12	22
FEMALE--	1,050	-	-	-	-	-	-	1	1	5	13	13
ALL OTHER--MALE----	102	-	-	-	-	-	-	-	1	3	2	3
FEMALE--	132	-	-	-	-	-	-	2	2	2	-	3
BLACK---MALE----	101	-	-	-	-	-	-	-	1	3	2	3
FEMALE--	129	-	-	-	-	-	-	1	2	2	-	3
OKLAHOMA -----	571	-	-	-	-	-	-	1	2	3	10	10
WHITE-----MALE----	244	-	-	-	-	-	-	1	1	-	6	4
FEMALE--	274	-	-	-	-	-	-	-	1	2	2	3
ALL OTHER--MALE----	27	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	26	-	-	-	-	-	-	-	-	1	2	3
BLACK---MALE----	21	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	1	1	1
OREGON -----	563	-	-	-	-	-	1	-	-	4	11	10
WHITE-----MALE----	271	-	-	-	-	-	-	-	-	1	2	7
FEMALE--	270	-	-	-	-	-	1	-	-	3	6	2
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	13	-	-	-	-	-	-	-	-	-	3	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	2,895	-	-	-	-	-	1	3	2	14	30	50
WHITE-----MALE----	1,246	-	-	-	-	-	-	-	-	5	9	28
FEMALE--	1,386	-	-	-	-	-	1	3	1	6	15	18
ALL OTHER--MALE----	115	-	-	-	-	-	-	-	1	3	2	2
FEMALE--	148	-	-	-	-	-	-	-	-	-	4	2
BLACK---MALE----	111	-	-	-	-	-	-	-	1	2	2	2
FEMALE--	142	-	-	-	-	-	-	-	-	-	4	2
RHODE ISLAND -----	218	-	-	-	-	-	-	-	1	1	5	4
WHITE-----MALE----	113	-	-	-	-	-	-	-	1	-	2	3
FEMALE--	101	-	-	-	-	-	-	-	-	1	2	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	610	-	-	-	-	1	1	3	-	6	17	22
WHITE-----MALE----	205	-	-	-	-	1	-	-	-	3	3	3
FEMALE--	211	-	-	-	-	-	-	1	-	-	8	7
ALL OTHER--MALE----	98	-	-	-	-	-	1	2	-	1	4	5
FEMALE--	96	-	-	-	-	-	-	-	-	2	2	7
BLACK---MALE----	98	-	-	-	-	-	1	2	-	1	4	5
FEMALE--	96	-	-	-	-	-	-	-	-	2	2	7

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 565
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER AND COLON, UNSPECIFIED (153.8-153.9)												
OHIO -----	70	136	170	262	367	398	354	247	109	37	12	-
WHITE-----MALE----	34	61	87	130	179	162	142	94	26	14	-	-
FEMALE--	29	58	60	99	141	199	188	135	77	21	10	-
ALL OTHER--MALE----	3	7	14	19	22	12	6	7	1	-	2	-
FEMALE--	4	10	9	14	25	25	18	11	5	2	-	-
BLACK---MALE----	3	7	14	19	22	12	6	7	1	-	1	-
FEMALE--	3	10	9	14	25	25	18	11	4	2	-	-
OKLAHOMA -----	21	34	51	53	69	99	92	77	33	14	1	1
WHITE-----MALE----	12	16	25	28	31	51	32	25	10	2	-	-
FEMALE--	7	15	22	18	33	41	51	46	20	11	1	1
ALL OTHER--MALE----	1	2	3	3	2	3	8	4	1	-	-	-
FEMALE--	1	1	1	4	3	4	1	2	2	1	-	-
BLACK---MALE----	1	2	2	1	2	2	6	4	1	-	-	-
FEMALE--	1	1	-	2	3	3	1	2	1	-	-	-
OREGON -----	17	22	59	51	105	92	77	68	36	8	2	-
WHITE-----MALE----	6	16	38	29	55	44	35	27	11	-	-	-
FEMALE--	10	6	19	19	48	41	41	41	24	7	2	-
ALL OTHER--MALE----	1	-	2	1	1	2	-	-	-	1	-	-
FEMALE--	-	-	-	2	1	5	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	2	-	-	-	1	-	-
FEMALE--	-	-	-	1	1	1	1	-	-	-	-	-
PENNSYLVANIA -----	98	152	211	371	439	557	466	298	164	35	4	-
WHITE-----MALE----	51	73	112	163	215	246	184	104	44	12	-	-
FEMALE--	37	63	77	156	184	267	249	176	108	21	4	-
ALL OTHER--MALE----	5	5	10	27	19	22	7	8	4	-	-	-
FEMALE--	5	11	12	25	21	22	26	10	8	2	-	-
BLACK---MALE----	5	5	10	27	17	22	6	8	4	-	-	-
FEMALE--	5	11	11	23	20	20	26	10	8	2	-	-
RHODE ISLAND -----	8	7	15	21	35	42	26	37	12	4	-	-
WHITE-----MALE----	3	1	7	13	23	25	12	16	5	2	-	-
FEMALE--	5	6	7	7	12	17	14	20	7	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	1	-	-	-	-
SOUTH CAROLINA -----	23	41	60	65	95	100	100	54	17	3	2	-
WHITE-----MALE----	12	18	25	30	39	27	28	10	5	1	-	-
FEMALE--	2	12	15	15	32	43	40	27	8	1	-	-
ALL OTHER--MALE----	3	5	16	9	10	19	14	7	1	1	-	-
FEMALE--	6	6	4	11	14	11	18	10	3	-	2	-
BLACK---MALE----	3	5	16	9	10	19	14	7	1	1	-	-
FEMALE--	6	6	4	11	14	11	18	10	3	-	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 566

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER AND COLON, UNSPECIFIED (153.8-153.9)												
SOUTH DAKOTA -----	140	-	-	-	-	-	-	-	-	-	1	2
WHITE-----MALE----	71	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	66	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	959	-	-	-	-	1	1	3	2	10	15	29
WHITE-----MALE----	404	-	-	-	-	1	1	-	2	7	7	9
FEMALE--	373	-	-	-	-	-	-	1	-	2	4	14
ALL OTHER--MALE----	78	-	-	-	-	-	-	2	-	-	2	1
FEMALE--	104	-	-	-	-	-	-	-	-	1	2	5
BLACK---MALE----	78	-	-	-	-	-	-	2	-	-	2	1
FEMALE--	103	-	-	-	-	-	-	-	-	1	2	5
TEXAS -----	2,589	-	-	-	-	1	4	5	13	26	55	70
WHITE-----MALE----	1,118	-	-	-	-	-	3	2	6	14	24	27
FEMALE--	1,093	-	-	-	-	-	1	3	5	8	20	22
ALL OTHER--MALE----	177	-	-	-	-	1	-	-	1	1	6	8
FEMALE--	201	-	-	-	-	-	-	-	1	3	5	13
BLACK---MALE----	171	-	-	-	-	-	-	-	-	1	6	8
FEMALE--	190	-	-	-	-	-	-	-	1	3	4	13
UTAH -----	204	-	-	-	-	-	-	1	-	1	3	6
WHITE-----MALE----	98	-	-	-	-	-	-	-	-	-	2	4
FEMALE--	95	-	-	-	-	-	-	1	-	1	1	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	90	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	33	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	57	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1,066	-	-	-	-	1	1	1	2	12	20	33
WHITE-----MALE----	391	-	-	-	-	-	-	1	1	6	9	16
FEMALE--	416	-	-	-	-	1	1	-	1	1	4	8
ALL OTHER--MALE----	127	-	-	-	-	-	-	-	-	3	3	3
FEMALE--	132	-	-	-	-	-	-	-	-	2	4	6
BLACK---MALE----	120	-	-	-	-	-	-	-	-	3	3	3
FEMALE--	129	-	-	-	-	-	-	-	-	2	4	6

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 566
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER AND COLON, UNSPECIFIED (153.8-153.9)												
SOUTH DAKOTA -----	3	10	13	15	24	24	19	21	6	1	1	-
WHITE-----MALE----	1	8	10	10	13	11	8	9	-	1	-	-
FEMALE--	2	2	3	5	10	12	11	11	6	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	51	64	91	113	161	151	128	86	40	9	4	-
WHITE-----MALE----	23	33	42	58	66	54	59	25	12	5	-	-
FEMALE--	14	18	25	33	67	75	44	47	22	4	3	-
ALL OTHER--MALE----	8	4	14	10	11	12	8	5	1	-	-	-
FEMALE--	6	9	10	12	17	10	17	9	5	-	1	-
BLACK---MALE----	8	4	14	10	11	12	8	5	1	-	-	-
FEMALE--	6	9	9	12	17	10	17	9	5	-	1	-
TEXAS -----	95	169	223	312	389	364	410	258	154	35	6	-
WHITE-----MALE----	44	85	96	139	193	169	175	87	46	8	-	-
FEMALE--	36	48	75	113	162	149	196	146	79	24	6	-
ALL OTHER--MALE----	8	23	27	32	16	16	13	10	13	2	-	-
FEMALE--	7	13	25	28	18	30	26	15	16	1	-	-
BLACK---MALE----	8	21	26	32	16	16	12	10	13	2	-	-
FEMALE--	6	13	21	27	18	30	25	13	15	1	-	-
UTAH -----	12	11	16	24	34	34	27	24	6	5	-	-
WHITE-----MALE----	5	9	10	13	20	14	11	7	2	1	-	-
FEMALE--	5	2	5	8	13	19	15	17	4	3	-	-
ALL OTHER--MALE----	1	-	-	2	1	-	1	-	-	-	-	-
FEMALE--	1	-	1	1	-	1	-	-	-	1	-	-
BLACK---MALE----	1	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	1	-	-
VERMONT -----	4	5	11	11	13	13	11	9	11	1	-	-
WHITE-----MALE----	1	1	7	3	7	5	4	2	3	-	-	-
FEMALE--	3	4	4	8	6	8	7	7	8	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	59	65	96	133	156	159	163	103	42	18	2	-
WHITE-----MALE----	27	21	46	47	59	66	49	30	11	2	-	-
FEMALE--	21	27	26	54	51	59	79	51	18	13	1	-
ALL OTHER--MALE----	8	12	12	15	22	17	18	8	4	2	-	-
FEMALE--	3	5	12	17	24	17	17	14	9	1	1	-
BLACK---MALE----	5	12	11	15	22	16	16	8	4	2	-	-
FEMALE--	3	5	12	17	22	17	17	14	8	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 567

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER AND COLON, UNSPECIFIED (153.8-153.9)												
WASHINGTON -----	33	42	74	85	125	108	118	97	54	19	-	-
WHITE-----MALE----	21	18	40	42	61	54	51	33	11	4	-	-
FEMALE--	10	22	27	38	55	50	63	60	40	14	-	-
ALL OTHER--MALE----	2	2	2	3	4	3	2	2	3	-	-	-
FEMALE--	-	-	5	2	5	1	2	2	-	1	-	-
BLACK---MALE----	2	-	1	-	2	1	1	2	1	-	-	-
FEMALE--	-	-	1	1	3	-	-	1	-	1	-	-
WEST VIRGINIA -----	13	8	40	54	78	59	60	35	9	5	1	-
WHITE-----MALE----	6	3	25	27	39	22	30	7	4	1	-	-
FEMALE--	7	5	13	26	38	33	28	28	5	4	1	-
ALL OTHER--MALE----	-	-	1	1	1	1	2	-	-	-	-	-
FEMALE--	-	-	1	-	-	3	-	-	-	-	-	-
BLACK---MALE----	-	-	1	1	1	1	2	-	-	-	-	-
FEMALE--	-	-	1	-	-	3	-	-	-	-	-	-
WISCONSIN -----	23	46	69	112	159	152	161	107	54	24	6	-
WHITE-----MALE----	11	27	36	74	79	73	67	38	19	6	1	-
FEMALE--	12	16	29	33	77	77	94	66	35	18	5	-
ALL OTHER--MALE----	-	1	4	2	1	1	-	1	-	-	-	-
FEMALE--	-	2	-	3	2	1	-	2	-	-	-	-
BLACK---MALE----	-	1	1	1	-	1	-	1	-	-	-	-
FEMALE--	-	2	-	1	2	1	-	2	-	-	-	-
WYOMING -----	4	9	6	10	9	14	5	9	7	3	-	-
WHITE-----MALE----	3	5	1	4	5	7	3	4	1	2	-	-
FEMALE--	1	4	4	6	4	6	2	5	6	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 568
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF RECTUM, RECTOSIGMOID JUNCTION, AND ANUS (154)												
0 UNITED STATES --	388	576	822	1,142	1,346	1,216	1,075	741	411	106	17	-
WHITE-----MALE----	204	308	438	626	679	582	470	264	115	14	4	-
FEMALE--	107	173	268	374	499	519	516	421	257	86	8	-
ALL OTHER--MALE----	47	54	75	81	85	60	35	20	17	-	-	-
FEMALE--	30	41	41	61	83	55	54	36	22	6	5	-
BLACK---MALE----	37	46	59	62	70	46	33	16	14	-	-	-
FEMALE--	24	34	36	52	68	48	47	31	18	6	4	-
ALABAMA -----	4	7	13	7	7	11	7	5	4	1	-	-
WHITE-----MALE----	3	3	8	3	1	5	1	1	1	-	-	-
FEMALE--	1	2	4	3	4	5	6	4	3	1	-	-
ALL OTHER--MALE----	-	-	1	1	1	1	-	-	-	-	-	-
FEMALE--	-	2	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	1	1	1	-	-	-	-	-	-
FEMALE--	-	2	-	-	1	-	-	-	-	-	-	-
ALASKA -----	1	2	2	1	2	-	1	1	1	-	-	-
WHITE-----MALE----	-	-	1	1	2	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	2	1	-	-	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	4	7	8	10	17	13	14	11	7	3	1	-
WHITE-----MALE----	3	4	5	5	7	5	7	2	1	-	-	-
FEMALE--	1	2	2	4	10	7	7	9	5	3	-	-
ALL OTHER--MALE----	-	1	1	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	1	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	7	8	6	13	13	6	7	6	1	1	1	-
WHITE-----MALE----	5	2	2	5	6	3	2	1	1	-	-	-
FEMALE--	-	5	2	6	5	3	3	5	-	1	-	-
ALL OTHER--MALE----	1	-	1	-	1	-	1	-	-	-	-	-
FEMALE--	1	1	1	2	1	-	1	-	-	-	1	-
BLACK---MALE----	1	-	1	-	1	-	1	-	-	-	-	-
FEMALE--	1	-	1	2	1	-	1	-	-	-	1	-
CALIFORNIA -----	43	62	90	131	163	104	105	76	35	4	3	-
WHITE-----MALE----	17	36	51	75	77	53	49	34	7	-	3	-
FEMALE--	14	17	22	38	54	38	47	35	24	3	-	-
ALL OTHER--MALE----	6	7	11	14	18	7	2	3	2	-	-	-
FEMALE--	6	2	6	4	14	6	7	4	2	1	-	-
BLACK---MALE----	1	5	8	6	8	-	1	-	1	-	-	-
FEMALE--	2	2	5	2	7	4	4	2	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 569
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF RECTUM, RECTOSIGMOID JUNCTION, AND ANUS (154)												
COLORADO -----	3	7	7	20	18	10	15	12	3	-	-	-
WHITE-----MALE----	1	3	3	11	8	6	4	5	1	-	-	-
FEMALE--	1	4	3	8	10	2	10	6	2	-	-	-
ALL OTHER--MALE----	1	-	1	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
CONNECTICUT -----	8	9	18	20	16	28	17	9	5	1	-	-
WHITE-----MALE----	6	6	11	13	8	13	8	1	1	-	-	-
FEMALE--	2	3	6	7	8	15	8	8	4	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
DELAWARE -----	1	2	3	6	8	4	2	4	2	-	-	-
WHITE-----MALE----	1	2	3	2	4	3	1	2	1	-	-	-
FEMALE--	-	-	-	3	4	1	1	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	1	4	1	2	4	1	2	3	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	2	-	-	-
FEMALE--	-	1	3	-	1	3	1	2	1	-	-	-
BLACK---MALE----	-	-	1	1	-	-	-	-	2	-	-	-
FEMALE--	-	1	3	-	-	3	1	2	1	-	-	-
FLORIDA -----	23	22	51	77	80	80	61	60	28	10	-	-
WHITE-----MALE----	15	9	31	40	38	39	24	25	11	1	-	-
FEMALE--	6	10	15	28	33	35	33	30	15	9	-	-
ALL OTHER--MALE----	1	1	4	5	2	2	1	1	1	-	-	-
FEMALE--	1	2	1	4	7	4	3	4	1	-	-	-
BLACK---MALE----	1	-	4	5	2	2	1	1	1	-	-	-
FEMALE--	1	2	1	4	7	4	3	4	1	-	-	-
GEORGIA -----	6	12	21	20	30	14	23	9	4	4	-	-
WHITE-----MALE----	3	6	10	8	14	6	6	3	2	-	-	-
FEMALE--	-	3	7	8	6	5	9	5	1	4	-	-
ALL OTHER--MALE----	3	-	1	1	6	2	1	-	1	-	-	-
FEMALE--	-	3	3	3	4	1	7	1	-	-	-	-
BLACK---MALE----	3	-	1	1	5	2	1	-	1	-	-	-
FEMALE--	-	2	3	3	4	1	6	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 570
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF RECTUM, RECTOSIGMOID JUNCTION, AND ANUS (154)												
HAWAII -----	5	-	1	4	2	3	1	2	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	3	-	1	3	-	2	-	1	-	-	-	-
FEMALE--	1	-	-	1	2	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	2	1	3	6	7	5	2	1	1	2	-	-
WHITE-----MALE----	1	-	1	2	4	4	1	-	1	1	-	-
FEMALE--	1	1	2	4	3	1	1	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	15	24	27	69	67	63	60	41	14	3	-	-
WHITE-----MALE----	10	9	14	38	42	37	19	16	5	-	-	-
FEMALE--	5	9	10	17	18	20	34	21	8	2	-	-
ALL OTHER--MALE----	-	6	3	9	2	4	4	3	-	-	-	-
FEMALE--	-	-	-	5	5	2	3	1	1	1	-	-
BLACK---MALE----	-	6	3	7	2	4	4	3	-	-	-	-
FEMALE--	-	-	-	4	4	2	3	1	1	1	-	-
INDIANA -----	8	17	20	21	31	36	21	13	5	2	-	-
WHITE-----MALE----	2	12	14	8	17	17	8	4	1	1	-	-
FEMALE--	5	2	6	8	10	17	12	8	4	1	-	-
ALL OTHER--MALE----	1	3	-	1	3	2	-	-	-	-	-	-
FEMALE--	-	-	-	4	1	-	1	1	-	-	-	-
BLACK---MALE----	1	3	-	1	3	2	-	-	-	-	-	-
FEMALE--	-	-	-	3	1	-	1	1	-	-	-	-
IOWA -----	1	4	9	15	19	11	7	12	5	1	1	-
WHITE-----MALE----	-	4	6	7	14	7	3	4	2	-	-	-
FEMALE--	1	-	3	8	4	4	4	8	3	1	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	6	5	11	3	6	12	7	4	11	-	-	-
WHITE-----MALE----	5	2	7	3	3	9	3	2	4	-	-	-
FEMALE--	-	2	3	-	3	2	4	2	7	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 571
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 0 OF RECTUM, RECTOSIGMOID JUNCTION, AND ANUS (154)	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	121	-	-	-	-	-	-	-	2	2	8	5
WHITE-----MALE----	64	-	-	-	-	-	-	-	2	1	4	3
FEMALE--	46	-	-	-	-	-	-	-	-	-	4	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	5	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
LOUISIANA -----	119	-	-	-	-	-	-	-	-	-	2	4
WHITE-----MALE----	35	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	46	-	-	-	-	-	-	-	-	-	-	3
ALL OTHER--MALE----	24	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	24	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	45	-	-	-	-	-	-	-	1	-	1	-
WHITE-----MALE----	21	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	24	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	153	-	-	-	-	-	-	-	3	4	2	2
WHITE-----MALE----	69	-	-	-	-	-	-	-	2	1	-	-
FEMALE--	54	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	21	-	-	-	-	-	-	-	1	3	1	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	20	-	-	-	-	-	-	-	1	2	1	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	286	-	-	-	-	-	-	-	1	1	4	6
WHITE-----MALE----	145	-	-	-	-	-	-	-	-	1	2	3
FEMALE--	126	-	-	-	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	-
MICHIGAN -----	305	-	-	-	-	-	1	-	2	1	4	9
WHITE-----MALE----	149	-	-	-	-	-	-	-	2	-	2	5
FEMALE--	117	-	-	-	-	-	1	-	-	-	-	1
ALL OTHER--MALE----	28	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	11	-	-	-	-	-	-	-	-	1	-	2
BLACK---MALE----	25	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	10	-	-	-	-	-	-	-	-	1	-	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 571
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF RECTUM, RECTOSIGMOID JUNCTION, AND ANUS (154)												
KENTUCKY -----	10	5	9	12	24	11	16	13	3	1	-	-
WHITE-----MALE----	6	3	7	9	14	7	5	3	-	-	-	-
FEMALE--	2	2	2	3	7	3	9	9	3	1	-	-
ALL OTHER--MALE----	1	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	2	-	1	1	-	-	-	-
BLACK---MALE----	1	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	2	-	1	1	-	-	-	-
LOUISIANA -----	7	8	14	17	13	14	17	10	11	1	1	-
WHITE-----MALE----	3	5	4	6	5	6	3	2	-	-	-	-
FEMALE--	2	2	5	3	4	5	8	6	8	-	-	-
ALL OTHER--MALE----	2	1	5	3	4	1	5	1	-	-	-	-
FEMALE--	-	-	-	5	-	2	1	1	3	1	1	-
BLACK---MALE----	2	1	5	3	4	1	5	1	-	-	-	-
FEMALE--	-	-	-	5	-	2	1	1	3	1	1	-
MAINE -----	2	6	4	5	4	7	4	4	4	3	-	-
WHITE-----MALE----	2	2	2	2	2	4	3	2	1	-	-	-
FEMALE--	-	4	2	3	2	3	1	2	3	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	7	15	14	26	16	29	15	14	4	1	1	-
WHITE-----MALE----	4	8	8	16	6	14	9	-	1	-	-	-
FEMALE--	2	3	4	6	6	11	3	12	2	1	1	-
ALL OTHER--MALE----	1	3	2	1	1	4	2	1	1	-	-	-
FEMALE--	-	1	-	3	3	-	1	1	-	-	-	-
BLACK---MALE----	1	3	2	1	1	4	2	1	1	-	-	-
FEMALE--	-	1	-	3	3	-	1	1	-	-	-	-
MASSACHUSETTS -----	15	13	23	24	37	56	51	30	19	5	1	-
WHITE-----MALE----	5	6	14	18	18	35	23	11	8	1	-	-
FEMALE--	8	6	7	6	19	18	26	19	11	3	-	-
ALL OTHER--MALE----	2	1	2	-	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	1	1	-
BLACK---MALE----	2	1	2	-	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	1	1	-
MICHIGAN -----	13	22	32	36	54	46	45	22	14	4	-	-
WHITE-----MALE----	8	13	15	25	23	21	20	8	6	1	-	-
FEMALE--	2	7	12	9	25	16	20	14	7	3	-	-
ALL OTHER--MALE----	3	-	5	2	4	7	4	-	-	-	-	-
FEMALE--	-	2	-	-	2	2	1	-	1	-	-	-
BLACK---MALE----	3	-	4	2	4	6	3	-	-	-	-	-
FEMALE--	-	2	-	-	2	1	1	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 574
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF RECTUM, RECTOSIGMOID JUNCTION, AND ANUS (154)												
OHIO -----	15	31	36	53	83	72	68	30	13	7	1	-
WHITE-----MALE----	9	16	22	31	49	30	35	9	5	-	-	-
FEMALE--	5	8	9	11	22	34	32	17	7	7	1	-
ALL OTHER--MALE----	1	5	4	4	7	4	1	1	1	-	-	-
FEMALE--	-	2	1	7	5	4	-	3	-	-	-	-
BLACK---MALE----	1	5	4	4	6	4	1	1	1	-	-	-
FEMALE--	-	2	1	7	5	4	-	3	-	-	-	-
OKLAHOMA -----	7	10	9	16	8	8	15	6	1	4	1	-
WHITE-----MALE----	6	7	6	9	2	4	7	2	-	1	-	-
FEMALE--	1	3	3	5	3	2	7	4	-	3	1	-
ALL OTHER--MALE----	-	-	-	2	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	1	-	1	-	-	-
BLACK---MALE----	-	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	1	-	-	-	-	-
OREGON -----	5	4	11	16	13	10	23	7	2	2	-	-
WHITE-----MALE----	2	2	6	10	9	5	13	2	1	-	-	-
FEMALE--	3	1	4	4	3	5	10	5	1	2	-	-
ALL OTHER--MALE----	-	1	-	2	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	17	25	41	77	104	89	55	58	32	5	-	-
WHITE-----MALE----	10	15	21	42	60	39	26	21	7	1	-	-
FEMALE--	3	4	14	31	33	46	28	34	21	3	-	-
ALL OTHER--MALE----	2	2	2	4	5	2	1	1	1	-	-	-
FEMALE--	2	4	4	-	6	2	-	2	3	1	-	-
BLACK---MALE----	2	2	2	4	5	2	1	1	1	-	-	-
FEMALE--	2	4	4	-	6	2	-	2	3	1	-	-
RHODE ISLAND -----	2	2	7	7	10	7	10	1	2	-	-	-
WHITE-----MALE----	1	1	4	4	5	2	4	-	-	-	-	-
FEMALE--	1	1	2	2	5	4	6	1	2	-	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
SOUTH CAROLINA -----	10	14	18	12	20	13	15	3	2	-	-	-
WHITE-----MALE----	3	4	7	5	9	7	4	2	2	-	-	-
FEMALE--	3	2	6	5	6	5	7	-	-	-	-	-
ALL OTHER--MALE----	3	5	2	1	1	-	1	-	-	-	-	-
FEMALE--	1	3	3	1	4	1	3	1	-	-	-	-
BLACK---MALE----	3	5	2	1	-	-	1	-	-	-	-	-
FEMALE--	1	3	3	1	3	1	3	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 575

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF RECTUM, RECTOSIGMOID JUNCTION, AND ANUS (154)												
SOUTH DAKOTA -----	-	3	4	6	-	3	4	5	3	-	-	-
WHITE-----MALE----	-	-	1	4	-	2	3	2	-	-	-	-
FEMALE--	-	3	3	2	-	-	1	3	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	8	5	18	12	25	23	16	11	5	1	1	-
WHITE-----MALE----	3	3	7	7	6	10	6	5	1	-	-	-
FEMALE--	3	2	9	5	15	12	9	4	3	1	1	-
ALL OTHER--MALE----	2	-	2	-	2	1	-	1	1	-	-	-
FEMALE--	-	-	-	-	2	-	1	1	-	-	-	-
BLACK---MALE----	2	-	2	-	2	1	-	1	1	-	-	-
FEMALE--	-	-	-	-	2	-	1	1	-	-	-	-
TEXAS -----	17	35	45	66	63	56	54	28	19	4	-	-
WHITE-----MALE----	7	22	21	31	30	24	29	7	5	1	-	-
FEMALE--	4	7	14	22	25	25	18	17	12	3	-	-
ALL OTHER--MALE----	2	4	5	8	5	2	2	2	1	-	-	-
FEMALE--	4	2	5	5	3	5	5	2	1	-	-	-
BLACK---MALE----	2	4	5	8	5	2	2	2	1	-	-	-
FEMALE--	4	1	5	5	3	5	4	2	1	-	-	-
UTAH -----	1	1	5	4	4	5	5	7	2	-	-	-
WHITE-----MALE----	1	1	2	2	1	3	1	3	1	-	-	-
FEMALE--	-	-	3	2	3	2	4	4	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	3	2	2	1	5	5	4	2	-	-	-
WHITE-----MALE----	1	3	1	1	1	2	3	2	1	-	-	-
FEMALE--	-	-	1	1	-	3	2	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	10	16	20	22	31	18	16	17	8	5	-	-
WHITE-----MALE----	3	10	6	13	9	6	5	3	2	-	-	-
FEMALE--	3	4	9	6	14	6	9	11	5	5	-	-
ALL OTHER--MALE----	2	-	5	3	6	3	2	2	-	-	-	-
FEMALE--	2	2	-	-	2	3	-	1	1	-	-	-
BLACK---MALE----	2	-	4	3	6	2	2	2	-	-	-	-
FEMALE--	2	1	-	-	2	3	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 577
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF LIVER AND INTRAHEPATIC BILE DUCTS (155)												
0 UNITED STATES --	11,191	3	23	7	6	17	17	30	49	114	280	436
WHITE-----MALE----	5,468	2	7	4	1	2	4	16	18	37	124	216
FEMALE--	3,582	1	11	2	3	12	10	7	10	27	39	90
ALL OTHER--MALE----	1,358	-	2	-	1	3	1	5	16	35	94	111
FEMALE--	783	-	3	1	1	-	2	2	5	15	23	19
BLACK---MALE----	867	-	2	-	1	-	1	3	9	22	62	71
FEMALE--	554	-	3	1	1	-	2	1	5	11	13	13
ALABAMA -----	221	-	1	1	-	-	-	1	4	2	6	12
WHITE-----MALE----	109	-	-	-	-	-	-	-	1	-	1	3
FEMALE--	60	-	1	1	-	-	1	-	-	1	-	5
ALL OTHER--MALE----	27	-	-	-	-	-	-	-	1	-	5	2
FEMALE--	25	-	-	-	-	-	-	-	2	1	-	2
BLACK---MALE----	26	-	-	-	-	-	-	-	1	-	5	2
FEMALE--	24	-	-	-	-	-	-	-	2	1	-	2
ALASKA -----	12	-	-	-	-	1	-	1	-	-	-	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	158	-	-	-	-	-	-	-	-	1	2	4
WHITE-----MALE----	85	-	-	-	-	-	-	-	-	1	1	3
FEMALE--	59	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	158	1	1	-	-	-	-	1	2	1	5	4
WHITE-----MALE----	92	-	1	-	-	-	-	-	-	1	2	4
FEMALE--	50	1	-	-	-	-	-	-	1	-	2	-
ALL OTHER--MALE----	10	-	-	-	-	-	-	1	1	-	1	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	1,319	-	5	1	2	4	2	4	6	18	41	75
WHITE-----MALE----	566	-	-	1	-	-	-	3	3	6	16	37
FEMALE--	366	-	5	-	2	4	2	1	1	4	5	11
ALL OTHER--MALE----	266	-	-	-	-	-	-	-	2	3	16	21
FEMALE--	121	-	-	-	-	-	-	-	-	5	4	6
BLACK---MALE----	61	-	-	-	-	-	-	-	1	-	6	6
FEMALE--	33	-	-	-	-	-	-	-	-	3	1	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 577
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF LIVER AND INTRAHEPATIC BILE DUCTS (155)												
0 UNITED STATES --	538	766	1,226	1,534	1,914	1,722	1,342	775	316	69	7	-
WHITE-----MALE----	242	398	684	798	1,031	832	643	295	102	11	1	-
FEMALE--	126	172	282	436	576	640	530	378	177	47	6	-
ALL OTHER--MALE----	125	127	175	180	179	146	90	48	17	3	-	-
FEMALE--	45	69	85	120	128	104	79	54	20	8	-	-
BLACK---MALE----	74	78	113	126	112	88	55	35	14	1	-	-
FEMALE--	31	54	50	85	88	75	55	44	14	8	-	-
ALABAMA -----	11	16	23	30	31	38	25	16	4	-	-	-
WHITE-----MALE----	4	11	15	16	14	23	15	4	2	-	-	-
FEMALE--	3	2	2	7	9	12	8	7	1	-	-	-
ALL OTHER--MALE----	3	1	3	5	2	2	1	2	-	-	-	-
FEMALE--	1	2	3	2	6	1	1	3	1	-	-	-
BLACK---MALE----	2	1	3	5	2	2	1	2	-	-	-	-
FEMALE--	1	2	2	2	6	1	1	3	1	-	-	-
ALASKA -----	-	3	2	2	-	2	1	-	-	-	-	-
WHITE-----MALE----	-	1	2	-	-	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	5	10	17	23	33	30	18	11	3	1	-	-
WHITE-----MALE----	1	4	13	15	21	15	6	4	1	-	-	-
FEMALE--	4	5	3	7	9	11	12	7	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	3	-	-	-	-	-	-
FEMALE--	-	1	1	1	2	1	-	-	2	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ARKANSAS -----	3	7	17	21	21	26	28	12	6	2	-	-
WHITE-----MALE----	2	6	13	14	15	10	16	5	2	1	-	-
FEMALE--	1	1	4	3	5	10	11	6	4	1	-	-
ALL OTHER--MALE----	-	-	-	2	-	4	-	1	-	-	-	-
FEMALE--	-	-	-	2	1	2	1	-	-	-	-	-
BLACK---MALE----	-	-	-	2	-	4	-	1	-	-	-	-
FEMALE--	-	-	-	2	1	2	1	-	-	-	-	-
CALIFORNIA -----	65	95	162	183	208	181	160	72	24	10	1	-
WHITE-----MALE----	20	41	87	80	91	68	78	26	8	1	-	-
FEMALE--	13	22	21	48	58	69	46	33	11	9	1	-
ALL OTHER--MALE----	23	26	40	36	38	29	21	7	4	-	-	-
FEMALE--	9	6	14	19	21	15	15	6	1	-	-	-
BLACK---MALE----	6	5	12	13	4	2	1	2	3	-	-	-
FEMALE--	3	4	2	3	7	4	3	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 578

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF LIVER AND INTRAHEPATIC BILE DUCTS (155)												
COLORADO -----	116	-	-	-	-	-	-	-	-	2	1	3
WHITE-----MALE----	59	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	50	-	-	-	-	-	-	-	-	2	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	144	-	1	-	-	1	-	-	-	2	1	3
WHITE-----MALE----	91	-	-	-	-	1	-	-	-	1	1	3
FEMALE--	45	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	26	-	-	-	1	-	-	-	-	-	1	1
WHITE-----MALE----	11	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	1	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	34	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	13	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	16	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	13	-	-	-	-	-	-	-	-	-	1	-
FLORIDA -----	701	-	-	-	-	1	1	3	7	6	9	23
WHITE-----MALE----	411	-	-	-	-	-	-	1	1	4	4	9
FEMALE--	201	-	-	-	-	-	1	-	2	-	2	5
ALL OTHER--MALE----	51	-	-	-	-	1	-	1	3	2	2	8
FEMALE--	38	-	-	-	-	-	-	1	1	-	1	1
BLACK---MALE----	42	-	-	-	-	-	-	1	2	1	1	6
FEMALE--	34	-	-	-	-	-	-	1	1	-	1	1
GEORGIA -----	253	-	-	-	-	-	2	1	3	6	3	15
WHITE-----MALE----	109	-	-	-	-	-	1	1	1	1	2	5
FEMALE--	68	-	-	-	-	-	1	-	-	-	1	1
ALL OTHER--MALE----	43	-	-	-	-	-	-	-	1	4	-	7
FEMALE--	33	-	-	-	-	-	-	-	1	1	-	2
BLACK---MALE----	40	-	-	-	-	-	-	-	1	4	-	5
FEMALE--	31	-	-	-	-	-	-	-	1	1	-	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 578
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF LIVER AND INTRAHEPATIC BILE DUCTS (155)												
COLORADO -----	9	5	22	21	16	22	8	3	3	1	-	-
WHITE-----MALE----	5	3	11	13	9	7	7	-	1	-	-	-
FEMALE--	3	2	10	6	7	13	1	3	1	1	-	-
ALL OTHER--MALE----	1	-	-	2	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
CONNECTICUT -----	7	7	18	21	26	24	17	8	7	1	-	-
WHITE-----MALE----	4	5	11	13	19	17	9	3	4	-	-	-
FEMALE--	1	1	6	7	7	7	6	5	3	1	-	-
ALL OTHER--MALE----	1	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	2	-	-	-	-	-
BLACK---MALE----	1	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	2	-	-	-	-	-
DELAWARE -----	2	3	4	3	2	2	1	6	-	-	-	-
WHITE-----MALE----	1	1	3	1	1	2	-	1	-	-	-	-
FEMALE--	1	1	-	2	-	-	1	3	-	-	-	-
ALL OTHER--MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	2	-	-	-	-
BLACK---MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	2	-	-	-	-
DISTRICT OF COLUMBIA ----	1	6	4	3	8	6	1	2	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	3	2	-	4	4	-	1	1	-	-	-
FEMALE--	-	3	2	2	3	1	-	1	-	-	-	-
BLACK---MALE----	-	3	2	-	4	4	-	1	1	-	-	-
FEMALE--	-	3	2	2	3	1	-	1	-	-	-	-
FLORIDA -----	23	40	67	95	136	120	91	51	26	2	-	-
WHITE-----MALE----	17	27	41	52	92	75	54	23	11	-	-	-
FEMALE--	3	7	16	28	35	32	31	25	13	1	-	-
ALL OTHER--MALE----	1	3	7	10	4	6	2	-	1	-	-	-
FEMALE--	2	3	3	5	5	7	4	3	1	1	-	-
BLACK---MALE----	1	3	7	8	4	5	2	-	1	-	-	-
FEMALE--	2	3	2	4	5	6	3	3	1	1	-	-
GEORGIA -----	7	20	22	48	45	37	17	19	7	1	-	-
WHITE-----MALE----	2	8	14	30	20	13	7	3	1	-	-	-
FEMALE--	1	7	5	5	12	12	5	13	4	1	-	-
ALL OTHER--MALE----	3	2	2	4	9	6	3	1	1	-	-	-
FEMALE--	1	3	1	9	4	6	2	2	1	-	-	-
BLACK---MALE----	3	2	2	4	9	5	3	1	1	-	-	-
FEMALE--	1	3	1	8	4	5	2	2	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 579
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF LIVER AND INTRAHEPATIC BILE DUCTS (155)												
HAWAII -----	8	4	9	7	22	15	7	4	2	1	-	-
WHITE-----MALE----	-	-	-	1	5	3	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	7	3	5	5	6	6	6	1	1	1	-	-
FEMALE--	1	1	3	1	10	5	-	3	1	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	2	1	2	3	4	5	1	3	2	1	-	-
WHITE-----MALE----	-	1	1	2	4	3	-	-	-	-	-	-
FEMALE--	1	-	1	1	-	2	1	3	2	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	24	31	59	86	97	78	80	46	19	3	2	-
WHITE-----MALE----	7	19	31	40	56	31	37	17	4	1	-	-
FEMALE--	10	7	9	25	23	31	29	21	11	1	2	-
ALL OTHER--MALE----	6	2	16	14	10	11	7	5	2	-	-	-
FEMALE--	1	3	3	7	8	5	7	3	2	1	-	-
BLACK---MALE----	3	2	16	13	8	8	6	3	2	-	-	-
FEMALE--	1	3	3	6	7	3	7	3	2	1	-	-
INDIANA -----	9	20	24	31	48	38	27	18	6	-	-	-
WHITE-----MALE----	4	8	14	12	29	24	11	6	3	-	-	-
FEMALE--	3	7	7	15	16	14	14	10	3	-	-	-
ALL OTHER--MALE----	2	3	2	2	1	-	-	-	-	-	-	-
FEMALE--	-	2	1	2	2	-	2	2	-	-	-	-
BLACK---MALE----	2	3	2	2	1	-	-	-	-	-	-	-
FEMALE--	-	2	1	2	2	-	2	2	-	-	-	-
IOWA -----	2	4	5	11	10	15	12	7	3	1	-	-
WHITE-----MALE----	1	3	4	5	8	7	5	3	-	1	-	-
FEMALE--	1	1	1	5	2	8	7	4	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
KANSAS -----	4	4	6	10	10	12	10	8	1	-	-	-
WHITE-----MALE----	4	4	4	8	7	1	8	4	-	-	-	-
FEMALE--	-	-	1	1	2	8	1	4	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	2	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 580
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF LIVER AND INTRAHEPATIC BILE DUCTS (155)												
KENTUCKY -----	8	16	14	17	27	21	17	9	3	2	-	-
WHITE-----MALE----	5	8	8	15	14	12	8	3	1	-	-	-
FEMALE--	2	7	6	2	11	8	9	5	1	2	-	-
ALL OTHER--MALE----	1	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	1	1	-	-	-
BLACK---MALE----	1	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	1	1	-	-	-
LOUISIANA -----	14	26	30	33	44	35	17	31	3	-	-	-
WHITE-----MALE----	5	11	8	10	17	10	9	13	1	-	-	-
FEMALE--	2	6	10	11	15	15	7	10	2	-	-	-
ALL OTHER--MALE----	5	5	9	8	7	6	1	3	-	-	-	-
FEMALE--	2	4	3	4	5	4	-	5	-	-	-	-
BLACK---MALE----	5	5	9	8	7	6	1	2	-	-	-	-
FEMALE--	2	3	3	4	5	4	-	5	-	-	-	-
MAINE -----	4	2	2	5	4	10	6	3	1	2	-	-
WHITE-----MALE----	3	1	1	4	2	5	4	2	1	-	-	-
FEMALE--	1	1	1	1	1	5	2	1	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	16	9	20	27	32	32	19	15	8	1	-	-
WHITE-----MALE----	6	6	9	13	20	13	4	4	1	-	-	-
FEMALE--	1	-	2	8	4	10	9	8	6	-	-	-
ALL OTHER--MALE----	5	2	4	4	6	7	4	2	-	1	-	-
FEMALE--	4	1	5	2	2	2	2	1	1	-	-	-
BLACK---MALE----	5	1	4	4	4	7	4	2	-	1	-	-
FEMALE--	4	1	4	1	2	2	1	1	-	-	-	-
MASSACHUSETTS -----	3	15	40	37	54	38	39	21	16	2	-	-
WHITE-----MALE----	2	7	28	23	29	21	25	11	2	2	-	-
FEMALE--	1	3	7	9	20	14	12	10	14	-	-	-
ALL OTHER--MALE----	-	1	5	1	4	2	1	-	-	-	-	-
FEMALE--	-	4	-	4	1	1	1	-	-	-	-	-
BLACK---MALE----	-	-	2	1	3	1	1	-	-	-	-	-
FEMALE--	-	1	-	2	1	1	1	-	-	-	-	-
MICHIGAN -----	22	27	42	44	63	61	55	20	11	4	-	-
WHITE-----MALE----	10	12	23	20	33	24	23	12	4	-	-	-
FEMALE--	6	8	14	11	17	31	24	6	6	3	-	-
ALL OTHER--MALE----	5	6	5	6	8	4	6	2	-	-	-	-
FEMALE--	1	1	-	7	5	2	2	-	1	1	-	-
BLACK---MALE----	4	4	3	5	5	2	6	1	-	-	-	-
FEMALE--	1	1	-	7	5	2	1	-	1	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 583
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF LIVER AND INTRAHEPATIC BILE DUCTS (155)												
OHIO -----	395	-	-	-	-	-	-	-	-	2	8	17
WHITE-----MALE----	198	-	-	-	-	-	-	-	-	-	4	6
FEMALE--	153	-	-	-	-	-	-	-	-	2	-	8
ALL OTHER--MALE----	25	-	-	-	-	-	-	-	-	-	4	2
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	25	-	-	-	-	-	-	-	-	-	4	2
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	1
OKLAHOMA -----	121	-	-	-	-	1	1	2	-	2	2	3
WHITE-----MALE----	60	-	-	-	-	-	1	2	-	1	2	1
FEMALE--	46	-	-	-	-	1	-	-	-	1	-	-
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	107	-	1	-	-	-	-	-	-	-	7	6
WHITE-----MALE----	55	-	-	-	-	-	-	-	-	-	3	4
FEMALE--	45	-	1	-	-	-	-	-	-	-	2	2
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	565	-	-	-	1	2	1	2	-	4	17	17
WHITE-----MALE----	290	-	-	-	1	1	-	1	-	2	8	10
FEMALE--	195	-	-	-	-	1	1	1	-	1	2	2
ALL OTHER--MALE----	56	-	-	-	-	-	-	-	-	1	6	4
FEMALE--	24	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	51	-	-	-	-	-	-	-	-	1	5	4
FEMALE--	23	-	-	-	-	-	-	-	-	-	1	1
RHODE ISLAND -----	39	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	21	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	132	-	-	-	-	-	-	-	1	3	3	4
WHITE-----MALE----	53	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	42	-	-	-	-	-	-	-	-	1	-	2
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	22	-	-	-	-	-	-	-	1	1	-	1
BLACK---MALE----	15	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	20	-	-	-	-	-	-	-	1	1	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 583
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF LIVER AND INTRAHEPATIC BILE DUCTS (155)												
OHIO -----	22	26	43	47	67	65	49	34	13	2	-	-
WHITE-----MALE----	14	15	31	26	32	38	17	11	4	-	-	-
FEMALE--	7	5	7	18	28	20	28	20	8	2	-	-
ALL OTHER--MALE----	-	4	3	2	1	5	3	1	-	-	-	-
FEMALE--	1	2	2	1	6	2	1	2	1	-	-	-
BLACK---MALE----	-	4	3	2	1	5	3	1	-	-	-	-
FEMALE--	1	2	2	1	6	2	1	2	1	-	-	-
OKLAHOMA -----	7	12	8	10	20	28	12	8	3	-	2	-
WHITE-----MALE----	3	7	6	5	12	14	2	3	-	-	1	-
FEMALE--	2	3	2	5	5	12	6	5	3	-	1	-
ALL OTHER--MALE----	2	1	-	-	1	1	3	-	-	-	-	-
FEMALE--	-	1	-	-	2	1	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
OREGON -----	3	4	13	14	16	14	13	13	2	1	-	-
WHITE-----MALE----	1	1	5	7	9	8	9	8	-	-	-	-
FEMALE--	1	2	7	5	7	6	4	5	2	1	-	-
ALL OTHER--MALE----	1	1	1	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	23	32	59	89	109	85	79	31	12	2	-	-
WHITE-----MALE----	9	17	29	44	68	42	39	10	9	-	-	-
FEMALE--	6	8	16	31	31	34	38	19	3	1	-	-
ALL OTHER--MALE----	7	5	11	7	7	6	1	1	-	-	-	-
FEMALE--	1	2	3	7	3	3	1	1	-	1	-	-
BLACK---MALE----	5	5	10	7	6	6	1	1	-	-	-	-
FEMALE--	1	2	2	7	3	3	1	1	-	1	-	-
RHODE ISLAND -----	1	2	2	6	5	8	9	2	2	1	-	-
WHITE-----MALE----	-	-	2	5	4	5	3	2	-	-	-	-
FEMALE--	1	2	-	1	1	3	6	-	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	9	7	12	16	30	19	15	10	3	-	-	-
WHITE-----MALE----	2	3	8	3	14	8	7	5	-	-	-	-
FEMALE--	3	2	3	8	8	5	4	3	3	-	-	-
ALL OTHER--MALE----	2	-	-	1	3	3	2	2	-	-	-	-
FEMALE--	2	2	1	4	5	3	2	-	-	-	-	-
BLACK---MALE----	2	-	-	1	3	3	2	2	-	-	-	-
FEMALE--	2	2	1	2	5	3	2	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 584
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF LIVER AND INTRAHEPATIC BILE DUCTS (155)												
SOUTH DAKOTA -----	1	-	2	3	5	7	6	5	1	-	-	-
WHITE-----MALE----	-	-	2	2	3	3	3	2	-	-	-	-
FEMALE--	-	-	-	1	2	3	3	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	11	21	20	36	33	41	27	19	8	1	-	-
WHITE-----MALE----	5	15	13	19	16	13	9	6	1	-	-	-
FEMALE--	2	4	5	8	10	18	10	8	6	1	-	-
ALL OTHER--MALE----	2	1	2	6	5	4	2	4	-	-	-	-
FEMALE--	2	1	-	3	2	6	6	1	1	-	-	-
BLACK---MALE----	1	1	1	6	5	4	2	4	-	-	-	-
FEMALE--	2	1	-	3	2	6	6	1	1	-	-	-
TEXAS -----	51	73	97	132	158	125	107	60	23	4	-	-
WHITE-----MALE----	31	39	59	75	80	57	58	20	10	-	-	-
FEMALE--	11	19	25	36	55	53	37	30	11	2	-	-
ALL OTHER--MALE----	8	10	10	19	16	8	5	5	1	-	-	-
FEMALE--	1	5	3	2	7	7	5	5	1	2	-	-
BLACK---MALE----	7	9	7	16	13	6	4	5	1	-	-	-
FEMALE--	1	2	2	1	6	7	7	5	1	2	-	-
UTAH -----	-	4	3	3	5	5	8	4	1	-	-	-
WHITE-----MALE----	-	2	-	1	3	4	3	1	1	-	-	-
FEMALE--	-	2	2	1	2	1	4	3	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	1	1	2	3	3	2	1	-	-	-
WHITE-----MALE----	1	-	1	1	2	3	3	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	14	19	21	45	45	40	19	22	5	3	-	-
WHITE-----MALE----	6	10	9	20	18	19	7	8	1	1	-	-
FEMALE--	3	2	3	14	16	13	6	10	2	1	-	-
ALL OTHER--MALE----	4	4	5	7	8	5	-	1	2	-	-	-
FEMALE--	1	3	4	4	3	3	6	3	-	1	-	-
BLACK---MALE----	2	2	4	5	7	4	-	1	2	-	-	-
FEMALE--	1	3	4	4	2	2	3	3	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 586
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 LIVER, PRIMARY (155.0)												
0 UNITED STATES --	5,010	3	23	6	5	11	10	17	28	63	165	234
WHITE-----MALE----	2,685	2	7	4	1	-	3	8	11	22	66	128
FEMALE--	1,191	1	11	2	3	9	6	5	3	10	15	27
ALL OTHER--MALE----	794	-	2	-	1	2	1	3	11	23	72	71
FEMALE--	340	-	3	-	-	-	-	1	3	8	12	8
BLACK---MALE----	480	-	2	-	1	-	1	1	5	13	46	40
FEMALE--	212	-	3	-	-	-	-	-	3	6	5	4
ALABAMA -----	72	-	1	1	-	-	-	1	3	-	4	6
WHITE-----MALE----	38	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	13	-	1	1	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	-	-	4	2
FEMALE--	6	-	-	-	-	-	-	-	2	-	-	1
BLACK---MALE----	14	-	-	-	-	-	-	-	-	-	4	2
FEMALE--	5	-	-	-	-	-	-	-	2	-	-	1
ALASKA -----	7	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	59	-	-	-	-	-	-	-	-	-	2	2
WHITE-----MALE----	44	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	61	1	1	-	-	-	-	1	1	-	3	2
WHITE-----MALE----	39	-	1	-	-	-	-	-	-	-	1	2
FEMALE--	14	1	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	1	1	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	652	-	5	1	2	2	1	1	3	10	23	49
WHITE-----MALE----	291	-	-	1	-	-	-	-	2	3	7	26
FEMALE--	131	-	5	-	2	2	1	1	-	1	3	3
ALL OTHER--MALE----	161	-	-	-	-	-	-	-	1	3	11	17
FEMALE--	69	-	-	-	-	-	-	-	-	3	2	3
BLACK---MALE----	35	-	-	-	-	-	-	-	-	-	3	3
FEMALE--	15	-	-	-	-	-	-	-	-	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 586
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 LIVER, PRIMARY (155.0)												
0 UNITED STATES --	279	375	615	793	834	744	499	227	69	7	3	-
WHITE-----MALE----	141	201	359	458	484	390	265	103	30	1	1	-
FEMALE--	37	63	102	183	200	242	146	93	27	4	2	-
ALL OTHER--MALE----	77	77	109	97	97	76	52	16	5	2	-	-
FEMALE--	24	34	45	55	53	36	36	15	7	-	-	-
BLACK---MALE----	46	44	67	65	55	44	31	14	4	1	-	-
FEMALE--	17	23	21	33	32	23	26	11	5	-	-	-
ALABAMA -----	3	6	8	13	6	12	5	2	1	-	-	-
WHITE-----MALE----	1	6	4	6	4	8	4	1	1	-	-	-
FEMALE--	-	-	1	4	1	3	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	1	2	1	1	1	1	-	-	-	-
FEMALE--	-	-	2	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	2	1	1	1	1	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
ALASKA -----	-	2	1	1	-	2	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	4	8	15	11	8	2	4	2	-	-	-
WHITE-----MALE----	-	3	8	11	10	4	1	3	1	-	-	-
FEMALE--	1	-	-	3	1	4	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ARKANSAS -----	2	1	10	8	8	7	8	4	3	1	-	-
WHITE-----MALE----	1	-	8	6	6	2	6	3	2	1	-	-
FEMALE--	1	1	2	-	1	3	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	-	-	-	-	-
CALIFORNIA -----	40	52	93	93	103	90	60	17	5	1	1	-
WHITE-----MALE----	17	24	52	42	46	33	29	7	2	-	-	-
FEMALE--	4	6	7	20	22	30	12	7	3	1	1	-
ALL OTHER--MALE----	13	18	23	21	21	20	13	-	-	-	-	-
FEMALE--	6	4	11	10	14	7	6	3	-	-	-	-
BLACK---MALE----	4	5	8	9	1	1	1	-	-	-	-	-
FEMALE--	2	2	1	1	4	1	1	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 587
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 LIVER, PRIMARY (155.0)												
COLORADO -----	5	1	8	11	5	5	3	1	-	-	-	-
WHITE-----MALE----	4	1	7	7	4	4	3	-	-	-	-	-
FEMALE--	1	-	1	3	1	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	6	4	11	10	14	12	7	2	1	-	-	-
WHITE-----MALE----	3	3	6	7	10	9	3	-	1	-	-	-
FEMALE--	1	-	4	2	4	3	2	2	-	-	-	-
ALL OTHER--MALE----	1	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	2	-	-	-	-	-
BLACK---MALE----	1	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	2	-	-	-	-	-
DELAWARE -----	1	1	2	-	1	1	-	1	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
DISTRICT OF COLUMBIA ----	-	3	-	1	2	3	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	2	-	1	-	-	-	-
FEMALE--	-	2	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	1	2	-	1	-	-	-	-
FEMALE--	-	2	-	1	1	-	-	-	-	-	-	-
FLORIDA -----	13	19	34	56	68	62	38	15	3	-	-	-
WHITE-----MALE----	10	9	22	33	47	37	23	9	1	-	-	-
FEMALE--	1	4	5	16	16	21	14	6	1	-	-	-
ALL OTHER--MALE----	-	3	4	4	3	2	-	-	1	-	-	-
FEMALE--	2	3	3	3	2	2	1	-	-	-	-	-
BLACK---MALE----	-	3	4	3	3	2	-	-	1	-	-	-
FEMALE--	2	3	2	2	2	1	1	-	-	-	-	-
GEORGIA -----	5	8	10	24	14	9	5	4	1	-	-	-
WHITE-----MALE----	2	2	7	15	7	5	1	2	-	-	-	-
FEMALE--	1	4	3	4	2	3	2	2	-	-	-	-
ALL OTHER--MALE----	1	1	-	1	4	1	1	-	-	-	-	-
FEMALE--	1	1	-	4	1	-	1	-	1	-	-	-
BLACK---MALE----	1	1	-	1	4	-	1	-	-	-	-	-
FEMALE--	1	1	-	3	1	-	1	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 588
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 LIVER, PRIMARY (155.0)												
HAWAII -----	8	2	5	6	10	4	3	-	2	1	-	-
WHITE-----MALE----	-	-	-	1	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	1	4	4	4	2	3	-	1	1	-	-
FEMALE--	1	1	1	1	4	1	-	-	1	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	1	1	1	1	2	2	-	1	1	-	-	-
WHITE-----MALE----	-	1	-	1	2	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	2	-	1	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	11	14	27	42	32	27	27	9	2	-	1	-
WHITE-----MALE----	5	9	15	20	19	10	18	4	-	-	-	-
FEMALE--	2	3	2	13	6	7	4	3	1	-	1	-
ALL OTHER--MALE----	4	-	8	8	6	7	5	1	-	-	-	-
FEMALE--	-	2	2	1	1	3	-	1	1	-	-	-
BLACK---MALE----	2	-	8	8	4	5	5	1	-	-	-	-
FEMALE--	-	2	2	-	-	2	-	1	1	-	-	-
INDIANA -----	2	10	11	9	16	11	9	6	1	-	-	-
WHITE-----MALE----	1	4	7	2	10	9	5	3	1	-	-	-
FEMALE--	-	2	1	5	6	2	2	3	-	-	-	-
ALL OTHER--MALE----	1	3	2	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	1	-	-	2	-	-	-	-	-
BLACK---MALE----	1	3	2	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	1	-	-	2	-	-	-	-	-
IOWA -----	-	2	2	7	7	11	5	6	1	-	-	-
WHITE-----MALE----	-	1	2	4	5	6	2	3	-	-	-	-
FEMALE--	-	1	-	3	2	5	3	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	4	1	3	6	6	5	5	3	-	-	-	-
WHITE-----MALE----	4	1	2	6	3	1	5	-	-	-	-	-
FEMALE--	-	-	-	-	2	3	-	3	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 589
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 LIVER, PRIMARY (155.0)												
KENTUCKY -----	3	4	2	11	12	5	5	-	-	-	-	-
WHITE-----MALE----	1	3	2	11	9	4	1	-	-	-	-	-
FEMALE--	1	1	-	-	2	1	4	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
LOUISIANA -----	3	9	9	14	13	8	4	6	1	-	-	-
WHITE-----MALE----	1	5	2	4	4	1	3	3	1	-	-	-
FEMALE--	-	1	4	4	6	5	1	1	-	-	-	-
ALL OTHER--MALE----	2	1	3	5	2	2	-	1	-	-	-	-
FEMALE--	-	2	-	1	1	-	-	1	-	-	-	-
BLACK---MALE----	2	1	3	5	2	2	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	-	-	1	-	-	-	-
MAINE -----	1	-	-	2	-	4	1	-	-	2	-	-
WHITE-----MALE----	1	-	-	2	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	10	4	13	15	16	9	9	3	1	1	-	-
WHITE-----MALE----	5	3	6	8	12	3	1	2	-	-	-	-
FEMALE--	-	-	1	4	1	3	5	-	-	-	-	-
ALL OTHER--MALE----	4	1	3	2	3	3	2	1	-	1	-	-
FEMALE--	1	-	3	1	-	-	1	-	1	-	-	-
BLACK---MALE----	4	1	3	2	2	3	2	1	-	1	-	-
FEMALE--	1	-	2	1	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	2	8	21	21	30	19	10	5	2	-	-	-
WHITE-----MALE----	2	4	14	14	18	12	8	4	-	-	-	-
FEMALE--	-	1	2	4	9	6	1	1	2	-	-	-
ALL OTHER--MALE----	-	1	5	1	3	-	-	-	-	-	-	-
FEMALE--	-	2	-	2	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	2	1	2	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	1	1	-	-	-	-	-
MICHIGAN -----	8	10	20	21	23	18	12	3	3	-	-	-
WHITE-----MALE----	4	7	11	11	13	11	6	2	1	-	-	-
FEMALE--	-	-	6	3	6	6	1	1	2	-	-	-
ALL OTHER--MALE----	3	2	3	3	4	-	4	-	-	-	-	-
FEMALE--	1	1	-	4	-	1	1	-	-	-	-	-
BLACK---MALE----	3	1	2	2	2	-	4	-	-	-	-	-
FEMALE--	1	1	-	4	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 592
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 LIVER, PRIMARY (155.0)												
OHIO -----	154	-	-	-	-	-	-	-	-	-	6	7
WHITE-----MALE----	91	-	-	-	-	-	-	-	-	-	2	5
FEMALE--	38	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	-	-	4	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	16	-	-	-	-	-	-	-	-	-	4	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	66	-	-	-	-	1	1	2	-	2	2	3
WHITE-----MALE----	37	-	-	-	-	-	1	2	-	1	2	1
FEMALE--	20	-	-	-	-	1	-	-	-	1	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	46	-	1	-	-	-	-	-	-	-	3	2
WHITE-----MALE----	27	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	15	-	1	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	217	-	-	-	1	1	1	1	-	-	12	10
WHITE-----MALE----	123	-	-	-	1	-	-	-	-	-	5	5
FEMALE--	48	-	-	-	-	1	1	1	-	-	1	1
ALL OTHER--MALE----	37	-	-	-	-	-	-	-	-	-	6	3
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	32	-	-	-	-	-	-	-	-	-	5	3
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	1
RHODE ISLAND -----	15	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	61	-	-	-	-	-	-	-	-	3	2	3
WHITE-----MALE----	25	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	14	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	14	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	8	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	13	-	-	-	-	-	-	-	-	1	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 592
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 LIVER, PRIMARY (155.0)												
OHIO -----	9	10	23	20	30	21	15	9	4	-	-	-
WHITE-----MALE----	6	5	17	12	18	15	5	4	2	-	-	-
FEMALE--	2	1	3	6	9	2	8	4	2	-	-	-
ALL OTHER--MALE----	-	3	2	2	-	2	2	-	-	-	-	-
FEMALE--	1	1	1	-	3	2	-	1	-	-	-	-
BLACK---MALE----	-	3	2	2	-	2	2	-	-	-	-	-
FEMALE--	1	1	1	-	3	2	-	1	-	-	-	-
OKLAHOMA -----	5	10	5	6	10	10	5	3	-	-	1	-
WHITE-----MALE----	2	5	4	4	7	4	1	2	-	-	1	-
FEMALE--	2	3	1	2	2	5	2	1	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
OREGON -----	1	1	6	6	8	6	5	7	-	-	-	-
WHITE-----MALE----	-	-	3	3	5	5	4	3	-	-	-	-
FEMALE--	-	-	2	2	3	1	1	4	-	-	-	-
ALL OTHER--MALE----	1	1	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	11	11	30	34	42	29	22	8	4	-	-	-
WHITE-----MALE----	5	4	12	21	30	18	14	4	4	-	-	-
FEMALE--	1	4	8	7	6	7	6	4	-	-	-	-
ALL OTHER--MALE----	5	2	8	3	5	4	1	-	-	-	-	-
FEMALE--	-	1	2	3	1	-	1	-	-	-	-	-
BLACK---MALE----	3	2	7	3	4	4	1	-	-	-	-	-
FEMALE--	-	1	2	3	1	-	1	-	-	-	-	-
RHODE ISLAND -----	-	1	2	5	-	3	3	-	-	-	-	-
WHITE-----MALE----	-	-	2	5	-	2	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	3	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	4	3	3	7	12	13	6	4	1	-	-	-
WHITE-----MALE----	-	1	3	2	8	6	2	1	-	-	-	-
FEMALE--	1	1	-	3	1	3	1	1	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	2	1	2	-	-	-	-
FEMALE--	2	1	-	2	3	2	2	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	2	1	2	-	-	-	-
FEMALE--	2	1	-	1	3	2	2	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 593
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 LIVER, PRIMARY (155.0)												
SOUTH DAKOTA -----	-	-	1	3	3	7	3	4	1	-	-	-
WHITE-----MALE----	-	-	1	2	1	3	1	2	-	-	-	-
FEMALE--	-	-	-	1	2	3	2	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	7	12	7	22	14	20	9	9	2	-	-	-
WHITE-----MALE----	3	10	3	13	7	7	4	2	1	-	-	-
FEMALE--	2	1	3	4	3	8	1	4	1	-	-	-
ALL OTHER--MALE----	1	1	1	3	3	4	2	2	-	-	-	-
FEMALE--	1	-	-	2	1	1	2	1	-	-	-	-
BLACK---MALE----	-	1	-	3	3	4	2	2	-	-	-	-
FEMALE--	1	-	-	2	1	1	2	1	-	-	-	-
TEXAS -----	32	49	70	97	111	94	78	43	11	-	-	-
WHITE-----MALE----	21	26	44	59	60	46	42	15	6	-	-	-
FEMALE--	5	13	15	24	34	36	26	22	4	-	-	-
ALL OTHER--MALE----	6	7	8	12	12	7	3	3	1	-	-	-
FEMALE--	-	3	3	2	5	5	7	3	-	-	-	-
BLACK---MALE----	6	7	5	10	10	5	3	3	1	-	-	-
FEMALE--	-	1	2	1	4	5	7	3	-	-	-	-
UTAH -----	-	-	1	-	4	4	3	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	2	3	1	1	-	-	-	-
FEMALE--	-	-	-	-	2	1	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	1	1	1	2	-	-	1	-	-	-
WHITE-----MALE----	-	-	1	1	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	7	7	15	24	12	18	10	2	1	-	-	-
WHITE-----MALE----	4	5	8	11	5	10	3	1	-	-	-	-
FEMALE--	1	1	2	8	4	4	3	1	-	-	-	-
ALL OTHER--MALE----	2	1	3	4	2	3	-	-	1	-	-	-
FEMALE--	-	-	2	1	1	1	4	-	-	-	-	-
BLACK---MALE----	2	1	2	3	1	2	-	-	1	-	-	-
FEMALE--	-	-	2	1	1	-	2	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 596

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 INTRAHEPATIC BILE DUCTS (155.1)												
COLORADO -----	36	-	-	-	-	-	-	-	-	2	-	3
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	25	-	-	-	-	-	-	-	-	2	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	30	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	19	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	7	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	6	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	128	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	85	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	39	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	34	-	-	-	-	-	1	-	1	-	-	2
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	1	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 596

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INTRAHEPATIC BILE DUCTS (155.1)												
COLORADO -----	3	1	6	2	6	9	2	1	1	-	-	-
WHITE-----MALE----	-	-	1	1	2	-	1	-	-	-	-	-
FEMALE--	2	1	4	1	4	8	1	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	2	2	4	3	10	3	1	3	1	-	-
WHITE-----MALE----	1	1	1	1	3	7	2	1	2	-	-	-
FEMALE--	-	1	1	3	-	3	1	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	1	1	2	-	-	1	2	-	-	-	-
WHITE-----MALE----	-	1	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	2	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	1	-	3	-	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	2	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	2	-	-	1	-	-	-	-
FLORIDA -----	1	11	18	15	27	19	18	15	2	1	-	-
WHITE-----MALE----	1	9	11	7	16	17	15	8	1	-	-	-
FEMALE--	-	2	6	5	11	2	3	7	1	1	-	-
ALL OTHER--MALE----	-	-	1	3	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	3	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	-	4	2	7	7	4	2	2	2	-	-	-
WHITE-----MALE----	-	3	1	5	1	-	1	-	1	-	-	-
FEMALE--	-	1	1	-	4	2	1	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	2	2	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	2	2	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 598

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INTRAHEPATIC BILE DUCTS (155.1)												
KENTUCKY -----	1	3	1	1	7	2	3	1	2	-	-	-
WHITE-----MALE----	1	2	-	1	2	2	1	-	-	-	-	-
FEMALE--	-	1	1	-	5	-	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
LOUISIANA -----	1	1	4	3	4	3	5	2	1	-	-	-
WHITE-----MALE----	-	-	1	1	2	-	3	1	-	-	-	-
FEMALE--	-	1	3	-	2	2	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	2	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	2	-	-	-	-	-	-	-	-
MAINE -----	1	1	-	1	2	3	1	2	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	2	1	1	-	-	-	-
FEMALE--	1	1	-	-	1	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	4	2	2	4	4	8	4	6	2	-	-	-
WHITE-----MALE----	1	1	1	2	1	3	2	1	1	-	-	-
FEMALE--	1	-	-	2	1	4	2	4	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	1	-	-	-	-
FEMALE--	2	1	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	1	-	-	-	-
FEMALE--	2	1	1	-	1	-	-	-	-	-	-	-
MASSACHUSETTS -----	1	2	8	3	13	5	9	4	5	1	-	-
WHITE-----MALE----	-	1	7	1	5	1	6	2	1	1	-	-
FEMALE--	1	1	1	1	8	3	3	2	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
MICHIGAN -----	8	8	3	8	7	15	8	6	1	2	-	-
WHITE-----MALE----	3	2	2	3	4	5	5	4	1	-	-	-
FEMALE--	5	6	1	2	3	7	2	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	2	-	3	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	1	-	-
BLACK---MALE----	-	-	-	2	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 602
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INTRAHEPATIC BILE DUCTS (155.1)												
SOUTH DAKOTA -----	1	-	1	-	1	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2	7	2	3	6	10	4	2	1	1	-	-
WHITE-----MALE----	2	5	1	1	1	5	1	-	-	-	-	-
FEMALE--	-	1	1	2	5	5	2	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
TEXAS -----	10	14	12	22	25	16	13	5	2	1	-	-
WHITE-----MALE----	3	5	5	11	7	6	7	2	1	-	-	-
FEMALE--	4	5	6	8	15	9	5	2	1	-	-	-
ALL OTHER--MALE----	2	3	1	3	1	1	1	-	-	-	-	-
FEMALE--	1	1	-	-	2	-	-	1	-	1	-	-
BLACK---MALE----	1	2	1	2	1	1	1	-	-	-	-	-
FEMALE--	1	1	-	-	2	-	-	1	-	1	-	-
UTAH -----	-	2	1	1	-	1	1	1	1	-	-	-
WHITE-----MALE----	-	1	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	1	1	1	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	1	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	3	5	3	10	10	10	4	4	1	-	-	-
WHITE-----MALE----	2	3	1	2	3	1	1	1	-	-	-	-
FEMALE--	1	1	-	4	6	7	2	2	1	-	-	-
ALL OTHER--MALE----	-	-	1	1	1	1	-	1	-	-	-	-
FEMALE--	-	1	1	3	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	1	-	1	-	-	-	-
FEMALE--	-	1	1	3	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 604
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 LIVER, NOT SPECIFIED AS PRIMARY OR SECONDARY (155.2)												
0 UNITED STATES --	4,055	-	-	1	1	5	3	6	16	29	76	124
WHITE-----MALE----	1,851	-	-	-	-	2	1	3	5	6	41	56
FEMALE--	1,455	-	-	-	-	2	2	1	5	8	10	26
ALL OTHER--MALE----	429	-	-	-	-	1	-	1	5	10	17	33
FEMALE--	320	-	-	1	1	-	-	1	1	5	8	9
BLACK---MALE----	312	-	-	-	-	-	-	1	4	8	13	25
FEMALE--	259	-	-	1	1	-	-	1	1	4	6	7
ALABAMA -----	125	-	-	-	-	-	-	-	1	1	2	3
WHITE-----MALE----	56	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	41	-	-	-	-	-	-	-	-	1	-	2
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	11	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	1
ALASKA -----	4	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	46	-	-	-	-	-	-	-	-	-	-	2
WHITE-----MALE----	20	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	73	-	-	-	-	-	-	-	1	-	1	2
WHITE-----MALE----	39	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	28	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	429	-	-	-	-	2	1	2	2	5	12	17
WHITE-----MALE----	186	-	-	-	-	-	-	2	1	2	5	7
FEMALE--	131	-	-	-	-	2	1	-	-	2	1	4
ALL OTHER--MALE----	73	-	-	-	-	-	-	-	1	-	5	4
FEMALE--	39	-	-	-	-	-	-	-	-	1	1	2
BLACK---MALE----	23	-	-	-	-	-	-	-	1	-	3	3
FEMALE--	15	-	-	-	-	-	-	-	-	1	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 604
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 LIVER, NOT SPECIFIED AS PRIMARY OR SECONDARY (155.2)												
0 UNITED STATES --	155	238	413	476	713	629	565	392	166	44	3	-
WHITE-----MALE----	62	120	226	229	383	289	238	139	46	5	-	-
FEMALE--	45	54	105	142	213	246	265	198	98	32	3	-
ALL OTHER--MALE----	40	38	53	59	63	44	30	22	12	1	-	-
FEMALE--	8	26	29	46	54	50	32	33	10	6	-	-
BLACK---MALE----	26	28	39	45	47	33	18	15	10	-	-	-
FEMALE--	6	22	22	35	45	42	23	29	8	6	-	-
ALABAMA -----	5	7	13	14	25	23	16	13	2	-	-	-
WHITE-----MALE----	1	2	9	9	10	13	9	2	-	-	-	-
FEMALE--	3	2	1	2	8	8	6	7	1	-	-	-
ALL OTHER--MALE----	-	1	2	3	1	1	-	1	-	-	-	-
FEMALE--	1	2	1	-	6	1	1	3	1	-	-	-
BLACK---MALE----	-	1	2	3	1	1	-	1	-	-	-	-
FEMALE--	1	2	1	-	6	1	1	3	1	-	-	-
ALASKA -----	-	-	1	1	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	2	5	3	10	11	7	4	1	1	-	-
WHITE-----MALE----	-	1	3	1	5	5	3	1	-	-	-	-
FEMALE--	-	1	1	2	4	5	4	3	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	4	5	10	10	14	16	6	2	1	-	-
WHITE-----MALE----	1	4	3	6	7	6	8	1	-	-	-	-
FEMALE--	-	-	2	3	3	5	7	4	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	3	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	3	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
CALIFORNIA -----	12	25	46	53	72	59	69	34	11	7	-	-
WHITE-----MALE----	3	12	24	22	35	26	30	12	4	1	-	-
FEMALE--	2	8	8	13	21	21	25	14	3	6	-	-
ALL OTHER--MALE----	7	3	12	10	11	5	6	5	4	-	-	-
FEMALE--	-	2	2	8	5	7	8	3	-	-	-	-
BLACK---MALE----	2	-	4	3	2	1	-	1	3	-	-	-
FEMALE--	-	2	-	2	3	3	2	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 605

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 LIVER, NOT SPECIFIED AS PRIMARY OR SECONDARY (155.2)												
COLORADO -----	41	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	22	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	42	-	-	-	-	1	-	-	-	-	-	2
WHITE-----MALE----	27	-	-	-	-	1	-	-	-	-	-	2
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	11	-	-	-	1	-	-	-	-	-	-	1
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	1	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	17	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	10	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	230	-	-	-	-	-	-	2	2	2	3	5
WHITE-----MALE----	120	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	74	-	-	-	-	-	-	-	2	-	1	2
ALL OTHER--MALE----	17	-	-	-	-	-	-	1	-	1	-	2
FEMALE--	19	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	14	-	-	-	-	-	-	1	-	-	-	2
FEMALE--	18	-	-	-	-	-	-	1	-	-	-	-
GEORGIA -----	123	-	-	-	-	-	1	-	-	2	2	5
WHITE-----MALE----	50	-	-	-	-	-	1	-	-	-	2	2
FEMALE--	32	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	23	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	18	-	-	-	-	-	-	-	-	1	-	2
BLACK---MALE----	23	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	17	-	-	-	-	-	-	-	-	1	-	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 605
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 LIVER, NOT SPECIFIED AS PRIMARY OR SECONDARY (155.2)												
COLORADO -----	1	3	8	8	5	8	3	1	2	1	-	-
WHITE-----MALE----	1	2	3	5	3	3	3	-	1	-	-	-
FEMALE--	-	1	5	2	2	4	-	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
CONNECTICUT -----	-	1	5	7	9	2	7	5	3	-	-	-
WHITE-----MALE----	-	1	4	5	6	1	4	2	1	-	-	-
FEMALE--	-	-	1	2	3	1	3	3	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	1	1	1	1	1	1	-	3	-	-	-	-
WHITE-----MALE----	1	-	1	1	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
DISTRICT OF COLUMBIA ----	1	3	3	2	3	3	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	2	2	-	2	2	-	-	1	-	-	-
FEMALE--	-	1	1	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	2	2	-	2	2	-	-	1	-	-	-
FEMALE--	-	1	1	1	-	1	-	-	-	-	-	-
FLORIDA -----	9	10	15	24	41	39	35	21	21	1	-	-
WHITE-----MALE----	6	9	8	12	29	21	16	6	9	-	-	-
FEMALE--	2	1	5	7	8	9	14	12	11	-	-	-
ALL OTHER--MALE----	1	-	2	3	1	4	2	-	-	-	-	-
FEMALE--	-	-	-	2	3	5	3	3	1	1	-	-
BLACK---MALE----	1	-	2	2	1	3	2	-	-	-	-	-
FEMALE--	-	-	-	2	3	5	2	3	1	1	-	-
GEORGIA -----	2	8	10	17	24	24	10	13	4	1	-	-
WHITE-----MALE----	-	3	6	10	12	8	5	1	-	-	-	-
FEMALE--	-	2	1	1	6	7	2	9	3	1	-	-
ALL OTHER--MALE----	2	1	2	3	5	4	2	1	1	-	-	-
FEMALE--	-	2	1	3	1	5	1	2	-	-	-	-
BLACK---MALE----	2	1	2	3	5	4	2	1	1	-	-	-
FEMALE--	-	2	1	3	1	4	1	2	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 607

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 LIVER, NOT SPECIFIED AS PRIMARY OR SECONDARY (155.2)												
KENTUCKY -----	4	9	11	5	8	14	9	8	1	2	-	-
WHITE-----MALE----	3	3	6	3	3	6	6	3	1	-	-	-
FEMALE--	1	5	5	2	4	7	3	4	-	2	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
LOUISIANA -----	10	16	17	16	27	24	8	23	1	-	-	-
WHITE-----MALE----	4	6	5	5	11	9	3	9	-	-	-	-
FEMALE--	2	4	3	7	7	8	4	8	1	-	-	-
ALL OTHER--MALE----	3	4	6	3	5	3	1	2	-	-	-	-
FEMALE--	1	2	3	1	4	4	-	4	-	-	-	-
BLACK---MALE----	3	4	6	3	5	3	1	2	-	-	-	-
FEMALE--	1	2	3	1	4	4	-	4	-	-	-	-
MAINE -----	2	1	2	2	2	3	4	1	1	-	-	-
WHITE-----MALE----	2	1	1	1	2	1	2	1	1	-	-	-
FEMALE--	-	-	1	1	-	2	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2	3	5	8	12	15	6	6	5	-	-	-
WHITE-----MALE----	-	2	2	3	7	7	1	1	-	-	-	-
FEMALE--	-	-	1	2	2	3	2	4	5	-	-	-
ALL OTHER--MALE----	1	1	1	2	2	3	2	-	-	-	-	-
FEMALE--	1	-	1	1	1	2	1	1	-	-	-	-
BLACK---MALE----	1	-	1	2	1	3	2	-	-	-	-	-
FEMALE--	1	-	1	-	1	2	1	1	-	-	-	-
MASSACHUSETTS -----	-	5	11	13	11	14	20	12	9	1	-	-
WHITE-----MALE----	-	2	7	8	6	8	11	5	1	1	-	-
FEMALE--	-	1	4	4	3	5	8	7	8	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	2	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
MICHIGAN -----	6	9	19	15	33	28	35	11	7	2	-	-
WHITE-----MALE----	3	3	10	6	16	8	12	6	2	-	-	-
FEMALE--	1	2	7	6	8	18	21	4	4	2	-	-
ALL OTHER--MALE----	2	4	2	1	4	1	2	1	-	-	-	-
FEMALE--	-	-	-	2	5	1	-	-	1	-	-	-
BLACK---MALE----	1	3	1	1	3	1	2	1	-	-	-	-
FEMALE--	-	-	-	2	5	1	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 610
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 LIVER, NOT SPECIFIED AS PRIMARY OR SECONDARY (155.2)												
OHIO -----	149	-	-	-	-	-	-	-	-	-	1	4
WHITE-----MALE----	68	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	68	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	37	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	15	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	27	-	-	-	-	-	-	-	-	-	3	3
WHITE-----MALE----	15	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	211	-	-	-	-	1	-	-	-	3	3	5
WHITE-----MALE----	103	-	-	-	-	1	-	-	-	1	2	4
FEMALE--	84	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	16	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	-
RHODE ISLAND -----	12	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	53	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	20	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 610
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 LIVER, NOT SPECIFIED AS PRIMARY OR SECONDARY (155.2)												
OHIO -----	7	8	10	16	26	25	28	20	2	2	-	-
WHITE-----MALE----	4	5	7	10	10	14	10	6	-	-	-	-
FEMALE--	3	1	2	6	13	10	16	12	1	2	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	1	1	-	-	-	-
FEMALE--	-	1	1	-	3	-	1	1	1	-	-	-
BLACK---MALE----	-	1	-	-	-	1	1	1	-	-	-	-
FEMALE--	-	1	1	-	3	-	1	1	1	-	-	-
OKLAHOMA -----	2	-	3	1	9	11	6	3	1	-	1	-
WHITE-----MALE----	1	-	2	-	5	6	1	-	-	-	-	-
FEMALE--	-	-	1	1	2	5	4	3	1	-	1	-
ALL OTHER--MALE----	1	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	1	1	1	3	4	4	3	3	1	-	-	-
WHITE-----MALE----	1	-	1	2	2	2	2	3	-	-	-	-
FEMALE--	-	1	-	-	2	2	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	7	15	15	34	39	29	34	18	6	2	-	-
WHITE-----MALE----	2	9	8	17	20	13	17	5	4	-	-	-
FEMALE--	2	2	4	14	15	14	17	11	2	1	-	-
ALL OTHER--MALE----	2	3	3	2	2	2	-	1	-	-	-	-
FEMALE--	1	1	-	1	2	-	-	1	-	1	-	-
BLACK---MALE----	2	3	3	2	2	2	-	1	-	-	-	-
FEMALE--	1	1	-	1	2	-	-	1	-	1	-	-
RHODE ISLAND -----	-	1	-	-	3	4	1	1	1	1	-	-
WHITE-----MALE----	-	-	-	-	2	2	-	1	-	-	-	-
FEMALE--	-	1	-	-	1	2	1	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	3	3	6	6	17	5	6	4	2	-	-	-
WHITE-----MALE----	-	2	4	-	6	1	3	4	-	-	-	-
FEMALE--	2	-	1	4	7	2	3	-	2	-	-	-
ALL OTHER--MALE----	1	-	-	1	2	1	-	-	-	-	-	-
FEMALE--	-	1	1	1	2	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	2	1	-	-	-	-	-	-
FEMALE--	-	1	1	-	2	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 611
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 LIVER, NOT SPECIFIED AS PRIMARY OR SECONDARY (155.2)												
SOUTH DAKOTA -----	-	-	-	-	1	-	2	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2	2	11	11	13	11	14	8	5	-	-	-
WHITE-----MALE----	-	-	9	5	8	1	4	4	-	-	-	-
FEMALE--	-	2	1	2	2	5	7	3	4	-	-	-
ALL OTHER--MALE----	1	-	1	3	2	-	-	1	-	-	-	-
FEMALE--	1	-	-	1	1	5	3	-	1	-	-	-
BLACK---MALE----	1	-	1	3	2	-	-	1	-	-	-	-
FEMALE--	1	-	-	1	1	5	3	-	1	-	-	-
TEXAS -----	9	10	15	13	22	15	16	12	10	3	-	-
WHITE-----MALE----	7	8	10	5	13	5	9	3	3	-	-	-
FEMALE--	2	1	4	4	6	8	6	6	6	2	-	-
ALL OTHER--MALE----	-	-	1	4	3	-	1	2	-	-	-	-
FEMALE--	-	1	-	-	-	2	-	1	1	1	-	-
BLACK---MALE----	-	-	1	4	2	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	1	1	1	-	-
UTAH -----	-	2	1	2	1	-	4	2	-	-	-	-
WHITE-----MALE----	-	1	-	1	1	-	2	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	2	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	-	-	1	-	2	1	-	-	-	-
WHITE-----MALE----	1	-	-	-	1	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	4	7	3	11	23	12	5	16	3	3	-	-
WHITE-----MALE----	-	2	-	7	10	8	3	6	1	1	-	-
FEMALE--	1	-	1	2	6	2	1	7	1	1	-	-
ALL OTHER--MALE----	2	3	1	2	5	1	-	-	1	-	-	-
FEMALE--	1	2	1	-	2	1	1	3	-	1	-	-
BLACK---MALE----	-	1	1	2	5	1	-	-	1	-	-	-
FEMALE--	1	2	1	-	1	1	1	3	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 613
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF GALLBLADDER AND EXTRAHEPATIC BILE DUCTS (156)												
0 UNITED STATES --	127	186	281	473	592	659	625	445	205	58	6	-
WHITE-----MALE----	39	67	101	162	188	243	203	143	47	11	1	-
FEMALE--	72	94	137	255	338	349	370	267	140	41	4	-
ALL OTHER--MALE----	4	9	16	24	24	25	13	9	8	1	-	-
FEMALE--	12	16	27	32	42	42	39	26	10	5	1	-
BLACK---MALE----	4	6	12	17	13	22	10	4	6	-	-	-
FEMALE--	8	12	19	24	27	34	29	17	8	4	1	-
ALABAMA -----	2	2	2	5	5	3	3	2	2	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	1	1	-	-	-
FEMALE--	-	2	2	2	4	1	2	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	3	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	1	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	3	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	1	2	-	-	-	-	-	-
ALASKA -----	1	-	-	1	-	1	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	3	8	8	10	7	9	4	1	2	-	-
WHITE-----MALE----	1	1	2	3	1	3	3	-	-	1	-	-
FEMALE--	-	2	5	5	8	4	5	3	1	1	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ARKANSAS -----	-	3	2	4	9	5	4	4	2	1	1	-
WHITE-----MALE----	-	2	1	2	6	2	1	2	-	-	-	-
FEMALE--	-	1	1	2	3	3	2	1	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	1	-
CALIFORNIA -----	18	18	38	50	62	54	73	34	20	5	-	-
WHITE-----MALE----	7	5	13	21	17	21	22	14	2	2	-	-
FEMALE--	10	10	16	25	35	28	38	15	15	2	-	-
ALL OTHER--MALE----	-	-	3	-	3	-	2	3	1	1	-	-
FEMALE--	1	3	6	4	7	5	11	2	2	-	-	-
BLACK---MALE----	-	-	2	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	2	1	-	1	5	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 614
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF GALLBLADDER AND EXTRAHEPATIC BILE DUCTS (156)												
COLORADO -----	32	-	-	-	-	-	-	-	-	-	-	2
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	24	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	52	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	22	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	27	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	20	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	1
DISTRICT OF COLUMBIA ----	7	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	244	-	-	-	-	-	-	-	3	-	1	6
WHITE-----MALE----	93	-	-	-	-	-	-	-	1	-	-	3
FEMALE--	129	-	-	-	-	-	-	-	1	-	1	3
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	1	-	-	-
GEORGIA -----	59	-	-	-	-	-	-	1	-	2	1	1
WHITE-----MALE----	16	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	27	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	1	-	1	1	-
FEMALE--	10	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	4	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	1	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 614
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF GALLBLADDER AND EXTRAHEPATIC BILE DUCTS (156)												
COLORADO -----	-	1	2	4	5	6	5	6	1	-	-	-
WHITE-----MALE----	-	-	1	-	2	-	2	1	-	-	-	-
FEMALE--	-	1	1	4	3	6	3	4	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	-	8	6	5	7	10	9	1	4	-	-
WHITE-----MALE----	-	-	6	2	-	3	5	4	1	1	-	-
FEMALE--	1	-	2	4	4	4	5	5	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
DELAWARE -----	2	1	3	1	2	-	4	4	-	-	1	-
WHITE-----MALE----	1	-	1	-	1	-	3	2	-	-	1	-
FEMALE--	1	1	2	-	1	-	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	-	1	-	1	4	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	3	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	3	-	-	-	-
FLORIDA -----	2	8	22	28	38	45	34	36	13	8	-	-
WHITE-----MALE----	1	3	6	9	10	21	20	12	5	2	-	-
FEMALE--	1	4	11	16	25	20	13	21	8	5	-	-
ALL OTHER--MALE----	-	1	3	2	-	2	-	1	-	-	-	-
FEMALE--	-	-	2	1	3	2	1	2	-	1	-	-
BLACK---MALE----	-	1	3	2	-	1	-	1	-	-	-	-
FEMALE--	-	-	2	1	2	2	1	2	-	-	-	-
GEORGIA -----	4	8	4	6	7	9	8	4	4	-	-	-
WHITE-----MALE----	-	3	2	4	-	1	3	1	2	-	-	-
FEMALE--	4	4	2	-	5	4	5	1	2	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	2	1	3	-	2	-	-	-	-
BLACK---MALE----	-	1	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	2	1	3	-	2	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 616
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF GALLBLADDER AND EXTRAHEPATIC BILE DUCTS (156)												
KENTUCKY -----	2	6	4	4	8	14	5	5	1	1	-	-
WHITE-----MALE----	-	2	2	2	3	8	1	2	-	-	-	-
FEMALE--	1	4	2	-	5	5	4	3	1	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	1	-	-	-	-	-	-
LOUISIANA -----	1	3	3	4	9	9	5	10	2	-	-	-
WHITE-----MALE----	-	-	-	-	3	4	-	4	-	-	-	-
FEMALE--	1	1	2	4	5	3	3	4	1	-	-	-
ALL OTHER--MALE----	-	1	1	-	-	-	-	-	1	-	-	-
FEMALE--	-	1	-	-	1	2	2	2	-	-	-	-
BLACK---MALE----	-	1	1	-	-	-	-	-	1	-	-	-
FEMALE--	-	1	-	-	1	2	2	2	-	-	-	-
MAINE -----	-	1	-	1	1	5	4	3	2	-	-	-
WHITE-----MALE----	-	1	-	-	-	2	1	2	-	-	-	-
FEMALE--	-	-	-	1	1	3	3	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	4	3	12	4	9	7	3	6	-	-	-
WHITE-----MALE----	-	2	-	6	1	5	2	-	2	-	-	-
FEMALE--	-	2	1	5	3	3	5	3	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	2	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
MASSACHUSETTS -----	3	2	6	12	17	18	19	18	7	2	-	-
WHITE-----MALE----	-	1	2	4	3	8	7	6	2	-	-	-
FEMALE--	3	1	4	7	14	10	12	11	5	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
MICHIGAN -----	8	8	10	19	20	24	20	10	11	1	-	-
WHITE-----MALE----	5	4	8	6	7	7	8	2	3	-	-	-
FEMALE--	3	2	2	10	10	16	11	6	8	1	-	-
ALL OTHER--MALE----	-	2	-	2	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	2	1	1	1	-	-	-	-
BLACK---MALE----	-	1	-	2	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	2	1	1	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 617
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF GALLBLADDER AND EXTRAHEPATIC BILE DUCTS (156)												
MINNESOTA -----	1	3	2	11	10	14	16	14	3	3	-	-
WHITE-----MALE----	-	1	1	4	5	6	7	5	1	1	-	-
FEMALE--	1	2	1	7	5	8	9	9	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	-	5	4	4	2	3	3	1	1	1	-	-
WHITE-----MALE----	-	3	1	2	1	-	1	-	-	-	-	-
FEMALE--	-	1	-	1	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	2	1	1	1	1	1	1	1	-	-
BLACK---MALE----	-	1	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	2	1	1	1	1	1	1	1	-	-
MISSOURI -----	1	5	4	9	20	18	14	13	4	2	-	-
WHITE-----MALE----	-	1	2	5	4	5	3	-	-	-	-	-
FEMALE--	1	4	2	3	15	11	11	13	3	2	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-
MONTANA -----	1	1	2	2	2	2	1	2	1	1	-	-
WHITE-----MALE----	-	1	-	1	1	-	-	1	-	-	-	-
FEMALE--	1	-	2	1	1	2	1	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	-	-	1	5	5	6	3	2	2	1	-	-
WHITE-----MALE----	-	-	-	1	1	4	-	1	1	1	-	-
FEMALE--	-	-	1	3	4	2	3	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	1	2	3	2	6	5	4	3	-	-	-	-
WHITE-----MALE----	1	1	1	2	1	2	-	2	-	-	-	-
FEMALE--	-	1	2	-	3	2	4	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 619
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF GALLBLADDER AND EXTRAHEPATIC BILE DUCTS (156)												
OHIO -----	5	6	16	20	27	35	33	24	9	3	-	-
WHITE-----MALE----	1	4	9	5	11	9	9	7	3	-	-	-
FEMALE--	4	2	5	11	13	22	22	15	6	3	-	-
ALL OTHER--MALE----	-	-	2	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	4	3	2	2	2	-	-	-	-
BLACK---MALE----	-	-	2	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	3	3	2	2	2	-	-	-	-
OKLAHOMA -----	2	2	2	7	2	10	6	2	6	-	-	-
WHITE-----MALE----	1	-	-	4	1	4	2	-	1	-	-	-
FEMALE--	1	1	2	2	1	5	4	2	5	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	1	3	3	5	4	13	8	-	1	-	-
WHITE-----MALE----	-	-	-	2	2	-	3	2	-	1	-	-
FEMALE--	-	-	3	1	2	3	10	5	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	7	10	16	36	43	57	44	27	12	1	-	-
WHITE-----MALE----	4	6	6	12	17	17	16	8	3	-	-	-
FEMALE--	1	4	9	19	24	33	26	19	8	1	-	-
ALL OTHER--MALE----	1	-	-	4	2	4	1	-	-	-	-	-
FEMALE--	1	-	1	1	-	3	1	-	1	-	-	-
BLACK---MALE----	1	-	-	4	2	3	1	-	-	-	-	-
FEMALE--	1	-	1	1	-	2	1	-	1	-	-	-
RHODE ISLAND -----	-	-	-	4	4	8	5	3	3	-	-	-
WHITE-----MALE----	-	-	-	1	3	4	2	1	-	-	-	-
FEMALE--	-	-	-	3	1	3	3	2	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	2	2	4	4	8	5	12	3	2	-	-	-
WHITE-----MALE----	1	-	2	2	1	2	4	1	-	-	-	-
FEMALE--	1	1	1	1	4	1	4	2	2	-	-	-
ALL OTHER--MALE----	-	-	1	-	2	2	1	-	-	-	-	-
FEMALE--	-	1	-	1	1	-	3	-	-	-	-	-
BLACK---MALE----	-	-	1	-	2	2	1	-	-	-	-	-
FEMALE--	-	1	-	1	1	-	3	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 620
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF GALLBLADDER AND EXTRAHEPATIC BILE DUCTS (156)												
SOUTH DAKOTA -----	-	1	-	2	4	2	2	1	2	1	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	2	3	2	2	1	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	4	3	4	5	9	14	8	10	9	-	-	-
WHITE-----MALE----	2	-	1	-	2	4	2	4	2	-	-	-
FEMALE--	-	2	1	5	4	9	5	6	6	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	2	-	3	1	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	2	-	3	1	1	-	1	-	-	-
TEXAS -----	11	16	17	22	32	38	28	19	10	2	-	-
WHITE-----MALE----	2	3	6	8	10	15	6	8	1	-	-	-
FEMALE--	8	9	9	11	15	17	19	11	7	2	-	-
ALL OTHER--MALE----	-	1	-	2	4	2	2	-	1	-	-	-
FEMALE--	1	3	2	1	3	4	1	-	1	-	-	-
BLACK---MALE----	-	1	-	2	3	2	1	-	1	-	-	-
FEMALE--	1	3	2	1	3	4	1	-	1	-	-	-
UTAH -----	-	2	1	4	5	2	3	3	-	-	-	-
WHITE-----MALE----	-	2	-	2	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	1	5	-	2	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	1	-	1	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	5	1	7	11	11	14	16	7	3	2	1	-
WHITE-----MALE----	1	1	2	2	4	8	7	2	1	1	-	-
FEMALE--	3	-	4	8	6	2	7	5	2	1	1	-
ALL OTHER--MALE----	1	-	-	-	1	1	2	-	-	-	-	-
FEMALE--	-	-	1	1	-	3	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	1	2	-	-	-	-	-
FEMALE--	-	-	1	1	-	3	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 622
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OF PANCREAS (157)												
0 UNITED STATES --	26,766	-	-	-	-	-	6	11	42	148	350	726
WHITE-----MALE----	11,212	-	-	-	-	-	2	6	22	74	185	385
FEMALE--	12,057	-	-	-	-	-	-	2	12	42	88	232
ALL OTHER--MALE----	1,614	-	-	-	-	-	2	1	4	15	50	61
FEMALE--	1,883	-	-	-	-	-	2	2	4	17	27	48
BLACK---MALE----	1,375	-	-	-	-	-	2	1	2	13	43	54
FEMALE--	1,657	-	-	-	-	-	2	-	3	14	23	42
ALABAMA -----	454	-	-	-	-	-	-	-	-	3	3	13
WHITE-----MALE----	178	-	-	-	-	-	-	-	-	-	1	6
FEMALE--	169	-	-	-	-	-	-	-	-	2	1	2
ALL OTHER--MALE----	43	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	64	-	-	-	-	-	-	-	-	1	1	4
BLACK---MALE----	43	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	64	-	-	-	-	-	-	-	-	1	1	4
ALASKA -----	31	-	-	-	-	-	-	-	-	-	2	2
WHITE-----MALE----	16	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	411	-	-	-	-	-	-	-	-	2	3	6
WHITE-----MALE----	189	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	201	-	-	-	-	-	-	-	-	-	2	4
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	303	-	-	-	-	-	-	-	1	1	5	4
WHITE-----MALE----	120	-	-	-	-	-	-	-	1	-	3	4
FEMALE--	126	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	30	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	27	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	30	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	26	-	-	-	-	-	-	-	-	1	-	-
CALIFORNIA -----	2,683	-	-	-	-	-	-	1	9	16	38	90
WHITE-----MALE----	1,148	-	-	-	-	-	-	1	4	9	22	47
FEMALE--	1,174	-	-	-	-	-	-	-	1	3	9	34
ALL OTHER--MALE----	168	-	-	-	-	-	-	-	2	1	4	6
FEMALE--	193	-	-	-	-	-	-	-	2	3	3	3
BLACK---MALE----	80	-	-	-	-	-	-	-	-	-	2	4
FEMALE--	118	-	-	-	-	-	-	-	1	1	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 622
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF PANCREAS (157)												
0 UNITED STATES --	1,157	1,648	2,588	3,595	4,674	4,453	3,662	2,413	1,034	223	35	1
WHITE-----MALE----	594	810	1,238	1,648	2,070	1,804	1,321	753	257	40	3	-
FEMALE--	366	562	939	1,438	2,035	2,152	1,915	1,418	673	156	27	-
ALL OTHER--MALE----	111	151	205	264	268	218	149	78	28	8	-	1
FEMALE--	86	125	206	245	301	279	277	164	76	19	5	-
BLACK---MALE----	100	127	177	225	235	176	124	64	24	7	-	1
FEMALE--	69	111	181	214	263	250	245	148	69	18	5	-
ALABAMA -----	16	24	46	65	104	69	49	44	14	4	-	-
WHITE-----MALE----	9	10	20	25	49	33	12	11	2	-	-	-
FEMALE--	5	7	18	21	29	25	23	25	10	1	-	-
ALL OTHER--MALE----	1	4	1	11	13	4	4	2	1	1	-	-
FEMALE--	1	3	7	8	13	7	10	6	1	2	-	-
BLACK---MALE----	1	4	1	11	13	4	4	2	1	1	-	-
FEMALE--	1	3	7	8	13	7	10	6	1	2	-	-
ALASKA -----	2	3	2	8	2	5	3	2	-	-	-	-
WHITE-----MALE----	2	3	-	5	1	2	1	-	-	-	-	-
FEMALE--	-	-	-	2	1	3	2	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	19	33	46	60	74	67	60	31	8	2	-	-
WHITE-----MALE----	10	25	25	28	30	29	25	11	2	-	-	-
FEMALE--	9	6	19	30	40	33	31	19	6	2	-	-
ALL OTHER--MALE----	-	1	1	2	2	1	2	-	-	-	-	-
FEMALE--	-	1	1	-	2	4	2	1	-	-	-	-
BLACK---MALE----	-	-	-	2	1	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	1	2	-	-	-	-	-	-
ARKANSAS -----	12	20	31	35	58	49	44	25	14	4	-	-
WHITE-----MALE----	4	10	17	18	22	13	17	6	4	1	-	-
FEMALE--	5	7	9	11	26	24	19	16	7	1	-	-
ALL OTHER--MALE----	2	3	3	3	7	4	4	1	1	1	-	-
FEMALE--	1	-	2	3	3	8	4	2	2	1	-	-
BLACK---MALE----	2	3	3	3	7	4	4	1	1	1	-	-
FEMALE--	1	-	2	3	3	7	4	2	2	1	-	-
CALIFORNIA -----	111	174	262	349	464	429	370	243	108	17	1	1
WHITE-----MALE----	55	85	118	147	195	190	142	96	34	2	1	-
FEMALE--	32	59	105	143	207	194	190	124	61	12	-	-
ALL OTHER--MALE----	8	18	17	31	32	19	16	8	5	-	-	1
FEMALE--	16	12	22	28	30	26	22	15	8	3	-	-
BLACK---MALE----	3	10	8	15	17	7	9	2	2	-	-	1
FEMALE--	9	11	14	15	19	17	12	10	4	3	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 623
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF PANCREAS (157)	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	279	-	-	-	-	-	-	-	-	1	5	11
WHITE-----MALE----	130	-	-	-	-	-	-	-	-	-	4	4
FEMALE--	137	-	-	-	-	-	-	-	-	1	1	4
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	368	-	-	-	-	-	-	-	1	1	3	9
WHITE-----MALE----	144	-	-	-	-	-	-	-	1	-	3	5
FEMALE--	192	-	-	-	-	-	-	-	-	-	-	3
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	17	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	14	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	15	-	-	-	-	-	-	-	-	1	-	-
DELAWARE -----	77	-	-	-	-	-	-	-	-	1	-	1
WHITE-----MALE----	34	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	31	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	68	-	-	-	-	-	-	-	-	1	-	2
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	21	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	27	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	20	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	26	-	-	-	-	-	-	-	-	1	-	-
FLORIDA -----	1,945	-	-	-	-	-	-	-	-	10	21	40
WHITE-----MALE----	899	-	-	-	-	-	-	-	-	9	10	20
FEMALE--	893	-	-	-	-	-	-	-	-	-	8	13
ALL OTHER--MALE----	72	-	-	-	-	-	-	-	-	-	2	3
FEMALE--	81	-	-	-	-	-	-	-	-	1	1	4
BLACK---MALE----	69	-	-	-	-	-	-	-	-	-	2	3
FEMALE--	81	-	-	-	-	-	-	-	-	1	1	4
GEORGIA -----	596	-	-	-	-	-	-	-	1	2	13	23
WHITE-----MALE----	206	-	-	-	-	-	-	-	-	1	3	8
FEMALE--	232	-	-	-	-	-	-	-	-	-	5	6
ALL OTHER--MALE----	67	-	-	-	-	-	-	-	-	-	5	4
FEMALE--	91	-	-	-	-	-	-	-	1	1	-	5
BLACK---MALE----	67	-	-	-	-	-	-	-	-	-	5	4
FEMALE--	88	-	-	-	-	-	-	-	1	1	-	5

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 623
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 0 OF PANCREAS (157)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	11	15	33	27	50	45	37	28	13	3	-	-
WHITE-----MALE----	6	7	19	12	28	21	15	10	3	1	-	-
FEMALE--	4	8	12	13	21	22	21	18	10	2	-	-
ALL OTHER--MALE----	1	-	1	2	1	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	2	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
CONNECTICUT -----	18	22	41	40	64	76	36	36	11	8	2	-
WHITE-----MALE----	5	12	14	21	29	24	13	12	3	2	-	-
FEMALE--	7	9	23	16	30	45	21	22	8	6	2	-
ALL OTHER--MALE----	5	-	3	3	1	1	-	1	-	-	-	-
FEMALE--	1	1	1	-	4	6	2	1	-	-	-	-
BLACK---MALE----	4	-	3	3	1	1	-	1	-	-	-	-
FEMALE--	1	1	1	-	4	5	1	1	-	-	-	-
DELAWARE -----	6	3	11	11	14	13	12	3	2	-	-	-
WHITE-----MALE----	2	1	4	8	5	8	3	1	-	-	-	-
FEMALE--	3	-	3	3	8	4	8	1	1	-	-	-
ALL OTHER--MALE----	1	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	2	3	-	1	1	1	1	1	-	-	-
BLACK---MALE----	1	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	2	3	-	-	1	1	1	1	-	-	-
DISTRICT OF COLUMBIA ----	2	7	8	5	12	14	9	4	3	1	-	-
WHITE-----MALE----	-	2	1	1	3	1	2	1	-	1	-	-
FEMALE--	-	-	1	-	3	2	-	-	2	-	-	-
ALL OTHER--MALE----	2	2	3	3	2	5	2	-	-	-	-	-
FEMALE--	-	3	3	1	4	6	5	3	1	-	-	-
BLACK---MALE----	2	1	3	3	2	5	2	-	-	-	-	-
FEMALE--	-	3	3	1	3	6	5	3	1	-	-	-
FLORIDA -----	67	105	197	231	341	361	283	200	75	12	2	-
WHITE-----MALE----	39	51	98	118	165	157	129	79	22	2	-	-
FEMALE--	15	33	79	100	154	186	133	111	50	9	2	-
ALL OTHER--MALE----	9	9	15	8	10	7	7	2	-	-	-	-
FEMALE--	4	12	5	5	12	11	14	8	3	1	-	-
BLACK---MALE----	9	8	14	8	10	7	6	2	-	-	-	-
FEMALE--	4	12	5	5	12	11	14	8	3	1	-	-
GEORGIA -----	34	39	50	84	103	100	68	56	20	2	1	-
WHITE-----MALE----	19	20	17	32	39	33	16	13	5	-	-	-
FEMALE--	7	11	15	33	37	42	31	32	11	2	-	-
ALL OTHER--MALE----	6	4	9	10	10	11	5	3	-	-	-	-
FEMALE--	2	4	9	9	17	14	16	8	4	-	1	-
BLACK---MALE----	6	4	9	10	10	11	5	3	-	-	-	-
FEMALE--	2	4	8	9	17	13	15	8	4	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 624
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 0 OF PANCREAS (157)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	5	8	10	16	20	22	20	9	2	1	-	-
WHITE-----MALE----	1	1	2	1	2	1	2	-	-	-	-	-
FEMALE--	1	2	1	3	2	3	2	1	-	-	-	-
ALL OTHER--MALE----	1	3	3	7	8	12	8	5	-	1	-	-
FEMALE--	2	2	4	5	8	6	8	3	2	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	8	3	6	13	20	10	16	5	5	-	1	-
WHITE-----MALE----	5	1	5	6	11	8	7	3	2	-	-	-
FEMALE--	3	2	1	6	9	2	9	2	3	-	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	46	67	107	153	234	194	166	107	39	12	1	-
WHITE-----MALE----	25	36	60	72	102	72	53	19	10	3	-	-
FEMALE--	16	21	32	57	99	100	89	77	23	9	1	-
ALL OTHER--MALE----	3	5	11	16	18	9	11	2	3	-	-	-
FEMALE--	2	5	4	8	15	13	13	9	3	-	-	-
BLACK---MALE----	3	5	10	12	18	7	11	2	3	-	-	-
FEMALE--	2	5	4	7	14	13	11	9	3	-	-	-
INDIANA -----	21	42	74	90	96	99	73	44	18	2	-	-
WHITE-----MALE----	14	17	39	36	46	42	23	11	3	-	-	-
FEMALE--	6	23	30	43	49	53	48	26	11	2	-	-
ALL OTHER--MALE----	1	1	4	3	-	-	2	1	1	-	-	-
FEMALE--	-	1	1	8	1	4	-	6	3	-	-	-
BLACK---MALE----	1	1	4	3	-	-	2	1	1	-	-	-
FEMALE--	-	1	1	8	1	4	-	6	3	-	-	-
IOWA -----	10	17	31	32	57	48	47	38	15	5	-	-
WHITE-----MALE----	6	8	17	18	28	22	19	11	5	1	-	-
FEMALE--	4	9	13	14	26	26	26	27	10	4	-	-
ALL OTHER--MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	2	-	-	-	-	-
KANSAS -----	13	17	35	35	42	62	45	29	16	2	1	-
WHITE-----MALE----	9	10	19	12	20	28	17	7	4	-	-	-
FEMALE--	4	7	14	22	16	33	22	22	11	2	1	-
ALL OTHER--MALE----	-	-	1	-	1	1	1	-	1	-	-	-
FEMALE--	-	-	1	1	5	-	5	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	1	1	-	1	-	-	-
FEMALE--	-	-	1	1	4	-	4	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 625
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX OF PANCREAS (157)	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	373	-	-	-	-	-	-	-	-	4	6	8
WHITE-----MALE----	174	-	-	-	-	-	-	-	-	2	6	6
FEMALE--	173	-	-	-	-	-	-	-	-	2	-	1
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	15	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	461	-	-	-	-	-	-	-	-	2	5	7
WHITE-----MALE----	149	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	170	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	54	-	-	-	-	-	-	-	-	1	2	2
FEMALE--	88	-	-	-	-	-	-	-	-	1	1	1
BLACK---MALE----	54	-	-	-	-	-	-	-	-	1	2	2
FEMALE--	86	-	-	-	-	-	-	-	-	1	1	1
MAINE -----	154	-	-	-	-	-	-	-	1	1	3	3
WHITE-----MALE----	73	-	-	-	-	-	-	-	1	1	3	2
FEMALE--	81	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	478	-	-	-	-	-	-	-	-	3	12	11
WHITE-----MALE----	164	-	-	-	-	-	-	-	-	1	4	2
FEMALE--	202	-	-	-	-	-	-	-	-	1	1	5
ALL OTHER--MALE----	47	-	-	-	-	-	-	-	-	1	5	3
FEMALE--	65	-	-	-	-	-	-	-	-	-	2	1
BLACK---MALE----	44	-	-	-	-	-	-	-	-	1	5	3
FEMALE--	60	-	-	-	-	-	-	-	-	-	2	1
MASSACHUSETTS -----	715	-	-	-	-	-	-	-	1	7	5	22
WHITE-----MALE----	302	-	-	-	-	-	-	-	1	2	3	12
FEMALE--	384	-	-	-	-	-	-	-	-	4	1	9
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	11	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	934	-	-	-	-	-	1	1	2	7	20	31
WHITE-----MALE----	392	-	-	-	-	-	1	-	2	4	11	15
FEMALE--	386	-	-	-	-	-	-	1	-	1	3	11
ALL OTHER--MALE----	81	-	-	-	-	-	-	-	-	1	3	4
FEMALE--	75	-	-	-	-	-	-	-	-	1	3	1
BLACK---MALE----	78	-	-	-	-	-	-	-	-	1	3	4
FEMALE--	74	-	-	-	-	-	-	-	-	1	3	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 625
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 0 OF PANCREAS (157)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	17	22	33	52	67	62	41	46	9	6	-	-
WHITE-----MALE----	8	14	17	29	31	29	14	17	-	1	-	-
FEMALE--	8	6	12	18	32	31	26	25	7	5	-	-
ALL OTHER--MALE----	-	-	3	4	3	1	-	3	1	-	-	-
FEMALE--	1	2	1	1	1	1	1	1	1	-	-	-
BLACK---MALE----	-	-	3	4	2	1	-	3	1	-	-	-
FEMALE--	1	2	1	1	1	1	1	1	1	-	-	-
LOUISIANA -----	21	33	56	55	63	85	65	49	18	1	1	-
WHITE-----MALE----	8	16	20	18	25	27	20	8	3	-	-	-
FEMALE--	5	7	17	15	25	38	24	26	11	-	-	-
ALL OTHER--MALE----	5	5	8	11	5	7	4	3	-	1	-	-
FEMALE--	3	5	11	11	8	13	17	12	4	-	1	-
BLACK---MALE----	5	5	8	11	5	7	4	3	-	1	-	-
FEMALE--	2	4	11	11	8	13	17	12	4	-	1	-
MAINE -----	4	8	14	23	29	25	20	14	7	2	-	-
WHITE-----MALE----	3	4	6	12	15	9	10	5	1	1	-	-
FEMALE--	1	4	8	11	14	16	10	9	6	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	30	40	47	65	72	68	72	41	12	4	1	-
WHITE-----MALE----	11	14	18	22	28	20	33	6	5	-	-	-
FEMALE--	10	20	17	23	29	32	24	28	7	4	1	-
ALL OTHER--MALE----	6	3	6	7	8	3	2	3	-	-	-	-
FEMALE--	3	3	6	13	7	13	13	4	-	-	-	-
BLACK---MALE----	6	3	5	7	7	3	2	2	-	-	-	-
FEMALE--	3	2	6	12	7	12	11	4	-	-	-	-
MASSACHUSETTS -----	33	40	54	93	136	114	95	69	36	10	-	-
WHITE-----MALE----	21	24	25	47	59	46	29	17	11	5	-	-
FEMALE--	10	12	26	46	73	62	62	49	25	5	-	-
ALL OTHER--MALE----	1	1	2	-	2	2	2	1	-	-	-	-
FEMALE--	1	3	1	-	2	4	2	2	-	-	-	-
BLACK---MALE----	1	1	2	-	-	1	2	1	-	-	-	-
FEMALE--	1	3	1	-	2	3	1	2	-	-	-	-
MICHIGAN -----	47	66	82	122	164	163	112	66	40	10	-	-
WHITE-----MALE----	22	31	40	54	69	70	44	20	8	1	-	-
FEMALE--	15	23	24	49	67	67	52	39	27	7	-	-
ALL OTHER--MALE----	4	10	9	12	16	11	6	3	2	-	-	-
FEMALE--	6	2	9	7	12	15	10	4	3	2	-	-
BLACK---MALE----	4	10	9	12	15	10	6	2	2	-	-	-
FEMALE--	6	2	9	7	12	15	10	3	3	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 626
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OF PANCREAS (157)												
MINNESOTA -----	19	24	38	59	78	66	64	49	21	4	1	-
WHITE-----MALE----	7	11	20	30	37	29	27	18	3	-	-	-
FEMALE--	10	12	17	28	38	37	37	30	17	4	1	-
ALL OTHER--MALE----	2	1	-	1	1	-	-	-	1	-	-	-
FEMALE--	-	-	1	-	2	-	-	1	-	-	-	-
BLACK---MALE----	2	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
MISSISSIPPI -----	7	15	35	49	48	38	34	16	7	3	-	-
WHITE-----MALE----	1	5	8	15	21	15	9	5	1	-	-	-
FEMALE--	4	5	12	15	13	10	19	2	3	1	-	-
ALL OTHER--MALE----	-	2	6	8	8	11	3	5	1	1	-	-
FEMALE--	2	3	9	11	6	2	3	4	2	1	-	-
BLACK---MALE----	-	2	6	8	8	11	3	5	1	1	-	-
FEMALE--	2	3	8	11	6	2	3	4	2	1	-	-
MISSOURI -----	22	38	54	76	101	84	70	54	28	7	1	-
WHITE-----MALE----	7	20	23	40	43	35	24	12	7	-	1	-
FEMALE--	12	15	20	28	47	41	36	36	17	5	-	-
ALL OTHER--MALE----	2	2	5	5	6	3	4	2	2	1	-	-
FEMALE--	1	1	6	3	5	5	6	4	2	1	-	-
BLACK---MALE----	2	2	5	5	6	3	4	2	2	1	-	-
FEMALE--	-	1	6	3	5	5	6	4	2	1	-	-
MONTANA -----	2	3	11	18	14	24	19	13	6	-	1	-
WHITE-----MALE----	2	2	5	8	10	10	10	5	3	-	-	-
FEMALE--	-	1	6	9	4	13	9	8	2	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	4	8	14	23	25	37	26	15	13	4	-	-
WHITE-----MALE----	2	7	5	15	10	14	11	9	6	1	-	-
FEMALE--	2	1	7	8	15	22	14	6	6	3	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
NEVADA -----	12	9	27	19	24	24	19	8	2	-	-	-
WHITE-----MALE----	7	5	13	11	14	10	11	3	2	-	-	-
FEMALE--	5	4	11	8	8	12	7	5	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	2	-	-	-	-	-	-
FEMALE--	-	-	2	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

