

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,289
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ALCOHOLIC PSYCHOSES (291)												
COLORADO -----	8	-	-	-	-	-	-	-	-	-	2	2
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	23	-	-	-	-	-	-	-	1	1	5	2
WHITE-----MALE----	18	-	-	-	-	-	-	-	-	1	3	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
GEORGIA -----	17	-	-	-	-	-	-	-	1	2	-	3
WHITE-----MALE----	8	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,289
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ALCOHOLIC PSYCHOSES (291)												
COLORADO -----	-	-	1	1	2	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	2	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	2	3	2	1	1	3	2	-	-	-	-	-
WHITE-----MALE----	1	2	2	1	1	3	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	-	-	3	3	3	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	1	1	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,295
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ALCOHOLIC PSYCHOSES (291)												
SOUTH DAKOTA -----	4	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	13	-	-	-	-	1	-	-	-	1	2	-
WHITE-----MALE----	8	-	-	-	-	1	-	-	-	1	2	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	33	-	-	-	-	-	-	-	1	2	2	2
WHITE-----MALE----	25	-	-	-	-	-	-	-	1	2	2	2
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH -----	4	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	17	-	-	-	-	-	-	-	-	2	1	-
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,297
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ALL OTHER PSYCHOSES (292-299)												
UNITED STATES --	9,719	1	-	1	-	-	3	6	15	24	17	31
WHITE-----MALE----	2,888	1	-	-	-	-	1	2	6	11	7	18
FEMALE--	6,067	-	-	1	-	-	-	1	4	5	6	7
ALL OTHER--MALE----	314	-	-	-	-	-	-	1	5	3	3	5
FEMALE--	450	-	-	-	-	-	2	2	-	5	1	1
BLACK---MALE----	275	-	-	-	-	-	-	1	4	2	2	5
FEMALE--	400	-	-	-	-	-	2	1	-	5	-	1
ALABAMA -----	148	-	-	-	-	-	-	-	-	3	-	-
WHITE-----MALE----	37	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	86	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	18	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	18	-	-	-	-	-	-	-	-	1	-	-
ALASKA -----	10	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	178	-	-	-	-	-	-	-	-	1	-	1
WHITE-----MALE----	64	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	108	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	84	-	-	-	-	-	-	-	1	-	-	1
WHITE-----MALE----	28	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	45	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	395	-	-	-	-	-	-	1	2	4	2	1
WHITE-----MALE----	133	-	-	-	-	-	-	1	2	2	1	1
FEMALE--	229	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	19	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	14	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,297
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ALL OTHER PSYCHOSES (292-299)												
UNITED STATES --	25	38	81	215	549	1,024	1,946	2,586	1,990	954	212	1
WHITE-----MALE----	10	22	33	98	244	451	667	734	420	137	26	-
FEMALE--	12	10	37	84	230	464	1,132	1,695	1,451	761	167	-
ALL OTHER--MALE----	3	5	6	20	38	58	55	64	29	14	4	1
FEMALE--	-	1	5	13	37	51	92	93	90	42	15	-
BLACK---MALE----	2	5	6	20	32	53	49	53	23	14	3	1
FEMALE--	-	1	4	10	35	47	87	83	75	35	14	-
ALABAMA -----	-	-	1	4	13	16	38	26	30	9	8	-
WHITE-----MALE----	-	-	-	2	2	6	16	5	4	-	1	-
FEMALE--	-	-	1	2	7	6	18	17	23	8	4	-
ALL OTHER--MALE----	-	-	-	-	2	1	1	2	-	-	-	-
FEMALE--	-	-	-	-	2	3	3	2	3	1	3	-
BLACK---MALE----	-	-	-	-	2	1	1	2	-	-	-	-
FEMALE--	-	-	-	-	2	3	3	2	3	1	3	-
ALASKA -----	-	-	-	-	2	-	5	1	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	3	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	1	4	5	14	38	50	45	19	-	-
WHITE-----MALE----	-	-	-	2	5	9	13	18	12	3	-	-
FEMALE--	-	-	1	2	-	4	23	32	32	14	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	2	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	2	2	3	5	8	19	21	17	4	-	-
WHITE-----MALE----	1	1	-	1	2	3	8	8	3	-	-	-
FEMALE--	-	-	1	-	3	4	10	12	10	4	-	-
ALL OTHER--MALE----	-	1	-	1	-	1	-	1	-	-	-	-
FEMALE--	-	-	1	1	-	-	1	-	4	-	-	-
BLACK---MALE----	-	1	-	1	-	1	-	1	-	-	-	-
FEMALE--	-	-	1	1	-	-	1	-	4	-	-	-
CALIFORNIA -----	2	2	4	4	23	38	83	107	73	35	14	-
WHITE-----MALE----	-	1	2	2	12	19	27	36	17	8	2	-
FEMALE--	1	1	1	1	8	17	48	65	51	25	10	-
ALL OTHER--MALE----	1	-	-	-	2	2	4	3	4	1	1	-
FEMALE--	-	-	1	1	1	-	4	3	1	1	1	-
BLACK---MALE----	-	-	-	-	1	2	4	1	2	1	-	-
FEMALE--	-	-	-	-	1	-	1	2	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,298
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ALL OTHER PSYCHOSES (292-299)												
COLORADO -----	-	-	1	2	4	20	19	43	24	9	3	-
WHITE-----MALE----	-	-	-	1	-	10	7	12	4	-	-	-
FEMALE--	-	-	1	1	4	10	12	28	19	9	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	1	-	-	-
CONNECTICUT -----	1	1	-	2	10	13	40	43	22	15	4	-
WHITE-----MALE----	-	-	-	1	5	7	12	13	6	3	-	-
FEMALE--	1	1	-	1	5	3	25	30	16	12	4	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	3	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	2	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	4	1	4	6	1	-
WHITE-----MALE----	-	-	-	-	-	-	3	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	3	6	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	1	1	5	7	5	7	2	-	-
WHITE-----MALE----	-	-	-	-	-	3	-	1	2	1	-	-
FEMALE--	-	-	-	-	-	1	-	1	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	4	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	3	2	3	-	-	-
BLACK---MALE----	-	-	-	-	1	-	4	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	3	2	3	-	-	-
FLORIDA -----	1	5	2	14	41	75	121	163	103	51	9	-
WHITE-----MALE----	1	2	2	8	21	28	47	49	25	13	3	-
FEMALE--	-	2	-	3	14	42	72	104	74	30	6	-
ALL OTHER--MALE----	-	1	-	2	4	3	-	3	2	1	-	-
FEMALE--	-	-	-	1	2	2	2	7	2	7	-	-
BLACK---MALE----	-	1	-	2	4	3	-	3	1	1	-	-
FEMALE--	-	-	-	1	2	2	2	7	2	6	-	-
GEORGIA -----	-	1	4	8	18	48	86	81	69	26	8	-
WHITE-----MALE----	-	-	1	2	7	22	30	18	8	-	-	-
FEMALE--	-	-	-	5	8	20	41	48	46	23	5	-
ALL OTHER--MALE----	-	-	2	1	2	4	5	5	3	2	-	-
FEMALE--	-	1	1	-	1	2	10	10	12	1	3	-
BLACK---MALE----	-	-	2	1	2	4	5	5	3	2	-	-
FEMALE--	-	1	1	-	1	2	10	10	12	1	3	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,300
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ALL OTHER PSYCHOSES (292-299)												
KENTUCKY -----	138	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	42	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	86	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	117	-	-	-	-	-	-	-	-	-	-	2
WHITE-----MALE----	23	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	66	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	13	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	74	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	20	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	54	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	229	-	-	-	-	-	-	-	1	-	-	1
WHITE-----MALE----	61	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	135	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	22	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	411	-	-	-	-	-	-	-	-	1	-	1
WHITE-----MALE----	106	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	295	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	273	-	-	-	-	-	-	-	1	2	-	-
WHITE-----MALE----	71	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	176	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	11	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,300
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ALL OTHER PSYCHOSES (292-299)												
KENTUCKY -----	1	-	3	2	8	17	22	39	29	14	3	-
WHITE-----MALE----	-	-	2	2	1	9	10	10	7	1	-	-
FEMALE--	1	-	1	-	5	7	11	25	21	12	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	-	4	1	1	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	-	4	1	1	-	-
LOUISIANA -----	2	-	1	6	11	10	23	22	28	10	2	-
WHITE-----MALE----	-	-	-	1	3	2	4	6	6	-	1	-
FEMALE--	1	-	1	4	4	4	11	14	19	8	-	-
ALL OTHER--MALE----	1	-	-	1	-	3	3	1	-	1	1	-
FEMALE--	-	-	-	-	4	1	5	1	3	1	-	-
BLACK---MALE----	1	-	-	1	-	3	3	1	-	1	1	-
FEMALE--	-	-	-	-	4	1	5	1	3	1	-	-
MAINE -----	-	-	-	3	2	7	19	21	12	5	4	-
WHITE-----MALE----	-	-	-	1	1	2	8	6	1	1	-	-
FEMALE--	-	-	-	2	1	5	11	15	11	4	4	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2	1	4	1	18	26	39	57	59	19	1	-
WHITE-----MALE----	-	1	1	-	6	14	12	13	11	1	-	-
FEMALE--	2	-	1	-	7	8	22	38	41	15	1	-
ALL OTHER--MALE----	-	-	1	1	4	2	1	1	-	1	-	-
FEMALE--	-	-	1	-	1	2	4	5	7	2	-	-
BLACK---MALE----	-	-	1	1	4	2	1	1	-	1	-	-
FEMALE--	-	-	1	-	1	2	4	4	7	2	-	-
MASSACHUSETTS -----	1	-	3	5	13	39	62	107	113	53	13	-
WHITE-----MALE----	1	-	-	3	5	17	18	25	26	7	3	-
FEMALE--	-	-	3	2	8	18	43	82	83	46	9	-
ALL OTHER--MALE----	-	-	-	-	-	3	-	-	2	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	2	-	1	-
BLACK---MALE----	-	-	-	-	-	2	-	-	2	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	2	-	1	-
MICHIGAN -----	-	1	3	6	11	30	51	71	52	34	11	-
WHITE-----MALE----	-	1	1	1	4	10	18	18	14	4	-	-
FEMALE--	-	-	2	3	6	13	31	49	36	28	8	-
ALL OTHER--MALE----	-	-	-	1	1	5	1	2	-	-	-	-
FEMALE--	-	-	-	1	-	2	1	2	2	2	3	-
BLACK---MALE----	-	-	-	1	1	5	1	2	-	-	-	-
FEMALE--	-	-	-	1	-	2	1	2	2	2	3	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,303
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ALL OTHER PSYCHOSES (292-299)												
OHIO -----	1	3	4	7	23	62	105	144	116	59	9	-
WHITE-----MALE----	-	-	2	1	7	30	38	36	24	11	-	-
FEMALE--	1	2	2	5	12	26	58	96	88	42	8	-
ALL OTHER--MALE----	-	1	-	1	2	4	6	7	1	3	-	-
FEMALE--	-	-	-	-	2	2	3	5	3	3	1	-
BLACK---MALE----	-	1	-	1	2	4	6	7	1	3	-	-
FEMALE--	-	-	-	-	2	2	3	5	3	3	1	-
OKLAHOMA -----	-	-	1	6	7	16	34	36	31	5	2	-
WHITE-----MALE----	-	-	1	-	4	5	9	12	6	-	-	-
FEMALE--	-	-	-	5	3	10	22	22	23	5	2	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	3	2	2	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	3	2	-	-	-	-
OREGON -----	-	3	2	3	10	32	39	55	56	20	4	-
WHITE-----MALE----	-	2	-	2	3	17	9	17	11	2	1	-
FEMALE--	-	1	1	1	7	15	29	35	43	18	3	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	1	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
PENNSYLVANIA -----	1	4	1	14	30	37	86	104	97	40	10	-
WHITE-----MALE----	-	3	1	5	13	18	32	40	24	6	1	-
FEMALE--	1	1	-	8	14	17	53	61	68	33	9	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	1	1	1	-	-
FEMALE--	-	-	-	-	3	1	1	2	4	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	1	1	1	-	-
FEMALE--	-	-	-	-	2	1	1	2	4	-	-	-
RHODE ISLAND -----	-	-	-	-	8	4	8	12	12	7	2	-
WHITE-----MALE----	-	-	-	-	5	2	4	2	4	-	-	-
FEMALE--	-	-	-	-	3	2	4	10	8	7	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	2	2	5	7	23	36	32	30	11	1	-
WHITE-----MALE----	1	1	-	2	3	8	13	8	4	-	-	-
FEMALE--	-	-	1	-	2	7	15	20	23	11	1	-
ALL OTHER--MALE----	-	1	1	2	-	3	2	1	-	-	-	-
FEMALE--	-	-	-	1	2	5	6	3	3	-	-	-
BLACK---MALE----	-	1	1	2	-	3	2	1	-	-	-	-
FEMALE--	-	-	-	1	2	5	6	3	3	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,304
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ALL OTHER PSYCHOSES (292-299)												
SOUTH DAKOTA -----	-	-	-	1	2	1	6	8	5	3	1	-
WHITE-----MALE----	-	-	-	-	-	-	2	2	1	-	1	-
FEMALE--	-	-	-	1	2	1	4	6	4	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2	-	-	8	14	21	35	62	42	17	2	-
WHITE-----MALE----	2	-	-	4	7	5	12	19	11	3	-	-
FEMALE--	-	-	-	1	3	11	19	38	31	12	1	-
ALL OTHER--MALE----	-	-	-	3	2	3	3	1	-	-	1	-
FEMALE--	-	-	-	-	2	2	1	4	-	2	-	-
BLACK---MALE----	-	-	-	3	2	3	3	1	-	-	1	-
FEMALE--	-	-	-	-	2	2	1	4	-	2	-	-
TEXAS -----	-	-	6	7	34	56	113	130	87	42	9	-
WHITE-----MALE----	-	-	3	4	16	19	40	33	19	5	2	-
FEMALE--	-	-	2	3	13	33	62	89	58	33	7	-
ALL OTHER--MALE----	-	-	1	-	2	1	2	5	4	1	-	-
FEMALE--	-	-	-	-	3	3	9	3	6	3	-	-
BLACK---MALE----	-	-	1	-	2	1	2	5	4	1	-	-
FEMALE--	-	-	-	-	3	3	9	3	5	3	-	-
UTAH -----	1	-	3	1	4	12	23	28	25	8	2	-
WHITE-----MALE----	-	-	2	-	2	8	5	5	7	1	-	-
FEMALE--	1	-	1	1	2	4	18	23	17	7	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	1	2	4	9	12	8	9	1	-
WHITE-----MALE----	-	-	-	1	2	1	3	4	1	-	1	-
FEMALE--	-	-	-	-	-	3	6	8	7	9	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	1	-	6	21	36	77	84	56	32	3	1
WHITE-----MALE----	-	-	-	3	7	8	24	23	12	5	-	-
FEMALE--	1	1	-	2	5	19	43	54	39	22	3	-
ALL OTHER--MALE----	-	-	-	1	5	5	3	5	1	1	-	1
FEMALE--	-	-	-	-	4	4	7	2	4	4	-	-
BLACK---MALE----	-	-	-	1	5	5	2	5	1	1	-	1
FEMALE--	-	-	-	-	4	4	7	2	4	4	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,306
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ALCOHOL DEPENDENCE SYNDROME (303)												
UNITED STATES --	5,466	-	-	-	-	-	7	40	193	403	705	795
WHITE-----MALE----	3,190	-	-	-	-	-	5	23	107	206	395	484
FEMALE--	826	-	-	-	-	-	-	4	36	68	90	108
ALL OTHER--MALE----	1,111	-	-	-	-	-	2	5	37	82	150	157
FEMALE--	339	-	-	-	-	-	-	8	13	47	70	46
BLACK---MALE----	976	-	-	-	-	-	2	5	29	66	126	131
FEMALE--	291	-	-	-	-	-	-	5	10	37	64	40
ALABAMA -----	102	-	-	-	-	-	-	1	4	12	16	15
WHITE-----MALE----	47	-	-	-	-	-	-	-	2	4	3	7
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	38	-	-	-	-	-	-	-	2	5	10	6
FEMALE--	12	-	-	-	-	-	-	1	-	3	3	1
BLACK---MALE----	38	-	-	-	-	-	-	-	2	5	10	6
FEMALE--	12	-	-	-	-	-	-	1	-	3	3	1
ALASKA -----	19	-	-	-	-	-	-	1	-	-	1	6
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	125	-	-	-	-	-	-	1	7	14	20	14
WHITE-----MALE----	79	-	-	-	-	-	-	1	5	4	11	9
FEMALE--	14	-	-	-	-	-	-	-	-	1	1	3
ALL OTHER--MALE----	27	-	-	-	-	-	-	-	2	6	7	2
FEMALE--	5	-	-	-	-	-	-	-	-	3	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	54	-	-	-	-	-	-	-	4	3	5	7
WHITE-----MALE----	26	-	-	-	-	-	-	-	1	2	1	3
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	19	-	-	-	-	-	-	-	3	1	4	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	18	-	-	-	-	-	-	-	3	-	4	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	692	-	-	-	-	-	2	5	39	51	78	117
WHITE-----MALE----	456	-	-	-	-	-	2	4	27	34	49	83
FEMALE--	138	-	-	-	-	-	-	1	8	11	14	22
ALL OTHER--MALE----	79	-	-	-	-	-	-	-	4	3	11	9
FEMALE--	19	-	-	-	-	-	-	-	-	3	4	3
BLACK---MALE----	65	-	-	-	-	-	-	-	4	3	8	4
FEMALE--	13	-	-	-	-	-	-	-	-	2	3	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,306
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ALCOHOL DEPENDENCE SYNDROME (303)												
UNITED STATES --	725	625	666	557	364	226	96	46	7	5	-	6
WHITE-----MALE----	402	370	412	323	224	146	57	26	4	1	-	5
FEMALE--	102	90	99	83	67	40	24	12	1	2	-	-
ALL OTHER--MALE----	187	140	132	113	57	30	12	5	1	1	-	-
FEMALE--	34	25	23	38	16	10	3	3	1	1	-	1
BLACK---MALE----	168	127	121	108	52	25	10	4	1	1	-	-
FEMALE--	29	24	16	32	16	10	2	3	1	1	-	1
ALABAMA -----	11	8	13	13	4	4	-	-	-	1	-	-
WHITE-----MALE----	7	4	9	7	2	2	-	-	-	-	-	-
FEMALE--	-	2	1	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	3	2	2	6	1	1	-	-	-	-	-	-
FEMALE--	1	-	1	-	1	-	-	-	-	1	-	-
BLACK---MALE----	3	2	2	6	1	1	-	-	-	-	-	-
FEMALE--	1	-	1	-	1	-	-	-	-	1	-	-
ALASKA -----	1	4	4	1	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	4	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	14	15	15	9	8	3	4	-	-	-	-	1
WHITE-----MALE----	11	11	12	7	4	1	2	-	-	-	-	1
FEMALE--	1	-	2	1	3	1	1	-	-	-	-	-
ALL OTHER--MALE----	1	4	1	1	1	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	7	6	11	6	-	3	-	2	-	-	-	-
WHITE-----MALE----	2	4	8	3	-	1	-	1	-	-	-	-
FEMALE--	1	1	1	2	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	4	1	2	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	1	2	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	94	73	72	63	54	28	12	3	1	-	-	-
WHITE-----MALE----	60	45	50	43	32	17	7	2	1	-	-	-
FEMALE--	18	15	10	9	16	9	4	1	-	-	-	-
ALL OTHER--MALE----	13	12	11	9	5	2	-	-	-	-	-	-
FEMALE--	3	1	1	2	1	-	1	-	-	-	-	-
BLACK---MALE----	13	9	9	8	5	2	-	-	-	-	-	-
FEMALE--	2	1	-	2	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,307
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ALCOHOL DEPENDENCE SYNDROME (303)												
COLORADO -----	126	-	-	-	-	-	-	1	5	12	20	16
WHITE-----MALE----	82	-	-	-	-	-	-	1	3	8	14	11
FEMALE--	19	-	-	-	-	-	-	-	1	2	2	3
ALL OTHER--MALE----	17	-	-	-	-	-	-	-	-	1	2	2
FEMALE--	8	-	-	-	-	-	-	-	1	1	2	-
BLACK---MALE----	11	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	1	2	-
CONNECTICUT -----	65	-	-	-	-	-	-	1	2	2	6	11
WHITE-----MALE----	49	-	-	-	-	-	-	1	2	2	4	11
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	5	-	-	-	-	-	-	-	1	-	1	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	29	-	-	-	-	-	-	-	-	4	-	4
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	22	-	-	-	-	-	-	-	-	2	-	3
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	22	-	-	-	-	-	-	-	-	2	-	3
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
FLORIDA -----	334	-	-	-	-	-	-	2	7	24	40	49
WHITE-----MALE----	205	-	-	-	-	-	-	1	3	13	24	39
FEMALE--	75	-	-	-	-	-	-	1	3	6	11	6
ALL OTHER--MALE----	38	-	-	-	-	-	-	-	-	3	1	2
FEMALE--	16	-	-	-	-	-	-	-	1	2	4	2
BLACK---MALE----	38	-	-	-	-	-	-	-	-	3	1	2
FEMALE--	16	-	-	-	-	-	-	-	1	2	4	2
GEORGIA -----	248	-	-	-	-	-	-	1	4	16	41	30
WHITE-----MALE----	84	-	-	-	-	-	-	1	1	5	12	12
FEMALE--	16	-	-	-	-	-	-	-	1	1	1	2
ALL OTHER--MALE----	112	-	-	-	-	-	-	-	1	4	17	13
FEMALE--	36	-	-	-	-	-	-	-	1	6	11	3
BLACK---MALE----	112	-	-	-	-	-	-	-	1	4	17	13
FEMALE--	36	-	-	-	-	-	-	-	1	6	11	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,309
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ALCOHOL DEPENDENCE SYNDROME (303)												
KENTUCKY -----	73	-	-	-	-	-	-	1	3	1	10	10
WHITE-----MALE----	59	-	-	-	-	-	-	1	2	1	10	7
FEMALE--	9	-	-	-	-	-	-	-	1	-	-	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
LOUISIANA -----	63	-	-	-	-	-	-	-	3	5	12	7
WHITE-----MALE----	29	-	-	-	-	-	-	-	-	2	6	3
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	22	-	-	-	-	-	-	-	1	2	4	3
FEMALE--	7	-	-	-	-	-	-	-	1	1	2	-
BLACK---MALE----	22	-	-	-	-	-	-	-	1	2	4	3
FEMALE--	7	-	-	-	-	-	-	-	1	1	2	-
MAINE -----	31	-	-	-	-	-	-	-	2	1	5	1
WHITE-----MALE----	25	-	-	-	-	-	-	-	2	-	4	1
FEMALE--	6	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	106	-	-	-	-	-	1	2	10	10	18	18
WHITE-----MALE----	39	-	-	-	-	-	-	-	-	3	3	4
FEMALE--	12	-	-	-	-	-	-	-	-	1	-	2
ALL OTHER--MALE----	42	-	-	-	-	-	-	-	2	5	6	8
FEMALE--	13	-	-	-	-	-	1	-	1	1	1	4
BLACK---MALE----	40	-	-	-	-	-	-	-	2	5	6	8
FEMALE--	13	-	-	-	-	-	1	-	-	1	1	4
MASSACHUSETTS -----	97	-	-	-	-	-	1	1	4	10	20	15
WHITE-----MALE----	77	-	-	-	-	-	1	1	3	7	15	11
FEMALE--	15	-	-	-	-	-	-	-	-	2	5	3
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
MICHIGAN -----	157	-	-	-	-	-	1	1	4	16	20	26
WHITE-----MALE----	98	-	-	-	-	-	1	-	3	9	12	17
FEMALE--	22	-	-	-	-	-	-	-	-	5	-	-
ALL OTHER--MALE----	27	-	-	-	-	-	-	1	1	1	5	7
FEMALE--	10	-	-	-	-	-	-	-	-	1	3	2
BLACK---MALE----	27	-	-	-	-	-	-	1	1	1	5	7
FEMALE--	10	-	-	-	-	-	-	-	-	1	3	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,309
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ALCOHOL DEPENDENCE SYNDROME (303)												
KENTUCKY -----	12	13	13	4	4	1	-	1	-	-	-	-
WHITE-----MALE----	11	11	10	2	3	1	-	-	-	-	-	-
FEMALE--	-	2	3	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	2	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	2	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	3	9	6	10	1	4	2	1	-	-	-	-
WHITE-----MALE----	1	5	3	5	-	2	1	1	-	-	-	-
FEMALE--	-	2	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	2	3	4	1	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	2	-	-	-	-	-	-
BLACK---MALE----	1	2	3	4	1	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	2	-	-	-	-	-	-
MAINE -----	5	2	4	4	3	2	-	2	-	-	-	-
WHITE-----MALE----	3	2	4	3	3	1	-	2	-	-	-	-
FEMALE--	2	-	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	8	11	19	17	7	2	1	-	-	-	-	-
WHITE-----MALE----	4	4	10	7	2	1	1	-	-	-	-	-
FEMALE--	-	2	1	5	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	3	7	3	4	1	-	-	-	-	-	-
FEMALE--	1	2	1	2	-	-	-	-	-	-	-	-
BLACK---MALE----	3	3	6	3	3	1	-	-	-	-	-	-
FEMALE--	1	2	1	2	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	8	7	10	8	6	5	1	1	-	-	-	-
WHITE-----MALE----	6	5	10	6	5	5	1	1	-	-	-	-
FEMALE--	2	1	-	1	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	15	14	21	16	16	4	2	1	-	-	-	-
WHITE-----MALE----	9	10	13	10	9	3	2	-	-	-	-	-
FEMALE--	2	1	5	3	5	-	-	1	-	-	-	-
ALL OTHER--MALE----	2	3	3	2	2	-	-	-	-	-	-	-
FEMALE--	2	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	2	3	3	2	2	-	-	-	-	-	-	-
FEMALE--	2	-	-	1	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,312
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ALCOHOL DEPENDENCE SYNDROME (303)												
OHIO -----	146	-	-	-	-	-	-	-	4	11	22	15
WHITE-----MALE----	87	-	-	-	-	-	-	-	4	6	14	10
FEMALE--	16	-	-	-	-	-	-	-	-	2	2	2
ALL OTHER--MALE----	31	-	-	-	-	-	-	-	-	2	3	3
FEMALE--	12	-	-	-	-	-	-	-	-	1	3	-
BLACK---MALE----	31	-	-	-	-	-	-	-	-	2	3	3
FEMALE--	12	-	-	-	-	-	-	-	-	1	3	-
OKLAHOMA -----	67	-	-	-	-	-	-	1	3	3	4	10
WHITE-----MALE----	44	-	-	-	-	-	-	-	2	1	1	6
FEMALE--	6	-	-	-	-	-	-	-	1	1	-	2
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	1	2	2
FEMALE--	5	-	-	-	-	-	-	1	-	-	1	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
OREGON -----	94	-	-	-	-	-	-	1	2	8	16	12
WHITE-----MALE----	64	-	-	-	-	-	-	1	1	4	11	8
FEMALE--	28	-	-	-	-	-	-	-	1	4	4	3
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	91	-	-	-	-	-	-	1	2	5	12	8
WHITE-----MALE----	65	-	-	-	-	-	-	1	-	3	7	6
FEMALE--	19	-	-	-	-	-	-	-	2	2	4	2
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	11	-	-	-	-	-	-	-	-	-	2	4
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	2	3
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	128	-	-	-	-	-	-	1	4	8	15	21
WHITE-----MALE----	43	-	-	-	-	-	-	-	-	2	3	9
FEMALE--	9	-	-	-	-	-	-	-	2	-	-	2
ALL OTHER--MALE----	58	-	-	-	-	-	-	1	2	5	9	7
FEMALE--	18	-	-	-	-	-	-	-	-	1	3	3
BLACK---MALE----	58	-	-	-	-	-	-	1	2	5	9	7
FEMALE--	18	-	-	-	-	-	-	-	-	1	3	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,312
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ALCOHOL DEPENDENCE SYNDROME (303)												
OHIO -----	18	13	16	19	12	8	7	1	-	-	-	-
WHITE-----MALE----	8	8	14	6	7	4	6	-	-	-	-	-
FEMALE--	2	2	-	4	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	8	2	-	7	3	2	-	1	-	-	-	-
FEMALE--	-	1	2	2	1	1	1	-	-	-	-	-
BLACK---MALE----	8	2	-	7	3	2	-	1	-	-	-	-
FEMALE--	-	1	2	2	1	1	1	-	-	-	-	-
OKLAHOMA -----	16	8	7	5	5	2	-	3	-	-	-	-
WHITE-----MALE----	12	6	5	2	5	1	-	3	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	2	1	1	-	1	-	-	-	-	-	-
FEMALE--	1	-	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	13	6	6	8	16	4	2	-	-	-	-	-
WHITE-----MALE----	9	4	5	5	11	4	1	-	-	-	-	-
FEMALE--	4	2	1	3	5	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	13	8	10	10	9	11	2	-	-	-	-	-
WHITE-----MALE----	9	7	7	9	7	7	2	-	-	-	-	-
FEMALE--	1	1	1	1	2	3	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	2	-	-	1	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	2	-	-	1	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	1	1	2	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	20	16	15	13	6	5	1	3	-	-	-	-
WHITE-----MALE----	3	8	5	6	3	3	1	-	-	-	-	-
FEMALE--	-	2	2	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	14	4	7	5	2	1	-	1	-	-	-	-
FEMALE--	3	2	1	1	1	1	-	2	-	-	-	-
BLACK---MALE----	14	4	7	5	2	1	-	1	-	-	-	-
FEMALE--	3	2	1	1	1	1	-	2	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,313
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ALCOHOL DEPENDENCE SYNDROME (303)												
SOUTH DAKOTA -----	18	-	-	-	-	-	-	-	2	1	2	3
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	1	2	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	2	-	-	3
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	117	-	-	-	-	-	-	-	5	7	17	17
WHITE-----MALE----	74	-	-	-	-	-	-	-	4	6	8	13
FEMALE--	13	-	-	-	-	-	-	-	-	-	2	3
ALL OTHER--MALE----	28	-	-	-	-	-	-	-	1	1	7	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	27	-	-	-	-	-	-	-	1	1	6	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	251	-	-	-	-	-	-	1	17	19	32	31
WHITE-----MALE----	178	-	-	-	-	-	-	-	9	15	24	21
FEMALE--	39	-	-	-	-	-	-	1	4	4	3	5
ALL OTHER--MALE----	26	-	-	-	-	-	-	-	1	-	4	3
FEMALE--	8	-	-	-	-	-	-	-	3	-	1	2
BLACK---MALE----	26	-	-	-	-	-	-	-	1	-	4	3
FEMALE--	8	-	-	-	-	-	-	-	3	-	1	2
UTAH -----	56	-	-	-	-	-	-	-	4	4	7	8
WHITE-----MALE----	36	-	-	-	-	-	-	-	2	2	4	7
FEMALE--	15	-	-	-	-	-	-	-	2	1	2	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	15	-	-	-	-	-	-	-	2	-	2	1
WHITE-----MALE----	14	-	-	-	-	-	-	-	2	-	2	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	104	-	-	-	-	-	-	1	4	5	8	16
WHITE-----MALE----	61	-	-	-	-	-	-	1	2	-	6	11
FEMALE--	6	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	29	-	-	-	-	-	-	-	1	3	2	3
FEMALE--	8	-	-	-	-	-	-	-	-	2	-	1
BLACK---MALE----	29	-	-	-	-	-	-	-	1	3	2	3
FEMALE--	8	-	-	-	-	-	-	-	-	2	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,315
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
DRUG DEPENDENCE (304)												
UNITED STATES --	306	1	-	-	-	2	6	21	46	73	80	33
WHITE-----MALE----	184	-	-	-	-	1	4	18	27	44	53	15
FEMALE--	47	-	-	-	-	1	2	2	8	15	10	4
ALL OTHER--MALE----	54	-	-	-	-	-	-	1	9	11	12	11
FEMALE--	21	1	-	-	-	-	-	-	2	3	5	3
BLACK---MALE----	51	-	-	-	-	-	-	1	7	11	12	10
FEMALE--	20	1	-	-	-	-	-	-	2	3	5	3
ALABAMA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	2	-	-	-	-	-	-	-	-	-	2	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	27	-	-	-	-	-	2	2	3	7	6	3
WHITE-----MALE----	22	-	-	-	-	-	2	2	1	6	5	3
FEMALE--	2	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	82	-	-	-	-	-	2	6	15	14	20	10
WHITE-----MALE----	53	-	-	-	-	-	1	6	12	9	11	5
FEMALE--	11	-	-	-	-	-	1	-	1	4	3	1
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	2	-	6	3
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	12	-	-	-	-	-	-	-	1	-	6	3
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,324
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OTHER NEUROTIC, PERSONALITY, AND NONPSYCHOTIC MENTAL DISORDERS (300-302,305-316)												
UNITED STATES --	6,254	6	5	1	9	39	66	130	257	370	391	294
WHITE-----MALE----	2,265	-	3	-	4	24	41	70	144	198	170	126
FEMALE--	2,942	4	1	1	1	8	13	24	41	47	60	50
ALL OTHER--MALE----	633	-	1	-	1	6	11	24	52	84	104	89
FEMALE--	414	2	-	-	3	1	1	12	20	41	57	29
BLACK---MALE----	576	-	1	-	-	4	9	21	46	76	97	85
FEMALE--	375	2	-	-	3	-	1	10	19	39	53	26
ALABAMA -----	146	-	-	-	-	1	1	-	6	2	3	7
WHITE-----MALE----	29	-	-	-	-	1	-	-	2	-	1	-
FEMALE--	80	-	-	-	-	-	1	-	-	-	-	2
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	2	2	2	2
FEMALE--	21	-	-	-	-	-	-	-	2	-	-	3
BLACK---MALE----	16	-	-	-	-	-	-	-	2	2	2	2
FEMALE--	21	-	-	-	-	-	-	-	2	-	-	3
ALASKA -----	18	-	-	-	1	-	-	2	-	3	4	1
WHITE-----MALE----	5	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	2	1	-
ALL OTHER--MALE----	4	-	-	-	1	-	-	1	-	1	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	79	-	-	-	-	2	2	2	3	5	6	2
WHITE-----MALE----	37	-	-	-	-	-	1	2	1	2	3	2
FEMALE--	31	-	-	-	-	1	-	-	1	-	1	-
ALL OTHER--MALE----	6	-	-	-	-	1	1	-	1	2	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	59	-	-	-	-	1	-	-	1	3	-	1
WHITE-----MALE----	21	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	27	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	6	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
CALIFORNIA -----	496	-	-	-	2	2	11	13	49	49	58	44
WHITE-----MALE----	245	-	-	-	2	1	7	12	35	30	34	17
FEMALE--	182	-	-	-	-	-	3	1	9	11	13	10
ALL OTHER--MALE----	49	-	-	-	-	1	1	-	3	6	8	12
FEMALE--	20	-	-	-	-	-	-	-	2	2	3	5
BLACK---MALE----	38	-	-	-	-	-	-	-	2	5	6	11
FEMALE--	14	-	-	-	-	-	-	-	2	2	3	4

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,324
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OTHER NEUROTIC, PERSONALITY, AND NONPSYCHOTIC MENTAL DISORDERS (300-302,305-316)												
UNITED STATES --	185	151	191	184	270	494	801	1,117	831	368	89	5
WHITE-----MALE----	87	73	95	96	117	190	282	316	164	55	9	1
FEMALE--	43	33	43	61	119	260	446	722	610	278	76	1
ALL OTHER--MALE----	44	36	43	15	20	26	25	30	13	5	1	3
FEMALE--	11	9	10	12	14	18	48	49	44	30	3	-
BLACK---MALE----	42	34	35	14	20	22	23	26	12	5	1	3
FEMALE--	10	7	10	11	12	17	41	45	40	27	2	-
ALABAMA -----	4	2	3	2	3	14	22	41	24	10	1	-
WHITE-----MALE----	1	-	1	1	1	5	3	11	2	-	-	-
FEMALE--	2	1	1	-	2	7	14	25	17	7	1	-
ALL OTHER--MALE----	-	1	-	1	-	1	3	1	1	-	-	-
FEMALE--	1	-	1	-	-	1	2	4	4	3	-	-
BLACK---MALE----	-	1	-	1	-	1	3	1	1	-	-	-
FEMALE--	1	-	1	-	-	1	2	4	4	3	-	-
ALASKA -----	2	-	-	1	-	1	2	-	-	1	-	-
WHITE-----MALE----	1	-	-	1	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	3	1	5	4	4	12	14	7	5	1	-
WHITE-----MALE----	1	2	1	4	2	-	7	5	2	2	-	-
FEMALE--	-	-	-	1	1	4	5	9	5	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ARKANSAS -----	1	-	1	3	3	1	14	16	11	2	1	-
WHITE-----MALE----	-	-	-	2	-	1	8	3	3	2	-	-
FEMALE--	-	-	-	1	3	-	5	10	6	-	1	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	2	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	2	-	-	-
CALIFORNIA -----	28	12	13	14	14	20	53	51	44	12	7	-
WHITE-----MALE----	20	5	8	8	3	9	15	22	15	2	-	-
FEMALE--	5	5	2	5	8	8	34	26	25	10	7	-
ALL OTHER--MALE----	2	2	3	1	2	3	-	2	3	-	-	-
FEMALE--	1	-	-	-	1	-	4	1	1	-	-	-
BLACK---MALE----	2	2	3	1	2	1	-	-	3	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,325
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OTHER NEUROTIC, PERSONALITY, AND NONPSYCHOTIC MENTAL DISORDERS (300-302,305-316)												
COLORADO -----	71	-	-	-	-	-	-	2	-	6	5	4
WHITE-----MALE----	33	-	-	-	-	-	-	1	-	4	5	3
FEMALE--	38	-	-	-	-	-	-	1	-	2	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	73	-	-	-	-	-	-	2	2	3	4	5
WHITE-----MALE----	28	-	-	-	-	-	-	2	1	1	2	2
FEMALE--	37	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	2	1	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	2	1	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	1
DELAWARE -----	8	-	-	-	-	-	-	1	-	3	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	5	-	-	-	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	10	-	-	-	-	-	-	-	-	1	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	500	1	-	-	-	1	3	5	8	8	15	9
WHITE-----MALE----	174	-	-	-	-	-	1	3	6	6	8	3
FEMALE--	289	1	-	-	-	1	1	1	1	1	4	1
ALL OTHER--MALE----	17	-	-	-	-	-	1	1	1	-	2	4
FEMALE--	20	-	-	-	-	-	-	-	-	1	1	1
BLACK---MALE----	17	-	-	-	-	-	1	1	1	-	2	4
FEMALE--	19	-	-	-	-	-	-	-	-	1	1	1
GEORGIA -----	121	-	-	-	1	1	3	10	4	5	9	6
WHITE-----MALE----	30	-	-	-	-	-	-	3	-	2	3	-
FEMALE--	32	-	-	-	-	1	2	2	-	-	-	-
ALL OTHER--MALE----	38	-	-	-	-	-	1	4	2	3	5	4
FEMALE--	21	-	-	-	1	-	-	1	2	-	1	2
BLACK---MALE----	38	-	-	-	-	-	1	4	2	3	5	4
FEMALE--	21	-	-	-	1	-	-	1	2	-	1	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,325
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OTHER NEUROTIC, PERSONALITY, AND NONPSYCHOTIC MENTAL DISORDERS (300-302,305-316)												
COLORADO -----	5	4	3	-	3	8	8	5	15	3	-	-
WHITE-----MALE----	3	2	3	-	1	4	3	2	-	2	-	-
FEMALE--	2	2	-	-	2	4	5	3	15	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	5	3	2	4	5	10	13	7	6	2	-
WHITE-----MALE----	-	2	3	1	3	-	4	4	2	1	-	-
FEMALE--	-	3	-	-	1	5	5	9	5	5	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	1	3	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
DISTRICT OF COLUMBIA ----	1	1	-	-	1	1	-	1	2	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	1	1	1	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	1	1	1	-	-
FLORIDA -----	6	9	12	11	26	51	91	122	82	36	4	-
WHITE-----MALE----	3	5	6	5	9	20	35	37	23	3	1	-
FEMALE--	1	4	4	4	15	27	51	81	57	31	3	-
ALL OTHER--MALE----	2	-	1	2	-	2	-	1	-	-	-	-
FEMALE--	-	-	1	-	2	2	5	3	2	2	-	-
BLACK---MALE----	2	-	1	2	-	2	-	1	-	-	-	-
FEMALE--	-	-	1	-	2	2	4	3	2	2	-	-
GEORGIA -----	11	6	8	6	4	5	11	15	9	5	1	1
WHITE-----MALE----	3	2	2	2	1	3	4	2	2	1	-	-
FEMALE--	2	-	1	3	2	-	1	9	6	2	1	-
ALL OTHER--MALE----	6	4	2	-	1	2	2	1	-	-	-	1
FEMALE--	-	-	3	1	-	-	4	3	1	2	-	-
BLACK---MALE----	6	4	2	-	1	2	2	1	-	-	-	1
FEMALE--	-	-	3	1	-	-	4	3	1	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,327
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OTHER NEUROTIC, PERSONALITY, AND NONPSYCHOTIC MENTAL DISORDERS (300-302,305-316)												
KENTUCKY -----	122	1	-	-	-	1	2	-	1	3	3	4
WHITE-----MALE----	43	-	-	-	-	1	2	-	1	2	1	3
FEMALE--	66	1	-	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	117	-	-	-	-	-	1	3	3	4	6	2
WHITE-----MALE----	33	-	-	-	-	-	-	-	3	1	1	1
FEMALE--	44	-	-	-	-	-	-	1	-	1	-	1
ALL OTHER--MALE----	18	-	-	-	-	-	1	1	-	1	3	-
FEMALE--	22	-	-	-	-	-	-	1	-	1	2	-
BLACK---MALE----	18	-	-	-	-	-	1	1	-	1	3	-
FEMALE--	22	-	-	-	-	-	-	1	-	1	2	-
MAINE -----	20	-	-	-	-	-	-	-	1	1	3	-
WHITE-----MALE----	12	-	-	-	-	-	-	-	1	1	3	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	107	-	-	-	-	1	-	4	4	8	9	8
WHITE-----MALE----	30	-	-	-	-	-	-	1	1	2	1	2
FEMALE--	29	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	28	-	-	-	-	1	-	1	3	4	3	4
FEMALE--	20	-	-	-	-	-	-	2	-	2	5	2
BLACK---MALE----	27	-	-	-	-	1	-	1	3	4	3	4
FEMALE--	18	-	-	-	-	-	-	2	-	2	5	2
MASSACHUSETTS -----	135	-	-	-	-	-	1	2	4	5	5	7
WHITE-----MALE----	56	-	-	-	-	-	1	2	1	3	5	5
FEMALE--	70	-	-	-	-	-	-	-	2	-	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	2	-	1
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	2	-	1
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	-
MICHIGAN -----	313	-	-	-	-	2	8	13	25	48	62	36
WHITE-----MALE----	115	-	-	-	-	1	4	5	12	21	17	12
FEMALE--	74	-	-	-	-	-	-	3	6	2	3	2
ALL OTHER--MALE----	78	-	-	-	-	1	3	3	5	14	25	18
FEMALE--	46	-	-	-	-	-	1	2	2	11	17	4
BLACK---MALE----	76	-	-	-	-	1	3	3	5	13	24	18
FEMALE--	46	-	-	-	-	-	1	2	2	11	17	4

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,327
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OTHER NEUROTIC, PERSONALITY, AND NONPSYCHOTIC MENTAL DISORDERS (300-302,305-316)												
KENTUCKY -----	3	1	2	2	8	17	13	24	20	16	1	-
WHITE-----MALE----	1	-	2	2	5	4	3	6	7	3	-	-
FEMALE--	1	-	-	-	1	12	9	17	10	11	1	-
ALL OTHER--MALE----	1	-	-	-	2	-	1	1	1	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	2	2	-	-
BLACK---MALE----	1	-	-	-	2	-	1	1	1	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	2	2	-	-
LOUISIANA -----	2	2	5	4	6	9	24	18	15	12	1	-
WHITE-----MALE----	1	1	3	2	3	2	7	4	2	2	-	-
FEMALE--	-	-	1	-	1	2	11	9	10	7	-	-
ALL OTHER--MALE----	1	1	1	1	1	2	1	2	-	1	1	-
FEMALE--	-	-	-	1	1	3	5	3	3	2	-	-
BLACK---MALE----	1	1	1	1	1	2	1	2	-	1	1	-
FEMALE--	-	-	-	1	1	3	5	3	3	2	-	-
MAINE -----	2	-	1	-	2	1	4	-	1	3	1	-
WHITE-----MALE----	2	-	1	-	1	-	3	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	1	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	6	5	2	1	5	9	14	14	11	4	2	-
WHITE-----MALE----	4	2	1	1	2	5	3	2	3	-	-	-
FEMALE--	-	-	-	-	2	3	6	9	6	2	1	-
ALL OTHER--MALE----	2	3	1	-	1	1	1	1	1	1	-	-
FEMALE--	-	-	-	-	-	-	4	2	1	1	1	-
BLACK---MALE----	2	3	-	-	1	1	1	1	1	1	-	-
FEMALE--	-	-	-	-	-	-	3	1	1	1	1	-
MASSACHUSETTS -----	-	-	3	3	11	10	23	29	14	14	4	-
WHITE-----MALE----	-	-	2	2	5	3	10	8	4	5	-	-
FEMALE--	-	-	1	1	5	7	12	18	10	9	4	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	3	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	3	-	-	-	-
MICHIGAN -----	11	6	6	3	6	15	22	19	19	8	3	1
WHITE-----MALE----	3	1	2	1	1	5	12	8	6	3	1	-
FEMALE--	6	1	1	2	4	9	7	8	13	4	2	1
ALL OTHER--MALE----	1	2	2	-	1	-	1	1	-	1	-	-
FEMALE--	1	2	1	-	-	1	2	2	-	-	-	-
BLACK---MALE----	1	2	2	-	1	-	1	1	-	1	-	-
FEMALE--	1	2	1	-	-	1	2	2	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,328
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OTHER NEUROTIC, PERSONALITY, AND NONPSYCHOTIC MENTAL DISORDERS (300-302,305-316)												
MINNESOTA -----	135	-	1	-	-	-	2	1	4	4	2	3
WHITE-----MALE----	60	-	1	-	-	-	-	-	1	3	1	2
FEMALE--	67	-	-	-	-	-	1	1	2	1	1	1
ALL OTHER--MALE----	6	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	55	-	-	-	-	-	-	1	4	-	6	-
WHITE-----MALE----	13	-	-	-	-	-	-	-	3	-	2	-
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	1	-	3	-
FEMALE--	10	-	-	-	-	-	-	1	-	-	1	-
BLACK---MALE----	9	-	-	-	-	-	-	-	1	-	3	-
FEMALE--	10	-	-	-	-	-	-	1	-	-	1	-
MISSOURI -----	167	-	-	-	1	2	1	1	2	9	5	4
WHITE-----MALE----	61	-	-	-	-	2	1	-	2	7	3	3
FEMALE--	91	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	1	-	1	1	1
FEMALE--	6	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	6	-	-	-	1	-	-	-	-	-	-	-
MONTANA -----	11	-	-	-	-	1	-	-	1	-	-	-
WHITE-----MALE----	3	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	65	-	-	-	-	1	-	1	-	1	2	-
WHITE-----MALE----	20	-	-	-	-	1	-	-	-	1	2	-
FEMALE--	44	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	38	-	-	-	-	1	-	1	1	5	-	2
WHITE-----MALE----	14	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	21	-	-	-	-	1	-	1	-	3	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,330
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OTHER NEUROTIC, PERSONALITY, AND NONPSYCHOTIC MENTAL DISORDERS (300-302,305-316)												
OHIO -----	293	1	-	-	1	1	2	4	8	6	6	6
WHITE-----MALE----	95	-	-	-	-	-	2	3	3	6	3	2
FEMALE--	176	1	-	-	1	1	-	1	3	-	1	2
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	10	-	-	-	-	-	-	-	1	-	1	1
BLACK---MALE----	12	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	1	1
OKLAHOMA -----	77	1	1	-	-	-	-	-	2	3	3	3
WHITE-----MALE----	22	-	-	-	-	-	-	-	1	2	1	2
FEMALE--	46	1	1	-	-	-	-	-	1	1	-	1
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	73	-	-	-	-	3	-	1	2	5	4	1
WHITE-----MALE----	28	-	-	-	-	3	-	1	2	4	4	-
FEMALE--	45	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	217	1	-	-	-	2	1	5	8	9	11	7
WHITE-----MALE----	83	-	-	-	-	2	1	4	5	5	7	3
FEMALE--	110	-	-	-	-	-	-	-	1	1	1	2
ALL OTHER--MALE----	13	-	-	-	-	-	-	1	2	1	2	1
FEMALE--	11	1	-	-	-	-	-	-	-	2	1	1
BLACK---MALE----	13	-	-	-	-	-	-	1	2	1	2	1
FEMALE--	11	1	-	-	-	-	-	-	-	2	1	1
RHODE ISLAND -----	26	-	-	-	-	-	1	-	1	-	-	2
WHITE-----MALE----	8	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	17	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	84	-	-	-	-	-	1	2	7	6	9	4
WHITE-----MALE----	23	-	-	-	-	-	-	1	3	1	4	1
FEMALE--	29	-	-	-	-	-	1	-	-	1	2	1
ALL OTHER--MALE----	16	-	-	-	-	-	-	1	3	3	2	1
FEMALE--	16	-	-	-	-	-	-	-	1	1	1	1
BLACK---MALE----	16	-	-	-	-	-	-	1	3	3	2	1
FEMALE--	16	-	-	-	-	-	-	-	1	1	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,330
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OTHER NEUROTIC, PERSONALITY, AND NONPSYCHOTIC MENTAL DISORDERS (300-302,305-316)												
OHIO -----	4	9	5	11	15	27	35	70	58	20	4	-
WHITE-----MALE----	1	8	3	8	6	8	9	23	9	1	-	-
FEMALE--	1	-	1	2	6	19	24	44	46	19	4	-
ALL OTHER--MALE----	2	-	1	1	2	-	1	1	1	-	-	-
FEMALE--	-	1	-	-	1	-	1	2	2	-	-	-
BLACK---MALE----	2	-	1	1	2	-	1	1	1	-	-	-
FEMALE--	-	1	-	-	1	-	1	2	2	-	-	-
OKLAHOMA -----	3	2	2	2	2	9	12	15	11	5	1	-
WHITE-----MALE----	2	-	-	2	-	1	3	4	3	1	-	-
FEMALE--	-	1	-	-	1	8	9	10	7	4	1	-
ALL OTHER--MALE----	1	1	2	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	1	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	1	1	3	4	3	10	6	14	7	5	3	-
WHITE-----MALE----	-	1	2	1	2	4	1	2	1	-	-	-
FEMALE--	1	-	1	3	1	6	5	12	6	5	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	5	3	5	6	11	21	29	43	32	14	4	-
WHITE-----MALE----	2	2	1	4	4	11	12	14	5	1	-	-
FEMALE--	3	1	2	2	5	10	16	26	25	11	4	-
ALL OTHER--MALE----	-	-	2	-	2	-	-	1	-	1	-	-
FEMALE--	-	-	-	-	-	-	1	2	2	1	-	-
BLACK---MALE----	-	-	2	-	2	-	-	1	-	1	-	-
FEMALE--	-	-	-	-	-	-	1	2	2	1	-	-
RHODE ISLAND -----	-	-	3	-	-	1	3	8	3	3	1	-
WHITE-----MALE----	-	-	2	-	-	-	1	1	-	1	1	-
FEMALE--	-	-	1	-	-	1	2	7	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	3	1	3	2	9	11	5	14	5	2	-	-
WHITE-----MALE----	-	-	1	1	4	2	2	2	1	-	-	-
FEMALE--	1	-	-	-	2	6	1	10	2	2	-	-
ALL OTHER--MALE----	1	1	1	-	1	1	-	1	-	-	-	-
FEMALE--	1	-	1	1	2	2	2	1	2	-	-	-
BLACK---MALE----	1	1	1	-	1	1	-	1	-	-	-	-
FEMALE--	1	-	1	1	2	2	2	1	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,331
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OTHER NEUROTIC, PERSONALITY, AND NONPSYCHOTIC MENTAL DISORDERS (300-302,305-316)												
SOUTH DAKOTA -----	23	-	-	-	-	-	-	-	-	1	-	1
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	135	-	-	-	-	1	1	3	5	5	4	8
WHITE-----MALE----	46	-	-	-	-	1	1	2	3	3	1	4
FEMALE--	63	-	-	-	-	-	-	-	-	2	2	1
ALL OTHER--MALE----	14	-	-	-	-	-	-	1	2	-	1	3
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	13	-	-	-	-	-	-	1	2	-	1	3
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	323	-	-	-	-	4	5	9	9	11	11	20
WHITE-----MALE----	141	-	-	-	-	2	3	5	8	8	6	12
FEMALE--	155	-	-	-	-	2	1	3	-	2	2	4
ALL OTHER--MALE----	15	-	-	-	-	-	1	-	1	1	1	2
FEMALE--	12	-	-	-	-	-	-	1	-	-	2	2
BLACK---MALE----	15	-	-	-	-	-	1	-	1	1	1	2
FEMALE--	11	-	-	-	-	-	-	1	-	-	2	1
UTAH -----	18	-	-	-	-	1	-	-	-	1	2	-
WHITE-----MALE----	9	-	-	-	-	1	-	-	-	1	2	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	11	-	-	-	-	-	-	-	-	2	-	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	133	1	-	-	-	-	1	-	2	5	5	4
WHITE-----MALE----	36	-	-	-	-	-	1	-	1	-	2	2
FEMALE--	58	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	25	-	-	-	-	-	-	-	1	4	3	1
FEMALE--	14	1	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	25	-	-	-	-	-	-	-	1	4	3	1
FEMALE--	14	1	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,331
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OTHER NEUROTIC, PERSONALITY, AND NONPSYCHOTIC MENTAL DISORDERS (300-302,305-316)												
SOUTH DAKOTA -----	-	-	1	3	-	2	4	7	2	1	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	1	2	-	2	4	6	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	6	10	4	-	4	9	22	27	19	5	2	-
WHITE-----MALE----	4	7	3	-	-	5	3	5	3	1	-	-
FEMALE--	-	-	-	-	4	3	15	17	15	3	1	-
ALL OTHER--MALE----	1	2	-	-	-	1	1	2	-	-	-	-
FEMALE--	1	1	1	-	-	-	3	3	1	1	1	-
BLACK---MALE----	1	1	-	-	-	1	1	2	-	-	-	-
FEMALE--	1	1	1	-	-	-	3	3	1	1	1	-
TEXAS -----	8	8	15	12	15	40	50	49	41	12	4	-
WHITE-----MALE----	4	6	7	5	9	15	23	19	8	1	-	-
FEMALE--	4	1	6	5	4	23	25	26	32	11	4	-
ALL OTHER--MALE----	-	1	2	2	1	-	-	3	-	-	-	-
FEMALE--	-	-	-	-	1	2	2	1	1	-	-	-
BLACK---MALE----	-	1	2	2	1	-	-	3	-	-	-	-
FEMALE--	-	-	-	-	1	2	2	1	1	-	-	-
UTAH -----	-	-	-	2	2	2	1	3	3	1	-	-
WHITE-----MALE----	-	-	-	2	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	3	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	-	1	1	1	1	2	2	-	-	-
WHITE-----MALE----	1	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	2	5	5	6	8	18	34	24	11	1	-
WHITE-----MALE----	-	1	3	2	3	2	5	10	3	1	-	-
FEMALE--	1	-	-	1	1	2	9	19	17	6	1	-
ALL OTHER--MALE----	-	-	2	1	2	3	3	3	2	-	-	-
FEMALE--	-	1	-	1	-	1	1	2	2	4	-	-
BLACK---MALE----	-	-	2	1	2	3	3	3	2	-	-	-
FEMALE--	-	1	-	1	-	1	1	2	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,339
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MENTAL RETARDATION (317-319)												
OHIO -----	2	4	3	2	2	-	1	-	-	-	-	-
WHITE-----MALE----	2	2	2	1	1	-	-	-	-	-	-	-
FEMALE--	-	2	1	1	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	-	-	2	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	2	2	5	2	7	3	1	1	-	-	-	-
WHITE-----MALE----	1	1	4	2	5	3	1	-	-	-	-	-
FEMALE--	1	1	1	-	2	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	1	-	1	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,342
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS (320-389)												
UNITED STATES --	51,240	476	454	279	308	375	396	352	485	695	871	1,074
WHITE-----MALE----	21,085	189	190	115	142	210	211	170	222	314	370	440
FEMALE--	25,609	146	138	92	104	98	84	108	149	210	325	415
ALL OTHER--MALE----	2,190	67	63	37	31	41	64	44	58	100	95	134
FEMALE--	2,356	74	63	35	31	26	37	30	56	71	81	85
BLACK---MALE----	1,882	61	50	36	27	32	55	43	51	93	83	118
FEMALE--	2,095	61	53	31	28	22	32	29	52	65	76	82
ALABAMA -----	914	13	14	2	10	9	10	10	12	16	14	11
WHITE-----MALE----	302	4	7	-	2	3	6	5	5	5	4	5
FEMALE--	427	1	1	1	5	-	2	2	4	2	4	1
ALL OTHER--MALE----	88	3	1	1	1	6	2	1	2	5	4	2
FEMALE--	97	5	5	-	2	-	-	2	1	4	2	3
BLACK---MALE----	88	3	1	1	1	6	2	1	2	5	4	2
FEMALE--	97	5	5	-	2	-	-	2	1	4	2	3
ALASKA -----	60	1	3	1	1	1	3	-	3	1	2	2
WHITE-----MALE----	26	1	-	-	1	1	-	-	-	1	-	1
FEMALE--	22	-	-	1	-	-	1	-	3	-	1	1
ALL OTHER--MALE----	7	-	2	-	-	-	1	-	-	-	1	-
FEMALE--	5	-	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	937	16	8	3	4	9	8	6	8	15	18	17
WHITE-----MALE----	459	8	2	2	3	7	4	3	5	6	6	7
FEMALE--	441	3	2	1	1	2	3	3	3	7	8	10
ALL OTHER--MALE----	16	-	3	-	-	-	-	-	-	2	2	-
FEMALE--	21	5	1	-	-	-	1	-	-	-	2	-
BLACK---MALE----	3	-	1	-	-	-	-	-	-	-	1	-
FEMALE--	6	-	-	-	-	-	1	-	-	-	1	-
ARKANSAS -----	490	7	4	3	5	2	7	3	8	3	4	6
WHITE-----MALE----	195	1	2	1	1	-	4	1	1	1	-	3
FEMALE--	243	1	-	2	3	2	2	2	4	1	3	3
ALL OTHER--MALE----	26	3	1	-	-	-	-	-	-	-	-	-
FEMALE--	26	2	1	-	1	-	1	-	3	1	1	-
BLACK---MALE----	26	3	1	-	-	-	-	-	-	-	-	-
FEMALE--	25	2	1	-	1	-	1	-	3	1	1	-
CALIFORNIA -----	4,491	46	50	36	34	34	38	42	53	55	70	93
WHITE-----MALE----	1,863	20	26	15	18	12	23	17	19	27	25	46
FEMALE--	2,207	19	12	15	8	13	6	15	21	18	30	34
ALL OTHER--MALE----	213	4	7	2	5	5	4	6	7	3	8	11
FEMALE--	208	3	5	4	3	4	5	4	6	7	7	2
BLACK---MALE----	116	2	4	2	3	1	2	6	4	2	4	7
FEMALE--	138	1	3	2	2	3	3	3	6	6	6	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,342
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS (320-389)												
UNITED STATES --	1,187	1,402	1,920	3,074	5,090	7,640	9,847	8,698	4,763	1,602	249	3
WHITE-----MALE----	520	656	872	1,458	2,436	3,650	4,223	3,093	1,310	266	26	2
FEMALE--	470	534	801	1,297	2,221	3,535	5,030	5,190	3,213	1,250	199	-
ALL OTHER--MALE----	108	114	121	161	228	212	262	160	69	18	3	-
FEMALE--	89	98	126	158	205	243	332	255	171	68	21	1
BLACK---MALE----	93	99	104	141	189	179	220	132	57	16	3	-
FEMALE--	80	82	113	140	181	209	292	231	155	61	19	1
ALABAMA -----	15	29	46	55	94	135	161	146	86	24	2	-
WHITE-----MALE----	5	9	19	19	36	58	50	40	16	4	-	-
FEMALE--	3	10	20	21	43	63	86	88	54	14	2	-
ALL OTHER--MALE----	4	5	6	7	7	6	8	14	3	-	-	-
FEMALE--	3	5	1	8	8	8	17	4	13	6	-	-
BLACK---MALE----	4	5	6	7	7	6	8	14	3	-	-	-
FEMALE--	3	5	1	8	8	8	17	4	13	6	-	-
ALASKA -----	2	2	3	6	5	7	8	6	3	-	-	-
WHITE-----MALE----	1	1	1	3	3	6	3	3	-	-	-	-
FEMALE--	-	-	2	2	1	1	4	3	2	-	-	-
ALL OTHER--MALE----	1	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	16	26	29	50	96	143	196	152	85	28	4	-
WHITE-----MALE----	7	15	20	26	54	82	111	60	25	6	-	-
FEMALE--	8	8	8	22	38	60	82	89	59	20	4	-
ALL OTHER--MALE----	1	1	1	-	1	-	-	3	1	1	-	-
FEMALE--	-	2	-	2	3	1	3	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	1	-	-	1	1	-	-	-	1	-	-
ARKANSAS -----	11	19	21	25	55	76	110	76	33	7	5	-
WHITE-----MALE----	3	12	8	12	25	37	47	26	9	1	-	-
FEMALE--	4	7	7	11	25	34	54	46	23	5	4	-
ALL OTHER--MALE----	3	-	6	2	3	3	3	1	-	1	-	-
FEMALE--	1	-	-	-	2	2	6	3	1	-	1	-
BLACK---MALE----	3	-	6	2	3	3	3	1	-	1	-	-
FEMALE--	1	-	-	-	2	1	6	3	1	-	1	-
CALIFORNIA -----	112	115	180	258	459	674	858	740	413	111	19	1
WHITE-----MALE----	53	54	77	123	212	318	378	262	117	17	3	1
FEMALE--	42	41	79	101	204	305	411	451	279	88	15	-
ALL OTHER--MALE----	10	11	7	20	21	26	38	13	4	1	-	-
FEMALE--	7	9	17	14	22	25	31	14	13	5	1	-
BLACK---MALE----	5	5	5	13	7	15	18	9	2	-	-	-
FEMALE--	7	7	10	7	18	14	17	8	9	3	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,343
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS (320-389)												
COLORADO -----	690	5	6	1	1	7	2	2	11	11	11	10
WHITE-----MALE----	285	3	3	1	1	5	2	2	7	4	7	4
FEMALE--	389	2	3	-	-	2	-	-	3	6	4	5
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-
CONNECTICUT -----	653	6	4	-	6	2	2	3	7	10	16	11
WHITE-----MALE----	300	4	3	-	5	1	1	2	3	5	8	5
FEMALE--	321	1	1	-	-	-	-	-	1	3	6	4
ALL OTHER--MALE----	17	-	-	-	-	1	1	1	3	2	1	2
FEMALE--	15	1	-	-	1	-	-	-	-	-	1	-
BLACK---MALE----	15	-	-	-	-	1	-	1	3	1	1	2
FEMALE--	14	1	-	-	1	-	-	-	-	-	1	-
DELAWARE -----	115	1	2	-	-	1	-	1	1	2	4	2
WHITE-----MALE----	44	1	-	-	-	1	-	-	-	1	3	-
FEMALE--	57	-	1	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	9	-	1	-	-	-	-	1	-	1	-	-
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	8	-	1	-	-	-	-	1	-	1	-	-
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	-
DISTRICT OF COLUMBIA ----	136	2	-	1	-	2	3	1	3	3	6	5
WHITE-----MALE----	19	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	56	1	-	1	-	2	3	1	3	3	5	1
FEMALE--	44	1	-	-	-	-	-	-	-	-	-	3
BLACK---MALE----	55	1	-	1	-	2	3	1	3	3	5	1
FEMALE--	44	1	-	-	-	-	-	-	-	-	-	3
FLORIDA -----	3,445	22	24	19	20	20	26	24	27	46	60	58
WHITE-----MALE----	1,586	8	12	10	9	11	13	8	12	22	24	21
FEMALE--	1,617	4	8	4	8	4	5	7	7	7	21	20
ALL OTHER--MALE----	121	5	2	2	1	2	6	5	1	7	7	10
FEMALE--	121	5	2	3	2	3	2	4	7	10	8	7
BLACK---MALE----	116	5	2	2	1	1	6	5	1	7	7	8
FEMALE--	118	5	2	3	2	3	2	4	6	9	8	7
GEORGIA -----	1,172	11	13	9	6	14	14	10	13	12	17	34
WHITE-----MALE----	368	1	3	2	2	11	5	4	6	6	5	10
FEMALE--	565	2	3	2	1	1	4	-	3	3	4	9
ALL OTHER--MALE----	92	4	3	3	1	1	2	1	4	2	4	8
FEMALE--	147	4	4	2	2	1	3	5	3	1	4	7
BLACK---MALE----	91	4	3	3	-	1	2	1	4	2	4	8
FEMALE--	147	4	4	2	2	1	3	5	3	1	4	7

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,343
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS (320-389)												
COLORADO -----	14	16	28	50	64	106	130	115	75	23	2	-
WHITE-----MALE----	6	3	7	26	34	53	62	42	9	4	-	-
FEMALE--	7	12	20	23	27	51	68	72	64	18	2	-
ALL OTHER--MALE----	-	-	-	1	3	1	-	-	-	-	-	-
FEMALE--	1	1	1	-	-	1	-	1	2	1	-	-
BLACK---MALE----	-	-	-	-	3	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	1	1	-	-	-
CONNECTICUT -----	18	13	23	27	57	105	136	110	69	24	4	-
WHITE-----MALE----	8	7	14	17	29	47	69	40	27	3	2	-
FEMALE--	8	6	8	8	27	54	63	69	41	19	2	-
ALL OTHER--MALE----	1	-	1	-	1	3	-	-	-	-	-	-
FEMALE--	1	-	-	2	-	1	4	1	1	2	-	-
BLACK---MALE----	1	-	1	-	1	3	-	-	-	-	-	-
FEMALE--	1	-	-	2	-	1	3	1	1	2	-	-
DELAWARE -----	3	2	4	7	19	15	16	21	10	4	-	-
WHITE-----MALE----	2	-	3	3	7	7	6	7	3	-	-	-
FEMALE--	1	2	-	2	9	6	10	13	6	4	-	-
ALL OTHER--MALE----	-	-	1	2	1	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	2	1	-	1	-	-	-	-
BLACK---MALE----	-	-	1	2	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	2	1	-	1	-	-	-	-
DISTRICT OF COLUMBIA ----	4	2	5	5	17	18	25	17	10	6	1	-
WHITE-----MALE----	-	-	-	-	1	4	5	4	2	-	1	-
FEMALE--	-	-	1	-	2	-	4	6	2	2	-	-
ALL OTHER--MALE----	3	1	3	-	8	6	11	2	1	1	-	-
FEMALE--	1	1	1	5	6	8	5	5	5	3	-	-
BLACK---MALE----	3	1	3	-	7	6	11	2	1	1	-	-
FEMALE--	1	1	1	5	6	8	5	5	5	3	-	-
FLORIDA -----	55	77	123	202	361	521	704	599	330	118	8	1
WHITE-----MALE----	27	34	60	102	186	279	355	250	111	30	2	-
FEMALE--	22	29	49	84	156	229	317	332	211	87	6	-
ALL OTHER--MALE----	4	12	9	9	10	9	10	4	6	-	-	-
FEMALE--	2	2	5	7	9	4	22	13	2	1	-	1
BLACK---MALE----	4	12	9	8	10	9	9	4	6	-	-	-
FEMALE--	2	2	5	7	9	4	21	13	2	1	-	1
GEORGIA -----	34	28	31	78	126	186	227	190	82	33	4	-
WHITE-----MALE----	17	12	11	32	47	60	68	53	9	4	-	-
FEMALE--	5	7	12	27	63	98	122	113	63	23	3	-
ALL OTHER--MALE----	3	3	4	11	4	12	12	8	2	-	-	-
FEMALE--	9	6	4	8	12	16	25	16	8	6	1	-
BLACK---MALE----	3	3	4	11	4	12	12	8	2	-	-	-
FEMALE--	9	6	4	8	12	16	25	16	8	6	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,344
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS (320-389)												
HAWAII -----	158	-	1	-	1	3	1	-	3	1	4	2
WHITE-----MALE----	24	-	-	-	-	1	1	-	-	-	2	2
FEMALE--	21	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	62	-	-	-	-	2	-	-	3	1	1	-
FEMALE--	51	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	222	2	2	2	1	4	2	-	1	-	2	3
WHITE-----MALE----	101	1	1	1	-	-	1	-	-	-	1	2
FEMALE--	120	1	1	1	1	3	1	-	1	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	2,523	28	32	14	23	20	17	19	12	30	46	45
WHITE-----MALE----	1,015	8	6	4	10	12	7	9	5	14	23	13
FEMALE--	1,260	8	17	5	8	5	2	5	4	8	13	19
ALL OTHER--MALE----	129	9	5	3	3	3	6	2	2	6	4	9
FEMALE--	119	3	4	2	2	-	2	3	1	2	6	4
BLACK---MALE----	118	8	5	2	2	3	6	1	2	6	4	8
FEMALE--	117	3	4	2	2	-	2	3	1	1	6	4
INDIANA -----	1,309	12	16	8	8	10	11	14	15	12	25	29
WHITE-----MALE----	542	8	6	3	3	7	6	11	8	3	11	16
FEMALE--	712	4	6	4	4	2	4	2	6	6	12	9
ALL OTHER--MALE----	24	-	-	1	1	1	-	1	1	3	1	2
FEMALE--	31	-	4	-	-	-	1	-	-	-	1	2
BLACK---MALE----	24	-	-	1	1	1	-	1	1	3	1	2
FEMALE--	30	-	4	-	-	-	1	-	-	-	-	2
IOWA -----	748	3	1	1	1	6	4	2	2	5	6	9
WHITE-----MALE----	345	3	-	1	1	6	2	1	1	3	2	5
FEMALE--	399	-	1	-	-	-	2	1	-	2	4	4
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
KANSAS -----	598	5	3	3	2	-	3	4	13	7	4	11
WHITE-----MALE----	263	4	3	2	-	-	1	3	6	4	2	2
FEMALE--	317	1	-	1	1	-	-	1	4	1	2	9
ALL OTHER--MALE----	4	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	14	-	-	-	1	-	1	-	2	2	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	13	-	-	-	1	-	1	-	2	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,344
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS (320-389)												
HAWAII -----	3	3	9	6	18	26	29	27	17	3	1	-
WHITE-----MALE----	-	1	2	1	2	4	7	1	-	-	-	-
FEMALE--	-	-	1	-	1	2	5	8	3	-	-	-
ALL OTHER--MALE----	2	1	3	2	8	9	11	11	8	-	-	-
FEMALE--	1	1	3	3	7	11	6	7	6	3	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	5	5	9	7	21	35	47	54	16	3	1	-
WHITE-----MALE----	1	1	5	5	11	22	22	21	5	1	-	-
FEMALE--	4	4	4	2	10	13	25	33	11	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	66	74	79	143	240	380	464	448	240	92	11	-
WHITE-----MALE----	28	38	34	60	104	185	200	169	72	13	1	-
FEMALE--	27	29	35	63	109	175	236	251	156	76	9	-
ALL OTHER--MALE----	6	5	7	9	16	6	13	9	2	3	1	-
FEMALE--	5	2	3	11	11	14	15	19	10	-	-	-
BLACK---MALE----	6	5	6	9	15	5	12	7	2	3	1	-
FEMALE--	5	2	3	11	11	14	15	19	9	-	-	-
INDIANA -----	27	31	48	72	118	199	258	225	121	45	5	-
WHITE-----MALE----	15	15	23	42	65	80	109	71	30	9	1	-
FEMALE--	12	15	23	25	48	112	140	151	89	36	2	-
ALL OTHER--MALE----	-	-	1	2	2	3	3	1	1	-	-	-
FEMALE--	-	1	1	3	3	4	6	2	1	-	2	-
BLACK---MALE----	-	-	1	2	2	3	3	1	1	-	-	-
FEMALE--	-	1	1	3	3	4	6	2	1	-	2	-
IOWA -----	16	19	29	41	75	115	175	127	77	29	5	-
WHITE-----MALE----	5	10	13	29	39	68	84	46	20	4	2	-
FEMALE--	10	9	16	12	36	47	90	80	57	25	3	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	14	16	19	31	45	89	118	121	60	24	6	-
WHITE-----MALE----	10	7	10	15	24	51	48	46	19	5	1	-
FEMALE--	4	9	8	16	21	38	67	72	40	18	4	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	2	2	1	1	1	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	2	1	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,345
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS (320-389)												
KENTUCKY -----	862	9	5	4	6	8	2	10	5	11	7	18
WHITE-----MALE----	358	6	2	3	3	5	1	6	4	10	2	10
FEMALE--	462	3	1	-	2	3	-	3	1	1	4	8
ALL OTHER--MALE----	16	-	-	1	1	-	1	1	-	-	-	-
FEMALE--	26	-	2	-	-	-	-	-	-	-	1	-
BLACK---MALE----	16	-	-	1	1	-	1	1	-	-	-	-
FEMALE--	26	-	2	-	-	-	-	-	-	-	1	-
LOUISIANA -----	845	16	10	4	7	10	10	9	4	12	20	32
WHITE-----MALE----	308	-	2	1	1	4	2	5	4	5	9	10
FEMALE--	347	4	-	1	2	3	-	3	-	1	4	8
ALL OTHER--MALE----	86	8	5	-	3	-	3	1	-	3	3	8
FEMALE--	104	4	3	2	1	3	5	-	-	3	4	6
BLACK---MALE----	86	8	5	-	3	-	3	1	-	3	3	8
FEMALE--	102	4	3	2	1	3	5	-	-	3	4	6
MAINE -----	363	4	-	1	1	2	1	2	2	1	5	5
WHITE-----MALE----	151	3	-	1	-	1	1	2	2	-	1	1
FEMALE--	211	1	-	-	1	1	-	-	-	1	4	4
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	950	11	9	3	4	2	3	3	13	19	15	23
WHITE-----MALE----	341	-	4	1	2	1	2	-	5	5	6	2
FEMALE--	440	3	3	1	2	-	-	1	1	3	6	7
ALL OTHER--MALE----	70	4	1	-	-	-	-	2	3	6	2	9
FEMALE--	99	4	1	1	-	1	-	-	4	5	1	5
BLACK---MALE----	67	4	1	-	-	-	-	2	3	6	2	9
FEMALE--	94	3	1	1	-	-	1	-	3	5	1	5
MASSACHUSETTS -----	1,545	10	3	3	7	2	8	10	8	16	24	39
WHITE-----MALE----	641	4	2	-	5	-	5	7	5	10	10	14
FEMALE--	849	4	1	1	2	1	2	2	2	5	12	20
ALL OTHER--MALE----	25	-	-	1	-	-	1	1	1	-	1	4
FEMALE--	30	2	-	1	-	1	-	-	-	1	1	1
BLACK---MALE----	20	-	-	1	-	-	-	1	1	-	1	3
FEMALE--	24	1	-	1	-	-	-	-	-	1	1	1
MICHIGAN -----	1,857	15	17	18	10	11	25	30	25	39	44	53
WHITE-----MALE----	789	6	6	7	4	6	9	13	13	14	24	23
FEMALE--	869	3	5	6	3	3	8	12	8	15	9	17
ALL OTHER--MALE----	98	2	2	4	2	1	5	3	3	9	5	8
FEMALE--	101	4	4	1	1	1	3	2	1	1	6	5
BLACK---MALE----	91	2	1	4	2	1	5	3	3	9	5	6
FEMALE--	95	4	4	1	1	1	2	2	1	1	5	5

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,345
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS (320-389)												
KENTUCKY -----	24	27	26	45	88	128	169	148	82	33	7	-
WHITE-----MALE----	11	14	11	22	31	57	76	57	20	7	-	-
FEMALE--	12	10	12	21	51	66	87	85	61	24	7	-
ALL OTHER--MALE----	1	-	-	1	2	3	3	2	-	-	-	-
FEMALE--	-	3	3	1	4	2	3	4	1	2	-	-
BLACK---MALE----	1	-	-	1	2	3	3	2	-	-	-	-
FEMALE--	-	3	3	1	4	2	3	4	1	2	-	-
LOUISIANA -----	18	32	34	55	94	122	163	119	57	15	2	-
WHITE-----MALE----	1	11	17	24	40	59	52	36	21	4	-	-
FEMALE--	8	13	10	19	39	50	77	65	28	10	2	-
ALL OTHER--MALE----	6	2	3	6	9	6	16	3	-	1	-	-
FEMALE--	3	6	4	6	6	7	18	15	8	-	-	-
BLACK---MALE----	6	2	3	6	9	6	16	3	-	1	-	-
FEMALE--	3	6	4	6	6	7	18	14	7	-	-	-
MAINE -----	9	7	9	23	35	47	70	75	44	17	3	-
WHITE-----MALE----	4	3	5	13	17	23	32	30	10	2	-	-
FEMALE--	5	4	4	10	18	24	38	45	34	14	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
MARYLAND -----	21	30	32	67	103	144	178	172	70	23	5	-
WHITE-----MALE----	8	12	11	27	42	64	66	58	22	3	-	-
FEMALE--	6	8	9	29	40	65	94	99	45	14	4	-
ALL OTHER--MALE----	1	4	5	7	10	5	5	4	-	2	-	-
FEMALE--	6	6	7	4	11	10	13	11	3	4	1	-
BLACK---MALE----	1	4	5	6	10	3	5	4	-	2	-	-
FEMALE--	6	5	7	3	11	10	13	11	3	4	1	-
MASSACHUSETTS -----	26	30	54	86	141	221	309	293	180	63	12	-
WHITE-----MALE----	12	15	24	46	79	111	131	106	45	10	-	-
FEMALE--	13	11	26	34	58	105	172	180	134	53	11	-
ALL OTHER--MALE----	-	4	1	4	2	2	1	2	-	-	-	-
FEMALE--	1	-	3	2	2	3	5	5	1	-	1	-
BLACK---MALE----	-	2	1	4	2	2	1	1	-	-	-	-
FEMALE--	-	-	2	2	2	2	4	5	1	-	1	-
MICHIGAN -----	61	64	82	131	211	255	320	247	159	34	6	-
WHITE-----MALE----	25	28	34	58	96	120	143	94	56	9	1	-
FEMALE--	25	28	37	54	104	119	158	137	94	21	3	-
ALL OTHER--MALE----	8	5	5	6	5	5	8	7	4	1	-	-
FEMALE--	3	3	6	13	6	11	11	9	5	3	2	-
BLACK---MALE----	8	4	5	5	5	5	7	6	4	1	-	-
FEMALE--	3	3	6	13	5	10	10	8	5	3	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,346
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS (320-389)												
MINNESOTA -----	23	23	34	64	93	153	245	241	164	47	8	-
WHITE-----MALE----	14	13	16	25	53	82	102	92	59	9	1	-
FEMALE--	7	10	17	36	38	70	142	149	105	37	6	-
ALL OTHER--MALE----	-	-	1	1	2	1	1	-	-	-	-	-
FEMALE--	2	-	-	2	-	-	-	-	-	1	1	-
BLACK---MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	1	1	-
MISSISSIPPI -----	9	25	21	24	49	61	67	68	33	8	2	-
WHITE-----MALE----	2	7	7	10	25	26	25	19	9	2	-	-
FEMALE--	3	6	7	6	14	30	29	40	19	6	-	-
ALL OTHER--MALE----	3	8	2	5	5	2	6	6	1	-	1	-
FEMALE--	1	4	5	3	5	3	7	3	4	-	1	-
BLACK---MALE----	3	8	2	5	5	2	6	6	1	-	1	-
FEMALE--	1	4	5	3	5	3	7	3	4	-	1	-
MISSOURI -----	29	26	50	74	127	182	228	191	113	42	9	-
WHITE-----MALE----	15	11	28	37	56	93	104	66	25	7	1	-
FEMALE--	7	11	17	32	58	76	113	118	82	35	8	-
ALL OTHER--MALE----	5	3	1	3	4	6	6	3	2	-	-	-
FEMALE--	2	1	4	2	9	7	5	4	4	-	-	-
BLACK---MALE----	5	3	1	2	4	6	6	3	2	-	-	-
FEMALE--	2	1	4	2	9	7	5	4	4	-	-	-
MONTANA -----	7	3	7	16	27	38	43	37	31	14	3	-
WHITE-----MALE----	2	2	2	11	15	20	21	11	11	-	1	-
FEMALE--	4	1	5	5	12	16	22	26	20	14	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	10	9	14	20	35	40	82	75	45	31	6	-
WHITE-----MALE----	4	4	7	10	18	20	26	26	9	4	-	-
FEMALE--	5	3	6	9	16	19	56	49	34	27	6	-
ALL OTHER--MALE----	1	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	2	-	1	-	-	-	-	2	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	2	-	1	-	-	-	-	2	-	-	-
NEVADA -----	7	7	11	24	22	44	44	41	23	7	-	-
WHITE-----MALE----	3	1	2	14	12	24	16	11	9	3	-	-
FEMALE--	4	3	6	10	6	18	24	28	13	4	-	-
ALL OTHER--MALE----	-	1	2	-	1	1	-	-	1	-	-	-
FEMALE--	-	2	1	-	3	1	4	2	-	-	-	-
BLACK---MALE----	-	-	2	-	1	1	-	-	1	-	-	-
FEMALE--	-	-	1	-	2	1	2	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,348
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS (320-389)												
OHIO -----	2,464	13	22	12	11	20	17	11	27	32	22	58
WHITE-----MALE----	1,023	7	13	7	6	11	12	7	18	15	9	24
FEMALE--	1,264	4	5	5	4	7	2	3	6	13	9	22
ALL OTHER--MALE----	88	1	1	-	-	1	3	1	2	3	2	9
FEMALE--	89	1	3	-	1	1	-	-	1	1	2	3
BLACK---MALE----	87	1	1	-	-	1	3	1	2	3	2	9
FEMALE--	89	1	3	-	1	1	-	-	1	1	2	3
OKLAHOMA -----	577	5	3	4	1	5	5	4	4	9	9	16
WHITE-----MALE----	262	3	2	2	-	2	4	1	3	2	4	6
FEMALE--	281	1	1	-	-	3	1	3	1	5	4	6
ALL OTHER--MALE----	19	1	-	-	1	-	-	-	-	1	1	3
FEMALE--	15	-	-	2	-	-	-	-	-	1	-	1
BLACK---MALE----	14	1	-	-	1	-	-	-	-	1	-	2
FEMALE--	10	-	-	2	-	-	-	-	-	1	-	-
OREGON -----	937	8	4	4	6	2	4	5	6	13	17	13
WHITE-----MALE----	409	4	3	2	4	1	2	4	3	9	7	6
FEMALE--	513	4	1	1	2	1	1	1	2	4	9	6
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	9	-	-	1	-	-	1	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	1	-	-	1	-	-	-
PENNSYLVANIA -----	2,611	24	17	5	7	10	19	11	25	24	42	54
WHITE-----MALE----	1,105	5	8	4	1	8	11	4	16	10	18	23
FEMALE--	1,318	8	5	-	5	-	2	5	5	6	17	21
ALL OTHER--MALE----	101	5	3	-	1	1	4	1	3	6	6	5
FEMALE--	87	6	1	1	-	1	2	1	1	2	1	5
BLACK---MALE----	97	5	3	-	1	1	4	1	3	6	5	4
FEMALE--	84	5	1	1	-	1	2	1	1	2	1	4
RHODE ISLAND -----	239	3	-	1	2	1	-	-	-	3	3	3
WHITE-----MALE----	94	2	-	-	1	1	-	-	-	3	2	2
FEMALE--	140	1	-	-	1	-	-	-	-	-	1	1
ALL OTHER--MALE----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	705	5	9	3	3	5	6	2	11	13	16	22
WHITE-----MALE----	250	-	3	1	1	1	4	-	3	6	6	8
FEMALE--	309	3	1	-	2	1	1	1	4	1	4	5
ALL OTHER--MALE----	74	1	3	-	-	1	1	1	2	5	4	8
FEMALE--	72	1	2	2	-	2	-	-	2	1	2	1
BLACK---MALE----	73	1	3	-	-	1	1	1	2	5	4	8
FEMALE--	72	1	2	2	-	2	-	-	2	1	2	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,348
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS (320-389)												
OHIO -----	52	70	85	163	257	407	442	400	246	81	16	-
WHITE-----MALE----	29	33	51	66	123	196	189	136	58	12	1	-
FEMALE--	16	30	28	82	118	182	227	246	175	67	13	-
ALL OTHER--MALE----	4	6	3	7	10	13	13	3	5	1	-	-
FEMALE--	3	1	3	8	6	16	13	15	8	1	2	-
BLACK---MALE----	4	6	3	7	10	12	13	3	5	1	-	-
FEMALE--	3	1	3	8	6	16	13	15	8	1	2	-
OKLAHOMA -----	18	17	28	46	54	98	99	93	38	19	2	-
WHITE-----MALE----	6	11	11	27	27	41	49	46	14	1	-	-
FEMALE--	10	6	12	19	21	54	47	44	23	18	2	-
ALL OTHER--MALE----	2	-	4	-	2	2	1	1	-	-	-	-
FEMALE--	-	-	1	-	4	1	2	2	1	-	-	-
BLACK---MALE----	1	-	4	-	2	-	1	1	-	-	-	-
FEMALE--	-	-	1	-	2	1	1	1	1	-	-	-
OREGON -----	20	16	28	53	87	141	197	168	108	35	2	-
WHITE-----MALE----	13	9	12	22	40	68	79	76	38	7	-	-
FEMALE--	7	7	15	30	46	70	117	90	70	27	2	-
ALL OTHER--MALE----	-	-	1	1	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	3	1	1	-	1	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
PENNSYLVANIA -----	56	84	96	180	284	429	517	439	198	81	8	1
WHITE-----MALE----	26	39	45	79	146	216	228	147	55	15	-	1
FEMALE--	21	35	37	88	116	194	272	274	137	62	8	-
ALL OTHER--MALE----	5	2	4	8	12	11	10	10	2	2	-	-
FEMALE--	4	8	10	5	10	8	7	8	4	2	-	-
BLACK---MALE----	4	2	4	8	11	11	10	10	2	2	-	-
FEMALE--	4	8	10	5	9	8	7	8	4	2	-	-
RHODE ISLAND -----	5	4	6	11	21	35	54	47	30	9	1	-
WHITE-----MALE----	3	2	3	4	12	14	24	16	5	-	-	-
FEMALE--	1	2	3	5	8	21	30	31	25	9	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	23	28	36	39	72	114	125	104	45	23	1	-
WHITE-----MALE----	6	14	17	19	26	53	43	28	9	2	-	-
FEMALE--	7	8	8	16	30	38	67	66	29	16	1	-
ALL OTHER--MALE----	4	3	7	3	9	7	9	5	1	-	-	-
FEMALE--	6	3	4	1	7	16	6	5	6	5	-	-
BLACK---MALE----	4	3	7	2	9	7	9	5	1	-	-	-
FEMALE--	6	3	4	1	7	16	6	5	6	5	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,349
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS (320-389)												
SOUTH DAKOTA -----	168	1	1	1	1	1	1	1	1	4	2	1
WHITE-----MALE----	61	-	-	1	1	1	-	1	-	2	-	-
FEMALE--	102	-	1	-	-	-	-	-	-	1	2	1
ALL OTHER--MALE----	2	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1,043	14	8	5	9	12	9	8	14	24	17	22
WHITE-----MALE----	414	7	2	3	4	3	3	3	8	14	9	8
FEMALE--	523	6	5	2	2	4	6	1	2	6	6	8
ALL OTHER--MALE----	54	1	1	-	-	4	-	4	3	2	-	2
FEMALE--	52	-	-	-	3	1	-	-	1	2	2	4
BLACK---MALE----	53	1	1	-	-	4	-	4	3	2	-	2
FEMALE--	52	-	-	-	3	1	-	-	1	2	2	4
TEXAS -----	3,311	45	23	19	27	35	27	23	28	61	56	65
WHITE-----MALE----	1,392	18	8	4	12	22	14	13	12	32	20	31
FEMALE--	1,687	23	11	8	9	10	7	8	10	21	27	26
ALL OTHER--MALE----	111	1	3	2	4	2	5	1	2	5	7	4
FEMALE--	121	3	1	5	2	1	1	1	4	3	2	4
BLACK---MALE----	106	1	2	2	4	2	4	1	2	5	7	4
FEMALE--	115	3	1	5	2	1	1	1	4	3	2	4
UTAH -----	372	4	7	1	5	6	5	2	2	6	7	9
WHITE-----MALE----	183	3	3	1	3	2	5	1	1	3	4	4
FEMALE--	184	1	1	-	2	4	-	1	1	3	3	5
ALL OTHER--MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	2	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	127	1	-	2	1	2	-	1	-	3	3	6
WHITE-----MALE----	57	1	-	1	1	2	-	1	-	1	1	6
FEMALE--	67	-	-	1	-	-	-	-	-	2	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1,272	14	13	8	5	2	10	9	7	18	24	23
WHITE-----MALE----	462	7	3	1	2	2	5	5	2	9	9	6
FEMALE--	613	2	4	2	2	-	2	3	3	4	6	11
ALL OTHER--MALE----	86	3	4	4	-	-	2	-	-	2	5	3
FEMALE--	111	2	2	1	1	-	1	1	2	3	4	3
BLACK---MALE----	84	3	4	4	-	-	2	-	-	2	5	3
FEMALE--	104	2	2	1	-	-	1	1	2	2	4	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,349
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 VI. DISEASES OF THE NERVOUS SYSTEM AND SENSE ORGANS (320-389)												
SOUTH DAKOTA -----	7	2	9	7	13	22	35	30	15	12	1	-
WHITE-----MALE----	4	2	4	3	6	8	14	8	4	1	1	-
FEMALE--	3	-	5	4	7	14	20	22	11	11	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	19	33	47	68	109	138	216	161	85	22	3	-
WHITE-----MALE----	10	18	18	28	52	71	80	56	15	2	-	-
FEMALE--	4	10	24	33	45	55	126	96	62	18	2	-
ALL OTHER--MALE----	3	4	2	2	8	7	5	3	1	2	-	-
FEMALE--	2	1	3	5	4	5	5	6	7	-	1	-
BLACK---MALE----	3	4	1	2	8	7	5	3	1	2	-	-
FEMALE--	2	1	3	5	4	5	5	6	7	-	1	-
TEXAS -----	73	73	126	193	312	466	667	583	292	99	18	-
WHITE-----MALE----	24	35	65	102	163	218	286	213	82	17	1	-
FEMALE--	40	26	47	79	123	229	353	342	196	77	15	-
ALL OTHER--MALE----	4	4	3	9	16	9	12	12	6	-	-	-
FEMALE--	5	8	11	3	10	10	16	16	8	5	2	-
BLACK---MALE----	4	4	3	9	15	8	11	12	6	-	-	-
FEMALE--	5	6	10	3	8	9	16	16	8	5	2	-
UTAH -----	5	16	11	16	37	52	72	72	25	9	3	-
WHITE-----MALE----	4	9	7	10	19	27	38	25	9	5	-	-
FEMALE--	1	7	3	6	18	25	33	47	16	4	3	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	3	4	3	7	9	21	25	21	10	5	-	-
WHITE-----MALE----	2	1	-	4	5	12	7	9	3	-	-	-
FEMALE--	-	2	3	3	4	9	18	11	7	5	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
VIRGINIA -----	35	42	52	75	115	210	239	220	110	36	5	-
WHITE-----MALE----	17	19	17	29	58	86	86	74	19	6	-	-
FEMALE--	10	13	25	35	47	92	120	126	79	23	4	-
ALL OTHER--MALE----	4	7	4	4	5	12	12	10	4	-	1	-
FEMALE--	4	3	6	7	5	20	21	10	8	7	-	-
BLACK---MALE----	4	7	3	4	5	11	12	10	4	-	1	-
FEMALE--	4	3	6	6	4	18	20	10	8	7	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,351
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
DISEASES OF THE NERVOUS SYSTEM (320-359)												
UNITED STATES --	51,161	473	454	278	307	373	394	349	484	693	868	1,070
WHITE-----MALE----	21,047	187	190	115	142	209	210	169	221	312	368	438
FEMALE--	25,577	146	138	91	103	97	83	106	149	210	325	413
ALL OTHER--MALE----	2,184	66	63	37	31	41	64	44	58	100	94	134
FEMALE--	2,353	74	63	35	31	26	37	30	56	71	81	85
BLACK---MALE----	1,877	60	50	36	27	32	55	43	51	93	82	118
FEMALE--	2,092	61	53	31	28	22	32	29	52	65	76	82
ALABAMA -----	913	13	14	2	10	9	10	10	12	16	14	11
WHITE-----MALE----	302	4	7	-	2	3	6	5	5	5	4	5
FEMALE--	426	1	1	1	5	-	2	2	4	2	4	1
ALL OTHER--MALE----	88	3	1	1	1	6	2	1	2	5	4	2
FEMALE--	97	5	5	-	2	-	-	2	1	4	2	3
BLACK---MALE----	88	3	1	1	1	6	2	1	2	5	4	2
FEMALE--	97	5	5	-	2	-	-	2	1	4	2	3
ALASKA -----	60	1	3	1	1	1	3	-	3	1	2	2
WHITE-----MALE----	26	1	-	-	1	1	-	-	-	1	-	1
FEMALE--	22	-	-	1	-	-	1	-	3	-	1	1
ALL OTHER--MALE----	7	-	2	-	-	-	1	-	-	-	1	-
FEMALE--	5	-	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	935	16	8	3	4	9	8	6	8	15	18	16
WHITE-----MALE----	458	8	2	2	3	7	4	3	5	6	6	7
FEMALE--	440	3	2	1	1	2	3	3	3	7	8	9
ALL OTHER--MALE----	16	-	3	-	-	-	-	-	-	2	2	-
FEMALE--	21	5	1	-	-	-	1	-	-	-	2	-
BLACK---MALE----	3	-	1	-	-	-	-	-	-	-	1	-
FEMALE--	6	-	-	-	-	-	1	-	-	-	1	-
ARKANSAS -----	489	6	4	3	5	2	7	3	8	3	4	6
WHITE-----MALE----	195	1	2	1	1	-	4	1	1	1	-	3
FEMALE--	243	1	-	2	3	2	2	2	4	1	3	3
ALL OTHER--MALE----	25	2	1	-	-	-	-	-	-	-	-	-
FEMALE--	26	2	1	-	1	-	1	-	3	1	1	-
BLACK---MALE----	25	2	1	-	-	-	-	-	-	-	-	-
FEMALE--	25	2	1	-	1	-	1	-	3	1	1	-
CALIFORNIA -----	4,481	45	50	36	34	34	38	41	52	55	69	93
WHITE-----MALE----	1,858	19	26	15	18	12	23	16	18	27	25	46
FEMALE--	2,204	19	12	15	8	13	6	15	21	18	30	34
ALL OTHER--MALE----	212	4	7	2	5	5	4	6	7	3	7	11
FEMALE--	207	3	5	4	3	4	5	4	6	7	7	2
BLACK---MALE----	115	2	4	2	3	1	2	6	4	2	3	7
FEMALE--	137	1	3	2	2	3	3	3	6	6	6	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,351
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DISEASES OF THE NERVOUS SYSTEM (320-359)												
UNITED STATES --	1,183	1,395	1,915	3,071	5,086	7,632	9,840	8,695	4,755	1,595	248	3
WHITE-----MALE----	519	653	870	1,456	2,432	3,647	4,220	3,092	1,307	263	25	2
FEMALE--	468	531	799	1,296	2,221	3,531	5,027	5,189	3,208	1,247	199	-
ALL OTHER--MALE----	108	113	120	161	228	212	261	159	69	18	3	-
FEMALE--	88	98	126	158	205	242	332	255	171	67	21	1
BLACK---MALE----	93	98	103	141	189	179	219	132	57	16	3	-
FEMALE--	79	82	113	140	181	208	292	231	155	60	19	1
ALABAMA -----	15	29	46	55	94	135	160	146	86	24	2	-
WHITE-----MALE----	5	9	19	19	36	58	50	40	16	4	-	-
FEMALE--	3	10	20	21	43	63	85	88	54	14	2	-
ALL OTHER--MALE----	4	5	6	7	7	6	8	14	3	-	-	-
FEMALE--	3	5	1	8	8	8	17	4	13	6	-	-
BLACK---MALE----	4	5	6	7	7	6	8	14	3	-	-	-
FEMALE--	3	5	1	8	8	8	17	4	13	6	-	-
ALASKA -----	2	2	3	6	5	7	8	6	3	-	-	-
WHITE-----MALE----	1	1	1	3	3	6	3	3	-	-	-	-
FEMALE--	-	-	2	2	1	1	4	3	2	-	-	-
ALL OTHER--MALE----	1	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	16	26	29	50	96	143	195	152	85	28	4	-
WHITE-----MALE----	7	15	20	26	54	82	110	60	25	6	-	-
FEMALE--	8	8	8	22	38	60	82	89	59	20	4	-
ALL OTHER--MALE----	1	1	1	-	1	-	-	3	1	1	-	-
FEMALE--	-	2	-	2	3	1	3	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	1	-	-	1	1	-	-	-	1	-	-
ARKANSAS -----	11	19	21	25	55	76	110	76	33	7	5	-
WHITE-----MALE----	3	12	8	12	25	37	47	26	9	1	-	-
FEMALE--	4	7	7	11	25	34	54	46	23	5	4	-
ALL OTHER--MALE----	3	-	6	2	3	3	3	1	-	1	-	-
FEMALE--	1	-	-	-	2	2	6	3	1	-	1	-
BLACK---MALE----	3	-	6	2	3	3	3	1	-	1	-	-
FEMALE--	1	-	-	-	2	1	6	3	1	-	1	-
CALIFORNIA -----	110	113	180	258	459	674	857	740	412	111	19	1
WHITE-----MALE----	52	53	77	123	212	318	378	262	117	17	3	1
FEMALE--	42	40	79	101	204	305	410	451	278	88	15	-
ALL OTHER--MALE----	10	11	7	20	21	26	38	13	4	1	-	-
FEMALE--	6	9	17	14	22	25	31	14	13	5	1	-
BLACK---MALE----	5	5	5	13	7	15	18	9	2	-	-	-
FEMALE--	6	7	10	7	18	14	17	8	9	3	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,352
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
DISEASES OF THE NERVOUS SYSTEM (320-359)												
COLORADO -----	688	5	6	1	1	7	2	2	11	11	11	10
WHITE-----MALE----	285	3	3	1	1	5	2	2	7	4	7	4
FEMALE--	387	2	3	-	-	2	-	-	3	6	4	5
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-
CONNECTICUT -----	653	6	4	-	6	2	2	3	7	10	16	11
WHITE-----MALE----	300	4	3	-	5	1	1	2	3	5	8	5
FEMALE--	321	1	1	-	-	-	-	-	1	3	6	4
ALL OTHER--MALE----	17	-	-	-	-	1	1	1	3	2	1	2
FEMALE--	15	1	-	-	1	-	-	-	-	-	1	-
BLACK---MALE----	15	-	-	-	-	1	-	1	3	1	1	2
FEMALE--	14	1	-	-	1	-	-	-	-	-	1	-
DELAWARE -----	115	1	2	-	-	1	-	1	1	2	4	2
WHITE-----MALE----	44	1	-	-	-	1	-	-	-	1	3	-
FEMALE--	57	-	1	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	9	-	1	-	-	-	-	1	-	1	-	-
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	8	-	1	-	-	-	-	1	-	1	-	-
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	-
DISTRICT OF COLUMBIA ----	135	2	-	1	-	2	3	1	3	3	6	5
WHITE-----MALE----	19	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	56	1	-	1	-	2	3	1	3	3	5	1
FEMALE--	43	1	-	-	-	-	-	-	-	-	-	3
BLACK---MALE----	55	1	-	1	-	2	3	1	3	3	5	1
FEMALE--	43	1	-	-	-	-	-	-	-	-	-	3
FLORIDA -----	3,440	22	24	19	20	20	26	24	27	46	60	58
WHITE-----MALE----	1,583	8	12	10	9	11	13	8	12	22	24	21
FEMALE--	1,615	4	8	4	8	4	5	7	7	7	21	20
ALL OTHER--MALE----	121	5	2	2	1	2	6	5	1	7	7	10
FEMALE--	121	5	2	3	2	3	2	4	7	10	8	7
BLACK---MALE----	116	5	2	2	1	1	6	5	1	7	7	8
FEMALE--	118	5	2	3	2	3	2	4	6	9	8	7
GEORGIA -----	1,171	11	13	9	6	14	14	10	13	12	17	34
WHITE-----MALE----	367	1	3	2	2	11	5	4	6	6	5	10
FEMALE--	565	2	3	2	1	1	4	-	3	3	4	9
ALL OTHER--MALE----	92	4	3	3	1	1	2	1	4	2	4	8
FEMALE--	147	4	4	2	2	1	3	5	3	1	4	7
BLACK---MALE----	91	4	3	3	-	1	2	1	4	2	4	8
FEMALE--	147	4	4	2	2	1	3	5	3	1	4	7

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,352
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DISEASES OF THE NERVOUS SYSTEM (320-359)												
COLORADO -----	14	16	28	50	64	106	130	115	74	22	2	-
WHITE-----MALE----	6	3	7	26	34	53	62	42	9	4	-	-
FEMALE--	7	12	20	23	27	51	68	72	63	17	2	-
ALL OTHER--MALE----	-	-	-	1	3	1	-	-	-	-	-	-
FEMALE--	1	1	1	-	-	1	-	1	2	1	-	-
BLACK---MALE----	-	-	-	-	3	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	1	1	-	-	-
CONNECTICUT -----	18	13	23	27	57	105	136	110	69	24	4	-
WHITE-----MALE----	8	7	14	17	29	47	69	40	27	3	2	-
FEMALE--	8	6	8	8	27	54	63	69	41	19	2	-
ALL OTHER--MALE----	1	-	1	-	1	3	-	-	-	-	-	-
FEMALE--	1	-	-	2	-	1	4	1	1	2	-	-
BLACK---MALE----	1	-	1	-	1	3	-	-	-	-	-	-
FEMALE--	1	-	-	2	-	1	3	1	1	2	-	-
DELAWARE -----	3	2	4	7	19	15	16	21	10	4	-	-
WHITE-----MALE----	2	-	3	3	7	7	6	7	3	-	-	-
FEMALE--	1	2	-	2	9	6	10	13	6	4	-	-
ALL OTHER--MALE----	-	-	1	2	1	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	2	1	-	1	-	-	-	-
BLACK---MALE----	-	-	1	2	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	2	1	-	1	-	-	-	-
DISTRICT OF COLUMBIA ----	4	2	5	5	17	17	25	17	10	6	1	-
WHITE-----MALE----	-	-	-	-	1	4	5	4	2	-	1	-
FEMALE--	-	-	1	-	2	-	4	6	2	2	-	-
ALL OTHER--MALE----	3	1	3	-	8	6	11	2	1	1	-	-
FEMALE--	1	1	1	5	6	7	5	5	5	3	-	-
BLACK---MALE----	3	1	3	-	7	6	11	2	1	1	-	-
FEMALE--	1	1	1	5	6	7	5	5	5	3	-	-
FLORIDA -----	55	77	122	202	361	520	703	599	328	118	8	1
WHITE-----MALE----	27	34	59	102	186	279	354	250	110	30	2	-
FEMALE--	22	29	49	84	156	228	317	332	210	87	6	-
ALL OTHER--MALE----	4	12	9	9	10	9	10	4	6	-	-	-
FEMALE--	2	2	5	7	9	4	22	13	2	1	-	1
BLACK---MALE----	4	12	9	8	10	9	9	4	6	-	-	-
FEMALE--	2	2	5	7	9	4	21	13	2	1	-	1
GEORGIA -----	34	28	31	78	125	186	227	190	82	33	4	-
WHITE-----MALE----	17	12	11	32	46	60	68	53	9	4	-	-
FEMALE--	5	7	12	27	63	98	122	113	63	23	3	-
ALL OTHER--MALE----	3	3	4	11	4	12	12	8	2	-	-	-
FEMALE--	9	6	4	8	12	16	25	16	8	6	1	-
BLACK---MALE----	3	3	4	11	4	12	12	8	2	-	-	-
FEMALE--	9	6	4	8	12	16	25	16	8	6	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,353
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
DISEASES OF THE NERVOUS SYSTEM (320-359)												
HAWAII -----	157	-	1	-	1	3	1	-	3	1	4	2
WHITE-----MALE----	24	-	-	-	-	1	1	-	-	-	2	2
FEMALE--	21	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	61	-	-	-	-	2	-	-	3	1	1	-
FEMALE--	51	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	221	2	2	2	1	4	2	-	1	-	2	3
WHITE-----MALE----	101	1	1	1	-	-	1	-	-	-	1	2
FEMALE--	119	1	1	1	1	3	1	-	1	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	2,519	28	32	14	23	20	16	19	12	30	45	45
WHITE-----MALE----	1,012	8	6	4	10	12	6	9	5	14	22	13
FEMALE--	1,259	8	17	5	8	5	2	5	4	8	13	19
ALL OTHER--MALE----	129	9	5	3	3	3	6	2	2	6	4	9
FEMALE--	119	3	4	2	2	-	2	3	1	2	6	4
BLACK---MALE----	118	8	5	2	2	3	6	1	2	6	4	8
FEMALE--	117	3	4	2	2	-	2	3	1	1	6	4
INDIANA -----	1,308	12	16	8	8	10	11	14	15	12	25	29
WHITE-----MALE----	541	8	6	3	3	7	6	11	8	3	11	16
FEMALE--	712	4	6	4	4	2	4	2	6	6	12	9
ALL OTHER--MALE----	24	-	-	1	1	1	-	1	1	3	1	2
FEMALE--	31	-	4	-	-	-	1	-	-	-	1	2
BLACK---MALE----	24	-	-	1	1	1	-	1	1	3	1	2
FEMALE--	30	-	4	-	-	-	1	-	-	-	-	2
IOWA -----	748	3	1	1	1	6	4	2	2	5	6	9
WHITE-----MALE----	345	3	-	1	1	6	2	1	1	3	2	5
FEMALE--	399	-	1	-	-	-	2	1	-	2	4	4
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
KANSAS -----	598	5	3	3	2	-	3	4	13	7	4	11
WHITE-----MALE----	263	4	3	2	-	-	1	3	6	4	2	2
FEMALE--	317	1	-	1	1	-	-	1	4	1	2	9
ALL OTHER--MALE----	4	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	14	-	-	-	1	-	1	-	2	2	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	13	-	-	-	1	-	1	-	2	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,353
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DISEASES OF THE NERVOUS SYSTEM (320-359)												
HAWAII -----	3	3	9	6	18	26	29	26	17	3	1	-
WHITE-----MALE----	-	1	2	1	2	4	7	1	-	-	-	-
FEMALE--	-	-	1	-	1	2	5	8	3	-	-	-
ALL OTHER--MALE----	2	1	3	2	8	9	11	10	8	-	-	-
FEMALE--	1	1	3	3	7	11	6	7	6	3	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	5	4	9	7	21	35	47	54	16	3	1	-
WHITE-----MALE----	1	1	5	5	11	22	22	21	5	1	-	-
FEMALE--	4	3	4	2	10	13	25	33	11	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	66	73	79	143	240	379	464	448	240	92	11	-
WHITE-----MALE----	28	37	34	60	104	185	200	169	72	13	1	-
FEMALE--	27	29	35	63	109	174	236	251	156	76	9	-
ALL OTHER--MALE----	6	5	7	9	16	6	13	9	2	3	1	-
FEMALE--	5	2	3	11	11	14	15	19	10	-	-	-
BLACK---MALE----	6	5	6	9	15	5	12	7	2	3	1	-
FEMALE--	5	2	3	11	11	14	15	19	9	-	-	-
INDIANA -----	27	31	48	72	118	199	257	225	121	45	5	-
WHITE-----MALE----	15	15	23	42	65	80	108	71	30	9	1	-
FEMALE--	12	15	23	25	48	112	140	151	89	36	2	-
ALL OTHER--MALE----	-	-	1	2	2	3	3	1	1	-	-	-
FEMALE--	-	1	1	3	3	4	6	2	1	-	2	-
BLACK---MALE----	-	-	1	2	2	3	3	1	1	-	-	-
FEMALE--	-	1	1	3	3	4	6	2	1	-	2	-
IOWA -----	16	19	29	41	75	115	175	127	77	29	5	-
WHITE-----MALE----	5	10	13	29	39	68	84	46	20	4	2	-
FEMALE--	10	9	16	12	36	47	90	80	57	25	3	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	14	16	19	31	45	89	118	121	60	24	6	-
WHITE-----MALE----	10	7	10	15	24	51	48	46	19	5	1	-
FEMALE--	4	9	8	16	21	38	67	72	40	18	4	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	2	2	1	1	1	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	2	1	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,354
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
DISEASES OF THE NERVOUS SYSTEM (320-359)												
KENTUCKY -----	862	9	5	4	6	8	2	10	5	11	7	18
WHITE-----MALE----	358	6	2	3	3	5	1	6	4	10	2	10
FEMALE--	462	3	1	-	2	3	-	3	1	1	4	8
ALL OTHER--MALE----	16	-	-	1	1	-	1	1	-	-	-	-
FEMALE--	26	-	2	-	-	-	-	-	-	-	1	-
BLACK---MALE----	16	-	-	1	1	-	1	1	-	-	-	-
FEMALE--	26	-	2	-	-	-	-	-	-	-	1	-
LOUISIANA -----	843	16	10	4	6	10	10	9	4	12	20	32
WHITE-----MALE----	308	-	2	1	1	4	2	5	4	5	9	10
FEMALE--	346	4	-	1	1	3	-	3	-	1	4	8
ALL OTHER--MALE----	85	8	5	-	3	-	3	1	-	3	3	8
FEMALE--	104	4	3	2	1	3	5	-	-	3	4	6
BLACK---MALE----	85	8	5	-	3	-	3	1	-	3	3	8
FEMALE--	102	4	3	2	1	3	5	-	-	3	4	6
MAINE -----	362	4	-	1	1	2	1	2	2	1	5	5
WHITE-----MALE----	151	3	-	1	-	1	1	2	2	-	1	1
FEMALE--	210	1	-	-	1	1	-	-	-	1	4	4
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	950	11	9	3	4	2	3	3	13	19	15	23
WHITE-----MALE----	341	-	4	1	2	1	2	-	5	5	6	2
FEMALE--	440	3	3	1	2	-	-	1	1	3	6	7
ALL OTHER--MALE----	70	4	1	-	-	-	-	2	3	6	2	9
FEMALE--	99	4	1	1	-	1	-	-	4	5	1	5
BLACK---MALE----	67	4	1	-	-	-	-	2	3	6	2	9
FEMALE--	94	3	1	1	-	-	1	-	3	5	1	5
MASSACHUSETTS -----	1,541	10	3	3	7	2	8	9	8	16	24	39
WHITE-----MALE----	639	4	2	-	5	-	5	7	5	10	10	14
FEMALE--	847	4	1	1	2	1	2	1	2	5	12	20
ALL OTHER--MALE----	25	-	-	1	-	-	1	1	1	-	1	4
FEMALE--	30	2	-	1	-	1	-	-	-	1	1	1
BLACK---MALE----	20	-	-	1	-	-	-	1	1	-	1	3
FEMALE--	24	1	-	1	-	-	-	-	-	1	1	1
MICHIGAN -----	1,855	15	17	17	10	11	25	30	25	39	44	53
WHITE-----MALE----	788	6	6	7	4	6	9	13	13	14	24	23
FEMALE--	868	3	5	5	3	3	8	12	8	15	9	17
ALL OTHER--MALE----	98	2	2	4	2	1	5	3	3	9	5	8
FEMALE--	101	4	4	1	1	1	3	2	1	1	6	5
BLACK---MALE----	91	2	1	4	2	1	5	3	3	9	5	6
FEMALE--	95	4	4	1	1	1	2	2	1	1	5	5

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,354
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DISEASES OF THE NERVOUS SYSTEM (320-359)												
KENTUCKY -----	24	27	26	45	88	128	169	148	82	33	7	-
WHITE-----MALE----	11	14	11	22	31	57	76	57	20	7	-	-
FEMALE--	12	10	12	21	51	66	87	85	61	24	7	-
ALL OTHER--MALE----	1	-	-	1	2	3	3	2	-	-	-	-
FEMALE--	-	3	3	1	4	2	3	4	1	2	-	-
BLACK---MALE----	1	-	-	1	2	3	3	2	-	-	-	-
FEMALE--	-	3	3	1	4	2	3	4	1	2	-	-
LOUISIANA -----	18	32	34	55	94	122	162	119	57	15	2	-
WHITE-----MALE----	1	11	17	24	40	59	52	36	21	4	-	-
FEMALE--	8	13	10	19	39	50	77	65	28	10	2	-
ALL OTHER--MALE----	6	2	3	6	9	6	15	3	-	1	-	-
FEMALE--	3	6	4	6	6	7	18	15	8	-	-	-
BLACK---MALE----	6	2	3	6	9	6	15	3	-	1	-	-
FEMALE--	3	6	4	6	6	7	18	14	7	-	-	-
MAINE -----	9	7	9	23	35	47	69	75	44	17	3	-
WHITE-----MALE----	4	3	5	13	17	23	32	30	10	2	-	-
FEMALE--	5	4	4	10	18	24	37	45	34	14	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
MARYLAND -----	21	30	32	67	103	144	178	172	70	23	5	-
WHITE-----MALE----	8	12	11	27	42	64	66	58	22	3	-	-
FEMALE--	6	8	9	29	40	65	94	99	45	14	4	-
ALL OTHER--MALE----	1	4	5	7	10	5	5	4	-	2	-	-
FEMALE--	6	6	7	4	11	10	13	11	3	4	1	-
BLACK---MALE----	1	4	5	6	10	3	5	4	-	2	-	-
FEMALE--	6	5	7	3	11	10	13	11	3	4	1	-
MASSACHUSETTS -----	26	30	54	86	141	221	309	291	180	62	12	-
WHITE-----MALE----	12	15	24	46	79	111	131	105	45	9	-	-
FEMALE--	13	11	26	34	58	105	172	179	134	53	11	-
ALL OTHER--MALE----	-	4	1	4	2	2	1	2	-	-	-	-
FEMALE--	1	-	3	2	2	3	5	5	1	-	1	-
BLACK---MALE----	-	2	1	4	2	2	1	1	-	-	-	-
FEMALE--	-	-	2	2	2	2	4	5	1	-	1	-
MICHIGAN -----	61	64	82	131	211	255	320	247	158	34	6	-
WHITE-----MALE----	25	28	34	58	96	120	143	94	55	9	1	-
FEMALE--	25	28	37	54	104	119	158	137	94	21	3	-
ALL OTHER--MALE----	8	5	5	6	5	5	8	7	4	1	-	-
FEMALE--	3	3	6	13	6	11	11	9	5	3	2	-
BLACK---MALE----	8	4	5	5	5	5	7	6	4	1	-	-
FEMALE--	3	3	6	13	5	10	10	8	5	3	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,355
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DISEASES OF THE NERVOUS SYSTEM (320-359)												
MINNESOTA -----	23	23	34	64	93	153	245	241	163	47	8	-
WHITE-----MALE----	14	13	16	25	53	82	102	92	59	9	1	-
FEMALE--	7	10	17	36	38	70	142	149	104	37	6	-
ALL OTHER--MALE----	-	-	1	1	2	1	1	-	-	-	-	-
FEMALE--	2	-	-	2	-	-	-	-	-	1	1	-
BLACK---MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	1	1	-
MISSISSIPPI -----	9	25	20	24	49	61	67	68	33	8	2	-
WHITE-----MALE----	2	7	7	10	25	26	25	19	9	2	-	-
FEMALE--	3	6	6	6	14	30	29	40	19	6	-	-
ALL OTHER--MALE----	3	8	2	5	5	2	6	6	1	-	1	-
FEMALE--	1	4	5	3	5	3	7	3	4	-	1	-
BLACK---MALE----	3	8	2	5	5	2	6	6	1	-	1	-
FEMALE--	1	4	5	3	5	3	7	3	4	-	1	-
MISSOURI -----	29	26	50	74	127	182	228	191	112	42	9	-
WHITE-----MALE----	15	11	28	37	56	93	104	66	25	7	1	-
FEMALE--	7	11	17	32	58	76	113	118	81	35	8	-
ALL OTHER--MALE----	5	3	1	3	4	6	6	3	2	-	-	-
FEMALE--	2	1	4	2	9	7	5	4	4	-	-	-
BLACK---MALE----	5	3	1	2	4	6	6	3	2	-	-	-
FEMALE--	2	1	4	2	9	7	5	4	4	-	-	-
MONTANA -----	7	3	7	16	27	38	43	37	31	14	3	-
WHITE-----MALE----	2	2	2	11	15	20	21	11	11	-	1	-
FEMALE--	4	1	5	5	12	16	22	26	20	14	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	10	9	14	20	35	40	82	75	45	31	6	-
WHITE-----MALE----	4	4	7	10	18	20	26	26	9	4	-	-
FEMALE--	5	3	6	9	16	19	56	49	34	27	6	-
ALL OTHER--MALE----	1	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	2	-	1	-	-	-	-	2	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	2	-	1	-	-	-	-	2	-	-	-
NEVADA -----	7	7	11	24	22	44	44	41	23	7	-	-
WHITE-----MALE----	3	1	2	14	12	24	16	11	9	3	-	-
FEMALE--	4	3	6	10	6	18	24	28	13	4	-	-
ALL OTHER--MALE----	-	1	2	-	1	1	-	-	1	-	-	-
FEMALE--	-	2	1	-	3	1	4	2	-	-	-	-
BLACK---MALE----	-	-	2	-	1	1	-	-	1	-	-	-
FEMALE--	-	-	1	-	2	1	2	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,357
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
DISEASES OF THE NERVOUS SYSTEM (320-359)												
OHIO -----	2,460	13	22	12	11	19	17	11	27	32	22	58
WHITE-----MALE----	1,021	7	13	7	6	10	12	7	18	15	9	24
FEMALE--	1,262	4	5	5	4	7	2	3	6	13	9	22
ALL OTHER--MALE----	88	1	1	-	-	1	3	1	2	3	2	9
FEMALE--	89	1	3	-	1	1	-	-	1	1	2	3
BLACK---MALE----	87	1	1	-	-	1	3	1	2	3	2	9
FEMALE--	89	1	3	-	1	1	-	-	1	1	2	3
OKLAHOMA -----	576	5	3	4	1	5	5	4	4	9	9	15
WHITE-----MALE----	261	3	2	2	-	2	4	1	3	2	4	5
FEMALE--	281	1	1	-	-	3	1	3	1	5	4	6
ALL OTHER--MALE----	19	1	-	-	1	-	-	-	-	1	1	3
FEMALE--	15	-	-	2	-	-	-	-	-	1	-	1
BLACK---MALE----	14	1	-	-	1	-	-	-	-	1	-	2
FEMALE--	10	-	-	2	-	-	-	-	-	1	-	-
OREGON -----	936	8	4	4	6	2	4	5	6	13	17	13
WHITE-----MALE----	408	4	3	2	4	1	2	4	3	9	7	6
FEMALE--	513	4	1	1	2	1	1	1	2	4	9	6
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	9	-	-	1	-	-	1	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	1	-	1	-	-	-
PENNSYLVANIA -----	2,605	24	17	5	7	10	19	11	25	24	42	52
WHITE-----MALE----	1,100	5	8	4	1	8	11	4	16	10	18	22
FEMALE--	1,317	8	5	-	5	-	2	5	5	6	17	20
ALL OTHER--MALE----	101	5	3	-	1	1	4	1	3	6	6	5
FEMALE--	87	6	1	1	-	1	2	1	1	2	1	5
BLACK---MALE----	97	5	3	-	1	1	4	1	3	6	5	4
FEMALE--	84	5	1	1	-	1	2	1	1	2	1	4
RHODE ISLAND -----	239	3	-	1	2	1	-	-	-	3	3	3
WHITE-----MALE----	94	2	-	-	1	1	-	-	-	3	2	2
FEMALE--	140	1	-	-	1	-	-	-	-	-	1	1
ALL OTHER--MALE----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	702	5	9	3	3	5	6	2	11	13	16	22
WHITE-----MALE----	249	-	3	1	1	1	4	-	3	6	6	8
FEMALE--	308	3	1	-	2	1	1	1	4	1	4	5
ALL OTHER--MALE----	73	1	3	-	-	1	1	1	2	5	4	8
FEMALE--	72	1	2	2	-	2	-	-	2	1	2	1
BLACK---MALE----	72	1	3	-	-	1	1	1	2	5	4	8
FEMALE--	72	1	2	2	-	2	-	-	2	1	2	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,357
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DISEASES OF THE NERVOUS SYSTEM (320-359)												
OHIO -----	52	69	84	163	257	406	442	400	246	81	16	-
WHITE-----MALE----	29	33	51	66	123	195	189	136	58	12	1	-
FEMALE--	16	29	27	82	118	182	227	246	175	67	13	-
ALL OTHER--MALE----	4	6	3	7	10	13	13	3	5	1	-	-
FEMALE--	3	1	3	8	6	16	13	15	8	1	2	-
BLACK---MALE----	4	6	3	7	10	12	13	3	5	1	-	-
FEMALE--	3	1	3	8	6	16	13	15	8	1	2	-
OKLAHOMA -----	18	17	28	46	54	98	99	93	38	19	2	-
WHITE-----MALE----	6	11	11	27	27	41	49	46	14	1	-	-
FEMALE--	10	6	12	19	21	54	47	44	23	18	2	-
ALL OTHER--MALE----	2	-	4	-	2	2	1	1	-	-	-	-
FEMALE--	-	-	1	-	4	1	2	2	1	-	-	-
BLACK---MALE----	1	-	4	-	2	-	1	1	-	-	-	-
FEMALE--	-	-	1	-	2	1	1	1	1	-	-	-
OREGON -----	20	16	28	53	87	141	197	168	108	34	2	-
WHITE-----MALE----	13	9	12	22	40	68	79	76	38	6	-	-
FEMALE--	7	7	15	30	46	70	117	90	70	27	2	-
ALL OTHER--MALE----	-	-	1	1	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	3	1	1	-	1	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
PENNSYLVANIA -----	56	83	96	178	284	428	517	439	198	81	8	1
WHITE-----MALE----	26	38	45	77	146	215	228	147	55	15	-	1
FEMALE--	21	35	37	88	116	194	272	274	137	62	8	-
ALL OTHER--MALE----	5	2	4	8	12	11	10	10	2	2	-	-
FEMALE--	4	8	10	5	10	8	7	8	4	2	-	-
BLACK---MALE----	4	2	4	8	11	11	10	10	2	2	-	-
FEMALE--	4	8	10	5	9	8	7	8	4	2	-	-
RHODE ISLAND -----	5	4	6	11	21	35	54	47	30	9	1	-
WHITE-----MALE----	3	2	3	4	12	14	24	16	5	-	-	-
FEMALE--	1	2	3	5	8	21	30	31	25	9	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	22	28	34	39	72	114	125	104	45	23	1	-
WHITE-----MALE----	6	14	16	19	26	53	43	28	9	2	-	-
FEMALE--	6	8	8	16	30	38	67	66	29	16	1	-
ALL OTHER--MALE----	4	3	6	3	9	7	9	5	1	-	-	-
FEMALE--	6	3	4	1	7	16	6	5	6	5	-	-
BLACK---MALE----	4	3	6	2	9	7	9	5	1	-	-	-
FEMALE--	6	3	4	1	7	16	6	5	6	5	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,358
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
DISEASES OF THE NERVOUS SYSTEM (320-359)												
SOUTH DAKOTA -----	168	1	1	1	1	1	1	1	1	4	2	1
WHITE-----MALE----	61	-	-	1	1	1	-	1	-	2	-	-
FEMALE--	102	-	1	-	-	-	-	-	-	1	2	1
ALL OTHER--MALE----	2	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1,043	14	8	5	9	12	9	8	14	24	17	22
WHITE-----MALE----	414	7	2	3	4	3	3	3	8	14	9	8
FEMALE--	523	6	5	2	2	4	6	1	2	6	6	8
ALL OTHER--MALE----	54	1	1	-	-	4	-	4	3	2	-	2
FEMALE--	52	-	-	-	3	1	-	-	1	2	2	4
BLACK---MALE----	53	1	1	-	-	4	-	4	3	2	-	2
FEMALE--	52	-	-	-	3	1	-	-	1	2	2	4
TEXAS -----	3,308	45	23	19	27	35	27	23	28	59	56	65
WHITE-----MALE----	1,389	18	8	4	12	22	14	13	12	30	20	31
FEMALE--	1,687	23	11	8	9	10	7	8	10	21	27	26
ALL OTHER--MALE----	111	1	3	2	4	2	5	1	2	5	7	4
FEMALE--	121	3	1	5	2	1	1	1	4	3	2	4
BLACK---MALE----	106	1	2	2	4	2	4	1	2	5	7	4
FEMALE--	115	3	1	5	2	1	1	1	4	3	2	4
UTAH -----	372	4	7	1	5	6	5	2	2	6	7	9
WHITE-----MALE----	183	3	3	1	3	2	5	1	1	3	4	4
FEMALE--	184	1	1	-	2	4	-	1	1	3	3	5
ALL OTHER--MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	2	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	126	1	-	2	1	2	-	1	-	3	3	6
WHITE-----MALE----	57	1	-	1	1	2	-	1	-	1	1	6
FEMALE--	66	-	-	1	-	-	-	-	-	2	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1,270	14	13	8	5	2	10	9	7	18	24	23
WHITE-----MALE----	461	7	3	1	2	2	5	5	2	9	9	6
FEMALE--	612	2	4	2	2	-	2	3	3	4	6	11
ALL OTHER--MALE----	86	3	4	4	-	-	2	-	-	2	5	3
FEMALE--	111	2	2	1	1	-	1	1	2	3	4	3
BLACK---MALE----	84	3	4	4	-	-	2	-	-	2	5	3
FEMALE--	104	2	2	1	-	-	1	1	2	2	4	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,358
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DISEASES OF THE NERVOUS SYSTEM (320-359)												
SOUTH DAKOTA -----	7	2	9	7	13	22	35	30	15	12	1	-
WHITE-----MALE----	4	2	4	3	6	8	14	8	4	1	1	-
FEMALE--	3	-	5	4	7	14	20	22	11	11	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	19	33	47	68	109	138	216	161	85	22	3	-
WHITE-----MALE----	10	18	18	28	52	71	80	56	15	2	-	-
FEMALE--	4	10	24	33	45	55	126	96	62	18	2	-
ALL OTHER--MALE----	3	4	2	2	8	7	5	3	1	2	-	-
FEMALE--	2	1	3	5	4	5	5	6	7	-	1	-
BLACK---MALE----	3	4	1	2	8	7	5	3	1	2	-	-
FEMALE--	2	1	3	5	4	5	5	6	7	-	1	-
TEXAS -----	73	73	126	193	312	465	667	583	292	99	18	-
WHITE-----MALE----	24	35	65	102	163	217	286	213	82	17	1	-
FEMALE--	40	26	47	79	123	229	353	342	196	77	15	-
ALL OTHER--MALE----	4	4	3	9	16	9	12	12	6	-	-	-
FEMALE--	5	8	11	3	10	10	16	16	8	5	2	-
BLACK---MALE----	4	4	3	9	15	8	11	12	6	-	-	-
FEMALE--	5	6	10	3	8	9	16	16	8	5	2	-
UTAH -----	5	16	11	16	37	52	72	72	25	9	3	-
WHITE-----MALE----	4	9	7	10	19	27	38	25	9	5	-	-
FEMALE--	1	7	3	6	18	25	33	47	16	4	3	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	3	4	3	7	9	21	25	21	10	4	-	-
WHITE-----MALE----	2	1	-	4	5	12	7	9	3	-	-	-
FEMALE--	-	2	3	3	4	9	18	11	7	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
VIRGINIA -----	35	42	52	75	114	210	239	220	110	35	5	-
WHITE-----MALE----	17	19	17	29	57	86	86	74	19	6	-	-
FEMALE--	10	13	25	35	47	92	120	126	79	22	4	-
ALL OTHER--MALE----	4	7	4	4	5	12	12	10	4	-	1	-
FEMALE--	4	3	6	7	5	20	21	10	8	7	-	-
BLACK---MALE----	4	7	3	4	5	11	12	10	4	-	1	-
FEMALE--	4	3	6	6	4	18	20	10	8	7	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,360
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MENINGITIS (320-322)												
UNITED STATES --	761	121	37	15	13	16	22	22	26	35	33	51
WHITE-----MALE----	290	35	22	7	9	5	7	10	12	11	14	13
FEMALE--	251	27	11	5	3	6	6	4	7	10	9	19
ALL OTHER--MALE----	118	28	1	3	-	4	6	4	5	9	8	13
FEMALE--	102	31	3	-	1	1	3	4	2	5	2	6
BLACK---MALE----	106	26	1	3	-	4	5	4	5	8	6	11
FEMALE--	91	27	2	-	1	1	2	4	2	5	2	6
ALABAMA -----	19	6	1	1	1	2	-	1	-	1	1	-
WHITE-----MALE----	5	3	-	-	-	-	-	1	-	-	-	-
FEMALE--	5	-	1	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	5	1	-	1	-	2	-	-	-	1	-	-
FEMALE--	4	2	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	5	1	-	1	-	2	-	-	-	1	-	-
FEMALE--	4	2	-	-	1	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	27	4	1	1	-	1	1	1	1	3	2	2
WHITE-----MALE----	15	2	-	-	-	-	1	1	1	1	2	1
FEMALE--	7	-	-	1	-	1	-	-	-	1	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	2	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	8	4	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	74	11	3	-	2	1	2	2	1	5	2	4
WHITE-----MALE----	30	2	2	-	2	-	-	1	-	3	-	1
FEMALE--	26	5	1	-	-	1	-	-	1	-	1	1
ALL OTHER--MALE----	10	2	-	-	-	-	-	1	-	-	1	2
FEMALE--	8	2	-	-	-	-	2	-	-	2	-	-
BLACK---MALE----	7	1	-	-	-	-	-	1	-	-	-	2
FEMALE--	6	1	-	-	-	-	1	-	-	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,360
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MENINGITIS (320-322)												
UNITED STATES --	37	38	56	50	48	43	44	41	10	3	-	-
WHITE-----MALE----	22	14	21	27	20	15	14	9	1	2	-	-
FEMALE--	6	7	24	17	17	17	22	24	9	1	-	-
ALL OTHER--MALE----	6	10	7	2	2	6	2	2	-	-	-	-
FEMALE--	3	7	4	4	9	5	6	6	-	-	-	-
BLACK---MALE----	6	9	7	2	1	5	2	1	-	-	-	-
FEMALE--	3	6	4	4	6	5	5	6	-	-	-	-
ALABAMA -----	-	1	-	2	1	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	3	1	-	-	1	3	1	1	-	-	-
WHITE-----MALE----	-	1	1	-	-	1	3	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	-	-	-	2	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	9	2	5	5	11	5	2	1	-	1	-	-
WHITE-----MALE----	5	1	1	3	6	1	-	1	-	1	-	-
FEMALE--	1	1	3	2	4	3	2	-	-	-	-	-
ALL OTHER--MALE----	2	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,363
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MENINGITIS (320-322)												
KENTUCKY -----	-	-	1	-	-	1	1	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	1	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	3	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
MAINE -----	-	-	-	1	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	-	-	1	1	-	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
MASSACHUSETTS -----	-	-	1	1	-	-	-	3	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	1	-	3	-	1	2	-	-	1	-	-	-
WHITE-----MALE----	1	-	2	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,364
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MENINGITIS (320-322)												
MINNESOTA -----	1	-	1	1	-	-	-	1	-	-	-	-
WHITE-----MALE----	1	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	-	2	2	2	1	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	1	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
MISSOURI -----	1	2	-	3	1	2	3	2	1	-	-	-
WHITE-----MALE----	1	1	-	-	-	1	2	-	-	-	-	-
FEMALE--	-	1	-	3	1	-	1	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA -----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	-	-	-	-	-	-	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	-	1	2	-	1	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,366
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MENINGITIS (320-322)												
OHIO -----	3	2	1	1	2	1	-	3	-	-	-	-
WHITE-----MALE----	2	2	-	1	1	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
OKLAHOMA -----	3	-	2	-	1	-	-	1	-	-	-	-
WHITE-----MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	2	2	-	-	2	1	-	-	-	-
WHITE-----MALE----	-	-	1	1	-	-	1	1	-	-	-	-
FEMALE--	-	-	1	1	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	2	-	1	1	2	4	3	-	-	-	-
WHITE-----MALE----	-	2	-	1	1	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
RHODE ISLAND -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	-	-	-	-	2	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,367
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MENINGITIS (320-322)												
SOUTH DAKOTA -----	5	1	-	-	-	-	-	1	-	1	-	1
WHITE-----MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	23	4	-	1	1	-	-	-	3	-	1	1
WHITE-----MALE----	8	2	-	1	1	-	-	-	1	-	1	1
FEMALE--	10	1	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	4	1	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	1	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	46	6	1	-	1	3	1	4	-	2	2	3
WHITE-----MALE----	19	3	1	-	1	1	-	2	-	1	1	1
FEMALE--	15	1	-	-	-	1	-	1	-	1	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	1	-	-	-	1	-
FEMALE--	9	2	-	-	-	1	-	1	-	-	-	1
BLACK---MALE----	3	-	-	-	-	-	1	-	-	-	1	-
FEMALE--	9	2	-	-	-	1	-	1	-	-	-	1
UTAH -----	4	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	20	5	-	-	1	-	-	-	1	1	2	2
WHITE-----MALE----	7	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	1	-	-	-	-	-	1	-
ALL OTHER--MALE----	5	2	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	2	-	-	-	-	-	-	1	-	1	1
BLACK---MALE----	5	2	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	2	-	-	-	-	-	-	1	-	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,369
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PARKINSON'S DISEASE (332)												
UNITED STATES --	22	62	146	440	1,253	2,311	3,005	2,342	965	231	21	-
WHITE-----MALE----	14	37	86	256	767	1,374	1,676	1,176	422	85	5	-
FEMALE--	6	20	48	148	410	843	1,208	1,094	514	133	13	-
ALL OTHER--MALE----	1	4	8	22	47	57	64	41	13	7	1	-
FEMALE--	1	1	4	14	29	37	57	31	16	6	2	-
BLACK---MALE----	1	2	7	19	30	41	51	30	8	6	1	-
FEMALE--	1	1	3	11	24	26	39	23	11	5	1	-
ALABAMA -----	-	2	5	5	18	33	39	20	20	1	-	-
WHITE-----MALE----	-	1	3	2	12	15	18	9	8	-	-	-
FEMALE--	-	-	2	1	6	15	19	9	11	1	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	2	2	-	-	-	-
FEMALE--	-	-	-	1	-	3	-	-	1	-	-	-
BLACK---MALE----	-	1	-	1	-	-	2	2	-	-	-	-
FEMALE--	-	-	-	1	-	3	-	-	1	-	-	-
ALASKA -----	-	-	-	1	1	3	2	4	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	3	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	2	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	1	8	23	52	64	38	12	3	-	-
WHITE-----MALE----	-	-	1	5	13	40	39	20	9	1	-	-
FEMALE--	-	-	-	2	9	12	24	17	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	-	-	-	1	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	3	-	6	16	20	27	23	8	1	-	-
WHITE-----MALE----	-	3	-	1	8	10	13	8	3	-	-	-
FEMALE--	-	-	-	5	7	9	13	14	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	1	-	-	-
CALIFORNIA -----	3	10	16	42	134	231	299	225	93	24	1	-
WHITE-----MALE----	3	6	9	26	77	139	167	107	36	11	-	-
FEMALE--	-	4	6	12	41	80	111	109	55	13	1	-
ALL OTHER--MALE----	-	-	-	4	10	8	12	5	1	-	-	-
FEMALE--	-	-	1	-	6	4	9	4	1	-	-	-
BLACK---MALE----	-	-	-	2	1	5	5	3	-	-	-	-
FEMALE--	-	-	-	-	3	1	3	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,370
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PARKINSON'S DISEASE (332)												
COLORADO -----	-	-	1	2	19	36	49	32	9	3	1	-
WHITE-----MALE----	-	-	-	2	15	19	31	14	3	1	-	-
FEMALE--	-	-	1	-	4	16	18	18	5	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	1	1	4	16	28	48	38	13	3	1	-
WHITE-----MALE----	-	1	-	3	11	12	31	19	9	1	1	-
FEMALE--	-	-	1	1	5	15	15	19	4	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
DELAWARE -----	-	-	1	2	5	3	4	4	3	-	-	-
WHITE-----MALE----	-	-	1	1	2	2	2	2	1	-	-	-
FEMALE--	-	-	-	-	3	1	2	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	1	-	3	2	6	4	4	2	-	-
WHITE-----MALE----	-	-	-	-	1	-	3	2	2	-	-	-
FEMALE--	-	-	-	-	-	-	3	2	2	1	-	-
ALL OTHER--MALE----	-	-	1	-	2	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	1	-	2	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
FLORIDA -----	1	7	8	27	111	156	214	184	79	13	2	-
WHITE-----MALE----	1	3	5	18	71	102	144	97	36	9	1	-
FEMALE--	-	4	3	8	37	50	65	85	39	4	1	-
ALL OTHER--MALE----	-	-	-	1	3	3	3	-	3	-	-	-
FEMALE--	-	-	-	-	-	1	2	2	1	-	-	-
BLACK---MALE----	-	-	-	1	3	3	3	-	3	-	-	-
FEMALE--	-	-	-	-	-	1	2	2	1	-	-	-
GEORGIA -----	1	-	1	8	25	34	67	40	9	4	-	-
WHITE-----MALE----	1	-	-	2	11	17	27	21	3	1	-	-
FEMALE--	-	-	-	2	11	14	32	16	5	2	-	-
ALL OTHER--MALE----	-	-	-	3	2	2	4	2	-	-	-	-
FEMALE--	-	-	1	1	1	1	4	1	1	1	-	-
BLACK---MALE----	-	-	-	3	2	2	4	2	-	-	-	-
FEMALE--	-	-	1	1	1	1	4	1	1	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,372
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PARKINSON'S DISEASE (332)												
KENTUCKY -----	-	1	1	8	23	33	46	39	13	5	-	-
WHITE-----MALE----	-	1	1	4	11	15	28	18	1	1	-	-
FEMALE--	-	-	-	4	12	18	18	20	12	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
LOUISIANA -----	1	1	7	8	20	30	35	21	9	1	-	-
WHITE-----MALE----	-	1	4	7	11	21	15	10	5	-	-	-
FEMALE--	-	-	2	1	6	9	15	10	3	1	-	-
ALL OTHER--MALE----	1	-	1	-	3	-	3	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	1	1	-	-	-
BLACK---MALE----	1	-	1	-	3	-	3	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	1	1	-	-	-
MAINE -----	-	-	-	2	7	11	24	22	5	4	-	-
WHITE-----MALE----	-	-	-	1	3	7	16	14	3	1	-	-
FEMALE--	-	-	-	1	4	4	8	8	2	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2	1	1	8	21	54	60	47	17	5	-	-
WHITE-----MALE----	-	1	1	4	11	29	32	22	8	-	-	-
FEMALE--	2	-	-	4	7	23	25	24	9	4	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	1	-	1	-	-
FEMALE--	-	-	-	-	2	1	3	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	1	-	1	-	-
FEMALE--	-	-	-	-	2	1	3	-	-	-	-	-
MASSACHUSETTS -----	1	2	5	7	31	64	97	73	36	5	-	-
WHITE-----MALE----	-	-	3	3	25	42	59	40	15	1	-	-
FEMALE--	1	1	2	4	5	22	36	32	21	4	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
MICHIGAN -----	-	2	2	14	37	80	111	87	33	5	-	-
WHITE-----MALE----	-	-	2	9	23	43	60	43	13	3	-	-
FEMALE--	-	2	-	5	12	33	47	39	17	2	-	-
ALL OTHER--MALE----	-	-	-	-	1	2	2	2	2	-	-	-
FEMALE--	-	-	-	-	1	2	2	3	1	-	-	-
BLACK---MALE----	-	-	-	-	1	2	2	1	2	-	-	-
FEMALE--	-	-	-	-	1	2	1	2	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,373
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PARKINSON'S DISEASE (332)												
MINNESOTA -----	-	1	1	6	30	45	84	68	45	2	-	-
WHITE-----MALE----	-	1	-	4	20	25	41	34	23	1	-	-
FEMALE--	-	-	1	2	10	19	42	34	22	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	-	1	1	6	12	15	24	13	5	-	-	-
WHITE-----MALE----	-	1	1	4	6	9	12	3	2	-	-	-
FEMALE--	-	-	-	2	4	6	8	7	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	2	3	-	-	-	-
FEMALE--	-	-	-	-	1	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	2	3	-	-	-	-
FEMALE--	-	-	-	-	1	-	2	-	-	-	-	-
MISSOURI -----	-	-	6	10	34	51	69	59	25	4	-	-
WHITE-----MALE----	-	-	5	6	17	34	34	28	11	1	-	-
FEMALE--	-	-	-	2	13	16	34	28	13	3	-	-
ALL OTHER--MALE----	-	-	1	1	2	-	1	1	-	-	-	-
FEMALE--	-	-	-	1	2	1	-	2	1	-	-	-
BLACK---MALE----	-	-	1	1	2	-	1	1	-	-	-	-
FEMALE--	-	-	-	1	2	1	-	2	1	-	-	-
MONTANA -----	1	-	1	3	9	4	10	7	5	-	-	-
WHITE-----MALE----	1	-	-	2	7	2	6	2	3	-	-	-
FEMALE--	-	-	1	1	2	-	4	5	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	-	-	1	2	7	12	23	21	7	3	1	-
WHITE-----MALE----	-	-	1	2	6	7	10	12	3	1	-	-
FEMALE--	-	-	-	-	1	5	13	9	4	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	-	-	-	1	8	16	14	9	4	3	-	-
WHITE-----MALE----	-	-	-	-	5	12	8	5	2	2	-	-
FEMALE--	-	-	-	1	2	4	4	3	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,375
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PARKINSON'S DISEASE (332)												
OHIO -----	-	5	6	17	64	133	134	100	49	13	1	-
WHITE-----MALE----	-	4	4	8	45	77	63	52	19	2	-	-
FEMALE--	-	-	2	8	18	52	64	45	29	11	-	-
ALL OTHER--MALE----	-	1	-	-	1	3	5	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	2	2	1	-	1	-
BLACK---MALE----	-	1	-	-	1	2	5	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	2	2	1	-	1	-
OKLAHOMA -----	-	1	2	10	9	30	37	32	5	3	1	-
WHITE-----MALE----	-	-	2	7	6	17	26	21	3	1	-	-
FEMALE--	-	1	-	3	3	13	11	9	2	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
OREGON -----	-	1	3	6	26	50	68	47	24	3	-	-
WHITE-----MALE----	-	1	1	1	16	29	38	29	11	1	-	-
FEMALE--	-	-	1	4	10	20	29	18	13	2	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
PENNSYLVANIA -----	1	1	5	34	81	146	158	144	42	19	-	-
WHITE-----MALE----	1	-	1	18	45	96	81	69	16	7	-	-
FEMALE--	-	1	3	15	32	48	71	74	26	10	-	-
ALL OTHER--MALE----	-	-	-	-	2	2	4	1	-	2	-	-
FEMALE--	-	-	1	1	2	2	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	2	4	1	-	2	-	-
FEMALE--	-	-	1	1	2	-	2	-	-	-	-	-
RHODE ISLAND -----	1	-	1	1	3	9	13	7	3	-	-	-
WHITE-----MALE----	1	-	-	1	2	5	7	5	1	-	-	-
FEMALE--	-	-	1	-	1	4	6	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	-	4	8	13	31	29	22	7	3	-	-
WHITE-----MALE----	-	-	3	6	5	19	13	9	4	2	-	-
FEMALE--	-	-	-	2	3	8	12	12	3	1	-	-
ALL OTHER--MALE----	-	-	1	-	2	2	3	1	-	-	-	-
FEMALE--	-	-	-	-	3	2	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	2	2	3	1	-	-	-	-
FEMALE--	-	-	-	-	3	2	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,376
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PARKINSON'S DISEASE (332)												
SOUTH DAKOTA -----	2	-	-	1	4	5	7	10	3	2	1	-
WHITE-----MALE----	1	-	-	1	3	2	3	4	1	1	1	-
FEMALE--	1	-	-	-	1	3	4	6	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	1	1	6	20	39	53	23	18	2	-	-
WHITE-----MALE----	-	1	-	2	13	30	31	9	7	1	-	-
FEMALE--	-	-	1	2	4	7	20	13	10	1	-	-
ALL OTHER--MALE----	-	-	-	1	3	1	2	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	1	1	-	-	-
BLACK---MALE----	-	-	-	1	3	1	2	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	1	1	-	-	-
TEXAS -----	3	4	8	28	76	143	187	135	42	18	3	-
WHITE-----MALE----	-	3	5	17	50	80	101	72	25	7	-	-
FEMALE--	2	1	3	8	22	58	78	58	16	11	3	-
ALL OTHER--MALE----	-	-	-	3	2	2	7	3	-	-	-	-
FEMALE--	1	-	-	-	2	3	1	2	1	-	-	-
BLACK---MALE----	-	-	-	3	2	2	7	3	-	-	-	-
FEMALE--	1	-	-	-	2	3	1	2	1	-	-	-
UTAH -----	-	-	-	1	12	15	24	17	4	3	-	-
WHITE-----MALE----	-	-	-	1	7	9	18	9	1	3	-	-
FEMALE--	-	-	-	-	5	6	5	8	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	1	2	12	9	4	4	1	-	-
WHITE-----MALE----	-	-	-	1	2	8	5	3	2	-	-	-
FEMALE--	-	-	-	-	-	4	4	1	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	2	3	15	30	57	66	59	20	5	1	-
WHITE-----MALE----	1	2	-	11	17	31	42	31	7	3	-	-
FEMALE--	-	-	3	3	11	19	18	24	11	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	2	1	2	2	-	1	-
FEMALE--	-	-	-	1	2	5	5	2	-	2	-	-
BLACK---MALE----	-	-	-	-	-	2	1	2	2	-	1	-
FEMALE--	-	-	-	1	1	4	5	2	-	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,378
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER HEREDITARY AND DEGENERATIVE DISEASES OF THE CENTRAL NERVOUS SYSTEM (330-331,333-337)												
UNITED STATES --	27,378	149	145	65	55	32	32	54	88	129	201	287
WHITE-----MALE----	9,690	62	58	29	24	16	18	28	42	74	105	137
FEMALE--	15,876	55	54	20	24	12	8	18	23	31	67	119
ALL OTHER--MALE----	735	17	17	7	1	2	3	5	14	11	17	19
FEMALE--	1,077	15	16	9	6	2	3	3	9	13	12	12
BLACK---MALE----	628	16	12	6	1	2	3	5	13	9	13	12
FEMALE--	966	9	13	6	4	2	3	3	7	11	11	12
ALABAMA -----	534	5	3	-	2	-	1	-	2	2	7	3
WHITE-----MALE----	157	1	-	-	1	-	-	-	1	1	2	2
FEMALE--	288	1	-	-	1	-	1	-	-	-	2	-
ALL OTHER--MALE----	38	2	-	-	-	-	-	-	1	-	2	-
FEMALE--	51	1	3	-	-	-	-	-	-	1	1	1
BLACK---MALE----	38	2	-	-	-	-	-	-	1	-	2	-
FEMALE--	51	1	3	-	-	-	-	-	-	1	1	1
ALASKA -----	23	-	2	-	-	-	-	-	1	-	1	1
WHITE-----MALE----	11	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	4	-	2	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	491	7	3	-	-	-	1	-	3	-	-	1
WHITE-----MALE----	201	3	1	-	-	-	-	-	2	-	-	-
FEMALE--	277	2	1	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	5	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	8	2	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	1	-	-	-	-	-
ARKANSAS -----	248	-	1	-	2	-	1	-	1	2	1	2
WHITE-----MALE----	93	-	1	-	-	-	-	-	1	1	-	-
FEMALE--	129	-	-	-	2	-	-	-	-	1	1	2
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	1	-	-	-	-	-
CALIFORNIA -----	2,347	13	18	4	3	4	3	7	14	13	21	33
WHITE-----MALE----	843	7	10	1	2	1	2	4	5	9	8	17
FEMALE--	1,325	5	6	1	1	2	1	3	6	3	9	14
ALL OTHER--MALE----	73	-	1	-	-	-	-	-	2	-	2	2
FEMALE--	106	1	1	2	-	1	-	-	1	1	2	-
BLACK---MALE----	39	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	74	-	-	-	-	1	-	-	1	1	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,378
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER HEREDITARY AND DEGENERATIVE DISEASES OF THE CENTRAL NERVOUS SYSTEM (330-331,333-337)												
UNITED STATES --	405	552	849	1,478	2,507	4,070	5,716	5,671	3,444	1,248	199	2
WHITE-----MALE----	197	277	393	697	1,091	1,720	2,094	1,671	783	157	15	2
FEMALE--	155	215	384	669	1,242	2,109	3,275	3,720	2,485	1,027	164	-
ALL OTHER--MALE----	28	29	31	61	87	101	137	95	43	8	2	-
FEMALE--	25	31	41	51	87	140	210	185	133	56	18	-
BLACK---MALE----	22	23	25	48	78	92	117	84	38	7	2	-
FEMALE--	19	25	35	47	80	124	193	169	124	52	17	-
ALABAMA -----	5	9	29	25	52	86	105	114	61	22	1	-
WHITE-----MALE----	3	4	11	12	18	36	29	24	8	4	-	-
FEMALE--	1	2	14	9	27	42	60	76	39	12	1	-
ALL OTHER--MALE----	-	1	4	2	4	4	4	11	3	-	-	-
FEMALE--	1	2	-	2	3	4	12	3	11	6	-	-
BLACK---MALE----	-	1	4	2	4	4	4	11	3	-	-	-
FEMALE--	1	2	-	2	3	4	12	3	11	6	-	-
ALASKA -----	-	-	1	2	3	4	5	2	1	-	-	-
WHITE-----MALE----	-	-	-	1	2	3	2	2	-	-	-	-
FEMALE--	-	-	1	-	1	1	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	4	9	12	23	49	73	114	99	64	25	4	-
WHITE-----MALE----	3	6	8	10	26	32	59	32	14	5	-	-
FEMALE--	-	3	4	13	22	40	53	65	49	19	4	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	2	1	-	-	-
FEMALE--	-	-	-	-	1	1	2	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	1	-	-
ARKANSAS -----	5	4	12	11	26	42	65	42	21	6	4	-
WHITE-----MALE----	2	3	4	6	10	19	25	14	6	1	-	-
FEMALE--	2	1	5	3	13	19	33	25	15	4	3	-
ALL OTHER--MALE----	1	-	3	2	2	2	2	1	-	1	-	-
FEMALE--	-	-	-	-	1	2	5	2	-	-	1	-
BLACK---MALE----	1	-	3	2	2	2	2	1	-	1	-	-
FEMALE--	-	-	-	-	1	1	5	2	-	-	1	-
CALIFORNIA -----	31	55	90	133	218	343	480	471	298	77	17	1
WHITE-----MALE----	17	25	44	60	91	139	179	138	75	5	3	1
FEMALE--	11	17	32	57	111	177	261	316	211	68	13	-
ALL OTHER--MALE----	1	6	5	8	6	10	21	7	1	1	-	-
FEMALE--	2	7	9	8	10	17	19	10	11	3	1	-
BLACK---MALE----	-	1	4	4	3	7	11	6	1	-	-	-
FEMALE--	2	5	6	6	9	11	12	7	8	2	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,379
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER HEREDITARY AND DEGENERATIVE DISEASES OF THE CENTRAL NERVOUS SYSTEM (330-331,333-337)												
COLORADO -----	373	1	3	-	1	2	-	-	1	1	4	2
WHITE-----MALE----	130	-	1	-	1	1	-	-	1	-	4	-
FEMALE--	234	1	2	-	-	1	-	-	-	-	-	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-
CONNECTICUT -----	335	2	2	-	2	-	-	1	1	3	2	4
WHITE-----MALE----	127	1	2	-	1	-	-	-	1	-	2	1
FEMALE--	194	-	-	-	-	-	-	-	-	2	-	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	1	-	1	-	1
FEMALE--	10	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	9	1	-	-	1	-	-	-	-	-	-	-
DELAWARE -----	57	-	1	-	-	1	-	-	-	-	1	1
WHITE-----MALE----	19	-	-	-	-	1	-	-	-	-	1	-
FEMALE--	32	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	4	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	54	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	22	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	18	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	22	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	1,824	5	7	5	2	1	2	1	3	11	13	12
WHITE-----MALE----	736	2	3	4	-	1	-	-	1	7	4	6
FEMALE--	1,005	2	3	1	2	-	1	-	-	-	6	3
ALL OTHER--MALE----	38	1	1	-	-	-	1	1	-	2	2	3
FEMALE--	45	-	-	-	-	-	-	-	2	2	1	-
BLACK---MALE----	35	1	1	-	-	-	1	1	-	2	2	1
FEMALE--	44	-	-	-	-	-	-	-	1	2	1	-
GEORGIA -----	643	2	1	2	3	2	1	1	5	2	3	6
WHITE-----MALE----	175	-	-	1	1	1	1	1	4	2	2	1
FEMALE--	375	1	1	-	1	1	-	-	-	-	1	2
ALL OTHER--MALE----	23	1	-	1	-	-	-	-	1	-	-	2
FEMALE--	70	-	-	-	1	-	-	-	-	-	-	1
BLACK---MALE----	23	1	-	1	-	-	-	-	1	-	-	2
FEMALE--	70	-	-	-	1	-	-	-	-	-	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,379
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER HEREDITARY AND DEGENERATIVE DISEASES OF THE CENTRAL NERVOUS SYSTEM (330-331,333-337)												
COLORADO -----	4	6	10	29	28	56	73	73	59	19	1	-
WHITE-----MALE----	2	1	2	15	16	26	29	23	5	3	-	-
FEMALE--	1	5	7	13	11	29	44	49	53	15	1	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	1	-	1	1	1	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	1	1	-	-	-
CONNECTICUT -----	9	4	12	11	26	55	65	62	50	21	3	-
WHITE-----MALE----	5	1	8	7	11	24	26	18	16	2	1	-
FEMALE--	4	3	4	3	14	30	37	43	33	17	2	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	2	1	1	2	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	1	1	2	-	-
DELAWARE -----	-	1	-	3	10	9	8	11	7	4	-	-
WHITE-----MALE----	-	-	-	2	3	3	2	5	2	-	-	-
FEMALE--	-	1	-	1	5	4	6	6	4	4	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	2	-	-	1	7	10	14	11	5	4	-	-
WHITE-----MALE----	-	-	-	-	-	4	2	2	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	3	-	1	-	-
ALL OTHER--MALE----	2	-	-	-	2	2	8	2	1	1	-	-
FEMALE--	-	-	-	1	4	4	3	4	4	2	-	-
BLACK---MALE----	2	-	-	-	2	2	8	2	1	1	-	-
FEMALE--	-	-	-	1	4	4	3	4	4	2	-	-
FLORIDA -----	20	28	47	99	171	282	406	386	230	89	4	-
WHITE-----MALE----	12	15	22	46	77	134	175	141	67	18	1	-
FEMALE--	7	10	22	45	84	141	212	232	161	70	3	-
ALL OTHER--MALE----	1	2	1	6	3	5	4	4	1	-	-	-
FEMALE--	-	1	2	2	7	2	15	9	1	1	-	-
BLACK---MALE----	1	2	1	5	3	5	4	4	1	-	-	-
FEMALE--	-	1	2	2	7	2	15	9	1	1	-	-
GEORGIA -----	7	11	10	35	67	114	133	142	66	27	3	-
WHITE-----MALE----	5	4	4	20	22	32	34	31	6	3	-	-
FEMALE--	1	5	5	13	36	67	75	92	52	19	3	-
ALL OTHER--MALE----	-	1	-	1	1	4	5	5	1	-	-	-
FEMALE--	1	1	1	1	8	11	19	14	7	5	-	-
BLACK---MALE----	-	1	-	1	1	4	5	5	1	-	-	-
FEMALE--	1	1	1	1	8	11	19	14	7	5	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,380
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER HEREDITARY AND DEGENERATIVE DISEASES OF THE CENTRAL NERVOUS SYSTEM (330-331,333-337)												
HAWAII -----	2	-	3	3	7	8	15	12	10	1	1	-
WHITE-----MALE----	-	-	1	-	1	3	3	-	-	-	-	-
FEMALE--	-	-	1	-	1	2	2	3	2	-	-	-
ALL OTHER--MALE----	1	-	-	2	2	-	6	5	4	-	-	-
FEMALE--	1	-	1	1	3	3	4	4	4	1	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	2	1	4	3	9	20	29	31	11	3	1	-
WHITE-----MALE----	-	-	2	2	3	10	12	10	1	1	-	-
FEMALE--	2	1	2	1	6	10	17	21	10	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	22	27	35	77	124	201	272	295	162	70	8	-
WHITE-----MALE----	9	12	15	30	50	89	94	97	41	9	1	-
FEMALE--	12	12	17	41	65	104	160	181	114	60	6	-
ALL OTHER--MALE----	-	2	2	1	6	2	7	5	1	1	1	-
FEMALE--	1	1	1	5	3	6	11	12	6	-	-	-
BLACK---MALE----	-	2	1	1	6	2	7	5	1	1	1	-
FEMALE--	1	1	1	5	3	6	11	12	6	-	-	-
INDIANA -----	8	16	19	31	58	100	155	149	93	38	5	-
WHITE-----MALE----	4	9	8	16	30	36	55	39	21	6	1	-
FEMALE--	4	6	10	14	25	61	94	109	70	32	2	-
ALL OTHER--MALE----	-	-	-	1	2	1	3	-	1	-	-	-
FEMALE--	-	1	1	-	1	2	3	1	1	-	2	-
BLACK---MALE----	-	-	-	1	2	1	3	-	1	-	-	-
FEMALE--	-	1	1	-	1	2	3	1	1	-	2	-
IOWA -----	6	11	17	21	41	66	102	82	61	21	5	-
WHITE-----MALE----	3	8	9	14	22	37	39	22	12	-	2	-
FEMALE--	3	3	8	7	19	29	62	60	49	21	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	7	11	8	11	22	40	64	73	46	19	5	-
WHITE-----MALE----	7	7	5	5	9	23	22	23	12	3	1	-
FEMALE--	-	4	3	6	13	17	40	48	33	16	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	1	-	1	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	1	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,381
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER HEREDITARY AND DEGENERATIVE DISEASES OF THE CENTRAL NERVOUS SYSTEM (330-331,333-337)												
KENTUCKY -----	9	10	15	24	46	75	108	103	60	20	5	-
WHITE-----MALE----	5	4	6	10	13	33	43	36	17	5	-	-
FEMALE--	4	6	7	13	31	39	59	62	43	15	5	-
ALL OTHER--MALE----	-	-	-	1	-	1	3	1	-	-	-	-
FEMALE--	-	-	2	-	2	2	3	4	-	-	-	-
BLACK---MALE----	-	-	-	1	-	1	3	1	-	-	-	-
FEMALE--	-	-	2	-	2	2	3	4	-	-	-	-
LOUISIANA -----	5	11	13	33	50	77	111	88	47	14	2	-
WHITE-----MALE----	1	4	6	11	24	29	29	24	16	4	-	-
FEMALE--	2	5	6	16	21	37	58	51	24	9	2	-
ALL OTHER--MALE----	2	1	-	4	2	6	11	1	-	1	-	-
FEMALE--	-	1	1	2	3	5	13	12	7	-	-	-
BLACK---MALE----	2	1	-	4	2	6	11	1	-	1	-	-
FEMALE--	-	1	1	2	3	5	13	11	6	-	-	-
MAINE -----	5	3	6	9	20	28	39	49	35	12	3	-
WHITE-----MALE----	2	1	4	6	8	12	12	16	5	1	-	-
FEMALE--	3	2	2	3	12	16	27	33	30	10	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
MARYLAND -----	10	14	12	32	49	74	92	110	46	17	4	-
WHITE-----MALE----	5	7	6	13	21	30	24	33	11	3	-	-
FEMALE--	4	4	5	16	21	34	61	68	32	10	3	-
ALL OTHER--MALE----	1	-	1	2	5	4	2	1	-	-	-	-
FEMALE--	-	3	-	1	2	6	5	8	3	4	1	-
BLACK---MALE----	1	-	1	1	5	3	2	1	-	-	-	-
FEMALE--	-	2	-	1	2	6	5	8	3	4	1	-
MASSACHUSETTS -----	11	17	23	46	74	127	171	189	130	54	12	-
WHITE-----MALE----	4	9	9	26	33	57	60	52	25	8	-	-
FEMALE--	6	6	13	19	40	66	108	134	104	46	11	-
ALL OTHER--MALE----	-	2	-	-	1	2	1	-	-	-	-	-
FEMALE--	1	-	1	1	-	2	2	3	1	-	1	-
BLACK---MALE----	-	1	-	-	1	2	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	2	2	3	1	-	1	-
MICHIGAN -----	27	21	32	64	105	132	164	137	108	26	3	-
WHITE-----MALE----	12	12	16	28	44	61	63	44	34	6	-	-
FEMALE--	12	6	15	27	57	65	91	85	71	17	1	-
ALL OTHER--MALE----	2	2	1	3	-	1	3	3	1	-	-	-
FEMALE--	1	1	-	6	4	5	7	5	2	3	2	-
BLACK---MALE----	2	2	1	2	-	1	3	3	1	-	-	-
FEMALE--	1	1	-	6	4	5	7	5	2	3	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,382
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER HEREDITARY AND DEGENERATIVE DISEASES OF THE CENTRAL NERVOUS SYSTEM (330-331,333-337)												
MINNESOTA -----	8	13	14	33	40	80	140	152	106	44	8	-
WHITE-----MALE----	4	7	6	9	22	44	54	50	30	8	1	-
FEMALE--	2	6	7	23	17	36	86	102	76	35	6	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	2	-	-	1	-	-	-	-	-	1	1	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	1	1	-
MISSISSIPPI -----	4	10	7	8	27	34	36	51	26	6	2	-
WHITE-----MALE----	-	2	4	4	12	11	13	15	7	1	-	-
FEMALE--	2	3	2	2	10	19	17	31	14	5	-	-
ALL OTHER--MALE----	2	4	-	1	3	2	2	3	1	-	1	-
FEMALE--	-	1	1	1	2	2	4	2	4	-	1	-
BLACK---MALE----	2	4	-	1	3	2	2	3	1	-	1	-
FEMALE--	-	1	1	1	2	2	4	2	4	-	1	-
MISSOURI -----	12	11	24	28	63	90	127	115	72	36	8	-
WHITE-----MALE----	7	5	11	17	25	42	53	34	11	6	-	-
FEMALE--	3	6	12	10	35	42	68	77	58	30	8	-
ALL OTHER--MALE----	2	-	-	1	-	3	3	2	1	-	-	-
FEMALE--	-	-	1	-	3	3	2	2	-	-	-	-
BLACK---MALE----	2	-	-	1	-	3	3	2	1	-	-	-
FEMALE--	-	-	1	-	3	3	2	2	-	-	-	-
MONTANA -----	2	-	4	6	12	26	29	26	26	14	3	-
WHITE-----MALE----	-	-	2	3	5	14	13	7	8	-	1	-
FEMALE--	1	-	2	3	7	12	16	19	18	14	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	1	5	7	8	18	25	51	51	32	28	5	-
WHITE-----MALE----	-	3	4	2	7	11	13	14	4	3	-	-
FEMALE--	-	2	3	6	10	13	38	37	27	25	5	-
ALL OTHER--MALE----	1	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
NEVADA -----	3	3	3	13	8	18	22	24	16	2	-	-
WHITE-----MALE----	1	-	1	8	5	7	6	4	6	1	-	-
FEMALE--	2	3	1	5	2	11	15	19	10	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,384
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER HEREDITARY AND DEGENERATIVE DISEASES OF THE CENTRAL NERVOUS SYSTEM (330-331,333-337)												
OHIO -----	1,337	7	8	2	3	3	1	2	4	3	5	15
WHITE-----MALE----	463	4	5	1	1	1	1	-	2	1	3	9
FEMALE--	788	2	2	1	2	1	-	1	-	1	1	5
ALL OTHER--MALE----	35	-	1	-	-	-	-	1	2	1	-	-
FEMALE--	51	1	-	-	-	1	-	-	-	-	1	1
BLACK---MALE----	35	-	1	-	-	-	-	1	2	1	-	-
FEMALE--	51	1	-	-	-	1	-	-	-	-	1	1
OKLAHOMA -----	297	2	1	1	-	1	-	2	1	-	2	4
WHITE-----MALE----	114	1	-	1	-	1	-	-	1	-	2	2
FEMALE--	171	-	1	-	-	-	-	2	-	-	-	1
ALL OTHER--MALE----	5	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	497	-	1	-	2	-	-	-	1	2	6	2
WHITE-----MALE----	177	-	-	-	1	-	-	-	1	2	3	2
FEMALE--	313	-	1	-	1	-	-	-	-	-	2	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1,222	8	3	3	1	-	-	3	5	3	5	7
WHITE-----MALE----	426	3	1	2	-	-	-	1	3	2	1	5
FEMALE--	741	4	2	-	1	-	-	2	-	1	3	2
ALL OTHER--MALE----	30	1	-	-	-	-	-	-	1	-	1	-
FEMALE--	25	-	-	1	-	-	-	-	1	-	-	-
BLACK---MALE----	30	1	-	-	-	-	-	-	1	-	1	-
FEMALE--	25	-	-	1	-	-	-	-	1	-	-	-
RHODE ISLAND -----	145	-	-	-	-	-	-	-	-	1	2	-
WHITE-----MALE----	42	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	101	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	381	1	-	1	-	-	-	1	3	3	4	4
WHITE-----MALE----	114	-	-	-	-	-	-	-	-	3	1	4
FEMALE--	207	1	-	-	-	-	-	-	1	-	2	-
ALL OTHER--MALE----	25	-	-	-	-	-	-	1	1	-	1	-
FEMALE--	35	-	-	1	-	-	-	-	1	-	-	-
BLACK---MALE----	25	-	-	-	-	-	-	1	1	-	1	-
FEMALE--	35	-	-	1	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,384
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER HEREDITARY AND DEGENERATIVE DISEASES OF THE CENTRAL NERVOUS SYSTEM (330-331,333-337)												
OHIO -----	15	29	39	85	123	210	262	273	177	60	11	-
WHITE-----MALE----	9	12	21	32	49	89	106	74	35	8	-	-
FEMALE--	4	14	14	47	66	107	140	189	131	50	10	-
ALL OTHER--MALE----	1	3	2	1	4	7	6	1	4	1	-	-
FEMALE--	1	-	2	5	4	7	10	9	7	1	1	-
BLACK---MALE----	1	3	2	1	4	7	6	1	4	1	-	-
FEMALE--	1	-	2	5	4	7	10	9	7	1	1	-
OKLAHOMA -----	7	7	12	23	27	51	55	55	30	15	1	-
WHITE-----MALE----	3	4	4	11	13	18	20	23	10	-	-	-
FEMALE--	3	3	7	12	13	31	32	31	19	15	1	-
ALL OTHER--MALE----	1	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	2	1	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	-	1	-	-	-
OREGON -----	6	5	11	29	43	66	108	105	78	30	2	-
WHITE-----MALE----	3	2	6	14	16	28	34	38	23	4	-	-
FEMALE--	3	3	5	15	26	36	74	65	55	25	2	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	1	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	14	23	32	72	118	194	279	250	137	56	8	1
WHITE-----MALE----	5	10	15	32	64	73	108	63	30	7	-	1
FEMALE--	7	10	17	34	49	111	166	175	102	47	8	-
ALL OTHER--MALE----	-	1	-	5	3	5	3	8	2	-	-	-
FEMALE--	2	2	-	1	2	5	2	4	3	2	-	-
BLACK---MALE----	-	1	-	5	3	5	3	8	2	-	-	-
FEMALE--	2	2	-	1	2	5	2	4	3	2	-	-
RHODE ISLAND -----	1	1	2	7	11	19	29	36	26	9	1	-
WHITE-----MALE----	-	-	1	3	7	5	12	8	4	-	-	-
FEMALE--	1	1	1	3	3	14	17	28	22	9	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	7	7	15	15	45	65	81	75	34	19	1	-
WHITE-----MALE----	2	4	8	6	16	27	24	15	4	-	-	-
FEMALE--	2	3	5	7	22	26	47	51	25	14	1	-
ALL OTHER--MALE----	-	-	1	1	6	4	5	4	1	-	-	-
FEMALE--	3	-	1	1	1	8	5	5	4	5	-	-
BLACK---MALE----	-	-	1	1	6	4	5	4	1	-	-	-
FEMALE--	3	-	1	1	1	8	5	5	4	5	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,385
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER HEREDITARY AND DEGENERATIVE DISEASES OF THE CENTRAL NERVOUS SYSTEM (330-331,333-337)												
SOUTH DAKOTA -----	2	1	3	1	6	14	18	20	11	10	-	-
WHITE-----MALE----	2	1	2	-	2	5	4	4	2	-	-	-
FEMALE--	-	-	1	1	4	9	14	16	9	10	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	8	14	31	31	66	68	144	123	62	20	3	-
WHITE-----MALE----	6	7	13	11	26	26	42	45	8	1	-	-
FEMALE--	1	6	14	19	34	35	98	70	47	17	2	-
ALL OTHER--MALE----	1	1	1	-	3	4	1	3	1	2	-	-
FEMALE--	-	-	3	1	3	3	3	5	6	-	1	-
BLACK---MALE----	1	1	-	-	3	4	1	3	1	2	-	-
FEMALE--	-	-	3	1	3	3	3	5	6	-	1	-
TEXAS -----	27	27	53	103	178	269	423	406	236	72	13	-
WHITE-----MALE----	8	15	26	56	88	112	166	123	55	7	1	-
FEMALE--	16	10	23	43	77	145	241	265	170	60	10	-
ALL OTHER--MALE----	1	1	-	4	8	5	5	8	5	-	-	-
FEMALE--	2	1	4	-	5	7	11	10	6	5	2	-
BLACK---MALE----	1	1	-	4	8	4	4	8	5	-	-	-
FEMALE--	2	1	3	-	4	6	11	10	6	5	2	-
UTAH -----	1	6	3	8	17	33	40	51	19	6	2	-
WHITE-----MALE----	1	3	2	3	8	17	17	16	8	2	-	-
FEMALE--	-	3	1	5	9	16	23	35	11	4	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	2	1	2	3	6	8	13	15	4	3	-	-
WHITE-----MALE----	2	-	-	2	3	3	2	5	1	-	-	-
FEMALE--	-	-	2	1	3	5	11	9	3	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
VIRGINIA -----	6	19	23	29	57	117	143	142	83	29	3	-
WHITE-----MALE----	2	12	6	10	24	43	35	34	11	3	-	-
FEMALE--	2	4	16	14	30	56	91	94	63	21	3	-
ALL OTHER--MALE----	1	1	1	3	1	7	6	6	2	-	-	-
FEMALE--	1	2	-	2	2	11	11	8	7	5	-	-
BLACK---MALE----	1	1	-	3	1	6	6	6	2	-	-	-
FEMALE--	1	2	-	2	2	10	11	8	7	5	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,387
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MULTIPLE SCLEROSIS (340)												
UNITED STATES --	2,180	-	-	-	2	-	6	18	49	102	213	238
WHITE-----MALE----	726	-	-	-	1	-	3	4	15	35	58	72
FEMALE--	1,254	-	-	-	-	-	-	9	23	51	130	129
ALL OTHER--MALE----	63	-	-	-	1	-	-	2	3	6	5	12
FEMALE--	137	-	-	-	-	-	3	3	8	10	20	25
BLACK---MALE----	59	-	-	-	1	-	-	2	2	5	5	11
FEMALE--	132	-	-	-	-	-	3	3	7	10	20	25
ALABAMA -----	17	-	-	-	-	-	-	-	-	3	2	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	2	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	2	-	-
ALASKA -----	3	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	44	-	-	-	-	-	-	2	-	2	5	6
WHITE-----MALE----	22	-	-	-	-	-	-	-	-	1	2	3
FEMALE--	21	-	-	-	-	-	-	2	-	-	3	3
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	12	-	-	-	-	-	-	-	2	-	2	2
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	2	-	2	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	236	-	-	-	-	-	2	5	6	12	17	22
WHITE-----MALE----	75	-	-	-	-	-	1	1	2	6	4	7
FEMALE--	141	-	-	-	-	-	-	2	2	4	12	13
ALL OTHER--MALE----	5	-	-	-	-	-	-	2	-	-	-	1
FEMALE--	15	-	-	-	-	-	1	-	2	2	1	1
BLACK---MALE----	4	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	14	-	-	-	-	-	1	-	2	2	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,387
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MULTIPLE SCLEROSIS (340)												
UNITED STATES --	264	236	242	265	237	155	105	38	7	2	1	-
WHITE-----MALE----	93	84	79	99	90	44	35	11	3	-	-	-
FEMALE--	149	129	146	146	139	105	65	26	4	2	1	-
ALL OTHER--MALE----	6	8	6	10	1	3	-	-	-	-	-	-
FEMALE--	16	15	11	10	7	3	5	1	-	-	-	-
BLACK---MALE----	6	8	5	10	1	3	-	-	-	-	-	-
FEMALE--	16	13	10	9	7	3	5	1	-	-	-	-
ALABAMA -----	2	5	-	3	1	-	1	-	-	-	-	-
WHITE-----MALE----	-	2	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	2	-	3	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALASKA -----	1	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	7	5	3	5	5	1	2	1	-	-	-	-
WHITE-----MALE----	2	3	2	3	4	-	1	1	-	-	-	-
FEMALE--	5	2	1	2	1	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	3	-	1	-	1	-	1	-	-	-	-
WHITE-----MALE----	-	2	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	35	21	32	20	26	17	17	4	-	-	-	-
WHITE-----MALE----	12	7	8	7	10	6	4	-	-	-	-	-
FEMALE--	22	12	22	11	14	11	12	4	-	-	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	2	1	2	-	1	-	-	-	-	-
BLACK---MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	2	-	2	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,388
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MULTIPLE SCLEROSIS (340)												
COLORADO -----	46	-	-	-	-	-	-	-	1	1	4	4
WHITE-----MALE----	11	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	34	-	-	-	-	-	-	-	1	1	4	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	14	-	-	-	-	-	-	-	-	-	4	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
DELAWARE -----	5	-	-	-	-	-	-	-	-	-	3	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	3	-	-	-	-	-	-	-	-	-	-	2
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	2
FLORIDA -----	119	-	-	-	-	-	-	2	1	7	11	16
WHITE-----MALE----	48	-	-	-	-	-	-	-	-	4	4	5
FEMALE--	62	-	-	-	-	-	-	1	1	2	6	9
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	5	-	-	-	-	-	-	1	-	-	1	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	5	-	-	-	-	-	-	1	-	-	1	-
GEORGIA -----	43	-	-	-	-	-	1	-	-	-	4	8
WHITE-----MALE----	11	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	20	-	-	-	-	-	-	-	-	-	2	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	1	-	-	-	1	4
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	1	-	-	-	1	4

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,389
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MULTIPLE SCLEROSIS (340)												
HAWAII -----	3	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	11	-	-	-	-	-	-	-	1	-	1	1
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	107	-	-	-	-	-	-	2	2	4	14	5
WHITE-----MALE----	36	-	-	-	-	-	-	1	1	2	4	1
FEMALE--	55	-	-	-	-	-	-	-	1	-	5	3
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	11	-	-	-	-	-	-	1	-	1	5	1
BLACK---MALE----	5	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	11	-	-	-	-	-	-	1	-	1	5	1
INDIANA -----	36	-	-	-	-	-	-	-	-	-	6	5
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	24	-	-	-	-	-	-	-	-	-	6	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA -----	27	-	-	-	-	-	-	-	-	1	2	1
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	18	-	-	-	-	-	-	-	-	1	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	26	-	-	-	-	-	-	-	-	2	-	5
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	4
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,390
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MULTIPLE SCLEROSIS (340)												
KENTUCKY -----	22	-	-	-	-	-	-	-	1	1	3	2
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	14	-	-	-	-	-	-	-	1	-	2	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
LOUISIANA -----	22	-	-	-	-	-	-	1	-	2	3	5
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	9	-	-	-	-	-	-	1	-	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	3
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	3
MAINE -----	19	-	-	-	-	-	-	-	1	-	2	2
WHITE-----MALE----	7	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	12	-	-	-	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	44	-	-	-	1	-	-	-	-	4	4	6
WHITE-----MALE----	8	-	-	-	1	-	-	-	-	-	2	1
FEMALE--	24	-	-	-	-	-	-	-	-	2	2	3
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	1	-	1
MASSACHUSETTS -----	73	-	-	-	-	-	1	-	2	1	8	8
WHITE-----MALE----	27	-	-	-	-	-	1	-	1	1	3	2
FEMALE--	45	-	-	-	-	-	-	-	1	-	5	6
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	118	-	-	-	-	-	1	1	3	7	12	12
WHITE-----MALE----	43	-	-	-	-	-	1	-	2	1	6	5
FEMALE--	68	-	-	-	-	-	-	1	-	5	5	5
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	5	-	-	-	-	-	-	-	1	-	1	2
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	5	-	-	-	-	-	-	-	1	-	1	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,393
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MULTIPLE SCLEROSIS (340)												
OHIO -----	94	-	-	-	-	-	-	-	4	6	3	11
WHITE-----MALE----	35	-	-	-	-	-	-	-	2	1	1	3
FEMALE--	51	-	-	-	-	-	-	-	2	5	2	7
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
OKLAHOMA -----	16	-	-	-	-	-	-	-	1	1	4	5
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	11	-	-	-	-	-	-	-	1	1	4	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	50	-	-	-	-	-	-	1	2	1	4	4
WHITE-----MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	38	-	-	-	-	-	-	1	1	1	4	4
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
PENNSYLVANIA -----	103	-	-	-	1	-	-	-	1	3	13	17
WHITE-----MALE----	40	-	-	-	-	-	-	-	1	3	4	8
FEMALE--	57	-	-	-	-	-	-	-	-	-	9	8
ALL OTHER--MALE----	3	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	3	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
RHODE ISLAND -----	8	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	29	-	-	-	-	-	-	-	-	3	4	5
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	15	-	-	-	-	-	-	-	-	1	1	3
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	3	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	3	-	-	-	-	-	-	-	-	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,396
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 INFANTILE CEREBRAL PALSY (343)												
UNITED STATES --	941	26	100	110	128	113	88	51	47	37	37	25
WHITE-----MALE----	437	13	40	44	51	53	42	24	22	16	16	11
FEMALE--	298	7	22	32	46	39	20	15	18	14	14	8
ALL OTHER--MALE----	104	5	19	17	14	8	16	7	3	4	1	3
FEMALE--	102	1	19	17	17	13	10	5	4	3	6	3
BLACK---MALE----	93	3	16	17	12	7	14	7	2	4	1	3
FEMALE--	92	-	18	16	16	11	9	5	4	3	4	3
ALABAMA -----	24	-	5	1	5	2	1	5	4	-	-	-
WHITE-----MALE----	8	-	3	-	-	1	-	3	1	-	-	-
FEMALE--	8	-	-	1	3	-	-	1	3	-	-	-
ALL OTHER--MALE----	6	-	1	-	1	1	1	1	-	-	-	-
FEMALE--	2	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	6	-	1	-	1	1	1	1	-	-	-	-
FEMALE--	2	-	1	-	1	-	-	-	-	-	-	-
ALASKA -----	2	-	-	-	-	1	1	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	13	1	2	1	1	2	3	-	-	-	1	-
WHITE-----MALE----	6	-	-	1	-	2	2	-	-	-	-	-
FEMALE--	3	-	1	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	14	-	2	2	-	1	2	-	1	-	-	-
WHITE-----MALE----	6	-	1	-	-	-	2	-	-	-	-	-
FEMALE--	6	-	-	2	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	114	2	21	19	18	13	5	6	6	2	2	6
WHITE-----MALE----	52	1	10	10	8	5	2	2	2	-	-	3
FEMALE--	38	-	4	7	5	6	1	3	3	2	1	2
ALL OTHER--MALE----	12	1	4	1	2	1	1	-	1	-	-	-
FEMALE--	12	-	3	1	3	1	1	1	-	-	1	1
BLACK---MALE----	6	-	3	1	1	-	-	-	-	-	-	-
FEMALE--	8	-	2	1	2	-	1	1	-	-	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,397
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 INFANTILE CEREBRAL PALSY (343)												
COLORADO -----	5	-	2	1	-	1	-	-	-	-	-	-
WHITE-----MALE----	3	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	7	1	-	-	1	1	-	-	-	-	1	-
WHITE-----MALE----	6	1	-	-	1	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	5	-	-	1	-	1	1	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	1	-	1	1	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	1	-	1	1	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	60	1	2	9	10	9	7	4	2	5	3	1
WHITE-----MALE----	32	1	-	3	5	7	6	1	-	2	2	1
FEMALE--	15	-	1	1	3	2	1	1	2	2	-	-
ALL OTHER--MALE----	8	-	1	2	1	-	-	2	-	1	-	-
FEMALE--	5	-	-	3	1	-	-	-	-	-	1	-
BLACK---MALE----	8	-	1	2	1	-	-	2	-	1	-	-
FEMALE--	5	-	-	3	1	-	-	-	-	-	1	-
GEORGIA -----	23	-	5	2	2	2	2	4	1	-	-	2
WHITE-----MALE----	9	-	2	-	-	1	1	2	1	-	-	-
FEMALE--	3	-	-	-	-	-	1	-	-	-	-	1
ALL OTHER--MALE----	5	-	1	1	1	-	-	1	-	-	-	1
FEMALE--	6	-	2	1	1	1	-	1	-	-	-	-
BLACK---MALE----	4	-	1	1	-	-	-	1	-	-	-	1
FEMALE--	6	-	2	1	1	1	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,398
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 INFANTILE CEREBRAL PALSY (343)												
HAWAII -----	1	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	4	-	1	-	-	2	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	1	-	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	55	4	7	4	11	7	2	3	1	3	1	2
WHITE-----MALE----	20	2	1	2	3	3	-	-	1	1	1	-
FEMALE--	24	1	4	1	6	3	-	1	-	2	-	2
ALL OTHER--MALE----	5	1	1	-	1	1	-	1	-	-	-	-
FEMALE--	6	-	1	1	-	-	2	1	-	-	-	-
BLACK---MALE----	5	1	1	-	1	1	-	1	-	-	-	-
FEMALE--	6	-	1	1	1	-	2	1	-	-	-	-
INDIANA -----	34	1	1	4	6	4	2	3	3	1	1	-
WHITE-----MALE----	19	1	-	1	3	3	1	2	2	1	-	-
FEMALE--	11	-	-	2	2	1	-	1	1	-	1	-
ALL OTHER--MALE----	2	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	2	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	1	-	-	-	-	-
IOWA -----	7	-	-	-	-	1	-	-	-	1	1	-
WHITE-----MALE----	4	-	-	-	-	1	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	6	-	-	-	1	-	1	-	2	-	1	-
WHITE-----MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	3	-	-	-	1	-	-	-	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,399
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 INFANTILE CEREBRAL PALSY (343)												
KENTUCKY -----	15	-	-	2	3	2	-	3	-	-	-	-
WHITE-----MALE----	7	-	-	1	1	-	-	2	-	-	-	-
FEMALE--	6	-	-	-	2	2	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	16	2	4	1	3	2	3	-	-	-	-	-
WHITE-----MALE----	2	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	1	2	-	1	-	1	-	-	-	-	-
FEMALE--	8	-	1	1	1	2	2	-	-	-	-	-
BLACK---MALE----	5	1	2	-	1	-	1	-	-	-	-	-
FEMALE--	8	-	1	1	1	2	2	-	-	-	-	-
MAINE -----	3	-	-	-	-	-	-	1	1	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	15	1	3	2	1	-	-	-	2	1	-	1
WHITE-----MALE----	4	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	3	-	1	1	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	1	-	-	-	-	-	-	1	-	-	1
FEMALE--	4	-	1	1	-	-	-	-	-	1	-	-
BLACK---MALE----	4	1	-	-	-	-	-	-	1	-	-	1
FEMALE--	4	-	1	1	-	-	-	-	-	1	-	-
MASSACHUSETTS -----	13	-	1	-	2	2	1	2	-	1	-	2
WHITE-----MALE----	5	-	1	-	-	-	-	1	-	1	-	1
FEMALE--	6	-	-	-	2	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
MICHIGAN -----	44	1	1	6	5	4	9	2	1	4	1	-
WHITE-----MALE----	18	1	-	3	2	2	2	1	-	1	1	-
FEMALE--	12	-	-	1	1	1	2	-	1	1	-	-
ALL OTHER--MALE----	7	-	-	2	1	-	3	-	-	1	-	-
FEMALE--	7	-	1	-	1	1	2	1	-	1	-	-
BLACK---MALE----	7	-	-	2	1	-	3	-	-	1	-	-
FEMALE--	7	-	1	-	1	1	2	1	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,402
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 INFANTILE CEREBRAL PALSY (343)												
OHIO -----	38	-	1	3	2	6	3	3	2	4	2	1
WHITE-----MALE----	20	-	-	3	2	4	1	1	2	2	-	-
FEMALE--	15	-	-	-	-	2	2	2	-	2	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	12	-	-	2	-	2	2	-	-	1	-	1
WHITE-----MALE----	5	-	-	1	-	-	1	-	-	1	-	-
FEMALE--	6	-	-	-	-	2	1	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
OREGON -----	13	1	-	3	3	-	1	-	-	-	1	-
WHITE-----MALE----	8	1	-	2	2	-	1	-	-	-	-	-
FEMALE--	4	-	-	-	1	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	42	-	6	1	2	2	5	-	6	1	3	-
WHITE-----MALE----	28	-	5	1	-	1	3	-	5	1	3	-
FEMALE--	11	-	-	-	2	-	1	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	-	1	-	-	1	-	-	-	-	-	-
RHODE ISLAND -----	4	-	-	-	2	1	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	2	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	7	1	1	1	-	2	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	1	-	2	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	1	-	2	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,403
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 INFANTILE CEREBRAL PALSY (343)												
SOUTH DAKOTA -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	36	-	2	3	6	6	5	2	-	2	4	-
WHITE-----MALE----	18	-	1	2	2	1	3	1	-	-	4	-
FEMALE--	10	-	-	1	1	3	2	1	-	-	-	-
ALL OTHER--MALE----	3	-	1	-	-	1	-	-	-	1	-	-
FEMALE--	5	-	-	-	3	1	-	-	-	1	-	-
BLACK---MALE----	3	-	1	-	-	1	-	-	-	1	-	-
FEMALE--	5	-	-	-	3	1	-	-	-	1	-	-
TEXAS -----	57	4	6	11	6	10	3	2	2	4	2	2
WHITE-----MALE----	22	2	2	1	3	5	-	2	2	3	-	1
FEMALE--	22	2	2	5	1	5	1	-	-	-	2	1
ALL OTHER--MALE----	8	-	1	1	2	-	2	-	-	1	-	-
FEMALE--	5	-	1	4	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	1	1	2	-	2	-	-	1	-	-
FEMALE--	5	-	1	4	-	-	-	-	-	-	-	-
UTAH -----	11	-	2	1	2	3	1	-	-	-	1	-
WHITE-----MALE----	6	-	2	1	1	-	1	-	-	-	-	-
FEMALE--	5	-	-	-	1	3	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	2	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	17	-	2	4	-	1	3	2	1	1	1	-
WHITE-----MALE----	5	-	-	-	-	1	2	-	-	-	-	-
FEMALE--	5	-	1	1	-	-	-	1	1	1	-	-
ALL OTHER--MALE----	4	-	-	3	-	-	1	-	-	-	-	-
FEMALE--	3	-	1	-	-	-	-	1	-	-	1	-
BLACK---MALE----	4	-	-	3	-	-	1	-	-	-	-	-
FEMALE--	3	-	1	-	-	-	-	1	-	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,405
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 EPILEPSY (345)												
UNITED STATES --	1,373	11	21	22	20	42	71	80	104	134	98	113
WHITE-----MALE----	539	3	8	10	11	16	27	32	51	63	42	46
FEMALE--	474	2	8	8	4	13	23	30	30	39	30	34
ALL OTHER--MALE----	224	2	2	1	3	7	15	13	15	17	21	22
FEMALE--	136	4	3	3	2	6	6	5	8	15	5	11
BLACK---MALE----	205	2	2	1	2	7	13	13	14	16	20	21
FEMALE--	129	3	2	3	2	6	6	5	8	13	4	11
ALABAMA -----	19	-	1	-	-	-	2	-	2	2	-	3
WHITE-----MALE----	5	-	-	-	-	-	1	-	-	1	-	1
FEMALE--	4	-	-	-	-	-	1	-	-	-	-	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	5	-	1	-	-	-	-	-	1	1	-	1
BLACK---MALE----	5	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	5	-	1	-	-	-	-	-	1	1	-	1
ALASKA -----	9	-	1	-	-	-	2	-	2	1	-	1
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	1	-	2	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	23	1	-	-	1	1	1	2	-	4	4	2
WHITE-----MALE----	8	-	-	-	1	1	-	1	-	1	-	-
FEMALE--	14	1	-	-	-	-	1	1	-	3	3	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	13	-	-	-	2	-	2	-	-	-	-	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	1	-	2	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
CALIFORNIA -----	107	-	1	3	4	4	8	9	13	10	6	7
WHITE-----MALE----	40	-	1	-	3	1	5	4	5	3	3	4
FEMALE--	39	-	-	2	-	1	2	3	4	4	3	1
ALL OTHER--MALE----	18	-	-	-	1	1	1	1	3	2	-	2
FEMALE--	10	-	-	1	-	1	-	1	1	1	-	-
BLACK---MALE----	11	-	-	-	-	1	-	1	2	1	-	2
FEMALE--	8	-	-	1	-	1	-	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,406
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 EPILEPSY (345)												
COLORADO -----	1	1	1	1	1	1	2	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	1	1	1	1	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	1	2	2	-	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	2	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	-	1	-	-	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
FLORIDA -----	2	5	11	7	8	5	10	3	1	-	-	-
WHITE-----MALE----	1	2	3	3	2	2	6	1	-	-	-	-
FEMALE--	-	1	4	2	3	2	4	-	1	-	-	-
ALL OTHER--MALE----	-	2	3	1	3	-	-	-	-	-	-	-
FEMALE--	1	-	1	1	-	1	-	2	-	-	-	-
BLACK---MALE----	-	2	3	1	3	-	-	-	-	-	-	-
FEMALE--	1	-	1	1	-	1	-	2	-	-	-	-
GEORGIA -----	1	1	2	5	-	4	3	1	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	3	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	3	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	2	-	1	-	1	-	-	-	-
BLACK---MALE----	1	-	-	3	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	2	-	1	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,407
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 EPILEPSY (345)												
HAWAII -----	3	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	4	-	-	1	-	1	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	55	-	2	1	1	-	-	4	3	6	4	5
WHITE-----MALE----	27	-	-	1	1	-	-	3	1	4	2	2
FEMALE--	16	-	2	-	-	-	-	1	1	2	-	2
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	1	-	2	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	11	-	-	-	-	-	-	-	1	-	2	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
INDIANA -----	36	1	1	-	-	-	2	5	2	-	5	3
WHITE-----MALE----	16	1	1	-	-	-	-	3	2	-	4	1
FEMALE--	17	-	-	-	-	-	2	1	-	-	1	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
IOWA -----	18	-	-	-	-	1	2	2	1	1	-	1
WHITE-----MALE----	9	-	-	-	-	1	-	1	1	1	-	-
FEMALE--	9	-	-	-	-	-	2	1	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	18	-	-	-	1	-	1	3	3	1	1	1
WHITE-----MALE----	7	-	-	-	-	-	-	2	2	-	1	-
FEMALE--	7	-	-	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	3	-	-	-	1	-	1	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	3	-	-	-	1	-	1	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,408
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 EPILEPSY (345)												
KENTUCKY -----	2	2	1	-	3	1	1	1	3	-	-	-
WHITE-----MALE----	-	1	-	-	2	-	1	1	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	1	-	-	-
LOUISIANA -----	1	-	1	1	2	1	2	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
MAINE -----	2	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	1	3	-	2	2	4	2	1	-	-	-
WHITE-----MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	2	1	1	-	-	-
ALL OTHER--MALE----	-	1	1	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	2	1	-	-	-	-	-
BLACK---MALE----	-	1	1	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	2	1	-	-	-	-	-
MASSACHUSETTS -----	-	-	6	-	-	1	2	1	2	-	-	-
WHITE-----MALE----	-	-	2	-	-	-	1	1	1	-	-	-
FEMALE--	-	-	2	-	-	1	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
MICHIGAN -----	9	5	4	7	2	4	9	2	-	-	-	-
WHITE-----MALE----	2	2	-	4	-	1	4	-	-	-	-	-
FEMALE--	2	3	3	1	2	-	4	1	-	-	-	-
ALL OTHER--MALE----	5	-	1	1	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	1	-	2	-	-	-	-	-	-
BLACK---MALE----	5	-	1	1	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	1	-	2	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,411
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 EPILEPSY (345)												
OHIO -----	43	-	2	1	1	2	3	-	4	6	2	6
WHITE-----MALE----	22	-	2	-	-	-	3	-	2	4	1	3
FEMALE--	16	-	-	1	1	2	-	-	2	1	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
OKLAHOMA -----	14	-	-	-	-	-	-	2	-	2	1	-
WHITE-----MALE----	6	-	-	-	-	-	-	1	-	1	1	-
FEMALE--	5	-	-	-	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	28	-	-	-	-	1	3	1	2	4	2	4
WHITE-----MALE----	17	-	-	-	-	-	1	1	1	3	1	2
FEMALE--	10	-	-	-	-	1	1	-	1	1	1	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
PENNSYLVANIA -----	80	-	2	-	-	-	6	3	3	9	5	5
WHITE-----MALE----	29	-	-	-	-	-	4	-	2	3	2	-
FEMALE--	29	-	1	-	-	-	-	1	1	2	2	2
ALL OTHER--MALE----	15	-	1	-	-	-	1	1	-	3	1	2
FEMALE--	7	-	-	-	-	-	1	1	-	1	-	1
BLACK---MALE----	14	-	1	-	-	-	1	1	-	3	-	2
FEMALE--	7	-	-	-	-	-	1	1	-	1	-	1
RHODE ISLAND -----	8	2	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	3	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	5	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	29	-	-	-	1	-	1	-	2	3	3	4
WHITE-----MALE----	11	-	-	-	1	-	1	-	1	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	2	2	4
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	11	-	-	-	-	-	-	-	-	2	2	4
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,411
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 EPILEPSY (345)												
OHIO -----	2	3	2	5	-	2	2	-	-	-	-	-
WHITE-----MALE----	-	2	2	2	-	1	-	-	-	-	-	-
FEMALE--	2	1	-	3	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
OKLAHOMA -----	1	2	3	1	1	-	-	1	-	-	-	-
WHITE-----MALE----	-	2	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	3	2	-	1	1	-	-	3	1	-	-	-
WHITE-----MALE----	3	1	-	1	1	-	-	2	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	9	5	3	6	5	6	8	5	-	-	-	-
WHITE-----MALE----	6	1	1	3	2	3	2	-	-	-	-	-
FEMALE--	2	3	-	2	1	1	6	5	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	2	2	-	-	-	-	-	-
FEMALE--	-	1	2	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	2	2	-	-	-	-	-	-
FEMALE--	-	1	2	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	1	-	-	1	1	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	1	4	1	2	4	2	-	-	-	-	-
WHITE-----MALE----	1	1	2	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	2	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	2	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,412
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 EPILEPSY (345)												
SOUTH DAKOTA -----	12	-	-	-	-	-	-	-	-	3	-	-
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	30	-	-	-	-	3	1	3	3	6	2	2
WHITE-----MALE----	12	-	-	-	-	-	-	-	3	4	-	2
FEMALE--	8	-	-	-	-	1	1	-	-	2	1	-
ALL OTHER--MALE----	8	-	-	-	-	2	-	3	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	8	-	-	-	-	2	-	3	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
TEXAS -----	89	-	-	1	2	6	5	6	7	12	9	8
WHITE-----MALE----	38	-	-	1	1	3	2	2	1	5	3	5
FEMALE--	32	-	-	-	1	2	2	3	3	4	5	-
ALL OTHER--MALE----	12	-	-	-	-	1	1	1	1	3	1	1
FEMALE--	7	-	-	-	-	-	-	-	2	-	-	2
BLACK---MALE----	12	-	-	-	-	1	1	1	1	3	1	1
FEMALE--	7	-	-	-	-	-	-	-	2	-	-	2
UTAH -----	4	-	-	-	1	1	-	-	-	1	-	-
WHITE-----MALE----	4	-	-	-	1	1	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	5	-	-	2	-	-	-	1	-	-	-	1
WHITE-----MALE----	3	-	-	1	-	-	-	1	-	-	-	1
FEMALE--	2	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	30	-	1	-	-	1	1	1	-	1	2	2
WHITE-----MALE----	13	-	-	-	-	1	-	1	-	-	1	1
FEMALE--	8	-	1	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	1	-	-	1	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	1	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,412
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 EPILEPSY (345)												
SOUTH DAKOTA -----	1	1	2	-	2	-	3	-	-	-	-	-
WHITE-----MALE----	1	1	2	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1	4	-	2	1	2	-	-	-	-	-	-
WHITE-----MALE----	-	1	-	1	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	2	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	2	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
TEXAS -----	-	5	4	7	2	5	2	6	-	2	-	-
WHITE-----MALE----	-	3	2	2	-	5	1	1	-	1	-	-
FEMALE--	-	1	1	3	2	-	-	4	-	1	-	-
ALL OTHER--MALE----	-	1	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	1	-	-	-	-
BLACK---MALE----	-	1	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	1	-	-	-	-
UTAH -----	-	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	-	1	-	6	5	5	1	1	-	1	-
WHITE-----MALE----	1	-	1	-	2	3	2	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	1	-	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	2	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	2	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	2	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,414
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER DISEASES OF THE NERVOUS SYSTEM (323-326,341-342,344,346-359)												
UNITED STATES --	7,708	166	151	66	89	169	174	124	168	253	280	347
WHITE-----MALE----	3,459	74	62	25	46	118	112	71	79	112	132	155
FEMALE--	2,981	55	43	26	26	27	26	30	47	65	74	100
ALL OTHER--MALE----	669	14	24	9	12	20	24	13	18	51	39	64
FEMALE--	599	23	22	6	5	4	12	10	24	25	35	28
BLACK---MALE----	584	13	19	9	11	12	20	12	15	49	34	59
FEMALE--	535	22	18	6	5	2	9	9	23	23	34	25
ALABAMA -----	157	2	4	-	2	5	6	4	4	8	4	5
WHITE-----MALE----	56	-	4	-	1	2	5	1	3	3	2	2
FEMALE--	48	-	-	-	1	-	-	1	1	1	-	-
ALL OTHER--MALE----	26	-	-	-	-	3	1	-	-	4	1	2
FEMALE--	27	2	-	-	-	-	-	2	-	-	1	1
BLACK---MALE----	26	-	-	-	-	3	1	-	-	4	1	2
FEMALE--	27	2	-	-	-	-	-	2	-	-	1	1
ALASKA -----	11	1	-	1	1	-	-	-	-	-	-	-
WHITE-----MALE----	7	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	2	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	135	3	2	1	2	5	2	1	4	5	6	5
WHITE-----MALE----	77	3	1	1	2	4	1	1	2	2	2	3
FEMALE--	50	-	-	-	-	1	1	-	2	3	2	2
ALL OTHER--MALE----	5	-	1	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ARKANSAS -----	90	2	1	1	1	1	1	3	4	1	1	2
WHITE-----MALE----	37	1	-	1	1	-	1	1	-	-	-	2
FEMALE--	42	1	-	-	-	1	-	2	1	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	1	-	-	-	-	-	3	1	1	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	1	-	-	-	-	-	3	1	1	-
CALIFORNIA -----	523	19	7	10	7	12	17	12	12	13	21	20
WHITE-----MALE----	235	9	3	4	3	5	12	4	4	6	10	13
FEMALE--	203	9	1	5	2	3	2	4	5	5	4	3
ALL OTHER--MALE----	54	1	2	1	2	3	2	2	1	1	4	4
FEMALE--	31	-	1	-	-	1	1	2	2	1	3	-
BLACK---MALE----	32	1	1	1	2	-	2	2	1	1	2	3
FEMALE--	19	-	1	-	-	1	-	1	2	1	3	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,414
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER DISEASES OF THE NERVOUS SYSTEM (323-326,341-342,344,346-359)												
UNITED STATES --	349	414	518	727	917	949	859	552	302	108	25	1
WHITE-----MALE----	144	198	250	329	418	447	365	212	87	18	5	-
FEMALE--	115	130	164	276	374	423	397	297	185	82	19	-
ALL OTHER--MALE----	51	48	49	52	64	32	52	18	12	3	-	-
FEMALE--	39	38	55	70	61	47	45	25	18	5	1	1
BLACK---MALE----	44	43	43	52	52	26	43	14	11	3	-	-
FEMALE--	36	32	51	60	53	40	41	25	16	3	1	1
ALABAMA -----	7	12	10	19	19	14	14	12	4	1	1	-
WHITE-----MALE----	2	2	5	3	5	7	2	7	-	-	-	-
FEMALE--	1	6	2	7	8	6	3	3	3	1	1	-
ALL OTHER--MALE----	2	3	2	4	1	-	2	1	-	-	-	-
FEMALE--	2	1	1	5	5	1	4	1	1	-	-	-
BLACK---MALE----	2	3	2	4	1	-	2	1	-	-	-	-
FEMALE--	2	1	1	5	5	1	4	1	1	-	-	-
ALASKA -----	-	2	2	2	-	-	1	-	1	-	-	-
WHITE-----MALE----	-	1	1	2	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	4	7	10	13	18	16	10	13	8	-	-	-
WHITE-----MALE----	2	4	6	7	10	9	8	7	2	-	-	-
FEMALE--	2	2	3	5	6	7	2	6	6	-	-	-
ALL OTHER--MALE----	-	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	3	6	7	6	12	11	13	9	4	-	1	-
WHITE-----MALE----	-	3	3	4	6	6	6	2	-	-	-	-
FEMALE--	2	3	2	2	5	5	6	7	4	-	1	-
ALL OTHER--MALE----	1	-	2	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	2	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
CALIFORNIA -----	24	20	27	49	62	70	53	38	20	9	1	-
WHITE-----MALE----	12	11	14	24	24	28	28	16	5	-	-	-
FEMALE--	5	5	10	16	31	33	19	21	12	7	1	-
ALL OTHER--MALE----	7	3	-	5	4	5	4	1	2	-	-	-
FEMALE--	-	1	3	4	3	4	2	-	1	2	-	-
BLACK---MALE----	3	2	-	5	2	2	1	-	1	-	-	-
FEMALE--	-	1	1	-	3	2	1	-	1	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,415
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER DISEASES OF THE NERVOUS SYSTEM (323-326,341-342,344,346-359)												
COLORADO -----	81	2	1	-	-	3	-	1	3	4	2	4
WHITE-----MALE----	42	2	1	-	-	2	-	1	3	2	2	2
FEMALE--	36	-	-	-	-	1	-	-	-	2	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	123	3	-	-	3	1	1	1	5	5	8	7
WHITE-----MALE----	65	2	-	-	3	1	1	1	2	4	3	4
FEMALE--	47	1	-	-	-	-	-	-	-	-	4	2
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	3	1	1	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	9	-	-	-	-	-	-	-	3	1	1	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	26	-	1	-	-	-	-	1	-	1	-	-
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	41	1	-	-	-	1	1	-	1	3	4	3
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	21	-	-	-	-	1	1	-	1	3	3	1
FEMALE--	15	1	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	20	-	-	-	-	1	1	-	1	3	3	1
FEMALE--	15	1	-	-	-	-	-	-	-	-	-	1
FLORIDA -----	487	5	10	5	7	6	10	9	11	12	21	16
WHITE-----MALE----	226	2	6	3	3	2	5	6	6	4	9	6
FEMALE--	194	-	2	2	3	2	1	3	2	2	5	2
ALL OTHER--MALE----	36	1	-	-	-	2	3	-	1	3	3	4
FEMALE--	31	2	2	-	1	-	1	-	2	3	4	4
BLACK---MALE----	34	1	-	-	-	1	3	-	1	3	3	4
FEMALE--	29	2	2	-	1	-	1	-	2	2	4	4
GEORGIA -----	216	6	5	3	1	8	7	5	5	8	6	13
WHITE-----MALE----	75	-	-	-	1	8	3	1	1	3	2	6
FEMALE--	70	-	1	1	-	-	2	-	-	2	1	2
ALL OTHER--MALE----	29	2	2	1	-	-	-	-	1	2	1	3
FEMALE--	42	4	2	1	-	-	2	4	3	1	2	2
BLACK---MALE----	29	2	2	1	-	-	-	-	1	2	1	3
FEMALE--	42	4	2	1	-	-	2	4	3	1	2	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,415
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER DISEASES OF THE NERVOUS SYSTEM (323-326,341-342,344,346-359)												
COLORADO -----	2	5	6	11	9	12	3	7	6	-	-	-
WHITE-----MALE----	1	1	2	7	3	7	-	5	1	-	-	-
FEMALE--	1	4	4	4	4	5	3	2	5	-	-	-
ALL OTHER--MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	5	5	8	7	10	18	21	10	5	-	-	-
WHITE-----MALE----	1	4	6	4	5	9	11	3	1	-	-	-
FEMALE--	2	1	2	2	5	7	10	7	4	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
DELAWARE -----	2	1	3	1	4	3	4	5	-	-	-	-
WHITE-----MALE----	1	-	2	-	2	2	2	-	-	-	-	-
FEMALE--	1	1	-	-	1	1	2	5	-	-	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	2	2	3	4	6	4	5	-	-	-	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	1	-	3	2	3	-	-	-	-	-
FEMALE--	1	1	1	4	2	2	2	-	-	-	-	-
BLACK---MALE----	1	1	1	-	2	2	3	-	-	-	-	-
FEMALE--	1	1	1	4	2	2	2	-	-	-	-	-
FLORIDA -----	19	28	35	54	51	63	65	24	17	16	2	1
WHITE-----MALE----	8	11	16	29	25	37	28	10	7	3	-	-
FEMALE--	7	11	14	21	24	26	30	14	8	13	2	-
ALL OTHER--MALE----	3	6	4	1	1	-	2	-	2	-	-	-
FEMALE--	1	-	1	3	1	-	5	-	-	-	-	1
BLACK---MALE----	3	6	4	1	1	-	1	-	2	-	-	-
FEMALE--	1	-	1	3	1	-	4	-	-	-	-	1
GEORGIA -----	17	10	12	21	25	26	21	7	7	2	1	-
WHITE-----MALE----	9	7	3	5	12	7	6	1	-	-	-	-
FEMALE--	1	1	5	9	9	13	10	5	6	2	-	-
ALL OTHER--MALE----	2	1	2	3	1	3	3	1	1	-	-	-
FEMALE--	5	1	2	4	3	3	2	-	-	-	1	-
BLACK---MALE----	2	1	2	3	1	3	3	1	1	-	-	-
FEMALE--	5	1	2	4	3	3	2	-	-	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,416
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER DISEASES OF THE NERVOUS SYSTEM (323-326,341-342,344,346-359)												
HAWAII -----	37	-	-	-	-	2	-	-	2	1	3	1
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	19	-	-	-	-	2	-	-	2	1	1	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	31	-	-	1	1	1	1	-	-	-	1	-
WHITE-----MALE----	14	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	16	-	-	1	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	386	7	11	4	8	10	9	6	5	12	13	17
WHITE-----MALE----	160	2	4	-	4	8	4	3	2	3	6	6
FEMALE--	143	3	2	3	1	2	1	2	2	4	5	4
ALL OTHER--MALE----	47	1	3	1	2	-	4	1	1	4	1	6
FEMALE--	36	1	2	-	1	-	-	-	1	1	1	1
BLACK---MALE----	42	-	3	1	1	-	4	-	1	4	1	6
FEMALE--	34	1	2	-	1	-	-	-	-	-	1	1
INDIANA -----	184	2	8	2	-	4	5	3	7	8	9	11
WHITE-----MALE----	94	1	4	1	-	3	4	3	3	2	4	6
FEMALE--	71	1	4	1	-	-	1	-	4	3	3	3
ALL OTHER--MALE----	8	-	-	-	-	1	-	-	-	3	1	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	8	-	-	-	-	1	-	-	-	3	1	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	1
IOWA -----	76	1	1	-	1	3	2	-	1	-	-	3
WHITE-----MALE----	33	1	-	-	1	3	2	-	-	-	-	2
FEMALE--	41	-	1	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
KANSAS -----	87	2	2	1	-	-	1	1	3	3	-	2
WHITE-----MALE----	39	2	2	-	-	-	-	1	-	2	-	-
FEMALE--	44	-	-	1	-	-	-	-	2	1	-	2
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,416
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER DISEASES OF THE NERVOUS SYSTEM (323-326,341-342,344,346-359)												
HAWAII -----	1	2	5	1	7	5	4	2	-	1	-	-
WHITE-----MALE----	-	1	1	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	3	-	3	2	3	1	-	-	-	-
FEMALE--	-	1	1	1	3	3	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	1	3	2	3	5	5	7	-	-	-	-
WHITE-----MALE----	-	1	1	1	1	4	2	3	-	-	-	-
FEMALE--	-	-	2	1	2	1	3	4	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	22	16	20	28	49	47	46	29	18	8	1	-
WHITE-----MALE----	10	9	8	12	21	15	21	14	6	2	-	-
FEMALE--	6	4	7	8	18	27	19	10	8	6	1	-
ALL OTHER--MALE----	3	2	3	5	5	1	3	1	-	-	-	-
FEMALE--	3	1	2	3	5	4	3	4	4	-	-	-
BLACK---MALE----	3	2	3	5	4	1	3	-	-	-	-	-
FEMALE--	3	1	2	3	5	4	3	4	3	-	-	-
INDIANA -----	7	8	11	16	25	25	13	12	5	3	-	-
WHITE-----MALE----	5	5	7	8	13	11	7	5	1	1	-	-
FEMALE--	2	3	4	5	10	12	4	5	4	2	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	2	2	2	2	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	2	2	2	2	1	-	-	-	-
IOWA -----	6	5	4	7	9	13	9	6	4	1	-	-
WHITE-----MALE----	1	1	2	5	4	6	3	2	-	-	-	-
FEMALE--	4	4	2	2	5	7	6	4	4	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	-	1	5	10	12	15	11	14	1	3	-	-
WHITE-----MALE----	-	-	2	6	7	7	3	5	1	1	-	-
FEMALE--	-	1	3	4	5	8	8	8	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,417
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER DISEASES OF THE NERVOUS SYSTEM (323-326,341-342,344,346-359)												
KENTUCKY -----	122	2	3	1	1	4	1	-	2	5	1	7
WHITE-----MALE----	63	2	2	1	-	4	1	-	2	4	1	5
FEMALE--	49	-	1	-	-	-	-	-	-	1	-	2
ALL OTHER--MALE----	4	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	152	3	2	1	-	4	5	5	2	7	7	14
WHITE-----MALE----	59	-	-	-	-	3	2	3	2	4	4	5
FEMALE--	42	-	-	-	-	1	-	2	-	-	1	3
ALL OTHER--MALE----	21	2	2	-	-	-	1	-	-	1	-	3
FEMALE--	30	1	-	1	-	-	2	-	-	2	2	3
BLACK---MALE----	21	2	2	-	-	-	1	-	-	1	-	3
FEMALE--	30	1	-	1	-	-	2	-	-	2	2	3
MAINE -----	41	-	-	-	-	2	-	1	-	1	2	1
WHITE-----MALE----	21	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	20	-	-	-	-	1	-	-	-	1	2	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	152	3	3	-	-	2	3	3	2	8	4	8
WHITE-----MALE----	50	-	2	-	-	1	2	-	-	2	-	-
FEMALE--	39	-	1	-	-	-	-	1	-	1	2	1
ALL OTHER--MALE----	29	1	-	-	-	-	-	2	-	4	1	6
FEMALE--	34	2	-	-	-	1	1	-	2	1	1	1
BLACK---MALE----	29	1	-	-	-	-	-	2	-	4	1	6
FEMALE--	31	1	-	-	-	-	1	-	2	1	1	1
MASSACHUSETTS -----	221	6	1	2	2	-	5	5	5	5	10	16
WHITE-----MALE----	111	2	-	-	2	-	4	5	4	3	5	6
FEMALE--	91	3	1	1	-	-	-	-	1	2	4	7
ALL OTHER--MALE----	10	-	-	-	-	-	1	-	-	-	-	3
FEMALE--	9	1	-	1	-	-	-	-	-	-	1	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	8	1	-	1	-	-	-	-	-	-	1	-
MICHIGAN -----	311	5	3	2	1	5	6	8	4	10	13	17
WHITE-----MALE----	134	2	2	-	-	4	3	6	3	4	7	6
FEMALE--	117	1	1	1	1	1	1	1	-	2	2	6
ALL OTHER--MALE----	30	-	-	1	-	-	1	-	1	4	2	3
FEMALE--	30	2	-	-	-	-	1	1	-	-	2	2
BLACK---MALE----	27	-	-	1	-	-	1	-	1	4	2	2
FEMALE--	27	2	-	-	-	-	-	1	-	-	2	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,417
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER DISEASES OF THE NERVOUS SYSTEM (323-326,341-342,344,346-359)												
KENTUCKY -----	6	10	6	12	14	14	13	5	5	8	2	-
WHITE-----MALE----	2	8	3	8	4	8	4	2	1	1	-	-
FEMALE--	3	1	2	3	7	5	9	3	4	6	2	-
ALL OTHER--MALE----	1	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	1	1	1	2	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	1	1	1	2	-	-	-	-	1	-	-
LOUISIANA -----	10	15	13	11	17	13	12	10	1	-	-	-
WHITE-----MALE----	-	4	6	5	5	8	6	2	-	-	-	-
FEMALE--	5	7	2	-	9	3	4	4	1	-	-	-
ALL OTHER--MALE----	2	1	2	2	2	-	1	2	-	-	-	-
FEMALE--	3	3	3	4	1	2	1	2	-	-	-	-
BLACK---MALE----	2	1	2	2	2	-	1	2	-	-	-	-
FEMALE--	3	3	3	4	1	2	1	2	-	-	-	-
MAINE -----	-	2	1	7	5	5	6	4	3	1	-	-
WHITE-----MALE----	-	1	-	5	4	3	4	-	2	-	-	-
FEMALE--	-	1	1	2	1	2	2	4	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	4	10	12	18	21	12	20	11	6	1	1	-
WHITE-----MALE----	1	3	3	8	7	5	10	3	3	-	-	-
FEMALE--	-	2	2	3	7	6	5	4	3	-	1	-
ALL OTHER--MALE----	-	2	2	5	2	-	2	1	-	1	-	-
FEMALE--	3	3	5	2	5	1	3	3	-	-	-	-
BLACK---MALE----	-	2	2	5	2	-	2	1	-	1	-	-
FEMALE--	3	3	5	1	5	1	3	3	-	-	-	-
MASSACHUSETTS -----	6	7	11	22	28	24	30	23	10	3	-	-
WHITE-----MALE----	5	5	6	12	16	12	9	11	4	-	-	-
FEMALE--	1	1	4	5	10	11	21	10	6	3	-	-
ALL OTHER--MALE----	-	1	-	4	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	1	2	1	-	1	-	-	-	-
BLACK---MALE----	-	1	-	4	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	1	2	-	-	1	-	-	-	-
MICHIGAN -----	10	23	25	32	47	30	31	18	16	3	2	-
WHITE-----MALE----	5	10	10	12	20	13	14	4	8	-	1	-
FEMALE--	2	9	6	13	22	15	13	12	5	2	1	-
ALL OTHER--MALE----	1	3	3	1	4	1	2	1	1	1	-	-
FEMALE--	2	1	6	6	1	1	2	1	2	-	-	-
BLACK---MALE----	1	2	3	1	4	1	1	1	1	1	-	-
FEMALE--	2	1	6	6	-	-	2	1	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,418
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER DISEASES OF THE NERVOUS SYSTEM (323-326,341-342,344,346-359)												
MINNESOTA -----	9	5	9	15	15	22	15	17	10	1	-	-
WHITE-----MALE----	5	4	6	5	7	11	6	6	5	-	-	-
FEMALE--	4	1	3	8	7	11	9	11	5	1	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
MISSISSIPPI -----	1	8	5	6	7	10	5	4	2	1	-	-
WHITE-----MALE----	1	3	1	1	5	6	-	1	-	1	-	-
FEMALE--	-	2	1	1	-	3	3	2	2	-	-	-
ALL OTHER--MALE----	-	2	1	2	1	-	1	-	-	-	-	-
FEMALE--	-	1	2	2	1	1	1	1	-	-	-	-
BLACK---MALE----	-	2	1	2	1	-	1	-	-	-	-	-
FEMALE--	-	1	2	2	1	1	1	1	-	-	-	-
MISSOURI -----	6	7	11	18	20	33	22	14	13	2	1	-
WHITE-----MALE----	1	4	7	9	12	15	11	4	3	-	1	-
FEMALE--	1	1	3	9	5	14	8	10	8	2	-	-
ALL OTHER--MALE----	2	1	-	-	1	1	2	-	1	-	-	-
FEMALE--	2	1	1	-	2	3	1	-	1	-	-	-
BLACK---MALE----	2	1	-	-	1	1	2	-	1	-	-	-
FEMALE--	2	1	1	-	2	3	1	-	1	-	-	-
MONTANA -----	-	1	1	4	4	5	3	3	-	-	-	-
WHITE-----MALE----	-	1	-	4	2	2	2	1	-	-	-	-
FEMALE--	-	-	1	-	2	3	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	3	1	3	6	7	3	4	2	5	-	-	-
WHITE-----MALE----	2	-	2	4	5	2	2	-	1	-	-	-
FEMALE--	1	1	1	2	2	1	2	2	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
NEVADA -----	1	2	5	5	2	8	7	8	3	2	-	-
WHITE-----MALE----	-	1	1	4	1	4	2	2	1	-	-	-
FEMALE--	1	-	2	1	-	3	4	6	1	2	-	-
ALL OTHER--MALE----	-	1	2	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	2	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,420
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER DISEASES OF THE NERVOUS SYSTEM (323-326,341-342,344,346-359)												
OHIO -----	18	19	28	38	57	53	33	22	20	8	4	-
WHITE-----MALE----	11	7	20	16	25	27	15	9	4	2	1	-
FEMALE--	4	9	6	17	26	18	16	9	15	6	3	-
ALL OTHER--MALE----	2	2	1	4	5	2	2	1	1	-	-	-
FEMALE--	1	1	1	1	1	6	-	3	-	-	-	-
BLACK---MALE----	2	2	1	4	5	2	2	1	1	-	-	-
FEMALE--	1	1	1	1	1	6	-	3	-	-	-	-
OKLAHOMA -----	6	6	8	9	15	16	6	4	3	1	-	-
WHITE-----MALE----	1	4	4	7	8	5	2	2	1	-	-	-
FEMALE--	5	2	2	2	4	10	4	2	2	1	-	-
ALL OTHER--MALE----	-	-	2	-	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	2	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
OREGON -----	3	2	6	10	9	18	17	12	5	1	-	-
WHITE-----MALE----	3	1	3	5	4	11	5	6	4	1	-	-
FEMALE--	-	1	3	5	5	7	12	6	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	22	36	45	43	67	75	64	33	19	6	-	-
WHITE-----MALE----	9	17	23	16	30	41	34	13	9	1	-	-
FEMALE--	7	13	13	24	26	30	25	16	9	5	-	-
ALL OTHER--MALE----	4	1	3	1	5	1	3	1	-	-	-	-
FEMALE--	2	5	6	2	6	3	2	3	1	-	-	-
BLACK---MALE----	3	1	3	1	5	1	3	1	-	-	-	-
FEMALE--	2	5	6	2	5	3	2	3	1	-	-	-
RHODE ISLAND -----	2	2	2	1	2	5	11	3	1	-	-	-
WHITE-----MALE----	2	2	2	-	1	4	5	3	-	-	-	-
FEMALE--	-	-	-	-	1	1	6	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	10	14	11	13	8	9	13	6	4	1	-	-
WHITE-----MALE----	1	7	3	6	4	4	5	3	1	-	-	-
FEMALE--	2	2	3	6	2	2	7	3	1	1	-	-
ALL OTHER--MALE----	4	3	3	1	-	-	1	-	-	-	-	-
FEMALE--	3	2	2	-	2	3	-	-	2	-	-	-
BLACK---MALE----	4	3	3	1	-	-	1	-	-	-	-	-
FEMALE--	3	2	2	-	2	3	-	-	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,421
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER DISEASES OF THE NERVOUS SYSTEM (323-326,341-342,344,346-359)												
SOUTH DAKOTA -----	18	-	1	-	1	1	1	-	1	-	-	-
WHITE-----MALE----	8	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	7	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	159	5	3	-	1	3	2	3	4	6	3	9
WHITE-----MALE----	74	1	1	-	-	2	-	2	2	4	2	5
FEMALE--	64	4	2	-	1	-	2	-	-	-	1	2
ALL OTHER--MALE----	13	-	-	-	-	1	-	1	2	1	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	13	-	-	-	-	1	-	1	2	1	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	1	-	1
TEXAS -----	472	21	6	3	9	15	17	7	8	20	18	20
WHITE-----MALE----	219	10	1	1	4	12	12	4	4	11	7	12
FEMALE--	195	9	4	2	3	2	3	3	3	5	7	6
ALL OTHER--MALE----	28	1	1	-	2	1	1	-	-	1	3	2
FEMALE--	30	1	-	-	-	-	1	-	1	3	1	-
BLACK---MALE----	25	1	-	-	2	1	-	-	-	1	3	2
FEMALE--	27	1	-	-	-	-	1	-	1	3	1	-
UTAH -----	52	1	4	-	-	2	3	1	2	4	2	4
WHITE-----MALE----	26	1	1	-	-	1	3	-	1	1	1	2
FEMALE--	23	-	1	-	-	1	-	1	1	3	1	2
ALL OTHER--MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	18	-	-	-	1	1	-	-	-	1	2	2
WHITE-----MALE----	9	-	-	-	1	1	-	-	-	1	1	2
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	214	6	7	3	3	-	5	6	5	5	8	7
WHITE-----MALE----	86	4	3	1	2	-	3	4	2	4	3	2
FEMALE--	73	1	-	1	1	-	2	2	2	-	1	2
ALL OTHER--MALE----	30	1	3	1	-	-	-	-	-	-	2	2
FEMALE--	25	-	1	-	-	-	-	-	1	1	2	1
BLACK---MALE----	30	1	3	1	-	-	-	-	-	-	2	2
FEMALE--	23	-	1	-	-	-	-	-	1	1	2	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,421
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER DISEASES OF THE NERVOUS SYSTEM (323-326,341-342,344,346-359)												
SOUTH DAKOTA -----	-	-	3	2	-	2	5	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	4	-	1	-	-	-
FEMALE--	-	-	3	2	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	7	9	9	19	19	25	16	12	4	-	-	-
WHITE-----MALE----	2	6	5	10	10	13	7	2	-	-	-	-
FEMALE--	2	2	4	6	7	11	6	10	4	-	-	-
ALL OTHER--MALE----	1	1	-	1	1	1	2	-	-	-	-	-
FEMALE--	2	-	-	2	1	-	1	-	-	-	-	-
BLACK---MALE----	1	1	-	1	1	1	2	-	-	-	-	-
FEMALE--	2	-	-	2	1	-	1	-	-	-	-	-
TEXAS -----	28	21	38	47	50	39	49	34	14	7	1	-
WHITE-----MALE----	11	7	23	24	22	16	18	16	2	2	-	-
FEMALE--	12	6	9	21	20	21	29	14	10	5	1	-
ALL OTHER--MALE----	3	2	-	1	6	2	-	1	1	-	-	-
FEMALE--	2	6	6	1	2	-	2	3	1	-	-	-
BLACK---MALE----	3	2	-	1	5	2	-	1	1	-	-	-
FEMALE--	2	4	6	1	1	-	2	3	1	-	-	-
UTAH -----	1	3	3	5	3	2	7	3	1	-	1	-
WHITE-----MALE----	1	2	2	4	2	1	3	-	-	-	-	-
FEMALE--	-	1	-	1	1	1	4	3	1	-	1	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	2	1	-	-	1	2	2	2	-	-	-
WHITE-----MALE----	-	1	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	1	1	-	-	-	2	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	13	14	20	25	16	25	21	18	6	1	-	-
WHITE-----MALE----	8	5	7	7	10	7	4	9	1	-	-	-
FEMALE--	3	4	4	13	4	11	9	8	4	1	-	-
ALL OTHER--MALE----	2	4	3	1	2	3	5	1	-	-	-	-
FEMALE--	-	1	6	4	-	4	3	-	1	-	-	-
BLACK---MALE----	2	4	3	1	2	3	5	1	-	-	-	-
FEMALE--	-	1	6	3	-	4	2	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,441
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 VII. DISEASES OF THE CIRCULATORY SYSTEM (390-459)												
UNITED STATES --	955,591	967	327	165	226	496	831	1,403	3,162	6,416	11,057	17,547
WHITE-----MALE----	395,427	363	111	69	86	207	298	577	1,440	3,142	5,787	9,636
FEMALE--	442,383	306	90	51	63	112	205	341	726	1,317	2,022	3,255
ALL OTHER--MALE----	57,025	157	72	26	43	101	202	285	620	1,174	2,021	2,980
FEMALE--	60,756	141	54	19	34	76	126	200	376	783	1,227	1,676
BLACK---MALE----	49,514	140	68	20	39	92	174	254	562	1,053	1,844	2,701
FEMALE--	54,683	122	45	17	28	69	116	182	351	738	1,154	1,551
ALABAMA -----	17,128	27	7	5	6	14	30	44	93	151	255	386
WHITE-----MALE----	6,141	8	-	1	1	1	6	12	33	62	111	182
FEMALE--	6,734	5	1	2	1	4	6	12	19	19	30	50
ALL OTHER--MALE----	2,046	7	2	1	3	4	11	13	23	41	59	102
FEMALE--	2,207	7	4	1	1	5	7	7	18	29	55	52
BLACK---MALE----	2,042	7	2	1	3	4	11	13	23	41	59	102
FEMALE--	2,195	6	4	1	1	5	7	7	18	29	55	52
ALASKA -----	740	2	-	-	1	2	1	-	5	5	17	19
WHITE-----MALE----	340	2	-	-	-	-	1	-	1	2	11	11
FEMALE--	229	-	-	-	1	-	-	-	1	1	2	2
ALL OTHER--MALE----	97	-	-	-	-	1	-	-	2	2	3	5
FEMALE--	74	-	-	-	-	1	-	-	1	-	1	1
BLACK---MALE----	11	-	-	-	-	-	-	-	1	-	1	2
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	13,316	17	3	3	3	5	17	13	32	83	163	235
WHITE-----MALE----	6,456	7	2	1	1	4	7	7	18	44	101	163
FEMALE--	6,215	6	-	1	2	1	5	2	10	23	33	56
ALL OTHER--MALE----	337	2	1	1	-	-	4	3	2	9	15	9
FEMALE--	308	2	-	-	-	-	1	1	2	7	14	7
BLACK---MALE----	152	1	1	1	-	-	1	-	1	5	4	6
FEMALE--	144	-	-	-	-	-	1	-	-	3	11	4
ARKANSAS -----	11,394	10	1	1	5	5	7	15	43	75	158	214
WHITE-----MALE----	4,734	2	-	1	1	-	4	7	19	38	79	110
FEMALE--	4,930	4	-	-	1	3	-	4	15	13	32	52
ALL OTHER--MALE----	797	2	1	-	1	2	2	2	5	15	31	40
FEMALE--	933	2	-	-	2	-	1	2	4	9	16	12
BLACK---MALE----	784	2	1	-	1	2	2	2	5	15	29	40
FEMALE--	923	2	-	-	2	-	1	2	4	9	16	12
CALIFORNIA -----	90,577	95	21	16	20	44	95	130	317	601	1,063	1,574
WHITE-----MALE----	37,081	32	7	7	11	22	43	63	164	313	570	872
FEMALE--	41,618	35	8	5	3	11	27	30	74	129	202	311
ALL OTHER--MALE----	6,119	14	1	3	3	4	19	22	49	101	199	249
FEMALE--	5,759	14	5	1	3	7	6	15	30	58	92	142
BLACK---MALE----	3,252	9	1	-	2	3	9	16	36	61	144	169
FEMALE--	3,551	8	4	-	1	5	4	8	27	44	67	114

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,441
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 VII. DISEASES OF THE CIRCULATORY SYSTEM (390-459)												
UNITED STATES --	24,466	32,670	49,865	76,816	111,355	138,908	164,178	155,907	105,685	42,585	10,453	106
WHITE-----MALE----	13,686	17,890	27,242	40,942	56,818	65,062	66,339	50,308	26,157	7,813	1,411	43
FEMALE--	5,116	7,647	13,155	23,429	39,329	58,421	82,260	93,207	71,759	31,618	7,921	33
ALL OTHER--MALE----	3,612	4,373	5,473	6,826	7,782	7,264	6,330	4,465	2,251	761	191	16
FEMALE--	2,052	2,760	3,995	5,619	7,426	8,161	9,249	7,927	5,518	2,393	930	14
BLACK---MALE----	3,232	3,885	4,860	6,024	6,719	6,258	5,295	3,642	1,839	640	159	14
FEMALE--	1,856	2,507	3,594	5,067	6,668	7,305	8,254	7,131	4,932	2,134	848	14
ALABAMA -----	554	727	1,102	1,535	2,060	2,304	2,901	2,614	1,594	570	149	-
WHITE-----MALE----	274	362	580	716	889	924	919	664	307	78	11	-
FEMALE--	91	153	220	426	631	859	1,388	1,446	948	349	74	-
ALL OTHER--MALE----	127	137	181	209	293	237	244	192	107	36	17	-
FEMALE--	62	75	121	184	247	284	350	312	232	107	47	-
BLACK---MALE----	126	137	180	209	292	237	243	192	107	36	17	-
FEMALE--	62	74	119	184	245	282	349	311	230	107	47	-
ALASKA -----	42	55	68	78	100	89	110	80	45	16	4	1
WHITE-----MALE----	26	31	46	38	48	36	41	29	12	4	1	-
FEMALE--	4	14	11	16	30	38	44	36	18	9	1	1
ALL OTHER--MALE----	11	7	6	16	12	7	15	3	5	1	1	-
FEMALE--	1	3	5	8	10	8	10	12	10	2	1	-
BLACK---MALE----	-	-	3	2	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	2	2	1	-	1	-	-	-
ARIZONA -----	341	458	703	1,129	1,682	2,082	2,332	2,097	1,346	463	105	4
WHITE-----MALE----	215	285	441	672	989	1,121	1,079	775	404	103	14	3
FEMALE--	93	136	213	380	617	882	1,166	1,263	893	346	86	1
ALL OTHER--MALE----	22	24	25	48	46	39	35	32	13	4	3	-
FEMALE--	11	13	24	29	30	40	52	27	36	10	2	-
BLACK---MALE----	9	14	16	19	22	16	15	13	5	3	-	-
FEMALE--	4	8	11	11	12	21	26	11	18	3	-	-
ARKANSAS -----	282	402	603	872	1,303	1,649	1,919	1,971	1,308	428	123	-
WHITE-----MALE----	157	222	359	471	662	777	784	623	316	82	20	-
FEMALE--	62	97	131	243	441	650	895	1,101	829	285	72	-
ALL OTHER--MALE----	47	46	64	86	104	88	96	93	47	20	5	-
FEMALE--	16	37	49	72	96	134	144	154	116	41	26	-
BLACK---MALE----	46	45	63	85	102	87	96	91	47	18	5	-
FEMALE--	16	37	48	72	96	132	141	151	116	40	26	-
CALIFORNIA -----	2,254	3,008	4,445	6,900	10,498	13,094	15,388	15,068	10,490	4,354	1,093	9
WHITE-----MALE----	1,261	1,676	2,404	3,527	5,196	6,054	6,215	4,966	2,676	846	153	3
FEMALE--	485	658	1,170	2,191	3,737	5,363	7,477	8,703	6,978	3,181	835	5
ALL OTHER--MALE----	324	440	532	647	876	863	762	618	297	84	12	-
FEMALE--	184	234	339	535	689	814	934	781	539	243	93	1
BLACK---MALE----	217	282	315	385	459	435	328	222	121	31	7	-
FEMALE--	130	156	224	328	433	476	540	477	308	142	54	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,442
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 VII. DISEASES OF THE CIRCULATORY SYSTEM (390-459)												
COLORADO -----	8,914	13	4	6	2	11	7	22	28	73	121	155
WHITE-----MALE----	4,082	9	2	2	-	7	2	8	18	43	76	99
FEMALE--	4,442	3	1	4	2	3	3	9	6	18	31	35
ALL OTHER--MALE----	188	1	-	-	-	1	1	2	3	5	11	15
FEMALE--	202	-	1	-	-	-	1	3	1	7	3	6
BLACK---MALE----	141	-	-	-	-	1	1	1	3	4	9	11
FEMALE--	162	-	1	-	-	-	1	2	1	6	3	5
CONNECTICUT -----	12,391	13	3	3	2	4	6	12	36	70	118	197
WHITE-----MALE----	5,321	3	2	1	-	3	1	6	15	27	66	123
FEMALE--	6,345	5	1	2	1	-	1	2	9	24	24	46
ALL OTHER--MALE----	359	3	-	-	1	1	3	3	7	17	15	15
FEMALE--	366	2	-	-	-	-	1	1	5	2	13	13
BLACK---MALE----	334	3	-	-	1	1	3	2	7	17	13	14
FEMALE--	348	2	-	-	-	-	1	1	5	2	13	12
DELAWARE -----	2,468	4	1	1	1	2	2	5	10	26	50	49
WHITE-----MALE----	961	2	1	-	-	-	2	2	2	6	23	22
FEMALE--	1,117	2	-	1	1	-	-	-	4	7	6	13
ALL OTHER--MALE----	183	-	-	-	-	2	-	3	2	4	8	7
FEMALE--	207	-	-	-	-	-	-	-	2	9	13	7
BLACK---MALE----	175	-	-	-	-	2	-	3	2	3	8	7
FEMALE--	199	-	-	-	-	-	-	-	2	9	12	6
DISTRICT OF COLUMBIA ----	2,177	1	1	-	1	2	2	6	18	32	42	87
WHITE-----MALE----	252	-	-	-	-	-	-	-	2	2	3	11
FEMALE--	327	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	745	1	-	-	1	2	1	5	10	19	23	51
FEMALE--	853	-	1	-	-	-	1	1	6	11	15	23
BLACK---MALE----	741	1	-	-	1	2	1	5	10	19	23	51
FEMALE--	849	-	1	-	-	-	1	1	6	11	15	23
FLORIDA -----	63,670	46	18	6	9	17	35	78	156	346	580	913
WHITE-----MALE----	28,936	17	3	4	1	5	12	32	64	182	300	517
FEMALE--	28,779	15	4	-	3	2	4	15	36	70	105	165
ALL OTHER--MALE----	2,835	9	4	1	4	4	11	19	28	51	107	142
FEMALE--	3,120	5	7	1	1	6	8	12	28	43	68	89
BLACK---MALE----	2,741	9	4	1	4	4	11	19	27	47	103	139
FEMALE--	3,050	5	6	1	1	6	8	12	28	42	68	86
GEORGIA -----	23,139	37	14	10	8	21	31	69	145	243	408	639
WHITE-----MALE----	7,881	11	5	2	3	6	4	15	50	97	174	270
FEMALE--	9,119	6	2	2	1	2	5	10	31	39	56	88
ALL OTHER--MALE----	2,794	6	5	2	2	4	15	25	44	55	116	183
FEMALE--	3,345	14	2	4	2	9	7	19	20	52	62	98
BLACK---MALE----	2,761	6	5	2	2	4	15	24	42	54	116	180
FEMALE--	3,316	14	2	4	2	9	7	19	20	51	62	98

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,442
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 VII. DISEASES OF THE CIRCULATORY SYSTEM (390-459)												
COLORADO -----	227	286	460	690	1,033	1,239	1,491	1,490	1,010	446	100	-
WHITE-----MALE----	155	179	273	429	612	656	643	507	247	103	12	-
FEMALE--	51	89	156	225	366	534	806	949	736	331	84	-
ALL OTHER--MALE----	15	12	20	16	24	24	13	11	7	5	2	-
FEMALE--	6	6	11	20	31	25	29	23	20	7	2	-
BLACK---MALE----	11	9	19	11	17	17	8	9	3	5	2	-
FEMALE--	3	4	6	16	25	21	26	16	18	6	2	-
CONNECTICUT -----	275	334	524	942	1,340	1,805	2,164	2,194	1,487	667	195	-
WHITE-----MALE----	151	215	306	509	745	914	938	763	396	110	27	-
FEMALE--	69	65	161	338	508	816	1,138	1,380	1,055	539	161	-
ALL OTHER--MALE----	33	34	32	49	48	38	33	16	8	2	1	-
FEMALE--	22	20	25	46	39	37	55	35	28	16	6	-
BLACK---MALE----	33	29	30	46	44	38	30	15	6	2	-	-
FEMALE--	22	20	25	46	35	32	53	33	24	16	6	-
DELAWARE -----	69	90	143	222	327	362	364	368	249	101	21	1
WHITE-----MALE----	36	43	68	108	164	148	147	115	51	17	3	1
FEMALE--	14	24	50	71	111	163	164	220	172	77	17	-
ALL OTHER--MALE----	15	15	17	28	28	22	20	6	6	-	-	-
FEMALE--	4	8	8	15	24	29	33	27	20	7	1	-
BLACK---MALE----	14	15	17	25	26	22	19	6	6	-	-	-
FEMALE--	4	8	5	15	23	28	33	26	20	7	1	-
DISTRICT OF COLUMBIA ----	88	110	181	207	237	279	323	276	166	98	19	1
WHITE-----MALE----	3	10	17	23	30	37	43	38	18	13	1	1
FEMALE--	4	4	10	6	14	38	56	77	67	43	5	-
ALL OTHER--MALE----	45	65	82	99	94	90	75	57	16	8	1	-
FEMALE--	36	31	72	79	99	114	149	104	65	34	12	-
BLACK---MALE----	45	65	82	99	93	90	74	57	15	7	1	-
FEMALE--	36	31	72	79	99	114	147	104	63	34	12	-
FLORIDA -----	1,300	1,801	2,888	4,926	7,262	9,454	11,694	11,375	7,482	2,686	581	17
WHITE-----MALE----	760	1,035	1,666	2,792	4,028	4,820	5,398	4,361	2,261	572	101	5
FEMALE--	241	383	724	1,456	2,506	3,882	5,537	6,384	4,836	1,980	426	5
ALL OTHER--MALE----	187	225	303	370	367	357	300	202	105	26	9	4
FEMALE--	112	158	195	308	361	395	459	428	280	108	45	3
BLACK---MALE----	176	218	290	358	358	348	288	200	98	26	9	4
FEMALE--	110	155	190	299	351	384	449	423	273	105	45	3
GEORGIA -----	868	1,080	1,507	2,018	2,863	3,212	3,719	3,300	2,008	744	194	1
WHITE-----MALE----	389	471	712	883	1,168	1,192	1,126	829	358	103	13	-
FEMALE--	145	214	332	532	937	1,222	1,753	1,837	1,270	515	120	-
ALL OTHER--MALE----	206	230	271	305	364	340	302	192	82	34	10	1
FEMALE--	128	165	192	298	394	458	538	442	298	92	51	-
BLACK---MALE----	201	225	269	302	360	338	300	190	81	34	10	1
FEMALE--	125	160	191	293	392	457	535	438	294	92	51	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,443
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
VII. DISEASES OF THE CIRCULATORY SYSTEM (390-459)												
HAWAII -----	3,126	5	3	1	3	4	9	7	19	31	37	86
WHITE-----MALE----	452	-	-	-	-	-	1	1	2	7	6	14
FEMALE--	378	-	-	-	-	-	-	1	1	1	3	8
ALL OTHER--MALE----	1,285	1	1	1	-	3	5	4	10	17	18	39
FEMALE--	1,011	4	2	-	3	1	3	1	6	6	10	25
BLACK---MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	1	-	-	-	-	-	-	1	-	2	1
IDAHO -----	3,310	7	2	-	1	2	3	3	5	11	31	45
WHITE-----MALE----	1,622	3	1	-	-	1	2	3	1	9	21	34
FEMALE--	1,656	2	1	-	1	1	1	-	4	2	9	9
ALL OTHER--MALE----	19	2	-	-	-	-	-	-	-	-	1	2
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	46,089	56	23	8	15	24	49	91	151	327	514	961
WHITE-----MALE----	18,304	25	6	5	6	6	23	41	64	128	242	510
FEMALE--	21,174	12	5	-	3	4	7	20	27	52	72	143
ALL OTHER--MALE----	3,175	7	8	1	1	6	8	16	35	87	128	194
FEMALE--	3,436	12	4	2	5	8	11	14	25	60	72	114
BLACK---MALE----	2,989	6	8	1	1	6	8	16	34	83	124	187
FEMALE--	3,290	10	4	1	5	8	11	13	24	60	72	112
INDIANA -----	22,579	23	5	5	5	12	26	28	70	145	268	396
WHITE-----MALE----	9,722	8	-	3	2	4	10	13	33	80	164	245
FEMALE--	11,241	8	5	1	2	7	11	8	23	43	59	85
ALL OTHER--MALE----	755	5	-	-	1	-	2	3	13	11	26	38
FEMALE--	861	2	-	1	-	1	3	4	1	11	19	28
BLACK---MALE----	737	5	-	-	1	-	2	3	13	11	24	37
FEMALE--	846	1	-	1	-	1	3	4	1	11	18	28
IOWA -----	12,614	10	2	-	2	3	8	9	26	47	94	159
WHITE-----MALE----	5,642	5	2	-	1	-	4	5	17	30	67	114
FEMALE--	6,786	3	-	-	1	3	3	4	6	15	22	32
ALL OTHER--MALE----	100	1	-	-	-	-	-	-	2	1	3	9
FEMALE--	86	1	-	-	-	-	1	-	1	1	2	4
BLACK---MALE----	78	-	-	-	-	-	-	-	1	-	2	8
FEMALE--	75	-	-	-	-	-	1	-	1	1	2	3
KANSAS -----	10,201	12	3	1	3	2	6	6	18	43	86	128
WHITE-----MALE----	4,437	7	2	-	2	-	2	4	9	25	57	84
FEMALE--	5,268	2	-	1	1	1	3	-	5	9	15	31
ALL OTHER--MALE----	262	-	1	-	-	-	1	2	3	6	13	6
FEMALE--	234	3	-	-	-	1	-	-	1	3	1	7
BLACK---MALE----	224	-	1	-	-	-	-	1	3	5	11	5
FEMALE--	211	3	-	-	-	1	-	-	1	3	1	6

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,443
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 VII. DISEASES OF THE CIRCULATORY SYSTEM (390-459)												
HAWAII -----	97	133	181	278	405	407	495	448	313	129	34	1
WHITE-----MALE----	20	25	26	50	72	75	74	50	22	6	1	-
FEMALE--	3	7	9	26	42	36	70	81	66	21	3	-
ALL OTHER--MALE----	47	65	80	137	177	155	198	180	103	34	9	1
FEMALE--	27	36	66	65	114	141	153	137	122	68	21	-
BLACK---MALE----	2	2	-	3	1	2	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	2	-	2	1	-	-
IDAHO -----	69	110	166	258	396	504	589	531	385	161	31	-
WHITE-----MALE----	46	73	114	158	227	278	294	220	99	34	4	-
FEMALE--	22	36	47	96	162	222	294	311	284	126	26	-
ALL OTHER--MALE----	1	1	3	2	4	2	1	-	-	-	-	-
FEMALE--	-	-	2	2	3	2	-	-	2	1	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ILLINOIS -----	1,139	1,533	2,334	3,714	5,234	6,624	7,941	7,525	5,242	2,032	549	3
WHITE-----MALE----	594	753	1,203	1,864	2,611	2,998	3,147	2,411	1,262	334	71	-
FEMALE--	214	304	580	1,097	1,742	2,781	4,066	4,480	3,591	1,555	417	2
ALL OTHER--MALE----	215	292	312	421	442	360	269	228	93	39	12	1
FEMALE--	116	184	239	332	439	485	459	406	296	104	49	-
BLACK---MALE----	199	275	299	409	417	335	239	205	87	38	11	1
FEMALE--	110	180	235	318	419	465	433	385	280	100	45	-
INDIANA -----	543	778	1,174	1,902	2,609	3,312	3,987	3,635	2,406	1,022	228	-
WHITE-----MALE----	347	470	691	1,075	1,361	1,613	1,661	1,157	590	169	26	-
FEMALE--	126	217	350	641	1,017	1,463	2,119	2,316	1,730	820	190	-
ALL OTHER--MALE----	46	50	79	101	114	105	82	48	21	7	3	-
FEMALE--	24	41	54	85	117	131	125	114	65	26	9	-
BLACK---MALE----	45	49	79	100	111	102	81	44	20	7	3	-
FEMALE--	22	40	52	84	116	129	122	113	65	26	9	-
IOWA -----	236	332	519	841	1,201	1,734	2,299	2,222	1,765	855	250	-
WHITE-----MALE----	154	215	357	522	702	932	1,047	802	471	165	30	-
FEMALE--	73	112	152	299	472	771	1,231	1,401	1,285	683	218	-
ALL OTHER--MALE----	6	2	9	11	18	18	10	6	1	2	1	-
FEMALE--	3	3	1	9	9	13	11	13	8	5	1	-
BLACK---MALE----	3	2	8	10	15	14	8	3	1	2	1	-
FEMALE--	2	2	1	6	8	13	10	11	8	5	1	-
KANSAS -----	210	262	408	705	1,071	1,425	1,703	1,859	1,496	605	148	1
WHITE-----MALE----	139	166	250	407	577	741	767	639	408	128	22	1
FEMALE--	58	72	130	248	417	611	876	1,169	1,037	462	120	-
ALL OTHER--MALE----	9	12	19	28	38	42	37	21	18	6	-	-
FEMALE--	4	12	9	22	39	31	23	30	33	9	6	-
BLACK---MALE----	9	11	17	24	32	32	30	19	18	6	-	-
FEMALE--	3	9	9	21	30	25	23	28	33	9	6	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,444
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 VII. DISEASES OF THE CIRCULATORY SYSTEM (390-459)												
KENTUCKY -----	15,540	8	5	-	4	8	13	27	66	136	218	311
WHITE-----MALE----	6,977	2	1	-	2	4	7	14	30	95	142	206
FEMALE--	7,504	4	3	-	1	4	2	11	29	24	48	74
ALL OTHER--MALE----	511	1	1	-	1	-	3	-	4	13	19	20
FEMALE--	548	1	-	-	-	-	1	2	3	4	9	11
BLACK---MALE----	501	1	1	-	1	-	3	-	4	13	19	20
FEMALE--	537	1	-	-	-	-	1	2	3	4	9	11
LOUISIANA -----	15,672	20	7	5	11	12	14	30	56	157	276	402
WHITE-----MALE----	5,281	4	2	1	1	3	3	7	12	54	89	167
FEMALE--	5,815	3	1	-	3	2	-	6	10	21	35	49
ALL OTHER--MALE----	2,180	7	2	2	4	4	5	7	22	49	90	121
FEMALE--	2,396	6	2	2	3	3	6	10	12	33	62	65
BLACK---MALE----	2,166	6	2	2	4	4	5	7	22	49	87	120
FEMALE--	2,371	6	2	2	3	3	5	10	12	33	62	64
MAINE -----	4,705	4	3	-	2	1	1	8	12	20	45	86
WHITE-----MALE----	2,195	1	2	-	2	1	1	7	8	17	33	64
FEMALE--	2,490	2	1	-	-	-	-	1	4	3	11	21
ALL OTHER--MALE----	11	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
MARYLAND -----	15,543	27	4	2	7	8	15	36	82	157	219	361
WHITE-----MALE----	5,678	8	-	1	5	-	3	12	29	49	86	147
FEMALE--	6,483	7	-	1	-	3	4	4	14	24	25	45
ALL OTHER--MALE----	1,708	5	2	-	2	2	5	10	26	52	76	109
FEMALE--	1,674	7	2	-	-	3	3	10	13	32	32	60
BLACK---MALE----	1,634	5	2	-	2	2	5	10	24	51	74	109
FEMALE--	1,619	7	2	-	-	3	3	10	13	32	32	60
MASSACHUSETTS -----	21,658	12	7	5	2	4	16	23	62	117	177	320
WHITE-----MALE----	9,196	7	1	5	1	3	7	13	33	75	128	206
FEMALE--	11,767	4	5	-	-	1	4	5	19	29	33	87
ALL OTHER--MALE----	330	1	1	-	1	-	3	3	7	7	7	14
FEMALE--	365	-	-	-	-	-	2	2	3	6	9	13
BLACK---MALE----	283	1	1	-	-	-	3	3	7	6	6	13
FEMALE--	309	-	-	-	-	-	2	1	3	6	9	11
MICHIGAN -----	36,397	43	8	10	5	16	28	48	121	294	491	731
WHITE-----MALE----	14,677	13	4	5	3	5	6	19	51	127	227	369
FEMALE--	16,523	17	1	4	2	5	8	11	28	68	97	126
ALL OTHER--MALE----	2,542	6	1	-	-	4	9	8	27	56	111	151
FEMALE--	2,655	7	2	1	-	2	5	10	15	43	56	85
BLACK---MALE----	2,429	6	1	-	-	4	9	8	26	55	106	144
FEMALE--	2,555	7	2	1	-	2	4	9	14	42	53	78

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,444
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 VII. DISEASES OF THE CIRCULATORY SYSTEM (390-459)												
KENTUCKY -----	458	622	965	1,375	1,907	2,274	2,545	2,377	1,536	560	125	-
WHITE-----MALE----	303	393	588	790	1,004	1,082	1,001	776	401	120	16	-
FEMALE--	111	176	295	470	753	1,031	1,415	1,493	1,060	401	99	-
ALL OTHER--MALE----	30	34	44	54	83	77	53	39	23	10	2	-
FEMALE--	14	19	38	61	67	84	76	69	52	29	8	-
BLACK---MALE----	29	33	41	53	82	76	51	39	23	10	2	-
FEMALE--	13	17	37	61	67	81	74	68	51	29	8	-
LOUISIANA -----	563	657	995	1,419	1,901	2,135	2,579	2,298	1,464	536	135	-
WHITE-----MALE----	233	281	413	645	759	840	816	569	287	84	11	-
FEMALE--	86	121	199	345	572	781	1,114	1,208	864	324	71	-
ALL OTHER--MALE----	144	161	203	218	288	242	270	197	109	30	5	-
FEMALE--	100	94	180	211	282	272	379	324	204	98	48	-
BLACK---MALE----	141	161	203	218	285	242	269	197	107	30	5	-
FEMALE--	98	94	177	208	279	270	373	323	203	97	47	-
MAINE -----	110	150	231	359	559	651	764	808	553	277	61	-
WHITE-----MALE----	82	98	162	209	334	343	326	306	133	56	10	-
FEMALE--	28	52	68	147	222	306	433	501	418	221	51	-
ALL OTHER--MALE----	-	-	1	2	1	1	3	1	-	-	-	-
FEMALE--	-	-	-	1	2	1	2	-	2	-	-	-
BLACK---MALE----	-	-	1	2	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	1	-	-	-
MARYLAND -----	501	600	892	1,313	1,919	2,305	2,498	2,336	1,527	592	133	9
WHITE-----MALE----	243	277	404	597	852	962	930	632	342	87	10	2
FEMALE--	80	122	205	332	623	903	1,174	1,386	1,007	424	99	1
ALL OTHER--MALE----	112	121	187	240	212	221	171	93	38	20	1	3
FEMALE--	66	80	96	144	232	219	223	225	140	61	23	3
BLACK---MALE----	109	113	184	233	198	205	161	89	35	19	1	3
FEMALE--	66	77	91	138	226	210	214	218	131	60	23	3
MASSACHUSETTS -----	421	559	899	1,578	2,292	3,244	3,786	3,786	2,736	1,247	364	1
WHITE-----MALE----	301	357	546	952	1,312	1,604	1,612	1,163	607	212	50	1
FEMALE--	82	168	300	543	892	1,541	2,086	2,558	2,087	1,019	304	-
ALL OTHER--MALE----	31	20	30	49	48	36	30	24	11	5	2	-
FEMALE--	7	14	23	34	40	63	58	41	31	11	8	-
BLACK---MALE----	29	19	23	42	47	33	22	16	7	4	1	-
FEMALE--	5	14	21	30	34	51	43	34	27	10	8	-
MICHIGAN -----	945	1,245	1,937	2,986	4,330	5,482	6,241	5,641	3,811	1,574	404	6
WHITE-----MALE----	481	655	994	1,554	2,098	2,449	2,534	1,745	1,000	281	55	2
FEMALE--	198	278	500	864	1,549	2,327	3,042	3,411	2,537	1,148	301	1
ALL OTHER--MALE----	155	193	257	309	364	339	258	163	85	33	10	3
FEMALE--	111	119	186	259	319	367	407	322	189	112	38	-
BLACK---MALE----	143	181	245	292	345	329	252	157	82	31	10	3
FEMALE--	104	114	178	250	302	354	394	314	186	109	38	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,445
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 VII. DISEASES OF THE CIRCULATORY SYSTEM (390-459)												
MINNESOTA -----	14,688	12	3	1	2	5	8	15	39	83	133	224
WHITE-----MALE----	6,963	6	1	-	1	3	3	8	25	45	92	155
FEMALE--	7,442	5	1	1	1	-	4	4	11	29	30	54
ALL OTHER--MALE----	141	-	1	-	-	1	-	1	2	8	7	12
FEMALE--	142	1	-	-	-	1	1	2	1	1	4	3
BLACK---MALE----	75	-	1	-	-	1	-	-	2	4	5	8
FEMALE--	71	1	-	-	-	1	1	2	1	-	3	-
MISSISSIPPI -----	12,100	22	7	2	8	7	14	37	67	101	190	301
WHITE-----MALE----	3,917	3	1	-	2	1	2	6	19	30	64	105
FEMALE--	4,181	1	3	-	-	2	4	8	13	15	24	39
ALL OTHER--MALE----	1,900	12	2	1	3	2	3	16	24	38	66	104
FEMALE--	2,102	6	1	1	3	2	5	7	11	18	36	53
BLACK---MALE----	1,883	12	2	1	3	2	3	16	24	37	66	102
FEMALE--	2,089	6	1	1	3	2	5	7	10	18	36	52
MISSOURI -----	23,570	23	4	4	6	19	18	32	74	155	254	389
WHITE-----MALE----	9,783	11	1	1	5	8	4	16	39	82	134	231
FEMALE--	11,637	6	-	1	1	2	4	10	18	32	60	71
ALL OTHER--MALE----	1,022	5	1	2	-	6	9	3	14	27	33	54
FEMALE--	1,128	1	2	-	-	3	1	3	3	14	27	33
BLACK---MALE----	993	5	1	2	-	6	9	3	14	27	33	51
FEMALE--	1,104	1	2	-	-	2	1	3	3	14	27	31
MONTANA -----	2,817	1	-	1	-	3	-	4	4	9	23	33
WHITE-----MALE----	1,357	-	-	-	-	1	-	4	2	4	18	26
FEMALE--	1,365	1	-	1	-	1	-	-	2	2	4	5
ALL OTHER--MALE----	48	-	-	-	-	-	-	-	-	2	1	2
FEMALE--	47	-	-	-	-	1	-	-	-	1	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	6,790	4	2	1	1	2	3	10	9	37	59	69
WHITE-----MALE----	3,028	2	2	1	1	1	-	3	2	22	38	48
FEMALE--	3,522	2	-	-	-	1	3	5	4	10	15	10
ALL OTHER--MALE----	116	-	-	-	-	-	-	-	2	-	4	8
FEMALE--	124	-	-	-	-	-	-	2	1	5	2	3
BLACK---MALE----	90	-	-	-	-	-	-	-	1	-	4	5
FEMALE--	105	-	-	-	-	-	-	2	1	5	2	1
NEVADA -----	4,779	8	1	1	1	-	1	6	32	45	60	117
WHITE-----MALE----	2,518	2	1	-	-	-	-	6	19	28	41	73
FEMALE--	1,915	3	-	-	1	-	-	-	8	6	9	29
ALL OTHER--MALE----	210	2	-	1	-	-	1	-	4	5	5	8
FEMALE--	136	1	-	-	-	-	-	-	1	6	5	7
BLACK---MALE----	153	1	-	-	-	-	1	-	2	4	4	6
FEMALE--	102	1	-	-	-	-	-	-	1	4	5	6

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,445
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 VII. DISEASES OF THE CIRCULATORY SYSTEM (390-459)												
MINNESOTA -----	307	399	619	962	1,536	2,068	2,639	2,614	1,933	871	215	-
WHITE-----MALE----	212	285	436	622	945	1,140	1,232	982	560	177	33	-
FEMALE--	76	95	161	312	554	902	1,378	1,602	1,354	687	181	-
ALL OTHER--MALE----	11	10	9	16	20	15	16	8	3	1	-	-
FEMALE--	8	9	13	12	17	11	13	22	16	6	1	-
BLACK---MALE----	5	4	4	5	11	8	9	5	2	1	-	-
FEMALE--	2	3	5	6	8	5	6	12	9	5	1	-
MISSISSIPPI -----	418	530	770	1,093	1,465	1,643	1,916	1,806	1,168	426	109	-
WHITE-----MALE----	160	221	318	454	630	562	592	474	218	49	6	-
FEMALE--	62	91	137	253	367	553	798	861	643	254	53	-
ALL OTHER--MALE----	129	124	160	190	242	229	230	176	106	35	8	-
FEMALE--	67	94	155	196	226	299	296	295	201	88	42	-
BLACK---MALE----	126	122	158	187	240	228	229	176	106	35	8	-
FEMALE--	67	94	154	195	225	298	293	293	200	88	41	-
MISSOURI -----	617	786	1,128	1,799	2,470	3,268	4,065	4,124	2,933	1,125	276	1
WHITE-----MALE----	355	448	664	1,001	1,345	1,554	1,688	1,276	681	201	37	1
FEMALE--	153	206	302	569	876	1,451	2,108	2,615	2,089	846	217	-
ALL OTHER--MALE----	65	82	94	123	130	118	100	80	52	20	4	-
FEMALE--	44	50	68	106	119	145	169	153	111	58	18	-
BLACK---MALE----	64	78	90	117	129	115	98	79	49	20	3	-
FEMALE--	43	49	67	104	117	142	165	151	107	57	18	-
MONTANA -----	72	100	156	210	310	420	522	491	301	123	33	1
WHITE-----MALE----	48	65	105	133	178	230	259	176	74	27	6	1
FEMALE--	15	26	45	70	120	180	252	304	216	95	26	-
ALL OTHER--MALE----	7	5	3	5	6	6	2	5	2	1	1	-
FEMALE--	2	4	3	2	6	4	9	6	9	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
NEBRASKA -----	113	177	281	434	635	905	1,190	1,308	1,018	436	96	-
WHITE-----MALE----	68	112	171	271	374	481	568	448	297	107	11	-
FEMALE--	26	52	83	136	226	397	590	841	710	328	83	-
ALL OTHER--MALE----	17	8	20	16	13	9	11	4	2	1	1	-
FEMALE--	2	5	7	11	22	18	21	15	9	-	1	-
BLACK---MALE----	12	5	14	15	11	7	9	4	2	1	-	-
FEMALE--	1	4	6	10	16	13	20	14	9	-	1	-
NEVADA -----	182	233	358	525	738	782	730	538	306	87	26	2
WHITE-----MALE----	125	148	222	311	447	433	349	214	83	10	5	1
FEMALE--	32	46	94	160	253	311	353	305	210	73	21	1
ALL OTHER--MALE----	14	26	30	39	27	20	14	11	2	1	-	-
FEMALE--	11	13	12	15	11	18	14	8	11	3	-	-
BLACK---MALE----	13	18	27	27	19	16	8	5	1	1	-	-
FEMALE--	7	9	8	10	9	15	9	7	9	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,447
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
VII. DISEASES OF THE CIRCULATORY SYSTEM (390-459)												
OHIO -----	44,847	35	12	6	7	20	30	62	119	270	448	773
WHITE-----MALE----	18,782	17	2	6	2	8	8	22	59	149	268	443
FEMALE--	21,650	11	7	-	3	5	9	22	27	65	87	173
ALL OTHER--MALE----	2,119	5	2	-	1	4	9	12	17	32	61	103
FEMALE--	2,296	2	1	-	1	3	4	6	16	24	32	54
BLACK---MALE----	2,076	4	2	-	1	4	8	12	16	32	58	102
FEMALE--	2,247	2	1	-	1	3	4	6	16	24	32	53
OKLAHOMA -----	14,485	22	4	5	5	12	8	12	49	91	150	245
WHITE-----MALE----	6,270	9	3	1	-	6	3	10	23	50	89	142
FEMALE--	6,912	8	1	2	3	4	2	2	17	25	32	54
ALL OTHER--MALE----	625	4	-	1	2	2	3	-	4	7	17	30
FEMALE--	678	1	-	1	-	-	-	-	5	9	12	19
BLACK---MALE----	396	4	-	1	1	2	2	-	2	6	10	18
FEMALE--	444	1	-	1	-	-	-	-	3	6	9	16
OREGON -----	10,842	6	1	-	1	5	7	6	24	40	108	168
WHITE-----MALE----	5,160	2	-	-	-	4	4	1	11	27	67	126
FEMALE--	5,411	3	1	-	1	1	3	2	11	8	29	34
ALL OTHER--MALE----	131	-	-	-	-	-	-	3	1	4	8	4
FEMALE--	140	1	-	-	-	-	-	-	1	1	4	4
BLACK---MALE----	55	-	-	-	-	-	-	1	-	1	5	3
FEMALE--	66	1	-	-	-	-	-	-	-	1	4	2
PENNSYLVANIA -----	55,000	25	13	9	15	18	25	46	123	284	521	833
WHITE-----MALE----	23,400	10	6	2	7	9	8	25	52	159	308	512
FEMALE--	27,267	10	3	6	5	3	6	15	36	71	99	164
ALL OTHER--MALE----	2,093	3	1	-	3	5	8	4	24	39	67	99
FEMALE--	2,240	2	3	1	-	1	3	2	11	15	47	58
BLACK---MALE----	2,029	3	1	-	3	5	8	4	23	38	67	95
FEMALE--	2,169	2	2	1	-	1	3	2	11	15	44	54
RHODE ISLAND -----	4,174	3	2	-	-	2	3	6	5	17	27	48
WHITE-----MALE----	1,816	1	1	-	-	1	2	4	3	14	13	35
FEMALE--	2,240	1	-	-	-	1	1	2	2	2	8	11
ALL OTHER--MALE----	59	-	1	-	-	-	-	-	-	1	3	2
FEMALE--	59	1	-	-	-	-	-	-	-	-	3	-
BLACK---MALE----	46	-	1	-	-	-	-	-	-	1	3	1
FEMALE--	43	1	-	-	-	-	-	-	-	-	2	-
SOUTH CAROLINA -----	13,878	21	8	2	5	10	20	36	60	126	225	352
WHITE-----MALE----	4,988	8	2	2	-	3	5	10	26	37	86	151
FEMALE--	4,900	4	-	-	-	1	3	7	8	23	23	37
ALL OTHER--MALE----	1,848	5	2	-	2	4	6	8	14	40	76	116
FEMALE--	2,142	4	4	-	3	2	6	11	12	26	40	48
BLACK---MALE----	1,836	5	2	-	2	4	6	8	14	40	76	115
FEMALE--	2,131	4	4	-	3	2	6	11	12	26	40	48

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,447
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
VII. DISEASES OF THE CIRCULATORY SYSTEM (390-459)												
OHIO -----	1,152	1,534	2,476	3,864	5,442	6,734	7,643	7,099	4,689	1,933	498	1
WHITE-----MALE----	651	849	1,383	2,029	2,768	3,250	3,074	2,270	1,089	371	63	1
FEMALE--	293	411	709	1,303	2,046	2,917	4,026	4,375	3,332	1,436	393	-
ALL OTHER--MALE----	133	157	214	293	311	277	232	165	62	26	3	-
FEMALE--	75	117	170	239	317	290	311	289	206	100	39	-
BLACK---MALE----	131	156	205	289	304	270	228	163	62	26	3	-
FEMALE--	75	114	167	234	309	281	303	282	203	98	39	-
OKLAHOMA -----	403	542	791	1,101	1,591	1,967	2,470	2,508	1,632	692	178	7
WHITE-----MALE----	255	312	453	636	863	932	1,045	825	437	137	33	6
FEMALE--	87	155	246	336	571	889	1,242	1,520	1,090	494	131	1
ALL OTHER--MALE----	44	42	53	68	89	77	73	58	30	17	4	-
FEMALE--	17	33	39	61	68	69	110	105	75	44	10	-
BLACK---MALE----	31	27	26	45	58	44	46	41	20	10	2	-
FEMALE--	9	18	20	37	45	43	72	73	54	30	7	-
OREGON -----	228	310	469	762	1,236	1,693	1,986	1,901	1,253	502	136	-
WHITE-----MALE----	156	204	313	463	737	894	957	710	353	98	33	-
FEMALE--	57	93	130	265	455	773	990	1,171	882	399	103	-
ALL OTHER--MALE----	8	9	10	17	19	16	15	9	8	-	-	-
FEMALE--	7	4	16	17	25	10	24	11	10	5	-	-
BLACK---MALE----	2	6	5	8	8	8	4	2	2	-	-	-
FEMALE--	4	1	6	8	12	4	10	7	4	2	-	-
PENNSYLVANIA -----	1,164	1,659	2,595	4,433	6,747	8,702	9,902	9,174	5,792	2,402	512	6
WHITE-----MALE----	706	971	1,463	2,496	3,556	4,167	4,043	3,042	1,381	406	70	1
FEMALE--	271	425	792	1,417	2,610	3,967	5,282	5,691	4,123	1,862	405	4
ALL OTHER--MALE----	123	166	200	306	300	265	213	152	78	31	6	-
FEMALE--	64	97	140	214	281	303	364	289	210	103	31	1
BLACK---MALE----	120	162	194	294	294	257	208	144	74	29	6	-
FEMALE--	61	93	139	208	274	292	349	280	206	100	31	1
RHODE ISLAND -----	76	96	184	317	481	601	792	696	529	230	59	-
WHITE-----MALE----	53	61	123	196	255	322	339	208	132	44	9	-
FEMALE--	18	26	49	104	210	267	435	477	391	186	49	-
ALL OTHER--MALE----	4	8	8	9	5	6	7	4	1	-	-	-
FEMALE--	1	1	4	8	11	6	11	7	5	-	1	-
BLACK---MALE----	3	6	4	9	5	5	6	2	-	-	-	-
FEMALE--	1	1	3	8	8	2	10	4	2	-	1	-
SOUTH CAROLINA -----	497	639	1,002	1,347	1,832	2,163	2,193	1,817	1,052	353	118	-
WHITE-----MALE----	224	294	474	608	814	828	710	451	196	47	12	-
FEMALE--	71	103	210	308	512	739	970	975	623	223	60	-
ALL OTHER--MALE----	132	142	164	207	232	298	192	119	60	19	10	-
FEMALE--	70	100	154	224	274	298	321	272	173	64	36	-
BLACK---MALE----	130	141	162	205	231	297	191	118	60	19	10	-
FEMALE--	69	98	152	222	273	298	319	271	173	64	36	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,448
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 VII. DISEASES OF THE CIRCULATORY SYSTEM (390-459)												
SOUTH DAKOTA -----	2,975	2	1	-	-	3	1	4	5	11	17	43
WHITE-----MALE----	1,390	1	1	-	-	2	-	1	2	7	10	32
FEMALE--	1,474	-	-	-	-	1	1	1	3	1	4	6
ALL OTHER--MALE----	63	-	-	-	-	-	-	1	-	3	2	5
FEMALE--	48	1	-	-	-	-	-	1	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	21,708	21	8	1	5	12	15	30	76	195	329	474
WHITE-----MALE----	8,702	9	3	-	-	8	6	7	32	107	159	236
FEMALE--	9,626	8	2	1	4	1	4	10	21	29	59	101
ALL OTHER--MALE----	1,606	3	3	-	1	-	4	10	12	34	68	90
FEMALE--	1,774	1	-	-	-	3	1	3	11	25	43	47
BLACK---MALE----	1,585	3	3	-	1	-	4	10	12	34	68	86
FEMALE--	1,760	1	-	-	-	3	1	3	11	25	43	46
TEXAS -----	55,047	97	37	17	16	51	85	88	219	463	739	1,224
WHITE-----MALE----	23,074	32	14	3	5	27	41	36	129	235	401	685
FEMALE--	24,845	41	15	6	6	10	22	25	38	121	146	227
ALL OTHER--MALE----	3,440	11	6	6	1	10	13	17	37	65	122	181
FEMALE--	3,688	13	2	2	4	4	9	10	15	42	70	131
BLACK---MALE----	3,271	11	5	6	1	9	13	17	34	63	119	169
FEMALE--	3,567	12	2	2	4	4	9	9	15	39	66	127
UTAH -----	3,911	11	2	1	-	4	8	6	23	31	50	56
WHITE-----MALE----	1,849	4	2	1	-	3	4	2	11	21	34	37
FEMALE--	1,979	6	-	-	-	1	3	3	9	7	15	15
ALL OTHER--MALE----	48	1	-	-	-	-	1	1	1	2	-	2
FEMALE--	35	-	-	-	-	-	-	-	2	1	1	2
BLACK---MALE----	12	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	1	1	1
VERMONT -----	2,098	2	-	-	-	-	2	2	6	14	20	26
WHITE-----MALE----	968	1	-	-	-	-	1	2	5	12	19	18
FEMALE--	1,123	1	-	-	-	-	1	-	-	2	1	8
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	21,020	18	13	3	7	8	21	40	82	147	267	484
WHITE-----MALE----	7,788	9	3	-	3	3	8	16	32	57	111	216
FEMALE--	8,713	6	3	2	1	3	6	9	17	26	49	79
ALL OTHER--MALE----	2,194	1	4	1	2	1	1	7	20	33	63	120
FEMALE--	2,325	2	3	-	1	1	6	8	13	31	44	69
BLACK---MALE----	2,120	1	4	1	1	1	1	6	19	32	62	115
FEMALE--	2,247	2	1	-	-	1	5	8	13	30	43	66

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,448
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 VII. DISEASES OF THE CIRCULATORY SYSTEM (390-459)												
SOUTH DAKOTA -----	62	89	130	189	293	410	513	502	427	222	51	-
WHITE-----MALE----	41	50	81	125	175	229	226	200	139	58	10	-
FEMALE--	12	24	43	48	105	168	275	292	287	162	41	-
ALL OTHER--MALE----	5	10	3	6	9	8	5	3	1	2	-	-
FEMALE--	4	5	3	10	4	5	7	7	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	696	864	1,253	1,847	2,613	3,116	3,617	3,433	2,143	771	188	1
WHITE-----MALE----	397	453	678	963	1,343	1,385	1,309	971	489	118	28	1
FEMALE--	158	204	338	559	870	1,278	1,827	2,065	1,402	558	127	-
ALL OTHER--MALE----	97	127	133	173	210	203	197	139	70	28	4	-
FEMALE--	44	80	104	152	190	250	284	258	182	67	29	-
BLACK---MALE----	97	126	131	169	208	198	195	138	70	28	4	-
FEMALE--	44	80	103	152	189	249	277	257	181	67	28	-
TEXAS -----	1,738	2,155	3,235	4,678	6,515	7,583	8,906	8,592	5,858	2,198	546	7
WHITE-----MALE----	1,016	1,216	1,722	2,509	3,360	3,555	3,532	2,697	1,389	386	81	3
FEMALE--	361	535	893	1,454	2,289	3,139	4,441	5,117	3,963	1,601	393	2
ALL OTHER--MALE----	246	237	356	401	453	416	377	278	151	43	13	-
FEMALE--	115	167	264	314	413	473	556	500	355	168	59	2
BLACK---MALE----	235	223	339	381	423	396	359	271	144	41	12	-
FEMALE--	111	160	252	300	397	457	544	488	344	164	59	2
UTAH -----	94	124	169	291	426	616	724	651	460	143	21	-
WHITE-----MALE----	57	81	112	170	221	316	329	274	134	32	4	-
FEMALE--	31	38	54	110	195	287	387	370	323	109	16	-
ALL OTHER--MALE----	1	4	2	8	5	10	5	4	1	-	-	-
FEMALE--	5	1	1	3	5	3	3	3	2	2	1	-
BLACK---MALE----	-	2	-	1	3	4	-	1	-	-	-	-
FEMALE--	-	-	1	-	1	2	1	1	1	-	-	-
VERMONT -----	59	54	108	137	207	295	382	349	293	118	24	-
WHITE-----MALE----	43	44	73	88	124	155	171	116	74	21	1	-
FEMALE--	15	10	35	46	83	139	211	233	218	97	23	-
ALL OTHER--MALE----	1	-	-	3	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	3	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
VIRGINIA -----	639	863	1,213	1,869	2,663	3,098	3,448	3,145	2,000	803	181	8
WHITE-----MALE----	336	429	601	897	1,136	1,299	1,182	881	418	128	22	1
FEMALE--	114	170	281	471	858	1,186	1,638	1,807	1,300	563	122	2
ALL OTHER--MALE----	115	173	209	285	353	283	251	157	83	22	8	2
FEMALE--	74	91	122	216	316	330	377	300	199	90	29	3
BLACK---MALE----	110	168	202	272	338	277	241	156	81	22	8	2
FEMALE--	73	89	117	208	301	316	367	288	197	90	29	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,449
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 VII. DISEASES OF THE CIRCULATORY SYSTEM (390-459)												
WASHINGTON -----	343	481	740	1,115	1,682	2,386	2,805	2,669	1,877	797	199	4
WHITE-----MALE----	232	299	468	650	951	1,254	1,285	969	484	161	31	2
FEMALE--	77	140	213	383	632	1,017	1,419	1,621	1,356	622	165	1
ALL OTHER--MALE----	23	27	32	51	56	63	53	40	15	2	-	1
FEMALE--	11	15	27	31	43	52	48	39	22	12	3	-
BLACK---MALE----	16	10	13	22	21	26	21	13	7	1	-	-
FEMALE--	7	6	13	13	19	17	21	15	8	6	1	-
WEST VIRGINIA -----	214	298	487	770	1,137	1,376	1,501	1,329	834	348	67	-
WHITE-----MALE----	137	182	307	434	612	673	645	458	232	80	13	-
FEMALE--	67	97	168	313	484	658	815	835	583	256	52	-
ALL OTHER--MALE----	7	12	6	14	21	21	15	16	10	-	-	-
FEMALE--	3	7	6	9	20	24	26	20	9	12	2	-
BLACK---MALE----	7	12	6	14	21	21	15	16	10	-	-	-
FEMALE--	3	7	5	9	20	23	24	20	9	12	2	-
WISCONSIN -----	344	537	838	1,423	2,021	2,747	3,500	3,448	2,421	1,042	267	-
WHITE-----MALE----	225	355	521	898	1,228	1,473	1,575	1,275	684	205	29	-
FEMALE--	78	132	259	437	718	1,205	1,851	2,133	1,699	824	232	-
ALL OTHER--MALE----	24	30	33	52	43	39	27	14	11	4	2	-
FEMALE--	17	20	25	36	32	30	47	26	27	9	4	-
BLACK---MALE----	21	28	20	41	30	30	22	11	10	4	1	-
FEMALE--	13	18	18	27	22	24	36	19	24	7	4	-
WYOMING -----	36	53	62	118	141	203	225	203	149	60	18	-
WHITE-----MALE----	25	37	38	81	90	104	110	71	37	19	1	-
FEMALE--	9	15	20	34	48	92	114	132	111	41	17	-
ALL OTHER--MALE----	1	1	2	3	2	4	1	-	-	-	-	-
FEMALE--	1	-	2	-	1	3	-	-	1	-	-	-
BLACK---MALE----	1	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,450

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398)												
UNITED STATES --	178	252	338	493	745	857	825	613	263	80	16	1
WHITE-----MALE----	49	81	105	138	213	221	228	148	48	11	3	-
FEMALE--	83	126	184	308	481	593	567	448	210	64	11	1
ALL OTHER--MALE----	15	18	13	10	16	12	3	5	3	1	-	-
FEMALE--	31	27	36	37	35	31	27	12	2	4	2	-
BLACK---MALE----	13	14	11	9	11	5	3	3	-	1	-	-
FEMALE--	24	17	25	26	24	28	20	8	1	1	1	-
ALABAMA -----	-	1	5	8	9	14	6	8	4	1	-	-
WHITE-----MALE----	-	-	2	1	3	5	2	2	1	-	-	-
FEMALE--	-	1	2	4	4	8	4	5	3	1	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	1	-	-	-	-
FEMALE--	-	-	1	2	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	-	1	-	-	-	-
FEMALE--	-	-	1	2	1	1	-	-	-	-	-	-
ALASKA -----	1	2	2	-	-	2	1	1	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	1	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	4	3	5	6	12	9	17	13	5	-	1	-
WHITE-----MALE----	-	1	3	-	7	1	3	2	1	-	-	-
FEMALE--	4	2	2	5	4	8	14	11	4	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	2	2	4	5	8	4	3	1	-	1	-
WHITE-----MALE----	1	-	-	2	-	3	1	-	1	-	-	-
FEMALE--	-	2	2	1	5	4	3	3	-	-	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
CALIFORNIA -----	18	28	36	45	76	100	80	70	31	14	4	1
WHITE-----MALE----	5	7	11	8	24	21	19	15	8	2	1	-
FEMALE--	8	12	15	32	42	74	55	51	22	11	2	1
ALL OTHER--MALE----	2	1	3	1	2	3	1	2	-	-	-	-
FEMALE--	3	8	7	4	8	2	5	2	1	1	1	-
BLACK---MALE----	1	-	2	-	-	-	1	1	-	-	-	-
FEMALE--	1	2	4	1	2	1	2	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,451
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398)												
COLORADO -----	93	-	-	-	-	-	-	3	-	1	-	2
WHITE-----MALE----	23	-	-	-	-	-	-	1	-	-	-	2
FEMALE--	69	-	-	-	-	-	-	2	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	93	-	-	-	-	-	-	-	1	4	8	5
WHITE-----MALE----	23	-	-	-	-	-	-	-	1	-	2	2
FEMALE--	65	-	-	-	-	-	-	-	-	3	5	3
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	1	-
DELAWARE -----	7	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	12	-	-	-	-	-	-	-	2	-	1	1
WHITE-----MALE----	4	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	313	-	1	-	-	-	1	5	1	5	10	6
WHITE-----MALE----	94	-	-	-	-	-	1	1	-	-	3	1
FEMALE--	198	-	-	-	-	-	-	2	-	3	6	5
ALL OTHER--MALE----	3	-	1	-	-	-	-	1	-	1	-	-
FEMALE--	18	-	-	-	-	-	-	1	1	1	1	-
BLACK---MALE----	3	-	1	-	-	-	-	1	-	1	-	-
FEMALE--	15	-	-	-	-	-	-	1	1	-	1	-
GEORGIA -----	97	-	1	-	-	2	-	-	4	4	1	2
WHITE-----MALE----	21	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	58	-	-	-	-	-	-	-	-	2	1	1
ALL OTHER--MALE----	7	-	1	-	-	-	-	-	3	-	-	1
FEMALE--	11	-	-	-	-	1	-	-	1	1	-	-
BLACK---MALE----	6	-	1	-	-	-	-	-	3	-	-	-
FEMALE--	11	-	-	-	-	1	-	-	1	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,451
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398)												
COLORADO -----	1	5	11	9	9	19	19	8	6	-	-	-
WHITE-----MALE----	-	1	3	3	1	5	2	3	2	-	-	-
FEMALE--	-	4	8	6	8	14	17	5	4	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	1	5	5	7	18	16	17	3	1	1	-
WHITE-----MALE----	-	-	-	3	3	5	5	2	-	-	-	-
FEMALE--	1	1	5	1	4	12	11	15	3	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	1	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	1	-
DELAWARE -----	-	-	-	3	2	1	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	2	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	2	1	1	1	2	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	1	1	-	-	-	-	-	-
FLORIDA -----	8	11	13	25	52	55	53	45	17	4	1	-
WHITE-----MALE----	3	2	6	10	17	15	17	15	2	1	-	-
FEMALE--	4	5	7	13	33	39	34	28	15	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	4	-	2	2	1	2	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	3	-	1	2	1	2	2	-	-	-	-
GEORGIA -----	7	8	9	9	16	18	7	4	4	1	-	-
WHITE-----MALE----	1	2	3	4	2	4	1	-	1	1	-	-
FEMALE--	3	6	5	3	12	12	6	4	3	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	2	2	2	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	2	2	2	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,453
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398)												
KENTUCKY -----	66	-	-	-	-	-	-	-	1	1	1	3
WHITE-----MALE----	18	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	44	-	-	-	-	-	-	-	1	1	-	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	47	-	-	-	-	-	-	1	-	2	2	2
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	28	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	2	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	1	1	-
MAINE -----	25	-	-	-	-	1	-	-	-	-	-	2
WHITE-----MALE----	7	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	89	-	-	-	-	-	-	-	3	4	2	-
WHITE-----MALE----	19	-	-	-	-	-	-	-	1	2	1	-
FEMALE--	56	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	8	-	-	-	-	-	-	-	-	2	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	7	-	-	-	-	-	-	-	-	2	-	-
MASSACHUSETTS -----	133	-	-	-	-	-	-	2	-	-	3	1
WHITE-----MALE----	33	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	98	-	-	-	-	-	-	2	-	-	2	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
MICHIGAN -----	166	-	-	-	-	1	1	-	3	4	7	8
WHITE-----MALE----	39	-	-	-	-	-	-	-	1	1	2	1
FEMALE--	107	-	-	-	-	1	-	-	-	2	2	4
ALL OTHER--MALE----	7	-	-	-	-	-	1	-	-	1	2	1
FEMALE--	13	-	-	-	-	-	-	-	2	-	1	2
BLACK---MALE----	6	-	-	-	-	-	1	-	-	1	2	1
FEMALE--	13	-	-	-	-	-	-	-	2	-	1	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,453
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398)												
KENTUCKY -----	1	4	4	7	15	12	9	5	3	-	-	-
WHITE-----MALE----	-	2	1	-	6	1	5	1	-	-	-	-
FEMALE--	1	1	3	5	8	11	4	4	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	2	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	2	-	-	-	-	-	-	-	-
LOUISIANA -----	2	1	5	5	6	8	8	4	-	1	-	-
WHITE-----MALE----	-	-	2	2	1	1	2	-	-	-	-	-
FEMALE--	1	1	2	1	4	6	5	4	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	2	1	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	2	1	1	-	-	-	-	-	-
MAINE -----	-	2	1	1	3	2	5	4	2	2	-	-
WHITE-----MALE----	-	1	-	1	3	-	-	-	1	-	-	-
FEMALE--	-	1	1	-	-	2	5	4	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	3	4	10	10	17	14	14	7	-	-	-
WHITE-----MALE----	-	-	-	2	3	1	3	4	2	-	-	-
FEMALE--	-	1	4	7	6	13	9	10	5	-	-	-
ALL OTHER--MALE----	1	2	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	2	2	-	-	-	-	-
BLACK---MALE----	1	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	2	1	-	-	-	-	-
MASSACHUSETTS -----	1	8	6	17	13	21	23	25	9	3	1	-
WHITE-----MALE----	-	5	1	3	2	7	6	6	2	-	-	-
FEMALE--	1	3	5	13	11	14	17	19	7	3	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	7	7	11	19	25	24	25	15	7	2	-	-
WHITE-----MALE----	2	4	1	5	7	4	7	2	2	-	-	-
FEMALE--	3	2	8	12	18	18	18	12	5	2	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	2	2	-	2	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	2	2	-	2	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,456
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398)												
OHIO -----	252	-	-	-	-	-	-	2	1	3	2	6
WHITE-----MALE----	73	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	165	-	-	-	-	-	2	1	2	-	-	3
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	2
OKLAHOMA -----	41	-	1	-	-	-	-	-	1	2	-	2
WHITE-----MALE----	12	-	1	-	-	-	-	-	-	1	-	-
FEMALE--	23	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
OREGON -----	96	-	-	-	-	-	1	-	2	-	1	3
WHITE-----MALE----	30	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	63	-	-	-	-	-	1	-	1	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
PENNSYLVANIA -----	380	1	-	-	-	1	-	-	4	6	12	11
WHITE-----MALE----	93	1	-	-	-	1	-	-	2	2	1	3
FEMALE--	261	-	-	-	-	-	-	-	2	3	9	5
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	18	-	-	-	-	-	-	-	-	1	1	2
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	17	-	-	-	-	-	-	-	-	1	1	2
RHODE ISLAND -----	23	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	58	1	-	-	1	1	2	1	1	-	3	-
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	30	1	-	-	-	-	1	1	-	-	1	-
ALL OTHER--MALE----	6	-	-	-	-	-	1	-	-	-	1	-
FEMALE--	9	-	-	-	1	1	-	-	1	-	1	-
BLACK---MALE----	6	-	-	-	-	-	1	-	-	-	1	-
FEMALE--	9	-	-	-	1	1	-	-	1	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,456
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398)												
OHIO -----	12	12	19	31	40	32	43	28	18	3	-	-
WHITE-----MALE----	3	4	6	8	14	8	17	8	1	-	-	-
FEMALE--	8	8	12	19	25	23	23	19	17	3	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	1	4	-	1	3	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	1	4	-	1	3	1	-	-	-	-
OKLAHOMA -----	4	-	3	5	6	6	3	3	3	2	-	-
WHITE-----MALE----	2	-	1	1	2	1	1	1	1	-	-	-
FEMALE--	1	-	2	3	4	5	1	2	2	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
OREGON -----	2	4	4	9	13	16	15	16	7	3	-	-
WHITE-----MALE----	-	1	-	3	4	7	4	7	1	-	-	-
FEMALE--	1	3	3	6	9	9	11	9	6	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	15	17	25	30	60	71	73	36	13	5	-	-
WHITE-----MALE----	4	7	6	7	16	19	17	7	-	-	-	-
FEMALE--	9	6	16	20	40	50	55	28	13	5	-	-
ALL OTHER--MALE----	-	1	2	-	2	1	-	-	-	-	-	-
FEMALE--	2	3	1	3	2	1	1	1	-	-	-	-
BLACK---MALE----	-	1	2	-	2	1	-	-	-	-	-	-
FEMALE--	2	3	1	3	2	1	1	-	-	-	-	-
RHODE ISLAND -----	-	1	3	2	2	6	4	2	1	-	-	-
WHITE-----MALE----	-	1	1	1	-	2	-	-	-	-	-	-
FEMALE--	-	-	2	1	2	4	4	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	2	6	4	7	2	13	6	6	1	-	1	-
WHITE-----MALE----	1	2	1	3	-	1	2	3	-	-	-	-
FEMALE--	1	2	1	4	2	8	3	3	1	-	1	-
ALL OTHER--MALE----	-	2	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	2	-	-	2	1	-	-	-	-	-
BLACK---MALE----	-	2	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	2	-	-	2	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,457
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398)												
SOUTH DAKOTA -----	20	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	87	-	-	-	-	-	-	-	-	2	4	4
WHITE-----MALE----	22	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	55	-	-	-	-	-	-	-	-	1	1	2
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
TEXAS -----	217	-	-	-	-	-	2	4	4	4	7	12
WHITE-----MALE----	80	-	-	-	-	-	1	-	2	-	5	2
FEMALE--	111	-	-	-	-	-	1	2	1	2	1	8
ALL OTHER--MALE----	10	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	16	-	-	-	-	-	-	1	1	1	1	2
BLACK---MALE----	8	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	14	-	-	-	-	-	-	1	1	1	1	2
UTAH -----	67	1	-	-	-	1	-	-	-	2	4	1
WHITE-----MALE----	21	-	-	-	-	-	-	-	-	2	2	-
FEMALE--	45	1	-	-	-	1	-	-	-	-	2	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	11	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	92	-	1	-	-	-	-	-	-	2	3	6
WHITE-----MALE----	26	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	57	-	-	-	-	-	-	-	-	-	3	4
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	1	-	-	-	-	-	-	2	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	2	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,457
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398)												
SOUTH DAKOTA -----	1	1	2	1	4	3	4	2	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	1	3	-	-	-	-	-
FEMALE--	-	1	2	-	4	2	1	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	7	6	5	10	15	9	14	6	2	2	1	-
WHITE-----MALE----	1	1	1	4	2	5	2	-	1	-	1	-
FEMALE--	3	4	3	6	12	4	10	6	1	2	-	-
ALL OTHER--MALE----	2	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	2	-	-	-	-	-
BLACK---MALE----	2	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	2	-	-	-	-	-
TEXAS -----	10	9	22	14	30	33	34	16	14	2	-	-
WHITE-----MALE----	3	4	11	4	10	15	9	9	4	1	-	-
FEMALE--	6	3	7	8	18	16	21	7	10	-	-	-
ALL OTHER--MALE----	-	2	1	1	2	-	1	-	-	1	-	-
FEMALE--	1	-	3	1	-	2	3	-	-	-	-	-
BLACK---MALE----	-	2	1	1	-	-	1	-	-	1	-	-
FEMALE--	1	-	3	-	-	2	2	-	-	-	-	-
UTAH -----	-	5	6	7	9	10	9	8	3	1	-	-
WHITE-----MALE----	-	3	1	2	1	4	3	3	-	-	-	-
FEMALE--	-	2	5	5	8	6	6	5	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	1	4	-	1	2	1	1	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	4	-	1	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	3	6	2	10	18	12	12	10	4	3	-	-
WHITE-----MALE----	1	4	1	4	5	4	4	3	-	-	-	-
FEMALE--	2	1	1	5	13	7	7	7	4	3	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,460
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACUTE RHEUMATIC FEVER (390-392)												
COLORADO -----	4	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	3	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	8	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	5	-	-	-	-	1	-	-	1	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,460
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACUTE RHEUMATIC FEVER (390-392)												
COLORADO -----	-	-	-	-	1	1	-	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	1	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	1	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	-	-	-	1	2	2	-	2	-	-	-	-
WHITE-----MALE----	-	-	-	1	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	-	-	-	2	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,465
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACUTE RHEUMATIC FEVER (390-392)												
OHIO -----	4	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	10	1	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	4	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	3	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,468
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC RHEUMATIC HEART DISEASE (393-398)												
UNITED STATES --	173	242	327	476	722	834	809	597	255	79	16	1
WHITE-----MALE----	48	77	101	129	206	216	222	142	46	11	3	-
FEMALE--	82	124	180	302	466	578	559	438	204	63	11	1
ALL OTHER--MALE----	14	15	11	9	16	12	3	5	3	1	-	-
FEMALE--	29	26	35	36	34	28	25	12	2	4	2	-
BLACK---MALE----	12	11	9	8	11	5	3	3	-	1	-	-
FEMALE--	22	16	24	25	23	25	18	8	1	1	1	-
ALABAMA -----	-	1	5	8	9	14	6	8	4	1	-	-
WHITE-----MALE----	-	-	2	1	3	5	2	2	1	-	-	-
FEMALE--	-	1	2	4	4	8	4	5	3	1	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	1	-	-	-	-
FEMALE--	-	-	1	2	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	-	1	-	-	-	-
FEMALE--	-	-	1	2	1	1	-	-	-	-	-	-
ALASKA -----	1	2	2	-	-	2	1	1	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	1	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	4	3	5	6	12	9	17	12	5	-	1	-
WHITE-----MALE----	-	1	3	-	7	1	3	2	1	-	-	-
FEMALE--	4	2	2	5	4	8	14	10	4	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	2	2	4	5	8	3	3	1	-	1	-
WHITE-----MALE----	1	-	-	2	-	3	1	-	1	-	-	-
FEMALE--	-	2	2	1	5	4	2	3	-	-	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
CALIFORNIA -----	18	27	34	44	74	100	80	68	31	14	4	1
WHITE-----MALE----	5	6	10	8	24	21	19	14	8	2	1	-
FEMALE--	8	12	15	31	40	74	55	50	22	11	2	1
ALL OTHER--MALE----	2	1	3	1	2	3	1	2	-	-	-	-
FEMALE--	3	8	6	4	8	2	5	2	1	1	1	-
BLACK---MALE----	1	-	2	-	-	-	1	1	-	-	-	-
FEMALE--	1	2	3	1	2	1	2	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,469
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CHRONIC RHEUMATIC HEART DISEASE (393-398)												
COLORADO -----	89	-	-	-	-	-	-	3	-	1	-	2
WHITE-----MALE----	20	-	-	-	-	-	-	1	-	-	-	2
FEMALE--	68	-	-	-	-	-	-	2	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	92	-	-	-	-	-	-	-	1	4	7	5
WHITE-----MALE----	23	-	-	-	-	-	-	-	1	-	2	2
FEMALE--	64	-	-	-	-	-	-	-	-	3	4	3
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	1	-
DELAWARE -----	7	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	9	-	-	-	-	-	-	-	2	-	1	1
WHITE-----MALE----	4	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	305	-	1	-	-	-	1	4	1	5	10	6
WHITE-----MALE----	90	-	-	-	-	-	1	-	-	-	3	1
FEMALE--	194	-	-	-	-	-	-	2	-	3	6	5
ALL OTHER--MALE----	3	-	1	-	-	-	-	1	-	1	-	-
FEMALE--	18	-	-	-	-	-	-	1	1	1	1	-
BLACK---MALE----	3	-	1	-	-	-	-	1	-	1	-	-
FEMALE--	15	-	-	-	-	-	-	1	1	-	1	-
GEORGIA -----	92	-	1	-	-	1	-	-	3	4	1	2
WHITE-----MALE----	20	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	57	-	-	-	-	-	-	-	-	2	1	1
ALL OTHER--MALE----	6	-	1	-	-	-	-	-	2	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	5	-	1	-	-	-	-	-	2	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	1	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,469
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC RHEUMATIC HEART DISEASE (393-398)												
COLORADO -----	1	5	11	9	8	18	19	7	5	-	-	-
WHITE-----MALE----	-	1	3	3	1	4	2	2	1	-	-	-
FEMALE--	-	4	8	6	7	14	17	5	4	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	1	5	5	7	18	16	17	3	1	1	-
WHITE-----MALE----	-	-	-	3	3	5	5	2	-	-	-	-
FEMALE--	1	1	5	1	4	12	11	15	3	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	1	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	1	-
DELAWARE -----	-	-	-	3	2	1	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	2	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	-	1	-	2	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	-	-	-	-	-	-
FLORIDA -----	8	11	13	24	50	53	53	43	17	4	1	-
WHITE-----MALE----	3	2	6	9	16	15	17	14	2	1	-	-
FEMALE--	4	5	7	13	32	37	34	27	15	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	4	-	2	2	1	2	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	3	-	1	2	1	2	2	-	-	-	-
GEORGIA -----	7	8	9	7	16	17	7	4	4	1	-	-
WHITE-----MALE----	1	2	3	3	2	4	1	-	1	1	-	-
FEMALE--	3	6	5	2	12	12	6	4	3	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	2	2	1	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	2	2	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,471
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CHRONIC RHEUMATIC HEART DISEASE (393-398)												
KENTUCKY -----	60	-	-	-	-	-	-	-	1	1	1	3
WHITE-----MALE----	17	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	39	-	-	-	-	-	-	-	1	1	-	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	45	-	-	-	-	-	-	1	-	2	2	2
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	28	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	2	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	1	1	-
MAINE -----	25	-	-	-	-	1	-	-	-	-	-	2
WHITE-----MALE----	7	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	87	-	-	-	-	-	-	-	3	4	1	-
WHITE-----MALE----	17	-	-	-	-	-	-	-	1	2	-	-
FEMALE--	56	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	8	-	-	-	-	-	-	-	-	2	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	7	-	-	-	-	-	-	-	-	2	-	-
MASSACHUSETTS -----	129	-	-	-	-	-	-	2	-	-	3	1
WHITE-----MALE----	33	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	94	-	-	-	-	-	-	2	-	-	2	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
MICHIGAN -----	158	-	-	-	-	1	1	-	3	4	6	6
WHITE-----MALE----	39	-	-	-	-	-	-	-	1	1	2	1
FEMALE--	103	-	-	-	-	1	-	-	-	2	2	4
ALL OTHER--MALE----	5	-	-	-	-	-	1	-	-	1	1	-
FEMALE--	11	-	-	-	-	-	-	-	2	-	1	1
BLACK---MALE----	4	-	-	-	-	-	1	-	-	1	1	-
FEMALE--	11	-	-	-	-	-	-	-	2	-	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,471
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC RHEUMATIC HEART DISEASE (393-398)												
KENTUCKY -----	1	4	3	6	13	11	9	4	3	-	-	-
WHITE-----MALE----	-	2	1	-	5	1	5	1	-	-	-	-
FEMALE--	1	1	2	4	7	10	4	3	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	2	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	2	-	-	-	-	-	-	-	-
LOUISIANA -----	2	1	5	4	6	7	8	4	-	1	-	-
WHITE-----MALE----	-	-	2	1	1	1	2	-	-	-	-	-
FEMALE--	1	1	2	1	4	6	5	4	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	2	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	2	1	-	1	-	-	-	-	-
MAINE -----	-	2	1	1	3	2	5	4	2	2	-	-
WHITE-----MALE----	-	1	-	1	3	-	-	-	1	-	-	-
FEMALE--	-	1	1	-	-	2	5	4	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	3	4	10	10	17	13	14	7	-	-	-
WHITE-----MALE----	-	-	-	2	3	1	2	4	2	-	-	-
FEMALE--	-	1	4	7	6	13	9	10	5	-	-	-
ALL OTHER--MALE----	1	2	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	2	2	-	-	-	-	-
BLACK---MALE----	1	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	2	1	-	-	-	-	-
MASSACHUSETTS -----	1	8	6	15	13	21	23	24	8	3	1	-
WHITE-----MALE----	-	5	1	3	2	7	6	6	2	-	-	-
FEMALE--	1	3	5	11	11	14	17	18	6	3	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	6	7	11	18	24	24	23	15	7	2	-	-
WHITE-----MALE----	2	4	1	5	7	4	7	2	2	-	-	-
FEMALE--	3	2	8	11	17	18	16	12	5	2	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	2	-	2	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	2	-	2	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,474
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CHRONIC RHEUMATIC HEART DISEASE (393-398)												
OHIO -----	248	-	-	-	-	-	-	2	-	3	2	6
WHITE-----MALE----	73	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	161	-	-	-	-	-	2	-	-	2	-	3
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	2
OKLAHOMA -----	41	-	1	-	-	-	-	-	1	2	-	2
WHITE-----MALE----	12	-	1	-	-	-	-	-	-	1	-	-
FEMALE--	23	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
OREGON -----	94	-	-	-	-	-	1	-	2	-	1	3
WHITE-----MALE----	30	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	61	-	-	-	-	-	1	-	1	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
PENNSYLVANIA -----	370	-	-	-	-	1	-	-	4	5	12	11
WHITE-----MALE----	89	-	-	-	-	1	-	-	2	1	1	3
FEMALE--	258	-	-	-	-	-	-	-	2	3	9	5
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	16	-	-	-	-	-	-	-	-	1	1	2
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	15	-	-	-	-	-	-	-	-	1	1	2
RHODE ISLAND -----	22	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	55	1	-	-	-	1	2	1	1	-	3	-
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	30	1	-	-	-	-	1	1	-	-	1	-
ALL OTHER--MALE----	5	-	-	-	-	-	1	-	-	-	1	-
FEMALE--	8	-	-	-	-	1	-	-	1	-	1	-
BLACK---MALE----	5	-	-	-	-	-	1	-	-	-	1	-
FEMALE--	8	-	-	-	-	1	-	-	1	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,474
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC RHEUMATIC HEART DISEASE (393-398)												
OHIO -----	12	12	19	31	40	31	43	27	18	2	-	-
WHITE-----MALE----	3	4	6	8	14	8	17	8	1	-	-	-
FEMALE--	8	8	12	19	25	22	23	18	17	2	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	1	4	-	1	3	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	1	4	-	1	3	1	-	-	-	-
OKLAHOMA -----	4	-	3	5	6	6	3	3	3	2	-	-
WHITE-----MALE----	2	-	1	1	2	1	1	1	1	-	-	-
FEMALE--	1	-	2	3	4	5	1	2	2	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
OREGON -----	2	3	3	9	13	16	15	16	7	3	-	-
WHITE-----MALE----	-	1	-	3	4	7	4	7	1	-	-	-
FEMALE--	1	2	2	6	9	9	11	9	6	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	15	16	24	29	59	67	73	36	13	5	-	-
WHITE-----MALE----	4	7	6	6	16	18	17	7	-	-	-	-
FEMALE--	9	6	16	20	39	48	55	28	13	5	-	-
ALL OTHER--MALE----	-	1	1	-	2	1	-	-	-	-	-	-
FEMALE--	2	2	1	3	2	-	1	1	-	-	-	-
BLACK---MALE----	-	1	1	-	2	1	-	-	-	-	-	-
FEMALE--	2	2	1	3	2	-	1	-	-	-	-	-
RHODE ISLAND -----	-	1	3	2	2	5	4	2	1	-	-	-
WHITE-----MALE----	-	1	1	1	-	2	-	-	-	-	-	-
FEMALE--	-	-	2	1	2	3	4	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	2	4	4	7	2	13	6	6	1	-	1	-
WHITE-----MALE----	1	1	1	3	-	1	2	3	-	-	-	-
FEMALE--	1	2	1	4	2	8	3	3	1	-	1	-
ALL OTHER--MALE----	-	1	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	2	-	-	2	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	2	-	-	2	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,475
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CHRONIC RHEUMATIC HEART DISEASE (393-398)												
SOUTH DAKOTA -----	19	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	83	-	-	-	-	-	-	-	-	2	4	3
WHITE-----MALE----	22	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	52	-	-	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
TEXAS -----	203	-	-	-	-	-	2	3	4	3	7	10
WHITE-----MALE----	76	-	-	-	-	-	1	-	2	-	5	1
FEMALE--	103	-	-	-	-	-	1	1	1	1	1	8
ALL OTHER--MALE----	10	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	14	-	-	-	-	-	-	1	1	1	1	1
BLACK---MALE----	8	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	12	-	-	-	-	-	-	1	1	1	1	1
UTAH -----	66	1	-	-	-	1	-	-	-	2	4	1
WHITE-----MALE----	21	-	-	-	-	-	-	-	-	2	2	-
FEMALE--	44	1	-	-	-	1	-	-	-	-	2	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	10	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	90	-	1	-	-	-	-	-	-	2	3	5
WHITE-----MALE----	26	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	56	-	-	-	-	-	-	-	-	-	3	3
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	1	-	-	-	-	-	-	2	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	2	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,475
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CHRONIC RHEUMATIC HEART DISEASE (393-398)												
SOUTH DAKOTA -----	1	1	2	1	4	3	3	2	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	1	2	-	-	-	-	-
FEMALE--	-	1	2	-	4	2	1	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	7	6	4	10	14	9	13	6	2	2	1	-
WHITE-----MALE----	1	1	1	4	2	5	2	-	1	-	1	-
FEMALE--	3	4	2	6	11	4	10	6	1	2	-	-
ALL OTHER--MALE----	2	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	2	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	1	-	-	-	-	-
TEXAS -----	10	7	21	14	30	32	30	15	13	2	-	-
WHITE-----MALE----	3	3	10	4	10	15	9	8	4	1	-	-
FEMALE--	6	2	7	8	18	15	18	7	9	-	-	-
ALL OTHER--MALE----	-	2	1	1	2	-	1	-	-	1	-	-
FEMALE--	1	-	3	1	-	2	2	-	-	-	-	-
BLACK---MALE----	-	2	1	1	-	-	1	-	-	1	-	-
FEMALE--	1	-	3	-	-	2	1	-	-	-	-	-
UTAH -----	-	5	6	7	9	9	9	8	3	1	-	-
WHITE-----MALE----	-	3	1	2	1	4	3	3	-	-	-	-
FEMALE--	-	2	5	5	8	5	6	5	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	1	4	-	1	2	1	1	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	4	-	1	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	3	6	2	9	18	12	12	10	4	3	-	-
WHITE-----MALE----	1	4	1	4	5	4	4	3	-	-	-	-
FEMALE--	2	1	1	5	13	7	7	7	4	3	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,477
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 DISEASES OF MITRAL VALVE (394)												
UNITED STATES --	102	126	181	259	385	381	348	238	94	38	2	-
WHITE-----MALE----	23	38	50	69	107	102	92	55	18	7	-	-
FEMALE--	55	70	109	161	252	266	241	174	74	30	1	-
ALL OTHER--MALE----	4	3	6	5	9	5	1	1	1	-	-	-
FEMALE--	20	15	16	24	17	8	14	8	1	1	1	-
BLACK---MALE----	3	2	5	4	6	2	1	1	-	-	-	-
FEMALE--	16	8	10	17	9	8	9	4	-	-	-	-
ALABAMA -----	-	1	2	5	6	8	4	5	3	-	-	-
WHITE-----MALE----	-	-	-	-	1	2	1	1	-	-	-	-
FEMALE--	-	1	2	4	3	5	3	3	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	-	-	-	-	-
ALASKA -----	-	1	1	-	-	1	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2	2	1	3	6	2	5	6	-	-	-	-
WHITE-----MALE----	-	-	-	-	2	-	1	2	-	-	-	-
FEMALE--	2	2	1	2	3	2	4	4	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	2	2	4	4	1	3	3	-	-	-	-
WHITE-----MALE----	-	-	-	2	-	1	-	-	-	-	-	-
FEMALE--	-	2	2	1	4	-	2	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	9	15	19	22	43	47	46	32	14	7	1	-
WHITE-----MALE----	1	3	4	3	13	10	8	8	4	1	-	-
FEMALE--	6	6	7	16	24	36	34	22	9	6	-	-
ALL OTHER--MALE----	-	-	3	1	2	1	-	-	-	-	-	-
FEMALE--	2	6	5	2	4	-	4	2	1	-	1	-
BLACK---MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	3	-	1	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,478
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 DISEASES OF MITRAL VALVE (394)												
COLORADO -----	44	-	-	-	-	-	-	3	-	1	-	1
WHITE-----MALE----	12	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	32	-	-	-	-	-	-	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	54	-	-	-	-	-	-	-	1	4	6	4
WHITE-----MALE----	15	-	-	-	-	-	-	-	1	-	2	2
FEMALE--	37	-	-	-	-	-	-	-	-	3	3	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	1	-
DELAWARE -----	4	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	4	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	145	-	1	-	-	-	1	3	1	3	7	3
WHITE-----MALE----	39	-	-	-	-	-	1	-	-	-	2	-
FEMALE--	96	-	-	-	-	-	-	2	-	3	4	3
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	1	1	-	1	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	1	1	-	1	-
GEORGIA -----	51	-	-	-	-	-	-	-	2	3	1	2
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	31	-	-	-	-	-	-	-	-	2	1	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,480
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 DISEASES OF MITRAL VALVE (394)												
KENTUCKY -----	35	-	-	-	-	-	-	-	1	1	1	2
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	21	-	-	-	-	-	-	-	1	1	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	31	-	-	-	-	-	-	1	-	2	2	2
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	2	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	1	1	-
MAINE -----	10	-	-	-	-	1	-	-	-	-	-	2
WHITE-----MALE----	4	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	41	-	-	-	-	-	-	-	3	4	1	-
WHITE-----MALE----	10	-	-	-	-	-	-	-	1	2	-	-
FEMALE--	22	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	7	-	-	-	-	-	-	-	-	2	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	6	-	-	-	-	-	-	-	-	2	-	-
MASSACHUSETTS -----	59	-	-	-	-	-	-	2	-	-	1	1
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	44	-	-	-	-	-	-	2	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
MICHIGAN -----	84	-	-	-	-	1	-	-	2	3	3	4
WHITE-----MALE----	18	-	-	-	-	-	-	-	1	1	1	-
FEMALE--	57	-	-	-	-	1	-	-	-	1	1	3
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	7	-	-	-	-	-	-	-	1	-	1	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	7	-	-	-	-	-	-	-	1	-	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,480
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 DISEASES OF MITRAL VALVE (394)												
KENTUCKY -----	-	3	2	5	7	7	2	3	1	-	-	-
WHITE-----MALE----	-	1	1	-	3	-	2	1	-	-	-	-
FEMALE--	-	1	1	3	3	7	-	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	2	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	2	-	-	-	-	-	-	-	-
LOUISIANA -----	2	1	4	2	4	3	6	1	-	1	-	-
WHITE-----MALE----	-	-	2	1	1	1	2	-	-	-	-	-
FEMALE--	1	1	1	-	2	2	3	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	1	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	1	1	-	1	-	-	-	-	-
MAINE -----	-	1	-	-	2	1	1	1	-	1	-	-
WHITE-----MALE----	-	1	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	-	-	4	6	8	9	3	3	-	-	-
WHITE-----MALE----	-	-	-	1	1	1	2	1	1	-	-	-
FEMALE--	-	-	-	2	4	6	5	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	1	-	-	-	-	-
MASSACHUSETTS -----	1	4	2	7	10	9	7	8	5	2	-	-
WHITE-----MALE----	-	2	-	-	2	3	3	2	1	-	-	-
FEMALE--	1	2	2	6	8	6	4	6	4	2	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	4	3	7	12	11	8	10	9	5	2	-	-
WHITE-----MALE----	1	3	1	3	1	1	3	1	1	-	-	-
FEMALE--	2	-	5	7	10	7	7	7	4	2	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	2	-	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	2	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,483
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 DISEASES OF MITRAL VALVE (394)												
OHIO -----	117	-	-	-	-	-	-	2	-	3	1	3
WHITE-----MALE----	32	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	74	-	-	-	-	-	2	-	-	2	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	1
OKLAHOMA -----	23	-	1	-	-	-	-	-	-	2	-	1
WHITE-----MALE----	8	-	1	-	-	-	-	-	-	1	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
OREGON -----	46	-	-	-	-	-	1	-	1	-	1	2
WHITE-----MALE----	16	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	28	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
PENNSYLVANIA -----	193	-	-	-	-	1	-	-	4	4	9	8
WHITE-----MALE----	51	-	-	-	-	1	-	-	2	1	1	3
FEMALE--	131	-	-	-	-	-	-	-	2	2	8	4
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	-
RHODE ISLAND -----	8	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	24	1	-	-	-	1	1	1	1	-	1	-
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	1	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	1	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	1	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,493
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 DISEASES OF AORTIC VALVE (395)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	5	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	6	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	3	-	-	-	-	-	-	-	-	1	-	1
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,495
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 DISEASES OF MITRAL AND AORTIC VALVES (396)												
UNITED STATES --	26	32	36	58	105	172	170	143	60	22	10	1
WHITE-----MALE----	11	8	17	17	34	53	52	39	15	1	2	-
FEMALE--	9	18	13	36	62	108	110	100	43	19	7	1
ALL OTHER--MALE----	4	4	1	2	3	4	1	2	1	1	-	-
FEMALE--	2	2	5	3	6	7	7	2	1	1	1	-
BLACK---MALE----	3	4	1	2	2	2	1	1	-	1	-	-
FEMALE--	1	2	3	3	4	7	5	2	1	1	1	-
ALABAMA -----	-	-	-	2	1	5	2	3	-	1	-	-
WHITE-----MALE----	-	-	-	1	1	2	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	3	1	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	-	-	-	1	2	3	2	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	3	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	-	-	3	-	-	-	-	1	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
CALIFORNIA -----	7	5	6	9	15	31	18	13	9	5	3	1
WHITE-----MALE----	4	2	3	-	5	7	7	3	3	-	1	-
FEMALE--	1	3	2	8	8	22	10	9	6	4	2	1
ALL OTHER--MALE----	1	-	-	-	-	2	-	1	-	-	-	-
FEMALE--	1	-	1	1	2	-	1	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,496
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 DISEASES OF MITRAL AND AORTIC VALVES (396)												
COLORADO -----	6	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	14	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	58	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	23	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	32	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	10	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,496
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 DISEASES OF MITRAL AND AORTIC VALVES (396)												
COLORADO -----	-	-	1	1	-	2	1	1	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	1	-	6	2	3	-	1	1	-
WHITE-----MALE----	-	-	-	-	-	2	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	3	-	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	1	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	1	-
DELAWARE -----	-	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	1	1	1	3	12	10	12	14	3	-	-	-
WHITE-----MALE----	1	-	1	2	6	2	4	7	-	-	-	-
FEMALE--	-	-	-	-	6	8	7	7	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	1	-	-	-	-	-
GEORGIA -----	-	-	1	-	2	4	-	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	2	-	-	1	-	-	-
FEMALE--	-	-	1	-	1	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,501
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 DISEASES OF MITRAL AND AORTIC VALVES (396)												
OHIO -----	3	-	4	3	4	7	12	6	7	1	-	-
WHITE-----MALE----	-	-	2	1	2	2	7	1	1	-	-	-
FEMALE--	3	-	1	2	2	5	5	5	6	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	-	-	-	-	1	3	1	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
OREGON -----	-	1	-	1	3	5	1	2	1	1	-	-
WHITE-----MALE----	-	-	-	-	1	1	-	-	1	-	-	-
FEMALE--	-	1	-	1	2	4	1	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	2	1	2	3	12	13	15	9	2	2	-	-
WHITE-----MALE----	1	-	1	-	2	5	5	3	-	-	-	-
FEMALE--	1	1	-	3	9	8	10	6	2	2	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	2	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	-	-	1	1	3	1	2	-	-	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	1	2	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,502
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 DISEASES OF MITRAL AND AORTIC VALVES (396)												
SOUTH DAKOTA -----	-	1	-	-	1	-	-	1	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1	1	-	2	4	3	2	2	1	-	1	-
WHITE-----MALE----	-	-	-	2	1	1	-	-	-	-	1	-
FEMALE--	-	-	-	-	3	2	2	2	1	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	1	1	2	1	4	6	7	4	4	2	-	-
WHITE-----MALE----	1	1	1	1	2	3	3	2	1	1	-	-
FEMALE--	-	-	-	-	2	3	4	2	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
UTAH -----	-	-	-	2	-	1	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	1	3	-	-	-	1	1	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	3	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	1	-	-	2	3	3	3	1	-	-	-
WHITE-----MALE----	1	1	-	-	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	2	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,504
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER CHRONIC RHEUMATIC HEART DISEASE (393,397-398)												
UNITED STATES --	38	75	106	149	214	261	259	174	85	16	4	-
WHITE-----MALE----	12	24	32	41	58	51	70	39	10	3	1	-
FEMALE--	16	34	56	99	141	194	184	132	74	12	3	-
ALL OTHER--MALE----	5	8	4	2	4	3	1	1	1	-	-	-
FEMALE--	5	9	14	7	11	13	4	2	-	1	-	-
BLACK---MALE----	5	5	3	2	3	1	1	-	-	-	-	-
FEMALE--	4	6	11	3	10	10	4	2	-	-	-	-
ALABAMA -----	-	-	3	1	2	1	-	-	1	-	-	-
WHITE-----MALE----	-	-	2	-	1	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
ALASKA -----	1	1	1	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	1	4	2	4	5	7	1	4	-	1	-
WHITE-----MALE----	-	1	3	-	4	-	1	-	1	-	-	-
FEMALE--	1	-	1	2	-	5	6	1	3	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	-	-	-	-	4	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	3	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	1	6	8	13	13	21	9	15	6	2	-	-
WHITE-----MALE----	-	-	2	5	3	3	2	2	1	1	-	-
FEMALE--	-	3	6	7	8	16	6	13	5	1	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	2	-	1	2	2	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	2	-	-	1	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,505
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER CHRONIC RHEUMATIC HEART DISEASE (393,397-398)												
COLORADO -----	1	2	3	2	5	4	11	4	5	-	-	-
WHITE-----MALE----	-	1	-	1	1	-	1	-	1	-	-	-
FEMALE--	-	1	3	1	4	4	10	4	4	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	1	-	2	5	9	4	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	4	8	4	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	1	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	-	2	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
FLORIDA -----	-	3	3	8	11	20	21	11	6	-	1	-
WHITE-----MALE----	-	-	1	4	3	6	7	2	1	-	-	-
FEMALE--	-	3	2	4	7	13	13	7	5	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	2	-	-	-	-
GEORGIA -----	1	2	1	3	7	8	1	2	1	-	-	-
WHITE-----MALE----	-	-	-	1	2	-	-	-	-	-	-	-
FEMALE--	-	2	1	1	4	8	1	2	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,507
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER CHRONIC RHEUMATIC HEART DISEASE (393,397-398)												
KENTUCKY -----	14	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	5	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	6	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	31	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	24	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	51	-	-	-	-	-	-	-	-	-	2	-
WHITE-----MALE----	15	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	36	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	52	-	-	-	-	-	1	-	1	1	2	2
WHITE-----MALE----	16	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	29	-	-	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	3	-	-	-	-	-	1	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	2	-	-	-	-	-	1	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,507
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER CHRONIC RHEUMATIC HEART DISEASE (393,397-398)												
KENTUCKY -----	-	-	-	1	3	3	4	1	2	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	2	2	3	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	-	-	-	2	1	-	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	-	1	1	1	-	1	-	1	1	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	1	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	3	4	5	2	8	3	4	2	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	1	1	-	-	-
FEMALE--	-	1	4	4	2	6	3	3	1	-	-	-
ALL OTHER--MALE----	-	2	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
MASSACHUSETTS -----	-	4	4	8	3	10	9	11	-	-	-	-
WHITE-----MALE----	-	3	1	3	-	3	1	3	-	-	-	-
FEMALE--	-	1	3	5	3	7	8	8	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	2	3	2	4	11	11	8	3	1	-	-	-
WHITE-----MALE----	1	1	-	1	6	2	2	1	1	-	-	-
FEMALE--	1	1	1	3	5	7	6	2	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	2	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,510
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER CHRONIC RHEUMATIC HEART DISEASE (393,397-398)												
OHIO -----	3	5	2	9	13	8	12	11	5	-	-	-
WHITE-----MALE----	-	4	1	3	4	2	5	3	-	-	-	-
FEMALE--	3	1	1	6	9	6	7	8	5	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	1	-	1	-	1	1	1	2	2	-	-	-
WHITE-----MALE----	1	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	-	2	3	5	5	2	2	2	-	-
WHITE-----MALE----	-	-	-	-	1	2	1	1	-	-	-	-
FEMALE--	-	-	-	2	2	3	4	1	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1	6	10	10	15	18	21	11	7	2	-	-
WHITE-----MALE----	1	1	2	2	4	3	3	1	-	-	-	-
FEMALE--	-	3	7	7	10	15	18	10	7	2	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	1	1	-	-	-	-	-	-	-
RHODE ISLAND -----	-	1	1	2	2	2	1	1	-	-	-	-
WHITE-----MALE----	-	1	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	2	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	2	3	3	1	4	3	2	-	-	-	-
WHITE-----MALE----	1	-	1	1	-	-	1	2	-	-	-	-
FEMALE--	-	1	1	2	1	2	1	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,511
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER CHRONIC RHEUMATIC HEART DISEASE (393,397-398)												
SOUTH DAKOTA -----	5	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	20	-	-	-	-	-	-	-	-	1	-	1
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	60	-	-	-	-	-	-	1	1	-	2	6
WHITE-----MALE----	17	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	34	-	-	-	-	-	-	-	-	-	-	6
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	1	1	-	-	-
UTAH -----	35	-	-	-	-	-	-	-	-	1	3	-
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	22	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	19	-	-	-	-	-	-	-	-	1	1	1
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,511
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER CHRONIC RHEUMATIC HEART DISEASE (393,397-398)												
SOUTH DAKOTA -----	-	-	1	1	1	1	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1	-	1	2	2	4	5	2	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	2	2	-	-	-	-	-
FEMALE--	1	-	1	2	1	2	2	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
TEXAS -----	2	3	6	6	9	7	10	3	4	-	-	-
WHITE-----MALE----	-	1	2	1	2	3	4	1	1	-	-	-
FEMALE--	2	1	2	3	6	3	6	2	3	-	-	-
ALL OTHER--MALE----	-	1	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	1	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
UTAH -----	-	2	2	4	6	3	7	5	1	1	-	-
WHITE-----MALE----	-	2	-	1	1	1	3	2	-	-	-	-
FEMALE--	-	-	2	3	5	2	4	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	1	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	2	-	1	2	6	3	1	-	1	-	-
WHITE-----MALE----	-	1	-	1	1	2	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	4	2	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,513
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
HYPERTENSIVE DISEASE (401-404)												
UNITED STATES --	39,981	5	1	-	3	7	29	70	184	396	774	1,173
WHITE-----MALE----	11,771	1	1	-	1	4	4	26	60	132	271	441
FEMALE--	17,612	1	-	-	1	-	1	7	15	46	91	151
ALL OTHER--MALE----	4,889	2	-	-	1	2	18	23	66	129	250	363
FEMALE--	5,709	1	-	-	-	1	6	14	43	89	162	218
BLACK---MALE----	4,529	2	-	-	1	2	18	22	62	123	245	349
FEMALE--	5,355	1	-	-	-	1	6	14	40	86	157	211
ALABAMA -----	629	-	-	-	-	1	1	2	1	9	16	25
WHITE-----MALE----	108	-	-	-	-	-	-	-	-	1	4	7
FEMALE--	219	-	-	-	-	-	-	1	-	-	-	2
ALL OTHER--MALE----	136	-	-	-	-	-	1	1	-	5	6	12
FEMALE--	166	-	-	-	-	1	-	-	1	3	6	4
BLACK---MALE----	136	-	-	-	-	-	1	1	-	5	6	12
FEMALE--	165	-	-	-	-	1	-	-	1	3	6	4
ALASKA -----	17	-	-	-	-	-	-	-	-	-	1	2
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	311	-	-	-	-	-	1	-	-	2	3	9
WHITE-----MALE----	107	-	-	-	-	-	-	-	-	1	-	6
FEMALE--	187	-	-	-	-	-	-	-	-	1	3	2
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	10	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	1	-	-	-	-	-
ARKANSAS -----	313	-	-	-	-	-	-	-	3	3	12	14
WHITE-----MALE----	86	-	-	-	-	-	-	-	-	2	2	7
FEMALE--	120	-	-	-	-	-	-	-	1	1	2	-
ALL OTHER--MALE----	47	-	-	-	-	-	-	-	1	-	6	4
FEMALE--	60	-	-	-	-	-	-	-	1	-	2	3
BLACK---MALE----	47	-	-	-	-	-	-	-	1	-	6	4
FEMALE--	60	-	-	-	-	-	-	-	1	-	2	3
CALIFORNIA -----	4,714	-	-	-	-	1	3	6	27	46	94	131
WHITE-----MALE----	1,522	-	-	-	-	1	1	3	12	13	45	52
FEMALE--	2,130	-	-	-	-	-	1	1	2	10	11	27
ALL OTHER--MALE----	499	-	-	-	-	-	1	1	6	13	27	30
FEMALE--	563	-	-	-	-	-	-	1	7	10	11	22
BLACK---MALE----	337	-	-	-	-	-	1	1	4	12	25	25
FEMALE--	389	-	-	-	-	-	-	1	6	9	9	21

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,513
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HYPERTENSIVE DISEASE (401-404)												
UNITED STATES --	1,431	1,673	2,416	3,321	4,423	5,336	6,352	6,260	4,196	1,585	340	6
WHITE-----MALE----	513	631	897	1,226	1,583	1,735	1,809	1,465	730	206	34	1
FEMALE--	218	301	515	975	1,580	2,341	3,274	3,810	2,893	1,150	241	1
ALL OTHER--MALE----	420	422	553	556	587	533	439	315	161	43	4	2
FEMALE--	280	319	451	564	673	727	830	670	412	186	61	2
BLACK---MALE----	401	397	512	525	542	492	391	265	138	37	3	2
FEMALE--	276	306	427	536	630	677	759	624	375	171	56	2
ALABAMA -----	15	25	41	47	60	91	101	98	64	25	7	-
WHITE-----MALE----	4	6	7	14	6	20	14	16	4	5	-	-
FEMALE--	2	3	9	11	21	27	47	43	38	13	2	-
ALL OTHER--MALE----	5	13	13	7	20	17	13	12	9	2	-	-
FEMALE--	4	3	12	15	13	27	27	27	13	5	5	-
BLACK---MALE----	5	13	13	7	20	17	13	12	9	2	-	-
FEMALE--	4	3	12	15	13	27	27	26	13	5	5	-
ALASKA -----	-	2	-	3	3	-	4	1	1	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	2	2	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ARIZONA -----	5	8	9	27	27	42	59	66	37	14	2	-
WHITE-----MALE----	2	2	7	13	12	11	24	17	9	2	1	-
FEMALE--	3	6	2	12	11	29	33	45	27	12	1	-
ALL OTHER--MALE----	-	-	-	1	2	-	-	3	-	-	-	-
FEMALE--	-	-	-	1	2	2	2	1	1	-	-	-
BLACK---MALE----	-	-	-	-	2	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	2	1	1	1	1	-	-	-
ARKANSAS -----	10	12	24	24	30	47	44	46	29	14	1	-
WHITE-----MALE----	4	6	10	12	10	12	12	5	2	2	-	-
FEMALE--	1	1	4	8	11	18	24	25	17	7	-	-
ALL OTHER--MALE----	5	4	5	2	6	3	3	6	1	1	-	-
FEMALE--	-	1	5	2	3	14	5	10	9	4	1	-
BLACK---MALE----	5	4	5	2	6	3	3	6	1	1	-	-
FEMALE--	-	1	5	2	3	14	5	10	9	4	1	-
CALIFORNIA -----	140	186	217	398	527	640	779	748	509	212	49	1
WHITE-----MALE----	59	87	97	165	195	228	241	197	92	26	7	1
FEMALE--	30	35	47	117	193	268	398	435	359	164	32	-
ALL OTHER--MALE----	31	38	42	55	81	62	49	39	19	5	-	-
FEMALE--	20	26	31	61	58	82	91	77	39	17	10	-
BLACK---MALE----	24	26	23	44	56	41	26	15	12	2	-	-
FEMALE--	17	21	21	46	40	53	49	53	25	13	5	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,514
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
HYPERTENSIVE DISEASE (401-404)												
COLORADO -----	270	-	-	-	-	-	-	-	3	1	5	5
WHITE-----MALE----	94	-	-	-	-	-	-	-	1	-	2	2
FEMALE--	148	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	2	-	2	1
FEMALE--	14	-	-	-	-	-	-	-	-	1	-	2
BLACK---MALE----	13	-	-	-	-	-	-	-	2	-	2	1
FEMALE--	13	-	-	-	-	-	-	-	-	1	-	2
CONNECTICUT -----	408	-	-	-	-	-	1	-	2	2	9	14
WHITE-----MALE----	137	-	-	-	-	-	1	-	-	-	2	7
FEMALE--	198	-	-	-	-	-	-	-	-	-	2	2
ALL OTHER--MALE----	33	-	-	-	-	-	-	-	2	2	1	1
FEMALE--	40	-	-	-	-	-	-	-	-	-	4	4
BLACK---MALE----	30	-	-	-	-	-	-	-	2	2	1	1
FEMALE--	38	-	-	-	-	-	-	-	-	-	4	3
DELAWARE -----	131	-	-	-	-	-	-	-	1	3	5	5
WHITE-----MALE----	44	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	45	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	20	-	-	-	-	-	-	-	-	1	-	3
FEMALE--	22	-	-	-	-	-	-	-	1	2	2	2
BLACK---MALE----	19	-	-	-	-	-	-	-	-	1	-	3
FEMALE--	22	-	-	-	-	-	-	-	1	2	2	2
DISTRICT OF COLUMBIA ----	245	-	-	-	-	-	-	1	2	3	6	8
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	102	-	-	-	-	-	-	1	2	3	2	5
FEMALE--	117	-	-	-	-	-	-	-	-	-	4	2
BLACK---MALE----	102	-	-	-	-	-	-	1	2	3	2	5
FEMALE--	117	-	-	-	-	-	-	-	-	-	4	2
FLORIDA -----	3,032	1	-	-	-	1	1	4	10	26	50	85
WHITE-----MALE----	1,112	-	-	-	-	-	-	-	2	13	16	38
FEMALE--	1,257	-	-	-	-	-	-	-	-	3	4	10
ALL OTHER--MALE----	297	1	-	-	-	1	1	3	3	3	17	19
FEMALE--	366	-	-	-	-	-	-	1	5	7	13	18
BLACK---MALE----	292	1	-	-	-	1	1	3	3	2	17	19
FEMALE--	360	-	-	-	-	-	-	1	5	7	13	17
GEORGIA -----	1,191	-	-	-	-	-	-	5	7	19	29	52
WHITE-----MALE----	217	-	-	-	-	-	-	1	3	3	4	17
FEMALE--	384	-	-	-	-	-	-	-	1	1	4	4
ALL OTHER--MALE----	250	-	-	-	-	-	-	3	2	6	11	18
FEMALE--	340	-	-	-	-	-	-	1	1	9	10	13
BLACK---MALE----	249	-	-	-	-	-	-	3	2	6	11	18
FEMALE--	338	-	-	-	-	-	-	1	1	9	10	13

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,514
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HYPERTENSIVE DISEASE (401-404)												
COLORADO -----	5	11	8	25	33	37	37	46	40	13	1	-
WHITE-----MALE----	2	5	4	10	14	17	13	11	9	4	-	-
FEMALE--	2	4	3	11	14	17	24	32	30	9	1	-
ALL OTHER--MALE----	1	2	-	-	4	-	-	1	1	-	-	-
FEMALE--	-	-	1	4	1	3	-	2	-	-	-	-
BLACK---MALE----	1	2	-	-	4	-	-	1	-	-	-	-
FEMALE--	-	-	1	3	-	3	-	2	-	-	-	-
CONNECTICUT -----	15	15	22	27	54	51	66	72	42	12	4	-
WHITE-----MALE----	5	6	6	9	21	18	24	26	9	2	1	-
FEMALE--	1	5	7	11	26	26	35	40	31	9	3	-
ALL OTHER--MALE----	5	3	4	1	4	4	3	3	-	-	-	-
FEMALE--	4	1	5	6	3	3	4	3	2	1	-	-
BLACK---MALE----	5	2	4	1	4	4	2	2	-	-	-	-
FEMALE--	4	1	5	6	3	2	4	3	2	1	-	-
DELAWARE -----	6	10	10	13	18	15	14	20	9	2	-	-
WHITE-----MALE----	3	7	5	6	8	3	4	5	1	-	-	-
FEMALE--	-	2	1	4	6	5	7	9	8	2	-	-
ALL OTHER--MALE----	2	1	3	1	3	2	2	2	-	-	-	-
FEMALE--	1	-	1	2	1	5	1	4	-	-	-	-
BLACK---MALE----	2	1	3	1	2	2	2	2	-	-	-	-
FEMALE--	1	-	1	2	1	5	1	4	-	-	-	-
DISTRICT OF COLUMBIA ----	15	16	29	27	25	29	33	21	19	11	-	-
WHITE-----MALE----	-	-	-	2	-	2	1	-	2	-	-	-
FEMALE--	-	-	1	-	-	1	4	4	5	3	-	-
ALL OTHER--MALE----	10	9	15	16	9	10	6	9	4	1	-	-
FEMALE--	5	7	13	9	16	16	22	8	8	7	-	-
BLACK---MALE----	10	9	15	16	9	10	6	9	4	1	-	-
FEMALE--	5	7	13	9	16	16	22	8	8	7	-	-
FLORIDA -----	105	140	183	230	381	423	492	524	264	92	19	1
WHITE-----MALE----	52	69	81	93	164	142	182	173	65	20	2	-
FEMALE--	12	19	38	76	131	191	243	285	170	61	14	-
ALL OTHER--MALE----	23	24	36	35	41	42	22	17	5	4	-	-
FEMALE--	18	28	28	26	45	48	45	49	24	7	3	1
BLACK---MALE----	23	23	36	35	41	41	20	17	5	4	-	-
FEMALE--	18	27	28	26	45	47	44	49	22	7	3	1
GEORGIA -----	74	63	76	111	139	158	160	177	82	33	6	-
WHITE-----MALE----	9	10	20	21	33	33	21	29	11	1	1	-
FEMALE--	9	9	10	25	37	53	66	93	52	19	1	-
ALL OTHER--MALE----	32	17	24	33	24	29	24	20	4	1	2	-
FEMALE--	24	27	22	32	45	43	49	35	15	12	2	-
BLACK---MALE----	31	17	24	33	24	29	24	20	4	1	2	-
FEMALE--	24	27	22	32	45	43	49	33	15	12	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,515
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HYPERTENSIVE DISEASE (401-404)												
HAWAII -----	-	5	7	13	16	10	16	14	23	10	-	-
WHITE-----MALE----	-	-	-	4	1	1	1	2	2	-	-	-
FEMALE--	-	-	-	1	2	1	5	3	1	1	-	-
ALL OTHER--MALE----	-	4	4	5	5	4	5	8	9	2	-	-
FEMALE--	-	1	3	3	8	4	5	1	11	7	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
IDAHO -----	1	1	2	5	10	10	17	17	16	6	1	-
WHITE-----MALE----	-	1	1	3	5	6	9	6	1	-	-	-
FEMALE--	1	-	1	1	5	4	8	11	15	6	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	58	84	121	172	205	215	258	264	198	77	19	1
WHITE-----MALE----	17	25	35	39	65	59	61	65	34	8	1	-
FEMALE--	7	15	22	44	64	103	148	163	140	63	15	-
ALL OTHER--MALE----	23	29	35	44	34	21	11	13	5	3	-	1
FEMALE--	11	15	29	45	42	32	38	23	19	3	3	-
BLACK---MALE----	22	28	34	43	33	21	11	13	5	3	-	1
FEMALE--	11	15	29	45	39	32	37	23	19	3	3	-
INDIANA -----	12	20	37	51	70	123	139	119	93	30	5	-
WHITE-----MALE----	5	8	7	19	23	37	46	24	16	4	-	-
FEMALE--	1	3	17	18	36	66	77	82	74	23	5	-
ALL OTHER--MALE----	3	4	8	10	7	11	3	3	1	1	-	-
FEMALE--	3	5	5	4	4	9	13	10	2	2	-	-
BLACK---MALE----	3	4	8	10	7	11	3	3	1	1	-	-
FEMALE--	3	5	5	4	4	9	12	10	2	2	-	-
IOWA -----	8	17	15	31	31	57	70	87	81	32	9	-
WHITE-----MALE----	4	12	9	23	14	24	28	25	13	5	1	-
FEMALE--	3	3	5	7	16	32	42	59	68	25	8	-
ALL OTHER--MALE----	1	1	1	-	1	1	-	2	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	1	-	2	-	-
BLACK---MALE----	1	1	1	-	1	1	-	2	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	1	-	2	-	-
KANSAS -----	2	2	14	16	32	32	46	61	45	31	3	-
WHITE-----MALE----	1	2	7	8	10	13	19	17	10	5	1	-
FEMALE--	-	-	5	4	14	17	23	41	34	24	2	-
ALL OTHER--MALE----	1	-	2	1	3	1	3	2	1	1	-	-
FEMALE--	-	-	-	3	5	1	1	1	-	1	-	-
BLACK---MALE----	1	-	2	1	3	1	3	1	1	1	-	-
FEMALE--	-	-	-	3	3	1	1	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,516
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
HYPERTENSIVE DISEASE (401-404)												
KENTUCKY -----	417	-	-	-	-	-	-	1	4	7	8	13
WHITE-----MALE----	113	-	-	-	-	-	-	1	3	2	1	5
FEMALE--	238	-	-	-	-	-	-	-	1	2	2	5
ALL OTHER--MALE----	30	-	-	-	-	-	-	-	-	3	3	2
FEMALE--	36	-	-	-	-	-	-	-	-	-	2	1
BLACK---MALE----	30	-	-	-	-	-	-	-	-	3	3	2
FEMALE--	36	-	-	-	-	-	-	-	-	-	2	1
LOUISIANA -----	1,150	-	-	-	1	-	-	-	4	18	35	23
WHITE-----MALE----	229	-	-	-	-	-	-	-	-	5	7	7
FEMALE--	331	-	-	-	-	-	-	-	-	-	1	3
ALL OTHER--MALE----	252	-	-	-	1	-	-	-	2	8	16	8
FEMALE--	338	-	-	-	-	-	-	-	2	5	11	5
BLACK---MALE----	252	-	-	-	1	-	-	-	2	8	16	8
FEMALE--	337	-	-	-	-	-	-	-	2	5	11	5
MAINE -----	141	-	-	-	-	-	-	1	1	-	2	3
WHITE-----MALE----	47	-	-	-	-	-	-	1	1	-	2	2
FEMALE--	94	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1,046	-	-	-	-	-	1	2	5	12	25	48
WHITE-----MALE----	286	-	-	-	-	-	-	-	2	3	7	13
FEMALE--	401	-	-	-	-	-	-	-	-	1	4	3
ALL OTHER--MALE----	183	-	-	-	-	-	1	1	3	8	12	24
FEMALE--	176	-	-	-	-	-	-	1	-	-	2	8
BLACK---MALE----	180	-	-	-	-	-	1	1	3	7	12	24
FEMALE--	172	-	-	-	-	-	-	1	-	-	2	8
MASSACHUSETTS -----	595	-	-	-	-	-	1	2	1	5	7	12
WHITE-----MALE----	195	-	-	-	-	-	-	-	1	3	4	7
FEMALE--	350	-	-	-	-	-	-	-	-	1	2	2
ALL OTHER--MALE----	22	-	-	-	-	-	-	2	-	1	1	1
FEMALE--	28	-	-	-	-	-	1	-	-	-	-	2
BLACK---MALE----	19	-	-	-	-	-	-	2	-	1	-	1
FEMALE--	26	-	-	-	-	-	1	-	-	-	-	2
MICHIGAN -----	1,384	-	-	-	-	-	2	-	3	14	39	45
WHITE-----MALE----	397	-	-	-	-	-	-	-	2	3	14	14
FEMALE--	646	-	-	-	-	-	-	-	1	-	4	4
ALL OTHER--MALE----	180	-	-	-	-	-	2	-	-	4	15	17
FEMALE--	161	-	-	-	-	-	-	-	-	7	6	10
BLACK---MALE----	175	-	-	-	-	-	2	-	-	3	15	17
FEMALE--	159	-	-	-	-	-	-	-	-	7	6	9

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,516
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HYPERTENSIVE DISEASE (401-404)												
KENTUCKY -----	9	15	24	28	52	53	61	76	48	16	2	-
WHITE-----MALE----	7	5	12	13	11	14	19	11	7	2	-	-
FEMALE--	1	7	8	10	30	30	35	55	36	14	2	-
ALL OTHER--MALE----	-	2	-	3	4	4	2	4	3	-	-	-
FEMALE--	1	1	4	2	7	5	5	6	2	-	-	-
BLACK---MALE----	-	2	-	3	4	4	2	4	3	-	-	-
FEMALE--	1	1	4	2	7	5	5	6	2	-	-	-
LOUISIANA -----	55	47	83	89	135	154	187	160	107	40	12	-
WHITE-----MALE----	15	10	16	24	29	31	39	23	17	4	2	-
FEMALE--	3	7	13	10	30	50	63	74	53	20	4	-
ALL OTHER--MALE----	19	13	27	28	36	27	29	23	13	2	-	-
FEMALE--	18	17	27	27	40	46	56	40	24	14	6	-
BLACK---MALE----	19	13	27	28	36	27	29	23	13	2	-	-
FEMALE--	18	17	27	27	39	46	56	40	24	14	6	-
MAINE -----	3	1	7	11	10	19	24	24	17	12	6	-
WHITE-----MALE----	2	1	6	6	4	8	6	7	1	-	-	-
FEMALE--	1	-	1	5	6	11	18	17	16	12	6	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	52	62	78	92	119	121	136	148	96	38	10	1
WHITE-----MALE----	17	20	21	35	46	31	41	24	20	5	1	-
FEMALE--	5	11	21	23	39	54	64	88	58	24	6	-
ALL OTHER--MALE----	17	18	26	19	11	19	10	9	4	-	-	1
FEMALE--	13	13	10	15	23	17	21	27	14	9	3	-
BLACK---MALE----	17	18	26	19	11	19	9	8	4	-	-	1
FEMALE--	13	13	9	14	23	16	21	26	14	9	3	-
MASSACHUSETTS -----	13	19	26	38	70	79	105	95	72	41	9	-
WHITE-----MALE----	6	11	11	20	30	30	32	21	12	7	-	-
FEMALE--	4	6	7	13	33	44	69	70	58	33	8	-
ALL OTHER--MALE----	3	2	2	3	4	1	-	2	-	-	-	-
FEMALE--	-	-	6	2	3	4	4	2	2	1	1	-
BLACK---MALE----	2	2	2	2	4	1	-	2	-	-	-	-
FEMALE--	-	-	6	2	3	3	4	2	1	1	1	-
MICHIGAN -----	68	53	89	120	148	196	210	204	138	45	10	-
WHITE-----MALE----	18	17	27	45	58	66	58	45	26	2	2	-
FEMALE--	8	8	23	35	56	99	125	138	101	37	7	-
ALL OTHER--MALE----	24	21	24	18	18	15	8	8	3	2	1	-
FEMALE--	18	7	15	22	16	16	19	13	8	4	-	-
BLACK---MALE----	23	21	23	18	17	14	8	8	3	2	1	-
FEMALE--	18	7	15	22	16	16	18	13	8	4	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,517
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HYPERTENSIVE DISEASE (401-404)												
MINNESOTA -----	11	13	16	41	52	66	100	104	64	30	7	-
WHITE-----MALE----	7	8	11	21	26	26	33	27	11	3	-	-
FEMALE--	3	3	3	18	25	40	65	72	53	27	7	-
ALL OTHER--MALE----	1	-	-	2	1	-	2	2	-	-	-	-
FEMALE--	-	2	2	-	-	-	-	3	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	1	1	-	-	-	-
FEMALE--	-	1	2	-	-	-	-	1	-	-	-	-
MISSISSIPPI -----	32	28	52	57	78	79	114	112	70	32	3	-
WHITE-----MALE----	4	6	15	12	19	21	21	25	8	-	-	-
FEMALE--	1	3	5	12	15	15	39	44	36	20	1	-
ALL OTHER--MALE----	15	12	14	13	23	18	19	13	8	4	-	-
FEMALE--	12	7	18	20	21	25	35	30	18	8	2	-
BLACK---MALE----	14	12	14	13	23	18	19	13	8	4	-	-
FEMALE--	12	7	18	20	21	25	35	30	18	8	2	-
MISSOURI -----	43	18	51	80	79	103	135	139	97	33	5	-
WHITE-----MALE----	14	7	21	24	25	40	34	33	14	3	-	-
FEMALE--	11	3	10	27	29	48	83	86	74	25	5	-
ALL OTHER--MALE----	10	4	11	15	13	5	5	5	3	-	-	-
FEMALE--	8	4	9	14	12	10	13	15	6	5	-	-
BLACK---MALE----	10	4	11	15	13	5	5	5	2	-	-	-
FEMALE--	8	4	9	14	12	10	13	15	6	5	-	-
MONTANA -----	3	3	4	4	5	8	18	20	9	5	-	-
WHITE-----MALE----	3	2	3	1	5	5	9	3	2	2	-	-
FEMALE--	-	1	-	3	-	2	8	17	6	3	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
NEBRASKA -----	2	6	8	15	13	29	33	48	37	9	4	-
WHITE-----MALE----	1	4	3	7	4	18	12	9	11	2	-	-
FEMALE--	-	1	4	5	6	8	17	38	26	7	3	-
ALL OTHER--MALE----	1	1	1	2	-	2	2	-	-	-	1	-
FEMALE--	-	-	-	1	3	1	2	1	-	-	-	-
BLACK---MALE----	1	1	1	2	-	2	2	-	-	-	-	-
FEMALE--	-	-	-	1	3	1	2	1	-	-	-	-
NEVADA -----	23	28	32	34	50	54	41	15	16	2	-	-
WHITE-----MALE----	14	16	17	18	28	29	20	4	3	-	-	-
FEMALE--	4	6	8	10	19	21	18	10	12	1	-	-
ALL OTHER--MALE----	3	5	5	5	2	1	2	1	-	-	-	-
FEMALE--	2	1	2	1	1	3	1	-	1	1	-	-
BLACK---MALE----	3	4	5	3	2	1	1	-	-	-	-	-
FEMALE--	2	1	2	-	1	2	-	-	1	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,519
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
HYPERTENSIVE DISEASE (401-404)												
OHIO -----	1,844	-	-	-	-	-	2	4	6	18	20	54
WHITE-----MALE----	531	-	-	-	-	-	-	1	1	6	7	16
FEMALE--	914	-	-	-	-	-	-	1	1	2	2	16
ALL OTHER--MALE----	177	-	-	-	-	-	1	1	-	7	8	14
FEMALE--	222	-	-	-	-	-	1	1	4	3	3	8
BLACK---MALE----	173	-	-	-	-	-	1	1	-	7	8	14
FEMALE--	217	-	-	-	-	-	1	1	4	3	3	8
OKLAHOMA -----	360	1	-	-	1	-	-	-	-	1	2	9
WHITE-----MALE----	98	1	-	-	-	-	-	-	-	-	1	3
FEMALE--	185	-	-	-	1	-	-	-	-	-	-	2
ALL OTHER--MALE----	32	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	45	-	-	-	-	-	-	-	-	-	1	2
BLACK---MALE----	25	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	39	-	-	-	-	-	-	-	-	-	1	2
OREGON -----	372	-	-	-	-	-	-	1	-	1	4	8
WHITE-----MALE----	129	-	-	-	-	-	-	1	-	1	2	7
FEMALE--	225	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	2	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	2	-
PENNSYLVANIA -----	1,658	-	1	-	-	-	2	-	3	9	32	32
WHITE-----MALE----	525	-	1	-	-	-	-	-	-	3	16	16
FEMALE--	878	-	-	-	-	-	-	-	-	1	4	7
ALL OTHER--MALE----	121	-	-	-	-	-	2	-	3	4	9	5
FEMALE--	134	-	-	-	-	-	-	-	-	1	3	4
BLACK---MALE----	120	-	-	-	-	-	2	-	3	4	9	5
FEMALE--	130	-	-	-	-	-	-	-	-	1	3	4
RHODE ISLAND -----	150	-	-	-	-	-	-	-	1	1	1	4
WHITE-----MALE----	50	-	-	-	-	-	-	-	1	1	1	3
FEMALE--	93	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	710	1	-	-	-	-	-	-	1	11	4	15
WHITE-----MALE----	149	-	-	-	-	-	-	-	1	3	-	2
FEMALE--	193	-	-	-	-	-	-	-	-	1	-	2
ALL OTHER--MALE----	167	-	-	-	-	-	-	-	-	3	3	7
FEMALE--	201	1	-	-	-	-	-	-	-	4	1	4
BLACK---MALE----	166	-	-	-	-	-	-	-	-	3	3	6
FEMALE--	201	1	-	-	-	-	-	-	-	4	1	4

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,519
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HYPERTENSIVE DISEASE (401-404)												
OHIO -----	51	73	86	140	206	234	308	342	192	85	23	-
WHITE-----MALE----	19	26	40	48	69	83	83	87	32	11	2	-
FEMALE--	12	15	20	49	78	105	171	217	140	67	18	-
ALL OTHER--MALE----	9	17	14	16	28	26	16	18	2	-	-	-
FEMALE--	11	15	12	27	31	20	38	20	18	7	3	-
BLACK---MALE----	9	17	13	16	27	24	16	18	2	-	-	-
FEMALE--	11	15	12	27	30	18	37	20	18	6	3	-
OKLAHOMA -----	6	12	22	22	24	52	70	62	57	16	3	-
WHITE-----MALE----	2	5	6	9	9	21	21	12	4	2	2	-
FEMALE--	2	1	10	5	9	25	40	37	41	11	1	-
ALL OTHER--MALE----	2	3	4	3	1	1	4	4	6	1	-	-
FEMALE--	-	3	2	5	5	5	5	9	6	2	-	-
BLACK---MALE----	2	3	2	3	1	1	3	2	4	1	-	-
FEMALE--	-	3	1	5	5	4	4	8	4	2	-	-
OREGON -----	6	7	10	25	32	53	73	73	52	21	6	-
WHITE-----MALE----	3	3	4	12	19	20	23	21	10	2	1	-
FEMALE--	1	4	3	10	12	30	48	51	41	19	5	-
ALL OTHER--MALE----	-	-	1	3	-	1	1	1	1	-	-	-
FEMALE--	2	-	2	-	1	2	1	-	-	-	-	-
BLACK---MALE----	-	-	-	3	-	1	1	-	1	-	-	-
FEMALE--	2	-	1	-	1	1	1	-	-	-	-	-
PENNSYLVANIA -----	45	58	91	134	160	240	277	290	191	77	16	-
WHITE-----MALE----	20	30	37	59	60	77	83	79	33	11	-	-
FEMALE--	7	9	27	49	75	128	163	192	142	62	12	-
ALL OTHER--MALE----	12	12	16	13	11	14	9	6	4	1	-	-
FEMALE--	6	7	11	13	14	21	22	13	12	3	4	-
BLACK---MALE----	12	12	16	12	11	14	9	6	4	1	-	-
FEMALE--	6	7	11	13	14	21	19	12	12	3	4	-
RHODE ISLAND -----	3	5	6	11	23	18	25	29	17	5	1	-
WHITE-----MALE----	1	4	5	5	10	8	5	2	3	1	-	-
FEMALE--	2	1	1	3	11	9	19	27	14	4	1	-
ALL OTHER--MALE----	-	-	-	2	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	2	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	2	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	2	1	-	-	-	-	-	-
SOUTH CAROLINA -----	24	43	49	73	88	98	124	99	58	16	6	-
WHITE-----MALE----	5	15	9	17	27	25	12	23	7	3	-	-
FEMALE--	1	2	5	15	19	26	46	37	30	7	2	-
ALL OTHER--MALE----	13	9	22	18	19	24	32	11	5	1	-	-
FEMALE--	5	17	13	23	23	23	34	28	16	5	4	-
BLACK---MALE----	13	9	22	18	19	24	32	11	5	1	-	-
FEMALE--	5	17	13	23	23	23	34	28	16	5	4	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,520
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
HYPERTENSIVE DISEASE (401-404)												
SOUTH DAKOTA -----	47	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	18	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	27	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	933	-	-	-	-	-	-	4	10	12	22	33
WHITE-----MALE----	230	-	-	-	-	-	-	-	2	3	5	14
FEMALE--	389	-	-	-	-	-	-	1	1	1	1	3
ALL OTHER--MALE----	124	-	-	-	-	-	-	2	4	5	11	8
FEMALE--	190	-	-	-	-	-	-	1	3	3	5	8
BLACK---MALE----	123	-	-	-	-	-	-	2	4	5	11	7
FEMALE--	189	-	-	-	-	-	-	1	3	3	5	8
TEXAS -----	2,630	-	-	-	-	3	3	5	15	36	52	95
WHITE-----MALE----	831	-	-	-	-	3	1	2	5	14	16	46
FEMALE--	1,119	-	-	-	-	-	-	1	1	9	11	5
ALL OTHER--MALE----	300	-	-	-	-	-	1	2	6	8	16	23
FEMALE--	380	-	-	-	-	-	1	-	3	5	9	21
BLACK---MALE----	293	-	-	-	-	-	1	2	5	8	16	23
FEMALE--	375	-	-	-	-	-	1	-	3	5	9	20
UTAH -----	152	1	-	-	-	-	-	-	1	3	2	2
WHITE-----MALE----	58	-	-	-	-	-	-	-	1	3	1	1
FEMALE--	87	1	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	71	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	29	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	41	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	771	-	-	-	-	-	-	3	3	7	12	15
WHITE-----MALE----	194	-	-	-	-	-	-	1	1	3	2	3
FEMALE--	293	-	-	-	-	-	-	-	1	-	2	1
ALL OTHER--MALE----	113	-	-	-	-	-	-	1	1	2	2	4
FEMALE--	171	-	-	-	-	-	-	1	-	2	6	7
BLACK---MALE----	110	-	-	-	-	-	-	-	1	2	2	4
FEMALE--	169	-	-	-	-	-	-	1	-	2	6	7

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,520
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HYPERTENSIVE DISEASE (401-404)												
SOUTH DAKOTA -----	1	1	3	3	3	6	7	10	6	5	1	-
WHITE-----MALE----	1	-	3	1	-	3	3	3	1	2	-	-
FEMALE--	-	-	-	1	3	3	4	7	5	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	32	31	48	59	96	124	157	150	116	33	6	-
WHITE-----MALE----	15	3	18	19	33	38	34	24	16	5	1	-
FEMALE--	1	7	10	15	37	44	83	89	71	22	3	-
ALL OTHER--MALE----	12	10	12	7	8	14	17	3	10	1	-	-
FEMALE--	4	11	8	18	18	28	23	34	19	5	2	-
BLACK---MALE----	12	10	12	7	8	14	17	3	10	1	-	-
FEMALE--	4	11	8	18	18	28	22	34	19	5	2	-
TEXAS -----	108	114	176	234	278	344	407	387	261	90	21	1
WHITE-----MALE----	41	50	79	93	102	110	128	81	48	8	4	-
FEMALE--	23	22	29	74	97	150	209	242	173	58	14	1
ALL OTHER--MALE----	26	24	32	31	37	34	24	23	10	3	-	-
FEMALE--	18	18	36	36	42	50	46	41	30	21	3	-
BLACK---MALE----	26	24	31	31	35	32	24	22	10	3	-	-
FEMALE--	18	17	36	36	42	49	46	40	30	20	3	-
UTAH -----	4	3	9	16	20	20	22	22	18	7	2	-
WHITE-----MALE----	1	2	6	7	10	10	5	4	4	2	1	-
FEMALE--	3	-	3	7	10	10	15	17	14	5	1	-
ALL OTHER--MALE----	-	1	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	1	-	-	-	-
BLACK---MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
VERMONT -----	2	1	5	8	4	10	12	10	11	6	1	-
WHITE-----MALE----	1	1	3	6	4	7	4	2	1	-	-	-
FEMALE--	1	-	2	1	-	3	8	8	10	6	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	21	24	47	65	94	121	145	111	82	18	3	-
WHITE-----MALE----	7	7	20	18	24	33	33	22	18	2	-	-
FEMALE--	2	3	9	15	29	57	52	65	42	13	2	-
ALL OTHER--MALE----	7	8	10	15	23	12	18	4	4	2	-	-
FEMALE--	5	6	8	17	18	19	42	20	18	1	1	-
BLACK---MALE----	7	8	10	14	23	12	17	4	4	2	-	-
FEMALE--	5	6	8	17	17	19	41	20	18	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,522
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ESSENTIAL HYPERTENSION (401)												
UNITED STATES --	6,973	2	1	-	-	1	1	11	19	40	98	156
WHITE-----MALE----	1,951	1	1	-	-	1	-	5	9	16	33	55
FEMALE--	3,516	-	-	-	-	-	-	1	1	7	17	26
ALL OTHER--MALE----	665	-	-	-	-	-	1	3	7	9	30	44
FEMALE--	841	1	-	-	-	-	-	2	2	8	18	31
BLACK---MALE----	614	-	-	-	-	-	1	3	7	9	30	44
FEMALE--	783	1	-	-	-	-	-	2	2	8	17	31
ALABAMA -----	124	-	-	-	-	-	-	1	-	2	3	4
WHITE-----MALE----	25	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	46	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	22	-	-	-	-	-	-	1	-	-	1	3
FEMALE--	31	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	22	-	-	-	-	-	-	1	-	-	1	3
FEMALE--	31	-	-	-	-	-	-	-	-	1	1	-
ALASKA -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	75	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	21	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	50	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	85	-	-	-	-	-	-	-	-	1	1	5
WHITE-----MALE----	30	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	30	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	11	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	2
CALIFORNIA -----	733	-	-	-	-	-	-	2	5	3	5	19
WHITE-----MALE----	209	-	-	-	-	-	-	1	3	1	1	6
FEMALE--	394	-	-	-	-	-	-	1	-	2	2	6
ALL OTHER--MALE----	53	-	-	-	-	-	-	-	1	-	1	4
FEMALE--	77	-	-	-	-	-	-	-	1	-	1	3
BLACK---MALE----	35	-	-	-	-	-	-	-	1	-	1	4
FEMALE--	52	-	-	-	-	-	-	-	1	-	1	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,522
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ESSENTIAL HYPERTENSION (401)												
UNITED STATES --	210	251	409	568	829	911	1,102	1,155	789	340	79	1
WHITE-----MALE----	80	97	168	209	305	284	289	254	114	25	5	-
FEMALE--	33	53	109	203	320	452	629	756	584	267	58	-
ALL OTHER--MALE----	56	54	70	67	101	73	65	54	23	7	-	1
FEMALE--	41	47	62	89	103	102	119	91	68	41	16	-
BLACK---MALE----	53	51	65	61	94	64	59	44	21	7	-	1
FEMALE--	40	45	57	87	95	93	107	84	62	38	14	-
ALABAMA -----	2	3	11	11	10	17	21	19	16	4	-	-
WHITE-----MALE----	-	2	3	4	1	4	3	4	1	-	-	-
FEMALE--	1	-	3	3	2	4	15	8	8	2	-	-
ALL OTHER--MALE----	-	1	2	-	4	3	2	3	2	-	-	-
FEMALE--	1	-	3	4	3	6	1	4	5	2	-	-
BLACK---MALE----	-	1	2	-	4	3	2	3	2	-	-	-
FEMALE--	1	-	3	4	3	6	1	4	5	2	-	-
ALASKA -----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ARIZONA -----	1	5	1	8	8	8	9	20	8	5	1	-
WHITE-----MALE----	-	1	-	2	5	1	4	4	3	-	-	-
FEMALE--	1	4	1	5	2	7	5	14	5	5	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
ARKANSAS -----	4	8	9	8	9	12	11	8	8	1	-	-
WHITE-----MALE----	2	3	5	4	3	4	3	1	1	-	-	-
FEMALE--	1	1	2	2	3	3	6	7	4	1	-	-
ALL OTHER--MALE----	1	3	1	1	2	-	1	-	1	-	-	-
FEMALE--	-	1	1	1	1	5	1	-	2	-	-	-
BLACK---MALE----	1	3	1	1	2	-	1	-	1	-	-	-
FEMALE--	-	1	1	1	1	5	1	-	2	-	-	-
CALIFORNIA -----	24	19	32	46	88	101	144	125	71	39	10	-
WHITE-----MALE----	10	6	16	19	32	36	43	25	8	1	1	-
FEMALE--	7	7	8	19	39	43	84	82	56	34	4	-
ALL OTHER--MALE----	3	3	3	2	12	9	6	8	-	1	-	-
FEMALE--	4	3	5	6	5	13	11	10	7	3	5	-
BLACK---MALE----	2	2	2	2	7	4	5	4	-	1	-	-
FEMALE--	3	2	4	4	3	8	5	7	5	3	3	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,523
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ESSENTIAL HYPERTENSION (401)												
COLORADO -----	55	-	-	-	-	-	-	-	-	-	2	-
WHITE-----MALE----	18	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	30	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	88	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	32	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	51	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	10	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	28	-	-	-	-	-	-	-	1	-	-	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	11	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	1
FLORIDA -----	419	-	-	-	-	-	-	-	1	1	4	7
WHITE-----MALE----	128	-	-	-	-	-	-	-	1	1	1	3
FEMALE--	219	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	31	-	-	-	-	-	-	-	-	-	3	1
FEMALE--	41	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	31	-	-	-	-	-	-	-	-	-	3	1
FEMALE--	40	-	-	-	-	-	-	-	-	-	-	2
GEORGIA -----	311	-	-	-	-	-	-	2	1	5	9	17
WHITE-----MALE----	64	-	-	-	-	-	-	-	1	1	1	5
FEMALE--	110	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	51	-	-	-	-	-	-	1	-	1	4	4
FEMALE--	86	-	-	-	-	-	-	1	-	3	2	8
BLACK---MALE----	51	-	-	-	-	-	-	1	-	1	4	4
FEMALE--	85	-	-	-	-	-	-	1	-	3	2	8

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,523
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ESSENTIAL HYPERTENSION (401)												
COLORADO -----	1	2	3	7	9	5	3	11	7	5	-	-
WHITE-----MALE----	-	2	2	3	3	1	2	2	1	1	-	-
FEMALE--	-	-	1	3	3	4	1	7	6	4	-	-
ALL OTHER--MALE----	1	-	-	-	3	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	3	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
CONNECTICUT -----	4	3	-	8	15	7	12	24	11	2	-	-
WHITE-----MALE----	2	2	-	3	7	3	2	9	2	-	-	-
FEMALE--	-	1	-	4	7	4	9	15	9	2	-	-
ALL OTHER--MALE----	2	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	1	5	3	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	2	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
DISTRICT OF COLUMBIA ----	1	2	3	3	3	7	1	2	3	1	-	-
WHITE-----MALE----	-	-	-	1	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	1	1	1	1	2	2	1	-	1	-	-	-
FEMALE--	-	1	2	1	1	3	-	1	1	1	-	-
BLACK---MALE----	1	1	1	1	2	2	1	-	1	-	-	-
FEMALE--	-	1	2	1	1	3	-	1	1	1	-	-
FLORIDA -----	12	9	25	26	65	57	76	74	39	20	3	-
WHITE-----MALE----	8	6	11	6	26	18	21	15	8	3	-	-
FEMALE--	1	-	7	12	29	31	44	50	26	16	2	-
ALL OTHER--MALE----	2	1	4	4	7	4	2	3	-	-	-	-
FEMALE--	1	2	3	4	3	4	9	6	5	1	1	-
BLACK---MALE----	2	1	4	4	7	4	2	3	-	-	-	-
FEMALE--	1	2	3	4	3	4	9	6	4	1	1	-
GEORGIA -----	16	17	24	36	37	38	40	42	18	8	1	-
WHITE-----MALE----	3	1	7	9	10	9	5	5	6	-	1	-
FEMALE--	1	2	5	12	12	17	18	26	10	5	-	-
ALL OTHER--MALE----	5	3	6	6	7	6	3	5	-	-	-	-
FEMALE--	7	11	6	9	8	6	14	6	2	3	-	-
BLACK---MALE----	5	3	6	6	7	6	3	5	-	-	-	-
FEMALE--	7	11	6	9	8	6	14	5	2	3	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,525
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ESSENTIAL HYPERTENSION (401)												
KENTUCKY -----	2	3	5	9	11	14	11	12	6	1	1	-
WHITE-----MALE----	1	1	3	5	1	6	1	2	1	-	-	-
FEMALE--	1	2	2	3	6	7	9	6	5	1	1	-
ALL OTHER--MALE----	-	-	-	1	2	1	-	3	-	-	-	-
FEMALE--	-	-	-	-	2	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	1	2	1	-	3	-	-	-	-
FEMALE--	-	-	-	-	2	-	1	1	-	-	-	-
LOUISIANA -----	5	4	4	8	10	11	17	16	9	7	-	-
WHITE-----MALE----	2	1	-	3	2	4	3	2	2	-	-	-
FEMALE--	-	1	1	2	3	4	5	12	2	3	-	-
ALL OTHER--MALE----	2	2	1	1	2	-	4	-	2	-	-	-
FEMALE--	1	-	2	2	3	3	5	2	3	4	-	-
BLACK---MALE----	2	2	1	1	2	-	4	-	2	-	-	-
FEMALE--	1	-	2	2	3	3	5	2	3	4	-	-
MAINE -----	1	-	3	4	1	3	3	2	2	1	3	-
WHITE-----MALE----	1	-	3	2	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	2	1	2	2	1	2	1	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2	5	9	13	14	19	22	21	16	10	2	1
WHITE-----MALE----	1	2	2	6	6	4	7	1	4	2	-	-
FEMALE--	-	1	2	4	5	9	11	14	10	7	1	-
ALL OTHER--MALE----	1	-	3	2	-	2	2	4	1	-	-	1
FEMALE--	-	2	2	1	3	4	2	2	1	1	1	-
BLACK---MALE----	1	-	3	2	-	2	2	3	1	-	-	1
FEMALE--	-	2	1	1	3	3	2	2	1	1	1	-
MASSACHUSETTS -----	1	5	6	12	27	12	26	25	25	12	1	-
WHITE-----MALE----	-	2	3	5	14	5	8	8	5	3	-	-
FEMALE--	-	2	2	5	11	6	17	17	19	8	1	-
ALL OTHER--MALE----	1	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	1	1	-	1	1	-	-
BLACK---MALE----	1	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	1	1	-	1	1	-	-
MICHIGAN -----	5	8	13	18	24	25	38	39	22	11	2	-
WHITE-----MALE----	1	3	8	8	8	6	10	5	2	-	-	-
FEMALE--	-	2	3	4	9	16	23	31	17	8	2	-
ALL OTHER--MALE----	2	3	1	1	3	2	2	-	-	2	-	-
FEMALE--	2	-	1	5	4	1	3	3	3	1	-	-
BLACK---MALE----	2	3	1	1	3	2	2	-	-	2	-	-
FEMALE--	2	-	1	5	4	1	2	3	3	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,528
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ESSENTIAL HYPERTENSION (401)												
OHIO -----	9	10	19	25	37	45	56	72	50	28	7	-
WHITE-----MALE----	5	3	7	10	14	13	12	22	10	4	-	-
FEMALE--	3	3	9	12	11	26	40	44	38	22	5	-
ALL OTHER--MALE----	-	2	1	-	6	3	1	5	1	-	-	-
FEMALE--	1	2	2	3	6	3	3	1	1	2	2	-
BLACK---MALE----	-	2	1	-	6	3	1	5	1	-	-	-
FEMALE--	1	2	2	3	5	2	3	1	1	2	2	-
OKLAHOMA -----	1	1	5	8	10	14	23	13	12	6	3	-
WHITE-----MALE----	-	1	2	3	5	7	7	4	1	-	2	-
FEMALE--	1	-	2	2	4	7	13	7	10	5	1	-
ALL OTHER--MALE----	-	-	1	2	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	2	2	1	1	-	-
BLACK---MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	2	-	1	-	-
OREGON -----	1	1	2	8	8	15	19	22	18	7	1	-
WHITE-----MALE----	-	1	1	3	4	6	6	5	4	-	-	-
FEMALE--	1	-	-	4	3	8	12	17	14	7	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
PENNSYLVANIA -----	12	13	24	30	40	58	52	67	39	19	4	-
WHITE-----MALE----	7	6	8	14	12	21	16	22	5	2	-	-
FEMALE--	1	4	9	11	23	31	33	43	32	15	3	-
ALL OTHER--MALE----	2	2	5	2	3	3	-	1	1	1	-	-
FEMALE--	2	1	2	3	2	3	3	1	1	1	1	-
BLACK---MALE----	2	2	5	2	3	3	-	1	1	1	-	-
FEMALE--	2	1	2	3	2	3	3	1	1	1	1	-
RHODE ISLAND -----	-	-	-	1	2	1	1	4	1	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	1	4	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	10	19	15	15	26	20	22	19	7	5	2	-
WHITE-----MALE----	2	6	4	4	13	5	2	6	-	2	-	-
FEMALE--	-	1	2	5	6	7	6	4	6	-	1	-
ALL OTHER--MALE----	6	5	5	3	3	5	9	6	-	-	-	-
FEMALE--	2	7	4	3	4	3	5	3	1	3	1	-
BLACK---MALE----	6	5	5	3	3	5	9	6	-	-	-	-
FEMALE--	2	7	4	3	4	3	5	3	1	3	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,529
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ESSENTIAL HYPERTENSION (401)												
SOUTH DAKOTA -----	10	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	109	-	-	-	-	-	-	-	1	2	3	5
WHITE-----MALE----	28	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	42	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	1	-	2	1
FEMALE--	21	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	18	-	-	-	-	-	-	-	1	-	2	1
FEMALE--	21	-	-	-	-	-	-	-	-	1	-	1
TEXAS -----	405	-	-	-	-	1	-	1	4	4	10	14
WHITE-----MALE----	134	-	-	-	-	1	-	1	1	1	3	6
FEMALE--	191	-	-	-	-	-	-	-	1	3	3	1
ALL OTHER--MALE----	33	-	-	-	-	-	-	-	2	-	1	3
FEMALE--	47	-	-	-	-	-	-	-	-	-	3	4
BLACK---MALE----	32	-	-	-	-	-	-	-	2	-	1	3
FEMALE--	46	-	-	-	-	-	-	-	-	-	3	4
UTAH -----	40	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	28	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	9	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	161	-	-	-	-	-	-	1	1	1	4	2
WHITE-----MALE----	43	-	-	-	-	-	-	1	1	-	-	2
FEMALE--	67	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	20	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	31	-	-	-	-	-	-	-	-	1	2	-
BLACK---MALE----	19	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	30	-	-	-	-	-	-	-	-	1	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,529
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ESSENTIAL HYPERTENSION (401)												
SOUTH DAKOTA -----	-	-	-	1	1	1	3	2	-	1	-	-
WHITE-----MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	2	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	5	5	7	10	14	16	13	11	12	4	1	-
WHITE-----MALE----	3	-	4	4	6	3	1	2	1	-	-	-
FEMALE--	-	2	-	2	4	8	8	6	8	3	-	-
ALL OTHER--MALE----	1	1	3	-	1	2	3	1	2	-	-	-
FEMALE--	1	2	-	4	3	3	1	2	1	1	1	-
BLACK---MALE----	1	1	3	-	1	2	3	1	2	-	-	-
FEMALE--	1	2	-	4	3	3	1	2	1	1	1	-
TEXAS -----	15	17	19	22	48	52	65	65	48	16	4	-
WHITE-----MALE----	4	11	9	10	27	17	19	12	10	1	1	-
FEMALE--	6	2	4	10	14	25	40	42	29	9	2	-
ALL OTHER--MALE----	2	3	3	1	4	4	3	3	3	1	-	-
FEMALE--	3	1	3	1	3	6	3	8	6	5	1	-
BLACK---MALE----	2	3	3	1	4	4	3	2	3	1	-	-
FEMALE--	3	1	3	1	3	5	3	8	6	5	1	-
UTAH -----	1	1	3	3	2	5	7	9	7	1	-	-
WHITE-----MALE----	-	1	3	1	1	2	1	1	-	-	-	-
FEMALE--	1	-	-	2	1	3	4	8	7	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	2	-	1	1	4	-	1	-	-
WHITE-----MALE----	-	-	-	2	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	4	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	9	5	13	17	16	21	28	25	10	7	1	-
WHITE-----MALE----	3	2	8	6	4	3	7	5	1	-	-	-
FEMALE--	2	-	2	2	5	11	13	18	6	6	1	-
ALL OTHER--MALE----	2	-	-	7	5	3	2	-	-	-	-	-
FEMALE--	2	3	3	2	2	4	6	2	3	1	-	-
BLACK---MALE----	2	-	-	6	5	3	2	-	-	-	-	-
FEMALE--	2	3	3	2	1	4	6	2	3	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,531
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 HYPERTENSIVE HEART DISEASE (402)												
UNITED STATES --	25,014	1	-	-	-	5	14	41	134	289	578	894
WHITE-----MALE----	7,371	-	-	-	-	2	2	14	45	105	221	356
FEMALE--	10,795	1	-	-	-	-	-	3	11	26	58	105
ALL OTHER--MALE----	3,267	-	-	-	-	2	11	12	46	92	182	275
FEMALE--	3,581	-	-	-	-	1	1	12	32	66	117	158
BLACK---MALE----	3,039	-	-	-	-	2	11	12	43	88	178	264
FEMALE--	3,369	-	-	-	-	1	1	12	31	63	115	151
ALABAMA -----	376	-	-	-	-	1	1	-	1	6	10	18
WHITE-----MALE----	63	-	-	-	-	-	-	-	-	-	2	6
FEMALE--	126	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	89	-	-	-	-	-	1	-	-	4	4	7
FEMALE--	98	-	-	-	-	1	-	-	1	2	4	3
BLACK---MALE----	89	-	-	-	-	-	1	-	-	4	4	7
FEMALE--	97	-	-	-	-	1	-	-	1	2	4	3
ALASKA -----	10	-	-	-	-	-	-	-	-	-	1	2
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	157	-	-	-	-	-	-	-	-	-	2	8
WHITE-----MALE----	48	-	-	-	-	-	-	-	-	-	-	5
FEMALE--	102	-	-	-	-	-	-	-	-	-	2	2
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	164	-	-	-	-	-	-	-	3	1	10	8
WHITE-----MALE----	36	-	-	-	-	-	-	-	-	1	1	5
FEMALE--	68	-	-	-	-	-	-	-	1	-	2	-
ALL OTHER--MALE----	29	-	-	-	-	-	-	-	1	-	6	2
FEMALE--	31	-	-	-	-	-	-	-	1	-	1	1
BLACK---MALE----	29	-	-	-	-	-	-	-	1	-	6	2
FEMALE--	31	-	-	-	-	-	-	-	1	-	1	1
CALIFORNIA -----	3,028	-	-	-	-	-	1	3	17	32	70	94
WHITE-----MALE----	999	-	-	-	-	-	-	1	7	10	39	41
FEMALE--	1,361	-	-	-	-	-	-	-	2	4	6	17
ALL OTHER--MALE----	318	-	-	-	-	-	1	1	4	9	19	21
FEMALE--	350	-	-	-	-	-	-	1	4	9	6	15
BLACK---MALE----	218	-	-	-	-	-	1	1	2	8	17	18
FEMALE--	250	-	-	-	-	-	-	1	4	8	6	14

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,531
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HYPERTENSIVE HEART DISEASE (402)												
UNITED STATES --	1,062	1,219	1,648	2,209	2,677	3,142	3,693	3,643	2,593	963	205	4
WHITE-----MALE----	389	494	626	856	967	998	1,005	764	391	116	19	1
FEMALE--	164	207	324	601	947	1,384	1,939	2,308	1,854	713	149	1
ALL OTHER--MALE----	310	316	397	398	359	329	252	171	91	22	1	1
FEMALE--	199	202	301	354	404	431	497	400	257	112	36	1
BLACK---MALE----	295	297	372	376	332	307	226	139	76	19	1	1
FEMALE--	196	195	286	337	381	404	457	367	236	101	34	1
ALABAMA -----	12	18	24	28	35	53	57	53	37	16	6	-
WHITE-----MALE----	3	4	3	7	4	13	9	5	2	5	-	-
FEMALE--	1	-	5	6	16	17	20	25	24	8	2	-
ALL OTHER--MALE----	5	12	10	6	10	8	10	6	5	1	-	-
FEMALE--	3	2	6	9	5	15	18	17	6	2	4	-
BLACK---MALE----	5	12	10	6	10	8	10	6	5	1	-	-
FEMALE--	3	2	6	9	5	15	18	16	6	2	4	-
ALASKA -----	-	1	-	-	3	-	2	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	2	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	4	3	3	15	15	21	28	27	23	7	1	-
WHITE-----MALE----	2	1	2	8	5	5	9	7	3	-	1	-
FEMALE--	2	2	1	6	7	15	19	20	19	7	-	-
ALL OTHER--MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	1	-	-	-
ARKANSAS -----	4	4	11	10	16	23	25	26	16	6	1	-
WHITE-----MALE----	2	3	2	5	4	5	6	2	-	-	-	-
FEMALE--	-	-	2	4	6	11	15	13	11	3	-	-
ALL OTHER--MALE----	2	1	4	-	4	2	2	4	-	1	-	-
FEMALE--	-	-	3	1	2	5	2	7	5	2	1	-
BLACK---MALE----	2	1	4	-	4	2	2	4	-	1	-	-
FEMALE--	-	-	3	1	2	5	2	7	5	2	1	-
CALIFORNIA -----	93	142	149	293	323	372	463	464	332	149	30	1
WHITE-----MALE----	41	77	70	129	127	124	138	115	57	19	3	1
FEMALE--	19	22	33	78	107	167	240	277	247	119	23	-
ALL OTHER--MALE----	21	26	26	45	50	38	27	21	7	2	-	-
FEMALE--	12	17	20	41	39	43	58	51	21	9	4	-
BLACK---MALE----	15	18	14	35	35	28	15	7	3	1	-	-
FEMALE--	10	15	13	33	29	29	35	31	14	6	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,532
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 HYPERTENSIVE HEART DISEASE (402)												
COLORADO -----	147	-	-	-	-	-	-	-	2	1	3	3
WHITE-----MALE----	51	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	83	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	1	-	2	1
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	5	-	-	-	-	-	-	-	1	-	2	1
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	1
CONNECTICUT -----	244	-	-	-	-	-	1	-	1	2	7	12
WHITE-----MALE----	67	-	-	-	-	-	1	-	-	-	1	5
FEMALE--	120	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	26	-	-	-	-	-	-	-	1	2	1	1
FEMALE--	31	-	-	-	-	-	-	-	-	-	4	4
BLACK---MALE----	24	-	-	-	-	-	-	-	1	2	1	1
FEMALE--	29	-	-	-	-	-	-	-	-	-	4	3
DELAWARE -----	100	-	-	-	-	-	-	-	1	2	5	2
WHITE-----MALE----	36	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	36	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	14	-	-	-	-	-	-	-	1	1	2	-
BLACK---MALE----	14	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	14	-	-	-	-	-	-	-	1	1	2	-
DISTRICT OF COLUMBIA ----	179	-	-	-	-	-	-	-	1	2	4	6
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	67	-	-	-	-	-	-	-	1	2	1	5
FEMALE--	92	-	-	-	-	-	-	-	-	-	3	1
BLACK---MALE----	67	-	-	-	-	-	-	-	1	2	1	5
FEMALE--	92	-	-	-	-	-	-	-	-	-	3	1
FLORIDA -----	1,946	-	-	-	-	1	1	3	8	20	40	70
WHITE-----MALE----	725	-	-	-	-	-	-	-	1	12	15	34
FEMALE--	794	-	-	-	-	-	-	-	-	2	4	7
ALL OTHER--MALE----	195	-	-	-	-	1	1	2	3	2	9	16
FEMALE--	232	-	-	-	-	-	-	1	4	4	12	13
BLACK---MALE----	191	-	-	-	-	1	1	2	3	1	9	16
FEMALE--	229	-	-	-	-	-	-	1	4	4	12	12
GEORGIA -----	664	-	-	-	-	-	-	1	6	11	16	30
WHITE-----MALE----	114	-	-	-	-	-	-	1	2	2	2	12
FEMALE--	220	-	-	-	-	-	-	-	1	-	1	3
ALL OTHER--MALE----	151	-	-	-	-	-	-	-	2	4	7	12
FEMALE--	179	-	-	-	-	-	-	-	1	5	6	3
BLACK---MALE----	150	-	-	-	-	-	-	-	2	4	7	12
FEMALE--	178	-	-	-	-	-	-	-	1	5	6	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,532
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HYPERTENSIVE HEART DISEASE (402)												
COLORADO -----	4	7	5	14	17	20	19	25	23	4	-	-
WHITE-----MALE----	2	3	2	6	6	11	5	7	6	-	-	-
FEMALE--	2	3	2	6	10	8	14	18	16	4	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	1	2	1	1	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	-	-	-	-	-	-	-
CONNECTICUT -----	9	11	16	15	30	37	38	36	19	7	3	-
WHITE-----MALE----	2	4	4	4	10	11	13	7	3	1	1	-
FEMALE--	1	3	5	6	16	19	21	23	15	6	2	-
ALL OTHER--MALE----	3	3	4	1	2	4	1	3	-	-	-	-
FEMALE--	3	1	3	4	2	3	3	3	1	-	-	-
BLACK---MALE----	3	2	4	1	2	4	1	2	-	-	-	-
FEMALE--	3	1	3	4	2	2	3	3	1	-	-	-
DELAWARE -----	5	9	10	12	14	12	11	10	5	2	-	-
WHITE-----MALE----	3	6	5	6	7	2	3	2	-	-	-	-
FEMALE--	-	2	1	4	5	4	5	7	5	2	-	-
ALL OTHER--MALE----	1	1	3	1	1	2	2	-	-	-	-	-
FEMALE--	1	-	1	1	1	4	1	1	-	-	-	-
BLACK---MALE----	1	1	3	1	1	2	2	-	-	-	-	-
FEMALE--	1	-	1	1	1	4	1	1	-	-	-	-
DISTRICT OF COLUMBIA ----	12	11	20	23	17	17	27	15	14	10	-	-
WHITE-----MALE----	-	-	-	1	-	1	1	-	1	-	-	-
FEMALE--	-	-	1	-	-	-	4	3	5	3	-	-
ALL OTHER--MALE----	8	7	9	14	4	6	2	6	1	1	-	-
FEMALE--	4	4	10	8	13	10	20	6	7	6	-	-
BLACK---MALE----	8	7	9	14	4	6	2	6	1	1	-	-
FEMALE--	4	4	10	8	13	10	20	6	7	6	-	-
FLORIDA -----	81	120	136	156	229	271	299	281	167	50	13	-
WHITE-----MALE----	42	60	64	69	99	93	114	79	33	8	2	-
FEMALE--	8	18	25	50	82	125	145	171	114	33	10	-
ALL OTHER--MALE----	18	21	25	22	23	26	13	6	3	4	-	-
FEMALE--	13	21	22	15	25	27	27	25	17	5	1	-
BLACK---MALE----	18	20	25	22	23	25	12	6	3	4	-	-
FEMALE--	13	20	22	15	25	27	27	25	16	5	1	-
GEORGIA -----	45	34	42	64	69	81	87	101	52	21	4	-
WHITE-----MALE----	5	8	12	11	13	16	11	16	2	1	-	-
FEMALE--	6	7	4	13	21	25	37	51	38	12	1	-
ALL OTHER--MALE----	21	12	15	22	12	16	11	11	4	1	1	-
FEMALE--	13	7	11	18	23	24	28	23	8	7	2	-
BLACK---MALE----	20	12	15	22	12	16	11	11	4	1	1	-
FEMALE--	13	7	11	18	23	24	28	22	8	7	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,533
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HYPERTENSIVE HEART DISEASE (402)												
HAWAII -----	-	5	6	9	11	4	7	11	15	7	-	-
WHITE-----MALE----	-	-	-	2	-	-	1	2	1	-	-	-
FEMALE--	-	-	-	1	1	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	4	3	4	4	1	3	7	6	2	-	-
FEMALE--	-	1	3	2	6	3	3	1	8	5	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
IDAHO -----	1	1	1	2	7	4	4	10	11	4	-	-
WHITE-----MALE----	-	1	-	1	3	3	-	2	1	-	-	-
FEMALE--	1	-	1	1	4	1	4	8	10	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	48	67	85	121	132	133	157	147	119	47	8	1
WHITE-----MALE----	14	20	23	29	47	33	33	34	15	5	-	-
FEMALE--	7	12	13	27	39	61	87	95	92	39	7	-
ALL OTHER--MALE----	18	24	28	34	22	13	8	7	4	2	-	1
FEMALE--	9	11	21	31	24	26	29	11	8	1	1	-
BLACK---MALE----	18	24	28	34	21	13	8	7	4	2	-	1
FEMALE--	9	11	21	31	23	26	28	11	8	1	1	-
INDIANA -----	8	12	23	29	28	66	65	60	54	16	1	-
WHITE-----MALE----	2	5	6	11	9	22	20	11	6	1	-	-
FEMALE--	1	2	9	9	14	33	36	42	46	14	1	-
ALL OTHER--MALE----	3	-	5	6	2	8	2	2	1	-	-	-
FEMALE--	2	5	3	3	3	3	7	5	1	1	-	-
BLACK---MALE----	3	-	5	6	2	8	2	2	1	-	-	-
FEMALE--	2	5	3	3	3	3	6	5	1	1	-	-
IOWA -----	8	12	12	18	22	36	39	59	50	16	7	-
WHITE-----MALE----	4	9	7	13	8	12	12	12	8	2	1	-
FEMALE--	3	2	4	4	13	23	27	45	42	14	6	-
ALL OTHER--MALE----	1	-	1	-	1	1	-	2	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	1	1	-	2	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
KANSAS -----	1	1	8	10	10	15	26	37	26	21	2	-
WHITE-----MALE----	-	1	3	7	3	7	10	7	5	4	1	-
FEMALE--	-	-	4	3	6	8	14	28	21	15	1	-
ALL OTHER--MALE----	1	-	1	-	-	-	1	2	-	1	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	1	-	-
BLACK---MALE----	1	-	1	-	-	-	1	1	-	1	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,534
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 HYPERTENSIVE HEART DISEASE (402)												
KENTUCKY -----	246	-	-	-	-	-	-	1	2	6	6	9
WHITE-----MALE----	70	-	-	-	-	-	-	1	2	2	1	4
FEMALE--	138	-	-	-	-	-	-	-	-	2	1	2
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	-	2	2	2
FEMALE--	22	-	-	-	-	-	-	-	-	-	2	1
BLACK---MALE----	16	-	-	-	-	-	-	-	-	2	2	2
FEMALE--	22	-	-	-	-	-	-	-	-	-	2	1
LOUISIANA -----	879	-	-	-	-	-	-	-	2	13	26	19
WHITE-----MALE----	173	-	-	-	-	-	-	-	-	2	5	7
FEMALE--	254	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	195	-	-	-	-	-	-	-	-	6	12	6
FEMALE--	257	-	-	-	-	-	-	-	2	5	8	5
BLACK---MALE----	195	-	-	-	-	-	-	-	-	6	12	6
FEMALE--	256	-	-	-	-	-	-	-	2	5	8	5
MAINE -----	82	-	-	-	-	-	-	-	1	-	2	3
WHITE-----MALE----	24	-	-	-	-	-	-	-	1	-	2	2
FEMALE--	58	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	674	-	-	-	-	-	-	1	2	8	22	36
WHITE-----MALE----	182	-	-	-	-	-	-	-	2	3	6	10
FEMALE--	255	-	-	-	-	-	-	-	-	1	4	1
ALL OTHER--MALE----	124	-	-	-	-	-	-	-	-	4	10	18
FEMALE--	113	-	-	-	-	-	-	1	-	-	2	7
BLACK---MALE----	124	-	-	-	-	-	-	-	-	4	10	18
FEMALE--	111	-	-	-	-	-	-	1	-	-	2	7
MASSACHUSETTS -----	295	-	-	-	-	-	-	2	1	4	4	9
WHITE-----MALE----	97	-	-	-	-	-	-	-	1	2	3	7
FEMALE--	178	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	11	-	-	-	-	-	-	2	-	1	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	9	-	-	-	-	-	-	2	-	1	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	1
MICHIGAN -----	893	-	-	-	-	-	-	-	2	11	33	42
WHITE-----MALE----	264	-	-	-	-	-	-	-	1	2	13	14
FEMALE--	394	-	-	-	-	-	-	-	1	-	3	3
ALL OTHER--MALE----	134	-	-	-	-	-	-	-	-	3	11	15
FEMALE--	101	-	-	-	-	-	-	-	-	6	6	10
BLACK---MALE----	130	-	-	-	-	-	-	-	-	2	11	15
FEMALE--	100	-	-	-	-	-	-	-	-	6	6	9

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,534
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HYPERTENSIVE HEART DISEASE (402)												
KENTUCKY -----	6	9	15	15	30	23	32	49	32	10	1	-
WHITE-----MALE----	5	3	8	6	8	6	12	7	5	-	-	-
FEMALE--	-	4	4	5	16	14	19	37	23	10	1	-
ALL OTHER--MALE----	-	1	-	2	2	2	-	1	2	-	-	-
FEMALE--	1	1	3	2	4	1	1	4	2	-	-	-
BLACK---MALE----	-	1	-	2	2	2	-	1	2	-	-	-
FEMALE--	1	1	3	2	4	1	1	4	2	-	-	-
LOUISIANA -----	45	36	65	67	108	115	145	115	85	27	11	-
WHITE-----MALE----	11	7	15	18	24	20	28	18	12	4	2	-
FEMALE--	3	6	7	7	26	38	54	50	44	13	4	-
ALL OTHER--MALE----	15	9	22	22	29	21	22	19	11	1	-	-
FEMALE--	16	14	21	20	29	36	41	28	18	9	5	-
BLACK---MALE----	15	9	22	22	29	21	22	19	11	1	-	-
FEMALE--	16	14	21	20	28	36	41	28	18	9	5	-
MAINE -----	2	1	3	5	3	11	14	14	12	8	3	-
WHITE-----MALE----	1	1	2	3	-	3	4	4	1	-	-	-
FEMALE--	1	-	1	2	3	8	10	10	11	8	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	45	47	46	58	76	73	81	91	61	21	6	-
WHITE-----MALE----	14	16	10	24	30	15	22	14	13	2	1	-
FEMALE--	5	8	13	12	24	35	41	57	36	14	4	-
ALL OTHER--MALE----	15	16	18	13	9	13	4	2	2	-	-	-
FEMALE--	11	7	5	9	13	10	14	18	10	5	1	-
BLACK---MALE----	15	16	18	13	9	13	4	2	2	-	-	-
FEMALE--	11	7	5	8	13	10	14	17	10	5	1	-
MASSACHUSETTS -----	9	13	15	21	29	41	43	48	31	19	6	-
WHITE-----MALE----	4	9	8	13	12	16	10	8	3	1	-	-
FEMALE--	3	4	2	7	13	24	33	40	27	18	5	-
ALL OTHER--MALE----	2	-	-	1	3	1	-	-	-	-	-	-
FEMALE--	-	-	5	-	1	-	-	-	1	-	1	-
BLACK---MALE----	1	-	-	-	3	1	-	-	-	-	-	-
FEMALE--	-	-	5	-	1	-	-	-	-	-	1	-
MICHIGAN -----	59	43	58	81	100	118	116	112	85	27	6	-
WHITE-----MALE----	17	13	17	33	42	40	29	28	14	-	1	-
FEMALE--	8	6	13	23	36	58	75	74	64	25	5	-
ALL OTHER--MALE----	20	18	19	15	14	9	3	4	3	-	-	-
FEMALE--	14	6	9	10	8	11	9	6	4	2	-	-
BLACK---MALE----	19	18	18	15	13	9	3	4	3	-	-	-
FEMALE--	14	6	9	10	8	11	9	6	4	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,535
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HYPERTENSIVE HEART DISEASE (402)												
MINNESOTA -----	7	6	4	19	23	20	43	42	17	13	2	-
WHITE-----MALE----	3	4	4	10	12	9	12	11	1	1	-	-
FEMALE--	3	1	-	9	10	11	29	30	16	12	2	-
ALL OTHER--MALE----	1	-	-	-	1	-	2	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	19	18	33	34	45	46	73	70	45	16	2	-
WHITE-----MALE----	2	3	11	5	12	13	14	16	7	-	-	-
FEMALE--	1	2	1	7	10	8	23	24	23	10	-	-
ALL OTHER--MALE----	9	8	9	9	10	10	12	9	3	1	-	-
FEMALE--	7	5	12	13	13	15	24	21	12	5	2	-
BLACK---MALE----	8	8	9	9	10	10	12	9	3	1	-	-
FEMALE--	7	5	12	13	13	15	24	21	12	5	2	-
MISSOURI -----	33	15	37	53	49	65	81	79	56	21	4	-
WHITE-----MALE----	11	6	15	18	13	27	21	18	7	1	-	-
FEMALE--	9	3	7	15	17	27	50	50	44	16	4	-
ALL OTHER--MALE----	8	2	9	10	8	3	3	2	-	-	-	-
FEMALE--	5	4	6	10	11	8	7	9	5	4	-	-
BLACK---MALE----	8	2	9	10	8	3	3	2	-	-	-	-
FEMALE--	5	4	6	10	11	8	7	9	5	4	-	-
MONTANA -----	2	1	1	3	1	3	7	13	4	4	-	-
WHITE-----MALE----	2	1	1	1	1	2	5	2	1	2	-	-
FEMALE--	-	-	-	2	-	1	1	11	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
NEBRASKA -----	-	3	4	10	7	13	20	23	15	1	3	-
WHITE-----MALE----	-	2	1	4	2	8	6	3	3	1	-	-
FEMALE--	-	1	2	3	3	3	11	19	12	-	3	-
ALL OTHER--MALE----	-	-	1	2	-	2	2	-	-	-	-	-
FEMALE--	-	-	-	1	2	1	1	1	-	-	-	-
BLACK---MALE----	-	-	1	2	-	2	2	-	-	-	-	-
FEMALE--	-	-	-	1	2	-	1	1	-	-	-	-
NEVADA -----	20	28	25	29	43	44	31	10	8	2	-	-
WHITE-----MALE----	13	16	12	14	25	24	16	2	2	-	-	-
FEMALE--	3	6	7	10	16	16	13	7	5	1	-	-
ALL OTHER--MALE----	3	5	4	4	2	1	2	1	-	-	-	-
FEMALE--	1	1	2	1	-	3	-	-	1	1	-	-
BLACK---MALE----	3	4	4	2	2	1	1	-	-	-	-	-
FEMALE--	1	1	2	-	-	2	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,537
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 HYPERTENSIVE HEART DISEASE (402)												
OHIO -----	1,116	-	-	-	-	-	1	3	5	13	14	38
WHITE-----MALE----	329	-	-	-	-	-	-	-	1	6	5	11
FEMALE--	531	-	-	-	-	-	-	1	1	2	1	8
ALL OTHER--MALE----	116	-	-	-	-	-	1	1	-	3	5	12
FEMALE--	140	-	-	-	-	-	-	1	3	2	3	7
BLACK---MALE----	112	-	-	-	-	-	1	1	-	3	5	12
FEMALE--	137	-	-	-	-	-	-	1	3	2	3	7
OKLAHOMA -----	188	-	-	-	-	-	-	-	-	1	2	4
WHITE-----MALE----	43	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	96	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	21	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	28	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	17	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	26	-	-	-	-	-	-	-	-	-	1	1
OREGON -----	183	-	-	-	-	-	-	-	-	1	4	6
WHITE-----MALE----	65	-	-	-	-	-	-	-	-	1	2	6
FEMALE--	112	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	2	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	2	-
PENNSYLVANIA -----	966	-	-	-	-	-	1	-	3	6	20	24
WHITE-----MALE----	299	-	-	-	-	-	-	-	-	2	11	12
FEMALE--	511	-	-	-	-	-	-	-	-	-	2	4
ALL OTHER--MALE----	79	-	-	-	-	-	1	-	3	3	7	4
FEMALE--	77	-	-	-	-	-	-	-	-	1	-	4
BLACK---MALE----	78	-	-	-	-	-	1	-	3	3	7	4
FEMALE--	74	-	-	-	-	-	-	-	-	1	-	4
RHODE ISLAND -----	103	-	-	-	-	-	-	-	1	-	1	4
WHITE-----MALE----	38	-	-	-	-	-	-	-	1	-	1	3
FEMALE--	59	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	344	-	-	-	-	-	-	-	1	10	2	11
WHITE-----MALE----	70	-	-	-	-	-	-	-	1	3	-	1
FEMALE--	118	-	-	-	-	-	-	-	-	1	-	2
ALL OTHER--MALE----	73	-	-	-	-	-	-	-	-	3	2	5
FEMALE--	83	-	-	-	-	-	-	-	-	3	-	3
BLACK---MALE----	72	-	-	-	-	-	-	-	-	3	2	4
FEMALE--	83	-	-	-	-	-	-	-	-	3	-	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,537
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HYPERTENSIVE HEART DISEASE (402)												
OHIO -----	37	53	58	98	120	140	175	194	112	45	10	-
WHITE-----MALE----	14	20	32	33	39	51	49	45	17	6	-	-
FEMALE--	8	11	9	31	48	60	95	131	81	34	10	-
ALL OTHER--MALE----	7	14	10	13	16	19	8	6	1	-	-	-
FEMALE--	8	8	7	21	17	10	23	12	13	5	-	-
BLACK---MALE----	7	14	9	13	15	17	8	6	1	-	-	-
FEMALE--	8	8	7	21	17	9	22	12	13	4	-	-
OKLAHOMA -----	4	9	8	12	11	27	35	36	31	8	-	-
WHITE-----MALE----	2	4	3	6	3	7	8	6	-	1	-	-
FEMALE--	1	1	2	3	3	15	22	21	23	5	-	-
ALL OTHER--MALE----	1	2	3	1	1	1	2	3	4	1	-	-
FEMALE--	-	2	-	2	4	4	3	6	4	1	-	-
BLACK---MALE----	1	2	2	1	1	1	2	1	3	1	-	-
FEMALE--	-	2	-	2	4	3	3	6	3	1	-	-
OREGON -----	3	4	7	11	15	22	35	35	21	14	5	-
WHITE-----MALE----	3	2	3	5	9	8	11	9	3	2	1	-
FEMALE--	-	2	3	5	6	13	24	25	18	12	4	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	29	39	60	85	85	135	160	145	120	45	9	-
WHITE-----MALE----	13	22	25	36	32	41	47	32	20	6	-	-
FEMALE--	6	3	18	30	36	74	95	106	92	38	7	-
ALL OTHER--MALE----	6	10	9	9	8	10	4	3	2	-	-	-
FEMALE--	4	4	8	10	9	10	14	4	6	1	2	-
BLACK---MALE----	6	10	9	8	8	10	4	3	2	-	-	-
FEMALE--	4	4	8	10	9	10	12	3	6	1	2	-
RHODE ISLAND -----	3	4	6	8	18	9	17	15	12	4	1	-
WHITE-----MALE----	1	4	5	4	8	5	3	1	1	1	-	-
FEMALE--	2	-	1	2	8	3	13	14	11	3	1	-
ALL OTHER--MALE----	-	-	-	2	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	2	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	-	-	-	-	-	-
SOUTH CAROLINA -----	11	15	21	34	34	48	64	49	33	8	3	-
WHITE-----MALE----	2	6	5	11	7	14	6	9	4	1	-	-
FEMALE--	1	1	1	9	9	15	30	26	18	4	1	-
ALL OTHER--MALE----	5	4	10	7	7	12	12	3	2	1	-	-
FEMALE--	3	4	5	7	11	7	16	11	9	2	2	-
BLACK---MALE----	5	4	10	7	7	12	12	3	2	1	-	-
FEMALE--	3	4	5	7	11	7	16	11	9	2	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,538
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 HYPERTENSIVE HEART DISEASE (402)												
SOUTH DAKOTA -----	28	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	644	-	-	-	-	-	-	3	7	8	18	25
WHITE-----MALE----	156	-	-	-	-	-	-	-	2	3	4	10
FEMALE--	272	-	-	-	-	-	-	-	1	-	1	3
ALL OTHER--MALE----	85	-	-	-	-	-	-	2	2	4	8	5
FEMALE--	131	-	-	-	-	-	-	1	2	1	5	7
BLACK---MALE----	84	-	-	-	-	-	-	2	2	4	8	4
FEMALE--	130	-	-	-	-	-	-	1	2	1	5	7
TEXAS -----	1,637	-	-	-	-	2	1	1	10	26	38	70
WHITE-----MALE----	517	-	-	-	-	2	-	-	4	12	13	35
FEMALE--	685	-	-	-	-	-	-	-	-	4	7	3
ALL OTHER--MALE----	206	-	-	-	-	-	1	1	3	6	13	19
FEMALE--	229	-	-	-	-	-	-	-	3	4	5	13
BLACK---MALE----	203	-	-	-	-	-	1	1	3	6	13	19
FEMALE--	226	-	-	-	-	-	-	-	3	4	5	12
UTAH -----	95	1	-	-	-	-	-	-	1	3	1	2
WHITE-----MALE----	41	-	-	-	-	-	-	-	1	3	1	1
FEMALE--	50	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	44	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	17	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	26	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	439	-	-	-	-	-	-	1	-	4	5	11
WHITE-----MALE----	106	-	-	-	-	-	-	-	-	2	2	1
FEMALE--	173	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	65	-	-	-	-	-	-	-	-	1	1	3
FEMALE--	95	-	-	-	-	-	-	1	-	1	1	6
BLACK---MALE----	65	-	-	-	-	-	-	-	-	1	1	3
FEMALE--	95	-	-	-	-	-	-	1	-	1	1	6

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,538
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HYPERTENSIVE HEART DISEASE (402)												
SOUTH DAKOTA -----	1	-	3	2	1	4	2	6	5	3	1	-
WHITE-----MALE----	1	-	3	-	-	3	1	2	1	1	-	-
FEMALE--	-	-	-	1	1	1	1	4	4	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	22	19	34	36	59	85	111	107	79	27	4	-
WHITE-----MALE----	9	3	10	12	21	28	24	15	9	5	1	-
FEMALE--	1	3	9	8	22	23	65	65	50	18	3	-
ALL OTHER--MALE----	10	6	8	6	6	10	10	1	6	1	-	-
FEMALE--	2	7	7	10	10	24	12	26	14	3	-	-
BLACK---MALE----	10	6	8	6	6	10	10	1	6	1	-	-
FEMALE--	2	7	7	10	10	24	11	26	14	3	-	-
TEXAS -----	79	82	141	168	167	183	209	223	161	60	15	1
WHITE-----MALE----	34	35	64	71	60	60	57	39	24	5	2	-
FEMALE--	14	17	20	46	61	79	113	150	117	42	11	1
ALL OTHER--MALE----	18	18	28	24	23	18	16	14	4	-	-	-
FEMALE--	13	12	29	27	23	26	23	20	16	13	2	-
BLACK---MALE----	18	18	27	24	23	16	16	14	4	-	-	-
FEMALE--	13	11	29	27	23	26	23	20	16	12	2	-
UTAH -----	3	2	6	11	16	12	13	9	8	5	2	-
WHITE-----MALE----	1	1	3	5	8	6	3	3	2	2	1	-
FEMALE--	2	-	3	5	8	6	10	5	6	3	1	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
VERMONT -----	2	1	3	5	3	4	6	6	9	4	1	-
WHITE-----MALE----	1	1	2	4	3	2	1	2	1	-	-	-
FEMALE--	1	-	1	-	-	2	5	4	8	4	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	8	14	25	36	60	73	72	67	52	9	2	-
WHITE-----MALE----	2	5	7	8	16	25	15	13	8	2	-	-
FEMALE--	-	1	4	11	17	34	24	41	32	6	1	-
ALL OTHER--MALE----	3	7	9	7	13	4	10	3	3	1	-	-
FEMALE--	3	1	5	10	14	10	23	10	9	-	1	-
BLACK---MALE----	3	7	9	7	13	4	10	3	3	1	-	-
FEMALE--	3	1	5	10	14	10	23	10	9	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,540
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HYPERTENSIVE RENAL DISEASE (403)												
UNITED STATES --	105	138	241	389	648	881	1,091	1,009	539	191	36	1
WHITE-----MALE----	33	28	75	113	231	311	376	312	161	48	8	-
FEMALE--	16	23	50	124	220	343	477	520	290	112	25	-
ALL OTHER--MALE----	31	38	58	65	86	91	90	61	32	8	2	-
FEMALE--	25	49	58	87	111	136	148	116	56	23	1	1
BLACK---MALE----	30	35	50	63	78	84	77	54	27	7	2	-
FEMALE--	25	47	56	79	103	128	134	112	49	22	1	1
ALABAMA -----	1	-	5	3	13	15	19	17	6	4	-	-
WHITE-----MALE----	1	-	1	1	1	3	2	2	1	-	-	-
FEMALE--	-	-	1	1	3	9	7	3	2	-	-	-
ALL OTHER--MALE----	-	-	1	-	5	4	1	3	1	1	-	-
FEMALE--	-	-	2	1	4	5	7	5	1	1	-	-
BLACK---MALE----	-	-	1	-	5	4	1	3	1	1	-	-
FEMALE--	-	-	2	1	4	5	7	5	1	1	-	-
ALASKA -----	-	1	-	2	-	-	1	1	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	5	4	4	10	18	17	6	1	-	-
WHITE-----MALE----	-	-	5	3	2	3	8	4	3	1	-	-
FEMALE--	-	-	-	1	2	6	8	11	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ARKANSAS -----	2	-	4	4	4	6	5	10	4	7	-	-
WHITE-----MALE----	-	-	3	2	2	3	3	2	1	2	-	-
FEMALE--	-	-	-	1	2	1	1	4	1	3	-	-
ALL OTHER--MALE----	2	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	2	1	3	2	2	-	-
BLACK---MALE----	2	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	2	1	3	2	2	-	-
CALIFORNIA -----	14	16	16	41	80	103	122	116	73	17	6	-
WHITE-----MALE----	6	3	6	12	26	41	43	40	19	6	2	-
FEMALE--	3	3	1	17	34	41	51	57	41	8	4	-
ALL OTHER--MALE----	4	9	8	3	12	9	13	8	7	1	-	-
FEMALE--	1	1	1	9	8	12	15	11	6	2	-	-
BLACK---MALE----	4	6	3	2	9	6	5	3	5	-	-	-
FEMALE--	1	1	-	5	5	8	6	10	3	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,541
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 HYPERTENSIVE RENAL DISEASE (403)												
COLORADO -----	53	-	-	-	-	-	-	-	1	-	-	2
WHITE-----MALE----	19	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	27	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
CONNECTICUT -----	62	-	-	-	-	-	-	-	1	-	1	1
WHITE-----MALE----	30	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	21	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	11	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
DISTRICT OF COLUMBIA ----	22	-	-	-	-	-	-	1	-	1	2	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	14	-	-	-	-	-	-	1	-	1	1	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	14	-	-	-	-	-	-	1	-	1	1	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	-
FLORIDA -----	459	1	-	-	-	-	-	1	1	3	3	4
WHITE-----MALE----	180	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	172	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	48	1	-	-	-	-	-	1	-	1	2	2
FEMALE--	59	-	-	-	-	-	-	-	1	1	1	1
BLACK---MALE----	47	1	-	-	-	-	-	1	-	1	2	2
FEMALE--	57	-	-	-	-	-	-	-	1	1	1	1
GEORGIA -----	137	-	-	-	-	-	-	-	-	2	2	4
WHITE-----MALE----	25	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	37	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	27	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	48	-	-	-	-	-	-	-	-	1	1	2
BLACK---MALE----	27	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	48	-	-	-	-	-	-	-	-	1	1	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,541
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HYPERTENSIVE RENAL DISEASE (403)												
COLORADO -----	-	1	-	2	7	9	13	8	6	3	1	-
WHITE-----MALE----	-	-	-	-	5	2	6	2	1	2	-	-
FEMALE--	-	1	-	1	1	5	7	5	5	1	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	2	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	2	-	1	-	-	-	-
CONNECTICUT -----	1	1	5	4	9	4	11	10	10	3	1	-
WHITE-----MALE----	-	-	2	2	4	3	5	8	4	1	-	-
FEMALE--	-	1	1	1	3	1	4	2	5	1	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	1	-	2	1	1	-	1	-	1	1	-	-
BLACK---MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	1	-	2	1	1	-	1	-	1	1	-	-
DELAWARE -----	-	1	-	1	3	-	2	3	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	2	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
DISTRICT OF COLUMBIA ----	-	2	2	1	1	4	2	3	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	1	1	-	2	2	2	2	-	-	-
FEMALE--	-	1	1	-	1	2	-	1	-	-	-	-
BLACK---MALE----	-	1	1	1	-	2	2	2	2	-	-	-
FEMALE--	-	1	1	-	1	2	-	1	-	-	-	-
FLORIDA -----	6	7	13	30	62	68	78	121	46	12	2	1
WHITE-----MALE----	1	3	3	10	27	20	34	57	19	6	-	-
FEMALE--	3	1	4	9	13	26	34	48	24	6	2	-
ALL OTHER--MALE----	-	-	4	8	9	9	6	4	1	-	-	-
FEMALE--	2	3	2	3	13	13	4	12	2	-	-	1
BLACK---MALE----	-	-	4	8	9	9	5	4	1	-	-	-
FEMALE--	2	3	2	3	13	12	3	12	2	-	-	1
GEORGIA -----	10	8	5	5	20	26	21	20	11	2	1	-
WHITE-----MALE----	-	1	-	1	7	6	2	4	3	-	-	-
FEMALE--	1	-	-	-	4	9	6	12	3	1	-	-
ALL OTHER--MALE----	5	-	2	2	3	3	7	2	-	-	1	-
FEMALE--	4	7	3	2	6	8	6	2	5	1	-	-
BLACK---MALE----	5	-	2	2	3	3	7	2	-	-	1	-
FEMALE--	4	7	3	2	6	8	6	2	5	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,542
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HYPERTENSIVE RENAL DISEASE (403)												
HAWAII -----	-	-	1	3	2	1	2	-	3	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	1	1	1	1	-	1	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	2	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	-	2	1	2	5	4	1	1	-	-
WHITE-----MALE----	-	-	-	1	1	1	5	3	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	4	5	17	21	31	33	42	42	23	15	2	-
WHITE-----MALE----	-	-	4	5	7	10	15	12	10	3	1	-
FEMALE--	-	1	2	5	14	18	20	22	10	11	1	-
ALL OTHER--MALE----	2	2	5	4	3	4	2	5	1	-	-	-
FEMALE--	2	2	6	7	7	1	5	3	2	1	-	-
BLACK---MALE----	2	2	4	4	3	4	2	5	1	-	-	-
FEMALE--	2	2	6	7	7	1	5	3	2	1	-	-
INDIANA -----	1	1	7	10	15	24	29	30	15	4	1	-
WHITE-----MALE----	1	1	1	4	5	8	11	8	6	1	-	-
FEMALE--	-	-	3	3	6	11	17	17	8	3	1	-
ALL OTHER--MALE----	-	-	2	2	4	3	-	1	-	-	-	-
FEMALE--	-	-	1	1	-	2	1	4	1	-	-	-
BLACK---MALE----	-	-	2	2	4	3	-	1	-	-	-	-
FEMALE--	-	-	1	1	-	2	1	4	1	-	-	-
IOWA -----	-	3	2	5	1	7	13	16	14	7	-	-
WHITE-----MALE----	-	2	2	4	1	5	7	8	3	1	-	-
FEMALE--	-	-	-	1	-	2	6	8	11	4	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	2	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	2	-	-
KANSAS -----	-	-	3	1	8	9	8	11	13	3	-	-
WHITE-----MALE----	-	-	3	-	3	3	4	7	4	1	-	-
FEMALE--	-	-	-	-	2	6	3	4	8	2	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	1	-	-	-
FEMALE--	-	-	-	1	2	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	1	-	1	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,543
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HYPERTENSIVE RENAL DISEASE (403)												
KENTUCKY -----	1	3	3	4	7	11	17	10	3	5	-	-
WHITE-----MALE----	1	1	1	2	1	2	6	-	-	2	-	-
FEMALE--	-	-	1	2	5	5	7	9	3	3	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	1	-	1	4	2	1	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	1	-	1	4	2	1	-	-	-	-
LOUISIANA -----	2	2	7	9	10	17	17	15	4	2	-	-
WHITE-----MALE----	2	1	-	2	2	6	7	-	1	-	-	-
FEMALE--	-	-	3	1	1	4	3	8	3	2	-	-
ALL OTHER--MALE----	-	1	2	3	2	4	1	1	-	-	-	-
FEMALE--	-	-	2	3	5	3	6	6	-	-	-	-
BLACK---MALE----	-	1	2	3	2	4	1	1	-	-	-	-
FEMALE--	-	-	2	3	5	3	6	6	-	-	-	-
MAINE -----	-	-	1	1	3	5	7	4	3	3	-	-
WHITE-----MALE----	-	-	1	-	3	4	1	2	-	-	-	-
FEMALE--	-	-	-	1	-	1	6	2	3	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	4	5	9	11	16	12	15	14	6	1	1	-
WHITE-----MALE----	1	-	3	2	7	3	4	4	1	-	-	-
FEMALE--	-	-	2	4	3	4	5	4	3	-	-	-
ALL OTHER--MALE----	1	2	2	2	2	2	3	2	-	-	-	-
FEMALE--	2	3	2	3	4	3	3	4	2	1	1	-
BLACK---MALE----	1	2	2	2	2	2	3	2	-	-	-	-
FEMALE--	2	3	2	3	4	3	3	4	2	1	1	-
MASSACHUSETTS -----	3	1	5	5	11	18	28	16	7	8	2	-
WHITE-----MALE----	2	-	-	2	3	8	11	4	2	3	-	-
FEMALE--	1	-	3	1	8	8	16	9	5	5	2	-
ALL OTHER--MALE----	-	1	2	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	2	1	2	-	-	-	-
BLACK---MALE----	-	1	2	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	2	-	-	-	-
MICHIGAN -----	1	2	13	16	17	42	41	36	19	5	2	-
WHITE-----MALE----	-	1	2	4	6	17	9	8	7	1	1	-
FEMALE--	-	-	5	6	7	19	23	23	11	3	-	-
ALL OTHER--MALE----	1	-	2	-	1	3	3	3	-	-	1	-
FEMALE--	-	1	4	6	3	3	6	2	1	1	-	-
BLACK---MALE----	1	-	2	-	1	2	3	3	-	-	1	-
FEMALE--	-	1	4	6	3	3	6	2	1	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,546
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 HYPERTENSIVE RENAL DISEASE (403)												
OHIO -----	219	-	-	-	-	-	1	-	-	2	1	5
WHITE-----MALE----	64	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	96	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	23	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	36	-	-	-	-	-	1	-	-	1	-	1
BLACK---MALE----	23	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	36	-	-	-	-	-	1	-	-	1	-	1
OKLAHOMA -----	51	-	-	-	1	-	-	-	-	-	-	1
WHITE-----MALE----	17	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	21	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
OREGON -----	64	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	29	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	29	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	224	-	-	-	-	-	1	-	-	1	3	1
WHITE-----MALE----	70	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	112	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	16	-	-	-	-	-	1	-	-	1	1	-
FEMALE--	26	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	16	-	-	-	-	-	1	-	-	1	1	-
FEMALE--	25	-	-	-	-	-	-	-	-	-	1	-
RHODE ISLAND -----	28	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	153	-	-	-	-	-	-	-	-	1	1	2
WHITE-----MALE----	26	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	25	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	39	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	63	-	-	-	-	-	-	-	-	1	1	1
BLACK---MALE----	39	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	63	-	-	-	-	-	-	-	-	1	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,546
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HYPERTENSIVE RENAL DISEASE (403)												
OHIO -----	3	4	6	12	34	29	50	46	17	7	2	-
WHITE-----MALE----	-	-	1	3	10	12	19	11	4	1	1	-
FEMALE--	1	1	2	5	15	11	18	24	10	6	1	-
ALL OTHER--MALE----	1	-	3	2	3	2	4	6	-	-	-	-
FEMALE--	1	3	-	2	6	4	9	5	3	-	-	-
BLACK---MALE----	1	-	3	2	3	2	4	6	-	-	-	-
FEMALE--	1	3	-	2	6	4	9	5	3	-	-	-
OKLAHOMA -----	1	1	2	2	2	10	9	12	9	1	-	-
WHITE-----MALE----	-	-	-	-	1	6	5	2	2	1	-	-
FEMALE--	-	-	-	-	1	3	8	5	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	1	1	2	-	-	-
FEMALE--	-	-	2	2	-	1	-	1	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	1	1	1	-	-	-
FEMALE--	-	-	1	2	-	1	-	-	-	-	-	-
OREGON -----	2	1	-	6	8	11	15	12	9	-	-	-
WHITE-----MALE----	-	-	-	4	6	5	5	6	3	-	-	-
FEMALE--	-	1	-	1	2	5	9	6	5	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	1	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
PENNSYLVANIA -----	4	5	7	12	23	35	50	50	21	10	1	-
WHITE-----MALE----	-	2	4	5	11	10	15	16	5	2	-	-
FEMALE--	-	1	-	6	9	17	29	29	11	7	1	-
ALL OTHER--MALE----	4	-	2	1	-	1	3	1	1	-	-	-
FEMALE--	-	2	1	-	3	7	3	4	4	1	-	-
BLACK---MALE----	4	-	2	1	-	1	3	1	1	-	-	-
FEMALE--	-	2	1	-	3	7	2	4	4	1	-	-
RHODE ISLAND -----	-	1	-	2	2	6	4	9	2	1	-	-
WHITE-----MALE----	-	-	-	-	2	3	1	1	1	-	-	-
FEMALE--	-	1	-	1	-	3	3	8	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	9	9	18	21	19	33	27	10	2	-	-
WHITE-----MALE----	1	3	-	1	6	3	4	6	2	-	-	-
FEMALE--	-	-	1	-	3	2	6	7	4	2	-	-
ALL OTHER--MALE----	-	-	6	6	7	5	11	2	1	-	-	-
FEMALE--	-	6	2	11	5	9	12	12	3	-	-	-
BLACK---MALE----	-	-	6	6	7	5	11	2	1	-	-	-
FEMALE--	-	6	2	11	5	9	12	12	3	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,547
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HYPERTENSIVE RENAL DISEASE (403)												
SOUTH DAKOTA -----	-	1	-	-	1	1	2	1	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	1	-	1	-	-
FEMALE--	-	-	-	-	1	1	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	4	6	5	10	19	16	20	21	18	1	-	-
WHITE-----MALE----	3	-	3	3	5	4	5	5	4	-	-	-
FEMALE--	-	1	1	3	9	9	7	12	10	-	-	-
ALL OTHER--MALE----	-	3	-	1	1	2	2	1	2	-	-	-
FEMALE--	1	2	1	3	4	1	6	3	2	1	-	-
BLACK---MALE----	-	3	-	1	1	2	2	1	2	-	-	-
FEMALE--	1	2	1	3	4	1	6	3	2	1	-	-
TEXAS -----	12	11	15	31	48	82	102	71	33	10	2	-
WHITE-----MALE----	3	2	5	7	13	25	42	25	8	1	1	-
FEMALE--	3	1	5	13	18	34	39	33	19	5	1	-
ALL OTHER--MALE----	4	3	1	5	7	8	5	5	2	1	-	-
FEMALE--	2	5	4	6	10	15	16	8	4	3	-	-
BLACK---MALE----	4	3	1	5	5	8	5	5	2	1	-	-
FEMALE--	2	5	4	6	10	15	16	8	4	3	-	-
UTAH -----	-	-	-	2	1	3	2	3	2	-	-	-
WHITE-----MALE----	-	-	-	1	1	2	1	-	2	-	-	-
FEMALE--	-	-	-	-	-	1	1	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	1	1	1	3	4	-	1	1	-	-
WHITE-----MALE----	-	-	1	-	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	2	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2	5	7	8	13	17	30	10	13	1	-	-
WHITE-----MALE----	1	-	4	4	4	1	7	2	7	-	-	-
FEMALE--	-	2	2	-	5	8	8	5	1	1	-	-
ALL OTHER--MALE----	1	1	1	1	3	3	5	-	1	-	-	-
FEMALE--	-	2	-	3	1	5	10	3	4	-	-	-
BLACK---MALE----	1	1	1	1	3	3	4	-	1	-	-	-
FEMALE--	-	2	-	3	1	5	9	3	4	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,549
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 HYPERTENSIVE HEART AND RENAL DISEASE (404)												
UNITED STATES --	2,484	-	-	-	-	-	5	8	8	23	26	46
WHITE-----MALE----	703	-	-	-	-	-	1	3	1	5	4	11
FEMALE--	1,062	-	-	-	-	-	-	2	-	3	6	7
ALL OTHER--MALE----	294	-	-	-	-	-	3	3	4	7	9	13
FEMALE--	425	-	-	-	-	-	1	-	3	8	7	15
BLACK---MALE----	274	-	-	-	-	-	3	3	4	7	9	11
FEMALE--	398	-	-	-	-	-	1	-	2	8	7	15
ALABAMA -----	40	-	-	-	-	-	-	1	-	-	-	1
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	18	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	11	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	15	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	310	-	-	-	-	-	-	1	1	5	4	7
WHITE-----MALE----	98	-	-	-	-	-	-	1	-	1	1	2
FEMALE--	105	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	43	-	-	-	-	-	-	-	-	3	2	1
FEMALE--	64	-	-	-	-	-	-	-	1	1	-	3
BLACK---MALE----	31	-	-	-	-	-	-	-	-	3	2	-
FEMALE--	44	-	-	-	-	-	-	-	1	1	-	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,549
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HYPERTENSIVE HEART AND RENAL DISEASE (404)												
UNITED STATES --	54	65	118	155	269	402	466	453	275	91	20	-
WHITE-----MALE----	11	12	28	48	80	142	139	135	64	17	2	-
FEMALE--	5	18	32	47	93	162	229	226	165	58	9	-
ALL OTHER--MALE----	23	14	28	26	41	40	32	29	15	6	1	-
FEMALE--	15	21	30	34	55	58	66	63	31	10	8	-
BLACK---MALE----	23	14	25	25	38	37	29	28	14	4	-	-
FEMALE--	15	19	28	33	51	52	61	61	28	10	7	-
ALABAMA -----	-	4	1	5	2	6	4	9	5	1	1	-
WHITE-----MALE----	-	-	-	2	-	-	-	5	-	-	-	-
FEMALE--	-	3	-	1	-	3	3	3	3	1	-	-
ALL OTHER--MALE----	-	-	-	1	1	2	-	-	1	-	-	-
FEMALE--	-	1	1	1	1	1	1	1	1	-	1	-
BLACK---MALE----	-	-	-	1	1	2	-	-	1	-	-	-
FEMALE--	-	1	1	1	1	1	1	1	1	-	1	-
ALASKA -----	-	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	-	-	-	3	4	2	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	2	3	2	-	1	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	2	1	6	3	2	1	-	-	-
WHITE-----MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	3	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	2	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	2	1	-	-	-	-	-
CALIFORNIA -----	9	9	20	18	36	64	50	43	33	7	3	-
WHITE-----MALE----	2	1	5	5	10	27	17	17	8	-	1	-
FEMALE--	1	3	5	3	13	17	23	19	15	3	1	-
ALL OTHER--MALE----	3	-	5	5	7	6	3	2	5	1	-	-
FEMALE--	3	5	5	5	6	14	7	5	5	3	1	-
BLACK---MALE----	3	-	4	5	5	3	1	1	4	-	-	-
FEMALE--	3	3	4	4	3	8	3	5	3	3	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,550
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HYPERTENSIVE HEART AND RENAL DISEASE (404)												
COLORADO -----	-	1	-	2	-	3	2	2	4	1	-	-
WHITE-----MALE----	-	-	-	1	-	3	-	-	1	1	-	-
FEMALE--	-	-	-	1	-	-	2	2	3	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	-	1	-	-	3	5	2	2	-	-	-
WHITE-----MALE----	1	-	-	-	-	1	4	2	-	-	-	-
FEMALE--	-	-	1	-	-	2	1	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	1	-	-	-	1	3	-	2	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
DISTRICT OF COLUMBIA ----	2	1	4	-	4	1	3	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	4	-	3	-	1	1	-	-	-	-
FEMALE--	1	1	-	-	1	1	2	-	-	-	-	-
BLACK---MALE----	1	-	4	-	3	-	1	1	-	-	-	-
FEMALE--	1	1	-	-	1	1	2	-	-	-	-	-
FLORIDA -----	6	4	9	18	25	27	39	48	12	10	1	-
WHITE-----MALE----	1	-	3	8	12	11	13	22	5	3	-	-
FEMALE--	-	-	2	5	7	9	20	16	6	6	-	-
ALL OTHER--MALE----	3	2	3	1	2	3	1	4	1	-	-	-
FEMALE--	2	2	1	4	4	4	5	6	-	1	1	-
BLACK---MALE----	3	2	3	1	2	3	1	4	1	-	-	-
FEMALE--	2	2	1	4	4	4	5	6	-	1	1	-
GEORGIA -----	3	4	5	6	13	13	12	14	1	2	-	-
WHITE-----MALE----	1	-	1	-	3	2	3	4	-	-	-	-
FEMALE--	1	-	1	-	-	2	5	4	1	1	-	-
ALL OTHER--MALE----	1	2	1	3	2	4	3	2	-	-	-	-
FEMALE--	-	2	2	3	8	5	1	4	-	1	-	-
BLACK---MALE----	1	2	1	3	2	4	3	2	-	-	-	-
FEMALE--	-	2	2	3	8	5	1	4	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,551
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HYPERTENSIVE HEART AND RENAL DISEASE (404)												
HAWAII -----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	-	1	1	2	6	2	3	-	-	-
WHITE-----MALE----	-	-	-	1	-	2	3	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	3	1	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	3	1	3	8	11	16	18	25	12	5	2	-
WHITE-----MALE----	1	-	-	1	4	6	8	7	5	-	-	-
FEMALE--	-	-	1	4	1	9	10	14	5	5	2	-
ALL OTHER--MALE----	2	-	1	1	4	-	-	1	-	-	-	-
FEMALE--	-	1	1	2	2	1	-	3	2	-	-	-
BLACK---MALE----	2	-	1	1	4	-	-	1	-	-	-	-
FEMALE--	-	1	1	2	2	1	-	3	2	-	-	-
INDIANA -----	1	1	-	4	10	8	18	7	8	3	-	-
WHITE-----MALE----	1	-	-	3	4	2	5	1	1	2	-	-
FEMALE--	-	-	-	1	4	4	10	5	7	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	2	1	-	1	-	-
BLACK---MALE----	-	1	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	2	1	-	1	-	-
IOWA -----	-	-	-	3	3	6	7	6	4	5	-	-
WHITE-----MALE----	-	-	-	2	3	2	3	4	2	2	-	-
FEMALE--	-	-	-	1	-	4	4	2	2	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	-	-	-	-	5	3	5	6	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	2	2	2	1	-	-	-
FEMALE--	-	-	-	-	1	-	3	4	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,552
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 HYPERTENSIVE HEART AND RENAL DISEASE (404)												
KENTUCKY -----	23	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	81	-	-	-	-	-	-	-	-	2	3	2
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	22	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	30	-	-	-	-	-	-	-	-	-	2	-
BLACK---MALE----	22	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	30	-	-	-	-	-	-	-	-	-	2	-
MAINE -----	8	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	125	-	-	-	-	-	1	-	-	-	-	4
WHITE-----MALE----	42	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	56	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	11	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	10	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	1
MASSACHUSETTS -----	36	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	82	-	-	-	-	-	-	-	1	2	2	-
WHITE-----MALE----	26	-	-	-	-	-	-	-	1	1	1	-
FEMALE--	38	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	10	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	10	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,552
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HYPERTENSIVE HEART AND RENAL DISEASE (404)												
KENTUCKY -----	-	-	1	-	4	5	1	5	7	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	2	1	-	-	-
FEMALE--	-	-	1	-	3	4	-	3	5	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
LOUISIANA -----	3	5	7	5	7	11	8	14	9	4	1	-
WHITE-----MALE----	-	1	1	1	1	1	1	3	2	-	-	-
FEMALE--	-	-	2	-	-	4	1	4	4	2	-	-
ALL OTHER--MALE----	2	1	2	2	3	2	2	3	-	1	-	-
FEMALE--	1	3	2	2	3	4	4	4	3	1	1	-
BLACK---MALE----	2	1	2	2	3	2	2	3	-	1	-	-
FEMALE--	1	3	2	2	3	4	4	4	3	1	1	-
MAINE -----	-	-	-	1	3	-	-	4	-	-	-	-
WHITE-----MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	4	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	5	14	10	13	17	18	22	13	6	1	-
WHITE-----MALE----	1	2	6	3	3	9	8	5	2	1	-	-
FEMALE--	-	2	4	3	7	6	7	13	9	3	1	-
ALL OTHER--MALE----	-	-	3	2	-	2	1	1	1	-	-	-
FEMALE--	-	1	1	2	3	-	2	3	1	2	-	-
BLACK---MALE----	-	-	3	2	-	2	-	1	1	-	-	-
FEMALE--	-	1	1	2	3	-	2	3	1	2	-	-
MASSACHUSETTS -----	-	-	-	-	3	8	8	6	9	2	-	-
WHITE-----MALE----	-	-	-	-	1	1	3	1	2	-	-	-
FEMALE--	-	-	-	-	1	6	3	4	7	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	2	-	-	-	-	-
MICHIGAN -----	3	-	5	5	7	11	15	17	12	2	-	-
WHITE-----MALE----	-	-	-	-	2	3	10	4	3	1	-	-
FEMALE--	-	-	2	2	4	6	4	10	9	1	-	-
ALL OTHER--MALE----	1	-	2	2	-	1	-	1	-	-	-	-
FEMALE--	2	-	1	1	1	1	1	2	-	-	-	-
BLACK---MALE----	1	-	2	2	-	1	-	1	-	-	-	-
FEMALE--	2	-	1	1	1	1	1	2	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,553
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HYPERTENSIVE HEART AND RENAL DISEASE (404)												
MINNESOTA -----	-	3	-	2	4	4	4	5	4	2	-	-
WHITE-----MALE----	-	2	-	1	2	3	2	-	2	1	-	-
FEMALE--	-	1	-	1	2	1	2	4	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	1	-	2	1	2	8	10	9	3	4	-	-
WHITE-----MALE----	-	-	-	1	-	3	1	3	-	-	-	-
FEMALE--	-	-	-	-	1	2	3	3	-	3	-	-
ALL OTHER--MALE----	-	-	1	-	1	3	1	1	2	1	-	-
FEMALE--	1	-	1	-	-	-	5	2	1	-	-	-
BLACK---MALE----	-	-	1	-	1	3	1	1	2	1	-	-
FEMALE--	1	-	1	-	-	-	5	2	1	-	-	-
MISSOURI -----	-	-	3	-	2	6	11	9	5	1	-	-
WHITE-----MALE----	-	-	1	-	2	1	2	5	-	-	-	-
FEMALE--	-	-	1	-	-	4	6	1	5	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	1	-	-	1	2	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	1	-	-	1	2	2	-	-	-	-
MONTANA -----	-	-	-	-	-	1	4	1	3	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	-	-	1	-	1	3	4	3	2	4	1	-
WHITE-----MALE----	-	-	1	-	1	1	3	-	2	1	-	-
FEMALE--	-	-	-	-	-	2	1	3	-	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	2	-	3	1	2	1	1	-	1	-	-	-
WHITE-----MALE----	-	-	3	1	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,555
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HYPERTENSIVE HEART AND RENAL DISEASE (404)												
OHIO -----	2	6	3	5	15	20	27	30	13	5	4	-
WHITE-----MALE----	-	3	-	2	6	7	3	9	1	-	1	-
FEMALE--	-	-	-	1	4	8	18	18	11	5	2	-
ALL OTHER--MALE----	1	1	-	1	3	2	3	1	-	-	-	-
FEMALE--	1	2	3	1	2	3	3	2	1	-	1	-
BLACK---MALE----	1	1	-	1	3	2	3	1	-	-	-	-
FEMALE--	1	2	3	1	2	3	3	2	1	-	1	-
OKLAHOMA -----	-	1	7	-	1	1	3	1	5	1	-	-
WHITE-----MALE----	-	-	1	-	-	1	1	-	1	-	-	-
FEMALE--	-	-	6	-	1	-	2	1	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	1	-	-	-
OREGON -----	-	1	1	-	1	5	4	4	4	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	1	1	-	-	-	-
FEMALE--	-	1	-	-	1	4	3	3	4	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	1	-	7	12	12	15	28	11	3	2	-
WHITE-----MALE----	-	-	-	4	5	5	5	9	3	1	-	-
FEMALE--	-	1	-	2	7	6	6	14	7	2	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	4	1	-	1	-
BLACK---MALE----	-	-	-	1	-	-	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	4	1	-	1	-
RHODE ISLAND -----	-	-	-	-	1	2	3	1	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	1	2	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	2	-	4	6	7	11	5	4	8	1	1	-
WHITE-----MALE----	-	-	-	1	1	3	-	2	1	-	-	-
FEMALE--	-	-	1	1	1	2	4	-	2	1	-	-
ALL OTHER--MALE----	2	-	1	2	2	2	-	-	2	-	-	-
FEMALE--	-	-	2	2	3	4	1	2	3	-	1	-
BLACK---MALE----	2	-	1	2	2	2	-	-	2	-	-	-
FEMALE--	-	-	2	2	3	4	1	2	3	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,556
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HYPERTENSIVE HEART AND RENAL DISEASE (404)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1	1	2	3	4	7	13	11	7	1	1	-
WHITE-----MALE----	-	-	1	-	1	3	4	2	2	-	-	-
FEMALE--	-	1	-	2	2	4	3	6	3	1	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	4	3	2	-	1	-
BLACK---MALE----	1	-	1	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	4	3	2	-	1	-
TEXAS -----	2	4	1	13	15	27	31	28	19	4	-	-
WHITE-----MALE----	-	2	1	5	2	8	10	5	6	1	-	-
FEMALE--	-	2	-	5	4	12	17	17	8	2	-	-
ALL OTHER--MALE----	2	-	-	1	3	4	-	1	1	1	-	-
FEMALE--	-	-	-	2	6	3	4	5	4	-	-	-
BLACK---MALE----	2	-	-	1	3	4	-	1	1	1	-	-
FEMALE--	-	-	-	2	6	3	4	4	4	-	-	-
UTAH -----	-	-	-	-	1	-	-	1	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	1	-	-	2	1	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2	-	2	4	5	10	15	9	7	1	-	-
WHITE-----MALE----	1	-	1	-	-	4	4	2	2	-	-	-
FEMALE--	-	-	1	2	2	4	7	1	3	-	-	-
ALL OTHER--MALE----	1	-	-	-	2	2	1	1	-	1	-	-
FEMALE--	-	-	-	2	1	-	3	5	2	-	-	-
BLACK---MALE----	1	-	-	-	2	2	1	1	-	1	-	-
FEMALE--	-	-	-	2	1	-	3	5	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,558
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ISCHEMIC HEART DISEASE (410-414)												
UNITED STATES --	481,287	21	6	4	6	34	86	263	820	2,237	4,655	8,328
WHITE-----MALE----	221,072	6	2	1	3	22	33	137	483	1,398	3,045	5,485
FEMALE--	212,257	8	3	2	1	7	21	62	163	366	675	1,245
ALL OTHER--MALE----	23,747	4	1	1	-	4	24	44	127	317	649	1,103
FEMALE--	24,211	3	-	-	2	1	8	20	47	156	286	495
BLACK---MALE----	20,122	4	1	1	-	3	19	36	110	274	575	974
FEMALE--	21,720	3	-	-	2	1	5	18	43	150	268	462
ALABAMA -----	6,607	-	-	-	-	1	2	6	23	44	97	156
WHITE-----MALE----	2,844	-	-	-	-	-	2	3	12	26	64	75
FEMALE--	2,419	-	-	-	-	1	-	1	6	6	7	22
ALL OTHER--MALE----	674	-	-	-	-	-	-	1	1	10	15	42
FEMALE--	670	-	-	-	-	-	-	1	4	2	11	17
BLACK---MALE----	673	-	-	-	-	-	-	1	1	10	15	42
FEMALE--	667	-	-	-	-	-	-	1	4	2	11	17
ALASKA -----	352	-	-	-	-	-	-	-	1	3	11	9
WHITE-----MALE----	201	-	-	-	-	-	-	-	1	1	8	5
FEMALE--	87	-	-	-	-	-	-	-	-	1	2	-
ALL OTHER--MALE----	46	-	-	-	-	-	-	-	-	1	1	3
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	6,805	-	1	-	1	2	2	8	28	64	123	
WHITE-----MALE----	3,623	-	1	-	-	1	1	2	5	19	45	95
FEMALE--	2,933	-	-	-	-	-	-	-	1	5	10	23
ALL OTHER--MALE----	148	-	-	-	-	-	1	-	2	3	6	1
FEMALE--	101	-	-	-	-	-	-	-	-	1	3	4
BLACK---MALE----	63	-	-	-	-	-	-	-	1	2	2	-
FEMALE--	53	-	-	-	-	-	-	-	-	1	3	3
ARKANSAS -----	5,686	-	-	-	-	-	2	16	29	79	112	
WHITE-----MALE----	2,649	-	-	-	-	-	1	10	17	49	66	
FEMALE--	2,241	-	-	-	-	-	-	1	3	4	13	25
ALL OTHER--MALE----	397	-	-	-	-	-	-	-	2	6	13	17
FEMALE--	399	-	-	-	-	-	-	-	1	2	4	4
BLACK---MALE----	387	-	-	-	-	-	-	-	2	6	11	17
FEMALE--	393	-	-	-	-	-	-	-	1	2	4	4
CALIFORNIA -----	46,342	1	-	-	2	8	20	63	158	379	631	
WHITE-----MALE----	20,374	-	-	-	1	3	9	38	101	243	420	
FEMALE--	20,758	1	-	-	-	2	5	17	24	50	92	
ALL OTHER--MALE----	2,714	-	-	-	-	1	5	5	27	58	81	
FEMALE--	2,496	-	-	-	1	2	1	3	6	28	38	
BLACK---MALE----	1,311	-	-	-	-	-	3	3	12	37	50	
FEMALE--	1,534	-	-	-	-	1	-	-	2	4	21	31

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,558
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ISCHEMIC HEART DISEASE (410-414)												
UNITED STATES --	12,670	17,382	26,963	42,185	59,884	72,657	82,393	75,547	50,079	20,063	4,959	45
WHITE-----MALE----	8,304	10,857	16,392	24,568	33,203	36,834	36,158	26,318	13,237	3,868	701	17
FEMALE--	2,219	3,694	6,667	12,207	20,009	29,160	39,587	44,012	33,486	14,861	3,788	14
ALL OTHER--MALE----	1,429	1,816	2,331	3,023	3,478	3,241	2,740	1,980	1,006	340	83	6
FEMALE--	718	1,015	1,573	2,387	3,194	3,422	3,908	3,237	2,350	994	387	8
BLACK---MALE----	1,235	1,582	2,023	2,590	2,952	2,738	2,240	1,601	805	283	72	4
FEMALE--	654	921	1,414	2,156	2,848	3,054	3,484	2,896	2,103	881	349	8
ALABAMA -----	248	320	521	680	875	912	1,096	898	508	170	50	-
WHITE-----MALE----	154	175	324	360	441	414	397	243	115	32	7	-
FEMALE--	37	66	101	187	255	308	508	496	293	101	24	-
ALL OTHER--MALE----	35	54	55	71	97	88	86	69	33	13	4	-
FEMALE--	22	25	41	62	82	102	105	90	67	24	15	-
BLACK---MALE----	35	54	55	71	97	88	85	69	33	13	4	-
FEMALE--	22	25	40	62	82	101	104	90	67	24	15	-
ALASKA -----	29	34	37	48	53	46	38	28	10	4	1	-
WHITE-----MALE----	20	24	27	25	31	20	19	14	5	1	-	-
FEMALE--	3	5	5	7	13	20	12	12	3	3	1	-
ALL OTHER--MALE----	6	5	3	11	6	4	6	-	-	-	-	-
FEMALE--	-	-	2	5	3	2	1	2	2	-	-	-
BLACK---MALE----	-	-	2	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	-	-	-	-	-
ARIZONA -----	176	251	393	613	914	1,089	1,189	987	682	225	54	3
WHITE-----MALE----	126	165	269	408	571	622	606	415	220	46	4	2
FEMALE--	34	68	103	177	314	428	550	550	446	173	50	1
ALL OTHER--MALE----	12	13	13	20	19	20	16	13	7	2	-	-
FEMALE--	4	5	8	8	10	19	17	9	9	4	-	-
BLACK---MALE----	3	7	8	6	8	8	7	6	3	2	-	-
FEMALE--	1	4	2	3	4	8	9	4	8	3	-	-
ARKANSAS -----	170	244	348	493	709	876	905	904	570	169	60	-
WHITE-----MALE----	99	154	245	278	395	448	382	297	160	39	9	-
FEMALE--	35	47	61	135	221	313	412	490	345	102	34	-
ALL OTHER--MALE----	25	24	24	46	55	50	46	49	22	13	5	-
FEMALE--	11	19	18	34	38	65	65	68	43	15	12	-
BLACK---MALE----	25	23	23	45	53	49	46	48	22	12	5	-
FEMALE--	11	19	17	34	38	65	63	65	43	15	12	-
CALIFORNIA -----	985	1,406	2,282	3,674	5,671	6,932	7,981	7,889	5,377	2,303	578	2
WHITE-----MALE----	642	891	1,333	2,047	3,068	3,379	3,456	2,770	1,417	472	83	1
FEMALE--	172	281	607	1,090	1,874	2,783	3,698	4,407	3,550	1,661	444	-
ALL OTHER--MALE----	117	156	224	303	414	397	376	332	166	44	8	-
FEMALE--	54	78	118	234	315	373	451	380	244	126	43	1
BLACK---MALE----	72	89	126	163	211	193	148	126	62	12	4	-
FEMALE--	40	51	78	138	201	213	269	240	146	72	26	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,559
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ISCHEMIC HEART DISEASE (410-414)												
COLORADO -----	3,889	-	-	-	-	1	-	5	8	21	60	81
WHITE-----MALE----	2,084	-	-	-	-	1	-	2	8	12	45	59
FEMALE--	1,667	-	-	-	-	-	-	3	-	7	9	12
ALL OTHER--MALE----	69	-	-	-	-	-	-	-	-	1	5	8
FEMALE--	69	-	-	-	-	-	-	-	-	1	1	2
BLACK---MALE----	47	-	-	-	-	-	-	-	-	1	4	6
FEMALE--	60	-	-	-	-	-	-	-	-	1	1	2
CONNECTICUT -----	5,712	2	-	-	-	1	-	2	7	26	36	85
WHITE-----MALE----	2,675	1	-	-	-	1	-	2	5	13	28	65
FEMALE--	2,790	-	-	-	-	-	-	-	2	8	5	9
ALL OTHER--MALE----	134	1	-	-	-	-	-	-	-	4	2	9
FEMALE--	113	-	-	-	-	-	-	-	-	1	1	2
BLACK---MALE----	121	1	-	-	-	-	-	-	-	4	-	8
FEMALE--	107	-	-	-	-	-	-	-	-	1	1	2
DELAWARE -----	1,076	-	-	-	-	1	-	-	1	5	27	18
WHITE-----MALE----	486	-	-	-	-	-	-	-	-	-	14	11
FEMALE--	456	-	-	-	-	-	-	-	1	2	3	4
ALL OTHER--MALE----	65	-	-	-	-	1	-	-	-	2	4	2
FEMALE--	69	-	-	-	-	-	-	-	-	1	6	1
BLACK---MALE----	63	-	-	-	-	1	-	-	-	1	4	2
FEMALE--	67	-	-	-	-	-	-	-	-	1	6	1
DISTRICT OF COLUMBIA ----	742	-	-	-	-	-	-	1	7	6	8	27
WHITE-----MALE----	117	-	-	-	-	-	-	-	1	-	1	5
FEMALE--	114	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	244	-	-	-	-	-	-	1	4	4	5	15
FEMALE--	267	-	-	-	-	-	-	-	2	2	2	6
BLACK---MALE----	243	-	-	-	-	-	-	1	4	4	5	15
FEMALE--	267	-	-	-	-	-	-	-	2	2	2	6
FLORIDA -----	34,980	-	-	-	-	1	5	17	38	127	239	477
WHITE-----MALE----	16,938	-	-	-	-	1	2	7	17	79	148	305
FEMALE--	15,441	-	-	-	-	-	1	2	11	23	37	70
ALL OTHER--MALE----	1,292	-	-	-	-	-	2	7	7	15	37	75
FEMALE--	1,309	-	-	-	-	-	-	1	3	10	17	27
BLACK---MALE----	1,245	-	-	-	-	-	2	7	7	14	36	73
FEMALE--	1,281	-	-	-	-	-	-	1	3	10	17	27
GEORGIA -----	9,596	-	-	-	1	-	3	8	43	74	170	256
WHITE-----MALE----	3,958	-	-	-	-	-	2	3	21	39	107	137
FEMALE--	3,576	-	-	-	-	-	-	1	11	11	16	34
ALL OTHER--MALE----	980	-	-	-	-	-	1	-	9	18	36	63
FEMALE--	1,082	-	-	-	1	-	-	4	2	6	11	22
BLACK---MALE----	965	-	-	-	-	-	1	-	9	17	36	62
FEMALE--	1,077	-	-	-	1	-	-	4	2	6	11	22

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,559
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ISCHEMIC HEART DISEASE (410-414)												
COLORADO -----	123	158	244	348	507	587	642	558	357	149	40	-
WHITE-----MALE----	97	119	165	231	352	338	319	198	101	31	6	-
FEMALE--	21	30	66	105	140	228	303	350	246	115	32	-
ALL OTHER--MALE----	5	6	7	6	4	12	6	4	2	2	1	-
FEMALE--	-	3	6	6	11	9	14	6	8	1	1	-
BLACK---MALE----	3	3	6	2	3	7	3	4	2	2	1	-
FEMALE--	-	2	4	6	9	8	13	5	7	1	1	-
CONNECTICUT -----	116	162	247	477	658	874	990	992	675	275	87	-
WHITE-----MALE----	76	112	166	276	392	464	462	366	186	51	9	-
FEMALE--	25	30	64	161	230	381	498	606	478	218	75	-
ALL OTHER--MALE----	9	14	13	22	21	16	12	6	4	1	-	-
FEMALE--	6	6	4	18	15	13	18	14	7	5	3	-
BLACK---MALE----	9	12	11	21	19	16	11	6	2	1	-	-
FEMALE--	6	6	4	18	13	12	18	12	6	5	3	-
DELAWARE -----	35	38	71	101	160	173	155	136	104	42	8	1
WHITE-----MALE----	19	21	34	61	94	77	72	49	22	9	2	1
FEMALE--	5	9	25	28	49	72	69	82	72	30	5	-
ALL OTHER--MALE----	9	4	9	10	8	9	4	-	3	-	-	-
FEMALE--	2	4	3	2	9	15	10	5	7	3	1	-
BLACK---MALE----	9	4	9	9	8	9	4	-	3	-	-	-
FEMALE--	2	4	2	2	9	14	10	5	7	3	1	-
DISTRICT OF COLUMBIA ----	28	43	45	67	83	96	119	102	69	31	10	-
WHITE-----MALE----	1	6	5	5	15	20	23	20	11	3	1	-
FEMALE--	-	3	1	1	5	10	17	28	29	16	3	-
ALL OTHER--MALE----	17	23	23	34	33	35	23	16	7	3	1	-
FEMALE--	10	11	16	27	30	31	56	38	22	9	5	-
BLACK---MALE----	17	23	23	34	33	35	23	16	7	2	1	-
FEMALE--	10	11	16	27	30	31	56	38	22	9	5	-
FLORIDA -----	678	928	1,598	2,777	4,097	5,164	6,573	6,339	4,144	1,460	308	10
WHITE-----MALE----	450	598	980	1,696	2,425	2,809	3,204	2,546	1,305	303	61	2
FEMALE--	106	172	386	783	1,347	2,021	3,002	3,501	2,641	1,110	225	3
ALL OTHER--MALE----	80	105	144	170	164	165	155	96	53	9	5	3
FEMALE--	42	53	88	128	161	169	212	196	145	38	17	2
BLACK---MALE----	72	102	138	163	159	160	149	96	50	9	5	3
FEMALE--	42	53	83	127	158	163	205	194	142	37	17	2
GEORGIA -----	415	515	703	975	1,303	1,423	1,491	1,202	698	263	53	-
WHITE-----MALE----	230	284	401	498	606	607	526	337	123	36	1	-
FEMALE--	68	82	148	254	401	527	694	667	441	185	36	-
ALL OTHER--MALE----	74	91	94	117	150	133	97	58	27	11	1	-
FEMALE--	43	58	60	106	146	156	174	140	107	31	15	-
BLACK---MALE----	72	89	94	115	148	131	96	57	26	11	1	-
FEMALE--	43	56	60	106	145	156	173	140	106	31	15	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,560
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ISCHEMIC HEART DISEASE (410-414)												
HAWAII -----	1,180	-	-	-	-	-	1	1	5	8	10	29
WHITE-----MALE----	202	-	-	-	-	-	-	-	1	2	3	7
FEMALE--	133	-	-	-	-	-	-	-	-	-	1	4
ALL OTHER--MALE----	508	-	-	-	-	-	-	1	3	4	6	12
FEMALE--	337	-	-	-	-	-	1	-	1	2	-	6
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
IDAHO -----	1,625	-	-	-	-	-	-	-	-	3	19	28
WHITE-----MALE----	919	-	-	-	-	-	-	-	-	3	15	26
FEMALE--	698	-	-	-	-	-	-	-	-	-	4	2
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	23,436	1	-	-	-	2	3	14	35	111	218	433
WHITE-----MALE----	10,243	1	-	-	-	1	1	7	23	59	133	283
FEMALE--	10,615	-	-	-	-	1	-	4	6	16	24	56
ALL OTHER--MALE----	1,168	-	-	-	-	-	1	2	4	25	43	60
FEMALE--	1,410	-	-	-	-	-	1	1	2	11	18	34
BLACK---MALE----	1,073	-	-	-	-	-	1	2	3	23	41	56
FEMALE--	1,347	-	-	-	-	-	1	1	2	11	18	32
INDIANA -----	11,692	1	-	-	1	2	1	6	26	59	150	223
WHITE-----MALE----	5,680	-	-	-	-	2	-	5	12	41	106	158
FEMALE--	5,271	-	-	-	1	-	-	-	9	12	22	33
ALL OTHER--MALE----	369	1	-	-	-	-	1	1	5	5	14	17
FEMALE--	372	-	-	-	-	-	-	-	-	1	8	15
BLACK---MALE----	361	1	-	-	-	-	1	1	5	5	13	17
FEMALE--	367	-	-	-	-	-	-	-	-	1	7	15
IOWA -----	6,368	-	-	-	-	-	1	1	15	22	42	92
WHITE-----MALE----	3,118	-	-	-	-	-	-	1	10	17	32	68
FEMALE--	3,191	-	-	-	-	-	1	-	4	5	10	20
ALL OTHER--MALE----	33	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	26	-	-	-	-	-	-	-	1	-	-	2
BLACK---MALE----	23	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	23	-	-	-	-	-	-	-	1	-	-	2
KANSAS -----	4,828	-	-	-	-	-	1	-	5	18	36	59
WHITE-----MALE----	2,373	-	-	-	-	-	1	-	2	15	27	43
FEMALE--	2,265	-	-	-	-	-	-	-	1	2	4	11
ALL OTHER--MALE----	108	-	-	-	-	-	-	-	1	1	5	3
FEMALE--	82	-	-	-	-	-	-	-	1	-	-	2
BLACK---MALE----	86	-	-	-	-	-	-	-	1	-	3	2
FEMALE--	73	-	-	-	-	-	-	-	1	-	-	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,560
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ISCHEMIC HEART DISEASE (410-414)												
HAWAII -----	45	49	74	125	176	162	187	148	108	39	12	1
WHITE-----MALE----	12	11	12	25	39	29	34	19	6	2	-	-
FEMALE--	-	4	3	11	17	16	27	21	25	4	-	-
ALL OTHER--MALE----	22	25	36	68	77	67	79	64	29	11	3	1
FEMALE--	11	9	23	21	43	50	47	44	48	22	9	-
BLACK---MALE----	-	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	41	77	109	155	212	267	274	237	145	50	8	-
WHITE-----MALE----	31	59	83	97	139	157	146	108	46	6	3	-
FEMALE--	10	17	25	56	71	108	128	129	99	44	5	-
ALL OTHER--MALE----	-	1	1	2	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	530	730	1,173	1,972	2,730	3,512	4,183	3,835	2,604	1,057	293	-
WHITE-----MALE----	336	438	694	1,121	1,460	1,720	1,795	1,293	660	181	37	-
FEMALE--	97	140	278	571	926	1,416	2,050	2,253	1,759	796	222	-
ALL OTHER--MALE----	70	95	105	146	167	143	125	110	45	20	7	-
FEMALE--	27	57	96	134	177	233	213	179	140	60	27	-
BLACK---MALE----	62	88	98	141	155	128	106	100	43	19	7	-
FEMALE--	26	56	95	125	169	224	202	169	135	58	23	-
INDIANA -----	344	498	677	1,115	1,480	1,796	1,962	1,722	1,073	470	86	-
WHITE-----MALE----	247	329	440	686	836	956	910	592	272	78	10	-
FEMALE--	63	133	171	337	542	727	954	1,059	763	372	73	-
ALL OTHER--MALE----	27	21	44	54	48	56	37	23	9	5	1	-
FEMALE--	7	15	22	38	54	57	61	48	29	15	2	-
BLACK---MALE----	27	21	44	53	47	56	36	20	8	5	1	-
FEMALE--	6	15	21	37	53	57	61	48	29	15	2	-
IOWA -----	126	194	293	488	649	912	1,181	1,051	801	391	109	-
WHITE-----MALE----	93	131	218	319	400	523	565	408	240	83	10	-
FEMALE--	30	63	71	162	246	378	604	633	559	307	98	-
ALL OTHER--MALE----	2	-	4	5	2	8	5	4	-	-	1	-
FEMALE--	1	-	-	2	1	3	7	6	2	1	-	-
BLACK---MALE----	-	-	4	5	1	6	4	1	-	-	1	-
FEMALE--	1	-	-	2	-	3	6	5	2	1	-	-
KANSAS -----	120	154	245	382	543	734	795	808	629	227	71	1
WHITE-----MALE----	90	113	160	232	321	416	400	319	179	45	9	1
FEMALE--	25	32	67	124	200	282	375	473	433	178	58	-
ALL OTHER--MALE----	1	4	11	16	13	25	13	7	6	2	-	-
FEMALE--	4	5	7	10	9	11	7	9	11	2	4	-
BLACK---MALE----	1	3	9	13	10	19	10	7	6	2	-	-
FEMALE--	3	3	7	9	7	9	7	8	11	2	4	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,561
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ISCHEMIC HEART DISEASE (410-414)												
KENTUCKY -----	7,844	-	-	-	-	1	3	9	26	65	116	184
WHITE-----MALE----	3,978	-	-	-	-	-	1	6	13	50	84	139
FEMALE--	3,419	-	-	-	-	1	-	3	10	8	23	33
ALL OTHER--MALE----	239	-	-	-	-	-	1	-	3	4	7	9
FEMALE--	208	-	-	-	-	-	1	-	-	3	2	3
BLACK---MALE----	234	-	-	-	-	-	1	-	3	4	7	9
FEMALE--	202	-	-	-	-	-	1	-	-	3	2	3
LOUISIANA -----	6,880	-	-	-	-	-	3	4	16	70	114	185
WHITE-----MALE----	2,767	-	-	-	-	-	-	-	2	29	55	93
FEMALE--	2,385	-	-	-	-	-	-	1	3	11	16	18
ALL OTHER--MALE----	861	-	-	-	-	-	1	2	7	17	33	53
FEMALE--	867	-	-	-	-	-	2	1	4	13	10	21
BLACK---MALE----	854	-	-	-	-	-	1	2	7	17	33	53
FEMALE--	860	-	-	-	-	-	2	1	4	13	10	21
MAINE -----	2,369	-	-	-	-	-	-	3	4	9	29	51
WHITE-----MALE----	1,230	-	-	-	-	-	-	2	3	9	23	45
FEMALE--	1,129	-	-	-	-	-	-	1	1	-	5	6
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	6,571	1	-	-	1	-	1	3	6	17	43	104
WHITE-----MALE----	2,731	-	-	-	1	-	-	1	4	9	23	63
FEMALE--	2,712	-	-	-	-	-	-	-	1	2	4	12
ALL OTHER--MALE----	569	-	-	-	-	-	1	1	1	5	13	25
FEMALE--	559	1	-	-	-	-	-	1	-	1	3	4
BLACK---MALE----	534	-	-	-	-	-	1	1	1	5	12	25
FEMALE--	535	1	-	-	-	-	-	1	-	1	3	4
MASSACHUSETTS -----	10,835	-	2	-	-	-	1	4	17	41	82	154
WHITE-----MALE----	5,108	-	-	-	-	-	-	4	13	31	66	120
FEMALE--	5,449	-	2	-	-	-	-	-	3	8	9	28
ALL OTHER--MALE----	131	-	-	-	-	-	1	-	1	1	1	4
FEMALE--	147	-	-	-	-	-	-	-	-	1	6	2
BLACK---MALE----	112	-	-	-	-	-	1	-	1	-	1	3
FEMALE--	125	-	-	-	-	-	-	-	-	1	6	2
MICHIGAN -----	18,276	1	-	1	-	3	3	7	24	99	193	320
WHITE-----MALE----	8,218	-	-	-	-	1	2	7	12	59	120	212
FEMALE--	8,282	1	-	1	-	1	1	-	5	23	37	52
ALL OTHER--MALE----	857	-	-	-	-	1	-	-	6	13	27	35
FEMALE--	919	-	-	-	-	-	-	-	1	4	9	21
BLACK---MALE----	790	-	-	-	-	1	-	-	5	13	23	30
FEMALE--	875	-	-	-	-	-	-	-	-	4	8	19

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,561
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ISCHEMIC HEART DISEASE (410-414)												
KENTUCKY -----	303	363	596	795	1,008	1,164	1,228	1,075	649	215	44	-
WHITE-----MALE----	214	243	382	484	588	582	547	398	191	49	7	-
FEMALE--	63	94	172	256	355	505	637	637	438	150	34	-
ALL OTHER--MALE----	20	19	24	29	38	36	21	12	8	8	-	-
FEMALE--	6	7	18	26	27	41	23	28	12	8	3	-
BLACK---MALE----	19	18	23	29	37	35	21	12	8	8	-	-
FEMALE--	6	7	17	26	27	38	22	27	12	8	3	-
LOUISIANA -----	275	354	472	766	918	1,000	1,040	877	550	195	41	-
WHITE-----MALE----	140	182	226	404	418	451	377	234	118	32	6	-
FEMALE--	36	58	84	187	270	350	428	464	318	122	19	-
ALL OTHER--MALE----	65	76	88	86	123	89	103	65	41	11	1	-
FEMALE--	34	38	74	89	107	110	132	114	73	30	15	-
BLACK---MALE----	63	76	88	86	121	89	102	65	39	11	1	-
FEMALE--	34	38	73	86	107	110	130	114	73	30	14	-
MAINE -----	69	101	134	204	308	336	400	354	242	98	27	-
WHITE-----MALE----	53	70	96	128	186	193	188	152	59	19	4	-
FEMALE--	16	31	37	75	120	142	209	201	183	79	23	-
ALL OTHER--MALE----	-	-	1	1	1	1	2	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	1	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
MARYLAND -----	188	257	409	606	918	1,096	1,111	951	595	211	51	2
WHITE-----MALE----	110	150	215	300	451	519	442	263	149	28	3	-
FEMALE--	26	46	93	152	293	416	520	571	381	154	41	-
ALL OTHER--MALE----	30	38	67	92	87	86	64	37	11	11	-	-
FEMALE--	22	23	34	62	87	75	85	80	54	18	7	2
BLACK---MALE----	29	34	66	90	80	76	59	34	10	11	-	-
FEMALE--	22	20	33	58	82	73	82	77	51	18	7	2
MASSACHUSETTS -----	236	293	530	893	1,281	1,744	1,885	1,751	1,238	527	156	-
WHITE-----MALE----	189	200	332	586	782	932	851	588	299	90	25	-
FEMALE--	34	78	174	267	458	771	994	1,142	920	432	129	-
ALL OTHER--MALE----	11	8	14	20	23	17	13	9	6	2	-	-
FEMALE--	2	7	10	20	18	24	27	12	13	3	2	-
BLACK---MALE----	11	8	8	17	23	16	11	6	4	2	-	-
FEMALE--	2	7	10	19	13	20	21	9	10	3	2	-
MICHIGAN -----	454	605	962	1,601	2,258	2,830	3,177	2,878	1,891	777	192	-
WHITE-----MALE----	293	386	577	946	1,220	1,331	1,403	964	522	133	30	-
FEMALE--	83	129	253	451	791	1,235	1,520	1,721	1,252	581	145	-
ALL OTHER--MALE----	46	57	76	116	141	121	102	69	34	9	4	-
FEMALE--	32	33	56	88	106	143	152	124	83	54	13	-
BLACK---MALE----	40	49	68	104	131	117	99	66	32	8	4	-
FEMALE--	29	29	52	84	97	139	148	118	82	53	13	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,562
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ISCHEMIC HEART DISEASE (410-414)												
MINNESOTA -----	6,912	-	-	-	-	-	1	6	6	42	73	120
WHITE-----MALE----	3,718	-	-	-	-	-	-	5	3	28	56	96
FEMALE--	3,077	-	-	-	-	-	1	-	2	8	12	20
ALL OTHER--MALE----	64	-	-	-	-	-	-	1	1	5	4	4
FEMALE--	53	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	29	-	-	-	-	-	-	-	1	2	3	1
FEMALE--	21	-	-	-	-	-	-	-	-	-	1	-
MISSISSIPPI -----	4,509	1	-	-	-	-	1	8	18	40	71	126
WHITE-----MALE----	1,791	-	-	-	-	-	-	1	7	16	35	61
FEMALE--	1,488	-	-	-	-	-	-	5	2	5	8	15
ALL OTHER--MALE----	623	1	-	-	-	-	1	2	7	13	21	35
FEMALE--	607	-	-	-	-	-	-	-	2	6	7	15
BLACK---MALE----	614	1	-	-	-	-	1	2	7	13	21	33
FEMALE--	604	-	-	-	-	-	-	-	2	6	7	15
MISSOURI -----	12,864	-	-	-	1	1	2	12	21	72	138	227
WHITE-----MALE----	5,881	-	-	-	1	1	1	7	15	43	94	156
FEMALE--	5,914	-	-	-	-	-	-	4	3	13	25	30
ALL OTHER--MALE----	506	-	-	-	-	-	1	-	3	10	10	24
FEMALE--	563	-	-	-	-	-	-	1	-	6	9	17
BLACK---MALE----	487	-	-	-	-	-	1	-	3	10	10	23
FEMALE--	553	-	-	-	-	-	-	1	-	6	9	16
MONTANA -----	1,164	-	-	-	-	-	-	-	3	4	17	22
WHITE-----MALE----	650	-	-	-	-	-	-	-	2	3	13	21
FEMALE--	475	-	-	-	-	-	-	-	1	-	4	-
ALL OTHER--MALE----	23	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	2,965	1	-	-	-	1	-	1	-	15	30	36
WHITE-----MALE----	1,464	-	-	-	-	1	-	1	-	11	25	26
FEMALE--	1,392	1	-	-	-	-	-	-	-	2	3	4
ALL OTHER--MALE----	60	-	-	-	-	-	-	-	-	-	-	5
FEMALE--	49	-	-	-	-	-	-	-	-	2	2	1
BLACK---MALE----	43	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	37	-	-	-	-	-	-	-	-	2	2	-
NEVADA -----	1,849	-	-	-	-	-	-	3	9	10	23	50
WHITE-----MALE----	1,047	-	-	-	-	-	-	3	6	6	16	37
FEMALE--	700	-	-	-	-	-	-	-	1	2	2	10
ALL OTHER--MALE----	62	-	-	-	-	-	-	-	1	1	3	2
FEMALE--	40	-	-	-	-	-	-	-	1	1	2	1
BLACK---MALE----	43	-	-	-	-	-	-	-	-	1	3	2
FEMALE--	29	-	-	-	-	-	-	-	1	1	2	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,562
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ISCHEMIC HEART DISEASE (410-414)												
MINNESOTA -----	188	255	369	525	809	1,079	1,214	1,050	775	327	73	-
WHITE-----MALE----	146	190	285	355	526	643	600	448	249	79	9	-
FEMALE--	31	55	74	155	264	426	606	594	518	247	64	-
ALL OTHER--MALE----	6	4	4	6	10	8	6	3	1	1	-	-
FEMALE--	5	6	6	9	9	2	2	5	7	-	-	-
BLACK---MALE----	3	1	-	1	5	4	4	2	1	1	-	-
FEMALE--	1	2	1	5	3	2	1	2	3	-	-	-
MISSISSIPPI -----	176	221	336	471	637	642	677	603	342	105	34	-
WHITE-----MALE----	89	116	158	225	328	258	239	168	66	21	3	-
FEMALE--	22	35	66	110	155	222	289	303	179	56	16	-
ALL OTHER--MALE----	50	43	65	63	80	79	68	47	37	9	2	-
FEMALE--	15	27	47	73	74	83	81	85	60	19	13	-
BLACK---MALE----	49	41	65	61	79	79	67	47	37	9	2	-
FEMALE--	15	27	47	72	73	83	80	85	60	19	13	-
MISSOURI -----	362	473	650	1,086	1,432	1,855	2,166	2,146	1,512	578	130	-
WHITE-----MALE----	240	303	411	651	847	957	949	725	358	107	15	-
FEMALE--	73	115	155	319	457	760	1,068	1,311	1,058	424	99	-
ALL OTHER--MALE----	31	39	51	58	71	62	55	40	33	15	3	-
FEMALE--	18	16	33	58	57	76	94	70	63	32	13	-
BLACK---MALE----	31	36	48	53	70	59	54	40	31	15	3	-
FEMALE--	18	16	32	57	57	74	92	69	62	31	13	-
MONTANA -----	45	53	75	115	150	173	206	155	96	39	10	1
WHITE-----MALE----	31	39	50	81	95	106	101	69	31	6	1	1
FEMALE--	6	10	23	30	50	65	100	84	61	32	9	-
ALL OTHER--MALE----	6	3	1	4	2	2	2	-	-	1	-	-
FEMALE--	2	1	1	-	3	-	3	2	4	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	62	93	159	222	332	430	495	532	367	155	34	-
WHITE-----MALE----	42	58	108	148	206	245	244	200	107	36	6	-
FEMALE--	8	27	38	60	109	172	239	328	255	119	27	-
ALL OTHER--MALE----	11	5	8	10	8	5	6	1	1	-	-	-
FEMALE--	1	3	5	4	9	8	6	3	4	-	1	-
BLACK---MALE----	7	3	6	9	6	3	5	1	1	-	-	-
FEMALE--	-	2	4	4	5	5	6	2	4	-	1	-
NEVADA -----	70	89	146	209	295	282	278	217	122	38	7	1
WHITE-----MALE----	54	67	95	130	191	165	151	89	30	4	3	-
FEMALE--	8	14	38	62	90	105	120	123	86	34	4	1
ALL OTHER--MALE----	4	4	10	10	12	8	4	2	1	-	-	-
FEMALE--	4	4	3	7	2	4	3	3	5	-	-	-
BLACK---MALE----	3	2	8	5	7	7	3	1	1	-	-	-
FEMALE--	2	3	2	4	2	4	1	2	4	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,564
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ISCHEMIC HEART DISEASE (410-414)												
OHIO -----	23,706	1	-	1	-	2	2	13	42	108	195	384
WHITE-----MALE----	10,966	-	-	1	-	1	-	6	24	78	147	262
FEMALE--	10,772	-	-	-	-	-	-	6	7	22	19	67
ALL OTHER--MALE----	965	-	-	-	-	1	2	1	8	4	22	37
FEMALE--	1,003	1	-	-	-	-	-	-	3	4	7	18
BLACK---MALE----	940	-	-	-	-	1	2	1	7	4	20	37
FEMALE--	984	1	-	-	-	-	-	-	3	4	7	18
OKLAHOMA -----	7,510	-	-	-	-	-	1	3	9	33	67	124
WHITE-----MALE----	3,633	-	-	-	-	-	-	2	7	23	42	79
FEMALE--	3,248	-	-	-	-	-	1	1	1	7	13	22
ALL OTHER--MALE----	329	-	-	-	-	-	-	-	-	-	6	20
FEMALE--	300	-	-	-	-	-	-	-	1	3	6	3
BLACK---MALE----	200	-	-	-	-	-	-	-	-	-	4	12
FEMALE--	193	-	-	-	-	-	-	-	1	2	4	3
OREGON -----	5,019	-	-	-	-	-	-	2	8	8	48	92
WHITE-----MALE----	2,789	-	-	-	-	-	-	-	5	7	37	77
FEMALE--	2,127	-	-	-	-	-	-	1	3	-	7	12
ALL OTHER--MALE----	53	-	-	-	-	-	-	1	-	1	4	2
FEMALE--	50	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	19	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	27,294	1	-	-	1	1	3	11	33	104	200	394
WHITE-----MALE----	12,937	-	-	-	1	1	-	7	21	70	147	286
FEMALE--	12,830	1	-	-	-	-	2	4	10	18	29	59
ALL OTHER--MALE----	741	-	-	-	-	-	1	-	2	10	16	30
FEMALE--	786	-	-	-	-	-	-	-	-	6	8	19
BLACK---MALE----	713	-	-	-	-	-	1	-	2	9	16	29
FEMALE--	760	-	-	-	-	-	-	-	-	6	8	18
RHODE ISLAND -----	2,503	-	-	-	-	-	-	2	1	4	10	28
WHITE-----MALE----	1,176	-	-	-	-	-	-	2	-	4	4	21
FEMALE--	1,268	-	-	-	-	-	-	-	1	-	4	6
ALL OTHER--MALE----	33	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	26	-	-	-	-	-	-	-	-	-	2	-
BLACK---MALE----	23	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	1	-
SOUTH CAROLINA -----	6,421	-	-	-	-	-	4	4	19	42	107	171
WHITE-----MALE----	2,804	-	-	-	-	-	1	-	14	22	59	87
FEMALE--	2,107	-	-	-	-	-	1	1	1	5	11	18
ALL OTHER--MALE----	753	-	-	-	-	-	1	2	4	10	26	50
FEMALE--	757	-	-	-	-	-	1	1	-	5	11	16
BLACK---MALE----	747	-	-	-	-	-	1	2	4	10	26	50
FEMALE--	752	-	-	-	-	-	1	1	-	5	11	16

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,564
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ISCHEMIC HEART DISEASE (410-414)												
OHIO -----	658	863	1,505	2,270	3,142	3,679	3,992	3,480	2,212	916	241	-
WHITE-----MALE----	420	539	908	1,290	1,719	1,933	1,725	1,134	552	198	29	-
FEMALE--	135	208	400	723	1,100	1,507	2,034	2,152	1,538	663	191	-
ALL OTHER--MALE----	69	71	109	148	159	119	96	77	28	13	1	-
FEMALE--	34	45	88	109	164	120	137	117	94	42	20	-
BLACK---MALE----	68	70	106	144	155	115	93	75	28	13	1	-
FEMALE--	34	45	88	106	160	117	134	113	92	42	20	-
OKLAHOMA -----	253	315	489	640	924	1,057	1,249	1,204	739	322	75	6
WHITE-----MALE----	179	197	310	412	517	550	572	439	212	73	14	5
FEMALE--	42	78	125	165	322	437	587	689	479	222	56	1
ALL OTHER--MALE----	25	22	37	34	55	40	39	29	12	8	2	-
FEMALE--	7	18	17	29	30	30	51	47	36	19	3	-
BLACK---MALE----	18	13	16	20	33	23	26	21	7	6	1	-
FEMALE--	4	7	11	17	18	17	37	31	26	14	1	-
OREGON -----	141	173	281	416	673	807	884	770	469	196	51	-
WHITE-----MALE----	106	130	207	276	440	482	481	327	152	46	16	-
FEMALE--	27	38	65	125	214	317	388	435	312	148	35	-
ALL OTHER--MALE----	5	3	3	8	8	6	5	4	3	-	-	-
FEMALE--	3	2	6	7	11	2	10	4	2	2	-	-
BLACK---MALE----	1	3	2	2	2	4	-	1	-	-	-	-
FEMALE--	2	-	4	4	6	1	3	2	-	1	-	-
PENNSYLVANIA -----	569	885	1,408	2,442	3,656	4,560	4,895	4,255	2,626	1,023	224	3
WHITE-----MALE----	411	588	891	1,481	2,077	2,385	2,157	1,532	658	191	33	-
FEMALE--	113	217	402	753	1,352	1,971	2,510	2,561	1,861	783	181	3
ALL OTHER--MALE----	36	54	60	118	115	106	81	62	34	14	2	-
FEMALE--	9	26	55	90	112	98	147	100	73	35	8	-
BLACK---MALE----	34	52	58	110	114	103	78	59	32	14	2	-
FEMALE--	9	26	55	88	107	94	141	96	71	33	8	-
RHODE ISLAND -----	54	53	116	199	300	368	481	385	319	143	40	-
WHITE-----MALE----	41	32	83	129	173	215	226	129	84	28	5	-
FEMALE--	9	14	27	62	117	149	249	249	232	115	34	-
ALL OTHER--MALE----	4	6	4	5	4	2	2	4	1	-	-	-
FEMALE--	-	1	2	3	6	2	4	3	2	-	1	-
BLACK---MALE----	3	5	1	5	4	2	1	2	-	-	-	-
FEMALE--	-	1	1	3	4	1	4	1	-	-	1	-
SOUTH CAROLINA -----	267	348	581	702	916	1,035	938	744	386	121	36	-
WHITE-----MALE----	153	194	308	367	451	455	371	216	79	21	6	-
FEMALE--	33	54	121	153	257	335	393	407	228	74	15	-
ALL OTHER--MALE----	48	67	82	91	99	144	56	42	19	8	4	-
FEMALE--	33	33	70	91	109	101	118	79	60	18	11	-
BLACK---MALE----	46	67	80	91	98	144	56	41	19	8	4	-
FEMALE--	33	31	69	90	108	101	118	79	60	18	11	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,565
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ISCHEMIC HEART DISEASE (410-414)												
SOUTH DAKOTA -----	1,560	-	-	-	-	-	-	-	-	7	10	27
WHITE-----MALE----	801	-	-	-	-	-	-	-	-	4	8	20
FEMALE--	701	-	-	-	-	-	-	-	-	1	1	6
ALL OTHER--MALE----	35	-	-	-	-	-	-	-	-	2	-	1
FEMALE--	23	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	10,912	1	-	-	-	1	2	3	15	87	149	250
WHITE-----MALE----	5,021	1	-	-	-	1	1	2	11	64	93	151
FEMALE--	4,532	-	-	-	-	-	1	-	2	10	25	45
ALL OTHER--MALE----	671	-	-	-	-	-	-	1	1	9	19	40
FEMALE--	688	-	-	-	-	-	-	-	1	4	12	14
BLACK---MALE----	660	-	-	-	-	-	-	1	1	9	19	38
FEMALE--	681	-	-	-	-	-	-	-	1	4	12	13
TEXAS -----	27,103	4	-	2	1	6	13	14	65	169	312	575
WHITE-----MALE----	12,708	1	-	-	-	4	8	5	48	101	197	368
FEMALE--	11,395	2	-	1	-	1	2	3	7	32	53	88
ALL OTHER--MALE----	1,482	-	-	1	-	1	3	2	8	23	50	77
FEMALE--	1,518	1	-	-	1	-	-	4	2	13	12	42
BLACK---MALE----	1,406	-	-	1	-	-	3	2	6	23	49	69
FEMALE--	1,469	1	-	-	1	-	-	4	2	13	12	41
UTAH -----	1,679	-	-	-	-	-	-	1	5	8	24	27
WHITE-----MALE----	913	-	-	-	-	-	-	-	5	6	18	20
FEMALE--	740	-	-	-	-	-	-	-	-	-	6	5
ALL OTHER--MALE----	17	-	-	-	-	-	-	1	-	2	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	4	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
VERMONT -----	965	-	-	-	-	-	-	1	1	6	11	16
WHITE-----MALE----	513	-	-	-	-	-	-	1	-	5	11	12
FEMALE--	448	-	-	-	-	-	-	-	-	1	-	4
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	9,097	1	-	-	-	-	1	11	27	43	119	229
WHITE-----MALE----	3,964	1	-	-	-	-	1	5	10	25	70	139
FEMALE--	3,393	-	-	-	-	-	-	1	7	8	17	27
ALL OTHER--MALE----	906	-	-	-	-	-	-	3	6	6	23	42
FEMALE--	834	-	-	-	-	-	-	2	4	4	9	21
BLACK---MALE----	870	-	-	-	-	-	-	3	5	5	22	39
FEMALE--	808	-	-	-	-	-	-	2	4	4	8	21

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,565
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ISCHEMIC HEART DISEASE (410-414)												
SOUTH DAKOTA -----	42	61	86	117	175	235	258	240	192	86	24	-
WHITE-----MALE----	29	37	55	82	113	142	120	99	61	25	6	-
FEMALE--	7	15	26	26	55	84	134	138	130	60	18	-
ALL OTHER--MALE----	5	7	3	5	4	6	-	-	1	1	-	-
FEMALE--	1	2	2	4	3	3	4	3	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	383	485	688	1,049	1,430	1,657	1,735	1,596	962	339	79	1
WHITE-----MALE----	265	296	431	597	797	797	708	493	246	53	13	1
FEMALE--	65	102	164	315	441	669	827	942	615	249	60	-
ALL OTHER--MALE----	37	52	51	70	98	99	82	66	35	10	1	-
FEMALE--	16	35	42	67	94	92	118	95	66	27	5	-
BLACK---MALE----	37	52	50	68	96	96	81	66	35	10	1	-
FEMALE--	16	35	41	67	94	92	115	94	65	27	5	-
TEXAS -----	946	1,188	1,758	2,516	3,430	3,933	4,302	4,023	2,602	999	243	2
WHITE-----MALE----	637	733	1,029	1,474	1,919	2,006	1,883	1,384	681	195	35	-
FEMALE--	147	266	460	714	1,138	1,551	2,027	2,305	1,701	717	180	-
ALL OTHER--MALE----	111	109	161	190	201	182	150	120	68	19	6	-
FEMALE--	51	80	108	138	172	194	242	214	152	68	22	2
BLACK---MALE----	105	105	153	180	188	172	145	116	65	18	6	-
FEMALE--	50	79	101	134	164	185	240	209	143	66	22	2
UTAH -----	54	66	83	147	199	283	325	240	175	37	5	-
WHITE-----MALE----	39	49	62	91	108	160	171	118	60	5	1	-
FEMALE--	14	16	19	54	86	118	152	121	114	32	3	-
ALL OTHER--MALE----	-	1	2	2	2	4	1	1	-	-	-	-
FEMALE--	1	-	-	-	3	1	1	-	1	-	1	-
BLACK---MALE----	-	-	-	-	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	1	-	-	-
VERMONT -----	34	34	60	68	118	144	170	140	116	38	8	-
WHITE-----MALE----	29	27	44	51	79	82	85	48	29	10	-	-
FEMALE--	4	7	16	15	39	62	85	92	87	28	8	-
ALL OTHER--MALE----	1	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	344	469	620	940	1,293	1,409	1,389	1,172	671	286	69	4
WHITE-----MALE----	217	273	338	498	626	643	530	376	157	47	8	-
FEMALE--	47	84	139	240	399	510	622	631	418	197	44	2
ALL OTHER--MALE----	51	82	97	127	147	121	106	55	32	4	3	1
FEMALE--	29	30	46	75	121	135	131	110	64	38	14	1
BLACK---MALE----	48	80	93	121	138	117	104	55	32	4	3	1
FEMALE--	29	28	44	71	116	131	128	106	63	38	14	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,566
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ISCHEMIC HEART DISEASE (410-414)												
WASHINGTON -----	140	250	357	579	813	1,066	1,206	1,064	698	281	76	1
WHITE-----MALE----	110	170	242	363	495	632	603	434	189	68	14	-
FEMALE--	24	64	96	188	280	389	562	612	498	207	61	-
ALL OTHER--MALE----	4	14	14	18	22	26	22	11	4	1	-	1
FEMALE--	2	2	5	10	16	19	19	7	7	5	1	-
BLACK---MALE----	3	5	4	9	7	15	8	2	2	1	-	-
FEMALE--	1	-	1	5	5	8	5	2	3	3	-	-
WEST VIRGINIA -----	124	161	276	429	617	724	746	609	359	143	28	-
WHITE-----MALE----	91	111	187	240	344	372	337	217	96	35	5	-
FEMALE--	30	40	85	179	253	333	392	376	258	104	21	-
ALL OTHER--MALE----	2	6	2	5	11	11	5	8	3	-	-	-
FEMALE--	1	4	2	5	9	8	12	8	2	4	2	-
BLACK---MALE----	2	6	2	5	11	11	5	8	3	-	-	-
FEMALE--	1	4	2	5	9	8	11	8	2	4	2	-
WISCONSIN -----	197	321	476	853	1,124	1,365	1,706	1,610	1,042	447	114	-
WHITE-----MALE----	152	224	323	567	732	786	796	650	326	92	12	-
FEMALE--	29	68	127	245	359	548	879	939	701	351	99	-
ALL OTHER--MALE----	11	20	14	26	21	17	9	10	3	2	1	-
FEMALE--	5	9	12	15	12	14	22	11	12	2	2	-
BLACK---MALE----	9	18	7	19	15	13	8	8	3	2	1	-
FEMALE--	4	7	8	13	11	10	19	9	10	1	2	-
WYOMING -----	25	31	33	66	75	81	108	92	49	24	6	-
WHITE-----MALE----	18	23	24	51	59	46	62	34	13	12	-	-
FEMALE--	5	8	7	13	15	33	45	58	36	12	6	-
ALL OTHER--MALE----	1	-	1	2	-	1	1	-	-	-	-	-
FEMALE--	1	-	1	-	1	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,567
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACUTE MYOCARDIAL INFARCTION (410)												
UNITED STATES --	218,229	11	2	1	3	18	51	137	433	1,184	2,589	4,726
WHITE-----MALE----	104,716	2	-	-	1	11	18	72	250	750	1,722	3,214
FEMALE--	91,010	7	2	1	4	15	37	101	184	371	695	
ALL OTHER--MALE----	11,271	1	-	-	-	2	14	18	59	166	345	551
FEMALE--	11,232	1	-	-	1	1	4	10	23	84	151	266
BLACK---MALE----	9,594	1	-	-	-	1	12	14	54	145	298	487
FEMALE--	10,172	1	-	-	1	1	3	9	22	82	143	245
ALABAMA -----	3,954	-	-	-	-	1	2	5	12	29	70	113
WHITE-----MALE----	1,650	-	-	-	-	-	2	2	5	20	47	54
FEMALE--	1,457	-	-	-	-	1	-	1	4	4	6	17
ALL OTHER--MALE----	430	-	-	-	-	-	-	1	-	4	10	31
FEMALE--	417	-	-	-	-	-	-	1	3	1	7	11
BLACK---MALE----	429	-	-	-	-	-	-	1	-	4	10	31
FEMALE--	415	-	-	-	-	-	-	1	3	1	7	11
ALASKA -----	129	-	-	-	-	-	-	-	1	2	5	4
WHITE-----MALE----	72	-	-	-	-	-	-	-	1	1	4	2
FEMALE--	35	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2,890	-	-	-	-	1	-	1	4	7	28	56
WHITE-----MALE----	1,567	-	-	-	-	1	-	1	2	4	22	45
FEMALE--	1,220	-	-	-	-	-	-	-	1	1	2	7
ALL OTHER--MALE----	58	-	-	-	-	-	-	-	1	2	2	1
FEMALE--	45	-	-	-	-	-	-	-	-	-	2	3
BLACK---MALE----	21	-	-	-	-	-	-	-	1	1	1	-
FEMALE--	25	-	-	-	-	-	-	-	-	-	2	3
ARKANSAS -----	3,655	-	-	-	-	-	-	2	14	26	69	94
WHITE-----MALE----	1,760	-	-	-	-	-	-	1	8	15	42	52
FEMALE--	1,346	-	-	-	-	-	-	1	3	3	12	23
ALL OTHER--MALE----	296	-	-	-	-	-	-	-	2	6	12	15
FEMALE--	253	-	-	-	-	-	-	-	1	2	3	4
BLACK---MALE----	287	-	-	-	-	-	-	-	2	6	10	15
FEMALE--	250	-	-	-	-	-	-	-	1	2	3	4
CALIFORNIA -----	17,934	1	-	-	-	1	4	12	24	72	164	311
WHITE-----MALE----	8,236	-	-	-	-	-	-	5	13	48	103	212
FEMALE--	7,520	1	-	-	-	-	2	3	9	9	22	46
ALL OTHER--MALE----	1,153	-	-	-	-	-	1	3	2	11	27	34
FEMALE--	1,025	-	-	-	-	1	1	1	-	4	12	19
BLACK---MALE----	543	-	-	-	-	-	-	2	1	5	15	23
FEMALE--	629	-	-	-	-	1	-	-	-	4	9	16

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,567
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACUTE MYOCARDIAL INFARCTION (410)												
UNITED STATES --	7,236	9,721	14,751	21,902	29,673	34,303	36,408	30,356	17,364	5,958	1,384	18
WHITE-----MALE----	4,844	6,183	8,981	12,675	16,198	17,047	15,928	10,655	4,726	1,216	216	7
FEMALE--	1,289	2,097	3,779	6,501	10,299	14,056	17,499	17,475	11,326	4,264	1,003	4
ALL OTHER--MALE----	719	923	1,191	1,463	1,645	1,528	1,232	842	414	122	32	4
FEMALE--	384	518	800	1,263	1,531	1,672	1,749	1,384	898	356	133	3
BLACK---MALE----	615	798	1,009	1,269	1,407	1,297	1,017	692	340	106	30	2
FEMALE--	341	461	727	1,146	1,375	1,489	1,591	1,265	823	322	122	3
ALABAMA -----	179	217	327	415	525	535	628	512	267	91	26	-
WHITE-----MALE----	109	115	199	203	243	229	211	127	61	17	6	-
FEMALE--	31	50	67	123	160	185	303	285	154	56	10	-
ALL OTHER--MALE----	27	38	39	45	67	49	48	46	18	5	2	-
FEMALE--	12	14	22	44	55	72	66	54	34	13	8	-
BLACK---MALE----	27	38	39	45	67	49	47	46	18	5	2	-
FEMALE--	12	14	21	44	55	72	65	54	34	13	8	-
ALASKA -----	11	8	9	21	13	21	14	13	6	1	-	-
WHITE-----MALE----	5	7	8	10	7	6	8	10	3	-	-	-
FEMALE--	2	-	-	5	3	13	4	3	2	1	-	-
ALL OTHER--MALE----	4	1	1	3	1	1	2	-	-	-	-	-
FEMALE--	-	-	-	3	2	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	-	-	-	-	-
ARIZONA -----	80	112	187	282	442	503	510	399	205	54	18	1
WHITE-----MALE----	58	75	125	194	257	271	263	173	67	9	-	-
FEMALE--	18	29	50	77	172	214	236	215	135	44	18	1
ALL OTHER--MALE----	3	6	6	6	8	10	5	7	1	-	-	-
FEMALE--	1	2	6	5	5	8	6	4	2	1	-	-
BLACK---MALE----	-	2	2	2	4	4	2	2	-	-	-	-
FEMALE--	-	2	2	3	1	5	4	1	2	-	-	-
ARKANSAS -----	138	191	270	344	473	563	554	509	296	80	32	-
WHITE-----MALE----	79	119	191	193	261	293	229	168	87	15	7	-
FEMALE--	29	34	46	96	148	190	248	277	172	48	16	-
ALL OTHER--MALE----	23	21	18	32	37	36	36	32	12	11	3	-
FEMALE--	7	17	15	23	27	44	41	32	25	6	6	-
BLACK---MALE----	23	20	17	31	36	35	36	31	12	10	3	-
FEMALE--	7	17	14	23	27	44	41	30	25	6	6	-
CALIFORNIA -----	476	695	1,103	1,676	2,492	2,862	2,992	2,733	1,582	587	147	-
WHITE-----MALE----	324	429	644	928	1,294	1,362	1,311	982	434	122	25	-
FEMALE--	76	151	296	498	866	1,161	1,357	1,475	1,026	414	108	-
ALL OTHER--MALE----	50	75	112	133	184	173	153	129	52	13	1	-
FEMALE--	26	40	51	117	148	166	171	147	70	38	13	-
BLACK---MALE----	28	42	60	67	85	82	57	51	21	4	-	-
FEMALE--	18	23	29	68	91	91	101	100	45	24	9	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,568
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACUTE MYOCARDIAL INFARCTION (410)												
COLORADO -----	1,822	-	-	-	-	1	-	2	5	14	36	45
WHITE-----MALE----	1,001	-	-	-	-	1	-	1	5	8	26	38
FEMALE--	771	-	-	-	-	-	-	1	-	5	5	4
ALL OTHER--MALE----	30	-	-	-	-	-	-	-	-	1	4	3
FEMALE--	20	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	17	-	-	-	-	-	-	-	-	1	3	1
FEMALE--	16	-	-	-	-	-	-	-	-	-	1	-
CONNECTICUT -----	1,995	-	-	-	-	-	-	1	-	8	14	30
WHITE-----MALE----	968	-	-	-	-	-	-	1	-	4	10	25
FEMALE--	947	-	-	-	-	-	-	-	-	3	2	3
ALL OTHER--MALE----	45	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	35	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	39	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	32	-	-	-	-	-	-	-	-	-	-	1
DELAWARE -----	528	-	-	-	-	1	-	-	1	2	11	9
WHITE-----MALE----	232	-	-	-	-	-	-	-	-	-	5	7
FEMALE--	229	-	-	-	-	-	-	-	1	-	1	2
ALL OTHER--MALE----	31	-	-	-	-	1	-	-	-	1	1	-
FEMALE--	36	-	-	-	-	-	-	-	-	1	4	-
BLACK---MALE----	30	-	-	-	-	1	-	-	-	1	1	-
FEMALE--	34	-	-	-	-	-	-	-	-	1	4	-
DISTRICT OF COLUMBIA ----	310	-	-	-	-	-	-	1	2	4	1	9
WHITE-----MALE----	51	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	50	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	87	-	-	-	-	-	-	1	-	2	-	4
FEMALE--	122	-	-	-	-	-	-	-	1	2	-	5
BLACK---MALE----	87	-	-	-	-	-	-	1	-	2	-	4
FEMALE--	122	-	-	-	-	-	-	-	1	2	-	5
FLORIDA -----	13,150	-	-	-	-	-	3	7	21	54	126	226
WHITE-----MALE----	6,537	-	-	-	-	-	1	3	10	29	78	149
FEMALE--	5,544	-	-	-	-	-	1	1	6	10	17	31
ALL OTHER--MALE----	528	-	-	-	-	-	1	2	5	10	21	36
FEMALE--	541	-	-	-	-	-	-	1	-	5	10	10
BLACK---MALE----	504	-	-	-	-	-	1	2	5	10	20	34
FEMALE--	526	-	-	-	-	-	-	1	-	5	10	10
GEORGIA -----	5,188	-	-	-	1	-	3	7	28	42	115	174
WHITE-----MALE----	2,157	-	-	-	-	-	2	2	12	23	68	93
FEMALE--	1,832	-	-	-	-	-	-	1	7	6	13	25
ALL OTHER--MALE----	579	-	-	-	-	-	1	-	7	10	26	42
FEMALE--	620	-	-	-	1	-	-	4	2	3	8	14
BLACK---MALE----	571	-	-	-	-	-	1	-	7	9	26	41
FEMALE--	617	-	-	-	1	-	-	4	2	3	8	14

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,568
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACUTE MYOCARDIAL INFARCTION (410)												
COLORADO -----	65	93	131	163	266	283	291	229	138	44	16	-
WHITE-----MALE----	48	72	91	107	178	152	129	88	40	14	3	-
FEMALE--	15	16	35	51	83	122	157	139	95	30	13	-
ALL OTHER--MALE----	2	2	2	4	1	6	4	1	-	-	-	-
FEMALE--	-	3	3	1	4	3	1	1	3	-	-	-
BLACK---MALE----	1	1	1	2	1	3	2	1	-	-	-	-
FEMALE--	-	2	2	1	3	3	1	-	3	-	-	-
CONNECTICUT -----	55	70	107	207	235	350	335	325	180	63	15	-
WHITE-----MALE----	38	52	72	115	135	185	148	116	54	12	1	-
FEMALE--	13	13	28	75	90	155	178	202	121	50	14	-
ALL OTHER--MALE----	2	2	6	10	8	5	3	2	2	1	-	-
FEMALE--	2	3	1	7	2	5	6	5	3	-	-	-
BLACK---MALE----	2	2	4	10	7	5	2	2	2	1	-	-
FEMALE--	2	3	1	7	2	4	6	4	2	-	-	-
DELAWARE -----	21	22	35	59	87	85	72	65	40	16	1	1
WHITE-----MALE----	12	9	13	36	51	32	34	24	4	4	-	1
FEMALE--	3	9	15	17	32	37	33	37	30	11	1	-
ALL OTHER--MALE----	4	1	5	6	4	6	-	-	2	-	-	-
FEMALE--	2	3	2	-	-	10	5	4	4	1	-	-
BLACK---MALE----	4	1	5	5	4	6	-	-	2	-	-	-
FEMALE--	2	3	1	-	-	9	5	4	4	1	-	-
DISTRICT OF COLUMBIA ----	11	14	16	36	34	42	57	43	26	9	5	-
WHITE-----MALE----	-	3	-	4	6	9	7	10	8	1	1	-
FEMALE--	-	2	-	-	-	3	11	15	12	4	3	-
ALL OTHER--MALE----	7	5	10	17	9	13	11	5	2	1	-	-
FEMALE--	4	4	6	15	19	17	28	13	4	3	1	-
BLACK---MALE----	7	5	10	17	9	13	11	5	2	1	-	-
FEMALE--	4	4	6	15	19	17	28	13	4	3	1	-
FLORIDA -----	330	418	717	1,205	1,755	2,073	2,503	2,107	1,159	360	80	6
WHITE-----MALE----	218	274	420	680	1,024	1,101	1,226	847	375	87	13	2
FEMALE--	51	86	196	381	593	832	1,132	1,165	724	260	57	1
ALL OTHER--MALE----	38	38	66	72	60	68	59	32	13	3	2	2
FEMALE--	23	20	35	72	78	72	86	63	47	10	8	1
BLACK---MALE----	32	37	63	69	59	65	56	32	12	3	2	2
FEMALE--	23	20	32	71	77	67	83	63	45	10	8	1
GEORGIA -----	264	314	423	558	708	760	801	580	293	100	17	-
WHITE-----MALE----	144	180	232	267	307	306	275	166	56	23	1	-
FEMALE--	43	43	97	163	224	282	372	305	177	62	12	-
ALL OTHER--MALE----	48	56	58	67	82	82	52	31	13	3	1	-
FEMALE--	29	35	36	61	95	90	102	78	47	12	3	-
BLACK---MALE----	47	54	58	66	81	82	51	31	13	3	1	-
FEMALE--	29	33	36	61	94	90	102	78	47	12	3	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,569
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACUTE MYOCARDIAL INFARCTION (410)												
HAWAII -----	485	-	-	-	-	-	-	1	2	5	6	14
WHITE-----MALE----	88	-	-	-	-	-	-	-	1	2	1	3
FEMALE--	57	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	203	-	-	-	-	-	-	1	1	2	4	5
FEMALE--	137	-	-	-	-	-	-	-	-	1	-	5
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	943	-	-	-	-	-	-	-	-	2	15	25
WHITE-----MALE----	557	-	-	-	-	-	-	-	-	2	13	23
FEMALE--	380	-	-	-	-	-	-	-	-	-	2	2
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	11,701	1	-	-	-	1	3	7	17	53	132	257
WHITE-----MALE----	5,382	1	-	-	-	1	1	4	10	29	84	176
FEMALE--	4,964	-	-	-	-	-	-	2	5	8	17	36
ALL OTHER--MALE----	602	-	-	-	-	-	1	-	1	10	19	27
FEMALE--	753	-	-	-	-	-	1	1	1	6	12	18
BLACK---MALE----	543	-	-	-	-	-	1	-	1	9	17	24
FEMALE--	721	-	-	-	-	-	1	1	1	6	12	16
INDIANA -----	5,326	1	-	-	1	-	1	2	14	33	83	124
WHITE-----MALE----	2,840	-	-	-	-	-	-	2	7	22	56	96
FEMALE--	2,204	-	-	-	1	-	-	-	5	8	16	22
ALL OTHER--MALE----	136	1	-	-	-	-	1	-	2	2	6	2
FEMALE--	146	-	-	-	-	-	-	-	-	1	5	4
BLACK---MALE----	134	1	-	-	-	-	1	-	2	2	6	2
FEMALE--	143	-	-	-	-	-	-	-	-	1	4	4
IOWA -----	2,894	-	-	-	-	-	1	1	14	13	23	55
WHITE-----MALE----	1,539	-	-	-	-	-	-	1	10	10	18	40
FEMALE--	1,324	-	-	-	-	-	1	-	4	3	5	12
ALL OTHER--MALE----	19	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	13	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	1
KANSAS -----	2,291	-	-	-	-	-	-	-	3	9	24	35
WHITE-----MALE----	1,228	-	-	-	-	-	-	-	1	8	16	27
FEMALE--	969	-	-	-	-	-	-	-	1	1	3	7
ALL OTHER--MALE----	57	-	-	-	-	-	-	-	-	-	5	1
FEMALE--	37	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	43	-	-	-	-	-	-	-	-	-	3	1
FEMALE--	31	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,569
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACUTE MYOCARDIAL INFARCTION (410)												
HAWAII -----	24	25	28	55	67	67	82	59	34	13	2	1
WHITE-----MALE----	6	8	4	9	14	14	19	5	1	1	-	-
FEMALE--	-	2	2	5	9	5	12	11	8	1	-	-
ALL OTHER--MALE----	11	11	13	31	29	22	31	27	11	2	1	1
FEMALE--	7	4	9	10	15	26	20	16	14	9	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	31	54	83	92	132	149	161	117	69	12	1	-
WHITE-----MALE----	23	39	61	57	81	92	87	54	24	1	-	-
FEMALE--	8	14	21	35	49	55	74	63	45	11	1	-
ALL OTHER--MALE----	-	1	1	-	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	353	468	729	1,164	1,527	1,863	1,973	1,733	990	343	87	-
WHITE-----MALE----	221	287	434	663	802	913	817	599	266	65	9	-
FEMALE--	70	90	184	334	550	745	984	988	649	239	63	-
ALL OTHER--MALE----	43	53	59	78	85	85	58	53	19	7	4	-
FEMALE--	19	38	52	89	90	120	114	93	56	32	11	-
BLACK---MALE----	38	48	54	77	76	74	46	49	18	7	4	-
FEMALE--	18	37	51	80	87	112	110	92	55	32	10	-
INDIANA -----	212	273	379	590	754	823	896	637	364	123	16	-
WHITE-----MALE----	157	193	242	366	436	451	452	223	112	21	4	-
FEMALE--	39	64	104	188	275	328	411	395	243	93	12	-
ALL OTHER--MALE----	13	9	23	22	20	13	13	5	1	3	-	-
FEMALE--	3	7	10	14	23	31	20	14	8	6	-	-
BLACK---MALE----	13	9	23	21	20	13	13	4	1	3	-	-
FEMALE--	2	7	9	14	23	31	20	14	8	6	-	-
IOWA -----	83	115	170	260	353	451	523	433	258	107	34	-
WHITE-----MALE----	62	81	136	174	224	250	247	169	85	27	5	-
FEMALE--	19	34	32	81	128	194	271	260	172	80	28	-
ALL OTHER--MALE----	1	-	2	4	1	5	2	1	-	-	1	-
FEMALE--	1	-	-	1	-	2	3	3	1	-	-	-
BLACK---MALE----	-	-	2	4	1	3	1	-	-	-	1	-
FEMALE--	1	-	-	1	-	2	3	3	1	-	-	-
KANSAS -----	76	93	143	222	298	391	357	350	212	65	13	-
WHITE-----MALE----	58	71	94	136	173	225	188	150	70	9	2	-
FEMALE--	16	16	38	67	113	148	163	194	137	54	11	-
ALL OTHER--MALE----	-	3	8	13	7	11	4	2	2	1	-	-
FEMALE--	2	3	3	6	5	7	2	4	3	1	-	-
BLACK---MALE----	-	2	6	11	4	7	4	2	2	1	-	-
FEMALE--	2	1	3	5	4	5	2	4	3	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,570
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACUTE MYOCARDIAL INFARCTION (410)												
KENTUCKY -----	4,732	-	-	-	-	1	1	7	18	45	70	133
WHITE-----MALE----	2,521	-	-	-	-	-	-	4	10	35	52	99
FEMALE--	1,934	-	-	-	-	1	-	3	7	4	12	23
ALL OTHER--MALE----	151	-	-	-	-	-	1	-	1	4	4	8
FEMALE--	126	-	-	-	-	-	-	-	-	2	2	3
BLACK---MALE----	148	-	-	-	-	-	1	-	1	4	4	8
FEMALE--	121	-	-	-	-	-	-	-	-	2	2	3
LOUISIANA -----	4,021	-	-	-	-	-	3	2	11	45	81	125
WHITE-----MALE----	1,671	-	-	-	-	-	-	-	2	18	41	66
FEMALE--	1,285	-	-	-	-	-	-	1	2	8	8	11
ALL OTHER--MALE----	548	-	-	-	-	-	1	1	5	10	24	36
FEMALE--	517	-	-	-	-	-	2	-	2	9	8	12
BLACK---MALE----	545	-	-	-	-	-	1	1	5	10	24	36
FEMALE--	513	-	-	-	-	-	2	-	2	9	8	12
MAINE -----	1,087	-	-	-	-	-	-	2	2	7	15	30
WHITE-----MALE----	573	-	-	-	-	-	-	1	1	7	11	27
FEMALE--	508	-	-	-	-	-	-	1	1	-	3	3
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3,369	1	-	-	-	-	1	2	3	11	22	62
WHITE-----MALE----	1,412	-	-	-	-	-	-	1	1	8	12	36
FEMALE--	1,354	-	-	-	-	-	-	-	1	1	1	11
ALL OTHER--MALE----	307	-	-	-	-	-	1	1	1	2	7	12
FEMALE--	296	1	-	-	-	-	-	-	-	-	2	3
BLACK---MALE----	287	-	-	-	-	-	1	1	1	2	6	12
FEMALE--	284	1	-	-	-	-	-	-	-	-	2	3
MASSACHUSETTS -----	4,943	-	2	-	-	-	1	2	3	11	45	83
WHITE-----MALE----	2,387	-	-	-	-	-	-	2	2	10	39	64
FEMALE--	2,432	-	2	-	-	-	-	-	1	-	3	15
ALL OTHER--MALE----	58	-	-	-	-	-	1	-	-	-	-	3
FEMALE--	66	-	-	-	-	-	-	-	-	1	3	1
BLACK---MALE----	48	-	-	-	-	-	1	-	-	-	-	2
FEMALE--	50	-	-	-	-	-	-	-	-	1	3	1
MICHIGAN -----	8,810	1	-	-	-	-	2	4	17	66	122	212
WHITE-----MALE----	4,165	-	-	-	-	-	1	4	11	37	77	145
FEMALE--	3,764	1	-	-	-	-	1	-	2	18	23	29
ALL OTHER--MALE----	432	-	-	-	-	-	-	-	4	10	17	24
FEMALE--	449	-	-	-	-	-	-	-	-	1	5	14
BLACK---MALE----	387	-	-	-	-	-	-	-	4	10	13	20
FEMALE--	425	-	-	-	-	-	-	-	-	1	4	12

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,570
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACUTE MYOCARDIAL INFARCTION (410)												
KENTUCKY -----	221	270	418	527	633	702	725	557	305	81	18	-
WHITE-----MALE----	163	190	269	320	374	348	324	213	93	25	2	-
FEMALE--	42	60	119	171	223	312	371	324	196	52	14	-
ALL OTHER--MALE----	11	14	17	18	21	20	15	7	8	2	-	-
FEMALE--	5	6	13	18	15	22	15	13	8	2	2	-
BLACK---MALE----	11	13	17	18	20	19	15	7	8	2	-	-
FEMALE--	5	6	12	18	15	20	14	12	8	2	2	-
LOUISIANA -----	191	248	315	492	578	543	555	464	278	74	16	-
WHITE-----MALE----	100	122	158	250	255	249	202	135	60	12	1	-
FEMALE--	23	45	63	116	170	182	215	234	153	43	11	-
ALL OTHER--MALE----	45	52	51	63	82	49	62	36	24	7	-	-
FEMALE--	23	29	43	63	71	63	76	59	41	12	4	-
BLACK---MALE----	43	52	51	63	82	49	61	36	24	7	-	-
FEMALE--	23	29	42	61	71	63	75	59	41	12	4	-
MAINE -----	32	66	72	98	161	168	179	145	68	33	9	-
WHITE-----MALE----	24	44	49	55	99	90	81	60	19	3	2	-
FEMALE--	8	22	22	43	61	77	97	84	49	30	7	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
MARYLAND -----	115	163	233	342	468	567	557	462	263	81	15	1
WHITE-----MALE----	72	99	120	168	221	269	218	111	61	13	2	-
FEMALE--	15	28	55	84	153	207	272	289	168	57	12	-
ALL OTHER--MALE----	15	21	40	54	48	46	28	22	6	3	-	-
FEMALE--	13	15	18	36	46	45	39	40	28	8	1	1
BLACK---MALE----	14	18	40	52	46	40	24	21	6	3	-	-
FEMALE--	13	13	18	35	42	44	38	39	26	8	1	1
MASSACHUSETTS -----	141	149	290	476	630	816	895	729	461	170	39	-
WHITE-----MALE----	120	96	187	307	376	412	384	235	123	24	6	-
FEMALE--	21	48	92	152	238	381	489	486	328	144	32	-
ALL OTHER--MALE----	-	3	8	9	8	12	8	1	4	1	-	-
FEMALE--	-	2	3	8	8	11	14	7	6	1	1	-
BLACK---MALE----	-	3	3	7	8	11	8	1	3	1	-	-
FEMALE--	-	2	3	7	4	8	8	5	6	1	1	-
MICHIGAN -----	282	360	562	833	1,214	1,376	1,458	1,263	735	238	65	-
WHITE-----MALE----	188	236	347	504	651	631	643	413	215	46	16	-
FEMALE--	47	78	133	236	440	609	702	765	463	172	45	-
ALL OTHER--MALE----	25	31	44	51	70	59	53	25	16	3	-	-
FEMALE--	22	15	38	42	53	77	60	60	41	17	4	-
BLACK---MALE----	20	25	37	46	65	56	51	24	14	2	-	-
FEMALE--	19	14	36	40	47	75	58	59	40	16	4	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,571
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACUTE MYOCARDIAL INFARCTION (410)												
MINNESOTA -----	3,064	-	-	-	-	-	1	1	3	14	31	54
WHITE-----MALE----	1,678	-	-	-	-	-	-	1	1	10	25	45
FEMALE--	1,334	-	-	-	-	-	1	-	2	2	5	9
ALL OTHER--MALE----	29	-	-	-	-	-	-	-	-	2	1	-
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	12	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	2,557	-	-	-	-	-	1	3	15	27	54	92
WHITE-----MALE----	1,063	-	-	-	-	-	-	1	5	10	23	44
FEMALE--	745	-	-	-	-	-	-	1	1	4	5	11
ALL OTHER--MALE----	382	-	-	-	-	-	1	1	7	8	19	25
FEMALE--	367	-	-	-	-	-	-	-	2	5	7	12
BLACK---MALE----	375	-	-	-	-	-	1	1	7	8	19	23
FEMALE--	364	-	-	-	-	-	-	-	2	5	7	12
MISSOURI -----	6,309	-	-	-	-	-	2	7	10	43	80	143
WHITE-----MALE----	3,080	-	-	-	-	-	1	5	7	27	55	103
FEMALE--	2,737	-	-	-	-	-	-	2	2	9	16	17
ALL OTHER--MALE----	227	-	-	-	-	-	1	-	1	5	3	11
FEMALE--	265	-	-	-	-	-	-	-	-	2	6	12
BLACK---MALE----	212	-	-	-	-	-	1	-	1	5	3	10
FEMALE--	260	-	-	-	-	-	-	-	-	2	6	11
MONTANA -----	589	-	-	-	-	-	-	-	1	1	9	16
WHITE-----MALE----	348	-	-	-	-	-	-	-	1	1	6	15
FEMALE--	220	-	-	-	-	-	-	-	-	-	3	-
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	1,216	-	-	-	-	1	-	-	-	8	17	17
WHITE-----MALE----	645	-	-	-	-	1	-	-	-	8	14	13
FEMALE--	542	-	-	-	-	-	-	-	-	-	1	3
ALL OTHER--MALE----	17	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	12	-	-	-	-	-	-	-	-	-	2	-
BLACK---MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	2	-
NEVADA -----	757	-	-	-	-	-	-	2	3	4	14	24
WHITE-----MALE----	467	-	-	-	-	-	-	2	2	2	9	19
FEMALE--	247	-	-	-	-	-	-	-	-	2	1	3
ALL OTHER--MALE----	28	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	15	-	-	-	-	-	-	-	1	-	2	1
BLACK---MALE----	15	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	11	-	-	-	-	-	-	-	1	-	2	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,571
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACUTE MYOCARDIAL INFARCTION (410)												
MINNESOTA -----	98	141	179	264	426	514	523	452	259	88	16	-
WHITE-----MALE----	74	108	134	170	268	290	263	184	81	23	1	-
FEMALE--	16	27	38	83	153	220	258	265	175	65	15	-
ALL OTHER--MALE----	4	2	4	4	4	4	2	1	1	-	-	-
FEMALE--	4	4	3	7	1	-	-	2	2	-	-	-
BLACK---MALE----	2	1	-	1	2	2	1	-	1	-	-	-
FEMALE--	-	2	-	4	-	-	-	2	1	-	-	-
MISSISSIPPI -----	131	151	216	301	365	369	370	273	134	44	11	-
WHITE-----MALE----	71	81	103	144	188	146	132	76	27	10	2	-
FEMALE--	15	22	39	62	81	133	155	126	66	23	1	-
ALL OTHER--MALE----	35	29	42	43	51	41	37	26	12	3	2	-
FEMALE--	10	19	32	52	45	49	46	45	29	8	6	-
BLACK---MALE----	34	27	42	42	51	41	36	26	12	3	2	-
FEMALE--	10	19	32	51	44	49	45	45	29	8	6	-
MISSOURI -----	226	293	384	644	749	960	1,051	952	544	195	26	-
WHITE-----MALE----	151	189	245	388	445	484	465	328	145	41	1	-
FEMALE--	51	74	101	193	252	407	518	571	365	139	20	-
ALL OTHER--MALE----	15	20	26	27	30	28	25	19	12	3	1	-
FEMALE--	9	10	12	36	22	41	43	34	22	12	4	-
BLACK---MALE----	15	17	23	24	29	25	25	19	11	3	1	-
FEMALE--	9	10	12	35	22	39	43	33	22	12	4	-
MONTANA -----	31	33	52	50	86	91	104	64	31	15	4	1
WHITE-----MALE----	22	23	34	39	57	57	52	26	11	3	-	1
FEMALE--	4	6	17	9	25	34	52	37	18	11	4	-
ALL OTHER--MALE----	3	3	1	2	2	-	-	-	-	1	-	-
FEMALE--	2	1	-	-	2	-	-	1	2	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	32	57	75	112	137	211	217	194	96	36	6	-
WHITE-----MALE----	22	37	54	69	82	114	107	79	30	15	-	-
FEMALE--	5	18	17	37	50	96	110	113	65	21	6	-
ALL OTHER--MALE----	4	1	2	3	4	1	-	1	-	-	-	-
FEMALE--	1	1	2	3	1	-	-	1	1	-	-	-
BLACK---MALE----	3	-	1	3	2	-	-	1	-	-	-	-
FEMALE--	-	-	1	3	1	-	-	-	1	-	-	-
NEVADA -----	35	46	77	106	143	105	95	62	30	10	1	-
WHITE-----MALE----	26	36	54	64	93	66	55	29	8	1	1	-
FEMALE--	5	6	19	34	41	35	39	33	20	9	-	-
ALL OTHER--MALE----	2	3	4	5	7	3	1	-	-	-	-	-
FEMALE--	2	1	-	3	2	1	-	-	2	-	-	-
BLACK---MALE----	1	1	2	2	4	2	-	-	-	-	-	-
FEMALE--	1	-	-	2	2	1	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,573
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACUTE MYOCARDIAL INFARCTION (410)												
OHIO -----	10,167	-	-	-	-	1	-	8	23	65	115	226
WHITE-----MALE----	4,995	-	-	-	-	1	-	4	15	49	91	164
FEMALE--	4,451	-	-	-	-	-	-	4	5	12	11	35
ALL OTHER--MALE----	352	-	-	-	-	-	-	-	2	2	10	20
FEMALE--	369	-	-	-	-	-	-	-	1	2	3	7
BLACK---MALE----	344	-	-	-	-	-	-	-	2	2	9	20
FEMALE--	364	-	-	-	-	-	-	-	1	2	3	7
OKLAHOMA -----	2,965	-	-	-	-	-	-	1	-	16	24	55
WHITE-----MALE----	1,485	-	-	-	-	-	-	-	-	10	18	37
FEMALE--	1,225	-	-	-	-	-	-	1	-	4	3	9
ALL OTHER--MALE----	136	-	-	-	-	-	-	-	-	-	2	7
FEMALE--	119	-	-	-	-	-	-	-	-	2	1	2
BLACK---MALE----	71	-	-	-	-	-	-	-	-	-	1	4
FEMALE--	76	-	-	-	-	-	-	-	-	1	-	2
OREGON -----	1,988	-	-	-	-	-	-	2	3	4	20	29
WHITE-----MALE----	1,099	-	-	-	-	-	-	-	1	3	15	23
FEMALE--	845	-	-	-	-	-	-	1	2	-	4	4
ALL OTHER--MALE----	25	-	-	-	-	-	-	1	-	1	1	1
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	13,710	1	-	-	1	-	3	6	21	62	131	243
WHITE-----MALE----	6,818	-	-	-	1	-	-	3	14	41	101	184
FEMALE--	6,098	1	-	-	-	-	2	3	5	12	16	34
ALL OTHER--MALE----	389	-	-	-	-	-	1	-	2	6	10	15
FEMALE--	405	-	-	-	-	-	-	-	-	3	4	10
BLACK---MALE----	374	-	-	-	-	-	1	-	2	5	10	14
FEMALE--	394	-	-	-	-	-	-	-	-	3	4	10
RHODE ISLAND -----	1,240	-	-	-	-	-	-	2	-	-	7	18
WHITE-----MALE----	616	-	-	-	-	-	-	2	-	-	4	13
FEMALE--	594	-	-	-	-	-	-	-	-	-	3	5
ALL OTHER--MALE----	17	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	3,705	-	-	-	-	-	2	2	11	26	82	120
WHITE-----MALE----	1,603	-	-	-	-	-	1	-	8	14	44	60
FEMALE--	1,130	-	-	-	-	-	1	-	1	2	9	13
ALL OTHER--MALE----	477	-	-	-	-	-	-	1	2	5	21	33
FEMALE--	495	-	-	-	-	-	-	1	-	5	8	14
BLACK---MALE----	475	-	-	-	-	-	-	1	2	5	21	33
FEMALE--	492	-	-	-	-	-	-	1	-	5	8	14

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,573
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACUTE MYOCARDIAL INFARCTION (410)												
OHIO -----	350	450	753	1,123	1,439	1,640	1,650	1,331	671	265	57	-
WHITE-----MALE----	242	303	452	635	779	857	708	458	171	57	9	-
FEMALE--	74	101	222	385	547	687	850	815	465	194	44	-
ALL OTHER--MALE----	25	28	38	60	53	48	38	20	5	3	-	-
FEMALE--	9	18	41	43	60	48	54	38	30	11	4	-
BLACK---MALE----	24	28	37	59	53	46	37	19	5	3	-	-
FEMALE--	9	18	41	43	59	46	54	38	28	11	4	-
OKLAHOMA -----	95	140	237	267	420	457	480	428	246	80	19	-
WHITE-----MALE----	71	85	147	178	222	218	236	165	78	17	3	-
FEMALE--	14	33	64	65	162	208	209	234	150	56	13	-
ALL OTHER--MALE----	9	9	21	12	24	19	13	11	6	2	1	-
FEMALE--	1	13	5	12	12	12	22	18	12	5	2	-
BLACK---MALE----	6	4	7	6	13	10	6	9	2	2	1	-
FEMALE--	-	4	3	7	8	7	18	12	11	3	-	-
OREGON -----	56	66	127	187	282	332	389	286	130	63	12	-
WHITE-----MALE----	43	46	89	119	171	188	209	131	44	14	3	-
FEMALE--	11	19	35	62	102	138	172	153	84	49	9	-
ALL OTHER--MALE----	1	1	1	4	5	4	3	1	1	-	-	-
FEMALE--	1	-	2	2	4	2	5	1	1	-	-	-
BLACK---MALE----	-	1	-	1	2	2	-	-	-	-	-	-
FEMALE--	1	-	1	2	2	1	1	-	-	-	-	-
PENNSYLVANIA -----	389	574	872	1,454	1,963	2,400	2,360	1,872	975	324	58	1
WHITE-----MALE----	279	385	551	879	1,099	1,219	1,035	681	259	76	11	-
FEMALE--	79	145	252	453	762	1,062	1,209	1,117	673	228	44	1
ALL OTHER--MALE----	25	28	36	67	48	59	40	26	18	6	2	-
FEMALE--	6	16	33	55	54	60	76	48	25	14	1	-
BLACK---MALE----	23	27	35	62	48	59	39	25	16	6	2	-
FEMALE--	6	16	33	54	52	56	74	48	24	13	1	-
RHODE ISLAND -----	36	31	79	126	181	186	225	175	122	39	13	-
WHITE-----MALE----	27	19	51	85	101	112	104	62	27	6	3	-
FEMALE--	6	9	23	37	76	72	116	110	94	33	10	-
ALL OTHER--MALE----	3	3	4	2	1	-	2	2	-	-	-	-
FEMALE--	-	-	1	2	3	2	3	1	1	-	-	-
BLACK---MALE----	2	3	1	2	1	-	1	1	-	-	-	-
FEMALE--	-	-	1	2	2	1	3	-	-	-	-	-
SOUTH CAROLINA -----	188	232	385	414	549	562	521	367	175	50	19	-
WHITE-----MALE----	109	130	196	220	261	224	189	100	34	9	4	-
FEMALE--	21	33	84	83	150	181	229	193	96	28	6	-
ALL OTHER--MALE----	33	49	52	53	64	88	31	26	14	3	2	-
FEMALE--	25	20	53	58	74	69	72	48	31	10	7	-
BLACK---MALE----	32	49	52	53	63	88	31	26	14	3	2	-
FEMALE--	25	19	52	57	74	69	72	48	31	10	7	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,574
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACUTE MYOCARDIAL INFARCTION (410)												
SOUTH DAKOTA -----	885	-	-	-	-	-	-	-	-	4	8	16
WHITE-----MALE----	469	-	-	-	-	-	-	-	-	2	7	13
FEMALE--	378	-	-	-	-	-	-	-	-	-	1	3
ALL OTHER--MALE----	22	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	5,728	-	-	-	-	1	2	3	11	56	87	150
WHITE-----MALE----	2,819	-	-	-	-	1	1	2	9	46	63	105
FEMALE--	2,303	-	-	-	-	-	1	-	1	6	17	26
ALL OTHER--MALE----	294	-	-	-	-	-	-	1	-	3	3	13
FEMALE--	312	-	-	-	-	-	-	-	1	1	4	6
BLACK---MALE----	287	-	-	-	-	-	-	1	-	3	3	12
FEMALE--	309	-	-	-	-	-	-	-	1	1	4	5
TEXAS -----	14,369	3	-	1	-	4	7	4	31	76	161	322
WHITE-----MALE----	6,826	1	-	-	-	3	5	2	24	48	106	219
FEMALE--	5,936	2	-	1	-	-	2	1	3	13	29	48
ALL OTHER--MALE----	781	-	-	-	-	1	-	-	3	8	20	33
FEMALE--	826	-	-	-	-	-	-	1	1	7	6	22
BLACK---MALE----	743	-	-	-	-	-	-	-	2	8	20	27
FEMALE--	796	-	-	-	-	-	-	1	1	7	6	22
UTAH -----	782	-	-	-	-	-	-	-	-	4	11	13
WHITE-----MALE----	416	-	-	-	-	-	-	-	-	2	8	9
FEMALE--	351	-	-	-	-	-	-	-	-	-	3	3
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	2	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	458	-	-	-	-	-	-	-	-	2	8	10
WHITE-----MALE----	257	-	-	-	-	-	-	-	-	2	8	8
FEMALE--	199	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	4,307	-	-	-	-	-	1	4	11	22	49	108
WHITE-----MALE----	1,941	-	-	-	-	-	1	3	5	14	36	68
FEMALE--	1,587	-	-	-	-	-	-	1	4	3	6	13
ALL OTHER--MALE----	412	-	-	-	-	-	-	-	-	4	5	20
FEMALE--	367	-	-	-	-	-	-	-	2	1	2	7
BLACK---MALE----	394	-	-	-	-	-	-	-	-	3	4	20
FEMALE--	355	-	-	-	-	-	-	-	2	1	2	7

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,574
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACUTE MYOCARDIAL INFARCTION (410)												
SOUTH DAKOTA -----	28	37	61	69	103	129	158	138	91	36	7	-
WHITE-----MALE----	20	22	36	49	65	78	78	58	31	8	2	-
FEMALE--	4	10	21	16	34	43	76	78	59	28	5	-
ALL OTHER--MALE----	3	3	3	2	3	5	-	-	1	-	-	-
FEMALE--	1	2	1	2	1	3	4	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	233	288	401	594	790	906	843	795	426	119	22	1
WHITE-----MALE----	173	190	269	346	441	435	354	254	101	25	3	1
FEMALE--	40	62	92	181	252	377	403	468	277	81	19	-
ALL OTHER--MALE----	14	22	21	31	46	50	36	34	16	4	-	-
FEMALE--	6	14	19	36	51	44	50	39	32	9	-	-
BLACK---MALE----	14	22	21	30	44	47	36	34	16	4	-	-
FEMALE--	6	14	19	36	51	44	49	39	31	9	-	-
TEXAS -----	515	713	1,044	1,429	1,868	2,166	2,281	1,986	1,238	418	101	1
WHITE-----MALE----	365	434	608	831	1,026	1,060	1,001	664	324	91	14	-
FEMALE--	81	177	274	406	634	894	1,063	1,148	800	286	74	-
ALL OTHER--MALE----	39	62	92	109	115	103	79	64	39	11	3	-
FEMALE--	30	40	70	83	93	109	138	110	75	30	10	1
BLACK---MALE----	35	60	87	106	108	100	77	62	37	11	3	-
FEMALE--	29	40	66	80	88	104	137	106	68	30	10	1
UTAH -----	29	33	52	82	99	136	154	95	63	10	1	-
WHITE-----MALE----	23	24	38	49	47	72	77	49	16	1	1	-
FEMALE--	5	9	12	33	49	60	75	46	47	9	-	-
ALL OTHER--MALE----	-	-	2	-	2	3	1	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
VERMONT -----	15	15	34	37	51	70	84	65	50	14	3	-
WHITE-----MALE----	12	12	27	27	34	43	42	23	14	5	-	-
FEMALE--	3	3	7	8	17	27	42	42	36	9	3	-
ALL OTHER--MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	174	243	345	499	642	661	666	494	261	104	23	-
WHITE-----MALE----	117	152	185	268	302	296	249	160	62	18	5	-
FEMALE--	21	40	85	132	209	255	307	272	160	68	11	-
ALL OTHER--MALE----	22	39	46	56	76	54	54	17	15	3	1	-
FEMALE--	14	12	29	43	55	56	56	45	24	15	6	-
BLACK---MALE----	21	39	42	54	69	53	53	17	15	3	1	-
FEMALE--	14	11	29	40	53	55	54	43	23	15	6	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,577
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411)												
COLORADO -----	4	2	6	8	5	3	3	-	1	-	1	-
WHITE-----MALE----	3	2	2	7	5	1	2	-	-	-	-	-
FEMALE--	1	-	4	1	-	2	1	-	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	1	-	1	3	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	2	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	1	3	-	5	1	1	1	3	1	-	-
WHITE-----MALE----	-	-	-	-	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	1	-	-
ALL OTHER--MALE----	1	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	3	-	1	-	1	-	-	-
BLACK---MALE----	1	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	3	-	1	-	1	-	-	-
FLORIDA -----	3	7	6	9	15	10	18	20	21	11	3	-
WHITE-----MALE----	3	5	4	7	9	5	9	7	6	2	1	-
FEMALE--	-	-	1	1	5	4	9	13	14	9	2	-
ALL OTHER--MALE----	-	2	-	1	-	-	-	-	1	-	-	-
FEMALE--	-	-	1	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	2	-	1	-	-	-	-	1	-	-	-
FEMALE--	-	-	1	-	1	1	-	-	-	-	-	-
GEORGIA -----	1	4	5	6	9	13	12	18	10	3	1	-
WHITE-----MALE----	1	1	3	5	1	2	3	7	1	-	-	-
FEMALE--	-	-	1	1	3	6	8	7	7	3	-	-
ALL OTHER--MALE----	-	3	-	-	1	3	-	-	1	-	-	-
FEMALE--	-	-	1	-	4	2	1	4	1	-	1	-
BLACK---MALE----	-	3	-	-	1	3	-	-	1	-	-	-
FEMALE--	-	-	1	-	4	2	1	4	1	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,582
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411)												
OHIO -----	1	-	1	4	6	6	5	11	2	1	-	-
WHITE-----MALE----	1	-	1	3	3	2	1	1	1	-	-	-
FEMALE--	-	-	-	1	2	4	4	8	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
OKLAHOMA -----	48	50	55	100	92	97	121	120	69	42	9	5
WHITE-----MALE----	34	35	31	61	53	53	47	39	22	9	4	4
FEMALE--	9	10	15	27	32	40	64	79	44	30	5	1
ALL OTHER--MALE----	4	4	5	6	6	2	3	1	-	1	-	-
FEMALE--	1	1	4	6	1	2	7	1	3	2	-	-
BLACK---MALE----	3	2	4	5	4	2	3	1	-	-	-	-
FEMALE--	-	1	3	3	1	-	4	1	2	2	-	-
OREGON -----	-	-	-	1	1	-	2	2	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	2	1	2	6	5	8	8	20	9	7	1	-
WHITE-----MALE----	1	-	1	2	3	2	4	8	2	-	-	-
FEMALE--	-	1	1	3	2	6	4	12	6	7	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
RHODE ISLAND -----	-	-	-	-	-	-	2	-	2	-	1	-
WHITE-----MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	7	8	15	8	14	15	10	11	4	2	-	-
WHITE-----MALE----	4	6	5	3	4	5	4	5	1	-	-	-
FEMALE--	-	-	3	1	5	5	2	4	2	2	-	-
ALL OTHER--MALE----	2	1	4	2	2	3	-	1	-	-	-	-
FEMALE--	1	1	3	2	3	2	4	1	1	-	-	-
BLACK---MALE----	2	1	4	2	2	3	-	1	-	-	-	-
FEMALE--	1	1	3	2	3	2	4	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,583
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411)												
SOUTH DAKOTA -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	17	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	30	1	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	16	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	-	-	-	-	-	-	-	-	-	-
UTAH -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	489	-	-	-	-	-	-	-	3	4	17	20
WHITE-----MALE----	218	-	-	-	-	-	-	-	1	3	7	12
FEMALE--	150	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	74	-	-	-	-	-	-	-	1	-	8	6
FEMALE--	47	-	-	-	-	-	-	-	1	1	-	2
BLACK---MALE----	69	-	-	-	-	-	-	-	-	-	8	4
FEMALE--	47	-	-	-	-	-	-	-	1	1	-	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,583
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411)												
SOUTH DAKOTA -----	-	-	-	-	1	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1	-	1	1	4	2	3	3	-	1	-	-
WHITE-----MALE----	-	-	1	-	3	2	1	1	-	-	-	-
FEMALE--	-	-	-	1	1	-	2	2	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	-	-	3	1	4	6	5	1	4	3	-	-
WHITE-----MALE----	-	-	3	1	3	3	1	1	1	1	-	-
FEMALE--	-	-	-	-	1	1	4	-	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	1	-	-
UTAH -----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	34	32	38	44	65	53	69	58	30	16	5	1
WHITE-----MALE----	19	20	21	22	38	22	31	17	4	1	-	-
FEMALE--	5	5	7	11	15	17	24	32	18	10	3	1
ALL OTHER--MALE----	7	6	8	9	7	9	8	4	1	-	-	-
FEMALE--	3	1	2	2	5	5	6	5	7	5	2	-
BLACK---MALE----	7	5	8	8	7	9	8	4	1	-	-	-
FEMALE--	3	1	2	2	5	5	6	5	7	5	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,585
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ANGINA PECTORIS (413)												
UNITED STATES --	20	22	37	65	98	104	136	151	121	51	12	-
WHITE-----MALE----	8	9	21	36	52	40	54	45	19	6	2	-
FEMALE--	7	9	14	23	37	52	72	98	94	42	9	-
ALL OTHER--MALE----	3	1	2	2	4	7	3	4	1	2	-	-
FEMALE--	2	3	-	4	5	5	7	4	7	1	1	-
BLACK---MALE----	3	1	2	2	4	6	3	4	1	1	-	-
FEMALE--	2	2	-	4	4	5	6	4	6	1	1	-
ALABAMA -----	-	-	-	1	1	2	2	1	-	2	-	-
WHITE-----MALE----	-	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	1	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	-	3	1	1	-	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	-	-	1	-	-	-
FEMALE--	-	-	-	3	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	1	1	4	1	1	1	-	-	-	-
WHITE-----MALE----	-	-	1	1	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	2	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	-	-	2	4	9	6	9	8	6	4	-	-
WHITE-----MALE----	-	-	-	2	5	2	2	3	-	-	-	-
FEMALE--	-	-	1	1	4	3	5	4	5	4	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	2	1	1	-	-	-
BLACK---MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,589
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ANGINA PECTORIS (413)												
MINNESOTA -----	-	1	-	1	-	2	3	-	2	2	1	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	1	-	1	-	2	2	-	1	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	-	1	-	-	1	2	3	5	3	1	-	-
WHITE-----MALE----	-	-	-	-	1	2	3	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	3	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	1	-	-
MISSOURI -----	1	-	-	-	2	3	3	1	2	1	-	-
WHITE-----MALE----	1	-	-	-	1	1	2	1	1	-	-	-
FEMALE--	-	-	-	-	1	2	1	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA -----	-	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	-	-	-	-	-	1	-	1	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	-	1	-	1	1	4	-	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	3	-	1	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,591
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ANGINA PECTORIS (413)												
OHIO -----	55	-	-	-	-	-	-	-	-	-	1	2
WHITE-----MALE----	20	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	30	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	14	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	10	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	37	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	16	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	3	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	11	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,592
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ANGINA PECTORIS (413)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	1	-	-	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	-	-	1	3	2	2	-	1	-	-	-
WHITE-----MALE----	-	-	-	1	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	1	2	1	3	11	4	9	12	14	3	-	-
WHITE-----MALE----	1	1	1	1	2	2	2	4	4	1	-	-
FEMALE--	-	1	-	1	8	-	7	7	8	2	-	-
ALL OTHER--MALE----	-	-	-	1	1	2	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	-	-	-
BLACK---MALE----	-	-	-	1	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	-	-	-
UTAH -----	-	-	-	-	-	-	2	-	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	1	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	-	-	1	5	6	3	1	-	1	-	-
WHITE-----MALE----	1	-	-	1	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	4	1	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,594
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)												
UNITED STATES --	259,478	7	4	3	3	15	34	124	371	1,020	2,005	3,502
WHITE-----MALE----	114,742	4	2	1	2	10	15	65	223	626	1,292	2,209
FEMALE--	119,740	1	1	1	-	3	6	24	62	178	292	537
ALL OTHER--MALE----	12,235	1	1	1	-	2	10	26	65	147	290	534
FEMALE--	12,761	1	-	-	1	-	3	9	21	69	131	222
BLACK---MALE----	10,308	1	1	1	-	2	7	22	54	125	263	471
FEMALE--	11,348	1	-	-	1	-	1	8	18	65	121	210
ALABAMA -----	2,610	-	-	-	-	-	-	1	8	12	27	42
WHITE-----MALE----	1,170	-	-	-	-	-	-	1	4	4	17	20
FEMALE--	950	-	-	-	-	-	-	-	2	2	1	5
ALL OTHER--MALE----	239	-	-	-	-	-	-	-	1	5	5	11
FEMALE--	251	-	-	-	-	-	-	-	1	1	4	6
BLACK---MALE----	239	-	-	-	-	-	-	-	1	5	5	11
FEMALE--	250	-	-	-	-	-	-	-	1	1	4	6
ALASKA -----	222	-	-	-	-	-	-	-	-	1	5	5
WHITE-----MALE----	129	-	-	-	-	-	-	-	-	-	4	3
FEMALE--	52	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	31	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	3,789	-	1	-	-	-	2	1	3	18	36	61
WHITE-----MALE----	1,976	-	1	-	-	-	1	1	2	12	23	47
FEMALE--	1,671	-	-	-	-	-	-	-	-	4	8	13
ALL OTHER--MALE----	88	-	-	-	-	-	1	-	1	1	4	-
FEMALE--	54	-	-	-	-	-	-	-	-	1	1	1
BLACK---MALE----	42	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	28	-	-	-	-	-	-	-	-	1	1	-
ARKANSAS -----	2,011	-	-	-	-	-	-	-	2	3	10	18
WHITE-----MALE----	878	-	-	-	-	-	-	-	2	2	7	14
FEMALE--	888	-	-	-	-	-	-	-	-	1	1	2
ALL OTHER--MALE----	100	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	145	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	99	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	142	-	-	-	-	-	-	-	-	-	1	-
CALIFORNIA -----	28,308	-	-	-	-	1	4	8	39	84	213	320
WHITE-----MALE----	12,093	-	-	-	-	1	3	4	25	52	138	208
FEMALE--	13,191	-	-	-	-	-	-	2	8	14	28	46
ALL OTHER--MALE----	1,558	-	-	-	-	-	-	2	3	16	31	47
FEMALE--	1,466	-	-	-	-	-	1	-	3	2	16	19
BLACK---MALE----	765	-	-	-	-	-	-	1	2	7	22	27
FEMALE--	901	-	-	-	-	-	-	-	2	-	12	15

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,594
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)												
UNITED STATES --	5,255	7,464	11,954	19,953	29,781	37,946	45,473	44,699	32,370	13,938	3,537	20
WHITE-----MALE----	3,341	4,552	7,262	11,697	16,767	19,610	20,019	15,501	8,438	2,625	476	5
FEMALE--	901	1,557	2,826	5,620	9,572	14,929	21,833	26,240	21,920	10,469	2,760	8
ALL OTHER--MALE----	688	867	1,113	1,532	1,805	1,679	1,492	1,126	588	215	51	2
FEMALE--	325	488	753	1,104	1,637	1,728	2,129	1,832	1,424	629	250	5
BLACK---MALE----	599	762	988	1,298	1,519	1,408	1,207	899	461	176	42	2
FEMALE--	305	452	668	994	1,448	1,545	1,869	1,610	1,254	550	223	5
ALABAMA -----	67	99	192	262	347	372	460	382	239	76	24	-
WHITE-----MALE----	43	57	124	155	196	183	183	114	53	15	1	-
FEMALE--	6	16	34	63	95	122	200	209	139	42	14	-
ALL OTHER--MALE----	8	15	16	26	29	37	38	23	15	8	2	-
FEMALE--	10	11	18	18	27	30	39	36	32	11	7	-
BLACK---MALE----	8	15	16	26	29	37	38	23	15	8	2	-
FEMALE--	10	11	18	18	27	29	39	36	32	11	7	-
ALASKA -----	18	26	28	27	40	25	24	15	4	3	1	-
WHITE-----MALE----	15	17	19	15	24	14	11	4	2	1	-	-
FEMALE--	1	5	5	2	10	7	8	9	1	2	1	-
ALL OTHER--MALE----	2	4	2	8	5	3	4	-	-	-	-	-
FEMALE--	-	-	2	2	1	1	2	1	1	-	-	-
BLACK---MALE----	-	-	2	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	83	132	192	315	448	570	668	580	471	171	36	1
WHITE-----MALE----	57	85	135	206	295	343	337	240	149	37	4	1
FEMALE--	14	37	48	95	137	206	310	329	309	129	32	-
ALL OTHER--MALE----	9	7	7	12	11	10	11	6	6	2	-	-
FEMALE--	3	3	2	2	5	11	10	5	7	3	-	-
BLACK---MALE----	3	5	6	4	4	4	5	4	3	2	-	-
FEMALE--	1	2	-	-	3	3	5	3	6	3	-	-
ARKANSAS -----	31	52	77	146	232	310	349	393	272	88	28	-
WHITE-----MALE----	19	35	53	83	133	155	151	127	72	23	2	-
FEMALE--	6	12	15	38	71	121	164	213	172	54	18	-
ALL OTHER--MALE----	2	3	6	14	17	14	10	17	10	2	2	-
FEMALE--	4	2	3	11	11	20	24	36	18	9	6	-
BLACK---MALE----	2	3	6	14	16	14	10	17	10	2	2	-
FEMALE--	4	2	3	11	11	20	22	35	18	9	6	-
CALIFORNIA -----	504	706	1,170	1,992	3,163	4,064	4,972	5,140	3,785	1,710	431	2
WHITE-----MALE----	314	459	684	1,115	1,764	2,015	2,139	1,782	982	349	58	1
FEMALE--	95	129	308	591	1,002	1,619	2,332	2,923	2,516	1,242	336	-
ALL OTHER--MALE----	67	80	111	170	230	223	223	203	114	31	7	-
FEMALE--	28	38	67	116	167	207	278	232	173	88	30	1
BLACK---MALE----	44	46	65	96	126	110	91	75	41	8	4	-
FEMALE--	22	28	49	69	110	122	167	139	100	48	17	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,595
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)												
COLORADO -----	2,022	-	-	-	-	-	-	3	3	6	23	35
WHITE-----MALE----	1,055	-	-	-	-	-	-	1	3	3	19	20
FEMALE--	879	-	-	-	-	-	-	2	-	2	3	8
ALL OTHER--MALE----	39	-	-	-	-	-	-	-	-	-	1	5
FEMALE--	49	-	-	-	-	-	-	-	-	1	-	2
BLACK---MALE----	30	-	-	-	-	-	-	-	-	-	1	5
FEMALE--	44	-	-	-	-	-	-	-	-	1	-	2
CONNECTICUT -----	3,681	2	-	-	-	1	-	1	7	18	22	55
WHITE-----MALE----	1,688	1	-	-	-	1	-	1	5	9	18	40
FEMALE--	1,829	-	-	-	-	-	-	-	2	5	3	6
ALL OTHER--MALE----	88	1	-	-	-	-	-	-	-	3	-	8
FEMALE--	76	-	-	-	-	-	-	-	-	1	1	1
BLACK---MALE----	81	1	-	-	-	-	-	-	-	3	-	7
FEMALE--	73	-	-	-	-	-	-	-	-	1	1	1
DELAWARE -----	544	-	-	-	-	-	-	-	-	3	16	9
WHITE-----MALE----	251	-	-	-	-	-	-	-	-	-	9	4
FEMALE--	226	-	-	-	-	-	-	-	-	2	2	2
ALL OTHER--MALE----	34	-	-	-	-	-	-	-	-	1	3	2
FEMALE--	33	-	-	-	-	-	-	-	-	-	2	1
BLACK---MALE----	33	-	-	-	-	-	-	-	-	-	3	2
FEMALE--	33	-	-	-	-	-	-	-	-	-	2	1
DISTRICT OF COLUMBIA ----	411	-	-	-	-	-	-	-	5	2	7	18
WHITE-----MALE----	63	-	-	-	-	-	-	-	-	-	-	5
FEMALE--	60	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	151	-	-	-	-	-	-	-	4	2	5	11
FEMALE--	137	-	-	-	-	-	-	-	1	-	2	1
BLACK---MALE----	151	-	-	-	-	-	-	-	4	2	5	11
FEMALE--	137	-	-	-	-	-	-	-	1	-	2	1
FLORIDA -----	21,644	-	-	-	-	1	2	10	16	73	113	245
WHITE-----MALE----	10,323	-	-	-	-	1	1	4	7	50	70	152
FEMALE--	9,800	-	-	-	-	-	-	1	5	13	20	38
ALL OTHER--MALE----	759	-	-	-	-	-	1	5	2	5	16	39
FEMALE--	762	-	-	-	-	-	-	-	2	5	7	16
BLACK---MALE----	736	-	-	-	-	-	1	5	2	4	16	39
FEMALE--	749	-	-	-	-	-	-	-	2	5	7	16
GEORGIA -----	4,287	-	-	-	-	-	-	1	15	31	53	76
WHITE-----MALE----	1,761	-	-	-	-	-	-	1	9	16	37	41
FEMALE--	1,689	-	-	-	-	-	-	-	4	5	3	8
ALL OTHER--MALE----	391	-	-	-	-	-	-	-	2	7	10	20
FEMALE--	446	-	-	-	-	-	-	-	-	3	3	7
BLACK---MALE----	384	-	-	-	-	-	-	-	2	7	10	20
FEMALE--	444	-	-	-	-	-	-	-	-	3	3	7

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,595
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)												
COLORADO -----	54	63	107	174	235	301	346	329	216	104	23	-
WHITE-----MALE----	46	45	72	115	168	185	187	110	61	17	3	-
FEMALE--	5	14	27	52	57	104	144	211	148	84	18	-
ALL OTHER--MALE----	3	4	5	2	3	6	2	3	2	2	1	-
FEMALE--	-	-	3	5	7	6	13	5	5	1	1	-
BLACK---MALE----	2	2	5	-	2	4	1	3	2	2	1	-
FEMALE--	-	-	2	5	6	5	12	5	4	1	1	-
CONNECTICUT -----	58	87	138	266	419	518	651	664	491	211	72	-
WHITE-----MALE----	37	56	92	158	256	278	310	248	131	39	8	-
FEMALE--	11	17	36	85	138	221	320	403	354	167	61	-
ALL OTHER--MALE----	7	12	7	12	12	11	9	4	2	-	-	-
FEMALE--	3	2	3	11	13	8	12	9	4	5	3	-
BLACK---MALE----	7	10	7	11	11	11	9	4	-	-	-	-
FEMALE--	3	2	3	11	11	8	12	8	4	5	3	-
DELAWARE -----	14	16	36	42	73	88	81	70	63	26	7	-
WHITE-----MALE----	7	12	21	25	43	45	36	25	17	5	2	-
FEMALE--	2	-	10	11	17	35	36	44	42	19	4	-
ALL OTHER--MALE----	5	3	4	4	4	3	4	-	1	-	-	-
FEMALE--	-	1	1	2	9	5	1	3	2	1	1	-
BLACK---MALE----	5	3	4	4	4	3	4	-	1	-	-	-
FEMALE--	-	1	1	2	9	5	5	1	3	2	1	-
DISTRICT OF COLUMBIA ----	16	28	26	31	42	53	60	58	40	20	5	-
WHITE-----MALE----	1	3	5	1	8	10	16	9	3	2	-	-
FEMALE--	-	1	1	1	5	7	5	13	15	11	-	-
ALL OTHER--MALE----	9	17	12	17	22	22	12	11	5	1	1	-
FEMALE--	6	7	8	12	7	14	27	25	17	6	4	-
BLACK---MALE----	9	17	12	17	22	22	12	11	5	1	1	-
FEMALE--	6	7	8	12	7	14	27	25	17	6	4	-
FLORIDA -----	345	503	871	1,561	2,320	3,075	4,041	4,196	2,957	1,087	224	4
WHITE-----MALE----	229	319	554	1,008	1,388	1,702	1,965	1,689	924	214	46	-
FEMALE--	55	86	187	400	746	1,180	1,855	2,310	1,897	839	166	2
ALL OTHER--MALE----	42	65	78	97	104	97	96	64	38	6	3	1
FEMALE--	19	33	52	56	82	96	125	133	98	28	9	1
BLACK---MALE----	40	63	75	93	100	95	93	64	36	6	3	1
FEMALE--	19	33	50	56	80	95	121	131	97	27	9	1
GEORGIA -----	148	196	273	407	584	647	674	598	392	158	34	-
WHITE-----MALE----	84	102	164	223	298	297	246	164	66	13	-	-
FEMALE--	24	39	50	89	172	238	312	349	254	118	24	-
ALL OTHER--MALE----	26	32	36	50	67	48	45	27	13	8	-	-
FEMALE--	14	23	23	45	47	64	71	58	59	19	10	-
BLACK---MALE----	25	32	36	49	66	46	45	26	12	8	-	-
FEMALE--	14	23	23	45	47	64	70	58	58	19	10	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,596
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)												
HAWAII -----	20	24	46	70	109	94	104	87	74	26	10	-
WHITE-----MALE----	5	3	8	16	25	15	15	14	5	1	-	-
FEMALE--	-	2	1	6	8	10	15	9	17	3	-	-
ALL OTHER--MALE----	11	14	23	37	48	45	48	36	18	9	2	-
FEMALE--	4	5	14	11	28	24	26	28	34	13	8	-
BLACK---MALE----	-	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	10	23	26	63	80	117	113	119	76	38	7	-
WHITE-----MALE----	8	20	22	40	58	65	59	54	22	5	3	-
FEMALE--	2	3	4	21	22	52	54	65	54	33	4	-
ALL OTHER--MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	172	258	437	803	1,191	1,640	2,198	2,085	1,602	707	206	-
WHITE-----MALE----	110	149	257	456	653	804	971	688	391	115	28	-
FEMALE--	27	50	93	235	371	668	1,061	1,256	1,103	551	159	-
ALL OTHER--MALE----	27	41	44	67	82	57	67	56	26	13	3	-
FEMALE--	8	18	43	45	85	111	99	85	82	28	16	-
BLACK---MALE----	24	39	42	63	79	53	60	51	25	12	3	-
FEMALE--	8	18	43	45	80	110	92	76	78	26	13	-
INDIANA -----	132	225	296	522	722	971	1,060	1,078	704	345	70	-
WHITE-----MALE----	90	136	196	318	398	505	455	368	159	57	6	-
FEMALE--	24	69	67	148	265	397	540	658	516	277	61	-
ALL OTHER--MALE----	14	12	21	32	28	43	24	18	8	2	1	-
FEMALE--	4	8	12	24	31	26	41	34	21	9	2	-
BLACK---MALE----	14	12	21	32	27	43	23	16	7	2	1	-
FEMALE--	4	8	12	23	30	26	41	34	21	9	2	-
IOWA -----	43	78	123	225	293	457	654	617	537	283	74	-
WHITE-----MALE----	31	50	82	143	174	269	315	239	154	56	5	-
FEMALE--	11	28	39	80	117	184	332	372	382	226	69	-
ALL OTHER--MALE----	1	-	2	1	1	3	3	3	-	-	-	-
FEMALE--	-	-	-	1	1	1	4	3	1	1	-	-
BLACK---MALE----	-	-	2	1	-	3	3	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	3	2	1	1	-	-
KANSAS -----	42	61	101	160	244	342	438	458	417	161	58	1
WHITE-----MALE----	30	42	66	96	147	190	212	169	109	36	7	1
FEMALE--	9	16	29	57	87	134	212	279	296	123	47	-
ALL OTHER--MALE----	1	1	3	3	6	14	9	5	4	1	-	-
FEMALE--	2	2	3	4	4	4	5	5	8	1	4	-
BLACK---MALE----	1	1	3	2	6	12	6	5	4	1	-	-
FEMALE--	1	2	3	4	3	4	5	4	8	1	4	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,597
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)												
KENTUCKY -----	3,089	-	-	-	-	-	2	2	8	20	45	51
WHITE-----MALE----	1,447	-	-	-	-	-	1	2	3	15	31	40
FEMALE--	1,472	-	-	-	-	-	-	-	3	4	11	10
ALL OTHER--MALE----	88	-	-	-	-	-	-	-	2	-	3	1
FEMALE--	82	-	-	-	-	-	1	-	-	1	-	-
BLACK---MALE----	86	-	-	-	-	-	-	-	2	-	3	1
FEMALE--	81	-	-	-	-	-	1	-	-	1	-	-
LOUISIANA -----	2,762	-	-	-	-	-	-	2	5	20	25	50
WHITE-----MALE----	1,043	-	-	-	-	-	-	-	-	9	10	20
FEMALE--	1,073	-	-	-	-	-	-	-	1	2	5	5
ALL OTHER--MALE----	302	-	-	-	-	-	-	1	2	6	8	17
FEMALE--	344	-	-	-	-	-	-	1	2	3	2	8
BLACK---MALE----	298	-	-	-	-	-	-	1	2	6	8	17
FEMALE--	341	-	-	-	-	-	-	1	2	3	2	8
MAINE -----	1,273	-	-	-	-	-	-	1	2	2	14	20
WHITE-----MALE----	654	-	-	-	-	-	-	1	2	2	12	17
FEMALE--	615	-	-	-	-	-	-	-	-	-	2	3
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3,174	-	-	-	1	-	-	1	3	6	20	41
WHITE-----MALE----	1,309	-	-	-	1	-	-	-	3	1	11	26
FEMALE--	1,347	-	-	-	-	-	-	-	-	1	2	1
ALL OTHER--MALE----	259	-	-	-	-	-	-	-	-	3	6	13
FEMALE--	259	-	-	-	-	-	-	1	-	1	1	1
BLACK---MALE----	244	-	-	-	-	-	-	-	-	3	6	13
FEMALE--	247	-	-	-	-	-	-	1	-	1	1	1
MASSACHUSETTS -----	5,839	-	-	-	-	-	-	2	14	30	37	70
WHITE-----MALE----	2,704	-	-	-	-	-	-	2	11	21	27	55
FEMALE--	2,983	-	-	-	-	-	-	-	2	8	6	13
ALL OTHER--MALE----	72	-	-	-	-	-	-	-	1	1	1	1
FEMALE--	80	-	-	-	-	-	-	-	-	-	3	1
BLACK---MALE----	63	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	74	-	-	-	-	-	-	-	-	-	3	1
MICHIGAN -----	9,410	-	-	1	-	3	1	3	6	33	71	108
WHITE-----MALE----	4,030	-	-	-	-	1	1	3	1	22	43	67
FEMALE--	4,489	-	-	1	-	1	-	-	3	5	14	23
ALL OTHER--MALE----	422	-	-	-	-	1	-	-	1	3	10	11
FEMALE--	469	-	-	-	-	-	-	-	1	3	4	7
BLACK---MALE----	400	-	-	-	-	1	-	-	-	3	10	10
FEMALE--	449	-	-	-	-	-	-	-	-	3	4	7

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,597
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)												
KENTUCKY -----	81	92	177	267	374	458	501	510	342	133	26	-
WHITE-----MALE----	50	52	113	164	214	233	221	182	98	23	5	-
FEMALE--	21	34	52	84	131	190	266	308	240	98	20	-
ALL OTHER--MALE----	9	5	7	11	17	16	6	5	-	6	-	-
FEMALE--	1	1	5	8	12	19	8	15	4	6	1	-
BLACK---MALE----	8	5	6	11	17	16	6	5	-	6	-	-
FEMALE--	1	1	5	8	12	18	8	15	4	6	1	-
LOUISIANA -----	74	95	143	268	333	449	476	411	266	120	25	-
WHITE-----MALE----	33	51	60	149	159	199	171	99	58	20	5	-
FEMALE--	12	11	20	70	99	164	210	228	160	78	8	-
ALL OTHER--MALE----	18	24	34	23	39	40	39	29	17	4	1	-
FEMALE--	11	9	29	26	36	46	56	55	31	18	11	-
BLACK---MALE----	18	24	34	23	37	40	39	29	15	4	1	-
FEMALE--	11	9	29	25	36	46	55	55	31	18	10	-
MAINE -----	37	34	62	105	147	167	220	209	173	63	17	-
WHITE-----MALE----	29	25	47	73	87	102	107	92	40	16	2	-
FEMALE--	8	9	15	31	59	65	111	117	133	47	15	-
ALL OTHER--MALE----	-	-	-	1	1	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	71	93	173	263	447	526	551	484	328	129	36	1
WHITE-----MALE----	38	50	92	132	228	250	222	152	87	15	1	-
FEMALE--	11	18	38	67	139	208	247	279	211	96	29	-
ALL OTHER--MALE----	14	17	27	38	39	39	36	14	5	8	-	-
FEMALE--	8	8	16	26	41	29	46	39	25	10	6	1
BLACK---MALE----	14	16	26	38	34	35	35	12	4	8	-	-
FEMALE--	8	7	15	23	40	28	44	37	24	10	6	1
MASSACHUSETTS -----	94	144	236	416	648	921	982	1,011	768	352	114	-
WHITE-----MALE----	69	104	142	278	404	517	464	351	176	64	19	-
FEMALE--	13	30	81	115	219	386	500	648	583	285	94	-
ALL OTHER--MALE----	10	5	6	11	15	5	5	8	2	1	-	-
FEMALE--	2	5	7	12	10	13	13	4	7	2	1	-
BLACK---MALE----	10	5	5	10	15	5	3	5	1	1	-	-
FEMALE--	2	5	7	12	9	12	13	3	4	2	1	-
MICHIGAN -----	170	239	399	762	1,041	1,447	1,708	1,608	1,150	534	126	-
WHITE-----MALE----	103	147	230	438	568	697	756	547	306	86	14	-
FEMALE--	36	49	119	214	349	622	812	953	784	405	99	-
ALL OTHER--MALE----	21	25	32	65	71	62	48	44	18	6	4	-
FEMALE--	10	18	18	45	53	66	92	64	42	37	9	-
BLACK---MALE----	20	23	31	58	66	61	47	42	18	6	4	-
FEMALE--	10	15	16	43	50	64	90	59	42	37	9	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,598
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)												
MINNESOTA -----	3,828	-	-	-	-	-	-	5	3	28	42	66
WHITE-----MALE----	2,033	-	-	-	-	-	-	4	2	18	31	51
FEMALE--	1,730	-	-	-	-	-	-	-	-	6	7	11
ALL OTHER--MALE----	35	-	-	-	-	-	-	1	1	3	3	4
FEMALE--	30	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	17	-	-	-	-	-	-	-	1	1	2	1
FEMALE--	12	-	-	-	-	-	-	-	-	-	1	-
MISSISSIPPI -----	1,913	-	-	-	-	-	-	4	3	13	15	34
WHITE-----MALE----	716	-	-	-	-	-	-	-	2	6	10	17
FEMALE--	730	-	-	-	-	-	-	3	1	1	3	4
ALL OTHER--MALE----	235	-	-	-	-	-	-	1	-	5	2	10
FEMALE--	232	-	-	-	-	-	-	-	-	1	-	3
BLACK---MALE----	233	-	-	-	-	-	-	1	-	5	2	10
FEMALE--	232	-	-	-	-	-	-	-	-	1	-	3
MISSOURI -----	6,531	-	-	-	1	1	-	5	11	29	58	83
WHITE-----MALE----	2,789	-	-	-	1	1	-	2	8	16	39	53
FEMALE--	3,166	-	-	-	-	-	-	2	1	4	9	13
ALL OTHER--MALE----	279	-	-	-	-	-	-	-	2	5	7	13
FEMALE--	297	-	-	-	-	-	-	1	-	4	3	4
BLACK---MALE----	275	-	-	-	-	-	-	-	2	5	7	13
FEMALE--	292	-	-	-	-	-	-	1	-	4	3	4
MONTANA -----	572	-	-	-	-	-	-	-	2	3	8	6
WHITE-----MALE----	300	-	-	-	-	-	-	-	1	2	7	6
FEMALE--	254	-	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	1,740	1	-	-	-	-	-	1	-	7	13	19
WHITE-----MALE----	815	-	-	-	-	-	-	1	-	3	11	13
FEMALE--	845	1	-	-	-	-	-	-	-	2	2	1
ALL OTHER--MALE----	43	-	-	-	-	-	-	-	-	-	-	4
FEMALE--	37	-	-	-	-	-	-	-	-	2	-	1
BLACK---MALE----	33	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	29	-	-	-	-	-	-	-	-	2	-	-
NEVADA -----	1,081	-	-	-	-	-	-	1	6	6	8	26
WHITE-----MALE----	576	-	-	-	-	-	-	1	4	4	7	18
FEMALE--	448	-	-	-	-	-	-	-	1	-	-	7
ALL OTHER--MALE----	34	-	-	-	-	-	-	-	1	1	1	1
FEMALE--	23	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	28	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	16	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,598
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)												
MINNESOTA -----	89	112	190	259	382	563	688	597	511	237	56	-
WHITE-----MALE----	71	81	151	184	257	353	336	263	167	56	8	-
FEMALE--	15	27	36	71	111	204	346	329	339	180	48	-
ALL OTHER--MALE----	2	2	-	2	6	4	4	2	-	1	-	-
FEMALE--	1	2	3	2	8	2	2	3	5	-	-	-
BLACK---MALE----	1	-	-	-	3	2	3	2	-	1	-	-
FEMALE--	1	-	1	1	3	2	1	-	2	-	-	-
MISSISSIPPI -----	43	69	118	169	269	267	300	323	203	60	23	-
WHITE-----MALE----	16	35	55	81	138	109	104	92	39	11	1	-
FEMALE--	7	13	27	48	74	89	131	173	108	33	15	-
ALL OTHER--MALE----	15	14	22	19	28	37	31	20	25	6	-	-
FEMALE--	5	7	14	21	29	32	34	38	31	10	7	-
BLACK---MALE----	15	14	22	18	27	37	31	20	25	6	-	-
FEMALE--	5	7	14	21	29	32	34	38	31	10	7	-
MISSOURI -----	135	180	266	442	679	889	1,109	1,191	966	382	104	-
WHITE-----MALE----	88	114	166	263	400	470	482	394	212	66	14	-
FEMALE--	22	41	54	126	203	350	546	740	692	284	79	-
ALL OTHER--MALE----	16	19	25	31	41	34	30	21	21	12	2	-
FEMALE--	9	6	21	22	35	35	51	36	41	20	9	-
BLACK---MALE----	16	19	25	29	41	34	29	21	20	12	2	-
FEMALE--	9	6	20	22	35	35	49	36	40	19	9	-
MONTANA -----	13	19	23	65	64	82	102	91	64	24	6	-
WHITE-----MALE----	8	15	16	42	38	49	49	43	20	3	1	-
FEMALE--	2	4	6	21	25	31	48	47	42	21	5	-
ALL OTHER--MALE----	3	-	-	2	-	2	2	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	3	1	2	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	30	36	83	110	194	216	278	336	270	118	28	-
WHITE-----MALE----	20	21	54	79	123	129	137	121	77	20	6	-
FEMALE--	3	9	20	23	59	75	129	213	189	98	21	-
ALL OTHER--MALE----	7	4	6	7	4	4	6	-	1	-	-	-
FEMALE--	-	2	3	1	8	8	6	2	3	-	1	-
BLACK---MALE----	4	3	5	6	4	3	5	-	1	-	-	-
FEMALE--	-	2	3	1	4	5	6	2	3	-	1	-
NEVADA -----	35	42	69	102	151	173	183	154	90	28	6	1
WHITE-----MALE----	28	31	41	66	98	96	96	59	22	3	2	-
FEMALE--	3	7	19	28	48	70	81	90	64	25	4	1
ALL OTHER--MALE----	2	1	6	5	5	5	3	2	1	-	-	-
FEMALE--	2	3	3	3	-	2	3	3	3	-	-	-
BLACK---MALE----	2	1	6	3	3	5	3	1	1	-	-	-
FEMALE--	1	3	2	1	-	2	1	2	3	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,600
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)												
OHIO -----	305	412	749	1,141	1,689	2,028	2,332	2,127	1,524	649	184	-
WHITE-----MALE----	177	236	454	650	932	1,072	1,014	672	377	141	20	-
FEMALE--	61	106	177	337	548	814	1,177	1,321	1,061	468	147	-
ALL OTHER--MALE----	42	43	71	88	105	71	58	57	23	9	1	-
FEMALE--	25	27	47	66	104	71	83	77	63	31	16	-
BLACK---MALE----	42	42	69	85	101	69	56	56	23	9	1	-
FEMALE--	25	27	47	63	101	70	80	73	63	31	16	-
OKLAHOMA -----	110	125	196	271	412	500	646	655	423	196	47	1
WHITE-----MALE----	74	77	131	173	242	277	289	235	112	46	7	1
FEMALE--	19	35	46	71	128	188	313	375	284	133	38	-
ALL OTHER--MALE----	12	9	11	16	25	19	23	17	6	5	1	-
FEMALE--	5	4	8	11	17	16	21	28	21	12	1	-
BLACK---MALE----	9	7	5	9	16	11	17	11	5	4	-	-
FEMALE--	4	2	5	7	9	10	14	18	13	9	1	-
OREGON -----	84	106	154	227	389	474	491	479	338	133	39	-
WHITE-----MALE----	63	83	118	156	267	293	270	194	108	32	13	-
FEMALE--	15	19	30	63	112	179	214	279	227	99	26	-
ALL OTHER--MALE----	4	2	2	3	3	2	2	3	2	-	-	-
FEMALE--	2	2	4	5	7	-	5	3	1	2	-	-
BLACK---MALE----	1	2	2	1	-	2	-	1	-	-	-	-
FEMALE--	1	-	3	2	4	-	2	2	-	1	-	-
PENNSYLVANIA -----	178	309	530	978	1,685	2,150	2,518	2,354	1,638	691	165	2
WHITE-----MALE----	131	203	336	598	973	1,162	1,115	840	396	115	22	-
FEMALE--	34	70	148	295	587	903	1,292	1,426	1,179	547	136	2
ALL OTHER--MALE----	11	26	24	50	67	47	41	36	16	8	-	-
FEMALE--	2	10	22	35	58	38	70	52	47	21	7	-
BLACK---MALE----	11	25	23	47	66	44	39	34	16	8	-	-
FEMALE--	2	10	22	34	55	38	66	48	46	20	7	-
RHODE ISLAND -----	18	22	37	72	118	181	254	210	195	104	26	-
WHITE-----MALE----	14	13	32	44	71	103	120	67	57	22	2	-
FEMALE--	3	5	4	24	41	76	133	139	136	82	23	-
ALL OTHER--MALE----	1	3	-	3	3	2	-	2	1	-	-	-
FEMALE--	-	1	1	1	3	-	1	2	1	-	1	-
BLACK---MALE----	1	2	-	3	3	2	-	1	-	-	-	-
FEMALE--	-	1	-	1	2	-	1	1	-	-	1	-
SOUTH CAROLINA -----	71	107	180	276	353	457	405	366	207	69	17	-
WHITE-----MALE----	40	58	107	141	186	225	177	111	44	12	2	-
FEMALE--	11	21	33	68	102	149	161	210	130	44	9	-
ALL OTHER--MALE----	13	17	26	36	33	53	25	15	5	5	2	-
FEMALE--	7	11	14	31	32	30	42	30	28	8	4	-
BLACK---MALE----	12	17	24	36	33	53	25	14	5	5	2	-
FEMALE--	7	11	14	31	31	30	42	30	28	8	4	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,601
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)												
SOUTH DAKOTA -----	671	-	-	-	-	-	-	-	-	3	2	11
WHITE-----MALE----	331	-	-	-	-	-	-	-	-	2	1	7
FEMALE--	320	-	-	-	-	-	-	-	-	1	-	3
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	5,158	1	-	-	-	-	-	-	4	31	62	99
WHITE-----MALE----	2,190	1	-	-	-	-	-	-	2	18	30	46
FEMALE--	2,217	-	-	-	-	-	-	-	1	4	8	18
ALL OTHER--MALE----	375	-	-	-	-	-	-	-	1	6	16	27
FEMALE--	376	-	-	-	-	-	-	-	-	3	8	8
BLACK---MALE----	371	-	-	-	-	-	-	-	1	6	16	26
FEMALE--	372	-	-	-	-	-	-	-	-	3	8	8