

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,601

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)												
TEXAS -----	12,641	-	-	1	1	2	6	10	34	91	149	252
WHITE-----MALE----	5,844	-	-	-	-	1	3	3	24	51	89	148
FEMALE--	5,416	-	-	-	-	1	-	2	4	19	24	40
ALL OTHER--MALE----	694	-	-	1	-	-	3	2	5	15	30	44
FEMALE--	687	-	-	-	1	-	-	3	1	6	6	20
BLACK---MALE----	657	-	-	1	-	-	3	2	4	15	29	42
FEMALE--	668	-	-	-	1	-	-	3	1	6	6	19
UTAH -----	892	-	-	-	-	-	-	1	5	4	13	14
WHITE-----MALE----	496	-	-	-	-	-	-	-	5	4	10	11
FEMALE--	385	-	-	-	-	-	-	-	-	-	3	2
ALL OTHER--MALE----	6	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
VERMONT -----	503	-	-	-	-	-	-	1	1	4	3	6
WHITE-----MALE----	256	-	-	-	-	-	-	1	-	3	3	4
FEMALE--	245	-	-	-	-	-	-	-	-	1	-	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	4,283	1	-	-	-	-	-	7	13	17	53	101
WHITE-----MALE----	1,800	1	-	-	-	-	-	2	4	8	27	59
FEMALE--	1,647	-	-	-	-	-	-	-	3	5	9	14
ALL OTHER--MALE----	420	-	-	-	-	-	-	3	5	2	10	16
FEMALE--	416	-	-	-	-	-	-	2	1	2	7	12
BLACK---MALE----	407	-	-	-	-	-	-	3	5	2	10	15
FEMALE--	403	-	-	-	-	-	-	2	1	2	6	12

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,601  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)												
SOUTH DAKOTA -----	14	24	25	48	71	106	99	101	101	50	16	-
WHITE-----MALE----	9	15	19	33	47	64	42	41	30	17	4	-
FEMALE--	3	5	5	10	21	41	57	59	71	32	12	-
ALL OTHER--MALE----	2	4	-	3	1	1	-	-	-	1	-	-
FEMALE--	-	-	1	2	2	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	149	197	286	453	633	747	887	798	535	219	57	-
WHITE-----MALE----	92	106	161	250	352	359	352	238	145	28	10	-
FEMALE--	25	40	72	133	186	292	421	472	337	167	41	-
ALL OTHER--MALE----	22	30	30	39	52	48	46	32	19	6	1	-
FEMALE--	10	21	23	31	43	48	68	56	34	18	5	-
BLACK---MALE----	22	30	29	38	52	48	45	32	19	6	1	-
FEMALE--	10	21	22	31	43	48	66	55	34	18	5	-
TEXAS -----	430	473	710	1,083	1,547	1,757	2,007	2,024	1,346	575	142	1
WHITE-----MALE----	271	298	417	641	888	941	879	715	352	102	21	-
FEMALE--	66	88	186	307	495	656	953	1,150	891	428	106	-
ALL OTHER--MALE----	72	47	69	80	85	75	71	55	29	8	3	-
FEMALE--	21	40	38	55	79	85	104	104	74	37	12	1
BLACK---MALE----	70	45	66	73	79	69	68	53	28	7	3	-
FEMALE--	21	39	35	54	76	81	103	103	72	35	12	1
UTAH -----	25	33	31	65	100	146	169	145	110	27	4	-
WHITE-----MALE----	16	25	24	42	61	88	94	69	43	4	-	-
FEMALE--	9	7	7	21	37	57	75	75	66	23	3	-
ALL OTHER--MALE----	-	1	-	2	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	1	-	1	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
VERMONT -----	19	19	26	31	67	74	85	74	64	24	5	-
WHITE-----MALE----	17	15	17	24	45	39	43	25	15	5	-	-
FEMALE--	1	4	9	7	22	35	42	49	49	19	5	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	135	194	237	396	581	689	651	619	380	165	41	3
WHITE-----MALE----	80	101	132	207	285	324	249	199	91	28	3	-
FEMALE--	21	39	47	97	173	234	290	326	240	118	30	1
ALL OTHER--MALE----	22	37	43	62	64	58	44	34	16	1	2	1
FEMALE--	12	17	15	30	59	73	68	60	33	18	6	1
BLACK---MALE----	20	36	43	59	62	55	43	34	16	1	2	1
FEMALE--	12	16	13	29	57	70	67	58	33	18	6	1



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,602  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)												
WASHINGTON -----	63	127	172	300	417	600	670	610	418	194	51	-
WHITE-----MALE----	54	82	125	196	249	360	349	246	115	55	9	-
FEMALE--	8	38	41	90	149	212	295	352	297	135	42	-
ALL OTHER--MALE----	1	6	5	7	10	18	14	9	2	1	-	-
FEMALE--	-	1	1	7	9	10	12	3	4	3	-	-
BLACK---MALE----	1	2	3	4	2	12	7	2	2	1	-	-
FEMALE--	-	-	-	3	2	6	4	1	3	2	-	-
WEST VIRGINIA -----	40	53	111	196	285	369	397	364	237	93	22	-
WHITE-----MALE----	32	35	78	115	149	195	177	123	71	19	4	-
FEMALE--	8	16	33	77	125	167	209	233	161	71	16	-
ALL OTHER--MALE----	-	1	-	2	7	4	4	5	3	-	-	-
FEMALE--	-	1	-	2	4	3	7	3	2	3	2	-
BLACK---MALE----	-	1	-	2	7	4	4	5	3	-	-	-
FEMALE--	-	1	-	2	4	3	6	3	2	3	2	-
WISCONSIN -----	78	125	186	375	541	668	874	909	640	304	76	-
WHITE-----MALE----	64	79	128	247	356	382	410	372	196	60	7	-
FEMALE--	7	26	42	99	164	266	443	524	436	240	67	-
ALL OTHER--MALE----	5	14	10	20	13	13	6	5	1	2	1	-
FEMALE--	2	6	6	9	8	7	15	8	7	2	1	-
BLACK---MALE----	5	13	7	15	10	9	6	5	1	2	1	-
FEMALE--	2	6	2	9	7	7	14	6	6	1	1	-
WYOMING -----	8	13	10	33	33	45	57	52	26	16	5	-
WHITE-----MALE----	6	11	6	28	28	25	35	16	5	8	-	-
FEMALE--	2	2	3	4	5	18	21	36	21	8	5	-
ALL OTHER--MALE----	-	-	-	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,603  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
DISEASES OF PULMONARY CIRCULATION (415-417)												
0 UNITED STATES --	11,978	208	34	11	14	48	102	138	215	319	422	529
WHITE-----MALE----	4,306	83	12	7	5	16	26	34	66	88	159	200
FEMALE--	5,413	69	10	3	5	16	34	58	64	111	129	176
ALL OTHER--MALE----	980	23	6	-	3	5	15	20	42	63	63	60
FEMALE--	1,279	33	6	1	1	11	27	26	43	57	71	93
BLACK---MALE----	938	21	6	-	3	5	12	19	41	59	62	55
FEMALE--	1,186	23	4	1	1	9	24	24	41	55	65	85
ALABAMA -----	253	8	1	-	-	-	3	5	8	7	9	9
WHITE-----MALE----	80	1	-	-	-	-	-	-	2	1	2	2
FEMALE--	79	2	-	-	-	-	1	1	1	3	2	1
ALL OTHER--MALE----	46	3	1	-	-	-	1	2	2	1	2	2
FEMALE--	48	2	-	-	-	-	1	2	3	2	3	4
BLACK---MALE----	46	3	1	-	-	-	1	2	2	1	2	2
FEMALE--	48	2	-	-	-	-	1	2	3	2	3	4
ALASKA -----	12	1	-	-	-	-	-	-	1	-	-	1
WHITE-----MALE----	2	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	180	5	-	-	-	-	1	1	2	4	7	6
WHITE-----MALE----	74	2	-	-	-	-	1	-	-	1	5	2
FEMALE--	96	2	-	-	-	-	-	1	2	2	2	3
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	3	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	194	2	-	-	-	-	1	1	2	3	6	12
WHITE-----MALE----	87	-	-	-	-	-	1	-	-	1	2	5
FEMALE--	74	2	-	-	-	-	-	1	2	1	3	3
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	22	-	-	-	-	-	-	-	-	1	1	1
BLACK---MALE----	11	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	22	-	-	-	-	-	-	-	-	1	1	1
CALIFORNIA -----	724	21	5	-	-	5	7	6	8	21	40	32
WHITE-----MALE----	274	9	2	-	-	2	3	1	3	7	20	12
FEMALE--	350	7	1	-	-	1	2	5	3	11	11	13
ALL OTHER--MALE----	40	-	-	-	-	-	-	-	1	1	3	4
FEMALE--	60	5	2	-	-	2	2	-	1	2	6	3
BLACK---MALE----	32	-	-	-	-	-	-	-	1	1	3	2
FEMALE--	36	2	1	-	-	1	2	-	1	1	3	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,603  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DISEASES OF PULMONARY CIRCULATION (415-417)												
0 UNITED STATES --	543	597	910	1,165	1,519	1,683	1,585	1,178	565	161	32	-
WHITE-----MALE----	187	230	374	451	599	705	553	348	134	26	3	-
FEMALE--	214	234	349	473	641	761	837	718	379	111	21	-
ALL OTHER--MALE----	70	55	76	109	124	90	90	44	17	4	1	-
FEMALE--	72	78	111	132	155	127	105	68	35	20	7	-
BLACK---MALE----	67	55	74	104	119	88	86	41	17	3	1	-
FEMALE--	62	70	104	127	143	125	98	65	34	19	7	-
ALABAMA -----	13	11	19	26	38	34	31	16	13	2	-	-
WHITE-----MALE----	6	3	6	8	14	16	10	6	3	-	-	-
FEMALE--	4	3	6	9	9	10	12	6	8	1	-	-
ALL OTHER--MALE----	2	4	4	3	7	4	5	1	1	1	-	-
FEMALE--	1	1	3	6	8	4	4	3	1	-	-	-
BLACK---MALE----	2	4	4	3	7	4	5	1	1	1	-	-
FEMALE--	1	1	3	6	8	4	4	3	1	-	-	-
ALASKA -----	-	2	3	-	-	2	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	2	-	-	2	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	11	13	12	24	16	26	18	24	8	1	1	-
WHITE-----MALE----	3	9	3	5	11	16	6	8	2	-	-	-
FEMALE--	6	4	8	18	4	10	12	16	5	-	1	-
ALL OTHER--MALE----	1	-	1	1	1	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	4	10	9	19	21	31	32	20	18	2	1	-
WHITE-----MALE----	2	5	6	9	10	13	19	6	7	1	-	-
FEMALE--	1	3	2	6	8	11	9	12	10	-	-	-
ALL OTHER--MALE----	1	1	-	3	-	1	2	-	-	-	-	-
FEMALE--	-	1	1	1	3	6	2	2	1	1	1	-
BLACK---MALE----	1	1	-	3	-	1	2	-	-	-	-	-
FEMALE--	-	1	1	1	3	6	2	2	1	1	1	-
CALIFORNIA -----	47	40	60	57	71	96	89	77	28	14	-	-
WHITE-----MALE----	21	22	24	21	18	47	28	22	9	3	-	-
FEMALE--	16	11	27	22	41	41	58	51	18	11	-	-
ALL OTHER--MALE----	3	-	4	7	5	7	1	4	-	-	-	-
FEMALE--	7	7	5	7	7	1	2	-	1	-	-	-
BLACK---MALE----	2	-	3	7	2	7	1	3	-	-	-	-
FEMALE--	1	6	4	6	3	1	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,604  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
DISEASES OF PULMONARY CIRCULATION (415-417)												
COLORADO -----	193	5	1	-	-	2	1	1	2	7	8	9
WHITE-----MALE----	72	4	-	-	-	1	-	-	-	3	5	2
FEMALE--	105	1	1	-	-	1	-	1	1	3	2	5
ALL OTHER--MALE----	7	-	-	-	-	-	1	-	1	1	1	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	5	-	-	-	-	-	1	-	1	-	1	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	1
CONNECTICUT -----	126	4	-	-	-	1	1	1	3	-	2	4
WHITE-----MALE----	43	-	-	-	-	1	-	-	1	-	-	2
FEMALE--	73	4	-	-	-	-	-	1	1	-	-	2
ALL OTHER--MALE----	3	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	2	-
BLACK---MALE----	3	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	2	-
DELAWARE -----	30	2	-	-	-	1	-	-	1	1	-	1
WHITE-----MALE----	9	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	1	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	5	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
DISTRICT OF COLUMBIA ----	50	-	-	-	-	-	-	-	1	3	1	2
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	19	-	-	-	-	-	-	-	-	2	1	1
FEMALE--	26	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	19	-	-	-	-	-	-	-	-	2	1	1
FEMALE--	26	-	-	-	-	-	-	-	1	-	-	1
FLORIDA -----	659	4	2	-	1	2	7	5	11	15	20	27
WHITE-----MALE----	267	2	-	-	-	1	1	2	3	2	6	10
FEMALE--	277	2	-	-	1	1	1	2	3	5	6	10
ALL OTHER--MALE----	53	-	1	-	-	-	2	1	2	2	4	4
FEMALE--	62	-	1	-	-	-	3	-	3	6	4	3
BLACK---MALE----	53	-	1	-	-	-	2	1	2	2	4	4
FEMALE--	59	-	1	-	-	-	3	-	3	6	4	2
GEORGIA -----	395	5	2	-	-	1	2	8	10	12	21	25
WHITE-----MALE----	113	3	2	-	-	-	-	1	2	-	5	10
FEMALE--	125	-	-	-	-	-	-	2	2	2	4	4
ALL OTHER--MALE----	72	2	-	-	-	-	1	4	4	8	8	4
FEMALE--	85	-	-	-	-	1	1	1	2	2	4	7
BLACK---MALE----	71	2	-	-	-	-	1	4	4	8	8	4
FEMALE--	85	-	-	-	-	1	1	1	2	2	4	7

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,604  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DISEASES OF PULMONARY CIRCULATION (415-417)												
COLORADO -----	10	8	16	20	23	22	24	25	7	1	1	-
WHITE-----MALE----	2	4	6	11	6	12	9	5	1	1	-	-
FEMALE--	4	4	10	8	15	10	14	19	5	-	1	-
ALL OTHER--MALE----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	2	-	1	1	1	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	2	-	1	-	1	-	-	-
CONNECTICUT -----	-	6	7	17	18	21	21	12	7	1	-	-
WHITE-----MALE----	-	2	4	7	5	9	6	5	1	-	-	-
FEMALE--	-	4	3	9	12	10	14	7	5	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	2	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	2	1	-	1	-	-	-
DELAWARE -----	-	2	1	3	4	6	4	3	1	-	-	-
WHITE-----MALE----	-	-	1	-	2	2	2	1	-	-	-	-
FEMALE--	-	-	-	1	2	3	2	2	1	-	-	-
ALL OTHER--MALE----	-	1	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	4	3	9	3	6	4	10	4	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	2	5	-	2	1	3	1	-	-	-	-
FEMALE--	2	4	3	3	3	3	6	3	-	-	-	-
BLACK---MALE----	1	2	5	-	2	1	3	1	-	-	-	-
FEMALE--	2	-	4	3	3	3	6	3	-	-	-	-
FLORIDA -----	21	34	43	68	97	99	111	65	16	10	1	-
WHITE-----MALE----	6	13	21	28	50	45	48	22	5	2	-	-
FEMALE--	12	9	17	29	31	37	57	34	11	8	1	-
ALL OTHER--MALE----	2	7	2	4	9	6	3	4	-	-	-	-
FEMALE--	1	5	3	7	7	11	3	5	-	-	-	-
BLACK---MALE----	2	7	2	4	9	6	3	4	-	-	-	-
FEMALE--	1	4	3	7	6	11	3	5	-	-	-	-
GEORGIA -----	22	20	29	38	49	52	47	27	22	3	-	-
WHITE-----MALE----	8	6	9	11	19	20	9	5	3	-	-	-
FEMALE--	2	8	10	11	14	17	24	13	12	-	-	-
ALL OTHER--MALE----	4	2	4	8	8	6	3	4	2	-	-	-
FEMALE--	8	4	6	8	8	9	11	5	5	3	-	-
BLACK---MALE----	4	2	4	7	8	6	3	4	2	-	-	-
FEMALE--	8	4	6	8	8	9	11	5	5	3	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,605  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DISEASES OF PULMONARY CIRCULATION (415-417)												
HAWAII -----	3	5	2	3	2	1	2	3	1	-	-	-
WHITE-----MALE----	1	1	1	-	-	1	1	-	-	-	-	-
FEMALE--	-	1	-	2	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	1	-	-	-	-
FEMALE--	2	3	1	-	1	-	-	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	4	1	3	5	6	6	10	2	5	2	-	-
WHITE-----MALE----	2	-	2	2	1	2	5	1	2	-	-	-
FEMALE--	2	1	1	3	4	4	5	1	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	28	34	66	71	72	100	72	66	27	11	1	-
WHITE-----MALE----	12	11	34	29	25	42	28	20	4	1	-	-
FEMALE--	6	16	21	24	30	45	34	39	20	8	1	-
ALL OTHER--MALE----	5	3	4	9	6	7	5	1	1	-	-	-
FEMALE--	5	4	7	9	11	6	5	6	2	2	-	-
BLACK---MALE----	5	3	4	9	6	7	5	-	1	-	-	-
FEMALE--	5	4	7	9	10	6	5	6	2	2	-	-
INDIANA -----	17	12	20	32	37	26	36	19	13	2	1	-
WHITE-----MALE----	7	4	8	12	16	5	14	7	4	-	-	-
FEMALE--	6	6	9	14	16	18	17	11	9	2	-	-
ALL OTHER--MALE----	2	1	1	2	2	1	3	1	-	-	-	-
FEMALE--	2	1	2	4	3	2	2	-	-	-	1	-
BLACK---MALE----	2	1	1	2	2	1	3	1	-	-	-	-
FEMALE--	2	1	2	4	3	2	2	-	-	-	1	-
IOWA -----	4	6	10	8	19	30	14	14	11	5	-	-
WHITE-----MALE----	1	3	4	2	7	14	5	4	2	-	-	-
FEMALE--	2	3	6	5	9	16	9	10	9	5	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	2	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	2	-	-	-	-	-	-	-
KANSAS -----	6	4	8	14	21	27	28	16	12	5	-	-
WHITE-----MALE----	4	-	4	4	11	12	12	3	2	-	-	-
FEMALE--	2	4	3	9	7	14	15	12	10	5	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	3	1	-	1	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	3	1	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,606  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
DISEASES OF PULMONARY CIRCULATION (415-417)												
KENTUCKY -----	209	2	-	-	-	-	4	2	2	9	8	11
WHITE-----MALE----	105	-	-	-	-	-	2	-	1	6	5	4
FEMALE--	81	2	-	-	-	-	2	1	1	2	2	3
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	10	-	-	-	-	-	-	1	-	-	-	3
BLACK---MALE----	13	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	10	-	-	-	-	-	-	1	-	-	-	3
LOUISIANA -----	247	2	1	-	2	-	3	5	4	7	9	21
WHITE-----MALE----	66	-	-	-	-	-	-	4	1	1	2	4
FEMALE--	70	-	-	-	1	-	-	1	-	1	-	4
ALL OTHER--MALE----	42	-	1	-	-	-	-	-	3	4	2	7
FEMALE--	69	2	-	-	1	-	3	-	-	1	5	6
BLACK---MALE----	42	-	1	-	-	-	-	-	3	4	2	7
FEMALE--	69	2	-	-	1	-	3	-	-	1	5	6
MAINE -----	64	1	-	-	-	-	1	-	1	2	1	1
WHITE-----MALE----	25	-	-	-	-	-	1	-	-	2	-	-
FEMALE--	38	-	-	-	-	-	-	-	1	-	1	1
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	235	4	-	-	1	1	3	6	7	12	9	13
WHITE-----MALE----	68	1	-	-	-	-	-	2	-	1	5	3
FEMALE--	89	1	-	-	-	1	1	-	1	4	-	5
ALL OTHER--MALE----	41	1	-	-	1	-	-	1	4	6	3	2
FEMALE--	37	1	-	-	-	-	2	3	2	1	1	3
BLACK---MALE----	41	1	-	-	1	-	-	1	4	6	3	2
FEMALE--	37	1	-	-	-	-	2	3	2	1	1	3
MASSACHUSETTS -----	245	2	1	-	-	-	3	2	5	4	5	12
WHITE-----MALE----	88	1	-	-	-	-	1	1	3	1	2	3
FEMALE--	143	1	1	-	-	-	2	-	2	2	2	9
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	10	-	-	-	-	-	-	1	-	1	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	9	-	-	-	-	-	-	-	-	1	-	-
MICHIGAN -----	414	14	1	1	1	2	3	4	10	12	12	18
WHITE-----MALE----	139	5	1	1	1	1	1	1	2	4	4	10
FEMALE--	191	6	-	-	-	1	1	1	4	4	4	5
ALL OTHER--MALE----	38	1	-	-	-	-	-	-	2	1	3	-
FEMALE--	46	2	-	-	-	-	1	2	2	3	1	3
BLACK---MALE----	38	1	-	-	-	-	-	-	2	1	3	-
FEMALE--	44	2	-	-	-	-	-	2	2	3	1	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,606  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DISEASES OF PULMONARY CIRCULATION (415-417)												
KENTUCKY -----	6	11	14	29	29	37	28	12	3	2	-	-
WHITE-----MALE----	1	6	8	14	16	20	14	5	1	2	-	-
FEMALE--	4	5	6	11	9	15	11	5	2	-	-	-
ALL OTHER--MALE----	1	-	-	3	2	-	2	2	-	-	-	-
FEMALE--	-	-	-	1	2	2	1	-	-	-	-	-
BLACK---MALE----	1	-	-	3	2	-	2	2	-	-	-	-
FEMALE--	-	-	-	1	2	2	1	-	-	-	-	-
LOUISIANA -----	11	8	24	21	40	34	33	15	5	2	-	-
WHITE-----MALE----	1	-	8	8	11	13	8	4	1	-	-	-
FEMALE--	4	2	8	3	13	13	15	2	3	-	-	-
ALL OTHER--MALE----	2	2	-	2	7	5	2	4	-	1	-	-
FEMALE--	4	4	8	8	9	3	8	5	1	1	-	-
BLACK---MALE----	2	2	-	2	7	5	2	4	-	1	-	-
FEMALE--	4	4	8	8	9	3	8	5	1	1	-	-
MAINE -----	1	4	5	4	9	13	11	6	2	2	-	-
WHITE-----MALE----	-	3	3	2	4	4	2	3	1	-	-	-
FEMALE--	1	1	2	2	5	9	9	3	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	12	9	17	18	40	28	26	18	8	3	-	-
WHITE-----MALE----	2	4	5	4	14	9	10	5	2	1	-	-
FEMALE--	2	2	7	7	14	15	12	11	5	1	-	-
ALL OTHER--MALE----	2	2	1	4	8	1	3	1	1	-	-	-
FEMALE--	6	1	4	3	4	3	1	1	-	1	-	-
BLACK---MALE----	2	2	1	4	8	1	3	1	1	-	-	-
FEMALE--	6	1	4	3	4	3	1	1	-	1	-	-
MASSACHUSETTS -----	12	13	10	19	22	37	39	40	14	4	1	-
WHITE-----MALE----	5	5	4	10	11	15	13	11	2	-	-	-
FEMALE--	3	6	5	9	10	22	24	28	12	4	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	2	1	-	1	-	1	1	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	2	1	-	1	-	1	1	-	-	-	-
MICHIGAN -----	19	20	24	34	59	54	58	44	18	2	4	-
WHITE-----MALE----	4	12	9	12	18	23	14	13	2	1	-	-
FEMALE--	8	7	11	10	31	21	33	27	14	1	2	-
ALL OTHER--MALE----	5	-	3	5	3	3	7	3	2	-	-	-
FEMALE--	2	1	1	7	7	7	4	1	-	-	2	-
BLACK---MALE----	5	-	3	5	3	3	7	3	2	-	-	-
FEMALE--	2	1	1	7	7	7	3	1	-	-	2	-











TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,609  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
DISEASES OF PULMONARY CIRCULATION (415-417)												
OHIO -----	478	5	1	1	1	3	2	4	9	14	17	17
WHITE-----MALE----	176	3	-	1	1	-	-	1	4	4	8	7
FEMALE--	215	1	1	-	-	1	2	3	3	6	5	6
ALL OTHER--MALE----	44	-	-	-	-	1	-	-	1	2	2	1
FEMALE--	43	1	-	-	-	1	-	-	1	2	2	3
BLACK---MALE----	44	-	-	-	-	1	-	-	1	2	2	1
FEMALE--	43	1	-	-	-	1	-	-	1	2	2	3
OKLAHOMA -----	180	4	1	-	-	1	-	2	1	4	9	3
WHITE-----MALE----	78	2	1	-	-	-	-	2	-	-	5	2
FEMALE--	80	-	-	-	-	1	-	-	-	3	2	1
ALL OTHER--MALE----	10	2	-	-	-	-	-	-	1	-	2	-
FEMALE--	12	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	8	2	-	-	-	-	-	-	1	-	1	-
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	-
OREGON -----	137	2	1	-	-	1	-	1	2	3	10	11
WHITE-----MALE----	56	1	-	-	-	1	-	-	1	1	2	5
FEMALE--	77	1	1	-	-	-	-	1	1	1	8	5
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
PENNSYLVANIA -----	776	8	1	2	1	-	4	5	10	9	18	31
WHITE-----MALE----	290	2	-	1	-	-	1	2	5	3	5	14
FEMALE--	401	6	1	1	-	-	3	2	1	4	9	11
ALL OTHER--MALE----	33	-	-	-	1	-	-	1	1	2	1	4
FEMALE--	52	-	-	-	-	-	-	-	3	-	3	2
BLACK---MALE----	33	-	-	-	1	-	-	1	1	2	1	4
FEMALE--	52	-	-	-	-	-	-	-	3	-	3	2
RHODE ISLAND -----	37	2	-	-	-	-	-	1	-	2	3	-
WHITE-----MALE----	14	1	-	-	-	-	-	-	-	2	2	-
FEMALE--	19	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	244	3	2	-	-	-	2	5	9	5	8	8
WHITE-----MALE----	64	1	-	-	-	-	-	1	3	1	1	2
FEMALE--	95	-	-	-	-	-	-	4	2	2	-	2
ALL OTHER--MALE----	29	-	-	-	-	-	2	-	-	-	2	1
FEMALE--	56	2	2	-	-	-	-	-	4	2	5	3
BLACK---MALE----	29	-	-	-	-	-	2	-	-	-	2	1
FEMALE--	56	2	2	-	-	-	-	-	4	2	5	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,609  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DISEASES OF PULMONARY CIRCULATION (415-417)												
OHIO -----	19	24	36	57	59	66	64	41	27	7	4	-
WHITE-----MALE----	7	7	14	25	19	26	27	18	3	1	-	-
FEMALE--	10	10	12	26	26	32	27	18	19	4	3	-
ALL OTHER--MALE----	1	5	4	4	6	7	6	3	1	-	-	-
FEMALE--	1	2	6	2	8	1	4	2	4	2	1	-
BLACK---MALE----	1	5	4	4	6	7	6	3	1	-	-	-
FEMALE--	1	2	6	2	8	1	4	2	4	2	1	-
OKLAHOMA -----	6	9	9	16	29	29	26	20	9	1	1	-
WHITE-----MALE----	2	4	3	7	13	18	10	4	4	-	1	-
FEMALE--	4	5	3	7	12	7	16	14	4	1	-	-
ALL OTHER--MALE----	-	-	1	-	2	2	-	-	-	-	-	-
FEMALE--	-	-	2	2	2	2	-	2	1	-	-	-
BLACK---MALE----	-	-	1	-	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	2	1	-	-	-
OREGON -----	6	5	8	13	14	17	20	13	7	2	1	-
WHITE-----MALE----	3	2	5	6	6	8	7	7	1	-	-	-
FEMALE--	3	2	3	7	8	9	12	6	6	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	30	37	37	83	121	118	118	90	40	12	1	-
WHITE-----MALE----	17	17	16	34	50	40	44	25	10	4	-	-
FEMALE--	12	12	16	37	62	69	65	60	25	5	-	-
ALL OTHER--MALE----	1	4	3	4	3	2	2	2	1	1	-	-
FEMALE--	-	4	2	8	6	7	7	3	4	2	1	-
BLACK---MALE----	1	4	3	4	3	2	2	2	1	1	-	-
FEMALE--	-	4	2	8	6	7	7	3	4	2	1	-
RHODE ISLAND -----	2	3	2	4	5	3	4	6	-	-	-	-
WHITE-----MALE----	-	1	-	1	2	1	1	3	-	-	-	-
FEMALE--	2	2	2	3	3	2	2	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
SOUTH CAROLINA -----	10	16	20	22	35	50	21	19	8	1	-	-
WHITE-----MALE----	1	5	6	8	12	14	3	5	1	-	-	-
FEMALE--	5	5	6	5	13	22	16	8	5	-	-	-
ALL OTHER--MALE----	2	2	3	3	7	4	1	2	-	-	-	-
FEMALE--	2	4	5	6	3	10	1	4	2	1	-	-
BLACK---MALE----	2	2	3	3	7	4	1	2	-	-	-	-
FEMALE--	2	4	5	6	3	10	1	4	2	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,610  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
DISEASES OF PULMONARY CIRCULATION (415-417)												
SOUTH DAKOTA -----	36	-	-	-	-	-	-	1	-	-	1	-
WHITE-----MALE----	20	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	263	4	1	-	-	-	2	4	8	7	12	13
WHITE-----MALE----	92	2	-	-	-	-	2	1	2	2	3	9
FEMALE--	127	2	1	-	-	-	-	2	4	3	3	2
ALL OTHER--MALE----	21	-	-	-	-	-	-	1	1	2	3	1
FEMALE--	23	-	-	-	-	-	-	-	1	-	3	1
BLACK---MALE----	21	-	-	-	-	-	-	1	1	2	3	1
FEMALE--	23	-	-	-	-	-	-	-	1	-	3	1
TEXAS -----	751	13	-	1	2	7	11	13	11	20	22	43
WHITE-----MALE----	246	2	-	1	1	2	3	2	2	2	7	19
FEMALE--	334	6	-	-	1	4	4	6	5	8	5	12
ALL OTHER--MALE----	88	1	-	-	-	1	1	3	3	7	5	3
FEMALE--	83	4	-	-	-	-	3	2	1	3	5	9
BLACK---MALE----	85	1	-	-	-	1	1	3	3	7	5	2
FEMALE--	81	4	-	-	-	-	3	2	1	3	5	9
UTAH -----	90	2	-	-	-	1	-	2	1	3	3	4
WHITE-----MALE----	37	2	-	-	-	1	-	1	-	1	1	2
FEMALE--	49	-	-	-	-	-	-	1	1	1	2	2
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
VERMONT -----	26	-	-	-	-	-	-	-	1	1	1	2
WHITE-----MALE----	13	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	13	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	340	8	1	1	-	2	5	5	3	11	11	15
WHITE-----MALE----	106	5	-	-	-	-	2	2	1	1	3	2
FEMALE--	137	2	-	1	-	1	1	-	-	4	3	7
ALL OTHER--MALE----	32	-	-	-	-	-	-	-	1	1	1	3
FEMALE--	65	1	1	-	-	1	2	3	1	5	4	3
BLACK---MALE----	31	-	-	-	-	-	-	-	1	1	1	3
FEMALE--	62	1	-	-	-	1	1	3	1	5	4	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,610  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DISEASES OF PULMONARY CIRCULATION (415-417)												
SOUTH DAKOTA -----	1	3	2	4	5	6	6	3	2	1	1	-
WHITE-----MALE----	1	2	1	4	2	5	3	-	1	1	-	-
FEMALE--	-	1	1	-	3	1	3	3	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	14	12	28	30	24	30	31	30	10	2	1	-
WHITE-----MALE----	2	3	12	7	13	10	13	9	2	-	-	-
FEMALE--	8	5	12	17	11	14	17	16	8	1	1	-
ALL OTHER--MALE----	3	2	1	3	-	2	-	2	-	-	-	-
FEMALE--	1	2	3	3	-	4	1	3	-	1	-	-
BLACK---MALE----	3	2	1	3	-	2	-	2	-	-	-	-
FEMALE--	1	2	3	3	-	4	1	3	-	1	-	-
TEXAS -----	39	36	61	82	93	93	90	64	41	8	1	-
WHITE-----MALE----	10	13	25	27	39	39	26	14	10	1	1	-
FEMALE--	18	16	20	33	34	38	45	48	24	7	-	-
ALL OTHER--MALE----	9	4	7	14	7	10	9	1	3	-	-	-
FEMALE--	2	3	9	8	13	6	10	1	4	-	-	-
BLACK---MALE----	9	4	7	13	7	9	9	1	3	-	-	-
FEMALE--	1	3	9	7	13	6	10	1	4	-	-	-
UTAH -----	7	3	5	8	12	8	17	8	3	3	-	-
WHITE-----MALE----	3	1	3	3	3	5	5	4	2	-	-	-
FEMALE--	4	2	2	4	9	3	10	4	1	3	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	1	2	3	2	3	6	3	1	-	-	-
WHITE-----MALE----	-	1	2	2	1	1	2	-	1	-	-	-
FEMALE--	-	-	-	1	1	2	4	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	15	14	32	29	41	53	42	35	12	3	2	-
WHITE-----MALE----	5	4	14	7	14	21	11	10	3	1	-	-
FEMALE--	4	3	14	9	12	22	21	22	8	2	1	-
ALL OTHER--MALE----	2	-	1	5	10	1	4	1	1	-	1	-
FEMALE--	4	7	3	8	5	9	6	2	-	-	-	-
BLACK---MALE----	2	-	1	5	10	-	4	1	1	-	1	-
FEMALE--	4	7	3	8	5	9	6	2	-	-	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,612  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OTHER FORMS OF HEART DISEASE (420-429)												
0 UNITED STATES --	211,653	423	207	114	142	299	418	590	1,157	1,933	2,902	4,281
WHITE-----MALE----	83,924	145	67	42	47	126	169	254	543	962	1,473	2,285
FEMALE--	97,525	134	58	36	43	55	79	111	227	333	502	727
ALL OTHER--MALE----	15,516	80	45	23	29	73	114	140	265	410	604	843
FEMALE--	14,688	64	37	13	23	45	56	85	122	228	323	426
BLACK---MALE----	13,893	70	42	18	26	68	101	125	247	372	568	779
FEMALE--	13,336	58	33	12	19	43	55	75	114	211	305	405
ALABAMA -----	6,017	14	4	5	6	12	18	19	43	60	81	129
WHITE-----MALE----	2,002	5	-	1	1	1	3	3	16	24	31	72
FEMALE--	2,484	2	1	2	1	3	3	6	7	7	13	14
ALL OTHER--MALE----	759	4	-	1	3	4	8	7	15	15	21	26
FEMALE--	772	3	3	1	1	4	4	3	5	14	16	17
BLACK---MALE----	756	4	-	1	3	4	8	7	15	15	21	26
FEMALE--	769	3	3	1	1	4	4	3	5	14	16	17
ALASKA -----	162	-	-	-	1	-	-	-	1	1	2	2
WHITE-----MALE----	71	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	45	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	26	-	-	-	-	-	-	-	1	1	1	-
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	3,002	9	1	2	2	3	7	8	14	27	48	61
WHITE-----MALE----	1,432	4	1	1	1	3	2	4	7	13	33	45
FEMALE--	1,357	2	-	-	1	-	3	1	5	7	7	11
ALL OTHER--MALE----	102	2	-	1	-	-	2	3	-	4	4	3
FEMALE--	111	1	-	-	-	-	-	-	2	3	4	2
BLACK---MALE----	49	1	-	1	-	-	1	-	-	2	1	1
FEMALE--	48	-	-	-	-	-	-	-	-	1	4	1
ARKANSAS -----	2,346	2	-	1	5	2	6	6	11	26	30	37
WHITE-----MALE----	888	1	-	1	1	-	3	3	6	13	13	19
FEMALE--	1,086	-	-	-	1	1	-	1	4	4	4	10
ALL OTHER--MALE----	168	1	-	-	1	1	2	2	1	5	7	6
FEMALE--	204	-	-	-	2	-	1	-	-	4	6	2
BLACK---MALE----	165	1	-	-	1	1	2	2	1	5	7	6
FEMALE--	201	-	-	-	2	-	1	-	-	4	6	2
CALIFORNIA -----	17,382	47	16	11	7	26	47	55	124	189	303	413
WHITE-----MALE----	7,379	14	5	4	4	12	24	28	74	105	164	234
FEMALE--	7,532	19	7	4	1	8	11	10	16	28	61	73
ALL OTHER--MALE----	1,397	8	1	3	1	4	12	10	27	39	58	77
FEMALE--	1,074	6	3	-	1	2	-	7	7	17	20	29
BLACK---MALE----	892	5	1	-	-	3	6	9	21	27	46	62
FEMALE--	720	3	3	-	-	2	-	2	7	14	14	25

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,612  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OTHER FORMS OF HEART DISEASE (420-429)												
0 UNITED STATES --	5,773	7,526	11,222	16,024	22,733	28,025	34,386	34,420	25,339	10,828	2,868	43
WHITE-----MALE----	3,120	3,905	5,781	8,244	11,181	12,671	13,412	10,810	6,243	2,025	399	20
FEMALE--	1,158	1,683	2,905	4,712	7,844	11,690	17,321	20,587	17,191	7,981	2,133	15
ALL OTHER--MALE----	1,013	1,236	1,556	1,818	2,002	1,788	1,537	1,121	557	199	57	6
FEMALE--	482	702	980	1,250	1,706	1,876	2,116	1,902	1,348	623	279	2
BLACK---MALE----	924	1,118	1,424	1,657	1,779	1,605	1,331	932	476	175	50	6
FEMALE--	442	643	902	1,138	1,544	1,701	1,902	1,720	1,203	550	259	2
ALABAMA -----	176	235	339	485	663	747	1,029	1,021	622	243	66	-
WHITE-----MALE----	79	118	157	215	272	279	329	254	112	27	3	-
FEMALE--	30	57	62	136	204	298	495	580	382	148	33	-
ALL OTHER--MALE----	43	35	75	78	114	83	89	71	41	15	11	-
FEMALE--	24	25	45	56	73	87	116	116	87	53	19	-
BLACK---MALE----	42	35	74	78	113	83	89	71	41	15	11	-
FEMALE--	24	24	44	56	73	87	116	116	86	53	19	-
ALASKA -----	10	6	12	16	25	20	21	21	16	6	1	1
WHITE-----MALE----	5	2	9	9	9	11	8	8	4	3	-	-
FEMALE--	1	1	2	3	7	6	9	8	5	1	-	1
ALL OTHER--MALE----	4	1	1	3	4	2	4	1	1	1	1	-
FEMALE--	-	2	-	1	5	1	-	4	6	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	1	-	-	-
ARIZONA -----	89	120	170	246	402	433	481	452	298	107	22	-
WHITE-----MALE----	56	75	101	147	216	235	222	141	95	28	2	-
FEMALE--	24	32	54	76	164	173	229	291	185	75	17	-
ALL OTHER--MALE----	6	8	10	17	11	11	10	6	2	-	2	-
FEMALE--	3	5	5	6	11	14	20	14	16	4	1	-
BLACK---MALE----	3	4	7	8	5	6	5	3	1	-	-	-
FEMALE--	2	4	3	3	4	7	9	5	5	-	-	-
ARKANSAS -----	52	70	99	153	243	285	408	453	321	108	28	-
WHITE-----MALE----	28	29	45	84	119	134	152	145	67	17	8	-
FEMALE--	14	22	23	43	85	119	197	256	211	77	14	-
ALL OTHER--MALE----	7	12	16	15	19	15	22	18	13	5	-	-
FEMALE--	3	7	15	11	20	17	37	34	30	9	6	-
BLACK---MALE----	6	12	16	15	19	15	22	17	13	4	-	-
FEMALE--	3	7	15	11	20	16	36	34	30	8	6	-
CALIFORNIA -----	621	775	1,060	1,346	1,874	2,248	2,644	2,605	1,913	852	201	5
WHITE-----MALE----	355	441	581	693	893	1,054	1,111	845	521	192	24	1
FEMALE--	115	146	236	422	679	897	1,258	1,538	1,242	601	156	4
ALL OTHER--MALE----	112	136	160	145	173	158	119	96	48	8	2	-
FEMALE--	39	52	83	86	129	139	156	126	102	51	19	-
BLACK---MALE----	81	101	110	100	101	98	60	31	24	4	2	-
FEMALE--	33	38	64	61	82	88	105	76	57	34	12	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,613  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OTHER FORMS OF HEART DISEASE (420-429)												
COLORADO -----	2,111	4	3	5	2	7	2	8	9	21	25	28
WHITE-----MALE----	926	2	2	1	-	4	1	2	6	16	15	20
FEMALE--	1,091	2	-	4	2	2	1	2	3	3	8	5
ALL OTHER--MALE----	53	-	-	-	-	1	-	2	-	1	1	3
FEMALE--	41	-	1	-	-	-	-	2	-	1	1	-
BLACK---MALE----	42	-	-	-	-	1	-	1	-	1	1	2
FEMALE--	30	-	1	-	-	-	-	1	-	-	1	-
CONNECTICUT -----	3,598	4	2	2	2	2	4	6	16	26	45	54
WHITE-----MALE----	1,501	-	1	-	-	1	-	3	6	11	26	31
FEMALE--	1,843	-	1	2	1	-	1	1	5	7	6	17
ALL OTHER--MALE----	125	2	-	-	1	1	2	1	3	8	10	1
FEMALE--	129	2	-	-	-	-	1	1	2	-	3	5
BLACK---MALE----	121	2	-	-	1	1	2	1	3	8	10	1
FEMALE--	125	2	-	-	-	-	1	1	2	-	3	5
DELAWARE -----	757	2	-	1	1	-	1	1	4	7	8	16
WHITE-----MALE----	265	1	-	-	-	-	1	-	2	3	6	9
FEMALE--	379	1	-	1	1	-	-	-	-	2	-	4
ALL OTHER--MALE----	55	-	-	-	-	-	-	1	1	-	1	1
FEMALE--	58	-	-	-	-	-	-	-	1	2	1	2
BLACK---MALE----	52	-	-	-	-	-	-	1	1	-	1	1
FEMALE--	56	-	-	-	-	-	-	-	1	2	1	2
DISTRICT OF COLUMBIA ----	677	-	-	-	1	2	1	3	3	13	15	30
WHITE-----MALE----	71	-	-	-	-	-	-	-	-	1	-	3
FEMALE--	107	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	258	-	-	-	1	2	1	3	1	8	10	16
FEMALE--	241	-	-	-	-	-	-	-	2	4	5	10
BLACK---MALE----	258	-	-	-	1	2	1	3	1	8	10	16
FEMALE--	239	-	-	-	-	-	-	-	2	4	5	10
FLORIDA -----	11,698	19	8	5	4	10	20	27	54	104	153	175
WHITE-----MALE----	5,296	9	1	3	-	2	8	14	26	58	83	113
FEMALE--	5,259	5	2	-	2	1	1	5	9	19	26	24
ALL OTHER--MALE----	603	3	2	1	2	2	6	4	12	19	29	20
FEMALE--	540	2	3	1	-	5	5	4	7	8	15	18
BLACK---MALE----	582	3	2	1	2	2	6	4	11	17	26	20
FEMALE--	526	2	3	1	-	5	5	4	7	8	15	17
GEORGIA -----	6,621	22	6	6	7	15	21	31	50	81	109	197
WHITE-----MALE----	2,074	6	1	1	3	5	1	7	15	35	37	79
FEMALE--	2,684	1	1	1	1	1	3	2	8	10	18	27
ALL OTHER--MALE----	865	3	3	2	2	4	11	13	19	18	33	61
FEMALE--	998	12	1	2	1	5	6	9	8	18	21	30
BLACK---MALE----	856	3	3	2	2	4	11	13	17	18	33	61
FEMALE--	986	12	1	2	1	5	6	9	8	18	21	30

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,613  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OTHER FORMS OF HEART DISEASE (420-429)												
COLORADO -----	55	52	96	148	215	245	340	382	285	135	44	-
WHITE-----MALE----	36	30	54	100	124	123	147	142	63	34	4	-
FEMALE--	14	17	32	40	75	114	184	232	216	97	38	-
ALL OTHER--MALE----	5	4	8	6	7	6	1	3	3	1	1	-
FEMALE--	-	1	2	2	9	2	8	5	3	3	1	-
BLACK---MALE----	4	4	8	5	5	4	1	2	1	1	1	-
FEMALE--	-	1	-	1	8	1	7	3	3	2	1	-
CONNECTICUT -----	105	106	170	257	347	500	606	625	443	218	58	-
WHITE-----MALE----	52	66	91	134	190	267	241	210	122	35	14	-
FEMALE--	27	19	59	91	131	211	336	399	308	177	44	-
ALL OTHER--MALE----	15	12	11	13	17	10	11	4	2	1	-	-
FEMALE--	11	9	9	19	9	12	18	12	11	5	-	-
BLACK---MALE----	15	12	11	12	15	10	10	4	2	1	-	-
FEMALE--	11	9	9	19	9	10	18	12	9	5	-	-
DELAWARE -----	19	25	32	70	87	96	121	128	86	43	9	-
WHITE-----MALE----	10	10	16	27	34	41	41	40	17	6	1	-
FEMALE--	6	7	13	26	34	45	58	78	60	35	8	-
ALL OTHER--MALE----	2	6	3	10	11	5	11	2	1	-	-	-
FEMALE--	1	2	-	7	8	5	11	8	8	2	-	-
BLACK---MALE----	2	6	3	8	10	5	11	2	1	-	-	-
FEMALE--	1	2	-	7	7	5	11	7	8	2	-	-
DISTRICT OF COLUMBIA ----	23	27	63	70	77	94	91	80	42	36	5	1
WHITE-----MALE----	-	2	8	13	9	8	12	9	-	5	-	1
FEMALE--	2	-	5	4	6	14	18	22	20	14	1	-
ALL OTHER--MALE----	12	19	28	35	37	30	28	20	3	4	-	-
FEMALE--	9	6	22	18	25	42	33	29	19	13	4	-
BLACK---MALE----	12	19	28	35	37	30	28	20	3	4	-	-
FEMALE--	9	6	22	18	25	42	31	29	19	13	4	-
FLORIDA -----	272	373	584	890	1,261	1,642	1,931	1,953	1,501	564	142	6
WHITE-----MALE----	163	206	339	500	686	847	868	761	455	131	20	3
FEMALE--	53	96	144	249	440	669	936	1,081	989	398	108	2
ALL OTHER--MALE----	41	40	62	92	74	65	57	44	18	8	1	1
FEMALE--	15	31	39	49	61	61	70	67	39	27	13	-
BLACK---MALE----	40	39	58	90	72	64	55	44	16	8	1	1
FEMALE--	15	31	39	45	58	60	68	66	38	26	13	-
GEORGIA -----	217	296	417	487	745	831	1,030	992	692	279	90	-
WHITE-----MALE----	97	118	169	193	283	292	296	253	138	37	8	-
FEMALE--	35	56	102	126	247	312	494	541	435	205	58	-
ALL OTHER--MALE----	53	72	91	81	104	99	87	61	26	16	6	-
FEMALE--	32	50	55	87	111	128	153	137	93	21	18	-
BLACK---MALE----	52	70	90	81	103	99	86	60	26	16	6	-
FEMALE--	32	48	55	84	110	128	152	135	90	21	18	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,614  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OTHER FORMS OF HEART DISEASE (420-429)												
HAWAII -----	999	-	3	1	2	2	4	3	5	9	14	25
WHITE-----MALE----	135	-	-	-	-	-	1	1	1	1	1	4
FEMALE--	126	-	-	-	-	-	-	-	-	1	2	3
ALL OTHER--MALE----	392	-	1	1	-	2	2	2	2	6	3	13
FEMALE--	346	-	2	-	2	-	1	-	2	1	8	5
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	2	-
IDAHO -----	706	6	1	-	-	1	2	2	4	4	5	5
WHITE-----MALE----	309	2	-	-	-	-	2	2	1	3	2	3
FEMALE--	383	2	1	-	-	1	-	-	3	1	2	1
ALL OTHER--MALE----	9	2	-	-	-	-	-	-	-	-	1	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	10,423	18	18	6	11	15	28	54	60	106	144	304
WHITE-----MALE----	3,923	8	6	3	5	4	14	26	25	39	62	147
FEMALE--	4,404	5	3	-	2	2	5	11	7	9	14	39
ALL OTHER--MALE----	1,155	3	5	1	-	4	6	10	18	36	47	77
FEMALE--	941	2	4	2	4	5	3	7	10	22	21	41
BLACK---MALE----	1,113	3	5	1	-	4	6	10	18	35	45	74
FEMALE--	907	2	4	1	4	5	3	6	9	22	21	41
INDIANA -----	4,566	4	2	1	3	3	12	11	22	36	49	82
WHITE-----MALE----	1,773	1	-	1	1	2	7	4	14	16	27	41
FEMALE--	2,427	3	2	-	1	1	3	2	3	10	14	21
ALL OTHER--MALE----	163	-	-	-	1	-	1	2	5	5	5	12
FEMALE--	203	-	-	-	-	-	1	3	-	5	3	8
BLACK---MALE----	158	-	-	-	1	-	1	2	5	5	5	12
FEMALE--	198	-	-	-	-	-	1	3	-	5	3	8
IOWA -----	2,534	5	1	-	-	3	5	2	7	9	26	36
WHITE-----MALE----	1,100	1	1	-	-	-	4	1	4	6	19	30
FEMALE--	1,385	3	-	-	-	3	1	1	2	3	4	3
ALL OTHER--MALE----	24	1	-	-	-	-	-	-	1	-	2	2
FEMALE--	25	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	20	-	-	-	-	-	-	-	1	-	2	2
FEMALE--	24	-	-	-	-	-	-	-	-	-	1	1
KANSAS -----	2,422	3	2	-	2	1	3	4	6	13	31	37
WHITE-----MALE----	983	2	1	-	2	-	1	2	2	6	18	26
FEMALE--	1,285	-	-	-	-	-	1	-	2	2	7	5
ALL OTHER--MALE----	88	-	1	-	-	-	1	2	2	2	6	2
FEMALE--	66	1	-	-	-	1	-	-	-	3	-	4
BLACK---MALE----	75	-	1	-	-	-	-	1	2	2	6	2
FEMALE--	58	1	-	-	-	1	-	-	-	3	-	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,614  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OTHER FORMS OF HEART DISEASE (420-429)												
HAWAII -----	33	49	55	75	106	129	156	161	98	55	14	-
WHITE-----MALE----	5	9	7	8	20	25	18	20	10	3	1	-
FEMALE--	2	2	3	10	7	10	21	31	21	11	2	-
ALL OTHER--MALE----	18	21	27	35	42	49	58	65	30	12	3	-
FEMALE--	8	17	18	22	37	45	59	45	37	29	8	-
BLACK---MALE----	2	2	-	-	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	1	-	-
IDAHO -----	13	13	24	51	68	92	132	111	97	63	12	-
WHITE-----MALE----	9	5	14	33	39	51	53	50	23	16	1	-
FEMALE--	4	8	8	18	25	40	78	61	73	47	10	-
ALL OTHER--MALE----	-	-	1	-	2	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	2	-	-	-	1	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ILLINOIS -----	343	463	625	850	1,149	1,332	1,573	1,573	1,153	464	132	2
WHITE-----MALE----	169	197	285	390	543	564	586	487	267	72	24	-
FEMALE--	48	78	146	224	334	536	800	897	790	358	94	2
ALL OTHER--MALE----	84	122	126	155	156	119	80	69	24	10	3	-
FEMALE--	42	66	68	81	116	113	107	120	72	24	11	-
BLACK---MALE----	81	115	125	150	152	116	73	65	22	10	3	-
FEMALE--	41	65	66	80	114	111	99	114	66	22	11	-
INDIANA -----	94	131	202	334	473	625	787	784	590	252	69	-
WHITE-----MALE----	48	64	99	180	239	277	304	257	144	37	10	-
FEMALE--	30	38	75	116	190	298	443	490	423	209	55	-
ALL OTHER--MALE----	10	16	16	17	22	16	16	13	5	1	-	-
FEMALE--	6	13	12	21	22	34	24	24	18	5	4	-
BLACK---MALE----	9	15	16	17	21	15	16	12	5	1	-	-
FEMALE--	6	12	12	21	22	33	22	23	18	5	4	-
IOWA -----	48	62	121	152	247	327	437	428	379	180	59	-
WHITE-----MALE----	36	42	80	94	143	171	197	142	86	35	8	-
FEMALE--	12	18	39	53	97	146	235	282	290	143	50	-
ALL OTHER--MALE----	-	1	2	3	6	4	2	-	-	-	-	-
FEMALE--	-	1	-	2	1	6	3	4	3	2	1	-
BLACK---MALE----	-	1	2	3	5	3	1	-	-	-	-	-
FEMALE--	-	1	-	2	1	6	3	3	3	2	1	-
KANSAS -----	46	53	88	165	215	277	380	462	414	177	43	-
WHITE-----MALE----	27	33	51	95	111	136	164	150	109	38	9	-
FEMALE--	14	13	31	61	78	122	196	296	288	135	34	-
ALL OTHER--MALE----	5	5	5	6	14	9	13	7	6	2	-	-
FEMALE--	-	2	1	3	12	10	7	9	11	2	-	-
BLACK---MALE----	5	5	5	5	11	6	10	6	6	2	-	-
FEMALE--	-	2	1	3	8	7	7	9	11	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,615  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OTHER FORMS OF HEART DISEASE (420-429)												
KENTUCKY -----	3,802	4	4	-	2	6	5	11	19	32	55	52
WHITE-----MALE----	1,562	2	-	-	1	4	3	6	8	21	29	35
FEMALE--	1,947	1	3	-	1	2	-	4	7	8	16	11
ALL OTHER--MALE----	130	-	1	-	-	-	2	-	1	3	5	3
FEMALE--	163	1	-	-	-	-	-	1	3	-	5	3
BLACK---MALE----	128	-	1	-	-	-	2	-	1	3	5	3
FEMALE--	159	1	-	-	-	-	-	1	3	-	5	3
LOUISIANA -----	3,997	12	6	5	7	10	5	16	21	32	58	109
WHITE-----MALE----	1,245	2	2	1	-	3	2	3	9	13	16	45
FEMALE--	1,605	3	1	-	2	2	-	2	3	4	3	11
ALL OTHER--MALE----	564	4	1	2	3	3	3	4	6	7	24	34
FEMALE--	583	3	2	2	2	2	-	7	3	8	15	19
BLACK---MALE----	563	3	1	2	3	3	3	4	6	7	24	34
FEMALE--	578	3	2	2	2	2	-	7	3	8	15	19
MAINE -----	1,100	3	3	-	2	-	-	4	3	4	9	20
WHITE-----MALE----	494	1	2	-	2	-	-	4	2	4	6	13
FEMALE--	603	2	1	-	-	-	-	-	1	-	3	7
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	4,228	9	3	2	2	6	9	16	41	63	91	114
WHITE-----MALE----	1,505	1	-	1	2	-	3	4	15	20	35	47
FEMALE--	1,682	3	-	1	-	1	2	3	6	13	14	14
ALL OTHER--MALE----	556	3	1	-	-	2	3	6	13	17	30	31
FEMALE--	485	2	2	-	-	3	1	3	7	13	12	22
BLACK---MALE----	544	3	1	-	-	2	3	6	11	17	30	31
FEMALE--	477	2	2	-	-	3	1	3	7	13	12	22
MASSACHUSETTS -----	5,206	4	4	3	1	2	6	10	24	35	55	91
WHITE-----MALE----	2,193	3	1	3	1	2	3	7	10	22	42	56
FEMALE--	2,818	-	2	-	-	-	1	3	9	8	9	27
ALL OTHER--MALE----	100	1	1	-	-	-	1	-	4	2	3	3
FEMALE--	95	-	-	-	-	-	1	-	1	3	1	5
BLACK---MALE----	91	1	1	-	-	-	1	-	4	2	3	3
FEMALE--	83	-	-	-	-	-	1	-	1	3	1	5
MICHIGAN -----	8,322	9	4	7	2	5	10	29	53	96	138	212
WHITE-----MALE----	3,119	3	1	4	-	-	3	8	25	40	50	90
FEMALE--	3,323	3	1	3	2	1	1	8	7	19	22	26
ALL OTHER--MALE----	985	2	-	-	-	2	4	7	15	25	43	68
FEMALE--	895	1	2	-	-	2	2	6	6	12	23	28
BLACK---MALE----	958	2	-	-	-	2	4	7	15	25	42	66
FEMALE--	869	1	2	-	-	2	2	5	6	11	21	26

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,615  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OTHER FORMS OF HEART DISEASE (420-429)												
KENTUCKY -----	90	136	199	282	447	529	624	621	454	179	51	-
WHITE-----MALE----	55	82	116	155	222	263	223	189	104	35	9	-
FEMALE--	24	37	61	95	180	232	362	410	325	129	39	-
ALL OTHER--MALE----	5	10	14	14	25	20	12	9	5	1	-	-
FEMALE--	6	7	8	18	20	14	27	13	20	14	3	-
BLACK---MALE----	5	10	12	14	25	20	12	9	5	1	-	-
FEMALE--	5	5	8	18	20	14	27	13	19	14	3	-
LOUISIANA -----	133	127	241	284	424	490	706	643	453	163	52	-
WHITE-----MALE----	57	54	94	119	164	184	210	155	82	29	1	-
FEMALE--	24	17	48	70	135	185	328	357	279	103	28	-
ALL OTHER--MALE----	32	39	57	53	62	67	74	49	30	7	3	-
FEMALE--	20	17	42	42	63	54	94	82	62	24	20	-
BLACK---MALE----	32	39	57	53	62	67	74	49	30	7	3	-
FEMALE--	20	17	42	42	63	54	92	81	61	23	20	-
MAINE -----	26	23	51	81	112	138	151	220	154	84	12	-
WHITE-----MALE----	19	15	31	42	71	74	62	78	44	21	3	-
FEMALE--	7	8	20	39	40	64	88	142	109	63	9	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
MARYLAND -----	176	166	241	358	461	544	595	639	447	195	46	4
WHITE-----MALE----	90	75	114	165	195	208	215	181	97	32	3	2
FEMALE--	28	32	39	72	138	205	268	370	305	138	30	-
ALL OTHER--MALE----	46	38	63	84	60	63	51	28	10	4	1	2
FEMALE--	12	21	25	37	68	68	61	60	35	21	12	-
BLACK---MALE----	45	35	62	81	59	62	51	28	10	4	1	2
FEMALE--	12	21	24	37	68	66	58	59	35	20	12	-
MASSACHUSETTS -----	108	144	201	345	480	707	872	928	691	379	115	1
WHITE-----MALE----	74	93	130	208	281	337	387	295	152	67	18	1
FEMALE--	25	40	58	117	173	338	465	616	529	305	93	-
ALL OTHER--MALE----	9	8	10	15	12	12	6	7	3	2	1	-
FEMALE--	-	3	3	5	14	20	14	10	7	5	3	-
BLACK---MALE----	8	8	10	15	11	11	4	4	3	1	1	-
FEMALE--	-	3	2	4	14	17	9	9	7	4	3	-
MICHIGAN -----	237	374	553	711	981	1,173	1,275	1,128	852	368	100	5
WHITE-----MALE----	118	171	248	320	415	502	472	330	226	80	12	1
FEMALE--	43	73	109	177	303	413	589	650	545	254	73	1
ALL OTHER--MALE----	48	83	117	123	143	131	78	56	25	8	4	3
FEMALE--	28	47	79	91	120	127	136	92	56	26	11	-
BLACK---MALE----	46	82	115	119	138	128	75	54	24	7	4	3
FEMALE--	26	47	77	88	115	123	134	91	56	25	11	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,616  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OTHER FORMS OF HEART DISEASE (420-429)												
MINNESOTA -----	2,944	4	1	1	1	3	2	5	13	22	29	40
WHITE-----MALE----	1,363	1	-	-	-	1	1	3	8	11	20	28
FEMALE--	1,515	3	-	1	1	-	1	2	5	10	6	6
ALL OTHER--MALE----	36	-	1	-	-	1	-	-	-	1	1	5
FEMALE--	30	-	-	-	-	1	-	-	-	-	2	1
BLACK---MALE----	22	-	1	-	-	1	-	-	-	-	1	4
FEMALE--	20	-	-	-	-	1	-	-	-	-	2	-
MISSISSIPPI -----	4,355	11	6	1	6	5	10	11	24	23	51	93
WHITE-----MALE----	1,302	1	1	-	2	-	2	3	10	6	15	24
FEMALE--	1,572	1	3	-	-	1	3	1	2	2	4	15
ALL OTHER--MALE----	703	4	1	1	2	2	2	5	8	12	23	36
FEMALE--	778	5	1	-	2	2	3	2	4	3	9	18
BLACK---MALE----	698	4	1	1	2	2	2	5	8	12	23	36
FEMALE--	774	5	1	-	2	2	3	2	4	3	9	18
MISSOURI -----	4,494	11	1	3	2	11	8	9	21	30	54	70
WHITE-----MALE----	1,775	6	1	1	2	5	1	4	10	17	21	37
FEMALE--	2,327	3	-	1	-	2	2	3	3	1	17	20
ALL OTHER--MALE----	200	2	-	1	-	4	4	2	5	6	8	8
FEMALE--	192	-	-	-	-	-	1	-	3	6	8	5
BLACK---MALE----	198	2	-	1	-	4	4	2	5	6	8	8
FEMALE--	187	-	-	-	-	-	1	-	3	6	8	5
MONTANA -----	730	1	-	1	-	2	-	2	-	2	2	2
WHITE-----MALE----	325	-	-	-	-	-	-	2	-	1	1	2
FEMALE--	378	1	-	1	-	1	-	-	-	1	-	-
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	16	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	1,879	-	1	-	-	1	1	2	2	8	11	18
WHITE-----MALE----	802	-	1	-	-	-	-	1	1	5	5	12
FEMALE--	1,030	-	-	-	-	1	1	1	1	2	5	3
ALL OTHER--MALE----	21	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	26	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	18	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	24	-	-	-	-	-	-	-	-	1	-	1
NEVADA -----	1,565	2	1	1	1	-	-	1	10	23	16	40
WHITE-----MALE----	827	-	1	-	-	-	-	1	7	17	11	26
FEMALE--	622	-	-	-	1	-	-	-	2	-	3	9
ALL OTHER--MALE----	75	1	-	1	-	-	-	-	1	3	-	3
FEMALE--	41	1	-	-	-	-	-	-	-	3	2	2
BLACK---MALE----	56	-	-	-	-	-	-	-	-	2	-	2
FEMALE--	32	1	-	-	-	-	-	-	-	2	2	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,616  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OTHER FORMS OF HEART DISEASE (420-429)												
MINNESOTA -----	58	62	107	177	269	349	485	578	446	215	77	-
WHITE-----MALE----	39	48	67	120	171	192	227	217	146	49	14	-
FEMALE--	15	11	33	51	87	149	254	355	299	164	62	-
ALL OTHER--MALE----	2	2	5	5	6	5	1	1	-	-	-	-
FEMALE--	2	1	2	1	5	3	3	5	1	2	1	-
BLACK---MALE----	1	1	4	2	4	2	1	-	-	-	-	-
FEMALE--	1	-	1	1	4	1	2	3	1	2	1	-
MISSISSIPPI -----	120	190	233	349	465	565	719	718	509	195	51	-
WHITE-----MALE----	37	75	93	146	184	177	211	190	102	21	2	-
FEMALE--	20	36	40	77	119	195	295	331	285	116	26	-
ALL OTHER--MALE----	36	43	51	70	88	81	92	82	43	18	3	-
FEMALE--	27	36	49	56	74	112	121	115	79	40	20	-
BLACK---MALE----	35	43	49	69	87	81	92	82	43	18	3	-
FEMALE--	27	36	48	56	74	112	120	113	79	40	20	-
MISSOURI -----	102	146	194	293	421	552	763	852	624	248	79	-
WHITE-----MALE----	58	78	106	166	234	228	320	267	150	52	11	-
FEMALE--	24	34	59	88	149	277	399	544	450	186	65	-
ALL OTHER--MALE----	15	22	18	24	19	22	18	15	6	1	-	-
FEMALE--	5	12	11	15	19	25	26	26	18	9	3	-
BLACK---MALE----	15	21	18	24	19	22	18	14	6	1	-	-
FEMALE--	5	12	11	14	18	25	26	25	16	9	3	-
MONTANA -----	11	25	38	43	72	103	139	137	99	40	11	-
WHITE-----MALE----	9	14	27	24	41	54	66	46	22	12	4	-
FEMALE--	2	7	10	16	30	43	71	87	73	28	7	-
ALL OTHER--MALE----	-	2	-	1	1	2	-	3	1	-	-	-
FEMALE--	-	2	1	2	-	4	2	1	3	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	36	46	66	107	138	231	329	372	320	155	35	-
WHITE-----MALE----	20	32	40	68	82	117	155	127	97	37	2	-
FEMALE--	12	11	17	38	49	109	172	238	220	117	33	-
ALL OTHER--MALE----	3	1	7	1	2	1	-	2	-	1	-	-
FEMALE--	1	2	2	-	5	4	2	5	3	-	-	-
BLACK---MALE----	2	-	6	1	2	1	-	2	-	1	-	-
FEMALE--	1	2	2	-	4	3	2	5	3	-	-	-
NEVADA -----	60	70	114	181	233	260	238	174	95	32	13	-
WHITE-----MALE----	41	44	71	117	138	142	110	68	28	3	2	-
FEMALE--	13	12	29	47	80	105	119	99	64	28	11	-
ALL OTHER--MALE----	3	12	11	14	8	7	6	4	-	1	-	-
FEMALE--	3	2	3	3	7	6	3	3	3	-	-	-
BLACK---MALE----	3	10	11	11	7	4	3	2	-	1	-	-
FEMALE--	2	2	2	2	5	5	2	3	3	-	-	-







TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,618  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OTHER FORMS OF HEART DISEASE (420-429)												
OHIO -----	9,705	19	9	2	5	12	17	25	33	79	130	194
WHITE-----MALE----	3,833	8	2	2	1	7	7	8	15	42	76	113
FEMALE--	4,818	7	5	-	2	2	4	7	8	16	26	38
ALL OTHER--MALE----	514	4	1	-	1	1	5	6	6	13	17	27
FEMALE--	540	-	1	-	1	2	1	4	4	8	11	16
BLACK---MALE----	508	3	1	-	1	1	5	6	6	13	17	26
FEMALE--	527	-	1	-	1	2	1	4	4	8	11	16
OKLAHOMA -----	3,218	11	1	5	4	9	7	5	21	34	47	66
WHITE-----MALE----	1,316	3	1	1	-	5	3	5	11	20	31	41
FEMALE--	1,600	6	-	2	2	2	1	-	8	6	8	14
ALL OTHER--MALE----	144	1	-	1	2	2	3	-	2	5	6	6
FEMALE--	158	1	-	1	-	-	-	-	-	3	2	5
BLACK---MALE----	96	1	-	1	1	2	2	-	1	4	4	3
FEMALE--	97	1	-	1	-	-	-	-	-	1	2	5
OREGON -----	2,082	2	-	-	1	3	4	2	6	20	26	26
WHITE-----MALE----	941	1	-	-	-	2	3	-	3	15	18	22
FEMALE--	1,090	-	-	-	1	1	1	-	2	3	5	4
ALL OTHER--MALE----	32	-	-	-	-	-	-	2	1	2	2	-
FEMALE--	19	1	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	11	-	-	-	-	-	-	1	-	1	1	-
FEMALE--	10	1	-	-	-	-	-	-	-	-	1	-
PENNSYLVANIA -----	13,909	8	8	4	8	13	9	16	54	101	164	226
WHITE-----MALE----	5,391	3	3	1	1	7	4	8	19	60	92	136
FEMALE--	7,006	3	1	2	5	2	-	4	14	20	29	38
ALL OTHER--MALE----	809	2	1	-	2	3	4	3	16	17	28	40
FEMALE--	703	-	3	1	-	1	1	1	5	4	15	12
BLACK---MALE----	788	2	1	-	2	3	4	3	16	17	28	38
FEMALE--	686	-	2	1	-	1	1	1	5	4	13	12
RHODE ISLAND -----	632	1	2	-	-	2	2	3	2	3	5	5
WHITE-----MALE----	283	-	1	-	-	1	1	2	2	3	3	4
FEMALE--	324	1	-	-	-	1	1	1	-	-	-	-
ALL OTHER--MALE----	16	-	1	-	-	-	-	-	-	-	2	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	15	-	1	-	-	-	-	-	-	-	2	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	3,081	10	5	1	2	7	9	15	23	44	43	80
WHITE-----MALE----	990	4	1	1	-	3	4	6	6	6	15	34
FEMALE--	1,161	2	-	-	-	-	-	1	2	10	4	4
ALL OTHER--MALE----	430	3	2	-	1	4	1	3	9	19	16	30
FEMALE--	500	1	2	-	1	-	4	5	6	9	8	12
BLACK---MALE----	426	3	2	-	1	4	1	3	9	19	16	30
FEMALE--	498	1	2	-	1	-	4	5	6	9	8	12

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,618  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OTHER FORMS OF HEART DISEASE (420-429)												
OHIO -----	247	329	486	767	1,042	1,334	1,576	1,603	1,162	508	125	1
WHITE-----MALE----	142	165	246	380	505	601	603	534	266	92	17	1
FEMALE--	61	100	145	267	410	596	850	963	829	386	96	-
ALL OTHER--MALE----	32	33	53	69	68	65	63	27	15	7	1	-
FEMALE--	12	31	42	51	59	72	60	79	52	23	11	-
BLACK---MALE----	32	33	50	69	67	65	63	27	15	7	1	-
FEMALE--	12	31	40	51	56	70	57	78	51	22	11	-
OKLAHOMA -----	75	115	145	228	296	393	544	577	407	168	59	1
WHITE-----MALE----	47	62	77	117	167	159	228	181	110	33	13	1
FEMALE--	16	33	56	79	95	200	273	361	276	122	40	-
ALL OTHER--MALE----	8	11	4	20	17	17	16	13	5	3	2	-
FEMALE--	4	9	8	12	17	17	27	22	16	10	4	-
BLACK---MALE----	7	8	4	14	12	8	9	9	4	1	1	-
FEMALE--	1	5	4	6	13	10	13	13	12	6	4	-
OREGON -----	40	58	70	119	201	300	352	383	293	137	39	-
WHITE-----MALE----	27	38	43	80	106	152	166	133	92	32	8	-
FEMALE--	10	17	22	37	86	144	180	245	198	103	31	-
ALL OTHER--MALE----	3	3	-	1	5	3	5	3	2	-	-	-
FEMALE--	-	-	5	1	4	1	1	2	1	2	-	-
BLACK---MALE----	1	1	-	1	3	-	-	1	1	-	-	-
FEMALE--	-	-	1	1	2	1	1	2	-	-	-	-
PENNSYLVANIA -----	338	431	625	1,052	1,491	1,940	2,399	2,434	1,656	746	183	3
WHITE-----MALE----	179	224	305	549	745	848	925	747	388	123	23	1
FEMALE--	73	103	203	324	560	901	1,291	1,543	1,168	575	146	1
ALL OTHER--MALE----	55	68	80	118	112	97	73	54	26	8	2	-
FEMALE--	31	36	37	61	74	94	110	90	74	40	12	1
BLACK---MALE----	54	67	79	115	108	96	72	50	24	7	2	-
FEMALE--	29	34	37	59	74	92	105	90	73	40	12	1
RHODE ISLAND -----	14	26	29	51	80	86	90	100	86	38	7	-
WHITE-----MALE----	10	17	18	31	39	44	36	29	29	10	3	-
FEMALE--	4	7	8	16	40	38	49	71	55	28	4	-
ALL OTHER--MALE----	-	2	2	2	-	3	3	-	-	-	-	-
FEMALE--	-	-	1	2	1	1	2	-	2	-	-	-
BLACK---MALE----	-	1	2	2	-	3	3	-	-	-	-	-
FEMALE--	-	-	1	2	1	-	2	-	1	-	-	-
SOUTH CAROLINA -----	100	117	171	260	364	445	506	426	296	115	42	-
WHITE-----MALE----	40	40	73	104	169	169	155	94	50	10	6	-
FEMALE--	14	23	41	65	92	159	229	230	189	75	21	-
ALL OTHER--MALE----	34	34	23	45	43	58	45	31	18	7	4	-
FEMALE--	12	20	34	46	60	59	77	71	39	23	11	-
BLACK---MALE----	34	33	23	44	43	57	44	31	18	7	4	-
FEMALE--	12	20	34	46	60	59	76	70	39	23	11	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,619  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OTHER FORMS OF HEART DISEASE (420-429)												
SOUTH DAKOTA -----	632	2	1	-	-	3	1	2	3	2	3	8
WHITE-----MALE----	268	1	1	-	-	2	-	1	1	1	1	5
FEMALE--	327	-	-	-	-	1	1	-	2	-	1	-
ALL OTHER--MALE----	20	-	-	-	-	-	-	1	-	1	1	3
FEMALE--	17	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	4,238	14	5	1	4	8	7	14	26	50	76	85
WHITE-----MALE----	1,598	4	2	-	-	6	2	3	12	25	36	38
FEMALE--	1,890	6	1	1	3	1	2	4	7	9	12	18
ALL OTHER--MALE----	389	3	2	-	1	-	2	5	3	9	20	21
FEMALE--	361	1	-	-	-	1	1	2	4	7	8	8
BLACK---MALE----	387	3	2	-	1	-	2	5	3	9	20	21
FEMALE--	358	1	-	-	-	1	1	2	4	7	8	8
TEXAS -----	11,869	45	28	14	11	26	42	33	86	132	181	268
WHITE-----MALE----	4,903	13	11	2	4	14	23	23	48	73	108	158
FEMALE--	5,329	17	10	5	3	1	8	2	16	34	27	45
ALL OTHER--MALE----	850	7	5	5	1	7	7	6	17	15	25	38
FEMALE--	787	8	2	2	3	4	4	2	5	10	21	27
BLACK---MALE----	808	7	4	5	1	7	7	6	17	13	25	38
FEMALE--	762	7	2	2	3	4	4	1	5	8	19	27
UTAH -----	956	1	1	1	-	2	5	2	9	9	10	11
WHITE-----MALE----	437	-	1	1	-	2	2	1	3	6	9	8
FEMALE--	498	1	-	-	-	-	3	1	4	3	1	2
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	11	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	576	1	-	-	-	-	1	1	1	6	4	3
WHITE-----MALE----	237	-	-	-	-	-	-	1	1	6	4	2
FEMALE--	337	1	-	-	-	-	1	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	5,869	4	8	1	7	5	12	15	26	45	82	141
WHITE-----MALE----	2,022	2	3	-	3	2	4	8	11	17	27	51
FEMALE--	2,560	2	1	-	1	2	5	3	5	6	15	23
ALL OTHER--MALE----	635	-	3	1	2	1	-	2	6	12	24	44
FEMALE--	652	-	1	-	1	-	3	2	4	10	16	23
BLACK---MALE----	616	-	3	1	1	1	-	2	6	12	24	44
FEMALE--	621	-	1	-	-	-	3	2	4	9	16	22

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,619  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OTHER FORMS OF HEART DISEASE (420-429)												
SOUTH DAKOTA -----	11	12	22	35	49	71	111	115	104	65	12	-
WHITE-----MALE----	8	6	15	23	28	40	47	42	33	11	2	-
FEMALE--	1	3	6	7	16	28	58	69	71	53	10	-
ALL OTHER--MALE----	-	2	-	1	4	1	4	1	-	1	-	-
FEMALE--	2	1	1	4	1	2	2	3	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	124	171	261	340	468	546	698	650	473	172	45	-
WHITE-----MALE----	66	80	132	168	241	230	243	180	101	22	7	-
FEMALE--	26	42	72	94	140	219	359	389	324	134	27	-
ALL OTHER--MALE----	24	29	34	50	53	41	46	27	12	7	-	-
FEMALE--	8	20	23	28	34	56	50	54	36	9	11	-
BLACK---MALE----	24	29	33	49	53	41	46	27	12	7	-	-
FEMALE--	8	20	23	28	34	55	49	54	36	9	10	-
TEXAS -----	352	447	715	966	1,399	1,477	1,802	1,766	1,383	540	152	4
WHITE-----MALE----	210	254	375	507	727	679	682	530	335	97	27	3
FEMALE--	64	102	207	295	457	592	929	1,076	943	393	102	1
ALL OTHER--MALE----	57	59	87	98	113	92	93	70	34	12	2	-
FEMALE--	21	32	46	66	102	114	98	90	71	38	21	-
BLACK---MALE----	56	54	82	94	103	88	86	69	32	12	2	-
FEMALE--	20	31	45	64	98	112	96	85	70	38	21	-
UTAH -----	19	28	43	56	90	141	160	171	127	61	9	-
WHITE-----MALE----	9	18	25	32	49	72	70	68	39	20	2	-
FEMALE--	5	8	18	23	38	64	90	102	88	40	7	-
ALL OTHER--MALE----	1	1	-	-	2	4	-	-	-	-	-	-
FEMALE--	4	1	-	1	1	1	-	1	-	1	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
VERMONT -----	9	12	23	38	40	67	102	117	93	45	13	-
WHITE-----MALE----	8	10	15	23	13	35	45	42	26	5	1	-
FEMALE--	1	2	8	15	27	31	57	75	66	40	12	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
VIRGINIA -----	146	208	303	468	666	785	1,001	903	693	284	64	2
WHITE-----MALE----	67	90	138	224	267	319	344	244	143	45	12	1
FEMALE--	33	43	62	109	218	292	493	532	471	201	43	-
ALL OTHER--MALE----	30	48	67	79	97	85	59	44	25	5	1	-
FEMALE--	16	27	36	56	84	89	105	83	54	33	8	1
BLACK---MALE----	28	46	65	76	93	85	56	43	24	5	1	-
FEMALE--	16	27	33	53	78	83	101	78	53	33	8	1









TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,621  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACUTE AND SUBACUTE ENDOCARDITIS (421)												
0 UNITED STATES --	52	66	82	90	115	123	110	76	24	5	-	-
WHITE-----MALE----	25	32	34	36	51	58	51	25	9	1	-	-
FEMALE--	10	19	31	37	51	54	52	49	13	2	-	-
ALL OTHER--MALE----	11	12	11	10	8	7	3	-	1	1	-	-
FEMALE--	6	3	6	7	5	4	4	2	1	1	-	-
BLACK---MALE----	11	8	10	10	8	5	2	-	-	1	-	-
FEMALE--	5	3	5	5	4	4	4	2	1	1	-	-
ALABAMA -----	-	3	2	1	2	1	-	-	-	-	-	-
WHITE-----MALE----	-	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	2	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	2	1	2	1	3	2	-	-	-	-
WHITE-----MALE----	-	-	2	1	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	1	1	-	2	-	1	2	-	-	-	-
WHITE-----MALE----	-	1	1	-	2	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	9	7	12	10	15	17	13	5	2	-	-	-
WHITE-----MALE----	5	1	5	4	6	7	7	-	-	-	-	-
FEMALE--	2	3	5	4	7	8	4	5	2	-	-	-
ALL OTHER--MALE----	-	2	1	-	1	2	1	-	-	-	-	-
FEMALE--	2	1	1	2	1	-	1	-	-	-	-	-
BLACK---MALE----	-	1	1	-	1	1	-	-	-	-	-	-
FEMALE--	1	1	-	1	1	-	1	-	-	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,622  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACUTE AND SUBACUTE ENDOCARDITIS (421)												
COLORADO -----	-	-	2	1	2	-	2	2	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	2	-	-	-	-	-
FEMALE--	-	-	2	1	1	-	-	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	2	-	1	1	5	4	3	2	-	-	-	-
WHITE-----MALE----	-	-	-	1	1	3	-	1	-	-	-	-
FEMALE--	1	-	-	-	4	1	3	1	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	1	-	2	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	1	4	3	4	5	9	12	7	1	-	-	-
WHITE-----MALE----	-	3	1	3	3	5	6	2	1	-	-	-
FEMALE--	-	1	2	1	2	3	5	5	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
GEORGIA -----	-	2	1	-	3	1	2	2	-	-	-	-
WHITE-----MALE----	-	2	1	-	2	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	1	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,624  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACUTE AND SUBACUTE ENDOCARDITIS (421)												
KENTUCKY -----	8	1	-	-	-	-	-	-	-	1	1	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	1	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	10	-	-	1	-	-	-	-	-	-	2	1
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	1	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	4	-	-	1	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
MAINE -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	25	-	-	-	-	-	-	-	1	1	3	2
WHITE-----MALE----	10	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
MASSACHUSETTS -----	19	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	11	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	37	-	-	-	-	-	-	-	1	2	3	3
WHITE-----MALE----	18	-	-	-	-	-	-	-	1	-	1	2
FEMALE--	9	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	6	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,624  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACUTE AND SUBACUTE ENDOCARDITIS (421)												
KENTUCKY -----	-	3	-	-	-	-	-	1	1	-	-	-
WHITE-----MALE----	-	2	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	1	-	1	-	2	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	-	-	1	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	3	1	3	3	3	2	2	1	-	-	-
WHITE-----MALE----	-	1	-	2	2	2	-	-	-	-	-	-
FEMALE--	-	1	1	1	1	1	1	2	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	1	2	1	4	2	2	3	1	-	2	-	-
WHITE-----MALE----	1	1	1	1	2	2	1	-	-	1	-	-
FEMALE--	-	1	-	3	-	-	2	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	3	3	2	6	4	6	3	1	-	-	-	-
WHITE-----MALE----	1	3	1	3	2	1	3	-	-	-	-	-
FEMALE--	-	-	1	2	1	3	-	1	-	-	-	-
ALL OTHER--MALE----	2	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-
BLACK---MALE----	2	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-

















TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,628  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACUTE AND SUBACUTE ENDOCARDITIS (421)												
SOUTH DAKOTA -----	-	-	-	1	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1	1	-	2	2	4	1	1	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	2	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	2	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
TEXAS -----	4	2	7	6	4	1	5	3	2	1	-	-
WHITE-----MALE----	3	1	3	3	2	1	2	3	2	-	-	-
FEMALE--	1	-	2	2	2	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	1	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	1	-	-
BLACK---MALE----	-	1	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	1	-	-
UTAH -----	-	-	-	2	1	4	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	2	1	3	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	1	-	-	-	-	1	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	1	1	1	3	1	1	3	-	-	-	-
WHITE-----MALE----	-	1	-	1	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-







TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,630  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACUTE PERICARDITIS, ACUTE MYOCARDITIS, AND OTHER DISEASES OF PERICARDIUM (420,422-423)												
0 UNITED STATES --	770	35	24	16	11	18	13	27	33	35	40	50
WHITE-----MALE----	298	8	3	4	2	10	3	9	11	17	19	20
FEMALE--	296	11	8	6	6	1	2	7	10	11	12	24
ALL OTHER--MALE----	91	2	5	4	1	3	3	5	9	5	5	3
FEMALE--	85	14	8	2	2	4	5	6	3	2	4	3
BLACK---MALE----	75	2	5	2	-	2	1	3	9	5	5	3
FEMALE--	76	14	8	2	1	3	5	6	3	1	3	2
ALABAMA -----	8	1	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	9	-	-	-	-	-	-	-	2	1	-	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	11	1	-	-	1	-	-	1	1	1	-	-
WHITE-----MALE----	4	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	67	2	1	3	1	2	2	2	2	3	4	9
WHITE-----MALE----	30	-	-	-	-	1	1	-	2	1	4	6
FEMALE--	18	1	-	1	-	-	-	1	-	1	-	1
ALL OTHER--MALE----	11	-	-	2	-	-	1	1	-	1	-	1
FEMALE--	8	1	1	-	1	1	-	-	-	-	-	1
BLACK---MALE----	5	-	-	-	-	-	-	1	-	1	-	1
FEMALE--	5	1	1	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,630  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACUTE PERICARDITIS, ACUTE MYOCARDITIS, AND OTHER DISEASES OF PERICARDIUM (420,422-423)												
0 UNITED STATES --	53	40	56	65	86	65	49	30	17	6	1	-
WHITE-----MALE----	22	20	25	31	35	25	16	11	5	2	-	-
FEMALE--	19	10	22	22	33	34	26	17	11	3	1	-
ALL OTHER--MALE----	10	8	7	5	9	4	3	-	-	-	-	-
FEMALE--	2	2	2	7	9	2	4	2	1	1	-	-
BLACK---MALE----	7	5	7	5	8	4	2	-	-	-	-	-
FEMALE--	2	2	2	6	8	2	2	2	1	1	-	-
ALABAMA -----	-	1	-	2	1	1	-	1	-	-	-	-
WHITE-----MALE----	-	1	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	1	-	2	1	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	-	1	-	-	1	2	1	-	-	-	-
WHITE-----MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	6	3	3	4	6	6	4	2	1	1	-	-
WHITE-----MALE----	2	1	2	1	3	2	3	-	-	1	-	-
FEMALE--	2	-	1	3	1	3	-	2	1	-	-	-
ALL OTHER--MALE----	2	1	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	2	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,631  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACUTE PERICARDITIS, ACUTE MYOCARDITIS, AND OTHER DISEASES OF PERICARDIUM (420,422-423)												
COLORADO -----	11	2	-	2	1	1	-	1	-	-	1	-
WHITE-----MALE----	4	1	-	1	-	1	-	-	-	-	1	-
FEMALE--	5	1	-	1	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	12	-	-	-	-	1	-	1	-	-	-	1
WHITE-----MALE----	6	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	6	-	-	-	1	-	-	-	-	-	1	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	3	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	6	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	43	-	3	-	-	-	-	2	1	2	2	1
WHITE-----MALE----	18	-	-	-	-	-	-	1	-	2	1	-
FEMALE--	23	-	1	-	-	-	-	1	1	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	2	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	2	-	-	-	-	-	-	-	-	-
GEORGIA -----	31	2	1	1	-	1	1	1	1	1	3	1
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	10	-	-	-	-	-	-	-	1	-	1	1
ALL OTHER--MALE----	4	-	1	-	-	-	-	-	-	-	1	-
FEMALE--	9	2	-	1	-	1	1	1	-	-	-	-
BLACK---MALE----	4	-	1	-	-	-	-	-	-	-	1	-
FEMALE--	9	2	-	1	-	1	1	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,631  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACUTE PERICARDITIS, ACUTE MYOCARDITIS, AND OTHER DISEASES OF PERICARDIUM (420,422-423)												
COLORADO -----	1	-	1	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
CONNECTICUT -----	1	-	-	-	1	3	2	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	-	2	-	-	-	-
FEMALE--	1	-	-	-	-	2	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	1	1	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	-	-	4	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	2	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
FLORIDA -----	2	2	2	7	5	5	4	2	2	1	-	-
WHITE-----MALE----	1	1	2	4	1	2	2	1	-	-	-	-
FEMALE--	1	1	-	3	4	3	2	1	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	3	2	2	2	2	2	1	2	2	-	-	-
WHITE-----MALE----	1	-	2	-	1	1	-	-	1	-	-	-
FEMALE--	1	1	-	2	-	1	1	1	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	1	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	1	-	-	-







TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,633  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACUTE PERICARDITIS, ACUTE MYOCARDITIS, AND OTHER DISEASES OF PERICARDIUM (420,422-423)												
KENTUCKY -----	13	-	2	-	-	-	-	1	1	1	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	7	-	2	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
LOUISIANA -----	15	2	-	-	-	-	-	-	-	1	1	2
WHITE-----MALE----	5	1	-	-	-	-	-	-	-	1	-	1
FEMALE--	6	1	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	16	-	-	-	-	-	1	-	1	-	2	3
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	10	-	-	-	-	-	1	-	1	-	2	2
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	23	-	-	-	-	1	1	2	1	-	1	2
WHITE-----MALE----	10	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	1	-	-	1	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
MICHIGAN -----	27	3	2	1	-	-	-	-	1	1	1	1
WHITE-----MALE----	9	-	-	1	-	-	-	-	1	-	-	-
FEMALE--	6	1	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	4	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	1	2	-	-	-	-	-	-	1	1	-
BLACK---MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	1	2	-	-	-	-	-	-	1	1	-











TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,636  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACUTE PERICARDITIS, ACUTE MYOCARDITIS, AND OTHER DISEASES OF PERICARDIUM (420,422-423)												
OHIO -----	31	-	-	-	-	-	-	1	3	3	2	3
WHITE-----MALE----	10	-	-	-	-	-	-	-	1	1	1	-
FEMALE--	15	-	-	-	-	-	-	-	1	1	-	3
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	1	1	-	1	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	1	1	-	1	-
OKLAHOMA -----	11	-	-	1	-	1	-	-	3	-	1	3
WHITE-----MALE----	6	-	-	-	-	1	-	-	-	-	-	3
FEMALE--	4	-	-	1	-	-	-	-	2	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	9	1	-	-	-	-	1	1	-	1	-	-
WHITE-----MALE----	5	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	33	-	-	-	1	1	-	-	-	2	-	2
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	12	-	-	-	1	-	-	-	-	-	-	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	1	-	-	-	-	-	-
RHODE ISLAND -----	4	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	15	-	2	-	1	1	-	-	3	-	1	-
WHITE-----MALE----	4	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	1	-	-	-	-	-	2	-	1	-
FEMALE--	2	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	7	-	1	-	-	-	-	-	2	-	1	-
FEMALE--	2	-	1	-	1	-	-	-	-	-	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,637  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACUTE PERICARDITIS, ACUTE MYOCARDITIS, AND OTHER DISEASES OF PERICARDIUM (420,422-423)												
SOUTH DAKOTA -----	3	-	1	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	3	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	8	-	1	-	-	-	-	-	-	2	-	1
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	2	-	1	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	1	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	48	6	5	3	1	-	1	2	2	2	1	1
WHITE-----MALE----	12	1	2	-	1	-	-	-	1	-	1	-
FEMALE--	20	-	2	2	-	-	1	-	-	1	-	-
ALL OTHER--MALE----	7	-	-	1	-	-	-	1	-	1	-	-
FEMALE--	9	5	1	-	-	-	-	1	1	-	-	1
BLACK---MALE----	7	-	-	1	-	-	-	1	-	1	-	-
FEMALE--	9	5	1	-	-	-	-	1	1	-	-	1
UTAH -----	3	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	3	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	17	-	-	-	1	-	1	-	1	2	1	2
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	5	-	-	-	1	-	-	-	-	1	-	1
FEMALE--	3	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	3	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,637  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACUTE PERICARDITIS, ACUTE MYOCARDITIS, AND OTHER DISEASES OF PERICARDIUM (420,422-423)												
SOUTH DAKOTA -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	-	1	-	-	1	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	1	2	6	2	5	2	5	-	1	-	-	-
WHITE-----MALE----	-	-	1	1	2	1	1	-	-	-	-	-
FEMALE--	-	1	3	1	3	1	4	-	1	-	-	-
ALL OTHER--MALE----	1	1	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH -----	1	-	-	1	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	-	4	1	1	-	-	2	1	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,639  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER DISEASES OF ENDOCARDIUM (424)												
0 UNITED STATES --	16,241	10	4	4	5	12	23	34	67	130	146	180
WHITE-----MALE----	6,036	2	1	2	2	2	10	19	29	65	71	94
FEMALE--	8,959	4	2	2	3	6	6	9	19	33	30	38
ALL OTHER--MALE----	539	3	-	-	-	3	5	3	8	21	27	27
FEMALE--	707	1	1	-	-	1	2	3	11	11	18	21
BLACK---MALE----	434	2	-	-	-	3	5	3	8	19	25	25
FEMALE--	599	1	1	-	-	1	2	1	10	10	17	20
ALABAMA -----	204	-	-	-	-	1	1	-	-	2	1	4
WHITE-----MALE----	74	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	100	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	11	-	-	-	-	-	1	-	-	1	-	1
FEMALE--	19	-	-	-	-	1	-	-	-	1	-	1
BLACK---MALE----	11	-	-	-	-	-	1	-	-	1	-	1
FEMALE--	18	-	-	-	-	1	-	-	-	1	-	1
ALASKA -----	18	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	274	-	-	-	1	-	-	-	1	2	3	3
WHITE-----MALE----	121	-	-	-	1	-	-	-	-	-	2	2
FEMALE--	141	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	1	1	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
ARKANSAS -----	117	-	-	-	-	-	1	-	1	-	3	1
WHITE-----MALE----	42	-	-	-	-	-	1	-	-	-	1	1
FEMALE--	62	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	2	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	2	-
CALIFORNIA -----	1,654	2	-	1	-	2	2	6	11	9	11	32
WHITE-----MALE----	617	-	-	1	-	-	1	3	5	3	5	18
FEMALE--	896	1	-	-	-	2	1	2	4	4	5	7
ALL OTHER--MALE----	77	1	-	-	-	-	-	-	2	1	1	5
FEMALE--	64	-	-	-	-	-	-	1	-	1	-	2
BLACK---MALE----	37	-	-	-	-	-	-	-	2	-	1	4
FEMALE--	33	-	-	-	-	-	-	-	-	1	-	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,639  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER DISEASES OF ENDOCARDIUM (424)												
0 UNITED STATES --	251	332	512	860	1,600	2,296	3,270	3,441	2,214	713	137	-
WHITE-----MALE----	124	153	237	413	739	1,002	1,259	1,053	603	138	18	-
FEMALE--	70	117	196	333	706	1,151	1,823	2,224	1,536	545	106	-
ALL OTHER--MALE----	29	28	40	54	56	59	86	63	20	7	-	-
FEMALE--	28	34	39	60	99	84	102	101	55	23	13	-
BLACK---MALE----	27	23	35	49	39	51	62	42	14	2	-	-
FEMALE--	23	29	35	47	85	73	88	80	45	20	11	-
ALABAMA -----	2	8	5	11	24	35	39	44	17	9	1	-
WHITE-----MALE----	-	5	3	5	8	19	15	10	5	2	-	-
FEMALE--	1	1	1	4	12	15	17	30	11	7	-	-
ALL OTHER--MALE----	-	-	-	1	2	1	2	2	-	-	-	-
FEMALE--	1	2	1	1	2	-	5	2	1	-	1	-
BLACK---MALE----	-	-	-	1	2	1	2	2	-	-	-	-
FEMALE--	1	1	1	1	2	-	5	2	1	-	1	-
ALASKA -----	1	-	1	-	3	4	3	6	-	-	-	-
WHITE-----MALE----	-	-	1	-	1	3	2	2	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	3	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ARIZONA -----	3	7	8	19	32	34	60	62	31	8	-	-
WHITE-----MALE----	2	4	3	10	12	17	26	22	17	3	-	-
FEMALE--	1	3	5	8	18	15	31	39	14	5	-	-
ALL OTHER--MALE----	-	-	-	-	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	1	2	-	2	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
ARKANSAS -----	3	3	7	7	8	17	28	25	8	4	1	-
WHITE-----MALE----	1	-	-	4	3	9	12	8	-	1	1	-
FEMALE--	2	2	5	3	3	6	14	16	8	2	-	-
ALL OTHER--MALE----	-	1	1	-	1	1	1	-	-	1	-	-
FEMALE--	-	-	1	-	1	1	1	1	-	-	-	-
BLACK---MALE----	-	1	1	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	1	1	-	-	-	-
CALIFORNIA -----	21	28	50	83	137	218	328	366	245	87	15	-
WHITE-----MALE----	13	13	22	38	64	95	121	119	74	20	2	-
FEMALE--	4	12	19	32	57	107	182	221	162	62	12	-
ALL OTHER--MALE----	2	3	6	7	6	10	13	14	5	1	-	-
FEMALE--	2	-	3	6	10	6	12	12	4	4	1	-
BLACK---MALE----	2	3	5	4	3	4	4	3	2	-	-	-
FEMALE--	1	-	3	2	5	2	7	4	3	2	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,640  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER DISEASES OF ENDOCARDIUM (424)												
COLORADO -----	154	-	-	1	-	-	-	1	-	-	-	1
WHITE-----MALE----	59	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	93	-	-	1	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	240	-	-	-	-	-	-	-	-	4	5	3
WHITE-----MALE----	87	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	141	-	-	-	-	-	-	-	-	3	1	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	3	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	3	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
DELAWARE -----	44	-	-	-	-	-	-	-	-	-	-	2
WHITE-----MALE----	20	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	38	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	1,165	1	-	-	-	1	-	1	3	5	12	8
WHITE-----MALE----	460	-	-	-	-	-	-	1	-	3	7	7
FEMALE--	638	-	-	-	-	-	-	-	1	2	2	1
ALL OTHER--MALE----	32	-	-	-	-	1	-	-	1	-	3	-
FEMALE--	35	1	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	30	-	-	-	-	1	-	-	1	-	2	-
FEMALE--	32	1	-	-	-	-	-	-	1	-	-	-
GEORGIA -----	297	1	-	-	-	1	2	2	3	4	5	10
WHITE-----MALE----	96	-	-	-	-	-	-	2	1	-	2	2
FEMALE--	142	-	-	-	-	1	1	-	-	1	1	2
ALL OTHER--MALE----	15	1	-	-	-	-	1	-	1	-	1	4
FEMALE--	44	-	-	-	-	-	-	-	1	3	1	2
BLACK---MALE----	14	1	-	-	-	-	1	-	1	-	1	4
FEMALE--	43	-	-	-	-	-	-	-	1	3	1	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,640  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER DISEASES OF ENDOCARDIUM (424)												
COLORADO -----	5	4	3	7	18	21	31	31	26	4	1	-
WHITE-----MALE----	3	2	2	5	7	12	9	9	7	2	-	-
FEMALE--	2	2	1	2	11	9	21	21	19	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
CONNECTICUT -----	3	3	7	4	18	27	56	51	42	14	3	-
WHITE-----MALE----	2	-	1	-	11	12	26	17	12	2	1	-
FEMALE--	1	3	5	4	7	13	27	34	29	11	2	-
ALL OTHER--MALE----	-	-	1	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	1	-	1	1	-	-
BLACK---MALE----	-	-	1	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	1	-	-
DELAWARE -----	1	-	2	1	8	8	8	6	7	1	-	-
WHITE-----MALE----	1	-	2	-	2	3	4	3	3	1	-	-
FEMALE--	-	-	-	-	5	4	3	3	3	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	1	-	-	-
DISTRICT OF COLUMBIA ----	-	-	1	2	3	6	9	8	5	3	-	-
WHITE-----MALE----	-	-	-	-	1	1	2	1	-	-	-	-
FEMALE--	-	-	-	2	1	2	4	3	3	1	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	3	1	3	2	2	-	-
BLACK---MALE----	-	-	1	-	1	-	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	3	1	3	2	2	-	-
FLORIDA -----	19	15	41	58	107	187	241	283	138	39	6	-
WHITE-----MALE----	9	5	23	25	48	87	94	101	42	7	1	-
FEMALE--	4	6	12	24	50	95	136	178	93	29	5	-
ALL OTHER--MALE----	3	2	2	5	5	2	5	2	-	1	-	-
FEMALE--	3	2	4	4	4	3	6	2	3	2	-	-
BLACK---MALE----	3	1	2	5	5	2	5	2	-	1	-	-
FEMALE--	3	2	4	3	3	3	6	2	3	1	-	-
GEORGIA -----	6	8	11	16	29	50	54	51	32	6	6	-
WHITE-----MALE----	1	4	3	8	16	18	16	16	7	-	-	-
FEMALE--	2	1	5	6	10	21	31	28	23	6	3	-
ALL OTHER--MALE----	1	1	1	-	-	2	1	1	-	-	-	-
FEMALE--	2	2	2	2	3	9	6	6	2	-	3	-
BLACK---MALE----	1	-	1	-	-	2	1	1	-	-	-	-
FEMALE--	2	2	2	2	3	9	6	6	1	-	3	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,641  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER DISEASES OF ENDOCARDIUM (424)												
HAWAII -----	-	5	3	5	15	6	14	20	9	6	-	-
WHITE-----MALE----	-	1	-	-	3	2	1	2	3	1	-	-
FEMALE--	-	1	1	-	1	-	2	4	3	2	-	-
ALL OTHER--MALE----	-	-	1	-	7	-	5	6	2	3	-	-
FEMALE--	-	3	1	5	4	4	6	8	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	1	2	1	3	9	12	21	12	13	5	2	-
WHITE-----MALE----	1	-	1	1	6	6	12	6	1	1	-	-
FEMALE--	-	2	-	2	3	6	9	6	12	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	9	16	24	41	79	93	130	136	94	24	5	-
WHITE-----MALE----	7	4	11	12	44	41	55	47	24	3	1	-
FEMALE--	1	8	9	19	33	47	67	81	67	20	4	-
ALL OTHER--MALE----	-	2	2	8	-	2	4	2	1	1	-	-
FEMALE--	1	2	2	2	2	3	4	6	2	-	4	-
BLACK---MALE----	-	2	2	8	-	2	3	2	1	1	-	-
FEMALE--	1	2	2	2	2	3	4	5	1	-	-	-
INDIANA -----	6	7	16	21	38	42	73	96	49	17	2	-
WHITE-----MALE----	2	5	9	10	16	16	27	27	14	1	-	-
FEMALE--	1	2	7	9	18	25	45	67	35	15	2	-
ALL OTHER--MALE----	2	-	-	-	-	1	1	2	-	-	-	-
FEMALE--	1	-	-	2	4	-	-	-	-	1	-	-
BLACK---MALE----	2	-	-	-	-	1	1	2	-	-	-	-
FEMALE--	1	-	-	2	4	-	-	-	-	1	-	-
IOWA -----	1	2	5	9	25	33	49	54	50	13	7	-
WHITE-----MALE----	-	1	2	6	16	14	21	12	11	1	1	-
FEMALE--	1	1	3	3	9	18	27	42	39	12	6	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
KANSAS -----	2	4	3	10	11	28	44	38	36	9	3	-
WHITE-----MALE----	1	3	3	7	3	14	12	10	12	3	-	-
FEMALE--	1	1	-	3	6	14	31	27	23	6	3	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,642  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER DISEASES OF ENDOCARDIUM (424)												
KENTUCKY -----	8	3	3	17	25	23	19	23	16	7	3	-
WHITE-----MALE----	5	2	1	9	10	14	6	6	4	1	1	-
FEMALE--	2	1	2	3	11	8	12	16	11	6	2	-
ALL OTHER--MALE----	1	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	4	3	1	1	1	1	-	-	-
BLACK---MALE----	1	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	4	3	1	1	1	1	-	-	-
LOUISIANA -----	3	6	9	11	17	23	39	36	22	6	3	-
WHITE-----MALE----	1	5	4	6	5	12	7	5	7	1	-	-
FEMALE--	1	-	1	3	7	9	26	27	13	4	2	-
ALL OTHER--MALE----	1	-	1	1	2	2	3	1	1	-	-	-
FEMALE--	-	1	3	1	3	-	3	3	1	1	1	-
BLACK---MALE----	1	-	1	1	2	2	3	1	1	-	-	-
FEMALE--	-	1	3	1	3	-	3	3	1	1	1	-
MAINE -----	1	3	3	7	9	15	18	27	22	1	2	-
WHITE-----MALE----	1	2	-	2	3	3	6	8	4	-	-	-
FEMALE--	-	1	3	5	6	12	12	19	17	1	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
MARYLAND -----	6	7	12	14	22	45	36	52	31	13	-	-
WHITE-----MALE----	3	3	5	5	9	17	13	11	5	3	-	-
FEMALE--	-	1	2	6	8	22	20	32	24	9	-	-
ALL OTHER--MALE----	3	3	2	2	-	2	1	2	-	-	-	-
FEMALE--	-	-	3	1	5	4	2	7	2	1	-	-
BLACK---MALE----	3	2	2	2	-	2	1	2	-	-	-	-
FEMALE--	-	-	3	1	5	4	2	7	2	1	-	-
MASSACHUSETTS -----	2	5	8	18	29	48	83	120	86	32	6	-
WHITE-----MALE----	2	3	-	10	14	15	26	37	21	3	2	-
FEMALE--	-	2	7	7	13	31	55	82	63	29	3	-
ALL OTHER--MALE----	-	-	1	-	1	-	1	-	1	-	-	-
FEMALE--	-	-	-	1	1	2	1	1	1	-	1	-
BLACK---MALE----	-	-	1	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	1	2	-	1	1	-	1	-
MICHIGAN -----	10	12	20	44	59	80	97	105	67	28	6	-
WHITE-----MALE----	3	6	12	19	26	37	40	31	26	6	-	-
FEMALE--	3	4	6	13	28	38	51	70	39	20	6	-
ALL OTHER--MALE----	2	1	1	6	2	1	1	3	1	-	-	-
FEMALE--	2	1	1	6	3	4	5	1	1	2	-	-
BLACK---MALE----	2	1	1	6	2	1	1	2	1	-	-	-
FEMALE--	2	1	1	6	3	4	5	1	1	2	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,643  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER DISEASES OF ENDOCARDIUM (424)												
MINNESOTA -----	5	2	8	18	25	36	71	72	75	20	-	-
WHITE-----MALE----	2	2	4	15	15	17	40	30	22	-	-	-
FEMALE--	2	-	4	3	9	19	31	42	53	19	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	1	-	-
MISSISSIPPI -----	1	3	4	4	12	13	15	22	8	3	-	-
WHITE-----MALE----	-	1	1	2	7	6	4	7	3	-	-	-
FEMALE--	-	1	-	-	4	4	10	11	4	3	-	-
ALL OTHER--MALE----	1	1	1	1	-	-	1	1	-	-	-	-
FEMALE--	-	-	2	1	1	3	-	3	1	-	-	-
BLACK---MALE----	1	1	1	1	-	-	1	1	-	-	-	-
FEMALE--	-	-	1	1	1	3	-	3	1	-	-	-
MISSOURI -----	5	5	8	16	37	50	95	96	58	18	2	-
WHITE-----MALE----	2	3	5	7	14	17	43	29	13	2	-	-
FEMALE--	1	1	2	8	20	31	47	65	42	15	1	-
ALL OTHER--MALE----	1	-	-	1	-	1	2	1	1	-	-	-
FEMALE--	1	1	1	-	3	1	3	1	2	1	1	-
BLACK---MALE----	1	-	-	1	-	1	2	1	1	-	-	-
FEMALE--	1	1	1	-	3	1	3	1	2	1	1	-
MONTANA -----	4	2	1	4	5	12	15	24	9	4	-	-
WHITE-----MALE----	3	1	1	-	4	4	7	4	1	-	-	-
FEMALE--	1	1	-	4	1	8	8	20	6	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	2	2	3	7	5	12	32	35	25	6	2	-
WHITE-----MALE----	1	1	1	1	3	5	17	12	8	1	-	-
FEMALE--	1	-	1	6	2	7	15	22	17	5	2	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
NEVADA -----	2	3	5	8	10	15	10	14	10	-	-	-
WHITE-----MALE----	1	2	1	2	6	7	7	7	4	-	-	-
FEMALE--	1	1	3	6	3	8	3	7	6	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-









TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,645  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER DISEASES OF ENDOCARDIUM (424)												
OHIO -----	16	18	17	50	82	100	140	143	90	25	6	-
WHITE-----MALE----	9	6	8	25	31	48	48	42	19	2	2	-
FEMALE--	6	9	5	19	44	46	84	93	69	22	4	-
ALL OTHER--MALE----	-	2	2	4	2	4	6	1	-	-	-	-
FEMALE--	1	1	2	2	5	2	2	7	2	1	-	-
BLACK---MALE----	-	2	1	4	2	4	6	1	-	-	-	-
FEMALE--	1	1	2	2	5	2	2	7	2	1	-	-
OKLAHOMA -----	5	8	9	9	23	39	43	36	29	7	3	-
WHITE-----MALE----	4	5	4	4	15	18	19	16	8	1	-	-
FEMALE--	-	2	4	5	7	19	20	18	20	6	2	-
ALL OTHER--MALE----	-	1	-	-	1	1	1	1	-	-	-	-
FEMALE--	1	-	1	-	-	1	3	1	1	-	1	-
BLACK---MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	3	-	1	-	1	-
OREGON -----	2	7	7	16	32	37	50	65	38	21	4	-
WHITE-----MALE----	1	4	4	9	16	22	19	21	12	6	1	-
FEMALE--	-	3	2	6	15	15	29	42	25	15	3	-
ALL OTHER--MALE----	1	-	-	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	1	1	-	-	1	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	1	-	-	-	-
PENNSYLVANIA -----	8	16	31	61	103	191	244	273	164	69	14	-
WHITE-----MALE----	4	9	20	30	52	87	96	86	49	17	-	-
FEMALE--	2	6	8	28	47	99	144	174	110	52	14	-
ALL OTHER--MALE----	2	-	2	2	2	2	3	5	1	-	-	-
FEMALE--	-	1	1	1	2	3	1	8	4	-	-	-
BLACK---MALE----	2	-	2	2	2	2	3	4	1	-	-	-
FEMALE--	-	1	1	1	2	3	1	8	4	-	-	-
RHODE ISLAND -----	2	1	-	4	11	13	11	16	10	8	1	-
WHITE-----MALE----	2	1	-	2	5	5	2	5	1	2	-	-
FEMALE--	-	-	-	2	5	8	9	11	9	6	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
SOUTH CAROLINA -----	4	7	5	14	21	39	42	23	16	2	3	-
WHITE-----MALE----	3	1	2	5	7	14	11	3	3	-	1	-
FEMALE--	-	3	2	6	10	13	22	16	11	1	-	-
ALL OTHER--MALE----	1	2	-	-	2	3	2	1	-	-	-	-
FEMALE--	-	1	1	3	2	9	7	3	2	1	2	-
BLACK---MALE----	1	1	-	-	2	3	2	1	-	-	-	-
FEMALE--	-	1	1	3	2	9	7	3	2	1	2	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,646  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER DISEASES OF ENDOCARDIUM (424)												
SOUTH DAKOTA -----	-	1	2	3	3	3	11	4	7	4	-	-
WHITE-----MALE----	-	1	1	3	2	2	7	1	2	1	-	-
FEMALE--	-	-	1	-	-	1	4	3	5	3	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2	6	10	17	26	40	60	52	26	10	2	-
WHITE-----MALE----	-	2	3	13	13	11	25	16	5	-	1	-
FEMALE--	1	2	6	1	11	26	32	34	21	10	1	-
ALL OTHER--MALE----	-	1	1	2	1	2	1	1	-	-	-	-
FEMALE--	1	1	-	1	1	1	2	1	-	-	-	-
BLACK---MALE----	-	1	1	2	1	2	1	1	-	-	-	-
FEMALE--	1	1	-	1	1	1	2	1	-	-	-	-
TEXAS -----	20	14	41	48	92	108	143	141	91	17	5	-
WHITE-----MALE----	5	6	17	22	39	41	59	39	26	4	-	-
FEMALE--	11	3	19	16	38	56	77	93	61	13	5	-
ALL OTHER--MALE----	1	3	3	5	5	7	3	1	-	-	-	-
FEMALE--	3	2	2	5	10	4	4	8	4	-	-	-
BLACK---MALE----	1	3	3	5	4	7	3	1	-	-	-	-
FEMALE--	2	2	2	5	10	4	4	8	4	-	-	-
UTAH -----	1	3	3	5	14	9	20	15	10	3	-	-
WHITE-----MALE----	1	1	2	3	5	5	8	6	4	1	-	-
FEMALE--	-	2	1	2	9	4	12	9	6	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	1	1	5	7	10	10	10	5	-	-
WHITE-----MALE----	-	-	1	1	2	2	4	6	4	-	-	-
FEMALE--	-	-	-	-	3	5	6	4	6	5	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	6	15	11	6	39	68	74	64	56	10	2	-
WHITE-----MALE----	4	6	4	3	11	25	27	7	9	2	-	-
FEMALE--	-	4	3	-	18	32	39	54	41	7	2	-
ALL OTHER--MALE----	2	1	3	2	5	5	3	2	3	-	-	-
FEMALE--	-	4	1	1	5	6	5	1	3	1	-	-
BLACK---MALE----	2	1	3	2	4	5	2	2	3	-	-	-
FEMALE--	-	4	1	1	4	6	5	1	3	1	-	-







TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,648  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MITRAL VALVE DISORDERS (424.0)												
0 UNITED STATES --	46	71	95	154	313	348	483	378	246	64	16	-
WHITE-----MALE----	17	29	29	48	115	136	154	109	62	8	2	-
FEMALE--	16	27	46	85	172	192	301	252	177	54	14	-
ALL OTHER--MALE----	5	7	5	9	8	7	14	6	3	1	-	-
FEMALE--	8	8	15	12	18	13	14	11	4	1	-	-
BLACK---MALE----	5	6	4	7	6	5	10	2	2	-	-	-
FEMALE--	5	7	14	10	14	12	11	8	2	1	-	-
ALABAMA -----	1	2	2	1	4	6	5	3	1	-	-	-
WHITE-----MALE----	-	1	1	-	1	2	2	1	-	-	-	-
FEMALE--	-	-	-	1	2	4	2	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	1	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	1	-	1	-	-	-	-	-
ALASKA -----	-	-	-	-	1	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	3	2	1	6	7	8	6	3	-	-	-
WHITE-----MALE----	-	2	-	-	4	2	4	1	3	-	-	-
FEMALE--	-	1	2	1	2	5	4	5	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	1	4	3	6	2	1	1	-	-
WHITE-----MALE----	-	-	-	-	2	-	3	-	-	-	-	-
FEMALE--	-	-	-	1	2	2	3	2	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
CALIFORNIA -----	3	7	11	18	36	29	58	53	40	10	2	-
WHITE-----MALE----	1	4	3	6	13	11	19	13	14	3	-	-
FEMALE--	1	2	5	6	18	16	35	33	25	6	2	-
ALL OTHER--MALE----	-	1	1	4	2	2	2	3	1	-	-	-
FEMALE--	1	-	2	2	3	-	2	4	-	1	-	-
BLACK---MALE----	-	1	1	2	2	-	1	-	1	-	-	-
FEMALE--	-	-	2	1	2	-	1	1	-	1	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,649  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MITRAL VALVE DISORDERS (424.0)												
COLORADO -----	17	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	38	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	24	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	8	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	4	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	172	1	-	-	-	-	-	-	1	2	-	1
WHITE-----MALE----	53	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	111	-	-	-	-	-	-	-	1	2	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	1	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	45	1	-	-	-	-	1	-	1	3	1	3
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	5	1	-	-	-	-	1	-	1	-	1	-
FEMALE--	9	-	-	-	-	-	-	-	-	3	-	-
BLACK---MALE----	4	1	-	-	-	-	1	-	1	-	1	-
FEMALE--	9	-	-	-	-	-	-	-	-	3	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,649  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MITRAL VALVE DISORDERS (424.0)												
COLORADO -----	3	1	-	1	3	3	-	3	2	-	-	-
WHITE-----MALE----	3	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	2	2	-	3	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	2	1	2	2	3	3	7	11	5	1	-	-
WHITE-----MALE----	1	-	1	-	1	1	4	5	1	-	-	-
FEMALE--	1	1	1	2	2	2	3	6	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	5	1	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	5	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	-	-	-	1	2	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
FLORIDA -----	2	2	9	8	25	40	41	23	9	5	3	-
WHITE-----MALE----	-	-	3	2	8	18	10	9	1	-	1	-
FEMALE--	1	1	5	4	16	21	31	14	8	5	2	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	1	2	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	1	2	-	-	-	-	-	-	-	-
GEORGIA -----	3	2	3	3	4	5	9	-	6	-	-	-
WHITE-----MALE----	1	-	1	-	3	1	2	-	1	-	-	-
FEMALE--	1	-	1	3	1	2	6	-	5	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	1	-	-	2	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	1	-	-	2	1	-	-	-	-	-











TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,652  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MITRAL VALVE DISORDERS (424.0)												
MINNESOTA -----	-	1	1	5	6	4	6	6	6	3	-	-
WHITE-----MALE----	-	1	1	3	3	2	4	-	2	-	-	-
FEMALE--	-	-	-	2	3	2	2	6	4	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	-	-	2	-	1	4	1	4	-	1	-	-
WHITE-----MALE----	-	-	-	-	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	3	1	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	2	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
MISSOURI -----	-	2	3	4	8	3	15	7	7	-	-	-
WHITE-----MALE----	-	1	1	-	1	1	4	2	-	-	-	-
FEMALE--	-	1	1	4	7	2	10	5	6	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
MONTANA -----	-	-	-	2	1	-	1	2	2	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	-	-	2	2	1	1	6	2	5	2	-	-
WHITE-----MALE----	-	-	1	-	1	1	3	2	2	-	-	-
FEMALE--	-	-	1	2	-	-	3	-	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	-	-	-	-	4	2	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	2	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-









TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,654  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MITRAL VALVE DISORDERS (424.0)												
OHIO -----	6	2	2	6	20	20	28	19	7	2	1	-
WHITE-----MALE----	3	-	1	4	6	8	6	7	-	-	1	-
FEMALE--	2	1	-	2	12	11	19	10	7	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	3	-	-	-	-	-
FEMALE--	1	1	1	-	2	1	-	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	3	-	-	-	-	-
FEMALE--	1	1	1	-	2	1	-	2	-	-	-	-
OKLAHOMA -----	-	1	2	3	3	5	7	2	4	1	1	-
WHITE-----MALE----	-	1	2	-	1	3	1	2	1	-	-	-
FEMALE--	-	-	-	3	2	2	5	-	3	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
OREGON -----	-	-	1	3	1	4	6	7	3	1	-	-
WHITE-----MALE----	-	-	1	2	1	1	1	1	1	-	-	-
FEMALE--	-	-	-	1	-	3	4	5	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
PENNSYLVANIA -----	2	1	6	11	13	26	32	22	20	4	-	-
WHITE-----MALE----	1	1	3	3	7	13	11	7	8	-	-	-
FEMALE--	-	-	1	8	6	12	20	13	12	4	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	2	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	2	-	-	-	-
RHODE ISLAND -----	-	-	-	1	1	2	2	3	1	2	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	-	-	-	1	1	2	1	3	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	1	3	5	5	2	12	1	2	-	-	-
WHITE-----MALE----	1	-	-	1	-	1	3	-	-	-	-	-
FEMALE--	-	1	2	2	4	1	6	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	2	1	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	2	1	-	2	-	-	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,655  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MITRAL VALVE DISORDERS (424.0)												
SOUTH DAKOTA -----	-	-	1	-	1	-	-	2	2	-	-	-
WHITE-----MALE----	-	-	1	-	1	-	-	-	2	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1	-	2	2	8	8	14	13	4	2	-	-
WHITE-----MALE----	-	-	-	1	4	2	6	5	2	-	-	-
FEMALE--	-	-	2	1	4	6	7	8	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	6	4	8	6	18	20	16	14	7	2	1	-
WHITE-----MALE----	1	1	-	1	6	6	4	2	-	-	-	-
FEMALE--	2	2	7	5	11	13	12	11	7	2	1	-
ALL OTHER--MALE----	1	1	1	-	1	1	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	1	1	-	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
UTAH -----	-	1	-	1	1	-	3	1	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	1	2	3	2	2	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	3	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	3	2	1	1	10	15	8	7	8	-	1	-
WHITE-----MALE----	2	-	1	-	1	7	2	-	2	-	-	-
FEMALE--	-	-	-	-	7	6	4	7	5	-	1	-
ALL OTHER--MALE----	1	-	-	1	1	1	2	-	-	-	-	-
FEMALE--	-	2	-	-	1	1	-	-	1	-	-	-
BLACK---MALE----	1	-	-	1	-	1	1	-	-	-	-	-
FEMALE--	-	2	-	-	-	1	-	-	1	-	-	-







TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,657  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 AORTIC VALVE DISORDERS (424.1)												
0 UNITED STATES --	10,263	2	2	-	4	7	4	11	24	59	59	81
WHITE-----MALE----	3,991	1	1	-	2	2	3	8	14	37	36	55
FEMALE--	5,594	1	1	-	2	3	1	1	4	11	6	14
ALL OTHER--MALE----	284	-	-	-	-	1	-	-	3	7	12	7
FEMALE--	394	-	-	-	-	1	-	2	3	4	5	5
BLACK---MALE----	228	-	-	-	-	1	-	-	3	6	11	7
FEMALE--	335	-	-	-	-	1	-	1	3	3	5	5
ALABAMA -----	130	-	-	-	-	1	-	-	-	-	-	2
WHITE-----MALE----	45	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	69	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	1	-	-	-	-	-	-
ALASKA -----	9	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	158	-	-	-	1	-	-	-	-	-	1	1
WHITE-----MALE----	70	-	-	-	1	-	-	-	-	-	1	1
FEMALE--	85	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	71	-	-	-	-	-	1	-	-	-	2	1
WHITE-----MALE----	26	-	-	-	-	-	1	-	-	-	1	1
FEMALE--	37	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
CALIFORNIA -----	1,071	-	-	-	-	1	-	1	4	7	4	15
WHITE-----MALE----	420	-	-	-	-	-	-	1	3	3	3	11
FEMALE--	573	-	-	-	-	1	-	-	1	2	-	3
ALL OTHER--MALE----	40	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	38	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	18	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	20	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,657  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 AORTIC VALVE DISORDERS (424.1)												
0 UNITED STATES --	129	157	255	463	882	1,395	2,092	2,432	1,581	526	98	-
WHITE-----MALE----	76	81	135	252	449	655	858	768	437	109	12	-
FEMALE--	34	48	89	155	350	652	1,108	1,561	1,088	391	74	-
ALL OTHER--MALE----	10	14	19	30	33	37	53	39	14	5	-	-
FEMALE--	9	14	12	26	50	51	73	64	42	21	12	-
BLACK---MALE----	9	12	17	29	22	34	39	28	9	1	-	-
FEMALE--	8	11	10	20	44	44	65	51	36	18	10	-
ALABAMA -----	1	4	-	4	15	22	25	32	15	8	1	-
WHITE-----MALE----	-	3	-	1	7	11	8	7	5	1	-	-
FEMALE--	1	-	-	3	5	10	12	22	9	7	-	-
ALL OTHER--MALE----	-	-	-	-	2	1	1	1	-	-	-	-
FEMALE--	-	1	-	-	1	-	4	2	1	-	1	-
BLACK---MALE----	-	-	-	-	2	1	1	1	-	-	-	-
FEMALE--	-	1	-	-	1	-	4	2	1	-	1	-
ALASKA -----	1	-	1	-	1	1	-	5	-	-	-	-
WHITE-----MALE----	-	-	1	-	1	1	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2	3	3	11	18	18	38	38	18	6	-	-
WHITE-----MALE----	1	2	2	8	5	11	16	11	9	2	-	-
FEMALE--	1	1	1	3	13	6	20	27	9	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ARKANSAS -----	1	3	6	5	3	9	15	17	5	3	-	-
WHITE-----MALE----	1	-	-	4	1	6	4	6	-	1	-	-
FEMALE--	-	2	5	1	1	2	10	10	5	1	-	-
ALL OTHER--MALE----	-	1	1	-	1	1	1	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	1	1	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
CALIFORNIA -----	15	15	30	43	70	145	214	256	177	63	11	-
WHITE-----MALE----	10	7	16	21	36	67	84	89	52	15	2	-
FEMALE--	2	6	10	17	26	67	112	156	118	44	8	-
ALL OTHER--MALE----	2	2	3	2	1	6	10	6	4	1	-	-
FEMALE--	1	-	1	3	7	5	8	5	3	3	1	-
BLACK---MALE----	2	2	2	2	-	3	3	1	1	-	-	-
FEMALE--	1	-	1	1	3	2	5	2	2	1	1	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,658  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 AORTIC VALVE DISORDERS (424.1)												
COLORADO -----	1	-	2	4	10	16	20	19	18	3	1	-
WHITE-----MALE----	-	-	1	3	3	11	8	6	7	1	-	-
FEMALE--	1	-	1	1	7	5	11	12	11	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	2	4	1	11	19	36	32	28	13	3	-
WHITE-----MALE----	1	-	-	-	8	10	18	11	8	2	1	-
FEMALE--	-	2	3	1	3	7	15	21	20	10	2	-
ALL OTHER--MALE----	-	-	1	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	1	-	-	1	-	-
BLACK---MALE----	-	-	1	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	1	-	-
DELAWARE -----	-	-	2	1	2	5	3	6	7	1	-	-
WHITE-----MALE----	-	-	2	-	1	2	1	3	3	1	-	-
FEMALE--	-	-	-	-	-	2	1	3	3	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	1	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	2	2	3	6	4	4	3	-	-
WHITE-----MALE----	-	-	-	-	-	-	2	1	-	-	-	-
FEMALE--	-	-	-	2	1	2	2	1	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	2	2	-	-
BLACK---MALE----	-	-	-	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	2	2	-	-
FLORIDA -----	12	5	17	38	51	106	147	217	105	26	3	-
WHITE-----MALE----	6	4	12	15	29	54	63	78	33	5	-	-
FEMALE--	3	1	2	17	19	50	73	137	69	19	3	-
ALL OTHER--MALE----	1	-	1	5	2	-	5	-	-	-	-	-
FEMALE--	2	-	2	1	1	2	6	2	3	2	-	-
BLACK---MALE----	1	-	1	5	2	-	5	-	-	-	-	-
FEMALE--	2	-	2	-	1	2	6	2	3	1	-	-
GEORGIA -----	2	5	6	8	23	34	32	39	18	5	5	-
WHITE-----MALE----	-	3	1	5	12	15	11	13	2	-	-	-
FEMALE--	1	1	4	1	9	14	16	21	14	5	3	-
ALL OTHER--MALE----	1	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	1	1	2	2	3	5	5	2	-	2	-
BLACK---MALE----	1	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	1	1	2	2	3	5	5	1	-	2	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,659  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 AORTIC VALVE DISORDERS (424.1)												
HAWAII -----	-	3	2	2	6	4	6	17	8	5	-	-
WHITE-----MALE----	-	-	-	-	-	2	-	2	3	1	-	-
FEMALE--	-	-	1	-	-	-	1	3	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	5	-	2	5	2	2	-	-
FEMALE--	-	3	1	2	1	2	3	7	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	-	3	3	7	13	7	9	4	2	-
WHITE-----MALE----	-	-	-	1	2	4	9	3	1	1	-	-
FEMALE--	-	-	-	2	1	3	4	4	8	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	6	7	7	20	51	56	84	107	70	17	4	-
WHITE-----MALE----	6	2	4	6	31	30	36	39	16	2	1	-
FEMALE--	-	3	1	9	19	22	46	60	52	14	3	-
ALL OTHER--MALE----	-	2	2	4	-	2	1	2	-	1	-	-
FEMALE--	-	-	-	1	1	2	1	6	2	-	-	-
BLACK---MALE----	-	2	2	4	-	2	1	2	-	1	-	-
FEMALE--	-	-	-	1	1	2	1	5	1	-	-	-
INDIANA -----	2	5	12	11	17	23	41	54	31	7	1	-
WHITE-----MALE----	1	3	7	5	8	10	17	16	10	-	-	-
FEMALE--	-	2	5	5	8	13	24	36	21	6	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	1	-	-	1	1	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	1	-	-	1	1	-	-	-	-	1	-	-
IOWA -----	-	-	3	4	10	24	29	38	32	9	5	-
WHITE-----MALE----	-	-	2	4	6	12	16	8	8	1	1	-
FEMALE--	-	-	1	-	4	12	13	30	24	8	4	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	2	-	3	6	6	17	32	25	27	7	2	-
WHITE-----MALE----	1	-	3	6	1	8	5	4	10	3	-	-
FEMALE--	1	-	-	-	4	9	26	20	16	4	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,660  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 AORTIC VALVE DISORDERS (424.1)												
KENTUCKY -----	6	-	1	9	14	13	13	18	11	7	2	-
WHITE-----MALE----	5	-	1	6	6	11	3	6	3	1	1	-
FEMALE--	1	-	-	-	6	2	9	11	8	6	1	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	1	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	1	-	1	1	-	-	-	-
LOUISIANA -----	1	2	4	8	7	12	23	25	18	4	3	-
WHITE-----MALE----	1	2	3	5	1	8	4	4	7	1	-	-
FEMALE--	-	-	-	2	3	3	14	19	9	3	2	-
ALL OTHER--MALE----	-	-	-	1	1	1	3	-	1	-	-	-
FEMALE--	-	-	1	-	2	-	2	2	1	-	1	-
BLACK---MALE----	-	-	-	1	1	1	3	-	1	-	-	-
FEMALE--	-	-	1	-	2	-	2	2	1	-	1	-
MAINE -----	1	2	-	2	5	8	12	19	14	1	1	-
WHITE-----MALE----	1	1	-	1	3	1	5	7	2	-	-	-
FEMALE--	-	1	-	1	2	7	7	12	11	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
MARYLAND -----	3	4	7	6	12	27	23	34	24	11	-	-
WHITE-----MALE----	2	2	4	3	3	13	8	9	5	3	-	-
FEMALE--	-	-	-	2	6	12	12	19	17	7	-	-
ALL OTHER--MALE----	1	2	2	1	-	1	1	2	-	-	-	-
FEMALE--	-	-	1	-	3	1	2	4	2	1	-	-
BLACK---MALE----	1	1	2	1	-	1	1	2	-	-	-	-
FEMALE--	-	-	1	-	3	1	2	4	2	1	-	-
MASSACHUSETTS -----	-	2	2	6	17	28	63	84	63	23	4	-
WHITE-----MALE----	-	1	-	4	10	10	20	26	14	3	2	-
FEMALE--	-	1	2	1	6	17	41	57	47	20	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	1	-	-	-
FEMALE--	-	-	-	1	-	1	1	1	1	-	1	-
BLACK---MALE----	-	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	1	-	1	1	-	1	-
MICHIGAN -----	3	4	11	17	31	37	66	71	51	23	4	-
WHITE-----MALE----	1	2	7	12	14	14	28	19	20	6	-	-
FEMALE--	-	1	3	3	14	18	33	49	30	15	4	-
ALL OTHER--MALE----	1	-	-	-	1	1	1	3	-	-	-	-
FEMALE--	1	1	1	2	2	4	4	-	1	2	-	-
BLACK---MALE----	1	-	-	-	1	1	1	2	-	-	-	-
FEMALE--	1	1	1	2	2	4	4	-	1	2	-	-













TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,663  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 AORTIC VALVE DISORDERS (424.1)												
OHIO -----	6	11	7	27	42	54	85	95	63	17	2	-
WHITE-----MALE----	4	5	4	11	15	28	33	24	12	1	-	-
FEMALE--	2	5	3	12	23	21	48	67	49	15	2	-
ALL OTHER--MALE----	-	1	-	3	2	4	2	-	-	-	-	-
FEMALE--	-	-	-	1	2	1	2	4	2	1	-	-
BLACK---MALE----	-	1	-	3	2	4	2	-	-	-	-	-
FEMALE--	-	-	-	1	2	1	2	4	2	1	-	-
OKLAHOMA -----	3	6	5	4	17	20	26	24	20	5	2	-
WHITE-----MALE----	2	4	2	2	12	9	14	11	7	-	-	-
FEMALE--	-	1	2	2	4	10	9	12	12	5	1	-
ALL OTHER--MALE----	-	1	-	-	1	1	1	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	2	1	1	-	1	-
BLACK---MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	1	-	1	-
OREGON -----	1	5	2	8	22	26	31	47	24	18	4	-
WHITE-----MALE----	1	3	1	4	11	17	15	17	6	5	1	-
FEMALE--	-	2	1	4	10	9	15	30	17	13	3	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
PENNSYLVANIA -----	1	8	15	35	58	126	166	206	110	53	11	-
WHITE-----MALE----	1	5	9	22	34	62	72	66	34	15	-	-
FEMALE--	-	2	6	11	22	61	92	134	73	38	11	-
ALL OTHER--MALE----	-	-	-	1	1	2	2	3	1	-	-	-
FEMALE--	-	1	-	1	1	1	-	3	2	-	-	-
BLACK---MALE----	-	-	-	1	1	2	2	3	1	-	-	-
FEMALE--	-	1	-	1	1	1	-	3	2	-	-	-
RHODE ISLAND -----	2	-	-	2	8	7	7	8	8	4	1	-
WHITE-----MALE----	2	-	-	2	4	3	1	3	1	-	-	-
FEMALE--	-	-	-	-	3	4	6	5	7	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	1	1	6	14	27	25	14	13	2	2	-
WHITE-----MALE----	1	1	1	2	7	8	7	2	3	-	-	-
FEMALE--	-	-	-	3	4	9	12	10	8	1	-	-
ALL OTHER--MALE----	-	-	-	-	2	3	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	7	5	2	2	1	2	-
BLACK---MALE----	-	-	-	-	2	3	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	7	5	2	2	1	2	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,664  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 AORTIC VALVE DISORDERS (424.1)												
SOUTH DAKOTA -----	-	1	-	1	2	2	6	2	4	4	-	-
WHITE-----MALE----	-	1	-	1	1	2	4	1	-	1	-	-
FEMALE--	-	-	-	-	-	-	2	1	4	3	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1	3	5	11	12	23	31	30	16	7	-	-
WHITE-----MALE----	-	-	2	10	7	7	13	8	3	-	-	-
FEMALE--	1	1	2	-	5	14	17	20	13	7	-	-
ALL OTHER--MALE----	-	1	1	1	-	1	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	1	1	1	-	-	-	-
BLACK---MALE----	-	1	1	1	-	1	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	1	1	1	-	-	-	-
TEXAS -----	10	8	19	31	56	62	105	104	63	11	3	-
WHITE-----MALE----	3	3	11	17	25	28	49	32	21	3	-	-
FEMALE--	7	1	7	8	20	26	49	67	38	8	3	-
ALL OTHER--MALE----	-	2	1	4	3	4	3	1	-	-	-	-
FEMALE--	-	2	-	2	8	4	4	4	4	-	-	-
BLACK---MALE----	-	2	1	4	2	4	3	1	-	-	-	-
FEMALE--	-	2	-	2	8	4	4	4	4	-	-	-
UTAH -----	-	1	-	2	7	4	7	12	6	3	-	-
WHITE-----MALE----	-	-	-	2	3	4	3	5	2	1	-	-
FEMALE--	-	1	-	-	4	-	4	7	4	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	1	1	2	5	6	8	7	4	-	-
WHITE-----MALE----	-	-	1	1	1	1	4	5	4	-	-	-
FEMALE--	-	-	-	-	1	4	2	3	3	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	3	4	6	2	21	35	52	47	44	8	1	-
WHITE-----MALE----	2	3	2	1	7	10	18	7	6	1	-	-
FEMALE--	-	1	1	-	8	17	30	37	33	6	1	-
ALL OTHER--MALE----	1	-	3	1	3	3	1	2	3	-	-	-
FEMALE--	-	-	-	-	3	5	3	1	2	1	-	-
BLACK---MALE----	1	-	3	1	3	3	1	2	3	-	-	-
FEMALE--	-	-	-	-	3	5	3	1	2	1	-	-









TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,666  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER DISEASES OF ENDOCARDIUM (424.2-424.9)												
0 UNITED STATES --	76	104	162	243	405	553	695	631	387	123	23	-
WHITE-----MALE----	31	43	73	113	175	211	247	176	104	21	4	-
FEMALE--	20	42	61	93	184	307	414	411	271	100	18	-
ALL OTHER--MALE----	14	7	16	15	15	15	19	18	3	1	-	-
FEMALE--	11	12	12	22	31	20	15	26	9	1	1	-
BLACK---MALE----	13	5	14	13	11	12	13	12	3	1	-	-
FEMALE--	10	11	11	17	27	17	12	21	7	1	1	-
ALABAMA -----	-	2	3	6	5	7	9	9	1	1	-	-
WHITE-----MALE----	-	1	2	4	-	6	5	2	-	1	-	-
FEMALE--	-	1	1	-	5	1	3	6	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	1	2	2	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ARIZONA -----	1	1	3	7	8	9	14	18	10	2	-	-
WHITE-----MALE----	1	-	1	2	3	4	6	10	5	1	-	-
FEMALE--	-	1	2	4	3	4	7	7	5	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	2	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ARKANSAS -----	2	-	1	1	1	5	7	6	2	-	1	-
WHITE-----MALE----	-	-	-	-	-	3	5	2	-	-	1	-
FEMALE--	2	-	-	1	-	2	1	4	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	1	-	-	-	-	-
CALIFORNIA -----	3	6	9	22	31	44	56	57	28	14	2	-
WHITE-----MALE----	2	2	3	11	15	17	18	17	8	2	-	-
FEMALE--	1	4	4	9	13	24	35	32	19	12	2	-
ALL OTHER--MALE----	-	-	2	1	3	2	1	5	-	-	-	-
FEMALE--	-	-	-	1	-	1	2	3	1	-	-	-
BLACK---MALE----	-	-	2	-	1	1	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,667  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER DISEASES OF ENDOCARDIUM (424.2-424.9)												
COLORADO -----	43	-	-	1	-	-	-	-	-	-	-	1
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	30	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	44	-	-	-	-	-	-	-	-	1	1	1
WHITE-----MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	31	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	7	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	9	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	254	-	-	-	-	-	-	1	1	3	6	3
WHITE-----MALE----	100	-	-	-	-	-	-	1	-	3	2	3
FEMALE--	133	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	8	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	12	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	8	-	-	-	-	-	-	-	1	-	-	-
GEORGIA -----	67	-	-	-	-	-	-	1	2	-	1	6
WHITE-----MALE----	22	-	-	-	-	-	-	1	1	-	1	1
FEMALE--	28	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	4
FEMALE--	10	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	4
FEMALE--	10	-	-	-	-	-	-	-	1	-	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,667  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER DISEASES OF ENDOCARDIUM (424.2-424.9)												
COLORADO -----	1	3	1	2	5	2	11	9	6	1	-	-
WHITE-----MALE----	-	2	1	1	3	-	1	3	-	1	-	-
FEMALE--	1	1	-	1	2	2	10	6	6	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	1	1	4	5	13	8	9	-	-	-
WHITE-----MALE----	-	-	-	-	2	1	4	1	3	-	-	-
FEMALE--	-	-	1	1	2	4	9	7	5	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
DELAWARE -----	1	-	-	-	1	2	3	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	1	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	1	-	1	3	2	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	1	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	1	-	-	-	-
FLORIDA -----	5	8	15	12	31	41	53	43	24	8	-	-
WHITE-----MALE----	3	1	8	8	11	15	21	14	8	2	-	-
FEMALE--	-	4	5	3	15	24	32	27	16	5	-	-
ALL OTHER--MALE----	1	2	1	-	3	1	-	2	-	1	-	-
FEMALE--	1	1	1	1	2	1	-	-	-	-	-	-
BLACK---MALE----	1	1	1	-	3	1	-	2	-	1	-	-
FEMALE--	1	1	1	1	2	1	-	-	-	-	-	-
GEORGIA -----	1	1	2	5	2	11	13	12	8	1	1	-
WHITE-----MALE----	-	1	1	3	1	2	3	3	4	-	-	-
FEMALE--	-	-	-	2	-	5	9	7	4	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	1	-	-	-	-
FEMALE--	1	-	-	-	1	4	-	1	-	-	1	-
BLACK---MALE----	-	-	1	-	-	-	1	1	-	-	-	-
FEMALE--	1	-	-	-	1	4	-	1	-	-	1	-









TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,669  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER DISEASES OF ENDOCARDIUM (424.2-424.9)												
KENTUCKY -----	1	2	-	2	5	4	4	5	4	-	-	-
WHITE-----MALE----	-	2	-	1	2	2	2	-	-	-	-	-
FEMALE--	-	-	-	-	2	2	2	5	3	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	1	-	-	-
LOUISIANA -----	2	1	3	2	7	6	7	8	3	2	-	-
WHITE-----MALE----	-	1	1	1	4	3	2	1	-	-	-	-
FEMALE--	1	-	1	1	3	2	4	5	3	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	1	-	1	-	-
BLACK---MALE----	1	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	1	-	1	-	-
MAINE -----	-	-	1	3	-	4	6	5	4	-	1	-
WHITE-----MALE----	-	-	-	1	-	-	1	-	1	-	-	-
FEMALE--	-	-	1	2	-	4	5	5	3	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3	2	3	6	6	7	8	8	5	2	-	-
WHITE-----MALE----	1	1	1	1	3	1	2	1	-	-	-	-
FEMALE--	-	1	1	4	1	5	6	4	5	2	-	-
ALL OTHER--MALE----	2	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	2	-	-	3	-	-	-	-
BLACK---MALE----	2	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	2	-	-	3	-	-	-	-
MASSACHUSETTS -----	2	3	4	3	7	11	9	23	12	4	2	-
WHITE-----MALE----	2	2	-	2	3	3	2	8	5	-	-	-
FEMALE--	-	1	3	1	4	8	7	15	7	4	2	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	6	4	6	15	20	28	15	19	12	5	1	-
WHITE-----MALE----	2	2	3	4	8	14	7	7	5	-	-	-
FEMALE--	2	2	2	5	11	14	7	11	6	5	1	-
ALL OTHER--MALE----	1	-	1	4	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	2	1	-	1	1	-	-	-	-
BLACK---MALE----	1	-	1	4	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	2	1	-	1	1	-	-	-	-











TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,672  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER DISEASES OF ENDOCARDIUM (424.2-424.9)												
OHIO -----	4	5	8	17	20	26	27	29	20	6	3	-
WHITE-----MALE----	2	1	3	10	10	12	9	11	7	1	1	-
FEMALE--	2	3	2	5	9	14	17	16	13	5	2	-
ALL OTHER--MALE----	-	1	2	1	-	-	1	1	-	-	-	-
FEMALE--	-	-	1	1	1	-	-	1	-	-	-	-
BLACK---MALE----	-	1	1	1	-	-	1	1	-	-	-	-
FEMALE--	-	-	1	1	1	-	-	1	-	-	-	-
OKLAHOMA -----	2	1	2	2	3	14	10	10	5	1	-	-
WHITE-----MALE----	2	-	-	2	2	6	4	3	-	1	-	-
FEMALE--	-	1	2	-	1	7	6	6	5	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	1	2	4	5	9	7	13	11	11	2	-	-
WHITE-----MALE----	-	1	2	3	4	4	3	3	5	1	-	-
FEMALE--	-	1	1	1	5	3	10	7	6	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	5	7	10	15	32	39	46	45	34	12	3	-
WHITE-----MALE----	2	3	8	5	11	12	13	13	7	2	-	-
FEMALE--	2	4	1	9	19	26	32	27	25	10	3	-
ALL OTHER--MALE----	1	-	1	1	1	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	3	2	-	-	-
BLACK---MALE----	1	-	1	1	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	3	2	-	-	-
RHODE ISLAND -----	-	1	-	1	2	4	2	5	1	2	-	-
WHITE-----MALE----	-	1	-	-	1	2	-	2	-	1	-	-
FEMALE--	-	-	-	1	1	2	2	3	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	2	5	1	3	2	10	5	8	1	-	1	-
WHITE-----MALE----	1	-	1	2	-	5	1	1	-	-	1	-
FEMALE--	-	2	-	1	2	3	4	5	1	-	-	-
ALL OTHER--MALE----	1	2	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	2	-	1	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	2	-	1	-	-	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,673  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER DISEASES OF ENDOCARDIUM (424.2-424.9)												
SOUTH DAKOTA -----	-	-	1	2	-	1	5	-	1	-	-	-
WHITE-----MALE----	-	-	-	2	-	-	3	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	3	3	4	6	9	15	9	6	1	2	-
WHITE-----MALE----	-	2	1	2	2	2	6	3	-	-	1	-
FEMALE--	-	1	2	-	2	6	8	6	6	1	1	-
ALL OTHER--MALE----	-	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	-	-	-	-	-
TEXAS -----	4	2	14	11	18	26	22	23	21	4	1	-
WHITE-----MALE----	1	2	6	4	8	7	6	5	5	1	-	-
FEMALE--	2	-	5	3	7	17	16	15	16	3	1	-
ALL OTHER--MALE----	-	-	1	1	1	2	-	-	-	-	-	-
FEMALE--	1	-	2	3	2	-	-	3	-	-	-	-
BLACK---MALE----	-	-	1	1	1	2	-	-	-	-	-	-
FEMALE--	1	-	2	3	2	-	-	3	-	-	-	-
UTAH -----	1	1	3	2	6	5	10	2	4	-	-	-
WHITE-----MALE----	1	1	2	-	2	1	4	1	2	-	-	-
FEMALE--	-	-	1	2	4	4	6	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	2	-	1	-	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	1	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	9	4	3	8	18	14	10	4	2	-	-
WHITE-----MALE----	-	3	1	2	3	8	7	-	1	1	-	-
FEMALE--	-	3	2	-	3	9	5	10	3	1	-	-
ALL OTHER--MALE----	-	1	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	2	1	1	1	-	2	-	-	-	-	-
BLACK---MALE----	-	1	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	2	1	1	1	-	2	-	-	-	-	-







TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,675  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HEART FAILURE (428)												
0 UNITED STATES --	383	662	1,215	2,221	3,814	5,870	8,708	9,978	8,251	3,737	1,017	1
WHITE-----MALE----	167	319	574	1,065	1,756	2,466	3,320	3,046	2,033	726	152	-
FEMALE--	100	173	391	809	1,529	2,745	4,688	6,207	5,708	2,780	762	1
ALL OTHER--MALE----	72	88	135	177	242	290	272	260	141	50	21	-
FEMALE--	44	82	115	170	287	369	428	465	369	181	82	-
BLACK---MALE----	64	81	126	170	219	267	237	223	124	47	20	-
FEMALE--	40	77	104	152	264	331	392	419	327	167	81	-
ALABAMA -----	21	39	58	97	171	213	353	426	280	99	29	-
WHITE-----MALE----	10	19	27	44	63	79	106	106	53	8	1	-
FEMALE--	2	7	12	37	66	97	193	256	174	65	16	-
ALL OTHER--MALE----	7	6	12	9	27	15	20	27	18	3	4	-
FEMALE--	2	7	7	7	15	22	34	37	35	23	8	-
BLACK---MALE----	7	6	12	9	27	15	20	27	18	3	4	-
FEMALE--	2	7	7	7	15	22	34	37	34	23	8	-
ALASKA -----	1	-	4	1	2	4	6	4	8	3	1	-
WHITE-----MALE----	-	-	4	1	-	3	3	1	-	2	-	-
FEMALE--	-	-	-	-	-	1	2	2	3	1	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	1	-	-	-	1	-
FEMALE--	-	-	-	-	1	-	-	1	5	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	6	4	10	25	46	72	77	98	77	25	11	-
WHITE-----MALE----	4	3	7	14	19	37	40	27	25	10	1	-
FEMALE--	-	1	3	10	25	30	36	64	46	14	9	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	1	1	-	-	-
FEMALE--	1	-	-	1	2	5	-	6	5	1	1	-
BLACK---MALE----	1	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
ARKANSAS -----	10	20	26	58	99	122	200	246	200	68	14	-
WHITE-----MALE----	6	11	12	34	50	54	77	83	45	11	3	-
FEMALE--	3	6	7	15	35	56	103	140	133	47	9	-
ALL OTHER--MALE----	-	1	4	4	3	4	6	6	3	2	-	-
FEMALE--	1	2	3	5	11	8	14	17	19	8	2	-
BLACK---MALE----	-	1	4	4	3	4	6	6	3	2	-	-
FEMALE--	1	2	3	5	11	7	14	17	19	7	2	-
CALIFORNIA -----	24	21	57	104	180	279	405	497	419	209	55	-
WHITE-----MALE----	9	11	30	43	66	113	162	158	113	44	8	-
FEMALE--	8	6	20	47	86	130	206	293	273	158	44	-
ALL OTHER--MALE----	4	3	4	8	15	18	19	20	8	1	-	-
FEMALE--	3	1	3	6	13	18	18	26	25	6	3	-
BLACK---MALE----	2	2	4	6	6	14	9	5	3	-	-	-
FEMALE--	3	1	1	3	10	10	11	16	10	2	3	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,676  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 HEART FAILURE (428)												
COLORADO -----	643	-	-	-	-	-	-	-	-	3	-	1
WHITE-----MALE----	236	-	-	-	-	-	-	-	-	2	-	1
FEMALE--	389	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	591	1	-	-	-	-	1	-	1	1	1	-
WHITE-----MALE----	216	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	352	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	11	-	-	-	-	-	1	-	-	1	1	-
FEMALE--	12	1	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	11	-	-	-	-	-	1	-	-	1	1	-
FEMALE--	12	1	-	-	-	-	-	-	1	-	-	-
DELAWARE -----	124	-	-	-	-	-	-	-	-	1	1	1
WHITE-----MALE----	30	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	78	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	1	-	-
DISTRICT OF COLUMBIA ----	101	-	-	-	-	-	-	-	-	2	2	1
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	26	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	34	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	32	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	34	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	32	-	-	-	-	-	-	-	-	1	-	-
FLORIDA -----	1,150	-	-	-	-	-	1	-	-	2	3	6
WHITE-----MALE----	438	-	-	-	-	-	1	-	-	1	2	4
FEMALE--	626	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	30	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	56	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	30	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	55	-	-	-	-	-	-	-	-	-	-	1
GEORGIA -----	1,405	-	-	-	1	1	2	1	2	5	4	14
WHITE-----MALE----	421	-	-	-	1	-	-	-	-	3	-	5
FEMALE--	674	-	-	-	-	-	-	-	1	-	1	2
ALL OTHER--MALE----	122	-	-	-	-	1	-	1	-	-	1	6
FEMALE--	188	-	-	-	-	-	2	-	1	2	2	1
BLACK---MALE----	121	-	-	-	-	1	-	1	-	-	1	6
FEMALE--	185	-	-	-	-	-	2	-	1	2	2	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,676  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HEART FAILURE (428)												
COLORADO -----	6	4	14	21	44	63	112	170	121	65	19	-
WHITE-----MALE----	2	3	7	13	26	28	46	61	27	17	3	-
FEMALE--	3	1	5	8	16	34	64	107	91	45	14	-
ALL OTHER--MALE----	1	-	1	-	1	-	1	-	2	1	1	-
FEMALE--	-	-	1	-	1	1	1	2	1	2	1	-
BLACK---MALE----	-	-	1	-	1	-	1	-	-	1	1	-
FEMALE--	-	-	-	-	1	-	1	2	1	2	1	-
CONNECTICUT -----	4	3	14	19	45	79	107	132	107	62	14	-
WHITE-----MALE----	2	2	7	10	26	42	41	44	28	12	2	-
FEMALE--	1	-	5	9	18	33	66	86	74	48	12	-
ALL OTHER--MALE----	1	-	2	-	1	2	-	-	1	1	-	-
FEMALE--	-	1	-	-	-	2	-	2	4	1	-	-
BLACK---MALE----	1	-	2	-	1	2	-	-	1	1	-	-
FEMALE--	-	1	-	-	-	2	-	2	4	1	-	-
DELAWARE -----	2	1	4	6	5	20	21	29	17	15	1	-
WHITE-----MALE----	-	-	-	2	-	6	4	10	4	3	-	-
FEMALE--	2	1	4	2	4	13	12	15	11	12	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	2	-	1	-	-	-
FEMALE--	-	-	-	2	1	-	3	4	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	2	-	1	-	-	-
FEMALE--	-	-	-	2	1	-	3	4	1	-	-	-
DISTRICT OF COLUMBIA ----	-	2	6	8	7	14	19	21	5	12	2	-
WHITE-----MALE----	-	-	-	3	-	-	1	3	-	2	-	-
FEMALE--	-	-	1	-	2	2	7	7	1	6	-	-
ALL OTHER--MALE----	-	1	3	3	4	7	5	5	-	2	-	-
FEMALE--	-	1	2	2	1	5	6	6	4	2	2	-
BLACK---MALE----	-	1	3	3	4	7	5	5	-	2	-	-
FEMALE--	-	1	2	2	1	5	6	6	4	2	2	-
FLORIDA -----	7	7	25	45	83	136	192	197	293	114	39	-
WHITE-----MALE----	3	1	11	20	44	60	79	80	99	28	5	-
FEMALE--	1	3	11	18	32	62	98	109	178	81	32	-
ALL OTHER--MALE----	2	1	1	4	4	6	4	3	2	1	-	-
FEMALE--	1	2	2	3	3	8	11	5	14	4	2	-
BLACK---MALE----	2	1	1	4	4	6	4	3	2	1	-	-
FEMALE--	1	2	2	3	3	7	11	5	14	4	2	-
GEORGIA -----	24	26	48	67	132	190	284	258	232	93	21	-
WHITE-----MALE----	12	10	17	26	47	66	92	66	56	19	1	-
FEMALE--	4	2	12	23	49	74	130	144	150	66	16	-
ALL OTHER--MALE----	4	5	12	8	18	22	21	17	2	3	1	-
FEMALE--	4	9	7	10	18	28	41	31	24	5	3	-
BLACK---MALE----	4	5	12	8	18	22	20	17	2	3	1	-
FEMALE--	4	7	7	9	18	28	41	31	24	5	3	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,677  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HEART FAILURE (428)												
HAWAII -----	1	2	5	4	6	9	11	26	16	6	-	-
WHITE-----MALE----	-	-	-	1	2	2	-	4	1	1	-	-
FEMALE--	-	-	2	-	1	1	3	6	4	1	-	-
ALL OTHER--MALE----	-	1	1	1	1	3	5	9	5	2	-	-
FEMALE--	1	1	2	2	2	3	3	7	6	2	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	2	1	2	11	16	27	52	45	40	32	4	-
WHITE-----MALE----	1	1	1	7	7	14	18	20	10	8	1	-
FEMALE--	1	-	1	4	6	13	34	25	30	24	3	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ILLINOIS -----	19	35	69	126	234	307	478	566	482	210	57	-
WHITE-----MALE----	7	12	31	60	115	131	188	183	112	35	10	-
FEMALE--	7	11	17	40	79	141	253	346	339	169	43	-
ALL OTHER--MALE----	3	6	11	11	15	14	15	11	6	2	2	-
FEMALE--	2	6	10	15	25	21	22	26	25	4	2	-
BLACK---MALE----	3	6	11	11	15	14	13	10	6	2	2	-
FEMALE--	2	6	10	15	25	20	21	25	21	3	2	-
INDIANA -----	12	23	23	74	105	223	298	335	271	131	38	-
WHITE-----MALE----	7	10	13	35	48	99	110	111	69	21	6	-
FEMALE--	4	10	7	28	50	109	173	208	195	109	29	-
ALL OTHER--MALE----	-	2	2	6	2	4	6	3	-	-	-	-
FEMALE--	1	1	1	5	5	11	9	13	7	1	3	-
BLACK---MALE----	-	2	2	6	2	4	6	3	-	-	-	-
FEMALE--	1	1	1	5	5	11	8	12	7	1	3	-
IOWA -----	1	-	4	8	13	24	37	38	48	26	6	-
WHITE-----MALE----	1	-	4	3	5	11	15	14	10	6	-	-
FEMALE--	-	-	-	4	8	13	22	24	37	19	6	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	1	-	-
KANSAS -----	6	6	16	26	55	80	125	206	186	82	20	-
WHITE-----MALE----	3	2	7	16	29	34	55	58	53	18	6	-
FEMALE--	2	2	8	9	21	42	68	143	126	62	14	-
ALL OTHER--MALE----	1	2	1	1	3	2	1	2	3	-	-	-
FEMALE--	-	-	-	-	2	2	1	3	4	2	-	-
BLACK---MALE----	1	2	1	1	3	2	1	1	3	-	-	-
FEMALE--	-	-	-	-	1	1	1	3	4	2	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,678  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HEART FAILURE (428)												
KENTUCKY -----	13	22	42	80	113	165	238	235	199	76	21	-
WHITE-----MALE----	5	17	26	35	61	73	82	72	48	12	5	-
FEMALE--	5	4	14	36	43	81	146	160	144	57	14	-
ALL OTHER--MALE----	1	-	-	5	2	7	3	1	3	1	-	-
FEMALE--	2	1	2	4	7	4	7	2	4	6	2	-
BLACK---MALE----	1	-	-	5	2	7	3	1	3	1	-	-
FEMALE--	1	1	2	4	7	4	7	2	3	6	2	-
LOUISIANA -----	11	15	45	48	91	128	188	198	114	45	14	-
WHITE-----MALE----	2	6	15	17	37	44	50	53	23	11	-	-
FEMALE--	1	1	15	20	28	53	102	107	64	22	7	-
ALL OTHER--MALE----	6	4	9	6	7	17	18	17	9	3	2	-
FEMALE--	2	4	6	5	19	14	18	21	18	9	5	-
BLACK---MALE----	6	4	9	6	7	17	18	17	9	3	2	-
FEMALE--	2	4	6	5	19	14	18	21	18	9	5	-
MAINE -----	-	3	7	13	19	35	49	68	46	30	4	-
WHITE-----MALE----	-	1	2	5	14	17	14	26	11	6	2	-
FEMALE--	-	2	5	8	5	18	35	42	35	24	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	13	8	18	37	65	96	127	145	91	42	11	-
WHITE-----MALE----	4	3	8	14	26	36	50	44	26	7	3	-
FEMALE--	5	3	3	12	25	46	57	86	56	31	5	-
ALL OTHER--MALE----	3	1	5	5	4	3	7	7	5	-	-	-
FEMALE--	1	1	2	6	10	11	13	8	4	4	3	-
BLACK---MALE----	3	1	5	5	4	3	7	7	5	-	-	-
FEMALE--	1	1	1	6	10	11	13	8	4	4	3	-
MASSACHUSETTS -----	7	9	22	60	86	178	293	374	305	161	45	-
WHITE-----MALE----	4	8	15	33	38	74	131	111	68	24	9	-
FEMALE--	3	1	7	24	43	95	156	256	233	134	33	-
ALL OTHER--MALE----	-	-	-	2	2	2	-	2	1	-	1	-
FEMALE--	-	-	-	1	3	7	6	5	3	3	2	-
BLACK---MALE----	-	-	-	2	2	2	-	-	1	-	1	-
FEMALE--	-	-	-	1	3	6	5	5	3	3	2	-
MICHIGAN -----	9	26	43	82	140	247	365	345	344	137	46	-
WHITE-----MALE----	2	12	21	35	55	102	131	101	83	31	4	-
FEMALE--	3	5	12	30	63	112	196	219	251	99	37	-
ALL OTHER--MALE----	4	5	5	7	10	16	10	6	2	3	2	-
FEMALE--	-	4	5	10	12	17	28	19	8	4	3	-
BLACK---MALE----	4	4	4	7	9	15	7	5	1	3	2	-
FEMALE--	-	4	4	8	11	16	26	19	8	4	3	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,679  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 HEART FAILURE (428)												
MINNESOTA -----	884	-	-	-	-	-	-	-	-	1	-	1
WHITE-----MALE----	354	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	519	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	1,124	1	-	-	-	1	2	-	2	4	13	19
WHITE-----MALE----	311	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	480	-	-	-	-	1	-	-	-	1	3	1
ALL OTHER--MALE----	147	1	-	-	-	-	1	-	-	1	8	7
FEMALE--	186	-	-	-	-	-	1	-	1	2	2	9
BLACK---MALE----	145	1	-	-	-	-	1	-	-	1	8	7
FEMALE--	186	-	-	-	-	-	1	-	1	2	2	9
MISSOURI -----	1,252	-	-	-	-	-	-	-	-	1	4	6
WHITE-----MALE----	435	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	747	-	-	-	-	-	-	-	-	-	1	4
ALL OTHER--MALE----	31	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	39	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	31	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	38	-	-	-	-	-	-	-	-	1	-	-
MONTANA -----	214	-	-	-	-	1	-	-	-	-	-	1
WHITE-----MALE----	93	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	114	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	534	-	-	-	-	-	-	-	-	-	1	4
WHITE-----MALE----	218	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	304	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	291	-	-	-	-	-	-	-	-	2	-	3
WHITE-----MALE----	131	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	147	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,679  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HEART FAILURE (428)												
MINNESOTA -----	2	7	9	26	57	91	152	216	177	102	43	-
WHITE-----MALE----	2	6	7	14	31	51	70	77	64	25	6	-
FEMALE--	-	1	2	11	24	38	80	137	113	76	36	-
ALL OTHER--MALE----	-	-	-	1	2	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	1	1	-
BLACK---MALE----	-	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	1	1	-
MISSISSIPPI -----	17	37	41	71	97	139	212	216	158	72	22	-
WHITE-----MALE----	1	13	18	30	33	37	71	59	32	13	1	-
FEMALE--	5	7	8	19	32	50	92	108	100	42	11	-
ALL OTHER--MALE----	5	8	8	10	18	24	16	26	9	4	1	-
FEMALE--	6	9	7	12	14	28	33	23	17	13	9	-
BLACK---MALE----	4	8	8	9	18	24	16	26	9	4	1	-
FEMALE--	6	9	7	12	14	28	33	23	17	13	9	-
MISSOURI -----	12	18	38	38	98	157	218	296	234	92	40	-
WHITE-----MALE----	9	9	22	22	51	62	89	95	50	18	5	-
FEMALE--	-	6	11	11	42	83	121	183	180	71	34	-
ALL OTHER--MALE----	2	2	2	3	5	6	4	4	1	-	-	-
FEMALE--	1	1	3	2	-	6	4	14	3	3	1	-
BLACK---MALE----	2	2	2	3	5	6	4	4	1	-	-	-
FEMALE--	1	1	3	2	-	6	4	13	3	3	1	-
MONTANA -----	-	4	4	8	19	31	39	40	45	19	3	-
WHITE-----MALE----	-	3	4	6	10	13	21	11	12	10	2	-
FEMALE--	-	1	-	1	8	14	18	28	33	9	1	-
ALL OTHER--MALE----	-	-	-	-	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	2	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	8	13	13	20	41	71	96	98	107	54	8	-
WHITE-----MALE----	4	9	9	14	21	34	47	26	32	19	-	-
FEMALE--	3	4	3	6	18	34	48	68	75	35	8	-
ALL OTHER--MALE----	1	-	1	-	1	1	-	2	-	-	-	-
FEMALE--	-	-	-	-	1	2	1	2	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	2	-	-	-	-
FEMALE--	-	-	-	-	1	2	1	2	-	-	-	-
NEVADA -----	3	8	10	28	36	55	65	36	32	8	5	-
WHITE-----MALE----	1	5	4	20	24	32	27	9	5	-	1	-
FEMALE--	2	-	6	5	12	22	36	26	25	8	4	-
ALL OTHER--MALE----	-	2	-	2	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	1	-	1	2	-	2	-	-	-
BLACK---MALE----	-	1	-	2	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	1	1	-	2	-	-	-







TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,681  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 HEART FAILURE (428)												
OHIO -----	2,203	2	-	-	-	1	-	1	2	2	3	8
WHITE-----MALE----	716	2	-	-	-	1	-	-	2	1	3	5
FEMALE--	1,334	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	56	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	97	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	56	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	91	-	-	-	-	-	-	-	-	-	-	1
OKLAHOMA -----	1,087	1	-	1	-	-	-	1	-	2	3	7
WHITE-----MALE----	383	-	-	1	-	-	-	1	-	-	1	3
FEMALE--	611	1	-	-	-	-	-	-	-	1	2	2
ALL OTHER--MALE----	36	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	57	-	-	-	-	-	-	-	-	1	-	2
BLACK---MALE----	24	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	35	-	-	-	-	-	-	-	-	1	-	2
OREGON -----	619	-	-	-	-	-	-	-	2	2	1	2
WHITE-----MALE----	227	-	-	-	-	-	-	-	1	1	-	1
FEMALE--	384	-	-	-	-	-	-	-	1	1	1	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	2,940	-	1	-	-	-	2	1	1	3	5	10
WHITE-----MALE----	1,015	-	-	-	-	-	-	1	1	1	3	5
FEMALE--	1,738	-	1	-	-	-	-	-	-	2	1	2
ALL OTHER--MALE----	77	-	-	-	-	-	-	1	-	-	-	3
FEMALE--	110	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	74	-	-	-	-	-	-	1	-	-	-	3
FEMALE--	106	-	-	-	-	-	-	-	-	-	1	-
RHODE ISLAND -----	66	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	22	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	41	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	702	-	-	-	-	-	-	1	2	5	1	7
WHITE-----MALE----	227	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	295	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	70	-	-	-	-	-	-	-	1	2	1	2
FEMALE--	110	-	-	-	-	-	-	1	-	2	-	3
BLACK---MALE----	70	-	-	-	-	-	-	-	1	2	1	2
FEMALE--	110	-	-	-	-	-	-	1	-	2	-	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,681  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HEART FAILURE (428)												
OHIO -----	7	27	50	106	176	285	433	496	386	179	39	-
WHITE-----MALE----	2	11	20	44	79	117	151	148	90	34	6	-
FEMALE--	3	11	22	54	72	148	268	325	269	130	30	-
ALL OTHER--MALE----	1	1	5	4	10	9	7	4	8	4	1	-
FEMALE--	1	4	3	4	15	11	7	19	19	11	2	-
BLACK---MALE----	1	1	5	4	10	9	7	4	8	4	1	-
FEMALE--	1	4	2	4	14	10	6	19	18	10	2	-
OKLAHOMA -----	7	18	26	64	62	147	191	255	194	79	29	-
WHITE-----MALE----	5	12	13	32	28	54	74	87	53	15	4	-
FEMALE--	1	5	11	23	26	77	98	152	132	57	23	-
ALL OTHER--MALE----	1	-	1	6	3	10	5	6	3	1	-	-
FEMALE--	-	1	1	3	5	6	14	10	6	6	2	-
BLACK---MALE----	1	-	1	4	2	5	2	5	3	1	-	-
FEMALE--	-	-	1	1	2	4	6	7	5	4	2	-
OREGON -----	3	7	7	31	27	79	111	152	117	61	17	-
WHITE-----MALE----	2	6	4	21	15	33	50	48	33	9	3	-
FEMALE--	-	1	3	10	12	44	60	104	82	50	14	-
ALL OTHER--MALE----	1	-	-	-	-	1	1	-	2	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	2	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
PENNSYLVANIA -----	23	35	58	136	256	380	575	662	507	235	51	-
WHITE-----MALE----	13	18	28	68	128	159	214	206	123	38	9	-
FEMALE--	5	13	25	50	100	193	336	430	361	182	37	-
ALL OTHER--MALE----	4	2	2	11	17	10	8	11	6	1	1	-
FEMALE--	1	2	3	7	11	18	17	15	17	14	4	-
BLACK---MALE----	4	2	2	11	15	10	8	10	6	1	1	-
FEMALE--	1	2	3	6	11	17	15	15	17	14	4	-
RHODE ISLAND -----	-	2	-	3	7	9	13	15	10	5	1	-
WHITE-----MALE----	-	1	-	2	3	3	3	3	5	1	-	-
FEMALE--	-	-	-	1	4	6	8	12	5	4	1	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
SOUTH CAROLINA -----	11	19	28	43	82	103	128	131	92	36	13	-
WHITE-----MALE----	5	9	15	19	45	42	35	29	20	5	1	-
FEMALE--	1	2	8	7	19	36	65	67	55	25	8	-
ALL OTHER--MALE----	3	4	4	10	4	11	10	10	5	1	2	-
FEMALE--	2	4	1	7	14	14	18	25	12	5	2	-
BLACK---MALE----	3	4	4	10	4	11	10	10	5	1	2	-
FEMALE--	2	4	1	7	14	14	18	25	12	5	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,682  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 HEART FAILURE (428)												
SOUTH DAKOTA -----	197	-	-	-	-	-	-	1	-	-	-	2
WHITE-----MALE----	62	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	120	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	504	1	-	-	-	-	1	3	1	2	2	2
WHITE-----MALE----	161	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	266	1	-	-	-	-	1	-	-	-	2	2
ALL OTHER--MALE----	34	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	43	-	-	-	-	-	-	2	-	-	-	-
BLACK---MALE----	33	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	43	-	-	-	-	-	-	2	-	-	-	-
TEXAS -----	2,764	2	3	1	1	1	3	-	6	4	11	24
WHITE-----MALE----	982	1	2	-	1	-	2	-	2	1	7	15
FEMALE--	1,483	-	1	-	-	-	1	-	2	1	2	6
ALL OTHER--MALE----	132	1	-	-	-	-	-	-	2	1	-	3
FEMALE--	167	-	-	1	-	1	-	-	-	1	2	-
BLACK---MALE----	123	1	-	-	-	-	-	-	2	-	-	3
FEMALE--	166	-	-	1	-	1	-	-	1	2	-	-
UTAH -----	335	-	-	-	-	-	1	-	1	-	1	1
WHITE-----MALE----	121	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	210	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	98	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	36	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	62	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1,276	-	-	1	1	-	1	3	1	8	11	11
WHITE-----MALE----	419	-	-	-	1	-	-	1	1	1	5	5
FEMALE--	634	-	-	-	-	-	-	-	-	2	1	1
ALL OTHER--MALE----	105	-	-	1	-	-	-	-	1	-	2	4
FEMALE--	118	-	-	-	-	-	1	1	-	3	1	1
BLACK---MALE----	105	-	-	1	-	-	-	1	1	-	2	4
FEMALE--	113	-	-	-	-	-	1	1	-	3	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,682  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 HEART FAILURE (428)												
SOUTH DAKOTA -----	1	1	2	7	12	18	35	48	39	26	5	-
WHITE-----MALE----	1	-	2	3	4	11	15	10	12	2	1	-
FEMALE--	-	-	-	2	5	6	17	35	27	24	4	-
ALL OTHER--MALE----	-	1	-	-	3	-	2	-	-	-	-	-
FEMALE--	-	-	-	2	-	1	1	3	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	3	9	24	29	44	66	95	96	79	39	10	-
WHITE-----MALE----	-	4	9	12	23	28	38	23	17	3	2	-
FEMALE--	3	2	10	11	15	25	44	64	53	31	4	-
ALL OTHER--MALE----	-	3	4	3	3	6	5	3	2	3	-	-
FEMALE--	-	-	1	3	3	7	8	6	7	2	4	-
BLACK---MALE----	-	3	3	3	3	6	5	3	2	3	-	-
FEMALE--	-	-	1	3	3	7	8	6	7	2	4	-
TEXAS -----	31	54	106	165	276	334	523	536	444	184	55	-
WHITE-----MALE----	15	23	57	75	134	147	203	151	97	39	10	-
FEMALE--	7	21	34	60	107	147	274	344	314	125	37	-
ALL OTHER--MALE----	8	5	8	18	13	15	24	20	9	4	1	-
FEMALE--	1	5	7	12	22	25	22	21	24	16	7	-
BLACK---MALE----	7	5	7	18	12	13	22	20	8	4	1	-
FEMALE--	1	5	6	12	22	25	22	21	24	16	7	-
UTAH -----	5	1	5	16	19	43	74	78	59	28	3	-
WHITE-----MALE----	1	-	2	5	10	20	28	31	13	7	1	-
FEMALE--	3	1	3	11	8	22	46	46	46	21	2	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	1	-	2	4	10	22	21	24	10	4	-
WHITE-----MALE----	-	1	-	2	2	5	9	9	8	-	-	-
FEMALE--	-	-	-	-	2	5	13	12	16	10	4	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	10	27	38	79	112	172	257	244	198	89	24	-
WHITE-----MALE----	4	8	17	40	55	66	93	67	41	12	7	-
FEMALE--	1	6	5	21	33	65	131	142	143	69	15	-
ALL OTHER--MALE----	2	8	12	9	17	18	12	12	6	1	-	-
FEMALE--	3	5	4	9	7	23	21	23	8	7	2	-
BLACK---MALE----	2	8	12	9	17	18	12	12	6	1	-	-
FEMALE--	3	5	4	9	6	22	20	21	8	7	2	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,684  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MYOCARDITIS, UNSPECIFIED AND MYOCARDIAL DEGENERATION (429.0-429.1)												
0 UNITED STATES --	791	23	26	8	13	18	22	35	52	43	42	55
WHITE-----MALE----	294	6	4	5	6	8	10	13	25	15	22	22
FEMALE--	335	4	5	1	4	4	5	10	11	12	8	20
ALL OTHER--MALE----	89	8	12	1	2	-	4	5	11	9	6	10
FEMALE--	73	5	5	1	1	6	3	7	5	7	6	3
BLACK---MALE----	81	6	10	1	2	-	4	5	11	6	6	10
FEMALE--	63	5	4	1	1	6	3	5	3	6	6	3
ALABAMA -----	10	-	1	-	-	1	1	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	1	-	-	1	-	-	-	-	-	-
ALASKA -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	9	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	9	1	-	-	-	-	-	-	1	1	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	57	1	2	2	-	1	2	2	2	5	4	4
WHITE-----MALE----	20	-	-	2	-	1	1	-	2	1	3	1
FEMALE--	27	1	1	-	-	-	1	1	-	1	1	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	2	-	1
FEMALE--	6	-	1	-	-	-	-	1	-	1	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	3	-	1	-	-	-	-	-	-	1	-	-









TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,686  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MYOCARDITIS, UNSPECIFIED AND MYOCARDIAL DEGENERATION (429.0-429.1)												
HAWAII -----	4	-	1	-	-	-	-	-	1	1	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	6	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	27	-	3	-	2	1	2	2	2	2	1	2
WHITE-----MALE----	8	-	1	-	2	-	1	1	1	-	1	-
FEMALE--	9	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	5	-	1	-	-	-	-	1	-	-	-	1
FEMALE--	5	-	1	-	-	1	1	-	1	1	-	-
BLACK---MALE----	5	-	1	-	-	-	-	1	-	-	-	1
FEMALE--	4	-	1	-	-	1	1	-	-	1	-	-
INDIANA -----	37	-	-	-	-	-	-	1	2	-	2	-
WHITE-----MALE----	11	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	22	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
IOWA -----	7	-	-	-	-	1	1	-	1	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	6	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	6	-	-	-	-	1	-	-	-	1	1	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	1	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	1	-	-	-	1	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,687  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MYOCARDITIS, UNSPECIFIED AND MYOCARDIAL DEGENERATION (429.0-429.1)												
KENTUCKY -----	13	-	-	-	-	-	1	2	3	-	-	1
WHITE-----MALE----	9	-	-	-	-	-	-	2	2	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
LOUISIANA -----	33	-	-	-	-	-	-	-	-	-	-	4
WHITE-----MALE----	11	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	2	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	20	-	1	1	-	-	2	3	2	4	2	4
WHITE-----MALE----	6	-	-	1	-	-	-	1	-	1	1	2
FEMALE--	3	-	-	-	-	-	1	-	-	1	-	1
ALL OTHER--MALE----	8	-	1	-	-	-	1	2	1	1	1	-
FEMALE--	3	-	-	-	-	-	-	-	1	1	-	1
BLACK---MALE----	8	-	1	-	-	-	1	2	1	1	1	-
FEMALE--	3	-	-	-	-	-	-	-	1	1	-	1
MASSACHUSETTS -----	11	-	-	-	-	-	-	1	1	1	1	2
WHITE-----MALE----	5	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	6	-	-	-	-	-	-	-	1	-	1	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	29	-	-	1	-	-	-	1	1	3	-	1
WHITE-----MALE----	12	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	15	-	-	1	-	-	-	1	-	1	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-













TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,690  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MYOCARDITIS, UNSPECIFIED AND MYOCARDIAL DEGENERATION (429.0-429.1)												
OHIO -----	29	-	1	-	-	1	3	2	-	1	1	1
WHITE-----MALE----	12	-	-	-	-	-	2	1	-	1	1	-
FEMALE--	14	-	-	-	-	-	1	1	-	-	-	1
ALL OTHER--MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	2	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
OKLAHOMA -----	8	1	1	1	-	-	-	-	1	-	1	-
WHITE-----MALE----	4	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	1	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	1	-	1	-	-	-	-	-	-	-	-
OREGON -----	10	-	-	-	-	-	1	-	-	-	1	2
WHITE-----MALE----	6	-	-	-	-	-	1	-	-	-	1	2
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	38	1	2	-	3	3	-	1	6	2	2	4
WHITE-----MALE----	9	-	1	-	-	2	-	-	3	-	-	2
FEMALE--	20	1	-	-	2	1	-	1	1	2	-	-
ALL OTHER--MALE----	7	-	1	-	1	-	-	-	2	-	2	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	7	-	1	-	1	-	-	-	2	-	2	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
RHODE ISLAND -----	2	-	1	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	12	1	-	-	-	-	-	1	1	1	1	1
WHITE-----MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	1	1	-	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	1	1	-	1	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,691  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MYOCARDITIS, UNSPECIFIED AND MYOCARDIAL DEGENERATION (429.0-429.1)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	1	-	-	3	-	7	7	3	3	2	-
WHITE-----MALE----	-	-	-	-	1	-	1	3	1	-	-	-
FEMALE--	-	1	-	-	2	-	6	4	2	2	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
TEXAS -----	1	3	1	-	1	3	3	6	5	5	1	-
WHITE-----MALE----	1	1	1	-	1	1	1	4	2	3	-	-
FEMALE--	-	2	-	-	-	2	2	2	3	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
UTAH -----	-	-	-	-	-	-	-	1	-	2	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	-	-	1	-	1	-	2	1	1	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-







TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,693  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER AND ILL-DEFINED FORMS OF HEART DISEASE (425-427,429.2-429.9)												
0 UNITED STATES --	146,388	325	139	77	106	242	332	468	925	1,602	2,459	3,674
WHITE-----MALE----	60,992	117	53	28	34	103	138	204	442	818	1,276	2,003
FEMALE--	61,534	106	38	26	28	41	59	78	169	248	407	581
ALL OTHER--MALE----	12,797	60	26	16	26	66	96	122	223	351	509	733
FEMALE--	11,065	42	22	7	18	32	39	64	91	185	267	357
BLACK---MALE----	11,494	55	25	13	24	62	85	109	205	320	477	677
FEMALE--	10,089	36	19	6	15	31	38	59	86	173	251	341
ALABAMA -----	3,959	10	2	4	5	10	14	17	40	53	72	109
WHITE-----MALE----	1,390	4	-	1	1	1	2	3	15	22	27	64
FEMALE--	1,445	1	1	2	1	3	3	4	7	7	12	12
ALL OTHER--MALE----	584	3	-	1	3	4	5	7	14	12	19	20
FEMALE--	540	2	1	-	-	2	4	3	4	12	14	13
BLACK---MALE----	581	3	-	1	3	4	5	7	14	12	19	20
FEMALE--	539	2	1	-	-	2	4	3	4	12	14	13
ALASKA -----	109	-	-	-	1	-	-	-	1	1	2	2
WHITE-----MALE----	47	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	31	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	21	-	-	-	-	-	-	-	1	1	1	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2,229	8	1	1	1	3	7	7	8	21	39	52
WHITE-----MALE----	1,102	4	1	-	-	3	2	4	5	11	27	40
FEMALE--	956	1	-	-	1	-	3	-	3	4	5	9
ALL OTHER--MALE----	93	2	-	1	-	-	2	3	-	4	3	3
FEMALE--	78	1	-	-	-	-	-	-	-	2	4	-
BLACK---MALE----	43	1	-	1	-	-	1	-	-	2	-	1
FEMALE--	42	-	-	-	-	-	-	-	-	-	4	-
ARKANSAS -----	1,125	-	-	1	4	2	4	5	8	21	24	29
WHITE-----MALE----	440	-	-	1	1	-	1	3	6	10	11	14
FEMALE--	457	-	-	-	-	1	-	1	2	3	3	8
ALL OTHER--MALE----	123	-	-	-	1	1	2	1	-	4	7	5
FEMALE--	105	-	-	-	2	-	1	-	-	4	3	2
BLACK---MALE----	121	-	-	-	1	1	2	1	-	4	7	5
FEMALE--	105	-	-	-	2	-	1	-	-	4	3	2
CALIFORNIA -----	13,197	38	12	5	6	21	37	43	101	161	267	348
WHITE-----MALE----	5,891	13	5	1	4	10	20	24	62	94	146	198
FEMALE--	5,255	15	5	3	1	6	6	6	7	19	49	57
ALL OTHER--MALE----	1,189	5	1	1	1	4	11	9	25	35	53	67
FEMALE--	862	5	1	-	-	1	-	4	7	13	19	26
BLACK---MALE----	787	4	1	-	-	3	6	8	19	25	41	55
FEMALE--	603	2	1	-	-	1	-	2	7	12	13	23

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,693  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER AND ILL-DEFINED FORMS OF HEART DISEASE (425-427,429.2-429.9)												
0 UNITED STATES --	4,995	6,404	9,324	12,757	17,073	19,630	22,184	20,826	14,762	6,341	1,701	42
WHITE-----MALE----	2,762	3,369	4,897	6,684	8,583	9,104	8,745	6,654	3,578	1,152	228	20
FEMALE--	949	1,356	2,251	3,498	5,504	7,684	10,694	12,044	9,872	4,634	1,253	14
ALL OTHER--MALE----	887	1,099	1,359	1,572	1,683	1,427	1,170	797	392	141	36	6
FEMALE--	397	580	817	1,003	1,303	1,415	1,575	1,331	920	414	184	2
BLACK---MALE----	811	1,000	1,242	1,423	1,502	1,277	1,025	666	335	125	30	6
FEMALE--	368	531	756	925	1,180	1,289	1,414	1,217	827	358	167	2
ALABAMA -----	153	184	274	374	464	497	636	546	324	135	36	-
WHITE-----MALE----	69	91	127	165	201	180	208	136	54	17	2	-
FEMALE--	27	48	48	95	124	185	284	291	197	76	17	-
ALL OTHER--MALE----	36	29	63	67	83	67	67	42	23	12	7	-
FEMALE--	21	16	36	47	56	65	77	77	50	30	10	-
BLACK---MALE----	35	29	62	67	82	67	67	42	23	12	7	-
FEMALE--	21	16	35	47	56	65	77	77	50	30	10	-
ALASKA -----	7	6	7	15	20	12	12	11	8	3	-	1
WHITE-----MALE----	4	2	4	8	8	5	3	5	4	1	-	-
FEMALE--	1	1	2	3	6	5	6	3	2	-	-	1
ALL OTHER--MALE----	2	1	1	3	3	2	3	1	1	1	-	-
FEMALE--	-	2	-	1	3	-	-	2	1	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
ARIZONA -----	80	106	150	199	321	323	338	290	189	74	11	-
WHITE-----MALE----	50	67	89	121	185	180	152	92	53	15	1	-
FEMALE--	23	26	46	57	118	126	160	186	124	56	8	-
ALL OTHER--MALE----	5	8	10	17	11	8	8	5	1	-	2	-
FEMALE--	2	5	5	4	7	9	18	7	11	3	-	-
BLACK---MALE----	2	4	7	8	5	4	5	2	-	-	-	-
FEMALE--	2	4	3	3	3	6	8	4	5	-	-	-
ARKANSAS -----	38	46	64	88	133	144	177	176	112	36	13	-
WHITE-----MALE----	20	17	31	46	63	70	63	52	22	5	4	-
FEMALE--	9	14	11	25	47	56	79	96	69	28	5	-
ALL OTHER--MALE----	7	10	11	11	15	10	14	12	10	2	-	-
FEMALE--	2	5	11	6	8	8	21	16	11	1	4	-
BLACK---MALE----	6	10	11	11	15	10	14	11	10	2	-	-
FEMALE--	2	5	11	6	8	8	21	16	11	1	4	-
CALIFORNIA -----	554	715	936	1,143	1,533	1,726	1,891	1,731	1,240	553	131	5
WHITE-----MALE----	324	414	521	607	753	837	816	568	332	127	14	1
FEMALE--	96	125	190	334	527	647	865	1,014	800	379	100	4
ALL OTHER--MALE----	104	127	149	130	150	127	85	62	35	6	2	-
FEMALE--	30	49	76	72	103	115	125	87	73	41	15	-
BLACK---MALE----	76	95	100	90	91	78	47	23	19	4	2	-
FEMALE--	27	35	60	55	65	76	86	56	44	30	8	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,694  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER AND ILL-DEFINED FORMS OF HEART DISEASE (425-427,429.2-429.9)												
COLORADO -----	1,269	1	3	2	1	5	1	2	7	18	21	26
WHITE-----MALE----	611	-	2	-	-	2	-	1	5	14	12	18
FEMALE--	589	1	-	2	1	2	1	-	2	2	7	5
ALL OTHER--MALE----	42	-	-	-	-	1	-	-	-	1	1	3
FEMALE--	27	-	1	-	-	-	-	1	-	1	1	-
BLACK---MALE----	35	-	-	-	-	1	-	-	-	1	1	2
FEMALE--	20	-	1	-	-	-	-	1	-	-	1	-
CONNECTICUT -----	2,723	3	2	2	1	1	3	4	13	20	39	50
WHITE-----MALE----	1,182	-	1	-	-	-	-	2	5	9	25	30
FEMALE--	1,325	-	1	2	-	-	1	1	4	4	5	15
ALL OTHER--MALE----	106	2	-	-	1	1	1	1	3	7	6	1
FEMALE--	110	1	-	-	-	-	1	-	1	-	3	4
BLACK---MALE----	102	2	-	-	1	1	1	1	3	7	6	1
FEMALE--	108	1	-	-	-	-	1	-	1	-	3	4
DELAWARE -----	576	2	-	1	-	-	1	1	4	5	5	11
WHITE-----MALE----	209	1	-	-	-	-	1	-	2	2	4	7
FEMALE--	276	1	-	1	-	-	-	-	-	2	-	1
ALL OTHER--MALE----	50	-	-	-	-	-	-	1	1	-	1	1
FEMALE--	41	-	-	-	-	-	-	-	1	1	-	2
BLACK---MALE----	48	-	-	-	-	-	-	1	1	-	1	1
FEMALE--	39	-	-	-	-	-	-	-	1	1	-	2
DISTRICT OF COLUMBIA ----	527	-	-	-	1	2	1	2	3	10	12	27
WHITE-----MALE----	53	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	64	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	215	-	-	-	1	2	1	2	1	7	7	14
FEMALE--	195	-	-	-	-	-	-	-	2	2	5	10
BLACK---MALE----	215	-	-	-	1	2	1	2	1	7	7	14
FEMALE--	193	-	-	-	-	-	-	-	2	2	5	10
FLORIDA -----	9,233	14	5	5	4	7	17	20	44	88	129	150
WHITE-----MALE----	4,324	6	1	3	-	2	7	10	22	46	70	94
FEMALE--	3,937	5	1	-	2	-	1	3	6	16	22	20
ALL OTHER--MALE----	532	3	2	1	2	1	5	4	10	18	23	19
FEMALE--	440	-	1	1	-	4	4	3	6	8	14	17
BLACK---MALE----	513	3	2	1	2	1	5	4	9	16	21	19
FEMALE--	430	-	1	1	-	4	4	3	6	8	14	16
GEORGIA -----	4,851	17	5	4	6	12	15	27	40	71	96	167
WHITE-----MALE----	1,535	6	1	1	2	5	1	5	14	31	34	69
FEMALE--	1,845	1	1	1	1	-	2	2	5	9	15	21
ALL OTHER--MALE----	718	2	2	1	2	3	9	12	15	18	29	51
FEMALE--	753	8	1	1	1	4	3	8	6	13	18	26
BLACK---MALE----	711	2	2	1	2	3	9	12	13	18	29	51
FEMALE--	745	8	1	1	1	4	3	8	6	13	18	26

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,694  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER AND ILL-DEFINED FORMS OF HEART DISEASE (425-427,429.2-429.9)												
COLORADO -----	41	43	76	119	149	160	193	177	134	66	24	-
WHITE-----MALE----	30	25	45	82	89	82	89	71	28	15	1	-
FEMALE--	7	13	23	29	47	71	99	101	103	50	23	-
ALL OTHER--MALE----	4	4	7	6	6	6	-	2	1	-	-	-
FEMALE--	-	1	1	2	7	1	5	3	2	1	-	-
BLACK---MALE----	4	4	7	5	4	4	-	1	1	-	-	-
FEMALE--	-	1	-	1	6	1	5	1	2	-	-	-
CONNECTICUT -----	93	99	147	233	277	386	438	435	294	142	41	-
WHITE-----MALE----	48	63	83	123	151	209	174	145	82	21	11	-
FEMALE--	21	16	48	78	101	161	238	276	205	118	30	-
ALL OTHER--MALE----	13	12	7	13	16	8	9	4	1	-	-	-
FEMALE--	11	8	9	19	9	8	17	10	6	3	-	-
BLACK---MALE----	13	12	7	12	14	8	8	4	1	-	-	-
FEMALE--	11	8	9	19	9	8	17	10	4	3	-	-
DELAWARE -----	15	23	26	62	73	66	91	93	62	27	8	-
WHITE-----MALE----	9	9	14	25	32	31	32	27	10	2	1	-
FEMALE--	3	6	9	23	24	27	43	60	46	23	7	-
ALL OTHER--MALE----	2	6	3	9	11	4	9	2	-	-	-	-
FEMALE--	1	2	-	5	6	4	7	4	6	2	-	-
BLACK---MALE----	2	6	3	8	10	4	9	2	-	-	-	-
FEMALE--	1	2	-	5	5	4	7	3	6	2	-	-
DISTRICT OF COLUMBIA ----	21	25	56	56	67	74	62	51	32	21	3	1
WHITE-----MALE----	-	2	8	8	8	7	8	5	-	3	-	1
FEMALE--	1	-	4	2	3	10	7	12	16	7	1	-
ALL OTHER--MALE----	12	18	24	31	32	23	21	14	3	2	-	-
FEMALE--	8	5	20	15	24	34	26	20	13	9	2	-
BLACK---MALE----	12	18	24	31	32	23	21	14	3	2	-	-
FEMALE--	8	5	20	15	24	34	24	20	13	9	2	-
FLORIDA -----	242	343	511	775	1,059	1,304	1,477	1,462	1,064	410	97	6
WHITE-----MALE----	149	195	301	447	590	693	686	577	312	96	14	3
FEMALE--	47	84	119	203	350	505	692	786	715	287	71	2
ALL OTHER--MALE----	35	37	58	83	65	56	47	39	16	6	1	1
FEMALE--	11	27	33	42	54	50	52	60	21	21	11	-
BLACK---MALE----	34	37	54	81	63	55	45	39	14	6	1	1
FEMALE--	11	27	33	39	52	50	50	59	20	21	11	-
GEORGIA -----	183	258	352	402	579	586	688	678	424	179	62	-
WHITE-----MALE----	82	102	146	159	217	206	188	169	73	18	6	-
FEMALE--	28	52	82	95	187	215	329	367	261	132	39	-
ALL OTHER--MALE----	47	65	78	73	86	75	65	43	24	13	5	-
FEMALE--	26	39	46	75	89	90	106	99	66	16	12	-
BLACK---MALE----	46	64	77	73	85	75	65	42	24	13	5	-
FEMALE--	26	39	46	73	88	90	105	97	64	16	12	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,695  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER AND ILL-DEFINED FORMS OF HEART DISEASE (425-427,429.2-429.9)												
HAWAII -----	816	-	2	1	2	2	4	2	4	7	12	24
WHITE-----MALE----	109	-	-	-	-	-	1	-	-	1	1	4
FEMALE--	92	-	-	-	-	-	-	-	-	-	2	3
ALL OTHER--MALE----	334	-	1	1	-	2	2	2	2	5	3	12
FEMALE--	281	-	1	-	2	-	1	-	2	1	6	5
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	2	-
IDAHO -----	378	5	1	-	-	1	2	1	3	4	3	5
WHITE-----MALE----	181	2	-	-	-	-	2	1	1	3	1	3
FEMALE--	187	1	1	-	-	1	-	-	2	1	1	1
ALL OTHER--MALE----	8	2	-	-	-	-	-	-	-	-	1	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	7,013	16	12	4	7	12	23	45	50	85	125	275
WHITE-----MALE----	2,728	7	5	2	2	3	12	22	21	32	52	134
FEMALE--	2,543	4	1	-	2	1	4	8	6	6	13	31
ALL OTHER--MALE----	1,008	3	4	1	-	4	5	9	16	30	42	74
FEMALE--	734	2	2	1	3	4	2	6	7	17	18	36
BLACK---MALE----	972	3	4	1	-	4	5	9	16	30	41	71
FEMALE--	711	2	2	-	3	4	2	5	7	17	18	36
INDIANA -----	2,556	3	-	1	2	2	11	7	16	30	40	65
WHITE-----MALE----	1,070	1	-	1	1	1	6	2	11	15	23	30
FEMALE--	1,233	2	-	-	-	1	3	1	2	6	11	19
ALL OTHER--MALE----	121	-	-	-	1	-	1	2	3	4	5	9
FEMALE--	132	-	-	-	-	-	1	2	-	5	1	7
BLACK---MALE----	117	-	-	-	1	-	1	2	3	4	5	9
FEMALE--	129	-	-	-	-	-	1	2	-	5	1	7
IOWA -----	2,056	4	-	-	-	1	4	2	6	8	23	35
WHITE-----MALE----	936	1	-	-	-	-	4	1	3	5	17	30
FEMALE--	1,076	2	-	-	-	1	-	1	2	3	3	2
ALL OTHER--MALE----	23	1	-	-	-	-	-	-	1	-	2	2
FEMALE--	21	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	20	-	-	-	-	-	-	-	1	-	2	2
FEMALE--	20	-	-	-	-	-	-	-	-	-	1	1
KANSAS -----	1,396	3	1	-	2	-	3	4	6	10	27	32
WHITE-----MALE----	617	2	1	-	2	-	1	2	2	4	15	24
FEMALE--	667	-	-	-	-	-	1	-	2	2	7	5
ALL OTHER--MALE----	66	-	-	-	-	-	1	2	2	2	5	1
FEMALE--	46	1	-	-	-	-	-	-	-	2	-	2
BLACK---MALE----	56	-	-	-	-	-	-	1	2	2	5	1
FEMALE--	42	1	-	-	-	-	-	-	-	2	-	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,695  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER AND ILL-DEFINED FORMS OF HEART DISEASE (425-427,429.2-429.9)												
HAWAII -----	31	40	47	65	84	114	130	115	73	43	14	-
WHITE-----MALE----	5	8	7	7	15	21	17	14	6	1	1	-
FEMALE--	2	1	-	9	5	9	16	21	14	8	2	-
ALL OTHER--MALE----	17	18	25	34	33	46	48	50	23	7	3	-
FEMALE--	7	13	15	15	31	38	49	30	30	27	8	-
BLACK---MALE----	1	2	-	-	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	1	-	-
IDAHO -----	9	8	18	36	42	52	59	53	44	26	6	-
WHITE-----MALE----	6	3	11	25	26	31	23	24	12	7	-	-
FEMALE--	3	5	5	11	15	20	35	29	31	19	6	-
ALL OTHER--MALE----	-	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	311	411	518	674	823	925	956	866	576	228	69	2
WHITE-----MALE----	154	181	240	316	379	391	341	256	131	34	13	-
FEMALE--	39	59	113	162	215	342	473	466	383	167	46	2
ALL OTHER--MALE----	80	113	110	132	140	103	61	56	17	7	1	-
FEMALE--	38	58	55	64	89	89	81	88	45	20	9	-
BLACK---MALE----	77	106	109	127	136	100	57	53	15	7	1	-
FEMALE--	37	57	53	63	87	88	74	84	44	19	9	-
INDIANA -----	70	99	158	233	325	350	405	345	264	102	28	-
WHITE-----MALE----	35	48	74	131	172	159	163	117	61	15	4	-
FEMALE--	24	26	60	78	121	158	218	209	188	83	23	-
ALL OTHER--MALE----	8	13	13	11	19	10	9	8	4	1	-	-
FEMALE--	3	12	11	13	13	23	15	11	11	3	1	-
BLACK---MALE----	7	13	13	11	18	9	9	7	4	1	-	-
FEMALE--	3	11	11	13	13	22	14	11	11	3	1	-
IOWA -----	45	59	111	133	208	269	349	334	278	141	46	-
WHITE-----MALE----	35	41	73	84	121	145	161	115	65	28	7	-
FEMALE--	10	16	36	45	80	115	184	215	211	112	38	-
ALL OTHER--MALE----	-	1	2	3	6	4	1	-	-	-	-	-
FEMALE--	-	1	-	1	1	5	3	4	2	1	1	-
BLACK---MALE----	-	1	2	3	5	3	1	-	-	-	-	-
FEMALE--	-	1	-	1	1	5	3	3	2	1	1	-
KANSAS -----	37	42	69	126	146	164	210	217	191	86	20	-
WHITE-----MALE----	22	27	41	72	76	85	96	81	44	17	3	-
FEMALE--	11	10	23	46	51	64	97	126	138	67	17	-
ALL OTHER--MALE----	4	3	4	5	10	7	11	4	3	2	-	-
FEMALE--	-	2	1	3	9	8	6	6	6	-	-	-
BLACK---MALE----	4	3	4	4	8	4	9	4	3	2	-	-
FEMALE--	-	2	1	3	7	6	6	6	6	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,696  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER AND ILL-DEFINED FORMS OF HEART DISEASE (425-427,429.2-429.9)												
KENTUCKY -----	2,387	3	2	-	2	5	3	8	10	26	45	41
WHITE-----MALE----	1,033	2	-	-	1	4	2	4	4	17	24	27
FEMALE--	1,148	-	1	-	1	1	-	4	4	6	13	10
ALL OTHER--MALE----	101	-	1	-	-	-	1	-	1	3	4	2
FEMALE--	105	1	-	-	-	-	-	-	1	-	4	2
BLACK---MALE----	99	-	1	-	-	-	1	-	1	3	4	2
FEMALE--	103	1	-	-	-	-	-	-	1	-	4	2
LOUISIANA -----	2,829	8	5	4	7	9	4	15	18	28	43	88
WHITE-----MALE----	907	1	1	1	-	3	2	3	9	11	13	39
FEMALE--	1,074	2	1	-	2	2	-	2	2	3	1	9
ALL OTHER--MALE----	422	2	1	1	3	3	2	4	5	6	18	24
FEMALE--	426	3	2	2	2	1	-	6	2	8	11	16
BLACK---MALE----	422	2	1	1	3	3	2	4	5	6	18	24
FEMALE--	421	3	2	2	2	1	-	6	2	8	11	16
MAINE -----	709	3	3	-	1	-	-	4	2	4	7	19
WHITE-----MALE----	362	1	2	-	1	-	-	4	1	4	5	12
FEMALE--	345	2	1	-	-	-	-	-	1	-	2	7
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3,262	8	2	-	2	6	5	13	36	57	77	103
WHITE-----MALE----	1,190	1	-	-	2	-	3	3	14	19	32	43
FEMALE--	1,203	2	-	-	-	1	-	3	5	12	11	10
ALL OTHER--MALE----	479	3	-	-	-	2	2	4	11	15	24	29
FEMALE--	390	2	2	-	-	3	-	3	6	11	10	21
BLACK---MALE----	468	3	-	-	-	2	2	4	9	15	24	29
FEMALE--	383	2	2	-	-	3	-	3	6	11	10	21
MASSACHUSETTS -----	3,149	3	4	3	1	1	3	7	18	32	45	76
WHITE-----MALE----	1,506	2	1	3	1	1	2	5	8	20	39	50
FEMALE--	1,505	-	2	-	-	-	-	2	6	8	3	19
ALL OTHER--MALE----	83	1	1	-	-	-	1	-	3	2	2	2
FEMALE--	55	-	-	-	-	-	-	-	1	2	1	5
BLACK---MALE----	77	1	1	-	-	-	1	-	3	2	2	2
FEMALE--	46	-	-	-	-	-	-	-	1	2	1	5
MICHIGAN -----	5,869	5	2	5	1	5	9	25	47	79	120	193
WHITE-----MALE----	2,275	2	1	3	-	-	3	8	20	33	44	81
FEMALE--	1,977	2	1	2	1	1	-	5	6	15	19	23
ALL OTHER--MALE----	881	1	-	-	-	2	4	7	15	22	39	67
FEMALE--	736	-	-	-	-	2	2	5	6	9	18	22
BLACK---MALE----	865	1	-	-	-	2	4	7	15	22	38	65
FEMALE--	720	-	-	-	-	2	2	5	6	8	16	21

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,696  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER AND ILL-DEFINED FORMS OF HEART DISEASE (425-427,429.2-429.9)												
KENTUCKY -----	67	106	153	182	307	340	367	361	236	96	27	-
WHITE-----MALE----	44	59	89	110	150	175	135	111	50	22	3	-
FEMALE--	16	31	44	55	125	143	204	232	169	66	23	-
ALL OTHER--MALE----	3	10	14	8	22	13	9	8	2	-	-	-
FEMALE--	4	6	6	9	10	9	19	10	15	8	1	-
BLACK---MALE----	3	10	12	8	22	13	9	8	2	-	-	-
FEMALE--	4	4	6	9	10	9	19	10	15	8	1	-
LOUISIANA -----	111	103	181	220	305	335	477	405	316	112	35	-
WHITE-----MALE----	52	41	74	94	120	127	151	95	52	17	1	-
FEMALE--	18	16	30	46	99	121	200	222	202	77	19	-
ALL OTHER--MALE----	25	34	44	46	49	48	53	30	19	4	1	-
FEMALE--	16	12	33	34	37	39	73	58	43	14	14	-
BLACK---MALE----	25	34	44	46	49	48	53	30	19	4	1	-
FEMALE--	16	12	33	34	37	39	71	57	42	13	14	-
MAINE -----	25	17	39	60	84	88	84	125	85	53	6	-
WHITE-----MALE----	18	12	28	35	54	54	42	44	29	15	1	-
FEMALE--	7	5	11	25	29	34	41	81	56	38	5	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	156	145	209	303	371	399	429	438	324	140	35	4
WHITE-----MALE----	83	68	100	144	158	153	152	125	66	22	-	2
FEMALE--	23	26	33	53	104	135	189	249	224	98	25	-
ALL OTHER--MALE----	39	31	56	76	56	58	42	19	5	4	1	2
FEMALE--	11	20	20	30	53	53	46	45	29	16	9	-
BLACK---MALE----	38	29	55	73	55	57	42	19	5	4	1	2
FEMALE--	11	20	20	30	53	51	43	44	29	15	9	-
MASSACHUSETTS -----	97	127	167	260	361	475	492	430	299	184	63	1
WHITE-----MALE----	66	80	112	161	227	245	228	145	63	39	7	1
FEMALE--	22	36	43	83	115	209	252	276	232	141	56	-
ALL OTHER--MALE----	9	8	9	13	9	10	5	5	1	2	-	-
FEMALE--	-	3	3	3	10	11	7	4	3	2	-	-
BLACK---MALE----	8	8	9	13	8	9	4	4	1	1	-	-
FEMALE--	-	3	2	2	10	9	4	3	3	1	-	-
MICHIGAN -----	211	332	483	572	776	834	807	673	437	200	48	5
WHITE-----MALE----	110	150	210	260	331	358	297	197	116	42	8	1
FEMALE--	36	64	90	130	211	258	340	357	252	133	30	1
ALL OTHER--MALE----	39	77	110	109	129	114	67	47	22	5	2	3
FEMALE--	26	41	73	73	105	104	103	72	47	20	8	-
BLACK---MALE----	38	77	109	105	125	112	67	47	22	4	2	3
FEMALE--	24	41	72	73	101	101	103	71	47	19	8	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,697  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER AND ILL-DEFINED FORMS OF HEART DISEASE (425-427,429.2-429.9)												
MINNESOTA -----	1,671	3	-	-	-	3	2	4	10	12	24	35
WHITE-----MALE----	838	1	-	-	-	1	1	2	6	7	18	24
FEMALE--	785	2	-	-	-	-	1	2	4	5	4	6
ALL OTHER--MALE----	27	-	-	-	-	1	-	-	-	-	1	4
FEMALE--	21	-	-	-	-	1	-	-	-	-	1	1
BLACK---MALE----	17	-	-	-	-	1	-	-	-	-	1	3
FEMALE--	14	-	-	-	-	1	-	-	-	-	1	-
MISSISSIPPI -----	3,095	8	3	1	6	4	6	9	17	18	37	72
WHITE-----MALE----	940	1	1	-	2	-	1	1	7	5	14	21
FEMALE--	1,042	1	2	-	-	-	2	1	2	1	1	13
ALL OTHER--MALE----	539	3	-	1	2	2	1	5	6	11	15	29
FEMALE--	574	3	-	-	2	2	2	2	2	1	7	9
BLACK---MALE----	537	3	-	1	2	2	1	5	6	11	15	29
FEMALE--	571	3	-	-	2	2	2	2	2	1	7	9
MISSOURI -----	2,800	7	1	-	1	10	7	8	19	25	44	63
WHITE-----MALE----	1,192	4	1	-	1	5	1	4	10	15	18	36
FEMALE--	1,323	2	-	-	-	1	2	2	3	1	13	15
ALL OTHER--MALE----	154	1	-	-	-	4	4	2	4	5	7	7
FEMALE--	131	-	-	-	-	-	-	-	2	4	6	5
BLACK---MALE----	153	1	-	-	-	4	4	2	4	5	7	7
FEMALE--	127	-	-	-	-	-	-	-	2	4	6	5
MONTANA -----	429	1	-	1	-	-	-	2	-	-	2	1
WHITE-----MALE----	205	-	-	-	-	-	-	2	-	-	1	1
FEMALE--	207	1	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	1,195	-	1	-	-	1	1	1	2	7	9	14
WHITE-----MALE----	527	-	1	-	-	-	-	1	1	4	3	10
FEMALE--	637	-	-	-	-	1	1	-	1	2	5	1
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	18	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	12	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	16	-	-	-	-	-	-	-	-	1	-	1
NEVADA -----	1,172	-	1	1	1	-	-	-	8	18	13	34
WHITE-----MALE----	647	-	1	-	-	-	-	-	6	13	10	23
FEMALE--	428	-	-	-	1	-	-	-	1	-	1	7
ALL OTHER--MALE----	68	-	-	1	-	-	-	-	1	3	-	2
FEMALE--	29	-	-	-	-	-	-	-	-	2	2	2
BLACK---MALE----	51	-	-	-	-	-	-	-	-	2	-	1
FEMALE--	23	-	-	-	-	-	-	-	-	1	2	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,697  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER AND ILL-DEFINED FORMS OF HEART DISEASE (425-427,429.2-429.9)												
MINNESOTA -----	49	52	86	128	183	219	257	287	193	91	33	-
WHITE-----MALE----	35	39	53	88	123	123	116	110	60	23	8	-
FEMALE--	11	10	26	35	52	90	139	173	132	68	25	-
ALL OTHER--MALE----	2	2	5	4	4	4	-	-	-	-	-	-
FEMALE--	1	1	2	1	4	2	2	4	1	-	-	-
BLACK---MALE----	1	1	4	2	3	1	-	-	-	-	-	-
FEMALE--	1	-	1	1	3	1	2	2	1	-	-	-
MISSISSIPPI -----	97	147	183	269	354	411	488	478	339	120	28	-
WHITE-----MALE----	36	60	72	111	142	132	136	123	66	8	1	-
FEMALE--	14	26	31	56	83	141	193	211	179	71	14	-
ALL OTHER--MALE----	27	34	40	59	70	57	73	55	33	14	2	-
FEMALE--	20	27	40	43	59	81	86	89	61	27	11	-
BLACK---MALE----	27	34	39	59	69	57	73	55	33	14	2	-
FEMALE--	20	27	40	43	59	81	85	87	61	27	11	-
MISSOURI -----	85	121	144	238	280	342	445	454	331	138	37	-
WHITE-----MALE----	47	66	77	137	167	148	187	143	87	32	6	-
FEMALE--	23	27	45	68	85	161	228	290	227	100	30	-
ALL OTHER--MALE----	12	18	15	20	14	15	11	10	4	1	-	-
FEMALE--	3	10	7	13	14	18	19	11	13	5	1	-
BLACK---MALE----	12	18	15	20	14	15	11	9	4	1	-	-
FEMALE--	3	10	7	12	13	18	19	11	11	5	1	-
MONTANA -----	7	19	33	31	48	60	81	73	45	17	8	-
WHITE-----MALE----	6	10	22	18	27	37	37	31	9	2	2	-
FEMALE--	1	5	10	11	21	21	42	39	34	15	6	-
ALL OTHER--MALE----	-	2	-	1	-	-	-	3	-	-	-	-
FEMALE--	-	2	1	1	-	2	2	-	2	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	24	30	50	78	91	147	198	237	185	94	25	-
WHITE-----MALE----	14	22	30	52	57	78	91	88	56	17	2	-
FEMALE--	8	6	13	25	29	67	106	147	126	76	23	-
ALL OTHER--MALE----	1	1	5	1	1	-	-	-	-	1	-	-
FEMALE--	1	1	2	-	4	2	1	2	3	-	-	-
BLACK---MALE----	1	-	5	1	1	-	-	-	-	1	-	-
FEMALE--	1	1	2	-	3	1	1	2	3	-	-	-
NEVADA -----	53	59	98	144	184	189	162	122	53	24	8	-
WHITE-----MALE----	37	37	66	94	108	102	75	52	19	3	1	-
FEMALE--	10	11	20	36	62	75	80	64	33	20	7	-
ALL OTHER--MALE----	3	10	11	12	8	7	6	3	-	1	-	-
FEMALE--	3	1	1	2	6	5	1	3	1	-	-	-
BLACK---MALE----	3	9	11	9	7	4	3	1	-	1	-	-
FEMALE--	2	1	1	2	4	4	1	3	1	-	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,699  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER AND ILL-DEFINED FORMS OF HEART DISEASE (425-427,429.2-429.9)												
OHIO -----	6,692	16	6	1	5	10	13	21	25	65	110	172
WHITE-----MALE----	2,821	6	2	1	1	6	5	7	11	34	62	103
FEMALE--	3,035	6	3	-	2	2	3	6	6	13	23	30
ALL OTHER--MALE----	427	4	-	-	1	1	5	5	5	10	16	26
FEMALE--	409	-	1	-	1	1	-	3	3	8	9	13
BLACK---MALE----	422	3	-	-	1	1	5	5	5	10	16	25
FEMALE--	402	-	1	-	1	1	-	3	3	8	9	13
OKLAHOMA -----	1,885	9	-	2	4	8	7	4	16	29	40	54
WHITE-----MALE----	818	3	-	-	-	4	3	4	9	18	29	34
FEMALE--	880	5	-	1	2	2	1	-	6	5	4	12
ALL OTHER--MALE----	98	1	-	1	2	2	3	-	1	4	5	5
FEMALE--	89	-	-	-	-	-	-	-	-	2	2	3
BLACK---MALE----	68	1	-	1	1	2	2	-	-	4	3	3
FEMALE--	54	-	-	-	-	-	-	-	-	-	2	3
OREGON -----	1,149	1	-	-	1	3	2	1	4	15	17	21
WHITE-----MALE----	577	-	-	-	-	2	1	-	2	12	12	18
FEMALE--	542	-	-	-	1	1	1	-	1	1	4	3
ALL OTHER--MALE----	21	-	-	-	-	-	-	1	1	2	1	-
FEMALE--	9	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	9	-	-	-	-	-	-	1	-	1	1	-
FEMALE--	5	1	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	9,643	7	5	4	4	9	9	11	42	83	148	197
WHITE-----MALE----	3,867	3	2	1	1	5	4	6	13	51	86	123
FEMALE--	4,524	2	-	2	2	1	-	2	11	15	27	30
ALL OTHER--MALE----	689	2	-	-	1	3	4	2	13	13	21	34
FEMALE--	563	-	3	1	-	1	1	5	4	4	14	10
BLACK---MALE----	673	2	-	-	1	3	4	2	13	13	21	32
FEMALE--	551	-	2	1	-	1	1	5	4	4	12	10
RHODE ISLAND -----	480	1	1	-	-	1	2	1	2	3	4	5
WHITE-----MALE----	230	-	1	-	-	-	1	-	2	3	3	4
FEMALE--	231	1	-	-	-	1	1	1	-	-	-	-
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	12	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	2,151	8	3	1	1	5	8	11	16	38	38	68
WHITE-----MALE----	701	3	1	1	-	2	3	4	4	6	14	32
FEMALE--	767	2	-	-	-	-	-	1	1	8	4	3
ALL OTHER--MALE----	333	2	1	-	1	3	1	3	6	17	13	25
FEMALE--	350	1	1	-	-	-	4	3	5	7	7	8
BLACK---MALE----	330	2	1	-	1	3	1	3	6	17	13	25
FEMALE--	348	1	1	-	-	-	4	3	5	7	7	8

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,699  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER AND ILL-DEFINED FORMS OF HEART DISEASE (425-427,429.2-429.9)												
OHIO -----	222	280	414	602	776	934	997	959	680	303	80	1
WHITE-----MALE----	130	146	217	307	389	428	402	341	157	56	9	1
FEMALE--	52	80	114	190	293	395	494	543	485	233	62	-
ALL OTHER--MALE----	30	29	46	60	55	52	50	22	7	3	-	-
FEMALE--	10	25	37	45	39	59	51	53	31	11	9	-
BLACK---MALE----	30	29	44	60	54	52	50	22	7	3	-	-
FEMALE--	10	25	36	45	37	58	49	52	31	11	9	-
OKLAHOMA -----	63	86	110	155	208	205	306	286	183	82	27	1
WHITE-----MALE----	38	44	60	81	121	86	131	78	48	17	9	1
FEMALE--	15	25	41	51	62	104	155	191	124	59	15	-
ALL OTHER--MALE----	7	10	3	14	13	5	10	6	2	2	2	-
FEMALE--	3	7	6	9	12	10	10	11	9	4	1	-
BLACK---MALE----	6	8	3	10	10	2	6	4	1	-	1	-
FEMALE--	1	4	3	5	11	6	4	6	6	2	1	-
OREGON -----	35	42	54	72	137	180	190	165	137	54	18	-
WHITE-----MALE----	24	28	34	50	73	93	97	64	47	16	4	-
FEMALE--	10	11	16	21	57	85	90	98	90	38	14	-
ALL OTHER--MALE----	1	3	-	1	4	2	3	2	-	-	-	-
FEMALE--	-	-	4	-	3	-	-	1	-	-	-	-
BLACK---MALE----	-	1	-	1	3	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	2	-	-	1	-	-	-	-
PENNSYLVANIA -----	303	377	527	846	1,114	1,352	1,570	1,493	980	441	118	3
WHITE-----MALE----	162	196	252	447	559	596	611	452	214	68	14	1
FEMALE--	64	82	167	243	404	601	805	936	694	340	95	1
ALL OTHER--MALE----	47	66	76	105	92	83	62	38	19	7	1	-
FEMALE--	30	33	32	51	59	72	92	67	53	26	8	1
BLACK---MALE----	47	65	75	102	90	82	61	36	17	6	1	-
FEMALE--	28	31	32	51	59	71	89	67	52	26	8	1
RHODE ISLAND -----	12	23	29	43	61	63	64	69	66	25	5	-
WHITE-----MALE----	8	15	18	27	30	35	29	21	23	7	3	-
FEMALE--	4	7	8	12	31	24	32	48	41	18	2	-
ALL OTHER--MALE----	-	1	2	2	-	3	3	-	-	-	-	-
FEMALE--	-	-	1	2	-	1	-	-	2	-	-	-
BLACK---MALE----	-	-	2	2	-	3	3	-	-	-	-	-
FEMALE--	-	-	1	2	-	-	-	-	1	-	-	-
SOUTH CAROLINA -----	80	88	134	198	260	302	333	270	186	77	26	-
WHITE-----MALE----	31	30	55	79	117	113	109	61	27	5	4	-
FEMALE--	13	15	30	50	63	109	139	146	121	49	13	-
ALL OTHER--MALE----	27	28	18	34	36	44	33	20	13	6	2	-
FEMALE--	9	15	31	35	44	36	52	43	25	17	7	-
BLACK---MALE----	27	28	18	33	36	43	32	20	13	6	2	-
FEMALE--	9	15	31	35	44	36	51	42	25	17	7	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,700  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER AND ILL-DEFINED FORMS OF HEART DISEASE (425-427,429.2-429.9)												
SOUTH DAKOTA -----	391	2	-	-	-	2	1	1	2	2	3	6
WHITE-----MALE----	181	1	-	-	-	1	-	-	-	1	1	5
FEMALE--	189	-	-	-	-	1	1	-	2	-	1	-
ALL OTHER--MALE----	11	-	-	-	-	-	-	1	-	1	1	1
FEMALE--	10	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	3,417	13	3	1	4	8	7	12	18	45	65	80
WHITE-----MALE----	1,328	4	1	-	-	6	2	3	8	24	31	36
FEMALE--	1,444	5	1	1	3	1	2	2	5	7	10	15
ALL OTHER--MALE----	339	3	1	-	1	-	2	5	3	7	18	21
FEMALE--	306	1	-	-	-	1	1	2	2	7	6	8
BLACK---MALE----	338	3	1	-	1	-	2	5	3	7	18	21
FEMALE--	303	1	-	-	-	1	1	2	2	7	6	8
TEXAS -----	8,183	31	15	10	6	23	30	29	69	109	156	218
WHITE-----MALE----	3,578	9	7	2	1	13	19	21	41	64	95	130
FEMALE--	3,391	15	5	3	2	-	3	2	13	28	22	35
ALL OTHER--MALE----	660	4	2	4	1	7	6	5	12	9	22	31
FEMALE--	554	3	1	1	2	3	2	1	3	8	17	22
BLACK---MALE----	629	4	2	4	1	7	6	5	12	8	22	31
FEMALE--	532	2	1	1	2	3	2	-	3	7	15	22
UTAH -----	512	1	-	-	-	2	3	2	6	6	6	9
WHITE-----MALE----	267	-	-	-	-	2	1	1	1	4	5	6
FEMALE--	228	1	-	-	-	-	2	1	3	2	1	2
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	420	1	-	-	-	-	1	1	-	5	2	3
WHITE-----MALE----	174	-	-	-	-	-	-	1	-	5	2	2
FEMALE--	244	1	-	-	-	-	1	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	4,179	4	8	-	3	5	10	11	19	35	69	119
WHITE-----MALE----	1,484	2	3	-	1	2	3	6	8	13	23	46
FEMALE--	1,703	2	1	-	1	2	5	2	3	2	12	17
ALL OTHER--MALE----	494	-	3	-	-	1	-	2	5	11	22	36
FEMALE--	498	-	1	-	1	-	2	1	3	9	12	20
BLACK---MALE----	478	-	3	-	-	1	-	2	5	11	22	36
FEMALE--	474	-	1	-	-	-	2	1	3	9	12	19

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,700  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER AND ILL-DEFINED FORMS OF HEART DISEASE (425-427,429.2-429.9)												
SOUTH DAKOTA -----	9	10	18	24	34	49	65	63	58	35	7	-
WHITE-----MALE----	6	5	12	17	22	26	25	31	19	8	1	-
FEMALE--	1	3	5	4	11	21	37	31	39	26	6	-
ALL OTHER--MALE----	-	1	-	1	-	1	2	1	-	1	-	-
FEMALE--	2	1	1	2	1	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	118	154	226	292	393	435	533	494	365	120	31	-
WHITE-----MALE----	65	74	120	143	204	189	179	138	78	19	4	-
FEMALE--	22	36	55	82	111	167	274	286	248	91	20	-
ALL OTHER--MALE----	24	25	29	43	48	32	40	23	10	4	-	-
FEMALE--	7	19	22	24	30	47	40	47	29	6	7	-
BLACK---MALE----	24	25	29	42	48	32	40	23	10	4	-	-
FEMALE--	7	19	22	24	30	46	39	47	29	6	6	-
TEXAS -----	295	372	554	745	1,021	1,029	1,123	1,080	840	333	91	4
WHITE-----MALE----	186	223	296	406	549	488	416	333	208	51	17	3
FEMALE--	45	75	149	216	307	386	570	637	564	254	59	1
ALL OTHER--MALE----	47	49	73	74	95	70	66	49	25	8	1	-
FEMALE--	17	25	36	49	70	85	71	61	43	20	14	-
BLACK---MALE----	47	44	69	70	87	68	61	48	24	8	1	-
FEMALE--	17	24	36	47	66	83	69	56	42	20	14	-
UTAH -----	12	24	35	32	56	84	66	77	57	28	6	-
WHITE-----MALE----	7	17	21	23	34	46	34	31	22	11	1	-
FEMALE--	1	5	14	8	20	34	32	46	35	16	5	-
ALL OTHER--MALE----	1	1	-	-	2	3	-	-	-	-	-	-
FEMALE--	3	1	-	1	-	1	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
VERMONT -----	8	11	21	35	30	50	70	85	59	29	9	-
WHITE-----MALE----	7	9	14	20	8	28	32	26	14	5	1	-
FEMALE--	1	2	7	15	22	21	38	59	44	24	8	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
VIRGINIA -----	130	165	249	380	511	543	669	588	437	184	38	2
WHITE-----MALE----	59	75	117	178	200	227	224	168	92	31	5	1
FEMALE--	32	33	53	88	165	194	322	332	286	125	26	-
ALL OTHER--MALE----	26	39	49	68	75	62	44	30	16	4	1	-
FEMALE--	13	18	30	46	71	60	79	58	43	24	6	1
BLACK---MALE----	24	37	47	65	72	62	42	29	15	4	1	-
FEMALE--	13	18	27	43	67	55	76	55	42	24	6	1







TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,702  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
CEREBROVASCULAR DISEASES (430-438)												
0 UNITED STATES --	157,991	223	57	28	42	54	118	204	516	1,098	1,674	2,448
WHITE-----MALE----	52,045	93	22	15	21	24	43	84	187	363	565	895
FEMALE--	84,436	68	12	8	11	16	36	57	171	338	445	715
ALL OTHER--MALE----	9,518	32	14	1	5	9	21	31	76	203	354	484
FEMALE--	11,992	30	9	4	5	5	18	32	82	194	310	354
BLACK---MALE----	8,011	30	14	1	4	7	16	28	63	178	307	433
FEMALE--	10,526	27	7	3	3	3	16	30	76	183	290	309
ALABAMA -----	2,774	2	1	-	-	-	5	8	10	23	42	50
WHITE-----MALE----	760	-	-	-	-	-	1	5	1	6	7	19
FEMALE--	1,222	-	-	-	-	-	1	1	3	3	6	7
ALL OTHER--MALE----	351	-	1	-	-	-	1	1	3	7	14	17
FEMALE--	441	2	-	-	-	-	2	1	3	7	15	7
BLACK---MALE----	351	-	1	-	-	-	1	1	3	7	14	17
FEMALE--	437	1	-	-	-	-	2	1	3	7	15	7
ALASKA -----	145	1	-	-	-	2	1	-	2	1	2	5
WHITE-----MALE----	40	1	-	-	-	-	1	-	-	1	2	2
FEMALE--	64	-	-	-	-	-	-	-	1	-	-	2
ALL OTHER--MALE----	16	-	-	-	-	1	-	-	1	-	-	1
FEMALE--	25	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2,185	1	1	1	1	1	3	1	3	14	25	26
WHITE-----MALE----	831	1	-	-	-	-	1	1	3	5	12	11
FEMALE--	1,236	-	-	1	1	1	1	-	-	6	8	13
ALL OTHER--MALE----	58	-	1	-	-	-	1	-	-	-	1	2
FEMALE--	60	-	-	-	-	-	-	-	-	3	4	-
BLACK---MALE----	23	-	1	-	-	-	-	-	-	-	-	2
FEMALE--	26	-	-	-	-	-	-	-	-	1	1	-
ARKANSAS -----	2,272	4	1	-	-	2	-	5	9	12	21	35
WHITE-----MALE----	773	1	-	-	-	-	-	3	2	4	7	10
FEMALE--	1,127	1	-	-	-	1	-	-	5	3	6	13
ALL OTHER--MALE----	156	1	1	-	-	1	-	-	1	3	5	10
FEMALE--	216	1	-	-	-	-	-	2	1	2	3	2
BLACK---MALE----	156	1	1	-	-	1	-	-	1	3	5	10
FEMALE--	215	1	-	-	-	-	-	2	1	2	3	2
CALIFORNIA -----	16,239	15	-	4	8	5	17	27	73	125	186	290
WHITE-----MALE----	5,390	6	-	2	5	3	9	14	28	50	70	119
FEMALE--	8,356	4	-	1	1	1	3	8	27	42	53	81
ALL OTHER--MALE----	1,199	3	-	-	-	-	3	2	8	18	40	47
FEMALE--	1,294	2	-	1	2	1	2	3	10	15	23	43
BLACK---MALE----	544	3	-	-	-	-	-	1	5	8	26	26
FEMALE--	703	2	-	-	1	-	2	2	10	11	19	29

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,702  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
CEREBROVASCULAR DISEASES (430-438)												
0 UNITED STATES --	3,025	3,938	5,797	9,649	16,085	23,069	30,585	30,395	19,957	7,486	1,536	7
WHITE-----MALE----	1,054	1,487	2,433	3,987	6,710	9,129	10,690	8,569	4,286	1,218	167	3
FEMALE--	1,001	1,259	1,928	3,593	6,752	10,965	16,761	19,278	14,152	5,682	1,188	-
ALL OTHER--MALE----	570	683	759	1,042	1,265	1,323	1,248	831	390	139	36	2
FEMALE--	400	509	677	1,027	1,358	1,652	1,886	1,717	1,129	447	145	2
BLACK---MALE----	507	590	650	902	1,062	1,093	1,020	657	309	113	25	2
FEMALE--	336	451	576	886	1,201	1,428	1,642	1,530	997	401	129	2
ALABAMA -----	83	91	121	215	317	397	521	459	313	97	19	-
WHITE-----MALE----	20	41	57	73	99	135	124	106	55	10	1	-
FEMALE--	16	13	26	62	116	170	266	263	188	68	13	-
ALL OTHER--MALE----	36	23	24	44	42	42	44	30	18	3	1	-
FEMALE--	11	14	14	36	60	50	87	60	52	16	4	-
BLACK---MALE----	36	23	24	44	42	42	44	30	18	3	1	-
FEMALE--	11	14	14	36	59	49	87	60	51	16	4	-
ALASKA -----	1	7	11	8	12	16	29	21	18	6	2	-
WHITE-----MALE----	-	3	7	2	4	2	8	3	3	-	1	-
FEMALE--	-	3	1	4	5	8	14	12	9	5	-	-
ALL OTHER--MALE----	1	1	1	-	1	1	3	1	4	-	-	-
FEMALE--	-	-	2	2	2	5	4	5	2	1	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	35	42	78	147	218	357	440	435	251	85	20	-
WHITE-----MALE----	17	20	37	57	109	169	163	144	57	19	5	-
FEMALE--	13	18	33	71	95	177	256	282	184	63	13	-
ALL OTHER--MALE----	2	2	1	8	10	8	9	8	3	1	1	-
FEMALE--	3	2	7	11	4	3	12	1	7	2	1	-
BLACK---MALE----	1	2	-	4	5	2	3	1	1	1	-	-
FEMALE--	-	-	5	5	2	3	6	-	3	-	-	-
ARKANSAS -----	35	53	89	128	236	325	447	443	300	99	28	-
WHITE-----MALE----	16	21	36	46	100	125	179	136	67	17	3	-
FEMALE--	9	18	28	43	85	153	216	258	196	72	20	-
ALL OTHER--MALE----	8	5	17	19	21	18	22	15	8	1	-	-
FEMALE--	2	9	8	20	30	29	30	34	29	9	5	-
BLACK---MALE----	8	5	17	19	21	18	22	15	8	1	-	-
FEMALE--	2	9	8	20	30	28	30	34	29	9	5	-
CALIFORNIA -----	355	442	595	1,015	1,689	2,395	3,053	2,974	2,076	727	168	-
WHITE-----MALE----	134	158	241	399	678	982	1,041	863	456	107	25	-
FEMALE--	114	133	191	382	701	1,028	1,632	1,821	1,444	562	127	-
ALL OTHER--MALE----	53	96	81	107	162	202	179	124	51	21	2	-
FEMALE--	54	55	82	127	148	183	201	166	125	37	14	-
BLACK---MALE----	33	56	39	52	73	81	75	35	19	11	1	-
FEMALE--	34	33	45	64	86	95	94	92	63	15	6	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,703  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
CEREBROVASCULAR DISEASES (430-438)												
COLORADO -----	1,600	3	-	1	-	-	3	3	4	15	12	24
WHITE-----MALE----	555	3	-	1	-	-	-	3	1	9	2	11
FEMALE--	961	-	-	-	-	-	2	-	2	3	7	10
ALL OTHER--MALE----	33	-	-	-	-	-	-	-	-	1	2	3
FEMALE--	51	-	-	-	-	-	1	-	1	2	1	-
BLACK---MALE----	24	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	38	-	-	-	-	-	1	-	1	2	1	-
CONNECTICUT -----	1,873	2	1	1	-	-	-	1	6	7	13	26
WHITE-----MALE----	686	2	1	1	-	-	-	1	2	1	5	14
FEMALE--	1,082	-	-	-	-	-	-	-	1	3	5	8
ALL OTHER--MALE----	47	-	-	-	-	-	-	-	-	3	2	2
FEMALE--	58	-	-	-	-	-	-	-	3	-	1	2
BLACK---MALE----	43	-	-	-	-	-	-	-	-	3	2	2
FEMALE--	54	-	-	-	-	-	-	-	3	-	1	2
DELAWARE -----	343	-	1	-	-	-	-	3	3	7	7	9
WHITE-----MALE----	109	-	1	-	-	-	-	1	-	1	-	2
FEMALE--	166	-	-	-	-	-	-	-	2	3	1	5
ALL OTHER--MALE----	27	-	-	-	-	-	-	2	1	-	2	1
FEMALE--	41	-	-	-	-	-	-	-	-	3	4	1
BLACK---MALE----	26	-	-	-	-	-	-	2	1	-	2	1
FEMALE--	38	-	-	-	-	-	-	-	-	3	3	-
DISTRICT OF COLUMBIA ----	370	1	1	-	-	-	1	1	-	7	8	14
WHITE-----MALE----	39	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	70	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	98	1	-	-	-	-	-	-	-	2	3	9
FEMALE--	163	-	1	-	-	-	1	1	-	5	4	4
BLACK---MALE----	95	1	-	-	-	-	-	-	-	2	3	9
FEMALE--	162	-	1	-	-	-	1	1	-	5	4	4
FLORIDA -----	9,895	19	5	1	4	-	1	13	33	58	77	114
WHITE-----MALE----	3,703	4	2	1	1	-	-	5	13	27	33	37
FEMALE--	5,031	7	-	-	-	-	1	1	9	11	18	40
ALL OTHER--MALE----	480	5	-	-	2	-	-	3	3	10	14	17
FEMALE--	681	3	3	-	1	-	-	4	8	10	12	20
BLACK---MALE----	462	5	-	-	2	-	-	3	3	10	14	16
FEMALE--	666	3	2	-	1	-	-	4	8	10	12	20
GEORGIA -----	4,044	7	5	4	-	-	2	9	25	40	59	84
WHITE-----MALE----	1,059	1	2	1	-	-	1	1	8	13	13	14
FEMALE--	1,817	3	1	1	-	-	-	4	8	10	12	16
ALL OTHER--MALE----	502	1	1	-	-	-	1	3	6	5	22	31
FEMALE--	666	2	1	2	-	-	-	1	3	12	12	23
BLACK---MALE----	496	1	1	-	-	-	1	2	6	5	22	30
FEMALE--	656	2	1	2	-	-	-	1	3	11	12	23

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,703  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
CEREBROVASCULAR DISEASES (430-438)												
COLORADO -----	24	35	56	77	155	234	302	330	213	99	10	-
WHITE-----MALE----	12	13	23	35	64	106	98	104	46	23	1	-
FEMALE--	9	20	28	35	79	115	193	216	162	71	9	-
ALL OTHER--MALE----	1	-	4	1	6	4	5	3	1	2	-	-
FEMALE--	2	2	1	6	6	9	6	7	4	3	-	-
BLACK---MALE----	1	-	4	1	3	4	3	2	-	2	-	-
FEMALE--	-	1	-	6	3	7	5	5	3	3	-	-
CONNECTICUT -----	28	29	58	116	187	263	353	373	254	123	32	-
WHITE-----MALE----	14	17	29	53	95	113	145	116	59	17	1	-
FEMALE--	10	4	20	51	79	138	193	253	187	102	28	-
ALL OTHER--MALE----	4	4	3	10	3	7	5	1	2	-	1	-
FEMALE--	-	4	6	2	10	5	10	3	6	4	2	-
BLACK---MALE----	4	2	3	9	3	7	5	1	2	-	-	-
FEMALE--	-	4	6	2	8	5	9	3	5	4	2	-
DELAWARE -----	5	11	20	26	38	48	50	65	37	10	3	-
WHITE-----MALE----	2	4	7	11	19	20	18	15	8	-	-	-
FEMALE--	2	4	10	7	9	24	23	41	24	8	3	-
ALL OTHER--MALE----	1	2	2	5	6	2	1	1	1	-	-	-
FEMALE--	-	1	1	3	4	2	8	8	4	2	-	-
BLACK---MALE----	-	2	2	5	6	2	1	1	1	-	-	-
FEMALE--	-	1	-	3	4	2	8	8	4	2	-	-
DISTRICT OF COLUMBIA ----	15	19	26	32	38	46	58	59	26	15	3	-
WHITE-----MALE----	2	1	2	3	3	6	5	8	4	4	-	-
FEMALE--	1	1	2	1	2	11	13	21	9	7	1	-
ALL OTHER--MALE----	4	11	9	12	12	12	12	9	2	-	-	-
FEMALE--	8	6	13	16	21	17	28	21	11	4	2	-
BLACK---MALE----	4	11	9	12	11	12	11	9	1	-	-	-
FEMALE--	8	6	13	16	21	17	28	21	10	4	2	-
FLORIDA -----	170	234	319	637	1,005	1,551	1,976	1,957	1,226	424	71	-
WHITE-----MALE----	58	94	136	275	456	674	808	655	325	86	13	-
FEMALE--	46	65	104	237	413	728	1,005	1,175	820	304	47	-
ALL OTHER--MALE----	35	46	45	51	65	63	59	35	22	3	2	-
FEMALE--	31	29	34	74	71	86	104	92	59	31	9	-
BLACK---MALE----	34	44	42	49	63	61	57	33	21	3	2	-
FEMALE--	29	29	34	71	68	83	104	91	58	30	9	-
GEORGIA -----	112	133	204	289	462	569	773	716	400	117	33	1
WHITE-----MALE----	36	29	74	96	151	177	205	155	59	20	3	-
FEMALE--	22	42	44	81	181	234	385	418	260	75	20	-
ALL OTHER--MALE----	35	37	46	57	64	57	71	41	18	5	-	1
FEMALE--	19	25	40	55	66	101	112	102	63	17	10	-
BLACK---MALE----	34	36	45	57	63	57	71	41	18	5	-	1
FEMALE--	16	24	39	53	66	100	111	102	63	17	10	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,704  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
CEREBROVASCULAR DISEASES (430-438)												
HAWAII -----	15	18	30	51	80	85	105	97	63	20	8	-
WHITE-----MALE----	2	2	4	8	9	17	16	6	2	-	-	-
FEMALE--	1	-	2	2	13	5	11	17	13	5	1	-
ALL OTHER--MALE----	7	11	8	23	40	26	43	34	26	7	3	-
FEMALE--	5	5	16	18	18	37	35	40	22	8	4	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
IDAHO -----	4	10	20	26	71	89	121	140	99	33	6	-
WHITE-----MALE----	1	4	10	14	28	39	58	48	20	8	-	-
FEMALE--	2	6	9	11	43	50	63	92	79	25	6	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	132	168	241	441	797	1,090	1,443	1,436	1,023	322	68	-
WHITE-----MALE----	43	62	100	171	371	453	504	421	237	53	6	-
FEMALE--	45	35	77	171	288	495	824	919	720	252	56	-
ALL OTHER--MALE----	26	37	35	52	63	57	40	30	12	4	2	-
FEMALE--	18	34	29	47	75	85	75	66	54	13	4	-
BLACK---MALE----	23	37	31	51	56	51	36	24	11	4	1	-
FEMALE--	15	32	28	44	70	77	69	61	49	13	4	-
INDIANA -----	55	74	160	242	410	533	826	807	489	199	49	-
WHITE-----MALE----	26	37	90	98	171	221	299	217	107	37	1	-
FEMALE--	23	28	53	115	186	272	493	561	368	159	45	-
ALL OTHER--MALE----	1	5	8	16	26	16	15	5	3	-	2	-
FEMALE--	5	4	9	13	27	24	19	24	11	3	1	-
BLACK---MALE----	1	5	8	16	26	15	15	5	3	-	2	-
FEMALE--	4	4	8	13	27	23	19	24	11	3	1	-
IOWA -----	37	36	49	99	180	284	442	466	354	172	45	-
WHITE-----MALE----	16	16	25	47	91	135	178	136	83	27	8	-
FEMALE--	19	19	21	46	78	142	261	328	267	143	37	-
ALL OTHER--MALE----	1	-	2	2	6	4	2	-	1	2	-	-
FEMALE--	1	1	1	4	5	3	1	2	3	-	-	-
BLACK---MALE----	1	-	1	1	6	3	2	-	1	2	-	-
FEMALE--	-	-	1	1	5	3	1	2	3	-	-	-
KANSAS -----	26	31	32	84	177	244	340	401	295	118	21	-
WHITE-----MALE----	10	10	15	40	77	102	127	106	73	25	1	-
FEMALE--	14	17	16	36	85	128	201	281	208	89	19	-
ALL OTHER--MALE----	2	2	-	5	6	6	7	5	4	1	-	-
FEMALE--	-	2	1	3	9	8	5	9	10	3	1	-
BLACK---MALE----	2	2	-	5	6	5	6	5	4	1	-	-
FEMALE--	-	2	1	3	8	7	5	9	10	3	1	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,705  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
CEREBROVASCULAR DISEASES (430-438)												
KENTUCKY -----	2,467	1	1	-	1	-	-	2	10	15	24	37
WHITE-----MALE----	839	-	1	-	1	-	-	1	4	10	17	17
FEMALE--	1,450	-	-	-	-	-	-	1	6	3	4	15
ALL OTHER--MALE----	76	1	-	-	-	-	-	-	-	2	3	5
FEMALE--	102	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	75	1	-	-	-	-	-	-	-	2	3	5
FEMALE--	101	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	2,544	5	-	-	1	2	3	2	8	23	49	50
WHITE-----MALE----	679	2	-	-	1	-	1	-	-	4	6	13
FEMALE--	1,073	-	-	-	-	-	-	-	3	4	12	9
ALL OTHER--MALE----	358	2	-	-	-	1	1	-	2	10	13	16
FEMALE--	434	1	-	-	-	1	1	2	3	5	18	12
BLACK---MALE----	352	2	-	-	-	1	1	-	2	10	10	15
FEMALE--	423	1	-	-	-	1	-	2	3	5	18	11
MAINE -----	744	-	-	-	-	-	-	-	2	4	2	6
WHITE-----MALE----	270	-	-	-	-	-	-	-	1	2	-	2
FEMALE--	469	-	-	-	-	-	-	-	1	2	2	3
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
MARYLAND -----	2,645	12	1	-	2	-	1	7	14	38	37	67
WHITE-----MALE----	791	6	-	-	2	-	-	3	6	8	10	19
FEMALE--	1,223	3	-	-	-	-	1	1	2	3	1	6
ALL OTHER--MALE----	289	1	1	-	-	-	-	1	2	14	13	22
FEMALE--	342	2	-	-	-	-	-	2	4	13	13	20
BLACK---MALE----	267	1	1	-	-	-	-	1	2	14	12	22
FEMALE--	325	2	-	-	-	-	-	2	4	13	13	20
MASSACHUSETTS -----	3,459	5	-	2	1	1	4	3	13	24	19	37
WHITE-----MALE----	1,078	2	-	2	-	1	3	1	6	12	9	14
FEMALE--	2,258	3	-	-	-	-	-	-	4	10	8	15
ALL OTHER--MALE----	56	-	-	-	1	-	1	1	1	1	1	6
FEMALE--	67	-	-	-	-	-	-	1	2	1	1	2
BLACK---MALE----	45	-	-	-	-	-	1	1	1	1	1	6
FEMALE--	49	-	-	-	-	-	-	1	2	1	1	-
MICHIGAN -----	5,865	15	2	1	1	3	5	5	17	50	77	100
WHITE-----MALE----	1,926	4	1	-	1	2	-	2	6	14	24	32
FEMALE--	3,072	7	-	-	-	-	2	2	6	17	25	31
ALL OTHER--MALE----	364	2	1	-	-	1	2	1	2	7	17	20
FEMALE--	503	2	-	1	-	-	1	-	3	12	11	17
BLACK---MALE----	352	2	1	-	-	1	2	1	2	7	17	20
FEMALE--	480	2	-	1	-	-	1	-	3	12	11	15

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,705  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
CEREBROVASCULAR DISEASES (430-438)												
KENTUCKY -----	39	70	83	149	268	367	482	484	303	111	20	-
WHITE-----MALE----	20	39	39	69	121	137	137	136	68	22	-	-
FEMALE--	16	25	34	66	131	198	313	325	213	83	17	-
ALL OTHER--MALE----	3	3	5	4	7	14	13	8	6	1	1	-
FEMALE--	-	3	5	10	9	18	19	15	16	5	2	-
BLACK---MALE----	3	3	5	4	7	14	12	8	6	1	1	-
FEMALE--	-	3	5	10	9	18	18	15	16	5	2	-
LOUISIANA -----	72	93	116	181	281	343	464	470	264	100	17	-
WHITE-----MALE----	14	22	43	51	84	122	135	121	46	14	-	-
FEMALE--	17	30	27	52	94	139	216	238	164	56	12	-
ALL OTHER--MALE----	23	26	23	40	50	34	47	42	20	7	1	-
FEMALE--	18	15	23	38	53	48	66	69	34	23	4	-
BLACK---MALE----	22	26	23	40	49	34	47	42	20	7	1	-
FEMALE--	16	15	21	38	51	47	64	69	34	23	4	-
MAINE -----	7	11	23	46	81	94	131	165	105	59	8	-
WHITE-----MALE----	6	4	17	23	40	41	48	54	20	11	1	-
FEMALE--	1	7	6	21	41	53	82	111	84	48	7	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	60	82	109	169	273	392	495	457	294	118	16	1
WHITE-----MALE----	20	23	33	65	95	145	166	118	53	17	2	-
FEMALE--	16	24	33	50	109	156	243	274	203	85	13	-
ALL OTHER--MALE----	14	19	21	33	35	45	37	15	11	5	-	-
FEMALE--	10	16	22	21	34	46	49	50	27	11	1	1
BLACK---MALE----	13	18	20	31	30	41	33	15	9	4	-	-
FEMALE--	10	16	20	20	33	43	47	48	21	11	1	1
MASSACHUSETTS -----	42	58	86	179	291	472	654	741	548	218	61	-
WHITE-----MALE----	20	29	45	75	130	186	234	171	101	33	4	-
FEMALE--	14	28	36	92	150	269	401	552	439	183	54	-
ALL OTHER--MALE----	5	1	2	7	7	4	9	5	2	1	1	-
FEMALE--	3	-	3	5	4	13	10	13	6	1	2	-
BLACK---MALE----	5	1	2	4	7	4	6	4	-	1	-	-
FEMALE--	1	-	2	3	3	9	6	11	6	1	2	-
MICHIGAN -----	114	133	213	355	626	900	1,152	1,076	683	274	62	1
WHITE-----MALE----	23	42	89	144	247	361	422	302	158	47	4	1
FEMALE--	43	43	76	133	278	428	606	670	468	191	46	-
ALL OTHER--MALE----	24	24	24	37	47	53	46	23	19	13	1	-
FEMALE--	24	24	24	41	54	58	78	81	38	23	11	-
BLACK---MALE----	21	22	23	36	44	52	46	22	19	13	1	-
FEMALE--	22	23	22	40	51	54	74	80	36	22	11	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,706  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
CEREBROVASCULAR DISEASES (430-438)												
MINNESOTA -----	3,125	5	1	-	-	1	3	2	9	7	14	35
WHITE-----MALE----	1,126	3	-	-	-	1	1	-	7	1	7	17
FEMALE--	1,937	1	1	-	-	-	2	1	2	6	5	15
ALL OTHER--MALE----	23	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	39	1	-	-	-	-	-	1	-	-	-	1
BLACK---MALE----	13	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	17	1	-	-	-	-	-	1	-	-	-	-
MISSISSIPPI -----	1,870	3	-	-	-	1	-	4	12	20	25	39
WHITE-----MALE----	469	-	-	-	-	-	-	1	1	4	4	12
FEMALE--	711	-	-	-	-	1	-	-	5	4	5	6
ALL OTHER--MALE----	300	2	-	-	-	-	-	3	5	6	8	13
FEMALE--	390	1	-	-	-	-	-	-	1	6	8	8
BLACK---MALE----	299	2	-	-	-	-	-	3	5	5	8	13
FEMALE--	385	1	-	-	-	-	-	-	1	6	8	7
MISSOURI -----	3,883	6	3	1	-	1	1	2	13	28	31	47
WHITE-----MALE----	1,276	3	-	-	-	-	1	2	6	9	11	23
FEMALE--	2,229	1	-	-	-	-	-	-	5	10	10	9
ALL OTHER--MALE----	167	1	1	1	-	1	-	-	2	8	6	8
FEMALE--	211	1	2	-	-	-	-	-	-	1	4	7
BLACK---MALE----	162	1	1	1	-	1	-	-	2	8	6	7
FEMALE--	204	1	2	-	-	-	-	-	-	1	4	6
MONTANA -----	594	-	-	-	-	1	-	1	1	2	2	4
WHITE-----MALE----	233	-	-	-	-	1	-	1	-	-	2	2
FEMALE--	344	-	-	-	-	-	-	-	1	1	-	1
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	1,165	1	1	-	1	-	1	3	5	5	9	6
WHITE-----MALE----	446	-	1	-	1	-	-	-	1	1	2	4
FEMALE--	670	1	-	-	-	-	1	2	3	3	4	1
ALL OTHER--MALE----	21	-	-	-	-	-	-	-	1	-	3	1
FEMALE--	28	-	-	-	-	-	-	1	-	1	-	-
BLACK---MALE----	16	-	-	-	-	-	-	-	-	-	3	1
FEMALE--	26	-	-	-	-	-	-	1	-	1	-	-
NEVADA -----	710	2	-	-	-	-	-	-	6	7	11	11
WHITE-----MALE----	302	1	-	-	-	-	-	-	3	2	6	4
FEMALE--	341	1	-	-	-	-	-	-	3	3	3	5
ALL OTHER--MALE----	35	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	32	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	25	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	24	-	-	-	-	-	-	-	-	1	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,706  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
CEREBROVASCULAR DISEASES (430-438)												
MINNESOTA -----	26	41	78	140	266	412	621	670	509	245	40	-
WHITE-----MALE----	6	22	44	78	140	190	263	203	105	33	5	-
FEMALE--	18	15	32	59	120	216	345	460	396	208	35	-
ALL OTHER--MALE----	1	4	-	1	3	2	5	1	2	-	-	-
FEMALE--	1	-	2	2	3	4	8	6	6	4	-	-
BLACK---MALE----	-	2	-	1	1	2	2	1	1	-	-	-
FEMALE--	-	-	-	-	1	1	3	4	3	3	-	-
MISSISSIPPI -----	63	66	105	145	197	273	333	299	195	71	19	-
WHITE-----MALE----	18	18	34	43	57	76	96	69	31	4	1	-
FEMALE--	12	11	20	32	53	92	145	148	119	48	10	-
ALL OTHER--MALE----	23	21	21	35	40	40	39	26	12	3	3	-
FEMALE--	10	16	30	35	47	65	53	56	33	16	5	-
BLACK---MALE----	23	21	21	35	40	40	39	26	12	3	3	-
FEMALE--	10	16	30	35	47	64	52	56	32	16	4	-
MISSOURI -----	72	101	143	213	376	546	754	760	547	199	38	1
WHITE-----MALE----	23	38	73	101	148	225	268	187	120	32	5	1
FEMALE--	30	33	49	81	186	275	438	519	400	152	31	-
ALL OTHER--MALE----	9	17	11	17	21	20	16	18	7	3	-	-
FEMALE--	10	13	10	14	21	26	32	36	20	12	2	-
BLACK---MALE----	8	17	10	16	21	20	15	18	7	3	-	-
FEMALE--	9	12	10	14	20	25	30	36	20	12	2	-
MONTANA -----	8	13	22	33	57	87	117	139	69	29	9	-
WHITE-----MALE----	4	8	11	17	23	39	59	49	13	4	-	-
FEMALE--	4	4	10	16	29	47	55	88	55	25	8	-
ALL OTHER--MALE----	-	-	1	-	3	1	-	1	-	-	1	-
FEMALE--	-	1	-	-	2	-	3	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
NEBRASKA -----	8	19	39	59	99	141	222	252	201	80	13	-
WHITE-----MALE----	4	10	14	29	53	71	110	63	62	19	1	-
FEMALE--	2	9	21	26	39	65	101	183	136	61	12	-
ALL OTHER--MALE----	2	-	4	2	2	1	3	1	1	-	-	-
FEMALE--	-	-	-	2	5	4	8	5	2	-	-	-
BLACK---MALE----	2	-	1	2	2	1	2	1	1	-	-	-
FEMALE--	-	-	-	2	4	3	8	5	2	-	-	-
NEVADA -----	16	32	38	61	94	119	134	108	55	11	4	1
WHITE-----MALE----	8	13	21	22	52	59	55	42	12	1	-	1
FEMALE--	4	8	12	29	36	53	70	61	41	8	4	-
ALL OTHER--MALE----	3	5	3	7	5	3	2	3	-	-	-	-
FEMALE--	1	6	2	3	1	4	7	2	2	2	-	-
BLACK---MALE----	3	2	2	6	3	3	1	2	-	-	-	-
FEMALE--	-	3	1	3	1	3	6	2	2	1	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,708  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
CEREBROVASCULAR DISEASES (430-438)												
OHIO -----	6,688	8	2	-	1	2	3	9	18	37	64	86
WHITE-----MALE----	2,240	4	-	-	-	-	-	4	11	12	18	29
FEMALE--	3,745	3	1	-	1	2	2	2	4	15	27	33
ALL OTHER--MALE----	336	1	1	-	-	-	1	2	1	5	10	19
FEMALE--	367	-	-	-	-	-	-	1	2	5	9	5
BLACK---MALE----	329	1	1	-	-	-	-	2	1	5	9	19
FEMALE--	356	-	-	-	-	-	-	1	2	5	9	4
OKLAHOMA -----	2,377	3	-	-	-	1	-	1	14	11	22	33
WHITE-----MALE----	799	1	-	-	-	-	-	1	3	4	10	13
FEMALE--	1,370	1	-	-	-	1	-	-	6	4	7	12
ALL OTHER--MALE----	86	1	-	-	-	-	-	-	1	1	2	2
FEMALE--	122	-	-	-	-	-	-	-	4	2	3	6
BLACK---MALE----	52	1	-	-	-	-	-	-	-	1	-	1
FEMALE--	82	-	-	-	-	-	-	-	2	2	2	4
OREGON -----	2,440	1	-	-	-	-	1	-	5	7	12	22
WHITE-----MALE----	865	-	-	-	-	-	-	-	1	2	4	9
FEMALE--	1,495	1	-	-	-	-	1	-	3	4	6	9
ALL OTHER--MALE----	33	-	-	-	-	-	-	-	-	1	2	2
FEMALE--	47	-	-	-	-	-	-	-	1	-	-	2
BLACK---MALE----	18	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	2
PENNSYLVANIA -----	8,287	5	3	1	5	2	6	8	11	42	71	103
WHITE-----MALE----	2,927	4	2	-	5	-	3	5	2	14	34	38
FEMALE--	4,635	-	1	1	-	1	1	2	8	21	15	34
ALL OTHER--MALE----	294	-	-	-	-	1	1	-	1	5	9	15
FEMALE--	431	1	-	-	-	-	1	1	-	2	13	16
BLACK---MALE----	283	-	-	-	-	1	1	-	1	5	9	14
FEMALE--	410	1	-	-	-	-	1	1	-	2	13	13
RHODE ISLAND -----	641	-	-	-	-	-	1	-	1	6	5	7
WHITE-----MALE----	202	-	-	-	-	-	1	-	-	3	2	4
FEMALE--	419	-	-	-	-	-	-	-	1	2	2	3
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	1	-
SOUTH CAROLINA -----	2,761	4	1	1	-	1	2	8	3	17	48	63
WHITE-----MALE----	708	3	1	1	-	-	-	2	2	2	9	15
FEMALE--	1,116	-	-	-	-	-	-	-	-	3	4	10
ALL OTHER--MALE----	406	1	-	-	-	-	1	2	1	7	25	25
FEMALE--	531	-	-	-	-	1	1	4	-	5	10	13
BLACK---MALE----	405	1	-	-	-	-	1	2	1	7	25	25
FEMALE--	528	-	-	-	-	1	1	4	-	5	10	13

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,708  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
CEREBROVASCULAR DISEASES (430-438)												
OHIO -----	127	166	248	410	657	1,048	1,330	1,264	832	310	66	-
WHITE-----MALE----	38	71	115	178	283	416	467	369	166	52	7	-
FEMALE--	57	51	91	156	297	517	763	804	625	236	58	-
ALL OTHER--MALE----	18	24	27	43	36	54	42	36	12	4	-	-
FEMALE--	14	20	15	33	41	61	58	55	29	18	1	-
BLACK---MALE----	18	24	25	43	35	53	41	36	12	4	-	-
FEMALE--	14	17	14	31	41	60	57	53	29	18	1	-
OKLAHOMA -----	42	75	82	138	219	321	431	501	324	133	26	-
WHITE-----MALE----	16	37	39	59	101	125	148	141	78	22	1	-
FEMALE--	15	30	31	62	99	169	252	331	228	98	24	-
ALL OTHER--MALE----	6	5	6	7	10	15	11	10	6	3	-	-
FEMALE--	5	3	6	10	9	12	20	19	12	10	1	-
BLACK---MALE----	2	2	3	6	7	9	7	7	5	1	-	-
FEMALE--	3	3	4	7	5	8	14	13	7	7	1	-
OREGON -----	24	48	73	132	220	377	510	528	336	116	28	-
WHITE-----MALE----	11	23	39	57	105	154	205	160	72	17	6	-
FEMALE--	12	22	26	63	104	213	292	363	256	98	22	-
ALL OTHER--MALE----	-	2	6	4	4	6	3	1	2	-	-	-
FEMALE--	1	1	2	8	7	4	10	4	6	1	-	-
BLACK---MALE----	-	2	3	2	2	3	3	-	-	-	-	-
FEMALE--	-	1	-	3	3	1	5	2	3	1	-	-
PENNSYLVANIA -----	128	171	282	454	895	1,315	1,657	1,644	1,009	414	61	-
WHITE-----MALE----	53	68	136	216	404	538	615	491	228	62	9	-
FEMALE--	45	63	96	169	390	682	941	1,063	731	327	44	-
ALL OTHER--MALE----	18	21	27	34	46	32	42	23	10	7	2	-
FEMALE--	12	19	23	35	55	63	59	67	40	18	6	-
BLACK---MALE----	18	20	25	34	45	28	41	23	10	6	2	-
FEMALE--	11	17	22	34	53	58	58	64	39	17	6	-
RHODE ISLAND -----	2	6	23	35	52	92	141	143	89	27	11	-
WHITE-----MALE----	1	4	11	16	21	36	53	33	15	1	1	-
FEMALE--	-	2	9	17	29	54	83	108	73	26	10	-
ALL OTHER--MALE----	-	-	2	-	1	1	1	-	-	-	-	-
FEMALE--	1	-	1	2	1	1	4	2	1	-	-	-
BLACK---MALE----	-	-	1	-	1	-	1	-	-	-	-	-
FEMALE--	1	-	1	2	1	-	4	1	1	-	-	-
SOUTH CAROLINA -----	75	83	140	224	324	428	513	453	264	83	26	-
WHITE-----MALE----	15	24	58	77	101	116	136	91	44	11	-	-
FEMALE--	14	11	27	52	102	159	255	252	155	56	16	-
ALL OTHER--MALE----	31	25	31	46	59	59	48	29	12	2	2	-
FEMALE--	15	23	24	49	62	94	74	81	53	14	8	-
BLACK---MALE----	31	25	31	45	59	59	48	29	12	2	2	-
FEMALE--	14	23	23	49	62	94	73	81	53	14	8	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,709  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
CEREBROVASCULAR DISEASES (430-438)												
SOUTH DAKOTA -----	534	-	-	-	-	-	-	1	1	2	2	6
WHITE-----MALE----	205	-	-	-	-	-	-	-	-	2	1	5
FEMALE--	319	-	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	4,193	1	1	-	1	1	4	2	12	31	55	73
WHITE-----MALE----	1,277	1	1	-	-	1	1	1	4	8	18	19
FEMALE--	2,160	-	-	-	1	-	1	1	4	5	11	25
ALL OTHER--MALE----	319	-	-	-	-	-	2	-	2	8	12	15
FEMALE--	437	-	-	-	-	-	-	-	2	10	14	14
BLACK---MALE----	313	-	-	-	-	-	2	-	2	8	12	14
FEMALE--	434	-	-	-	-	-	-	-	2	10	14	14
TEXAS -----	9,802	23	4	-	1	6	11	13	27	82	118	187
WHITE-----MALE----	3,197	10	1	-	-	3	4	4	19	36	47	74
FEMALE--	5,265	12	2	-	1	2	5	7	6	28	35	58
ALL OTHER--MALE----	590	1	1	-	-	1	1	2	1	9	18	32
FEMALE--	750	-	-	-	-	-	1	-	1	9	18	23
BLACK---MALE----	560	1	1	-	-	1	1	2	1	9	16	31
FEMALE--	723	-	-	-	-	-	1	-	1	8	17	21
UTAH -----	778	4	-	-	-	-	2	1	4	6	7	9
WHITE-----MALE----	288	1	-	-	-	-	2	-	1	3	3	5
FEMALE--	470	2	-	-	-	-	-	1	3	3	3	4
ALL OTHER--MALE----	13	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	334	1	-	-	-	-	1	-	-	-	2	5
WHITE-----MALE----	114	1	-	-	-	-	1	-	-	-	2	3
FEMALE--	220	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	3,803	4	2	1	-	1	1	4	16	31	36	66
WHITE-----MALE----	1,088	1	-	-	-	1	-	-	5	8	9	20
FEMALE--	1,833	1	1	1	-	-	-	4	3	5	8	11
ALL OTHER--MALE----	409	1	1	-	-	-	-	-	4	10	12	21
FEMALE--	473	1	-	-	-	-	1	-	4	8	7	14
BLACK---MALE----	399	1	1	-	-	-	-	-	4	10	12	20
FEMALE--	462	1	-	-	-	-	1	-	4	8	7	13

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,709  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
CEREBROVASCULAR DISEASES (430-438)												
SOUTH DAKOTA -----	6	7	11	18	43	67	107	106	98	48	11	-
WHITE-----MALE----	2	2	7	10	22	25	37	46	33	11	2	-
FEMALE--	4	3	4	8	20	41	68	58	65	37	9	-
ALL OTHER--MALE----	-	1	-	-	1	1	1	2	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	110	115	172	267	444	583	800	815	485	181	40	-
WHITE-----MALE----	37	46	59	114	177	219	234	205	101	27	4	-
FEMALE--	44	33	60	94	182	263	449	516	319	126	26	-
ALL OTHER--MALE----	18	26	32	29	44	40	39	32	10	8	2	-
FEMALE--	11	10	21	30	41	61	78	62	55	20	8	-
BLACK---MALE----	18	26	32	28	44	38	38	31	10	8	2	-
FEMALE--	11	10	21	30	40	61	76	62	55	20	8	-
TEXAS -----	215	280	374	647	973	1,321	1,872	1,874	1,254	430	90	-
WHITE-----MALE----	77	122	136	274	401	507	646	530	233	61	12	-
FEMALE--	84	101	125	262	429	645	1,005	1,157	909	328	64	-
ALL OTHER--MALE----	36	32	61	57	72	84	86	56	29	8	3	-
FEMALE--	18	25	52	54	71	85	135	131	83	33	11	-
BLACK---MALE----	33	27	58	53	70	82	81	55	28	7	3	-
FEMALE--	17	24	49	50	68	82	130	130	82	32	11	-
UTAH -----	9	15	17	45	70	131	164	166	103	21	4	-
WHITE-----MALE----	4	7	10	23	31	52	56	65	22	3	-	-
FEMALE--	5	7	6	17	37	76	107	97	80	18	4	-
ALL OTHER--MALE----	-	1	-	4	1	2	-	3	1	-	-	-
FEMALE--	-	-	1	1	1	1	1	1	-	-	-	-
BLACK---MALE----	-	1	-	-	1	1	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
VERMONT -----	9	3	10	10	28	47	73	66	52	26	1	-
WHITE-----MALE----	2	2	4	4	16	18	25	20	10	6	-	-
FEMALE--	7	1	6	6	12	29	48	46	42	20	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	97	108	162	252	409	550	700	747	428	155	31	2
WHITE-----MALE----	30	33	61	95	137	193	212	176	82	23	2	-
FEMALE--	24	30	46	67	147	246	364	457	282	113	23	-
ALL OTHER--MALE----	23	30	31	46	55	51	53	46	14	8	2	1
FEMALE--	20	15	24	44	70	60	71	68	50	11	4	1
BLACK---MALE----	23	30	30	43	55	50	50	46	13	8	2	1
FEMALE--	19	15	24	44	67	58	70	65	50	11	4	1





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,711  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SUBARACHNOID HEMORRHAGE (430)												
0 UNITED STATES --	6,972	1	2	9	11	15	36	84	211	454	557	674
WHITE-----MALE----	2,017	-	-	4	6	10	14	34	72	165	175	226
FEMALE--	3,710	-	-	5	2	2	7	29	74	176	222	314
ALL OTHER--MALE----	437	-	2	-	2	3	9	8	30	53	64	48
FEMALE--	808	1	-	-	1	-	6	13	35	60	96	86
BLACK---MALE----	336	-	2	-	2	2	6	6	24	45	51	41
FEMALE--	657	1	-	-	1	-	6	12	33	57	89	75
ALABAMA -----	108	-	-	-	-	-	2	3	4	6	8	7
WHITE-----MALE----	31	-	-	-	-	-	1	2	-	1	-	3
FEMALE--	38	-	-	-	-	-	-	-	-	1	2	1
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	1	1	2	2
FEMALE--	27	-	-	-	-	-	1	1	3	3	4	1
BLACK---MALE----	12	-	-	-	-	-	-	-	1	1	2	2
FEMALE--	26	-	-	-	-	-	1	1	3	3	4	1
ALASKA -----	10	-	-	-	-	1	-	-	1	-	2	2
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	97	-	1	1	-	-	2	1	2	4	6	8
WHITE-----MALE----	33	-	-	-	-	-	1	1	2	2	1	4
FEMALE--	60	-	-	1	-	-	1	-	-	1	5	4
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	67	-	-	-	-	1	-	1	5	3	5	5
WHITE-----MALE----	23	-	-	-	-	-	-	1	2	2	1	2
FEMALE--	37	-	-	-	-	-	-	-	2	1	3	3
ALL OTHER--MALE----	4	-	-	-	-	1	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	4	-	-	-	-	1	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-
CALIFORNIA -----	820	-	-	1	2	1	5	12	22	56	55	83
WHITE-----MALE----	244	-	-	1	2	1	2	6	9	24	16	30
FEMALE--	389	-	-	-	-	-	-	3	10	21	20	37
ALL OTHER--MALE----	68	-	-	-	-	-	2	2	2	6	10	6
FEMALE--	119	-	-	-	-	-	1	1	1	5	9	10
BLACK---MALE----	27	-	-	-	-	-	-	1	1	3	5	4
FEMALE--	57	-	-	-	-	-	1	-	1	5	8	7

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,711  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 SUBARACHNOID HEMORRHAGE (430)												
0 UNITED STATES --	640	644	642	641	685	668	513	324	123	33	4	1
WHITE-----MALE----	195	192	214	173	183	161	102	69	17	4	-	1
FEMALE--	329	328	329	372	407	431	344	219	96	22	2	-
ALL OTHER--MALE----	42	43	37	28	25	17	20	5	1	-	-	-
FEMALE--	74	81	62	68	70	59	47	31	9	7	2	-
BLACK---MALE----	36	33	29	16	15	13	13	1	1	-	-	-
FEMALE--	56	68	50	49	55	35	34	23	6	5	2	-
ALABAMA -----	8	11	10	7	18	8	8	6	2	-	-	-
WHITE-----MALE----	2	3	5	4	6	2	1	1	-	-	-	-
FEMALE--	5	5	4	2	7	5	3	1	2	-	-	-
ALL OTHER--MALE----	1	3	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	4	1	4	4	-	-	-	-
BLACK---MALE----	1	3	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	4	-	4	4	-	-	-	-
ALASKA -----	-	-	1	-	1	-	-	2	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	6	7	12	9	17	9	7	3	2	-	-	-
WHITE-----MALE----	2	3	6	2	4	4	1	-	-	-	-	-
FEMALE--	3	4	6	7	13	5	5	3	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	9	7	6	5	5	7	5	3	-	-	-	-
WHITE-----MALE----	3	4	4	1	1	1	1	-	-	-	-	-
FEMALE--	5	3	2	3	4	6	3	2	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
CALIFORNIA -----	77	81	76	73	83	83	63	35	8	4	-	-
WHITE-----MALE----	29	19	18	18	22	18	16	9	2	2	-	-
FEMALE--	33	41	38	37	43	48	35	19	3	1	-	-
ALL OTHER--MALE----	4	7	9	5	7	2	4	2	-	-	-	-
FEMALE--	11	14	11	13	11	15	8	5	3	1	-	-
BLACK---MALE----	3	5	3	-	1	-	1	-	-	-	-	-
FEMALE--	6	7	5	4	3	3	3	2	1	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,712  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SUBARACHNOID HEMORRHAGE (430)												
COLORADO -----	82	-	-	1	-	-	1	-	4	8	6	7
WHITE-----MALE----	24	-	-	1	-	-	-	-	1	5	-	3
FEMALE--	53	-	-	-	-	-	1	-	2	2	6	4
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	1	-	-
CONNECTICUT -----	68	-	-	-	-	-	-	1	1	1	5	9
WHITE-----MALE----	21	-	-	-	-	-	-	1	-	-	2	4
FEMALE--	35	-	-	-	-	-	-	-	1	-	2	3
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	1
DELAWARE -----	24	-	-	-	-	-	-	-	2	4	1	4
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	10	-	-	-	-	-	-	-	1	2	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	7	-	-	-	-	-	-	-	-	2	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	2	-	-
DISTRICT OF COLUMBIA ----	27	-	-	-	-	-	-	1	-	1	4	2
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	1	-	1	3	2
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	1	-	1	3	2
FLORIDA -----	429	-	-	-	3	-	-	4	13	23	27	31
WHITE-----MALE----	119	-	-	-	-	-	-	-	5	12	9	12
FEMALE--	247	-	-	-	-	-	-	-	6	5	14	15
ALL OTHER--MALE----	19	-	-	-	2	-	-	1	1	3	-	3
FEMALE--	44	-	-	-	1	-	-	3	1	3	4	1
BLACK---MALE----	18	-	-	-	2	-	-	1	1	3	-	2
FEMALE--	40	-	-	-	1	-	-	3	1	3	4	1
GEORGIA -----	160	-	-	-	-	-	1	6	5	17	12	16
WHITE-----MALE----	43	-	-	-	-	-	-	1	2	6	3	1
FEMALE--	73	-	-	-	-	-	-	3	1	5	3	11
ALL OTHER--MALE----	17	-	-	-	-	-	1	1	-	2	4	1
FEMALE--	27	-	-	-	-	-	-	1	2	4	2	3
BLACK---MALE----	16	-	-	-	-	-	1	-	-	2	4	1
FEMALE--	25	-	-	-	-	-	-	1	2	3	2	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,712  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 SUBARACHNOID HEMORRHAGE (430)												
COLORADO -----	7	9	11	6	9	5	2	2	2	2	-	-
WHITE-----MALE----	3	2	-	1	2	3	1	2	-	-	-	-
FEMALE--	3	6	10	5	7	2	1	-	2	2	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	6	4	4	13	3	11	3	4	3	-	-	-
WHITE-----MALE----	3	1	3	1	-	5	1	-	-	-	-	-
FEMALE--	3	-	1	10	2	5	2	3	3	-	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	1	1	1	-	1	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	1	1	1	-	1	-	-	-	-
DELAWARE -----	1	-	3	2	-	3	1	2	1	-	-	-
WHITE-----MALE----	1	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	2	1	-	2	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	2	-	-	-	-
DISTRICT OF COLUMBIA ----	4	3	1	4	2	3	2	-	-	-	-	-
WHITE-----MALE----	-	1	-	2	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	1	-	1	2	1	-	-	-	-	-
FEMALE--	2	-	-	2	1	-	1	-	-	-	-	-
BLACK---MALE----	1	1	1	-	1	2	1	-	-	-	-	-
FEMALE--	2	-	-	2	1	-	1	-	-	-	-	-
FLORIDA -----	38	37	34	53	45	49	34	21	13	2	2	-
WHITE-----MALE----	13	8	11	17	11	10	8	3	-	-	-	-
FEMALE--	16	19	19	30	31	37	25	17	11	2	-	-
ALL OTHER--MALE----	2	4	2	-	-	1	-	-	-	-	-	-
FEMALE--	7	6	2	6	3	1	1	1	2	-	2	-
BLACK---MALE----	2	4	2	-	-	1	-	-	-	-	-	-
FEMALE--	6	6	2	4	3	-	1	1	2	-	2	-
GEORGIA -----	14	16	14	19	8	8	9	10	4	1	-	-
WHITE-----MALE----	3	6	4	7	2	2	2	3	1	-	-	-
FEMALE--	7	8	1	9	6	5	4	6	3	1	-	-
ALL OTHER--MALE----	3	-	3	1	-	-	1	-	-	-	-	-
FEMALE--	1	2	6	2	-	1	2	1	-	-	-	-
BLACK---MALE----	3	-	3	1	-	-	1	-	-	-	-	-
FEMALE--	1	2	6	2	-	1	1	1	-	-	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,713  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 SUBARACHNOID HEMORRHAGE (430)												
HAWAII -----	4	1	3	6	3	6	3	-	-	-	-	-
WHITE-----MALE----	1	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	-	2	2	1	2	-	-	-	-	-
FEMALE--	-	-	2	4	-	5	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	1	2	5	2	3	-	2	2	-	-	-	-
WHITE-----MALE----	-	-	3	-	1	-	1	1	-	-	-	-
FEMALE--	-	2	2	2	2	-	1	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	30	21	30	18	32	16	20	16	7	-	-	-
WHITE-----MALE----	7	6	13	4	13	3	3	3	2	-	-	-
FEMALE--	18	13	13	13	13	10	16	12	4	-	-	-
ALL OTHER--MALE----	2	-	3	-	1	2	1	-	1	-	-	-
FEMALE--	3	2	1	1	5	1	1	1	-	-	-	-
BLACK---MALE----	1	-	3	-	-	2	1	-	1	-	-	-
FEMALE--	2	2	1	1	5	1	-	-	-	-	-	-
INDIANA -----	16	12	13	17	15	16	15	6	2	-	-	-
WHITE-----MALE----	7	7	6	6	6	4	5	-	-	-	-	-
FEMALE--	8	4	6	11	9	10	9	6	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	1	1	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	1	1	-	-	1	1	-	-	-	-	-
IOWA -----	10	3	4	6	11	5	7	3	4	2	-	-
WHITE-----MALE----	4	2	3	1	5	1	1	1	-	-	-	-
FEMALE--	4	1	1	5	4	4	6	2	4	2	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
KANSAS -----	2	3	8	9	11	7	3	2	2	-	-	-
WHITE-----MALE----	-	-	2	6	4	-	1	1	1	-	-	-
FEMALE--	2	3	5	3	4	7	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	3	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	2	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,714  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SUBARACHNOID HEMORRHAGE (430)												
KENTUCKY -----	106	-	-	-	-	-	-	1	2	8	9	10
WHITE-----MALE----	46	-	-	-	-	-	-	1	-	5	7	7
FEMALE--	55	-	-	-	-	-	-	-	2	2	1	3
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	127	-	-	-	1	-	-	-	4	4	13	11
WHITE-----MALE----	21	-	-	-	1	-	-	-	-	1	-	3
FEMALE--	61	-	-	-	-	-	-	-	-	2	5	3
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	2	-	-	1
FEMALE--	32	-	-	-	-	-	-	-	2	1	8	4
BLACK---MALE----	13	-	-	-	-	-	-	-	2	-	-	1
FEMALE--	31	-	-	-	-	-	-	-	2	1	8	3
MAINE -----	22	-	-	-	-	-	-	-	2	3	-	2
WHITE-----MALE----	6	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	16	-	-	-	-	-	-	-	1	2	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	137	-	-	-	1	-	-	2	4	13	12	14
WHITE-----MALE----	38	-	-	-	1	-	-	-	1	3	4	3
FEMALE--	52	-	-	-	-	-	-	1	1	1	1	4
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	1	3	5	1
FEMALE--	33	-	-	-	-	-	-	1	1	6	2	6
BLACK---MALE----	13	-	-	-	-	-	-	-	1	3	4	1
FEMALE--	32	-	-	-	-	-	-	1	1	6	2	6
MASSACHUSETTS -----	160	-	-	-	-	-	1	-	7	9	12	14
WHITE-----MALE----	46	-	-	-	-	-	1	-	5	4	3	6
FEMALE--	104	-	-	-	-	-	-	-	-	4	8	7
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	7	-	-	-	-	-	-	-	2	-	1	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	5	-	-	-	-	-	-	-	2	-	1	-
MICHIGAN -----	263	-	-	-	1	-	-	1	8	21	32	32
WHITE-----MALE----	77	-	-	-	1	-	-	-	2	8	11	13
FEMALE--	136	-	-	-	-	-	-	1	4	7	12	11
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	1	3	5	3
FEMALE--	32	-	-	-	-	-	-	-	1	3	4	5
BLACK---MALE----	17	-	-	-	-	-	-	-	1	3	5	3
FEMALE--	27	-	-	-	-	-	-	-	1	3	4	4

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,714  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 SUBARACHNOID HEMORRHAGE (430)												
KENTUCKY -----	7	11	15	6	11	12	7	6	1	-	-	-
WHITE-----MALE----	5	3	4	1	3	5	2	2	1	-	-	-
FEMALE--	2	7	11	4	8	6	5	4	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
LOUISIANA -----	13	17	10	12	12	9	15	3	2	1	-	-
WHITE-----MALE----	2	4	2	3	2	2	1	-	-	-	-	-
FEMALE--	6	8	5	4	5	6	13	2	2	-	-	-
ALL OTHER--MALE----	3	1	1	2	2	-	1	-	-	-	-	-
FEMALE--	2	4	2	3	3	1	-	1	-	1	-	-
BLACK---MALE----	3	1	1	2	2	-	1	-	-	-	-	-
FEMALE--	2	4	2	3	3	1	-	1	-	1	-	-
MAINE -----	2	1	2	2	2	4	1	1	-	-	-	-
WHITE-----MALE----	2	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	1	2	1	4	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	9	13	10	14	8	12	13	7	4	1	-	-
WHITE-----MALE----	2	6	5	2	2	3	4	-	2	-	-	-
FEMALE--	2	6	4	6	3	7	9	5	2	-	-	-
ALL OTHER--MALE----	-	1	-	2	-	1	-	-	-	-	-	-
FEMALE--	5	-	1	4	3	1	-	2	-	1	-	-
BLACK---MALE----	-	1	-	2	-	1	-	-	-	-	-	-
FEMALE--	5	-	1	3	3	1	-	2	-	1	-	-
MASSACHUSETTS -----	7	13	9	20	15	25	14	9	4	1	-	-
WHITE-----MALE----	3	3	2	5	2	9	1	1	1	-	-	-
FEMALE--	2	10	7	13	13	15	13	8	3	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	2	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
MICHIGAN -----	29	18	20	28	22	14	22	10	3	1	1	-
WHITE-----MALE----	6	4	8	10	5	5	1	2	1	-	-	-
FEMALE--	15	8	10	17	13	9	18	8	1	1	1	-
ALL OTHER--MALE----	2	-	1	1	1	-	1	-	-	-	-	-
FEMALE--	6	6	1	-	3	-	2	-	1	-	-	-
BLACK---MALE----	2	-	-	1	1	-	1	-	-	-	-	-
FEMALE--	4	5	1	-	3	-	2	-	-	-	-	-











TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,717  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SUBARACHNOID HEMORRHAGE (430)												
OHIO -----	313	-	-	-	-	1	1	6	7	20	25	27
WHITE-----MALE----	94	-	-	-	-	-	-	3	5	6	4	7
FEMALE--	189	-	-	-	-	1	-	2	1	10	19	15
ALL OTHER--MALE----	12	-	-	-	-	-	1	-	-	2	-	4
FEMALE--	18	-	-	-	-	-	-	1	1	2	2	1
BLACK---MALE----	11	-	-	-	-	-	-	-	-	2	-	4
FEMALE--	18	-	-	-	-	-	-	1	1	2	2	1
OKLAHOMA -----	94	-	-	-	-	-	-	1	6	4	9	12
WHITE-----MALE----	29	-	-	-	-	-	-	1	-	1	3	6
FEMALE--	57	-	-	-	-	-	-	-	4	3	5	5
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	2	-	1	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	1
OREGON -----	92	-	-	-	-	-	-	-	2	4	6	9
WHITE-----MALE----	27	-	-	-	-	-	-	-	1	1	1	3
FEMALE--	60	-	-	-	-	-	-	-	1	3	4	5
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
PENNSYLVANIA -----	392	-	-	1	-	-	3	5	6	28	34	37
WHITE-----MALE----	113	-	-	-	-	-	1	4	1	12	16	8
FEMALE--	227	-	-	1	-	-	-	1	4	13	10	21
ALL OTHER--MALE----	17	-	-	-	-	-	1	-	1	2	1	3
FEMALE--	35	-	-	-	-	-	1	-	-	1	7	5
BLACK---MALE----	15	-	-	-	-	-	1	-	1	2	1	3
FEMALE--	31	-	-	-	-	-	1	-	-	1	7	3
RHODE ISLAND -----	24	-	-	-	-	-	-	-	1	3	2	3
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	2	-	2
FEMALE--	15	-	-	-	-	-	-	-	1	1	2	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	117	-	-	1	-	-	2	3	-	3	12	7
WHITE-----MALE----	28	-	-	1	-	-	-	1	-	1	4	-
FEMALE--	49	-	-	-	-	-	-	-	-	1	2	3
ALL OTHER--MALE----	17	-	-	-	-	-	1	1	-	1	5	3
FEMALE--	23	-	-	-	-	-	1	1	-	-	1	1
BLACK---MALE----	17	-	-	-	-	-	1	1	-	1	5	3
FEMALE--	22	-	-	-	-	-	1	1	-	-	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,717  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 SUBARACHNOID HEMORRHAGE (430)												
OHIO -----	27	31	30	27	33	32	20	12	10	4	-	-
WHITE-----MALE----	8	11	12	10	9	10	2	4	2	1	-	-
FEMALE--	16	15	17	16	22	21	18	6	8	2	-	-
ALL OTHER--MALE----	1	2	1	-	-	1	-	-	-	-	-	-
FEMALE--	2	3	-	1	2	-	-	2	-	1	-	-
BLACK---MALE----	1	2	1	-	-	1	-	-	-	-	-	-
FEMALE--	2	3	-	1	2	-	-	2	-	1	-	-
OKLAHOMA -----	7	10	10	6	12	8	8	1	-	-	-	-
WHITE-----MALE----	1	3	4	2	5	2	1	-	-	-	-	-
FEMALE--	5	6	6	4	6	5	7	1	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
OREGON -----	8	9	12	8	6	9	10	6	1	2	-	-
WHITE-----MALE----	1	3	4	4	2	2	4	1	-	-	-	-
FEMALE--	6	6	8	4	3	7	5	5	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	37	29	34	36	34	45	33	20	6	4	-	-
WHITE-----MALE----	14	6	9	15	6	11	6	1	2	1	-	-
FEMALE--	17	20	19	18	26	29	23	18	4	3	-	-
ALL OTHER--MALE----	3	2	2	-	-	1	1	-	-	-	-	-
FEMALE--	3	1	4	3	2	4	3	1	-	-	-	-
BLACK---MALE----	3	1	2	-	-	-	1	-	-	-	-	-
FEMALE--	2	1	4	3	2	3	3	1	-	-	-	-
RHODE ISLAND -----	1	2	1	5	3	1	1	1	-	-	-	-
WHITE-----MALE----	-	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	4	2	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	13	11	9	13	16	11	9	5	1	-	1	-
WHITE-----MALE----	2	4	4	4	5	1	-	1	-	-	-	-
FEMALE--	6	3	3	8	6	7	5	3	1	-	1	-
ALL OTHER--MALE----	1	1	-	-	2	-	1	1	-	-	-	-
FEMALE--	4	3	2	1	3	3	3	-	-	-	-	-
BLACK---MALE----	1	1	-	-	2	-	1	1	-	-	-	-
FEMALE--	3	3	2	1	3	3	3	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,718  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SUBARACHNOID HEMORRHAGE (430)												
SOUTH DAKOTA -----	25	-	-	-	-	-	-	1	-	1	-	1
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	17	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	162	-	-	-	-	-	2	-	6	6	13	16
WHITE-----MALE----	40	-	-	-	-	-	1	-	2	3	6	3
FEMALE--	94	-	-	-	-	-	-	-	3	1	3	11
ALL OTHER--MALE----	14	-	-	-	-	-	1	-	1	2	1	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	3	2
BLACK---MALE----	14	-	-	-	-	-	1	-	1	2	1	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	3	2
TEXAS -----	431	-	1	-	1	3	2	5	12	26	44	48
WHITE-----MALE----	122	-	-	-	-	2	-	1	8	9	16	14
FEMALE--	239	-	-	-	1	1	1	4	3	13	18	25
ALL OTHER--MALE----	24	-	1	-	-	-	-	-	1	1	4	4
FEMALE--	46	-	-	-	-	-	1	-	3	3	6	5
BLACK---MALE----	19	-	1	-	-	-	-	-	1	1	3	4
FEMALE--	41	-	-	-	-	-	1	-	3	5	5	4
UTAH -----	30	-	-	-	-	-	2	1	1	4	2	3
WHITE-----MALE----	12	-	-	-	-	-	2	-	-	2	1	1
FEMALE--	17	-	-	-	-	-	-	1	1	2	1	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	18	-	-	-	-	-	-	-	-	-	-	2
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	144	-	-	1	-	-	-	2	5	5	9	16
WHITE-----MALE----	33	-	-	-	-	-	-	-	1	2	3	5
FEMALE--	75	-	-	1	-	-	-	2	1	1	4	5
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	1	1	2	-
FEMALE--	25	-	-	-	-	-	-	-	2	1	-	6
BLACK---MALE----	11	-	-	-	-	-	-	-	1	1	2	-
FEMALE--	24	-	-	-	-	-	-	-	2	1	-	5

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,718  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 SUBARACHNOID HEMORRHAGE (430)												
SOUTH DAKOTA -----	2	-	2	3	3	5	1	5	-	1	-	-
WHITE-----MALE----	-	-	2	-	1	1	1	-	-	-	-	-
FEMALE--	2	-	-	3	2	4	-	4	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	23	19	12	20	9	16	7	10	2	1	-	-
WHITE-----MALE----	5	5	1	4	1	6	-	3	-	-	-	-
FEMALE--	15	11	10	12	6	8	6	6	1	1	-	-
ALL OTHER--MALE----	3	2	-	2	1	1	-	-	-	-	-	-
FEMALE--	-	1	1	2	1	1	1	1	1	-	-	-
BLACK---MALE----	3	2	-	2	1	1	-	-	-	-	-	-
FEMALE--	-	1	1	2	-	1	1	1	1	-	-	-
TEXAS -----	40	41	40	48	37	31	33	11	6	2	-	-
WHITE-----MALE----	10	16	13	8	9	6	6	3	1	-	-	-
FEMALE--	25	19	17	33	23	22	22	7	5	-	-	-
ALL OTHER--MALE----	3	2	3	2	-	-	3	-	-	-	-	-
FEMALE--	2	4	7	5	5	3	2	1	-	2	-	-
BLACK---MALE----	3	-	2	2	-	-	2	-	-	-	-	-
FEMALE--	2	3	7	5	4	3	2	1	-	1	-	-
UTAH -----	4	3	-	2	-	5	2	1	-	-	-	-
WHITE-----MALE----	1	1	-	1	-	1	1	1	-	-	-	-
FEMALE--	3	2	-	-	-	4	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	5	1	1	1	4	1	2	1	-	-	-	-
WHITE-----MALE----	1	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	4	1	-	1	4	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	17	11	14	12	15	11	12	10	4	-	-	-
WHITE-----MALE----	3	-	3	3	1	6	2	3	1	-	-	-
FEMALE--	9	7	9	6	9	5	6	7	3	-	-	-
ALL OTHER--MALE----	1	2	1	-	1	-	2	-	-	-	-	-
FEMALE--	4	2	1	3	4	-	2	-	-	-	-	-
BLACK---MALE----	1	2	1	-	1	-	2	-	-	-	-	-
FEMALE--	4	2	1	3	4	-	2	-	-	-	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,720  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)												
0 UNITED STATES --	22,645	40	16	9	19	21	49	65	189	392	698	940
WHITE-----MALE----	8,209	12	7	5	8	8	15	30	74	111	228	336
FEMALE--	10,243	10	2	1	6	8	19	10	56	90	125	191
ALL OTHER--MALE----	2,165	9	5	-	2	3	8	14	27	108	202	262
FEMALE--	2,028	9	2	3	3	2	7	11	32	83	143	151
BLACK---MALE----	1,729	8	5	-	2	3	7	13	22	97	176	233
FEMALE--	1,650	9	-	2	1	2	5	11	31	78	132	135
ALABAMA -----	418	1	-	-	-	-	2	4	2	10	19	21
WHITE-----MALE----	121	-	-	-	-	-	-	3	1	1	3	4
FEMALE--	161	-	-	-	-	-	1	-	1	1	3	3
ALL OTHER--MALE----	75	-	-	-	-	-	1	1	-	4	8	11
FEMALE--	61	1	-	-	-	-	-	-	-	4	5	3
BLACK---MALE----	75	-	-	-	-	-	1	1	-	4	8	11
FEMALE--	61	1	-	-	-	-	-	-	-	4	5	3
ALASKA -----	28	-	-	-	-	-	1	-	1	1	-	1
WHITE-----MALE----	6	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	14	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	351	1	-	-	1	-	1	-	1	7	12	5
WHITE-----MALE----	145	1	-	-	-	-	-	-	1	3	7	3
FEMALE--	184	-	-	-	1	-	-	-	-	3	2	2
ALL OTHER--MALE----	9	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	1	3	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
ARKANSAS -----	257	2	-	-	-	1	-	1	2	5	9	12
WHITE-----MALE----	86	-	-	-	-	-	-	-	-	-	4	1
FEMALE--	119	-	-	-	-	1	-	-	2	1	1	4
ALL OTHER--MALE----	33	1	-	-	-	-	-	-	-	2	3	5
FEMALE--	19	1	-	-	-	-	-	1	-	2	1	2
BLACK---MALE----	33	1	-	-	-	-	-	-	-	2	3	5
FEMALE--	19	1	-	-	-	-	-	1	-	2	1	2
CALIFORNIA -----	2,538	7	-	2	5	2	6	7	32	44	86	116
WHITE-----MALE----	905	2	-	1	2	1	4	5	12	16	33	44
FEMALE--	1,057	3	-	-	1	1	2	1	10	14	23	24
ALL OTHER--MALE----	303	1	-	-	-	-	-	-	3	8	20	25
FEMALE--	273	1	-	1	2	-	-	1	7	6	10	23
BLACK---MALE----	110	1	-	-	-	-	-	-	1	4	14	12
FEMALE--	116	1	-	-	1	-	-	1	7	4	7	14

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,720  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)												
0 UNITED STATES --	1,134	1,260	1,487	2,136	2,898	3,667	3,632	2,550	1,103	298	39	3
WHITE-----MALE----	385	487	628	897	1,219	1,401	1,275	743	277	56	6	1
FEMALE--	317	385	467	826	1,282	1,840	2,012	1,610	743	216	27	-
ALL OTHER--MALE----	261	236	207	228	183	193	118	68	25	2	2	2
FEMALE--	171	152	185	185	214	233	227	129	58	24	4	-
BLACK---MALE----	227	191	162	180	135	132	72	45	15	1	1	2
FEMALE--	143	132	145	142	172	177	167	96	45	21	4	-
ALABAMA -----	35	33	28	42	54	60	56	33	13	5	-	-
WHITE-----MALE----	9	14	9	15	17	23	14	7	-	1	-	-
FEMALE--	5	4	10	15	22	30	33	19	11	3	-	-
ALL OTHER--MALE----	16	8	5	5	5	3	3	5	-	-	-	-
FEMALE--	5	7	4	7	10	4	6	2	2	1	-	-
BLACK---MALE----	16	8	5	5	5	3	3	5	-	-	-	-
FEMALE--	5	7	4	7	10	4	6	2	2	1	-	-
ALASKA -----	1	3	2	3	3	5	3	2	2	-	-	-
WHITE-----MALE----	-	1	1	1	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	2	3	3	2	-	1	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	1	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	19	18	17	47	34	64	59	40	20	4	1	-
WHITE-----MALE----	10	7	9	19	20	29	15	15	5	1	-	-
FEMALE--	8	8	5	25	11	33	43	25	14	3	1	-
ALL OTHER--MALE----	-	2	-	2	2	1	1	-	-	-	-	-
FEMALE--	1	1	3	1	1	1	-	-	1	-	-	-
BLACK---MALE----	-	2	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	1	-	-	-	-	-	-
ARKANSAS -----	9	10	23	20	30	38	47	22	19	5	2	-
WHITE-----MALE----	5	4	6	8	16	13	23	4	2	-	-	-
FEMALE--	1	3	7	11	11	22	20	14	15	4	2	-
ALL OTHER--MALE----	2	2	9	-	1	2	3	2	1	-	-	-
FEMALE--	1	1	1	1	2	1	1	2	1	1	-	-
BLACK---MALE----	2	2	9	-	1	2	3	2	1	-	-	-
FEMALE--	1	1	1	1	2	1	1	2	1	1	-	-
CALIFORNIA -----	144	142	168	203	320	424	389	287	121	29	4	-
WHITE-----MALE----	53	61	70	69	124	159	141	71	29	7	1	-
FEMALE--	36	32	52	89	128	179	186	175	79	19	3	-
ALL OTHER--MALE----	34	38	24	17	38	43	24	20	7	1	-	-
FEMALE--	21	11	22	28	30	43	38	21	6	2	-	-
BLACK---MALE----	18	20	11	4	9	5	5	5	1	-	-	-
FEMALE--	13	6	9	6	14	13	9	9	2	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,721  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)												
COLORADO -----	202	-	-	-	-	-	1	2	-	5	3	8
WHITE-----MALE----	76	-	-	-	-	-	-	2	-	3	1	3
FEMALE--	112	-	-	-	-	-	-	-	-	1	1	3
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	6	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	3	-	-	-	-	-	1	-	-	-	-	-
CONNECTICUT -----	297	-	1	1	-	-	-	-	5	6	5	6
WHITE-----MALE----	137	-	1	1	-	-	-	-	2	1	2	4
FEMALE--	132	-	-	-	-	-	-	-	-	3	1	1
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	-	2	2	1
FEMALE--	12	-	-	-	-	-	-	-	3	-	-	-
BLACK---MALE----	15	-	-	-	-	-	-	-	-	2	2	1
FEMALE--	11	-	-	-	-	-	-	-	3	-	-	-
DELAWARE -----	53	-	-	-	-	-	-	2	-	2	5	1
WHITE-----MALE----	21	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	22	-	-	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	3	-
BLACK---MALE----	4	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	2	-
DISTRICT OF COLUMBIA ----	88	-	-	-	-	-	1	-	-	5	3	12
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	36	-	-	-	-	-	-	-	-	1	2	9
FEMALE--	34	-	-	-	-	-	1	-	-	4	1	2
BLACK---MALE----	35	-	-	-	-	-	-	-	-	1	2	9
FEMALE--	34	-	-	-	-	-	1	-	-	4	1	2
FLORIDA -----	1,411	4	1	-	-	-	-	6	13	16	33	48
WHITE-----MALE----	549	-	-	-	-	-	-	4	4	7	15	14
FEMALE--	650	1	-	-	-	-	-	-	2	2	4	14
ALL OTHER--MALE----	97	1	-	-	-	-	-	2	2	6	7	7
FEMALE--	115	2	1	-	-	-	-	-	5	1	7	13
BLACK---MALE----	91	1	-	-	-	-	-	2	2	6	7	7
FEMALE--	110	2	-	-	-	-	-	-	5	1	7	13
GEORGIA -----	606	-	1	2	-	-	-	2	11	14	29	37
WHITE-----MALE----	180	-	1	-	-	-	-	-	2	4	5	6
FEMALE--	216	-	-	1	-	-	-	1	4	1	3	1
ALL OTHER--MALE----	108	-	-	-	-	-	-	1	4	3	13	20
FEMALE--	102	-	-	1	-	-	-	-	1	6	8	10
BLACK---MALE----	104	-	-	-	-	-	-	1	4	3	13	19
FEMALE--	98	-	-	1	-	-	-	-	1	6	8	10

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,721  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)												
COLORADO -----	6	12	14	17	33	38	30	20	9	4	-	-
WHITE-----MALE----	4	4	4	6	10	23	6	8	2	-	-	-
FEMALE--	2	8	7	9	21	14	23	12	7	4	-	-
ALL OTHER--MALE----	-	-	2	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	1	2	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	-	-	-
CONNECTICUT -----	9	11	16	37	37	47	53	41	17	5	-	-
WHITE-----MALE----	6	7	6	19	22	22	22	17	5	-	-	-
FEMALE--	2	2	6	15	10	23	28	24	12	5	-	-
ALL OTHER--MALE----	1	2	1	3	1	1	2	-	-	-	-	-
FEMALE--	-	-	3	-	4	1	1	-	-	-	-	-
BLACK---MALE----	1	1	1	3	1	1	2	-	-	-	-	-
FEMALE--	-	-	3	-	3	1	1	-	-	-	-	-
DELAWARE -----	2	6	4	5	3	9	4	6	3	1	-	-
WHITE-----MALE----	-	3	2	3	1	5	-	3	2	-	-	-
FEMALE--	1	3	2	2	1	3	2	3	1	1	-	-
ALL OTHER--MALE----	1	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
DISTRICT OF COLUMBIA ----	7	5	8	7	9	11	12	8	-	-	-	-
WHITE-----MALE----	-	-	-	1	2	1	1	1	-	-	-	-
FEMALE--	-	-	1	-	-	3	3	4	-	-	-	-
ALL OTHER--MALE----	2	3	3	2	3	5	5	1	-	-	-	-
FEMALE--	5	2	4	4	4	2	3	2	-	-	-	-
BLACK---MALE----	2	3	3	2	3	5	4	1	-	-	-	-
FEMALE--	5	2	4	4	4	2	3	2	-	-	-	-
FLORIDA -----	68	66	78	127	189	254	243	189	61	15	-	-
WHITE-----MALE----	17	28	33	50	83	107	103	61	20	3	-	-
FEMALE--	19	16	28	49	91	131	125	120	38	10	-	-
ALL OTHER--MALE----	15	17	6	12	9	7	2	3	1	-	-	-
FEMALE--	17	5	11	16	6	9	13	5	2	2	-	-
BLACK---MALE----	15	15	6	10	9	7	1	2	1	-	-	-
FEMALE--	16	5	11	15	5	9	13	5	1	2	-	-
GEORGIA -----	45	41	41	50	63	88	84	56	33	7	1	1
WHITE-----MALE----	13	10	14	20	23	26	30	14	11	-	1	-
FEMALE--	5	13	12	14	27	34	43	37	15	5	-	-
ALL OTHER--MALE----	17	10	8	11	5	12	1	1	1	-	-	1
FEMALE--	10	8	7	5	8	16	10	4	6	2	-	-
BLACK---MALE----	16	9	7	11	5	12	1	1	1	-	-	1
FEMALE--	9	7	6	5	8	15	10	4	6	2	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,722  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)												
HAWAII -----	8	9	10	17	16	11	20	15	5	1	1	-
WHITE-----MALE----	1	-	1	3	1	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	2	1	3	-	-	-	-
ALL OTHER--MALE----	3	6	5	9	7	4	10	2	3	-	1	-
FEMALE--	4	3	4	5	7	4	8	9	2	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
IDAHO -----	3	5	5	7	10	12	10	5	5	-	-	-
WHITE-----MALE----	1	2	2	3	3	3	2	2	-	-	-	-
FEMALE--	2	3	2	3	7	9	8	3	5	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	50	52	76	108	146	179	165	121	70	15	2	-
WHITE-----MALE----	18	21	30	41	56	69	59	35	20	-	-	-
FEMALE--	16	10	22	35	65	93	88	78	45	14	2	-
ALL OTHER--MALE----	12	9	11	17	14	7	6	2	2	-	-	-
FEMALE--	4	12	13	15	11	10	12	6	3	1	-	-
BLACK---MALE----	11	9	10	17	12	6	5	-	2	-	-	-
FEMALE--	2	11	12	14	10	7	12	6	2	1	-	-
INDIANA -----	15	15	41	51	55	69	76	58	27	8	1	-
WHITE-----MALE----	8	6	25	26	18	30	37	12	11	3	-	-
FEMALE--	6	8	12	19	29	32	38	44	16	5	1	-
ALL OTHER--MALE----	-	1	2	2	2	3	1	1	-	-	-	-
FEMALE--	1	-	2	4	6	4	-	1	-	-	-	-
BLACK---MALE----	-	1	2	2	2	3	1	1	-	-	-	-
FEMALE--	1	-	2	4	6	4	-	1	-	-	-	-
IOWA -----	10	15	14	20	22	36	45	36	16	2	-	-
WHITE-----MALE----	5	7	7	7	16	17	13	10	3	-	-	-
FEMALE--	5	7	6	9	6	18	31	26	12	2	-	-
ALL OTHER--MALE----	-	-	1	2	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	2	-	1	1	-	1	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	1	-	-	-
KANSAS -----	11	7	5	19	32	36	28	26	20	5	1	-
WHITE-----MALE----	4	2	3	5	15	13	10	7	2	1	-	-
FEMALE--	7	3	2	12	16	20	18	19	17	3	1	-
ALL OTHER--MALE----	-	1	-	2	1	2	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	1	1	-	-
BLACK---MALE----	-	1	-	2	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	1	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,723  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)												
KENTUCKY -----	324	-	1	-	1	-	-	-	4	2	8	15
WHITE-----MALE----	117	-	1	-	1	-	-	-	3	1	4	7
FEMALE--	184	-	-	-	-	-	-	-	1	1	3	4
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	-	-	1	4
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	14	-	-	-	-	-	-	-	-	-	1	4
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	350	1	-	-	-	1	2	2	1	8	24	19
WHITE-----MALE----	93	1	-	-	-	-	-	-	-	1	2	6
FEMALE--	121	-	-	-	-	-	-	-	1	-	4	2
ALL OTHER--MALE----	73	-	-	-	-	-	1	-	-	6	11	6
FEMALE--	63	-	-	-	-	1	1	2	-	1	7	5
BLACK---MALE----	69	-	-	-	-	-	1	-	-	6	8	6
FEMALE--	59	-	-	-	-	1	-	2	-	1	7	5
MAINE -----	105	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	48	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	55	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
MARYLAND -----	457	1	1	-	1	-	1	1	9	22	16	29
WHITE-----MALE----	135	1	-	-	1	-	-	1	4	5	4	7
FEMALE--	175	-	-	-	-	-	1	-	1	1	-	1
ALL OTHER--MALE----	74	-	1	-	-	-	-	-	1	9	6	15
FEMALE--	73	-	-	-	-	-	-	-	3	7	6	6
BLACK---MALE----	67	-	1	-	-	-	-	-	1	9	6	15
FEMALE--	67	-	-	-	-	-	-	-	3	7	6	6
MASSACHUSETTS -----	516	-	-	1	-	1	-	2	4	11	5	12
WHITE-----MALE----	179	-	-	1	-	1	-	-	1	7	4	3
FEMALE--	311	-	-	-	-	-	-	-	2	4	-	6
ALL OTHER--MALE----	13	-	-	-	-	-	-	1	1	-	1	2
FEMALE--	13	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	12	-	-	-	-	-	-	1	1	-	1	2
FEMALE--	7	-	-	-	-	-	-	1	-	-	-	-
MICHIGAN -----	851	1	1	1	-	1	2	2	6	21	23	40
WHITE-----MALE----	305	-	-	-	-	-	-	-	3	4	5	10
FEMALE--	378	-	-	-	-	-	1	1	1	6	7	10
ALL OTHER--MALE----	75	-	1	-	-	1	1	1	-	3	7	11
FEMALE--	93	1	-	1	-	-	-	-	2	8	4	9
BLACK---MALE----	73	-	1	-	-	1	1	1	-	3	7	11
FEMALE--	91	1	-	1	-	-	-	-	2	8	4	9

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,723  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)												
KENTUCKY -----	10	17	16	35	41	61	66	28	18	1	-	-
WHITE-----MALE----	4	8	9	19	13	21	16	5	5	-	-	-
FEMALE--	4	7	4	15	27	33	48	23	13	1	-	-
ALL OTHER--MALE----	2	1	1	-	-	3	2	-	-	-	-	-
FEMALE--	-	1	2	1	1	4	-	-	-	-	-	-
BLACK---MALE----	2	1	1	-	-	3	2	-	-	-	-	-
FEMALE--	-	1	2	1	1	4	-	-	-	-	-	-
LOUISIANA -----	20	27	31	32	49	41	42	32	11	6	1	-
WHITE-----MALE----	2	8	11	12	13	13	13	8	-	3	-	-
FEMALE--	3	9	6	8	16	21	22	17	9	2	1	-
ALL OTHER--MALE----	7	6	7	8	9	5	4	2	1	-	-	-
FEMALE--	8	4	7	4	11	2	3	5	1	1	-	-
BLACK---MALE----	6	6	7	8	9	5	4	2	1	-	-	-
FEMALE--	6	4	7	4	10	2	3	5	1	1	-	-
MAINE -----	3	5	6	11	15	14	25	15	7	2	-	-
WHITE-----MALE----	3	2	5	5	7	7	12	3	3	1	-	-
FEMALE--	-	3	1	6	8	7	12	12	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	26	22	33	40	60	57	74	43	14	7	-	-
WHITE-----MALE----	6	5	7	13	20	22	20	12	5	2	-	-
FEMALE--	8	8	11	11	29	27	37	28	8	4	-	-
ALL OTHER--MALE----	8	5	7	8	4	4	6	-	-	-	-	-
FEMALE--	4	4	8	8	7	4	11	3	1	1	-	-
BLACK---MALE----	7	5	7	6	3	3	4	-	-	-	-	-
FEMALE--	4	4	7	8	6	4	10	1	-	1	-	-
MASSACHUSETTS -----	17	17	25	55	59	85	94	81	40	6	1	-
WHITE-----MALE----	7	10	11	22	27	27	28	25	5	-	-	-
FEMALE--	5	6	11	31	31	55	64	54	35	6	1	-
ALL OTHER--MALE----	3	1	1	2	1	-	-	-	-	-	-	-
FEMALE--	2	-	2	-	-	3	2	2	-	-	-	-
BLACK---MALE----	3	1	1	1	1	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	1	1	2	-	-	-	-
MICHIGAN -----	46	39	59	82	112	140	141	88	34	11	-	1
WHITE-----MALE----	5	11	28	39	42	61	45	38	10	3	-	1
FEMALE--	17	12	18	31	57	66	82	41	21	7	-	-
ALL OTHER--MALE----	13	9	6	10	6	4	1	-	1	-	-	-
FEMALE--	11	7	7	2	7	9	13	9	2	1	-	-
BLACK---MALE----	12	8	6	10	6	4	1	-	1	-	-	-
FEMALE--	11	7	7	2	7	9	11	9	2	1	-	-











TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,726  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)												
OHIO -----	1,016	1	-	-	1	1	2	2	9	9	23	33
WHITE-----MALE----	372	-	-	-	-	-	-	1	5	3	8	12
FEMALE--	497	1	-	-	1	1	2	-	2	2	5	11
ALL OTHER--MALE----	83	-	-	-	-	-	-	1	1	2	6	8
FEMALE--	64	-	-	-	-	-	-	-	1	2	4	2
BLACK---MALE----	80	-	-	-	-	-	-	1	1	2	6	8
FEMALE--	59	-	-	-	-	-	-	-	1	2	4	2
OKLAHOMA -----	236	1	-	-	-	1	-	-	1	4	7	8
WHITE-----MALE----	89	-	-	-	-	-	-	-	-	2	4	4
FEMALE--	119	-	-	-	-	1	-	-	-	-	-	3
ALL OTHER--MALE----	10	1	-	-	-	-	-	-	-	1	2	-
FEMALE--	18	-	-	-	-	-	-	-	1	1	1	1
BLACK---MALE----	6	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	15	-	-	-	-	-	-	-	1	1	1	1
OREGON -----	269	1	-	-	-	-	1	-	2	1	4	7
WHITE-----MALE----	105	-	-	-	-	-	-	-	-	1	2	3
FEMALE--	150	1	-	-	-	-	1	-	2	-	1	2
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
PENNSYLVANIA -----	1,235	-	-	-	2	1	1	3	2	6	23	36
WHITE-----MALE----	472	-	-	-	2	-	1	1	1	-	9	14
FEMALE--	616	-	-	-	-	1	-	1	1	4	2	8
ALL OTHER--MALE----	67	-	-	-	-	-	-	-	-	2	6	7
FEMALE--	80	-	-	-	-	-	-	1	-	-	6	7
BLACK---MALE----	63	-	-	-	-	-	-	-	-	2	6	6
FEMALE--	76	-	-	-	-	-	-	1	-	-	6	6
RHODE ISLAND -----	110	-	-	-	-	-	-	-	-	3	2	1
WHITE-----MALE----	43	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	62	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
SOUTH CAROLINA -----	403	1	-	-	-	-	-	4	2	9	19	28
WHITE-----MALE----	136	-	-	-	-	-	-	1	2	-	2	9
FEMALE--	127	-	-	-	-	-	-	-	-	1	-	3
ALL OTHER--MALE----	87	1	-	-	-	-	-	-	-	5	14	10
FEMALE--	53	-	-	-	-	-	-	3	-	3	3	6
BLACK---MALE----	87	1	-	-	-	-	-	-	-	5	14	10
FEMALE--	52	-	-	-	-	-	-	3	-	3	3	6

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,726  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)												
OHIO -----	50	54	67	94	134	172	175	121	50	17	1	-
WHITE-----MALE----	12	25	31	40	59	74	57	34	10	1	-	-
FEMALE--	19	13	21	39	64	80	107	76	38	14	1	-
ALL OTHER--MALE----	11	11	9	13	3	6	5	5	1	1	-	-
FEMALE--	8	5	6	2	8	12	6	6	1	1	-	-
BLACK---MALE----	11	11	7	13	3	6	4	5	1	1	-	-
FEMALE--	8	5	5	1	8	11	5	5	1	1	-	-
OKLAHOMA -----	11	27	14	17	28	38	29	36	9	5	-	-
WHITE-----MALE----	6	15	7	7	10	14	7	9	2	2	-	-
FEMALE--	3	11	5	8	15	21	20	22	7	3	-	-
ALL OTHER--MALE----	-	-	2	1	1	1	-	1	-	-	-	-
FEMALE--	2	1	-	1	2	2	2	4	-	-	-	-
BLACK---MALE----	-	-	1	1	1	-	-	1	-	-	-	-
FEMALE--	2	1	-	-	2	1	2	3	-	-	-	-
OREGON -----	7	12	15	31	42	43	48	39	9	7	-	-
WHITE-----MALE----	5	6	6	14	23	17	16	8	3	1	-	-
FEMALE--	2	5	5	16	18	24	31	30	6	6	-	-
ALL OTHER--MALE----	-	1	3	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	1	1	1	-	-	-	-
BLACK---MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	43	57	76	113	174	223	223	163	69	19	1	-
WHITE-----MALE----	15	23	39	51	76	79	84	52	21	4	-	-
FEMALE--	13	20	24	43	75	125	131	108	46	14	-	-
ALL OTHER--MALE----	10	6	7	9	11	7	-	1	-	-	1	-
FEMALE--	5	8	6	10	12	12	8	2	2	1	-	-
BLACK---MALE----	10	6	7	9	11	4	-	1	-	-	1	-
FEMALE--	5	7	5	10	12	11	8	2	2	1	-	-
RHODE ISLAND -----	-	4	9	6	16	23	22	15	8	1	-	-
WHITE-----MALE----	-	3	5	3	7	8	5	7	2	-	-	-
FEMALE--	-	1	3	3	9	14	16	8	6	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
SOUTH CAROLINA -----	25	22	31	45	48	63	49	39	15	3	-	-
WHITE-----MALE----	4	6	16	18	23	23	18	10	4	-	-	-
FEMALE--	5	4	5	14	15	24	22	22	10	2	-	-
ALL OTHER--MALE----	13	6	7	11	6	7	4	3	-	-	-	-
FEMALE--	3	6	3	2	4	9	5	4	1	1	-	-
BLACK---MALE----	13	6	7	11	6	7	4	3	-	-	-	-
FEMALE--	3	6	2	2	4	9	5	4	1	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,727  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)												
SOUTH DAKOTA -----	53	-	-	-	-	-	-	-	1	-	1	3
WHITE-----MALE----	27	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	24	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	485	-	-	-	1	1	2	-	5	15	26	21
WHITE-----MALE----	160	-	-	-	-	1	-	-	1	4	4	9
FEMALE--	207	-	-	-	1	-	1	-	1	1	5	4
ALL OTHER--MALE----	62	-	-	-	-	-	1	-	1	6	9	7
FEMALE--	56	-	-	-	-	-	-	-	2	4	8	1
BLACK---MALE----	61	-	-	-	-	-	1	-	1	6	9	6
FEMALE--	55	-	-	-	-	-	-	-	2	4	8	1
TEXAS -----	1,340	7	2	-	-	1	4	4	9	34	47	66
WHITE-----MALE----	521	3	1	-	-	-	2	2	6	18	20	26
FEMALE--	610	4	1	-	-	-	2	1	2	9	8	16
ALL OTHER--MALE----	112	-	-	-	-	1	-	1	-	4	11	16
FEMALE--	97	-	-	-	-	-	-	-	1	3	8	8
BLACK---MALE----	99	-	-	-	-	1	-	1	-	4	10	15
FEMALE--	89	-	-	-	-	-	-	-	1	3	8	8
UTAH -----	109	-	-	-	-	-	-	-	1	2	4	3
WHITE-----MALE----	53	-	-	-	-	-	-	-	1	1	2	3
FEMALE--	51	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
VERMONT -----	37	-	-	-	-	-	1	-	-	-	2	1
WHITE-----MALE----	19	-	-	-	-	-	1	-	-	-	2	1
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	565	-	1	-	-	1	1	-	5	14	16	30
WHITE-----MALE----	187	-	-	-	-	1	-	-	1	2	3	9
FEMALE--	223	-	-	-	-	-	-	-	2	-	4	2
ALL OTHER--MALE----	82	-	1	-	-	-	-	-	2	7	4	11
FEMALE--	73	-	-	-	-	-	1	-	-	5	5	8
BLACK---MALE----	78	-	1	-	-	-	-	-	2	7	4	11
FEMALE--	70	-	-	-	-	-	1	-	-	5	5	8

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,727  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)												
SOUTH DAKOTA -----	2	3	5	1	8	8	11	5	3	2	-	-
WHITE-----MALE----	1	1	3	1	7	2	6	2	1	-	-	-
FEMALE--	1	1	2	-	1	6	5	3	2	2	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	33	33	33	49	54	71	68	54	12	5	2	-
WHITE-----MALE----	12	10	13	21	21	25	16	16	5	1	1	-
FEMALE--	13	9	9	19	26	36	40	33	5	4	-	-
ALL OTHER--MALE----	4	10	7	4	5	4	2	2	-	-	-	-
FEMALE--	4	4	4	5	2	6	10	3	2	-	1	-
BLACK---MALE----	4	10	7	4	5	4	2	2	-	-	-	-
FEMALE--	4	4	4	5	2	6	9	3	2	-	1	-
TEXAS -----	82	89	85	134	162	200	208	123	62	20	1	-
WHITE-----MALE----	36	35	29	58	68	82	79	40	9	6	1	-
FEMALE--	28	38	29	58	76	100	106	73	47	12	-	-
ALL OTHER--MALE----	11	8	17	10	8	11	9	4	1	-	-	-
FEMALE--	7	8	10	8	10	7	14	6	5	2	-	-
BLACK---MALE----	9	6	15	7	8	10	8	4	1	-	-	-
FEMALE--	6	8	8	6	9	7	12	6	5	2	-	-
UTAH -----	2	5	5	15	16	22	19	7	6	2	-	-
WHITE-----MALE----	1	3	4	8	7	7	10	4	2	-	-	-
FEMALE--	1	2	-	5	9	14	9	3	4	2	-	-
ALL OTHER--MALE----	-	-	-	2	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
VERMONT -----	1	1	1	1	6	6	8	7	1	1	-	-
WHITE-----MALE----	-	1	-	1	4	3	3	3	-	-	-	-
FEMALE--	1	-	1	-	2	3	5	4	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	45	39	43	51	65	85	91	45	23	8	1	1
WHITE-----MALE----	15	15	15	25	29	31	25	11	5	-	-	-
FEMALE--	9	11	13	13	23	42	49	31	15	8	1	-
ALL OTHER--MALE----	10	9	5	7	8	5	9	3	-	-	-	1
FEMALE--	11	4	10	6	5	7	8	-	3	-	-	-
BLACK---MALE----	10	9	4	6	8	5	7	3	-	-	-	1
FEMALE--	10	4	10	6	5	7	8	-	3	-	-	-









TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,729  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OCCLUSION AND STENOSIS OF PRECEREBRAL ARTERIES (433)												
0 UNITED STATES --	51	70	97	149	214	219	207	175	69	15	5	-
WHITE-----MALE----	31	39	51	81	123	96	93	73	16	3	-	-
FEMALE--	10	21	30	51	66	104	94	96	49	10	5	-
ALL OTHER--MALE----	6	9	9	6	12	6	13	3	1	1	-	-
FEMALE--	4	1	7	11	13	13	7	3	3	1	-	-
BLACK---MALE----	5	7	9	5	9	4	9	1	1	1	-	-
FEMALE--	4	1	7	9	12	12	6	3	3	1	-	-
ALABAMA -----	2	1	1	3	4	7	-	1	-	-	-	-
WHITE-----MALE----	1	1	-	2	1	4	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	2	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	-	2	2	2	4	3	4	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	2	-	-	-	-	-	-
FEMALE--	-	-	2	1	1	2	3	4	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	1	-	1	1	1	1	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	6	14	5	16	23	23	25	19	7	1	-	-
WHITE-----MALE----	5	7	3	9	11	11	9	10	2	-	-	-
FEMALE--	1	2	2	4	6	10	11	8	4	1	-	-
ALL OTHER--MALE----	-	5	-	2	3	1	4	1	-	-	-	-
FEMALE--	-	-	-	1	3	1	1	-	1	-	-	-
BLACK---MALE----	-	3	-	1	1	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	3	1	-	-	1	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,730  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OCCLUSION AND STENOSIS OF PRECEREBRAL ARTERIES (433)												
COLORADO -----	-	-	-	1	2	1	1	1	1	-	-	-
WHITE-----MALE----	-	-	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
CONNECTICUT -----	-	2	3	-	-	2	1	4	1	-	1	-
WHITE-----MALE----	-	1	2	-	-	1	-	4	-	-	-	-
FEMALE--	-	1	-	-	-	1	1	-	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	-	-	-	-	-	1	1	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
FLORIDA -----	1	2	8	6	9	18	20	14	4	1	-	-
WHITE-----MALE----	1	2	5	5	7	7	11	6	2	-	-	-
FEMALE--	-	-	2	-	2	9	7	8	2	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	2	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	1	2	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
GEORGIA -----	2	1	5	8	5	3	3	2	2	-	-	-
WHITE-----MALE----	2	-	3	3	2	-	-	-	-	-	-	-
FEMALE--	-	-	1	2	1	3	2	2	1	-	-	-
ALL OTHER--MALE----	-	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	2	1	-	1	-	1	-	-	-
BLACK---MALE----	-	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	2	1	-	1	-	1	-	-	-







TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,732  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OCCLUSION AND STENOSIS OF PRECEREBRAL ARTERIES (433)												
KENTUCKY -----	2	1	-	3	3	4	3	1	1	-	1	-
WHITE-----MALE----	-	-	-	1	2	2	2	-	1	-	-	-
FEMALE--	2	1	-	1	-	2	1	1	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
LOUISIANA -----	1	1	-	2	1	5	2	1	2	-	-	-
WHITE-----MALE----	1	1	-	-	1	3	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	2	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	2	-	1	-	-	-	-	-	-
MAINE -----	-	-	-	1	-	1	1	2	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3	4	3	2	7	4	5	2	1	-	-	-
WHITE-----MALE----	-	2	-	2	5	2	2	1	-	-	-	-
FEMALE--	2	2	2	-	2	2	3	1	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	1	-	1	3	5	4	5	5	1	-	-	-
WHITE-----MALE----	1	-	-	3	2	1	2	1	-	-	-	-
FEMALE--	-	-	1	-	3	2	3	4	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	-	3	3	2	16	5	10	7	4	1	-	-
WHITE-----MALE----	-	2	1	2	9	2	8	4	1	-	-	-
FEMALE--	-	1	2	-	5	3	2	2	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-













TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,735  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OCCLUSION AND STENOSIS OF PRECEREBRAL ARTERIES (433)												
OHIO -----	3	4	10	4	11	16	9	10	7	-	-	-
WHITE-----MALE----	2	2	8	2	5	7	5	5	2	-	-	-
FEMALE--	-	2	1	2	5	8	3	5	5	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	1	-	-	-	-	-
OKLAHOMA -----	2	1	1	3	2	5	2	3	2	-	-	-
WHITE-----MALE----	-	-	-	1	2	1	2	-	-	-	-	-
FEMALE--	2	1	-	2	-	4	-	2	2	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	4	-	-	4	1	5	4	2	-	-	-
WHITE-----MALE----	-	3	-	-	1	-	2	1	-	-	-	-
FEMALE--	-	1	-	-	3	1	3	3	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	2	4	6	13	16	10	11	7	7	1	1	-
WHITE-----MALE----	2	4	4	8	14	6	5	3	3	-	-	-
FEMALE--	-	-	1	4	2	4	6	4	4	-	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	1	-	-
RHODE ISLAND -----	-	-	-	1	-	2	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	1	1	1	3	3	5	3	-	-	-	-
WHITE-----MALE----	-	1	1	-	1	-	1	2	-	-	-	-
FEMALE--	-	-	-	-	1	1	3	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	1	-	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,736  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OCCLUSION AND STENOSIS OF PRECEREBRAL ARTERIES (433)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	4	1	4	8	11	7	1	3	1	1	-	-
WHITE-----MALE----	3	1	1	4	7	4	-	-	-	-	-	-
FEMALE--	-	-	1	4	2	2	1	3	1	-	-	-
ALL OTHER--MALE----	1	-	2	-	1	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	1	-	2	-	1	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
TEXAS -----	5	5	5	15	8	17	13	16	4	-	-	-
WHITE-----MALE----	4	-	1	8	5	7	5	10	1	-	-	-
FEMALE--	-	4	3	6	3	10	5	5	3	-	-	-
ALL OTHER--MALE----	1	1	1	-	-	-	3	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	1	-	-	-	3	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
UTAH -----	-	1	-	1	1	2	1	2	1	-	-	-
WHITE-----MALE----	-	1	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	2	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	-	4	4	7	5	3	2	1	-	-	-
WHITE-----MALE----	-	-	2	2	3	-	1	-	-	-	-	-
FEMALE--	-	-	1	1	3	4	2	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-







TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,738  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)												
0 UNITED STATES --	13,901	22	6	1	1	5	12	13	25	50	88	150
WHITE-----MALE----	4,528	8	3	-	-	2	4	4	12	19	34	77
FEMALE--	7,561	9	1	-	1	2	6	5	8	14	27	27
ALL OTHER--MALE----	772	2	1	1	-	1	1	3	2	6	17	26
FEMALE--	1,040	3	1	-	-	-	1	1	3	11	10	20
BLACK---MALE----	667	2	1	1	-	1	1	3	2	6	16	24
FEMALE--	933	2	1	-	-	-	1	1	2	11	10	16
ALABAMA -----	166	-	-	-	-	-	-	-	-	1	1	3
WHITE-----MALE----	48	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	80	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	23	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	15	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	23	-	-	-	-	-	-	-	-	-	1	1
ALASKA -----	10	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	140	-	-	-	-	-	-	-	-	1	1	1
WHITE-----MALE----	53	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	77	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	173	1	-	-	-	-	-	-	1	-	1	-
WHITE-----MALE----	52	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	80	1	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	30	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	30	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	1,415	4	-	-	-	-	2	3	3	4	10	9
WHITE-----MALE----	452	3	-	-	-	-	2	2	2	2	6	4
FEMALE--	782	-	-	-	-	-	-	1	1	1	2	-
ALL OTHER--MALE----	87	1	-	-	-	-	-	-	-	-	1	2
FEMALE--	94	-	-	-	-	-	-	-	-	1	1	3
BLACK---MALE----	42	1	-	-	-	-	-	-	-	-	1	2
FEMALE--	53	-	-	-	-	-	-	-	-	1	1	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,738  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)												
0 UNITED STATES --	170	285	478	785	1,428	1,983	2,749	2,890	1,877	724	159	-
WHITE-----MALE----	67	118	213	362	608	783	926	795	359	112	22	-
FEMALE--	51	71	146	256	569	954	1,533	1,851	1,351	562	117	-
ALL OTHER--MALE----	29	48	57	89	132	98	118	78	46	14	3	-
FEMALE--	23	48	62	78	119	148	172	166	121	36	17	-
BLACK---MALE----	28	45	51	78	113	83	100	64	36	11	1	-
FEMALE--	19	42	56	68	108	129	155	154	107	36	15	-
ALABAMA -----	5	6	9	13	14	22	35	32	18	6	1	-
WHITE-----MALE----	2	4	6	5	1	8	12	7	1	-	-	-
FEMALE--	1	-	1	6	6	9	19	21	13	3	1	-
ALL OTHER--MALE----	1	2	2	1	3	2	1	1	1	-	-	-
FEMALE--	1	-	-	1	4	3	3	3	3	3	-	-
BLACK---MALE----	1	2	2	1	3	2	1	1	1	-	-	-
FEMALE--	1	-	-	1	4	3	3	3	3	3	-	-
ALASKA -----	-	-	1	2	1	-	5	-	1	-	-	-
WHITE-----MALE----	-	-	1	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	2	6	8	21	25	27	23	17	6	1	-
WHITE-----MALE----	-	1	4	6	9	9	11	5	5	1	1	-
FEMALE--	1	-	1	1	11	14	12	18	12	5	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	1	1	1	-	1	3	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	1	-	1	2	-	-	-	-	-
ARKANSAS -----	-	6	4	7	26	19	40	37	23	7	1	-
WHITE-----MALE----	-	1	1	3	4	8	15	16	2	-	1	-
FEMALE--	-	1	2	-	11	6	18	19	15	6	-	-
ALL OTHER--MALE----	-	1	-	3	2	1	2	-	2	-	-	-
FEMALE--	-	3	1	1	9	4	5	2	4	1	-	-
BLACK---MALE----	-	1	-	3	2	1	2	-	2	-	-	-
FEMALE--	-	3	1	1	9	4	5	2	4	1	-	-
CALIFORNIA -----	21	26	41	79	135	186	289	285	213	89	16	-
WHITE-----MALE----	5	12	16	35	55	85	93	75	41	11	3	-
FEMALE--	9	7	15	28	53	78	158	189	156	73	11	-
ALL OTHER--MALE----	3	3	4	9	16	10	19	8	7	3	1	-
FEMALE--	4	4	6	7	11	13	19	13	9	2	1	-
BLACK---MALE----	3	1	2	6	7	5	9	2	1	2	-	-
FEMALE--	2	2	4	4	5	8	10	9	2	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,739  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)												
COLORADO -----	85	-	-	-	-	-	1	-	-	-	-	1
WHITE-----MALE----	29	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	54	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	174	1	-	-	-	-	-	-	-	-	-	3
WHITE-----MALE----	54	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	109	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	26	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	39	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	1,089	2	-	-	-	-	-	-	2	4	4	5
WHITE-----MALE----	397	-	-	-	-	-	-	-	2	2	3	3
FEMALE--	569	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	48	1	-	-	-	-	-	-	-	-	1	2
FEMALE--	75	1	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	47	1	-	-	-	-	-	-	-	-	1	2
FEMALE--	75	1	-	-	-	-	-	-	-	1	-	-
GEORGIA -----	263	1	1	-	-	-	-	-	-	2	5	5
WHITE-----MALE----	81	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	111	1	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	31	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	40	-	1	-	-	-	-	-	-	1	-	3
BLACK---MALE----	30	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	40	-	1	-	-	-	-	-	-	1	-	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,739  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)												
COLORADO -----	-	1	5	-	6	12	22	16	13	8	-	-
WHITE-----MALE----	-	1	4	-	1	7	6	3	3	3	-	-
FEMALE--	-	-	1	-	4	5	15	13	10	5	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
CONNECTICUT -----	-	1	4	14	16	24	33	43	27	6	2	-
WHITE-----MALE----	-	-	1	7	8	8	11	11	6	-	-	-
FEMALE--	-	-	2	6	8	13	21	30	20	5	2	-
ALL OTHER--MALE----	-	-	-	1	-	2	1	1	-	-	-	-
FEMALE--	-	1	1	-	-	1	-	1	1	1	-	-
BLACK---MALE----	-	-	-	1	-	2	1	1	-	-	-	-
FEMALE--	-	1	1	-	-	1	-	1	1	1	-	-
DELAWARE -----	2	2	1	1	5	2	4	4	4	-	-	-
WHITE-----MALE----	1	-	-	-	2	1	4	1	-	-	-	-
FEMALE--	1	-	1	1	2	-	-	3	3	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	1	-	-	-
BLACK---MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	1	-	-	-
DISTRICT OF COLUMBIA ----	-	4	6	3	4	4	8	5	4	-	1	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	2	2	1	-	-	-
ALL OTHER--MALE----	-	4	2	2	1	1	2	1	-	-	-	-
FEMALE--	-	-	3	1	2	2	4	2	3	-	1	-
BLACK---MALE----	-	4	2	2	-	1	2	1	-	-	-	-
FEMALE--	-	-	3	1	2	2	4	2	3	-	1	-
FLORIDA -----	8	12	35	65	92	159	233	223	167	68	10	-
WHITE-----MALE----	4	6	18	32	37	64	83	78	47	15	3	-
FEMALE--	1	2	10	17	34	81	131	133	105	50	4	-
ALL OTHER--MALE----	2	3	3	7	7	7	9	4	2	-	-	-
FEMALE--	1	1	4	9	14	7	10	8	13	3	3	-
BLACK---MALE----	2	3	3	7	7	7	9	3	2	-	-	-
FEMALE--	1	1	4	9	14	7	10	8	13	3	3	-
GEORGIA -----	7	10	15	17	42	38	51	40	21	7	1	-
WHITE-----MALE----	2	1	10	5	13	14	19	9	5	1	-	-
FEMALE--	1	4	2	3	17	17	24	22	12	5	1	-
ALL OTHER--MALE----	1	3	1	3	9	2	3	3	2	-	-	-
FEMALE--	3	2	2	6	3	5	5	6	2	1	-	-
BLACK---MALE----	1	3	1	3	8	2	3	3	2	-	-	-
FEMALE--	3	2	2	6	3	5	5	6	2	1	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,740  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)												
HAWAII -----	-	-	2	10	7	9	4	11	7	1	-	-
WHITE-----MALE----	-	-	-	2	3	2	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	4	2	3	4	6	4	-	-	-
FEMALE--	-	-	2	4	2	4	-	4	2	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	1	-	-	4	-	6	3	1	-	1	-
WHITE-----MALE----	-	1	-	-	1	-	3	-	-	-	-	-
FEMALE--	-	-	-	-	3	-	3	3	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	11	12	25	43	88	120	141	197	116	30	7	-
WHITE-----MALE----	2	7	8	15	43	53	47	52	25	6	3	-
FEMALE--	3	1	10	19	28	49	84	136	81	24	3	-
ALL OTHER--MALE----	2	1	4	6	10	8	3	1	1	-	1	-
FEMALE--	4	3	3	3	7	10	7	8	9	-	-	-
BLACK---MALE----	2	1	2	6	7	8	3	1	1	-	-	-
FEMALE--	4	3	3	2	7	10	7	8	8	-	-	-
INDIANA -----	2	4	12	12	26	40	61	55	39	19	2	-
WHITE-----MALE----	2	4	8	3	10	12	19	15	10	3	1	-
FEMALE--	-	-	2	7	11	26	38	37	28	16	1	-
ALL OTHER--MALE----	-	-	1	1	3	1	1	1	-	-	-	-
FEMALE--	-	-	1	1	2	1	3	2	1	-	-	-
BLACK---MALE----	-	-	1	1	3	1	1	1	-	-	-	-
FEMALE--	-	-	1	1	2	1	3	2	1	-	-	-
IOWA -----	2	2	4	6	9	17	33	30	21	7	6	-
WHITE-----MALE----	1	1	1	4	5	4	12	9	4	2	-	-
FEMALE--	1	1	2	2	4	12	21	21	16	4	6	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	1	1	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
KANSAS -----	1	4	1	3	19	15	39	22	28	12	1	-
WHITE-----MALE----	-	1	1	3	10	4	15	8	4	3	-	-
FEMALE--	1	2	-	-	8	11	23	13	22	9	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	2	-	1	-
BLACK---MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	2	-	1	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,741  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)												
KENTUCKY -----	226	-	-	-	-	-	-	-	2	3	-	1
WHITE-----MALE----	83	-	-	-	-	-	-	-	-	3	-	1
FEMALE--	128	-	-	-	-	-	-	-	2	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	200	-	-	-	-	-	-	-	1	4	2	3
WHITE-----MALE----	44	-	-	-	-	-	-	-	-	1	2	2
FEMALE--	102	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	22	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	32	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	22	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	32	-	-	-	-	-	-	-	-	1	-	-
MAINE -----	52	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	15	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	37	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	191	-	-	-	-	-	-	2	-	-	3	3
WHITE-----MALE----	52	-	-	-	-	-	-	1	-	-	-	3
FEMALE--	99	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	22	-	-	-	-	-	-	1	-	-	3	-
BLACK---MALE----	18	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	22	-	-	-	-	-	-	1	-	-	3	-
MASSACHUSETTS -----	325	-	-	-	-	-	1	-	-	-	-	3
WHITE-----MALE----	100	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	218	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	801	-	-	-	-	-	2	-	1	-	7	5
WHITE-----MALE----	225	-	-	-	-	-	-	-	-	-	3	2
FEMALE--	397	-	-	-	-	-	-	-	-	-	2	3
ALL OTHER--MALE----	66	-	-	-	-	-	1	-	1	-	2	-
FEMALE--	113	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	64	-	-	-	-	-	1	-	1	-	2	-
FEMALE--	112	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,741  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)												
KENTUCKY -----	2	6	4	12	14	30	48	59	29	14	2	-
WHITE-----MALE----	1	6	1	7	5	12	12	24	6	5	-	-
FEMALE--	1	-	2	4	7	14	35	32	20	9	2	-
ALL OTHER--MALE----	-	-	-	-	1	1	1	-	3	-	-	-
FEMALE--	-	-	1	1	1	3	-	3	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	1	-	3	-	-	-
FEMALE--	-	-	1	1	1	3	-	3	-	-	-	-
LOUISIANA -----	4	6	7	13	18	20	39	45	25	11	2	-
WHITE-----MALE----	1	1	3	5	4	10	7	6	2	-	-	-
FEMALE--	1	1	1	5	8	5	23	27	19	8	2	-
ALL OTHER--MALE----	1	2	1	1	4	2	3	5	-	1	-	-
FEMALE--	1	2	2	2	2	3	6	7	4	2	-	-
BLACK---MALE----	1	2	1	1	4	2	3	5	-	1	-	-
FEMALE--	1	2	2	2	2	3	6	7	4	2	-	-
MAINE -----	-	-	1	3	7	6	8	11	10	4	-	-
WHITE-----MALE----	-	-	1	3	2	2	1	3	1	1	-	-
FEMALE--	-	-	-	-	5	4	7	8	9	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	5	10	8	20	26	37	34	27	13	3	-
WHITE-----MALE----	-	2	5	3	6	8	9	8	5	2	-	-
FEMALE--	-	-	2	2	10	12	20	21	20	9	3	-
ALL OTHER--MALE----	-	3	1	1	3	2	6	-	1	1	-	-
FEMALE--	-	-	2	2	1	4	2	5	1	1	-	-
BLACK---MALE----	-	3	1	1	3	2	6	-	1	1	-	-
FEMALE--	-	-	2	2	1	4	2	5	1	1	-	-
MASSACHUSETTS -----	4	4	8	11	34	42	58	76	55	23	6	-
WHITE-----MALE----	4	2	5	4	18	15	25	13	10	2	-	-
FEMALE--	-	2	3	6	15	25	33	62	45	21	6	-
ALL OTHER--MALE----	-	-	-	1	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
MICHIGAN -----	10	22	35	45	88	130	161	152	92	39	12	-
WHITE-----MALE----	3	7	9	16	34	48	53	31	14	5	-	-
FEMALE--	4	8	13	15	28	61	81	90	61	21	10	-
ALL OTHER--MALE----	1	3	7	5	14	9	10	4	6	3	-	-
FEMALE--	2	4	6	9	12	12	17	27	11	10	2	-
BLACK---MALE----	1	3	7	5	13	9	10	3	6	3	-	-
FEMALE--	2	4	6	9	12	12	17	27	10	10	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,742  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)												
MINNESOTA -----	180	-	-	-	-	1	-	-	-	1	1	3
WHITE-----MALE----	62	-	-	-	-	1	-	-	-	-	1	-
FEMALE--	113	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	132	-	-	-	-	-	-	1	-	1	1	2
WHITE-----MALE----	39	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	46	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	21	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	26	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	21	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	26	-	-	-	-	-	-	-	-	-	-	-
MISSOURI -----	342	-	-	1	-	-	-	-	-	3	-	2
WHITE-----MALE----	117	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	193	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	14	-	-	1	-	-	-	-	-	2	-	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	14	-	-	1	-	-	-	-	-	2	-	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
MONTANA -----	35	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	100	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	47	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	48	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	36	-	-	-	-	-	-	-	-	1	1	-
WHITE-----MALE----	15	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,742  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)												
MINNESOTA -----	1	2	6	10	19	26	36	39	22	12	1	-
WHITE-----MALE----	1	1	4	5	8	11	14	12	2	1	1	-
FEMALE--	-	1	2	5	11	13	21	27	20	11	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	5	8	6	12	23	18	22	10	15	4	4	-
WHITE-----MALE----	2	3	3	6	8	6	5	2	1	-	1	-
FEMALE--	-	1	-	2	4	7	12	3	10	4	2	-
ALL OTHER--MALE----	3	-	-	1	6	3	1	4	1	-	-	-
FEMALE--	-	4	3	3	5	2	4	1	3	-	1	-
BLACK---MALE----	3	-	-	1	6	3	1	4	1	-	-	-
FEMALE--	-	4	3	3	5	2	4	1	3	-	1	-
MISSOURI -----	2	7	12	16	29	46	81	73	51	16	3	-
WHITE-----MALE----	1	3	8	8	14	20	28	18	12	4	-	-
FEMALE--	1	1	4	7	12	24	47	47	35	11	2	-
ALL OTHER--MALE----	-	1	-	1	2	-	3	2	2	-	-	-
FEMALE--	-	2	-	-	1	2	3	6	2	1	1	-
BLACK---MALE----	-	1	-	1	2	-	3	2	2	-	-	-
FEMALE--	-	2	-	-	1	2	3	6	2	1	1	-
MONTANA -----	-	-	1	-	2	5	7	11	7	2	-	-
WHITE-----MALE----	-	-	-	-	-	3	5	4	-	-	-	-
FEMALE--	-	-	1	-	2	2	2	7	7	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	1	-	4	5	6	15	15	24	26	-	2	-
WHITE-----MALE----	1	-	1	3	4	8	11	9	9	-	-	-
FEMALE--	-	-	2	2	2	6	2	15	17	-	2	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
NEVADA -----	1	3	-	2	5	6	6	9	1	1	-	-
WHITE-----MALE----	1	1	-	1	3	3	2	3	-	-	-	-
FEMALE--	-	1	-	-	2	2	4	5	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-







TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,744  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)												
OHIO -----	8	19	28	42	70	114	126	142	88	39	6	-
WHITE-----MALE----	4	8	14	23	34	44	36	44	13	8	-	-
FEMALE--	4	5	9	15	30	58	82	89	72	30	6	-
ALL OTHER--MALE----	-	1	2	3	4	5	2	6	2	-	-	-
FEMALE--	-	5	3	1	2	7	6	3	1	1	-	-
BLACK---MALE----	-	1	2	3	4	5	2	6	2	-	-	-
FEMALE--	-	3	3	1	2	7	6	3	1	1	-	-
OKLAHOMA -----	2	5	4	8	13	16	26	28	19	7	3	-
WHITE-----MALE----	-	2	3	4	8	8	10	7	3	1	-	-
FEMALE--	-	2	1	3	4	6	14	19	16	5	3	-
ALL OTHER--MALE----	-	1	-	1	1	1	1	1	-	1	-	-
FEMALE--	2	-	-	-	-	1	1	1	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
OREGON -----	-	3	7	12	22	45	52	46	36	11	7	-
WHITE-----MALE----	-	2	4	4	11	23	17	15	5	4	1	-
FEMALE--	-	1	1	7	10	20	34	31	30	7	6	-
ALL OTHER--MALE----	-	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	1	-	-	1	-	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
PENNSYLVANIA -----	7	15	35	50	117	153	181	211	117	54	8	-
WHITE-----MALE----	1	7	16	29	67	65	76	67	29	8	2	-
FEMALE--	5	3	13	15	44	77	88	138	83	42	4	-
ALL OTHER--MALE----	-	4	4	5	1	2	6	1	1	2	-	-
FEMALE--	1	1	2	1	5	9	11	5	4	2	2	-
BLACK---MALE----	-	4	4	5	1	2	6	1	1	1	-	-
FEMALE--	1	1	2	1	5	8	11	3	4	2	2	-
RHODE ISLAND -----	-	-	1	3	5	1	15	10	8	1	-	-
WHITE-----MALE----	-	-	-	2	2	-	5	1	1	-	-	-
FEMALE--	-	-	-	1	2	1	9	9	6	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	1	-	-	-
SOUTH CAROLINA -----	2	7	13	19	37	38	50	52	40	6	3	-
WHITE-----MALE----	1	3	4	8	12	12	11	9	7	1	-	-
FEMALE--	-	-	3	7	13	17	31	32	23	5	2	-
ALL OTHER--MALE----	-	3	4	1	7	3	4	1	1	-	1	-
FEMALE--	1	1	2	3	5	6	4	10	9	-	-	-
BLACK---MALE----	-	3	4	1	7	3	4	1	1	-	1	-
FEMALE--	1	1	2	3	5	6	4	10	9	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,745  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)												
SOUTH DAKOTA -----	23	-	-	-	-	-	-	-	-	1	-	1
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	341	-	-	-	-	-	-	1	-	-	3	6
WHITE-----MALE----	105	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	169	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	30	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	37	-	-	-	-	-	-	-	-	-	-	3
BLACK---MALE----	28	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	36	-	-	-	-	-	-	-	-	-	-	3
TEXAS -----	831	4	-	-	-	-	1	1	2	7	6	14
WHITE-----MALE----	274	1	-	-	-	-	-	-	2	3	3	7
FEMALE--	424	3	-	-	-	-	1	-	-	1	2	4
ALL OTHER--MALE----	60	-	-	-	-	-	-	1	-	1	1	2
FEMALE--	73	-	-	-	-	-	-	-	-	2	-	1
BLACK---MALE----	59	-	-	-	-	-	-	1	-	1	1	2
FEMALE--	72	-	-	-	-	-	-	-	-	2	-	1
UTAH -----	57	2	-	-	-	-	-	-	-	-	-	2
WHITE-----MALE----	21	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	36	2	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	49	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	11	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	38	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	296	1	1	-	-	-	-	-	1	1	2	6
WHITE-----MALE----	84	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	147	-	1	-	-	-	-	-	-	-	-	3
ALL OTHER--MALE----	33	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	32	1	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	32	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	32	1	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,745  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)												
SOUTH DAKOTA -----	-	-	-	1	1	2	7	5	3	2	-	-
WHITE-----MALE----	-	-	-	1	1	-	4	2	1	-	-	-
FEMALE--	-	-	-	-	-	2	3	3	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	5	4	11	22	35	43	80	72	39	18	2	-
WHITE-----MALE----	1	3	5	9	17	16	21	17	10	3	1	-
FEMALE--	1	-	3	7	11	17	45	47	23	13	1	-
ALL OTHER--MALE----	3	-	2	2	3	5	5	4	2	-	-	-
FEMALE--	-	1	1	4	4	5	9	4	4	2	-	-
BLACK---MALE----	3	-	2	2	3	4	4	4	2	-	-	-
FEMALE--	-	1	1	4	4	5	8	4	4	2	-	-
TEXAS -----	13	26	30	52	89	111	163	171	89	40	12	-
WHITE-----MALE----	5	11	11	25	39	40	49	55	18	5	-	-
FEMALE--	3	7	7	17	35	54	92	96	60	31	11	-
ALL OTHER--MALE----	5	4	7	7	9	5	10	5	2	1	-	-
FEMALE--	-	4	5	3	6	12	12	15	9	3	1	-
BLACK---MALE----	5	4	7	7	9	5	9	5	2	1	-	-
FEMALE--	-	4	5	3	6	11	12	15	9	3	1	-
UTAH -----	-	1	1	3	4	12	9	12	10	1	-	-
WHITE-----MALE----	-	1	-	2	1	7	3	6	-	-	-	-
FEMALE--	-	-	1	1	3	5	6	6	10	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	2	-	4	7	9	13	7	6	-	-
WHITE-----MALE----	-	-	-	-	2	3	1	3	1	-	-	-
FEMALE--	-	-	2	-	2	4	8	10	6	6	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	9	8	14	17	28	42	63	64	24	13	2	-
WHITE-----MALE----	4	-	6	9	10	12	21	13	1	4	1	-
FEMALE--	2	2	5	4	10	24	34	37	16	8	1	-
ALL OTHER--MALE----	2	6	2	2	5	3	2	7	1	-	-	-
FEMALE--	1	-	1	2	3	3	6	7	6	1	-	-
BLACK---MALE----	2	6	2	2	5	3	2	7	1	-	-	-
FEMALE--	1	-	1	2	3	3	6	7	6	1	-	-











TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,748  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CEREBRAL EMBOLISM (434.1)												
COLORADO -----	-	1	-	1	1	3	-	1	-	1	-	-
WHITE-----MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	2	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	2	3	1	-	-	-	1	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	1	3	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	1	-	-	-	1	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	1	1	2	5	9	5	4	8	5	1	1	-
WHITE-----MALE----	1	1	2	3	5	3	2	2	1	1	1	-
FEMALE--	-	-	-	2	4	2	2	5	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	-	1	1	1	4	4	2	1	2	-	-	-
WHITE-----MALE----	-	-	1	1	1	1	-	1	2	-	-	-
FEMALE--	-	-	-	-	3	2	1	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-









TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,750  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CEREBRAL EMBOLISM (434.1)												
KENTUCKY -----	-	1	-	-	1	1	3	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	2	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	-	-	-	1	-	3	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	-	-	1	-	-	1	-	1	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	1	2	-	2	1	-	1	-	-	-	-
WHITE-----MALE----	-	1	1	-	2	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	1	-	-	4	-	2	5	1	1	-	-	-
WHITE-----MALE----	1	-	-	2	-	-	2	1	1	-	-	-
FEMALE--	-	-	-	1	-	2	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	-	-	2	1	3	3	4	1	2	-	-	-
WHITE-----MALE----	-	-	1	1	2	1	1	-	1	-	-	-
FEMALE--	-	-	-	-	1	2	3	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	-	-	-













TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,753  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 CEREBRAL EMBOLISM (434.1)												
OHIO -----	-	1	1	3	1	3	6	3	2	-	1	-
WHITE-----MALE----	-	1	-	3	-	1	1	-	2	-	-	-
FEMALE--	-	-	1	-	1	2	5	3	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	-	1	-	1	1	-	-	3	1	-	-	-
WHITE-----MALE----	-	-	-	1	1	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	1	-	1	1	-	2	1	5	-	-	-	-
WHITE-----MALE----	1	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	1	5	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	1	1	1	6	6	11	12	3	1	-	-
WHITE-----MALE----	-	-	1	1	4	1	4	7	-	-	-	-
FEMALE--	-	-	-	-	2	5	6	4	3	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
RHODE ISLAND -----	-	-	-	-	2	2	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	-	-	1	1	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-









TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,756  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE (436)												
0 UNITED STATES --	91,553	4	3	2	3	5	12	23	60	134	235	504
WHITE-----MALE----	29,529	1	2	2	2	1	6	5	16	42	85	187
FEMALE--	50,699	2	-	-	-	2	2	8	24	36	49	124
ALL OTHER--MALE----	4,852	1	-	-	1	1	2	4	14	23	53	120
FEMALE--	6,473	-	1	-	-	1	2	6	6	33	48	73
BLACK---MALE----	4,207	1	-	-	-	-	2	4	12	22	48	111
FEMALE--	5,830	-	1	-	-	1	2	5	6	30	47	63
ALABAMA -----	1,750	-	-	-	-	-	1	1	4	3	11	12
WHITE-----MALE----	464	-	-	-	-	-	-	-	-	2	3	6
FEMALE--	797	-	-	-	-	-	-	1	2	-	-	1
ALL OTHER--MALE----	220	-	-	-	-	-	-	-	2	1	4	3
FEMALE--	269	-	-	-	-	-	1	-	-	-	4	2
BLACK---MALE----	220	-	-	-	-	-	-	-	2	1	4	3
FEMALE--	267	-	-	-	-	-	1	-	-	-	4	2
ALASKA -----	66	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	18	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	32	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1,336	-	-	-	-	-	-	-	-	1	5	11
WHITE-----MALE----	508	-	-	-	-	-	-	-	-	-	3	4
FEMALE--	763	-	-	-	-	-	-	-	-	1	1	6
ALL OTHER--MALE----	36	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	29	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	13	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1,436	-	-	-	-	-	-	2	1	1	6	13
WHITE-----MALE----	494	-	-	-	-	-	-	1	-	-	1	5
FEMALE--	730	-	-	-	-	-	-	-	-	-	2	4
ALL OTHER--MALE----	87	-	-	-	-	-	-	-	1	1	1	4
FEMALE--	125	-	-	-	-	-	-	1	-	-	2	-
BLACK---MALE----	87	-	-	-	-	-	-	-	1	1	1	4
FEMALE--	124	-	-	-	-	-	-	1	-	-	2	-
CALIFORNIA -----	8,670	-	-	-	-	1	-	2	9	10	27	63
WHITE-----MALE----	2,844	-	-	-	-	1	-	-	1	3	12	31
FEMALE--	4,698	-	-	-	-	-	-	1	4	3	7	14
ALL OTHER--MALE----	534	-	-	-	-	-	-	-	3	2	6	11
FEMALE--	594	-	-	-	-	-	-	1	1	2	2	7
BLACK---MALE----	273	-	-	-	-	-	-	-	3	1	4	7
FEMALE--	345	-	-	-	-	-	-	1	1	-	2	5

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,756  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE (436)												
0 UNITED STATES --	831	1,421	2,585	4,978	9,060	13,583	19,147	19,530	13,432	5,019	980	2
WHITE-----MALE----	314	555	1,106	2,048	3,797	5,462	6,661	5,456	2,872	804	104	1
FEMALE--	223	375	805	1,778	3,746	6,348	10,537	12,454	9,600	3,830	756	-
ALL OTHER--MALE----	190	291	373	572	736	797	799	520	239	91	25	-
FEMALE--	104	200	301	580	781	976	1,150	1,100	721	294	95	1
BLACK---MALE----	173	262	332	519	637	691	676	430	194	75	18	-
FEMALE--	92	182	265	526	709	875	1,037	997	645	261	85	1
ALABAMA -----	30	32	61	126	199	258	380	322	228	70	12	-
WHITE-----MALE----	5	13	33	36	65	85	89	76	42	8	1	-
FEMALE--	4	4	7	31	70	108	190	183	137	51	8	-
ALL OTHER--MALE----	17	9	14	34	29	31	37	22	15	2	-	-
FEMALE--	4	6	7	25	35	34	64	41	34	9	3	-
BLACK---MALE----	17	9	14	34	29	31	37	22	15	2	-	-
FEMALE--	4	6	7	25	34	34	64	41	33	9	3	-
ALASKA -----	-	4	4	3	7	8	12	12	10	5	-	-
WHITE-----MALE----	-	2	3	-	4	2	2	2	2	-	-	-
FEMALE--	-	2	1	1	1	3	7	8	5	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	2	-	3	-	-	-
FEMALE--	-	-	-	2	2	3	1	2	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	6	13	34	68	133	219	281	294	190	66	15	-
WHITE-----MALE----	4	7	14	27	70	102	107	111	42	14	3	-
FEMALE--	1	6	16	30	55	111	159	177	141	49	10	-
ALL OTHER--MALE----	1	-	1	4	6	5	7	6	2	1	1	-
FEMALE--	-	-	3	7	2	1	8	-	5	2	1	-
BLACK---MALE----	1	-	-	2	4	-	2	1	1	1	-	-
FEMALE--	-	-	3	2	1	1	4	-	3	-	-	-
ARKANSAS -----	12	27	52	74	160	212	280	296	207	72	21	-
WHITE-----MALE----	6	11	23	23	72	86	112	90	47	15	2	-
FEMALE--	3	11	16	21	57	97	136	178	139	51	15	-
ALL OTHER--MALE----	2	2	8	14	15	12	13	9	4	1	-	-
FEMALE--	1	3	5	16	16	17	19	19	17	5	4	-
BLACK---MALE----	2	2	8	14	15	12	13	9	4	1	-	-
FEMALE--	1	3	5	16	16	16	19	19	17	5	4	-
CALIFORNIA -----	80	143	253	505	892	1,285	1,756	1,770	1,325	439	110	-
WHITE-----MALE----	34	46	108	209	354	550	600	521	293	64	17	-
FEMALE--	21	36	73	185	384	545	973	1,099	930	340	83	-
ALL OTHER--MALE----	11	36	39	51	75	104	94	66	21	14	1	-
FEMALE--	14	25	33	60	79	86	89	84	81	21	9	-
BLACK---MALE----	8	21	21	29	41	57	40	23	9	8	1	-
FEMALE--	9	17	19	39	52	54	46	48	42	5	5	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,757  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE (436)												
COLORADO -----	1,049	-	-	-	-	-	-	-	-	1	3	6
WHITE-----MALE----	358	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	644	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	32	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	27	-	-	-	-	-	-	-	-	1	1	-
CONNECTICUT -----	1,106	-	-	-	-	-	-	-	-	-	3	6
WHITE-----MALE----	398	-	-	-	-	-	-	-	-	-	1	5
FEMALE--	664	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	26	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	16	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	1
DELAWARE -----	197	-	1	-	-	-	-	-	-	1	1	2
WHITE-----MALE----	61	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	101	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	22	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	13	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	22	-	-	-	-	-	-	-	-	1	1	-
DISTRICT OF COLUMBIA ----	163	-	-	-	-	-	-	-	-	1	1	-
WHITE-----MALE----	18	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	36	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	35	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	74	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	34	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	73	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	5,588	-	2	1	-	-	2	3	11	10	10	14
WHITE-----MALE----	2,103	-	1	1	-	-	-	-	4	3	3	3
FEMALE--	2,874	-	-	-	-	-	1	1	2	-	-	6
ALL OTHER--MALE----	255	-	-	-	-	-	-	-	-	6	3	3
FEMALE--	356	-	1	-	-	-	1	2	5	1	2	2
BLACK---MALE----	245	-	-	-	-	-	-	-	-	6	3	3
FEMALE--	350	-	1	-	-	-	1	2	5	1	2	2
GEORGIA -----	2,470	1	-	1	-	-	1	9	5	9	9	22
WHITE-----MALE----	622	-	-	1	-	-	-	4	2	3	7	7
FEMALE--	1,186	1	-	-	-	-	-	3	2	4	3	3
ALL OTHER--MALE----	277	-	-	-	-	-	1	2	-	1	7	7
FEMALE--	385	-	-	-	-	-	-	-	1	1	5	5
BLACK---MALE----	277	-	-	-	-	-	1	2	-	1	7	7
FEMALE--	382	-	-	-	-	-	-	-	1	1	5	5

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,757  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE (436)												
COLORADO -----	10	10	24	48	92	149	202	253	164	77	10	-
WHITE-----MALE----	4	5	13	25	46	61	66	79	36	18	1	-
FEMALE--	4	4	10	21	40	80	130	166	124	54	9	-
ALL OTHER--MALE----	1	-	1	-	3	1	2	2	1	2	-	-
FEMALE--	1	1	-	2	3	7	4	6	3	3	-	-
BLACK---MALE----	1	-	1	-	1	1	1	1	-	2	-	-
FEMALE--	-	1	-	2	2	7	4	4	2	3	-	-
CONNECTICUT -----	10	10	27	45	118	152	226	215	171	99	24	-
WHITE-----MALE----	4	7	14	23	62	64	94	66	43	14	1	-
FEMALE--	3	1	10	19	50	83	123	149	122	82	20	-
ALL OTHER--MALE----	3	1	2	3	2	3	2	-	1	-	1	-
FEMALE--	-	1	1	-	4	2	7	-	5	3	2	-
BLACK---MALE----	3	-	2	3	2	3	2	-	1	-	-	-
FEMALE--	-	1	1	-	3	2	6	-	4	3	2	-
DELAWARE -----	-	3	10	15	24	28	35	45	21	9	2	-
WHITE-----MALE----	-	1	4	7	12	11	11	10	4	-	-	-
FEMALE--	-	1	5	2	4	17	18	28	16	7	2	-
ALL OTHER--MALE----	-	1	1	4	4	-	1	1	-	-	-	-
FEMALE--	-	-	-	2	4	-	5	6	1	2	-	-
BLACK---MALE----	-	1	1	4	4	-	1	1	-	-	-	-
FEMALE--	-	-	-	2	4	-	5	6	1	2	-	-
DISTRICT OF COLUMBIA ----	3	4	8	17	22	22	21	36	16	12	-	-
WHITE-----MALE----	1	-	1	-	1	3	2	4	2	4	-	-
FEMALE--	-	-	1	1	1	3	6	13	6	5	-	-
ALL OTHER--MALE----	1	1	2	7	7	4	2	7	2	-	-	-
FEMALE--	1	3	4	9	13	12	11	12	6	3	-	-
BLACK---MALE----	1	1	2	7	7	4	2	7	1	-	-	-
FEMALE--	1	3	4	9	13	12	11	12	5	3	-	-
FLORIDA -----	49	104	145	325	577	877	1,183	1,213	792	241	39	-
WHITE-----MALE----	21	46	59	144	271	394	487	410	210	44	5	-
FEMALE--	9	26	41	118	225	390	596	723	535	173	28	-
ALL OTHER--MALE----	13	18	29	30	41	37	37	19	17	3	2	-
FEMALE--	6	14	16	33	40	56	63	61	30	21	4	-
BLACK---MALE----	12	18	26	30	39	35	36	19	16	3	2	-
FEMALE--	6	14	16	33	38	54	63	60	30	20	4	-
GEORGIA -----	37	53	113	168	295	358	519	499	273	88	19	-
WHITE-----MALE----	16	10	37	54	92	121	123	105	31	15	1	-
FEMALE--	7	14	27	46	115	146	268	294	186	58	12	-
ALL OTHER--MALE----	11	20	30	34	43	33	54	27	10	4	-	-
FEMALE--	3	9	19	34	45	58	74	73	46	11	6	-
BLACK---MALE----	11	20	30	34	43	33	54	27	10	4	-	-
FEMALE--	1	9	19	33	45	58	74	73	46	11	6	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,758  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE (436)												
HAWAII -----	3	7	13	16	38	51	62	57	38	14	6	-
WHITE-----MALE----	-	1	1	3	3	12	11	3	1	-	-	-
FEMALE--	-	-	2	2	10	2	8	10	9	3	1	-
ALL OTHER--MALE----	2	4	3	8	19	17	20	21	16	4	1	-
FEMALE--	1	2	7	3	6	20	23	23	12	7	4	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	2	7	12	45	67	86	110	69	28	4	-
WHITE-----MALE----	-	1	4	8	19	29	44	37	15	7	-	-
FEMALE--	-	1	3	4	26	38	42	73	54	21	4	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	29	68	82	238	423	605	907	863	673	206	42	-
WHITE-----MALE----	9	19	37	92	206	247	326	275	158	35	2	-
FEMALE--	6	10	24	95	150	275	520	528	477	158	35	-
ALL OTHER--MALE----	9	24	12	29	26	35	22	20	8	4	1	-
FEMALE--	5	15	9	22	41	48	39	40	30	9	4	-
BLACK---MALE----	8	24	11	28	25	33	22	19	7	4	1	-
FEMALE--	5	14	9	22	38	46	36	37	28	9	4	-
INDIANA -----	16	36	78	122	265	346	560	561	334	138	36	-
WHITE-----MALE----	6	18	44	51	119	139	197	144	66	23	-	-
FEMALE--	8	12	27	55	116	179	342	397	259	113	33	-
ALL OTHER--MALE----	-	3	2	11	15	11	9	3	2	-	2	-
FEMALE--	2	3	5	5	15	17	12	17	7	2	1	-
BLACK---MALE----	-	3	2	11	15	10	9	3	2	-	2	-
FEMALE--	1	3	4	5	15	16	12	17	7	2	1	-
IOWA -----	13	12	21	56	116	187	307	336	266	136	29	-
WHITE-----MALE----	6	4	12	28	48	92	129	96	56	21	7	-
FEMALE--	7	8	8	26	60	90	176	238	208	115	22	-
ALL OTHER--MALE----	-	-	1	-	4	3	2	-	-	-	-	-
FEMALE--	-	-	-	2	4	2	-	2	2	-	-	-
BLACK---MALE----	-	-	1	-	4	3	2	-	-	-	-	-
FEMALE--	-	-	-	1	4	2	-	2	2	-	-	-
KANSAS -----	11	14	15	42	97	158	211	281	195	83	14	-
WHITE-----MALE----	6	6	7	19	40	73	72	60	54	15	1	-
FEMALE--	3	7	8	18	49	75	132	209	132	65	13	-
ALL OTHER--MALE----	2	1	-	2	3	4	4	4	4	1	-	-
FEMALE--	-	-	-	3	5	6	3	8	5	2	-	-
BLACK---MALE----	2	1	-	2	3	4	4	4	4	1	-	-
FEMALE--	-	-	-	3	5	5	3	8	5	2	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,759  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE (436)												
KENTUCKY -----	17	29	40	80	174	216	303	312	200	79	13	-
WHITE-----MALE----	10	19	22	34	83	84	88	84	43	15	-	-
FEMALE--	6	8	13	37	81	116	192	213	143	58	10	-
ALL OTHER--MALE----	1	1	4	2	6	7	9	5	2	1	1	-
FEMALE--	-	1	1	7	4	9	14	10	12	5	2	-
BLACK---MALE----	1	1	4	2	6	7	8	5	2	1	1	-
FEMALE--	-	1	1	7	4	9	13	10	12	5	2	-
LOUISIANA -----	32	35	56	103	177	228	308	322	166	66	11	-
WHITE-----MALE----	8	5	23	23	54	79	95	90	27	10	-	-
FEMALE--	5	10	12	29	58	95	130	162	103	37	6	-
ALL OTHER--MALE----	12	15	12	26	31	21	33	25	13	4	1	-
FEMALE--	7	5	9	25	34	33	50	45	23	15	4	-
BLACK---MALE----	12	15	12	26	30	21	33	25	13	4	1	-
FEMALE--	7	5	7	25	33	32	49	45	23	15	4	-
MAINE -----	2	4	11	27	48	61	79	116	74	41	5	-
WHITE-----MALE----	1	2	7	12	23	26	31	40	13	8	1	-
FEMALE--	1	2	4	13	25	35	48	76	61	33	4	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	19	28	43	91	138	219	267	268	182	71	6	-
WHITE-----MALE----	10	7	12	38	52	83	94	72	29	12	1	-
FEMALE--	3	4	12	28	52	87	133	156	134	50	5	-
ALL OTHER--MALE----	6	7	9	18	18	21	20	13	6	3	-	-
FEMALE--	-	10	10	7	16	28	20	27	13	6	-	-
BLACK---MALE----	6	7	9	18	15	20	19	13	5	2	-	-
FEMALE--	-	10	9	7	16	26	20	27	11	6	-	-
MASSACHUSETTS -----	9	21	28	68	142	241	361	433	331	128	31	-
WHITE-----MALE----	4	12	16	27	66	99	135	92	63	18	3	-
FEMALE--	4	9	11	37	67	135	219	327	263	108	26	-
ALL OTHER--MALE----	1	-	1	1	5	1	5	4	1	1	1	-
FEMALE--	-	-	-	3	4	6	2	10	4	1	1	-
BLACK---MALE----	1	-	1	-	5	1	3	3	-	1	-	-
FEMALE--	-	-	-	2	3	5	1	8	4	1	1	-
MICHIGAN -----	21	40	73	159	289	478	643	614	420	174	32	-
WHITE-----MALE----	8	14	36	64	117	187	233	171	100	30	2	-
FEMALE--	6	12	23	55	128	239	342	400	296	128	23	-
ALL OTHER--MALE----	4	9	6	15	21	26	27	10	9	6	1	-
FEMALE--	3	5	8	25	23	26	41	33	15	10	6	-
BLACK---MALE----	3	8	6	14	19	26	27	10	9	6	1	-
FEMALE--	3	5	6	24	20	23	39	32	15	9	6	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,760  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE (436)												
MINNESOTA -----	1	10	35	70	146	253	419	445	370	185	27	-
WHITE-----MALE----	-	6	22	42	79	117	183	137	78	24	2	-
FEMALE--	1	3	13	27	62	134	228	304	285	158	25	-
ALL OTHER--MALE----	-	1	-	1	3	1	3	1	2	-	-	-
FEMALE--	-	-	-	-	2	1	5	3	5	3	-	-
BLACK---MALE----	-	1	-	1	1	1	1	1	1	-	-	-
FEMALE--	-	-	-	-	1	1	3	2	3	3	-	-
MISSISSIPPI -----	29	34	58	87	113	168	246	230	137	53	13	-
WHITE-----MALE----	6	6	15	22	33	50	66	55	23	1	-	-
FEMALE--	5	4	9	22	29	53	105	110	79	35	6	-
ALL OTHER--MALE----	10	15	17	21	22	27	35	19	9	3	3	-
FEMALE--	8	9	17	22	29	38	40	46	26	14	4	-
BLACK---MALE----	10	15	17	21	22	27	35	19	9	3	3	-
FEMALE--	8	9	17	22	29	37	40	46	26	14	3	-
MISSOURI -----	14	37	53	112	198	303	457	478	376	132	24	1
WHITE-----MALE----	5	12	26	55	82	121	157	112	76	22	3	1
FEMALE--	6	12	17	41	98	157	268	333	283	98	21	-
ALL OTHER--MALE----	2	6	3	10	9	11	9	11	4	3	-	-
FEMALE--	1	7	7	6	9	14	23	22	13	9	-	-
BLACK---MALE----	2	6	2	9	9	11	8	11	4	3	-	-
FEMALE--	1	7	7	6	9	13	22	22	13	9	-	-
MONTANA -----	4	7	6	22	33	53	69	86	51	20	7	-
WHITE-----MALE----	2	3	3	12	16	24	29	29	11	3	-	-
FEMALE--	2	4	2	10	14	28	37	55	39	17	6	-
ALL OTHER--MALE----	-	-	1	-	2	1	-	1	-	-	1	-
FEMALE--	-	-	-	-	1	-	3	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
NEBRASKA -----	3	5	15	33	58	80	147	170	129	59	9	-
WHITE-----MALE----	2	2	6	19	29	41	75	41	45	11	1	-
FEMALE--	-	3	8	12	24	36	64	124	81	48	8	-
ALL OTHER--MALE----	1	-	1	1	2	1	2	1	1	-	-	-
FEMALE--	-	-	-	1	3	2	6	4	2	-	-	-
BLACK---MALE----	1	-	-	1	2	1	1	1	1	-	-	-
FEMALE--	-	-	-	1	2	2	6	4	2	-	-	-
NEVADA -----	8	11	14	36	54	81	102	71	39	8	2	-
WHITE-----MALE----	4	5	5	13	33	44	39	28	7	-	-	-
FEMALE--	1	3	8	18	17	32	54	40	30	6	2	-
ALL OTHER--MALE----	2	2	1	5	3	2	2	2	-	-	-	-
FEMALE--	1	1	-	-	1	3	7	1	2	2	-	-
BLACK---MALE----	2	2	1	5	1	2	1	2	-	-	-	-
FEMALE--	-	1	-	-	1	2	6	1	2	1	-	-







TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,762  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE (436)												
OHIO -----	3,680	-	-	-	-	-	-	-	1	3	9	17
WHITE-----MALE----	1,216	-	-	-	-	-	-	-	-	2	4	6
FEMALE--	2,096	-	-	-	-	-	-	-	1	1	2	4
ALL OTHER--MALE----	165	-	-	-	-	-	-	-	-	-	1	5
FEMALE--	203	-	-	-	-	-	-	-	-	-	2	2
BLACK---MALE----	163	-	-	-	-	-	-	-	-	-	1	5
FEMALE--	199	-	-	-	-	-	-	-	-	-	2	1
OKLAHOMA -----	1,643	-	-	-	-	-	-	-	3	2	4	7
WHITE-----MALE----	546	-	-	-	-	-	-	-	1	1	2	2
FEMALE--	958	-	-	-	-	-	-	-	1	1	1	2
ALL OTHER--MALE----	58	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	81	-	-	-	-	-	-	-	-	-	1	2
BLACK---MALE----	35	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	55	-	-	-	-	-	-	-	-	-	-	2
OREGON -----	1,436	-	-	-	-	-	-	-	-	-	1	6
WHITE-----MALE----	491	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	902	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	19	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	24	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	11	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	4,664	-	-	-	1	-	1	-	2	3	6	16
WHITE-----MALE----	1,595	-	-	-	1	-	1	-	-	-	5	7
FEMALE--	2,698	-	-	-	-	-	-	-	2	3	-	4
ALL OTHER--MALE----	149	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	222	-	-	-	-	-	-	-	-	-	-	3
BLACK---MALE----	145	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	213	-	-	-	-	-	-	-	-	-	-	3
RHODE ISLAND -----	336	-	-	-	-	-	1	-	-	-	-	2
WHITE-----MALE----	102	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	228	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1,670	-	-	-	-	1	-	-	1	2	12	17
WHITE-----MALE----	393	-	-	-	-	-	-	-	-	1	3	1
FEMALE--	698	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	228	-	-	-	-	-	-	-	1	-	4	10
FEMALE--	351	-	-	-	-	1	-	-	-	1	5	4
BLACK---MALE----	227	-	-	-	-	-	-	-	1	-	4	10
FEMALE--	350	-	-	-	-	1	-	-	-	1	5	4

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,762  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE (436)												
OHIO -----	29	51	92	213	334	586	800	761	543	198	43	-
WHITE-----MALE----	7	22	42	92	146	234	285	224	112	34	6	-
FEMALE--	15	13	39	72	142	284	453	482	403	148	37	-
ALL OTHER--MALE----	4	9	9	23	23	35	26	19	8	3	-	-
FEMALE--	3	7	2	26	23	33	36	36	20	13	-	-
BLACK---MALE----	4	9	9	23	22	34	26	19	8	3	-	-
FEMALE--	3	6	2	25	23	33	36	35	20	13	-	-
OKLAHOMA -----	17	26	48	90	150	223	325	365	259	106	18	-
WHITE-----MALE----	8	14	24	37	71	90	114	105	62	15	-	-
FEMALE--	5	7	16	39	66	113	187	242	181	80	17	-
ALL OTHER--MALE----	4	3	3	5	7	12	9	5	6	2	-	-
FEMALE--	-	2	5	9	6	8	15	13	10	9	1	-
BLACK---MALE----	1	2	1	4	4	8	5	3	5	1	-	-
FEMALE--	-	2	4	7	2	6	10	8	6	7	1	-
OREGON -----	6	16	32	66	122	221	306	338	228	78	16	-
WHITE-----MALE----	3	6	21	30	57	83	122	107	44	10	4	-
FEMALE--	3	8	9	28	59	134	175	227	178	67	12	-
ALL OTHER--MALE----	-	1	2	4	2	3	3	1	2	-	-	-
FEMALE--	-	1	-	4	4	1	6	3	4	1	-	-
BLACK---MALE----	-	1	2	2	1	1	3	-	-	-	-	-
FEMALE--	-	1	-	3	2	-	3	2	2	1	-	-
PENNSYLVANIA -----	35	57	117	215	468	744	1,010	1,035	660	259	35	-
WHITE-----MALE----	20	25	60	98	198	318	373	308	138	37	6	-
FEMALE--	9	16	36	81	209	377	579	661	487	209	25	-
ALL OTHER--MALE----	4	8	12	16	29	19	30	16	9	3	-	-
FEMALE--	2	8	9	20	32	30	28	50	26	10	4	-
BLACK---MALE----	4	8	10	16	28	19	29	16	9	3	-	-
FEMALE--	2	7	9	19	30	28	27	49	25	10	4	-
RHODE ISLAND -----	1	-	9	15	19	48	78	87	46	20	10	-
WHITE-----MALE----	1	-	4	7	9	21	33	16	8	1	1	-
FEMALE--	-	-	4	7	10	27	42	70	38	19	9	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	2	1	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	2	1	-	-	-	-
SOUTH CAROLINA -----	29	40	76	126	189	275	339	308	174	64	17	-
WHITE-----MALE----	6	9	29	41	55	67	87	59	27	8	-	-
FEMALE--	3	4	15	23	58	98	165	170	106	43	11	-
ALL OTHER--MALE----	13	14	16	25	35	45	34	22	7	2	-	-
FEMALE--	7	13	16	37	41	65	53	57	34	11	6	-
BLACK---MALE----	13	14	16	24	35	45	34	22	7	2	-	-
FEMALE--	7	13	16	37	41	65	52	57	34	11	6	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,763  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE (436)												
SOUTH DAKOTA -----	366	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	133	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	228	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2,584	-	-	-	-	-	-	-	1	8	7	18
WHITE-----MALE----	802	-	-	-	-	-	-	-	1	1	3	5
FEMALE--	1,342	-	-	-	-	-	-	-	-	1	2	4
ALL OTHER--MALE----	171	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	269	-	-	-	-	-	-	-	-	6	2	6
BLACK---MALE----	168	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	269	-	-	-	-	-	-	-	-	6	2	6
TEXAS -----	5,637	-	-	-	-	1	3	1	4	10	16	46
WHITE-----MALE----	1,762	-	-	-	-	-	1	-	3	4	6	19
FEMALE--	3,138	-	-	-	-	1	1	1	1	4	5	13
ALL OTHER--MALE----	302	-	-	-	-	-	1	-	-	1	2	7
FEMALE--	435	-	-	-	-	-	-	-	-	1	3	7
BLACK---MALE----	294	-	-	-	-	-	1	-	-	1	2	7
FEMALE--	422	-	-	-	-	-	-	-	-	-	3	6
UTAH -----	455	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	155	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	291	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	184	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	61	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	123	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2,232	-	-	-	-	-	-	1	4	8	6	10
WHITE-----MALE----	620	-	-	-	-	-	-	-	3	2	1	4
FEMALE--	1,099	-	-	-	-	-	-	1	-	2	-	1
ALL OTHER--MALE----	228	-	-	-	-	-	-	-	-	2	3	5
FEMALE--	285	-	-	-	-	-	-	-	1	2	2	-
BLACK---MALE----	223	-	-	-	-	-	-	-	-	2	3	5
FEMALE--	279	-	-	-	-	-	-	-	1	2	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,763  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACUTE BUT ILL-DEFINED CEREBROVASCULAR DISEASE (436)												
SOUTH DAKOTA -----	1	4	3	12	26	46	75	77	75	37	8	-
WHITE-----MALE----	1	1	1	7	12	20	22	34	24	8	1	-
FEMALE--	-	2	2	5	13	26	51	42	51	29	7	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	38	52	87	131	281	376	547	543	356	114	25	-
WHITE-----MALE----	15	25	32	58	112	146	171	142	71	19	1	-
FEMALE--	13	13	28	40	116	164	296	335	234	78	18	-
ALL OTHER--MALE----	5	11	15	20	26	29	27	22	8	5	-	-
FEMALE--	5	3	12	13	27	37	53	44	43	12	6	-
BLACK---MALE----	5	11	15	19	26	28	27	21	8	5	-	-
FEMALE--	5	3	12	13	27	37	53	44	43	12	6	-
TEXAS -----	59	104	180	336	556	767	1,152	1,225	824	289	64	-
WHITE-----MALE----	17	54	68	147	218	294	396	325	160	41	9	-
FEMALE--	21	30	56	127	250	366	617	779	597	225	44	-
ALL OTHER--MALE----	14	12	30	30	43	53	51	35	17	3	3	-
FEMALE--	7	8	26	32	45	54	88	86	50	20	8	-
BLACK---MALE----	13	12	30	29	41	52	49	35	16	3	3	-
FEMALE--	7	8	25	30	44	52	85	85	49	20	8	-
UTAH -----	3	3	8	19	42	72	106	115	69	16	1	-
WHITE-----MALE----	2	-	5	9	20	30	31	38	17	3	-	-
FEMALE--	1	3	3	9	21	41	74	73	51	13	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	3	1	-	-	-
FEMALE--	-	-	-	1	1	1	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
VERMONT -----	-	1	3	6	14	26	47	38	37	12	-	-
WHITE-----MALE----	-	1	1	1	10	11	16	13	6	2	-	-
FEMALE--	-	-	2	5	4	15	31	25	31	10	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	24	44	72	144	244	323	426	503	305	95	22	1
WHITE-----MALE----	8	16	29	46	81	115	129	114	58	13	1	-
FEMALE--	4	8	15	35	84	132	216	312	202	71	16	-
ALL OTHER--MALE----	8	12	18	33	33	33	34	30	11	4	2	-
FEMALE--	4	8	10	30	46	43	47	47	34	7	3	1
BLACK---MALE----	8	12	18	31	33	32	33	30	10	4	2	-
FEMALE--	4	8	10	30	44	42	47	44	34	7	3	1







TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,765  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER AND LATE EFFECTS OF CEREBROVASCULAR DISEASES (435,437-438)												
0 UNITED STATES --	20,940	156	28	7	8	8	6	18	27	49	71	135
WHITE-----MALE----	6,876	72	8	4	5	3	3	10	10	21	28	47
FEMALE--	11,333	47	9	2	2	2	-	5	8	14	18	45
ALL OTHER--MALE----	1,192	20	6	-	-	1	1	2	3	9	16	24
FEMALE--	1,539	17	5	1	1	2	2	1	6	5	9	19
BLACK---MALE----	996	19	6	-	-	1	-	2	3	6	14	21
FEMALE--	1,364	15	5	1	1	-	2	1	4	5	8	16
ALABAMA -----	299	1	1	-	-	-	-	-	-	3	2	4
WHITE-----MALE----	79	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	139	-	-	-	-	-	-	-	-	1	1	2
ALL OTHER--MALE----	27	-	1	-	-	-	-	-	-	1	-	-
FEMALE--	54	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	27	-	1	-	-	-	-	-	-	1	-	-
FEMALE--	53	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	31	1	-	-	-	1	-	-	-	-	-	1
WHITE-----MALE----	9	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	235	-	-	-	-	1	-	-	-	1	1	-
WHITE-----MALE----	85	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	137	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ARKANSAS -----	328	1	1	-	-	-	-	1	-	2	-	4
WHITE-----MALE----	114	1	-	-	-	-	-	1	-	2	-	1
FEMALE--	154	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	21	-	1	-	-	-	-	-	-	-	-	1
FEMALE--	39	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	21	-	1	-	-	-	-	-	-	-	-	1
FEMALE--	39	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	2,587	4	-	1	1	1	3	3	6	11	6	13
WHITE-----MALE----	851	1	-	-	1	-	1	1	3	5	2	7
FEMALE--	1,343	1	-	1	-	-	-	2	2	3	1	4
ALL OTHER--MALE----	187	1	-	-	-	-	1	-	-	2	2	2
FEMALE--	206	1	-	-	-	1	1	-	1	1	1	-
BLACK---MALE----	84	1	-	-	-	-	-	-	-	-	1	1
FEMALE--	126	1	-	-	-	-	1	-	1	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,765  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER AND LATE EFFECTS OF CEREBROVASCULAR DISEASES (435,437-438)												
0 UNITED STATES --	187	241	482	909	1,699	2,850	4,227	4,809	3,298	1,378	346	1
WHITE-----MALE----	56	90	207	393	737	1,185	1,598	1,397	733	235	34	-
FEMALE--	67	74	141	296	634	1,236	2,174	2,976	2,276	1,028	279	-
ALL OTHER--MALE----	41	53	76	117	172	207	179	152	76	31	6	-
FEMALE--	23	24	58	103	156	222	276	284	213	84	27	1
BLACK---MALE----	37	49	67	103	149	166	149	114	60	25	5	-
FEMALE--	21	23	51	91	141	199	240	253	187	76	23	1
ALABAMA -----	3	7	12	24	24	39	40	65	52	16	6	-
WHITE-----MALE----	1	5	4	11	6	12	8	15	12	1	-	-
FEMALE--	1	-	4	7	10	15	20	38	25	11	4	-
ALL OTHER--MALE----	1	1	2	3	3	6	3	2	2	1	1	-
FEMALE--	-	1	2	3	5	6	9	10	13	3	1	-
BLACK---MALE----	1	1	2	3	3	6	3	2	2	1	1	-
FEMALE--	-	1	2	3	5	6	9	10	13	3	1	-
ALASKA -----	-	-	3	-	-	3	9	5	5	1	2	-
WHITE-----MALE----	-	-	1	-	-	-	5	-	1	-	1	-
FEMALE--	-	-	-	-	-	2	3	4	2	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	1	1	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	1	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2	1	6	13	9	36	62	69	22	9	3	-
WHITE-----MALE----	1	1	4	3	4	23	28	12	5	3	1	-
FEMALE--	-	-	2	7	4	12	34	54	15	6	2	-
ALL OTHER--MALE----	-	-	-	2	-	1	-	2	1	-	-	-
FEMALE--	1	-	-	1	1	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	5	3	4	20	15	47	72	84	50	15	4	-
WHITE-----MALE----	2	1	2	9	7	17	28	26	15	2	-	-
FEMALE--	-	-	1	8	2	20	36	44	27	11	3	-
ALL OTHER--MALE----	3	-	-	1	3	3	4	4	1	-	-	-
FEMALE--	-	2	1	2	3	7	4	10	7	2	1	-
BLACK---MALE----	3	-	-	1	3	3	4	4	1	-	-	-
FEMALE--	-	2	1	2	3	7	4	10	7	2	1	-
CALIFORNIA -----	27	35	50	135	229	379	519	570	393	163	38	-
WHITE-----MALE----	8	13	25	57	107	153	178	175	87	23	4	-
FEMALE--	14	14	11	37	85	160	261	326	265	126	30	-
ALL OTHER--MALE----	1	7	5	23	23	41	34	26	16	3	-	-
FEMALE--	4	1	9	18	14	25	46	43	25	11	4	-
BLACK---MALE----	1	6	2	12	14	14	18	5	8	1	-	-
FEMALE--	4	1	7	11	9	16	26	24	15	7	1	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,766  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER AND LATE EFFECTS OF CEREBROVASCULAR DISEASES (435,437-438)												
COLORADO -----	1	2	2	4	12	26	45	37	24	7	-	-
WHITE-----MALE----	1	1	2	1	4	11	18	12	5	2	-	-
FEMALE--	-	1	-	-	6	11	24	23	18	5	-	-
ALL OTHER--MALE----	-	-	-	1	2	3	2	1	-	-	-	-
FEMALE--	-	-	-	2	-	1	1	1	1	-	-	-
BLACK---MALE----	-	-	-	1	2	3	2	1	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	1	1	-	-	-
CONNECTICUT -----	3	1	4	5	10	26	37	66	35	12	5	-
WHITE-----MALE----	1	1	3	2	3	13	17	18	5	2	-	-
FEMALE--	2	-	1	-	6	12	18	47	29	10	5	-
ALL OTHER--MALE----	-	-	-	2	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	1	1	-	2	1	-	-	-	-
BLACK---MALE----	-	-	-	2	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	1	1	-	2	1	-	-	-	-
DELAWARE -----	-	-	2	3	5	6	6	8	8	-	1	-
WHITE-----MALE----	-	-	1	1	3	2	2	1	2	-	-	-
FEMALE--	-	-	-	1	2	2	3	7	3	-	1	-
ALL OTHER--MALE----	-	-	1	1	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	2	-	-	-
BLACK---MALE----	-	-	1	1	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	2	-	-	-
DISTRICT OF COLUMBIA ----	-	2	3	1	1	5	14	8	6	3	2	-
WHITE-----MALE----	-	-	-	-	-	1	2	2	2	-	-	-
FEMALE--	-	-	-	-	-	3	2	1	2	2	1	-
ALL OTHER--MALE----	-	2	1	1	-	-	2	-	-	-	-	-
FEMALE--	-	-	2	-	1	1	8	5	2	1	1	-
BLACK---MALE----	-	2	1	1	-	-	2	-	-	-	-	-
FEMALE--	-	-	2	-	1	1	8	5	2	1	1	-
FLORIDA -----	5	12	17	56	84	189	259	289	184	96	19	-
WHITE-----MALE----	1	3	8	24	42	89	114	95	45	23	4	-
FEMALE--	1	2	4	21	26	78	119	169	125	68	15	-
ALL OTHER--MALE----	3	4	4	2	8	10	9	8	2	-	-	-
FEMALE--	-	3	1	9	8	12	17	17	12	5	-	-
BLACK---MALE----	3	4	4	2	8	10	9	8	2	-	-	-
FEMALE--	-	3	1	9	8	12	17	17	12	5	-	-
GEORGIA -----	7	11	15	26	45	70	105	108	65	14	12	-
WHITE-----MALE----	-	2	5	6	18	13	31	23	9	4	1	-
FEMALE--	2	3	1	7	12	27	43	57	43	6	7	-
ALL OTHER--MALE----	3	2	4	7	6	9	12	10	5	1	-	-
FEMALE--	2	4	5	6	9	21	19	18	8	3	4	-
BLACK---MALE----	3	2	4	7	6	9	12	10	5	1	-	-
FEMALE--	2	4	5	5	9	21	19	18	8	3	4	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,767  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER AND LATE EFFECTS OF CEREBROVASCULAR DISEASES (435,437-438)												
HAWAII -----	-	-	2	-	15	8	14	13	13	4	1	-
WHITE-----MALE----	-	-	1	-	1	2	4	2	-	-	-	-
FEMALE--	-	-	-	-	2	1	2	3	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	9	1	5	4	3	3	1	-
FEMALE--	-	-	1	-	3	4	3	4	6	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
IDAHO -----	-	-	2	5	7	9	17	16	24	5	1	-
WHITE-----MALE----	-	-	-	3	3	6	8	6	5	1	-	-
FEMALE--	-	-	2	2	4	3	9	10	19	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	9	13	23	26	89	151	200	225	150	68	16	-
WHITE-----MALE----	5	8	9	14	41	68	65	54	32	10	1	-
FEMALE--	2	-	7	7	26	63	110	154	107	55	15	-
ALL OTHER--MALE----	1	3	5	-	12	4	8	7	-	-	-	-
FEMALE--	1	2	2	5	10	16	17	10	11	3	-	-
BLACK---MALE----	1	3	5	-	12	1	5	4	-	-	-	-
FEMALE--	1	2	2	4	9	13	14	9	10	3	-	-
INDIANA -----	5	6	13	37	43	57	108	122	85	34	10	-
WHITE-----MALE----	3	1	5	10	16	33	39	45	20	8	-	-
FEMALE--	-	4	5	22	18	23	62	73	61	25	10	-
ALL OTHER--MALE----	1	1	3	2	6	-	4	-	1	-	-	-
FEMALE--	1	-	-	3	3	1	3	4	3	1	-	-
BLACK---MALE----	1	1	3	2	6	-	4	-	1	-	-	-
FEMALE--	1	-	-	3	3	1	3	4	3	1	-	-
IOWA -----	2	2	5	7	19	37	47	55	47	25	10	-
WHITE-----MALE----	-	-	2	4	14	20	21	19	20	4	1	-
FEMALE--	2	2	3	3	4	17	26	36	27	20	9	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	1	2	2	7	14	26	56	64	49	18	5	-
WHITE-----MALE----	-	1	2	6	7	11	26	26	12	6	-	-
FEMALE--	1	1	-	-	5	14	26	37	35	12	5	-
ALL OTHER--MALE----	-	-	-	1	1	-	3	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	1	2	-	-	-
BLACK---MALE----	-	-	-	1	1	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	1	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,768  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER AND LATE EFFECTS OF CEREBROVASCULAR DISEASES (435,437-438)												
KENTUCKY -----	308	1	-	-	-	-	-	-	-	-	4	4
WHITE-----MALE----	94	-	-	-	-	-	-	-	-	-	3	1
FEMALE--	187	-	-	-	-	-	-	-	-	-	-	3
ALL OTHER--MALE----	12	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	12	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	310	4	-	-	-	1	-	-	1	-	1	2
WHITE-----MALE----	93	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	127	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	43	2	-	-	-	1	-	-	-	-	-	1
FEMALE--	47	1	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	43	2	-	-	-	1	-	-	-	-	-	1
FEMALE--	46	1	-	-	-	-	-	-	1	-	-	1
MAINE -----	88	-	-	-	-	-	-	-	-	1	-	1
WHITE-----MALE----	31	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	56	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	467	11	-	-	-	-	-	1	-	1	1	7
WHITE-----MALE----	131	5	-	-	-	-	-	1	-	-	-	3
FEMALE--	216	3	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	50	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	70	2	-	-	-	-	-	-	-	-	1	3
BLACK---MALE----	43	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	65	2	-	-	-	-	-	-	-	-	1	3
MASSACHUSETTS -----	613	5	-	1	-	-	-	-	2	2	1	2
WHITE-----MALE----	194	2	-	1	-	-	-	-	-	1	1	-
FEMALE--	398	3	-	-	-	-	-	-	2	1	-	1
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	904	14	1	-	-	2	-	1	1	4	5	4
WHITE-----MALE----	309	4	1	-	-	2	-	1	1	1	1	1
FEMALE--	470	7	-	-	-	-	-	-	-	1	2	1
ALL OTHER--MALE----	63	2	-	-	-	-	-	-	-	1	1	2
FEMALE--	62	1	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	61	2	-	-	-	-	-	-	-	1	1	2
FEMALE--	61	1	-	-	-	-	-	-	-	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,768  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER AND LATE EFFECTS OF CEREBROVASCULAR DISEASES (435,437-438)												
KENTUCKY -----	1	5	8	13	24	43	52	78	54	17	4	-
WHITE-----MALE----	-	3	3	7	14	13	15	21	12	2	-	-
FEMALE--	1	1	4	5	8	26	31	52	37	15	4	-
ALL OTHER--MALE----	-	1	-	1	-	3	1	3	1	-	-	-
FEMALE--	-	-	1	-	2	1	5	2	4	-	-	-
BLACK---MALE----	-	1	-	1	-	3	1	3	1	-	-	-
FEMALE--	-	-	1	-	2	1	5	2	4	-	-	-
LOUISIANA -----	2	7	12	19	23	40	55	67	57	16	3	-
WHITE-----MALE----	-	3	4	8	10	15	17	17	17	1	-	-
FEMALE--	2	2	3	6	6	11	25	29	30	9	3	-
ALL OTHER--MALE----	-	2	2	3	4	6	6	10	4	2	-	-
FEMALE--	-	-	3	2	3	8	7	11	6	4	-	-
BLACK---MALE----	-	2	2	3	4	6	6	10	4	2	-	-
FEMALE--	-	-	3	2	3	8	6	11	6	4	-	-
MAINE -----	-	1	2	2	9	7	17	19	14	12	3	-
WHITE-----MALE----	-	-	2	2	7	4	4	7	3	1	-	-
FEMALE--	-	1	-	-	2	3	13	12	10	11	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3	9	8	14	38	73	99	102	66	26	7	1
WHITE-----MALE----	2	-	3	7	8	27	37	24	12	1	1	-
FEMALE--	1	4	1	3	13	21	41	63	38	22	5	-
ALL OTHER--MALE----	-	3	3	4	10	16	5	2	4	1	-	-
FEMALE--	-	2	1	-	7	9	16	13	12	2	1	1
BLACK---MALE----	-	2	2	4	9	14	4	2	3	1	-	-
FEMALE--	-	2	1	-	7	8	15	13	9	2	1	1
MASSACHUSETTS -----	3	3	15	18	36	73	117	136	116	60	23	-
WHITE-----MALE----	-	2	11	12	15	35	41	38	21	13	1	-
FEMALE--	3	1	3	4	21	35	67	97	92	47	21	-
ALL OTHER--MALE----	-	-	-	2	-	2	4	-	1	-	-	-
FEMALE--	-	-	1	-	-	1	5	1	2	-	1	-
BLACK---MALE----	-	-	-	2	-	2	3	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	4	1	2	-	1	-
MICHIGAN -----	8	11	21	38	96	130	171	204	128	48	17	-
WHITE-----MALE----	1	4	6	12	38	57	81	56	31	9	2	-
FEMALE--	1	2	10	15	46	48	78	128	86	33	12	-
ALL OTHER--MALE----	4	3	4	6	3	14	7	9	3	4	-	-
FEMALE--	2	2	1	5	9	11	5	11	8	2	3	-
BLACK---MALE----	3	3	4	6	3	13	7	9	3	4	-	-
FEMALE--	2	2	1	5	9	10	5	11	8	2	3	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,769  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER AND LATE EFFECTS OF CEREBROVASCULAR DISEASES (435,437-438)												
MINNESOTA -----	2	2	7	15	31	53	71	116	97	44	11	-
WHITE-----MALE----	-	2	4	8	18	32	36	30	21	7	2	-
FEMALE--	1	-	2	7	12	20	35	86	75	36	9	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	1	1	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	6	1	10	11	18	27	26	34	23	13	1	-
WHITE-----MALE----	2	1	7	3	7	5	10	8	4	3	-	-
FEMALE--	2	-	1	-	4	7	12	19	16	8	1	-
ALL OTHER--MALE----	2	-	1	6	3	4	1	2	-	-	-	-
FEMALE--	-	-	1	2	4	11	3	5	3	2	-	-
BLACK---MALE----	2	-	1	6	3	4	1	2	-	-	-	-
FEMALE--	-	-	1	2	4	11	3	5	3	2	-	-
MISSOURI -----	4	5	16	23	36	76	110	123	74	37	7	-
WHITE-----MALE----	-	2	7	12	9	39	43	36	17	4	2	-
FEMALE--	4	2	5	7	19	30	61	80	56	32	5	-
ALL OTHER--MALE----	-	1	4	2	7	3	3	4	-	-	-	-
FEMALE--	-	-	-	2	1	4	3	3	1	1	-	-
BLACK---MALE----	-	1	4	2	7	3	3	4	-	-	-	-
FEMALE--	-	-	-	2	1	4	3	3	1	1	-	-
MONTANA -----	-	-	4	2	6	9	24	26	7	4	2	-
WHITE-----MALE----	-	-	1	1	1	2	15	11	1	-	-	-
FEMALE--	-	-	3	1	4	7	9	15	6	4	2	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	-	2	5	5	14	12	38	37	37	18	2	-
WHITE-----MALE----	-	1	2	2	9	8	14	8	5	7	-	-
FEMALE--	-	1	2	3	3	4	23	29	32	11	2	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	1	-	-	-	-	-
NEVADA -----	1	-	4	5	7	6	13	14	11	1	2	-
WHITE-----MALE----	-	-	3	4	4	1	5	7	3	1	-	-
FEMALE--	1	-	1	-	2	4	8	6	8	-	2	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,771  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER AND LATE EFFECTS OF CEREBROVASCULAR DISEASES (435,437-438)												
OHIO -----	889	7	1	-	-	-	-	-	-	3	4	4
WHITE-----MALE----	281	4	-	-	-	-	-	-	-	1	1	3
FEMALE--	516	2	1	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	44	1	-	-	-	-	-	-	-	1	2	-
FEMALE--	48	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	44	1	-	-	-	-	-	-	-	1	2	-
FEMALE--	48	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	238	2	-	-	-	-	-	-	2	1	-	3
WHITE-----MALE----	77	1	-	-	-	-	-	-	1	-	-	-
FEMALE--	143	1	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	11	-	-	-	-	-	-	-	1	1	-	1
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	1	1	-	-
OREGON -----	368	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	146	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	214	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	908	5	2	-	2	-	-	-	-	1	4	6
WHITE-----MALE----	303	4	1	-	2	-	-	-	-	1	3	2
FEMALE--	529	-	1	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	30	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	46	1	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	30	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	45	1	-	-	-	-	-	-	-	-	-	1
RHODE ISLAND -----	117	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	34	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	80	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	269	3	1	-	-	-	-	1	-	1	1	2
WHITE-----MALE----	71	3	1	-	-	-	-	-	-	-	-	-
FEMALE--	99	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	42	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	57	-	-	-	-	-	-	-	-	1	1	1
BLACK---MALE----	42	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	57	-	-	-	-	-	-	-	-	1	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,771  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER AND LATE EFFECTS OF CEREBROVASCULAR DISEASES (435,437-438)												
OHIO -----	10	6	20	27	74	125	194	215	132	52	15	-
WHITE-----MALE----	5	2	8	8	30	46	81	58	25	8	1	-
FEMALE--	3	3	3	12	33	64	95	143	99	42	13	-
ALL OTHER--MALE----	1	1	6	4	5	7	9	6	1	-	-	-
FEMALE--	1	-	3	3	6	8	9	8	7	2	1	-
BLACK---MALE----	1	1	6	4	5	7	9	6	1	-	-	-
FEMALE--	1	-	3	3	6	8	9	8	7	2	1	-
OKLAHOMA -----	3	5	5	13	13	31	41	65	34	15	5	-
WHITE-----MALE----	1	3	1	7	4	10	14	19	11	4	1	-
FEMALE--	-	2	3	6	8	20	24	43	21	10	4	-
ALL OTHER--MALE----	1	-	-	-	1	1	1	2	-	-	-	-
FEMALE--	1	-	1	-	-	-	2	1	2	1	-	-
BLACK---MALE----	-	-	-	-	1	1	1	2	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	1	1	-	-	-
OREGON -----	2	4	6	14	24	56	88	90	60	18	5	-
WHITE-----MALE----	1	3	4	4	11	28	44	28	20	2	1	-
FEMALE--	1	1	2	8	11	26	43	62	39	16	4	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	2	1	1	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	-	-	-
PENNSYLVANIA -----	4	8	13	26	80	134	188	196	147	76	16	-
WHITE-----MALE----	1	3	7	14	39	58	67	53	35	12	1	-
FEMALE--	1	4	3	8	32	65	108	130	104	58	14	-
ALL OTHER--MALE----	1	-	2	3	5	3	5	5	-	2	1	-
FEMALE--	1	1	1	1	4	8	8	8	8	4	-	-
BLACK---MALE----	1	-	2	3	5	3	5	5	-	2	1	-
FEMALE--	1	1	1	1	4	8	8	8	8	3	-	-
RHODE ISLAND -----	-	-	3	5	7	15	23	30	27	5	1	-
WHITE-----MALE----	-	-	1	3	2	5	9	9	4	-	-	-
FEMALE--	-	-	2	2	4	9	14	20	23	5	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
SOUTH CAROLINA -----	6	2	10	19	30	38	61	46	33	10	5	-
WHITE-----MALE----	2	1	4	5	5	13	19	10	6	2	-	-
FEMALE--	-	-	1	-	9	12	29	25	15	6	2	-
ALL OTHER--MALE----	4	1	4	8	8	4	4	2	4	-	1	-
FEMALE--	-	-	1	6	8	9	9	9	8	2	2	-
BLACK---MALE----	4	1	4	8	8	4	4	2	4	-	1	-
FEMALE--	-	-	1	6	8	9	9	9	8	2	2	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,772  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER AND LATE EFFECTS OF CEREBROVASCULAR DISEASES (435,437-438)												
SOUTH DAKOTA -----	1	-	1	1	3	6	13	12	15	6	3	-
WHITE-----MALE----	-	-	1	1	1	2	4	7	7	3	1	-
FEMALE--	1	-	-	-	2	3	9	5	8	3	2	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	7	6	24	35	51	68	93	130	75	41	11	-
WHITE-----MALE----	1	2	7	16	18	22	26	27	15	4	1	-
FEMALE--	2	-	8	12	19	34	57	90	55	29	7	-
ALL OTHER--MALE----	2	3	6	1	8	1	5	3	-	2	2	-
FEMALE--	2	1	3	6	6	11	5	10	5	6	1	-
BLACK---MALE----	2	3	6	1	8	1	5	3	-	2	2	-
FEMALE--	2	1	3	6	6	11	5	10	5	6	1	-
TEXAS -----	15	15	31	61	114	187	299	321	267	78	13	-
WHITE-----MALE----	5	6	12	27	59	75	110	94	44	9	2	-
FEMALE--	6	3	12	21	39	88	160	194	195	59	9	-
ALL OTHER--MALE----	2	5	3	8	11	15	10	11	9	4	-	-
FEMALE--	2	1	4	5	5	9	19	22	19	6	2	-
BLACK---MALE----	2	4	3	8	11	15	10	10	9	3	-	-
FEMALE--	2	1	4	5	5	9	19	22	19	6	2	-
UTAH -----	-	2	2	5	6	18	24	27	15	2	3	-
WHITE-----MALE----	-	1	-	2	2	7	10	14	2	-	-	-
FEMALE--	-	-	2	2	3	10	14	13	13	2	3	-
ALL OTHER--MALE----	-	1	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	2	-	2	2	-	7	7	7	7	7	1	-
WHITE-----MALE----	1	-	1	2	-	1	4	1	3	4	-	-
FEMALE--	1	-	1	-	-	6	3	6	4	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2	6	15	21	46	78	103	121	71	39	6	-
WHITE-----MALE----	-	2	6	10	11	27	33	34	17	6	-	-
FEMALE--	-	2	3	6	16	35	57	67	45	26	5	-
ALL OTHER--MALE----	2	1	5	2	8	9	5	6	2	4	-	-
FEMALE--	-	1	1	3	11	7	8	14	7	3	1	-
BLACK---MALE----	2	1	5	2	8	9	5	6	2	4	-	-
FEMALE--	-	1	1	3	10	7	8	14	7	3	1	-







TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,774  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (440-448)												
0 UNITED STATES --	43,369	16	6	6	15	29	42	74	155	226	379	475
WHITE-----MALE----	19,369	5	3	3	9	10	17	28	63	125	183	221
FEMALE--	19,975	5	-	2	1	10	17	22	48	53	96	123
ALL OTHER--MALE----	1,852	5	3	1	3	4	3	14	26	23	63	90
FEMALE--	2,173	1	-	-	2	5	5	10	18	25	37	41
BLACK---MALE----	1,567	5	2	-	3	3	2	12	21	20	58	77
FEMALE--	1,974	1	-	-	2	4	5	9	17	22	34	40
ALABAMA -----	701	1	-	-	-	-	1	2	-	3	6	14
WHITE-----MALE----	303	1	-	-	-	-	-	1	-	2	2	6
FEMALE--	242	-	-	-	-	-	1	1	-	-	2	2
ALL OTHER--MALE----	64	-	-	-	-	-	-	-	-	1	-	3
FEMALE--	92	-	-	-	-	-	-	-	-	-	2	3
BLACK---MALE----	64	-	-	-	-	-	-	-	-	1	-	3
FEMALE--	91	-	-	-	-	-	-	-	-	-	2	3
ALASKA -----	38	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	19	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	700	-	-	-	-	-	3	-	3	5	7	7
WHITE-----MALE----	345	-	-	-	-	-	2	-	2	4	2	2
FEMALE--	329	-	-	-	-	-	1	-	1	-	2	4
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	15	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	-
ARKANSAS -----	489	-	-	-	-	1	-	1	1	1	7	2
WHITE-----MALE----	224	-	-	-	-	-	-	-	1	-	5	2
FEMALE--	229	-	-	-	-	1	-	1	-	-	2	-
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	13	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	4,277	1	-	1	4	5	6	7	14	36	37	45
WHITE-----MALE----	1,867	-	-	1	2	3	3	4	7	23	18	24
FEMALE--	1,988	-	-	-	1	1	3	-	5	7	9	12
ALL OTHER--MALE----	226	1	-	-	1	-	-	3	1	2	7	6
FEMALE--	196	-	-	-	-	1	-	-	1	4	3	3
BLACK---MALE----	115	1	-	-	1	-	-	2	1	-	5	2
FEMALE--	130	-	-	-	-	1	-	-	1	2	1	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,774  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (440-448)												
0 UNITED STATES --	662	1,096	1,926	3,574	5,484	6,724	7,493	7,001	5,012	2,286	686	2
WHITE-----MALE----	376	605	1,153	2,143	3,116	3,548	3,285	2,514	1,411	449	101	1
FEMALE--	166	284	495	1,024	1,826	2,644	3,629	4,042	3,264	1,695	528	1
ALL OTHER--MALE----	70	117	142	225	274	247	243	152	105	32	10	-
FEMALE--	50	90	136	182	268	285	336	293	232	110	47	-
BLACK---MALE----	61	107	125	198	220	213	197	127	83	25	8	-
FEMALE--	46	80	121	165	243	254	313	261	210	102	45	-
ALABAMA -----	16	39	49	68	89	100	106	103	65	32	7	-
WHITE-----MALE----	9	16	26	41	51	52	39	36	17	4	-	-
FEMALE--	2	9	10	15	18	34	51	46	32	17	2	-
ALL OTHER--MALE----	5	8	8	5	11	3	7	6	4	2	1	-
FEMALE--	-	6	5	7	9	11	9	15	12	9	4	-
BLACK---MALE----	5	8	8	5	11	3	7	6	4	2	1	-
FEMALE--	-	6	5	7	8	11	9	15	12	9	4	-
ALASKA -----	1	2	1	3	7	3	14	7	-	-	-	-
WHITE-----MALE----	1	1	-	2	4	2	5	4	-	-	-	-
FEMALE--	-	1	1	-	3	1	7	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	20	19	33	63	86	120	125	111	62	30	5	1
WHITE-----MALE----	10	12	20	39	59	65	53	45	19	8	2	1
FEMALE--	9	5	11	21	23	53	71	63	40	22	3	-
ALL OTHER--MALE----	1	1	-	1	2	-	-	1	1	-	-	-
FEMALE--	-	1	2	2	2	2	1	2	2	-	-	-
BLACK---MALE----	1	1	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	2	1	1	1	-	-	-
ARKANSAS -----	9	10	28	47	51	72	73	89	61	33	3	-
WHITE-----MALE----	6	7	16	38	23	42	36	32	10	6	-	-
FEMALE--	2	3	10	6	24	27	31	49	45	25	3	-
ALL OTHER--MALE----	1	-	1	-	2	1	1	4	2	-	-	-
FEMALE--	-	-	1	3	2	2	5	4	4	2	-	-
BLACK---MALE----	1	-	1	-	2	1	1	4	2	-	-	-
FEMALE--	-	-	1	3	2	2	5	4	4	2	-	-
CALIFORNIA -----	63	114	176	323	557	647	719	669	534	228	91	-
WHITE-----MALE----	34	61	107	176	305	331	304	243	165	44	12	-
FEMALE--	18	35	40	107	193	255	354	378	330	167	73	-
ALL OTHER--MALE----	5	11	17	28	38	30	37	20	13	6	-	-
FEMALE--	6	7	12	12	21	31	24	28	26	11	6	-
BLACK---MALE----	3	9	11	18	15	14	17	10	4	2	-	-
FEMALE--	3	4	7	10	17	22	18	14	16	7	5	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,775  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (440-448)												
COLORADO -----	695	-	-	-	-	1	-	2	2	6	10	6
WHITE-----MALE----	300	-	-	-	-	1	-	-	2	3	6	3
FEMALE--	372	-	-	-	-	-	-	1	-	1	4	3
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	1	-	2	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	1	-	2	-	-
CONNECTICUT -----	524	1	-	-	-	-	-	2	-	3	4	7
WHITE-----MALE----	231	-	-	-	-	-	-	-	-	1	3	1
FEMALE--	266	1	-	-	-	-	-	-	-	2	1	5
ALL OTHER--MALE----	13	-	-	-	-	-	-	2	-	-	-	1
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	12	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	110	-	-	-	-	-	1	1	-	3	1	-
WHITE-----MALE----	44	-	-	-	-	-	1	1	-	2	-	-
FEMALE--	46	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	12	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	12	-	-	-	-	-	-	-	-	1	-	-
DISTRICT OF COLUMBIA ----	72	-	-	-	-	-	-	-	2	-	2	3
WHITE-----MALE----	11	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	2	-	-	3
FEMALE--	30	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	16	-	-	-	-	-	-	-	2	-	-	3
FEMALE--	29	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	2,831	-	-	-	-	1	-	6	4	8	21	20
WHITE-----MALE----	1,415	-	-	-	-	1	-	3	1	3	8	8
FEMALE--	1,210	-	-	-	-	-	-	2	2	4	6	5
ALL OTHER--MALE----	86	-	-	-	-	-	-	-	-	1	5	5
FEMALE--	120	-	-	-	-	-	-	1	1	-	2	2
BLACK---MALE----	83	-	-	-	-	-	-	-	-	1	5	5
FEMALE--	119	-	-	-	-	-	-	1	1	-	2	2
GEORGIA -----	1,078	1	-	-	-	3	1	2	3	8	14	17
WHITE-----MALE----	401	-	-	-	-	-	-	1	-	4	8	10
FEMALE--	434	1	-	-	-	1	1	-	1	3	1	1
ALL OTHER--MALE----	96	-	-	-	-	-	-	1	-	-	2	4
FEMALE--	147	-	-	-	-	2	-	-	2	1	3	2
BLACK---MALE----	96	-	-	-	-	-	-	1	-	-	2	4
FEMALE--	147	-	-	-	-	2	-	-	2	1	3	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,775  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (440-448)												
COLORADO -----	7	12	25	54	79	90	121	137	95	44	4	-
WHITE-----MALE----	6	6	17	32	45	53	51	42	23	9	1	-
FEMALE--	-	6	7	18	30	33	69	93	69	35	3	-
ALL OTHER--MALE----	-	-	-	2	2	2	1	-	-	-	-	-
FEMALE--	1	-	1	2	2	2	-	2	3	-	-	-
BLACK---MALE----	-	-	-	2	1	2	1	-	-	-	-	-
FEMALE--	1	-	1	-	2	2	-	1	3	-	-	-
CONNECTICUT -----	9	9	13	38	66	71	100	93	61	34	13	-
WHITE-----MALE----	3	7	9	25	37	36	49	35	18	5	2	-
FEMALE--	5	1	2	11	25	33	46	53	42	28	11	-
ALL OTHER--MALE----	-	1	1	2	2	1	1	2	-	-	-	-
FEMALE--	1	-	1	-	2	1	4	3	1	1	-	-
BLACK---MALE----	-	1	1	2	2	1	1	2	-	-	-	-
FEMALE--	1	-	1	-	2	-	3	3	1	1	-	-
DELAWARE -----	4	3	6	5	18	22	18	12	12	3	1	-
WHITE-----MALE----	2	1	4	3	7	5	9	5	3	1	-	-
FEMALE--	1	2	-	2	9	12	4	6	7	2	1	-
ALL OTHER--MALE----	1	-	-	-	-	3	2	-	1	-	-	-
FEMALE--	-	-	2	-	2	2	3	1	1	-	-	-
BLACK---MALE----	1	-	-	-	-	3	1	-	1	-	-	-
FEMALE--	-	-	2	-	2	2	3	1	1	-	-	-
DISTRICT OF COLUMBIA ----	1	1	5	6	6	9	12	10	10	4	1	-
WHITE-----MALE----	-	-	1	-	2	1	2	1	1	1	-	-
FEMALE--	-	-	1	-	-	2	3	2	4	3	-	-
ALL OTHER--MALE----	1	-	1	1	1	2	3	2	-	-	-	-
FEMALE--	-	1	2	5	3	4	4	5	5	-	1	-
BLACK---MALE----	1	-	1	1	1	2	3	2	-	-	-	-
FEMALE--	-	1	2	5	3	4	4	5	4	-	1	-
FLORIDA -----	34	69	130	265	340	480	525	465	293	131	39	-
WHITE-----MALE----	20	45	97	174	213	270	258	180	100	29	5	-
FEMALE--	7	14	23	60	103	178	245	263	173	95	30	-
ALL OTHER--MALE----	3	3	8	15	12	15	3	6	7	2	1	-
FEMALE--	4	7	2	16	12	17	19	16	13	5	3	-
BLACK---MALE----	2	3	8	14	12	15	3	6	6	2	1	-
FEMALE--	4	7	2	16	12	17	19	15	13	5	3	-
GEORGIA -----	16	40	65	105	135	144	196	167	104	45	12	-
WHITE-----MALE----	8	19	35	58	68	52	62	46	22	8	-	-
FEMALE--	5	11	12	31	39	62	75	93	63	29	5	-
ALL OTHER--MALE----	3	9	10	8	13	12	20	7	5	1	1	-
FEMALE--	-	1	8	8	15	18	39	21	14	7	6	-
BLACK---MALE----	3	9	10	8	13	12	20	7	5	1	1	-
FEMALE--	-	1	8	8	15	18	39	21	14	7	6	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,776  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (440-448)												
HAWAII -----	-	5	7	8	18	13	19	18	15	5	-	-
WHITE-----MALE----	-	1	1	4	2	2	3	2	2	1	-	-
FEMALE--	-	-	-	-	2	3	2	6	2	-	-	-
ALL OTHER--MALE----	-	3	4	3	11	5	10	6	7	2	-	-
FEMALE--	-	1	2	1	3	3	4	4	4	2	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	4	7	4	12	22	31	29	20	21	6	2	-
WHITE-----MALE----	2	4	2	7	14	18	19	7	7	4	-	-
FEMALE--	2	3	2	5	8	12	10	13	13	2	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	28	37	84	146	237	308	346	302	214	96	36	-
WHITE-----MALE----	13	16	48	86	130	147	152	116	58	18	3	-
FEMALE--	7	9	22	41	81	138	170	172	144	75	29	-
ALL OTHER--MALE----	5	4	7	10	12	12	8	5	4	1	-	-
FEMALE--	3	8	7	9	14	11	16	9	8	2	4	-
BLACK---MALE----	4	3	7	10	11	11	8	3	3	1	-	-
FEMALE--	3	8	7	9	13	11	16	9	8	2	4	-
INDIANA -----	13	29	56	97	113	179	204	162	143	67	18	-
WHITE-----MALE----	8	20	38	68	67	106	80	52	45	13	5	-
FEMALE--	2	5	15	23	34	64	111	99	90	53	12	-
ALL OTHER--MALE----	2	2	-	2	8	5	7	3	3	-	-	-
FEMALE--	1	2	3	4	4	4	6	8	5	1	1	-
BLACK---MALE----	2	2	-	2	7	4	7	3	3	-	-	-
FEMALE--	1	2	3	4	4	4	6	8	5	1	1	-
IOWA -----	10	12	26	54	61	102	140	153	133	72	26	-
WHITE-----MALE----	3	9	18	35	41	58	69	78	46	14	3	-
FEMALE--	5	3	8	19	18	43	70	75	87	58	23	-
ALL OTHER--MALE----	2	-	-	-	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
KANSAS -----	5	13	17	39	73	95	101	98	92	47	10	-
WHITE-----MALE----	4	6	11	26	42	58	40	37	31	15	2	-
FEMALE--	1	3	6	11	28	36	59	60	59	31	7	-
ALL OTHER--MALE----	-	1	-	-	2	1	-	-	1	-	-	-
FEMALE--	-	3	-	2	1	-	2	1	1	1	1	-
BLACK---MALE----	-	1	-	-	2	1	-	-	1	-	-	-
FEMALE--	-	2	-	2	1	-	2	1	1	1	1	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,777  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (440-448)												
KENTUCKY -----	651	-	-	-	-	1	1	2	4	7	6	8
WHITE-----MALE----	331	-	-	-	-	-	1	-	1	6	5	4
FEMALE--	281	-	-	-	-	1	-	2	3	-	1	3
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	21	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	16	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	21	-	-	-	-	-	-	-	-	1	-	1
LOUISIANA -----	748	-	-	-	-	-	-	2	3	4	7	11
WHITE-----MALE----	270	-	-	-	-	-	-	-	-	2	2	5
FEMALE--	302	-	-	-	-	-	-	2	1	-	2	1
ALL OTHER--MALE----	89	-	-	-	-	-	-	-	2	2	2	3
FEMALE--	87	-	-	-	-	-	-	-	-	-	1	2
BLACK---MALE----	89	-	-	-	-	-	-	-	2	2	2	3
FEMALE--	86	-	-	-	-	-	-	-	-	-	1	2
MAINE -----	240	-	-	-	-	-	-	-	-	1	2	1
WHITE-----MALE----	111	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	128	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	659	-	-	-	1	1	-	1	5	6	11	11
WHITE-----MALE----	264	-	-	-	-	-	-	1	1	4	4	2
FEMALE--	291	-	-	-	-	1	-	-	3	-	2	5
ALL OTHER--MALE----	50	-	-	-	1	-	-	-	1	-	4	4
FEMALE--	54	-	-	-	-	-	-	-	-	2	1	-
BLACK---MALE----	49	-	-	-	1	-	-	-	1	-	4	4
FEMALE--	53	-	-	-	-	-	-	-	-	2	1	-
MASSACHUSETTS -----	1,103	-	-	-	-	1	1	-	2	6	3	12
WHITE-----MALE----	466	-	-	-	-	-	-	-	-	5	2	6
FEMALE--	612	-	-	-	-	1	1	-	1	-	1	5
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	9	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	1
MICHIGAN -----	1,780	2	-	-	1	1	-	1	8	8	14	22
WHITE-----MALE----	775	-	-	-	1	-	-	1	2	5	8	7
FEMALE--	831	-	-	-	-	1	-	-	5	-	1	3
ALL OTHER--MALE----	82	1	-	-	-	-	-	-	1	1	2	9
FEMALE--	92	1	-	-	-	-	-	-	-	2	3	3
BLACK---MALE----	81	1	-	-	-	-	-	-	1	1	2	9
FEMALE--	90	1	-	-	-	-	-	-	-	2	3	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,777  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (440-448)												
KENTUCKY -----	7	16	38	76	79	101	104	92	69	34	6	-
WHITE-----MALE----	5	14	26	48	37	62	53	33	27	9	-	-
FEMALE--	1	2	10	25	35	32	48	50	40	23	5	-
ALL OTHER--MALE----	-	-	-	1	5	3	3	4	1	-	1	-
FEMALE--	1	-	2	2	2	4	-	5	1	2	-	-
BLACK---MALE----	-	-	-	-	5	3	2	4	1	-	1	-
FEMALE--	1	-	2	2	2	4	-	5	1	2	-	-
LOUISIANA -----	13	23	48	68	94	101	127	123	80	31	13	-
WHITE-----MALE----	6	11	24	34	51	34	39	32	23	5	2	-
FEMALE--	1	5	14	21	25	38	57	66	42	19	8	-
ALL OTHER--MALE----	2	4	5	8	10	19	12	13	5	2	-	-
FEMALE--	4	3	5	5	8	10	19	12	10	5	3	-
BLACK---MALE----	2	4	5	8	10	19	12	13	5	2	-	-
FEMALE--	4	3	5	5	8	9	19	12	10	5	3	-
MAINE -----	3	6	7	12	32	47	41	32	29	19	8	-
WHITE-----MALE----	2	3	6	7	25	23	19	10	7	5	2	-
FEMALE--	1	3	1	5	7	23	22	22	22	14	6	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
MARYLAND -----	10	18	27	55	90	100	115	99	73	25	10	1
WHITE-----MALE----	4	5	15	24	46	48	51	35	19	4	1	-
FEMALE--	2	5	5	20	24	38	55	56	44	21	9	1
ALL OTHER--MALE----	1	4	6	6	10	6	5	2	-	-	-	-
FEMALE--	3	4	1	5	10	8	4	6	10	-	-	-
BLACK---MALE----	1	4	6	6	9	6	5	2	-	-	-	-
FEMALE--	3	4	1	5	10	7	4	6	10	-	-	-
MASSACHUSETTS -----	7	19	36	83	127	164	195	196	159	71	21	-
WHITE-----MALE----	6	14	22	48	72	86	84	67	38	13	3	-
FEMALE--	-	4	12	30	54	76	108	125	119	57	18	-
ALL OTHER--MALE----	1	-	2	3	1	1	1	1	-	-	-	-
FEMALE--	-	1	-	2	-	1	2	3	2	1	-	-
BLACK---MALE----	1	-	1	3	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	2	-	1	2	2	2	1	-	-
MICHIGAN -----	38	42	72	130	211	277	322	279	214	103	35	-
WHITE-----MALE----	21	21	38	77	123	150	150	86	60	18	7	-
FEMALE--	9	10	17	41	66	100	142	181	148	80	27	-
ALL OTHER--MALE----	4	5	9	7	8	14	14	4	2	1	-	-
FEMALE--	4	6	8	5	14	13	16	8	4	4	1	-
BLACK---MALE----	4	5	9	7	8	13	14	4	2	1	-	-
FEMALE--	4	6	8	5	14	12	15	8	4	4	1	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,778  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (440-448)												
MINNESOTA -----	5	14	31	59	102	115	160	156	115	47	14	-
WHITE-----MALE----	4	10	24	40	63	66	85	69	40	12	3	-
FEMALE--	1	4	7	18	39	47	73	86	74	35	11	-
ALL OTHER--MALE----	-	-	-	1	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
MISSISSIPPI -----	11	9	18	30	48	43	40	54	39	20	-	-
WHITE-----MALE----	5	1	8	13	29	18	18	16	10	3	-	-
FEMALE--	1	3	2	11	11	12	16	27	17	13	-	-
ALL OTHER--MALE----	3	2	3	4	6	5	3	5	6	1	-	-
FEMALE--	2	3	5	2	2	8	3	6	6	3	-	-
BLACK---MALE----	3	2	3	4	6	4	3	5	6	1	-	-
FEMALE--	2	3	5	2	2	8	3	6	6	3	-	-
MISSOURI -----	17	16	50	81	101	134	178	157	115	54	21	-
WHITE-----MALE----	14	8	33	42	69	76	95	52	26	6	5	-
FEMALE--	3	7	16	31	26	51	76	101	84	47	15	-
ALL OTHER--MALE----	-	-	-	3	1	6	5	2	2	1	1	-
FEMALE--	-	1	1	5	5	1	2	2	3	-	-	-
BLACK---MALE----	-	-	-	3	1	6	5	2	2	1	-	-
FEMALE--	-	1	1	5	5	1	2	2	2	-	-	-
MONTANA -----	3	1	8	14	18	35	34	33	20	6	2	-
WHITE-----MALE----	1	1	8	10	9	22	20	8	4	3	1	-
FEMALE--	1	-	-	4	8	13	14	22	15	3	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	2	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	-	4	6	11	39	44	91	72	80	32	10	-
WHITE-----MALE----	-	2	5	9	24	20	36	36	18	13	2	-
FEMALE--	-	1	1	2	15	23	52	36	62	19	8	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	3	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	-	-	-	-	-
NEVADA -----	7	7	16	28	45	50	32	19	12	4	2	-
WHITE-----MALE----	4	5	12	16	30	29	13	10	7	2	-	-
FEMALE--	2	2	4	8	15	19	19	8	5	2	2	-
ALL OTHER--MALE----	1	-	-	3	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	2	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,780  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (440-448)												
OHIO -----	1,959	-	-	2	-	1	3	2	7	11	14	22
WHITE-----MALE----	882	-	-	2	-	-	1	2	3	6	8	10
FEMALE--	920	-	-	-	-	-	1	-	2	2	5	9
ALL OTHER--MALE----	63	-	-	-	-	1	-	-	1	1	1	2
FEMALE--	94	-	-	-	-	-	1	-	1	2	-	1
BLACK---MALE----	62	-	-	-	-	1	-	-	1	1	1	2
FEMALE--	93	-	-	-	-	-	1	-	1	2	-	1
OKLAHOMA -----	728	-	-	-	-	1	-	1	2	5	3	5
WHITE-----MALE----	307	-	-	-	-	1	-	-	1	2	-	4
FEMALE--	369	-	-	-	-	-	-	1	1	3	2	1
ALL OTHER--MALE----	20	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	32	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	12	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	655	1	-	-	-	1	1	-	1	1	6	5
WHITE-----MALE----	338	-	-	-	-	1	1	-	-	1	3	4
FEMALE--	306	1	-	-	-	-	-	-	1	-	3	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	2,452	1	-	2	-	1	-	4	5	8	18	28
WHITE-----MALE----	1,154	-	-	-	-	-	-	2	1	3	12	15
FEMALE--	1,136	-	-	2	-	-	-	2	1	4	3	7
ALL OTHER--MALE----	70	1	-	-	-	1	-	-	1	1	1	3
FEMALE--	92	-	-	-	-	-	-	-	2	-	2	3
BLACK---MALE----	68	1	-	-	-	1	-	-	-	1	1	3
FEMALE--	92	-	-	-	-	-	-	-	2	-	2	3
RHODE ISLAND -----	171	-	-	-	-	-	-	-	-	1	2	3
WHITE-----MALE----	77	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	91	-	-	-	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	537	2	-	-	2	-	1	3	3	5	12	10
WHITE-----MALE----	233	-	-	-	-	-	-	1	-	3	2	6
FEMALE--	179	1	-	-	-	-	1	-	2	2	3	1
ALL OTHER--MALE----	48	1	-	-	1	-	-	1	-	-	3	3
FEMALE--	77	-	-	-	1	-	-	1	1	-	4	-
BLACK---MALE----	48	1	-	-	1	-	-	1	-	-	3	3
FEMALE--	76	-	-	-	1	-	-	1	1	-	4	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,780  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (440-448)												
OHIO -----	31	60	87	160	268	314	300	313	230	95	39	-
WHITE-----MALE----	20	34	49	91	149	169	144	109	61	16	8	-
FEMALE--	7	15	26	50	96	127	141	186	156	70	27	-
ALL OTHER--MALE----	2	7	6	7	12	6	6	4	4	2	1	-
FEMALE--	2	4	6	12	11	12	9	14	9	7	3	-
BLACK---MALE----	1	7	6	7	12	6	6	4	4	2	1	-
FEMALE--	2	4	6	12	11	11	9	14	9	7	3	-
OKLAHOMA -----	13	13	36	49	84	100	137	126	89	50	14	-
WHITE-----MALE----	6	6	15	30	53	53	60	40	27	7	2	-
FEMALE--	6	7	16	13	24	42	68	79	57	39	10	-
ALL OTHER--MALE----	1	-	1	4	3	2	3	2	1	2	-	-
FEMALE--	-	-	4	2	4	3	6	5	4	2	2	-
BLACK---MALE----	1	-	-	2	3	1	1	2	-	1	-	-
FEMALE--	-	-	-	1	2	3	3	5	4	1	1	-
OREGON -----	6	13	21	46	79	115	130	110	85	24	10	-
WHITE-----MALE----	4	7	15	29	53	69	70	53	25	1	2	-
FEMALE--	2	6	6	15	22	45	58	56	59	23	8	-
ALL OTHER--MALE----	-	-	-	1	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	2	1	1	1	1	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
PENNSYLVANIA -----	30	51	108	214	332	418	447	396	242	120	27	-
WHITE-----MALE----	19	31	67	140	194	244	193	152	62	14	5	-
FEMALE--	7	13	25	55	114	149	233	225	172	102	22	-
ALL OTHER--MALE----	1	5	8	16	9	11	6	4	2	-	-	-
FEMALE--	3	2	8	3	15	14	15	15	6	4	-	-
BLACK---MALE----	1	5	8	16	9	11	6	3	2	-	-	-
FEMALE--	3	2	8	3	15	14	15	15	6	4	-	-
RHODE ISLAND -----	-	2	3	12	18	25	45	27	16	17	-	-
WHITE-----MALE----	-	2	3	11	10	14	18	11	1	4	-	-
FEMALE--	-	-	-	1	7	10	27	15	15	13	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
SOUTH CAROLINA -----	15	21	34	51	99	84	71	64	36	17	7	-
WHITE-----MALE----	7	13	18	26	53	43	28	17	14	2	-	-
FEMALE--	3	4	9	12	26	26	24	35	14	11	5	-
ALL OTHER--MALE----	3	2	2	4	5	7	6	4	5	1	-	-
FEMALE--	2	2	5	9	15	8	13	8	3	3	2	-
BLACK---MALE----	3	2	2	4	5	7	6	4	5	1	-	-
FEMALE--	2	2	5	8	15	8	13	8	3	3	2	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,781  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (440-448)												
SOUTH DAKOTA -----	-	4	4	9	11	19	17	24	22	15	2	-
WHITE-----MALE----	-	3	-	5	8	12	11	10	8	8	-	-
FEMALE--	-	1	4	4	3	7	6	13	14	7	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	20	35	37	80	120	151	165	174	91	40	16	-
WHITE-----MALE----	9	19	20	47	70	81	68	55	22	11	2	-
FEMALE--	8	10	11	16	42	60	78	101	60	23	10	-
ALL OTHER--MALE----	1	5	1	12	5	5	10	9	3	1	1	-
FEMALE--	2	1	5	5	3	5	9	9	6	5	3	-
BLACK---MALE----	1	4	1	12	5	5	10	9	3	1	1	-
FEMALE--	2	1	5	5	3	5	9	9	6	5	3	-
TEXAS -----	54	68	111	196	288	351	366	440	288	125	39	-
WHITE-----MALE----	31	35	63	118	152	186	151	144	76	23	2	-
FEMALE--	16	21	34	62	106	130	184	267	190	94	33	-
ALL OTHER--MALE----	5	6	5	7	18	14	10	6	7	-	2	-
FEMALE--	2	6	9	9	12	21	21	23	15	8	2	-
BLACK---MALE----	4	6	5	7	17	13	9	6	6	-	1	-
FEMALE--	2	4	9	7	11	20	19	23	15	8	2	-
UTAH -----	-	4	6	11	21	19	26	34	29	13	1	-
WHITE-----MALE----	-	1	5	11	17	13	19	12	7	2	-	-
FEMALE--	-	3	1	-	4	6	6	22	21	11	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	4	3	4	6	14	22	16	12	19	3	1	-
WHITE-----MALE----	2	3	1	2	10	12	9	4	7	-	-	-
FEMALE--	2	-	3	4	4	10	7	8	12	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	10	31	42	95	127	146	152	153	101	48	12	-
WHITE-----MALE----	7	18	26	49	57	77	46	48	13	10	-	-
FEMALE--	2	6	9	23	36	43	76	82	68	30	9	-
ALL OTHER--MALE----	1	3	3	11	17	11	10	6	7	2	1	-
FEMALE--	-	4	4	12	17	15	20	17	13	6	2	-
BLACK---MALE----	1	2	3	11	15	11	9	6	7	2	1	-
FEMALE--	-	4	4	11	17	14	19	17	13	6	2	-







TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,783  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ATHEROSCLEROSIS (440)												
0 UNITED STATES --	124	207	388	678	1,229	2,022	3,013	3,598	3,140	1,650	553	1
WHITE-----MALE----	74	114	200	359	615	958	1,138	1,119	812	290	83	1
FEMALE--	30	52	121	215	463	875	1,634	2,265	2,153	1,271	433	-
ALL OTHER--MALE----	15	18	36	54	81	83	98	77	62	20	6	-
FEMALE--	5	23	31	50	70	106	143	137	113	69	31	-
BLACK---MALE----	14	17	32	45	71	75	85	68	51	14	5	-
FEMALE--	4	22	27	45	63	90	134	127	102	64	29	-
ALABAMA -----	4	15	20	15	25	37	37	56	36	24	7	-
WHITE-----MALE----	-	4	8	9	14	16	12	17	10	4	-	-
FEMALE--	1	3	6	2	5	12	15	26	16	14	2	-
ALL OTHER--MALE----	3	4	3	3	4	2	3	4	2	1	1	-
FEMALE--	-	4	3	1	2	7	7	9	8	5	4	-
BLACK---MALE----	3	4	3	3	4	2	3	4	2	1	1	-
FEMALE--	-	4	3	1	2	7	7	9	8	5	4	-
ALASKA -----	-	1	-	1	1	2	10	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	2	2	1	-	-	-	-
FEMALE--	-	1	-	-	1	-	6	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	3	2	11	13	24	42	56	68	40	25	5	1
WHITE-----MALE----	2	2	4	6	18	22	23	27	14	6	2	1
FEMALE--	1	-	5	6	5	20	33	40	24	19	3	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	1	1	-	-	-
FEMALE--	-	-	2	1	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	-	-	-
ARKANSAS -----	1	1	4	7	7	20	24	47	39	23	1	-
WHITE-----MALE----	-	1	-	5	4	10	11	15	7	3	-	-
FEMALE--	1	-	4	2	2	8	11	26	30	19	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	3	1	-	-	-
FEMALE--	-	-	-	-	1	1	2	3	1	1	-	-
BLACK---MALE----	-	-	-	-	-	1	-	3	1	-	-	-
FEMALE--	-	-	-	-	1	1	2	3	1	1	-	-
CALIFORNIA -----	11	25	45	79	161	229	322	403	385	186	78	-
WHITE-----MALE----	6	14	25	32	75	111	122	122	103	31	12	-
FEMALE--	3	9	13	37	66	94	174	253	256	142	64	-
ALL OTHER--MALE----	1	2	6	6	12	11	15	12	8	6	-	-
FEMALE--	1	-	1	4	8	13	11	16	18	7	2	-
BLACK---MALE----	1	2	4	4	8	6	9	8	3	2	-	-
FEMALE--	-	-	1	4	6	10	10	12	12	6	1	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,784  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ATHEROSCLEROSIS (440)												
COLORADO -----	2	1	5	10	20	44	70	103	73	37	4	-
WHITE-----MALE----	2	-	2	4	8	24	26	26	19	5	1	-
FEMALE--	-	1	3	5	12	18	43	75	53	32	3	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	2	1	-	-	-
BLACK---MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	1	1	-	-	-
CONNECTICUT -----	-	1	3	2	10	18	35	38	34	21	10	-
WHITE-----MALE----	-	-	2	1	6	12	16	16	9	3	2	-
FEMALE--	-	-	-	1	2	5	17	19	25	18	8	-
ALL OTHER--MALE----	-	1	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	1	-	2	1	1	2	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	1	-	2	-	1	2	-	-	-	-
DELAWARE -----	-	-	-	-	1	1	1	3	6	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	1	1	-	-
FEMALE--	-	-	-	-	-	1	1	2	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
DISTRICT OF COLUMBIA ----	-	1	1	3	2	1	5	6	6	4	1	-
WHITE-----MALE----	-	-	-	-	2	-	2	1	1	1	-	-
FEMALE--	-	-	1	-	-	1	1	1	2	3	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	1	-	-	-	-
FEMALE--	-	1	-	2	-	-	1	3	3	-	1	-
BLACK---MALE----	-	-	-	1	-	-	1	1	-	-	-	-
FEMALE--	-	1	-	2	-	-	1	3	2	-	1	-
FLORIDA -----	3	16	16	45	90	134	209	221	169	103	32	-
WHITE-----MALE----	2	10	11	22	47	61	96	67	46	25	4	-
FEMALE--	1	1	4	14	34	60	105	142	110	72	24	-
ALL OTHER--MALE----	-	2	1	4	6	6	1	4	4	2	1	-
FEMALE--	-	3	-	5	3	7	7	8	9	4	3	-
BLACK---MALE----	-	2	1	3	6	6	1	4	4	2	1	-
FEMALE--	-	3	-	5	3	7	7	8	9	4	3	-
GEORGIA -----	5	7	23	33	41	61	105	107	75	36	9	-
WHITE-----MALE----	2	3	11	16	13	15	25	25	15	7	-	-
FEMALE--	2	3	1	11	15	30	45	62	48	24	5	-
ALL OTHER--MALE----	1	1	7	2	6	8	13	6	4	-	1	-
FEMALE--	-	-	4	4	7	8	22	14	8	5	3	-
BLACK---MALE----	1	1	7	2	6	8	13	6	4	-	1	-
FEMALE--	-	-	4	4	7	8	22	14	8	5	3	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,785  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ATHEROSCLEROSIS (440)												
HAWAII -----	-	-	-	2	-	2	1	8	5	4	-	-
WHITE-----MALE----	-	-	-	2	-	-	-	1	1	1	-	-
FEMALE--	-	-	-	-	-	-	-	5	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	2	1	-	-
FEMALE--	-	-	-	-	-	2	1	1	-	2	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	1	-	2	2	10	7	12	8	3	2	-
WHITE-----MALE----	-	1	-	2	1	5	6	3	1	2	-	-
FEMALE--	-	-	-	-	1	4	1	9	7	1	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	8	8	21	11	41	75	121	147	136	71	30	-
WHITE-----MALE----	6	4	11	4	23	35	44	49	33	11	3	-
FEMALE--	1	2	7	5	13	33	70	94	99	60	25	-
ALL OTHER--MALE----	1	-	2	2	4	3	3	2	2	-	-	-
FEMALE--	-	2	1	-	1	4	4	2	2	-	2	-
BLACK---MALE----	1	-	2	2	4	3	3	2	1	-	-	-
FEMALE--	-	2	1	-	1	4	4	2	2	-	2	-
INDIANA -----	2	5	11	17	26	62	92	96	101	50	17	-
WHITE-----MALE----	1	3	8	9	11	32	25	23	32	9	5	-
FEMALE--	-	2	3	6	11	27	58	68	62	40	11	-
ALL OTHER--MALE----	1	-	-	1	3	1	5	1	3	-	-	-
FEMALE--	-	-	-	1	1	2	4	4	4	1	1	-
BLACK---MALE----	1	-	-	1	2	1	5	1	3	-	-	-
FEMALE--	-	-	-	1	1	2	4	4	4	1	1	-
IOWA -----	4	2	9	17	19	36	71	85	98	58	22	-
WHITE-----MALE----	1	2	6	13	11	20	28	42	34	11	2	-
FEMALE--	3	-	3	4	7	16	42	43	64	47	20	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	-	2	6	10	16	41	55	56	58	37	7	-
WHITE-----MALE----	-	-	4	7	7	20	19	16	17	12	2	-
FEMALE--	-	-	2	3	9	21	35	39	39	24	5	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	2	-	-	-	-	1	1	1	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	1	-	-	-	-	1	1	1	1	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,786  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ATHEROSCLEROSIS (440)												
KENTUCKY -----	2	4	5	11	20	25	34	33	39	22	4	-
WHITE-----MALE----	1	4	4	5	7	17	13	11	15	6	-	-
FEMALE--	1	-	1	5	13	6	21	21	22	16	4	-
ALL OTHER--MALE----	-	-	-	1	-	2	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	2	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
LOUISIANA -----	5	2	13	15	25	35	65	67	55	21	13	-
WHITE-----MALE----	2	-	5	8	12	8	13	17	16	2	2	-
FEMALE--	-	-	5	2	8	17	33	37	30	14	8	-
ALL OTHER--MALE----	1	1	2	3	1	6	8	7	4	-	-	-
FEMALE--	2	1	1	2	4	4	11	6	5	5	3	-
BLACK---MALE----	1	1	2	3	1	6	8	7	4	-	-	-
FEMALE--	2	1	1	2	4	3	11	6	5	5	3	-
MAINE -----	1	1	1	3	2	15	10	14	13	9	6	-
WHITE-----MALE----	1	-	1	1	2	10	4	5	2	2	2	-
FEMALE--	-	1	-	2	-	5	6	9	11	7	4	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3	2	5	6	13	18	37	38	37	19	7	-
WHITE-----MALE----	1	1	4	3	8	7	14	12	9	3	1	-
FEMALE--	1	-	-	2	3	8	20	23	26	16	6	-
ALL OTHER--MALE----	1	1	1	-	1	2	2	1	-	-	-	-
FEMALE--	-	-	-	1	1	1	1	2	2	-	-	-
BLACK---MALE----	1	1	1	-	1	2	2	1	-	-	-	-
FEMALE--	-	-	-	1	1	1	1	2	2	-	-	-
MASSACHUSETTS -----	-	4	7	15	22	38	64	82	86	46	14	-
WHITE-----MALE----	-	3	3	8	15	18	31	20	16	4	2	-
FEMALE--	-	1	3	7	7	19	33	61	70	42	12	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
MICHIGAN -----	8	7	9	22	38	109	144	153	147	82	29	-
WHITE-----MALE----	5	4	5	16	16	53	56	47	37	14	5	-
FEMALE--	3	1	1	5	14	42	79	102	109	65	24	-
ALL OTHER--MALE----	-	-	1	-	6	7	2	1	-	1	-	-
FEMALE--	-	2	2	1	2	7	7	3	1	2	-	-
BLACK---MALE----	-	-	1	-	6	6	2	1	-	1	-	-
FEMALE--	-	2	2	1	2	6	6	3	1	2	-	-













TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,789  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ATHEROSCLEROSIS (440)												
OHIO -----	6	8	11	29	47	72	106	146	120	64	34	-
WHITE-----MALE----	6	6	3	15	23	34	39	44	28	10	7	-
FEMALE--	-	-	4	8	18	35	60	92	87	50	24	-
ALL OTHER--MALE----	-	1	3	2	4	1	2	4	3	1	-	-
FEMALE--	-	1	1	4	2	2	5	6	2	3	3	-
BLACK---MALE----	-	1	3	2	4	1	2	4	3	1	-	-
FEMALE--	-	1	1	4	2	2	5	6	2	3	3	-
OKLAHOMA -----	4	3	13	14	31	35	75	85	67	40	11	-
WHITE-----MALE----	2	1	5	7	16	14	31	24	13	5	2	-
FEMALE--	2	2	5	4	13	19	38	57	51	31	8	-
ALL OTHER--MALE----	-	-	-	2	1	-	2	1	1	2	-	-
FEMALE--	-	-	3	1	1	2	4	3	2	2	1	-
BLACK---MALE----	-	-	-	1	1	-	1	1	-	1	-	-
FEMALE--	-	-	-	-	-	2	2	3	2	1	-	-
OREGON -----	-	3	8	12	28	49	56	55	51	16	7	-
WHITE-----MALE----	-	1	6	9	19	32	27	26	15	1	1	-
FEMALE--	-	2	2	2	8	17	29	28	36	15	6	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
PENNSYLVANIA -----	6	4	14	35	64	107	159	175	129	77	17	-
WHITE-----MALE----	4	3	8	26	33	55	58	65	31	8	3	-
FEMALE--	2	-	4	6	30	45	94	102	94	65	14	-
ALL OTHER--MALE----	-	-	1	3	-	3	1	2	2	-	-	-
FEMALE--	-	1	1	-	1	4	6	6	2	4	-	-
BLACK---MALE----	-	-	1	3	-	3	1	1	2	-	-	-
FEMALE--	-	1	1	-	1	4	6	6	2	4	-	-
RHODE ISLAND -----	-	-	1	3	8	6	15	10	11	14	-	-
WHITE-----MALE----	-	-	1	3	5	2	8	5	-	3	-	-
FEMALE--	-	-	-	-	3	3	7	5	11	11	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	3	2	2	6	8	17	18	24	15	7	4	-
WHITE-----MALE----	2	1	1	1	4	7	4	7	3	-	-	-
FEMALE--	-	1	-	1	-	7	8	15	7	6	3	-
ALL OTHER--MALE----	-	-	-	-	3	1	2	-	3	-	-	-
FEMALE--	1	-	1	4	1	2	4	2	2	1	1	-
BLACK---MALE----	-	-	-	-	3	1	2	-	3	-	-	-
FEMALE--	1	-	1	4	1	2	4	2	2	1	1	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,790  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ATHEROSCLEROSIS (440)												
SOUTH DAKOTA -----	-	1	1	2	1	7	8	10	11	9	2	-
WHITE-----MALE----	-	-	-	1	1	5	4	2	6	3	-	-
FEMALE--	-	1	1	1	-	2	4	8	5	6	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	6	11	11	23	37	49	82	99	52	30	13	-
WHITE-----MALE----	4	5	4	13	20	25	29	32	11	5	2	-
FEMALE--	2	3	5	4	14	20	46	61	35	20	8	-
ALL OTHER--MALE----	-	2	1	4	1	2	4	4	2	1	1	-
FEMALE--	-	1	1	2	2	2	3	2	4	4	2	-
BLACK---MALE----	-	1	1	4	1	2	4	4	2	1	1	-
FEMALE--	-	1	1	2	2	2	3	2	4	4	2	-
TEXAS -----	7	9	22	31	57	122	175	252	183	87	27	-
WHITE-----MALE----	5	3	12	17	29	60	57	71	45	14	1	-
FEMALE--	-	2	8	8	21	49	96	171	130	69	25	-
ALL OTHER--MALE----	2	2	1	3	4	6	8	2	1	-	-	-
FEMALE--	-	2	1	3	3	7	14	8	7	4	1	-
BLACK---MALE----	2	2	1	3	4	6	7	2	1	-	-	-
FEMALE--	-	2	1	1	3	6	12	8	7	4	1	-
UTAH -----	-	-	-	3	2	7	9	16	16	11	1	-
WHITE-----MALE----	-	-	-	3	2	4	6	3	2	2	-	-
FEMALE--	-	-	-	-	-	3	3	13	13	9	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	2	-	-	-	3	6	3	7	8	-	1	-
WHITE-----MALE----	1	-	-	-	2	3	3	2	3	-	-	-
FEMALE--	1	-	-	-	1	3	-	5	5	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	8	7	24	27	33	51	72	61	37	8	-
WHITE-----MALE----	-	4	3	11	8	14	12	21	5	8	-	-
FEMALE--	-	2	3	8	6	10	30	41	46	24	6	-
ALL OTHER--MALE----	-	-	-	2	7	3	2	2	3	2	1	-
FEMALE--	-	2	1	3	6	6	7	8	7	3	1	-
BLACK---MALE----	-	-	-	2	7	3	2	2	3	2	1	-
FEMALE--	-	2	1	3	6	5	7	8	7	3	1	-







TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,792  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 AORTIC ANEURYSM (441)												
0 UNITED STATES --	331	582	1,000	1,949	2,907	3,098	2,805	1,961	837	208	31	-
WHITE-----MALE----	217	377	690	1,328	1,857	1,857	1,487	920	348	77	10	-
FEMALE--	51	100	191	452	843	1,062	1,149	936	442	117	19	-
ALL OTHER--MALE----	43	66	58	99	121	87	83	41	12	7	1	-
FEMALE--	20	39	61	70	86	92	86	64	35	7	1	-
BLACK---MALE----	36	59	50	85	88	67	57	28	6	6	-	-
FEMALE--	18	35	54	64	77	81	75	53	30	5	1	-
ALABAMA -----	8	17	15	36	45	38	41	29	10	2	-	-
WHITE-----MALE----	7	9	11	25	29	25	22	13	3	-	-	-
FEMALE--	-	4	2	5	8	12	14	13	6	-	-	-
ALL OTHER--MALE----	1	3	-	1	4	-	3	1	1	1	-	-
FEMALE--	-	1	2	5	4	1	2	2	-	1	-	-
BLACK---MALE----	1	3	-	1	4	-	3	1	1	1	-	-
FEMALE--	-	1	2	5	3	1	2	2	-	1	-	-
ALASKA -----	-	-	1	2	4	1	2	5	-	-	-	-
WHITE-----MALE----	-	-	-	2	4	-	2	3	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	9	9	14	34	37	49	46	22	11	1	-	-
WHITE-----MALE----	6	7	11	27	28	27	25	12	4	1	-	-
FEMALE--	2	2	3	7	9	21	21	10	6	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ARKANSAS -----	3	5	15	29	26	34	21	22	6	4	-	-
WHITE-----MALE----	3	3	11	26	18	22	14	8	-	2	-	-
FEMALE--	-	2	2	2	7	12	7	14	4	2	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	2	-	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	2	-	-	-
CALIFORNIA -----	34	54	87	152	274	281	246	154	65	20	-	-
WHITE-----MALE----	23	39	58	106	175	159	122	85	32	12	-	-
FEMALE--	6	6	14	31	78	99	103	57	31	6	-	-
ALL OTHER--MALE----	3	5	9	11	18	11	16	6	-	-	-	-
FEMALE--	2	4	6	4	3	12	5	6	2	2	-	-
BLACK---MALE----	2	3	6	5	4	3	5	1	-	-	-	-
FEMALE--	1	2	3	3	3	7	1	-	1	-	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,793  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 AORTIC ANEURYSM (441)												
COLORADO -----	5	10	13	30	43	31	34	19	12	3	-	-
WHITE-----MALE----	4	5	9	19	24	18	16	11	2	3	-	-
FEMALE--	-	5	4	8	15	12	18	8	9	-	-	-
ALL OTHER--MALE----	-	-	-	1	2	1	-	-	-	-	-	-
FEMALE--	1	-	-	2	2	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	2	-	-	-	1	-	-	-
CONNECTICUT -----	4	6	5	28	42	40	38	29	16	3	1	-
WHITE-----MALE----	2	5	4	23	23	18	20	14	5	1	-	-
FEMALE--	2	1	-	4	17	21	16	14	10	2	1	-
ALL OTHER--MALE----	-	-	1	1	2	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	1	-	-	-
BLACK---MALE----	-	-	1	1	2	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
DELAWARE -----	4	1	3	2	9	12	10	4	2	-	1	-
WHITE-----MALE----	2	1	2	2	4	3	7	2	1	-	-	-
FEMALE--	1	-	-	-	5	6	1	2	1	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	2	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	1	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	-	1	2	2	3	6	3	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	1	1	-	-	-	-
FEMALE--	-	-	1	2	2	1	3	1	1	-	-	-
BLACK---MALE----	1	-	-	-	-	1	1	1	-	-	-	-
FEMALE--	-	-	1	2	2	1	3	1	1	-	-	-
FLORIDA -----	23	38	90	156	180	232	206	148	63	10	3	-
WHITE-----MALE----	15	30	72	113	128	148	117	68	35	3	1	-
FEMALE--	3	5	12	28	46	75	81	76	25	7	2	-
ALL OTHER--MALE----	2	-	4	9	5	3	2	2	1	-	-	-
FEMALE--	3	3	2	6	1	6	6	2	2	-	-	-
BLACK---MALE----	1	-	4	9	5	3	2	2	-	-	-	-
FEMALE--	3	3	2	6	1	6	6	2	2	-	-	-
GEORGIA -----	6	20	22	44	58	54	45	32	10	2	1	-
WHITE-----MALE----	3	12	15	29	37	27	22	13	4	-	-	-
FEMALE--	1	4	3	9	16	23	13	16	5	1	-	-
ALL OTHER--MALE----	2	3	2	5	3	3	4	-	-	1	-	-
FEMALE--	-	1	2	1	2	1	6	3	1	-	1	-
BLACK---MALE----	2	3	2	5	3	3	4	-	-	1	-	-
FEMALE--	-	1	2	1	2	1	6	3	1	-	1	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,795  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 AORTIC ANEURYSM (441)												
KENTUCKY -----	291	-	-	-	-	-	1	2	1	4	4	5
WHITE-----MALE----	171	-	-	-	-	-	1	-	1	4	3	3
FEMALE--	100	-	-	-	-	-	-	2	-	-	1	1
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	1
LOUISIANA -----	239	-	-	-	-	-	-	1	-	2	4	6
WHITE-----MALE----	116	-	-	-	-	-	-	-	-	-	2	3
FEMALE--	78	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	24	-	-	-	-	-	-	-	-	2	2	1
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	24	-	-	-	-	-	-	-	-	2	2	1
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	2
MAINE -----	103	-	-	-	-	-	-	-	-	-	2	-
WHITE-----MALE----	62	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	40	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	284	-	-	-	1	-	-	1	4	5	6	8
WHITE-----MALE----	144	-	-	-	-	-	-	1	1	4	3	2
FEMALE--	97	-	-	-	-	-	-	-	2	-	1	2
ALL OTHER--MALE----	23	-	-	-	1	-	-	-	1	-	2	4
FEMALE--	20	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	22	-	-	-	1	-	-	-	1	-	2	4
FEMALE--	19	-	-	-	-	-	-	-	-	1	-	-
MASSACHUSETTS -----	429	-	-	-	-	1	-	-	2	6	3	4
WHITE-----MALE----	236	-	-	-	-	-	-	-	-	5	2	3
FEMALE--	182	-	-	-	-	1	-	-	1	-	1	1
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	652	-	-	-	-	1	-	1	6	5	7	15
WHITE-----MALE----	373	-	-	-	-	-	-	1	2	3	4	4
FEMALE--	208	-	-	-	-	1	-	-	4	-	-	2
ALL OTHER--MALE----	42	-	-	-	-	-	-	-	-	1	2	7
FEMALE--	29	-	-	-	-	-	-	-	-	1	1	2
BLACK---MALE----	42	-	-	-	-	-	-	-	-	1	2	7
FEMALE--	29	-	-	-	-	-	-	-	-	1	1	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,795  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 AORTIC ANEURYSM (441)												
KENTUCKY -----	5	9	21	47	40	54	45	35	13	5	-	-
WHITE-----MALE----	4	7	15	29	21	37	24	14	7	1	-	-
FEMALE--	-	2	5	17	13	13	19	18	6	3	-	-
ALL OTHER--MALE----	-	-	-	-	5	1	2	1	-	-	-	-
FEMALE--	1	-	1	1	1	3	-	2	-	1	-	-
BLACK---MALE----	-	-	-	-	5	1	1	1	-	-	-	-
FEMALE--	1	-	1	1	1	3	-	2	-	1	-	-
LOUISIANA -----	5	15	19	35	40	34	32	34	9	3	-	-
WHITE-----MALE----	2	8	13	18	24	15	15	11	5	-	-	-
FEMALE--	1	5	3	12	10	13	10	18	3	2	-	-
ALL OTHER--MALE----	1	1	-	3	6	4	2	1	-	1	-	-
FEMALE--	1	1	3	2	-	2	5	4	1	-	-	-
BLACK---MALE----	1	1	-	3	6	4	2	1	-	1	-	-
FEMALE--	1	1	3	2	-	2	5	4	1	-	-	-
MAINE -----	1	2	2	8	18	26	21	10	9	4	-	-
WHITE-----MALE----	1	2	1	5	15	12	14	3	4	3	-	-
FEMALE--	-	-	1	3	3	13	7	7	5	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
MARYLAND -----	4	13	14	29	50	51	47	34	13	3	1	-
WHITE-----MALE----	2	3	6	16	28	28	27	16	6	1	-	-
FEMALE--	-	3	4	11	12	17	19	16	7	2	1	-
ALL OTHER--MALE----	-	3	3	1	5	1	1	1	-	-	-	-
FEMALE--	2	4	1	1	5	5	-	1	-	-	-	-
BLACK---MALE----	-	3	3	1	4	1	1	1	-	-	-	-
FEMALE--	2	4	1	1	5	4	-	1	-	-	-	-
MASSACHUSETTS -----	5	9	22	43	76	76	79	60	34	7	2	-
WHITE-----MALE----	4	9	16	32	50	40	34	26	13	2	-	-
FEMALE--	-	-	5	9	26	35	44	32	20	5	2	-
ALL OTHER--MALE----	1	-	1	1	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	1	-	-	-
BLACK---MALE----	1	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	1	-	-	-
MICHIGAN -----	23	26	46	76	106	117	120	67	27	6	3	-
WHITE-----MALE----	14	13	23	48	77	78	66	26	12	1	1	-
FEMALE--	4	6	13	21	23	32	43	37	15	5	2	-
ALL OTHER--MALE----	4	4	5	5	2	5	5	2	-	-	-	-
FEMALE--	1	3	5	2	4	2	6	2	-	-	-	-
BLACK---MALE----	4	4	5	5	2	5	5	2	-	-	-	-
FEMALE--	1	3	5	2	4	2	6	2	-	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,796  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 AORTIC ANEURYSM (441)												
MINNESOTA -----	3	6	21	28	60	65	76	64	21	7	-	-
WHITE-----MALE----	2	5	17	21	38	40	50	31	8	-	-	-
FEMALE--	1	1	4	6	22	24	25	32	13	7	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	4	5	12	18	28	19	12	15	10	1	-	-
WHITE-----MALE----	2	-	8	8	16	9	8	7	3	-	-	-
FEMALE--	-	-	-	7	7	6	3	6	4	1	-	-
ALL OTHER--MALE----	2	2	1	2	4	1	-	2	1	-	-	-
FEMALE--	-	3	3	1	1	3	1	-	2	-	-	-
BLACK---MALE----	2	2	1	2	4	-	-	2	1	-	-	-
FEMALE--	-	3	3	1	1	3	1	-	2	-	-	-
MISSOURI -----	5	7	30	49	50	74	78	51	24	8	-	-
WHITE-----MALE----	4	5	23	29	38	47	45	23	10	3	-	-
FEMALE--	1	1	6	18	11	23	28	27	12	4	-	-
ALL OTHER--MALE----	-	-	-	1	-	3	5	1	1	1	-	-
FEMALE--	-	1	1	1	1	1	-	1	1	-	-	-
BLACK---MALE----	-	-	-	1	-	3	5	1	1	1	-	-
FEMALE--	-	1	1	1	1	1	-	-	1	-	-	-
MONTANA -----	2	1	5	7	9	16	19	8	1	-	-	-
WHITE-----MALE----	1	1	5	4	5	8	14	3	-	-	-	-
FEMALE--	1	-	-	3	4	8	5	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	-	2	3	7	16	17	28	18	13	3	2	-
WHITE-----MALE----	-	-	3	5	14	9	14	10	4	2	1	-
FEMALE--	-	1	-	2	2	8	12	8	9	1	1	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
NEVADA -----	4	3	11	17	20	18	15	3	1	2	-	-
WHITE-----MALE----	3	3	10	11	15	11	10	1	1	1	-	-
FEMALE--	-	-	1	4	5	5	5	1	-	1	-	-
ALL OTHER--MALE----	1	-	-	1	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-







TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,798  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 AORTIC ANEURYSM (441)												
OHIO -----	811	-	-	2	-	-	1	1	5	7	6	9
WHITE-----MALE----	475	-	-	2	-	-	1	1	2	5	4	5
FEMALE--	286	-	-	-	-	-	-	-	2	1	1	1
ALL OTHER--MALE----	23	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	27	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	22	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	26	-	-	-	-	-	-	-	1	-	-	1
OKLAHOMA -----	217	-	-	-	-	1	-	1	2	3	3	-
WHITE-----MALE----	135	-	-	-	-	1	-	-	1	1	-	-
FEMALE--	73	-	-	-	-	-	-	1	1	2	2	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	217	-	-	-	-	1	1	-	-	-	3	2
WHITE-----MALE----	133	-	-	-	-	1	1	-	-	-	2	1
FEMALE--	80	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1,040	-	-	1	-	1	-	2	2	7	11	12
WHITE-----MALE----	607	-	-	-	-	-	-	2	1	2	9	7
FEMALE--	366	-	-	1	-	-	-	-	-	4	1	2
ALL OTHER--MALE----	33	-	-	-	-	1	-	-	-	1	-	2
FEMALE--	34	-	-	-	-	-	-	-	1	-	1	1
BLACK---MALE----	33	-	-	-	-	1	-	-	-	1	-	2
FEMALE--	34	-	-	-	-	-	-	-	1	-	1	1
RHODE ISLAND -----	60	-	-	-	-	-	-	-	-	1	-	1
WHITE-----MALE----	35	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	24	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	260	-	-	-	-	-	-	1	3	2	5	5
WHITE-----MALE----	151	-	-	-	-	-	-	-	-	-	2	3
FEMALE--	63	-	-	-	-	-	-	-	2	2	-	-
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	30	-	-	-	-	-	-	1	1	-	2	-
BLACK---MALE----	16	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	29	-	-	-	-	-	-	1	1	-	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,798  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 AORTIC ANEURYSM (441)												
OHIO -----	15	38	45	85	161	164	120	94	47	10	1	-
WHITE-----MALE----	11	24	31	56	101	101	66	43	20	1	1	-
FEMALE--	2	7	8	23	53	57	51	46	27	7	-	-
ALL OTHER--MALE----	1	5	3	2	5	1	1	-	-	1	-	-
FEMALE--	1	2	3	4	2	5	2	5	-	1	-	-
BLACK---MALE----	-	5	3	2	5	1	1	-	-	1	-	-
FEMALE--	1	2	3	4	2	4	2	5	-	1	-	-
OKLAHOMA -----	5	7	11	24	34	47	41	24	13	1	-	-
WHITE-----MALE----	4	4	4	20	27	32	20	11	10	-	-	-
FEMALE--	1	3	7	3	5	13	20	12	2	1	-	-
ALL OTHER--MALE----	-	-	-	1	1	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	1	-	-	-
OREGON -----	1	6	10	23	34	39	47	25	19	3	3	-
WHITE-----MALE----	1	4	7	14	22	25	32	15	7	-	1	-
FEMALE--	-	2	3	8	11	13	14	10	12	3	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	10	34	56	123	180	212	182	140	51	13	3	-
WHITE-----MALE----	7	23	44	78	113	136	102	61	17	3	2	-
FEMALE--	2	7	8	32	51	67	75	73	32	10	1	-
ALL OTHER--MALE----	-	4	3	10	5	3	2	2	-	-	-	-
FEMALE--	1	-	1	3	11	6	3	4	2	-	-	-
BLACK---MALE----	-	4	3	10	5	3	2	2	-	-	-	-
FEMALE--	1	-	1	3	11	6	3	4	2	-	-	-
RHODE ISLAND -----	-	1	2	7	6	10	18	11	3	-	-	-
WHITE-----MALE----	-	1	2	7	4	5	7	6	1	-	-	-
FEMALE--	-	-	-	-	2	5	11	4	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
SOUTH CAROLINA -----	8	10	20	27	65	39	36	26	10	3	-	-
WHITE-----MALE----	5	8	12	14	40	29	22	7	7	2	-	-
FEMALE--	-	-	3	7	17	7	9	13	2	1	-	-
ALL OTHER--MALE----	3	1	2	3	-	2	1	1	-	-	-	-
FEMALE--	-	1	3	3	8	1	4	5	1	-	-	-
BLACK---MALE----	3	1	2	3	-	2	1	1	-	-	-	-
FEMALE--	-	1	3	2	8	1	4	5	1	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,799  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 AORTIC ANEURYSM (441)												
SOUTH DAKOTA -----	-	3	2	6	7	7	7	8	4	1	-	-
WHITE-----MALE----	-	3	-	3	4	4	5	5	1	-	-	-
FEMALE--	-	-	2	3	3	3	2	3	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	6	14	11	37	61	61	44	34	15	2	-	-
WHITE-----MALE----	2	11	7	24	40	40	26	12	5	2	-	-
FEMALE--	2	1	2	6	18	18	10	16	7	-	-	-
ALL OTHER--MALE----	1	2	-	7	3	2	3	3	1	-	-	-
FEMALE--	1	-	2	-	-	1	5	3	2	-	-	-
BLACK---MALE----	1	2	-	7	3	2	3	3	1	-	-	-
FEMALE--	1	-	2	-	-	1	5	3	2	-	-	-
TEXAS -----	27	33	51	103	158	143	117	97	41	15	1	-
WHITE-----MALE----	18	21	36	71	89	86	61	50	19	3	-	-
FEMALE--	8	7	10	25	57	47	50	41	18	12	-	-
ALL OTHER--MALE----	1	4	-	3	5	2	2	2	2	-	1	-
FEMALE--	-	1	5	4	7	8	4	4	2	-	-	-
BLACK---MALE----	-	4	-	3	5	2	2	2	1	-	-	-
FEMALE--	-	1	5	4	6	8	4	4	2	-	-	-
UTAH -----	-	2	3	5	12	8	13	9	7	-	-	-
WHITE-----MALE----	-	-	3	5	10	7	10	4	3	-	-	-
FEMALE--	-	2	-	-	2	1	2	5	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	3	4	5	8	8	11	3	3	-	-	-
WHITE-----MALE----	-	3	1	2	6	5	5	2	-	-	-	-
FEMALE--	-	-	3	3	2	3	6	1	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	8	14	24	45	75	68	58	39	12	3	1	-
WHITE-----MALE----	7	11	18	29	39	44	21	19	2	1	-	-
FEMALE--	-	1	2	10	22	15	25	18	8	2	1	-
ALL OTHER--MALE----	1	1	2	2	6	5	4	1	-	-	-	-
FEMALE--	-	1	2	4	8	4	8	1	2	-	-	-
BLACK---MALE----	1	1	2	2	4	5	4	1	-	-	-	-
FEMALE--	-	1	2	4	8	4	7	1	2	-	-	-







TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,801  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (442-448)												
0 UNITED STATES --	10,206	15	5	2	7	14	27	30	70	82	154	166
WHITE-----MALE----	3,969	4	2	-	4	4	6	7	19	32	55	65
FEMALE--	4,934	5	-	1	-	5	15	10	23	24	60	67
ALL OTHER--MALE----	520	5	3	1	1	1	1	6	14	8	17	14
FEMALE--	783	1	-	-	2	4	5	7	14	18	22	20
BLACK---MALE----	468	5	2	-	1	1	1	6	12	7	16	12
FEMALE--	728	1	-	-	2	4	5	6	14	17	20	19
ALABAMA -----	168	-	-	-	-	-	1	1	-	1	3	5
WHITE-----MALE----	57	-	-	-	-	-	-	-	-	1	-	3
FEMALE--	74	-	-	-	-	-	1	1	-	-	1	1
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	22	-	-	-	-	-	-	-	-	-	2	1
BLACK---MALE----	15	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	22	-	-	-	-	-	-	-	-	-	2	1
ALASKA -----	6	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	163	-	-	-	-	-	2	-	2	-	3	3
WHITE-----MALE----	61	-	-	-	-	-	1	-	1	-	1	-
FEMALE--	90	-	-	-	-	-	1	-	1	-	1	3
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
ARKANSAS -----	143	-	-	-	-	-	-	1	-	1	3	1
WHITE-----MALE----	56	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	71	-	-	-	-	-	-	1	-	-	1	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	889	1	-	-	-	3	4	2	5	13	16	15
WHITE-----MALE----	343	-	-	-	-	1	1	1	1	6	7	8
FEMALE--	429	-	-	-	-	1	3	-	2	4	6	5
ALL OTHER--MALE----	52	1	-	-	-	-	-	1	1	-	1	1
FEMALE--	65	-	-	-	-	1	-	-	1	3	2	1
BLACK---MALE----	30	1	-	-	-	-	-	1	1	-	-	-
FEMALE--	44	-	-	-	-	1	-	-	1	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,801  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (442-448)												
0 UNITED STATES --	207	307	538	947	1,348	1,604	1,675	1,442	1,035	428	102	1
WHITE-----MALE----	85	114	263	456	644	733	660	475	251	82	8	-
FEMALE--	85	132	183	357	520	707	846	841	669	307	76	1
ALL OTHER--MALE----	12	33	48	72	72	77	62	34	31	5	3	-
FEMALE--	25	28	44	62	112	87	107	92	84	34	15	-
BLACK---MALE----	11	31	43	68	61	71	55	31	26	5	3	-
FEMALE--	24	23	40	56	103	83	104	81	78	33	15	-
ALABAMA -----	4	7	14	17	19	25	28	18	19	6	-	-
WHITE-----MALE----	2	3	7	7	8	11	5	6	4	-	-	-
FEMALE--	1	2	2	8	5	10	22	7	10	3	-	-
ALL OTHER--MALE----	1	1	5	1	3	1	1	1	1	-	-	-
FEMALE--	-	1	-	1	3	3	-	4	4	3	-	-
BLACK---MALE----	1	1	5	1	3	1	1	1	1	-	-	-
FEMALE--	-	1	-	1	3	3	-	4	4	3	-	-
ALASKA -----	1	1	-	-	2	-	2	-	-	-	-	-
WHITE-----MALE----	1	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	8	8	8	16	25	29	23	21	11	4	-	-
WHITE-----MALE----	2	3	5	6	13	16	5	6	1	1	-	-
FEMALE--	6	3	3	8	9	12	17	13	10	3	-	-
ALL OTHER--MALE----	-	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	2	1	1	2	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	-	-
ARKANSAS -----	5	4	9	11	18	18	28	20	16	6	2	-
WHITE-----MALE----	3	3	5	7	1	10	11	9	3	1	-	-
FEMALE--	1	1	4	2	15	7	13	9	11	4	2	-
ALL OTHER--MALE----	1	-	-	-	1	-	1	1	1	-	-	-
FEMALE--	-	-	-	2	1	1	3	1	1	1	-	-
BLACK---MALE----	1	-	-	-	1	-	1	1	1	-	-	-
FEMALE--	-	-	-	2	1	1	3	1	1	1	-	-
CALIFORNIA -----	18	35	44	92	122	137	151	112	84	22	13	-
WHITE-----MALE----	5	8	24	38	55	61	60	36	30	1	-	-
FEMALE--	9	20	13	39	49	62	77	68	43	19	9	-
ALL OTHER--MALE----	1	4	2	11	8	8	6	2	5	-	-	-
FEMALE--	3	3	5	4	10	6	8	6	6	2	4	-
BLACK---MALE----	-	4	1	9	3	5	3	1	1	-	-	-
FEMALE--	2	2	3	3	8	5	7	2	3	1	4	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,802  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (442-448)												
COLORADO -----	112	-	-	-	-	-	-	1	1	2	5	4
WHITE-----MALE----	63	-	-	-	-	-	-	-	1	1	2	2
FEMALE--	44	-	-	-	-	-	-	-	-	-	3	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	1	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	1	-	1	-	-
CONNECTICUT -----	130	1	-	-	-	-	-	-	-	1	1	4
WHITE-----MALE----	45	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	80	1	-	-	-	-	-	-	-	1	1	3
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	45	-	-	-	-	-	-	-	-	2	-	-
WHITE-----MALE----	14	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	22	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	-
DISTRICT OF COLUMBIA ----	20	-	-	-	-	-	-	-	1	-	2	1
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	613	-	-	-	-	1	-	3	4	4	6	11
WHITE-----MALE----	280	-	-	-	-	1	-	1	1	-	2	5
FEMALE--	278	-	-	-	-	-	-	2	2	3	2	5
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	37	-	-	-	-	-	-	-	1	-	1	1
BLACK---MALE----	18	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	36	-	-	-	-	-	-	-	1	-	1	1
GEORGIA -----	255	1	-	-	-	3	1	1	2	2	6	6
WHITE-----MALE----	89	-	-	-	-	-	-	-	-	1	3	1
FEMALE--	92	1	-	-	-	1	1	-	-	-	-	1
ALL OTHER--MALE----	21	-	-	-	-	-	-	1	-	-	1	2
FEMALE--	53	-	-	-	-	2	-	-	2	1	2	2
BLACK---MALE----	21	-	-	-	-	-	-	1	-	-	1	2
FEMALE--	53	-	-	-	-	2	-	-	2	1	2	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,802  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (442-448)												
COLORADO -----	-	1	7	14	16	15	17	15	10	4	-	-
WHITE-----MALE----	-	1	6	9	13	11	9	5	2	1	-	-
FEMALE--	-	-	-	5	3	3	8	10	7	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	-	-	-
CONNECTICUT -----	5	2	5	8	14	13	27	26	11	10	2	-
WHITE-----MALE----	1	2	3	1	8	6	13	5	4	1	-	-
FEMALE--	3	-	2	6	6	7	13	20	7	8	2	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	1	-	1	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	1	-	1	-	-
DELAWARE -----	-	2	3	3	8	9	7	5	4	2	-	-
WHITE-----MALE----	-	-	2	1	3	2	2	2	1	-	-	-
FEMALE--	-	2	-	2	4	5	2	2	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	2	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	2	1	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	3	1	2	5	1	1	3	-	-	-
WHITE-----MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	1	1	1	3	-	1	1	-	-	-
BLACK---MALE----	-	-	1	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	1	1	1	3	-	1	1	-	-	-
FLORIDA -----	8	15	24	64	70	114	110	96	61	18	4	-
WHITE-----MALE----	3	5	14	39	38	61	45	45	19	1	-	-
FEMALE--	3	8	7	18	23	43	59	45	38	16	4	-
ALL OTHER--MALE----	1	1	3	2	1	6	-	-	2	-	-	-
FEMALE--	1	1	-	5	8	4	6	6	2	1	-	-
BLACK---MALE----	1	1	3	2	1	6	-	-	2	-	-	-
FEMALE--	1	1	-	5	8	4	6	5	2	1	-	-
GEORGIA -----	5	13	20	28	36	29	46	28	19	7	2	-
WHITE-----MALE----	3	4	9	13	18	10	15	8	3	1	-	-
FEMALE--	2	4	8	11	8	9	17	15	10	4	-	-
ALL OTHER--MALE----	-	5	1	1	4	1	3	1	1	-	-	-
FEMALE--	-	-	2	3	6	9	11	4	5	2	2	-
BLACK---MALE----	-	5	1	1	4	1	3	1	1	-	-	-
FEMALE--	-	-	2	3	6	9	11	4	5	2	2	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,803  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (442-448)												
HAWAII -----	-	-	2	4	3	4	3	5	2	-	-	-
WHITE-----MALE----	-	-	1	2	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	1	1	-	1	1	2	1	-	-	-
FEMALE--	-	-	-	1	2	1	1	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	3	1	2	4	6	9	10	3	5	1	-	-
WHITE-----MALE----	1	1	1	1	5	3	6	1	3	-	-	-
FEMALE--	2	-	1	3	1	6	4	2	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	8	14	21	36	62	90	98	65	44	19	5	-
WHITE-----MALE----	3	1	8	16	29	38	38	24	11	5	-	-
FEMALE--	3	7	7	13	24	44	47	36	28	13	3	-
ALL OTHER--MALE----	-	2	3	3	3	4	2	1	2	-	-	-
FEMALE--	2	4	3	4	6	4	11	4	3	1	2	-
BLACK---MALE----	-	1	3	3	3	4	2	1	2	-	-	-
FEMALE--	2	4	3	4	6	4	11	4	3	1	2	-
INDIANA -----	2	10	16	30	29	36	40	27	22	12	-	-
WHITE-----MALE----	-	6	10	17	9	21	18	6	4	1	-	-
FEMALE--	1	3	3	10	13	13	21	17	17	11	-	-
ALL OTHER--MALE----	1	-	-	1	4	1	-	1	-	-	-	-
FEMALE--	-	1	3	2	3	1	1	3	1	-	-	-
BLACK---MALE----	1	-	-	1	4	1	-	1	-	-	-	-
FEMALE--	-	1	3	2	3	1	1	3	1	-	-	-
IOWA -----	2	3	6	10	12	22	24	28	21	10	1	-
WHITE-----MALE----	1	1	4	4	10	5	12	14	5	2	-	-
FEMALE--	1	2	2	6	2	17	12	14	16	8	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	1	6	4	6	18	15	18	15	14	7	3	-
WHITE-----MALE----	1	2	1	3	9	9	7	8	8	1	-	-
FEMALE--	-	2	3	3	8	6	10	7	6	6	2	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	1	-	-	-	1	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	1	-	-	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,804  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (442-448)												
KENTUCKY -----	159	-	-	-	-	1	-	-	3	1	2	3
WHITE-----MALE----	75	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	71	-	-	-	-	1	-	-	3	-	-	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	1	-	-
LOUISIANA -----	188	-	-	-	-	-	-	1	1	2	3	2
WHITE-----MALE----	68	-	-	-	-	-	-	-	-	2	-	1
FEMALE--	69	-	-	-	-	-	-	1	1	-	2	-
ALL OTHER--MALE----	29	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	22	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	29	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	22	-	-	-	-	-	-	-	-	-	1	-
MAINE -----	62	-	-	-	-	-	-	-	-	1	-	1
WHITE-----MALE----	19	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	43	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	190	-	-	-	-	1	-	-	1	1	5	3
WHITE-----MALE----	57	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	89	-	-	-	-	1	-	-	1	-	1	3
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	26	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	18	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	26	-	-	-	-	-	-	-	-	1	1	-
MASSACHUSETTS -----	292	-	-	-	-	-	1	-	-	-	-	4
WHITE-----MALE----	108	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	173	-	-	-	-	-	1	-	-	-	-	2
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	1
MICHIGAN -----	376	2	-	-	1	-	-	-	1	3	5	6
WHITE-----MALE----	143	-	-	-	1	-	-	-	-	2	3	3
FEMALE--	177	-	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	21	1	-	-	-	-	-	-	-	-	-	2
FEMALE--	35	1	-	-	-	-	-	-	-	1	1	1
BLACK---MALE----	21	1	-	-	-	-	-	-	-	-	-	2
FEMALE--	35	1	-	-	-	-	-	-	-	1	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,804  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (442-448)												
KENTUCKY -----	-	3	12	18	19	22	25	24	17	7	2	-
WHITE-----MALE----	-	3	7	14	9	8	16	8	5	2	-	-
FEMALE--	-	-	4	3	9	13	8	11	12	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	2	-	-	1	-
FEMALE--	-	-	1	1	1	1	-	3	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	1	2	-	-	1	-
FEMALE--	-	-	1	1	1	1	-	3	-	1	-	-
LOUISIANA -----	3	6	16	18	29	32	30	22	16	7	-	-
WHITE-----MALE----	2	3	6	8	15	11	11	4	2	3	-	-
FEMALE--	-	-	6	7	7	8	14	11	9	3	-	-
ALL OTHER--MALE----	-	2	3	2	3	9	2	5	1	1	-	-
FEMALE--	1	1	1	1	4	4	3	2	4	-	-	-
BLACK---MALE----	-	2	3	2	3	9	2	5	1	1	-	-
FEMALE--	1	1	1	1	4	4	3	2	4	-	-	-
MAINE -----	1	3	4	1	12	6	10	8	7	6	2	-
WHITE-----MALE----	-	1	4	1	8	1	1	2	1	-	-	-
FEMALE--	1	2	-	-	4	5	9	6	6	6	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3	3	8	20	27	31	31	27	23	3	2	1
WHITE-----MALE----	1	1	5	5	10	13	10	7	4	-	-	-
FEMALE--	1	2	1	7	9	13	16	17	11	3	2	1
ALL OTHER--MALE----	-	-	2	5	4	3	2	-	-	-	-	-
FEMALE--	1	-	-	3	4	2	3	3	8	-	-	-
BLACK---MALE----	-	-	2	5	4	3	2	-	-	-	-	-
FEMALE--	1	-	-	3	4	2	3	3	8	-	-	-
MASSACHUSETTS -----	2	6	7	25	29	50	52	54	39	18	5	-
WHITE-----MALE----	2	2	3	8	7	28	19	21	9	7	1	-
FEMALE--	-	3	4	14	21	22	31	32	29	10	4	-
ALL OTHER--MALE----	-	-	-	2	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	2	1	1	1	-	-
BLACK---MALE----	-	-	-	2	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	2	-	1	1	-	-
MICHIGAN -----	7	9	17	32	67	51	58	59	40	15	3	-
WHITE-----MALE----	2	4	10	13	30	19	28	13	11	3	1	-
FEMALE--	2	3	3	15	29	26	20	42	24	10	1	-
ALL OTHER--MALE----	-	1	3	2	-	2	7	1	2	-	-	-
FEMALE--	3	1	1	2	8	4	3	3	3	2	1	-
BLACK---MALE----	-	1	3	2	-	2	7	1	2	-	-	-
FEMALE--	3	1	1	2	8	4	3	3	3	2	1	-











TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,807  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (442-448)												
OHIO -----	498	-	-	-	-	1	2	1	2	4	6	8
WHITE-----MALE----	187	-	-	-	-	-	-	1	1	1	2	2
FEMALE--	254	-	-	-	-	-	1	-	-	1	4	6
ALL OTHER--MALE----	19	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	38	-	-	-	-	-	1	-	-	2	-	-
BLACK---MALE----	19	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	38	-	-	-	-	-	1	-	-	2	-	-
OKLAHOMA -----	130	-	-	-	-	-	-	-	-	2	-	2
WHITE-----MALE----	50	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	65	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	150	1	-	-	-	-	-	-	1	-	3	1
WHITE-----MALE----	65	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	81	1	-	-	-	-	-	-	1	-	2	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	622	1	-	1	-	-	2	3	1	6	14	
WHITE-----MALE----	250	-	-	-	-	-	-	-	1	2	6	
FEMALE--	314	-	-	1	-	-	2	1	-	2	5	
ALL OTHER--MALE----	25	1	-	-	-	-	-	1	-	1	1	
FEMALE--	33	-	-	-	-	-	-	1	-	1	2	
BLACK---MALE----	24	1	-	-	-	-	-	-	-	1	1	
FEMALE--	33	-	-	-	-	-	-	1	-	1	2	
RHODE ISLAND -----	41	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	26	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	168	2	-	-	2	-	1	2	-	3	7	2
WHITE-----MALE----	50	-	-	-	-	-	-	1	-	3	-	1
FEMALE--	68	1	-	-	-	-	1	-	-	-	3	1
ALL OTHER--MALE----	22	1	-	-	1	-	-	1	-	-	2	-
FEMALE--	28	-	-	-	1	-	-	-	-	-	2	-
BLACK---MALE----	22	1	-	-	1	-	-	1	-	-	2	-
FEMALE--	28	-	-	-	1	-	-	-	-	-	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,807  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (442-448)												
OHIO -----	10	14	31	46	60	78	74	73	63	21	4	-
WHITE-----MALE----	3	4	15	20	25	34	39	22	13	5	-	-
FEMALE--	5	8	14	19	25	35	30	48	42	13	3	-
ALL OTHER--MALE----	1	1	-	3	3	4	3	-	1	-	1	-
FEMALE--	1	1	2	4	7	5	2	3	7	3	-	-
BLACK---MALE----	1	1	-	3	3	4	3	-	1	-	1	-
FEMALE--	1	1	2	4	7	5	2	3	7	3	-	-
OKLAHOMA -----	4	3	12	11	19	18	21	17	9	9	3	-
WHITE-----MALE----	-	1	6	3	10	7	9	5	4	2	-	-
FEMALE--	3	2	4	6	6	10	10	10	4	7	2	-
ALL OTHER--MALE----	1	-	1	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	2	-	2	2	1	-	1	-
BLACK---MALE----	1	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	2	1	-	1	-
OREGON -----	5	4	3	11	17	27	27	30	15	5	-	-
WHITE-----MALE----	3	2	2	6	12	12	11	12	3	-	-	-
FEMALE--	2	2	1	5	3	15	15	18	11	5	-	-
ALL OTHER--MALE----	-	-	-	-	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
PENNSYLVANIA -----	14	13	38	56	88	99	106	81	62	30	7	-
WHITE-----MALE----	8	5	15	36	48	53	33	26	14	3	-	-
FEMALE--	3	6	13	17	33	37	64	50	46	27	7	-
ALL OTHER--MALE----	1	1	4	3	4	5	3	-	-	-	-	-
FEMALE--	2	1	6	-	3	4	6	5	2	-	-	-
BLACK---MALE----	1	1	4	3	4	5	3	-	-	-	-	-
FEMALE--	2	1	6	-	3	4	6	5	2	-	-	-
RHODE ISLAND -----	-	1	-	2	4	9	12	6	2	3	-	-
WHITE-----MALE----	-	1	-	1	1	7	3	-	-	1	-	-
FEMALE--	-	-	-	1	2	2	9	6	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	4	9	12	18	26	28	17	14	11	7	3	-
WHITE-----MALE----	-	4	5	11	9	7	2	3	4	-	-	-
FEMALE--	3	3	6	4	9	12	7	7	5	4	2	-
ALL OTHER--MALE----	-	1	-	1	2	4	3	3	2	1	-	-
FEMALE--	1	1	1	2	6	5	5	1	-	2	1	-
BLACK---MALE----	-	1	-	1	2	4	3	3	2	1	-	-
FEMALE--	1	1	1	2	6	5	5	1	-	2	1	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,808

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ALL OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (442-448)												
SOUTH DAKOTA -----	-	-	1	1	3	5	2	6	7	5	-	-
WHITE-----MALE----	-	-	-	1	3	3	2	3	1	5	-	-
FEMALE--	-	-	1	-	-	2	-	2	6	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	8	10	15	20	22	41	39	41	24	8	3	-
WHITE-----MALE----	3	3	9	10	10	16	13	11	6	4	-	-
FEMALE--	4	6	4	6	10	22	22	24	18	3	2	-
ALL OTHER--MALE----	-	1	-	1	1	1	3	2	-	-	-	-
FEMALE--	1	-	2	3	1	2	1	4	-	1	1	-
BLACK---MALE----	-	1	-	1	1	1	3	2	-	-	-	-
FEMALE--	1	-	2	3	1	2	1	4	-	1	1	-
TEXAS -----	20	26	38	62	73	86	74	91	64	23	11	-
WHITE-----MALE----	8	11	15	30	34	40	33	23	12	6	1	-
FEMALE--	8	12	16	29	28	34	38	55	42	13	8	-
ALL OTHER--MALE----	2	-	4	1	9	6	-	2	4	-	1	-
FEMALE--	2	3	3	2	2	6	3	11	6	4	1	-
BLACK---MALE----	2	-	4	1	8	5	-	2	4	-	1	-
FEMALE--	2	1	3	2	2	6	3	11	6	4	1	-
UTAH -----	-	2	3	3	7	4	4	9	6	2	-	-
WHITE-----MALE----	-	1	2	3	5	2	3	5	2	-	-	-
FEMALE--	-	1	1	-	2	2	1	4	4	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	2	-	-	1	3	8	2	2	8	3	-	-
WHITE-----MALE----	1	-	-	-	2	4	1	-	4	-	-	-
FEMALE--	1	-	-	1	1	4	1	2	4	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2	9	11	26	25	45	43	42	28	8	3	-
WHITE-----MALE----	-	3	5	9	10	19	13	8	6	1	-	-
FEMALE--	2	3	4	5	8	18	21	23	14	4	2	-
ALL OTHER--MALE----	-	2	1	7	4	3	4	3	4	-	-	-
FEMALE--	-	1	1	5	3	5	5	8	4	3	1	-
BLACK---MALE----	-	1	1	7	4	3	3	3	4	-	-	-
FEMALE--	-	1	1	4	3	5	5	8	4	3	1	-







TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,810  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
DISEASES OF VEINS AND LYMPHATICS, AND OTHER DISEASES OF CIRCULATORY SYSTEM (451-459)												
0 UNITED STATES --	4,185	66	12	1	2	12	21	37	55	105	134	173
WHITE-----MALE----	1,565	28	3	-	-	1	3	9	19	44	60	75
FEMALE--	1,879	19	7	-	1	4	8	10	19	30	30	50
ALL OTHER--MALE----	364	10	1	-	1	3	4	9	8	16	21	26
FEMALE--	377	9	1	1	-	4	6	9	9	15	23	22
BLACK---MALE----	331	7	1	-	1	3	4	9	8	15	17	25
FEMALE--	341	9	1	1	-	4	5	9	9	15	22	17
ALABAMA -----	79	2	1	-	-	-	-	2	4	1	1	2
WHITE-----MALE----	27	1	-	-	-	-	-	-	2	1	1	1
FEMALE--	35	1	-	-	-	-	-	1	1	-	-	1
ALL OTHER--MALE----	9	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	8	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	9	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	8	-	1	-	-	-	-	-	-	-	-	-
ALASKA -----	4	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	54	2	-	-	-	-	-	-	1	2	9	2
WHITE-----MALE----	23	-	-	-	-	-	-	-	-	-	4	1
FEMALE--	22	2	-	-	-	-	-	-	1	2	1	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	2	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	2	-
ARKANSAS -----	59	2	-	-	-	-	-	-	1	1	1	-
WHITE-----MALE----	18	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	29	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	1	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	1	-	-	-	-	-	-	1	-	-	-
CALIFORNIA -----	356	10	-	-	-	-	4	7	5	14	14	23
WHITE-----MALE----	143	3	-	-	-	-	-	3	2	7	8	10
FEMALE--	165	4	-	-	-	-	2	1	3	4	4	9
ALL OTHER--MALE----	20	2	-	-	-	-	2	-	-	-	2	3
FEMALE--	28	1	-	-	-	-	-	3	-	3	-	1
BLACK---MALE----	12	-	-	-	-	-	2	-	-	-	1	2
FEMALE--	23	1	-	-	-	-	-	3	-	3	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,810  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
 DISEASES OF VEINS AND LYMPHATICS, AND OTHER DISEASES OF CIRCULATORY SYSTEM (451-459)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 UNITED STATES --	184	206	293	405	482	557	559	493	274	96	16	2
WHITE-----MALE----	83	94	107	185	213	219	204	136	68	10	3	1
FEMALE--	57	66	112	137	196	267	284	312	184	74	11	1
ALL OTHER--MALE----	25	26	43	43	36	30	30	17	12	3	-	-
FEMALE--	19	20	31	40	37	41	41	28	10	9	2	-
BLACK---MALE----	24	22	41	39	34	24	27	16	11	3	-	-
FEMALE--	16	19	25	33	35	38	36	27	9	9	2	-
ALABAMA -----	3	5	7	6	9	9	11	11	5	-	-	-
WHITE-----MALE----	2	3	1	4	3	3	4	1	-	-	-	-
FEMALE--	-	1	4	2	4	4	5	7	4	-	-	-
ALL OTHER--MALE----	1	-	2	-	1	-	-	2	1	-	-	-
FEMALE--	-	1	-	-	1	2	2	1	-	-	-	-
BLACK---MALE----	1	-	2	-	1	-	-	2	1	-	-	-
FEMALE--	-	1	-	-	1	2	2	1	-	-	-	-
ALASKA -----	-	-	2	-	-	-	2	-	-	-	-	-
WHITE-----MALE----	-	-	2	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	2	3	3	7	6	3	9	3	1	-	-
WHITE-----MALE----	1	1	1	3	4	2	2	3	1	-	-	-
FEMALE--	-	1	-	-	2	4	1	5	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	2	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	1	4	4	8	5	6	13	8	3	1	-
WHITE-----MALE----	1	-	1	2	5	-	3	2	2	-	-	-
FEMALE--	-	1	1	1	2	5	3	8	5	2	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	1	1	-	-	-
FEMALE--	-	-	1	1	-	-	-	2	-	1	1	-
BLACK---MALE----	-	-	1	-	1	-	-	1	1	-	-	-
FEMALE--	-	-	1	1	-	-	-	2	-	1	1	-
CALIFORNIA -----	25	17	19	42	33	36	43	36	22	4	2	-
WHITE-----MALE----	11	9	10	18	15	12	15	11	8	-	1	-
FEMALE--	12	5	7	19	14	17	24	22	13	4	1	-
ALL OTHER--MALE----	1	2	1	1	1	4	-	1	-	-	-	-
FEMALE--	1	1	1	4	3	3	4	2	1	-	-	-
BLACK---MALE----	1	1	1	1	1	1	-	1	-	-	-	-
FEMALE--	1	1	1	2	2	3	3	2	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,811  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
DISEASES OF VEINS AND LYMPHATICS, AND OTHER DISEASES OF CIRCULATORY SYSTEM (451-459)												
COLORADO -----	63	1	-	-	-	-	1	-	-	1	1	-
WHITE-----MALE----	28	-	-	-	-	-	1	-	-	-	1	-
FEMALE--	29	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	57	-	-	-	-	-	-	-	1	2	1	2
WHITE-----MALE----	25	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	28	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	3	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
DELAWARE -----	14	-	-	-	-	-	-	-	-	-	2	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	9	-	-	-	-	-	-	-	1	-	1	2
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	-
FLORIDA -----	262	3	2	-	-	2	-	1	5	3	10	9
WHITE-----MALE----	111	2	-	-	-	-	-	-	2	-	3	5
FEMALE--	106	1	2	-	-	-	-	1	2	2	2	1
ALL OTHER--MALE----	21	-	-	-	-	1	-	-	1	-	1	2
FEMALE--	24	-	-	-	-	1	-	-	-	1	4	1
BLACK---MALE----	21	-	-	-	-	1	-	-	1	-	1	2
FEMALE--	24	-	-	-	-	1	-	-	-	1	4	1
GEORGIA -----	117	2	-	-	-	-	2	6	3	5	5	6
WHITE-----MALE----	38	1	-	-	-	-	-	1	1	2	-	3
FEMALE--	41	1	-	-	-	-	1	1	-	-	-	1
ALL OTHER--MALE----	22	-	-	-	-	-	1	1	1	-	4	1
FEMALE--	16	-	-	-	-	-	-	3	1	3	1	1
BLACK---MALE----	22	-	-	-	-	-	1	1	1	-	4	1
FEMALE--	16	-	-	-	-	-	-	3	1	3	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,811  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DISEASES OF VEINS AND LYMPHATICS, AND OTHER DISEASES OF CIRCULATORY SYSTEM (451-459)												
COLORADO -----	2	5	4	9	12	5	6	4	7	5	-	-
WHITE-----MALE----	-	1	1	7	6	2	4	2	2	1	-	-
FEMALE--	1	4	2	2	5	3	2	2	4	4	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
CONNECTICUT -----	1	6	2	5	3	7	12	10	2	3	-	-
WHITE-----MALE----	1	5	1	2	2	2	6	3	1	-	-	-
FEMALE--	-	1	1	3	1	5	5	7	1	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	1	3	1	-	1	2	3	-	1	-	-
WHITE-----MALE----	-	-	1	-	-	-	1	-	-	1	-	-
FEMALE--	-	-	1	1	-	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	3	1	-	-	-	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	1	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	1	-	-	-	-	-	1	-	-
FLORIDA -----	12	12	18	34	29	40	33	27	21	1	-	-
WHITE-----MALE----	8	8	6	16	17	18	13	9	4	-	-	-
FEMALE--	1	3	5	9	8	19	15	17	17	1	-	-
ALL OTHER--MALE----	3	-	6	3	2	1	1	-	-	-	-	-
FEMALE--	-	1	1	6	2	2	4	1	-	-	-	-
BLACK---MALE----	3	-	6	3	2	1	1	-	-	-	-	-
FEMALE--	-	1	1	6	2	2	4	1	-	-	-	-
GEORGIA -----	5	5	4	4	14	17	15	15	6	3	-	-
WHITE-----MALE----	-	3	1	2	6	7	6	4	1	-	-	-
FEMALE--	1	-	1	1	6	5	9	8	4	2	-	-
ALL OTHER--MALE----	4	2	1	1	1	4	-	1	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	2	1	1	-	-
BLACK---MALE----	4	2	1	1	1	4	-	1	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	2	1	1	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,812  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DISEASES OF VEINS AND LYMPHATICS, AND OTHER DISEASES OF CIRCULATORY SYSTEM (451-459)												
HAWAII -----	-	2	2	3	2	2	8	5	3	-	-	-
WHITE-----MALE----	-	1	-	1	1	-	1	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	2	2	2	-	-	-
ALL OTHER--MALE----	-	1	1	2	1	1	2	1	1	-	-	-
FEMALE--	-	-	-	-	-	1	3	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	1	-	-	1	2	4	1	1	1	-	-	-
WHITE-----MALE----	1	-	-	1	-	3	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	6	6	13	26	18	23	26	25	13	4	-	-
WHITE-----MALE----	3	3	6	14	7	5	10	7	2	1	-	-
FEMALE--	-	2	5	3	6	14	12	15	8	2	-	-
ALL OTHER--MALE----	1	1	-	4	3	-	-	-	2	1	-	-
FEMALE--	2	-	2	5	2	4	4	3	1	-	-	-
BLACK---MALE----	1	1	-	4	3	-	-	-	2	1	-	-
FEMALE--	2	-	2	5	2	4	4	3	1	-	-	-
INDIANA -----	3	9	8	17	10	14	16	13	1	-	-	-
WHITE-----MALE----	3	7	3	8	3	7	4	7	1	-	-	-
FEMALE--	-	-	2	8	6	7	11	6	-	-	-	-
ALL OTHER--MALE----	-	1	2	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	1	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	2	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	1	1	1	-	-	-	-	-	-	-
IOWA -----	-	3	2	4	7	5	4	13	1	1	2	-
WHITE-----MALE----	-	2	1	2	3	1	3	4	-	-	-	-
FEMALE--	-	1	1	2	4	3	1	9	1	1	2	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	3	2	3	5	2	6	6	5	6	-	-	-
WHITE-----MALE----	2	1	2	2	1	1	4	3	3	-	-	-
FEMALE--	1	1	1	3	1	5	1	2	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,813  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
DISEASES OF VEINS AND LYMPHATICS, AND OTHER DISEASES OF CIRCULATORY SYSTEM (451-459)												
KENTUCKY -----	84	1	-	-	1	-	-	-	-	-	-	3
WHITE-----MALE----	31	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	44	1	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	4	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	59	1	-	-	-	-	-	-	-	1	2	1
WHITE-----MALE----	17	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	21	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	12	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	12	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	1	-
MAINE -----	22	-	-	-	-	-	-	-	1	-	-	2
WHITE-----MALE----	11	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	70	1	-	-	-	-	-	1	1	5	1	4
WHITE-----MALE----	14	-	-	-	-	-	-	1	-	2	1	-
FEMALE--	29	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	1	2	-	1
FEMALE--	13	1	-	-	-	-	-	-	-	-	-	3
BLACK---MALE----	14	-	-	-	-	-	-	-	1	2	-	1
FEMALE--	13	1	-	-	-	-	-	-	-	-	-	3
MASSACHUSETTS -----	82	1	-	-	-	-	-	-	-	2	3	1
WHITE-----MALE----	35	1	-	-	-	-	-	-	-	1	2	-
FEMALE--	39	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
MICHIGAN -----	190	2	1	-	-	1	4	2	3	11	11	6
WHITE-----MALE----	64	1	1	-	-	1	-	-	1	1	5	3
FEMALE--	71	-	-	-	-	-	3	-	-	3	2	1
ALL OTHER--MALE----	29	-	-	-	-	-	-	-	1	4	2	1
FEMALE--	26	1	-	-	-	-	1	2	1	3	2	1
BLACK---MALE----	29	-	-	-	-	-	-	-	1	4	2	1
FEMALE--	25	1	-	-	-	-	1	2	1	3	2	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,813  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DISEASES OF VEINS AND LYMPHATICS, AND OTHER DISEASES OF CIRCULATORY SYSTEM (451-459)												
KENTUCKY -----	3	7	7	9	9	11	9	12	7	3	2	-
WHITE-----MALE----	1	2	4	7	3	3	3	3	3	1	-	-
FEMALE--	1	5	1	2	5	8	5	7	3	2	2	-
ALL OTHER--MALE----	1	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	2	1	-	-	-
BLACK---MALE----	1	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	2	1	-	-	-
LOUISIANA -----	2	4	6	5	3	5	14	6	5	4	-	-
WHITE-----MALE----	-	2	-	3	1	4	6	-	-	-	-	-
FEMALE--	-	1	3	1	1	-	2	3	5	3	-	-
ALL OTHER--MALE----	1	1	3	1	-	1	3	1	-	-	-	-
FEMALE--	1	-	-	-	1	-	3	2	-	1	-	-
BLACK---MALE----	1	1	3	1	-	1	3	1	-	-	-	-
FEMALE--	1	-	-	-	1	-	3	2	-	1	-	-
MAINE -----	1	2	3	-	4	2	1	3	2	1	-	-
WHITE-----MALE----	-	1	3	-	1	-	1	2	-	-	-	-
FEMALE--	1	1	-	-	3	2	-	1	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2	3	7	5	8	7	6	10	7	2	-	-
WHITE-----MALE----	-	-	1	2	2	1	2	2	-	-	-	-
FEMALE--	1	1	3	1	-	6	3	6	6	1	-	-
ALL OTHER--MALE----	1	-	3	2	1	-	1	1	1	-	-	-
FEMALE--	-	2	-	-	5	-	-	1	-	1	-	-
BLACK---MALE----	1	-	3	2	1	-	1	1	1	-	-	-
FEMALE--	-	2	-	-	5	-	-	1	-	1	-	-
MASSACHUSETTS -----	2	5	4	4	8	20	13	10	5	4	-	-
WHITE-----MALE----	1	-	1	2	4	11	5	4	1	2	-	-
FEMALE--	1	3	3	2	3	7	8	6	3	2	-	-
ALL OTHER--MALE----	-	1	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	1	-	-	-
MICHIGAN -----	8	11	13	16	22	28	22	17	8	3	1	-
WHITE-----MALE----	2	2	5	5	10	12	8	3	4	-	-	-
FEMALE--	1	6	3	5	6	13	9	12	4	2	1	-
ALL OTHER--MALE----	3	2	4	3	4	2	3	-	-	-	-	-
FEMALE--	2	1	1	3	2	1	2	2	-	1	-	-
BLACK---MALE----	3	2	4	3	4	2	3	-	-	-	-	-
FEMALE--	2	1	1	2	2	1	2	2	-	1	-	-









TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,816  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
DISEASES OF VEINS AND LYMPHATICS, AND OTHER DISEASES OF CIRCULATORY SYSTEM (451-459)												
OHIO -----	215	2	-	-	-	-	1	3	3	-	6	10
WHITE-----MALE----	81	2	-	-	-	-	-	-	1	-	2	5
FEMALE--	101	-	-	-	-	-	-	1	1	-	3	1
ALL OTHER--MALE----	19	-	-	-	-	-	-	2	-	-	1	3
FEMALE--	14	-	-	-	-	-	1	-	1	-	-	1
BLACK---MALE----	19	-	-	-	-	-	-	2	-	-	1	3
FEMALE--	14	-	-	-	-	-	1	-	1	-	-	1
OKLAHOMA -----	71	3	1	-	-	-	-	-	1	1	-	3
WHITE-----MALE----	27	2	-	-	-	-	-	-	1	-	-	-
FEMALE--	37	1	1	-	-	-	-	-	-	1	-	2
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
OREGON -----	41	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	28	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	244	1	-	-	-	-	1	2	3	5	6	8
WHITE-----MALE----	83	-	-	-	-	-	-	1	2	4	1	4
FEMALE--	120	-	-	-	-	-	-	1	-	-	1	3
ALL OTHER--MALE----	17	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	24	1	-	-	-	-	1	-	1	1	2	-
BLACK---MALE----	16	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	22	1	-	-	-	-	1	-	1	1	1	-
RHODE ISLAND -----	17	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	66	-	-	-	-	1	-	-	1	2	-	5
WHITE-----MALE----	27	-	-	-	-	-	-	-	-	-	-	5
FEMALE--	19	-	-	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,816  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DISEASES OF VEINS AND LYMPHATICS, AND OTHER DISEASES OF CIRCULATORY SYSTEM (451-459)												
OHIO -----	7	7	9	29	28	27	30	28	16	9	-	-
WHITE-----MALE----	2	3	5	9	10	14	8	11	8	1	-	-
FEMALE--	3	4	3	13	14	10	17	16	8	7	-	-
ALL OTHER--MALE----	2	-	1	6	1	-	3	-	-	-	-	-
FEMALE--	-	-	-	1	3	3	2	1	-	1	-	-
BLACK---MALE----	2	-	1	6	1	-	3	-	-	-	-	-
FEMALE--	-	-	-	1	3	3	2	1	-	1	-	-
OKLAHOMA -----	4	3	5	3	9	9	10	15	4	-	-	-
WHITE-----MALE----	1	1	2	1	1	5	5	7	1	-	-	-
FEMALE--	1	1	3	2	6	4	5	7	3	-	-	-
ALL OTHER--MALE----	1	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	1	-	-	-	-
OREGON -----	3	2	2	2	4	8	2	8	4	3	1	-
WHITE-----MALE----	2	-	-	-	4	2	1	2	-	-	-	-
FEMALE--	1	1	2	2	-	6	1	6	4	3	1	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	9	9	19	24	32	40	36	29	15	5	-	-
WHITE-----MALE----	3	6	5	10	10	16	9	9	2	1	-	-
FEMALE--	5	2	7	10	17	17	24	19	11	3	-	-
ALL OTHER--MALE----	-	1	4	3	2	2	-	1	1	-	-	-
FEMALE--	1	-	3	1	3	5	3	-	1	1	-	-
BLACK---MALE----	-	1	3	3	2	2	-	1	1	-	-	-
FEMALE--	1	-	3	-	3	5	3	-	1	1	-	-
RHODE ISLAND -----	1	-	2	3	1	3	2	4	1	-	-	-
WHITE-----MALE----	-	-	2	2	-	2	-	1	-	-	-	-
FEMALE--	1	-	-	1	1	1	2	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	4	5	3	8	4	10	14	6	3	-	-	-
WHITE-----MALE----	2	1	1	6	1	5	3	2	1	-	-	-
FEMALE--	-	2	-	2	1	4	4	3	1	-	-	-
ALL OTHER--MALE----	1	1	1	-	-	-	4	-	1	-	-	-
FEMALE--	1	1	1	-	2	1	3	1	-	-	-	-
BLACK---MALE----	1	1	1	-	-	-	4	-	1	-	-	-
FEMALE--	1	1	1	-	2	1	3	1	-	-	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,817  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DISEASES OF VEINS AND LYMPHATICS, AND OTHER DISEASES OF CIRCULATORY SYSTEM (451-459)												
SOUTH DAKOTA -----	-	-	-	2	3	3	3	2	3	1	-	-
WHITE-----MALE----	-	-	-	-	2	1	2	-	2	-	-	-
FEMALE--	-	-	-	2	1	2	1	2	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	6	9	14	12	16	16	17	12	4	2	-	-
WHITE-----MALE----	2	5	5	7	10	5	7	5	-	-	-	-
FEMALE--	3	1	6	2	5	5	4	6	4	1	-	-
ALL OTHER--MALE----	-	2	2	2	1	2	3	-	-	1	-	-
FEMALE--	1	1	1	1	-	4	3	1	-	-	-	-
BLACK---MALE----	-	2	2	2	1	2	3	-	-	1	-	-
FEMALE--	1	1	1	1	-	4	3	1	-	-	-	-
TEXAS -----	14	13	18	23	24	31	33	22	15	4	-	-
WHITE-----MALE----	7	5	4	12	10	13	7	5	2	-	-	-
FEMALE--	3	4	11	6	10	17	21	15	13	4	-	-
ALL OTHER--MALE----	2	1	2	3	3	-	4	2	-	-	-	-
FEMALE--	2	3	1	2	1	1	1	-	-	-	-	-
BLACK---MALE----	2	1	2	2	3	-	4	2	-	-	-	-
FEMALE--	2	2	-	2	1	1	1	-	-	-	-	-
UTAH -----	1	-	-	1	5	4	1	2	2	-	-	-
WHITE-----MALE----	1	-	-	1	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	3	4	1	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	3	-	1	1	1	-	-	-	-	-
WHITE-----MALE----	1	-	3	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	3	3	5	10	15	22	7	14	9	6	-	-
WHITE-----MALE----	2	-	3	2	6	9	2	2	2	-	-	-
FEMALE--	-	-	1	3	4	9	3	11	7	4	-	-
ALL OTHER--MALE----	1	1	-	2	4	2	1	1	-	1	-	-
FEMALE--	-	2	1	3	1	2	1	-	-	1	-	-
BLACK---MALE----	1	1	-	2	4	2	1	1	-	1	-	-
FEMALE--	-	2	1	3	1	1	1	-	-	1	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,819  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 PHLEBITIS, THROMBOPHLEBITIS, AND VENOUS EMBOLISM AND THROMBOSIS (451-453)												
0 UNITED STATES --	1,742	8	3	-	1	6	17	30	35	63	67	95
WHITE-----MALE----	581	6	1	-	-	-	2	6	9	21	26	32
FEMALE--	842	2	2	-	-	1	6	9	16	22	19	41
ALL OTHER--MALE----	154	-	-	-	1	3	4	8	3	9	11	10
FEMALE--	165	-	-	-	-	2	5	7	7	11	11	12
BLACK---MALE----	146	-	-	-	1	3	4	8	3	9	8	9
FEMALE--	155	-	-	-	-	2	4	7	7	11	11	11
ALABAMA -----	17	-	-	-	-	-	-	2	1	1	-	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	11	-	-	-	-	-	-	1	1	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	22	-	-	-	-	-	-	-	-	1	3	-
WHITE-----MALE----	11	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	8	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ARKANSAS -----	20	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	253	2	-	-	-	-	4	7	5	12	13	22
WHITE-----MALE----	105	1	-	-	-	-	-	3	2	6	7	9
FEMALE--	115	1	-	-	-	-	2	1	3	3	4	9
ALL OTHER--MALE----	14	-	-	-	-	-	2	-	-	-	2	3
FEMALE--	19	-	-	-	-	-	-	3	-	3	-	1
BLACK---MALE----	11	-	-	-	-	-	2	-	-	-	1	2
FEMALE--	18	-	-	-	-	-	-	3	-	3	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,819  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PHLEBITIS, THROMBOPHLEBITIS, AND VENOUS EMBOLISM AND THROMBOSIS (451-453)												
0 UNITED STATES --	83	87	122	180	201	210	216	184	100	29	4	1
WHITE-----MALE----	30	35	44	82	82	74	69	41	18	2	1	-
FEMALE--	34	31	43	61	96	108	116	129	77	25	3	1
ALL OTHER--MALE----	12	12	23	20	10	10	12	3	3	-	-	-
FEMALE--	7	9	12	17	13	18	19	11	2	2	-	-
BLACK---MALE----	12	11	23	19	9	9	12	3	3	-	-	-
FEMALE--	7	9	8	14	13	17	19	11	2	2	-	-
ALABAMA -----	1	1	-	1	1	1	3	3	1	-	-	-
WHITE-----MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	-	2	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	1	1	1	4	4	1	4	1	1	-	-
WHITE-----MALE----	-	1	-	1	2	2	1	2	1	-	-	-
FEMALE--	-	-	-	-	2	2	-	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	-	3	1	3	2	1	6	2	1	-	-
WHITE-----MALE----	1	-	-	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	1	1	2	2	-	5	2	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	16	13	16	31	25	22	31	23	9	2	-	-
WHITE-----MALE----	6	8	8	15	12	7	13	6	2	-	-	-
FEMALE--	9	4	6	13	11	11	15	14	7	2	-	-
ALL OTHER--MALE----	-	1	1	1	1	2	-	1	-	-	-	-
FEMALE--	1	-	1	2	1	2	3	2	-	-	-	-
BLACK---MALE----	-	1	1	1	1	1	-	1	-	-	-	-
FEMALE--	1	-	1	1	1	2	3	2	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,820  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 PHLEBITIS, THROMBOPHLEBITIS, AND VENOUS EMBOLISM AND THROMBOSIS (451-453)												
COLORADO -----	22	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	12	-	-	-	-	-	-	-	-	1	-	1
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	9	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	3	-	-	-	-	-	-	-	1	-	-	1
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
FLORIDA -----	121	1	-	-	-	1	-	1	4	3	5	5
WHITE-----MALE----	37	1	-	-	-	-	-	-	1	-	1	1
FEMALE--	53	-	-	-	-	-	-	1	2	2	1	1
ALL OTHER--MALE----	19	-	-	-	-	1	-	-	1	-	1	2
FEMALE--	12	-	-	-	-	-	-	-	-	1	2	1
BLACK---MALE----	19	-	-	-	-	1	-	-	1	-	1	2
FEMALE--	12	-	-	-	-	-	-	-	-	1	2	1
GEORGIA -----	45	-	-	-	-	-	1	4	2	3	2	3
WHITE-----MALE----	13	-	-	-	-	-	-	1	1	1	-	1
FEMALE--	18	-	-	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	9	-	-	-	-	-	1	1	-	-	2	-
FEMALE--	5	-	-	-	-	-	-	1	1	2	-	1
BLACK---MALE----	9	-	-	-	-	-	1	1	-	-	2	-
FEMALE--	5	-	-	-	-	-	-	1	1	2	-	1









TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,822  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 PHLEBITIS, THROMBOPHLEBITIS, AND VENOUS EMBOLISM AND THROMBOSIS (451-453)												
KENTUCKY -----	24	1	-	-	1	-	-	-	-	-	-	2
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	1	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	2	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	28	-	-	-	-	-	-	-	-	1	1	1
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	13	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	10	-	-	-	-	-	-	-	1	-	-	1
WHITE-----MALE----	4	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	23	-	-	-	-	-	-	-	1	1	-	2
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	2
MASSACHUSETTS -----	26	1	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	8	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	120	-	-	-	-	-	3	2	3	11	8	3
WHITE-----MALE----	37	-	-	-	-	-	-	-	1	1	3	1
FEMALE--	44	-	-	-	-	-	2	-	-	3	2	1
ALL OTHER--MALE----	19	-	-	-	-	-	-	-	1	4	1	-
FEMALE--	20	-	-	-	-	-	1	2	1	3	2	1
BLACK---MALE----	19	-	-	-	-	-	-	-	1	4	1	-
FEMALE--	20	-	-	-	-	-	1	2	1	3	2	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,822  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PHLEBITIS, THROMBOPHLEBITIS, AND VENOUS EMBOLISM AND THROMBOSIS (451-453)												
KENTUCKY -----	-	1	3	2	2	4	2	4	2	-	-	-
WHITE-----MALE----	-	-	2	1	-	-	-	1	1	-	-	-
FEMALE--	-	1	-	1	2	4	2	2	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
LOUISIANA -----	-	1	3	2	2	2	8	3	2	2	-	-
WHITE-----MALE----	-	-	-	1	1	2	2	-	-	-	-	-
FEMALE--	-	1	2	-	-	-	2	3	2	1	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	2	-	-	1	-	-
BLACK---MALE----	-	-	1	1	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	2	-	-	1	-	-
MAINE -----	1	1	1	-	2	1	-	2	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	1	1	-	-	2	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	1	2	1	1	3	1	6	3	-	-	-
WHITE-----MALE----	-	-	-	1	-	1	-	1	-	-	-	-
FEMALE--	-	-	2	-	-	2	-	4	3	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	1	-	-	-	-
MASSACHUSETTS -----	1	1	1	-	1	8	4	3	2	2	-	-
WHITE-----MALE----	-	-	-	-	-	4	1	-	-	1	-	-
FEMALE--	1	1	1	-	1	4	3	3	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	6	9	8	12	12	17	12	8	5	1	-	-
WHITE-----MALE----	2	1	4	4	6	7	3	2	2	-	-	-
FEMALE--	1	5	1	4	2	9	6	4	3	1	-	-
ALL OTHER--MALE----	1	2	2	2	3	1	2	-	-	-	-	-
FEMALE--	2	1	1	2	1	-	1	2	-	-	-	-
BLACK---MALE----	1	2	2	2	3	1	2	-	-	-	-	-
FEMALE--	2	1	1	2	1	-	1	2	-	-	-	-











TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,825  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 PHLEBITIS, THROMBOPHLEBITIS, AND VENOUS EMBOLISM AND THROMBOSIS (451-453)												
OHIO -----	85	1	-	-	-	-	1	3	2	-	3	6
WHITE-----MALE----	30	1	-	-	-	-	-	-	-	-	1	3
FEMALE--	42	-	-	-	-	-	-	1	1	-	2	1
ALL OTHER--MALE----	8	-	-	-	-	-	-	2	-	-	-	2
FEMALE--	5	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	2	-	-	-	2
FEMALE--	5	-	-	-	-	-	1	-	1	-	-	-
OKLAHOMA -----	29	-	-	-	-	-	-	-	1	1	-	3
WHITE-----MALE----	9	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	18	-	-	-	-	-	-	-	-	1	-	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
OREGON -----	13	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	92	-	-	-	-	-	1	1	2	1	3	1
WHITE-----MALE----	29	-	-	-	-	-	-	-	1	1	1	1
FEMALE--	50	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	10	-	-	-	-	-	1	-	1	-	1	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	9	-	-	-	-	-	1	-	1	-	1	-
RHODE ISLAND -----	6	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	21	-	-	-	-	-	-	-	1	1	-	3
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	7	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,825  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PHLEBITIS, THROMBOPHLEBITIS, AND VENOUS EMBOLISM AND THROMBOSIS (451-453)												
OHIO -----	4	2	1	16	7	13	11	8	5	2	-	-
WHITE-----MALE----	1	1	-	4	4	6	3	3	3	-	-	-
FEMALE--	3	1	1	7	3	5	8	5	2	2	-	-
ALL OTHER--MALE----	-	-	-	4	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	4	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	2	-	-	-	-	-	-
OKLAHOMA -----	-	2	4	1	5	2	4	5	1	-	-	-
WHITE-----MALE----	-	1	2	-	1	-	2	2	-	-	-	-
FEMALE--	-	-	2	1	4	2	2	3	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	2	1	-	2	1	1	-	2	2	-	1	-
WHITE-----MALE----	2	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	2	-	1	-	1	2	-	1	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	4	4	6	11	14	11	15	9	6	3	-	-
WHITE-----MALE----	1	2	2	5	4	4	3	2	1	1	-	-
FEMALE--	2	1	3	5	9	6	10	7	5	1	-	-
ALL OTHER--MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	1	1	2	-	-	1	-	-
BLACK---MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	2	-	-	1	-	-
RHODE ISLAND -----	-	-	1	1	1	1	1	1	-	-	-	-
WHITE-----MALE----	-	-	1	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	2	1	1	2	3	4	1	2	-	-	-
WHITE-----MALE----	-	-	1	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	1	1	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	1	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	1	-	-	1	-	1	-	-	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,826  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PHLEBITIS, THROMBOPHLEBITIS, AND VENOUS EMBOLISM AND THROMBOSIS (451-453)												
SOUTH DAKOTA -----	-	-	-	-	1	-	1	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	3	4	5	3	9	8	11	4	2	-	-	-
WHITE-----MALE----	-	4	1	3	4	4	3	-	-	-	-	-
FEMALE--	2	-	3	-	4	3	4	3	2	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	2	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	2	1	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	2	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	2	1	-	-	-	-
TEXAS -----	6	7	9	11	9	14	10	8	1	1	-	-
WHITE-----MALE----	1	2	1	6	4	4	3	1	-	-	-	-
FEMALE--	1	2	6	3	3	9	6	6	1	1	-	-
ALL OTHER--MALE----	2	1	2	-	1	-	1	1	-	-	-	-
FEMALE--	2	2	-	2	1	1	-	-	-	-	-	-
BLACK---MALE----	2	1	2	-	1	-	1	1	-	-	-	-
FEMALE--	2	2	-	2	1	1	-	-	-	-	-	-
UTAH -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	2	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	2	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	-	1	6	5	7	3	4	3	3	-	-
WHITE-----MALE----	-	-	1	2	1	3	1	1	-	-	-	-
FEMALE--	-	-	-	1	3	2	1	3	3	3	-	-
ALL OTHER--MALE----	-	-	-	2	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	2	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-







TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,828  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER DISEASES OF VEINS AND LYMPHATICS AND ALL OTHER DISEASES OF CIRCULATORY SYSTEM (454-459)												
0 UNITED STATES --	101	119	171	225	281	347	343	309	174	67	12	1
WHITE-----MALE----	53	59	63	103	131	145	135	95	50	8	2	1
FEMALE--	23	35	69	76	100	159	168	183	107	49	8	-
ALL OTHER--MALE----	13	14	20	23	26	20	18	14	9	3	-	-
FEMALE--	12	11	19	23	24	23	22	17	8	7	2	-
BLACK---MALE----	12	11	18	20	25	15	15	13	8	3	-	-
FEMALE--	9	10	17	19	22	21	17	16	7	7	2	-
ALABAMA -----	2	4	7	5	8	8	8	8	4	-	-	-
WHITE-----MALE----	1	3	1	4	3	2	4	1	-	-	-	-
FEMALE--	-	-	4	1	3	4	3	5	3	-	-	-
ALL OTHER--MALE----	1	-	2	-	1	-	-	2	1	-	-	-
FEMALE--	-	1	-	-	1	2	1	-	-	-	-	-
BLACK---MALE----	1	-	2	-	1	-	-	2	1	-	-	-
FEMALE--	-	1	-	-	1	2	1	-	-	-	-	-
ALASKA -----	-	-	2	-	-	-	2	-	-	-	-	-
WHITE-----MALE----	-	-	2	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	1	2	2	3	2	2	5	2	-	-	-
WHITE-----MALE----	1	-	1	2	2	-	1	1	-	-	-	-
FEMALE--	-	1	-	-	-	2	1	3	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	1	1	3	5	3	5	7	6	2	1	-
WHITE-----MALE----	-	-	1	2	4	-	2	1	2	-	-	-
FEMALE--	-	1	-	-	-	3	3	3	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	1	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	2	-	1	1	-
BLACK---MALE----	-	-	-	-	1	-	-	1	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	2	-	1	1	-
CALIFORNIA -----	9	4	3	11	8	14	12	13	13	2	2	-
WHITE-----MALE----	5	1	2	3	3	5	2	5	6	-	1	-
FEMALE--	3	1	1	6	3	6	9	8	6	2	1	-
ALL OTHER--MALE----	1	1	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	1	-	2	2	1	1	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	1	-	-	-	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,829  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER DISEASES OF VEINS AND LYMPHATICS AND ALL OTHER DISEASES OF CIRCULATORY SYSTEM (454-459)												
COLORADO -----	41	1	-	-	-	-	1	-	-	-	1	-
WHITE-----MALE----	20	-	-	-	-	-	1	-	-	-	1	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	45	-	-	-	-	-	-	-	1	1	1	1
WHITE-----MALE----	21	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	20	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	3	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
DELAWARE -----	5	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	6	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	141	2	2	-	-	1	-	-	1	-	5	4
WHITE-----MALE----	74	1	-	-	-	-	-	-	1	-	2	4
FEMALE--	53	1	2	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	1	-	-	-	-	2	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	1	-	-	-	-	2	-
GEORGIA -----	72	2	-	-	-	-	1	2	1	2	3	3
WHITE-----MALE----	25	1	-	-	-	-	-	-	-	1	-	2
FEMALE--	23	1	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	1	-	2	1
FEMALE--	11	-	-	-	-	-	-	2	-	1	1	-
BLACK---MALE----	13	-	-	-	-	-	-	-	1	-	2	1
FEMALE--	11	-	-	-	-	-	-	2	-	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,829  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER DISEASES OF VEINS AND LYMPHATICS AND ALL OTHER DISEASES OF CIRCULATORY SYSTEM (454-459)												
COLORADO -----	1	2	2	5	8	3	5	3	4	5	-	-
WHITE-----MALE----	-	1	1	4	4	-	3	2	2	1	-	-
FEMALE--	-	1	1	1	3	3	2	1	1	4	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
CONNECTICUT -----	1	5	2	3	3	5	10	9	-	3	-	-
WHITE-----MALE----	1	5	1	2	2	2	5	3	-	-	-	-
FEMALE--	-	-	1	1	1	3	4	6	-	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	1	2	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	2	1	-	-	-	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	1	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	1	-	-	-	-	-	1	-	-
FLORIDA -----	5	7	8	19	14	27	15	18	13	-	-	-
WHITE-----MALE----	5	4	4	11	8	15	7	8	4	-	-	-
FEMALE--	-	2	3	5	4	10	7	9	9	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	1	1	3	1	1	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	1	1	3	1	1	1	1	-	-	-	-
GEORGIA -----	2	3	4	1	7	13	10	12	4	2	-	-
WHITE-----MALE----	-	2	1	-	4	5	5	3	1	-	-	-
FEMALE--	1	-	1	1	1	3	5	6	2	1	-	-
ALL OTHER--MALE----	1	1	1	-	1	4	-	1	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	2	1	1	-	-
BLACK---MALE----	1	1	1	-	1	4	-	1	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	2	1	1	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,830  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER DISEASES OF VEINS AND LYMPHATICS AND ALL OTHER DISEASES OF CIRCULATORY SYSTEM (454-459)												
HAWAII -----	-	1	1	2	1	2	8	5	3	-	-	-
WHITE-----MALE----	-	-	-	1	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	2	2	-	-	-
ALL OTHER--MALE----	-	1	1	1	-	1	2	1	1	-	-	-
FEMALE--	-	-	-	-	-	1	3	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	1	-	-	1	1	3	1	1	1	-	-	-
WHITE-----MALE----	1	-	-	1	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	5	5	9	18	12	18	15	17	8	3	-	-
WHITE-----MALE----	3	2	4	9	5	3	8	5	1	1	-	-
FEMALE--	-	2	3	2	4	12	5	9	6	1	-	-
ALL OTHER--MALE----	-	1	-	4	2	-	-	-	1	1	-	-
FEMALE--	2	-	2	3	1	3	2	3	-	-	-	-
BLACK---MALE----	-	1	-	4	2	-	-	-	1	1	-	-
FEMALE--	2	-	2	3	1	3	2	3	-	-	-	-
INDIANA -----	2	8	4	12	6	12	12	10	-	-	-	-
WHITE-----MALE----	2	7	1	5	2	6	4	6	-	-	-	-
FEMALE--	-	-	2	6	3	6	8	4	-	-	-	-
ALL OTHER--MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
IOWA -----	-	3	1	3	5	3	3	7	-	1	1	-
WHITE-----MALE----	-	2	1	1	2	1	2	2	-	-	-	-
FEMALE--	-	1	-	2	3	2	1	5	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	-	1	1	1	2	4	4	3	4	-	-	-
WHITE-----MALE----	-	1	-	1	1	-	2	1	2	-	-	-
FEMALE--	-	-	1	-	1	4	1	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,831  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER DISEASES OF VEINS AND LYMPHATICS AND ALL OTHER DISEASES OF CIRCULATORY SYSTEM (454-459)												
KENTUCKY -----	3	6	4	7	7	7	7	8	5	3	2	-
WHITE-----MALE----	1	2	2	6	3	3	3	2	2	1	-	-
FEMALE--	1	4	1	1	3	4	3	5	2	2	2	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	1	1	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	1	1	-	-	-
LOUISIANA -----	2	3	3	3	1	3	6	3	3	2	-	-
WHITE-----MALE----	-	2	-	2	-	2	4	-	-	-	-	-
FEMALE--	-	-	1	1	1	-	-	-	3	2	-	-
ALL OTHER--MALE----	1	1	2	-	-	1	1	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	2	-	-	-	-
BLACK---MALE----	1	1	2	-	-	1	1	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	2	-	-	-	-
MAINE -----	-	1	2	-	2	1	1	1	2	1	-	-
WHITE-----MALE----	-	1	2	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	2	5	4	7	4	5	4	4	2	-	-
WHITE-----MALE----	-	-	1	1	2	-	2	1	-	-	-	-
FEMALE--	1	1	1	1	-	4	3	2	3	1	-	-
ALL OTHER--MALE----	-	-	3	2	1	-	-	1	1	-	-	-
FEMALE--	-	1	-	-	4	-	-	-	-	1	-	-
BLACK---MALE----	-	-	3	2	1	-	-	1	1	-	-	-
FEMALE--	-	1	-	-	4	-	-	-	-	1	-	-
MASSACHUSETTS -----	1	4	3	4	7	12	9	7	3	2	-	-
WHITE-----MALE----	1	-	1	2	4	7	4	4	1	1	-	-
FEMALE--	-	2	2	2	2	3	5	3	1	1	-	-
ALL OTHER--MALE----	-	1	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	1	-	-	-
MICHIGAN -----	2	2	5	4	10	11	10	9	3	2	1	-
WHITE-----MALE----	-	1	1	1	4	5	5	1	2	-	-	-
FEMALE--	-	1	2	1	4	4	3	8	1	1	1	-
ALL OTHER--MALE----	2	-	2	1	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	1	-	-	1	-	-
BLACK---MALE----	2	-	2	1	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	1	-	-













TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,834  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER DISEASES OF VEINS AND LYMPHATICS AND ALL OTHER DISEASES OF CIRCULATORY SYSTEM (454-459)												
OHIO -----	3	5	8	13	21	14	19	20	11	7	-	-
WHITE-----MALE----	1	2	5	5	6	8	5	8	5	1	-	-
FEMALE--	-	3	2	6	11	5	9	11	6	5	-	-
ALL OTHER--MALE----	2	-	1	2	1	-	3	-	-	-	-	-
FEMALE--	-	-	-	-	3	1	2	1	-	1	-	-
BLACK---MALE----	2	-	1	2	1	-	3	-	-	-	-	-
FEMALE--	-	-	-	-	3	1	2	1	-	1	-	-
OKLAHOMA -----	4	1	1	2	4	7	6	10	3	-	-	-
WHITE-----MALE----	1	-	-	1	-	5	3	5	1	-	-	-
FEMALE--	1	1	1	1	2	2	3	4	2	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	1	-	-	-	-
OREGON -----	1	1	2	-	3	7	2	6	2	3	-	-
WHITE-----MALE----	-	-	-	-	3	2	1	1	-	-	-	-
FEMALE--	1	1	2	-	-	5	1	5	2	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	5	5	13	13	18	29	21	20	9	2	-	-
WHITE-----MALE----	2	4	3	5	6	12	6	7	1	-	-	-
FEMALE--	3	1	4	5	8	11	14	12	6	2	-	-
ALL OTHER--MALE----	-	-	3	3	2	2	-	1	1	-	-	-
FEMALE--	-	-	3	-	2	4	1	-	1	-	-	-
BLACK---MALE----	-	-	2	3	2	2	-	1	1	-	-	-
FEMALE--	-	-	3	-	2	4	1	-	1	-	-	-
RHODE ISLAND -----	1	-	1	2	-	2	1	3	1	-	-	-
WHITE-----MALE----	-	-	1	1	-	2	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	1	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	4	3	2	7	2	7	10	5	1	-	-	-
WHITE-----MALE----	2	1	-	5	1	4	2	2	1	-	-	-
FEMALE--	-	2	-	2	-	2	3	2	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	3	-	-	-	-	-
FEMALE--	1	-	1	-	1	1	2	1	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	3	-	-	-	-	-
FEMALE--	1	-	1	-	1	1	2	1	-	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,835  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER DISEASES OF VEINS AND LYMPHATICS AND ALL OTHER DISEASES OF CIRCULATORY SYSTEM (454-459)												
SOUTH DAKOTA -----	-	-	-	2	2	3	2	1	2	1	-	-
WHITE-----MALE----	-	-	-	-	1	1	2	-	2	-	-	-
FEMALE--	-	-	-	2	1	2	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	3	5	9	9	7	8	6	8	2	2	-	-
WHITE-----MALE----	2	1	4	4	6	1	4	5	-	-	-	-
FEMALE--	1	1	3	2	1	2	-	3	2	1	-	-
ALL OTHER--MALE----	-	2	1	2	-	2	1	-	-	1	-	-
FEMALE--	-	1	1	1	-	3	1	-	-	-	-	-
BLACK---MALE----	-	2	1	2	-	2	1	-	-	1	-	-
FEMALE--	-	1	1	1	-	3	1	-	-	-	-	-
TEXAS -----	8	6	9	12	15	17	23	14	14	3	-	-
WHITE-----MALE----	6	3	3	6	6	9	4	4	2	-	-	-
FEMALE--	2	2	5	3	7	8	15	9	12	3	-	-
ALL OTHER--MALE----	-	-	-	3	2	-	3	1	-	-	-	-
FEMALE--	-	1	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	2	2	-	3	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
UTAH -----	-	-	-	1	5	4	1	2	2	-	-	-
WHITE-----MALE----	-	-	-	1	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	3	4	1	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	1	-	-	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	3	3	4	4	10	15	4	10	6	3	-	-
WHITE-----MALE----	2	-	2	-	5	6	1	1	2	-	-	-
FEMALE--	-	-	1	2	1	7	2	8	4	1	-	-
ALL OTHER--MALE----	1	1	-	-	3	-	1	1	-	1	-	-
FEMALE--	-	2	1	2	1	2	-	-	-	1	-	-
BLACK---MALE----	1	1	-	-	3	-	1	1	-	1	-	-
FEMALE--	-	2	1	2	1	1	-	-	-	1	-	-







TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,837  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 VIII. DISEASES OF THE RESPIRATORY SYSTEM (460-519)												
0 UNITED STATES --	215,081	876	335	147	207	277	339	471	827	1,233	1,695	2,372
WHITE-----MALE----	95,649	327	103	49	63	103	118	163	311	478	622	948
FEMALE--	98,933	231	101	42	64	84	93	148	237	329	524	749
ALL OTHER--MALE----	11,218	178	62	33	51	52	63	92	167	235	293	414
FEMALE--	9,281	140	69	23	29	38	65	68	112	191	256	261
BLACK---MALE----	9,403	153	51	32	46	43	58	85	157	214	266	385
FEMALE--	7,942	125	61	21	27	36	63	66	96	178	232	238
ALABAMA -----	3,579	13	4	3	7	1	4	3	14	15	33	45
WHITE-----MALE----	1,475	4	-	-	1	-	-	3	4	3	9	9
FEMALE--	1,509	2	-	-	-	-	1	-	4	7	9	15
ALL OTHER--MALE----	320	4	2	1	5	-	1	-	4	3	7	12
FEMALE--	275	3	2	2	1	1	2	-	2	2	8	9
BLACK---MALE----	315	4	2	1	5	-	1	-	4	3	7	12
FEMALE--	275	3	2	2	1	1	2	-	2	2	8	9
ALASKA -----	189	1	1	-	2	1	-	-	3	2	4	4
WHITE-----MALE----	76	-	-	-	-	1	-	-	1	-	3	3
FEMALE--	61	-	-	-	1	-	-	-	1	1	-	-
ALL OTHER--MALE----	37	1	1	-	1	-	-	-	1	1	-	1
FEMALE--	15	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	6	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ARIZONA -----	3,679	21	10	3	5	2	4	8	19	22	40	44
WHITE-----MALE----	1,774	7	5	2	2	1	1	1	8	11	17	23
FEMALE--	1,711	7	1	-	3	1	2	4	6	6	18	17
ALL OTHER--MALE----	111	4	-	-	-	-	1	2	2	2	2	3
FEMALE--	83	3	4	1	-	-	-	1	3	3	3	1
BLACK---MALE----	38	2	-	-	-	-	-	1	1	-	2	1
FEMALE--	20	-	-	-	-	-	-	-	2	-	-	-
ARKANSAS -----	2,453	26	5	1	5	4	4	6	7	16	19	36
WHITE-----MALE----	1,155	9	2	-	4	2	2	3	2	7	4	13
FEMALE--	1,039	6	1	1	-	1	1	1	4	4	8	15
ALL OTHER--MALE----	152	8	1	-	1	-	-	1	-	3	2	5
FEMALE--	107	3	1	-	-	1	1	1	1	2	5	3
BLACK---MALE----	151	8	1	-	1	-	-	1	-	3	2	5
FEMALE--	105	3	1	-	-	1	1	1	1	2	5	3
CALIFORNIA -----	23,408	113	37	12	16	25	33	47	83	111	192	241
WHITE-----MALE----	9,809	53	16	4	4	11	12	22	36	50	90	89
FEMALE--	11,236	32	13	6	7	7	16	10	24	29	63	89
ALL OTHER--MALE----	1,316	18	5	2	3	5	2	10	15	22	20	45
FEMALE--	1,047	10	3	-	2	2	3	5	8	10	19	18
BLACK---MALE----	622	9	1	2	2	2	2	8	15	15	13	33
FEMALE--	557	7	3	-	1	2	2	5	4	6	13	12

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,837  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 VIII. DISEASES OF THE RESPIRATORY SYSTEM (460-519)												
0 UNITED STATES --	3,531	5,596	10,081	18,279	28,479	35,723	39,206	33,937	21,029	8,338	2,094	9
WHITE-----MALE----	1,473	2,457	4,894	9,119	14,400	17,906	18,386	14,135	6,957	2,223	407	7
FEMALE--	1,311	2,143	3,863	7,206	11,534	15,076	17,976	17,512	12,672	5,565	1,471	2
ALL OTHER--MALE----	427	555	799	1,179	1,536	1,579	1,534	1,149	578	189	53	-
FEMALE--	320	441	525	775	1,009	1,162	1,310	1,141	822	361	163	-
BLACK---MALE----	378	501	700	1,021	1,285	1,299	1,229	878	430	148	44	-
FEMALE--	272	390	447	669	876	972	1,095	952	691	301	134	-
ALABAMA -----	71	119	221	366	461	592	629	533	311	108	26	-
WHITE-----MALE----	24	61	94	175	215	290	290	176	89	27	1	-
FEMALE--	27	35	87	131	179	230	264	271	173	61	13	-
ALL OTHER--MALE----	14	13	25	40	37	43	43	39	17	6	4	-
FEMALE--	6	10	15	20	30	29	32	47	32	14	8	-
BLACK---MALE----	14	13	24	40	34	43	43	38	17	6	4	-
FEMALE--	6	10	15	20	30	29	32	47	32	14	8	-
ALASKA -----	9	7	20	23	32	27	28	10	10	3	2	-
WHITE-----MALE----	5	3	8	8	17	12	10	4	-	1	-	-
FEMALE--	3	2	6	7	11	8	6	5	7	1	2	-
ALL OTHER--MALE----	1	1	5	5	3	5	6	1	3	1	-	-
FEMALE--	-	1	1	3	1	2	6	-	-	-	-	-
BLACK---MALE----	-	-	-	1	1	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	64	83	185	336	540	656	673	509	325	109	21	-
WHITE-----MALE----	31	44	94	189	281	347	332	230	115	25	8	-
FEMALE--	18	33	78	135	241	282	316	253	199	79	12	-
ALL OTHER--MALE----	8	2	7	8	12	20	14	15	6	3	-	-
FEMALE--	7	4	6	4	6	7	11	11	5	2	1	-
BLACK---MALE----	3	-	1	5	4	8	4	3	3	-	-	-
FEMALE--	2	3	3	1	2	1	2	1	1	2	-	-
ARKANSAS -----	49	89	118	190	352	385	421	405	219	80	16	-
WHITE-----MALE----	13	40	70	100	191	201	227	165	77	21	2	-
FEMALE--	29	40	37	80	134	150	156	194	117	50	10	-
ALL OTHER--MALE----	3	6	8	7	16	22	27	24	10	5	3	-
FEMALE--	4	3	3	3	11	12	11	22	15	4	1	-
BLACK---MALE----	3	6	7	7	16	22	27	24	10	5	3	-
FEMALE--	4	3	3	3	11	12	11	20	15	4	1	-
CALIFORNIA -----	362	544	976	1,783	3,092	3,895	4,380	3,839	2,414	962	250	1
WHITE-----MALE----	153	249	462	815	1,506	1,805	1,885	1,488	759	259	40	1
FEMALE--	137	210	388	763	1,290	1,734	2,112	2,015	1,456	645	190	-
ALL OTHER--MALE----	38	39	69	121	187	198	213	196	79	20	9	-
FEMALE--	34	46	57	84	109	158	170	140	120	38	11	-
BLACK---MALE----	24	29	44	62	93	82	80	73	22	9	2	-
FEMALE--	23	26	32	55	70	75	77	70	54	16	4	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,838  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 VIII. DISEASES OF THE RESPIRATORY SYSTEM (460-519)												
COLORADO -----	2,908	5	4	4	2	3	1	7	17	20	36	38
WHITE-----MALE----	1,409	3	1	2	2	2	1	4	8	12	11	22
FEMALE--	1,407	2	1	2	-	1	-	3	7	3	19	13
ALL OTHER--MALE----	54	-	2	-	-	-	-	-	2	3	3	2
FEMALE--	38	-	-	-	-	-	-	-	-	2	3	1
BLACK---MALE----	40	-	1	-	-	-	-	-	1	3	2	2
FEMALE--	29	-	-	-	-	-	-	-	-	2	3	1
CONNECTICUT -----	2,723	5	3	2	3	5	3	7	9	17	20	20
WHITE-----MALE----	1,207	3	1	-	2	2	1	3	6	8	6	5
FEMALE--	1,402	2	1	-	1	3	2	4	2	3	7	5
ALL OTHER--MALE----	64	-	1	1	-	-	-	-	1	3	5	7
FEMALE--	50	-	-	1	-	-	-	-	-	3	2	3
BLACK---MALE----	60	-	1	1	-	-	-	-	1	3	5	6
FEMALE--	47	-	-	1	-	-	-	-	-	3	2	3
DELAWARE -----	557	4	1	1	1	1	-	3	4	6	6	5
WHITE-----MALE----	241	1	-	-	-	-	-	-	1	-	3	2
FEMALE--	246	2	-	-	-	1	-	3	1	5	1	1
ALL OTHER--MALE----	37	1	-	1	-	-	-	-	-	1	2	1
FEMALE--	33	-	1	-	1	-	-	-	2	-	-	1
BLACK---MALE----	35	1	-	1	-	-	-	-	-	1	2	1
FEMALE--	31	-	1	-	1	-	-	-	2	-	-	1
DISTRICT OF COLUMBIA ----	444	3	1	1	-	2	-	5	5	3	12	13
WHITE-----MALE----	56	-	-	-	-	1	-	1	1	-	-	3
FEMALE--	80	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	161	-	-	-	-	-	-	1	2	3	8	6
FEMALE--	147	3	1	1	-	1	-	3	2	-	4	4
BLACK---MALE----	160	-	-	-	-	-	-	1	2	3	8	6
FEMALE--	146	3	1	1	-	1	-	3	2	-	4	4
FLORIDA -----	13,388	46	13	4	5	7	25	26	48	77	107	143
WHITE-----MALE----	6,340	14	3	1	1	1	6	10	22	20	42	68
FEMALE--	6,039	14	3	1	3	3	11	7	9	16	32	35
ALL OTHER--MALE----	582	13	4	-	1	1	5	5	9	21	17	22
FEMALE--	427	5	3	2	-	2	3	4	8	20	16	18
BLACK---MALE----	567	13	4	-	1	1	5	5	8	21	17	22
FEMALE--	413	5	3	2	-	2	3	4	8	20	16	18
GEORGIA -----	5,301	30	14	4	7	12	12	14	34	44	56	68
WHITE-----MALE----	2,121	8	2	1	1	5	1	3	7	11	10	19
FEMALE--	2,198	8	6	1	2	4	3	3	7	9	13	14
ALL OTHER--MALE----	558	9	2	1	3	3	5	5	17	11	15	18
FEMALE--	424	5	4	1	1	-	3	3	3	13	18	17
BLACK---MALE----	548	9	2	1	3	3	5	5	16	11	15	18
FEMALE--	416	5	4	1	1	-	3	3	3	12	18	16

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,838  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
VIII. DISEASES OF THE RESPIRATORY SYSTEM (460-519)												
COLORADO -----	44	73	154	245	411	480	520	442	265	105	32	-
WHITE-----MALE----	19	31	85	123	215	227	288	203	101	39	10	-
FEMALE--	22	37	63	111	184	239	227	231	157	63	22	-
ALL OTHER--MALE----	2	4	3	10	7	9	3	2	2	-	-	-
FEMALE--	1	1	3	1	5	5	2	6	5	3	-	-
BLACK---MALE----	1	4	1	7	5	9	3	-	1	-	-	-
FEMALE--	-	1	2	1	2	4	2	4	5	2	-	-
CONNECTICUT -----	31	57	109	174	321	468	541	448	304	143	33	-
WHITE-----MALE----	17	16	48	95	162	236	259	181	115	37	4	-
FEMALE--	9	31	48	74	148	222	262	261	184	105	28	-
ALL OTHER--MALE----	3	6	10	4	7	5	8	2	1	-	-	-
FEMALE--	2	4	3	1	4	5	12	4	4	1	1	-
BLACK---MALE----	3	5	10	4	6	5	7	2	1	-	-	-
FEMALE--	2	4	3	1	4	5	10	3	4	1	1	-
DELAWARE -----	4	17	34	62	83	85	95	72	53	17	3	-
WHITE-----MALE----	4	8	15	24	45	39	45	32	15	5	2	-
FEMALE--	-	6	12	29	29	38	41	32	32	12	1	-
ALL OTHER--MALE----	-	2	4	7	7	2	3	3	3	-	-	-
FEMALE--	-	1	3	2	2	6	6	5	3	-	-	-
BLACK---MALE----	-	1	4	7	6	2	3	3	3	-	-	-
FEMALE--	-	1	3	2	2	5	5	5	3	-	-	-
DISTRICT OF COLUMBIA ----	11	16	24	31	50	69	87	56	36	16	3	-
WHITE-----MALE----	-	-	4	-	8	5	15	12	6	-	-	-
FEMALE--	-	-	1	-	5	9	23	20	14	7	1	-
ALL OTHER--MALE----	7	9	9	17	18	33	28	12	5	3	-	-
FEMALE--	4	7	10	14	19	22	21	12	11	6	2	-
BLACK---MALE----	7	9	9	17	18	33	28	11	5	3	-	-
FEMALE--	4	7	10	14	19	22	21	11	11	6	2	-
FLORIDA -----	206	352	609	1,125	1,829	2,345	2,585	2,196	1,149	402	89	-
WHITE-----MALE----	98	147	290	587	939	1,215	1,259	1,017	453	122	25	-
FEMALE--	60	133	239	443	766	1,013	1,203	1,095	638	257	58	-
ALL OTHER--MALE----	32	46	50	63	77	70	74	34	27	8	3	-
FEMALE--	16	26	30	32	47	47	49	50	31	15	3	-
BLACK---MALE----	31	45	50	61	76	67	71	32	26	8	3	-
FEMALE--	16	25	27	31	44	47	47	48	30	14	3	-
GEORGIA -----	108	156	327	511	746	870	942	763	404	149	30	-
WHITE-----MALE----	46	66	140	243	368	392	390	263	123	20	2	-
FEMALE--	28	53	126	182	245	346	414	383	228	110	13	-
ALL OTHER--MALE----	19	29	40	57	81	80	74	56	25	6	2	-
FEMALE--	15	8	21	29	52	52	64	61	28	13	13	-
BLACK---MALE----	18	29	39	57	80	80	70	54	25	6	2	-
FEMALE--	14	8	20	28	52	52	63	59	28	13	13	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,839  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 VIII. DISEASES OF THE RESPIRATORY SYSTEM (460-519)												
HAWAII -----	9	15	39	59	98	96	125	125	70	33	16	-
WHITE-----MALE----	-	3	5	10	18	21	16	13	7	1	1	-
FEMALE--	1	3	10	8	16	11	26	22	7	4	2	-
ALL OTHER--MALE----	7	5	15	20	44	42	54	56	34	11	2	-
FEMALE--	1	4	9	21	20	22	29	34	22	17	11	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
IDAHO -----	19	26	38	59	112	171	165	134	77	38	10	-
WHITE-----MALE----	12	17	23	29	80	103	85	56	32	10	3	-
FEMALE--	6	9	13	28	32	66	80	77	45	28	7	-
ALL OTHER--MALE----	1	-	1	1	-	2	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ILLINOIS -----	158	260	423	873	1,283	1,555	1,699	1,534	945	375	101	-
WHITE-----MALE----	56	109	181	419	634	777	750	651	311	96	18	-
FEMALE--	57	86	171	320	491	614	806	748	557	248	74	-
ALL OTHER--MALE----	29	37	47	84	93	82	68	63	29	14	3	-
FEMALE--	16	28	24	50	65	82	75	72	48	17	6	-
BLACK---MALE----	29	33	46	80	90	76	66	55	26	13	3	-
FEMALE--	12	26	23	47	62	79	69	70	46	16	6	-
INDIANA -----	73	131	258	455	652	805	892	758	455	172	35	-
WHITE-----MALE----	21	52	130	239	331	404	414	348	159	55	8	-
FEMALE--	41	64	109	188	295	362	440	381	276	114	25	-
ALL OTHER--MALE----	8	7	8	14	16	22	17	14	8	2	-	-
FEMALE--	3	8	11	14	10	17	21	15	12	1	2	-
BLACK---MALE----	7	7	8	14	15	22	17	14	8	2	-	-
FEMALE--	3	8	11	14	9	17	21	15	12	1	2	-
IOWA -----	32	63	122	228	338	456	508	523	385	174	41	-
WHITE-----MALE----	18	36	74	146	194	257	278	247	140	54	7	-
FEMALE--	10	27	47	74	138	197	227	275	244	118	34	-
ALL OTHER--MALE----	1	-	-	3	2	2	3	-	-	1	-	-
FEMALE--	3	-	1	5	4	-	-	1	1	1	-	-
BLACK---MALE----	1	-	-	3	2	2	3	-	-	1	-	-
FEMALE--	3	-	1	4	2	-	-	-	1	1	-	-
KANSAS -----	32	53	111	200	293	356	415	400	259	134	46	-
WHITE-----MALE----	14	30	59	114	133	187	240	192	93	31	6	-
FEMALE--	15	19	41	73	152	158	165	197	160	101	38	-
ALL OTHER--MALE----	-	4	8	9	6	8	5	4	2	2	1	-
FEMALE--	3	-	3	4	2	3	5	7	4	-	1	-
BLACK---MALE----	-	2	7	9	4	8	5	4	2	1	1	-
FEMALE--	2	-	3	4	2	3	5	7	3	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,840  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 VIII. DISEASES OF THE RESPIRATORY SYSTEM (460-519)												
KENTUCKY -----	3,780	7	4	2	2	5	3	9	14	11	26	37
WHITE-----MALE----	1,894	3	-	1	1	3	1	3	5	3	12	19
FEMALE--	1,687	3	3	1	-	1	1	5	5	4	10	15
ALL OTHER--MALE----	104	1	-	-	1	1	1	1	-	2	1	1
FEMALE--	95	-	1	-	-	-	-	-	4	2	3	2
BLACK---MALE----	104	1	-	-	1	1	1	1	-	2	1	1
FEMALE--	94	-	1	-	-	-	-	-	3	2	3	2
LOUISIANA -----	2,982	29	10	3	5	10	5	4	22	27	28	48
WHITE-----MALE----	1,089	6	1	-	1	1	1	1	7	5	10	9
FEMALE--	1,190	2	-	1	-	6	1	-	4	9	3	12
ALL OTHER--MALE----	392	13	6	1	2	3	-	2	6	7	7	17
FEMALE--	311	8	3	1	2	-	3	1	5	6	8	10
BLACK---MALE----	387	13	6	1	2	3	-	2	6	7	7	17
FEMALE--	308	8	3	1	2	-	3	1	5	6	7	10
MAINE -----	1,167	5	2	1	1	1	-	-	2	3	4	9
WHITE-----MALE----	610	4	1	1	-	1	-	-	1	3	3	3
FEMALE--	553	-	1	-	1	-	-	-	1	-	1	6
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3,585	16	8	3	1	4	12	9	24	32	27	52
WHITE-----MALE----	1,365	3	1	-	-	2	6	2	6	14	8	16
FEMALE--	1,563	3	2	-	-	-	1	-	6	5	5	7
ALL OTHER--MALE----	354	7	1	1	-	-	4	3	8	10	11	21
FEMALE--	303	3	4	2	1	2	1	4	4	3	3	8
BLACK---MALE----	333	7	1	1	-	-	4	3	8	10	11	20
FEMALE--	289	3	3	2	1	2	1	3	3	3	3	8
MASSACHUSETTS -----	5,907	11	4	1	3	3	4	10	17	29	34	54
WHITE-----MALE----	2,512	7	2	-	1	2	1	7	11	16	16	27
FEMALE--	3,203	2	2	1	2	1	3	3	4	6	13	20
ALL OTHER--MALE----	104	-	-	-	-	-	-	-	-	5	3	5
FEMALE--	88	2	-	-	-	-	-	-	2	2	2	2
BLACK---MALE----	74	-	-	-	-	-	-	-	-	4	3	5
FEMALE--	69	1	-	-	-	-	-	-	2	1	2	2
MICHIGAN -----	7,522	42	14	5	8	13	17	20	30	52	71	103
WHITE-----MALE----	3,281	18	3	1	3	5	6	9	6	11	20	38
FEMALE--	3,389	11	3	1	1	3	3	3	15	19	24	32
ALL OTHER--MALE----	476	9	3	2	3	3	4	2	3	11	17	17
FEMALE--	376	4	5	1	1	2	4	6	6	11	10	16
BLACK---MALE----	446	9	3	2	3	3	4	2	2	11	16	16
FEMALE--	348	4	5	1	1	2	4	6	6	11	10	15

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,840  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 VIII. DISEASES OF THE RESPIRATORY SYSTEM (460-519)												
KENTUCKY -----	75	145	177	356	520	655	661	556	332	149	34	-
WHITE-----MALE----	46	74	98	198	292	389	330	241	131	36	8	-
FEMALE--	25	66	68	139	201	236	300	289	187	105	23	-
ALL OTHER--MALE----	-	1	4	9	16	23	17	15	5	4	1	-
FEMALE--	4	4	7	10	11	7	14	11	9	4	2	-
BLACK---MALE----	-	1	4	9	16	23	17	15	5	4	1	-
FEMALE--	4	4	7	10	11	7	14	11	9	4	2	-
LOUISIANA -----	71	98	170	289	380	494	511	430	238	92	18	-
WHITE-----MALE----	15	33	74	127	155	215	202	140	68	14	4	-
FEMALE--	28	30	51	95	129	194	216	212	131	55	11	-
ALL OTHER--MALE----	17	23	29	42	54	48	51	38	16	9	1	-
FEMALE--	11	12	16	25	42	37	42	40	23	14	2	-
BLACK---MALE----	17	23	28	41	54	48	50	37	15	9	1	-
FEMALE--	11	12	16	25	41	37	41	40	23	14	2	-
MAINE -----	17	29	59	122	155	217	203	164	119	44	10	-
WHITE-----MALE----	10	15	36	67	87	127	121	67	45	15	3	-
FEMALE--	7	14	22	55	67	89	82	97	74	29	7	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	64	104	182	333	457	586	627	554	333	125	31	1
WHITE-----MALE----	23	33	69	138	189	266	260	217	77	28	6	1
FEMALE--	18	34	54	130	189	248	267	273	222	81	18	-
ALL OTHER--MALE----	11	25	28	47	45	34	49	31	11	5	2	-
FEMALE--	12	12	31	18	34	38	51	33	23	11	5	-
BLACK---MALE----	11	23	24	43	44	32	45	30	9	5	2	-
FEMALE--	12	11	31	18	33	33	49	32	22	11	5	-
MASSACHUSETTS -----	69	115	214	388	683	901	1,110	1,087	722	359	89	-
WHITE-----MALE----	32	61	100	206	362	421	497	433	204	88	18	-
FEMALE--	35	47	101	162	298	451	584	630	503	264	71	-
ALL OTHER--MALE----	1	6	9	10	14	15	15	14	5	2	-	-
FEMALE--	1	1	4	10	9	14	14	10	10	5	-	-
BLACK---MALE----	1	4	7	7	9	9	9	12	2	2	-	-
FEMALE--	1	1	2	8	5	13	11	9	7	4	-	-
MICHIGAN -----	142	212	378	674	994	1,318	1,258	1,151	697	248	74	1
WHITE-----MALE----	51	81	177	326	504	644	577	469	235	82	15	-
FEMALE--	51	84	138	266	387	566	574	600	413	144	50	1
ALL OTHER--MALE----	22	25	37	53	66	67	57	44	23	7	1	-
FEMALE--	18	22	26	29	37	41	50	38	26	15	8	-
BLACK---MALE----	21	24	33	47	62	62	54	41	23	7	1	-
FEMALE--	16	20	21	26	34	38	47	33	26	14	8	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,841  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 VIII. DISEASES OF THE RESPIRATORY SYSTEM (460-519)												
MINNESOTA -----	3,633	7	5	3	2	3	6	1	7	14	17	26
WHITE-----MALE----	1,726	2	1	1	-	1	4	-	1	6	9	13
FEMALE--	1,837	2	3	2	1	2	1	1	5	5	6	10
ALL OTHER--MALE----	35	3	1	-	-	-	1	-	1	1	-	3
FEMALE--	35	-	-	-	1	-	-	-	-	2	2	-
BLACK---MALE----	11	1	1	-	-	-	1	-	1	-	-	-
FEMALE--	18	-	-	-	1	-	-	-	-	1	1	-
MISSISSIPPI -----	2,327	22	4	-	1	5	7	7	10	19	22	34
WHITE-----MALE----	912	3	-	-	-	-	1	2	1	10	4	13
FEMALE--	864	3	1	-	-	-	2	-	2	-	3	9
ALL OTHER--MALE----	330	8	1	-	1	3	2	2	2	6	9	9
FEMALE--	221	8	2	-	-	2	2	3	5	3	6	3
BLACK---MALE----	328	8	1	-	1	3	2	2	2	6	9	9
FEMALE--	219	8	2	-	-	2	2	3	5	3	5	3
MISSOURI -----	5,386	15	4	5	9	10	4	5	15	26	28	63
WHITE-----MALE----	2,435	5	-	2	1	4	1	2	10	12	8	34
FEMALE--	2,553	4	3	1	2	3	-	1	3	11	9	18
ALL OTHER--MALE----	204	6	-	-	2	3	2	-	2	-	5	2
FEMALE--	194	-	1	2	4	-	1	2	-	3	6	9
BLACK---MALE----	199	6	-	-	2	3	2	-	2	-	5	2
FEMALE--	189	-	1	2	4	-	1	2	-	3	6	9
MONTANA -----	904	3	-	-	-	2	-	-	-	1	4	10
WHITE-----MALE----	450	1	-	-	-	2	-	-	-	-	-	6
FEMALE--	426	-	-	-	-	-	-	-	-	-	2	4
ALL OTHER--MALE----	17	1	-	-	-	-	-	-	-	1	2	-
FEMALE--	11	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	1,596	8	1	1	-	4	3	4	4	8	9	7
WHITE-----MALE----	782	5	1	1	-	1	2	1	3	3	4	4
FEMALE--	766	1	-	-	-	2	-	1	-	4	3	3
ALL OTHER--MALE----	27	2	-	-	-	-	1	1	-	-	-	-
FEMALE--	21	-	-	-	-	1	-	1	1	1	2	-
BLACK---MALE----	22	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	18	-	-	-	-	1	-	1	-	1	1	-
NEVADA -----	1,313	11	3	2	5	3	2	3	9	14	15	15
WHITE-----MALE----	685	5	-	1	2	2	2	2	5	5	8	12
FEMALE--	560	3	1	-	1	1	-	1	3	4	4	2
ALL OTHER--MALE----	31	-	2	-	1	-	-	-	1	2	2	1
FEMALE--	37	3	-	1	1	-	-	-	-	3	1	-
BLACK---MALE----	19	-	1	-	1	-	-	-	-	2	1	1
FEMALE--	24	3	-	1	1	-	-	-	-	3	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,841  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 VIII. DISEASES OF THE RESPIRATORY SYSTEM (460-519)												
MINNESOTA -----	50	60	115	241	403	569	683	675	462	231	53	-
WHITE-----MALE----	29	34	64	131	233	320	332	304	164	69	8	-
FEMALE--	14	25	47	104	162	242	340	363	295	162	45	-
ALL OTHER--MALE----	3	-	2	5	4	2	6	1	2	-	-	-
FEMALE--	4	1	2	1	4	5	5	7	1	-	-	-
BLACK---MALE----	2	-	-	-	2	1	1	-	1	-	-	-
FEMALE--	1	1	-	-	3	2	1	6	1	-	-	-
MISSISSIPPI -----	40	72	124	203	302	409	438	322	191	84	11	-
WHITE-----MALE----	11	27	50	94	137	187	187	108	57	18	2	-
FEMALE--	13	24	39	67	106	143	166	143	89	50	4	-
ALL OTHER--MALE----	13	12	25	29	39	58	44	39	20	6	2	-
FEMALE--	3	9	10	13	20	21	41	32	25	10	3	-
BLACK---MALE----	13	12	23	29	39	58	44	39	20	6	2	-
FEMALE--	3	9	10	13	20	21	40	32	25	10	3	-
MISSOURI -----	85	149	251	470	683	865	963	867	572	240	57	-
WHITE-----MALE----	37	71	119	251	368	443	489	325	181	63	9	-
FEMALE--	32	56	101	186	270	371	423	488	360	166	45	-
ALL OTHER--MALE----	5	13	21	16	31	27	27	29	8	4	1	-
FEMALE--	11	9	10	17	14	24	24	25	23	7	2	-
BLACK---MALE----	5	13	21	16	30	26	26	28	8	3	1	-
FEMALE--	8	9	10	17	14	23	24	24	23	7	2	-
MONTANA -----	15	21	49	66	122	153	172	141	91	45	9	-
WHITE-----MALE----	4	12	26	37	63	82	101	69	30	17	-	-
FEMALE--	8	8	21	28	56	67	68	69	61	26	8	-
ALL OTHER--MALE----	3	-	-	1	-	3	2	2	-	2	-	-
FEMALE--	-	1	2	-	3	1	1	1	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	15	33	60	103	196	263	278	269	216	93	21	-
WHITE-----MALE----	9	15	32	57	124	147	139	120	83	30	1	-
FEMALE--	4	15	25	40	67	111	131	145	131	63	20	-
ALL OTHER--MALE----	2	3	3	4	3	1	7	-	-	-	-	-
FEMALE--	-	-	-	2	2	4	1	4	2	-	-	-
BLACK---MALE----	1	3	3	4	2	1	6	-	-	-	-	-
FEMALE--	-	-	-	2	2	4	1	4	1	-	-	-
NEVADA -----	19	51	82	160	236	247	214	134	67	15	6	-
WHITE-----MALE----	9	25	36	100	129	136	107	65	28	4	2	-
FEMALE--	9	18	43	53	98	107	99	66	32	11	4	-
ALL OTHER--MALE----	1	3	2	2	4	4	3	1	2	-	-	-
FEMALE--	-	5	1	5	5	-	5	2	5	-	-	-
BLACK---MALE----	1	-	2	2	4	1	2	-	1	-	-	-
FEMALE--	-	4	-	-	3	-	5	2	2	-	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,843  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 VIII. DISEASES OF THE RESPIRATORY SYSTEM (460-519)												
OHIO -----	9,648	29	11	3	6	13	10	14	21	47	64	88
WHITE-----MALE----	4,307	9	5	-	5	4	4	3	9	18	21	31
FEMALE--	4,593	8	1	2	1	7	4	5	9	16	22	40
ALL OTHER--MALE----	400	7	4	1	-	1	1	4	2	4	11	12
FEMALE--	348	5	1	-	-	1	1	2	1	9	10	5
BLACK---MALE----	392	7	4	1	-	1	1	4	2	4	11	11
FEMALE--	337	5	1	-	-	1	1	2	1	9	10	5
OKLAHOMA -----	3,361	9	3	2	2	6	5	4	12	27	32	43
WHITE-----MALE----	1,557	2	2	2	1	2	2	1	5	16	10	14
FEMALE--	1,576	5	-	-	1	-	2	1	5	7	13	25
ALL OTHER--MALE----	118	1	1	-	-	3	-	1	1	3	5	1
FEMALE--	110	1	-	-	-	1	1	1	1	1	4	3
BLACK---MALE----	67	-	1	-	-	2	-	-	1	2	1	-
FEMALE--	62	-	-	-	-	1	-	1	1	1	4	2
OREGON -----	2,660	3	3	1	-	-	-	7	5	11	9	23
WHITE-----MALE----	1,283	2	-	-	-	-	-	5	-	6	2	12
FEMALE--	1,318	-	2	-	-	-	-	2	5	4	6	8
ALL OTHER--MALE----	34	1	1	-	-	-	-	-	-	1	-	2
FEMALE--	25	-	-	1	-	-	-	-	-	-	1	1
BLACK---MALE----	14	1	-	-	-	-	-	-	-	-	-	2
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	1
PENNSYLVANIA -----	11,679	36	17	8	6	14	9	23	25	53	69	102
WHITE-----MALE----	5,432	16	6	3	2	3	2	7	8	28	20	44
FEMALE--	5,415	9	8	2	1	6	-	8	7	14	25	30
ALL OTHER--MALE----	442	4	2	2	2	4	2	3	7	6	13	18
FEMALE--	390	7	1	1	1	1	5	5	3	5	11	10
BLACK---MALE----	424	4	2	2	2	3	2	3	7	6	13	18
FEMALE--	376	7	1	1	1	1	5	5	2	5	10	8
RHODE ISLAND -----	850	3	2	-	1	-	2	3	3	4	7	6
WHITE-----MALE----	405	3	1	-	1	-	1	-	3	4	3	5
FEMALE--	426	-	-	-	-	-	-	3	-	-	3	1
ALL OTHER--MALE----	13	-	1	-	-	-	1	-	-	-	1	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	13	-	1	-	-	-	1	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	2,922	10	8	3	5	6	9	10	15	23	34	43
WHITE-----MALE----	1,242	3	-	2	1	1	4	4	3	8	10	8
FEMALE--	1,137	1	2	-	2	2	1	1	5	5	9	13
ALL OTHER--MALE----	293	3	2	1	2	1	3	5	5	5	11	14
FEMALE--	250	3	4	-	-	2	1	-	2	5	4	8
BLACK---MALE----	288	3	2	1	2	1	3	5	4	5	11	14
FEMALE--	247	3	4	-	-	2	1	-	2	5	4	8

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,843  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
VIII. DISEASES OF THE RESPIRATORY SYSTEM (460-519)												
OHIO -----	137	236	467	860	1,331	1,714	1,701	1,542	930	359	65	-
WHITE-----MALE----	63	111	213	410	678	836	824	646	300	104	13	-
FEMALE--	49	95	194	375	560	751	785	817	573	232	47	-
ALL OTHER--MALE----	18	12	36	41	53	71	53	36	26	6	1	-
FEMALE--	7	18	24	34	40	56	39	43	31	17	4	-
BLACK---MALE----	18	12	36	41	51	69	52	35	25	6	1	-
FEMALE--	7	17	22	34	38	53	38	41	31	17	4	-
OKLAHOMA -----	62	76	159	301	460	524	594	543	334	122	40	1
WHITE-----MALE----	27	34	96	162	229	273	287	241	113	30	7	1
FEMALE--	27	36	49	120	200	216	279	271	206	81	32	-
ALL OTHER--MALE----	3	4	10	11	18	20	13	11	8	4	-	-
FEMALE--	5	2	4	8	13	15	15	20	7	7	1	-
BLACK---MALE----	3	3	5	5	10	13	7	6	5	3	-	-
FEMALE--	3	2	3	3	7	8	8	12	3	3	-	-
OREGON -----	42	65	119	238	368	470	513	394	255	107	27	-
WHITE-----MALE----	17	28	63	117	172	255	256	200	114	28	6	-
FEMALE--	23	35	52	117	184	205	252	188	138	76	21	-
ALL OTHER--MALE----	1	1	2	3	7	6	3	4	2	-	-	-
FEMALE--	1	1	2	1	5	4	2	2	1	3	-	-
BLACK---MALE----	1	1	1	2	1	3	-	1	1	-	-	-
FEMALE--	-	-	-	-	2	-	1	1	-	2	-	-
PENNSYLVANIA -----	138	235	496	933	1,548	1,984	2,341	1,899	1,196	445	102	-
WHITE-----MALE----	52	101	236	507	831	1,042	1,142	816	427	121	18	-
FEMALE--	60	86	200	333	607	829	1,073	1,007	721	313	76	-
ALL OTHER--MALE----	13	28	37	53	65	64	61	33	21	2	2	-
FEMALE--	13	20	23	40	45	49	65	43	27	9	6	-
BLACK---MALE----	13	27	35	51	63	61	58	31	19	2	2	-
FEMALE--	12	19	23	39	43	48	64	40	27	9	6	-
RHODE ISLAND -----	16	17	26	68	100	151	156	145	89	42	9	-
WHITE-----MALE----	8	9	15	35	55	78	78	64	32	10	-	-
FEMALE--	8	7	8	33	42	69	76	81	56	30	9	-
ALL OTHER--MALE----	-	1	1	-	2	3	2	-	-	1	-	-
FEMALE--	-	-	2	-	1	1	-	-	1	1	-	-
BLACK---MALE----	-	1	1	-	2	3	2	-	-	1	-	-
FEMALE--	-	-	1	-	-	1	-	-	1	1	-	-
SOUTH CAROLINA -----	72	111	179	285	431	507	442	407	220	76	26	-
WHITE-----MALE----	30	44	90	136	215	262	194	150	60	14	3	-
FEMALE--	20	35	53	103	152	174	173	198	124	47	17	-
ALL OTHER--MALE----	12	17	26	29	37	42	30	31	11	5	1	-
FEMALE--	10	15	10	17	27	29	45	28	25	10	5	-
BLACK---MALE----	12	17	26	28	36	41	29	31	11	5	1	-
FEMALE--	9	15	9	17	27	29	45	27	25	10	5	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,844  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
VIII. DISEASES OF THE RESPIRATORY SYSTEM (460-519)												
SOUTH DAKOTA -----	693	4	-	-	1	1	1	3	2	2	3	4
WHITE-----MALE----	388	2	-	-	-	-	1	2	-	-	1	1
FEMALE--	281	1	-	-	-	-	-	-	1	2	-	2
ALL OTHER--MALE----	13	1	-	-	1	-	-	1	-	-	-	-
FEMALE--	11	-	-	-	-	1	-	-	1	-	2	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	4,719	18	6	-	5	4	6	10	24	33	35	59
WHITE-----MALE----	2,134	7	1	-	1	-	1	3	13	12	17	25
FEMALE--	2,010	3	1	-	2	2	1	2	5	5	10	18
ALL OTHER--MALE----	301	4	-	-	2	2	1	5	3	10	2	11
FEMALE--	274	4	4	-	-	-	3	-	3	6	6	5
BLACK---MALE----	300	4	-	-	2	2	1	5	3	10	2	11
FEMALE--	273	4	4	-	-	-	3	-	3	6	6	5
TEXAS -----	11,774	76	24	13	18	24	30	38	52	75	88	137
WHITE-----MALE----	5,356	34	12	3	9	11	10	16	22	26	45	70
FEMALE--	5,404	25	7	6	5	6	14	14	14	26	20	43
ALL OTHER--MALE----	536	8	-	4	3	3	3	4	9	11	10	14
FEMALE--	478	9	5	-	1	4	3	4	7	12	13	10
BLACK---MALE----	513	8	-	4	3	2	3	4	9	11	10	14
FEMALE--	457	8	5	-	1	4	3	4	5	12	12	9
UTAH -----	1,100	5	-	2	2	5	1	2	3	5	9	5
WHITE-----MALE----	556	-	-	-	-	3	1	-	1	4	4	2
FEMALE--	524	3	-	2	2	1	-	2	2	1	4	2
ALL OTHER--MALE----	11	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	9	1	-	-	-	1	-	-	-	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	1	-	-	-	-	-	-
VERMONT -----	484	1	-	-	-	3	-	-	1	3	3	7
WHITE-----MALE----	225	-	-	-	-	-	-	-	-	3	-	4
FEMALE--	257	1	-	-	-	3	-	-	1	-	2	3
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	4,981	16	7	4	6	5	8	6	24	26	39	55
WHITE-----MALE----	2,069	6	2	1	-	1	2	2	8	11	14	18
FEMALE--	2,179	3	1	1	3	2	2	1	4	6	14	18
ALL OTHER--MALE----	391	2	2	1	2	2	1	1	8	3	4	10
FEMALE--	342	5	2	1	1	-	3	2	4	6	7	9
BLACK---MALE----	380	2	2	1	1	2	1	1	8	3	4	10
FEMALE--	325	5	2	1	1	-	3	2	4	6	7	8

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,844  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
VIII. DISEASES OF THE RESPIRATORY SYSTEM (460-519)												
SOUTH DAKOTA -----	7	13	21	49	80	106	128	122	96	34	16	-
WHITE-----MALE----	5	2	13	24	46	63	85	71	49	18	5	-
FEMALE--	1	9	5	23	33	39	42	50	46	16	11	-
ALL OTHER--MALE----	1	1	1	2	-	3	1	1	-	-	-	-
FEMALE--	-	1	2	-	1	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	97	163	281	490	667	738	799	679	423	144	38	-
WHITE-----MALE----	49	86	135	258	340	369	361	293	121	35	7	-
FEMALE--	34	59	117	179	243	294	355	312	253	94	21	-
ALL OTHER--MALE----	8	8	19	21	55	45	38	39	21	6	1	-
FEMALE--	6	10	10	32	29	30	45	35	28	9	9	-
BLACK---MALE----	8	8	19	21	55	45	38	38	21	6	1	-
FEMALE--	6	10	10	31	29	30	45	35	28	9	9	-
TEXAS -----	219	367	611	1,087	1,655	1,919	2,049	1,740	1,052	380	118	2
WHITE-----MALE----	106	163	314	538	831	983	964	722	351	105	20	1
FEMALE--	74	144	238	439	692	813	959	902	630	251	81	1
ALL OTHER--MALE----	21	28	28	67	79	66	75	58	33	6	6	-
FEMALE--	18	32	31	43	53	57	51	58	38	18	11	-
BLACK---MALE----	20	26	27	64	72	62	74	57	32	5	6	-
FEMALE--	16	31	30	42	48	55	50	57	37	17	11	-
UTAH -----	21	29	45	97	150	174	221	171	100	41	12	-
WHITE-----MALE----	9	17	24	57	82	98	108	85	44	13	4	-
FEMALE--	10	8	20	39	67	74	111	86	55	28	7	-
ALL OTHER--MALE----	2	3	1	-	-	1	1	-	1	-	-	-
FEMALE--	-	1	-	1	1	1	1	-	-	-	1	-
BLACK---MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
VERMONT -----	8	11	15	35	67	71	95	87	40	29	8	-
WHITE-----MALE----	3	9	11	25	37	35	43	36	9	9	1	-
FEMALE--	5	2	4	10	30	36	52	51	31	20	6	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
VIRGINIA -----	98	146	241	443	691	796	938	745	448	188	49	2
WHITE-----MALE----	35	63	120	195	333	387	401	283	137	39	9	2
FEMALE--	39	50	77	165	263	322	407	382	264	131	24	-
ALL OTHER--MALE----	10	18	25	43	52	57	72	46	22	6	4	-
FEMALE--	14	15	19	40	43	30	58	34	25	12	12	-
BLACK---MALE----	10	18	25	40	49	57	69	46	21	6	4	-
FEMALE--	14	13	18	37	40	28	54	33	25	12	12	-







TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,846  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
DISEASES OF THE UPPER RESPIRATORY TRACT (460-465,470-478)												
0 UNITED STATES --	548	25	17	6	8	7	8	8	8	11	14	25
WHITE-----MALE----	228	13	7	3	3	4	4	4	4	5	6	10
FEMALE--	234	4	5	3	3	2	1	1	3	1	6	10
ALL OTHER--MALE----	43	3	3	-	1	1	2	2	1	5	1	3
FEMALE--	43	5	2	-	1	-	1	1	-	-	1	2
BLACK---MALE----	35	1	3	-	-	1	2	1	-	5	1	3
FEMALE--	37	4	2	-	1	-	1	1	-	-	1	1
ALABAMA -----	8	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
ALASKA -----	3	-	-	-	1	-	-	-	-	-	1	1
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	6	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	44	6	-	-	1	2	-	1	2	-	-	4
WHITE-----MALE----	22	2	-	-	-	2	-	-	2	-	-	2
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	6	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	6	3	-	-	1	-	-	-	-	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	2	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,846  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
DISEASES OF THE UPPER RESPIRATORY TRACT (460-465,470-478)												
0 UNITED STATES --	22	28	32	31	32	63	69	67	43	19	5	-
WHITE-----MALE----	8	14	10	16	13	32	35	22	10	4	1	-
FEMALE--	5	8	11	9	14	26	32	43	29	15	3	-
ALL OTHER--MALE----	7	3	3	3	1	2	-	1	1	-	-	-
FEMALE--	2	3	8	3	4	3	2	1	3	-	1	-
BLACK---MALE----	7	3	2	3	-	1	-	1	1	-	-	-
FEMALE--	2	3	7	3	4	2	2	1	2	-	-	-
ALABAMA -----	-	-	-	-	1	1	3	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	-	-	1	-	1	1	2	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	1	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	3	3	4	3	-	5	3	4	-	2	1	-
WHITE-----MALE----	2	2	3	2	-	-	3	1	-	1	-	-
FEMALE--	-	1	-	-	-	3	-	3	-	1	1	-
ALL OTHER--MALE----	1	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,847

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
 DISEASES OF THE UPPER RESPIRATORY TRACT (460-465,470-478)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	-	-	-	-	-	-	2	-	1	-	1	-
WHITE-----MALE----	-	-	-	-	-	-	2	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	2	-	-	1	1	2	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
FLORIDA -----	4	1	4	1	-	6	5	2	6	2	-	-
WHITE-----MALE----	1	-	3	-	-	6	2	2	2	1	-	-
FEMALE--	-	1	-	1	-	-	3	-	4	1	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
GEORGIA -----	1	3	-	4	2	2	2	1	-	-	-	-
WHITE-----MALE----	1	-	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	2	1	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	2	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	2	-	1	1	-	-	-	-	-	-	-





















TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,852

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.  
 DISEASES OF THE UPPER RESPIRATORY TRACT (460-465,470-478)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OHIO -----	-	2	-	3	3	1	4	4	2	1	-	-
WHITE-----MALE----	-	2	-	3	-	1	2	1	-	-	-	-
FEMALE--	-	-	-	-	3	-	2	3	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	1	1	3	-	1	-	-	-	1	-	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	2	-	1	-	-	-	1	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	-	1	-	2	-	2	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	2	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1	-	1	3	2	5	4	7	1	1	1	-
WHITE-----MALE----	1	-	1	-	-	3	1	2	-	-	-	-
FEMALE--	-	-	-	2	2	2	2	4	1	1	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	-	1	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	-	-	-	-	2	2	7	3	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	1	2	2	-	-	-
FEMALE--	-	-	-	-	-	-	1	5	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,853  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
DISEASES OF THE UPPER RESPIRATORY TRACT (460-465,470-478)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	9	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	29	-	1	-	1	2	-	-	-	1	1	2
WHITE-----MALE----	11	-	1	-	1	1	-	-	-	-	1	-
FEMALE--	14	-	-	-	-	1	-	-	-	-	-	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
UTAH -----	2	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	15	1	-	-	-	-	1	-	-	-	1	1
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	-	-	-	-	1	-	-	-	-	-







TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,855  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACUTE UPPER RESPIRATORY INFECTIONS (460-465)												
0 UNITED STATES --	211	15	13	6	5	2	2	4	4	2	8	7
WHITE-----MALE----	79	7	6	3	2	2	1	1	2	-	4	3
FEMALE--	103	4	3	3	1	-	1	1	2	-	3	2
ALL OTHER--MALE----	12	1	2	-	1	-	-	1	-	2	1	1
FEMALE--	17	3	2	-	1	-	-	1	-	-	-	1
BLACK---MALE----	9	-	2	-	-	-	-	-	-	2	1	1
FEMALE--	13	2	2	-	1	-	-	1	-	-	-	-
ALABAMA -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	2	-	-	-	1	-	-	-	-	-	-	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	15	2	-	-	1	1	-	1	1	-	-	1
WHITE-----MALE----	8	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	4	2	-	-	1	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	1	-	-	-	-	-	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,856  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACUTE UPPER RESPIRATORY INFECTIONS (460-465)												
COLORADO -----	-	-	-	-	-	-	1	-	1	-	1	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
FLORIDA -----	-	1	1	-	-	3	-	-	2	1	-	-
WHITE-----MALE----	-	-	1	-	-	3	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	1	-	-	2	1	1	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-



































TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,864  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER DISEASES OF UPPER RESPIRATORY TRACT (470-478)												
0 UNITED STATES --	18	20	21	21	24	36	53	41	25	8	1	-
WHITE-----MALE----	7	11	7	10	11	17	25	16	10	3	-	-
FEMALE--	3	4	5	6	10	15	27	23	13	5	1	-
ALL OTHER--MALE----	6	2	3	3	1	1	-	1	1	-	-	-
FEMALE--	2	3	6	2	2	3	1	1	1	-	-	-
BLACK---MALE----	6	2	2	3	-	-	-	1	1	-	-	-
FEMALE--	2	3	5	2	2	2	1	1	1	-	-	-
ALABAMA -----	-	-	-	-	1	1	3	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	-	-	1	-	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	3	2	4	2	-	5	-	3	-	1	-	-
WHITE-----MALE----	2	1	3	1	-	-	-	-	-	1	-	-
FEMALE--	-	1	-	-	-	3	-	3	-	-	-	-
ALL OTHER--MALE----	1	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-



























TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,870  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 OTHER DISEASES OF UPPER RESPIRATORY TRACT (470-478)												
OHIO -----	-	2	-	2	2	-	2	3	-	1	-	-
WHITE-----MALE----	-	2	-	2	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	2	-	2	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	1	1	1	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	-	1	-	1	-	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1	-	-	2	1	3	1	4	1	1	1	-
WHITE-----MALE----	1	-	-	-	-	1	1	2	-	-	-	-
FEMALE--	-	-	-	1	1	2	-	1	1	1	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	-	1	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	-	-	-	-	1	2	3	3	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	1	2	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,871  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 OTHER DISEASES OF UPPER RESPIRATORY TRACT (470-478)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	5	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	23	-	1	-	-	2	-	-	-	1	-	2
WHITE-----MALE----	8	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	1	-	-	-	-	-	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
UTAH -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	9	-	-	-	-	-	1	-	-	-	1	1
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-









TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,873  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OTHER DISEASES OF THE RESPIRATORY SYSTEM (466,480-519)												
0 UNITED STATES --	214,533	851	318	141	199	270	331	463	819	1,222	1,681	2,347
WHITE-----MALE----	95,421	314	96	46	60	99	114	159	307	473	616	938
FEMALE--	98,699	227	96	39	61	82	92	147	234	328	518	739
ALL OTHER--MALE----	11,175	175	59	33	50	51	61	90	166	230	292	411
FEMALE--	9,238	135	67	23	28	38	64	67	112	191	255	259
BLACK---MALE----	9,368	152	48	32	46	42	56	84	157	209	265	382
FEMALE--	7,905	121	59	21	26	36	62	65	96	178	231	237
ALABAMA -----	3,571	13	4	3	7	1	4	3	14	15	32	45
WHITE-----MALE----	1,475	4	-	-	1	-	-	3	4	3	9	9
FEMALE--	1,504	2	-	-	-	-	1	-	4	7	9	15
ALL OTHER--MALE----	320	4	2	1	5	-	1	-	4	3	7	12
FEMALE--	272	3	2	2	1	1	2	-	2	2	7	9
BLACK---MALE----	315	4	2	1	5	-	1	-	4	3	7	12
FEMALE--	272	3	2	2	1	1	2	-	2	2	7	9
ALASKA -----	186	1	1	-	1	1	-	-	3	2	3	3
WHITE-----MALE----	74	-	-	-	-	1	-	-	1	-	2	2
FEMALE--	61	-	-	-	1	-	-	-	1	1	-	-
ALL OTHER--MALE----	36	1	1	-	-	-	-	-	1	1	-	1
FEMALE--	15	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	6	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ARIZONA -----	3,673	21	10	3	5	1	4	8	19	22	40	44
WHITE-----MALE----	1,773	7	5	2	2	1	1	1	8	11	17	23
FEMALE--	1,706	7	1	-	3	-	2	4	6	6	18	17
ALL OTHER--MALE----	111	4	-	-	-	-	1	2	2	2	2	3
FEMALE--	83	3	4	1	-	-	-	1	3	3	3	1
BLACK---MALE----	38	2	-	-	-	-	-	1	1	-	2	1
FEMALE--	20	-	-	-	-	-	-	-	2	-	-	-
ARKANSAS -----	2,451	26	5	1	5	4	4	6	7	16	19	36
WHITE-----MALE----	1,155	9	2	-	4	2	2	3	2	7	4	13
FEMALE--	1,037	6	1	1	-	1	1	1	4	4	8	15
ALL OTHER--MALE----	152	8	1	-	1	-	-	1	-	3	2	5
FEMALE--	107	3	1	-	-	1	1	1	1	2	5	3
BLACK---MALE----	151	8	1	-	1	-	-	1	-	3	2	5
FEMALE--	105	3	1	-	-	1	1	1	1	2	5	3
CALIFORNIA -----	23,364	107	37	12	15	23	33	46	81	111	192	237
WHITE-----MALE----	9,787	51	16	4	4	9	12	22	34	50	90	87
FEMALE--	11,226	32	13	6	7	7	16	10	24	29	63	88
ALL OTHER--MALE----	1,310	17	5	2	3	5	2	9	15	22	20	45
FEMALE--	1,041	7	3	-	1	2	3	5	8	10	19	17
BLACK---MALE----	620	9	1	2	2	2	2	8	15	15	13	33
FEMALE--	553	5	3	-	-	2	2	5	4	6	13	12

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,873  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OTHER DISEASES OF THE RESPIRATORY SYSTEM (466,480-519)												
0 UNITED STATES --	3,509	5,568	10,049	18,248	28,447	35,660	39,137	33,870	20,986	8,319	2,089	9
WHITE-----MALE----	1,465	2,443	4,884	9,103	14,387	17,874	18,351	14,113	6,947	2,219	406	7
FEMALE--	1,306	2,135	3,852	7,197	11,520	15,050	17,944	17,469	12,643	5,550	1,468	2
ALL OTHER--MALE----	420	552	796	1,176	1,535	1,577	1,534	1,148	577	189	53	-
FEMALE--	318	438	517	772	1,005	1,159	1,308	1,140	819	361	162	-
BLACK---MALE----	371	498	698	1,018	1,285	1,298	1,229	877	429	148	44	-
FEMALE--	270	387	440	666	872	970	1,093	951	689	301	134	-
ALABAMA -----	71	119	221	366	460	591	626	531	311	108	26	-
WHITE-----MALE----	24	61	94	175	215	290	290	176	89	27	1	-
FEMALE--	27	35	87	131	179	229	262	269	173	61	13	-
ALL OTHER--MALE----	14	13	25	40	37	43	43	39	17	6	4	-
FEMALE--	6	10	15	20	29	29	31	47	32	14	8	-
BLACK---MALE----	14	13	24	40	34	43	43	38	17	6	4	-
FEMALE--	6	10	15	20	29	29	31	47	32	14	8	-
ALASKA -----	9	7	20	23	32	27	28	10	10	3	2	-
WHITE-----MALE----	5	3	8	8	17	12	10	4	-	1	-	-
FEMALE--	3	2	6	7	11	8	6	5	7	1	2	-
ALL OTHER--MALE----	1	1	5	5	3	5	6	1	3	1	-	-
FEMALE--	-	1	1	3	1	2	6	-	-	-	-	-
BLACK---MALE----	-	-	-	1	1	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	64	83	185	336	539	656	672	508	323	109	21	-
WHITE-----MALE----	31	44	94	189	280	347	332	230	115	25	8	-
FEMALE--	18	33	78	135	241	282	315	252	197	79	12	-
ALL OTHER--MALE----	8	2	7	8	12	20	14	15	6	3	-	-
FEMALE--	7	4	6	4	6	7	11	11	5	2	1	-
BLACK---MALE----	3	-	1	5	4	8	4	3	3	-	-	-
FEMALE--	2	3	3	1	2	1	2	1	1	2	-	-
ARKANSAS -----	49	88	118	190	352	385	420	405	219	80	16	-
WHITE-----MALE----	13	40	70	100	191	201	227	165	77	21	2	-
FEMALE--	29	39	37	80	134	150	155	194	117	50	10	-
ALL OTHER--MALE----	3	6	8	7	16	22	27	24	10	5	3	-
FEMALE--	4	3	3	3	11	12	11	22	15	4	1	-
BLACK---MALE----	3	6	7	7	16	22	27	24	10	5	3	-
FEMALE--	4	3	3	3	11	12	11	20	15	4	1	-
CALIFORNIA -----	359	541	972	1,780	3,092	3,890	4,377	3,835	2,414	960	249	1
WHITE-----MALE----	151	247	459	813	1,506	1,805	1,882	1,487	759	258	40	1
FEMALE--	137	209	388	763	1,290	1,731	2,112	2,012	1,456	644	189	-
ALL OTHER--MALE----	37	39	68	120	187	197	213	196	79	20	9	-
FEMALE--	34	46	57	84	109	157	170	140	120	38	11	-
BLACK---MALE----	23	29	44	61	93	82	80	73	22	9	2	-
FEMALE--	23	26	32	55	70	74	77	70	54	16	4	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,874  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OTHER DISEASES OF THE RESPIRATORY SYSTEM (466,480-519)												
COLORADO -----	2,901	3	4	4	2	3	1	7	17	20	35	38
WHITE-----MALE----	1,405	2	1	2	2	2	1	4	8	12	11	22
FEMALE--	1,404	1	1	2	-	1	-	3	7	3	18	13
ALL OTHER--MALE----	54	-	2	-	-	-	-	-	2	3	3	2
FEMALE--	38	-	-	-	-	-	-	-	-	2	3	1
BLACK---MALE----	40	-	1	-	-	-	-	-	1	3	2	2
FEMALE--	29	-	-	-	-	-	-	-	-	2	3	1
CONNECTICUT -----	2,716	5	3	2	3	5	3	7	9	17	20	19
WHITE-----MALE----	1,205	3	1	-	2	2	1	3	6	8	6	5
FEMALE--	1,398	2	1	-	1	3	2	4	2	3	7	5
ALL OTHER--MALE----	63	-	1	1	-	-	-	-	1	3	5	6
FEMALE--	50	-	-	1	-	-	-	-	-	3	2	3
BLACK---MALE----	59	-	1	1	-	-	-	-	1	3	5	5
FEMALE--	47	-	-	1	-	-	-	-	-	3	2	3
DELAWARE -----	555	4	1	1	1	1	-	3	4	6	5	5
WHITE-----MALE----	240	1	-	-	-	-	-	-	1	-	2	2
FEMALE--	245	2	-	-	-	1	-	3	1	5	1	1
ALL OTHER--MALE----	37	1	-	1	-	-	-	-	-	1	2	1
FEMALE--	33	-	1	-	1	-	-	-	2	-	-	1
BLACK---MALE----	35	1	-	1	-	-	-	-	-	1	2	1
FEMALE--	31	-	1	-	1	-	-	-	2	-	-	1
DISTRICT OF COLUMBIA ----	442	3	1	1	-	2	-	5	5	3	12	12
WHITE-----MALE----	55	-	-	-	-	1	-	1	1	-	-	2
FEMALE--	80	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	161	-	-	-	-	-	-	1	2	3	8	6
FEMALE--	146	3	1	1	-	1	-	3	2	-	4	4
BLACK---MALE----	160	-	-	-	-	-	-	1	2	3	8	6
FEMALE--	145	3	1	1	-	1	-	3	2	-	4	4
FLORIDA -----	13,346	46	12	4	4	7	22	26	47	74	105	143
WHITE-----MALE----	6,318	14	3	1	1	1	5	10	22	18	40	68
FEMALE--	6,026	14	3	1	2	3	10	7	9	15	32	35
ALL OTHER--MALE----	576	13	3	-	1	1	4	5	8	21	17	22
FEMALE--	426	5	3	2	-	2	3	4	8	20	16	18
BLACK---MALE----	562	13	3	-	1	1	4	5	8	21	17	22
FEMALE--	412	5	3	2	-	2	3	4	8	20	16	18
GEORGIA -----	5,284	30	13	4	7	11	12	14	34	44	56	68
WHITE-----MALE----	2,117	8	2	1	1	5	1	3	7	11	10	19
FEMALE--	2,193	8	5	1	2	4	3	3	7	9	13	14
ALL OTHER--MALE----	554	9	2	1	3	2	5	5	17	11	15	18
FEMALE--	420	5	4	1	1	-	3	3	3	13	18	17
BLACK---MALE----	544	9	2	1	3	2	5	5	16	11	15	18
FEMALE--	412	5	4	1	1	-	3	3	3	12	18	16

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,874  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OTHER DISEASES OF THE RESPIRATORY SYSTEM (466,480-519)												
COLORADO -----	44	73	154	245	411	480	518	442	264	105	31	-
WHITE-----MALE----	19	31	85	123	215	227	286	203	101	39	9	-
FEMALE--	22	37	63	111	184	239	227	231	156	63	22	-
ALL OTHER--MALE----	2	4	3	10	7	9	3	2	2	-	-	-
FEMALE--	1	1	3	1	5	5	2	6	5	3	-	-
BLACK---MALE----	1	4	1	7	5	9	3	-	1	-	-	-
FEMALE--	-	1	2	1	2	4	2	4	5	2	-	-
CONNECTICUT -----	31	57	107	174	321	467	540	446	304	143	33	-
WHITE-----MALE----	17	16	47	95	162	236	259	180	115	37	4	-
FEMALE--	9	31	47	74	148	221	261	260	184	105	28	-
ALL OTHER--MALE----	3	6	10	4	7	5	8	2	1	-	-	-
FEMALE--	2	4	3	1	4	5	12	4	4	1	1	-
BLACK---MALE----	3	5	10	4	6	5	7	2	1	-	-	-
FEMALE--	2	4	3	1	4	5	10	3	4	1	1	-
DELAWARE -----	4	17	34	62	83	84	95	72	53	17	3	-
WHITE-----MALE----	4	8	15	24	45	39	45	32	15	5	2	-
FEMALE--	-	6	12	29	29	37	41	32	32	12	1	-
ALL OTHER--MALE----	-	2	4	7	7	2	3	3	3	-	-	-
FEMALE--	-	1	3	2	2	6	6	5	3	-	-	-
BLACK---MALE----	-	1	4	7	6	2	3	3	3	-	-	-
FEMALE--	-	1	3	2	2	5	5	5	3	-	-	-
DISTRICT OF COLUMBIA ----	11	16	24	31	49	69	87	56	36	16	3	-
WHITE-----MALE----	-	-	4	-	8	5	15	12	6	-	-	-
FEMALE--	-	-	1	-	5	9	23	20	14	7	1	-
ALL OTHER--MALE----	7	9	9	17	18	33	28	12	5	3	-	-
FEMALE--	4	7	10	14	18	22	21	12	11	6	2	-
BLACK---MALE----	7	9	9	17	18	33	28	11	5	3	-	-
FEMALE--	4	7	10	14	18	22	21	11	11	6	2	-
FLORIDA -----	202	351	605	1,124	1,829	2,339	2,580	2,194	1,143	400	89	-
WHITE-----MALE----	97	147	287	587	939	1,209	1,257	1,015	451	121	25	-
FEMALE--	60	132	239	442	766	1,013	1,200	1,095	634	256	58	-
ALL OTHER--MALE----	29	46	50	63	77	70	74	34	27	8	3	-
FEMALE--	16	26	29	32	47	47	49	50	31	15	3	-
BLACK---MALE----	28	45	50	61	76	67	71	32	26	8	3	-
FEMALE--	16	25	26	31	44	47	47	48	30	14	3	-
GEORGIA -----	107	153	327	507	744	868	940	762	404	149	30	-
WHITE-----MALE----	45	66	140	242	367	392	389	263	123	20	2	-
FEMALE--	28	53	126	181	245	344	413	383	228	110	13	-
ALL OTHER--MALE----	19	28	40	56	81	80	74	55	25	6	2	-
FEMALE--	15	6	21	28	51	52	64	61	28	13	13	-
BLACK---MALE----	18	28	39	56	80	80	70	53	25	6	2	-
FEMALE--	14	6	20	27	51	52	63	59	28	13	13	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,875  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OTHER DISEASES OF THE RESPIRATORY SYSTEM (466,480-519)												
HAWAII -----	9	15	39	59	98	95	124	125	70	33	15	-
WHITE-----MALE----	-	3	5	10	18	21	16	13	7	1	1	-
FEMALE--	1	3	10	8	16	11	25	22	7	4	2	-
ALL OTHER--MALE----	7	5	15	20	44	42	54	56	34	11	2	-
FEMALE--	1	4	9	21	20	21	29	34	22	17	10	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
IDAHO -----	19	25	38	59	112	169	165	134	77	38	10	-
WHITE-----MALE----	12	17	23	29	80	102	85	56	32	10	3	-
FEMALE--	6	8	13	28	32	65	80	77	45	28	7	-
ALL OTHER--MALE----	1	-	1	1	-	2	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ILLINOIS -----	158	260	423	871	1,282	1,553	1,694	1,533	943	375	101	-
WHITE-----MALE----	56	109	181	418	633	777	747	650	309	96	18	-
FEMALE--	57	86	171	319	491	612	804	748	557	248	74	-
ALL OTHER--MALE----	29	37	47	84	93	82	68	63	29	14	3	-
FEMALE--	16	28	24	50	65	82	75	72	48	17	6	-
BLACK---MALE----	29	33	46	80	90	76	66	55	26	13	3	-
FEMALE--	12	26	23	47	62	79	69	70	46	16	6	-
INDIANA -----	73	131	258	455	652	805	890	754	453	172	35	-
WHITE-----MALE----	21	52	130	239	331	404	413	346	159	55	8	-
FEMALE--	41	64	109	188	295	362	439	379	274	114	25	-
ALL OTHER--MALE----	8	7	8	14	16	22	17	14	8	2	-	-
FEMALE--	3	8	11	14	10	17	21	15	12	1	2	-
BLACK---MALE----	7	7	8	14	15	22	17	14	8	2	-	-
FEMALE--	3	8	11	14	9	17	21	15	12	1	2	-
IOWA -----	32	62	121	227	337	455	508	521	384	174	41	-
WHITE-----MALE----	18	36	74	145	194	256	278	246	140	54	7	-
FEMALE--	10	26	46	74	137	197	227	274	243	118	34	-
ALL OTHER--MALE----	1	-	-	3	2	2	3	-	-	1	-	-
FEMALE--	3	-	1	5	4	-	-	1	1	1	-	-
BLACK---MALE----	1	-	-	3	2	2	3	-	-	1	-	-
FEMALE--	3	-	1	4	2	-	-	-	1	1	-	-
KANSAS -----	32	53	110	200	293	356	413	399	259	134	46	-
WHITE-----MALE----	14	30	59	114	133	187	239	192	93	31	6	-
FEMALE--	15	19	41	73	152	158	164	196	160	101	38	-
ALL OTHER--MALE----	-	4	7	9	6	8	5	4	2	2	1	-
FEMALE--	3	-	3	4	2	3	5	7	4	-	1	-
BLACK---MALE----	-	2	6	9	4	8	5	4	2	1	1	-
FEMALE--	2	-	3	4	2	3	5	7	3	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,876  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OTHER DISEASES OF THE RESPIRATORY SYSTEM (466,480-519)												
KENTUCKY -----	3,777	7	4	2	2	5	3	9	14	11	26	37
WHITE-----MALE----	1,893	3	-	1	1	3	1	3	5	3	12	19
FEMALE--	1,685	3	3	1	-	1	1	5	5	4	10	15
ALL OTHER--MALE----	104	1	-	-	1	1	1	1	-	2	1	1
FEMALE--	95	-	1	-	-	-	-	-	4	2	3	2
BLACK---MALE----	104	1	-	-	1	1	1	1	-	2	1	1
FEMALE--	94	-	1	-	-	-	-	-	3	2	3	2
LOUISIANA -----	2,970	28	10	3	5	10	5	4	22	26	28	48
WHITE-----MALE----	1,084	6	1	-	1	1	1	1	7	5	10	9
FEMALE--	1,186	2	-	1	-	6	1	-	4	9	3	12
ALL OTHER--MALE----	390	12	6	1	2	3	-	2	6	6	7	17
FEMALE--	310	8	3	1	2	-	3	1	5	6	8	10
BLACK---MALE----	385	12	6	1	2	3	-	2	6	6	7	17
FEMALE--	307	8	3	1	2	-	3	1	5	6	7	10
MAINE -----	1,162	3	2	1	1	1	-	-	2	3	4	9
WHITE-----MALE----	607	2	1	1	-	1	-	-	1	3	3	3
FEMALE--	551	-	1	-	1	-	-	-	1	-	1	6
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3,568	16	6	3	1	4	12	9	24	31	27	51
WHITE-----MALE----	1,362	3	1	-	-	2	6	2	6	14	8	15
FEMALE--	1,554	3	1	-	-	-	1	-	6	5	5	7
ALL OTHER--MALE----	353	7	1	1	-	-	4	3	8	9	11	21
FEMALE--	299	3	3	2	1	2	1	4	4	3	3	8
BLACK---MALE----	332	7	1	1	-	-	4	3	8	9	11	20
FEMALE--	285	3	2	2	1	2	1	3	3	3	3	8
MASSACHUSETTS -----	5,890	10	3	1	3	3	4	10	17	29	34	51
WHITE-----MALE----	2,503	6	2	-	1	2	1	7	11	16	16	25
FEMALE--	3,195	2	1	1	2	1	3	3	4	6	13	19
ALL OTHER--MALE----	104	-	-	-	-	-	-	-	-	5	3	5
FEMALE--	88	2	-	-	-	-	-	-	2	2	2	2
BLACK---MALE----	74	-	-	-	-	-	-	-	-	4	3	5
FEMALE--	69	1	-	-	-	-	-	-	2	1	2	2
MICHIGAN -----	7,505	39	14	5	8	12	17	19	30	52	71	102
WHITE-----MALE----	3,272	17	3	1	3	4	6	8	6	11	20	38
FEMALE--	3,382	10	3	1	1	3	3	3	15	19	24	31
ALL OTHER--MALE----	476	9	3	2	3	3	4	2	3	11	17	17
FEMALE--	375	3	5	1	1	2	4	6	6	11	10	16
BLACK---MALE----	446	9	3	2	3	3	4	2	2	11	16	16
FEMALE--	347	3	5	1	1	2	4	6	6	11	10	15

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,876  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OTHER DISEASES OF THE RESPIRATORY SYSTEM (466,480-519)												
KENTUCKY -----	75	144	176	356	520	655	661	556	332	148	34	-
WHITE-----MALE----	46	73	98	198	292	389	330	241	131	36	8	-
FEMALE--	25	66	67	139	201	236	300	289	187	104	23	-
ALL OTHER--MALE----	-	1	4	9	16	23	17	15	5	4	1	-
FEMALE--	4	4	7	10	11	7	14	11	9	4	2	-
BLACK---MALE----	-	1	4	9	16	23	17	15	5	4	1	-
FEMALE--	4	4	7	10	11	7	14	11	9	4	2	-
LOUISIANA -----	70	97	170	289	378	492	510	429	236	92	18	-
WHITE-----MALE----	15	32	74	127	153	214	201	140	68	14	4	-
FEMALE--	27	30	51	95	129	193	216	211	130	55	11	-
ALL OTHER--MALE----	17	23	29	42	54	48	51	38	16	9	1	-
FEMALE--	11	12	16	25	42	37	42	40	22	14	2	-
BLACK---MALE----	17	23	28	41	54	48	50	37	15	9	1	-
FEMALE--	11	12	16	25	41	37	41	40	22	14	2	-
MAINE -----	17	29	59	122	155	217	202	162	119	44	10	-
WHITE-----MALE----	10	15	36	67	87	127	121	66	45	15	3	-
FEMALE--	7	14	22	55	67	89	81	96	74	29	7	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	63	103	181	332	455	583	625	554	333	123	31	1
WHITE-----MALE----	23	32	69	138	189	266	260	217	77	27	6	1
FEMALE--	18	34	54	129	188	245	265	273	222	80	18	-
ALL OTHER--MALE----	11	25	28	47	45	34	49	31	11	5	2	-
FEMALE--	11	12	30	18	33	38	51	33	23	11	5	-
BLACK---MALE----	11	23	24	43	44	32	45	30	9	5	2	-
FEMALE--	11	11	30	18	32	33	49	32	22	11	5	-
MASSACHUSETTS -----	68	114	214	388	682	899	1,107	1,085	721	358	89	-
WHITE-----MALE----	32	60	100	206	362	419	494	433	204	88	18	-
FEMALE--	34	47	101	162	297	451	584	628	502	263	71	-
ALL OTHER--MALE----	1	6	9	10	14	15	15	14	5	2	-	-
FEMALE--	1	1	4	10	9	14	14	10	10	5	-	-
BLACK---MALE----	1	4	7	7	9	9	9	12	2	2	-	-
FEMALE--	1	1	2	8	5	13	11	9	7	4	-	-
MICHIGAN -----	141	210	378	671	994	1,316	1,256	1,151	697	247	74	1
WHITE-----MALE----	51	80	177	324	504	642	576	469	235	82	15	-
FEMALE--	50	83	138	265	387	566	573	600	413	143	50	1
ALL OTHER--MALE----	22	25	37	53	66	67	57	44	23	7	1	-
FEMALE--	18	22	26	29	37	41	50	38	26	15	8	-
BLACK---MALE----	21	24	33	47	62	62	54	41	23	7	1	-
FEMALE--	16	20	21	26	34	38	47	33	26	14	8	-



TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,877  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OTHER DISEASES OF THE RESPIRATORY SYSTEM (466,480-519)												
MINNESOTA -----	3,620	6	5	3	2	3	6	1	7	14	17	26
WHITE-----MALE----	1,721	2	1	1	-	1	4	-	1	6	9	13
FEMALE--	1,831	2	3	2	1	2	1	1	5	5	6	10
ALL OTHER--MALE----	33	2	1	-	-	-	1	-	1	1	-	3
FEMALE--	35	-	-	-	1	-	-	-	-	2	2	-
BLACK---MALE----	11	1	1	-	-	-	1	-	1	-	-	-
FEMALE--	18	-	-	-	1	-	-	-	-	1	1	-
MISSISSIPPI -----	2,320	21	4	-	1	5	7	7	10	19	22	33
WHITE-----MALE----	910	2	-	-	-	-	1	2	1	10	4	13
FEMALE--	862	3	1	-	-	-	2	-	2	-	3	9
ALL OTHER--MALE----	329	8	1	-	1	3	2	2	2	6	9	8
FEMALE--	219	8	2	-	-	2	2	3	5	3	6	3
BLACK---MALE----	327	8	1	-	1	3	2	2	2	6	9	8
FEMALE--	217	8	2	-	-	2	2	3	5	3	5	3
MISSOURI -----	5,380	15	4	5	9	10	4	5	15	26	28	62
WHITE-----MALE----	2,433	5	-	2	1	4	1	2	10	12	8	34
FEMALE--	2,553	4	3	1	2	3	-	1	3	11	9	18
ALL OTHER--MALE----	202	6	-	-	2	3	2	-	2	-	5	2
FEMALE--	192	-	1	2	4	-	1	2	-	3	6	8
BLACK---MALE----	197	6	-	-	2	3	2	-	2	-	5	2
FEMALE--	187	-	1	2	4	-	1	2	-	3	6	8
MONTANA -----	902	3	-	-	-	2	-	-	-	1	4	9
WHITE-----MALE----	449	1	-	-	-	2	-	-	-	-	-	5
FEMALE--	425	-	-	-	-	-	-	-	-	-	2	4
ALL OTHER--MALE----	17	1	-	-	-	-	-	-	-	1	2	-
FEMALE--	11	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	1,590	7	1	1	-	4	3	4	4	8	9	7
WHITE-----MALE----	778	4	1	1	-	1	2	1	3	3	4	4
FEMALE--	764	1	-	-	-	2	-	1	-	4	3	3
ALL OTHER--MALE----	27	2	-	-	-	-	1	1	-	-	-	-
FEMALE--	21	-	-	-	-	1	-	1	1	1	2	-
BLACK---MALE----	22	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	18	-	-	-	-	1	-	1	-	1	1	-
NEVADA -----	1,311	11	3	2	5	3	2	2	9	14	15	15
WHITE-----MALE----	683	5	-	1	2	2	2	1	5	5	8	12
FEMALE--	560	3	1	-	1	1	-	1	3	4	4	2
ALL OTHER--MALE----	31	-	2	-	1	-	-	-	1	2	2	1
FEMALE--	37	3	-	1	1	-	-	-	-	3	1	-
BLACK---MALE----	19	-	1	-	1	-	-	-	-	2	1	1
FEMALE--	24	3	-	1	1	-	-	-	-	3	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,877  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OTHER DISEASES OF THE RESPIRATORY SYSTEM (466,480-519)												
MINNESOTA -----	49	59	113	240	402	568	682	674	459	231	53	-
WHITE-----MALE----	28	33	64	130	233	320	331	304	163	69	8	-
FEMALE--	14	25	45	104	162	241	340	362	293	162	45	-
ALL OTHER--MALE----	3	-	2	5	3	2	6	1	2	-	-	-
FEMALE--	4	1	2	1	4	5	5	7	1	-	-	-
BLACK---MALE----	2	-	-	-	2	1	1	-	1	-	-	-
FEMALE--	1	1	-	-	3	2	1	6	1	-	-	-
MISSISSIPPI -----	39	71	123	203	302	408	438	322	191	83	11	-
WHITE-----MALE----	10	27	50	94	137	187	187	108	57	18	2	-
FEMALE--	13	24	39	67	106	142	166	143	89	49	4	-
ALL OTHER--MALE----	13	12	25	29	39	58	44	39	20	6	2	-
FEMALE--	3	8	9	13	20	21	41	32	25	10	3	-
BLACK---MALE----	13	12	23	29	39	58	44	39	20	6	2	-
FEMALE--	3	8	9	13	20	21	40	32	25	10	3	-
MISSOURI -----	85	148	250	470	683	863	963	867	571	240	57	-
WHITE-----MALE----	37	71	119	251	368	441	489	325	181	63	9	-
FEMALE--	32	56	101	186	270	371	423	488	360	166	45	-
ALL OTHER--MALE----	5	12	20	16	31	27	27	29	8	4	1	-
FEMALE--	11	9	10	17	14	24	24	25	22	7	2	-
BLACK---MALE----	5	12	20	16	30	26	26	28	8	3	1	-
FEMALE--	8	9	10	17	14	23	24	24	22	7	2	-
MONTANA -----	15	21	49	66	122	153	172	140	91	45	9	-
WHITE-----MALE----	4	12	26	37	63	82	101	69	30	17	-	-
FEMALE--	8	8	21	28	56	67	68	68	61	26	8	-
ALL OTHER--MALE----	3	-	-	1	-	3	2	2	-	2	-	-
FEMALE--	-	1	2	-	3	1	1	1	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	15	32	60	103	196	262	278	269	215	91	21	-
WHITE-----MALE----	9	14	32	57	124	146	139	120	83	29	1	-
FEMALE--	4	15	25	40	67	111	131	145	130	62	20	-
ALL OTHER--MALE----	2	3	3	4	3	1	7	-	-	-	-	-
FEMALE--	-	-	-	2	2	4	1	4	2	-	-	-
BLACK---MALE----	1	3	3	4	2	1	6	-	-	-	-	-
FEMALE--	-	-	-	2	2	4	1	4	1	-	-	-
NEVADA -----	19	51	82	160	235	247	214	134	67	15	6	-
WHITE-----MALE----	9	25	36	100	128	136	107	65	28	4	2	-
FEMALE--	9	18	43	53	98	107	99	66	32	11	4	-
ALL OTHER--MALE----	1	3	2	2	4	4	3	1	2	-	-	-
FEMALE--	-	5	1	5	5	-	5	2	5	-	-	-
BLACK---MALE----	1	-	2	2	4	1	2	-	1	-	-	-
FEMALE--	-	4	-	-	3	-	5	2	2	-	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,879  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OTHER DISEASES OF THE RESPIRATORY SYSTEM (466,480-519)												
OHIO -----	9,622	28	9	3	6	13	9	14	21	46	63	88
WHITE-----MALE----	4,294	8	4	-	5	4	3	3	9	17	21	31
FEMALE--	4,581	8	1	2	1	7	4	5	9	16	21	40
ALL OTHER--MALE----	399	7	3	1	-	1	1	4	2	4	11	12
FEMALE--	348	5	1	-	-	1	1	2	1	9	10	5
BLACK---MALE----	391	7	3	1	-	1	1	4	2	4	11	11
FEMALE--	337	5	1	-	-	1	1	2	1	9	10	5
OKLAHOMA -----	3,352	9	3	2	2	6	5	4	12	26	32	43
WHITE-----MALE----	1,556	2	2	2	1	2	2	1	5	15	10	14
FEMALE--	1,570	5	-	-	1	-	2	1	5	7	13	25
ALL OTHER--MALE----	117	1	1	-	-	3	-	1	1	3	5	1
FEMALE--	109	1	-	-	-	1	1	1	1	1	4	3
BLACK---MALE----	66	-	1	-	-	2	-	-	1	2	1	-
FEMALE--	61	-	-	-	-	1	-	1	1	1	4	2
OREGON -----	2,653	2	3	1	-	-	-	7	5	11	9	23
WHITE-----MALE----	1,279	1	-	-	-	-	-	5	-	6	2	12
FEMALE--	1,315	-	2	-	-	-	-	2	5	4	6	8
ALL OTHER--MALE----	34	1	1	-	-	-	-	-	-	1	-	2
FEMALE--	25	-	-	1	-	-	-	-	-	-	1	1
BLACK---MALE----	14	1	-	-	-	-	-	-	-	-	-	2
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	1
PENNSYLVANIA -----	11,645	36	16	8	6	14	8	22	23	53	68	100
WHITE-----MALE----	5,419	16	5	3	2	3	1	7	6	28	20	43
FEMALE--	5,398	9	8	2	1	6	-	8	7	14	24	29
ALL OTHER--MALE----	440	4	2	2	2	4	2	2	7	6	13	18
FEMALE--	388	7	1	1	1	1	5	5	3	5	11	10
BLACK---MALE----	422	4	2	2	2	3	2	2	7	6	13	18
FEMALE--	374	7	1	1	1	1	5	5	2	5	10	8
RHODE ISLAND -----	847	3	2	-	1	-	2	3	3	4	6	6
WHITE-----MALE----	402	3	1	-	1	-	1	-	3	4	2	5
FEMALE--	426	-	-	-	-	-	-	3	-	-	3	1
ALL OTHER--MALE----	13	-	1	-	-	-	1	-	-	-	1	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	13	-	1	-	-	-	1	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	2,904	10	8	3	4	6	9	9	15	22	34	43
WHITE-----MALE----	1,234	3	-	2	-	1	4	3	3	8	10	8
FEMALE--	1,130	1	2	-	2	2	1	1	5	5	9	13
ALL OTHER--MALE----	291	3	2	1	2	1	3	5	5	4	11	14
FEMALE--	249	3	4	-	-	2	1	-	2	5	4	8
BLACK---MALE----	286	3	2	1	2	1	3	5	4	4	11	14
FEMALE--	246	3	4	-	-	2	1	-	2	5	4	8

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,879  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OTHER DISEASES OF THE RESPIRATORY SYSTEM (466,480-519)												
OHIO -----	137	234	467	857	1,328	1,713	1,697	1,538	928	358	65	-
WHITE-----MALE----	63	109	213	407	678	835	822	645	300	104	13	-
FEMALE--	49	95	194	375	557	751	783	814	571	231	47	-
ALL OTHER--MALE----	18	12	36	41	53	71	53	36	26	6	1	-
FEMALE--	7	18	24	34	40	56	39	43	31	17	4	-
BLACK---MALE----	18	12	36	41	51	69	52	35	25	6	1	-
FEMALE--	7	17	22	34	38	53	38	41	31	17	4	-
OKLAHOMA -----	61	75	156	301	459	524	594	543	333	122	39	1
WHITE-----MALE----	27	34	96	162	229	273	287	241	113	30	7	1
FEMALE--	27	35	47	120	199	216	279	271	205	81	31	-
ALL OTHER--MALE----	2	4	10	11	18	20	13	11	8	4	-	-
FEMALE--	5	2	3	8	13	15	15	20	7	7	1	-
BLACK---MALE----	2	3	5	5	10	13	7	6	5	3	-	-
FEMALE--	3	2	2	3	7	8	8	12	3	3	-	-
OREGON -----	42	65	119	237	368	468	513	392	255	106	27	-
WHITE-----MALE----	17	28	63	117	172	253	256	199	114	28	6	-
FEMALE--	23	35	52	116	184	205	252	187	138	75	21	-
ALL OTHER--MALE----	1	1	2	3	7	6	3	4	2	-	-	-
FEMALE--	1	1	2	1	5	4	2	2	1	3	-	-
BLACK---MALE----	1	1	1	2	1	3	-	1	1	-	-	-
FEMALE--	-	-	-	-	2	-	1	1	-	2	-	-
PENNSYLVANIA -----	137	235	495	930	1,546	1,979	2,337	1,892	1,195	444	101	-
WHITE-----MALE----	51	101	235	507	831	1,039	1,141	814	427	121	18	-
FEMALE--	60	86	200	331	605	827	1,071	1,003	720	312	75	-
ALL OTHER--MALE----	13	28	37	52	65	64	61	33	21	2	2	-
FEMALE--	13	20	23	40	45	49	64	42	27	9	6	-
BLACK---MALE----	13	27	35	50	63	61	58	31	19	2	2	-
FEMALE--	12	19	23	39	43	48	63	39	27	9	6	-
RHODE ISLAND -----	16	17	26	68	100	151	155	145	88	42	9	-
WHITE-----MALE----	8	9	15	35	55	78	77	64	31	10	-	-
FEMALE--	8	7	8	33	42	69	76	81	56	30	9	-
ALL OTHER--MALE----	-	1	1	-	2	3	2	-	-	1	-	-
FEMALE--	-	-	2	-	1	1	-	-	1	1	-	-
BLACK---MALE----	-	1	1	-	2	3	2	-	-	1	-	-
FEMALE--	-	-	1	-	-	1	-	-	1	1	-	-
SOUTH CAROLINA -----	71	111	179	285	431	505	440	400	217	76	26	-
WHITE-----MALE----	30	44	90	136	215	261	193	148	58	14	3	-
FEMALE--	20	35	53	103	152	174	172	193	123	47	17	-
ALL OTHER--MALE----	11	17	26	29	37	42	30	31	11	5	1	-
FEMALE--	10	15	10	17	27	28	45	28	25	10	5	-
BLACK---MALE----	11	17	26	28	36	41	29	31	11	5	1	-
FEMALE--	9	15	9	17	27	28	45	27	25	10	5	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,880  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OTHER DISEASES OF THE RESPIRATORY SYSTEM (466,480-519)												
SOUTH DAKOTA -----	693	4	-	-	1	1	1	3	2	2	3	4
WHITE-----MALE----	388	2	-	-	-	-	1	2	-	-	1	1
FEMALE--	281	1	-	-	-	-	-	-	1	2	-	2
ALL OTHER--MALE----	13	1	-	-	1	-	-	1	-	-	-	-
FEMALE--	11	-	-	-	-	1	-	-	1	-	2	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	4,710	18	6	-	5	4	6	10	24	33	35	59
WHITE-----MALE----	2,130	7	1	-	1	-	1	3	13	12	17	25
FEMALE--	2,006	3	1	-	2	2	1	2	5	5	10	18
ALL OTHER--MALE----	301	4	-	-	2	2	1	5	3	10	2	11
FEMALE--	273	4	4	-	-	-	3	-	3	6	6	5
BLACK---MALE----	300	4	-	-	2	2	1	5	3	10	2	11
FEMALE--	272	4	4	-	-	-	3	-	3	6	6	5
TEXAS -----	11,745	76	23	13	17	22	30	38	52	74	87	135
WHITE-----MALE----	5,345	34	11	3	8	10	10	16	22	26	44	70
FEMALE--	5,390	25	7	6	5	5	14	14	14	26	20	41
ALL OTHER--MALE----	534	8	-	4	3	3	3	4	9	10	10	14
FEMALE--	476	9	5	-	1	4	3	4	7	12	13	10
BLACK---MALE----	511	8	-	4	3	2	3	4	9	10	10	14
FEMALE--	455	8	5	-	1	4	3	4	5	12	12	9
UTAH -----	1,098	5	-	1	2	5	1	2	3	5	9	5
WHITE-----MALE----	556	-	-	-	-	3	1	-	1	4	4	2
FEMALE--	522	3	-	1	2	1	-	2	2	1	4	2
ALL OTHER--MALE----	11	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	9	1	-	-	-	1	-	-	-	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	1	-	-	-	-	-	-
VERMONT -----	483	1	-	-	-	3	-	-	1	3	3	7
WHITE-----MALE----	225	-	-	-	-	-	-	-	-	3	-	4
FEMALE--	256	1	-	-	-	3	-	-	1	-	2	3
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	4,966	15	7	4	6	5	7	6	24	26	38	54
WHITE-----MALE----	2,063	6	2	1	-	1	2	2	8	11	14	18
FEMALE--	2,173	3	1	1	3	2	2	1	4	6	13	17
ALL OTHER--MALE----	391	2	2	1	2	2	1	1	8	3	4	10
FEMALE--	339	4	2	1	1	-	2	2	4	6	7	9
BLACK---MALE----	380	2	2	1	1	2	1	1	8	3	4	10
FEMALE--	322	4	2	1	1	-	2	2	4	6	7	8

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,880  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OTHER DISEASES OF THE RESPIRATORY SYSTEM (466,480-519)												
SOUTH DAKOTA -----	7	13	21	49	80	106	128	122	96	34	16	-
WHITE-----MALE----	5	2	13	24	46	63	85	71	49	18	5	-
FEMALE--	1	9	5	23	33	39	42	50	46	16	11	-
ALL OTHER--MALE----	1	1	1	2	-	3	1	1	-	-	-	-
FEMALE--	-	1	2	-	1	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	97	161	279	490	667	735	799	677	423	144	38	-
WHITE-----MALE----	49	85	134	258	340	369	361	291	121	35	7	-
FEMALE--	34	58	117	179	243	291	355	312	253	94	21	-
ALL OTHER--MALE----	8	8	19	21	55	45	38	39	21	6	1	-
FEMALE--	6	10	9	32	29	30	45	35	28	9	9	-
BLACK---MALE----	8	8	19	21	55	45	38	38	21	6	1	-
FEMALE--	6	10	9	31	29	30	45	35	28	9	9	-
TEXAS -----	219	367	609	1,086	1,653	1,917	2,043	1,735	1,049	380	118	2
WHITE-----MALE----	106	163	314	538	829	981	962	721	351	105	20	1
FEMALE--	74	144	237	439	692	813	955	898	628	251	81	1
ALL OTHER--MALE----	21	28	28	67	79	66	75	58	32	6	6	-
FEMALE--	18	32	30	42	53	57	51	58	38	18	11	-
BLACK---MALE----	20	26	27	64	72	62	74	57	31	5	6	-
FEMALE--	16	31	29	41	48	55	50	57	37	17	11	-
UTAH -----	21	29	45	97	150	173	221	171	100	41	12	-
WHITE-----MALE----	9	17	24	57	82	98	108	85	44	13	4	-
FEMALE--	10	8	20	39	67	73	111	86	55	28	7	-
ALL OTHER--MALE----	2	3	1	-	-	1	1	-	1	-	-	-
FEMALE--	-	1	-	1	1	1	1	-	-	-	1	-
BLACK---MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
VERMONT -----	8	11	15	35	67	70	95	87	40	29	8	-
WHITE-----MALE----	3	9	11	25	37	35	43	36	9	9	1	-
FEMALE--	5	2	4	10	30	35	52	51	31	20	6	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
VIRGINIA -----	97	145	241	442	689	794	936	744	447	188	49	2
WHITE-----MALE----	35	62	120	195	333	385	399	282	137	39	9	2
FEMALE--	38	50	77	165	261	322	407	382	263	131	24	-
ALL OTHER--MALE----	10	18	25	43	52	57	72	46	22	6	4	-
FEMALE--	14	15	19	39	43	30	58	34	25	12	12	-
BLACK---MALE----	10	18	25	40	49	57	69	46	21	6	4	-
FEMALE--	14	13	18	36	40	28	54	33	25	12	12	-







TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,882  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACUTE BRONCHITIS AND BRONCHIOLITIS (466)												
0 UNITED STATES --	532	71	25	2	1	2	-	5	1	4	4	5
WHITE-----MALE----	197	27	8	1	1	1	-	4	1	2	1	2
FEMALE--	280	17	8	1	-	1	-	1	-	1	3	2
ALL OTHER--MALE----	27	13	4	-	-	-	-	-	-	-	-	1
FEMALE--	28	14	5	-	-	-	-	-	-	1	-	-
BLACK---MALE----	24	12	3	-	-	-	-	-	-	-	-	1
FEMALE--	25	13	4	-	-	-	-	-	-	1	-	-
ALABAMA -----	8	2	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	11	-	2	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	5	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	21	10	2	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	9	4	1	-	-	-	-	-	-	-	-	-
FEMALE--	8	2	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	50	5	4	-	-	-	-	-	-	1	-	1
WHITE-----MALE----	14	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	29	2	3	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	5	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-

































TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,889  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACUTE BRONCHITIS AND BRONCHIOLITIS (466)												
SOUTH DAKOTA -----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	-	-	-	1	2	1	2	2	2	-	-
WHITE-----MALE----	-	-	-	-	-	1	1	1	-	1	-	-
FEMALE--	-	-	-	-	1	1	-	1	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	-	1	-	1	2	2	5	3	4	1	-	-
WHITE-----MALE----	-	-	-	-	2	1	3	-	3	-	-	-
FEMALE--	-	1	-	1	-	1	1	3	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	1	-	-	-	3	1	3	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	1	1	-	-	-	-
FEMALE--	1	1	-	-	-	2	-	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,891  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 PNEUMONIA (480-486)												
0 UNITED STATES --	82,317	485	149	67	54	79	122	203	418	656	810	980
WHITE-----MALE----	32,742	168	37	20	16	45	50	70	174	280	339	436
FEMALE--	40,333	131	45	25	23	18	35	60	107	153	203	226
ALL OTHER--MALE----	4,823	107	28	10	7	7	15	45	87	134	169	215
FEMALE--	4,419	79	39	12	8	9	22	28	50	89	99	103
BLACK---MALE----	4,008	94	22	9	6	2	15	43	80	125	156	202
FEMALE--	3,764	69	36	12	7	8	21	28	41	85	86	94
ALABAMA -----	1,363	6	2	2	3	1	1	2	5	8	15	17
WHITE-----MALE----	462	1	-	-	1	-	-	2	1	2	6	2
FEMALE--	615	1	-	-	-	-	1	-	1	4	3	4
ALL OTHER--MALE----	129	3	1	-	1	-	-	-	2	-	3	7
FEMALE--	157	1	1	2	1	1	-	-	1	2	3	4
BLACK---MALE----	128	3	1	-	1	-	-	-	2	-	3	7
FEMALE--	157	1	1	2	1	1	-	-	1	2	3	4
ALASKA -----	54	1	1	-	1	-	-	-	2	-	2	1
WHITE-----MALE----	16	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	20	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	13	1	1	-	-	-	-	-	1	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ARIZONA -----	1,169	17	5	1	3	1	1	1	14	12	20	18
WHITE-----MALE----	530	4	3	1	1	1	-	-	7	7	9	12
FEMALE--	546	6	1	-	2	-	1	-	4	1	8	4
ALL OTHER--MALE----	52	4	-	-	-	-	-	1	2	2	-	1
FEMALE--	41	3	1	-	-	-	-	-	1	2	3	1
BLACK---MALE----	13	2	-	-	-	-	-	1	1	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	1	-	-	-
ARKANSAS -----	936	14	1	1	1	1	1	4	2	8	8	16
WHITE-----MALE----	397	4	-	-	1	-	1	3	-	3	2	6
FEMALE--	437	3	-	1	-	-	-	-	2	2	3	7
ALL OTHER--MALE----	55	5	-	-	-	-	-	1	-	2	1	2
FEMALE--	47	2	1	-	-	1	-	-	-	1	2	1
BLACK---MALE----	55	5	-	-	-	-	-	1	-	2	1	2
FEMALE--	46	2	1	-	-	1	-	-	-	1	2	1
CALIFORNIA -----	10,504	64	19	4	5	9	19	14	39	51	92	99
WHITE-----MALE----	4,117	33	10	1	-	4	7	7	17	24	44	42
FEMALE--	5,232	15	4	3	4	3	9	4	13	16	32	33
ALL OTHER--MALE----	592	11	3	-	-	2	1	-	5	7	12	18
FEMALE--	563	5	2	-	1	-	2	3	4	4	4	6
BLACK---MALE----	268	7	-	-	-	-	1	-	5	4	10	13
FEMALE--	294	4	2	-	-	-	1	3	2	3	3	5

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,891  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PNEUMONIA (480-486)												
0 UNITED STATES --	1,081	1,301	2,126	3,751	6,906	10,666	15,184	16,850	13,018	5,824	1,583	4
WHITE-----MALE----	465	556	1,033	1,836	3,443	5,165	6,683	6,336	3,883	1,428	277	2
FEMALE--	325	409	655	1,279	2,514	4,366	7,112	9,217	8,253	4,016	1,159	2
ALL OTHER--MALE----	193	214	266	398	546	613	693	586	338	120	32	-
FEMALE--	98	122	172	238	403	522	696	711	544	260	115	-
BLACK---MALE----	170	198	233	346	457	494	548	441	249	92	26	-
FEMALE--	82	108	151	202	353	440	595	596	444	215	91	-
ALABAMA -----	20	26	43	68	127	189	261	276	199	75	17	-
WHITE-----MALE----	6	15	13	31	58	87	94	73	53	16	1	-
FEMALE--	5	4	15	18	49	71	122	151	113	44	9	-
ALL OTHER--MALE----	6	4	11	13	10	16	21	19	6	3	3	-
FEMALE--	3	3	4	6	10	15	24	33	27	12	4	-
BLACK---MALE----	6	4	10	13	10	16	21	19	6	3	3	-
FEMALE--	3	3	4	6	10	15	24	33	27	12	4	-
ALASKA -----	1	3	5	6	9	5	4	1	8	2	2	-
WHITE-----MALE----	-	2	2	2	3	4	-	-	-	1	-	-
FEMALE--	1	1	1	2	4	-	1	1	6	-	2	-
ALL OTHER--MALE----	-	-	2	-	1	1	2	-	2	1	-	-
FEMALE--	-	-	-	2	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	19	15	30	55	105	132	231	216	181	75	17	-
WHITE-----MALE----	8	8	12	34	57	73	114	95	61	16	7	-
FEMALE--	5	5	15	18	40	49	102	106	114	56	9	-
ALL OTHER--MALE----	5	1	2	2	5	7	8	7	2	3	-	-
FEMALE--	1	1	1	1	3	3	7	8	4	-	1	-
BLACK---MALE----	2	-	-	1	1	2	2	-	1	-	-	-
FEMALE--	-	1	-	-	1	-	1	1	1	-	-	-
ARKANSAS -----	12	20	24	28	94	125	178	198	132	57	11	-
WHITE-----MALE----	4	10	15	18	51	63	83	73	48	11	1	-
FEMALE--	7	10	7	9	35	51	78	103	72	39	8	-
ALL OTHER--MALE----	1	-	1	1	4	7	11	7	7	4	1	-
FEMALE--	-	-	1	-	4	4	6	15	5	3	1	-
BLACK---MALE----	1	-	1	1	4	7	11	7	7	4	1	-
FEMALE--	-	-	1	-	4	4	6	14	5	3	1	-
CALIFORNIA -----	109	132	255	471	905	1,423	2,006	2,178	1,684	717	209	-
WHITE-----MALE----	54	61	133	224	460	666	848	764	490	194	34	-
FEMALE--	39	44	79	172	330	596	953	1,196	1,048	478	161	-
ALL OTHER--MALE----	11	12	22	45	63	80	115	117	50	12	6	-
FEMALE--	5	15	21	30	52	81	90	101	96	33	8	-
BLACK---MALE----	4	11	14	20	29	36	46	48	13	6	1	-
FEMALE--	2	9	13	19	34	40	43	51	46	13	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,892  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 PNEUMONIA (480-486)												
COLORADO -----	940	3	3	1	-	2	-	4	8	11	24	16
WHITE-----MALE----	417	2	1	-	-	1	-	2	5	7	9	11
FEMALE--	481	1	1	1	-	1	-	2	2	1	11	4
ALL OTHER--MALE----	15	-	1	-	-	-	-	-	1	1	3	-
FEMALE--	27	-	-	-	-	-	-	-	-	2	1	1
BLACK---MALE----	9	-	1	-	-	-	-	-	-	1	2	-
FEMALE--	21	-	-	-	-	-	-	-	-	2	1	1
CONNECTICUT -----	1,101	3	1	-	1	1	-	3	5	12	8	8
WHITE-----MALE----	458	1	1	-	-	1	-	2	4	5	5	2
FEMALE--	595	2	-	-	1	-	-	1	-	3	-	2
ALL OTHER--MALE----	27	-	-	-	-	-	-	-	1	3	3	3
FEMALE--	21	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	26	-	-	-	-	-	-	-	1	3	3	3
FEMALE--	19	-	-	-	-	-	-	-	-	1	-	1
DELAWARE -----	208	1	1	-	-	-	-	-	2	2	2	4
WHITE-----MALE----	84	-	-	-	-	-	-	-	1	-	1	2
FEMALE--	92	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	14	1	-	-	-	-	-	-	-	1	1	1
FEMALE--	18	-	1	-	-	-	-	-	1	-	-	1
BLACK---MALE----	14	1	-	-	-	-	-	-	-	1	1	1
FEMALE--	16	-	1	-	-	-	-	-	1	-	-	1
DISTRICT OF COLUMBIA ----	221	2	1	1	-	1	-	3	-	2	6	7
WHITE-----MALE----	26	-	-	-	-	1	-	1	-	-	-	2
FEMALE--	38	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	79	-	-	-	-	-	-	-	-	2	4	3
FEMALE--	78	2	1	1	-	-	-	2	-	-	2	2
BLACK---MALE----	78	-	-	-	-	-	-	-	-	2	4	3
FEMALE--	77	2	1	1	-	-	-	2	-	-	2	2
FLORIDA -----	3,830	21	7	3	-	3	13	16	28	42	55	67
WHITE-----MALE----	1,787	5	-	1	-	1	3	6	15	14	23	36
FEMALE--	1,632	6	2	1	-	1	6	4	5	4	12	10
ALL OTHER--MALE----	227	8	3	-	-	-	2	3	3	13	13	13
FEMALE--	184	2	2	1	-	1	2	3	5	11	7	8
BLACK---MALE----	224	8	3	-	-	-	2	3	3	13	13	13
FEMALE--	178	2	2	1	-	1	2	3	5	11	7	8
GEORGIA -----	1,984	19	4	1	5	6	6	7	19	29	26	39
WHITE-----MALE----	664	6	1	-	1	4	1	2	4	7	6	13
FEMALE--	857	6	1	1	2	2	-	-	3	4	2	4
ALL OTHER--MALE----	243	4	-	-	1	-	3	5	11	9	10	12
FEMALE--	220	3	2	-	1	-	2	-	1	9	8	10
BLACK---MALE----	239	4	-	-	1	-	3	5	10	9	10	12
FEMALE--	218	3	2	-	1	-	2	-	1	8	8	10

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,892  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PNEUMONIA (480-486)												
COLORADO -----	14	21	30	37	79	95	158	182	157	72	23	-
WHITE-----MALE----	6	12	16	20	41	50	80	74	53	21	6	-
FEMALE--	7	7	12	14	36	41	75	101	99	48	17	-
ALL OTHER--MALE----	-	2	-	2	-	1	1	2	1	-	-	-
FEMALE--	1	-	2	1	2	3	2	5	4	3	-	-
BLACK---MALE----	-	2	-	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	1	1	2	2	4	4	2	-	-
CONNECTICUT -----	13	17	26	46	81	128	202	214	207	99	26	-
WHITE-----MALE----	8	4	8	26	40	63	91	94	76	23	4	-
FEMALE--	3	9	12	19	37	61	104	117	127	76	21	-
ALL OTHER--MALE----	2	3	4	1	1	2	3	-	1	-	-	-
FEMALE--	-	1	2	-	3	2	4	3	3	-	1	-
BLACK---MALE----	2	3	4	1	1	2	2	-	1	-	-	-
FEMALE--	-	1	2	-	3	2	3	2	3	-	1	-
DELAWARE -----	1	5	7	18	19	24	39	32	37	13	1	-
WHITE-----MALE----	1	3	2	11	10	8	21	11	9	4	-	-
FEMALE--	-	2	3	4	5	13	14	17	23	9	1	-
ALL OTHER--MALE----	-	-	-	2	2	1	1	2	2	-	-	-
FEMALE--	-	-	2	1	2	2	3	2	3	-	-	-
BLACK---MALE----	-	-	-	2	2	1	1	2	2	-	-	-
FEMALE--	-	-	2	1	2	1	2	2	3	-	-	-
DISTRICT OF COLUMBIA ----	6	8	13	15	22	30	43	34	14	11	2	-
WHITE-----MALE----	-	-	2	-	3	2	5	8	2	-	-	-
FEMALE--	-	-	1	-	-	5	9	9	8	5	1	-
ALL OTHER--MALE----	5	4	6	8	10	11	15	7	4	-	-	-
FEMALE--	1	4	4	7	9	12	14	10	-	6	1	-
BLACK---MALE----	5	4	6	8	10	11	15	6	4	-	-	-
FEMALE--	1	4	4	7	9	12	14	9	-	6	1	-
FLORIDA -----	62	82	113	184	351	493	714	783	511	232	50	-
WHITE-----MALE----	25	36	57	107	199	263	359	366	196	64	11	-
FEMALE--	14	18	31	51	112	188	310	381	286	153	37	-
ALL OTHER--MALE----	16	16	17	20	20	27	23	11	12	6	1	-
FEMALE--	7	12	8	6	20	15	22	25	17	9	1	-
BLACK---MALE----	16	16	17	18	20	26	23	11	12	6	1	-
FEMALE--	7	11	8	5	19	15	22	23	16	9	1	-
GEORGIA -----	36	37	67	107	179	271	368	371	254	109	24	-
WHITE-----MALE----	18	16	20	39	78	117	128	117	71	13	2	-
FEMALE--	9	11	25	33	50	101	167	190	154	83	9	-
ALL OTHER--MALE----	8	10	10	24	30	28	32	27	13	4	2	-
FEMALE--	1	-	12	11	21	25	41	37	16	9	11	-
BLACK---MALE----	8	10	10	24	30	28	30	26	13	4	2	-
FEMALE--	1	-	12	11	21	25	41	36	16	9	11	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,893  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PNEUMONIA (480-486)												
HAWAII -----	1	5	13	17	31	36	54	69	46	19	13	-
WHITE-----MALE----	-	2	2	2	3	7	8	7	4	1	1	-
FEMALE--	-	-	3	3	4	3	8	11	7	3	2	-
ALL OTHER--MALE----	1	2	5	5	17	15	26	32	17	7	1	-
FEMALE--	-	1	3	7	7	11	12	19	18	8	9	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	7	6	5	8	25	35	59	67	51	30	8	-
WHITE-----MALE----	3	4	2	4	15	16	23	22	18	8	2	-
FEMALE--	4	2	2	3	10	17	36	45	33	22	6	-
ALL OTHER--MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ILLINOIS -----	59	68	88	196	351	483	671	767	561	270	80	-
WHITE-----MALE----	21	26	37	87	171	223	306	292	161	64	13	-
FEMALE--	18	21	31	58	118	192	303	392	353	184	61	-
ALL OTHER--MALE----	18	18	15	32	36	34	21	38	14	11	2	-
FEMALE--	2	3	5	19	26	34	41	45	33	11	4	-
BLACK---MALE----	18	17	15	31	36	31	21	34	13	10	2	-
FEMALE--	1	3	5	18	25	34	39	44	31	10	4	-
INDIANA -----	19	27	53	81	145	240	341	401	282	121	23	-
WHITE-----MALE----	3	10	29	40	73	115	145	164	98	36	4	-
FEMALE--	12	10	16	32	62	108	181	215	173	84	18	-
ALL OTHER--MALE----	4	3	3	2	6	7	8	8	6	-	-	-
FEMALE--	-	4	5	7	4	10	7	14	5	1	1	-
BLACK---MALE----	3	3	3	2	6	7	8	8	6	-	-	-
FEMALE--	-	4	5	7	3	10	7	14	5	1	1	-
IOWA -----	9	7	20	52	70	136	189	264	239	126	37	-
WHITE-----MALE----	6	4	16	32	38	82	101	110	75	37	6	-
FEMALE--	1	3	4	20	31	54	87	153	164	87	31	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	2	-	-	-	1	-	-	1	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
KANSAS -----	10	6	15	36	52	103	158	189	163	81	37	-
WHITE-----MALE----	6	6	9	19	22	50	84	87	54	11	2	-
FEMALE--	3	-	5	13	25	48	72	95	103	69	34	-
ALL OTHER--MALE----	-	-	1	3	4	5	1	2	2	1	-	-
FEMALE--	1	-	-	1	1	-	1	5	4	-	1	-
BLACK---MALE----	-	-	1	3	2	5	1	2	2	-	-	-
FEMALE--	1	-	-	1	1	-	1	5	3	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,894  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 PNEUMONIA (480-486)												
KENTUCKY -----	1,448	1	1	2	-	2	-	5	5	5	12	8
WHITE-----MALE----	631	1	-	1	-	1	-	2	3	3	6	6
FEMALE--	737	-	-	1	-	1	-	3	-	1	5	2
ALL OTHER--MALE----	39	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	41	-	1	-	-	-	-	-	2	-	1	-
BLACK---MALE----	39	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	40	-	1	-	-	-	-	-	1	-	1	-
LOUISIANA -----	1,024	15	5	-	-	1	2	1	9	12	10	18
WHITE-----MALE----	320	5	-	-	-	-	1	-	3	5	3	6
FEMALE--	442	1	-	-	-	1	-	-	2	5	1	3
ALL OTHER--MALE----	124	5	2	-	-	-	-	-	1	1	4	6
FEMALE--	138	4	3	-	-	-	1	1	3	1	2	3
BLACK---MALE----	123	5	2	-	-	-	-	-	1	1	4	6
FEMALE--	138	4	3	-	-	-	1	1	3	1	2	3
MAINE -----	329	1	-	-	1	-	-	-	1	2	1	2
WHITE-----MALE----	146	1	-	-	-	-	-	-	-	2	1	1
FEMALE--	183	-	-	-	1	-	-	-	1	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1,345	11	4	3	-	-	4	5	16	17	14	29
WHITE-----MALE----	459	3	-	-	-	-	3	1	4	9	4	4
FEMALE--	571	3	1	-	-	-	-	-	3	2	1	2
ALL OTHER--MALE----	171	3	1	1	-	-	1	2	7	3	7	17
FEMALE--	144	2	2	2	-	-	2	2	2	3	2	6
BLACK---MALE----	161	3	1	1	-	-	1	2	7	3	7	16
FEMALE--	137	2	1	2	-	-	-	2	1	3	2	6
MASSACHUSETTS -----	2,704	4	-	1	-	-	2	3	14	10	20	21
WHITE-----MALE----	1,067	2	-	-	-	-	1	2	9	7	12	9
FEMALE--	1,559	-	-	1	-	-	1	1	4	-	5	10
ALL OTHER--MALE----	43	-	-	-	-	-	-	-	-	2	2	2
FEMALE--	35	2	-	-	-	-	-	-	1	1	1	-
BLACK---MALE----	33	-	-	-	-	-	-	-	-	2	2	2
FEMALE--	27	1	-	-	-	-	-	-	1	1	1	-
MICHIGAN -----	2,949	19	9	-	4	3	6	4	13	26	42	43
WHITE-----MALE----	1,141	8	2	-	2	3	2	2	4	5	11	19
FEMALE--	1,413	6	2	-	-	-	2	-	4	7	14	8
ALL OTHER--MALE----	227	4	2	-	1	-	-	1	2	9	11	10
FEMALE--	168	1	3	-	1	-	2	1	3	5	6	6
BLACK---MALE----	220	4	2	-	1	-	-	1	1	9	11	10
FEMALE--	159	1	3	-	1	-	2	1	3	5	6	5

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,894  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PNEUMONIA (480-486)												
KENTUCKY -----	16	29	34	74	129	210	269	303	217	100	26	-
WHITE-----MALE----	12	17	18	39	72	118	119	107	75	26	5	-
FEMALE--	4	10	13	28	49	81	136	182	132	69	20	-
ALL OTHER--MALE----	-	-	1	5	5	10	4	7	4	2	-	-
FEMALE--	-	2	2	2	3	1	10	7	6	3	1	-
BLACK---MALE----	-	-	1	5	5	10	4	7	4	2	-	-
FEMALE--	-	2	2	2	3	1	10	7	6	3	1	-
LOUISIANA -----	14	16	34	53	85	143	186	214	135	59	12	-
WHITE-----MALE----	2	3	16	21	36	54	60	64	30	8	3	-
FEMALE--	8	4	7	13	20	58	88	109	83	32	7	-
ALL OTHER--MALE----	2	6	8	11	14	13	21	16	6	7	1	-
FEMALE--	2	3	3	8	15	18	17	25	16	12	1	-
BLACK---MALE----	2	6	7	11	14	13	21	16	6	7	1	-
FEMALE--	2	3	3	8	15	18	17	25	16	12	1	-
MAINE -----	3	2	7	15	22	48	52	63	71	33	5	-
WHITE-----MALE----	1	2	4	13	10	26	29	25	21	9	1	-
FEMALE--	2	-	3	2	12	22	23	38	50	24	4	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	21	25	45	77	122	162	244	251	190	83	21	1
WHITE-----MALE----	7	6	15	34	50	78	95	80	44	17	4	1
FEMALE--	5	5	11	22	39	55	94	136	125	56	11	-
ALL OTHER--MALE----	3	8	12	17	18	16	28	14	8	3	2	-
FEMALE--	6	6	7	4	15	13	27	21	13	7	4	-
BLACK---MALE----	3	7	11	16	18	16	25	13	6	3	2	-
FEMALE--	6	5	7	4	14	12	27	20	12	7	4	-
MASSACHUSETTS -----	21	25	57	93	201	317	474	599	505	269	68	-
WHITE-----MALE----	15	15	33	50	116	160	201	241	127	59	8	-
FEMALE--	6	8	21	38	75	147	260	346	369	207	60	-
ALL OTHER--MALE----	-	2	3	4	5	5	7	6	5	-	-	-
FEMALE--	-	-	-	1	5	5	6	6	4	3	-	-
BLACK---MALE----	-	2	2	3	5	3	5	5	2	-	-	-
FEMALE--	-	-	-	1	3	5	4	5	3	2	-	-
MICHIGAN -----	47	68	73	130	265	419	516	583	446	176	56	1
WHITE-----MALE----	14	25	36	63	131	184	223	209	132	54	12	-
FEMALE--	14	23	19	44	90	192	236	334	277	105	35	1
ALL OTHER--MALE----	13	14	11	16	30	30	30	21	17	4	1	-
FEMALE--	6	6	7	7	14	13	27	19	20	13	8	-
BLACK---MALE----	13	14	11	15	28	28	30	20	17	4	1	-
FEMALE--	6	6	5	6	12	13	25	19	20	12	8	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,895  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 PNEUMONIA (480-486)												
MINNESOTA -----	1,489	4	3	1	1	1	2	-	5	5	8	10
WHITE-----MALE----	617	1	-	-	-	1	1	-	-	3	6	4
FEMALE--	845	1	2	1	-	-	1	-	5	2	2	5
ALL OTHER--MALE----	13	2	1	-	-	-	-	-	-	-	-	1
FEMALE--	14	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	5	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	1	-	-	-	-	-	-	-
MISSISSIPPI -----	953	14	3	-	-	1	4	5	4	11	13	15
WHITE-----MALE----	318	1	-	-	-	-	1	1	1	6	3	7
FEMALE--	376	3	-	-	-	-	1	-	2	-	3	2
ALL OTHER--MALE----	149	5	1	-	-	-	1	2	-	2	5	5
FEMALE--	110	5	2	-	-	1	1	2	1	3	2	1
BLACK---MALE----	148	5	1	-	-	-	1	2	-	2	5	5
FEMALE--	110	5	2	-	-	1	1	2	1	3	2	1
MISSOURI -----	2,189	8	3	3	-	2	-	1	8	15	13	20
WHITE-----MALE----	836	2	-	1	-	1	-	1	6	7	7	13
FEMALE--	1,171	3	2	1	-	1	-	-	1	7	3	5
ALL OTHER--MALE----	93	3	-	-	-	-	-	-	1	-	3	-
FEMALE--	89	-	1	1	-	-	-	-	-	1	-	2
BLACK---MALE----	91	3	-	-	-	-	-	-	1	-	3	-
FEMALE--	88	-	1	1	-	-	-	-	-	1	-	2
MONTANA -----	314	2	-	-	-	2	-	-	-	1	3	5
WHITE-----MALE----	136	1	-	-	-	2	-	-	-	-	-	2
FEMALE--	162	-	-	-	-	-	-	-	-	-	1	3
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	1	2	-
FEMALE--	4	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	633	6	-	1	-	1	1	-	2	3	4	3
WHITE-----MALE----	257	4	-	1	-	1	1	-	1	1	3	1
FEMALE--	356	1	-	-	-	-	-	-	-	1	-	2
ALL OTHER--MALE----	8	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	1	1	1	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	1	-	-
NEVADA -----	369	5	2	1	-	2	1	-	4	4	9	8
WHITE-----MALE----	195	2	-	-	-	2	1	-	2	2	5	7
FEMALE--	150	1	1	-	-	-	-	-	2	-	1	1
ALL OTHER--MALE----	8	-	1	-	-	-	-	-	-	1	2	-
FEMALE--	16	2	-	1	-	-	-	-	-	1	1	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	12	2	-	1	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,895  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PNEUMONIA (480-486)												
MINNESOTA -----	10	7	21	43	83	179	251	343	301	171	40	-
WHITE-----MALE----	7	5	11	28	46	107	116	131	96	47	7	-
FEMALE--	1	2	10	15	36	69	129	205	202	124	33	-
ALL OTHER--MALE----	1	-	-	-	1	2	2	1	2	-	-	-
FEMALE--	1	-	-	-	-	1	4	6	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	5	1	-	-	-	-
MISSISSIPPI -----	14	23	28	50	79	139	207	150	126	60	7	-
WHITE-----MALE----	5	7	5	18	34	58	81	43	35	11	1	-
FEMALE--	2	6	11	18	26	43	80	74	63	38	4	-
ALL OTHER--MALE----	7	5	9	7	18	23	25	16	15	3	-	-
FEMALE--	-	5	3	7	1	15	21	17	13	8	2	-
BLACK---MALE----	7	5	8	7	18	23	25	16	15	3	-	-
FEMALE--	-	5	3	7	1	15	21	17	13	8	2	-
MISSOURI -----	25	32	56	115	173	266	384	466	374	175	50	-
WHITE-----MALE----	13	20	32	54	89	109	179	145	106	43	8	-
FEMALE--	6	8	18	51	64	129	175	289	245	123	40	-
ALL OTHER--MALE----	3	2	2	6	14	16	14	19	6	3	1	-
FEMALE--	3	2	4	4	6	12	16	13	17	6	1	-
BLACK---MALE----	3	2	2	6	14	15	14	18	6	3	1	-
FEMALE--	2	2	4	4	6	12	16	13	17	6	1	-
MONTANA -----	4	3	9	8	25	31	60	62	60	32	7	-
WHITE-----MALE----	1	2	6	4	11	18	29	31	17	12	-	-
FEMALE--	-	1	2	3	13	11	30	30	43	19	6	-
ALL OTHER--MALE----	3	-	-	1	-	2	1	1	-	1	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	3	10	10	18	46	85	109	132	124	61	14	-
WHITE-----MALE----	2	4	5	11	30	38	51	42	45	16	-	-
FEMALE--	1	5	4	7	13	43	56	86	78	45	14	-
ALL OTHER--MALE----	-	1	1	-	3	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	3	1	4	1	-	-	-
BLACK---MALE----	-	1	1	-	2	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	3	1	4	-	-	-	-
NEVADA -----	7	12	17	24	48	51	77	54	32	9	2	-
WHITE-----MALE----	5	5	10	14	26	32	37	25	15	3	2	-
FEMALE--	2	5	6	7	20	19	37	26	16	6	-	-
ALL OTHER--MALE----	-	-	1	1	1	-	-	1	-	-	-	-
FEMALE--	-	2	-	2	1	-	3	2	1	-	-	-
BLACK---MALE----	-	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	1	-	3	2	-	-	-	-







TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,897  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 PNEUMONIA (480-486)												
OHIO -----	3,396	19	3	1	4	6	3	5	10	24	26	37
WHITE-----MALE----	1,362	5	2	-	3	3	-	-	5	11	14	15
FEMALE--	1,745	6	-	1	1	3	2	4	4	7	7	12
ALL OTHER--MALE----	158	5	-	-	-	-	-	-	1	4	2	9
FEMALE--	131	3	1	-	-	-	1	1	-	2	3	1
BLACK---MALE----	151	5	-	-	-	-	-	-	1	4	2	8
FEMALE--	129	3	1	-	-	-	1	1	-	2	3	1
OKLAHOMA -----	1,354	7	1	1	-	1	1	1	7	13	11	19
WHITE-----MALE----	551	1	1	1	-	1	-	1	4	6	5	9
FEMALE--	707	5	-	-	-	-	1	-	2	4	4	9
ALL OTHER--MALE----	51	-	-	-	-	-	-	-	-	2	2	1
FEMALE--	45	1	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	30	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	28	-	-	-	-	-	-	-	1	1	-	-
OREGON -----	900	1	-	-	-	-	-	4	3	5	3	7
WHITE-----MALE----	412	-	-	-	-	-	-	3	-	2	-	5
FEMALE--	465	-	-	-	-	-	-	1	3	3	3	2
ALL OTHER--MALE----	13	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	4,268	21	8	4	3	4	1	6	14	23	24	45
WHITE-----MALE----	1,767	8	1	2	1	3	-	2	3	13	9	24
FEMALE--	2,186	5	4	1	-	1	-	2	3	4	6	7
ALL OTHER--MALE----	168	3	2	-	1	-	-	-	6	5	6	10
FEMALE--	147	5	1	1	1	-	1	2	2	1	3	4
BLACK---MALE----	160	3	2	-	1	-	-	-	6	5	6	10
FEMALE--	139	5	1	1	1	-	1	2	1	1	3	2
RHODE ISLAND -----	306	1	1	-	1	-	2	1	2	3	3	5
WHITE-----MALE----	135	1	-	-	1	-	1	-	2	3	1	4
FEMALE--	159	-	-	-	-	-	-	1	-	-	1	1
ALL OTHER--MALE----	7	-	1	-	-	-	1	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	1	-	-	-	1	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	989	3	4	1	1	-	1	6	5	10	18	14
WHITE-----MALE----	366	1	-	1	-	-	1	1	1	4	5	1
FEMALE--	393	-	1	-	1	-	-	1	2	4	4	3
ALL OTHER--MALE----	120	2	1	-	-	-	-	4	1	2	7	9
FEMALE--	110	-	2	-	-	-	-	-	1	-	2	1
BLACK---MALE----	119	2	1	-	-	-	-	4	1	2	7	9
FEMALE--	108	-	2	-	-	-	-	-	1	-	2	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,897  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PNEUMONIA (480-486)												
OHIO -----	43	44	80	152	286	482	620	742	531	239	39	-
WHITE-----MALE----	19	21	39	73	134	228	283	287	155	61	4	-
FEMALE--	11	14	25	58	121	214	301	413	347	161	33	-
ALL OTHER--MALE----	10	5	13	13	19	23	22	15	12	5	-	-
FEMALE--	3	4	3	8	12	17	14	27	17	12	2	-
BLACK---MALE----	10	5	13	13	17	21	22	14	11	5	-	-
FEMALE--	3	4	3	8	12	16	13	27	17	12	2	-
OKLAHOMA -----	15	15	35	57	114	160	269	283	225	88	31	-
WHITE-----MALE----	5	4	23	34	53	73	118	120	69	18	5	-
FEMALE--	7	8	8	20	50	70	135	149	146	64	25	-
ALL OTHER--MALE----	1	3	3	2	7	9	9	5	4	3	-	-
FEMALE--	2	-	1	1	4	8	7	9	6	3	1	-
BLACK---MALE----	1	2	1	1	6	4	5	4	2	2	-	-
FEMALE--	2	-	1	-	2	5	4	8	3	1	-	-
OREGON -----	9	9	22	29	74	126	174	171	166	75	22	-
WHITE-----MALE----	4	5	14	17	44	62	86	81	69	16	4	-
FEMALE--	4	4	8	12	26	58	84	89	94	56	18	-
ALL OTHER--MALE----	1	-	-	-	3	4	2	-	2	-	-	-
FEMALE--	-	-	-	-	1	2	2	1	1	3	-	-
BLACK---MALE----	1	-	-	-	1	2	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	-	2	-	-
PENNSYLVANIA -----	42	53	89	183	373	544	885	916	671	281	78	-
WHITE-----MALE----	15	19	41	99	198	285	414	336	212	71	11	-
FEMALE--	11	16	31	63	138	230	417	546	438	202	61	-
ALL OTHER--MALE----	9	14	11	12	18	18	25	14	10	2	2	-
FEMALE--	7	4	6	9	19	11	29	20	11	6	4	-
BLACK---MALE----	9	13	9	12	16	18	23	14	9	2	2	-
FEMALE--	7	4	6	9	18	11	28	17	11	6	4	-
RHODE ISLAND -----	3	3	4	13	23	33	57	69	47	27	8	-
WHITE-----MALE----	2	-	3	7	14	13	31	29	18	5	-	-
FEMALE--	1	2	-	6	7	18	26	40	28	20	8	-
ALL OTHER--MALE----	-	1	-	-	1	1	-	-	-	1	-	-
FEMALE--	-	-	1	-	1	1	-	-	1	1	-	-
BLACK---MALE----	-	1	-	-	1	1	-	-	-	1	-	-
FEMALE--	-	-	1	-	-	1	-	-	1	1	-	-
SOUTH CAROLINA -----	15	32	32	49	101	156	162	183	126	51	19	-
WHITE-----MALE----	6	14	13	18	53	78	70	59	30	8	2	-
FEMALE--	4	8	6	18	28	50	54	88	75	33	13	-
ALL OTHER--MALE----	3	5	10	10	12	12	13	17	7	4	1	-
FEMALE--	2	5	3	3	8	16	25	19	14	6	3	-
BLACK---MALE----	3	5	10	9	12	12	13	17	7	4	1	-
FEMALE--	1	5	3	3	8	16	25	18	14	6	3	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,898  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 PNEUMONIA (480-486)												
SOUTH DAKOTA -----	308	2	-	-	1	-	1	2	2	2	2	-
WHITE-----MALE----	154	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	140	1	-	-	-	-	-	-	1	2	-	-
ALL OTHER--MALE----	8	1	-	-	1	-	-	1	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	1	-	2	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1,880	10	4	-	1	1	3	6	14	19	12	19
WHITE-----MALE----	710	3	1	-	-	-	1	2	8	8	8	7
FEMALE--	884	1	1	-	1	-	1	-	2	2	1	5
ALL OTHER--MALE----	144	4	-	-	-	1	-	4	2	6	1	5
FEMALE--	142	2	2	-	-	-	1	-	2	3	2	2
BLACK---MALE----	143	4	-	-	-	1	-	4	2	6	1	5
FEMALE--	142	2	2	-	-	-	1	-	2	3	2	2
TEXAS -----	3,804	42	10	7	2	4	7	19	29	43	45	45
WHITE-----MALE----	1,504	19	4	1	-	1	3	8	12	16	22	26
FEMALE--	1,891	14	4	4	2	1	2	7	9	15	12	13
ALL OTHER--MALE----	208	6	-	2	-	1	1	3	6	7	5	3
FEMALE--	201	3	2	-	-	1	1	1	2	5	6	3
BLACK---MALE----	197	6	-	2	-	-	1	3	6	7	5	3
FEMALE--	194	3	2	-	-	1	1	1	1	5	5	3
UTAH -----	475	3	-	1	-	1	-	1	1	5	6	3
WHITE-----MALE----	205	-	-	-	-	1	-	-	1	4	3	2
FEMALE--	257	1	-	1	-	-	-	1	-	1	2	-
ALL OTHER--MALE----	7	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	6	1	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	168	-	-	-	-	-	-	-	-	2	2	2
WHITE-----MALE----	66	-	-	-	-	-	-	-	-	2	-	2
FEMALE--	100	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1,880	6	1	-	2	1	2	3	13	14	12	19
WHITE-----MALE----	694	1	-	-	-	-	1	-	4	6	4	9
FEMALE--	889	2	-	-	2	1	-	1	1	3	4	3
ALL OTHER--MALE----	157	2	-	-	-	-	1	1	6	2	1	4
FEMALE--	140	1	1	-	-	-	-	1	2	3	3	3
BLACK---MALE----	153	2	-	-	-	-	1	1	6	2	1	4
FEMALE--	139	1	1	-	-	-	-	1	2	3	3	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,898  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PNEUMONIA (480-486)												
SOUTH DAKOTA -----	3	8	3	10	12	32	54	66	62	31	15	-
WHITE-----MALE----	2	1	2	6	6	20	30	32	31	17	5	-
FEMALE--	-	5	-	4	6	10	23	34	30	14	10	-
ALL OTHER--MALE----	1	1	-	-	-	2	1	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	30	35	65	91	172	278	356	360	280	96	28	-
WHITE-----MALE----	18	19	27	42	68	123	143	142	63	21	6	-
FEMALE--	10	10	28	32	72	116	164	173	185	64	16	-
ALL OTHER--MALE----	1	4	7	9	19	24	19	20	14	3	1	-
FEMALE--	1	2	3	8	13	15	30	25	18	8	5	-
BLACK---MALE----	1	4	7	9	19	24	19	19	14	3	1	-
FEMALE--	1	2	3	8	13	15	30	25	18	8	5	-
TEXAS -----	64	66	104	181	317	480	642	776	610	233	77	1
WHITE-----MALE----	33	24	54	77	150	243	275	282	183	58	13	-
FEMALE--	17	23	32	71	126	190	321	427	385	162	53	1
ALL OTHER--MALE----	6	13	5	19	22	25	20	36	22	2	4	-
FEMALE--	8	6	13	14	19	22	26	31	20	11	7	-
BLACK---MALE----	6	12	4	17	20	23	20	35	21	2	4	-
FEMALE--	6	6	13	13	19	21	26	31	19	11	7	-
UTAH -----	7	11	13	21	34	66	97	95	65	33	12	-
WHITE-----MALE----	2	6	10	11	17	35	41	37	22	9	4	-
FEMALE--	3	3	3	9	16	30	55	58	43	24	7	-
ALL OTHER--MALE----	2	2	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	1	3	10	20	32	42	26	19	8	-
WHITE-----MALE----	-	-	1	2	5	13	13	19	5	3	1	-
FEMALE--	1	-	-	1	5	7	19	23	21	16	6	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
VIRGINIA -----	27	42	55	95	156	233	382	379	279	120	38	1
WHITE-----MALE----	11	20	30	44	69	114	146	125	75	26	8	1
FEMALE--	10	14	12	28	55	85	175	212	179	84	18	-
ALL OTHER--MALE----	2	6	10	15	15	20	33	23	10	4	2	-
FEMALE--	4	2	3	8	17	14	28	19	15	6	10	-
BLACK---MALE----	2	6	10	14	14	20	31	23	10	4	2	-
FEMALE--	4	2	3	8	17	14	27	19	15	6	10	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,900  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 VIRAL PNEUMONIA (480)												
0 UNITED STATES --	437	85	21	3	2	2	6	3	2	9	8	11
WHITE-----MALE----	168	29	4	1	-	1	2	1	-	4	3	5
FEMALE--	201	29	8	1	1	-	1	2	1	4	4	4
ALL OTHER--MALE----	36	19	3	1	-	-	1	-	1	-	-	1
FEMALE--	32	8	6	-	1	1	2	-	-	1	1	1
BLACK---MALE----	27	15	2	1	-	-	1	-	1	-	-	1
FEMALE--	25	7	5	-	1	1	2	-	-	1	1	-
ALABAMA -----	6	1	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	10	3	2	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	6	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	6	-	-	-	-	-	-	-	-	1	-	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	87	27	2	-	-	-	3	-	1	-	2	2
WHITE-----MALE----	40	14	2	-	-	-	1	-	-	-	1	1
FEMALE--	38	9	-	-	-	-	1	-	1	-	1	-
ALL OTHER--MALE----	6	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	-	-	-	-	1	-	-	-	-	1
BLACK---MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,901  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 VIRAL PNEUMONIA (480)												
COLORADO -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	33	2	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	19	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	16	4	2	-	2	-	-	-	-	-	-	-
WHITE-----MALE----	6	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	1	1	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	3	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	1	-	-	-	-	-	-	-



























TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,907  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 VIRAL PNEUMONIA (480)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1	-	1	1	-	1	1	-	-	1	-	-
WHITE-----MALE----	-	-	-	1	-	1	1	-	-	1	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	-	-	-	2	2	3	5	2	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	2	2	1	-	-	-	-
FEMALE--	-	-	-	1	2	1	3	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH -----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	-	-	1	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-







TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,909  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 PNEUMOCOCCAL AND OTHER BACTERIAL PNEUMONIA (481-482)												
0 UNITED STATES --	5,737	64	23	7	5	12	22	32	82	147	145	190
WHITE-----MALE----	2,430	22	9	1	-	6	11	14	31	67	60	79
FEMALE--	2,385	18	5	3	2	4	4	8	26	31	38	40
ALL OTHER--MALE----	516	18	4	2	1	1	2	5	13	28	22	43
FEMALE--	406	6	5	1	2	1	5	5	12	21	25	28
BLACK---MALE----	419	15	2	1	1	-	2	5	12	23	20	39
FEMALE--	345	4	5	1	2	1	4	5	9	20	21	27
ALABAMA -----	86	-	-	-	1	-	1	1	-	2	1	4
WHITE-----MALE----	31	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	40	-	-	-	-	-	1	-	-	2	-	1
ALL OTHER--MALE----	9	-	-	-	1	-	-	-	-	-	-	2
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	9	-	-	-	1	-	-	-	-	-	-	2
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
ALASKA -----	11	-	-	-	1	-	-	-	1	-	2	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	6	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ARIZONA -----	84	2	1	-	-	-	-	-	5	4	4	6
WHITE-----MALE----	38	-	1	-	-	-	-	-	2	2	2	3
FEMALE--	37	1	-	-	-	-	-	-	3	1	1	2
ALL OTHER--MALE----	7	1	-	-	-	-	-	-	-	1	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	46	-	-	-	-	-	-	-	1	4	-	2
WHITE-----MALE----	17	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	19	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
CALIFORNIA -----	785	11	4	-	1	3	6	2	13	15	24	22
WHITE-----MALE----	330	8	3	-	-	2	3	-	6	8	11	10
FEMALE--	360	1	-	-	1	1	2	2	5	3	9	9
ALL OTHER--MALE----	53	2	1	-	-	-	-	-	1	2	2	1
FEMALE--	42	-	-	-	-	-	1	-	1	2	2	2
BLACK---MALE----	17	1	-	-	-	-	-	-	1	1	1	-
FEMALE--	24	-	-	-	-	-	-	-	-	1	1	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,909  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PNEUMOCOCCAL AND OTHER BACTERIAL PNEUMONIA (481-482)												
0 UNITED STATES --	179	190	270	341	520	699	927	918	644	268	52	-
WHITE-----MALE----	73	72	129	158	264	348	402	385	216	72	11	-
FEMALE--	48	66	77	116	180	278	428	436	369	168	40	-
ALL OTHER--MALE----	41	35	39	39	43	42	42	57	28	11	-	-
FEMALE--	17	17	25	28	33	31	55	40	31	17	1	-
BLACK---MALE----	37	33	33	29	33	33	31	46	16	8	-	-
FEMALE--	14	15	23	20	29	26	45	37	25	12	-	-
ALABAMA -----	2	3	4	1	10	16	16	7	10	7	-	-
WHITE-----MALE----	1	2	-	1	5	8	7	1	2	2	-	-
FEMALE--	-	1	3	-	4	6	9	3	5	5	-	-
ALL OTHER--MALE----	1	-	-	-	-	2	-	2	1	-	-	-
FEMALE--	-	-	1	-	1	-	-	1	2	-	-	-
BLACK---MALE----	1	-	-	-	-	2	-	2	1	-	-	-
FEMALE--	-	-	1	-	1	-	-	1	2	-	-	-
ALASKA -----	1	-	1	1	2	-	-	-	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	2	-	-	-	2	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2	3	4	8	9	12	10	8	5	1	-	-
WHITE-----MALE----	-	1	1	5	6	5	4	3	2	1	-	-
FEMALE--	1	1	2	2	3	6	6	5	3	-	-	-
ALL OTHER--MALE----	1	1	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	2	2	2	4	5	11	5	5	3	-	-
WHITE-----MALE----	-	-	2	1	2	5	2	-	2	1	-	-
FEMALE--	-	2	-	1	-	-	7	4	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	1	2	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	1	1	2	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
CALIFORNIA -----	16	23	38	44	78	88	120	131	99	36	11	-
WHITE-----MALE----	8	11	22	16	38	40	51	46	33	11	3	-
FEMALE--	5	8	10	16	32	40	57	75	53	23	8	-
ALL OTHER--MALE----	2	3	2	9	6	4	4	8	5	1	-	-
FEMALE--	1	1	4	3	2	4	8	2	8	1	-	-
BLACK---MALE----	1	2	2	1	-	2	2	1	1	1	-	-
FEMALE--	1	-	4	1	2	3	4	1	4	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,910  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 PNEUMOCOCCAL AND OTHER BACTERIAL PNEUMONIA (481-482)												
COLORADO -----	69	2	1	-	-	-	-	1	3	6	8	5
WHITE-----MALE----	35	1	1	-	-	-	-	-	1	5	3	3
FEMALE--	23	1	-	-	-	-	-	1	1	-	2	2
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	1	-	2	-
FEMALE--	6	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	1	-
CONNECTICUT -----	61	1	-	-	-	-	-	1	1	2	1	3
WHITE-----MALE----	27	1	-	-	-	-	-	-	1	1	1	1
FEMALE--	26	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	14	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	17	-	-	-	-	-	-	-	-	-	1	2
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	1
FLORIDA -----	424	1	1	1	-	-	1	5	4	5	12	16
WHITE-----MALE----	199	-	-	-	-	-	-	3	2	3	5	10
FEMALE--	177	1	1	-	-	-	-	-	1	-	2	2
ALL OTHER--MALE----	27	-	-	-	-	-	1	1	-	2	2	2
FEMALE--	21	-	-	1	-	-	-	1	1	-	3	2
BLACK---MALE----	27	-	-	-	-	-	1	1	-	2	2	2
FEMALE--	21	-	-	1	-	-	-	1	1	-	3	2
GEORGIA -----	114	2	-	-	-	-	1	1	4	4	3	8
WHITE-----MALE----	38	1	-	-	-	-	1	1	-	-	-	3
FEMALE--	37	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	23	1	-	-	-	-	-	-	2	2	1	3
FEMALE--	16	-	-	-	-	-	-	-	1	1	2	2
BLACK---MALE----	23	1	-	-	-	-	-	-	2	2	1	3
FEMALE--	16	-	-	-	-	-	-	-	1	1	2	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,910  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PNEUMOCOCCAL AND OTHER BACTERIAL PNEUMONIA (481-482)												
COLORADO -----	3	4	2	2	3	9	8	4	7	1	-	-
WHITE-----MALE----	2	2	-	2	2	5	5	2	-	1	-	-
FEMALE--	-	1	1	-	-	3	3	2	6	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	1	-	1	-	-	-	1	-	-	-
BLACK---MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	-	-	-
CONNECTICUT -----	1	6	5	6	5	8	7	5	6	2	1	-
WHITE-----MALE----	-	1	1	3	1	4	4	4	3	-	1	-
FEMALE--	-	3	3	3	4	4	3	1	2	2	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	1	-	-	-
DELAWARE -----	-	3	2	2	-	1	3	2	-	-	-	-
WHITE-----MALE----	-	2	-	2	-	-	2	-	-	-	-	-
FEMALE--	-	1	2	-	-	1	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	3	1	2	1	2	2	2	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	1	-	-
ALL OTHER--MALE----	-	2	-	1	1	-	-	1	-	-	-	-
FEMALE--	-	1	1	1	-	1	1	1	-	-	-	-
BLACK---MALE----	-	2	-	1	1	-	-	1	-	-	-	-
FEMALE--	-	1	1	1	-	1	1	1	-	-	-	-
FLORIDA -----	13	9	25	19	34	59	80	71	47	19	2	-
WHITE-----MALE----	5	3	15	12	18	30	41	27	17	6	2	-
FEMALE--	4	3	4	5	15	26	34	38	28	13	-	-
ALL OTHER--MALE----	4	1	5	1	1	1	3	2	1	-	-	-
FEMALE--	-	2	1	1	-	2	2	4	1	-	-	-
BLACK---MALE----	4	1	5	1	1	1	3	2	1	-	-	-
FEMALE--	-	2	1	1	-	2	2	4	1	-	-	-
GEORGIA -----	7	4	8	8	13	8	12	21	7	3	-	-
WHITE-----MALE----	5	2	2	3	7	2	2	7	2	-	-	-
FEMALE--	-	1	5	3	2	5	5	8	4	2	-	-
ALL OTHER--MALE----	2	1	1	1	1	-	3	4	-	1	-	-
FEMALE--	-	-	-	1	3	1	2	2	1	-	-	-
BLACK---MALE----	2	1	1	1	1	-	3	4	-	1	-	-
FEMALE--	-	-	-	1	3	1	2	2	1	-	-	-





TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 1,912  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 PNEUMOCOCCAL AND OTHER BACTERIAL PNEUMONIA (481-482)												
KENTUCKY -----	77	-	1	-	-	-	-	-	1	2	-	-
WHITE-----MALE----	34	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	35	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	-
LOUISIANA -----	52	4	-	-	-	1	-	1	1	1	1	3
WHITE-----MALE----	18	1	-	-	-	-	-	-	-	-	-	2
FEMALE--	15	-	-	-	-	1	-	-	1	1	-	-
ALL OTHER--MALE----	5	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	1	-	-	-	-	-	1	-	-	1	1
BLACK---MALE----	5	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	1	-	-	-	-	-	1	-	-	1	1
MAINE -----	18	-	-	-	-	-	-	-	1	1	-	1
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	8	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	80	3	-	-	-	-	-	-	1	-	1	2
WHITE-----MALE----	33	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	31	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	10	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	1	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	8	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	1	-	-	-	-	-	-	-	-	-	1
MASSACHUSETTS -----	105	-	-	-	-	-	-	-	-	-	1	4
WHITE-----MALE----	48	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	51	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	150	1	1	-	1	-	1	-	3	9	11	10
WHITE-----MALE----	62	1	-	-	-	-	-	-	1	3	2	2
FEMALE--	46	-	1	-	-	-	-	-	1	1	3	1
ALL OTHER--MALE----	25	-	-	-	-	-	-	-	-	2	2	5
FEMALE--	17	-	-	-	1	-	1	-	1	3	4	2
BLACK---MALE----	25	-	-	-	-	-	-	-	-	2	2	5
FEMALE--	16	-	-	-	1	-	1	-	1	3	4	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 1,912  
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH  
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 PNEUMOCOCCAL AND OTHER BACTERIAL PNEUMONIA (481-482)												
KENTUCKY -----	3	4	2	6	8	15	9	14	8	2	2	-
WHITE-----MALE----	1	4	2	3	5	7	6	3	-	2	-	-
FEMALE--	2	-	-	3	3	7	2	8	7	-	2	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	3	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	3	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
LOUISIANA -----	1	1	7	5	3	2	6	7	5	2	1	-
WHITE-----MALE----	-	-	1	3	1	1	2	2	5	-	-	-
FEMALE--	1	1	2	2	-	-	3	1	-	1	1	-
ALL OTHER--MALE----	-	-	2	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	2	-	2	1	1	3	-	1	-	-
BLACK---MALE----	-	-	2	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	2	-	2	1	1	3	-	1	-	-
MAINE -----	2	-	1	1	-	3	3	5	-	-	-	-
WHITE-----MALE----	-	-	1	1	-	-	3	3	-	-	-	-
FEMALE--	2	-	-	-	-	3	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3	4	3	10	6	7	9	13	13	4	1	-
WHITE-----MALE----	-	3	2	6	3	3	5	5	3	2	-	-
FEMALE--	-	1	-	2	2	3	4	7	8	2	1	-
ALL OTHER--MALE----	3	-	-	2	-	1	-	-	2	-	-	-
FEMALE--	-	-	1	-	1	-	-	1	-	-	-	-
BLACK---MALE----	3	-	-	2	-	1	-	-	1	-	-	-
FEMALE--	-	-	1	-	1	-	-	1	-	-	-	-
MASSACHUSETTS -----	-	3	2	10	7	17	16	29	10	5	1	-
WHITE-----MALE----	-	2	2	7	4	9	7	11	3	3	-	-
FEMALE--	-	1	-	2	3	8	8	18	6	2	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
MICHIGAN -----	6	8	5	10	23	15	23	7	11	5	-	-
WHITE-----MALE----	2	4	2	5	10	9	13	3	3	2	-	-
FEMALE--	-	-	1	4	8	5	8	3	7	3	-	-
ALL OTHER--MALE----	3	3	2	1	4	1	1	1	-	-	-	-
FEMALE--	1	1	-	-	1	-	1	-	1	-	-	-
BLACK---MALE----	3	3	2	1	4	1	1	1	-	-	-	-
FEMALE--	1	1	-	-	-	-	1	-	1	-	-	-









