

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,609
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
CONGENITAL ANOMALIES OF HEART (745-746)												
SOUTH DAKOTA -----	14	10	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	10	7	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	3	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	92	56	9	1	2	2	2	2	2	1	-	-
WHITE-----MALE----	37	25	3	-	-	1	2	-	-	1	-	-
FEMALE--	35	18	3	1	1	-	-	2	2	-	-	-
ALL OTHER--MALE----	10	6	1	-	1	1	-	-	-	-	-	-
FEMALE--	10	7	2	-	-	-	-	-	-	-	-	-
BLACK---MALE----	10	6	1	-	1	1	-	-	-	-	-	-
FEMALE--	10	7	2	-	-	-	-	-	-	-	-	-
TEXAS -----	318	162	19	8	6	8	7	10	12	11	13	3
WHITE-----MALE----	151	84	8	4	1	3	6	5	6	7	5	2
FEMALE--	113	55	6	2	2	3	1	2	5	2	4	1
ALL OTHER--MALE----	30	15	2	1	2	-	-	2	1	1	1	-
FEMALE--	24	8	3	1	1	2	-	1	-	1	3	-
BLACK---MALE----	27	12	2	1	2	-	-	2	1	1	1	-
FEMALE--	23	8	2	1	1	2	-	1	-	1	3	-
UTAH -----	29	16	3	1	-	2	1	-	1	-	-	-
WHITE-----MALE----	15	10	2	1	-	1	-	-	-	-	-	-
FEMALE--	12	5	1	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	7	2	-	-	-	-	-	2	-	1	1	1
WHITE-----MALE----	4	1	-	-	-	-	-	1	-	-	1	1
FEMALE--	3	1	-	-	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	91	52	9	5	-	2	2	-	1	3	2	3
WHITE-----MALE----	36	23	-	3	-	2	-	-	-	1	2	2
FEMALE--	31	17	4	1	-	-	1	-	1	2	-	-
ALL OTHER--MALE----	9	4	3	-	-	-	-	-	-	-	-	1
FEMALE--	15	8	2	1	-	-	1	-	-	-	-	-
BLACK---MALE----	8	3	3	-	-	-	-	-	-	-	-	1
FEMALE--	15	8	2	1	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,609
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
CONGENITAL ANOMALIES OF HEART (745-746)												
SOUTH DAKOTA -----	-	-	-	-	-	1	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	1	2	2	3	-	5	1	1	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	3	1	-	-	-	-
FEMALE--	-	1	-	2	2	-	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
TEXAS -----	8	2	6	8	5	4	8	11	4	2	1	-
WHITE-----MALE----	4	-	1	3	1	3	5	2	1	-	-	-
FEMALE--	3	1	5	3	2	-	2	8	3	2	1	-
ALL OTHER--MALE----	1	1	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	1	-	-	-	-
BLACK---MALE----	1	1	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	1	-	-	-	-
UTAH -----	-	1	2	-	-	1	-	-	-	-	1	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	-	1	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	1	2	1	4	-	3	1	-	-	-	-
WHITE-----MALE----	-	1	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	2	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,610
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
CONGENITAL ANOMALIES OF HEART (745-746)												
WASHINGTON -----	2	1	2	1	1	1	-	1	-	-	-	-
WHITE-----MALE----	-	1	1	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	1	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WEST VIRGINIA -----	1	1	1	-	-	-	2	1	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	1	1	-	-	-	1	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WISCONSIN -----	3	1	1	3	1	2	2	1	1	-	-	-
WHITE-----MALE----	2	1	-	2	-	-	1	-	-	-	-	-
FEMALE--	1	-	1	1	1	2	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
WYOMING -----	1	2	-	-	-	-	2	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,611
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM (747)												
0 UNITED STATES --	1,062	313	36	21	20	35	21	28	24	46	54	49
WHITE-----MALE----	435	139	10	8	8	15	8	6	11	19	21	17
FEMALE--	413	101	10	6	8	16	8	12	11	17	20	18
ALL OTHER--MALE----	120	46	7	4	2	3	3	3	1	8	6	8
FEMALE--	94	27	9	3	2	1	2	7	1	2	7	6
BLACK---MALE----	96	38	7	3	-	2	1	1	1	8	5	7
FEMALE--	77	23	8	1	-	1	2	6	1	2	5	6
ALABAMA -----	18	3	1	1	-	-	1	4	1	-	-	1
WHITE-----MALE----	7	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	4	1	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	3	1	1	-	-	-	-	1	-	-	-	-
FEMALE--	4	-	-	-	-	-	1	2	-	-	-	1
BLACK---MALE----	2	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	1	2	-	-	-	1
ALASKA -----	1	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	14	8	-	-	-	-	-	-	-	2	1	1
WHITE-----MALE----	7	5	-	-	-	-	-	-	-	1	-	-
FEMALE--	6	3	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	11	3	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	3	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	162	48	5	3	7	6	5	6	3	9	8	4
WHITE-----MALE----	68	24	2	-	3	3	1	-	1	5	4	2
FEMALE--	58	13	1	1	5	3	2	4	1	2	3	2
ALL OTHER--MALE----	19	7	1	2	2	-	2	1	-	1	-	-
FEMALE--	17	4	1	-	1	-	-	1	1	1	1	-
BLACK---MALE----	11	6	1	2	-	-	-	-	-	1	-	-
FEMALE--	9	3	-	-	-	-	-	-	1	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,611
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM (747)												
0 UNITED STATES --	38	45	41	49	69	57	53	41	16	5	1	-
WHITE-----MALE----	20	18	22	22	33	28	13	13	3	1	-	-
FEMALE--	14	19	13	19	28	21	28	27	12	4	1	-
ALL OTHER--MALE----	1	5	3	4	4	5	6	-	1	-	-	-
FEMALE--	3	3	3	4	4	3	6	1	-	-	-	-
BLACK---MALE----	-	4	3	3	2	5	6	-	-	-	-	-
FEMALE--	2	3	1	4	4	1	6	1	-	-	-	-
ALABAMA -----	1	3	1	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	2	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	-	-	-	1	2	-	3	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
CALIFORNIA -----	6	12	3	3	16	5	6	5	1	1	-	-
WHITE-----MALE----	3	5	2	2	6	2	3	-	-	-	-	-
FEMALE--	2	4	-	1	9	1	2	4	1	1	-	-
ALL OTHER--MALE----	-	2	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	1	1	-	-	2	1	1	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	1	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,614
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM (747)												
KENTUCKY -----	-	-	1	-	-	2	1	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	-	-	-	-	-	-	2	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	-	-	2	1	1	-	2	-	-	-	-
WHITE-----MALE----	-	-	-	1	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	-	-	1	2	1	1	3	1	1	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	1	1	1	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	2	-	3	4	1	3	4	2	1	-	-	-
WHITE-----MALE----	1	-	2	1	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	1	-	2	3	1	-	-	-	-
ALL OTHER--MALE----	-	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	1	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	1	1	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,618
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM (747)												
SOUTH DAKOTA -----	3	2	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	2	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	23	10	-	-	-	-	-	1	1	1	-	-
WHITE-----MALE----	12	3	-	-	-	-	-	-	-	1	-	-
FEMALE--	7	3	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
TEXAS -----	58	24	2	1	3	3	1	2	-	2	3	1
WHITE-----MALE----	24	9	1	-	2	2	1	-	-	2	1	-
FEMALE--	25	10	-	1	1	1	-	1	-	-	1	1
ALL OTHER--MALE----	4	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	2	1	-	-	-	-	1	-	-	1	-
BLACK---MALE----	4	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	1	1	-	-	-	-	1	-	-	1	-
UTAH -----	7	3	1	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	1	1	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	23	5	1	-	1	1	-	1	-	2	-	2
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	8	2	1	-	-	1	-	-	-	-	-	1
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	2	-	-	1	-	-	1	-	1	-	-
BLACK---MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	2	-	-	-	-	-	1	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,618
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
OTHER CONGENITAL ANOMALIES OF CIRCULATORY SYSTEM (747)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1	1	-	1	3	2	1	1	-	-	-	-
WHITE-----MALE----	1	-	-	1	3	2	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	-	1	2	3	3	2	2	1	2	-	-	-
WHITE-----MALE----	-	-	1	2	1	1	1	-	-	-	-	-
FEMALE--	-	-	1	1	2	1	1	1	2	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH -----	-	-	-	-	1	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	-	1	1	3	4	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	1	2	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,620
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ALL OTHER CONGENITAL ANOMALIES (743-744,748-759)												
0 UNITED STATES --	4,916	3,407	196	64	39	46	37	52	65	60	90	80
WHITE-----MALE----	2,071	1,452	83	26	11	19	17	25	22	30	32	44
FEMALE--	1,850	1,166	66	27	20	20	13	16	26	22	47	31
ALL OTHER--MALE----	532	429	23	5	2	5	5	6	9	3	7	4
FEMALE--	463	360	24	6	6	2	2	5	8	5	4	1
BLACK---MALE----	452	360	22	4	2	5	4	5	9	2	6	4
FEMALE--	381	295	21	3	5	2	1	4	6	5	3	1
ALABAMA -----	78	49	5	1	-	1	2	1	5	1	-	3
WHITE-----MALE----	25	13	1	-	-	-	1	1	3	1	-	2
FEMALE--	24	16	-	-	-	1	1	-	1	-	-	1
ALL OTHER--MALE----	14	8	3	1	-	-	-	-	1	-	-	-
FEMALE--	15	12	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	14	8	3	1	-	-	-	-	1	-	-	-
FEMALE--	15	12	1	-	-	-	-	-	-	-	-	-
ALASKA -----	8	8	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	4	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	92	66	4	1	-	3	1	1	1	1	1	-
WHITE-----MALE----	46	33	-	-	-	2	1	1	-	1	1	-
FEMALE--	32	21	4	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	8	6	-	1	-	-	-	-	1	-	-	-
FEMALE--	6	6	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	-	-	-	-	-	-	1	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	43	31	-	-	-	-	1	-	-	-	-	1
WHITE-----MALE----	18	10	-	-	-	-	-	-	-	-	-	1
FEMALE--	10	8	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	7	-	-	-	-	1	-	-	-	-	-
FEMALE--	7	6	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	7	-	-	-	-	1	-	-	-	-	-
FEMALE--	6	6	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	618	429	28	8	5	7	5	13	12	8	11	9
WHITE-----MALE----	269	189	14	3	-	4	1	6	3	3	5	6
FEMALE--	244	157	9	5	4	2	2	5	5	5	5	3
ALL OTHER--MALE----	61	49	1	-	1	1	2	2	1	-	1	-
FEMALE--	44	34	4	-	-	-	-	-	3	-	-	-
BLACK---MALE----	33	25	1	-	1	1	2	1	1	-	-	-
FEMALE--	24	17	3	-	-	-	-	-	2	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,620
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ALL OTHER CONGENITAL ANOMALIES (743-744,748-759)												
0 UNITED STATES --	112	102	107	98	108	85	75	52	28	9	4	-
WHITE-----MALE----	49	40	40	37	43	39	32	19	10	1	-	-
FEMALE--	54	52	57	51	49	41	36	29	16	7	4	-
ALL OTHER--MALE----	5	7	5	2	6	4	3	2	-	-	-	-
FEMALE--	4	3	5	8	10	1	4	2	2	1	-	-
BLACK---MALE----	4	7	4	2	5	4	2	1	-	-	-	-
FEMALE--	4	3	5	5	8	1	4	2	2	1	-	-
ALABAMA -----	1	1	2	2	1	-	3	-	-	-	-	-
WHITE-----MALE----	-	-	-	2	1	-	-	-	-	-	-	-
FEMALE--	1	1	1	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2	-	2	2	3	2	1	-	1	-	-	-
WHITE-----MALE----	2	-	-	1	2	1	1	-	-	-	-	-
FEMALE--	-	-	2	1	1	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	4	1	-	1	1	1	2	-	-	-	-	-
WHITE-----MALE----	2	1	-	-	1	1	2	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	9	13	8	18	8	11	8	5	2	-	1	-
WHITE-----MALE----	3	8	4	6	3	4	6	1	-	-	-	-
FEMALE--	5	5	3	9	4	7	2	4	2	-	1	-
ALL OTHER--MALE----	1	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,626
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ALL OTHER CONGENITAL ANOMALIES (743-744,748-759)												
OHIO -----	224	161	7	4	1	-	1	1	1	3	5	5
WHITE-----MALE----	86	71	3	-	1	-	1	-	-	2	1	3
FEMALE--	96	56	3	4	-	-	-	1	-	-	4	2
ALL OTHER--MALE----	20	18	-	-	-	-	-	-	1	-	-	-
FEMALE--	22	16	1	-	-	-	-	-	-	1	-	-
BLACK---MALE----	19	17	-	-	-	-	-	-	1	-	-	-
FEMALE--	22	16	1	-	-	-	-	-	-	1	-	-
OKLAHOMA -----	57	42	2	1	2	-	2	-	1	-	1	-
WHITE-----MALE----	30	22	1	1	1	-	1	-	1	-	-	-
FEMALE--	19	14	-	-	1	-	1	-	-	-	1	-
ALL OTHER--MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	3	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	-
OREGON -----	58	30	4	2	3	-	-	1	-	-	1	3
WHITE-----MALE----	29	14	3	-	3	-	-	-	-	-	1	1
FEMALE--	26	15	1	2	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	203	132	8	3	2	1	3	1	2	5	5	2
WHITE-----MALE----	91	60	4	1	1	1	1	-	-	3	1	2
FEMALE--	73	38	3	1	1	-	2	-	1	1	4	-
ALL OTHER--MALE----	18	17	-	-	-	-	-	-	-	1	-	-
FEMALE--	21	17	1	1	-	-	-	1	1	-	-	-
BLACK---MALE----	17	17	-	-	-	-	-	-	-	-	-	-
FEMALE--	18	14	1	1	-	-	-	1	1	-	-	-
RHODE ISLAND -----	20	15	2	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	9	7	2	-	-	-	-	-	-	-	-	-
FEMALE--	8	5	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	83	52	6	1	1	1	1	-	2	3	1	2
WHITE-----MALE----	31	17	1	-	-	1	1	-	1	2	-	2
FEMALE--	19	11	2	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	23	17	3	1	-	-	-	-	-	-	-	-
FEMALE--	10	7	-	-	1	-	-	-	1	-	-	-
BLACK---MALE----	23	17	3	1	-	-	-	-	-	-	-	-
FEMALE--	10	7	-	-	1	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,627
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ALL OTHER CONGENITAL ANOMALIES (743-744,748-759)												
SOUTH DAKOTA -----	11	9	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	6	5	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	3	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	105	68	4	1	1	1	1	2	-	2	4	1
WHITE-----MALE----	40	31	1	-	-	1	-	-	-	-	1	-
FEMALE--	33	12	3	-	-	-	1	-	-	2	3	1
ALL OTHER--MALE----	18	15	-	1	-	-	-	-	-	-	-	-
FEMALE--	14	10	-	-	1	-	-	2	-	-	-	-
BLACK---MALE----	18	15	-	1	-	-	-	-	-	-	-	-
FEMALE--	14	10	-	-	1	-	-	2	-	-	-	-
TEXAS -----	394	291	14	6	3	2	4	5	4	7	4	4
WHITE-----MALE----	189	145	6	2	-	-	3	-	2	1	1	1
FEMALE--	147	105	6	2	2	2	2	-	2	4	2	2
ALL OTHER--MALE----	31	23	1	-	-	1	-	1	2	1	1	1
FEMALE--	27	18	1	2	1	-	-	1	-	1	-	-
BLACK---MALE----	25	18	-	-	-	1	-	1	2	-	1	1
FEMALE--	24	16	1	1	1	-	-	-	1	-	1	-
UTAH -----	53	38	2	1	-	4	-	-	-	1	1	1
WHITE-----MALE----	25	17	1	-	-	3	-	-	-	1	-	-
FEMALE--	27	20	1	1	-	1	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
VERMONT -----	11	5	2	-	-	-	-	-	2	-	-	-
WHITE-----MALE----	7	4	2	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	-	-	-	-	-	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	104	78	3	2	2	-	-	2	-	2	1	1
WHITE-----MALE----	42	32	2	1	1	-	-	-	-	1	-	1
FEMALE--	35	26	-	1	1	-	-	1	-	1	-	-
ALL OTHER--MALE----	14	11	1	-	-	-	-	-	-	-	-	-
FEMALE--	13	9	-	-	-	-	-	1	-	-	1	-
BLACK---MALE----	14	11	1	-	-	-	-	-	-	-	-	-
FEMALE--	12	8	-	-	-	-	-	1	-	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,632
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 XV. CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)												
KENTUCKY -----	154	153	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	77	76	1	-	-	-	-	-	-	-	-	-
FEMALE--	54	54	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	8	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	15	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	7	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	15	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	347	344	2	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	64	64	-	-	-	-	-	-	-	-	-	-
FEMALE--	38	38	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	145	143	1	-	1	-	-	-	-	-	-	-
FEMALE--	100	99	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	145	143	1	-	1	-	-	-	-	-	-	-
FEMALE--	100	99	1	-	-	-	-	-	-	-	-	-
MAINE -----	41	41	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	21	21	-	-	-	-	-	-	-	-	-	-
FEMALE--	19	19	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	342	342	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	66	66	-	-	-	-	-	-	-	-	-	-
FEMALE--	55	55	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	125	125	-	-	-	-	-	-	-	-	-	-
FEMALE--	96	96	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	118	118	-	-	-	-	-	-	-	-	-	-
FEMALE--	91	91	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	209	207	1	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	88	87	-	-	-	-	-	-	-	1	-	-
FEMALE--	66	65	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	25	25	-	-	-	-	-	-	-	-	-	-
FEMALE--	30	30	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	23	23	-	-	-	-	-	-	-	-	-	-
FEMALE--	25	25	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	558	549	4	1	1	-	1	-	1	1	-	-
WHITE-----MALE----	177	175	1	1	-	-	-	-	-	-	-	-
FEMALE--	128	125	1	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	131	129	1	-	1	-	-	-	-	-	-	-
FEMALE--	122	120	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	131	129	1	-	1	-	-	-	-	-	-	-
FEMALE--	114	112	1	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,659
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OTHER CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-766,770-779)												
KENTUCKY -----	136	135	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	68	67	1	-	-	-	-	-	-	-	-	-
FEMALE--	45	45	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	8	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	15	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	7	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	15	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	290	289	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	51	51	-	-	-	-	-	-	-	-	-	-
FEMALE--	31	31	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	120	120	-	-	-	-	-	-	-	-	-	-
FEMALE--	88	87	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	120	120	-	-	-	-	-	-	-	-	-	-
FEMALE--	88	87	1	-	-	-	-	-	-	-	-	-
MAINE -----	33	33	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	16	16	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	16	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	297	297	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	61	61	-	-	-	-	-	-	-	-	-	-
FEMALE--	47	47	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	107	107	-	-	-	-	-	-	-	-	-	-
FEMALE--	82	82	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	102	102	-	-	-	-	-	-	-	-	-	-
FEMALE--	77	77	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	182	180	1	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	74	73	-	-	-	-	-	-	-	1	-	-
FEMALE--	57	56	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	23	23	-	-	-	-	-	-	-	-	-	-
FEMALE--	28	28	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	22	22	-	-	-	-	-	-	-	-	-	-
FEMALE--	23	23	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	455	446	4	1	1	-	1	-	1	1	-	-
WHITE-----MALE----	140	138	1	1	-	-	-	-	-	-	-	-
FEMALE--	102	99	1	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	111	109	1	-	1	-	-	-	-	-	-	-
FEMALE--	102	100	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	111	109	1	-	1	-	-	-	-	-	-	-
FEMALE--	95	93	1	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,665
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 XVI. SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-799)												
0 UNITED STATES --	27,283	4,381	315	102	105	295	463	643	957	1,219	1,327	1,140
WHITE-----MALE----	11,126	1,711	104	40	50	140	242	342	497	631	684	585
FEMALE--	10,711	1,148	107	33	26	60	95	129	213	286	293	275
ALL OTHER--MALE----	3,118	867	64	20	18	69	90	107	157	188	234	203
FEMALE--	2,328	655	40	9	11	26	36	65	90	114	116	77
BLACK---MALE----	2,839	788	59	18	15	63	80	94	139	171	220	185
FEMALE--	2,119	589	32	8	9	19	30	64	86	103	106	75
ALABAMA -----	1,069	95	8	1	3	18	14	12	32	30	40	40
WHITE-----MALE----	358	32	-	1	2	3	4	8	8	11	15	18
FEMALE--	321	20	3	-	1	2	1	1	8	5	5	12
ALL OTHER--MALE----	203	24	3	-	-	12	7	1	12	10	12	4
FEMALE--	187	19	2	-	-	2	1	2	4	4	8	6
BLACK---MALE----	203	24	3	-	-	12	7	1	12	10	12	4
FEMALE--	185	18	2	-	-	2	1	2	4	4	8	6
ALASKA -----	44	24	1	-	-	-	-	2	-	1	1	-
WHITE-----MALE----	9	6	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	4	-	-	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	13	8	1	-	-	-	-	1	-	-	-	-
FEMALE--	10	6	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	5	3	1	-	-	-	-	1	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	273	88	3	1	1	1	5	7	13	20	20	13
WHITE-----MALE----	121	37	1	1	1	1	2	5	8	12	11	8
FEMALE--	98	26	-	-	-	-	2	1	3	6	5	4
ALL OTHER--MALE----	34	16	-	-	-	-	-	-	2	2	4	1
FEMALE--	20	9	2	-	-	-	1	1	-	-	-	-
BLACK---MALE----	13	10	-	-	-	-	-	-	-	-	3	-
FEMALE--	6	4	1	-	-	-	-	1	-	-	-	-
ARKANSAS -----	612	38	-	-	1	2	3	4	4	8	12	16
WHITE-----MALE----	227	16	-	-	1	1	1	1	2	4	5	9
FEMALE--	266	9	-	-	-	1	1	1	2	3	2	7
ALL OTHER--MALE----	59	4	-	-	-	-	-	2	-	-	2	-
FEMALE--	60	9	-	-	-	-	1	-	-	1	3	-
BLACK---MALE----	58	4	-	-	-	-	-	2	-	-	2	-
FEMALE--	57	9	-	-	-	-	1	-	-	-	3	-
CALIFORNIA -----	2,399	540	44	18	21	44	83	118	211	245	256	186
WHITE-----MALE----	1,247	244	23	4	7	25	52	79	125	142	154	102
FEMALE--	693	152	12	6	5	7	12	15	49	62	65	58
ALL OTHER--MALE----	271	77	4	6	8	6	15	18	22	26	20	22
FEMALE--	188	67	5	2	1	6	4	6	15	15	17	4
BLACK---MALE----	188	58	4	4	5	3	10	12	13	19	14	17
FEMALE--	122	51	4	2	-	3	2	5	12	9	12	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,665
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 XVI. SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-799)												
0 UNITED STATES --	921	864	1,046	1,314	1,757	2,028	2,304	2,398	2,033	1,124	458	89
WHITE-----MALE----	478	430	546	638	827	851	853	707	484	188	59	39
FEMALE--	241	244	302	463	671	911	1,200	1,432	1,367	840	345	30
ALL OTHER--MALE----	139	127	124	129	137	129	116	84	64	24	14	14
FEMALE--	63	63	74	84	122	137	135	175	118	72	40	6
BLACK---MALE----	124	119	117	122	118	124	105	75	56	23	13	11
FEMALE--	55	56	67	79	114	126	123	163	109	67	34	5
ALABAMA -----	39	56	68	70	94	100	102	110	75	44	18	-
WHITE-----MALE----	16	23	31	26	46	32	39	21	13	6	3	-
FEMALE--	3	12	12	19	20	33	27	62	44	25	6	-
ALL OTHER--MALE----	12	13	14	11	14	15	16	5	11	5	2	-
FEMALE--	8	8	11	14	14	20	20	22	7	8	7	-
BLACK---MALE----	12	13	14	11	14	15	16	5	11	5	2	-
FEMALE--	8	8	11	14	14	20	20	22	7	8	6	-
ALASKA -----	-	1	-	1	1	2	3	3	1	-	3	-
WHITE-----MALE----	-	-	-	-	-	1	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	1	-	2	-
ALL OTHER--MALE----	-	1	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	12	7	5	5	10	8	11	5	16	14	8	-
WHITE-----MALE----	5	1	2	3	2	4	2	3	5	4	3	-
FEMALE--	6	3	1	2	3	3	8	1	11	9	4	-
ALL OTHER--MALE----	1	2	2	-	3	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	2	1	-	1	-	1	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	21	23	41	49	51	75	97	85	52	23	6	1
WHITE-----MALE----	9	14	22	25	20	26	33	24	10	3	-	1
FEMALE--	7	2	10	17	20	35	48	44	37	14	6	-
ALL OTHER--MALE----	3	5	7	6	5	7	9	7	2	-	-	-
FEMALE--	2	2	2	1	6	7	7	10	3	6	-	-
BLACK---MALE----	3	5	7	6	5	7	9	6	2	-	-	-
FEMALE--	2	2	2	1	6	6	7	10	2	6	-	-
CALIFORNIA -----	119	105	75	61	68	67	50	38	10	5	1	34
WHITE-----MALE----	67	53	38	27	21	29	20	16	2	1	-	16
FEMALE--	33	38	26	26	35	30	19	18	6	4	1	14
ALL OTHER--MALE----	10	6	5	4	6	6	4	2	1	-	-	3
FEMALE--	9	8	6	4	6	2	7	2	1	-	-	1
BLACK---MALE----	7	5	3	4	2	4	2	1	-	-	-	1
FEMALE--	5	3	3	1	4	-	3	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,666
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 XVI. SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-799)												
COLORADO -----	286	74	3	1	-	2	5	5	1	10	7	9
WHITE-----MALE----	131	41	2	1	-	1	2	4	1	5	4	5
FEMALE--	132	22	1	-	-	1	2	1	-	3	1	3
ALL OTHER--MALE----	8	5	-	-	-	-	-	-	-	-	-	1
FEMALE--	15	6	-	-	-	-	1	-	-	2	2	-
BLACK---MALE----	6	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	5	-	-	-	-	1	-	-	2	1	-
CONNECTICUT -----	253	23	6	-	2	4	8	11	16	21	21	11
WHITE-----MALE----	116	9	3	-	1	3	4	6	9	13	12	8
FEMALE--	102	4	-	-	1	1	3	2	6	6	4	2
ALL OTHER--MALE----	19	5	2	-	-	-	-	1	1	1	4	1
FEMALE--	16	5	1	-	-	-	1	2	-	1	1	-
BLACK---MALE----	17	5	1	-	-	-	-	1	1	1	4	1
FEMALE--	15	5	1	-	-	-	1	2	-	-	1	-
DELAWARE -----	39	10	-	-	-	-	1	1	2	1	-	-
WHITE-----MALE----	15	4	-	-	-	-	1	1	-	1	-	-
FEMALE--	13	2	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	6	3	-	-	-	-	-	-	1	-	-	-
FEMALE--	5	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	3	-	-	-	-	-	-	1	-	-	-
FEMALE--	5	1	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	183	20	-	1	-	2	5	11	17	21	32	24
WHITE-----MALE----	16	-	-	-	-	-	-	1	2	-	3	2
FEMALE--	10	1	-	-	-	-	-	1	-	3	2	-
ALL OTHER--MALE----	107	7	-	1	-	2	3	5	8	12	19	19
FEMALE--	50	12	-	-	-	-	2	4	7	6	8	3
BLACK---MALE----	107	7	-	1	-	2	3	5	8	12	19	19
FEMALE--	50	12	-	-	-	-	2	4	7	6	8	3
FLORIDA -----	2,549	192	16	3	-	16	25	37	45	57	51	59
WHITE-----MALE----	997	62	4	-	-	7	13	24	18	34	23	40
FEMALE--	1,221	55	6	2	-	3	6	4	14	12	11	10
ALL OTHER--MALE----	167	36	4	-	-	5	4	5	7	8	12	5
FEMALE--	164	39	2	1	-	1	2	4	6	3	5	4
BLACK---MALE----	166	36	4	-	-	5	4	5	7	8	12	5
FEMALE--	157	36	2	1	-	1	2	4	6	2	4	4
GEORGIA -----	718	143	5	1	1	3	4	12	7	21	23	18
WHITE-----MALE----	162	35	2	1	-	1	2	5	2	6	6	2
FEMALE--	271	27	1	-	1	-	-	1	1	1	3	1
ALL OTHER--MALE----	148	38	1	-	-	2	2	4	3	9	11	14
FEMALE--	137	43	1	-	-	-	-	2	1	5	3	1
BLACK---MALE----	146	38	1	-	-	2	1	4	3	9	11	13
FEMALE--	137	43	1	-	-	-	-	2	1	5	3	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,666
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 XVI. SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-799)												
COLORADO -----	6	7	6	11	9	24	23	27	36	15	5	-
WHITE-----MALE----	2	5	4	9	8	11	7	9	9	1	-	-
FEMALE--	4	2	2	2	1	10	16	17	26	14	4	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	-	-	-	-	-	3	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	-	-	-	-	-	2	-	-	1	-	-	-
CONNECTICUT -----	3	8	7	9	11	18	17	29	18	5	5	-
WHITE-----MALE----	2	3	5	2	2	12	6	12	3	-	1	-
FEMALE--	1	5	1	4	8	6	10	16	15	3	4	-
ALL OTHER--MALE----	-	-	1	2	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	1	1	-	1	1	-	1	-	-
BLACK---MALE----	-	-	1	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	1	-	1	-	-
DELAWARE -----	3	1	2	4	2	2	3	3	2	-	1	1
WHITE-----MALE----	1	-	-	4	1	-	1	1	-	-	-	-
FEMALE--	2	-	-	-	-	1	1	2	2	-	1	1
ALL OTHER--MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	1	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	1	-	1	1	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	13	6	5	8	5	3	4	2	-	2	1	1
WHITE-----MALE----	4	-	-	1	-	1	1	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	1	1	-	-
ALL OTHER--MALE----	7	5	4	5	3	1	3	-	-	1	1	1
FEMALE--	1	1	1	2	2	1	-	-	-	-	-	-
BLACK---MALE----	7	5	4	5	3	1	3	-	-	1	1	1
FEMALE--	1	1	1	2	2	1	-	-	-	-	-	-
FLORIDA -----	70	46	84	101	195	250	332	384	347	183	48	8
WHITE-----MALE----	43	23	46	52	100	111	125	129	102	29	6	6
FEMALE--	16	13	25	44	79	112	185	227	222	139	34	2
ALL OTHER--MALE----	8	7	9	2	7	14	11	9	8	6	-	-
FEMALE--	3	3	4	3	9	13	11	19	15	9	8	-
BLACK---MALE----	8	7	9	2	7	14	10	9	8	6	-	-
FEMALE--	3	3	3	3	9	13	10	19	15	9	8	-
GEORGIA -----	18	22	26	27	53	64	82	72	71	29	14	2
WHITE-----MALE----	6	5	6	9	14	20	14	10	11	5	-	-
FEMALE--	2	5	9	8	21	26	46	42	48	19	9	-
ALL OTHER--MALE----	6	8	10	7	9	9	6	5	2	-	1	1
FEMALE--	4	4	1	3	9	9	16	15	10	5	4	1
BLACK---MALE----	6	8	10	7	9	9	6	5	2	-	1	1
FEMALE--	4	4	1	3	9	9	16	15	10	5	4	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,667
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 XVI. SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-799)												
HAWAII -----	81	12	3	-	-	1	3	2	-	6	5	2
WHITE-----MALE----	16	-	-	-	-	-	-	-	-	3	2	1
FEMALE--	12	2	1	-	-	-	1	-	-	-	-	1
ALL OTHER--MALE----	32	8	1	-	-	-	2	2	-	2	3	-
FEMALE--	21	2	1	-	-	1	-	-	-	1	-	-
BLACK---MALE----	3	2	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	98	22	1	-	-	1	-	-	2	3	2	1
WHITE-----MALE----	49	15	1	-	-	1	-	-	1	2	2	1
FEMALE--	47	5	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	976	225	16	4	4	18	28	35	50	59	53	49
WHITE-----MALE----	350	63	5	-	2	10	11	9	18	25	21	19
FEMALE--	320	42	6	3	1	5	10	12	13	13	8	9
ALL OTHER--MALE----	182	75	3	1	1	3	4	9	8	12	17	10
FEMALE--	124	45	2	-	-	-	3	5	11	9	7	11
BLACK---MALE----	178	74	3	1	1	3	4	9	8	10	17	9
FEMALE--	122	44	1	-	-	-	3	5	11	9	7	11
INDIANA -----	518	97	9	4	1	11	11	8	16	33	18	18
WHITE-----MALE----	227	56	2	2	1	5	3	5	8	16	12	8
FEMALE--	222	23	2	1	-	3	4	-	4	13	5	4
ALL OTHER--MALE----	34	7	2	1	-	2	4	1	1	1	1	4
FEMALE--	35	11	3	-	-	1	-	2	3	3	-	2
BLACK---MALE----	33	6	2	1	-	2	4	1	1	1	1	4
FEMALE--	34	11	3	-	-	1	-	2	3	3	-	2
IOWA -----	210	50	2	-	1	1	3	2	2	2	3	2
WHITE-----MALE----	81	24	2	-	1	1	3	1	1	1	3	-
FEMALE--	124	22	-	-	-	-	-	1	1	1	-	2
ALL OTHER--MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	544	48	7	2	3	7	10	6	17	20	36	25
WHITE-----MALE----	237	22	1	1	1	4	6	3	9	9	21	14
FEMALE--	227	15	5	1	1	-	2	3	3	5	8	5
ALL OTHER--MALE----	47	3	1	-	-	2	1	-	3	6	5	5
FEMALE--	33	8	-	-	1	1	1	-	2	-	2	1
BLACK---MALE----	45	3	1	-	-	1	1	-	3	6	5	4
FEMALE--	30	7	-	-	-	1	-	-	2	-	2	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,667
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 XVI. SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-799)												
HAWAII -----	3	3	2	4	4	5	10	3	9	3	1	-
WHITE-----MALE----	1	1	-	1	-	2	3	-	2	-	-	-
FEMALE--	-	-	1	-	-	-	2	-	3	1	-	-
ALL OTHER--MALE----	1	1	-	2	3	2	3	2	-	-	-	-
FEMALE--	1	1	1	1	1	1	2	1	4	2	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	1	1	3	3	4	4	11	14	7	13	5	-
WHITE-----MALE----	1	-	2	1	3	3	4	3	4	5	-	-
FEMALE--	-	1	1	2	1	1	7	11	3	8	5	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	32	25	39	40	44	49	47	67	53	28	10	1
WHITE-----MALE----	13	10	21	20	22	20	26	18	12	4	1	-
FEMALE--	9	6	11	9	13	23	17	41	37	23	9	-
ALL OTHER--MALE----	6	6	5	6	6	3	1	3	2	-	-	1
FEMALE--	4	3	2	5	3	3	3	5	2	1	-	-
BLACK---MALE----	6	6	5	6	6	3	1	3	2	-	-	1
FEMALE--	4	3	2	5	3	3	3	5	2	1	-	-
INDIANA -----	15	14	14	22	35	39	34	47	34	28	8	2
WHITE-----MALE----	10	8	6	15	16	13	9	15	12	3	1	1
FEMALE--	3	4	8	6	14	24	24	28	22	23	7	-
ALL OTHER--MALE----	1	2	-	1	3	-	1	1	-	-	-	1
FEMALE--	1	-	-	-	2	2	-	3	-	2	-	-
BLACK---MALE----	1	2	-	1	3	-	1	1	-	-	-	1
FEMALE--	1	-	-	-	2	2	-	2	-	2	-	-
IOWA -----	3	2	3	5	8	11	12	23	39	19	17	-
WHITE-----MALE----	1	1	3	4	3	7	6	5	9	2	3	-
FEMALE--	2	1	-	1	5	4	6	18	30	17	13	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	19	20	24	23	28	47	48	55	47	37	15	-
WHITE-----MALE----	13	9	14	14	14	17	26	18	15	4	2	-
FEMALE--	4	4	5	5	12	22	20	33	30	31	13	-
ALL OTHER--MALE----	2	5	3	2	1	4	1	1	1	1	-	-
FEMALE--	-	2	2	2	1	4	1	3	1	1	-	-
BLACK---MALE----	2	5	3	2	1	4	1	1	1	1	-	-
FEMALE--	-	2	2	2	1	4	1	3	1	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,668
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 XVI. SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-799)												
KENTUCKY -----	274	70	5	1	1	-	1	6	5	8	3	9
WHITE-----MALE----	145	42	3	1	1	-	1	1	3	6	2	5
FEMALE--	111	21	1	-	-	-	-	3	2	2	-	4
ALL OTHER--MALE----	8	3	-	-	-	-	-	1	-	-	1	-
FEMALE--	10	4	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	8	3	-	-	-	-	-	1	-	-	1	-
FEMALE--	10	4	1	-	-	-	-	1	-	-	-	-
LOUISIANA -----	421	62	4	1	1	2	3	3	3	9	14	9
WHITE-----MALE----	110	16	1	-	-	-	2	-	2	3	1	2
FEMALE--	151	13	-	-	-	-	1	1	-	2	5	1
ALL OTHER--MALE----	78	18	2	1	-	2	-	-	1	3	4	2
FEMALE--	82	15	1	-	1	-	-	2	-	1	4	4
BLACK---MALE----	77	18	2	1	-	2	-	-	1	3	4	2
FEMALE--	82	15	1	-	1	-	-	2	-	1	4	4
MAINE -----	78	9	-	-	1	-	-	1	1	3	1	2
WHITE-----MALE----	33	6	-	-	1	-	-	1	-	1	1	1
FEMALE--	45	3	-	-	-	-	-	-	1	2	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	254	91	8	2	2	3	4	9	17	11	10	9
WHITE-----MALE----	75	26	2	1	2	2	2	2	2	4	3	4
FEMALE--	65	13	4	1	-	-	-	-	3	1	4	1
ALL OTHER--MALE----	73	32	1	-	-	1	1	5	7	3	2	4
FEMALE--	41	20	1	-	-	-	1	2	5	3	1	-
BLACK---MALE----	71	31	1	-	-	1	1	5	7	3	2	4
FEMALE--	38	18	1	-	-	-	1	2	5	2	1	-
MASSACHUSETTS -----	556	46	3	-	-	9	9	19	33	35	49	24
WHITE-----MALE----	269	25	1	-	-	3	7	15	17	21	35	15
FEMALE--	249	10	1	-	-	3	1	4	12	8	13	7
ALL OTHER--MALE----	24	8	1	-	-	1	-	-	1	6	1	1
FEMALE--	14	3	-	-	-	2	1	-	3	-	-	1
BLACK---MALE----	19	5	1	-	-	1	-	-	1	5	1	1
FEMALE--	12	2	-	-	-	2	1	-	3	-	-	1
MICHIGAN -----	347	154	7	-	1	3	7	6	9	12	8	8
WHITE-----MALE----	99	44	-	-	-	2	4	3	3	2	1	3
FEMALE--	135	43	3	-	-	-	1	1	2	4	4	3
ALL OTHER--MALE----	60	35	3	-	1	1	2	1	4	3	1	2
FEMALE--	53	32	1	-	-	-	-	1	-	3	2	-
BLACK---MALE----	59	35	3	-	1	1	2	1	4	3	1	2
FEMALE--	52	31	1	-	-	-	-	1	-	3	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,668
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 XVI. SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-799)												
KENTUCKY -----	7	10	11	14	20	20	20	28	22	10	3	-
WHITE-----MALE----	5	8	7	9	14	11	6	10	6	2	2	-
FEMALE--	1	2	3	5	5	8	13	18	14	8	1	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	1	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	1	-	-	-
LOUISIANA -----	8	14	15	27	35	42	45	54	49	14	6	1
WHITE-----MALE----	-	2	6	7	16	9	16	16	8	2	1	-
FEMALE--	4	-	6	7	9	19	20	24	27	10	2	-
ALL OTHER--MALE----	3	6	2	9	2	5	4	6	5	1	1	1
FEMALE--	1	6	1	4	8	9	5	8	9	1	2	-
BLACK---MALE----	3	6	2	9	2	5	4	5	5	1	1	1
FEMALE--	1	6	1	4	8	9	5	8	9	1	2	-
MAINE -----	-	1	5	3	6	4	9	13	9	5	5	-
WHITE-----MALE----	-	-	4	2	5	1	5	1	2	1	1	-
FEMALE--	-	1	1	1	1	3	4	12	7	4	4	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2	4	7	9	12	14	10	9	9	7	2	3
WHITE-----MALE----	-	-	2	1	8	6	3	2	2	1	-	-
FEMALE--	1	1	4	3	2	6	5	4	5	5	2	-
ALL OTHER--MALE----	1	3	-	4	1	2	1	1	2	-	-	2
FEMALE--	-	-	1	1	1	-	1	2	-	1	-	1
BLACK---MALE----	1	2	-	4	1	2	1	1	2	-	-	2
FEMALE--	-	-	1	1	1	-	1	2	-	1	-	1
MASSACHUSETTS -----	19	13	12	18	41	40	48	53	54	24	7	-
WHITE-----MALE----	12	7	7	7	25	17	15	21	11	7	1	-
FEMALE--	6	5	4	11	15	22	31	30	43	17	6	-
ALL OTHER--MALE----	1	1	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	2	-	-	-	-
BLACK---MALE----	-	1	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	1	-	-	-	-
MICHIGAN -----	8	13	6	11	12	20	14	18	15	10	5	-
WHITE-----MALE----	1	5	1	6	6	6	5	2	3	1	1	-
FEMALE--	2	7	2	5	4	12	7	15	9	8	3	-
ALL OTHER--MALE----	2	1	1	-	-	1	2	-	-	-	-	-
FEMALE--	3	-	2	-	2	1	-	1	3	1	1	-
BLACK---MALE----	1	1	1	-	-	1	2	-	-	-	-	-
FEMALE--	3	-	2	-	2	1	-	1	3	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,669
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 XVI. SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-799)												
MINNESOTA -----	8	5	23	44	75	77	120	144	169	84	59	-
WHITE-----MALE----	4	3	11	28	39	37	47	43	34	17	10	-
FEMALE--	2	2	11	15	35	38	70	99	129	67	47	-
ALL OTHER--MALE----	2	-	-	-	1	-	2	-	1	-	2	-
FEMALE--	-	-	1	1	-	2	1	2	5	-	-	-
BLACK---MALE----	1	-	-	-	1	-	2	-	1	-	1	-
FEMALE--	-	-	1	-	-	1	-	1	3	-	-	-
MISSISSIPPI -----	6	12	6	14	21	12	25	25	21	15	2	-
WHITE-----MALE----	1	5	4	2	5	5	10	7	3	-	1	-
FEMALE--	1	1	-	2	8	1	8	9	6	8	1	-
ALL OTHER--MALE----	3	5	1	7	3	3	3	3	4	2	-	-
FEMALE--	1	1	1	3	5	3	4	6	8	5	-	-
BLACK---MALE----	3	5	1	7	3	3	3	3	4	2	-	-
FEMALE--	1	1	1	3	5	3	4	6	8	5	-	-
MISSOURI -----	11	17	14	24	30	29	44	44	29	12	7	1
WHITE-----MALE----	6	14	10	15	17	13	14	9	6	3	-	-
FEMALE--	4	2	1	7	11	15	26	34	21	9	6	-
ALL OTHER--MALE----	1	-	2	-	2	-	1	-	1	-	1	1
FEMALE--	-	1	1	2	-	1	3	1	1	-	-	-
BLACK---MALE----	1	-	2	-	2	-	1	-	-	-	1	1
FEMALE--	-	1	1	2	-	1	3	1	1	-	-	-
MONTANA -----	3	5	2	6	9	9	12	26	16	12	3	1
WHITE-----MALE----	1	3	2	4	5	5	5	6	5	3	-	-
FEMALE--	1	2	-	2	4	4	7	20	11	9	3	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	6	6	12	27	28	30	43	53	46	27	18	-
WHITE-----MALE----	4	5	7	10	16	17	22	15	8	6	3	-
FEMALE--	1	1	5	13	11	12	21	37	37	20	14	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	1	-	-
FEMALE--	1	-	-	3	-	1	-	1	1	-	1	-
BLACK---MALE----	-	-	-	1	1	-	-	-	-	1	-	-
FEMALE--	1	-	-	3	-	1	-	1	1	-	1	-
NEVADA -----	4	2	2	7	8	6	5	3	4	3	1	2
WHITE-----MALE----	1	1	1	2	4	1	2	2	-	1	1	-
FEMALE--	3	1	1	5	3	4	3	1	3	2	-	2
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,671
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
XVI. SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-799)												
OHIO -----	2,133	237	31	22	18	50	76	89	94	142	165	142
WHITE-----MALE----	1,013	89	11	8	10	24	41	53	50	80	100	82
FEMALE--	729	62	10	9	3	7	13	15	21	34	39	30
ALL OTHER--MALE----	272	62	7	4	2	17	17	16	18	15	20	25
FEMALE--	119	24	3	1	3	2	5	5	5	13	6	5
BLACK---MALE----	265	62	6	4	2	17	17	14	16	15	19	25
FEMALE--	114	24	3	-	3	2	4	5	5	13	6	5
OKLAHOMA -----	267	74	1	2	5	2	3	8	12	8	13	10
WHITE-----MALE----	134	37	-	1	2	1	2	2	7	5	9	8
FEMALE--	90	21	1	1	1	1	-	4	4	1	1	1
ALL OTHER--MALE----	25	10	-	-	2	-	1	2	-	1	1	1
FEMALE--	18	6	-	-	-	-	-	-	1	1	2	-
BLACK---MALE----	15	8	-	-	2	-	-	1	-	1	1	-
FEMALE--	15	4	-	-	-	-	-	-	1	1	2	-
OREGON -----	716	83	1	-	1	3	-	6	4	10	13	12
WHITE-----MALE----	305	40	-	-	1	3	-	5	3	7	9	6
FEMALE--	386	37	-	-	-	-	-	1	1	3	4	5
ALL OTHER--MALE----	14	3	1	-	-	-	-	-	-	-	-	1
FEMALE--	11	3	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	10	3	1	-	-	-	-	-	-	-	-	-
FEMALE--	5	2	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1,723	157	9	2	3	9	18	24	19	45	50	43
WHITE-----MALE----	723	54	3	-	1	3	13	9	13	23	24	22
FEMALE--	744	40	3	-	1	1	3	6	3	9	11	12
ALL OTHER--MALE----	144	32	1	1	1	4	2	6	3	8	12	7
FEMALE--	112	31	2	1	-	1	-	3	-	5	3	2
BLACK---MALE----	136	31	1	1	1	3	2	6	3	8	12	7
FEMALE--	109	30	1	1	-	1	-	3	-	5	3	2
RHODE ISLAND -----	56	16	2	-	-	1	1	3	2	3	1	2
WHITE-----MALE----	29	8	1	-	-	1	1	1	2	3	-	1
FEMALE--	24	7	1	-	-	-	-	2	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
SOUTH CAROLINA -----	306	57	1	2	-	3	1	6	6	9	17	17
WHITE-----MALE----	77	13	-	2	-	1	-	2	3	2	3	7
FEMALE--	90	17	-	-	-	1	1	-	1	1	3	2
ALL OTHER--MALE----	75	17	1	-	-	1	-	3	1	4	8	6
FEMALE--	64	10	-	-	-	-	-	1	1	2	3	2
BLACK---MALE----	75	17	1	-	-	1	-	3	1	4	8	6
FEMALE--	64	10	-	-	-	-	-	1	1	2	3	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,671
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
XVI. SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-799)												
OHIO -----	92	87	104	116	153	143	131	99	86	37	19	-
WHITE-----MALE----	46	50	55	65	79	61	58	21	24	3	3	-
FEMALE--	34	23	29	38	54	69	65	66	60	32	16	-
ALL OTHER--MALE----	7	11	12	7	11	8	6	4	2	1	-	-
FEMALE--	5	3	8	6	9	5	2	8	-	1	-	-
BLACK---MALE----	6	11	12	7	11	8	6	4	2	1	-	-
FEMALE--	5	3	8	6	9	5	2	5	-	1	-	-
OKLAHOMA -----	9	3	7	10	11	17	23	20	16	6	5	2
WHITE-----MALE----	4	3	4	6	8	8	13	9	3	1	-	1
FEMALE--	3	-	3	2	2	6	8	10	11	5	4	-
ALL OTHER--MALE----	2	-	-	2	-	1	1	-	1	-	-	-
FEMALE--	-	-	-	-	1	2	1	1	1	-	1	1
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	1	1	-	1	1
OREGON -----	10	25	31	50	53	69	100	97	79	51	18	-
WHITE-----MALE----	8	17	21	25	23	37	43	25	20	11	1	-
FEMALE--	1	7	8	24	28	32	55	70	56	38	16	-
ALL OTHER--MALE----	1	1	1	1	1	-	2	1	-	-	1	-
FEMALE--	-	-	1	-	1	-	1	1	3	2	-	-
BLACK---MALE----	1	1	1	1	-	-	1	-	-	-	1	-
FEMALE--	-	-	1	-	-	-	-	-	2	-	-	-
PENNSYLVANIA -----	58	64	96	148	177	207	199	163	135	70	20	7
WHITE-----MALE----	30	41	51	71	86	93	78	62	32	11	3	-
FEMALE--	17	12	32	60	74	99	106	85	95	55	16	4
ALL OTHER--MALE----	9	8	5	9	11	8	6	5	4	-	-	2
FEMALE--	2	3	8	8	6	7	9	11	4	4	1	1
BLACK---MALE----	8	8	5	9	9	8	6	4	2	-	-	2
FEMALE--	2	3	7	8	6	7	9	11	4	4	1	1
RHODE ISLAND -----	3	1	1	5	4	2	4	3	2	-	-	-
WHITE-----MALE----	2	-	-	3	2	-	2	1	1	-	-	-
FEMALE--	-	1	1	2	2	2	2	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	12	7	10	15	28	29	25	29	19	10	3	-
WHITE-----MALE----	2	3	2	4	14	7	5	6	1	-	-	-
FEMALE--	1	2	1	4	6	10	9	12	10	7	2	-
ALL OTHER--MALE----	7	1	5	2	5	6	4	1	2	-	1	-
FEMALE--	2	1	2	5	3	6	7	10	6	3	-	-
BLACK---MALE----	7	1	5	2	5	6	4	1	2	-	1	-
FEMALE--	2	1	2	5	3	6	7	10	6	3	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,672
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 XVI. SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-799)												
SOUTH DAKOTA -----	76	24	1	-	1	-	1	-	-	-	-	2
WHITE-----MALE----	29	8	-	-	-	-	1	-	-	-	-	2
FEMALE--	29	6	1	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	10	5	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	5	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	834	103	4	3	1	1	4	9	11	29	13	30
WHITE-----MALE----	328	37	-	1	-	1	2	3	6	22	9	11
FEMALE--	323	23	2	1	-	-	-	4	3	3	3	7
ALL OTHER--MALE----	102	27	2	1	-	-	2	-	1	3	-	9
FEMALE--	81	16	-	-	1	-	-	2	1	1	1	3
BLACK---MALE----	102	27	2	1	-	-	2	-	1	3	-	9
FEMALE--	80	15	-	-	1	-	-	2	1	1	1	3
TEXAS -----	1,280	308	15	5	3	11	19	17	28	36	40	38
WHITE-----MALE----	562	141	5	3	-	5	13	11	20	17	23	20
FEMALE--	523	92	6	2	3	5	3	4	4	12	9	9
ALL OTHER--MALE----	120	44	3	-	-	-	3	2	3	4	7	8
FEMALE--	75	31	1	-	-	1	-	-	1	3	1	1
BLACK---MALE----	114	42	3	-	-	-	3	-	1	4	7	8
FEMALE--	72	31	1	-	-	1	-	-	1	3	1	1
UTAH -----	229	33	5	-	-	6	4	2	4	5	6	4
WHITE-----MALE----	106	18	4	-	-	3	2	2	2	4	2	1
FEMALE--	117	12	1	-	-	3	2	-	2	1	4	3
ALL OTHER--MALE----	6	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	23	6	-	-	-	-	1	1	2	-	1	-
WHITE-----MALE----	9	1	-	-	-	-	-	1	1	-	1	-
FEMALE--	14	5	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	611	99	9	4	2	4	7	8	17	8	13	15
WHITE-----MALE----	181	28	2	-	1	3	4	4	6	4	7	8
FEMALE--	267	28	3	1	-	-	-	2	6	-	3	4
ALL OTHER--MALE----	87	31	3	1	-	1	1	1	4	1	-	1
FEMALE--	76	12	1	2	1	-	2	1	1	3	3	2
BLACK---MALE----	87	31	3	1	-	1	1	1	4	1	-	1
FEMALE--	76	12	1	2	1	-	2	1	1	3	3	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,672
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 XVI. SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-799)												
SOUTH DAKOTA -----	1	4	1	4	6	7	4	7	4	5	4	-
WHITE-----MALE----	-	-	1	2	3	3	3	4	1	1	-	-
FEMALE--	-	2	-	1	2	3	-	3	3	4	3	-
ALL OTHER--MALE----	1	2	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	28	31	45	44	76	87	88	107	72	31	16	1
WHITE-----MALE----	19	19	26	23	34	33	28	35	12	4	2	1
FEMALE--	5	5	12	12	24	39	47	54	48	22	9	-
ALL OTHER--MALE----	2	4	5	6	13	8	6	7	4	-	2	-
FEMALE--	2	3	2	3	5	7	7	11	8	5	3	-
BLACK---MALE----	2	4	5	6	13	8	6	7	4	-	2	-
FEMALE--	2	3	2	3	5	7	7	11	8	5	3	-
TEXAS -----	33	41	51	58	90	99	96	99	107	63	18	5
WHITE-----MALE----	21	19	33	31	41	47	28	35	33	11	2	3
FEMALE--	7	15	13	19	38	38	57	55	66	49	16	1
ALL OTHER--MALE----	5	4	4	7	5	5	7	5	3	1	-	-
FEMALE--	-	3	1	1	6	9	4	4	5	2	-	1
BLACK---MALE----	5	4	4	7	5	5	7	5	3	1	-	-
FEMALE--	-	3	1	1	6	7	3	4	5	2	-	1
UTAH -----	3	13	13	17	12	21	16	27	20	15	3	-
WHITE-----MALE----	2	7	9	11	6	6	6	8	7	6	-	-
FEMALE--	1	6	3	6	6	14	10	18	13	9	3	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	1	-	1	1	2	2	1	3	-	-
WHITE-----MALE----	1	-	1	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	1	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	20	12	30	36	41	49	69	56	50	45	16	1
WHITE-----MALE----	6	5	11	17	15	16	18	14	6	4	1	1
FEMALE--	7	3	10	13	18	24	34	30	36	34	11	-
ALL OTHER--MALE----	5	2	6	4	4	7	7	4	2	2	-	-
FEMALE--	2	2	3	2	4	2	10	8	6	5	4	-
BLACK---MALE----	5	2	6	4	4	7	7	4	2	2	-	-
FEMALE--	2	2	3	2	4	2	10	8	6	5	4	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,675
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SENILITY WITHOUT MENTION OF PSYCHOSIS (797)												
COLORADO -----	-	-	-	-	1	-	1	2	12	6	2	-
WHITE-----MALE----	-	-	-	-	1	-	-	1	3	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	9	6	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	-	1	-	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	1	-	-	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	-	-	9	14	57	96	181	221	216	114	34	-
WHITE-----MALE----	-	-	4	4	28	49	60	74	64	15	3	-
FEMALE--	-	-	1	9	29	40	111	137	142	93	26	-
ALL OTHER--MALE----	-	-	3	1	-	3	7	2	2	2	-	-
FEMALE--	-	-	1	-	-	4	3	8	8	4	5	-
BLACK---MALE----	-	-	3	1	-	3	6	2	2	2	-	-
FEMALE--	-	-	1	-	-	4	2	8	8	4	5	-
GEORGIA -----	-	-	-	1	9	12	27	28	27	12	9	-
WHITE-----MALE----	-	-	-	-	2	2	3	-	4	2	-	-
FEMALE--	-	-	-	-	4	5	13	16	17	8	6	-
ALL OTHER--MALE----	-	-	-	1	1	2	4	3	2	-	1	-
FEMALE--	-	-	-	-	2	3	7	9	4	2	2	-
BLACK---MALE----	-	-	-	1	1	2	4	3	2	-	1	-
FEMALE--	-	-	-	-	2	3	7	9	4	2	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,676
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SENILITY WITHOUT MENTION OF PSYCHOSIS (797)												
HAWAII -----	-	-	-	-	-	-	-	-	3	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	-	-	-	1	2	7	5	10	5	-
WHITE-----MALE----	-	-	-	-	-	-	1	1	3	4	-	-
FEMALE--	-	-	-	-	-	1	1	6	2	6	5	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	-	-	-	-	-	-	-	6	15	5	5	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	2	1	1	-
FEMALE--	-	-	-	-	-	-	-	4	11	4	4	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	2	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	2	-	-	-
INDIANA -----	-	-	-	-	-	1	-	9	10	9	6	-
WHITE-----MALE----	-	-	-	-	-	-	-	2	4	1	1	-
FEMALE--	-	-	-	-	-	1	-	7	6	7	5	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
IOWA -----	-	-	-	-	1	-	5	7	24	12	14	-
WHITE-----MALE----	-	-	-	-	-	-	3	3	5	1	1	-
FEMALE--	-	-	-	-	1	-	2	4	19	11	12	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	-	-	-	-	-	3	1	3	10	11	7	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	1	1	-
FEMALE--	-	-	-	-	-	3	-	3	9	10	6	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,677
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SENILITY WITHOUT MENTION OF PSYCHOSIS (797)												
KENTUCKY -----	-	-	-	-	-	1	3	3	6	6	2	-
WHITE-----MALE----	-	-	-	-	-	-	2	2	2	2	1	-
FEMALE--	-	-	-	-	-	1	1	1	3	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	-	-	-	-	1	-	5	8	4	2	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	2	-	-	-
FEMALE--	-	-	-	-	-	1	-	3	4	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	2	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	2	-	-	-
MAINE -----	-	-	-	-	-	1	1	5	4	3	2	-
WHITE-----MALE----	-	-	-	-	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	4	4	3	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	-	-	-	-	-	-	1	3	-	2	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	2	-	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	-	-	-	-	-	-	2	-	2	1	1	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	2	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	-	-	-	-	1	-	-	1	4	3	4	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	3	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,680
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SENILITY WITHOUT MENTION OF PSYCHOSIS (797)												
OHIO -----	-	-	-	-	1	2	5	8	18	11	8	-
WHITE-----MALE----	-	-	-	-	1	-	3	2	3	-	2	-
FEMALE--	-	-	-	-	-	2	2	6	15	11	6	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	-	-	-	-	-	-	1	2	4	3	4	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	3	3	4	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
OREGON -----	-	-	-	-	1	5	8	17	27	18	6	-
WHITE-----MALE----	-	-	-	-	-	-	2	4	8	5	-	-
FEMALE--	-	-	-	-	1	5	6	12	18	11	5	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	1	2	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
PENNSYLVANIA -----	-	-	-	-	1	1	3	11	13	11	6	-
WHITE-----MALE----	-	-	-	-	-	1	1	3	-	2	1	-
FEMALE--	-	-	-	-	1	-	2	8	13	9	5	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	-	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	-	1	-	-	4	3	9	9	8	3	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	5	4	6	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	1	-	1	-
FEMALE--	-	-	1	-	-	3	2	3	4	2	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	1	-	1	-
FEMALE--	-	-	1	-	-	3	2	3	4	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,681
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SENILITY WITHOUT MENTION OF PSYCHOSIS (797)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	4	1	3	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	3	1	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	-	1	-	-	2	3	7	10	7	4	-
WHITE-----MALE----	-	-	-	-	-	1	1	2	2	1	-	-
FEMALE--	-	-	-	-	-	-	2	4	6	6	3	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	1	2	-	-	-
BLACK---MALE----	-	-	1	-	-	1	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	1	2	-	-	-
TEXAS -----	-	-	-	-	-	2	4	5	23	18	6	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	11	2	-	-
FEMALE--	-	-	-	-	-	-	4	5	12	16	6	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
UTAH -----	-	-	-	-	1	3	6	5	8	12	3	-
WHITE-----MALE----	-	-	-	-	1	1	2	2	2	5	-	-
FEMALE--	-	-	-	-	-	2	4	3	6	7	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	-	-	-	-	-	6	8	13	13	7	-
WHITE-----MALE----	-	-	-	-	-	-	1	2	1	1	1	-
FEMALE--	-	-	-	-	-	-	5	5	11	12	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	3	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	3	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,683
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX SYMPTOMS, SIGNS, AND OTHER ILL-DEFINED CONDITIONS (780-796,798-799)	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 UNITED STATES --	24,958	4,381	315	102	105	295	463	643	957	1,219	1,327	1,140
WHITE-----MALE----	10,542	1,711	104	40	50	140	242	342	497	631	684	585
FEMALE--	9,161	1,148	107	33	26	60	95	129	213	286	293	275
ALL OTHER--MALE----	3,056	867	64	20	18	69	90	107	157	188	234	203
FEMALE--	2,199	655	40	9	11	26	36	65	90	114	116	77
BLACK---MALE----	2,782	788	59	18	15	63	80	94	139	171	220	185
FEMALE--	2,001	589	32	8	9	19	30	64	86	103	106	75
ALABAMA -----	1,024	95	8	1	3	18	14	12	32	30	40	40
WHITE-----MALE----	348	32	-	1	2	3	4	8	8	11	15	18
FEMALE--	291	20	3	-	1	2	1	1	8	5	5	12
ALL OTHER--MALE----	199	24	3	-	-	12	7	1	12	10	12	4
FEMALE--	186	19	2	-	-	2	1	2	4	4	8	6
BLACK---MALE----	199	24	3	-	-	12	7	1	12	10	12	4
FEMALE--	184	18	2	-	-	2	1	2	4	4	8	6
ALASKA -----	39	24	1	-	-	-	-	2	-	1	1	-
WHITE-----MALE----	8	6	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	4	-	-	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	12	8	1	-	-	-	-	1	-	-	-	-
FEMALE--	9	6	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	5	3	1	-	-	-	-	1	-	-	-	-
FEMALE--	2	2	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	242	88	3	1	1	1	5	7	13	20	20	13
WHITE-----MALE----	112	37	1	1	1	1	2	5	8	12	11	8
FEMALE--	80	26	-	-	-	-	2	1	3	6	5	4
ALL OTHER--MALE----	33	16	-	-	-	-	-	-	2	2	4	1
FEMALE--	17	9	2	-	-	-	1	1	-	-	-	-
BLACK---MALE----	13	10	-	-	-	-	-	-	-	-	3	-
FEMALE--	6	4	1	-	-	-	-	1	-	-	-	-
ARKANSAS -----	603	38	-	-	1	2	3	4	4	8	12	16
WHITE-----MALE----	225	16	-	-	1	1	1	1	2	4	5	9
FEMALE--	260	9	-	-	-	1	1	1	2	3	2	7
ALL OTHER--MALE----	58	4	-	-	-	-	-	2	-	-	2	-
FEMALE--	60	9	-	-	-	-	1	-	-	1	3	-
BLACK---MALE----	57	4	-	-	-	-	-	2	-	-	2	-
FEMALE--	57	9	-	-	-	-	1	-	-	-	3	-
CALIFORNIA -----	2,397	540	44	18	21	44	83	118	211	245	256	186
WHITE-----MALE----	1,246	244	23	4	7	25	52	79	125	142	154	102
FEMALE--	692	152	12	6	5	7	12	15	49	62	65	58
ALL OTHER--MALE----	271	77	4	6	8	6	15	18	22	26	20	22
FEMALE--	188	67	5	2	1	6	4	6	15	15	17	4
BLACK---MALE----	188	58	4	4	5	3	10	12	13	19	14	17
FEMALE--	122	51	4	2	-	3	2	5	12	9	12	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,683
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SYMPTOMS, SIGNS, AND OTHER ILL-DEFINED CONDITIONS (780-796,798-799)												
0 UNITED STATES --	921	864	1,035	1,298	1,671	1,869	1,989	1,912	1,410	720	233	89
WHITE-----MALE----	478	430	542	634	787	782	755	577	335	125	32	39
FEMALE--	241	244	301	453	630	839	1,014	1,113	939	521	171	30
ALL OTHER--MALE----	139	127	120	127	135	122	102	74	55	17	7	14
FEMALE--	63	63	72	84	119	126	118	148	81	57	23	6
BLACK---MALE----	124	119	113	120	116	117	94	66	48	16	6	11
FEMALE--	55	56	65	79	111	115	108	137	74	55	20	5
ALABAMA -----	39	56	68	70	91	98	101	102	59	33	14	-
WHITE-----MALE----	16	23	31	26	45	30	38	20	10	5	2	-
FEMALE--	3	12	12	19	19	33	27	55	32	17	4	-
ALL OTHER--MALE----	12	13	14	11	13	15	16	5	10	3	2	-
FEMALE--	8	8	11	14	14	20	20	22	7	8	6	-
BLACK---MALE----	12	13	14	11	13	15	16	5	10	3	2	-
FEMALE--	8	8	11	14	14	20	20	22	7	8	5	-
ALASKA -----	-	1	-	1	1	2	2	2	-	-	1	-
WHITE-----MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	1	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	12	7	5	5	10	8	9	3	5	6	-	-
WHITE-----MALE----	5	1	2	3	2	4	2	2	2	2	-	-
FEMALE--	6	3	1	2	3	3	7	1	3	4	-	-
ALL OTHER--MALE----	1	2	2	-	3	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	2	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	21	23	41	49	51	75	97	83	51	20	3	1
WHITE-----MALE----	9	14	22	25	20	26	33	23	10	2	-	1
FEMALE--	7	2	10	17	20	35	48	44	36	12	3	-
ALL OTHER--MALE----	3	5	7	6	5	7	9	6	2	-	-	-
FEMALE--	2	2	2	1	6	7	7	10	3	6	-	-
BLACK---MALE----	3	5	7	6	5	7	9	5	2	-	-	-
FEMALE--	2	2	2	1	6	6	7	10	2	6	-	-
CALIFORNIA -----	119	105	75	61	68	67	50	36	10	5	1	34
WHITE-----MALE----	67	53	38	27	21	29	20	15	2	1	-	16
FEMALE--	33	38	26	26	35	30	19	17	6	4	1	14
ALL OTHER--MALE----	10	6	5	4	6	6	4	2	1	-	-	3
FEMALE--	9	8	6	4	6	2	7	2	1	-	-	1
BLACK---MALE----	7	5	3	4	2	4	2	1	-	-	-	1
FEMALE--	5	3	3	1	4	-	3	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,684
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX SYMPTOMS, SIGNS, AND OTHER ILL-DEFINED CONDITIONS (780-796,798-799)	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
COLORADO -----	262	74	3	1	-	2	5	5	1	10	7	9
WHITE-----MALE----	126	41	2	1	-	1	2	4	1	5	4	5
FEMALE--	113	22	1	-	-	1	2	1	-	3	1	3
ALL OTHER--MALE----	8	5	-	-	-	-	-	-	-	-	-	1
FEMALE--	15	6	-	-	-	-	1	-	-	2	2	-
BLACK---MALE----	6	4	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	5	-	-	-	-	1	-	-	2	1	-
CONNECTICUT -----	250	23	6	-	2	4	8	11	16	21	21	11
WHITE-----MALE----	115	9	3	-	1	3	4	6	9	13	12	8
FEMALE--	101	4	-	-	1	1	3	2	6	6	4	2
ALL OTHER--MALE----	19	5	2	-	-	-	-	1	1	1	4	1
FEMALE--	15	5	1	-	-	-	1	2	-	1	1	-
BLACK---MALE----	17	5	1	-	-	-	-	1	1	1	4	1
FEMALE--	14	5	1	-	-	-	1	2	-	-	1	-
DELAWARE -----	37	10	-	-	-	-	1	1	2	1	-	-
WHITE-----MALE----	14	4	-	-	-	-	1	1	-	1	-	-
FEMALE--	12	2	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	6	3	-	-	-	-	-	-	1	-	-	-
FEMALE--	5	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	3	-	-	-	-	-	-	1	-	-	-
FEMALE--	5	1	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	183	20	-	1	-	2	5	11	17	21	32	24
WHITE-----MALE----	16	-	-	-	-	-	-	1	2	-	3	2
FEMALE--	10	1	-	-	-	-	-	1	-	3	2	-
ALL OTHER--MALE----	107	7	-	1	-	2	3	5	8	12	19	19
FEMALE--	50	12	-	-	-	-	2	4	7	6	8	3
BLACK---MALE----	107	7	-	1	-	2	3	5	8	12	19	19
FEMALE--	50	12	-	-	-	-	2	4	7	6	8	3
FLORIDA -----	1,607	192	16	3	-	16	25	37	45	57	51	59
WHITE-----MALE----	696	62	4	-	-	7	13	24	18	34	23	40
FEMALE--	633	55	6	2	-	3	6	4	14	12	11	10
ALL OTHER--MALE----	147	36	4	-	-	5	4	5	7	8	12	5
FEMALE--	131	39	2	1	-	1	2	4	6	3	5	4
BLACK---MALE----	147	36	4	-	-	5	4	5	7	8	12	5
FEMALE--	125	36	2	1	-	1	2	4	6	2	4	4
GEORGIA -----	593	143	5	1	1	3	4	12	7	21	23	18
WHITE-----MALE----	149	35	2	1	-	1	2	5	2	6	6	2
FEMALE--	202	27	1	-	1	-	-	1	1	1	3	1
ALL OTHER--MALE----	134	38	1	-	-	2	2	4	3	9	11	14
FEMALE--	108	43	1	-	-	-	-	2	1	5	3	1
BLACK---MALE----	132	38	1	-	-	2	1	4	3	9	11	13
FEMALE--	108	43	1	-	-	-	-	2	1	5	3	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,684
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX SYMPTOMS, SIGNS, AND OTHER ILL-DEFINED CONDITIONS (780-796,798-799)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
COLORADO -----	6	7	6	11	8	24	22	25	24	9	3	-
WHITE-----MALE----	2	5	4	9	7	11	7	8	6	1	-	-
FEMALE--	4	2	2	2	1	10	15	16	17	8	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	-	-	-	-	-	3	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	-	-	-	-	-	2	-	-	1	-	-	-
CONNECTICUT -----	3	8	7	9	10	18	16	28	18	5	5	-
WHITE-----MALE----	2	3	5	2	2	12	6	11	3	-	1	-
FEMALE--	1	5	1	4	7	6	10	16	15	3	4	-
ALL OTHER--MALE----	-	-	1	2	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	1	1	-	-	1	-	1	-	-
BLACK---MALE----	-	-	1	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	1	-	1	-	-
DELAWARE -----	3	1	2	4	2	2	3	2	2	-	-	1
WHITE-----MALE----	1	-	-	4	1	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	1	1	2	2	-	-	1
ALL OTHER--MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	1	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	1	-	1	1	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	13	6	5	8	5	3	4	2	-	2	1	1
WHITE-----MALE----	4	-	-	1	-	1	1	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	7	5	4	5	3	1	3	-	-	1	1	1
FEMALE--	1	1	1	2	2	1	-	-	-	-	-	-
BLACK---MALE----	7	5	4	5	3	1	3	-	-	1	1	1
FEMALE--	1	1	1	2	2	1	-	-	-	-	-	-
FLORIDA -----	70	46	75	87	138	154	151	163	131	69	14	8
WHITE-----MALE----	43	23	42	48	72	62	65	55	38	14	3	6
FEMALE--	16	13	24	35	50	72	74	90	80	46	8	2
ALL OTHER--MALE----	8	7	6	1	7	11	4	7	6	4	-	-
FEMALE--	3	3	3	3	9	9	8	11	7	5	3	-
BLACK---MALE----	8	7	6	1	7	11	4	7	6	4	-	-
FEMALE--	3	3	2	3	9	9	8	11	7	5	3	-
GEORGIA -----	18	22	26	26	44	52	55	44	44	17	5	2
WHITE-----MALE----	6	5	6	9	12	18	11	10	7	3	-	-
FEMALE--	2	5	9	8	17	21	33	26	31	11	3	-
ALL OTHER--MALE----	6	8	10	6	8	7	2	2	-	-	-	1
FEMALE--	4	4	1	3	7	6	9	6	6	3	2	1
BLACK---MALE----	6	8	10	6	8	7	2	2	-	-	-	1
FEMALE--	4	4	1	3	7	6	9	6	6	3	2	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,685
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX SYMPTOMS, SIGNS, AND OTHER ILL-DEFINED CONDITIONS (780-796,798-799)	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
HAWAII -----	77	12	3	-	-	1	3	2	-	6	5	2
WHITE-----MALE----	16	-	-	-	-	-	-	-	-	3	2	1
FEMALE--	10	2	1	-	-	-	1	-	-	-	-	1
ALL OTHER--MALE----	32	8	1	-	-	-	2	2	-	2	3	-
FEMALE--	19	2	1	-	-	1	-	-	-	1	-	-
BLACK---MALE----	3	2	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	68	22	1	-	-	1	-	-	2	3	2	1
WHITE-----MALE----	40	15	1	-	-	1	-	-	1	2	2	1
FEMALE--	26	5	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	945	225	16	4	4	18	28	35	50	59	53	49
WHITE-----MALE----	345	63	5	-	2	10	11	9	18	25	21	19
FEMALE--	297	42	6	3	1	5	10	12	13	13	8	9
ALL OTHER--MALE----	182	75	3	1	1	3	4	9	8	12	17	10
FEMALE--	121	45	2	-	-	-	3	5	11	9	7	11
BLACK---MALE----	178	74	3	1	1	3	4	9	8	10	17	9
FEMALE--	119	44	1	-	-	-	3	5	11	9	7	11
INDIANA -----	483	97	9	4	1	11	11	8	16	33	18	18
WHITE-----MALE----	219	56	2	2	1	5	3	5	8	16	12	8
FEMALE--	196	23	2	1	-	3	4	-	4	13	5	4
ALL OTHER--MALE----	34	7	2	1	-	2	4	1	1	1	1	4
FEMALE--	34	11	3	-	-	1	-	2	3	3	-	2
BLACK---MALE----	33	6	2	1	-	2	4	1	1	1	1	4
FEMALE--	33	11	3	-	-	1	-	2	3	3	-	2
IOWA -----	147	50	2	-	1	1	3	2	2	2	3	2
WHITE-----MALE----	68	24	2	-	1	1	3	1	1	1	3	-
FEMALE--	75	22	-	-	-	-	-	1	1	1	-	2
ALL OTHER--MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	509	48	7	2	3	7	10	6	17	20	36	25
WHITE-----MALE----	234	22	1	1	1	4	6	3	9	9	21	14
FEMALE--	196	15	5	1	1	-	2	3	3	5	8	5
ALL OTHER--MALE----	47	3	1	-	-	2	1	-	3	6	5	5
FEMALE--	32	8	-	-	1	1	1	-	2	-	2	1
BLACK---MALE----	45	3	1	-	-	1	1	-	3	6	5	4
FEMALE--	29	7	-	-	-	1	-	-	2	-	2	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,685
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX SYMPTOMS, SIGNS, AND OTHER ILL-DEFINED CONDITIONS (780-796,798-799)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
HAWAII -----	3	3	2	4	4	5	10	3	6	2	1	-
WHITE-----MALE----	1	1	-	1	-	2	3	-	2	-	-	-
FEMALE--	-	-	1	-	-	-	2	-	2	-	-	-
ALL OTHER--MALE----	1	1	-	2	3	2	3	2	-	-	-	-
FEMALE--	1	1	1	1	1	1	2	1	2	2	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	1	1	3	3	4	3	9	7	2	3	-	-
WHITE-----MALE----	1	-	2	1	3	3	3	2	1	1	-	-
FEMALE--	-	1	1	2	1	-	6	5	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	32	25	39	40	44	49	47	61	38	23	5	1
WHITE-----MALE----	13	10	21	20	22	20	26	17	10	3	-	-
FEMALE--	9	6	11	9	13	23	17	37	26	19	5	-
ALL OTHER--MALE----	6	6	5	6	6	3	1	3	2	-	-	1
FEMALE--	4	3	2	5	3	3	3	4	-	1	-	-
BLACK---MALE----	6	6	5	6	6	3	1	3	2	-	-	1
FEMALE--	4	3	2	5	3	3	3	4	-	1	-	-
INDIANA -----	15	14	14	22	35	38	34	38	24	19	2	2
WHITE-----MALE----	10	8	6	15	16	13	9	13	8	2	-	1
FEMALE--	3	4	8	6	14	23	24	21	16	16	2	-
ALL OTHER--MALE----	1	2	-	1	3	-	1	1	-	-	-	1
FEMALE--	1	-	-	-	2	2	-	3	-	1	-	-
BLACK---MALE----	1	2	-	1	3	-	1	1	-	-	-	1
FEMALE--	1	-	-	-	2	2	-	2	-	1	-	-
IOWA -----	3	2	3	5	7	11	7	16	15	7	3	-
WHITE-----MALE----	1	1	3	4	3	7	3	2	4	1	2	-
FEMALE--	2	1	-	1	4	4	4	14	11	6	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	19	20	24	23	28	44	47	52	37	26	8	-
WHITE-----MALE----	13	9	14	14	14	17	26	18	14	3	1	-
FEMALE--	4	4	5	5	12	19	20	30	21	21	7	-
ALL OTHER--MALE----	2	5	3	2	1	4	1	1	1	1	-	-
FEMALE--	-	2	2	2	1	4	-	3	1	1	-	-
BLACK---MALE----	2	5	3	2	1	4	1	1	1	1	-	-
FEMALE--	-	2	2	2	1	4	-	3	1	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,686
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX SYMPTOMS, SIGNS, AND OTHER ILL-DEFINED CONDITIONS (780-796,798-799)	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
KENTUCKY -----	253	70	5	1	1	-	1	6	5	8	3	9
WHITE-----MALE----	136	42	3	1	1	-	1	1	3	6	2	5
FEMALE--	100	21	1	-	-	-	-	3	2	2	-	4
ALL OTHER--MALE----	7	3	-	-	-	-	-	1	-	-	1	-
FEMALE--	10	4	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	7	3	-	-	-	-	-	1	-	-	1	-
FEMALE--	10	4	1	-	-	-	-	1	-	-	-	-
LOUISIANA -----	401	62	4	1	1	2	3	3	3	9	14	9
WHITE-----MALE----	107	16	1	-	-	-	2	-	2	3	1	2
FEMALE--	139	13	-	-	-	-	1	1	-	2	5	1
ALL OTHER--MALE----	75	18	2	1	-	2	-	-	1	3	4	2
FEMALE--	80	15	1	-	1	-	-	2	-	1	4	4
BLACK---MALE----	74	18	2	1	-	2	-	-	1	3	4	2
FEMALE--	80	15	1	-	1	-	-	2	-	1	4	4
MAINE -----	62	9	-	-	1	-	-	1	1	3	1	2
WHITE-----MALE----	30	6	-	-	1	-	-	1	-	1	1	1
FEMALE--	32	3	-	-	-	-	-	-	1	2	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	248	91	8	2	2	3	4	9	17	11	10	9
WHITE-----MALE----	74	26	2	1	2	2	2	2	2	4	3	4
FEMALE--	60	13	4	1	-	-	-	-	3	1	4	1
ALL OTHER--MALE----	73	32	1	-	-	1	1	5	7	3	2	4
FEMALE--	41	20	1	-	-	-	1	2	5	3	1	-
BLACK---MALE----	71	31	1	-	-	1	1	5	7	3	2	4
FEMALE--	38	18	1	-	-	-	1	2	5	2	1	-
MASSACHUSETTS -----	550	46	3	-	-	9	9	19	33	35	49	24
WHITE-----MALE----	268	25	1	-	-	3	7	15	17	21	35	15
FEMALE--	244	10	1	-	-	3	1	4	12	8	13	7
ALL OTHER--MALE----	24	8	1	-	-	1	-	-	1	6	1	1
FEMALE--	14	3	-	-	-	2	1	-	3	-	-	1
BLACK---MALE----	19	5	1	-	-	1	-	-	1	5	1	1
FEMALE--	12	2	-	-	-	2	1	-	3	-	-	1
MICHIGAN -----	334	154	7	-	1	3	7	6	9	12	8	8
WHITE-----MALE----	97	44	-	-	-	2	4	3	3	2	1	3
FEMALE--	127	43	3	-	-	-	1	1	2	4	4	3
ALL OTHER--MALE----	60	35	3	-	1	1	2	1	4	3	1	2
FEMALE--	50	32	1	-	-	-	-	1	-	3	2	-
BLACK---MALE----	59	35	3	-	1	1	2	1	4	3	1	2
FEMALE--	49	31	1	-	-	-	-	1	-	3	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,686

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 SYMPTOMS, SIGNS, AND OTHER ILL-DEFINED CONDITIONS (780-796,798-799)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
KENTUCKY -----	7	10	11	14	20	19	17	25	16	4	1	-
WHITE-----MALE----	5	8	7	9	14	11	4	8	4	-	1	-
FEMALE--	1	2	3	5	5	7	12	17	11	4	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	1	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	1	-	-	-
LOUISIANA -----	8	14	15	27	35	41	45	49	41	10	4	1
WHITE-----MALE----	-	2	6	7	16	9	16	15	6	2	1	-
FEMALE--	4	-	6	7	9	18	20	21	23	7	1	-
ALL OTHER--MALE----	3	6	2	9	2	5	4	5	5	-	-	1
FEMALE--	1	6	1	4	8	9	5	8	7	1	2	-
BLACK---MALE----	3	6	2	9	2	5	4	4	5	-	-	1
FEMALE--	1	6	1	4	8	9	5	8	7	1	2	-
MAINE -----	-	1	5	3	6	3	8	8	5	2	3	-
WHITE-----MALE----	-	-	4	2	5	-	4	-	2	1	1	-
FEMALE--	-	1	1	1	1	3	4	8	3	1	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2	4	7	9	12	14	10	8	6	7	-	3
WHITE-----MALE----	-	-	2	1	8	6	3	2	1	1	-	-
FEMALE--	1	1	4	3	2	6	5	3	3	5	-	-
ALL OTHER--MALE----	1	3	-	4	1	2	1	1	2	-	-	2
FEMALE--	-	-	1	1	1	-	1	2	-	1	-	1
BLACK---MALE----	1	2	-	4	1	2	1	1	2	-	-	2
FEMALE--	-	-	1	1	1	-	1	2	-	1	-	1
MASSACHUSETTS -----	19	13	12	18	41	40	46	53	52	23	6	-
WHITE-----MALE----	12	7	7	7	25	17	14	21	11	7	1	-
FEMALE--	6	5	4	11	15	22	30	30	41	16	5	-
ALL OTHER--MALE----	1	1	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	2	-	-	-	-
BLACK---MALE----	-	1	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	1	-	-	-	-
MICHIGAN -----	8	13	6	11	11	20	14	17	11	7	1	-
WHITE-----MALE----	1	5	1	6	5	6	5	2	2	1	1	-
FEMALE--	2	7	2	5	4	12	7	14	8	5	-	-
ALL OTHER--MALE----	2	1	1	-	-	1	2	-	-	-	-	-
FEMALE--	3	-	2	-	2	1	-	1	1	1	-	-
BLACK---MALE----	1	1	1	-	-	1	2	-	-	-	-	-
FEMALE--	3	-	2	-	2	1	-	1	1	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,687

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 100+ N.S.
 SYMPTOMS, SIGNS, AND OTHER ILL-DEFINED CONDITIONS (780-796,798-799)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
MINNESOTA -----	8	5	23	44	74	72	109	119	130	67	36	-
WHITE-----MALE----	4	3	11	28	38	37	44	35	27	14	6	-
FEMALE--	2	2	11	15	35	33	63	82	98	53	28	-
ALL OTHER--MALE----	2	-	-	-	1	-	2	-	1	-	2	-
FEMALE--	-	-	1	1	-	2	-	2	4	-	-	-
BLACK---MALE----	1	-	-	-	1	-	2	-	1	-	1	-
FEMALE--	-	-	1	-	-	1	-	1	2	-	-	-
MISSISSIPPI -----	6	12	6	14	20	11	23	25	17	12	1	-
WHITE-----MALE----	1	5	4	2	5	4	10	7	2	-	-	-
FEMALE--	1	1	-	2	8	1	6	9	5	6	1	-
ALL OTHER--MALE----	3	5	1	7	3	3	3	3	4	2	-	-
FEMALE--	1	1	1	3	4	3	4	6	6	4	-	-
BLACK---MALE----	3	5	1	7	3	3	3	3	4	2	-	-
FEMALE--	1	1	1	3	4	3	4	6	6	4	-	-
MISSOURI -----	11	17	14	24	30	29	43	40	24	8	5	1
WHITE-----MALE----	6	14	10	15	17	13	14	9	5	2	-	-
FEMALE--	4	2	1	7	11	15	25	31	17	6	5	-
ALL OTHER--MALE----	1	-	2	-	2	-	1	-	1	-	-	1
FEMALE--	-	1	1	2	-	1	3	-	1	-	-	-
BLACK---MALE----	1	-	2	-	2	-	1	-	-	-	-	1
FEMALE--	-	1	1	2	-	1	3	-	1	-	-	-
MONTANA -----	3	5	2	6	9	8	11	15	8	6	1	1
WHITE-----MALE----	1	3	2	4	5	4	5	4	3	2	-	-
FEMALE--	1	2	-	2	4	4	6	11	5	4	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	6	6	12	26	28	30	36	42	31	17	8	-
WHITE-----MALE----	4	5	7	10	16	17	20	13	5	3	1	-
FEMALE--	1	1	5	12	11	12	16	28	25	13	7	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	1	-	-
FEMALE--	1	-	-	3	-	1	-	1	1	-	-	-
BLACK---MALE----	-	-	-	1	1	-	-	-	-	1	-	-
FEMALE--	1	-	-	3	-	1	-	1	1	-	-	-
NEVADA -----	4	2	2	7	8	6	5	1	3	3	1	2
WHITE-----MALE----	1	1	1	2	4	1	2	1	-	1	1	-
FEMALE--	3	1	1	5	3	4	3	-	2	2	-	2
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,689
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX SYMPTOMS, SIGNS, AND OTHER ILL-DEFINED CONDITIONS (780-796,798-799)	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
OHIO -----	2,080	237	31	22	18	50	76	89	94	142	165	142
WHITE-----MALE----	1,002	89	11	8	10	24	41	53	50	80	100	82
FEMALE--	687	62	10	9	3	7	13	15	21	34	39	30
ALL OTHER--MALE----	272	62	7	4	2	17	17	16	18	15	20	25
FEMALE--	119	24	3	1	3	2	5	5	5	13	6	5
BLACK---MALE----	265	62	6	4	2	17	17	14	16	15	19	25
FEMALE--	114	24	3	-	3	2	4	5	5	13	6	5
OKLAHOMA -----	253	74	1	2	5	2	3	8	12	8	13	10
WHITE-----MALE----	133	37	-	1	2	1	2	2	7	5	9	8
FEMALE--	78	21	1	1	1	1	-	4	4	1	1	1
ALL OTHER--MALE----	25	10	-	-	2	-	1	2	-	1	1	1
FEMALE--	17	6	-	-	-	-	-	-	1	1	2	-
BLACK---MALE----	15	8	-	-	2	-	-	1	-	1	1	-
FEMALE--	14	4	-	-	-	-	-	-	1	1	2	-
OREGON -----	634	83	1	-	1	3	-	6	4	10	13	12
WHITE-----MALE----	286	40	-	-	1	3	-	5	3	7	9	6
FEMALE--	328	37	-	-	-	-	-	1	1	3	4	5
ALL OTHER--MALE----	12	3	1	-	-	-	-	-	-	-	-	1
FEMALE--	8	3	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	9	3	1	-	-	-	-	-	-	-	-	-
FEMALE--	4	2	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1,677	157	9	2	3	9	18	24	19	45	50	43
WHITE-----MALE----	715	54	3	-	1	3	13	9	13	23	24	22
FEMALE--	706	40	3	-	1	1	3	6	3	9	11	12
ALL OTHER--MALE----	144	32	1	1	1	4	2	6	3	8	12	7
FEMALE--	112	31	2	1	-	1	-	3	-	5	3	2
BLACK---MALE----	136	31	1	1	1	3	2	6	3	8	12	7
FEMALE--	109	30	1	1	-	1	-	3	-	5	3	2
RHODE ISLAND -----	54	16	2	-	-	1	1	3	2	3	1	2
WHITE-----MALE----	28	8	1	-	-	1	1	1	2	3	-	1
FEMALE--	23	7	1	-	-	-	-	2	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	1	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
SOUTH CAROLINA -----	269	57	1	2	-	3	1	6	6	9	17	17
WHITE-----MALE----	76	13	-	2	-	1	-	2	3	2	3	7
FEMALE--	72	17	-	-	-	1	1	-	1	1	3	2
ALL OTHER--MALE----	72	17	1	-	-	1	-	3	1	4	8	6
FEMALE--	49	10	-	-	-	-	-	1	1	2	3	2
BLACK---MALE----	72	17	1	-	-	1	-	3	1	4	8	6
FEMALE--	49	10	-	-	-	-	-	1	1	2	3	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,689
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SYMPTOMS, SIGNS, AND OTHER ILL-DEFINED CONDITIONS (780-796,798-799)												
OHIO -----	92	87	104	116	152	141	126	91	68	26	11	-
WHITE-----MALE----	46	50	55	65	78	61	55	19	21	3	1	-
FEMALE--	34	23	29	38	54	67	63	60	45	21	10	-
ALL OTHER--MALE----	7	11	12	7	11	8	6	4	2	1	-	-
FEMALE--	5	3	8	6	9	5	2	8	-	1	-	-
BLACK---MALE----	6	11	12	7	11	8	6	4	2	1	-	-
FEMALE--	5	3	8	6	9	5	2	5	-	1	-	-
OKLAHOMA -----	9	3	7	10	11	17	22	18	12	3	1	2
WHITE-----MALE----	4	3	4	6	8	8	12	9	3	1	-	1
FEMALE--	3	-	3	2	2	6	8	8	8	2	-	-
ALL OTHER--MALE----	2	-	-	2	-	1	1	-	1	-	-	-
FEMALE--	-	-	-	-	1	2	1	1	-	-	1	1
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	1	-	-	1	1
OREGON -----	10	25	31	50	52	64	92	80	52	33	12	-
WHITE-----MALE----	8	17	21	25	23	37	41	21	12	6	1	-
FEMALE--	1	7	8	24	27	27	49	58	38	27	11	-
ALL OTHER--MALE----	1	1	1	1	1	-	2	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	1	1	2	-	-	-
BLACK---MALE----	1	1	1	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	1	-	-	-
PENNSYLVANIA -----	58	64	96	148	176	206	196	152	122	59	14	7
WHITE-----MALE----	30	41	51	71	86	92	77	59	32	9	2	-
FEMALE--	17	12	32	60	73	99	104	77	82	46	11	4
ALL OTHER--MALE----	9	8	5	9	11	8	6	5	4	-	-	2
FEMALE--	2	3	8	8	6	7	9	11	4	4	1	1
BLACK---MALE----	8	8	5	9	9	8	6	4	2	-	-	2
FEMALE--	2	3	7	8	6	7	9	11	4	4	1	1
RHODE ISLAND -----	3	1	1	5	4	2	3	2	2	-	-	-
WHITE-----MALE----	2	-	-	3	2	-	1	1	1	-	-	-
FEMALE--	-	1	1	2	2	2	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	12	7	9	15	28	25	22	20	10	2	-	-
WHITE-----MALE----	2	3	2	4	14	7	5	5	1	-	-	-
FEMALE--	1	2	1	4	6	9	9	7	6	1	-	-
ALL OTHER--MALE----	7	1	5	2	5	6	3	1	1	-	-	-
FEMALE--	2	1	1	5	3	3	5	7	2	1	-	-
BLACK---MALE----	7	1	5	2	5	6	3	1	1	-	-	-
FEMALE--	2	1	1	5	3	3	5	7	2	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,690
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX SYMPTOMS, SIGNS, AND OTHER ILL-DEFINED CONDITIONS (780-796,798-799)	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
SOUTH DAKOTA -----	68	24	1	-	1	-	1	-	-	-	-	2
WHITE-----MALE----	28	8	-	-	-	-	1	-	-	-	-	2
FEMALE--	22	6	1	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	10	5	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	5	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	800	103	4	3	1	1	4	9	11	29	13	30
WHITE-----MALE----	321	37	-	1	-	1	2	3	6	22	9	11
FEMALE--	302	23	2	1	-	-	-	4	3	3	3	7
ALL OTHER--MALE----	99	27	2	1	-	-	2	-	1	3	-	9
FEMALE--	78	16	-	-	1	-	-	2	1	1	1	3
BLACK---MALE----	99	27	2	1	-	-	2	-	1	3	-	9
FEMALE--	77	15	-	-	1	-	-	2	1	1	1	3
TEXAS -----	1,222	308	15	5	3	11	19	17	28	36	40	38
WHITE-----MALE----	548	141	5	3	-	5	13	11	20	17	23	20
FEMALE--	480	92	6	2	3	5	3	4	4	12	9	9
ALL OTHER--MALE----	120	44	3	-	-	-	3	2	3	4	7	8
FEMALE--	74	31	1	-	-	1	-	-	1	3	1	1
BLACK---MALE----	114	42	3	-	-	-	3	-	1	4	7	8
FEMALE--	71	31	1	-	-	1	-	-	1	3	1	1
UTAH -----	191	33	5	-	-	6	4	2	4	5	6	4
WHITE-----MALE----	93	18	4	-	-	3	2	2	2	4	2	1
FEMALE--	92	12	1	-	-	3	2	-	2	1	4	3
ALL OTHER--MALE----	6	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	22	6	-	-	-	-	1	1	2	-	1	-
WHITE-----MALE----	9	1	-	-	-	-	-	1	1	-	1	-
FEMALE--	13	5	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	564	99	9	4	2	4	7	8	17	8	13	15
WHITE-----MALE----	175	28	2	-	1	3	4	4	6	4	7	8
FEMALE--	231	28	3	1	-	-	-	2	6	-	3	4
ALL OTHER--MALE----	87	31	3	1	-	1	1	1	4	1	-	1
FEMALE--	71	12	1	2	1	-	2	1	1	3	3	2
BLACK---MALE----	87	31	3	1	-	1	1	1	4	1	-	1
FEMALE--	71	12	1	2	1	-	2	1	1	3	3	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,690
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX SYMPTOMS, SIGNS, AND OTHER ILL-DEFINED CONDITIONS (780-796,798-799)	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
SOUTH DAKOTA -----	1	4	1	4	6	7	4	7	-	4	1	-
WHITE-----MALE----	-	-	1	2	3	3	3	4	-	1	-	-
FEMALE--	-	2	-	1	2	3	-	3	-	3	-	-
ALL OTHER--MALE----	1	2	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	28	31	44	44	76	85	85	100	62	24	12	1
WHITE-----MALE----	19	19	26	23	34	32	27	33	10	3	2	1
FEMALE--	5	5	12	12	24	39	45	50	42	16	6	-
ALL OTHER--MALE----	2	4	4	6	13	7	6	7	4	-	1	-
FEMALE--	2	3	2	3	5	7	7	10	6	5	3	-
BLACK---MALE----	2	4	4	6	13	7	6	7	4	-	1	-
FEMALE--	2	3	2	3	5	7	7	10	6	5	3	-
TEXAS -----	33	41	51	58	90	97	92	94	84	45	12	5
WHITE-----MALE----	21	19	33	31	41	46	28	35	22	9	2	3
FEMALE--	7	15	13	19	38	38	53	50	54	33	10	1
ALL OTHER--MALE----	5	4	4	7	5	5	7	5	3	1	-	-
FEMALE--	-	3	1	1	6	8	4	4	5	2	-	1
BLACK---MALE----	5	4	4	7	5	5	7	5	3	1	-	-
FEMALE--	-	3	1	1	6	6	3	4	5	2	-	1
UTAH -----	3	13	13	17	11	18	10	22	12	3	-	-
WHITE-----MALE----	2	7	9	11	5	5	4	6	5	1	-	-
FEMALE--	1	6	3	6	6	12	6	15	7	2	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	1	-	1	1	2	2	1	2	-	-
WHITE-----MALE----	1	-	1	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	20	12	30	36	41	49	63	48	37	32	9	1
WHITE-----MALE----	6	5	11	17	15	16	17	12	5	3	-	1
FEMALE--	7	3	10	13	18	24	29	25	25	22	8	-
ALL OTHER--MALE----	5	2	6	4	4	7	7	4	2	2	-	-
FEMALE--	2	2	3	2	4	2	10	7	5	5	1	-
BLACK---MALE----	5	2	6	4	4	7	7	4	2	2	-	-
FEMALE--	2	2	3	2	4	2	10	7	5	5	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,692
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SUPPLEMENTARY CLASSIFICATION OF EXTERNAL CAUSES OF INJURY AND POISONING (E800-E999)												
0 UNITED STATES --	150,809	1,155	2,777	1,787	2,702	11,960	14,314	12,761	13,908	13,767	12,174	9,319
WHITE-----MALE----	83,701	418	1,125	797	1,370	6,376	8,264	7,369	8,220	8,239	7,287	5,581
FEMALE--	36,082	323	791	478	646	2,228	1,894	1,894	2,340	2,437	2,287	1,861
ALL OTHER--MALE----	23,279	207	510	317	475	2,790	3,547	2,827	2,551	2,316	1,976	1,467
FEMALE--	7,747	207	351	195	211	566	609	671	797	775	624	410
BLACK---MALE----	20,119	189	428	267	400	2,454	3,080	2,452	2,198	2,034	1,736	1,278
FEMALE--	6,372	188	297	158	167	453	462	550	678	662	525	317
ALABAMA -----	3,378	29	69	47	57	291	338	299	310	296	247	184
WHITE-----MALE----	1,621	8	19	18	27	135	160	157	155	137	121	102
FEMALE--	708	6	17	6	11	47	42	42	53	57	46	25
ALL OTHER--MALE----	782	7	19	13	16	87	122	83	74	76	64	47
FEMALE--	267	8	14	10	3	22	14	17	28	26	16	10
BLACK---MALE----	774	7	19	13	16	87	119	81	73	74	64	47
FEMALE--	263	8	14	10	3	22	13	17	26	26	16	9
ALASKA -----	504	5	19	11	12	33	49	50	65	61	64	38
WHITE-----MALE----	256	-	4	4	3	17	28	24	30	39	35	25
FEMALE--	67	2	5	3	3	3	1	5	7	6	10	3
ALL OTHER--MALE----	129	1	9	2	4	9	15	14	23	10	16	8
FEMALE--	52	2	1	2	2	4	5	7	5	6	3	2
BLACK---MALE----	11	1	-	-	-	1	4	1	1	1	-	1
FEMALE--	6	1	-	1	-	3	-	-	-	-	-	-
ARIZONA -----	3,364	21	85	35	63	278	321	308	329	321	323	202
WHITE-----MALE----	2,061	12	35	16	33	170	204	215	221	210	219	130
FEMALE--	800	7	26	6	19	40	40	38	59	62	66	47
ALL OTHER--MALE----	396	1	14	9	6	60	65	49	40	41	29	20
FEMALE--	107	1	10	4	5	8	12	6	9	8	9	5
BLACK---MALE----	104	-	6	3	2	24	12	13	5	9	5	6
FEMALE--	29	-	3	2	2	3	2	2	1	4	2	1
ARKANSAS -----	1,921	26	39	23	57	183	185	154	173	151	135	103
WHITE-----MALE----	1,044	9	22	9	29	87	94	87	102	86	89	59
FEMALE--	460	8	6	8	12	32	33	24	29	29	19	29
ALL OTHER--MALE----	314	3	8	5	10	56	49	34	33	30	23	13
FEMALE--	103	6	3	1	6	8	9	9	9	6	4	2
BLACK---MALE----	305	3	8	5	9	55	47	34	33	27	23	12
FEMALE--	99	6	3	1	6	8	8	8	9	6	4	2
CALIFORNIA -----	16,768	130	344	194	285	1,423	1,825	1,624	1,752	1,624	1,504	1,182
WHITE-----MALE----	10,160	50	161	82	158	863	1,211	1,039	1,105	1,021	969	766
FEMALE--	3,445	43	103	54	66	225	208	216	263	304	262	218
ALL OTHER--MALE----	2,371	18	50	39	45	271	350	300	299	214	194	146
FEMALE--	792	19	30	19	16	64	56	69	85	85	79	52
BLACK---MALE----	1,591	16	32	28	24	170	251	224	221	155	143	99
FEMALE--	448	13	22	8	9	38	26	39	60	57	56	30

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,692
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 SUPPLEMENTARY CLASSIFICATION OF EXTERNAL CAUSES OF INJURY AND POISONING (E800-E999)												
0 UNITED STATES --	6,868	5,393	5,258	5,600	6,473	6,858	6,849	5,844	3,394	1,204	251	193
WHITE-----MALE----	4,184	3,227	3,096	3,247	3,548	3,683	3,413	2,546	1,201	317	53	140
FEMALE--	1,507	1,239	1,300	1,547	2,130	2,494	2,848	2,882	1,965	807	165	19
ALL OTHER--MALE----	863	696	607	539	503	404	310	201	105	32	9	27
FEMALE--	314	231	255	267	292	277	278	215	123	48	24	7
BLACK---MALE----	744	574	508	447	428	344	257	157	82	28	8	26
FEMALE--	241	184	205	209	247	229	234	183	109	46	22	6
ALABAMA -----	138	119	159	147	146	146	151	111	75	16	3	-
WHITE-----MALE----	74	65	84	82	74	72	69	35	24	2	1	-
FEMALE--	23	21	42	36	44	39	56	52	35	8	-	-
ALL OTHER--MALE----	34	23	25	24	17	17	14	13	5	1	1	-
FEMALE--	7	10	8	5	11	18	12	11	11	5	1	-
BLACK---MALE----	34	23	25	24	17	17	14	13	5	1	1	-
FEMALE--	7	10	8	5	11	18	12	11	11	5	1	-
ALASKA -----	23	23	11	17	7	5	2	4	4	1	-	-
WHITE-----MALE----	15	16	4	5	3	2	1	1	-	-	-	-
FEMALE--	1	1	3	4	2	2	1	1	3	1	-	-
ALL OTHER--MALE----	3	4	3	4	1	1	-	1	1	-	-	-
FEMALE--	4	2	1	4	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	141	106	107	129	144	140	130	96	50	14	7	14
WHITE-----MALE----	79	71	61	82	73	82	68	43	19	4	3	11
FEMALE--	44	23	27	36	61	50	56	49	29	10	3	2
ALL OTHER--MALE----	12	11	12	8	6	3	3	4	2	-	-	1
FEMALE--	6	1	7	3	4	5	3	-	-	-	1	-
BLACK---MALE----	4	1	3	1	2	3	2	2	-	-	-	1
FEMALE--	1	-	3	-	1	2	-	-	-	-	-	-
ARKANSAS -----	75	70	69	79	77	107	85	75	38	12	3	2
WHITE-----MALE----	47	45	43	47	39	56	37	38	13	3	1	2
FEMALE--	20	19	13	21	28	40	35	30	19	5	1	-
ALL OTHER--MALE----	4	3	9	8	7	5	7	4	2	1	-	-
FEMALE--	4	3	4	3	3	6	6	3	4	3	1	-
BLACK---MALE----	4	2	9	8	7	5	7	4	2	1	-	-
FEMALE--	3	3	4	3	2	6	6	3	4	3	1	-
CALIFORNIA -----	851	610	538	485	608	536	531	414	192	63	9	44
WHITE-----MALE----	536	357	322	276	339	304	276	185	82	20	2	36
FEMALE--	171	142	127	134	190	178	197	191	99	41	7	6
ALL OTHER--MALE----	102	88	65	45	50	26	35	23	7	2	-	2
FEMALE--	42	23	24	30	29	28	23	15	4	-	-	-
BLACK---MALE----	66	56	35	17	24	9	12	7	1	-	-	1
FEMALE--	23	11	8	12	13	9	8	5	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,693
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SUPPLEMENTARY CLASSIFICATION OF EXTERNAL CAUSES OF INJURY AND POISONING (E800-E999)												
COLORADO -----	2,441	12	34	15	50	179	222	248	234	248	222	159
WHITE-----MALE----	1,573	5	14	10	26	109	150	181	164	167	153	113
FEMALE--	676	6	15	3	19	46	44	39	46	60	53	39
ALL OTHER--MALE----	141	-	2	1	4	20	23	21	20	18	11	4
FEMALE--	51	1	3	1	1	4	5	7	4	3	5	3
BLACK---MALE----	102	-	-	-	3	15	18	15	14	14	10	3
FEMALE--	27	-	1	1	1	1	3	4	2	2	4	2
CONNECTICUT -----	1,558	7	18	8	17	91	131	140	128	144	115	97
WHITE-----MALE----	907	3	8	3	9	61	77	86	81	98	79	59
FEMALE--	443	3	6	1	4	10	29	23	26	22	19	23
ALL OTHER--MALE----	161	-	3	2	3	17	16	26	19	22	13	13
FEMALE--	47	1	1	2	1	3	9	5	2	2	4	2
BLACK---MALE----	155	-	3	2	3	17	15	25	18	20	12	13
FEMALE--	42	1	1	1	1	3	8	5	2	1	4	2
DELAWARE -----	389	3	8	7	4	27	26	27	45	35	35	28
WHITE-----MALE----	203	1	4	4	2	15	11	17	27	21	22	13
FEMALE--	103	-	2	2	2	5	6	3	7	3	8	8
ALL OTHER--MALE----	56	1	2	1	-	3	7	7	4	8	5	5
FEMALE--	27	1	-	-	-	4	2	-	7	3	-	2
BLACK---MALE----	56	1	2	1	-	3	7	7	4	8	5	5
FEMALE--	24	1	-	-	-	4	2	-	6	3	-	1
DISTRICT OF COLUMBIA ----	554	1	10	3	6	82	93	69	57	45	27	24
WHITE-----MALE----	52	-	-	1	2	1	5	6	4	6	4	4
FEMALE--	23	-	1	-	-	-	1	2	-	-	-	-
ALL OTHER--MALE----	389	-	4	2	3	75	83	52	47	31	16	17
FEMALE--	90	1	5	-	1	6	4	9	6	8	7	3
BLACK---MALE----	388	-	4	2	3	75	83	52	47	31	16	17
FEMALE--	89	1	5	-	1	6	4	9	6	8	7	3
FLORIDA -----	8,882	56	163	95	142	521	735	694	768	800	752	554
WHITE-----MALE----	5,162	27	60	38	70	277	456	431	431	479	467	366
FEMALE--	2,185	18	49	22	28	105	90	110	151	156	140	101
ALL OTHER--MALE----	1,165	6	35	28	30	113	168	125	142	124	106	68
FEMALE--	370	5	19	7	14	26	21	28	44	41	39	19
BLACK---MALE----	1,102	6	34	26	27	108	154	123	136	119	99	60
FEMALE--	356	5	19	6	14	25	19	27	44	40	36	18
GEORGIA -----	4,595	41	103	59	95	386	450	372	417	392	358	301
WHITE-----MALE----	2,070	10	30	23	35	158	192	172	183	188	159	157
FEMALE--	974	12	29	9	18	71	69	52	52	68	60	56
ALL OTHER--MALE----	1,128	8	33	17	29	129	151	114	136	104	108	71
FEMALE--	423	11	11	10	13	28	38	34	46	32	31	17
BLACK---MALE----	1,106	8	33	17	29	127	148	111	133	103	107	68
FEMALE--	406	11	11	10	12	26	37	33	46	31	30	13

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,693
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 SUPPLEMENTARY CLASSIFICATION OF EXTERNAL CAUSES OF INJURY AND POISONING (E800-E999)												
COLORADO -----	104	68	84	77	89	105	110	99	56	22	4	-
WHITE-----MALE----	74	47	64	42	56	55	68	46	21	8	-	-
FEMALE--	25	16	17	29	30	45	41	52	33	14	4	-
ALL OTHER--MALE----	2	4	2	3	2	2	-	1	1	-	-	-
FEMALE--	3	1	1	3	1	3	1	-	1	-	-	-
BLACK---MALE----	1	3	1	2	-	1	-	1	1	-	-	-
FEMALE--	2	1	1	-	1	-	-	-	1	-	-	-
CONNECTICUT -----	65	49	61	55	88	83	93	94	51	17	6	-
WHITE-----MALE----	47	27	38	30	48	43	45	47	15	1	2	-
FEMALE--	9	16	17	20	31	37	45	46	36	16	4	-
ALL OTHER--MALE----	7	4	3	5	5	1	1	1	-	-	-	-
FEMALE--	2	2	3	-	4	2	2	-	-	-	-	-
BLACK---MALE----	7	4	3	5	5	1	1	1	-	-	-	-
FEMALE--	2	2	2	-	4	2	1	-	-	-	-	-
DELAWARE -----	19	15	8	15	14	27	17	10	13	5	1	-
WHITE-----MALE----	9	9	7	9	9	10	6	3	3	1	-	-
FEMALE--	3	2	1	6	5	10	10	5	10	4	1	-
ALL OTHER--MALE----	2	4	-	-	-	5	-	2	-	-	-	-
FEMALE--	5	-	-	-	-	2	1	-	-	-	-	-
BLACK---MALE----	2	4	-	-	-	5	-	2	-	-	-	-
FEMALE--	5	-	-	-	-	1	1	-	-	-	-	-
DISTRICT OF COLUMBIA ----	20	11	11	11	21	21	16	12	6	7	-	1
WHITE-----MALE----	3	1	1	2	5	3	-	4	-	-	-	-
FEMALE--	2	1	1	-	5	1	1	5	1	2	-	-
ALL OTHER--MALE----	11	5	6	7	9	9	5	-	4	2	-	1
FEMALE--	4	4	3	2	2	8	10	3	1	3	-	-
BLACK---MALE----	10	5	6	7	9	9	5	-	4	2	-	1
FEMALE--	4	4	3	2	2	8	9	3	1	3	-	-
FLORIDA -----	413	364	340	393	463	503	477	373	190	61	10	15
WHITE-----MALE----	265	223	206	230	266	295	261	185	94	23	2	10
FEMALE--	94	86	89	118	156	179	192	171	89	36	5	-
ALL OTHER--MALE----	46	42	36	26	28	16	16	5	1	1	1	2
FEMALE--	8	13	9	19	13	13	8	12	6	1	2	3
BLACK---MALE----	44	38	34	25	28	16	15	5	1	1	1	2
FEMALE--	8	10	9	19	13	12	8	12	6	1	2	3
GEORGIA -----	254	166	196	192	160	178	216	157	70	22	7	3
WHITE-----MALE----	134	96	116	88	81	84	84	55	18	6	-	1
FEMALE--	52	32	33	56	41	58	80	75	37	10	4	-
ALL OTHER--MALE----	54	28	30	26	25	22	23	11	5	2	-	2
FEMALE--	14	10	17	22	13	14	29	16	10	4	3	-
BLACK---MALE----	52	28	28	25	25	22	23	10	5	2	-	2
FEMALE--	12	9	17	20	12	14	29	16	10	4	3	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,694
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SUPPLEMENTARY CLASSIFICATION OF EXTERNAL CAUSES OF INJURY AND POISONING (E800-E999)												
HAWAII -----	556	5	11	7	6	32	57	39	70	52	54	45
WHITE-----MALE----	155	-	3	2	1	6	13	9	23	18	24	21
FEMALE--	49	1	-	-	1	3	3	1	5	2	5	4
ALL OTHER--MALE----	266	2	5	5	2	17	32	23	35	29	21	15
FEMALE--	86	2	3	-	2	6	9	6	7	3	4	5
BLACK---MALE----	10	-	1	-	-	-	-	4	3	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
IDAHO -----	771	6	21	14	25	79	68	46	49	59	45	43
WHITE-----MALE----	527	3	12	10	16	51	51	34	36	44	33	30
FEMALE--	210	3	8	4	8	23	13	8	11	10	9	13
ALL OTHER--MALE----	22	-	1	-	1	2	3	4	2	3	2	-
FEMALE--	12	-	-	-	-	3	1	-	-	2	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
ILLINOIS -----	6,546	82	147	72	137	606	669	540	595	618	498	387
WHITE-----MALE----	3,254	26	58	32	65	286	334	274	319	335	235	205
FEMALE--	1,397	18	31	17	27	106	63	61	84	91	87	59
ALL OTHER--MALE----	1,437	21	37	10	30	184	232	164	139	135	143	96
FEMALE--	458	17	21	13	15	30	40	41	53	57	33	27
BLACK---MALE----	1,379	21	35	10	28	181	224	156	134	131	136	91
FEMALE--	430	17	21	13	14	29	36	37	48	56	33	24
INDIANA -----	3,414	26	82	57	53	272	373	241	254	269	261	188
WHITE-----MALE----	1,986	13	37	29	38	153	227	141	158	164	176	122
FEMALE--	935	6	26	21	9	59	54	40	46	55	54	48
ALL OTHER--MALE----	359	4	10	4	1	51	77	42	33	35	22	15
FEMALE--	134	3	9	3	5	9	15	18	17	15	9	3
BLACK---MALE----	350	4	10	4	1	50	73	42	33	35	21	15
FEMALE--	122	3	9	3	4	7	11	18	16	13	9	3
IOWA -----	1,581	9	28	32	29	145	132	94	88	114	108	77
WHITE-----MALE----	997	4	11	22	18	101	96	63	63	78	73	53
FEMALE--	517	5	15	7	8	34	30	22	18	26	33	21
ALL OTHER--MALE----	51	-	2	1	2	9	5	6	5	9	2	3
FEMALE--	16	-	-	2	1	1	1	3	2	1	-	-
BLACK---MALE----	37	-	1	1	2	5	4	4	3	7	2	2
FEMALE--	10	-	-	2	1	-	-	1	1	1	-	-
KANSAS -----	1,454	8	26	21	16	115	142	103	117	113	77	72
WHITE-----MALE----	856	4	16	13	10	58	84	67	78	81	54	51
FEMALE--	443	2	6	4	3	26	28	20	23	18	15	17
ALL OTHER--MALE----	119	-	1	1	2	28	25	14	10	11	6	4
FEMALE--	36	2	3	3	1	3	5	2	6	3	2	-
BLACK---MALE----	106	-	1	-	1	26	22	14	9	11	5	2
FEMALE--	26	2	2	1	1	2	2	1	6	3	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,694
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 SUPPLEMENTARY CLASSIFICATION OF EXTERNAL CAUSES OF INJURY AND POISONING (E800-E999)												
HAWAII -----	22	20	19	18	24	19	26	15	10	4	1	-
WHITE-----MALE----	6	6	3	3	5	4	6	2	-	-	-	-
FEMALE--	3	4	2	1	2	2	2	3	2	3	-	-
ALL OTHER--MALE----	10	6	11	10	12	9	10	6	6	-	-	-
FEMALE--	3	4	3	4	5	4	8	4	2	1	1	-
BLACK---MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	49	33	26	37	25	47	39	36	21	3	-	-
WHITE-----MALE----	28	27	15	30	20	35	24	20	7	1	-	-
FEMALE--	19	4	9	7	5	12	15	14	13	2	-	-
ALL OTHER--MALE----	-	2	1	-	-	-	-	1	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	270	232	172	230	298	305	299	230	115	37	7	-
WHITE-----MALE----	148	131	96	127	148	136	151	101	37	7	3	-
FEMALE--	59	55	40	57	80	134	125	105	68	27	3	-
ALL OTHER--MALE----	48	39	28	33	50	21	13	10	4	-	-	-
FEMALE--	15	7	8	13	20	14	10	14	6	3	1	-
BLACK---MALE----	47	35	28	29	48	20	13	9	3	-	-	-
FEMALE--	13	7	8	11	20	14	8	11	6	3	1	-
INDIANA -----	181	131	116	154	147	164	135	158	101	41	8	2
WHITE-----MALE----	121	76	69	89	79	88	75	76	43	9	2	1
FEMALE--	45	40	35	44	60	67	54	77	58	31	5	1
ALL OTHER--MALE----	9	14	10	15	4	7	3	2	-	1	-	-
FEMALE--	6	1	2	6	4	2	3	3	-	-	1	-
BLACK---MALE----	8	14	10	13	4	7	3	2	-	1	-	-
FEMALE--	6	-	2	5	4	2	3	3	-	-	1	-
IOWA -----	45	47	61	55	75	106	126	95	78	27	10	-
WHITE-----MALE----	32	34	44	37	43	71	71	50	26	7	-	-
FEMALE--	12	12	15	16	30	34	55	43	51	20	10	-
ALL OTHER--MALE----	1	1	1	1	1	-	-	2	-	-	-	-
FEMALE--	-	-	1	1	1	1	-	-	1	-	-	-
BLACK---MALE----	1	1	-	1	1	-	-	2	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	-	1	-	-	-
KANSAS -----	58	53	46	61	66	83	89	86	60	33	8	1
WHITE-----MALE----	36	37	27	42	41	47	44	34	24	6	1	1
FEMALE--	19	13	17	16	23	35	42	52	34	24	6	-
ALL OTHER--MALE----	3	2	2	3	2	-	3	-	1	1	-	-
FEMALE--	-	1	-	-	-	1	-	-	1	2	1	-
BLACK---MALE----	3	2	1	2	2	-	3	-	1	1	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	2	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,695
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SUPPLEMENTARY CLASSIFICATION OF EXTERNAL CAUSES OF INJURY AND POISONING (E800-E999)												
KENTUCKY -----	2,461	23	48	25	40	215	211	185	236	179	191	154
WHITE-----MALE----	1,568	9	21	15	24	145	146	110	167	129	139	107
FEMALE--	697	7	20	7	12	45	37	55	48	38	39	37
ALL OTHER--MALE----	148	3	6	2	3	21	21	17	15	8	10	8
FEMALE--	48	4	1	1	1	4	7	3	6	4	3	2
BLACK---MALE----	141	3	5	2	3	21	20	15	14	7	9	8
FEMALE--	45	4	1	1	1	4	6	3	6	4	3	1
LOUISIANA -----	3,219	19	51	45	76	318	388	337	314	270	265	182
WHITE-----MALE----	1,329	4	11	16	31	115	133	132	134	120	123	88
FEMALE--	576	1	9	9	19	45	30	35	38	51	42	23
ALL OTHER--MALE----	1,019	5	18	13	20	129	195	138	112	78	75	64
FEMALE--	295	9	13	7	6	29	30	32	30	21	25	7
BLACK---MALE----	995	5	18	13	18	124	189	134	112	77	74	62
FEMALE--	283	9	12	7	6	27	26	32	29	21	25	7
MAINE -----	582	5	5	3	14	25	49	36	49	48	44	24
WHITE-----MALE----	390	-	2	2	10	19	41	28	34	35	36	15
FEMALE--	189	4	3	1	4	6	7	7	15	13	8	9
ALL OTHER--MALE----	2	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3,015	17	46	33	46	253	261	289	322	371	272	181
WHITE-----MALE----	1,232	6	11	8	13	77	101	107	134	167	132	75
FEMALE--	537	2	15	7	8	27	21	26	40	36	34	23
ALL OTHER--MALE----	963	7	8	13	15	130	123	128	119	132	87	66
FEMALE--	283	2	12	5	10	19	16	28	29	36	19	17
BLACK---MALE----	933	6	8	13	14	127	118	125	117	128	84	65
FEMALE--	262	2	11	5	10	18	13	26	28	35	19	15
MASSACHUSETTS -----	2,294	10	24	17	27	133	180	189	254	228	199	151
WHITE-----MALE----	1,380	2	11	12	15	76	113	123	172	161	135	102
FEMALE--	677	7	5	1	7	24	30	34	58	45	46	30
ALL OTHER--MALE----	178	-	4	3	3	29	28	27	16	16	14	14
FEMALE--	59	1	4	1	2	4	9	5	8	6	4	5
BLACK---MALE----	157	-	2	2	2	28	25	21	14	15	14	13
FEMALE--	46	1	2	-	2	4	4	5	8	5	4	3
MICHIGAN -----	5,228	55	113	79	75	448	508	418	458	472	387	329
WHITE-----MALE----	2,587	13	42	35	25	191	235	219	263	242	211	163
FEMALE--	1,269	15	24	22	28	91	60	44	79	90	71	60
ALL OTHER--MALE----	1,023	11	28	10	17	137	185	122	87	96	80	75
FEMALE--	349	16	19	12	5	29	28	33	29	44	25	31
BLACK---MALE----	974	10	27	10	16	134	173	116	84	93	77	70
FEMALE--	313	14	15	11	5	25	26	29	27	43	23	27

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,695
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 SUPPLEMENTARY CLASSIFICATION OF EXTERNAL CAUSES OF INJURY AND POISONING (E800-E999)												
KENTUCKY -----	101	101	76	105	124	132	131	100	60	18	6	-
WHITE-----MALE----	86	62	49	73	65	69	77	51	19	3	2	-
FEMALE--	11	31	21	29	49	56	51	45	40	15	4	-
ALL OTHER--MALE----	4	5	4	3	7	5	2	3	1	-	-	-
FEMALE--	-	3	2	-	3	2	1	1	-	-	-	-
BLACK---MALE----	4	5	4	3	7	5	2	3	1	-	-	-
FEMALE--	-	2	2	-	3	2	1	1	-	-	-	-
LOUISIANA -----	120	114	98	117	104	128	107	95	44	22	5	-
WHITE-----MALE----	61	52	48	55	46	61	51	29	14	4	1	-
FEMALE--	18	19	18	27	35	43	36	42	21	15	-	-
ALL OTHER--MALE----	34	31	24	22	14	15	14	13	4	1	-	-
FEMALE--	7	12	8	13	9	9	6	11	5	2	4	-
BLACK---MALE----	34	30	24	21	14	14	14	13	4	1	-	-
FEMALE--	6	11	8	12	9	9	5	11	5	2	4	-
MAINE -----	36	22	16	29	31	45	35	30	19	13	4	-
WHITE-----MALE----	28	14	14	19	21	26	18	17	8	2	1	-
FEMALE--	8	8	2	10	10	19	17	13	11	11	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	113	86	92	110	122	124	108	91	48	14	5	11
WHITE-----MALE----	49	44	46	56	48	60	34	41	18	3	-	2
FEMALE--	17	18	16	29	46	46	55	34	24	8	5	-
ALL OTHER--MALE----	33	18	21	16	19	6	7	5	4	-	-	6
FEMALE--	14	6	9	9	9	12	12	11	2	3	-	3
BLACK---MALE----	33	17	19	16	17	6	7	5	2	-	-	6
FEMALE--	12	5	7	7	9	10	12	10	2	3	-	3
MASSACHUSETTS -----	87	69	67	70	90	128	116	125	84	34	8	4
WHITE-----MALE----	54	52	42	44	51	69	55	54	29	7	1	-
FEMALE--	25	10	22	24	34	58	60	68	55	27	7	-
ALL OTHER--MALE----	6	5	2	-	3	1	1	2	-	-	-	4
FEMALE--	2	2	1	2	2	-	-	1	-	-	-	-
BLACK---MALE----	5	4	2	-	3	1	1	1	-	-	-	4
FEMALE--	1	2	1	2	1	-	-	1	-	-	-	-
MICHIGAN -----	207	183	174	206	265	237	235	216	114	35	12	2
WHITE-----MALE----	117	105	91	117	142	116	120	96	34	8	2	-
FEMALE--	47	46	51	50	85	99	89	102	78	27	10	1
ALL OTHER--MALE----	30	19	25	29	25	15	17	12	2	-	-	1
FEMALE--	13	13	7	10	13	7	9	6	-	-	-	-
BLACK---MALE----	29	17	23	29	24	12	17	10	2	-	-	1
FEMALE--	9	12	6	9	12	7	8	5	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,696
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SUPPLEMENTARY CLASSIFICATION OF EXTERNAL CAUSES OF INJURY AND POISONING (E800-E999)												
MINNESOTA -----	2,404	20	31	24	49	158	213	167	183	196	152	121
WHITE-----MALE----	1,417	8	17	9	31	83	141	113	127	135	105	84
FEMALE--	747	4	7	11	9	39	37	30	26	33	39	28
ALL OTHER--MALE----	173	6	5	3	4	30	25	20	23	18	4	6
FEMALE--	67	2	2	1	5	6	10	4	7	10	4	3
BLACK---MALE----	93	5	1	1	3	18	15	9	13	9	1	3
FEMALE--	29	2	1	-	-	4	6	1	2	2	3	2
MISSISSIPPI -----	2,390	17	70	34	58	224	251	201	219	189	166	143
WHITE-----MALE----	957	7	14	11	17	86	92	76	89	79	71	57
FEMALE--	450	-	9	9	10	39	29	27	34	24	19	27
ALL OTHER--MALE----	726	6	27	10	25	75	105	76	74	70	63	40
FEMALE--	257	4	20	4	6	24	25	22	22	16	13	19
BLACK---MALE----	713	6	27	9	24	74	104	74	72	70	62	38
FEMALE--	251	4	20	4	6	22	25	22	22	16	12	16
MISSOURI -----	3,559	25	50	35	64	310	338	272	315	291	242	221
WHITE-----MALE----	2,044	16	26	15	37	156	198	172	197	196	155	153
FEMALE--	925	3	13	13	9	66	47	44	58	43	47	32
ALL OTHER--MALE----	452	1	5	2	9	80	82	49	45	39	33	30
FEMALE--	138	5	6	5	9	8	11	7	15	13	7	6
BLACK---MALE----	426	1	5	2	8	78	76	42	44	37	33	29
FEMALE--	130	5	6	5	9	8	10	7	13	11	6	6
MONTANA -----	640	4	11	10	14	58	48	43	46	56	52	48
WHITE-----MALE----	398	2	3	8	8	39	34	25	24	33	33	29
FEMALE--	161	1	5	1	3	8	6	7	13	16	10	16
ALL OTHER--MALE----	69	1	2	1	3	10	8	10	8	6	4	2
FEMALE--	12	-	1	-	-	1	-	1	1	1	5	1
BLACK---MALE----	3	-	-	-	-	-	-	2	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	854	4	12	10	21	71	63	54	69	61	67	41
WHITE-----MALE----	507	1	6	4	12	47	41	35	44	44	44	25
FEMALE--	281	2	4	4	6	14	13	10	16	10	20	13
ALL OTHER--MALE----	53	1	2	2	3	7	6	9	8	4	3	2
FEMALE--	13	-	-	-	-	3	3	-	1	3	-	1
BLACK---MALE----	39	-	2	1	3	5	4	6	6	4	2	2
FEMALE--	9	-	-	-	-	1	3	-	-	2	-	1
NEVADA -----	1,197	14	23	17	19	78	102	100	129	147	123	84
WHITE-----MALE----	780	7	14	7	12	49	62	63	82	99	77	64
FEMALE--	267	5	7	9	5	14	18	19	25	27	28	12
ALL OTHER--MALE----	111	-	1	-	2	10	17	14	17	14	16	8
FEMALE--	39	2	1	1	-	5	5	4	5	7	2	-
BLACK---MALE----	79	-	1	-	1	6	14	9	13	9	11	6
FEMALE--	24	2	1	1	-	3	3	3	2	4	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,696
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 SUPPLEMENTARY CLASSIFICATION OF EXTERNAL CAUSES OF INJURY AND POISONING (E800-E999)												
MINNESOTA -----	94	79	85	80	126	126	152	157	128	51	10	2
WHITE-----MALE----	64	50	52	52	77	65	86	62	36	15	4	1
FEMALE--	21	18	28	23	48	58	61	93	92	36	6	-
ALL OTHER--MALE----	7	8	3	4	-	2	3	1	-	-	-	1
FEMALE--	2	3	2	1	1	1	2	1	-	-	-	-
BLACK---MALE----	5	3	1	2	-	1	1	1	-	-	-	1
FEMALE--	-	-	2	1	-	1	1	1	-	-	-	-
MISSISSIPPI -----	105	88	91	83	102	103	106	82	40	16	1	1
WHITE-----MALE----	44	48	44	45	43	50	40	28	13	3	-	-
FEMALE--	29	15	16	14	29	28	37	36	12	6	1	-
ALL OTHER--MALE----	23	20	23	19	19	18	13	6	9	4	-	1
FEMALE--	9	5	8	5	11	7	16	12	6	3	-	-
BLACK---MALE----	23	19	22	19	19	18	13	6	9	4	-	1
FEMALE--	9	5	8	5	11	7	16	12	6	3	-	-
MISSOURI -----	149	107	134	119	176	177	185	187	112	42	7	1
WHITE-----MALE----	82	63	87	70	108	95	93	72	38	13	1	1
FEMALE--	42	27	35	31	53	68	83	107	71	28	5	-
ALL OTHER--MALE----	20	15	6	14	7	7	3	3	2	-	-	-
FEMALE--	5	2	6	4	8	7	6	5	1	1	1	-
BLACK---MALE----	16	14	6	13	7	7	3	3	2	-	-	-
FEMALE--	5	1	5	4	8	7	6	5	1	1	1	-
MONTANA -----	25	28	21	24	27	27	34	29	19	14	1	1
WHITE-----MALE----	16	16	20	17	20	22	16	18	9	5	-	1
FEMALE--	6	6	1	4	6	5	17	10	10	9	1	-
ALL OTHER--MALE----	3	6	-	3	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	31	19	24	46	50	42	43	62	39	18	7	-
WHITE-----MALE----	20	17	14	34	32	27	20	23	10	6	1	-
FEMALE--	8	2	10	11	17	15	22	39	27	12	6	-
ALL OTHER--MALE----	2	-	-	1	1	-	1	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	1	-	1	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
NEVADA -----	68	47	64	31	49	39	31	20	8	1	2	1
WHITE-----MALE----	45	33	46	23	31	33	18	9	5	-	-	1
FEMALE--	15	11	17	6	13	6	13	11	3	1	2	-
ALL OTHER--MALE----	6	2	1	1	2	-	-	-	-	-	-	-
FEMALE--	2	1	-	1	3	-	-	-	-	-	-	-
BLACK---MALE----	6	2	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	1	-	1	2	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,697
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SUPPLEMENTARY CLASSIFICATION OF EXTERNAL CAUSES OF INJURY AND POISONING (E800-E999)												
NEW HAMPSHIRE -----	463	2	2	5	7	38	38	31	43	48	33	37
WHITE-----MALE----	321	1	1	2	3	23	32	21	28	45	26	32
FEMALE--	136	1	1	3	2	14	5	9	15	3	6	5
ALL OTHER--MALE----	5	-	-	-	1	1	1	1	-	-	1	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	1	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEW JERSEY -----	3,441	23	53	37	44	197	281	293	314	335	267	230
WHITE-----MALE----	1,772	5	17	9	24	102	151	168	176	205	153	115
FEMALE--	823	3	6	7	6	36	32	28	45	41	40	41
ALL OTHER--MALE----	629	12	15	15	9	51	89	79	71	65	60	58
FEMALE--	217	3	15	6	5	8	9	18	22	24	14	16
BLACK---MALE----	590	10	14	14	9	50	83	78	67	61	58	54
FEMALE--	193	3	13	6	3	8	7	17	20	23	11	13
NEW MEXICO -----	1,389	9	26	14	31	121	124	135	142	138	119	93
WHITE-----MALE----	878	4	9	8	11	70	82	83	98	88	88	60
FEMALE--	299	2	10	4	7	28	15	23	20	22	16	17
ALL OTHER--MALE----	160	2	5	-	10	13	24	22	17	22	14	14
FEMALE--	52	1	2	2	3	10	3	7	7	6	1	2
BLACK---MALE----	29	-	-	-	2	5	3	3	3	6	3	1
FEMALE--	7	1	-	-	-	2	-	-	1	3	-	-
NEW YORK -----	8,060	49	110	69	116	524	743	764	782	732	692	544
WHITE-----MALE----	4,111	11	37	29	51	274	397	381	445	399	360	303
FEMALE--	1,796	9	29	21	23	83	78	96	101	102	106	95
ALL OTHER--MALE----	1,613	12	22	5	26	149	234	236	186	172	162	115
FEMALE--	540	17	22	14	16	18	34	51	50	59	64	31
BLACK---MALE----	1,439	11	22	4	24	141	216	206	170	157	147	103
FEMALE--	460	16	20	12	13	17	26	43	47	52	58	24
NORTH CAROLINA -----	4,573	28	71	48	73	386	421	407	425	400	344	261
WHITE-----MALE----	2,152	10	23	21	26	167	208	194	210	184	169	128
FEMALE--	1,048	7	22	15	20	55	53	67	65	68	68	59
ALL OTHER--MALE----	1,030	9	15	9	20	134	134	122	110	112	80	62
FEMALE--	343	2	11	3	7	30	26	24	40	36	27	12
BLACK---MALE----	961	9	13	9	20	122	125	112	101	103	76	61
FEMALE--	302	2	10	2	5	24	22	21	34	33	21	11
NORTH DAKOTA -----	318	1	10	10	10	23	32	18	27	16	21	13
WHITE-----MALE----	199	1	2	3	9	12	24	12	17	11	15	9
FEMALE--	73	-	3	4	-	9	4	-	4	1	1	1
ALL OTHER--MALE----	32	-	3	3	1	-	4	4	4	2	4	2
FEMALE--	14	-	2	-	-	2	-	2	2	2	1	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,698
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SUPPLEMENTARY CLASSIFICATION OF EXTERNAL CAUSES OF INJURY AND POISONING (E800-E999)												
OHIO -----	4,937	43	80	65	94	396	445	332	384	434	351	267
WHITE-----MALE----	2,809	16	33	33	46	228	287	214	247	266	221	155
FEMALE--	1,344	11	28	15	25	76	65	44	70	88	74	63
ALL OTHER--MALE----	590	10	10	10	15	81	84	56	53	64	41	37
FEMALE--	194	6	9	7	8	11	9	18	14	16	15	12
BLACK---MALE----	575	10	10	10	14	80	84	53	52	63	41	37
FEMALE--	188	6	8	7	8	11	8	18	14	16	15	12
OKLAHOMA -----	2,432	17	68	31	56	188	212	172	225	215	209	154
WHITE-----MALE----	1,404	7	35	16	43	99	129	100	136	127	119	94
FEMALE--	681	5	17	12	8	49	31	38	55	57	56	40
ALL OTHER--MALE----	243	3	12	-	1	36	40	25	25	21	22	15
FEMALE--	104	2	4	3	4	4	12	9	9	10	12	5
BLACK---MALE----	137	3	9	-	1	20	18	12	11	14	15	7
FEMALE--	57	2	3	2	2	1	6	4	5	2	8	3
OREGON -----	2,050	16	36	19	40	170	156	139	175	214	174	140
WHITE-----MALE----	1,301	7	16	9	22	103	102	105	126	154	121	95
FEMALE--	623	5	17	9	12	49	32	26	35	43	42	38
ALL OTHER--MALE----	93	1	1	-	5	15	17	5	12	13	6	6
FEMALE--	33	3	2	1	1	3	5	3	2	4	5	1
BLACK---MALE----	44	1	-	-	2	7	9	-	6	9	2	4
FEMALE--	14	1	1	-	-	1	2	2	-	1	4	1
PENNSYLVANIA -----	6,698	36	90	61	89	396	549	545	611	603	536	433
WHITE-----MALE----	3,805	10	34	25	49	215	331	321	408	395	330	246
FEMALE--	1,706	7	22	17	21	82	79	82	94	106	92	85
ALL OTHER--MALE----	914	11	21	11	14	87	125	116	88	79	98	82
FEMALE--	273	8	13	8	5	12	14	26	21	23	16	20
BLACK---MALE----	873	11	20	10	14	86	115	112	82	75	96	79
FEMALE--	247	7	12	7	3	10	11	24	19	21	15	18
RHODE ISLAND -----	398	4	5	4	5	21	28	28	40	34	40	20
WHITE-----MALE----	249	3	4	4	4	17	19	17	24	21	30	14
FEMALE--	121	1	1	-	1	1	6	7	13	9	7	5
ALL OTHER--MALE----	21	-	-	-	-	3	3	4	2	4	2	-
FEMALE--	7	-	-	-	-	-	-	-	1	-	1	1
BLACK---MALE----	20	-	-	-	-	3	2	4	2	4	2	-
FEMALE--	7	-	-	-	-	-	-	-	1	-	1	1
SOUTH CAROLINA -----	2,417	21	39	36	54	189	221	194	231	235	224	156
WHITE-----MALE----	1,073	7	14	8	17	88	92	78	118	102	119	78
FEMALE--	516	2	11	8	12	36	34	35	36	39	34	28
ALL OTHER--MALE----	605	6	8	12	19	48	83	66	52	61	57	42
FEMALE--	223	6	6	8	6	17	12	15	25	33	14	8
BLACK---MALE----	601	6	8	12	19	48	83	64	52	61	57	42
FEMALE--	219	6	5	8	6	17	11	15	25	33	14	8

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,698
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 SUPPLEMENTARY CLASSIFICATION OF EXTERNAL CAUSES OF INJURY AND POISONING (E800-E999)												
OHIO -----	214	179	183	234	249	288	265	220	149	58	7	-
WHITE-----MALE----	140	101	93	135	143	152	130	101	50	16	2	-
FEMALE--	40	50	59	70	85	112	120	113	93	41	2	-
ALL OTHER--MALE----	19	18	21	21	17	18	8	4	2	-	1	-
FEMALE--	15	10	10	8	4	6	7	2	4	1	2	-
BLACK---MALE----	16	16	20	19	17	18	8	4	2	-	1	-
FEMALE--	15	10	9	6	4	5	7	2	4	1	2	-
OKLAHOMA -----	119	102	98	81	94	102	116	95	54	14	2	8
WHITE-----MALE----	68	62	59	56	65	68	51	40	19	7	-	4
FEMALE--	36	30	27	19	27	27	53	53	30	6	2	3
ALL OTHER--MALE----	8	6	7	4	1	4	9	1	2	1	-	-
FEMALE--	7	4	5	2	1	3	3	1	3	-	-	1
BLACK---MALE----	5	3	6	2	1	3	3	1	2	1	-	-
FEMALE--	2	3	3	2	-	2	3	1	3	-	-	-
OREGON -----	99	58	52	61	94	109	126	85	59	19	8	1
WHITE-----MALE----	69	40	39	40	60	56	76	38	15	6	1	1
FEMALE--	28	16	11	20	33	51	50	45	41	13	7	-
ALL OTHER--MALE----	2	2	2	1	1	1	-	2	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	2	-	-	-
BLACK---MALE----	1	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
PENNSYLVANIA -----	306	227	251	259	357	359	393	308	208	71	9	1
WHITE-----MALE----	188	138	137	150	188	202	203	130	78	22	4	1
FEMALE--	78	50	72	77	134	116	167	156	119	48	2	-
ALL OTHER--MALE----	29	34	27	20	24	23	8	11	5	-	1	-
FEMALE--	11	5	15	12	11	18	15	11	6	1	2	-
BLACK---MALE----	28	32	25	18	23	23	8	11	4	-	1	-
FEMALE--	9	5	13	12	11	16	14	11	6	1	2	-
RHODE ISLAND -----	16	10	13	19	29	25	26	14	13	4	-	-
WHITE-----MALE----	10	8	8	12	18	13	9	7	6	1	-	-
FEMALE--	4	2	5	6	10	11	16	7	7	2	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	1	-	-
FEMALE--	1	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	1	-	-
FEMALE--	1	-	-	1	-	1	-	-	-	-	-	-
SOUTH CAROLINA -----	125	105	85	81	111	93	94	77	38	7	1	-
WHITE-----MALE----	62	54	43	41	46	40	35	23	8	-	-	-
FEMALE--	26	18	15	14	30	30	41	42	18	7	-	-
ALL OTHER--MALE----	30	29	20	15	23	13	12	6	3	-	-	-
FEMALE--	7	4	7	11	12	10	6	6	9	-	1	-
BLACK---MALE----	30	28	20	14	23	13	12	6	3	-	-	-
FEMALE--	7	4	6	11	12	10	6	5	9	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,699
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 SUPPLEMENTARY CLASSIFICATION OF EXTERNAL CAUSES OF INJURY AND POISONING (E800-E999)												
SOUTH DAKOTA -----	433	5	9	8	7	38	40	38	38	29	27	24
WHITE-----MALE----	243	2	4	2	4	17	23	22	22	12	17	17
FEMALE--	100	-	1	3	1	11	3	6	5	7	5	3
ALL OTHER--MALE----	65	1	3	1	2	8	8	10	7	8	4	2
FEMALE--	25	2	1	2	-	2	6	-	4	2	1	2
BLACK---MALE----	2	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
TENNESSEE -----	3,819	47	59	39	70	337	373	346	343	356	289	219
WHITE-----MALE----	2,122	15	27	19	34	181	216	197	197	213	172	120
FEMALE--	909	19	15	9	18	62	46	64	66	64	55	47
ALL OTHER--MALE----	591	3	9	6	15	82	95	75	62	69	43	41
FEMALE--	197	10	8	5	3	12	16	10	18	10	19	11
BLACK---MALE----	577	3	9	6	14	78	92	74	59	69	43	40
FEMALE--	191	10	8	5	3	10	14	10	18	10	19	11
TEXAS -----	10,627	82	221	149	224	950	1,109	988	1,029	1,006	871	619
WHITE-----MALE----	6,476	30	102	71	126	616	722	613	642	664	539	393
FEMALE--	2,512	33	73	38	62	170	167	170	185	183	190	148
ALL OTHER--MALE----	1,218	12	22	29	25	137	185	157	154	115	97	57
FEMALE--	421	7	24	11	11	27	35	48	48	44	45	21
BLACK---MALE----	1,120	12	21	25	24	127	172	144	141	107	87	49
FEMALE--	376	7	23	10	11	24	34	40	43	37	39	19
UTAH -----	1,072	10	29	24	36	128	113	77	98	105	96	63
WHITE-----MALE----	730	3	13	11	24	91	87	62	65	81	67	43
FEMALE--	300	6	14	9	11	35	20	11	30	20	20	19
ALL OTHER--MALE----	31	1	1	2	1	2	5	4	2	1	8	1
FEMALE--	11	-	1	2	-	-	1	-	1	3	1	-
BLACK---MALE----	8	-	-	-	-	1	-	1	-	-	4	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	291	2	4	5	4	23	30	13	24	29	25	18
WHITE-----MALE----	212	1	4	3	2	18	27	12	20	21	18	13
FEMALE--	77	1	-	2	2	5	3	1	4	7	7	4
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	3,592	25	49	32	56	262	346	285	321	332	286	223
WHITE-----MALE----	1,793	8	18	13	22	111	181	140	180	178	147	124
FEMALE--	827	3	10	6	21	47	35	43	42	54	55	48
ALL OTHER--MALE----	718	6	12	8	9	80	108	78	74	78	68	45
FEMALE--	254	8	9	5	4	24	22	24	25	22	16	6
BLACK---MALE----	680	6	11	7	9	78	100	74	68	77	63	43
FEMALE--	234	8	8	5	2	22	20	20	24	22	15	4

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,699
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 SUPPLEMENTARY CLASSIFICATION OF EXTERNAL CAUSES OF INJURY AND POISONING (E800-E999)												
SOUTH DAKOTA -----	21	9	15	29	16	13	17	22	18	9	1	-
WHITE-----MALE----	14	5	8	19	13	6	12	15	7	2	-	-
FEMALE--	2	3	3	9	2	6	5	7	11	6	1	-
ALL OTHER--MALE----	4	1	2	1	1	1	-	-	-	1	-	-
FEMALE--	1	-	2	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	196	168	130	137	142	181	149	138	79	13	3	5
WHITE-----MALE----	121	117	77	83	81	97	63	57	27	4	-	4
FEMALE--	42	34	32	37	41	65	61	73	47	9	2	1
ALL OTHER--MALE----	21	12	11	11	9	12	11	2	1	-	1	-
FEMALE--	12	5	10	6	11	7	14	6	4	-	-	-
BLACK---MALE----	21	12	10	11	9	12	11	2	1	-	1	-
FEMALE--	11	5	9	6	11	7	14	6	4	-	-	-
TEXAS -----	488	385	347	374	381	347	395	350	179	71	15	47
WHITE-----MALE----	319	243	217	229	228	220	204	169	66	18	4	41
FEMALE--	114	93	88	96	119	110	161	158	100	42	10	2
ALL OTHER--MALE----	41	39	31	37	18	12	19	14	6	7	-	4
FEMALE--	14	10	11	12	16	5	11	9	7	4	1	-
BLACK---MALE----	40	35	31	35	15	10	15	14	5	7	-	4
FEMALE--	13	8	11	9	14	4	11	9	6	3	1	-
UTAH -----	37	37	28	27	37	32	39	28	17	8	3	-
WHITE-----MALE----	28	28	19	19	26	20	21	12	5	4	1	-
FEMALE--	9	9	8	7	9	12	18	15	12	4	2	-
ALL OTHER--MALE----	-	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	11	11	16	18	11	13	15	13	5	1	-	-
WHITE-----MALE----	10	10	10	10	6	8	8	9	1	1	-	-
FEMALE--	1	1	6	8	5	5	7	4	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	164	134	156	136	168	187	157	144	89	31	6	3
WHITE-----MALE----	95	70	90	78	84	91	66	63	25	6	1	2
FEMALE--	35	38	26	32	56	60	74	64	53	22	3	-
ALL OTHER--MALE----	23	20	23	17	16	24	10	7	9	-	2	1
FEMALE--	11	6	17	9	12	12	7	10	2	3	-	-
BLACK---MALE----	22	19	22	17	15	22	10	6	9	-	1	1
FEMALE--	11	6	17	6	10	12	7	10	2	3	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,701
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ACCIDENTS AND ADVERSE EFFECTS (E800-E949)												
0 UNITED STATES --	93,320	787	2,280	1,612	1,932	6,623	7,219	6,376	7,059	7,501	6,724	5,269
WHITE-----MALE----	50,670	292	978	735	977	3,840	4,707	4,012	4,432	4,615	4,020	3,118
FEMALE--	27,078	231	670	433	507	1,715	1,262	1,145	1,333	1,410	1,275	1,038
ALL OTHER--MALE----	10,731	130	376	277	299	800	966	929	944	1,083	1,061	843
FEMALE--	4,841	134	256	167	149	268	284	290	350	393	368	270
BLACK---MALE----	8,834	118	306	232	251	644	723	728	755	911	912	723
FEMALE--	3,914	120	209	134	116	186	196	220	288	333	310	208
ALABAMA -----	2,234	21	54	44	46	184	195	181	172	180	147	110
WHITE-----MALE----	1,068	7	16	17	23	103	115	102	90	92	68	58
FEMALE--	568	6	13	6	9	44	35	28	37	35	32	17
ALL OTHER--MALE----	408	2	17	12	11	29	39	39	32	37	36	28
FEMALE--	190	6	8	9	3	8	6	12	13	16	11	7
BLACK---MALE----	402	2	17	12	11	29	37	37	31	36	36	28
FEMALE--	188	6	8	9	3	8	6	12	11	16	11	7
ALASKA -----	339	4	18	11	11	15	31	29	39	42	38	26
WHITE-----MALE----	174	-	4	4	3	7	21	16	19	27	21	18
FEMALE--	46	1	5	3	3	2	-	3	2	4	5	1
ALL OTHER--MALE----	88	1	8	2	4	4	7	5	16	9	11	6
FEMALE--	31	2	1	2	1	2	3	5	2	2	1	1
BLACK---MALE----	7	1	-	-	-	-	3	-	1	1	-	-
FEMALE--	4	1	-	1	-	1	-	-	-	-	-	-
ARIZONA -----	1,984	15	73	33	44	136	179	138	167	173	182	108
WHITE-----MALE----	1,112	8	30	15	23	81	98	95	105	115	121	69
FEMALE--	546	7	25	6	14	28	25	20	32	27	31	23
ALL OTHER--MALE----	250	-	10	9	4	24	45	19	26	28	23	13
FEMALE--	76	-	8	3	3	3	11	4	4	3	7	3
BLACK---MALE----	42	-	4	3	1	3	3	1	2	7	4	2
FEMALE--	16	-	2	2	1	-	2	-	-	2	2	-
ARKANSAS -----	1,213	17	30	18	38	107	98	84	90	74	65	52
WHITE-----MALE----	652	7	17	6	21	58	57	49	54	41	43	29
FEMALE--	340	5	6	7	9	21	24	17	18	14	9	16
ALL OTHER--MALE----	151	-	4	5	4	25	12	14	14	15	10	6
FEMALE--	70	5	3	-	4	3	5	4	4	4	3	1
BLACK---MALE----	146	-	4	5	3	25	11	14	14	14	10	5
FEMALE--	67	5	3	-	4	3	4	3	4	4	3	1
CALIFORNIA -----	9,253	85	285	178	168	585	776	698	858	924	881	680
WHITE-----MALE----	5,422	26	139	77	89	328	549	471	572	577	575	436
FEMALE--	2,358	33	85	49	49	152	120	124	163	189	149	130
ALL OTHER--MALE----	1,001	13	39	36	21	76	83	71	90	108	107	79
FEMALE--	472	13	22	16	9	29	24	32	33	50	50	35
BLACK---MALE----	595	11	22	26	12	42	43	41	53	74	80	56
FEMALE--	253	9	16	7	5	12	7	17	26	34	36	20

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,701
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ACCIDENTS AND ADVERSE EFFECTS (E800-E949)												
0 UNITED STATES --	3,992	3,310	3,433	3,760	4,640	5,299	5,669	5,184	3,149	1,152	246	104
WHITE-----MALE----	2,357	1,882	1,858	1,987	2,262	2,536	2,536	2,060	1,031	294	50	91
FEMALE--	895	824	953	1,187	1,763	2,211	2,609	2,751	1,912	786	164	4
ALL OTHER--MALE----	514	443	414	381	364	318	266	182	94	29	9	9
FEMALE--	226	161	208	205	251	234	258	191	112	43	23	-
BLACK---MALE----	444	362	351	316	310	270	220	143	73	25	8	9
FEMALE--	175	132	170	161	218	194	219	164	99	41	21	-
ALABAMA -----	84	70	112	101	95	114	132	99	74	16	3	-
WHITE-----MALE----	45	40	48	46	42	51	52	26	24	2	1	-
FEMALE--	9	13	36	32	32	37	56	49	34	8	-	-
ALL OTHER--MALE----	23	10	20	18	10	12	13	13	5	1	1	-
FEMALE--	7	7	8	5	11	14	11	11	11	5	1	-
BLACK---MALE----	23	10	20	18	10	12	13	13	5	1	1	-
FEMALE--	7	7	8	5	11	14	11	11	11	5	1	-
ALASKA -----	15	15	11	14	6	5	1	3	4	1	-	-
WHITE-----MALE----	9	10	4	4	3	2	1	1	-	-	-	-
FEMALE--	1	1	3	4	2	2	-	-	3	1	-	-
ALL OTHER--MALE----	2	2	3	4	1	1	-	1	1	-	-	-
FEMALE--	3	2	1	2	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	81	60	73	80	97	100	90	83	46	14	6	6
WHITE-----MALE----	44	38	39	45	40	48	37	33	16	4	2	6
FEMALE--	25	12	16	26	49	45	48	46	28	10	3	-
ALL OTHER--MALE----	7	9	12	6	5	2	2	4	2	-	-	-
FEMALE--	5	1	6	3	3	5	3	-	-	-	1	-
BLACK---MALE----	1	1	3	-	2	2	1	2	-	-	-	-
FEMALE--	1	-	2	-	-	2	-	-	-	-	-	-
ARKANSAS -----	45	52	49	59	60	80	72	70	37	12	3	1
WHITE-----MALE----	29	31	29	35	27	36	29	36	13	3	1	1
FEMALE--	11	16	12	14	24	33	31	28	19	5	1	-
ALL OTHER--MALE----	3	2	4	7	7	5	7	4	2	1	-	-
FEMALE--	2	3	4	3	2	6	5	2	3	3	1	-
BLACK---MALE----	3	1	4	7	7	5	7	4	2	1	-	-
FEMALE--	1	3	4	3	2	6	5	2	3	3	1	-
CALIFORNIA -----	474	356	298	306	399	334	396	320	167	53	7	25
WHITE-----MALE----	309	203	149	158	199	152	182	126	64	15	1	25
FEMALE--	96	87	86	94	143	144	165	165	93	36	6	-
ALL OTHER--MALE----	45	52	44	30	34	19	27	18	7	2	-	-
FEMALE--	24	14	19	24	23	19	22	11	3	-	-	-
BLACK---MALE----	25	35	27	12	16	5	9	5	1	-	-	-
FEMALE--	12	7	6	10	11	6	8	3	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,702
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ACCIDENTS AND ADVERSE EFFECTS (E800-E949)												
COLORADO -----	1,491	9	25	13	40	111	117	142	121	132	107	85
WHITE-----MALE----	914	4	11	9	21	65	86	99	90	86	70	59
FEMALE--	474	4	10	3	16	39	26	28	21	33	23	21
ALL OTHER--MALE----	68	-	2	1	3	4	5	11	7	12	9	2
FEMALE--	35	1	2	-	-	3	-	4	3	1	5	3
BLACK---MALE----	44	-	-	-	2	2	3	7	6	8	8	2
FEMALE--	16	-	-	-	-	1	-	3	1	-	4	2
CONNECTICUT -----	1,077	4	12	7	11	55	69	76	82	91	74	68
WHITE-----MALE----	592	2	7	3	5	42	42	53	54	58	49	40
FEMALE--	364	1	4	1	2	9	20	12	17	16	13	14
ALL OTHER--MALE----	90	-	1	1	3	3	2	11	10	15	9	12
FEMALE--	31	1	-	2	1	1	5	-	1	2	3	2
BLACK---MALE----	87	-	1	1	3	3	1	11	10	13	9	12
FEMALE--	26	1	-	1	1	1	4	-	1	1	3	2
DELAWARE -----	266	1	4	4	2	20	18	11	35	22	19	16
WHITE-----MALE----	134	-	3	2	-	11	9	8	19	15	12	9
FEMALE--	71	-	-	1	2	3	3	1	6	1	5	1
ALL OTHER--MALE----	36	-	1	1	-	2	4	2	3	4	2	5
FEMALE--	25	1	-	-	-	4	2	-	7	2	-	1
BLACK---MALE----	36	-	1	1	-	2	4	2	3	4	2	5
FEMALE--	22	1	-	-	-	4	2	-	6	2	-	-
DISTRICT OF COLUMBIA ----	193	1	8	3	1	6	9	14	10	13	14	10
WHITE-----MALE----	33	-	-	1	1	-	3	4	2	3	2	2
FEMALE--	18	-	1	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	91	-	3	2	-	4	5	7	8	8	8	6
FEMALE--	51	1	4	-	-	2	1	2	-	2	4	2
BLACK---MALE----	90	-	3	2	-	4	5	7	8	8	8	6
FEMALE--	50	1	4	-	-	2	1	2	-	2	4	2
FLORIDA -----	5,398	40	142	81	95	334	389	376	392	442	406	294
WHITE-----MALE----	3,031	21	57	34	44	197	277	246	237	269	253	196
FEMALE--	1,559	13	43	18	19	84	57	69	86	88	73	50
ALL OTHER--MALE----	578	4	27	22	23	38	50	49	48	62	57	35
FEMALE--	230	2	15	7	9	15	5	12	21	23	23	13
BLACK---MALE----	536	4	26	20	20	36	40	47	45	58	55	30
FEMALE--	221	2	15	6	9	14	4	11	21	22	21	13
GEORGIA -----	2,963	30	93	57	78	229	253	194	224	211	201	166
WHITE-----MALE----	1,325	8	28	22	30	111	123	94	112	103	88	86
FEMALE--	744	10	26	8	17	54	53	35	31	44	38	31
ALL OTHER--MALE----	603	6	28	17	21	51	57	48	64	46	58	38
FEMALE--	291	6	11	10	10	13	20	17	17	18	17	11
BLACK---MALE----	586	6	28	17	21	50	56	46	61	45	57	36
FEMALE--	279	6	11	10	9	12	19	16	17	18	16	8

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,702
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ACCIDENTS AND ADVERSE EFFECTS (E800-E949)												
COLORADO -----	55	47	51	54	61	79	82	85	51	20	4	-
WHITE-----MALE----	35	31	35	28	38	37	45	39	18	8	-	-
FEMALE--	17	12	13	21	20	37	36	46	32	12	4	-
ALL OTHER--MALE----	1	3	2	2	2	2	-	-	-	-	-	-
FEMALE--	2	1	1	3	1	3	1	-	1	-	-	-
BLACK---MALE----	1	2	1	1	-	1	-	-	-	-	-	-
FEMALE--	1	1	1	-	1	-	-	-	1	-	-	-
CONNECTICUT -----	42	29	41	33	67	73	83	89	48	17	6	-
WHITE-----MALE----	29	12	21	13	32	36	35	42	14	1	2	-
FEMALE--	6	12	16	15	27	34	45	46	34	16	4	-
ALL OTHER--MALE----	5	4	2	5	4	1	1	1	-	-	-	-
FEMALE--	2	1	2	-	4	2	2	-	-	-	-	-
BLACK---MALE----	5	4	2	5	4	1	1	1	-	-	-	-
FEMALE--	2	1	1	-	4	2	1	-	-	-	-	-
DELAWARE -----	14	11	7	11	10	20	12	10	13	5	1	-
WHITE-----MALE----	7	6	6	7	7	5	1	3	3	1	-	-
FEMALE--	-	1	1	4	3	9	10	5	10	4	1	-
ALL OTHER--MALE----	2	4	-	-	-	4	-	2	-	-	-	-
FEMALE--	5	-	-	-	-	2	1	-	-	-	-	-
BLACK---MALE----	2	4	-	-	-	4	-	2	-	-	-	-
FEMALE--	5	-	-	-	-	1	1	-	-	-	-	-
DISTRICT OF COLUMBIA ----	11	6	8	9	17	15	16	11	3	7	-	1
WHITE-----MALE----	1	1	1	2	4	2	-	4	-	-	-	-
FEMALE--	1	-	-	-	5	1	1	5	1	2	-	-
ALL OTHER--MALE----	5	3	4	5	7	7	5	-	1	2	-	1
FEMALE--	4	2	3	2	1	5	10	2	1	3	-	-
BLACK---MALE----	4	3	4	5	7	7	5	-	1	2	-	1
FEMALE--	4	2	3	2	1	5	9	2	1	3	-	-
FLORIDA -----	230	190	197	228	297	366	361	301	160	60	10	7
WHITE-----MALE----	139	106	111	119	135	188	177	124	71	22	2	6
FEMALE--	53	47	57	80	124	153	160	162	82	36	5	-
ALL OTHER--MALE----	34	26	21	16	26	15	16	5	1	1	1	1
FEMALE--	4	11	8	13	12	10	8	10	6	1	2	-
BLACK---MALE----	33	23	19	15	26	15	15	5	1	1	1	1
FEMALE--	4	10	8	13	12	9	8	10	6	1	2	-
GEORGIA -----	162	117	135	138	114	145	184	137	65	22	7	1
WHITE-----MALE----	83	69	67	56	55	65	63	40	16	6	-	-
FEMALE--	33	18	30	44	32	47	72	71	36	10	4	-
ALL OTHER--MALE----	34	21	22	20	15	19	20	10	5	2	-	1
FEMALE--	12	9	16	18	12	14	29	16	8	4	3	-
BLACK---MALE----	32	21	20	19	15	19	20	9	5	2	-	1
FEMALE--	10	9	16	17	11	14	29	16	8	4	3	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,703
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ACCIDENTS AND ADVERSE EFFECTS (E800-E949)												
HAWAII -----	327	5	6	7	3	20	30	24	32	26	31	20
WHITE-----MALE----	85	-	2	2	-	3	6	6	9	11	17	11
FEMALE--	29	1	-	-	1	2	1	-	4	2	3	1
ALL OTHER--MALE----	162	2	2	5	1	12	20	16	17	12	9	7
FEMALE--	51	2	2	-	1	3	3	2	2	1	2	1
BLACK---MALE----	8	-	-	-	-	-	-	4	2	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	526	5	16	13	19	62	43	22	29	30	27	28
WHITE-----MALE----	341	2	10	10	13	38	32	15	19	21	18	20
FEMALE--	163	3	5	3	5	19	9	5	8	8	7	8
ALL OTHER--MALE----	14	-	1	-	1	2	1	2	2	1	1	-
FEMALE--	8	-	-	-	-	3	1	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
ILLINOIS -----	4,013	55	113	59	87	282	293	261	295	363	295	234
WHITE-----MALE----	2,086	21	52	28	42	166	187	157	169	222	145	118
FEMALE--	1,072	11	25	13	18	83	49	40	49	51	46	39
ALL OTHER--MALE----	590	11	25	8	17	25	44	45	49	62	84	58
FEMALE--	265	12	11	10	10	8	13	19	28	28	20	19
BLACK---MALE----	551	11	23	8	15	22	38	42	46	58	81	54
FEMALE--	248	12	11	10	9	7	11	18	24	28	20	17
INDIANA -----	2,206	20	74	52	42	150	199	117	130	150	140	108
WHITE-----MALE----	1,262	8	34	27	30	95	135	76	86	99	93	73
FEMALE--	735	6	24	19	7	43	37	25	30	34	29	29
ALL OTHER--MALE----	137	4	8	3	1	10	20	11	10	9	13	5
FEMALE--	72	2	8	3	4	2	7	5	4	8	5	1
BLACK---MALE----	129	4	8	3	1	9	16	11	10	9	12	5
FEMALE--	62	2	8	3	3	-	5	5	3	6	5	1
IOWA -----	1,168	4	23	30	23	109	89	57	49	65	56	52
WHITE-----MALE----	688	2	8	21	13	73	65	36	34	43	33	35
FEMALE--	446	2	14	7	8	31	23	16	12	19	21	15
ALL OTHER--MALE----	26	-	1	1	2	4	1	4	2	3	2	2
FEMALE--	8	-	-	1	-	1	-	1	1	-	-	-
BLACK---MALE----	19	-	-	1	2	1	1	3	1	2	2	2
FEMALE--	5	-	-	1	-	-	-	1	-	-	-	-
KANSAS -----	993	6	19	19	11	64	72	57	67	57	41	51
WHITE-----MALE----	554	2	12	12	7	36	46	39	47	39	26	36
FEMALE--	372	2	5	4	2	19	19	13	13	14	12	11
ALL OTHER--MALE----	44	-	-	-	2	8	4	3	5	3	1	4
FEMALE--	23	2	2	3	-	1	3	2	2	1	2	-
BLACK---MALE----	34	-	-	-	1	7	2	3	4	3	-	2
FEMALE--	13	2	1	1	-	-	-	1	2	1	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,703
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ACCIDENTS AND ADVERSE EFFECTS (E800-E949)												
HAWAII -----	12	10	9	12	17	15	21	13	9	4	1	-
WHITE-----MALE----	3	1	1	2	4	3	3	1	-	-	-	-
FEMALE--	-	1	-	-	1	2	2	3	2	3	-	-
ALL OTHER--MALE----	6	6	7	6	8	7	9	5	5	-	-	-
FEMALE--	3	2	1	4	4	3	7	4	2	1	1	-
BLACK---MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	31	19	20	29	15	35	32	28	20	3	-	-
WHITE-----MALE----	17	16	13	23	11	25	18	13	6	1	-	-
FEMALE--	13	2	6	6	4	10	14	13	13	2	-	-
ALL OTHER--MALE----	-	1	1	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	167	152	117	168	211	252	258	201	108	35	7	-
WHITE-----MALE----	93	84	61	87	97	111	125	78	33	7	3	-
FEMALE--	36	38	33	48	64	119	111	104	66	26	3	-
ALL OTHER--MALE----	29	26	16	23	34	11	12	8	3	-	-	-
FEMALE--	9	4	7	10	16	11	10	11	6	2	1	-
BLACK---MALE----	28	26	16	20	32	10	12	7	2	-	-	-
FEMALE--	8	4	7	9	16	11	8	9	6	2	1	-
INDIANA -----	104	90	87	99	121	131	106	143	94	39	8	2
WHITE-----MALE----	69	47	51	49	63	63	50	65	38	8	2	1
FEMALE--	26	33	28	37	50	60	52	73	56	31	5	1
ALL OTHER--MALE----	6	9	6	8	4	6	2	2	-	-	-	-
FEMALE--	3	1	2	5	4	2	2	3	-	-	1	-
BLACK---MALE----	6	9	6	6	4	6	2	2	-	-	-	-
FEMALE--	3	-	2	4	4	2	2	3	-	-	1	-
IOWA -----	33	34	41	43	59	92	110	88	74	27	10	-
WHITE-----MALE----	24	21	29	27	33	59	59	43	23	7	-	-
FEMALE--	9	12	11	15	25	32	51	43	50	20	10	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	2	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	-	1	-	-	-
BLACK---MALE----	-	1	-	1	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	1	-	-	-
KANSAS -----	35	34	36	50	51	70	75	79	57	33	8	1
WHITE-----MALE----	20	26	20	32	27	36	34	28	21	6	1	1
FEMALE--	12	8	14	15	23	33	38	51	34	24	6	-
ALL OTHER--MALE----	3	-	2	3	1	-	3	-	1	1	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	2	1	-
BLACK---MALE----	3	-	1	2	1	-	3	-	1	1	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	2	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,704
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ACCIDENTS AND ADVERSE EFFECTS (E800-E949)												
KENTUCKY -----	1,707	17	44	24	33	159	138	111	148	104	101	91
WHITE-----MALE----	1,037	6	19	15	21	111	99	66	104	73	73	65
FEMALE--	560	6	19	6	9	39	26	37	33	27	23	19
ALL OTHER--MALE----	79	2	5	2	2	7	9	7	8	3	4	5
FEMALE--	31	3	1	1	1	2	4	1	3	1	1	2
BLACK---MALE----	73	2	4	2	2	7	8	5	7	2	4	5
FEMALE--	28	3	1	1	1	2	3	1	3	1	1	1
LOUISIANA -----	1,841	13	43	44	59	167	165	159	153	130	132	82
WHITE-----MALE----	843	2	11	15	28	85	90	83	80	71	58	44
FEMALE--	427	1	9	9	16	35	23	23	20	25	28	10
ALL OTHER--MALE----	390	3	13	13	10	32	38	40	41	26	31	27
FEMALE--	181	7	10	7	5	15	14	13	12	8	15	1
BLACK---MALE----	381	3	13	13	9	31	36	38	41	25	31	26
FEMALE--	173	7	9	7	5	13	11	13	12	8	15	1
MAINE -----	399	3	5	3	10	20	37	21	27	28	17	16
WHITE-----MALE----	242	-	2	2	6	14	31	18	20	19	13	9
FEMALE--	156	3	3	1	4	6	5	3	7	9	4	7
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1,393	13	39	29	31	94	88	75	96	104	86	65
WHITE-----MALE----	615	6	11	5	11	49	62	40	41	48	45	26
FEMALE--	376	1	11	7	7	18	11	9	21	15	15	10
ALL OTHER--MALE----	254	4	5	13	9	22	11	20	24	30	17	18
FEMALE--	148	2	12	4	4	5	4	6	10	11	9	11
BLACK---MALE----	236	3	5	13	8	21	11	18	23	26	15	17
FEMALE--	132	2	11	4	4	4	2	5	9	11	9	10
MASSACHUSETTS -----	1,218	6	19	16	21	56	77	56	89	63	70	47
WHITE-----MALE----	677	1	8	12	11	32	54	39	64	45	48	31
FEMALE--	468	4	5	1	6	18	14	10	21	14	17	12
ALL OTHER--MALE----	47	-	3	2	2	4	5	6	3	3	4	2
FEMALE--	26	1	3	1	2	2	4	1	1	1	1	2
BLACK---MALE----	36	-	1	2	2	4	4	2	2	3	4	1
FEMALE--	16	1	1	-	2	2	1	1	1	1	1	-
MICHIGAN -----	3,168	41	95	66	55	229	246	188	231	236	185	181
WHITE-----MALE----	1,632	10	40	34	21	117	151	126	153	135	105	100
FEMALE--	1,000	12	21	20	24	77	47	30	53	47	38	32
ALL OTHER--MALE----	350	8	20	4	6	24	34	23	15	35	31	32
FEMALE--	186	11	14	8	4	11	14	9	10	19	11	17
BLACK---MALE----	320	8	20	4	5	22	30	18	13	34	29	28
FEMALE--	161	10	11	7	4	8	12	5	9	18	11	15

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,704
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ACCIDENTS AND ADVERSE EFFECTS (E800-E949)												
KENTUCKY -----	65	60	51	80	93	103	116	89	56	18	6	-
WHITE-----MALE----	53	33	28	51	42	48	64	44	17	3	2	-
FEMALE--	10	22	18	26	41	50	49	43	38	15	4	-
ALL OTHER--MALE----	2	2	3	3	7	4	2	1	1	-	-	-
FEMALE--	-	3	2	-	3	1	1	1	-	-	-	-
BLACK---MALE----	2	2	3	3	7	4	2	1	1	-	-	-
FEMALE--	-	2	2	-	3	1	1	1	-	-	-	-
LOUISIANA -----	68	72	68	72	68	100	91	88	42	20	5	-
WHITE-----MALE----	37	29	32	33	22	42	39	25	12	4	1	-
FEMALE--	12	11	13	15	28	40	33	41	21	14	-	-
ALL OTHER--MALE----	15	22	16	14	9	11	13	11	4	1	-	-
FEMALE--	4	10	7	10	9	7	6	11	5	1	4	-
BLACK---MALE----	15	22	16	13	9	11	13	11	4	1	-	-
FEMALE--	3	10	7	10	9	7	5	11	5	1	4	-
MAINE -----	20	12	13	21	22	37	27	26	18	12	4	-
WHITE-----MALE----	13	7	11	13	13	18	11	13	7	1	1	-
FEMALE--	7	5	2	8	9	19	16	13	11	11	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	62	46	62	79	84	100	95	82	43	14	5	1
WHITE-----MALE----	29	22	32	33	29	42	28	36	16	3	-	1
FEMALE--	9	12	11	25	38	41	48	31	23	8	5	-
ALL OTHER--MALE----	16	9	11	13	12	6	7	4	3	-	-	-
FEMALE--	8	3	8	8	5	11	12	11	1	3	-	-
BLACK---MALE----	16	8	9	13	11	6	7	4	2	-	-	-
FEMALE--	7	2	6	6	5	9	12	10	1	3	-	-
MASSACHUSETTS -----	45	31	42	54	68	112	107	118	79	33	8	1
WHITE-----MALE----	29	23	25	32	35	58	47	51	24	7	1	-
FEMALE--	13	6	15	20	28	53	59	64	55	26	7	-
ALL OTHER--MALE----	2	2	1	-	3	1	1	2	-	-	-	1
FEMALE--	1	-	1	2	2	-	-	1	-	-	-	-
BLACK---MALE----	2	1	1	-	3	1	1	1	-	-	-	1
FEMALE--	-	-	1	2	1	-	-	1	-	-	-	-
MICHIGAN -----	124	116	110	132	184	196	203	198	105	34	12	1
WHITE-----MALE----	69	67	47	64	95	84	93	83	28	8	2	-
FEMALE--	31	32	41	40	65	93	87	98	76	26	10	-
ALL OTHER--MALE----	13	12	18	20	15	13	14	11	1	-	-	1
FEMALE--	11	5	4	8	9	6	9	6	-	-	-	-
BLACK---MALE----	12	11	17	20	14	10	14	9	1	-	-	1
FEMALE--	8	4	4	7	9	6	8	5	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,705
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ACCIDENTS AND ADVERSE EFFECTS (E800-E949)												
MINNESOTA -----	1,666	14	26	22	32	94	135	95	91	114	82	73
WHITE-----MALE----	929	7	15	9	17	54	98	67	66	76	60	52
FEMALE--	628	2	6	10	8	32	29	17	17	23	18	17
ALL OTHER--MALE----	70	5	3	2	3	4	5	8	4	8	3	3
FEMALE--	39	-	2	1	4	4	3	3	4	7	1	1
BLACK---MALE----	25	4	-	-	2	2	1	1	1	3	1	-
FEMALE--	11	-	1	-	-	2	1	-	1	1	-	-
MISSISSIPPI -----	1,608	16	53	32	40	149	145	114	120	111	105	94
WHITE-----MALE----	642	7	11	9	12	60	60	49	52	52	50	33
FEMALE--	359	-	8	9	8	33	24	19	22	15	12	18
ALL OTHER--MALE----	428	6	18	10	16	42	44	34	32	38	35	28
FEMALE--	179	3	16	4	4	14	17	12	14	6	8	15
BLACK---MALE----	419	6	18	9	15	42	43	33	30	38	34	27
FEMALE--	173	3	16	4	4	12	17	12	14	6	7	12
MISSOURI -----	2,315	14	37	32	46	179	179	162	167	161	132	121
WHITE-----MALE----	1,344	10	24	14	32	111	132	113	112	111	87	87
FEMALE--	748	3	9	13	6	54	25	34	38	29	33	17
ALL OTHER--MALE----	143	-	3	-	3	11	15	12	9	16	10	14
FEMALE--	80	1	1	5	5	3	7	3	8	5	2	3
BLACK---MALE----	127	-	3	-	3	9	10	10	8	14	10	14
FEMALE--	74	1	1	5	5	3	6	3	6	4	2	3
MONTANA -----	380	4	8	10	11	33	22	19	24	29	26	22
WHITE-----MALE----	215	2	2	8	6	20	14	14	13	15	12	14
FEMALE--	114	1	3	1	3	7	4	2	7	9	6	6
ALL OTHER--MALE----	42	1	2	1	2	6	4	2	4	4	3	2
FEMALE--	9	-	1	-	-	-	-	1	-	1	5	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	576	2	9	8	16	44	40	23	35	33	34	28
WHITE-----MALE----	331	1	5	3	11	34	30	14	25	24	20	17
FEMALE--	223	-	3	3	3	9	7	7	8	7	13	10
ALL OTHER--MALE----	17	1	1	2	2	-	3	2	1	1	1	1
FEMALE--	5	-	-	-	-	1	-	-	1	1	-	-
BLACK---MALE----	10	-	1	1	2	-	2	1	-	1	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	551	9	22	15	15	39	35	43	42	58	47	37
WHITE-----MALE----	334	5	13	6	10	24	21	20	29	36	28	28
FEMALE--	157	4	7	9	4	8	11	12	8	12	13	5
ALL OTHER--MALE----	45	-	1	-	1	5	1	8	3	8	6	4
FEMALE--	15	-	1	-	-	2	2	3	2	2	-	-
BLACK---MALE----	25	-	1	-	1	2	1	3	2	4	2	3
FEMALE--	5	-	1	-	-	-	1	2	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,705
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ACCIDENTS AND ADVERSE EFFECTS (E800-E949)												
MINNESOTA -----	50	49	56	60	102	104	133	147	126	51	10	-
WHITE-----MALE----	34	27	32	35	55	48	69	54	35	15	4	-
FEMALE--	9	14	21	20	47	54	60	91	91	36	6	-
ALL OTHER--MALE----	5	7	2	4	-	1	2	1	-	-	-	-
FEMALE--	2	1	1	1	-	1	2	1	-	-	-	-
BLACK---MALE----	4	2	-	2	-	-	1	1	-	-	-	-
FEMALE--	-	-	1	1	-	1	1	1	-	-	-	-
MISSISSIPPI -----	71	56	62	58	72	80	98	77	38	15	1	1
WHITE-----MALE----	28	28	30	26	27	33	33	27	12	3	-	-
FEMALE--	20	12	9	11	21	27	37	36	11	6	1	-
ALL OTHER--MALE----	17	14	17	17	14	14	13	6	9	3	-	1
FEMALE--	6	2	6	4	10	6	15	8	6	3	-	-
BLACK---MALE----	17	13	17	17	14	14	13	6	9	3	-	1
FEMALE--	6	2	6	4	10	6	15	8	6	3	-	-
MISSOURI -----	98	62	97	82	126	142	150	174	107	39	7	1
WHITE-----MALE----	53	36	62	48	65	70	67	63	34	11	1	1
FEMALE--	28	20	25	23	48	61	75	104	70	28	5	-
ALL OTHER--MALE----	14	5	6	9	5	5	2	2	2	-	-	-
FEMALE--	3	1	4	2	8	6	6	5	1	-	1	-
BLACK---MALE----	11	4	6	9	5	5	2	2	2	-	-	-
FEMALE--	3	-	3	2	8	6	6	5	1	-	1	-
MONTANA -----	14	18	15	13	18	15	27	21	17	13	1	-
WHITE-----MALE----	8	9	14	8	12	11	10	11	8	4	-	-
FEMALE--	4	4	1	3	5	4	16	9	9	9	1	-
ALL OTHER--MALE----	2	5	-	2	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	17	13	18	27	42	37	35	54	37	17	7	-
WHITE-----MALE----	11	11	11	18	25	22	16	17	9	6	1	-
FEMALE--	4	2	7	9	17	15	19	37	26	11	6	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
NEVADA -----	24	28	31	14	26	20	21	15	7	1	2	-
WHITE-----MALE----	16	19	22	8	13	15	11	6	4	-	-	-
FEMALE--	4	7	9	5	9	5	10	9	3	1	2	-
ALL OTHER--MALE----	3	2	-	1	2	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	2	-	-	-	-	-	-	-
BLACK---MALE----	3	2	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,707
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ACCIDENTS AND ADVERSE EFFECTS (E800-E949)												
OHIO -----	3,250	30	62	55	66	255	245	182	204	225	202	157
WHITE-----MALE----	1,804	14	27	28	30	152	180	134	138	145	124	97
FEMALE--	1,069	6	24	15	20	69	49	25	46	46	46	34
ALL OTHER--MALE----	266	6	5	8	9	32	14	17	15	27	25	19
FEMALE--	111	4	6	4	7	2	2	6	5	7	7	7
BLACK---MALE----	256	6	5	8	8	31	14	15	15	26	25	19
FEMALE--	106	4	5	4	7	2	1	6	5	7	7	7
OKLAHOMA -----	1,473	5	47	26	40	127	115	88	117	106	110	80
WHITE-----MALE----	820	2	27	11	32	64	78	53	69	63	64	45
FEMALE--	458	3	9	12	6	38	17	21	28	26	28	18
ALL OTHER--MALE----	134	-	8	-	-	22	13	10	15	10	13	13
FEMALE--	61	-	3	3	2	3	7	4	5	7	5	4
BLACK---MALE----	62	-	5	-	-	11	4	3	4	5	7	6
FEMALE--	30	-	2	2	1	1	3	-	2	1	3	3
OREGON -----	1,366	12	32	18	33	110	87	82	92	130	108	85
WHITE-----MALE----	811	7	14	9	19	67	49	64	72	95	73	53
FEMALE--	487	3	15	8	10	35	26	16	14	30	27	27
ALL OTHER--MALE----	48	-	1	-	3	6	9	1	5	5	5	4
FEMALE--	20	2	2	1	1	2	3	1	1	-	3	1
BLACK---MALE----	18	-	-	-	-	2	4	-	2	3	1	3
FEMALE--	8	-	1	-	-	-	1	1	-	-	3	1
PENNSYLVANIA -----	4,266	19	74	54	68	221	276	277	317	337	293	261
WHITE-----MALE----	2,351	3	30	24	38	132	186	191	219	224	184	141
FEMALE--	1,325	5	19	14	19	66	61	47	55	60	46	49
ALL OTHER--MALE----	417	7	15	9	6	17	24	32	33	42	55	55
FEMALE--	173	4	10	7	5	6	5	7	10	11	8	16
BLACK---MALE----	401	7	14	8	6	17	22	30	31	41	55	54
FEMALE--	159	3	9	6	3	5	4	7	8	10	8	15
RHODE ISLAND -----	217	3	4	4	5	10	9	12	15	9	9	9
WHITE-----MALE----	128	2	3	4	4	10	6	8	9	6	8	5
FEMALE--	82	1	1	-	1	-	3	4	6	2	1	4
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1,635	19	32	35	46	134	132	110	129	136	137	97
WHITE-----MALE----	697	7	13	8	13	65	58	50	66	61	66	46
FEMALE--	394	2	9	8	9	26	25	23	24	23	22	14
ALL OTHER--MALE----	386	5	6	11	18	30	41	29	29	34	42	30
FEMALE--	158	5	4	8	6	13	8	8	10	18	7	7
BLACK---MALE----	383	5	6	11	18	30	41	28	29	34	42	30
FEMALE--	154	5	3	8	6	13	7	8	10	18	7	7

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,707
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ACCIDENTS AND ADVERSE EFFECTS (E800-E949)												
OHIO -----	131	120	126	160	187	219	223	198	142	54	7	-
WHITE-----MALE----	80	61	58	90	98	101	103	83	45	14	2	-
FEMALE--	27	40	49	52	73	98	108	109	92	39	2	-
ALL OTHER--MALE----	12	11	13	13	13	14	7	4	1	-	1	-
FEMALE--	12	8	6	5	3	6	5	2	4	1	2	-
BLACK---MALE----	11	9	13	11	13	14	7	4	1	-	1	-
FEMALE--	12	8	6	3	3	5	5	2	4	1	2	-
OKLAHOMA -----	59	54	63	47	60	76	99	88	50	13	2	1
WHITE-----MALE----	26	36	39	30	40	46	40	33	16	6	-	-
FEMALE--	23	15	16	14	19	26	47	53	30	6	2	1
ALL OTHER--MALE----	5	3	4	3	-	2	9	1	2	1	-	-
FEMALE--	5	-	4	-	1	2	3	1	2	-	-	-
BLACK---MALE----	3	2	3	1	-	1	3	1	2	1	-	-
FEMALE--	2	-	2	-	-	2	3	1	2	-	-	-
OREGON -----	53	41	34	40	67	83	101	74	57	19	8	-
WHITE-----MALE----	34	31	26	23	40	34	52	29	13	6	1	-
FEMALE--	17	8	8	16	27	47	49	43	41	13	7	-
ALL OTHER--MALE----	2	2	-	1	-	1	-	2	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	2	-	-	-
BLACK---MALE----	1	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
PENNSYLVANIA -----	153	135	168	172	277	283	333	279	193	68	8	-
WHITE-----MALE----	94	81	86	92	124	141	159	109	69	20	4	-
FEMALE--	41	34	53	57	121	107	158	150	114	47	2	-
ALL OTHER--MALE----	13	17	19	14	21	17	5	10	5	-	1	-
FEMALE--	5	3	10	9	11	18	11	10	5	1	1	-
BLACK---MALE----	13	16	18	12	20	17	5	10	4	-	1	-
FEMALE--	5	3	9	9	11	16	11	10	5	1	1	-
RHODE ISLAND -----	5	7	10	11	23	21	23	12	12	4	-	-
WHITE-----MALE----	3	5	6	6	14	10	8	5	5	1	-	-
FEMALE--	1	2	4	4	8	10	14	7	7	2	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	1	-	-
FEMALE--	1	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	1	-	-
FEMALE--	1	-	-	1	-	1	-	-	-	-	-	-
SOUTH CAROLINA -----	78	70	52	62	89	74	83	76	36	7	1	-
WHITE-----MALE----	35	31	26	29	33	32	27	23	8	-	-	-
FEMALE--	21	14	7	11	26	24	40	41	18	7	-	-
ALL OTHER--MALE----	16	21	13	13	18	11	10	6	3	-	-	-
FEMALE--	6	4	6	9	12	7	6	6	7	-	1	-
BLACK---MALE----	16	20	13	12	18	11	10	6	3	-	-	-
FEMALE--	6	4	5	9	12	7	6	5	7	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,708
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
ACCIDENTS AND ADVERSE EFFECTS (E800-E949)												
SOUTH DAKOTA -----	324	4	8	8	6	28	29	26	25	16	21	17
WHITE-----MALE----	174	2	4	2	4	12	16	15	12	9	12	11
FEMALE--	85	-	1	3	1	8	3	4	4	4	4	2
ALL OTHER--MALE----	45	1	2	1	1	6	6	7	5	3	4	2
FEMALE--	20	1	1	2	-	2	4	-	4	-	1	2
BLACK---MALE----	2	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2,485	36	50	38	51	216	220	186	181	183	168	146
WHITE-----MALE----	1,390	10	25	18	26	132	155	112	114	123	100	74
FEMALE--	701	18	13	9	15	54	27	45	34	37	34	31
ALL OTHER--MALE----	252	1	6	6	8	23	31	24	23	17	21	32
FEMALE--	142	7	6	5	2	7	7	5	10	6	13	9
BLACK---MALE----	245	1	6	6	8	22	28	23	21	17	21	32
FEMALE--	137	7	6	5	2	5	6	5	10	6	13	9
TEXAS -----	6,431	57	180	125	157	489	572	517	540	565	485	346
WHITE-----MALE----	3,821	23	84	62	79	329	396	327	360	379	302	226
FEMALE--	1,772	24	60	30	50	119	111	104	94	108	106	78
ALL OTHER--MALE----	582	7	19	24	19	33	49	64	67	56	47	27
FEMALE--	256	3	17	9	9	8	16	22	19	22	30	15
BLACK---MALE----	526	7	18	20	18	28	42	55	62	54	41	24
FEMALE--	227	3	16	8	9	8	15	16	17	20	24	14
UTAH -----	633	8	24	22	22	78	54	38	41	41	49	26
WHITE-----MALE----	405	3	11	10	13	50	40	28	27	30	37	19
FEMALE--	204	4	11	8	9	27	11	8	11	9	10	7
ALL OTHER--MALE----	16	1	1	2	-	1	2	2	2	1	2	-
FEMALE--	8	-	1	2	-	-	1	-	1	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	192	1	4	5	3	18	21	8	15	19	12	11
WHITE-----MALE----	135	-	4	3	1	14	19	7	12	14	9	8
FEMALE--	56	1	-	2	2	4	2	1	3	5	3	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2,212	18	42	30	41	157	161	142	149	192	163	121
WHITE-----MALE----	1,074	6	16	13	16	78	103	80	92	108	84	66
FEMALE--	610	1	10	6	14	37	18	22	25	31	30	25
ALL OTHER--MALE----	359	5	11	6	7	26	30	28	24	42	38	27
FEMALE--	169	6	5	5	4	16	10	12	8	11	11	3
BLACK---MALE----	340	5	10	5	7	25	29	26	21	42	36	26
FEMALE--	154	6	5	5	2	14	9	8	8	11	10	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,708
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
ACCIDENTS AND ADVERSE EFFECTS (E800-E949)												
SOUTH DAKOTA -----	12	5	11	22	12	10	15	22	17	9	1	-
WHITE-----MALE----	8	3	4	14	9	3	11	15	6	2	-	-
FEMALE--	2	1	3	8	2	6	4	7	11	6	1	-
ALL OTHER--MALE----	1	1	2	-	1	1	-	-	-	1	-	-
FEMALE--	1	-	2	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	122	108	95	98	100	149	124	122	74	12	3	3
WHITE-----MALE----	72	70	54	55	56	73	47	43	24	4	-	3
FEMALE--	31	23	24	32	32	59	56	72	45	8	2	-
ALL OTHER--MALE----	10	10	7	7	3	11	8	2	1	-	1	-
FEMALE--	9	5	10	4	9	6	13	5	4	-	-	-
BLACK---MALE----	10	10	7	7	3	11	8	2	1	-	1	-
FEMALE--	8	5	9	4	9	6	13	5	4	-	-	-
TEXAS -----	271	244	215	236	259	258	319	314	163	68	15	36
WHITE-----MALE----	169	147	125	140	132	155	142	138	53	16	4	33
FEMALE--	61	62	59	63	97	91	149	156	98	41	10	1
ALL OTHER--MALE----	29	28	22	23	15	8	17	14	5	7	-	2
FEMALE--	12	7	9	10	15	4	11	6	7	4	1	-
BLACK---MALE----	28	25	22	21	13	8	13	14	4	7	-	2
FEMALE--	11	6	9	7	14	3	11	6	6	3	1	-
UTAH -----	21	21	21	18	35	27	33	27	16	8	3	-
WHITE-----MALE----	17	14	15	14	24	15	17	11	5	4	1	-
FEMALE--	4	7	5	4	9	12	16	15	11	4	2	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	5	6	9	9	10	8	14	9	5	-	-	-
WHITE-----MALE----	5	5	6	5	5	4	8	5	1	-	-	-
FEMALE--	-	1	3	4	5	4	6	4	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	94	79	98	89	117	141	129	128	82	31	6	2
WHITE-----MALE----	49	36	48	47	47	63	44	51	19	6	1	1
FEMALE--	20	24	17	27	46	49	70	61	52	22	3	-
ALL OTHER--MALE----	18	13	18	9	13	17	8	7	9	-	2	1
FEMALE--	7	6	15	6	11	12	7	9	2	3	-	-
BLACK---MALE----	17	13	17	9	12	15	8	6	9	-	1	1
FEMALE--	7	6	15	5	9	12	7	9	2	3	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,710
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 TRANSPORT ACCIDENTS (E800-E848)												
0 UNITED STATES --	45,805	180	845	946	1,228	5,310	5,630	4,372	4,206	3,881	3,226	2,656
WHITE-----MALE----	26,025	66	337	437	603	2,981	3,625	2,663	2,550	2,283	1,873	1,561
FEMALE--	12,356	67	285	273	389	1,563	1,052	869	909	879	769	628
ALL OTHER--MALE----	5,215	30	128	143	148	540	732	635	534	520	418	334
FEMALE--	2,209	17	95	93	88	226	221	205	213	199	166	133
BLACK---MALE----	4,078	26	103	120	119	422	538	487	414	419	348	265
FEMALE--	1,581	14	78	74	61	151	144	142	164	152	123	86
ALABAMA -----	1,170	7	16	26	27	151	150	117	120	106	86	53
WHITE-----MALE----	603	3	5	12	13	88	89	69	61	48	36	26
FEMALE--	281	1	5	4	8	42	28	17	30	21	23	10
ALL OTHER--MALE----	201	1	5	5	5	15	30	23	20	24	22	13
FEMALE--	85	2	1	5	1	6	3	8	9	13	5	4
BLACK---MALE----	196	1	5	5	5	15	28	21	20	23	22	13
FEMALE--	84	2	1	5	1	6	3	8	8	13	5	4
ALASKA -----	161	1	5	5	7	10	17	20	21	22	10	11
WHITE-----MALE----	104	-	2	2	2	6	14	12	13	16	9	10
FEMALE--	24	1	1	3	2	2	-	3	1	2	-	-
ALL OTHER--MALE----	23	-	1	-	2	1	2	2	6	4	1	1
FEMALE--	10	-	1	-	1	1	1	3	1	-	-	-
BLACK---MALE----	3	-	-	-	-	-	1	-	1	1	-	-
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	-
ARIZONA -----	1,045	6	30	18	32	104	131	97	95	88	88	60
WHITE-----MALE----	569	3	10	6	18	57	64	61	57	55	51	35
FEMALE--	263	3	15	4	11	24	19	17	20	14	17	15
ALL OTHER--MALE----	165	-	2	6	1	20	39	15	14	16	15	9
FEMALE--	48	-	3	2	2	3	9	4	4	3	5	1
BLACK---MALE----	24	-	1	3	-	2	3	1	1	5	2	-
FEMALE--	10	-	-	1	1	-	1	-	-	2	2	-
ARKANSAS -----	685	4	10	10	25	94	80	67	64	46	46	36
WHITE-----MALE----	399	4	5	4	12	52	48	37	40	27	30	20
FEMALE--	166	-	1	4	8	20	19	17	12	10	7	11
ALL OTHER--MALE----	87	-	2	2	2	19	10	10	8	7	7	4
FEMALE--	33	-	2	-	3	3	3	3	4	2	2	1
BLACK---MALE----	84	-	2	2	1	19	10	10	8	7	7	3
FEMALE--	30	-	2	-	3	3	2	2	4	2	2	1
CALIFORNIA -----	4,729	31	127	117	113	464	582	470	454	433	310	313
WHITE-----MALE----	2,772	10	61	51	55	250	405	303	291	258	191	196
FEMALE--	1,204	15	47	32	40	134	95	92	103	102	66	73
ALL OTHER--MALE----	501	3	10	25	12	55	61	53	46	47	35	26
FEMALE--	252	3	9	9	6	25	21	22	14	26	18	18
BLACK---MALE----	257	2	4	19	7	29	29	32	29	29	23	12
FEMALE--	101	2	8	4	3	9	6	10	10	12	8	5

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,710
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 TRANSPORT ACCIDENTS (E800-E848)												
0 UNITED STATES --	2,078	1,686	1,643	1,656	1,806	1,799	1,452	861	251	45	4	44
WHITE-----MALE----	1,223	959	903	876	865	868	730	437	124	19	2	40
FEMALE--	536	470	489	574	724	769	607	374	105	21	2	2
ALL OTHER--MALE----	211	181	158	133	136	107	69	38	13	5	-	2
FEMALE--	108	76	93	73	81	55	46	12	9	-	-	-
BLACK---MALE----	166	134	123	104	110	86	49	28	10	5	-	2
FEMALE--	72	56	68	45	65	32	36	10	8	-	-	-
ALABAMA -----	42	39	59	40	35	36	34	19	7	-	-	-
WHITE-----MALE----	26	22	25	19	15	18	16	9	3	-	-	-
FEMALE--	5	7	22	16	12	10	13	5	2	-	-	-
ALL OTHER--MALE----	9	6	5	4	5	2	2	3	2	-	-	-
FEMALE--	2	4	7	1	3	6	3	2	-	-	-	-
BLACK---MALE----	9	6	5	4	5	2	2	3	2	-	-	-
FEMALE--	2	4	7	1	3	6	3	2	-	-	-	-
ALASKA -----	8	6	5	8	4	-	1	-	-	-	-	-
WHITE-----MALE----	5	4	2	3	3	-	1	-	-	-	-	-
FEMALE--	1	1	2	4	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	51	37	34	37	39	42	25	21	4	-	1	5
WHITE-----MALE----	26	22	17	18	15	23	15	8	2	-	1	5
FEMALE--	15	8	8	14	19	16	10	12	2	-	-	-
ALL OTHER--MALE----	6	7	7	3	3	1	-	1	-	-	-	-
FEMALE--	4	-	2	2	2	2	-	-	-	-	-	-
BLACK---MALE----	1	1	1	-	1	1	-	1	-	-	-	-
FEMALE--	1	-	1	-	-	1	-	-	-	-	-	-
ARKANSAS -----	25	28	26	36	29	29	17	11	-	1	-	1
WHITE-----MALE----	16	19	16	22	14	16	9	6	-	1	-	1
FEMALE--	7	6	6	10	11	8	7	2	-	-	-	-
ALL OTHER--MALE----	-	1	1	3	3	4	1	3	-	-	-	-
FEMALE--	2	2	3	1	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	3	3	4	1	3	-	-	-	-
FEMALE--	1	2	3	1	1	1	-	-	-	-	-	-
CALIFORNIA -----	245	181	160	139	192	153	141	70	19	3	-	12
WHITE-----MALE----	152	96	79	71	104	74	69	33	9	2	-	12
FEMALE--	54	50	48	43	60	59	51	30	9	1	-	-
ALL OTHER--MALE----	22	25	21	12	18	11	12	6	1	-	-	-
FEMALE--	17	10	12	13	10	9	9	1	-	-	-	-
BLACK---MALE----	5	13	9	3	5	2	4	1	-	-	-	-
FEMALE--	7	4	3	3	4	-	3	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,711
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 TRANSPORT ACCIDENTS (E800-E848)												
COLORADO -----	756	6	14	11	29	93	92	96	63	73	46	44
WHITE-----MALE----	470	2	8	7	16	50	63	62	49	46	26	30
FEMALE--	230	3	5	3	11	37	24	22	9	21	15	13
ALL OTHER--MALE----	38	-	1	1	2	3	5	8	5	6	2	1
FEMALE--	18	1	-	-	-	3	-	4	-	-	3	-
BLACK---MALE----	20	-	-	-	2	1	3	4	4	3	1	1
FEMALE--	7	-	-	-	-	1	-	3	-	-	2	-
CONNECTICUT -----	360	1	4	2	5	40	49	42	29	27	23	26
WHITE-----MALE----	216	1	2	1	3	30	30	31	15	16	13	15
FEMALE--	105	-	1	-	1	7	14	6	9	7	5	8
ALL OTHER--MALE----	27	-	1	-	1	2	1	5	5	4	3	3
FEMALE--	12	-	-	1	-	1	4	-	-	-	2	-
BLACK---MALE----	25	-	1	-	1	2	-	5	5	3	3	3
FEMALE--	10	-	-	1	-	1	3	-	-	-	2	-
DELAWARE -----	129	-	2	3	2	12	15	8	19	13	10	9
WHITE-----MALE----	67	-	2	2	-	6	7	5	11	9	7	5
FEMALE--	31	-	-	-	2	3	3	1	3	1	3	1
ALL OTHER--MALE----	14	-	-	1	-	-	3	2	1	1	-	2
FEMALE--	17	-	-	-	-	3	2	-	4	2	-	1
BLACK---MALE----	14	-	-	1	-	-	3	2	1	1	-	2
FEMALE--	15	-	-	-	-	3	2	-	3	2	-	-
DISTRICT OF COLUMBIA ----	70	-	1	3	-	5	7	8	7	5	8	3
WHITE-----MALE----	12	-	-	1	-	-	2	1	1	1	-	1
FEMALE--	3	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	42	-	-	2	-	3	4	5	6	3	5	2
FEMALE--	13	-	1	-	-	2	1	1	-	1	3	-
BLACK---MALE----	41	-	-	2	-	3	4	5	6	3	5	2
FEMALE--	13	-	1	-	-	2	1	1	-	1	3	-
FLORIDA -----	2,989	7	38	57	65	279	313	270	257	270	238	186
WHITE-----MALE----	1,714	1	12	24	29	162	221	171	153	156	149	115
FEMALE--	821	4	13	15	15	80	50	54	61	66	44	42
ALL OTHER--MALE----	322	1	8	14	13	25	37	37	27	35	29	19
FEMALE--	132	1	5	4	8	12	5	8	16	13	16	10
BLACK---MALE----	294	1	8	13	12	25	29	35	25	31	28	14
FEMALE--	124	1	5	4	8	11	4	7	16	12	14	10
GEORGIA -----	1,625	10	38	35	50	182	205	157	158	124	112	104
WHITE-----MALE----	775	3	8	17	19	92	101	75	77	53	50	53
FEMALE--	390	4	11	3	17	49	46	28	26	32	24	20
ALL OTHER--MALE----	335	2	13	9	12	33	45	41	41	26	31	22
FEMALE--	125	1	6	6	2	8	13	13	14	13	7	9
BLACK---MALE----	323	2	13	9	12	33	44	40	38	25	30	21
FEMALE--	116	1	6	6	2	7	12	12	14	13	6	6

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,711
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 TRANSPORT ACCIDENTS (E800-E848)												
COLORADO -----	37	27	25	26	24	20	19	9	1	1	-	-
WHITE-----MALE----	25	17	15	13	16	8	10	5	1	1	-	-
FEMALE--	11	9	9	8	8	10	8	4	-	-	-	-
ALL OTHER--MALE----	-	1	-	2	-	1	-	-	-	-	-	-
FEMALE--	1	-	1	3	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	18	12	19	8	15	12	13	13	2	-	-	-
WHITE-----MALE----	16	4	9	3	7	6	6	6	2	-	-	-
FEMALE--	2	7	8	4	6	6	7	7	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	2	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	1	-	-	-	-	-	-	-
DELAWARE -----	6	6	3	4	3	5	4	3	2	-	-	-
WHITE-----MALE----	1	3	3	2	2	-	1	1	-	-	-	-
FEMALE--	-	1	-	2	1	4	2	2	2	-	-	-
ALL OTHER--MALE----	1	2	-	-	-	1	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	2	-	-	-	1	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	1	-	-	-	-	-
DISTRICT OF COLUMBIA ----	5	2	2	3	4	2	4	1	-	-	-	-
WHITE-----MALE----	-	1	-	1	2	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	2	2	1	1	3	-	-	-	-	-
FEMALE--	1	1	-	-	1	1	1	-	-	-	-	-
BLACK---MALE----	2	-	2	2	1	1	3	-	-	-	-	-
FEMALE--	1	1	-	-	-	1	1	-	-	-	-	-
FLORIDA -----	128	114	106	111	148	168	121	74	25	9	2	3
WHITE-----MALE----	77	64	59	62	62	79	67	32	12	4	-	3
FEMALE--	29	27	33	38	66	75	51	40	11	5	2	-
ALL OTHER--MALE----	21	14	9	6	14	10	3	-	-	-	-	-
FEMALE--	1	9	5	5	6	4	-	2	2	-	-	-
BLACK---MALE----	21	12	8	6	14	10	2	-	-	-	-	-
FEMALE--	1	8	5	5	6	3	-	2	2	-	-	-
GEORGIA -----	94	63	62	59	35	59	51	18	5	4	-	-
WHITE-----MALE----	50	38	33	26	22	22	24	9	2	1	-	-
FEMALE--	18	9	16	20	10	25	21	7	3	1	-	-
ALL OTHER--MALE----	18	10	9	7	2	8	2	2	-	2	-	-
FEMALE--	8	6	4	6	1	4	4	-	-	-	-	-
BLACK---MALE----	16	10	7	7	2	8	2	2	-	2	-	-
FEMALE--	7	6	4	6	-	4	4	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,712
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 TRANSPORT ACCIDENTS (E800-E848)												
HAWAII -----	151	-	5	5	3	14	28	13	16	15	11	8
WHITE-----MALE----	36	-	1	1	-	2	6	3	2	6	5	4
FEMALE--	11	-	-	-	1	-	1	-	3	1	1	1
ALL OTHER--MALE----	83	-	2	4	1	9	18	9	11	7	3	2
FEMALE--	21	-	2	-	1	3	3	1	-	1	2	1
BLACK---MALE----	4	-	-	-	-	-	-	3	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	295	1	7	10	12	48	39	14	16	21	21	17
WHITE-----MALE----	192	1	4	8	6	28	28	8	9	15	15	11
FEMALE--	87	-	2	2	5	17	9	4	5	5	4	6
ALL OTHER--MALE----	13	-	1	-	1	2	1	2	2	1	1	-
FEMALE--	3	-	-	-	-	1	1	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	1,810	5	43	36	58	228	228	161	159	159	120	100
WHITE-----MALE----	1,012	4	16	19	26	130	138	106	100	100	59	56
FEMALE--	482	-	10	9	15	76	48	25	34	30	32	20
ALL OTHER--MALE----	230	1	11	4	12	16	32	23	17	17	24	17
FEMALE--	86	-	6	4	5	6	10	7	8	12	5	7
BLACK---MALE----	204	1	10	4	10	13	29	21	16	15	21	14
FEMALE--	74	-	6	4	4	5	8	6	5	12	5	5
INDIANA -----	1,037	5	21	32	26	112	160	84	79	88	61	61
WHITE-----MALE----	632	2	10	15	17	69	113	54	47	56	38	42
FEMALE--	320	3	5	14	6	36	31	21	24	21	18	16
ALL OTHER--MALE----	56	-	3	2	1	5	13	5	6	6	4	2
FEMALE--	29	-	3	1	2	2	3	4	2	5	1	1
BLACK---MALE----	50	-	3	2	1	4	10	5	6	6	3	2
FEMALE--	19	-	3	1	1	-	1	4	1	3	1	1
IOWA -----	567	2	12	17	18	90	77	42	32	34	42	29
WHITE-----MALE----	353	1	6	12	10	58	56	26	22	20	23	18
FEMALE--	195	1	5	3	7	29	21	12	9	13	18	9
ALL OTHER--MALE----	13	-	1	1	1	2	-	3	-	1	1	2
FEMALE--	6	-	-	1	-	1	-	1	1	-	-	-
BLACK---MALE----	9	-	-	1	1	-	-	2	-	1	1	2
FEMALE--	3	-	-	1	-	-	-	1	-	-	-	-
KANSAS -----	473	-	7	15	9	51	56	34	50	35	28	31
WHITE-----MALE----	293	-	4	9	6	28	36	22	35	24	18	23
FEMALE--	150	-	3	4	1	18	15	7	10	9	8	7
ALL OTHER--MALE----	19	-	-	-	2	4	3	3	3	2	-	1
FEMALE--	11	-	-	2	-	1	2	2	2	-	2	-
BLACK---MALE----	14	-	-	-	1	4	1	3	2	2	-	-
FEMALE--	5	-	-	1	-	-	-	1	2	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,713
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 TRANSPORT ACCIDENTS (E800-E848)												
KENTUCKY -----	881	2	19	14	19	135	109	82	92	61	50	49
WHITE-----MALE----	546	-	10	7	12	89	76	45	67	38	31	33
FEMALE--	282	1	8	5	6	38	22	29	19	20	15	14
ALL OTHER--MALE----	37	-	1	1	1	6	7	7	4	2	3	2
FEMALE--	16	1	-	1	-	2	4	1	2	1	1	-
BLACK---MALE----	32	-	1	1	1	6	6	5	3	1	3	2
FEMALE--	14	1	-	1	-	2	3	1	2	1	1	-
LOUISIANA -----	987	2	16	20	41	140	131	106	99	78	76	45
WHITE-----MALE----	483	1	3	8	20	70	70	50	49	40	30	25
FEMALE--	214	-	4	3	14	35	20	18	16	19	14	6
ALL OTHER--MALE----	201	-	3	6	3	21	29	28	24	15	21	14
FEMALE--	89	1	6	3	4	14	12	10	10	4	11	-
BLACK---MALE----	193	-	3	6	2	20	27	26	24	14	21	13
FEMALE--	83	1	6	3	4	12	9	10	10	4	11	-
MAINE -----	189	1	2	2	7	13	32	15	16	15	10	7
WHITE-----MALE----	122	-	-	2	3	8	26	12	11	9	8	3
FEMALE--	66	1	2	-	4	5	5	3	5	6	2	4
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	707	3	16	13	21	82	79	60	73	64	47	31
WHITE-----MALE----	334	1	3	1	6	43	55	30	32	32	26	12
FEMALE--	169	-	4	5	5	17	10	9	17	10	11	4
ALL OTHER--MALE----	135	1	3	4	6	17	10	15	14	18	8	9
FEMALE--	69	1	6	3	4	5	4	6	10	4	2	6
BLACK---MALE----	123	-	3	4	5	17	10	13	13	14	7	9
FEMALE--	55	1	5	3	4	4	2	5	9	4	2	5
MASSACHUSETTS -----	517	-	3	5	14	49	65	42	55	38	35	25
WHITE-----MALE----	322	-	1	1	6	27	44	28	39	25	26	17
FEMALE--	158	-	-	1	6	18	14	8	14	12	8	5
ALL OTHER--MALE----	30	-	2	2	2	3	5	5	2	1	1	2
FEMALE--	7	-	-	1	-	1	2	1	-	-	-	1
BLACK---MALE----	23	-	1	2	2	3	4	2	2	1	1	1
FEMALE--	4	-	-	-	-	1	1	1	-	-	-	-
MICHIGAN -----	1,688	6	29	44	39	190	211	140	154	162	115	94
WHITE-----MALE----	911	2	16	25	12	91	128	85	96	86	68	52
FEMALE--	502	1	10	12	20	74	40	29	40	42	25	20
ALL OTHER--MALE----	184	1	1	3	5	16	30	18	10	25	15	16
FEMALE--	91	2	2	4	2	9	13	8	8	9	7	6
BLACK---MALE----	166	1	1	3	4	15	26	15	8	24	14	15
FEMALE--	75	2	2	3	2	7	11	4	7	8	7	5

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,713
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 TRANSPORT ACCIDENTS (E800-E848)												
KENTUCKY -----	28	39	31	43	33	31	32	10	2	-	-	-
WHITE-----MALE----	22	20	17	26	14	17	17	4	1	-	-	-
FEMALE--	6	17	12	16	18	14	15	6	1	-	-	-
ALL OTHER--MALE----	-	-	2	1	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	2	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
LOUISIANA -----	32	32	38	26	26	30	30	16	2	1	-	-
WHITE-----MALE----	17	18	20	13	8	16	15	9	1	-	-	-
FEMALE--	6	6	7	7	12	13	10	4	-	-	-	-
ALL OTHER--MALE----	7	7	9	3	4	1	2	2	1	1	-	-
FEMALE--	2	1	2	3	2	-	3	1	-	-	-	-
BLACK---MALE----	7	7	9	3	4	1	2	2	1	1	-	-
FEMALE--	1	1	2	3	2	-	3	1	-	-	-	-
MAINE -----	9	5	6	12	11	12	9	4	1	-	-	-
WHITE-----MALE----	4	1	4	9	7	7	5	3	-	-	-	-
FEMALE--	5	4	2	3	4	5	4	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	36	18	32	33	38	19	25	13	3	-	-	1
WHITE-----MALE----	14	9	18	13	13	7	9	8	1	-	-	1
FEMALE--	7	5	6	13	22	7	11	4	2	-	-	-
ALL OTHER--MALE----	11	3	5	4	3	1	2	1	-	-	-	-
FEMALE--	4	1	3	3	-	4	3	-	-	-	-	-
BLACK---MALE----	11	2	4	4	3	1	2	1	-	-	-	-
FEMALE--	3	1	1	1	-	2	3	-	-	-	-	-
MASSACHUSETTS -----	25	13	14	24	20	44	24	17	3	1	-	1
WHITE-----MALE----	17	11	8	11	11	26	12	10	2	-	-	-
FEMALE--	7	2	6	12	8	17	12	6	1	1	-	-
ALL OTHER--MALE----	1	-	-	-	1	1	-	1	-	-	-	1
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	1	-	-	-	-	-	1
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
MICHIGAN -----	77	64	56	61	74	81	53	27	10	1	-	-
WHITE-----MALE----	41	39	23	30	34	34	28	14	6	1	-	-
FEMALE--	24	19	20	21	28	40	23	10	4	-	-	-
ALL OTHER--MALE----	5	4	10	8	9	5	2	1	-	-	-	-
FEMALE--	7	2	3	2	3	2	-	2	-	-	-	-
BLACK---MALE----	4	3	10	8	8	4	2	1	-	-	-	-
FEMALE--	4	2	3	1	3	2	-	2	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,714
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 TRANSPORT ACCIDENTS (E800-E848)												
MINNESOTA -----	707	-	7	9	17	74	113	72	58	71	43	34
WHITE-----MALE----	437	-	4	2	9	38	82	54	42	46	28	21
FEMALE--	214	-	2	6	3	31	25	10	9	15	13	11
ALL OTHER--MALE----	31	-	-	1	2	2	4	5	3	6	1	1
FEMALE--	25	-	1	-	3	3	2	3	4	4	1	1
BLACK---MALE----	7	-	-	-	1	1	-	-	-	2	-	-
FEMALE--	4	-	-	-	-	2	1	-	1	-	-	-
MISSISSIPPI -----	931	3	27	17	21	114	118	88	94	80	64	65
WHITE-----MALE----	398	1	5	5	7	47	52	40	38	40	31	24
FEMALE--	208	-	5	4	8	32	20	13	18	12	8	14
ALL OTHER--MALE----	233	2	8	4	4	23	34	25	27	24	19	16
FEMALE--	92	-	9	4	2	12	12	10	11	4	6	11
BLACK---MALE----	227	2	8	4	4	23	33	24	25	24	18	15
FEMALE--	87	-	9	4	2	11	12	10	11	4	5	8
MISSOURI -----	1,155	-	16	21	24	153	148	124	117	92	73	57
WHITE-----MALE----	739	-	8	10	15	91	112	85	72	66	48	43
FEMALE--	319	-	6	9	4	51	22	28	32	15	24	10
ALL OTHER--MALE----	69	-	2	-	2	8	10	9	7	10	1	2
FEMALE--	28	-	-	2	3	3	4	2	6	1	-	2
BLACK---MALE----	58	-	2	-	2	6	5	8	6	9	1	2
FEMALE--	22	-	-	2	3	3	3	2	4	-	-	2
MONTANA -----	206	2	3	7	5	25	19	17	21	19	15	9
WHITE-----MALE----	117	1	1	6	2	12	12	12	12	6	8	4
FEMALE--	56	1	1	1	1	7	3	2	6	8	3	5
ALL OTHER--MALE----	27	-	-	-	2	6	4	2	3	4	1	-
FEMALE--	6	-	1	-	-	-	-	1	-	1	3	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	265	1	5	5	9	37	33	19	22	19	21	20
WHITE-----MALE----	164	1	1	1	6	28	25	10	15	13	12	12
FEMALE--	92	-	3	3	3	8	7	7	6	5	9	8
ALL OTHER--MALE----	5	-	1	1	-	-	1	2	-	-	-	-
FEMALE--	4	-	-	-	-	1	-	-	1	1	-	-
BLACK---MALE----	2	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	329	2	6	11	13	31	24	34	26	34	29	18
WHITE-----MALE----	198	1	3	6	10	18	12	17	15	22	15	15
FEMALE--	91	1	3	5	3	7	9	8	6	6	10	2
ALL OTHER--MALE----	26	-	-	-	-	4	1	6	3	4	4	1
FEMALE--	14	-	-	-	-	2	2	3	2	2	-	-
BLACK---MALE----	14	-	-	-	-	1	1	3	2	2	2	-
FEMALE--	4	-	-	-	-	-	1	2	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,714
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 TRANSPORT ACCIDENTS (E800-E848)												
MINNESOTA -----	24	19	21	26	42	25	32	17	3	-	-	-
WHITE-----MALE----	16	12	10	15	21	11	19	7	-	-	-	-
FEMALE--	4	6	11	9	21	14	11	10	3	-	-	-
ALL OTHER--MALE----	2	1	-	2	-	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	39	38	30	33	22	36	26	10	5	1	-	-
WHITE-----MALE----	11	23	18	16	9	14	12	4	1	-	-	-
FEMALE--	17	6	5	8	7	14	9	6	1	1	-	-
ALL OTHER--MALE----	9	8	5	8	4	7	3	-	3	-	-	-
FEMALE--	2	1	2	1	2	1	2	-	-	-	-	-
BLACK---MALE----	9	8	5	8	4	7	3	-	3	-	-	-
FEMALE--	2	1	2	1	2	1	2	-	-	-	-	-
MISSOURI -----	52	32	52	40	46	44	26	31	6	1	-	-
WHITE-----MALE----	26	20	36	25	25	25	17	12	2	1	-	-
FEMALE--	20	10	12	10	18	19	7	18	4	-	-	-
ALL OTHER--MALE----	6	1	3	4	1	-	2	1	-	-	-	-
FEMALE--	-	1	1	1	2	-	1	-	-	-	-	-
BLACK---MALE----	5	1	3	4	1	-	2	1	-	-	-	-
FEMALE--	-	-	-	1	2	-	-	-	-	-	-	-
MONTANA -----	7	10	5	9	9	6	8	6	4	-	-	-
WHITE-----MALE----	5	4	4	6	8	5	2	4	3	-	-	-
FEMALE--	1	3	1	3	1	1	5	2	1	-	-	-
ALL OTHER--MALE----	1	3	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	10	5	8	15	16	10	6	3	1	-	-	-
WHITE-----MALE----	6	4	4	8	9	6	2	1	-	-	-	-
FEMALE--	3	1	4	7	7	4	4	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	20	19	20	6	17	6	6	5	1	1	-	-
WHITE-----MALE----	14	13	15	4	8	5	3	1	1	-	-	-
FEMALE--	4	5	5	2	6	1	3	4	-	1	-	-
ALL OTHER--MALE----	1	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	2	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,716
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 TRANSPORT ACCIDENTS (E800-E848)												
OHIO -----	1,438	4	25	32	36	206	187	119	125	110	96	78
WHITE-----MALE----	866	2	12	13	17	121	134	85	80	69	56	58
FEMALE--	437	2	7	13	12	65	43	21	31	28	34	16
ALL OTHER--MALE----	106	-	5	4	3	19	9	8	12	11	3	4
FEMALE--	29	-	1	2	4	1	1	5	2	2	3	-
BLACK---MALE----	100	-	5	4	3	18	9	7	12	11	3	4
FEMALE--	26	-	1	2	4	1	-	5	2	2	3	-
OKLAHOMA -----	763	1	15	15	25	105	91	59	76	61	53	50
WHITE-----MALE----	429	-	8	5	19	53	61	32	41	35	31	27
FEMALE--	222	1	4	7	4	34	14	16	21	14	16	13
ALL OTHER--MALE----	75	-	2	-	-	16	10	8	11	7	4	9
FEMALE--	37	-	1	3	2	2	6	3	3	5	2	1
BLACK---MALE----	29	-	1	-	-	6	3	2	4	3	2	5
FEMALE--	14	-	1	2	1	-	3	-	1	-	1	1
OREGON -----	652	3	15	12	18	80	71	57	57	63	54	44
WHITE-----MALE----	394	2	6	7	8	42	37	44	44	39	37	25
FEMALE--	222	-	7	4	7	31	24	13	9	23	14	17
ALL OTHER--MALE----	25	-	1	-	2	5	7	-	4	1	1	2
FEMALE--	11	1	1	1	1	2	3	-	-	-	2	-
BLACK---MALE----	7	-	-	-	-	1	3	-	1	1	-	1
FEMALE--	3	-	-	-	-	-	1	-	-	-	2	-
PENNSYLVANIA -----	1,634	4	28	28	38	169	195	148	145	120	92	97
WHITE-----MALE----	955	-	12	12	20	97	130	100	96	77	61	57
FEMALE--	510	3	12	8	12	54	49	30	36	28	24	28
ALL OTHER--MALE----	122	1	2	5	3	14	14	15	10	9	7	10
FEMALE--	47	-	2	3	3	4	2	3	3	6	-	2
BLACK---MALE----	110	1	1	5	3	14	12	13	8	8	7	10
FEMALE--	37	-	1	3	1	4	1	3	2	5	-	1
RHODE ISLAND -----	86	1	1	2	2	8	6	10	10	4	4	5
WHITE-----MALE----	51	-	1	2	1	8	5	7	5	1	3	3
FEMALE--	34	1	-	-	1	-	1	3	5	2	1	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	894	7	9	20	25	111	106	85	91	77	80	49
WHITE-----MALE----	401	1	2	5	7	57	43	37	47	35	36	23
FEMALE--	206	2	3	7	6	25	21	19	19	10	18	9
ALL OTHER--MALE----	202	2	3	2	7	18	34	22	17	19	23	14
FEMALE--	85	2	1	6	5	11	8	7	8	13	3	3
BLACK---MALE----	200	2	3	2	7	18	34	21	17	19	23	14
FEMALE--	83	2	1	6	5	11	7	7	8	13	3	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,716
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 TRANSPORT ACCIDENTS (E800-E848)												
OHIO -----	69	58	51	56	50	59	41	18	15	2	1	-
WHITE-----MALE----	49	28	25	28	19	26	23	9	11	-	1	-
FEMALE--	12	22	18	23	27	32	17	9	3	2	-	-
ALL OTHER--MALE----	5	7	6	3	4	1	1	-	1	-	-	-
FEMALE--	3	1	2	2	-	-	-	-	-	-	-	-
BLACK---MALE----	4	5	6	2	4	1	1	-	1	-	-	-
FEMALE--	3	1	2	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	30	34	28	22	21	33	18	20	4	1	-	1
WHITE-----MALE----	13	21	14	16	11	20	9	11	1	1	-	-
FEMALE--	11	11	10	6	10	12	6	9	2	-	-	1
ALL OTHER--MALE----	2	2	1	-	-	-	3	-	-	-	-	-
FEMALE--	4	-	3	-	-	1	-	-	1	-	-	-
BLACK---MALE----	1	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	1	-	-	1	-	-	1	-	-	-
OREGON -----	33	24	17	16	23	25	25	10	5	-	-	-
WHITE-----MALE----	22	19	10	8	12	13	13	5	1	-	-	-
FEMALE--	10	5	7	8	11	12	12	5	3	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	71	60	64	61	99	86	70	40	18	1	-	-
WHITE-----MALE----	39	38	32	29	42	44	39	23	7	-	-	-
FEMALE--	26	18	22	25	44	34	31	15	10	1	-	-
ALL OTHER--MALE----	4	3	6	4	10	4	-	-	1	-	-	-
FEMALE--	2	1	4	3	3	4	-	2	-	-	-	-
BLACK---MALE----	4	2	5	3	9	4	-	-	1	-	-	-
FEMALE--	2	1	3	3	3	2	-	2	-	-	-	-
RHODE ISLAND -----	1	3	2	4	11	5	5	1	1	-	-	-
WHITE-----MALE----	-	2	-	2	7	2	1	1	-	-	-	-
FEMALE--	1	1	2	2	4	3	4	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	50	33	29	25	34	31	18	11	3	-	-	-
WHITE-----MALE----	24	14	15	16	12	14	7	5	1	-	-	-
FEMALE--	16	7	4	5	12	11	7	4	1	-	-	-
ALL OTHER--MALE----	5	10	6	3	6	5	3	2	1	-	-	-
FEMALE--	5	2	4	1	4	1	1	-	-	-	-	-
BLACK---MALE----	5	9	6	3	6	5	3	2	1	-	-	-
FEMALE--	5	2	3	1	4	1	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,717
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 TRANSPORT ACCIDENTS (E800-E848)												
SOUTH DAKOTA -----	167	1	4	3	4	18	21	19	20	9	12	12
WHITE-----MALE----	89	-	1	-	4	7	10	10	8	5	8	7
FEMALE--	38	-	-	2	-	7	3	4	3	3	2	2
ALL OTHER--MALE----	24	1	2	-	-	2	4	5	5	1	1	1
FEMALE--	16	-	1	1	-	2	4	-	4	-	1	2
BLACK---MALE----	2	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1,324	9	17	24	35	173	173	137	110	108	102	76
WHITE-----MALE----	799	2	5	13	21	107	122	83	74	74	59	33
FEMALE--	332	6	7	5	10	47	21	35	21	22	22	20
ALL OTHER--MALE----	130	1	3	4	3	13	23	16	9	10	14	17
FEMALE--	63	-	2	2	1	6	7	3	6	2	7	6
BLACK---MALE----	125	1	3	4	3	12	21	15	8	10	14	17
FEMALE--	59	-	2	2	1	4	6	3	6	2	7	6
TEXAS -----	3,533	16	66	76	103	387	443	384	354	316	266	213
WHITE-----MALE----	2,135	5	31	34	53	249	301	235	228	201	158	126
FEMALE--	934	7	24	20	37	106	88	84	68	69	71	60
ALL OTHER--MALE----	329	4	6	15	9	25	40	48	45	34	22	17
FEMALE--	135	-	5	7	4	7	14	17	13	12	15	10
BLACK---MALE----	292	4	6	12	8	21	35	41	42	32	19	14
FEMALE--	110	-	5	6	4	7	13	11	11	11	9	9
UTAH -----	359	2	15	13	15	64	45	27	29	26	29	12
WHITE-----MALE----	233	1	7	8	7	36	33	21	17	17	22	8
FEMALE--	112	-	7	3	8	27	10	5	9	7	7	4
ALL OTHER--MALE----	9	1	1	-	-	1	1	1	2	1	-	-
FEMALE--	5	-	-	2	-	-	1	-	1	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	99	-	1	4	3	12	19	3	9	13	6	4
WHITE-----MALE----	70	-	1	2	1	9	18	2	7	8	3	4
FEMALE--	29	-	-	2	2	3	1	1	2	5	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	978	2	13	16	25	127	129	88	87	96	77	59
WHITE-----MALE----	510	1	4	8	10	64	79	44	55	51	42	34
FEMALE--	237	-	3	3	11	30	17	19	13	21	17	12
ALL OTHER--MALE----	153	-	5	2	2	19	24	16	15	18	11	11
FEMALE--	78	1	1	3	2	14	9	9	4	6	7	2
BLACK---MALE----	139	-	4	1	2	18	23	14	12	18	10	10
FEMALE--	67	1	1	3	-	12	9	5	4	6	6	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,717
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 TRANSPORT ACCIDENTS (E800-E848)												
SOUTH DAKOTA -----	5	4	6	13	5	5	3	2	1	-	-	-
WHITE-----MALE----	4	3	3	8	5	1	3	1	1	-	-	-
FEMALE--	1	-	2	5	-	3	-	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	60	46	44	49	45	56	27	24	6	1	-	2
WHITE-----MALE----	42	30	27	26	25	27	10	13	3	1	-	2
FEMALE--	12	13	11	19	14	24	11	11	1	-	-	-
ALL OTHER--MALE----	4	-	3	3	1	4	2	-	-	-	-	-
FEMALE--	2	3	3	1	5	1	4	-	2	-	-	-
BLACK---MALE----	4	-	3	3	1	4	2	-	-	-	-	-
FEMALE--	1	3	3	1	5	1	4	-	2	-	-	-
TEXAS -----	155	126	123	122	116	76	97	65	15	4	-	10
WHITE-----MALE----	98	71	78	71	59	44	48	31	4	1	-	9
FEMALE--	38	42	33	33	45	28	42	29	9	1	-	-
ALL OTHER--MALE----	13	11	8	13	7	1	3	5	-	2	-	1
FEMALE--	6	2	4	5	5	3	4	-	2	-	-	-
BLACK---MALE----	13	10	8	11	6	1	1	5	-	2	-	1
FEMALE--	5	1	4	2	4	2	4	-	2	-	-	-
UTAH -----	14	9	11	8	16	11	7	3	3	-	-	-
WHITE-----MALE----	12	6	7	5	12	6	5	1	2	-	-	-
FEMALE--	2	3	4	3	3	5	2	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	2	3	2	4	4	4	4	1	1	-	-	-
WHITE-----MALE----	2	2	1	2	2	3	2	1	-	-	-	-
FEMALE--	-	1	1	2	2	1	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	49	36	35	30	41	33	19	13	3	-	-	-
WHITE-----MALE----	24	19	18	15	12	15	7	8	-	-	-	-
FEMALE--	15	11	7	9	20	14	9	4	2	-	-	-
ALL OTHER--MALE----	6	4	3	4	5	4	2	1	1	-	-	-
FEMALE--	4	2	7	2	4	-	1	-	-	-	-	-
BLACK---MALE----	5	4	2	4	5	4	2	-	1	-	-	-
FEMALE--	4	2	7	2	3	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,719
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 RAILWAY ACCIDENTS (E800-E807)												
0 UNITED STATES --	569	1	2	3	21	56	56	49	77	85	73	35
WHITE-----MALE----	367	-	1	1	12	40	36	29	49	56	46	28
FEMALE--	52	1	-	1	5	8	7	1	3	4	5	2
ALL OTHER--MALE----	132	-	1	1	3	5	13	19	21	22	20	5
FEMALE--	18	-	-	-	1	3	-	-	4	3	2	-
BLACK---MALE----	109	-	1	1	3	3	8	14	16	19	18	5
FEMALE--	13	-	-	-	-	2	-	-	4	2	1	-
ALABAMA -----	11	-	-	-	-	-	3	-	2	3	-	-
WHITE-----MALE----	4	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	2	2	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	2	2	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	1	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	20	-	-	-	-	-	2	3	5	4	4	-
WHITE-----MALE----	13	-	-	-	-	-	-	-	5	3	3	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	2	3	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	2	-	-	-	-	-	-	-	-	1	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	64	-	-	-	1	10	7	6	7	9	6	1
WHITE-----MALE----	47	-	-	-	-	4	5	5	5	8	5	1
FEMALE--	5	-	-	-	1	1	1	-	1	-	-	-
ALL OTHER--MALE----	10	-	-	-	-	3	1	1	1	1	1	-
FEMALE--	2	-	-	-	-	2	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	2	1	1	1	1	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,725
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 RAILWAY ACCIDENTS (E800-E807)												
OHIO -----	11	-	-	-	-	4	-	-	2	2	2	-
WHITE-----MALE----	9	-	-	-	-	3	-	-	2	1	2	-
FEMALE--	2	-	-	-	-	1	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	3	-	-	-	-	-	-	1	1	1	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	11	-	-	-	1	1	1	1	2	1	1	-
WHITE-----MALE----	10	-	-	-	1	1	1	1	2	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	18	-	-	-	2	2	2	3	2	1	1	1
WHITE-----MALE----	13	-	-	-	1	2	2	1	2	1	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	1	-	-	2	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	1	-	-	2	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	13	-	-	-	1	1	-	1	5	2	1	-
WHITE-----MALE----	5	-	-	-	1	-	-	-	3	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	1	1	1	1	-
FEMALE--	3	-	-	-	-	1	-	-	1	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	1	1	1	1	-
FEMALE--	3	-	-	-	-	1	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,726
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 RAILWAY ACCIDENTS (E800-E807)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	10	-	-	-	1	-	-	1	1	2	-	1
WHITE-----MALE----	9	-	-	-	1	-	-	1	1	2	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	54	-	1	-	1	6	4	3	8	4	9	4
WHITE-----MALE----	38	-	-	-	-	6	3	-	6	3	7	4
FEMALE--	3	-	-	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	11	-	1	-	-	-	-	3	2	-	2	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	10	-	1	-	-	-	-	3	2	-	2	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
UTAH -----	3	-	-	-	1	1	-	-	-	1	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	6	-	-	-	-	-	3	-	2	1	-	-
WHITE-----MALE----	5	-	-	-	-	-	3	-	1	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,728
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MOTOR VEHICLE ACCIDENTS (E810-E825)												
0 UNITED STATES --	43,363	179	825	907	1,148	5,168	5,432	4,154	3,923	3,581	2,960	2,439
WHITE-----MALE----	24,229	66	328	415	559	2,878	3,484	2,509	2,343	2,065	1,684	1,386
FEMALE--	12,026	66	276	260	364	1,539	1,025	841	883	847	733	607
ALL OTHER--MALE----	4,935	30	126	140	141	528	704	600	489	478	379	314
FEMALE--	2,173	17	95	92	84	223	219	204	208	191	164	132
BLACK---MALE----	3,863	26	102	118	113	415	520	460	384	383	315	250
FEMALE--	1,560	14	78	73	60	149	143	142	159	149	122	86
ALABAMA -----	1,139	7	16	26	27	150	146	113	117	99	84	51
WHITE-----MALE----	585	3	5	12	13	87	88	66	60	45	34	25
FEMALE--	276	1	5	4	8	42	26	17	30	20	23	9
ALL OTHER--MALE----	193	1	5	5	5	15	29	22	18	21	22	13
FEMALE--	85	2	1	5	1	6	3	8	9	13	5	4
BLACK---MALE----	188	1	5	5	5	15	27	20	18	20	22	13
FEMALE--	84	2	1	5	1	6	3	8	8	13	5	4
ALASKA -----	97	1	4	4	5	9	10	13	8	7	3	6
WHITE-----MALE----	50	-	1	2	2	5	8	6	2	2	2	6
FEMALE--	21	1	1	2	1	2	-	3	1	2	-	-
ALL OTHER--MALE----	16	-	1	-	1	1	1	1	4	3	1	-
FEMALE--	10	-	1	-	1	1	1	3	1	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	-
ARIZONA -----	990	6	30	18	31	103	126	91	86	82	79	57
WHITE-----MALE----	527	3	10	6	17	56	63	58	49	50	45	32
FEMALE--	259	3	15	4	11	24	18	17	19	14	16	15
ALL OTHER--MALE----	157	-	2	6	1	20	36	12	14	15	14	9
FEMALE--	47	-	3	2	2	3	9	4	4	3	4	1
BLACK---MALE----	24	-	1	3	-	2	3	1	1	5	2	-
FEMALE--	10	-	-	1	1	-	1	-	-	2	2	-
ARKANSAS -----	652	4	10	10	24	91	78	67	57	43	42	35
WHITE-----MALE----	374	4	5	4	12	50	48	37	35	25	27	19
FEMALE--	161	-	1	4	7	19	18	17	11	10	6	11
ALL OTHER--MALE----	84	-	2	2	2	19	9	10	7	6	7	4
FEMALE--	33	-	2	-	3	3	3	3	4	2	2	1
BLACK---MALE----	81	-	2	2	1	19	9	10	7	6	7	3
FEMALE--	30	-	2	-	3	3	2	2	4	2	2	1
CALIFORNIA -----	4,439	31	125	111	104	439	557	448	423	401	283	287
WHITE-----MALE----	2,563	10	61	48	51	237	388	286	271	234	168	177
FEMALE--	1,152	15	46	30	35	130	90	88	97	96	64	66
ALL OTHER--MALE----	476	3	9	25	12	49	58	52	42	45	33	26
FEMALE--	248	3	9	8	6	23	21	22	13	26	18	18
BLACK---MALE----	245	2	4	19	7	26	27	31	27	27	23	12
FEMALE--	98	2	8	3	3	8	6	10	9	12	8	5

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,728
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MOTOR VEHICLE ACCIDENTS (E810-E825)												
0 UNITED STATES --	1,894	1,562	1,533	1,562	1,738	1,757	1,428	854	243	41	3	32
WHITE-----MALE----	1,083	858	819	797	804	837	712	432	122	18	2	28
FEMALE--	505	459	477	563	720	763	604	372	100	19	1	2
ALL OTHER--MALE----	198	171	145	130	133	105	67	38	13	4	-	2
FEMALE--	108	74	92	72	81	52	45	12	8	-	-	-
BLACK---MALE----	155	126	111	101	107	84	49	28	10	4	-	2
FEMALE--	72	54	67	44	65	31	35	10	7	-	-	-
ALABAMA -----	41	35	59	38	34	36	34	19	7	-	-	-
WHITE-----MALE----	26	19	25	17	14	18	16	9	3	-	-	-
FEMALE--	4	7	22	16	12	10	13	5	2	-	-	-
ALL OTHER--MALE----	9	5	5	4	5	2	2	3	2	-	-	-
FEMALE--	2	4	7	1	3	6	3	2	-	-	-	-
BLACK---MALE----	9	5	5	4	5	2	2	3	2	-	-	-
FEMALE--	2	4	7	1	3	6	3	2	-	-	-	-
ALASKA -----	5	5	5	8	3	-	1	-	-	-	-	-
WHITE-----MALE----	2	4	2	3	2	-	1	-	-	-	-	-
FEMALE--	1	-	2	4	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	45	35	32	36	37	42	24	21	4	-	1	4
WHITE-----MALE----	21	20	15	17	13	23	14	8	2	-	1	4
FEMALE--	14	8	8	14	19	16	10	12	2	-	-	-
ALL OTHER--MALE----	6	7	7	3	3	1	-	1	-	-	-	-
FEMALE--	4	-	2	2	2	2	-	-	-	-	-	-
BLACK---MALE----	1	1	1	-	1	1	-	1	-	-	-	-
FEMALE--	1	-	1	-	-	1	-	-	-	-	-	-
ARKANSAS -----	21	27	23	36	29	27	15	11	-	1	-	1
WHITE-----MALE----	12	18	13	22	14	14	7	6	-	1	-	1
FEMALE--	7	6	6	10	11	8	7	2	-	-	-	-
ALL OTHER--MALE----	-	1	1	3	3	4	1	3	-	-	-	-
FEMALE--	2	2	3	1	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	3	3	4	1	3	-	-	-	-
FEMALE--	1	2	3	1	1	1	-	-	-	-	-	-
CALIFORNIA -----	215	167	149	129	182	152	137	69	19	2	-	9
WHITE-----MALE----	128	84	71	64	95	73	66	32	9	1	-	9
FEMALE--	50	49	46	41	59	59	51	30	9	1	-	-
ALL OTHER--MALE----	20	24	20	11	18	11	11	6	1	-	-	-
FEMALE--	17	10	12	13	10	9	9	1	-	-	-	-
BLACK---MALE----	5	12	9	2	5	2	4	1	-	-	-	-
FEMALE--	7	4	3	3	4	-	3	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,729
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MOTOR VEHICLE ACCIDENTS (E810-E825)												
COLORADO -----	696	6	14	10	27	92	84	87	58	66	43	37
WHITE-----MALE----	418	2	8	6	15	49	56	54	44	41	24	23
FEMALE--	223	3	5	3	10	37	23	21	9	20	14	13
ALL OTHER--MALE----	37	-	1	1	2	3	5	8	5	5	2	1
FEMALE--	18	1	-	-	-	3	-	4	-	-	3	-
BLACK---MALE----	19	-	-	-	2	1	3	4	4	2	1	1
FEMALE--	7	-	-	-	-	1	-	3	-	-	2	-
CONNECTICUT -----	349	1	4	2	5	38	49	41	28	26	21	25
WHITE-----MALE----	207	1	2	1	3	28	30	30	15	15	11	14
FEMALE--	103	-	1	-	1	7	14	6	8	7	5	8
ALL OTHER--MALE----	27	-	1	-	1	2	1	5	5	4	3	3
FEMALE--	12	-	-	1	-	1	4	-	-	-	2	-
BLACK---MALE----	25	-	1	-	1	2	-	5	5	3	3	3
FEMALE--	10	-	-	1	-	1	3	-	-	-	2	-
DELAWARE -----	126	-	2	3	2	12	15	8	18	12	10	8
WHITE-----MALE----	64	-	2	2	-	6	7	5	10	8	7	4
FEMALE--	31	-	-	-	2	3	3	1	3	1	3	1
ALL OTHER--MALE----	14	-	-	1	-	-	3	2	1	1	-	2
FEMALE--	17	-	-	-	-	3	2	-	4	2	-	1
BLACK---MALE----	14	-	-	1	-	-	3	2	1	1	-	2
FEMALE--	15	-	-	-	-	3	2	-	3	2	-	-
DISTRICT OF COLUMBIA ----	68	-	1	3	-	5	7	7	7	5	7	3
WHITE-----MALE----	12	-	-	1	-	-	2	1	1	1	-	1
FEMALE--	3	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	40	-	-	2	-	3	4	4	6	3	4	2
FEMALE--	13	-	1	-	-	2	1	1	-	1	3	-
BLACK---MALE----	39	-	-	2	-	3	4	4	6	3	4	2
FEMALE--	13	-	1	-	-	2	1	1	-	1	3	-
FLORIDA -----	2,806	7	36	54	61	273	304	250	241	251	216	162
WHITE-----MALE----	1,587	1	12	23	26	157	214	156	142	145	134	96
FEMALE--	791	4	11	13	14	80	50	52	61	63	41	38
ALL OTHER--MALE----	301	1	8	14	13	24	35	34	23	32	25	18
FEMALE--	127	1	5	4	8	12	5	8	15	11	16	10
BLACK---MALE----	276	1	8	13	12	24	28	32	21	29	25	13
FEMALE--	120	1	5	4	8	11	4	7	15	11	14	10
GEORGIA -----	1,539	9	38	35	47	181	198	149	146	114	107	94
WHITE-----MALE----	717	3	8	17	18	91	95	68	70	49	46	45
FEMALE--	381	3	11	3	16	49	45	28	25	30	24	20
ALL OTHER--MALE----	316	2	13	9	11	33	45	40	37	22	30	20
FEMALE--	125	1	6	6	2	8	13	13	14	13	7	9
BLACK---MALE----	307	2	13	9	11	33	44	39	36	21	29	20
FEMALE--	116	1	6	6	2	7	12	12	14	13	6	6

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,729
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MOTOR VEHICLE ACCIDENTS (E810-E825)												
COLORADO -----	32	25	22	22	22	19	19	9	1	1	-	-
WHITE-----MALE----	22	15	12	9	14	7	10	5	1	1	-	-
FEMALE--	9	9	9	8	8	10	8	4	-	-	-	-
ALL OTHER--MALE----	-	1	-	2	-	1	-	-	-	-	-	-
FEMALE--	1	-	1	3	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	17	11	18	8	15	12	13	13	2	-	-	-
WHITE-----MALE----	15	4	8	3	7	6	6	6	2	-	-	-
FEMALE--	2	6	8	4	6	6	7	7	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	2	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	1	-	-	-	-	-	-	-
DELAWARE -----	6	6	3	4	3	5	4	3	2	-	-	-
WHITE-----MALE----	1	3	3	2	2	-	1	1	-	-	-	-
FEMALE--	-	1	-	2	1	4	2	2	2	-	-	-
ALL OTHER--MALE----	1	2	-	-	-	1	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	2	-	-	-	1	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	1	-	-	-	-	-
DISTRICT OF COLUMBIA ----	5	2	2	3	4	2	4	1	-	-	-	-
WHITE-----MALE----	-	1	-	1	2	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	2	2	1	1	3	-	-	-	-	-
FEMALE--	1	1	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	2	-	2	2	1	1	3	-	-	-	-	-
FEMALE--	1	1	-	-	-	1	1	-	-	-	-	-
FLORIDA -----	118	104	94	105	141	164	118	73	22	8	1	3
WHITE-----MALE----	68	59	49	58	56	76	64	32	12	4	-	3
FEMALE--	28	24	31	37	66	74	51	39	9	4	1	-
ALL OTHER--MALE----	21	13	9	5	13	10	3	-	-	-	-	-
FEMALE--	1	8	5	5	6	4	-	2	1	-	-	-
BLACK---MALE----	21	11	8	5	13	10	2	-	-	-	-	-
FEMALE--	1	7	5	5	6	3	-	2	1	-	-	-
GEORGIA -----	89	56	55	54	34	56	51	18	5	3	-	-
WHITE-----MALE----	46	33	28	22	22	20	24	9	2	1	-	-
FEMALE--	17	8	16	19	10	25	21	7	3	1	-	-
ALL OTHER--MALE----	18	9	7	7	1	7	2	2	-	1	-	-
FEMALE--	8	6	4	6	1	4	4	-	-	-	-	-
BLACK---MALE----	16	9	5	7	1	7	2	2	-	1	-	-
FEMALE--	7	6	4	6	-	4	4	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,730
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MOTOR VEHICLE ACCIDENTS (E810-E825)												
HAWAII -----	142	-	5	5	3	14	28	13	14	12	10	7
WHITE-----MALE----	31	-	1	1	-	2	6	3	2	4	4	3
FEMALE--	11	-	-	-	1	-	1	-	3	1	1	1
ALL OTHER--MALE----	81	-	2	4	1	9	18	9	9	7	3	2
FEMALE--	19	-	2	-	1	3	3	1	-	-	2	1
BLACK---MALE----	4	-	-	-	-	-	-	3	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	264	1	6	8	12	44	37	14	15	18	17	14
WHITE-----MALE----	167	1	3	6	6	25	27	8	8	12	12	9
FEMALE--	83	-	2	2	5	16	9	4	5	5	3	5
ALL OTHER--MALE----	11	-	1	-	1	2	-	2	2	1	1	-
FEMALE--	3	-	-	-	-	1	1	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	1,737	5	42	35	54	224	222	151	157	150	112	96
WHITE-----MALE----	961	4	16	19	23	128	133	98	99	94	55	52
FEMALE--	465	-	9	8	14	74	47	24	33	29	29	20
ALL OTHER--MALE----	226	1	11	4	12	16	32	22	17	16	23	17
FEMALE--	85	-	6	4	5	6	10	7	8	11	5	7
BLACK---MALE----	200	1	10	4	10	13	29	20	16	14	20	14
FEMALE--	73	-	6	4	4	5	8	6	5	11	5	5
INDIANA -----	995	5	19	27	25	111	159	81	76	84	54	59
WHITE-----MALE----	599	2	9	12	16	68	112	51	44	53	33	40
FEMALE--	313	3	4	12	6	36	31	21	24	21	17	16
ALL OTHER--MALE----	54	-	3	2	1	5	13	5	6	5	3	2
FEMALE--	29	-	3	1	2	2	3	4	2	5	1	1
BLACK---MALE----	48	-	3	2	1	4	10	5	6	5	2	2
FEMALE--	19	-	3	1	1	-	1	4	1	3	1	1
IOWA -----	547	2	12	17	16	87	77	41	31	34	39	27
WHITE-----MALE----	337	1	6	12	9	57	56	25	21	20	20	17
FEMALE--	192	1	5	3	6	27	21	12	9	13	18	9
ALL OTHER--MALE----	12	-	1	1	1	2	-	3	-	1	1	1
FEMALE--	6	-	-	1	-	1	-	1	1	-	-	-
BLACK---MALE----	8	-	-	1	1	-	-	2	-	1	1	1
FEMALE--	3	-	-	1	-	-	-	1	-	-	-	-
KANSAS -----	451	-	7	13	9	51	54	31	47	35	25	28
WHITE-----MALE----	275	-	4	7	6	28	34	20	33	24	17	20
FEMALE--	146	-	3	4	1	18	15	6	9	9	6	7
ALL OTHER--MALE----	19	-	-	-	2	4	3	3	3	2	-	1
FEMALE--	11	-	-	2	-	1	2	2	2	-	2	-
BLACK---MALE----	14	-	-	-	1	4	1	3	2	2	-	-
FEMALE--	5	-	-	1	-	-	-	1	2	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,731
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MOTOR VEHICLE ACCIDENTS (E810-E825)												
KENTUCKY -----	851	2	18	14	19	128	107	81	89	58	48	48
WHITE-----MALE----	521	-	10	7	12	83	74	45	64	35	29	32
FEMALE--	277	1	7	5	6	37	22	28	19	20	15	14
ALL OTHER--MALE----	37	-	1	1	1	6	7	7	4	2	3	2
FEMALE--	16	1	-	1	-	2	4	1	2	1	1	-
BLACK---MALE----	32	-	1	1	1	6	6	5	3	1	3	2
FEMALE--	14	1	-	1	-	2	3	1	2	1	1	-
LOUISIANA -----	910	2	16	19	40	135	121	94	89	67	72	40
WHITE-----MALE----	433	1	3	8	19	67	63	44	41	31	30	21
FEMALE--	207	-	4	3	14	33	20	16	16	18	14	6
ALL OTHER--MALE----	182	-	3	5	3	21	26	24	22	14	18	13
FEMALE--	88	1	6	3	4	14	12	10	10	4	10	-
BLACK---MALE----	175	-	3	5	2	20	24	23	22	13	18	12
FEMALE--	82	1	6	3	4	12	9	10	10	4	10	-
MAINE -----	182	1	2	1	7	13	30	14	16	14	10	7
WHITE-----MALE----	118	-	-	1	3	8	24	12	11	8	8	3
FEMALE--	63	1	2	-	4	5	5	2	5	6	2	4
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	679	3	16	13	19	81	77	56	70	60	42	29
WHITE-----MALE----	320	1	3	1	6	43	53	29	31	29	23	12
FEMALE--	162	-	4	5	3	16	10	7	16	9	11	4
ALL OTHER--MALE----	128	1	3	4	6	17	10	14	13	18	6	7
FEMALE--	69	1	6	3	4	5	4	6	10	4	2	6
BLACK---MALE----	116	-	3	4	5	17	10	12	12	14	5	7
FEMALE--	55	1	5	3	4	4	2	5	9	4	2	5
MASSACHUSETTS -----	487	-	3	5	14	48	60	41	53	34	30	21
WHITE-----MALE----	297	-	1	1	6	27	40	27	37	21	21	14
FEMALE--	155	-	-	1	6	17	14	8	14	12	8	5
ALL OTHER--MALE----	28	-	2	2	2	3	4	5	2	1	1	1
FEMALE--	7	-	-	1	-	1	2	1	-	-	-	1
BLACK---MALE----	23	-	1	2	2	3	4	2	2	1	1	1
FEMALE--	4	-	-	-	-	1	1	1	-	-	-	-
MICHIGAN -----	1,623	6	29	42	36	186	208	135	148	156	106	85
WHITE-----MALE----	859	2	16	23	11	87	127	80	90	82	61	46
FEMALE--	497	1	10	12	18	74	40	29	40	41	24	19
ALL OTHER--MALE----	177	1	1	3	5	16	29	18	10	24	14	14
FEMALE--	90	2	2	4	2	9	12	8	8	9	7	6
BLACK---MALE----	159	1	1	3	4	15	25	15	8	23	13	13
FEMALE--	74	2	2	3	2	7	10	4	7	8	7	5

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,731
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MOTOR VEHICLE ACCIDENTS (E810-E825)												
KENTUCKY -----	27	38	30	41	31	30	30	10	2	-	-	-
WHITE-----MALE----	21	19	16	25	12	17	15	4	1	-	-	-
FEMALE--	6	17	12	15	18	13	15	6	1	-	-	-
ALL OTHER--MALE----	-	-	2	1	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	2	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
LOUISIANA -----	29	29	33	22	25	29	29	16	2	1	-	-
WHITE-----MALE----	15	15	18	10	8	15	14	9	1	-	-	-
FEMALE--	5	6	7	6	12	13	10	4	-	-	-	-
ALL OTHER--MALE----	7	7	6	3	3	1	2	2	1	1	-	-
FEMALE--	2	1	2	3	2	-	3	1	-	-	-	-
BLACK---MALE----	7	7	6	3	3	1	2	2	1	1	-	-
FEMALE--	1	1	2	3	2	-	3	1	-	-	-	-
MAINE -----	8	4	6	12	11	12	9	4	1	-	-	-
WHITE-----MALE----	4	1	4	9	7	7	5	3	-	-	-	-
FEMALE--	4	3	2	3	4	5	4	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	35	17	31	32	37	19	25	13	3	-	-	1
WHITE-----MALE----	14	8	17	12	12	7	9	8	1	-	-	1
FEMALE--	7	5	6	13	22	7	11	4	2	-	-	-
ALL OTHER--MALE----	10	3	5	4	3	1	2	1	-	-	-	-
FEMALE--	4	1	3	3	-	4	3	-	-	-	-	-
BLACK---MALE----	10	2	4	4	3	1	2	1	-	-	-	-
FEMALE--	3	1	1	1	-	2	3	-	-	-	-	-
MASSACHUSETTS -----	22	12	14	23	20	42	23	17	3	1	-	1
WHITE-----MALE----	16	10	8	10	11	24	11	10	2	-	-	-
FEMALE--	5	2	6	12	8	17	12	6	1	1	-	-
ALL OTHER--MALE----	1	-	-	-	1	1	-	1	-	-	-	1
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	1	-	-	-	-	-	1
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
MICHIGAN -----	71	61	54	58	70	81	53	27	10	1	-	-
WHITE-----MALE----	36	36	22	27	30	34	28	14	6	1	-	-
FEMALE--	24	19	20	21	28	40	23	10	4	-	-	-
ALL OTHER--MALE----	4	4	9	8	9	5	2	1	-	-	-	-
FEMALE--	7	2	3	2	3	2	-	2	-	-	-	-
BLACK---MALE----	3	3	9	8	8	4	2	1	-	-	-	-
FEMALE--	4	2	3	1	3	2	-	2	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,732
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MOTOR VEHICLE ACCIDENTS (E810-E825)												
MINNESOTA -----	664	-	7	8	16	72	110	70	56	60	39	29
WHITE-----MALE----	405	-	4	2	8	36	80	52	40	38	25	16
FEMALE--	206	-	2	5	3	31	24	10	9	14	12	11
ALL OTHER--MALE----	29	-	-	1	2	2	4	5	3	5	1	1
FEMALE--	24	-	1	-	3	3	2	3	4	3	1	1
BLACK---MALE----	6	-	-	-	1	1	-	-	-	2	-	-
FEMALE--	4	-	-	-	-	2	1	-	1	-	-	-
MISSISSIPPI -----	904	3	26	17	20	111	116	87	90	78	62	62
WHITE-----MALE----	383	1	4	5	7	46	51	39	36	39	30	23
FEMALE--	204	-	5	4	7	31	20	13	18	12	7	14
ALL OTHER--MALE----	226	2	8	4	4	22	33	25	26	23	19	14
FEMALE--	91	-	9	4	2	12	12	10	10	4	6	11
BLACK---MALE----	220	2	8	4	4	22	32	24	24	23	18	13
FEMALE--	86	-	9	4	2	11	12	10	10	4	5	8
MISSOURI -----	1,098	-	15	20	20	149	143	119	107	87	69	53
WHITE-----MALE----	693	-	7	10	12	88	108	80	66	62	44	40
FEMALE--	311	-	6	8	4	50	21	28	29	15	24	9
ALL OTHER--MALE----	66	-	2	-	1	8	10	9	6	9	1	2
FEMALE--	28	-	-	2	3	3	4	2	6	1	-	2
BLACK---MALE----	55	-	2	-	1	6	5	8	5	8	1	2
FEMALE--	22	-	-	2	3	3	3	2	4	-	-	2
MONTANA -----	195	2	3	6	5	24	17	16	20	18	13	9
WHITE-----MALE----	109	1	1	5	2	12	10	11	12	6	6	4
FEMALE--	55	1	1	1	1	7	3	2	6	7	3	5
ALL OTHER--MALE----	25	-	-	-	2	5	4	2	2	4	1	-
FEMALE--	6	-	1	-	-	-	-	1	-	1	3	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	254	1	5	5	7	36	31	19	21	17	21	19
WHITE-----MALE----	155	1	1	1	5	27	23	10	14	11	12	11
FEMALE--	90	-	3	3	2	8	7	7	6	5	9	8
ALL OTHER--MALE----	5	-	1	1	-	-	1	2	-	-	-	-
FEMALE--	4	-	-	-	-	1	-	-	1	1	-	-
BLACK---MALE----	2	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	305	2	5	11	13	30	23	34	25	30	27	15
WHITE-----MALE----	184	1	2	6	10	18	12	17	14	20	15	13
FEMALE--	85	1	3	5	3	6	8	8	6	6	9	2
ALL OTHER--MALE----	23	-	-	-	-	4	1	6	3	3	3	-
FEMALE--	13	-	-	-	-	2	2	3	2	1	-	-
BLACK---MALE----	14	-	-	-	-	1	1	3	2	2	2	-
FEMALE--	4	-	-	-	-	-	1	2	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,732
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MOTOR VEHICLE ACCIDENTS (E810-E825)												
MINNESOTA -----	21	17	20	23	40	25	32	17	2	-	-	-
WHITE-----MALE----	14	10	9	13	21	11	19	7	-	-	-	-
FEMALE--	4	6	11	8	19	14	11	10	2	-	-	-
ALL OTHER--MALE----	1	1	-	2	-	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	36	36	28	32	22	36	26	10	5	1	-	-
WHITE-----MALE----	8	22	17	15	9	14	12	4	1	-	-	-
FEMALE--	17	6	4	8	7	14	9	6	1	1	-	-
ALL OTHER--MALE----	9	7	5	8	4	7	3	-	3	-	-	-
FEMALE--	2	1	2	1	2	1	2	-	-	-	-	-
BLACK---MALE----	9	7	5	8	4	7	3	-	3	-	-	-
FEMALE--	2	1	2	1	2	1	2	-	-	-	-	-
MISSOURI -----	49	29	50	36	45	43	26	31	6	1	-	-
WHITE-----MALE----	23	17	34	22	24	24	17	12	2	1	-	-
FEMALE--	20	10	12	9	18	19	7	18	4	-	-	-
ALL OTHER--MALE----	6	1	3	4	1	-	2	1	-	-	-	-
FEMALE--	-	1	1	1	2	-	1	-	-	-	-	-
BLACK---MALE----	5	1	3	4	1	-	2	1	-	-	-	-
FEMALE--	-	-	-	1	2	-	-	-	-	-	-	-
MONTANA -----	7	10	5	8	8	6	8	6	4	-	-	-
WHITE-----MALE----	5	4	4	5	7	5	2	4	3	-	-	-
FEMALE--	1	3	1	3	1	1	5	2	1	-	-	-
ALL OTHER--MALE----	1	3	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	9	5	8	15	16	9	6	3	1	-	-	-
WHITE-----MALE----	5	4	4	8	9	6	2	1	-	-	-	-
FEMALE--	3	1	4	7	7	3	4	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	16	15	19	6	17	5	6	5	1	-	-	-
WHITE-----MALE----	11	9	14	4	8	5	3	1	1	-	-	-
FEMALE--	3	5	5	2	6	-	3	4	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	2	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,734
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MOTOR VEHICLE ACCIDENTS (E810-E825)												
OHIO -----	1,387	4	25	31	34	202	183	115	120	105	90	73
WHITE-----MALE----	825	2	12	13	15	118	131	81	75	66	51	53
FEMALE--	428	2	7	13	12	64	42	21	31	26	33	16
ALL OTHER--MALE----	105	-	5	3	3	19	9	8	12	11	3	4
FEMALE--	29	-	1	2	4	1	1	5	2	2	3	-
BLACK---MALE----	99	-	5	3	3	18	9	7	12	11	3	4
FEMALE--	26	-	1	2	4	1	-	5	2	2	3	-
OKLAHOMA -----	725	1	14	15	24	103	86	57	73	59	50	39
WHITE-----MALE----	397	-	7	5	18	52	56	31	39	33	28	17
FEMALE--	219	1	4	7	4	34	14	16	21	14	16	12
ALL OTHER--MALE----	72	-	2	-	-	15	10	7	10	7	4	9
FEMALE--	37	-	1	3	2	2	6	3	3	5	2	1
BLACK---MALE----	28	-	1	-	-	6	3	2	3	3	2	5
FEMALE--	14	-	1	2	1	-	3	-	1	-	1	1
OREGON -----	593	3	14	12	17	74	67	54	51	55	45	39
WHITE-----MALE----	348	2	6	7	7	37	35	42	38	33	31	20
FEMALE--	209	-	6	4	7	30	22	12	9	21	11	17
ALL OTHER--MALE----	25	-	1	-	2	5	7	-	4	1	1	2
FEMALE--	11	1	1	1	1	2	3	-	-	-	2	-
BLACK---MALE----	7	-	-	-	-	1	3	-	1	1	-	1
FEMALE--	3	-	-	-	-	-	1	-	-	-	2	-
PENNSYLVANIA -----	1,578	4	28	25	34	167	188	143	141	115	89	89
WHITE-----MALE----	915	-	12	10	19	95	127	98	92	73	59	49
FEMALE--	504	3	12	7	12	54	48	30	36	27	23	28
ALL OTHER--MALE----	116	1	2	5	2	14	12	12	10	9	7	10
FEMALE--	43	-	2	3	1	4	1	3	3	6	-	2
BLACK---MALE----	105	1	1	5	2	14	11	10	8	8	7	10
FEMALE--	36	-	1	3	1	4	1	3	2	5	-	1
RHODE ISLAND -----	80	1	1	2	2	8	6	10	10	2	3	5
WHITE-----MALE----	48	-	1	2	1	8	5	7	5	-	2	3
FEMALE--	31	1	-	-	1	-	1	3	5	1	1	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	849	7	9	20	22	109	105	83	79	72	75	48
WHITE-----MALE----	373	1	2	5	5	56	43	36	39	32	34	23
FEMALE--	206	2	3	7	6	25	21	19	19	10	18	9
ALL OTHER--MALE----	188	2	3	2	6	18	33	21	14	17	20	13
FEMALE--	82	2	1	6	5	10	8	7	7	13	3	3
BLACK---MALE----	186	2	3	2	6	18	33	20	14	17	20	13
FEMALE--	80	2	1	6	5	10	7	7	7	13	3	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,734
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MOTOR VEHICLE ACCIDENTS (E810-E825)												
OHIO -----	64	54	50	54	49	57	41	18	15	2	1	-
WHITE-----MALE----	45	26	25	26	18	24	23	9	11	-	1	-
FEMALE--	11	20	17	23	27	32	17	9	3	2	-	-
ALL OTHER--MALE----	5	7	6	3	4	1	1	-	1	-	-	-
FEMALE--	3	1	2	2	-	-	-	-	-	-	-	-
BLACK---MALE----	4	5	6	2	4	1	1	-	1	-	-	-
FEMALE--	3	1	2	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	27	31	27	22	21	32	18	20	4	1	-	1
WHITE-----MALE----	11	19	13	16	11	19	9	11	1	1	-	-
FEMALE--	10	10	10	6	10	12	6	9	2	-	-	1
ALL OTHER--MALE----	2	2	1	-	-	-	3	-	-	-	-	-
FEMALE--	4	-	3	-	-	1	-	-	1	-	-	-
BLACK---MALE----	1	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	1	-	-	1	-	-	1	-	-	-
OREGON -----	29	22	14	15	20	23	25	10	4	-	-	-
WHITE-----MALE----	19	17	8	7	9	11	13	5	1	-	-	-
FEMALE--	9	5	6	8	11	12	12	5	2	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	69	54	63	58	99	85	69	40	17	1	-	-
WHITE-----MALE----	38	32	31	27	42	43	38	23	7	-	-	-
FEMALE--	25	18	22	25	44	34	31	15	9	1	-	-
ALL OTHER--MALE----	4	3	6	4	10	4	-	-	1	-	-	-
FEMALE--	2	1	4	2	3	4	-	2	-	-	-	-
BLACK---MALE----	4	2	5	3	9	4	-	-	1	-	-	-
FEMALE--	2	1	3	2	3	2	-	2	-	-	-	-
RHODE ISLAND -----	-	3	2	3	11	4	5	1	1	-	-	-
WHITE-----MALE----	-	2	-	1	7	2	1	1	-	-	-	-
FEMALE--	-	1	2	2	4	2	4	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	45	31	25	23	33	31	18	11	3	-	-	-
WHITE-----MALE----	20	13	12	14	11	14	7	5	1	-	-	-
FEMALE--	16	7	4	5	12	11	7	4	1	-	-	-
ALL OTHER--MALE----	4	9	6	3	6	5	3	2	1	-	-	-
FEMALE--	5	2	3	1	4	1	1	-	-	-	-	-
BLACK---MALE----	4	8	6	3	6	5	3	2	1	-	-	-
FEMALE--	5	2	2	1	4	1	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,735
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MOTOR VEHICLE ACCIDENTS (E810-E825)												
SOUTH DAKOTA -----	161	1	4	3	4	17	20	18	20	9	11	11
WHITE-----MALE----	84	-	1	-	4	6	9	10	8	5	7	6
FEMALE--	37	-	-	2	-	7	3	3	3	3	2	2
ALL OTHER--MALE----	24	1	2	-	-	2	4	5	5	1	1	1
FEMALE--	16	-	1	1	-	2	4	-	4	-	1	2
BLACK---MALE----	2	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1,288	9	16	24	30	173	172	134	105	103	100	73
WHITE-----MALE----	771	2	5	13	17	107	121	81	69	69	58	31
FEMALE--	327	6	6	5	9	47	21	34	21	22	21	20
ALL OTHER--MALE----	128	1	3	4	3	13	23	16	9	10	14	16
FEMALE--	62	-	2	2	1	6	7	3	6	2	7	6
BLACK---MALE----	123	1	3	4	3	12	21	15	8	10	14	16
FEMALE--	58	-	2	2	1	4	6	3	6	2	7	6
TEXAS -----	3,328	16	65	73	96	375	428	369	323	293	238	195
WHITE-----MALE----	1,984	5	31	32	49	238	290	229	205	185	139	110
FEMALE--	909	7	24	20	35	105	85	82	63	66	68	58
ALL OTHER--MALE----	304	4	5	14	9	25	39	42	42	31	16	17
FEMALE--	131	-	5	7	3	7	14	16	13	11	15	10
BLACK---MALE----	273	4	5	12	8	21	35	37	40	29	13	14
FEMALE--	108	-	5	6	3	7	13	11	11	10	9	9
UTAH -----	335	2	14	13	14	61	43	25	26	22	24	12
WHITE-----MALE----	214	1	6	8	7	34	31	20	16	13	17	8
FEMALE--	107	-	7	3	7	26	10	4	7	7	7	4
ALL OTHER--MALE----	9	1	1	-	-	1	1	1	2	1	-	-
FEMALE--	5	-	-	2	-	-	1	-	1	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	94	-	1	4	2	12	19	3	8	12	5	4
WHITE-----MALE----	67	-	1	2	-	9	18	2	6	8	3	4
FEMALE--	27	-	-	2	2	3	1	1	2	4	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	922	2	12	16	25	126	125	82	79	86	69	57
WHITE-----MALE----	461	1	3	8	10	63	75	40	48	42	36	32
FEMALE--	235	-	3	3	11	30	17	18	13	21	17	12
ALL OTHER--MALE----	149	-	5	2	2	19	24	15	15	17	9	11
FEMALE--	77	1	1	3	2	14	9	9	3	6	7	2
BLACK---MALE----	135	-	4	1	2	18	23	13	12	17	8	10
FEMALE--	66	1	1	3	-	12	9	5	3	6	6	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,735
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MOTOR VEHICLE ACCIDENTS (E810-E825)												
SOUTH DAKOTA -----	5	4	6	13	4	5	3	2	1	-	-	-
WHITE-----MALE----	4	3	3	8	4	1	3	1	1	-	-	-
FEMALE--	1	-	2	5	-	3	-	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	55	45	42	47	45	56	26	24	6	1	-	2
WHITE-----MALE----	38	29	26	24	25	27	10	13	3	1	-	2
FEMALE--	12	13	10	19	14	24	11	11	1	-	-	-
ALL OTHER--MALE----	3	-	3	3	1	4	2	-	-	-	-	-
FEMALE--	2	3	3	1	5	1	3	-	2	-	-	-
BLACK---MALE----	3	-	3	3	1	4	2	-	-	-	-	-
FEMALE--	1	3	3	1	5	1	3	-	2	-	-	-
TEXAS -----	139	120	112	117	111	73	95	65	15	4	-	6
WHITE-----MALE----	84	65	71	66	54	42	48	31	4	1	-	5
FEMALE--	37	42	31	33	45	28	41	29	9	1	-	-
ALL OTHER--MALE----	12	11	6	13	7	1	2	5	-	2	-	1
FEMALE--	6	2	4	5	5	2	4	-	2	-	-	-
BLACK---MALE----	12	10	6	11	6	1	1	5	-	2	-	1
FEMALE--	5	1	4	2	4	2	4	-	2	-	-	-
UTAH -----	13	9	11	7	15	11	7	3	3	-	-	-
WHITE-----MALE----	11	6	7	4	11	6	5	1	2	-	-	-
FEMALE--	2	3	4	3	3	5	2	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	2	3	2	4	3	4	4	1	1	-	-	-
WHITE-----MALE----	2	2	1	2	1	3	2	1	-	-	-	-
FEMALE--	-	1	1	2	2	1	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	49	31	28	30	39	31	19	13	3	-	-	-
WHITE-----MALE----	24	14	11	15	11	13	7	8	-	-	-	-
FEMALE--	15	11	7	9	19	14	9	4	2	-	-	-
ALL OTHER--MALE----	6	4	3	4	5	4	2	1	1	-	-	-
FEMALE--	4	2	7	2	4	-	1	-	-	-	-	-
BLACK---MALE----	5	4	2	4	5	4	2	-	1	-	-	-
FEMALE--	4	2	7	2	3	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,737
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MOTOR VEHICLE TRAFFIC ACCIDENTS (E810-E819)												
0 UNITED STATES --	42,331	172	703	854	1,102	5,094	5,349	4,080	3,844	3,495	2,904	2,402
WHITE-----MALE----	23,534	62	267	383	528	2,827	3,416	2,448	2,281	2,003	1,640	1,357
FEMALE--	11,792	64	236	245	353	1,523	1,015	837	874	834	724	601
ALL OTHER--MALE----	4,863	29	116	135	138	524	699	592	482	469	376	313
FEMALE--	2,142	17	84	91	83	220	219	203	207	189	164	131
BLACK---MALE----	3,817	26	99	113	112	413	518	456	377	377	312	249
FEMALE--	1,545	14	71	72	60	149	143	142	159	148	122	85
ALABAMA -----	1,126	7	15	25	25	149	145	112	115	98	84	51
WHITE-----MALE----	578	3	5	11	12	87	87	65	59	44	34	25
FEMALE--	273	1	5	4	7	41	26	17	29	20	23	9
ALL OTHER--MALE----	191	1	4	5	5	15	29	22	18	21	22	13
FEMALE--	84	2	1	5	1	6	3	8	9	13	5	4
BLACK---MALE----	186	1	4	5	5	15	27	20	18	20	22	13
FEMALE--	83	2	1	5	1	6	3	8	8	13	5	4
ALASKA -----	88	1	4	3	3	9	5	13	8	7	3	5
WHITE-----MALE----	44	-	1	1	2	5	4	6	2	2	2	5
FEMALE--	21	1	1	2	1	2	-	3	1	2	-	-
ALL OTHER--MALE----	14	-	1	-	-	1	-	1	4	3	1	-
FEMALE--	9	-	1	-	-	1	1	3	1	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	-
ARIZONA -----	976	6	29	18	30	102	124	91	84	81	78	57
WHITE-----MALE----	518	3	9	6	17	55	62	58	47	49	44	32
FEMALE--	257	3	15	4	11	24	18	17	19	14	16	15
ALL OTHER--MALE----	154	-	2	6	-	20	35	12	14	15	14	9
FEMALE--	47	-	3	2	2	3	9	4	4	3	4	1
BLACK---MALE----	24	-	1	3	-	2	3	1	1	5	2	-
FEMALE--	10	-	-	1	1	-	1	-	-	2	2	-
ARKANSAS -----	631	4	9	9	23	87	78	67	54	43	40	34
WHITE-----MALE----	361	4	4	4	11	46	48	37	34	25	26	18
FEMALE--	156	-	1	3	7	19	18	17	10	10	6	11
ALL OTHER--MALE----	81	-	2	2	2	19	9	10	6	6	6	4
FEMALE--	33	-	2	-	3	3	3	3	4	2	2	1
BLACK---MALE----	78	-	2	2	1	19	9	10	6	6	6	3
FEMALE--	30	-	2	-	3	3	2	2	4	2	2	1
CALIFORNIA -----	4,299	29	86	109	101	433	548	440	417	391	279	283
WHITE-----MALE----	2,485	9	39	47	51	234	382	281	266	227	165	174
FEMALE--	1,107	14	33	29	32	129	88	88	96	94	63	65
ALL OTHER--MALE----	466	3	7	25	12	48	57	50	42	44	33	26
FEMALE--	241	3	7	8	6	22	21	21	13	26	18	18
BLACK---MALE----	243	2	4	19	7	25	26	31	27	27	23	12
FEMALE--	96	2	7	3	3	8	6	10	9	12	8	5

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,737
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MOTOR VEHICLE TRAFFIC ACCIDENTS (E810-E819)												
0 UNITED STATES --	1,849	1,522	1,499	1,528	1,701	1,715	1,384	822	236	41	3	32
WHITE-----MALE----	1,048	832	800	777	783	816	686	414	118	18	2	28
FEMALE--	498	450	469	553	707	745	587	358	97	19	1	2
ALL OTHER--MALE----	195	167	140	128	133	103	67	38	13	4	-	2
FEMALE--	108	73	90	70	78	51	44	12	8	-	-	-
BLACK---MALE----	153	122	109	99	107	82	49	28	10	4	-	2
FEMALE--	72	53	67	43	64	30	34	10	7	-	-	-
ALABAMA -----	40	33	59	38	34	36	34	19	7	-	-	-
WHITE-----MALE----	25	19	25	17	14	18	16	9	3	-	-	-
FEMALE--	4	7	22	16	12	10	13	5	2	-	-	-
ALL OTHER--MALE----	9	4	5	4	5	2	2	3	2	-	-	-
FEMALE--	2	3	7	1	3	6	3	2	-	-	-	-
BLACK---MALE----	9	4	5	4	5	2	2	3	2	-	-	-
FEMALE--	2	3	7	1	3	6	3	2	-	-	-	-
ALASKA -----	5	5	5	8	3	-	1	-	-	-	-	-
WHITE-----MALE----	2	4	2	3	2	-	1	-	-	-	-	-
FEMALE--	1	-	2	4	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	45	35	31	35	37	40	23	21	4	-	1	4
WHITE-----MALE----	21	20	15	17	13	22	13	8	2	-	1	4
FEMALE--	14	8	8	13	19	15	10	12	2	-	-	-
ALL OTHER--MALE----	6	7	6	3	3	1	-	1	-	-	-	-
FEMALE--	4	-	2	2	2	2	-	-	-	-	-	-
BLACK---MALE----	1	1	1	-	1	1	-	1	-	-	-	-
FEMALE--	1	-	1	-	-	1	-	-	-	-	-	-
ARKANSAS -----	21	26	23	34	27	25	15	10	-	1	-	1
WHITE-----MALE----	12	18	13	20	13	13	7	6	-	1	-	1
FEMALE--	7	5	6	10	10	8	7	1	-	-	-	-
ALL OTHER--MALE----	-	1	1	3	3	3	1	3	-	-	-	-
FEMALE--	2	2	3	1	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	3	3	3	1	3	-	-	-	-
FEMALE--	1	2	3	1	1	1	-	-	-	-	-	-
CALIFORNIA -----	210	159	144	126	176	148	129	62	18	2	-	9
WHITE-----MALE----	124	78	69	62	94	73	62	29	9	1	-	9
FEMALE--	50	47	46	41	55	55	47	26	8	1	-	-
ALL OTHER--MALE----	19	24	18	11	18	11	11	6	1	-	-	-
FEMALE--	17	10	11	12	9	9	9	1	-	-	-	-
BLACK---MALE----	5	12	9	2	5	2	4	1	-	-	-	-
FEMALE--	7	4	3	2	4	-	3	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,738
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MOTOR VEHICLE TRAFFIC ACCIDENTS (E810-E819)												
COLORADO -----	687	6	13	10	27	92	83	86	58	65	43	36
WHITE-----MALE----	411	2	7	6	15	49	56	53	44	40	24	22
FEMALE--	221	3	5	3	10	37	22	21	9	20	14	13
ALL OTHER--MALE----	37	-	1	1	2	3	5	8	5	5	2	1
FEMALE--	18	1	-	-	-	3	-	4	-	-	3	-
BLACK---MALE----	19	-	-	-	2	1	3	4	4	2	1	1
FEMALE--	7	-	-	-	-	1	-	3	-	-	2	-
CONNECTICUT -----	344	1	4	2	5	37	49	41	27	26	21	25
WHITE-----MALE----	203	1	2	1	3	27	30	30	15	15	11	14
FEMALE--	103	-	1	-	1	7	14	6	8	7	5	8
ALL OTHER--MALE----	26	-	1	-	1	2	1	5	4	4	3	3
FEMALE--	12	-	-	1	-	1	4	-	-	-	2	-
BLACK---MALE----	24	-	1	-	1	2	-	5	4	3	3	3
FEMALE--	10	-	-	1	-	1	3	-	-	-	2	-
DELAWARE -----	125	-	2	3	2	12	15	8	17	12	10	8
WHITE-----MALE----	63	-	2	2	-	6	7	5	9	8	7	4
FEMALE--	31	-	-	-	2	3	3	1	3	1	3	1
ALL OTHER--MALE----	14	-	-	1	-	-	3	2	1	1	-	2
FEMALE--	17	-	-	-	-	3	2	-	4	2	-	1
BLACK---MALE----	14	-	-	1	-	-	3	2	1	1	-	2
FEMALE--	15	-	-	-	-	3	2	-	3	2	-	-
DISTRICT OF COLUMBIA ----	67	-	1	3	-	5	7	7	6	5	7	3
WHITE-----MALE----	12	-	-	1	-	-	2	1	1	1	-	1
FEMALE--	3	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	39	-	-	2	-	3	4	4	5	3	4	2
FEMALE--	13	-	1	-	-	2	1	1	-	1	3	-
BLACK---MALE----	38	-	-	2	-	3	4	4	5	3	4	2
FEMALE--	13	-	1	-	-	2	1	1	-	1	3	-
FLORIDA -----	2,750	7	31	51	59	271	301	246	236	244	213	158
WHITE-----MALE----	1,550	1	9	22	24	156	211	154	139	140	131	93
FEMALE--	779	4	11	12	14	79	50	51	61	61	41	38
ALL OTHER--MALE----	298	1	8	14	13	24	35	33	21	32	25	18
FEMALE--	123	1	3	3	8	12	5	8	15	11	16	9
BLACK---MALE----	273	1	8	13	12	24	28	31	19	29	25	13
FEMALE--	116	1	3	3	8	11	4	7	15	11	14	9
GEORGIA -----	1,508	9	32	32	44	180	196	148	146	112	105	92
WHITE-----MALE----	699	3	8	15	17	90	93	68	70	47	44	44
FEMALE--	373	3	7	3	14	49	45	28	25	30	24	20
ALL OTHER--MALE----	311	2	11	8	11	33	45	39	37	22	30	19
FEMALE--	125	1	6	6	2	8	13	13	14	13	7	9
BLACK---MALE----	302	2	11	8	11	33	44	38	36	21	29	19
FEMALE--	116	1	6	6	2	7	12	12	14	13	6	6

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,738
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MOTOR VEHICLE TRAFFIC ACCIDENTS (E810-E819)												
COLORADO -----	30	25	22	22	21	19	18	9	1	1	-	-
WHITE-----MALE----	21	15	12	9	13	7	9	5	1	1	-	-
FEMALE--	8	9	9	8	8	10	8	4	-	-	-	-
ALL OTHER--MALE----	-	1	-	2	-	1	-	-	-	-	-	-
FEMALE--	1	-	1	3	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	17	11	18	8	14	11	13	13	1	-	-	-
WHITE-----MALE----	15	4	8	3	6	5	6	6	1	-	-	-
FEMALE--	2	6	8	4	6	6	7	7	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	2	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	1	-	-	-	-	-	-	-
DELAWARE -----	6	6	3	4	3	5	4	3	2	-	-	-
WHITE-----MALE----	1	3	3	2	2	-	1	1	-	-	-	-
FEMALE--	-	1	-	2	1	4	2	2	2	-	-	-
ALL OTHER--MALE----	1	2	-	-	-	1	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	2	-	-	-	1	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	1	-	-	-	-	-
DISTRICT OF COLUMBIA ----	5	2	2	3	4	2	4	1	-	-	-	-
WHITE-----MALE----	-	1	-	1	2	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	2	2	1	1	3	-	-	-	-	-
FEMALE--	1	1	-	-	1	1	1	-	-	-	-	-
BLACK---MALE----	2	-	2	2	1	1	3	-	-	-	-	-
FEMALE--	1	1	-	-	-	1	1	-	-	-	-	-
FLORIDA -----	116	104	92	101	138	160	116	73	21	8	1	3
WHITE-----MALE----	66	59	47	57	54	75	62	32	11	4	-	3
FEMALE--	28	24	31	34	65	71	51	39	9	4	1	-
ALL OTHER--MALE----	21	13	9	5	13	10	3	-	-	-	-	-
FEMALE--	1	8	5	5	6	4	-	2	1	-	-	-
BLACK---MALE----	21	11	8	5	13	10	2	-	-	-	-	-
FEMALE--	1	7	5	5	6	3	-	2	1	-	-	-
GEORGIA -----	87	54	54	53	34	55	49	18	5	3	-	-
WHITE-----MALE----	44	31	28	21	22	19	23	9	2	1	-	-
FEMALE--	17	8	15	19	10	25	20	7	3	1	-	-
ALL OTHER--MALE----	18	9	7	7	1	7	2	2	-	1	-	-
FEMALE--	8	6	4	6	1	4	4	-	-	-	-	-
BLACK---MALE----	16	9	5	7	1	7	2	2	-	1	-	-
FEMALE--	7	6	4	6	-	4	4	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,739
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MOTOR VEHICLE TRAFFIC ACCIDENTS (E810-E819)												
HAWAII -----	139	-	5	5	3	13	28	13	14	12	10	7
WHITE-----MALE----	31	-	1	1	-	2	6	3	2	4	4	3
FEMALE--	11	-	-	-	1	-	1	-	3	1	1	1
ALL OTHER--MALE----	80	-	2	4	1	8	18	9	9	7	3	2
FEMALE--	17	-	2	-	1	3	3	1	-	-	2	1
BLACK---MALE----	4	-	-	-	-	-	-	3	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	260	1	5	7	12	44	37	14	15	18	16	14
WHITE-----MALE----	163	1	2	5	6	25	27	8	8	12	11	9
FEMALE--	83	-	2	2	5	16	9	4	5	5	3	5
ALL OTHER--MALE----	11	-	1	-	1	2	-	2	2	1	1	-
FEMALE--	3	-	-	-	-	1	1	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	1,692	5	40	32	52	220	218	147	154	142	109	94
WHITE-----MALE----	925	4	14	18	21	126	130	94	96	89	52	50
FEMALE--	461	-	9	7	14	72	47	24	33	28	29	20
ALL OTHER--MALE----	222	1	11	3	12	16	31	22	17	15	23	17
FEMALE--	84	-	6	4	5	6	10	7	8	10	5	7
BLACK---MALE----	197	1	10	3	10	13	29	20	16	13	20	14
FEMALE--	72	-	6	4	4	5	8	6	5	10	5	5
INDIANA -----	966	5	17	25	23	110	157	80	74	79	54	59
WHITE-----MALE----	581	2	8	12	15	67	110	50	42	49	33	40
FEMALE--	304	3	4	10	5	36	31	21	24	20	17	16
ALL OTHER--MALE----	53	-	3	2	1	5	13	5	6	5	3	2
FEMALE--	28	-	2	1	2	2	3	4	2	5	1	1
BLACK---MALE----	47	-	3	2	1	4	10	5	6	5	2	2
FEMALE--	18	-	2	1	1	-	1	4	1	3	1	1
IOWA -----	539	2	12	15	15	87	75	41	31	34	38	27
WHITE-----MALE----	330	1	6	11	8	57	54	25	21	20	19	17
FEMALE--	191	1	5	2	6	27	21	12	9	13	18	9
ALL OTHER--MALE----	12	-	1	1	1	2	-	3	-	1	1	1
FEMALE--	6	-	-	1	-	1	-	1	1	-	-	-
BLACK---MALE----	8	-	-	1	1	-	-	2	-	1	1	1
FEMALE--	3	-	-	1	-	-	-	1	-	-	-	-
KANSAS -----	438	-	6	11	9	51	54	31	47	32	25	27
WHITE-----MALE----	266	-	4	5	6	28	34	20	33	21	17	20
FEMALE--	142	-	2	4	1	18	15	6	9	9	6	6
ALL OTHER--MALE----	19	-	-	-	2	4	3	3	3	2	-	1
FEMALE--	11	-	-	2	-	1	2	2	2	-	2	-
BLACK---MALE----	14	-	-	-	1	4	1	3	2	2	-	-
FEMALE--	5	-	-	1	-	-	-	1	2	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,740
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MOTOR VEHICLE TRAFFIC ACCIDENTS (E810-E819)												
KENTUCKY -----	835	2	15	11	17	126	107	81	88	58	48	47
WHITE-----MALE----	510	-	8	4	11	82	74	45	63	35	29	31
FEMALE--	274	1	6	5	6	37	22	28	19	20	15	14
ALL OTHER--MALE----	35	-	1	1	-	5	7	7	4	2	3	2
FEMALE--	16	1	-	1	-	2	4	1	2	1	1	-
BLACK---MALE----	30	-	1	1	-	5	6	5	3	1	3	2
FEMALE--	14	1	-	1	-	2	3	1	2	1	1	-
LOUISIANA -----	899	2	16	18	38	133	119	94	89	66	71	40
WHITE-----MALE----	427	1	3	8	17	67	62	44	41	31	29	21
FEMALE--	203	-	4	3	14	31	19	16	16	17	14	6
ALL OTHER--MALE----	181	-	3	4	3	21	26	24	22	14	18	13
FEMALE--	88	1	6	3	4	14	12	10	10	4	10	-
BLACK---MALE----	174	-	3	4	2	20	24	23	22	13	18	12
FEMALE--	82	1	6	3	4	12	9	10	10	4	10	-
MAINE -----	175	1	2	1	6	12	30	12	14	14	10	7
WHITE-----MALE----	112	-	-	1	3	7	24	10	9	8	8	3
FEMALE--	62	1	2	-	3	5	5	2	5	6	2	4
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	668	2	16	13	19	81	75	55	69	60	42	29
WHITE-----MALE----	314	-	3	1	6	43	51	28	31	29	23	12
FEMALE--	159	-	4	5	3	16	10	7	15	9	11	4
ALL OTHER--MALE----	127	1	3	4	6	17	10	14	13	18	6	7
FEMALE--	68	1	6	3	4	5	4	6	10	4	2	6
BLACK---MALE----	115	-	3	4	5	17	10	12	12	14	5	7
FEMALE--	55	1	5	3	4	4	2	5	9	4	2	5
MASSACHUSETTS -----	482	-	3	5	14	48	59	40	50	34	30	21
WHITE-----MALE----	293	-	1	1	6	27	39	27	34	21	21	14
FEMALE--	155	-	-	1	6	17	14	8	14	12	8	5
ALL OTHER--MALE----	27	-	2	2	2	3	4	4	2	1	1	1
FEMALE--	7	-	-	1	-	1	2	1	-	-	-	1
BLACK---MALE----	23	-	1	2	2	3	4	2	2	1	1	1
FEMALE--	4	-	-	-	-	1	1	1	-	-	-	-
MICHIGAN -----	1,585	6	25	42	36	182	202	132	142	151	102	84
WHITE-----MALE----	826	2	14	23	11	84	121	77	85	77	57	45
FEMALE--	493	1	8	12	18	73	40	29	39	41	24	19
ALL OTHER--MALE----	176	1	1	3	5	16	29	18	10	24	14	14
FEMALE--	90	2	2	4	2	9	12	8	8	9	7	6
BLACK---MALE----	158	1	1	3	4	15	25	15	8	23	13	13
FEMALE--	74	2	2	3	2	7	10	4	7	8	7	5

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,740
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MOTOR VEHICLE TRAFFIC ACCIDENTS (E810-E819)												
KENTUCKY -----	26	38	30	41	31	28	29	10	2	-	-	-
WHITE-----MALE----	20	19	16	25	12	16	15	4	1	-	-	-
FEMALE--	6	17	12	15	18	12	14	6	1	-	-	-
ALL OTHER--MALE----	-	-	2	1	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	2	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
LOUISIANA -----	29	29	33	22	25	28	28	16	2	1	-	-
WHITE-----MALE----	15	15	18	10	8	14	13	9	1	-	-	-
FEMALE--	5	6	7	6	12	13	10	4	-	-	-	-
ALL OTHER--MALE----	7	7	6	3	3	1	2	2	1	1	-	-
FEMALE--	2	1	2	3	2	-	3	1	-	-	-	-
BLACK---MALE----	7	7	6	3	3	1	2	2	1	1	-	-
FEMALE--	1	1	2	3	2	-	3	1	-	-	-	-
MAINE -----	7	4	6	12	11	12	9	4	1	-	-	-
WHITE-----MALE----	3	1	4	9	7	7	5	3	-	-	-	-
FEMALE--	4	3	2	3	4	5	4	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	34	17	29	32	36	19	23	13	3	-	-	1
WHITE-----MALE----	14	8	17	12	11	7	8	8	1	-	-	1
FEMALE--	6	5	6	13	22	7	10	4	2	-	-	-
ALL OTHER--MALE----	10	3	4	4	3	1	2	1	-	-	-	-
FEMALE--	4	1	2	3	-	4	3	-	-	-	-	-
BLACK---MALE----	10	2	3	4	3	1	2	1	-	-	-	-
FEMALE--	3	1	1	1	-	2	3	-	-	-	-	-
MASSACHUSETTS -----	22	12	14	23	20	42	23	17	3	1	-	1
WHITE-----MALE----	16	10	8	10	11	24	11	10	2	-	-	-
FEMALE--	5	2	6	12	8	17	12	6	1	1	-	-
ALL OTHER--MALE----	1	-	-	-	1	1	-	1	-	-	-	1
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	1	-	-	-	-	-	1
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
MICHIGAN -----	70	59	54	57	70	81	52	27	10	1	-	-
WHITE-----MALE----	35	34	22	27	30	34	27	14	6	1	-	-
FEMALE--	24	19	20	21	28	40	23	10	4	-	-	-
ALL OTHER--MALE----	4	4	9	7	9	5	2	1	-	-	-	-
FEMALE--	7	2	3	2	3	2	-	2	-	-	-	-
BLACK---MALE----	3	3	9	7	8	4	2	1	-	-	-	-
FEMALE--	4	2	3	1	3	2	-	2	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,741
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MOTOR VEHICLE TRAFFIC ACCIDENTS (E810-E819)												
MINNESOTA -----	629	-	5	5	15	67	106	63	53	58	37	29
WHITE-----MALE----	375	-	3	1	7	31	76	45	37	36	24	16
FEMALE--	202	-	2	3	3	31	24	10	9	14	11	11
ALL OTHER--MALE----	29	-	-	1	2	2	4	5	3	5	1	1
FEMALE--	23	-	-	-	3	3	2	3	4	3	1	1
BLACK---MALE----	6	-	-	-	1	1	-	-	-	2	-	-
FEMALE--	4	-	-	-	-	2	1	-	1	-	-	-
MISSISSIPPI -----	888	3	25	17	20	110	115	86	89	76	62	61
WHITE-----MALE----	374	1	3	5	7	45	50	38	36	38	30	22
FEMALE--	200	-	5	4	7	31	20	13	18	12	7	14
ALL OTHER--MALE----	223	2	8	4	4	22	33	25	25	22	19	14
FEMALE--	91	-	9	4	2	12	12	10	10	4	6	11
BLACK---MALE----	217	2	8	4	4	22	32	24	23	22	18	13
FEMALE--	86	-	9	4	2	11	12	10	10	4	5	8
MISSOURI -----	1,079	-	14	18	19	148	142	117	107	85	69	52
WHITE-----MALE----	679	-	7	9	12	87	107	79	66	60	44	39
FEMALE--	306	-	5	7	3	50	21	27	29	15	24	9
ALL OTHER--MALE----	66	-	2	-	1	8	10	9	6	9	1	2
FEMALE--	28	-	-	2	3	3	4	2	6	1	-	2
BLACK---MALE----	55	-	2	-	1	6	5	8	5	8	1	2
FEMALE--	22	-	-	2	3	3	2	2	4	-	-	2
MONTANA -----	184	2	1	5	5	24	16	16	19	18	13	8
WHITE-----MALE----	102	1	1	4	2	12	9	11	11	6	6	3
FEMALE--	52	1	-	1	1	7	3	2	6	7	3	5
ALL OTHER--MALE----	25	-	-	-	2	5	4	2	2	4	1	-
FEMALE--	5	-	-	-	-	-	-	1	-	1	3	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	241	1	4	5	6	35	31	19	20	15	21	19
WHITE-----MALE----	146	1	1	1	4	26	23	10	13	9	12	11
FEMALE--	86	-	2	3	2	8	7	7	6	5	9	8
ALL OTHER--MALE----	5	-	1	1	-	-	1	2	-	-	-	-
FEMALE--	4	-	-	-	-	1	-	-	1	1	-	-
BLACK---MALE----	2	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	296	2	4	10	13	29	23	33	25	29	26	15
WHITE-----MALE----	177	1	1	5	10	17	12	16	14	19	14	13
FEMALE--	83	1	3	5	3	6	8	8	6	6	9	2
ALL OTHER--MALE----	23	-	-	-	-	4	1	6	3	3	3	-
FEMALE--	13	-	-	-	-	2	2	3	2	1	-	-
BLACK---MALE----	14	-	-	-	-	1	1	3	2	2	2	-
FEMALE--	4	-	-	-	-	-	1	2	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,741
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MOTOR VEHICLE TRAFFIC ACCIDENTS (E810-E819)												
MINNESOTA -----	20	16	20	22	38	24	32	17	2	-	-	-
WHITE-----MALE----	13	9	9	12	20	10	19	7	-	-	-	-
FEMALE--	4	6	11	8	18	14	11	10	2	-	-	-
ALL OTHER--MALE----	1	1	-	2	-	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	35	36	27	31	21	35	25	8	5	1	-	-
WHITE-----MALE----	8	22	17	15	8	13	12	3	1	-	-	-
FEMALE--	16	6	4	7	7	14	8	5	1	1	-	-
ALL OTHER--MALE----	9	7	4	8	4	7	3	-	3	-	-	-
FEMALE--	2	1	2	1	2	1	2	-	-	-	-	-
BLACK---MALE----	9	7	4	8	4	7	3	-	3	-	-	-
FEMALE--	2	1	2	1	2	1	2	-	-	-	-	-
MISSOURI -----	48	28	46	35	45	43	25	31	6	1	-	-
WHITE-----MALE----	22	17	30	21	24	24	16	12	2	1	-	-
FEMALE--	20	9	12	9	18	19	7	18	4	-	-	-
ALL OTHER--MALE----	6	1	3	4	1	-	2	1	-	-	-	-
FEMALE--	-	1	1	1	2	-	1	-	-	-	-	-
BLACK---MALE----	5	1	3	4	1	-	2	1	-	-	-	-
FEMALE--	-	-	-	1	2	-	-	-	-	-	-	-
MONTANA -----	7	8	5	8	6	6	7	6	4	-	-	-
WHITE-----MALE----	5	3	4	5	5	5	2	4	3	-	-	-
FEMALE--	1	2	1	3	1	1	4	2	1	-	-	-
ALL OTHER--MALE----	1	3	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	9	5	7	12	14	8	6	3	1	-	-	-
WHITE-----MALE----	5	4	3	6	8	6	2	1	-	-	-	-
FEMALE--	3	1	4	6	6	2	4	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	16	15	18	6	16	5	5	5	1	-	-	-
WHITE-----MALE----	11	9	14	4	8	5	2	1	1	-	-	-
FEMALE--	3	5	4	2	5	-	3	4	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	2	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,743
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MOTOR VEHICLE TRAFFIC ACCIDENTS (E810-E819)												
OHIO -----	1,350	3	23	29	33	199	177	112	116	103	88	73
WHITE-----MALE----	798	2	10	11	14	116	126	78	71	66	50	53
FEMALE--	422	1	7	13	12	63	42	21	31	25	32	16
ALL OTHER--MALE----	101	-	5	3	3	19	8	8	12	10	3	4
FEMALE--	29	-	1	2	4	1	1	5	2	2	3	-
BLACK---MALE----	95	-	5	3	3	18	8	7	12	10	3	4
FEMALE--	26	-	1	2	4	1	-	5	2	2	3	-
OKLAHOMA -----	717	1	13	14	23	102	85	57	73	59	50	39
WHITE-----MALE----	392	-	6	5	17	52	56	31	39	33	28	17
FEMALE--	217	1	4	6	4	34	13	16	21	14	16	12
ALL OTHER--MALE----	72	-	2	-	-	15	10	7	10	7	4	9
FEMALE--	36	-	1	3	2	1	6	3	3	5	2	1
BLACK---MALE----	28	-	1	-	-	6	3	2	3	3	2	5
FEMALE--	14	-	1	2	1	-	3	-	1	-	1	1
OREGON -----	586	3	14	12	17	71	67	53	51	54	44	38
WHITE-----MALE----	344	2	6	7	7	36	35	41	38	33	30	19
FEMALE--	206	-	6	4	7	28	22	12	9	20	11	17
ALL OTHER--MALE----	25	-	1	-	2	5	7	-	4	1	1	2
FEMALE--	11	1	1	1	1	2	3	-	-	-	2	-
BLACK---MALE----	7	-	-	-	-	1	3	-	1	1	-	1
FEMALE--	3	-	-	-	-	-	1	-	-	-	2	-
PENNSYLVANIA -----	1,541	4	25	25	32	164	184	141	137	114	86	87
WHITE-----MALE----	891	-	10	10	17	93	124	96	89	72	57	47
FEMALE--	494	3	12	7	12	53	47	30	35	27	22	28
ALL OTHER--MALE----	115	1	2	5	2	14	12	12	10	9	7	10
FEMALE--	41	-	1	3	1	4	1	3	3	6	-	2
BLACK---MALE----	104	1	1	5	2	14	11	10	8	8	7	10
FEMALE--	35	-	1	3	1	4	1	3	2	5	-	1
RHODE ISLAND -----	80	1	1	2	2	8	6	10	10	2	3	5
WHITE-----MALE----	48	-	1	2	1	8	5	7	5	-	2	3
FEMALE--	31	1	-	-	1	-	1	3	5	1	1	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	841	6	9	19	22	109	105	83	79	72	74	48
WHITE-----MALE----	368	-	2	5	5	56	43	36	39	32	34	23
FEMALE--	204	2	3	7	6	25	21	19	19	10	17	9
ALL OTHER--MALE----	187	2	3	1	6	18	33	21	14	17	20	13
FEMALE--	82	2	1	6	5	10	8	7	7	13	3	3
BLACK---MALE----	185	2	3	1	6	18	33	20	14	17	20	13
FEMALE--	80	2	1	6	5	10	7	7	7	13	3	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,743
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MOTOR VEHICLE TRAFFIC ACCIDENTS (E810-E819)												
OHIO -----	64	52	47	53	49	56	40	15	15	2	1	-
WHITE-----MALE----	45	26	23	25	18	23	22	7	11	-	1	-
FEMALE--	11	20	16	23	27	32	17	8	3	2	-	-
ALL OTHER--MALE----	5	5	6	3	4	1	1	-	1	-	-	-
FEMALE--	3	1	2	2	-	-	-	-	-	-	-	-
BLACK---MALE----	4	3	6	2	4	1	1	-	1	-	-	-
FEMALE--	3	1	2	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	27	31	27	21	20	32	18	19	4	1	-	1
WHITE-----MALE----	11	19	13	15	10	19	9	10	1	1	-	-
FEMALE--	10	10	10	6	10	12	6	9	2	-	-	1
ALL OTHER--MALE----	2	2	1	-	-	-	3	-	-	-	-	-
FEMALE--	4	-	3	-	-	1	-	-	1	-	-	-
BLACK---MALE----	1	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	1	-	-	1	-	-	1	-	-	-
OREGON -----	29	22	14	15	20	23	25	10	4	-	-	-
WHITE-----MALE----	19	17	8	7	9	11	13	5	1	-	-	-
FEMALE--	9	5	6	8	11	12	12	5	2	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	68	50	61	57	98	82	69	39	17	1	-	-
WHITE-----MALE----	37	30	31	26	42	43	38	22	7	-	-	-
FEMALE--	25	16	20	25	43	33	31	15	9	1	-	-
ALL OTHER--MALE----	4	3	6	4	10	3	-	-	1	-	-	-
FEMALE--	2	1	4	2	3	3	-	2	-	-	-	-
BLACK---MALE----	4	2	5	3	9	3	-	-	1	-	-	-
FEMALE--	2	1	3	2	3	1	-	2	-	-	-	-
RHODE ISLAND -----	-	3	2	3	11	4	5	1	1	-	-	-
WHITE-----MALE----	-	2	-	1	7	2	1	1	-	-	-	-
FEMALE--	-	1	2	2	4	2	4	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	45	30	25	23	33	30	16	10	3	-	-	-
WHITE-----MALE----	20	12	12	14	11	13	5	5	1	-	-	-
FEMALE--	16	7	4	5	12	11	7	3	1	-	-	-
ALL OTHER--MALE----	4	9	6	3	6	5	3	2	1	-	-	-
FEMALE--	5	2	3	1	4	1	1	-	-	-	-	-
BLACK---MALE----	4	8	6	3	6	5	3	2	1	-	-	-
FEMALE--	5	2	2	1	4	1	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,744
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MOTOR VEHICLE TRAFFIC ACCIDENTS (E810-E819)												
SOUTH DAKOTA -----	151	-	1	2	4	17	19	17	20	9	10	11
WHITE-----MALE----	78	-	-	-	4	6	8	9	8	5	6	6
FEMALE--	36	-	-	1	-	7	3	3	3	3	2	2
ALL OTHER--MALE----	21	-	-	-	-	2	4	5	5	1	1	1
FEMALE--	16	-	1	1	-	2	4	-	4	-	1	2
BLACK---MALE----	2	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1,266	9	15	23	25	173	171	133	104	102	100	73
WHITE-----MALE----	755	2	5	12	12	107	120	80	68	68	58	31
FEMALE--	322	6	5	5	9	47	21	34	21	22	21	20
ALL OTHER--MALE----	128	1	3	4	3	13	23	16	9	10	14	16
FEMALE--	61	-	2	2	1	6	7	3	6	2	7	6
BLACK---MALE----	123	1	3	4	3	12	21	15	8	10	14	16
FEMALE--	57	-	2	2	1	4	6	3	6	2	7	6
TEXAS -----	3,267	16	58	70	93	371	424	366	321	290	235	191
WHITE-----MALE----	1,938	5	25	31	46	235	287	226	204	184	137	106
FEMALE--	899	7	23	19	35	104	84	82	63	66	67	58
ALL OTHER--MALE----	300	4	5	13	9	25	39	42	42	29	16	17
FEMALE--	130	-	5	7	3	7	14	16	12	11	15	10
BLACK---MALE----	269	4	5	11	8	21	35	37	40	27	13	14
FEMALE--	108	-	5	6	3	7	13	11	11	10	9	9
UTAH -----	315	2	9	12	12	59	40	23	24	21	23	12
WHITE-----MALE----	202	1	5	7	6	33	29	18	14	12	16	8
FEMALE--	100	-	4	3	6	25	9	4	7	7	7	4
ALL OTHER--MALE----	8	1	-	-	-	1	1	1	2	1	-	-
FEMALE--	5	-	-	2	-	-	-	-	1	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	92	-	1	4	2	12	19	3	8	12	4	4
WHITE-----MALE----	65	-	1	2	-	9	18	2	6	8	2	4
FEMALE--	27	-	-	2	2	3	1	1	2	4	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	899	2	10	16	22	123	123	82	78	81	66	57
WHITE-----MALE----	449	1	3	8	8	60	74	40	48	38	35	32
FEMALE--	227	-	2	3	10	30	16	18	12	20	17	12
ALL OTHER--MALE----	146	-	4	2	2	19	24	15	15	17	7	11
FEMALE--	77	1	1	3	2	14	9	9	3	6	7	2
BLACK---MALE----	133	-	4	1	2	18	23	13	12	17	6	10
FEMALE--	66	1	1	3	-	12	9	5	3	6	6	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,744
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MOTOR VEHICLE TRAFFIC ACCIDENTS (E810-E819)												
SOUTH DAKOTA -----	5	4	6	12	4	5	2	2	1	-	-	-
WHITE-----MALE----	4	3	3	7	4	1	2	1	1	-	-	-
FEMALE--	1	-	2	5	-	3	-	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	52	44	40	46	45	54	25	23	6	1	-	2
WHITE-----MALE----	36	28	24	24	25	27	10	12	3	1	-	2
FEMALE--	11	13	10	18	14	22	11	11	1	-	-	-
ALL OTHER--MALE----	3	-	3	3	1	4	2	-	-	-	-	-
FEMALE--	2	3	3	1	5	1	2	-	2	-	-	-
BLACK---MALE----	3	-	3	3	1	4	2	-	-	-	-	-
FEMALE--	1	3	3	1	5	1	2	-	2	-	-	-
TEXAS -----	134	118	107	115	110	71	91	63	13	4	-	6
WHITE-----MALE----	79	63	67	65	53	41	46	29	3	1	-	5
FEMALE--	37	42	30	33	45	27	39	29	8	1	-	-
ALL OTHER--MALE----	12	11	6	12	7	1	2	5	-	2	-	1
FEMALE--	6	2	4	5	5	2	4	-	2	-	-	-
BLACK---MALE----	12	10	6	10	6	1	1	5	-	2	-	1
FEMALE--	5	1	4	2	4	2	4	-	2	-	-	-
UTAH -----	13	9	11	6	15	11	7	3	3	-	-	-
WHITE-----MALE----	11	6	7	4	11	6	5	1	2	-	-	-
FEMALE--	2	3	4	2	3	5	2	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	2	3	2	3	3	4	4	1	1	-	-	-
WHITE-----MALE----	2	2	1	1	1	3	2	1	-	-	-	-
FEMALE--	-	1	1	2	2	1	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	49	30	28	29	38	31	18	13	3	-	-	-
WHITE-----MALE----	24	13	11	15	11	13	7	8	-	-	-	-
FEMALE--	15	11	7	8	18	14	8	4	2	-	-	-
ALL OTHER--MALE----	6	4	3	4	5	4	2	1	1	-	-	-
FEMALE--	4	2	7	2	4	-	1	-	-	-	-	-
BLACK---MALE----	5	4	2	4	5	4	2	-	1	-	-	-
FEMALE--	4	2	7	2	3	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,746
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 INVOLVING COLLISION WITH TRAIN (E810)												
0 UNITED STATES --	514	2	10	12	18	73	52	47	51	29	44	38
WHITE-----MALE----	293	1	4	7	11	36	29	31	32	20	24	21
FEMALE--	142	1	2	3	5	28	16	6	12	5	10	12
ALL OTHER--MALE----	53	-	3	1	-	6	4	6	5	2	9	4
FEMALE--	26	-	1	1	2	3	3	4	2	2	1	1
BLACK---MALE----	42	-	3	1	-	3	2	4	4	2	9	3
FEMALE--	21	-	1	1	2	1	2	4	1	2	1	-
ALABAMA -----	10	-	-	-	1	1	1	2	2	-	2	-
WHITE-----MALE----	6	-	-	-	1	-	-	1	2	-	1	-
FEMALE--	3	-	-	-	-	1	1	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	3	-	1	-	-	1	1	-	-	-	-	-
WHITE-----MALE----	3	-	1	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	18	-	-	-	1	3	-	1	2	2	2	3
WHITE-----MALE----	10	-	-	-	1	1	-	1	1	-	2	2
FEMALE--	5	-	-	-	-	2	-	-	-	1	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
CALIFORNIA -----	22	-	-	-	-	4	3	3	1	-	1	4
WHITE-----MALE----	9	-	-	-	-	-	1	1	1	-	-	2
FEMALE--	3	-	-	-	-	1	-	-	-	-	-	1
ALL OTHER--MALE----	6	-	-	-	-	2	1	1	-	-	1	-
FEMALE--	4	-	-	-	-	1	1	1	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,752
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 INVOLVING COLLISION WITH TRAIN (E810)												
OHIO -----	33	-	-	1	-	7	4	-	7	2	1	4
WHITE-----MALE----	20	-	-	-	-	5	2	-	4	2	-	3
FEMALE--	13	-	-	1	-	2	2	-	3	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	15	-	-	-	1	3	1	1	2	-	3	-
WHITE-----MALE----	8	-	-	-	1	1	-	1	1	-	2	-
FEMALE--	5	-	-	-	-	2	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
OREGON -----	7	-	-	-	-	-	2	2	-	-	1	2
WHITE-----MALE----	4	-	-	-	-	-	-	2	-	-	1	1
FEMALE--	3	-	-	-	-	-	2	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	11	-	-	-	-	1	1	1	1	-	2	-
WHITE-----MALE----	8	-	-	-	-	1	1	1	1	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	5	-	-	1	-	1	-	1	-	-	-	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	1	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,755
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE (E811-E812)												
0 UNITED STATES --	15,762	75	240	249	321	1,688	1,782	1,320	1,309	1,148	1,059	924
WHITE-----MALE----	8,100	25	100	110	134	901	1,045	719	737	605	561	484
FEMALE--	5,373	32	86	99	120	572	402	348	357	339	330	287
ALL OTHER--MALE----	1,457	14	25	16	43	141	237	180	131	135	106	91
FEMALE--	832	4	29	24	24	74	98	73	84	69	62	62
BLACK---MALE----	1,162	13	22	14	29	116	189	145	104	107	80	73
FEMALE--	613	3	28	20	16	46	71	54	65	52	45	44
ALABAMA -----	393	3	8	8	8	48	37	38	30	35	24	21
WHITE-----MALE----	182	1	4	4	4	28	19	20	14	13	9	8
FEMALE--	118	1	3	1	2	14	7	8	11	10	9	6
ALL OTHER--MALE----	55	-	1	1	1	6	9	7	1	6	4	4
FEMALE--	38	1	-	2	1	-	2	3	4	6	2	3
BLACK---MALE----	51	-	1	1	1	6	7	6	1	5	4	4
FEMALE--	38	1	-	2	1	-	2	3	4	6	2	3
ALASKA -----	12	-	-	-	-	-	1	3	-	2	-	-
WHITE-----MALE----	5	-	-	-	-	-	1	2	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	1	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	291	3	5	2	1	25	37	25	27	23	19	24
WHITE-----MALE----	162	1	1	1	1	17	21	14	18	16	11	16
FEMALE--	88	2	3	1	-	5	5	8	6	1	5	6
ALL OTHER--MALE----	29	-	1	-	-	3	7	3	3	5	2	2
FEMALE--	12	-	-	-	-	-	4	-	-	1	1	-
BLACK---MALE----	11	-	1	-	-	-	1	1	1	3	1	-
FEMALE--	4	-	-	-	-	-	1	-	-	1	1	-
ARKANSAS -----	234	2	4	4	13	21	22	18	17	20	11	13
WHITE-----MALE----	122	2	2	2	5	11	14	10	9	11	6	5
FEMALE--	74	-	-	1	4	6	6	6	5	7	-	6
ALL OTHER--MALE----	22	-	-	1	2	4	1	1	1	2	3	1
FEMALE--	16	-	2	-	2	-	1	1	2	-	2	1
BLACK---MALE----	21	-	-	1	1	4	1	1	1	2	3	1
FEMALE--	16	-	2	-	2	-	1	1	2	-	2	1
CALIFORNIA -----	1,664	15	36	32	29	173	220	166	167	143	106	96
WHITE-----MALE----	919	5	15	13	11	95	141	101	107	83	65	55
FEMALE--	499	9	15	13	12	55	36	36	38	40	27	26
ALL OTHER--MALE----	164	1	4	4	3	16	34	22	14	11	10	10
FEMALE--	82	-	2	2	3	7	9	7	8	9	4	5
BLACK---MALE----	82	1	2	4	2	9	17	15	9	6	3	5
FEMALE--	28	-	2	2	-	1	2	3	5	4	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,755
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE (E811-E812)												
0 UNITED STATES --	732	630	656	706	840	854	698	394	113	14	2	8
WHITE-----MALE----	365	312	301	337	369	394	338	194	54	6	1	8
FEMALE--	258	235	255	299	392	398	320	186	51	6	1	-
ALL OTHER--MALE----	60	53	57	46	46	40	20	11	3	2	-	-
FEMALE--	49	30	43	24	33	22	20	3	5	-	-	-
BLACK---MALE----	47	40	46	38	35	34	15	10	3	2	-	-
FEMALE--	33	18	31	16	30	15	18	3	5	-	-	-
ALABAMA -----	14	14	29	17	18	14	14	9	4	-	-	-
WHITE-----MALE----	9	7	8	9	6	7	7	3	2	-	-	-
FEMALE--	2	4	13	5	9	4	5	2	2	-	-	-
ALL OTHER--MALE----	2	2	4	3	1	1	-	2	-	-	-	-
FEMALE--	1	1	4	-	2	2	2	2	-	-	-	-
BLACK---MALE----	2	2	4	3	1	1	-	2	-	-	-	-
FEMALE--	1	1	4	-	2	2	2	2	-	-	-	-
ALASKA -----	1	2	2	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	18	10	6	12	10	19	9	12	3	-	-	1
WHITE-----MALE----	4	7	4	6	1	11	5	4	2	-	-	1
FEMALE--	9	3	1	5	8	7	4	8	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	4	-	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	7	11	14	18	14	12	9	3	-	-	-	1
WHITE-----MALE----	4	9	5	8	6	6	5	1	-	-	-	1
FEMALE--	3	1	6	7	7	5	4	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	2	1	-	-	2	-	-	-	-
FEMALE--	-	1	2	1	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	2	1	-	-	2	-	-	-	-
FEMALE--	-	1	2	1	-	1	-	-	-	-	-	-
CALIFORNIA -----	74	59	56	48	79	66	60	30	6	-	-	3
WHITE-----MALE----	36	25	20	21	40	34	31	17	1	-	-	3
FEMALE--	25	23	26	20	31	25	24	13	5	-	-	-
ALL OTHER--MALE----	6	7	6	4	6	4	2	-	-	-	-	-
FEMALE--	7	4	4	3	2	3	3	-	-	-	-	-
BLACK---MALE----	2	4	3	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	1	1	2	-	2	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,756
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE (E811-E812)												
COLORADO -----	233	1	3	2	3	30	22	24	21	20	19	14
WHITE-----MALE----	135	-	1	1	1	16	18	13	15	12	9	8
FEMALE--	77	-	2	1	2	11	2	8	2	6	8	5
ALL OTHER--MALE----	13	-	-	-	-	-	2	2	4	2	1	1
FEMALE--	8	1	-	-	-	3	-	1	-	-	1	-
BLACK---MALE----	6	-	-	-	-	-	1	-	3	1	-	1
FEMALE--	3	-	-	-	-	1	-	1	-	-	-	-
CONNECTICUT -----	128	-	-	-	1	13	11	23	5	13	12	8
WHITE-----MALE----	72	-	-	-	-	11	7	17	1	7	5	3
FEMALE--	37	-	-	-	-	-	3	4	1	3	3	5
ALL OTHER--MALE----	13	-	-	-	1	1	-	2	3	3	2	-
FEMALE--	6	-	-	-	-	1	1	-	-	-	2	-
BLACK---MALE----	12	-	-	-	1	1	-	2	3	2	2	-
FEMALE--	4	-	-	-	-	1	-	-	-	-	2	-
DELAWARE -----	59	-	-	1	1	7	9	1	8	4	3	4
WHITE-----MALE----	29	-	-	1	-	3	5	-	5	3	2	2
FEMALE--	15	-	-	-	1	2	-	1	1	-	1	-
ALL OTHER--MALE----	6	-	-	-	-	-	2	-	1	-	-	1
FEMALE--	9	-	-	-	-	2	2	-	1	1	-	1
BLACK---MALE----	6	-	-	-	-	-	2	-	1	-	-	1
FEMALE--	8	-	-	-	-	2	2	-	1	1	-	-
DISTRICT OF COLUMBIA ----	25	-	-	-	-	2	4	5	2	2	1	-
WHITE-----MALE----	6	-	-	-	-	-	2	1	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	17	-	-	-	-	1	2	3	2	1	1	-
FEMALE--	2	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	17	-	-	-	-	1	2	3	2	1	1	-
FEMALE--	2	-	-	-	-	1	-	1	-	-	-	-
FLORIDA -----	1,159	3	7	16	24	108	113	93	84	93	74	59
WHITE-----MALE----	589	1	2	6	8	57	68	61	45	47	44	31
FEMALE--	413	2	3	5	8	39	28	18	27	26	15	20
ALL OTHER--MALE----	103	-	1	3	5	9	14	11	5	13	8	4
FEMALE--	54	-	1	2	3	3	3	3	7	7	7	4
BLACK---MALE----	94	-	1	3	5	9	12	9	5	12	8	3
FEMALE--	50	-	1	2	3	3	3	2	7	7	6	4
GEORGIA -----	424	3	7	10	9	44	53	39	38	28	29	26
WHITE-----MALE----	198	-	3	7	3	22	21	16	19	15	13	14
FEMALE--	127	1	1	3	4	16	12	11	9	9	7	6
ALL OTHER--MALE----	62	1	2	-	2	5	14	10	6	3	5	3
FEMALE--	37	1	1	-	-	1	6	2	4	1	4	3
BLACK---MALE----	59	1	2	-	2	5	14	10	6	3	4	3
FEMALE--	35	1	1	-	-	-	6	2	4	1	4	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,756
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE (E811-E812)												
COLORADO -----	8	7	6	12	12	14	9	5	1	-	-	-
WHITE-----MALE----	4	5	2	5	7	7	7	3	1	-	-	-
FEMALE--	3	1	3	7	5	7	2	2	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	7	2	12	1	7	6	3	4	-	-	-	-
WHITE-----MALE----	7	-	7	-	1	3	1	2	-	-	-	-
FEMALE--	-	2	3	1	5	3	2	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
DELAWARE -----	2	4	1	3	3	3	2	2	1	-	-	-
WHITE-----MALE----	-	2	1	2	2	-	-	1	-	-	-	-
FEMALE--	-	1	-	1	1	2	2	1	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	-	2	2	1	1	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	2	1	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	2	1	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	43	52	38	58	80	92	73	35	10	2	1	1
WHITE-----MALE----	22	30	14	28	31	38	37	13	4	1	-	1
FEMALE--	14	12	15	26	45	47	35	21	5	1	1	-
ALL OTHER--MALE----	6	8	6	4	2	3	1	-	-	-	-	-
FEMALE--	1	2	3	-	2	4	-	1	1	-	-	-
BLACK---MALE----	6	6	5	4	2	3	1	-	-	-	-	-
FEMALE--	1	1	3	-	2	3	-	1	1	-	-	-
GEORGIA -----	28	15	19	22	11	15	14	9	2	3	-	-
WHITE-----MALE----	14	6	11	8	6	6	6	5	2	1	-	-
FEMALE--	8	5	5	8	5	6	6	4	-	1	-	-
ALL OTHER--MALE----	3	1	2	2	-	2	-	-	-	1	-	-
FEMALE--	3	3	1	4	-	1	2	-	-	-	-	-
BLACK---MALE----	2	1	1	2	-	2	-	-	-	1	-	-
FEMALE--	3	3	1	4	-	1	2	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,758
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE (E811-E812)												
KENTUCKY -----	382	1	7	2	8	52	45	30	37	20	21	27
WHITE-----MALE----	219	-	3	-	5	37	26	17	22	9	12	18
FEMALE--	145	1	4	1	3	14	14	12	12	10	7	8
ALL OTHER--MALE----	10	-	-	-	-	1	3	1	2	-	1	1
FEMALE--	8	-	-	1	-	-	2	-	1	1	1	-
BLACK---MALE----	10	-	-	-	-	1	3	1	2	-	1	1
FEMALE--	8	-	-	1	-	-	2	-	1	1	1	-
LOUISIANA -----	171	-	2	2	7	16	18	15	18	12	10	9
WHITE-----MALE----	83	-	1	2	2	6	12	7	7	6	3	4
FEMALE--	50	-	-	-	3	8	1	3	6	2	3	2
ALL OTHER--MALE----	21	-	-	-	1	2	3	3	2	3	2	3
FEMALE--	17	-	1	-	1	-	2	2	3	1	2	-
BLACK---MALE----	19	-	-	-	-	1	3	3	2	3	2	3
FEMALE--	16	-	1	-	1	-	2	2	3	1	2	-
MAINE -----	80	1	2	1	4	5	14	2	7	3	5	4
WHITE-----MALE----	46	-	-	1	2	3	10	1	4	1	4	1
FEMALE--	33	1	2	-	2	2	3	1	3	2	1	3
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	251	-	7	1	7	28	26	19	27	14	17	11
WHITE-----MALE----	108	-	1	-	3	14	20	8	10	7	6	5
FEMALE--	78	-	2	1	1	8	3	3	6	4	8	2
ALL OTHER--MALE----	36	-	1	-	3	4	2	5	4	2	3	-
FEMALE--	29	-	3	-	-	2	1	3	7	1	-	4
BLACK---MALE----	32	-	1	-	2	4	2	5	3	2	2	-
FEMALE--	24	-	3	-	-	2	1	2	7	1	-	3
MASSACHUSETTS -----	137	-	-	-	1	10	20	12	19	5	6	8
WHITE-----MALE----	80	-	-	-	-	6	13	8	14	3	3	6
FEMALE--	55	-	-	-	1	4	6	4	5	2	3	2
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	728	2	14	14	10	80	83	60	57	56	50	39
WHITE-----MALE----	316	1	9	7	3	26	37	27	29	24	25	21
FEMALE--	260	-	2	5	4	38	16	20	17	15	14	7
ALL OTHER--MALE----	98	1	1	-	2	9	20	7	6	12	7	8
FEMALE--	54	-	2	2	1	7	10	6	5	5	4	3
BLACK---MALE----	94	1	1	-	2	9	20	6	6	12	7	7
FEMALE--	43	-	2	2	1	6	8	3	4	4	4	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,758
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE (E811-E812)												
KENTUCKY -----	14	25	19	20	19	13	16	4	2	-	-	-
WHITE-----MALE----	10	9	10	13	9	9	7	2	1	-	-	-
FEMALE--	4	15	8	7	9	4	9	2	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
LOUISIANA -----	5	11	8	6	10	9	8	5	-	-	-	-
WHITE-----MALE----	2	7	3	2	5	5	4	5	-	-	-	-
FEMALE--	1	2	5	3	4	4	3	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	1	1	-	1	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	-	1	-	-	-	-	-
MAINE -----	3	3	3	9	4	6	4	-	-	-	-	-
WHITE-----MALE----	1	1	2	7	3	2	3	-	-	-	-	-
FEMALE--	2	2	1	2	1	4	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	15	7	9	17	17	10	9	7	2	-	-	1
WHITE-----MALE----	7	2	2	6	6	3	2	4	1	-	-	1
FEMALE--	1	3	3	8	10	6	5	3	1	-	-	-
ALL OTHER--MALE----	4	2	2	2	1	-	1	-	-	-	-	-
FEMALE--	3	-	2	1	-	1	1	-	-	-	-	-
BLACK---MALE----	4	1	2	2	1	-	1	-	-	-	-	-
FEMALE--	2	-	1	-	-	1	1	-	-	-	-	-
MASSACHUSETTS -----	3	2	4	10	5	15	13	3	1	-	-	-
WHITE-----MALE----	1	2	2	4	3	8	5	2	-	-	-	-
FEMALE--	2	-	2	6	2	6	8	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	31	31	29	31	43	53	25	15	5	-	-	-
WHITE-----MALE----	14	17	12	15	15	19	8	6	1	-	-	-
FEMALE--	12	13	10	11	21	27	15	9	4	-	-	-
ALL OTHER--MALE----	1	-	6	4	7	5	2	-	-	-	-	-
FEMALE--	4	1	1	1	-	2	-	-	-	-	-	-
BLACK---MALE----	1	-	6	4	6	4	2	-	-	-	-	-
FEMALE--	2	1	1	-	-	2	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,759
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE (E811-E812)												
MINNESOTA -----	282	-	1	2	4	26	43	18	23	22	14	12
WHITE-----MALE----	156	-	1	-	2	10	29	13	15	15	8	7
FEMALE--	111	-	-	2	-	14	13	4	7	6	6	5
ALL OTHER--MALE----	7	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	8	-	-	-	1	1	-	1	1	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
MISSISSIPPI -----	376	1	15	7	5	41	55	33	30	28	29	25
WHITE-----MALE----	146	-	2	2	1	20	21	11	11	16	13	8
FEMALE--	103	-	3	2	2	10	12	5	6	7	5	8
ALL OTHER--MALE----	79	1	5	1	2	6	12	11	9	5	7	3
FEMALE--	48	-	5	2	-	5	10	6	4	-	4	6
BLACK---MALE----	78	1	5	1	2	6	12	11	9	5	7	2
FEMALE--	46	-	5	2	-	5	10	6	4	-	3	5
MISSOURI -----	378	-	6	6	6	44	41	36	33	30	31	16
WHITE-----MALE----	210	-	2	3	4	27	25	24	19	19	16	10
FEMALE--	137	-	3	3	1	15	11	9	11	8	15	4
ALL OTHER--MALE----	22	-	1	-	-	2	3	2	1	3	-	1
FEMALE--	9	-	-	-	1	-	2	1	2	-	-	1
BLACK---MALE----	18	-	1	-	-	1	2	2	1	2	-	1
FEMALE--	6	-	-	-	1	-	1	1	-	-	-	1
MONTANA -----	56	1	-	-	3	10	2	3	4	4	2	4
WHITE-----MALE----	33	1	-	-	1	6	2	2	4	1	-	2
FEMALE--	16	-	-	-	-	4	-	1	-	2	1	2
ALL OTHER--MALE----	6	-	-	-	2	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	129	1	-	1	3	20	11	8	9	7	10	9
WHITE-----MALE----	75	1	-	-	2	15	6	4	7	3	5	4
FEMALE--	49	-	-	1	1	4	4	4	1	3	5	5
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	4	-	-	-	-	1	-	-	1	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	98	1	1	2	3	11	6	10	8	10	11	2
WHITE-----MALE----	47	-	-	-	3	6	2	5	4	5	3	2
FEMALE--	33	1	1	2	-	2	3	1	2	3	6	-
ALL OTHER--MALE----	10	-	-	-	-	2	-	3	1	1	2	-
FEMALE--	8	-	-	-	-	1	1	1	1	1	-	-
BLACK---MALE----	5	-	-	-	-	1	-	1	1	-	1	-
FEMALE--	3	-	-	-	-	-	1	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,759
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE (E811-E812)												
MINNESOTA -----	11	7	13	13	30	16	18	9	-	-	-	-
WHITE-----MALE----	4	3	4	7	15	8	11	4	-	-	-	-
FEMALE--	4	3	9	5	15	8	5	5	-	-	-	-
ALL OTHER--MALE----	1	1	-	1	-	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	13	16	18	9	10	23	11	4	3	-	-	-
WHITE-----MALE----	4	8	10	3	2	8	4	1	1	-	-	-
FEMALE--	5	4	3	5	5	10	7	3	1	-	-	-
ALL OTHER--MALE----	3	3	4	1	1	4	-	-	1	-	-	-
FEMALE--	1	1	1	-	2	1	-	-	-	-	-	-
BLACK---MALE----	3	3	4	1	1	4	-	-	1	-	-	-
FEMALE--	1	1	1	-	2	1	-	-	-	-	-	-
MISSOURI -----	21	10	21	14	20	15	11	14	3	-	-	-
WHITE-----MALE----	6	5	13	7	7	9	8	5	1	-	-	-
FEMALE--	11	5	6	5	11	6	3	8	2	-	-	-
ALL OTHER--MALE----	4	-	2	1	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	3	-	2	1	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
MONTANA -----	2	6	3	1	2	1	3	3	2	-	-	-
WHITE-----MALE----	2	2	2	1	1	1	-	3	2	-	-	-
FEMALE--	-	2	1	-	1	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	2	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	6	4	5	9	11	6	6	2	1	-	-	-
WHITE-----MALE----	3	3	2	6	7	4	2	1	-	-	-	-
FEMALE--	2	1	3	3	4	2	4	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	6	3	3	3	11	2	2	3	-	-	-	-
WHITE-----MALE----	3	3	1	2	5	2	1	-	-	-	-	-
FEMALE--	2	-	2	1	3	-	1	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	2	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,761
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE (E811-E812)												
OHIO -----	507	3	7	6	9	74	63	42	40	29	28	28
WHITE-----MALE----	281	2	3	2	2	37	45	30	25	15	13	17
FEMALE--	193	1	4	3	4	31	16	8	12	9	15	10
ALL OTHER--MALE----	24	-	-	-	2	6	2	2	2	3	-	1
FEMALE--	9	-	-	1	1	-	-	2	1	2	-	-
BLACK---MALE----	22	-	-	-	2	6	2	2	2	3	-	1
FEMALE--	8	-	-	1	1	-	-	2	1	2	-	-
OKLAHOMA -----	254	-	3	5	8	31	32	20	25	16	18	11
WHITE-----MALE----	130	-	-	1	7	16	20	10	10	11	10	3
FEMALE--	90	-	2	2	1	8	8	6	9	4	6	6
ALL OTHER--MALE----	23	-	-	-	-	7	3	2	6	1	1	2
FEMALE--	11	-	1	2	-	-	1	2	-	-	1	-
BLACK---MALE----	15	-	-	-	-	5	3	1	2	-	1	2
FEMALE--	4	-	1	1	-	-	1	-	-	-	-	-
OREGON -----	230	1	4	4	5	27	26	15	15	17	18	17
WHITE-----MALE----	118	1	3	2	1	11	13	10	10	12	11	6
FEMALE--	97	-	1	2	1	12	9	5	4	5	6	9
ALL OTHER--MALE----	9	-	-	-	2	2	2	-	1	-	-	2
FEMALE--	6	-	-	-	1	2	2	-	-	-	1	-
BLACK---MALE----	3	-	-	-	-	1	1	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	1	-	-	-	1	-
PENNSYLVANIA -----	549	1	9	6	5	44	51	40	49	54	38	29
WHITE-----MALE----	282	-	3	2	2	20	25	24	33	31	25	13
FEMALE--	217	1	6	4	3	16	19	11	13	16	11	15
ALL OTHER--MALE----	39	-	-	-	-	7	6	4	3	5	2	1
FEMALE--	11	-	-	-	-	1	1	1	-	2	-	-
BLACK---MALE----	35	-	-	-	-	7	5	4	3	4	2	1
FEMALE--	9	-	-	-	-	1	1	1	-	1	-	-
RHODE ISLAND -----	28	1	1	2	1	4	2	1	2	1	1	2
WHITE-----MALE----	14	-	1	2	-	4	1	-	1	-	1	1
FEMALE--	14	1	-	-	1	-	1	1	1	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	346	2	3	8	12	39	42	27	22	22	18	23
WHITE-----MALE----	143	-	2	3	2	17	21	8	8	6	8	12
FEMALE--	105	1	-	3	4	12	7	9	9	3	6	5
ALL OTHER--MALE----	56	1	1	-	2	6	7	5	2	6	4	4
FEMALE--	42	-	-	2	4	4	7	5	3	7	-	2
BLACK---MALE----	55	1	1	-	2	6	7	5	2	6	4	4
FEMALE--	40	-	-	2	4	4	6	5	3	7	-	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,761
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE (E811-E812)												
OHIO -----	27	17	20	23	24	31	22	6	7	-	1	-
WHITE-----MALE----	16	7	13	13	8	11	10	4	7	-	1	-
FEMALE--	8	9	7	9	14	19	12	2	-	-	-	-
ALL OTHER--MALE----	2	1	-	-	2	1	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	2	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	9	16	10	8	10	15	7	8	1	1	-	-
WHITE-----MALE----	4	9	1	5	5	11	3	3	-	1	-	-
FEMALE--	4	7	6	3	5	4	3	5	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	3	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
OREGON -----	7	11	6	8	13	13	15	6	2	-	-	-
WHITE-----MALE----	2	7	3	3	7	5	8	3	-	-	-	-
FEMALE--	5	4	3	5	6	8	7	3	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	31	22	18	21	50	33	29	14	5	-	-	-
WHITE-----MALE----	14	13	9	6	20	18	14	9	1	-	-	-
FEMALE--	16	6	5	12	25	14	15	5	4	-	-	-
ALL OTHER--MALE----	1	2	2	2	3	1	-	-	-	-	-	-
FEMALE--	-	1	2	1	2	-	-	-	-	-	-	-
BLACK---MALE----	1	1	2	1	3	1	-	-	-	-	-	-
FEMALE--	-	1	1	1	2	-	-	-	-	-	-	-
RHODE ISLAND -----	-	1	-	-	6	2	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	3	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	3	2	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	28	16	10	15	16	22	11	7	3	-	-	-
WHITE-----MALE----	11	7	5	9	7	9	3	4	1	-	-	-
FEMALE--	13	6	1	3	6	9	5	2	1	-	-	-
ALL OTHER--MALE----	3	3	2	2	1	3	2	1	1	-	-	-
FEMALE--	1	-	2	1	2	1	1	-	-	-	-	-
BLACK---MALE----	3	2	2	2	1	3	2	1	1	-	-	-
FEMALE--	1	-	1	1	2	1	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,762
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE (E811-E812)												
SOUTH DAKOTA -----	59	-	-	-	1	6	7	3	7	3	3	4
WHITE-----MALE----	29	-	-	-	1	1	1	2	3	2	2	2
FEMALE--	21	-	-	-	-	4	2	-	1	1	1	2
ALL OTHER--MALE----	5	-	-	-	-	1	2	1	1	-	-	-
FEMALE--	4	-	-	-	-	-	2	-	2	-	-	-
BLACK---MALE----	2	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	494	4	10	8	10	63	53	40	32	35	34	34
WHITE-----MALE----	246	1	5	4	6	35	28	17	17	22	17	12
FEMALE--	170	2	3	2	4	19	12	14	9	11	9	14
ALL OTHER--MALE----	42	1	1	-	-	7	9	6	2	2	4	4
FEMALE--	36	-	1	2	-	2	4	3	4	-	4	4
BLACK---MALE----	41	1	1	-	-	7	9	5	2	2	4	4
FEMALE--	35	-	1	2	-	2	3	3	4	-	4	4
TEXAS -----	1,327	8	20	27	28	110	157	134	127	94	100	91
WHITE-----MALE----	720	3	8	13	11	68	106	74	79	49	57	47
FEMALE--	444	2	7	10	14	35	36	34	29	28	33	30
ALL OTHER--MALE----	103	3	-	4	3	5	10	18	13	10	6	7
FEMALE--	60	-	5	-	-	2	5	8	6	7	4	7
BLACK---MALE----	92	3	-	3	3	3	9	15	12	9	4	7
FEMALE--	53	-	5	-	-	2	5	6	6	6	3	6
UTAH -----	113	1	2	5	4	18	10	8	8	6	6	4
WHITE-----MALE----	62	-	1	2	-	10	6	6	3	5	3	3
FEMALE--	46	-	1	2	4	8	4	2	3	1	3	1
ALL OTHER--MALE----	4	1	-	-	-	-	-	-	2	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	22	-	-	1	-	4	4	1	1	2	2	1
WHITE-----MALE----	14	-	-	-	-	3	4	1	-	-	1	1
FEMALE--	8	-	-	1	-	1	-	-	1	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	240	2	3	5	5	25	27	20	25	11	21	10
WHITE-----MALE----	97	1	1	1	1	13	15	7	12	3	7	2
FEMALE--	87	-	-	1	4	9	5	5	7	7	7	4
ALL OTHER--MALE----	34	-	2	-	-	1	5	5	5	1	4	3
FEMALE--	22	1	-	3	-	2	2	3	1	-	3	1
BLACK---MALE----	29	-	2	-	-	1	5	4	3	1	3	3
FEMALE--	18	1	-	3	-	2	2	1	1	-	2	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,762
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INVOLVING COLLISION WITH ANOTHER MOTOR VEHICLE (E811-E812)												
SOUTH DAKOTA -----	1	2	4	9	3	4	1	1	-	-	-	-
WHITE-----MALE----	-	2	3	4	3	1	1	1	-	-	-	-
FEMALE--	1	-	1	5	-	3	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	22	21	21	26	22	33	14	8	3	1	-	-
WHITE-----MALE----	14	12	11	10	11	15	4	3	1	1	-	-
FEMALE--	6	7	5	15	8	15	9	5	1	-	-	-
ALL OTHER--MALE----	1	-	2	1	-	2	-	-	-	-	-	-
FEMALE--	1	2	3	-	3	1	1	-	1	-	-	-
BLACK---MALE----	1	-	2	1	-	2	-	-	-	-	-	-
FEMALE--	1	2	3	-	3	1	1	-	1	-	-	-
TEXAS -----	62	61	54	64	48	39	53	38	9	2	-	1
WHITE-----MALE----	32	25	25	30	26	18	29	15	3	1	-	1
FEMALE--	22	29	25	25	21	19	21	20	4	-	-	-
ALL OTHER--MALE----	5	5	3	6	1	-	-	3	-	1	-	-
FEMALE--	3	2	1	3	-	2	3	-	2	-	-	-
BLACK---MALE----	5	5	3	6	1	-	-	3	-	1	-	-
FEMALE--	3	1	1	2	-	2	3	-	2	-	-	-
UTAH -----	2	4	5	6	11	4	6	2	1	-	-	-
WHITE-----MALE----	2	2	2	4	7	1	4	1	-	-	-	-
FEMALE--	-	2	3	2	3	3	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	1	1	1	1	2	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	1	2	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	15	8	11	13	15	13	5	4	2	-	-	-
WHITE-----MALE----	8	2	5	8	4	4	-	3	-	-	-	-
FEMALE--	4	5	3	3	9	7	5	1	1	-	-	-
ALL OTHER--MALE----	2	1	1	1	-	2	-	-	1	-	-	-
FEMALE--	1	-	2	1	2	-	-	-	-	-	-	-
BLACK---MALE----	2	1	-	1	-	2	-	-	1	-	-	-
FEMALE--	1	-	2	1	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,764
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 INVOLVING COLLISION WITH PEDESTRIAN (E814)												
0 UNITED STATES --	5,876	9	233	281	258	308	361	388	456	504	465	405
WHITE-----MALE----	3,043	5	83	122	115	165	221	223	226	280	234	211
FEMALE--	1,396	2	62	58	72	78	64	61	89	93	91	71
ALL OTHER--MALE----	1,024	1	63	67	44	42	57	75	107	92	100	96
FEMALE--	413	1	25	34	27	23	19	29	34	39	40	27
BLACK---MALE----	806	1	55	56	38	35	36	59	84	81	85	72
FEMALE--	295	1	20	26	23	19	12	19	28	38	31	16
ALABAMA -----	76	-	2	4	1	2	6	3	6	11	10	7
WHITE-----MALE----	29	-	-	1	1	1	2	2	1	3	3	4
FEMALE--	15	-	1	2	-	1	2	1	1	2	1	-
ALL OTHER--MALE----	22	-	-	-	-	-	2	-	2	3	6	3
FEMALE--	10	-	1	1	-	-	-	-	2	3	-	-
BLACK---MALE----	22	-	-	-	-	-	2	-	2	3	6	3
FEMALE--	10	-	1	1	-	-	-	-	2	3	-	-
ALASKA -----	8	-	1	1	-	1	-	1	-	-	1	-
WHITE-----MALE----	3	-	1	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
ARIZONA -----	178	-	15	6	9	6	14	11	13	11	24	10
WHITE-----MALE----	86	-	3	3	4	5	5	6	5	7	11	5
FEMALE--	40	-	9	1	4	1	1	2	2	2	5	1
ALL OTHER--MALE----	43	-	1	2	-	-	8	2	5	2	7	3
FEMALE--	9	-	2	-	1	-	-	1	1	-	1	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	2	-	-	-	1	-	-	-	-	-	-	-
ARKANSAS -----	50	1	3	3	2	4	4	5	5	3	6	3
WHITE-----MALE----	26	1	-	-	2	3	2	1	4	1	4	1
FEMALE--	13	-	1	2	-	1	1	4	-	1	1	1
ALL OTHER--MALE----	9	-	2	1	-	-	-	-	-	1	1	1
FEMALE--	2	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE----	8	-	2	1	-	-	-	-	-	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
CALIFORNIA -----	842	2	30	49	32	37	42	50	62	67	59	72
WHITE-----MALE----	465	1	16	25	17	16	34	35	35	38	27	46
FEMALE--	206	1	10	9	7	14	8	7	14	15	18	15
ALL OTHER--MALE----	105	-	2	12	7	3	-	4	11	9	9	7
FEMALE--	66	-	2	3	1	4	-	4	2	5	5	4
BLACK---MALE----	65	-	2	10	5	2	-	3	8	8	9	2
FEMALE--	25	-	2	-	1	2	-	2	1	4	3	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,764
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INVOLVING COLLISION WITH PEDESTRIAN (E814)												
0 UNITED STATES --	305	259	259	267	294	301	253	182	60	11	-	17
WHITE-----MALE----	182	149	150	142	130	149	121	82	33	6	-	14
FEMALE--	50	55	62	67	109	110	103	74	20	4	-	1
ALL OTHER--MALE----	53	42	33	39	35	29	22	18	6	1	-	2
FEMALE--	20	13	14	19	20	13	7	8	1	-	-	-
BLACK---MALE----	42	33	21	29	28	19	14	12	3	1	-	2
FEMALE--	12	9	8	7	12	5	3	6	-	-	-	-
ALABAMA -----	6	2	-	2	1	9	-	2	2	-	-	-
WHITE-----MALE----	3	-	-	-	1	5	-	2	-	-	-	-
FEMALE--	-	1	-	1	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	3	1	-	-	-	-	-	-	2	-	-	-
FEMALE--	-	-	-	1	-	2	-	-	-	-	-	-
BLACK---MALE----	3	1	-	-	-	-	-	-	2	-	-	-
FEMALE--	-	-	-	1	-	2	-	-	-	-	-	-
ALASKA -----	-	1	1	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	7	10	11	6	9	7	4	2	1	-	-	2
WHITE-----MALE----	4	6	4	3	5	5	3	-	-	-	-	2
FEMALE--	-	1	3	2	2	1	1	1	1	-	-	-
ALL OTHER--MALE----	3	3	4	1	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ARKANSAS -----	2	1	1	2	-	2	1	2	-	-	-	-
WHITE-----MALE----	2	1	1	1	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	51	42	45	34	53	43	35	19	11	1	-	6
WHITE-----MALE----	35	24	21	13	26	19	16	6	8	1	-	6
FEMALE--	8	11	12	8	14	14	10	9	2	-	-	-
ALL OTHER--MALE----	3	4	7	4	7	5	7	3	1	-	-	-
FEMALE--	5	3	5	9	6	5	2	1	-	-	-	-
BLACK---MALE----	1	3	4	1	3	1	2	1	-	-	-	-
FEMALE--	2	2	2	1	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,765
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 INVOLVING COLLISION WITH PEDESTRIAN (E814)												
COLORADO -----	61	-	2	4	4	3	3	8	3	3	4	2
WHITE-----MALE----	34	-	1	2	2	2	2	3	2	2	1	2
FEMALE--	17	-	1	1	2	1	1	-	1	-	2	-
ALL OTHER--MALE----	6	-	-	1	-	-	-	3	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	2	-	-	1	-
BLACK---MALE----	2	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	1	-
CONNECTICUT -----	59	-	1	2	1	4	6	4	6	3	2	3
WHITE-----MALE----	30	-	-	1	1	3	2	2	3	3	2	2
FEMALE--	23	-	-	-	-	1	4	1	3	-	-	-
ALL OTHER--MALE----	4	-	1	-	-	-	-	1	-	-	-	1
FEMALE--	2	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	1	-	-	-	-	1	-	-	-	1
FEMALE--	2	-	-	1	-	-	-	-	-	-	-	-
DELAWARE -----	16	-	1	1	-	-	1	1	3	4	1	1
WHITE-----MALE----	6	-	1	-	-	-	-	-	-	2	1	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	4	-	-	1	-	-	1	1	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	2	1	-	-
BLACK---MALE----	4	-	-	1	-	-	1	1	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	2	1	-	-
DISTRICT OF COLUMBIA ----	20	-	-	2	-	1	1	2	-	2	4	3
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	10	-	-	2	-	-	1	1	-	1	2	2
FEMALE--	5	-	-	-	-	1	-	-	-	1	2	-
BLACK---MALE----	10	-	-	2	-	-	1	1	-	1	2	2
FEMALE--	5	-	-	-	-	1	-	-	-	1	2	-
FLORIDA -----	547	-	14	13	15	27	30	30	46	51	55	44
WHITE-----MALE----	316	-	5	4	6	17	23	23	26	29	39	24
FEMALE--	133	-	4	3	1	6	5	5	11	12	7	10
ALL OTHER--MALE----	71	-	3	5	6	2	1	1	7	8	4	8
FEMALE--	27	-	2	1	2	2	1	1	2	2	5	2
BLACK---MALE----	65	-	3	5	5	2	-	1	5	8	4	7
FEMALE--	26	-	2	1	2	2	1	1	2	2	4	2
GEORGIA -----	174	-	11	6	8	5	14	20	18	12	17	14
WHITE-----MALE----	75	-	3	3	5	3	6	13	7	5	3	4
FEMALE--	21	-	1	-	1	1	3	2	1	1	5	1
ALL OTHER--MALE----	58	-	6	2	1	1	5	4	7	2	8	7
FEMALE--	20	-	1	1	1	-	-	1	3	4	1	2
BLACK---MALE----	56	-	6	2	1	1	4	4	7	2	8	7
FEMALE--	18	-	1	1	1	-	-	1	3	4	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,765
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INVOLVING COLLISION WITH PEDESTRIAN (E814)												
COLORADO -----	4	3	4	4	2	3	3	2	-	-	-	-
WHITE-----MALE----	4	3	2	2	2	-	1	1	-	-	-	-
FEMALE--	-	-	2	1	-	2	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	4	5	1	4	3	2	6	2	-	-	-	-
WHITE-----MALE----	2	2	1	2	1	-	3	-	-	-	-	-
FEMALE--	2	3	-	1	1	2	3	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
DELAWARE -----	2	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	2	-	-	2	-	-	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	31	25	28	19	29	31	20	26	8	3	-	2
WHITE-----MALE----	16	13	19	14	12	17	10	12	4	1	-	2
FEMALE--	6	7	6	3	9	11	8	13	4	2	-	-
ALL OTHER--MALE----	9	3	2	1	6	3	2	-	-	-	-	-
FEMALE--	-	2	1	1	2	-	-	1	-	-	-	-
BLACK---MALE----	9	3	2	1	6	3	1	-	-	-	-	-
FEMALE--	-	2	1	1	2	-	-	1	-	-	-	-
GEORGIA -----	12	6	4	5	5	5	9	2	1	-	-	-
WHITE-----MALE----	3	3	1	2	3	2	8	1	-	-	-	-
FEMALE--	-	-	1	-	-	1	1	1	1	-	-	-
ALL OTHER--MALE----	7	2	1	3	1	1	-	-	-	-	-	-
FEMALE--	2	1	1	-	1	1	-	-	-	-	-	-
BLACK---MALE----	6	2	1	3	1	1	-	-	-	-	-	-
FEMALE--	2	1	1	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,766
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 INVOLVING COLLISION WITH PEDESTRIAN (E814)												
HAWAII -----	32	-	4	3	1	-	1	1	3	-	1	4
WHITE-----MALE----	4	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	20	-	2	3	-	-	-	1	3	-	1	2
FEMALE--	6	-	2	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	24	-	1	4	-	1	1	-	1	-	1	1
WHITE-----MALE----	14	-	1	3	-	-	1	-	-	-	-	-
FEMALE--	9	-	-	1	-	1	-	-	1	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	251	-	15	10	15	21	15	13	18	29	18	17
WHITE-----MALE----	113	-	3	5	4	12	8	7	10	21	7	10
FEMALE--	61	-	3	3	3	4	4	1	2	2	3	4
ALL OTHER--MALE----	57	-	8	1	7	4	1	3	5	2	7	1
FEMALE--	20	-	1	1	1	1	2	2	1	4	1	2
BLACK---MALE----	51	-	8	1	7	3	1	2	4	1	6	1
FEMALE--	19	-	1	1	1	1	2	2	1	4	1	2
INDIANA -----	80	-	6	7	5	2	3	8	3	7	5	6
WHITE-----MALE----	43	-	4	5	3	-	2	5	-	2	1	5
FEMALE--	23	-	-	1	1	1	1	2	1	2	2	1
ALL OTHER--MALE----	11	-	2	1	-	1	-	1	2	2	1	-
FEMALE--	3	-	-	-	1	-	-	-	-	1	1	-
BLACK---MALE----	10	-	2	1	-	-	-	1	2	2	1	-
FEMALE--	3	-	-	-	1	-	-	-	-	1	1	-
IOWA -----	32	-	1	4	2	2	2	3	1	-	3	-
WHITE-----MALE----	19	-	1	3	1	2	1	2	1	-	2	-
FEMALE--	10	-	-	-	1	-	1	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	2	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
KANSAS -----	41	-	3	3	-	3	7	2	3	1	1	6
WHITE-----MALE----	24	-	2	2	-	1	4	1	2	1	1	3
FEMALE--	13	-	1	-	-	2	2	1	-	-	-	2
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	2	-	-	1	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	1	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,767
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 INVOLVING COLLISION WITH PEDESTRIAN (E814)												
KENTUCKY -----	58	-	2	2	3	-	5	1	7	3	3	-
WHITE-----MALE----	32	-	1	1	3	-	3	1	5	1	1	-
FEMALE--	22	-	-	1	-	-	1	-	2	2	2	-
ALL OTHER--MALE----	3	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	111	-	5	6	6	7	5	10	9	7	13	6
WHITE-----MALE----	49	-	1	3	3	4	2	6	3	6	4	2
FEMALE--	18	-	1	-	2	1	-	-	-	-	3	-
ALL OTHER--MALE----	36	-	1	2	-	1	3	4	6	1	4	4
FEMALE--	8	-	2	1	1	1	-	-	-	-	2	-
BLACK---MALE----	35	-	1	2	-	1	3	4	6	1	4	3
FEMALE--	8	-	2	1	1	1	-	-	-	-	2	-
MAINE -----	16	-	-	-	2	2	-	2	1	1	-	-
WHITE-----MALE----	10	-	-	-	1	1	-	2	-	1	-	-
FEMALE--	6	-	-	-	1	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	120	-	6	9	8	9	4	8	10	16	8	6
WHITE-----MALE----	51	-	2	1	2	4	3	5	3	7	6	2
FEMALE--	21	-	-	3	1	1	1	-	1	2	-	-
ALL OTHER--MALE----	35	-	2	3	1	4	-	2	4	7	2	3
FEMALE--	13	-	2	2	4	-	-	1	2	-	-	1
BLACK---MALE----	32	-	2	3	1	4	-	1	4	6	2	3
FEMALE--	12	-	2	2	4	-	-	1	1	-	-	1
MASSACHUSETTS -----	97	-	2	4	2	8	5	4	6	7	7	2
WHITE-----MALE----	59	-	-	1	1	2	4	3	5	4	5	-
FEMALE--	26	-	-	-	1	5	-	1	1	3	1	1
ALL OTHER--MALE----	10	-	2	2	-	1	-	-	-	-	1	1
FEMALE--	2	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	8	-	1	2	-	1	-	-	-	-	1	1
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
MICHIGAN -----	203	1	4	14	10	10	17	12	17	25	15	17
WHITE-----MALE----	96	-	2	8	1	6	10	6	7	12	3	8
FEMALE--	51	-	2	2	6	2	4	2	6	6	5	4
ALL OTHER--MALE----	40	-	-	3	2	1	2	4	3	5	5	5
FEMALE--	16	1	-	1	1	1	1	-	1	2	2	-
BLACK---MALE----	38	-	-	3	2	1	2	4	2	5	5	5
FEMALE--	15	1	-	1	1	1	1	-	1	2	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,767
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INVOLVING COLLISION WITH PEDESTRIAN (E814)												
KENTUCKY -----	-	4	5	5	4	5	7	2	-	-	-	-
WHITE-----MALE----	-	3	3	3	1	2	3	1	-	-	-	-
FEMALE--	-	-	2	1	3	3	4	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	10	2	4	3	4	3	4	5	2	-	-	-
WHITE-----MALE----	5	-	3	2	-	2	-	2	1	-	-	-
FEMALE--	2	1	-	1	3	1	2	1	-	-	-	-
ALL OTHER--MALE----	3	1	1	-	1	-	1	2	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	3	1	1	-	1	-	1	2	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
MAINE -----	1	-	-	-	1	2	2	2	-	-	-	-
WHITE-----MALE----	1	-	-	-	1	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3	4	5	4	11	4	3	2	-	-	-	-
WHITE-----MALE----	2	4	3	1	2	2	1	1	-	-	-	-
FEMALE--	-	-	-	1	8	1	2	-	-	-	-	-
ALL OTHER--MALE----	1	-	2	2	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	1	2	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
MASSACHUSETTS -----	5	4	6	5	5	11	6	5	2	-	-	1
WHITE-----MALE----	3	4	5	3	1	9	3	4	2	-	-	-
FEMALE--	2	-	1	2	3	2	3	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	1	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	9	8	9	9	6	5	4	8	2	1	-	-
WHITE-----MALE----	3	6	3	5	3	3	3	4	2	1	-	-
FEMALE--	2	-	3	1	2	2	1	1	-	-	-	-
ALL OTHER--MALE----	2	2	1	3	1	-	-	1	-	-	-	-
FEMALE--	2	-	2	-	-	-	-	2	-	-	-	-
BLACK---MALE----	1	2	1	3	1	-	-	1	-	-	-	-
FEMALE--	1	-	2	-	-	-	-	2	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,768
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 INVOLVING COLLISION WITH PEDESTRIAN (E814)												
MINNESOTA -----	58	-	2	2	4	5	2	4	9	3	5	-
WHITE-----MALE----	24	-	1	-	1	3	-	2	3	2	2	-
FEMALE--	23	-	1	1	2	2	1	1	1	1	2	-
ALL OTHER--MALE----	8	-	-	1	1	-	1	1	3	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	2	-	1	-
BLACK---MALE----	2	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
MISSISSIPPI -----	56	-	5	4	4	4	4	4	6	8	1	4
WHITE-----MALE----	17	-	-	1	1	1	2	2	3	1	-	1
FEMALE--	4	-	-	-	1	-	1	-	-	1	-	-
ALL OTHER--MALE----	23	-	2	1	-	1	1	2	3	4	1	2
FEMALE--	12	-	3	2	2	2	-	-	-	2	-	1
BLACK---MALE----	23	-	2	1	-	1	1	2	3	4	1	2
FEMALE--	11	-	3	2	2	2	-	-	-	2	-	-
MISSOURI -----	109	-	4	2	5	5	9	11	11	8	6	7
WHITE-----MALE----	73	-	3	-	2	4	9	8	8	7	5	5
FEMALE--	20	-	-	-	1	-	-	2	1	-	-	-
ALL OTHER--MALE----	9	-	1	-	1	-	-	1	-	1	1	1
FEMALE--	7	-	-	2	1	1	-	-	2	-	-	1
BLACK---MALE----	9	-	1	-	1	-	-	1	-	1	1	1
FEMALE--	7	-	-	2	1	1	-	-	2	-	-	1
MONTANA -----	11	-	-	3	-	-	-	-	1	1	-	-
WHITE-----MALE----	5	-	-	3	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	18	-	3	2	-	1	1	1	3	2	-	3
WHITE-----MALE----	8	-	1	-	-	1	-	-	2	2	-	2
FEMALE--	7	-	1	1	-	-	1	-	1	-	-	1
ALL OTHER--MALE----	3	-	1	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	54	-	1	3	2	2	2	1	2	5	7	7
WHITE-----MALE----	40	-	1	3	2	2	1	-	-	3	6	7
FEMALE--	8	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	1	-	1	1	1	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	1	-	1	1	1	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,770
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 INVOLVING COLLISION WITH PEDESTRIAN (E814)												
OHIO -----	137	-	9	12	7	5	9	11	7	15	5	8
WHITE-----MALE----	64	-	2	4	2	2	3	6	4	10	1	6
FEMALE--	43	-	1	5	3	2	4	2	1	4	3	-
ALL OTHER--MALE----	23	-	5	3	1	1	1	1	2	1	-	2
FEMALE--	7	-	1	-	1	-	1	2	-	-	1	-
BLACK---MALE----	22	-	5	3	1	1	1	1	2	1	-	2
FEMALE--	6	-	1	-	1	-	-	2	-	-	1	-
OKLAHOMA -----	65	-	4	1	5	3	7	5	3	7	5	6
WHITE-----MALE----	39	-	2	-	4	2	5	2	1	5	3	2
FEMALE--	11	-	1	-	1	-	-	-	2	-	1	1
ALL OTHER--MALE----	11	-	1	-	-	1	1	2	-	2	1	2
FEMALE--	4	-	-	1	-	-	1	1	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	1	-	-	-	-	-	-	-	1
OREGON -----	84	-	4	3	8	2	5	8	7	9	3	3
WHITE-----MALE----	48	-	1	2	3	1	3	5	5	5	2	2
FEMALE--	32	-	2	1	5	1	2	3	2	3	-	1
ALL OTHER--MALE----	4	-	1	-	-	-	-	-	-	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	224	1	9	11	11	13	8	8	11	15	11	18
WHITE-----MALE----	123	-	4	3	5	5	4	3	7	10	7	11
FEMALE--	62	-	3	3	5	5	4	3	1	2	2	2
ALL OTHER--MALE----	30	1	2	4	1	2	-	2	2	2	2	4
FEMALE--	9	-	-	1	-	1	-	-	1	1	-	1
BLACK---MALE----	27	1	1	4	1	2	-	1	2	2	2	4
FEMALE--	7	-	-	1	-	1	-	-	-	1	-	1
RHODE ISLAND -----	14	-	-	-	-	2	-	-	2	-	-	-
WHITE-----MALE----	6	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	108	-	2	6	2	9	8	7	16	8	17	3
WHITE-----MALE----	36	-	-	2	1	3	2	4	8	2	5	-
FEMALE--	15	-	1	1	-	1	-	-	2	-	3	1
ALL OTHER--MALE----	39	-	-	1	1	3	5	3	4	4	6	2
FEMALE--	18	-	1	2	-	2	1	-	2	2	3	-
BLACK---MALE----	39	-	-	1	1	3	5	3	4	4	6	2
FEMALE--	18	-	1	2	-	2	1	-	2	2	3	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,770
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INVOLVING COLLISION WITH PEDESTRIAN (E814)												
OHIO -----	7	7	4	13	4	3	5	4	1	1	-	-
WHITE-----MALE----	5	4	2	5	2	2	3	1	-	-	-	-
FEMALE--	1	2	-	5	2	1	2	3	1	1	-	-
ALL OTHER--MALE----	-	1	2	3	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	2	2	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	3	1	4	3	1	2	2	2	-	-	-	1
WHITE-----MALE----	2	1	2	3	1	1	2	1	-	-	-	-
FEMALE--	1	-	1	-	-	1	-	1	-	-	-	1
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	5	3	3	3	5	3	5	3	2	-	-	-
WHITE-----MALE----	3	3	2	2	1	2	4	1	1	-	-	-
FEMALE--	2	-	1	1	4	1	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	11	1	12	16	12	15	20	15	6	-	-	-
WHITE-----MALE----	10	1	4	10	6	9	12	8	4	-	-	-
FEMALE--	-	-	6	4	3	4	8	5	2	-	-	-
ALL OTHER--MALE----	1	-	2	2	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	2	-	-	-	-
BLACK---MALE----	1	-	1	2	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	2	-	-	-	-
RHODE ISLAND -----	-	-	2	-	3	1	4	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	2	1	1	-	-	-	-	-
FEMALE--	-	-	2	-	1	-	3	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	5	10	1	1	7	2	2	2	-	-	-	-
WHITE-----MALE----	2	4	-	-	1	1	1	-	-	-	-	-
FEMALE--	1	-	-	1	2	1	-	1	-	-	-	-
ALL OTHER--MALE----	1	4	1	-	2	-	1	1	-	-	-	-
FEMALE--	1	2	-	-	2	-	-	-	-	-	-	-
BLACK---MALE----	1	4	1	-	2	-	1	1	-	-	-	-
FEMALE--	1	2	-	-	2	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,771
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 INVOLVING COLLISION WITH PEDESTRIAN (E814)												
SOUTH DAKOTA -----	17	-	-	2	-	1	2	-	1	-	2	4
WHITE-----MALE----	8	-	-	-	-	1	-	-	-	-	2	2
FEMALE--	5	-	-	1	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	1	-	-	1	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	108	-	2	7	7	4	8	7	6	4	13	9
WHITE-----MALE----	60	-	-	3	1	3	5	3	4	1	8	2
FEMALE--	15	-	-	1	2	-	-	2	1	-	1	1
ALL OTHER--MALE----	26	-	2	3	3	1	2	2	1	2	2	5
FEMALE--	7	-	-	-	1	-	1	-	-	1	2	1
BLACK---MALE----	25	-	2	3	3	1	1	2	1	2	2	5
FEMALE--	7	-	-	-	1	-	1	-	-	1	2	1
TEXAS -----	474	1	23	15	22	30	45	40	37	51	39	29
WHITE-----MALE----	277	-	10	6	10	18	31	23	19	31	21	14
FEMALE--	98	1	9	2	8	8	7	7	3	11	9	6
ALL OTHER--MALE----	71	-	4	4	2	4	3	7	14	6	4	7
FEMALE--	28	-	-	3	2	-	4	3	1	3	5	2
BLACK---MALE----	64	-	4	3	1	3	3	7	14	6	3	5
FEMALE--	23	-	-	3	2	-	3	2	1	3	4	2
UTAH -----	44	-	5	2	5	5	3	1	2	4	4	-
WHITE-----MALE----	33	-	3	2	3	2	3	1	2	3	4	-
FEMALE--	10	-	2	-	2	3	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	5	-	-	1	1	-	1	-	-	1	-	-
WHITE-----MALE----	4	-	-	1	-	-	1	-	-	1	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	89	-	2	4	3	2	7	5	8	16	5	10
WHITE-----MALE----	49	-	1	4	1	1	7	1	7	4	5	4
FEMALE--	12	-	-	-	1	-	-	1	-	3	-	2
ALL OTHER--MALE----	25	-	1	-	1	1	-	2	1	7	-	4
FEMALE--	3	-	-	-	-	-	-	1	-	2	-	-
BLACK---MALE----	21	-	1	-	1	1	-	1	1	7	-	3
FEMALE--	3	-	-	-	-	-	-	1	-	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,773
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 INVOLVING COLLISION WITH OTHER VEHICLE OR OBJECT (E813,E815)												
0 UNITED STATES --	6,530	11	38	129	215	1,018	1,094	810	665	595	432	325
WHITE-----MALE----	4,174	3	14	62	133	618	748	546	455	392	270	208
FEMALE--	1,383	5	15	29	52	248	183	121	112	106	105	74
ALL OTHER--MALE----	755	2	2	26	17	113	135	120	80	83	44	32
FEMALE--	218	1	7	12	13	39	28	23	18	14	13	11
BLACK---MALE----	592	2	2	21	14	89	98	88	60	71	41	29
FEMALE--	163	1	6	10	11	30	20	16	13	12	8	9
ALABAMA -----	99	-	1	1	4	16	17	11	9	8	7	8
WHITE-----MALE----	63	-	-	-	2	9	8	8	9	7	4	4
FEMALE--	16	-	1	-	1	2	6	1	-	1	2	1
ALL OTHER--MALE----	13	-	-	-	1	2	3	1	-	-	1	2
FEMALE--	7	-	-	1	-	3	-	1	-	-	-	1
BLACK---MALE----	13	-	-	-	1	2	3	1	-	-	1	2
FEMALE--	7	-	-	1	-	3	-	1	-	-	-	1
ALASKA -----	5	-	-	-	1	1	-	-	2	-	-	-
WHITE-----MALE----	3	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	74	-	-	5	6	4	10	9	6	9	4	7
WHITE-----MALE----	45	-	-	-	5	3	5	7	4	6	4	3
FEMALE--	14	-	-	-	1	1	2	-	1	1	-	3
ALL OTHER--MALE----	11	-	-	3	-	-	3	1	1	1	-	1
FEMALE--	4	-	-	2	-	-	-	1	-	1	-	-
BLACK---MALE----	3	-	-	2	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	1	-	-	-	-	-	1	-	-
ARKANSAS -----	88	-	1	-	2	24	17	10	5	7	5	2
WHITE-----MALE----	53	-	1	-	1	13	9	4	3	5	4	1
FEMALE--	16	-	-	-	1	5	4	1	-	1	1	1
ALL OTHER--MALE----	15	-	-	-	-	4	3	5	2	1	-	-
FEMALE--	4	-	-	-	-	2	1	-	-	-	-	-
BLACK---MALE----	15	-	-	-	-	4	3	5	2	1	-	-
FEMALE--	4	-	-	-	-	2	1	-	-	-	-	-
CALIFORNIA -----	777	3	7	16	24	102	126	99	77	76	51	49
WHITE-----MALE----	491	1	4	5	15	57	89	68	51	44	32	34
FEMALE--	156	2	1	4	6	21	21	15	16	14	9	12
ALL OTHER--MALE----	92	-	-	6	2	19	9	11	8	14	6	-
FEMALE--	38	-	2	1	1	5	7	5	2	4	4	3
BLACK---MALE----	47	-	-	3	-	9	5	5	4	8	5	-
FEMALE--	20	-	2	1	1	3	3	3	2	2	2	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,774
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 INVOLVING COLLISION WITH OTHER VEHICLE OR OBJECT (E813,E815)												
COLORADO -----	74	-	1	1	7	10	11	13	5	6	4	4
WHITE-----MALE----	49	-	1	1	6	5	7	9	3	4	3	2
FEMALE--	18	-	-	-	1	4	4	3	1	1	1	2
ALL OTHER--MALE----	5	-	-	-	-	1	-	1	1	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	1	1	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	80	-	-	-	2	12	18	10	10	3	5	6
WHITE-----MALE----	57	-	-	-	2	9	15	7	9	-	2	5
FEMALE--	15	-	-	-	-	2	2	1	1	2	2	-
ALL OTHER--MALE----	7	-	-	-	-	1	1	2	-	1	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	1	-	2	-	1	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	13	-	-	1	-	1	2	3	2	1	1	1
WHITE-----MALE----	6	-	-	1	-	1	-	2	1	-	-	1
FEMALE--	4	-	-	-	-	-	2	-	-	1	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	6	-	1	-	-	1	1	-	1	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	1	1	-	1	-	-	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	1	1	-	1	-	-	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	-
FLORIDA -----	489	1	1	12	16	68	77	54	45	53	40	25
WHITE-----MALE----	327	-	1	6	10	42	61	32	32	37	21	20
FEMALE--	91	1	-	2	3	16	9	8	7	12	9	3
ALL OTHER--MALE----	52	-	-	4	1	5	7	11	3	4	9	1
FEMALE--	19	-	-	-	2	5	-	3	3	-	1	1
BLACK---MALE----	49	-	-	4	1	5	4	11	3	4	9	1
FEMALE--	19	-	-	-	2	5	-	3	3	-	1	1
GEORGIA -----	118	-	2	6	8	15	21	7	7	9	12	11
WHITE-----MALE----	69	-	-	3	2	8	16	3	4	5	7	7
FEMALE--	18	-	-	-	1	4	3	2	-	2	1	2
ALL OTHER--MALE----	25	-	1	2	4	3	2	2	1	2	4	1
FEMALE--	6	-	1	1	1	-	-	-	2	-	-	1
BLACK---MALE----	24	-	1	2	4	3	2	2	1	2	4	1
FEMALE--	6	-	1	1	1	-	-	-	2	-	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,776
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INVOLVING COLLISION WITH OTHER VEHICLE OR OBJECT (E813,E815)												
KENTUCKY -----	7	5	1	8	5	7	5	2	-	-	-	-
WHITE-----MALE----	5	3	-	6	1	4	5	1	-	-	-	-
FEMALE--	2	2	1	2	4	3	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	2	1	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	1	-	-	1	3	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	2	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	5	3	8	5	1	2	1	1	-	-	-	-
WHITE-----MALE----	3	2	5	2	-	2	1	1	-	-	-	-
FEMALE--	1	-	3	3	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	9	1	2	3	4	6	3	4	-	1	-	-
WHITE-----MALE----	8	1	1	1	3	1	2	3	-	-	-	-
FEMALE--	-	-	1	2	1	5	1	1	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	8	7	4	6	6	5	5	-	1	-	-	-
WHITE-----MALE----	5	4	3	3	5	3	3	-	1	-	-	-
FEMALE--	3	1	1	2	-	2	2	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,779
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 INVOLVING COLLISION WITH OTHER VEHICLE OR OBJECT (E813,E815)												
OHIO -----	199	-	-	3	8	40	25	13	21	23	16	6
WHITE-----MALE----	116	-	-	2	4	25	17	8	10	13	11	5
FEMALE--	45	-	-	1	3	6	5	1	6	5	3	1
ALL OTHER--MALE----	34	-	-	-	-	9	3	3	5	5	1	-
FEMALE--	4	-	-	-	1	-	-	1	-	-	1	-
BLACK---MALE----	33	-	-	-	-	9	3	2	5	5	1	-
FEMALE--	4	-	-	-	1	-	-	1	-	-	1	-
OKLAHOMA -----	54	-	-	2	2	6	12	3	6	3	6	4
WHITE-----MALE----	29	-	-	1	2	4	4	2	5	3	4	2
FEMALE--	17	-	-	1	-	2	4	1	-	-	2	2
ALL OTHER--MALE----	4	-	-	-	-	-	3	-	1	-	-	-
FEMALE--	4	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	78	-	-	2	2	15	6	10	6	10	9	5
WHITE-----MALE----	59	-	-	2	1	11	4	10	4	7	6	3
FEMALE--	14	-	-	-	1	3	-	-	-	3	3	2
ALL OTHER--MALE----	5	-	-	-	-	1	2	-	2	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	292	-	1	3	8	42	63	37	25	16	14	9
WHITE-----MALE----	186	-	-	1	4	26	49	24	15	14	9	3
FEMALE--	81	-	1	-	2	14	11	8	8	-	4	6
ALL OTHER--MALE----	19	-	-	1	1	2	3	4	2	1	1	-
FEMALE--	6	-	-	1	1	-	-	1	-	1	-	-
BLACK---MALE----	17	-	-	1	1	2	3	3	1	1	1	-
FEMALE--	5	-	-	1	1	-	-	1	-	1	-	-
RHODE ISLAND -----	24	-	-	-	1	1	1	7	5	-	2	2
WHITE-----MALE----	19	-	-	-	1	1	1	5	4	-	1	2
FEMALE--	5	-	-	-	-	-	-	2	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	132	-	1	3	3	26	19	13	20	14	14	9
WHITE-----MALE----	63	-	-	-	1	18	10	5	10	5	6	3
FEMALE--	31	-	1	2	1	4	4	6	4	3	5	-
ALL OTHER--MALE----	32	-	-	-	1	4	5	2	4	5	3	5
FEMALE--	6	-	-	1	-	-	-	-	2	1	-	1
BLACK---MALE----	32	-	-	-	1	4	5	2	4	5	3	5
FEMALE--	6	-	-	1	-	-	-	-	2	1	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,780
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 INVOLVING COLLISION WITH OTHER VEHICLE OR OBJECT (E813,E815)												
SOUTH DAKOTA -----	22	-	-	-	1	1	3	3	2	2	2	1
WHITE-----MALE----	14	-	-	-	1	-	2	2	1	1	1	1
FEMALE--	2	-	-	-	-	1	-	-	-	1	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	352	2	1	2	6	64	68	45	39	34	25	16
WHITE-----MALE----	252	1	-	1	4	41	52	35	31	25	16	11
FEMALE--	61	1	-	1	2	14	7	7	5	6	6	2
ALL OTHER--MALE----	29	-	-	-	-	5	8	3	3	3	2	3
FEMALE--	10	-	1	-	-	4	1	-	-	-	1	-
BLACK---MALE----	26	-	-	-	-	4	7	3	2	3	2	3
FEMALE--	7	-	1	-	-	2	1	-	-	-	1	-
TEXAS -----	620	1	3	13	22	105	103	97	66	64	31	30
WHITE-----MALE----	417	-	2	5	16	71	72	68	44	47	20	20
FEMALE--	127	-	1	1	5	25	17	20	12	9	7	9
ALL OTHER--MALE----	62	1	-	4	1	7	11	9	9	7	2	1
FEMALE--	14	-	-	3	-	2	3	-	1	1	2	-
BLACK---MALE----	58	1	-	4	1	6	10	8	9	6	2	1
FEMALE--	13	-	-	3	-	2	3	-	1	1	1	-
UTAH -----	18	-	-	1	1	1	1	3	2	2	1	-
WHITE-----MALE----	12	-	-	-	1	1	1	3	1	-	-	-
FEMALE--	6	-	-	1	-	-	-	-	1	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	12	-	1	1	-	1	1	-	1	3	-	1
WHITE-----MALE----	9	-	1	1	-	-	1	-	1	3	-	1
FEMALE--	3	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	115	-	-	3	5	16	22	10	12	6	15	5
WHITE-----MALE----	55	-	-	1	2	11	10	7	5	1	8	4
FEMALE--	23	-	-	1	2	1	3	-	2	2	5	-
ALL OTHER--MALE----	24	-	-	1	-	1	6	1	5	2	2	1
FEMALE--	13	-	-	-	1	3	3	2	-	1	-	-
BLACK---MALE----	22	-	-	1	-	1	5	1	4	2	2	1
FEMALE--	9	-	-	-	-	2	3	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,780
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 INVOLVING COLLISION WITH OTHER VEHICLE OR OBJECT (E813,E815)												
SOUTH DAKOTA -----	2	2	1	1	-	-	-	-	1	-	-	-
WHITE-----MALE----	2	1	-	1	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	12	10	4	5	5	5	1	7	1	-	-	-
WHITE-----MALE----	8	8	3	4	4	2	-	6	-	-	-	-
FEMALE--	2	1	1	-	1	3	1	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	1	-	-	-
TEXAS -----	16	16	14	8	12	6	3	7	1	-	-	2
WHITE-----MALE----	9	10	11	5	6	3	1	5	-	-	-	2
FEMALE--	2	4	1	2	5	3	2	1	1	-	-	-
ALL OTHER--MALE----	4	2	1	1	1	-	-	1	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	2	1	1	1	-	-	1	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
UTAH -----	2	-	2	-	-	2	-	-	-	-	-	-
WHITE-----MALE----	2	-	2	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	1	1	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	8	1	1	3	3	3	1	1	-	-	-	-
WHITE-----MALE----	4	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	2	-	-	1	-	3	-	1	-	-	-	-
ALL OTHER--MALE----	2	1	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	-	-	-	-	-	-	-
BLACK---MALE----	2	1	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,782
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 NOT INVOLVING COLLISION ON HIGHWAY (E816-E818)												
0 UNITED STATES --	7,252	31	86	86	166	1,157	1,195	890	801	711	526	375
WHITE-----MALE----	4,438	12	29	41	81	638	829	555	509	437	342	236
FEMALE--	1,654	9	35	26	55	359	185	167	169	152	98	79
ALL OTHER--MALE----	849	6	13	10	17	118	147	124	93	93	56	46
FEMALE--	311	4	9	9	13	42	34	44	30	29	30	14
BLACK---MALE----	605	6	10	6	15	80	98	86	70	66	42	36
FEMALE--	191	3	6	5	6	24	20	24	22	15	20	5
ALABAMA -----	262	-	1	4	7	43	46	29	35	28	22	8
WHITE-----MALE----	146	-	-	2	3	27	31	19	16	10	9	4
FEMALE--	41	-	-	-	2	9	3	1	8	6	5	1
ALL OTHER--MALE----	59	-	1	1	2	5	12	5	10	10	5	3
FEMALE--	16	-	-	1	-	2	-	4	1	2	3	-
BLACK---MALE----	59	-	1	1	2	5	12	5	10	10	5	3
FEMALE--	15	-	-	1	-	2	-	4	-	2	3	-
ALASKA -----	9	-	-	1	-	1	-	-	-	1	1	-
WHITE-----MALE----	5	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	195	1	3	4	9	39	27	24	14	16	16	7
WHITE-----MALE----	101	1	-	2	5	16	13	18	7	8	7	3
FEMALE--	46	-	2	1	3	11	4	-	5	5	4	2
ALL OTHER--MALE----	38	-	-	1	-	10	8	4	1	3	4	2
FEMALE--	10	-	1	-	1	2	2	2	1	-	1	-
BLACK---MALE----	4	-	-	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	132	-	-	-	3	18	25	24	16	8	12	5
WHITE-----MALE----	82	-	-	-	1	8	19	15	10	5	7	4
FEMALE--	27	-	-	-	1	4	5	4	4	-	4	-
ALL OTHER--MALE----	15	-	-	-	-	5	1	3	1	2	1	1
FEMALE--	8	-	-	-	1	1	-	2	1	1	-	-
BLACK---MALE----	15	-	-	-	1	5	1	3	1	2	1	1
FEMALE--	7	-	-	-	1	1	-	1	1	1	-	-
CALIFORNIA -----	834	5	13	10	13	98	138	101	97	91	50	54
WHITE-----MALE----	507	2	4	2	6	56	103	61	65	53	33	31
FEMALE--	203	1	7	3	6	32	20	27	24	22	8	10
ALL OTHER--MALE----	82	1	1	3	-	7	12	9	7	10	4	8
FEMALE--	42	1	1	2	1	3	3	4	1	6	5	5
BLACK---MALE----	39	1	-	2	-	4	4	7	4	5	2	4
FEMALE--	19	1	1	-	1	1	1	1	1	2	3	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,782
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 NOT INVOLVING COLLISION ON HIGHWAY (E816-E818)												
0 UNITED STATES --	303	208	178	146	149	107	84	39	12	-	-	2
WHITE-----MALE----	199	125	112	86	78	59	47	18	3	-	-	2
FEMALE--	72	43	35	38	43	35	28	18	8	-	-	-
ALL OTHER--MALE----	22	28	24	15	18	11	4	3	1	-	-	-
FEMALE--	10	12	7	7	10	2	5	-	-	-	-	-
BLACK---MALE----	17	15	21	8	16	9	2	1	1	-	-	-
FEMALE--	7	10	6	6	8	2	2	-	-	-	-	-
ALABAMA -----	12	7	6	6	5	1	1	1	-	-	-	-
WHITE-----MALE----	9	4	4	3	3	1	1	-	-	-	-	-
FEMALE--	-	1	1	2	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	2	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	2	1	-	-	-	-	-	-	-	-	-
ALASKA -----	-	2	-	3	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	2	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	12	5	5	4	5	1	2	-	-	-	-	1
WHITE-----MALE----	9	3	4	1	1	-	2	-	-	-	-	1
FEMALE--	2	-	1	1	4	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	2	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	5	5	4	2	3	1	-	1	-	-	-	-
WHITE-----MALE----	4	2	3	2	1	-	-	1	-	-	-	-
FEMALE--	1	3	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
CALIFORNIA -----	46	30	20	30	17	7	9	5	-	-	-	-
WHITE-----MALE----	27	14	10	17	14	3	4	2	-	-	-	-
FEMALE--	12	5	5	12	2	4	2	1	-	-	-	-
ALL OTHER--MALE----	3	8	5	1	-	-	1	2	-	-	-	-
FEMALE--	4	3	-	-	1	-	2	-	-	-	-	-
BLACK---MALE----	1	2	2	-	-	-	1	-	-	-	-	-
FEMALE--	2	2	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,783
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 NOT INVOLVING COLLISION ON HIGHWAY (E816-E818)												
COLORADO -----	187	3	2	2	11	28	29	22	18	23	12	10
WHITE-----MALE----	117	1	1	1	5	14	18	14	16	13	8	6
FEMALE--	60	2	1	1	5	12	9	6	2	9	3	4
ALL OTHER--MALE----	7	-	-	-	1	2	2	1	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	1	-	-	1	-
BLACK---MALE----	3	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	1	-
CONNECTICUT -----	25	-	1	-	-	3	4	-	3	4	2	3
WHITE-----MALE----	18	-	1	-	-	1	1	-	2	3	2	3
FEMALE--	5	-	-	-	-	2	1	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	2	-	-	-	-	-
DELAWARE -----	13	-	-	-	-	2	1	2	1	1	2	1
WHITE-----MALE----	10	-	-	-	-	1	1	2	1	1	1	1
FEMALE--	2	-	-	-	-	1	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	5	-	-	1	-	1	1	-	-	1	1	-
WHITE-----MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	1	-
BLACK---MALE----	2	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	1	-
FLORIDA -----	310	2	5	4	1	41	49	48	36	35	29	14
WHITE-----MALE----	186	-	-	2	-	26	38	27	22	18	18	11
FEMALE--	76	1	2	1	1	12	6	13	9	10	5	1
ALL OTHER--MALE----	38	-	3	1	-	3	5	7	3	7	4	2
FEMALE--	10	1	-	-	-	-	-	1	2	-	2	-
BLACK---MALE----	34	-	3	-	-	3	5	7	3	5	4	1
FEMALE--	10	1	-	-	-	-	-	1	2	-	2	-
GEORGIA -----	256	1	2	1	8	43	46	34	34	18	17	14
WHITE-----MALE----	141	-	-	-	4	25	24	13	20	11	11	7
FEMALE--	47	-	1	-	2	10	7	5	6	3	3	3
ALL OTHER--MALE----	50	1	1	-	2	7	10	11	7	3	2	2
FEMALE--	18	-	-	1	-	1	5	5	1	1	1	2
BLACK---MALE----	49	1	1	-	2	7	10	10	7	3	2	2
FEMALE--	15	-	-	1	-	1	4	4	1	1	-	2

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,783
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 NOT INVOLVING COLLISION ON HIGHWAY (E816-E818)												
COLORADO -----	12	7	5	1	-	-	1	1	-	-	-	-
WHITE-----MALE----	9	5	4	1	-	-	-	1	-	-	-	-
FEMALE--	3	2	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	2	-	-	-	1	1	-	-	-	-	-
WHITE-----MALE----	1	2	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	1	-	2	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	9	6	5	8	5	5	6	2	-	-	-	-
WHITE-----MALE----	6	2	2	5	2	3	4	-	-	-	-	-
FEMALE--	2	2	3	1	1	2	2	2	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	2	-	2	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	2	-	2	-	-	-	-	-	-	-	-
GEORGIA -----	16	7	5	4	1	5	-	-	-	-	-	-
WHITE-----MALE----	12	5	3	3	-	3	-	-	-	-	-	-
FEMALE--	2	1	1	1	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	2	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,785
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 NOT INVOLVING COLLISION ON HIGHWAY (E816-E818)												
KENTUCKY -----	78	-	2	2	2	12	22	12	7	3	5	2
WHITE-----MALE----	56	-	1	2	1	8	18	6	5	2	3	2
FEMALE--	17	-	1	-	1	3	3	5	2	1	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	1	1	-	-	2	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
LOUISIANA -----	99	-	2	1	3	16	11	16	13	7	7	5
WHITE-----MALE----	44	-	1	-	1	11	6	5	4	3	4	3
FEMALE--	19	-	-	1	2	3	1	2	3	1	1	2
ALL OTHER--MALE----	27	-	-	-	-	1	3	8	5	2	1	-
FEMALE--	9	-	1	-	-	1	1	1	1	1	1	-
BLACK---MALE----	25	-	-	-	-	1	3	7	5	1	1	-
FEMALE--	9	-	1	-	-	1	1	1	1	1	1	-
MAINE -----	43	-	-	-	-	3	12	3	3	4	3	3
WHITE-----MALE----	37	-	-	-	-	1	12	3	3	4	3	2
FEMALE--	6	-	-	-	-	2	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	40	-	-	-	-	4	6	7	7	9	1	-
WHITE-----MALE----	22	-	-	-	-	4	3	4	3	2	1	-
FEMALE--	7	-	-	-	-	-	-	1	4	1	-	-
ALL OTHER--MALE----	9	-	-	-	-	-	3	1	-	5	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	1	-	-
BLACK---MALE----	7	-	-	-	-	-	3	1	-	3	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	1	-	-
MASSACHUSETTS -----	21	-	-	-	2	3	2	1	1	3	3	-
WHITE-----MALE----	15	-	-	-	-	3	2	1	1	2	2	-
FEMALE--	4	-	-	-	1	-	-	-	-	1	1	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	194	1	-	4	4	31	32	18	22	23	16	7
WHITE-----MALE----	132	-	-	3	1	19	24	11	15	19	14	4
FEMALE--	47	1	-	1	2	10	5	5	6	2	1	2
ALL OTHER--MALE----	11	-	-	-	1	1	2	1	-	2	1	1
FEMALE--	4	-	-	-	-	1	1	1	1	-	-	-
BLACK---MALE----	7	-	-	-	-	1	1	-	-	2	-	1
FEMALE--	3	-	-	-	-	-	1	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,788
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 NOT INVOLVING COLLISION ON HIGHWAY (E816-E818)												
OHIO -----	137	-	3	3	5	24	19	13	13	11	9	8
WHITE-----MALE----	96	-	3	1	3	17	17	11	9	8	5	8
FEMALE--	29	-	-	1	1	7	2	2	3	3	2	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	6	-	-	1	1	-	-	-	1	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	6	-	-	1	1	-	-	-	1	-	-	-
OKLAHOMA -----	125	-	2	2	4	28	14	10	16	10	7	7
WHITE-----MALE----	74	-	1	-	-	14	11	6	12	6	3	4
FEMALE--	27	-	1	2	2	8	-	3	2	-	3	1
ALL OTHER--MALE----	16	-	-	-	-	5	2	1	2	1	-	2
FEMALE--	8	-	-	-	2	1	1	-	-	3	1	-
BLACK---MALE----	7	-	-	-	-	1	-	1	1	1	-	2
FEMALE--	3	-	-	-	1	-	1	-	-	-	1	-
OREGON -----	162	2	4	2	2	24	25	15	22	17	10	10
WHITE-----MALE----	99	1	1	1	2	12	12	12	18	9	8	6
FEMALE--	53	-	3	1	-	10	9	3	3	8	1	4
ALL OTHER--MALE----	7	-	-	-	-	2	3	-	1	-	-	-
FEMALE--	3	1	-	-	-	-	1	-	-	-	1	-
BLACK---MALE----	2	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
PENNSYLVANIA -----	135	1	1	1	3	21	19	14	20	8	6	12
WHITE-----MALE----	87	-	-	1	1	15	16	10	13	7	6	8
FEMALE--	33	1	1	-	2	4	3	4	4	1	-	-
ALL OTHER--MALE----	12	-	-	-	-	1	-	-	2	-	-	3
FEMALE--	3	-	-	-	-	1	-	-	1	-	-	1
BLACK---MALE----	11	-	-	-	-	1	-	-	2	-	-	3
FEMALE--	2	-	-	-	-	1	-	-	1	-	-	-
RHODE ISLAND -----	10	-	-	-	-	1	3	1	-	1	-	1
WHITE-----MALE----	7	-	-	-	-	1	3	1	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	194	1	3	1	4	28	31	28	19	24	19	9
WHITE-----MALE----	98	-	-	-	1	14	7	15	12	18	12	5
FEMALE--	41	-	1	1	1	7	10	3	4	3	2	2
ALL OTHER--MALE----	48	-	2	-	2	4	14	9	3	2	5	2
FEMALE--	7	1	-	-	-	3	-	1	-	1	-	-
BLACK---MALE----	47	-	2	-	2	4	14	8	3	2	5	2
FEMALE--	7	1	-	-	-	3	-	1	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,789
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 NOT INVOLVING COLLISION ON HIGHWAY (E816-E818)												
SOUTH DAKOTA -----	44	-	1	-	2	7	5	7	10	4	3	2
WHITE-----MALE----	19	-	-	-	2	2	3	2	4	2	1	1
FEMALE--	7	-	-	-	-	2	-	2	1	1	1	-
ALL OTHER--MALE----	12	-	-	-	-	1	1	3	4	1	1	-
FEMALE--	6	-	1	-	-	2	1	-	1	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	177	-	1	2	-	25	27	23	20	20	16	10
WHITE-----MALE----	114	-	-	2	-	12	24	14	14	13	11	5
FEMALE--	40	-	1	-	-	13	-	7	2	3	3	2
ALL OTHER--MALE----	19	-	-	-	-	-	3	2	3	3	2	3
FEMALE--	4	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	19	-	-	-	-	-	3	2	3	3	2	3
FEMALE--	4	-	-	-	-	-	-	-	1	1	-	-
TEXAS -----	568	3	7	11	16	96	89	64	66	59	46	27
WHITE-----MALE----	356	1	3	4	7	59	56	42	44	41	30	18
FEMALE--	152	2	3	5	5	27	19	15	15	14	12	8
ALL OTHER--MALE----	45	-	1	1	3	7	12	5	5	4	1	1
FEMALE--	15	-	-	1	1	3	2	2	2	-	3	-
BLACK---MALE----	38	-	1	1	3	7	10	4	4	4	1	-
FEMALE--	9	-	-	-	1	3	2	1	1	-	1	-
UTAH -----	103	1	2	2	2	28	20	7	9	9	10	4
WHITE-----MALE----	71	1	1	1	2	17	14	5	6	4	9	2
FEMALE--	26	-	1	-	-	10	4	1	3	4	1	2
ALL OTHER--MALE----	3	-	-	-	-	1	1	1	-	-	-	-
FEMALE--	3	-	-	1	-	-	1	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	16	-	-	-	1	2	5	1	4	2	1	-
WHITE-----MALE----	12	-	-	-	-	2	5	-	3	1	1	-
FEMALE--	4	-	-	-	1	-	-	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	167	-	1	1	3	33	25	26	14	17	8	7
WHITE-----MALE----	87	-	-	-	1	10	15	13	11	12	6	5
FEMALE--	34	-	1	-	1	9	3	7	-	2	-	1
ALL OTHER--MALE----	27	-	-	1	1	9	4	4	2	2	-	1
FEMALE--	19	-	-	-	-	5	3	2	1	1	2	-
BLACK---MALE----	25	-	-	-	1	8	4	4	2	2	-	1
FEMALE--	18	-	-	-	-	4	3	2	1	1	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,789
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 NOT INVOLVING COLLISION ON HIGHWAY (E816-E818)												
SOUTH DAKOTA -----	1	-	-	1	-	1	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	5	2	3	8	7	3	1	4	-	-	-	-
WHITE-----MALE----	4	2	1	5	4	2	-	1	-	-	-	-
FEMALE--	1	-	1	1	2	1	-	3	-	-	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
TEXAS -----	23	13	5	7	16	5	11	2	1	-	-	1
WHITE-----MALE----	16	9	3	6	8	2	5	1	-	-	-	1
FEMALE--	6	3	2	-	6	2	6	1	1	-	-	-
ALL OTHER--MALE----	1	1	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH -----	2	2	1	-	3	1	-	-	-	-	-	-
WHITE-----MALE----	2	2	1	-	3	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	9	4	4	2	5	4	3	1	-	-	-	-
WHITE-----MALE----	5	-	2	-	2	2	2	1	-	-	-	-
FEMALE--	2	1	2	2	2	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	1	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	1	1	-	-	-	-	-	-
FEMALE--	2	2	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,791
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE (E819)												
0 UNITED STATES --	6,397	44	96	97	124	850	865	625	562	508	378	335
WHITE-----MALE----	3,486	16	37	41	54	469	544	374	322	269	209	197
FEMALE--	1,844	15	36	30	49	238	165	134	135	139	90	78
ALL OTHER--MALE----	725	6	10	15	17	104	119	87	66	64	61	44
FEMALE--	342	7	13	11	4	39	37	30	39	36	18	16
BLACK---MALE----	610	4	7	15	16	90	95	74	55	50	55	36
FEMALE--	262	6	10	10	2	29	18	25	30	29	17	11
ALABAMA -----	286	4	3	8	4	39	38	29	33	16	19	7
WHITE-----MALE----	152	2	1	4	1	22	27	15	17	11	8	5
FEMALE--	80	-	-	1	2	14	7	6	9	1	5	1
ALL OTHER--MALE----	41	1	2	3	1	2	3	8	5	2	6	1
FEMALE--	13	1	-	-	-	1	1	-	2	2	-	-
BLACK---MALE----	40	1	2	3	1	2	3	7	5	2	6	1
FEMALE--	13	1	-	-	-	1	1	-	2	2	-	-
ALASKA -----	54	1	3	1	2	6	4	9	6	4	1	5
WHITE-----MALE----	28	-	-	-	1	3	3	4	2	2	1	5
FEMALE--	13	1	1	1	1	2	-	2	1	-	-	-
ALL OTHER--MALE----	8	-	1	-	-	1	-	1	2	2	-	-
FEMALE--	5	-	1	-	-	-	1	2	1	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	235	2	5	1	5	27	35	22	24	22	15	9
WHITE-----MALE----	121	1	4	-	2	13	17	13	13	12	11	5
FEMALE--	69	1	1	1	3	6	6	7	5	5	2	3
ALL OTHER--MALE----	33	-	-	-	-	7	9	2	4	4	1	1
FEMALE--	12	-	-	-	-	1	3	-	2	1	1	-
BLACK---MALE----	3	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
ARKANSAS -----	109	1	1	2	2	17	10	9	9	3	4	8
WHITE-----MALE----	68	1	1	2	1	10	4	6	7	3	3	5
FEMALE--	21	-	-	-	1	1	2	2	1	-	-	2
ALL OTHER--MALE----	18	-	-	-	-	6	4	1	1	-	1	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	17	-	-	-	-	6	4	1	1	-	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	160	4	-	2	3	19	19	21	13	14	12	8
WHITE-----MALE----	94	-	-	2	2	10	14	15	7	9	8	6
FEMALE--	40	1	-	-	1	6	3	3	4	3	1	1
ALL OTHER--MALE----	17	1	-	-	-	1	1	3	2	-	3	1
FEMALE--	9	2	-	-	-	2	1	-	-	2	-	-
BLACK---MALE----	9	-	-	-	-	1	-	1	2	-	3	1
FEMALE--	3	1	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,791
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE (E819)												
0 UNITED STATES --	267	227	240	235	263	268	229	138	37	8	-	1
WHITE-----MALE----	138	120	128	113	127	116	109	78	22	3	-	-
FEMALE--	76	75	84	95	109	128	94	55	14	4	-	1
ALL OTHER--MALE----	34	21	13	13	16	14	15	4	1	1	-	-
FEMALE--	19	11	15	14	11	10	11	1	-	-	-	-
BLACK---MALE----	29	15	13	13	11	14	13	3	1	1	-	-
FEMALE--	12	9	15	11	10	6	11	1	-	-	-	-
ALABAMA -----	5	7	21	10	9	12	16	5	1	-	-	-
WHITE-----MALE----	2	5	11	3	4	5	6	2	1	-	-	-
FEMALE--	2	1	8	7	2	4	8	2	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	2	1	1	1	-	-	-	-
FEMALE--	-	-	2	-	1	2	1	-	-	-	-	-
BLACK---MALE----	1	1	-	-	2	1	1	1	-	-	-	-
FEMALE--	-	-	2	-	1	2	1	-	-	-	-	-
ALASKA -----	3	-	2	4	2	-	1	-	-	-	-	-
WHITE-----MALE----	1	-	2	2	1	-	1	-	-	-	-	-
FEMALE--	1	-	-	2	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	5	8	7	13	12	9	7	7	-	-	-	-
WHITE-----MALE----	2	3	3	7	5	3	3	4	-	-	-	-
FEMALE--	2	3	2	5	5	5	4	3	-	-	-	-
ALL OTHER--MALE----	1	2	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ARKANSAS -----	7	4	1	7	9	7	3	4	-	1	-	-
WHITE-----MALE----	2	2	1	6	5	5	1	2	-	1	-	-
FEMALE--	3	1	-	1	3	1	2	1	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	1	1	-	1	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	10	5	7	1	8	5	5	4	-	-	-	-
WHITE-----MALE----	5	3	5	1	3	2	1	1	-	-	-	-
FEMALE--	2	2	2	-	3	3	3	2	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	2	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,792
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE (E819)												
COLORADO -----	122	2	5	1	2	15	17	19	9	13	4	6
WHITE-----MALE----	69	1	3	1	1	8	10	14	6	9	3	4
FEMALE--	46	1	1	-	-	7	6	4	3	4	-	2
ALL OTHER--MALE----	6	-	1	-	1	-	1	1	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	1	-	1	1	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	50	1	2	-	1	5	10	4	3	3	-	4
WHITE-----MALE----	26	1	1	-	-	3	5	4	-	2	-	1
FEMALE--	21	-	1	-	1	2	4	-	2	1	-	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
DELAWARE -----	24	-	1	-	1	2	2	1	3	2	3	1
WHITE-----MALE----	12	-	1	-	-	1	1	1	2	2	3	-
FEMALE--	8	-	-	-	1	-	1	-	1	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	11	-	-	-	-	-	-	-	3	-	1	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	2	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	2	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	225	1	3	5	2	24	31	20	22	11	13	15
WHITE-----MALE----	125	-	1	3	-	13	20	11	13	9	7	7
FEMALE--	58	-	2	1	1	5	2	6	5	1	5	4
ALL OTHER--MALE----	31	1	-	1	1	4	8	3	3	-	-	2
FEMALE--	11	-	-	-	-	2	1	-	1	1	1	2
BLACK---MALE----	29	1	-	1	1	4	7	3	3	-	-	1
FEMALE--	9	-	-	-	-	1	-	-	1	1	1	2
GEORGIA -----	519	5	10	9	10	70	61	46	46	45	29	26
WHITE-----MALE----	206	3	2	2	3	31	25	21	18	11	10	11
FEMALE--	158	2	4	-	5	17	20	8	9	15	8	8
ALL OTHER--MALE----	111	-	1	4	2	16	14	12	15	12	10	6
FEMALE--	44	-	3	3	-	6	2	5	4	7	1	1
BLACK---MALE----	109	-	1	4	2	16	14	12	14	11	10	6
FEMALE--	42	-	3	3	-	6	2	5	4	7	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,792
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE (E819)												
COLORADO -----	4	5	5	1	6	2	4	1	-	1	-	-
WHITE-----MALE----	2	-	2	-	4	-	-	-	-	1	-	-
FEMALE--	2	5	3	-	2	1	4	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	2	-	3	1	3	1	1	5	1	-	-	-
WHITE-----MALE----	2	-	-	-	3	-	-	3	1	-	-	-
FEMALE--	-	-	3	1	-	1	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	1	-	1	-	2	2	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	2	-	1	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
DISTRICT OF COLUMBIA ----	2	-	-	1	-	1	3	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
FLORIDA -----	11	8	9	8	13	11	8	7	2	1	-	-
WHITE-----MALE----	6	5	4	4	8	3	4	4	2	1	-	-
FEMALE--	3	2	4	2	3	5	4	3	-	-	-	-
ALL OTHER--MALE----	2	1	1	-	1	3	-	-	-	-	-	-
FEMALE--	-	-	-	2	1	-	-	-	-	-	-	-
BLACK---MALE----	2	1	1	-	1	3	-	-	-	-	-	-
FEMALE--	-	-	-	2	1	-	-	-	-	-	-	-
GEORGIA -----	28	16	23	18	15	29	25	6	2	-	-	-
WHITE-----MALE----	13	10	11	6	11	7	8	3	-	-	-	-
FEMALE--	7	-	8	9	4	17	13	2	2	-	-	-
ALL OTHER--MALE----	5	4	2	1	-	4	2	1	-	-	-	-
FEMALE--	3	2	2	2	-	1	2	-	-	-	-	-
BLACK---MALE----	5	4	2	1	-	4	2	1	-	-	-	-
FEMALE--	2	2	2	2	-	1	2	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,793
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE (E819)												
HAWAII -----	23	-	-	-	1	4	9	2	3	2	-	-
WHITE-----MALE----	5	-	-	-	-	-	2	1	1	1	-	-
FEMALE--	2	-	-	-	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	13	-	-	-	-	2	6	1	1	1	-	-
FEMALE--	3	-	-	-	-	2	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	10	-	-	-	1	2	2	-	1	1	-	-
WHITE-----MALE----	6	-	-	-	-	1	2	-	1	-	-	-
FEMALE--	4	-	-	-	1	1	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	370	2	7	7	10	51	55	34	38	25	17	15
WHITE-----MALE----	206	2	2	3	1	34	27	24	25	12	8	9
FEMALE--	94	-	2	2	6	13	14	4	8	3	4	1
ALL OTHER--MALE----	49	-	1	-	2	4	11	4	3	6	3	5
FEMALE--	21	-	2	2	1	-	3	2	2	4	2	-
BLACK---MALE----	46	-	-	-	1	4	11	4	3	6	3	4
FEMALE--	19	-	2	2	1	-	3	2	1	4	2	-
INDIANA -----	300	2	5	8	5	41	47	29	23	29	14	14
WHITE-----MALE----	175	1	-	3	4	28	37	20	12	19	10	6
FEMALE--	104	1	3	3	1	12	6	5	9	10	4	5
ALL OTHER--MALE----	13	-	1	1	-	1	4	2	1	-	-	2
FEMALE--	8	-	1	1	-	-	-	2	1	-	-	1
BLACK---MALE----	13	-	1	1	-	1	4	2	1	-	-	2
FEMALE--	6	-	1	1	-	-	-	2	-	-	-	1
IOWA -----	13	-	1	-	1	4	2	-	-	-	1	-
WHITE-----MALE----	6	-	-	-	-	2	1	-	-	-	-	-
FEMALE--	6	-	1	-	1	1	1	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	107	-	2	3	1	15	12	4	13	17	6	6
WHITE-----MALE----	67	-	2	1	1	8	8	2	10	12	6	5
FEMALE--	36	-	-	2	-	7	4	-	2	5	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,794
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE (E819)												
KENTUCKY -----	65	-	3	2	1	6	6	6	8	7	2	3
WHITE-----MALE----	38	-	2	-	-	4	4	3	8	4	1	3
FEMALE--	20	-	1	1	1	1	-	2	-	2	1	-
ALL OTHER--MALE----	6	-	-	1	-	1	1	1	-	1	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	6	-	-	1	-	1	1	1	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	440	2	4	7	15	81	69	49	42	36	32	17
WHITE-----MALE----	212	1	-	3	7	36	33	26	23	13	14	12
FEMALE--	104	-	3	2	6	17	14	10	6	14	6	2
ALL OTHER--MALE----	80	-	-	1	2	17	15	7	7	7	8	3
FEMALE--	44	1	1	1	-	11	7	6	6	2	4	-
BLACK---MALE----	78	-	-	1	2	17	13	7	7	7	8	3
FEMALE--	40	1	1	1	-	10	4	6	6	2	4	-
MAINE -----	18	-	-	-	-	2	2	2	-	4	1	-
WHITE-----MALE----	8	-	-	-	-	2	1	1	-	-	-	-
FEMALE--	10	-	-	-	-	-	1	1	-	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	147	2	3	3	3	23	22	8	12	8	9	9
WHITE-----MALE----	61	-	-	-	-	11	13	3	6	4	4	4
FEMALE--	36	-	2	1	1	5	4	-	4	1	2	1
ALL OTHER--MALE----	28	1	-	1	2	6	2	4	1	1	1	3
FEMALE--	22	1	1	1	-	1	3	1	1	2	2	1
BLACK---MALE----	26	-	-	1	2	6	2	3	1	1	1	3
FEMALE--	16	1	-	1	-	1	1	1	1	2	2	1
MASSACHUSETTS -----	105	-	-	1	6	11	10	7	13	11	7	6
WHITE-----MALE----	60	-	-	-	3	8	6	5	6	5	6	4
FEMALE--	37	-	-	1	3	2	2	1	5	5	1	1
ALL OTHER--MALE----	6	-	-	-	-	1	1	1	2	1	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	1
BLACK---MALE----	6	-	-	-	1	1	1	1	2	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	246	2	5	4	3	25	41	17	22	20	13	17
WHITE-----MALE----	137	1	3	1	-	11	26	13	13	9	10	10
FEMALE--	90	-	2	3	3	13	12	2	8	7	3	5
ALL OTHER--MALE----	10	-	-	-	-	1	3	2	-	2	-	-
FEMALE--	9	1	-	-	-	-	-	-	1	2	-	2
BLACK---MALE----	7	-	-	-	-	1	1	2	-	2	-	-
FEMALE--	8	1	-	-	-	-	-	-	1	2	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,794
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE (E819)												
KENTUCKY -----	2	3	3	4	3	3	1	2	-	-	-	-
WHITE-----MALE----	2	3	1	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	3	2	2	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	10	11	14	11	8	11	15	5	-	1	-	-
WHITE-----MALE----	5	6	9	6	3	5	8	2	-	-	-	-
FEMALE--	2	2	2	1	4	6	5	2	-	-	-	-
ALL OTHER--MALE----	3	3	2	2	1	-	1	-	-	1	-	-
FEMALE--	-	-	1	2	-	-	1	1	-	-	-	-
BLACK---MALE----	3	3	2	2	1	-	1	-	-	1	-	-
FEMALE--	-	-	1	2	-	-	1	1	-	-	-	-
MAINE -----	-	-	1	2	1	1	1	-	1	-	-	-
WHITE-----MALE----	-	-	-	2	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	10	2	4	6	7	3	9	3	1	-	-	-
WHITE-----MALE----	1	-	4	3	3	-	3	2	-	-	-	-
FEMALE--	4	1	-	1	4	-	3	1	1	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	1	1	-	2	-	2	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	1	1	-	1	-	-	2	-	-	-	-	-
MASSACHUSETTS -----	5	5	2	4	2	9	1	5	-	-	-	-
WHITE-----MALE----	4	3	-	2	1	5	1	1	-	-	-	-
FEMALE--	1	2	2	2	1	4	-	4	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	13	8	7	9	8	16	12	2	2	-	-	-
WHITE-----MALE----	8	3	2	3	4	8	8	2	2	-	-	-
FEMALE--	4	4	4	6	2	8	4	-	-	-	-	-
ALL OTHER--MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	2	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	2	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,797
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE (E819)												
OHIO -----	337	-	4	4	4	49	57	33	28	23	29	19
WHITE-----MALE----	221	-	2	2	3	30	42	23	19	18	20	14
FEMALE--	99	-	2	2	1	15	13	8	7	4	7	4
ALL OTHER--MALE----	14	-	-	-	-	3	2	2	2	1	1	1
FEMALE--	3	-	-	-	-	1	-	-	-	-	1	-
BLACK---MALE----	13	-	-	-	-	2	2	2	2	1	1	1
FEMALE--	2	-	-	-	-	1	-	-	-	-	1	-
OKLAHOMA -----	204	1	4	4	3	31	19	18	21	23	11	11
WHITE-----MALE----	112	-	3	3	3	15	16	10	10	8	6	6
FEMALE--	67	1	-	1	-	14	1	6	8	10	3	2
ALL OTHER--MALE----	18	-	1	-	-	2	1	2	1	3	2	3
FEMALE--	7	-	-	-	-	-	1	-	2	2	-	-
BLACK---MALE----	5	-	1	-	-	-	-	-	-	2	-	1
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
OREGON -----	25	-	2	1	-	3	3	3	1	1	3	1
WHITE-----MALE----	16	-	1	-	-	1	3	2	1	-	2	1
FEMALE--	7	-	-	-	-	2	-	1	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	330	1	5	4	5	43	42	41	31	21	15	19
WHITE-----MALE----	205	-	3	3	5	26	29	34	20	10	9	12
FEMALE--	100	1	1	-	-	14	10	4	9	8	5	5
ALL OTHER--MALE----	14	-	-	-	-	2	3	2	1	1	1	2
FEMALE--	11	-	1	1	-	1	-	1	1	2	-	-
BLACK---MALE----	13	-	-	-	-	2	3	2	-	1	1	2
FEMALE--	11	-	1	1	-	1	-	1	1	2	-	-
RHODE ISLAND -----	4	-	-	-	-	-	-	1	1	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	56	3	-	-	1	6	5	7	2	4	6	3
WHITE-----MALE----	27	-	-	-	-	4	3	4	1	1	3	3
FEMALE--	10	1	-	-	-	-	-	1	-	1	1	-
ALL OTHER--MALE----	12	1	-	-	-	1	2	2	1	-	2	-
FEMALE--	7	1	-	-	1	1	-	-	-	2	-	-
BLACK---MALE----	12	1	-	-	-	1	2	2	1	-	2	-
FEMALE--	7	1	-	-	1	1	-	-	-	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,798
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE (E819)												
SOUTH DAKOTA -----	4	-	-	-	-	1	-	2	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	122	3	1	3	2	15	14	16	6	6	12	3
WHITE-----MALE----	76	-	-	2	1	14	11	9	2	5	6	1
FEMALE--	31	3	1	-	1	1	1	4	3	1	2	1
ALL OTHER--MALE----	11	-	-	1	-	-	1	3	-	-	4	-
FEMALE--	4	-	-	-	-	-	1	-	1	-	-	1
BLACK---MALE----	11	-	-	1	-	-	1	3	-	-	4	-
FEMALE--	4	-	-	-	-	-	1	-	1	-	-	1
TEXAS -----	227	2	2	1	2	24	23	28	22	21	17	11
WHITE-----MALE----	138	1	1	-	1	16	17	17	15	15	7	6
FEMALE--	63	1	1	1	1	6	3	6	4	4	6	4
ALL OTHER--MALE----	16	-	-	-	-	2	3	3	1	2	3	-
FEMALE--	10	-	-	-	-	-	-	2	2	-	1	1
BLACK---MALE----	15	-	-	-	-	2	3	3	1	2	3	-
FEMALE--	7	-	-	-	-	-	-	1	2	-	-	1
UTAH -----	29	-	-	2	-	3	5	3	2	-	2	4
WHITE-----MALE----	18	-	-	2	-	1	4	2	1	-	-	3
FEMALE--	10	-	-	-	-	2	1	1	-	-	2	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	37	-	-	1	-	5	8	1	2	4	1	2
WHITE-----MALE----	26	-	-	-	-	4	7	1	2	3	-	2
FEMALE--	11	-	-	1	-	1	1	-	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	280	-	4	2	5	47	40	20	19	31	17	23
WHITE-----MALE----	155	-	1	1	3	25	26	11	13	18	9	15
FEMALE--	70	-	1	1	1	11	5	5	3	6	5	5
ALL OTHER--MALE----	35	-	1	-	-	7	8	3	2	5	1	2
FEMALE--	20	-	1	-	1	4	1	1	1	2	2	1
BLACK---MALE----	35	-	1	-	-	7	8	3	2	5	1	2
FEMALE--	18	-	1	-	-	4	1	1	1	2	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,798
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MOTOR VEHICLE TRAFFIC ACCIDENT OF UNSPECIFIED NATURE (E819)												
SOUTH DAKOTA -----	-	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	4	6	8	5	4	5	6	1	2	-	-	-
WHITE-----MALE----	3	2	5	3	3	3	3	1	2	-	-	-
FEMALE--	1	4	3	2	1	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
TEXAS -----	10	10	11	8	11	9	5	8	1	1	-	-
WHITE-----MALE----	6	6	8	7	2	8	1	4	-	-	-	-
FEMALE--	3	4	1	1	7	1	3	4	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	1	-	2	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	2	-	1	-	-	-	-	-	-	-
UTAH -----	3	1	2	-	-	1	-	-	1	-	-	-
WHITE-----MALE----	2	-	2	-	-	-	-	-	1	-	-	-
FEMALE--	1	1	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	2	-	-	2	1	2	4	1	1	-	-	-
WHITE-----MALE----	2	-	-	1	-	1	2	1	-	-	-	-
FEMALE--	-	-	-	1	1	1	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	12	13	10	7	11	8	5	5	1	-	-	-
WHITE-----MALE----	4	9	2	5	3	5	2	3	-	-	-	-
FEMALE--	6	4	2	2	6	2	2	2	1	-	-	-
ALL OTHER--MALE----	1	-	2	-	1	1	1	-	-	-	-	-
FEMALE--	1	-	4	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	2	-	1	1	1	-	-	-	-	-
FEMALE--	1	-	4	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,821
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 WATER TRANSPORT ACCIDENTS (E830-E838)												
KENTUCKY -----	15	-	1	-	-	4	1	1	1	2	2	-
WHITE-----MALE----	12	-	-	-	-	3	1	-	1	2	2	-
FEMALE--	3	-	1	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	46	-	-	-	1	4	7	10	6	5	-	4
WHITE-----MALE----	31	-	-	-	1	2	5	5	4	4	-	3
FEMALE--	5	-	-	-	-	2	-	2	-	1	-	-
ALL OTHER--MALE----	10	-	-	-	-	-	2	3	2	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	9	-	-	-	-	-	2	2	2	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	3	-	-	-	-	-	2	1	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	7	-	-	-	2	-	2	-	2	-	-	1
WHITE-----MALE----	3	-	-	-	-	-	2	-	1	-	-	-
FEMALE--	3	-	-	-	2	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	11	-	-	-	-	-	5	1	1	-	-	1
WHITE-----MALE----	9	-	-	-	-	-	4	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	25	-	-	-	2	1	1	2	2	1	4	3
WHITE-----MALE----	20	-	-	-	1	1	-	2	2	-	4	2
FEMALE--	2	-	-	-	1	-	-	-	-	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,827
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 AIR AND SPACE TRANSPORT ACCIDENTS (E840-E845)												
0 UNITED STATES --	851	-	3	6	14	21	49	78	92	101	100	106
WHITE-----MALE----	700	-	-	3	9	15	41	63	75	82	76	92
FEMALE--	118	-	3	3	5	6	7	12	9	12	18	10
ALL OTHER--MALE----	27	-	-	-	-	-	1	2	7	4	6	3
FEMALE--	6	-	-	-	-	-	-	1	1	3	-	1
BLACK---MALE----	15	-	-	-	-	-	1	1	3	2	4	1
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
ALABAMA -----	11	-	-	-	-	1	-	2	-	2	2	2
WHITE-----MALE----	9	-	-	-	-	1	-	2	-	1	2	1
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	43	-	-	-	-	-	3	6	11	13	5	3
WHITE-----MALE----	41	-	-	-	-	-	2	6	11	12	5	3
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	19	-	-	-	-	-	1	2	2	2	1	2
WHITE-----MALE----	18	-	-	-	-	-	-	2	2	2	1	2
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	11	-	-	-	-	-	-	-	4	1	3	-
WHITE-----MALE----	10	-	-	-	-	-	-	-	3	1	3	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	112	-	-	2	3	4	1	8	12	12	14	16
WHITE-----MALE----	86	-	-	1	2	3	1	7	7	8	11	14
FEMALE--	22	-	-	1	1	1	-	1	3	3	2	2
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	1	1	1	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,845
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACCIDENTAL POISONING (E850-E869)												
0 UNITED STATES --	9,072	7	31	14	28	178	456	805	1,337	1,828	1,778	1,033
WHITE-----MALE----	5,369	3	12	7	15	118	312	541	881	1,133	1,049	578
FEMALE--	1,646	1	4	7	7	36	72	111	210	276	252	153
ALL OTHER--MALE----	1,516	2	9	-	2	20	50	105	179	307	361	238
FEMALE--	541	1	6	-	4	4	22	48	67	112	116	64
BLACK---MALE----	1,380	2	9	-	1	17	43	92	160	269	335	224
FEMALE--	504	1	5	-	4	4	20	47	60	109	106	59
ALABAMA -----	86	-	5	1	-	1	2	12	8	12	11	7
WHITE-----MALE----	30	-	1	-	-	-	1	5	2	5	6	-
FEMALE--	26	-	-	1	-	-	1	3	2	4	3	2
ALL OTHER--MALE----	22	-	2	-	-	1	-	3	4	2	2	5
FEMALE--	8	-	2	-	-	-	-	1	-	1	-	-
BLACK---MALE----	22	-	2	-	-	1	-	3	4	2	2	5
FEMALE--	8	-	2	-	-	-	-	1	-	1	-	-
ALASKA -----	33	-	-	-	1	-	1	2	4	7	8	4
WHITE-----MALE----	15	-	-	-	-	-	1	1	2	4	4	1
FEMALE--	7	-	-	-	-	-	-	-	-	2	3	1
ALL OTHER--MALE----	6	-	-	-	1	-	-	1	1	1	-	1
FEMALE--	5	-	-	-	-	-	-	-	1	-	1	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	247	-	1	-	-	9	8	15	39	58	54	27
WHITE-----MALE----	172	-	-	-	-	6	5	13	28	40	42	20
FEMALE--	46	-	-	-	-	3	2	1	5	9	8	4
ALL OTHER--MALE----	24	-	1	-	-	-	-	1	6	9	4	3
FEMALE--	5	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	7	-	1	-	-	-	-	-	1	2	1	2
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
ARKANSAS -----	34	-	1	2	2	1	5	2	4	5	1	1
WHITE-----MALE----	17	-	1	-	2	-	3	1	3	2	-	1
FEMALE--	10	-	-	2	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	6	-	-	-	-	1	1	1	-	2	1	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	1	1	1	-	1	1	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
CALIFORNIA -----	1,673	1	2	1	3	19	64	128	237	326	404	220
WHITE-----MALE----	1,088	-	2	1	3	11	45	94	168	220	267	139
FEMALE--	289	1	-	-	-	4	12	17	36	52	56	35
ALL OTHER--MALE----	210	-	-	-	-	3	5	10	20	36	57	36
FEMALE--	86	-	-	-	-	1	2	7	13	18	24	10
BLACK---MALE----	170	-	-	-	-	2	5	5	13	27	49	32
FEMALE--	76	-	-	-	-	1	1	6	11	17	20	9

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,845
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACCIDENTAL POISONING (E850-E869)												
0 UNITED STATES --	523	258	167	142	128	125	105	66	47	11	1	4
WHITE-----MALE----	257	125	85	58	49	58	42	25	14	4	-	3
FEMALE--	120	62	46	52	65	53	48	33	30	7	1	-
ALL OTHER--MALE----	115	59	25	23	9	4	4	3	-	-	-	1
FEMALE--	31	12	11	9	5	10	11	5	3	-	-	-
BLACK---MALE----	109	58	25	20	8	2	3	2	-	-	-	1
FEMALE--	29	12	7	9	5	9	10	5	3	-	-	-
ALABAMA -----	6	2	3	1	3	7	2	2	1	-	-	-
WHITE-----MALE----	5	1	1	-	-	3	-	-	-	-	-	-
FEMALE--	1	-	1	1	-	4	1	1	1	-	-	-
ALL OTHER--MALE----	-	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	1	1	-	-	-	-
BLACK---MALE----	-	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	1	1	-	-	-	-
ALASKA -----	2	-	1	1	-	1	-	-	-	1	-	-
WHITE-----MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	9	5	3	4	7	4	-	1	3	-	-	-
WHITE-----MALE----	4	4	1	2	5	1	-	-	1	-	-	-
FEMALE--	4	1	-	2	2	2	-	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	2	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	2	2	-	1	-	2	1	-	2	-	-	-
WHITE-----MALE----	1	-	-	1	-	-	-	-	2	-	-	-
FEMALE--	1	2	-	-	-	2	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	115	66	24	22	9	10	12	8	1	-	-	1
WHITE-----MALE----	68	33	11	6	3	5	10	1	-	-	-	1
FEMALE--	29	17	8	8	4	3	2	4	1	-	-	-
ALL OTHER--MALE----	16	13	5	5	1	1	-	2	-	-	-	-
FEMALE--	2	3	-	3	1	1	-	1	-	-	-	-
BLACK---MALE----	13	13	5	4	1	-	-	1	-	-	-	-
FEMALE--	2	3	-	3	1	1	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,846
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACCIDENTAL POISONING (E850-E869)												
COLORADO -----	173	-	-	-	-	3	5	18	30	35	34	21
WHITE-----MALE----	113	-	-	-	-	3	4	16	21	20	22	14
FEMALE--	37	-	-	-	-	-	1	1	5	10	4	5
ALL OTHER--MALE----	18	-	-	-	-	-	-	1	2	5	7	1
FEMALE--	5	-	-	-	-	-	-	-	2	-	1	1
BLACK---MALE----	17	-	-	-	-	-	-	1	2	4	7	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	1
CONNECTICUT -----	209	-	-	-	-	3	13	19	40	49	36	25
WHITE-----MALE----	136	-	-	-	-	3	8	13	28	33	26	14
FEMALE--	34	-	-	-	-	-	3	3	7	5	5	2
ALL OTHER--MALE----	35	-	-	-	-	-	1	3	5	10	5	7
FEMALE--	4	-	-	-	-	-	1	-	-	1	-	2
BLACK---MALE----	34	-	-	-	-	-	1	3	5	9	5	7
FEMALE--	3	-	-	-	-	-	1	-	-	-	-	2
DELAWARE -----	35	-	-	-	-	5	1	1	9	7	5	4
WHITE-----MALE----	19	-	-	-	-	3	1	1	4	5	2	2
FEMALE--	3	-	-	-	-	-	-	-	2	-	1	-
ALL OTHER--MALE----	9	-	-	-	-	1	-	-	1	2	2	2
FEMALE--	4	-	-	-	-	1	-	-	2	-	-	-
BLACK---MALE----	9	-	-	-	-	1	-	-	1	2	2	2
FEMALE--	4	-	-	-	-	1	-	-	2	-	-	-
DISTRICT OF COLUMBIA ----	12	-	-	-	-	-	1	2	2	2	2	2
WHITE-----MALE----	6	-	-	-	-	-	1	2	-	-	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	2	1	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	2	1	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
FLORIDA -----	380	-	3	1	-	13	23	39	65	72	67	32
WHITE-----MALE----	230	-	-	1	-	10	19	28	37	41	40	28
FEMALE--	86	-	1	-	-	2	3	6	15	12	13	2
ALL OTHER--MALE----	41	-	1	-	-	-	1	3	12	9	11	1
FEMALE--	23	-	1	-	-	1	-	2	1	10	3	1
BLACK---MALE----	41	-	1	-	-	-	1	3	12	9	11	1
FEMALE--	23	-	1	-	-	1	-	2	1	10	3	1
GEORGIA -----	154	1	3	1	-	5	10	8	17	35	30	12
WHITE-----MALE----	63	-	-	1	-	2	5	3	6	22	8	7
FEMALE--	37	-	1	-	-	1	1	3	2	3	7	4
ALL OTHER--MALE----	40	1	1	-	-	2	1	1	9	10	9	1
FEMALE--	14	-	1	-	-	-	3	1	-	-	6	-
BLACK---MALE----	38	1	1	-	-	2	1	1	9	10	9	-
FEMALE--	14	-	1	-	-	-	3	1	-	-	6	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,846
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACCIDENTAL POISONING (E850-E869)												
COLORADO -----	10	2	5	3	5	-	2	-	-	-	-	-
WHITE-----MALE----	5	-	5	-	2	-	1	-	-	-	-	-
FEMALE--	3	1	-	3	3	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	12	3	2	1	2	1	-	2	1	-	-	-
WHITE-----MALE----	7	1	1	-	1	-	-	1	-	-	-	-
FEMALE--	2	1	1	1	1	1	-	1	1	-	-	-
ALL OTHER--MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	3	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	17	7	8	6	7	5	8	4	2	1	-	-
WHITE-----MALE----	10	2	4	2	2	2	2	1	-	1	-	-
FEMALE--	6	4	4	3	3	2	6	3	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	1	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	1	-	-	1	-	-	-
GEORGIA -----	11	5	1	5	4	2	-	4	-	-	-	-
WHITE-----MALE----	4	2	-	1	-	2	-	-	-	-	-	-
FEMALE--	3	1	1	3	4	-	-	3	-	-	-	-
ALL OTHER--MALE----	3	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,848
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACCIDENTAL POISONING (E850-E869)												
KENTUCKY -----	99	1	-	-	1	1	-	8	21	12	21	10
WHITE-----MALE----	56	1	-	-	-	1	-	3	12	6	15	6
FEMALE--	39	-	-	-	1	-	-	5	8	5	5	3
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	1
LOUISIANA -----	90	-	1	1	-	1	7	11	13	15	18	7
WHITE-----MALE----	46	-	-	1	-	1	4	5	8	7	9	5
FEMALE--	17	-	-	-	-	-	-	3	1	4	5	-
ALL OTHER--MALE----	20	-	1	-	-	-	3	1	4	3	2	2
FEMALE--	7	-	-	-	-	-	-	2	-	1	2	-
BLACK---MALE----	20	-	1	-	-	-	3	1	4	3	2	2
FEMALE--	7	-	-	-	-	-	-	2	-	1	2	-
MAINE -----	23	-	-	-	-	1	1	3	4	5	2	3
WHITE-----MALE----	19	-	-	-	-	1	1	3	2	5	2	3
FEMALE--	4	-	-	-	-	-	-	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	36	-	-	-	-	1	2	2	3	7	7	1
WHITE-----MALE----	14	-	-	-	-	-	1	1	1	4	1	1
FEMALE--	10	-	-	-	-	-	1	-	1	1	2	-
ALL OTHER--MALE----	8	-	-	-	-	1	-	1	1	2	2	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	2	-
BLACK---MALE----	7	-	-	-	-	1	-	1	1	2	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	2	-
MASSACHUSETTS -----	37	-	-	-	1	-	1	2	5	3	7	-
WHITE-----MALE----	24	-	-	-	-	-	1	2	3	3	7	-
FEMALE--	8	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	1	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	1	-	-	-	1	-	-	-
MICHIGAN -----	130	-	2	-	1	1	4	6	18	27	16	23
WHITE-----MALE----	71	-	-	-	1	1	4	6	14	19	7	9
FEMALE--	28	-	-	-	-	-	-	-	2	1	7	3
ALL OTHER--MALE----	14	-	1	-	-	-	-	-	1	1	2	6
FEMALE--	17	-	1	-	-	-	-	-	1	6	-	5
BLACK---MALE----	13	-	1	-	-	-	-	-	1	1	2	5
FEMALE--	16	-	1	-	-	-	-	-	1	6	-	4

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,851
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACCIDENTAL POISONING (E850-E869)												
OHIO -----	278	2	1	1	4	6	11	17	26	47	57	39
WHITE-----MALE----	152	-	-	1	1	4	9	14	19	28	34	14
FEMALE--	56	-	-	-	2	-	1	2	6	5	5	12
ALL OTHER--MALE----	54	1	-	-	1	2	1	1	1	11	17	9
FEMALE--	16	1	1	-	-	-	-	-	-	3	1	4
BLACK---MALE----	53	1	-	-	1	2	1	1	1	10	17	9
FEMALE--	15	1	-	-	-	-	-	-	-	3	1	4
OKLAHOMA -----	95	-	-	-	-	3	3	5	12	19	21	10
WHITE-----MALE----	52	-	-	-	-	1	2	4	6	11	11	6
FEMALE--	30	-	-	-	-	1	-	1	5	7	6	2
ALL OTHER--MALE----	7	-	-	-	-	1	-	-	-	1	2	1
FEMALE--	6	-	-	-	-	-	1	-	1	-	2	1
BLACK---MALE----	5	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	2	-
OREGON -----	156	-	1	1	-	2	2	14	18	37	31	23
WHITE-----MALE----	105	-	1	-	-	1	-	11	14	30	21	14
FEMALE--	38	-	-	1	-	1	1	2	4	5	6	6
ALL OTHER--MALE----	11	-	-	-	-	-	1	1	-	2	3	2
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	7	-	-	-	-	-	-	-	-	2	1	2
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	1
PENNSYLVANIA -----	715	-	-	-	4	19	45	78	121	145	129	80
WHITE-----MALE----	438	-	-	-	3	14	30	57	88	92	75	36
FEMALE--	100	-	-	-	1	4	5	6	15	20	9	6
ALL OTHER--MALE----	146	-	-	-	-	1	7	12	15	29	39	29
FEMALE--	31	-	-	-	-	-	3	3	3	4	6	9
BLACK---MALE----	146	-	-	-	-	1	7	12	15	29	39	29
FEMALE--	31	-	-	-	-	-	3	3	3	4	6	9
RHODE ISLAND -----	5	-	-	-	-	-	1	-	-	-	1	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	97	-	-	-	-	2	4	7	12	21	17	12
WHITE-----MALE----	40	-	-	-	-	1	4	2	6	7	6	5
FEMALE--	22	-	-	-	-	1	-	1	4	6	1	2
ALL OTHER--MALE----	24	-	-	-	-	-	-	3	2	6	7	4
FEMALE--	11	-	-	-	-	-	-	1	-	2	3	1
BLACK---MALE----	24	-	-	-	-	-	-	3	2	6	7	4
FEMALE--	11	-	-	-	-	-	-	1	-	2	3	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,851
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACCIDENTAL POISONING (E850-E869)												
OHIO -----	21	14	5	8	5	4	2	5	2	1	-	-
WHITE-----MALE----	8	6	2	4	2	1	2	3	-	-	-	-
FEMALE--	5	3	2	3	3	-	-	1	2	1	-	-
ALL OTHER--MALE----	4	4	1	1	-	-	-	-	-	-	-	-
FEMALE--	4	1	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	4	4	1	1	-	-	-	-	-	-	-	-
FEMALE--	4	1	-	-	-	-	-	1	-	-	-	-
OKLAHOMA -----	8	2	2	1	2	3	4	-	-	-	-	-
WHITE-----MALE----	3	2	1	-	2	3	-	-	-	-	-	-
FEMALE--	4	-	1	1	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
OREGON -----	10	1	2	4	5	2	2	1	-	-	-	-
WHITE-----MALE----	6	1	2	-	2	1	1	-	-	-	-	-
FEMALE--	3	-	-	3	3	1	1	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	25	14	13	6	8	9	5	2	8	4	-	-
WHITE-----MALE----	10	10	6	2	3	4	2	2	2	2	-	-
FEMALE--	7	-	4	3	4	5	3	-	6	2	-	-
ALL OTHER--MALE----	7	4	2	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	7	4	2	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	1	1	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	1	2	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	5	5	2	3	2	-	3	1	1	-	-	-
WHITE-----MALE----	2	4	2	-	1	-	-	-	-	-	-	-
FEMALE--	1	1	-	2	-	-	3	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	1	1	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,852
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACCIDENTAL POISONING (E850-E869)												
SOUTH DAKOTA -----	8	-	-	-	-	1	-	1	-	1	2	-
WHITE-----MALE----	5	-	-	-	-	-	-	1	-	1	2	-
FEMALE--	3	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	150	-	-	-	-	5	10	13	24	26	22	12
WHITE-----MALE----	83	-	-	-	-	3	5	8	13	15	15	5
FEMALE--	38	-	-	-	-	1	4	1	4	6	4	3
ALL OTHER--MALE----	18	-	-	-	-	1	1	3	5	3	1	3
FEMALE--	11	-	-	-	-	-	-	1	2	2	2	1
BLACK---MALE----	18	-	-	-	-	1	1	3	5	3	1	3
FEMALE--	11	-	-	-	-	-	-	1	2	2	2	1
TEXAS -----	567	2	2	2	3	11	35	59	83	108	115	47
WHITE-----MALE----	369	2	2	1	1	8	25	38	58	74	72	34
FEMALE--	115	-	-	1	2	2	7	14	13	19	23	7
ALL OTHER--MALE----	60	-	-	-	-	1	3	5	9	10	12	4
FEMALE--	23	-	-	-	-	-	-	2	3	5	8	2
BLACK---MALE----	56	-	-	-	-	1	2	5	8	10	11	4
FEMALE--	23	-	-	-	-	-	-	2	3	5	8	2
UTAH -----	27	-	-	-	1	1	2	1	4	7	3	4
WHITE-----MALE----	24	-	-	-	1	1	2	1	4	6	3	3
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	8	-	-	-	-	-	1	2	1	-	1	1
WHITE-----MALE----	7	-	-	-	-	-	1	2	1	-	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	204	-	-	-	3	2	15	17	25	44	44	22
WHITE-----MALE----	109	-	-	-	1	-	13	13	15	26	18	13
FEMALE--	28	-	-	-	1	2	1	-	2	3	7	2
ALL OTHER--MALE----	54	-	-	-	-	-	1	4	5	10	17	7
FEMALE--	13	-	-	-	1	-	-	-	3	5	2	-
BLACK---MALE----	53	-	-	-	-	-	1	4	5	10	17	7
FEMALE--	13	-	-	-	1	-	-	-	3	5	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,852
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACCIDENTAL POISONING (E850-E869)												
SOUTH DAKOTA -----	-	-	-	1	-	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	6	6	5	2	2	6	5	3	3	-	-	-
WHITE-----MALE----	3	3	3	-	1	2	3	2	2	-	-	-
FEMALE--	3	2	2	2	1	3	-	1	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	-	-	-	-	-
TEXAS -----	33	18	13	9	7	5	3	7	3	1	-	1
WHITE-----MALE----	15	10	8	6	5	4	1	3	-	1	-	1
FEMALE--	9	3	1	2	2	1	2	4	3	-	-	-
ALL OTHER--MALE----	8	3	4	1	-	-	-	-	-	-	-	-
FEMALE--	1	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	3	4	1	-	-	-	-	-	-	-	-
FEMALE--	1	2	-	-	-	-	-	-	-	-	-	-
UTAH -----	-	2	-	1	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	2	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	1	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	7	8	3	1	-	4	2	3	1	1	-	2
WHITE-----MALE----	2	3	2	-	-	1	1	-	-	-	-	1
FEMALE--	-	3	1	1	-	1	-	2	1	1	-	-
ALL OTHER--MALE----	5	2	-	-	-	1	-	1	-	-	-	1
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	5	2	-	-	-	-	-	1	-	-	-	1
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,854
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACCIDENTAL POISONING BY DRUGS, MEDICAMENTS, AND BIOLOGICALS (E850-E858)												
0 UNITED STATES --	8,000	7	18	4	6	104	392	742	1,241	1,716	1,636	925
WHITE-----MALE----	4,706	3	5	4	2	69	267	500	815	1,061	962	509
FEMALE--	1,441	1	3	-	2	21	61	102	197	261	227	134
ALL OTHER--MALE----	1,370	2	7	-	-	11	44	96	168	286	340	222
FEMALE--	483	1	3	-	2	3	20	44	61	108	107	60
BLACK---MALE----	1,263	2	7	-	-	10	40	86	153	256	317	211
FEMALE--	463	1	3	-	2	3	19	43	57	105	100	57
ALABAMA -----	60	-	-	-	-	1	2	10	6	10	9	5
WHITE-----MALE----	22	-	-	-	-	-	1	4	1	5	5	-
FEMALE--	22	-	-	-	-	-	1	3	1	4	3	2
ALL OTHER--MALE----	13	-	-	-	-	1	-	3	4	-	1	3
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	13	-	-	-	-	1	-	3	4	-	1	3
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
ALASKA -----	19	-	-	-	-	-	1	1	2	7	4	2
WHITE-----MALE----	12	-	-	-	-	-	1	1	2	4	2	1
FEMALE--	6	-	-	-	-	-	-	-	-	2	2	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	215	-	1	-	-	5	8	15	36	52	47	25
WHITE-----MALE----	159	-	-	-	-	4	5	13	28	39	37	18
FEMALE--	41	-	-	-	-	1	2	1	5	9	8	4
ALL OTHER--MALE----	14	-	1	-	-	-	-	1	3	4	2	3
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	7	-	1	-	-	-	-	-	1	2	1	2
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
ARKANSAS -----	22	-	1	-	-	-	2	2	4	4	1	1
WHITE-----MALE----	11	-	1	-	-	-	-	1	3	2	-	1
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	1	1	-	2	1	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	1	1	-	1	1	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
CALIFORNIA -----	1,596	1	2	1	1	14	61	125	227	315	395	212
WHITE-----MALE----	1,044	-	2	1	1	10	44	92	162	211	261	136
FEMALE--	268	1	-	-	-	2	11	16	34	51	55	31
ALL OTHER--MALE----	201	-	-	-	-	1	5	10	19	35	55	35
FEMALE--	83	-	-	-	-	1	1	7	12	18	24	10
BLACK---MALE----	165	-	-	-	-	-	5	5	12	26	48	32
FEMALE--	75	-	-	-	-	1	1	6	11	17	20	9

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,854
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACCIDENTAL POISONING BY DRUGS, MEDICAMENTS, AND BIOLOGICALS (E850-E858)												
0 UNITED STATES --	444	189	113	104	87	94	77	53	33	10	1	4
WHITE-----MALE----	209	84	52	37	29	38	26	18	10	3	-	3
FEMALE--	106	50	36	46	50	45	41	29	21	7	1	-
ALL OTHER--MALE----	102	46	18	14	4	4	3	2	-	-	-	1
FEMALE--	27	9	7	7	4	7	7	4	2	-	-	-
BLACK---MALE----	98	45	18	11	3	2	2	1	-	-	-	1
FEMALE--	27	9	7	7	4	7	6	4	2	-	-	-
ALABAMA -----	2	2	2	-	1	6	1	2	1	-	-	-
WHITE-----MALE----	1	1	1	-	-	3	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	3	1	1	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
ALASKA -----	-	-	-	-	-	1	-	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	7	3	1	3	6	3	-	1	2	-	-	-
WHITE-----MALE----	3	3	1	1	5	1	-	-	1	-	-	-
FEMALE--	4	-	-	2	1	2	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	1	-	1	-	2	-	-	2	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	2	-	-	-
FEMALE--	1	1	-	-	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	106	60	22	18	9	8	9	8	1	-	-	1
WHITE-----MALE----	65	30	10	4	3	3	7	1	-	-	-	1
FEMALE--	25	15	7	6	4	3	2	4	1	-	-	-
ALL OTHER--MALE----	14	13	5	5	1	1	-	2	-	-	-	-
FEMALE--	2	2	-	3	1	1	-	1	-	-	-	-
BLACK---MALE----	13	13	5	4	1	-	-	1	-	-	-	-
FEMALE--	2	2	-	3	1	1	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,855
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACCIDENTAL POISONING BY DRUGS, MEDICAMENTS, AND BIOLOGICALS (E850-E858)												
COLORADO -----	141	-	-	-	-	-	4	16	23	31	30	15
WHITE-----MALE----	87	-	-	-	-	-	4	14	16	16	19	9
FEMALE--	33	-	-	-	-	-	-	1	4	10	3	4
ALL OTHER--MALE----	17	-	-	-	-	-	-	1	2	5	7	1
FEMALE--	4	-	-	-	-	-	-	-	1	-	1	1
BLACK---MALE----	16	-	-	-	-	-	-	1	2	4	7	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	1
CONNECTICUT -----	198	-	-	-	-	2	13	18	39	47	36	25
WHITE-----MALE----	128	-	-	-	-	2	8	12	27	31	26	14
FEMALE--	32	-	-	-	-	-	3	3	7	5	5	2
ALL OTHER--MALE----	34	-	-	-	-	-	1	3	5	10	5	7
FEMALE--	4	-	-	-	-	-	1	-	-	1	-	2
BLACK---MALE----	33	-	-	-	-	-	1	3	5	9	5	7
FEMALE--	3	-	-	-	-	-	1	-	-	-	-	2
DELAWARE -----	35	-	-	-	-	5	1	1	9	7	5	4
WHITE-----MALE----	19	-	-	-	-	3	1	1	4	5	2	2
FEMALE--	3	-	-	-	-	-	-	-	2	-	1	-
ALL OTHER--MALE----	9	-	-	-	-	1	-	-	1	2	2	2
FEMALE--	4	-	-	-	-	1	-	-	2	-	-	-
BLACK---MALE----	9	-	-	-	-	1	-	-	1	2	2	2
FEMALE--	4	-	-	-	-	1	-	-	2	-	-	-
DISTRICT OF COLUMBIA ----	9	-	-	-	-	-	-	1	2	1	2	2
WHITE-----MALE----	4	-	-	-	-	-	-	1	-	-	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	2	-	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	2	-	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
FLORIDA -----	333	-	2	1	-	7	20	34	60	71	61	29
WHITE-----MALE----	200	-	-	1	-	6	16	25	33	40	36	26
FEMALE--	72	-	-	-	-	1	3	4	14	12	11	1
ALL OTHER--MALE----	40	-	1	-	-	-	1	3	12	9	11	1
FEMALE--	21	-	1	-	-	-	-	2	1	10	3	1
BLACK---MALE----	40	-	1	-	-	-	1	3	12	9	11	1
FEMALE--	21	-	1	-	-	-	-	2	1	10	3	1
GEORGIA -----	127	1	3	-	-	2	8	7	12	31	27	9
WHITE-----MALE----	50	-	-	-	-	-	4	3	4	19	7	6
FEMALE--	33	-	1	-	-	-	1	3	1	3	6	3
ALL OTHER--MALE----	32	1	1	-	-	2	1	-	7	9	8	-
FEMALE--	12	-	1	-	-	-	2	1	-	-	6	-
BLACK---MALE----	31	1	1	-	-	2	1	-	7	9	8	-
FEMALE--	12	-	1	-	-	-	2	1	-	-	6	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,855

(REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH

CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACCIDENTAL POISONING BY DRUGS, MEDICAMENTS, AND BIOLOGICALS (E850-E858)												
COLORADO -----	9	1	4	3	3	-	2	-	-	-	-	-
WHITE-----MALE----	4	-	4	-	-	-	1	-	-	-	-	-
FEMALE--	3	1	-	3	3	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	10	3	1	1	2	1	-	-	-	-	-	-
WHITE-----MALE----	6	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	2	1	1	1	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	3	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	-	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	14	5	6	4	4	3	5	4	2	1	-	-
WHITE-----MALE----	7	1	3	1	2	-	1	1	-	1	-	-
FEMALE--	6	3	3	3	1	2	4	3	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	1	-	-	-
GEORGIA -----	9	2	1	5	4	2	-	4	-	-	-	-
WHITE-----MALE----	3	1	-	1	-	2	-	-	-	-	-	-
FEMALE--	3	1	1	3	4	-	-	3	-	-	-	-
ALL OTHER--MALE----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,857
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACCIDENTAL POISONING BY DRUGS, MEDICAMENTS, AND BIOLOGICALS (E850-E858)												
KENTUCKY -----	80	1	-	-	-	-	-	7	19	10	16	7
WHITE-----MALE----	42	1	-	-	-	-	-	3	10	6	10	4
FEMALE--	34	-	-	-	-	-	-	4	8	3	5	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	1
LOUISIANA -----	70	-	1	1	-	-	5	10	11	12	17	6
WHITE-----MALE----	37	-	-	1	-	-	3	4	7	6	9	4
FEMALE--	13	-	-	-	-	-	-	3	1	3	4	-
ALL OTHER--MALE----	14	-	1	-	-	-	2	1	3	2	2	2
FEMALE--	6	-	-	-	-	-	-	2	-	1	2	-
BLACK---MALE----	14	-	1	-	-	-	2	1	3	2	2	2
FEMALE--	6	-	-	-	-	-	-	2	-	1	2	-
MAINE -----	20	-	-	-	-	1	1	3	4	4	1	3
WHITE-----MALE----	16	-	-	-	-	1	1	3	2	4	1	3
FEMALE--	4	-	-	-	-	-	-	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	29	-	-	-	-	1	2	2	2	7	4	1
WHITE-----MALE----	12	-	-	-	-	-	1	1	-	4	1	1
FEMALE--	9	-	-	-	-	-	1	-	1	1	2	-
ALL OTHER--MALE----	6	-	-	-	-	1	-	1	1	2	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	1	-	1	1	2	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	33	-	-	-	1	-	1	2	5	3	7	-
WHITE-----MALE----	22	-	-	-	-	-	1	2	3	3	7	-
FEMALE--	7	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	1	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	1	-	-	-	1	-	-	-
MICHIGAN -----	99	-	2	-	-	1	3	4	15	22	14	19
WHITE-----MALE----	49	-	-	-	-	1	3	4	12	15	6	6
FEMALE--	25	-	-	-	-	-	-	-	2	1	7	3
ALL OTHER--MALE----	11	-	1	-	-	-	-	-	1	1	1	6
FEMALE--	14	-	1	-	-	-	-	-	-	5	-	4
BLACK---MALE----	10	-	1	-	-	-	-	-	1	1	1	5
FEMALE--	13	-	1	-	-	-	-	-	-	5	-	3

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,860
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACCIDENTAL POISONING BY DRUGS, MEDICAMENTS, AND BIOLOGICALS (E850-E858)												
OHIO -----	231	2	-	-	-	3	9	14	25	46	51	32
WHITE-----MALE----	125	-	-	-	-	2	8	11	18	27	31	11
FEMALE--	46	-	-	-	-	-	-	2	6	5	4	9
ALL OTHER--MALE----	45	1	-	-	-	1	1	1	1	11	15	8
FEMALE--	15	1	-	-	-	-	-	-	-	3	1	4
BLACK---MALE----	44	1	-	-	-	1	1	1	1	10	15	8
FEMALE--	15	1	-	-	-	-	-	-	-	3	1	4
OKLAHOMA -----	68	-	-	-	-	1	1	4	11	16	14	8
WHITE-----MALE----	36	-	-	-	-	1	-	3	6	8	7	5
FEMALE--	25	-	-	-	-	-	-	1	4	7	5	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	3	-	-	-	-	-	1	-	1	-	1	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
OREGON -----	145	-	1	-	-	1	2	13	17	34	31	23
WHITE-----MALE----	97	-	1	-	-	-	-	10	13	27	21	14
FEMALE--	35	-	-	-	-	1	1	2	4	5	6	6
ALL OTHER--MALE----	11	-	-	-	-	-	1	1	-	2	3	2
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	7	-	-	-	-	-	-	-	-	2	1	2
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	1
PENNSYLVANIA -----	667	-	-	-	1	17	40	78	121	140	125	73
WHITE-----MALE----	405	-	-	-	-	13	26	57	88	90	71	31
FEMALE--	87	-	-	-	1	3	5	6	15	17	9	4
ALL OTHER--MALE----	144	-	-	-	-	1	6	12	15	29	39	29
FEMALE--	31	-	-	-	-	-	3	3	3	4	6	9
BLACK---MALE----	144	-	-	-	-	1	6	12	15	29	39	29
FEMALE--	31	-	-	-	-	-	3	3	3	4	6	9
RHODE ISLAND -----	5	-	-	-	-	-	1	-	-	-	1	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	69	-	-	-	-	1	2	7	11	18	15	6
WHITE-----MALE----	25	-	-	-	-	-	2	2	5	6	6	3
FEMALE--	21	-	-	-	-	1	-	1	4	5	1	2
ALL OTHER--MALE----	16	-	-	-	-	-	-	3	2	5	6	-
FEMALE--	7	-	-	-	-	-	-	1	-	2	2	1
BLACK---MALE----	16	-	-	-	-	-	-	3	2	5	6	-
FEMALE--	7	-	-	-	-	-	-	1	-	2	2	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,860
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACCIDENTAL POISONING BY DRUGS, MEDICAMENTS, AND BIOLOGICALS (E850-E858)												
OHIO -----	16	8	3	6	4	3	1	5	2	1	-	-
WHITE-----MALE----	3	3	2	3	1	1	1	3	-	-	-	-
FEMALE--	5	2	1	3	3	2	-	1	2	1	-	-
ALL OTHER--MALE----	4	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	1	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	4	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	1	-	-	-	-	-	1	-	-	-	-
OKLAHOMA -----	6	1	1	1	1	1	2	-	-	-	-	-
WHITE-----MALE----	3	1	-	-	1	1	-	-	-	-	-	-
FEMALE--	3	-	1	1	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	9	1	2	4	2	2	2	1	-	-	-	-
WHITE-----MALE----	5	1	2	-	1	1	1	-	-	-	-	-
FEMALE--	3	-	-	3	1	1	1	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	23	10	9	3	5	9	5	-	5	3	-	-
WHITE-----MALE----	8	6	3	1	2	4	2	-	2	1	-	-
FEMALE--	7	-	3	1	3	5	3	-	3	2	-	-
ALL OTHER--MALE----	7	4	2	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	7	4	2	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	1	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	1	2	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	1	-	2	2	-	3	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	1	-	2	-	-	3	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,861
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACCIDENTAL POISONING BY DRUGS, MEDICAMENTS, AND BIOLOGICALS (E850-E858)												
SOUTH DAKOTA -----	6	-	-	-	-	1	-	1	-	1	1	-
WHITE-----MALE----	3	-	-	-	-	-	-	1	-	1	1	-
FEMALE--	3	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	124	-	-	-	-	1	9	9	20	25	19	12
WHITE-----MALE----	65	-	-	-	-	-	4	6	10	15	12	5
FEMALE--	34	-	-	-	-	-	4	1	3	6	4	3
ALL OTHER--MALE----	17	-	-	-	-	1	1	2	5	3	1	3
FEMALE--	8	-	-	-	-	-	-	-	2	1	2	1
BLACK---MALE----	17	-	-	-	-	1	1	2	5	3	1	3
FEMALE--	8	-	-	-	-	-	-	-	2	1	2	1
TEXAS -----	495	2	-	1	1	7	29	54	76	103	102	45
WHITE-----MALE----	319	2	-	1	-	4	22	34	53	70	64	32
FEMALE--	95	-	-	-	1	2	4	13	11	18	18	7
ALL OTHER--MALE----	58	-	-	-	-	1	3	5	9	10	12	4
FEMALE--	23	-	-	-	-	-	-	2	3	5	8	2
BLACK---MALE----	54	-	-	-	-	1	2	5	8	10	11	4
FEMALE--	23	-	-	-	-	-	-	2	3	5	8	2
UTAH -----	23	-	-	-	-	1	2	-	4	6	3	4
WHITE-----MALE----	20	-	-	-	-	1	2	-	4	5	3	3
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	7	-	-	-	-	-	1	2	1	-	-	1
WHITE-----MALE----	6	-	-	-	-	-	1	2	1	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	161	-	-	-	2	1	11	14	22	38	38	17
WHITE-----MALE----	88	-	-	-	1	-	9	11	13	23	15	11
FEMALE--	21	-	-	-	-	1	1	-	1	3	6	2
ALL OTHER--MALE----	41	-	-	-	-	-	1	3	5	8	15	4
FEMALE--	11	-	-	-	1	-	-	-	3	4	2	-
BLACK---MALE----	40	-	-	-	-	-	1	3	5	8	15	4
FEMALE--	11	-	-	-	1	-	-	-	3	4	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,861
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACCIDENTAL POISONING BY DRUGS, MEDICAMENTS, AND BIOLOGICALS (E850-E858)												
SOUTH DAKOTA -----	-	-	-	1	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	3	5	4	2	1	4	5	3	2	-	-	-
WHITE-----MALE----	1	2	2	-	-	2	3	2	1	-	-	-
FEMALE--	2	2	2	2	1	2	-	1	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
TEXAS -----	30	16	7	6	4	1	1	6	2	1	-	1
WHITE-----MALE----	14	8	4	3	3	1	-	2	-	1	-	1
FEMALE--	7	3	1	2	1	-	1	4	2	-	-	-
ALL OTHER--MALE----	8	3	2	1	-	-	-	-	-	-	-	-
FEMALE--	1	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	3	2	1	-	-	-	-	-	-	-	-
FEMALE--	1	2	-	-	-	-	-	-	-	-	-	-
UTAH -----	-	1	-	1	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	1	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	4	2	1	1	-	3	1	2	1	1	-	2
WHITE-----MALE----	1	1	-	-	-	1	1	-	-	-	-	1
FEMALE--	-	1	1	1	-	-	-	2	1	1	-	-
ALL OTHER--MALE----	3	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,866
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACCIDENTAL POISONING BY OTHER SOLID OR LIQUID SUBSTANCES (E860-E866)												
KENTUCKY -----	14	-	-	-	-	1	-	1	2	2	4	1
WHITE-----MALE----	11	-	-	-	-	1	-	-	2	-	4	1
FEMALE--	3	-	-	-	-	-	-	1	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	8	-	-	-	-	-	1	1	-	1	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	2	-	-	-	-	-	-	-	-	1	1	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
MASSACHUSETTS -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	8	-	-	-	-	-	-	1	1	-	1	2
WHITE-----MALE----	2	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,873
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACCIDENTAL POISONING BY GASES AND VAPORS (E867-E869)												
COLORADO -----	16	-	-	-	-	1	1	2	4	2	3	1
WHITE-----MALE----	13	-	-	-	-	1	-	2	3	2	2	1
FEMALE--	3	-	-	-	-	-	1	-	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	7	-	-	-	-	1	-	-	1	-	-	-
WHITE-----MALE----	4	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	2	-	-	-	-	-	1	1	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	23	-	-	-	-	5	2	3	2	-	2	-
WHITE-----MALE----	15	-	-	-	-	3	2	2	2	-	1	-
FEMALE--	5	-	-	-	-	1	-	1	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	-
GEORGIA -----	14	-	-	-	-	2	2	1	4	2	1	1
WHITE-----MALE----	8	-	-	-	-	2	1	-	1	2	-	1
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	1	2	-	1	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	1	2	-	1	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,875
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACCIDENTAL POISONING BY GASES AND VAPORS (E867-E869)												
KENTUCKY -----	5	-	-	-	1	-	-	-	-	-	1	2
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	2	-	-	-	1	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	12	-	-	-	-	1	1	-	2	2	1	1
WHITE-----MALE----	6	-	-	-	-	1	1	-	1	1	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	4	-	-	-	-	-	-	-	1	-	2	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
MASSACHUSETTS -----	4	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	23	-	-	-	1	-	1	1	2	5	1	2
WHITE-----MALE----	20	-	-	-	1	-	1	1	2	4	1	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,878
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACCIDENTAL POISONING BY GASES AND VAPORS (E867-E869)												
OHIO -----	5	3	1	1	1	1	1	-	-	-	-	-
WHITE-----MALE----	5	3	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	-	-	-	-	-	2	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
OREGON -----	1	-	-	-	2	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1	2	1	2	2	-	-	1	2	1	-	-
WHITE-----MALE----	1	2	1	-	1	-	-	1	-	1	-	-
FEMALE--	-	-	-	2	1	-	-	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	2	1	-	-	-	-	1	1	-	-	-
WHITE-----MALE----	1	2	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,879
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACCIDENTAL POISONING BY GASES AND VAPORS (E867-E869)												
SOUTH DAKOTA -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	13	-	-	-	-	2	-	3	1	1	-	-
WHITE-----MALE----	6	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	3	-	-	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	1	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	1	-	1	-	-
TEXAS -----	44	-	1	1	2	4	4	5	4	2	5	-
WHITE-----MALE----	33	-	1	-	1	4	2	4	3	2	3	-
FEMALE--	10	-	-	1	1	-	2	1	1	-	2	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH -----	3	-	-	-	1	-	-	1	-	1	-	-
WHITE-----MALE----	3	-	-	-	1	-	-	1	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	15	-	-	-	1	-	1	2	-	4	1	1
WHITE-----MALE----	8	-	-	-	-	-	1	2	-	2	-	1
FEMALE--	2	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,879
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACCIDENTAL POISONING BY GASES AND VAPORS (E867-E869)												
SOUTH DAKOTA -----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2	-	1	-	-	2	-	-	1	-	-	-
WHITE-----MALE----	2	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
TEXAS -----	1	1	4	2	2	3	2	1	-	-	-	-
WHITE-----MALE----	1	1	3	2	2	2	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
UTAH -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	1	-	-	-	1	1	1	-	-	-	-
WHITE-----MALE----	1	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,881
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MISADVENTURES DURING MEDICAL CARE, ABNORMAL REACTIONS, AND LATE COMPLICATIONS (E870-E879)												
0 UNITED STATES --	2,712	25	31	12	12	21	17	28	53	62	75	99
WHITE-----MALE----	1,020	12	10	5	4	8	4	6	17	19	36	31
FEMALE--	1,233	3	10	4	6	7	8	14	19	27	22	35
ALL OTHER--MALE----	204	4	7	1	-	4	4	5	4	8	5	19
FEMALE--	255	6	4	2	2	2	1	3	13	8	12	14
BLACK---MALE----	181	4	6	1	-	4	3	5	4	7	5	16
FEMALE--	237	5	3	2	2	2	1	3	11	8	12	13
ALABAMA -----	64	1	1	-	-	1	-	-	1	1	-	6
WHITE-----MALE----	22	1	-	-	-	-	-	-	1	1	-	2
FEMALE--	25	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	11	-	1	-	-	1	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	11	-	1	-	-	1	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	2
ALASKA -----	1	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	57	1	1	1	-	1	-	3	3	1	2	1
WHITE-----MALE----	33	1	-	1	-	1	-	2	1	1	2	1
FEMALE--	20	-	1	-	-	-	-	1	2	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	21	-	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	9	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	168	2	-	1	4	1	3	2	6	7	4	7
WHITE-----MALE----	55	1	-	-	1	1	-	-	1	-	-	4
FEMALE--	85	-	-	1	2	-	2	1	3	4	3	2
ALL OTHER--MALE----	10	-	-	-	-	-	1	-	1	2	-	-
FEMALE--	18	1	-	-	1	-	-	1	1	1	1	1
BLACK---MALE----	4	-	-	-	-	-	1	-	1	1	-	-
FEMALE--	11	-	-	-	1	-	-	1	1	1	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,881
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MISADVENTURES DURING MEDICAL CARE, ABNORMAL REACTIONS, AND LATE COMPLICATIONS (E870-E879)												
0 UNITED STATES --	108	122	179	257	352	392	377	258	168	47	17	-
WHITE-----MALE----	44	61	60	98	149	167	149	85	42	9	4	-
FEMALE--	36	45	85	104	154	179	192	134	110	32	7	-
ALL OTHER--MALE----	15	10	15	24	20	24	9	15	7	3	1	-
FEMALE--	13	6	19	31	29	22	27	24	9	3	5	-
BLACK---MALE----	14	10	13	20	16	22	7	13	7	3	1	-
FEMALE--	11	6	19	29	27	19	27	23	7	3	4	-
ALABAMA -----	1	3	3	9	4	8	8	11	3	3	-	-
WHITE-----MALE----	-	1	-	3	3	4	3	1	1	1	-	-
FEMALE--	-	2	3	2	-	3	4	8	1	1	-	-
ALL OTHER--MALE----	-	-	-	3	1	1	1	-	1	1	-	-
FEMALE--	1	-	-	1	-	-	-	2	-	-	-	-
BLACK---MALE----	-	-	-	3	1	1	1	-	1	1	-	-
FEMALE--	1	-	-	1	-	-	-	2	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	3	3	4	7	6	6	8	2	3	-	1	-
WHITE-----MALE----	2	3	2	6	2	2	5	-	1	-	-	-
FEMALE--	1	-	2	1	4	3	3	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	-	1	3	4	5	5	-	-	-	1	-
WHITE-----MALE----	-	-	-	1	1	3	2	-	-	-	1	-
FEMALE--	-	-	1	-	3	2	2	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
CALIFORNIA -----	13	8	10	18	28	18	17	13	6	-	-	-
WHITE-----MALE----	6	3	5	7	11	3	4	6	2	-	-	-
FEMALE--	4	5	4	5	14	13	13	5	4	-	-	-
ALL OTHER--MALE----	-	-	1	2	2	-	-	1	-	-	-	-
FEMALE--	3	-	-	4	1	2	-	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	3	-	1	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,882
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MISADVENTURES DURING MEDICAL CARE, ABNORMAL REACTIONS, AND LATE COMPLICATIONS (E870-E879)												
COLORADO -----	53	-	1	-	-	-	1	3	1	1	3	1
WHITE-----MALE----	23	-	-	-	-	-	1	2	-	1	-	1
FEMALE--	27	-	1	-	-	-	-	-	-	-	3	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
CONNECTICUT -----	63	-	-	-	1	-	-	-	2	-	3	2
WHITE-----MALE----	18	-	-	-	1	-	-	-	-	-	1	1
FEMALE--	39	-	-	-	-	-	-	-	1	-	1	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	1	-
DELAWARE -----	10	-	-	-	-	-	-	-	1	1	-	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	14	-	-	-	-	-	-	1	-	-	1	1
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	3	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	1	-
FLORIDA -----	133	1	-	-	-	1	-	2	2	1	5	2
WHITE-----MALE----	49	1	-	-	-	1	-	-	1	-	2	1
FEMALE--	66	-	-	-	-	-	-	2	1	-	2	1
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	127	1	1	-	-	1	-	1	4	5	5	2
WHITE-----MALE----	40	-	1	-	-	-	-	-	1	-	3	-
FEMALE--	38	-	-	-	-	-	-	1	1	2	-	2
ALL OTHER--MALE----	19	1	-	-	-	1	-	-	1	1	-	-
FEMALE--	30	-	-	-	-	-	-	-	1	2	2	-
BLACK---MALE----	19	1	-	-	-	1	-	-	1	1	-	-
FEMALE--	30	-	-	-	-	-	-	-	1	2	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,882
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MISADVENTURES DURING MEDICAL CARE, ABNORMAL REACTIONS, AND LATE COMPLICATIONS (E870-E879)												
COLORADO -----	-	2	2	4	4	8	8	10	3	1	-	-
WHITE-----MALE----	-	1	-	1	2	2	5	5	1	1	-	-
FEMALE--	-	1	1	3	2	6	3	5	2	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	2	5	3	12	10	10	7	2	1	2	-
WHITE-----MALE----	-	-	-	-	2	3	6	3	1	-	-	-
FEMALE--	-	2	4	3	8	7	4	4	1	1	2	-
ALL OTHER--MALE----	1	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	3	1	1	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	-	1	-	1	2	2	2	-	2	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	1	2	1	-	2	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	1	2	1	-	2	-	-
FLORIDA -----	8	8	10	16	12	26	22	8	6	2	1	-
WHITE-----MALE----	2	7	1	3	2	15	6	3	2	1	1	-
FEMALE--	5	1	7	7	8	11	13	3	4	1	-	-
ALL OTHER--MALE----	-	-	1	2	1	-	2	1	-	-	-	-
FEMALE--	1	-	1	4	1	-	1	1	-	-	-	-
BLACK---MALE----	-	-	1	1	1	-	2	1	-	-	-	-
FEMALE--	1	-	1	4	1	-	1	1	-	-	-	-
GEORGIA -----	4	8	12	15	13	17	15	17	4	-	2	-
WHITE-----MALE----	1	2	2	3	8	10	3	6	-	-	-	-
FEMALE--	-	4	4	4	2	1	6	7	3	-	1	-
ALL OTHER--MALE----	3	2	2	3	-	4	-	-	1	-	-	-
FEMALE--	-	-	4	5	3	2	6	4	-	-	1	-
BLACK---MALE----	3	2	2	3	-	4	-	-	1	-	-	-
FEMALE--	-	-	4	5	3	2	6	4	-	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,884
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MISADVENTURES DURING MEDICAL CARE, ABNORMAL REACTIONS, AND LATE COMPLICATIONS (E870-E879)												
KENTUCKY -----	33	-	1	2	-	-	1	-	2	-	1	-
WHITE-----MALE----	13	-	-	2	-	-	-	-	1	-	1	-
FEMALE--	17	-	1	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	44	-	1	-	-	-	-	-	-	2	-	1
WHITE-----MALE----	17	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	19	-	1	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	18	-	2	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	9	-	1	-	-	-	-	-	-	-	1	-
FEMALE--	9	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	76	1	-	-	-	-	-	-	-	-	2	5
WHITE-----MALE----	31	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	28	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	11	1	-	-	-	-	-	-	-	-	-	3
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	11	1	-	-	-	-	-	-	-	-	-	3
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
MASSACHUSETTS -----	36	-	-	-	1	-	-	-	-	-	1	2
WHITE-----MALE----	12	-	-	-	1	-	-	-	-	-	1	-
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	97	-	2	-	1	-	1	-	3	5	5	6
WHITE-----MALE----	34	-	-	-	-	-	1	-	2	3	2	3
FEMALE--	45	-	-	-	1	-	-	-	1	1	1	1
ALL OTHER--MALE----	10	-	1	-	-	-	-	-	1	-	1	1
FEMALE--	8	-	1	-	-	-	-	-	-	1	1	1
BLACK---MALE----	9	-	1	-	-	-	-	-	1	-	1	1
FEMALE--	8	-	1	-	-	-	-	-	-	1	1	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,884
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MISADVENTURES DURING MEDICAL CARE, ABNORMAL REACTIONS, AND LATE COMPLICATIONS (E870-E879)												
KENTUCKY -----	1	1	2	4	4	6	3	4	1	-	-	-
WHITE-----MALE----	1	-	-	3	2	1	1	1	-	-	-	-
FEMALE--	-	1	2	1	2	4	2	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	3	4	2	6	1	8	3	6	4	2	1	-
WHITE-----MALE----	1	3	1	2	-	3	2	1	2	-	1	-
FEMALE--	2	1	1	2	1	4	1	1	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	2	1	-	-	-
FEMALE--	-	-	-	2	-	-	-	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	2	1	-	-	-
FEMALE--	-	-	-	2	-	-	-	2	-	-	-	-
MAINE -----	1	2	2	1	-	3	3	2	1	-	-	-
WHITE-----MALE----	-	2	2	-	-	1	2	-	-	-	-	-
FEMALE--	1	-	-	1	-	2	1	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3	3	3	12	8	8	12	7	8	4	-	-
WHITE-----MALE----	2	1	1	6	3	2	5	3	5	-	-	-
FEMALE--	-	1	1	5	2	4	5	4	3	3	-	-
ALL OTHER--MALE----	-	1	-	1	2	2	1	-	-	-	-	-
FEMALE--	1	-	1	-	1	-	1	-	-	1	-	-
BLACK---MALE----	-	1	-	1	2	2	1	-	-	-	-	-
FEMALE--	1	-	1	-	1	-	1	-	-	1	-	-
MASSACHUSETTS -----	1	1	3	2	6	5	8	4	2	-	-	-
WHITE-----MALE----	1	1	-	-	3	1	2	2	-	-	-	-
FEMALE--	-	-	3	1	3	4	6	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
MICHIGAN -----	4	4	7	10	11	11	11	9	5	2	-	-
WHITE-----MALE----	2	2	1	2	6	4	3	2	1	-	-	-
FEMALE--	1	1	5	6	4	6	6	6	4	2	-	-
ALL OTHER--MALE----	1	1	1	2	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	1	-	-	-	-
BLACK---MALE----	1	1	-	2	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,887
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 MISADVENTURES DURING MEDICAL CARE, ABNORMAL REACTIONS, AND LATE COMPLICATIONS (E870-E879)												
OHIO -----	143	2	1	1	-	1	1	-	5	3	3	3
WHITE-----MALE----	56	1	-	-	-	-	-	-	3	-	1	1
FEMALE--	59	1	1	-	-	-	-	-	-	2	1	-
ALL OTHER--MALE----	12	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	1	-	2	1	1	2
BLACK---MALE----	12	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	1	-	2	1	1	2
OKLAHOMA -----	29	-	-	1	-	-	-	-	-	-	3	-
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	16	-	-	1	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	39	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	19	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	20	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	159	-	-	-	2	-	1	2	1	2	6	7
WHITE-----MALE----	62	-	-	-	1	-	-	1	-	2	4	1
FEMALE--	71	-	-	-	1	-	1	1	-	-	1	3
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	13	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	13	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	13	-	-	-	-	-	-	-	1	-	-	1
RHODE ISLAND -----	8	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	41	1	-	1	-	1	1	1	-	-	1	1
WHITE-----MALE----	15	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	1	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	8	-	-	-	-	1	-	-	-	-	-	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	8	-	-	-	-	1	-	-	-	-	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,887
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MISADVENTURES DURING MEDICAL CARE, ABNORMAL REACTIONS, AND LATE COMPLICATIONS (E870-E879)												
OHIO -----	6	5	12	13	15	27	13	16	12	2	2	-
WHITE-----MALE----	1	2	5	6	8	11	7	6	4	-	-	-
FEMALE--	2	1	5	5	5	13	6	7	8	2	-	-
ALL OTHER--MALE----	2	-	1	-	1	2	-	3	-	-	1	-
FEMALE--	1	2	1	2	1	1	-	-	-	-	1	-
BLACK---MALE----	2	-	1	-	1	2	-	3	-	-	1	-
FEMALE--	1	2	1	2	1	1	-	-	-	-	1	-
OKLAHOMA -----	2	-	1	1	4	4	5	3	3	2	-	-
WHITE-----MALE----	-	-	-	1	4	3	3	-	-	-	-	-
FEMALE--	2	-	1	-	-	1	2	3	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	1	3	2	6	11	9	3	2	-	-	-
WHITE-----MALE----	-	-	2	1	3	4	6	2	-	-	-	-
FEMALE--	-	1	1	1	3	7	3	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	6	4	14	17	28	24	28	10	5	2	-	-
WHITE-----MALE----	5	2	5	8	11	9	8	1	2	2	-	-
FEMALE--	-	-	7	6	14	10	19	6	2	-	-	-
ALL OTHER--MALE----	-	1	2	2	1	3	-	1	-	-	-	-
FEMALE--	1	1	-	1	2	2	1	2	1	-	-	-
BLACK---MALE----	-	1	2	2	1	3	-	1	-	-	-	-
FEMALE--	1	1	-	1	2	2	1	2	1	-	-	-
RHODE ISLAND -----	-	1	-	1	-	2	4	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	2	-	-	-	-	-
FEMALE--	-	1	-	-	-	2	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
SOUTH CAROLINA -----	-	2	3	6	7	3	5	4	4	-	-	-
WHITE-----MALE----	-	-	3	2	4	2	1	1	1	-	-	-
FEMALE--	-	1	-	1	2	-	3	1	2	-	-	-
ALL OTHER--MALE----	-	1	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	1	2	1	-	-	-
BLACK---MALE----	-	1	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	1	2	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,888
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 MISADVENTURES DURING MEDICAL CARE, ABNORMAL REACTIONS, AND LATE COMPLICATIONS (E870-E879)												
SOUTH DAKOTA -----	-	-	-	3	-	-	2	-	-	1	-	-
WHITE-----MALE----	-	-	-	2	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	5	5	4	2	5	11	7	8	2	-	-	-
WHITE-----MALE----	2	2	3	-	2	5	2	1	1	-	-	-
FEMALE--	3	-	1	1	3	6	5	6	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	1	-	-	-	1	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	2	-	1	-	-	-	1	-	-	-	-
TEXAS -----	3	4	11	8	18	20	15	10	12	4	-	-
WHITE-----MALE----	1	4	3	4	9	13	4	7	2	1	-	-
FEMALE--	2	-	7	3	7	6	8	2	9	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	1	-	-
FEMALE--	-	-	1	1	2	-	2	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	-	-	1	1	2	-	2	1	-	-	-	-
UTAH -----	-	2	2	1	4	1	1	1	1	-	-	-
WHITE-----MALE----	-	1	2	1	2	-	1	1	-	-	-	-
FEMALE--	-	1	-	-	2	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	1	1	-	1	-	-	1	-	-	-	-
WHITE-----MALE----	-	1	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	7	3	5	5	15	15	10	11	7	-	1	-
WHITE-----MALE----	4	1	2	2	6	8	5	5	1	-	1	-
FEMALE--	1	1	-	2	6	3	4	5	4	-	-	-
ALL OTHER--MALE----	2	1	-	1	-	1	-	-	2	-	-	-
FEMALE--	-	-	3	-	3	3	1	1	-	-	-	-
BLACK---MALE----	2	1	-	1	-	1	-	-	2	-	-	-
FEMALE--	-	-	3	-	3	3	1	1	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,890
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACCIDENTAL FALLS (E880-E888)												
0 UNITED STATES --	13,986	22	42	28	35	104	141	176	234	332	340	370
WHITE-----MALE----	6,308	9	23	14	19	77	110	130	166	229	215	259
FEMALE--	6,542	3	13	5	7	16	14	24	28	39	47	44
ALL OTHER--MALE----	718	4	4	7	8	9	16	21	32	52	66	58
FEMALE--	418	6	2	2	1	2	1	1	8	12	12	9
BLACK---MALE----	544	3	3	7	5	5	9	13	22	43	56	47
FEMALE--	333	5	1	1	1	2	1	1	8	11	12	7
ALABAMA -----	184	1	2	1	-	2	3	4	2	7	7	3
WHITE-----MALE----	69	-	-	-	-	-	3	3	2	4	2	2
FEMALE--	82	1	2	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	19	-	-	1	-	1	-	-	-	3	3	1
FEMALE--	14	-	-	-	-	-	-	-	-	-	2	-
BLACK---MALE----	19	-	-	1	-	1	-	-	-	3	3	1
FEMALE--	14	-	-	-	-	-	-	-	-	-	2	-
ALASKA -----	20	-	-	-	-	1	2	-	2	2	1	2
WHITE-----MALE----	6	-	-	-	-	-	2	-	-	1	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	1	-	-	2	-	1	1
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	241	-	-	-	1	1	8	5	4	7	7	4
WHITE-----MALE----	105	-	-	-	-	1	5	4	2	4	5	3
FEMALE--	115	-	-	-	-	-	-	-	1	1	1	-
ALL OTHER--MALE----	17	-	-	-	1	-	3	1	1	2	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	130	-	-	-	-	-	1	3	2	3	2	2
WHITE-----MALE----	59	-	-	-	-	-	1	1	2	3	2	2
FEMALE--	63	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	1,045	3	8	2	2	11	17	19	28	29	29	41
WHITE-----MALE----	532	2	4	1	1	5	16	14	23	16	20	29
FEMALE--	420	-	3	-	-	5	-	5	3	7	6	5
ALL OTHER--MALE----	62	1	1	-	1	-	1	-	2	6	1	7
FEMALE--	31	-	-	1	-	1	-	-	-	-	2	-
BLACK---MALE----	26	-	-	-	-	-	-	-	-	5	1	5
FEMALE--	11	-	-	-	-	1	-	-	-	-	2	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,890
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACCIDENTAL FALLS (E880-E888)												
0 UNITED STATES --	320	335	450	684	1,067	1,549	2,238	2,670	1,905	766	174	4
WHITE-----MALE----	208	203	267	392	516	735	953	978	584	187	32	2
FEMALE--	60	78	119	202	451	706	1,154	1,592	1,251	558	130	1
ALL OTHER--MALE----	37	45	44	60	61	52	63	42	27	6	3	1
FEMALE--	15	9	20	30	39	56	68	58	43	15	9	-
BLACK---MALE----	30	34	37	46	52	37	44	24	19	4	3	1
FEMALE--	11	7	16	22	30	45	53	43	35	13	8	-
ALABAMA -----	5	3	7	12	12	24	35	26	21	6	1	-
WHITE-----MALE----	1	2	3	5	5	8	14	6	8	-	1	-
FEMALE--	1	-	2	6	6	12	18	16	11	5	-	-
ALL OTHER--MALE----	3	-	2	1	-	1	-	3	-	-	-	-
FEMALE--	-	1	-	-	1	3	3	1	2	1	-	-
BLACK---MALE----	3	-	2	1	-	1	-	3	-	-	-	-
FEMALE--	-	1	-	-	1	3	3	1	2	1	-	-
ALASKA -----	-	2	-	1	1	1	-	2	3	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	3	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2	4	13	12	26	33	36	39	23	13	3	-
WHITE-----MALE----	1	3	6	7	10	15	12	14	8	4	1	-
FEMALE--	1	-	3	3	15	17	23	24	15	9	2	-
ALL OTHER--MALE----	-	1	3	1	-	1	1	1	-	-	-	-
FEMALE--	-	-	1	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	3	4	4	5	6	15	25	33	18	3	1	-
WHITE-----MALE----	2	2	3	4	2	6	10	13	6	-	-	-
FEMALE--	1	2	-	1	4	8	13	18	12	3	1	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	-	-	-	-
CALIFORNIA -----	37	41	36	70	85	93	159	171	117	41	6	-
WHITE-----MALE----	34	28	25	42	41	48	68	63	41	10	1	-
FEMALE--	2	6	7	20	37	38	72	100	69	30	5	-
ALL OTHER--MALE----	1	7	2	5	3	4	11	4	4	1	-	-
FEMALE--	-	-	2	3	4	3	8	4	3	-	-	-
BLACK---MALE----	1	3	2	1	3	-	4	-	1	-	-	-
FEMALE--	-	-	-	1	1	1	3	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,891
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACCIDENTAL FALLS (E880-E888)												
COLORADO -----	238	-	1	-	1	3	5	3	6	4	6	6
WHITE-----MALE----	122	-	-	-	-	3	4	3	6	3	5	4
FEMALE--	109	-	1	-	1	-	1	-	-	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	1
CONNECTICUT -----	195	-	-	-	1	-	2	2	-	1	4	2
WHITE-----MALE----	82	-	-	-	-	-	1	1	-	1	4	1
FEMALE--	108	-	-	-	1	-	1	1	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	28	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	36	-	1	-	-	-	-	1	-	1	1	2
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	7	-	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	16	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	6	-	1	-	-	-	-	1	-	-	-	-
FLORIDA -----	769	-	2	-	-	3	6	16	12	15	26	27
WHITE-----MALE----	395	-	1	-	-	3	5	11	10	12	13	22
FEMALE--	330	-	1	-	-	-	-	3	2	2	3	1
ALL OTHER--MALE----	30	-	-	-	-	-	1	2	-	1	9	4
FEMALE--	14	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	30	-	-	-	-	-	1	2	-	1	9	4
FEMALE--	14	-	-	-	-	-	-	-	-	-	1	-
GEORGIA -----	332	1	-	-	2	2	1	3	11	17	10	9
WHITE-----MALE----	134	-	-	-	1	1	-	1	7	9	4	6
FEMALE--	136	-	-	-	-	1	-	-	2	2	-	2
ALL OTHER--MALE----	37	-	-	-	-	-	1	2	2	4	6	1
FEMALE--	25	1	-	-	1	-	-	-	-	2	-	-
BLACK---MALE----	37	-	-	-	-	-	1	2	2	4	6	1
FEMALE--	24	1	-	-	1	-	-	-	-	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,891
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACCIDENTAL FALLS (E880-E888)												
COLORADO -----	4	6	6	13	15	29	37	46	34	9	4	-
WHITE-----MALE----	2	4	4	9	10	14	17	21	10	3	-	-
FEMALE--	2	1	2	4	4	13	20	25	23	6	4	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	2	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	1	-	-	-
CONNECTICUT -----	4	2	3	6	21	20	41	41	30	11	4	-
WHITE-----MALE----	1	2	1	3	12	12	15	17	9	-	2	-
FEMALE--	2	-	2	3	8	8	24	23	21	11	2	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	2	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
DELAWARE -----	1	2	1	2	3	5	4	2	4	3	1	-
WHITE-----MALE----	1	1	1	2	1	3	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	2	4	2	4	3	1	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	1	2	1	7	6	4	5	-	2	-	1
WHITE-----MALE----	-	-	1	-	-	1	-	2	-	-	-	-
FEMALE--	-	-	-	-	3	1	-	3	-	1	-	-
ALL OTHER--MALE----	-	1	1	1	4	2	2	-	-	1	-	1
FEMALE--	1	-	-	-	-	2	2	-	-	-	-	-
BLACK---MALE----	-	1	1	1	4	2	2	-	-	1	-	1
FEMALE--	1	-	-	-	-	2	1	-	-	-	-	-
FLORIDA -----	12	11	30	39	61	89	124	158	99	35	4	-
WHITE-----MALE----	6	5	22	23	29	54	65	61	42	11	-	-
FEMALE--	4	5	5	14	29	34	56	92	54	22	3	-
ALL OTHER--MALE----	2	1	2	-	3	-	2	2	-	1	-	-
FEMALE--	-	-	1	2	-	1	1	3	3	1	1	-
BLACK---MALE----	2	1	2	-	3	-	2	2	-	1	-	-
FEMALE--	-	-	1	2	-	1	1	3	3	1	1	-
GEORGIA -----	10	10	19	23	20	27	67	50	36	11	3	-
WHITE-----MALE----	5	8	14	12	8	12	24	13	6	3	-	-
FEMALE--	3	-	2	6	7	9	34	34	24	7	3	-
ALL OTHER--MALE----	2	2	3	1	3	2	5	2	1	-	-	-
FEMALE--	-	-	-	4	2	4	4	1	5	1	-	-
BLACK---MALE----	2	2	3	1	3	2	5	2	1	-	-	-
FEMALE--	-	-	-	3	2	4	4	1	5	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,892
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACCIDENTAL FALLS (E880-E888)												
HAWAII -----	62	-	-	-	-	2	-	4	2	-	1	2
WHITE-----MALE----	7	-	-	-	-	1	-	-	1	-	1	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	34	-	-	-	-	1	-	4	1	-	-	2
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	74	-	1	1	1	2	-	1	1	-	1	3
WHITE-----MALE----	38	-	1	1	1	1	-	1	-	-	-	3
FEMALE--	34	-	-	-	-	1	-	-	1	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	597	3	2	-	3	6	1	13	11	26	25	28
WHITE-----MALE----	288	1	-	-	2	4	1	8	6	17	18	17
FEMALE--	241	1	-	-	1	1	-	3	-	2	2	4
ALL OTHER--MALE----	49	-	2	-	-	1	-	2	1	5	4	7
FEMALE--	19	1	-	-	-	-	-	-	4	2	1	-
BLACK---MALE----	47	-	2	-	-	1	-	2	1	4	4	7
FEMALE--	17	1	-	-	-	-	-	-	4	2	1	-
INDIANA -----	296	-	-	2	-	1	2	9	3	8	5	5
WHITE-----MALE----	129	-	-	2	-	1	1	7	2	6	4	3
FEMALE--	151	-	-	-	-	-	1	-	-	1	1	2
ALL OTHER--MALE----	8	-	-	-	-	-	-	2	1	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	8	-	-	-	-	-	-	2	1	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	1	-	-
IOWA -----	277	-	-	1	1	2	2	1	1	6	2	1
WHITE-----MALE----	130	-	-	1	1	2	2	1	-	5	1	1
FEMALE--	146	-	-	-	-	-	-	-	1	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	227	-	-	-	-	-	2	1	2	5	4	7
WHITE-----MALE----	102	-	-	-	-	-	1	1	2	2	3	4
FEMALE--	118	-	-	-	-	-	1	-	-	2	1	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,893
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 ACCIDENTAL FALLS (E880-E888)												
KENTUCKY -----	224	-	1	-	-	1	3	3	2	6	5	4
WHITE-----MALE----	107	-	1	-	-	1	2	3	2	6	3	4
FEMALE--	112	-	-	-	-	-	1	-	-	-	2	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	216	-	-	2	-	-	2	3	4	8	5	5
WHITE-----MALE----	87	-	-	1	-	-	2	3	2	6	1	3
FEMALE--	88	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	22	-	-	1	-	-	-	-	2	2	3	1
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	22	-	-	1	-	-	-	-	2	2	3	1
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	74	-	1	-	-	1	-	-	1	1	-	3
WHITE-----MALE----	31	-	1	-	-	1	-	-	1	1	-	1
FEMALE--	43	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	211	4	2	-	1	-	2	2	2	4	4	13
WHITE-----MALE----	81	3	-	-	-	-	2	2	1	1	3	7
FEMALE--	93	-	2	-	1	-	-	-	-	-	-	2
ALL OTHER--MALE----	22	1	-	-	-	-	-	-	1	2	1	1
FEMALE--	15	-	-	-	-	-	-	-	-	1	-	3
BLACK---MALE----	20	1	-	-	-	-	-	-	1	2	1	1
FEMALE--	13	-	-	-	-	-	-	-	-	1	-	3
MASSACHUSETTS -----	316	1	2	2	-	-	1	2	9	6	5	7
WHITE-----MALE----	146	-	2	2	-	-	1	2	6	5	2	6
FEMALE--	162	-	-	-	-	-	-	-	2	-	1	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	1	1	1	-
FEMALE--	3	1	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	1	-
MICHIGAN -----	481	-	2	1	-	2	3	6	8	9	10	14
WHITE-----MALE----	201	-	1	1	-	2	1	6	5	6	5	9
FEMALE--	229	-	1	-	-	-	2	-	2	-	2	1
ALL OTHER--MALE----	37	-	-	-	-	-	-	-	-	3	3	3
FEMALE--	14	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	33	-	-	-	-	-	-	-	-	3	2	3
FEMALE--	13	-	-	-	-	-	-	-	1	-	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,893
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACCIDENTAL FALLS (E880-E888)												
KENTUCKY -----	6	4	3	10	11	27	40	45	34	13	6	-
WHITE-----MALE----	6	1	3	5	5	8	19	23	10	3	2	-
FEMALE--	-	2	-	5	6	16	20	22	24	10	4	-
ALL OTHER--MALE----	-	1	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
LOUISIANA -----	3	4	5	16	21	27	34	40	20	14	3	-
WHITE-----MALE----	2	2	3	6	9	10	17	9	8	3	-	-
FEMALE--	-	1	1	4	9	14	14	23	10	10	-	-
ALL OTHER--MALE----	1	-	-	3	1	1	3	3	1	-	-	-
FEMALE--	-	1	1	3	2	2	-	5	1	1	3	-
BLACK---MALE----	1	-	-	3	1	1	3	3	1	-	-	-
FEMALE--	-	1	1	3	2	2	-	5	1	1	3	-
MAINE -----	-	2	1	4	3	12	9	11	12	9	4	-
WHITE-----MALE----	-	1	1	2	1	8	1	7	3	1	1	-
FEMALE--	-	1	-	2	2	4	8	4	9	8	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	6	9	9	11	15	36	32	33	19	2	5	-
WHITE-----MALE----	5	5	4	7	2	10	9	13	6	1	-	-
FEMALE--	-	2	3	1	8	21	19	16	12	1	5	-
ALL OTHER--MALE----	1	1	2	3	4	2	1	1	1	-	-	-
FEMALE--	-	1	-	-	1	3	3	3	-	-	-	-
BLACK---MALE----	1	1	1	3	3	2	1	1	1	-	-	-
FEMALE--	-	-	-	-	1	3	3	2	-	-	-	-
MASSACHUSETTS -----	6	6	10	18	20	32	40	64	55	23	7	-
WHITE-----MALE----	3	6	5	14	9	17	17	26	18	4	1	-
FEMALE--	3	-	4	4	9	15	23	38	37	19	6	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	9	11	18	22	45	45	70	112	61	24	9	-
WHITE-----MALE----	5	6	9	10	24	22	30	41	12	5	1	-
FEMALE--	2	2	5	4	17	21	33	62	48	19	8	-
ALL OTHER--MALE----	1	3	4	5	1	2	5	6	1	-	-	-
FEMALE--	1	-	-	3	3	-	2	3	-	-	-	-
BLACK---MALE----	1	3	4	5	1	1	5	4	1	-	-	-
FEMALE--	1	-	-	3	3	-	2	2	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,896
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACCIDENTAL FALLS (E880-E888)												
OHIO -----	11	8	20	33	55	73	106	120	81	37	4	-
WHITE-----MALE----	7	4	8	23	29	37	41	44	20	8	1	-
FEMALE--	3	3	10	9	20	31	60	76	60	29	2	-
ALL OTHER--MALE----	-	-	1	1	5	3	2	-	-	-	-	-
FEMALE--	1	1	1	-	1	2	3	-	1	-	1	-
BLACK---MALE----	-	-	1	1	5	3	2	-	-	-	-	-
FEMALE--	1	1	1	-	1	1	3	-	1	-	1	-
OKLAHOMA -----	4	6	10	6	13	12	42	43	23	6	1	-
WHITE-----MALE----	3	5	8	1	8	5	14	13	7	3	-	-
FEMALE--	-	1	2	3	5	7	25	29	16	3	1	-
ALL OTHER--MALE----	1	-	-	2	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
OREGON -----	2	3	5	6	19	24	41	41	41	16	8	-
WHITE-----MALE----	-	2	5	5	13	6	17	15	9	4	1	-
FEMALE--	2	-	-	1	6	17	24	24	30	12	7	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	2	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
PENNSYLVANIA -----	13	18	25	31	63	84	126	136	110	46	6	-
WHITE-----MALE----	11	6	12	19	28	42	59	52	41	10	3	-
FEMALE--	2	8	8	6	31	39	62	81	67	35	2	-
ALL OTHER--MALE----	-	4	1	5	3	1	-	-	2	-	1	-
FEMALE--	-	-	4	1	1	2	5	3	-	1	-	-
BLACK---MALE----	-	4	1	4	3	1	-	-	1	-	1	-
FEMALE--	-	-	4	1	1	2	5	3	-	1	-	-
RHODE ISLAND -----	-	1	2	5	7	7	12	9	9	2	-	-
WHITE-----MALE----	-	1	2	3	5	4	4	3	5	-	-	-
FEMALE--	-	-	-	2	2	2	8	6	4	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
SOUTH CAROLINA -----	4	7	5	8	20	16	28	37	21	5	-	-
WHITE-----MALE----	2	2	3	4	8	8	8	12	6	-	-	-
FEMALE--	-	2	1	2	7	7	17	25	10	5	-	-
ALL OTHER--MALE----	2	3	1	1	2	-	1	-	1	-	-	-
FEMALE--	-	-	-	1	3	1	2	-	4	-	-	-
BLACK---MALE----	2	3	1	1	2	-	1	-	1	-	-	-
FEMALE--	-	-	-	1	3	1	2	-	4	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,897
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 ACCIDENTAL FALLS (E880-E888)												
SOUTH DAKOTA -----	3	-	1	4	3	1	5	16	15	6	1	-
WHITE-----MALE----	1	-	1	3	1	-	3	10	4	1	-	-
FEMALE--	1	-	-	1	2	1	2	6	11	5	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	8	14	8	19	21	30	43	50	46	9	2	-
WHITE-----MALE----	2	10	2	11	12	14	14	11	11	3	-	-
FEMALE--	4	3	3	6	8	14	25	34	34	6	2	-
ALL OTHER--MALE----	2	1	-	2	1	1	1	1	-	-	-	-
FEMALE--	-	-	3	-	-	1	3	4	1	-	-	-
BLACK---MALE----	2	1	-	2	1	1	1	1	-	-	-	-
FEMALE--	-	-	2	-	-	1	3	4	1	-	-	-
TEXAS -----	17	31	19	38	48	89	130	158	103	41	10	1
WHITE-----MALE----	12	19	14	27	21	53	54	64	35	8	1	1
FEMALE--	3	7	3	10	22	35	69	91	63	28	9	-
ALL OTHER--MALE----	1	3	1	1	1	1	6	1	2	2	-	-
FEMALE--	1	2	1	-	4	-	1	2	3	3	-	-
BLACK---MALE----	1	2	1	1	1	1	5	1	2	2	-	-
FEMALE--	1	2	1	-	4	-	1	2	3	2	-	-
UTAH -----	3	1	3	2	10	10	18	17	10	4	3	-
WHITE-----MALE----	2	-	2	2	7	6	7	6	3	2	1	-
FEMALE--	1	1	1	-	3	4	11	10	7	2	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	2	-	2	2	3	3	7	4	3	-	-	-
WHITE-----MALE----	2	-	-	1	1	1	5	1	1	-	-	-
FEMALE--	-	-	2	1	2	2	2	3	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	6	4	13	15	27	43	60	65	43	20	3	-
WHITE-----MALE----	5	1	8	8	13	19	19	25	10	4	-	-
FEMALE--	1	3	4	6	11	20	37	36	29	14	3	-
ALL OTHER--MALE----	-	-	-	-	2	2	1	1	2	-	-	-
FEMALE--	-	-	1	1	1	2	3	3	2	2	-	-
BLACK---MALE----	-	-	-	-	2	1	1	1	2	-	-	-
FEMALE--	-	-	1	-	-	2	3	3	2	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,900
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 FALL FROM ONE LEVEL TO ANOTHER (E880-E884)												
COLORADO -----	56	-	-	-	1	2	3	-	5	4	2	1
WHITE-----MALE----	41	-	-	-	-	2	3	-	5	3	2	1
FEMALE--	13	-	-	-	1	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	45	-	-	-	-	-	1	-	-	-	2	-
WHITE-----MALE----	29	-	-	-	-	-	1	-	-	-	2	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	11	-	1	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	-	-	-	-	-
FLORIDA -----	145	-	2	-	-	3	4	10	7	7	10	8
WHITE-----MALE----	104	-	1	-	-	3	4	9	7	6	5	7
FEMALE--	30	-	1	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	10	-	-	-	-	-	-	1	-	-	5	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	10	-	-	-	-	-	-	1	-	-	5	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	77	-	-	-	2	2	1	2	8	9	4	6
WHITE-----MALE----	42	-	-	-	1	1	-	-	5	5	2	5
FEMALE--	13	-	-	-	-	1	-	-	1	1	-	1
ALL OTHER--MALE----	17	-	-	-	-	-	1	2	2	3	2	-
FEMALE--	5	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	17	-	-	-	-	-	1	2	2	3	2	-
FEMALE--	5	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,900
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 FALL FROM ONE LEVEL TO ANOTHER (E880-E884)												
COLORADO -----	2	4	3	2	5	6	4	6	6	-	-	-
WHITE-----MALE----	2	3	3	2	5	3	1	5	1	-	-	-
FEMALE--	-	1	-	-	-	2	3	1	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
CONNECTICUT -----	1	2	2	3	6	8	6	9	2	2	1	-
WHITE-----MALE----	-	2	1	1	4	6	4	6	1	-	1	-
FEMALE--	-	-	1	2	1	2	2	3	1	2	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	1	-	1	-	2	3	-	-	-	1	-	1
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	2	1	-	-	-	1	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	2	1	-	-	-	1	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	2	2	7	11	16	15	12	17	10	2	-	-
WHITE-----MALE----	1	2	6	8	10	9	11	9	6	-	-	-
FEMALE--	-	-	-	3	5	6	1	7	4	2	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
GEORGIA -----	5	5	7	2	4	3	8	5	4	-	-	-
WHITE-----MALE----	3	4	4	2	4	-	3	2	1	-	-	-
FEMALE--	-	-	1	-	-	2	2	2	2	-	-	-
ALL OTHER--MALE----	2	1	2	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	1	-	-	-
BLACK---MALE----	2	1	2	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,902
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 FALL FROM ONE LEVEL TO ANOTHER (E880-E884)												
KENTUCKY -----	41	-	1	-	-	-	3	2	1	4	3	2
WHITE-----MALE----	30	-	1	-	-	-	2	2	1	4	2	2
FEMALE--	10	-	-	-	-	-	1	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	28	-	-	-	-	-	-	1	2	4	2	4
WHITE-----MALE----	16	-	-	-	-	-	-	1	-	4	-	3
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	2	-	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	2	-	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	12	-	-	-	-	1	-	-	1	1	-	2
WHITE-----MALE----	6	-	-	-	-	1	-	-	1	1	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	77	4	1	-	1	-	1	-	1	2	2	6
WHITE-----MALE----	36	3	-	-	-	-	1	-	1	-	1	4
FEMALE--	19	-	1	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	13	1	-	-	-	-	-	-	-	1	1	1
FEMALE--	9	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	11	1	-	-	-	-	-	-	-	1	1	1
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	1
MASSACHUSETTS -----	85	1	2	-	-	-	1	1	8	5	4	4
WHITE-----MALE----	41	-	2	-	-	-	1	1	6	4	2	3
FEMALE--	38	-	-	-	-	-	-	-	2	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	3	1	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	1	-
MICHIGAN -----	98	-	1	-	-	-	2	3	4	7	5	4
WHITE-----MALE----	56	-	-	-	-	-	1	3	2	4	3	3
FEMALE--	31	-	1	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	3	2	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	8	-	-	-	-	-	-	-	-	3	1	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	1

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,905
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 FALL FROM ONE LEVEL TO ANOTHER (E880-E884)												
OHIO -----	6	4	8	14	11	24	12	16	6	1	-	-
WHITE-----MALE----	5	2	3	10	9	17	7	9	1	-	-	-
FEMALE--	1	2	5	3	1	6	5	7	5	1	-	-
ALL OTHER--MALE----	-	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	-	2	3	-	3	-	2	2	1	-	-	-
WHITE-----MALE----	-	1	3	-	2	-	2	2	1	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	1	2	4	1	7	4	11	1	6	-	1	-
WHITE-----MALE----	-	2	4	1	4	2	6	-	2	-	-	-
FEMALE--	1	-	-	-	3	2	5	1	4	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	6	10	12	14	27	28	38	23	15	4	1	-
WHITE-----MALE----	4	3	7	9	14	17	19	9	7	1	-	-
FEMALE--	2	4	3	2	12	10	17	12	7	3	-	-
ALL OTHER--MALE----	-	3	-	2	1	1	-	-	1	-	1	-
FEMALE--	-	-	2	1	-	-	2	2	-	-	-	-
BLACK---MALE----	-	3	-	1	1	1	-	-	1	-	1	-
FEMALE--	-	-	2	1	-	-	2	2	-	-	-	-
RHODE ISLAND -----	-	1	1	3	3	3	5	2	1	1	-	-
WHITE-----MALE----	-	1	1	2	2	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	1	1	5	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
SOUTH CAROLINA -----	-	1	2	2	5	3	3	5	1	-	-	-
WHITE-----MALE----	-	-	1	1	3	3	1	4	1	-	-	-
FEMALE--	-	-	-	1	-	-	2	1	-	-	-	-
ALL OTHER--MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
BLACK---MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,914
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 FALL ON SAME LEVEL (E885-E886)												
OHIO -----	-	1	1	1	2	2	3	5	-	-	-	-
WHITE-----MALE----	-	-	1	1	1	1	2	4	-	-	-	-
FEMALE--	-	1	-	-	1	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	-	-	-	1	-	1	-	2	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	-	-	-	-	-	1	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	1	-	-	-	2	1	2	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1	-	1	1	4	6	8	5	9	1	-	-
WHITE-----MALE----	1	-	-	1	-	2	4	3	3	-	-	-
FEMALE--	-	-	-	-	4	4	3	1	5	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	1	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	1	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	-	1	-	1	2	-	4	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,917
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 FRACTURE, CAUSE UNSPECIFIED, AND OTHER AND UNSPECIFIED FALLS (E887-E888)												
0 UNITED STATES --	10,188	11	9	12	11	30	44	52	75	139	164	174
WHITE-----MALE----	4,058	3	4	7	7	24	30	32	40	86	93	109
FEMALE--	5,385	2	5	1	2	3	8	14	15	21	31	26
ALL OTHER--MALE----	423	2	-	3	2	1	6	5	16	25	31	35
FEMALE--	322	4	-	1	-	2	-	1	4	7	9	4
BLACK---MALE----	324	1	-	3	2	1	3	3	9	23	25	27
FEMALE--	255	3	-	1	-	2	-	1	4	6	9	4
ALABAMA -----	145	-	1	-	-	-	1	-	1	4	4	2
WHITE-----MALE----	48	-	-	-	-	-	1	-	1	3	1	2
FEMALE--	73	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	2	-
BLACK---MALE----	10	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	2	-
ALASKA -----	12	-	-	-	-	-	1	-	2	2	1	-
WHITE-----MALE----	2	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	2	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	197	-	-	-	-	1	3	1	3	5	4	-
WHITE-----MALE----	77	-	-	-	-	1	1	-	1	3	3	-
FEMALE--	107	-	-	-	-	-	-	-	1	1	1	-
ALL OTHER--MALE----	11	-	-	-	-	-	2	1	1	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	94	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	35	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	55	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	723	1	1	-	-	3	3	3	8	21	12	20
WHITE-----MALE----	324	-	-	-	-	1	3	2	4	12	8	10
FEMALE--	327	-	1	-	-	1	-	1	2	5	3	4
ALL OTHER--MALE----	44	1	-	-	-	-	-	-	2	4	-	6
FEMALE--	28	-	-	-	-	1	-	-	-	-	1	-
BLACK---MALE----	20	-	-	-	-	-	-	-	-	4	-	5
FEMALE--	10	-	-	-	-	1	-	-	-	-	1	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,917
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 FRACTURE, CAUSE UNSPECIFIED, AND OTHER AND UNSPECIFIED FALLS (E887-E888)												
0 UNITED STATES --	168	170	274	448	734	1,132	1,788	2,261	1,649	690	151	2
WHITE-----MALE----	97	97	141	241	325	518	732	787	490	167	27	1
FEMALE--	43	43	88	147	334	534	952	1,391	1,106	505	113	1
ALL OTHER--MALE----	18	25	30	36	45	33	49	37	18	4	2	-
FEMALE--	10	5	15	24	30	47	55	46	35	14	9	-
BLACK---MALE----	14	20	24	30	38	26	37	21	13	2	2	-
FEMALE--	6	4	11	18	23	39	43	33	28	12	8	-
ALABAMA -----	3	1	3	10	10	22	32	24	20	6	1	-
WHITE-----MALE----	-	-	1	4	3	8	12	4	7	-	1	-
FEMALE--	1	-	1	5	6	10	17	16	11	5	-	-
ALL OTHER--MALE----	2	-	1	1	-	1	-	3	-	-	-	-
FEMALE--	-	1	-	-	1	3	3	1	2	1	-	-
BLACK---MALE----	2	-	1	1	-	1	-	3	-	-	-	-
FEMALE--	-	1	-	-	1	3	3	1	2	1	-	-
ALASKA -----	-	1	-	1	-	-	-	1	3	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	3	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2	3	10	8	25	30	30	36	20	13	3	-
WHITE-----MALE----	1	3	3	6	9	14	9	13	5	4	1	-
FEMALE--	1	-	3	2	15	15	20	22	15	9	2	-
ALL OTHER--MALE----	-	-	3	-	-	1	1	1	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	2	2	4	4	13	20	26	17	3	1	-
WHITE-----MALE----	-	2	2	3	1	5	6	9	5	-	-	-
FEMALE--	-	-	-	1	3	7	13	15	12	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
CALIFORNIA -----	20	22	25	51	58	67	127	142	100	34	5	-
WHITE-----MALE----	19	15	15	26	29	33	56	52	32	6	1	-
FEMALE--	1	3	7	17	23	29	56	82	61	27	4	-
ALL OTHER--MALE----	-	4	1	5	2	2	8	4	4	1	-	-
FEMALE--	-	-	2	3	4	3	7	4	3	-	-	-
BLACK---MALE----	-	2	1	1	2	-	4	-	1	-	-	-
FEMALE--	-	-	-	1	1	1	3	1	1	-	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT A PG 2,918
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	TOTAL	UND 1	1-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49
0 FRACTURE, CAUSE UNSPECIFIED, AND OTHER AND UNSPECIFIED FALLS (E887-E888)												
COLORADO -----	172	-	1	-	-	1	2	-	1	-	4	5
WHITE-----MALE----	74	-	-	-	-	1	1	-	1	-	3	3
FEMALE--	93	-	1	-	-	-	1	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	1
CONNECTICUT -----	145	-	-	-	-	-	1	2	-	1	2	2
WHITE-----MALE----	52	-	-	-	-	-	-	1	-	1	2	1
FEMALE--	90	-	-	-	-	-	1	1	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	27	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ----	22	-	-	-	-	-	-	1	-	1	-	2
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	5	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	4	-	-	-	-	-	-	1	-	-	-	-
FLORIDA -----	595	-	-	-	-	-	2	6	5	8	16	18
WHITE-----MALE----	280	-	-	-	-	-	1	2	3	6	8	15
FEMALE--	283	-	-	-	-	-	-	3	2	1	3	1
ALL OTHER--MALE----	19	-	-	-	-	-	1	1	-	1	4	2
FEMALE--	13	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	19	-	-	-	-	-	1	1	-	1	4	2
FEMALE--	13	-	-	-	-	-	-	-	-	-	1	-
GEORGIA -----	247	1	-	-	-	-	-	1	3	8	6	3
WHITE-----MALE----	86	-	-	-	-	-	-	1	2	4	2	1
FEMALE--	122	-	-	-	-	-	-	-	1	1	-	1
ALL OTHER--MALE----	19	-	-	-	-	-	-	-	-	1	4	1
FEMALE--	20	1	-	-	-	-	-	-	-	2	-	-
BLACK---MALE----	19	-	-	-	-	-	-	-	-	1	4	1
FEMALE--	19	1	-	-	-	-	-	-	-	2	-	-

TABLE III. DEATHS FROM 282 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. & EACH STATE, 1995 PLT B PG 2,918
 (REFERS ONLY TO DEATHS OF RESIDENTS OCCURRING WITHIN THE UNITED STATES. EXCLUDES FETAL DEATHS. CAUSE-OF-DEATH
 CATEGORY NUMBERS ARE THOSE OF THE NINTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1975)

CAUSE BY AREA, RACE, SEX	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85-89	90-94	95-99	100+	N.S.
0 FRACTURE, CAUSE UNSPECIFIED, AND OTHER AND UNSPECIFIED FALLS (E887-E888)												
COLORADO -----	2	2	3	10	9	22	32	38	27	9	4	-
WHITE-----MALE----	-	1	1	6	4	10	16	15	9	3	-	-
FEMALE--	2	-	2	4	4	11	16	23	18	6	4	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-