

(NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS INTRODUCED IN THE UNITED STATES IN 1987; SEE TECHNICAL APPENDIX)

CAUSE OF DEATH, RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	NOT STATED
HUMAN IMMUNODEFICIENCY VIRUS INFECTION (*042-*044)													
TOTAL, BOTH SEXES													
1998-----	13,426	14	32	54	194	2,912	5,746	3,120	979	301	64	7	3
1997-----	16,516	19	54	102	276	3,993	7,073	3,513	1,065	336	72	7	6
1996-----	31,130	40	147	177	413	8,048	13,637	6,259	1,794	503	87	18	7
1995-----	43,115	56	210	189	629	11,894	18,860	8,179	2,320	681	79	10	8
1994-----	42,114	95	199	182	641	12,117	18,359	7,636	2,186	587	95	11	6
1993-----	37,267	87	204	155	609	11,299	15,929	6,487	1,843	545	82	17	10
1992-----	33,566	100	161	104	578	10,426	14,203	5,575	1,785	519	88	14	13
1991-----	29,555	91	155	104	613	9,488	12,259	4,728	1,558	447	92	10	10
1990-----	25,188	106	123	84	541	8,483	10,265	3,812	1,314	369	66	12	13
1989-----	22,082	120	112	64	613	7,759	8,563	3,285	1,144	327	70	12	13
1988-----	16,602	81	114	54	535	6,036	6,184	2,352	867	286	79	11	3
1987-----	13,468	87	104	47	492	5,026	4,794	1,838	761	230	73	13	3
TOTAL, MALE													
1998-----	10,291	6	18	23	93	2,056	4,453	2,563	789	243	41	3	3
1997-----	12,892	11	25	63	145	2,991	5,578	2,862	882	280	46	4	5
1996-----	25,277	22	74	96	243	6,333	11,172	5,321	1,514	421	67	7	7
1995-----	35,950	33	96	103	377	9,619	15,996	7,116	2,003	537	57	5	8
1994-----	35,641	41	98	96	420	10,035	15,738	6,755	1,904	484	58	6	6
1993-----	32,093	42	104	78	414	9,626	13,834	5,836	1,636	446	56	11	10
1992-----	29,325	47	88	67	419	8,965	12,544	5,104	1,578	431	63	6	13
1991-----	26,046	44	74	63	452	8,209	11,054	4,318	1,393	364	58	7	10
1990-----	22,386	48	62	45	412	7,433	9,284	3,565	1,191	289	42	4	11
1989-----	19,758	54	53	41	502	6,806	7,840	3,083	1,054	260	44	8	13
1988-----	14,811	49	62	34	447	5,279	5,656	2,214	784	223	53	8	2
1987-----	12,088	41	53	33	429	4,436	4,431	1,739	698	179	41	6	2
TOTAL, FEMALE													
1998-----	3,135	8	14	31	101	856	1,293	557	190	58	23	4	-
1997-----	3,624	8	29	39	131	1,002	1,495	651	183	56	26	3	1
1996-----	5,853	18	73	81	170	1,715	2,465	938	280	82	20	11	-
1995-----	7,165	23	114	86	252	2,275	2,864	1,063	317	144	22	5	-
1994-----	6,473	54	101	86	221	2,082	2,621	881	282	103	37	5	-
1993-----	5,174	45	100	77	195	1,673	2,095	651	207	99	26	6	-
1992-----	4,241	53	73	37	159	1,461	1,659	471	207	88	25	8	-
1991-----	3,509	47	81	41	161	1,279	1,205	410	165	83	34	3	-
1990-----	2,802	58	61	39	129	1,050	981	247	123	80	24	8	2
1989-----	2,324	66	59	23	111	953	723	202	90	67	26	4	-
1988-----	1,791	32	52	20	88	757	528	138	83	63	26	3	1
1987-----	1,380	46	51	14	63	590	363	99	63	51	32	7	1

(NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS INTRODUCED IN THE UNITED STATES IN 1987; SEE TECHNICAL APPENDIX)

CAUSE OF DEATH, RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	NOT STATED
HUMAN IMMUNODEFICIENCY VIRUS INFECTION (*042-*044)													
WHITE, BOTH SEXES													
1998-----	6,106	5	12	16	56	1,272	2,734	1,393	445	134	32	6	1
1997-----	7,840	5	17	39	102	1,938	3,433	1,635	489	144	30	4	4
1996-----	16,804	14	51	78	183	4,403	7,385	3,431	951	256	40	10	2
1995-----	25,509	22	85	80	274	7,098	11,183	4,951	1,370	393	42	6	5
1994-----	25,578	34	75	88	283	7,388	11,214	4,778	1,322	326	57	9	4
1993-----	23,586	21	75	75	290	7,177	9,997	4,305	1,229	340	54	16	7
1992-----	21,921	27	60	55	290	6,784	9,189	3,906	1,184	343	65	11	7
1991-----	19,850	21	57	62	324	6,315	8,249	3,310	1,113	317	68	8	6
1990-----	17,255	30	46	28	312	5,619	7,080	2,848	950	274	52	8	8
1989-----	15,095	52	44	41	364	5,137	5,827	2,446	860	249	60	10	5
1988-----	11,267	33	48	30	322	3,907	4,221	1,748	646	232	68	10	2
1987-----	9,328	33	50	33	305	3,330	3,328	1,381	588	200	69	10	1
WHITE MALE													
1998-----	5,184	3	7	7	37	1,031	2,350	1,232	383	112	18	3	1
1997-----	6,688	3	11	25	68	1,595	2,964	1,441	424	132	18	3	4
1996-----	14,662	8	21	45	121	3,750	6,534	3,094	832	221	32	2	2
1995-----	22,670	13	37	47	199	6,182	10,060	4,514	1,249	334	28	2	5
1994-----	22,993	16	36	53	217	6,489	10,220	4,429	1,208	281	35	5	4
1993-----	21,455	12	36	44	221	6,498	9,163	4,021	1,123	284	36	10	7
1992-----	20,161	14	32	40	225	6,161	8,577	3,677	1,087	286	50	5	7
1991-----	18,366	12	26	39	263	5,783	7,765	3,134	1,037	255	40	6	6
1990-----	16,106	18	19	15	256	5,196	6,716	2,742	880	220	35	1	8
1989-----	14,114	27	13	29	312	4,752	5,572	2,354	807	197	40	6	5
1988-----	10,479	23	26	23	282	3,599	4,015	1,682	595	179	46	7	2
1987-----	8,700	20	25	26	282	3,087	3,183	1,328	545	160	39	4	1
WHITE FEMALE													
1998-----	922	2	5	9	19	241	384	161	62	22	14	3	-
1997-----	1,152	2	6	14	34	343	469	194	65	12	12	1	-
1996-----	2,142	6	30	33	62	653	851	337	119	35	8	8	-
1995-----	2,839	9	48	33	75	916	1,123	437	121	59	14	4	-
1994-----	2,585	18	39	35	66	899	994	349	114	45	22	4	-
1993-----	2,131	9	39	31	69	679	834	284	106	56	18	6	-
1992-----	1,760	13	28	15	65	623	612	229	97	57	15	6	-
1991-----	1,484	9	31	23	61	532	484	176	76	62	28	2	-
1990-----	1,149	12	27	13	56	423	364	106	70	54	17	7	-
1989-----	981	25	31	12	52	385	255	92	53	52	20	4	-
1988-----	788	10	22	7	40	308	206	66	51	53	22	3	-
1987-----	628	13	25	7	23	243	145	53	43	40	30	6	-

(NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS INTRODUCED IN THE UNITED STATES IN 1987; SEE TECHNICAL APPENDIX)

CAUSE OF DEATH, RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	NOT STATED
HUMAN IMMUNODEFICIENCY VIRUS INFECTION (*042-*044)													
ALL OTHER, BOTH SEXES													
1998-----	7,320	9	20	38	138	1,640	3,012	1,727	534	167	32	1	2
1997-----	8,676	14	37	63	174	2,055	3,640	1,878	576	192	42	3	2
1996-----	14,326	26	96	99	230	3,645	6,252	2,828	843	247	47	8	5
1995-----	17,606	34	125	109	355	4,796	7,677	3,228	950	288	37	4	3
1994-----	16,536	61	124	94	358	4,729	7,145	2,858	864	261	38	2	2
1993-----	13,681	66	129	80	319	4,122	5,932	2,182	614	205	28	1	3
1992-----	11,645	73	101	49	288	3,642	5,014	1,669	601	176	23	3	6
1991-----	9,705	70	98	42	289	3,173	4,010	1,418	445	130	24	2	4
1990-----	7,933	76	77	56	229	2,864	3,185	964	364	95	14	4	5
1989-----	6,987	68	68	23	249	2,622	2,736	839	284	78	10	2	8
1988-----	5,335	48	66	24	213	2,129	1,963	604	221	54	11	1	1
1987-----	4,140	54	54	14	187	1,696	1,466	457	173	30	4	3	2
ALL OTHER MALE													
1998-----	5,107	3	11	16	56	1,025	2,103	1,331	406	131	23	-	2
1997-----	6,204	8	14	38	77	1,396	2,614	1,421	458	148	28	1	1
1996-----	10,615	14	53	51	122	2,583	4,638	2,227	682	200	35	5	5
1995-----	13,280	20	59	56	178	3,437	5,936	2,602	754	203	29	3	3
1994-----	12,648	25	62	43	203	3,546	5,518	2,326	696	203	23	1	2
1993-----	10,638	30	68	34	193	3,128	4,671	1,815	513	162	20	1	3
1992-----	9,164	33	56	27	194	2,804	3,967	1,427	491	145	13	1	6
1991-----	7,680	32	48	24	189	2,426	3,289	1,184	356	109	18	1	4
1990-----	6,280	30	43	30	156	2,237	2,568	823	311	69	7	3	3
1989-----	5,644	27	40	12	190	2,054	2,268	729	247	63	4	2	8
1988-----	4,332	26	36	11	165	1,680	1,641	532	189	44	7	1	-
1987-----	3,388	21	28	7	147	1,349	1,248	411	153	19	2	2	1
ALL OTHER FEMALE													
1998-----	2,213	6	9	22	82	615	909	396	128	36	9	1	-
1997-----	2,472	6	23	25	97	659	1,026	457	118	44	14	2	1
1996-----	3,711	12	43	48	108	1,062	1,614	601	161	47	12	3	-
1995-----	4,326	14	66	53	177	1,359	1,741	626	196	85	8	1	-
1994-----	3,888	36	62	51	155	1,183	1,627	532	168	58	15	1	-
1993-----	3,043	36	61	46	126	994	1,261	367	101	43	8	-	-
1992-----	2,481	40	45	22	94	838	1,047	242	110	31	10	2	-
1991-----	2,025	38	50	18	100	747	721	234	89	21	6	1	-
1990-----	1,653	46	34	26	73	627	617	141	53	26	7	1	2
1989-----	1,343	41	28	11	59	568	468	110	37	15	6	-	-
1988-----	1,003	22	30	13	48	449	322	72	32	10	4	-	1
1987-----	752	33	26	7	40	347	218	46	20	11	2	1	1

(NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS INTRODUCED IN THE UNITED STATES IN 1987; SEE TECHNICAL APPENDIX)

CAUSE OF DEATH, RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	NOT STATED
HUMAN IMMUNODEFICIENCY VIRUS INFECTION (*042-*044)													
BLACK, BOTH SEXES													
1998-----	7,180	9	20	37	137	1,600	2,958	1,700	520	165	31	1	2
1997-----	8,525	14	37	62	173	2,013	3,571	1,853	566	189	42	3	2
1996-----	13,997	26	94	99	227	3,563	6,102	2,761	824	241	47	8	5
1995-----	17,139	33	124	108	350	4,645	7,479	3,153	922	283	35	4	3
1994-----	16,079	59	121	91	350	4,566	6,978	2,779	841	254	36	2	2
1993-----	13,319	63	128	75	315	4,016	5,778	2,110	601	201	28	1	3
1992-----	11,378	73	100	47	286	3,556	4,900	1,624	589	171	23	3	6
1991-----	9,437	70	95	42	282	3,080	3,907	1,378	431	125	21	2	4
1990-----	7,730	76	76	54	226	2,802	3,100	930	353	90	14	4	5
1989-----	6,795	68	68	22	242	2,559	2,661	809	272	76	10	1	7
1988-----	5,197	48	66	23	209	2,080	1,912	587	208	52	10	1	1
1987-----	4,040	54	52	14	183	1,670	1,427	440	168	24	3	3	2
BLACK MALE													
1998-----	4,994	3	11	15	56	991	2,061	1,307	396	129	23	-	2
1997-----	6,078	8	14	38	76	1,360	2,551	1,403	451	147	28	1	1
1996-----	10,329	14	53	51	119	2,515	4,507	2,166	665	194	35	5	5
1995-----	12,875	20	59	56	175	3,306	5,758	2,536	731	200	28	3	3
1994-----	12,245	25	61	40	195	3,408	5,365	2,255	675	197	21	1	2
1993-----	10,324	29	68	32	189	3,033	4,535	1,752	501	161	20	1	3
1992-----	8,925	33	56	26	192	2,724	3,866	1,385	481	142	13	1	6
1991-----	7,440	32	46	24	183	2,342	3,195	1,147	345	104	17	1	4
1990-----	6,097	30	42	29	153	2,180	2,493	789	303	65	7	3	3
1989-----	5,475	27	40	12	184	1,997	2,201	701	239	62	4	1	7
1988-----	4,202	26	36	10	161	1,632	1,592	517	178	42	7	1	-
1987-----	3,301	21	26	7	145	1,326	1,212	395	150	15	1	2	1
BLACK FEMALE													
1998-----	2,186	6	9	22	81	609	897	393	124	36	8	1	-
1997-----	2,447	6	23	24	97	653	1,020	450	115	42	14	2	1
1996-----	3,668	12	41	48	108	1,048	1,595	595	159	47	12	3	-
1995-----	4,264	13	65	52	175	1,339	1,721	617	191	83	7	1	-
1994-----	3,834	34	60	51	155	1,158	1,613	524	166	57	15	1	-
1993-----	2,995	34	60	43	126	983	1,243	358	100	40	8	-	-
1992-----	2,453	40	44	21	94	832	1,034	239	108	29	10	2	-
1991-----	1,997	38	49	18	99	738	712	231	86	21	4	1	-
1990-----	1,633	46	34	25	73	622	607	141	50	25	7	1	2
1989-----	1,320	41	28	10	58	562	460	108	33	14	6	-	-
1988-----	995	22	30	13	48	448	320	70	30	10	3	-	1
1987-----	739	33	26	7	38	344	215	45	18	9	2	1	1

(NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS INTRODUCED IN THE UNITED STATES IN 1987; SEE TECHNICAL APPENDIX)

CAUSE OF DEATH, RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	NOT STATED
HUMAN IMMUNODEFICIENCY VIRUS INFECTION WITH SPECIFIED CONDITIONS (*042)													
TOTAL, BOTH SEXES													
1998-----	12,459	10	25	47	186	2,698	5,367	2,896	891	272	59	5	3
1997-----	15,483	17	48	94	257	3,763	6,664	3,275	986	312	57	5	5
1996-----	29,697	33	136	161	394	7,714	13,041	5,942	1,704	468	81	18	5
1995-----	41,388	49	187	166	599	11,451	18,112	7,865	2,225	645	71	10	8
1994-----	40,300	81	178	163	616	11,624	17,613	7,293	2,074	553	90	9	6
1993-----	35,675	76	183	127	585	10,852	15,275	6,214	1,746	518	74	15	10
1992-----	32,104	81	134	97	548	9,992	13,625	5,345	1,691	484	82	13	12
1991-----	28,290	80	132	91	582	9,126	11,759	4,514	1,490	417	80	9	10
1990-----	24,289	93	116	75	521	8,226	9,895	3,678	1,255	343	63	11	13
1989-----	21,452	113	99	57	597	7,559	8,339	3,185	1,112	302	64	12	13
1988-----	16,210	76	93	48	524	5,923	6,045	2,305	837	270	76	10	3
1987-----	13,151	80	91	45	485	4,925	4,695	1,797	735	220	64	11	3
TOTAL, MALE													
1998-----	9,581	4	16	21	90	1,921	4,166	2,377	725	219	37	2	3
1997-----	12,137	10	22	60	136	2,824	5,277	2,683	818	262	38	3	4
1996-----	24,139	17	67	88	236	6,072	10,695	5,055	1,440	394	63	7	5
1995-----	34,525	29	85	90	355	9,272	15,366	6,830	1,924	508	53	5	8
1994-----	34,131	33	88	83	401	9,637	15,105	6,453	1,809	458	54	4	6
1993-----	30,789	36	95	67	396	9,256	13,289	5,602	1,552	426	50	10	10
1992-----	28,131	41	78	63	397	8,595	12,069	4,904	1,504	405	58	5	12
1991-----	25,021	37	63	56	431	7,923	10,639	4,130	1,332	342	51	7	10
1990-----	21,621	41	61	43	400	7,199	8,977	3,442	1,139	266	39	3	11
1989-----	19,224	52	44	37	490	6,634	7,648	2,991	1,026	242	39	8	13
1988-----	14,495	46	52	33	438	5,184	5,537	2,170	760	215	51	7	2
1987-----	11,829	38	47	32	424	4,352	4,342	1,701	675	176	35	5	2
TOTAL, FEMALE													
1998-----	2,878	6	9	26	96	777	1,201	519	166	53	22	3	-
1997-----	3,346	7	26	34	121	939	1,387	592	168	50	19	2	1
1996-----	5,558	16	69	73	158	1,642	2,346	887	264	74	18	11	-
1995-----	6,863	20	102	76	244	2,179	2,746	1,035	301	137	18	5	-
1994-----	6,169	48	90	80	215	1,987	2,508	840	265	95	36	5	-
1993-----	4,886	40	88	60	189	1,596	1,986	612	194	92	24	5	-
1992-----	3,973	40	56	34	151	1,397	1,556	441	187	79	24	8	-
1991-----	3,269	43	69	35	151	1,203	1,120	384	158	75	29	2	-
1990-----	2,668	52	55	32	121	1,027	918	236	116	77	24	8	2
1989-----	2,228	61	55	20	107	925	691	194	86	60	25	4	-
1988-----	1,715	30	41	15	86	739	508	135	77	55	25	3	1
1987-----	1,322	42	44	13	61	573	353	96	60	44	29	6	1

(NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS INTRODUCED IN THE UNITED STATES IN 1987; SEE TECHNICAL APPENDIX)

CAUSE OF DEATH, RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	NOT STATED
HUMAN IMMUNODEFICIENCY VIRUS INFECTION WITH SPECIFIED CONDITIONS (*042)													
WHITE, BOTH SEXES													
1998-----	5,742	5	10	15	53	1,199	2,578	1,307	416	123	30	5	1
1997-----	7,422	5	15	37	95	1,835	3,266	1,545	460	134	23	4	3
1996-----	16,146	12	49	74	177	4,245	7,097	3,294	906	241	39	10	2
1995-----	24,642	20	74	71	262	6,853	10,816	4,795	1,327	374	39	6	5
1994-----	24,621	30	69	80	270	7,134	10,818	4,585	1,262	306	55	8	4
1993-----	22,738	18	70	62	280	6,935	9,644	4,158	1,174	326	50	14	7
1992-----	21,109	19	47	50	276	6,531	8,874	3,780	1,133	322	60	10	7
1991-----	19,107	20	51	56	308	6,102	7,968	3,171	1,067	294	57	7	6
1990-----	16,732	29	44	25	302	5,465	6,868	2,769	908	257	49	8	8
1989-----	14,696	48	43	38	356	5,006	5,683	2,382	840	229	56	10	5
1988-----	11,033	30	41	28	318	3,848	4,139	1,713	621	219	65	9	2
1987-----	9,117	30	44	32	300	3,260	3,265	1,352	570	194	60	9	1
WHITE MALE													
1998-----	4,876	3	6	7	34	971	2,218	1,157	358	102	17	2	1
1997-----	6,354	3	9	24	62	1,512	2,833	1,367	399	123	16	3	3
1996-----	14,089	7	20	42	118	3,613	6,280	2,972	793	209	31	2	2
1995-----	21,911	13	33	41	188	5,967	9,735	4,368	1,215	316	28	2	5
1994-----	22,145	15	32	46	206	6,273	9,866	4,246	1,153	266	34	4	4
1993-----	20,706	11	33	38	213	6,282	8,856	3,880	1,070	275	32	9	7
1992-----	19,454	11	28	38	213	5,934	8,298	3,562	1,044	269	46	4	7
1991-----	17,725	12	23	37	250	5,600	7,518	3,007	995	238	33	6	6
1990-----	15,634	18	19	15	250	5,049	6,528	2,668	841	205	32	1	8
1989-----	13,766	25	13	28	307	4,636	5,441	2,295	790	183	37	6	5
1988-----	10,271	21	21	22	278	3,546	3,937	1,649	574	171	44	6	2
1987-----	8,515	18	22	25	278	3,025	3,124	1,300	528	157	33	4	1
WHITE FEMALE													
1998-----	866	2	4	8	19	228	360	150	58	21	13	3	-
1997-----	1,068	2	6	13	33	323	433	178	61	11	7	1	-
1996-----	2,057	5	29	32	59	632	817	322	113	32	8	8	-
1995-----	2,731	7	41	30	74	886	1,081	427	112	58	11	4	-
1994-----	2,476	15	37	34	64	861	952	339	109	40	21	4	-
1993-----	2,032	7	37	24	67	653	788	278	104	51	18	5	-
1992-----	1,655	8	19	12	63	597	576	218	89	53	14	6	-
1991-----	1,382	8	28	19	58	502	450	164	72	56	24	1	-
1990-----	1,098	11	25	10	52	416	340	101	67	52	17	7	-
1989-----	930	23	30	10	49	370	242	87	50	46	19	4	-
1988-----	762	9	20	6	40	302	202	64	47	48	21	3	-
1987-----	602	12	22	7	22	235	141	52	42	37	27	5	-

(NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS INTRODUCED IN THE UNITED STATES IN 1987; SEE TECHNICAL APPENDIX)

CAUSE OF DEATH, RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	NOT STATED
HUMAN IMMUNODEFICIENCY VIRUS INFECTION WITH SPECIFIED CONDITIONS (*042)													
ALL OTHER, BOTH SEXES													
1998-----	6,717	5	15	32	133	1,499	2,789	1,589	475	149	29	-	2
1997-----	8,061	12	33	57	162	1,928	3,398	1,730	526	178	34	1	2
1996-----	13,551	21	87	87	217	3,469	5,944	2,648	798	227	42	8	3
1995-----	16,746	29	113	95	337	4,598	7,296	3,070	898	271	32	4	3
1994-----	15,679	51	109	83	346	4,490	6,795	2,708	812	247	35	1	2
1993-----	12,937	58	113	65	305	3,917	5,631	2,056	572	192	24	1	3
1992-----	10,995	62	87	47	272	3,461	4,751	1,565	558	162	22	3	5
1991-----	9,183	60	81	35	274	3,024	3,791	1,343	423	123	23	2	4
1990-----	7,557	64	72	50	219	2,761	3,027	909	347	86	14	3	5
1989-----	6,756	65	56	19	241	2,553	2,656	803	272	73	8	2	8
1988-----	5,177	46	52	20	206	2,075	1,906	592	216	51	11	1	1
1987-----	4,034	50	47	13	185	1,665	1,430	445	165	26	4	2	2
ALL OTHER MALE													
1998-----	4,705	1	10	14	56	950	1,948	1,220	367	117	20	-	2
1997-----	5,783	7	13	36	74	1,312	2,444	1,316	419	139	22	-	1
1996-----	10,050	10	47	46	118	2,459	4,415	2,083	647	185	32	5	3
1995-----	12,614	16	52	49	167	3,305	5,631	2,462	709	192	25	3	3
1994-----	11,986	18	56	37	195	3,364	5,239	2,207	656	192	20	-	2
1993-----	10,083	25	62	29	183	2,974	4,433	1,722	482	151	18	1	3
1992-----	8,677	30	50	25	184	2,661	3,771	1,342	460	136	12	1	5
1991-----	7,296	25	40	19	181	2,323	3,121	1,123	337	104	18	1	4
1990-----	5,987	23	42	28	150	2,150	2,449	774	298	61	7	2	3
1989-----	5,458	27	31	9	183	1,998	2,207	696	236	59	2	2	8
1988-----	4,224	25	31	11	160	1,638	1,600	521	186	44	7	1	-
1987-----	3,314	20	25	7	146	1,327	1,218	401	147	19	2	1	1
ALL OTHER FEMALE													
1998-----	2,012	4	5	18	77	549	841	369	108	32	9	-	-
1997-----	2,278	5	20	21	88	616	954	414	107	39	12	1	1
1996-----	3,501	11	40	41	99	1,010	1,529	565	151	42	10	3	-
1995-----	4,132	13	61	46	170	1,293	1,665	608	189	79	7	1	-
1994-----	3,693	33	53	46	151	1,126	1,556	501	156	55	15	1	-
1993-----	2,854	33	51	36	122	943	1,198	334	90	41	6	-	-
1992-----	2,318	32	37	22	88	800	980	223	98	26	10	2	-
1991-----	1,887	35	41	16	93	701	670	220	86	19	5	1	-
1990-----	1,570	41	30	22	69	611	578	135	49	25	7	1	2
1989-----	1,298	38	25	10	58	555	449	107	36	14	6	-	-
1988-----	953	21	21	9	46	437	306	71	30	7	4	-	1
1987-----	720	30	22	6	39	338	212	44	18	7	2	1	1

(NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS INTRODUCED IN THE UNITED STATES IN 1987; SEE TECHNICAL APPENDIX)

CAUSE OF DEATH, RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	NOT STATED
HUMAN IMMUNODEFICIENCY VIRUS INFECTION WITH SPECIFIED CONDITIONS (*042)													
BLACK, BOTH SEXES													
1998-----	6,586	5	15	31	133	1,461	2,737	1,563	463	148	28	-	2
1997-----	7,920	12	33	57	161	1,889	3,332	1,706	516	177	34	1	2
1996-----	13,232	21	85	87	214	3,387	5,800	2,585	779	221	42	8	3
1995-----	16,289	28	112	94	332	4,449	7,103	2,997	870	266	31	4	3
1994-----	15,232	49	106	81	338	4,331	6,631	2,631	789	240	33	1	2
1993-----	12,593	55	112	60	301	3,817	5,484	1,986	562	188	24	1	3
1992-----	10,738	62	86	45	270	3,378	4,642	1,522	546	157	22	3	5
1991-----	8,927	60	78	35	268	2,936	3,692	1,304	410	118	20	2	4
1990-----	7,359	64	71	48	216	2,701	2,943	877	336	81	14	3	5
1989-----	6,567	65	56	18	235	2,490	2,583	773	260	71	8	1	7
1988-----	5,040	46	52	19	202	2,027	1,855	575	203	49	10	1	1
1987-----	3,937	50	45	13	181	1,639	1,393	428	160	21	3	2	2
BLACK MALE													
1998-----	4,598	1	10	13	56	918	1,907	1,197	358	116	20	-	2
1997-----	5,663	7	13	36	73	1,278	2,384	1,298	412	139	22	-	1
1996-----	9,774	10	47	46	115	2,391	4,290	2,026	630	179	32	5	3
1995-----	12,217	16	52	49	164	3,176	5,457	2,398	686	189	24	3	3
1994-----	11,592	18	55	35	187	3,229	5,089	2,138	635	186	18	-	2
1993-----	9,783	24	62	27	179	2,884	4,302	1,661	472	150	18	1	3
1992-----	8,446	30	50	24	182	2,584	3,674	1,301	450	133	12	1	5
1991-----	7,062	25	38	19	176	2,240	3,030	1,087	326	99	17	1	4
1990-----	5,809	23	41	27	147	2,095	2,375	742	290	57	7	2	3
1989-----	5,292	27	31	9	178	1,941	2,142	668	228	58	2	1	7
1988-----	4,095	25	31	10	156	1,591	1,551	506	175	42	7	1	-
1987-----	3,228	20	23	7	144	1,304	1,183	385	144	15	1	1	1
BLACK FEMALE													
1998-----	1,988	4	5	18	77	543	830	366	105	32	8	-	-
1997-----	2,257	5	20	21	88	611	948	408	104	38	12	1	1
1996-----	3,458	11	38	41	99	996	1,510	559	149	42	10	3	-
1995-----	4,072	12	60	45	168	1,273	1,646	599	184	77	7	1	-
1994-----	3,640	31	51	46	151	1,102	1,542	493	154	54	15	1	-
1993-----	2,810	31	50	33	122	933	1,182	325	90	38	6	-	-
1992-----	2,292	32	36	21	88	794	968	221	96	24	10	2	-
1991-----	1,865	35	40	16	92	696	662	217	84	19	3	1	-
1990-----	1,550	41	30	21	69	606	568	135	46	24	7	1	2
1989-----	1,275	38	25	9	57	549	441	105	32	13	6	-	-
1988-----	945	21	21	9	46	436	304	69	28	7	3	-	1
1987-----	709	30	22	6	37	335	210	43	16	6	2	1	1

(NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS INTRODUCED IN THE UNITED STATES IN 1987; SEE TECHNICAL APPENDIX)

CAUSE OF DEATH, RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	NOT STATED
WITH SPECIFIED INFECTIONS (*042.0)													
TOTAL, BOTH SEXES													
1998-----	1,910	4	-	5	34	514	798	385	118	39	8	4	1
1997-----	2,291	7	6	11	63	624	949	454	133	37	6	1	-
1996-----	4,239	4	11	13	69	1,272	1,823	732	240	62	10	2	1
1995-----	6,003	6	19	20	110	1,819	2,495	1,132	297	94	9	1	1
1994-----	6,413	23	25	18	136	1,956	2,767	1,090	315	70	12	1	-
1993-----	5,899	24	14	12	111	1,944	2,448	1,024	233	72	11	2	4
1992-----	5,825	20	13	14	118	1,882	2,414	942	331	74	14	-	3
1991-----	5,609	23	18	17	146	1,861	2,248	870	318	92	11	-	5
1990-----	5,707	44	8	13	142	1,953	2,254	876	312	87	15	-	3
1989-----	5,890	57	20	13	203	2,140	2,221	842	311	67	11	2	3
1988-----	4,909	23	18	3	202	1,832	1,727	743	264	80	13	2	2
1987-----	4,251	31	17	4	178	1,615	1,478	588	261	65	10	4	-
TOTAL, MALE													
1998-----	1,490	3	-	1	16	371	644	323	99	28	2	2	1
1997-----	1,830	3	2	9	39	480	756	382	121	34	4	-	-
1996-----	3,493	2	4	8	38	1,024	1,517	632	206	51	9	1	1
1995-----	5,075	4	7	11	66	1,530	2,134	983	253	77	8	1	1
1994-----	5,470	9	16	9	90	1,613	2,419	972	278	58	6	-	-
1993-----	5,135	11	10	7	79	1,674	2,160	924	198	61	6	1	4
1992-----	5,061	6	5	9	86	1,617	2,107	870	291	56	11	-	3
1991-----	4,934	8	10	7	103	1,598	2,047	786	284	80	6	-	5
1990-----	5,048	20	3	7	108	1,685	2,054	810	275	73	10	-	3
1989-----	5,250	27	9	8	160	1,876	2,019	799	285	54	9	1	3
1988-----	4,406	14	7	3	162	1,613	1,600	690	242	64	8	2	1
1987-----	3,881	16	9	4	155	1,440	1,387	564	245	52	7	2	-
TOTAL, FEMALE													
1998-----	420	1	-	4	18	143	154	62	19	11	6	2	-
1997-----	461	4	4	2	24	144	193	72	12	3	2	1	-
1996-----	746	2	7	5	31	248	306	100	34	11	1	1	-
1995-----	928	2	12	9	44	289	361	149	44	17	1	-	-
1994-----	943	14	9	9	46	343	348	118	37	12	6	1	-
1993-----	764	13	4	5	32	270	288	100	35	11	5	1	-
1992-----	764	14	8	5	32	265	307	72	40	18	3	-	-
1991-----	675	15	8	10	43	263	201	84	34	12	5	-	-
1990-----	659	24	5	6	34	268	200	66	37	14	5	-	-
1989-----	640	30	11	5	43	264	202	43	26	13	2	1	-
1988-----	503	9	11	-	40	219	127	53	22	16	5	-	1
1987-----	370	15	8	-	23	175	91	24	16	13	3	2	-

(NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS INTRODUCED IN THE UNITED STATES IN 1987; SEE TECHNICAL APPENDIX)

CAUSE OF DEATH, RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	NOT STATED
WITH SPECIFIED INFECTIONS (*042.0)													
WHITE, BOTH SEXES													
1998-----	958	3	-	1	9	238	423	184	70	19	6	4	1
1997-----	1,158	2	3	5	26	325	489	223	65	18	2	-	-
1996-----	2,443	2	3	9	32	717	1,056	442	134	39	8	-	1
1995-----	3,769	4	9	13	46	1,134	1,582	719	199	59	4	-	-
1994-----	4,120	9	13	9	64	1,276	1,774	732	200	34	8	1	-
1993-----	3,814	3	10	7	58	1,237	1,584	699	155	48	7	2	4
1992-----	3,799	8	7	8	54	1,220	1,573	653	210	52	13	-	1
1991-----	3,726	7	9	9	70	1,229	1,486	614	228	61	8	-	5
1990-----	3,841	16	5	5	82	1,262	1,521	647	225	65	11	-	2
1989-----	3,983	27	8	7	119	1,418	1,483	626	235	47	9	2	2
1988-----	3,392	11	8	2	124	1,206	1,205	555	202	67	9	2	1
1987-----	3,037	15	8	4	120	1,085	1,075	456	206	56	9	3	-
WHITE MALE													
1998-----	822	3	-	-	5	194	367	171	62	15	2	2	1
1997-----	989	1	1	3	18	273	421	196	57	18	1	-	-
1996-----	2,158	1	1	6	20	635	939	392	123	33	7	-	1
1995-----	3,362	3	4	7	32	1,001	1,427	656	177	52	3	-	-
1994-----	3,703	4	8	5	52	1,113	1,633	669	183	31	5	-	-
1993-----	3,506	2	6	5	47	1,123	1,485	652	135	42	4	1	4
1992-----	3,469	4	3	6	42	1,096	1,447	626	192	41	11	-	1
1991-----	3,429	2	5	6	53	1,121	1,396	574	213	51	3	-	5
1990-----	3,544	9	1	4	66	1,144	1,436	616	204	54	8	-	2
1989-----	3,704	12	3	5	99	1,305	1,409	602	220	38	8	1	2
1988-----	3,142	8	3	2	101	1,108	1,144	528	187	53	5	2	1
1987-----	2,856	10	4	4	112	1,009	1,030	439	196	45	6	1	-
WHITE FEMALE													
1998-----	136	-	-	1	4	44	56	13	8	4	4	2	-
1997-----	169	1	2	2	8	52	68	27	8	-	1	-	-
1996-----	285	1	2	3	12	82	117	50	11	6	1	-	-
1995-----	407	1	5	6	14	133	155	63	22	7	1	-	-
1994-----	417	5	5	4	12	163	141	63	17	3	3	1	-
1993-----	308	1	4	2	11	114	99	47	20	6	3	1	-
1992-----	330	4	4	2	12	124	126	27	18	11	2	-	-
1991-----	297	5	4	3	17	108	90	40	15	10	5	-	-
1990-----	297	7	4	1	16	118	85	31	21	11	3	-	-
1989-----	279	15	5	2	20	113	74	24	15	9	1	1	-
1988-----	250	3	5	-	23	98	61	27	15	14	4	-	-
1987-----	181	5	4	-	8	76	45	17	10	11	3	2	-

(NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS INTRODUCED IN THE UNITED STATES IN 1987; SEE TECHNICAL APPENDIX)

CAUSE OF DEATH, RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	NOT STATED
WITH SPECIFIED INFECTIONS (*042.0)													
ALL OTHER, BOTH SEXES													
1998-----	952	1	-	4	25	276	375	201	48	20	2	-	-
1997-----	1,133	5	3	6	37	299	460	231	68	19	4	1	-
1996-----	1,796	2	8	4	37	555	767	290	106	23	2	2	-
1995-----	2,234	2	10	7	64	685	913	413	98	35	5	1	1
1994-----	2,293	14	12	9	72	680	993	358	115	36	4	-	-
1993-----	2,085	21	4	5	53	707	864	325	78	24	4	-	-
1992-----	2,026	12	6	6	64	662	841	289	121	22	1	-	2
1991-----	1,883	16	9	8	76	632	762	256	90	31	3	-	-
1990-----	1,866	28	3	8	60	691	733	229	87	22	4	-	1
1989-----	1,907	30	12	6	84	722	738	216	76	20	2	-	1
1988-----	1,517	12	10	1	78	626	522	188	62	13	4	-	1
1987-----	1,214	16	9	-	58	530	403	132	55	9	1	1	-
ALL OTHER MALE													
1998-----	668	-	-	1	11	177	277	152	37	13	-	-	-
1997-----	841	2	1	6	21	207	335	186	64	16	3	-	-
1996-----	1,335	1	3	2	18	389	578	240	83	18	2	1	-
1995-----	1,713	1	3	4	34	529	707	327	76	25	5	1	1
1994-----	1,767	5	8	4	38	500	786	303	95	27	1	-	-
1993-----	1,629	9	4	2	32	551	675	272	63	19	2	-	-
1992-----	1,592	2	2	3	44	521	660	244	99	15	-	-	2
1991-----	1,505	6	5	1	50	477	651	212	71	29	3	-	-
1990-----	1,504	11	2	3	42	541	618	194	71	19	2	-	1
1989-----	1,546	15	6	3	61	571	610	197	65	16	1	-	1
1988-----	1,264	6	4	1	61	505	456	162	55	11	3	-	-
1987-----	1,025	6	5	-	43	431	357	125	49	7	1	1	-
ALL OTHER FEMALE													
1998-----	284	1	-	3	14	99	98	49	11	7	2	-	-
1997-----	292	3	2	-	16	92	125	45	4	3	1	1	-
1996-----	461	1	5	2	19	166	189	50	23	5	-	1	-
1995-----	521	1	7	3	30	156	206	86	22	10	-	-	-
1994-----	526	9	4	5	34	180	207	55	20	9	3	-	-
1993-----	456	12	-	3	21	156	189	53	15	5	2	-	-
1992-----	434	10	4	3	20	141	181	45	22	7	1	-	-
1991-----	378	10	4	7	26	155	111	44	19	2	-	-	-
1990-----	362	17	1	5	18	150	115	35	16	3	2	-	-
1989-----	361	15	6	3	23	151	128	19	11	4	1	-	-
1988-----	253	6	6	-	17	121	66	26	7	2	1	-	1
1987-----	189	10	4	-	15	99	46	7	6	2	-	-	-

(NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS INTRODUCED IN THE UNITED STATES IN 1987; SEE TECHNICAL APPENDIX)

CAUSE OF DEATH, RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	NOT STATED
WITH SPECIFIED INFECTIONS (*042.0)													
BLACK, BOTH SEXES													
1998-----	923	1	-	4	25	267	361	198	46	20	1	-	-
1997-----	1,106	5	3	6	37	294	447	224	66	19	4	1	-
1996-----	1,736	2	8	4	37	535	740	281	104	21	2	2	-
1995-----	2,153	2	10	7	63	652	882	398	97	35	5	1	1
1994-----	2,189	14	12	9	72	639	957	338	108	36	4	-	-
1993-----	2,013	19	4	5	53	686	833	309	76	24	4	-	-
1992-----	1,959	12	6	6	63	644	807	281	117	20	1	-	2
1991-----	1,823	16	9	8	75	615	735	244	88	30	3	-	-
1990-----	1,811	28	3	6	60	674	708	223	82	22	4	-	1
1989-----	1,833	30	12	6	82	694	712	204	70	20	2	-	1
1988-----	1,464	12	10	1	74	609	504	180	57	12	4	-	1
1987-----	1,177	16	8	-	55	522	391	125	52	7	-	1	-
BLACK MALE													
1998-----	645	-	-	1	11	169	265	149	37	13	-	-	-
1997-----	817	2	1	6	21	202	324	180	62	16	3	-	-
1996-----	1,284	1	3	2	18	374	554	231	82	16	2	1	-
1995-----	1,637	1	3	4	33	498	676	315	75	25	5	1	1
1994-----	1,674	5	8	4	38	465	752	285	89	27	1	-	-
1993-----	1,564	8	4	2	32	531	648	257	61	19	2	-	-
1992-----	1,532	2	2	3	43	503	629	237	96	15	-	-	2
1991-----	1,450	6	5	1	49	461	626	202	69	28	3	-	-
1990-----	1,455	11	2	2	42	525	596	188	67	19	2	-	1
1989-----	1,480	15	6	3	60	546	587	185	60	16	1	-	1
1988-----	1,214	6	4	1	57	489	439	155	50	10	3	-	-
1987-----	995	6	4	-	42	425	346	119	47	5	-	1	-
BLACK FEMALE													
1998-----	278	1	-	3	14	98	96	49	9	7	1	-	-
1997-----	289	3	2	-	16	92	123	44	4	3	1	1	-
1996-----	452	1	5	2	19	161	186	50	22	5	-	1	-
1995-----	516	1	7	3	30	154	206	83	22	10	-	-	-
1994-----	515	9	4	5	34	174	205	53	19	9	3	-	-
1993-----	449	11	-	3	21	155	185	52	15	5	2	-	-
1992-----	427	10	4	3	20	141	178	44	21	5	1	-	-
1991-----	373	10	4	7	26	154	109	42	19	2	-	-	-
1990-----	356	17	1	4	18	149	112	35	15	3	2	-	-
1989-----	353	15	6	3	22	148	125	19	10	4	1	-	-
1988-----	250	6	6	-	17	120	65	25	7	2	1	-	1
1987-----	182	10	4	-	13	97	45	6	5	2	-	-	-

(NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS INTRODUCED IN THE UNITED STATES IN 1987; SEE TECHNICAL APPENDIX)

CAUSE OF DEATH, RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	NOT STATED
CAUSING OTHER SPECIFIED INFECTIONS (*042.1)													
TOTAL, BOTH SEXES													
1998-----	2,779	1	12	8	35	587	1,194	644	212	67	18	-	1
1997-----	3,322	5	14	19	56	775	1,393	741	227	77	14	-	1
1996-----	6,047	8	35	30	90	1,510	2,715	1,214	329	95	13	6	2
1995-----	8,379	18	46	32	119	2,293	3,689	1,590	436	136	16	2	2
1994-----	8,235	22	36	39	119	2,377	3,618	1,474	413	116	15	4	2
1993-----	7,114	17	38	34	131	2,166	3,029	1,215	343	121	15	4	1
1992-----	6,838	27	33	26	108	2,129	2,921	1,126	344	98	21	4	1
1991-----	6,030	30	27	19	107	1,940	2,550	921	314	101	15	4	2
1990-----	5,148	25	30	23	117	1,728	2,108	746	284	68	11	5	3
1989-----	4,668	22	23	13	115	1,631	1,855	652	255	71	19	6	6
1988-----	2,948	23	20	15	93	1,103	1,048	400	161	64	18	2	1
1987-----	2,278	16	21	11	76	868	793	271	147	58	13	3	1
TOTAL, MALE													
1998-----	2,105	-	8	3	15	402	922	519	175	53	7	-	1
1997-----	2,534	4	10	9	29	566	1,059	591	191	64	11	-	-
1996-----	4,868	3	16	16	50	1,149	2,214	1,052	276	76	12	2	2
1995-----	6,939	8	20	18	72	1,842	3,107	1,380	378	98	13	1	2
1994-----	6,962	8	18	21	75	1,983	3,066	1,314	367	97	10	1	2
1993-----	6,069	10	18	18	97	1,832	2,613	1,074	298	94	12	2	1
1992-----	5,973	12	16	17	75	1,834	2,584	1,029	309	82	14	-	1
1991-----	5,244	17	11	14	79	1,657	2,250	839	278	84	9	4	2
1990-----	4,502	8	16	14	87	1,482	1,892	687	255	50	7	2	2
1989-----	4,193	9	11	9	93	1,453	1,714	594	233	55	13	3	6
1988-----	2,635	15	11	10	84	967	960	375	145	53	14	-	1
1987-----	2,048	8	13	7	69	772	734	256	133	48	6	1	1
TOTAL, FEMALE													
1998-----	674	1	4	5	20	185	272	125	37	14	11	-	-
1997-----	788	1	4	10	27	209	334	150	36	13	3	-	1
1996-----	1,179	5	19	14	40	361	501	162	53	19	1	4	-
1995-----	1,440	10	26	14	47	451	582	210	58	38	3	1	-
1994-----	1,273	14	18	18	44	394	552	160	46	19	5	3	-
1993-----	1,045	7	20	16	34	334	416	141	45	27	3	2	-
1992-----	865	15	17	9	33	295	337	97	35	16	7	4	-
1991-----	786	13	16	5	28	283	300	82	36	17	6	-	-
1990-----	646	17	14	9	30	246	216	59	29	18	4	3	1
1989-----	475	13	12	4	22	178	141	58	22	16	6	3	-
1988-----	313	8	9	5	9	136	88	25	16	11	4	2	-
1987-----	230	8	8	4	7	96	59	15	14	10	7	2	-

(NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS INTRODUCED IN THE UNITED STATES IN 1987; SEE TECHNICAL APPENDIX)

CAUSE OF DEATH, RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	NOT STATED
CAUSING OTHER SPECIFIED INFECTIONS (*042.1)													
WHITE, BOTH SEXES													
1998-----	1,227	-	4	1	8	248	549	290	94	25	8	-	-
1997-----	1,521	1	4	4	20	366	647	334	102	35	8	-	-
1996-----	3,229	3	12	14	46	825	1,462	634	171	52	6	3	1
1995-----	4,997	4	11	14	61	1,393	2,216	950	255	79	12	2	-
1994-----	5,067	8	14	21	52	1,484	2,236	919	251	67	11	4	-
1993-----	4,510	5	15	15	57	1,366	1,925	808	223	81	10	4	1
1992-----	4,458	1	9	15	68	1,379	1,899	779	230	63	12	2	1
1991-----	3,942	8	10	14	53	1,265	1,670	628	211	68	11	3	1
1990-----	3,508	6	14	8	68	1,126	1,461	558	204	48	9	4	2
1989-----	3,127	6	9	7	63	1,066	1,236	473	185	57	17	6	2
1988-----	1,991	9	8	10	58	703	734	287	116	49	14	2	1
1987-----	1,529	8	9	8	45	567	523	195	109	49	13	2	1
WHITE MALE													
1998-----	1,024	-	1	-	6	194	469	254	80	18	2	-	-
1997-----	1,296	1	4	1	13	301	555	292	93	31	5	-	-
1996-----	2,809	2	5	8	28	691	1,295	583	147	43	5	1	1
1995-----	4,447	2	4	8	47	1,206	2,000	869	236	64	10	1	-
1994-----	4,580	4	6	12	38	1,320	2,039	864	233	56	7	1	-
1993-----	4,070	4	5	9	47	1,228	1,757	738	204	68	7	2	1
1992-----	4,089	-	4	12	48	1,252	1,771	724	213	55	9	-	1
1991-----	3,633	6	6	11	44	1,149	1,554	597	199	57	6	3	1
1990-----	3,242	4	8	5	54	1,027	1,385	529	187	34	6	1	2
1989-----	2,945	4	4	5	52	1,006	1,188	452	173	44	12	3	2
1988-----	1,861	6	4	6	52	657	704	273	106	39	13	-	1
1987-----	1,432	5	5	6	42	533	506	186	100	41	6	1	1
WHITE FEMALE													
1998-----	203	-	3	1	2	54	80	36	14	7	6	-	-
1997-----	225	-	-	3	7	65	92	42	9	4	3	-	-
1996-----	420	1	7	6	18	134	167	51	24	9	1	2	-
1995-----	550	2	7	6	14	187	216	81	19	15	2	1	-
1994-----	487	4	8	9	14	164	197	55	18	11	4	3	-
1993-----	440	1	10	6	10	138	168	70	19	13	3	2	-
1992-----	369	1	5	3	20	127	128	55	17	8	3	2	-
1991-----	309	2	4	3	9	116	116	31	12	11	5	-	-
1990-----	266	2	6	3	14	99	76	29	17	14	3	3	-
1989-----	182	2	5	2	11	60	48	21	12	13	5	3	-
1988-----	130	3	4	4	6	46	30	14	10	10	1	2	-
1987-----	97	3	4	2	3	34	17	9	9	8	7	1	-

(NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS INTRODUCED IN THE UNITED STATES IN 1987; SEE TECHNICAL APPENDIX)

CAUSE OF DEATH, RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	NOT STATED
CAUSING OTHER SPECIFIED INFECTIONS (*042.1)													
ALL OTHER, BOTH SEXES													
1998-----	1,552	1	8	7	27	339	645	354	118	42	10	-	1
1997-----	1,801	4	10	15	36	409	746	407	125	42	6	-	1
1996-----	2,818	5	23	16	44	685	1,253	580	158	43	7	3	1
1995-----	3,382	14	35	18	58	900	1,473	640	181	57	4	-	2
1994-----	3,168	14	22	18	67	893	1,382	555	162	49	4	-	2
1993-----	2,604	12	23	19	74	800	1,104	407	120	40	5	-	-
1992-----	2,380	26	24	11	40	750	1,022	347	114	35	9	2	-
1991-----	2,088	22	17	5	54	675	880	293	103	33	4	1	1
1990-----	1,640	19	16	15	49	602	647	188	80	20	2	1	1
1989-----	1,541	16	14	6	52	565	619	179	70	14	2	-	4
1988-----	957	14	12	5	35	400	314	113	45	15	4	-	-
1987-----	749	8	12	3	31	301	270	76	38	9	-	1	-
ALL OTHER MALE													
1998-----	1,081	-	7	3	9	208	453	265	95	35	5	-	1
1997-----	1,238	3	6	8	16	265	504	299	98	33	6	-	-
1996-----	2,059	1	11	8	22	458	919	469	129	33	7	1	1
1995-----	2,492	6	16	10	25	636	1,107	511	142	34	3	-	2
1994-----	2,382	4	12	9	37	663	1,027	450	134	41	3	-	2
1993-----	1,999	6	13	9	50	604	856	336	94	26	5	-	-
1992-----	1,884	12	12	5	27	582	813	305	96	27	5	-	-
1991-----	1,611	11	5	3	35	508	696	242	79	27	3	1	1
1990-----	1,260	4	8	9	33	455	507	158	68	16	1	1	-
1989-----	1,248	5	7	4	41	447	526	142	60	11	1	-	4
1988-----	774	9	7	4	32	310	256	102	39	14	1	-	-
1987-----	616	3	8	1	27	239	228	70	33	7	-	-	-
ALL OTHER FEMALE													
1998-----	471	1	1	4	18	131	192	89	23	7	5	-	-
1997-----	563	1	4	7	20	144	242	108	27	9	-	-	1
1996-----	759	4	12	8	22	227	334	111	29	10	-	2	-
1995-----	890	8	19	8	33	264	366	129	39	23	1	-	-
1994-----	786	10	10	9	30	230	355	105	28	8	1	-	-
1993-----	605	6	10	10	24	196	248	71	26	14	-	-	-
1992-----	496	14	12	6	13	168	209	42	18	8	4	2	-
1991-----	477	11	12	2	19	167	184	51	24	6	1	-	-
1990-----	380	15	8	6	16	147	140	30	12	4	1	-	1
1989-----	293	11	7	2	11	118	93	37	10	3	1	-	-
1988-----	183	5	5	1	3	90	58	11	6	1	3	-	-
1987-----	133	5	4	2	4	62	42	6	5	2	-	1	-

(NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS INTRODUCED IN THE UNITED STATES IN 1987; SEE TECHNICAL APPENDIX)

CAUSE OF DEATH, RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	NOT STATED
CAUSING OTHER SPECIFIED INFECTIONS (*042.1)													
BLACK, BOTH SEXES													
1998-----	1,530	1	8	6	27	333	634	351	117	42	10	-	1
1997-----	1,768	4	10	15	36	400	728	403	123	42	6	-	1
1996-----	2,749	5	22	16	43	674	1,222	561	152	43	7	3	1
1995-----	3,275	13	35	17	57	866	1,431	620	174	56	4	-	2
1994-----	3,073	13	20	17	66	861	1,343	542	159	46	4	-	2
1993-----	2,532	12	22	19	73	776	1,078	389	119	39	5	-	-
1992-----	2,323	26	23	11	39	729	1,001	337	112	34	9	2	-
1991-----	2,033	22	17	5	51	659	858	288	97	31	3	1	1
1990-----	1,601	19	15	15	48	589	632	183	79	17	2	1	1
1989-----	1,505	16	14	5	51	553	604	174	69	14	2	-	3
1988-----	930	14	12	4	35	391	305	108	43	15	3	-	-
1987-----	726	8	11	3	31	295	259	74	37	7	-	1	-
BLACK MALE													
1998-----	1,065	-	7	2	9	204	446	262	94	35	5	-	1
1997-----	1,207	3	6	8	16	256	486	296	97	33	6	-	-
1996-----	1,999	1	11	8	21	447	895	451	123	33	7	1	1
1995-----	2,404	6	16	10	25	607	1,069	495	138	33	3	-	2
1994-----	2,303	4	12	8	36	635	995	439	131	38	3	-	2
1993-----	1,938	6	13	9	49	581	835	321	93	26	5	-	-
1992-----	1,834	12	12	5	26	562	795	296	95	26	5	-	-
1991-----	1,562	11	5	3	32	493	677	237	74	25	3	1	1
1990-----	1,226	4	7	9	32	444	494	153	68	13	1	1	-
1989-----	1,216	5	7	4	40	436	513	137	59	11	1	-	3
1988-----	750	9	7	3	32	301	248	97	38	14	1	-	-
1987-----	595	3	7	1	27	234	217	68	33	5	-	-	-
BLACK FEMALE													
1998-----	465	1	1	4	18	129	188	89	23	7	5	-	-
1997-----	561	1	4	7	20	144	242	107	26	9	-	-	1
1996-----	750	4	11	8	22	227	327	110	29	10	-	2	-
1995-----	871	7	19	7	32	259	362	125	36	23	1	-	-
1994-----	770	9	8	9	30	226	348	103	28	8	1	-	-
1993-----	594	6	9	10	24	195	243	68	26	13	-	-	-
1992-----	489	14	11	6	13	167	206	41	17	8	4	2	-
1991-----	471	11	12	2	19	166	181	51	23	6	-	-	-
1990-----	375	15	8	6	16	145	138	30	11	4	1	-	1
1989-----	289	11	7	1	11	117	91	37	10	3	1	-	-
1988-----	180	5	5	1	3	90	57	11	5	1	2	-	-
1987-----	131	5	4	2	4	61	42	6	4	2	-	1	-

(NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS INTRODUCED IN THE UNITED STATES IN 1987; SEE TECHNICAL APPENDIX)

CAUSE OF DEATH, RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	NOT STATED
WITH SPECIFIED MALIGNANT NEOPLASMS (*042.2)													
TOTAL, BOTH SEXES													
1998-----	809	-	-	-	7	204	394	165	29	8	1	1	-
1997-----	1,106	-	-	1	13	342	496	193	41	17	1	2	-
1996-----	2,026	-	1	2	22	624	927	354	80	14	2	-	-
1995-----	2,835	-	1	3	28	942	1,276	454	110	20	1	-	-
1994-----	3,015	-	4	1	35	999	1,337	520	99	20	-	-	-
1993-----	2,895	-	2	-	27	995	1,316	435	103	14	2	-	1
1992-----	2,901	-	1	2	31	1,019	1,228	468	123	23	5	-	1
1991-----	2,786	-	1	4	35	981	1,210	417	115	21	2	-	-
1990-----	2,524	-	2	-	29	924	1,067	381	98	17	4	-	2
1989-----	1,974	-	3	1	36	706	834	294	82	15	2	1	-
1988-----	1,529	-	-	3	33	528	673	215	62	11	4	-	-
1987-----	1,070	-	-	1	36	402	405	170	49	4	2	1	-
TOTAL, MALE													
1998-----	736	-	-	-	6	184	355	156	26	8	1	-	-
1997-----	998	-	-	1	7	303	454	181	36	15	-	1	-
1996-----	1,908	-	-	1	20	586	872	339	77	13	-	-	-
1995-----	2,700	-	1	-	22	883	1,230	440	104	19	1	-	-
1994-----	2,870	-	3	1	32	949	1,280	496	91	18	-	-	-
1993-----	2,784	-	-	-	24	959	1,262	426	97	14	1	-	1
1992-----	2,832	-	1	1	30	995	1,200	464	117	20	3	-	1
1991-----	2,729	-	-	4	31	957	1,196	412	110	18	1	-	-
1990-----	2,473	-	1	-	28	905	1,048	375	94	17	3	-	2
1989-----	1,941	-	2	1	33	694	825	288	82	14	1	1	-
1988-----	1,505	-	-	2	32	515	669	214	61	10	2	-	-
1987-----	1,049	-	-	1	36	397	399	166	46	3	1	-	-
TOTAL, FEMALE													
1998-----	73	-	-	-	1	20	39	9	3	-	-	1	-
1997-----	108	-	-	-	6	39	42	12	5	2	1	1	-
1996-----	118	-	1	1	2	38	55	15	3	1	2	-	-
1995-----	135	-	-	3	6	59	46	14	6	1	-	-	-
1994-----	145	-	1	-	3	50	57	24	8	2	-	-	-
1993-----	111	-	2	-	3	36	54	9	6	-	1	-	-
1992-----	69	-	-	1	1	24	28	4	6	3	2	-	-
1991-----	57	-	1	-	4	24	14	5	5	3	1	-	-
1990-----	51	-	1	-	1	19	19	6	4	-	1	-	-
1989-----	33	-	1	-	3	12	9	6	-	1	1	-	-
1988-----	24	-	-	1	1	13	4	1	1	1	2	-	-
1987-----	21	-	-	-	-	5	6	4	3	1	1	1	-

(NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS INTRODUCED IN THE UNITED STATES IN 1987; SEE TECHNICAL APPENDIX)

CAUSE OF DEATH, RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	NOT STATED
WITH SPECIFIED MALIGNANT NEOPLASMS (*042.2)													
WHITE, BOTH SEXES													
1998-----	512	-	-	-	3	128	244	107	22	6	1	1	-
1997-----	751	-	-	-	7	227	341	136	26	12	-	2	-
1996-----	1,544	-	1	1	13	453	713	291	61	9	2	-	-
1995-----	2,250	-	1	3	18	729	992	397	93	17	-	-	-
1994-----	2,404	-	-	1	24	779	1,081	419	83	17	-	-	-
1993-----	2,389	-	-	-	20	816	1,069	380	89	12	2	-	1
1992-----	2,475	-	1	1	26	854	1,038	420	112	18	5	-	-
1991-----	2,423	-	-	3	28	823	1,070	377	102	19	1	-	-
1990-----	2,185	-	-	-	24	768	940	345	88	14	4	-	2
1989-----	1,729	-	2	1	29	600	730	273	77	15	2	-	-
1988-----	1,331	-	-	2	24	445	586	203	57	11	3	-	-
1987-----	960	-	-	-	29	359	361	160	44	4	2	1	-
WHITE MALE													
1998-----	483	-	-	-	3	117	233	102	21	6	1	-	-
1997-----	704	-	-	-	4	207	324	132	25	11	-	1	-
1996-----	1,487	-	-	-	13	436	684	286	59	9	-	-	-
1995-----	2,173	-	1	-	14	693	972	389	88	16	-	-	-
1994-----	2,316	-	-	1	22	748	1,049	404	77	15	-	-	-
1993-----	2,333	-	-	-	18	797	1,046	373	85	12	1	-	1
1992-----	2,436	-	1	1	25	839	1,026	416	109	16	3	-	-
1991-----	2,390	-	-	3	24	807	1,065	374	99	17	1	-	-
1990-----	2,151	-	-	-	23	756	927	341	85	14	3	-	2
1989-----	1,707	-	1	1	27	592	726	268	77	14	1	-	-
1988-----	1,315	-	-	2	23	437	584	202	56	10	1	-	-
1987-----	947	-	-	-	29	356	360	157	41	3	1	-	-
WHITE FEMALE													
1998-----	29	-	-	-	-	11	11	5	1	-	-	1	-
1997-----	47	-	-	-	3	20	17	4	1	1	-	1	-
1996-----	57	-	1	1	-	17	29	5	2	-	2	-	-
1995-----	77	-	-	3	4	36	20	8	5	1	-	-	-
1994-----	88	-	-	-	2	31	32	15	6	2	-	-	-
1993-----	56	-	-	-	2	19	23	7	4	-	1	-	-
1992-----	39	-	-	-	1	15	12	4	3	2	2	-	-
1991-----	33	-	-	-	4	16	5	3	3	2	-	-	-
1990-----	34	-	-	-	1	12	13	4	3	-	1	-	-
1989-----	22	-	1	-	2	8	4	5	-	1	1	-	-
1988-----	16	-	-	-	1	8	2	1	1	1	2	-	-
1987-----	13	-	-	-	-	3	1	3	3	1	1	1	-

(NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS INTRODUCED IN THE UNITED STATES IN 1987; SEE TECHNICAL APPENDIX)

CAUSE OF DEATH, RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	NOT STATED
WITH SPECIFIED MALIGNANT NEOPLASMS (*042.2)													
ALL OTHER, BOTH SEXES													
1998-----	297	-	-	-	4	76	150	58	7	2	-	-	-
1997-----	355	-	-	1	6	115	155	57	15	5	1	-	-
1996-----	482	-	-	1	9	171	214	63	19	5	-	-	-
1995-----	585	-	-	-	10	213	284	57	17	3	1	-	-
1994-----	611	-	4	-	11	220	256	101	16	3	-	-	-
1993-----	506	-	2	-	7	179	247	55	14	2	-	-	-
1992-----	426	-	-	1	5	165	190	48	11	5	-	-	1
1991-----	363	-	1	1	7	158	140	40	13	2	1	-	-
1990-----	339	-	2	-	5	156	127	36	10	3	-	-	-
1989-----	245	-	1	-	7	106	104	21	5	-	-	1	-
1988-----	198	-	-	1	9	83	87	12	5	-	1	-	-
1987-----	110	-	-	1	7	43	44	10	5	-	-	-	-
ALL OTHER MALE													
1998-----	253	-	-	-	3	67	122	54	5	2	-	-	-
1997-----	294	-	-	1	3	96	130	49	11	4	-	-	-
1996-----	421	-	-	1	7	150	188	53	18	4	-	-	-
1995-----	527	-	-	-	8	190	258	51	16	3	1	-	-
1994-----	554	-	3	-	10	201	231	92	14	3	-	-	-
1993-----	451	-	-	-	6	162	216	53	12	2	-	-	-
1992-----	396	-	-	-	5	156	174	48	8	4	-	-	1
1991-----	339	-	-	1	7	150	131	38	11	1	-	-	-
1990-----	322	-	1	-	5	149	121	34	9	3	-	-	-
1989-----	234	-	1	-	6	102	99	20	5	-	-	1	-
1988-----	190	-	-	-	9	78	85	12	5	-	1	-	-
1987-----	102	-	-	1	7	41	39	9	5	-	-	-	-
ALL OTHER FEMALE													
1998-----	44	-	-	-	1	9	28	4	2	-	-	-	-
1997-----	61	-	-	-	3	19	25	8	4	1	1	-	-
1996-----	61	-	-	-	2	21	26	10	1	1	-	-	-
1995-----	58	-	-	-	2	23	26	6	1	-	-	-	-
1994-----	57	-	1	-	1	19	25	9	2	-	-	-	-
1993-----	55	-	2	-	1	17	31	2	2	-	-	-	-
1992-----	30	-	-	1	-	9	16	-	3	1	-	-	-
1991-----	24	-	1	-	-	8	9	2	2	1	1	-	-
1990-----	17	-	1	-	-	7	6	2	1	-	-	-	-
1989-----	11	-	-	-	1	4	5	1	-	-	-	-	-
1988-----	8	-	-	1	-	5	2	-	-	-	-	-	-
1987-----	8	-	-	-	-	2	5	1	-	-	-	-	-

(NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS INTRODUCED IN THE UNITED STATES IN 1987; SEE TECHNICAL APPENDIX)

CAUSE OF DEATH, RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	NOT STATED
WITH SPECIFIED MALIGNANT NEOPLASMS (*042.2)													
BLACK, BOTH SEXES													
1998-----	291	-	-	-	4	75	147	58	6	1	-	-	-
1997-----	346	-	-	1	6	111	151	56	15	5	1	-	-
1996-----	446	-	-	1	9	161	197	57	17	4	-	-	-
1995-----	545	-	-	-	10	198	263	54	16	3	1	-	-
1994-----	580	-	4	-	11	203	250	94	15	3	-	-	-
1993-----	467	-	2	-	7	166	229	48	13	2	-	-	-
1992-----	397	-	-	1	5	154	179	41	11	5	-	-	1
1991-----	339	-	1	1	7	147	131	37	12	2	1	-	-
1990-----	311	-	2	-	5	146	116	29	10	3	-	-	-
1989-----	227	-	1	-	7	98	97	19	5	-	-	-	-
1988-----	183	-	-	1	9	79	77	12	4	-	1	-	-
1987-----	103	-	-	1	7	40	41	9	5	-	-	-	-
BLACK MALE													
1998-----	247	-	-	-	3	66	119	54	4	1	-	-	-
1997-----	288	-	-	1	3	93	127	49	11	4	-	-	-
1996-----	388	-	-	1	7	143	171	47	16	3	-	-	-
1995-----	487	-	-	-	8	175	237	48	15	3	1	-	-
1994-----	525	-	3	-	10	186	225	85	13	3	-	-	-
1993-----	415	-	-	-	6	151	199	46	11	2	-	-	-
1992-----	367	-	-	-	5	145	163	41	8	4	-	-	1
1991-----	317	-	-	1	7	139	123	35	11	1	-	-	-
1990-----	294	-	1	-	5	139	110	27	9	3	-	-	-
1989-----	217	-	1	-	6	94	92	19	5	-	-	-	-
1988-----	175	-	-	-	9	74	75	12	4	-	1	-	-
1987-----	95	-	-	1	7	38	36	8	5	-	-	-	-
BLACK FEMALE													
1998-----	44	-	-	-	1	9	28	4	2	-	-	-	-
1997-----	58	-	-	-	3	18	24	7	4	1	1	-	-
1996-----	58	-	-	-	2	18	26	10	1	1	-	-	-
1995-----	58	-	-	-	2	23	26	6	1	-	-	-	-
1994-----	55	-	1	-	1	17	25	9	2	-	-	-	-
1993-----	52	-	2	-	1	15	30	2	2	-	-	-	-
1992-----	30	-	-	1	-	9	16	-	3	1	-	-	-
1991-----	22	-	1	-	-	8	8	2	1	1	1	-	-
1990-----	17	-	1	-	-	7	6	2	1	-	-	-	-
1989-----	10	-	-	-	1	4	5	-	-	-	-	-	-
1988-----	8	-	-	1	-	5	2	-	-	-	-	-	-
1987-----	8	-	-	-	-	2	5	1	-	-	-	-	-

(NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS INTRODUCED IN THE UNITED STATES IN 1987; SEE TECHNICAL APPENDIX)

CAUSE OF DEATH, RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	NOT STATED
ACQUIRED IMMUNODEFICIENCY SYNDROME, UNSPECIFIED (*042.9)													
TOTAL, BOTH SEXES													
1998-----	6,961	5	13	34	110	1,393	2,981	1,702	532	158	32	-	1
1997-----	8,764	5	28	63	125	2,022	3,826	1,887	585	181	36	2	4
1996-----	17,385	21	89	116	213	4,308	7,576	3,642	1,055	297	56	10	2
1995-----	24,171	25	121	111	342	6,397	10,652	4,689	1,382	395	45	7	5
1994-----	22,637	36	113	105	326	6,292	9,891	4,209	1,247	347	63	4	4
1993-----	19,767	35	129	81	316	5,747	8,482	3,540	1,067	311	46	9	4
1992-----	16,540	34	87	55	291	4,962	7,062	2,809	893	289	42	9	7
1991-----	13,865	27	86	51	294	4,344	5,751	2,306	743	203	52	5	3
1990-----	10,910	24	76	39	233	3,621	4,466	1,675	561	171	33	6	5
1989-----	8,920	34	53	30	243	3,082	3,429	1,397	464	149	32	3	4
1988-----	6,824	30	55	27	196	2,460	2,597	947	350	115	41	6	-
1987-----	5,552	33	53	29	195	2,040	2,019	768	278	93	39	3	2
TOTAL, MALE													
1998-----	5,250	1	8	17	53	964	2,245	1,379	425	130	27	-	1
1997-----	6,775	3	10	41	61	1,475	3,008	1,529	470	149	23	2	4
1996-----	13,870	12	47	63	128	3,313	6,092	3,032	881	254	42	4	2
1995-----	19,811	17	57	61	195	5,017	8,895	4,027	1,189	314	31	3	5
1994-----	18,829	16	51	52	204	5,092	8,340	3,671	1,073	285	38	3	4
1993-----	16,801	15	67	42	196	4,791	7,254	3,178	959	257	31	7	4
1992-----	14,265	23	56	36	206	4,149	6,178	2,541	787	247	30	5	7
1991-----	12,114	12	42	31	218	3,711	5,146	2,093	660	160	35	3	3
1990-----	9,598	13	41	22	177	3,127	3,983	1,570	515	126	19	1	4
1989-----	7,840	16	22	19	204	2,611	3,090	1,310	426	119	16	3	4
1988-----	5,949	17	34	18	160	2,089	2,308	891	312	88	27	5	-
1987-----	4,851	14	25	20	164	1,743	1,822	715	251	73	21	2	1
TOTAL, FEMALE													
1998-----	1,711	4	5	17	57	429	736	323	107	28	5	-	-
1997-----	1,989	2	18	22	64	547	818	358	115	32	13	-	-
1996-----	3,515	9	42	53	85	995	1,484	610	174	43	14	6	-
1995-----	4,360	8	64	50	147	1,380	1,757	662	193	81	14	4	-
1994-----	3,808	20	62	53	122	1,200	1,551	538	174	62	25	1	-
1993-----	2,966	20	62	39	120	956	1,228	362	108	54	15	2	-
1992-----	2,275	11	31	19	85	813	884	268	106	42	12	4	-
1991-----	1,751	15	44	20	76	633	605	213	83	43	17	2	-
1990-----	1,312	11	35	17	56	494	483	105	46	45	14	5	1
1989-----	1,080	18	31	11	39	471	339	87	38	30	16	-	-
1988-----	875	13	21	9	36	371	289	56	38	27	14	1	-
1987-----	701	19	28	9	31	297	197	53	27	20	18	1	1

(NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS INTRODUCED IN THE UNITED STATES IN 1987; SEE TECHNICAL APPENDIX)

CAUSE OF DEATH, RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	NOT STATED
ACQUIRED IMMUNODEFICIENCY SYNDROME, UNSPECIFIED (*042.9)													
WHITE, BOTH SEXES													
1998-----	3,045	2	6	13	33	585	1,362	726	230	73	15	-	-
1997-----	3,992	2	8	28	42	917	1,789	852	267	69	13	2	3
1996-----	8,930	7	33	50	86	2,250	3,866	1,927	540	141	23	7	-
1995-----	13,626	12	53	41	137	3,597	6,026	2,729	780	219	23	4	5
1994-----	13,030	13	42	49	130	3,595	5,727	2,515	728	188	36	3	4
1993-----	12,025	10	45	40	145	3,516	5,066	2,271	707	185	31	8	1
1992-----	10,377	10	30	26	128	3,078	4,364	1,928	581	189	30	8	5
1991-----	9,016	5	32	30	157	2,785	3,742	1,552	526	146	37	4	-
1990-----	7,198	7	25	12	128	2,309	2,946	1,219	391	130	25	4	2
1989-----	5,857	15	24	23	145	1,922	2,234	1,010	343	110	28	2	1
1988-----	4,319	10	25	14	112	1,494	1,614	668	246	92	39	5	-
1987-----	3,591	7	27	20	106	1,249	1,306	541	211	85	36	3	-
WHITE MALE													
1998-----	2,547	-	5	7	20	466	1,149	630	195	63	12	-	-
1997-----	3,365	1	4	20	27	731	1,533	747	224	63	10	2	3
1996-----	7,635	4	14	28	57	1,851	3,362	1,711	464	124	19	1	-
1995-----	11,929	8	24	26	95	3,067	5,336	2,454	714	184	15	1	5
1994-----	11,546	7	18	28	94	3,092	5,145	2,309	660	164	22	3	4
1993-----	10,797	5	22	24	101	3,134	4,568	2,117	646	153	20	6	1
1992-----	9,460	7	20	19	98	2,747	4,054	1,796	530	157	23	4	5
1991-----	8,273	4	12	17	129	2,523	3,503	1,462	484	113	23	3	-
1990-----	6,697	5	10	6	107	2,122	2,780	1,182	365	103	15	-	2
1989-----	5,410	9	5	17	129	1,733	2,118	973	320	87	16	2	1
1988-----	3,953	7	14	12	102	1,344	1,505	646	225	69	25	4	-
1987-----	3,280	3	13	15	95	1,127	1,228	518	191	68	20	2	-
WHITE FEMALE													
1998-----	498	2	1	6	13	119	213	96	35	10	3	-	-
1997-----	627	1	4	8	15	186	256	105	43	6	3	-	-
1996-----	1,295	3	19	22	29	399	504	216	76	17	4	6	-
1995-----	1,697	4	29	15	42	530	690	275	66	35	8	3	-
1994-----	1,484	6	24	21	36	503	582	206	68	24	14	-	-
1993-----	1,228	5	23	16	44	382	498	154	61	32	11	2	-
1992-----	917	3	10	7	30	331	310	132	51	32	7	4	-
1991-----	743	1	20	13	28	262	239	90	42	33	14	1	-
1990-----	501	2	15	6	21	187	166	37	26	27	10	4	-
1989-----	447	6	19	6	16	189	116	37	23	23	12	-	-
1988-----	366	3	11	2	10	150	109	22	21	23	14	1	-
1987-----	311	4	14	5	11	122	78	23	20	17	16	1	-

(NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS INTRODUCED IN THE UNITED STATES IN 1987; SEE TECHNICAL APPENDIX)

CAUSE OF DEATH, RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	NOT STATED
ACQUIRED IMMUNODEFICIENCY SYNDROME, UNSPECIFIED (*042.9)													
ALL OTHER, BOTH SEXES													
1998-----	3,916	3	7	21	77	808	1,619	976	302	85	17	-	1
1997-----	4,772	3	20	35	83	1,105	2,037	1,035	318	112	23	-	1
1996-----	8,455	14	56	66	127	2,058	3,710	1,715	515	156	33	3	2
1995-----	10,545	13	68	70	205	2,800	4,626	1,960	602	176	22	3	-
1994-----	9,607	23	71	56	196	2,697	4,164	1,694	519	159	27	1	-
1993-----	7,742	25	84	41	171	2,231	3,416	1,269	360	126	15	1	3
1992-----	6,163	24	57	29	163	1,884	2,698	881	312	100	12	1	2
1991-----	4,849	22	54	21	137	1,559	2,009	754	217	57	15	1	3
1990-----	3,712	17	51	27	105	1,312	1,520	456	170	41	8	2	3
1989-----	3,063	19	29	7	98	1,160	1,195	387	121	39	4	1	3
1988-----	2,505	20	30	13	84	966	983	279	104	23	2	1	-
1987-----	1,961	26	26	9	89	791	713	227	67	8	3	-	2
ALL OTHER MALE													
1998-----	2,703	1	3	10	33	498	1,096	749	230	67	15	-	1
1997-----	3,410	2	6	21	34	744	1,475	782	246	86	13	-	1
1996-----	6,235	8	33	35	71	1,462	2,730	1,321	417	130	23	3	2
1995-----	7,882	9	33	35	100	1,950	3,559	1,573	475	130	16	2	-
1994-----	7,283	9	33	24	110	2,000	3,195	1,362	413	121	16	-	-
1993-----	6,004	10	45	18	95	1,657	2,686	1,061	313	104	11	1	3
1992-----	4,805	16	36	17	108	1,402	2,124	745	257	90	7	1	2
1991-----	3,841	8	30	14	89	1,188	1,643	631	176	47	12	-	3
1990-----	2,901	8	31	16	70	1,005	1,203	388	150	23	4	1	2
1989-----	2,430	7	17	2	75	878	972	337	106	32	-	1	3
1988-----	1,996	10	20	6	58	745	803	245	87	19	2	1	-
1987-----	1,571	11	12	5	69	616	594	197	60	5	1	-	1
ALL OTHER FEMALE													
1998-----	1,213	2	4	11	44	310	523	227	72	18	2	-	-
1997-----	1,362	1	14	14	49	361	562	253	72	26	10	-	-
1996-----	2,220	6	23	31	56	596	980	394	98	26	10	-	-
1995-----	2,663	4	35	35	105	850	1,067	387	127	46	6	1	-
1994-----	2,324	14	38	32	86	697	969	332	106	38	11	1	-
1993-----	1,738	15	39	23	76	574	730	208	47	22	4	-	-
1992-----	1,358	8	21	12	55	482	574	136	55	10	5	-	-
1991-----	1,008	14	24	7	48	371	366	123	41	10	3	1	-
1990-----	811	9	20	11	35	307	317	68	20	18	4	1	1
1989-----	633	12	12	5	23	282	223	50	15	7	4	-	-
1988-----	509	10	10	7	26	221	180	34	17	4	-	-	-
1987-----	390	15	14	4	20	175	119	30	7	3	2	-	1

(NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS INTRODUCED IN THE UNITED STATES IN 1987; SEE TECHNICAL APPENDIX)

CAUSE OF DEATH, RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	NOT STATED
ACQUIRED IMMUNODEFICIENCY SYNDROME, UNSPECIFIED (*042.9)													
BLACK, BOTH SEXES													
1998-----	3,842	3	7	21	77	786	1,595	956	294	85	17	-	1
1997-----	4,700	3	20	35	82	1,084	2,006	1,023	312	111	23	-	1
1996-----	8,301	14	55	66	125	2,017	3,641	1,686	506	153	33	3	2
1995-----	10,316	13	67	70	202	2,733	4,527	1,925	583	172	21	3	-
1994-----	9,390	22	70	55	189	2,628	4,081	1,657	507	155	25	1	-
1993-----	7,581	24	84	36	168	2,189	3,344	1,240	354	123	15	1	3
1992-----	6,059	24	57	27	163	1,851	2,655	863	306	98	12	1	2
1991-----	4,732	22	51	21	135	1,515	1,968	735	213	55	13	1	3
1990-----	3,636	17	51	27	103	1,292	1,487	442	165	39	8	2	3
1989-----	3,002	19	29	7	95	1,145	1,170	376	116	37	4	1	3
1988-----	2,463	20	30	13	84	948	969	275	99	22	2	1	-
1987-----	1,931	26	26	9	88	782	702	220	66	7	3	-	2
BLACK MALE													
1998-----	2,641	1	3	10	33	479	1,077	732	223	67	15	-	1
1997-----	3,351	2	6	21	33	727	1,447	773	242	86	13	-	1
1996-----	6,103	8	33	35	69	1,427	2,670	1,297	409	127	23	3	2
1995-----	7,689	9	33	35	98	1,896	3,475	1,540	458	128	15	2	-
1994-----	7,090	9	32	23	103	1,943	3,117	1,329	402	118	14	-	-
1993-----	5,866	10	45	16	92	1,621	2,620	1,037	307	103	11	1	3
1992-----	4,713	16	36	16	108	1,374	2,087	727	251	88	7	1	2
1991-----	3,733	8	28	14	88	1,147	1,604	613	172	45	11	-	3
1990-----	2,834	8	31	16	68	987	1,175	374	146	22	4	1	2
1989-----	2,379	7	17	2	72	865	950	327	104	31	-	1	3
1988-----	1,956	10	20	6	58	727	789	242	83	18	2	1	-
1987-----	1,543	11	12	5	68	607	584	190	59	5	1	-	1
BLACK FEMALE													
1998-----	1,201	2	4	11	44	307	518	224	71	18	2	-	-
1997-----	1,349	1	14	14	49	357	559	250	70	25	10	-	-
1996-----	2,198	6	22	31	56	590	971	389	97	26	10	-	-
1995-----	2,627	4	34	35	104	837	1,052	385	125	44	6	1	-
1994-----	2,300	13	38	32	86	685	964	328	105	37	11	1	-
1993-----	1,715	14	39	20	76	568	724	203	47	20	4	-	-
1992-----	1,346	8	21	11	55	477	568	136	55	10	5	-	-
1991-----	999	14	23	7	47	368	364	122	41	10	2	1	-
1990-----	802	9	20	11	35	305	312	68	19	17	4	1	1
1989-----	623	12	12	5	23	280	220	49	12	6	4	-	-
1988-----	507	10	10	7	26	221	180	33	16	4	-	-	-
1987-----	388	15	14	4	20	175	118	30	7	2	2	-	1

(NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS INTRODUCED IN THE UNITED STATES IN 1987; SEE TECHNICAL APPENDIX)

CAUSE OF DEATH, RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	NOT STATED
HUMAN IMMUNODEFICIENCY VIRUS INFECTION CAUSING OTHER SPECIFIED CONDITIONS (*043)													
TOTAL, BOTH SEXES													
1998-----	115	-	-	1	1	26	54	22	8	3	-	-	-
1997-----	137	1	-	1	4	32	45	33	11	8	2	-	-
1996-----	236	1	3	-	2	64	106	42	12	4	2	-	-
1995-----	311	2	3	6	7	82	131	50	22	7	1	-	-
1994-----	326	1	5	5	4	89	115	71	26	8	2	-	-
1993-----	276	1	7	2	5	73	109	50	23	5	1	-	-
1992-----	303	2	2	2	4	89	113	62	23	5	-	-	1
1991-----	276	-	3	-	4	71	102	71	17	6	2	-	-
1990-----	235	1	2	1	8	54	93	45	21	10	-	-	-
1989-----	176	1	1	2	3	55	62	32	7	11	2	-	-
1988-----	170	1	5	-	4	47	71	21	13	7	1	-	-
1987-----	178	1	4	-	5	57	58	29	13	6	3	2	-
TOTAL, MALE													
1998-----	81	-	-	1	-	16	38	18	5	3	-	-	-
1997-----	100	1	-	1	1	23	30	27	8	8	1	-	-
1996-----	198	1	2	-	1	55	87	36	12	3	1	-	-
1995-----	258	1	2	4	5	65	112	44	19	6	-	-	-
1994-----	281	-	1	4	2	77	101	65	23	7	1	-	-
1993-----	240	-	4	1	4	63	98	47	20	2	1	-	-
1992-----	259	2	-	1	3	79	97	55	18	3	-	-	1
1991-----	236	-	-	-	2	61	85	64	17	5	2	-	-
1990-----	204	1	-	-	8	48	78	41	19	9	-	-	-
1989-----	159	-	1	-	3	51	58	30	6	9	1	-	-
1988-----	139	-	4	-	3	38	60	20	10	3	1	-	-
1987-----	151	-	4	-	3	48	53	27	12	1	2	1	-
TOTAL, FEMALE													
1998-----	34	-	-	-	1	10	16	4	3	-	-	-	-
1997-----	37	-	-	-	3	9	15	6	3	-	1	-	-
1996-----	38	-	1	-	1	9	19	6	-	1	1	-	-
1995-----	53	1	1	2	2	17	19	6	3	1	1	-	-
1994-----	45	1	4	1	2	12	14	6	3	1	1	-	-
1993-----	36	1	3	1	1	10	11	3	3	3	-	-	-
1992-----	44	-	2	1	1	10	16	7	5	2	-	-	-
1991-----	40	-	3	-	2	10	17	7	-	1	-	-	-
1990-----	31	-	2	1	-	6	15	4	2	1	-	-	-
1989-----	17	1	-	2	-	4	4	2	1	2	1	-	-
1988-----	31	1	1	-	1	9	11	1	3	4	-	-	-
1987-----	27	1	-	-	2	9	5	2	1	5	1	1	-

(NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS INTRODUCED IN THE UNITED STATES IN 1987; SEE TECHNICAL APPENDIX)

CAUSE OF DEATH, RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	NOT STATED
HUMAN IMMUNODEFICIENCY VIRUS INFECTION CAUSING OTHER SPECIFIED CONDITIONS (*043)													
WHITE, BOTH SEXES													
1998-----	41	-	-	-	-	13	17	8	3	-	-	-	-
1997-----	60	-	-	1	1	15	17	14	6	4	2	-	-
1996-----	117	-	-	-	2	36	49	18	9	3	-	-	-
1995-----	180	-	1	3	3	52	71	30	16	3	1	-	-
1994-----	209	1	2	2	4	61	66	50	17	5	1	-	-
1993-----	175	-	1	2	3	42	70	36	16	4	1	-	-
1992-----	192	1	2	1	3	61	70	37	15	2	-	-	-
1991-----	192	-	2	-	-	46	70	53	13	6	2	-	-
1990-----	165	-	1	1	5	35	69	30	15	9	-	-	-
1989-----	126	1	-	1	3	39	46	21	5	9	1	-	-
1988-----	112	-	2	-	1	30	42	17	12	7	1	-	-
1987-----	115	-	2	-	3	38	35	21	9	3	3	1	-
WHITE MALE													
1998-----	35	-	-	-	-	10	15	7	3	-	-	-	-
1997-----	47	-	-	1	1	11	13	11	5	4	1	-	-
1996-----	106	-	-	-	1	34	43	16	9	3	-	-	-
1995-----	162	-	1	2	3	46	66	27	14	3	-	-	-
1994-----	190	-	-	2	2	56	63	47	16	4	-	-	-
1993-----	164	-	1	1	3	39	65	36	16	2	1	-	-
1992-----	168	1	-	-	3	56	59	34	13	2	-	-	-
1991-----	173	-	-	-	-	43	61	49	13	5	2	-	-
1990-----	151	-	-	-	5	32	62	29	15	8	-	-	-
1989-----	118	-	-	-	3	38	43	21	5	8	-	-	-
1988-----	98	-	2	-	1	27	39	16	9	3	1	-	-
1987-----	101	-	2	-	2	33	32	21	8	1	2	-	-
WHITE FEMALE													
1998-----	6	-	-	-	-	3	2	1	-	-	-	-	-
1997-----	13	-	-	-	-	4	4	3	1	-	1	-	-
1996-----	11	-	-	-	1	2	6	2	-	-	-	-	-
1995-----	18	-	-	1	-	6	5	3	2	-	1	-	-
1994-----	19	1	2	-	2	5	3	3	1	1	1	-	-
1993-----	11	-	-	1	-	3	5	-	-	2	-	-	-
1992-----	24	-	2	1	-	5	11	3	2	-	-	-	-
1991-----	19	-	2	-	-	3	9	4	-	1	-	-	-
1990-----	14	-	1	1	-	3	7	1	-	1	-	-	-
1989-----	8	1	-	1	-	1	3	-	-	1	1	-	-
1988-----	14	-	-	-	-	3	3	1	3	4	-	-	-
1987-----	14	-	-	-	1	5	3	-	1	2	1	1	-

(NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS INTRODUCED IN THE UNITED STATES IN 1987; SEE TECHNICAL APPENDIX)

CAUSE OF DEATH, RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	NOT STATED
HUMAN IMMUNODEFICIENCY VIRUS INFECTION CAUSING OTHER SPECIFIED CONDITIONS (*043)													
ALL OTHER, BOTH SEXES													
1998-----	74	-	-	1	1	13	37	14	5	3	-	-	-
1997-----	77	1	-	-	3	17	28	19	5	4	-	-	-
1996-----	119	1	3	-	-	28	57	24	3	1	2	-	-
1995-----	131	2	2	3	4	30	60	20	6	4	-	-	-
1994-----	117	-	3	3	-	28	49	21	9	3	1	-	-
1993-----	101	1	6	-	2	31	39	14	7	1	-	-	-
1992-----	111	1	-	1	1	28	43	25	8	3	-	-	1
1991-----	84	-	1	-	4	25	32	18	4	-	-	-	-
1990-----	70	1	1	-	3	19	24	15	6	1	-	-	-
1989-----	50	-	1	1	-	16	16	11	2	2	1	-	-
1988-----	58	1	3	-	3	17	29	4	1	-	-	-	-
1987-----	63	1	2	-	2	19	23	8	4	3	-	1	-
ALL OTHER MALE													
1998-----	46	-	-	1	-	6	23	11	2	3	-	-	-
1997-----	53	1	-	-	-	12	17	16	3	4	-	-	-
1996-----	92	1	2	-	-	21	44	20	3	-	1	-	-
1995-----	96	1	1	2	2	19	46	17	5	3	-	-	-
1994-----	91	-	1	2	-	21	38	18	7	3	1	-	-
1993-----	76	-	3	-	1	24	33	11	4	-	-	-	-
1992-----	91	1	-	1	-	23	38	21	5	1	-	-	1
1991-----	63	-	-	-	2	18	24	15	4	-	-	-	-
1990-----	53	1	-	-	3	16	16	12	4	1	-	-	-
1989-----	41	-	1	-	-	13	15	9	1	1	1	-	-
1988-----	41	-	2	-	2	11	21	4	1	-	-	-	-
1987-----	50	-	2	-	1	15	21	6	4	-	-	1	-
ALL OTHER FEMALE													
1998-----	28	-	-	-	1	7	14	3	3	-	-	-	-
1997-----	24	-	-	-	3	5	11	3	2	-	-	-	-
1996-----	27	-	1	-	-	7	13	4	-	1	1	-	-
1995-----	35	1	1	1	2	11	14	3	1	1	-	-	-
1994-----	26	-	2	1	-	7	11	3	2	-	-	-	-
1993-----	25	1	3	-	1	7	6	3	3	1	-	-	-
1992-----	20	-	-	-	1	5	5	4	3	2	-	-	-
1991-----	21	-	1	-	2	7	8	3	-	-	-	-	-
1990-----	17	-	1	-	-	3	8	3	2	-	-	-	-
1989-----	9	-	-	1	-	3	1	2	1	1	-	-	-
1988-----	17	1	1	-	1	6	8	-	-	-	-	-	-
1987-----	13	1	-	-	1	4	2	2	-	3	-	-	-

(NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS INTRODUCED IN THE UNITED STATES IN 1987; SEE TECHNICAL APPENDIX)

CAUSE OF DEATH, RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	NOT STATED
HUMAN IMMUNODEFICIENCY VIRUS INFECTION CAUSING OTHER SPECIFIED CONDITIONS (*043)													
BLACK, BOTH SEXES													
1998-----	72	-	-	1	1	13	36	13	5	3	-	-	-
1997-----	75	1	-	-	3	17	27	19	5	3	-	-	-
1996-----	117	1	3	-	-	28	56	23	3	1	2	-	-
1995-----	131	2	2	3	4	30	60	20	6	4	-	-	-
1994-----	114	-	3	2	-	28	49	19	9	3	1	-	-
1993-----	95	1	6	-	2	29	37	13	6	1	-	-	-
1992-----	110	1	-	1	1	28	42	25	8	3	-	-	1
1991-----	81	-	1	-	3	24	31	18	4	-	-	-	-
1990-----	67	1	1	-	3	18	24	13	6	1	-	-	-
1989-----	49	-	1	1	-	16	15	11	2	2	1	-	-
1988-----	58	1	3	-	3	17	29	4	1	-	-	-	-
1987-----	61	1	2	-	2	19	22	8	4	2	-	1	-
BLACK MALE													
1998-----	45	-	-	1	-	6	23	10	2	3	-	-	-
1997-----	51	1	-	-	-	12	16	16	3	3	-	-	-
1996-----	90	1	2	-	-	21	43	19	3	-	1	-	-
1995-----	96	1	1	2	2	19	46	17	5	3	-	-	-
1994-----	88	-	1	1	-	21	38	16	7	3	1	-	-
1993-----	70	-	3	-	1	22	31	10	3	-	-	-	-
1992-----	90	1	-	1	-	23	37	21	5	1	-	-	1
1991-----	61	-	-	-	1	18	23	15	4	-	-	-	-
1990-----	50	1	-	-	3	15	16	10	4	1	-	-	-
1989-----	40	-	1	-	-	13	14	9	1	1	1	-	-
1988-----	41	-	2	-	2	11	21	4	1	-	-	-	-
1987-----	49	-	2	-	1	15	20	6	4	-	-	1	-
BLACK FEMALE													
1998-----	27	-	-	-	1	7	13	3	3	-	-	-	-
1997-----	24	-	-	-	3	5	11	3	2	-	-	-	-
1996-----	27	-	1	-	-	7	13	4	-	1	1	-	-
1995-----	35	1	1	1	2	11	14	3	1	1	-	-	-
1994-----	26	-	2	1	-	7	11	3	2	-	-	-	-
1993-----	25	1	3	-	1	7	6	3	3	1	-	-	-
1992-----	20	-	-	-	1	5	5	4	3	2	-	-	-
1991-----	20	-	1	-	2	6	8	3	-	-	-	-	-
1990-----	17	-	1	-	-	3	8	3	2	-	-	-	-
1989-----	9	-	-	1	-	3	1	2	1	1	-	-	-
1988-----	17	1	1	-	1	6	8	-	-	-	-	-	-
1987-----	12	1	-	-	1	4	2	2	-	2	-	-	-

(NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS INTRODUCED IN THE UNITED STATES IN 1987; SEE TECHNICAL APPENDIX)

CAUSE OF DEATH, RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	NOT STATED
CAUSING SPECIFIED DISEASES OF THE CENTRAL NERVOUS SYSTEM (*043.1)													
TOTAL, BOTH SEXES													
1998-----	43	-	-	-	-	9	23	6	3	2	-	-	-
1997-----	52	-	-	-	-	12	16	16	4	3	1	-	-
1996-----	91	-	2	-	-	28	34	18	6	1	2	-	-
1995-----	133	-	-	1	1	30	66	21	10	4	-	-	-
1994-----	132	-	3	2	2	32	52	26	12	3	-	-	-
1993-----	110	-	2	1	2	24	48	18	11	3	1	-	-
1992-----	128	1	-	1	2	32	52	25	12	3	-	-	-
1991-----	99	-	3	-	1	26	34	27	5	2	1	-	-
1990-----	90	-	1	-	4	19	37	18	6	5	-	-	-
1989-----	69	-	1	-	1	20	25	14	2	5	1	-	-
1988-----	62	1	4	-	-	20	21	8	6	1	1	-	-
1987-----	55	-	-	-	3	17	20	11	3	-	1	-	-
TOTAL, MALE													
1998-----	29	-	-	-	-	6	15	5	1	2	-	-	-
1997-----	39	-	-	-	-	9	12	13	2	3	-	-	-
1996-----	78	-	2	-	-	23	30	15	6	1	1	-	-
1995-----	113	-	-	1	1	25	55	18	9	4	-	-	-
1994-----	113	-	1	1	-	29	45	23	11	3	-	-	-
1993-----	100	-	2	-	2	23	46	16	9	1	1	-	-
1992-----	109	1	-	-	1	29	45	23	8	2	-	-	-
1991-----	83	-	-	-	-	24	26	25	5	2	1	-	-
1990-----	81	-	-	-	4	16	33	18	6	4	-	-	-
1989-----	62	-	1	-	1	18	24	13	1	4	-	-	-
1988-----	50	-	4	-	-	15	17	8	5	-	1	-	-
1987-----	51	-	-	-	1	16	20	10	3	-	1	-	-
TOTAL, FEMALE													
1998-----	14	-	-	-	-	3	8	1	2	-	-	-	-
1997-----	13	-	-	-	-	3	4	3	2	-	1	-	-
1996-----	13	-	-	-	-	5	4	3	-	-	1	-	-
1995-----	20	-	-	-	-	5	11	3	1	-	-	-	-
1994-----	19	-	2	1	2	3	7	3	1	-	-	-	-
1993-----	10	-	-	1	-	1	2	2	2	2	-	-	-
1992-----	19	-	-	1	1	3	7	2	4	1	-	-	-
1991-----	16	-	3	-	1	2	8	2	-	-	-	-	-
1990-----	9	-	1	-	-	3	4	-	-	1	-	-	-
1989-----	7	-	-	-	-	2	1	1	1	1	1	-	-
1988-----	12	1	-	-	-	5	4	-	1	1	-	-	-
1987-----	4	-	-	-	2	1	-	1	-	-	-	-	-

(NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS INTRODUCED IN THE UNITED STATES IN 1987; SEE TECHNICAL APPENDIX)

CAUSE OF DEATH, RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	NOT STATED
CAUSING SPECIFIED DISEASES OF THE CENTRAL NERVOUS SYSTEM (*043.1)													
WHITE, BOTH SEXES													
1998-----	12	-	-	-	-	5	6	1	-	-	-	-	-
1997-----	25	-	-	-	-	4	7	8	3	2	1	-	-
1996-----	42	-	-	-	-	14	16	8	3	1	-	-	-
1995-----	85	-	-	-	1	19	41	13	8	3	-	-	-
1994-----	89	-	1	-	2	19	35	22	8	2	-	-	-
1993-----	67	-	-	1	1	13	29	12	8	2	1	-	-
1992-----	82	1	-	1	1	23	32	16	6	2	-	-	-
1991-----	71	-	2	-	-	18	25	21	2	2	1	-	-
1990-----	69	-	-	-	3	15	29	13	4	5	-	-	-
1989-----	48	-	-	-	1	12	20	9	1	4	1	-	-
1988-----	39	-	2	-	-	12	12	5	6	1	1	-	-
1987-----	42	-	-	-	2	15	14	8	2	-	1	-	-
WHITE MALE													
1998-----	9	-	-	-	-	4	5	-	-	-	-	-	-
1997-----	20	-	-	-	-	3	6	7	2	2	-	-	-
1996-----	41	-	-	-	-	13	16	8	3	1	-	-	-
1995-----	76	-	-	-	1	16	37	11	8	3	-	-	-
1994-----	82	-	-	-	-	19	34	19	8	2	-	-	-
1993-----	64	-	-	-	1	13	28	12	8	1	1	-	-
1992-----	74	1	-	-	1	22	27	16	5	2	-	-	-
1991-----	63	-	-	-	-	17	21	20	2	2	1	-	-
1990-----	64	-	-	-	3	13	27	13	4	4	-	-	-
1989-----	46	-	-	-	1	12	19	9	1	4	-	-	-
1988-----	36	-	2	-	-	12	11	5	5	-	1	-	-
1987-----	40	-	-	-	1	14	14	8	2	-	1	-	-
WHITE FEMALE													
1998-----	3	-	-	-	-	1	1	1	-	-	-	-	-
1997-----	5	-	-	-	-	1	1	1	1	-	1	-	-
1996-----	1	-	-	-	-	1	-	-	-	-	-	-	-
1995-----	9	-	-	-	-	3	4	2	-	-	-	-	-
1994-----	7	-	1	-	2	-	1	3	-	-	-	-	-
1993-----	3	-	-	1	-	-	1	-	-	1	-	-	-
1992-----	8	-	-	1	-	1	5	-	1	-	-	-	-
1991-----	8	-	2	-	-	1	4	1	-	-	-	-	-
1990-----	5	-	-	-	-	2	2	-	-	1	-	-	-
1989-----	2	-	-	-	-	-	1	-	-	-	1	-	-
1988-----	3	-	-	-	-	-	1	-	1	1	-	-	-
1987-----	2	-	-	-	1	1	-	-	-	-	-	-	-

(NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS INTRODUCED IN THE UNITED STATES IN 1987; SEE TECHNICAL APPENDIX)

CAUSE OF DEATH, RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	NOT STATED
CAUSING SPECIFIED DISEASES OF THE CENTRAL NERVOUS SYSTEM (*043.1)													
ALL OTHER, BOTH SEXES													
1998-----	31	-	-	-	-	4	17	5	3	2	-	-	-
1997-----	27	-	-	-	-	8	9	8	1	1	-	-	-
1996-----	49	-	2	-	-	14	18	10	3	-	2	-	-
1995-----	48	-	-	1	-	11	25	8	2	1	-	-	-
1994-----	43	-	2	2	-	13	17	4	4	1	-	-	-
1993-----	43	-	2	-	1	11	19	6	3	1	-	-	-
1992-----	46	-	-	-	1	9	20	9	6	1	-	-	-
1991-----	28	-	1	-	1	8	9	6	3	-	-	-	-
1990-----	21	-	1	-	1	4	8	5	2	-	-	-	-
1989-----	21	-	1	-	-	8	5	5	1	1	-	-	-
1988-----	23	1	2	-	-	8	9	3	-	-	-	-	-
1987-----	13	-	-	-	1	2	6	3	1	-	-	-	-
ALL OTHER MALE													
1998-----	20	-	-	-	-	2	10	5	1	2	-	-	-
1997-----	19	-	-	-	-	6	6	6	-	1	-	-	-
1996-----	37	-	2	-	-	10	14	7	3	-	1	-	-
1995-----	37	-	-	1	-	9	18	7	1	1	-	-	-
1994-----	31	-	1	1	-	10	11	4	3	1	-	-	-
1993-----	36	-	2	-	1	10	18	4	1	-	-	-	-
1992-----	35	-	-	-	-	7	18	7	3	-	-	-	-
1991-----	20	-	-	-	-	7	5	5	3	-	-	-	-
1990-----	17	-	-	-	1	3	6	5	2	-	-	-	-
1989-----	16	-	1	-	-	6	5	4	-	-	-	-	-
1988-----	14	-	2	-	-	3	6	3	-	-	-	-	-
1987-----	11	-	-	-	-	2	6	2	1	-	-	-	-
ALL OTHER FEMALE													
1998-----	11	-	-	-	-	2	7	-	2	-	-	-	-
1997-----	8	-	-	-	-	2	3	2	1	-	-	-	-
1996-----	12	-	-	-	-	4	4	3	-	-	1	-	-
1995-----	11	-	-	-	-	2	7	1	1	-	-	-	-
1994-----	12	-	1	1	-	3	6	-	1	-	-	-	-
1993-----	7	-	-	-	-	1	1	2	2	1	-	-	-
1992-----	11	-	-	-	1	2	2	2	3	1	-	-	-
1991-----	8	-	1	-	1	1	4	1	-	-	-	-	-
1990-----	4	-	1	-	-	1	2	-	-	-	-	-	-
1989-----	5	-	-	-	-	2	-	1	1	1	-	-	-
1988-----	9	1	-	-	-	5	3	-	-	-	-	-	-
1987-----	2	-	-	-	1	-	-	1	-	-	-	-	-

(NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS INTRODUCED IN THE UNITED STATES IN 1987; SEE TECHNICAL APPENDIX)

CAUSE OF DEATH, RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	NOT STATED
CAUSING SPECIFIED DISEASES OF THE CENTRAL NERVOUS SYSTEM (*043.1)													
BLACK, BOTH SEXES													
1998-----	31	-	-	-	-	4	17	5	3	2	-	-	-
1997-----	26	-	-	-	-	8	9	8	1	-	-	-	-
1996-----	49	-	2	-	-	14	18	10	3	-	2	-	-
1995-----	48	-	-	1	-	11	25	8	2	1	-	-	-
1994-----	42	-	2	1	-	13	17	4	4	1	-	-	-
1993-----	41	-	2	-	1	10	19	5	3	1	-	-	-
1992-----	45	-	-	-	1	9	19	9	6	1	-	-	-
1991-----	28	-	1	-	1	8	9	6	3	-	-	-	-
1990-----	20	-	1	-	1	4	8	4	2	-	-	-	-
1989-----	20	-	1	-	-	8	4	5	1	1	-	-	-
1988-----	23	1	2	-	-	8	9	3	-	-	-	-	-
1987-----	13	-	-	-	1	2	6	3	1	-	-	-	-
BLACK MALE													
1998-----	20	-	-	-	-	2	10	5	1	2	-	-	-
1997-----	18	-	-	-	-	6	6	6	-	-	-	-	-
1996-----	37	-	2	-	-	10	14	7	3	-	1	-	-
1995-----	37	-	-	1	-	9	18	7	1	1	-	-	-
1994-----	30	-	1	-	-	10	11	4	3	1	-	-	-
1993-----	34	-	2	-	1	9	18	3	1	-	-	-	-
1992-----	34	-	-	-	-	7	17	7	3	-	-	-	-
1991-----	20	-	-	-	-	7	5	5	3	-	-	-	-
1990-----	16	-	-	-	1	3	6	4	2	-	-	-	-
1989-----	15	-	1	-	-	6	4	4	-	-	-	-	-
1988-----	14	-	2	-	-	3	6	3	-	-	-	-	-
1987-----	11	-	-	-	-	2	6	2	1	-	-	-	-
BLACK FEMALE													
1998-----	11	-	-	-	-	2	7	-	2	-	-	-	-
1997-----	8	-	-	-	-	2	3	2	1	-	-	-	-
1996-----	12	-	-	-	-	4	4	3	-	-	1	-	-
1995-----	11	-	-	-	-	2	7	1	1	-	-	-	-
1994-----	12	-	1	1	-	3	6	-	1	-	-	-	-
1993-----	7	-	-	-	-	1	1	2	2	1	-	-	-
1992-----	11	-	-	-	1	2	2	2	3	1	-	-	-
1991-----	8	-	1	-	1	1	4	1	-	-	-	-	-
1990-----	4	-	1	-	-	1	2	-	-	-	-	-	-
1989-----	5	-	-	-	-	2	-	1	1	1	-	-	-
1988-----	9	1	-	-	-	5	3	-	-	-	-	-	-
1987-----	2	-	-	-	1	-	-	1	-	-	-	-	-

(NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS INTRODUCED IN THE UNITED STATES IN 1987; SEE TECHNICAL APPENDIX)

CAUSE OF DEATH, RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	NOT STATED
CAUSING OTHER SPECIFIED CONDITIONS (*043.3)													
TOTAL, BOTH SEXES													
1998-----	56	-	-	1	1	12	24	12	5	1	-	-	-
1997-----	67	1	-	1	3	16	20	16	5	4	1	-	-
1996-----	125	1	1	-	2	30	63	21	4	3	-	-	-
1995-----	143	2	3	4	4	40	50	26	10	3	1	-	-
1994-----	139	1	2	3	2	40	41	37	9	4	-	-	-
1993-----	135	1	4	1	3	41	48	25	10	2	-	-	-
1992-----	118	1	2	1	-	43	39	23	8	1	-	-	-
1991-----	126	-	-	-	2	34	50	27	9	3	1	-	-
1990-----	93	1	1	-	4	23	36	17	8	3	-	-	-
1989-----	61	1	-	2	1	21	24	8	2	2	-	-	-
1988-----	49	-	-	-	3	9	24	8	3	2	-	-	-
1987-----	24	-	-	-	1	11	6	1	2	3	-	-	-
TOTAL, MALE													
1998-----	39	-	-	1	-	6	17	10	4	1	-	-	-
1997-----	48	1	-	1	-	12	11	14	4	4	1	-	-
1996-----	105	1	-	-	1	27	52	18	4	2	-	-	-
1995-----	120	1	2	3	3	31	45	24	9	2	-	-	-
1994-----	119	-	-	3	2	35	34	34	8	3	-	-	-
1993-----	116	-	2	1	2	35	42	24	9	1	-	-	-
1992-----	101	1	-	1	-	38	34	20	7	-	-	-	-
1991-----	108	-	-	-	1	28	43	24	9	2	1	-	-
1990-----	83	1	-	-	4	22	30	15	8	3	-	-	-
1989-----	54	-	-	-	1	20	22	7	2	2	-	-	-
1988-----	44	-	-	-	3	9	21	8	2	1	-	-	-
1987-----	20	-	-	-	1	11	5	1	2	-	-	-	-
TOTAL, FEMALE													
1998-----	17	-	-	-	1	6	7	2	1	-	-	-	-
1997-----	19	-	-	-	3	4	9	2	1	-	-	-	-
1996-----	20	-	1	-	1	3	11	3	-	1	-	-	-
1995-----	23	1	1	1	1	9	5	2	1	1	1	-	-
1994-----	20	1	2	-	-	5	7	3	1	1	-	-	-
1993-----	19	1	2	-	1	6	6	1	1	1	-	-	-
1992-----	17	-	2	-	-	5	5	3	1	1	-	-	-
1991-----	18	-	-	-	1	6	7	3	-	1	-	-	-
1990-----	10	-	1	-	-	1	6	2	-	-	-	-	-
1989-----	7	1	-	2	-	1	2	1	-	-	-	-	-
1988-----	5	-	-	-	-	-	3	-	1	1	-	-	-
1987-----	4	-	-	-	-	-	1	-	-	3	-	-	-

(NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS INTRODUCED IN THE UNITED STATES IN 1987; SEE TECHNICAL APPENDIX)

CAUSE OF DEATH, RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	NOT STATED
CAUSING OTHER SPECIFIED CONDITIONS (*043.3)													
WHITE, BOTH SEXES													
1998-----	24	-	-	-	-	6	10	5	3	-	-	-	-
1997-----	29	-	-	1	-	10	7	5	3	2	1	-	-
1996-----	63	-	-	-	2	17	29	9	4	2	-	-	-
1995-----	78	-	1	2	1	25	26	16	6	-	1	-	-
1994-----	92	1	1	2	2	32	22	23	6	3	-	-	-
1993-----	91	-	1	1	2	27	33	18	7	2	-	-	-
1992-----	77	-	2	-	-	28	25	16	6	-	-	-	-
1991-----	85	-	-	-	-	21	33	19	8	3	1	-	-
1990-----	65	-	1	-	2	15	27	11	7	2	-	-	-
1989-----	44	1	-	1	1	17	17	5	1	1	-	-	-
1988-----	35	-	-	-	1	3	18	8	3	2	-	-	-
1987-----	16	-	-	-	1	8	4	1	2	-	-	-	-
WHITE MALE													
1998-----	21	-	-	-	-	4	9	5	3	-	-	-	-
1997-----	22	-	-	1	-	7	4	4	3	2	1	-	-
1996-----	55	-	-	-	1	17	24	7	4	2	-	-	-
1995-----	71	-	1	2	1	22	25	15	5	-	-	-	-
1994-----	84	-	-	2	2	29	20	23	6	2	-	-	-
1993-----	85	-	1	1	2	24	31	18	7	1	-	-	-
1992-----	67	-	-	-	-	26	22	14	5	-	-	-	-
1991-----	78	-	-	-	-	20	29	18	8	2	1	-	-
1990-----	59	-	-	-	2	14	23	11	7	2	-	-	-
1989-----	40	-	-	-	1	16	16	5	1	1	-	-	-
1988-----	31	-	-	-	1	3	16	8	2	1	-	-	-
1987-----	15	-	-	-	1	8	3	1	2	-	-	-	-
WHITE FEMALE													
1998-----	3	-	-	-	-	2	1	-	-	-	-	-	-
1997-----	7	-	-	-	-	3	3	1	-	-	-	-	-
1996-----	8	-	-	-	1	-	5	2	-	-	-	-	-
1995-----	7	-	-	-	-	3	1	1	1	-	1	-	-
1994-----	8	1	1	-	-	3	2	-	-	1	-	-	-
1993-----	6	-	-	-	-	3	2	-	-	1	-	-	-
1992-----	10	-	2	-	-	2	3	2	1	-	-	-	-
1991-----	7	-	-	-	-	1	4	1	-	1	-	-	-
1990-----	6	-	1	-	-	1	4	-	-	-	-	-	-
1989-----	4	1	-	1	-	1	1	-	-	-	-	-	-
1988-----	4	-	-	-	-	-	2	-	1	1	-	-	-
1987-----	1	-	-	-	-	-	1	-	-	-	-	-	-

(NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS INTRODUCED IN THE UNITED STATES IN 1987; SEE TECHNICAL APPENDIX)

CAUSE OF DEATH, RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	NOT STATED
CAUSING OTHER SPECIFIED CONDITIONS (*043.3)													
ALL OTHER, BOTH SEXES													
1998-----	32	-	-	1	1	6	14	7	2	1	-	-	-
1997-----	38	1	-	-	3	6	13	11	2	2	-	-	-
1996-----	62	1	1	-	-	13	34	12	-	1	-	-	-
1995-----	65	2	2	2	3	15	24	10	4	3	-	-	-
1994-----	47	-	1	1	-	8	19	14	3	1	-	-	-
1993-----	44	1	3	-	1	14	15	7	3	-	-	-	-
1992-----	41	1	-	1	-	15	14	7	2	1	-	-	-
1991-----	41	-	-	-	2	13	17	8	1	-	-	-	-
1990-----	28	1	-	-	2	8	9	6	1	1	-	-	-
1989-----	17	-	-	1	-	4	7	3	1	1	-	-	-
1988-----	14	-	-	-	2	6	6	-	-	-	-	-	-
1987-----	8	-	-	-	-	3	2	-	-	3	-	-	-
ALL OTHER MALE													
1998-----	18	-	-	1	-	2	8	5	1	1	-	-	-
1997-----	26	1	-	-	-	5	7	10	1	2	-	-	-
1996-----	50	1	-	-	-	10	28	11	-	-	-	-	-
1995-----	49	1	1	1	2	9	20	9	4	2	-	-	-
1994-----	35	-	-	1	-	6	14	11	2	1	-	-	-
1993-----	31	-	1	-	-	11	11	6	2	-	-	-	-
1992-----	34	1	-	1	-	12	12	6	2	-	-	-	-
1991-----	30	-	-	-	1	8	14	6	1	-	-	-	-
1990-----	24	1	-	-	2	8	7	4	1	1	-	-	-
1989-----	14	-	-	-	-	4	6	2	1	1	-	-	-
1988-----	13	-	-	-	2	6	5	-	-	-	-	-	-
1987-----	5	-	-	-	-	3	2	-	-	-	-	-	-
ALL OTHER FEMALE													
1998-----	14	-	-	-	1	4	6	2	1	-	-	-	-
1997-----	12	-	-	-	3	1	6	1	1	-	-	-	-
1996-----	12	-	1	-	-	3	6	1	-	1	-	-	-
1995-----	16	1	1	1	1	6	4	1	-	1	-	-	-
1994-----	12	-	1	-	-	2	5	3	1	-	-	-	-
1993-----	13	1	2	-	1	3	4	1	1	-	-	-	-
1992-----	7	-	-	-	-	3	2	1	-	1	-	-	-
1991-----	11	-	-	-	1	5	3	2	-	-	-	-	-
1990-----	4	-	-	-	-	-	2	2	-	-	-	-	-
1989-----	3	-	-	1	-	-	1	1	-	-	-	-	-
1988-----	1	-	-	-	-	-	1	-	-	-	-	-	-
1987-----	3	-	-	-	-	-	-	-	-	3	-	-	-

(NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS INTRODUCED IN THE UNITED STATES IN 1987; SEE TECHNICAL APPENDIX)

CAUSE OF DEATH, RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	NOT STATED
CAUSING OTHER SPECIFIED CONDITIONS (*043.3)													
BLACK, BOTH SEXES													
1998-----	30	-	-	1	1	6	13	6	2	1	-	-	-
1997-----	38	1	-	-	3	6	13	11	2	2	-	-	-
1996-----	61	1	1	-	-	13	34	11	-	1	-	-	-
1995-----	65	2	2	2	3	15	24	10	4	3	-	-	-
1994-----	46	-	1	1	-	8	19	13	3	1	-	-	-
1993-----	41	1	3	-	1	13	13	7	3	-	-	-	-
1992-----	41	1	-	1	-	15	14	7	2	1	-	-	-
1991-----	38	-	-	-	1	12	16	8	1	-	-	-	-
1990-----	26	1	-	-	2	7	9	5	1	1	-	-	-
1989-----	17	-	-	1	-	4	7	3	1	1	-	-	-
1988-----	14	-	-	-	2	6	6	-	-	-	-	-	-
1987-----	7	-	-	-	-	3	2	-	-	2	-	-	-
BLACK MALE													
1998-----	17	-	-	1	-	2	8	4	1	1	-	-	-
1997-----	26	1	-	-	-	5	7	10	1	2	-	-	-
1996-----	49	1	-	-	-	10	28	10	-	-	-	-	-
1995-----	49	1	1	1	2	9	20	9	4	2	-	-	-
1994-----	34	-	-	1	-	6	14	10	2	1	-	-	-
1993-----	28	-	1	-	-	10	9	6	2	-	-	-	-
1992-----	34	1	-	1	-	12	12	6	2	-	-	-	-
1991-----	28	-	-	-	-	8	13	6	1	-	-	-	-
1990-----	22	1	-	-	2	7	7	3	1	1	-	-	-
1989-----	14	-	-	-	-	4	6	2	1	1	-	-	-
1988-----	13	-	-	-	2	6	5	-	-	-	-	-	-
1987-----	5	-	-	-	-	3	2	-	-	-	-	-	-
BLACK FEMALE													
1998-----	13	-	-	-	1	4	5	2	1	-	-	-	-
1997-----	12	-	-	-	3	1	6	1	1	-	-	-	-
1996-----	12	-	1	-	-	3	6	1	-	1	-	-	-
1995-----	16	1	1	1	1	6	4	1	-	1	-	-	-
1994-----	12	-	1	-	-	2	5	3	1	-	-	-	-
1993-----	13	1	2	-	1	3	4	1	1	-	-	-	-
1992-----	7	-	-	-	-	3	2	1	-	1	-	-	-
1991-----	10	-	-	-	1	4	3	2	-	-	-	-	-
1990-----	4	-	-	-	-	-	2	2	-	-	-	-	-
1989-----	3	-	-	1	-	-	1	1	-	-	-	-	-
1988-----	1	-	-	-	-	-	1	-	-	-	-	-	-
1987-----	2	-	-	-	-	-	-	-	-	2	-	-	-

(NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS INTRODUCED IN THE UNITED STATES IN 1987; SEE TECHNICAL APPENDIX)

CAUSE OF DEATH, RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	NOT STATED
ACQUIRED IMMUNODEFICIENCY SYNDROME-RELATED COMPLEX, UNSPECIFIED (*043.9)													
TOTAL, BOTH SEXES													
1998-----	8	-	-	-	-	2	3	3	-	-	-	-	-
1997-----	8	-	-	-	1	-	5	1	-	1	-	-	-
1996-----	7	-	-	-	-	2	4	1	-	-	-	-	-
1995-----	9	-	-	-	1	3	3	1	1	-	-	-	-
1994-----	22	-	-	-	-	5	10	2	2	1	2	-	-
1993-----	13	-	-	-	-	4	3	4	2	-	-	-	-
1992-----	33	-	-	-	1	8	13	7	2	1	-	-	1
1991-----	34	-	-	-	1	8	11	12	2	-	-	-	-
1990-----	45	-	-	1	-	11	18	10	3	2	-	-	-
1989-----	41	-	-	-	1	12	12	8	3	4	1	-	-
1988-----	56	-	1	-	1	16	26	4	4	4	-	-	-
1987-----	95	1	4	-	1	28	30	16	8	3	2	2	-
TOTAL, MALE													
1998-----	8	-	-	-	-	2	3	3	-	-	-	-	-
1997-----	6	-	-	-	1	-	4	-	-	1	-	-	-
1996-----	5	-	-	-	-	2	2	1	-	-	-	-	-
1995-----	7	-	-	-	1	3	2	-	1	-	-	-	-
1994-----	20	-	-	-	-	4	10	2	2	1	1	-	-
1993-----	11	-	-	-	-	3	2	4	2	-	-	-	-
1992-----	27	-	-	-	1	6	11	5	2	1	-	-	1
1991-----	30	-	-	-	1	7	10	10	2	-	-	-	-
1990-----	34	-	-	-	-	9	13	8	2	2	-	-	-
1989-----	38	-	-	-	1	11	11	8	3	3	1	-	-
1988-----	42	-	-	-	-	12	22	3	3	2	-	-	-
1987-----	76	-	4	-	1	20	26	15	7	1	1	1	-
TOTAL, FEMALE													
1998-----	-	-	-	-	-	-	-	-	-	-	-	-	-
1997-----	2	-	-	-	-	-	1	1	-	-	-	-	-
1996-----	2	-	-	-	-	-	2	-	-	-	-	-	-
1995-----	2	-	-	-	-	-	1	1	-	-	-	-	-
1994-----	2	-	-	-	-	1	-	-	-	-	1	-	-
1993-----	2	-	-	-	-	1	1	-	-	-	-	-	-
1992-----	6	-	-	-	-	2	2	2	-	-	-	-	-
1991-----	4	-	-	-	-	1	1	2	-	-	-	-	-
1990-----	11	-	-	1	-	2	5	2	1	-	-	-	-
1989-----	3	-	-	-	-	1	1	-	-	1	-	-	-
1988-----	14	-	1	-	1	4	4	1	1	2	-	-	-
1987-----	19	1	-	-	-	8	4	1	1	2	1	1	-

(NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS INTRODUCED IN THE UNITED STATES IN 1987; SEE TECHNICAL APPENDIX)

CAUSE OF DEATH, RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	NOT STATED
ACQUIRED IMMUNODEFICIENCY SYNDROME-RELATED COMPLEX, UNSPECIFIED (*043.9)													
WHITE, BOTH SEXES													
1998-----	3	-	-	-	-	1	-	2	-	-	-	-	-
1997-----	4	-	-	-	1	-	2	1	-	-	-	-	-
1996-----	6	-	-	-	-	2	3	1	-	-	-	-	-
1995-----	5	-	-	-	1	2	1	-	1	-	-	-	-
1994-----	7	-	-	-	-	1	2	1	2	-	1	-	-
1993-----	7	-	-	-	-	1	2	3	1	-	-	-	-
1992-----	21	-	-	-	1	7	9	2	2	-	-	-	-
1991-----	22	-	-	-	-	4	8	8	2	-	-	-	-
1990-----	26	-	-	1	-	4	11	6	2	2	-	-	-
1989-----	32	-	-	-	1	9	9	6	3	4	-	-	-
1988-----	36	-	-	-	-	13	12	4	3	4	-	-	-
1987-----	55	-	2	-	-	15	16	11	5	3	2	1	-
WHITE MALE													
1998-----	3	-	-	-	-	1	-	2	-	-	-	-	-
1997-----	3	-	-	-	1	-	2	-	-	-	-	-	-
1996-----	5	-	-	-	-	2	2	1	-	-	-	-	-
1995-----	5	-	-	-	1	2	1	-	1	-	-	-	-
1994-----	6	-	-	-	-	1	2	1	2	-	-	-	-
1993-----	6	-	-	-	-	1	1	3	1	-	-	-	-
1992-----	16	-	-	-	1	5	7	1	2	-	-	-	-
1991-----	19	-	-	-	-	4	7	6	2	-	-	-	-
1990-----	23	-	-	-	-	4	10	5	2	2	-	-	-
1989-----	30	-	-	-	1	9	8	6	3	3	-	-	-
1988-----	29	-	-	-	-	10	12	3	2	2	-	-	-
1987-----	44	-	2	-	-	11	14	11	4	1	1	-	-
WHITE FEMALE													
1998-----	-	-	-	-	-	-	-	-	-	-	-	-	-
1997-----	1	-	-	-	-	-	-	1	-	-	-	-	-
1996-----	1	-	-	-	-	-	1	-	-	-	-	-	-
1995-----	-	-	-	-	-	-	-	-	-	-	-	-	-
1994-----	1	-	-	-	-	-	-	-	-	-	1	-	-
1993-----	1	-	-	-	-	-	1	-	-	-	-	-	-
1992-----	5	-	-	-	-	2	2	1	-	-	-	-	-
1991-----	3	-	-	-	-	-	1	2	-	-	-	-	-
1990-----	3	-	-	1	-	-	1	1	-	-	-	-	-
1989-----	2	-	-	-	-	-	1	-	-	1	-	-	-
1988-----	7	-	-	-	-	3	-	1	1	2	-	-	-
1987-----	11	-	-	-	-	4	2	-	1	2	1	1	-

(NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS INTRODUCED IN THE UNITED STATES IN 1987; SEE TECHNICAL APPENDIX)

CAUSE OF DEATH, RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	NOT STATED
ACQUIRED IMMUNODEFICIENCY SYNDROME-RELATED COMPLEX, UNSPECIFIED (*043.9)													
ALL OTHER, BOTH SEXES													
1998-----	5	-	-	-	-	1	3	1	-	-	-	-	-
1997-----	4	-	-	-	-	-	3	-	-	1	-	-	-
1996-----	1	-	-	-	-	-	1	-	-	-	-	-	-
1995-----	4	-	-	-	-	1	2	1	-	-	-	-	-
1994-----	15	-	-	-	-	4	8	1	-	1	1	-	-
1993-----	6	-	-	-	-	3	1	1	1	-	-	-	-
1992-----	12	-	-	-	-	1	4	5	-	1	-	-	1
1991-----	12	-	-	-	1	4	3	4	-	-	-	-	-
1990-----	19	-	-	-	-	7	7	4	1	-	-	-	-
1989-----	9	-	-	-	-	3	3	2	-	-	1	-	-
1988-----	20	-	1	-	1	3	14	-	1	-	-	-	-
1987-----	40	1	2	-	1	13	14	5	3	-	-	1	-
ALL OTHER MALE													
1998-----	5	-	-	-	-	1	3	1	-	-	-	-	-
1997-----	3	-	-	-	-	-	2	-	-	1	-	-	-
1996-----	-	-	-	-	-	-	-	-	-	-	-	-	-
1995-----	2	-	-	-	-	1	1	-	-	-	-	-	-
1994-----	14	-	-	-	-	3	8	1	-	1	1	-	-
1993-----	5	-	-	-	-	2	1	1	1	-	-	-	-
1992-----	11	-	-	-	-	1	4	4	-	1	-	-	1
1991-----	11	-	-	-	1	3	3	4	-	-	-	-	-
1990-----	11	-	-	-	-	5	3	3	-	-	-	-	-
1989-----	8	-	-	-	-	2	3	2	-	-	1	-	-
1988-----	13	-	-	-	-	2	10	-	1	-	-	-	-
1987-----	32	-	2	-	1	9	12	4	3	-	-	1	-
ALL OTHER FEMALE													
1998-----	-	-	-	-	-	-	-	-	-	-	-	-	-
1997-----	1	-	-	-	-	-	1	-	-	-	-	-	-
1996-----	1	-	-	-	-	-	1	-	-	-	-	-	-
1995-----	2	-	-	-	-	-	1	1	-	-	-	-	-
1994-----	1	-	-	-	-	1	-	-	-	-	-	-	-
1993-----	1	-	-	-	-	1	-	-	-	-	-	-	-
1992-----	1	-	-	-	-	-	-	1	-	-	-	-	-
1991-----	1	-	-	-	-	1	-	-	-	-	-	-	-
1990-----	8	-	-	-	-	2	4	1	1	-	-	-	-
1989-----	1	-	-	-	-	1	-	-	-	-	-	-	-
1988-----	7	-	1	-	1	1	4	-	-	-	-	-	-
1987-----	8	1	-	-	-	4	2	1	-	-	-	-	-

(NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS INTRODUCED IN THE UNITED STATES IN 1987; SEE TECHNICAL APPENDIX)

CAUSE OF DEATH, RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	NOT STATED
ACQUIRED IMMUNODEFICIENCY SYNDROME-RELATED COMPLEX, UNSPECIFIED (*043.9)													
BLACK, BOTH SEXES													
1998-----	5	-	-	-	-	1	3	1	-	-	-	-	-
1997-----	3	-	-	-	-	-	2	-	-	1	-	-	-
1996-----	1	-	-	-	-	-	1	-	-	-	-	-	-
1995-----	4	-	-	-	-	1	2	1	-	-	-	-	-
1994-----	15	-	-	-	-	4	8	1	-	1	1	-	-
1993-----	5	-	-	-	-	3	1	1	-	-	-	-	-
1992-----	12	-	-	-	-	1	4	5	-	1	-	-	1
1991-----	12	-	-	-	1	4	3	4	-	-	-	-	-
1990-----	19	-	-	-	-	7	7	4	1	-	-	-	-
1989-----	9	-	-	-	-	3	3	2	-	-	1	-	-
1988-----	20	-	1	-	1	3	14	-	1	-	-	-	-
1987-----	39	1	2	-	1	13	13	5	3	-	-	1	-
BLACK MALE													
1998-----	5	-	-	-	-	1	3	1	-	-	-	-	-
1997-----	2	-	-	-	-	-	1	-	-	1	-	-	-
1996-----	-	-	-	-	-	-	-	-	-	-	-	-	-
1995-----	2	-	-	-	-	1	1	-	-	-	-	-	-
1994-----	14	-	-	-	-	3	8	1	-	1	1	-	-
1993-----	4	-	-	-	-	2	1	1	-	-	-	-	-
1992-----	11	-	-	-	-	1	4	4	-	1	-	-	1
1991-----	11	-	-	-	1	3	3	4	-	-	-	-	-
1990-----	11	-	-	-	-	5	3	3	-	-	-	-	-
1989-----	8	-	-	-	-	2	3	2	-	-	1	-	-
1988-----	13	-	-	-	-	2	10	-	1	-	-	-	-
1987-----	31	-	2	-	1	9	11	4	3	-	-	1	-
BLACK FEMALE													
1998-----	-	-	-	-	-	-	-	-	-	-	-	-	-
1997-----	1	-	-	-	-	-	1	-	-	-	-	-	-
1996-----	1	-	-	-	-	-	1	-	-	-	-	-	-
1995-----	2	-	-	-	-	-	1	1	-	-	-	-	-
1994-----	1	-	-	-	-	1	-	-	-	-	-	-	-
1993-----	1	-	-	-	-	1	-	-	-	-	-	-	-
1992-----	1	-	-	-	-	-	-	1	-	-	-	-	-
1991-----	1	-	-	-	-	1	-	-	-	-	-	-	-
1990-----	8	-	-	-	-	2	4	1	1	-	-	-	-
1989-----	1	-	-	-	-	1	-	-	-	-	-	-	-
1988-----	7	-	1	-	1	1	4	-	-	-	-	-	-
1987-----	8	1	-	-	-	4	2	1	-	-	-	-	-

(NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS INTRODUCED IN THE UNITED STATES IN 1987; SEE TECHNICAL APPENDIX)

CAUSE OF DEATH, RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	NOT STATED
OTHER HUMAN IMMUNODEFICIENCY INFECTION (*044)													
TOTAL, BOTH SEXES													
1998-----	852	4	7	6	7	188	325	202	80	26	5	2	-
1997-----	896	1	6	7	15	198	364	205	68	16	13	2	1
1996-----	1,197	6	8	16	17	270	490	275	78	31	4	-	2
1995-----	1,416	5	20	17	23	361	617	264	73	29	7	-	-
1994-----	1,488	13	16	14	21	404	631	272	86	26	3	2	-
1993-----	1,316	10	14	26	19	374	545	223	74	22	7	2	-
1992-----	1,159	17	25	5	26	345	465	168	71	30	6	1	-
1991-----	989	11	20	13	27	291	398	143	51	24	10	1	-
1990-----	664	12	5	8	12	203	277	89	38	16	3	1	-
1989-----	454	6	12	5	13	145	162	68	25	14	4	-	-
1988-----	222	4	16	6	7	66	68	26	17	9	2	1	-
1987-----	139	6	9	2	2	44	41	12	13	4	6	-	-
TOTAL, MALE													
1998-----	629	2	2	1	3	119	249	168	59	21	4	1	-
1997-----	655	-	3	2	8	144	271	152	56	10	7	1	1
1996-----	940	4	5	8	6	206	390	230	62	24	3	-	2
1995-----	1,167	3	9	9	17	282	518	242	60	23	4	-	-
1994-----	1,229	8	9	9	17	321	532	237	72	19	3	2	-
1993-----	1,064	6	5	10	14	307	447	187	64	18	5	1	-
1992-----	935	4	10	3	19	291	378	145	56	23	5	1	-
1991-----	789	7	11	7	19	225	330	124	44	17	5	-	-
1990-----	561	6	1	2	4	186	229	82	33	14	3	1	-
1989-----	375	2	8	4	9	121	134	62	22	9	4	-	-
1988-----	177	3	6	1	6	57	59	24	14	5	1	1	-
1987-----	108	3	2	1	2	36	36	11	11	2	4	-	-
TOTAL, FEMALE													
1998-----	223	2	5	5	4	69	76	34	21	5	1	1	-
1997-----	241	1	3	5	7	54	93	53	12	6	6	1	-
1996-----	257	2	3	8	11	64	100	45	16	7	1	-	-
1995-----	249	2	11	8	6	79	99	22	13	6	3	-	-
1994-----	259	5	7	5	4	83	99	35	14	7	-	-	-
1993-----	252	4	9	16	5	67	98	36	10	4	2	1	-
1992-----	224	13	15	2	7	54	87	23	15	7	1	-	-
1991-----	200	4	9	6	8	66	68	19	7	7	5	1	-
1990-----	103	6	4	6	8	17	48	7	5	2	-	-	-
1989-----	79	4	4	1	4	24	28	6	3	5	-	-	-
1988-----	45	1	10	5	1	9	9	2	3	4	1	-	-
1987-----	31	3	7	1	-	8	5	1	2	2	2	-	-

(NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS INTRODUCED IN THE UNITED STATES IN 1987; SEE TECHNICAL APPENDIX)

CAUSE OF DEATH, RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	NOT STATED
OTHER HUMAN IMMUNODEFICIENCY INFECTION (*044)													
WHITE, BOTH SEXES													
1998-----	323	-	2	1	3	60	139	78	26	11	2	1	-
1997-----	358	-	2	1	6	88	150	76	23	6	5	-	1
1996-----	541	2	2	4	4	122	239	119	36	12	1	-	-
1995-----	687	2	10	6	9	193	296	126	27	16	2	-	-
1994-----	748	3	4	6	9	193	330	143	43	15	1	1	-
1993-----	673	3	4	11	7	200	283	111	39	10	3	2	-
1992-----	620	7	11	4	11	192	245	89	36	19	5	1	-
1991-----	551	1	4	6	16	167	211	86	33	17	9	1	-
1990-----	358	1	1	2	5	119	143	49	27	8	3	-	-
1989-----	273	3	1	2	5	92	98	43	15	11	3	-	-
1988-----	122	3	5	2	3	29	40	18	13	6	2	1	-
1987-----	96	3	4	1	2	32	28	8	9	3	6	-	-
WHITE MALE													
1998-----	273	-	1	-	3	50	117	68	22	10	1	1	-
1997-----	287	-	2	-	5	72	118	63	20	5	1	-	1
1996-----	467	1	1	3	2	103	211	106	30	9	1	-	-
1995-----	597	-	3	4	8	169	259	119	20	15	-	-	-
1994-----	658	1	4	5	9	160	291	136	39	11	1	1	-
1993-----	585	1	2	5	5	177	242	105	37	7	3	1	-
1992-----	539	2	4	2	9	171	220	81	30	15	4	1	-
1991-----	468	-	3	2	13	140	186	78	29	12	5	-	-
1990-----	321	-	-	-	1	115	126	45	24	7	3	-	-
1989-----	230	2	-	1	2	78	88	38	12	6	3	-	-
1988-----	110	2	3	1	3	26	39	17	12	5	1	1	-
1987-----	84	2	1	1	2	29	27	7	9	2	4	-	-
WHITE FEMALE													
1998-----	50	-	1	1	-	10	22	10	4	1	1	-	-
1997-----	71	-	-	1	1	16	32	13	3	1	4	-	-
1996-----	74	1	1	1	2	19	28	13	6	3	-	-	-
1995-----	90	2	7	2	1	24	37	7	7	1	2	-	-
1994-----	90	2	-	1	-	33	39	7	4	4	-	-	-
1993-----	88	2	2	6	2	23	41	6	2	3	-	1	-
1992-----	81	5	7	2	2	21	25	8	6	4	1	-	-
1991-----	83	1	1	4	3	27	25	8	4	5	4	1	-
1990-----	37	1	1	2	4	4	17	4	3	1	-	-	-
1989-----	43	1	1	1	3	14	10	5	3	5	-	-	-
1988-----	12	1	2	1	-	3	1	1	1	1	1	-	-
1987-----	12	1	3	-	-	3	1	1	-	1	2	-	-

(NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS INTRODUCED IN THE UNITED STATES IN 1987; SEE TECHNICAL APPENDIX)

CAUSE OF DEATH, RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	NOT STATED
OTHER HUMAN IMMUNODEFICIENCY INFECTION (*044)													
ALL OTHER, BOTH SEXES													
1998-----	529	4	5	5	4	128	186	124	54	15	3	1	-
1997-----	538	1	4	6	9	110	214	129	45	10	8	2	-
1996-----	656	4	6	12	13	148	251	156	42	19	3	-	2
1995-----	729	3	10	11	14	168	321	138	46	13	5	-	-
1994-----	740	10	12	8	12	211	301	129	43	11	2	1	-
1993-----	643	7	10	15	12	174	262	112	35	12	4	-	-
1992-----	539	10	14	1	15	153	220	79	35	11	1	-	-
1991-----	438	10	16	7	11	124	187	57	18	7	1	-	-
1990-----	306	11	4	6	7	84	134	40	11	8	-	1	-
1989-----	181	3	11	3	8	53	64	25	10	3	1	-	-
1988-----	100	1	11	4	4	37	28	8	4	3	-	-	-
1987-----	43	3	5	1	-	12	13	4	4	1	-	-	-
ALL OTHER MALE													
1998-----	356	2	1	1	-	69	132	100	37	11	3	-	-
1997-----	368	-	1	2	3	72	153	89	36	5	6	1	-
1996-----	473	3	4	5	4	103	179	124	32	15	2	-	2
1995-----	570	3	6	5	9	113	259	123	40	8	4	-	-
1994-----	571	7	5	4	8	161	241	101	33	8	2	1	-
1993-----	479	5	3	5	9	130	205	82	27	11	2	-	-
1992-----	396	2	6	1	10	120	158	64	26	8	1	-	-
1991-----	321	7	8	5	6	85	144	46	15	5	-	-	-
1990-----	240	6	1	2	3	71	103	37	9	7	-	1	-
1989-----	145	-	8	3	7	43	46	24	10	3	1	-	-
1988-----	67	1	3	-	3	31	20	7	2	-	-	-	-
1987-----	24	1	1	-	-	7	9	4	2	-	-	-	-
ALL OTHER FEMALE													
1998-----	173	2	4	4	4	59	54	24	17	4	-	1	-
1997-----	170	1	3	4	6	38	61	40	9	5	2	1	-
1996-----	183	1	2	7	9	45	72	32	10	4	1	-	-
1995-----	159	-	4	6	5	55	62	15	6	5	1	-	-
1994-----	169	3	7	4	4	50	60	28	10	3	-	-	-
1993-----	164	2	7	10	3	44	57	30	8	1	2	-	-
1992-----	143	8	8	-	5	33	62	15	9	3	-	-	-
1991-----	117	3	8	2	5	39	43	11	3	2	1	-	-
1990-----	66	5	3	4	4	13	31	3	2	1	-	-	-
1989-----	36	3	3	-	1	10	18	1	-	-	-	-	-
1988-----	33	-	8	4	1	6	8	1	2	3	-	-	-
1987-----	19	2	4	1	-	5	4	-	2	1	-	-	-

(NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS INTRODUCED IN THE UNITED STATES IN 1987; SEE TECHNICAL APPENDIX)

CAUSE OF DEATH, RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	NOT STATED
OTHER HUMAN IMMUNODEFICIENCY INFECTION (*044)													
BLACK, BOTH SEXES													
1998-----	522	4	5	5	3	126	185	124	52	14	3	1	-
1997-----	530	1	4	5	9	107	212	128	45	9	8	2	-
1996-----	648	4	6	12	13	148	246	153	42	19	3	-	2
1995-----	719	3	10	11	14	166	316	136	46	13	4	-	-
1994-----	733	10	12	8	12	207	298	129	43	11	2	1	-
1993-----	631	7	10	15	12	170	257	111	33	12	4	-	-
1992-----	530	10	14	1	15	150	216	77	35	11	1	-	-
1991-----	429	10	16	7	11	120	184	56	17	7	1	-	-
1990-----	304	11	4	6	7	83	133	40	11	8	-	1	-
1989-----	179	3	11	3	7	53	63	25	10	3	1	-	-
1988-----	99	1	11	4	4	36	28	8	4	3	-	-	-
1987-----	42	3	5	1	-	12	12	4	4	1	-	-	-
BLACK MALE													
1998-----	351	2	1	1	-	67	131	100	36	10	3	-	-
1997-----	364	-	1	2	3	70	151	89	36	5	6	1	-
1996-----	465	3	4	5	4	103	174	121	32	15	2	-	2
1995-----	562	3	6	5	9	111	255	121	40	8	4	-	-
1994-----	565	7	5	4	8	158	238	101	33	8	2	1	-
1993-----	471	5	3	5	9	127	202	81	26	11	2	-	-
1992-----	389	2	6	1	10	117	155	63	26	8	1	-	-
1991-----	317	7	8	5	6	84	142	45	15	5	-	-	-
1990-----	238	6	1	2	3	70	102	37	9	7	-	1	-
1989-----	143	-	8	3	6	43	45	24	10	3	1	-	-
1988-----	66	1	3	-	3	30	20	7	2	-	-	-	-
1987-----	24	1	1	-	-	7	9	4	2	-	-	-	-
BLACK FEMALE													
1998-----	171	2	4	4	3	59	54	24	16	4	-	1	-
1997-----	166	1	3	3	6	37	61	39	9	4	2	1	-
1996-----	183	1	2	7	9	45	72	32	10	4	1	-	-
1995-----	157	-	4	6	5	55	61	15	6	5	-	-	-
1994-----	168	3	7	4	4	49	60	28	10	3	-	-	-
1993-----	160	2	7	10	3	43	55	30	7	1	2	-	-
1992-----	141	8	8	-	5	33	61	14	9	3	-	-	-
1991-----	112	3	8	2	5	36	42	11	2	2	1	-	-
1990-----	66	5	3	4	4	13	31	3	2	1	-	-	-
1989-----	36	3	3	-	1	10	18	1	-	-	-	-	-
1988-----	33	-	8	4	1	6	8	1	2	3	-	-	-
1987-----	18	2	4	1	-	5	3	-	2	1	-	-	-

(NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS INTRODUCED IN THE UNITED STATES IN 1987; SEE TECHNICAL APPENDIX)

CAUSE OF DEATH, RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	NOT STATED
HUMAN IMMUNODEFICIENCY VIRUS INFECTION, UNSPECIFIED (*044.9)													
TOTAL, BOTH SEXES													
1998-----	851	4	7	6	7	188	324	202	80	26	5	2	-
1997-----	896	1	6	7	15	198	364	205	68	16	13	2	1
1996-----	1,195	6	8	16	17	270	488	275	78	31	4	-	2
1995-----	1,416	5	20	17	23	361	617	264	73	29	7	-	-
1994-----	1,485	13	16	14	21	403	629	272	86	26	3	2	-
1993-----	1,315	10	14	26	19	373	545	223	74	22	7	2	-
1992-----	1,159	17	25	5	26	345	465	168	71	30	6	1	-
1991-----	986	11	20	13	27	290	397	143	51	23	10	1	-
1990-----	664	12	5	8	12	203	277	89	38	16	3	1	-
1989-----	454	6	12	5	13	145	162	68	25	14	4	-	-
1988-----	222	4	16	6	7	66	68	26	17	9	2	1	-
1987-----	139	6	9	2	2	44	41	12	13	4	6	-	-
TOTAL, MALE													
1998-----	629	2	2	1	3	119	249	168	59	21	4	1	-
1997-----	655	-	3	2	8	144	271	152	56	10	7	1	1
1996-----	938	4	5	8	6	206	388	230	62	24	3	-	2
1995-----	1,167	3	9	9	17	282	518	242	60	23	4	-	-
1994-----	1,228	8	9	9	17	320	532	237	72	19	3	2	-
1993-----	1,063	6	5	10	14	306	447	187	64	18	5	1	-
1992-----	935	4	10	3	19	291	378	145	56	23	5	1	-
1991-----	786	7	11	7	19	224	329	124	44	16	5	-	-
1990-----	561	6	1	2	4	186	229	82	33	14	3	1	-
1989-----	375	2	8	4	9	121	134	62	22	9	4	-	-
1988-----	177	3	6	1	6	57	59	24	14	5	1	1	-
1987-----	108	3	2	1	2	36	36	11	11	2	4	-	-
TOTAL, FEMALE													
1998-----	222	2	5	5	4	69	75	34	21	5	1	1	-
1997-----	241	1	3	5	7	54	93	53	12	6	6	1	-
1996-----	257	2	3	8	11	64	100	45	16	7	1	-	-
1995-----	249	2	11	8	6	79	99	22	13	6	3	-	-
1994-----	257	5	7	5	4	83	97	35	14	7	-	-	-
1993-----	252	4	9	16	5	67	98	36	10	4	2	1	-
1992-----	224	13	15	2	7	54	87	23	15	7	1	-	-
1991-----	200	4	9	6	8	66	68	19	7	7	5	1	-
1990-----	103	6	4	6	8	17	48	7	5	2	-	-	-
1989-----	79	4	4	1	4	24	28	6	3	5	-	-	-
1988-----	45	1	10	5	1	9	9	2	3	4	1	-	-
1987-----	31	3	7	1	-	8	5	1	2	2	2	-	-

(NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS INTRODUCED IN THE UNITED STATES IN 1987; SEE TECHNICAL APPENDIX)

CAUSE OF DEATH, RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	NOT STATED
HUMAN IMMUNODEFICIENCY VIRUS INFECTION, UNSPECIFIED (*044.9)													
WHITE, BOTH SEXES													
1998-----	323	-	2	1	3	60	139	78	26	11	2	1	-
1997-----	358	-	2	1	6	88	150	76	23	6	5	-	1
1996-----	541	2	2	4	4	122	239	119	36	12	1	-	-
1995-----	687	2	10	6	9	193	296	126	27	16	2	-	-
1994-----	745	3	4	6	9	192	328	143	43	15	1	1	-
1993-----	672	3	4	11	7	199	283	111	39	10	3	2	-
1992-----	620	7	11	4	11	192	245	89	36	19	5	1	-
1991-----	551	1	4	6	16	167	211	86	33	17	9	1	-
1990-----	358	1	1	2	5	119	143	49	27	8	3	-	-
1989-----	273	3	1	2	5	92	98	43	15	11	3	-	-
1988-----	122	3	5	2	3	29	40	18	13	6	2	1	-
1987-----	96	3	4	1	2	32	28	8	9	3	6	-	-
WHITE MALE													
1998-----	273	-	1	-	3	50	117	68	22	10	1	1	-
1997-----	287	-	2	-	5	72	118	63	20	5	1	-	1
1996-----	467	1	1	3	2	103	211	106	30	9	1	-	-
1995-----	597	-	3	4	8	169	259	119	20	15	-	-	-
1994-----	657	1	4	5	9	159	291	136	39	11	1	1	-
1993-----	584	1	2	5	5	176	242	105	37	7	3	1	-
1992-----	539	2	4	2	9	171	220	81	30	15	4	1	-
1991-----	468	-	3	2	13	140	186	78	29	12	5	-	-
1990-----	321	-	-	-	1	115	126	45	24	7	3	-	-
1989-----	230	2	-	1	2	78	88	38	12	6	3	-	-
1988-----	110	2	3	1	3	26	39	17	12	5	1	1	-
1987-----	84	2	1	1	2	29	27	7	9	2	4	-	-
WHITE FEMALE													
1998-----	50	-	1	1	-	10	22	10	4	1	1	-	-
1997-----	71	-	-	1	1	16	32	13	3	1	4	-	-
1996-----	74	1	1	1	2	19	28	13	6	3	-	-	-
1995-----	90	2	7	2	1	24	37	7	7	1	2	-	-
1994-----	88	2	-	1	-	33	37	7	4	4	-	-	-
1993-----	88	2	2	6	2	23	41	6	2	3	-	1	-
1992-----	81	5	7	2	2	21	25	8	6	4	1	-	-
1991-----	83	1	1	4	3	27	25	8	4	5	4	1	-
1990-----	37	1	1	2	4	4	17	4	3	1	-	-	-
1989-----	43	1	1	1	3	14	10	5	3	5	-	-	-
1988-----	12	1	2	1	-	3	1	1	1	1	1	-	-
1987-----	12	1	3	-	-	3	1	1	-	1	2	-	-

(NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS INTRODUCED IN THE UNITED STATES IN 1987; SEE TECHNICAL APPENDIX)

CAUSE OF DEATH, RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	NOT STATED
HUMAN IMMUNODEFICIENCY VIRUS INFECTION, UNSPECIFIED (*044.9)													
ALL OTHER, BOTH SEXES													
1998-----	528	4	5	5	4	128	185	124	54	15	3	1	-
1997-----	538	1	4	6	9	110	214	129	45	10	8	2	-
1996-----	654	4	6	12	13	148	249	156	42	19	3	-	2
1995-----	729	3	10	11	14	168	321	138	46	13	5	-	-
1994-----	740	10	12	8	12	211	301	129	43	11	2	1	-
1993-----	643	7	10	15	12	174	262	112	35	12	4	-	-
1992-----	539	10	14	1	15	153	220	79	35	11	1	-	-
1991-----	435	10	16	7	11	123	186	57	18	6	1	-	-
1990-----	306	11	4	6	7	84	134	40	11	8	-	1	-
1989-----	181	3	11	3	8	53	64	25	10	3	1	-	-
1988-----	100	1	11	4	4	37	28	8	4	3	-	-	-
1987-----	43	3	5	1	-	12	13	4	4	1	-	-	-
ALL OTHER MALE													
1998-----	356	2	1	1	-	69	132	100	37	11	3	-	-
1997-----	368	-	1	2	3	72	153	89	36	5	6	1	-
1996-----	471	3	4	5	4	103	177	124	32	15	2	-	2
1995-----	570	3	6	5	9	113	259	123	40	8	4	-	-
1994-----	571	7	5	4	8	161	241	101	33	8	2	1	-
1993-----	479	5	3	5	9	130	205	82	27	11	2	-	-
1992-----	396	2	6	1	10	120	158	64	26	8	1	-	-
1991-----	318	7	8	5	6	84	143	46	15	4	-	-	-
1990-----	240	6	1	2	3	71	103	37	9	7	-	1	-
1989-----	145	-	8	3	7	43	46	24	10	3	1	-	-
1988-----	67	1	3	-	3	31	20	7	2	-	-	-	-
1987-----	24	1	1	-	-	7	9	4	2	-	-	-	-
ALL OTHER FEMALE													
1998-----	172	2	4	4	4	59	53	24	17	4	-	1	-
1997-----	170	1	3	4	6	38	61	40	9	5	2	1	-
1996-----	183	1	2	7	9	45	72	32	10	4	1	-	-
1995-----	159	-	4	6	5	55	62	15	6	5	1	-	-
1994-----	169	3	7	4	4	50	60	28	10	3	-	-	-
1993-----	164	2	7	10	3	44	57	30	8	1	2	-	-
1992-----	143	8	8	-	5	33	62	15	9	3	-	-	-
1991-----	117	3	8	2	5	39	43	11	3	2	1	-	-
1990-----	66	5	3	4	4	13	31	3	2	1	-	-	-
1989-----	36	3	3	-	1	10	18	1	-	-	-	-	-
1988-----	33	-	8	4	1	6	8	1	2	3	-	-	-
1987-----	19	2	4	1	-	5	4	-	2	1	-	-	-

(NUMBERS AFTER CAUSES OF DEATH ARE CATEGORY NUMBERS INTRODUCED IN THE UNITED STATES IN 1987; SEE TECHNICAL APPENDIX)

CAUSE OF DEATH, RACE, SEX, AND YEAR	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	NOT STATED
HUMAN IMMUNODEFICIENCY VIRUS INFECTION, UNSPECIFIED (*044.9)													
BLACK, BOTH SEXES													
1998-----	521	4	5	5	3	126	184	124	52	14	3	1	-
1997-----	530	1	4	5	9	107	212	128	45	9	8	2	-
1996-----	646	4	6	12	13	148	244	153	42	19	3	-	2
1995-----	719	3	10	11	14	166	316	136	46	13	4	-	-
1994-----	733	10	12	8	12	207	298	129	43	11	2	1	-
1993-----	631	7	10	15	12	170	257	111	33	12	4	-	-
1992-----	530	10	14	1	15	150	216	77	35	11	1	-	-
1991-----	426	10	16	7	11	119	183	56	17	6	1	-	-
1990-----	304	11	4	6	7	83	133	40	11	8	-	1	-
1989-----	179	3	11	3	7	53	63	25	10	3	1	-	-
1988-----	99	1	11	4	4	36	28	8	4	3	-	-	-
1987-----	42	3	5	1	-	12	12	4	4	1	-	-	-
BLACK MALE													
1998-----	351	2	1	1	-	67	131	100	36	10	3	-	-
1997-----	364	-	1	2	3	70	151	89	36	5	6	1	-
1996-----	463	3	4	5	4	103	172	121	32	15	2	-	2
1995-----	562	3	6	5	9	111	255	121	40	8	4	-	-
1994-----	565	7	5	4	8	158	238	101	33	8	2	1	-
1993-----	471	5	3	5	9	127	202	81	26	11	2	-	-
1992-----	389	2	6	1	10	117	155	63	26	8	1	-	-
1991-----	314	7	8	5	6	83	141	45	15	4	-	-	-
1990-----	238	6	1	2	3	70	102	37	9	7	-	1	-
1989-----	143	-	8	3	6	43	45	24	10	3	1	-	-
1988-----	66	1	3	-	3	30	20	7	2	-	-	-	-
1987-----	24	1	1	-	-	7	9	4	2	-	-	-	-
BLACK FEMALE													
1998-----	170	2	4	4	3	59	53	24	16	4	-	1	-
1997-----	166	1	3	3	6	37	61	39	9	4	2	1	-
1996-----	183	1	2	7	9	45	72	32	10	4	1	-	-
1995-----	157	-	4	6	5	55	61	15	6	5	-	-	-
1994-----	168	3	7	4	4	49	60	28	10	3	-	-	-
1993-----	160	2	7	10	3	43	55	30	7	1	2	-	-
1992-----	141	8	8	-	5	33	61	14	9	3	-	-	-
1991-----	112	3	8	2	5	36	42	11	2	2	1	-	-
1990-----	66	5	3	4	4	13	31	3	2	1	-	-	-
1989-----	36	3	3	-	1	10	18	1	-	-	-	-	-
1988-----	33	-	8	4	1	6	8	1	2	3	-	-	-
1987-----	18	2	4	1	-	5	3	-	2	1	-	-	-