

00/03/28	TABLE 290A. DEATHS FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98													PAGE 1
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.	
ALL CAUSES														
TOTAL, BOTH SEXES														
1998.....	2,337,256	28,371	5,251	7,791	30,627	42,516	88,866	146,479	233,724	458,982	681,663	612,575	411	
1997.....	2,314,245	28,045	5,501	8,061	31,544	45,538	89,408	144,882	231,993	464,274	670,530	594,068	401	
1996.....	2,314,690	28,487	5,948	8,330	32,443	51,147	96,033	144,329	233,725	473,894	663,290	576,541	523	
1995.....	2,312,132	29,583	6,393	8,596	34,244	57,745	102,270	143,000	235,512	480,890	652,177	561,259	463	
1994.....	2,278,994	31,710	6,800	8,464	35,241	59,273	99,503	137,897	237,119	483,669	640,214	538,690	414	
1993.....	2,268,553	33,466	7,066	8,658	35,483	59,645	96,038	131,815	241,581	487,819	638,038	528,437	507	
1992.....	2,175,613	34,628	6,764	8,193	34,548	58,481	91,290	125,030	240,991	477,916	609,852	487,446	474	
1991.....	2,169,518	36,766	7,214	8,479	36,452	59,628	88,122	120,676	248,078	478,636	607,490	477,401	576	
1990.....	2,148,463	38,351	6,931	8,436	36,733	60,091	83,562	118,608	252,696	477,949	601,439	463,105	562	
1989.....	2,150,466	39,655	7,292	8,914	36,488	60,524	80,919	118,266	260,058	481,224	599,206	457,358	562	
1988.....	2,167,999	38,910	7,429	8,925	38,167	59,137	77,454	117,472	269,749	488,545	601,914	459,710	587	
1987.....	2,123,323	38,408	7,473	8,743	38,023	57,701	73,463	115,920	273,324	486,103	584,335	439,248	582	
1986.....	2,105,361	38,891	7,480	8,788	39,929	56,530	70,393	115,161	279,029	485,539	575,149	427,473	999	
1985.....	2,086,440	40,030	7,339	8,933	37,935	51,852	65,815	116,634	286,480	482,646	568,848	419,051	877	
1984.....	2,039,369	39,580	7,372	9,076	38,817	49,928	62,556	117,213	287,355	476,570	550,912	399,466	524	
1983.....	2,019,201	40,627	7,801	9,143	39,082	48,782	59,349	119,893	288,940	474,380	541,218	389,363	623	
1982.....	1,974,797	42,401	7,910	9,625	41,971	49,310	58,305	123,089	287,014	465,820	521,959	366,727	666	
1981.....	1,977,981	43,305	8,046	10,078	45,109	51,253	58,538	129,233	290,009	464,648	514,649	362,499	614	
1980.....	1,989,841	45,526	8,187	10,689	49,027	50,240	58,418	133,157	292,181	466,621	517,257	357,970	568	
1979.....	1,913,841	45,665	8,108	11,146	48,719	47,941	57,723	135,265	286,966	449,255	493,676	328,725	652	

00/03/28 TABLE 290A. DEATHS FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 2
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS N.S.
 ALL CAUSES

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
TOTAL, MALE													
1998.....	1,157,260	15,786	2,920	4,686	22,717	29,215	57,139	91,727	140,134	259,343	334,212	199,057	324
1997.....	1,154,039	15,788	3,121	4,763	23,312	31,707	58,141	90,587	138,876	263,875	329,391	194,161	317
1996.....	1,163,569	15,965	3,349	5,003	24,313	36,070	64,304	90,871	141,170	269,173	325,259	187,719	373
1995.....	1,172,959	16,622	3,609	5,219	25,777	41,826	70,131	90,922	142,290	274,001	319,408	182,823	331
1994.....	1,162,747	17,814	3,841	5,182	26,758	43,180	68,744	87,459	144,188	276,239	312,929	176,102	311
1993.....	1,161,797	18,959	3,992	5,207	26,906	43,687	66,395	83,448	146,906	279,606	313,559	172,778	354
1992.....	1,122,336	19,545	3,809	5,080	26,207	42,895	62,995	79,271	146,880	274,165	299,897	161,236	356
1991.....	1,121,665	21,008	4,045	5,272	27,549	43,709	60,552	76,028	151,436	275,856	298,950	156,823	437
1990.....	1,113,417	21,856	3,969	5,127	27,873	44,057	57,462	74,654	154,646	276,067	295,406	151,897	403
1989.....	1,114,190	22,361	4,110	5,424	27,165	44,154	55,328	74,823	159,609	278,406	292,670	149,735	405
1988.....	1,125,540	22,007	4,221	5,481	28,531	42,985	52,434	73,915	165,368	283,901	294,721	151,559	417
1987.....	1,107,958	21,798	4,261	5,579	28,231	41,733	49,349	72,857	168,402	283,057	286,951	145,331	409
1986.....	1,104,005	22,224	4,262	5,503	29,834	41,226	46,923	72,339	172,331	283,046	282,831	142,953	533
1985.....	1,097,758	22,958	4,241	5,485	28,162	37,354	43,494	73,320	177,711	283,017	279,872	141,653	491
1984.....	1,076,514	22,359	4,142	5,585	28,660	35,767	40,587	73,831	178,616	279,378	270,437	136,799	353
1983.....	1,071,923	22,969	4,512	5,655	28,847	34,848	38,388	75,398	179,808	279,674	266,761	134,651	412
1982.....	1,056,440	24,073	4,448	5,923	31,376	35,362	37,655	78,007	179,322	275,358	255,937	128,564	415
1981.....	1,063,772	24,452	4,600	6,256	33,695	36,739	37,905	81,870	181,885	275,550	252,521	127,874	425
1980.....	1,075,078	25,804	4,761	6,560	36,903	36,040	37,612	84,472	184,262	277,371	252,765	128,134	394
1979.....	1,044,959	25,980	4,591	6,942	36,601	34,346	37,057	86,203	182,288	269,171	242,316	119,006	458

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR ALL CAUSES	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
TOTAL, FEMALE													
1998.....	1,179,996	12,585	2,331	3,105	7,910	13,301	31,727	54,752	93,590	199,639	347,451	413,518	87
1997.....	1,160,206	12,257	2,380	3,298	8,232	13,831	31,267	54,295	93,117	200,399	341,139	399,907	84
1996.....	1,151,121	12,522	2,599	3,327	8,130	15,077	31,729	53,458	92,555	204,721	338,031	388,822	150
1995.....	1,139,173	12,961	2,784	3,377	8,467	15,919	32,139	52,078	93,222	206,889	332,769	378,436	132
1994.....	1,116,247	13,896	2,959	3,282	8,483	16,093	30,759	50,438	92,931	207,430	327,285	362,588	103
1993.....	1,106,756	14,507	3,074	3,451	8,577	15,958	29,643	48,367	94,675	208,213	324,479	355,659	153
1992.....	1,053,277	15,083	2,955	3,113	8,341	15,586	28,295	45,759	94,111	203,751	309,955	326,210	118
1991.....	1,047,853	15,758	3,169	3,207	8,903	15,919	27,570	44,648	96,642	202,780	308,540	320,578	139
1990.....	1,035,046	16,495	2,962	3,309	8,860	16,034	26,100	43,954	98,050	201,882	306,033	311,208	159
1989.....	1,036,276	17,294	3,182	3,490	9,323	16,370	25,591	43,443	100,449	202,818	306,536	307,623	157
1988.....	1,042,459	16,903	3,208	3,444	9,636	16,152	25,020	43,557	104,381	204,644	307,193	308,151	170
1987.....	1,015,365	16,610	3,212	3,164	9,792	15,968	24,114	43,063	104,922	203,046	297,384	293,917	173
1986.....	1,001,356	16,667	3,218	3,285	10,095	15,304	23,470	42,822	106,698	202,493	292,318	284,520	466
1985.....	988,682	17,072	3,098	3,448	9,773	14,498	22,321	43,314	108,769	199,629	288,976	277,398	386
1984.....	962,855	17,221	3,230	3,491	10,157	14,161	21,969	43,382	108,739	197,192	280,475	262,667	171
1983.....	947,278	17,658	3,289	3,488	10,235	13,934	20,961	44,495	109,132	194,706	274,457	254,712	211
1982.....	918,357	18,328	3,462	3,702	10,595	13,948	20,650	45,082	107,692	190,462	266,022	238,163	251
1981.....	914,209	18,853	3,446	3,822	11,414	14,514	20,633	47,363	108,124	189,098	262,128	234,625	189
1980.....	914,763	19,722	3,426	4,129	12,124	14,200	20,806	48,685	107,919	189,250	264,492	229,836	174
1979.....	868,882	19,685	3,517	4,204	12,118	13,595	20,666	49,062	104,678	180,084	251,360	209,719	194

00/03/28	TABLE 290A. DEATHS FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98													PAGE 4
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.	
ALL CAUSES														
WHITE, BOTH SEXES														
1998.....	2,015,984	18,561	3,628	5,613	22,296	30,080	65,347	112,156	189,312	394,664	612,181	561,836	310	
1997.....	1,996,393	18,539	3,849	5,806	22,567	32,260	65,155	111,404	187,847	399,798	603,603	545,264	301	
1996.....	1,992,966	18,761	4,041	6,045	22,943	35,846	68,898	110,879	190,141	408,874	596,418	529,736	384	
1995.....	1,987,437	19,490	4,366	6,249	24,185	40,572	73,239	109,784	191,616	415,324	586,404	515,856	352	
1994.....	1,959,875	20,504	4,583	6,084	24,517	41,440	71,073	106,227	194,316	418,752	576,000	496,083	296	
1993.....	1,951,437	21,497	4,793	6,310	24,496	42,048	68,796	101,870	198,236	422,819	574,022	486,211	339	
1992.....	1,873,781	22,164	4,685	5,989	24,341	41,501	66,013	97,140	197,963	414,905	549,745	448,984	351	
1991.....	1,868,904	23,657	5,028	6,321	25,988	42,345	63,957	93,653	205,293	415,819	546,613	439,797	433	
1990.....	1,853,254	24,883	4,866	6,272	26,908	42,755	61,023	92,152	209,097	416,203	541,729	426,982	384	
1989.....	1,853,841	25,794	5,133	6,654	27,177	43,390	58,931	91,633	215,435	418,538	539,103	421,669	384	
1988.....	1,876,906	25,925	5,380	6,653	29,040	42,541	56,760	91,439	224,646	426,636	542,154	425,306	426	
1987.....	1,843,067	25,810	5,428	6,627	29,443	42,118	54,295	90,684	229,114	425,300	527,187	406,652	409	
1986.....	1,831,083	26,564	5,426	6,662	31,758	41,487	52,546	90,377	234,467	425,823	519,336	395,825	812	
1985.....	1,819,054	27,864	5,351	6,812	30,390	38,463	49,608	92,204	241,237	422,956	513,954	389,513	702	
1984.....	1,781,897	27,608	5,413	7,011	31,515	37,400	47,310	93,177	242,627	418,494	498,616	372,354	372	
1983.....	1,765,582	28,301	5,767	7,091	31,553	36,682	45,235	95,696	244,127	416,765	490,536	363,410	419	
1982.....	1,729,085	29,659	5,895	7,528	34,060	36,877	44,496	98,685	243,663	410,587	474,510	342,651	474	
1981.....	1,731,233	30,478	5,937	7,918	36,914	38,576	44,117	103,766	246,690	409,445	468,327	338,658	407	
1980.....	1,738,607	31,880	6,099	8,401	40,060	37,698	43,864	106,634	248,645	410,326	470,367	334,240	393	
1979.....	1,676,145	32,079	5,995	8,824	40,100	36,020	43,456	108,994	245,305	396,026	450,905	307,964	477	

00/03/28 TABLE 290A. DEATHS FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 5
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS N.S.
 ALL CAUSES

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR ALL CAUSES	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
WHITE MALE													
1998.....	990,190	10,327	2,010	3,353	16,379	20,987	42,967	70,912	114,411	225,304	301,593	181,696	251
1997.....	986,884	10,503	2,193	3,479	16,414	22,748	43,192	70,200	113,303	229,501	297,875	177,227	249
1996.....	991,984	10,561	2,335	3,621	16,989	25,671	47,062	70,359	115,688	234,310	293,662	171,449	277
1995.....	997,277	11,103	2,477	3,802	17,999	29,952	51,049	70,160	116,820	238,477	288,410	166,772	256
1994.....	988,823	11,544	2,606	3,722	18,321	30,748	50,000	67,702	119,328	240,904	282,619	161,104	225
1993.....	988,329	12,222	2,747	3,824	18,241	31,376	48,302	64,863	121,556	244,113	283,186	157,645	254
1992.....	956,957	12,625	2,690	3,698	18,136	31,035	46,416	62,024	122,036	239,700	270,906	147,419	272
1991.....	956,497	13,696	2,818	3,916	19,333	31,509	44,552	59,321	126,510	241,582	269,669	143,266	325
1990.....	950,812	14,371	2,784	3,820	20,208	31,831	42,434	58,290	129,313	242,167	266,510	138,807	277
1989.....	950,852	14,760	2,910	4,075	20,010	32,138	40,610	58,132	133,418	243,793	263,912	136,813	281
1988.....	965,419	14,878	3,073	4,137	21,622	31,354	38,739	57,813	139,051	249,661	265,737	139,042	312
1987.....	953,382	14,763	3,117	4,233	21,840	30,841	36,664	57,411	142,548	249,380	259,012	133,284	289
1986.....	952,554	15,284	3,119	4,189	23,763	30,711	35,206	57,221	146,145	249,926	255,423	131,147	420
1985.....	950,455	16,218	3,111	4,215	22,582	28,102	32,907	58,347	151,038	249,919	253,056	130,583	377
1984.....	934,529	15,805	3,070	4,327	23,374	27,104	30,846	59,125	152,066	247,154	245,060	126,344	254
1983.....	931,779	16,131	3,340	4,424	23,483	26,465	29,419	60,782	153,252	247,705	241,819	124,677	282
1982.....	919,239	16,965	3,337	4,651	25,612	26,660	28,830	63,110	153,614	244,362	232,737	119,069	292
1981.....	925,490	17,411	3,397	4,941	27,665	27,859	28,678	66,224	156,104	244,648	229,803	118,475	285
1980.....	933,878	18,290	3,573	5,176	30,257	27,303	28,344	68,306	158,172	246,004	229,619	118,549	285
1979.....	910,137	18,502	3,435	5,503	30,341	25,966	27,898	70,086	157,162	239,373	220,947	110,591	333

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR ALL CAUSES	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
WHITE FEMALE													
1998.....	1,025,794	8,234	1,618	2,260	5,917	9,093	22,380	41,244	74,901	169,360	310,588	380,140	59
1997.....	1,009,509	8,036	1,656	2,327	6,153	9,512	21,963	41,204	74,544	170,297	305,728	368,037	52
1996.....	1,000,982	8,200	1,706	2,424	5,954	10,175	21,836	40,520	74,453	174,564	302,756	358,287	107
1995.....	990,160	8,387	1,889	2,447	6,186	10,620	22,190	39,624	74,796	176,847	297,994	349,084	96
1994.....	971,052	8,960	1,977	2,362	6,196	10,692	21,073	38,525	74,988	177,848	293,381	334,979	71
1993.....	963,108	9,275	2,046	2,486	6,255	10,672	20,494	37,007	76,680	178,706	290,836	328,566	85
1992.....	916,824	9,539	1,995	2,291	6,205	10,466	19,597	35,116	75,927	175,205	278,839	301,565	79
1991.....	912,407	9,961	2,210	2,405	6,655	10,836	19,405	34,332	78,783	174,237	276,944	296,531	108
1990.....	902,442	10,512	2,082	2,452	6,700	10,924	18,589	33,862	79,784	174,036	275,219	288,175	107
1989.....	902,989	11,034	2,223	2,579	7,167	11,252	18,321	33,501	82,017	174,745	275,191	284,856	103
1988.....	911,487	11,047	2,307	2,516	7,418	11,187	18,021	33,626	85,595	176,975	276,417	286,264	114
1987.....	889,685	11,047	2,311	2,394	7,603	11,277	17,631	33,273	86,566	175,920	268,175	273,368	120
1986.....	878,529	11,280	2,307	2,473	7,995	10,776	17,340	33,156	88,322	175,897	263,913	264,678	392
1985.....	868,599	11,646	2,240	2,597	7,808	10,361	16,701	33,857	90,199	173,037	260,898	258,930	325
1984.....	847,368	11,803	2,343	2,684	8,141	10,296	16,464	34,052	90,561	171,340	253,556	246,010	118
1983.....	833,803	12,170	2,427	2,667	8,070	10,217	15,816	34,914	90,875	169,060	248,717	238,733	137
1982.....	809,846	12,694	2,558	2,877	8,448	10,217	15,666	35,575	90,049	166,225	241,773	223,582	182
1981.....	805,743	13,067	2,540	2,977	9,249	10,717	15,439	37,542	90,586	164,797	238,524	220,183	122
1980.....	804,729	13,590	2,526	3,225	9,803	10,395	15,520	38,328	90,473	164,322	240,748	215,691	108
1979.....	766,008	13,577	2,560	3,321	9,759	10,054	15,558	38,908	88,143	156,653	229,958	197,373	144

00/03/28	TABLE 290A. DEATHS FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98													PAGE	7
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.		
ALL CAUSES															
ALL OTHER, BOTH SEXES															
1998.....	321,272	9,810	1,623	2,178	8,331	12,436	23,519	34,323	44,412	64,318	69,482	50,739	101		
1997.....	317,852	9,506	1,652	2,255	8,977	13,278	24,253	33,478	44,146	64,476	66,927	48,804	100		
1996.....	321,724	9,726	1,907	2,285	9,500	15,301	27,135	33,450	43,584	65,020	66,872	46,805	139		
1995.....	324,695	10,093	2,027	2,347	10,059	17,173	29,031	33,216	43,896	65,566	65,773	45,403	111		
1994.....	319,119	11,206	2,217	2,380	10,724	17,833	28,430	31,670	42,803	64,917	64,214	42,607	118		
1993.....	317,116	11,969	2,273	2,348	10,987	17,597	27,242	29,945	43,345	65,000	64,016	42,226	168		
1992.....	301,832	12,464	2,079	2,204	10,207	16,980	25,277	27,890	43,028	63,011	60,107	38,462	123		
1991.....	300,614	13,109	2,186	2,158	10,464	17,283	24,165	27,023	42,785	62,817	60,877	37,604	143		
1990.....	295,209	13,468	2,065	2,164	9,825	17,336	22,539	26,456	43,599	61,746	59,710	36,123	178		
1989.....	296,625	13,861	2,159	2,260	9,311	17,134	21,988	26,633	44,623	62,686	60,103	35,689	178		
1988.....	291,093	12,985	2,049	2,272	9,127	16,596	20,694	26,033	45,103	61,909	59,760	34,404	161		
1987.....	280,256	12,598	2,045	2,116	8,580	15,583	19,168	25,236	44,210	60,803	57,148	32,596	173		
1986.....	274,278	12,327	2,054	2,126	8,171	15,043	17,847	24,784	44,562	59,716	55,813	31,648	187		
1985.....	267,386	12,166	1,988	2,121	7,545	13,389	16,207	24,430	45,243	59,690	54,894	29,538	175		
1984.....	257,472	11,972	1,959	2,065	7,302	12,528	15,246	24,036	44,728	58,076	52,296	27,112	152		
1983.....	253,619	12,326	2,034	2,052	7,529	12,100	14,114	24,197	44,813	57,615	50,682	25,953	204		
1982.....	245,712	12,742	2,015	2,097	7,911	12,433	13,809	24,404	43,351	55,233	47,449	24,076	192		
1981.....	246,748	12,827	2,109	2,160	8,195	12,677	14,421	25,467	43,319	55,203	46,322	23,841	207		
1980.....	251,234	13,646	2,088	2,288	8,967	12,542	14,554	26,523	43,536	56,295	46,890	23,730	175		
1979.....	237,696	13,586	2,113	2,322	8,619	11,921	14,267	26,271	41,661	53,229	42,771	20,761	175		

00/03/28	TABLE 290A. DEATHS FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98													PAGE	8
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR ALL CAUSES	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.		
ALL OTHER MALE															
1998.....	167,070	5,459	910	1,333	6,338	8,228	14,172	20,815	25,723	34,039	32,619	17,361	73		
1997.....	167,155	5,285	928	1,284	6,898	8,959	14,949	20,387	25,573	34,374	31,516	16,934	68		
1996.....	171,585	5,404	1,014	1,382	7,324	10,399	17,242	20,512	25,482	34,863	31,597	16,270	96		
1995.....	175,682	5,519	1,132	1,417	7,778	11,874	19,082	20,762	25,470	35,524	30,998	16,051	75		
1994.....	173,924	6,270	1,235	1,460	8,437	12,432	18,744	19,757	24,860	35,335	30,310	14,998	86		
1993.....	173,468	6,737	1,245	1,383	8,665	12,311	18,093	18,585	25,350	35,493	30,373	15,133	100		
1992.....	165,379	6,920	1,119	1,382	8,071	11,860	16,579	17,247	24,844	34,465	28,991	13,817	84		
1991.....	165,168	7,312	1,227	1,356	8,216	12,200	16,000	16,707	24,926	34,274	29,281	13,557	112		
1990.....	162,605	7,485	1,185	1,307	7,665	12,226	15,028	16,364	25,333	33,900	28,896	13,090	126		
1989.....	163,338	7,601	1,200	1,349	7,155	12,016	14,718	16,691	26,191	34,613	28,758	12,922	124		
1988.....	160,121	7,129	1,148	1,344	6,909	11,631	13,695	16,102	26,317	34,240	28,984	12,517	105		
1987.....	154,576	7,035	1,144	1,346	6,391	10,892	12,685	15,446	25,854	33,677	27,939	12,047	120		
1986.....	151,451	6,940	1,143	1,314	6,071	10,515	11,717	15,118	26,186	33,120	27,408	11,806	113		
1985.....	147,303	6,740	1,130	1,270	5,580	9,252	10,587	14,973	26,673	33,098	26,816	11,070	114		
1984.....	141,985	6,554	1,072	1,258	5,286	8,663	9,741	14,706	26,550	32,224	25,377	10,455	99		
1983.....	140,144	6,838	1,172	1,231	5,364	8,383	8,969	14,616	26,556	31,969	24,942	9,974	130		
1982.....	137,201	7,108	1,111	1,272	5,764	8,702	8,825	14,897	25,708	30,996	23,200	9,495	123		
1981.....	138,282	7,041	1,203	1,315	6,030	8,880	9,227	15,646	25,781	30,902	22,718	9,399	140		
1980.....	141,200	7,514	1,188	1,384	6,646	8,737	9,268	16,166	26,090	31,367	23,146	9,585	109		
1979.....	134,822	7,478	1,156	1,439	6,260	8,380	9,159	16,117	25,126	29,798	21,369	8,415	125		

00/03/28	TABLE 290A. DEATHS FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98												PAGE	9
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.	
ALL CAUSES														
ALL OTHER FEMALE														
1998.....	154,202	4,351	713	845	1,993	4,208	9,347	13,508	18,689	30,279	36,863	33,378	28	
1997.....	150,697	4,221	724	971	2,079	4,319	9,304	13,091	18,573	30,102	35,411	31,870	32	
1996.....	150,139	4,322	893	903	2,176	4,902	9,893	12,938	18,102	30,157	35,275	30,535	43	
1995.....	149,013	4,574	895	930	2,281	5,299	9,949	12,454	18,426	30,042	34,775	29,352	36	
1994.....	145,195	4,936	982	920	2,287	5,401	9,686	11,913	17,943	29,582	33,904	27,609	32	
1993.....	143,648	5,232	1,028	965	2,322	5,286	9,149	11,360	17,995	29,507	33,643	27,093	68	
1992.....	136,453	5,544	960	822	2,136	5,120	8,698	10,643	18,184	28,546	31,116	24,645	39	
1991.....	135,446	5,797	959	802	2,248	5,083	8,165	10,316	17,859	28,543	31,596	24,047	31	
1990.....	132,604	5,983	880	857	2,160	5,110	7,511	10,092	18,266	27,846	30,814	23,033	52	
1989.....	133,287	6,260	959	911	2,156	5,118	7,270	9,942	18,432	28,073	31,345	22,767	54	
1988.....	130,972	5,856	901	928	2,218	4,965	6,999	9,931	18,786	27,669	30,776	21,887	56	
1987.....	125,680	5,563	901	770	2,189	4,691	6,483	9,790	18,356	27,126	29,209	20,549	53	
1986.....	122,827	5,387	911	812	2,100	4,528	6,130	9,666	18,376	26,596	28,405	19,842	74	
1985.....	120,083	5,426	858	851	1,965	4,137	5,620	9,457	18,570	26,592	28,078	18,468	61	
1984.....	115,487	5,418	887	807	2,016	3,865	5,505	9,330	18,178	25,852	26,919	16,657	53	
1983.....	113,475	5,488	862	821	2,165	3,717	5,145	9,581	18,257	25,646	25,740	15,979	74	
1982.....	108,511	5,634	904	825	2,147	3,731	4,984	9,507	17,643	24,237	24,249	14,581	69	
1981.....	108,466	5,786	906	845	2,165	3,797	5,194	9,821	17,538	24,301	23,604	14,442	67	
1980.....	110,034	6,132	900	904	2,321	3,805	5,286	10,357	17,446	24,928	23,744	14,145	66	
1979.....	102,874	6,108	957	883	2,359	3,541	5,108	10,154	16,535	23,431	21,402	12,346	50	

00/03/28	TABLE 290A. DEATHS FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98													PAGE 10
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR ALL CAUSES	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.	
BLACK, BOTH SEXES														
1998.....	278,440	8,726	1,397	1,815	7,159	10,804	21,005	30,265	38,813	55,607	59,415	43,341	93	
1997.....	276,520	8,496	1,383	1,890	7,738	11,675	21,647	29,614	38,644	55,901	57,327	42,115	90	
1996.....	282,089	8,730	1,623	1,924	8,252	13,638	24,590	29,771	38,459	56,749	57,698	40,534	121	
1995.....	286,401	9,118	1,742	1,974	8,723	15,440	26,476	29,619	38,768	57,705	57,233	39,502	101	
1994.....	282,379	10,072	1,929	2,019	9,436	16,034	26,010	28,271	37,950	57,255	56,106	37,202	95	
1993.....	282,151	10,887	1,975	1,992	9,699	15,943	24,864	26,918	38,595	57,872	56,254	37,011	141	
1992.....	269,219	11,348	1,799	1,876	8,982	15,395	23,178	25,005	38,396	56,135	53,135	33,856	114	
1991.....	269,525	11,994	1,930	1,869	9,303	15,693	22,059	24,364	38,448	56,438	54,182	33,110	135	
1990.....	265,498	12,290	1,768	1,839	8,586	15,803	20,531	23,871	39,473	55,687	53,437	32,047	166	
1989.....	267,642	12,527	1,830	1,920	8,157	15,632	20,075	24,110	40,520	56,959	54,020	31,725	167	
1988.....	264,019	11,840	1,784	1,944	7,975	15,162	19,025	23,632	41,153	56,461	54,021	30,875	147	
1987.....	254,814	11,461	1,785	1,801	7,497	14,218	17,555	23,001	40,506	55,689	51,929	29,222	150	
1986.....	250,326	11,204	1,801	1,817	7,081	13,692	16,299	22,648	41,184	55,136	50,782	28,517	165	
1985.....	244,207	11,063	1,704	1,827	6,503	12,144	14,779	22,486	41,836	55,032	50,000	26,675	158	
1984.....	235,884	10,881	1,679	1,829	6,331	11,380	13,885	22,098	41,490	53,856	47,879	24,439	137	
1983.....	233,124	11,242	1,794	1,784	6,529	10,954	12,832	22,328	41,811	53,547	46,614	23,533	156	
1982.....	226,513	11,642	1,787	1,866	6,902	11,306	12,660	22,531	40,564	51,525	43,688	21,875	167	
1981.....	228,560	11,757	1,881	1,913	7,212	11,524	13,183	23,675	40,777	51,749	42,879	21,833	177	
1980.....	233,135	12,603	1,871	2,027	7,941	11,413	13,340	24,816	41,070	52,823	43,417	21,649	165	
1979.....	220,818	12,586	1,888	2,101	7,591	10,806	13,163	24,646	39,302	50,057	39,574	18,944	160	

00/03/28 TABLE 290A. DEATHS FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 11
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS N.S.
 ALL CAUSES

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
BLACK MALE													
1998.....	143,417	4,883	795	1,114	5,522	7,142	12,590	18,360	22,390	29,274	27,316	13,964	67
1997.....	144,110	4,710	796	1,076	6,021	7,870	13,345	18,067	22,265	29,660	26,471	13,767	62
1996.....	149,472	4,837	869	1,160	6,422	9,259	15,635	18,397	22,438	30,241	26,793	13,340	81
1995.....	154,175	5,002	973	1,203	6,803	10,683	17,425	18,664	22,545	31,067	26,491	13,250	69
1994.....	153,019	5,642	1,065	1,243	7,486	11,191	17,198	17,687	22,068	30,935	26,011	12,424	69
1993.....	153,502	6,121	1,089	1,166	7,734	11,162	16,585	16,796	22,683	31,421	25,992	12,671	82
1992.....	146,630	6,298	965	1,162	7,169	10,778	15,257	15,514	22,204	30,526	25,035	11,646	76
1991.....	147,331	6,714	1,083	1,172	7,365	11,072	14,701	15,145	22,450	30,608	25,417	11,498	106
1990.....	145,359	6,811	999	1,113	6,731	11,169	13,727	14,819	22,993	30,350	25,293	11,236	118
1989.....	146,393	6,842	1,021	1,162	6,302	10,975	13,521	15,174	23,786	31,240	25,199	11,056	115
1988.....	144,228	6,503	1,016	1,153	6,056	10,644	12,643	14,681	24,007	30,989	25,622	10,818	96
1987.....	139,551	6,391	999	1,147	5,588	9,936	11,666	14,114	23,686	30,652	24,765	10,506	101
1986.....	137,214	6,305	992	1,119	5,256	9,594	10,767	13,830	24,208	30,320	24,342	10,377	104
1985.....	133,610	6,127	961	1,099	4,806	8,415	9,724	13,821	24,657	30,310	23,804	9,780	106
1984.....	129,147	5,961	919	1,115	4,556	7,897	8,920	13,537	24,642	29,637	22,648	9,225	90
1983.....	127,911	6,259	1,029	1,069	4,623	7,596	8,194	13,529	24,716	29,399	22,477	8,918	102
1982.....	125,610	6,485	990	1,130	5,033	7,937	8,117	13,791	24,023	28,678	20,854	8,466	106
1981.....	127,296	6,451	1,067	1,156	5,325	8,134	8,496	14,583	24,199	28,663	20,638	8,468	116
1980.....	130,138	6,958	1,069	1,240	5,869	8,013	8,521	15,156	24,534	29,095	21,046	8,534	103
1979.....	124,433	6,933	1,028	1,298	5,503	7,627	8,480	15,148	23,614	27,731	19,434	7,522	115

00/03/28 TABLE 290A. DEATHS FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 12
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR ALL CAUSES

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
BLACK FEMALE													
1998.....	135,023	3,843	602	701	1,637	3,662	8,415	11,905	16,423	26,333	32,099	29,377	26
1997.....	132,410	3,786	587	814	1,717	3,805	8,302	11,547	16,379	26,241	30,856	28,348	28
1996.....	132,617	3,893	754	764	1,830	4,379	8,955	11,374	16,021	26,508	30,905	27,194	40
1995.....	132,226	4,116	769	771	1,920	4,757	9,051	10,955	16,223	26,638	30,742	26,252	32
1994.....	129,360	4,430	864	776	1,950	4,843	8,812	10,584	15,882	26,320	30,095	24,778	26
1993.....	128,649	4,766	886	826	1,965	4,781	8,279	10,122	15,912	26,451	30,262	24,340	59
1992.....	122,589	5,050	834	714	1,813	4,617	7,921	9,491	16,192	25,609	28,100	22,210	38
1991.....	122,194	5,280	847	697	1,938	4,621	7,358	9,219	15,998	25,830	28,765	21,612	29
1990.....	120,139	5,479	769	726	1,855	4,634	6,804	9,052	16,480	25,337	28,144	20,811	48
1989.....	121,249	5,685	809	758	1,855	4,657	6,554	8,936	16,734	25,719	28,821	20,669	52
1988.....	119,791	5,337	768	791	1,919	4,518	6,382	8,951	17,146	25,472	28,399	20,057	51
1987.....	115,263	5,070	786	654	1,909	4,282	5,889	8,887	16,820	25,037	27,164	18,716	49
1986.....	113,112	4,899	809	698	1,825	4,098	5,532	8,818	16,976	24,816	26,440	18,140	61
1985.....	110,597	4,936	743	728	1,697	3,729	5,055	8,665	17,179	24,722	26,196	16,895	52
1984.....	106,737	4,920	760	714	1,775	3,483	4,965	8,561	16,848	24,219	25,231	15,214	47
1983.....	105,213	4,983	765	715	1,906	3,358	4,638	8,799	17,095	24,148	24,137	14,615	54
1982.....	100,903	5,157	797	736	1,869	3,369	4,543	8,740	16,541	22,847	22,834	13,409	61
1981.....	101,264	5,306	814	757	1,887	3,390	4,687	9,092	16,578	23,086	22,241	13,365	61
1980.....	102,997	5,645	802	787	2,072	3,400	4,819	9,660	16,536	23,728	22,371	13,115	62
1979.....	96,385	5,653	860	803	2,088	3,179	4,683	9,498	15,688	22,326	20,140	11,422	45

00/03/28 TABLE 290A. DEATHS FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 13
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+ N.S.
 SHIGELLOSIS AND AMEBIASIS (004,006)

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
TOTAL, BOTH SEXES													
1998.....	8	-	-	1	-	-	2	-	-	-	1	4	-
1997.....	6	-	-	1	-	1	-	-	-	1	1	2	-
1996.....	9	-	1	-	-	-	-	2	2	1	2	1	-
1995.....	12	-	1	-	-	-	-	1	2	2	3	3	-
1994.....	15	1	1	-	-	1	2	1	2	2	1	4	-
1993.....	11	1	1	-	2	-	1	-	-	4	2	-	-
1992.....	14	1	1	1	-	-	-	4	-	2	1	4	-
1991.....	15	3	3	-	-	2	-	-	1	1	4	1	-
1990.....	15	-	3	1	-	2	-	1	2	1	4	1	-
1989.....	20	-	4	3	-	1	2	-	-	1	6	3	-
1988.....	15	1	1	3	-	-	1	3	-	-	3	3	-
1987.....	22	1	3	3	-	2	1	1	5	3	-	3	-
1986.....	12	-	-	1	-	3	3	1	-	1	3	-	-
1985.....	27	1	5	2	-	2	-	2	2	8	2	3	-
1984.....	18	-	-	3	1	-	1	-	3	5	1	4	-
1983.....	30	-	4	1	-	2	-	4	5	6	5	3	-
1982.....	16	3	-	-	1	1	1	-	4	1	4	1	-
1981.....	27	1	5	1	1	1	1	5	1	5	5	1	-
1980.....	37	5	4	3	1	4	2	2	5	4	6	1	-
1979.....	38	4	8	2	-	-	2	6	4	6	2	4	-

00/03/28 TABLE 290A. DEATHS FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 14
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+ N.S.
 SHIGELLOSIS AND AMEBIASIS (004,006)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
TOTAL, MALE													
1998.....	3	-	-	-	-	-	2	-	-	-	1	-	-
1997.....	1	-	-	-	-	-	-	-	-	-	-	1	-
1996.....	3	-	-	-	-	-	-	2	1	-	-	-	-
1995.....	7	-	1	-	-	-	-	1	1	1	2	1	-
1994.....	7	-	-	-	-	-	1	1	2	2	1	-	-
1993.....	5	-	-	-	2	-	1	-	-	2	-	-	-
1992.....	12	1	1	1	-	-	-	4	-	1	1	3	-
1991.....	11	2	1	-	-	2	-	-	1	1	4	-	-
1990.....	5	-	1	-	-	1	-	1	1	-	1	-	-
1989.....	9	-	1	1	-	1	2	-	-	-	4	-	-
1988.....	5	-	-	3	-	-	1	1	-	-	-	-	-
1987.....	11	1	1	2	-	2	1	1	2	1	-	-	-
1986.....	9	-	-	-	-	2	3	1	-	1	2	-	-
1985.....	16	1	3	1	-	2	-	1	1	6	1	-	-
1984.....	11	-	-	-	1	-	1	-	3	4	1	1	-
1983.....	17	-	-	1	-	2	-	3	2	4	3	2	-
1982.....	8	2	-	-	-	-	1	-	2	1	1	1	-
1981.....	16	-	3	-	-	1	-	4	1	4	2	1	-
1980.....	21	4	2	1	-	4	2	1	2	2	2	1	-
1979.....	26	3	7	1	-	-	2	6	2	3	-	2	-

00/03/28 TABLE 290A. DEATHS FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 15
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+ N.S.
 SHIGELLOSIS AND AMEBIASIS (004,006)

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
TOTAL, FEMALE													
1998.....	5	-	-	1	-	-	-	-	-	-	-	4	-
1997.....	5	-	-	1	-	1	-	-	-	1	1	1	-
1996.....	6	-	1	-	-	-	-	-	1	1	2	1	-
1995.....	5	-	-	-	-	-	-	-	1	1	1	2	-
1994.....	8	1	1	-	-	1	1	-	-	-	-	4	-
1993.....	6	1	1	-	-	-	-	-	-	2	2	-	-
1992.....	2	-	-	-	-	-	-	-	-	1	-	1	-
1991.....	4	1	2	-	-	-	-	-	-	-	-	1	-
1990.....	10	-	2	1	-	1	-	-	1	1	3	1	-
1989.....	11	-	3	2	-	-	-	-	-	1	2	3	-
1988.....	10	1	1	-	-	-	-	2	-	-	3	3	-
1987.....	11	-	2	1	-	-	-	-	3	2	-	3	-
1986.....	3	-	-	1	-	1	-	-	-	-	1	-	-
1985.....	11	-	2	1	-	-	-	1	1	2	1	3	-
1984.....	7	-	-	3	-	-	-	-	-	1	-	3	-
1983.....	13	-	4	-	-	-	-	1	3	2	2	1	-
1982.....	8	1	-	-	1	1	-	-	2	-	3	-	-
1981.....	11	1	2	1	1	-	1	1	-	1	3	-	-
1980.....	16	1	2	2	1	-	-	1	3	2	4	-	-
1979.....	12	1	1	1	-	-	-	-	2	3	2	2	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
SHIGELLOSIS AND AMEBIASIS (004,006)													
WHITE, BOTH SEXES													
1998.....	6	-	-	-	-	-	1	-	-	-	1	4	-
1997.....	6	-	-	1	-	1	-	-	-	1	1	2	-
1996.....	9	-	1	-	-	-	-	2	2	1	2	1	-
1995.....	10	-	-	-	-	-	-	1	2	2	3	2	-
1994.....	12	-	1	-	-	1	1	1	1	2	1	4	-
1993.....	9	-	1	-	2	-	1	-	-	3	2	-	-
1992.....	10	-	1	-	-	-	-	3	-	2	1	3	-
1991.....	13	2	2	-	-	2	-	-	1	1	4	1	-
1990.....	11	-	2	-	-	2	-	1	1	1	4	-	-
1989.....	12	-	1	1	-	-	2	-	-	-	5	3	-
1988.....	8	1	-	1	-	-	1	-	-	-	2	3	-
1987.....	16	-	2	3	-	-	1	1	4	2	-	3	-
1986.....	11	-	-	1	-	3	2	1	-	1	3	-	-
1985.....	20	-	4	2	-	-	-	-	2	7	2	3	-
1984.....	16	-	-	3	1	-	1	-	3	4	1	3	-
1983.....	23	-	3	1	-	1	-	2	4	5	4	3	-
1982.....	12	2	-	-	1	1	1	-	2	-	4	1	-
1981.....	22	1	4	1	1	-	1	4	1	3	5	1	-
1980.....	28	4	2	3	1	2	1	1	5	3	6	-	-
1979.....	29	2	5	2	-	-	2	5	2	5	2	4	-

00/03/28 TABLE 290A. DEATHS FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 17
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS N.S.
 SHIGELLOSIS AND AMEBIASIS (004,006)

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
WHITE MALE													
1998.....	2	-	-	-	-	-	1	-	-	-	1	-	-
1997.....	1	-	-	-	-	-	-	-	-	-	-	1	-
1996.....	3	-	-	-	-	-	-	2	1	-	-	-	-
1995.....	5	-	-	-	-	-	-	1	1	1	2	-	-
1994.....	6	-	-	-	-	-	1	1	1	2	1	-	-
1993.....	4	-	-	-	2	-	1	-	-	1	-	-	-
1992.....	8	-	1	-	-	-	-	3	-	1	1	2	-
1991.....	10	1	1	-	-	2	-	-	1	1	4	-	-
1990.....	5	-	1	-	-	1	-	1	1	-	1	-	-
1989.....	6	-	-	1	-	-	2	-	-	-	3	-	-
1988.....	2	-	-	1	-	-	1	-	-	-	-	-	-
1987.....	7	-	-	2	-	-	1	1	2	1	-	-	-
1986.....	8	-	-	-	-	2	2	1	-	1	2	-	-
1985.....	10	-	2	1	-	-	-	-	1	5	1	-	-
1984.....	11	-	-	-	1	-	1	-	3	4	1	1	-
1983.....	15	-	-	1	-	1	-	2	2	4	3	2	-
1982.....	5	1	-	-	-	-	1	-	1	-	1	1	-
1981.....	13	-	2	-	-	-	-	4	1	3	2	1	-
1980.....	14	3	1	1	-	2	1	-	2	2	2	-	-
1979.....	22	2	5	1	-	-	2	5	2	3	-	2	-

00/03/28 TABLE 290A. DEATHS FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 18
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+ N.S.
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 SHIGELLOSIS AND AMEBIASIS (004,006)

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
WHITE FEMALE													
1998.....	4	-	-	-	-	-	-	-	-	-	-	4	-
1997.....	5	-	-	1	-	1	-	-	-	1	1	1	-
1996.....	6	-	1	-	-	-	-	-	1	1	2	1	-
1995.....	5	-	-	-	-	-	-	-	1	1	1	2	-
1994.....	6	-	1	-	-	1	-	-	-	-	-	4	-
1993.....	5	-	1	-	-	-	-	-	-	2	2	-	-
1992.....	2	-	-	-	-	-	-	-	-	1	-	1	-
1991.....	3	1	1	-	-	-	-	-	-	-	-	1	-
1990.....	6	-	1	-	-	1	-	-	-	1	3	-	-
1989.....	6	-	1	-	-	-	-	-	-	-	2	3	-
1988.....	6	1	-	-	-	-	-	-	-	-	2	3	-
1987.....	9	-	2	1	-	-	-	-	2	1	-	3	-
1986.....	3	-	-	1	-	1	-	-	-	-	1	-	-
1985.....	10	-	2	1	-	-	-	-	1	2	1	3	-
1984.....	5	-	-	3	-	-	-	-	-	-	-	2	-
1983.....	8	-	3	-	-	-	-	-	2	1	1	1	-
1982.....	7	1	-	-	1	1	-	-	1	-	3	-	-
1981.....	9	1	2	1	1	-	1	-	-	-	3	-	-
1980.....	14	1	1	2	1	-	-	1	3	1	4	-	-
1979.....	7	-	-	1	-	-	-	-	-	2	2	2	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
SHIGELLOSIS AND AMEBIASIS (004,006)													
ALL OTHER, BOTH SEXES													
1998.....	2	-	-	1	-	-	1	-	-	-	-	-	-
1997.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1996.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1995.....	2	-	1	-	-	-	-	-	-	-	-	1	-
1994.....	3	1	-	-	-	-	1	-	1	-	-	-	-
1993.....	2	1	-	-	-	-	-	-	-	1	-	-	-
1992.....	4	1	-	1	-	-	-	1	-	-	-	1	-
1991.....	2	1	1	-	-	-	-	-	-	-	-	-	-
1990.....	4	-	1	1	-	-	-	-	1	-	-	1	-
1989.....	8	-	3	2	-	1	-	-	-	1	1	-	-
1988.....	7	-	1	2	-	-	-	3	-	-	1	-	-
1987.....	6	1	1	-	-	2	-	-	1	1	-	-	-
1986.....	1	-	-	-	-	-	1	-	-	-	-	-	-
1985.....	7	1	1	-	-	2	-	2	-	1	-	-	-
1984.....	2	-	-	-	-	-	-	-	-	1	-	1	-
1983.....	7	-	1	-	-	1	-	2	1	1	1	-	-
1982.....	4	1	-	-	-	-	-	-	2	1	-	-	-
1981.....	5	-	1	-	-	1	-	1	-	2	-	-	-
1980.....	9	1	2	-	-	2	1	1	-	1	-	1	-
1979.....	9	2	3	-	-	-	-	1	2	1	-	-	-

00/03/28 TABLE 290A. DEATHS FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 20
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+ N.S.
 SHIGELLOSIS AND AMEBIASIS (004,006)

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ALL OTHER MALE													
1998.....	1	-	-	-	-	-	1	-	-	-	-	-	-
1997.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1996.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1995.....	2	-	1	-	-	-	-	-	-	-	-	1	-
1994.....	1	-	-	-	-	-	-	-	1	-	-	-	-
1993.....	1	-	-	-	-	-	-	-	-	1	-	-	-
1992.....	4	1	-	1	-	-	-	1	-	-	-	1	-
1991.....	1	1	-	-	-	-	-	-	-	-	-	-	-
1990.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1989.....	3	-	1	-	-	1	-	-	-	-	1	-	-
1988.....	3	-	-	2	-	-	-	1	-	-	-	-	-
1987.....	4	1	1	-	-	2	-	-	-	-	-	-	-
1986.....	1	-	-	-	-	-	1	-	-	-	-	-	-
1985.....	6	1	1	-	-	2	-	1	-	1	-	-	-
1984.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1983.....	2	-	-	-	-	1	-	1	-	-	-	-	-
1982.....	3	1	-	-	-	-	-	-	1	1	-	-	-
1981.....	3	-	1	-	-	1	-	-	-	1	-	-	-
1980.....	7	1	1	-	-	2	1	1	-	-	-	1	-
1979.....	4	1	2	-	-	-	-	1	-	-	-	-	-

00/03/28 TABLE 290A. DEATHS FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 21
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+ N.S.
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 SHIGELLOSIS AND AMEBIASIS (004,006)

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ALL OTHER FEMALE													
1998.....	1	-	-	1	-	-	-	-	-	-	-	-	-
1997.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1996.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1995.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1994.....	2	1	-	-	-	-	1	-	-	-	-	-	-
1993.....	1	1	-	-	-	-	-	-	-	-	-	-	-
1992.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1991.....	1	-	1	-	-	-	-	-	-	-	-	-	-
1990.....	4	-	1	1	-	-	-	-	1	-	-	1	-
1989.....	5	-	2	2	-	-	-	-	-	1	-	-	-
1988.....	4	-	1	-	-	-	-	2	-	-	1	-	-
1987.....	2	-	-	-	-	-	-	-	1	1	-	-	-
1986.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1985.....	1	-	-	-	-	-	-	1	-	-	-	-	-
1984.....	2	-	-	-	-	-	-	-	-	1	-	1	-
1983.....	5	-	1	-	-	-	-	1	1	1	1	-	-
1982.....	1	-	-	-	-	-	-	-	1	-	-	-	-
1981.....	2	-	-	-	-	-	-	1	-	1	-	-	-
1980.....	2	-	1	-	-	-	-	-	-	1	-	-	-
1979.....	5	1	1	-	-	-	-	-	2	1	-	-	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
SHIGELLOSIS AND AMEBIASIS (004,006)													
BLACK, BOTH SEXES													
1998.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1997.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1996.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1995.....	2	-	1	-	-	-	-	-	-	-	-	1	-
1994.....	2	1	-	-	-	-	-	-	1	-	-	-	-
1993.....	1	1	-	-	-	-	-	-	-	-	-	-	-
1992.....	2	1	-	1	-	-	-	-	-	-	-	-	-
1991.....	2	1	1	-	-	-	-	-	-	-	-	-	-
1990.....	2	-	-	1	-	-	-	-	1	-	-	-	-
1989.....	6	-	3	1	-	1	-	-	-	1	-	-	-
1988.....	2	-	1	-	-	-	-	-	-	-	1	-	-
1987.....	5	1	1	-	-	2	-	-	1	-	-	-	-
1986.....	1	-	-	-	-	-	1	-	-	-	-	-	-
1985.....	7	1	1	-	-	2	-	2	-	1	-	-	-
1984.....	1	-	-	-	-	-	-	-	-	-	-	1	-
1983.....	5	-	1	-	-	-	-	1	1	1	1	-	-
1982.....	3	1	-	-	-	-	-	-	1	1	-	-	-
1981.....	3	-	1	-	-	1	-	-	-	1	-	-	-
1980.....	7	-	2	-	-	2	1	1	-	1	-	-	-
1979.....	6	2	2	-	-	-	-	1	-	1	-	-	-

00/03/28 TABLE 290A. DEATHS FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 23
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+ N.S.
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 SHIGELLOSIS AND AMEBIASIS (004,006)

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
BLACK MALE													
1998.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1997.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1996.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1995.....	2	-	1	-	-	-	-	-	-	-	-	1	-
1994.....	1	-	-	-	-	-	-	-	1	-	-	-	-
1993.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1992.....	2	1	-	1	-	-	-	-	-	-	-	-	-
1991.....	1	1	-	-	-	-	-	-	-	-	-	-	-
1990.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1989.....	2	-	1	-	-	1	-	-	-	-	-	-	-
1988.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1987.....	4	1	1	-	-	2	-	-	-	-	-	-	-
1986.....	1	-	-	-	-	-	1	-	-	-	-	-	-
1985.....	6	1	1	-	-	2	-	1	-	1	-	-	-
1984.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1983.....	1	-	-	-	-	-	-	1	-	-	-	-	-
1982.....	3	1	-	-	-	-	-	-	1	1	-	-	-
1981.....	2	-	1	-	-	1	-	-	-	-	-	-	-
1980.....	5	-	1	-	-	2	1	1	-	-	-	-	-
1979.....	3	1	1	-	-	-	-	1	-	-	-	-	-

00/03/28 TABLE 290A. DEATHS FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 24
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+ N.S.
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 SHIGELLOSIS AND AMEBIASIS (004,006)

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
BLACK FEMALE													
1998.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1997.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1996.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1995.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1994.....	1	1	-	-	-	-	-	-	-	-	-	-	-
1993.....	1	1	-	-	-	-	-	-	-	-	-	-	-
1992.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1991.....	1	-	1	-	-	-	-	-	-	-	-	-	-
1990.....	2	-	-	1	-	-	-	-	1	-	-	-	-
1989.....	4	-	2	1	-	-	-	-	-	1	-	-	-
1988.....	2	-	1	-	-	-	-	-	-	-	1	-	-
1987.....	1	-	-	-	-	-	-	-	1	-	-	-	-
1986.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1985.....	1	-	-	-	-	-	-	1	-	-	-	-	-
1984.....	1	-	-	-	-	-	-	-	-	-	-	1	-
1983.....	4	-	1	-	-	-	-	-	1	1	1	-	-
1982.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1981.....	1	-	-	-	-	-	-	-	-	1	-	-	-
1980.....	2	-	1	-	-	-	-	-	-	1	-	-	-
1979.....	3	1	1	-	-	-	-	-	-	1	-	-	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR
 CERTAIN OTHER INTESTINAL INFECTIONS (007-009)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
TOTAL, BOTH SEXES													
1998.....	1,059	229	19	1	4	3	13	22	46	127	293	302	-
1997.....	1,023	200	20	6	2	9	22	26	40	138	301	259	-
1996.....	824	207	8	7	2	7	12	16	52	98	191	224	-
1995.....	793	202	10	3	3	14	17	17	23	93	186	225	-
1994.....	746	209	21	3	2	11	15	20	35	92	159	179	-
1993.....	631	133	11	3	3	6	14	17	32	91	165	156	-
1992.....	529	130	16	2	3	4	19	10	22	64	121	138	-
1991.....	469	125	19	4	1	4	11	15	23	61	84	122	-
1990.....	415	98	13	6	2	7	13	10	20	51	94	101	-
1989.....	339	92	13	5	2	6	6	8	22	48	67	70	-
1988.....	305	85	8	2	5	4	4	7	16	40	65	69	-
1987.....	307	93	14	3	4	10	11	6	17	43	53	53	-
1986.....	347	114	9	3	3	17	19	16	19	33	43	70	1
1985.....	301	98	16	3	2	11	12	9	9	34	53	54	-
1984.....	331	138	13	4	3	8	7	8	21	28	49	51	1
1983.....	354	131	12	4	6	6	8	10	18	32	65	62	-
1982.....	329	137	20	2	4	8	13	5	19	27	50	44	-
1981.....	371	131	23	6	7	3	4	14	22	33	69	59	-
1980.....	364	112	20	7	5	10	3	13	27	40	59	68	-
1979.....	298	106	11	5	7	5	6	11	18	27	56	46	-

00/03/28 TABLE 290A. DEATHS FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 26
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+ N.S.
 CERTAIN OTHER INTESTINAL INFECTIONS (007-009)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
TOTAL, MALE													
1998.....	464	136	11	1	1	2	5	14	20	59	121	94	-
1997.....	435	116	14	6	1	5	13	13	20	63	122	62	-
1996.....	356	131	5	3	1	5	7	9	22	47	74	52	-
1995.....	347	115	9	1	2	9	11	13	15	45	72	55	-
1994.....	348	124	12	1	2	8	9	11	24	45	67	45	-
1993.....	292	80	5	1	-	4	12	9	20	45	59	57	-
1992.....	255	75	11	1	2	4	17	4	11	36	50	44	-
1991.....	215	68	13	2	1	2	8	8	14	30	33	36	-
1990.....	180	50	7	4	2	7	9	6	9	20	32	34	-
1989.....	172	57	6	3	1	6	5	6	13	23	27	25	-
1988.....	133	46	5	2	5	3	1	4	7	16	27	17	-
1987.....	137	40	8	2	2	8	8	4	7	21	21	16	-
1986.....	192	75	5	2	3	17	17	8	10	16	15	24	-
1985.....	146	55	8	1	1	11	10	6	4	17	17	16	-
1984.....	156	83	6	3	1	4	6	4	6	9	19	15	-
1983.....	172	77	9	4	5	4	5	5	6	19	26	12	-
1982.....	148	68	14	1	3	4	5	3	8	11	17	14	-
1981.....	170	70	13	4	5	3	2	7	10	17	30	9	-
1980.....	162	63	11	2	4	6	-	9	11	14	23	19	-
1979.....	143	58	6	2	4	4	4	4	10	14	23	14	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR
 CERTAIN OTHER INTESTINAL INFECTIONS (007-009)

TOTAL, FEMALE	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
1998.....	595	93	8	-	3	1	8	8	26	68	172	208	-
1997.....	588	84	6	-	1	4	9	13	20	75	179	197	-
1996.....	468	76	3	4	1	2	5	7	30	51	117	172	-
1995.....	446	87	1	2	1	5	6	4	8	48	114	170	-
1994.....	398	85	9	2	-	3	6	9	11	47	92	134	-
1993.....	339	53	6	2	3	2	2	8	12	46	106	99	-
1992.....	274	55	5	1	1	-	2	6	11	28	71	94	-
1991.....	254	57	6	2	-	2	3	7	9	31	51	86	-
1990.....	235	48	6	2	-	-	4	4	11	31	62	67	-
1989.....	167	35	7	2	1	-	1	2	9	25	40	45	-
1988.....	172	39	3	-	-	1	3	3	9	24	38	52	-
1987.....	170	53	6	1	2	2	3	2	10	22	32	37	-
1986.....	155	39	4	1	-	-	2	8	9	17	28	46	1
1985.....	155	43	8	2	1	-	2	3	5	17	36	38	-
1984.....	175	55	7	1	2	4	1	4	15	19	30	36	1
1983.....	182	54	3	-	1	2	3	5	12	13	39	50	-
1982.....	181	69	6	1	1	4	8	2	11	16	33	30	-
1981.....	201	61	10	2	2	-	2	7	12	16	39	50	-
1980.....	202	49	9	5	1	4	3	4	16	26	36	49	-
1979.....	155	48	5	3	3	1	2	7	8	13	33	32	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
CERTAIN OTHER INTESTINAL INFECTIONS (007-009)													
WHITE, BOTH SEXES													
1998.....	882	127	14	1	4	2	8	18	41	110	274	283	-
1997.....	850	114	13	5	1	5	13	17	32	119	284	247	-
1996.....	672	102	6	4	1	7	7	14	49	90	182	210	-
1995.....	635	98	8	3	3	11	11	13	20	78	172	218	-
1994.....	574	96	11	1	1	8	11	17	23	78	153	175	-
1993.....	510	60	9	2	2	5	11	13	25	81	151	151	-
1992.....	430	65	11	1	-	3	17	8	19	59	115	132	-
1991.....	363	60	9	4	1	1	10	11	21	52	81	113	-
1990.....	342	54	8	4	1	7	10	10	16	47	89	96	-
1989.....	252	38	7	4	1	5	3	6	17	46	61	64	-
1988.....	239	45	7	2	4	3	3	7	15	33	57	63	-
1987.....	246	51	10	2	3	10	9	4	17	37	50	53	-
1986.....	257	54	8	-	3	14	19	7	14	29	42	66	1
1985.....	231	51	12	3	1	8	10	6	7	32	51	50	-
1984.....	245	72	11	3	3	5	7	6	18	26	43	51	-
1983.....	262	65	5	4	5	6	6	7	17	27	61	59	-
1982.....	233	71	12	2	2	7	11	2	16	21	47	42	-
1981.....	290	72	17	5	6	3	3	14	21	29	63	57	-
1980.....	286	63	16	6	3	7	3	9	24	33	54	68	-
1979.....	228	59	9	3	5	4	5	10	15	24	50	44	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR
 CERTAIN OTHER INTESTINAL INFECTIONS (007-009)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
WHITE MALE													
1998.....	379	77	10	1	1	1	3	12	19	51	115	89	-
1997.....	343	65	8	5	1	3	6	10	16	58	114	57	-
1996.....	268	64	4	2	-	5	4	7	20	41	71	50	-
1995.....	264	56	7	1	2	9	6	10	14	38	68	53	-
1994.....	244	56	5	-	1	8	8	10	15	34	64	43	-
1993.....	221	31	5	1	-	3	10	7	17	37	54	56	-
1992.....	205	42	8	1	-	3	15	4	9	33	47	43	-
1991.....	157	32	5	2	1	1	7	6	13	27	31	32	-
1990.....	141	28	4	3	1	7	7	6	7	18	28	32	-
1989.....	120	24	2	2	1	5	3	4	10	22	24	23	-
1988.....	99	22	5	2	4	2	-	4	7	15	24	14	-
1987.....	111	24	6	2	1	8	7	2	7	18	20	16	-
1986.....	134	36	4	-	3	14	17	4	6	14	15	21	-
1985.....	107	31	5	1	-	8	8	4	3	16	16	15	-
1984.....	102	37	6	2	1	3	6	3	4	9	16	15	-
1983.....	117	36	4	4	4	4	4	4	5	16	25	11	-
1982.....	103	36	9	1	1	4	4	2	8	7	17	14	-
1981.....	124	38	8	3	4	3	1	7	10	15	27	8	-
1980.....	122	35	9	2	2	6	-	7	9	12	21	19	-
1979.....	107	34	5	1	4	3	3	4	7	12	21	13	-

00/03/28 TABLE 290A. DEATHS FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 30
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS N.S.
 CERTAIN OTHER INTESTINAL INFECTIONS (007-009)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
WHITE FEMALE													
1998.....	503	50	4	-	3	1	5	6	22	59	159	194	-
1997.....	507	49	5	-	-	2	7	7	16	61	170	190	-
1996.....	404	38	2	2	1	2	3	7	29	49	111	160	-
1995.....	371	42	1	2	1	2	5	3	6	40	104	165	-
1994.....	330	40	6	1	-	-	3	7	8	44	89	132	-
1993.....	289	29	4	1	2	2	1	6	8	44	97	95	-
1992.....	225	23	3	-	-	-	2	4	10	26	68	89	-
1991.....	206	28	4	2	-	-	3	5	8	25	50	81	-
1990.....	201	26	4	1	-	-	3	4	9	29	61	64	-
1989.....	132	14	5	2	-	-	-	2	7	24	37	41	-
1988.....	140	23	2	-	-	1	3	3	8	18	33	49	-
1987.....	135	27	4	-	2	2	2	2	10	19	30	37	-
1986.....	123	18	4	-	-	-	2	3	8	15	27	45	1
1985.....	124	20	7	2	1	-	2	2	4	16	35	35	-
1984.....	143	35	5	1	2	2	1	3	14	17	27	36	-
1983.....	145	29	1	-	1	2	2	3	12	11	36	48	-
1982.....	130	35	3	1	1	3	7	-	8	14	30	28	-
1981.....	166	34	9	2	2	-	2	7	11	14	36	49	-
1980.....	164	28	7	4	1	1	3	2	15	21	33	49	-
1979.....	121	25	4	2	1	1	2	6	8	12	29	31	-

00/03/28 TABLE 290A. DEATHS FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 31
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+ N.S.
 CERTAIN OTHER INTESTINAL INFECTIONS (007-009)
 ALL OTHER, BOTH SEXES

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
1998.....	177	102	5	-	-	1	5	4	5	17	19	19	-
1997.....	173	86	7	1	1	4	9	9	8	19	17	12	-
1996.....	152	105	2	3	1	-	5	2	3	8	9	14	-
1995.....	158	104	2	-	-	3	6	4	3	15	14	7	-
1994.....	172	113	10	2	1	3	4	3	12	14	6	4	-
1993.....	121	73	2	1	1	1	3	4	7	10	14	5	-
1992.....	99	65	5	1	3	1	2	2	3	5	6	6	-
1991.....	106	65	10	-	-	3	1	4	2	9	3	9	-
1990.....	73	44	5	2	1	-	3	-	4	4	5	5	-
1989.....	87	54	6	1	1	1	3	2	5	2	6	6	-
1988.....	66	40	1	-	1	1	1	-	1	7	8	6	-
1987.....	61	42	4	1	1	-	2	2	-	6	3	-	-
1986.....	90	60	1	3	-	3	-	9	5	4	1	4	-
1985.....	70	47	4	-	1	3	2	3	2	2	2	4	-
1984.....	86	66	2	1	-	3	-	2	3	2	6	-	1
1983.....	92	66	7	-	1	-	2	3	1	5	4	3	-
1982.....	96	66	8	-	2	1	2	3	3	6	3	2	-
1981.....	81	59	6	1	1	-	1	-	1	4	6	2	-
1980.....	78	49	4	1	2	3	-	4	3	7	5	-	-
1979.....	70	47	2	2	2	1	1	1	3	3	6	2	-

00/03/28 TABLE 290A. DEATHS FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 32
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+ N.S.
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 CERTAIN OTHER INTESTINAL INFECTIONS (007-009)

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ALL OTHER MALE													
1998.....	85	59	1	-	-	1	2	2	1	8	6	5	-
1997.....	92	51	6	1	-	2	7	3	4	5	8	5	-
1996.....	88	67	1	1	1	-	3	2	2	6	3	2	-
1995.....	83	59	2	-	-	-	5	3	1	7	4	2	-
1994.....	104	68	7	1	1	-	1	1	9	11	3	2	-
1993.....	71	49	-	-	-	1	2	2	3	8	5	1	-
1992.....	50	33	3	-	2	1	2	-	2	3	3	1	-
1991.....	58	36	8	-	-	1	1	2	1	3	2	4	-
1990.....	39	22	3	1	1	-	2	-	2	2	4	2	-
1989.....	52	33	4	1	-	1	2	2	3	1	3	2	-
1988.....	34	24	-	-	1	1	1	-	-	1	3	3	-
1987.....	26	16	2	-	1	-	1	2	-	3	1	-	-
1986.....	58	39	1	2	-	3	-	4	4	2	-	3	-
1985.....	39	24	3	-	1	3	2	2	1	1	1	1	-
1984.....	54	46	-	1	-	1	-	1	2	-	3	-	-
1983.....	55	41	5	-	1	-	1	1	1	3	1	1	-
1982.....	45	32	5	-	2	-	1	1	-	4	-	-	-
1981.....	46	32	5	1	1	-	1	-	-	2	3	1	-
1980.....	40	28	2	-	2	-	-	2	2	2	2	-	-
1979.....	36	24	1	1	-	1	1	-	3	2	2	1	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR
 CERTAIN OTHER INTESTINAL INFECTIONS (007-009)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ALL OTHER FEMALE													
1998.....	92	43	4	-	-	-	3	2	4	9	13	14	-
1997.....	81	35	1	-	1	2	2	6	4	14	9	7	-
1996.....	64	38	1	2	-	-	2	-	1	2	6	12	-
1995.....	75	45	-	-	-	3	1	1	2	8	10	5	-
1994.....	68	45	3	1	-	3	3	2	3	3	3	2	-
1993.....	50	24	2	1	1	-	1	2	4	2	9	4	-
1992.....	49	32	2	1	1	-	-	2	1	2	3	5	-
1991.....	48	29	2	-	-	2	-	2	1	6	1	5	-
1990.....	34	22	2	1	-	-	1	-	2	2	1	3	-
1989.....	35	21	2	-	1	-	1	-	2	1	3	4	-
1988.....	32	16	1	-	-	-	-	-	1	6	5	3	-
1987.....	35	26	2	1	-	-	1	-	-	3	2	-	-
1986.....	32	21	-	1	-	-	-	5	1	2	1	1	-
1985.....	31	23	1	-	-	-	-	1	1	1	1	3	-
1984.....	32	20	2	-	-	2	-	1	1	2	3	-	1
1983.....	37	25	2	-	-	-	1	2	-	2	3	2	-
1982.....	51	34	3	-	-	1	1	2	3	2	3	2	-
1981.....	35	27	1	-	-	-	-	-	1	2	3	1	-
1980.....	38	21	2	1	-	3	-	2	1	5	3	-	-
1979.....	34	23	1	1	2	-	-	1	-	1	4	1	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR
 CERTAIN OTHER INTESTINAL INFECTIONS (007-009)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
BLACK, BOTH SEXES													
1998.....	158	97	5	-	-	1	4	4	4	12	15	16	-
1997.....	154	81	5	1	1	3	8	7	6	15	15	12	-
1996.....	140	100	2	3	1	-	5	2	3	6	7	11	-
1995.....	145	98	2	-	-	3	6	4	3	11	12	6	-
1994.....	154	104	8	2	1	2	4	1	11	13	6	2	-
1993.....	110	68	2	1	1	1	3	3	5	9	13	4	-
1992.....	94	63	5	1	3	1	2	1	3	4	6	5	-
1991.....	96	62	7	-	-	3	1	4	2	7	3	7	-
1990.....	67	41	5	2	1	-	3	-	2	4	4	5	-
1989.....	78	49	4	1	1	1	2	2	4	2	6	6	-
1988.....	57	39	1	-	-	1	1	-	1	5	5	4	-
1987.....	56	40	2	1	1	-	2	1	-	6	3	-	-
1986.....	82	54	1	3	-	3	-	8	5	4	1	3	-
1985.....	65	44	4	-	1	2	2	3	2	2	1	4	-
1984.....	80	62	2	1	-	3	-	2	2	1	6	-	1
1983.....	84	64	5	-	1	-	2	2	1	5	3	1	-
1982.....	87	61	6	-	1	1	2	3	3	6	3	1	-
1981.....	75	56	4	1	1	-	1	-	1	4	5	2	-
1980.....	72	47	4	1	1	3	-	3	3	6	4	-	-
1979.....	65	44	2	2	2	1	1	1	3	3	4	2	-

00/03/28 TABLE 290A. DEATHS FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 35
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+ N.S.
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 CERTAIN OTHER INTESTINAL INFECTIONS (007-009)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
BLACK MALE													
1998.....	77	57	1	-	-	1	2	2	1	5	5	3	-
1997.....	81	46	5	1	-	2	6	2	2	5	7	5	-
1996.....	82	63	1	1	1	-	3	2	2	4	3	2	-
1995.....	75	54	2	-	-	-	5	3	1	5	3	2	-
1994.....	94	63	5	1	1	-	1	1	8	10	3	1	-
1993.....	64	46	-	-	-	1	2	2	1	7	4	1	-
1992.....	47	32	3	-	2	1	2	-	2	2	3	-	-
1991.....	53	35	5	-	-	1	1	2	1	3	2	3	-
1990.....	34	19	3	1	1	-	2	-	1	2	3	2	-
1989.....	46	31	2	1	-	1	1	2	2	1	3	2	-
1988.....	29	23	-	-	-	1	1	-	-	1	1	2	-
1987.....	23	15	1	-	1	-	1	1	-	3	1	-	-
1986.....	53	35	1	2	-	3	-	4	4	2	-	2	-
1985.....	36	23	3	-	1	2	2	2	1	1	-	1	-
1984.....	51	43	-	1	-	1	-	1	2	-	3	-	-
1983.....	51	41	4	-	1	-	1	-	1	3	-	-	-
1982.....	39	28	4	-	1	-	1	1	-	4	-	-	-
1981.....	42	31	3	1	1	-	1	-	-	2	2	1	-
1980.....	36	26	2	-	1	-	-	2	2	1	2	-	-
1979.....	35	23	1	1	-	1	1	-	3	2	2	1	-

00/03/28 TABLE 290A. DEATHS FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 36
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS N.S.
 CERTAIN OTHER INTESTINAL INFECTIONS (007-009)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
BLACK FEMALE													
1998.....	81	40	4	-	-	-	2	2	3	7	10	13	-
1997.....	73	35	-	-	1	1	2	5	4	10	8	7	-
1996.....	58	37	1	2	-	-	2	-	1	2	4	9	-
1995.....	70	44	-	-	-	3	1	1	2	6	9	4	-
1994.....	60	41	3	1	-	2	3	-	3	3	3	1	-
1993.....	46	22	2	1	1	-	1	1	4	2	9	3	-
1992.....	47	31	2	1	1	-	-	1	1	2	3	5	-
1991.....	43	27	2	-	-	2	-	2	1	4	1	4	-
1990.....	33	22	2	1	-	-	1	-	1	2	1	3	-
1989.....	32	18	2	-	1	-	1	-	2	1	3	4	-
1988.....	28	16	1	-	-	-	-	-	1	4	4	2	-
1987.....	33	25	1	1	-	-	1	-	-	3	2	-	-
1986.....	29	19	-	1	-	-	-	4	1	2	1	1	-
1985.....	29	21	1	-	-	-	-	1	1	1	1	3	-
1984.....	29	19	2	-	-	2	-	1	-	1	3	-	1
1983.....	33	23	1	-	-	-	1	2	-	2	3	1	-
1982.....	48	33	2	-	-	1	1	2	3	2	3	1	-
1981.....	33	25	1	-	-	-	-	-	1	2	3	1	-
1980.....	36	21	2	1	-	3	-	1	1	5	2	-	-
1979.....	30	21	1	1	2	-	-	1	-	1	2	1	-

00/03/28	TABLE 290A. DEATHS FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98												PAGE 37
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
TUBERCULOSIS (010-018)													
TOTAL, BOTH SEXES													
1998.....	1,112	-	3	1	11	38	108	114	151	229	280	177	-
1997.....	1,166	-	4	1	14	36	81	125	157	234	353	161	-
1996.....	1,202	2	2	2	14	43	97	129	167	245	309	192	-
1995.....	1,336	1	2	2	18	39	127	143	157	300	359	187	1
1994.....	1,478	-	3	1	15	73	137	152	204	313	357	221	2
1993.....	1,631	2	5	2	13	83	159	192	209	350	418	197	1
1992.....	1,705	5	6	4	13	102	198	160	242	378	382	215	-
1991.....	1,713	2	2	5	22	111	205	174	254	329	411	198	-
1990.....	1,810	2	6	3	23	144	178	188	269	382	406	209	-
1989.....	1,970	1	7	3	25	127	200	201	270	426	466	242	2
1988.....	1,921	2	3	1	28	106	193	195	278	404	453	256	2
1987.....	1,755	1	6	2	23	101	162	176	284	389	413	195	3
1986.....	1,782	1	3	4	18	107	184	183	279	373	416	211	3
1985.....	1,752	4	3	2	25	82	135	183	299	389	430	199	1
1984.....	1,729	2	2	2	28	88	140	177	302	406	405	176	1
1983.....	1,779	1	3	4	18	74	107	198	306	436	417	212	3
1982.....	1,807	3	3	4	8	66	116	177	325	433	440	231	1
1981.....	1,937	4	4	3	16	68	124	222	371	476	446	203	-
1980.....	1,978	2	6	4	11	44	110	243	364	542	436	214	2
1979.....	2,007	1	7	3	14	62	131	263	377	494	438	217	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
TUBERCULOSIS (010-018)													
TOTAL, MALE													
1998.....	658	-	-	-	1	19	74	78	100	134	168	84	-
1997.....	662	-	1	-	6	24	58	80	106	126	175	86	-
1996.....	739	-	2	2	8	24	66	92	119	157	182	87	-
1995.....	814	-	-	1	8	22	85	104	115	184	201	93	1
1994.....	884	-	2	-	2	41	97	100	139	196	195	110	2
1993.....	1,018	-	4	1	7	50	113	147	147	224	234	90	1
1992.....	1,059	1	3	3	2	56	132	131	180	238	219	94	-
1991.....	1,048	2	-	4	7	57	145	128	187	188	230	100	-
1990.....	1,147	2	2	1	7	87	137	139	181	237	248	106	-
1989.....	1,284	-	6	2	19	83	159	149	191	281	261	131	2
1988.....	1,221	-	1	1	12	67	137	155	201	269	253	123	2
1987.....	1,169	-	4	1	9	71	120	132	210	250	260	109	3
1986.....	1,157	1	-	1	7	73	151	147	183	238	246	107	3
1985.....	1,135	4	1	-	11	57	100	146	222	225	252	116	1
1984.....	1,149	1	1	2	13	59	108	138	218	270	237	101	1
1983.....	1,176	-	1	2	4	52	76	153	223	298	246	119	2
1982.....	1,202	1	1	1	5	45	89	141	244	288	274	113	-
1981.....	1,299	1	3	2	5	46	86	161	268	336	282	109	-
1980.....	1,331	2	4	2	3	25	69	172	274	374	273	131	2
1979.....	1,371	1	4	2	6	36	93	186	262	366	293	122	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
TUBERCULOSIS (010-018)													
TOTAL, FEMALE													
1998.....	454	-	3	1	10	19	34	36	51	95	112	93	-
1997.....	504	-	3	1	8	12	23	45	51	108	178	75	-
1996.....	463	2	-	-	6	19	31	37	48	88	127	105	-
1995.....	522	1	2	1	10	17	42	39	42	116	158	94	-
1994.....	594	-	1	1	13	32	40	52	65	117	162	111	-
1993.....	613	2	1	1	6	33	46	45	62	126	184	107	-
1992.....	646	4	3	1	11	46	66	29	62	140	163	121	-
1991.....	665	-	2	1	15	54	60	46	67	141	181	98	-
1990.....	663	-	4	2	16	57	41	49	88	145	158	103	-
1989.....	686	1	1	1	6	44	41	52	79	145	205	111	-
1988.....	700	2	2	-	16	39	56	40	77	135	200	133	-
1987.....	586	1	2	1	14	30	42	44	74	139	153	86	-
1986.....	625	-	3	3	11	34	33	36	96	135	170	104	-
1985.....	617	-	2	2	14	25	35	37	77	164	178	83	-
1984.....	580	1	1	-	15	29	32	39	84	136	168	75	-
1983.....	603	1	2	2	14	22	31	45	83	138	171	93	1
1982.....	605	2	2	3	3	21	27	36	81	145	166	118	1
1981.....	638	3	1	1	11	22	38	61	103	140	164	94	-
1980.....	647	-	2	2	8	19	41	71	90	168	163	83	-
1979.....	636	-	3	1	8	26	38	77	115	128	145	95	-

00/03/28 TABLE 290A. DEATHS FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98													PAGE 40
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
TUBERCULOSIS (010-018)													
WHITE, BOTH SEXES													
1998.....	667	-	3	-	4	12	39	50	95	137	203	124	-
1997.....	695	-	3	1	7	13	35	47	86	142	250	111	-
1996.....	724	-	-	2	4	20	39	57	85	162	210	145	-
1995.....	804	1	1	2	9	20	44	61	92	183	263	128	-
1994.....	863	-	1	-	3	28	55	60	98	198	250	168	2
1993.....	969	-	2	-	8	35	52	90	108	229	308	136	1
1992.....	994	2	4	4	4	39	70	65	138	233	274	161	-
1991.....	978	2	2	2	6	37	75	73	127	216	297	141	-
1990.....	1,033	2	5	3	6	41	65	83	144	254	279	151	-
1989.....	1,152	1	2	2	10	40	79	72	154	273	333	185	1
1988.....	1,172	1	2	-	10	37	68	84	172	275	335	187	1
1987.....	1,082	-	1	2	8	38	69	86	183	264	282	147	2
1986.....	1,065	-	1	1	6	35	64	81	172	245	299	160	1
1985.....	1,101	1	1	1	12	26	50	85	185	272	323	144	1
1984.....	1,047	-	1	1	9	31	42	78	177	269	304	135	-
1983.....	1,119	-	2	3	7	23	33	93	187	304	311	156	-
1982.....	1,135	1	2	2	2	20	40	91	181	295	324	176	1
1981.....	1,211	1	3	2	9	18	38	102	228	322	330	158	-
1980.....	1,253	1	1	1	3	8	35	111	227	372	320	173	1
1979.....	1,294	1	5	2	5	21	46	121	224	359	336	174	-

00/03/28	TABLE 290A. DEATHS FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98												PAGE 41
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
TUBERCULOSIS (010-018)													
WHITE MALE													
1998.....	381	-	-	-	1	5	30	36	68	76	117	48	-
1997.....	380	-	1	-	3	9	26	33	59	72	119	58	-
1996.....	440	-	-	2	3	15	31	42	64	105	115	63	-
1995.....	474	-	-	1	5	11	32	41	67	109	146	62	-
1994.....	506	-	1	-	-	20	41	37	63	129	126	87	2
1993.....	591	-	1	-	4	22	38	66	82	157	164	56	1
1992.....	602	1	2	3	-	20	52	54	106	146	145	73	-
1991.....	593	2	-	2	2	24	55	53	102	123	159	71	-
1990.....	630	2	2	1	3	27	48	63	96	155	161	72	-
1989.....	724	-	2	1	9	31	61	55	105	181	179	99	1
1988.....	730	-	-	-	5	28	49	69	132	177	183	86	1
1987.....	724	-	-	1	4	25	52	64	134	176	180	86	2
1986.....	679	-	-	-	3	22	55	62	117	164	171	84	1
1985.....	703	1	-	-	4	24	39	70	141	151	191	81	1
1984.....	689	-	1	1	4	21	34	61	131	181	177	78	-
1983.....	718	-	1	2	2	17	20	71	135	206	176	88	-
1982.....	745	-	1	1	1	15	29	72	137	199	203	87	-
1981.....	797	-	2	2	3	10	24	82	168	222	204	80	-
1980.....	856	1	-	1	1	4	23	80	176	261	200	108	1
1979.....	909	1	2	1	1	14	34	95	157	272	233	99	-

00/03/28 TABLE 290A. DEATHS FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 42
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+ N.S.

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
TUBERCULOSIS (010-018)													
WHITE FEMALE													
1998.....	286	-	3	-	3	7	9	14	27	61	86	76	-
1997.....	315	-	2	1	4	4	9	14	27	70	131	53	-
1996.....	284	-	-	-	1	5	8	15	21	57	95	82	-
1995.....	330	1	1	1	4	9	12	20	25	74	117	66	-
1994.....	357	-	-	-	3	8	14	23	35	69	124	81	-
1993.....	378	-	1	-	4	13	14	24	26	72	144	80	-
1992.....	392	1	2	1	4	19	18	11	32	87	129	88	-
1991.....	385	-	2	-	4	13	20	20	25	93	138	70	-
1990.....	403	-	3	2	3	14	17	20	48	99	118	79	-
1989.....	428	1	-	1	1	9	18	17	49	92	154	86	-
1988.....	442	1	2	-	5	9	19	15	40	98	152	101	-
1987.....	358	-	1	1	4	13	17	22	49	88	102	61	-
1986.....	386	-	1	1	3	13	9	19	55	81	128	76	-
1985.....	398	-	1	1	8	2	11	15	44	121	132	63	-
1984.....	358	-	-	-	5	10	8	17	46	88	127	57	-
1983.....	401	-	1	1	5	6	13	22	52	98	135	68	-
1982.....	390	1	1	1	1	5	11	19	44	96	121	89	1
1981.....	414	1	1	-	6	8	14	20	60	100	126	78	-
1980.....	397	-	1	-	2	4	12	31	51	111	120	65	-
1979.....	385	-	3	1	4	7	12	26	67	87	103	75	-

00/03/28	TABLE 290A. DEATHS FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98												PAGE 43
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
TUBERCULOSIS (010-018)													
ALL OTHER, BOTH SEXES													
1998.....	445	-	-	1	7	26	69	64	56	92	77	53	-
1997.....	471	-	1	-	7	23	46	78	71	92	103	50	-
1996.....	478	2	2	-	10	23	58	72	82	83	99	47	-
1995.....	532	-	1	-	9	19	83	82	65	117	96	59	1
1994.....	615	-	2	1	12	45	82	92	106	115	107	53	-
1993.....	662	2	3	2	5	48	107	102	101	121	110	61	-
1992.....	711	3	2	-	9	63	128	95	104	145	108	54	-
1991.....	735	-	-	3	16	74	130	101	127	113	114	57	-
1990.....	777	-	1	-	17	103	113	105	125	128	127	58	-
1989.....	818	-	5	1	15	87	121	129	116	153	133	57	1
1988.....	749	1	1	1	18	69	125	111	106	129	118	69	1
1987.....	673	1	5	-	15	63	93	90	101	125	131	48	1
1986.....	717	1	2	3	12	72	120	102	107	128	117	51	2
1985.....	651	3	2	1	13	56	85	98	114	117	107	55	-
1984.....	682	2	1	1	19	57	98	99	125	137	101	41	1
1983.....	660	1	1	1	11	51	74	105	119	132	106	56	3
1982.....	672	2	1	2	6	46	76	86	144	138	116	55	-
1981.....	726	3	1	1	7	50	86	120	143	154	116	45	-
1980.....	725	1	5	3	8	36	75	132	137	170	116	41	1
1979.....	713	-	2	1	9	41	85	142	153	135	102	43	-

00/03/28 TABLE 290A. DEATHS FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 44
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+ N.S.
 TUBERCULOSIS (010-018)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ALL OTHER MALE													
1998.....	277	-	-	-	-	14	44	42	32	58	51	36	-
1997.....	282	-	-	-	3	15	32	47	47	54	56	28	-
1996.....	299	-	2	-	5	9	35	50	55	52	67	24	-
1995.....	340	-	-	-	3	11	53	63	48	75	55	31	1
1994.....	378	-	1	-	2	21	56	63	76	67	69	23	-
1993.....	427	-	3	1	3	28	75	81	65	67	70	34	-
1992.....	457	-	1	-	2	36	80	77	74	92	74	21	-
1991.....	455	-	-	2	5	33	90	75	85	65	71	29	-
1990.....	517	-	-	-	4	60	89	76	85	82	87	34	-
1989.....	560	-	4	1	10	52	98	94	86	100	82	32	1
1988.....	491	-	1	1	7	39	88	86	69	92	70	37	1
1987.....	445	-	4	-	5	46	68	68	76	74	80	23	1
1986.....	478	1	-	1	4	51	96	85	66	74	75	23	2
1985.....	432	3	1	-	7	33	61	76	81	74	61	35	-
1984.....	460	1	-	1	9	38	74	77	87	89	60	23	1
1983.....	458	-	-	-	2	35	56	82	88	92	70	31	2
1982.....	457	1	-	-	4	30	60	69	107	89	71	26	-
1981.....	502	1	1	-	2	36	62	79	100	114	78	29	-
1980.....	475	1	4	1	2	21	46	92	98	113	73	23	1
1979.....	462	-	2	1	5	22	59	91	105	94	60	23	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
TUBERCULOSIS (010-018)													
ALL OTHER FEMALE													
1998.....	168	-	-	1	7	12	25	22	24	34	26	17	-
1997.....	189	-	1	-	4	8	14	31	24	38	47	22	-
1996.....	179	2	-	-	5	14	23	22	27	31	32	23	-
1995.....	192	-	1	-	6	8	30	19	17	42	41	28	-
1994.....	237	-	1	1	10	24	26	29	30	48	38	30	-
1993.....	235	2	-	1	2	20	32	21	36	54	40	27	-
1992.....	254	3	1	-	7	27	48	18	30	53	34	33	-
1991.....	280	-	-	1	11	41	40	26	42	48	43	28	-
1990.....	260	-	1	-	13	43	24	29	40	46	40	24	-
1989.....	258	-	1	-	5	35	23	35	30	53	51	25	-
1988.....	258	1	-	-	11	30	37	25	37	37	48	32	-
1987.....	228	1	1	-	10	17	25	22	25	51	51	25	-
1986.....	239	-	2	2	8	21	24	17	41	54	42	28	-
1985.....	219	-	1	1	6	23	24	22	33	43	46	20	-
1984.....	222	1	1	-	10	19	24	22	38	48	41	18	-
1983.....	202	1	1	1	9	16	18	23	31	40	36	25	1
1982.....	215	1	1	2	2	16	16	17	37	49	45	29	-
1981.....	224	2	-	1	5	14	24	41	43	40	38	16	-
1980.....	250	-	1	2	6	15	29	40	39	57	43	18	-
1979.....	251	-	-	-	4	19	26	51	48	41	42	20	-

00/03/28 TABLE 290A. DEATHS FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98													PAGE 46
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
TUBERCULOSIS (010-018)													
BLACK, BOTH SEXES													
1998.....	346	-	-	1	6	20	52	53	50	70	54	40	-
1997.....	342	-	1	-	6	20	38	64	52	65	64	32	-
1996.....	369	2	2	-	6	20	54	62	63	59	67	34	-
1995.....	418	-	1	-	8	16	70	76	51	86	67	42	1
1994.....	499	-	2	1	12	41	77	74	85	90	78	39	-
1993.....	549	2	3	1	5	44	97	90	80	97	81	49	-
1992.....	612	3	2	-	9	60	120	84	90	112	87	45	-
1991.....	619	-	-	2	14	74	124	96	103	92	76	38	-
1990.....	668	-	1	-	17	96	107	91	105	101	102	48	-
1989.....	707	-	5	-	13	84	114	116	92	130	103	49	1
1988.....	641	1	1	1	17	64	117	98	87	112	88	54	1
1987.....	582	-	4	-	15	60	93	80	92	97	101	39	1
1986.....	628	-	2	2	10	68	111	96	88	117	90	42	2
1985.....	579	2	2	1	10	53	77	94	108	102	84	46	-
1984.....	619	1	1	1	19	55	92	94	114	124	85	32	1
1983.....	577	-	-	1	10	48	67	101	105	110	84	49	2
1982.....	587	2	-	1	6	46	67	74	136	121	88	46	-
1981.....	657	3	1	1	7	48	78	115	132	133	99	40	-
1980.....	651	-	4	1	5	35	70	122	127	153	100	33	1
1979.....	643	-	1	1	8	39	82	131	143	115	86	37	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
TUBERCULOSIS (010-018)													
BLACK MALE													
1998.....	213	-	-	-	-	10	35	36	30	44	32	26	-
1997.....	204	-	-	-	2	13	25	40	36	41	33	14	-
1996.....	236	-	2	-	4	9	33	45	41	40	47	15	-
1995.....	271	-	-	-	3	9	44	60	38	57	41	18	1
1994.....	315	-	1	-	2	20	52	55	61	54	52	18	-
1993.....	361	-	3	-	3	26	67	75	56	54	50	27	-
1992.....	400	-	1	-	2	33	75	70	66	75	61	17	-
1991.....	390	-	-	1	4	33	88	72	74	52	48	18	-
1990.....	446	-	-	-	4	57	86	66	75	61	69	28	-
1989.....	485	-	4	-	10	49	94	84	68	86	60	29	1
1988.....	422	-	1	1	6	36	82	77	60	83	49	26	1
1987.....	395	-	3	-	5	44	68	62	71	63	59	19	1
1986.....	424	-	-	1	4	48	88	82	56	68	55	20	2
1985.....	393	2	1	-	6	33	56	75	77	64	48	31	-
1984.....	425	-	-	1	9	38	72	74	81	82	50	17	1
1983.....	409	-	-	-	2	33	53	79	78	78	58	26	2
1982.....	412	1	-	-	4	30	56	62	102	79	56	22	-
1981.....	455	1	1	-	2	34	56	76	92	102	66	25	-
1980.....	443	-	3	1	1	21	44	92	94	104	63	19	1
1979.....	423	-	1	1	5	22	58	88	101	81	49	17	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
TUBERCULOSIS (010-018)													
BLACK FEMALE													
1998.....	133	-	-	1	6	10	17	17	20	26	22	14	-
1997.....	138	-	1	-	4	7	13	24	16	24	31	18	-
1996.....	133	2	-	-	2	11	21	17	22	19	20	19	-
1995.....	147	-	1	-	5	7	26	16	13	29	26	24	-
1994.....	184	-	1	1	10	21	25	19	24	36	26	21	-
1993.....	188	2	-	1	2	18	30	15	24	43	31	22	-
1992.....	212	3	1	-	7	27	45	14	24	37	26	28	-
1991.....	229	-	-	1	10	41	36	24	29	40	28	20	-
1990.....	222	-	1	-	13	39	21	25	30	40	33	20	-
1989.....	222	-	1	-	3	35	20	32	24	44	43	20	-
1988.....	219	1	-	-	11	28	35	21	27	29	39	28	-
1987.....	187	-	1	-	10	16	25	18	21	34	42	20	-
1986.....	204	-	2	1	6	20	23	14	32	49	35	22	-
1985.....	186	-	1	1	4	20	21	19	31	38	36	15	-
1984.....	194	1	1	-	10	17	20	20	33	42	35	15	-
1983.....	168	-	-	1	8	15	14	22	27	32	26	23	-
1982.....	175	1	-	1	2	16	11	12	34	42	32	24	-
1981.....	202	2	-	1	5	14	22	39	40	31	33	15	-
1980.....	208	-	1	-	4	14	26	30	33	49	37	14	-
1979.....	220	-	-	-	3	17	24	43	42	34	37	20	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)													
TOTAL, BOTH SEXES													
1998.....	815	-	-	-	7	25	64	84	103	169	218	145	-
1997.....	875	-	2	1	5	23	57	88	112	176	275	136	-
1996.....	912	2	-	2	11	25	68	93	124	180	246	161	-
1995.....	1,044	1	1	-	9	19	94	103	127	239	288	162	1
1994.....	1,129	-	-	1	7	45	103	106	142	233	296	194	2
1993.....	1,276	-	-	-	3	51	118	154	162	293	322	172	1
1992.....	1,315	1	2	1	8	64	133	121	198	296	320	171	-
1991.....	1,310	1	1	2	11	77	142	138	202	255	320	161	-
1990.....	1,378	1	1	1	13	95	131	129	191	307	335	174	-
1989.....	1,536	-	1	2	14	88	146	147	210	341	376	210	1
1988.....	1,488	-	1	-	12	60	139	154	216	323	367	215	1
1987.....	1,398	-	2	1	16	72	107	137	234	320	340	167	2
1986.....	1,407	-	1	1	12	60	135	142	226	303	343	181	3
1985.....	1,368	2	-	-	10	52	92	142	244	307	349	169	1
1984.....	1,342	-	1	-	13	54	94	142	243	321	326	148	-
1983.....	1,418	1	-	2	12	42	79	168	244	354	339	176	1
1982.....	1,468	1	-	-	4	45	87	144	268	362	359	198	-
1981.....	1,586	1	-	-	8	44	102	175	314	402	371	169	-
1980.....	1,638	-	-	-	8	26	85	199	313	452	368	185	2
1979.....	1,657	-	-	1	9	43	109	215	321	415	367	177	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)													
TOTAL, MALE													
1998.....	528	-	-	-	1	16	51	65	77	103	142	73	-
1997.....	537	-	-	-	4	16	45	59	84	104	147	78	-
1996.....	600	-	-	2	7	18	49	68	99	123	155	79	-
1995.....	684	-	-	-	3	12	69	81	101	159	173	85	1
1994.....	722	-	-	-	2	29	79	76	109	158	167	100	2
1993.....	837	-	-	-	2	33	89	124	124	192	194	78	1
1992.....	853	-	2	1	2	35	90	112	151	198	185	77	-
1991.....	841	1	-	2	3	44	104	107	150	158	187	85	-
1990.....	907	1	1	-	5	64	102	98	136	196	212	92	-
1989.....	1,042	-	1	1	11	61	122	118	158	232	220	117	1
1988.....	986	-	-	-	5	39	102	127	174	223	213	102	1
1987.....	971	-	2	-	5	53	82	105	182	216	226	98	2
1986.....	948	-	-	-	6	42	114	119	159	203	213	89	3
1985.....	923	2	-	-	4	39	71	116	192	185	214	99	1
1984.....	932	-	1	-	7	36	74	117	179	230	205	83	-
1983.....	982	-	-	2	1	31	60	137	188	249	210	103	1
1982.....	1,014	-	-	-	2	32	71	119	215	248	225	102	-
1981.....	1,118	-	-	-	3	32	76	132	233	303	245	94	-
1980.....	1,148	-	-	-	3	13	59	150	239	320	248	114	2
1979.....	1,205	-	-	1	4	27	83	161	240	322	261	106	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)													
TOTAL, FEMALE													
1998.....	287	-	-	-	6	9	13	19	26	66	76	72	-
1997.....	338	-	2	1	1	7	12	29	28	72	128	58	-
1996.....	312	2	-	-	4	7	19	25	25	57	91	82	-
1995.....	360	1	1	-	6	7	25	22	26	80	115	77	-
1994.....	407	-	-	1	5	16	24	30	33	75	129	94	-
1993.....	439	-	-	-	1	18	29	30	38	101	128	94	-
1992.....	462	1	-	-	6	29	43	9	47	98	135	94	-
1991.....	469	-	1	-	8	33	38	31	52	97	133	76	-
1990.....	471	-	-	1	8	31	29	31	55	111	123	82	-
1989.....	494	-	-	1	3	27	24	29	52	109	156	93	-
1988.....	502	-	1	-	7	21	37	27	42	100	154	113	-
1987.....	427	-	-	1	11	19	25	32	52	104	114	69	-
1986.....	459	-	1	1	6	18	21	23	67	100	130	92	-
1985.....	445	-	-	-	6	13	21	26	52	122	135	70	-
1984.....	410	-	-	-	6	18	20	25	64	91	121	65	-
1983.....	436	1	-	-	11	11	19	31	56	105	129	73	-
1982.....	454	1	-	-	2	13	16	25	53	114	134	96	-
1981.....	468	1	-	-	5	12	26	43	81	99	126	75	-
1980.....	490	-	-	-	5	13	26	49	74	132	120	71	-
1979.....	452	-	-	-	5	16	26	54	81	93	106	71	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+ N.S.

0 TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	N.S.
WHITE, BOTH SEXES													
1998.....	495	-	-	-	2	7	24	36	63	102	158	103	-
1997.....	532	-	1	1	2	10	21	32	60	108	198	99	-
1996.....	551	-	-	2	3	11	28	39	62	119	167	120	-
1995.....	641	1	1	-	5	8	33	39	76	146	223	109	-
1994.....	678	-	-	-	1	21	39	37	70	155	205	148	2
1993.....	769	-	-	-	1	21	40	73	83	188	242	120	1
1992.....	780	-	1	1	3	23	46	50	112	184	232	128	-
1991.....	754	1	1	1	3	25	50	50	103	168	236	116	-
1990.....	812	1	1	1	2	25	47	61	106	205	234	129	-
1989.....	927	-	-	1	6	25	54	54	121	228	275	162	1
1988.....	957	-	1	-	4	24	48	68	144	224	284	159	1
1987.....	900	-	-	1	5	30	40	72	162	219	244	125	2
1986.....	859	-	1	-	5	19	45	63	138	207	245	135	1
1985.....	882	-	-	-	4	19	30	71	153	219	259	126	1
1984.....	828	-	1	-	5	20	27	59	142	213	244	117	-
1983.....	925	-	-	2	5	12	24	80	156	256	257	133	-
1982.....	962	-	-	-	2	16	33	77	156	258	267	153	-
1981.....	1,012	-	-	-	4	10	26	85	199	276	278	134	-
1980.....	1,067	-	-	-	2	6	23	92	199	318	277	149	1
1979.....	1,106	-	-	1	2	17	39	105	197	316	285	144	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+ N.S.

0 TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
WHITE MALE													
1998.....	306	-	-	-	1	4	22	30	50	59	97	43	-
1997.....	309	-	-	-	2	7	17	23	46	59	101	54	-
1996.....	361	-	-	2	2	11	24	30	52	85	97	58	-
1995.....	400	-	-	-	1	7	25	30	60	94	128	55	-
1994.....	423	-	-	-	-	17	31	25	52	109	108	79	2
1993.....	490	-	-	-	1	14	32	56	68	131	140	47	1
1992.....	488	-	1	1	-	13	34	45	89	122	123	60	-
1991.....	474	1	-	1	-	15	40	38	83	102	134	60	-
1990.....	518	1	1	-	2	21	34	46	75	133	140	65	-
1989.....	600	-	-	-	6	22	43	45	87	155	154	87	1
1988.....	611	-	-	-	3	18	37	58	116	146	160	72	1
1987.....	623	-	-	-	2	20	31	53	121	154	164	76	2
1986.....	564	-	-	-	3	11	38	51	102	141	149	68	1
1985.....	585	-	-	-	1	18	25	59	121	126	164	70	1
1984.....	575	-	1	-	4	15	24	50	105	155	155	66	-
1983.....	616	-	-	2	1	11	17	65	117	179	148	76	-
1982.....	647	-	-	-	1	12	26	62	121	178	167	80	-
1981.....	702	-	-	-	1	5	21	71	150	201	181	72	-
1980.....	752	-	-	-	1	3	16	68	155	228	187	93	1
1979.....	812	-	-	1	-	12	31	86	144	245	207	86	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+ N.S.

0 TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)

WHITE FEMALE

Year	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
1998.....	189	-	-	-	1	3	2	6	13	43	61	60	-
1997.....	223	-	1	1	-	3	4	9	14	49	97	45	-
1996.....	190	-	-	-	1	-	4	9	10	34	70	62	-
1995.....	241	1	1	-	4	1	8	9	16	52	95	54	-
1994.....	255	-	-	-	1	4	8	12	18	46	97	69	-
1993.....	279	-	-	-	-	7	8	17	15	57	102	73	-
1992.....	292	-	-	-	3	10	12	5	23	62	109	68	-
1991.....	280	-	1	-	3	10	10	12	20	66	102	56	-
1990.....	294	-	-	1	-	4	13	15	31	72	94	64	-
1989.....	327	-	-	1	-	3	11	9	34	73	121	75	-
1988.....	346	-	1	-	1	6	11	10	28	78	124	87	-
1987.....	277	-	-	1	3	10	9	19	41	65	80	49	-
1986.....	295	-	1	-	2	8	7	12	36	66	96	67	-
1985.....	297	-	-	-	3	1	5	12	32	93	95	56	-
1984.....	253	-	-	-	1	5	3	9	37	58	89	51	-
1983.....	309	-	-	-	4	1	7	15	39	77	109	57	-
1982.....	315	-	-	-	1	4	7	15	35	80	100	73	-
1981.....	310	-	-	-	3	5	5	14	49	75	97	62	-
1980.....	315	-	-	-	1	3	7	24	44	90	90	56	-
1979.....	294	-	-	-	2	5	8	19	53	71	78	58	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+ N.S.

0 TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ALL OTHER, BOTH SEXES													
1998.....	320	-	-	-	5	18	40	48	40	67	60	42	-
1997.....	343	-	1	-	3	13	36	56	52	68	77	37	-
1996.....	361	2	-	-	8	14	40	54	62	61	79	41	-
1995.....	403	-	-	-	4	11	61	64	51	93	65	53	1
1994.....	451	-	-	1	6	24	64	69	72	78	91	46	-
1993.....	507	-	-	-	2	30	78	81	79	105	80	52	-
1992.....	535	1	1	-	5	41	87	71	86	112	88	43	-
1991.....	556	-	-	1	8	52	92	88	99	87	84	45	-
1990.....	566	-	-	-	11	70	84	68	85	102	101	45	-
1989.....	609	-	1	1	8	63	92	93	89	113	101	48	-
1988.....	531	-	-	-	8	36	91	86	72	99	83	56	-
1987.....	498	-	2	-	11	42	67	65	72	101	96	42	-
1986.....	548	-	-	1	7	41	90	79	88	96	98	46	2
1985.....	486	2	-	-	6	33	62	71	91	88	90	43	-
1984.....	514	-	-	-	8	34	67	83	101	108	82	31	-
1983.....	493	1	-	-	7	30	55	88	88	98	82	43	1
1982.....	506	1	-	-	2	29	54	67	112	104	92	45	-
1981.....	574	1	-	-	4	34	76	90	115	126	93	35	-
1980.....	571	-	-	-	6	20	62	107	114	134	91	36	1
1979.....	551	-	-	-	7	26	70	110	124	99	82	33	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+ N.S.

0 TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)

ALL OTHER MALE

Year	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
1998	222	-	-	-	-	12	29	35	27	44	45	30	-
1997	228	-	-	-	2	9	28	36	38	45	46	24	-
1996	239	-	-	-	5	7	25	38	47	38	58	21	-
1995	284	-	-	-	2	5	44	51	41	65	45	30	1
1994	299	-	-	-	2	12	48	51	57	49	59	21	-
1993	347	-	-	-	1	19	57	68	56	61	54	31	-
1992	365	-	1	-	2	22	56	67	62	76	62	17	-
1991	367	-	-	1	3	29	64	69	67	56	53	25	-
1990	389	-	-	-	3	43	68	52	61	63	72	27	-
1989	442	-	1	1	5	39	79	73	71	77	66	30	-
1988	375	-	-	-	2	21	65	69	58	77	53	30	-
1987	348	-	2	-	3	33	51	52	61	62	62	22	-
1986	384	-	-	-	3	31	76	68	57	62	64	21	2
1985	338	2	-	-	3	21	46	57	71	59	50	29	-
1984	357	-	-	-	3	21	50	67	74	75	50	17	-
1983	366	-	-	-	-	20	43	72	71	70	62	27	1
1982	367	-	-	-	1	20	45	57	94	70	58	22	-
1981	416	-	-	-	2	27	55	61	83	102	64	22	-
1980	396	-	-	-	2	10	43	82	84	92	61	21	1
1979	393	-	-	-	4	15	52	75	96	77	54	20	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)													
ALL OTHER FEMALE													
1998.....	98	-	-	-	5	6	11	13	13	23	15	12	-
1997.....	115	-	1	-	1	4	8	20	14	23	31	13	-
1996.....	122	2	-	-	3	7	15	16	15	23	21	20	-
1995.....	119	-	-	-	2	6	17	13	10	28	20	23	-
1994.....	152	-	-	1	4	12	16	18	15	29	32	25	-
1993.....	160	-	-	-	1	11	21	13	23	44	26	21	-
1992.....	170	1	-	-	3	19	31	4	24	36	26	26	-
1991.....	189	-	-	-	5	23	28	19	32	31	31	20	-
1990.....	177	-	-	-	8	27	16	16	24	39	29	18	-
1989.....	167	-	-	-	3	24	13	20	18	36	35	18	-
1988.....	156	-	-	-	6	15	26	17	14	22	30	26	-
1987.....	150	-	-	-	8	9	16	13	11	39	34	20	-
1986.....	164	-	-	1	4	10	14	11	31	34	34	25	-
1985.....	148	-	-	-	3	12	16	14	20	29	40	14	-
1984.....	157	-	-	-	5	13	17	16	27	33	32	14	-
1983.....	127	1	-	-	7	10	12	16	17	28	20	16	-
1982.....	139	1	-	-	1	9	9	10	18	34	34	23	-
1981.....	158	1	-	-	2	7	21	29	32	24	29	13	-
1980.....	175	-	-	-	4	10	19	25	30	42	30	15	-
1979.....	158	-	-	-	3	11	18	35	28	22	28	13	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)													
BLACK, BOTH SEXES													
1998.....	251	-	-	-	4	14	33	40	35	50	43	32	-
1997.....	250	-	1	-	3	12	30	46	38	48	50	22	-
1996.....	284	2	-	-	6	14	37	48	49	43	54	31	-
1995.....	314	-	-	-	4	10	53	61	38	67	44	36	1
1994.....	368	-	-	1	6	24	61	57	59	61	66	33	-
1993.....	416	-	-	-	2	29	72	74	65	82	52	40	-
1992.....	463	1	1	-	5	39	83	66	73	90	70	35	-
1991.....	467	-	-	1	8	52	87	84	83	71	53	28	-
1990.....	491	-	-	-	11	65	80	61	73	82	81	38	-
1989.....	533	-	1	-	7	61	88	88	71	98	75	44	-
1988.....	454	-	-	-	8	34	84	78	58	87	63	42	-
1987.....	432	-	2	-	11	40	67	59	66	80	73	34	-
1986.....	478	-	-	-	6	39	81	76	72	88	76	38	2
1985.....	432	1	-	-	5	31	56	69	85	77	73	35	-
1984.....	463	-	-	-	8	33	64	79	90	97	68	24	-
1983.....	431	-	-	-	6	27	51	85	77	80	68	36	1
1982.....	444	1	-	-	2	29	48	59	105	93	67	40	-
1981.....	522	1	-	-	4	32	71	87	106	110	80	31	-
1980.....	518	-	-	-	3	20	59	101	106	121	78	29	1
1979.....	504	-	-	-	6	24	69	104	117	87	69	28	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+ N.S.

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)													
BLACK MALE													
1998.....	176	-	-	-	-	9	25	30	26	33	31	22	-
1997.....	165	-	-	-	2	8	22	30	29	35	28	11	-
1996.....	186	-	-	-	4	7	23	36	36	28	39	13	-
1995.....	225	-	-	-	2	5	37	49	32	50	32	17	1
1994.....	252	-	-	-	2	12	45	46	46	40	45	16	-
1993.....	294	-	-	-	1	19	53	64	49	49	35	24	-
1992.....	323	-	1	-	2	20	54	63	55	64	51	13	-
1991.....	319	-	-	1	3	29	62	67	61	45	35	16	-
1990.....	341	-	-	-	3	42	66	45	56	48	58	23	-
1989.....	386	-	1	-	5	37	76	69	59	65	47	27	-
1988.....	319	-	-	-	2	20	60	62	49	69	37	20	-
1987.....	310	-	2	-	3	31	51	48	57	54	46	18	-
1986.....	339	-	-	-	3	29	68	66	49	57	47	18	2
1985.....	306	1	-	-	3	21	41	57	67	50	41	25	-
1984.....	328	-	-	-	3	21	50	64	68	68	42	12	-
1983.....	327	-	-	-	-	18	43	69	62	58	54	22	1
1982.....	328	-	-	-	1	20	41	51	90	62	44	19	-
1981.....	376	-	-	-	2	25	51	59	75	92	54	18	-
1980.....	373	-	-	-	1	10	42	82	82	85	52	18	1
1979.....	363	-	-	-	4	15	51	74	93	67	44	15	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 TUBERCULOSIS OF RESPIRATORY SYSTEM (010-012)													
BLACK FEMALE													
1998.....	75	-	-	-	4	5	8	10	9	17	12	10	-
1997.....	85	-	1	-	1	4	8	16	9	13	22	11	-
1996.....	98	2	-	-	2	7	14	12	13	15	15	18	-
1995.....	89	-	-	-	2	5	16	12	6	17	12	19	-
1994.....	116	-	-	1	4	12	16	11	13	21	21	17	-
1993.....	122	-	-	-	1	10	19	10	16	33	17	16	-
1992.....	140	1	-	-	3	19	29	3	18	26	19	22	-
1991.....	148	-	-	-	5	23	25	17	22	26	18	12	-
1990.....	150	-	-	-	8	23	14	16	17	34	23	15	-
1989.....	147	-	-	-	2	24	12	19	12	33	28	17	-
1988.....	135	-	-	-	6	14	24	16	9	18	26	22	-
1987.....	122	-	-	-	8	9	16	11	9	26	27	16	-
1986.....	139	-	-	-	3	10	13	10	23	31	29	20	-
1985.....	126	-	-	-	2	10	15	12	18	27	32	10	-
1984.....	135	-	-	-	5	12	14	15	22	29	26	12	-
1983.....	104	-	-	-	6	9	8	16	15	22	14	14	-
1982.....	116	1	-	-	1	9	7	8	15	31	23	21	-
1981.....	146	1	-	-	2	7	20	28	31	18	26	13	-
1980.....	145	-	-	-	2	10	17	19	24	36	26	11	-
1979.....	141	-	-	-	2	9	18	30	24	20	25	13	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
OTHER TUBERCULOSIS (013-018)													
TOTAL, BOTH SEXES													
1998.....	297	-	3	1	4	13	44	30	48	60	62	32	-
1997.....	291	-	2	-	9	13	24	37	45	58	78	25	-
1996.....	290	-	2	-	3	18	29	36	43	65	63	31	-
1995.....	292	-	1	2	9	20	33	40	30	61	71	25	-
1994.....	349	-	3	-	8	28	34	46	62	80	61	27	-
1993.....	355	2	5	2	10	32	41	38	47	57	96	25	-
1992.....	390	4	4	3	5	38	65	39	44	82	62	44	-
1991.....	403	1	1	3	11	34	63	36	52	74	91	37	-
1990.....	432	1	5	2	10	49	47	59	78	75	71	35	-
1989.....	434	1	6	1	11	39	54	54	60	85	90	32	1
1988.....	433	2	2	1	16	46	54	41	62	81	86	41	1
1987.....	357	1	4	1	7	29	55	39	50	69	73	28	1
1986.....	375	1	2	3	6	47	49	41	53	70	73	30	-
1985.....	384	2	3	2	15	30	43	41	55	82	81	30	-
1984.....	387	2	1	2	15	34	46	35	59	85	79	28	1
1983.....	361	-	3	2	6	32	28	30	62	82	78	36	2
1982.....	339	2	3	4	4	21	29	33	57	71	81	33	1
1981.....	351	3	4	3	8	24	22	47	57	74	75	34	-
1980.....	340	2	6	4	3	18	25	44	51	90	68	29	-
1979.....	350	1	7	2	5	19	22	48	56	79	71	40	-

OTHER TUBERCULOSIS (013-018)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
TOTAL, MALE													
1998.....	130	-	-	-	-	3	23	13	23	31	26	11	-
1997.....	125	-	1	-	2	8	13	21	22	22	28	8	-
1996.....	139	-	2	-	1	6	17	24	20	34	27	8	-
1995.....	130	-	-	1	5	10	16	23	14	25	28	8	-
1994.....	162	-	2	-	-	12	18	24	30	38	28	10	-
1993.....	181	-	4	1	5	17	24	23	23	32	40	12	-
1992.....	206	1	1	2	-	21	42	19	29	40	34	17	-
1991.....	207	1	-	2	4	13	41	21	37	30	43	15	-
1990.....	240	1	1	1	2	23	35	41	45	41	36	14	-
1989.....	242	-	5	1	8	22	37	31	33	49	41	14	1
1988.....	235	-	1	1	7	28	35	28	27	46	40	21	1
1987.....	198	-	2	1	4	18	38	27	28	34	34	11	1
1986.....	209	1	-	1	1	31	37	28	24	35	33	18	-
1985.....	212	2	1	-	7	18	29	30	30	40	38	17	-
1984.....	217	1	-	2	6	23	34	21	39	40	32	18	1
1983.....	194	-	1	-	3	21	16	16	35	49	36	16	1
1982.....	188	1	1	1	3	13	18	22	29	40	49	11	-
1981.....	181	1	3	2	2	14	10	29	35	33	37	15	-
1980.....	183	2	4	2	-	12	10	22	35	54	25	17	-
1979.....	166	1	4	1	2	9	10	25	22	44	32	16	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
OTHER TUBERCULOSIS (013-018)													
TOTAL, FEMALE													
1998.....	167	-	3	1	4	10	21	17	25	29	36	21	-
1997.....	166	-	1	-	7	5	11	16	23	36	50	17	-
1996.....	151	-	-	-	2	12	12	12	23	31	36	23	-
1995.....	162	-	1	1	4	10	17	17	16	36	43	17	-
1994.....	187	-	1	-	8	16	16	22	32	42	33	17	-
1993.....	174	2	1	1	5	15	17	15	24	25	56	13	-
1992.....	184	3	3	1	5	17	23	20	15	42	28	27	-
1991.....	196	-	1	1	7	21	22	15	15	44	48	22	-
1990.....	192	-	4	1	8	26	12	18	33	34	35	21	-
1989.....	192	1	1	-	3	17	17	23	27	36	49	18	-
1988.....	198	2	1	-	9	18	19	13	35	35	46	20	-
1987.....	159	1	2	-	3	11	17	12	22	35	39	17	-
1986.....	166	-	2	2	5	16	12	13	29	35	40	12	-
1985.....	172	-	2	2	8	12	14	11	25	42	43	13	-
1984.....	170	1	1	-	9	11	12	14	20	45	47	10	-
1983.....	167	-	2	2	3	11	12	14	27	33	42	20	1
1982.....	151	1	2	3	1	8	11	11	28	31	32	22	1
1981.....	170	2	1	1	6	10	12	18	22	41	38	19	-
1980.....	157	-	2	2	3	6	15	22	16	36	43	12	-
1979.....	184	-	3	1	3	10	12	23	34	35	39	24	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
OTHER TUBERCULOSIS (013-018)													
WHITE, BOTH SEXES													
1998.....	172	-	3	-	2	5	15	14	32	35	45	21	-
1997.....	163	-	2	-	5	3	14	15	26	34	52	12	-
1996.....	173	-	-	-	1	9	11	18	23	43	43	25	-
1995.....	163	-	-	2	4	12	11	22	16	37	40	19	-
1994.....	185	-	1	-	2	7	16	23	28	43	45	20	-
1993.....	200	-	2	-	7	14	12	17	25	41	66	16	-
1992.....	214	2	3	3	1	16	24	15	26	49	42	33	-
1991.....	224	1	1	1	3	12	25	23	24	48	61	25	-
1990.....	221	1	4	2	4	16	18	22	38	49	45	22	-
1989.....	225	1	2	1	4	15	25	18	33	45	58	23	-
1988.....	215	1	1	-	6	13	20	16	28	51	51	28	-
1987.....	182	-	1	1	3	8	29	14	21	45	38	22	-
1986.....	206	-	-	1	1	16	19	18	34	38	54	25	-
1985.....	219	1	1	1	8	7	20	14	32	53	64	18	-
1984.....	219	-	-	1	4	11	15	19	35	56	60	18	-
1983.....	194	-	2	1	2	11	9	13	31	48	54	23	-
1982.....	173	1	2	2	-	4	7	14	25	37	57	23	1
1981.....	199	1	3	2	5	8	12	17	29	46	52	24	-
1980.....	186	1	1	1	1	2	12	19	28	54	43	24	-
1979.....	188	1	5	1	3	4	7	16	27	43	51	30	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
OTHER TUBERCULOSIS (013-018)													
WHITE MALE													
1998.....	75	-	-	-	-	1	8	6	18	17	20	5	-
1997.....	71	-	1	-	1	2	9	10	13	13	18	4	-
1996.....	79	-	-	-	1	4	7	12	12	20	18	5	-
1995.....	74	-	-	1	4	4	7	11	7	15	18	7	-
1994.....	83	-	1	-	-	3	10	12	11	20	18	8	-
1993.....	101	-	1	-	3	8	6	10	14	26	24	9	-
1992.....	114	1	1	2	-	7	18	9	17	24	22	13	-
1991.....	119	1	-	1	2	9	15	15	19	21	25	11	-
1990.....	112	1	1	1	1	6	14	17	21	22	21	7	-
1989.....	124	-	2	1	3	9	18	10	18	26	25	12	-
1988.....	119	-	-	-	2	10	12	11	16	31	23	14	-
1987.....	101	-	-	1	2	5	21	11	13	22	16	10	-
1986.....	115	-	-	-	-	11	17	11	15	23	22	16	-
1985.....	118	1	-	-	3	6	14	11	20	25	27	11	-
1984.....	114	-	-	1	-	6	10	11	26	26	22	12	-
1983.....	102	-	1	-	1	6	3	6	18	27	28	12	-
1982.....	98	-	1	1	-	3	3	10	16	21	36	7	-
1981.....	95	-	2	2	2	5	3	11	18	21	23	8	-
1980.....	104	1	-	1	-	1	7	12	21	33	13	15	-
1979.....	97	1	2	-	1	2	3	9	13	27	26	13	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
OTHER TUBERCULOSIS (013-018)													
WHITE FEMALE													
1998.....	97	-	3	-	2	4	7	8	14	18	25	16	-
1997.....	92	-	1	-	4	1	5	5	13	21	34	8	-
1996.....	94	-	-	-	-	5	4	6	11	23	25	20	-
1995.....	89	-	-	1	-	8	4	11	9	22	22	12	-
1994.....	102	-	-	-	2	4	6	11	17	23	27	12	-
1993.....	99	-	1	-	4	6	6	7	11	15	42	7	-
1992.....	100	1	2	1	1	9	6	6	9	25	20	20	-
1991.....	105	-	1	-	1	3	10	8	5	27	36	14	-
1990.....	109	-	3	1	3	10	4	5	17	27	24	15	-
1989.....	101	1	-	-	1	6	7	8	15	19	33	11	-
1988.....	96	1	1	-	4	3	8	5	12	20	28	14	-
1987.....	81	-	1	-	1	3	8	3	8	23	22	12	-
1986.....	91	-	-	1	1	5	2	7	19	15	32	9	-
1985.....	101	-	1	1	5	1	6	3	12	28	37	7	-
1984.....	105	-	-	-	4	5	5	8	9	30	38	6	-
1983.....	92	-	1	1	1	5	6	7	13	21	26	11	-
1982.....	75	1	1	1	-	1	4	4	9	16	21	16	1
1981.....	104	1	1	-	3	3	9	6	11	25	29	16	-
1980.....	82	-	1	-	1	1	5	7	7	21	30	9	-
1979.....	91	-	3	1	2	2	4	7	14	16	25	17	-

OTHER TUBERCULOSIS (013-018)
 ALL OTHER, BOTH SEXES

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
1998.....	125	-	-	1	2	8	29	16	16	25	17	11	-
1997.....	128	-	-	-	4	10	10	22	19	24	26	13	-
1996.....	117	-	2	-	2	9	18	18	20	22	20	6	-
1995.....	129	-	1	-	5	8	22	18	14	24	31	6	-
1994.....	164	-	2	-	6	21	18	23	34	37	16	7	-
1993.....	155	2	3	2	3	18	29	21	22	16	30	9	-
1992.....	176	2	1	-	4	22	41	24	18	33	20	11	-
1991.....	179	-	-	2	8	22	38	13	28	26	30	12	-
1990.....	211	-	1	-	6	33	29	37	40	26	26	13	-
1989.....	209	-	4	-	7	24	29	36	27	40	32	9	1
1988.....	218	1	1	1	10	33	34	25	34	30	35	13	1
1987.....	175	1	3	-	4	21	26	25	29	24	35	6	1
1986.....	169	1	2	2	5	31	30	23	19	32	19	5	-
1985.....	165	1	2	1	7	23	23	27	23	29	17	12	-
1984.....	168	2	1	1	11	23	31	16	24	29	19	10	1
1983.....	167	-	1	1	4	21	19	17	31	34	24	13	2
1982.....	166	1	1	2	4	17	22	19	32	34	24	10	-
1981.....	152	2	1	1	3	16	10	30	28	28	23	10	-
1980.....	154	1	5	3	2	16	13	25	23	36	25	5	-
1979.....	162	-	2	1	2	15	15	32	29	36	20	10	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
OTHER TUBERCULOSIS (013-018)													
ALL OTHER MALE													
1998.....	55	-	-	-	-	2	15	7	5	14	6	6	-
1997.....	54	-	-	-	1	6	4	11	9	9	10	4	-
1996.....	60	-	2	-	-	2	10	12	8	14	9	3	-
1995.....	56	-	-	-	1	6	9	12	7	10	10	1	-
1994.....	79	-	1	-	-	9	8	12	19	18	10	2	-
1993.....	80	-	3	1	2	9	18	13	9	6	16	3	-
1992.....	92	-	-	-	-	14	24	10	12	16	12	4	-
1991.....	88	-	-	1	2	4	26	6	18	9	18	4	-
1990.....	128	-	-	-	1	17	21	24	24	19	15	7	-
1989.....	118	-	3	-	5	13	19	21	15	23	16	2	1
1988.....	116	-	1	1	5	18	23	17	11	15	17	7	1
1987.....	97	-	2	-	2	13	17	16	15	12	18	1	1
1986.....	94	1	-	1	1	20	20	17	9	12	11	2	-
1985.....	94	1	1	-	4	12	15	19	10	15	11	6	-
1984.....	103	1	-	1	6	17	24	10	13	14	10	6	1
1983.....	92	-	-	-	2	15	13	10	17	22	8	4	1
1982.....	90	1	-	-	3	10	15	12	13	19	13	4	-
1981.....	86	1	1	-	-	9	7	18	17	12	14	7	-
1980.....	79	1	4	1	-	11	3	10	14	21	12	2	-
1979.....	69	-	2	1	1	7	7	16	9	17	6	3	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
OTHER TUBERCULOSIS (013-018)													
ALL OTHER FEMALE													
1998.....	70	-	-	1	2	6	14	9	11	11	11	5	-
1997.....	74	-	-	-	3	4	6	11	10	15	16	9	-
1996.....	57	-	-	-	2	7	8	6	12	8	11	3	-
1995.....	73	-	1	-	4	2	13	6	7	14	21	5	-
1994.....	85	-	1	-	6	12	10	11	15	19	6	5	-
1993.....	75	2	-	1	1	9	11	8	13	10	14	6	-
1992.....	84	2	1	-	4	8	17	14	6	17	8	7	-
1991.....	91	-	-	1	6	18	12	7	10	17	12	8	-
1990.....	83	-	1	-	5	16	8	13	16	7	11	6	-
1989.....	91	-	1	-	2	11	10	15	12	17	16	7	-
1988.....	102	1	-	-	5	15	11	8	23	15	18	6	-
1987.....	78	1	1	-	2	8	9	9	14	12	17	5	-
1986.....	75	-	2	1	4	11	10	6	10	20	8	3	-
1985.....	71	-	1	1	3	11	8	8	13	14	6	6	-
1984.....	65	1	1	-	5	6	7	6	11	15	9	4	-
1983.....	75	-	1	1	2	6	6	7	14	12	16	9	1
1982.....	76	-	1	2	1	7	7	7	19	15	11	6	-
1981.....	66	1	-	1	3	7	3	12	11	16	9	3	-
1980.....	75	-	1	2	2	5	10	15	9	15	13	3	-
1979.....	93	-	-	-	1	8	8	16	20	19	14	7	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
OTHER TUBERCULOSIS (013-018)													
BLACK, BOTH SEXES													
1998.....	95	-	-	1	2	6	19	13	15	20	11	8	-
1997.....	92	-	-	-	3	8	8	18	14	17	14	10	-
1996.....	85	-	2	-	-	6	17	14	14	16	13	3	-
1995.....	104	-	1	-	4	6	17	15	13	19	23	6	-
1994.....	131	-	2	-	6	17	16	17	26	29	12	6	-
1993.....	133	2	3	1	3	15	25	16	15	15	29	9	-
1992.....	149	2	1	-	4	21	37	18	17	22	17	10	-
1991.....	152	-	-	1	6	22	37	12	20	21	23	10	-
1990.....	177	-	1	-	6	31	27	30	32	19	21	10	-
1989.....	174	-	4	-	6	23	26	28	21	32	28	5	1
1988.....	187	1	1	1	9	30	33	20	29	25	25	12	1
1987.....	150	-	2	-	4	20	26	21	26	17	28	5	1
1986.....	150	-	2	2	4	29	30	20	16	29	14	4	-
1985.....	147	1	2	1	5	22	21	25	23	25	11	11	-
1984.....	156	1	1	1	11	22	28	15	24	27	17	8	1
1983.....	146	-	-	1	4	21	16	16	28	30	16	13	1
1982.....	143	1	-	1	4	17	19	15	31	28	21	6	-
1981.....	135	2	1	1	3	16	7	28	26	23	19	9	-
1980.....	133	-	4	1	2	15	11	21	21	32	22	4	-
1979.....	139	-	1	1	2	15	13	27	26	28	17	9	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
OTHER TUBERCULOSIS (013-018)													
BLACK MALE													
1998.....	37	-	-	-	-	1	10	6	4	11	1	4	-
1997.....	39	-	-	-	-	5	3	10	7	6	5	3	-
1996.....	50	-	2	-	-	2	10	9	5	12	8	2	-
1995.....	46	-	-	-	1	4	7	11	6	7	9	1	-
1994.....	63	-	1	-	-	8	7	9	15	14	7	2	-
1993.....	67	-	3	-	2	7	14	11	7	5	15	3	-
1992.....	77	-	-	-	-	13	21	7	11	11	10	4	-
1991.....	71	-	-	-	1	4	26	5	13	7	13	2	-
1990.....	105	-	-	-	1	15	20	21	19	13	11	5	-
1989.....	99	-	3	-	5	12	18	15	9	21	13	2	1
1988.....	103	-	1	1	4	16	22	15	11	14	12	6	1
1987.....	85	-	1	-	2	13	17	14	14	9	13	1	1
1986.....	85	-	-	1	1	19	20	16	7	11	8	2	-
1985.....	87	1	1	-	3	12	15	18	10	14	7	6	-
1984.....	97	-	-	1	6	17	22	10	13	14	8	5	1
1983.....	82	-	-	-	2	15	10	10	16	20	4	4	1
1982.....	84	1	-	-	3	10	15	11	12	17	12	3	-
1981.....	79	1	1	-	-	9	5	17	17	10	12	7	-
1980.....	70	-	3	1	-	11	2	10	12	19	11	1	-
1979.....	60	-	1	1	1	7	7	14	8	14	5	2	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
OTHER TUBERCULOSIS (013-018)													
BLACK FEMALE													
1998.....	58	-	-	1	2	5	9	7	11	9	10	4	-
1997.....	53	-	-	-	3	3	5	8	7	11	9	7	-
1996.....	35	-	-	-	-	4	7	5	9	4	5	1	-
1995.....	58	-	1	-	3	2	10	4	7	12	14	5	-
1994.....	68	-	1	-	6	9	9	8	11	15	5	4	-
1993.....	66	2	-	1	1	8	11	5	8	10	14	6	-
1992.....	72	2	1	-	4	8	16	11	6	11	7	6	-
1991.....	81	-	-	1	5	18	11	7	7	14	10	8	-
1990.....	72	-	1	-	5	16	7	9	13	6	10	5	-
1989.....	75	-	1	-	1	11	8	13	12	11	15	3	-
1988.....	84	1	-	-	5	14	11	5	18	11	13	6	-
1987.....	65	-	1	-	2	7	9	7	12	8	15	4	-
1986.....	65	-	2	1	3	10	10	4	9	18	6	2	-
1985.....	60	-	1	1	2	10	6	7	13	11	4	5	-
1984.....	59	1	1	-	5	5	6	5	11	13	9	3	-
1983.....	64	-	-	1	2	6	6	6	12	10	12	9	-
1982.....	59	-	-	1	1	7	4	4	19	11	9	3	-
1981.....	56	1	-	1	3	7	2	11	9	13	7	2	-
1980.....	63	-	1	-	2	4	9	11	9	13	11	3	-
1979.....	79	-	-	-	1	8	6	13	18	14	12	7	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR
 TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+ N.S.
 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

STREPTOCOCCAL SORE THROAT, SCARLATINA, AND ERYSIPELAS (034-035)

TOTAL, BOTH SEXES

Year	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
1998.....	8	-	1	2	-	1	-	-	1	2	1	-	-
1997.....	8	-	1	-	1	-	-	1	-	-	1	4	-
1996.....	13	1	-	-	2	-	-	2	4	1	1	2	-
1995.....	9	-	1	2	-	-	-	-	2	1	1	2	-
1994.....	12	1	-	-	-	4	2	1	-	2	2	-	-
1993.....	13	-	-	-	2	-	1	-	2	1	1	6	-
1992.....	5	-	-	-	-	-	1	-	-	3	-	1	-
1991.....	5	-	-	-	-	1	-	-	1	1	1	1	-
1990.....	14	2	-	-	1	1	-	2	1	2	2	3	-
1989.....	17	1	1	-	2	-	-	3	3	1	2	4	-
1988.....	13	1	-	1	-	1	-	1	2	3	2	2	-
1987.....	10	1	1	-	-	-	1	-	2	1	-	4	-
1986.....	12	-	-	1	2	-	-	3	2	-	1	3	-
1985.....	9	-	-	-	-	2	-	1	1	1	1	3	-
1984.....	11	-	-	-	-	1	2	3	1	2	2	-	-
1983.....	6	-	-	-	-	-	-	-	1	1	2	2	-
1982.....	18	-	2	-	-	4	-	2	1	1	2	6	-
1981.....	13	-	1	-	-	-	3	-	1	1	6	1	-
1980.....	15	1	-	1	-	-	1	1	3	1	4	3	-
1979.....	25	2	2	4	1	1	4	1	-	3	4	3	-

00/03/28 TABLE 290A. DEATHS FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 86
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+ N.S.
 STREPTOCOCCAL SORE THROAT, SCARLATINA, AND ERYSIPELAS (034-035)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
TOTAL, MALE													
1998.....	5	-	1	-	-	1	-	-	1	2	-	-	-
1997.....	2	-	-	-	1	-	-	-	-	-	-	1	-
1996.....	9	-	-	-	2	-	-	2	3	-	-	2	-
1995.....	3	-	1	1	-	-	-	-	1	-	-	-	-
1994.....	4	-	-	-	-	2	-	-	-	-	2	-	-
1993.....	4	-	-	-	-	-	1	-	2	-	-	1	-
1992.....	2	-	-	-	-	-	1	-	-	1	-	-	-
1991.....	4	-	-	-	-	1	-	-	1	-	1	1	-
1990.....	6	1	-	-	1	1	-	1	1	1	-	-	-
1989.....	6	1	-	-	2	-	-	1	1	-	-	1	-
1988.....	6	1	-	1	-	1	-	1	-	1	1	-	-
1987.....	4	-	1	-	-	-	1	-	-	-	-	2	-
1986.....	5	-	-	-	1	-	-	2	1	-	-	1	-
1985.....	3	-	-	-	-	1	-	-	-	1	-	1	-
1984.....	5	-	-	-	-	-	2	-	1	1	1	-	-
1983.....	3	-	-	-	-	-	-	-	-	-	1	2	-
1982.....	11	-	2	-	-	3	-	2	-	-	1	3	-
1981.....	6	-	-	-	-	-	2	-	1	-	2	1	-
1980.....	6	1	-	1	-	-	-	-	1	1	1	1	-
1979.....	14	2	2	1	-	1	3	1	-	1	2	1	-

00/03/28 TABLE 290A. DEATHS FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 87
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+ N.S.
 STREPTOCOCCAL SORE THROAT, SCARLATINA, AND ERYSIPELAS (034-035)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
TOTAL, FEMALE													
1998.....	3	-	-	2	-	-	-	-	-	-	1	-	-
1997.....	6	-	1	-	-	-	-	1	-	-	1	3	-
1996.....	4	1	-	-	-	-	-	-	1	1	1	-	-
1995.....	6	-	-	1	-	-	-	-	1	1	1	2	-
1994.....	8	1	-	-	-	2	2	1	-	2	-	-	-
1993.....	9	-	-	-	2	-	-	-	-	1	1	5	-
1992.....	3	-	-	-	-	-	-	-	-	2	-	1	-
1991.....	1	-	-	-	-	-	-	-	-	1	-	-	-
1990.....	8	1	-	-	-	-	-	1	-	1	2	3	-
1989.....	11	-	1	-	-	-	-	2	2	1	2	3	-
1988.....	7	-	-	-	-	-	-	-	2	2	1	2	-
1987.....	6	1	-	-	-	-	-	-	2	1	-	2	-
1986.....	7	-	-	1	1	-	-	1	1	-	1	2	-
1985.....	6	-	-	-	-	1	-	1	1	-	1	2	-
1984.....	6	-	-	-	-	1	-	3	-	1	1	-	-
1983.....	3	-	-	-	-	-	-	-	1	1	1	-	-
1982.....	7	-	-	-	-	1	-	-	1	1	1	3	-
1981.....	7	-	1	-	-	-	1	-	-	1	4	-	-
1980.....	9	-	-	-	-	-	1	1	2	-	3	2	-
1979.....	11	-	-	3	1	-	1	-	-	2	2	2	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR
 TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+ N.S.
 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

STREPTOCOCCAL SORE THROAT, SCARLATINA, AND ERYSIPELAS (034-035)

WHITE, BOTH SEXES

Year	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
1998	7	-	1	2	-	-	-	-	1	2	1	-	-
1997	8	-	1	-	1	-	-	1	-	-	1	4	-
1996	9	-	-	-	1	-	-	1	3	1	1	2	-
1995	8	-	1	1	-	-	-	-	2	1	1	2	-
1994	10	1	-	-	-	3	1	1	-	2	2	-	-
1993	13	-	-	-	2	-	1	-	2	1	1	6	-
1992	4	-	-	-	-	-	1	-	-	2	-	1	-
1991	5	-	-	-	-	1	-	-	1	1	1	1	-
1990	12	1	-	-	-	1	-	2	1	2	2	3	-
1989	16	1	1	-	2	-	-	2	3	1	2	4	-
1988	12	1	-	1	-	1	-	1	1	3	2	2	-
1987	10	1	1	-	-	-	1	-	2	1	-	4	-
1986	10	-	-	1	1	-	-	2	2	-	1	3	-
1985	8	-	-	-	-	1	-	1	1	1	1	3	-
1984	8	-	-	-	-	-	1	3	1	2	1	-	-
1983	6	-	-	-	-	-	-	-	1	1	2	2	-
1982	14	-	2	-	-	2	-	-	1	1	2	6	-
1981	13	-	1	-	-	-	3	-	1	1	6	1	-
1980	13	-	-	1	-	-	1	1	2	1	4	3	-
1979	23	2	2	3	1	1	3	1	-	3	4	3	-

00/03/28 TABLE 290A. DEATHS FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 89
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+ N.S.
 STREPTOCOCCAL SORE THROAT, SCARLATINA, AND ERYSIPELAS (034-035)

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
WHITE MALE													
1998.....	4	-	1	-	-	-	-	-	1	2	-	-	-
1997.....	2	-	-	-	1	-	-	-	-	-	-	1	-
1996.....	6	-	-	-	1	-	-	1	2	-	-	2	-
1995.....	2	-	1	-	-	-	-	-	1	-	-	-	-
1994.....	4	-	-	-	-	2	-	-	-	-	2	-	-
1993.....	4	-	-	-	-	-	1	-	2	-	-	1	-
1992.....	2	-	-	-	-	-	1	-	-	1	-	-	-
1991.....	4	-	-	-	-	1	-	-	1	-	1	1	-
1990.....	4	-	-	-	-	1	-	1	1	1	-	-	-
1989.....	5	1	-	-	2	-	-	-	1	-	-	1	-
1988.....	6	1	-	1	-	1	-	1	-	1	1	-	-
1987.....	4	-	1	-	-	-	1	-	-	-	-	2	-
1986.....	5	-	-	-	1	-	-	2	1	-	-	1	-
1985.....	3	-	-	-	-	1	-	-	-	1	-	1	-
1984.....	4	-	-	-	-	-	1	-	1	1	1	-	-
1983.....	3	-	-	-	-	-	-	-	-	-	1	2	-
1982.....	8	-	2	-	-	2	-	-	-	-	1	3	-
1981.....	6	-	-	-	-	-	2	-	1	-	2	1	-
1980.....	4	-	-	1	-	-	-	-	-	1	1	1	-
1979.....	12	2	2	-	-	1	2	1	-	1	2	1	-

00/03/28 TABLE 290A. DEATHS FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 90
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+ N.S.
 STREPTOCOCCAL SORE THROAT, SCARLATINA, AND ERYSIPELAS (034-035)

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
WHITE FEMALE													
1998.....	3	-	-	2	-	-	-	-	-	-	1	-	-
1997.....	6	-	1	-	-	-	-	1	-	-	1	3	-
1996.....	3	-	-	-	-	-	-	-	1	1	1	-	-
1995.....	6	-	-	1	-	-	-	-	1	1	1	2	-
1994.....	6	1	-	-	-	1	1	1	-	2	-	-	-
1993.....	9	-	-	-	2	-	-	-	-	1	1	5	-
1992.....	2	-	-	-	-	-	-	-	-	1	-	1	-
1991.....	1	-	-	-	-	-	-	-	-	1	-	-	-
1990.....	8	1	-	-	-	-	-	1	-	1	2	3	-
1989.....	11	-	1	-	-	-	-	2	2	1	2	3	-
1988.....	6	-	-	-	-	-	-	-	1	2	1	2	-
1987.....	6	1	-	-	-	-	-	-	2	1	-	2	-
1986.....	5	-	-	1	-	-	-	-	1	-	1	2	-
1985.....	5	-	-	-	-	-	-	1	1	-	1	2	-
1984.....	4	-	-	-	-	-	-	3	-	1	-	-	-
1983.....	3	-	-	-	-	-	-	-	1	1	1	-	-
1982.....	6	-	-	-	-	-	-	-	1	1	1	3	-
1981.....	7	-	1	-	-	-	1	-	-	1	4	-	-
1980.....	9	-	-	-	-	-	1	1	2	-	3	2	-
1979.....	11	-	-	3	1	-	1	-	-	2	2	2	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
STREPTOCOCCAL SORE THROAT, SCARLATINA, AND ERYSIPELAS (034-035)													
ALL OTHER, BOTH SEXES													
1998.....	1	-	-	-	-	1	-	-	-	-	-	-	-
1997.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1996.....	4	1	-	-	1	-	-	1	1	-	-	-	-
1995.....	1	-	-	1	-	-	-	-	-	-	-	-	-
1994.....	2	-	-	-	-	1	1	-	-	-	-	-	-
1993.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1992.....	1	-	-	-	-	-	-	-	-	1	-	-	-
1991.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1990.....	2	1	-	-	1	-	-	-	-	-	-	-	-
1989.....	1	-	-	-	-	-	-	1	-	-	-	-	-
1988.....	1	-	-	-	-	-	-	-	1	-	-	-	-
1987.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1986.....	2	-	-	-	1	-	-	1	-	-	-	-	-
1985.....	1	-	-	-	-	1	-	-	-	-	-	-	-
1984.....	3	-	-	-	-	1	1	-	-	-	1	-	-
1983.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1982.....	4	-	-	-	-	2	-	2	-	-	-	-	-
1981.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1980.....	2	1	-	-	-	-	-	-	1	-	-	-	-
1979.....	2	-	-	1	-	-	1	-	-	-	-	-	-

00/03/28 TABLE 290A. DEATHS FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 92
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+ N.S.
 STREPTOCOCCAL SORE THROAT, SCARLATINA, AND ERYSIPELAS (034-035)

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ALL OTHER MALE													
1998.....	1	-	-	-	-	1	-	-	-	-	-	-	-
1997.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1996.....	3	-	-	-	1	-	-	1	1	-	-	-	-
1995.....	1	-	-	1	-	-	-	-	-	-	-	-	-
1994.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1993.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1992.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1991.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1990.....	2	1	-	-	1	-	-	-	-	-	-	-	-
1989.....	1	-	-	-	-	-	-	1	-	-	-	-	-
1988.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1987.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1986.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1985.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1984.....	1	-	-	-	-	-	1	-	-	-	-	-	-
1983.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1982.....	3	-	-	-	-	1	-	2	-	-	-	-	-
1981.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1980.....	2	1	-	-	-	-	-	-	1	-	-	-	-
1979.....	2	-	-	1	-	-	1	-	-	-	-	-	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR
 TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+ N.S.
 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
STREPTOCOCCAL SORE THROAT, SCARLATINA, AND ERYSIPELAS (034-035)													
BLACK, BOTH SEXES													
1998.....	1	-	-	-	-	1	-	-	-	-	-	-	-
1997.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1996.....	4	1	-	-	1	-	-	1	1	-	-	-	-
1995.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1994.....	2	-	-	-	-	1	1	-	-	-	-	-	-
1993.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1992.....	1	-	-	-	-	-	-	-	-	1	-	-	-
1991.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1990.....	2	1	-	-	1	-	-	-	-	-	-	-	-
1989.....	1	-	-	-	-	-	-	1	-	-	-	-	-
1988.....	1	-	-	-	-	-	-	-	1	-	-	-	-
1987.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1986.....	2	-	-	-	1	-	-	1	-	-	-	-	-
1985.....	1	-	-	-	-	1	-	-	-	-	-	-	-
1984.....	3	-	-	-	-	1	1	-	-	-	1	-	-
1983.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1982.....	2	-	-	-	-	1	-	1	-	-	-	-	-
1981.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1980.....	1	-	-	-	-	-	-	-	1	-	-	-	-
1979.....	2	-	-	1	-	-	1	-	-	-	-	-	-

00/03/28 TABLE 290A. DEATHS FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 95
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+ N.S.
 STREPTOCOCCAL SORE THROAT, SCARLATINA, AND ERYSIPELAS (034-035)

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
BLACK MALE													
1998.....	1	-	-	-	-	1	-	-	-	-	-	-	-
1997.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1996.....	3	-	-	-	1	-	-	1	1	-	-	-	-
1995.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1994.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1993.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1992.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1991.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1990.....	2	1	-	-	1	-	-	-	-	-	-	-	-
1989.....	1	-	-	-	-	-	-	1	-	-	-	-	-
1988.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1987.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1986.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1985.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1984.....	1	-	-	-	-	-	1	-	-	-	-	-	-
1983.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1982.....	1	-	-	-	-	-	-	1	-	-	-	-	-
1981.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1980.....	1	-	-	-	-	-	-	-	1	-	-	-	-
1979.....	2	-	-	1	-	-	1	-	-	-	-	-	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MENINGOCOCCAL INFECTION (036)													
TOTAL, BOTH SEXES													
1998.....	234	23	33	32	50	22	17	23	5	10	9	10	-
1997.....	309	46	45	34	66	20	23	20	15	14	12	14	-
1996.....	290	39	41	40	57	16	23	23	16	15	13	7	-
1995.....	273	39	40	30	54	17	23	24	10	8	14	14	-
1994.....	276	45	55	26	49	10	22	23	12	12	13	9	-
1993.....	260	46	29	27	56	14	23	15	16	13	14	7	-
1992.....	201	34	39	16	40	6	15	13	10	9	11	8	-
1991.....	198	43	41	24	29	12	11	6	8	11	5	8	-
1990.....	215	50	38	18	32	15	14	8	13	11	10	6	-
1989.....	273	58	48	31	38	8	17	15	18	19	14	7	-
1988.....	278	72	68	19	24	20	17	18	12	10	13	5	-
1987.....	258	66	72	21	20	17	13	12	16	11	7	3	-
1986.....	286	62	64	20	38	24	16	12	17	16	12	5	-
1985.....	257	69	61	18	22	15	11	13	14	17	10	7	-
1984.....	300	66	70	22	44	16	10	16	24	16	10	6	-
1983.....	299	62	83	30	26	14	10	15	20	17	16	6	-
1982.....	364	95	78	19	50	20	29	11	22	22	14	4	-
1981.....	459	125	101	31	44	26	19	31	28	25	22	7	-
1980.....	387	77	110	34	38	29	11	21	23	23	15	6	-
1979.....	404	89	107	26	45	19	20	20	38	24	10	6	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MENINGOCOCCAL INFECTION (036)													
TOTAL, MALE													
1998.....	132	10	18	22	34	16	9	10	4	4	3	2	-
1997.....	152	26	24	15	37	10	14	11	9	3	2	1	-
1996.....	141	24	19	17	42	6	11	9	4	5	4	-	-
1995.....	137	30	18	15	31	12	12	10	3	4	1	1	-
1994.....	132	22	26	8	29	9	12	11	4	7	3	1	-
1993.....	124	21	17	12	30	10	17	4	5	4	2	2	-
1992.....	98	15	23	8	26	3	9	4	3	5	2	-	-
1991.....	103	26	21	15	16	7	5	3	2	4	3	1	-
1990.....	113	27	18	8	19	10	10	3	7	4	4	3	-
1989.....	127	28	23	14	23	4	7	9	5	10	2	2	-
1988.....	143	40	40	11	10	10	11	6	7	2	4	2	-
1987.....	137	42	40	10	12	8	8	7	5	2	2	1	-
1986.....	146	37	34	11	16	14	8	7	7	8	2	2	-
1985.....	127	45	33	6	14	6	6	5	6	3	3	-	-
1984.....	146	36	38	12	24	9	7	4	6	7	2	1	-
1983.....	157	38	49	17	13	10	4	4	10	7	5	-	-
1982.....	177	59	43	8	28	8	13	1	5	8	3	1	-
1981.....	233	71	55	15	26	16	8	15	10	8	7	2	-
1980.....	204	44	71	18	22	12	5	10	8	8	6	-	-
1979.....	234	56	68	13	30	11	10	12	15	8	6	5	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MENINGOCOCCAL INFECTION (036)													
TOTAL, FEMALE													
1998.....	102	13	15	10	16	6	8	13	1	6	6	8	-
1997.....	157	20	21	19	29	10	9	9	6	11	10	13	-
1996.....	149	15	22	23	15	10	12	14	12	10	9	7	-
1995.....	136	9	22	15	23	5	11	14	7	4	13	13	-
1994.....	144	23	29	18	20	1	10	12	8	5	10	8	-
1993.....	136	25	12	15	26	4	6	11	11	9	12	5	-
1992.....	103	19	16	8	14	3	6	9	7	4	9	8	-
1991.....	95	17	20	9	13	5	6	3	6	7	2	7	-
1990.....	102	23	20	10	13	5	4	5	6	7	6	3	-
1989.....	146	30	25	17	15	4	10	6	13	9	12	5	-
1988.....	135	32	28	8	14	10	6	12	5	8	9	3	-
1987.....	121	24	32	11	8	9	5	5	11	9	5	2	-
1986.....	140	25	30	9	22	10	8	5	10	8	10	3	-
1985.....	130	24	28	12	8	9	5	8	8	14	7	7	-
1984.....	154	30	32	10	20	7	3	12	18	9	8	5	-
1983.....	142	24	34	13	13	4	6	11	10	10	11	6	-
1982.....	187	36	35	11	22	12	16	10	17	14	11	3	-
1981.....	226	54	46	16	18	10	11	16	18	17	15	5	-
1980.....	183	33	39	16	16	17	6	11	15	15	9	6	-
1979.....	170	33	39	13	15	8	10	8	23	16	4	1	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MENINGOCOCCAL INFECTION (036)													
WHITE, BOTH SEXES													
1998.....	180	19	26	23	36	13	13	20	4	9	8	9	-
1997.....	236	37	33	25	50	10	16	16	13	12	11	13	-
1996.....	223	31	33	21	46	12	15	19	11	15	13	7	-
1995.....	207	31	27	16	43	12	15	19	9	7	14	14	-
1994.....	232	40	44	23	39	8	15	21	10	11	12	9	-
1993.....	201	37	22	19	42	7	20	12	11	12	13	6	-
1992.....	167	29	31	9	35	3	14	13	9	7	11	6	-
1991.....	165	34	38	16	23	11	10	5	7	9	4	8	-
1990.....	166	37	27	12	25	11	12	7	10	10	9	6	-
1989.....	214	43	36	19	29	7	14	13	16	19	11	7	-
1988.....	198	54	46	10	19	10	13	10	10	9	12	5	-
1987.....	192	54	46	15	14	10	11	9	15	9	6	3	-
1986.....	216	49	43	15	25	16	14	10	15	14	10	5	-
1985.....	210	54	50	12	18	15	9	9	13	14	10	6	-
1984.....	226	58	49	13	30	11	5	11	22	14	9	4	-
1983.....	229	50	63	22	21	6	3	11	17	15	16	5	-
1982.....	282	82	62	7	30	13	25	9	19	19	12	4	-
1981.....	380	107	79	22	39	19	15	25	24	25	19	6	-
1980.....	306	60	83	25	30	25	9	16	20	18	15	5	-
1979.....	310	79	80	17	30	13	12	15	31	19	9	5	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MENINGOCOCCAL INFECTION (036)													
WHITE MALE													
1998.....	98	7	14	14	24	11	9	9	4	3	2	1	-
1997.....	111	19	18	11	27	4	9	9	8	3	2	1	-
1996.....	103	19	12	9	33	6	6	7	2	5	4	-	-
1995.....	97	23	12	7	25	8	7	7	3	3	1	1	-
1994.....	107	20	18	7	22	7	10	10	3	7	2	1	-
1993.....	89	15	13	7	22	4	14	4	4	3	1	2	-
1992.....	79	14	17	5	21	2	8	4	3	3	2	-	-
1991.....	87	21	20	10	11	7	5	3	2	4	3	1	-
1990.....	80	20	11	5	12	7	9	2	5	3	3	3	-
1989.....	103	22	17	9	20	4	5	8	4	10	2	2	-
1988.....	102	31	26	7	7	4	9	4	7	2	3	2	-
1987.....	100	36	27	6	8	5	6	4	4	2	1	1	-
1986.....	113	31	23	7	10	11	7	6	7	7	2	2	-
1985.....	107	38	27	4	11	6	4	5	6	3	3	-	-
1984.....	107	31	28	9	15	6	3	2	5	6	2	-	-
1983.....	122	31	41	13	10	5	1	3	8	5	5	-	-
1982.....	132	51	34	1	15	6	11	1	4	5	3	1	-
1981.....	191	59	46	11	23	10	7	12	8	8	5	2	-
1980.....	158	35	55	14	17	9	3	7	7	5	6	-	-
1979.....	179	52	47	9	19	7	6	12	12	6	5	4	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MENINGOCOCCAL INFECTION (036)													
WHITE FEMALE													
1998.....	82	12	12	9	12	2	4	11	-	6	6	8	-
1997.....	125	18	15	14	23	6	7	7	5	9	9	12	-
1996.....	120	12	21	12	13	6	9	12	9	10	9	7	-
1995.....	110	8	15	9	18	4	8	12	6	4	13	13	-
1994.....	125	20	26	16	17	1	5	11	7	4	10	8	-
1993.....	112	22	9	12	20	3	6	8	7	9	12	4	-
1992.....	88	15	14	4	14	1	6	9	6	4	9	6	-
1991.....	78	13	18	6	12	4	5	2	5	5	1	7	-
1990.....	86	17	16	7	13	4	3	5	5	7	6	3	-
1989.....	111	21	19	10	9	3	9	5	12	9	9	5	-
1988.....	96	23	20	3	12	6	4	6	3	7	9	3	-
1987.....	92	18	19	9	6	5	5	5	11	7	5	2	-
1986.....	103	18	20	8	15	5	7	4	8	7	8	3	-
1985.....	103	16	23	8	7	9	5	4	7	11	7	6	-
1984.....	119	27	21	4	15	5	2	9	17	8	7	4	-
1983.....	107	19	22	9	11	1	2	8	9	10	11	5	-
1982.....	150	31	28	6	15	7	14	8	15	14	9	3	-
1981.....	189	48	33	11	16	9	8	13	16	17	14	4	-
1980.....	148	25	28	11	13	16	6	9	13	13	9	5	-
1979.....	131	27	33	8	11	6	6	3	19	13	4	1	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MENINGOCOCCAL INFECTION (036)													
ALL OTHER, BOTH SEXES													
1998.....	54	4	7	9	14	9	4	3	1	1	1	1	-
1997.....	73	9	12	9	16	10	7	4	2	2	1	1	-
1996.....	67	8	8	19	11	4	8	4	5	-	-	-	-
1995.....	66	8	13	14	11	5	8	5	1	1	-	-	-
1994.....	44	5	11	3	10	2	7	2	2	1	1	-	-
1993.....	59	9	7	8	14	7	3	3	5	1	1	1	-
1992.....	34	5	8	7	5	3	1	-	1	2	-	2	-
1991.....	33	9	3	8	6	1	1	1	1	2	1	-	-
1990.....	49	13	11	6	7	4	2	1	3	1	1	-	-
1989.....	59	15	12	12	9	1	3	2	2	-	3	-	-
1988.....	80	18	22	9	5	10	4	8	2	1	1	-	-
1987.....	66	12	26	6	6	7	2	3	1	2	1	-	-
1986.....	70	13	21	5	13	8	2	2	2	2	2	-	-
1985.....	47	15	11	6	4	-	2	4	1	3	-	1	-
1984.....	74	8	21	9	14	5	5	5	2	2	1	2	-
1983.....	70	12	20	8	5	8	7	4	3	2	-	1	-
1982.....	82	13	16	12	20	7	4	2	3	3	2	-	-
1981.....	79	18	22	9	5	7	4	6	4	-	3	1	-
1980.....	81	17	27	9	8	4	2	5	3	5	-	1	-
1979.....	94	10	27	9	15	6	8	5	7	5	1	1	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MENINGOCOCCAL INFECTION (036)													
ALL OTHER MALE													
1998.....	34	3	4	8	10	5	-	1	-	1	1	1	-
1997.....	41	7	6	4	10	6	5	2	1	-	-	-	-
1996.....	38	5	7	8	9	-	5	2	2	-	-	-	-
1995.....	40	7	6	8	6	4	5	3	-	1	-	-	-
1994.....	25	2	8	1	7	2	2	1	1	-	1	-	-
1993.....	35	6	4	5	8	6	3	-	1	1	1	-	-
1992.....	19	1	6	3	5	1	1	-	-	2	-	-	-
1991.....	16	5	1	5	5	-	-	-	-	-	-	-	-
1990.....	33	7	7	3	7	3	1	1	2	1	1	-	-
1989.....	24	6	6	5	3	-	2	1	1	-	-	-	-
1988.....	41	9	14	4	3	6	2	2	-	-	1	-	-
1987.....	37	6	13	4	4	3	2	3	1	-	1	-	-
1986.....	33	6	11	4	6	3	1	1	-	1	-	-	-
1985.....	20	7	6	2	3	-	2	-	-	-	-	-	-
1984.....	39	5	10	3	9	3	4	2	1	1	-	1	-
1983.....	35	7	8	4	3	5	3	1	2	2	-	-	-
1982.....	45	8	9	7	13	2	2	-	1	3	-	-	-
1981.....	42	12	9	4	3	6	1	3	2	-	2	-	-
1980.....	46	9	16	4	5	3	2	3	1	3	-	-	-
1979.....	55	4	21	4	11	4	4	-	3	2	1	1	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MENINGOCOCCAL INFECTION (036)													
ALL OTHER FEMALE													
1998.....	20	1	3	1	4	4	4	2	1	-	-	-	-
1997.....	32	2	6	5	6	4	2	2	1	2	1	1	-
1996.....	29	3	1	11	2	4	3	2	3	-	-	-	-
1995.....	26	1	7	6	5	1	3	2	1	-	-	-	-
1994.....	19	3	3	2	3	-	5	1	1	1	-	-	-
1993.....	24	3	3	3	6	1	-	3	4	-	-	1	-
1992.....	15	4	2	4	-	2	-	-	1	-	-	2	-
1991.....	17	4	2	3	1	1	1	1	1	2	1	-	-
1990.....	16	6	4	3	-	1	1	-	1	-	-	-	-
1989.....	35	9	6	7	6	1	1	1	1	-	3	-	-
1988.....	39	9	8	5	2	4	2	6	2	1	-	-	-
1987.....	29	6	13	2	2	4	-	-	-	2	-	-	-
1986.....	37	7	10	1	7	5	1	1	2	1	2	-	-
1985.....	27	8	5	4	1	-	-	4	1	3	-	1	-
1984.....	35	3	11	6	5	2	1	3	1	1	1	1	-
1983.....	35	5	12	4	2	3	4	3	1	-	-	1	-
1982.....	37	5	7	5	7	5	2	2	2	-	2	-	-
1981.....	37	6	13	5	2	1	3	3	2	-	1	1	-
1980.....	35	8	11	5	3	1	-	2	2	2	-	1	-
1979.....	39	6	6	5	4	2	4	5	4	3	-	-	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MENINGOCOCCAL INFECTION (036)													
BLACK, BOTH SEXES													
1998.....	51	2	7	8	14	9	4	3	1	1	1	1	-
1997.....	63	8	11	8	13	7	7	4	2	2	-	1	-
1996.....	58	5	7	18	11	4	7	3	3	-	-	-	-
1995.....	57	7	12	12	9	3	7	5	1	1	-	-	-
1994.....	36	5	10	2	7	2	5	2	2	-	1	-	-
1993.....	49	8	7	6	12	5	3	3	3	-	1	1	-
1992.....	31	5	6	7	5	2	1	-	1	2	-	2	-
1991.....	29	9	3	7	5	1	-	1	1	1	1	-	-
1990.....	43	11	9	6	7	4	2	-	3	-	1	-	-
1989.....	50	12	10	12	7	1	3	1	1	-	3	-	-
1988.....	71	16	19	9	5	8	2	8	2	1	1	-	-
1987.....	65	11	26	6	6	7	2	3	1	2	1	-	-
1986.....	66	11	20	5	13	7	2	2	2	2	2	-	-
1985.....	44	14	10	6	4	-	2	3	1	3	-	1	-
1984.....	70	7	19	8	14	5	5	5	2	2	1	2	-
1983.....	67	11	18	8	5	8	7	4	3	2	-	1	-
1982.....	75	10	15	12	19	7	3	2	2	3	2	-	-
1981.....	75	16	21	9	5	7	4	6	4	-	2	1	-
1980.....	72	14	23	8	8	4	2	5	2	5	-	1	-
1979.....	83	10	25	9	15	4	6	2	7	4	-	1	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MENINGOCOCCAL INFECTION (036)													
BLACK MALE													
1998.....	32	2	4	7	10	5	-	1	-	1	1	1	-
1997.....	35	6	5	4	8	4	5	2	1	-	-	-	-
1996.....	35	3	6	8	9	-	5	2	2	-	-	-	-
1995.....	34	6	5	7	5	3	4	3	-	1	-	-	-
1994.....	20	2	7	-	5	2	1	1	1	-	1	-	-
1993.....	28	6	4	4	6	4	3	-	-	-	1	-	-
1992.....	18	1	5	3	5	1	1	-	-	2	-	-	-
1991.....	15	5	1	5	4	-	-	-	-	-	-	-	-
1990.....	28	6	5	3	7	3	1	-	2	-	1	-	-
1989.....	22	6	5	5	3	-	2	1	-	-	-	-	-
1988.....	37	8	12	4	3	6	1	2	-	-	1	-	-
1987.....	36	5	13	4	4	3	2	3	1	-	1	-	-
1986.....	31	5	10	4	6	3	1	1	-	1	-	-	-
1985.....	19	7	5	2	3	-	2	-	-	-	-	-	-
1984.....	37	4	9	3	9	3	4	2	1	1	-	1	-
1983.....	33	6	7	4	3	5	3	1	2	2	-	-	-
1982.....	44	7	9	7	13	2	2	-	1	3	-	-	-
1981.....	40	11	8	4	3	6	1	3	2	-	2	-	-
1980.....	41	6	14	4	5	3	2	3	1	3	-	-	-
1979.....	49	4	19	4	11	3	2	-	3	2	-	1	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MENINGOCOCCAL INFECTION (036)													
BLACK FEMALE													
1998.....	19	-	3	1	4	4	4	2	1	-	-	-	-
1997.....	28	2	6	4	5	3	2	2	1	2	-	1	-
1996.....	23	2	1	10	2	4	2	1	1	-	-	-	-
1995.....	23	1	7	5	4	-	3	2	1	-	-	-	-
1994.....	16	3	3	2	2	-	4	1	1	-	-	-	-
1993.....	21	2	3	2	6	1	-	3	3	-	-	1	-
1992.....	13	4	1	4	-	1	-	-	1	-	-	2	-
1991.....	14	4	2	2	1	1	-	1	1	1	1	-	-
1990.....	15	5	4	3	-	1	1	-	1	-	-	-	-
1989.....	28	6	5	7	4	1	1	-	1	-	3	-	-
1988.....	34	8	7	5	2	2	1	6	2	1	-	-	-
1987.....	29	6	13	2	2	4	-	-	-	2	-	-	-
1986.....	35	6	10	1	7	4	1	1	2	1	2	-	-
1985.....	25	7	5	4	1	-	-	3	1	3	-	1	-
1984.....	33	3	10	5	5	2	1	3	1	1	1	1	-
1983.....	34	5	11	4	2	3	4	3	1	-	-	1	-
1982.....	31	3	6	5	6	5	1	2	1	-	2	-	-
1981.....	35	5	13	5	2	1	3	3	2	-	-	1	-
1980.....	31	8	9	4	3	1	-	2	1	2	-	1	-
1979.....	34	6	6	5	4	1	4	2	4	2	-	-	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
SEPTICEMIA (038)													
TOTAL, BOTH SEXES													
1998.....	23,731	216	89	56	104	257	671	1,231	2,093	4,474	7,431	7,107	2
1997.....	22,396	196	73	52	86	235	634	1,188	1,852	4,179	7,026	6,874	1
1996.....	21,423	199	83	41	69	266	626	1,042	1,759	4,058	6,781	6,498	1
1995.....	20,965	221	80	57	85	269	641	973	1,739	3,985	6,633	6,281	1
1994.....	20,360	222	91	51	75	281	595	917	1,688	3,847	6,407	6,185	1
1993.....	20,634	233	96	60	64	274	609	841	1,609	3,997	6,489	6,360	2
1992.....	19,667	225	77	45	86	275	589	851	1,631	3,895	6,179	5,810	4
1991.....	19,691	265	91	37	82	289	605	763	1,668	3,787	6,308	5,793	3
1990.....	19,169	267	100	46	84	303	557	767	1,690	3,776	6,024	5,551	4
1989.....	19,333	290	94	33	87	322	601	781	1,695	3,664	6,114	5,650	2
1988.....	20,925	245	89	51	97	286	543	781	1,954	4,282	6,732	5,862	3
1987.....	19,916	254	90	50	106	293	496	754	2,002	4,270	6,184	5,414	3
1986.....	18,795	302	90	44	87	255	462	744	1,984	3,915	5,857	5,049	6
1985.....	17,182	303	92	41	86	234	385	667	1,969	3,652	5,429	4,321	3
1984.....	15,028	296	76	43	98	213	361	666	1,790	3,307	4,447	3,730	1
1983.....	13,394	303	81	34	86	165	271	604	1,675	2,930	4,045	3,196	4
1982.....	11,493	274	81	28	72	166	257	558	1,504	2,553	3,390	2,606	4
1981.....	10,443	301	94	28	79	193	259	566	1,377	2,284	3,017	2,241	4
1980.....	9,438	242	71	38	81	137	232	530	1,261	2,135	2,741	1,967	3
1979.....	8,024	262	63	39	84	129	199	502	1,049	1,897	2,255	1,545	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
SEPTICEMIA (038)													
TOTAL, MALE													
1998.....	10,225	111	54	28	62	121	372	684	1,106	2,238	3,300	2,149	-
1997.....	9,655	119	38	22	48	121	323	659	952	2,190	3,135	2,047	1
1996.....	9,246	114	47	19	36	151	376	610	978	2,062	2,984	1,868	1
1995.....	8,991	112	38	34	36	150	355	544	957	2,017	2,899	1,848	1
1994.....	8,810	115	45	25	35	161	362	546	920	2,019	2,770	1,812	-
1993.....	8,916	120	51	26	30	164	357	483	854	2,071	2,940	1,820	-
1992.....	8,527	123	33	19	45	158	352	506	864	2,034	2,679	1,712	2
1991.....	8,610	143	53	17	36	156	379	450	922	1,973	2,737	1,742	2
1990.....	8,542	149	63	27	43	186	362	441	930	2,037	2,661	1,641	2
1989.....	8,489	161	50	15	42	185	368	452	934	1,956	2,647	1,678	1
1988.....	9,132	135	48	21	42	160	320	437	1,069	2,264	2,919	1,715	2
1987.....	8,969	141	49	28	50	163	299	412	1,113	2,305	2,691	1,715	3
1986.....	8,786	179	50	26	42	145	254	436	1,155	2,135	2,701	1,661	2
1985.....	8,017	178	57	17	34	118	230	387	1,138	2,042	2,419	1,396	1
1984.....	7,068	172	35	23	48	129	202	369	1,020	1,781	1,986	1,302	1
1983.....	6,417	179	49	18	46	77	165	345	978	1,594	1,881	1,083	2
1982.....	5,469	156	41	13	30	77	131	311	870	1,358	1,516	964	2
1981.....	5,047	158	46	19	30	108	139	333	789	1,217	1,368	836	4
1980.....	4,684	151	43	20	41	72	119	302	748	1,202	1,255	728	3
1979.....	3,972	139	34	20	45	70	96	292	580	1,008	1,082	606	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
SEPTICEMIA (038)													
TOTAL, FEMALE													
1998.....	13,506	105	35	28	42	136	299	547	987	2,236	4,131	4,958	2
1997.....	12,741	77	35	30	38	114	311	529	900	1,989	3,891	4,827	-
1996.....	12,177	85	36	22	33	115	250	432	781	1,996	3,797	4,630	-
1995.....	11,974	109	42	23	49	119	286	429	782	1,968	3,734	4,433	-
1994.....	11,550	107	46	26	40	120	233	371	768	1,828	3,637	4,373	1
1993.....	11,718	113	45	34	34	110	252	358	755	1,926	3,549	4,540	2
1992.....	11,140	102	44	26	41	117	237	345	767	1,861	3,500	4,098	2
1991.....	11,081	122	38	20	46	133	226	313	746	1,814	3,571	4,051	1
1990.....	10,627	118	37	19	41	117	195	326	760	1,739	3,363	3,910	2
1989.....	10,844	129	44	18	45	137	233	329	761	1,708	3,467	3,972	1
1988.....	11,793	110	41	30	55	126	223	344	885	2,018	3,813	4,147	1
1987.....	10,947	113	41	22	56	130	197	342	889	1,965	3,493	3,699	-
1986.....	10,009	123	40	18	45	110	208	308	829	1,780	3,156	3,388	4
1985.....	9,165	125	35	24	52	116	155	280	831	1,610	3,010	2,925	2
1984.....	7,960	124	41	20	50	84	159	297	770	1,526	2,461	2,428	-
1983.....	6,977	124	32	16	40	88	106	259	697	1,336	2,164	2,113	2
1982.....	6,024	118	40	15	42	89	126	247	634	1,195	1,874	1,642	2
1981.....	5,396	143	48	9	49	85	120	233	588	1,067	1,649	1,405	-
1980.....	4,754	91	28	18	40	65	113	228	513	933	1,486	1,239	-
1979.....	4,052	123	29	19	39	59	103	210	469	889	1,173	939	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
SEPTICEMIA (038)													
WHITE, BOTH SEXES													
1998.....	18,855	121	64	39	69	154	437	800	1,452	3,498	6,154	6,067	-
1997.....	17,832	125	48	36	52	148	379	782	1,274	3,221	5,890	5,876	1
1996.....	17,130	116	52	31	43	165	358	660	1,223	3,194	5,713	5,575	-
1995.....	16,784	127	55	36	51	163	383	642	1,231	3,119	5,566	5,410	1
1994.....	16,452	139	57	40	52	168	362	605	1,227	3,039	5,378	5,384	1
1993.....	16,696	146	66	44	38	175	364	555	1,173	3,195	5,416	5,524	-
1992.....	15,792	126	53	34	46	179	339	558	1,168	3,044	5,195	5,049	1
1991.....	15,884	148	64	22	51	164	346	495	1,221	2,986	5,318	5,066	3
1990.....	15,456	156	75	32	54	191	316	492	1,236	2,993	5,060	4,848	3
1989.....	15,557	173	61	26	58	186	361	494	1,236	2,898	5,151	4,912	1
1988.....	16,943	155	61	41	65	183	320	497	1,420	3,401	5,676	5,122	2
1987.....	15,936	148	62	37	63	166	295	469	1,480	3,387	5,178	4,650	1
1986.....	15,156	189	66	31	63	146	286	476	1,432	3,159	4,920	4,383	5
1985.....	13,740	191	66	28	65	133	244	435	1,443	2,895	4,476	3,761	3
1984.....	11,976	182	50	27	76	127	219	428	1,332	2,594	3,702	3,238	1
1983.....	10,696	199	57	24	64	87	171	391	1,232	2,281	3,390	2,798	2
1982.....	9,192	170	63	20	49	95	152	376	1,105	2,045	2,847	2,267	3
1981.....	8,311	179	61	23	56	117	153	392	1,038	1,806	2,568	1,916	2
1980.....	7,461	147	52	30	55	96	147	351	935	1,650	2,293	1,704	1
1979.....	6,376	159	41	26	70	89	125	340	783	1,496	1,895	1,352	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
SEPTICEMIA (038)													
WHITE MALE													
1998.....	8,114	56	40	22	44	78	256	446	769	1,805	2,761	1,837	-
1997.....	7,633	74	28	15	31	80	200	429	675	1,701	2,650	1,749	1
1996.....	7,247	62	32	14	23	95	212	378	669	1,631	2,527	1,604	-
1995.....	7,040	66	24	21	21	89	208	353	673	1,583	2,443	1,558	1
1994.....	7,018	76	26	19	23	97	217	357	676	1,604	2,334	1,589	-
1993.....	7,087	75	34	20	17	112	212	309	624	1,679	2,474	1,531	-
1992.....	6,735	71	21	15	27	114	202	322	630	1,613	2,249	1,471	-
1991.....	6,812	82	37	9	21	83	227	287	675	1,553	2,314	1,522	2
1990.....	6,786	89	44	18	31	113	212	275	691	1,641	2,240	1,431	1
1989.....	6,728	101	37	12	29	111	220	294	683	1,555	2,253	1,432	1
1988.....	7,270	91	32	18	33	104	193	270	776	1,801	2,465	1,485	2
1987.....	7,096	76	34	21	30	98	171	252	836	1,844	2,274	1,459	1
1986.....	6,962	103	34	14	31	90	157	278	838	1,718	2,273	1,424	2
1985.....	6,321	113	42	11	26	69	145	249	824	1,656	1,975	1,210	1
1984.....	5,602	107	22	16	37	78	121	240	791	1,420	1,658	1,111	1
1983.....	5,119	120	36	15	41	36	112	227	751	1,277	1,564	940	-
1982.....	4,357	93	31	9	20	47	81	213	653	1,099	1,282	827	2
1981.....	4,003	105	28	15	21	66	78	235	602	977	1,175	699	2
1980.....	3,672	102	31	15	26	47	70	204	562	942	1,052	620	1
1979.....	3,121	84	18	14	39	47	61	204	423	792	908	531	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
SEPTICEMIA (038)													
WHITE FEMALE													
1998.....	10,741	65	24	17	25	76	181	354	683	1,693	3,393	4,230	-
1997.....	10,199	51	20	21	21	68	179	353	599	1,520	3,240	4,127	-
1996.....	9,883	54	20	17	20	70	146	282	554	1,563	3,186	3,971	-
1995.....	9,744	61	31	15	30	74	175	289	558	1,536	3,123	3,852	-
1994.....	9,434	63	31	21	29	71	145	248	551	1,435	3,044	3,795	1
1993.....	9,609	71	32	24	21	63	152	246	549	1,516	2,942	3,993	-
1992.....	9,057	55	32	19	19	65	137	236	538	1,431	2,946	3,578	1
1991.....	9,072	66	27	13	30	81	119	208	546	1,433	3,004	3,544	1
1990.....	8,670	67	31	14	23	78	104	217	545	1,352	2,820	3,417	2
1989.....	8,829	72	24	14	29	75	141	200	553	1,343	2,898	3,480	-
1988.....	9,673	64	29	23	32	79	127	227	644	1,600	3,211	3,637	-
1987.....	8,840	72	28	16	33	68	124	217	644	1,543	2,904	3,191	-
1986.....	8,194	86	32	17	32	56	129	198	594	1,441	2,647	2,959	3
1985.....	7,419	78	24	17	39	64	99	186	619	1,239	2,501	2,551	2
1984.....	6,374	75	28	11	39	49	98	188	541	1,174	2,044	2,127	-
1983.....	5,577	79	21	9	23	51	59	164	481	1,004	1,826	1,858	2
1982.....	4,835	77	32	11	29	48	71	163	452	946	1,565	1,440	1
1981.....	4,308	74	33	8	35	51	75	157	436	829	1,393	1,217	-
1980.....	3,789	45	21	15	29	49	77	147	373	708	1,241	1,084	-
1979.....	3,255	75	23	12	31	42	64	136	360	704	987	821	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
SEPTICEMIA (038)													
ALL OTHER, BOTH SEXES													
1998.....	4,876	95	25	17	35	103	234	431	641	976	1,277	1,040	2
1997.....	4,564	71	25	16	34	87	255	406	578	958	1,136	998	-
1996.....	4,293	83	31	10	26	101	268	382	536	864	1,068	923	1
1995.....	4,181	94	25	21	34	106	258	331	508	866	1,067	871	-
1994.....	3,908	83	34	11	23	113	233	312	461	808	1,029	801	-
1993.....	3,938	87	30	16	26	99	245	286	436	802	1,073	836	2
1992.....	3,875	99	24	11	40	96	250	293	463	851	984	761	3
1991.....	3,807	117	27	15	31	125	259	268	447	801	990	727	-
1990.....	3,713	111	25	14	30	112	241	275	454	783	964	703	1
1989.....	3,776	117	33	7	29	136	240	287	459	766	963	738	1
1988.....	3,982	90	28	10	32	103	223	284	534	881	1,056	740	1
1987.....	3,980	106	28	13	43	127	201	285	522	883	1,006	764	2
1986.....	3,639	113	24	13	24	109	176	268	552	756	937	666	1
1985.....	3,442	112	26	13	21	101	141	232	526	757	953	560	-
1984.....	3,052	114	26	16	22	86	142	238	458	713	745	492	-
1983.....	2,698	104	24	10	22	78	100	213	443	649	655	398	2
1982.....	2,301	104	18	8	23	71	105	182	399	508	543	339	1
1981.....	2,132	122	33	5	23	76	106	174	339	478	449	325	2
1980.....	1,977	95	19	8	26	41	85	179	326	485	448	263	2
1979.....	1,648	103	22	13	14	40	74	162	266	401	360	193	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
SEPTICEMIA (038)													
ALL OTHER MALE													
1998.....	2,111	55	14	6	18	43	116	238	337	433	539	312	-
1997.....	2,022	45	10	7	17	41	123	230	277	489	485	298	-
1996.....	1,999	52	15	5	13	56	164	232	309	431	457	264	1
1995.....	1,951	46	14	13	15	61	147	191	284	434	456	290	-
1994.....	1,792	39	19	6	12	64	145	189	244	415	436	223	-
1993.....	1,829	45	17	6	13	52	145	174	230	392	466	289	-
1992.....	1,792	52	12	4	18	44	150	184	234	421	430	241	2
1991.....	1,798	61	16	8	15	73	152	163	247	420	423	220	-
1990.....	1,756	60	19	9	12	73	150	166	239	396	421	210	1
1989.....	1,761	60	13	3	13	74	148	158	251	401	394	246	-
1988.....	1,862	44	16	3	9	56	127	167	293	463	454	230	-
1987.....	1,873	65	15	7	20	65	128	160	277	461	417	256	2
1986.....	1,824	76	16	12	11	55	97	158	317	417	428	237	-
1985.....	1,696	65	15	6	8	49	85	138	314	386	444	186	-
1984.....	1,466	65	13	7	11	51	81	129	229	361	328	191	-
1983.....	1,298	59	13	3	5	41	53	118	227	317	317	143	2
1982.....	1,112	63	10	4	10	30	50	98	217	259	234	137	-
1981.....	1,044	53	18	4	9	42	61	98	187	240	193	137	2
1980.....	1,012	49	12	5	15	25	49	98	186	260	203	108	2
1979.....	851	55	16	6	6	23	35	88	157	216	174	75	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
SEPTICEMIA (038)													
ALL OTHER FEMALE													
1998.....	2,765	40	11	11	17	60	118	193	304	543	738	728	2
1997.....	2,542	26	15	9	17	46	132	176	301	469	651	700	-
1996.....	2,294	31	16	5	13	45	104	150	227	433	611	659	-
1995.....	2,230	48	11	8	19	45	111	140	224	432	611	581	-
1994.....	2,116	44	15	5	11	49	88	123	217	393	593	578	-
1993.....	2,109	42	13	10	13	47	100	112	206	410	607	547	2
1992.....	2,083	47	12	7	22	52	100	109	229	430	554	520	1
1991.....	2,009	56	11	7	16	52	107	105	200	381	567	507	-
1990.....	1,957	51	6	5	18	39	91	109	215	387	543	493	-
1989.....	2,015	57	20	4	16	62	92	129	208	365	569	492	1
1988.....	2,120	46	12	7	23	47	96	117	241	418	602	510	1
1987.....	2,107	41	13	6	23	62	73	125	245	422	589	508	-
1986.....	1,815	37	8	1	13	54	79	110	235	339	509	429	1
1985.....	1,746	47	11	7	13	52	56	94	212	371	509	374	-
1984.....	1,586	49	13	9	11	35	61	109	229	352	417	301	-
1983.....	1,400	45	11	7	17	37	47	95	216	332	338	255	-
1982.....	1,189	41	8	4	13	41	55	84	182	249	309	202	1
1981.....	1,088	69	15	1	14	34	45	76	152	238	256	188	-
1980.....	965	46	7	3	11	16	36	81	140	225	245	155	-
1979.....	797	48	6	7	8	17	39	74	109	185	186	118	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
SEPTICEMIA (038)													
BLACK, BOTH SEXES													
1998.....	4,487	81	23	16	31	94	220	400	586	895	1,176	963	2
1997.....	4,241	68	22	13	31	81	245	382	527	891	1,055	926	-
1996.....	3,996	74	27	9	21	93	256	358	492	805	996	864	1
1995.....	3,845	83	22	16	28	99	244	302	469	794	979	809	-
1994.....	3,639	77	30	9	23	106	225	285	430	739	956	759	-
1993.....	3,632	82	27	11	23	93	227	260	397	744	987	779	2
1992.....	3,607	97	23	10	38	90	235	271	421	782	923	714	3
1991.....	3,535	106	24	13	29	117	248	249	421	753	904	671	-
1990.....	3,465	100	20	12	28	106	230	253	419	741	905	650	1
1989.....	3,555	110	28	5	28	129	231	271	431	729	904	688	1
1988.....	3,740	82	25	10	30	99	212	266	511	829	985	690	1
1987.....	3,748	99	23	11	40	122	192	262	494	840	943	720	2
1986.....	3,417	104	21	12	21	107	170	251	527	709	880	614	1
1985.....	3,257	109	23	11	21	98	136	215	497	714	900	533	-
1984.....	2,897	100	24	14	20	80	131	226	443	676	710	473	-
1983.....	2,550	96	21	10	21	76	95	196	423	615	619	376	2
1982.....	2,162	95	17	8	21	68	98	173	372	474	516	319	1
1981.....	2,028	111	32	4	22	75	101	163	324	453	430	311	2
1980.....	1,877	81	16	7	24	38	80	171	312	467	426	253	2
1979.....	1,561	96	19	13	14	35	70	149	253	384	345	183	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
SEPTICEMIA (038)													
BLACK MALE													
1998.....	1,923	45	13	6	17	40	110	221	308	393	490	280	-
1997.....	1,871	44	9	7	14	38	117	217	256	456	445	268	-
1996.....	1,844	48	13	4	11	51	158	221	281	395	421	240	1
1995.....	1,779	39	12	9	12	60	138	180	265	399	410	255	-
1994.....	1,659	37	15	4	12	59	139	176	227	383	401	206	-
1993.....	1,673	43	14	5	13	47	136	157	213	363	420	262	-
1992.....	1,668	51	12	4	16	42	142	174	214	387	400	224	2
1991.....	1,656	58	14	7	13	69	146	152	231	393	373	200	-
1990.....	1,624	55	15	8	11	68	143	153	219	371	389	191	1
1989.....	1,643	54	12	2	12	71	141	153	239	375	361	223	-
1988.....	1,729	37	15	3	9	56	121	159	279	432	415	203	-
1987.....	1,760	63	10	7	19	63	124	148	264	436	387	237	2
1986.....	1,697	70	14	11	9	54	94	148	305	386	394	212	-
1985.....	1,595	63	14	5	8	47	84	125	300	361	413	175	-
1984.....	1,383	60	12	7	10	48	76	121	222	342	306	179	-
1983.....	1,221	56	11	3	5	40	53	109	216	296	295	135	2
1982.....	1,046	57	9	4	10	30	45	95	205	242	221	128	-
1981.....	987	48	17	4	8	42	58	92	179	226	182	129	2
1980.....	958	40	9	5	14	23	48	94	179	246	193	105	2
1979.....	797	51	13	6	6	20	33	79	150	205	162	72	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
SEPTICEMIA (038)													
BLACK FEMALE													
1998.....	2,564	36	10	10	14	54	110	179	278	502	686	683	2
1997.....	2,370	24	13	6	17	43	128	165	271	435	610	658	-
1996.....	2,152	26	14	5	10	42	98	137	211	410	575	624	-
1995.....	2,066	44	10	7	16	39	106	122	204	395	569	554	-
1994.....	1,980	40	15	5	11	47	86	109	203	356	555	553	-
1993.....	1,959	39	13	6	10	46	91	103	184	381	567	517	2
1992.....	1,939	46	11	6	22	48	93	97	207	395	523	490	1
1991.....	1,879	48	10	6	16	48	102	97	190	360	531	471	-
1990.....	1,841	45	5	4	17	38	87	100	200	370	516	459	-
1989.....	1,912	56	16	3	16	58	90	118	192	354	543	465	1
1988.....	2,011	45	10	7	21	43	91	107	232	397	570	487	1
1987.....	1,988	36	13	4	21	59	68	114	230	404	556	483	-
1986.....	1,720	34	7	1	12	53	76	103	222	323	486	402	1
1985.....	1,662	46	9	6	13	51	52	90	197	353	487	358	-
1984.....	1,514	40	12	7	10	32	55	105	221	334	404	294	-
1983.....	1,329	40	10	7	16	36	42	87	207	319	324	241	-
1982.....	1,116	38	8	4	11	38	53	78	167	232	295	191	1
1981.....	1,041	63	15	-	14	33	43	71	145	227	248	182	-
1980.....	919	41	7	2	10	15	32	77	133	221	233	148	-
1979.....	764	45	6	7	8	15	37	70	103	179	183	111	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ACUTE POLIOMYELITIS (045)													
TOTAL, BOTH SEXES													
1998.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1997.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1996.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1995.....	1	-	-	-	-	-	-	-	1	-	-	-	-
1994.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1993.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1992.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1991.....	1	-	-	-	-	-	-	1	-	-	-	-	-
1990.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1989.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1988.....	1	1	-	-	-	-	-	-	-	-	-	-	-
1987.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1986.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1985.....	3	-	-	-	-	-	1	-	-	2	-	-	-
1984.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1983.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1982.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1981.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1980.....	6	-	-	-	-	-	1	1	1	2	1	-	-
1979.....	4	-	-	-	-	1	-	1	2	-	-	-	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ACUTE POLIOMYELITIS (045)													
TOTAL, MALE													
1998.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1997.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1996.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1995.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1994.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1993.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1992.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1991.....	1	-	-	-	-	-	-	1	-	-	-	-	-
1990.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1989.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1988.....	1	1	-	-	-	-	-	-	-	-	-	-	-
1987.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1986.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1985.....	2	-	-	-	-	-	1	-	-	1	-	-	-
1984.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1983.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1982.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1981.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1980.....	4	-	-	-	-	-	-	1	1	1	1	-	-
1979.....	4	-	-	-	-	1	-	1	2	-	-	-	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ACUTE POLIOMYELITIS (045)													
WHITE, BOTH SEXES													
1998.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1997.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1996.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1995.....	1	-	-	-	-	-	-	-	1	-	-	-	-
1994.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1993.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1992.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1991.....	1	-	-	-	-	-	-	1	-	-	-	-	-
1990.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1989.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1988.....	1	1	-	-	-	-	-	-	-	-	-	-	-
1987.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1986.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1985.....	3	-	-	-	-	-	1	-	-	2	-	-	-
1984.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1983.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1982.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1981.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1980.....	4	-	-	-	-	-	-	1	1	1	1	-	-
1979.....	4	-	-	-	-	1	-	1	2	-	-	-	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ACUTE POLIOMYELITIS (045) WHITE MALE													
1998.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1997.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1996.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1995.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1994.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1993.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1992.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1991.....	1	-	-	-	-	-	-	1	-	-	-	-	-
1990.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1989.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1988.....	1	1	-	-	-	-	-	-	-	-	-	-	-
1987.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1986.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1985.....	2	-	-	-	-	-	1	-	-	1	-	-	-
1984.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1983.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1982.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1981.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1980.....	3	-	-	-	-	-	-	1	1	-	1	-	-
1979.....	4	-	-	-	-	1	-	1	2	-	-	-	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MEASLES (055)													
TOTAL, BOTH SEXES													
1998.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1997.....	2	-	-	1	-	-	-	1	-	-	-	-	-
1996.....	1	-	-	-	-	-	1	-	-	-	-	-	-
1995.....	2	-	-	2	-	-	-	-	-	-	-	-	-
1994.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1993.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1992.....	4	-	1	-	2	-	1	-	-	-	-	-	-
1991.....	27	5	3	9	2	6	1	1	-	-	-	-	-
1990.....	64	11	29	4	7	10	3	-	-	-	-	-	-
1989.....	32	8	12	3	2	4	2	-	-	-	1	-	-
1988.....	3	1	-	-	-	1	1	-	-	-	-	-	-
1987.....	2	-	-	1	-	-	-	-	1	-	-	-	-
1986.....	2	-	-	-	1	-	-	-	1	-	-	-	-
1985.....	4	-	-	-	3	-	1	-	-	-	-	-	-
1984.....	1	-	-	-	-	-	1	-	-	-	-	-	-
1983.....	4	-	1	2	-	1	-	-	-	-	-	-	-
1982.....	2	-	-	-	1	-	-	1	-	-	-	-	-
1981.....	2	-	-	-	1	-	-	1	-	-	-	-	-
1980.....	11	2	2	2	3	2	-	-	-	-	-	-	-
1979.....	6	-	-	-	3	1	-	1	1	-	-	-	-

00/03/28 TABLE 290A. DEATHS FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 134
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+ N.S.
 MEASLES (055)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
TOTAL, MALE													
1998.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1997.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1996.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1995.....	1	-	-	1	-	-	-	-	-	-	-	-	-
1994.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1993.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1992.....	2	-	1	-	1	-	-	-	-	-	-	-	-
1991.....	10	4	2	1	-	3	-	-	-	-	-	-	-
1990.....	34	3	18	3	5	4	1	-	-	-	-	-	-
1989.....	16	6	4	1	2	2	1	-	-	-	-	-	-
1988.....	1	-	-	-	-	1	-	-	-	-	-	-	-
1987.....	2	-	-	1	-	-	-	-	1	-	-	-	-
1986.....	1	-	-	-	1	-	-	-	-	-	-	-	-
1985.....	1	-	-	-	1	-	-	-	-	-	-	-	-
1984.....	1	-	-	-	-	-	1	-	-	-	-	-	-
1983.....	3	-	-	2	-	1	-	-	-	-	-	-	-
1982.....	1	-	-	-	1	-	-	-	-	-	-	-	-
1981.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1980.....	6	2	1	1	1	1	-	-	-	-	-	-	-
1979.....	2	-	-	-	1	-	-	1	-	-	-	-	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MEASLES (055)													
TOTAL, FEMALE													
1998.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1997.....	2	-	-	1	-	-	-	1	-	-	-	-	-
1996.....	1	-	-	-	-	-	1	-	-	-	-	-	-
1995.....	1	-	-	1	-	-	-	-	-	-	-	-	-
1994.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1993.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1992.....	2	-	-	-	1	-	1	-	-	-	-	-	-
1991.....	17	1	1	8	2	3	1	1	-	-	-	-	-
1990.....	30	8	11	1	2	6	2	-	-	-	-	-	-
1989.....	16	2	8	2	-	2	1	-	-	-	1	-	-
1988.....	2	1	-	-	-	-	1	-	-	-	-	-	-
1987.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1986.....	1	-	-	-	-	-	-	-	1	-	-	-	-
1985.....	3	-	-	-	2	-	1	-	-	-	-	-	-
1984.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1983.....	1	-	1	-	-	-	-	-	-	-	-	-	-
1982.....	1	-	-	-	-	-	-	1	-	-	-	-	-
1981.....	2	-	-	-	1	-	-	1	-	-	-	-	-
1980.....	5	-	1	1	2	1	-	-	-	-	-	-	-
1979.....	4	-	-	-	2	1	-	-	1	-	-	-	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MEASLES (055)													
WHITE, BOTH SEXES													
1998.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1997.....	2	-	-	1	-	-	-	1	-	-	-	-	-
1996.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1995.....	2	-	-	2	-	-	-	-	-	-	-	-	-
1994.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1993.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1992.....	4	-	1	-	2	-	1	-	-	-	-	-	-
1991.....	19	4	3	4	2	5	-	1	-	-	-	-	-
1990.....	43	5	15	4	7	9	3	-	-	-	-	-	-
1989.....	18	5	4	2	2	2	2	-	-	-	1	-	-
1988.....	3	1	-	-	-	1	1	-	-	-	-	-	-
1987.....	2	-	-	1	-	-	-	-	1	-	-	-	-
1986.....	1	-	-	-	1	-	-	-	-	-	-	-	-
1985.....	4	-	-	-	3	-	1	-	-	-	-	-	-
1984.....	1	-	-	-	-	-	1	-	-	-	-	-	-
1983.....	3	-	-	2	-	1	-	-	-	-	-	-	-
1982.....	2	-	-	-	1	-	-	1	-	-	-	-	-
1981.....	2	-	-	-	1	-	-	1	-	-	-	-	-
1980.....	8	-	1	2	3	2	-	-	-	-	-	-	-
1979.....	5	-	-	-	3	1	-	1	-	-	-	-	-

00/03/28 TABLE 290A. DEATHS FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 137
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+ N.S.
 MEASLES (055)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
WHITE MALE													
1998.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1997.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1996.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1995.....	1	-	-	1	-	-	-	-	-	-	-	-	-
1994.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1993.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1992.....	2	-	1	-	1	-	-	-	-	-	-	-	-
1991.....	9	4	2	-	-	3	-	-	-	-	-	-	-
1990.....	23	1	9	3	5	4	1	-	-	-	-	-	-
1989.....	10	3	2	1	2	1	1	-	-	-	-	-	-
1988.....	1	-	-	-	-	1	-	-	-	-	-	-	-
1987.....	2	-	-	1	-	-	-	-	1	-	-	-	-
1986.....	1	-	-	-	1	-	-	-	-	-	-	-	-
1985.....	1	-	-	-	1	-	-	-	-	-	-	-	-
1984.....	1	-	-	-	-	-	1	-	-	-	-	-	-
1983.....	3	-	-	2	-	1	-	-	-	-	-	-	-
1982.....	1	-	-	-	1	-	-	-	-	-	-	-	-
1981.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1980.....	4	-	1	1	1	1	-	-	-	-	-	-	-
1979.....	2	-	-	-	1	-	-	1	-	-	-	-	-

00/03/28 TABLE 290A. DEATHS FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 138
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1 YEAR 1-4 YEARS 5-14 YEARS 15-24 YEARS 25-34 YEARS 35-44 YEARS 45-54 YEARS 55-64 YEARS 65-74 YEARS 75-84 YEARS 85+ YEARS N.S.
 MEASLES (055)

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
WHITE FEMALE													
1998.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1997.....	2	-	-	1	-	-	-	1	-	-	-	-	-
1996.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1995.....	1	-	-	1	-	-	-	-	-	-	-	-	-
1994.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1993.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1992.....	2	-	-	-	1	-	1	-	-	-	-	-	-
1991.....	10	-	1	4	2	2	-	1	-	-	-	-	-
1990.....	20	4	6	1	2	5	2	-	-	-	-	-	-
1989.....	8	2	2	1	-	1	1	-	-	-	1	-	-
1988.....	2	1	-	-	-	-	1	-	-	-	-	-	-
1987.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1986.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1985.....	3	-	-	-	2	-	1	-	-	-	-	-	-
1984.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1983.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1982.....	1	-	-	-	-	-	-	1	-	-	-	-	-
1981.....	2	-	-	-	1	-	-	1	-	-	-	-	-
1980.....	4	-	-	1	2	1	-	-	-	-	-	-	-
1979.....	3	-	-	-	2	1	-	-	-	-	-	-	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MEASLES (055)													
ALL OTHER, BOTH SEXES													
1998.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1997.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1996.....	1	-	-	-	-	-	1	-	-	-	-	-	-
1995.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1994.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1993.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1992.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1991.....	8	1	-	5	-	1	1	-	-	-	-	-	-
1990.....	21	6	14	-	-	1	-	-	-	-	-	-	-
1989.....	14	3	8	1	-	2	-	-	-	-	-	-	-
1988.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1987.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1986.....	1	-	-	-	-	-	-	-	1	-	-	-	-
1985.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1984.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1983.....	1	-	1	-	-	-	-	-	-	-	-	-	-
1982.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1981.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1980.....	3	2	1	-	-	-	-	-	-	-	-	-	-
1979.....	1	-	-	-	-	-	-	-	1	-	-	-	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MEASLES (055)													
ALL OTHER FEMALE													
1998.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1997.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1996.....	1	-	-	-	-	-	1	-	-	-	-	-	-
1995.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1994.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1993.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1992.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1991.....	7	1	-	4	-	1	1	-	-	-	-	-	-
1990.....	10	4	5	-	-	1	-	-	-	-	-	-	-
1989.....	8	-	6	1	-	1	-	-	-	-	-	-	-
1988.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1987.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1986.....	1	-	-	-	-	-	-	-	1	-	-	-	-
1985.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1984.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1983.....	1	-	1	-	-	-	-	-	-	-	-	-	-
1982.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1981.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1980.....	1	-	1	-	-	-	-	-	-	-	-	-	-
1979.....	1	-	-	-	-	-	-	-	1	-	-	-	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MEASLES (055)													
BLACK, BOTH SEXES													
1998.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1997.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1996.....	1	-	-	-	-	-	1	-	-	-	-	-	-
1995.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1994.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1993.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1992.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1991.....	7	-	-	5	-	1	1	-	-	-	-	-	-
1990.....	10	3	6	-	-	1	-	-	-	-	-	-	-
1989.....	11	3	5	1	-	2	-	-	-	-	-	-	-
1988.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1987.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1986.....	1	-	-	-	-	-	-	-	1	-	-	-	-
1985.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1984.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1983.....	1	-	1	-	-	-	-	-	-	-	-	-	-
1982.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1981.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1980.....	3	2	1	-	-	-	-	-	-	-	-	-	-
1979.....	1	-	-	-	-	-	-	-	1	-	-	-	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MEASLES (055)													
BLACK FEMALE													
1998.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1997.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1996.....	1	-	-	-	-	-	1	-	-	-	-	-	-
1995.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1994.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1993.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1992.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1991.....	6	-	-	4	-	1	1	-	-	-	-	-	-
1990.....	5	1	3	-	-	1	-	-	-	-	-	-	-
1989.....	5	-	3	1	-	1	-	-	-	-	-	-	-
1988.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1987.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1986.....	1	-	-	-	-	-	-	-	1	-	-	-	-
1985.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1984.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1983.....	1	-	1	-	-	-	-	-	-	-	-	-	-
1982.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1981.....	0	-	-	-	-	-	-	-	-	-	-	-	-
1980.....	1	-	1	-	-	-	-	-	-	-	-	-	-
1979.....	1	-	-	-	-	-	-	-	1	-	-	-	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
VIRAL HEPATITIS (070)													
TOTAL, BOTH SEXES													
1998.....	4,796	2	2	3	26	120	903	1,333	740	854	660	153	-
1997.....	4,057	3	1	8	24	109	734	952	639	810	617	160	-
1996.....	3,780	1	3	7	23	131	699	782	592	807	595	139	1
1995.....	3,400	1	5	3	25	136	593	648	571	751	546	121	-
1994.....	3,061	8	5	2	26	183	561	485	474	686	526	105	-
1993.....	2,489	3	1	6	34	146	420	400	432	554	414	79	-
1992.....	2,001	9	2	3	26	128	336	287	321	453	356	80	-
1991.....	1,840	6	3	4	32	109	293	255	340	439	293	66	-
1990.....	1,578	4	4	2	38	114	224	189	248	397	293	65	-
1989.....	1,516	7	5	5	60	138	187	183	244	362	253	72	-
1988.....	1,290	6	6	3	32	117	145	156	253	303	212	57	-
1987.....	1,182	2	3	5	62	125	155	130	209	267	185	39	-
1986.....	1,006	10	8	10	45	107	119	110	174	232	151	40	-
1985.....	942	6	10	4	64	100	109	110	167	221	118	33	-
1984.....	869	8	6	7	72	110	95	97	165	174	93	42	-
1983.....	863	20	8	11	73	92	76	103	161	186	101	32	-
1982.....	814	12	13	5	60	88	62	107	160	165	105	36	1
1981.....	862	10	7	11	83	102	80	126	163	152	95	32	1
1980.....	809	11	11	15	74	71	76	108	145	149	114	35	-
1979.....	753	13	7	9	77	91	63	86	149	138	88	31	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
VIRAL HEPATITIS (070)													
TOTAL, MALE													
1998.....	2,982	2	1	1	14	77	673	983	437	415	306	73	-
1997.....	2,442	1	1	3	17	68	561	691	378	378	282	62	-
1996.....	2,273	1	1	3	12	82	528	574	347	393	274	57	1
1995.....	2,076	1	2	1	13	101	459	479	346	375	249	50	-
1994.....	1,869	5	3	-	13	126	443	344	269	363	257	46	-
1993.....	1,554	1	1	3	21	109	335	299	256	294	205	30	-
1992.....	1,249	5	-	2	12	94	260	213	200	256	176	31	-
1991.....	1,132	4	3	2	20	77	242	185	196	240	138	25	-
1990.....	927	2	3	1	15	83	175	142	144	203	139	20	-
1989.....	906	3	4	4	31	91	137	127	160	203	122	24	-
1988.....	768	2	4	2	25	73	104	108	145	177	106	22	-
1987.....	725	-	2	3	34	78	118	92	135	159	86	18	-
1986.....	619	4	4	4	17	69	89	75	125	137	74	21	-
1985.....	531	5	8	2	26	62	66	72	96	125	56	13	-
1984.....	484	3	3	2	34	63	64	66	100	93	42	14	-
1983.....	494	7	6	5	34	67	49	61	98	107	47	13	-
1982.....	444	10	9	2	33	50	36	61	82	87	56	17	1
1981.....	466	5	3	5	38	73	45	75	92	72	49	9	-
1980.....	415	5	9	11	35	35	40	58	80	68	60	14	-
1979.....	399	9	5	4	36	52	33	50	82	71	45	11	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
VIRAL HEPATITIS (070) TOTAL, FEMALE													
1998.....	1,814	-	1	2	12	43	230	350	303	439	354	80	-
1997.....	1,615	2	-	5	7	41	173	261	261	432	335	98	-
1996.....	1,507	-	2	4	11	49	171	208	245	414	321	82	-
1995.....	1,324	-	3	2	12	35	134	169	225	376	297	71	-
1994.....	1,192	3	2	2	13	57	118	141	205	323	269	59	-
1993.....	935	2	-	3	13	37	85	101	176	260	209	49	-
1992.....	752	4	2	1	14	34	76	74	121	197	180	49	-
1991.....	708	2	-	2	12	32	51	70	144	199	155	41	-
1990.....	651	2	1	1	23	31	49	47	104	194	154	45	-
1989.....	610	4	1	1	29	47	50	56	84	159	131	48	-
1988.....	522	4	2	1	7	44	41	48	108	126	106	35	-
1987.....	457	2	1	2	28	47	37	38	74	108	99	21	-
1986.....	387	6	4	6	28	38	30	35	49	95	77	19	-
1985.....	411	1	2	2	38	38	43	38	71	96	62	20	-
1984.....	385	5	3	5	38	47	31	31	65	81	51	28	-
1983.....	369	13	2	6	39	25	27	42	63	79	54	19	-
1982.....	370	2	4	3	27	38	26	46	78	78	49	19	-
1981.....	396	5	4	6	45	29	35	51	71	80	46	23	1
1980.....	394	6	2	4	39	36	36	50	65	81	54	21	-
1979.....	354	4	2	5	41	39	30	36	67	67	43	20	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
VIRAL HEPATITIS (070) WHITE, BOTH SEXES													
1998.....	3,829	2	1	2	17	83	713	1,034	553	711	574	139	-
1997.....	3,250	1	-	6	19	72	599	728	476	668	543	138	-
1996.....	3,065	1	1	4	13	104	550	607	466	660	531	128	-
1995.....	2,769	1	4	2	11	107	448	502	435	656	496	107	-
1994.....	2,441	4	5	2	12	124	438	376	341	569	471	99	-
1993.....	2,029	2	1	3	21	112	327	302	336	481	374	70	-
1992.....	1,614	5	1	2	18	96	244	219	245	385	326	73	-
1991.....	1,487	2	3	3	17	87	207	182	276	387	261	62	-
1990.....	1,265	1	3	1	21	76	167	135	200	338	265	58	-
1989.....	1,232	4	4	1	39	97	143	142	191	313	232	66	-
1988.....	1,056	3	6	2	19	80	109	117	213	264	192	51	-
1987.....	935	1	1	2	41	81	115	94	174	229	159	38	-
1986.....	830	3	6	7	29	76	107	86	145	197	138	36	-
1985.....	765	3	6	3	46	67	83	78	145	193	111	30	-
1984.....	699	4	5	6	52	75	65	74	138	157	83	40	-
1983.....	683	9	5	8	50	59	60	76	142	151	93	30	-
1982.....	646	12	9	4	38	57	40	85	134	138	96	32	1
1981.....	694	6	5	9	48	70	68	94	140	138	88	27	1
1980.....	667	9	7	12	55	52	49	76	129	140	106	32	-
1979.....	594	11	6	4	45	65	40	61	131	123	78	29	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
VIRAL HEPATITIS (070)													
WHITE MALE													
1998.....	2,382	2	1	1	10	53	537	769	326	348	269	66	-
1997.....	1,988	-	-	3	14	46	463	534	297	317	262	52	-
1996.....	1,868	1	1	2	9	68	416	448	280	332	258	53	-
1995.....	1,714	1	2	-	4	86	355	381	269	339	231	46	-
1994.....	1,543	3	3	-	8	93	355	277	203	316	243	42	-
1993.....	1,270	-	1	1	15	83	262	236	198	262	185	27	-
1992.....	1,015	3	-	2	10	76	196	163	154	224	161	26	-
1991.....	930	-	3	2	10	66	173	143	165	215	130	23	-
1990.....	755	1	2	-	10	58	139	103	120	176	127	19	-
1989.....	744	-	3	1	22	72	107	96	123	185	112	23	-
1988.....	647	1	4	1	16	56	81	86	125	162	95	20	-
1987.....	580	-	1	1	24	49	92	68	116	137	75	17	-
1986.....	517	-	3	2	12	54	79	58	106	117	68	18	-
1985.....	447	3	5	2	18	47	53	58	83	112	54	12	-
1984.....	396	1	3	1	24	44	51	51	83	87	38	13	-
1983.....	396	3	3	5	24	42	41	45	89	86	46	12	-
1982.....	360	10	6	2	18	37	24	47	73	77	52	13	1
1981.....	388	3	3	3	26	50	39	61	82	67	47	7	-
1980.....	350	4	6	9	27	23	30	42	77	64	54	14	-
1979.....	310	7	4	-	18	38	21	37	73	63	38	10	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
VIRAL HEPATITIS (070)													
WHITE FEMALE													
1998.....	1,447	-	-	1	7	30	176	265	227	363	305	73	-
1997.....	1,262	1	-	3	5	26	136	194	179	351	281	86	-
1996.....	1,197	-	-	2	4	36	134	159	186	328	273	75	-
1995.....	1,055	-	2	2	7	21	93	121	166	317	265	61	-
1994.....	898	1	2	2	4	31	83	99	138	253	228	57	-
1993.....	759	2	-	2	6	29	65	66	138	219	189	43	-
1992.....	599	2	1	-	8	20	48	56	91	161	165	47	-
1991.....	557	2	-	1	7	21	34	39	111	172	131	39	-
1990.....	510	-	1	1	11	18	28	32	80	162	138	39	-
1989.....	488	4	1	-	17	25	36	46	68	128	120	43	-
1988.....	409	2	2	1	3	24	28	31	88	102	97	31	-
1987.....	355	1	-	1	17	32	23	26	58	92	84	21	-
1986.....	313	3	3	5	17	22	28	28	39	80	70	18	-
1985.....	318	-	1	1	28	20	30	20	62	81	57	18	-
1984.....	303	3	2	5	28	31	14	23	55	70	45	27	-
1983.....	287	6	2	3	26	17	19	31	53	65	47	18	-
1982.....	286	2	3	2	20	20	16	38	61	61	44	19	-
1981.....	306	3	2	6	22	20	29	33	58	71	41	20	1
1980.....	317	5	1	3	28	29	19	34	52	76	52	18	-
1979.....	284	4	2	4	27	27	19	24	58	60	40	19	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
VIRAL HEPATITIS (070)													
ALL OTHER, BOTH SEXES													
1998.....	967	-	1	1	9	37	190	299	187	143	86	14	-
1997.....	807	2	1	2	5	37	135	224	163	142	74	22	-
1996.....	715	-	2	3	10	27	149	175	126	147	64	11	1
1995.....	631	-	1	1	14	29	145	146	136	95	50	14	-
1994.....	620	4	-	-	14	59	123	109	133	117	55	6	-
1993.....	460	1	-	3	13	34	93	98	96	73	40	9	-
1992.....	387	4	1	1	8	32	92	68	76	68	30	7	-
1991.....	353	4	-	1	15	22	86	73	64	52	32	4	-
1990.....	313	3	1	1	17	38	57	54	48	59	28	7	-
1989.....	284	3	1	4	21	41	44	41	53	49	21	6	-
1988.....	234	3	-	1	13	37	36	39	40	39	20	6	-
1987.....	247	1	2	3	21	44	40	36	35	38	26	1	-
1986.....	176	7	2	3	16	31	12	24	29	35	13	4	-
1985.....	177	3	4	1	18	33	26	32	22	28	7	3	-
1984.....	170	4	1	1	20	35	30	23	27	17	10	2	-
1983.....	180	11	3	3	23	33	16	27	19	35	8	2	-
1982.....	168	-	4	1	22	31	22	22	26	27	9	4	-
1981.....	168	4	2	2	35	32	12	32	23	14	7	5	-
1980.....	142	2	4	3	19	19	27	32	16	9	8	3	-
1979.....	159	2	1	5	32	26	23	25	18	15	10	2	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
VIRAL HEPATITIS (070)													
ALL OTHER MALE													
1998.....	600	-	-	-	4	24	136	214	111	67	37	7	-
1997.....	454	1	1	-	3	22	98	157	81	61	20	10	-
1996.....	405	-	-	1	3	14	112	126	67	61	16	4	1
1995.....	362	-	-	1	9	15	104	98	77	36	18	4	-
1994.....	326	2	-	-	5	33	88	67	66	47	14	4	-
1993.....	284	1	-	2	6	26	73	63	58	32	20	3	-
1992.....	234	2	-	-	2	18	64	50	46	32	15	5	-
1991.....	202	4	-	-	10	11	69	42	31	25	8	2	-
1990.....	172	1	1	1	5	25	36	39	24	27	12	1	-
1989.....	162	3	1	3	9	19	30	31	37	18	10	1	-
1988.....	121	1	-	1	9	17	23	22	20	15	11	2	-
1987.....	145	-	1	2	10	29	26	24	19	22	11	1	-
1986.....	102	4	1	2	5	15	10	17	19	20	6	3	-
1985.....	84	2	3	-	8	15	13	14	13	13	2	1	-
1984.....	88	2	-	1	10	19	13	15	17	6	4	1	-
1983.....	98	4	3	-	10	25	8	16	9	21	1	1	-
1982.....	84	-	3	-	15	13	12	14	9	10	4	4	-
1981.....	78	2	-	2	12	23	6	14	10	5	2	2	-
1980.....	65	1	3	2	8	12	10	16	3	4	6	-	-
1979.....	89	2	1	4	18	14	12	13	9	8	7	1	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
VIRAL HEPATITIS (070)													
ALL OTHER FEMALE													
1998.....	367	-	1	1	5	13	54	85	76	76	49	7	-
1997.....	353	1	-	2	2	15	37	67	82	81	54	12	-
1996.....	310	-	2	2	7	13	37	49	59	86	48	7	-
1995.....	269	-	1	-	5	14	41	48	59	59	32	10	-
1994.....	294	2	-	-	9	26	35	42	67	70	41	2	-
1993.....	176	-	-	1	7	8	20	35	38	41	20	6	-
1992.....	153	2	1	1	6	14	28	18	30	36	15	2	-
1991.....	151	-	-	1	5	11	17	31	33	27	24	2	-
1990.....	141	2	-	-	12	13	21	15	24	32	16	6	-
1989.....	122	-	-	1	12	22	14	10	16	31	11	5	-
1988.....	113	2	-	-	4	20	13	17	20	24	9	4	-
1987.....	102	1	1	1	11	15	14	12	16	16	15	-	-
1986.....	74	3	1	1	11	16	2	7	10	15	7	1	-
1985.....	93	1	1	1	10	18	13	18	9	15	5	2	-
1984.....	82	2	1	-	10	16	17	8	10	11	6	1	-
1983.....	82	7	-	3	13	8	8	11	10	14	7	1	-
1982.....	84	-	1	1	7	18	10	8	17	17	5	-	-
1981.....	90	2	2	-	23	9	6	18	13	9	5	3	-
1980.....	77	1	1	1	11	7	17	16	13	5	2	3	-
1979.....	70	-	-	1	14	12	11	12	9	7	3	1	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
VIRAL HEPATITIS (070) BLACK, BOTH SEXES													
1998.....	694	-	-	1	8	30	151	247	109	86	51	11	-
1997.....	535	2	-	1	3	30	103	168	94	68	48	18	-
1996.....	480	-	2	1	9	22	118	140	63	80	36	8	1
1995.....	429	-	1	1	13	23	120	101	71	60	29	10	-
1994.....	413	4	-	-	14	46	100	74	68	65	37	5	-
1993.....	294	1	-	1	8	26	77	62	46	41	26	6	-
1992.....	256	4	1	1	7	24	76	43	40	39	17	4	-
1991.....	221	3	-	1	12	17	65	45	30	27	18	3	-
1990.....	212	3	-	-	17	34	43	31	21	39	18	6	-
1989.....	206	3	1	3	17	38	34	23	29	37	15	6	-
1988.....	162	1	-	1	10	32	30	27	22	21	14	4	-
1987.....	165	-	2	2	18	39	25	17	16	26	20	-	-
1986.....	126	5	1	3	16	28	10	15	14	26	6	2	-
1985.....	118	1	2	1	16	28	15	18	12	18	5	2	-
1984.....	119	4	1	1	18	31	19	11	15	11	6	2	-
1983.....	135	4	1	2	21	27	14	21	15	22	6	2	-
1982.....	125	-	2	1	20	28	13	11	17	22	8	3	-
1981.....	139	2	2	2	35	28	7	20	21	13	6	3	-
1980.....	113	2	4	3	19	16	19	23	14	6	5	2	-
1979.....	127	1	1	4	31	24	15	18	10	12	9	2	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
VIRAL HEPATITIS (070)													
BLACK MALE													
1998.....	429	-	-	-	3	18	104	177	66	39	17	5	-
1997.....	311	1	-	-	1	17	74	120	51	29	11	7	-
1996.....	273	-	-	-	2	9	86	104	33	30	6	2	1
1995.....	243	-	-	1	8	12	86	66	38	20	11	1	-
1994.....	216	2	-	-	5	23	72	46	30	23	12	3	-
1993.....	185	1	-	-	2	18	58	43	30	18	13	2	-
1992.....	155	2	-	-	1	13	53	33	26	16	9	2	-
1991.....	124	3	-	-	7	7	52	24	13	11	6	1	-
1990.....	105	1	-	-	5	22	25	19	9	18	6	-	-
1989.....	106	3	1	2	7	17	23	16	18	13	5	1	-
1988.....	79	-	-	1	6	14	19	13	11	5	8	2	-
1987.....	92	-	1	2	9	25	15	11	8	12	9	-	-
1986.....	66	2	1	2	5	12	8	11	7	14	3	1	-
1985.....	54	1	1	-	8	13	7	7	6	8	2	1	-
1984.....	55	2	-	1	10	17	5	5	9	3	2	1	-
1983.....	72	1	1	-	9	21	6	11	8	13	1	1	-
1982.....	56	-	1	-	14	11	5	6	5	8	3	3	-
1981.....	58	-	-	2	12	20	3	6	9	4	1	1	-
1980.....	50	1	3	2	8	11	7	10	3	2	3	-	-
1979.....	60	1	1	3	17	12	6	7	1	5	6	1	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
VIRAL HEPATITIS (070)													
BLACK FEMALE													
1998.....	265	-	-	1	5	12	47	70	43	47	34	6	-
1997.....	224	1	-	1	2	13	29	48	43	39	37	11	-
1996.....	207	-	2	1	7	13	32	36	30	50	30	6	-
1995.....	186	-	1	-	5	11	34	35	33	40	18	9	-
1994.....	197	2	-	-	9	23	28	28	38	42	25	2	-
1993.....	109	-	-	1	6	8	19	19	16	23	13	4	-
1992.....	101	2	1	1	6	11	23	10	14	23	8	2	-
1991.....	97	-	-	1	5	10	13	21	17	16	12	2	-
1990.....	107	2	-	-	12	12	18	12	12	21	12	6	-
1989.....	100	-	-	1	10	21	11	7	11	24	10	5	-
1988.....	83	1	-	-	4	18	11	14	11	16	6	2	-
1987.....	73	-	1	-	9	14	10	6	8	14	11	-	-
1986.....	60	3	-	1	11	16	2	4	7	12	3	1	-
1985.....	64	-	1	1	8	15	8	11	6	10	3	1	-
1984.....	64	2	1	-	8	14	14	6	6	8	4	1	-
1983.....	63	3	-	2	12	6	8	10	7	9	5	1	-
1982.....	69	-	1	1	6	17	8	5	12	14	5	-	-
1981.....	81	2	2	-	23	8	4	14	12	9	5	2	-
1980.....	63	1	1	1	11	5	12	13	11	4	2	2	-
1979.....	67	-	-	1	14	12	9	11	9	7	3	1	-

00/03/28 TABLE 290A. DEATHS FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 157
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+ N.S.
 SYPHILIS (090-097)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
TOTAL, BOTH SEXES													
1998.....	45	2	-	-	-	2	6	3	4	7	10	11	-
1997.....	62	4	-	-	1	2	5	5	5	14	19	7	-
1996.....	73	6	-	-	1	4	7	4	6	14	16	15	-
1995.....	65	4	1	-	1	9	3	9	4	11	14	9	-
1994.....	79	11	1	-	1	2	4	7	5	18	22	8	-
1993.....	80	12	1	-	1	10	7	3	7	13	19	7	-
1992.....	91	12	-	1	3	4	6	6	12	15	17	15	-
1991.....	93	25	1	1	1	5	3	5	7	13	16	16	-
1990.....	106	25	1	-	2	8	7	9	7	9	25	13	-
1989.....	105	19	-	2	-	10	4	7	10	15	23	15	-
1988.....	85	17	-	-	-	5	5	5	7	10	24	12	-
1987.....	98	14	-	-	2	3	7	3	12	20	29	8	-
1986.....	80	5	-	-	-	2	4	3	5	17	31	13	-
1985.....	80	7	-	1	-	2	3	4	12	15	22	14	-
1984.....	105	6	-	-	2	1	2	2	12	31	34	15	-
1983.....	121	7	-	1	-	6	1	6	11	36	39	14	-
1982.....	126	10	-	-	3	2	4	5	19	29	38	16	-
1981.....	136	6	-	-	2	5	3	9	15	40	42	14	-
1980.....	154	2	-	-	2	2	6	5	12	51	52	22	-
1979.....	180	6	1	-	3	1	4	7	29	57	47	25	-

00/03/28 TABLE 290A. DEATHS FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 158
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+ N.S.
 SYPHILIS (090-097)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
TOTAL, MALE													
1998.....	25	2	-	-	-	1	3	1	3	3	8	4	-
1997.....	39	2	-	-	-	2	4	5	5	9	10	2	-
1996.....	50	4	-	-	-	2	5	4	6	8	12	9	-
1995.....	41	3	1	-	1	7	3	6	3	9	6	2	-
1994.....	46	9	-	-	1	2	1	5	3	11	12	2	-
1993.....	52	5	1	-	-	9	4	3	7	8	12	3	-
1992.....	60	9	-	1	2	4	5	5	9	10	10	5	-
1991.....	52	9	1	1	1	5	2	4	6	8	10	5	-
1990.....	63	15	-	-	2	6	6	9	4	2	13	6	-
1989.....	65	10	-	1	-	10	4	4	7	7	14	8	-
1988.....	51	8	-	-	-	4	3	5	3	6	16	6	-
1987.....	57	8	-	-	1	3	6	3	7	8	18	3	-
1986.....	42	2	-	-	-	2	3	1	2	10	17	5	-
1985.....	49	3	-	-	-	2	2	2	11	9	12	8	-
1984.....	67	3	-	-	1	1	1	1	9	18	24	9	-
1983.....	68	4	-	-	-	5	1	5	7	19	17	10	-
1982.....	76	6	-	-	2	2	3	3	15	14	23	8	-
1981.....	76	4	-	-	1	4	2	5	7	23	24	6	-
1980.....	92	1	-	-	2	-	5	2	7	25	36	14	-
1979.....	107	4	1	-	3	-	1	3	20	39	27	9	-

00/03/28 TABLE 290A. DEATHS FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 159
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+ N.S.
 SYPHILIS (090-097)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
TOTAL, FEMALE													
1998.....	20	-	-	-	-	1	3	2	1	4	2	7	-
1997.....	23	2	-	-	1	-	1	-	-	5	9	5	-
1996.....	23	2	-	-	1	2	2	-	-	6	4	6	-
1995.....	24	1	-	-	-	2	-	3	1	2	8	7	-
1994.....	33	2	1	-	-	-	3	2	2	7	10	6	-
1993.....	28	7	-	-	1	1	3	-	-	5	7	4	-
1992.....	31	3	-	-	1	-	1	1	3	5	7	10	-
1991.....	41	16	-	-	-	-	1	1	1	5	6	11	-
1990.....	43	10	1	-	-	2	1	-	3	7	12	7	-
1989.....	40	9	-	1	-	-	-	3	3	8	9	7	-
1988.....	34	9	-	-	-	1	2	-	4	4	8	6	-
1987.....	41	6	-	-	1	-	1	-	5	12	11	5	-
1986.....	38	3	-	-	-	-	1	2	3	7	14	8	-
1985.....	31	4	-	1	-	-	1	2	1	6	10	6	-
1984.....	38	3	-	-	1	-	1	1	3	13	10	6	-
1983.....	53	3	-	1	-	1	-	1	4	17	22	4	-
1982.....	50	4	-	-	1	-	1	2	4	15	15	8	-
1981.....	60	2	-	-	1	1	1	4	8	17	18	8	-
1980.....	62	1	-	-	-	2	1	3	5	26	16	8	-
1979.....	73	2	-	-	-	1	3	4	9	18	20	16	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR SYPHILIS (090-097)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
WHITE, BOTH SEXES													
1998.....	21	-	-	-	-	2	1	2	1	3	4	8	-
1997.....	37	3	-	-	1	-	5	4	2	6	10	6	-
1996.....	39	3	-	-	1	2	4	3	4	7	7	8	-
1995.....	36	2	-	-	-	7	-	4	1	6	9	7	-
1994.....	41	1	-	-	1	-	4	5	2	9	14	5	-
1993.....	32	3	-	-	1	3	4	-	3	7	9	2	-
1992.....	43	3	-	1	2	2	1	1	3	10	10	10	-
1991.....	44	5	-	1	1	3	2	3	3	5	11	10	-
1990.....	41	3	-	-	2	3	2	3	3	2	16	7	-
1989.....	47	4	-	1	-	3	2	3	6	6	12	10	-
1988.....	40	4	-	-	-	2	2	1	3	7	13	8	-
1987.....	51	5	-	-	2	2	3	-	7	11	17	4	-
1986.....	43	4	-	-	-	2	1	3	3	7	17	6	-
1985.....	49	4	-	-	-	1	2	1	6	9	17	9	-
1984.....	55	3	-	-	2	1	2	2	6	15	17	7	-
1983.....	70	3	-	1	-	2	-	2	8	22	23	9	-
1982.....	84	6	-	-	1	2	3	3	10	21	26	12	-
1981.....	88	1	-	-	2	5	2	6	11	28	24	9	-
1980.....	93	1	-	-	1	1	6	3	7	32	27	15	-
1979.....	101	4	-	-	3	1	2	3	11	34	28	15	-

00/03/28 TABLE 290A. DEATHS FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 161
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+ N.S.
 SYPHILIS (090-097)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
WHITE MALE													
1998.....	12	-	-	-	-	1	1	1	1	1	3	4	-
1997.....	20	1	-	-	-	-	4	4	2	3	5	1	-
1996.....	26	1	-	-	-	1	4	3	4	3	5	5	-
1995.....	22	1	-	-	-	7	-	3	1	4	4	2	-
1994.....	24	1	-	-	1	-	1	4	2	5	9	1	-
1993.....	22	2	-	-	-	3	3	-	3	4	6	1	-
1992.....	23	1	-	1	1	2	1	1	3	6	5	2	-
1991.....	27	3	-	1	1	3	1	2	2	4	8	2	-
1990.....	21	2	-	-	2	3	1	3	1	-	6	3	-
1989.....	27	3	-	1	-	3	2	1	3	3	7	4	-
1988.....	25	3	-	-	-	1	1	1	2	4	9	4	-
1987.....	32	2	-	-	1	2	3	-	6	5	11	2	-
1986.....	22	2	-	-	-	2	1	1	1	3	9	3	-
1985.....	29	1	-	-	-	1	2	1	6	3	9	6	-
1984.....	33	2	-	-	1	1	1	1	4	9	11	3	-
1983.....	35	2	-	-	-	1	-	2	5	8	11	6	-
1982.....	47	4	-	-	1	2	2	1	9	8	15	5	-
1981.....	47	1	-	-	1	4	1	4	5	14	13	4	-
1980.....	50	-	-	-	1	-	5	-	4	13	20	7	-
1979.....	60	3	-	-	3	-	-	2	9	22	17	4	-

00/03/28 TABLE 290A. DEATHS FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 162
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+ N.S.
 SYPHILIS (090-097)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
WHITE FEMALE													
1998.....	9	-	-	-	-	1	-	1	-	2	1	4	-
1997.....	17	2	-	-	1	-	1	-	-	3	5	5	-
1996.....	13	2	-	-	1	1	-	-	-	4	2	3	-
1995.....	14	1	-	-	-	-	-	1	-	2	5	5	-
1994.....	17	-	-	-	-	-	3	1	-	4	5	4	-
1993.....	10	1	-	-	1	-	1	-	-	3	3	1	-
1992.....	20	2	-	-	1	-	-	-	-	4	5	8	-
1991.....	17	2	-	-	-	-	1	1	1	1	3	8	-
1990.....	20	1	-	-	-	-	1	-	2	2	10	4	-
1989.....	20	1	-	-	-	-	-	2	3	3	5	6	-
1988.....	15	1	-	-	-	1	1	-	1	3	4	4	-
1987.....	19	3	-	-	1	-	-	-	1	6	6	2	-
1986.....	21	2	-	-	-	-	-	2	2	4	8	3	-
1985.....	20	3	-	-	-	-	-	-	-	6	8	3	-
1984.....	22	1	-	-	1	-	1	1	2	6	6	4	-
1983.....	35	1	-	1	-	1	-	-	3	14	12	3	-
1982.....	37	2	-	-	-	-	1	2	1	13	11	7	-
1981.....	41	-	-	-	1	1	1	2	6	14	11	5	-
1980.....	43	1	-	-	-	1	1	3	3	19	7	8	-
1979.....	41	1	-	-	-	1	2	1	2	12	11	11	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR SYPHILIS (090-097) ALL OTHER, BOTH SEXES	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
1998.....	24	2	-	-	-	-	5	1	3	4	6	3	-
1997.....	25	1	-	-	-	2	-	1	3	8	9	1	-
1996.....	34	3	-	-	-	2	3	1	2	7	9	7	-
1995.....	29	2	1	-	1	2	3	5	3	5	5	2	-
1994.....	38	10	1	-	-	2	-	2	3	9	8	3	-
1993.....	48	9	1	-	-	7	3	3	4	6	10	5	-
1992.....	48	9	-	-	1	2	5	5	9	5	7	5	-
1991.....	49	20	1	-	-	2	1	2	4	8	5	6	-
1990.....	65	22	1	-	-	5	5	6	4	7	9	6	-
1989.....	58	15	-	1	-	7	2	4	4	9	11	5	-
1988.....	45	13	-	-	-	3	3	4	4	3	11	4	-
1987.....	47	9	-	-	-	1	4	3	5	9	12	4	-
1986.....	37	1	-	-	-	-	3	-	2	10	14	7	-
1985.....	31	3	-	1	-	1	1	3	6	6	5	5	-
1984.....	50	3	-	-	-	-	-	-	6	16	17	8	-
1983.....	51	4	-	-	-	4	1	4	3	14	16	5	-
1982.....	42	4	-	-	2	-	1	2	9	8	12	4	-
1981.....	48	5	-	-	-	-	1	3	4	12	18	5	-
1980.....	61	1	-	-	1	1	-	2	5	19	25	7	-
1979.....	79	2	1	-	-	-	2	4	18	23	19	10	-

00/03/28 TABLE 290A. DEATHS FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 164
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+ N.S.
 SYPHILIS (090-097)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ALL OTHER MALE													
1998.....	13	2	-	-	-	-	2	-	2	2	5	-	-
1997.....	19	1	-	-	-	2	-	1	3	6	5	1	-
1996.....	24	3	-	-	-	1	1	1	2	5	7	4	-
1995.....	19	2	1	-	1	-	3	3	2	5	2	-	-
1994.....	22	8	-	-	-	2	-	1	1	6	3	1	-
1993.....	30	3	1	-	-	6	1	3	4	4	6	2	-
1992.....	37	8	-	-	1	2	4	4	6	4	5	3	-
1991.....	25	6	1	-	-	2	1	2	4	4	2	3	-
1990.....	42	13	-	-	-	3	5	6	3	2	7	3	-
1989.....	38	7	-	-	-	7	2	3	4	4	7	4	-
1988.....	26	5	-	-	-	3	2	4	1	2	7	2	-
1987.....	25	6	-	-	-	1	3	3	1	3	7	1	-
1986.....	20	-	-	-	-	-	2	-	1	7	8	2	-
1985.....	20	2	-	-	-	1	-	1	5	6	3	2	-
1984.....	34	1	-	-	-	-	-	-	5	9	13	6	-
1983.....	33	2	-	-	-	4	1	3	2	11	6	4	-
1982.....	29	2	-	-	1	-	1	2	6	6	8	3	-
1981.....	29	3	-	-	-	-	1	1	2	9	11	2	-
1980.....	42	1	-	-	1	-	-	2	3	12	16	7	-
1979.....	47	1	1	-	-	-	1	1	11	17	10	5	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
SYPHILIS (090-097)													
ALL OTHER FEMALE													
1998.....	11	-	-	-	-	-	3	1	1	2	1	3	-
1997.....	6	-	-	-	-	-	-	-	-	2	4	-	-
1996.....	10	-	-	-	-	1	2	-	-	2	2	3	-
1995.....	10	-	-	-	-	2	-	2	1	-	3	2	-
1994.....	16	2	1	-	-	-	-	1	2	3	5	2	-
1993.....	18	6	-	-	-	1	2	-	-	2	4	3	-
1992.....	11	1	-	-	-	-	1	1	3	1	2	2	-
1991.....	24	14	-	-	-	-	-	-	-	4	3	3	-
1990.....	23	9	1	-	-	2	-	-	1	5	2	3	-
1989.....	20	8	-	1	-	-	-	1	-	5	4	1	-
1988.....	19	8	-	-	-	-	1	-	3	1	4	2	-
1987.....	22	3	-	-	-	-	1	-	4	6	5	3	-
1986.....	17	1	-	-	-	-	1	-	1	3	6	5	-
1985.....	11	1	-	1	-	-	1	2	1	-	2	3	-
1984.....	16	2	-	-	-	-	-	-	1	7	4	2	-
1983.....	18	2	-	-	-	-	-	1	1	3	10	1	-
1982.....	13	2	-	-	1	-	-	-	3	2	4	1	-
1981.....	19	2	-	-	-	-	-	2	2	3	7	3	-
1980.....	19	-	-	-	-	1	-	-	2	7	9	-	-
1979.....	32	1	-	-	-	-	1	3	7	6	9	5	-

00/03/28 TABLE 290A. DEATHS FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 166
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+ N.S.
 SYPHILIS (090-097)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
BLACK, BOTH SEXES													
1998.....	21	2	-	-	-	-	5	1	2	3	5	3	-
1997.....	24	1	-	-	-	2	-	1	2	8	9	1	-
1996.....	33	3	-	-	-	2	3	1	2	7	8	7	-
1995.....	26	2	1	-	-	2	3	4	3	5	4	2	-
1994.....	36	10	1	-	-	2	-	2	2	8	8	3	-
1993.....	47	9	1	-	-	7	2	3	4	6	10	5	-
1992.....	46	9	-	-	1	2	5	4	8	5	7	5	-
1991.....	48	20	1	-	-	2	1	1	4	8	5	6	-
1990.....	64	22	1	-	-	5	5	6	4	7	9	5	-
1989.....	56	15	-	1	-	7	2	4	3	9	10	5	-
1988.....	45	13	-	-	-	3	3	4	4	3	11	4	-
1987.....	45	9	-	-	-	1	4	3	5	9	10	4	-
1986.....	37	1	-	-	-	-	3	-	2	10	14	7	-
1985.....	29	2	-	1	-	1	1	3	6	5	5	5	-
1984.....	46	3	-	-	-	-	-	-	6	14	15	8	-
1983.....	50	4	-	-	-	3	1	4	3	14	16	5	-
1982.....	40	4	-	-	1	-	1	2	9	8	11	4	-
1981.....	47	5	-	-	-	-	1	3	3	12	18	5	-
1980.....	59	1	-	-	1	1	-	2	5	19	23	7	-
1979.....	76	1	1	-	-	-	2	3	18	23	19	9	-

00/03/28 TABLE 290A. DEATHS FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 167
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+ N.S.
 SYPHILIS (090-097)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
BLACK MALE													
1998.....	11	2	-	-	-	-	2	-	1	2	4	-	-
1997.....	18	1	-	-	-	2	-	1	2	6	5	1	-
1996.....	24	3	-	-	-	1	1	1	2	5	7	4	-
1995.....	18	2	1	-	-	-	3	3	2	5	2	-	-
1994.....	21	8	-	-	-	2	-	1	1	5	3	1	-
1993.....	30	3	1	-	-	6	1	3	4	4	6	2	-
1992.....	36	8	-	-	1	2	4	3	6	4	5	3	-
1991.....	24	6	1	-	-	2	1	1	4	4	2	3	-
1990.....	41	13	-	-	-	3	5	6	3	2	7	2	-
1989.....	36	7	-	-	-	7	2	3	3	4	6	4	-
1988.....	26	5	-	-	-	3	2	4	1	2	7	2	-
1987.....	23	6	-	-	-	1	3	3	1	3	5	1	-
1986.....	20	-	-	-	-	-	2	-	1	7	8	2	-
1985.....	19	2	-	-	-	1	-	1	5	5	3	2	-
1984.....	31	1	-	-	-	-	-	-	5	7	12	6	-
1983.....	32	2	-	-	-	3	1	3	2	11	6	4	-
1982.....	28	2	-	-	1	-	1	2	6	6	7	3	-
1981.....	28	3	-	-	-	-	1	1	1	9	11	2	-
1980.....	41	1	-	-	1	-	-	2	3	12	15	7	-
1979.....	45	-	1	-	-	-	1	1	11	17	10	4	-

00/03/28 TABLE 290A. DEATHS FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 168
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+ N.S.
 SYPHILIS (090-097)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
BLACK FEMALE													
1998.....	10	-	-	-	-	-	3	1	1	1	1	3	-
1997.....	6	-	-	-	-	-	-	-	-	2	4	-	-
1996.....	9	-	-	-	-	1	2	-	-	2	1	3	-
1995.....	8	-	-	-	-	2	-	1	1	-	2	2	-
1994.....	15	2	1	-	-	-	-	1	1	3	5	2	-
1993.....	17	6	-	-	-	1	1	-	-	2	4	3	-
1992.....	10	1	-	-	-	-	1	1	2	1	2	2	-
1991.....	24	14	-	-	-	-	-	-	-	4	3	3	-
1990.....	23	9	1	-	-	2	-	-	1	5	2	3	-
1989.....	20	8	-	1	-	-	-	1	-	5	4	1	-
1988.....	19	8	-	-	-	-	1	-	3	1	4	2	-
1987.....	22	3	-	-	-	-	1	-	4	6	5	3	-
1986.....	17	1	-	-	-	-	1	-	1	3	6	5	-
1985.....	10	-	-	1	-	-	1	2	1	-	2	3	-
1984.....	15	2	-	-	-	-	-	-	1	7	3	2	-
1983.....	18	2	-	-	-	-	-	1	1	3	10	1	-
1982.....	12	2	-	-	-	-	-	-	3	2	4	1	-
1981.....	19	2	-	-	-	-	-	2	2	3	7	3	-
1980.....	18	-	-	-	-	1	-	-	2	7	8	-	-
1979.....	31	1	-	-	-	-	1	2	7	6	9	5	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ALL OTHER INFECTIOUS AND PARASITIC DISEASES (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066,071-088,098-139)													
TOTAL, BOTH SEXES													
1998.....	20,254	272	109	138	309	3,208	6,389	3,929	1,941	1,673	1,454	829	3
1997.....	23,336	266	149	189	413	4,314	7,790	4,334	2,005	1,631	1,513	726	6
1996.....	38,172	249	255	270	545	8,500	14,479	7,095	2,688	1,930	1,434	720	7
1995.....	50,266	299	314	317	768	12,443	19,789	9,012	3,193	2,025	1,389	709	8
1994.....	49,265	332	322	304	786	12,638	19,331	8,448	3,114	1,955	1,333	696	6
1993.....	44,387	333	327	266	778	11,892	16,801	7,247	2,721	1,894	1,351	766	11
1992.....	40,396	361	244	210	721	11,023	15,068	6,307	2,679	1,792	1,294	684	13
1991.....	36,346	394	252	187	741	10,078	13,123	5,409	2,488	1,775	1,226	662	11
1990.....	32,214	370	222	192	728	9,107	11,107	4,496	2,238	1,749	1,334	657	14
1989.....	29,234	396	216	144	794	8,415	9,399	3,931	2,099	1,761	1,375	691	13
1988.....	23,253	305	219	169	715	6,585	6,895	2,958	1,786	1,625	1,293	699	4
1987.....	19,560	315	211	151	662	5,526	5,430	2,358	1,672	1,503	1,120	609	3
1986.....	9,295	219	107	96	292	1,702	1,714	984	1,136	1,346	1,086	612	1
1985.....	7,442	229	91	86	231	1,093	1,174	761	982	1,237	982	574	2
1984.....	6,101	199	84	106	203	754	741	621	875	1,084	931	502	1
1983.....	4,969	209	81	104	166	421	439	482	796	1,005	852	414	-
1982.....	4,502	199	110	102	178	285	340	420	722	996	728	422	-
1981.....	4,258	184	89	112	159	258	272	429	732	876	722	425	-
1980.....	4,078	232	97	92	165	214	238	397	677	863	682	420	1
1979.....	3,615	222	98	128	162	215	231	361	643	699	578	277	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ALL OTHER INFECTIOUS AND PARASITIC DISEASES (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066,071-088,098-139)													
TOTAL, MALE													
1998.....	13,700	154	60	68	147	2,234	4,828	3,016	1,271	955	712	252	3
1997.....	16,338	153	79	110	201	3,173	6,009	3,301	1,365	943	746	253	5
1996.....	28,948	129	138	151	299	6,633	11,729	5,779	1,986	1,141	687	269	7
1995.....	39,822	176	156	159	447	9,987	16,624	7,599	2,439	1,247	708	272	8
1994.....	39,576	187	174	161	494	10,400	16,436	7,248	2,424	1,186	606	254	6
1993.....	35,985	180	167	137	507	10,025	14,460	6,284	2,136	1,152	658	268	11
1992.....	33,057	198	136	114	500	9,366	13,144	5,540	2,056	1,107	632	251	13
1991.....	29,914	215	126	105	519	8,607	11,682	4,742	1,927	1,086	658	236	11
1990.....	26,301	203	112	97	523	7,865	9,875	3,981	1,700	1,041	662	231	11
1989.....	23,738	208	111	84	608	7,253	8,419	3,485	1,594	1,031	698	234	13
1988.....	18,459	177	117	91	546	5,678	6,152	2,583	1,293	967	622	231	2
1987.....	15,385	174	112	81	535	4,768	4,828	2,062	1,229	839	547	208	2
1986.....	6,307	130	57	49	213	1,440	1,467	741	726	741	544	198	1
1985.....	4,721	123	49	52	162	892	975	535	573	686	479	195	-
1984.....	3,633	121	38	57	131	575	566	416	540	581	431	177	-
1983.....	2,736	127	44	56	94	289	303	271	427	527	438	160	-
1982.....	2,351	113	55	51	100	159	199	235	404	516	361	158	-
1981.....	2,206	98	53	63	80	133	146	238	405	473	348	169	-
1980.....	2,099	119	55	49	81	111	133	217	374	499	307	153	1
1979.....	1,893	114	56	66	87	113	121	195	350	393	294	103	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ALL OTHER INFECTIOUS AND PARASITIC DISEASES (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066,071-088,098-139)													
TOTAL, FEMALE													
1998.....	6,554	118	49	70	162	974	1,561	913	670	718	742	577	-
1997.....	6,998	113	70	79	212	1,141	1,781	1,033	640	688	767	473	1
1996.....	9,224	120	117	119	246	1,867	2,750	1,316	702	789	747	451	-
1995.....	10,444	123	158	158	321	2,456	3,165	1,413	754	778	681	437	-
1994.....	9,689	145	148	143	292	2,238	2,895	1,200	690	769	727	442	-
1993.....	8,402	153	160	129	271	1,867	2,341	963	585	742	693	498	-
1992.....	7,339	163	108	96	221	1,657	1,924	767	623	685	662	433	-
1991.....	6,432	179	126	82	222	1,471	1,441	667	561	689	568	426	-
1990.....	5,913	167	110	95	205	1,242	1,232	515	538	708	672	426	3
1989.....	5,496	188	105	60	186	1,162	980	446	505	730	677	457	-
1988.....	4,794	128	102	78	169	907	743	375	493	658	671	468	2
1987.....	4,175	141	99	70	127	758	602	296	443	664	573	401	1
1986.....	2,988	89	50	47	79	262	247	243	410	605	542	414	-
1985.....	2,721	106	42	34	69	201	199	226	409	551	503	379	2
1984.....	2,468	78	46	49	72	179	175	205	335	503	500	325	1
1983.....	2,233	82	37	48	72	132	136	211	369	478	414	254	-
1982.....	2,151	86	55	51	78	126	141	185	318	480	367	264	-
1981.....	2,052	86	36	49	79	125	126	191	327	403	374	256	-
1980.....	1,979	113	42	43	84	103	105	180	303	364	375	267	-
1979.....	1,722	108	42	62	75	102	110	166	293	306	284	174	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ALL OTHER INFECTIOUS AND PARASITIC DISEASES (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066,071-088,098-139) WHITE, BOTH SEXES													
1998.....	11,362	174	72	85	140	1,436	3,074	1,906	1,146	1,300	1,275	753	1
1997.....	13,010	149	92	108	195	2,125	3,804	2,164	1,188	1,233	1,303	645	4
1996.....	22,139	143	125	143	279	4,686	7,870	3,958	1,610	1,469	1,226	628	2
1995.....	30,982	173	160	174	367	7,440	11,747	5,489	2,026	1,549	1,203	649	5
1994.....	31,068	187	160	181	385	7,707	11,812	5,333	2,033	1,482	1,149	635	4
1993.....	29,016	179	164	160	408	7,531	10,531	4,793	1,900	1,488	1,168	687	7
1992.....	27,106	170	120	143	395	7,156	9,709	4,382	1,844	1,426	1,142	612	7
1991.....	25,047	219	129	123	410	6,677	8,767	3,773	1,823	1,441	1,083	596	6
1990.....	22,658	200	113	108	440	6,015	7,602	3,287	1,669	1,454	1,173	589	8
1989.....	20,638	221	116	106	497	5,536	6,310	2,888	1,643	1,470	1,214	632	5
1988.....	16,496	183	129	118	443	4,252	4,655	2,160	1,377	1,388	1,145	643	3
1987.....	14,085	185	131	110	425	3,648	3,732	1,704	1,310	1,286	1,001	552	1
1986.....	7,305	139	80	78	219	1,202	1,229	736	917	1,176	970	559	-
1985.....	5,883	148	67	74	163	754	851	555	799	1,050	888	532	2
1984.....	4,801	131	64	81	152	497	498	436	711	932	829	469	1
1983.....	3,969	141	59	81	124	270	285	341	657	879	753	379	-
1982.....	3,636	131	88	80	137	179	217	307	601	867	636	393	-
1981.....	3,469	135	71	95	125	154	159	321	609	763	650	387	-
1980.....	3,292	166	70	74	128	142	145	273	561	745	600	387	1
1979.....	2,932	162	72	110	121	133	134	274	535	608	523	259	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR
 ALL OTHER INFECTIOUS AND PARASITIC DISEASES (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066,071-088,098-139)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
WHITE MALE													
1998.....	7,844	100	40	44	75	1,136	2,576	1,536	749	737	622	228	1
1997.....	9,323	89	57	58	105	1,703	3,212	1,741	790	697	643	224	4
1996.....	17,443	78	63	84	162	3,940	6,868	3,399	1,195	844	582	226	2
1995.....	25,684	103	82	89	243	6,427	10,472	4,858	1,599	963	602	241	5
1994.....	26,028	111	87	102	270	6,726	10,696	4,792	1,626	881	508	225	4
1993.....	24,428	109	80	89	282	6,754	9,576	4,325	1,510	894	559	243	7
1992.....	23,023	101	67	79	281	6,432	8,969	3,979	1,453	867	566	222	7
1991.....	21,318	127	68	68	307	6,044	8,174	3,434	1,441	869	573	207	6
1990.....	19,131	120	56	56	332	5,478	7,123	3,019	1,290	859	588	202	8
1989.....	17,195	127	55	65	390	5,040	5,927	2,640	1,262	866	607	211	5
1988.....	13,322	112	71	67	351	3,860	4,330	1,941	1,003	826	559	200	2
1987.....	11,307	110	66	59	356	3,313	3,469	1,544	974	737	493	185	1
1986.....	4,980	83	44	43	165	1,064	1,105	578	590	650	483	175	-
1985.....	3,736	80	34	46	112	642	740	404	486	588	426	178	-
1984.....	2,850	80	29	43	98	396	406	304	456	503	375	160	-
1983.....	2,169	87	30	42	74	191	201	203	356	458	386	141	-
1982.....	1,881	74	42	40	76	100	126	182	343	446	311	141	-
1981.....	1,804	68	42	52	60	87	87	186	344	413	317	148	-
1980.....	1,708	83	42	42	67	76	90	159	309	429	272	138	1
1979.....	1,553	80	42	54	67	74	76	153	301	349	260	96	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR
 ALL OTHER INFECTIOUS AND PARASITIC DISEASES (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066,071-088,098-139)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
WHITE FEMALE													
1998.....	3,518	74	32	41	65	300	498	370	397	563	653	525	-
1997.....	3,687	60	35	50	90	422	592	423	398	536	660	421	-
1996.....	4,696	65	62	59	117	746	1,002	559	415	625	644	402	-
1995.....	5,298	70	78	85	124	1,013	1,275	631	427	586	601	408	-
1994.....	5,040	76	73	79	115	981	1,116	541	407	601	641	410	-
1993.....	4,588	70	84	71	126	777	955	468	390	594	609	444	-
1992.....	4,083	69	53	64	114	724	740	403	391	559	576	390	-
1991.....	3,729	92	61	55	103	633	593	339	382	572	510	389	-
1990.....	3,527	80	57	52	108	537	479	268	379	595	585	387	-
1989.....	3,443	94	61	41	107	496	383	248	381	604	607	421	-
1988.....	3,174	71	58	51	92	392	325	219	374	562	586	443	1
1987.....	2,778	75	65	51	69	335	263	160	336	549	508	367	-
1986.....	2,325	56	36	35	54	138	124	158	327	526	487	384	-
1985.....	2,147	68	33	28	51	112	111	151	313	462	462	354	2
1984.....	1,951	51	35	38	54	101	92	132	255	429	454	309	1
1983.....	1,800	54	29	39	50	79	84	138	301	421	367	238	-
1982.....	1,755	57	46	40	61	79	91	125	258	421	325	252	-
1981.....	1,665	67	29	43	65	67	72	135	265	350	333	239	-
1980.....	1,584	83	28	32	61	66	55	114	252	316	328	249	-
1979.....	1,379	82	30	56	54	59	58	121	234	259	263	163	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ALL OTHER INFECTIOUS AND PARASITIC DISEASES (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066,071-088,098-139)													
ALL OTHER, BOTH SEXES													
1998.....	8,892	98	37	53	169	1,772	3,315	2,023	795	373	179	76	2
1997.....	10,326	117	57	81	218	2,189	3,986	2,170	817	398	210	81	2
1996.....	16,033	106	130	127	266	3,814	6,609	3,137	1,078	461	208	92	5
1995.....	19,284	126	154	143	401	5,003	8,042	3,523	1,167	476	186	60	3
1994.....	18,197	145	162	123	401	4,931	7,519	3,115	1,081	473	184	61	2
1993.....	15,371	154	163	106	370	4,361	6,270	2,454	821	406	183	79	4
1992.....	13,290	191	124	67	326	3,867	5,359	1,925	835	366	152	72	6
1991.....	11,299	175	123	64	331	3,401	4,356	1,636	665	334	143	66	5
1990.....	9,556	170	109	84	288	3,092	3,505	1,209	569	295	161	68	6
1989.....	8,596	175	100	38	297	2,879	3,089	1,043	456	291	161	59	8
1988.....	6,757	122	90	51	272	2,333	2,240	798	409	237	148	56	1
1987.....	5,475	130	80	41	237	1,878	1,698	654	362	217	119	57	2
1986.....	1,990	80	27	18	73	500	485	248	219	170	116	53	1
1985.....	1,559	81	24	12	68	339	323	206	183	187	94	42	-
1984.....	1,300	68	20	25	51	257	243	185	164	152	102	33	-
1983.....	1,000	68	22	23	42	151	154	141	139	126	99	35	-
1982.....	866	68	22	22	41	106	123	113	121	129	92	29	-
1981.....	789	49	18	17	34	104	113	108	123	113	72	38	-
1980.....	786	66	27	18	37	72	93	124	116	118	82	33	-
1979.....	683	60	26	18	41	82	97	87	108	91	55	18	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ALL OTHER INFECTIOUS AND PARASITIC DISEASES (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066,071-088,098-139)													
ALL OTHER MALE													
1998.....	5,856	54	20	24	72	1,098	2,252	1,480	522	218	90	24	2
1997.....	7,015	64	22	52	96	1,470	2,797	1,560	575	246	103	29	1
1996.....	11,505	51	75	67	137	2,693	4,861	2,380	791	297	105	43	5
1995.....	14,138	73	74	70	204	3,560	6,152	2,741	840	284	106	31	3
1994.....	13,548	76	87	59	224	3,674	5,740	2,456	798	305	98	29	2
1993.....	11,557	71	87	48	225	3,271	4,884	1,959	626	258	99	25	4
1992.....	10,034	97	69	35	219	2,934	4,175	1,561	603	240	66	29	6
1991.....	8,596	88	58	37	212	2,563	3,508	1,308	486	217	85	29	5
1990.....	7,170	83	56	41	191	2,387	2,752	962	410	182	74	29	3
1989.....	6,543	81	56	19	218	2,213	2,492	845	332	165	91	23	8
1988.....	5,137	65	46	24	195	1,818	1,822	642	290	141	63	31	-
1987.....	4,078	64	46	22	179	1,455	1,359	518	255	102	54	23	1
1986.....	1,327	47	13	6	48	376	362	163	136	91	61	23	1
1985.....	985	43	15	6	50	250	235	131	87	98	53	17	-
1984.....	783	41	9	14	33	179	160	112	84	78	56	17	-
1983.....	567	40	14	14	20	98	102	68	71	69	52	19	-
1982.....	470	39	13	11	24	59	73	53	61	70	50	17	-
1981.....	402	30	11	11	20	46	59	52	61	60	31	21	-
1980.....	391	36	13	7	14	35	43	58	65	70	35	15	-
1979.....	340	34	14	12	20	39	45	42	49	44	34	7	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR
 ALL OTHER INFECTIOUS AND PARASITIC DISEASES (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066,071-088,098-139)

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ALL OTHER FEMALE													
1998.....	3,036	44	17	29	97	674	1,063	543	273	155	89	52	-
1997.....	3,311	53	35	29	122	719	1,189	610	242	152	107	52	1
1996.....	4,528	55	55	60	129	1,121	1,748	757	287	164	103	49	-
1995.....	5,146	53	80	73	197	1,443	1,890	782	327	192	80	29	-
1994.....	4,649	69	75	64	177	1,257	1,779	659	283	168	86	32	-
1993.....	3,814	83	76	58	145	1,090	1,386	495	195	148	84	54	-
1992.....	3,256	94	55	32	107	933	1,184	364	232	126	86	43	-
1991.....	2,703	87	65	27	119	838	848	328	179	117	58	37	-
1990.....	2,386	87	53	43	97	705	753	247	159	113	87	39	3
1989.....	2,053	94	44	19	79	666	597	198	124	126	70	36	-
1988.....	1,620	57	44	27	77	515	418	156	119	96	85	25	1
1987.....	1,397	66	34	19	58	423	339	136	107	115	65	34	1
1986.....	663	33	14	12	25	124	123	85	83	79	55	30	-
1985.....	574	38	9	6	18	89	88	75	96	89	41	25	-
1984.....	517	27	11	11	18	78	83	73	80	74	46	16	-
1983.....	433	28	8	9	22	53	52	73	68	57	47	16	-
1982.....	396	29	9	11	17	47	50	60	60	59	42	12	-
1981.....	387	19	7	6	14	58	54	56	62	53	41	17	-
1980.....	395	30	14	11	23	37	50	66	51	48	47	18	-
1979.....	343	26	12	6	21	43	52	45	59	47	21	11	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ALL OTHER INFECTIOUS AND PARASITIC DISEASES (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066,071-088,098-139) BLACK, BOTH SEXES													
1998.....	8,566	87	31	47	163	1,725	3,245	1,976	742	344	144	60	2
1997.....	9,980	106	55	76	207	2,141	3,891	2,119	772	362	179	70	2
1996.....	15,505	95	119	123	253	3,721	6,436	3,043	1,032	422	181	75	5
1995.....	18,638	117	148	135	393	4,841	7,813	3,423	1,113	443	161	48	3
1994.....	17,556	136	153	109	384	4,758	7,332	3,018	1,030	430	151	53	2
1993.....	14,821	141	158	96	353	4,231	6,102	2,362	779	364	160	71	4
1992.....	12,855	179	118	64	318	3,764	5,230	1,863	791	332	130	60	6
1991.....	10,889	166	114	58	319	3,296	4,243	1,584	634	291	125	54	5
1990.....	9,198	159	102	74	278	3,021	3,409	1,159	535	259	142	54	6
1989.....	8,254	158	95	33	287	2,805	2,995	996	425	264	136	53	7
1988.....	6,491	117	86	43	259	2,273	2,178	766	374	208	137	49	1
1987.....	5,250	124	73	33	228	1,844	1,644	621	335	190	105	51	2
1986.....	1,831	68	25	14	70	486	467	231	189	142	96	42	1
1985.....	1,423	74	18	12	66	326	307	190	164	152	78	36	-
1984.....	1,177	62	19	22	45	244	230	168	143	134	83	27	-
1983.....	913	57	19	19	36	149	150	132	122	115	87	27	-
1982.....	778	60	18	19	36	103	117	104	107	118	73	23	-
1981.....	697	41	16	9	33	98	106	100	111	96	58	29	-
1980.....	716	61	22	16	35	68	90	114	101	109	70	30	-
1979.....	607	52	19	16	36	77	93	80	97	79	44	14	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR
 ALL OTHER INFECTIOUS AND PARASITIC DISEASES (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066,071-088,098-139)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
BLACK MALE													
1998.....	5,658	46	18	19	69	1,060	2,202	1,444	498	210	72	18	2
1997.....	6,778	60	21	49	90	1,430	2,719	1,529	547	226	84	22	1
1996.....	11,105	46	68	65	132	2,616	4,716	2,302	760	273	90	32	5
1995.....	13,643	67	72	68	200	3,421	5,955	2,664	808	267	92	26	3
1994.....	13,047	74	81	48	213	3,530	5,576	2,375	765	281	78	24	2
1993.....	11,124	65	85	42	213	3,157	4,738	1,885	597	233	84	21	4
1992.....	9,698	89	65	33	213	2,843	4,064	1,508	580	221	55	21	6
1991.....	8,273	81	54	34	201	2,473	3,408	1,267	464	192	73	21	5
1990.....	6,890	76	53	35	184	2,328	2,672	915	387	152	66	19	3
1989.....	6,284	71	52	17	210	2,150	2,411	806	314	151	76	19	7
1988.....	4,941	63	43	20	185	1,763	1,768	622	269	120	61	27	-
1987.....	3,920	58	39	18	174	1,429	1,315	492	241	87	47	19	1
1986.....	1,222	40	13	4	46	367	349	150	118	71	45	18	1
1985.....	901	37	14	6	48	239	223	120	79	78	42	15	-
1984.....	701	38	9	13	29	169	150	103	70	64	43	13	-
1983.....	512	33	12	10	17	98	100	64	60	63	42	13	-
1982.....	416	36	10	10	21	58	68	47	56	62	36	12	-
1981.....	348	25	10	5	19	44	55	49	53	48	25	15	-
1980.....	353	33	11	6	14	34	41	53	57	63	29	12	-
1979.....	299	30	12	10	18	36	44	38	44	35	27	5	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR
 ALL OTHER INFECTIOUS AND PARASITIC DISEASES (001-003,005,020-032,037,039-041,*042-*044,046-054,056-066,071-088,098-139)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
BLACK FEMALE													
1998.....	2,908	41	13	28	94	665	1,043	532	244	134	72	42	-
1997.....	3,202	46	34	27	117	711	1,172	590	225	136	95	48	1
1996.....	4,400	49	51	58	121	1,105	1,720	741	272	149	91	43	-
1995.....	4,995	50	76	67	193	1,420	1,858	759	305	176	69	22	-
1994.....	4,509	62	72	61	171	1,228	1,756	643	265	149	73	29	-
1993.....	3,697	76	73	54	140	1,074	1,364	477	182	131	76	50	-
1992.....	3,157	90	53	31	105	921	1,166	355	211	111	75	39	-
1991.....	2,616	85	60	24	118	823	835	317	170	99	52	33	-
1990.....	2,308	83	49	39	94	693	737	244	148	107	76	35	3
1989.....	1,970	87	43	16	77	655	584	190	111	113	60	34	-
1988.....	1,550	54	43	23	74	510	410	144	105	88	76	22	1
1987.....	1,330	66	34	15	54	415	329	129	94	103	58	32	1
1986.....	609	28	12	10	24	119	118	81	71	71	51	24	-
1985.....	522	37	4	6	18	87	84	70	85	74	36	21	-
1984.....	476	24	10	9	16	75	80	65	73	70	40	14	-
1983.....	401	24	7	9	19	51	50	68	62	52	45	14	-
1982.....	362	24	8	9	15	45	49	57	51	56	37	11	-
1981.....	349	16	6	4	14	54	51	51	58	48	33	14	-
1980.....	363	28	11	10	21	34	49	61	44	46	41	18	-
1979.....	308	22	7	6	18	41	49	42	53	44	17	9	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)													
TOTAL, BOTH SEXES													
1998.....	541,532	78	365	1,013	1,699	4,385	17,022	45,747	87,024	154,753	158,517	70,916	13
1997.....	539,577	91	438	1,030	1,645	4,607	17,099	45,429	86,314	156,746	156,291	69,876	11
1996.....	539,533	87	424	1,028	1,632	4,845	17,049	44,627	86,828	160,864	154,480	67,644	25
1995.....	538,455	70	488	1,026	1,642	4,875	17,110	44,186	87,898	162,864	152,108	66,170	18
1994.....	534,310	59	518	1,053	1,740	5,056	16,843	43,588	89,251	163,795	149,388	63,003	16
1993.....	529,904	88	522	1,089	1,738	5,079	16,755	42,372	90,685	163,309	146,537	61,703	27
1992.....	520,578	95	479	1,105	1,809	5,303	16,882	41,206	91,609	161,225	142,648	58,187	30
1991.....	514,657	77	526	1,106	1,814	5,319	16,909	39,922	94,195	159,313	139,401	56,054	21
1990.....	505,322	90	513	1,094	1,819	5,427	16,223	39,823	94,919	157,413	135,011	52,963	27
1989.....	496,152	107	506	1,155	1,851	5,314	15,742	39,138	96,111	155,028	130,612	50,566	22
1988.....	485,048	89	542	1,096	1,894	5,211	15,581	38,766	97,656	150,824	125,049	48,314	26
1987.....	476,927	101	548	1,138	1,939	5,371	14,934	38,240	98,424	149,046	120,765	46,388	33
1986.....	469,376	97	569	1,165	2,115	5,604	14,991	37,800	98,805	146,803	116,632	44,749	46
1985.....	461,563	114	543	1,183	2,142	5,495	14,531	38,203	100,626	142,542	113,059	43,082	43
1984.....	453,492	114	563	1,207	2,194	5,351	14,246	38,358	100,055	139,741	109,532	42,089	42
1983.....	442,986	132	654	1,318	2,293	5,158	13,412	38,535	98,495	136,863	105,418	40,645	63
1982.....	433,795	135	628	1,410	2,455	5,179	12,990	39,415	97,237	133,183	102,141	38,958	64
1981.....	422,094	91	654	1,396	2,382	5,055	12,490	40,140	95,370	129,546	97,789	37,129	52
1980.....	416,509	113	573	1,497	2,683	5,081	12,470	41,030	94,645	127,430	95,239	35,720	28
1979.....	403,395	116	578	1,552	2,581	4,786	12,132	41,601	92,088	122,702	91,762	33,458	39

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)													
TOTAL, MALE													
1998.....	282,065	43	189	582	1,029	2,092	7,592	23,071	47,665	86,247	83,117	30,430	8
1997.....	281,110	45	240	560	981	2,284	7,557	22,709	47,110	87,515	81,941	30,161	7
1996.....	281,898	43	246	582	955	2,312	7,684	22,278	47,687	89,979	80,879	29,238	15
1995.....	281,611	36	290	587	1,009	2,384	7,685	21,812	48,265	90,918	79,766	28,852	7
1994.....	280,465	28	287	604	1,059	2,511	7,580	21,716	49,449	91,394	78,333	27,493	11
1993.....	279,375	56	301	621	1,013	2,496	7,684	21,098	50,364	91,693	77,248	26,789	12
1992.....	274,838	52	248	637	1,084	2,571	7,524	20,603	50,898	90,273	75,458	25,473	17
1991.....	272,380	44	288	650	1,083	2,616	7,548	19,981	52,212	89,877	73,810	24,257	14
1990.....	268,283	48	280	621	1,078	2,710	7,125	19,880	53,053	88,734	71,690	23,049	15
1989.....	263,309	50	278	646	1,074	2,593	6,929	19,715	53,583	87,350	69,292	21,788	11
1988.....	258,088	46	281	644	1,112	2,559	6,913	19,545	54,201	85,216	66,700	20,855	16
1987.....	254,653	51	300	670	1,166	2,615	6,616	19,127	54,775	84,815	64,552	19,947	19
1986.....	250,559	53	323	657	1,302	2,869	6,644	18,937	54,808	83,119	62,493	19,332	22
1985.....	246,914	56	311	675	1,291	2,738	6,606	19,127	55,756	81,113	60,562	18,658	21
1984.....	242,790	60	311	702	1,352	2,638	6,259	19,318	55,588	79,721	58,489	18,325	27
1983.....	238,383	70	371	748	1,351	2,552	5,935	19,515	54,624	78,352	56,960	17,870	35
1982.....	233,864	67	345	834	1,434	2,532	5,786	20,005	53,962	76,612	54,828	17,422	37
1981.....	227,885	51	366	796	1,444	2,439	5,582	20,396	53,097	74,939	52,167	16,574	34
1980.....	225,948	66	344	881	1,665	2,469	5,526	20,773	52,867	73,861	51,331	16,149	16
1979.....	220,015	67	317	909	1,584	2,349	5,359	21,116	51,632	71,811	49,518	15,334	19

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)													
TOTAL, FEMALE													
1998.....	259,467	35	176	431	670	2,293	9,430	22,676	39,359	68,506	75,400	40,486	5
1997.....	258,467	46	198	470	664	2,323	9,542	22,720	39,204	69,231	74,350	39,715	4
1996.....	257,635	44	178	446	677	2,533	9,365	22,349	39,141	70,885	73,601	38,406	10
1995.....	256,844	34	198	439	633	2,491	9,425	22,374	39,633	71,946	72,342	37,318	11
1994.....	253,845	31	231	449	681	2,545	9,263	21,872	39,802	72,401	71,055	35,510	5
1993.....	250,529	32	221	468	725	2,583	9,071	21,274	40,321	71,616	69,289	34,914	15
1992.....	245,740	43	231	468	725	2,732	9,358	20,603	40,711	70,952	67,190	32,714	13
1991.....	242,277	33	238	456	731	2,703	9,361	19,941	41,983	69,436	65,591	31,797	7
1990.....	237,039	42	233	473	741	2,717	9,098	19,943	41,866	68,679	63,321	29,914	12
1989.....	232,843	57	228	509	777	2,721	8,813	19,423	42,528	67,678	61,320	28,778	11
1988.....	226,960	43	261	452	782	2,652	8,668	19,221	43,455	65,608	58,349	27,459	10
1987.....	222,274	50	248	468	773	2,756	8,318	19,113	43,649	64,231	56,213	26,441	14
1986.....	218,817	44	246	508	813	2,735	8,347	18,863	43,997	63,684	54,139	25,417	24
1985.....	214,649	58	232	508	851	2,757	7,925	19,076	44,870	61,429	52,497	24,424	22
1984.....	210,702	54	252	505	842	2,713	7,987	19,040	44,467	60,020	51,043	23,764	15
1983.....	204,603	62	283	570	942	2,606	7,477	19,020	43,871	58,511	48,458	22,775	28
1982.....	199,931	68	283	576	1,021	2,647	7,204	19,410	43,275	56,571	47,313	21,536	27
1981.....	194,209	40	288	600	938	2,616	6,908	19,744	42,273	54,607	45,622	20,555	18
1980.....	190,561	47	229	616	1,018	2,612	6,944	20,257	41,778	53,569	43,908	19,571	12
1979.....	183,380	49	261	643	997	2,437	6,773	20,485	40,456	50,891	42,244	18,124	20

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)													
WHITE, BOTH SEXES													
1998.....	470,139	68	289	802	1,371	3,417	13,234	36,605	72,770	135,114	142,444	64,016	9
1997.....	468,521	68	340	831	1,283	3,600	13,300	36,825	72,147	136,789	140,454	62,880	4
1996.....	469,406	76	344	825	1,267	3,841	13,334	36,260	72,965	140,691	138,661	61,126	16
1995.....	468,897	55	380	798	1,292	3,805	13,479	35,946	73,831	142,736	136,737	59,828	10
1994.....	465,797	47	411	835	1,413	3,991	13,243	35,513	75,255	143,686	134,351	57,045	7
1993.....	461,904	69	422	899	1,365	4,027	13,241	34,377	76,717	143,313	131,681	55,784	9
1992.....	454,531	81	388	904	1,467	4,221	13,295	33,582	77,410	141,776	128,606	52,779	22
1991.....	449,506	57	416	913	1,470	4,293	13,401	32,524	80,173	140,206	125,227	50,814	12
1990.....	441,585	69	413	897	1,470	4,331	12,980	32,447	80,531	138,818	121,522	48,092	15
1989.....	434,156	92	409	947	1,483	4,295	12,647	31,945	82,127	136,625	117,603	45,969	14
1988.....	425,140	70	446	890	1,543	4,210	12,552	31,747	83,714	133,352	112,658	43,940	18
1987.....	418,473	87	452	952	1,553	4,398	12,045	31,305	84,563	132,050	108,793	42,259	16
1986.....	412,352	82	473	957	1,769	4,610	12,110	30,940	85,084	130,134	105,350	40,810	33
1985.....	405,727	93	458	976	1,784	4,541	11,873	31,462	86,618	126,400	102,070	39,422	30
1984.....	398,631	83	473	995	1,846	4,413	11,576	31,627	85,947	124,054	98,921	38,672	24
1983.....	390,009	105	554	1,085	1,925	4,243	10,984	31,837	85,005	121,427	95,317	37,496	31
1982.....	382,652	102	530	1,179	2,042	4,310	10,701	32,725	84,029	118,412	92,609	35,970	43
1981.....	372,674	73	549	1,150	2,002	4,237	10,135	33,523	82,730	115,162	88,770	34,316	27
1980.....	368,162	90	479	1,291	2,244	4,312	10,241	34,257	82,222	113,387	86,635	32,987	17
1979.....	357,336	95	486	1,322	2,195	4,052	9,968	34,861	80,211	109,356	83,672	31,089	29

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR
 MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
WHITE MALE													
1998.....	244,109	37	149	459	845	1,671	6,019	18,325	39,755	75,292	74,330	27,223	4
1997.....	243,192	32	188	449	774	1,819	5,920	18,267	39,116	76,337	73,400	26,888	2
1996.....	243,952	35	205	477	754	1,877	6,071	17,987	39,790	78,437	72,177	26,133	9
1995.....	244,000	30	233	471	805	1,908	6,066	17,624	40,380	79,367	71,342	25,772	2
1994.....	242,995	23	235	475	873	2,019	6,004	17,438	41,516	79,719	70,072	24,616	5
1993.....	241,908	42	248	515	805	2,017	6,132	16,892	42,352	80,046	68,971	23,885	3
1992.....	238,499	44	207	524	889	2,105	5,959	16,608	42,830	78,956	67,512	22,853	12
1991.....	236,409	30	222	542	902	2,149	6,014	15,976	44,254	78,720	65,865	21,727	8
1990.....	232,608	36	226	506	879	2,226	5,666	15,925	44,792	77,736	63,977	20,630	9
1989.....	228,301	45	238	535	860	2,114	5,540	15,784	45,401	76,435	61,816	19,528	5
1988.....	224,514	37	236	533	916	2,130	5,556	15,714	46,221	74,833	59,607	18,719	12
1987.....	221,757	43	246	572	951	2,185	5,385	15,476	46,804	74,577	57,610	17,898	10
1986.....	218,381	47	279	544	1,103	2,452	5,337	15,315	46,847	73,112	55,943	17,384	18
1985.....	215,079	48	260	558	1,082	2,320	5,390	15,451	47,569	71,352	54,185	16,850	14
1984.....	211,369	41	258	587	1,143	2,204	5,057	15,691	47,200	70,218	52,346	16,607	17
1983.....	208,053	54	310	622	1,153	2,154	4,837	15,921	46,597	69,042	51,017	16,334	12
1982.....	204,477	53	296	703	1,199	2,156	4,748	16,344	46,166	67,602	49,332	15,856	22
1981.....	199,370	37	311	665	1,218	2,094	4,513	16,768	45,611	66,055	46,939	15,143	16
1980.....	198,188	52	293	772	1,414	2,165	4,524	17,144	45,519	65,269	46,280	14,747	9
1979.....	193,444	55	271	778	1,364	2,051	4,363	17,483	44,563	63,638	44,766	14,099	13

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)													
WHITE FEMALE													
1998.....	226,030	31	140	343	526	1,746	7,215	18,280	33,015	59,822	68,114	36,793	5
1997.....	225,329	36	152	382	509	1,781	7,380	18,558	33,031	60,452	67,054	35,992	2
1996.....	225,454	41	139	348	513	1,964	7,263	18,273	33,175	62,254	66,484	34,993	7
1995.....	224,897	25	147	327	487	1,897	7,413	18,322	33,451	63,369	65,395	34,056	8
1994.....	222,802	24	176	360	540	1,972	7,239	18,075	33,739	63,967	64,279	32,429	2
1993.....	219,996	27	174	384	560	2,010	7,109	17,485	34,365	63,267	62,710	31,899	6
1992.....	216,032	37	181	380	578	2,116	7,336	16,974	34,580	62,820	61,094	29,926	10
1991.....	213,097	27	194	371	568	2,144	7,387	16,548	35,919	61,486	59,362	29,087	4
1990.....	208,977	33	187	391	591	2,105	7,314	16,522	35,739	61,082	57,545	27,462	6
1989.....	205,855	47	171	412	623	2,181	7,107	16,161	36,726	60,190	55,787	26,441	9
1988.....	200,626	33	210	357	627	2,080	6,996	16,033	37,493	58,519	53,051	25,221	6
1987.....	196,716	44	206	380	602	2,213	6,660	15,829	37,759	57,473	51,183	24,361	6
1986.....	193,971	35	194	413	666	2,158	6,773	15,625	38,237	57,022	49,407	23,426	15
1985.....	190,648	45	198	418	702	2,221	6,483	16,011	39,049	55,048	47,885	22,572	16
1984.....	187,262	42	215	408	703	2,209	6,519	15,936	38,747	53,836	46,575	22,065	7
1983.....	181,956	51	244	463	772	2,089	6,147	15,916	38,408	52,385	44,300	21,162	19
1982.....	178,175	49	234	476	843	2,154	5,953	16,381	37,863	50,810	43,277	20,114	21
1981.....	173,304	36	238	485	784	2,143	5,622	16,755	37,119	49,107	41,831	19,173	11
1980.....	169,974	38	186	519	830	2,147	5,717	17,113	36,703	48,118	40,355	18,240	8
1979.....	163,892	40	215	544	831	2,001	5,605	17,378	35,648	45,718	38,906	16,990	16

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)													
ALL OTHER, BOTH SEXES													
1998.....	71,393	10	76	211	328	968	3,788	9,142	14,254	19,639	16,073	6,900	4
1997.....	71,056	23	98	199	362	1,007	3,799	8,604	14,167	19,957	15,837	6,996	7
1996.....	70,127	11	80	203	365	1,004	3,715	8,367	13,863	20,173	15,819	6,518	9
1995.....	69,558	15	108	228	350	1,070	3,631	8,240	14,067	20,128	15,371	6,342	8
1994.....	68,513	12	107	218	327	1,065	3,600	8,075	13,996	20,109	15,037	5,958	9
1993.....	68,000	19	100	190	373	1,052	3,514	7,995	13,968	19,996	14,856	5,919	18
1992.....	66,047	14	91	201	342	1,082	3,587	7,624	14,199	19,449	14,042	5,408	8
1991.....	65,151	20	110	193	344	1,026	3,508	7,398	14,022	19,107	14,174	5,240	9
1990.....	63,737	21	100	197	349	1,096	3,243	7,376	14,388	18,595	13,489	4,871	12
1989.....	61,996	15	97	208	368	1,019	3,095	7,193	13,984	18,403	13,009	4,597	8
1988.....	59,908	19	96	206	351	1,001	3,029	7,019	13,942	17,472	12,391	4,374	8
1987.....	58,454	14	96	186	386	973	2,889	6,935	13,861	16,996	11,972	4,129	17
1986.....	57,024	15	96	208	346	994	2,881	6,860	13,721	16,669	11,282	3,939	13
1985.....	55,836	21	85	207	358	954	2,658	6,741	14,008	16,142	10,989	3,660	13
1984.....	54,861	31	90	212	348	938	2,670	6,731	14,108	15,687	10,611	3,417	18
1983.....	52,977	27	100	233	368	915	2,428	6,698	13,490	15,436	10,101	3,149	32
1982.....	51,143	33	98	231	413	869	2,289	6,690	13,208	14,771	9,532	2,988	21
1981.....	49,420	18	105	246	380	818	2,355	6,617	12,640	14,384	9,019	2,813	25
1980.....	48,347	23	94	206	439	769	2,229	6,773	12,423	14,043	8,604	2,733	11
1979.....	46,059	21	92	230	386	734	2,164	6,740	11,877	13,346	8,090	2,369	10

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)													
ALL OTHER MALE													
1998.....	37,956	6	40	123	184	421	1,573	4,746	7,910	10,955	8,787	3,207	4
1997.....	37,918	13	52	111	207	465	1,637	4,442	7,994	11,178	8,541	3,273	5
1996.....	37,946	8	41	105	201	435	1,613	4,291	7,897	11,542	8,702	3,105	6
1995.....	37,611	6	57	116	204	476	1,619	4,188	7,885	11,551	8,424	3,080	5
1994.....	37,470	5	52	129	186	492	1,576	4,278	7,933	11,675	8,261	2,877	6
1993.....	37,467	14	53	106	208	479	1,552	4,206	8,012	11,647	8,277	2,904	9
1992.....	36,339	8	41	113	195	466	1,565	3,995	8,068	11,317	7,946	2,620	5
1991.....	35,971	14	66	108	181	467	1,534	4,005	7,958	11,157	7,945	2,530	6
1990.....	35,675	12	54	115	199	484	1,459	3,955	8,261	10,998	7,713	2,419	6
1989.....	35,008	5	40	111	214	479	1,389	3,931	8,182	10,915	7,476	2,260	6
1988.....	33,574	9	45	111	196	429	1,357	3,831	7,980	10,383	7,093	2,136	4
1987.....	32,896	8	54	98	215	430	1,231	3,651	7,971	10,238	6,942	2,049	9
1986.....	32,178	6	44	113	199	417	1,307	3,622	7,961	10,007	6,550	1,948	4
1985.....	31,835	8	51	117	209	418	1,216	3,676	8,187	9,761	6,377	1,808	7
1984.....	31,421	19	53	115	209	434	1,202	3,627	8,388	9,503	6,143	1,718	10
1983.....	30,330	16	61	126	198	398	1,098	3,594	8,027	9,310	5,943	1,536	23
1982.....	29,387	14	49	131	235	376	1,038	3,661	7,796	9,010	5,496	1,566	15
1981.....	28,515	14	55	131	226	345	1,069	3,628	7,486	8,884	5,228	1,431	18
1980.....	27,760	14	51	109	251	304	1,002	3,629	7,348	8,592	5,051	1,402	7
1979.....	26,571	12	46	131	220	298	996	3,633	7,069	8,173	4,752	1,235	6

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)													
ALL OTHER FEMALE													
1998.....	33,437	4	36	88	144	547	2,215	4,396	6,344	8,684	7,286	3,693	-
1997.....	33,138	10	46	88	155	542	2,162	4,162	6,173	8,779	7,296	3,723	2
1996.....	32,181	3	39	98	164	569	2,102	4,076	5,966	8,631	7,117	3,413	3
1995.....	31,947	9	51	112	146	594	2,012	4,052	6,182	8,577	6,947	3,262	3
1994.....	31,043	7	55	89	141	573	2,024	3,797	6,063	8,434	6,776	3,081	3
1993.....	30,533	5	47	84	165	573	1,962	3,789	5,956	8,349	6,579	3,015	9
1992.....	29,708	6	50	88	147	616	2,022	3,629	6,131	8,132	6,096	2,788	3
1991.....	29,180	6	44	85	163	559	1,974	3,393	6,064	7,950	6,229	2,710	3
1990.....	28,062	9	46	82	150	612	1,784	3,421	6,127	7,597	5,776	2,452	6
1989.....	26,988	10	57	97	154	540	1,706	3,262	5,802	7,488	5,533	2,337	2
1988.....	26,334	10	51	95	155	572	1,672	3,188	5,962	7,089	5,298	2,238	4
1987.....	25,558	6	42	88	171	543	1,658	3,284	5,890	6,758	5,030	2,080	8
1986.....	24,846	9	52	95	147	577	1,574	3,238	5,760	6,662	4,732	1,991	9
1985.....	24,001	13	34	90	149	536	1,442	3,065	5,821	6,381	4,612	1,852	6
1984.....	23,440	12	37	97	139	504	1,468	3,104	5,720	6,184	4,468	1,699	8
1983.....	22,647	11	39	107	170	517	1,330	3,104	5,463	6,126	4,158	1,613	9
1982.....	21,756	19	49	100	178	493	1,251	3,029	5,412	5,761	4,036	1,422	6
1981.....	20,905	4	50	115	154	473	1,286	2,989	5,154	5,500	3,791	1,382	7
1980.....	20,587	9	43	97	188	465	1,227	3,144	5,075	5,451	3,553	1,331	4
1979.....	19,488	9	46	99	166	436	1,168	3,107	4,808	5,173	3,338	1,134	4

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)													
BLACK, BOTH SEXES													
1998.....	61,193	8	60	165	248	767	3,196	7,787	12,302	16,848	13,793	6,015	4
1997.....	61,333	13	72	152	292	826	3,201	7,349	12,284	17,310	13,682	6,145	7
1996.....	60,766	8	59	167	295	828	3,142	7,160	12,101	17,573	13,690	5,734	9
1995.....	60,603	10	86	173	286	870	3,108	7,086	12,316	17,715	13,398	5,548	7
1994.....	59,939	9	83	169	261	867	3,083	6,994	12,315	17,716	13,169	5,266	7
1993.....	59,873	15	72	152	298	889	2,994	7,025	12,303	17,754	13,118	5,240	13
1992.....	58,401	12	62	159	276	912	3,122	6,669	12,575	17,331	12,469	4,809	5
1991.....	57,921	14	96	154	282	868	3,004	6,491	12,507	17,131	12,689	4,676	9
1990.....	57,077	17	81	154	292	948	2,796	6,527	13,018	16,739	12,110	4,384	11
1989.....	55,564	15	75	167	319	857	2,650	6,428	12,602	16,614	11,706	4,123	8
1988.....	53,968	18	79	159	305	872	2,656	6,231	12,579	15,921	11,201	3,939	8
1987.....	53,027	11	75	151	328	814	2,531	6,264	12,697	15,532	10,864	3,745	15
1986.....	51,979	13	80	177	307	852	2,514	6,215	12,596	15,367	10,270	3,575	13
1985.....	50,906	19	62	174	300	822	2,340	6,134	12,875	14,848	9,981	3,338	13
1984.....	50,266	16	71	182	303	813	2,368	6,150	13,031	14,498	9,724	3,093	17
1983.....	48,754	20	82	200	301	780	2,145	6,111	12,557	14,377	9,296	2,859	26
1982.....	47,316	16	86	202	357	772	2,061	6,130	12,329	13,792	8,816	2,736	19
1981.....	45,827	10	91	220	334	714	2,093	6,113	11,875	13,476	8,305	2,581	15
1980.....	45,037	20	86	184	393	693	2,006	6,305	11,709	13,177	7,954	2,499	11
1979.....	42,981	19	81	205	352	634	1,975	6,297	11,190	12,566	7,470	2,183	9

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)													
BLACK MALE													
1998.....	32,523	5	32	97	134	327	1,303	4,087	6,881	9,404	7,508	2,741	4
1997.....	32,719	8	41	79	167	369	1,383	3,816	6,942	9,746	7,333	2,830	5
1996.....	32,973	7	29	87	163	360	1,366	3,751	6,944	10,053	7,532	2,675	6
1995.....	32,880	4	45	85	162	389	1,390	3,675	6,986	10,172	7,323	2,644	5
1994.....	32,861	4	41	97	147	399	1,344	3,760	7,038	10,289	7,236	2,501	5
1993.....	33,071	10	38	80	169	391	1,328	3,733	7,153	10,377	7,257	2,530	5
1992.....	32,155	7	27	83	152	395	1,363	3,541	7,202	10,097	6,992	2,294	2
1991.....	32,094	8	58	84	144	397	1,326	3,580	7,193	10,015	7,052	2,231	6
1990.....	31,995	11	42	91	162	406	1,261	3,556	7,545	9,903	6,866	2,146	6
1989.....	31,452	5	34	92	185	392	1,187	3,564	7,405	9,874	6,701	2,007	6
1988.....	30,321	8	38	84	169	363	1,180	3,460	7,266	9,468	6,377	1,904	4
1987.....	29,928	6	47	73	178	364	1,080	3,314	7,374	9,405	6,243	1,835	9
1986.....	29,363	5	34	101	174	353	1,137	3,315	7,380	9,211	5,893	1,756	4
1985.....	29,028	7	36	97	176	357	1,078	3,377	7,551	8,982	5,730	1,630	7
1984.....	28,851	9	38	96	178	372	1,077	3,339	7,803	8,785	5,588	1,557	9
1983.....	27,946	11	50	107	156	333	988	3,316	7,485	8,657	5,426	1,398	19
1982.....	27,226	7	42	115	198	325	945	3,398	7,301	8,406	5,039	1,437	13
1981.....	26,477	8	46	119	199	296	964	3,382	7,032	8,305	4,805	1,311	10
1980.....	25,861	12	49	96	227	278	912	3,410	6,938	8,036	4,627	1,269	7
1979.....	24,831	11	39	116	198	251	926	3,430	6,682	7,672	4,363	1,137	6

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR

TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+ N.S.

1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

MALIGNANT NEOPLASMS, INCLUDING NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (140-208)

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
BLACK FEMALE													
1998.....	28,670	3	28	68	114	440	1,893	3,700	5,421	7,444	6,285	3,274	-
1997.....	28,614	5	31	73	125	457	1,818	3,533	5,342	7,564	6,349	3,315	2
1996.....	27,793	1	30	80	132	468	1,776	3,409	5,157	7,520	6,158	3,059	3
1995.....	27,723	6	41	88	124	481	1,718	3,411	5,330	7,543	6,075	2,904	2
1994.....	27,078	5	42	72	114	468	1,739	3,234	5,277	7,427	5,933	2,765	2
1993.....	26,802	5	34	72	129	498	1,666	3,292	5,150	7,377	5,861	2,710	8
1992.....	26,246	5	35	76	124	517	1,759	3,128	5,373	7,234	5,477	2,515	3
1991.....	25,827	6	38	70	138	471	1,678	2,911	5,314	7,116	5,637	2,445	3
1990.....	25,082	6	39	63	130	542	1,535	2,971	5,473	6,836	5,244	2,238	5
1989.....	24,112	10	41	75	134	465	1,463	2,864	5,197	6,740	5,005	2,116	2
1988.....	23,647	10	41	75	136	509	1,476	2,771	5,313	6,453	4,824	2,035	4
1987.....	23,099	5	28	78	150	450	1,451	2,950	5,323	6,127	4,621	1,910	6
1986.....	22,616	8	46	76	133	499	1,377	2,900	5,216	6,156	4,377	1,819	9
1985.....	21,878	12	26	77	124	465	1,262	2,757	5,324	5,866	4,251	1,708	6
1984.....	21,415	7	33	86	125	441	1,291	2,811	5,228	5,713	4,136	1,536	8
1983.....	20,808	9	32	93	145	447	1,157	2,795	5,072	5,720	3,870	1,461	7
1982.....	20,090	9	44	87	159	447	1,116	2,732	5,028	5,386	3,777	1,299	6
1981.....	19,350	2	45	101	135	418	1,129	2,731	4,843	5,171	3,500	1,270	5
1980.....	19,176	8	37	88	166	415	1,094	2,895	4,771	5,141	3,327	1,230	4
1979.....	18,150	8	42	89	154	383	1,049	2,867	4,508	4,894	3,107	1,046	3

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY, AND PHARYNX (140-149)													
TOTAL, BOTH SEXES													
1998.....	7,965	-	1	4	23	55	306	1,038	1,749	2,145	1,766	878	-
1997.....	7,894	-	-	6	24	65	326	1,062	1,635	2,302	1,689	784	1
1996.....	7,854	-	1	5	25	69	325	966	1,760	2,267	1,678	757	1
1995.....	8,060	-	2	3	21	58	315	1,017	1,745	2,387	1,702	810	-
1994.....	7,915	-	4	2	19	53	307	1,022	1,786	2,320	1,700	701	1
1993.....	8,241	2	-	3	20	58	338	1,087	1,888	2,438	1,698	709	-
1992.....	8,107	1	1	1	23	54	319	960	1,949	2,453	1,651	695	-
1991.....	8,278	1	-	6	19	66	318	979	2,047	2,446	1,725	670	1
1990.....	8,405	-	1	5	23	65	308	928	2,138	2,537	1,703	697	-
1989.....	8,104	-	2	4	28	52	304	944	2,201	2,438	1,530	598	3
1988.....	8,199	1	-	5	27	63	288	1,011	2,154	2,487	1,585	577	1
1987.....	7,968	-	-	1	22	64	275	938	2,175	2,449	1,457	587	-
1986.....	8,292	1	2	6	25	68	293	969	2,282	2,528	1,484	634	-
1985.....	8,290	1	1	5	25	76	305	974	2,298	2,591	1,460	554	-
1984.....	8,462	-	-	8	24	68	298	1,045	2,473	2,535	1,450	560	1
1983.....	8,486	1	1	11	28	76	305	1,028	2,493	2,531	1,430	578	4
1982.....	8,528	3	-	5	40	59	277	1,093	2,484	2,507	1,493	563	4
1981.....	8,506	1	-	9	24	62	246	1,128	2,542	2,621	1,317	556	-
1980.....	8,553	-	2	8	21	51	298	1,207	2,518	2,495	1,429	523	1
1979.....	8,589	-	2	10	27	60	285	1,273	2,541	2,495	1,373	520	3

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY, AND PHARYNX (140-149)													
TOTAL, MALE													
1998.....	5,281	-	-	3	19	34	222	812	1,311	1,489	1,036	355	-
1997.....	5,201	-	-	2	10	44	238	826	1,217	1,588	951	324	1
1996.....	5,215	-	-	1	14	38	236	771	1,303	1,586	948	317	1
1995.....	5,327	-	-	1	18	34	239	805	1,272	1,608	1,003	347	-
1994.....	5,227	-	2	2	13	34	232	818	1,346	1,496	989	294	1
1993.....	5,515	-	-	1	14	39	254	841	1,411	1,654	1,007	294	-
1992.....	5,366	-	1	1	13	34	238	732	1,467	1,648	934	298	-
1991.....	5,464	1	-	1	15	40	249	766	1,461	1,651	998	281	1
1990.....	5,636	-	-	4	15	49	244	724	1,611	1,697	977	315	-
1989.....	5,340	-	1	3	20	30	214	715	1,591	1,632	887	244	3
1988.....	5,497	1	-	4	18	38	210	777	1,583	1,660	933	272	1
1987.....	5,310	-	-	-	12	39	202	694	1,590	1,669	853	251	-
1986.....	5,514	-	-	4	19	49	222	725	1,617	1,694	893	291	-
1985.....	5,616	-	-	3	13	49	215	741	1,663	1,774	909	249	-
1984.....	5,765	-	-	5	15	44	216	787	1,781	1,744	901	271	1
1983.....	5,790	1	-	6	17	46	227	770	1,768	1,776	893	283	3
1982.....	5,856	1	-	3	25	44	205	798	1,793	1,765	930	290	2
1981.....	5,831	1	-	3	17	40	183	845	1,797	1,850	830	265	-
1980.....	5,899	-	2	5	14	35	229	901	1,822	1,716	901	274	-
1979.....	5,877	-	2	4	19	42	202	938	1,795	1,769	841	262	3

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY, AND PHARYNX (140-149)													
TOTAL, FEMALE													
1998.....	2,684	-	1	1	4	21	84	226	438	656	730	523	-
1997.....	2,693	-	-	4	14	21	88	236	418	714	738	460	-
1996.....	2,639	-	1	4	11	31	89	195	457	681	730	440	-
1995.....	2,733	-	2	2	3	24	76	212	473	779	699	463	-
1994.....	2,688	-	2	-	6	19	75	204	440	824	711	407	-
1993.....	2,726	2	-	2	6	19	84	246	477	784	691	415	-
1992.....	2,741	1	-	-	10	20	81	228	482	805	717	397	-
1991.....	2,814	-	-	5	4	26	69	213	586	795	727	389	-
1990.....	2,769	-	1	1	8	16	64	204	527	840	726	382	-
1989.....	2,764	-	1	1	8	22	90	229	610	806	643	354	-
1988.....	2,702	-	-	1	9	25	78	234	571	827	652	305	-
1987.....	2,658	-	-	1	10	25	73	244	585	780	604	336	-
1986.....	2,778	1	2	2	6	19	71	244	665	834	591	343	-
1985.....	2,674	1	1	2	12	27	90	233	635	817	551	305	-
1984.....	2,697	-	-	3	9	24	82	258	692	791	549	289	-
1983.....	2,696	-	1	5	11	30	78	258	725	755	537	295	1
1982.....	2,672	2	-	2	15	15	72	295	691	742	563	273	2
1981.....	2,675	-	-	6	7	22	63	283	745	771	487	291	-
1980.....	2,654	-	-	3	7	16	69	306	696	779	528	249	1
1979.....	2,712	-	-	6	8	18	83	335	746	726	532	258	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY, AND PHARYNX (140-149)													
WHITE, BOTH SEXES													
1998.....	6,612	-	1	4	15	34	199	733	1,390	1,823	1,599	814	-
1997.....	6,510	-	-	4	10	47	231	731	1,262	1,964	1,538	723	-
1996.....	6,463	-	-	5	21	53	216	661	1,357	1,923	1,519	707	1
1995.....	6,581	-	2	3	17	32	200	688	1,305	2,050	1,523	761	-
1994.....	6,489	-	2	1	14	39	196	689	1,380	1,969	1,550	649	-
1993.....	6,746	2	-	3	12	42	194	734	1,469	2,101	1,534	655	-
1992.....	6,676	1	1	1	16	37	180	655	1,496	2,117	1,509	663	-
1991.....	6,830	1	-	2	10	47	185	657	1,606	2,118	1,570	633	1
1990.....	6,918	-	1	4	17	42	183	618	1,667	2,179	1,558	649	-
1989.....	6,693	-	1	2	14	42	184	623	1,753	2,113	1,400	561	-
1988.....	6,816	1	-	2	14	38	177	669	1,749	2,173	1,450	542	1
1987.....	6,679	-	-	1	15	48	157	640	1,750	2,177	1,337	554	-
1986.....	6,879	1	1	3	19	55	166	631	1,855	2,223	1,347	578	-
1985.....	6,938	1	1	3	16	54	178	668	1,863	2,304	1,322	528	-
1984.....	7,078	-	-	6	17	47	176	722	2,007	2,241	1,331	531	-
1983.....	7,070	1	1	8	17	45	180	675	2,038	2,250	1,309	545	1
1982.....	7,158	2	-	4	29	44	146	749	2,035	2,244	1,367	534	4
1981.....	7,173	-	-	6	19	39	133	796	2,098	2,362	1,199	521	-
1980.....	7,181	-	2	6	12	36	176	832	2,087	2,217	1,323	490	-
1979.....	7,307	-	2	8	16	50	158	903	2,137	2,264	1,273	494	2

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY, AND PHARYNX (140-149)													
WHITE MALE													
1998.....	4,289	-	-	3	12	20	148	569	1,020	1,264	932	321	-
1997.....	4,193	-	-	1	3	30	168	556	935	1,351	856	293	-
1996.....	4,178	-	-	1	12	28	151	525	998	1,321	850	291	1
1995.....	4,257	-	-	1	14	17	149	539	954	1,377	886	320	-
1994.....	4,181	-	2	1	10	24	150	538	1,029	1,256	896	275	-
1993.....	4,396	-	-	1	7	29	142	564	1,086	1,400	896	271	-
1992.....	4,283	-	1	1	8	26	131	491	1,104	1,400	838	283	-
1991.....	4,405	1	-	-	7	26	142	497	1,143	1,423	898	267	1
1990.....	4,515	-	-	3	12	31	141	479	1,247	1,439	872	291	-
1989.....	4,293	-	1	1	11	25	127	467	1,246	1,388	801	226	-
1988.....	4,462	1	-	2	10	19	128	504	1,274	1,432	837	254	1
1987.....	4,344	-	-	-	9	30	108	460	1,271	1,463	765	238	-
1986.....	4,476	-	-	1	15	39	120	463	1,292	1,480	807	259	-
1985.....	4,597	-	-	2	8	35	127	495	1,317	1,566	813	234	-
1984.....	4,688	-	-	4	10	31	121	532	1,413	1,509	811	257	-
1983.....	4,725	1	-	5	12	26	132	505	1,412	1,561	807	263	1
1982.....	4,833	1	-	2	16	32	104	529	1,459	1,558	857	273	2
1981.....	4,824	-	-	2	13	24	98	586	1,459	1,648	750	244	-
1980.....	4,827	-	2	4	7	22	133	616	1,464	1,502	824	253	-
1979.....	4,914	-	2	3	13	34	102	656	1,494	1,594	773	241	2

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY, AND PHARYNX (140-149)													
WHITE FEMALE													
1998.....	2,323	-	1	1	3	14	51	164	370	559	667	493	-
1997.....	2,317	-	-	3	7	17	63	175	327	613	682	430	-
1996.....	2,285	-	-	4	9	25	65	136	359	602	669	416	-
1995.....	2,324	-	2	2	3	15	51	149	351	673	637	441	-
1994.....	2,308	-	-	-	4	15	46	151	351	713	654	374	-
1993.....	2,350	2	-	2	5	13	52	170	383	701	638	384	-
1992.....	2,393	1	-	-	8	11	49	164	392	717	671	380	-
1991.....	2,425	-	-	2	3	21	43	160	463	695	672	366	-
1990.....	2,403	-	1	1	5	11	42	139	420	740	686	358	-
1989.....	2,400	-	-	1	3	17	57	156	507	725	599	335	-
1988.....	2,354	-	-	-	4	19	49	165	475	741	613	288	-
1987.....	2,335	-	-	1	6	18	49	180	479	714	572	316	-
1986.....	2,403	1	1	2	4	16	46	168	563	743	540	319	-
1985.....	2,341	1	1	1	8	19	51	173	546	738	509	294	-
1984.....	2,390	-	-	2	7	16	55	190	594	732	520	274	-
1983.....	2,345	-	1	3	5	19	48	170	626	689	502	282	-
1982.....	2,325	1	-	2	13	12	42	220	576	686	510	261	2
1981.....	2,349	-	-	4	6	15	35	210	639	714	449	277	-
1980.....	2,354	-	-	2	5	14	43	216	623	715	499	237	-
1979.....	2,393	-	-	5	3	16	56	247	643	670	500	253	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY, AND PHARYNX (140-149)													
ALL OTHER, BOTH SEXES													
1998.....	1,353	-	-	-	8	21	107	305	359	322	167	64	-
1997.....	1,384	-	-	2	14	18	95	331	373	338	151	61	1
1996.....	1,391	-	1	-	4	16	109	305	403	344	159	50	-
1995.....	1,479	-	-	-	4	26	115	329	440	337	179	49	-
1994.....	1,426	-	2	1	5	14	111	333	406	351	150	52	1
1993.....	1,495	-	-	-	8	16	144	353	419	337	164	54	-
1992.....	1,431	-	-	-	7	17	139	305	453	336	142	32	-
1991.....	1,448	-	-	4	9	19	133	322	441	328	155	37	-
1990.....	1,487	-	-	1	6	23	125	310	471	358	145	48	-
1989.....	1,411	-	1	2	14	10	120	321	448	325	130	37	3
1988.....	1,383	-	-	3	13	25	111	342	405	314	135	35	-
1987.....	1,289	-	-	-	7	16	118	298	425	272	120	33	-
1986.....	1,413	-	1	3	6	13	127	338	427	305	137	56	-
1985.....	1,352	-	-	2	9	22	127	306	435	287	138	26	-
1984.....	1,384	-	-	2	7	21	122	323	466	294	119	29	1
1983.....	1,416	-	-	3	11	31	125	353	455	281	121	33	3
1982.....	1,370	1	-	1	11	15	131	344	449	263	126	29	-
1981.....	1,333	1	-	3	5	23	113	332	444	259	118	35	-
1980.....	1,372	-	-	2	9	15	122	375	431	278	106	33	1
1979.....	1,282	-	-	2	11	10	127	370	404	231	100	26	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY, AND PHARYNX (140-149)													
ALL OTHER MALE													
1998.....	992	-	-	-	7	14	74	243	291	225	104	34	-
1997.....	1,008	-	-	1	7	14	70	270	282	237	95	31	1
1996.....	1,037	-	-	-	2	10	85	246	305	265	98	26	-
1995.....	1,070	-	-	-	4	17	90	266	318	231	117	27	-
1994.....	1,046	-	-	1	3	10	82	280	317	240	93	19	1
1993.....	1,119	-	-	-	7	10	112	277	325	254	111	23	-
1992.....	1,083	-	-	-	5	8	107	241	363	248	96	15	-
1991.....	1,059	-	-	1	8	14	107	269	318	228	100	14	-
1990.....	1,121	-	-	1	3	18	103	245	364	258	105	24	-
1989.....	1,047	-	-	2	9	5	87	248	345	244	86	18	3
1988.....	1,035	-	-	2	8	19	82	273	309	228	96	18	-
1987.....	966	-	-	-	3	9	94	234	319	206	88	13	-
1986.....	1,038	-	-	3	4	10	102	262	325	214	86	32	-
1985.....	1,019	-	-	1	5	14	88	246	346	208	96	15	-
1984.....	1,077	-	-	1	5	13	95	255	368	235	90	14	1
1983.....	1,065	-	-	1	5	20	95	265	356	215	86	20	2
1982.....	1,023	-	-	1	9	12	101	269	334	207	73	17	-
1981.....	1,007	1	-	1	4	16	85	259	338	202	80	21	-
1980.....	1,072	-	-	1	7	13	96	285	358	214	77	21	-
1979.....	963	-	-	1	6	8	100	282	301	175	68	21	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY, AND PHARYNX (140-149)													
ALL OTHER FEMALE													
1998.....	361	-	-	-	1	7	33	62	68	97	63	30	-
1997.....	376	-	-	1	7	4	25	61	91	101	56	30	-
1996.....	354	-	1	-	2	6	24	59	98	79	61	24	-
1995.....	409	-	-	-	-	9	25	63	122	106	62	22	-
1994.....	380	-	2	-	2	4	29	53	89	111	57	33	-
1993.....	376	-	-	-	1	6	32	76	94	83	53	31	-
1992.....	348	-	-	-	2	9	32	64	90	88	46	17	-
1991.....	389	-	-	3	1	5	26	53	123	100	55	23	-
1990.....	366	-	-	-	3	5	22	65	107	100	40	24	-
1989.....	364	-	1	-	5	5	33	73	103	81	44	19	-
1988.....	348	-	-	1	5	6	29	69	96	86	39	17	-
1987.....	323	-	-	-	4	7	24	64	106	66	32	20	-
1986.....	375	-	1	-	2	3	25	76	102	91	51	24	-
1985.....	333	-	-	1	4	8	39	60	89	79	42	11	-
1984.....	307	-	-	1	2	8	27	68	98	59	29	15	-
1983.....	351	-	-	2	6	11	30	88	99	66	35	13	1
1982.....	347	1	-	-	2	3	30	75	115	56	53	12	-
1981.....	326	-	-	2	1	7	28	73	106	57	38	14	-
1980.....	300	-	-	1	2	2	26	90	73	64	29	12	1
1979.....	319	-	-	1	5	2	27	88	103	56	32	5	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY, AND PHARYNX (140-149)													
BLACK, BOTH SEXES													
1998.....	1,155	-	-	-	6	11	85	264	313	283	140	53	-
1997.....	1,165	-	-	1	10	13	74	273	327	290	124	52	1
1996.....	1,181	-	1	-	3	12	85	264	349	301	125	41	-
1995.....	1,274	-	-	-	4	17	95	279	391	296	152	40	-
1994.....	1,242	-	2	1	3	11	93	296	365	305	121	44	1
1993.....	1,286	-	-	-	6	9	117	311	369	290	144	40	-
1992.....	1,248	-	-	-	5	12	108	270	411	300	114	28	-
1991.....	1,274	-	-	4	8	12	112	282	398	293	134	31	-
1990.....	1,311	-	-	1	5	19	104	278	429	314	121	40	-
1989.....	1,251	-	1	2	10	4	99	297	405	289	109	32	3
1988.....	1,242	-	-	2	12	20	93	309	381	278	117	30	-
1987.....	1,161	-	-	-	6	12	101	271	395	242	105	29	-
1986.....	1,289	-	1	3	4	7	117	318	397	271	119	52	-
1985.....	1,243	-	-	2	6	20	114	294	408	263	115	21	-
1984.....	1,248	-	-	2	4	11	110	296	426	267	106	25	1
1983.....	1,288	-	-	3	6	23	107	325	426	257	108	30	3
1982.....	1,257	-	-	1	8	9	120	320	427	240	109	23	-
1981.....	1,216	-	-	3	4	18	101	311	413	232	104	30	-
1980.....	1,287	-	-	2	8	13	112	355	408	264	96	28	1
1979.....	1,204	-	-	2	11	8	118	346	386	220	87	25	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY, AND PHARYNX (140-149)													
BLACK MALE													
1998.....	849	-	-	-	5	4	58	216	258	197	84	27	-
1997.....	851	-	-	1	4	11	55	223	248	204	77	27	1
1996.....	892	-	-	-	2	7	64	216	267	231	85	20	-
1995.....	926	-	-	-	4	11	72	227	284	206	102	20	-
1994.....	920	-	-	1	1	7	67	251	288	211	77	16	1
1993.....	968	-	-	-	5	3	91	248	289	218	96	18	-
1992.....	949	-	-	-	3	6	85	219	327	218	77	14	-
1991.....	933	-	-	1	7	8	89	234	292	206	83	13	-
1990.....	1,000	-	-	1	3	14	88	223	335	225	91	20	-
1989.....	939	-	-	2	7	2	74	226	312	223	74	16	3
1988.....	939	-	-	1	8	16	70	246	290	205	88	15	-
1987.....	864	-	-	-	2	7	81	211	293	180	79	11	-
1986.....	956	-	-	3	2	6	98	250	304	187	76	30	-
1985.....	946	-	-	1	4	13	81	236	329	191	78	13	-
1984.....	985	-	-	1	4	7	90	236	339	214	81	12	1
1983.....	986	-	-	1	2	16	83	250	336	199	79	18	2
1982.....	945	-	-	1	6	7	93	250	319	192	62	15	-
1981.....	920	-	-	1	3	12	77	240	317	182	72	16	-
1980.....	1,005	-	-	1	6	11	87	272	343	201	68	16	-
1979.....	900	-	-	1	6	6	94	262	287	167	56	20	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS OF LIP, ORAL CAVITY, AND PHARYNX (140-149)													
BLACK FEMALE													
1998.....	306	-	-	-	1	7	27	48	55	86	56	26	-
1997.....	314	-	-	-	6	2	19	50	79	86	47	25	-
1996.....	289	-	1	-	1	5	21	48	82	70	40	21	-
1995.....	348	-	-	-	-	6	23	52	107	90	50	20	-
1994.....	322	-	2	-	2	4	26	45	77	94	44	28	-
1993.....	318	-	-	-	1	6	26	63	80	72	48	22	-
1992.....	299	-	-	-	2	6	23	51	84	82	37	14	-
1991.....	341	-	-	3	1	4	23	48	106	87	51	18	-
1990.....	311	-	-	-	2	5	16	55	94	89	30	20	-
1989.....	312	-	1	-	3	2	25	71	93	66	35	16	-
1988.....	303	-	-	1	4	4	23	63	91	73	29	15	-
1987.....	297	-	-	-	4	5	20	60	102	62	26	18	-
1986.....	333	-	1	-	2	1	19	68	93	84	43	22	-
1985.....	297	-	-	1	2	7	33	58	79	72	37	8	-
1984.....	263	-	-	1	-	4	20	60	87	53	25	13	-
1983.....	302	-	-	2	4	7	24	75	90	58	29	12	1
1982.....	312	-	-	-	2	2	27	70	108	48	47	8	-
1981.....	296	-	-	2	1	6	24	71	96	50	32	14	-
1980.....	282	-	-	1	2	2	25	83	65	63	28	12	1
1979.....	304	-	-	1	5	2	24	84	99	53	31	5	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159)													
TOTAL, BOTH SEXES													
1998.....	128,683	5	17	24	124	650	3,110	10,341	19,427	35,258	39,144	20,579	4
1997.....	127,054	7	21	16	109	649	3,135	9,770	19,145	35,379	38,647	20,171	5
1996.....	126,495	4	17	19	117	630	3,074	9,131	19,020	36,450	38,263	19,764	6
1995.....	126,617	5	24	18	113	637	3,056	9,004	19,455	37,053	37,959	19,289	4
1994.....	125,353	6	28	24	125	680	2,972	8,908	19,308	37,223	37,465	18,611	3
1993.....	124,466	5	22	26	119	638	2,977	8,424	19,578	37,174	37,150	18,340	13
1992.....	122,873	11	14	26	125	645	2,945	8,062	19,741	36,751	36,710	17,836	7
1991.....	121,781	7	27	19	122	668	2,922	7,729	20,209	36,423	36,291	17,358	6
1990.....	120,765	8	25	15	107	627	2,688	7,930	20,069	36,651	35,907	16,732	6
1989.....	119,663	7	18	21	118	648	2,521	7,520	20,472	36,774	35,221	16,337	6
1988.....	117,416	6	18	16	113	622	2,576	7,424	21,008	35,924	34,012	15,694	3
1987.....	117,436	4	25	25	122	674	2,523	7,446	21,548	36,139	33,760	15,160	10
1986.....	116,508	5	20	14	125	644	2,412	7,424	21,796	36,281	32,954	14,820	13
1985.....	116,609	7	24	27	140	686	2,341	7,556	22,418	35,878	32,956	14,562	14
1984.....	116,616	16	28	24	111	686	2,328	7,637	22,689	35,947	32,658	14,487	5
1983.....	113,864	11	24	32	136	662	2,227	7,684	22,252	35,242	31,626	13,950	18
1982.....	112,564	19	30	40	152	650	2,162	7,781	22,312	34,971	31,017	13,411	19
1981.....	111,297	10	30	20	149	636	2,090	7,994	22,192	34,640	30,499	13,026	11
1980.....	110,647	12	29	31	173	635	2,052	8,155	22,265	34,510	30,102	12,670	13
1979.....	109,125	11	16	31	146	633	2,069	8,318	22,284	34,037	29,534	12,036	10

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159)													
TOTAL, MALE													
1998.....	68,556	3	10	15	70	362	1,852	6,655	12,155	20,697	19,624	7,110	3
1997.....	67,758	5	12	13	70	384	1,868	6,319	11,988	20,870	19,242	6,985	2
1996.....	66,932	2	12	12	69	358	1,872	5,799	11,900	21,228	18,787	6,889	4
1995.....	66,987	2	10	9	59	353	1,885	5,661	12,142	21,435	18,645	6,785	1
1994.....	66,476	4	22	14	73	413	1,833	5,646	11,982	21,622	18,385	6,481	1
1993.....	65,489	3	10	13	68	366	1,842	5,268	12,107	21,385	18,095	6,326	6
1992.....	64,996	8	6	16	69	350	1,803	5,040	12,276	21,413	17,795	6,215	5
1991.....	64,324	5	17	10	72	392	1,789	4,794	12,457	21,065	17,656	6,063	4
1990.....	63,920	4	14	7	60	352	1,647	4,941	12,342	21,139	17,525	5,884	5
1989.....	63,209	3	12	14	57	365	1,515	4,712	12,702	21,192	16,939	5,696	2
1988.....	61,875	4	12	10	58	372	1,583	4,639	12,955	20,440	16,372	5,429	1
1987.....	61,792	3	14	16	69	409	1,518	4,539	13,046	20,555	16,305	5,315	3
1986.....	61,137	2	14	10	73	366	1,470	4,437	13,234	20,541	15,756	5,227	7
1985.....	61,187	2	16	17	83	376	1,413	4,571	13,579	20,374	15,673	5,077	6
1984.....	60,824	8	15	14	66	420	1,371	4,579	13,567	20,151	15,502	5,127	4
1983.....	59,738	3	17	15	63	379	1,301	4,655	13,442	19,657	15,159	5,037	10
1982.....	58,950	11	16	28	74	388	1,248	4,653	13,240	19,509	14,682	5,091	10
1981.....	58,437	6	18	9	94	392	1,229	4,752	13,255	19,537	14,318	4,820	7
1980.....	57,947	10	20	18	105	338	1,199	4,878	13,131	19,194	14,237	4,810	7
1979.....	57,320	7	9	21	83	359	1,186	4,962	13,129	19,029	13,952	4,578	5

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159)													
TOTAL, FEMALE													
1998.....	60,127	2	7	9	54	288	1,258	3,686	7,272	14,561	19,520	13,469	1
1997.....	59,296	2	9	3	39	265	1,267	3,451	7,157	14,509	19,405	13,186	3
1996.....	59,563	2	5	7	48	272	1,202	3,332	7,120	15,222	19,476	12,875	2
1995.....	59,630	3	14	9	54	284	1,171	3,343	7,313	15,618	19,314	12,504	3
1994.....	58,877	2	6	10	52	267	1,139	3,262	7,326	15,601	19,080	12,130	2
1993.....	58,977	2	12	13	51	272	1,135	3,156	7,471	15,789	19,055	12,014	7
1992.....	57,877	3	8	10	56	295	1,142	3,022	7,465	15,338	18,915	11,621	2
1991.....	57,457	2	10	9	50	276	1,133	2,935	7,752	15,358	18,635	11,295	2
1990.....	56,845	4	11	8	47	275	1,041	2,989	7,727	15,512	18,382	10,848	1
1989.....	56,454	4	6	7	61	283	1,006	2,808	7,770	15,582	18,282	10,641	4
1988.....	55,541	2	6	6	55	250	993	2,785	8,053	15,484	17,640	10,265	2
1987.....	55,644	1	11	9	53	265	1,005	2,907	8,502	15,584	17,455	9,845	7
1986.....	55,371	3	6	4	52	278	942	2,987	8,562	15,740	17,198	9,593	6
1985.....	55,422	5	8	10	57	310	928	2,985	8,839	15,504	17,283	9,485	8
1984.....	55,792	8	13	10	45	266	957	3,058	9,122	15,796	17,156	9,360	1
1983.....	54,126	8	7	17	73	283	926	3,029	8,810	15,585	16,467	8,913	8
1982.....	53,614	8	14	12	78	262	914	3,128	9,072	15,462	16,335	8,320	9
1981.....	52,860	4	12	11	55	244	861	3,242	8,937	15,103	16,181	8,206	4
1980.....	52,700	2	9	13	68	297	853	3,277	9,134	15,316	15,865	7,860	6
1979.....	51,805	4	7	10	63	274	883	3,356	9,155	15,008	15,582	7,458	5

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159)													
WHITE, BOTH SEXES													
1998.....	109,130	5	13	13	86	445	2,253	7,888	15,609	29,908	34,556	18,352	2
1997.....	107,756	3	17	9	78	447	2,296	7,574	15,348	29,985	34,066	17,931	2
1996.....	107,601	2	15	17	77	445	2,269	7,003	15,273	31,083	33,710	17,703	4
1995.....	107,925	3	19	14	81	449	2,221	6,972	15,779	31,578	33,516	17,291	2
1994.....	106,826	5	25	17	91	451	2,149	6,831	15,629	31,780	33,088	16,759	1
1993.....	106,381	4	19	14	78	471	2,246	6,496	15,866	31,830	32,877	16,478	2
1992.....	105,107	7	11	18	91	460	2,136	6,243	16,049	31,453	32,565	16,070	4
1991.....	104,449	4	20	15	84	492	2,183	5,979	16,566	31,342	32,149	15,612	3
1990.....	103,530	8	16	10	72	454	1,998	6,066	16,424	31,537	31,825	15,117	3
1989.....	102,769	6	15	15	69	468	1,886	5,819	16,811	31,616	31,290	14,770	4
1988.....	101,206	6	16	11	78	424	1,940	5,784	17,322	31,035	30,362	14,227	1
1987.....	101,519	4	20	21	85	473	1,904	5,817	17,835	31,432	30,106	13,817	5
1986.....	100,884	3	20	11	83	479	1,819	5,795	18,248	31,521	29,396	13,499	10
1985.....	101,126	7	20	20	98	502	1,810	5,902	18,652	31,242	29,564	13,300	9
1984.....	101,250	10	22	17	77	497	1,788	5,972	18,906	31,323	29,318	13,317	3
1983.....	99,010	7	21	23	98	491	1,689	6,080	18,618	30,662	28,466	12,848	7
1982.....	98,093	12	28	35	101	483	1,655	6,147	18,652	30,604	28,001	12,365	10
1981.....	97,324	8	27	18	107	473	1,604	6,341	18,747	30,338	27,571	12,085	5
1980.....	96,873	9	24	26	118	506	1,596	6,519	18,828	30,233	27,263	11,743	8
1979.....	95,783	8	13	22	111	490	1,606	6,649	18,925	29,896	26,822	11,235	6

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159)													
WHITE MALE													
1998.....	58,141	3	7	8	50	238	1,364	5,082	9,835	17,771	17,432	6,350	1
1997.....	57,437	3	9	8	52	266	1,366	4,915	9,610	17,895	17,087	6,226	-
1996.....	56,863	1	10	10	46	256	1,383	4,492	9,649	18,226	16,641	6,146	3
1995.....	57,009	2	8	8	40	253	1,381	4,395	9,940	18,384	16,531	6,067	-
1994.....	56,432	4	21	9	53	271	1,335	4,352	9,735	18,543	16,296	5,813	-
1993.....	55,802	2	10	6	41	269	1,388	4,063	9,852	18,479	16,038	5,654	-
1992.....	55,440	5	5	12	49	258	1,330	3,902	10,089	18,446	15,764	5,578	2
1991.....	54,994	2	13	10	54	289	1,349	3,661	10,279	18,234	15,714	5,388	1
1990.....	54,515	4	10	5	39	253	1,229	3,753	10,173	18,305	15,494	5,247	3
1989.....	53,895	3	10	9	31	251	1,127	3,585	10,473	18,282	15,031	5,092	1
1988.....	52,903	4	10	6	39	255	1,197	3,572	10,679	17,664	14,595	4,882	-
1987.....	53,100	3	11	14	47	290	1,151	3,537	10,860	17,910	14,482	4,793	2
1986.....	52,533	2	14	8	51	274	1,109	3,461	11,068	17,844	14,007	4,689	6
1985.....	52,705	2	14	12	61	276	1,091	3,548	11,325	17,731	14,027	4,616	2
1984.....	52,314	7	12	9	47	306	1,043	3,537	11,302	17,550	13,838	4,660	3
1983.....	51,457	1	14	12	47	285	969	3,655	11,198	17,115	13,547	4,611	3
1982.....	50,774	8	15	23	48	292	944	3,637	11,029	17,014	13,130	4,628	6
1981.....	50,599	5	16	7	67	300	945	3,729	11,196	17,033	12,852	4,445	4
1980.....	50,227	8	17	16	73	274	932	3,881	11,051	16,803	12,764	4,403	5
1979.....	49,858	5	8	15	64	282	923	3,959	11,112	16,673	12,582	4,232	3

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159)													
WHITE FEMALE													
1998.....	50,989	2	6	5	36	207	889	2,806	5,774	12,137	17,124	12,002	1
1997.....	50,319	-	8	1	26	181	930	2,659	5,738	12,090	16,979	11,705	2
1996.....	50,738	1	5	7	31	189	886	2,511	5,624	12,857	17,069	11,557	1
1995.....	50,916	1	11	6	41	196	840	2,577	5,839	13,194	16,985	11,224	2
1994.....	50,394	1	4	8	38	180	814	2,479	5,894	13,237	16,792	10,946	1
1993.....	50,579	2	9	8	37	202	858	2,433	6,014	13,351	16,839	10,824	2
1992.....	49,667	2	6	6	42	202	806	2,341	5,960	13,007	16,801	10,492	2
1991.....	49,455	2	7	5	30	203	834	2,318	6,287	13,108	16,435	10,224	2
1990.....	49,015	4	6	5	33	201	769	2,313	6,251	13,232	16,331	9,870	-
1989.....	48,874	3	5	6	38	217	759	2,234	6,338	13,334	16,259	9,678	3
1988.....	48,303	2	6	5	39	169	743	2,212	6,643	13,371	15,767	9,345	1
1987.....	48,419	1	9	7	38	183	753	2,280	6,975	13,522	15,624	9,024	3
1986.....	48,351	1	6	3	32	205	710	2,334	7,180	13,677	15,389	8,810	4
1985.....	48,421	5	6	8	37	226	719	2,354	7,327	13,511	15,537	8,684	7
1984.....	48,936	3	10	8	30	191	745	2,435	7,604	13,773	15,480	8,657	-
1983.....	47,553	6	7	11	51	206	720	2,425	7,420	13,547	14,919	8,237	4
1982.....	47,319	4	13	12	53	191	711	2,510	7,623	13,590	14,871	7,737	4
1981.....	46,725	3	11	11	40	173	659	2,612	7,551	13,305	14,719	7,640	1
1980.....	46,646	1	7	10	45	232	664	2,638	7,777	13,430	14,499	7,340	3
1979.....	45,925	3	5	7	47	208	683	2,690	7,813	13,223	14,240	7,003	3

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159)													
ALL OTHER, BOTH SEXES													
1998.....	19,553	-	4	11	38	205	857	2,453	3,818	5,350	4,588	2,227	2
1997.....	19,298	4	4	7	31	202	839	2,196	3,797	5,394	4,581	2,240	3
1996.....	18,894	2	2	2	40	185	805	2,128	3,747	5,367	4,553	2,061	2
1995.....	18,692	2	5	4	32	188	835	2,032	3,676	5,475	4,443	1,998	2
1994.....	18,527	1	3	7	34	229	823	2,077	3,679	5,443	4,377	1,852	2
1993.....	18,085	1	3	12	41	167	731	1,928	3,712	5,344	4,273	1,862	11
1992.....	17,766	4	3	8	34	185	809	1,819	3,692	5,298	4,145	1,766	3
1991.....	17,332	3	7	4	38	176	739	1,750	3,643	5,081	4,142	1,746	3
1990.....	17,235	-	9	5	35	173	690	1,864	3,645	5,114	4,082	1,615	3
1989.....	16,894	1	3	6	49	180	635	1,701	3,661	5,158	3,931	1,567	2
1988.....	16,210	-	2	5	35	198	636	1,640	3,686	4,889	3,650	1,467	2
1987.....	15,917	-	5	4	37	201	619	1,629	3,713	4,707	3,654	1,343	5
1986.....	15,624	2	-	3	42	165	593	1,629	3,548	4,760	3,558	1,321	3
1985.....	15,483	-	4	7	42	184	531	1,654	3,766	4,636	3,392	1,262	5
1984.....	15,366	6	6	7	34	189	540	1,665	3,783	4,624	3,340	1,170	2
1983.....	14,854	4	3	9	38	171	538	1,604	3,634	4,580	3,160	1,102	11
1982.....	14,471	7	2	5	51	167	507	1,634	3,660	4,367	3,016	1,046	9
1981.....	13,973	2	3	2	42	163	486	1,653	3,445	4,302	2,928	941	6
1980.....	13,774	3	5	5	55	129	456	1,636	3,437	4,277	2,839	927	5
1979.....	13,342	3	3	9	35	143	463	1,669	3,359	4,141	2,712	801	4

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159)													
ALL OTHER MALE													
1998.....	10,415	-	3	7	20	124	488	1,573	2,320	2,926	2,192	760	2
1997.....	10,321	2	3	5	18	118	502	1,404	2,378	2,975	2,155	759	2
1996.....	10,069	1	2	2	23	102	489	1,307	2,251	3,002	2,146	743	1
1995.....	9,978	-	2	1	19	100	504	1,266	2,202	3,051	2,114	718	1
1994.....	10,044	-	1	5	20	142	498	1,294	2,247	3,079	2,089	668	1
1993.....	9,687	1	-	7	27	97	454	1,205	2,255	2,906	2,057	672	6
1992.....	9,556	3	1	4	20	92	473	1,138	2,187	2,967	2,031	637	3
1991.....	9,330	3	4	-	18	103	440	1,133	2,178	2,831	1,942	675	3
1990.....	9,405	-	4	2	21	99	418	1,188	2,169	2,834	2,031	637	2
1989.....	9,314	-	2	5	26	114	388	1,127	2,229	2,910	1,908	604	1
1988.....	8,972	-	2	4	19	117	386	1,067	2,276	2,776	1,777	547	1
1987.....	8,692	-	3	2	22	119	367	1,002	2,186	2,645	1,823	522	1
1986.....	8,604	-	-	2	22	92	361	976	2,166	2,697	1,749	538	1
1985.....	8,482	-	2	5	22	100	322	1,023	2,254	2,643	1,646	461	4
1984.....	8,510	1	3	5	19	114	328	1,042	2,265	2,601	1,664	467	1
1983.....	8,281	2	3	3	16	94	332	1,000	2,244	2,542	1,612	426	7
1982.....	8,176	3	1	5	26	96	304	1,016	2,211	2,495	1,552	463	4
1981.....	7,838	1	2	2	27	92	284	1,023	2,059	2,504	1,466	375	3
1980.....	7,720	2	3	2	32	64	267	997	2,080	2,391	1,473	407	2
1979.....	7,462	2	1	6	19	77	263	1,003	2,017	2,356	1,370	346	2

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159)													
ALL OTHER FEMALE													
1998.....	9,138	-	1	4	18	81	369	880	1,498	2,424	2,396	1,467	-
1997.....	8,977	2	1	2	13	84	337	792	1,419	2,419	2,426	1,481	1
1996.....	8,825	1	-	-	17	83	316	821	1,496	2,365	2,407	1,318	1
1995.....	8,714	2	3	3	13	88	331	766	1,474	2,424	2,329	1,280	1
1994.....	8,483	1	2	2	14	87	325	783	1,432	2,364	2,288	1,184	1
1993.....	8,398	-	3	5	14	70	277	723	1,457	2,438	2,216	1,190	5
1992.....	8,210	1	2	4	14	93	336	681	1,505	2,331	2,114	1,129	-
1991.....	8,002	-	3	4	20	73	299	617	1,465	2,250	2,200	1,071	-
1990.....	7,830	-	5	3	14	74	272	676	1,476	2,280	2,051	978	1
1989.....	7,580	1	1	1	23	66	247	574	1,432	2,248	2,023	963	1
1988.....	7,238	-	-	1	16	81	250	573	1,410	2,113	1,873	920	1
1987.....	7,225	-	2	2	15	82	252	627	1,527	2,062	1,831	821	4
1986.....	7,020	2	-	1	20	73	232	653	1,382	2,063	1,809	783	2
1985.....	7,001	-	2	2	20	84	209	631	1,512	1,993	1,746	801	1
1984.....	6,856	5	3	2	15	75	212	623	1,518	2,023	1,676	703	1
1983.....	6,573	2	-	6	22	77	206	604	1,390	2,038	1,548	676	4
1982.....	6,295	4	1	-	25	71	203	618	1,449	1,872	1,464	583	5
1981.....	6,135	1	1	-	15	71	202	630	1,386	1,798	1,462	566	3
1980.....	6,054	1	2	3	23	65	189	639	1,357	1,886	1,366	520	3
1979.....	5,880	1	2	3	16	66	200	666	1,342	1,785	1,342	455	2

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159)													
BLACK, BOTH SEXES													
1998.....	16,050	-	4	8	24	145	669	1,981	3,128	4,385	3,818	1,886	2
1997.....	15,883	2	2	4	18	147	647	1,765	3,150	4,435	3,786	1,924	3
1996.....	15,679	1	2	1	27	142	632	1,728	3,093	4,506	3,765	1,780	2
1995.....	15,606	2	5	4	23	138	657	1,673	3,082	4,586	3,717	1,717	2
1994.....	15,521	-	3	5	21	176	653	1,713	3,098	4,559	3,701	1,592	-
1993.....	15,378	1	2	10	31	127	580	1,638	3,121	4,575	3,672	1,615	6
1992.....	15,090	4	1	5	28	135	656	1,494	3,079	4,556	3,601	1,530	1
1991.....	14,951	1	6	3	31	138	602	1,480	3,151	4,382	3,614	1,540	3
1990.....	14,933	-	8	5	31	137	555	1,574	3,155	4,449	3,578	1,438	3
1989.....	14,698	1	2	3	40	148	500	1,459	3,209	4,509	3,467	1,358	2
1988.....	14,141	-	2	2	27	161	519	1,396	3,200	4,315	3,232	1,285	2
1987.....	14,016	-	4	4	30	153	503	1,394	3,288	4,200	3,240	1,197	3
1986.....	13,858	1	-	3	35	132	477	1,398	3,176	4,263	3,190	1,180	3
1985.....	13,721	-	2	6	37	142	434	1,453	3,343	4,131	3,036	1,132	5
1984.....	13,745	1	4	5	31	147	456	1,479	3,404	4,190	3,012	1,014	2
1983.....	13,357	2	3	5	29	142	450	1,397	3,314	4,181	2,854	972	8
1982.....	13,076	1	2	3	44	141	430	1,450	3,321	3,993	2,734	950	7
1981.....	12,692	-	3	1	38	137	415	1,490	3,155	3,960	2,640	850	3
1980.....	12,567	2	5	4	51	110	384	1,496	3,191	3,934	2,567	818	5
1979.....	12,214	3	2	8	27	122	410	1,519	3,122	3,823	2,453	721	4

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159)													
BLACK MALE													
1998.....	8,390	-	3	5	12	90	376	1,268	1,875	2,378	1,776	605	2
1997.....	8,336	-	1	3	11	86	382	1,125	1,941	2,457	1,711	617	2
1996.....	8,242	1	2	1	16	77	388	1,081	1,852	2,491	1,725	607	1
1995.....	8,210	-	2	1	12	78	399	1,050	1,847	2,523	1,705	592	1
1994.....	8,281	-	1	3	12	110	399	1,072	1,872	2,542	1,724	546	-
1993.....	8,149	1	-	7	21	78	362	1,023	1,913	2,464	1,727	551	2
1992.....	7,999	3	-	2	16	68	392	940	1,822	2,516	1,709	530	1
1991.....	7,957	1	4	-	15	83	359	964	1,895	2,428	1,629	576	3
1990.....	8,001	-	3	2	18	73	338	1,004	1,867	2,427	1,728	539	2
1989.....	7,988	-	2	2	20	91	305	979	1,944	2,494	1,642	508	1
1988.....	7,732	-	2	2	16	89	312	922	1,988	2,410	1,532	458	1
1987.....	7,544	-	2	2	17	89	301	858	1,934	2,339	1,554	447	1
1986.....	7,554	-	-	2	18	76	291	847	1,950	2,387	1,511	471	1
1985.....	7,411	-	-	4	20	80	264	888	1,996	2,330	1,423	402	4
1984.....	7,561	-	2	3	17	88	281	930	2,023	2,343	1,471	402	1
1983.....	7,354	1	3	1	12	76	286	879	2,026	2,281	1,417	367	5
1982.....	7,329	1	1	3	20	82	266	910	1,998	2,256	1,375	415	2
1981.....	7,063	-	2	1	25	78	247	922	1,867	2,283	1,304	333	1
1980.....	6,978	1	3	2	30	54	229	917	1,927	2,170	1,293	350	2
1979.....	6,790	2	1	5	15	67	236	927	1,873	2,142	1,212	308	2

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS OF DIGESTIVE ORGANS AND PERITONEUM (150-159)													
BLACK FEMALE													
1998.....	7,660	-	1	3	12	55	293	713	1,253	2,007	2,042	1,281	-
1997.....	7,547	2	1	1	7	61	265	640	1,209	1,978	2,075	1,307	1
1996.....	7,437	-	-	-	11	65	244	647	1,241	2,015	2,040	1,173	1
1995.....	7,396	2	3	3	11	60	258	623	1,235	2,063	2,012	1,125	1
1994.....	7,240	-	2	2	9	66	254	641	1,226	2,017	1,977	1,046	-
1993.....	7,229	-	2	3	10	49	218	615	1,208	2,111	1,945	1,064	4
1992.....	7,091	1	1	3	12	67	264	554	1,257	2,040	1,892	1,000	-
1991.....	6,994	-	2	3	16	55	243	516	1,256	1,954	1,985	964	-
1990.....	6,932	-	5	3	13	64	217	570	1,288	2,022	1,850	899	1
1989.....	6,710	1	-	1	20	57	195	480	1,265	2,015	1,825	850	1
1988.....	6,409	-	-	-	11	72	207	474	1,212	1,905	1,700	827	1
1987.....	6,472	-	2	2	13	64	202	536	1,354	1,861	1,686	750	2
1986.....	6,304	1	-	1	17	56	186	551	1,226	1,876	1,679	709	2
1985.....	6,310	-	2	2	17	62	170	565	1,347	1,801	1,613	730	1
1984.....	6,184	1	2	2	14	59	175	549	1,381	1,847	1,541	612	1
1983.....	6,003	1	-	4	17	66	164	518	1,288	1,900	1,437	605	3
1982.....	5,747	-	1	-	24	59	164	540	1,323	1,737	1,359	535	5
1981.....	5,629	-	1	-	13	59	168	568	1,288	1,677	1,336	517	2
1980.....	5,589	1	2	2	21	56	155	579	1,264	1,764	1,274	468	3
1979.....	5,424	1	1	3	12	55	174	592	1,249	1,681	1,241	413	2

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS (160-165)													
TOTAL, BOTH SEXES													
1998.....	159,736	4	3	10	46	243	2,897	12,086	30,892	56,193	45,232	12,128	2
1997.....	158,465	2	3	2	38	275	2,881	12,160	30,481	56,311	44,378	11,932	2
1996.....	157,271	1	1	8	25	311	2,826	12,478	30,830	56,972	42,869	10,942	8
1995.....	156,378	3	2	11	41	303	2,709	12,356	31,318	57,430	41,532	10,668	5
1994.....	154,714	1	5	9	38	294	2,691	12,224	32,260	57,231	40,140	9,815	6
1993.....	154,183	2	1	8	43	310	2,701	12,285	33,236	57,057	38,947	9,586	7
1992.....	151,269	3	5	9	43	303	2,819	12,281	33,448	55,921	37,699	8,732	6
1991.....	149,119	4	4	8	44	315	2,761	12,074	34,288	54,834	36,397	8,382	8
1990.....	146,386	4	3	13	40	340	2,703	12,236	35,162	53,789	34,451	7,640	5
1989.....	142,281	7	3	6	47	300	2,641	12,132	35,043	52,184	32,847	7,065	6
1988.....	138,253	3	4	9	45	312	2,673	12,069	35,403	50,120	30,870	6,735	10
1987.....	134,983	4	5	4	41	331	2,633	12,018	35,308	49,131	29,143	6,358	7
1986.....	130,450	4	2	3	52	317	2,597	11,802	35,080	47,085	27,530	5,966	12
1985.....	127,311	5	5	11	51	319	2,584	11,924	35,368	45,572	25,993	5,467	12
1984.....	123,699	10	8	25	51	302	2,491	12,118	34,836	43,962	24,653	5,230	13
1983.....	119,962	9	9	18	56	277	2,604	12,223	33,752	42,695	23,386	4,918	15
1982.....	116,359	6	6	19	51	300	2,472	12,536	33,347	41,100	21,729	4,777	16
1981.....	111,296	6	2	10	53	272	2,511	12,768	32,012	39,004	20,215	4,425	18
1980.....	108,504	7	7	16	58	283	2,473	12,892	31,323	37,877	19,427	4,134	7
1979.....	103,178	1	3	11	60	303	2,450	12,847	30,227	35,430	18,095	3,741	10

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS (160-165)													
TOTAL, MALE													
1998.....	95,261	2	1	3	28	126	1,660	7,369	19,057	34,352	26,338	6,323	2
1997.....	95,255	2	1	2	23	161	1,635	7,442	18,980	34,626	26,056	6,325	2
1996.....	95,540	-	-	5	15	179	1,674	7,687	19,383	35,348	25,433	5,811	5
1995.....	95,763	2	1	6	28	168	1,609	7,575	19,700	36,072	24,828	5,772	2
1994.....	95,808	1	1	5	27	168	1,660	7,575	20,646	36,015	24,255	5,449	6
1993.....	96,569	2	-	3	26	184	1,670	7,647	21,441	36,335	23,960	5,297	4
1992.....	95,382	2	4	6	26	169	1,697	7,724	21,511	35,735	23,546	4,958	4
1991.....	95,676	2	3	4	30	165	1,675	7,618	22,444	35,776	23,090	4,864	5
1990.....	94,950	3	2	6	29	214	1,682	7,707	23,155	35,364	22,259	4,526	3
1989.....	92,914	4	3	4	29	169	1,629	7,760	23,161	34,441	21,455	4,256	3
1988.....	91,873	2	2	3	29	192	1,665	7,719	23,616	33,791	20,781	4,066	7
1987.....	91,083	3	-	-	24	215	1,598	7,774	23,938	33,642	19,939	3,943	7
1986.....	88,813	1	2	2	38	206	1,598	7,682	23,968	32,361	19,230	3,717	8
1985.....	87,513	1	2	5	33	181	1,653	7,751	24,258	31,744	18,398	3,480	7
1984.....	86,336	9	3	19	37	182	1,563	7,969	24,218	31,254	17,731	3,343	8
1983.....	84,165	8	5	12	41	164	1,603	8,086	23,402	30,657	17,018	3,160	9
1982.....	83,027	3	4	13	33	183	1,532	8,456	23,477	30,114	16,073	3,128	11
1981.....	80,458	3	1	6	36	168	1,619	8,758	22,844	28,980	15,112	2,915	16
1980.....	79,150	5	3	5	49	180	1,579	8,789	22,722	28,515	14,664	2,633	6
1979.....	76,542	1	1	9	34	192	1,579	8,892	22,245	27,238	13,813	2,531	7

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS (160-165)													
TOTAL, FEMALE													
1998.....	64,475	2	2	7	18	117	1,237	4,717	11,835	21,841	18,894	5,805	-
1997.....	63,210	-	2	-	15	114	1,246	4,718	11,501	21,685	18,322	5,607	-
1996.....	61,731	1	1	3	10	132	1,152	4,791	11,447	21,624	17,436	5,131	3
1995.....	60,615	1	1	5	13	135	1,100	4,781	11,618	21,358	16,704	4,896	3
1994.....	58,906	-	4	4	11	126	1,031	4,649	11,614	21,216	15,885	4,366	-
1993.....	57,614	-	1	5	17	126	1,031	4,638	11,795	20,722	14,987	4,289	3
1992.....	55,887	1	1	3	17	134	1,122	4,557	11,937	20,186	14,153	3,774	2
1991.....	53,443	2	1	4	14	150	1,086	4,456	11,844	19,058	13,307	3,518	3
1990.....	51,436	1	1	7	11	126	1,021	4,529	12,007	18,425	12,192	3,114	2
1989.....	49,367	3	-	2	18	131	1,012	4,372	11,882	17,743	11,392	2,809	3
1988.....	46,380	1	2	6	16	120	1,008	4,350	11,787	16,329	10,089	2,669	3
1987.....	43,900	1	5	4	17	116	1,035	4,244	11,370	15,489	9,204	2,415	-
1986.....	41,637	3	-	1	14	111	999	4,120	11,112	14,724	8,300	2,249	4
1985.....	39,798	4	3	6	18	138	931	4,173	11,110	13,828	7,595	1,987	5
1984.....	37,363	1	5	6	14	120	928	4,149	10,618	12,708	6,922	1,887	5
1983.....	35,797	1	4	6	15	113	1,001	4,137	10,350	12,038	6,368	1,758	6
1982.....	33,332	3	2	6	18	117	940	4,080	9,870	10,986	5,656	1,649	5
1981.....	30,838	3	1	4	17	104	892	4,010	9,168	10,024	5,103	1,510	2
1980.....	29,354	2	4	11	9	103	894	4,103	8,601	9,362	4,763	1,501	1
1979.....	26,636	-	2	2	26	111	871	3,955	7,982	8,192	4,282	1,210	3

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS (160-165) WHITE, BOTH SEXES													
1998.....	140,268	3	2	9	34	209	2,227	9,653	26,220	49,712	41,140	11,058	1
1997.....	139,272	2	2	-	25	219	2,183	9,856	25,865	49,871	40,382	10,866	1
1996.....	138,366	1	1	8	17	252	2,156	10,192	26,200	50,545	39,011	9,979	4
1995.....	137,629	2	2	8	33	243	2,076	10,086	26,654	50,941	37,894	9,686	4
1994.....	136,169	-	5	8	30	230	2,075	9,949	27,567	50,831	36,557	8,914	3
1993.....	135,748	2	1	7	33	231	2,083	9,943	28,517	50,706	35,513	8,709	3
1992.....	133,129	2	4	7	31	228	2,138	10,001	28,563	49,737	34,442	7,970	6
1991.....	131,320	1	2	6	31	246	2,128	9,758	29,510	48,824	33,163	7,645	6
1990.....	128,927	3	2	10	27	254	2,085	9,996	30,088	48,002	31,485	6,972	3
1989.....	125,274	4	3	5	33	231	2,044	9,879	30,192	46,511	29,906	6,462	4
1988.....	121,941	2	4	7	34	247	2,123	9,912	30,643	44,737	28,108	6,115	9
1987.....	119,072	2	4	3	33	268	2,089	9,836	30,542	43,876	26,613	5,802	4
1986.....	115,179	4	2	3	42	253	2,032	9,660	30,378	42,176	25,172	5,447	10
1985.....	112,512	3	5	9	39	240	2,065	9,843	30,570	40,895	23,829	5,004	10
1984.....	109,199	5	6	22	43	238	1,979	10,032	29,997	39,535	22,529	4,804	9
1983.....	106,091	5	6	16	50	218	2,100	10,076	29,271	38,348	21,435	4,563	3
1982.....	103,042	2	6	14	40	248	1,995	10,460	28,910	37,006	19,942	4,407	12
1981.....	98,468	4	2	9	44	229	1,999	10,598	27,786	35,112	18,572	4,103	10
1980.....	96,153	4	5	14	44	223	2,002	10,746	27,343	34,098	17,846	3,824	4
1979.....	91,638	-	3	6	51	250	1,970	10,744	26,423	32,036	16,662	3,486	7

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS (160-165)													
WHITE MALE													
1998.....	82,739	2	-	3	24	108	1,270	5,746	15,941	30,191	23,725	5,728	1
1997.....	82,786	2	1	-	17	128	1,214	5,901	15,854	30,442	23,504	5,722	1
1996.....	82,987	-	-	5	9	144	1,244	6,137	16,164	31,095	22,934	5,253	2
1995.....	83,293	1	1	4	22	135	1,196	6,034	16,521	31,761	22,424	5,193	1
1994.....	83,277	-	1	5	21	128	1,249	5,990	17,435	31,674	21,881	4,890	3
1993.....	83,922	2	-	3	22	133	1,263	6,014	18,169	31,922	21,607	4,785	2
1992.....	83,000	1	4	5	20	123	1,258	6,150	18,148	31,478	21,300	4,509	4
1991.....	83,342	-	2	3	24	128	1,264	6,002	19,100	31,520	20,869	4,425	5
1990.....	82,714	2	1	4	19	155	1,265	6,147	19,613	31,233	20,167	4,106	2
1989.....	80,821	2	3	4	20	133	1,222	6,166	19,678	30,346	19,362	3,883	2
1988.....	80,166	2	2	3	22	149	1,270	6,207	20,259	29,834	18,761	3,650	7
1987.....	79,604	1	-	-	18	168	1,250	6,256	20,537	29,719	18,069	3,582	4
1986.....	77,647	1	2	2	32	162	1,207	6,157	20,559	28,671	17,476	3,371	7
1985.....	76,567	-	2	4	25	131	1,288	6,251	20,740	28,179	16,749	3,191	7
1984.....	75,437	4	2	17	31	140	1,199	6,489	20,584	27,799	16,123	3,043	6
1983.....	73,872	4	3	11	35	126	1,260	6,562	20,074	27,305	15,545	2,947	-
1982.....	72,924	1	4	9	24	150	1,222	6,926	20,124	26,852	14,720	2,885	7
1981.....	70,682	2	1	5	29	142	1,266	7,199	19,633	25,859	13,838	2,700	8
1980.....	69,720	3	1	4	39	140	1,236	7,259	19,678	25,505	13,422	2,430	3
1979.....	67,575	-	1	5	30	159	1,242	7,359	19,248	24,468	12,706	2,352	5

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS (160-165)													
WHITE FEMALE													
1998.....	57,529	1	2	6	10	101	957	3,907	10,279	19,521	17,415	5,330	-
1997.....	56,486	-	1	-	8	91	969	3,955	10,011	19,429	16,878	5,144	-
1996.....	55,379	1	1	3	8	108	912	4,055	10,036	19,450	16,077	4,726	2
1995.....	54,336	1	1	4	11	108	880	4,052	10,133	19,180	15,470	4,493	3
1994.....	52,892	-	4	3	9	102	826	3,959	10,132	19,157	14,676	4,024	-
1993.....	51,826	-	1	4	11	98	820	3,929	10,348	18,784	13,906	3,924	1
1992.....	50,129	1	-	2	11	105	880	3,851	10,415	18,259	13,142	3,461	2
1991.....	47,978	1	-	3	7	118	864	3,756	10,410	17,304	12,294	3,220	1
1990.....	46,213	1	1	6	8	99	820	3,849	10,475	16,769	11,318	2,866	1
1989.....	44,453	2	-	1	13	98	822	3,713	10,514	16,165	10,544	2,579	2
1988.....	41,775	-	2	4	12	98	853	3,705	10,384	14,903	9,347	2,465	2
1987.....	39,468	1	4	3	15	100	839	3,580	10,005	14,157	8,544	2,220	-
1986.....	37,532	3	-	1	10	91	825	3,503	9,819	13,505	7,696	2,076	3
1985.....	35,945	3	3	5	14	109	777	3,592	9,830	12,716	7,080	1,813	3
1984.....	33,762	1	4	5	12	98	780	3,543	9,413	11,736	6,406	1,761	3
1983.....	32,219	1	3	5	15	92	840	3,514	9,197	11,043	5,890	1,616	3
1982.....	30,118	1	2	5	16	98	773	3,534	8,786	10,154	5,222	1,522	5
1981.....	27,786	2	1	4	15	87	733	3,399	8,153	9,253	4,734	1,403	2
1980.....	26,433	1	4	10	5	83	766	3,487	7,665	8,593	4,424	1,394	1
1979.....	24,063	-	2	1	21	91	728	3,385	7,175	7,568	3,956	1,134	2

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS (160-165)													
ALL OTHER, BOTH SEXES													
1998.....	19,468	1	1	1	12	34	670	2,433	4,672	6,481	4,092	1,070	1
1997.....	19,193	-	1	2	13	56	698	2,304	4,616	6,440	3,996	1,066	1
1996.....	18,905	-	-	-	8	59	670	2,286	4,630	6,427	3,858	963	4
1995.....	18,749	1	-	3	8	60	633	2,270	4,664	6,489	3,638	982	1
1994.....	18,545	1	-	1	8	64	616	2,275	4,693	6,400	3,583	901	3
1993.....	18,435	-	-	1	10	79	618	2,342	4,719	6,351	3,434	877	4
1992.....	18,140	1	1	2	12	75	681	2,280	4,885	6,184	3,257	762	-
1991.....	17,799	3	2	2	13	69	633	2,316	4,778	6,010	3,234	737	2
1990.....	17,459	1	1	3	13	86	618	2,240	5,074	5,787	2,966	668	2
1989.....	17,007	3	-	1	14	69	597	2,253	4,851	5,673	2,941	603	2
1988.....	16,312	1	-	2	11	65	550	2,157	4,760	5,383	2,762	620	1
1987.....	15,911	2	1	1	8	63	544	2,182	4,766	5,255	2,530	556	3
1986.....	15,271	-	-	-	10	64	565	2,142	4,702	4,909	2,358	519	2
1985.....	14,799	2	-	2	12	79	519	2,081	4,798	4,677	2,164	463	2
1984.....	14,500	5	2	3	8	64	512	2,086	4,839	4,427	2,124	426	4
1983.....	13,871	4	3	2	6	59	504	2,147	4,481	4,347	1,951	355	12
1982.....	13,317	4	-	5	11	52	477	2,076	4,437	4,094	1,787	370	4
1981.....	12,828	2	-	1	9	43	512	2,170	4,226	3,892	1,643	322	8
1980.....	12,351	3	2	2	14	60	471	2,146	3,980	3,779	1,581	310	3
1979.....	11,540	1	-	5	9	53	480	2,103	3,804	3,394	1,433	255	3

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS (160-165)													
ALL OTHER MALE													
1998.....	12,522	-	1	-	4	18	390	1,623	3,116	4,161	2,613	595	1
1997.....	12,469	-	-	2	6	33	421	1,541	3,126	4,184	2,552	603	1
1996.....	12,553	-	-	-	6	35	430	1,550	3,219	4,253	2,499	558	3
1995.....	12,470	1	-	2	6	33	413	1,541	3,179	4,311	2,404	579	1
1994.....	12,531	1	-	-	6	40	411	1,585	3,211	4,341	2,374	559	3
1993.....	12,647	-	-	-	4	51	407	1,633	3,272	4,413	2,353	512	2
1992.....	12,382	1	-	1	6	46	439	1,574	3,363	4,257	2,246	449	-
1991.....	12,334	2	1	1	6	37	411	1,616	3,344	4,256	2,221	439	-
1990.....	12,236	1	1	2	10	59	417	1,560	3,542	4,131	2,092	420	1
1989.....	12,093	2	-	-	9	36	407	1,594	3,483	4,095	2,093	373	1
1988.....	11,707	-	-	-	7	43	395	1,512	3,357	3,957	2,020	416	-
1987.....	11,479	2	-	-	6	47	348	1,518	3,401	3,923	1,870	361	3
1986.....	11,166	-	-	-	6	44	391	1,525	3,409	3,690	1,754	346	1
1985.....	10,946	1	-	1	8	50	365	1,500	3,518	3,565	1,649	289	-
1984.....	10,899	5	1	2	6	42	364	1,480	3,634	3,455	1,608	300	2
1983.....	10,293	4	2	1	6	38	343	1,524	3,328	3,352	1,473	213	9
1982.....	10,103	2	-	4	9	33	310	1,530	3,353	3,262	1,353	243	4
1981.....	9,776	1	-	1	7	26	353	1,559	3,211	3,121	1,274	215	8
1980.....	9,430	2	2	1	10	40	343	1,530	3,044	3,010	1,242	203	3
1979.....	8,967	1	-	4	4	33	337	1,533	2,997	2,770	1,107	179	2

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS (160-165)													
ALL OTHER FEMALE													
1998.....	6,946	1	-	1	8	16	280	810	1,556	2,320	1,479	475	-
1997.....	6,724	-	1	-	7	23	277	763	1,490	2,256	1,444	463	-
1996.....	6,352	-	-	-	2	24	240	736	1,411	2,174	1,359	405	1
1995.....	6,279	-	-	1	2	27	220	729	1,485	2,178	1,234	403	-
1994.....	6,014	-	-	1	2	24	205	690	1,482	2,059	1,209	342	-
1993.....	5,788	-	-	1	6	28	211	709	1,447	1,938	1,081	365	2
1992.....	5,758	-	1	1	6	29	242	706	1,522	1,927	1,011	313	-
1991.....	5,465	1	1	1	7	32	222	700	1,434	1,754	1,013	298	2
1990.....	5,223	-	-	1	3	27	201	680	1,532	1,656	874	248	1
1989.....	4,914	1	-	1	5	33	190	659	1,368	1,578	848	230	1
1988.....	4,605	1	-	2	4	22	155	645	1,403	1,426	742	204	1
1987.....	4,432	-	1	1	2	16	196	664	1,365	1,332	660	195	-
1986.....	4,105	-	-	-	4	20	174	617	1,293	1,219	604	173	1
1985.....	3,853	1	-	1	4	29	154	581	1,280	1,112	515	174	2
1984.....	3,601	-	1	1	2	22	148	606	1,205	972	516	126	2
1983.....	3,578	-	1	1	-	21	161	623	1,153	995	478	142	3
1982.....	3,214	2	-	1	2	19	167	546	1,084	832	434	127	-
1981.....	3,052	1	-	-	2	17	159	611	1,015	771	369	107	-
1980.....	2,921	1	-	1	4	20	128	616	936	769	339	107	-
1979.....	2,573	-	-	1	5	20	143	570	807	624	326	76	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS (160-165) BLACK, BOTH SEXES													
1998.....	16,948	-	1	1	7	26	594	2,181	4,172	5,608	3,469	888	1
1997.....	16,879	-	1	2	11	42	614	2,082	4,123	5,667	3,437	899	1
1996.....	16,714	-	-	-	6	46	615	2,079	4,173	5,684	3,296	811	4
1995.....	16,635	1	-	3	5	47	568	2,060	4,236	5,773	3,126	815	1
1994.....	16,539	1	-	1	7	55	566	2,061	4,256	5,699	3,118	772	3
1993.....	16,507	-	-	1	9	74	562	2,147	4,266	5,694	2,997	753	4
1992.....	16,338	1	1	1	11	72	622	2,104	4,458	5,574	2,844	650	-
1991.....	16,057	3	1	2	12	53	570	2,139	4,382	5,415	2,842	636	2
1990.....	15,913	1	1	2	12	76	573	2,084	4,708	5,266	2,617	571	2
1989.....	15,528	3	-	1	13	59	538	2,077	4,474	5,206	2,618	537	2
1988.....	14,938	1	-	2	11	52	501	1,985	4,413	4,965	2,470	537	1
1987.....	14,622	2	1	1	7	58	504	2,020	4,449	4,830	2,262	485	3
1986.....	14,112	-	-	-	7	52	519	2,011	4,391	4,556	2,120	454	2
1985.....	13,729	2	-	2	11	73	485	1,962	4,518	4,321	1,943	410	2
1984.....	13,461	3	1	2	7	54	475	1,955	4,571	4,102	1,905	382	4
1983.....	12,951	1	3	2	6	51	467	2,029	4,243	4,061	1,758	320	10
1982.....	12,537	2	-	5	9	49	454	1,974	4,226	3,858	1,638	318	4
1981.....	12,058	-	-	1	7	38	480	2,069	4,039	3,652	1,481	286	5
1980.....	11,618	2	2	2	13	57	449	2,046	3,794	3,544	1,431	275	3
1979.....	10,844	1	-	4	9	42	454	2,009	3,613	3,192	1,289	229	2

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS (160-165)													
BLACK MALE													
1998.....	10,944	-	1	-	2	14	355	1,467	2,804	3,595	2,211	494	1
1997.....	11,018	-	-	2	5	25	378	1,399	2,804	3,688	2,212	504	1
1996.....	11,151	-	-	-	4	28	397	1,429	2,912	3,753	2,153	472	3
1995.....	11,186	1	-	2	4	26	379	1,413	2,914	3,867	2,098	481	1
1994.....	11,239	1	-	-	6	33	382	1,454	2,935	3,863	2,086	476	3
1993.....	11,399	-	-	-	3	47	375	1,506	2,982	3,989	2,051	444	2
1992.....	11,198	1	-	-	6	45	405	1,457	3,084	3,858	1,957	385	-
1991.....	11,181	2	1	1	6	29	380	1,508	3,084	3,836	1,957	377	-
1990.....	11,219	1	1	1	9	54	393	1,469	3,315	3,764	1,856	355	1
1989.....	11,116	2	-	-	9	31	366	1,481	3,215	3,793	1,883	335	1
1988.....	10,784	-	-	-	7	34	364	1,406	3,123	3,673	1,807	370	-
1987.....	10,647	2	-	-	5	46	326	1,416	3,203	3,641	1,688	317	3
1986.....	10,368	-	-	-	5	36	356	1,434	3,208	3,433	1,589	306	1
1985.....	10,193	1	-	1	8	46	346	1,423	3,310	3,316	1,488	254	-
1984.....	10,181	3	-	1	5	37	342	1,401	3,458	3,218	1,447	267	2
1983.....	9,645	1	2	1	6	34	321	1,447	3,154	3,150	1,326	195	8
1982.....	9,545	1	-	4	8	31	295	1,464	3,202	3,076	1,244	216	4
1981.....	9,220	-	-	1	5	23	331	1,486	3,072	2,946	1,162	189	5
1980.....	8,904	1	2	1	9	38	332	1,462	2,906	2,832	1,139	179	3
1979.....	8,476	1	-	3	4	28	326	1,465	2,857	2,628	1,004	158	2

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS OF RESPIRATORY AND INTRATHORACIC ORGANS (160-165)													
BLACK FEMALE													
1998.....	6,004	-	-	1	5	12	239	714	1,368	2,013	1,258	394	-
1997.....	5,861	-	1	-	6	17	236	683	1,319	1,979	1,225	395	-
1996.....	5,563	-	-	-	2	18	218	650	1,261	1,931	1,143	339	1
1995.....	5,449	-	-	1	1	21	189	647	1,322	1,906	1,028	334	-
1994.....	5,300	-	-	1	1	22	184	607	1,321	1,836	1,032	296	-
1993.....	5,108	-	-	1	6	27	187	641	1,284	1,705	946	309	2
1992.....	5,140	-	1	1	5	27	217	647	1,374	1,716	887	265	-
1991.....	4,876	1	-	1	6	24	190	631	1,298	1,579	885	259	2
1990.....	4,694	-	-	1	3	22	180	615	1,393	1,502	761	216	1
1989.....	4,412	1	-	1	4	28	172	596	1,259	1,413	735	202	1
1988.....	4,154	1	-	2	4	18	137	579	1,290	1,292	663	167	1
1987.....	3,975	-	1	1	2	12	178	604	1,246	1,189	574	168	-
1986.....	3,744	-	-	-	2	16	163	577	1,183	1,123	531	148	1
1985.....	3,536	1	-	1	3	27	139	539	1,208	1,005	455	156	2
1984.....	3,280	-	1	1	2	17	133	554	1,113	884	458	115	2
1983.....	3,306	-	1	1	-	17	146	582	1,089	911	432	125	2
1982.....	2,992	1	-	1	1	18	159	510	1,024	782	394	102	-
1981.....	2,838	-	-	-	2	15	149	583	967	706	319	97	-
1980.....	2,714	1	-	1	4	19	117	584	888	712	292	96	-
1979.....	2,368	-	-	1	5	14	128	544	756	564	285	71	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASM OF BREAST (174-175) TOTAL, BOTH SEXES													
1998.....	42,086	-	-	-	5	509	3,024	6,375	7,434	9,539	9,571	5,628	1
1997.....	42,297	-	-	-	11	521	3,097	6,531	7,438	9,731	9,453	5,515	-
1996.....	43,448	1	-	1	18	540	3,110	6,447	7,604	10,354	9,811	5,561	1
1995.....	44,209	-	-	-	12	550	3,213	6,621	7,812	10,859	9,779	5,362	1
1994.....	44,008	-	-	-	13	555	3,211	6,387	7,771	11,122	9,890	5,059	-
1993.....	43,910	-	-	-	14	547	3,138	6,189	8,007	11,095	9,790	5,129	1
1992.....	43,365	1	-	2	6	610	3,249	6,025	8,150	11,386	9,303	4,628	5
1991.....	43,849	-	1	-	13	649	3,363	5,851	8,800	11,236	9,389	4,546	1
1990.....	43,663	-	-	-	15	629	3,380	5,855	8,834	11,410	9,228	4,310	2
1989.....	43,138	1	-	-	7	655	3,282	5,734	9,020	11,296	9,035	4,107	1
1988.....	42,461	1	-	-	13	665	3,148	5,652	9,484	10,978	8,578	3,939	3
1987.....	41,211	-	-	-	16	674	3,065	5,453	9,484	10,753	8,097	3,666	3
1986.....	40,789	-	-	1	14	654	3,073	5,350	9,577	10,722	7,787	3,606	5
1985.....	40,383	2	-	-	20	629	2,835	5,462	9,958	10,343	7,699	3,432	3
1984.....	39,722	1	-	1	17	685	2,880	5,322	9,764	10,237	7,425	3,388	2
1983.....	38,247	1	-	7	23	654	2,491	5,305	9,735	9,860	6,964	3,205	2
1982.....	37,685	4	2	5	13	674	2,480	5,474	9,505	9,567	6,884	3,074	3
1981.....	36,737	1	1	1	16	650	2,351	5,623	9,304	9,477	6,442	2,867	4
1980.....	35,897	-	-	2	14	615	2,348	5,696	9,368	8,992	6,205	2,656	1
1979.....	34,622	-	-	-	18	594	2,275	5,794	8,861	8,685	5,881	2,509	5

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASM OF BREAST (174-175)													
TOTAL, MALE													
1998.....	349	-	-	-	-	1	16	36	53	75	121	47	-
1997.....	354	-	-	-	-	2	6	34	77	100	98	37	-
1996.....	357	-	-	-	-	1	14	31	62	101	103	45	-
1995.....	365	-	-	-	-	2	10	41	71	95	103	43	-
1994.....	364	-	-	-	-	4	15	35	68	120	84	38	-
1993.....	355	-	-	-	-	1	12	36	66	99	93	48	-
1992.....	297	-	-	-	-	1	9	26	49	92	80	40	-
1991.....	266	-	1	-	-	2	9	17	45	91	65	36	-
1990.....	272	-	-	-	1	-	10	33	62	86	60	20	-
1989.....	301	-	-	-	-	1	9	24	60	92	80	35	-
1988.....	289	-	-	-	-	3	10	33	42	87	81	33	-
1987.....	312	-	-	-	-	2	13	16	77	89	87	28	-
1986.....	250	-	-	-	-	-	10	22	51	82	61	24	-
1985.....	290	-	-	-	1	2	12	29	63	78	75	30	-
1984.....	250	-	-	-	1	3	10	24	51	78	60	23	-
1983.....	268	-	-	-	-	1	6	20	65	98	56	22	-
1982.....	271	-	-	-	-	-	10	15	56	85	83	22	-
1981.....	254	-	-	-	-	1	7	20	61	75	62	28	-
1980.....	256	-	-	-	-	1	6	26	74	72	59	18	-
1979.....	222	-	-	-	-	2	4	13	54	71	61	17	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASM OF BREAST (174-175) TOTAL, FEMALE													
1998.....	41,737	-	-	-	5	508	3,008	6,339	7,381	9,464	9,450	5,581	1
1997.....	41,943	-	-	-	11	519	3,091	6,497	7,361	9,631	9,355	5,478	-
1996.....	43,091	1	-	1	18	539	3,096	6,416	7,542	10,253	9,708	5,516	1
1995.....	43,844	-	-	-	12	548	3,203	6,580	7,741	10,764	9,676	5,319	1
1994.....	43,644	-	-	-	13	551	3,196	6,352	7,703	11,002	9,806	5,021	-
1993.....	43,555	-	-	-	14	546	3,126	6,153	7,941	10,996	9,697	5,081	1
1992.....	43,068	1	-	2	6	609	3,240	5,999	8,101	11,294	9,223	4,588	5
1991.....	43,583	-	-	-	13	647	3,354	5,834	8,755	11,145	9,324	4,510	1
1990.....	43,391	-	-	-	14	629	3,370	5,822	8,772	11,324	9,168	4,290	2
1989.....	42,837	1	-	-	7	654	3,273	5,710	8,960	11,204	8,955	4,072	1
1988.....	42,172	1	-	-	13	662	3,138	5,619	9,442	10,891	8,497	3,906	3
1987.....	40,899	-	-	-	16	672	3,052	5,437	9,407	10,664	8,010	3,638	3
1986.....	40,539	-	-	1	14	654	3,063	5,328	9,526	10,640	7,726	3,582	5
1985.....	40,093	2	-	-	19	627	2,823	5,433	9,895	10,265	7,624	3,402	3
1984.....	39,472	1	-	1	16	682	2,870	5,298	9,713	10,159	7,365	3,365	2
1983.....	37,979	1	-	7	23	653	2,485	5,285	9,670	9,762	6,908	3,183	2
1982.....	37,414	4	2	5	13	674	2,470	5,459	9,449	9,482	6,801	3,052	3
1981.....	36,483	1	1	1	16	649	2,344	5,603	9,243	9,402	6,380	2,839	4
1980.....	35,641	-	-	2	14	614	2,342	5,670	9,294	8,920	6,146	2,638	1
1979.....	34,400	-	-	-	18	592	2,271	5,781	8,807	8,614	5,820	2,492	5

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASM OF BREAST (174-175) WHITE, BOTH SEXES													
1998.....	36,060	-	-	-	4	358	2,254	5,044	6,179	8,396	8,678	5,146	1
1997.....	36,194	-	-	-	8	368	2,342	5,246	6,172	8,473	8,539	5,046	-
1996.....	37,510	-	-	1	10	372	2,316	5,173	6,467	9,159	8,905	5,106	1
1995.....	38,236	-	-	-	6	374	2,493	5,307	6,577	9,626	8,906	4,946	1
1994.....	38,272	-	-	-	12	394	2,467	5,241	6,599	9,907	9,022	4,630	-
1993.....	38,341	-	-	-	8	391	2,404	5,094	6,869	9,922	8,924	4,729	-
1992.....	38,053	1	-	-	5	445	2,529	4,953	7,012	10,253	8,562	4,290	3
1991.....	38,478	-	1	-	7	489	2,631	4,840	7,602	10,096	8,610	4,202	-
1990.....	38,513	-	-	-	9	470	2,719	4,870	7,658	10,320	8,485	3,980	2
1989.....	38,253	-	-	-	3	495	2,657	4,774	7,930	10,229	8,354	3,810	1
1988.....	37,556	-	-	-	8	495	2,498	4,727	8,308	9,987	7,889	3,641	3
1987.....	36,569	-	-	-	8	523	2,434	4,541	8,353	9,798	7,501	3,409	2
1986.....	36,398	-	-	1	10	487	2,480	4,480	8,517	9,796	7,268	3,356	3
1985.....	36,146	2	-	-	14	497	2,319	4,667	8,842	9,450	7,150	3,202	3
1984.....	35,469	1	-	1	14	540	2,327	4,534	8,652	9,346	6,875	3,178	1
1983.....	34,324	1	-	6	17	517	2,049	4,524	8,727	9,012	6,464	3,005	2
1982.....	33,837	1	2	5	10	535	2,089	4,673	8,513	8,735	6,375	2,896	3
1981.....	33,124	1	1	1	7	519	1,948	4,896	8,378	8,701	5,989	2,681	2
1980.....	32,450	-	-	2	11	484	1,952	4,969	8,458	8,310	5,775	2,488	1
1979.....	31,364	-	-	-	15	470	1,912	5,030	8,051	8,020	5,500	2,361	5

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASM OF BREAST (174-175)													
WHITE MALE													
1998.....	301	-	-	-	-	1	14	30	43	64	109	40	-
1997.....	293	-	-	-	-	2	4	25	61	82	85	34	-
1996.....	292	-	-	-	-	1	9	24	49	84	87	38	-
1995.....	299	-	-	-	-	-	10	30	60	79	83	37	-
1994.....	312	-	-	-	-	4	13	31	59	98	74	33	-
1993.....	297	-	-	-	-	1	10	31	53	79	84	39	-
1992.....	256	-	-	-	-	-	8	19	42	79	70	38	-
1991.....	228	-	1	-	-	2	7	12	39	76	58	33	-
1990.....	227	-	-	-	-	-	8	25	49	72	55	18	-
1989.....	265	-	-	-	-	1	6	21	54	76	75	32	-
1988.....	229	-	-	-	-	2	6	21	38	77	64	21	-
1987.....	272	-	-	-	-	1	11	12	62	81	78	27	-
1986.....	215	-	-	-	-	-	9	19	45	69	52	21	-
1985.....	260	-	-	-	1	1	12	28	55	70	68	25	-
1984.....	213	-	-	-	1	3	8	20	43	63	53	22	-
1983.....	226	-	-	-	-	1	4	15	54	83	51	18	-
1982.....	236	-	-	-	-	-	9	15	46	77	72	17	-
1981.....	218	-	-	-	-	1	6	16	50	61	56	28	-
1980.....	227	-	-	-	-	1	4	23	65	65	53	16	-
1979.....	187	-	-	-	-	1	3	9	50	59	51	14	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASM OF BREAST (174-175)													
WHITE FEMALE													
1998.....	35,759	-	-	-	4	357	2,240	5,014	6,136	8,332	8,569	5,106	1
1997.....	35,901	-	-	-	8	366	2,338	5,221	6,111	8,391	8,454	5,012	-
1996.....	37,218	-	-	1	10	371	2,307	5,149	6,418	9,075	8,818	5,068	1
1995.....	37,937	-	-	-	6	374	2,483	5,277	6,517	9,547	8,823	4,909	1
1994.....	37,960	-	-	-	12	390	2,454	5,210	6,540	9,809	8,948	4,597	-
1993.....	38,044	-	-	-	8	390	2,394	5,063	6,816	9,843	8,840	4,690	-
1992.....	37,797	1	-	-	5	445	2,521	4,934	6,970	10,174	8,492	4,252	3
1991.....	38,250	-	-	-	7	487	2,624	4,828	7,563	10,020	8,552	4,169	-
1990.....	38,286	-	-	-	9	470	2,711	4,845	7,609	10,248	8,430	3,962	2
1989.....	37,988	-	-	-	3	494	2,651	4,753	7,876	10,153	8,279	3,778	1
1988.....	37,327	-	-	-	8	493	2,492	4,706	8,270	9,910	7,825	3,620	3
1987.....	36,297	-	-	-	8	522	2,423	4,529	8,291	9,717	7,423	3,382	2
1986.....	36,183	-	-	1	10	487	2,471	4,461	8,472	9,727	7,216	3,335	3
1985.....	35,886	2	-	-	13	496	2,307	4,639	8,787	9,380	7,082	3,177	3
1984.....	35,256	1	-	1	13	537	2,319	4,514	8,609	9,283	6,822	3,156	1
1983.....	34,098	1	-	6	17	516	2,045	4,509	8,673	8,929	6,413	2,987	2
1982.....	33,601	1	2	5	10	535	2,080	4,658	8,467	8,658	6,303	2,879	3
1981.....	32,906	1	1	1	7	518	1,942	4,880	8,328	8,640	5,933	2,653	2
1980.....	32,223	-	-	2	11	483	1,948	4,946	8,393	8,245	5,722	2,472	1
1979.....	31,177	-	-	-	15	469	1,909	5,021	8,001	7,961	5,449	2,347	5

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASM OF BREAST (174-175)													
ALL OTHER, BOTH SEXES													
1998.....	6,026	-	-	-	1	151	770	1,331	1,255	1,143	893	482	-
1997.....	6,103	-	-	-	3	153	755	1,285	1,266	1,258	914	469	-
1996.....	5,938	1	-	-	8	168	794	1,274	1,137	1,195	906	455	-
1995.....	5,973	-	-	-	6	176	720	1,314	1,235	1,233	873	416	-
1994.....	5,736	-	-	-	1	161	744	1,146	1,172	1,215	868	429	-
1993.....	5,569	-	-	-	6	156	734	1,095	1,138	1,173	866	400	1
1992.....	5,312	-	-	2	1	165	720	1,072	1,138	1,133	741	338	2
1991.....	5,371	-	-	-	6	160	732	1,011	1,198	1,140	779	344	1
1990.....	5,150	-	-	-	6	159	661	985	1,176	1,090	743	330	-
1989.....	4,885	1	-	-	4	160	625	960	1,090	1,067	681	297	-
1988.....	4,905	1	-	-	5	170	650	925	1,176	991	689	298	-
1987.....	4,642	-	-	-	8	151	631	912	1,131	955	596	257	1
1986.....	4,391	-	-	-	4	167	593	870	1,060	926	519	250	2
1985.....	4,237	-	-	-	6	132	516	795	1,116	893	549	230	-
1984.....	4,253	-	-	-	3	145	553	788	1,112	891	550	210	1
1983.....	3,923	-	-	1	6	137	442	781	1,008	848	500	200	-
1982.....	3,848	3	-	-	3	139	391	801	992	832	509	178	-
1981.....	3,613	-	-	-	9	131	403	727	926	776	453	186	2
1980.....	3,447	-	-	-	3	131	396	727	910	682	430	168	-
1979.....	3,258	-	-	-	3	124	363	764	810	665	381	148	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASM OF BREAST (174-175)													
ALL OTHER MALE													
1998.....	48	-	-	-	-	-	2	6	10	11	12	7	-
1997.....	61	-	-	-	-	-	2	9	16	18	13	3	-
1996.....	65	-	-	-	-	-	5	7	13	17	16	7	-
1995.....	66	-	-	-	-	2	-	11	11	16	20	6	-
1994.....	52	-	-	-	-	-	2	4	9	22	10	5	-
1993.....	58	-	-	-	-	-	2	5	13	20	9	9	-
1992.....	41	-	-	-	-	1	1	7	7	13	10	2	-
1991.....	38	-	-	-	-	-	2	5	6	15	7	3	-
1990.....	45	-	-	-	1	-	2	8	13	14	5	2	-
1989.....	36	-	-	-	-	-	3	3	6	16	5	3	-
1988.....	60	-	-	-	-	1	4	12	4	10	17	12	-
1987.....	40	-	-	-	-	1	2	4	15	8	9	1	-
1986.....	35	-	-	-	-	-	1	3	6	13	9	3	-
1985.....	30	-	-	-	-	1	-	1	8	8	7	5	-
1984.....	37	-	-	-	-	-	2	4	8	15	7	1	-
1983.....	42	-	-	-	-	-	2	5	11	15	5	4	-
1982.....	35	-	-	-	-	-	1	-	10	8	11	5	-
1981.....	36	-	-	-	-	-	1	4	11	14	6	-	-
1980.....	29	-	-	-	-	-	2	3	9	7	6	2	-
1979.....	35	-	-	-	-	1	1	4	4	12	10	3	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASM OF BREAST (174-175)													
ALL OTHER FEMALE													
1998.....	5,978	-	-	-	1	151	768	1,325	1,245	1,132	881	475	-
1997.....	6,042	-	-	-	3	153	753	1,276	1,250	1,240	901	466	-
1996.....	5,873	1	-	-	8	168	789	1,267	1,124	1,178	890	448	-
1995.....	5,907	-	-	-	6	174	720	1,303	1,224	1,217	853	410	-
1994.....	5,684	-	-	-	1	161	742	1,142	1,163	1,193	858	424	-
1993.....	5,511	-	-	-	6	156	732	1,090	1,125	1,153	857	391	1
1992.....	5,271	-	-	2	1	164	719	1,065	1,131	1,120	731	336	2
1991.....	5,333	-	-	-	6	160	730	1,006	1,192	1,125	772	341	1
1990.....	5,105	-	-	-	5	159	659	977	1,163	1,076	738	328	-
1989.....	4,849	1	-	-	4	160	622	957	1,084	1,051	676	294	-
1988.....	4,845	1	-	-	5	169	646	913	1,172	981	672	286	-
1987.....	4,602	-	-	-	8	150	629	908	1,116	947	587	256	1
1986.....	4,356	-	-	-	4	167	592	867	1,054	913	510	247	2
1985.....	4,207	-	-	-	6	131	516	794	1,108	885	542	225	-
1984.....	4,216	-	-	-	3	145	551	784	1,104	876	543	209	1
1983.....	3,881	-	-	1	6	137	440	776	997	833	495	196	-
1982.....	3,813	3	-	-	3	139	390	801	982	824	498	173	-
1981.....	3,577	-	-	-	9	131	402	723	915	762	447	186	2
1980.....	3,418	-	-	-	3	131	394	724	901	675	424	166	-
1979.....	3,223	-	-	-	3	123	362	760	806	653	371	145	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASM OF BREAST (174-175) BLACK, BOTH SEXES													
1998.....	5,329	-	-	-	1	131	681	1,146	1,070	1,025	821	454	-
1997.....	5,483	-	-	-	3	143	671	1,112	1,118	1,145	851	440	-
1996.....	5,316	1	-	-	8	152	702	1,107	1,024	1,062	833	427	-
1995.....	5,328	-	-	-	6	154	639	1,119	1,078	1,122	817	393	-
1994.....	5,134	-	-	-	-	139	665	985	1,044	1,106	795	400	-
1993.....	5,052	-	-	-	5	144	646	972	1,016	1,079	803	386	1
1992.....	4,816	-	-	2	1	148	659	941	1,014	1,040	692	317	2
1991.....	4,843	-	-	-	6	146	649	872	1,069	1,053	729	318	1
1990.....	4,703	-	-	-	6	153	589	864	1,068	1,006	700	317	-
1989.....	4,438	1	-	-	4	150	555	860	971	979	633	285	-
1988.....	4,525	1	-	-	5	157	607	837	1,062	918	647	291	-
1987.....	4,291	-	-	-	7	135	577	831	1,042	887	563	248	1
1986.....	4,076	-	-	-	4	158	540	798	972	874	490	238	2
1985.....	3,925	-	-	-	6	122	477	722	1,021	846	514	217	-
1984.....	3,981	-	-	-	3	133	505	729	1,031	849	530	200	1
1983.....	3,648	-	-	1	5	118	401	715	938	797	485	188	-
1982.....	3,602	1	-	-	3	131	359	728	926	783	499	172	-
1981.....	3,393	-	-	-	9	124	364	671	872	738	436	177	2
1980.....	3,244	-	-	-	3	120	361	666	855	661	417	161	-
1979.....	3,086	-	-	-	3	111	331	714	767	643	371	146	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASM OF BREAST (174-175) BLACK MALE													
1998.....	48	-	-	-	-	-	2	6	10	11	12	7	-
1997.....	59	-	-	-	-	-	2	9	14	18	13	3	-
1996.....	62	-	-	-	-	-	5	6	12	17	15	7	-
1995.....	63	-	-	-	-	1	-	11	11	15	19	6	-
1994.....	51	-	-	-	-	-	2	4	8	22	10	5	-
1993.....	54	-	-	-	-	-	2	5	13	20	7	7	-
1992.....	37	-	-	-	-	1	1	5	7	12	10	1	-
1991.....	34	-	-	-	-	-	2	5	4	13	7	3	-
1990.....	44	-	-	-	1	-	2	8	12	14	5	2	-
1989.....	35	-	-	-	-	-	3	3	5	16	5	3	-
1988.....	58	-	-	-	-	1	4	11	4	10	16	12	-
1987.....	39	-	-	-	-	1	2	4	15	7	9	1	-
1986.....	31	-	-	-	-	-	-	2	6	12	8	3	-
1985.....	29	-	-	-	-	1	-	1	8	7	7	5	-
1984.....	36	-	-	-	-	-	2	4	7	15	7	1	-
1983.....	38	-	-	-	-	-	2	5	9	14	5	3	-
1982.....	35	-	-	-	-	-	1	-	10	8	11	5	-
1981.....	35	-	-	-	-	-	1	4	11	13	6	-	-
1980.....	29	-	-	-	-	-	2	3	9	7	6	2	-
1979.....	34	-	-	-	-	1	1	4	4	11	10	3	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASM OF BREAST (174-175)													
BLACK FEMALE													
1998.....	5,281	-	-	-	1	131	679	1,140	1,060	1,014	809	447	-
1997.....	5,424	-	-	-	3	143	669	1,103	1,104	1,127	838	437	-
1996.....	5,254	1	-	-	8	152	697	1,101	1,012	1,045	818	420	-
1995.....	5,265	-	-	-	6	153	639	1,108	1,067	1,107	798	387	-
1994.....	5,083	-	-	-	-	139	663	981	1,036	1,084	785	395	-
1993.....	4,998	-	-	-	5	144	644	967	1,003	1,059	796	379	1
1992.....	4,779	-	-	2	1	147	658	936	1,007	1,028	682	316	2
1991.....	4,809	-	-	-	6	146	647	867	1,065	1,040	722	315	1
1990.....	4,659	-	-	-	5	153	587	856	1,056	992	695	315	-
1989.....	4,403	1	-	-	4	150	552	857	966	963	628	282	-
1988.....	4,467	1	-	-	5	156	603	826	1,058	908	631	279	-
1987.....	4,252	-	-	-	7	134	575	827	1,027	880	554	247	1
1986.....	4,045	-	-	-	4	158	540	796	966	862	482	235	2
1985.....	3,896	-	-	-	6	121	477	721	1,013	839	507	212	-
1984.....	3,945	-	-	-	3	133	503	725	1,024	834	523	199	1
1983.....	3,610	-	-	1	5	118	399	710	929	783	480	185	-
1982.....	3,567	1	-	-	3	131	358	728	916	775	488	167	-
1981.....	3,358	-	-	-	9	124	363	667	861	725	430	177	2
1980.....	3,215	-	-	-	3	120	359	663	846	654	411	159	-
1979.....	3,052	-	-	-	3	110	330	710	763	632	361	143	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187)													
TOTAL, BOTH SEXES													
1998.....	58,367	-	-	4	81	495	1,600	3,381	6,340	14,190	20,618	11,657	1
1997.....	59,010	1	3	5	89	531	1,533	3,382	6,257	14,875	20,562	11,769	3
1996.....	60,080	-	1	4	90	568	1,558	3,170	6,412	15,792	21,024	11,457	4
1995.....	60,507	-	-	4	95	522	1,569	3,186	6,485	16,126	21,019	11,500	1
1994.....	61,054	-	2	7	97	553	1,513	3,192	6,701	16,754	21,245	10,989	1
1993.....	60,393	-	-	7	105	547	1,520	3,009	6,665	16,681	21,065	10,792	2
1992.....	60,050	1	3	4	98	590	1,591	2,924	6,953	17,198	20,622	10,063	3
1991.....	58,944	-	1	4	96	581	1,542	2,811	7,117	16,999	20,226	9,566	1
1990.....	57,487	2	-	5	107	583	1,505	2,842	7,245	16,966	19,399	8,830	3
1989.....	54,952	1	5	7	116	602	1,400	2,709	7,254	16,267	18,253	8,337	1
1988.....	53,353	2	4	6	114	578	1,321	2,662	7,358	15,984	17,576	7,744	4
1987.....	51,829	-	1	7	119	658	1,280	2,680	7,220	15,595	16,842	7,424	3
1986.....	51,247	-	6	3	134	597	1,309	2,686	7,630	15,565	16,144	7,168	5
1985.....	49,690	-	3	6	152	594	1,250	2,721	7,619	14,874	15,767	6,700	4
1984.....	48,955	1	8	17	145	596	1,255	2,714	7,689	14,500	15,170	6,852	8
1983.....	48,709	4	10	19	185	589	1,183	2,790	7,843	14,623	14,875	6,580	8
1982.....	47,547	3	4	15	174	628	1,110	2,905	7,820	14,087	14,507	6,281	13
1981.....	46,732	2	5	13	181	597	1,114	3,062	7,883	13,843	13,942	6,087	3
1980.....	46,430	-	3	12	221	579	1,174	3,210	7,793	13,764	13,692	5,980	2
1979.....	45,402	1	5	18	198	566	1,183	3,328	7,639	13,544	13,378	5,537	5

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187)													
TOTAL, MALE													
1998.....	32,800	-	-	-	36	104	158	442	2,170	7,636	13,882	8,372	-
1997.....	33,481	-	1	1	46	91	132	438	2,128	8,163	13,946	8,533	2
1996.....	34,695	-	-	-	37	111	137	456	2,255	8,974	14,431	8,293	1
1995.....	35,023	-	-	-	48	87	141	395	2,366	9,177	14,455	8,354	-
1994.....	35,475	-	-	2	53	117	129	425	2,397	9,545	14,747	8,059	1
1993.....	35,459	-	-	2	55	127	127	380	2,475	9,711	14,612	7,970	-
1992.....	34,821	-	3	1	48	122	125	368	2,637	9,913	14,256	7,346	2
1991.....	34,158	2	-	2	42	134	127	382	2,657	9,798	14,134	6,881	1
1990.....	32,929	2	-	-	51	127	119	352	2,774	9,767	13,426	6,309	2
1989.....	31,141	1	5	2	54	146	130	348	2,751	9,201	12,569	5,933	1
1988.....	29,560	2	1	3	56	126	95	362	2,588	8,883	11,967	5,475	2
1987.....	28,504	-	1	2	68	166	113	337	2,531	8,694	11,326	5,265	1
1986.....	27,878	-	5	1	71	143	99	324	2,636	8,604	10,983	5,011	1
1985.....	26,609	-	3	2	81	169	110	344	2,551	8,093	10,576	4,677	3
1984.....	26,060	-	4	4	83	152	99	326	2,566	7,854	10,111	4,853	8
1983.....	25,634	2	5	5	99	169	92	352	2,535	7,853	9,954	4,563	5
1982.....	24,715	-	3	4	93	175	95	356	2,483	7,508	9,588	4,402	8
1981.....	24,014	-	3	4	101	173	78	381	2,389	7,407	9,183	4,295	-
1980.....	23,647	-	2	3	128	185	90	369	2,384	7,271	9,041	4,173	1
1979.....	23,017	1	3	5	109	180	104	365	2,302	7,127	8,876	3,943	2

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187)													
TOTAL, FEMALE													
1998.....	25,567	-	-	4	45	391	1,442	2,939	4,170	6,554	6,736	3,285	1
1997.....	25,529	1	2	4	43	440	1,401	2,944	4,129	6,712	6,616	3,236	1
1996.....	25,385	-	1	4	53	457	1,421	2,714	4,157	6,818	6,593	3,164	3
1995.....	25,484	-	-	4	47	435	1,428	2,791	4,119	6,949	6,564	3,146	1
1994.....	25,579	-	2	5	44	436	1,384	2,767	4,304	7,209	6,498	2,930	-
1993.....	24,934	-	-	5	50	420	1,393	2,629	4,190	6,970	6,453	2,822	2
1992.....	25,229	1	-	3	50	468	1,466	2,556	4,316	7,285	6,366	2,717	1
1991.....	24,786	-	1	2	54	447	1,415	2,429	4,460	7,201	6,092	2,685	-
1990.....	24,558	-	-	5	56	456	1,386	2,490	4,471	7,199	5,973	2,521	1
1989.....	23,811	-	-	5	62	456	1,270	2,361	4,503	7,066	5,684	2,404	-
1988.....	23,793	-	3	3	58	452	1,226	2,300	4,770	7,101	5,609	2,269	2
1987.....	23,325	-	-	5	51	492	1,167	2,343	4,689	6,901	5,516	2,159	2
1986.....	23,369	-	1	2	63	454	1,210	2,362	4,994	6,961	5,161	2,157	4
1985.....	23,081	-	-	4	71	425	1,140	2,377	5,068	6,781	5,191	2,023	1
1984.....	22,895	1	4	13	62	444	1,156	2,388	5,123	6,646	5,059	1,999	-
1983.....	23,075	2	5	14	86	420	1,091	2,438	5,308	6,770	4,921	2,017	3
1982.....	22,832	3	1	11	81	453	1,015	2,549	5,337	6,579	4,919	1,879	5
1981.....	22,718	2	2	9	80	424	1,036	2,681	5,494	6,436	4,759	1,792	3
1980.....	22,783	-	1	9	93	394	1,084	2,841	5,409	6,493	4,651	1,807	1
1979.....	22,385	-	2	13	89	386	1,079	2,963	5,337	6,417	4,502	1,594	3

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187)													
WHITE, BOTH SEXES													
1998.....	48,920	-	-	4	59	394	1,263	2,744	5,073	11,660	17,628	10,094	1
1997.....	49,481	1	2	2	73	423	1,181	2,761	5,045	12,184	17,673	10,135	1
1996.....	50,371	-	-	3	67	465	1,243	2,582	5,166	12,967	17,939	9,937	2
1995.....	51,053	-	-	4	81	420	1,243	2,637	5,241	13,380	18,040	10,006	1
1994.....	51,540	-	2	5	83	453	1,187	2,662	5,433	13,836	18,253	9,626	-
1993.....	50,797	-	-	7	86	440	1,208	2,444	5,402	13,818	18,060	9,331	1
1992.....	50,613	1	2	2	79	461	1,257	2,358	5,612	14,333	17,771	8,735	2
1991.....	49,792	-	1	2	76	464	1,200	2,284	5,837	14,186	17,376	8,366	-
1990.....	48,635	1	-	4	92	465	1,220	2,351	5,920	14,295	16,622	7,662	3
1989.....	46,572	1	5	5	95	494	1,103	2,211	6,021	13,669	15,654	7,314	-
1988.....	45,214	-	3	6	100	460	1,057	2,166	6,076	13,497	15,067	6,781	1
1987.....	43,951	-	1	4	94	525	1,034	2,182	6,025	13,154	14,438	6,494	-
1986.....	43,437	-	6	2	116	472	1,063	2,149	6,358	13,047	13,925	6,296	3
1985.....	42,091	-	3	4	132	480	1,007	2,197	6,363	12,530	13,516	5,856	3
1984.....	41,510	1	7	15	129	492	1,002	2,192	6,459	12,188	13,000	6,021	4
1983.....	41,391	3	10	18	154	468	938	2,278	6,544	12,356	12,743	5,873	6
1982.....	40,518	2	3	12	156	520	895	2,384	6,588	11,851	12,537	5,562	8
1981.....	39,817	2	5	10	156	496	870	2,554	6,625	11,628	12,072	5,396	3
1980.....	39,490	-	3	11	185	484	924	2,640	6,547	11,516	11,893	5,285	2
1979.....	38,778	1	4	15	169	454	945	2,767	6,390	11,365	11,676	4,988	4

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187)													
WHITE MALE													
1998.....	26,947	-	-	-	30	99	138	317	1,592	6,051	11,596	7,124	-
1997.....	27,574	-	1	-	43	81	111	322	1,569	6,441	11,766	7,239	1
1996.....	28,539	-	-	-	34	101	122	344	1,687	7,145	12,023	7,083	-
1995.....	28,988	-	-	-	46	79	116	313	1,772	7,303	12,193	7,166	-
1994.....	29,434	-	-	2	49	110	109	327	1,830	7,594	12,458	6,955	-
1993.....	29,378	-	-	2	49	120	114	280	1,877	7,826	12,322	6,788	-
1992.....	28,953	-	2	1	44	112	108	267	2,017	8,027	12,096	6,277	2
1991.....	28,492	-	-	2	37	122	111	289	2,074	7,973	11,938	5,946	-
1990.....	27,412	1	-	-	49	118	109	283	2,152	8,008	11,301	5,389	2
1989.....	26,027	1	5	1	47	135	117	260	2,183	7,524	10,612	5,142	-
1988.....	24,694	-	-	3	50	120	84	272	2,032	7,312	10,100	4,720	1
1987.....	23,742	-	1	1	56	152	109	262	1,991	7,099	9,523	4,548	-
1986.....	23,257	-	5	1	66	134	88	238	2,108	6,988	9,284	4,344	1
1985.....	22,071	-	3	1	78	156	98	242	2,005	6,589	8,881	4,016	2
1984.....	21,684	-	3	4	80	142	82	252	2,027	6,372	8,493	4,225	4
1983.....	21,391	2	5	5	94	157	83	267	1,993	6,393	8,360	4,029	3
1982.....	20,688	-	3	4	87	164	81	274	1,967	6,115	8,136	3,854	3
1981.....	19,995	-	3	3	95	167	68	289	1,868	5,958	7,792	3,752	-
1980.....	19,784	-	2	3	120	177	81	286	1,896	5,864	7,704	3,650	1
1979.....	19,332	1	2	5	104	164	90	284	1,813	5,777	7,579	3,512	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187)													
WHITE FEMALE													
1998.....	21,973	-	-	4	29	295	1,125	2,427	3,481	5,609	6,032	2,970	1
1997.....	21,907	1	1	2	30	342	1,070	2,439	3,476	5,743	5,907	2,896	-
1996.....	21,832	-	-	3	33	364	1,121	2,238	3,479	5,822	5,916	2,854	2
1995.....	22,065	-	-	4	35	341	1,127	2,324	3,469	6,077	5,847	2,840	1
1994.....	22,106	-	2	3	34	343	1,078	2,335	3,603	6,242	5,795	2,671	-
1993.....	21,419	-	-	5	37	320	1,094	2,164	3,525	5,992	5,738	2,543	1
1992.....	21,660	1	-	1	35	349	1,149	2,091	3,595	6,306	5,675	2,458	-
1991.....	21,300	-	1	-	39	342	1,089	1,995	3,763	6,213	5,438	2,420	-
1990.....	21,223	-	-	4	43	347	1,111	2,068	3,768	6,287	5,321	2,273	1
1989.....	20,545	-	-	4	48	359	986	1,951	3,838	6,145	5,042	2,172	-
1988.....	20,520	-	3	3	50	340	973	1,894	4,044	6,185	4,967	2,061	-
1987.....	20,209	-	-	3	38	373	925	1,920	4,034	6,055	4,915	1,946	-
1986.....	20,180	-	1	1	50	338	975	1,911	4,250	6,059	4,641	1,952	2
1985.....	20,020	-	-	3	54	324	909	1,955	4,358	5,941	4,635	1,840	1
1984.....	19,826	1	4	11	49	350	920	1,940	4,432	5,816	4,507	1,796	-
1983.....	20,000	1	5	13	60	311	855	2,011	4,551	5,963	4,383	1,844	3
1982.....	19,830	2	-	8	69	356	814	2,110	4,621	5,736	4,401	1,708	5
1981.....	19,822	2	2	7	61	329	802	2,265	4,757	5,670	4,280	1,644	3
1980.....	19,706	-	1	8	65	307	843	2,354	4,651	5,652	4,189	1,635	1
1979.....	19,446	-	2	10	65	290	855	2,483	4,577	5,588	4,097	1,476	3

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187)													
ALL OTHER, BOTH SEXES													
1998.....	9,447	-	-	-	22	101	337	637	1,267	2,530	2,990	1,563	-
1997.....	9,529	-	1	3	16	108	352	621	1,212	2,691	2,889	1,634	2
1996.....	9,709	-	1	1	23	103	315	588	1,246	2,825	3,085	1,520	2
1995.....	9,454	-	-	-	14	102	326	549	1,244	2,746	2,979	1,494	-
1994.....	9,514	-	-	2	14	100	326	530	1,268	2,918	2,992	1,363	1
1993.....	9,596	-	-	-	19	107	312	565	1,263	2,863	3,005	1,461	1
1992.....	9,437	-	1	2	19	129	334	566	1,341	2,865	2,851	1,328	1
1991.....	9,152	-	-	2	20	117	342	527	1,280	2,813	2,850	1,200	1
1990.....	8,852	1	-	1	15	118	285	491	1,325	2,671	2,777	1,168	-
1989.....	8,380	-	-	2	21	108	297	498	1,233	2,598	2,599	1,023	1
1988.....	8,139	2	1	-	14	118	264	496	1,282	2,487	2,509	963	3
1987.....	7,878	-	-	3	25	133	246	498	1,195	2,441	2,404	930	3
1986.....	7,810	-	-	1	18	125	246	537	1,272	2,518	2,219	872	2
1985.....	7,599	-	-	2	20	114	243	524	1,256	2,344	2,251	844	1
1984.....	7,445	-	1	2	16	104	253	522	1,230	2,312	2,170	831	4
1983.....	7,318	1	-	1	31	121	245	512	1,299	2,267	2,132	707	2
1982.....	7,029	1	1	3	18	108	215	521	1,232	2,236	1,970	719	5
1981.....	6,915	-	-	3	25	101	244	508	1,258	2,215	1,870	691	-
1980.....	6,940	-	-	1	36	95	250	570	1,246	2,248	1,799	695	-
1979.....	6,624	-	1	3	29	112	238	561	1,249	2,179	1,702	549	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187)													
ALL OTHER MALE													
1998.....	5,853	-	-	-	6	5	20	125	578	1,585	2,286	1,248	-
1997.....	5,907	-	-	1	3	10	21	116	559	1,722	2,180	1,294	1
1996.....	6,156	-	-	-	3	10	15	112	568	1,829	2,408	1,210	1
1995.....	6,035	-	-	-	2	8	25	82	594	1,874	2,262	1,188	-
1994.....	6,041	-	-	-	4	7	20	98	567	1,951	2,289	1,104	1
1993.....	6,081	-	-	-	6	7	13	100	598	1,885	2,290	1,182	-
1992.....	5,868	-	1	-	4	10	17	101	620	1,886	2,160	1,069	-
1991.....	5,666	-	-	-	5	12	16	93	583	1,825	2,196	935	1
1990.....	5,517	1	-	-	2	9	10	69	622	1,759	2,125	920	-
1989.....	5,114	-	-	1	7	11	13	88	568	1,677	1,957	791	1
1988.....	4,866	2	1	-	6	6	11	90	556	1,571	1,867	755	1
1987.....	4,762	-	-	1	12	14	4	75	540	1,595	1,803	717	1
1986.....	4,621	-	-	-	5	9	11	86	528	1,616	1,699	667	-
1985.....	4,538	-	-	1	3	13	12	102	546	1,504	1,695	661	1
1984.....	4,376	-	1	-	3	10	17	74	539	1,482	1,618	628	4
1983.....	4,243	-	-	-	5	12	9	85	542	1,460	1,594	534	2
1982.....	4,027	-	-	-	6	11	14	82	516	1,393	1,452	548	5
1981.....	4,019	-	-	1	6	6	10	92	521	1,449	1,391	543	-
1980.....	3,863	-	-	-	8	8	9	83	488	1,407	1,337	523	-
1979.....	3,685	-	1	-	5	16	14	81	489	1,350	1,297	431	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187)													
ALL OTHER FEMALE													
1998.....	3,594	-	-	-	16	96	317	512	689	945	704	315	-
1997.....	3,622	-	1	2	13	98	331	505	653	969	709	340	1
1996.....	3,553	-	1	1	20	93	300	476	678	996	677	310	1
1995.....	3,419	-	-	-	12	94	301	467	650	872	717	306	-
1994.....	3,473	-	-	2	10	93	306	432	701	967	703	259	-
1993.....	3,515	-	-	-	13	100	299	465	665	978	715	279	1
1992.....	3,569	-	-	2	15	119	317	465	721	979	691	259	1
1991.....	3,486	-	-	2	15	105	326	434	697	988	654	265	-
1990.....	3,335	-	-	1	13	109	275	422	703	912	652	248	-
1989.....	3,266	-	-	1	14	97	284	410	665	921	642	232	-
1988.....	3,273	-	-	-	8	112	253	406	726	916	642	208	2
1987.....	3,116	-	-	2	13	119	242	423	655	846	601	213	2
1986.....	3,189	-	-	1	13	116	235	451	744	902	520	205	2
1985.....	3,061	-	-	1	17	101	231	422	710	840	556	183	-
1984.....	3,069	-	-	2	13	94	236	448	691	830	552	203	-
1983.....	3,075	1	-	1	26	109	236	427	757	807	538	173	-
1982.....	3,002	1	1	3	12	97	201	439	716	843	518	171	-
1981.....	2,896	-	-	2	19	95	234	416	737	766	479	148	-
1980.....	3,077	-	-	1	28	87	241	487	758	841	462	172	-
1979.....	2,939	-	-	3	24	96	224	480	760	829	405	118	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187)													
BLACK, BOTH SEXES													
1998.....	8,580	-	-	-	18	81	289	523	1,124	2,342	2,762	1,441	-
1997.....	8,668	-	1	3	12	93	292	521	1,088	2,498	2,660	1,498	2
1996.....	8,787	-	1	1	18	84	254	464	1,085	2,608	2,885	1,385	2
1995.....	8,629	-	-	-	12	90	282	442	1,112	2,570	2,756	1,365	-
1994.....	8,719	-	-	1	13	85	271	447	1,128	2,729	2,777	1,267	1
1993.....	8,819	-	-	-	16	97	259	468	1,133	2,697	2,794	1,354	1
1992.....	8,688	-	1	2	17	106	286	481	1,225	2,658	2,676	1,235	1
1991.....	8,442	-	-	2	15	98	273	444	1,149	2,656	2,703	1,101	1
1990.....	8,195	1	-	-	11	100	242	417	1,216	2,495	2,614	1,099	-
1989.....	7,762	-	-	2	17	89	246	441	1,123	2,447	2,441	955	1
1988.....	7,564	2	1	-	11	102	225	417	1,169	2,359	2,376	899	3
1987.....	7,378	-	-	2	18	108	213	449	1,113	2,315	2,277	880	3
1986.....	7,322	-	-	1	16	104	217	473	1,170	2,422	2,105	812	2
1985.....	7,134	-	-	2	17	99	200	468	1,178	2,244	2,131	794	1
1984.....	7,012	-	1	2	14	93	217	476	1,146	2,208	2,055	796	4
1983.....	6,935	1	-	1	27	107	213	458	1,222	2,187	2,046	672	1
1982.....	6,658	-	1	2	16	99	187	460	1,161	2,157	1,885	685	5
1981.....	6,567	-	-	3	20	88	209	451	1,202	2,147	1,794	653	-
1980.....	6,626	-	-	1	32	87	225	512	1,199	2,177	1,732	661	-
1979.....	6,317	-	-	2	27	99	215	506	1,193	2,113	1,637	524	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187)													
BLACK MALE													
1998.....	5,491	-	-	-	3	3	19	119	543	1,512	2,137	1,155	-
1997.....	5,524	-	-	1	1	9	18	113	534	1,630	2,032	1,185	1
1996.....	5,758	-	-	-	2	7	10	103	535	1,723	2,274	1,103	1
1995.....	5,636	-	-	-	-	5	23	78	567	1,774	2,102	1,087	-
1994.....	5,693	-	-	-	3	7	18	97	540	1,856	2,151	1,020	1
1993.....	5,712	-	-	-	5	6	12	91	571	1,809	2,126	1,092	-
1992.....	5,538	-	1	-	4	6	16	96	602	1,793	2,030	990	-
1991.....	5,354	-	-	-	1	8	10	88	556	1,750	2,087	853	1
1990.....	5,226	1	-	-	1	7	10	62	600	1,678	2,000	867	-
1989.....	4,840	-	-	1	6	9	11	85	545	1,610	1,839	733	1
1988.....	4,631	2	1	-	3	4	10	87	533	1,512	1,776	702	1
1987.....	4,545	-	-	-	6	12	4	70	530	1,530	1,711	681	1
1986.....	4,420	-	-	-	5	8	9	83	507	1,571	1,615	622	-
1985.....	4,331	-	-	1	3	8	10	97	532	1,454	1,606	619	1
1984.....	4,192	-	1	-	1	8	15	73	524	1,433	1,532	601	4
1983.....	4,103	-	-	-	4	7	9	82	532	1,421	1,539	508	1
1982.....	3,875	-	-	-	4	8	14	80	499	1,351	1,392	522	5
1981.....	3,890	-	-	1	4	6	9	91	511	1,409	1,340	519	-
1980.....	3,742	-	-	-	7	7	9	77	479	1,370	1,291	502	-
1979.....	3,563	-	-	-	4	12	11	81	483	1,312	1,246	413	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS OF GENITAL ORGANS (179-187)													
BLACK FEMALE													
1998.....	3,089	-	-	-	15	78	270	404	581	830	625	286	-
1997.....	3,144	-	1	2	11	84	274	408	554	868	628	313	1
1996.....	3,029	-	1	1	16	77	244	361	550	885	611	282	1
1995.....	2,993	-	-	-	12	85	259	364	545	796	654	278	-
1994.....	3,026	-	-	1	10	78	253	350	588	873	626	247	-
1993.....	3,107	-	-	-	11	91	247	377	562	888	668	262	1
1992.....	3,150	-	-	2	13	100	270	385	623	865	646	245	1
1991.....	3,088	-	-	2	14	90	263	356	593	906	616	248	-
1990.....	2,969	-	-	-	10	93	232	355	616	817	614	232	-
1989.....	2,922	-	-	1	11	80	235	356	578	837	602	222	-
1988.....	2,933	-	-	-	8	98	215	330	636	847	600	197	2
1987.....	2,833	-	-	2	12	96	209	379	583	785	566	199	2
1986.....	2,902	-	-	1	11	96	208	390	663	851	490	190	2
1985.....	2,803	-	-	1	14	91	190	371	646	790	525	175	-
1984.....	2,820	-	-	2	13	85	202	403	622	775	523	195	-
1983.....	2,832	1	-	1	23	100	204	376	690	766	507	164	-
1982.....	2,783	-	1	2	12	91	173	380	662	806	493	163	-
1981.....	2,677	-	-	2	16	82	200	360	691	738	454	134	-
1980.....	2,884	-	-	1	25	80	216	435	720	807	441	159	-
1979.....	2,754	-	-	2	23	87	204	425	710	801	391	111	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS OF URINARY ORGANS (188-189)													
TOTAL, BOTH SEXES													
1998.....	23,768	3	21	34	25	75	478	1,667	3,358	6,303	7,646	4,158	-
1997.....	23,395	6	18	33	18	63	457	1,667	3,241	6,310	7,559	4,023	-
1996.....	23,004	5	13	27	29	81	445	1,557	3,214	6,454	7,303	3,875	1
1995.....	22,639	3	23	28	24	76	462	1,522	3,210	6,308	7,243	3,739	1
1994.....	22,432	2	17	31	25	81	413	1,466	3,217	6,501	7,110	3,568	1
1993.....	21,769	5	16	28	18	96	434	1,474	3,138	6,418	6,751	3,391	-
1992.....	21,643	2	16	36	18	75	417	1,391	3,289	6,199	6,810	3,386	4
1991.....	21,180	2	14	38	27	82	422	1,288	3,369	6,255	6,499	3,184	-
1990.....	20,654	-	20	32	24	108	388	1,253	3,317	6,016	6,435	3,060	1
1989.....	20,233	5	23	33	21	78	380	1,237	3,334	6,010	6,244	2,868	-
1988.....	19,474	5	20	41	32	96	369	1,184	3,188	5,937	5,865	2,737	-
1987.....	19,401	2	18	34	23	75	357	1,199	3,360	5,765	5,869	2,699	-
1986.....	19,113	4	20	44	25	88	336	1,183	3,365	5,639	5,800	2,607	2
1985.....	18,897	10	18	36	20	67	385	1,172	3,342	5,694	5,534	2,617	2
1984.....	18,600	2	22	29	26	80	325	1,185	3,278	5,574	5,511	2,566	2
1983.....	18,555	4	37	41	37	79	295	1,130	3,411	5,656	5,345	2,518	2
1982.....	18,460	3	24	43	35	92	308	1,253	3,340	5,663	5,245	2,454	-
1981.....	17,999	4	32	41	32	101	305	1,168	3,292	5,443	5,219	2,360	2
1980.....	17,828	9	22	42	35	85	259	1,203	3,353	5,581	5,037	2,200	2
1979.....	17,443	8	29	56	40	60	280	1,299	3,239	5,312	4,988	2,132	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS OF URINARY ORGANS (188-189)													
TOTAL, MALE													
1998.....	15,316	2	9	11	17	46	325	1,214	2,348	4,306	4,824	2,214	-
1997.....	14,837	3	7	17	9	38	292	1,149	2,248	4,263	4,743	2,068	-
1996.....	14,718	1	8	15	12	49	309	1,096	2,245	4,387	4,533	2,062	1
1995.....	14,415	1	8	9	11	41	311	1,071	2,200	4,246	4,563	1,954	-
1994.....	14,238	1	9	15	19	42	265	1,032	2,247	4,320	4,429	1,858	1
1993.....	14,073	3	9	14	10	60	298	1,035	2,217	4,390	4,236	1,801	-
1992.....	13,741	2	6	17	8	49	276	992	2,291	4,156	4,188	1,753	3
1991.....	13,468	2	11	16	17	44	289	891	2,302	4,233	4,023	1,640	-
1990.....	13,181	-	8	17	6	58	270	883	2,336	4,012	4,024	1,567	-
1989.....	12,976	3	9	18	9	42	257	846	2,320	4,058	3,934	1,480	-
1988.....	12,389	3	8	22	18	59	242	822	2,206	3,974	3,674	1,361	-
1987.....	12,444	-	10	16	7	46	243	809	2,363	3,867	3,723	1,360	-
1986.....	12,153	2	10	18	11	48	217	814	2,278	3,799	3,581	1,374	1
1985.....	12,195	5	9	13	9	39	245	819	2,332	3,816	3,494	1,412	2
1984.....	12,050	1	12	11	14	42	219	834	2,284	3,819	3,435	1,378	1
1983.....	12,029	2	18	19	22	48	191	773	2,378	3,839	3,375	1,362	2
1982.....	12,090	2	13	24	16	55	209	889	2,326	3,873	3,367	1,316	-
1981.....	11,705	3	20	20	15	59	204	824	2,336	3,681	3,260	1,281	2
1980.....	11,692	4	14	13	18	51	175	817	2,329	3,843	3,221	1,206	1
1979.....	11,509	5	21	18	23	29	179	923	2,248	3,716	3,171	1,176	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS OF URINARY ORGANS (188-189)													
TOTAL, FEMALE													
1998.....	8,452	1	12	23	8	29	153	453	1,010	1,997	2,822	1,944	-
1997.....	8,558	3	11	16	9	25	165	518	993	2,047	2,816	1,955	-
1996.....	8,286	4	5	12	17	32	136	461	969	2,067	2,770	1,813	-
1995.....	8,224	2	15	19	13	35	151	451	1,010	2,062	2,680	1,785	1
1994.....	8,194	1	8	16	6	39	148	434	970	2,181	2,681	1,710	-
1993.....	7,696	2	7	14	8	36	136	439	921	2,028	2,515	1,590	-
1992.....	7,902	-	10	19	10	26	141	399	998	2,043	2,622	1,633	1
1991.....	7,712	-	3	22	10	38	133	397	1,067	2,022	2,476	1,544	-
1990.....	7,473	-	12	15	18	50	118	370	981	2,004	2,411	1,493	1
1989.....	7,257	2	14	15	12	36	123	391	1,014	1,952	2,310	1,388	-
1988.....	7,085	2	12	19	14	37	127	362	982	1,963	2,191	1,376	-
1987.....	6,957	2	8	18	16	29	114	390	997	1,898	2,146	1,339	-
1986.....	6,960	2	10	26	14	40	119	369	1,087	1,840	2,219	1,233	1
1985.....	6,702	5	9	23	11	28	140	353	1,010	1,878	2,040	1,205	-
1984.....	6,550	1	10	18	12	38	106	351	994	1,755	2,076	1,188	1
1983.....	6,526	2	19	22	15	31	104	357	1,033	1,817	1,970	1,156	-
1982.....	6,370	1	11	19	19	37	99	364	1,014	1,790	1,878	1,138	-
1981.....	6,294	1	12	21	17	42	101	344	956	1,762	1,959	1,079	-
1980.....	6,136	5	8	29	17	34	84	386	1,024	1,738	1,816	994	1
1979.....	5,934	3	8	38	17	31	101	376	991	1,596	1,817	956	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS OF URINARY ORGANS (188-189)													
WHITE, BOTH SEXES													
1998.....	21,515	3	15	26	13	48	378	1,413	2,972	5,721	7,070	3,856	-
1997.....	21,143	6	11	22	11	35	373	1,458	2,838	5,699	6,967	3,723	-
1996.....	20,821	5	11	19	14	51	360	1,346	2,853	5,840	6,746	3,576	-
1995.....	20,491	2	17	22	13	56	369	1,323	2,811	5,737	6,701	3,440	-
1994.....	20,286	2	13	27	18	53	328	1,260	2,854	5,890	6,550	3,290	1
1993.....	19,722	3	11	19	12	64	350	1,261	2,803	5,818	6,200	3,181	-
1992.....	19,667	2	10	27	10	52	339	1,216	2,946	5,638	6,287	3,137	3
1991.....	19,150	1	12	30	16	54	335	1,117	3,007	5,639	5,973	2,966	-
1990.....	18,694	-	17	27	13	66	318	1,071	2,928	5,446	5,945	2,862	1
1989.....	18,307	4	18	27	13	53	316	1,068	2,980	5,429	5,761	2,638	-
1988.....	17,700	4	15	30	22	63	300	1,024	2,858	5,426	5,405	2,553	-
1987.....	17,669	2	17	25	16	58	299	1,038	3,012	5,264	5,405	2,533	-
1986.....	17,435	4	12	35	13	58	265	1,032	3,022	5,159	5,390	2,443	2
1985.....	17,179	5	9	27	10	49	321	1,022	3,005	5,176	5,094	2,461	-
1984.....	16,922	2	20	20	17	59	265	1,034	2,912	5,084	5,099	2,408	2
1983.....	16,946	1	30	32	21	50	248	997	3,049	5,163	4,981	2,373	1
1982.....	16,818	2	19	31	22	64	265	1,097	2,989	5,113	4,893	2,323	-
1981.....	16,419	2	23	35	17	76	255	1,020	2,940	4,936	4,871	2,243	1
1980.....	16,377	8	15	35	25	67	233	1,057	3,026	5,111	4,715	2,084	1
1979.....	15,966	8	22	41	22	48	230	1,133	2,916	4,881	4,643	2,022	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS OF URINARY ORGANS (188-189)													
WHITE MALE													
1998.....	13,996	2	5	7	8	28	262	1,036	2,103	3,954	4,505	2,086	-
1997.....	13,534	3	4	11	5	19	235	1,013	1,989	3,893	4,438	1,924	-
1996.....	13,475	1	6	11	4	27	258	950	2,018	4,018	4,244	1,938	-
1995.....	13,227	-	5	6	4	32	257	942	1,941	3,924	4,299	1,817	-
1994.....	13,008	1	7	13	13	29	217	889	2,025	3,951	4,126	1,736	1
1993.....	12,886	1	8	10	5	41	246	907	1,999	4,045	3,927	1,697	-
1992.....	12,575	2	6	13	5	34	231	865	2,071	3,809	3,899	1,638	2
1991.....	12,300	1	9	11	10	25	227	786	2,079	3,873	3,732	1,547	-
1990.....	12,047	-	7	13	4	37	230	770	2,093	3,663	3,749	1,481	-
1989.....	11,850	3	7	15	6	26	218	745	2,115	3,697	3,646	1,372	-
1988.....	11,366	2	6	13	11	39	196	729	2,014	3,666	3,408	1,282	-
1987.....	11,420	-	10	15	4	36	206	718	2,136	3,561	3,460	1,274	-
1986.....	11,218	2	7	13	5	34	174	723	2,079	3,528	3,349	1,303	1
1985.....	11,142	3	5	9	5	28	206	716	2,119	3,492	3,229	1,330	-
1984.....	11,061	1	11	8	8	31	186	746	2,053	3,513	3,195	1,308	1
1983.....	11,057	-	15	13	11	32	157	694	2,149	3,536	3,164	1,285	1
1982.....	11,125	1	11	15	11	38	184	793	2,127	3,521	3,174	1,250	-
1981.....	10,749	2	16	19	7	41	170	734	2,101	3,378	3,061	1,219	1
1980.....	10,848	3	11	13	12	39	159	721	2,113	3,563	3,056	1,158	-
1979.....	10,620	5	17	12	12	26	154	815	2,050	3,427	2,985	1,117	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS OF URINARY ORGANS (188-189)													
WHITE FEMALE													
1998.....	7,519	1	10	19	5	20	116	377	869	1,767	2,565	1,770	-
1997.....	7,609	3	7	11	6	16	138	445	849	1,806	2,529	1,799	-
1996.....	7,346	4	5	8	10	24	102	396	835	1,822	2,502	1,638	-
1995.....	7,264	2	12	16	9	24	112	381	870	1,813	2,402	1,623	-
1994.....	7,278	1	6	14	5	24	111	371	829	1,939	2,424	1,554	-
1993.....	6,836	2	3	9	7	23	104	354	804	1,773	2,273	1,484	-
1992.....	7,092	-	4	14	5	18	108	351	875	1,829	2,388	1,499	1
1991.....	6,850	-	3	19	6	29	108	331	928	1,766	2,241	1,419	-
1990.....	6,647	-	10	14	9	29	88	301	835	1,783	2,196	1,381	1
1989.....	6,457	1	11	12	7	27	98	323	865	1,732	2,115	1,266	-
1988.....	6,334	2	9	17	11	24	104	295	844	1,760	1,997	1,271	-
1987.....	6,249	2	7	10	12	22	93	320	876	1,703	1,945	1,259	-
1986.....	6,217	2	5	22	8	24	91	309	943	1,631	2,041	1,140	1
1985.....	6,037	2	4	18	5	21	115	306	886	1,684	1,865	1,131	-
1984.....	5,861	1	9	12	9	28	79	288	859	1,571	1,904	1,100	1
1983.....	5,889	1	15	19	10	18	91	303	900	1,627	1,817	1,088	-
1982.....	5,693	1	8	16	11	26	81	304	862	1,592	1,719	1,073	-
1981.....	5,670	-	7	16	10	35	85	286	839	1,558	1,810	1,024	-
1980.....	5,529	5	4	22	13	28	74	336	913	1,548	1,659	926	1
1979.....	5,346	3	5	29	10	22	76	318	866	1,454	1,658	905	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS OF URINARY ORGANS (188-189)													
ALL OTHER, BOTH SEXES													
1998.....	2,253	-	6	8	12	27	100	254	386	582	576	302	-
1997.....	2,252	-	7	11	7	28	84	209	403	611	592	300	-
1996.....	2,183	-	2	8	15	30	85	211	361	614	557	299	1
1995.....	2,148	1	6	6	11	20	93	199	399	571	542	299	1
1994.....	2,146	-	4	4	7	28	85	206	363	611	560	278	-
1993.....	2,047	2	5	9	6	32	84	213	335	600	551	210	-
1992.....	1,976	-	6	9	8	23	78	175	343	561	523	249	1
1991.....	2,030	1	2	8	11	28	87	171	362	616	526	218	-
1990.....	1,960	-	3	5	11	42	70	182	389	570	490	198	-
1989.....	1,926	1	5	6	8	25	64	169	354	581	483	230	-
1988.....	1,774	1	5	11	10	33	69	160	330	511	460	184	-
1987.....	1,732	-	1	9	7	17	58	161	348	501	464	166	-
1986.....	1,678	-	8	9	12	30	71	151	343	480	410	164	-
1985.....	1,718	5	9	9	10	18	64	150	337	518	440	156	2
1984.....	1,678	-	2	9	9	21	60	151	366	490	412	158	-
1983.....	1,609	3	7	9	16	29	47	133	362	493	364	145	1
1982.....	1,642	1	5	12	13	28	43	156	351	550	352	131	-
1981.....	1,580	2	9	6	15	25	50	148	352	507	348	117	1
1980.....	1,451	1	7	7	10	18	26	146	327	470	322	116	1
1979.....	1,477	-	7	15	18	12	50	166	323	431	345	110	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS OF URINARY ORGANS (188-189)													
ALL OTHER MALE													
1998.....	1,320	-	4	4	9	18	63	178	245	352	319	128	-
1997.....	1,303	-	3	6	4	19	57	136	259	370	305	144	-
1996.....	1,243	-	2	4	8	22	51	146	227	369	289	124	1
1995.....	1,188	1	3	3	7	9	54	129	259	322	264	137	-
1994.....	1,230	-	2	2	6	13	48	143	222	369	303	122	-
1993.....	1,187	2	1	4	5	19	52	128	218	345	309	104	-
1992.....	1,166	-	-	4	3	15	45	127	220	347	289	115	1
1991.....	1,168	1	2	5	7	19	62	105	223	360	291	93	-
1990.....	1,134	-	1	4	2	21	40	113	243	349	275	86	-
1989.....	1,126	-	2	3	3	16	39	101	205	361	288	108	-
1988.....	1,023	1	2	9	7	20	46	93	192	308	266	79	-
1987.....	1,024	-	-	1	3	10	37	91	227	306	263	86	-
1986.....	935	-	3	5	6	14	43	91	199	271	232	71	-
1985.....	1,053	2	4	4	4	11	39	103	213	324	265	82	2
1984.....	989	-	1	3	6	11	33	88	231	306	240	70	-
1983.....	972	2	3	6	11	16	34	79	229	303	211	77	1
1982.....	965	1	2	9	5	17	25	96	199	352	193	66	-
1981.....	956	1	4	1	8	18	34	90	235	303	199	62	1
1980.....	844	1	3	-	6	12	16	96	216	280	165	48	1
1979.....	889	-	4	6	11	3	25	108	198	289	186	59	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS OF URINARY ORGANS (188-189)													
ALL OTHER FEMALE													
1998.....	933	-	2	4	3	9	37	76	141	230	257	174	-
1997.....	949	-	4	5	3	9	27	73	144	241	287	156	-
1996.....	940	-	-	4	7	8	34	65	134	245	268	175	-
1995.....	960	-	3	3	4	11	39	70	140	249	278	162	1
1994.....	916	-	2	2	1	15	37	63	141	242	257	156	-
1993.....	860	-	4	5	1	13	32	85	117	255	242	106	-
1992.....	810	-	6	5	5	8	33	48	123	214	234	134	-
1991.....	862	-	-	3	4	9	25	66	139	256	235	125	-
1990.....	826	-	2	1	9	21	30	69	146	221	215	112	-
1989.....	800	1	3	3	5	9	25	68	149	220	195	122	-
1988.....	751	-	3	2	3	13	23	67	138	203	194	105	-
1987.....	708	-	1	8	4	7	21	70	121	195	201	80	-
1986.....	743	-	5	4	6	16	28	60	144	209	178	93	-
1985.....	665	3	5	5	6	7	25	47	124	194	175	74	-
1984.....	689	-	1	6	3	10	27	63	135	184	172	88	-
1983.....	637	1	4	3	5	13	13	54	133	190	153	68	-
1982.....	677	-	3	3	8	11	18	60	152	198	159	65	-
1981.....	624	1	5	5	7	7	16	58	117	204	149	55	-
1980.....	607	-	4	7	4	6	10	50	111	190	157	68	-
1979.....	588	-	3	9	7	9	25	58	125	142	159	51	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS OF URINARY ORGANS (188-189)													
BLACK, BOTH SEXES													
1998.....	1,913	-	5	7	10	25	89	218	329	482	485	263	-
1997.....	1,943	-	7	10	7	25	75	177	344	525	507	266	-
1996.....	1,896	-	2	8	14	29	72	182	314	534	477	263	1
1995.....	1,896	1	4	5	11	20	85	170	339	506	484	270	1
1994.....	1,876	-	3	4	5	26	73	185	300	531	498	251	-
1993.....	1,807	2	5	9	6	26	80	189	298	529	477	186	-
1992.....	1,748	-	6	7	8	21	65	157	305	491	460	227	1
1991.....	1,818	1	2	7	10	26	78	160	313	547	470	204	-
1990.....	1,792	-	2	5	11	41	63	162	363	519	455	171	-
1989.....	1,741	1	5	5	8	25	53	153	319	523	445	204	-
1988.....	1,602	1	4	11	10	31	64	144	291	466	414	166	-
1987.....	1,575	-	1	7	7	16	54	150	319	453	419	149	-
1986.....	1,536	-	7	9	12	29	65	131	312	449	374	148	-
1985.....	1,583	5	7	8	10	18	60	133	311	483	407	139	2
1984.....	1,537	-	2	8	7	20	53	131	340	452	378	146	-
1983.....	1,495	3	7	8	14	25	45	120	334	470	331	137	1
1982.....	1,516	1	2	12	12	25	40	142	323	514	324	121	-
1981.....	1,467	1	8	6	13	22	42	133	330	480	324	108	-
1980.....	1,349	1	7	7	10	17	23	131	309	445	294	104	1
1979.....	1,367	-	6	10	17	11	49	161	294	404	319	96	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS OF URINARY ORGANS (188-189)													
BLACK MALE													
1998.....	1,099	-	3	4	8	18	57	150	205	282	270	102	-
1997.....	1,104	-	3	5	4	16	50	113	219	313	253	128	-
1996.....	1,048	-	2	4	8	21	41	125	199	311	237	99	1
1995.....	1,030	1	1	2	7	9	49	109	217	278	238	119	-
1994.....	1,063	-	1	2	4	12	42	126	189	316	266	105	-
1993.....	1,040	2	1	4	5	15	49	111	196	294	273	90	-
1992.....	1,008	-	-	3	3	14	37	111	193	293	251	102	1
1991.....	1,049	1	2	4	7	18	58	99	193	320	263	84	-
1990.....	1,029	-	1	4	2	20	35	103	227	313	251	73	-
1989.....	1,009	-	2	2	3	16	31	93	182	322	266	92	-
1988.....	912	1	1	9	7	20	42	84	169	277	233	69	-
1987.....	918	-	-	1	3	9	35	83	206	274	233	74	-
1986.....	855	-	3	5	6	13	41	83	179	251	211	63	-
1985.....	962	2	2	4	4	11	35	90	196	304	241	71	2
1984.....	888	-	1	2	5	10	26	74	212	280	217	61	-
1983.....	899	2	3	5	9	14	33	70	210	288	190	74	1
1982.....	885	1	1	9	4	15	23	85	183	330	176	58	-
1981.....	875	-	4	1	7	16	27	80	219	282	181	58	-
1980.....	772	1	3	-	6	11	14	86	202	263	146	39	1
1979.....	829	-	3	4	10	3	25	106	179	270	175	54	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS OF URINARY ORGANS (188-189)													
BLACK FEMALE													
1998.....	814	-	2	3	2	7	32	68	124	200	215	161	-
1997.....	839	-	4	5	3	9	25	64	125	212	254	138	-
1996.....	848	-	-	4	6	8	31	57	115	223	240	164	-
1995.....	866	-	3	3	4	11	36	61	122	228	246	151	1
1994.....	813	-	2	2	1	14	31	59	111	215	232	146	-
1993.....	767	-	4	5	1	11	31	78	102	235	204	96	-
1992.....	740	-	6	4	5	7	28	46	112	198	209	125	-
1991.....	769	-	-	3	3	8	20	61	120	227	207	120	-
1990.....	763	-	1	1	9	21	28	59	136	206	204	98	-
1989.....	732	1	3	3	5	9	22	60	137	201	179	112	-
1988.....	690	-	3	2	3	11	22	60	122	189	181	97	-
1987.....	657	-	1	6	4	7	19	67	113	179	186	75	-
1986.....	681	-	4	4	6	16	24	48	133	198	163	85	-
1985.....	621	3	5	4	6	7	25	43	115	179	166	68	-
1984.....	649	-	1	6	2	10	27	57	128	172	161	85	-
1983.....	596	1	4	3	5	11	12	50	124	182	141	63	-
1982.....	631	-	1	3	8	10	17	57	140	184	148	63	-
1981.....	592	1	4	5	6	6	15	53	111	198	143	50	-
1980.....	577	-	4	7	4	6	9	45	107	182	148	65	-
1979.....	538	-	3	6	7	8	24	55	115	134	144	42	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES (170-173,190-199)													
TOTAL, BOTH SEXES													
1998.....	65,389	42	191	555	699	1,251	3,387	6,787	10,592	16,727	17,002	8,153	3
1997.....	65,627	40	253	529	655	1,287	3,369	6,661	10,668	17,080	17,011	8,074	-
1996.....	66,451	43	228	553	641	1,350	3,428	6,845	10,708	17,834	16,843	7,975	3
1995.....	65,678	36	266	507	672	1,382	3,388	6,542	10,612	17,926	16,691	7,652	4
1994.....	65,754	27	277	546	679	1,455	3,495	6,414	10,917	18,163	16,343	7,435	3
1993.....	65,315	42	309	525	697	1,465	3,365	6,278	11,137	18,155	16,096	7,244	2
1992.....	62,887	39	249	534	707	1,497	3,282	5,993	11,086	17,420	15,311	6,765	4
1991.....	61,916	41	290	539	690	1,545	3,307	5,748	11,246	17,384	14,710	6,414	2
1990.....	60,221	52	279	561	675	1,561	3,157	5,461	11,134	16,793	14,385	6,156	7
1989.....	61,030	51	271	556	707	1,519	3,091	5,678	11,600	17,015	14,437	6,102	3
1988.....	61,130	47	284	513	722	1,518	3,120	5,638	12,114	17,068	14,165	5,937	4
1987.....	60,500	52	289	514	739	1,547	2,937	5,472	12,355	17,014	13,833	5,744	4
1986.....	59,446	55	296	529	790	1,744	3,028	5,394	12,099	16,661	13,379	5,463	8
1985.....	57,905	53	285	512	824	1,715	2,940	5,435	12,317	15,830	12,609	5,380	5
1984.....	56,236	47	301	538	817	1,602	2,811	5,298	12,050	15,636	12,181	4,945	10
1983.....	54,852	63	308	563	843	1,502	2,618	5,338	11,941	15,069	11,688	4,911	8
1982.....	53,191	61	335	583	910	1,458	2,500	5,280	11,590	14,534	11,338	4,595	7
1981.....	51,701	45	323	593	876	1,429	2,342	5,441	11,276	14,242	10,707	4,421	6
1980.....	50,679	52	297	589	996	1,479	2,271	5,550	11,038	13,892	10,325	4,189	1
1979.....	48,591	57	280	613	968	1,317	2,151	5,514	10,673	13,254	9,897	3,862	5

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES (170-173,190-199)													
TOTAL, MALE													
1998.....	34,965	23	103	321	427	726	1,951	4,046	6,326	9,554	8,508	2,978	2
1997.....	34,470	21	142	268	387	777	1,983	3,905	6,169	9,561	8,309	2,948	-
1996.....	35,283	27	131	302	396	767	1,993	4,004	6,285	10,137	8,353	2,886	2
1995.....	34,844	20	166	280	432	822	1,950	3,867	6,279	10,064	8,182	2,778	4
1994.....	34,726	12	157	304	409	844	2,045	3,789	6,463	10,217	7,852	2,633	1
1993.....	34,769	28	178	284	407	822	2,020	3,711	6,595	10,238	7,904	2,581	1
1992.....	33,456	19	124	288	433	883	1,917	3,576	6,564	9,619	7,492	2,539	2
1991.....	33,047	23	155	307	408	928	1,967	3,438	6,743	9,722	7,086	2,268	2
1990.....	31,891	27	153	287	405	926	1,859	3,217	6,598	9,335	6,810	2,270	4
1989.....	32,627	27	146	274	394	894	1,839	3,402	6,834	9,572	7,045	2,199	1
1988.....	32,813	28	149	272	406	898	1,827	3,316	7,141	9,654	6,853	2,265	4
1987.....	32,269	25	165	288	455	902	1,755	3,171	7,216	9,578	6,678	2,033	3
1986.....	31,663	30	161	277	483	1,106	1,820	3,189	7,048	9,201	6,386	1,958	4
1985.....	30,962	34	155	281	495	1,064	1,770	3,154	7,156	8,789	6,077	1,985	2
1984.....	29,838	24	172	297	511	969	1,654	3,049	6,982	8,666	5,778	1,732	4
1983.....	29,250	37	166	310	497	925	1,513	3,109	6,930	8,362	5,618	1,780	3
1982.....	27,926	32	183	312	548	906	1,440	3,036	6,656	7,867	5,301	1,640	5
1981.....	27,086	26	185	314	532	802	1,359	3,103	6,488	7,804	4,873	1,594	6
1980.....	27,016	26	184	316	620	875	1,303	3,179	6,427	7,620	4,864	1,602	-
1979.....	25,702	32	143	337	591	788	1,249	3,154	6,049	7,334	4,599	1,425	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES (170-173,190-199)													
TOTAL, FEMALE													
1998.....	30,424	19	88	234	272	525	1,436	2,741	4,266	7,173	8,494	5,175	1
1997.....	31,157	19	111	261	268	510	1,386	2,756	4,499	7,519	8,702	5,126	-
1996.....	31,168	16	97	251	245	583	1,435	2,841	4,423	7,697	8,490	5,089	1
1995.....	30,834	16	100	227	240	560	1,438	2,675	4,333	7,862	8,509	4,874	-
1994.....	31,028	15	120	242	270	611	1,450	2,625	4,454	7,946	8,491	4,802	2
1993.....	30,546	14	131	241	290	643	1,345	2,567	4,542	7,917	8,192	4,663	1
1992.....	29,431	20	125	246	274	614	1,365	2,417	4,522	7,801	7,819	4,226	2
1991.....	28,869	18	135	232	282	617	1,340	2,310	4,503	7,662	7,624	4,146	-
1990.....	28,330	25	126	274	270	635	1,298	2,244	4,536	7,458	7,575	3,886	3
1989.....	28,403	24	125	282	313	625	1,252	2,276	4,766	7,443	7,392	3,903	2
1988.....	28,317	19	135	241	316	620	1,293	2,322	4,973	7,414	7,312	3,672	-
1987.....	28,231	27	124	226	284	645	1,182	2,301	5,139	7,436	7,155	3,711	1
1986.....	27,783	25	135	252	307	638	1,208	2,205	5,051	7,460	6,993	3,505	4
1985.....	26,943	19	130	231	329	651	1,170	2,281	5,161	7,041	6,532	3,395	3
1984.....	26,398	23	129	241	306	633	1,157	2,249	5,068	6,970	6,403	3,213	6
1983.....	25,602	26	142	253	346	577	1,105	2,229	5,011	6,707	6,070	3,131	5
1982.....	25,265	29	152	271	362	552	1,060	2,244	4,934	6,667	6,037	2,955	2
1981.....	24,615	19	138	279	344	627	983	2,338	4,788	6,438	5,834	2,827	-
1980.....	23,663	26	113	273	376	604	968	2,371	4,611	6,272	5,461	2,587	1
1979.....	22,889	25	137	276	377	529	902	2,360	4,624	5,920	5,298	2,437	4

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES (170-173,190-199)													
WHITE, BOTH SEXES													
1998.....	58,269	36	152	440	572	1,065	2,897	5,784	9,182	14,982	15,607	7,549	3
1997.....	58,396	26	200	436	513	1,103	2,893	5,690	9,209	15,349	15,592	7,385	-
1996.....	59,362	41	181	450	513	1,168	2,930	5,900	9,388	15,985	15,458	7,345	3
1995.....	58,425	30	212	396	541	1,177	2,887	5,630	9,215	16,055	15,228	7,053	1
1994.....	58,683	21	223	419	564	1,247	2,988	5,519	9,500	16,345	15,008	6,847	2
1993.....	58,098	33	251	439	574	1,245	2,873	5,359	9,686	16,242	14,713	6,681	2
1992.....	56,166	33	194	439	595	1,302	2,868	5,122	9,667	15,646	14,046	6,251	3
1991.....	55,199	36	226	443	583	1,356	2,870	4,960	9,838	15,654	13,382	5,851	-
1990.....	53,613	38	222	462	555	1,329	2,740	4,660	9,728	15,072	13,129	5,677	1
1989.....	54,382	44	224	453	600	1,309	2,674	4,875	10,115	15,261	13,202	5,622	3
1988.....	54,510	37	234	410	595	1,342	2,704	4,809	10,606	15,355	12,950	5,466	2
1987.....	53,867	45	237	428	602	1,366	2,555	4,665	10,857	15,325	12,547	5,237	3
1986.....	53,038	48	242	433	670	1,533	2,644	4,622	10,571	15,061	12,204	5,006	4
1985.....	51,508	47	247	430	699	1,529	2,548	4,595	10,858	14,164	11,419	4,969	3
1984.....	50,049	36	256	439	706	1,416	2,457	4,531	10,561	14,002	11,065	4,576	4
1983.....	48,874	51	260	457	723	1,347	2,332	4,585	10,478	13,483	10,605	4,548	5
1982.....	47,573	51	287	485	766	1,280	2,199	4,532	10,253	13,094	10,330	4,291	5
1981.....	46,240	38	274	472	741	1,276	2,047	4,730	10,003	12,804	9,740	4,113	2
1980.....	45,252	42	252	493	860	1,338	1,971	4,773	9,706	12,488	9,437	3,891	1
1979.....	43,431	47	240	510	839	1,203	1,907	4,804	9,450	11,824	9,030	3,573	4

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES (170-173,190-199)													
WHITE MALE													
1998.....	31,348	19	86	252	351	630	1,692	3,473	5,555	8,619	7,888	2,781	2
1997.....	30,843	12	112	222	305	663	1,719	3,344	5,368	8,674	7,705	2,719	-
1996.....	31,640	25	107	253	318	671	1,718	3,455	5,535	9,154	7,734	2,668	2
1995.....	31,074	18	135	226	351	694	1,659	3,343	5,494	9,062	7,527	2,564	1
1994.....	31,124	9	128	232	346	731	1,770	3,254	5,673	9,266	7,279	2,435	1
1993.....	31,011	22	146	238	342	706	1,758	3,173	5,755	9,180	7,310	2,380	1
1992.....	30,012	17	95	237	365	767	1,691	3,075	5,774	8,702	6,918	2,370	1
1991.....	29,470	20	119	251	352	818	1,717	2,955	5,928	8,796	6,458	2,056	-
1990.....	28,366	19	119	234	332	803	1,618	2,735	5,786	8,386	6,231	2,102	1
1989.....	29,004	25	127	229	338	773	1,591	2,919	5,964	8,622	6,418	1,997	1
1988.....	29,319	23	125	224	340	802	1,599	2,808	6,289	8,736	6,272	2,099	2
1987.....	28,713	21	131	243	374	799	1,548	2,689	6,356	8,654	6,068	1,828	2
1986.....	28,284	27	136	233	416	986	1,606	2,732	6,182	8,346	5,832	1,786	2
1985.....	27,469	32	136	241	414	961	1,535	2,678	6,314	7,868	5,482	1,806	2
1984.....	26,486	16	145	247	442	854	1,450	2,606	6,094	7,785	5,259	1,586	2
1983.....	25,998	29	135	250	431	834	1,359	2,709	6,079	7,480	5,056	1,635	1
1982.....	24,944	26	157	268	466	802	1,279	2,599	5,889	7,102	4,836	1,516	4
1981.....	24,164	19	157	257	446	714	1,196	2,702	5,763	7,024	4,414	1,470	2
1980.....	24,169	21	159	266	541	803	1,147	2,748	5,697	6,865	4,434	1,488	-
1979.....	22,966	28	124	279	511	726	1,103	2,743	5,389	6,577	4,170	1,315	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES (170-173,190-199)													
WHITE FEMALE													
1998.....	26,921	17	66	188	221	435	1,205	2,311	3,627	6,363	7,719	4,768	1
1997.....	27,553	14	88	214	208	440	1,174	2,346	3,841	6,675	7,887	4,666	-
1996.....	27,722	16	74	197	195	497	1,212	2,445	3,853	6,831	7,724	4,677	1
1995.....	27,351	12	77	170	190	483	1,228	2,287	3,721	6,993	7,701	4,489	-
1994.....	27,559	12	95	187	218	516	1,218	2,265	3,827	7,079	7,729	4,412	1
1993.....	27,087	11	105	201	232	539	1,115	2,186	3,931	7,062	7,403	4,301	1
1992.....	26,154	16	99	202	230	535	1,177	2,047	3,893	6,944	7,128	3,881	2
1991.....	25,729	16	107	192	231	538	1,153	2,005	3,910	6,858	6,924	3,795	-
1990.....	25,247	19	103	228	223	526	1,122	1,925	3,942	6,686	6,898	3,575	-
1989.....	25,378	19	97	224	262	536	1,083	1,956	4,151	6,639	6,784	3,625	2
1988.....	25,191	14	109	186	255	540	1,105	2,001	4,317	6,619	6,678	3,367	-
1987.....	25,154	24	106	185	228	567	1,007	1,976	4,501	6,671	6,479	3,409	1
1986.....	24,754	21	106	200	254	547	1,038	1,890	4,389	6,715	6,372	3,220	2
1985.....	24,039	15	111	189	285	568	1,013	1,917	4,544	6,296	5,937	3,163	1
1984.....	23,563	20	111	192	264	562	1,007	1,925	4,467	6,217	5,806	2,990	2
1983.....	22,876	22	125	207	292	513	973	1,876	4,399	6,003	5,549	2,913	4
1982.....	22,629	25	130	217	300	478	920	1,933	4,364	5,992	5,494	2,775	1
1981.....	22,076	19	117	215	295	562	851	2,028	4,240	5,780	5,326	2,643	-
1980.....	21,083	21	93	227	319	535	824	2,025	4,009	5,623	5,003	2,403	1
1979.....	20,465	19	116	231	328	477	804	2,061	4,061	5,247	4,860	2,258	3

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES (170-173,190-199)													
ALL OTHER, BOTH SEXES													
1998.....	7,120	6	39	115	127	186	490	1,003	1,410	1,745	1,395	604	-
1997.....	7,231	14	53	93	142	184	476	971	1,459	1,731	1,419	689	-
1996.....	7,089	2	47	103	128	182	498	945	1,320	1,849	1,385	630	-
1995.....	7,253	6	54	111	131	205	501	912	1,397	1,871	1,463	599	3
1994.....	7,071	6	54	127	115	208	507	895	1,417	1,818	1,335	588	1
1993.....	7,217	9	58	86	123	220	492	919	1,451	1,913	1,383	563	-
1992.....	6,721	6	55	95	112	195	414	871	1,419	1,774	1,265	514	1
1991.....	6,717	5	64	96	107	189	437	788	1,408	1,730	1,328	563	2
1990.....	6,608	14	57	99	120	232	417	801	1,406	1,721	1,256	479	6
1989.....	6,648	7	47	103	107	210	417	803	1,485	1,754	1,235	480	-
1988.....	6,620	10	50	103	127	176	416	829	1,508	1,713	1,215	471	2
1987.....	6,633	7	52	86	137	181	382	807	1,498	1,689	1,286	507	1
1986.....	6,408	7	54	96	120	211	384	772	1,528	1,600	1,175	457	4
1985.....	6,397	6	38	82	125	186	392	840	1,459	1,666	1,190	411	2
1984.....	6,187	11	45	99	111	186	354	767	1,489	1,634	1,116	369	6
1983.....	5,978	12	48	106	120	155	286	753	1,463	1,586	1,083	363	3
1982.....	5,618	10	48	98	144	178	301	748	1,337	1,440	1,008	304	2
1981.....	5,461	7	49	121	135	153	295	711	1,273	1,438	967	308	4
1980.....	5,427	10	45	96	136	141	300	777	1,332	1,404	888	298	-
1979.....	5,160	10	40	103	129	114	244	710	1,223	1,430	867	289	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES (170-173,190-199)													
ALL OTHER MALE													
1998.....	3,617	4	17	69	76	96	259	573	771	935	620	197	-
1997.....	3,627	9	30	46	82	114	264	561	801	887	604	229	-
1996.....	3,643	2	24	49	78	96	275	549	750	983	619	218	-
1995.....	3,770	2	31	54	81	128	291	524	785	1,002	655	214	3
1994.....	3,602	3	29	72	63	113	275	535	790	951	573	198	-
1993.....	3,758	6	32	46	65	116	262	538	840	1,058	594	201	-
1992.....	3,444	2	29	51	68	116	226	501	790	917	574	169	1
1991.....	3,577	3	36	56	56	110	250	483	815	926	628	212	2
1990.....	3,525	8	34	53	73	123	241	482	812	949	579	168	3
1989.....	3,623	2	19	45	56	121	248	483	870	950	627	202	-
1988.....	3,494	5	24	48	66	96	228	508	852	918	581	166	2
1987.....	3,556	4	34	45	81	103	207	482	860	924	610	205	1
1986.....	3,379	3	25	44	67	120	214	457	866	855	554	172	2
1985.....	3,493	2	19	40	81	103	235	476	842	921	595	179	-
1984.....	3,352	8	27	50	69	115	204	443	888	881	519	146	2
1983.....	3,252	8	31	60	66	91	154	400	851	882	562	145	2
1982.....	2,982	6	26	44	82	104	161	437	767	765	465	124	1
1981.....	2,922	7	28	57	86	88	163	401	725	780	459	124	4
1980.....	2,847	5	25	50	79	72	156	431	730	755	430	114	-
1979.....	2,736	4	19	58	80	62	146	411	660	757	429	110	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
---	-------	-----------------	--------------	---------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	--------------	------

MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES (170-173,190-199)

ALL OTHER FEMALE

1998.....	3,503	2	22	46	51	90	231	430	639	810	775	407	-
1997.....	3,604	5	23	47	60	70	212	410	658	844	815	460	-
1996.....	3,446	-	23	54	50	86	223	396	570	866	766	412	-
1995.....	3,483	4	23	57	50	77	210	388	612	869	808	385	-
1994.....	3,469	3	25	55	52	95	232	360	627	867	762	390	1
1993.....	3,459	3	26	40	58	104	230	381	611	855	789	362	-
1992.....	3,277	4	26	44	44	79	188	370	629	857	691	345	-
1991.....	3,140	2	28	40	51	79	187	305	593	804	700	351	-
1990.....	3,083	6	23	46	47	109	176	319	594	772	677	311	3
1989.....	3,025	5	28	58	51	89	169	320	615	804	608	278	-
1988.....	3,126	5	26	55	61	80	188	321	656	795	634	305	-
1987.....	3,077	3	18	41	56	78	175	325	638	765	676	302	-
1986.....	3,029	4	29	52	53	91	170	315	662	745	621	285	2
1985.....	2,904	4	19	42	44	83	157	364	617	745	595	232	2
1984.....	2,835	3	18	49	42	71	150	324	601	753	597	223	4
1983.....	2,726	4	17	46	54	64	132	353	612	704	521	218	1
1982.....	2,636	4	22	54	62	74	140	311	570	675	543	180	1
1981.....	2,539	-	21	64	49	65	132	310	548	658	508	184	-
1980.....	2,580	5	20	46	57	69	144	346	602	649	458	184	-
1979.....	2,424	6	21	45	49	52	98	299	563	673	438	179	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES (170-173,190-199)													
BLACK, BOTH SEXES													
1998.....	5,996	6	30	93	97	145	400	847	1,216	1,480	1,147	535	-
1997.....	6,184	10	37	72	117	152	403	837	1,256	1,479	1,222	599	-
1996.....	6,045	2	36	88	107	145	410	796	1,162	1,575	1,164	560	-
1995.....	6,277	5	44	87	111	164	434	789	1,197	1,648	1,279	516	3
1994.....	6,162	4	44	104	95	175	437	779	1,264	1,601	1,150	508	1
1993.....	6,233	7	43	68	99	186	409	792	1,283	1,658	1,201	487	-
1992.....	5,898	5	39	81	91	169	357	759	1,270	1,580	1,100	447	-
1991.....	5,903	3	58	79	83	164	376	679	1,248	1,552	1,173	486	2
1990.....	5,866	13	50	82	100	200	358	702	1,274	1,551	1,110	421	5
1989.....	5,911	7	39	87	92	173	370	713	1,354	1,559	1,094	423	-
1988.....	5,934	9	45	89	112	153	368	740	1,352	1,558	1,082	424	2
1987.....	6,026	6	46	74	122	152	331	743	1,382	1,542	1,175	452	1
1986.....	5,813	6	43	83	109	177	323	714	1,414	1,465	1,060	415	4
1985.....	5,797	6	31	70	106	166	336	769	1,343	1,532	1,053	383	2
1984.....	5,639	6	37	86	96	162	307	713	1,365	1,510	1,022	330	5
1983.....	5,463	10	42	93	102	128	254	694	1,355	1,468	992	322	3
1982.....	5,176	6	47	88	129	155	271	689	1,251	1,331	930	277	2
1981.....	5,041	5	40	111	118	130	269	661	1,199	1,341	883	282	2
1980.....	5,075	9	43	86	124	124	277	740	1,249	1,323	822	278	-
1979.....	4,838	9	39	97	118	101	225	673	1,148	1,355	802	270	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES (170-173,190-199)													
BLACK MALE													
1998.....	3,025	4	13	57	55	67	205	489	684	796	492	163	-
1997.....	3,134	8	23	34	69	96	231	491	709	767	517	189	-
1996.....	3,120	2	18	44	67	78	233	469	673	848	507	181	-
1995.....	3,243	1	27	42	72	107	254	457	674	871	564	171	3
1994.....	3,141	2	26	56	51	98	238	464	716	839	485	166	-
1993.....	3,255	4	24	34	54	97	226	466	751	920	506	173	-
1992.....	3,035	2	21	40	55	101	195	456	715	817	499	134	-
1991.....	3,170	1	31	46	42	97	218	429	737	838	546	183	2
1990.....	3,130	8	28	43	59	106	209	427	740	862	497	148	3
1989.....	3,223	2	18	38	48	98	223	439	796	836	548	177	-
1988.....	3,144	4	21	39	54	83	205	465	774	837	516	144	2
1987.....	3,255	3	32	35	73	85	185	449	808	855	552	177	1
1986.....	3,055	2	17	39	59	101	188	423	806	782	481	155	2
1985.....	3,157	2	15	34	68	92	204	447	777	839	517	162	-
1984.....	3,055	4	21	42	60	100	178	411	826	813	466	133	1
1983.....	2,974	7	26	52	57	75	142	373	792	812	508	128	2
1982.....	2,747	3	25	38	71	91	145	401	719	708	430	115	1
1981.....	2,702	5	21	53	75	76	152	381	680	726	418	113	2
1980.....	2,659	5	25	44	72	67	142	410	680	714	395	105	-
1979.....	2,566	4	18	55	73	52	138	392	618	714	399	103	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
---	-------	-----------------	--------------	---------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	--------------	------

MALIGNANT NEOPLASMS OF ALL OTHER AND UNSPECIFIED SITES (170-173,190-199)

BLACK FEMALE

1998.....	2,971	2	17	36	42	78	195	358	532	684	655	372	-
1997.....	3,050	2	14	38	48	56	172	346	547	712	705	410	-
1996.....	2,925	-	18	44	40	67	177	327	489	727	657	379	-
1995.....	3,034	4	17	45	39	57	180	332	523	777	715	345	-
1994.....	3,021	2	18	48	44	77	199	315	548	762	665	342	1
1993.....	2,978	3	19	34	45	89	183	326	532	738	695	314	-
1992.....	2,863	3	18	41	36	68	162	303	555	763	601	313	-
1991.....	2,733	2	27	33	41	67	158	250	511	714	627	303	-
1990.....	2,736	5	22	39	41	94	149	275	534	689	613	273	2
1989.....	2,688	5	21	49	44	75	147	274	558	723	546	246	-
1988.....	2,790	5	24	50	58	70	163	275	578	721	566	280	-
1987.....	2,771	3	14	39	49	67	146	294	574	687	623	275	-
1986.....	2,758	4	26	44	50	76	135	291	608	683	579	260	2
1985.....	2,640	4	16	36	38	74	132	322	566	693	536	221	2
1984.....	2,584	2	16	44	36	62	129	302	539	697	556	197	4
1983.....	2,489	3	16	41	45	53	112	321	563	656	484	194	1
1982.....	2,429	3	22	50	58	64	126	288	532	623	500	162	1
1981.....	2,339	-	19	58	43	54	117	280	519	615	465	169	-
1980.....	2,416	4	18	42	52	57	135	330	569	609	427	173	-
1979.....	2,272	5	21	42	45	49	87	281	530	641	403	167	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
LEUKEMIA (204-208)													
TOTAL, BOTH SEXES													
1998.....	20,324	19	116	328	447	495	929	1,355	2,326	4,953	6,255	3,100	1
1997.....	20,313	32	134	366	450	515	843	1,404	2,424	5,059	5,999	3,087	-
1996.....	20,340	32	150	350	430	571	814	1,387	2,377	5,164	6,034	3,031	-
1995.....	20,148	22	155	396	420	584	862	1,280	2,418	5,075	5,973	2,961	2
1994.....	19,669	19	170	361	500	620	826	1,334	2,422	4,946	5,578	2,893	-
1993.....	19,530	31	154	412	470	616	912	1,300	2,421	5,006	5,430	2,777	1
1992.....	19,272	36	174	422	481	655	848	1,263	2,467	4,889	5,387	2,650	-
1991.....	18,945	20	176	414	485	608	847	1,217	2,458	4,872	5,269	2,579	-
1990.....	18,574	24	170	382	535	668	872	1,207	2,443	4,754	5,123	2,393	3
1989.....	18,246	32	160	429	505	682	856	1,134	2,527	4,766	4,913	2,242	-
1988.....	17,577	21	187	416	518	580	899	1,134	2,409	4,366	4,814	2,233	-
1987.....	17,284	30	192	473	516	631	825	1,124	2,458	4,326	4,545	2,162	2
1986.....	17,365	25	194	448	574	669	810	1,101	2,532	4,373	4,559	2,079	1
1985.....	17,319	31	182	501	525	644	800	1,122	2,613	4,372	4,435	2,092	2
1984.....	17,080	32	175	478	611	611	830	1,188	2,621	4,275	4,271	1,988	-
1983.....	16,820	37	236	507	586	646	786	1,174	2,507	4,203	4,136	1,998	4
1982.....	16,704	33	200	566	689	641	762	1,132	2,440	4,102	4,221	1,918	-
1981.....	16,273	18	233	579	618	662	697	1,146	2,509	4,030	4,060	1,717	4
1980.....	16,533	31	188	655	735	696	744	1,210	2,569	4,033	3,921	1,751	-
1979.....	15,988	33	210	662	734	600	674	1,254	2,433	3,892	3,824	1,671	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
LEUKEMIA (204-208)													
TOTAL, MALE													
1998.....	11,201	11	55	193	273	286	551	774	1,386	3,033	3,425	1,213	1
1997.....	11,265	13	72	214	277	307	457	799	1,433	3,091	3,316	1,286	-
1996.....	11,179	13	87	202	262	338	453	810	1,428	3,092	3,203	1,291	-
1995.....	11,229	10	93	238	251	343	503	730	1,453	3,104	3,253	1,251	-
1994.....	10,840	8	88	203	327	400	456	759	1,479	2,953	3,006	1,161	-
1993.....	10,750	20	91	248	281	364	510	733	1,464	3,019	2,925	1,094	1
1992.....	10,609	20	93	262	293	383	494	697	1,479	2,929	2,897	1,062	-
1991.....	10,194	11	92	247	305	356	453	691	1,451	2,894	2,710	984	-
1990.....	10,192	12	94	238	322	397	461	686	1,465	2,846	2,694	976	1
1989.....	10,039	11	84	259	315	403	490	641	1,493	2,839	2,654	850	-
1988.....	9,724	6	93	263	333	352	523	645	1,432	2,594	2,575	908	-
1987.....	9,387	14	99	289	316	366	473	603	1,447	2,536	2,407	836	1
1986.....	9,565	17	109	257	385	386	448	606	1,473	2,601	2,423	859	1
1985.....	9,442	12	112	294	323	356	465	627	1,529	2,543	2,306	874	1
1984.....	9,276	17	94	290	371	351	478	649	1,527	2,471	2,204	824	-
1983.....	9,312	15	144	289	368	391	417	661	1,492	2,481	2,169	883	2
1982.....	9,244	16	106	343	404	337	444	637	1,458	2,426	2,247	826	-
1981.....	9,078	10	123	352	387	385	380	625	1,515	2,421	2,142	736	2
1980.....	9,193	19	105	412	444	394	406	686	1,496	2,382	2,051	798	-
1979.....	8,893	16	118	395	459	355	355	670	1,435	2,321	1,984	784	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
LEUKEMIA (204-208) TOTAL, FEMALE													
1998.....	9,123	8	61	135	174	209	378	581	940	1,920	2,830	1,887	-
1997.....	9,048	19	62	152	173	208	386	605	991	1,968	2,683	1,801	-
1996.....	9,161	19	63	148	168	233	361	577	949	2,072	2,831	1,740	-
1995.....	8,919	12	62	158	169	241	359	550	965	1,971	2,720	1,710	2
1994.....	8,829	11	82	158	173	220	370	575	943	1,993	2,572	1,732	-
1993.....	8,780	11	63	164	189	252	402	567	957	1,987	2,505	1,683	-
1992.....	8,663	16	81	160	188	272	354	566	988	1,960	2,490	1,588	-
1991.....	8,751	9	84	167	180	252	394	526	1,007	1,978	2,559	1,595	-
1990.....	8,382	12	76	144	213	271	411	521	978	1,908	2,429	1,417	2
1989.....	8,207	21	76	170	190	279	366	493	1,034	1,927	2,259	1,392	-
1988.....	7,853	15	94	153	185	228	376	489	977	1,772	2,239	1,325	-
1987.....	7,897	16	93	184	200	265	352	521	1,011	1,790	2,138	1,326	1
1986.....	7,800	8	85	191	189	283	362	495	1,059	1,772	2,136	1,220	-
1985.....	7,877	19	70	207	202	288	335	495	1,084	1,829	2,129	1,218	1
1984.....	7,804	15	81	188	240	260	352	539	1,094	1,804	2,067	1,164	-
1983.....	7,508	22	92	218	218	255	369	513	1,015	1,722	1,967	1,115	2
1982.....	7,460	17	94	223	285	304	318	495	982	1,676	1,974	1,092	-
1981.....	7,195	8	110	227	231	277	317	521	994	1,609	1,918	981	2
1980.....	7,340	12	83	243	291	302	338	524	1,073	1,651	1,870	953	-
1979.....	7,095	17	92	267	275	245	319	584	998	1,571	1,840	887	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
LEUKEMIA (204-208)													
WHITE, BOTH SEXES													
1998.....	18,214	18	92	264	382	387	744	1,120	1,994	4,511	5,815	2,887	-
1997.....	18,283	27	103	301	373	397	671	1,204	2,116	4,586	5,600	2,905	-
1996.....	18,234	26	126	278	342	463	665	1,184	2,076	4,661	5,598	2,815	-
1995.....	18,109	18	115	306	335	453	733	1,079	2,119	4,620	5,548	2,782	1
1994.....	17,708	16	131	300	406	506	680	1,150	2,115	4,513	5,189	2,702	-
1993.....	17,504	24	125	343	363	481	750	1,108	2,115	4,568	5,033	2,594	-
1992.....	17,405	33	149	353	386	527	706	1,085	2,182	4,471	5,019	2,494	-
1991.....	17,064	13	142	346	401	506	695	1,031	2,169	4,454	4,899	2,408	-
1990.....	16,722	19	143	311	446	540	717	1,041	2,144	4,346	4,763	2,250	2
1989.....	16,434	31	126	355	410	573	712	982	2,238	4,336	4,574	2,097	-
1988.....	15,854	17	153	345	433	481	751	991	2,167	3,973	4,453	2,090	-
1987.....	15,569	27	157	404	412	522	697	965	2,186	3,948	4,220	2,030	1
1986.....	15,709	19	167	375	489	559	683	968	2,235	4,017	4,245	1,951	1
1985.....	15,703	26	151	411	449	548	692	981	2,326	3,987	4,146	1,985	1
1984.....	15,479	26	145	398	509	527	695	1,026	2,360	3,906	3,996	1,891	-
1983.....	15,231	34	199	432	507	535	668	1,020	2,255	3,826	3,861	1,890	4
1982.....	15,152	28	161	480	576	551	657	987	2,164	3,779	3,931	1,838	-
1981.....	14,786	15	192	488	540	560	581	1,009	2,281	3,699	3,789	1,632	-
1980.....	15,081	26	158	582	612	598	645	1,057	2,324	3,727	3,683	1,669	-
1979.....	14,607	28	175	587	631	521	571	1,108	2,203	3,588	3,609	1,585	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
LEUKEMIA (204-208)													
WHITE MALE													
1998.....	10,070	10	42	156	236	223	435	645	1,206	2,786	3,207	1,124	-
1997.....	10,171	11	57	176	227	238	366	690	1,257	2,825	3,109	1,215	-
1996.....	10,055	8	75	164	211	278	376	700	1,254	2,807	2,986	1,196	-
1995.....	10,143	9	73	191	205	272	437	624	1,276	2,836	3,044	1,176	-
1994.....	9,772	7	69	167	271	327	376	665	1,297	2,702	2,809	1,082	-
1993.....	9,658	15	75	206	218	279	419	635	1,287	2,780	2,716	1,028	-
1992.....	9,595	18	83	218	237	310	414	593	1,324	2,699	2,697	1,002	-
1991.....	9,165	6	70	210	251	293	368	582	1,300	2,667	2,507	911	-
1990.....	9,189	10	81	194	275	331	376	593	1,305	2,596	2,510	917	1
1989.....	9,011	11	73	212	254	340	407	560	1,325	2,586	2,456	787	-
1988.....	8,785	5	80	224	281	296	433	566	1,289	2,372	2,398	841	-
1987.....	8,480	14	84	248	258	304	405	526	1,295	2,332	2,235	778	1
1986.....	8,685	14	98	216	328	325	380	538	1,316	2,395	2,265	809	1
1985.....	8,548	10	88	239	279	307	409	544	1,372	2,334	2,142	823	1
1984.....	8,409	13	77	244	307	304	411	562	1,386	2,269	2,054	782	-
1983.....	8,461	15	123	248	315	330	360	578	1,349	2,277	2,031	833	2
1982.....	8,402	15	89	291	337	295	392	561	1,307	2,245	2,085	785	-
1981.....	8,276	8	103	293	339	329	319	552	1,387	2,246	2,003	697	-
1980.....	8,396	16	89	371	369	343	359	612	1,360	2,190	1,932	755	-
1979.....	8,138	13	101	353	400	307	299	600	1,302	2,148	1,867	747	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
LEUKEMIA (204-208)													
WHITE FEMALE													
1998.....	8,144	8	50	108	146	164	309	475	788	1,725	2,608	1,763	-
1997.....	8,112	16	46	125	146	159	305	514	859	1,761	2,491	1,690	-
1996.....	8,179	18	51	114	131	185	289	484	822	1,854	2,612	1,619	-
1995.....	7,966	9	42	115	130	181	296	455	843	1,784	2,504	1,606	1
1994.....	7,936	9	62	133	135	179	304	485	818	1,811	2,380	1,620	-
1993.....	7,846	9	50	137	145	202	331	473	828	1,788	2,317	1,566	-
1992.....	7,810	15	66	135	149	217	292	492	858	1,772	2,322	1,492	-
1991.....	7,899	7	72	136	150	213	327	449	869	1,787	2,392	1,497	-
1990.....	7,533	9	62	117	171	209	341	448	839	1,750	2,253	1,333	1
1989.....	7,423	20	53	143	156	233	305	422	913	1,750	2,118	1,310	-
1988.....	7,069	12	73	121	152	185	318	425	878	1,601	2,055	1,249	-
1987.....	7,089	13	73	156	154	218	292	439	891	1,616	1,985	1,252	-
1986.....	7,024	5	69	159	161	234	303	430	919	1,622	1,980	1,142	-
1985.....	7,155	16	63	172	170	241	283	437	954	1,653	2,004	1,162	-
1984.....	7,070	13	68	154	202	223	284	464	974	1,637	1,942	1,109	-
1983.....	6,770	19	76	184	192	205	308	442	906	1,549	1,830	1,057	2
1982.....	6,750	13	72	189	239	256	265	426	857	1,534	1,846	1,053	-
1981.....	6,510	7	89	195	201	231	262	457	894	1,453	1,786	935	-
1980.....	6,685	10	69	211	243	255	286	445	964	1,537	1,751	914	-
1979.....	6,469	15	74	234	231	214	272	508	901	1,440	1,742	838	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
LEUKEMIA (204-208)													
ALL OTHER, BOTH SEXES													
1998.....	2,110	1	24	64	65	108	185	235	332	442	440	213	1
1997.....	2,030	5	31	65	77	118	172	200	308	473	399	182	-
1996.....	2,106	6	24	72	88	108	149	203	301	503	436	216	-
1995.....	2,039	4	40	90	85	131	129	201	299	455	425	179	1
1994.....	1,961	3	39	61	94	114	146	184	307	433	389	191	-
1993.....	2,026	7	29	69	107	135	162	192	306	438	397	183	1
1992.....	1,867	3	25	69	95	128	142	178	285	418	368	156	-
1991.....	1,881	7	34	68	84	102	152	186	289	418	370	171	-
1990.....	1,852	5	27	71	89	128	155	166	299	408	360	143	1
1989.....	1,812	1	34	74	95	109	144	152	289	430	339	145	-
1988.....	1,723	4	34	71	85	99	148	143	242	393	361	143	-
1987.....	1,715	3	35	69	104	109	128	159	272	378	325	132	1
1986.....	1,656	6	27	73	85	110	127	133	297	356	314	128	-
1985.....	1,616	5	31	90	76	96	108	141	287	385	289	107	1
1984.....	1,601	6	30	80	102	84	135	162	261	369	275	97	-
1983.....	1,589	3	37	75	79	111	118	154	252	377	275	108	-
1982.....	1,552	5	39	86	113	90	105	145	276	323	290	80	-
1981.....	1,487	3	41	91	78	102	116	137	228	331	271	85	4
1980.....	1,452	5	30	73	123	98	99	153	245	306	238	82	-
1979.....	1,381	5	35	75	103	79	103	146	230	304	215	86	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
LEUKEMIA (204-208)													
ALL OTHER MALE													
1998.....	1,131	1	13	37	37	63	116	129	180	247	218	89	1
1997.....	1,094	2	15	38	50	69	91	109	176	266	207	71	-
1996.....	1,124	5	12	38	51	60	77	110	174	285	217	95	-
1995.....	1,086	1	20	47	46	71	66	106	177	268	209	75	-
1994.....	1,068	1	19	36	56	73	80	94	182	251	197	79	-
1993.....	1,092	5	16	42	63	85	91	98	177	239	209	66	1
1992.....	1,014	2	10	44	56	73	80	104	155	230	200	60	-
1991.....	1,029	5	22	37	54	63	85	109	151	227	203	73	-
1990.....	1,003	2	13	44	47	66	85	93	160	250	184	59	-
1989.....	1,028	-	11	47	61	63	83	81	168	253	198	63	-
1988.....	939	1	13	39	52	56	90	79	143	222	177	67	-
1987.....	907	-	15	41	58	62	68	77	152	204	172	58	-
1986.....	880	3	11	41	57	61	68	68	157	206	158	50	-
1985.....	894	2	24	55	44	49	56	83	157	209	164	51	-
1984.....	867	4	17	46	64	47	67	87	141	202	150	42	-
1983.....	851	-	21	41	53	61	57	83	143	204	138	50	-
1982.....	842	1	17	52	67	42	52	76	151	181	162	41	-
1981.....	802	2	20	59	48	56	61	73	128	175	139	39	2
1980.....	797	3	16	41	75	51	47	74	136	192	119	43	-
1979.....	755	3	17	42	59	48	56	70	133	173	117	37	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
LEUKEMIA (204-208)													
ALL OTHER FEMALE													
1998.....	979	-	11	27	28	45	69	106	152	195	222	124	-
1997.....	936	3	16	27	27	49	81	91	132	207	192	111	-
1996.....	982	1	12	34	37	48	72	93	127	218	219	121	-
1995.....	953	3	20	43	39	60	63	95	122	187	216	104	1
1994.....	893	2	20	25	38	41	66	90	125	182	192	112	-
1993.....	934	2	13	27	44	50	71	94	129	199	188	117	-
1992.....	853	1	15	25	39	55	62	74	130	188	168	96	-
1991.....	852	2	12	31	30	39	67	77	138	191	167	98	-
1990.....	849	3	14	27	42	62	70	73	139	158	176	84	1
1989.....	784	1	23	27	34	46	61	71	121	177	141	82	-
1988.....	784	3	21	32	33	43	58	64	99	171	184	76	-
1987.....	808	3	20	28	46	47	60	82	120	174	153	74	1
1986.....	776	3	16	32	28	49	59	65	140	150	156	78	-
1985.....	722	3	7	35	32	47	52	58	130	176	125	56	1
1984.....	734	2	13	34	38	37	68	75	120	167	125	55	-
1983.....	738	3	16	34	26	50	61	71	109	173	137	58	-
1982.....	710	4	22	34	46	48	53	69	125	142	128	39	-
1981.....	685	1	21	32	30	46	55	64	100	156	132	46	2
1980.....	655	2	14	32	48	47	52	79	109	114	119	39	-
1979.....	626	2	18	33	44	31	47	76	97	131	98	49	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
LEUKEMIA (204-208)													
BLACK, BOTH SEXES													
1998.....	1,752	1	19	46	52	88	152	188	280	366	381	178	1
1997.....	1,673	1	24	46	63	93	132	159	255	395	345	160	-
1996.....	1,763	4	15	54	66	88	115	165	257	415	394	190	-
1995.....	1,686	1	31	62	66	98	99	167	259	392	356	155	-
1994.....	1,634	3	28	44	77	81	116	148	260	373	332	172	-
1993.....	1,681	5	18	54	83	103	130	155	258	377	343	154	1
1992.....	1,587	2	14	50	70	101	123	142	251	356	332	146	-
1991.....	1,609	5	28	51	65	82	119	151	252	372	327	157	-
1990.....	1,591	2	18	51	68	99	116	148	262	367	326	133	1
1989.....	1,540	1	23	54	83	79	111	131	243	369	314	132	-
1988.....	1,478	4	24	45	71	87	117	112	208	350	326	134	-
1987.....	1,479	2	21	54	83	86	98	140	242	334	295	123	1
1986.....	1,460	6	24	58	75	92	100	109	266	320	291	119	-
1985.....	1,401	3	20	72	58	73	93	116	250	354	261	100	1
1984.....	1,407	4	24	69	87	75	115	130	229	335	251	88	-
1983.....	1,394	3	27	63	62	95	96	134	226	344	245	99	-
1982.....	1,378	5	32	76	92	75	92	121	253	299	262	71	-
1981.....	1,337	3	37	79	68	88	94	119	208	306	254	78	3
1980.....	1,310	5	26	63	104	89	81	134	225	280	225	78	-
1979.....	1,262	4	28	64	94	63	85	136	217	286	203	82	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
LEUKEMIA (204-208) BLACK MALE													
1998.....	936	1	11	26	30	58	95	105	155	200	183	71	1
1997.....	905	-	14	23	40	55	77	88	147	226	173	62	-
1996.....	931	4	6	28	36	54	62	89	145	227	197	83	-
1995.....	908	1	15	31	33	56	55	91	157	233	174	62	-
1994.....	885	1	12	27	48	53	62	75	154	223	164	66	-
1993.....	906	3	10	30	52	63	71	80	153	213	179	51	1
1992.....	840	1	5	31	40	56	69	83	139	194	171	51	-
1991.....	869	3	19	27	40	54	66	86	134	199	175	66	-
1990.....	854	1	9	34	33	51	62	81	146	221	161	55	-
1989.....	868	-	8	40	52	45	63	73	134	217	179	57	-
1988.....	806	1	10	26	45	51	73	65	118	195	156	66	-
1987.....	781	-	11	30	44	52	50	66	135	186	155	52	-
1986.....	771	3	10	36	50	51	52	55	139	186	143	46	-
1985.....	769	1	17	43	33	36	51	70	133	191	146	48	-
1984.....	754	2	12	40	51	41	60	70	124	177	140	37	-
1983.....	741	-	16	36	38	53	47	70	131	179	124	47	-
1982.....	745	1	13	47	58	34	44	64	139	165	143	37	-
1981.....	709	2	18	52	44	47	51	60	117	154	126	36	2
1980.....	714	3	15	35	66	48	38	60	126	174	109	40	-
1979.....	677	2	13	34	52	37	47	61	124	163	108	36	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
LEUKEMIA (204-208) BLACK FEMALE													
1998.....	816	-	8	20	22	30	57	83	125	166	198	107	-
1997.....	768	1	10	23	23	38	55	71	108	169	172	98	-
1996.....	832	-	9	26	30	34	53	76	112	188	197	107	-
1995.....	778	-	16	31	33	42	44	76	102	159	182	93	-
1994.....	749	2	16	17	29	28	54	73	106	150	168	106	-
1993.....	775	2	8	24	31	40	59	75	105	164	164	103	-
1992.....	747	1	9	19	30	45	54	59	112	162	161	95	-
1991.....	740	2	9	24	25	28	53	65	118	173	152	91	-
1990.....	737	1	9	17	35	48	54	67	116	146	165	78	1
1989.....	672	1	15	14	31	34	48	58	109	152	135	75	-
1988.....	672	3	14	19	26	36	44	47	90	155	170	68	-
1987.....	698	2	10	24	39	34	48	74	107	148	140	71	1
1986.....	689	3	14	22	25	41	48	54	127	134	148	73	-
1985.....	632	2	3	29	25	37	42	46	117	163	115	52	1
1984.....	653	2	12	29	36	34	55	60	105	158	111	51	-
1983.....	653	3	11	27	24	42	49	64	95	165	121	52	-
1982.....	633	4	19	29	34	41	48	57	114	134	119	34	-
1981.....	628	1	19	27	24	41	43	59	91	152	128	42	1
1980.....	596	2	11	28	38	41	43	74	99	106	116	38	-
1979.....	585	2	15	30	42	26	38	75	93	123	95	46	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
OTHER MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-203)													
TOTAL, BOTH SEXES													
1998.....	35,214	5	16	54	249	612	1,291	2,717	4,906	9,445	11,283	4,635	1
1997.....	35,522	3	6	73	251	701	1,458	2,792	5,025	9,699	10,993	4,521	-
1996.....	34,590	1	13	61	257	725	1,469	2,646	4,903	9,577	10,655	4,282	1
1995.....	34,219	1	16	59	244	763	1,536	2,658	4,843	9,700	10,210	4,189	-
1994.....	33,411	4	15	73	244	765	1,415	2,641	4,869	9,535	9,917	3,932	1
1993.....	32,097	1	20	80	252	802	1,370	2,326	4,615	9,285	9,610	3,735	1
1992.....	31,112	1	17	71	308	874	1,412	2,307	4,526	9,008	9,155	3,432	1
1991.....	30,645	2	13	78	318	805	1,427	2,225	4,661	8,864	8,895	3,355	2
1990.....	29,167	-	15	81	293	846	1,222	2,111	4,577	8,497	8,380	3,145	-
1989.....	28,505	3	24	99	302	778	1,267	2,050	4,660	8,278	8,132	2,910	2
1988.....	27,185	3	25	90	310	777	1,187	1,992	4,538	7,960	7,584	2,718	1
1987.....	26,315	9	18	80	341	717	1,039	1,910	4,516	7,874	7,219	2,588	4
1986.....	26,166	3	29	117	376	823	1,133	1,891	4,444	7,949	6,995	2,406	-
1985.....	25,159	5	25	85	385	765	1,091	1,837	4,693	7,388	6,606	2,278	1
1984.....	24,122	5	21	87	392	721	1,028	1,851	4,655	7,075	6,213	2,073	1
1983.....	23,491	2	29	120	399	673	903	1,863	4,561	6,984	5,968	1,987	2
1982.....	22,757	3	27	134	391	677	919	1,961	4,399	6,652	5,707	1,885	2
1981.....	21,553	4	28	130	433	646	834	1,810	4,360	6,246	5,388	1,670	4
1980.....	21,438	2	25	142	430	658	851	1,907	4,418	6,286	5,101	1,617	1
1979.....	20,457	5	33	151	390	653	765	1,974	4,191	6,053	4,792	1,450	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
OTHER MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-203)													
TOTAL, MALE													
1998.....	18,336	2	11	36	159	407	857	1,723	2,859	5,105	5,359	1,818	-
1997.....	18,489	1	5	43	159	480	946	1,797	2,870	5,253	5,280	1,655	-
1996.....	17,979	-	8	45	150	471	996	1,624	2,826	5,126	5,088	1,644	1
1995.....	17,658	1	12	44	162	534	1,037	1,667	2,782	5,117	4,734	1,568	-
1994.....	17,311	2	8	59	138	489	945	1,637	2,821	5,106	4,586	1,520	-
1993.....	16,396	-	13	56	152	533	951	1,447	2,588	4,862	4,416	1,378	-
1992.....	16,170	1	11	46	194	580	965	1,448	2,624	4,768	4,270	1,262	1
1991.....	15,783	-	9	63	194	555	990	1,384	2,652	4,647	4,048	1,240	1
1990.....	15,312	-	9	62	189	587	833	1,337	2,710	4,488	3,915	1,182	-
1989.....	14,762	1	18	72	196	543	846	1,267	2,671	4,323	3,729	1,095	1
1988.....	14,068	-	16	67	194	519	758	1,232	2,638	4,133	3,464	1,046	1
1987.....	13,552	6	11	59	215	470	701	1,184	2,567	4,185	3,234	916	4
1986.....	13,586	1	22	88	222	565	760	1,138	2,503	4,236	3,180	871	-
1985.....	13,100	2	14	60	253	502	723	1,091	2,625	3,902	3,054	874	-
1984.....	12,391	1	11	62	254	475	649	1,101	2,612	3,684	2,767	774	1
1983.....	12,197	2	16	92	244	429	585	1,089	2,612	3,629	2,718	780	1
1982.....	11,785	2	20	107	241	444	603	1,165	2,473	3,465	2,557	707	1
1981.....	11,022	2	16	88	262	419	523	1,088	2,412	3,184	2,387	640	1
1980.....	11,148	2	14	109	287	410	539	1,128	2,482	3,248	2,293	635	1
1979.....	10,933	5	20	120	266	402	501	1,199	2,375	3,206	2,221	618	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
OTHER MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-203)													
TOTAL, FEMALE													
1998.....	16,878	3	5	18	90	205	434	994	2,047	4,340	5,924	2,817	1
1997.....	17,033	2	1	30	92	221	512	995	2,155	4,446	5,713	2,866	-
1996.....	16,611	1	5	16	107	254	473	1,022	2,077	4,451	5,567	2,638	-
1995.....	16,561	-	4	15	82	229	499	991	2,061	4,583	5,476	2,621	-
1994.....	16,100	2	7	14	106	276	470	1,004	2,048	4,429	5,331	2,412	1
1993.....	15,701	1	7	24	100	269	419	879	2,027	4,423	5,194	2,357	1
1992.....	14,942	-	6	25	114	294	447	859	1,902	4,240	4,885	2,170	-
1991.....	14,862	2	4	15	124	250	437	841	2,009	4,217	4,847	2,115	1
1990.....	13,855	-	6	19	104	259	389	774	1,867	4,009	4,465	1,963	-
1989.....	13,743	2	6	27	106	235	421	783	1,989	3,955	4,403	1,815	1
1988.....	13,117	3	9	23	116	258	429	760	1,900	3,827	4,120	1,672	-
1987.....	12,763	3	7	21	126	247	338	726	1,949	3,689	3,985	1,672	-
1986.....	12,580	2	7	29	154	258	373	753	1,941	3,713	3,815	1,535	-
1985.....	12,059	3	11	25	132	263	368	746	2,068	3,486	3,552	1,404	1
1984.....	11,731	4	10	25	138	246	379	750	2,043	3,391	3,446	1,299	-
1983.....	11,294	-	13	28	155	244	318	774	1,949	3,355	3,250	1,207	1
1982.....	10,972	1	7	27	150	233	316	796	1,926	3,187	3,150	1,178	1
1981.....	10,531	2	12	42	171	227	311	722	1,948	3,062	3,001	1,030	3
1980.....	10,290	-	11	33	143	248	312	779	1,936	3,038	2,808	982	-
1979.....	9,524	-	13	31	124	251	264	775	1,816	2,847	2,571	832	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
OTHER MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-203)													
WHITE, BOTH SEXES													
1998.....	31,151	3	14	42	206	477	1,019	2,226	4,151	8,401	10,351	4,260	1
1997.....	31,486	3	5	57	192	561	1,130	2,305	4,292	8,678	10,097	4,166	-
1996.....	30,678	1	10	44	206	572	1,179	2,219	4,185	8,528	9,775	3,958	1
1995.....	30,448	-	13	45	185	601	1,257	2,224	4,130	8,749	9,381	3,863	-
1994.....	29,824	3	10	58	195	618	1,173	2,212	4,178	8,615	9,134	3,628	-
1993.....	28,567	1	15	67	199	662	1,133	1,938	3,990	8,308	8,827	3,426	1
1992.....	27,715	1	17	57	254	709	1,142	1,949	3,883	8,128	8,405	3,169	1
1991.....	27,224	1	12	69	262	639	1,174	1,898	4,038	7,893	8,105	3,131	2
1990.....	26,033	-	12	69	239	711	1,000	1,774	3,974	7,621	7,710	2,923	-
1989.....	25,472	2	17	85	246	630	1,071	1,714	4,087	7,461	7,462	2,695	2
1988.....	24,343	3	21	79	259	660	1,002	1,665	3,985	7,169	6,974	2,525	1
1987.....	23,578	7	16	66	288	615	876	1,621	4,003	7,076	6,626	2,383	1
1986.....	23,393	3	23	94	327	714	958	1,603	3,900	7,134	6,403	2,234	-
1985.....	22,524	2	22	72	327	642	933	1,587	4,139	6,652	6,030	2,117	1
1984.....	21,675	2	17	77	334	597	887	1,584	4,093	6,429	5,708	1,946	1
1983.....	21,072	2	27	93	338	572	780	1,602	4,025	6,327	5,453	1,851	2
1982.....	20,461	2	24	113	342	585	800	1,696	3,925	5,986	5,233	1,754	1
1981.....	19,323	3	25	111	371	569	698	1,579	3,872	5,582	4,967	1,542	4
1980.....	19,305	1	20	122	377	576	742	1,664	3,903	5,687	4,700	1,513	-
1979.....	18,462	3	27	133	341	566	669	1,723	3,716	5,482	4,457	1,345	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
OTHER MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-203)													
WHITE MALE													
1998.....	16,278	1	9	30	134	324	696	1,427	2,460	4,592	4,936	1,669	-
1997.....	16,361	1	4	31	122	392	737	1,501	2,473	4,734	4,850	1,516	-
1996.....	15,923	-	7	33	120	371	810	1,360	2,436	4,587	4,678	1,520	1
1995.....	15,710	-	11	35	123	426	861	1,404	2,422	4,641	4,355	1,432	-
1994.....	15,455	2	7	46	110	395	785	1,392	2,433	4,635	4,253	1,397	-
1993.....	14,558	-	9	49	121	439	792	1,225	2,274	4,335	4,071	1,243	-
1992.....	14,385	1	11	37	161	475	788	1,246	2,261	4,316	3,930	1,158	1
1991.....	14,013	-	8	55	167	446	829	1,192	2,312	4,158	3,691	1,154	1
1990.....	13,623	-	8	53	149	498	690	1,140	2,374	4,034	3,598	1,079	-
1989.....	13,135	-	12	64	153	430	725	1,061	2,363	3,914	3,415	997	1
1988.....	12,590	-	13	58	163	448	643	1,035	2,347	3,740	3,172	970	1
1987.....	12,082	4	9	51	185	405	597	1,016	2,296	3,758	2,930	830	1
1986.....	12,066	1	17	70	190	498	644	984	2,198	3,791	2,871	802	-
1985.....	11,720	1	12	50	211	425	624	949	2,322	3,523	2,794	809	-
1984.....	11,077	-	8	54	217	393	557	947	2,298	3,358	2,520	724	1
1983.....	10,866	2	15	78	208	363	513	936	2,289	3,292	2,456	713	1
1982.....	10,551	1	17	91	210	383	533	1,010	2,218	3,118	2,322	648	-
1981.....	9,863	1	15	79	222	376	445	961	2,154	2,848	2,173	588	1
1980.....	9,990	1	12	95	253	366	473	998	2,195	2,912	2,091	594	-
1979.....	9,854	3	16	106	230	352	447	1,058	2,105	2,915	2,053	569	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
OTHER MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-203)													
WHITE FEMALE													
1998.....	14,873	2	5	12	72	153	323	799	1,691	3,809	5,415	2,591	1
1997.....	15,125	2	1	26	70	169	393	804	1,819	3,944	5,247	2,650	-
1996.....	14,755	1	3	11	86	201	369	859	1,749	3,941	5,097	2,438	-
1995.....	14,738	-	2	10	62	175	396	820	1,708	4,108	5,026	2,431	-
1994.....	14,369	1	3	12	85	223	388	820	1,745	3,980	4,881	2,231	-
1993.....	14,009	1	6	18	78	223	341	713	1,716	3,973	4,756	2,183	1
1992.....	13,330	-	6	20	93	234	354	703	1,622	3,812	4,475	2,011	-
1991.....	13,211	1	4	14	95	193	345	706	1,726	3,735	4,414	1,977	1
1990.....	12,410	-	4	16	90	213	310	634	1,600	3,587	4,112	1,844	-
1989.....	12,337	2	5	21	93	200	346	653	1,724	3,547	4,047	1,698	1
1988.....	11,753	3	8	21	96	212	359	630	1,638	3,429	3,802	1,555	-
1987.....	11,496	3	7	15	103	210	279	605	1,707	3,318	3,696	1,553	-
1986.....	11,327	2	6	24	137	216	314	619	1,702	3,343	3,532	1,432	-
1985.....	10,804	1	10	22	116	217	309	638	1,817	3,129	3,236	1,308	1
1984.....	10,598	2	9	23	117	204	330	637	1,795	3,071	3,188	1,222	-
1983.....	10,206	-	12	15	130	209	267	666	1,736	3,035	2,997	1,138	1
1982.....	9,910	1	7	22	132	202	267	686	1,707	2,868	2,911	1,106	1
1981.....	9,460	2	10	32	149	193	253	618	1,718	2,734	2,794	954	3
1980.....	9,315	-	8	27	124	210	269	666	1,708	2,775	2,609	919	-
1979.....	8,608	-	11	27	111	214	222	665	1,611	2,567	2,404	776	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
OTHER MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-203)													
ALL OTHER, BOTH SEXES													
1998.....	4,063	2	2	12	43	135	272	491	755	1,044	932	375	-
1997.....	4,036	-	1	16	59	140	328	487	733	1,021	896	355	-
1996.....	3,912	-	3	17	51	153	290	427	718	1,049	880	324	-
1995.....	3,771	1	3	14	59	162	279	434	713	951	829	326	-
1994.....	3,587	1	5	15	49	147	242	429	691	920	783	304	1
1993.....	3,530	-	5	13	53	140	237	388	625	977	783	309	-
1992.....	3,397	-	-	14	54	165	270	358	643	880	750	263	-
1991.....	3,421	1	1	9	56	166	253	327	623	971	790	224	-
1990.....	3,134	-	3	12	54	135	222	337	603	876	670	222	-
1989.....	3,033	1	7	14	56	148	196	336	573	817	670	215	-
1988.....	2,842	-	4	11	51	117	185	327	553	791	610	193	-
1987.....	2,737	2	2	14	53	102	163	289	513	798	593	205	3
1986.....	2,773	-	6	23	49	109	175	288	544	815	592	172	-
1985.....	2,635	3	3	13	58	123	158	250	554	736	576	161	-
1984.....	2,447	3	4	10	58	124	141	267	562	646	505	127	-
1983.....	2,419	-	2	27	61	101	123	261	536	657	515	136	-
1982.....	2,296	1	3	21	49	92	119	265	474	666	474	131	1
1981.....	2,230	1	3	19	62	77	136	231	488	664	421	128	-
1980.....	2,133	1	5	20	53	82	109	243	515	599	401	104	1
1979.....	1,995	2	6	18	49	87	96	251	475	571	335	105	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
---	-------	-----------------	--------------	---------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	--------------	------

OTHER MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-203)													
ALL OTHER MALE													
1998.....	2,058	1	2	6	25	83	161	296	399	513	423	149	-
1997.....	2,128	-	1	12	37	88	209	296	397	519	430	139	-
1996.....	2,056	-	1	12	30	100	186	264	390	539	410	124	-
1995.....	1,948	1	1	9	39	108	176	263	360	476	379	136	-
1994.....	1,856	-	1	13	28	94	160	245	388	471	333	123	-
1993.....	1,838	-	4	7	31	94	159	222	314	527	345	135	-
1992.....	1,785	-	-	9	33	105	177	202	363	452	340	104	-
1991.....	1,770	-	1	8	27	109	161	192	340	489	357	86	-
1990.....	1,689	-	1	9	40	89	143	197	336	454	317	103	-
1989.....	1,627	1	6	8	43	113	121	206	308	409	314	98	-
1988.....	1,478	-	3	9	31	71	115	197	291	393	292	76	-
1987.....	1,470	2	2	8	30	65	104	168	271	427	304	86	3
1986.....	1,520	-	5	18	32	67	116	154	305	445	309	69	-
1985.....	1,380	1	2	10	42	77	99	142	303	379	260	65	-
1984.....	1,314	1	3	8	37	82	92	154	314	326	247	50	-
1983.....	1,331	-	1	14	36	66	72	153	323	337	262	67	-
1982.....	1,234	1	3	16	31	61	70	155	255	347	235	59	1
1981.....	1,159	1	1	9	40	43	78	127	258	336	214	52	-
1980.....	1,158	1	2	14	34	44	66	130	287	336	202	41	1
1979.....	1,079	2	4	14	36	50	54	141	270	291	168	49	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
---	-------	-----------------	--------------	---------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	--------------	------

OTHER MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-203)

ALL OTHER FEMALE

1998.....	2,005	1	-	6	18	52	111	195	356	531	509	226	-
1997.....	1,908	-	-	4	22	52	119	191	336	502	466	216	-
1996.....	1,856	-	2	5	21	53	104	163	328	510	470	200	-
1995.....	1,823	-	2	5	20	54	103	171	353	475	450	190	-
1994.....	1,731	1	4	2	21	53	82	184	303	449	450	181	1
1993.....	1,692	-	1	6	22	46	78	166	311	450	438	174	-
1992.....	1,612	-	-	5	21	60	93	156	280	428	410	159	-
1991.....	1,651	1	-	1	29	57	92	135	283	482	433	138	-
1990.....	1,445	-	2	3	14	46	79	140	267	422	353	119	-
1989.....	1,406	-	1	6	13	35	75	130	265	408	356	117	-
1988.....	1,364	-	1	2	20	46	70	130	262	398	318	117	-
1987.....	1,267	-	-	6	23	37	59	121	242	371	289	119	-
1986.....	1,253	-	1	5	17	42	59	134	239	370	283	103	-
1985.....	1,255	2	1	3	16	46	59	108	251	357	316	96	-
1984.....	1,133	2	1	2	21	42	49	113	248	320	258	77	-
1983.....	1,088	-	1	13	25	35	51	108	213	320	253	69	-
1982.....	1,062	-	-	5	18	31	49	110	219	319	239	72	-
1981.....	1,071	-	2	10	22	34	58	104	230	328	207	76	-
1980.....	975	-	3	6	19	38	43	113	228	263	199	63	-
1979.....	916	-	2	4	13	37	42	110	205	280	167	56	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
OTHER MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-203)													
BLACK, BOTH SEXES													
1998.....	3,470	1	1	10	33	115	237	439	670	877	770	317	-
1997.....	3,455	-	-	14	51	118	293	423	623	876	750	307	-
1996.....	3,385	-	2	15	46	130	257	375	644	888	751	277	-
1995.....	3,272	-	2	12	48	142	249	387	622	822	711	277	-
1994.....	3,112	1	3	9	40	119	209	380	600	813	677	260	1
1993.....	3,110	-	4	10	43	123	211	353	559	855	687	265	-
1992.....	2,988	-	-	11	45	148	246	321	562	776	650	229	-
1991.....	3,024	1	1	6	52	149	225	284	545	861	697	203	-
1990.....	2,773	-	2	8	48	123	196	298	543	772	589	194	-
1989.....	2,695	1	5	13	52	130	178	297	504	733	585	197	-
1988.....	2,544	-	3	8	46	109	162	291	503	712	537	173	-
1987.....	2,479	1	2	9	48	94	150	266	467	729	528	182	3
1986.....	2,513	-	5	20	45	101	156	263	498	747	521	157	-
1985.....	2,373	3	2	12	49	109	141	217	503	674	521	142	-
1984.....	2,236	2	2	8	54	118	130	241	519	585	465	112	-
1983.....	2,223	-	-	24	50	91	112	239	499	612	477	119	-
1982.....	2,116	-	2	15	44	88	108	246	441	617	435	119	1
1981.....	2,056	1	3	16	57	69	119	208	457	620	389	117	-
1980.....	1,961	1	3	19	48	76	94	225	479	549	370	96	1
1979.....	1,849	2	6	18	46	77	88	233	450	530	309	90	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
OTHER MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-203)													
BLACK MALE													
1998.....	1,741	-	1	5	19	73	136	267	347	433	343	117	-
1997.....	1,788	-	-	10	33	71	190	255	326	443	345	115	-
1996.....	1,769	-	1	10	28	88	166	233	349	452	339	103	-
1995.....	1,678	-	-	7	30	96	159	239	315	405	321	106	-
1994.....	1,588	-	1	8	22	79	134	217	336	417	273	101	-
1993.....	1,588	-	3	5	24	82	140	203	285	450	292	104	-
1992.....	1,551	-	-	7	25	98	163	174	313	396	288	87	-
1991.....	1,547	-	1	5	26	100	144	167	298	425	305	76	-
1990.....	1,492	-	-	6	36	81	124	179	303	399	277	87	-
1989.....	1,434	1	4	7	40	100	111	185	272	363	265	86	-
1988.....	1,315	-	3	7	29	65	100	174	267	349	253	68	-
1987.....	1,335	1	2	5	28	63	96	157	250	393	262	75	3
1986.....	1,353	-	4	16	29	62	102	138	281	402	259	60	-
1985.....	1,230	1	2	9	36	70	87	125	270	350	224	56	-
1984.....	1,199	-	1	7	35	81	83	140	290	292	227	43	-
1983.....	1,206	-	-	11	28	58	65	140	295	313	238	58	-
1982.....	1,120	-	2	13	27	57	64	144	232	320	206	54	1
1981.....	1,063	1	1	9	36	38	69	118	238	310	196	47	-
1980.....	1,058	1	1	13	31	42	59	123	266	305	180	36	1
1979.....	996	2	4	14	34	45	48	132	257	265	153	42	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
OTHER MALIGNANT NEOPLASMS OF LYMPHATIC AND HEMATOPOIETIC TISSUES (200-203)													
BLACK FEMALE													
1998.....	1,729	1	-	5	14	42	101	172	323	444	427	200	-
1997.....	1,667	-	-	4	18	47	103	168	297	433	405	192	-
1996.....	1,616	-	1	5	18	42	91	142	295	436	412	174	-
1995.....	1,594	-	2	5	18	46	90	148	307	417	390	171	-
1994.....	1,524	1	2	1	18	40	75	163	264	396	404	159	1
1993.....	1,522	-	1	5	19	41	71	150	274	405	395	161	-
1992.....	1,437	-	-	4	20	50	83	147	249	380	362	142	-
1991.....	1,477	1	-	1	26	49	81	117	247	436	392	127	-
1990.....	1,281	-	2	2	12	42	72	119	240	373	312	107	-
1989.....	1,261	-	1	6	12	30	67	112	232	370	320	111	-
1988.....	1,229	-	-	1	17	44	62	117	236	363	284	105	-
1987.....	1,144	-	-	4	20	31	54	109	217	336	266	107	-
1986.....	1,160	-	1	4	16	39	54	125	217	345	262	97	-
1985.....	1,143	2	-	3	13	39	54	92	233	324	297	86	-
1984.....	1,037	2	1	1	19	37	47	101	229	293	238	69	-
1983.....	1,017	-	-	13	22	33	47	99	204	299	239	61	-
1982.....	996	-	-	2	17	31	44	102	209	297	229	65	-
1981.....	993	-	2	7	21	31	50	90	219	310	193	70	-
1980.....	903	-	2	6	17	34	35	102	213	244	190	60	-
1979.....	853	-	2	4	12	32	40	101	193	265	156	48	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
BENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR AND OF UNSPECIFIED NATURE (210-239)													
TOTAL, BOTH SEXES													
1998.....	7,933	60	53	84	121	175	331	517	773	1,520	2,358	1,941	-
1997.....	7,659	63	65	76	115	187	316	503	726	1,517	2,353	1,738	-
1996.....	7,647	60	70	85	98	164	357	499	790	1,514	2,337	1,672	1
1995.....	7,759	74	54	105	102	210	331	502	804	1,612	2,297	1,668	-
1994.....	7,517	67	79	101	110	189	384	508	753	1,494	2,227	1,605	-
1993.....	7,441	61	77	72	96	219	341	477	771	1,580	2,211	1,534	2
1992.....	7,070	62	61	97	101	197	321	438	757	1,571	2,075	1,390	-
1991.....	6,994	60	76	73	103	195	291	386	787	1,589	2,097	1,337	-
1990.....	6,752	71	75	100	93	213	296	399	755	1,529	2,006	1,214	1
1989.....	6,701	56	66	85	87	166	284	410	813	1,547	1,999	1,187	1
1988.....	6,735	60	69	103	100	194	273	413	842	1,566	1,974	1,140	1
1987.....	6,570	59	55	81	106	183	246	368	841	1,646	1,929	1,056	-
1986.....	6,730	78	56	90	132	203	262	439	918	1,541	1,963	1,046	2
1985.....	6,699	61	68	87	100	185	283	421	953	1,665	1,836	1,038	2
1984.....	6,436	78	49	80	99	186	258	365	933	1,621	1,816	951	-
1983.....	6,483	53	54	90	120	178	269	448	960	1,568	1,800	941	2
1982.....	6,460	60	56	93	133	176	244	478	1,063	1,661	1,677	818	1
1981.....	6,235	54	48	92	116	170	261	486	987	1,620	1,653	746	2
1980.....	6,193	67	38	104	130	195	264	541	1,057	1,569	1,530	698	-
1979.....	5,904	48	47	91	131	196	248	508	1,052	1,550	1,388	644	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
OBENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR AND OF UNSPECIFIED NATURE (210-239)													
TOTAL, MALE													
1998.....	3,516	29	28	46	72	105	174	287	397	768	1,031	579	-
1997.....	3,366	31	32	30	64	101	160	263	394	742	1,043	506	-
1996.....	3,412	26	39	39	60	97	198	265	445	731	999	512	1
1995.....	3,474	43	35	52	57	136	186	278	419	800	961	507	-
1994.....	3,404	33	44	52	60	113	229	268	421	771	932	481	-
1993.....	3,424	30	47	35	54	126	200	246	442	819	935	489	1
1992.....	3,256	34	34	51	52	115	175	244	417	798	894	442	-
1991.....	3,179	30	39	44	49	118	162	220	429	796	897	395	-
1990.....	3,012	31	35	45	47	118	165	194	378	803	818	378	-
1989.....	3,048	29	34	47	48	94	143	225	411	763	862	392	-
1988.....	3,012	26	36	49	59	101	156	219	418	761	819	367	1
1987.....	3,065	26	28	49	51	104	115	199	450	868	847	328	-
1986.....	3,114	37	28	46	80	117	146	244	485	724	847	358	2
1985.....	3,008	22	45	43	52	98	154	228	483	785	761	336	1
1984.....	2,920	34	23	34	50	107	145	192	482	774	764	315	-
1983.....	2,985	29	26	46	65	97	147	221	514	763	768	307	2
1982.....	2,977	28	31	44	64	90	126	242	547	793	718	293	1
1981.....	2,934	30	26	49	64	81	135	248	510	823	719	249	-
1980.....	2,879	36	22	55	72	96	132	249	546	755	684	232	-
1979.....	2,704	17	25	43	68	101	117	243	527	746	597	220	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
OBENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR AND OF UNSPECIFIED NATURE (210-239)													
TOTAL, FEMALE													
1998.....	4,417	31	25	38	49	70	157	230	376	752	1,327	1,362	-
1997.....	4,293	32	33	46	51	86	156	240	332	775	1,310	1,232	-
1996.....	4,235	34	31	46	38	67	159	234	345	783	1,338	1,160	-
1995.....	4,285	31	19	53	45	74	145	224	385	812	1,336	1,161	-
1994.....	4,113	34	35	49	50	76	155	240	332	723	1,295	1,124	-
1993.....	4,017	31	30	37	42	93	141	231	329	761	1,276	1,045	1
1992.....	3,814	28	27	46	49	82	146	194	340	773	1,181	948	-
1991.....	3,815	30	37	29	54	77	129	166	358	793	1,200	942	-
1990.....	3,740	40	40	55	46	95	131	205	377	726	1,188	836	1
1989.....	3,653	27	32	38	39	72	141	185	402	784	1,137	795	1
1988.....	3,723	34	33	54	41	93	117	194	424	805	1,155	773	-
1987.....	3,505	33	27	32	55	79	131	169	391	778	1,082	728	-
1986.....	3,616	41	28	44	52	86	116	195	433	817	1,116	688	-
1985.....	3,691	39	23	44	48	87	129	193	470	880	1,075	702	1
1984.....	3,516	44	26	46	49	79	113	173	451	847	1,052	636	-
1983.....	3,498	24	28	44	55	81	122	227	446	805	1,032	634	-
1982.....	3,483	32	25	49	69	86	118	236	516	868	959	525	-
1981.....	3,301	24	22	43	52	89	126	238	477	797	934	497	2
1980.....	3,314	31	16	49	58	99	132	292	511	814	846	466	-
1979.....	3,200	31	22	48	63	95	131	265	525	804	791	424	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
OBENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR AND OF UNSPECIFIED NATURE (210-239)													
WHITE, BOTH SEXES													
1998.....	6,940	44	39	58	91	141	249	410	652	1,314	2,152	1,790	-
1997.....	6,682	48	56	51	90	145	243	408	608	1,305	2,122	1,606	-
1996.....	6,657	51	49	61	72	114	276	405	670	1,331	2,080	1,548	-
1995.....	6,748	68	37	79	70	168	247	414	683	1,388	2,096	1,498	-
1994.....	6,595	51	62	79	89	153	301	411	625	1,324	2,014	1,486	-
1993.....	6,539	49	66	53	83	170	266	386	647	1,389	2,002	1,427	1
1992.....	6,191	47	51	82	81	157	264	363	639	1,358	1,863	1,286	-
1991.....	6,136	48	64	63	81	141	237	315	656	1,385	1,903	1,243	-
1990.....	5,908	57	62	85	71	180	234	309	643	1,336	1,799	1,132	-
1989.....	5,858	39	46	70	63	134	225	340	695	1,345	1,823	1,077	1
1988.....	5,870	53	53	83	74	149	235	338	706	1,361	1,767	1,051	-
1987.....	5,802	54	42	68	83	149	198	315	713	1,461	1,749	970	-
1986.....	5,895	65	44	74	103	174	216	348	772	1,353	1,774	970	2
1985.....	5,839	50	53	66	76	155	223	337	804	1,435	1,671	968	1
1984.....	5,656	61	42	63	82	156	213	289	806	1,423	1,648	873	-
1983.....	5,728	43	42	71	98	142	224	374	836	1,366	1,648	883	1
1982.....	5,654	42	45	70	106	142	196	394	892	1,465	1,529	772	1
1981.....	5,508	43	38	75	90	142	219	402	849	1,434	1,527	688	1
1980.....	5,383	53	30	80	110	163	223	429	902	1,346	1,396	651	-
1979.....	5,201	41	36	69	104	164	192	407	908	1,382	1,287	610	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR
 TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+ N.S.
 OBENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR AND OF UNSPECIFIED NATURE (210-239)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
WHITE MALE													
1998.....	3,079	20	22	33	57	83	137	225	342	679	946	535	-
1997.....	2,926	20	27	18	52	81	131	222	326	643	939	467	-
1996.....	2,973	24	30	27	46	73	162	215	376	656	890	474	-
1995.....	3,025	39	24	37	41	114	140	236	365	699	885	445	-
1994.....	2,997	24	35	42	49	92	188	222	354	690	854	447	-
1993.....	2,997	24	40	26	46	97	157	196	375	729	849	457	1
1992.....	2,843	24	27	42	41	92	151	199	362	693	801	411	-
1991.....	2,783	23	33	38	41	85	140	177	365	705	819	357	-
1990.....	2,658	25	31	37	35	98	129	155	329	709	750	360	-
1989.....	2,685	24	21	42	28	84	122	189	349	674	796	356	-
1988.....	2,639	21	29	41	45	80	139	182	357	676	736	333	-
1987.....	2,683	25	20	43	41	85	88	171	384	772	759	295	-
1986.....	2,740	31	23	37	61	100	125	194	424	636	776	331	2
1985.....	2,632	17	38	34	39	82	123	185	424	685	688	316	1
1984.....	2,568	27	21	28	41	90	119	153	417	685	700	287	-
1983.....	2,639	26	20	34	52	81	124	188	453	668	706	286	1
1982.....	2,617	19	23	33	51	74	102	203	462	712	654	283	1
1981.....	2,625	25	21	41	53	69	121	209	449	741	663	233	-
1980.....	2,514	30	17	43	64	85	115	203	466	654	619	218	-
1979.....	2,406	14	21	35	58	81	83	209	454	680	561	210	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR
 TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+ N.S.
 BENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR AND OF UNSPECIFIED NATURE (210-239)

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
WHITE FEMALE													
1998.....	3,861	24	17	25	34	58	112	185	310	635	1,206	1,255	-
1997.....	3,756	28	29	33	38	64	112	186	282	662	1,183	1,139	-
1996.....	3,684	27	19	34	26	41	114	190	294	675	1,190	1,074	-
1995.....	3,723	29	13	42	29	54	107	178	318	689	1,211	1,053	-
1994.....	3,598	27	27	37	40	61	113	189	271	634	1,160	1,039	-
1993.....	3,542	25	26	27	37	73	109	190	272	660	1,153	970	-
1992.....	3,348	23	24	40	40	65	113	164	277	665	1,062	875	-
1991.....	3,353	25	31	25	40	56	97	138	291	680	1,084	886	-
1990.....	3,250	32	31	48	36	82	105	154	314	627	1,049	772	-
1989.....	3,173	15	25	28	35	50	103	151	346	671	1,027	721	1
1988.....	3,231	32	24	42	29	69	96	156	349	685	1,031	718	-
1987.....	3,119	29	22	25	42	64	110	144	329	689	990	675	-
1986.....	3,155	34	21	37	42	74	91	154	348	717	998	639	-
1985.....	3,207	33	15	32	37	73	100	152	380	750	983	652	-
1984.....	3,088	34	21	35	41	66	94	136	389	738	948	586	-
1983.....	3,089	17	22	37	46	61	100	186	383	698	942	597	-
1982.....	3,037	23	22	37	55	68	94	191	430	753	875	489	-
1981.....	2,883	18	17	34	37	73	98	193	400	693	864	455	1
1980.....	2,869	23	13	37	46	78	108	226	436	692	777	433	-
1979.....	2,795	27	15	34	46	83	109	198	454	702	726	400	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
BENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR AND OF UNSPECIFIED NATURE (210-239)													
ALL OTHER, BOTH SEXES													
1998.....	993	16	14	26	30	34	82	107	121	206	206	151	-
1997.....	977	15	9	25	25	42	73	95	118	212	231	132	-
1996.....	990	9	21	24	26	50	81	94	120	183	257	124	1
1995.....	1,011	6	17	26	32	42	84	88	121	224	201	170	-
1994.....	922	16	17	22	21	36	83	97	128	170	213	119	-
1993.....	902	12	11	19	13	49	75	91	124	191	209	107	1
1992.....	879	15	10	15	20	40	57	75	118	213	212	104	-
1991.....	858	12	12	10	22	54	54	71	131	204	194	94	-
1990.....	844	14	13	15	22	33	62	90	112	193	207	82	1
1989.....	843	17	20	15	24	32	59	70	118	202	176	110	-
1988.....	865	7	16	20	26	45	38	75	136	205	207	89	1
1987.....	768	5	13	13	23	34	48	53	128	185	180	86	-
1986.....	835	13	12	16	29	29	46	91	146	188	189	76	-
1985.....	860	11	15	21	24	30	60	84	149	230	165	70	1
1984.....	780	17	7	17	17	30	45	76	127	198	168	78	-
1983.....	755	10	12	19	22	36	45	74	124	202	152	58	1
1982.....	806	18	11	23	27	34	48	84	171	196	148	46	-
1981.....	727	11	10	17	26	28	42	84	138	186	126	58	1
1980.....	810	14	8	24	20	32	41	112	155	223	134	47	-
1979.....	703	7	11	22	27	32	56	101	144	168	101	34	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR
 TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+ N.S.
 BENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR AND OF UNSPECIFIED NATURE (210-239)

ALL OTHER MALE	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
1998.....	437	9	6	13	15	22	37	62	55	89	85	44	-
1997.....	440	11	5	12	12	20	29	41	68	99	104	39	-
1996.....	439	2	9	12	14	24	36	50	69	75	109	38	1
1995.....	449	4	11	15	16	22	46	42	54	101	76	62	-
1994.....	407	9	9	10	11	21	41	46	67	81	78	34	-
1993.....	427	6	7	9	8	29	43	50	67	90	86	32	-
1992.....	413	10	7	9	11	23	24	45	55	105	93	31	-
1991.....	396	7	6	6	8	33	22	43	64	91	78	38	-
1990.....	354	6	4	8	12	20	36	39	49	94	68	18	-
1989.....	363	5	13	5	20	10	21	36	62	89	66	36	-
1988.....	373	5	7	8	14	21	17	37	61	85	83	34	1
1987.....	382	1	8	6	10	19	27	28	66	96	88	33	-
1986.....	374	6	5	9	19	17	21	50	61	88	71	27	-
1985.....	376	5	7	9	13	16	31	43	59	100	73	20	-
1984.....	352	7	2	6	9	17	26	39	65	89	64	28	-
1983.....	346	3	6	12	13	16	23	33	61	95	62	21	1
1982.....	360	9	8	11	13	16	24	39	85	81	64	10	-
1981.....	309	5	5	8	11	12	14	39	61	82	56	16	-
1980.....	365	6	5	12	8	11	17	46	80	101	65	14	-
1979.....	298	3	4	8	10	20	34	34	73	66	36	10	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR
 TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+ N.S.
 BENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR AND OF UNSPECIFIED NATURE (210-239)

ALL OTHER FEMALE	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
1998.....	556	7	8	13	15	12	45	45	66	117	121	107	-
1997.....	537	4	4	13	13	22	44	54	50	113	127	93	-
1996.....	551	7	12	12	12	26	45	44	51	108	148	86	-
1995.....	562	2	6	11	16	20	38	46	67	123	125	108	-
1994.....	515	7	8	12	10	15	42	51	61	89	135	85	-
1993.....	475	6	4	10	5	20	32	41	57	101	123	75	1
1992.....	466	5	3	6	9	17	33	30	63	108	119	73	-
1991.....	462	5	6	4	14	21	32	28	67	113	116	56	-
1990.....	490	8	9	7	10	13	26	51	63	99	139	64	1
1989.....	480	12	7	10	4	22	38	34	56	113	110	74	-
1988.....	492	2	9	12	12	24	21	38	75	120	124	55	-
1987.....	386	4	5	7	13	15	21	25	62	89	92	53	-
1986.....	461	7	7	7	10	12	25	41	85	100	118	49	-
1985.....	484	6	8	12	11	14	29	41	90	130	92	50	1
1984.....	428	10	5	11	8	13	19	37	62	109	104	50	-
1983.....	409	7	6	7	9	20	22	41	63	107	90	37	-
1982.....	446	9	3	12	14	18	24	45	86	115	84	36	-
1981.....	418	6	5	9	15	16	28	45	77	104	70	42	1
1980.....	445	8	3	12	12	21	24	66	75	122	69	33	-
1979.....	405	4	7	14	17	12	22	67	71	102	65	24	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
BENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR AND OF UNSPECIFIED NATURE (210-239)													
BLACK, BOTH SEXES													
1998.....	855	14	11	24	27	29	72	89	105	179	177	128	-
1997.....	861	12	8	20	20	38	65	82	110	185	204	117	-
1996.....	855	6	20	21	22	44	72	86	106	158	211	108	1
1995.....	878	4	14	22	26	37	71	74	107	199	180	144	-
1994.....	804	7	14	20	15	33	76	86	115	152	186	100	-
1993.....	798	9	9	14	10	46	72	77	107	175	185	93	1
1992.....	778	12	9	12	18	37	49	66	103	189	190	93	-
1991.....	777	12	9	7	19	50	49	64	121	191	171	84	-
1990.....	747	14	10	13	18	29	55	75	97	177	182	76	1
1989.....	742	15	14	12	20	29	48	63	108	178	158	97	-
1988.....	784	4	14	18	20	37	34	69	126	195	184	82	1
1987.....	689	3	9	11	20	32	44	49	117	165	166	73	-
1986.....	756	11	12	14	21	25	37	82	134	173	175	72	-
1985.....	776	9	12	16	24	27	52	80	140	209	147	59	1
1984.....	697	12	6	15	15	24	44	73	114	177	148	69	-
1983.....	684	7	9	14	20	32	44	68	112	186	140	51	1
1982.....	748	14	9	21	26	33	42	74	160	187	141	41	-
1981.....	665	9	10	15	24	25	41	78	126	168	117	51	1
1980.....	749	12	8	22	20	27	35	108	145	206	127	39	-
1979.....	654	7	10	21	26	28	54	93	135	156	91	33	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR
 TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+ N.S.
 BENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR AND OF UNSPECIFIED NATURE (210-239)

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
BLACK MALE													
1998.....	366	8	6	11	14	19	32	52	47	74	71	32	-
1997.....	376	8	5	10	8	17	26	33	61	87	94	27	-
1996.....	372	1	9	10	12	21	32	47	62	61	86	30	1
1995.....	394	2	9	12	13	21	38	37	49	93	68	52	-
1994.....	352	5	8	9	9	19	38	39	60	72	67	26	-
1993.....	374	4	7	6	6	28	42	39	60	84	74	24	-
1992.....	360	10	6	7	10	21	21	39	47	92	79	28	-
1991.....	354	7	5	3	6	29	19	41	61	84	67	32	-
1990.....	316	6	4	6	9	17	33	35	44	87	59	16	-
1989.....	321	5	8	5	18	9	19	31	59	78	58	31	-
1988.....	330	4	7	6	9	18	16	34	56	81	68	30	1
1987.....	339	1	5	4	8	18	25	27	60	83	80	28	-
1986.....	332	4	5	7	13	13	20	44	54	83	63	26	-
1985.....	332	4	5	7	13	14	26	41	54	90	64	14	-
1984.....	308	5	2	6	7	14	25	37	58	78	52	24	-
1983.....	307	3	3	8	11	15	22	31	54	86	56	17	1
1982.....	331	7	6	9	13	16	21	34	79	77	60	9	-
1981.....	273	4	5	7	10	9	14	37	53	71	51	12	-
1980.....	339	5	5	10	8	8	17	44	76	94	61	11	-
1979.....	276	3	3	7	9	18	32	32	67	62	33	10	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR
 TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+ N.S.
 BENIGN NEOPLASMS, CARCINOMA IN SITU, AND NEOPLASMS OF UNCERTAIN BEHAVIOR AND OF UNSPECIFIED NATURE (210-239)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
BLACK FEMALE													
1998.....	489	6	5	13	13	10	40	37	58	105	106	96	-
1997.....	485	4	3	10	12	21	39	49	49	98	110	90	-
1996.....	483	5	11	11	10	23	40	39	44	97	125	78	-
1995.....	484	2	5	10	13	16	33	37	58	106	112	92	-
1994.....	452	2	6	11	6	14	38	47	55	80	119	74	-
1993.....	424	5	2	8	4	18	30	38	47	91	111	69	1
1992.....	418	2	3	5	8	16	28	27	56	97	111	65	-
1991.....	423	5	4	4	13	21	30	23	60	107	104	52	-
1990.....	431	8	6	7	9	12	22	40	53	90	123	60	1
1989.....	421	10	6	7	2	20	29	32	49	100	100	66	-
1988.....	454	-	7	12	11	19	18	35	70	114	116	52	-
1987.....	350	2	4	7	12	14	19	22	57	82	86	45	-
1986.....	424	7	7	7	8	12	17	38	80	90	112	46	-
1985.....	444	5	7	9	11	13	26	39	86	119	83	45	1
1984.....	389	7	4	9	8	10	19	36	56	99	96	45	-
1983.....	377	4	6	6	9	17	22	37	58	100	84	34	-
1982.....	417	7	3	12	13	17	21	40	81	110	81	32	-
1981.....	392	5	5	8	14	16	27	41	73	97	66	39	1
1980.....	410	7	3	12	12	19	18	64	69	112	66	28	-
1979.....	378	4	7	14	17	10	22	61	68	94	58	23	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
DIABETES MELLITUS (250)													
TOTAL, BOTH SEXES													
1998.....	64,751	2	6	20	137	636	1,885	4,386	8,705	16,490	20,529	11,955	-
1997.....	62,636	2	3	28	129	620	1,858	4,335	8,370	16,311	19,592	11,386	2
1996.....	61,767	-	6	26	145	647	1,879	4,258	8,429	16,553	18,989	10,834	1
1995.....	59,254	-	6	17	136	614	1,844	3,996	8,188	16,231	18,135	10,086	1
1994.....	56,692	1	4	19	126	682	1,785	3,689	7,784	15,744	17,179	9,677	2
1993.....	53,894	1	14	24	118	602	1,697	3,449	7,478	14,984	16,322	9,196	9
1992.....	50,067	4	4	26	133	658	1,600	3,203	7,109	13,976	15,091	8,261	2
1991.....	48,951	1	8	34	122	658	1,553	3,034	7,011	13,834	14,675	8,019	2
1990.....	47,664	4	7	24	115	674	1,510	2,834	6,969	13,280	14,537	7,706	4
1989.....	46,833	6	15	32	136	687	1,432	2,784	6,942	13,168	14,160	7,470	1
1988.....	40,368	1	8	31	119	656	1,395	2,502	6,109	11,092	11,907	6,548	-
1987.....	38,532	-	10	31	119	618	1,203	2,258	5,914	10,789	11,470	6,118	2
1986.....	37,184	2	9	25	140	634	1,174	2,158	5,780	10,269	11,048	5,939	6
1985.....	36,969	2	11	31	121	537	1,165	1,991	5,819	10,159	11,308	5,817	8
1984.....	35,787	4	5	27	119	578	1,072	2,005	5,495	9,934	10,857	5,690	1
1983.....	36,246	4	9	38	129	584	1,064	2,078	5,900	10,185	10,923	5,328	4
1982.....	34,583	11	12	40	134	533	922	2,060	5,643	9,711	10,339	5,170	8
1981.....	34,642	6	8	32	149	554	916	2,167	5,620	9,841	10,221	5,120	8
1980.....	34,851	4	12	37	128	572	900	2,188	5,789	10,111	10,134	4,971	5
1979.....	33,192	3	10	44	170	513	904	2,057	5,537	9,398	9,902	4,648	6

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
DIABETES MELLITUS (250)													
TOTAL, MALE													
1998.....	29,584	-	2	12	62	356	1,151	2,488	4,651	8,160	8,937	3,765	-
1997.....	28,187	2	1	12	66	325	1,158	2,442	4,213	8,030	8,420	3,516	2
1996.....	27,646	-	4	8	82	367	1,139	2,435	4,367	7,892	8,099	3,253	-
1995.....	26,124	-	5	9	83	345	1,076	2,292	4,170	7,564	7,638	2,942	-
1994.....	24,758	1	4	12	64	386	1,094	2,056	3,942	7,328	6,994	2,876	1
1993.....	23,430	1	5	10	66	323	1,020	1,917	3,784	7,013	6,617	2,671	3
1992.....	21,672	4	2	13	77	382	965	1,806	3,557	6,376	6,047	2,442	1
1991.....	21,096	-	3	16	71	367	915	1,663	3,466	6,384	5,952	2,257	2
1990.....	20,266	3	1	14	50	373	914	1,547	3,436	6,043	5,751	2,132	2
1989.....	19,730	5	8	10	68	412	890	1,556	3,382	5,921	5,437	2,041	-
1988.....	16,975	-	3	12	67	391	842	1,355	2,940	4,912	4,562	1,891	-
1987.....	16,237	-	5	14	60	363	734	1,231	2,922	4,912	4,327	1,668	1
1986.....	15,369	-	5	10	72	355	680	1,132	2,782	4,564	4,126	1,640	3
1985.....	15,263	-	3	15	55	314	703	1,076	2,767	4,499	4,239	1,590	2
1984.....	14,859	-	3	13	60	318	634	1,128	2,611	4,336	4,143	1,613	-
1983.....	14,668	2	3	13	58	312	617	1,082	2,785	4,378	3,942	1,474	2
1982.....	14,171	6	4	15	73	289	537	1,086	2,682	4,262	3,830	1,387	-
1981.....	14,211	5	4	15	69	315	517	1,170	2,708	4,201	3,717	1,487	3
1980.....	14,325	2	7	21	63	319	506	1,094	2,751	4,316	3,764	1,481	1
1979.....	13,795	3	2	13	89	279	522	1,067	2,699	4,133	3,627	1,359	2

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
DIABETES MELLITUS (250) TOTAL, FEMALE													
1998.....	35,167	2	4	8	75	280	734	1,898	4,054	8,330	11,592	8,190	-
1997.....	34,449	-	2	16	63	295	700	1,893	4,157	8,281	11,172	7,870	-
1996.....	34,121	-	2	18	63	280	740	1,823	4,062	8,661	10,890	7,581	1
1995.....	33,130	-	1	8	53	269	768	1,704	4,018	8,667	10,497	7,144	1
1994.....	31,934	-	-	7	62	296	691	1,633	3,842	8,416	10,185	6,801	1
1993.....	30,464	-	9	14	52	279	677	1,532	3,694	7,971	9,705	6,525	6
1992.....	28,395	-	2	13	56	276	635	1,397	3,552	7,600	9,044	5,819	1
1991.....	27,855	1	5	18	51	291	638	1,371	3,545	7,450	8,723	5,762	-
1990.....	27,398	1	6	10	65	301	596	1,287	3,533	7,237	8,786	5,574	2
1989.....	27,103	1	7	22	68	275	542	1,228	3,560	7,247	8,723	5,429	1
1988.....	23,393	1	5	19	52	265	553	1,147	3,169	6,180	7,345	4,657	-
1987.....	22,295	-	5	17	59	255	469	1,027	2,992	5,877	7,143	4,450	1
1986.....	21,815	2	4	15	68	279	494	1,026	2,998	5,705	6,922	4,299	3
1985.....	21,706	2	8	16	66	223	462	915	3,052	5,660	7,069	4,227	6
1984.....	20,928	4	2	14	59	260	438	877	2,884	5,598	6,714	4,077	1
1983.....	21,578	2	6	25	71	272	447	996	3,115	5,807	6,981	3,854	2
1982.....	20,412	5	8	25	61	244	385	974	2,961	5,449	6,509	3,783	8
1981.....	20,431	1	4	17	80	239	399	997	2,912	5,640	6,504	3,633	5
1980.....	20,526	2	5	16	65	253	394	1,094	3,038	5,795	6,370	3,490	4
1979.....	19,397	-	8	31	81	234	382	990	2,838	5,265	6,275	3,289	4

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
DIABETES MELLITUS (250)													
WHITE, BOTH SEXES													
1998.....	51,706	2	5	17	86	427	1,341	3,104	6,334	12,885	17,212	10,293	-
1997.....	49,850	2	3	19	83	414	1,326	3,067	6,024	12,788	16,403	9,719	2
1996.....	49,511	-	4	14	92	474	1,356	3,019	6,191	13,037	15,946	9,378	-
1995.....	47,475	-	5	12	83	425	1,354	2,846	5,942	12,843	15,243	8,722	-
1994.....	45,650	1	3	15	80	511	1,286	2,645	5,753	12,528	14,426	8,401	1
1993.....	43,461	1	9	17	75	442	1,224	2,471	5,507	11,908	13,796	8,008	3
1992.....	40,442	4	4	18	85	497	1,181	2,292	5,214	11,201	12,753	7,192	1
1991.....	39,600	1	8	22	82	495	1,136	2,137	5,206	11,106	12,414	6,992	1
1990.....	38,696	3	7	15	75	497	1,138	1,984	5,197	10,653	12,356	6,770	1
1989.....	38,053	6	13	27	88	526	1,084	1,994	5,149	10,608	11,976	6,582	-
1988.....	32,692	-	8	25	87	499	1,017	1,779	4,572	8,873	10,058	5,774	-
1987.....	31,395	-	6	22	95	474	935	1,602	4,437	8,691	9,694	5,439	-
1986.....	30,284	1	9	21	111	516	858	1,514	4,325	8,306	9,402	5,218	3
1985.....	30,305	1	11	21	78	424	894	1,389	4,429	8,217	9,614	5,223	4
1984.....	29,466	3	4	21	93	441	793	1,441	4,160	7,999	9,366	5,145	-
1983.....	29,987	3	6	28	98	455	805	1,497	4,469	8,386	9,412	4,827	1
1982.....	28,910	8	11	26	102	415	719	1,505	4,354	8,061	9,012	4,692	5
1981.....	28,750	6	6	23	106	436	680	1,585	4,347	8,026	8,896	4,635	4
1980.....	28,868	2	7	28	96	452	656	1,594	4,448	8,265	8,821	4,498	1
1979.....	27,624	3	8	33	131	407	648	1,444	4,309	7,686	8,751	4,199	5

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
DIABETES MELLITUS (250)													
WHITE MALE													
1998.....	24,249	-	2	10	39	240	831	1,807	3,539	6,670	7,802	3,309	-
1997.....	22,968	2	1	7	42	201	850	1,764	3,178	6,556	7,286	3,079	2
1996.....	22,829	-	3	3	54	277	832	1,803	3,394	6,541	7,045	2,877	-
1995.....	21,407	-	5	7	50	239	802	1,675	3,175	6,240	6,645	2,569	-
1994.....	20,391	1	3	10	38	287	817	1,535	3,037	6,055	6,045	2,562	1
1993.....	19,311	1	2	8	41	234	747	1,431	2,912	5,805	5,790	2,337	3
1992.....	17,951	4	2	8	50	292	741	1,336	2,744	5,334	5,267	2,172	1
1991.....	17,473	-	3	11	48	278	676	1,227	2,693	5,348	5,173	2,015	1
1990.....	16,817	2	1	7	39	270	707	1,125	2,674	5,058	5,030	1,903	1
1989.....	16,282	5	7	7	42	309	685	1,150	2,600	4,918	4,743	1,816	-
1988.....	14,008	-	3	11	50	303	622	1,002	2,293	4,091	3,941	1,692	-
1987.....	13,553	-	3	10	50	288	583	890	2,307	4,130	3,789	1,503	-
1986.....	12,788	-	5	8	55	290	504	843	2,201	3,835	3,580	1,466	1
1985.....	12,758	-	3	8	34	253	544	793	2,216	3,802	3,673	1,432	-
1984.....	12,450	-	2	7	50	243	486	837	2,067	3,638	3,650	1,470	-
1983.....	12,337	2	3	10	44	239	474	812	2,202	3,749	3,449	1,353	-
1982.....	12,092	4	4	11	59	221	422	841	2,203	3,686	3,380	1,261	-
1981.....	12,066	5	3	12	47	247	391	898	2,238	3,572	3,289	1,362	2
1980.....	12,125	1	2	16	46	260	373	853	2,217	3,682	3,314	1,361	-
1979.....	11,688	3	1	10	67	221	392	796	2,212	3,521	3,233	1,231	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
DIABETES MELLITUS (250)													
WHITE FEMALE													
1998.....	27,457	2	3	7	47	187	510	1,297	2,795	6,215	9,410	6,984	-
1997.....	26,882	-	2	12	41	213	476	1,303	2,846	6,232	9,117	6,640	-
1996.....	26,682	-	1	11	38	197	524	1,216	2,797	6,496	8,901	6,501	-
1995.....	26,068	-	-	5	33	186	552	1,171	2,767	6,603	8,598	6,153	-
1994.....	25,259	-	-	5	42	224	469	1,110	2,716	6,473	8,381	5,839	-
1993.....	24,150	-	7	9	34	208	477	1,040	2,595	6,103	8,006	5,671	-
1992.....	22,491	-	2	10	35	205	440	956	2,470	5,867	7,486	5,020	-
1991.....	22,127	1	5	11	34	217	460	910	2,513	5,758	7,241	4,977	-
1990.....	21,879	1	6	8	36	227	431	859	2,523	5,595	7,326	4,867	-
1989.....	21,771	1	6	20	46	217	399	844	2,549	5,690	7,233	4,766	-
1988.....	18,684	-	5	14	37	196	395	777	2,279	4,782	6,117	4,082	-
1987.....	17,842	-	3	12	45	186	352	712	2,130	4,561	5,905	3,936	-
1986.....	17,496	1	4	13	56	226	354	671	2,124	4,471	5,822	3,752	2
1985.....	17,547	1	8	13	44	171	350	596	2,213	4,415	5,941	3,791	4
1984.....	17,016	3	2	14	43	198	307	604	2,093	4,361	5,716	3,675	-
1983.....	17,650	1	3	18	54	216	331	685	2,267	4,637	5,963	3,474	1
1982.....	16,818	4	7	15	43	194	297	664	2,151	4,375	5,632	3,431	5
1981.....	16,684	1	3	11	59	189	289	687	2,109	4,454	5,607	3,273	2
1980.....	16,743	1	5	12	50	192	283	741	2,231	4,583	5,507	3,137	1
1979.....	15,936	-	7	23	64	186	256	648	2,097	4,165	5,518	2,968	4

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
DIABETES MELLITUS (250)													
ALL OTHER, BOTH SEXES													
1998.....	13,045	-	1	3	51	209	544	1,282	2,371	3,605	3,317	1,662	-
1997.....	12,786	-	-	9	46	206	532	1,268	2,346	3,523	3,189	1,667	-
1996.....	12,256	-	2	12	53	173	523	1,239	2,238	3,516	3,043	1,456	1
1995.....	11,779	-	1	5	53	189	490	1,150	2,246	3,388	2,892	1,364	1
1994.....	11,042	-	1	4	46	171	499	1,044	2,031	3,216	2,753	1,276	1
1993.....	10,433	-	5	7	43	160	473	978	1,971	3,076	2,526	1,188	6
1992.....	9,625	-	-	8	48	161	419	911	1,895	2,775	2,338	1,069	1
1991.....	9,351	-	-	12	40	163	417	897	1,805	2,728	2,261	1,027	1
1990.....	8,968	1	-	9	40	177	372	850	1,772	2,627	2,181	936	3
1989.....	8,780	-	2	5	48	161	348	790	1,793	2,560	2,184	888	1
1988.....	7,676	1	-	6	32	157	378	723	1,537	2,219	1,849	774	-
1987.....	7,137	-	4	9	24	144	268	656	1,477	2,098	1,776	679	2
1986.....	6,900	1	-	4	29	118	316	644	1,455	1,963	1,646	721	3
1985.....	6,664	1	-	10	43	113	271	602	1,390	1,942	1,694	594	4
1984.....	6,321	1	1	6	26	137	279	564	1,335	1,935	1,491	545	1
1983.....	6,259	1	3	10	31	129	259	581	1,431	1,799	1,511	501	3
1982.....	5,673	3	1	14	32	118	203	555	1,289	1,650	1,327	478	3
1981.....	5,892	-	2	9	43	118	236	582	1,273	1,815	1,325	485	4
1980.....	5,983	2	5	9	32	120	244	594	1,341	1,846	1,313	473	4
1979.....	5,568	-	2	11	39	106	256	613	1,228	1,712	1,151	449	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
DIABETES MELLITUS (250)													
ALL OTHER MALE													
1998.....	5,335	-	-	2	23	116	320	681	1,112	1,490	1,135	456	-
1997.....	5,219	-	-	5	24	124	308	678	1,035	1,474	1,134	437	-
1996.....	4,817	-	1	5	28	90	307	632	973	1,351	1,054	376	-
1995.....	4,717	-	-	2	33	106	274	617	995	1,324	993	373	-
1994.....	4,367	-	1	2	26	99	277	521	905	1,273	949	314	-
1993.....	4,119	-	3	2	25	89	273	486	872	1,208	827	334	-
1992.....	3,721	-	-	5	27	90	224	470	813	1,042	780	270	-
1991.....	3,623	-	-	5	23	89	239	436	773	1,036	779	242	1
1990.....	3,449	1	-	7	11	103	207	422	762	985	721	229	1
1989.....	3,448	-	1	3	26	103	205	406	782	1,003	694	225	-
1988.....	2,967	-	-	1	17	88	220	353	647	821	621	199	-
1987.....	2,684	-	2	4	10	75	151	341	615	782	538	165	1
1986.....	2,581	-	-	2	17	65	176	289	581	729	546	174	2
1985.....	2,505	-	-	7	21	61	159	283	551	697	566	158	2
1984.....	2,409	-	1	6	10	75	148	291	544	698	493	143	-
1983.....	2,331	-	-	3	14	73	143	270	583	629	493	121	2
1982.....	2,079	2	-	4	14	68	115	245	479	576	450	126	-
1981.....	2,145	-	1	3	22	68	126	272	470	629	428	125	1
1980.....	2,200	1	5	5	17	59	133	241	534	634	450	120	1
1979.....	2,107	-	1	3	22	58	130	271	487	612	394	128	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
DIABETES MELLITUS (250)													
ALL OTHER FEMALE													
1998.....	7,710	-	1	1	28	93	224	601	1,259	2,115	2,182	1,206	-
1997.....	7,567	-	-	4	22	82	224	590	1,311	2,049	2,055	1,230	-
1996.....	7,439	-	1	7	25	83	216	607	1,265	2,165	1,989	1,080	1
1995.....	7,062	-	1	3	20	83	216	533	1,251	2,064	1,899	991	1
1994.....	6,675	-	-	2	20	72	222	523	1,126	1,943	1,804	962	1
1993.....	6,314	-	2	5	18	71	200	492	1,099	1,868	1,699	854	6
1992.....	5,904	-	-	3	21	71	195	441	1,082	1,733	1,558	799	1
1991.....	5,728	-	-	7	17	74	178	461	1,032	1,692	1,482	785	-
1990.....	5,519	-	-	2	29	74	165	428	1,010	1,642	1,460	707	2
1989.....	5,332	-	1	2	22	58	143	384	1,011	1,557	1,490	663	1
1988.....	4,709	1	-	5	15	69	158	370	890	1,398	1,228	575	-
1987.....	4,453	-	2	5	14	69	117	315	862	1,316	1,238	514	1
1986.....	4,319	1	-	2	12	53	140	355	874	1,234	1,100	547	1
1985.....	4,159	1	-	3	22	52	112	319	839	1,245	1,128	436	2
1984.....	3,912	1	-	-	16	62	131	273	791	1,237	998	402	1
1983.....	3,928	1	3	7	17	56	116	311	848	1,170	1,018	380	1
1982.....	3,594	1	1	10	18	50	88	310	810	1,074	877	352	3
1981.....	3,747	-	1	6	21	50	110	310	803	1,186	897	360	3
1980.....	3,783	1	-	4	15	61	111	353	807	1,212	863	353	3
1979.....	3,461	-	1	8	17	48	126	342	741	1,100	757	321	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
DIABETES MELLITUS (250) BLACK, BOTH SEXES													
1998.....	11,378	-	1	3	49	193	507	1,105	2,062	3,137	2,855	1,466	-
1997.....	11,130	-	-	9	44	201	482	1,132	2,046	3,025	2,737	1,454	-
1996.....	10,800	-	2	8	52	150	466	1,104	1,969	3,065	2,685	1,299	-
1995.....	10,402	-	1	5	50	174	450	1,034	1,966	2,982	2,515	1,224	1
1994.....	9,849	-	1	4	46	165	465	929	1,805	2,852	2,428	1,153	1
1993.....	9,380	-	5	7	42	150	451	889	1,748	2,777	2,252	1,054	5
1992.....	8,653	-	-	8	46	154	395	837	1,672	2,485	2,088	967	1
1991.....	8,517	-	-	11	38	158	391	819	1,641	2,475	2,024	959	1
1990.....	8,114	1	-	8	37	172	341	771	1,596	2,373	1,973	839	3
1989.....	7,955	-	2	5	46	149	336	713	1,630	2,323	1,943	807	1
1988.....	6,972	1	-	6	28	151	359	651	1,398	2,012	1,673	693	-
1987.....	6,497	-	3	9	23	134	250	608	1,337	1,903	1,620	608	2
1986.....	6,299	1	-	4	29	111	295	594	1,326	1,796	1,481	659	3
1985.....	6,104	-	-	10	42	108	254	553	1,253	1,778	1,569	533	4
1984.....	5,810	1	1	5	24	131	269	520	1,220	1,780	1,377	481	1
1983.....	5,790	-	3	10	31	125	240	550	1,325	1,657	1,389	458	2
1982.....	5,227	2	1	14	28	113	192	508	1,196	1,530	1,205	435	3
1981.....	5,461	-	2	8	43	111	222	536	1,177	1,685	1,225	448	4
1980.....	5,544	1	5	9	31	113	227	544	1,228	1,720	1,221	441	4
1979.....	5,174	-	1	11	35	103	240	570	1,156	1,602	1,050	405	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
DIABETES MELLITUS (250) BLACK MALE													
1998.....	4,511	-	-	2	22	103	294	574	933	1,266	945	372	-
1997.....	4,440	-	-	5	22	122	279	600	880	1,245	940	347	-
1996.....	4,132	-	1	2	27	76	271	562	824	1,146	911	312	-
1995.....	4,110	-	-	2	32	100	250	545	866	1,155	846	314	-
1994.....	3,834	-	1	2	26	97	255	461	806	1,113	806	267	-
1993.....	3,648	-	3	2	25	82	263	437	769	1,075	708	284	-
1992.....	3,271	-	-	5	26	87	210	426	708	910	673	226	-
1991.....	3,267	-	-	4	21	86	223	403	695	938	675	221	1
1990.....	3,049	1	-	6	10	100	186	373	680	871	623	198	1
1989.....	3,072	-	1	3	25	94	197	365	707	905	585	190	-
1988.....	2,640	-	-	1	16	83	210	315	585	727	540	163	-
1987.....	2,388	-	1	4	9	71	139	310	550	693	469	141	1
1986.....	2,295	-	-	2	17	63	166	264	526	638	467	150	2
1985.....	2,230	-	-	7	21	59	146	259	485	615	504	132	2
1984.....	2,160	-	1	5	9	73	142	264	485	621	443	117	-
1983.....	2,123	-	-	3	14	69	130	257	540	569	432	107	2
1982.....	1,878	2	-	4	13	65	108	223	435	525	390	113	-
1981.....	1,925	-	1	3	22	63	117	244	424	560	380	110	1
1980.....	2,010	-	5	5	16	55	120	216	489	577	415	111	1
1979.....	1,915	-	1	3	20	57	117	247	452	563	347	107	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
DIABETES MELLITUS (250) BLACK FEMALE													
1998.....	6,867	-	1	1	27	90	213	531	1,129	1,871	1,910	1,094	-
1997.....	6,690	-	-	4	22	79	203	532	1,166	1,780	1,797	1,107	-
1996.....	6,668	-	1	6	25	74	195	542	1,145	1,919	1,774	987	-
1995.....	6,292	-	1	3	18	74	200	489	1,100	1,827	1,669	910	1
1994.....	6,015	-	-	2	20	68	210	468	999	1,739	1,622	886	1
1993.....	5,732	-	2	5	17	68	188	452	979	1,702	1,544	770	5
1992.....	5,382	-	-	3	20	67	185	411	964	1,575	1,415	741	1
1991.....	5,250	-	-	7	17	72	168	416	946	1,537	1,349	738	-
1990.....	5,065	-	-	2	27	72	155	398	916	1,502	1,350	641	2
1989.....	4,883	-	1	2	21	55	139	348	923	1,418	1,358	617	1
1988.....	4,332	1	-	5	12	68	149	336	813	1,285	1,133	530	-
1987.....	4,109	-	2	5	14	63	111	298	787	1,210	1,151	467	1
1986.....	4,004	1	-	2	12	48	129	330	800	1,158	1,014	509	1
1985.....	3,874	-	-	3	21	49	108	294	768	1,163	1,065	401	2
1984.....	3,650	1	-	-	15	58	127	256	735	1,159	934	364	1
1983.....	3,667	-	3	7	17	56	110	293	785	1,088	957	351	-
1982.....	3,349	-	1	10	15	48	84	285	761	1,005	815	322	3
1981.....	3,536	-	1	5	21	48	105	292	753	1,125	845	338	3
1980.....	3,534	1	-	4	15	58	107	328	739	1,143	806	330	3
1979.....	3,259	-	-	8	15	46	123	323	704	1,039	703	298	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
NUTRITIONAL DEFICIENCIES (260-269)													
TOTAL, BOTH SEXES													
1998.....	4,077	11	5	3	7	12	43	56	119	344	1,166	2,311	-
1997.....	3,928	11	1	4	6	11	48	70	127	367	1,091	2,192	-
1996.....	3,706	12	3	3	6	15	26	67	111	360	1,024	2,078	1
1995.....	3,584	7	6	4	6	16	32	64	123	363	1,002	1,961	-
1994.....	3,451	19	3	1	11	18	30	53	115	348	974	1,878	1
1993.....	3,451	23	6	-	4	19	40	57	100	371	1,012	1,818	1
1992.....	3,135	22	5	6	7	22	33	60	103	333	900	1,644	-
1991.....	2,991	22	3	1	8	19	24	45	104	317	923	1,524	1
1990.....	3,017	16	4	1	9	14	31	45	125	331	908	1,532	1
1989.....	3,046	14	3	4	8	17	37	42	119	340	934	1,526	2
1988.....	2,985	27	4	4	5	19	40	36	120	355	907	1,468	-
1987.....	2,889	25	8	6	9	21	25	39	108	346	894	1,408	-
1986.....	2,862	24	-	3	6	17	34	41	136	397	826	1,377	1
1985.....	2,874	30	3	4	7	12	28	52	136	369	879	1,352	2
1984.....	2,600	18	7	4	2	19	20	39	125	366	778	1,222	-
1983.....	2,656	34	5	5	7	12	23	45	135	370	820	1,198	2
1982.....	2,430	31	9	3	7	15	19	44	133	362	789	1,015	3
1981.....	2,331	28	10	4	6	14	34	48	147	366	681	991	2
1980.....	2,364	29	9	3	9	18	26	57	153	372	728	960	-
1979.....	2,210	45	2	1	8	19	32	71	168	338	698	826	2

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
NUTRITIONAL DEFICIENCIES (260-269)													
TOTAL, MALE													
1998.....	1,278	6	2	1	5	6	25	27	65	165	432	544	-
1997.....	1,213	5	1	1	1	1	20	35	65	174	391	519	-
1996.....	1,225	7	2	2	2	5	12	39	61	174	382	538	1
1995.....	1,193	3	6	3	4	11	21	32	69	158	376	510	-
1994.....	1,186	14	-	-	5	11	19	29	68	174	380	485	1
1993.....	1,257	16	4	-	1	9	18	27	51	214	416	501	-
1992.....	1,089	11	3	5	4	12	17	32	55	167	357	426	-
1991.....	1,085	15	1	1	5	8	11	28	53	154	382	426	1
1990.....	1,108	10	3	1	3	7	16	28	55	163	376	445	1
1989.....	1,098	9	1	2	3	9	18	23	65	161	365	440	2
1988.....	1,096	13	2	1	4	12	24	24	63	183	365	405	-
1987.....	1,107	16	6	3	7	9	11	19	66	171	386	413	-
1986.....	1,088	7	-	1	2	9	21	20	72	209	353	394	-
1985.....	1,086	14	1	1	4	6	17	25	79	186	358	395	-
1984.....	977	13	5	3	2	10	6	21	68	198	299	352	-
1983.....	1,065	18	1	3	5	9	12	22	77	208	335	374	1
1982.....	994	16	2	2	2	7	11	23	73	193	345	318	2
1981.....	941	19	5	3	4	6	11	32	73	182	296	308	2
1980.....	962	16	2	2	7	12	13	29	71	197	301	312	-
1979.....	927	34	1	1	3	11	17	39	77	160	308	275	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
NUTRITIONAL DEFICIENCIES (260-269)													
TOTAL, FEMALE													
1998.....	2,799	5	3	2	2	6	18	29	54	179	734	1,767	-
1997.....	2,715	6	-	3	5	10	28	35	62	193	700	1,673	-
1996.....	2,481	5	1	1	4	10	14	28	50	186	642	1,540	-
1995.....	2,391	4	-	1	2	5	11	32	54	205	626	1,451	-
1994.....	2,265	5	3	1	6	7	11	24	47	174	594	1,393	-
1993.....	2,194	7	2	-	3	10	22	30	49	157	596	1,317	1
1992.....	2,046	11	2	1	3	10	16	28	48	166	543	1,218	-
1991.....	1,906	7	2	-	3	11	13	17	51	163	541	1,098	-
1990.....	1,909	6	1	-	6	7	15	17	70	168	532	1,087	-
1989.....	1,948	5	2	2	5	8	19	19	54	179	569	1,086	-
1988.....	1,889	14	2	3	1	7	16	12	57	172	542	1,063	-
1987.....	1,782	9	2	3	2	12	14	20	42	175	508	995	-
1986.....	1,774	17	-	2	4	8	13	21	64	188	473	983	1
1985.....	1,788	16	2	3	3	6	11	27	57	183	521	957	2
1984.....	1,623	5	2	1	-	9	14	18	57	168	479	870	-
1983.....	1,591	16	4	2	2	3	11	23	58	162	485	824	1
1982.....	1,436	15	7	1	5	8	8	21	60	169	444	697	1
1981.....	1,390	9	5	1	2	8	23	16	74	184	385	683	-
1980.....	1,402	13	7	1	2	6	13	28	82	175	427	648	-
1979.....	1,283	11	1	-	5	8	15	32	91	178	390	551	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
NUTRITIONAL DEFICIENCIES (260-269)													
WHITE, BOTH SEXES													
1998.....	3,539	7	2	2	7	12	30	48	98	277	1,007	2,049	-
1997.....	3,447	5	1	4	4	6	34	48	97	292	966	1,990	-
1996.....	3,255	7	1	3	4	10	18	49	85	290	901	1,886	1
1995.....	3,118	4	4	4	4	10	26	46	93	299	850	1,778	-
1994.....	3,007	8	2	-	7	11	14	37	90	298	844	1,695	1
1993.....	2,986	9	2	-	3	9	27	42	71	292	871	1,660	-
1992.....	2,642	12	2	3	4	16	23	40	72	259	745	1,466	-
1991.....	2,558	15	2	1	7	15	21	38	81	240	807	1,330	1
1990.....	2,546	11	4	1	7	11	19	24	85	252	762	1,369	1
1989.....	2,571	8	2	3	5	10	27	35	84	267	784	1,345	1
1988.....	2,526	15	1	2	3	13	25	24	80	277	787	1,299	-
1987.....	2,478	11	4	3	5	13	14	25	79	280	773	1,271	-
1986.....	2,438	12	-	3	5	10	24	27	107	322	685	1,242	1
1985.....	2,490	20	1	3	7	7	16	37	105	291	758	1,243	2
1984.....	2,231	12	5	3	2	16	13	33	87	291	652	1,117	-
1983.....	2,252	16	2	3	3	7	18	34	100	288	699	1,081	1
1982.....	2,049	19	4	1	5	14	13	31	102	285	669	905	1
1981.....	1,989	14	5	4	3	14	27	30	120	296	594	881	1
1980.....	2,008	9	4	1	7	13	17	41	115	308	624	869	-
1979.....	1,862	21	2	-	7	15	20	50	136	259	602	748	2

00/03/28 TABLE 290A. DEATHS FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 329
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+ N.S.
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 NUTRITIONAL DEFICIENCIES (260-269)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
WHITE MALE													
1998.....	1,067	5	1	1	5	6	16	20	53	129	358	473	-
1997.....	1,003	1	1	1	1	-	12	25	44	133	334	451	-
1996.....	1,035	4	1	2	2	4	11	30	43	133	332	472	1
1995.....	999	2	4	3	3	6	16	22	47	131	313	452	-
1994.....	995	5	-	-	4	7	7	19	53	151	322	426	1
1993.....	1,046	6	2	-	-	4	13	16	33	169	353	450	-
1992.....	872	7	1	3	3	8	11	20	34	126	290	369	-
1991.....	868	10	1	1	4	6	8	24	37	113	322	341	1
1990.....	903	7	3	1	3	6	8	13	37	130	312	382	1
1989.....	895	6	1	2	1	6	13	19	43	123	302	378	1
1988.....	884	7	1	-	3	8	14	14	39	139	315	344	-
1987.....	901	8	2	2	4	6	5	10	46	132	327	359	-
1986.....	883	4	-	1	2	4	15	9	54	169	283	342	-
1985.....	916	9	1	1	4	3	12	15	59	145	304	363	-
1984.....	799	8	4	2	2	8	3	17	45	164	239	307	-
1983.....	853	9	-	1	2	4	9	14	54	158	271	331	-
1982.....	818	10	1	-	2	6	7	16	60	156	281	279	-
1981.....	786	9	4	3	2	6	8	20	58	146	255	274	1
1980.....	779	4	2	1	6	10	7	16	46	156	255	276	-
1979.....	750	15	1	-	2	9	11	25	63	119	258	246	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
NUTRITIONAL DEFICIENCIES (260-269)													
WHITE FEMALE													
1998.....	2,472	2	1	1	2	6	14	28	45	148	649	1,576	-
1997.....	2,444	4	-	3	3	6	22	23	53	159	632	1,539	-
1996.....	2,220	3	-	1	2	6	7	19	42	157	569	1,414	-
1995.....	2,119	2	-	1	1	4	10	24	46	168	537	1,326	-
1994.....	2,012	3	2	-	3	4	7	18	37	147	522	1,269	-
1993.....	1,940	3	-	-	3	5	14	26	38	123	518	1,210	-
1992.....	1,770	5	1	-	1	8	12	20	38	133	455	1,097	-
1991.....	1,690	5	1	-	3	9	13	14	44	127	485	989	-
1990.....	1,643	4	1	-	4	5	11	11	48	122	450	987	-
1989.....	1,676	2	1	1	4	4	14	16	41	144	482	967	-
1988.....	1,642	8	-	2	-	5	11	10	41	138	472	955	-
1987.....	1,577	3	2	1	1	7	9	15	33	148	446	912	-
1986.....	1,555	8	-	2	3	6	9	18	53	153	402	900	1
1985.....	1,574	11	-	2	3	4	4	22	46	146	454	880	2
1984.....	1,432	4	1	1	-	8	10	16	42	127	413	810	-
1983.....	1,399	7	2	2	1	3	9	20	46	130	428	750	1
1982.....	1,231	9	3	1	3	8	6	15	42	129	388	626	1
1981.....	1,203	5	1	1	1	8	19	10	62	150	339	607	-
1980.....	1,229	5	2	-	1	3	10	25	69	152	369	593	-
1979.....	1,112	6	1	-	5	6	9	25	73	140	344	502	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
NUTRITIONAL DEFICIENCIES (260-269)													
ALL OTHER, BOTH SEXES													
1998.....	538	4	3	1	-	-	13	8	21	67	159	262	-
1997.....	481	6	-	-	2	5	14	22	30	75	125	202	-
1996.....	451	5	2	-	2	5	8	18	26	70	123	192	-
1995.....	466	3	2	-	2	6	6	18	30	64	152	183	-
1994.....	444	11	1	1	4	7	16	16	25	50	130	183	-
1993.....	465	14	4	-	1	10	13	15	29	79	141	158	1
1992.....	493	10	3	3	3	6	10	20	31	74	155	178	-
1991.....	433	7	1	-	1	4	3	7	23	77	116	194	-
1990.....	471	5	-	-	2	3	12	21	40	79	146	163	-
1989.....	475	6	1	1	3	7	10	7	35	73	150	181	1
1988.....	459	12	3	2	2	6	15	12	40	78	120	169	-
1987.....	411	14	4	3	4	8	11	14	29	66	121	137	-
1986.....	424	12	-	-	1	7	10	14	29	75	141	135	-
1985.....	384	10	2	1	-	5	12	15	31	78	121	109	-
1984.....	369	6	2	1	-	3	7	6	38	75	126	105	-
1983.....	404	18	3	2	4	5	5	11	35	82	121	117	1
1982.....	381	12	5	2	2	1	6	13	31	77	120	110	2
1981.....	342	14	5	-	3	-	7	18	27	70	87	110	1
1980.....	356	20	5	2	2	5	9	16	38	64	104	91	-
1979.....	348	24	-	1	1	4	12	21	32	79	96	78	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
NUTRITIONAL DEFICIENCIES (260-269)													
ALL OTHER MALE													
1998.....	211	1	1	-	-	-	9	7	12	36	74	71	-
1997.....	210	4	-	-	-	1	8	10	21	41	57	68	-
1996.....	190	3	1	-	-	1	1	9	18	41	50	66	-
1995.....	194	1	2	-	1	5	5	10	22	27	63	58	-
1994.....	191	9	-	-	1	4	12	10	15	23	58	59	-
1993.....	211	10	2	-	1	5	5	11	18	45	63	51	-
1992.....	217	4	2	2	1	4	6	12	21	41	67	57	-
1991.....	217	5	-	-	1	2	3	4	16	41	60	85	-
1990.....	205	3	-	-	-	1	8	15	18	33	64	63	-
1989.....	203	3	-	-	2	3	5	4	22	38	63	62	1
1988.....	212	6	1	1	1	4	10	10	24	44	50	61	-
1987.....	206	8	4	1	3	3	6	9	20	39	59	54	-
1986.....	205	3	-	-	-	5	6	11	18	40	70	52	-
1985.....	170	5	-	-	-	3	5	10	20	41	54	32	-
1984.....	178	5	1	1	-	2	3	4	23	34	60	45	-
1983.....	212	9	1	2	3	5	3	8	23	50	64	43	1
1982.....	176	6	1	2	-	1	4	7	13	37	64	39	2
1981.....	155	10	1	-	2	-	3	12	15	36	41	34	1
1980.....	183	12	-	1	1	2	6	13	25	41	46	36	-
1979.....	177	19	-	1	1	2	6	14	14	41	50	29	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
NUTRITIONAL DEFICIENCIES (260-269)													
ALL OTHER FEMALE													
1998.....	327	3	2	1	-	-	4	1	9	31	85	191	-
1997.....	271	2	-	-	2	4	6	12	9	34	68	134	-
1996.....	261	2	1	-	2	4	7	9	8	29	73	126	-
1995.....	272	2	-	-	1	1	1	8	8	37	89	125	-
1994.....	253	2	1	1	3	3	4	6	10	27	72	124	-
1993.....	254	4	2	-	-	5	8	4	11	34	78	107	1
1992.....	276	6	1	1	2	2	4	8	10	33	88	121	-
1991.....	216	2	1	-	-	2	-	3	7	36	56	109	-
1990.....	266	2	-	-	2	2	4	6	22	46	82	100	-
1989.....	272	3	1	1	1	4	5	3	13	35	87	119	-
1988.....	247	6	2	1	1	2	5	2	16	34	70	108	-
1987.....	205	6	-	2	1	5	5	5	9	27	62	83	-
1986.....	219	9	-	-	1	2	4	3	11	35	71	83	-
1985.....	214	5	2	1	-	2	7	5	11	37	67	77	-
1984.....	191	1	1	-	-	1	4	2	15	41	66	60	-
1983.....	192	9	2	-	1	-	2	3	12	32	57	74	-
1982.....	205	6	4	-	2	-	2	6	18	40	56	71	-
1981.....	187	4	4	-	1	-	4	6	12	34	46	76	-
1980.....	173	8	5	1	1	3	3	3	13	23	58	55	-
1979.....	171	5	-	-	-	2	6	7	18	38	46	49	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
NUTRITIONAL DEFICIENCIES (260-269)													
BLACK, BOTH SEXES													
1998.....	480	4	3	1	-	-	13	8	20	63	145	223	-
1997.....	429	6	-	-	2	5	12	17	29	68	112	178	-
1996.....	396	5	2	-	2	5	7	14	22	63	114	162	-
1995.....	418	3	2	-	2	6	6	18	29	61	136	155	-
1994.....	411	10	1	-	4	7	16	15	23	48	124	163	-
1993.....	424	13	4	-	1	9	13	13	27	76	129	138	1
1992.....	445	10	3	3	3	6	10	19	31	66	137	157	-
1991.....	393	7	1	-	1	4	3	7	22	69	107	172	-
1990.....	433	5	-	-	1	2	11	21	38	74	134	147	-
1989.....	443	6	1	-	3	7	10	7	32	70	139	167	1
1988.....	420	11	3	1	1	5	14	11	40	72	107	155	-
1987.....	383	14	4	3	4	8	11	13	24	61	115	126	-
1986.....	392	12	-	-	1	7	10	14	29	70	131	118	-
1985.....	349	10	2	1	-	5	12	12	30	72	106	99	-
1984.....	338	6	1	1	-	3	7	6	37	70	117	90	-
1983.....	372	16	3	2	4	5	5	11	35	76	116	98	1
1982.....	346	11	4	1	2	1	6	12	30	75	109	93	2
1981.....	310	14	5	-	2	-	7	18	27	65	79	92	1
1980.....	333	20	5	1	2	5	9	15	37	61	92	86	-
1979.....	325	23	-	1	-	3	11	21	29	75	88	74	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
NUTRITIONAL DEFICIENCIES (260-269)													
BLACK MALE													
1998.....	188	1	1	-	-	-	9	7	12	35	65	58	-
1997.....	185	4	-	-	-	1	6	9	20	37	53	55	-
1996.....	167	3	1	-	-	1	1	7	16	38	47	53	-
1995.....	176	1	2	-	1	5	5	10	21	26	55	50	-
1994.....	177	8	-	-	1	4	12	10	15	21	55	51	-
1993.....	193	9	2	-	1	5	5	10	17	43	57	44	-
1992.....	195	4	2	2	1	4	6	11	21	35	59	50	-
1991.....	193	5	-	-	1	2	3	4	15	35	53	75	-
1990.....	189	3	-	-	-	1	7	15	18	33	58	54	-
1989.....	188	3	-	-	2	3	5	4	21	35	59	55	1
1988.....	195	6	1	-	-	3	9	9	24	41	46	56	-
1987.....	194	8	4	1	3	3	6	9	17	35	58	50	-
1986.....	190	3	-	-	-	5	6	11	18	36	67	44	-
1985.....	149	5	-	-	-	3	5	8	19	38	46	25	-
1984.....	161	5	1	1	-	2	3	4	22	32	53	38	-
1983.....	199	8	1	2	3	5	3	8	23	47	60	38	1
1982.....	159	6	1	1	-	1	4	7	13	36	56	32	2
1981.....	137	10	1	-	1	-	3	12	15	32	36	26	1
1980.....	172	12	-	1	1	2	6	12	25	39	41	33	-
1979.....	165	18	-	1	-	1	5	14	14	38	46	28	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
NUTRITIONAL DEFICIENCIES (260-269)													
BLACK FEMALE													
1998.....	292	3	2	1	-	-	4	1	8	28	80	165	-
1997.....	244	2	-	-	2	4	6	8	9	31	59	123	-
1996.....	229	2	1	-	2	4	6	7	6	25	67	109	-
1995.....	242	2	-	-	1	1	1	8	8	35	81	105	-
1994.....	234	2	1	-	3	3	4	5	8	27	69	112	-
1993.....	231	4	2	-	-	4	8	3	10	33	72	94	1
1992.....	250	6	1	1	2	2	4	8	10	31	78	107	-
1991.....	200	2	1	-	-	2	-	3	7	34	54	97	-
1990.....	244	2	-	-	1	1	4	6	20	41	76	93	-
1989.....	255	3	1	-	1	4	5	3	11	35	80	112	-
1988.....	225	5	2	1	1	2	5	2	16	31	61	99	-
1987.....	189	6	-	2	1	5	5	4	7	26	57	76	-
1986.....	202	9	-	-	1	2	4	3	11	34	64	74	-
1985.....	200	5	2	1	-	2	7	4	11	34	60	74	-
1984.....	177	1	-	-	-	1	4	2	15	38	64	52	-
1983.....	173	8	2	-	1	-	2	3	12	29	56	60	-
1982.....	187	5	3	-	2	-	2	5	17	39	53	61	-
1981.....	173	4	4	-	1	-	4	6	12	33	43	66	-
1980.....	161	8	5	-	1	3	3	3	12	22	51	53	-
1979.....	160	5	-	-	-	2	6	7	15	37	42	46	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ANEMIAS (280-285)													
TOTAL, BOTH SEXES													
1998.....	4,544	23	31	46	93	168	220	202	235	572	1,261	1,693	-
1997.....	4,471	25	40	63	85	134	204	190	221	564	1,258	1,687	-
1996.....	4,332	31	40	54	92	165	204	200	259	588	1,166	1,532	1
1995.....	4,556	34	48	74	133	159	218	171	249	603	1,240	1,627	-
1994.....	4,380	28	48	65	101	229	238	198	231	589	1,198	1,455	-
1993.....	4,315	44	44	53	118	186	212	165	236	564	1,196	1,496	1
1992.....	4,246	48	65	62	127	199	222	170	224	616	1,134	1,379	-
1991.....	4,121	29	47	56	94	197	174	166	253	579	1,195	1,331	-
1990.....	4,092	29	51	51	124	187	195	156	272	604	1,124	1,299	-
1989.....	3,993	38	50	47	112	175	184	166	264	640	1,109	1,207	1
1988.....	3,816	27	43	54	110	144	145	135	265	579	1,128	1,186	-
1987.....	3,813	19	46	62	103	199	151	132	266	597	1,077	1,161	-
1986.....	3,708	21	61	60	114	176	118	116	244	575	1,123	1,100	-
1985.....	3,694	17	60	73	104	155	126	133	292	595	1,092	1,047	-
1984.....	3,527	33	65	72	122	128	114	125	260	608	1,010	989	1
1983.....	3,487	38	58	81	126	146	108	120	315	599	996	898	2
1982.....	3,292	35	69	61	127	134	117	106	262	585	964	832	-
1981.....	3,300	25	48	75	121	116	128	144	275	642	911	815	-
1980.....	3,238	24	63	79	133	157	98	137	282	589	922	754	-
1979.....	3,171	35	73	83	145	132	119	142	272	569	872	728	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ANEMIAS (280-285)													
TOTAL, MALE													
1998.....	1,873	13	15	25	52	91	100	103	130	299	547	498	-
1997.....	1,805	11	25	33	42	70	110	91	114	256	560	493	-
1996.....	1,820	15	23	31	45	87	95	100	146	307	542	428	1
1995.....	1,855	18	25	34	71	93	108	89	111	309	521	476	-
1994.....	1,909	15	27	33	53	122	133	104	116	299	520	487	-
1993.....	1,789	28	23	29	64	107	104	74	123	270	504	463	-
1992.....	1,825	18	39	37	72	109	124	87	104	306	473	456	-
1991.....	1,758	19	25	27	62	99	95	77	124	279	499	452	-
1990.....	1,770	21	31	27	76	106	101	86	124	300	486	412	-
1989.....	1,688	22	30	18	65	95	97	87	130	290	477	376	1
1988.....	1,614	15	25	25	63	83	78	73	132	305	468	347	-
1987.....	1,670	9	27	28	50	121	88	70	152	303	474	348	-
1986.....	1,633	8	32	34	68	94	60	68	112	278	495	384	-
1985.....	1,633	13	29	38	59	92	64	67	152	285	489	345	-
1984.....	1,545	16	34	29	68	70	52	64	132	304	452	323	1
1983.....	1,571	18	30	48	71	76	61	63	159	298	424	323	-
1982.....	1,452	20	30	35	75	76	52	51	138	278	426	271	-
1981.....	1,519	14	26	42	69	65	63	68	148	310	431	283	-
1980.....	1,421	13	34	41	78	80	46	63	139	284	386	257	-
1979.....	1,475	24	40	47	81	64	63	69	138	301	390	258	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ANEMIAS (280-285)													
TOTAL, FEMALE													
1998.....	2,671	10	16	21	41	77	120	99	105	273	714	1,195	-
1997.....	2,666	14	15	30	43	64	94	99	107	308	698	1,194	-
1996.....	2,512	16	17	23	47	78	109	100	113	281	624	1,104	-
1995.....	2,701	16	23	40	62	66	110	82	138	294	719	1,151	-
1994.....	2,471	13	21	32	48	107	105	94	115	290	678	968	-
1993.....	2,526	16	21	24	54	79	108	91	113	294	692	1,033	1
1992.....	2,421	30	26	25	55	90	98	83	120	310	661	923	-
1991.....	2,363	10	22	29	32	98	79	89	129	300	696	879	-
1990.....	2,322	8	20	24	48	81	94	70	148	304	638	887	-
1989.....	2,305	16	20	29	47	80	87	79	134	350	632	831	-
1988.....	2,202	12	18	29	47	61	67	62	133	274	660	839	-
1987.....	2,143	10	19	34	53	78	63	62	114	294	603	813	-
1986.....	2,075	13	29	26	46	82	58	48	132	297	628	716	-
1985.....	2,061	4	31	35	45	63	62	66	140	310	603	702	-
1984.....	1,982	17	31	43	54	58	62	61	128	304	558	666	-
1983.....	1,916	20	28	33	55	70	47	57	156	301	572	575	2
1982.....	1,840	15	39	26	52	58	65	55	124	307	538	561	-
1981.....	1,781	11	22	33	52	51	65	76	127	332	480	532	-
1980.....	1,817	11	29	38	55	77	52	74	143	305	536	497	-
1979.....	1,696	11	33	36	64	68	56	73	134	268	482	470	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ANEMIAS (280-285)													
WHITE, BOTH SEXES													
1998.....	3,503	11	13	26	22	26	58	99	156	459	1,114	1,519	-
1997.....	3,473	8	11	22	26	26	44	88	151	450	1,128	1,519	-
1996.....	3,340	15	11	31	25	32	52	92	176	503	1,026	1,377	-
1995.....	3,461	17	15	32	29	29	63	81	171	495	1,064	1,465	-
1994.....	3,332	13	16	33	24	60	72	92	169	479	1,059	1,315	-
1993.....	3,308	21	15	25	38	44	57	76	163	466	1,057	1,346	-
1992.....	3,241	20	25	28	36	43	69	94	172	506	987	1,261	-
1991.....	3,180	16	15	29	20	52	61	79	187	467	1,057	1,197	-
1990.....	3,136	16	17	19	35	36	63	79	205	495	989	1,182	-
1989.....	3,089	15	20	24	34	41	65	84	184	538	990	1,094	-
1988.....	3,034	10	8	26	40	45	50	74	202	498	998	1,083	-
1987.....	3,027	8	18	25	30	51	52	80	209	502	978	1,074	-
1986.....	2,949	6	23	31	40	35	43	70	193	506	996	1,006	-
1985.....	2,931	7	14	36	36	52	48	74	223	502	975	964	-
1984.....	2,844	17	23	42	46	36	52	76	207	513	918	913	1
1983.....	2,786	18	13	41	41	46	55	67	242	516	910	836	1
1982.....	2,620	16	25	35	46	41	54	64	214	500	859	766	-
1981.....	2,658	11	18	41	50	32	47	91	221	559	824	764	-
1980.....	2,550	7	26	48	59	42	35	87	216	494	834	702	-
1979.....	2,504	19	28	48	59	50	53	95	212	486	782	672	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ANEMIAS (280-285)													
WHITE MALE													
1998.....	1,391	5	5	14	14	15	27	55	81	241	488	446	-
1997.....	1,353	4	3	13	10	12	27	43	81	216	505	439	-
1996.....	1,372	8	6	17	13	17	20	47	103	270	482	389	-
1995.....	1,362	9	6	14	16	17	30	45	83	254	455	433	-
1994.....	1,423	9	12	14	14	33	47	55	88	242	465	444	-
1993.....	1,336	12	7	16	20	28	29	31	93	222	454	424	-
1992.....	1,349	5	14	17	20	27	36	53	87	252	416	422	-
1991.....	1,305	11	8	17	13	23	31	35	92	234	429	412	-
1990.....	1,274	12	9	5	21	21	38	45	88	248	415	372	-
1989.....	1,267	6	14	12	24	16	38	49	91	249	428	340	-
1988.....	1,247	8	7	10	27	20	30	40	108	269	412	316	-
1987.....	1,269	4	10	12	12	24	31	45	126	258	426	321	-
1986.....	1,272	4	10	18	23	17	23	43	92	250	444	348	-
1985.....	1,264	4	8	18	15	34	28	36	116	246	441	318	-
1984.....	1,203	9	9	16	22	18	18	41	107	254	411	297	1
1983.....	1,217	6	7	27	24	22	32	31	124	258	382	304	-
1982.....	1,132	9	7	20	24	24	24	31	115	244	385	249	-
1981.....	1,193	7	10	26	31	14	22	44	121	274	382	262	-
1980.....	1,085	3	15	22	30	19	12	47	108	236	352	241	-
1979.....	1,163	14	13	26	32	23	30	47	114	264	361	239	-

00/03/28 TABLE 290A. DEATHS FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 342
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+ N.S.

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ANEMIAS (280-285)													
WHITE FEMALE													
1998.....	2,112	6	8	12	8	11	31	44	75	218	626	1,073	-
1997.....	2,120	4	8	9	16	14	17	45	70	234	623	1,080	-
1996.....	1,968	7	5	14	12	15	32	45	73	233	544	988	-
1995.....	2,099	8	9	18	13	12	33	36	88	241	609	1,032	-
1994.....	1,909	4	4	19	10	27	25	37	81	237	594	871	-
1993.....	1,972	9	8	9	18	16	28	45	70	244	603	922	-
1992.....	1,892	15	11	11	16	16	33	41	85	254	571	839	-
1991.....	1,875	5	7	12	7	29	30	44	95	233	628	785	-
1990.....	1,862	4	8	14	14	15	25	34	117	247	574	810	-
1989.....	1,822	9	6	12	10	25	27	35	93	289	562	754	-
1988.....	1,787	2	1	16	13	25	20	34	94	229	586	767	-
1987.....	1,758	4	8	13	18	27	21	35	83	244	552	753	-
1986.....	1,677	2	13	13	17	18	20	27	101	256	552	658	-
1985.....	1,667	3	6	18	21	18	20	38	107	256	534	646	-
1984.....	1,641	8	14	26	24	18	34	35	100	259	507	616	-
1983.....	1,569	12	6	14	17	24	23	36	118	258	528	532	1
1982.....	1,488	7	18	15	22	17	30	33	99	256	474	517	-
1981.....	1,465	4	8	15	19	18	25	47	100	285	442	502	-
1980.....	1,465	4	11	26	29	23	23	40	108	258	482	461	-
1979.....	1,341	5	15	22	27	27	23	48	98	222	421	433	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ANEMIAS (280-285)													
ALL OTHER, BOTH SEXES													
1998.....	1,041	12	18	20	71	142	162	103	79	113	147	174	-
1997.....	998	17	29	41	59	108	160	102	70	114	130	168	-
1996.....	992	16	29	23	67	133	152	108	83	85	140	155	1
1995.....	1,095	17	33	42	104	130	155	90	78	108	176	162	-
1994.....	1,048	15	32	32	77	169	166	106	62	110	139	140	-
1993.....	1,007	23	29	28	80	142	155	89	73	98	139	150	1
1992.....	1,005	28	40	34	91	156	153	76	52	110	147	118	-
1991.....	941	13	32	27	74	145	113	87	66	112	138	134	-
1990.....	956	13	34	32	89	151	132	77	67	109	135	117	-
1989.....	904	23	30	23	78	134	119	82	80	102	119	113	1
1988.....	782	17	35	28	70	99	95	61	63	81	130	103	-
1987.....	786	11	28	37	73	148	99	52	57	95	99	87	-
1986.....	759	15	38	29	74	141	75	46	51	69	127	94	-
1985.....	763	10	46	37	68	103	78	59	69	93	117	83	-
1984.....	683	16	42	30	76	92	62	49	53	95	92	76	-
1983.....	701	20	45	40	85	100	53	53	73	83	86	62	1
1982.....	672	19	44	26	81	93	63	42	48	85	105	66	-
1981.....	642	14	30	34	71	84	81	53	54	83	87	51	-
1980.....	688	17	37	31	74	115	63	50	66	95	88	52	-
1979.....	667	16	45	35	86	82	66	47	60	83	90	56	1

00/03/28 TABLE 290A. DEATHS FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 344
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+ N.S.
 ANEMIAS (280-285)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ALL OTHER MALE													
1998.....	482	8	10	11	38	76	73	48	49	58	59	52	-
1997.....	452	7	22	20	32	58	83	48	33	40	55	54	-
1996.....	448	7	17	14	32	70	75	53	43	37	60	39	1
1995.....	493	9	19	20	55	76	78	44	28	55	66	43	-
1994.....	486	6	15	19	39	89	86	49	28	57	55	43	-
1993.....	453	16	16	13	44	79	75	43	30	48	50	39	-
1992.....	476	13	25	20	52	82	88	34	17	54	57	34	-
1991.....	453	8	17	10	49	76	64	42	32	45	70	40	-
1990.....	496	9	22	22	55	85	63	41	36	52	71	40	-
1989.....	421	16	16	6	41	79	59	38	39	41	49	36	1
1988.....	367	7	18	15	36	63	48	33	24	36	56	31	-
1987.....	401	5	17	16	38	97	57	25	26	45	48	27	-
1986.....	361	4	22	16	45	77	37	25	20	28	51	36	-
1985.....	369	9	21	20	44	58	36	31	36	39	48	27	-
1984.....	342	7	25	13	46	52	34	23	25	50	41	26	-
1983.....	354	12	23	21	47	54	29	32	35	40	42	19	-
1982.....	320	11	23	15	51	52	28	20	23	34	41	22	-
1981.....	326	7	16	16	38	51	41	24	27	36	49	21	-
1980.....	336	10	19	19	48	61	34	16	31	48	34	16	-
1979.....	312	10	27	21	49	41	33	22	24	37	29	19	-

00/03/28 TABLE 290A. DEATHS FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 345
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+ N.S.
 ANEMIAS (280-285)

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ALL OTHER FEMALE													
1998.....	559	4	8	9	33	66	89	55	30	55	88	122	-
1997.....	546	10	7	21	27	50	77	54	37	74	75	114	-
1996.....	544	9	12	9	35	63	77	55	40	48	80	116	-
1995.....	602	8	14	22	49	54	77	46	50	53	110	119	-
1994.....	562	9	17	13	38	80	80	57	34	53	84	97	-
1993.....	554	7	13	15	36	63	80	46	43	50	89	111	1
1992.....	529	15	15	14	39	74	65	42	35	56	90	84	-
1991.....	488	5	15	17	25	69	49	45	34	67	68	94	-
1990.....	460	4	12	10	34	66	69	36	31	57	64	77	-
1989.....	483	7	14	17	37	55	60	44	41	61	70	77	-
1988.....	415	10	17	13	34	36	47	28	39	45	74	72	-
1987.....	385	6	11	21	35	51	42	27	31	50	51	60	-
1986.....	398	11	16	13	29	64	38	21	31	41	76	58	-
1985.....	394	1	25	17	24	45	42	28	33	54	69	56	-
1984.....	341	9	17	17	30	40	28	26	28	45	51	50	-
1983.....	347	8	22	19	38	46	24	21	38	43	44	43	1
1982.....	352	8	21	11	30	41	35	22	25	51	64	44	-
1981.....	316	7	14	18	33	33	40	29	27	47	38	30	-
1980.....	352	7	18	12	26	54	29	34	35	47	54	36	-
1979.....	355	6	18	14	37	41	33	25	36	46	61	37	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ANEMIAS (280-285)													
BLACK, BOTH SEXES													
1998.....	953	6	17	18	68	139	159	98	75	88	129	156	-
1997.....	927	11	28	40	54	104	157	100	65	102	114	152	-
1996.....	929	8	28	23	65	131	151	103	78	74	126	141	1
1995.....	1,014	8	31	40	103	127	154	88	72	94	149	148	-
1994.....	991	7	32	30	77	166	164	102	59	101	129	124	-
1993.....	947	15	28	28	76	142	153	86	67	87	128	137	-
1992.....	947	21	40	33	86	152	150	73	48	100	138	106	-
1991.....	883	10	31	27	66	141	109	85	54	105	129	126	-
1990.....	887	6	30	30	85	149	128	72	58	98	125	106	-
1989.....	852	17	29	18	78	131	118	79	74	91	110	106	1
1988.....	731	9	34	26	67	96	93	61	62	72	118	93	-
1987.....	739	8	28	36	67	145	99	50	50	90	89	77	-
1986.....	706	8	36	26	72	140	72	45	49	64	111	83	-
1985.....	717	7	45	35	66	100	76	58	64	86	107	73	-
1984.....	640	11	39	27	75	89	62	47	48	84	86	72	-
1983.....	665	14	44	36	84	99	52	50	71	77	81	56	1
1982.....	632	16	43	26	74	92	62	42	46	75	97	59	-
1981.....	615	12	30	32	69	84	76	53	48	80	83	48	-
1980.....	660	15	36	29	73	114	62	49	64	88	80	50	-
1979.....	637	10	45	31	85	79	65	43	59	80	88	51	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ANEMIAS (280-285)													
BLACK MALE													
1998.....	429	4	9	10	35	75	71	45	45	41	50	44	-
1997.....	423	5	21	19	29	54	81	48	31	37	50	48	-
1996.....	419	4	17	14	30	69	75	50	39	33	55	32	1
1995.....	450	2	18	19	55	75	77	42	26	47	56	33	-
1994.....	461	3	15	19	39	88	85	46	27	53	50	36	-
1993.....	424	12	15	13	41	79	74	42	28	41	47	32	-
1992.....	450	11	25	20	50	81	87	32	16	50	50	28	-
1991.....	420	8	16	10	41	74	61	41	29	40	64	36	-
1990.....	460	5	19	20	53	84	63	40	30	47	64	35	-
1989.....	401	13	16	6	41	78	59	36	37	34	45	35	1
1988.....	337	4	17	14	34	61	47	33	23	30	48	26	-
1987.....	378	4	17	16	36	95	57	25	21	42	43	22	-
1986.....	334	2	21	13	44	76	35	24	19	26	43	31	-
1985.....	345	7	21	19	43	56	36	30	33	37	42	21	-
1984.....	315	5	22	13	45	49	34	22	22	44	36	23	-
1983.....	334	9	23	18	46	54	28	29	34	37	40	16	-
1982.....	296	9	23	15	46	51	27	20	22	28	38	17	-
1981.....	308	5	16	14	36	51	39	24	23	34	46	20	-
1980.....	321	9	18	19	47	60	34	16	30	44	30	14	-
1979.....	298	8	27	18	48	39	33	21	23	36	28	17	-

00/03/28 TABLE 290A. DEATHS FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 348
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+ N.S.

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ANEMIAS (280-285)													
BLACK FEMALE													
1998.....	524	2	8	8	33	64	88	53	30	47	79	112	-
1997.....	504	6	7	21	25	50	76	52	34	65	64	104	-
1996.....	510	4	11	9	35	62	76	53	39	41	71	109	-
1995.....	564	6	13	21	48	52	77	46	46	47	93	115	-
1994.....	530	4	17	11	38	78	79	56	32	48	79	88	-
1993.....	523	3	13	15	35	63	79	44	39	46	81	105	-
1992.....	497	10	15	13	36	71	63	41	32	50	88	78	-
1991.....	463	2	15	17	25	67	48	44	25	65	65	90	-
1990.....	427	1	11	10	32	65	65	32	28	51	61	71	-
1989.....	451	4	13	12	37	53	59	43	37	57	65	71	-
1988.....	394	5	17	12	33	35	46	28	39	42	70	67	-
1987.....	361	4	11	20	31	50	42	25	29	48	46	55	-
1986.....	372	6	15	13	28	64	37	21	30	38	68	52	-
1985.....	372	-	24	16	23	44	40	28	31	49	65	52	-
1984.....	325	6	17	14	30	40	28	25	26	40	50	49	-
1983.....	331	5	21	18	38	45	24	21	37	40	41	40	1
1982.....	336	7	20	11	28	41	35	22	24	47	59	42	-
1981.....	307	7	14	18	33	33	37	29	25	46	37	28	-
1980.....	339	6	18	10	26	54	28	33	34	44	50	36	-
1979.....	339	2	18	13	37	40	32	22	36	44	60	34	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MENINGITIS (320-322)													
TOTAL, BOTH SEXES													
1998.....	768	107	48	34	38	37	91	92	78	96	106	41	-
1997.....	781	97	44	33	23	56	85	87	85	99	119	53	-
1996.....	758	103	38	31	25	41	80	89	76	107	116	49	3
1995.....	761	121	37	28	38	48	68	88	94	98	87	54	-
1994.....	770	107	47	32	30	46	70	80	92	111	106	49	-
1993.....	788	107	39	31	29	57	71	74	75	129	126	50	-
1992.....	798	126	32	32	31	41	84	66	91	119	118	58	-
1991.....	887	128	39	35	29	54	82	62	96	147	140	75	-
1990.....	1,017	197	81	37	29	53	88	81	116	146	128	61	-
1989.....	1,068	229	99	21	24	65	91	83	106	161	122	65	2
1988.....	1,156	205	129	53	33	62	46	75	122	189	162	80	-
1987.....	1,161	214	139	37	21	74	83	91	127	160	132	83	-
1986.....	1,160	220	144	27	25	62	62	69	154	175	152	70	-
1985.....	1,206	257	159	41	27	66	47	68	129	173	175	64	-
1984.....	1,194	268	174	46	36	57	43	70	145	135	156	63	1
1983.....	1,287	318	197	39	33	50	57	80	136	172	142	60	3
1982.....	1,282	331	187	46	29	54	56	82	138	149	128	82	-
1981.....	1,405	422	165	48	39	68	53	102	162	147	130	68	1
1980.....	1,415	443	223	51	49	39	50	78	146	173	118	45	-
1979.....	1,393	441	183	56	27	50	65	86	149	169	121	46	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MENINGITIS (320-322)													
TOTAL, MALE													
1998.....	424	61	29	23	21	19	53	61	40	58	51	8	-
1997.....	403	40	20	19	11	27	52	61	50	56	52	15	-
1996.....	423	61	21	19	14	23	50	63	46	57	52	14	3
1995.....	408	63	23	19	22	31	42	54	52	51	37	14	-
1994.....	418	61	29	22	17	31	48	50	46	50	43	21	-
1993.....	420	62	20	21	17	34	43	42	40	69	57	15	-
1992.....	402	61	17	15	15	25	53	39	56	56	48	17	-
1991.....	442	68	23	18	15	37	51	37	57	59	51	26	-
1990.....	545	108	52	21	15	36	68	50	58	67	48	22	-
1989.....	588	126	69	12	15	40	68	52	58	80	44	23	1
1988.....	601	110	76	23	19	45	37	51	77	81	54	28	-
1987.....	645	120	78	24	15	54	54	56	81	88	53	22	-
1986.....	624	123	100	17	18	39	41	32	84	80	70	20	-
1985.....	634	142	101	19	19	47	28	36	66	89	67	20	-
1984.....	650	155	105	20	19	42	28	40	80	71	75	15	-
1983.....	670	177	108	22	22	34	34	47	77	78	49	20	2
1982.....	700	194	114	35	17	27	38	46	83	76	39	31	-
1981.....	776	253	97	27	26	42	34	66	88	72	46	24	1
1980.....	796	251	145	25	32	18	26	50	94	84	58	13	-
1979.....	765	252	107	26	20	28	40	48	93	83	53	15	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MENINGITIS (320-322)													
TOTAL, FEMALE													
1998.....	344	46	19	11	17	18	38	31	38	38	55	33	-
1997.....	378	57	24	14	12	29	33	26	35	43	67	38	-
1996.....	335	42	17	12	11	18	30	26	30	50	64	35	-
1995.....	353	58	14	9	16	17	26	34	42	47	50	40	-
1994.....	352	46	18	10	13	15	22	30	46	61	63	28	-
1993.....	368	45	19	10	12	23	28	32	35	60	69	35	-
1992.....	396	65	15	17	16	16	31	27	35	63	70	41	-
1991.....	445	60	16	17	14	17	31	25	39	88	89	49	-
1990.....	472	89	29	16	14	17	20	31	58	79	80	39	-
1989.....	480	103	30	9	9	25	23	31	48	81	78	42	1
1988.....	555	95	53	30	14	17	9	24	45	108	108	52	-
1987.....	516	94	61	13	6	20	29	35	46	72	79	61	-
1986.....	536	97	44	10	7	23	21	37	70	95	82	50	-
1985.....	572	115	58	22	8	19	19	32	63	84	108	44	-
1984.....	544	113	69	26	17	15	15	30	65	64	81	48	1
1983.....	617	141	89	17	11	16	23	33	59	94	93	40	1
1982.....	582	137	73	11	12	27	18	36	55	73	89	51	-
1981.....	629	169	68	21	13	26	19	36	74	75	84	44	-
1980.....	619	192	78	26	17	21	24	28	52	89	60	32	-
1979.....	628	189	76	30	7	22	25	38	56	86	68	31	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MENINGITIS (320-322)													
WHITE, BOTH SEXES													
1998.....	545	66	39	24	21	21	57	63	53	73	93	35	-
1997.....	546	62	24	22	8	35	53	56	67	73	100	46	-
1996.....	529	57	27	21	13	20	50	59	54	87	101	38	2
1995.....	541	62	33	24	24	33	44	60	66	81	68	46	-
1994.....	542	57	31	23	19	26	47	46	74	95	85	39	-
1993.....	547	57	26	23	20	35	41	51	49	97	108	40	-
1992.....	569	80	21	23	19	29	43	42	67	93	99	53	-
1991.....	618	71	26	30	20	28	42	47	71	115	113	55	-
1990.....	705	111	56	28	18	37	54	46	90	120	97	48	-
1989.....	703	128	71	14	15	42	49	43	66	119	103	52	1
1988.....	808	135	89	37	26	40	24	37	88	147	122	63	-
1987.....	812	132	107	28	13	50	40	55	88	128	107	64	-
1986.....	827	135	104	19	20	45	32	45	110	138	123	56	-
1985.....	871	155	117	30	16	41	32	42	97	138	146	57	-
1984.....	846	172	124	32	24	39	28	42	99	106	126	54	-
1983.....	935	203	151	34	25	32	34	54	105	122	119	53	3
1982.....	912	207	146	37	18	30	35	50	99	121	98	71	-
1981.....	987	270	134	29	31	44	32	63	116	105	102	61	-
1980.....	1,020	294	170	44	34	29	30	49	114	124	96	36	-
1979.....	951	273	131	39	16	40	37	52	102	128	100	33	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MENINGITIS (320-322)													
WHITE MALE													
1998.....	297	36	25	18	11	10	36	41	27	42	46	5	-
1997.....	275	21	9	12	6	18	30	39	40	43	43	14	-
1996.....	294	37	15	11	8	10	33	43	31	48	46	10	2
1995.....	290	35	22	16	12	22	25	35	35	47	29	12	-
1994.....	285	34	21	15	10	19	31	26	38	44	32	15	-
1993.....	286	31	16	17	11	22	24	27	25	53	47	13	-
1992.....	280	44	10	10	7	18	29	23	37	49	40	13	-
1991.....	306	39	16	15	11	18	28	29	41	49	40	20	-
1990.....	371	65	36	15	9	26	42	29	44	54	35	16	-
1989.....	383	74	49	8	9	24	35	25	37	62	38	21	1
1988.....	402	74	49	18	16	26	16	22	57	64	39	21	-
1987.....	460	80	58	19	11	34	30	35	58	74	40	21	-
1986.....	445	77	77	12	14	28	19	20	59	64	57	18	-
1985.....	451	86	76	15	12	26	18	25	52	71	51	19	-
1984.....	472	107	80	17	12	29	20	24	55	53	60	15	-
1983.....	486	116	83	19	18	19	21	32	59	61	36	20	2
1982.....	492	125	90	27	11	13	25	25	59	63	29	25	-
1981.....	547	167	81	15	21	25	19	50	64	50	34	21	-
1980.....	577	171	109	21	21	14	16	33	74	59	49	10	-
1979.....	521	157	79	23	11	22	21	31	61	66	42	8	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MENINGITIS (320-322)													
WHITE FEMALE													
1998.....	248	30	14	6	10	11	21	22	26	31	47	30	-
1997.....	271	41	15	10	2	17	23	17	27	30	57	32	-
1996.....	235	20	12	10	5	10	17	16	23	39	55	28	-
1995.....	251	27	11	8	12	11	19	25	31	34	39	34	-
1994.....	257	23	10	8	9	7	16	20	36	51	53	24	-
1993.....	261	26	10	6	9	13	17	24	24	44	61	27	-
1992.....	289	36	11	13	12	11	14	19	30	44	59	40	-
1991.....	312	32	10	15	9	10	14	18	30	66	73	35	-
1990.....	334	46	20	13	9	11	12	17	46	66	62	32	-
1989.....	320	54	22	6	6	18	14	18	29	57	65	31	-
1988.....	406	61	40	19	10	14	8	15	31	83	83	42	-
1987.....	352	52	49	9	2	16	10	20	30	54	67	43	-
1986.....	382	58	27	7	6	17	13	25	51	74	66	38	-
1985.....	420	69	41	15	4	15	14	17	45	67	95	38	-
1984.....	374	65	44	15	12	10	8	18	44	53	66	39	-
1983.....	449	87	68	15	7	13	13	22	46	61	83	33	1
1982.....	420	82	56	10	7	17	10	25	40	58	69	46	-
1981.....	440	103	53	14	10	19	13	13	52	55	68	40	-
1980.....	443	123	61	23	13	15	14	16	40	65	47	26	-
1979.....	430	116	52	16	5	18	16	21	41	62	58	25	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MENINGITIS (320-322)													
ALL OTHER, BOTH SEXES													
1998.....	223	41	9	10	17	16	34	29	25	23	13	6	-
1997.....	235	35	20	11	15	21	32	31	18	26	19	7	-
1996.....	229	46	11	10	12	21	30	30	22	20	15	11	1
1995.....	220	59	4	4	14	15	24	28	28	17	19	8	-
1994.....	228	50	16	9	11	20	23	34	18	16	21	10	-
1993.....	241	50	13	8	9	22	30	23	26	32	18	10	-
1992.....	229	46	11	9	12	12	41	24	24	26	19	5	-
1991.....	269	57	13	5	9	26	40	15	25	32	27	20	-
1990.....	312	86	25	9	11	16	34	35	26	26	31	13	-
1989.....	365	101	28	7	9	23	42	40	40	42	19	13	1
1988.....	348	70	40	16	7	22	22	38	34	42	40	17	-
1987.....	349	82	32	9	8	24	43	36	39	32	25	19	-
1986.....	333	85	40	8	5	17	30	24	44	37	29	14	-
1985.....	335	102	42	11	11	25	15	26	32	35	29	7	-
1984.....	348	96	50	14	12	18	15	28	46	29	30	9	1
1983.....	352	115	46	5	8	18	23	26	31	50	23	7	-
1982.....	370	124	41	9	11	24	21	32	39	28	30	11	-
1981.....	418	152	31	19	8	24	21	39	46	42	28	7	1
1980.....	395	149	53	7	15	10	20	29	32	49	22	9	-
1979.....	442	168	52	17	11	10	28	34	47	41	21	13	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MENINGITIS (320-322)													
ALL OTHER MALE													
1998.....	127	25	4	5	10	9	17	20	13	16	5	3	-
1997.....	128	19	11	7	5	9	22	22	10	13	9	1	-
1996.....	129	24	6	8	6	13	17	20	15	9	6	4	1
1995.....	118	28	1	3	10	9	17	19	17	4	8	2	-
1994.....	133	27	8	7	7	12	17	24	8	6	11	6	-
1993.....	134	31	4	4	6	12	19	15	15	16	10	2	-
1992.....	122	17	7	5	8	7	24	16	19	7	8	4	-
1991.....	136	29	7	3	4	19	23	8	16	10	11	6	-
1990.....	174	43	16	6	6	10	26	21	14	13	13	6	-
1989.....	205	52	20	4	6	16	33	27	21	18	6	2	-
1988.....	199	36	27	5	3	19	21	29	20	17	15	7	-
1987.....	185	40	20	5	4	20	24	21	23	14	13	1	-
1986.....	179	46	23	5	4	11	22	12	25	16	13	2	-
1985.....	183	56	25	4	7	21	10	11	14	18	16	1	-
1984.....	178	48	25	3	7	13	8	16	25	18	15	-	-
1983.....	184	61	25	3	4	15	13	15	18	17	13	-	-
1982.....	208	69	24	8	6	14	13	21	24	13	10	6	-
1981.....	229	86	16	12	5	17	15	16	24	22	12	3	1
1980.....	219	80	36	4	11	4	10	17	20	25	9	3	-
1979.....	244	95	28	3	9	6	19	17	32	17	11	7	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MENINGITIS (320-322)													
ALL OTHER FEMALE													
1998.....	96	16	5	5	7	7	17	9	12	7	8	3	-
1997.....	107	16	9	4	10	12	10	9	8	13	10	6	-
1996.....	100	22	5	2	6	8	13	10	7	11	9	7	-
1995.....	102	31	3	1	4	6	7	9	11	13	11	6	-
1994.....	95	23	8	2	4	8	6	10	10	10	10	4	-
1993.....	107	19	9	4	3	10	11	8	11	16	8	8	-
1992.....	107	29	4	4	4	5	17	8	5	19	11	1	-
1991.....	133	28	6	2	5	7	17	7	9	22	16	14	-
1990.....	138	43	9	3	5	6	8	14	12	13	18	7	-
1989.....	160	49	8	3	3	7	9	13	19	24	13	11	1
1988.....	149	34	13	11	4	3	1	9	14	25	25	10	-
1987.....	164	42	12	4	4	4	19	15	16	18	12	18	-
1986.....	154	39	17	3	1	6	8	12	19	21	16	12	-
1985.....	152	46	17	7	4	4	5	15	18	17	13	6	-
1984.....	170	48	25	11	5	5	7	12	21	11	15	9	1
1983.....	168	54	21	2	4	3	10	11	13	33	10	7	-
1982.....	162	55	17	1	5	10	8	11	15	15	20	5	-
1981.....	189	66	15	7	3	7	6	23	22	20	16	4	-
1980.....	176	69	17	3	4	6	10	12	12	24	13	6	-
1979.....	198	73	24	14	2	4	9	17	15	24	10	6	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MENINGITIS (320-322)													
BLACK, BOTH SEXES													
1998.....	195	38	5	7	15	14	30	27	21	23	9	6	-
1997.....	204	27	17	11	13	20	29	29	15	21	16	6	-
1996.....	211	44	11	9	10	20	29	27	20	17	12	11	1
1995.....	197	53	3	4	12	15	21	26	26	13	17	7	-
1994.....	210	48	16	6	10	19	22	33	16	15	16	9	-
1993.....	216	49	9	8	9	19	27	21	23	25	17	9	-
1992.....	204	39	8	7	12	9	39	22	23	22	18	5	-
1991.....	245	49	13	5	6	25	37	14	22	29	26	19	-
1990.....	284	74	24	9	10	14	33	33	26	22	29	10	-
1989.....	331	87	25	6	8	23	40	39	35	36	19	12	1
1988.....	326	62	40	15	7	21	20	37	32	38	38	16	-
1987.....	319	69	30	8	8	23	40	33	35	30	24	19	-
1986.....	305	74	39	7	4	16	30	22	36	36	28	13	-
1985.....	301	87	38	9	11	21	15	26	30	34	23	7	-
1984.....	319	79	46	13	12	17	15	28	43	28	29	9	-
1983.....	332	106	44	4	8	17	23	24	28	50	22	6	-
1982.....	339	109	36	9	10	23	19	31	37	29	29	10	-
1981.....	380	140	29	19	6	21	19	35	40	38	25	7	1
1980.....	369	138	49	7	14	9	19	27	31	47	21	7	-
1979.....	404	151	48	16	11	9	27	29	44	36	20	13	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MENINGITIS (320-322) BLACK MALE													
1998.....	114	24	2	3	9	7	15	19	13	16	3	3	-
1997.....	112	15	11	7	4	9	19	21	8	9	8	1	-
1996.....	119	24	6	7	5	12	16	17	15	8	4	4	1
1995.....	106	26	1	3	9	9	14	17	16	3	7	1	-
1994.....	122	26	8	4	7	11	16	23	8	6	8	5	-
1993.....	119	30	2	4	6	10	16	15	15	11	9	1	-
1992.....	107	15	5	3	8	5	23	14	19	4	7	4	-
1991.....	123	27	7	3	3	18	22	7	13	7	10	6	-
1990.....	159	37	16	6	5	9	25	19	14	10	13	5	-
1989.....	186	44	17	3	6	16	32	26	19	15	6	2	-
1988.....	185	34	27	4	3	18	19	28	18	14	14	6	-
1987.....	169	34	18	5	4	19	22	19	22	13	12	1	-
1986.....	165	40	22	4	3	11	22	12	22	15	12	2	-
1985.....	163	47	22	4	7	18	10	11	13	18	12	1	-
1984.....	164	39	24	3	7	13	8	16	23	17	14	-	-
1983.....	175	56	25	2	4	14	13	14	17	17	13	-	-
1982.....	196	63	22	8	6	13	12	20	23	13	10	6	-
1981.....	204	79	14	12	4	15	13	14	20	19	10	3	1
1980.....	203	75	32	4	10	4	9	15	19	23	9	3	-
1979.....	222	82	26	3	9	5	19	15	31	15	10	7	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MENINGITIS (320-322)													
BLACK FEMALE													
1998.....	81	14	3	4	6	7	15	8	8	7	6	3	-
1997.....	92	12	6	4	9	11	10	8	7	12	8	5	-
1996.....	92	20	5	2	5	8	13	10	5	9	8	7	-
1995.....	91	27	2	1	3	6	7	9	10	10	10	6	-
1994.....	88	22	8	2	3	8	6	10	8	9	8	4	-
1993.....	97	19	7	4	3	9	11	6	8	14	8	8	-
1992.....	97	24	3	4	4	4	16	8	4	18	11	1	-
1991.....	122	22	6	2	3	7	15	7	9	22	16	13	-
1990.....	125	37	8	3	5	5	8	14	12	12	16	5	-
1989.....	145	43	8	3	2	7	8	13	16	21	13	10	1
1988.....	141	28	13	11	4	3	1	9	14	24	24	10	-
1987.....	150	35	12	3	4	4	18	14	13	17	12	18	-
1986.....	140	34	17	3	1	5	8	10	14	21	16	11	-
1985.....	138	40	16	5	4	3	5	15	17	16	11	6	-
1984.....	155	40	22	10	5	4	7	12	20	11	15	9	-
1983.....	157	50	19	2	4	3	10	10	11	33	9	6	-
1982.....	143	46	14	1	4	10	7	11	14	13	19	4	-
1981.....	176	61	15	7	2	6	6	21	20	19	15	4	-
1980.....	166	63	17	3	4	5	10	12	12	24	12	4	-
1979.....	182	69	22	13	2	4	8	14	13	21	10	6	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MAJOR CARDIOVASCULAR DISEASES (390-448)													
TOTAL, BOTH SEXES													
1998.....	940,565	932	277	429	1,308	4,161	17,076	42,589	78,804	170,010	300,064	324,850	65
1997.....	944,148	903	277	413	1,373	4,241	16,835	42,772	79,620	175,533	300,731	321,375	75
1996.....	950,164	881	272	437	1,216	4,313	16,739	42,597	80,998	181,372	303,158	318,087	94
1995.....	951,406	901	315	388	1,294	4,473	17,234	41,656	82,036	187,284	301,970	313,751	104
1994.....	940,693	902	351	422	1,258	4,596	16,711	40,492	82,923	189,770	299,111	304,075	82
1993.....	948,088	893	350	409	1,272	4,612	16,416	39,276	85,761	194,900	303,100	301,002	97
1992.....	913,908	897	347	363	1,256	4,497	15,996	37,637	86,241	192,844	293,300	280,424	106
1991.....	916,342	881	397	384	1,286	4,518	15,579	36,474	88,833	196,338	295,237	276,291	124
1990.....	916,007	963	335	401	1,224	4,480	14,760	36,242	91,820	198,744	296,718	270,197	123
1989.....	931,838	924	332	396	1,248	4,644	14,783	36,833	96,172	203,467	301,942	270,981	116
1988.....	969,400	1,033	412	410	1,434	4,802	15,055	37,636	103,090	215,326	312,054	278,026	122
1987.....	963,611	1,094	383	416	1,394	4,862	15,176	38,608	105,935	217,512	307,438	270,663	130
1986.....	968,240	1,116	415	402	1,452	4,872	15,254	38,853	110,619	220,605	307,894	266,339	419
1985.....	977,879	1,085	363	426	1,503	4,567	14,858	40,552	114,832	224,287	309,812	265,235	359
1984.....	973,418	1,084	411	470	1,507	4,465	14,589	41,512	117,667	225,497	307,711	258,358	147
1983.....	981,098	1,119	407	432	1,505	4,430	14,136	43,238	120,497	229,348	309,086	256,737	163
1982.....	967,868	922	364	495	1,494	4,383	13,993	44,526	121,302	229,480	304,035	246,653	221
1981.....	972,992	916	393	430	1,540	4,501	14,127	46,963	124,110	231,225	303,032	245,581	174
1980.....	988,545	984	407	450	1,750	4,281	14,079	48,328	126,257	235,800	310,704	245,331	174
1979.....	958,282	872	321	417	1,604	4,209	14,108	49,830	126,410	230,308	300,520	229,510	173

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MAJOR CARDIOVASCULAR DISEASES (390-448)													
TOTAL, MALE													
1998.....	441,278	501	142	249	813	2,568	11,635	30,043	52,362	100,571	144,969	97,384	41
1997.....	445,709	505	162	231	825	2,637	11,532	30,290	53,069	104,498	145,046	96,860	54
1996.....	448,848	473	137	236	757	2,705	11,477	29,960	54,089	108,088	145,562	95,304	60
1995.....	450,523	482	179	223	797	2,877	11,983	29,705	54,708	111,891	144,512	93,108	58
1994.....	447,233	493	191	227	772	2,816	11,550	28,825	55,549	113,711	142,547	90,503	49
1993.....	452,412	497	193	217	771	2,940	11,414	27,905	57,453	116,740	144,632	89,596	54
1992.....	439,307	501	180	210	796	2,838	11,261	26,772	57,787	115,423	139,384	84,090	65
1991.....	441,689	493	213	206	793	2,838	10,989	25,954	59,711	117,982	139,958	82,468	84
1990.....	442,737	541	165	215	758	2,824	10,545	25,766	61,643	119,057	140,409	80,743	71
1989.....	450,995	510	187	206	751	2,994	10,531	26,345	64,792	122,014	141,762	80,837	66
1988.....	470,857	576	207	235	895	3,141	10,747	26,719	69,181	129,094	146,377	83,617	68
1987.....	470,076	629	203	231	849	3,098	10,914	27,553	71,220	129,902	143,901	81,498	78
1986.....	475,591	639	217	215	886	3,151	10,988	27,699	74,895	132,020	144,078	80,658	145
1985.....	485,055	631	189	202	902	2,986	10,602	29,292	78,216	134,858	145,337	81,710	130
1984.....	485,019	598	219	245	894	2,913	10,459	29,996	80,070	134,912	143,602	81,030	81
1983.....	492,335	635	225	229	894	2,925	10,111	31,175	82,033	138,181	144,451	81,395	81
1982.....	489,179	549	204	251	888	2,857	9,966	32,302	82,977	138,263	141,384	79,417	121
1981.....	494,204	510	202	232	908	2,851	10,038	33,982	84,916	139,149	141,547	79,772	97
1980.....	503,749	566	216	228	1,075	2,707	10,007	35,073	86,801	141,780	143,896	81,298	102
1979.....	494,234	508	170	219	950	2,697	9,996	36,362	87,517	139,205	139,560	76,940	110

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MAJOR CARDIOVASCULAR DISEASES (390-448)													
TOTAL, FEMALE													
1998.....	499,287	431	135	180	495	1,593	5,441	12,546	26,442	69,439	155,095	227,466	24
1997.....	498,439	398	115	182	548	1,604	5,303	12,482	26,551	71,035	155,685	224,515	21
1996.....	501,316	408	135	201	459	1,608	5,262	12,637	26,909	73,284	157,596	222,783	34
1995.....	500,883	419	136	165	497	1,596	5,251	11,951	27,328	75,393	157,458	220,643	46
1994.....	493,460	409	160	195	486	1,780	5,161	11,667	27,374	76,059	156,564	213,572	33
1993.....	495,676	396	157	192	501	1,672	5,002	11,371	28,308	78,160	158,468	211,406	43
1992.....	474,601	396	167	153	460	1,659	4,735	10,865	28,454	77,421	153,916	196,334	41
1991.....	474,653	388	184	178	493	1,680	4,590	10,520	29,122	78,356	155,279	193,823	40
1990.....	473,270	422	170	186	466	1,656	4,215	10,476	30,177	79,687	156,309	189,454	52
1989.....	480,843	414	145	190	497	1,650	4,252	10,488	31,380	81,453	160,180	190,144	50
1988.....	498,543	457	205	175	539	1,661	4,308	10,917	33,909	86,232	165,677	194,409	54
1987.....	493,535	465	180	185	545	1,764	4,262	11,055	34,715	87,610	163,537	189,165	52
1986.....	492,649	477	198	187	566	1,721	4,266	11,154	35,724	88,585	163,816	185,681	274
1985.....	492,824	454	174	224	601	1,581	4,256	11,260	36,616	89,429	164,475	183,525	229
1984.....	488,399	486	192	225	613	1,552	4,130	11,516	37,597	90,585	164,109	177,328	66
1983.....	488,763	484	182	203	611	1,505	4,025	12,063	38,464	91,167	164,635	175,342	82
1982.....	478,689	373	160	244	606	1,526	4,027	12,224	38,325	91,217	162,651	167,236	100
1981.....	478,788	406	191	198	632	1,650	4,089	12,981	39,194	92,076	161,485	165,809	77
1980.....	484,796	418	191	222	675	1,574	4,072	13,255	39,456	94,020	166,808	164,033	72
1979.....	464,048	364	151	198	654	1,512	4,112	13,468	38,893	91,103	160,960	152,570	63

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MAJOR CARDIOVASCULAR DISEASES (390-448)													
WHITE, BOTH SEXES													
1998.....	821,836	620	174	298	869	2,768	11,940	31,671	62,207	144,072	268,524	298,658	35
1997.....	827,466	632	183	292	915	2,896	11,753	31,984	63,022	149,360	270,334	296,044	51
1996.....	833,361	596	175	309	797	2,887	11,733	32,043	64,424	154,798	272,269	293,262	68
1995.....	834,366	622	191	268	806	3,027	12,104	31,428	65,555	159,787	271,108	289,396	74
1994.....	826,478	596	222	309	827	3,045	11,564	30,559	66,839	162,616	268,792	281,056	53
1993.....	833,034	601	229	286	848	3,092	11,421	29,779	68,905	167,293	272,543	277,986	51
1992.....	803,996	592	227	250	842	2,980	11,169	28,625	69,678	166,051	264,185	259,329	68
1991.....	806,302	575	251	271	875	3,018	10,928	27,716	72,224	169,080	265,554	255,720	90
1990.....	807,688	606	218	294	820	2,984	10,383	27,641	75,064	171,814	267,539	250,257	68
1989.....	820,810	619	214	273	844	3,128	10,442	27,856	78,382	175,947	271,889	251,140	76
1988.....	856,367	694	285	307	1,002	3,186	10,744	28,823	84,624	187,154	281,088	258,382	78
1987.....	853,480	775	255	303	962	3,262	10,997	29,870	87,876	189,404	277,845	251,848	83
1986.....	858,820	773	277	295	1,007	3,217	11,123	30,174	92,230	192,773	278,525	248,075	351
1985.....	869,148	753	235	311	1,045	3,058	10,917	31,820	96,070	195,931	280,761	247,943	304
1984.....	867,397	759	285	348	1,060	3,015	10,814	32,790	98,959	197,516	279,568	242,190	93
1983.....	875,077	762	292	315	1,058	3,036	10,539	34,354	101,398	201,153	281,198	240,872	100
1982.....	865,762	639	254	379	1,076	3,005	10,484	35,598	102,774	202,219	277,517	231,673	144
1981.....	870,306	647	282	325	1,083	3,077	10,545	37,651	105,316	203,794	276,925	230,556	105
1980.....	883,540	680	275	332	1,205	2,866	10,409	38,819	107,411	207,465	283,723	230,250	105
1979.....	858,837	574	219	326	1,158	2,904	10,541	40,275	108,073	202,920	275,610	216,124	113

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MAJOR CARDIOVASCULAR DISEASES (390-448)													
WHITE MALE													
1998.....	384,520	341	86	178	540	1,760	8,546	23,187	42,446	87,052	131,099	89,264	21
1997.....	389,678	361	97	172	556	1,849	8,472	23,440	43,104	90,816	131,759	89,015	37
1996.....	392,898	321	98	166	499	1,898	8,506	23,351	44,226	94,149	132,119	87,522	43
1995.....	393,862	335	108	155	501	1,989	8,825	23,164	44,931	97,362	130,978	85,472	42
1994.....	392,137	335	123	164	521	1,939	8,399	22,539	46,067	99,416	129,341	83,262	31
1993.....	396,844	345	131	150	510	2,025	8,344	21,944	47,481	102,172	131,396	82,318	28
1992.....	385,803	337	114	144	531	1,951	8,282	21,181	48,165	101,195	126,524	77,338	41
1991.....	387,808	325	128	144	546	1,962	8,045	20,455	49,926	103,623	126,821	75,774	59
1990.....	389,824	338	103	168	526	1,952	7,758	20,389	51,910	104,900	127,530	74,214	36
1989.....	396,710	356	119	150	526	2,105	7,771	20,627	54,401	107,548	128,672	74,393	42
1988.....	415,222	395	139	175	628	2,136	8,028	21,261	58,391	114,234	132,615	77,174	46
1987.....	415,406	452	138	173	597	2,150	8,170	22,092	60,677	115,060	130,557	75,290	50
1986.....	421,230	454	145	164	630	2,145	8,323	22,331	64,052	117,450	130,900	74,523	113
1985.....	430,778	443	126	150	642	2,049	8,097	23,823	67,276	119,890	132,324	75,858	100
1984.....	431,917	421	152	177	635	2,027	8,081	24,551	69,105	120,201	131,094	75,422	51
1983.....	439,106	436	160	166	645	2,068	7,867	25,663	70,900	123,355	131,970	75,825	51
1982.....	437,281	397	144	191	662	2,034	7,765	26,822	72,095	123,640	129,393	74,064	74
1981.....	442,066	358	144	180	642	1,991	7,788	28,242	73,831	124,711	129,718	74,403	58
1980.....	450,122	408	141	175	743	1,877	7,709	29,216	75,660	126,863	131,580	75,689	61
1979.....	442,842	342	115	180	705	1,950	7,762	30,447	76,566	124,661	128,065	71,976	73

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MAJOR CARDIOVASCULAR DISEASES (390-448)													
WHITE FEMALE													
1998.....	437,316	279	88	120	329	1,008	3,394	8,484	19,761	57,020	137,425	209,394	14
1997.....	437,788	271	86	120	359	1,047	3,281	8,544	19,918	58,544	138,575	207,029	14
1996.....	440,463	275	77	143	298	989	3,227	8,692	20,198	60,649	140,150	205,740	25
1995.....	440,504	287	83	113	305	1,038	3,279	8,264	20,624	62,425	140,130	203,924	32
1994.....	434,341	261	99	145	306	1,106	3,165	8,020	20,772	63,200	139,451	197,794	22
1993.....	436,190	256	98	136	338	1,067	3,077	7,835	21,424	65,121	141,147	195,668	23
1992.....	418,193	255	113	106	311	1,029	2,887	7,444	21,513	64,856	137,661	181,991	27
1991.....	418,494	250	123	127	329	1,056	2,883	7,261	22,298	65,457	138,733	179,946	31
1990.....	417,864	268	115	126	294	1,032	2,625	7,252	23,154	66,914	140,009	176,043	32
1989.....	424,100	263	95	123	318	1,023	2,671	7,229	23,981	68,399	143,217	176,747	34
1988.....	441,145	299	146	132	374	1,050	2,716	7,562	26,233	72,920	148,473	181,208	32
1987.....	438,074	323	117	130	365	1,112	2,827	7,778	27,199	74,344	147,288	176,558	33
1986.....	437,590	319	132	131	377	1,072	2,800	7,843	28,178	75,323	147,625	173,552	238
1985.....	438,370	310	109	161	403	1,009	2,820	7,997	28,794	76,041	148,437	172,085	204
1984.....	435,480	338	133	171	425	988	2,733	8,239	29,854	77,315	148,474	166,768	42
1983.....	435,971	326	132	149	413	968	2,672	8,691	30,498	77,798	149,228	165,047	49
1982.....	428,481	242	110	188	414	971	2,719	8,776	30,679	78,579	148,124	157,609	70
1981.....	428,240	289	138	145	441	1,086	2,757	9,409	31,485	79,083	147,207	156,153	47
1980.....	433,418	272	134	157	462	989	2,700	9,603	31,751	80,602	152,143	154,561	44
1979.....	415,995	232	104	146	453	954	2,779	9,828	31,507	78,259	147,545	144,148	40

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MAJOR CARDIOVASCULAR DISEASES (390-448)													
ALL OTHER, BOTH SEXES													
1998.....	118,729	312	103	131	439	1,393	5,136	10,918	16,597	25,938	31,540	26,192	30
1997.....	116,682	271	94	121	458	1,345	5,082	10,788	16,598	26,173	30,397	25,331	24
1996.....	116,803	285	97	128	419	1,426	5,006	10,554	16,574	26,574	30,889	24,825	26
1995.....	117,040	279	124	120	488	1,446	5,130	10,228	16,481	27,497	30,862	24,355	30
1994.....	114,215	306	129	113	431	1,551	5,147	9,933	16,084	27,154	30,319	23,019	29
1993.....	115,054	292	121	123	424	1,520	4,995	9,497	16,856	27,607	30,557	23,016	46
1992.....	109,912	305	120	113	414	1,517	4,827	9,012	16,563	26,793	29,115	21,095	38
1991.....	110,040	306	146	113	411	1,500	4,651	8,758	16,609	27,258	29,683	20,571	34
1990.....	108,319	357	117	107	404	1,496	4,377	8,601	16,756	26,930	29,179	19,940	55
1989.....	111,028	305	118	123	404	1,516	4,341	8,977	17,790	27,520	30,053	19,841	40
1988.....	113,033	339	127	103	432	1,616	4,311	8,813	18,466	28,172	30,966	19,644	44
1987.....	110,131	319	128	113	432	1,600	4,179	8,738	18,059	28,108	29,593	18,815	47
1986.....	109,420	343	138	107	445	1,655	4,131	8,679	18,389	27,832	29,369	18,264	68
1985.....	108,731	332	128	115	458	1,509	3,941	8,732	18,762	28,356	29,051	17,292	55
1984.....	106,021	325	126	122	447	1,450	3,775	8,722	18,708	27,981	28,143	16,168	54
1983.....	106,021	357	115	117	447	1,394	3,597	8,884	19,099	28,195	27,888	15,865	63
1982.....	102,106	283	110	116	418	1,378	3,509	8,928	18,528	27,261	26,518	14,980	77
1981.....	102,686	269	111	105	457	1,424	3,582	9,312	18,794	27,431	26,107	15,025	69
1980.....	105,005	304	132	118	545	1,415	3,670	9,509	18,846	28,335	26,981	15,081	69
1979.....	99,445	298	102	91	446	1,305	3,567	9,555	18,337	27,388	24,910	13,386	60

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MAJOR CARDIOVASCULAR DISEASES (390-448)													
ALL OTHER MALE													
1998.....	56,758	160	56	71	273	808	3,089	6,856	9,916	13,519	13,870	8,120	20
1997.....	56,031	144	65	59	269	788	3,060	6,850	9,965	13,682	13,287	7,845	17
1996.....	55,950	152	39	70	258	807	2,971	6,609	9,863	13,939	13,443	7,782	17
1995.....	56,661	147	71	68	296	888	3,158	6,541	9,777	14,529	13,534	7,636	16
1994.....	55,096	158	68	63	251	877	3,151	6,286	9,482	14,295	13,206	7,241	18
1993.....	55,568	152	62	67	261	915	3,070	5,961	9,972	14,568	13,236	7,278	26
1992.....	53,504	164	66	66	265	887	2,979	5,591	9,622	14,228	12,860	6,752	24
1991.....	53,881	168	85	62	247	876	2,944	5,499	9,785	14,359	13,137	6,694	25
1990.....	52,913	203	62	47	232	872	2,787	5,377	9,733	14,157	12,879	6,529	35
1989.....	54,285	154	68	56	225	889	2,760	5,718	10,391	14,466	13,090	6,444	24
1988.....	55,635	181	68	60	267	1,005	2,719	5,458	10,790	14,860	13,762	6,443	22
1987.....	54,670	177	65	58	252	948	2,744	5,461	10,543	14,842	13,344	6,208	28
1986.....	54,361	185	72	51	256	1,006	2,665	5,368	10,843	14,570	13,178	6,135	32
1985.....	54,277	188	63	52	260	937	2,505	5,469	10,940	14,968	13,013	5,852	30
1984.....	53,102	177	67	68	259	886	2,378	5,445	10,965	14,711	12,508	5,608	30
1983.....	53,229	199	65	63	249	857	2,244	5,512	11,133	14,826	12,481	5,570	30
1982.....	51,898	152	60	60	226	823	2,201	5,480	10,882	14,623	11,991	5,353	47
1981.....	52,138	152	58	52	266	860	2,250	5,740	11,085	14,438	11,829	5,369	39
1980.....	53,627	158	75	53	332	830	2,298	5,857	11,141	14,917	12,316	5,609	41
1979.....	51,392	166	55	39	245	747	2,234	5,915	10,951	14,544	11,495	4,964	37

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MAJOR CARDIOVASCULAR DISEASES (390-448)													
ALL OTHER FEMALE													
1998.....	61,971	152	47	60	166	585	2,047	4,062	6,681	12,419	17,670	18,072	10
1997.....	60,651	127	29	62	189	557	2,022	3,938	6,633	12,491	17,110	17,486	7
1996.....	60,853	133	58	58	161	619	2,035	3,945	6,711	12,635	17,446	17,043	9
1995.....	60,379	132	53	52	192	558	1,972	3,687	6,704	12,968	17,328	16,719	14
1994.....	59,119	148	61	50	180	674	1,996	3,647	6,602	12,859	17,113	15,778	11
1993.....	59,486	140	59	56	163	605	1,925	3,536	6,884	13,039	17,321	15,738	20
1992.....	56,408	141	54	47	149	630	1,848	3,421	6,941	12,565	16,255	14,343	14
1991.....	56,159	138	61	51	164	624	1,707	3,259	6,824	12,899	16,546	13,877	9
1990.....	55,406	154	55	60	172	624	1,590	3,224	7,023	12,773	16,300	13,411	20
1989.....	56,743	151	50	67	179	627	1,581	3,259	7,399	13,054	16,963	13,397	16
1988.....	57,398	158	59	43	165	611	1,592	3,355	7,676	13,312	17,204	13,201	22
1987.....	55,461	142	63	55	180	652	1,435	3,277	7,516	13,266	16,249	12,607	19
1986.....	55,059	158	66	56	189	649	1,466	3,311	7,546	13,262	16,191	12,129	36
1985.....	54,454	144	65	63	198	572	1,436	3,263	7,822	13,388	16,038	11,440	25
1984.....	52,919	148	59	54	188	564	1,397	3,277	7,743	13,270	15,635	10,560	24
1983.....	52,792	158	50	54	198	537	1,353	3,372	7,966	13,369	15,407	10,295	33
1982.....	50,208	131	50	56	192	555	1,308	3,448	7,646	12,638	14,527	9,627	30
1981.....	50,548	117	53	53	191	564	1,332	3,572	7,709	12,993	14,278	9,656	30
1980.....	51,378	146	57	65	213	585	1,372	3,652	7,705	13,418	14,665	9,472	28
1979.....	48,053	132	47	52	201	558	1,333	3,640	7,386	12,844	13,415	8,422	23

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MAJOR CARDIOVASCULAR DISEASES (390-448)													
BLACK, BOTH SEXES													
1998.....	103,458	266	85	116	388	1,272	4,697	9,831	14,730	22,644	26,998	22,403	28
1997.....	101,981	235	86	110	404	1,200	4,612	9,720	14,705	22,913	26,127	21,847	22
1996.....	102,622	248	81	109	381	1,301	4,555	9,514	14,799	23,372	26,771	21,465	26
1995.....	103,525	246	111	102	435	1,314	4,720	9,258	14,739	24,337	26,987	21,248	28
1994.....	101,190	271	116	97	379	1,419	4,711	8,972	14,402	24,081	26,611	20,104	27
1993.....	102,729	244	99	103	387	1,391	4,584	8,659	15,261	24,761	26,969	20,231	40
1992.....	98,295	278	107	95	371	1,388	4,460	8,214	14,954	24,018	25,757	18,616	37
1991.....	99,043	276	130	101	365	1,393	4,314	8,040	15,081	24,652	26,488	18,172	31
1990.....	98,068	309	103	90	372	1,376	4,043	7,903	15,331	24,436	26,246	17,808	51
1989.....	100,901	270	100	105	372	1,423	4,033	8,237	16,334	25,165	27,136	17,688	38
1988.....	103,426	300	110	91	407	1,513	4,031	8,148	17,056	25,842	28,172	17,715	41
1987.....	100,921	277	114	97	396	1,482	3,877	8,071	16,691	25,892	27,004	16,976	44
1986.....	100,891	311	121	93	402	1,544	3,871	8,034	17,170	25,802	26,867	16,617	59
1985.....	100,294	294	117	98	422	1,425	3,665	8,177	17,495	26,290	26,583	15,683	45
1984.....	98,159	297	107	108	408	1,346	3,530	8,131	17,491	26,113	25,890	14,689	49
1983.....	98,520	323	98	97	415	1,306	3,334	8,342	17,933	26,356	25,775	14,499	42
1982.....	95,079	240	100	103	388	1,281	3,281	8,397	17,466	25,511	24,533	13,713	66
1981.....	96,293	238	95	100	423	1,336	3,375	8,794	17,825	25,893	24,317	13,837	60
1980.....	98,502	280	117	103	503	1,339	3,446	9,005	17,908	26,725	25,138	13,873	65
1979.....	93,369	268	91	85	410	1,214	3,368	9,100	17,419	25,865	23,200	12,294	55

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MAJOR CARDIOVASCULAR DISEASES (390-448)													
BLACK MALE													
1998.....	48,391	139	48	63	245	725	2,762	6,080	8,659	11,690	11,498	6,464	18
1997.....	47,943	125	62	58	240	691	2,752	6,098	8,719	11,805	11,107	6,271	15
1996.....	48,184	133	34	58	235	722	2,645	5,881	8,701	12,118	11,360	6,280	17
1995.....	49,183	133	67	58	259	799	2,865	5,884	8,682	12,670	11,502	6,250	14
1994.....	47,824	139	59	54	220	780	2,858	5,600	8,415	12,472	11,301	5,909	17
1993.....	48,656	121	49	56	236	823	2,778	5,391	8,985	12,889	11,251	6,054	23
1992.....	46,966	153	60	55	232	804	2,725	5,036	8,594	12,604	11,008	5,672	23
1991.....	47,654	148	75	55	218	809	2,711	5,013	8,808	12,819	11,341	5,634	23
1990.....	47,209	175	56	41	208	792	2,548	4,900	8,858	12,704	11,271	5,624	32
1989.....	48,508	133	58	50	208	833	2,549	5,213	9,484	13,067	11,403	5,487	23
1988.....	50,087	158	57	54	247	937	2,525	5,014	9,885	13,445	12,165	5,578	22
1987.....	49,201	150	61	52	230	863	2,524	5,007	9,635	13,469	11,766	5,419	25
1986.....	49,375	170	65	43	231	926	2,480	4,927	10,043	13,331	11,688	5,442	29
1985.....	49,375	165	57	44	240	876	2,328	5,076	10,141	13,690	11,532	5,200	26
1984.....	48,491	161	57	59	230	818	2,216	5,049	10,205	13,557	11,126	4,985	28
1983.....	48,812	177	56	55	232	788	2,054	5,152	10,369	13,648	11,255	5,003	23
1982.....	47,632	129	52	53	210	761	2,037	5,121	10,184	13,491	10,755	4,800	39
1981.....	48,315	134	51	51	246	806	2,115	5,386	10,455	13,418	10,761	4,858	34
1980.....	49,610	145	68	50	303	787	2,135	5,506	10,491	13,839	11,223	5,024	39
1979.....	47,665	147	49	38	224	694	2,100	5,595	10,307	13,517	10,492	4,468	34

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MAJOR CARDIOVASCULAR DISEASES (390-448)													
BLACK FEMALE													
1998.....	55,067	127	37	53	143	547	1,935	3,751	6,071	10,954	15,500	15,939	10
1997.....	54,038	110	24	52	164	509	1,860	3,622	5,986	11,108	15,020	15,576	7
1996.....	54,438	115	47	51	146	579	1,910	3,633	6,098	11,254	15,411	15,185	9
1995.....	54,342	113	44	44	176	515	1,855	3,374	6,057	11,667	15,485	14,998	14
1994.....	53,366	132	57	43	159	639	1,853	3,372	5,987	11,609	15,310	14,195	10
1993.....	54,073	123	50	47	151	568	1,806	3,268	6,276	11,872	15,718	14,177	17
1992.....	51,329	125	47	40	139	584	1,735	3,178	6,360	11,414	14,749	12,944	14
1991.....	51,389	128	55	46	147	584	1,603	3,027	6,273	11,833	15,147	12,538	8
1990.....	50,859	134	47	49	164	584	1,495	3,003	6,473	11,732	14,975	12,184	19
1989.....	52,393	137	42	55	164	590	1,484	3,024	6,850	12,098	15,733	12,201	15
1988.....	53,339	142	53	37	160	576	1,506	3,134	7,171	12,397	16,007	12,137	19
1987.....	51,720	127	53	45	166	619	1,353	3,064	7,056	12,423	15,238	11,557	19
1986.....	51,516	141	56	50	171	618	1,391	3,107	7,127	12,471	15,179	11,175	30
1985.....	50,919	129	60	54	182	549	1,337	3,101	7,354	12,600	15,051	10,483	19
1984.....	49,668	136	50	49	178	528	1,314	3,082	7,286	12,556	14,764	9,704	21
1983.....	49,708	146	42	42	183	518	1,280	3,190	7,564	12,708	14,520	9,496	19
1982.....	47,447	111	48	50	178	520	1,244	3,276	7,282	12,020	13,778	8,913	27
1981.....	47,978	104	44	49	177	530	1,260	3,408	7,370	12,475	13,556	8,979	26
1980.....	48,892	135	49	53	200	552	1,311	3,499	7,417	12,886	13,915	8,849	26
1979.....	45,704	121	42	47	186	520	1,268	3,505	7,112	12,348	12,708	7,826	21

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
DISEASES OF HEART (390-398,402,404-429)													
TOTAL, BOTH SEXES													
1998.....	724,859	609	214	326	1,057	3,207	13,593	35,056	65,068	135,295	226,769	243,609	56
1997.....	726,974	622	212	313	1,098	3,286	13,227	35,277	65,958	139,416	227,516	239,981	68
1996.....	733,361	625	217	334	969	3,350	13,217	35,034	67,335	144,915	229,762	237,522	81
1995.....	737,563	658	251	294	1,039	3,461	13,603	34,498	68,240	150,058	230,114	235,254	93
1994.....	732,409	685	285	327	992	3,520	13,243	33,621	69,335	152,948	228,658	228,724	71
1993.....	743,460	663	296	303	981	3,539	13,121	32,679	72,043	158,103	234,020	227,632	80
1992.....	717,706	716	286	284	968	3,423	12,698	31,413	72,516	156,529	226,738	212,047	88
1991.....	720,862	704	332	281	990	3,425	12,397	30,374	74,985	159,401	228,882	208,984	107
1990.....	720,058	794	282	308	917	3,290	11,755	30,204	77,546	161,373	229,844	203,641	104
1989.....	733,867	776	281	295	938	3,462	11,782	30,922	81,351	165,787	234,318	203,863	92
1988.....	765,156	871	352	324	1,090	3,575	12,070	31,758	87,514	176,126	242,116	209,252	108
1987.....	760,353	950	322	324	1,062	3,652	12,222	32,708	90,017	178,072	238,101	202,816	107
1986.....	765,490	982	366	310	1,096	3,691	12,415	32,982	94,312	180,772	238,956	199,281	327
1985.....	771,169	920	305	322	1,113	3,455	12,084	34,545	98,065	183,733	239,416	196,933	278
1984.....	765,114	953	346	340	1,099	3,314	11,807	35,236	100,491	184,522	236,628	190,266	112
1983.....	770,432	955	349	318	1,068	3,328	11,538	36,859	102,945	188,019	236,623	188,303	127
1982.....	755,592	769	311	360	1,112	3,223	11,450	37,934	103,633	186,704	231,000	178,920	176
1981.....	753,884	763	338	323	1,079	3,257	11,428	40,039	105,615	186,951	228,141	175,804	146
1980.....	761,085	806	338	330	1,223	3,080	11,433	41,078	107,244	189,867	231,326	174,213	147
1979.....	733,235	693	265	289	1,117	3,040	11,380	42,348	107,036	184,019	222,284	160,621	143

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
DISEASES OF HEART (390-398,402,404-429)													
TOTAL, MALE													
1998.....	353,897	312	114	191	672	2,071	9,725	25,715	44,423	82,275	113,189	75,173	37
1997.....	356,598	349	119	180	674	2,145	9,569	25,954	45,158	85,257	113,108	74,036	49
1996.....	360,075	335	111	181	616	2,221	9,544	25,626	46,138	88,660	113,481	73,108	54
1995.....	362,714	344	136	163	659	2,321	9,947	25,596	46,741	91,952	113,220	71,584	51
1994.....	361,276	369	146	174	631	2,271	9,632	24,892	47,731	93,928	111,660	69,795	47
1993.....	367,479	367	164	149	627	2,357	9,576	24,192	49,558	96,801	114,256	69,386	46
1992.....	357,545	383	151	160	626	2,274	9,455	23,273	49,956	95,781	110,380	65,053	53
1991.....	359,814	396	178	151	641	2,283	9,214	22,531	51,727	97,794	110,843	63,982	74
1990.....	360,788	442	141	169	588	2,220	8,901	22,387	53,484	98,839	111,152	62,406	59
1989.....	368,202	425	161	151	590	2,362	8,842	23,051	56,235	101,619	112,334	62,375	57
1988.....	385,402	486	176	195	709	2,465	9,072	23,483	60,170	107,888	116,088	64,605	65
1987.....	385,217	545	167	179	673	2,464	9,305	24,295	62,050	108,647	113,998	62,828	66
1986.....	390,912	563	189	170	696	2,518	9,449	24,524	65,565	110,630	114,305	62,184	119
1985.....	398,208	524	156	156	704	2,404	9,134	25,961	68,438	112,709	115,119	62,796	107
1984.....	397,097	524	183	178	675	2,317	8,963	26,540	70,252	112,631	113,197	61,569	68
1983.....	402,727	538	190	175	661	2,314	8,756	27,689	71,965	115,713	113,027	61,628	71
1982.....	398,570	453	175	178	687	2,235	8,640	28,725	72,886	114,873	110,177	59,440	101
1981.....	400,535	415	174	180	672	2,215	8,646	30,244	74,367	115,118	109,349	59,076	79
1980.....	405,661	460	183	170	782	2,087	8,637	31,112	75,813	116,753	109,925	59,652	87
1979.....	396,372	406	138	150	695	2,068	8,566	32,295	76,329	113,999	105,929	55,706	91

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
DISEASES OF HEART (390-398,402,404-429)													
TOTAL, FEMALE													
1998.....	370,962	297	100	135	385	1,136	3,868	9,341	20,645	53,020	113,580	168,436	19
1997.....	370,376	273	93	133	424	1,141	3,658	9,323	20,800	54,159	114,408	165,945	19
1996.....	373,286	290	106	153	353	1,129	3,673	9,408	21,197	56,255	116,281	164,414	27
1995.....	374,849	314	115	131	380	1,140	3,656	8,902	21,499	58,106	116,894	163,670	42
1994.....	371,133	316	139	153	361	1,249	3,611	8,729	21,604	59,020	116,998	158,929	24
1993.....	375,981	296	132	154	354	1,182	3,545	8,487	22,485	61,302	119,764	158,246	34
1992.....	360,161	333	135	124	342	1,149	3,243	8,140	22,560	60,748	116,358	146,994	35
1991.....	361,048	308	154	130	349	1,142	3,183	7,843	23,258	61,607	118,039	145,002	33
1990.....	359,270	352	141	139	329	1,070	2,854	7,817	24,062	62,534	118,692	141,235	45
1989.....	365,665	351	120	144	348	1,100	2,940	7,871	25,116	64,168	121,984	141,488	35
1988.....	379,754	385	176	129	381	1,110	2,998	8,275	27,344	68,238	126,028	144,647	43
1987.....	375,136	405	155	145	389	1,188	2,917	8,413	27,967	69,425	124,103	139,988	41
1986.....	374,578	419	177	140	400	1,173	2,966	8,458	28,747	70,142	124,651	137,097	208
1985.....	372,961	396	149	166	409	1,051	2,950	8,584	29,627	71,024	124,297	134,137	171
1984.....	368,017	429	163	162	424	997	2,844	8,696	30,239	71,891	123,431	128,697	44
1983.....	367,705	417	159	143	407	1,014	2,782	9,170	30,980	72,306	123,596	126,675	56
1982.....	357,022	316	136	182	425	988	2,810	9,209	30,747	71,831	120,823	119,480	75
1981.....	353,349	348	164	143	407	1,042	2,782	9,795	31,248	71,833	118,792	116,728	67
1980.....	355,424	346	155	160	441	993	2,796	9,966	31,431	73,114	121,401	114,561	60
1979.....	336,863	287	127	139	422	972	2,814	10,053	30,707	70,020	116,355	104,915	52

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
DISEASES OF HEART (390-398,402,404-429)													
WHITE, BOTH SEXES													
1998.....	635,549	405	136	224	693	2,138	9,702	26,733	52,095	115,449	203,633	224,310	31
1997.....	639,225	442	140	221	718	2,236	9,532	27,081	53,006	119,471	205,088	221,244	46
1996.....	645,514	419	135	226	610	2,239	9,527	26,986	54,302	124,693	207,037	219,280	60
1995.....	649,089	450	153	196	629	2,338	9,824	26,602	55,308	128,911	207,296	217,313	69
1994.....	646,056	441	173	237	640	2,324	9,461	26,020	56,640	132,036	206,356	211,682	46
1993.....	655,365	432	190	215	635	2,374	9,355	25,343	58,627	136,640	211,101	210,410	43
1992.....	633,487	477	179	188	629	2,273	9,110	24,425	59,351	135,778	204,825	196,198	54
1991.....	636,805	463	210	190	659	2,314	8,939	23,655	61,799	138,220	206,610	193,667	79
1990.....	637,364	501	181	226	603	2,189	8,551	23,618	64,201	140,503	207,956	188,775	60
1989.....	648,866	517	179	197	631	2,346	8,577	23,943	67,133	144,406	211,814	189,063	60
1988.....	678,526	594	242	240	734	2,403	8,854	24,859	72,818	154,284	218,799	194,628	71
1987.....	675,732	676	206	230	727	2,458	9,089	25,870	75,645	156,174	215,858	188,729	70
1986.....	681,363	691	243	222	749	2,451	9,299	26,176	79,611	159,149	216,895	185,596	281
1985.....	688,152	642	192	224	760	2,324	9,114	27,698	83,039	161,814	217,847	184,260	238
1984.....	684,511	668	242	256	763	2,257	8,955	28,411	85,576	163,144	215,822	178,344	73
1983.....	689,749	650	244	233	731	2,284	8,834	29,909	87,751	166,346	215,926	176,759	82
1982.....	678,837	543	214	269	787	2,228	8,817	30,947	88,967	166,007	211,795	168,152	111
1981.....	677,449	546	239	240	743	2,247	8,760	32,825	90,777	166,411	209,357	165,216	88
1980.....	683,347	556	224	241	818	2,069	8,648	33,697	92,475	168,783	212,122	163,624	90
1979.....	660,154	459	178	223	797	2,128	8,734	34,969	92,750	163,795	204,593	151,435	93

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
DISEASES OF HEART (390-398,402,404-429)													
WHITE MALE													
1998.....	309,952	215	70	136	434	1,418	7,275	20,301	36,531	71,728	102,776	69,049	19
1997.....	313,316	257	71	135	446	1,500	7,208	20,588	37,200	74,605	103,146	68,126	34
1996.....	316,889	222	78	118	392	1,557	7,245	20,451	38,275	77,859	103,355	67,297	40
1995.....	318,751	236	82	106	404	1,604	7,521	20,431	38,885	80,548	103,066	65,830	38
1994.....	318,543	242	90	123	420	1,551	7,212	19,924	40,109	82,692	101,853	64,297	30
1993.....	323,802	251	110	106	411	1,611	7,155	19,424	41,444	85,244	104,198	63,824	24
1992.....	315,483	263	89	107	401	1,558	7,132	18,777	42,166	84,584	100,523	59,851	32
1991.....	317,642	265	108	99	426	1,587	6,940	18,177	43,761	86,443	100,865	58,919	52
1990.....	319,362	280	89	132	397	1,527	6,745	18,126	45,541	87,705	101,355	57,433	32
1989.....	325,397	298	102	108	407	1,658	6,713	18,443	47,716	90,177	102,285	57,455	35
1988.....	341,519	339	117	142	479	1,698	6,962	19,082	51,354	96,099	105,547	59,656	44
1987.....	342,063	388	108	131	470	1,714	7,148	19,862	53,492	96,848	103,799	58,061	42
1986.....	347,967	407	124	126	490	1,726	7,329	20,175	56,696	99,076	104,267	57,457	94
1985.....	355,374	371	103	107	490	1,649	7,139	21,507	59,468	100,927	105,175	58,354	84
1984.....	355,454	375	130	134	468	1,612	7,080	22,123	61,320	101,161	103,691	57,316	44
1983.....	360,951	369	128	127	463	1,635	6,982	23,200	62,877	104,087	103,553	57,483	47
1982.....	358,308	333	121	135	501	1,598	6,908	24,275	64,049	103,587	101,274	55,465	62
1981.....	360,386	294	123	135	468	1,557	6,883	25,621	65,381	104,037	100,654	55,186	47
1980.....	364,679	335	116	133	525	1,456	6,808	26,369	66,857	105,438	100,983	55,608	51
1979.....	357,378	278	93	122	508	1,519	6,849	27,542	67,606	103,027	97,583	52,189	62

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
DISEASES OF HEART (390-398,402,404-429)													
WHITE FEMALE													
1998.....	325,597	190	66	88	259	720	2,427	6,432	15,564	43,721	100,857	155,261	12
1997.....	325,909	185	69	86	272	736	2,324	6,493	15,806	44,866	101,942	153,118	12
1996.....	328,625	197	57	108	218	682	2,282	6,535	16,027	46,834	103,682	151,983	20
1995.....	330,338	214	71	90	225	734	2,303	6,171	16,423	48,363	104,230	151,483	31
1994.....	327,513	199	83	114	220	773	2,249	6,096	16,531	49,344	104,503	147,385	16
1993.....	331,563	181	80	109	224	763	2,200	5,919	17,183	51,396	106,903	146,586	19
1992.....	318,004	214	90	81	228	715	1,978	5,648	17,185	51,194	104,302	136,347	22
1991.....	319,163	198	102	91	233	727	1,999	5,478	18,038	51,777	105,745	134,748	27
1990.....	318,002	221	92	94	206	662	1,806	5,492	18,660	52,798	106,601	131,342	28
1989.....	323,469	219	77	89	224	688	1,864	5,500	19,417	54,229	109,529	131,608	25
1988.....	337,007	255	125	98	255	705	1,892	5,777	21,464	58,185	113,252	134,972	27
1987.....	333,669	288	98	99	257	744	1,941	6,008	22,153	59,326	112,059	130,668	28
1986.....	333,396	284	119	96	259	725	1,970	6,001	22,915	60,073	112,628	128,139	187
1985.....	332,778	271	89	117	270	675	1,975	6,191	23,571	60,887	112,672	125,906	154
1984.....	329,057	293	112	122	295	645	1,875	6,288	24,256	61,983	112,131	121,028	29
1983.....	328,798	281	116	106	268	649	1,852	6,709	24,874	62,259	112,373	119,276	35
1982.....	320,529	210	93	134	286	630	1,909	6,672	24,918	62,420	110,521	112,687	49
1981.....	317,063	252	116	105	275	690	1,877	7,204	25,396	62,374	108,703	110,030	41
1980.....	318,668	221	108	108	293	613	1,840	7,328	25,618	63,345	111,139	108,016	39
1979.....	302,776	181	85	101	289	609	1,885	7,427	25,144	60,768	107,010	99,246	31

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
DISEASES OF HEART (390-398,402,404-429)													
ALL OTHER, BOTH SEXES													
1998.....	89,310	204	78	102	364	1,069	3,891	8,323	12,973	19,846	23,136	19,299	25
1997.....	87,749	180	72	92	380	1,050	3,695	8,196	12,952	19,945	22,428	18,737	22
1996.....	87,847	206	82	108	359	1,111	3,690	8,048	13,033	20,222	22,725	18,242	21
1995.....	88,474	208	98	98	410	1,123	3,779	7,896	12,932	21,147	22,818	17,941	24
1994.....	86,353	244	112	90	352	1,196	3,782	7,601	12,695	20,912	22,302	17,042	25
1993.....	88,095	231	106	88	346	1,165	3,766	7,336	13,416	21,463	22,919	17,222	37
1992.....	84,219	239	107	96	339	1,150	3,588	6,988	13,165	20,751	21,913	15,849	34
1991.....	84,057	241	122	91	331	1,111	3,458	6,719	13,186	21,181	22,272	15,317	28
1990.....	82,694	293	101	82	314	1,101	3,204	6,586	13,345	20,870	21,888	14,866	44
1989.....	85,001	259	102	98	307	1,116	3,205	6,979	14,218	21,381	22,504	14,800	32
1988.....	86,630	277	110	84	356	1,172	3,216	6,899	14,696	21,842	23,317	14,624	37
1987.....	84,621	274	116	94	335	1,194	3,133	6,838	14,372	21,898	22,243	14,087	37
1986.....	84,127	291	123	88	347	1,240	3,116	6,806	14,701	21,623	22,061	13,685	46
1985.....	83,017	278	113	98	353	1,131	2,970	6,847	15,026	21,919	21,569	12,673	40
1984.....	80,603	285	104	84	336	1,057	2,852	6,825	14,915	21,378	20,806	11,922	39
1983.....	80,683	305	105	85	337	1,044	2,704	6,950	15,194	21,673	20,697	11,544	45
1982.....	76,755	226	97	91	325	995	2,633	6,987	14,666	20,697	19,205	10,768	65
1981.....	76,435	217	99	83	336	1,010	2,668	7,214	14,838	20,540	18,784	10,588	58
1980.....	77,738	250	114	89	405	1,011	2,785	7,381	14,769	21,084	19,204	10,589	57
1979.....	73,081	234	87	66	320	912	2,646	7,379	14,286	20,224	17,691	9,186	50

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
DISEASES OF HEART (390-398,402,404-429)													
ALL OTHER MALE													
1998.....	43,945	97	44	55	238	653	2,450	5,414	7,892	10,547	10,413	6,124	18
1997.....	43,282	92	48	45	228	645	2,361	5,366	7,958	10,652	9,962	5,910	15
1996.....	43,186	113	33	63	224	664	2,299	5,175	7,863	10,801	10,126	5,811	14
1995.....	43,963	108	54	57	255	717	2,426	5,165	7,856	11,404	10,154	5,754	13
1994.....	42,733	127	56	51	211	720	2,420	4,968	7,622	11,236	9,807	5,498	17
1993.....	43,677	116	54	43	216	746	2,421	4,768	8,114	11,557	10,058	5,562	22
1992.....	42,062	120	62	53	225	716	2,323	4,496	7,790	11,197	9,857	5,202	21
1991.....	42,172	131	70	52	215	696	2,274	4,354	7,966	11,351	9,978	5,063	22
1990.....	41,426	162	52	37	191	693	2,156	4,261	7,943	11,134	9,797	4,973	27
1989.....	42,805	127	59	43	183	704	2,129	4,608	8,519	11,442	10,049	4,920	22
1988.....	43,883	147	59	53	230	767	2,110	4,401	8,816	11,789	10,541	4,949	21
1987.....	43,154	157	59	48	203	750	2,157	4,433	8,558	11,799	10,199	4,767	24
1986.....	42,945	156	65	44	206	792	2,120	4,349	8,869	11,554	10,038	4,727	25
1985.....	42,834	153	53	49	214	755	1,995	4,454	8,970	11,782	9,944	4,442	23
1984.....	41,643	149	53	44	207	705	1,883	4,417	8,932	11,470	9,506	4,253	24
1983.....	41,776	169	62	48	198	679	1,774	4,489	9,088	11,626	9,474	4,145	24
1982.....	40,262	120	54	43	186	637	1,732	4,450	8,837	11,286	8,903	3,975	39
1981.....	40,149	121	51	45	204	658	1,763	4,623	8,986	11,081	8,695	3,890	32
1980.....	40,982	125	67	37	257	631	1,829	4,743	8,956	11,315	8,942	4,044	36
1979.....	38,994	128	45	28	187	549	1,717	4,753	8,723	10,972	8,346	3,517	29

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
DISEASES OF HEART (390-398,402,404-429)													
ALL OTHER FEMALE													
1998.....	45,365	107	34	47	126	416	1,441	2,909	5,081	9,299	12,723	13,175	7
1997.....	44,467	88	24	47	152	405	1,334	2,830	4,994	9,293	12,466	12,827	7
1996.....	44,661	93	49	45	135	447	1,391	2,873	5,170	9,421	12,599	12,431	7
1995.....	44,511	100	44	41	155	406	1,353	2,731	5,076	9,743	12,664	12,187	11
1994.....	43,620	117	56	39	141	476	1,362	2,633	5,073	9,676	12,495	11,544	8
1993.....	44,418	115	52	45	130	419	1,345	2,568	5,302	9,906	12,861	11,660	15
1992.....	42,157	119	45	43	114	434	1,265	2,492	5,375	9,554	12,056	10,647	13
1991.....	41,885	110	52	39	116	415	1,184	2,365	5,220	9,830	12,294	10,254	6
1990.....	41,268	131	49	45	123	408	1,048	2,325	5,402	9,736	12,091	9,893	17
1989.....	42,196	132	43	55	124	412	1,076	2,371	5,699	9,939	12,455	9,880	10
1988.....	42,747	130	51	31	126	405	1,106	2,498	5,880	10,053	12,776	9,675	16
1987.....	41,467	117	57	46	132	444	976	2,405	5,814	10,099	12,044	9,320	13
1986.....	41,182	135	58	44	141	448	996	2,457	5,832	10,069	12,023	8,958	21
1985.....	40,183	125	60	49	139	376	975	2,393	6,056	10,137	11,625	8,231	17
1984.....	38,960	136	51	40	129	352	969	2,408	5,983	9,908	11,300	7,669	15
1983.....	38,907	136	43	37	139	365	930	2,461	6,106	10,047	11,223	7,399	21
1982.....	36,493	106	43	48	139	358	901	2,537	5,829	9,411	10,302	6,793	26
1981.....	36,286	96	48	38	132	352	905	2,591	5,852	9,459	10,089	6,698	26
1980.....	36,756	125	47	52	148	380	956	2,638	5,813	9,769	10,262	6,545	21
1979.....	34,087	106	42	38	133	363	929	2,626	5,563	9,252	9,345	5,669	21

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
DISEASES OF HEART (390-398,402,404-429)													
BLACK, BOTH SEXES													
1998.....	78,294	166	64	89	325	986	3,561	7,513	11,573	17,480	19,997	16,517	23
1997.....	77,174	156	65	83	339	943	3,363	7,399	11,556	17,563	19,479	16,208	20
1996.....	77,641	179	67	92	328	1,022	3,365	7,297	11,685	17,891	19,814	15,880	21
1995.....	78,643	180	88	85	371	1,027	3,492	7,182	11,633	18,800	20,081	15,682	22
1994.....	76,852	214	104	77	309	1,094	3,470	6,881	11,403	18,637	19,707	14,932	24
1993.....	79,011	196	87	77	320	1,065	3,455	6,716	12,209	19,372	20,293	15,190	31
1992.....	75,600	215	95	82	305	1,053	3,310	6,395	11,963	18,688	19,423	14,038	33
1991.....	76,014	218	111	80	296	1,036	3,211	6,197	12,017	19,267	19,958	13,597	26
1990.....	75,111	254	90	70	290	1,024	2,956	6,064	12,251	19,016	19,745	13,310	41
1989.....	77,431	229	89	82	284	1,052	2,991	6,431	13,083	19,587	20,344	13,228	31
1988.....	79,466	246	96	74	336	1,099	3,014	6,410	13,587	20,062	21,265	13,240	37
1987.....	77,747	235	103	81	313	1,108	2,901	6,330	13,299	20,234	20,379	12,729	35
1986.....	77,726	265	109	76	316	1,156	2,923	6,311	13,758	20,100	20,208	12,463	41
1985.....	76,684	245	103	86	328	1,063	2,765	6,405	14,021	20,357	19,751	11,527	33
1984.....	74,698	259	92	77	310	981	2,671	6,364	13,956	19,936	19,158	10,859	35
1983.....	75,008	277	91	69	314	974	2,509	6,530	14,252	20,276	19,127	10,557	32
1982.....	71,468	191	87	81	297	919	2,456	6,569	13,819	19,342	17,765	9,887	55
1981.....	71,697	191	85	79	314	945	2,503	6,822	14,082	19,376	17,479	9,771	50
1980.....	72,956	231	103	77	368	953	2,605	6,983	14,045	19,867	17,908	9,762	54
1979.....	68,579	208	78	61	297	842	2,497	7,042	13,552	19,061	16,462	8,432	47

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
DISEASES OF HEART (390-398,402,404-429)													
BLACK MALE													
1998.....	37,662	82	38	48	214	593	2,190	4,794	6,906	9,180	8,707	4,894	16
1997.....	37,212	80	45	44	204	566	2,128	4,763	6,985	9,215	8,428	4,741	13
1996.....	37,335	100	28	52	205	598	2,051	4,600	6,941	9,426	8,590	4,730	14
1995.....	38,389	96	51	49	227	653	2,216	4,649	7,009	9,992	8,695	4,741	11
1994.....	37,241	110	50	44	183	643	2,195	4,416	6,761	9,834	8,468	4,521	16
1993.....	38,357	91	42	37	198	670	2,183	4,301	7,327	10,266	8,581	4,642	19
1992.....	37,040	112	56	45	198	647	2,120	4,042	6,980	9,955	8,477	4,388	20
1991.....	37,454	115	63	45	192	644	2,093	3,972	7,179	10,186	8,638	4,306	21
1990.....	37,038	141	47	34	171	634	1,963	3,865	7,236	10,020	8,608	4,294	25
1989.....	38,321	108	53	38	169	666	1,968	4,205	7,759	10,353	8,777	4,203	22
1988.....	39,584	129	51	48	214	716	1,961	4,041	8,072	10,670	9,345	4,316	21
1987.....	38,934	132	56	44	189	685	1,976	4,052	7,829	10,738	9,036	4,175	22
1986.....	39,076	144	58	37	186	729	1,969	3,987	8,225	10,591	8,927	4,200	23
1985.....	38,982	134	48	41	198	705	1,849	4,118	8,296	10,778	8,832	3,964	19
1984.....	38,034	135	47	40	187	647	1,753	4,088	8,305	10,547	8,473	3,790	22
1983.....	38,311	152	54	40	185	622	1,619	4,185	8,454	10,719	8,540	3,722	19
1982.....	36,925	103	46	39	171	586	1,598	4,145	8,278	10,370	7,985	3,572	32
1981.....	37,188	106	45	44	191	615	1,645	4,338	8,470	10,296	7,893	3,517	28
1980.....	37,877	115	61	34	232	597	1,687	4,438	8,430	10,474	8,159	3,615	35
1979.....	36,122	111	41	27	171	505	1,606	4,489	8,191	10,184	7,601	3,169	27

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
DISEASES OF HEART (390-398,402,404-429)													
BLACK FEMALE													
1998.....	40,632	84	26	41	111	393	1,371	2,719	4,667	8,300	11,290	11,623	7
1997.....	39,962	76	20	39	135	377	1,235	2,636	4,571	8,348	11,051	11,467	7
1996.....	40,306	79	39	40	123	424	1,314	2,697	4,744	8,465	11,224	11,150	7
1995.....	40,254	84	37	36	144	374	1,276	2,533	4,624	8,808	11,386	10,941	11
1994.....	39,611	104	54	33	126	451	1,275	2,465	4,642	8,803	11,239	10,411	8
1993.....	40,654	105	45	40	122	395	1,272	2,415	4,882	9,106	11,712	10,548	12
1992.....	38,560	103	39	37	107	406	1,190	2,353	4,983	8,733	10,946	9,650	13
1991.....	38,560	103	48	35	104	392	1,118	2,225	4,838	9,081	11,320	9,291	5
1990.....	38,073	113	43	36	119	390	993	2,199	5,015	8,996	11,137	9,016	16
1989.....	39,110	121	36	44	115	386	1,023	2,226	5,324	9,234	11,567	9,025	9
1988.....	39,882	117	45	26	122	383	1,053	2,369	5,515	9,392	11,920	8,924	16
1987.....	38,813	103	47	37	124	423	925	2,278	5,470	9,496	11,343	8,554	13
1986.....	38,650	121	51	39	130	427	954	2,324	5,533	9,509	11,281	8,263	18
1985.....	37,702	111	55	45	130	358	916	2,287	5,725	9,579	10,919	7,563	14
1984.....	36,664	124	45	37	123	334	918	2,276	5,651	9,389	10,685	7,069	13
1983.....	36,697	125	37	29	129	352	890	2,345	5,798	9,557	10,587	6,835	13
1982.....	34,543	88	41	42	126	333	858	2,424	5,541	8,972	9,780	6,315	23
1981.....	34,509	85	40	35	123	330	858	2,484	5,612	9,080	9,586	6,254	22
1980.....	35,079	116	42	43	136	356	918	2,545	5,615	9,393	9,749	6,147	19
1979.....	32,457	97	37	34	126	337	891	2,553	5,361	8,877	8,861	5,263	20

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398)													
TOTAL, BOTH SEXES													
1998.....	4,792	2	1	4	33	82	195	328	549	1,068	1,518	1,012	-
1997.....	5,014	3	4	5	43	93	210	353	538	1,124	1,602	1,039	-
1996.....	5,006	9	7	4	32	81	209	336	552	1,195	1,630	951	-
1995.....	5,147	5	4	3	28	87	219	318	590	1,238	1,682	972	1
1994.....	5,415	6	6	22	33	102	204	352	645	1,432	1,709	903	1
1993.....	5,743	4	5	7	27	104	222	370	692	1,504	1,803	1,005	-
1992.....	5,702	2	7	6	36	101	222	385	731	1,482	1,845	884	1
1991.....	5,951	6	4	4	23	104	221	374	803	1,564	1,923	925	-
1990.....	6,018	7	2	8	35	102	253	374	858	1,624	1,871	884	-
1989.....	6,087	4	6	10	35	108	255	397	858	1,666	1,921	827	-
1988.....	6,421	6	4	10	54	110	222	436	994	1,823	1,952	809	1
1987.....	6,389	5	8	8	41	155	223	437	1,024	1,874	1,863	751	-
1986.....	6,441	5	2	6	52	138	248	477	1,120	1,848	1,829	714	2
1985.....	6,593	7	6	14	61	149	260	526	1,183	1,906	1,818	663	-
1984.....	6,912	5	9	12	71	141	278	532	1,323	2,074	1,815	652	-
1983.....	6,895	7	4	13	53	145	287	656	1,376	2,005	1,699	649	1
1982.....	7,053	6	7	15	63	140	261	589	1,482	2,244	1,657	587	2
1981.....	7,378	7	1	19	50	165	310	704	1,531	2,345	1,676	570	-
1980.....	7,836	4	6	23	86	153	341	838	1,696	2,441	1,712	535	1
1979.....	7,795	5	2	11	83	153	354	885	1,722	2,458	1,568	554	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398)													
TOTAL, MALE													
1998.....	1,422	2	1	2	12	33	77	135	189	332	429	210	-
1997.....	1,553	-	3	2	24	47	72	135	204	357	475	234	-
1996.....	1,482	7	4	-	14	30	86	124	184	382	465	186	-
1995.....	1,534	3	3	2	11	38	91	109	217	377	464	219	-
1994.....	1,679	3	3	11	11	44	85	144	239	486	465	188	-
1993.....	1,790	2	3	1	14	49	96	128	264	492	508	233	-
1992.....	1,714	2	5	4	14	42	95	163	259	463	486	181	-
1991.....	1,786	1	3	4	12	38	101	131	297	502	497	200	-
1990.....	1,830	2	-	3	16	50	116	131	334	561	460	157	-
1989.....	1,877	2	3	5	10	51	109	149	334	538	508	168	-
1988.....	1,945	3	2	7	32	46	88	178	348	577	489	174	1
1987.....	1,934	3	2	7	15	66	102	148	393	587	477	134	-
1986.....	2,054	5	1	3	24	64	119	175	438	601	477	147	-
1985.....	2,142	4	6	6	32	73	108	208	443	640	485	137	-
1984.....	2,279	3	3	5	32	63	125	219	516	682	496	135	-
1983.....	2,199	5	3	8	30	75	119	234	518	633	440	133	1
1982.....	2,336	5	5	8	33	68	108	254	583	750	407	114	1
1981.....	2,469	2	1	8	31	66	127	284	569	776	476	129	-
1980.....	2,660	2	1	11	52	69	148	336	630	799	478	133	1
1979.....	2,651	3	1	7	48	69	160	355	669	782	451	106	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398)													
TOTAL, FEMALE													
1998.....	3,370	-	-	2	21	49	118	193	360	736	1,089	802	-
1997.....	3,461	3	1	3	19	46	138	218	334	767	1,127	805	-
1996.....	3,524	2	3	4	18	51	123	212	368	813	1,165	765	-
1995.....	3,613	2	1	1	17	49	128	209	373	861	1,218	753	1
1994.....	3,736	3	3	11	22	58	119	208	406	946	1,244	715	1
1993.....	3,953	2	2	6	13	55	126	242	428	1,012	1,295	772	-
1992.....	3,988	-	2	2	22	59	127	222	472	1,019	1,359	703	1
1991.....	4,165	5	1	-	11	66	120	243	506	1,062	1,426	725	-
1990.....	4,188	5	2	5	19	52	137	243	524	1,063	1,411	727	-
1989.....	4,210	2	3	5	25	57	146	248	524	1,128	1,413	659	-
1988.....	4,476	3	2	3	22	64	134	258	646	1,246	1,463	635	-
1987.....	4,455	2	6	1	26	89	121	289	631	1,287	1,386	617	-
1986.....	4,387	-	1	3	28	74	129	302	682	1,247	1,352	567	2
1985.....	4,451	3	-	8	29	76	152	318	740	1,266	1,333	526	-
1984.....	4,633	2	6	7	39	78	153	313	807	1,392	1,319	517	-
1983.....	4,696	2	1	5	23	70	168	422	858	1,372	1,259	516	-
1982.....	4,717	1	2	7	30	72	153	335	899	1,494	1,250	473	1
1981.....	4,909	5	-	11	19	99	183	420	962	1,569	1,200	441	-
1980.....	5,176	2	5	12	34	84	193	502	1,066	1,642	1,234	402	-
1979.....	5,144	2	1	4	35	84	194	530	1,053	1,676	1,117	448	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398)													
WHITE, BOTH SEXES													
1998.....	4,334	2	-	4	27	62	138	250	459	978	1,450	964	-
1997.....	4,547	3	4	2	27	68	137	269	456	1,045	1,531	1,005	-
1996.....	4,534	8	5	4	23	64	138	268	466	1,085	1,564	909	-
1995.....	4,661	4	1	1	20	57	155	234	496	1,140	1,609	943	1
1994.....	4,923	5	6	15	24	69	136	266	556	1,321	1,656	868	1
1993.....	5,231	4	3	6	20	66	151	298	606	1,401	1,708	968	-
1992.....	5,161	2	6	3	28	75	151	292	637	1,365	1,754	848	-
1991.....	5,426	5	3	3	14	83	155	284	719	1,448	1,825	887	-
1990.....	5,483	6	2	6	22	72	168	302	750	1,518	1,795	842	-
1989.....	5,523	4	6	7	26	74	172	318	748	1,539	1,833	796	-
1988.....	5,874	5	3	4	40	75	144	347	898	1,708	1,878	772	-
1987.....	5,875	5	5	2	25	102	156	370	924	1,772	1,787	727	-
1986.....	5,872	3	2	1	23	88	163	404	1,000	1,734	1,761	691	2
1985.....	6,026	6	4	10	39	97	186	436	1,067	1,802	1,750	629	-
1984.....	6,355	3	8	9	50	84	201	460	1,212	1,935	1,766	627	-
1983.....	6,341	3	4	9	29	91	214	568	1,262	1,903	1,635	622	1
1982.....	6,504	5	7	8	40	89	206	512	1,343	2,133	1,595	564	2
1981.....	6,798	4	1	13	30	112	241	612	1,396	2,233	1,607	549	-
1980.....	7,203	3	5	10	43	92	265	728	1,560	2,328	1,654	514	1
1979.....	7,195	5	2	7	49	97	279	770	1,599	2,351	1,501	535	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398)													
WHITE MALE													
1998.....	1,288	2	-	2	8	27	59	107	162	311	409	201	-
1997.....	1,389	-	3	1	15	39	43	102	172	331	455	228	-
1996.....	1,331	6	4	-	9	23	65	102	161	338	447	176	-
1995.....	1,375	2	1	1	7	24	61	83	186	351	449	210	-
1994.....	1,513	3	3	8	10	25	58	114	216	445	449	182	-
1993.....	1,621	2	1	1	10	28	69	107	238	456	484	225	-
1992.....	1,537	2	4	3	10	31	72	127	232	426	456	174	-
1991.....	1,607	1	2	3	8	31	80	100	265	461	468	188	-
1990.....	1,655	2	-	2	10	38	82	110	294	533	438	146	-
1989.....	1,674	2	3	4	7	32	67	124	291	497	484	163	-
1988.....	1,746	2	2	2	22	29	59	144	321	537	466	162	-
1987.....	1,767	3	2	2	11	46	73	132	362	563	448	125	-
1986.....	1,842	3	1	1	14	38	80	150	394	566	455	140	-
1985.....	1,934	4	4	5	23	49	79	177	404	599	464	126	-
1984.....	2,087	3	3	3	24	38	92	191	483	642	479	129	-
1983.....	1,996	1	3	5	17	46	92	208	481	594	421	127	1
1982.....	2,133	5	5	5	20	45	88	226	534	705	389	110	1
1981.....	2,254	2	1	6	16	47	101	252	518	733	455	123	-
1980.....	2,424	2	1	7	24	47	117	298	578	759	462	128	1
1979.....	2,414	3	1	5	29	44	120	309	629	742	432	100	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398)													
WHITE FEMALE													
1998.....	3,046	-	-	2	19	35	79	143	297	667	1,041	763	-
1997.....	3,158	3	1	1	12	29	94	167	284	714	1,076	777	-
1996.....	3,203	2	1	4	14	41	73	166	305	747	1,117	733	-
1995.....	3,286	2	-	-	13	33	94	151	310	789	1,160	733	1
1994.....	3,410	2	3	7	14	44	78	152	340	876	1,207	686	1
1993.....	3,610	2	2	5	10	38	82	191	368	945	1,224	743	-
1992.....	3,624	-	2	-	18	44	79	165	405	939	1,298	674	-
1991.....	3,819	4	1	-	6	52	75	184	454	987	1,357	699	-
1990.....	3,828	4	2	4	12	34	86	192	456	985	1,357	696	-
1989.....	3,849	2	3	3	19	42	105	194	457	1,042	1,349	633	-
1988.....	4,128	3	1	2	18	46	85	203	577	1,171	1,412	610	-
1987.....	4,108	2	3	-	14	56	83	238	562	1,209	1,339	602	-
1986.....	4,030	-	1	-	9	50	83	254	606	1,168	1,306	551	2
1985.....	4,092	2	-	5	16	48	107	259	663	1,203	1,286	503	-
1984.....	4,268	-	5	6	26	46	109	269	729	1,293	1,287	498	-
1983.....	4,345	2	1	4	12	45	122	360	781	1,309	1,214	495	-
1982.....	4,371	-	2	3	20	44	118	286	809	1,428	1,206	454	1
1981.....	4,544	2	-	7	14	65	140	360	878	1,500	1,152	426	-
1980.....	4,779	1	4	3	19	45	148	430	982	1,569	1,192	386	-
1979.....	4,781	2	1	2	20	53	159	461	970	1,609	1,069	435	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398)													
ALL OTHER, BOTH SEXES													
1998.....	458	-	1	-	6	20	57	78	90	90	68	48	-
1997.....	467	-	-	3	16	25	73	84	82	79	71	34	-
1996.....	472	1	2	-	9	17	71	68	86	110	66	42	-
1995.....	486	1	3	2	8	30	64	84	94	98	73	29	-
1994.....	492	1	-	7	9	33	68	86	89	111	53	35	-
1993.....	512	-	2	1	7	38	71	72	86	103	95	37	-
1992.....	541	-	1	3	8	26	71	93	94	117	91	36	1
1991.....	525	1	1	1	9	21	66	90	84	116	98	38	-
1990.....	535	1	-	2	13	30	85	72	108	106	76	42	-
1989.....	564	-	-	3	9	34	83	79	110	127	88	31	-
1988.....	547	1	1	6	14	35	78	89	96	115	74	37	1
1987.....	514	-	3	6	16	53	67	67	100	102	76	24	-
1986.....	569	2	-	5	29	50	85	73	120	114	68	23	-
1985.....	567	1	2	4	22	52	74	90	116	104	68	34	-
1984.....	557	2	1	3	21	57	77	72	111	139	49	25	-
1983.....	554	4	-	4	24	54	73	88	114	102	64	27	-
1982.....	549	1	-	7	23	51	55	77	139	111	62	23	-
1981.....	580	3	-	6	20	53	69	92	135	112	69	21	-
1980.....	633	1	1	13	43	61	76	110	136	113	58	21	-
1979.....	600	-	-	4	34	56	75	115	123	107	67	19	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398)													
ALL OTHER MALE													
1998.....	134	-	1	-	4	6	18	28	27	21	20	9	-
1997.....	164	-	-	1	9	8	29	33	32	26	20	6	-
1996.....	151	1	-	-	5	7	21	22	23	44	18	10	-
1995.....	159	1	2	1	4	14	30	26	31	26	15	9	-
1994.....	166	-	-	3	1	19	27	30	23	41	16	6	-
1993.....	169	-	2	-	4	21	27	21	26	36	24	8	-
1992.....	177	-	1	1	4	11	23	36	27	37	30	7	-
1991.....	179	-	1	1	4	7	21	31	32	41	29	12	-
1990.....	175	-	-	1	6	12	34	21	40	28	22	11	-
1989.....	203	-	-	1	3	19	42	25	43	41	24	5	-
1988.....	199	1	-	5	10	17	29	34	27	40	23	12	1
1987.....	167	-	-	5	4	20	29	16	31	24	29	9	-
1986.....	212	2	-	2	10	26	39	25	44	35	22	7	-
1985.....	208	-	2	1	9	24	29	31	39	41	21	11	-
1984.....	192	-	-	2	8	25	33	28	33	40	17	6	-
1983.....	203	4	-	3	13	29	27	26	37	39	19	6	-
1982.....	203	-	-	3	13	23	20	28	49	45	18	4	-
1981.....	215	-	-	2	15	19	26	32	51	43	21	6	-
1980.....	236	-	-	4	28	22	31	38	52	40	16	5	-
1979.....	237	-	-	2	19	25	40	46	40	40	19	6	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398)													
ALL OTHER FEMALE													
1998.....	324	-	-	-	2	14	39	50	63	69	48	39	-
1997.....	303	-	-	2	7	17	44	51	50	53	51	28	-
1996.....	321	-	2	-	4	10	50	46	63	66	48	32	-
1995.....	327	-	1	1	4	16	34	58	63	72	58	20	-
1994.....	326	1	-	4	8	14	41	56	66	70	37	29	-
1993.....	343	-	-	1	3	17	44	51	60	67	71	29	-
1992.....	364	-	-	2	4	15	48	57	67	80	61	29	1
1991.....	346	1	-	-	5	14	45	59	52	75	69	26	-
1990.....	360	1	-	1	7	18	51	51	68	78	54	31	-
1989.....	361	-	-	2	6	15	41	54	67	86	64	26	-
1988.....	348	-	1	1	4	18	49	55	69	75	51	25	-
1987.....	347	-	3	1	12	33	38	51	69	78	47	15	-
1986.....	357	-	-	3	19	24	46	48	76	79	46	16	-
1985.....	359	1	-	3	13	28	45	59	77	63	47	23	-
1984.....	365	2	1	1	13	32	44	44	78	99	32	19	-
1983.....	351	-	-	1	11	25	46	62	77	63	45	21	-
1982.....	346	1	-	4	10	28	35	49	90	66	44	19	-
1981.....	365	3	-	4	5	34	43	60	84	69	48	15	-
1980.....	397	1	1	9	15	39	45	72	84	73	42	16	-
1979.....	363	-	-	2	15	31	35	69	83	67	48	13	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398)													
BLACK, BOTH SEXES													
1998.....	356	-	-	-	6	19	48	63	71	66	50	33	-
1997.....	353	-	-	2	11	20	56	74	66	53	47	24	-
1996.....	355	1	2	-	9	14	61	54	64	73	47	30	-
1995.....	368	1	2	2	7	27	53	68	67	70	56	15	-
1994.....	370	1	-	7	4	26	51	64	71	87	33	26	-
1993.....	410	-	2	1	7	37	58	66	69	74	65	31	-
1992.....	431	-	-	3	7	22	61	79	71	91	64	32	1
1991.....	413	1	1	-	9	20	54	76	70	78	70	34	-
1990.....	436	1	-	2	11	23	74	61	84	89	56	35	-
1989.....	448	-	-	3	5	27	70	61	89	94	74	25	-
1988.....	426	-	1	4	11	27	64	77	74	84	55	28	1
1987.....	412	-	3	4	11	50	57	56	81	80	56	14	-
1986.....	470	2	-	4	23	39	75	63	104	88	54	18	-
1985.....	472	1	2	4	18	44	63	77	101	83	56	23	-
1984.....	458	2	-	2	18	51	60	60	90	121	33	21	-
1983.....	465	4	-	3	21	45	61	76	96	85	53	21	-
1982.....	458	-	-	6	16	41	42	65	113	96	58	21	-
1981.....	479	3	-	5	10	45	59	77	116	90	56	18	-
1980.....	556	1	1	11	36	50	64	102	121	99	52	19	-
1979.....	531	-	-	3	31	47	66	108	107	90	61	18	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398)													
BLACK MALE													
1998.....	101	-	-	-	4	6	16	19	21	14	17	4	-
1997.....	124	-	-	1	7	7	23	29	26	16	13	2	-
1996.....	106	1	-	-	5	6	16	16	15	31	11	5	-
1995.....	123	1	2	1	3	13	24	22	25	20	8	4	-
1994.....	131	-	-	3	1	14	22	25	19	34	8	5	-
1993.....	133	-	2	-	4	20	21	19	23	21	16	7	-
1992.....	131	-	-	1	3	9	21	30	18	26	16	7	-
1991.....	138	-	1	-	4	6	16	26	27	28	19	11	-
1990.....	146	-	-	1	4	10	28	19	33	24	18	9	-
1989.....	168	-	-	1	1	16	36	20	37	33	20	4	-
1988.....	154	-	-	4	7	10	25	31	21	30	19	6	1
1987.....	132	-	-	4	3	19	27	11	23	20	18	7	-
1986.....	177	2	-	1	9	22	34	23	39	26	16	5	-
1985.....	174	-	2	1	7	22	25	25	35	33	16	8	-
1984.....	157	-	-	1	7	24	27	24	26	34	9	5	-
1983.....	166	4	-	2	12	24	22	20	34	29	14	5	-
1982.....	158	-	-	2	9	18	14	24	37	36	15	3	-
1981.....	173	-	-	2	8	17	22	26	47	32	15	4	-
1980.....	206	-	-	2	25	20	26	35	42	36	15	5	-
1979.....	211	-	-	2	17	20	35	43	35	35	18	6	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 RHEUMATIC FEVER AND RHEUMATIC HEART DISEASE (390-398)													
BLACK FEMALE													
1998.....	255	-	-	-	2	13	32	44	50	52	33	29	-
1997.....	229	-	-	1	4	13	33	45	40	37	34	22	-
1996.....	249	-	2	-	4	8	45	38	49	42	36	25	-
1995.....	245	-	-	1	4	14	29	46	42	50	48	11	-
1994.....	239	1	-	4	3	12	29	39	52	53	25	21	-
1993.....	277	-	-	1	3	17	37	47	46	53	49	24	-
1992.....	300	-	-	2	4	13	40	49	53	65	48	25	1
1991.....	275	1	-	-	5	14	38	50	43	50	51	23	-
1990.....	290	1	-	1	7	13	46	42	51	65	38	26	-
1989.....	280	-	-	2	4	11	34	41	52	61	54	21	-
1988.....	272	-	1	-	4	17	39	46	53	54	36	22	-
1987.....	280	-	3	-	8	31	30	45	58	60	38	7	-
1986.....	293	-	-	3	14	17	41	40	65	62	38	13	-
1985.....	298	1	-	3	11	22	38	52	66	50	40	15	-
1984.....	301	2	-	1	11	27	33	36	64	87	24	16	-
1983.....	299	-	-	1	9	21	39	56	62	56	39	16	-
1982.....	300	-	-	4	7	23	28	41	76	60	43	18	-
1981.....	306	3	-	3	2	28	37	51	69	58	41	14	-
1980.....	350	1	1	9	11	30	38	67	79	63	37	14	-
1979.....	320	-	-	1	14	27	31	65	72	55	43	12	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 HYPERTENSIVE HEART DISEASE (402)													
TOTAL, BOTH SEXES													
1998.....	27,715	1	1	-	24	205	1,003	2,362	3,334	4,897	7,273	8,610	5
1997.....	26,607	2	-	1	28	178	953	2,270	2,985	4,832	7,054	8,298	6
1996.....	26,188	-	-	1	26	196	883	2,102	3,036	4,779	7,154	8,006	5
1995.....	25,014	1	-	-	19	175	867	1,956	2,867	4,886	6,835	7,404	4
1994.....	23,943	-	-	2	20	209	837	1,889	2,780	4,666	6,636	6,900	4
1993.....	23,037	2	1	1	16	170	751	1,684	2,752	4,744	6,545	6,369	2
1992.....	21,853	1	-	1	20	166	712	1,506	2,902	4,696	6,140	5,704	5
1991.....	21,365	1	1	4	18	147	664	1,441	2,793	4,558	6,236	5,495	7
1990.....	21,072	-	1	2	16	148	608	1,399	2,810	4,745	6,099	5,239	5
1989.....	20,963	2	2	2	11	144	586	1,419	2,946	4,697	6,174	4,974	6
1988.....	20,788	1	1	1	25	146	533	1,374	3,031	4,923	6,032	4,716	5
1987.....	20,678	1	-	1	14	111	543	1,374	3,133	5,021	5,952	4,526	2
1986.....	20,509	1	2	-	19	119	528	1,349	3,077	4,962	5,998	4,445	9
1985.....	20,882	1	-	1	22	129	515	1,376	3,256	5,082	6,067	4,426	7
1984.....	20,712	-	1	1	16	113	506	1,365	3,230	5,218	5,996	4,261	5
1983.....	20,984	1	2	-	7	135	485	1,384	3,428	5,370	6,046	4,124	2
1982.....	20,779	3	1	1	19	131	451	1,444	3,306	5,258	6,142	4,009	14
1981.....	20,793	-	-	3	14	129	474	1,537	3,436	5,279	5,954	3,963	4
1980.....	21,095	1	-	1	20	116	485	1,442	3,421	5,417	6,238	3,949	5
1979.....	20,992	1	-	1	14	144	485	1,606	3,467	5,468	6,050	3,742	14

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 HYPERTENSIVE HEART DISEASE (402)													
TOTAL, MALE													
1998.....	11,937	-	-	-	19	144	702	1,613	2,145	2,647	2,812	1,854	1
1997.....	11,386	1	-	1	18	115	686	1,550	1,892	2,616	2,708	1,795	4
1996.....	11,129	-	-	1	22	138	599	1,408	1,929	2,583	2,704	1,742	3
1995.....	10,638	-	-	-	17	117	600	1,330	1,833	2,580	2,584	1,575	2
1994.....	10,055	-	-	1	12	147	572	1,265	1,727	2,435	2,492	1,401	3
1993.....	9,771	1	1	1	9	125	506	1,122	1,698	2,460	2,446	1,401	1
1992.....	9,211	1	-	1	12	108	509	966	1,764	2,431	2,257	1,160	2
1991.....	8,995	-	1	4	16	93	440	949	1,728	2,309	2,317	1,131	7
1990.....	8,822	-	-	-	13	103	418	875	1,700	2,394	2,230	1,086	3
1989.....	8,923	2	1	1	7	103	392	912	1,837	2,443	2,217	1,005	3
1988.....	8,850	1	1	-	19	102	346	882	1,809	2,553	2,141	992	4
1987.....	8,855	-	-	1	10	76	379	877	1,894	2,557	2,153	907	1
1986.....	8,614	-	1	-	15	86	340	838	1,840	2,527	2,106	855	6
1985.....	8,970	-	-	-	17	102	358	871	1,932	2,582	2,189	917	2
1984.....	8,892	-	1	1	12	86	344	873	1,956	2,593	2,107	917	2
1983.....	9,106	-	2	-	6	108	331	889	2,096	2,633	2,152	888	1
1982.....	8,896	1	-	-	11	89	292	900	1,950	2,598	2,160	889	6
1981.....	8,994	-	-	3	12	98	291	955	2,011	2,654	2,093	874	3
1980.....	8,870	1	-	-	10	76	304	858	2,043	2,631	2,106	839	2
1979.....	8,902	-	-	-	9	80	322	982	2,005	2,630	2,037	830	7

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 HYPERTENSIVE HEART DISEASE (402)													
TOTAL, FEMALE													
1998.....	15,778	1	1	-	5	61	301	749	1,189	2,250	4,461	6,756	4
1997.....	15,221	1	-	-	10	63	267	720	1,093	2,216	4,346	6,503	2
1996.....	15,059	-	-	-	4	58	284	694	1,107	2,196	4,450	6,264	2
1995.....	14,376	1	-	-	2	58	267	626	1,034	2,306	4,251	5,829	2
1994.....	13,888	-	-	1	8	62	265	624	1,053	2,231	4,144	5,499	1
1993.....	13,266	1	-	-	7	45	245	562	1,054	2,284	4,099	4,968	1
1992.....	12,642	-	-	-	8	58	203	540	1,138	2,265	3,883	4,544	3
1991.....	12,370	1	-	-	2	54	224	492	1,065	2,249	3,919	4,364	-
1990.....	12,250	-	1	2	3	45	190	524	1,110	2,351	3,869	4,153	2
1989.....	12,040	-	1	1	4	41	194	507	1,109	2,254	3,957	3,969	3
1988.....	11,938	-	-	1	6	44	187	492	1,222	2,370	3,891	3,724	1
1987.....	11,823	1	-	-	4	35	164	497	1,239	2,464	3,799	3,619	1
1986.....	11,895	1	1	-	4	33	188	511	1,237	2,435	3,892	3,590	3
1985.....	11,912	1	-	1	5	27	157	505	1,324	2,500	3,878	3,509	5
1984.....	11,820	-	-	-	4	27	162	492	1,274	2,625	3,889	3,344	3
1983.....	11,878	1	-	-	1	27	154	495	1,332	2,737	3,894	3,236	1
1982.....	11,883	2	1	1	8	42	159	544	1,356	2,660	3,982	3,120	8
1981.....	11,799	-	-	-	2	31	183	582	1,425	2,625	3,861	3,089	1
1980.....	12,225	-	-	1	10	40	181	584	1,378	2,786	4,132	3,110	3
1979.....	12,090	1	-	1	5	64	163	624	1,462	2,838	4,013	2,912	7

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 HYPERTENSIVE HEART DISEASE (402)													
WHITE, BOTH SEXES													
1998.....	20,047	1	-	-	10	76	471	1,287	1,928	3,275	5,651	7,346	2
1997.....	19,377	2	-	-	9	84	472	1,238	1,713	3,200	5,531	7,123	5
1996.....	19,197	-	-	-	8	88	422	1,126	1,839	3,264	5,598	6,849	3
1995.....	18,166	1	-	-	4	73	410	1,014	1,651	3,371	5,326	6,314	2
1994.....	17,395	-	-	2	13	97	377	961	1,606	3,214	5,191	5,933	1
1993.....	16,620	1	1	1	3	79	348	835	1,618	3,191	5,094	5,448	1
1992.....	15,685	-	-	-	9	67	314	752	1,669	3,232	4,790	4,851	1
1991.....	15,409	-	1	1	7	67	282	720	1,655	3,109	4,867	4,695	5
1990.....	15,165	-	-	2	5	61	272	674	1,637	3,181	4,834	4,498	1
1989.....	15,012	1	2	1	4	69	248	675	1,705	3,218	4,837	4,250	2
1988.....	14,901	1	-	-	9	55	226	673	1,800	3,418	4,682	4,034	3
1987.....	15,119	1	-	1	7	47	239	691	1,927	3,539	4,756	3,909	2
1986.....	14,982	1	2	-	13	56	222	642	1,888	3,523	4,756	3,875	4
1985.....	15,303	1	-	-	8	61	226	691	2,002	3,638	4,793	3,878	5
1984.....	15,237	-	1	1	7	58	198	676	1,975	3,744	4,841	3,734	2
1983.....	15,463	1	1	-	3	55	202	695	2,178	3,827	4,871	3,629	1
1982.....	15,392	2	1	1	9	44	193	752	2,091	3,788	4,984	3,521	6
1981.....	15,474	-	-	2	7	55	192	796	2,221	3,864	4,860	3,477	-
1980.....	15,682	1	-	-	8	40	185	737	2,200	3,927	5,115	3,466	3
1979.....	15,518	1	-	1	4	50	196	847	2,214	3,947	4,951	3,300	7

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 HYPERTENSIVE HEART DISEASE (402)													
WHITE MALE													
1998.....	8,223	-	-	-	9	62	376	954	1,333	1,818	2,147	1,524	-
1997.....	7,916	1	-	-	7	64	372	909	1,158	1,782	2,145	1,475	3
1996.....	7,735	-	-	-	8	70	318	818	1,226	1,807	2,080	1,407	1
1995.....	7,371	-	-	-	4	59	326	745	1,120	1,823	2,003	1,290	1
1994.....	6,996	-	-	1	8	80	301	729	1,053	1,716	1,936	1,172	-
1993.....	6,742	1	1	1	2	67	267	605	1,075	1,693	1,898	1,131	1
1992.....	6,312	-	-	-	5	50	250	532	1,096	1,725	1,741	913	-
1991.....	6,218	-	1	1	6	50	217	515	1,069	1,637	1,802	915	5
1990.....	6,077	-	-	-	5	51	214	459	1,063	1,659	1,740	886	-
1989.....	6,082	1	1	-	4	54	189	466	1,114	1,721	1,726	805	1
1988.....	6,099	1	-	-	8	43	172	489	1,123	1,820	1,647	794	2
1987.....	6,245	-	-	1	4	36	185	483	1,218	1,874	1,697	746	1
1986.....	6,043	-	1	-	11	45	167	427	1,215	1,849	1,630	697	1
1985.....	6,322	-	-	-	8	48	179	481	1,260	1,880	1,706	759	1
1984.....	6,302	-	1	1	6	50	148	478	1,257	1,901	1,684	776	-
1983.....	6,458	-	1	-	2	47	157	495	1,397	1,919	1,702	738	-
1982.....	6,341	-	-	-	6	33	127	507	1,290	1,908	1,716	751	3
1981.....	6,462	-	-	2	7	46	131	540	1,356	1,962	1,691	727	-
1980.....	6,386	1	-	-	4	30	129	484	1,360	1,948	1,697	732	1
1979.....	6,325	-	-	-	3	33	146	560	1,350	1,924	1,600	705	4

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 HYPERTENSIVE HEART DISEASE (402)													
WHITE FEMALE													
1998.....	11,824	1	-	-	1	14	95	333	595	1,457	3,504	5,822	2
1997.....	11,461	1	-	-	2	20	100	329	555	1,418	3,386	5,648	2
1996.....	11,462	-	-	-	-	18	104	308	613	1,457	3,518	5,442	2
1995.....	10,795	1	-	-	-	14	84	269	531	1,548	3,323	5,024	1
1994.....	10,399	-	-	1	5	17	76	232	553	1,498	3,255	4,761	1
1993.....	9,878	-	-	-	1	12	81	230	543	1,498	3,196	4,317	-
1992.....	9,373	-	-	-	4	17	64	220	573	1,507	3,049	3,938	1
1991.....	9,191	-	-	-	1	17	65	205	586	1,472	3,065	3,780	-
1990.....	9,088	-	-	2	-	10	58	215	574	1,522	3,094	3,612	1
1989.....	8,930	-	1	1	-	15	59	209	591	1,497	3,111	3,445	1
1988.....	8,802	-	-	-	1	12	54	184	677	1,598	3,035	3,240	1
1987.....	8,874	1	-	-	3	11	54	208	709	1,665	3,059	3,163	1
1986.....	8,939	1	1	-	2	11	55	215	673	1,674	3,126	3,178	3
1985.....	8,981	1	-	-	-	13	47	210	742	1,758	3,087	3,119	4
1984.....	8,935	-	-	-	1	8	50	198	718	1,843	3,157	2,958	2
1983.....	9,005	1	-	-	1	8	45	200	781	1,908	3,169	2,891	1
1982.....	9,051	2	1	1	3	11	66	245	801	1,880	3,268	2,770	3
1981.....	9,012	-	-	-	-	9	61	256	865	1,902	3,169	2,750	-
1980.....	9,296	-	-	-	4	10	56	253	840	1,979	3,418	2,734	2
1979.....	9,193	1	-	1	1	17	50	287	864	2,023	3,351	2,595	3

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 HYPERTENSIVE HEART DISEASE (402)													
ALL OTHER, BOTH SEXES													
1998.....	7,668	-	1	-	14	129	532	1,075	1,406	1,622	1,622	1,264	3
1997.....	7,230	-	-	1	19	94	481	1,032	1,272	1,632	1,523	1,175	1
1996.....	6,991	-	-	1	18	108	461	976	1,197	1,515	1,556	1,157	2
1995.....	6,848	-	-	-	15	102	457	942	1,216	1,515	1,509	1,090	2
1994.....	6,548	-	-	-	7	112	460	928	1,174	1,452	1,445	967	3
1993.....	6,417	1	-	-	13	91	403	849	1,134	1,553	1,451	921	1
1992.....	6,168	1	-	1	11	99	398	754	1,233	1,464	1,350	853	4
1991.....	5,956	1	-	3	11	80	382	721	1,138	1,449	1,369	800	2
1990.....	5,907	-	1	-	11	87	336	725	1,173	1,564	1,265	741	4
1989.....	5,951	1	-	1	7	75	338	744	1,241	1,479	1,337	724	4
1988.....	5,887	-	1	1	16	91	307	701	1,231	1,505	1,350	682	2
1987.....	5,559	-	-	-	7	64	304	683	1,206	1,482	1,196	617	-
1986.....	5,527	-	-	-	6	63	306	707	1,189	1,439	1,242	570	5
1985.....	5,579	-	-	1	14	68	289	685	1,254	1,444	1,274	548	2
1984.....	5,475	-	-	-	9	55	308	689	1,255	1,474	1,155	527	3
1983.....	5,521	-	1	-	4	80	283	689	1,250	1,543	1,175	495	1
1982.....	5,387	1	-	-	10	87	258	692	1,215	1,470	1,158	488	8
1981.....	5,319	-	-	1	7	74	282	741	1,215	1,415	1,094	486	4
1980.....	5,413	-	-	1	12	76	300	705	1,221	1,490	1,123	483	2
1979.....	5,474	-	-	-	10	94	289	759	1,253	1,521	1,099	442	7

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 HYPERTENSIVE HEART DISEASE (402)													
ALL OTHER MALE													
1998.....	3,714	-	-	-	10	82	326	659	812	829	665	330	1
1997.....	3,470	-	-	1	11	51	314	641	734	834	563	320	1
1996.....	3,394	-	-	1	14	68	281	590	703	776	624	335	2
1995.....	3,267	-	-	-	13	58	274	585	713	757	581	285	1
1994.....	3,059	-	-	-	4	67	271	536	674	719	556	229	3
1993.....	3,029	-	-	-	7	58	239	517	623	767	548	270	-
1992.....	2,899	1	-	1	7	58	259	434	668	706	516	247	2
1991.....	2,777	-	-	3	10	43	223	434	659	672	515	216	2
1990.....	2,745	-	-	-	8	52	204	416	637	735	490	200	3
1989.....	2,841	1	-	1	3	49	203	446	723	722	491	200	2
1988.....	2,751	-	1	-	11	59	174	393	686	733	494	198	2
1987.....	2,610	-	-	-	6	40	194	394	676	683	456	161	-
1986.....	2,571	-	-	-	4	41	173	411	625	678	476	158	5
1985.....	2,648	-	-	-	9	54	179	390	672	702	483	158	1
1984.....	2,590	-	-	-	6	36	196	395	699	692	423	141	2
1983.....	2,648	-	1	-	4	61	174	394	699	714	450	150	1
1982.....	2,555	1	-	-	5	56	165	393	660	690	444	138	3
1981.....	2,532	-	-	1	5	52	160	415	655	692	402	147	3
1980.....	2,484	-	-	-	6	46	175	374	683	683	409	107	1
1979.....	2,577	-	-	-	6	47	176	422	655	706	437	125	3

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 HYPERTENSIVE HEART DISEASE (402)													
ALL OTHER FEMALE													
1998.....	3,954	-	1	-	4	47	206	416	594	793	957	934	2
1997.....	3,760	-	-	-	8	43	167	391	538	798	960	855	-
1996.....	3,597	-	-	-	4	40	180	386	494	739	932	822	-
1995.....	3,581	-	-	-	2	44	183	357	503	758	928	805	1
1994.....	3,489	-	-	-	3	45	189	392	500	733	889	738	-
1993.....	3,388	1	-	-	6	33	164	332	511	786	903	651	1
1992.....	3,269	-	-	-	4	41	139	320	565	758	834	606	2
1991.....	3,179	1	-	-	1	37	159	287	479	777	854	584	-
1990.....	3,162	-	1	-	3	35	132	309	536	829	775	541	1
1989.....	3,110	-	-	-	4	26	135	298	518	757	846	524	2
1988.....	3,136	-	-	1	5	32	133	308	545	772	856	484	-
1987.....	2,949	-	-	-	1	24	110	289	530	799	740	456	-
1986.....	2,956	-	-	-	2	22	133	296	564	761	766	412	-
1985.....	2,931	-	-	1	5	14	110	295	582	742	791	390	1
1984.....	2,885	-	-	-	3	19	112	294	556	782	732	386	1
1983.....	2,873	-	-	-	-	19	109	295	551	829	725	345	-
1982.....	2,832	-	-	-	5	31	93	299	555	780	714	350	5
1981.....	2,787	-	-	-	2	22	122	326	560	723	692	339	1
1980.....	2,929	-	-	1	6	30	125	331	538	807	714	376	1
1979.....	2,897	-	-	-	4	47	113	337	598	815	662	317	4

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 HYPERTENSIVE HEART DISEASE (402) BLACK, BOTH SEXES													
1998.....	7,158	-	1	-	13	117	510	1,030	1,339	1,503	1,514	1,128	3
1997.....	6,708	-	-	1	19	92	461	985	1,194	1,518	1,389	1,048	1
1996.....	6,564	-	-	1	16	103	444	936	1,137	1,430	1,445	1,050	2
1995.....	6,408	-	-	-	15	98	444	906	1,150	1,426	1,394	973	2
1994.....	6,160	-	-	-	6	110	441	892	1,116	1,372	1,334	887	2
1993.....	6,057	1	-	-	13	84	395	824	1,078	1,467	1,355	839	1
1992.....	5,854	1	-	1	11	95	390	731	1,187	1,390	1,263	781	4
1991.....	5,639	1	-	3	10	78	377	703	1,086	1,388	1,276	715	2
1990.....	5,636	-	1	-	11	86	327	706	1,134	1,493	1,186	688	4
1989.....	5,680	1	-	1	7	71	334	723	1,202	1,421	1,254	662	4
1988.....	5,626	-	1	1	15	89	301	686	1,189	1,440	1,260	642	2
1987.....	5,276	-	-	-	6	63	297	653	1,161	1,410	1,128	558	-
1986.....	5,312	-	-	-	6	62	300	685	1,163	1,385	1,177	531	3
1985.....	5,342	-	-	1	14	67	285	667	1,219	1,386	1,195	507	1
1984.....	5,276	-	-	-	8	54	299	668	1,221	1,418	1,101	504	3
1983.....	5,339	-	1	-	4	79	273	666	1,219	1,500	1,126	470	1
1982.....	5,197	1	-	-	10	87	251	679	1,179	1,419	1,104	460	7
1981.....	5,160	-	-	1	7	73	276	725	1,190	1,374	1,043	467	4
1980.....	5,228	-	-	-	12	73	291	686	1,197	1,443	1,061	463	2
1979.....	5,311	-	-	-	8	92	284	745	1,221	1,473	1,066	415	7

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 HYPERTENSIVE HEART DISEASE (402)													
BLACK MALE													
1998.....	3,463	-	-	-	10	72	308	624	775	770	616	287	1
1997.....	3,190	-	-	1	11	51	297	605	682	771	500	271	1
1996.....	3,160	-	-	1	13	64	269	563	663	723	576	286	2
1995.....	3,039	-	-	-	13	55	266	559	669	708	533	235	1
1994.....	2,855	-	-	-	3	66	258	513	635	669	510	199	2
1993.....	2,843	-	-	-	7	54	234	496	594	718	497	243	-
1992.....	2,724	1	-	1	7	54	253	421	639	662	468	216	2
1991.....	2,635	-	-	3	10	42	219	423	627	645	476	188	2
1990.....	2,608	-	-	-	8	51	198	402	615	699	448	184	3
1989.....	2,688	1	-	1	3	47	201	427	695	689	447	175	2
1988.....	2,607	-	1	-	10	58	169	381	656	692	457	181	2
1987.....	2,465	-	-	-	5	40	189	374	652	640	420	145	-
1986.....	2,465	-	-	-	4	40	167	399	614	652	444	142	3
1985.....	2,515	-	-	-	9	53	175	379	655	663	440	140	1
1984.....	2,474	-	-	-	5	35	192	381	675	657	389	138	2
1983.....	2,546	-	1	-	4	60	166	378	679	691	426	140	1
1982.....	2,449	1	-	-	5	56	160	386	640	656	410	132	3
1981.....	2,444	-	-	1	5	51	157	406	643	663	374	141	3
1980.....	2,388	-	-	-	6	45	167	364	668	652	381	104	1
1979.....	2,482	-	-	-	5	46	171	411	632	673	424	117	3

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 HYPERTENSIVE HEART DISEASE (402)													
BLACK FEMALE													
1998.....	3,695	-	1	-	3	45	202	406	564	733	898	841	2
1997.....	3,518	-	-	-	8	41	164	380	512	747	889	777	-
1996.....	3,404	-	-	-	3	39	175	373	474	707	869	764	-
1995.....	3,369	-	-	-	2	43	178	347	481	718	861	738	1
1994.....	3,305	-	-	-	3	44	183	379	481	703	824	688	-
1993.....	3,214	1	-	-	6	30	161	328	484	749	858	596	1
1992.....	3,130	-	-	-	4	41	137	310	548	728	795	565	2
1991.....	3,004	1	-	-	-	36	158	280	459	743	800	527	-
1990.....	3,028	-	1	-	3	35	129	304	519	794	738	504	1
1989.....	2,992	-	-	-	4	24	133	296	507	732	807	487	2
1988.....	3,019	-	-	1	5	31	132	305	533	748	803	461	-
1987.....	2,811	-	-	-	1	23	108	279	509	770	708	413	-
1986.....	2,847	-	-	-	2	22	133	286	549	733	733	389	-
1985.....	2,827	-	-	1	5	14	110	288	564	723	755	367	-
1984.....	2,802	-	-	-	3	19	107	287	546	761	712	366	1
1983.....	2,793	-	-	-	-	19	107	288	540	809	700	330	-
1982.....	2,748	-	-	-	5	31	91	293	539	763	694	328	4
1981.....	2,716	-	-	-	2	22	119	319	547	711	669	326	1
1980.....	2,840	-	-	-	6	28	124	322	529	791	680	359	1
1979.....	2,829	-	-	-	3	46	113	334	589	800	642	298	4

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 HYPERTENSIVE HEART AND RENAL DISEASE (404)													
TOTAL, BOTH SEXES													
1998.....	2,412	-	-	-	4	22	55	107	165	412	833	814	-
1997.....	2,424	-	-	2	3	22	49	83	171	402	832	860	-
1996.....	2,501	-	-	-	4	19	52	102	208	401	820	895	-
1995.....	2,484	-	-	-	5	16	49	100	183	424	868	839	-
1994.....	2,494	1	-	-	3	25	46	103	186	470	850	810	-
1993.....	2,464	-	-	-	8	23	48	85	192	467	850	791	-
1992.....	2,492	-	-	-	3	12	43	78	229	475	844	808	-
1991.....	2,445	-	-	-	3	21	46	94	188	492	835	766	-
1990.....	2,377	1	-	-	7	21	55	85	211	501	814	682	-
1989.....	2,385	-	-	-	5	17	30	71	198	475	854	735	-
1988.....	2,450	1	-	1	9	13	43	65	225	468	877	748	-
1987.....	2,521	-	-	1	2	18	53	75	220	498	870	784	-
1986.....	2,496	-	-	-	2	26	41	64	212	530	817	804	-
1985.....	2,800	-	-	-	4	13	24	88	250	543	998	876	4
1984.....	2,855	-	-	1	-	14	27	70	206	613	1,017	907	-
1983.....	3,073	-	-	-	4	13	29	69	253	614	1,077	1,014	-
1982.....	3,028	1	-	-	4	26	24	68	241	594	1,076	993	1
1981.....	3,347	-	1	-	5	23	35	89	266	694	1,182	1,051	1
1980.....	3,711	-	1	-	2	14	31	110	321	765	1,277	1,190	-
1979.....	3,649	-	-	2	4	17	45	103	296	787	1,276	1,118	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 HYPERTENSIVE HEART AND RENAL DISEASE (404)													
TOTAL, MALE													
1998.....	996	-	-	-	3	10	33	74	98	203	331	244	-
1997.....	1,051	-	-	1	3	17	34	59	95	204	371	267	-
1996.....	1,002	-	-	-	2	14	36	69	107	165	348	261	-
1995.....	997	-	-	-	4	11	25	58	82	195	353	269	-
1994.....	1,066	-	-	-	2	12	35	74	94	226	380	243	-
1993.....	1,023	-	-	-	7	15	32	52	95	219	360	243	-
1992.....	1,024	-	-	-	3	7	26	49	114	209	342	274	-
1991.....	996	-	-	-	2	12	34	54	96	220	342	236	-
1990.....	959	-	-	-	4	8	37	54	103	231	310	212	-
1989.....	954	-	-	-	4	11	21	46	104	214	344	210	-
1988.....	994	-	-	1	3	10	29	36	106	219	354	236	-
1987.....	997	-	-	-	2	9	36	54	115	225	347	209	-
1986.....	1,017	-	-	-	2	21	25	35	103	275	352	204	-
1985.....	1,152	-	-	-	1	9	15	52	128	273	426	248	-
1984.....	1,151	-	-	-	-	10	17	42	108	303	422	249	-
1983.....	1,221	-	-	-	4	6	19	38	129	305	422	298	-
1982.....	1,222	-	-	-	3	17	17	41	133	266	438	306	1
1981.....	1,351	-	-	-	2	15	22	48	141	339	470	314	-
1980.....	1,492	-	1	-	1	5	18	53	167	363	494	390	-
1979.....	1,507	-	-	1	3	10	27	52	146	376	532	360	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 HYPERTENSIVE HEART AND RENAL DISEASE (404)													
TOTAL, FEMALE													
1998.....	1,416	-	-	-	1	12	22	33	67	209	502	570	-
1997.....	1,373	-	-	1	-	5	15	24	76	198	461	593	-
1996.....	1,499	-	-	-	2	5	16	33	101	236	472	634	-
1995.....	1,487	-	-	-	1	5	24	42	101	229	515	570	-
1994.....	1,428	1	-	-	1	13	11	29	92	244	470	567	-
1993.....	1,441	-	-	-	1	8	16	33	97	248	490	548	-
1992.....	1,468	-	-	-	-	5	17	29	115	266	502	534	-
1991.....	1,449	-	-	-	1	9	12	40	92	272	493	530	-
1990.....	1,418	1	-	-	3	13	18	31	108	270	504	470	-
1989.....	1,431	-	-	-	1	6	9	25	94	261	510	525	-
1988.....	1,456	1	-	-	6	3	14	29	119	249	523	512	-
1987.....	1,524	-	-	1	-	9	17	21	105	273	523	575	-
1986.....	1,479	-	-	-	-	5	16	29	109	255	465	600	-
1985.....	1,648	-	-	-	3	4	9	36	122	270	572	628	4
1984.....	1,704	-	-	1	-	4	10	28	98	310	595	658	-
1983.....	1,852	-	-	-	-	7	10	31	124	309	655	716	-
1982.....	1,806	1	-	-	1	9	7	27	108	328	638	687	-
1981.....	1,996	-	1	-	3	8	13	41	125	355	712	737	1
1980.....	2,219	-	-	-	1	9	13	57	154	402	783	800	-
1979.....	2,142	-	-	1	1	7	18	51	150	411	744	758	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 HYPERTENSIVE HEART AND RENAL DISEASE (404)													
WHITE, BOTH SEXES													
1998.....	1,648	-	-	-	1	8	12	40	59	256	611	661	-
1997.....	1,722	-	-	1	1	7	13	34	82	258	632	694	-
1996.....	1,748	-	-	-	2	2	14	42	99	250	597	742	-
1995.....	1,765	-	-	-	1	6	18	34	90	268	672	676	-
1994.....	1,757	1	-	-	1	12	15	31	81	300	647	669	-
1993.....	1,745	-	-	-	4	7	6	30	102	309	631	656	-
1992.....	1,743	-	-	-	1	1	5	29	97	299	651	660	-
1991.....	1,714	-	-	-	2	8	16	24	92	295	621	656	-
1990.....	1,648	1	-	-	2	6	10	26	103	326	613	561	-
1989.....	1,693	-	-	-	3	6	8	19	102	301	638	616	-
1988.....	1,771	1	-	-	4	4	7	26	121	303	656	649	-
1987.....	1,828	-	-	1	1	5	19	25	103	327	674	673	-
1986.....	1,831	-	-	-	1	10	12	23	119	334	637	695	-
1985.....	2,089	-	-	-	3	3	8	25	133	364	807	745	1
1984.....	2,165	-	-	-	-	8	11	30	110	397	802	807	-
1983.....	2,365	-	-	-	1	6	9	26	135	416	873	899	-
1982.....	2,354	1	-	-	1	8	6	22	139	406	878	892	1
1981.....	2,642	-	-	-	3	10	12	43	142	486	992	954	-
1980.....	2,909	-	-	-	-	7	11	43	191	520	1,043	1,094	-
1979.....	2,880	-	-	1	2	7	15	34	166	559	1,080	1,016	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 HYPERTENSIVE HEART AND RENAL DISEASE (404)													
WHITE MALE													
1998.....	669	-	-	-	1	4	8	28	40	133	248	207	-
1997.....	741	-	-	-	1	7	9	27	47	136	296	218	-
1996.....	680	-	-	-	2	1	12	30	49	106	265	215	-
1995.....	703	-	-	-	1	4	9	22	40	128	281	218	-
1994.....	744	-	-	-	1	6	13	24	43	152	306	199	-
1993.....	727	-	-	-	4	3	3	19	53	156	285	204	-
1992.....	701	-	-	-	1	1	2	20	50	140	266	221	-
1991.....	682	-	-	-	1	4	11	12	54	133	267	200	-
1990.....	648	-	-	-	1	3	7	19	48	160	231	179	-
1989.....	658	-	-	-	2	5	7	8	60	148	245	183	-
1988.....	702	-	-	-	1	4	5	15	59	143	279	196	-
1987.....	685	-	-	-	1	4	13	19	56	156	261	175	-
1986.....	721	-	-	-	1	8	6	12	63	182	278	171	-
1985.....	863	-	-	-	-	2	5	16	74	205	344	217	-
1984.....	853	-	-	-	-	6	7	18	63	211	333	215	-
1983.....	923	-	-	-	1	3	5	15	71	218	351	259	-
1982.....	948	-	-	-	1	5	5	13	85	201	360	277	1
1981.....	1,059	-	-	-	1	7	9	27	79	253	404	279	-
1980.....	1,175	-	-	-	-	3	5	21	119	270	410	347	-
1979.....	1,179	-	-	1	2	4	10	17	86	281	455	323	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 HYPERTENSIVE HEART AND RENAL DISEASE (404)													
WHITE FEMALE													
1998.....	979	-	-	-	-	4	4	12	19	123	363	454	-
1997.....	981	-	-	1	-	-	4	7	35	122	336	476	-
1996.....	1,068	-	-	-	-	1	2	12	50	144	332	527	-
1995.....	1,062	-	-	-	-	2	9	12	50	140	391	458	-
1994.....	1,013	1	-	-	-	6	2	7	38	148	341	470	-
1993.....	1,018	-	-	-	-	4	3	11	49	153	346	452	-
1992.....	1,042	-	-	-	-	-	3	9	47	159	385	439	-
1991.....	1,032	-	-	-	1	4	5	12	38	162	354	456	-
1990.....	1,000	1	-	-	1	3	3	7	55	166	382	382	-
1989.....	1,035	-	-	-	1	1	1	11	42	153	393	433	-
1988.....	1,069	1	-	-	3	-	2	11	62	160	377	453	-
1987.....	1,143	-	-	1	-	1	6	6	47	171	413	498	-
1986.....	1,110	-	-	-	-	2	6	11	56	152	359	524	-
1985.....	1,226	-	-	-	3	1	3	9	59	159	463	528	1
1984.....	1,312	-	-	-	-	2	4	12	47	186	469	592	-
1983.....	1,442	-	-	-	-	3	4	11	64	198	522	640	-
1982.....	1,406	1	-	-	-	3	1	9	54	205	518	615	-
1981.....	1,583	-	-	-	2	3	3	16	63	233	588	675	-
1980.....	1,734	-	-	-	-	4	6	22	72	250	633	747	-
1979.....	1,701	-	-	-	-	3	5	17	80	278	625	693	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 HYPERTENSIVE HEART AND RENAL DISEASE (404)													
ALL OTHER, BOTH SEXES													
1998.....	764	-	-	-	3	14	43	67	106	156	222	153	-
1997.....	702	-	-	1	2	15	36	49	89	144	200	166	-
1996.....	753	-	-	-	2	17	38	60	109	151	223	153	-
1995.....	719	-	-	-	4	10	31	66	93	156	196	163	-
1994.....	737	-	-	-	2	13	31	72	105	170	203	141	-
1993.....	719	-	-	-	4	16	42	55	90	158	219	135	-
1992.....	749	-	-	-	2	11	38	49	132	176	193	148	-
1991.....	731	-	-	-	1	13	30	70	96	197	214	110	-
1990.....	729	-	-	-	5	15	45	59	108	175	201	121	-
1989.....	692	-	-	-	2	11	22	52	96	174	216	119	-
1988.....	679	-	-	1	5	9	36	39	104	165	221	99	-
1987.....	693	-	-	-	1	13	34	50	117	171	196	111	-
1986.....	665	-	-	-	1	16	29	41	93	196	180	109	-
1985.....	711	-	-	-	1	10	16	63	117	179	191	131	3
1984.....	690	-	-	1	-	6	16	40	96	216	215	100	-
1983.....	708	-	-	-	3	7	20	43	118	198	204	115	-
1982.....	674	-	-	-	3	18	18	46	102	188	198	101	-
1981.....	705	-	1	-	2	13	23	46	124	208	190	97	1
1980.....	802	-	1	-	2	7	20	67	130	245	234	96	-
1979.....	769	-	-	1	2	10	30	69	130	228	196	102	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 HYPERTENSIVE HEART AND RENAL DISEASE (404)													
ALL OTHER MALE													
1998.....	327	-	-	-	2	6	25	46	58	70	83	37	-
1997.....	310	-	-	1	2	10	25	32	48	68	75	49	-
1996.....	322	-	-	-	-	13	24	39	58	59	83	46	-
1995.....	294	-	-	-	3	7	16	36	42	67	72	51	-
1994.....	322	-	-	-	1	6	22	50	51	74	74	44	-
1993.....	296	-	-	-	3	12	29	33	42	63	75	39	-
1992.....	323	-	-	-	2	6	24	29	64	69	76	53	-
1991.....	314	-	-	-	1	8	23	42	42	87	75	36	-
1990.....	311	-	-	-	3	5	30	35	55	71	79	33	-
1989.....	296	-	-	-	2	6	14	38	44	66	99	27	-
1988.....	292	-	-	1	2	6	24	21	47	76	75	40	-
1987.....	312	-	-	-	1	5	23	35	59	69	86	34	-
1986.....	296	-	-	-	1	13	19	23	40	93	74	33	-
1985.....	289	-	-	-	1	7	10	36	54	68	82	31	-
1984.....	298	-	-	-	-	4	10	24	45	92	89	34	-
1983.....	298	-	-	-	3	3	14	23	58	87	71	39	-
1982.....	274	-	-	-	2	12	12	28	48	65	78	29	-
1981.....	292	-	-	-	1	8	13	21	62	86	66	35	-
1980.....	317	-	1	-	1	2	13	32	48	93	84	43	-
1979.....	328	-	-	-	1	6	17	35	60	95	77	37	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 HYPERTENSIVE HEART AND RENAL DISEASE (404)													
ALL OTHER FEMALE													
1998.....	437	-	-	-	1	8	18	21	48	86	139	116	-
1997.....	392	-	-	-	-	5	11	17	41	76	125	117	-
1996.....	431	-	-	-	2	4	14	21	51	92	140	107	-
1995.....	425	-	-	-	1	3	15	30	51	89	124	112	-
1994.....	415	-	-	-	1	7	9	22	54	96	129	97	-
1993.....	423	-	-	-	1	4	13	22	48	95	144	96	-
1992.....	426	-	-	-	-	5	14	20	68	107	117	95	-
1991.....	417	-	-	-	-	5	7	28	54	110	139	74	-
1990.....	418	-	-	-	2	10	15	24	53	104	122	88	-
1989.....	396	-	-	-	-	5	8	14	52	108	117	92	-
1988.....	387	-	-	-	3	3	12	18	57	89	146	59	-
1987.....	381	-	-	-	-	8	11	15	58	102	110	77	-
1986.....	369	-	-	-	-	3	10	18	53	103	106	76	-
1985.....	422	-	-	-	-	3	6	27	63	111	109	100	3
1984.....	392	-	-	1	-	2	6	16	51	124	126	66	-
1983.....	410	-	-	-	-	4	6	20	60	111	133	76	-
1982.....	400	-	-	-	1	6	6	18	54	123	120	72	-
1981.....	413	-	1	-	1	5	10	25	62	122	124	62	1
1980.....	485	-	-	-	1	5	7	35	82	152	150	53	-
1979.....	441	-	-	1	1	4	13	34	70	133	119	65	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 HYPERTENSIVE HEART AND RENAL DISEASE (404) BLACK, BOTH SEXES													
1998.....	700	-	-	-	3	14	41	64	99	142	198	139	-
1997.....	653	-	-	1	2	15	36	46	83	132	184	154	-
1996.....	689	-	-	-	2	16	36	60	104	138	200	133	-
1995.....	672	-	-	-	4	9	31	64	86	147	179	152	-
1994.....	679	-	-	-	2	12	31	68	93	163	184	126	-
1993.....	683	-	-	-	4	15	40	54	86	152	204	128	-
1992.....	707	-	-	-	2	11	38	48	122	167	179	140	-
1991.....	695	-	-	-	1	12	29	69	94	186	202	102	-
1990.....	707	-	-	-	5	15	45	59	106	169	189	119	-
1989.....	656	-	-	-	2	11	20	52	89	168	202	112	-
1988.....	658	-	-	1	5	9	36	37	102	161	215	92	-
1987.....	662	-	-	-	1	12	34	48	116	163	182	106	-
1986.....	634	-	-	-	1	16	26	41	92	187	168	103	-
1985.....	675	-	-	-	1	10	15	61	114	171	178	123	2
1984.....	665	-	-	1	-	6	16	37	96	207	210	92	-
1983.....	686	-	-	-	3	7	20	43	114	193	196	110	-
1982.....	653	-	-	-	3	18	18	44	99	184	188	99	-
1981.....	683	-	1	-	2	13	21	44	122	204	185	90	1
1980.....	777	-	1	-	2	7	20	67	127	235	228	90	-
1979.....	748	-	-	1	1	10	30	68	128	220	190	99	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 HYPERTENSIVE HEART AND RENAL DISEASE (404)													
BLACK MALE													
1998.....	293	-	-	-	2	6	23	43	55	63	71	30	-
1997.....	287	-	-	1	2	10	25	31	46	62	69	41	-
1996.....	298	-	-	-	-	12	22	39	56	57	71	41	-
1995.....	274	-	-	-	3	7	16	34	39	63	66	46	-
1994.....	294	-	-	-	1	6	22	48	46	69	64	38	-
1993.....	276	-	-	-	3	11	27	33	39	60	68	35	-
1992.....	294	-	-	-	2	6	24	28	57	62	65	50	-
1991.....	298	-	-	-	1	8	22	41	41	82	71	32	-
1990.....	300	-	-	-	3	5	30	35	53	68	75	31	-
1989.....	280	-	-	-	2	6	14	38	41	63	91	25	-
1988.....	277	-	-	1	2	6	24	20	45	74	70	35	-
1987.....	299	-	-	-	1	5	23	34	59	66	79	32	-
1986.....	279	-	-	-	1	13	17	23	39	89	65	32	-
1985.....	274	-	-	-	1	7	10	35	53	63	77	28	-
1984.....	287	-	-	-	-	4	10	22	45	88	87	31	-
1983.....	289	-	-	-	3	3	14	23	55	85	69	37	-
1982.....	266	-	-	-	2	12	12	27	46	64	74	29	-
1981.....	280	-	-	-	1	8	13	21	61	83	63	30	-
1980.....	305	-	1	-	1	2	13	32	45	90	80	41	-
1979.....	318	-	-	-	-	6	17	34	59	92	73	37	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 HYPERTENSIVE HEART AND RENAL DISEASE (404)													
BLACK FEMALE													
1998.....	407	-	-	-	1	8	18	21	44	79	127	109	-
1997.....	366	-	-	-	-	5	11	15	37	70	115	113	-
1996.....	391	-	-	-	2	4	14	21	48	81	129	92	-
1995.....	398	-	-	-	1	2	15	30	47	84	113	106	-
1994.....	385	-	-	-	1	6	9	20	47	94	120	88	-
1993.....	407	-	-	-	1	4	13	21	47	92	136	93	-
1992.....	413	-	-	-	-	5	14	20	65	105	114	90	-
1991.....	397	-	-	-	-	4	7	28	53	104	131	70	-
1990.....	407	-	-	-	2	10	15	24	53	101	114	88	-
1989.....	376	-	-	-	-	5	6	14	48	105	111	87	-
1988.....	381	-	-	-	3	3	12	17	57	87	145	57	-
1987.....	363	-	-	-	-	7	11	14	57	97	103	74	-
1986.....	355	-	-	-	-	3	9	18	53	98	103	71	-
1985.....	401	-	-	-	-	3	5	26	61	108	101	95	2
1984.....	378	-	-	1	-	2	6	15	51	119	123	61	-
1983.....	397	-	-	-	-	4	6	20	59	108	127	73	-
1982.....	387	-	-	-	1	6	6	17	53	120	114	70	-
1981.....	403	-	1	-	1	5	8	23	61	121	122	60	1
1980.....	472	-	-	-	1	5	7	35	82	145	148	49	-
1979.....	430	-	-	1	1	4	13	34	69	128	117	62	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 ISCHEMIC HEART DISEASE (410-414) TOTAL, BOTH SEXES													
1998.....	459,841	19	7	23	111	936	6,535	20,165	40,968	89,625	149,668	151,765	19
1997.....	466,101	21	4	19	123	1,006	6,426	20,901	42,080	93,302	151,185	151,002	32
1996.....	476,124	24	5	19	113	1,037	6,750	21,145	43,601	98,208	154,539	150,652	31
1995.....	481,287	21	6	10	120	1,083	6,892	20,998	44,345	102,069	155,050	150,648	45
1994.....	481,458	26	11	13	112	1,048	6,721	20,618	45,567	104,184	155,183	147,940	35
1993.....	490,063	29	12	11	121	1,121	6,780	20,197	47,234	107,744	159,120	147,652	42
1992.....	480,051	21	9	15	105	1,099	6,789	19,820	48,169	108,143	156,309	139,526	46
1991.....	485,438	20	14	15	126	1,097	6,715	19,423	50,521	110,730	158,499	138,223	55
1990.....	489,171	26	9	19	113	1,063	6,475	19,457	52,481	113,139	160,442	135,906	41
1989.....	498,021	33	5	12	111	1,141	6,553	20,001	55,123	116,115	163,033	135,850	44
1988.....	509,592	29	12	14	125	1,165	6,793	20,380	58,267	121,112	165,537	136,106	52
1987.....	512,138	26	11	15	130	1,212	7,124	21,406	61,349	123,611	164,063	133,134	57
1986.....	520,729	23	8	16	119	1,272	7,418	21,886	65,036	127,111	165,799	131,821	220
1985.....	536,805	21	10	14	138	1,276	7,413	23,652	69,163	131,995	169,421	133,534	168
1984.....	541,288	33	15	41	146	1,167	7,318	24,625	72,116	134,396	170,562	130,801	68
1983.....	552,492	38	24	40	116	1,241	7,302	26,034	74,812	139,045	172,226	131,540	74
1982.....	552,786	30	21	46	131	1,295	7,456	27,497	77,004	140,770	171,001	127,419	116
1981.....	555,158	26	9	42	144	1,238	7,462	28,948	78,950	141,845	170,059	126,330	105
1980.....	565,755	29	16	17	145	1,203	7,472	30,074	80,827	144,998	174,268	126,611	95
1979.....	551,365	23	9	13	146	1,289	7,568	31,211	81,722	142,119	169,062	118,112	91

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 ISCHEMIC HEART DISEASE (410-414)													
TOTAL, MALE													
1998.....	233,374	12	3	15	81	658	5,037	15,542	28,916	56,326	77,697	49,074	13
1997.....	237,332	10	4	11	87	729	5,003	16,129	29,722	58,883	78,133	48,598	23
1996.....	242,036	8	1	11	83	771	5,206	16,146	30,843	61,732	79,115	48,100	20
1995.....	244,819	10	3	5	83	791	5,409	16,321	31,396	64,272	78,973	47,533	23
1994.....	245,350	14	2	7	72	760	5,284	15,939	32,283	65,818	78,387	46,758	26
1993.....	250,362	16	5	7	91	830	5,349	15,679	33,540	67,841	80,415	46,567	22
1992.....	246,913	12	5	9	69	823	5,374	15,391	34,214	68,048	78,601	44,337	30
1991.....	249,736	10	11	5	88	819	5,396	15,023	35,787	69,807	79,016	43,737	37
1990.....	252,597	15	3	10	78	813	5,269	15,143	37,375	71,044	79,748	43,077	22
1989.....	257,524	17	5	7	75	869	5,317	15,631	39,276	72,931	80,506	42,861	29
1988.....	264,505	15	4	8	97	899	5,508	15,807	41,296	76,016	81,626	43,199	30
1987.....	267,757	13	9	3	93	941	5,801	16,668	43,712	77,350	80,732	42,403	32
1986.....	274,184	14	3	13	81	996	6,058	17,162	46,630	79,559	81,338	42,261	69
1985.....	286,181	10	9	7	94	1,000	6,051	18,622	49,830	82,999	83,754	43,743	62
1984.....	289,461	16	9	30	97	936	5,965	19,420	51,942	83,919	83,827	43,257	43
1983.....	297,522	28	14	21	77	996	5,971	20,498	53,910	87,685	84,332	43,945	45
1982.....	300,820	18	10	23	94	1,060	6,053	21,769	55,890	88,853	83,692	43,291	67
1981.....	303,929	19	5	26	98	987	6,130	22,878	57,377	89,662	83,389	43,300	58
1980.....	310,774	17	11	5	114	967	6,121	23,918	58,992	91,584	84,678	44,310	57
1979.....	307,286	14	4	10	97	1,048	6,158	24,935	60,175	90,443	82,499	41,835	68

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 ISCHEMIC HEART DISEASE (410-414)													
TOTAL, FEMALE													
1998.....	226,467	7	4	8	30	278	1,498	4,623	12,052	33,299	71,971	102,691	6
1997.....	228,769	11	-	8	36	277	1,423	4,772	12,358	34,419	73,052	102,404	9
1996.....	234,088	16	4	8	30	266	1,544	4,999	12,758	36,476	75,424	102,552	11
1995.....	236,468	11	3	5	37	292	1,483	4,677	12,949	37,797	76,077	103,115	22
1994.....	236,108	12	9	6	40	288	1,437	4,679	13,284	38,366	76,796	101,182	9
1993.....	239,701	13	7	4	30	291	1,431	4,518	13,694	39,903	78,705	101,085	20
1992.....	233,138	9	4	6	36	276	1,415	4,429	13,955	40,095	77,708	95,189	16
1991.....	235,702	10	3	10	38	278	1,319	4,400	14,734	40,923	79,483	94,486	18
1990.....	236,574	11	6	9	35	250	1,206	4,314	15,106	42,095	80,694	92,829	19
1989.....	240,497	16	-	5	36	272	1,236	4,370	15,847	43,184	82,527	92,989	15
1988.....	245,087	14	8	6	28	266	1,285	4,573	16,971	45,096	83,911	92,907	22
1987.....	244,381	13	2	12	37	271	1,323	4,738	17,637	46,261	83,331	90,731	25
1986.....	246,545	9	5	3	38	276	1,360	4,724	18,406	47,552	84,461	89,560	151
1985.....	250,624	11	1	7	44	276	1,362	5,030	19,333	48,996	85,667	89,791	106
1984.....	251,827	17	6	11	49	231	1,353	5,205	20,174	50,477	86,735	87,544	25
1983.....	254,970	10	10	19	39	245	1,331	5,536	20,902	51,360	87,894	87,595	29
1982.....	251,966	12	11	23	37	235	1,403	5,728	21,114	51,917	87,309	84,128	49
1981.....	251,229	7	4	16	46	251	1,332	6,070	21,573	52,183	86,670	83,030	47
1980.....	254,981	12	5	12	31	236	1,351	6,156	21,835	53,414	89,590	82,301	38
1979.....	244,079	9	5	3	49	241	1,410	6,276	21,547	51,676	86,563	76,277	23

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 ISCHEMIC HEART DISEASE (410-414)													
WHITE, BOTH SEXES													
1998.....	412,351	8	6	16	77	719	5,156	16,413	34,383	78,615	136,246	140,700	12
1997.....	418,541	14	3	14	92	773	5,058	17,087	35,294	81,951	138,070	140,162	23
1996.....	428,458	18	4	16	81	798	5,350	17,419	36,763	86,773	141,151	140,062	23
1995.....	433,329	14	5	7	83	845	5,484	17,253	37,610	89,987	141,739	140,271	31
1994.....	434,399	16	8	12	72	800	5,263	17,038	38,851	92,203	142,191	137,920	25
1993.....	442,336	26	10	9	77	856	5,306	16,779	40,245	95,724	145,811	137,470	23
1992.....	434,078	14	6	11	77	834	5,418	16,400	41,246	96,366	143,477	130,201	28
1991.....	439,156	13	10	9	86	823	5,353	16,140	43,321	98,673	145,399	129,286	43
1990.....	443,859	18	6	14	80	806	5,250	16,229	45,369	101,168	147,620	127,274	25
1989.....	451,808	18	4	11	72	871	5,287	16,587	47,491	104,056	150,097	127,284	30
1988.....	463,674	21	9	12	81	887	5,529	17,042	50,560	109,088	152,401	128,005	39
1987.....	466,690	21	9	13	96	922	5,829	17,992	53,649	111,365	151,555	125,197	42
1986.....	475,398	19	5	15	82	962	6,085	18,478	57,111	114,967	153,359	124,112	203
1985.....	490,515	15	9	12	96	969	6,079	20,075	60,751	119,318	156,830	126,211	150
1984.....	495,457	20	13	37	113	886	6,040	20,901	63,592	121,834	158,155	123,822	44
1983.....	505,927	27	20	29	94	957	6,056	22,197	66,084	126,090	159,726	124,599	48
1982.....	507,177	20	16	37	91	988	6,186	23,498	68,244	128,085	159,202	120,731	79
1981.....	509,351	18	6	36	99	943	6,181	24,911	70,025	128,918	158,376	119,771	67
1980.....	519,059	26	12	14	103	903	6,155	25,835	71,941	131,895	162,125	119,992	58
1979.....	506,933	16	5	10	108	980	6,275	26,945	72,996	129,453	157,800	112,283	62

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 ISCHEMIC HEART DISEASE (410-414)													
WHITE MALE													
1998.....	210,056	5	2	11	56	517	4,094	13,015	24,793	50,482	71,584	45,489	8
1997.....	213,934	8	3	8	65	564	4,072	13,515	25,516	52,818	72,221	45,126	18
1996.....	218,811	8	1	10	60	603	4,247	13,680	26,684	55,676	73,117	44,709	16
1995.....	221,072	6	2	4	55	620	4,443	13,789	27,249	57,771	72,992	44,124	17
1994.....	222,143	8	2	6	51	596	4,281	13,474	28,202	59,370	72,643	43,492	18
1993.....	226,807	14	5	5	58	641	4,322	13,396	29,241	61,385	74,493	43,235	12
1992.....	224,109	9	4	6	51	633	4,422	13,120	30,068	61,694	72,797	41,287	18
1991.....	226,684	8	8	2	56	633	4,420	12,811	31,455	63,369	73,130	40,764	28
1990.....	229,937	10	2	9	55	627	4,393	12,967	33,119	64,612	74,003	40,126	14
1989.....	234,365	9	4	7	52	684	4,413	13,282	34,657	66,545	74,706	39,985	21
1988.....	241,284	11	3	7	60	688	4,607	13,614	36,660	69,471	75,669	40,471	23
1987.....	244,461	11	8	3	68	727	4,846	14,380	39,084	70,668	74,926	39,719	21
1986.....	251,111	12	2	12	54	774	5,075	14,911	41,810	73,078	75,715	39,606	62
1985.....	262,139	8	8	6	60	780	5,074	16,224	44,752	76,155	77,863	41,157	52
1984.....	265,597	10	9	26	73	718	5,065	16,919	46,767	77,140	78,090	40,753	27
1983.....	273,246	19	11	15	63	796	5,108	17,911	48,617	80,700	78,570	41,407	29
1982.....	276,601	13	7	17	63	831	5,157	19,149	50,553	81,888	78,123	40,758	42
1981.....	279,602	14	4	24	66	765	5,191	20,149	51,877	82,602	77,933	40,941	36
1980.....	285,771	15	8	5	78	744	5,189	21,066	53,576	84,400	78,931	41,727	32
1979.....	283,168	10	2	7	76	828	5,250	22,075	54,724	83,432	77,138	39,578	48

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 ISCHEMIC HEART DISEASE (410-414)													
WHITE FEMALE													
1998.....	202,295	3	4	5	21	202	1,062	3,398	9,590	28,133	64,662	95,211	4
1997.....	204,607	6	-	6	27	209	986	3,572	9,778	29,133	65,849	95,036	5
1996.....	209,647	10	3	6	21	195	1,103	3,739	10,079	31,097	68,034	95,353	7
1995.....	212,257	8	3	3	28	225	1,041	3,464	10,361	32,216	68,747	96,147	14
1994.....	212,256	8	6	6	21	204	982	3,564	10,649	32,833	69,548	94,428	7
1993.....	215,529	12	5	4	19	215	984	3,383	11,004	34,339	71,318	94,235	11
1992.....	209,969	5	2	5	26	201	996	3,280	11,178	34,672	70,680	88,914	10
1991.....	212,472	5	2	7	30	190	933	3,329	11,866	35,304	72,269	88,522	15
1990.....	213,922	8	4	5	25	179	857	3,262	12,250	36,556	73,617	87,148	11
1989.....	217,443	9	-	4	20	187	874	3,305	12,834	37,511	75,391	87,299	9
1988.....	222,390	10	6	5	21	199	922	3,428	13,900	39,617	76,732	87,534	16
1987.....	222,229	10	1	10	28	195	983	3,612	14,565	40,697	76,629	85,478	21
1986.....	224,287	7	3	3	28	188	1,010	3,567	15,301	41,889	77,644	84,506	141
1985.....	228,376	7	1	6	36	189	1,005	3,851	15,999	43,163	78,967	85,054	98
1984.....	229,860	10	4	11	40	168	975	3,982	16,825	44,694	80,065	83,069	17
1983.....	232,681	8	9	14	31	161	948	4,286	17,467	45,390	81,156	83,192	19
1982.....	230,576	7	9	20	28	157	1,029	4,349	17,691	46,197	81,079	79,973	37
1981.....	229,749	4	2	12	33	178	990	4,762	18,148	46,316	80,443	78,830	31
1980.....	233,288	11	4	9	25	159	966	4,769	18,365	47,495	83,194	78,265	26
1979.....	223,765	6	3	3	32	152	1,025	4,870	18,272	46,021	80,662	72,705	14

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 ISCHEMIC HEART DISEASE (410-414)													
ALL OTHER, BOTH SEXES													
1998.....	47,490	11	1	7	34	217	1,379	3,752	6,585	11,010	13,422	11,065	7
1997.....	47,560	7	1	5	31	233	1,368	3,814	6,786	11,351	13,115	10,840	9
1996.....	47,666	6	1	3	32	239	1,400	3,726	6,838	11,435	13,388	10,590	8
1995.....	47,958	7	1	3	37	238	1,408	3,745	6,735	12,082	13,311	10,377	14
1994.....	47,059	10	3	1	40	248	1,458	3,580	6,716	11,981	12,992	10,020	10
1993.....	47,727	3	2	2	44	265	1,474	3,418	6,989	12,020	13,309	10,182	19
1992.....	45,973	7	3	4	28	265	1,371	3,420	6,923	11,777	12,832	9,325	18
1991.....	46,282	7	4	6	40	274	1,362	3,283	7,200	12,057	13,100	8,937	12
1990.....	45,312	8	3	5	33	257	1,225	3,228	7,112	11,971	12,822	8,632	16
1989.....	46,213	15	1	1	39	270	1,266	3,414	7,632	12,059	12,936	8,566	14
1988.....	45,918	8	3	2	44	278	1,264	3,338	7,707	12,024	13,136	8,101	13
1987.....	45,448	5	2	2	34	290	1,295	3,414	7,700	12,246	12,508	7,937	15
1986.....	45,331	4	3	1	37	310	1,333	3,408	7,925	12,144	12,440	7,709	17
1985.....	46,290	6	1	2	42	307	1,334	3,577	8,412	12,677	12,591	7,323	18
1984.....	45,831	13	2	4	33	281	1,278	3,724	8,524	12,562	12,407	6,979	24
1983.....	46,565	11	4	11	22	284	1,246	3,837	8,728	12,955	12,500	6,941	26
1982.....	45,609	10	5	9	40	307	1,270	3,999	8,760	12,685	11,799	6,688	37
1981.....	45,807	8	3	6	45	295	1,281	4,037	8,925	12,927	11,683	6,559	38
1980.....	46,696	3	4	3	42	300	1,317	4,239	8,886	13,103	12,143	6,619	37
1979.....	44,432	7	4	3	38	309	1,293	4,266	8,726	12,666	11,262	5,829	29

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 ISCHEMIC HEART DISEASE (410-414)													
ALL OTHER MALE													
1998.....	23,318	7	1	4	25	141	943	2,527	4,123	5,844	6,113	3,585	5
1997.....	23,398	2	1	3	22	165	931	2,614	4,206	6,065	5,912	3,472	5
1996.....	23,225	-	-	1	23	168	959	2,466	4,159	6,056	5,998	3,391	4
1995.....	23,747	4	1	1	28	171	966	2,532	4,147	6,501	5,981	3,409	6
1994.....	23,207	6	-	1	21	164	1,003	2,465	4,081	6,448	5,744	3,266	8
1993.....	23,555	2	-	2	33	189	1,027	2,283	4,299	6,456	5,922	3,332	10
1992.....	22,804	3	1	3	18	190	952	2,271	4,146	6,354	5,804	3,050	12
1991.....	23,052	2	3	3	32	186	976	2,212	4,332	6,438	5,886	2,973	9
1990.....	22,660	5	1	1	23	186	876	2,176	4,256	6,432	5,745	2,951	8
1989.....	23,159	8	1	-	23	185	904	2,349	4,619	6,386	5,800	2,876	8
1988.....	23,221	4	1	1	37	211	901	2,193	4,636	6,545	5,957	2,728	7
1987.....	23,296	2	1	-	25	214	955	2,288	4,628	6,682	5,806	2,684	11
1986.....	23,073	2	1	1	27	222	983	2,251	4,820	6,481	5,623	2,655	7
1985.....	24,042	2	1	1	34	220	977	2,398	5,078	6,844	5,891	2,586	10
1984.....	23,864	6	-	4	24	218	900	2,501	5,175	6,779	5,737	2,504	16
1983.....	24,276	9	3	6	14	200	863	2,587	5,293	6,985	5,762	2,538	16
1982.....	24,219	5	3	6	31	229	896	2,620	5,337	6,965	5,569	2,533	25
1981.....	24,327	5	1	2	32	222	939	2,729	5,500	7,060	5,456	2,359	22
1980.....	25,003	2	3	-	36	223	932	2,852	5,416	7,184	5,747	2,583	25
1979.....	24,118	4	2	3	21	220	908	2,860	5,451	7,011	5,361	2,257	20

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 ISCHEMIC HEART DISEASE (410-414)													
ALL OTHER FEMALE													
1998.....	24,172	4	-	3	9	76	436	1,225	2,462	5,166	7,309	7,480	2
1997.....	24,162	5	-	2	9	68	437	1,200	2,580	5,286	7,203	7,368	4
1996.....	24,441	6	1	2	9	71	441	1,260	2,679	5,379	7,390	7,199	4
1995.....	24,211	3	-	2	9	67	442	1,213	2,588	5,581	7,330	6,968	8
1994.....	23,852	4	3	-	19	84	455	1,115	2,635	5,533	7,248	6,754	2
1993.....	24,172	1	2	-	11	76	447	1,135	2,690	5,564	7,387	6,850	9
1992.....	23,169	4	2	1	10	75	419	1,149	2,777	5,423	7,028	6,275	6
1991.....	23,230	5	1	3	8	88	386	1,071	2,868	5,619	7,214	5,964	3
1990.....	22,652	3	2	4	10	71	349	1,052	2,856	5,539	7,077	5,681	8
1989.....	23,054	7	-	1	16	85	362	1,065	3,013	5,673	7,136	5,690	6
1988.....	22,697	4	2	1	7	67	363	1,145	3,071	5,479	7,179	5,373	6
1987.....	22,152	3	1	2	9	76	340	1,126	3,072	5,564	6,702	5,253	4
1986.....	22,258	2	2	-	10	88	350	1,157	3,105	5,663	6,817	5,054	10
1985.....	22,248	4	-	1	8	87	357	1,179	3,334	5,833	6,700	4,737	8
1984.....	21,967	7	2	-	9	63	378	1,223	3,349	5,783	6,670	4,475	8
1983.....	22,289	2	1	5	8	84	383	1,250	3,435	5,970	6,738	4,403	10
1982.....	21,390	5	2	3	9	78	374	1,379	3,423	5,720	6,230	4,155	12
1981.....	21,480	3	2	4	13	73	342	1,308	3,425	5,867	6,227	4,200	16
1980.....	21,693	1	1	3	6	77	385	1,387	3,470	5,919	6,396	4,036	12
1979.....	20,314	3	2	-	17	89	385	1,406	3,275	5,655	5,901	3,572	9

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 ISCHEMIC HEART DISEASE (410-414) BLACK, BOTH SEXES													
1998.....	40,597	9	1	7	32	202	1,233	3,287	5,722	9,457	11,313	9,328	6
1997.....	40,986	7	1	5	29	202	1,216	3,345	5,923	9,750	11,226	9,274	8
1996.....	41,292	5	1	3	28	214	1,239	3,303	5,996	9,908	11,457	9,130	8
1995.....	41,842	7	1	3	28	207	1,267	3,325	5,940	10,546	11,516	8,990	12
1994.....	41,089	10	3	1	36	216	1,303	3,157	5,909	10,434	11,285	8,725	10
1993.....	42,052	2	2	2	43	237	1,307	3,019	6,233	10,677	11,627	8,888	15
1992.....	40,397	7	2	4	26	233	1,236	3,032	6,127	10,387	11,173	8,153	17
1991.....	41,154	6	4	5	33	252	1,216	2,942	6,423	10,773	11,585	7,905	10
1990.....	40,571	6	2	4	31	234	1,109	2,918	6,425	10,739	11,431	7,657	15
1989.....	41,376	13	1	1	36	259	1,155	3,064	6,896	10,857	11,512	7,569	13
1988.....	41,419	8	2	1	42	254	1,172	3,033	6,980	10,865	11,801	7,248	13
1987.....	41,070	5	2	2	31	261	1,170	3,095	7,017	11,140	11,261	7,073	13
1986.....	41,201	4	3	1	30	280	1,229	3,087	7,260	11,119	11,209	6,963	16
1985.....	42,161	6	1	2	40	288	1,217	3,280	7,733	11,600	11,373	6,606	15
1984.....	41,862	9	2	3	33	258	1,182	3,431	7,870	11,543	11,248	6,262	21
1983.....	42,751	7	2	10	20	263	1,130	3,553	8,091	11,961	11,417	6,279	18
1982.....	41,912	5	4	7	36	272	1,174	3,705	8,175	11,679	10,762	6,063	30
1981.....	42,481	4	2	5	42	269	1,184	3,760	8,378	12,067	10,760	5,976	34
1980.....	43,365	2	3	2	38	284	1,214	3,950	8,371	12,223	11,203	6,040	35
1979.....	41,229	6	2	3	36	280	1,212	4,015	8,204	11,799	10,368	5,278	26

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 ISCHEMIC HEART DISEASE (410-414)													
BLACK MALE													
1998.....	19,307	7	1	4	24	129	811	2,165	3,489	4,933	4,936	2,804	4
1997.....	19,493	2	1	3	20	136	824	2,236	3,574	5,082	4,897	2,714	4
1996.....	19,482	-	-	1	19	148	818	2,123	3,567	5,133	4,954	2,715	4
1995.....	20,122	4	1	1	22	146	849	2,209	3,605	5,542	4,978	2,761	4
1994.....	19,678	6	-	1	18	139	872	2,110	3,536	5,485	4,838	2,665	8
1993.....	20,130	1	-	2	32	165	888	1,972	3,784	5,605	4,947	2,726	8
1992.....	19,507	3	1	3	16	164	838	1,965	3,586	5,510	4,889	2,521	11
1991.....	19,966	2	3	2	27	168	861	1,949	3,798	5,648	4,994	2,506	8
1990.....	19,858	4	-	1	21	165	780	1,923	3,799	5,687	4,961	2,509	8
1989.....	20,243	7	1	-	21	175	811	2,079	4,114	5,647	4,964	2,416	8
1988.....	20,430	4	1	-	35	190	823	1,953	4,131	5,789	5,156	2,341	7
1987.....	20,521	2	1	-	22	190	850	2,039	4,144	5,953	5,026	2,285	9
1986.....	20,498	2	1	1	21	194	893	2,004	4,346	5,820	4,867	2,342	7
1985.....	21,425	2	1	1	32	203	883	2,161	4,604	6,142	5,116	2,272	8
1984.....	21,374	4	-	3	24	197	819	2,280	4,732	6,107	4,999	2,195	14
1983.....	21,911	5	1	5	12	182	766	2,374	4,838	6,342	5,109	2,264	13
1982.....	21,802	3	2	4	28	202	814	2,392	4,929	6,274	4,897	2,238	19
1981.....	22,184	2	1	2	30	200	858	2,506	5,106	6,462	4,890	2,106	21
1980.....	22,760	1	2	-	32	210	844	2,617	5,024	6,561	5,172	2,273	24
1979.....	21,978	3	1	3	19	197	844	2,647	5,051	6,397	4,805	1,993	18

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 ISCHEMIC HEART DISEASE (410-414)													
BLACK FEMALE													
1998.....	21,290	2	-	3	8	73	422	1,122	2,233	4,524	6,377	6,524	2
1997.....	21,493	5	-	2	9	66	392	1,109	2,349	4,668	6,329	6,560	4
1996.....	21,810	5	1	2	9	66	421	1,180	2,429	4,775	6,503	6,415	4
1995.....	21,720	3	-	2	6	61	418	1,116	2,335	5,004	6,538	6,229	8
1994.....	21,411	4	3	-	18	77	431	1,047	2,373	4,949	6,447	6,060	2
1993.....	21,922	1	2	-	11	72	419	1,047	2,449	5,072	6,680	6,162	7
1992.....	20,890	4	1	1	10	69	398	1,067	2,541	4,877	6,284	5,632	6
1991.....	21,188	4	1	3	6	84	355	993	2,625	5,125	6,591	5,399	2
1990.....	20,713	2	2	3	10	69	329	995	2,626	5,052	6,470	5,148	7
1989.....	21,133	6	-	1	15	84	344	985	2,782	5,210	6,548	5,153	5
1988.....	20,989	4	1	1	7	64	349	1,080	2,849	5,076	6,645	4,907	6
1987.....	20,549	3	1	2	9	71	320	1,056	2,873	5,187	6,235	4,788	4
1986.....	20,703	2	2	-	9	86	336	1,083	2,914	5,299	6,342	4,621	9
1985.....	20,736	4	-	1	8	85	334	1,119	3,129	5,458	6,257	4,334	7
1984.....	20,488	5	2	-	9	61	363	1,151	3,138	5,436	6,249	4,067	7
1983.....	20,840	2	1	5	8	81	364	1,179	3,253	5,619	6,308	4,015	5
1982.....	20,110	2	2	3	8	70	360	1,313	3,246	5,405	5,865	3,825	11
1981.....	20,297	2	1	3	12	69	326	1,254	3,272	5,605	5,870	3,870	13
1980.....	20,605	1	1	2	6	74	370	1,333	3,347	5,662	6,031	3,767	11
1979.....	19,251	3	1	-	17	83	368	1,368	3,153	5,402	5,563	3,285	8

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 ACUTE MYOCARDIAL INFARCTION (410)													
TOTAL, BOTH SEXES													
1998.....	203,551	12	6	13	57	488	3,489	11,196	22,227	43,730	66,288	56,038	7
1997.....	206,212	13	2	13	66	514	3,423	11,625	22,813	45,965	67,261	54,501	16
1996.....	213,532	13	3	9	59	554	3,625	11,929	23,791	48,938	69,489	55,109	13
1995.....	218,229	11	2	4	69	570	3,773	11,962	24,472	51,575	70,711	55,062	18
1994.....	222,399	16	4	11	63	592	3,738	11,983	25,561	53,849	72,019	54,552	11
1993.....	227,456	12	5	6	63	585	3,788	11,689	26,647	55,756	74,500	54,391	14
1992.....	229,383	19	7	7	59	624	3,868	11,703	27,435	57,323	75,504	52,819	15
1991.....	235,255	8	7	5	73	615	3,842	11,584	29,038	59,648	77,657	52,754	24
1990.....	239,008	16	5	10	71	607	3,745	11,661	30,457	61,739	79,454	51,228	15
1989.....	246,950	19	3	6	74	641	3,810	12,040	32,383	64,689	81,686	51,577	22
1988.....	247,950	17	4	5	78	655	4,025	12,184	33,875	67,039	81,343	48,706	19
1987.....	253,542	16	7	9	73	702	4,208	13,172	36,367	69,686	81,914	47,363	25
1986.....	261,002	16	4	10	62	754	4,479	13,605	39,139	72,757	83,511	46,607	58
1985.....	274,199	14	4	9	88	782	4,599	14,769	42,883	77,382	86,249	47,379	41
1984.....	279,122	21	5	20	87	717	4,607	15,859	45,461	79,525	86,933	45,860	27
1983.....	286,300	26	14	21	75	785	4,673	17,033	47,701	83,170	87,088	45,681	33
1982.....	291,031	20	11	26	90	816	4,907	18,195	49,920	85,542	86,793	44,666	45
1981.....	292,504	14	4	19	104	813	4,994	19,430	51,223	86,311	85,642	43,902	48
1980.....	299,584	20	13	11	96	780	5,018	20,432	53,352	88,820	87,072	43,940	30
1979.....	300,462	13	5	10	97	877	5,310	21,694	55,524	88,526	86,262	42,102	42

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 ACUTE MYOCARDIAL INFARCTION (410)													
TOTAL, MALE													
1998.....	106,995	7	2	9	41	336	2,719	8,646	15,708	27,216	33,652	18,655	4
1997.....	109,171	7	2	8	43	366	2,638	8,990	16,021	28,729	34,071	18,284	12
1996.....	112,739	6	1	5	37	393	2,811	9,156	16,705	30,350	34,904	18,361	10
1995.....	115,987	3	-	1	45	399	2,983	9,328	17,278	31,981	35,735	18,223	11
1994.....	118,294	9	1	5	34	424	2,919	9,244	17,996	33,524	36,047	18,082	9
1993.....	121,732	6	3	4	47	416	2,997	9,080	18,869	34,710	37,528	18,062	10
1992.....	123,121	12	4	5	34	461	3,048	9,071	19,319	35,504	37,684	17,968	11
1991.....	126,144	3	4	3	49	449	3,071	8,920	20,380	37,043	38,565	17,643	14
1990.....	129,483	9	2	5	43	456	3,024	9,112	21,547	38,230	39,677	17,370	8
1989.....	134,298	11	3	4	52	491	3,087	9,390	22,960	40,237	40,574	17,476	13
1988.....	135,884	10	1	1	57	491	3,245	9,453	23,788	41,545	40,572	16,712	9
1987.....	140,252	8	5	3	51	528	3,432	10,214	25,747	43,233	40,589	16,427	15
1986.....	145,795	11	2	7	44	586	3,656	10,644	27,883	45,196	41,611	16,136	19
1985.....	155,860	7	4	4	58	618	3,738	11,623	30,745	48,556	43,481	17,009	17
1984.....	159,934	11	4	15	56	570	3,770	12,535	32,714	49,754	43,902	16,585	18
1983.....	165,679	19	6	10	46	621	3,810	13,463	34,369	52,663	43,956	16,696	20
1982.....	170,372	13	3	15	62	658	3,990	14,476	36,333	54,434	43,814	16,547	27
1981.....	172,898	10	1	13	71	644	4,156	15,440	37,418	55,112	43,630	16,375	28
1980.....	178,485	12	10	2	79	616	4,157	16,386	39,321	56,989	44,011	16,887	15
1979.....	181,054	6	2	9	67	714	4,355	17,410	41,092	57,244	43,782	16,343	30

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 ACUTE MYOCARDIAL INFARCTION (410) TOTAL, FEMALE													
1998.....	96,556	5	4	4	16	152	770	2,550	6,519	16,514	32,636	37,383	3
1997.....	97,041	6	-	5	23	148	785	2,635	6,792	17,236	33,190	36,217	4
1996.....	100,793	7	2	4	22	161	814	2,773	7,086	18,588	34,585	36,748	3
1995.....	102,242	8	2	3	24	171	790	2,634	7,194	19,594	34,976	36,839	7
1994.....	104,105	7	3	6	29	168	819	2,739	7,565	20,325	35,972	36,470	2
1993.....	105,724	6	2	2	16	169	791	2,609	7,778	21,046	36,972	36,329	4
1992.....	106,262	7	3	2	25	163	820	2,632	8,116	21,819	37,820	34,851	4
1991.....	109,111	5	3	2	24	166	771	2,664	8,658	22,605	39,092	35,111	10
1990.....	109,525	7	3	5	28	151	721	2,549	8,910	23,509	39,777	33,858	7
1989.....	112,652	8	-	2	22	150	723	2,650	9,423	24,452	41,112	34,101	9
1988.....	112,066	7	3	4	21	164	780	2,731	10,087	25,494	40,771	31,994	10
1987.....	113,290	8	2	6	22	174	776	2,958	10,620	26,453	41,325	30,936	10
1986.....	115,207	5	2	3	18	168	823	2,961	11,256	27,561	41,900	30,471	39
1985.....	118,339	7	-	5	30	164	861	3,146	12,138	28,826	42,768	30,370	24
1984.....	119,188	10	1	5	31	147	837	3,324	12,747	29,771	43,031	29,275	9
1983.....	120,621	7	8	11	29	164	863	3,570	13,332	30,507	43,132	28,985	13
1982.....	120,659	7	8	11	28	158	917	3,719	13,587	31,108	42,979	28,119	18
1981.....	119,606	4	3	6	33	169	838	3,990	13,805	31,199	42,012	27,527	20
1980.....	121,099	8	3	9	17	164	861	4,046	14,031	31,831	43,061	27,053	15
1979.....	119,408	7	3	1	30	163	955	4,284	14,432	31,282	42,480	25,759	12

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 ACUTE MYOCARDIAL INFARCTION (410)													
WHITE, BOTH SEXES													
1998.....	181,298	6	5	11	37	369	2,780	9,208	18,872	38,414	60,071	51,520	5
1997.....	184,132	10	2	10	52	387	2,712	9,627	19,359	40,436	61,288	50,235	14
1996.....	191,235	9	3	7	44	418	2,944	9,968	20,245	43,326	63,422	50,840	9
1995.....	195,726	9	2	3	48	460	3,027	10,042	21,040	45,673	64,530	50,881	11
1994.....	199,856	10	3	11	40	448	2,997	9,982	22,071	47,781	65,935	50,570	8
1993.....	204,386	10	4	5	43	439	3,000	9,832	22,912	49,681	68,223	50,229	8
1992.....	206,629	13	5	5	40	472	3,132	9,815	23,616	51,228	69,316	48,979	8
1991.....	212,058	7	5	2	51	463	3,085	9,809	25,031	53,364	71,226	48,997	18
1990.....	216,252	12	3	9	51	461	3,071	9,864	26,522	55,386	73,144	47,720	9
1989.....	223,228	9	2	6	46	496	3,131	10,134	28,121	58,093	75,195	47,979	16
1988.....	225,262	11	4	4	55	504	3,320	10,423	29,659	60,696	75,005	45,567	14
1987.....	230,809	13	6	8	54	540	3,508	11,274	32,165	63,139	75,854	44,232	16
1986.....	238,218	12	3	9	38	575	3,755	11,664	34,707	66,219	77,433	43,749	54
1985.....	250,527	10	4	7	62	606	3,852	12,816	38,100	70,406	80,115	44,515	34
1984.....	255,496	14	5	18	64	541	3,870	13,693	40,575	72,675	80,886	43,135	20
1983.....	262,549	18	13	13	60	606	3,938	14,821	42,730	76,040	81,157	43,134	19
1982.....	267,971	13	8	22	60	632	4,154	15,972	44,862	78,597	81,343	42,275	33
1981.....	269,389	11	3	16	69	643	4,246	17,058	46,134	79,310	80,300	41,567	32
1980.....	275,957	19	10	8	68	597	4,213	17,946	48,292	81,787	81,489	41,514	14
1979.....	277,070	8	3	7	68	670	4,491	19,119	50,312	81,599	80,917	39,846	30

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 ACUTE MYOCARDIAL INFARCTION (410)													
WHITE MALE													
1998.....	95,921	3	1	7	26	264	2,235	7,304	13,631	24,422	30,844	17,181	3
1997.....	98,238	5	2	6	34	277	2,170	7,616	13,924	25,820	31,482	16,891	11
1996.....	101,698	6	1	4	29	303	2,336	7,845	14,566	27,433	32,207	16,960	8
1995.....	104,716	2	-	1	29	322	2,472	8,058	15,164	28,873	32,975	16,813	7
1994.....	106,943	6	1	5	27	328	2,421	7,874	15,960	30,280	33,335	16,699	7
1993.....	110,131	5	3	3	34	321	2,440	7,838	16,584	31,475	34,763	16,659	6
1992.....	111,528	9	3	3	25	353	2,542	7,815	17,048	32,229	34,884	16,610	7
1991.....	114,431	3	3	1	33	353	2,539	7,727	17,992	33,733	35,706	16,331	10
1990.....	117,850	6	1	5	31	352	2,550	7,890	19,229	34,870	36,800	16,110	6
1989.....	122,228	6	2	4	33	392	2,602	8,113	20,416	36,756	37,679	16,214	11
1988.....	124,278	8	1	1	41	381	2,757	8,322	21,333	38,138	37,684	15,605	7
1987.....	128,433	7	5	3	38	414	2,920	8,970	23,251	39,700	37,814	15,303	8
1986.....	133,960	9	2	6	28	456	3,114	9,386	25,246	41,745	38,825	15,126	17
1985.....	143,311	5	4	3	38	491	3,209	10,352	27,917	44,751	40,574	15,953	14
1984.....	147,255	8	4	13	38	431	3,243	11,098	29,790	46,077	41,011	15,529	13
1983.....	152,898	13	6	6	38	500	3,313	11,972	31,390	48,774	41,183	15,693	10
1982.....	157,748	9	2	12	39	521	3,480	13,032	33,255	50,620	41,183	15,576	19
1981.....	160,102	9	1	12	46	518	3,603	13,833	34,303	51,212	41,057	15,487	21
1980.....	165,470	11	7	2	54	488	3,588	14,730	36,247	53,094	41,341	15,902	6
1979.....	167,890	4	1	6	47	562	3,786	15,689	37,848	53,324	41,175	15,426	22

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 ACUTE MYOCARDIAL INFARCTION (410)													
WHITE FEMALE													
1998.....	85,377	3	4	4	11	105	545	1,904	5,241	13,992	29,227	34,339	2
1997.....	85,894	5	-	4	18	110	542	2,011	5,435	14,616	29,806	33,344	3
1996.....	89,537	3	2	3	15	115	608	2,123	5,679	15,893	31,215	33,880	1
1995.....	91,010	7	2	2	19	138	555	1,984	5,876	16,800	31,555	34,068	4
1994.....	92,913	4	2	6	13	120	576	2,108	6,111	17,501	32,600	33,871	1
1993.....	94,255	5	1	2	9	118	560	1,994	6,328	18,206	33,460	33,570	2
1992.....	95,101	4	2	2	15	119	590	2,000	6,568	18,999	34,432	32,369	1
1991.....	97,627	4	2	1	18	110	546	2,082	7,039	19,631	35,520	32,666	8
1990.....	98,402	6	2	4	20	109	521	1,974	7,293	20,516	36,344	31,610	3
1989.....	101,000	3	-	2	13	104	529	2,021	7,705	21,337	37,516	31,765	5
1988.....	100,984	3	3	3	14	123	563	2,101	8,326	22,558	37,321	29,962	7
1987.....	102,376	6	1	5	16	126	588	2,304	8,914	23,439	38,040	28,929	8
1986.....	104,258	3	1	3	10	119	641	2,278	9,461	24,474	38,608	28,623	37
1985.....	107,216	5	-	4	24	115	643	2,464	10,183	25,655	39,541	28,562	20
1984.....	108,241	6	1	5	26	110	627	2,595	10,785	26,598	39,875	27,606	7
1983.....	109,651	5	7	7	22	106	625	2,849	11,340	27,266	39,974	27,441	9
1982.....	110,223	4	6	10	21	111	674	2,940	11,607	27,977	40,160	26,699	14
1981.....	109,287	2	2	4	23	125	643	3,225	11,831	28,098	39,243	26,080	11
1980.....	110,487	8	3	6	14	109	625	3,216	12,045	28,693	40,148	25,612	8
1979.....	109,180	4	2	1	21	108	705	3,430	12,464	28,275	39,742	24,420	8

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 ACUTE MYOCARDIAL INFARCTION (410)													
ALL OTHER, BOTH SEXES													
1998.....	22,253	6	1	2	20	119	709	1,988	3,355	5,316	6,217	4,518	2
1997.....	22,080	3	-	3	14	127	711	1,998	3,454	5,529	5,973	4,266	2
1996.....	22,297	4	-	2	15	136	681	1,961	3,546	5,612	6,067	4,269	4
1995.....	22,503	2	-	1	21	110	746	1,920	3,432	5,902	6,181	4,181	7
1994.....	22,543	6	1	-	23	144	741	2,001	3,490	6,068	6,084	3,982	3
1993.....	23,070	2	1	1	20	146	788	1,857	3,735	6,075	6,277	4,162	6
1992.....	22,754	6	2	2	19	152	736	1,888	3,819	6,095	6,188	3,840	7
1991.....	23,197	1	2	3	22	152	757	1,775	4,007	6,284	6,431	3,757	6
1990.....	22,756	4	2	1	20	146	674	1,797	3,935	6,353	6,310	3,508	6
1989.....	23,722	10	1	-	28	145	679	1,906	4,262	6,596	6,491	3,598	6
1988.....	22,688	6	-	1	23	151	705	1,761	4,216	6,343	6,338	3,139	5
1987.....	22,733	3	1	1	19	162	700	1,898	4,202	6,547	6,060	3,131	9
1986.....	22,784	4	1	1	24	179	724	1,941	4,432	6,538	6,078	2,858	4
1985.....	23,672	4	-	2	26	176	747	1,953	4,783	6,976	6,134	2,864	7
1984.....	23,626	7	-	2	23	176	737	2,166	4,886	6,850	6,047	2,725	7
1983.....	23,751	8	1	8	15	179	735	2,212	4,971	7,130	5,931	2,547	14
1982.....	23,060	7	3	4	30	184	753	2,223	5,058	6,945	5,450	2,391	12
1981.....	23,115	3	1	3	35	170	748	2,372	5,089	7,001	5,342	2,335	16
1980.....	23,627	1	3	3	28	183	805	2,486	5,060	7,033	5,583	2,426	16
1979.....	23,392	5	2	3	29	207	819	2,575	5,212	6,927	5,345	2,256	12

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 ACUTE MYOCARDIAL INFARCTION (410)													
ALL OTHER MALE													
1998.....	11,074	4	1	2	15	72	484	1,342	2,077	2,794	2,808	1,474	1
1997.....	10,933	2	-	2	9	89	468	1,374	2,097	2,909	2,589	1,393	1
1996.....	11,041	-	-	1	8	90	475	1,311	2,139	2,917	2,697	1,401	2
1995.....	11,271	1	-	-	16	77	511	1,270	2,114	3,108	2,760	1,410	4
1994.....	11,351	3	-	-	7	96	498	1,370	2,036	3,244	2,712	1,383	2
1993.....	11,601	1	-	1	13	95	557	1,242	2,285	3,235	2,765	1,403	4
1992.....	11,593	3	1	2	9	108	506	1,256	2,271	3,275	2,800	1,358	4
1991.....	11,713	-	1	2	16	96	532	1,193	2,388	3,310	2,859	1,312	4
1990.....	11,633	3	1	-	12	104	474	1,222	2,318	3,360	2,877	1,260	2
1989.....	12,070	5	1	-	19	99	485	1,277	2,544	3,481	2,895	1,262	2
1988.....	11,606	2	-	-	16	110	488	1,131	2,455	3,407	2,888	1,107	2
1987.....	11,819	1	-	-	13	114	512	1,244	2,496	3,533	2,775	1,124	7
1986.....	11,835	2	-	1	16	130	542	1,258	2,637	3,451	2,786	1,010	2
1985.....	12,549	2	-	1	20	127	529	1,271	2,828	3,805	2,907	1,056	3
1984.....	12,679	3	-	2	18	139	527	1,437	2,924	3,677	2,891	1,056	5
1983.....	12,781	6	-	4	8	121	497	1,491	2,979	3,889	2,773	1,003	10
1982.....	12,624	4	1	3	23	137	510	1,444	3,078	3,814	2,631	971	8
1981.....	12,796	1	-	1	25	126	553	1,607	3,115	3,900	2,573	888	7
1980.....	13,015	1	3	-	25	128	569	1,656	3,074	3,895	2,670	985	9
1979.....	13,164	2	1	3	20	152	569	1,721	3,244	3,920	2,607	917	8

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 ACUTE MYOCARDIAL INFARCTION (410)													
ALL OTHER FEMALE													
1998.....	11,179	2	-	-	5	47	225	646	1,278	2,522	3,409	3,044	1
1997.....	11,147	1	-	1	5	38	243	624	1,357	2,620	3,384	2,873	1
1996.....	11,256	4	-	1	7	46	206	650	1,407	2,695	3,370	2,868	2
1995.....	11,232	1	-	1	5	33	235	650	1,318	2,794	3,421	2,771	3
1994.....	11,192	3	1	-	16	48	243	631	1,454	2,824	3,372	2,599	1
1993.....	11,469	1	1	-	7	51	231	615	1,450	2,840	3,512	2,759	2
1992.....	11,161	3	1	-	10	44	230	632	1,548	2,820	3,388	2,482	3
1991.....	11,484	1	1	1	6	56	225	582	1,619	2,974	3,572	2,445	2
1990.....	11,123	1	1	1	8	42	200	575	1,617	2,993	3,433	2,248	4
1989.....	11,652	5	-	-	9	46	194	629	1,718	3,115	3,596	2,336	4
1988.....	11,082	4	-	1	7	41	217	630	1,761	2,936	3,450	2,032	3
1987.....	10,914	2	1	1	6	48	188	654	1,706	3,014	3,285	2,007	2
1986.....	10,949	2	1	-	8	49	182	683	1,795	3,087	3,292	1,848	2
1985.....	11,123	2	-	1	6	49	218	682	1,955	3,171	3,227	1,808	4
1984.....	10,947	4	-	-	5	37	210	729	1,962	3,173	3,156	1,669	2
1983.....	10,970	2	1	4	7	58	238	721	1,992	3,241	3,158	1,544	4
1982.....	10,436	3	2	1	7	47	243	779	1,980	3,131	2,819	1,420	4
1981.....	10,319	2	1	2	10	44	195	765	1,974	3,101	2,769	1,447	9
1980.....	10,612	-	-	3	3	55	236	830	1,986	3,138	2,913	1,441	7
1979.....	10,228	3	1	-	9	55	250	854	1,968	3,007	2,738	1,339	4

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 ACUTE MYOCARDIAL INFARCTION (410) BLACK, BOTH SEXES													
1998.....	19,198	5	1	2	19	112	633	1,746	2,915	4,574	5,316	3,874	1
1997.....	19,244	3	-	3	14	112	638	1,751	3,004	4,794	5,187	3,736	2
1996.....	19,492	3	-	2	13	123	596	1,725	3,135	4,906	5,252	3,733	4
1995.....	19,766	2	-	1	17	99	668	1,688	2,995	5,197	5,394	3,700	5
1994.....	19,811	6	1	-	21	127	664	1,775	3,087	5,297	5,324	3,506	3
1993.....	20,399	2	1	1	20	132	707	1,620	3,335	5,393	5,516	3,666	6
1992.....	20,104	6	1	2	18	137	664	1,675	3,375	5,382	5,432	3,406	6
1991.....	20,654	-	2	2	17	141	678	1,585	3,573	5,600	5,700	3,351	5
1990.....	20,436	2	1	-	19	139	602	1,616	3,549	5,715	5,648	3,139	6
1989.....	21,198	9	1	-	25	138	616	1,690	3,834	5,920	5,751	3,209	5
1988.....	20,393	6	-	1	23	137	652	1,598	3,782	5,711	5,671	2,807	5
1987.....	20,453	3	1	1	19	147	630	1,717	3,794	5,924	5,440	2,769	8
1986.....	20,684	4	1	1	21	166	669	1,741	4,026	5,995	5,457	2,599	4
1985.....	21,447	4	-	2	26	166	674	1,753	4,365	6,349	5,493	2,609	6
1984.....	21,498	5	-	2	23	162	669	1,977	4,499	6,276	5,446	2,435	4
1983.....	21,775	5	1	8	14	169	666	2,035	4,598	6,562	5,387	2,318	12
1982.....	21,099	3	2	3	27	162	699	2,042	4,716	6,360	4,925	2,151	9
1981.....	21,363	2	-	3	33	159	686	2,202	4,756	6,497	4,887	2,124	14
1980.....	21,892	1	2	2	24	175	743	2,310	4,759	6,513	5,127	2,221	15
1979.....	21,714	4	2	3	27	191	770	2,428	4,899	6,434	4,886	2,060	10

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 ACUTE MYOCARDIAL INFARCTION (410)													
BLACK MALE													
1998.....	9,273	4	1	2	14	67	416	1,154	1,762	2,371	2,298	1,184	-
1997.....	9,215	2	-	2	9	75	424	1,174	1,772	2,464	2,173	1,119	1
1996.....	9,357	-	-	1	6	81	399	1,116	1,848	2,512	2,252	1,140	2
1995.....	9,594	1	-	-	13	68	443	1,102	1,807	2,676	2,314	1,168	2
1994.....	9,736	3	-	-	6	83	436	1,182	1,768	2,765	2,315	1,176	2
1993.....	9,933	1	-	1	13	83	487	1,056	2,011	2,810	2,319	1,148	4
1992.....	9,970	3	1	2	8	95	448	1,089	1,954	2,835	2,398	1,134	3
1991.....	10,158	-	1	1	13	88	467	1,046	2,088	2,906	2,432	1,113	3
1990.....	10,260	2	-	-	11	99	418	1,071	2,058	2,989	2,509	1,101	2
1989.....	10,545	5	1	-	17	92	430	1,113	2,255	3,073	2,480	1,077	2
1988.....	10,197	2	-	-	16	98	443	1,004	2,176	3,006	2,500	950	2
1987.....	10,344	1	-	-	13	101	455	1,102	2,215	3,131	2,379	941	6
1986.....	10,525	2	-	1	14	119	496	1,104	2,357	3,115	2,415	900	2
1985.....	11,103	2	-	1	20	118	473	1,114	2,544	3,397	2,497	934	3
1984.....	11,321	2	-	2	18	126	470	1,303	2,655	3,302	2,517	923	3
1983.....	11,529	3	-	4	7	113	442	1,361	2,708	3,524	2,460	898	9
1982.....	11,345	2	-	2	21	120	465	1,304	2,846	3,421	2,294	865	5
1981.....	11,638	1	-	1	24	116	502	1,469	2,875	3,554	2,292	797	7
1980.....	11,834	1	2	-	21	122	518	1,514	2,851	3,524	2,400	872	9
1979.....	12,016	1	1	3	18	141	530	1,595	3,014	3,571	2,319	816	7

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 ACUTE MYOCARDIAL INFARCTION (410)													
BLACK FEMALE													
1998.....	9,925	1	-	-	5	45	217	592	1,153	2,203	3,018	2,690	1
1997.....	10,029	1	-	1	5	37	214	577	1,232	2,330	3,014	2,617	1
1996.....	10,135	3	-	1	7	42	197	609	1,287	2,394	3,000	2,593	2
1995.....	10,172	1	-	1	4	31	225	586	1,188	2,521	3,080	2,532	3
1994.....	10,075	3	1	-	15	44	228	593	1,319	2,532	3,009	2,330	1
1993.....	10,466	1	1	-	7	49	220	564	1,324	2,583	3,197	2,518	2
1992.....	10,134	3	-	-	10	42	216	586	1,421	2,547	3,034	2,272	3
1991.....	10,496	-	1	1	4	53	211	539	1,485	2,694	3,268	2,238	2
1990.....	10,176	-	1	-	8	40	184	545	1,491	2,726	3,139	2,038	4
1989.....	10,653	4	-	-	8	46	186	577	1,579	2,847	3,271	2,132	3
1988.....	10,196	4	-	1	7	39	209	594	1,606	2,705	3,171	1,857	3
1987.....	10,109	2	1	1	6	46	175	615	1,579	2,793	3,061	1,828	2
1986.....	10,159	2	1	-	7	47	173	637	1,669	2,880	3,042	1,699	2
1985.....	10,344	2	-	1	6	48	201	639	1,821	2,952	2,996	1,675	3
1984.....	10,177	3	-	-	5	36	199	674	1,844	2,974	2,929	1,512	1
1983.....	10,246	2	1	4	7	56	224	674	1,890	3,038	2,927	1,420	3
1982.....	9,754	1	2	1	6	42	234	738	1,870	2,939	2,631	1,286	4
1981.....	9,725	1	-	2	9	43	184	733	1,881	2,943	2,595	1,327	7
1980.....	10,058	-	-	2	3	53	225	796	1,908	2,989	2,727	1,349	6
1979.....	9,698	3	1	-	9	50	240	833	1,885	2,863	2,567	1,244	3

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411)													
TOTAL, BOTH SEXES													
1998.....	2,907	1	-	-	5	13	100	263	404	569	771	781	-
1997.....	3,046	-	-	-	4	16	99	314	456	642	724	787	4
1996.....	2,889	1	-	-	3	19	118	260	416	607	718	745	2
1995.....	2,740	3	-	-	1	15	84	250	396	597	680	707	7
1994.....	2,862	1	-	-	3	17	107	263	396	595	726	750	4
1993.....	2,968	-	-	-	3	26	120	259	428	675	788	664	5
1992.....	3,179	-	-	-	3	15	133	275	485	744	809	710	5
1991.....	3,300	1	1	-	6	26	125	284	528	803	829	690	7
1990.....	3,333	-	-	-	3	22	110	320	560	811	864	642	1
1989.....	3,376	2	-	-	5	24	96	246	583	822	879	718	1
1988.....	3,408	4	1	-	5	26	109	269	541	856	887	708	2
1987.....	3,532	1	-	-	2	27	104	302	628	863	948	654	3
1986.....	3,856	-	-	1	7	27	140	312	759	1,016	945	647	2
1985.....	3,969	-	1	-	6	26	104	374	798	1,030	964	664	2
1984.....	4,034	1	1	1	4	21	125	336	795	1,065	1,012	671	2
1983.....	4,059	1	1	1	2	18	122	407	792	1,087	970	657	1
1982.....	4,120	-	-	-	6	31	132	412	875	1,121	947	593	3
1981.....	4,549	2	-	-	4	27	142	427	973	1,207	1,078	689	-
1980.....	4,773	-	-	-	5	34	133	480	987	1,271	1,164	695	4
1979.....	4,762	3	-	-	7	33	124	467	1,035	1,264	1,163	664	2

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411)													
TOTAL, MALE													
1998.....	1,563	1	-	-	5	11	76	209	293	364	370	234	-
1997.....	1,691	-	-	-	2	15	76	253	328	412	357	244	4
1996.....	1,591	-	-	-	3	13	96	198	308	389	364	220	-
1995.....	1,517	2	-	-	1	11	62	204	291	396	334	211	5
1994.....	1,562	1	-	-	3	13	77	203	293	386	349	236	1
1993.....	1,662	-	-	-	2	21	90	212	301	434	385	215	2
1992.....	1,770	-	-	-	3	9	112	224	353	463	385	218	3
1991.....	1,941	1	1	-	6	21	110	227	380	560	400	229	6
1990.....	1,968	-	-	-	3	16	87	256	406	554	439	206	1
1989.....	1,902	1	-	-	4	20	72	191	430	534	425	224	1
1988.....	1,955	3	-	-	4	19	95	203	405	551	446	228	1
1987.....	2,073	1	-	-	1	22	74	238	461	561	507	208	-
1986.....	2,352	-	-	1	5	20	114	253	570	673	516	198	2
1985.....	2,381	-	1	-	5	18	82	301	585	685	486	216	2
1984.....	2,459	1	1	1	3	18	103	265	589	726	509	241	2
1983.....	2,501	1	1	-	1	12	92	313	589	734	526	232	-
1982.....	2,611	-	-	-	6	28	108	333	665	757	498	213	3
1981.....	2,801	2	-	-	2	18	105	344	731	813	535	251	-
1980.....	2,975	-	-	-	4	26	111	375	749	864	586	257	3
1979.....	2,992	3	-	-	3	28	104	374	796	834	600	249	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411)													
TOTAL, FEMALE													
1998.....	1,344	-	-	-	-	2	24	54	111	205	401	547	-
1997.....	1,355	-	-	-	2	1	23	61	128	230	367	543	-
1996.....	1,298	1	-	-	-	6	22	62	108	218	354	525	2
1995.....	1,223	1	-	-	-	4	22	46	105	201	346	496	2
1994.....	1,300	-	-	-	-	4	30	60	103	209	377	514	3
1993.....	1,306	-	-	-	1	5	30	47	127	241	403	449	3
1992.....	1,409	-	-	-	-	6	21	51	132	281	424	492	2
1991.....	1,359	-	-	-	-	5	15	57	148	243	429	461	1
1990.....	1,365	-	-	-	-	6	23	64	154	257	425	436	-
1989.....	1,474	1	-	-	1	4	24	55	153	288	454	494	-
1988.....	1,453	1	1	-	1	7	14	66	136	305	441	480	1
1987.....	1,459	-	-	-	1	5	30	64	167	302	441	446	3
1986.....	1,504	-	-	-	2	7	26	59	189	343	429	449	-
1985.....	1,588	-	-	-	1	8	22	73	213	345	478	448	-
1984.....	1,575	-	-	-	1	3	22	71	206	339	503	430	-
1983.....	1,558	-	-	1	1	6	30	94	203	353	444	425	1
1982.....	1,509	-	-	-	-	3	24	79	210	364	449	380	-
1981.....	1,748	-	-	-	2	9	37	83	242	394	543	438	-
1980.....	1,798	-	-	-	1	8	22	105	238	407	578	438	1
1979.....	1,770	-	-	-	4	5	20	93	239	430	563	415	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411)													
WHITE, BOTH SEXES													
1998.....	2,448	1	-	-	3	10	74	204	319	460	671	706	-
1997.....	2,596	-	-	-	4	14	81	258	364	535	633	705	2
1996.....	2,454	1	-	-	2	16	92	205	327	518	628	664	1
1995.....	2,356	-	-	-	1	10	60	202	320	510	600	646	7
1994.....	2,442	-	-	-	1	13	84	201	318	511	628	682	4
1993.....	2,541	-	-	-	1	18	88	205	356	572	696	604	1
1992.....	2,699	-	-	-	2	8	108	221	394	647	694	623	2
1991.....	2,807	-	1	-	3	21	91	238	438	674	711	623	7
1990.....	2,807	-	-	-	1	15	81	255	454	679	750	571	1
1989.....	2,843	-	-	-	2	17	81	184	457	691	748	662	1
1988.....	2,915	3	1	-	2	15	83	200	464	727	780	640	-
1987.....	3,007	-	-	-	1	17	78	239	508	737	836	589	2
1986.....	3,296	-	-	1	6	19	109	249	644	842	833	591	2
1985.....	3,394	-	-	-	1	17	74	296	665	872	866	601	2
1984.....	3,387	1	1	1	4	14	90	258	650	883	877	608	-
1983.....	3,405	1	1	1	2	14	94	332	644	899	837	579	1
1982.....	3,488	-	-	-	5	22	103	313	719	972	828	525	1
1981.....	3,835	1	-	-	4	23	104	335	793	1,011	935	629	-
1980.....	4,048	-	-	-	5	19	107	356	808	1,076	1,031	642	4
1979.....	4,020	3	-	-	6	21	100	374	827	1,071	1,013	603	2

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411)													
WHITE MALE													
1998.....	1,293	1	-	-	3	8	58	165	231	297	320	210	-
1997.....	1,447	-	-	-	2	13	63	213	273	354	311	216	2
1996.....	1,342	-	-	-	2	11	74	162	251	334	309	199	-
1995.....	1,308	-	-	-	1	9	45	168	241	346	294	199	5
1994.....	1,331	-	-	-	1	11	66	157	239	339	306	211	1
1993.....	1,417	-	-	-	1	16	70	169	261	371	336	193	-
1992.....	1,495	-	-	-	2	6	91	186	294	398	324	193	1
1991.....	1,654	-	1	-	3	16	82	198	323	480	350	195	6
1990.....	1,667	-	-	-	1	11	68	206	334	476	390	180	1
1989.....	1,608	-	-	-	2	14	65	153	349	462	360	202	1
1988.....	1,661	2	-	-	1	12	73	160	354	464	389	206	-
1987.....	1,750	-	-	-	1	14	56	190	381	483	443	182	-
1986.....	2,014	-	-	1	4	15	92	209	488	563	461	179	2
1985.....	2,060	-	-	-	1	10	62	252	499	599	442	193	2
1984.....	2,081	1	1	1	3	12	79	210	491	615	458	210	-
1983.....	2,132	1	1	-	1	9	73	264	490	633	459	201	-
1982.....	2,230	-	-	-	5	21	85	261	566	670	438	183	1
1981.....	2,383	1	-	-	2	15	82	279	608	704	461	231	-
1980.....	2,522	-	-	-	4	14	90	288	617	749	519	238	3
1979.....	2,532	3	-	-	3	19	85	308	653	711	522	227	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411)													
WHITE FEMALE													
1998.....	1,155	-	-	-	-	2	16	39	88	163	351	496	-
1997.....	1,149	-	-	-	2	1	18	45	91	181	322	489	-
1996.....	1,112	1	-	-	-	5	18	43	76	184	319	465	1
1995.....	1,048	-	-	-	-	1	15	34	79	164	306	447	2
1994.....	1,111	-	-	-	-	2	18	44	79	172	322	471	3
1993.....	1,124	-	-	-	-	2	18	36	95	201	360	411	1
1992.....	1,204	-	-	-	-	2	17	35	100	249	370	430	1
1991.....	1,153	-	-	-	-	5	9	40	115	194	361	428	1
1990.....	1,140	-	-	-	-	4	13	49	120	203	360	391	-
1989.....	1,235	-	-	-	-	3	16	31	108	229	388	460	-
1988.....	1,254	1	1	-	1	3	10	40	110	263	391	434	-
1987.....	1,257	-	-	-	-	3	22	49	127	254	393	407	2
1986.....	1,282	-	-	-	2	4	17	40	156	279	372	412	-
1985.....	1,334	-	-	-	-	7	12	44	166	273	424	408	-
1984.....	1,306	-	-	-	1	2	11	48	159	268	419	398	-
1983.....	1,273	-	-	1	1	5	21	68	154	266	378	378	1
1982.....	1,258	-	-	-	-	1	18	52	153	302	390	342	-
1981.....	1,452	-	-	-	2	8	22	56	185	307	474	398	-
1980.....	1,526	-	-	-	1	5	17	68	191	327	512	404	1
1979.....	1,488	-	-	-	3	2	15	66	174	360	491	376	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411)													
ALL OTHER, BOTH SEXES													
1998.....	459	-	-	-	2	3	26	59	85	109	100	75	-
1997.....	450	-	-	-	-	2	18	56	92	107	91	82	2
1996.....	435	-	-	-	1	3	26	55	89	89	90	81	1
1995.....	384	3	-	-	-	5	24	48	76	87	80	61	-
1994.....	420	1	-	-	2	4	23	62	78	84	98	68	-
1993.....	427	-	-	-	2	8	32	54	72	103	92	60	4
1992.....	480	-	-	-	1	7	25	54	91	97	115	87	3
1991.....	493	1	-	-	3	5	34	46	90	129	118	67	-
1990.....	526	-	-	-	2	7	29	65	106	132	114	71	-
1989.....	533	2	-	-	3	7	15	62	126	131	131	56	-
1988.....	493	1	-	-	3	11	26	69	77	129	107	68	2
1987.....	525	1	-	-	1	10	26	63	120	126	112	65	1
1986.....	560	-	-	-	1	8	31	63	115	174	112	56	-
1985.....	575	-	1	-	5	9	30	78	133	158	98	63	-
1984.....	647	-	-	-	-	7	35	78	145	182	135	63	2
1983.....	654	-	-	-	-	4	28	75	148	188	133	78	-
1982.....	632	-	-	-	1	9	29	99	156	149	119	68	2
1981.....	714	1	-	-	-	4	38	92	180	196	143	60	-
1980.....	725	-	-	-	-	15	26	124	179	195	133	53	-
1979.....	742	-	-	-	1	12	24	93	208	193	150	61	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411)													
ALL OTHER MALE													
1998.....	270	-	-	-	2	3	18	44	62	67	50	24	-
1997.....	244	-	-	-	-	2	13	40	55	58	46	28	2
1996.....	249	-	-	-	1	2	22	36	57	55	55	21	-
1995.....	209	2	-	-	-	2	17	36	50	50	40	12	-
1994.....	231	1	-	-	2	2	11	46	54	47	43	25	-
1993.....	245	-	-	-	1	5	20	43	40	63	49	22	2
1992.....	275	-	-	-	1	3	21	38	59	65	61	25	2
1991.....	287	1	-	-	3	5	28	29	57	80	50	34	-
1990.....	301	-	-	-	2	5	19	50	72	78	49	26	-
1989.....	294	1	-	-	2	6	7	38	81	72	65	22	-
1988.....	294	1	-	-	3	7	22	43	51	87	57	22	1
1987.....	323	1	-	-	-	8	18	48	80	78	64	26	-
1986.....	338	-	-	-	1	5	22	44	82	110	55	19	-
1985.....	321	-	1	-	4	8	20	49	86	86	44	23	-
1984.....	378	-	-	-	-	6	24	55	98	111	51	31	2
1983.....	369	-	-	-	-	3	19	49	99	101	67	31	-
1982.....	381	-	-	-	1	7	23	72	99	87	60	30	2
1981.....	418	1	-	-	-	3	23	65	123	109	74	20	-
1980.....	453	-	-	-	-	12	21	87	132	115	67	19	-
1979.....	460	-	-	-	-	9	19	66	143	123	78	22	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411)													
ALL OTHER FEMALE													
1998.....	189	-	-	-	-	-	8	15	23	42	50	51	-
1997.....	206	-	-	-	-	-	5	16	37	49	45	54	-
1996.....	186	-	-	-	-	1	4	19	32	34	35	60	1
1995.....	175	1	-	-	-	3	7	12	26	37	40	49	-
1994.....	189	-	-	-	-	2	12	16	24	37	55	43	-
1993.....	182	-	-	-	1	3	12	11	32	40	43	38	2
1992.....	205	-	-	-	-	4	4	16	32	32	54	62	1
1991.....	206	-	-	-	-	-	6	17	33	49	68	33	-
1990.....	225	-	-	-	-	2	10	15	34	54	65	45	-
1989.....	239	1	-	-	1	1	8	24	45	59	66	34	-
1988.....	199	-	-	-	-	4	4	26	26	42	50	46	1
1987.....	202	-	-	-	1	2	8	15	40	48	48	39	1
1986.....	222	-	-	-	-	3	9	19	33	64	57	37	-
1985.....	254	-	-	-	1	1	10	29	47	72	54	40	-
1984.....	269	-	-	-	-	1	11	23	47	71	84	32	-
1983.....	285	-	-	-	-	1	9	26	49	87	66	47	-
1982.....	251	-	-	-	-	2	6	27	57	62	59	38	-
1981.....	296	-	-	-	-	1	15	27	57	87	69	40	-
1980.....	272	-	-	-	-	3	5	37	47	80	66	34	-
1979.....	282	-	-	-	1	3	5	27	65	70	72	39	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411)													
BLACK, BOTH SEXES													
1998.....	407	-	-	-	2	3	25	52	71	98	91	65	-
1997.....	396	-	-	-	-	2	14	48	82	96	81	72	1
1996.....	398	-	-	-	1	3	24	51	83	80	82	73	1
1995.....	351	3	-	-	-	4	24	44	70	76	73	57	-
1994.....	361	1	-	-	2	4	21	54	65	73	82	59	-
1993.....	386	-	-	-	2	8	29	47	69	88	87	53	3
1992.....	428	-	-	-	1	5	20	38	83	91	108	79	3
1991.....	450	1	-	-	3	3	31	38	79	122	110	63	-
1990.....	479	-	-	-	1	6	26	61	99	120	101	65	-
1989.....	496	2	-	-	3	7	14	58	114	124	123	51	-
1988.....	465	1	-	-	3	9	24	64	74	125	101	62	2
1987.....	482	1	-	-	1	8	22	57	110	121	103	58	1
1986.....	517	-	-	-	1	7	28	61	109	156	102	53	-
1985.....	549	-	1	-	4	9	28	75	129	154	92	57	-
1984.....	615	-	-	-	-	5	33	77	138	169	131	60	2
1983.....	624	-	-	-	-	4	24	72	142	180	127	75	-
1982.....	598	-	-	-	1	9	27	95	147	139	114	65	1
1981.....	673	-	-	-	-	3	36	84	168	190	136	56	-
1980.....	685	-	-	-	-	15	24	117	172	183	123	51	-
1979.....	709	-	-	-	1	11	22	88	200	187	143	57	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411)													
BLACK MALE													
1998.....	234	-	-	-	2	3	17	37	51	58	45	21	-
1997.....	210	-	-	-	-	2	9	32	51	52	40	23	1
1996.....	230	-	-	-	1	2	21	33	52	51	50	20	-
1995.....	190	2	-	-	-	1	17	33	45	43	40	9	-
1994.....	196	1	-	-	2	2	10	39	44	40	36	22	-
1993.....	216	-	-	-	1	5	18	37	37	51	46	19	2
1992.....	237	-	-	-	1	2	16	23	52	61	57	23	2
1991.....	259	1	-	-	3	3	26	24	50	75	45	32	-
1990.....	272	-	-	-	1	4	16	47	67	72	41	24	-
1989.....	271	1	-	-	2	6	7	35	71	68	61	20	-
1988.....	274	1	-	-	3	5	20	38	49	84	52	21	1
1987.....	290	1	-	-	-	7	15	43	71	73	58	22	-
1986.....	307	-	-	-	1	4	20	43	76	98	48	17	-
1985.....	304	-	1	-	3	8	18	46	84	83	41	20	-
1984.....	354	-	-	-	-	4	23	54	91	101	49	30	2
1983.....	350	-	-	-	-	3	16	48	95	96	63	29	-
1982.....	356	-	-	-	1	7	21	69	92	78	58	29	1
1981.....	394	-	-	-	-	3	21	58	117	106	70	19	-
1980.....	420	-	-	-	-	12	19	80	126	105	60	18	-
1979.....	435	-	-	-	-	8	17	61	138	118	73	20	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 OTHER ACUTE AND SUBACUTE FORMS OF ISCHEMIC HEART DISEASE (411)													
BLACK FEMALE													
1998.....	173	-	-	-	-	-	8	15	20	40	46	44	-
1997.....	186	-	-	-	-	-	5	16	31	44	41	49	-
1996.....	168	-	-	-	-	1	3	18	31	29	32	53	1
1995.....	161	1	-	-	-	3	7	11	25	33	33	48	-
1994.....	165	-	-	-	-	2	11	15	21	33	46	37	-
1993.....	170	-	-	-	1	3	11	10	32	37	41	34	1
1992.....	191	-	-	-	-	3	4	15	31	30	51	56	1
1991.....	191	-	-	-	-	-	5	14	29	47	65	31	-
1990.....	207	-	-	-	-	2	10	14	32	48	60	41	-
1989.....	225	1	-	-	1	1	7	23	43	56	62	31	-
1988.....	191	-	-	-	-	4	4	26	25	41	49	41	1
1987.....	192	-	-	-	1	1	7	14	39	48	45	36	1
1986.....	210	-	-	-	-	3	8	18	33	58	54	36	-
1985.....	245	-	-	-	1	1	10	29	45	71	51	37	-
1984.....	261	-	-	-	-	1	10	23	47	68	82	30	-
1983.....	274	-	-	-	-	1	8	24	47	84	64	46	-
1982.....	242	-	-	-	-	2	6	26	55	61	56	36	-
1981.....	279	-	-	-	-	-	15	26	51	84	66	37	-
1980.....	265	-	-	-	-	3	5	37	46	78	63	33	-
1979.....	274	-	-	-	1	3	5	27	62	69	70	37	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 ANGINA PECTORIS (413)													
TOTAL, BOTH SEXES													
1998.....	650	-	-	-	-	2	9	23	43	86	209	278	-
1997.....	735	-	-	-	-	1	5	20	47	119	223	320	-
1996.....	829	-	-	-	1	2	18	21	53	148	257	329	-
1995.....	840	-	-	-	1	3	10	29	59	163	240	335	-
1994.....	913	-	-	-	1	1	16	31	74	151	299	340	-
1993.....	984	-	-	-	1	3	17	30	70	175	306	382	-
1992.....	1,003	-	-	1	1	3	10	28	70	170	365	355	-
1991.....	1,064	-	-	-	-	1	12	35	73	217	366	359	1
1990.....	1,070	-	-	1	1	4	17	22	72	236	357	360	-
1989.....	1,066	-	-	-	-	1	9	43	92	227	367	327	-
1988.....	1,021	-	-	-	-	1	6	28	95	242	355	294	-
1987.....	1,032	-	-	-	-	1	13	25	111	234	360	288	-
1986.....	990	1	-	-	1	2	17	34	110	265	319	241	-
1985.....	928	-	1	-	-	2	9	40	103	218	334	221	-
1984.....	841	1	-	-	-	1	14	48	106	222	272	177	-
1983.....	744	-	-	-	1	4	9	37	92	186	249	166	-
1982.....	605	-	-	-	1	5	7	36	83	154	220	99	-
1981.....	569	-	-	-	-	-	12	36	69	135	196	121	-
1980.....	561	-	-	-	-	3	15	28	76	157	187	95	-
1979.....	500	1	-	-	1	3	13	26	64	131	161	100	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 ANGINA PECTORIS (413)													
TOTAL, MALE													
1998.....	273	-	-	-	-	1	6	18	20	53	98	77	-
1997.....	298	-	-	-	-	1	-	11	25	73	111	77	-
1996.....	360	-	-	-	1	1	9	16	37	86	128	82	-
1995.....	338	-	-	-	-	2	9	17	33	94	104	79	-
1994.....	393	-	-	-	1	1	9	25	42	89	132	94	-
1993.....	393	-	-	-	1	2	10	16	42	88	125	109	-
1992.....	433	-	-	-	1	-	8	17	45	101	170	91	-
1991.....	440	-	-	-	-	-	10	26	42	108	152	102	-
1990.....	443	-	-	-	1	2	13	14	46	142	135	90	-
1989.....	474	-	-	-	-	1	7	32	59	123	168	84	-
1988.....	455	-	-	-	-	-	4	17	62	140	160	72	-
1987.....	472	-	-	-	-	1	7	16	77	134	142	95	-
1986.....	445	-	-	-	-	2	11	22	70	131	143	66	-
1985.....	436	-	-	-	-	2	6	29	65	118	141	75	-
1984.....	438	-	-	-	-	-	11	29	75	129	136	58	-
1983.....	376	-	-	-	1	3	6	25	59	111	113	58	-
1982.....	311	-	-	-	1	4	2	20	48	100	99	37	-
1981.....	301	-	-	-	-	-	7	21	47	80	96	50	-
1980.....	303	-	-	-	-	3	12	20	47	98	92	31	-
1979.....	262	1	-	-	1	2	8	19	43	85	69	34	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 ANGINA PECTORIS (413) TOTAL, FEMALE													
1998.....	377	-	-	-	-	1	3	5	23	33	111	201	-
1997.....	437	-	-	-	-	-	5	9	22	46	112	243	-
1996.....	469	-	-	-	-	1	9	5	16	62	129	247	-
1995.....	502	-	-	-	1	1	1	12	26	69	136	256	-
1994.....	520	-	-	-	-	-	7	6	32	62	167	246	-
1993.....	591	-	-	-	-	1	7	14	28	87	181	273	-
1992.....	570	-	-	1	-	3	2	11	25	69	195	264	-
1991.....	624	-	-	-	-	1	2	9	31	109	214	257	1
1990.....	627	-	-	1	-	2	4	8	26	94	222	270	-
1989.....	592	-	-	-	-	-	2	11	33	104	199	243	-
1988.....	566	-	-	-	-	1	2	11	33	102	195	222	-
1987.....	560	-	-	-	-	-	6	9	34	100	218	193	-
1986.....	545	1	-	-	1	-	6	12	40	134	176	175	-
1985.....	492	-	1	-	-	-	3	11	38	100	193	146	-
1984.....	403	1	-	-	-	1	3	19	31	93	136	119	-
1983.....	368	-	-	-	-	1	3	12	33	75	136	108	-
1982.....	294	-	-	-	-	1	5	16	35	54	121	62	-
1981.....	268	-	-	-	-	-	5	15	22	55	100	71	-
1980.....	258	-	-	-	-	-	3	8	29	59	95	64	-
1979.....	238	-	-	-	-	1	5	7	21	46	92	66	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 ANGINA PECTORIS (413)													
WHITE, BOTH SEXES													
1998.....	579	-	-	-	-	1	5	14	31	74	188	266	-
1997.....	663	-	-	-	-	1	3	12	41	100	209	297	-
1996.....	744	-	-	-	1	2	13	18	45	122	233	310	-
1995.....	765	-	-	-	-	1	9	21	53	148	218	315	-
1994.....	828	-	-	-	1	1	10	26	58	139	271	322	-
1993.....	894	-	-	-	-	3	12	25	57	151	286	360	-
1992.....	912	-	-	1	1	1	8	21	59	147	341	333	-
1991.....	956	-	-	-	-	1	10	27	54	194	336	333	1
1990.....	959	-	-	-	1	2	12	16	55	204	328	341	-
1989.....	958	-	-	-	-	1	9	33	78	196	330	311	-
1988.....	927	-	-	-	-	1	4	18	80	219	325	280	-
1987.....	919	-	-	-	-	1	11	21	91	193	337	265	-
1986.....	882	1	-	-	1	2	12	27	94	226	292	227	-
1985.....	839	-	1	-	-	2	8	33	84	192	307	212	-
1984.....	763	1	-	-	-	1	11	38	98	197	249	168	-
1983.....	667	-	-	-	1	2	7	25	77	157	237	161	-
1982.....	563	-	-	-	1	5	6	30	73	141	210	97	-
1981.....	515	-	-	-	-	-	9	25	57	123	186	115	-
1980.....	510	-	-	-	-	3	13	21	71	144	168	90	-
1979.....	446	1	-	-	1	2	10	20	56	113	145	98	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 ANGINA PECTORIS (413) WHITE MALE													
1998.....	236	-	-	-	-	-	4	12	13	47	89	71	-
1997.....	263	-	-	-	-	1	-	6	22	63	103	68	-
1996.....	322	-	-	-	1	1	6	15	33	73	116	77	-
1995.....	306	-	-	-	-	1	8	13	30	88	94	72	-
1994.....	357	-	-	-	1	1	6	22	37	81	120	89	-
1993.....	362	-	-	-	-	2	7	13	38	78	120	104	-
1992.....	394	-	-	-	1	-	8	13	38	90	159	85	-
1991.....	402	-	-	-	-	-	8	20	38	100	141	95	-
1990.....	391	-	-	-	1	1	10	12	34	125	125	83	-
1989.....	424	-	-	-	-	1	7	25	53	110	148	80	-
1988.....	413	-	-	-	-	-	3	10	56	128	147	69	-
1987.....	429	-	-	-	-	1	7	13	69	117	133	89	-
1986.....	399	-	-	-	-	2	8	16	61	117	132	63	-
1985.....	402	-	-	-	-	2	5	23	58	108	133	73	-
1984.....	398	-	-	-	-	-	8	26	71	115	123	55	-
1983.....	339	-	-	-	1	1	5	19	51	98	108	56	-
1982.....	295	-	-	-	1	4	2	18	43	94	97	36	-
1981.....	271	-	-	-	-	-	5	15	41	73	91	46	-
1980.....	281	-	-	-	-	3	10	16	44	93	86	29	-
1979.....	241	1	-	-	1	2	6	16	41	75	66	33	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 ANGINA PECTORIS (413)													
WHITE FEMALE													
1998.....	343	-	-	-	-	1	1	2	18	27	99	195	-
1997.....	400	-	-	-	-	-	3	6	19	37	106	229	-
1996.....	422	-	-	-	-	1	7	3	12	49	117	233	-
1995.....	459	-	-	-	-	-	1	8	23	60	124	243	-
1994.....	471	-	-	-	-	-	4	4	21	58	151	233	-
1993.....	532	-	-	-	-	1	5	12	19	73	166	256	-
1992.....	518	-	-	1	-	1	-	8	21	57	182	248	-
1991.....	554	-	-	-	-	1	2	7	16	94	195	238	1
1990.....	568	-	-	-	-	1	2	4	21	79	203	258	-
1989.....	534	-	-	-	-	-	2	8	25	86	182	231	-
1988.....	514	-	-	-	-	1	1	8	24	91	178	211	-
1987.....	490	-	-	-	-	-	4	8	22	76	204	176	-
1986.....	483	1	-	-	1	-	4	11	33	109	160	164	-
1985.....	437	-	1	-	-	-	3	10	26	84	174	139	-
1984.....	365	1	-	-	-	1	3	12	27	82	126	113	-
1983.....	328	-	-	-	-	1	2	6	26	59	129	105	-
1982.....	268	-	-	-	-	1	4	12	30	47	113	61	-
1981.....	244	-	-	-	-	-	4	10	16	50	95	69	-
1980.....	229	-	-	-	-	-	3	5	27	51	82	61	-
1979.....	205	-	-	-	-	-	4	4	15	38	79	65	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 ANGINA PECTORIS (413)													
ALL OTHER, BOTH SEXES													
1998.....	71	-	-	-	-	1	4	9	12	12	21	12	-
1997.....	72	-	-	-	-	-	2	8	6	19	14	23	-
1996.....	85	-	-	-	-	-	5	3	8	26	24	19	-
1995.....	75	-	-	-	1	2	1	8	6	15	22	20	-
1994.....	85	-	-	-	-	-	6	5	16	12	28	18	-
1993.....	90	-	-	-	1	-	5	5	13	24	20	22	-
1992.....	91	-	-	-	-	2	2	7	11	23	24	22	-
1991.....	108	-	-	-	-	-	2	8	19	23	30	26	-
1990.....	111	-	-	1	-	2	5	6	17	32	29	19	-
1989.....	108	-	-	-	-	-	-	10	14	31	37	16	-
1988.....	94	-	-	-	-	-	2	10	15	23	30	14	-
1987.....	113	-	-	-	-	-	2	4	20	41	23	23	-
1986.....	108	-	-	-	-	-	5	7	16	39	27	14	-
1985.....	89	-	-	-	-	-	1	7	19	26	27	9	-
1984.....	78	-	-	-	-	-	3	10	8	25	23	9	-
1983.....	77	-	-	-	-	2	2	12	15	29	12	5	-
1982.....	42	-	-	-	-	-	1	6	10	13	10	2	-
1981.....	54	-	-	-	-	-	3	11	12	12	10	6	-
1980.....	51	-	-	-	-	-	2	7	5	13	19	5	-
1979.....	54	-	-	-	-	1	3	6	8	18	16	2	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 ANGINA PECTORIS (413)													
ALL OTHER MALE													
1998.....	37	-	-	-	-	1	2	6	7	6	9	6	-
1997.....	35	-	-	-	-	-	-	5	3	10	8	9	-
1996.....	38	-	-	-	-	-	3	1	4	13	12	5	-
1995.....	32	-	-	-	-	1	1	4	3	6	10	7	-
1994.....	36	-	-	-	-	-	3	3	5	8	12	5	-
1993.....	31	-	-	-	1	-	3	3	4	10	5	5	-
1992.....	39	-	-	-	-	-	-	4	7	11	11	6	-
1991.....	38	-	-	-	-	-	2	6	4	8	11	7	-
1990.....	52	-	-	-	-	1	3	2	12	17	10	7	-
1989.....	50	-	-	-	-	-	-	7	6	13	20	4	-
1988.....	42	-	-	-	-	-	1	7	6	12	13	3	-
1987.....	43	-	-	-	-	-	-	3	8	17	9	6	-
1986.....	46	-	-	-	-	-	3	6	9	14	11	3	-
1985.....	34	-	-	-	-	-	1	6	7	10	8	2	-
1984.....	40	-	-	-	-	-	3	3	4	14	13	3	-
1983.....	37	-	-	-	-	2	1	6	8	13	5	2	-
1982.....	16	-	-	-	-	-	-	2	5	6	2	1	-
1981.....	30	-	-	-	-	-	2	6	6	7	5	4	-
1980.....	22	-	-	-	-	-	2	4	3	5	6	2	-
1979.....	21	-	-	-	-	-	2	3	2	10	3	1	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 ANGINA PECTORIS (413)													
ALL OTHER FEMALE													
1998.....	34	-	-	-	-	-	2	3	5	6	12	6	-
1997.....	37	-	-	-	-	-	2	3	3	9	6	14	-
1996.....	47	-	-	-	-	-	2	2	4	13	12	14	-
1995.....	43	-	-	-	1	1	-	4	3	9	12	13	-
1994.....	49	-	-	-	-	-	3	2	11	4	16	13	-
1993.....	59	-	-	-	-	-	2	2	9	14	15	17	-
1992.....	52	-	-	-	-	2	2	3	4	12	13	16	-
1991.....	70	-	-	-	-	-	-	2	15	15	19	19	-
1990.....	59	-	-	1	-	1	2	4	5	15	19	12	-
1989.....	58	-	-	-	-	-	-	3	8	18	17	12	-
1988.....	52	-	-	-	-	-	1	3	9	11	17	11	-
1987.....	70	-	-	-	-	-	2	1	12	24	14	17	-
1986.....	62	-	-	-	-	-	2	1	7	25	16	11	-
1985.....	55	-	-	-	-	-	-	1	12	16	19	7	-
1984.....	38	-	-	-	-	-	-	7	4	11	10	6	-
1983.....	40	-	-	-	-	-	1	6	7	16	7	3	-
1982.....	26	-	-	-	-	-	1	4	5	7	8	1	-
1981.....	24	-	-	-	-	-	1	5	6	5	5	2	-
1980.....	29	-	-	-	-	-	-	3	2	8	13	3	-
1979.....	33	-	-	-	-	1	1	3	6	8	13	1	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 ANGINA PECTORIS (413) BLACK, BOTH SEXES													
1998.....	61	-	-	-	-	-	4	8	11	9	17	12	-
1997.....	66	-	-	-	-	-	2	8	6	17	11	22	-
1996.....	80	-	-	-	-	-	5	2	8	23	23	19	-
1995.....	69	-	-	-	1	2	1	8	5	14	20	18	-
1994.....	79	-	-	-	-	-	6	5	15	11	24	18	-
1993.....	80	-	-	-	1	-	5	5	13	21	15	20	-
1992.....	82	-	-	-	-	2	2	6	11	19	22	20	-
1991.....	98	-	-	-	-	-	2	5	17	22	28	24	-
1990.....	103	-	-	1	-	2	5	5	15	30	29	16	-
1989.....	96	-	-	-	-	-	-	10	11	28	31	16	-
1988.....	91	-	-	-	-	-	2	9	13	23	30	14	-
1987.....	107	-	-	-	-	-	2	4	20	38	22	21	-
1986.....	101	-	-	-	-	-	5	7	15	37	24	13	-
1985.....	85	-	-	-	-	-	1	7	18	25	25	9	-
1984.....	73	-	-	-	-	-	3	10	6	23	22	9	-
1983.....	70	-	-	-	-	2	1	10	13	27	12	5	-
1982.....	38	-	-	-	-	-	1	5	8	13	9	2	-
1981.....	51	-	-	-	-	-	2	11	12	12	9	5	-
1980.....	45	-	-	-	-	-	2	7	4	12	18	2	-
1979.....	50	-	-	-	-	-	3	6	8	16	15	2	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 ANGINA PECTORIS (413) BLACK MALE													
1998.....	32	-	-	-	-	-	2	5	6	6	7	6	-
1997.....	29	-	-	-	-	-	-	5	3	8	5	8	-
1996.....	36	-	-	-	-	-	3	1	4	12	11	5	-
1995.....	30	-	-	-	-	1	1	4	3	6	9	6	-
1994.....	32	-	-	-	-	-	3	3	4	7	10	5	-
1993.....	30	-	-	-	1	-	3	3	4	10	4	5	-
1992.....	35	-	-	-	-	-	-	3	7	9	11	5	-
1991.....	32	-	-	-	-	-	2	3	2	8	10	7	-
1990.....	48	-	-	-	-	1	3	2	10	17	10	5	-
1989.....	44	-	-	-	-	-	-	7	5	12	16	4	-
1988.....	41	-	-	-	-	-	1	7	5	12	13	3	-
1987.....	40	-	-	-	-	-	-	3	8	15	8	6	-
1986.....	43	-	-	-	-	-	3	6	8	13	10	3	-
1985.....	33	-	-	-	-	-	1	6	7	10	7	2	-
1984.....	37	-	-	-	-	-	3	3	3	12	13	3	-
1983.....	32	-	-	-	-	2	1	5	6	11	5	2	-
1982.....	13	-	-	-	-	-	-	1	3	6	2	1	-
1981.....	27	-	-	-	-	-	1	6	6	7	4	3	-
1980.....	19	-	-	-	-	-	2	4	2	4	6	1	-
1979.....	19	-	-	-	-	-	2	3	2	8	3	1	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 ANGINA PECTORIS (413)													
BLACK FEMALE													
1998.....	29	-	-	-	-	-	2	3	5	3	10	6	-
1997.....	37	-	-	-	-	-	2	3	3	9	6	14	-
1996.....	44	-	-	-	-	-	2	1	4	11	12	14	-
1995.....	39	-	-	-	1	1	-	4	2	8	11	12	-
1994.....	47	-	-	-	-	-	3	2	11	4	14	13	-
1993.....	50	-	-	-	-	-	2	2	9	11	11	15	-
1992.....	47	-	-	-	-	2	2	3	4	10	11	15	-
1991.....	66	-	-	-	-	-	-	2	15	14	18	17	-
1990.....	55	-	-	1	-	1	2	3	5	13	19	11	-
1989.....	52	-	-	-	-	-	-	3	6	16	15	12	-
1988.....	50	-	-	-	-	-	1	2	8	11	17	11	-
1987.....	67	-	-	-	-	-	2	1	12	23	14	15	-
1986.....	58	-	-	-	-	-	2	1	7	24	14	10	-
1985.....	52	-	-	-	-	-	-	1	11	15	18	7	-
1984.....	36	-	-	-	-	-	-	7	3	11	9	6	-
1983.....	38	-	-	-	-	-	-	5	7	16	7	3	-
1982.....	25	-	-	-	-	-	1	4	5	7	7	1	-
1981.....	24	-	-	-	-	-	1	5	6	5	5	2	-
1980.....	26	-	-	-	-	-	-	3	2	8	12	1	-
1979.....	31	-	-	-	-	-	1	3	6	8	12	1	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)													
TOTAL, BOTH SEXES													
1998.....	252,733	6	1	10	49	433	2,937	8,683	18,294	45,240	82,400	94,668	12
1997.....	256,108	8	2	6	53	475	2,899	8,942	18,764	46,576	82,977	95,394	12
1996.....	258,874	10	2	10	50	462	2,989	8,935	19,341	48,515	84,075	94,469	16
1995.....	259,478	7	4	6	49	495	3,025	8,757	19,418	49,734	83,419	94,544	20
1994.....	255,284	9	7	2	45	438	2,860	8,341	19,536	49,589	82,139	92,298	20
1993.....	258,655	17	7	5	54	507	2,855	8,219	20,089	51,138	83,526	92,215	23
1992.....	246,486	2	2	7	42	457	2,778	7,814	20,179	49,906	79,631	85,642	26
1991.....	245,819	11	6	10	47	455	2,736	7,520	20,882	50,062	79,647	84,420	23
1990.....	245,760	10	4	8	38	430	2,603	7,454	21,392	50,353	79,767	83,676	25
1989.....	246,629	12	2	6	32	475	2,638	7,672	22,065	50,377	80,101	83,228	21
1988.....	257,213	8	7	9	42	483	2,653	7,899	23,756	52,975	82,952	86,398	31
1987.....	254,032	9	4	6	55	482	2,799	7,907	24,243	52,828	80,841	84,829	29
1986.....	254,881	6	4	5	49	489	2,782	7,935	25,028	53,073	81,024	84,326	160
1985.....	257,709	7	4	5	44	466	2,701	8,469	25,379	53,365	81,874	85,270	125
1984.....	257,291	10	9	20	55	428	2,572	8,382	25,754	53,584	82,345	84,093	39
1983.....	261,389	11	9	18	38	434	2,498	8,557	26,227	54,602	83,919	85,036	40
1982.....	257,030	10	10	20	34	443	2,410	8,854	26,126	53,953	83,041	82,061	68
1981.....	257,536	10	5	23	36	398	2,314	9,055	26,685	54,192	83,143	81,618	57
1980.....	260,837	9	3	6	44	386	2,306	9,134	26,412	54,750	85,845	81,881	61
1979.....	245,641	6	4	3	41	376	2,121	9,024	25,099	52,198	81,476	75,246	47

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)													
TOTAL, MALE													
1998.....	124,543	4	1	6	35	310	2,236	6,669	12,895	28,693	43,577	30,108	9
1997.....	126,172	3	2	3	42	347	2,289	6,875	13,348	29,669	43,594	29,993	7
1996.....	127,346	2	-	6	42	364	2,290	6,776	13,793	30,907	43,719	29,437	10
1995.....	126,977	5	3	4	37	379	2,355	6,772	13,794	31,801	42,800	29,020	7
1994.....	125,101	4	1	2	34	322	2,279	6,467	13,952	31,819	41,859	28,346	16
1993.....	126,575	10	2	3	41	391	2,252	6,371	14,328	32,609	42,377	28,181	10
1992.....	121,589	-	1	4	31	353	2,206	6,079	14,497	31,980	40,362	26,060	16
1991.....	121,211	6	6	2	33	349	2,205	5,850	14,985	32,096	39,899	25,763	17
1990.....	120,703	6	1	5	31	339	2,145	5,761	15,376	32,118	39,497	25,411	13
1989.....	120,850	5	2	3	19	357	2,151	6,018	15,827	32,037	39,339	25,077	15
1988.....	126,211	2	3	7	36	389	2,164	6,134	17,041	33,780	40,448	26,187	20
1987.....	124,960	4	4	-	41	390	2,288	6,200	17,427	33,422	39,494	25,673	17
1986.....	125,592	3	1	5	32	388	2,277	6,243	18,107	33,559	39,068	25,861	48
1985.....	127,504	3	4	3	31	362	2,225	6,669	18,435	33,640	39,646	26,443	43
1984.....	126,630	4	4	14	38	348	2,081	6,591	18,564	33,310	39,280	26,373	23
1983.....	128,966	8	7	11	29	360	2,063	6,697	18,893	34,177	39,737	26,959	25
1982.....	127,526	5	7	8	25	370	1,953	6,940	18,844	33,562	39,281	26,494	37
1981.....	127,929	7	4	13	25	325	1,862	7,073	19,181	33,657	39,128	26,624	30
1980.....	129,011	5	1	3	31	322	1,841	7,137	18,875	33,633	39,989	27,135	39
1979.....	122,978	4	2	1	26	304	1,691	7,132	18,244	32,280	38,048	25,209	37

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)													
TOTAL, FEMALE													
1998.....	128,190	2	-	4	14	123	701	2,014	5,399	16,547	38,823	64,560	3
1997.....	129,936	5	-	3	11	128	610	2,067	5,416	16,907	39,383	65,401	5
1996.....	131,528	8	2	4	8	98	699	2,159	5,548	17,608	40,356	65,032	6
1995.....	132,501	2	1	2	12	116	670	1,985	5,624	17,933	40,619	65,524	13
1994.....	130,183	5	6	-	11	116	581	1,874	5,584	17,770	40,280	63,952	4
1993.....	132,080	7	5	2	13	116	603	1,848	5,761	18,529	41,149	64,034	13
1992.....	124,897	2	1	3	11	104	572	1,735	5,682	17,926	39,269	59,582	10
1991.....	124,608	5	-	8	14	106	531	1,670	5,897	17,966	39,748	58,657	6
1990.....	125,057	4	3	3	7	91	458	1,693	6,016	18,235	40,270	58,265	12
1989.....	125,779	7	-	3	13	118	487	1,654	6,238	18,340	40,762	58,151	6
1988.....	131,002	6	4	2	6	94	489	1,765	6,715	19,195	42,504	60,211	11
1987.....	129,072	5	-	6	14	92	511	1,707	6,816	19,406	41,347	59,156	12
1986.....	129,289	3	3	-	17	101	505	1,692	6,921	19,514	41,956	58,465	112
1985.....	130,205	4	-	2	13	104	476	1,800	6,944	19,725	42,228	58,827	82
1984.....	130,661	6	5	6	17	80	491	1,791	7,190	20,274	43,065	57,720	16
1983.....	132,423	3	2	7	9	74	435	1,860	7,334	20,425	44,182	58,077	15
1982.....	129,504	5	3	12	9	73	457	1,914	7,282	20,391	43,760	55,567	31
1981.....	129,607	3	1	10	11	73	452	1,982	7,504	20,535	44,015	54,994	27
1980.....	131,826	4	2	3	13	64	465	1,997	7,537	21,117	45,856	54,746	22
1979.....	122,663	2	2	2	15	72	430	1,892	6,855	19,918	43,428	50,037	10

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)													
WHITE, BOTH SEXES													
1998.....	228,026	1	1	5	37	339	2,297	6,987	15,161	39,667	75,316	88,208	7
1997.....	231,150	4	1	4	36	371	2,262	7,190	15,530	40,880	75,940	88,925	7
1996.....	234,025	8	1	9	34	362	2,301	7,228	16,146	42,807	76,868	88,248	13
1995.....	234,482	5	3	4	34	374	2,388	6,988	16,197	43,656	76,391	88,429	13
1994.....	231,273	6	5	1	30	338	2,172	6,829	16,404	43,772	75,357	86,346	13
1993.....	234,515	16	6	4	33	396	2,206	6,717	16,920	45,320	76,606	86,277	14
1992.....	223,838	1	1	5	34	353	2,170	6,343	17,177	44,344	73,126	80,266	18
1991.....	223,335	6	4	7	32	338	2,167	6,066	17,798	44,441	73,126	79,333	17
1990.....	223,841	6	3	5	27	328	2,086	6,094	18,338	44,899	73,398	78,642	15
1989.....	224,779	9	2	5	24	357	2,066	6,236	18,835	45,076	73,824	78,332	13
1988.....	234,570	7	4	8	24	367	2,122	6,401	20,357	47,446	76,291	81,518	25
1987.....	231,955	8	3	5	41	364	2,232	6,458	20,885	47,296	74,528	80,111	24
1986.....	233,002	6	2	5	37	366	2,209	6,538	21,666	47,680	74,801	79,545	147
1985.....	235,755	5	4	5	33	344	2,145	6,930	21,902	47,848	75,542	80,883	114
1984.....	235,811	4	7	18	45	330	2,069	6,912	22,269	48,079	76,143	79,911	24
1983.....	239,306	8	6	15	31	335	2,017	7,019	22,633	48,994	77,495	80,725	28
1982.....	235,155	7	8	15	25	329	1,923	7,183	22,590	48,375	76,821	77,834	45
1981.....	235,612	6	3	20	26	277	1,822	7,493	23,041	48,474	76,955	77,460	35
1980.....	238,544	7	2	6	30	284	1,822	7,512	22,770	48,888	79,437	77,746	40
1979.....	225,397	4	2	3	33	287	1,674	7,432	21,801	46,670	75,725	71,736	30

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)													
WHITE MALE													
1998.....	112,606	1	1	4	27	245	1,797	5,534	10,918	25,716	40,331	28,027	5
1997.....	113,986	3	1	2	29	273	1,839	5,680	11,297	26,581	40,325	27,951	5
1996.....	115,449	2	-	6	28	288	1,831	5,658	11,834	27,836	40,485	27,473	8
1995.....	114,742	4	2	3	25	288	1,918	5,550	11,814	28,464	39,629	27,040	5
1994.....	113,512	2	1	1	22	256	1,788	5,421	11,966	28,670	38,882	26,493	10
1993.....	114,897	9	2	2	23	302	1,805	5,376	12,358	29,461	39,274	26,279	6
1992.....	110,692	-	1	3	23	274	1,781	5,106	12,688	28,977	37,430	24,399	10
1991.....	110,197	5	4	1	20	264	1,791	4,866	13,102	29,056	36,933	24,143	12
1990.....	110,029	4	1	4	22	263	1,765	4,859	13,522	29,141	36,688	23,753	7
1989.....	110,105	3	2	3	17	277	1,739	4,991	13,839	29,217	36,519	23,489	9
1988.....	114,932	1	2	6	18	295	1,774	5,122	14,917	30,741	37,449	24,591	16
1987.....	113,849	4	3	-	29	298	1,863	5,207	15,383	30,368	36,536	24,145	13
1986.....	114,738	3	-	5	22	301	1,861	5,300	16,015	30,653	36,297	24,238	43
1985.....	116,366	3	4	3	21	277	1,798	5,597	16,278	30,697	36,714	24,938	36
1984.....	115,863	1	4	12	32	275	1,735	5,585	16,415	30,333	36,498	24,959	14
1983.....	117,877	5	4	9	23	286	1,717	5,656	16,686	31,195	36,820	25,457	19
1982.....	116,328	4	5	5	18	285	1,590	5,838	16,689	30,504	36,405	24,963	22
1981.....	116,846	4	3	12	18	232	1,501	6,022	16,925	30,613	36,324	25,177	15
1980.....	117,498	4	1	3	20	239	1,501	6,032	16,668	30,464	36,985	25,558	23
1979.....	112,505	2	1	1	25	245	1,373	6,062	16,182	29,322	35,375	23,892	25

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)													
WHITE FEMALE													
1998.....	115,420	-	-	1	10	94	500	1,453	4,243	13,951	34,985	60,181	2
1997.....	117,164	1	-	2	7	98	423	1,510	4,233	14,299	35,615	60,974	2
1996.....	118,576	6	1	3	6	74	470	1,570	4,312	14,971	36,383	60,775	5
1995.....	119,740	1	1	1	9	86	470	1,438	4,383	15,192	36,762	61,389	8
1994.....	117,761	4	4	-	8	82	384	1,408	4,438	15,102	36,475	59,853	3
1993.....	119,618	7	4	2	10	94	401	1,341	4,562	15,859	37,332	59,998	8
1992.....	113,146	1	-	2	11	79	389	1,237	4,489	15,367	35,696	55,867	8
1991.....	113,138	1	-	6	12	74	376	1,200	4,696	15,385	36,193	55,190	5
1990.....	113,812	2	2	1	5	65	321	1,235	4,816	15,758	36,710	54,889	8
1989.....	114,674	6	-	2	7	80	327	1,245	4,996	15,859	37,305	54,843	4
1988.....	119,638	6	2	2	6	72	348	1,279	5,440	16,705	38,842	56,927	9
1987.....	118,106	4	-	5	12	66	369	1,251	5,502	16,928	37,992	55,966	11
1986.....	118,264	3	2	-	15	65	348	1,238	5,651	17,027	38,504	55,307	104
1985.....	119,389	2	-	2	12	67	347	1,333	5,624	17,151	38,828	55,945	78
1984.....	119,948	3	3	6	13	55	334	1,327	5,854	17,746	39,645	54,952	10
1983.....	121,429	3	2	6	8	49	300	1,363	5,947	17,799	40,675	55,268	9
1982.....	118,827	3	3	10	7	44	333	1,345	5,901	17,871	40,416	52,871	23
1981.....	118,766	2	-	8	8	45	321	1,471	6,116	17,861	40,631	52,283	20
1980.....	121,046	3	1	3	10	45	321	1,480	6,102	18,424	42,452	52,188	17
1979.....	112,892	2	1	2	8	42	301	1,370	5,619	17,348	40,350	47,844	5

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)													
ALL OTHER, BOTH SEXES													
1998.....	24,707	5	-	5	12	94	640	1,696	3,133	5,573	7,084	6,460	5
1997.....	24,958	4	1	2	17	104	637	1,752	3,234	5,696	7,037	6,469	5
1996.....	24,849	2	1	1	16	100	688	1,707	3,195	5,708	7,207	6,221	3
1995.....	24,996	2	1	2	15	121	637	1,769	3,221	6,078	7,028	6,115	7
1994.....	24,011	3	2	1	15	100	688	1,512	3,132	5,817	6,782	5,952	7
1993.....	24,140	1	1	1	21	111	649	1,502	3,169	5,818	6,920	5,938	9
1992.....	22,648	1	1	2	8	104	608	1,471	3,002	5,562	6,505	5,376	8
1991.....	22,484	5	2	3	15	117	569	1,454	3,084	5,621	6,521	5,087	6
1990.....	21,919	4	1	3	11	102	517	1,360	3,054	5,454	6,369	5,034	10
1989.....	21,850	3	-	1	8	118	572	1,436	3,230	5,301	6,277	4,896	8
1988.....	22,643	1	3	1	18	116	531	1,498	3,399	5,529	6,661	4,880	6
1987.....	22,077	1	1	1	14	118	567	1,449	3,358	5,532	6,313	4,718	5
1986.....	21,879	-	2	-	12	123	573	1,397	3,362	5,393	6,223	4,781	13
1985.....	21,954	2	-	-	11	122	556	1,539	3,477	5,517	6,332	4,387	11
1984.....	21,480	6	2	2	10	98	503	1,470	3,485	5,505	6,202	4,182	15
1983.....	22,083	3	3	3	7	99	481	1,538	3,594	5,608	6,424	4,311	12
1982.....	21,875	3	2	5	9	114	487	1,671	3,536	5,578	6,220	4,227	23
1981.....	21,924	4	2	3	10	121	492	1,562	3,644	5,718	6,188	4,158	22
1980.....	22,293	2	1	-	14	102	484	1,622	3,642	5,862	6,408	4,135	21
1979.....	20,244	2	2	-	8	89	447	1,592	3,298	5,528	5,751	3,510	17

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)													
ALL OTHER MALE													
1998.....	11,937	3	-	2	8	65	439	1,135	1,977	2,977	3,246	2,081	4
1997.....	12,186	-	1	1	13	74	450	1,195	2,051	3,088	3,269	2,042	2
1996.....	11,897	-	-	-	14	76	459	1,118	1,959	3,071	3,234	1,964	2
1995.....	12,235	1	1	1	12	91	437	1,222	1,980	3,337	3,171	1,980	2
1994.....	11,589	2	-	1	12	66	491	1,046	1,986	3,149	2,977	1,853	6
1993.....	11,678	1	-	1	18	89	447	995	1,970	3,148	3,103	1,902	4
1992.....	10,897	-	-	1	8	79	425	973	1,809	3,003	2,932	1,661	6
1991.....	11,014	1	2	1	13	85	414	984	1,883	3,040	2,966	1,620	5
1990.....	10,674	2	-	1	9	76	380	902	1,854	2,977	2,809	1,658	6
1989.....	10,745	2	-	-	2	80	412	1,027	1,988	2,820	2,820	1,588	6
1988.....	11,279	1	1	1	18	94	390	1,012	2,124	3,039	2,999	1,596	4
1987.....	11,111	-	1	-	12	92	425	993	2,044	3,054	2,958	1,528	4
1986.....	10,854	-	1	-	10	87	416	943	2,092	2,906	2,771	1,623	5
1985.....	11,138	-	-	-	10	85	427	1,072	2,157	2,943	2,932	1,505	7
1984.....	10,767	3	-	2	6	73	346	1,006	2,149	2,977	2,782	1,414	9
1983.....	11,089	3	3	2	6	74	346	1,041	2,207	2,982	2,917	1,502	6
1982.....	11,198	1	2	3	7	85	363	1,102	2,155	3,058	2,876	1,531	15
1981.....	11,083	3	1	1	7	93	361	1,051	2,256	3,044	2,804	1,447	15
1980.....	11,513	1	-	-	11	83	340	1,105	2,207	3,169	3,004	1,577	16
1979.....	10,473	2	1	-	1	59	318	1,070	2,062	2,958	2,673	1,317	12

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)													
ALL OTHER FEMALE													
1998.....	12,770	2	-	3	4	29	201	561	1,156	2,596	3,838	4,379	1
1997.....	12,772	4	-	1	4	30	187	557	1,183	2,608	3,768	4,427	3
1996.....	12,952	2	1	1	2	24	229	589	1,236	2,637	3,973	4,257	1
1995.....	12,761	1	-	1	3	30	200	547	1,241	2,741	3,857	4,135	5
1994.....	12,422	1	2	-	3	34	197	466	1,146	2,668	3,805	4,099	1
1993.....	12,462	-	1	-	3	22	202	507	1,199	2,670	3,817	4,036	5
1992.....	11,751	1	1	1	-	25	183	498	1,193	2,559	3,573	3,715	2
1991.....	11,470	4	-	2	2	32	155	470	1,201	2,581	3,555	3,467	1
1990.....	11,245	2	1	2	2	26	137	458	1,200	2,477	3,560	3,376	4
1989.....	11,105	1	-	1	6	38	160	409	1,242	2,481	3,457	3,308	2
1988.....	11,364	-	2	-	-	22	141	486	1,275	2,490	3,662	3,284	2
1987.....	10,966	1	-	1	2	26	142	456	1,314	2,478	3,355	3,190	1
1986.....	11,025	-	1	-	2	36	157	454	1,270	2,487	3,452	3,158	8
1985.....	10,816	2	-	-	1	37	129	467	1,320	2,574	3,400	2,882	4
1984.....	10,713	3	2	-	4	25	157	464	1,336	2,528	3,420	2,768	6
1983.....	10,994	-	-	1	1	25	135	497	1,387	2,626	3,507	2,809	6
1982.....	10,677	2	-	2	2	29	124	569	1,381	2,520	3,344	2,696	8
1981.....	10,841	1	1	2	3	28	131	511	1,388	2,674	3,384	2,711	7
1980.....	10,780	1	1	-	3	19	144	517	1,435	2,693	3,404	2,558	5
1979.....	9,771	-	1	-	7	30	129	522	1,236	2,570	3,078	2,193	5

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)													
BLACK, BOTH SEXES													
1998.....	20,931	4	-	5	11	87	571	1,481	2,725	4,776	5,889	5,377	5
1997.....	21,280	4	1	2	15	88	562	1,538	2,831	4,843	5,947	5,444	5
1996.....	21,322	2	1	1	14	88	614	1,525	2,770	4,899	6,100	5,305	3
1995.....	21,656	2	1	2	10	102	574	1,585	2,870	5,259	6,029	5,215	7
1994.....	20,838	3	2	1	13	85	612	1,323	2,742	5,053	5,855	5,142	7
1993.....	21,187	-	1	1	20	97	566	1,347	2,816	5,175	6,009	5,149	6
1992.....	19,783	1	1	2	7	89	550	1,313	2,658	4,895	5,611	4,648	8
1991.....	19,952	5	2	3	13	108	505	1,314	2,754	5,029	5,747	4,467	5
1990.....	19,553	4	1	3	11	87	476	1,236	2,762	4,874	5,653	4,437	9
1989.....	19,586	2	-	1	8	114	525	1,306	2,937	4,785	5,607	4,293	8
1988.....	20,470	1	2	-	16	108	494	1,362	3,111	5,006	5,999	4,365	6
1987.....	20,028	1	1	1	11	106	516	1,317	3,093	5,057	5,696	4,225	4
1986.....	19,899	-	2	-	8	107	527	1,278	3,110	4,931	5,626	4,298	12
1985.....	20,080	2	-	-	10	113	514	1,445	3,221	5,072	5,763	3,931	9
1984.....	19,676	4	2	1	10	91	477	1,367	3,227	5,075	5,649	3,758	15
1983.....	20,282	2	1	2	6	88	439	1,436	3,338	5,192	5,891	3,881	6
1982.....	20,177	2	2	4	8	101	447	1,563	3,304	5,167	5,714	3,845	20
1981.....	20,394	2	2	2	9	107	460	1,463	3,442	5,368	5,728	3,791	20
1980.....	20,743	1	1	-	14	94	445	1,516	3,436	5,515	5,935	3,766	20
1979.....	18,756	2	-	-	8	78	417	1,493	3,097	5,162	5,324	3,159	16

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)													
BLACK MALE													
1998.....	9,768	3	-	2	8	59	376	969	1,670	2,498	2,586	1,593	4
1997.....	10,039	-	1	1	11	59	391	1,025	1,748	2,558	2,679	1,564	2
1996.....	9,859	-	-	-	12	65	395	973	1,663	2,558	2,641	1,550	2
1995.....	10,308	1	1	1	9	76	388	1,070	1,750	2,817	2,615	1,578	2
1994.....	9,714	2	-	1	10	54	423	886	1,720	2,673	2,477	1,462	6
1993.....	9,951	-	-	1	17	77	380	876	1,732	2,734	2,578	1,554	2
1992.....	9,265	-	-	1	7	67	374	850	1,573	2,605	2,423	1,359	6
1991.....	9,517	1	2	1	11	77	366	876	1,658	2,659	2,507	1,354	5
1990.....	9,278	2	-	1	9	61	343	803	1,664	2,609	2,401	1,379	6
1989.....	9,383	1	-	-	2	77	374	924	1,783	2,494	2,407	1,315	6
1988.....	9,918	1	1	-	16	87	359	904	1,901	2,687	2,591	1,367	4
1987.....	9,847	-	1	-	9	82	380	891	1,850	2,734	2,581	1,316	3
1986.....	9,623	-	1	-	6	71	374	851	1,905	2,594	2,394	1,422	5
1985.....	9,985	-	-	-	9	77	391	995	1,969	2,652	2,571	1,316	5
1984.....	9,662	2	-	1	6	67	323	920	1,983	2,692	2,420	1,239	9
1983.....	10,000	2	1	1	5	64	307	960	2,029	2,711	2,581	1,335	4
1982.....	10,088	1	2	2	6	75	328	1,018	1,988	2,769	2,543	1,343	13
1981.....	10,125	1	1	1	6	81	334	973	2,108	2,795	2,524	1,287	14
1980.....	10,487	-	-	-	11	76	305	1,019	2,045	2,928	2,706	1,382	15
1979.....	9,508	2	-	-	1	48	295	988	1,897	2,700	2,410	1,156	11

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 OLD MYOCARDIAL INFARCTION AND OTHER FORMS OF CHRONIC ISCHEMIC HEART DISEASE (412,414)													
BLACK FEMALE													
1998.....	11,163	1	-	3	3	28	195	512	1,055	2,278	3,303	3,784	1
1997.....	11,241	4	-	1	4	29	171	513	1,083	2,285	3,268	3,880	3
1996.....	11,463	2	1	1	2	23	219	552	1,107	2,341	3,459	3,755	1
1995.....	11,348	1	-	1	1	26	186	515	1,120	2,442	3,414	3,637	5
1994.....	11,124	1	2	-	3	31	189	437	1,022	2,380	3,378	3,680	1
1993.....	11,236	-	1	-	3	20	186	471	1,084	2,441	3,431	3,595	4
1992.....	10,518	1	1	1	-	22	176	463	1,085	2,290	3,188	3,289	2
1991.....	10,435	4	-	2	2	31	139	438	1,096	2,370	3,240	3,113	-
1990.....	10,275	2	1	2	2	26	133	433	1,098	2,265	3,252	3,058	3
1989.....	10,203	1	-	1	6	37	151	382	1,154	2,291	3,200	2,978	2
1988.....	10,552	-	1	-	-	21	135	458	1,210	2,319	3,408	2,998	2
1987.....	10,181	1	-	1	2	24	136	426	1,243	2,323	3,115	2,909	1
1986.....	10,276	-	1	-	2	36	153	427	1,205	2,337	3,232	2,876	7
1985.....	10,095	2	-	-	1	36	123	450	1,252	2,420	3,192	2,615	4
1984.....	10,014	2	2	-	4	24	154	447	1,244	2,383	3,229	2,519	6
1983.....	10,282	-	-	1	1	24	132	476	1,309	2,481	3,310	2,546	2
1982.....	10,089	1	-	2	2	26	119	545	1,316	2,398	3,171	2,502	7
1981.....	10,269	1	1	1	3	26	126	490	1,334	2,573	3,204	2,504	6
1980.....	10,256	1	1	-	3	18	140	497	1,391	2,587	3,229	2,384	5
1979.....	9,248	-	-	-	7	30	122	505	1,200	2,462	2,914	2,003	5

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
OTHER DISEASES OF ENDOCARDIUM (424)													
TOTAL, BOTH SEXES													
1998.....	18,520	19	5	8	38	96	325	552	882	2,447	6,056	8,090	2
1997.....	17,661	5	12	14	44	111	297	500	871	2,406	5,953	7,447	1
1996.....	17,181	7	5	9	24	97	269	448	875	2,468	5,760	7,218	1
1995.....	16,241	10	4	9	35	101	276	431	844	2,460	5,566	6,505	-
1994.....	15,417	7	3	12	42	96	264	421	844	2,480	5,213	6,035	-
1993.....	15,200	14	5	7	33	129	275	385	865	2,353	5,336	5,797	1
1992.....	14,359	10	8	19	38	86	256	398	881	2,359	5,153	5,151	-
1991.....	13,727	22	10	9	40	126	247	353	862	2,323	4,905	4,830	-
1990.....	13,004	17	7	14	34	119	224	397	954	2,396	4,604	4,236	2
1989.....	12,185	19	7	16	37	154	243	329	913	2,325	4,329	3,812	1
1988.....	11,731	16	8	8	30	129	234	338	953	2,413	4,124	3,477	1
1987.....	10,952	17	15	11	39	124	229	366	934	2,223	3,882	3,111	1
1986.....	10,130	13	7	10	43	118	192	320	935	2,198	3,618	2,676	-
1985.....	9,510	24	5	13	52	138	199	347	887	2,080	3,361	2,401	3
1984.....	8,722	17	7	15	42	108	159	319	919	1,986	3,094	2,055	1
1983.....	8,372	24	9	15	38	90	162	328	907	2,008	2,899	1,890	2
1982.....	7,793	16	10	12	45	100	146	361	933	1,863	2,711	1,595	1
1981.....	7,346	14	7	15	42	97	146	383	915	1,912	2,403	1,410	2
1980.....	7,164	8	2	11	69	98	151	347	1,006	1,864	2,324	1,284	-
1979.....	6,492	12	6	13	53	88	154	345	925	1,772	2,088	1,034	2

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
OTHER DISEASES OF ENDOCARDIUM (424)													
TOTAL, MALE													
1998.....	7,326	11	3	6	29	51	208	340	505	1,242	2,636	2,293	2
1997.....	7,035	4	5	11	27	60	187	318	493	1,200	2,568	2,161	1
1996.....	6,889	3	2	4	19	56	173	293	478	1,286	2,466	2,108	1
1995.....	6,575	5	1	4	20	59	184	274	458	1,262	2,406	1,902	-
1994.....	6,278	3	-	5	27	57	174	255	512	1,249	2,252	1,744	-
1993.....	6,203	5	2	5	24	80	180	242	509	1,261	2,250	1,644	1
1992.....	6,051	7	4	10	28	55	183	250	521	1,282	2,212	1,499	-
1991.....	5,829	11	1	6	25	82	160	225	504	1,248	2,155	1,412	-
1990.....	5,500	8	3	6	23	75	145	259	572	1,275	1,937	1,197	-
1989.....	5,300	15	5	9	23	95	180	212	529	1,250	1,869	1,112	1
1988.....	5,185	11	2	4	17	75	155	229	575	1,355	1,765	997	-
1987.....	4,986	9	10	5	23	76	156	242	580	1,227	1,731	927	-
1986.....	4,586	8	4	5	25	70	132	208	571	1,184	1,593	786	-
1985.....	4,420	15	3	9	27	90	132	225	540	1,169	1,488	721	1
1984.....	4,118	13	3	9	26	78	111	220	569	1,090	1,375	623	1
1983.....	4,073	15	3	8	26	61	90	216	594	1,185	1,282	592	1
1982.....	3,730	11	7	7	25	68	92	243	581	1,039	1,166	491	-
1981.....	3,654	5	5	6	30	61	99	248	573	1,057	1,113	456	1
1980.....	3,693	5	1	10	41	64	93	239	684	1,073	1,047	436	-
1979.....	3,395	10	2	10	41	59	100	235	635	999	957	345	2

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
OTHER DISEASES OF ENDOCARDIUM (424)													
TOTAL, FEMALE													
1998.....	11,194	8	2	2	9	45	117	212	377	1,205	3,420	5,797	-
1997.....	10,626	1	7	3	17	51	110	182	378	1,206	3,385	5,286	-
1996.....	10,292	4	3	5	5	41	96	155	397	1,182	3,294	5,110	-
1995.....	9,666	5	3	5	15	42	92	157	386	1,198	3,160	4,603	-
1994.....	9,139	4	3	7	15	39	90	166	332	1,231	2,961	4,291	-
1993.....	8,997	9	3	2	9	49	95	143	356	1,092	3,086	4,153	-
1992.....	8,308	3	4	9	10	31	73	148	360	1,077	2,941	3,652	-
1991.....	7,898	11	9	3	15	44	87	128	358	1,075	2,750	3,418	-
1990.....	7,504	9	4	8	11	44	79	138	382	1,121	2,667	3,039	2
1989.....	6,885	4	2	7	14	59	63	117	384	1,075	2,460	2,700	-
1988.....	6,546	5	6	4	13	54	79	109	378	1,058	2,359	2,480	1
1987.....	5,966	8	5	6	16	48	73	124	354	996	2,151	2,184	1
1986.....	5,544	5	3	5	18	48	60	112	364	1,014	2,025	1,890	-
1985.....	5,090	9	2	4	25	48	67	122	347	911	1,873	1,680	2
1984.....	4,604	4	4	6	16	30	48	99	350	896	1,719	1,432	-
1983.....	4,299	9	6	7	12	29	72	112	313	823	1,617	1,298	1
1982.....	4,063	5	3	5	20	32	54	118	352	824	1,545	1,104	1
1981.....	3,692	9	2	9	12	36	47	135	342	855	1,290	954	1
1980.....	3,471	3	1	1	28	34	58	108	322	791	1,277	848	-
1979.....	3,097	2	4	3	12	29	54	110	290	773	1,131	689	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
OTHER DISEASES OF ENDOCARDIUM (424)													
WHITE, BOTH SEXES													
1998.....	17,120	11	4	6	27	66	208	417	716	2,187	5,695	7,782	1
1997.....	16,323	5	11	11	35	83	222	356	729	2,162	5,610	7,099	-
1996.....	15,890	5	5	6	21	69	181	323	716	2,222	5,433	6,908	1
1995.....	14,995	6	3	9	24	76	199	326	703	2,191	5,235	6,223	-
1994.....	14,280	5	3	9	32	71	174	322	708	2,251	4,912	5,793	-
1993.....	14,007	13	3	6	25	95	190	304	712	2,119	4,993	5,546	1
1992.....	13,251	9	6	13	30	61	175	297	726	2,141	4,846	4,947	-
1991.....	12,746	14	8	8	31	92	166	274	739	2,131	4,633	4,650	-
1990.....	11,951	15	6	9	27	83	149	307	826	2,172	4,318	4,037	2
1989.....	11,206	16	7	11	29	107	168	259	782	2,124	4,077	3,626	-
1988.....	10,687	12	6	7	24	89	153	253	824	2,179	3,839	3,301	-
1987.....	9,971	12	13	10	25	89	142	285	806	2,005	3,636	2,948	-
1986.....	9,283	10	7	9	31	79	130	257	810	1,998	3,399	2,553	-
1985.....	8,632	21	4	10	36	88	140	275	768	1,879	3,129	2,279	3
1984.....	7,918	11	7	12	34	86	113	254	799	1,761	2,887	1,953	1
1983.....	7,675	22	7	10	26	65	125	267	798	1,832	2,721	1,800	2
1982.....	7,065	14	7	8	30	69	113	296	818	1,662	2,526	1,521	1
1981.....	6,648	11	6	12	32	63	114	317	798	1,738	2,225	1,330	2
1980.....	6,499	8	2	11	49	69	122	277	894	1,692	2,151	1,224	-
1979.....	5,846	10	3	10	40	69	121	281	812	1,575	1,941	982	2

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
OTHER DISEASES OF ENDOCARDIUM (424)													
WHITE MALE													
1998.....	6,704	6	3	5	19	33	137	259	424	1,110	2,507	2,200	1
1997.....	6,454	4	5	10	22	44	145	227	428	1,095	2,421	2,053	-
1996.....	6,314	1	2	2	17	41	124	219	403	1,162	2,329	2,013	1
1995.....	6,036	2	1	4	12	48	136	218	390	1,152	2,261	1,812	-
1994.....	5,739	2	-	5	22	47	111	201	428	1,142	2,129	1,652	-
1993.....	5,708	5	1	5	20	64	129	200	417	1,156	2,123	1,587	1
1992.....	5,512	6	3	6	20	41	128	185	440	1,173	2,082	1,428	-
1991.....	5,361	5	1	5	21	63	109	174	436	1,160	2,033	1,354	-
1990.....	5,023	6	3	3	17	52	96	203	515	1,162	1,825	1,141	-
1989.....	4,833	14	5	5	20	67	127	168	455	1,168	1,756	1,048	-
1988.....	4,680	8	2	4	13	53	105	174	505	1,237	1,643	936	-
1987.....	4,524	7	9	5	18	54	97	193	518	1,119	1,629	875	-
1986.....	4,176	7	4	5	17	50	92	166	502	1,091	1,488	754	-
1985.....	3,981	13	3	6	19	64	96	183	470	1,061	1,384	681	1
1984.....	3,725	7	3	8	23	66	80	184	500	970	1,292	591	1
1983.....	3,722	15	2	5	18	43	73	180	534	1,085	1,207	559	1
1982.....	3,368	9	5	4	20	49	73	205	520	931	1,088	464	-
1981.....	3,291	4	4	6	24	39	79	208	513	962	1,026	425	1
1980.....	3,334	5	1	10	30	46	78	189	609	978	976	412	-
1979.....	3,057	8	1	9	29	47	82	198	565	902	889	325	2

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
OTHER DISEASES OF ENDOCARDIUM (424)													
WHITE FEMALE													
1998.....	10,416	5	1	1	8	33	71	158	292	1,077	3,188	5,582	-
1997.....	9,869	1	6	1	13	39	77	129	301	1,067	3,189	5,046	-
1996.....	9,576	4	3	4	4	28	57	104	313	1,060	3,104	4,895	-
1995.....	8,959	4	2	5	12	28	63	108	313	1,039	2,974	4,411	-
1994.....	8,541	3	3	4	10	24	63	121	280	1,109	2,783	4,141	-
1993.....	8,299	8	2	1	5	31	61	104	295	963	2,870	3,959	-
1992.....	7,739	3	3	7	10	20	47	112	286	968	2,764	3,519	-
1991.....	7,385	9	7	3	10	29	57	100	303	971	2,600	3,296	-
1990.....	6,928	9	3	6	10	31	53	104	311	1,010	2,493	2,896	2
1989.....	6,373	2	2	6	9	40	41	91	327	956	2,321	2,578	-
1988.....	6,007	4	4	3	11	36	48	79	319	942	2,196	2,365	-
1987.....	5,447	5	4	5	7	35	45	92	288	886	2,007	2,073	-
1986.....	5,107	3	3	4	14	29	38	91	308	907	1,911	1,799	-
1985.....	4,651	8	1	4	17	24	44	92	298	818	1,745	1,598	2
1984.....	4,193	4	4	4	11	20	33	70	299	791	1,595	1,362	-
1983.....	3,953	7	5	5	8	22	52	87	264	747	1,514	1,241	1
1982.....	3,697	5	2	4	10	20	40	91	298	731	1,438	1,057	1
1981.....	3,357	7	2	6	8	24	35	109	285	776	1,199	905	1
1980.....	3,165	3	1	1	19	23	44	88	285	714	1,175	812	-
1979.....	2,789	2	2	1	11	22	39	83	247	673	1,052	657	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
OTHER DISEASES OF ENDOCARDIUM (424)													
ALL OTHER, BOTH SEXES													
1998.....	1,400	8	1	2	11	30	117	135	166	260	361	308	1
1997.....	1,338	-	1	3	9	28	75	144	142	244	343	348	1
1996.....	1,291	2	-	3	3	28	88	125	159	246	327	310	-
1995.....	1,246	4	1	-	11	25	77	105	141	269	331	282	-
1994.....	1,137	2	-	3	10	25	90	99	136	229	301	242	-
1993.....	1,193	1	2	1	8	34	85	81	153	234	343	251	-
1992.....	1,108	1	2	6	8	25	81	101	155	218	307	204	-
1991.....	981	8	2	1	9	34	81	79	123	192	272	180	-
1990.....	1,053	2	1	5	7	36	75	90	128	224	286	199	-
1989.....	979	3	-	5	8	47	75	70	131	201	252	186	1
1988.....	1,044	4	2	1	6	40	81	85	129	234	285	176	1
1987.....	981	5	2	1	14	35	87	81	128	218	246	163	1
1986.....	847	3	-	1	12	39	62	63	125	200	219	123	-
1985.....	878	3	1	3	16	50	59	72	119	201	232	122	-
1984.....	804	6	-	3	8	22	46	65	120	225	207	102	-
1983.....	697	2	2	5	12	25	37	61	109	176	178	90	-
1982.....	728	2	3	4	15	31	33	65	115	201	185	74	-
1981.....	698	3	1	3	10	34	32	66	117	174	178	80	-
1980.....	665	-	-	-	20	29	29	70	112	172	173	60	-
1979.....	646	2	3	3	13	19	33	64	113	197	147	52	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
OTHER DISEASES OF ENDOCARDIUM (424)													
ALL OTHER MALE													
1998.....	622	5	-	1	10	18	71	81	81	132	129	93	1
1997.....	581	-	-	1	5	16	42	91	65	105	147	108	1
1996.....	575	2	-	2	2	15	49	74	75	124	137	95	-
1995.....	539	3	-	-	8	11	48	56	68	110	145	90	-
1994.....	539	1	-	-	5	10	63	54	84	107	123	92	-
1993.....	495	-	1	-	4	16	51	42	92	105	127	57	-
1992.....	539	1	1	4	8	14	55	65	81	109	130	71	-
1991.....	468	6	-	1	4	19	51	51	68	88	122	58	-
1990.....	477	2	-	3	6	23	49	56	57	113	112	56	-
1989.....	467	1	-	4	3	28	53	44	74	82	113	64	1
1988.....	505	3	-	-	4	22	50	55	70	118	122	61	-
1987.....	462	2	1	-	5	22	59	49	62	108	102	52	-
1986.....	410	1	-	-	8	20	40	42	69	93	105	32	-
1985.....	439	2	-	3	8	26	36	42	70	108	104	40	-
1984.....	393	6	-	1	3	12	31	36	69	120	83	32	-
1983.....	351	-	1	3	8	18	17	36	60	100	75	33	-
1982.....	362	2	2	3	5	19	19	38	61	108	78	27	-
1981.....	363	1	1	-	6	22	20	40	60	95	87	31	-
1980.....	359	-	-	-	11	18	15	50	75	95	71	24	-
1979.....	338	2	1	1	12	12	18	37	70	97	68	20	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
OTHER DISEASES OF ENDOCARDIUM (424)													
ALL OTHER FEMALE													
1998.....	778	3	1	1	1	12	46	54	85	128	232	215	-
1997.....	757	-	1	2	4	12	33	53	77	139	196	240	-
1996.....	716	-	-	1	1	13	39	51	84	122	190	215	-
1995.....	707	1	1	-	3	14	29	49	73	159	186	192	-
1994.....	598	1	-	3	5	15	27	45	52	122	178	150	-
1993.....	698	1	1	1	4	18	34	39	61	129	216	194	-
1992.....	569	-	1	2	-	11	26	36	74	109	177	133	-
1991.....	513	2	2	-	5	15	30	28	55	104	150	122	-
1990.....	576	-	1	2	1	13	26	34	71	111	174	143	-
1989.....	512	2	-	1	5	19	22	26	57	119	139	122	-
1988.....	539	1	2	1	2	18	31	30	59	116	163	115	1
1987.....	519	3	1	1	9	13	28	32	66	110	144	111	1
1986.....	437	2	-	1	4	19	22	21	56	107	114	91	-
1985.....	439	1	1	-	8	24	23	30	49	93	128	82	-
1984.....	411	-	-	2	5	10	15	29	51	105	124	70	-
1983.....	346	2	1	2	4	7	20	25	49	76	103	57	-
1982.....	366	-	1	1	10	12	14	27	54	93	107	47	-
1981.....	335	2	-	3	4	12	12	26	57	79	91	49	-
1980.....	306	-	-	-	9	11	14	20	37	77	102	36	-
1979.....	308	-	2	2	1	7	15	27	43	100	79	32	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
OTHER DISEASES OF ENDOCARDIUM (424)													
BLACK, BOTH SEXES													
1998.....	1,149	5	1	2	7	25	101	125	140	210	292	240	1
1997.....	1,111	-	1	2	8	28	70	133	126	197	271	275	-
1996.....	1,088	2	-	3	3	23	84	110	137	210	267	249	-
1995.....	1,033	3	1	-	11	22	71	95	122	220	274	214	-
1994.....	943	2	-	3	9	21	81	92	121	195	240	179	-
1993.....	1,004	1	2	1	8	30	78	75	129	199	281	200	-
1992.....	984	1	2	5	7	21	78	94	139	196	264	177	-
1991.....	858	8	2	1	8	32	78	73	110	163	231	152	-
1990.....	924	2	1	5	7	34	73	82	110	200	244	166	-
1989.....	860	1	-	5	7	45	67	61	115	186	225	147	1
1988.....	904	4	1	1	3	37	76	77	112	198	241	153	1
1987.....	887	4	2	1	14	32	80	78	122	199	220	134	1
1986.....	754	2	-	1	11	36	59	60	116	184	182	103	-
1985.....	794	3	1	1	13	48	56	69	106	186	203	108	-
1984.....	717	5	-	3	8	20	44	55	112	199	186	85	-
1983.....	613	2	1	4	10	24	32	55	98	159	153	75	-
1982.....	654	-	3	4	14	27	30	60	106	187	159	64	-
1981.....	632	3	1	3	9	32	30	63	105	164	154	68	-
1980.....	591	-	-	-	18	24	28	68	100	152	149	52	-
1979.....	588	2	3	3	9	18	29	63	102	180	135	44	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
OTHER DISEASES OF ENDOCARDIUM (424)													
BLACK MALE													
1998.....	489	2	-	1	6	15	60	72	66	102	101	63	1
1997.....	464	-	-	1	5	16	39	86	55	87	107	68	-
1996.....	472	2	-	2	2	12	47	66	64	108	101	68	-
1995.....	434	2	-	-	8	11	44	52	58	88	113	58	-
1994.....	433	1	-	-	5	8	58	51	76	86	93	55	-
1993.....	397	-	1	-	4	15	44	38	77	86	96	36	-
1992.....	467	1	1	3	7	12	52	60	71	97	110	53	-
1991.....	398	6	-	1	3	18	48	47	56	71	100	48	-
1990.....	414	2	-	3	6	22	47	50	52	100	90	42	-
1989.....	402	-	-	4	2	28	50	39	67	74	95	42	1
1988.....	428	3	-	-	3	20	47	48	61	95	100	51	-
1987.....	414	1	1	-	5	20	52	47	60	100	87	41	-
1986.....	356	1	-	-	7	19	38	39	62	84	82	24	-
1985.....	390	2	-	1	7	24	34	41	61	101	85	34	-
1984.....	353	5	-	1	3	11	29	33	64	107	74	26	-
1983.....	300	-	1	2	7	18	13	32	55	85	60	27	-
1982.....	320	-	2	3	5	17	17	36	57	97	60	26	-
1981.....	326	1	1	-	5	20	19	39	54	89	74	24	-
1980.....	315	-	-	-	10	16	15	48	66	83	58	19	-
1979.....	300	2	1	1	8	12	15	36	63	86	62	14	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
OTHER DISEASES OF ENDOCARDIUM (424)													
BLACK FEMALE													
1998.....	660	3	1	1	1	10	41	53	74	108	191	177	-
1997.....	647	-	1	1	3	12	31	47	71	110	164	207	-
1996.....	616	-	-	1	1	11	37	44	73	102	166	181	-
1995.....	599	1	1	-	3	11	27	43	64	132	161	156	-
1994.....	510	1	-	3	4	13	23	41	45	109	147	124	-
1993.....	607	1	1	1	4	15	34	37	52	113	185	164	-
1992.....	517	-	1	2	-	9	26	34	68	99	154	124	-
1991.....	460	2	2	-	5	14	30	26	54	92	131	104	-
1990.....	510	-	1	2	1	12	26	32	58	100	154	124	-
1989.....	458	1	-	1	5	17	17	22	48	112	130	105	-
1988.....	476	1	1	1	-	17	29	29	51	103	141	102	1
1987.....	473	3	1	1	9	12	28	31	62	99	133	93	1
1986.....	398	1	-	1	4	17	21	21	54	100	100	79	-
1985.....	404	1	1	-	6	24	22	28	45	85	118	74	-
1984.....	364	-	-	2	5	9	15	22	48	92	112	59	-
1983.....	313	2	-	2	3	6	19	23	43	74	93	48	-
1982.....	334	-	1	1	9	10	13	24	49	90	99	38	-
1981.....	306	2	-	3	4	12	11	24	51	75	80	44	-
1980.....	276	-	-	-	8	8	13	20	34	69	91	33	-
1979.....	288	-	2	2	1	6	14	27	39	94	73	30	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ALL OTHER FORMS OF HEART DISEASE (415-423,425-429)													
TOTAL, BOTH SEXES													
1998.....	211,579	568	200	291	847	1,866	5,480	11,542	19,170	36,846	61,421	73,318	30
1997.....	209,167	591	192	272	857	1,876	5,292	11,170	19,313	37,350	60,890	71,335	29
1996.....	206,361	585	200	301	770	1,920	5,054	10,901	19,063	37,864	59,859	69,800	44
1995.....	207,390	621	237	272	832	1,999	5,300	10,695	19,411	38,981	60,113	68,886	43
1994.....	203,682	645	265	278	782	2,040	5,171	10,238	19,313	39,716	59,067	66,136	31
1993.....	206,953	614	273	277	776	1,992	5,045	9,958	20,308	41,291	60,366	66,018	35
1992.....	193,249	682	262	243	766	1,959	4,676	9,226	19,604	39,374	56,447	59,974	36
1991.....	191,936	655	303	249	780	1,930	4,504	8,689	19,818	39,734	56,484	58,745	45
1990.....	188,416	743	263	265	712	1,837	4,140	8,492	20,232	38,968	56,014	56,694	56
1989.....	194,226	718	261	255	739	1,898	4,115	8,705	21,313	40,509	58,007	57,665	41
1988.....	214,174	818	327	290	847	2,012	4,245	9,165	24,044	45,387	63,594	63,396	49
1987.....	207,675	901	288	288	836	2,032	4,050	9,050	23,357	44,845	61,471	60,510	47
1986.....	205,185	940	347	278	861	2,018	3,988	8,886	23,932	44,123	60,895	58,821	96
1985.....	194,579	867	284	280	836	1,750	3,673	8,556	23,326	42,127	57,751	55,033	96
1984.....	184,625	898	314	270	824	1,771	3,519	8,325	22,697	40,235	54,144	51,590	38
1983.....	178,616	885	310	250	850	1,704	3,273	8,388	22,169	38,977	52,676	49,086	48
1982.....	164,153	713	272	286	850	1,531	3,112	7,975	20,667	35,975	48,413	44,317	42
1981.....	159,862	716	320	244	824	1,605	3,001	8,378	20,517	34,876	46,867	42,480	34
1980.....	155,524	764	313	278	901	1,496	2,953	8,267	19,973	34,382	45,507	40,644	46
1979.....	142,942	652	248	249	817	1,349	2,774	8,198	18,904	31,415	42,240	36,061	35

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ALL OTHER FORMS OF HEART DISEASE (415-423,425-429)													
TOTAL, MALE													
1998.....	98,842	287	107	168	528	1,175	3,668	8,011	12,570	21,525	29,284	21,498	21
1997.....	98,241	334	107	154	515	1,177	3,587	7,763	12,752	21,997	28,853	20,981	21
1996.....	97,537	317	104	165	476	1,212	3,444	7,586	12,597	22,512	28,383	20,711	30
1995.....	98,151	326	129	152	524	1,305	3,638	7,504	12,755	23,266	28,440	20,086	26
1994.....	96,848	349	141	150	507	1,251	3,482	7,215	12,876	23,714	27,684	19,461	18
1993.....	98,330	343	153	135	482	1,258	3,413	6,969	13,452	24,528	28,277	19,298	22
1992.....	92,632	361	137	136	500	1,239	3,268	6,454	13,084	23,348	26,482	17,602	21
1991.....	92,472	374	162	132	498	1,239	3,083	6,149	13,315	23,708	26,516	17,266	30
1990.....	91,080	417	135	150	454	1,171	2,916	5,925	13,400	23,334	26,467	16,677	34
1989.....	93,624	389	147	129	471	1,233	2,823	6,101	14,155	24,243	26,890	17,019	24
1988.....	103,923	456	167	175	541	1,333	2,946	6,351	16,036	27,168	29,713	19,007	30
1987.....	100,688	520	146	163	530	1,296	2,831	6,306	15,356	26,701	28,558	18,248	33
1986.....	100,457	536	180	149	549	1,281	2,775	6,106	15,983	26,484	28,439	17,931	44
1985.....	95,343	495	138	134	533	1,130	2,470	5,983	15,565	25,046	26,777	17,030	42
1984.....	91,196	492	167	133	508	1,144	2,401	5,766	15,161	24,044	24,970	16,388	22
1983.....	88,606	490	168	138	518	1,068	2,226	5,814	14,718	23,272	24,399	15,772	23
1982.....	81,566	418	153	140	521	933	2,078	5,518	13,749	21,367	22,314	14,349	26
1981.....	80,138	389	163	137	499	988	1,977	5,831	13,696	20,630	21,808	14,003	17
1980.....	78,172	435	169	144	564	906	1,953	5,708	13,297	20,303	21,122	13,544	27
1979.....	72,631	379	131	122	497	802	1,799	5,736	12,699	18,769	19,453	12,230	14

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ALL OTHER FORMS OF HEART DISEASE (415-423,425-429)													
TOTAL, FEMALE													
1998.....	112,737	281	93	123	319	691	1,812	3,531	6,600	15,321	32,137	51,820	9
1997.....	110,926	257	85	118	342	699	1,705	3,407	6,561	15,353	32,037	50,354	8
1996.....	108,824	268	96	136	294	708	1,610	3,315	6,466	15,352	31,476	49,089	14
1995.....	109,239	295	108	120	308	694	1,662	3,191	6,656	15,715	31,673	48,800	17
1994.....	106,834	296	124	128	275	789	1,689	3,023	6,437	16,002	31,383	46,675	13
1993.....	108,623	271	120	142	294	734	1,632	2,989	6,856	16,763	32,089	46,720	13
1992.....	100,617	321	125	107	266	720	1,408	2,772	6,520	16,026	29,965	42,372	15
1991.....	99,464	281	141	117	282	691	1,421	2,540	6,503	16,026	29,968	41,479	15
1990.....	97,336	326	128	115	258	666	1,224	2,567	6,832	15,634	29,547	40,017	22
1989.....	100,602	329	114	126	268	665	1,292	2,604	7,158	16,266	31,117	40,646	17
1988.....	110,251	362	160	115	306	679	1,299	2,814	8,008	18,219	33,881	44,389	19
1987.....	106,987	381	142	125	306	736	1,219	2,744	8,001	18,144	32,913	42,262	14
1986.....	104,728	404	167	129	312	737	1,213	2,780	7,949	17,639	32,456	40,890	52
1985.....	99,236	372	146	146	303	620	1,203	2,573	7,761	17,081	30,974	38,003	54
1984.....	93,429	406	147	137	316	627	1,118	2,559	7,536	16,191	29,174	35,202	16
1983.....	90,010	395	142	112	332	636	1,047	2,574	7,451	15,705	28,277	33,314	25
1982.....	82,587	295	119	146	329	598	1,034	2,457	6,918	14,608	26,099	29,968	16
1981.....	79,724	327	157	107	325	617	1,024	2,547	6,821	14,246	25,059	28,477	17
1980.....	77,352	329	144	134	337	590	1,000	2,559	6,676	14,079	24,385	27,100	19
1979.....	70,311	273	117	127	320	547	975	2,462	6,205	12,646	22,787	23,831	21

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ALL OTHER FORMS OF HEART DISEASE (415-423,425-429)													
WHITE, BOTH SEXES													
1998.....	180,049	383	126	198	551	1,207	3,717	8,326	14,550	30,138	53,980	66,857	16
1997.....	178,715	418	122	193	554	1,221	3,630	8,097	14,732	30,855	53,714	65,161	18
1996.....	175,687	388	121	200	475	1,218	3,422	7,808	14,419	31,099	52,694	63,810	33
1995.....	176,173	425	144	179	497	1,281	3,558	7,741	14,758	31,954	52,715	62,886	35
1994.....	173,302	414	156	199	498	1,275	3,496	7,402	14,838	32,747	51,759	60,499	19
1993.....	175,426	388	173	193	506	1,271	3,354	7,097	15,344	33,896	52,864	60,322	18
1992.....	163,569	452	161	161	484	1,235	3,047	6,655	14,976	32,375	49,307	54,691	25
1991.....	162,354	431	188	169	519	1,241	2,967	6,213	15,273	32,564	49,265	53,493	31
1990.....	159,258	461	167	195	467	1,161	2,702	6,080	15,516	32,138	48,776	51,563	32
1989.....	163,624	478	160	167	497	1,219	2,694	6,085	16,305	33,168	50,332	52,491	28
1988.....	181,619	554	224	217	576	1,293	2,795	6,518	18,615	37,588	55,343	57,867	29
1987.....	176,249	637	179	203	573	1,293	2,704	6,507	18,236	37,166	53,450	55,275	26
1986.....	173,997	658	227	197	599	1,256	2,687	6,372	18,683	36,593	52,983	53,670	72
1985.....	165,587	599	175	192	578	1,106	2,475	6,196	18,318	34,813	50,538	50,518	79
1984.....	157,379	634	213	197	559	1,135	2,392	6,090	17,888	33,473	47,371	47,401	26
1983.....	151,978	597	212	185	578	1,110	2,228	6,156	17,294	32,278	46,100	45,210	30
1982.....	140,345	501	183	215	616	1,030	2,113	5,867	16,332	29,933	42,610	40,923	22
1981.....	136,536	513	226	177	572	1,064	2,020	6,146	16,195	29,172	41,297	39,135	19
1980.....	131,995	518	205	206	615	958	1,910	6,077	15,689	28,421	40,034	37,334	28
1979.....	121,782	427	168	194	594	925	1,848	6,092	14,963	25,910	37,320	33,319	22

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ALL OTHER FORMS OF HEART DISEASE (415-423,425-429)													
WHITE MALE													
1998.....	83,012	202	65	118	341	775	2,601	5,938	9,779	17,874	25,881	19,428	10
1997.....	82,882	244	60	116	336	782	2,567	5,808	9,879	18,443	25,608	19,026	13
1996.....	82,018	207	71	106	296	819	2,479	5,602	9,752	18,770	25,117	18,777	22
1995.....	82,194	226	78	97	325	849	2,546	5,574	9,900	19,323	25,080	18,176	20
1994.....	81,408	229	85	103	328	797	2,448	5,382	10,167	19,867	24,390	17,600	12
1993.....	82,197	229	102	94	317	808	2,365	5,097	10,420	20,398	24,915	17,442	10
1992.....	77,312	246	78	92	314	802	2,258	4,793	10,280	19,426	23,181	15,828	14
1991.....	77,090	251	96	88	334	806	2,103	4,565	10,482	19,683	23,165	15,498	19
1990.....	76,022	262	84	118	309	756	1,953	4,368	10,502	19,579	23,118	14,955	18
1989.....	77,785	272	89	92	322	816	1,910	4,395	11,139	20,098	23,368	15,271	13
1988.....	87,008	317	110	129	375	881	2,014	4,646	12,686	22,891	25,843	17,097	19
1987.....	84,381	367	89	120	368	847	1,934	4,655	12,254	22,468	24,838	16,421	20
1986.....	84,074	385	116	108	393	811	1,909	4,509	12,712	22,310	24,701	16,089	31
1985.....	80,135	346	88	90	380	706	1,706	4,426	12,508	21,027	23,414	15,414	30
1984.....	76,890	355	114	96	342	734	1,688	4,333	12,250	20,297	21,813	14,852	16
1983.....	74,606	334	111	102	362	700	1,547	4,391	11,777	19,571	21,302	14,393	16
1982.....	68,917	306	104	109	391	635	1,458	4,175	11,067	17,954	19,598	13,105	15
1981.....	67,718	274	114	97	354	653	1,372	4,445	11,038	17,525	19,145	12,691	10
1980.....	65,589	312	106	111	389	586	1,290	4,311	10,615	17,083	18,507	12,262	17
1979.....	61,235	257	89	100	369	563	1,241	4,383	10,252	15,746	17,069	11,158	8

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ALL OTHER FORMS OF HEART DISEASE (415-423,425-429)													
WHITE FEMALE													
1998.....	97,037	181	61	80	210	432	1,116	2,388	4,771	12,264	28,099	47,429	6
1997.....	95,833	174	62	77	218	439	1,063	2,289	4,853	12,412	28,106	46,135	5
1996.....	93,669	181	50	94	179	399	943	2,206	4,667	12,329	27,577	45,033	11
1995.....	93,979	199	66	82	172	432	1,012	2,167	4,858	12,631	27,635	44,710	15
1994.....	91,894	185	71	96	170	478	1,048	2,020	4,671	12,880	27,369	42,899	7
1993.....	93,229	159	71	99	189	463	989	2,000	4,924	13,498	27,949	42,880	8
1992.....	86,257	206	83	69	170	433	789	1,862	4,696	12,949	26,126	38,863	11
1991.....	85,264	180	92	81	185	435	864	1,648	4,791	12,881	26,100	37,995	12
1990.....	83,236	199	83	77	158	405	749	1,712	5,014	12,559	25,658	36,608	14
1989.....	85,839	206	71	75	175	403	784	1,690	5,166	13,070	26,964	37,220	15
1988.....	94,611	237	114	88	201	412	781	1,872	5,929	14,697	29,500	40,770	10
1987.....	91,868	270	90	83	205	446	770	1,852	5,982	14,698	28,612	38,854	6
1986.....	89,923	273	111	89	206	445	778	1,863	5,971	14,283	28,282	37,581	41
1985.....	85,452	253	87	102	198	400	769	1,770	5,810	13,786	27,124	35,104	49
1984.....	80,489	279	99	101	217	401	704	1,757	5,638	13,176	25,558	32,549	10
1983.....	77,372	263	101	83	216	410	681	1,765	5,517	12,707	24,798	30,817	14
1982.....	71,428	195	79	106	225	395	655	1,692	5,265	11,979	23,012	27,818	7
1981.....	68,818	239	112	80	218	411	648	1,701	5,157	11,647	22,152	26,444	9
1980.....	66,406	206	99	95	226	372	620	1,766	5,074	11,338	21,527	25,072	11
1979.....	60,547	170	79	94	225	362	607	1,709	4,711	10,164	20,251	22,161	14

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ALL OTHER FORMS OF HEART DISEASE (415-423,425-429)													
ALL OTHER, BOTH SEXES													
1998.....	31,530	185	74	93	296	659	1,763	3,216	4,620	6,708	7,441	6,461	14
1997.....	30,452	173	70	79	303	655	1,662	3,073	4,581	6,495	7,176	6,174	11
1996.....	30,674	197	79	101	295	702	1,632	3,093	4,644	6,765	7,165	5,990	11
1995.....	31,217	196	93	93	335	718	1,742	2,954	4,653	7,027	7,398	6,000	8
1994.....	30,380	231	109	79	284	765	1,675	2,836	4,475	6,969	7,308	5,637	12
1993.....	31,527	226	100	84	270	721	1,691	2,861	4,964	7,395	7,502	5,696	17
1992.....	29,680	230	101	82	282	724	1,629	2,571	4,628	6,999	7,140	5,283	11
1991.....	29,582	224	115	80	261	689	1,537	2,476	4,545	7,170	7,219	5,252	14
1990.....	29,158	282	96	70	245	676	1,438	2,412	4,716	6,830	7,238	5,131	24
1989.....	30,602	240	101	88	242	679	1,421	2,620	5,008	7,341	7,675	5,174	13
1988.....	32,555	264	103	73	271	719	1,450	2,647	5,429	7,799	8,251	5,529	20
1987.....	31,426	264	109	85	263	739	1,346	2,543	5,121	7,679	8,021	5,235	21
1986.....	31,188	282	120	81	262	762	1,301	2,514	5,249	7,530	7,912	5,151	24
1985.....	28,992	268	109	88	258	644	1,198	2,360	5,008	7,314	7,213	4,515	17
1984.....	27,246	264	101	73	265	636	1,127	2,235	4,809	6,762	6,773	4,189	12
1983.....	26,638	288	98	65	272	594	1,045	2,232	4,875	6,699	6,576	3,876	18
1982.....	23,808	212	89	71	234	501	999	2,108	4,335	6,042	5,803	3,394	20
1981.....	23,326	203	94	67	252	541	981	2,232	4,322	5,704	5,570	3,345	15
1980.....	23,529	246	108	72	286	538	1,043	2,190	4,284	5,961	5,473	3,310	18
1979.....	21,160	225	80	55	223	424	926	2,106	3,941	5,505	4,920	2,742	13

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ALL OTHER FORMS OF HEART DISEASE (415-423,425-429)													
ALL OTHER MALE													
1998.....	15,830	85	42	50	187	400	1,067	2,073	2,791	3,651	3,403	2,070	11
1997.....	15,359	90	47	38	179	395	1,020	1,955	2,873	3,554	3,245	1,955	8
1996.....	15,519	110	33	59	180	393	965	1,984	2,845	3,742	3,266	1,934	8
1995.....	15,957	100	51	55	199	456	1,092	1,930	2,855	3,943	3,360	1,910	6
1994.....	15,440	120	56	47	179	454	1,034	1,833	2,709	3,847	3,294	1,861	6
1993.....	16,133	114	51	41	165	450	1,048	1,872	3,032	4,130	3,362	1,856	12
1992.....	15,320	115	59	44	186	437	1,010	1,661	2,804	3,922	3,301	1,774	7
1991.....	15,382	123	66	44	164	433	980	1,584	2,833	4,025	3,351	1,768	11
1990.....	15,058	155	51	32	145	415	963	1,557	2,898	3,755	3,349	1,722	16
1989.....	15,839	117	58	37	149	417	913	1,706	3,016	4,145	3,522	1,748	11
1988.....	16,915	139	57	46	166	452	932	1,705	3,350	4,277	3,870	1,910	11
1987.....	16,307	153	57	43	162	449	897	1,651	3,102	4,233	3,720	1,827	13
1986.....	16,383	151	64	41	156	470	866	1,597	3,271	4,174	3,738	1,842	13
1985.....	15,208	149	50	44	153	424	764	1,557	3,057	4,019	3,363	1,616	12
1984.....	14,306	137	53	37	166	410	713	1,433	2,911	3,747	3,157	1,536	6
1983.....	14,000	156	57	36	156	368	679	1,423	2,941	3,701	3,097	1,379	7
1982.....	12,649	112	49	31	130	298	620	1,343	2,682	3,413	2,716	1,244	11
1981.....	12,420	115	49	40	145	335	605	1,386	2,658	3,105	2,663	1,312	7
1980.....	12,583	123	63	33	175	320	663	1,397	2,682	3,220	2,615	1,282	10
1979.....	11,396	122	42	22	128	239	558	1,353	2,447	3,023	2,384	1,072	6

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ALL OTHER FORMS OF HEART DISEASE (415-423,425-429)													
ALL OTHER FEMALE													
1998.....	15,700	100	32	43	109	259	696	1,143	1,829	3,057	4,038	4,391	3
1997.....	15,093	83	23	41	124	260	642	1,118	1,708	2,941	3,931	4,219	3
1996.....	15,155	87	46	42	115	309	667	1,109	1,799	3,023	3,899	4,056	3
1995.....	15,260	96	42	38	136	262	650	1,024	1,798	3,084	4,038	4,090	2
1994.....	14,940	111	53	32	105	311	641	1,003	1,766	3,122	4,014	3,776	6
1993.....	15,394	112	49	43	105	271	643	989	1,932	3,265	4,140	3,840	5
1992.....	14,360	115	42	38	96	287	619	910	1,824	3,077	3,839	3,509	4
1991.....	14,200	101	49	36	97	256	557	892	1,712	3,145	3,868	3,484	3
1990.....	14,100	127	45	38	100	261	475	855	1,818	3,075	3,889	3,409	8
1989.....	14,763	123	43	51	93	262	508	914	1,992	3,196	4,153	3,426	2
1988.....	15,640	125	46	27	105	267	518	942	2,079	3,522	4,381	3,619	9
1987.....	15,119	111	52	42	101	290	449	892	2,019	3,446	4,301	3,408	8
1986.....	14,805	131	56	40	106	292	435	917	1,978	3,356	4,174	3,309	11
1985.....	13,784	119	59	44	105	220	434	803	1,951	3,295	3,850	2,899	5
1984.....	12,940	127	48	36	99	226	414	802	1,898	3,015	3,616	2,653	6
1983.....	12,638	132	41	29	116	226	366	809	1,934	2,998	3,479	2,497	11
1982.....	11,159	100	40	40	104	203	379	765	1,653	2,629	3,087	2,150	9
1981.....	10,906	88	45	27	107	206	376	846	1,664	2,599	2,907	2,033	8
1980.....	10,946	123	45	39	111	218	380	793	1,602	2,741	2,858	2,028	8
1979.....	9,764	103	38	33	95	185	368	753	1,494	2,482	2,536	1,670	7

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ALL OTHER FORMS OF HEART DISEASE (415-423,425-429)													
BLACK, BOTH SEXES													
1998.....	28,334	152	61	80	264	609	1,628	2,944	4,202	6,102	6,630	5,649	13
1997.....	27,363	149	63	72	270	586	1,524	2,816	4,164	5,913	6,362	5,433	11
1996.....	27,653	171	64	85	270	652	1,501	2,834	4,247	6,132	6,398	5,288	11
1995.....	28,320	169	84	80	306	664	1,626	2,724	4,268	6,391	6,662	5,338	8
1994.....	27,611	201	101	66	252	709	1,563	2,608	4,093	6,386	6,631	4,989	12
1993.....	28,805	192	81	73	245	662	1,577	2,678	4,614	6,803	6,761	5,104	15
1992.....	27,227	206	91	69	252	671	1,507	2,411	4,317	6,457	6,480	4,755	11
1991.....	27,255	202	104	71	235	642	1,457	2,334	4,234	6,679	6,594	4,689	14
1990.....	26,837	245	86	59	225	632	1,328	2,238	4,392	6,326	6,639	4,645	22
1989.....	28,411	214	88	72	227	639	1,345	2,470	4,692	6,861	7,077	4,713	13
1988.....	30,433	234	91	66	260	683	1,365	2,500	5,130	7,314	7,693	5,077	20
1987.....	29,440	226	96	74	250	690	1,263	2,400	4,802	7,242	7,532	4,844	21
1986.....	29,355	257	106	70	245	723	1,234	2,375	5,023	7,137	7,418	4,745	22
1985.....	27,240	235	99	78	242	606	1,129	2,251	4,748	6,931	6,746	4,160	15
1984.....	25,720	243	90	68	243	592	1,070	2,113	4,567	6,448	6,380	3,895	11
1983.....	25,154	264	87	52	256	556	993	2,137	4,634	6,378	6,182	3,602	13
1982.....	22,594	185	80	64	218	474	941	2,016	4,147	5,777	5,494	3,180	18
1981.....	22,262	181	81	65	244	513	933	2,153	4,171	5,477	5,281	3,152	11
1980.....	22,439	228	98	64	262	515	988	2,110	4,129	5,715	5,215	3,098	17
1979.....	20,172	200	73	51	212	395	876	2,043	3,790	5,299	4,642	2,578	13

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ALL OTHER FORMS OF HEART DISEASE (415-423,425-429)													
BLACK MALE													
1998.....	14,009	73	37	43	168	365	972	1,871	2,500	3,298	2,966	1,706	10
1997.....	13,654	78	44	37	159	346	920	1,776	2,602	3,197	2,842	1,645	8
1996.....	13,817	97	28	48	166	356	879	1,793	2,576	3,374	2,877	1,615	8
1995.....	14,397	89	48	47	178	421	1,017	1,773	2,613	3,571	2,997	1,637	6
1994.....	13,850	103	50	40	155	410	963	1,669	2,449	3,491	2,955	1,559	6
1993.....	14,578	90	39	35	148	405	969	1,743	2,810	3,776	2,957	1,595	11
1992.....	13,917	107	54	37	163	402	932	1,538	2,609	3,598	2,929	1,541	7
1991.....	14,019	107	59	39	147	402	927	1,486	2,630	3,712	2,978	1,521	11
1990.....	13,712	135	47	29	129	381	880	1,436	2,684	3,442	3,016	1,519	14
1989.....	14,540	100	52	32	140	394	856	1,602	2,805	3,847	3,160	1,541	11
1988.....	15,688	122	49	43	157	432	873	1,608	3,158	3,990	3,543	1,702	11
1987.....	15,103	129	54	40	153	411	835	1,547	2,891	3,959	3,406	1,665	13
1986.....	15,301	139	57	35	144	441	820	1,499	3,125	3,920	3,453	1,655	13
1985.....	14,204	130	45	38	142	396	722	1,477	2,888	3,776	3,098	1,482	10
1984.....	13,389	126	47	35	148	376	676	1,348	2,763	3,554	2,915	1,395	6
1983.....	13,099	143	51	31	147	335	638	1,358	2,793	3,487	2,862	1,249	5
1982.....	11,930	99	42	30	122	281	581	1,280	2,569	3,243	2,529	1,144	10
1981.....	11,781	103	43	39	142	319	576	1,340	2,559	2,967	2,477	1,212	4
1980.....	11,903	114	58	32	158	304	622	1,342	2,585	3,052	2,453	1,173	10
1979.....	10,833	106	39	21	122	224	524	1,318	2,351	2,901	2,219	1,002	6

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ALL OTHER FORMS OF HEART DISEASE (415-423,425-429)													
BLACK FEMALE													
1998.....	14,325	79	24	37	96	244	656	1,073	1,702	2,804	3,664	3,943	3
1997.....	13,709	71	19	35	111	240	604	1,040	1,562	2,716	3,520	3,788	3
1996.....	13,836	74	36	37	104	296	622	1,041	1,671	2,758	3,521	3,673	3
1995.....	13,923	80	36	33	128	243	609	951	1,655	2,820	3,665	3,701	2
1994.....	13,761	98	51	26	97	299	600	939	1,644	2,895	3,676	3,430	6
1993.....	14,227	102	42	38	97	257	608	935	1,804	3,027	3,804	3,509	4
1992.....	13,310	99	37	32	89	269	575	873	1,708	2,859	3,551	3,214	4
1991.....	13,236	95	45	32	88	240	530	848	1,604	2,967	3,616	3,168	3
1990.....	13,125	110	39	30	96	251	448	802	1,708	2,884	3,623	3,126	8
1989.....	13,871	114	36	40	87	245	489	868	1,887	3,014	3,917	3,172	2
1988.....	14,745	112	42	23	103	251	492	892	1,972	3,324	4,150	3,375	9
1987.....	14,337	97	42	34	97	279	428	853	1,911	3,283	4,126	3,179	8
1986.....	14,054	118	49	35	101	282	414	876	1,898	3,217	3,965	3,090	9
1985.....	13,036	105	54	40	100	210	407	774	1,860	3,155	3,648	2,678	5
1984.....	12,331	117	43	33	95	216	394	765	1,804	2,894	3,465	2,500	5
1983.....	12,055	121	36	21	109	221	355	779	1,841	2,891	3,320	2,353	8
1982.....	10,664	86	38	34	96	193	360	736	1,578	2,534	2,965	2,036	8
1981.....	10,481	78	38	26	102	194	357	813	1,612	2,510	2,804	1,940	7
1980.....	10,536	114	40	32	104	211	366	768	1,544	2,663	2,762	1,925	7
1979.....	9,339	94	34	30	90	171	352	725	1,439	2,398	2,423	1,576	7

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 HYPERTENSION WITH OR WITHOUT RENAL DISEASE (401,403)													
TOTAL, BOTH SEXES													
1998.....	14,308	12	-	4	7	55	238	593	1,126	2,495	4,575	5,203	-
1997.....	13,534	5	1	4	8	59	240	586	1,003	2,416	4,467	4,744	1
1996.....	12,945	8	-	3	19	56	214	581	1,003	2,399	4,266	4,396	-
1995.....	12,483	4	1	3	12	63	254	548	1,039	2,434	3,985	4,138	2
1994.....	11,765	8	4	1	16	67	224	489	1,011	2,332	3,907	3,706	-
1993.....	11,243	4	2	1	16	66	246	486	1,047	2,266	3,570	3,537	2
1992.....	10,265	3	2	2	16	67	186	411	937	2,199	3,402	3,039	1
1991.....	9,524	2	3	2	13	56	193	412	880	2,070	3,145	2,746	2
1990.....	9,169	5	1	2	10	46	181	397	895	1,988	3,003	2,639	2
1989.....	8,766	3	3	5	16	70	174	381	860	1,917	2,857	2,479	1
1988.....	8,456	1	1	1	9	62	159	371	908	1,896	2,735	2,312	1
1987.....	8,139	2	1	1	15	47	156	339	865	1,925	2,569	2,218	1
1986.....	7,984	5	1	1	7	54	123	359	878	1,817	2,627	2,108	4
1985.....	7,751	4	-	2	9	44	137	346	897	1,757	2,521	2,032	2
1984.....	7,774	1	1	3	6	48	124	324	937	1,876	2,449	2,004	1
1983.....	7,739	4	1	2	10	46	131	332	896	1,743	2,475	2,095	4
1982.....	7,571	5	-	4	11	49	110	334	894	1,739	2,395	2,027	3
1981.....	7,587	3	1	1	13	63	139	383	895	1,694	2,410	1,985	-
1980.....	7,827	4	1	7	18	64	151	408	931	1,742	2,449	2,050	2
1979.....	7,275	4	5	5	11	49	149	393	880	1,594	2,241	1,943	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 HYPERTENSION WITH OR WITHOUT RENAL DISEASE (401,403)													
TOTAL, MALE													
1998.....	5,526	7	-	1	3	34	152	386	632	1,187	1,787	1,337	-
1997.....	5,419	2	1	1	2	31	160	375	607	1,157	1,823	1,259	1
1996.....	5,160	3	-	1	11	31	122	358	575	1,180	1,679	1,200	-
1995.....	5,025	3	1	2	7	47	157	349	588	1,177	1,579	1,114	1
1994.....	4,794	4	3	-	6	37	146	333	592	1,125	1,551	997	-
1993.....	4,512	3	-	-	10	36	159	289	579	1,071	1,428	935	2
1992.....	4,285	3	2	1	10	49	111	249	501	1,079	1,418	861	1
1991.....	3,956	2	1	2	8	39	115	233	502	984	1,248	821	1
1990.....	3,833	2	-	1	4	33	122	238	482	964	1,180	806	1
1989.....	3,771	3	1	2	10	54	108	251	483	956	1,214	689	-
1988.....	3,555	-	1	1	2	37	96	209	478	930	1,159	641	1
1987.....	3,530	1	-	-	7	28	103	202	526	944	1,060	659	-
1986.....	3,403	2	-	1	6	37	70	205	489	898	1,062	633	-
1985.....	3,385	4	-	1	4	25	82	207	510	878	1,056	618	-
1984.....	3,435	1	1	3	4	35	77	196	496	959	992	671	-
1983.....	3,476	3	1	1	6	34	84	197	499	865	1,069	713	4
1982.....	3,432	3	-	1	5	37	71	187	507	889	1,005	726	1
1981.....	3,477	1	-	1	6	33	80	221	500	847	1,073	715	-
1980.....	3,581	3	-	3	9	37	89	226	540	849	1,030	793	2
1979.....	3,377	3	2	1	8	35	87	212	482	837	983	726	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 HYPERTENSION WITH OR WITHOUT RENAL DISEASE (401,403)													
TOTAL, FEMALE													
1998.....	8,782	5	-	3	4	21	86	207	494	1,308	2,788	3,866	-
1997.....	8,115	3	-	3	6	28	80	211	396	1,259	2,644	3,485	-
1996.....	7,785	5	-	2	8	25	92	223	428	1,219	2,587	3,196	-
1995.....	7,458	1	-	1	5	16	97	199	451	1,257	2,406	3,024	1
1994.....	6,971	4	1	1	10	30	78	156	419	1,207	2,356	2,709	-
1993.....	6,731	1	2	1	6	30	87	197	468	1,195	2,142	2,602	-
1992.....	5,980	-	-	1	6	18	75	162	436	1,120	1,984	2,178	-
1991.....	5,568	-	2	-	5	17	78	179	378	1,086	1,897	1,925	1
1990.....	5,336	3	1	1	6	13	59	159	413	1,024	1,823	1,833	1
1989.....	4,995	-	2	3	6	16	66	130	377	961	1,643	1,790	1
1988.....	4,901	1	-	-	7	25	63	162	430	966	1,576	1,671	-
1987.....	4,609	1	1	1	8	19	53	137	339	981	1,509	1,559	1
1986.....	4,581	3	1	-	1	17	53	154	389	919	1,565	1,475	4
1985.....	4,366	-	-	1	5	19	55	139	387	879	1,465	1,414	2
1984.....	4,339	-	-	-	2	13	47	128	441	917	1,457	1,333	1
1983.....	4,263	1	-	1	4	12	47	135	397	878	1,406	1,382	-
1982.....	4,139	2	-	3	6	12	39	147	387	850	1,390	1,301	2
1981.....	4,110	2	1	-	7	30	59	162	395	847	1,337	1,270	-
1980.....	4,246	1	1	4	9	27	62	182	391	893	1,419	1,257	-
1979.....	3,898	1	3	4	3	14	62	181	398	757	1,258	1,217	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 HYPERTENSION WITH OR WITHOUT RENAL DISEASE (401,403)													
WHITE, BOTH SEXES													
1998.....	10,818	6	-	2	5	21	110	297	652	1,728	3,614	4,383	-
1997.....	10,376	5	-	3	2	24	96	280	619	1,709	3,604	4,034	-
1996.....	9,864	5	-	2	7	22	94	280	596	1,731	3,423	3,704	-
1995.....	9,452	1	1	2	4	29	112	275	603	1,725	3,161	3,539	-
1994.....	8,902	6	3	1	4	27	90	231	637	1,671	3,067	3,165	-
1993.....	8,438	4	1	1	7	23	109	254	643	1,609	2,819	2,967	1
1992.....	7,750	2	2	2	6	22	80	181	571	1,534	2,743	2,607	-
1991.....	7,160	-	1	2	8	22	76	195	531	1,478	2,474	2,372	1
1990.....	6,960	3	-	2	1	17	67	184	548	1,434	2,417	2,286	1
1989.....	6,649	3	3	4	8	31	70	187	534	1,363	2,272	2,173	1
1988.....	6,433	-	1	1	5	25	83	167	535	1,390	2,225	2,001	-
1987.....	6,250	2	1	1	7	24	69	172	551	1,413	2,071	1,939	-
1986.....	6,171	4	1	1	2	21	47	197	561	1,355	2,128	1,851	3
1985.....	5,922	3	-	1	4	17	50	166	557	1,290	2,056	1,777	1
1984.....	5,998	-	1	1	5	17	53	173	600	1,378	1,974	1,796	-
1983.....	6,092	2	1	1	7	22	59	172	578	1,303	2,063	1,884	-
1982.....	6,006	1	-	3	7	21	53	175	600	1,315	1,977	1,851	3
1981.....	5,894	2	1	1	7	29	54	187	575	1,248	2,012	1,778	-
1980.....	6,130	4	-	5	10	34	63	195	609	1,279	2,065	1,865	1
1979.....	5,713	2	2	5	9	13	67	194	572	1,180	1,908	1,760	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 HYPERTENSION WITH OR WITHOUT RENAL DISEASE (401,403)													
WHITE MALE													
1998.....	4,105	3	-	1	2	12	79	203	398	831	1,432	1,144	-
1997.....	4,038	2	-	1	-	11	69	183	395	854	1,467	1,056	-
1996.....	3,814	2	-	-	3	12	56	179	354	875	1,354	979	-
1995.....	3,697	1	1	1	3	23	68	187	368	858	1,260	927	-
1994.....	3,547	4	2	-	-	15	60	165	381	843	1,229	848	-
1993.....	3,370	3	-	-	5	15	80	170	370	784	1,162	780	1
1992.....	3,228	2	2	1	4	19	60	123	333	776	1,167	741	-
1991.....	2,938	-	1	2	4	17	39	122	324	725	1,002	701	1
1990.....	2,862	1	-	1	-	13	45	123	318	711	961	688	1
1989.....	2,819	3	1	1	5	25	46	130	331	692	985	600	-
1988.....	2,749	-	1	1	1	14	49	100	333	724	973	553	-
1987.....	2,692	1	-	-	2	13	50	109	351	724	861	581	-
1986.....	2,639	2	-	1	2	14	32	115	327	720	869	557	-
1985.....	2,588	3	-	1	3	9	28	110	348	668	883	535	-
1984.....	2,651	-	1	1	3	12	36	113	330	730	824	601	-
1983.....	2,724	1	1	1	4	18	38	112	340	668	904	637	-
1982.....	2,740	1	-	-	3	17	34	106	363	709	840	666	1
1981.....	2,718	1	-	1	2	14	34	119	342	653	909	643	-
1980.....	2,813	3	-	2	6	22	40	115	381	647	878	718	1
1979.....	2,645	2	-	1	6	11	39	118	338	637	841	651	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 HYPERTENSION WITH OR WITHOUT RENAL DISEASE (401,403)													
WHITE FEMALE													
1998.....	6,713	3	-	1	3	9	31	94	254	897	2,182	3,239	-
1997.....	6,338	3	-	2	2	13	27	97	224	855	2,137	2,978	-
1996.....	6,050	3	-	2	4	10	38	101	242	856	2,069	2,725	-
1995.....	5,755	-	-	1	1	6	44	88	235	867	1,901	2,612	-
1994.....	5,355	2	1	1	4	12	30	66	256	828	1,838	2,317	-
1993.....	5,068	1	1	1	2	8	29	84	273	825	1,657	2,187	-
1992.....	4,522	-	-	1	2	3	20	58	238	758	1,576	1,866	-
1991.....	4,222	2	-	-	4	5	37	73	207	753	1,472	1,671	-
1990.....	4,098	2	-	1	1	4	22	61	230	723	1,456	1,598	-
1989.....	3,830	-	2	3	3	6	24	57	203	671	1,287	1,573	1
1988.....	3,684	-	-	-	4	11	34	67	202	666	1,252	1,448	-
1987.....	3,558	1	1	1	5	11	19	63	200	689	1,210	1,358	-
1986.....	3,532	2	1	-	-	7	15	82	234	635	1,259	1,294	3
1985.....	3,334	-	-	-	1	8	22	56	209	622	1,173	1,242	1
1984.....	3,347	-	-	-	2	5	17	60	270	648	1,150	1,195	-
1983.....	3,368	1	-	-	3	4	21	60	238	635	1,159	1,247	-
1982.....	3,266	-	-	3	4	4	19	69	237	606	1,137	1,185	2
1981.....	3,176	1	1	-	5	15	20	68	233	595	1,103	1,135	-
1980.....	3,317	1	-	3	4	12	23	80	228	632	1,187	1,147	-
1979.....	3,068	-	2	4	3	2	28	76	234	543	1,067	1,109	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 HYPERTENSION WITH OR WITHOUT RENAL DISEASE (401,403)													
ALL OTHER, BOTH SEXES													
1998.....	3,490	6	-	2	2	34	128	296	474	767	961	820	-
1997.....	3,158	-	1	1	6	35	144	306	384	707	863	710	1
1996.....	3,081	3	-	1	12	34	120	301	407	668	843	692	-
1995.....	3,031	3	-	1	8	34	142	273	436	709	824	599	2
1994.....	2,863	2	1	-	12	40	134	258	374	661	840	541	-
1993.....	2,805	-	1	-	9	43	137	232	404	657	751	570	1
1992.....	2,515	1	-	-	10	45	106	230	366	665	659	432	1
1991.....	2,364	2	2	-	5	34	117	217	349	592	671	374	1
1990.....	2,209	2	1	-	9	29	114	213	347	554	586	353	1
1989.....	2,117	-	-	1	8	39	104	194	326	554	585	306	-
1988.....	2,023	1	-	-	4	37	76	204	373	506	510	311	1
1987.....	1,889	-	-	-	8	23	87	167	314	512	498	279	1
1986.....	1,813	1	-	-	5	33	76	162	317	462	499	257	1
1985.....	1,829	1	-	1	5	27	87	180	340	467	465	255	1
1984.....	1,776	1	-	2	1	31	71	151	337	498	475	208	1
1983.....	1,647	2	-	1	3	24	72	160	318	440	412	211	4
1982.....	1,565	4	-	1	4	28	57	159	294	424	418	176	-
1981.....	1,693	1	-	-	6	34	85	196	320	446	398	207	-
1980.....	1,697	-	1	2	8	30	88	213	322	463	384	185	1
1979.....	1,562	2	3	-	2	36	82	199	308	414	333	183	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 HYPERTENSION WITH OR WITHOUT RENAL DISEASE (401,403)													
ALL OTHER MALE													
1998.....	1,421	4	-	-	1	22	73	183	234	356	355	193	-
1997.....	1,381	-	1	-	2	20	91	192	212	303	356	203	1
1996.....	1,346	1	-	1	8	19	66	179	221	305	325	221	-
1995.....	1,328	2	-	1	4	24	89	162	220	319	319	187	1
1994.....	1,247	-	1	-	6	22	86	168	211	282	322	149	-
1993.....	1,142	-	-	-	5	21	79	119	209	287	266	155	1
1992.....	1,057	1	-	-	6	30	51	126	168	303	251	120	1
1991.....	1,018	2	-	-	4	22	76	111	178	259	246	120	-
1990.....	971	1	-	-	4	20	77	115	164	253	219	118	-
1989.....	952	-	-	1	5	29	62	121	152	264	229	89	-
1988.....	806	-	-	-	1	23	47	109	145	206	186	88	1
1987.....	838	-	-	-	5	15	53	93	175	220	199	78	-
1986.....	764	-	-	-	4	23	38	90	162	178	193	76	-
1985.....	797	1	-	-	1	16	54	97	162	210	173	83	-
1984.....	784	1	-	2	1	23	41	83	166	229	168	70	-
1983.....	752	2	-	-	2	16	46	85	159	197	165	76	4
1982.....	692	2	-	1	2	20	37	81	144	180	165	60	-
1981.....	759	-	-	-	4	19	46	102	158	194	164	72	-
1980.....	768	-	-	1	3	15	49	111	159	202	152	75	1
1979.....	732	1	2	-	2	24	48	94	144	200	142	75	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 HYPERTENSION WITH OR WITHOUT RENAL DISEASE (401,403)													
ALL OTHER FEMALE													
1998.....	2,069	2	-	2	1	12	55	113	240	411	606	627	-
1997.....	1,777	-	-	1	4	15	53	114	172	404	507	507	-
1996.....	1,735	2	-	-	4	15	54	122	186	363	518	471	-
1995.....	1,703	1	-	-	4	10	53	111	216	390	505	412	1
1994.....	1,616	2	-	-	6	18	48	90	163	379	518	392	-
1993.....	1,663	-	1	-	4	22	58	113	195	370	485	415	-
1992.....	1,458	-	-	-	4	15	55	104	198	362	408	312	-
1991.....	1,346	-	2	-	1	12	41	106	171	333	425	254	1
1990.....	1,238	1	1	-	5	9	37	98	183	301	367	235	1
1989.....	1,165	-	-	-	3	10	42	73	174	290	356	217	-
1988.....	1,217	1	-	-	3	14	29	95	228	300	324	223	-
1987.....	1,051	-	-	-	3	8	34	74	139	292	299	201	1
1986.....	1,049	1	-	-	1	10	38	72	155	284	306	181	1
1985.....	1,032	-	-	1	4	11	33	83	178	257	292	172	1
1984.....	992	-	-	-	-	8	30	68	171	269	307	138	1
1983.....	895	-	-	1	1	8	26	75	159	243	247	135	-
1982.....	873	2	-	-	2	8	20	78	150	244	253	116	-
1981.....	934	1	-	-	2	15	39	94	162	252	234	135	-
1980.....	929	-	1	1	5	15	39	102	163	261	232	110	-
1979.....	830	1	1	-	-	12	34	105	164	214	191	108	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 HYPERTENSION WITH OR WITHOUT RENAL DISEASE (401,403) BLACK, BOTH SEXES													
1998.....	3,179	6	-	2	2	32	120	278	452	712	841	734	-
1997.....	2,919	-	1	1	5	33	135	295	368	655	787	638	1
1996.....	2,845	3	-	1	11	32	114	291	385	612	773	623	-
1995.....	2,804	3	-	1	8	31	136	267	406	660	746	544	2
1994.....	2,654	2	1	-	11	40	128	246	353	618	769	486	-
1993.....	2,622	-	1	-	9	43	135	220	388	616	696	513	1
1992.....	2,327	1	-	-	10	44	104	222	347	615	594	389	1
1991.....	2,224	2	2	-	4	34	111	212	333	556	632	337	1
1990.....	2,109	1	1	-	9	27	108	208	332	530	561	331	1
1989.....	1,997	-	-	1	8	37	102	185	317	525	543	279	-
1988.....	1,926	1	-	-	4	37	76	194	363	478	481	291	1
1987.....	1,804	-	-	-	8	22	83	163	307	494	469	257	1
1986.....	1,732	1	-	-	5	30	73	157	307	445	471	242	1
1985.....	1,757	-	-	-	4	27	84	178	328	451	441	243	1
1984.....	1,711	1	-	2	1	31	69	145	332	487	447	195	1
1983.....	1,582	1	-	1	3	23	70	154	313	422	396	197	2
1982.....	1,489	4	-	1	3	26	52	156	283	412	395	157	-
1981.....	1,633	-	-	-	6	33	84	190	308	438	376	198	-
1980.....	1,627	-	1	2	8	30	86	204	310	451	363	171	1
1979.....	1,509	2	2	-	2	36	78	195	300	403	318	173	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 HYPERTENSION WITH OR WITHOUT RENAL DISEASE (401,403) BLACK MALE													
1998.....	1,276	4	-	-	1	20	68	170	224	332	295	162	-
1997.....	1,257	-	1	-	2	19	84	186	202	275	318	169	1
1996.....	1,233	1	-	1	7	17	60	171	210	282	298	186	-
1995.....	1,216	2	-	1	4	22	86	157	201	296	284	162	1
1994.....	1,147	-	1	-	6	22	82	160	199	261	292	124	-
1993.....	1,067	-	-	-	5	21	78	114	202	275	237	134	1
1992.....	969	1	-	-	6	30	49	120	160	278	217	107	1
1991.....	945	2	-	-	3	22	72	107	169	241	229	100	-
1990.....	919	1	-	-	4	19	71	112	153	245	205	109	-
1989.....	892	-	-	1	5	28	61	114	149	247	211	76	-
1988.....	747	-	-	-	1	23	47	101	140	189	165	80	1
1987.....	795	-	-	-	5	15	50	91	172	210	183	69	-
1986.....	719	-	-	-	4	21	36	85	155	169	179	70	-
1985.....	764	-	-	-	1	16	51	95	157	204	162	78	-
1984.....	750	1	-	2	1	23	40	79	164	224	150	66	-
1983.....	719	1	-	-	2	15	45	82	157	188	158	69	2
1982.....	650	2	-	1	1	19	32	80	135	178	152	50	-
1981.....	727	-	-	-	4	19	45	98	149	191	151	70	-
1980.....	728	-	-	1	3	15	48	107	152	192	140	69	1
1979.....	705	1	1	-	2	24	46	92	138	194	136	71	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 HYPERTENSION WITH OR WITHOUT RENAL DISEASE (401,403)													
BLACK FEMALE													
1998.....	1,903	2	-	2	1	12	52	108	228	380	546	572	-
1997.....	1,662	-	-	1	3	14	51	109	166	380	469	469	-
1996.....	1,612	2	-	-	4	15	54	120	175	330	475	437	-
1995.....	1,588	1	-	-	4	9	50	110	205	364	462	382	1
1994.....	1,507	2	-	-	5	18	46	86	154	357	477	362	-
1993.....	1,555	-	1	-	4	22	57	106	186	341	459	379	-
1992.....	1,358	-	-	-	4	14	55	102	187	337	377	282	-
1991.....	1,279	-	2	-	1	12	39	105	164	315	403	237	1
1990.....	1,190	-	1	-	5	8	37	96	179	285	356	222	1
1989.....	1,105	-	-	-	3	9	41	71	168	278	332	203	-
1988.....	1,179	1	-	-	3	14	29	93	223	289	316	211	-
1987.....	1,009	-	-	-	3	7	33	72	135	284	286	188	1
1986.....	1,013	1	-	-	1	9	37	72	152	276	292	172	1
1985.....	993	-	-	-	3	11	33	83	171	247	279	165	1
1984.....	961	-	-	-	-	8	29	66	168	263	297	129	1
1983.....	863	-	-	1	1	8	25	72	156	234	238	128	-
1982.....	839	2	-	-	2	7	20	76	148	234	243	107	-
1981.....	906	-	-	-	2	14	39	92	159	247	225	128	-
1980.....	899	-	1	1	5	15	38	97	158	259	223	102	-
1979.....	804	1	1	-	-	12	32	103	162	209	182	102	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
CEREBROVASCULAR DISEASES (430-438)													
TOTAL, BOTH SEXES													
1998.....	158,448	296	57	82	178	670	2,650	5,709	9,653	23,912	54,428	60,804	9
1997.....	159,791	264	56	76	188	678	2,787	5,695	9,676	24,944	54,076	61,346	5
1996.....	159,942	233	49	84	167	720	2,722	5,792	9,676	25,306	54,520	60,662	11
1995.....	157,991	223	57	70	172	720	2,772	5,473	9,735	25,734	53,654	59,374	7
1994.....	153,306	197	54	74	183	802	2,717	5,355	9,577	25,386	52,463	56,491	7
1993.....	150,108	214	49	79	208	797	2,519	5,057	9,625	25,311	51,365	54,875	9
1992.....	143,769	166	50	64	197	796	2,591	4,791	9,709	24,972	49,437	50,983	13
1991.....	143,481	159	57	86	219	813	2,530	4,720	9,744	25,523	49,445	50,171	14
1990.....	144,088	148	45	73	234	937	2,415	4,690	10,124	26,054	49,988	49,367	13
1989.....	145,551	127	40	83	232	913	2,354	4,583	10,541	26,306	50,740	49,614	18
1988.....	150,517	152	55	72	266	969	2,423	4,630	11,196	27,694	52,716	50,335	9
1987.....	149,835	127	54	73	244	967	2,410	4,672	11,488	27,767	52,330	49,687	16
1986.....	149,643	109	37	73	263	960	2,351	4,648	11,780	28,444	51,982	48,931	65
1985.....	153,050	135	48	82	307	902	2,272	4,774	12,136	29,129	53,471	49,741	53
1984.....	154,327	111	53	106	329	923	2,294	5,082	12,442	29,623	53,911	49,432	21
1983.....	155,598	144	49	91	336	878	2,152	5,101	12,817	30,068	54,840	49,095	27
1982.....	157,710	133	43	110	295	943	2,157	5,309	13,024	31,246	55,667	48,759	24
1981.....	163,504	132	44	92	369	1,014	2,231	5,600	13,799	32,799	57,277	50,129	18
1980.....	170,225	155	59	95	418	965	2,189	5,750	14,159	34,194	60,949	51,274	18
1979.....	169,488	156	40	104	379	947	2,277	6,061	14,610	34,807	60,324	49,760	23

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
CEREBROVASCULAR DISEASES (430-438)													
TOTAL, MALE													
1998.....	61,145	174	25	48	109	327	1,376	3,121	5,345	12,017	22,601	15,998	4
1997.....	62,564	147	36	44	106	335	1,419	3,160	5,342	12,663	22,623	16,686	3
1996.....	62,475	125	24	48	96	351	1,445	3,162	5,333	12,882	22,823	16,182	4
1995.....	61,563	125	36	42	97	378	1,485	3,003	5,362	13,004	22,390	15,636	5
1994.....	60,225	115	36	42	98	378	1,467	2,940	5,239	12,936	22,063	14,911	-
1993.....	59,048	119	28	48	94	420	1,365	2,742	5,216	12,966	21,455	14,592	3
1992.....	56,645	109	23	40	118	400	1,366	2,589	5,270	12,656	20,426	13,640	8
1991.....	56,714	84	32	45	105	387	1,375	2,554	5,237	13,141	20,608	13,138	8
1990.....	56,697	88	22	36	128	455	1,260	2,505	5,411	13,191	20,696	12,898	7
1989.....	57,321	71	19	48	115	458	1,272	2,426	5,704	13,303	20,816	13,083	6
1988.....	59,759	83	28	30	144	521	1,312	2,470	6,118	14,024	21,618	13,411	-
1987.....	59,061	75	33	42	120	489	1,273	2,460	6,184	13,931	21,352	13,094	8
1986.....	59,164	64	20	35	142	490	1,262	2,402	6,263	14,147	21,304	13,019	16
1985.....	60,780	87	26	36	150	467	1,155	2,531	6,595	14,783	21,768	13,166	16
1984.....	61,697	65	27	55	175	466	1,180	2,677	6,664	15,050	21,763	13,567	8
1983.....	62,847	87	30	42	176	470	1,068	2,649	6,871	15,312	22,503	13,633	6
1982.....	63,855	82	24	60	152	487	1,074	2,759	6,948	15,992	22,469	13,795	13
1981.....	66,429	81	22	45	187	511	1,113	2,889	7,339	16,703	23,269	14,257	13
1980.....	69,973	90	28	46	240	482	1,095	3,000	7,586	17,514	24,893	14,988	11
1979.....	70,439	86	23	58	198	489	1,166	3,146	7,976	17,791	24,698	14,793	15

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
CEREBROVASCULAR DISEASES (430-438)													
TOTAL, FEMALE													
1998.....	97,303	122	32	34	69	343	1,274	2,588	4,308	11,895	31,827	44,806	5
1997.....	97,227	117	20	32	82	343	1,368	2,535	4,334	12,281	31,453	44,660	2
1996.....	97,467	108	25	36	71	369	1,277	2,630	4,343	12,424	31,697	44,480	7
1995.....	96,428	98	21	28	75	342	1,287	2,470	4,373	12,730	31,264	43,738	2
1994.....	93,081	82	18	32	85	424	1,250	2,415	4,338	12,450	30,400	41,580	7
1993.....	91,060	95	21	31	114	377	1,154	2,315	4,409	12,345	29,910	40,283	6
1992.....	87,124	57	27	24	79	396	1,225	2,202	4,439	12,316	29,011	37,343	5
1991.....	86,767	75	25	41	114	426	1,155	2,166	4,507	12,382	28,837	37,033	6
1990.....	87,391	60	23	37	106	482	1,155	2,185	4,713	12,863	29,292	36,469	6
1989.....	88,230	56	21	35	117	455	1,082	2,157	4,837	13,003	29,924	36,531	12
1988.....	90,758	69	27	42	122	448	1,111	2,160	5,078	13,670	31,098	36,924	9
1987.....	90,774	52	21	31	124	478	1,137	2,212	5,304	13,836	30,978	36,593	8
1986.....	90,479	45	17	38	121	470	1,089	2,246	5,517	14,297	30,678	35,912	49
1985.....	92,270	48	22	46	157	435	1,117	2,243	5,541	14,346	31,703	36,575	37
1984.....	92,630	46	26	51	154	457	1,114	2,405	5,778	14,573	32,148	35,865	13
1983.....	92,751	57	19	49	160	408	1,084	2,452	5,946	14,756	32,337	35,462	21
1982.....	93,855	51	19	50	143	456	1,083	2,550	6,076	15,254	33,198	34,964	11
1981.....	97,075	51	22	47	182	503	1,118	2,711	6,460	16,096	34,008	35,872	5
1980.....	100,252	65	31	49	178	483	1,094	2,750	6,573	16,680	36,056	36,286	7
1979.....	99,049	70	17	46	181	458	1,111	2,915	6,634	17,016	35,626	34,967	8

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
CEREBROVASCULAR DISEASES (430-438)													
WHITE, BOTH SEXES													
1998.....	136,855	198	34	58	128	445	1,698	3,721	7,007	19,473	48,202	55,887	4
1997.....	138,324	179	36	54	136	468	1,726	3,743	6,920	20,399	48,133	56,526	4
1996.....	138,296	160	34	68	133	494	1,707	3,859	7,032	20,560	48,400	55,842	7
1995.....	136,481	161	34	55	119	499	1,711	3,665	7,107	21,042	47,545	54,540	3
1994.....	132,497	140	39	57	133	533	1,637	3,527	7,049	20,754	46,496	52,128	4
1993.....	129,992	154	35	53	159	546	1,594	3,384	7,061	20,770	45,598	50,635	3
1992.....	124,371	104	38	50	147	525	1,588	3,251	7,127	20,482	43,957	47,092	10
1991.....	123,720	103	37	66	162	528	1,591	3,128	7,137	20,936	43,810	46,213	9
1990.....	124,526	89	33	55	171	622	1,476	3,108	7,510	21,438	44,396	45,624	4
1989.....	125,516	84	27	62	160	597	1,450	3,003	7,775	21,600	44,895	45,852	11
1988.....	130,075	93	39	55	207	613	1,518	3,114	8,300	22,761	46,772	46,599	4
1987.....	130,047	86	42	56	178	635	1,553	3,124	8,594	22,983	46,650	46,138	8
1986.....	130,006	66	24	58	194	621	1,510	3,152	8,922	23,585	46,317	45,511	46
1985.....	133,032	90	33	70	220	597	1,469	3,257	9,223	24,125	47,604	46,300	44
1984.....	134,404	77	35	73	236	600	1,528	3,539	9,479	24,441	48,096	46,289	11
1983.....	135,596	99	40	69	246	599	1,417	3,500	9,730	24,869	49,203	45,808	16
1982.....	137,641	84	31	88	218	627	1,405	3,712	9,931	26,060	49,854	45,616	15
1981.....	142,765	83	35	73	271	684	1,498	3,884	10,647	27,296	51,471	46,811	12
1980.....	148,734	103	44	72	303	638	1,470	4,045	10,899	28,392	54,777	47,980	11
1979.....	148,416	97	31	85	286	647	1,505	4,273	11,337	29,008	54,542	46,589	16

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
CEREBROVASCULAR DISEASES (430-438)													
WHITE MALE													
1998.....	51,766	117	13	33	85	230	907	2,053	3,844	9,861	20,064	14,557	2
1997.....	53,158	99	21	31	77	236	920	2,070	3,825	10,420	20,189	15,268	2
1996.....	53,016	89	18	42	77	253	938	2,076	3,850	10,536	20,382	14,753	2
1995.....	52,045	93	22	36	67	271	928	1,949	3,920	10,697	19,819	14,240	3
1994.....	51,009	86	26	33	73	268	898	1,927	3,858	10,652	19,555	13,633	-
1993.....	50,220	84	20	31	68	310	882	1,815	3,840	10,762	19,056	13,351	1
1992.....	48,073	67	19	30	90	285	836	1,770	3,860	10,431	18,186	12,493	6
1991.....	47,839	55	18	35	88	260	858	1,653	3,870	10,852	18,224	11,921	5
1990.....	48,024	49	13	28	99	319	781	1,635	4,036	10,919	18,369	11,776	-
1989.....	48,563	45	12	37	84	317	776	1,564	4,255	11,032	18,502	11,935	4
1988.....	50,692	50	20	24	116	331	822	1,642	4,577	11,648	19,142	12,320	-
1987.....	50,237	56	27	32	90	332	793	1,643	4,650	11,624	18,961	12,024	5
1986.....	50,365	39	14	29	106	327	802	1,597	4,772	11,788	18,901	11,981	9
1985.....	51,965	57	16	33	110	321	739	1,722	5,074	12,352	19,383	12,147	11
1984.....	52,833	40	16	33	132	321	778	1,847	5,083	12,563	19,442	12,574	4
1983.....	53,968	62	27	32	135	327	700	1,822	5,273	12,793	20,200	12,593	4
1982.....	54,726	54	18	46	118	340	681	1,929	5,322	13,391	20,044	12,777	6
1981.....	57,000	51	17	38	137	350	726	1,977	5,681	14,034	20,810	13,170	9
1980.....	60,095	57	21	32	177	323	716	2,122	5,872	14,653	22,228	13,886	8
1979.....	60,613	52	18	49	155	344	733	2,190	6,165	14,960	22,213	13,725	9

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
CEREBROVASCULAR DISEASES (430-438)													
WHITE FEMALE													
1998.....	85,089	81	21	25	43	215	791	1,668	3,163	9,612	28,138	41,330	2
1997.....	85,166	80	15	23	59	232	806	1,673	3,095	9,979	27,944	41,258	2
1996.....	85,280	71	16	26	56	241	769	1,783	3,182	10,024	28,018	41,089	5
1995.....	84,436	68	12	19	52	228	783	1,716	3,187	10,345	27,726	40,300	-
1994.....	81,488	54	13	24	60	265	739	1,600	3,191	10,102	26,941	38,495	4
1993.....	79,772	70	15	22	91	236	712	1,569	3,221	10,008	26,542	37,284	2
1992.....	76,298	37	19	20	57	240	752	1,481	3,267	10,051	25,771	34,599	4
1991.....	75,881	48	19	31	74	268	733	1,475	3,267	10,084	25,586	34,292	4
1990.....	76,502	40	20	27	72	303	695	1,473	3,474	10,519	26,027	33,848	4
1989.....	76,953	39	15	25	76	280	674	1,439	3,520	10,568	26,393	33,917	7
1988.....	79,383	43	19	31	91	282	696	1,472	3,723	11,113	27,630	34,279	4
1987.....	79,810	30	15	24	88	303	760	1,481	3,944	11,359	27,689	34,114	3
1986.....	79,641	27	10	29	88	294	708	1,555	4,150	11,797	27,416	33,530	37
1985.....	81,067	33	17	37	110	276	730	1,535	4,149	11,773	28,221	34,153	33
1984.....	81,571	37	19	40	104	279	750	1,692	4,396	11,878	28,654	33,715	7
1983.....	81,628	37	13	37	111	272	717	1,678	4,457	12,076	29,003	33,215	12
1982.....	82,915	30	13	42	100	287	724	1,783	4,609	12,669	29,810	32,839	9
1981.....	85,765	32	18	35	134	334	772	1,907	4,966	13,262	30,661	33,641	3
1980.....	88,639	46	23	40	126	315	754	1,923	5,027	13,739	32,549	34,094	3
1979.....	87,803	45	13	36	131	303	772	2,083	5,172	14,048	32,329	32,864	7

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
CEREBROVASCULAR DISEASES (430-438)													
ALL OTHER, BOTH SEXES													
1998.....	21,593	98	23	24	50	225	952	1,988	2,646	4,439	6,226	4,917	5
1997.....	21,467	85	20	22	52	210	1,061	1,952	2,756	4,545	5,943	4,820	1
1996.....	21,646	73	15	16	34	226	1,015	1,933	2,644	4,746	6,120	4,820	4
1995.....	21,510	62	23	15	53	221	1,061	1,808	2,628	4,692	6,109	4,834	4
1994.....	20,809	57	15	17	50	269	1,080	1,828	2,528	4,632	5,967	4,363	3
1993.....	20,116	60	14	26	49	251	925	1,673	2,564	4,541	5,767	4,240	6
1992.....	19,398	62	12	14	50	271	1,003	1,540	2,582	4,490	5,480	3,891	3
1991.....	19,761	56	20	20	57	285	939	1,592	2,607	4,587	5,635	3,958	5
1990.....	19,562	59	12	18	63	315	939	1,582	2,614	4,616	5,592	3,743	9
1989.....	20,035	43	13	21	72	316	904	1,580	2,766	4,706	5,845	3,762	7
1988.....	20,442	59	16	17	59	356	905	1,516	2,896	4,933	5,944	3,736	5
1987.....	19,788	41	12	17	66	332	857	1,548	2,894	4,784	5,680	3,549	8
1986.....	19,637	43	13	15	69	339	841	1,496	2,858	4,859	5,665	3,420	19
1985.....	20,018	45	15	12	87	305	803	1,517	2,913	5,004	5,867	3,441	9
1984.....	19,923	34	18	33	93	323	766	1,543	2,963	5,182	5,815	3,143	10
1983.....	20,002	45	9	22	90	279	735	1,601	3,087	5,199	5,637	3,287	11
1982.....	20,069	49	12	22	77	316	752	1,597	3,093	5,186	5,813	3,143	9
1981.....	20,739	49	9	19	98	330	733	1,716	3,152	5,503	5,806	3,318	6
1980.....	21,491	52	15	23	115	327	719	1,705	3,260	5,802	6,172	3,294	7
1979.....	21,072	59	9	19	93	300	772	1,788	3,273	5,799	5,782	3,171	7

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
CEREBROVASCULAR DISEASES (430-438)													
ALL OTHER MALE													
1998.....	9,379	57	12	15	24	97	469	1,068	1,501	2,156	2,537	1,441	2
1997.....	9,406	48	15	13	29	99	499	1,090	1,517	2,243	2,434	1,418	1
1996.....	9,459	36	6	6	19	98	507	1,086	1,483	2,346	2,441	1,429	2
1995.....	9,518	32	14	6	30	107	557	1,054	1,442	2,307	2,571	1,396	2
1994.....	9,216	29	10	9	25	110	569	1,013	1,381	2,284	2,508	1,278	-
1993.....	8,828	35	8	17	26	110	483	927	1,376	2,204	2,399	1,241	2
1992.....	8,572	42	4	10	28	115	530	819	1,410	2,225	2,240	1,147	2
1991.....	8,875	29	14	10	17	127	517	901	1,367	2,289	2,384	1,217	3
1990.....	8,673	39	9	8	29	136	479	870	1,375	2,272	2,327	1,122	7
1989.....	8,758	26	7	11	31	141	496	862	1,449	2,271	2,314	1,148	2
1988.....	9,067	33	8	6	28	190	490	828	1,541	2,376	2,476	1,091	-
1987.....	8,824	19	6	10	30	157	480	817	1,534	2,307	2,391	1,070	3
1986.....	8,799	25	6	6	36	163	460	805	1,491	2,359	2,403	1,038	7
1985.....	8,815	30	10	3	40	146	416	809	1,521	2,431	2,385	1,019	5
1984.....	8,864	25	11	22	43	145	402	830	1,581	2,487	2,321	993	4
1983.....	8,879	25	3	10	41	143	368	827	1,598	2,519	2,303	1,040	2
1982.....	9,129	28	6	14	34	147	393	830	1,626	2,601	2,425	1,018	7
1981.....	9,429	30	5	7	50	161	387	912	1,658	2,669	2,459	1,087	4
1980.....	9,878	33	7	14	63	159	379	878	1,714	2,861	2,665	1,102	3
1979.....	9,826	34	5	9	43	145	433	956	1,811	2,831	2,485	1,068	6

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
CEREBROVASCULAR DISEASES (430-438)													
ALL OTHER FEMALE													
1998.....	12,214	41	11	9	26	128	483	920	1,145	2,283	3,689	3,476	3
1997.....	12,061	37	5	9	23	111	562	862	1,239	2,302	3,509	3,402	-
1996.....	12,187	37	9	10	15	128	508	847	1,161	2,400	3,679	3,391	2
1995.....	11,992	30	9	9	23	114	504	754	1,186	2,385	3,538	3,438	2
1994.....	11,593	28	5	8	25	159	511	815	1,147	2,348	3,459	3,085	3
1993.....	11,288	25	6	9	23	141	442	746	1,188	2,337	3,368	2,999	4
1992.....	10,826	20	8	4	22	156	473	721	1,172	2,265	3,240	2,744	1
1991.....	10,886	27	6	10	40	158	422	691	1,240	2,298	3,251	2,741	2
1990.....	10,889	20	3	10	34	179	460	712	1,239	2,344	3,265	2,621	2
1989.....	11,277	17	6	10	41	175	408	718	1,317	2,435	3,531	2,614	5
1988.....	11,375	26	8	11	31	166	415	688	1,355	2,557	3,468	2,645	5
1987.....	10,964	22	6	7	36	175	377	731	1,360	2,477	3,289	2,479	5
1986.....	10,838	18	7	9	33	176	381	691	1,367	2,500	3,262	2,382	12
1985.....	11,203	15	5	9	47	159	387	708	1,392	2,573	3,482	2,422	4
1984.....	11,059	9	7	11	50	178	364	713	1,382	2,695	3,494	2,150	6
1983.....	11,123	20	6	12	49	136	367	774	1,489	2,680	3,334	2,247	9
1982.....	10,940	21	6	8	43	169	359	767	1,467	2,585	3,388	2,125	2
1981.....	11,310	19	4	12	48	169	346	804	1,494	2,834	3,347	2,231	2
1980.....	11,613	19	8	9	52	168	340	827	1,546	2,941	3,507	2,192	4
1979.....	11,246	25	4	10	50	155	339	832	1,462	2,968	3,297	2,103	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
CEREBROVASCULAR DISEASES (430-438)													
BLACK, BOTH SEXES													
1998.....	18,237	90	20	22	41	197	865	1,762	2,263	3,696	5,134	4,142	5
1997.....	18,131	73	19	21	43	182	943	1,724	2,353	3,855	4,855	4,062	1
1996.....	18,481	63	14	14	30	201	916	1,680	2,300	4,052	5,169	4,038	4
1995.....	18,537	57	21	11	42	197	958	1,585	2,267	4,051	5,183	4,161	4
1994.....	18,022	53	11	16	44	244	978	1,629	2,226	3,986	5,100	3,733	2
1993.....	17,557	48	11	20	40	230	849	1,486	2,255	3,956	5,000	3,656	6
1992.....	17,044	59	11	11	43	245	929	1,367	2,258	3,941	4,812	3,365	3
1991.....	17,362	49	17	20	49	261	860	1,412	2,313	4,035	4,929	3,413	4
1990.....	17,407	52	10	15	55	280	869	1,429	2,345	4,102	4,954	3,288	8
1989.....	17,979	38	9	19	64	294	819	1,420	2,491	4,275	5,242	3,302	6
1988.....	18,479	52	14	15	55	330	833	1,370	2,656	4,495	5,347	3,310	2
1987.....	17,907	39	11	14	55	304	800	1,403	2,648	4,336	5,115	3,175	7
1986.....	17,952	38	10	13	59	321	785	1,370	2,635	4,442	5,178	3,086	15
1985.....	18,341	43	14	11	78	292	742	1,420	2,698	4,604	5,342	3,090	7
1984.....	18,369	32	14	27	83	297	711	1,433	2,747	4,846	5,335	2,835	9
1983.....	18,562	41	7	19	85	266	677	1,494	2,903	4,846	5,216	3,000	8
1982.....	18,698	42	12	20	76	302	711	1,496	2,926	4,872	5,372	2,860	9
1981.....	19,416	45	7	18	90	311	694	1,609	2,981	5,201	5,420	3,035	5
1980.....	20,135	47	11	21	110	310	682	1,619	3,090	5,492	5,742	3,004	7
1979.....	19,837	56	9	19	84	281	732	1,686	3,122	5,519	5,409	2,914	6

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
CEREBROVASCULAR DISEASES (430-438)													
BLACK MALE													
1998.....	7,765	51	10	14	22	81	417	945	1,275	1,789	2,042	1,117	2
1997.....	7,794	41	15	13	25	87	436	970	1,300	1,893	1,916	1,097	1
1996.....	7,972	30	6	5	16	85	447	960	1,288	1,994	2,031	1,108	2
1995.....	8,011	30	14	5	23	91	485	940	1,240	1,964	2,113	1,104	2
1994.....	7,826	28	8	9	23	95	513	903	1,222	1,949	2,068	1,008	-
1993.....	7,599	30	7	14	21	98	442	838	1,215	1,912	2,007	1,013	2
1992.....	7,421	39	4	8	24	105	487	738	1,241	1,945	1,894	934	2
1991.....	7,685	25	12	10	13	116	472	809	1,217	2,002	2,030	977	2
1990.....	7,653	33	9	6	25	119	445	804	1,245	2,008	2,005	948	6
1989.....	7,739	24	4	10	28	127	452	782	1,322	2,040	1,989	960	1
1988.....	8,098	28	6	5	25	175	449	763	1,419	2,150	2,166	912	-
1987.....	7,852	17	5	8	25	138	451	754	1,383	2,061	2,084	924	2
1986.....	7,938	23	6	5	31	152	433	745	1,372	2,138	2,122	905	6
1985.....	8,000	28	9	3	36	138	392	760	1,425	2,225	2,093	886	5
1984.....	8,093	23	9	17	34	135	377	775	1,474	2,309	2,057	879	4
1983.....	8,139	21	2	10	39	133	339	779	1,492	2,305	2,085	932	2
1982.....	8,414	23	6	12	34	139	372	781	1,518	2,436	2,169	917	7
1981.....	8,760	27	4	7	44	152	372	857	1,573	2,482	2,256	983	3
1980.....	9,194	30	6	14	59	151	361	841	1,621	2,681	2,434	993	3
1979.....	9,186	33	5	9	39	137	417	909	1,724	2,656	2,294	957	6

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
CEREBROVASCULAR DISEASES (430-438)													
BLACK FEMALE													
1998.....	10,472	39	10	8	19	116	448	817	988	1,907	3,092	3,025	3
1997.....	10,337	32	4	8	18	95	507	754	1,053	1,962	2,939	2,965	-
1996.....	10,509	33	8	9	14	116	469	720	1,012	2,058	3,138	2,930	2
1995.....	10,526	27	7	6	19	106	473	645	1,027	2,087	3,070	3,057	2
1994.....	10,196	25	3	7	21	149	465	726	1,004	2,037	3,032	2,725	2
1993.....	9,958	18	4	6	19	132	407	648	1,040	2,044	2,993	2,643	4
1992.....	9,623	20	7	3	19	140	442	629	1,017	1,996	2,918	2,431	1
1991.....	9,677	24	5	10	36	145	388	603	1,096	2,033	2,899	2,436	2
1990.....	9,754	19	1	9	30	161	424	625	1,100	2,094	2,949	2,340	2
1989.....	10,240	14	5	9	36	167	367	638	1,169	2,235	3,253	2,342	5
1988.....	10,381	24	8	10	30	155	384	607	1,237	2,345	3,181	2,398	2
1987.....	10,055	22	6	6	30	166	349	649	1,265	2,275	3,031	2,251	5
1986.....	10,014	15	4	8	28	169	352	625	1,263	2,304	3,056	2,181	9
1985.....	10,341	15	5	8	42	154	350	660	1,273	2,379	3,249	2,204	2
1984.....	10,276	9	5	10	49	162	334	658	1,273	2,537	3,278	1,956	5
1983.....	10,423	20	5	9	46	133	338	715	1,411	2,541	3,131	2,068	6
1982.....	10,284	19	6	8	42	163	339	715	1,408	2,436	3,203	1,943	2
1981.....	10,656	18	3	11	46	159	322	752	1,408	2,719	3,164	2,052	2
1980.....	10,941	17	5	7	51	159	321	778	1,469	2,811	3,308	2,011	4
1979.....	10,651	23	4	10	45	144	315	777	1,398	2,863	3,115	1,957	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)													
TOTAL, BOTH SEXES													
1998.....	26,230	37	15	28	68	248	1,056	2,287	3,042	5,585	8,924	4,936	4
1997.....	25,858	30	10	30	74	265	1,141	2,327	2,980	5,720	8,443	4,837	1
1996.....	23,573	36	10	34	61	244	1,059	2,265	2,815	5,288	7,555	4,204	2
1995.....	22,645	40	16	28	70	254	1,090	2,074	2,747	5,034	7,299	3,990	3
1994.....	21,807	49	12	29	60	268	1,103	2,024	2,710	5,052	6,760	3,740	-
1993.....	21,449	58	11	36	64	266	995	1,880	2,759	5,140	6,689	3,548	3
1992.....	21,118	41	19	26	78	276	1,016	1,795	2,751	5,068	6,518	3,528	2
1991.....	20,681	41	13	40	78	272	988	1,721	2,761	4,988	6,376	3,400	3
1990.....	20,575	61	12	19	83	315	916	1,730	2,853	4,968	6,344	3,270	4
1989.....	20,679	50	12	37	93	320	899	1,712	2,998	4,835	6,309	3,408	6
1988.....	21,242	53	19	31	91	343	909	1,747	3,087	5,265	6,468	3,226	3
1987.....	20,673	51	21	33	80	309	923	1,725	3,136	5,056	6,160	3,177	2
1986.....	20,479	52	10	32	106	324	892	1,655	3,085	5,135	6,014	3,161	13
1985.....	20,728	68	15	39	106	312	859	1,690	3,187	5,084	6,123	3,242	3
1984.....	20,192	67	19	52	117	312	840	1,756	3,182	5,096	5,770	2,978	3
1983.....	19,407	94	18	31	126	317	780	1,704	3,169	4,788	5,554	2,823	3
1982.....	19,895	86	14	51	109	333	755	1,844	3,285	4,961	5,575	2,876	6
1981.....	20,188	86	13	45	140	334	795	1,887	3,394	4,952	5,548	2,991	3
1980.....	20,772	93	22	49	143	295	783	1,904	3,479	5,111	5,730	3,160	3
1979.....	21,755	109	13	42	139	289	779	2,047	3,533	5,651	5,895	3,252	6

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)													
TOTAL, MALE													
1998.....	12,044	26	5	21	40	138	625	1,363	1,761	2,835	3,765	1,464	1
1997.....	11,940	17	7	17	43	141	654	1,408	1,703	2,946	3,565	1,439	-
1996.....	10,802	21	5	16	39	139	637	1,327	1,598	2,642	3,182	1,194	2
1995.....	10,374	21	12	15	34	145	649	1,244	1,558	2,527	2,987	1,179	3
1994.....	10,094	27	10	13	33	150	686	1,226	1,486	2,561	2,810	1,092	-
1993.....	9,947	37	7	19	33	157	614	1,135	1,488	2,642	2,780	1,033	2
1992.....	9,639	30	7	19	44	159	625	1,030	1,525	2,519	2,661	1,018	2
1991.....	9,430	26	9	20	36	142	599	1,013	1,499	2,528	2,576	980	2
1990.....	9,227	37	6	11	44	175	550	1,006	1,533	2,423	2,532	907	3
1989.....	9,471	28	7	23	51	185	556	972	1,620	2,413	2,587	1,026	3
1988.....	9,736	29	9	14	62	213	549	988	1,703	2,660	2,588	921	-
1987.....	9,378	29	14	22	40	174	551	983	1,685	2,449	2,503	927	1
1986.....	9,122	30	5	14	58	180	543	889	1,623	2,480	2,396	897	7
1985.....	9,351	47	8	14	50	185	491	943	1,745	2,579	2,424	863	2
1984.....	9,018	38	11	21	63	165	503	922	1,643	2,460	2,289	901	2
1983.....	8,717	58	7	16	65	186	430	949	1,651	2,319	2,234	801	1
1982.....	9,071	54	6	31	59	200	433	995	1,756	2,473	2,224	837	3
1981.....	9,037	46	6	16	73	189	434	992	1,760	2,418	2,208	892	3
1980.....	9,427	51	13	25	82	163	426	1,003	1,841	2,536	2,328	958	1
1979.....	9,933	59	9	22	76	148	459	1,127	1,864	2,792	2,392	979	6

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)													
TOTAL, FEMALE													
1998.....	14,186	11	10	7	28	110	431	924	1,281	2,750	5,159	3,472	3
1997.....	13,918	13	3	13	31	124	487	919	1,277	2,774	4,878	3,398	1
1996.....	12,771	15	5	18	22	105	422	938	1,217	2,646	4,373	3,010	-
1995.....	12,271	19	4	13	36	109	441	830	1,189	2,507	4,312	2,811	-
1994.....	11,713	22	2	16	27	118	417	798	1,224	2,491	3,950	2,648	-
1993.....	11,502	21	4	17	31	109	381	745	1,271	2,498	3,909	2,515	1
1992.....	11,479	11	12	7	34	117	391	765	1,226	2,549	3,857	2,510	-
1991.....	11,251	15	4	20	42	130	389	708	1,262	2,460	3,800	2,420	1
1990.....	11,348	24	6	8	39	140	366	724	1,320	2,545	3,812	2,363	1
1989.....	11,208	22	5	14	42	135	343	740	1,378	2,422	3,722	2,382	3
1988.....	11,506	24	10	17	29	130	360	759	1,384	2,605	3,880	2,305	3
1987.....	11,295	22	7	11	40	135	372	742	1,451	2,607	3,657	2,250	1
1986.....	11,357	22	5	18	48	144	349	766	1,462	2,655	3,618	2,264	6
1985.....	11,377	21	7	25	56	127	368	747	1,442	2,505	3,699	2,379	1
1984.....	11,174	29	8	31	54	147	337	834	1,539	2,636	3,481	2,077	1
1983.....	10,690	36	11	15	61	131	350	755	1,518	2,469	3,320	2,022	2
1982.....	10,824	32	8	20	50	133	322	849	1,529	2,488	3,351	2,039	3
1981.....	11,151	40	7	29	67	145	361	895	1,634	2,534	3,340	2,099	-
1980.....	11,345	42	9	24	61	132	357	901	1,638	2,575	3,402	2,202	2
1979.....	11,822	50	4	20	63	141	320	920	1,669	2,859	3,503	2,273	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)													
WHITE, BOTH SEXES													
1998.....	21,553	16	7	22	44	149	603	1,316	2,138	4,647	8,049	4,559	3
1997.....	21,202	17	7	23	56	172	612	1,404	2,084	4,777	7,605	4,444	1
1996.....	19,256	20	6	31	47	167	577	1,338	2,015	4,392	6,802	3,861	-
1995.....	18,452	22	9	20	50	170	554	1,229	1,967	4,224	6,528	3,678	1
1994.....	17,696	32	9	21	46	167	555	1,188	1,959	4,255	6,064	3,400	-
1993.....	17,542	45	6	25	49	163	551	1,139	1,973	4,314	6,023	3,252	2
1992.....	17,325	18	14	21	58	178	553	1,086	1,962	4,282	5,911	3,240	2
1991.....	16,768	22	8	30	56	158	537	997	1,998	4,143	5,727	3,091	1
1990.....	16,776	32	9	14	58	194	494	1,018	2,087	4,161	5,689	3,020	-
1989.....	16,818	28	9	24	59	193	483	1,004	2,202	4,054	5,652	3,105	5
1988.....	17,288	26	18	25	74	208	491	1,032	2,241	4,380	5,809	2,982	2
1987.....	16,922	31	18	24	61	186	508	1,038	2,320	4,281	5,517	2,938	-
1986.....	16,816	27	4	25	78	190	489	1,007	2,271	4,388	5,394	2,935	8
1985.....	17,041	40	11	33	73	188	456	1,060	2,413	4,330	5,454	2,981	2
1984.....	16,682	43	14	39	80	189	502	1,144	2,395	4,292	5,220	2,763	1
1983.....	15,999	64	12	21	97	215	444	1,058	2,414	4,046	5,011	2,615	2
1982.....	16,519	52	11	42	83	207	424	1,208	2,511	4,250	5,035	2,691	5
1981.....	16,824	49	12	36	101	195	464	1,227	2,633	4,268	5,047	2,790	2
1980.....	17,165	65	19	35	102	166	446	1,265	2,666	4,306	5,154	2,939	2
1979.....	18,091	68	12	34	101	170	453	1,344	2,747	4,764	5,336	3,059	3

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)													
WHITE MALE													
1998.....	9,694	12	2	17	29	91	375	793	1,233	2,382	3,417	1,342	1
1997.....	9,516	12	5	13	33	92	375	849	1,180	2,450	3,209	1,298	-
1996.....	8,589	12	5	16	29	100	354	787	1,120	2,202	2,873	1,091	-
1995.....	8,209	12	7	13	23	104	339	721	1,115	2,116	2,676	1,082	1
1994.....	7,983	20	8	7	26	98	360	725	1,072	2,168	2,510	989	-
1993.....	7,891	29	2	12	23	110	347	674	1,051	2,228	2,484	930	1
1992.....	7,682	13	6	16	32	107	347	634	1,070	2,130	2,400	925	2
1991.....	7,421	15	5	14	32	88	328	578	1,084	2,100	2,304	872	1
1990.....	7,252	16	5	9	35	107	286	596	1,124	2,011	2,239	824	-
1989.....	7,485	17	6	15	32	111	298	548	1,176	2,022	2,319	939	2
1988.....	7,687	15	8	12	49	127	297	570	1,238	2,216	2,312	843	-
1987.....	7,423	19	13	15	32	110	292	579	1,242	2,056	2,209	856	-
1986.....	7,280	17	3	12	46	107	293	530	1,195	2,115	2,128	831	3
1985.....	7,473	27	4	13	35	119	251	579	1,343	2,182	2,136	783	1
1984.....	7,269	21	8	15	47	104	294	575	1,227	2,098	2,057	822	1
1983.....	7,017	41	4	11	52	125	237	586	1,271	1,957	1,997	735	1
1982.....	7,323	34	6	26	48	125	230	635	1,326	2,122	1,991	778	2
1981.....	7,293	26	6	13	52	105	230	634	1,348	2,079	1,980	818	2
1980.....	7,584	35	12	17	58	91	221	661	1,397	2,130	2,071	890	1
1979.....	8,029	37	9	17	52	89	244	716	1,436	2,367	2,148	911	3

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)													
WHITE FEMALE													
1998.....	11,859	4	5	5	15	58	228	523	905	2,265	4,632	3,217	2
1997.....	11,686	5	2	10	23	80	237	555	904	2,327	4,396	3,146	1
1996.....	10,667	8	1	15	18	67	223	551	895	2,190	3,929	2,770	-
1995.....	10,243	10	2	7	27	66	215	508	852	2,108	3,852	2,596	-
1994.....	9,713	12	1	14	20	69	195	463	887	2,087	3,554	2,411	-
1993.....	9,651	16	4	13	26	53	204	465	922	2,086	3,539	2,322	1
1992.....	9,643	5	8	5	26	71	206	452	892	2,152	3,511	2,315	-
1991.....	9,347	7	3	16	24	70	209	419	914	2,043	3,423	2,219	-
1990.....	9,524	16	4	5	23	87	208	422	963	2,150	3,450	2,196	-
1989.....	9,333	11	3	9	27	82	185	456	1,026	2,032	3,333	2,166	3
1988.....	9,601	11	10	13	25	81	194	462	1,003	2,164	3,497	2,139	2
1987.....	9,499	12	5	9	29	76	216	459	1,078	2,225	3,308	2,082	-
1986.....	9,536	10	1	13	32	83	196	477	1,076	2,273	3,266	2,104	5
1985.....	9,568	13	7	20	38	69	205	481	1,070	2,148	3,318	2,198	1
1984.....	9,413	22	6	24	33	85	208	569	1,168	2,194	3,163	1,941	-
1983.....	8,982	23	8	10	45	90	207	472	1,143	2,089	3,014	1,880	1
1982.....	9,196	18	5	16	35	82	194	573	1,185	2,128	3,044	1,913	3
1981.....	9,531	23	6	23	49	90	234	593	1,285	2,189	3,067	1,972	-
1980.....	9,581	30	7	18	44	75	225	604	1,269	2,176	3,083	2,049	1
1979.....	10,062	31	3	17	49	81	209	628	1,311	2,397	3,188	2,148	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)													
ALL OTHER, BOTH SEXES													
1998.....	4,677	21	8	6	24	99	453	971	904	938	875	377	1
1997.....	4,656	13	3	7	18	93	529	923	896	943	838	393	-
1996.....	4,317	16	4	3	14	77	482	927	800	896	753	343	2
1995.....	4,193	18	7	8	20	84	536	845	780	810	771	312	2
1994.....	4,111	17	3	8	14	101	548	836	751	797	696	340	-
1993.....	3,907	13	5	11	15	103	444	741	786	826	666	296	1
1992.....	3,793	23	5	5	20	98	463	709	789	786	607	288	-
1991.....	3,913	19	5	10	22	114	451	724	763	845	649	309	2
1990.....	3,799	29	3	5	25	121	422	712	766	807	655	250	4
1989.....	3,861	22	3	13	34	127	416	708	796	781	657	303	1
1988.....	3,954	27	1	6	17	135	418	715	846	885	659	244	1
1987.....	3,751	20	3	9	19	123	415	687	816	775	643	239	2
1986.....	3,663	25	6	7	28	134	403	648	814	747	620	226	5
1985.....	3,687	28	4	6	33	124	403	630	774	754	669	261	1
1984.....	3,510	24	5	13	37	123	338	612	787	804	550	215	2
1983.....	3,408	30	6	10	29	102	336	646	755	742	543	208	1
1982.....	3,376	34	3	9	26	126	331	636	774	711	540	185	1
1981.....	3,364	37	1	9	39	139	331	660	761	684	501	201	1
1980.....	3,607	28	3	14	41	129	337	639	813	805	576	221	1
1979.....	3,664	41	1	8	38	119	326	703	786	887	559	193	3

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)													
ALL OTHER MALE													
1998.....	2,350	14	3	4	11	47	250	570	528	453	348	122	-
1997.....	2,424	5	2	4	10	49	279	559	523	496	356	141	-
1996.....	2,213	9	-	-	10	39	283	540	478	440	309	103	2
1995.....	2,165	9	5	2	11	41	310	523	443	411	311	97	2
1994.....	2,111	7	2	6	7	52	326	501	414	393	300	103	-
1993.....	2,056	8	5	7	10	47	267	461	437	414	296	103	1
1992.....	1,957	17	1	3	12	52	278	396	455	389	261	93	-
1991.....	2,009	11	4	6	4	54	271	435	415	428	272	108	1
1990.....	1,975	21	1	2	9	68	264	410	409	412	293	83	3
1989.....	1,986	11	1	8	19	74	258	424	444	391	268	87	1
1988.....	2,049	14	1	2	13	86	252	418	465	444	276	78	-
1987.....	1,955	10	1	7	8	64	259	404	443	393	294	71	1
1986.....	1,842	13	2	2	12	73	250	359	428	365	268	66	4
1985.....	1,878	20	4	1	15	66	240	364	402	397	288	80	1
1984.....	1,749	17	3	6	16	61	209	347	416	362	232	79	1
1983.....	1,700	17	3	5	13	61	193	363	380	362	237	66	-
1982.....	1,748	20	-	5	11	75	203	360	430	351	233	59	1
1981.....	1,744	20	-	3	21	84	204	358	412	339	228	74	1
1980.....	1,843	16	1	8	24	72	205	342	444	406	257	68	-
1979.....	1,904	22	-	5	24	59	215	411	428	425	244	68	3

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)													
ALL OTHER FEMALE													
1998.....	2,327	7	5	2	13	52	203	401	376	485	527	255	1
1997.....	2,232	8	1	3	8	44	250	364	373	447	482	252	-
1996.....	2,104	7	4	3	4	38	199	387	322	456	444	240	-
1995.....	2,028	9	2	6	9	43	226	322	337	399	460	215	-
1994.....	2,000	10	1	2	7	49	222	335	337	404	396	237	-
1993.....	1,851	5	-	4	5	56	177	280	349	412	370	193	-
1992.....	1,836	6	4	2	8	46	185	313	334	397	346	195	-
1991.....	1,904	8	1	4	18	60	180	289	348	417	377	201	1
1990.....	1,824	8	2	3	16	53	158	302	357	395	362	167	1
1989.....	1,875	11	2	5	15	53	158	284	352	390	389	216	-
1988.....	1,905	13	-	4	4	49	166	297	381	441	383	166	1
1987.....	1,796	10	2	2	11	59	156	283	373	382	349	168	1
1986.....	1,821	12	4	5	16	61	153	289	386	382	352	160	1
1985.....	1,809	8	-	5	18	58	163	266	372	357	381	181	-
1984.....	1,761	7	2	7	21	62	129	265	371	442	318	136	1
1983.....	1,708	13	3	5	16	41	143	283	375	380	306	142	1
1982.....	1,628	14	3	4	15	51	128	276	344	360	307	126	-
1981.....	1,620	17	1	6	18	55	127	302	349	345	273	127	-
1980.....	1,764	12	2	6	17	57	132	297	369	399	319	153	1
1979.....	1,760	19	1	3	14	60	111	292	358	462	315	125	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)													
BLACK, BOTH SEXES													
1998.....	3,694	18	7	4	20	85	418	846	737	694	600	264	1
1997.....	3,712	12	3	6	16	80	477	815	730	714	573	286	-
1996.....	3,477	14	4	3	12	69	438	799	676	675	542	243	2
1995.....	3,379	17	5	5	17	77	483	738	630	629	548	228	2
1994.....	3,382	16	2	7	12	88	495	746	638	607	517	254	-
1993.....	3,235	10	5	9	13	95	411	670	653	649	499	220	1
1992.....	3,139	22	5	3	18	88	430	633	659	604	449	228	-
1991.....	3,242	17	4	10	19	101	420	640	635	667	483	244	2
1990.....	3,227	26	1	4	21	105	395	638	664	649	513	207	4
1989.....	3,324	17	3	11	28	121	384	631	693	654	531	251	-
1988.....	3,450	24	1	4	17	126	396	649	748	739	547	199	-
1987.....	3,238	20	3	7	17	115	391	611	718	638	523	194	1
1986.....	3,220	22	4	7	23	128	383	584	726	632	518	188	5
1985.....	3,258	27	3	5	31	120	380	585	685	641	557	223	1
1984.....	3,155	23	4	11	34	112	325	562	710	711	476	185	2
1983.....	3,069	27	5	8	29	95	315	606	679	652	471	182	-
1982.....	3,087	32	3	8	26	118	319	596	703	638	477	166	1
1981.....	3,053	34	1	8	36	134	318	607	690	607	443	174	1
1980.....	3,315	27	3	13	41	122	322	602	751	733	508	192	1
1979.....	3,400	41	1	8	35	115	311	661	742	814	497	172	3

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)													
BLACK MALE													
1998.....	1,862	11	3	3	10	38	224	504	423	339	232	75	-
1997.....	1,934	5	2	4	10	44	247	494	436	376	229	87	-
1996.....	1,793	7	-	-	9	33	254	473	401	332	220	62	2
1995.....	1,729	8	5	2	10	35	273	460	353	315	204	62	2
1994.....	1,714	7	1	6	6	41	291	447	350	293	206	66	-
1993.....	1,694	7	5	6	8	43	247	421	373	318	201	64	1
1992.....	1,627	16	1	2	11	47	256	359	388	301	179	67	-
1991.....	1,654	10	4	6	2	48	253	390	346	328	184	82	1
1990.....	1,665	19	1	1	8	57	250	371	356	324	215	60	3
1989.....	1,712	9	1	7	16	68	239	381	397	325	206	63	-
1988.....	1,787	12	1	1	13	77	237	389	415	367	214	61	-
1987.....	1,684	10	1	6	8	59	246	369	379	319	231	56	-
1986.....	1,594	12	2	2	9	69	238	324	374	303	210	47	4
1985.....	1,657	19	3	1	14	62	227	339	363	337	224	67	1
1984.....	1,564	16	3	5	13	55	201	321	381	316	184	68	1
1983.....	1,515	14	2	5	13	54	182	344	337	307	200	57	-
1982.....	1,571	19	-	4	11	71	196	336	382	312	187	52	1
1981.....	1,579	18	-	3	18	82	199	331	376	289	203	59	1
1980.....	1,684	15	1	8	24	68	194	326	404	364	223	57	-
1979.....	1,763	22	-	5	23	57	208	390	406	376	214	59	3

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
INTRACEREBRAL AND OTHER INTRACRANIAL HEMORRHAGE (431-432)													
BLACK FEMALE													
1998.....	1,832	7	4	1	10	47	194	342	314	355	368	189	1
1997.....	1,778	7	1	2	6	36	230	321	294	338	344	199	-
1996.....	1,684	7	4	3	3	36	184	326	275	343	322	181	-
1995.....	1,650	9	-	3	7	42	210	278	277	314	344	166	-
1994.....	1,668	9	1	1	6	47	204	299	288	314	311	188	-
1993.....	1,541	3	-	3	5	52	164	249	280	331	298	156	-
1992.....	1,512	6	4	1	7	41	174	274	271	303	270	161	-
1991.....	1,588	7	-	4	17	53	167	250	289	339	299	162	1
1990.....	1,562	7	-	3	13	48	145	267	308	325	298	147	1
1989.....	1,612	8	2	4	12	53	145	250	296	329	325	188	-
1988.....	1,663	12	-	3	4	49	159	260	333	372	333	138	-
1987.....	1,554	10	2	1	9	56	145	242	339	319	292	138	1
1986.....	1,626	10	2	5	14	59	145	260	352	329	308	141	1
1985.....	1,601	8	-	4	17	58	153	246	322	304	333	156	-
1984.....	1,591	7	1	6	21	57	124	241	329	395	292	117	1
1983.....	1,554	13	3	3	16	41	133	262	342	345	271	125	-
1982.....	1,516	13	3	4	15	47	123	260	321	326	290	114	-
1981.....	1,474	16	1	5	18	52	119	276	314	318	240	115	-
1980.....	1,631	12	2	5	17	54	128	276	347	369	285	135	1
1979.....	1,637	19	1	3	12	58	103	271	336	438	283	113	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)													
TOTAL, BOTH SEXES													
1998.....	10,958	25	1	10	12	32	135	293	598	1,554	3,716	4,582	-
1997.....	12,045	25	8	4	12	35	138	307	630	1,777	4,082	5,027	-
1996.....	13,022	17	5	5	11	35	127	346	709	2,050	4,383	5,333	1
1995.....	13,901	22	6	2	17	38	138	320	763	2,213	4,732	5,650	-
1994.....	14,629	29	10	5	22	35	125	331	776	2,416	5,069	5,810	1
1993.....	15,236	25	9	5	20	40	128	341	807	2,505	5,247	6,108	1
1992.....	15,583	21	5	3	9	41	141	296	907	2,577	5,528	6,054	1
1991.....	16,699	21	11	7	25	35	143	335	1,013	2,872	5,880	6,356	1
1990.....	18,261	15	7	11	20	47	161	364	1,097	3,145	6,458	6,935	1
1989.....	19,799	16	8	10	20	38	119	345	1,195	3,423	6,990	7,632	3
1988.....	21,265	30	10	5	15	66	136	390	1,304	3,782	7,717	7,808	2
1987.....	22,405	17	5	7	22	57	122	397	1,478	4,048	8,083	8,166	3
1986.....	23,467	13	6	8	18	55	135	417	1,551	4,340	8,407	8,506	11
1985.....	24,519	17	4	6	25	56	136	425	1,617	4,543	8,842	8,837	11
1984.....	25,284	16	9	12	22	48	164	473	1,733	4,534	9,188	9,078	7
1983.....	26,435	11	10	12	20	45	137	485	1,807	4,813	9,775	9,315	5
1982.....	28,361	12	6	10	23	48	122	520	1,793	5,234	10,561	10,027	5
1981.....	31,013	14	3	7	23	51	136	552	1,950	5,957	11,642	10,676	2
1980.....	34,048	15	12	3	28	58	133	549	2,268	6,441	12,942	11,596	3
1979.....	35,717	11	12	9	21	54	149	642	2,388	6,847	13,634	11,948	2

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)													
TOTAL, MALE													
1998.....	4,160	13	1	3	6	18	70	187	351	800	1,506	1,205	-
1997.....	4,619	15	5	1	6	16	79	180	401	892	1,706	1,318	-
1996.....	5,065	6	2	4	6	18	74	208	417	1,138	1,794	1,398	-
1995.....	5,300	10	4	1	8	21	76	199	436	1,191	1,925	1,429	-
1994.....	5,711	17	5	2	10	12	70	206	486	1,271	2,113	1,519	-
1993.....	5,980	15	6	3	7	21	65	212	484	1,348	2,212	1,607	-
1992.....	6,061	10	3	2	6	20	79	180	544	1,370	2,251	1,596	-
1991.....	6,577	8	5	3	9	17	94	217	606	1,561	2,462	1,595	-
1990.....	7,032	9	3	4	11	28	83	218	654	1,646	2,642	1,734	-
1989.....	7,656	9	5	5	9	19	74	225	697	1,806	2,807	1,999	1
1988.....	8,303	16	3	-	5	40	90	242	749	1,983	3,138	2,037	-
1987.....	8,752	11	3	4	11	36	62	231	856	2,102	3,316	2,118	2
1986.....	9,206	9	4	2	11	27	80	249	931	2,248	3,446	2,198	1
1985.....	9,531	9	2	3	8	31	80	269	946	2,365	3,545	2,270	3
1984.....	10,082	8	2	10	7	27	93	298	1,041	2,391	3,761	2,442	2
1983.....	10,583	6	6	5	8	26	73	285	1,086	2,552	3,982	2,552	2
1982.....	11,295	6	4	4	11	23	68	321	1,093	2,770	4,241	2,752	2
1981.....	12,346	10	2	2	12	24	75	352	1,144	3,101	4,697	2,925	2
1980.....	13,747	11	4	1	21	32	77	337	1,323	3,340	5,274	3,324	3
1979.....	14,541	4	5	6	11	21	78	383	1,452	3,620	5,548	3,413	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)													
TOTAL, FEMALE													
1998.....	6,798	12	-	7	6	14	65	106	247	754	2,210	3,377	-
1997.....	7,426	10	3	3	6	19	59	127	229	885	2,376	3,709	-
1996.....	7,957	11	3	1	5	17	53	138	292	912	2,589	3,935	1
1995.....	8,601	12	2	1	9	17	62	121	327	1,022	2,807	4,221	-
1994.....	8,918	12	5	3	12	23	55	125	290	1,145	2,956	4,291	1
1993.....	9,256	10	3	2	13	19	63	129	323	1,157	3,035	4,501	1
1992.....	9,522	11	2	1	3	21	62	116	363	1,207	3,277	4,458	1
1991.....	10,122	13	6	4	16	18	49	118	407	1,311	3,418	4,761	1
1990.....	11,229	6	4	7	9	19	78	146	443	1,499	3,816	5,201	1
1989.....	12,143	7	3	5	11	19	45	120	498	1,617	4,183	5,633	2
1988.....	12,962	14	7	5	10	26	46	148	555	1,799	4,579	5,771	2
1987.....	13,653	6	2	3	11	21	60	166	622	1,946	4,767	6,048	1
1986.....	14,261	4	2	6	7	28	55	168	620	2,092	4,961	6,308	10
1985.....	14,988	8	2	3	17	25	56	156	671	2,178	5,297	6,567	8
1984.....	15,202	8	7	2	15	21	71	175	692	2,143	5,427	6,636	5
1983.....	15,852	5	4	7	12	19	64	200	721	2,261	5,793	6,763	3
1982.....	17,066	6	2	6	12	25	54	199	700	2,464	6,320	7,275	3
1981.....	18,667	4	1	5	11	27	61	200	806	2,856	6,945	7,751	-
1980.....	20,301	4	8	2	7	26	56	212	945	3,101	7,668	8,272	-
1979.....	21,176	7	7	3	10	33	71	259	936	3,227	8,086	8,535	2

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)													
WHITE, BOTH SEXES													
1998.....	9,511	20	-	7	9	21	96	190	441	1,249	3,272	4,206	-
1997.....	10,495	18	6	2	8	25	92	203	464	1,440	3,616	4,621	-
1996.....	11,399	10	4	3	9	19	81	236	515	1,669	3,909	4,943	1
1995.....	12,089	17	4	1	14	29	94	222	548	1,795	4,196	5,169	-
1994.....	12,748	23	8	4	15	21	83	217	574	1,948	4,486	5,369	-
1993.....	13,353	19	5	3	19	28	84	231	589	2,061	4,677	5,637	-
1992.....	13,615	14	5	3	5	23	82	207	674	2,111	4,923	5,568	-
1991.....	14,656	16	8	5	18	21	95	221	759	2,383	5,231	5,898	1
1990.....	16,079	10	6	9	13	35	100	238	827	2,612	5,774	6,454	1
1989.....	17,495	12	4	8	15	29	78	235	911	2,820	6,257	7,125	1
1988.....	18,825	20	6	3	11	36	88	274	1,018	3,169	6,892	7,306	2
1987.....	19,966	13	3	5	16	45	81	286	1,119	3,377	7,333	7,686	2
1986.....	20,878	8	6	7	11	34	87	302	1,187	3,644	7,599	7,985	8
1985.....	21,785	13	4	4	19	41	85	301	1,215	3,835	7,961	8,300	7
1984.....	22,609	14	6	5	19	34	115	341	1,329	3,807	8,352	8,584	3
1983.....	23,541	6	9	8	17	29	91	329	1,396	4,042	8,861	8,753	-
1982.....	25,434	8	4	9	19	33	81	373	1,395	4,454	9,567	9,488	3
1981.....	27,795	12	2	5	16	37	88	380	1,521	5,027	10,631	10,075	1
1980.....	30,404	10	6	1	20	40	88	383	1,768	5,425	11,752	10,908	3
1979.....	32,046	8	9	8	16	39	96	464	1,873	5,813	12,462	11,256	2

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)													
WHITE MALE													
1998.....	3,544	10	-	2	5	13	52	128	251	651	1,334	1,098	-
1997.....	3,955	12	4	-	4	10	52	118	296	740	1,521	1,198	-
1996.....	4,352	2	2	3	5	9	50	144	302	940	1,617	1,278	-
1995.....	4,528	8	3	-	6	16	53	144	331	970	1,709	1,288	-
1994.....	4,853	14	4	2	6	7	49	141	365	1,027	1,854	1,384	-
1993.....	5,173	12	4	1	6	15	43	146	354	1,119	1,989	1,484	-
1992.....	5,199	6	3	2	3	11	50	125	400	1,142	2,002	1,455	-
1991.....	5,638	5	2	2	7	8	63	143	470	1,297	2,178	1,463	-
1990.....	6,087	6	2	3	8	23	59	141	499	1,377	2,369	1,600	-
1989.....	6,673	5	2	4	6	15	51	156	554	1,486	2,548	1,846	-
1988.....	7,237	12	2	-	3	20	55	177	597	1,691	2,788	1,892	-
1987.....	7,638	9	1	3	7	27	38	175	653	1,760	2,995	1,969	1
1986.....	8,086	5	4	2	8	17	54	184	741	1,899	3,124	2,048	-
1985.....	8,350	6	2	3	6	22	51	195	725	2,020	3,203	2,116	1
1984.....	8,867	6	-	4	6	17	63	214	808	2,034	3,416	2,298	1
1983.....	9,311	4	6	4	8	15	51	198	860	2,153	3,618	2,394	-
1982.....	9,971	4	3	3	9	15	43	244	876	2,368	3,811	2,595	-
1981.....	10,907	9	2	2	8	14	48	252	899	2,652	4,281	2,739	1
1980.....	12,113	7	2	-	15	23	50	242	1,042	2,843	4,798	3,088	3
1979.....	12,811	3	3	6	9	16	47	265	1,141	3,100	5,031	3,190	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)													
WHITE FEMALE													
1998.....	5,967	10	-	5	4	8	44	62	190	598	1,938	3,108	-
1997.....	6,540	6	2	2	4	15	40	85	168	700	2,095	3,423	-
1996.....	7,047	8	2	-	4	10	31	92	213	729	2,292	3,665	1
1995.....	7,561	9	1	1	8	13	41	78	217	825	2,487	3,881	-
1994.....	7,895	9	4	2	9	14	34	76	209	921	2,632	3,985	-
1993.....	8,180	7	1	2	13	13	41	85	235	942	2,688	4,153	-
1992.....	8,416	8	2	1	2	12	32	82	274	969	2,921	4,113	-
1991.....	9,018	11	6	3	11	13	32	78	289	1,086	3,053	4,435	1
1990.....	9,992	4	4	6	5	12	41	97	328	1,235	3,405	4,854	1
1989.....	10,822	7	2	4	9	14	27	79	357	1,334	3,709	5,279	1
1988.....	11,588	8	4	3	8	16	33	97	421	1,478	4,104	5,414	2
1987.....	12,328	4	2	2	9	18	43	111	466	1,617	4,338	5,717	1
1986.....	12,792	3	2	5	3	17	33	118	446	1,745	4,475	5,937	8
1985.....	13,435	7	2	1	13	19	34	106	490	1,815	4,758	6,184	6
1984.....	13,742	8	6	1	13	17	52	127	521	1,773	4,936	6,286	2
1983.....	14,230	2	3	4	9	14	40	131	536	1,889	5,243	6,359	-
1982.....	15,463	4	1	6	10	18	38	129	519	2,086	5,756	6,893	3
1981.....	16,888	3	-	3	8	23	40	128	622	2,375	6,350	7,336	-
1980.....	18,291	3	4	1	5	17	38	141	726	2,582	6,954	7,820	-
1979.....	19,235	5	6	2	7	23	49	199	732	2,713	7,431	8,066	2

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)													
ALL OTHER, BOTH SEXES													
1998.....	1,447	5	1	3	3	11	39	103	157	305	444	376	-
1997.....	1,550	7	2	2	4	10	46	104	166	337	466	406	-
1996.....	1,623	7	1	2	2	16	46	110	194	381	474	390	-
1995.....	1,812	5	2	1	3	9	44	98	215	418	536	481	-
1994.....	1,881	6	2	1	7	14	42	114	202	468	583	441	1
1993.....	1,883	6	4	2	1	12	44	110	218	444	570	471	1
1992.....	1,968	7	-	-	4	18	59	89	233	466	605	486	1
1991.....	2,043	5	3	2	7	14	48	114	254	489	649	458	-
1990.....	2,182	5	1	2	7	12	61	126	270	533	684	481	-
1989.....	2,304	4	4	2	5	9	41	110	284	603	733	507	2
1988.....	2,440	10	4	2	4	30	48	116	286	613	825	502	-
1987.....	2,439	4	2	2	6	12	41	111	359	671	750	480	1
1986.....	2,589	5	-	1	7	21	48	115	364	696	808	521	3
1985.....	2,734	4	-	2	6	15	51	124	402	708	881	537	4
1984.....	2,675	2	3	7	3	14	49	132	404	727	836	494	4
1983.....	2,894	5	1	4	3	16	46	156	411	771	914	562	5
1982.....	2,927	4	2	1	4	15	41	147	398	780	994	539	2
1981.....	3,218	2	1	2	7	14	48	172	429	930	1,011	601	1
1980.....	3,644	5	6	2	8	18	45	166	500	1,016	1,190	688	-
1979.....	3,671	3	3	1	5	15	53	178	515	1,034	1,172	692	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)													
ALL OTHER MALE													
1998.....	616	3	1	1	1	5	18	59	100	149	172	107	-
1997.....	664	3	1	1	2	6	27	62	105	152	185	120	-
1996.....	713	4	-	1	1	9	24	64	115	198	177	120	-
1995.....	772	2	1	1	2	5	23	55	105	221	216	141	-
1994.....	858	3	1	-	4	5	21	65	121	244	259	135	-
1993.....	807	3	2	2	1	6	22	66	130	229	223	123	-
1992.....	862	4	-	-	3	9	29	55	144	228	249	141	-
1991.....	939	3	3	1	2	9	31	74	136	264	284	132	-
1990.....	945	3	1	1	3	5	24	77	155	269	273	134	-
1989.....	983	4	3	1	3	4	23	69	143	320	259	153	1
1988.....	1,066	4	1	-	2	20	35	65	152	292	350	145	-
1987.....	1,114	2	2	1	4	9	24	56	203	342	321	149	1
1986.....	1,120	4	-	-	3	10	26	65	190	349	322	150	1
1985.....	1,181	3	-	-	2	9	29	74	221	345	342	154	2
1984.....	1,215	2	2	6	1	10	30	84	233	357	345	144	1
1983.....	1,272	2	-	1	-	11	22	87	226	399	364	158	2
1982.....	1,324	2	1	1	2	8	25	77	217	402	430	157	2
1981.....	1,439	1	-	-	4	10	27	100	245	449	416	186	1
1980.....	1,634	4	2	1	6	9	27	95	281	497	476	236	-
1979.....	1,730	1	2	-	2	5	31	118	311	520	517	223	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)													
ALL OTHER FEMALE													
1998.....	831	2	-	2	2	6	21	44	57	156	272	269	-
1997.....	886	4	1	1	2	4	19	42	61	185	281	286	-
1996.....	910	3	1	1	1	7	22	46	79	183	297	270	-
1995.....	1,040	3	1	-	1	4	21	43	110	197	320	340	-
1994.....	1,023	3	1	1	3	9	21	49	81	224	324	306	1
1993.....	1,076	3	2	-	-	6	22	44	88	215	347	348	1
1992.....	1,106	3	-	-	1	9	30	34	89	238	356	345	1
1991.....	1,104	2	-	1	5	5	17	40	118	225	365	326	-
1990.....	1,237	2	-	1	4	7	37	49	115	264	411	347	-
1989.....	1,321	-	1	1	2	5	18	41	141	283	474	354	1
1988.....	1,374	6	3	2	2	10	13	51	134	321	475	357	-
1987.....	1,325	2	-	1	2	3	17	55	156	329	429	331	-
1986.....	1,469	1	-	1	4	11	22	50	174	347	486	371	2
1985.....	1,553	1	-	2	4	6	22	50	181	363	539	383	2
1984.....	1,460	-	1	1	2	4	19	48	171	370	491	350	3
1983.....	1,622	3	1	3	3	5	24	69	185	372	550	404	3
1982.....	1,603	2	1	-	2	7	16	70	181	378	564	382	-
1981.....	1,779	1	1	2	3	4	21	72	184	481	595	415	-
1980.....	2,010	1	4	1	2	9	18	71	219	519	714	452	-
1979.....	1,941	2	1	1	3	10	22	60	204	514	655	469	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)													
BLACK, BOTH SEXES													
1998.....	1,259	4	-	3	3	10	37	96	139	267	385	315	-
1997.....	1,353	4	2	2	3	9	44	97	150	301	389	352	-
1996.....	1,404	7	-	1	2	16	43	103	170	327	401	334	-
1995.....	1,600	4	2	1	3	8	43	87	194	367	467	424	-
1994.....	1,652	5	-	1	6	11	39	105	178	420	505	382	-
1993.....	1,665	6	2	1	-	11	44	95	192	398	495	420	1
1992.....	1,760	7	-	-	3	15	58	83	210	413	546	424	1
1991.....	1,846	4	1	2	6	14	46	97	236	443	600	397	-
1990.....	1,977	4	1	2	6	10	58	114	242	485	622	433	-
1989.....	2,109	4	3	2	5	9	39	100	260	559	676	450	2
1988.....	2,233	9	4	2	4	28	42	108	263	565	750	458	-
1987.....	2,241	3	2	2	5	11	40	104	340	616	680	437	1
1986.....	2,385	5	-	1	6	20	48	106	337	656	741	463	2
1985.....	2,537	4	-	2	6	15	47	118	379	660	812	492	2
1984.....	2,501	1	1	6	3	13	48	127	381	693	790	434	4
1983.....	2,705	5	1	3	3	16	42	148	393	714	860	515	5
1982.....	2,726	2	2	1	4	14	40	141	375	730	934	481	2
1981.....	3,018	2	1	2	7	12	46	162	414	876	943	552	1
1980.....	3,425	3	5	2	6	18	45	159	473	966	1,117	631	-
1979.....	3,447	2	3	1	5	14	49	174	490	989	1,092	628	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)													
BLACK MALE													
1998.....	528	3	-	1	1	4	18	53	90	131	144	83	-
1997.....	573	1	1	1	1	5	25	57	94	137	150	101	-
1996.....	607	4	-	1	1	9	22	61	102	170	139	98	-
1995.....	667	2	1	1	2	5	22	52	96	191	183	112	-
1994.....	737	3	-	-	4	5	19	59	104	219	217	107	-
1993.....	699	3	1	1	-	6	22	57	115	204	185	105	-
1992.....	753	4	-	-	2	8	29	50	129	201	214	116	-
1991.....	831	2	1	1	2	9	30	63	123	233	259	108	-
1990.....	851	2	1	1	2	4	23	71	139	248	247	113	-
1989.....	882	4	2	1	3	4	22	61	132	297	228	127	1
1988.....	965	4	1	-	2	20	32	59	141	266	313	127	-
1987.....	999	1	2	1	3	8	23	53	192	309	273	133	1
1986.....	1,023	4	-	-	3	10	26	61	172	327	285	134	1
1985.....	1,074	3	-	-	2	9	26	70	210	315	300	137	2
1984.....	1,115	1	-	5	1	10	30	79	218	335	314	121	1
1983.....	1,168	2	-	1	-	11	20	82	217	357	335	141	2
1982.....	1,230	-	1	1	2	7	25	74	205	373	401	139	2
1981.....	1,328	1	-	-	4	8	26	93	236	414	376	169	1
1980.....	1,522	2	2	1	4	9	27	89	266	468	440	214	-
1979.....	1,614	1	2	-	2	5	28	114	293	490	480	199	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 CEREBRAL THROMBOSIS AND UNSPECIFIED OCCLUSION OF CEREBRAL ARTERIES (434.0,434.9)													
BLACK FEMALE													
1998.....	731	1	-	2	2	6	19	43	49	136	241	232	-
1997.....	780	3	1	1	2	4	19	40	56	164	239	251	-
1996.....	797	3	-	-	1	7	21	42	68	157	262	236	-
1995.....	933	2	1	-	1	3	21	35	98	176	284	312	-
1994.....	915	2	-	1	2	6	20	46	74	201	288	275	-
1993.....	966	3	1	-	-	5	22	38	77	194	310	315	1
1992.....	1,007	3	-	-	1	7	29	33	81	212	332	308	1
1991.....	1,015	2	-	1	4	5	16	34	113	210	341	289	-
1990.....	1,126	2	-	1	4	6	35	43	103	237	375	320	-
1989.....	1,227	-	1	1	2	5	17	39	128	262	448	323	1
1988.....	1,268	5	3	2	2	8	10	49	122	299	437	331	-
1987.....	1,242	2	-	1	2	3	17	51	148	307	407	304	-
1986.....	1,362	1	-	1	3	10	22	45	165	329	456	329	1
1985.....	1,463	1	-	2	4	6	21	48	169	345	512	355	-
1984.....	1,386	-	1	1	2	3	18	48	163	358	476	313	3
1983.....	1,537	3	1	2	3	5	22	66	176	357	525	374	3
1982.....	1,496	2	1	-	2	7	15	67	170	357	533	342	-
1981.....	1,690	1	1	2	3	4	20	69	178	462	567	383	-
1980.....	1,903	1	3	1	2	9	18	70	207	498	677	417	-
1979.....	1,833	1	1	1	3	9	21	60	197	499	612	429	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 CEREBRAL EMBOLISM (434.1)													
TOTALTOTAL, BOTH SEXES													
1998.....	570	-	-	-	1	1	10	17	38	105	227	171	-
1997.....	617	-	-	-	-	8	9	17	50	131	225	177	-
1996.....	672	1	-	-	1	5	7	21	40	142	255	200	-
1995.....	627	-	1	-	-	2	6	20	43	152	209	194	-
1994.....	708	-	-	-	-	6	13	18	42	159	255	215	-
1993.....	643	1	-	-	2	5	12	13	47	121	239	203	-
1992.....	630	-	-	-	-	5	11	21	33	144	231	185	-
1991.....	633	-	-	2	3	4	10	17	37	155	211	194	-
1990.....	651	-	-	-	-	6	4	18	42	139	267	175	-
1989.....	681	-	2	-	1	1	9	15	54	152	277	170	-
1988.....	741	1	-	-	-	4	11	14	62	184	262	203	-
1987.....	739	-	-	-	2	7	8	32	57	164	281	188	-
1986.....	784	1	1	2	3	5	9	18	66	195	297	187	-
1985.....	786	-	-	1	3	4	5	22	70	189	289	202	1
1984.....	774	-	1	1	3	3	12	22	80	205	286	161	-
1983.....	746	-	-	2	1	7	8	30	63	189	272	174	-
1982.....	759	-	-	-	4	5	8	29	76	188	268	181	-
1981.....	806	-	-	-	1	6	8	27	103	222	275	164	-
1980.....	795	1	-	1	3	11	15	43	85	192	289	155	-
1979.....	850	-	-	-	3	8	11	39	94	224	303	168	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 CEREBRAL EMBOLISM (434.1)													
TOTAL, MALE													
1998.....	228	-	-	-	-	-	6	10	23	57	89	43	-
1997.....	227	-	-	-	-	3	3	9	28	66	80	38	-
1996.....	263	-	-	-	1	3	3	10	23	57	115	51	-
1995.....	263	-	1	-	-	2	2	10	23	83	82	60	-
1994.....	265	-	-	-	-	1	8	7	19	80	104	46	-
1993.....	258	-	-	-	1	3	8	6	31	51	106	52	-
1992.....	233	-	-	-	-	4	3	11	14	63	91	47	-
1991.....	229	-	-	2	-	2	5	8	19	72	78	43	-
1990.....	263	-	-	-	-	2	4	5	24	68	115	45	-
1989.....	257	-	2	-	-	-	8	4	31	71	98	43	-
1988.....	309	1	-	-	-	2	7	8	36	89	112	54	-
1987.....	305	-	-	-	1	6	5	14	35	82	106	56	-
1986.....	314	1	1	1	-	3	6	9	26	94	128	45	-
1985.....	331	-	-	-	2	3	2	10	33	90	129	62	-
1984.....	316	-	-	1	1	1	5	7	40	113	109	39	-
1983.....	296	-	-	-	-	4	6	13	26	92	110	45	-
1982.....	308	-	-	-	2	3	1	11	41	99	107	44	-
1981.....	328	-	-	-	-	4	3	18	56	100	106	41	-
1980.....	335	-	-	-	1	2	6	24	58	92	108	44	-
1979.....	316	-	-	-	1	5	5	13	43	101	104	44	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 CEREBRAL EMBOLISM (434.1)													
TOTAL, FEMALE													
1998.....	342	-	-	-	1	1	4	7	15	48	138	128	-
1997.....	390	-	-	-	-	5	6	8	22	65	145	139	-
1996.....	409	1	-	-	-	2	4	11	17	85	140	149	-
1995.....	364	-	-	-	-	-	4	10	20	69	127	134	-
1994.....	443	-	-	-	-	5	5	11	23	79	151	169	-
1993.....	385	1	-	-	1	2	4	7	16	70	133	151	-
1992.....	397	-	-	-	-	1	8	10	19	81	140	138	-
1991.....	404	-	-	-	3	2	5	9	18	83	133	151	-
1990.....	388	-	-	-	-	4	-	13	18	71	152	130	-
1989.....	424	-	-	-	1	1	1	11	23	81	179	127	-
1988.....	432	-	-	-	-	2	4	6	26	95	150	149	-
1987.....	434	-	-	-	1	1	3	18	22	82	175	132	-
1986.....	470	-	-	1	3	2	3	9	40	101	169	142	-
1985.....	455	-	-	1	1	1	3	12	37	99	160	140	1
1984.....	458	-	1	-	2	2	7	15	40	92	177	122	-
1983.....	450	-	-	2	1	3	2	17	37	97	162	129	-
1982.....	451	-	-	-	2	2	7	18	35	89	161	137	-
1981.....	478	-	-	-	1	2	5	9	47	122	169	123	-
1980.....	460	1	-	1	2	9	9	19	27	100	181	111	-
1979.....	534	-	-	-	2	3	6	26	51	123	199	124	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 CEREBRAL EMBOLISM (434.1) WHITE, BOTH SEXES													
1998.....	519	-	-	-	-	1	6	12	34	97	207	162	-
1997.....	561	-	-	-	-	6	8	13	43	117	206	168	-
1996.....	612	1	-	-	1	4	7	15	35	130	234	185	-
1995.....	570	-	1	-	-	2	4	17	35	138	195	178	-
1994.....	643	-	-	-	-	5	9	15	33	147	235	199	-
1993.....	595	1	-	-	1	5	10	9	39	107	227	196	-
1992.....	562	-	-	-	-	3	9	17	25	131	206	171	-
1991.....	573	-	-	2	3	3	7	11	31	136	194	186	-
1990.....	604	-	-	-	-	3	3	14	35	128	254	167	-
1989.....	615	-	-	-	1	1	6	12	44	134	260	157	-
1988.....	682	1	-	-	-	3	8	10	54	164	247	195	-
1987.....	671	-	-	-	1	7	3	25	48	147	263	177	-
1986.....	713	1	1	2	3	4	6	13	61	169	277	176	-
1985.....	725	-	-	1	2	3	5	17	63	174	267	192	1
1984.....	705	-	-	-	2	2	10	19	70	179	272	151	-
1983.....	680	-	-	2	1	5	6	21	54	171	258	162	-
1982.....	702	-	-	-	3	3	5	23	65	171	259	173	-
1981.....	739	-	-	-	1	3	6	25	84	206	253	161	-
1980.....	705	-	-	1	3	9	8	33	69	165	270	147	-
1979.....	779	-	-	-	2	8	10	35	79	204	282	159	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 CEREBRAL EMBOLISM (434.1)													
WHITE MALE													
1998.....	206	-	-	-	-	-	3	8	19	54	82	40	-
1997.....	204	-	-	-	-	1	3	7	22	62	74	35	-
1996.....	241	-	-	-	1	2	3	7	21	53	106	48	-
1995.....	238	-	1	-	-	2	1	9	20	76	76	53	-
1994.....	239	-	-	-	-	1	5	6	16	73	95	43	-
1993.....	244	-	-	-	1	3	8	5	28	45	102	52	-
1992.....	207	-	-	-	-	2	2	10	11	61	79	42	-
1991.....	204	-	-	2	-	2	3	5	16	62	73	41	-
1990.....	240	-	-	-	-	2	3	5	20	62	107	41	-
1989.....	221	-	-	-	-	-	5	2	24	59	92	39	-
1988.....	280	1	-	-	-	2	6	5	29	77	106	54	-
1987.....	278	-	-	-	1	6	3	11	31	75	99	52	-
1986.....	284	1	1	1	-	3	4	9	24	85	118	38	-
1985.....	302	-	-	-	1	3	2	7	29	83	118	59	-
1984.....	291	-	-	-	1	-	4	6	35	107	106	32	-
1983.....	267	-	-	-	-	3	4	10	21	86	103	40	-
1982.....	286	-	-	-	1	1	1	9	34	92	106	42	-
1981.....	294	-	-	-	-	2	3	16	44	92	96	41	-
1980.....	290	-	-	-	1	1	3	18	47	79	100	41	-
1979.....	284	-	-	-	1	5	5	12	33	92	94	42	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 CEREBRAL EMBOLISM (434.1)													
WHITE FEMALE													
1998.....	313	-	-	-	-	1	3	4	15	43	125	122	-
1997.....	357	-	-	-	-	5	5	6	21	55	132	133	-
1996.....	371	1	-	-	-	2	4	8	14	77	128	137	-
1995.....	332	-	-	-	-	-	3	8	15	62	119	125	-
1994.....	404	-	-	-	-	4	4	9	17	74	140	156	-
1993.....	351	1	-	-	-	2	2	4	11	62	125	144	-
1992.....	355	-	-	-	-	1	7	7	14	70	127	129	-
1991.....	369	-	-	-	3	1	4	6	15	74	121	145	-
1990.....	364	-	-	-	-	1	-	9	15	66	147	126	-
1989.....	394	-	-	-	1	1	1	10	20	75	168	118	-
1988.....	402	-	-	-	-	1	2	5	25	87	141	141	-
1987.....	393	-	-	-	-	1	-	14	17	72	164	125	-
1986.....	429	-	-	1	3	1	2	4	37	84	159	138	-
1985.....	423	-	-	1	1	-	3	10	34	91	149	133	1
1984.....	414	-	-	-	1	2	6	13	35	72	166	119	-
1983.....	413	-	-	2	1	2	2	11	33	85	155	122	-
1982.....	416	-	-	-	2	2	4	14	31	79	153	131	-
1981.....	445	-	-	-	1	1	3	9	40	114	157	120	-
1980.....	415	-	-	1	2	8	5	15	22	86	170	106	-
1979.....	495	-	-	-	1	3	5	23	46	112	188	117	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+ N.S.

0	CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
	CEREBRAL EMBOLISM (434.1)													
	ALL OTHER, BOTH SEXES													
	1998.....	51	-	-	-	1	-	4	5	4	8	20	9	-
	1997.....	56	-	-	-	-	2	1	4	7	14	19	9	-
	1996.....	60	-	-	-	-	1	-	6	5	12	21	15	-
	1995.....	57	-	-	-	-	-	2	3	8	14	14	16	-
	1994.....	65	-	-	-	-	1	4	3	9	12	20	16	-
	1993.....	48	-	-	-	1	-	2	4	8	14	12	7	-
	1992.....	68	-	-	-	-	2	2	4	8	13	25	14	-
	1991.....	60	-	-	-	-	1	3	6	6	19	17	8	-
	1990.....	47	-	-	-	-	3	1	4	7	11	13	8	-
	1989.....	66	-	2	-	-	-	3	3	10	18	17	13	-
	1988.....	59	-	-	-	-	1	3	4	8	20	15	8	-
	1987.....	68	-	-	-	1	-	5	7	9	17	18	11	-
	1986.....	71	-	-	-	-	1	3	5	5	26	20	11	-
	1985.....	61	-	-	-	1	1	-	5	7	15	22	10	-
	1984.....	69	-	1	1	1	1	2	3	10	26	14	10	-
	1983.....	66	-	-	-	-	2	2	9	9	18	14	12	-
	1982.....	57	-	-	-	1	2	3	6	11	17	9	8	-
	1981.....	67	-	-	-	-	3	2	2	19	16	22	3	-
	1980.....	90	1	-	-	-	2	7	10	16	27	19	8	-
	1979.....	71	-	-	-	1	-	1	4	15	20	21	9	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 CEREBRAL EMBOLISM (434.1)													
ALL OTHER MALE													
1998.....	22	-	-	-	-	-	3	2	4	3	7	3	-
1997.....	23	-	-	-	-	2	-	2	6	4	6	3	-
1996.....	22	-	-	-	-	1	-	3	2	4	9	3	-
1995.....	25	-	-	-	-	-	1	1	3	7	6	7	-
1994.....	26	-	-	-	-	-	3	1	3	7	9	3	-
1993.....	14	-	-	-	-	-	-	1	3	6	4	-	-
1992.....	26	-	-	-	-	2	1	1	3	2	12	5	-
1991.....	25	-	-	-	-	-	2	3	3	10	5	2	-
1990.....	23	-	-	-	-	-	1	-	4	6	8	4	-
1989.....	36	-	2	-	-	-	3	2	7	12	6	4	-
1988.....	29	-	-	-	-	-	1	3	7	12	6	-	-
1987.....	27	-	-	-	-	-	2	3	4	7	7	4	-
1986.....	30	-	-	-	-	-	2	-	2	9	10	7	-
1985.....	29	-	-	-	1	-	-	3	4	7	11	3	-
1984.....	25	-	-	1	-	1	1	1	5	6	3	7	-
1983.....	29	-	-	-	-	1	2	3	5	6	7	5	-
1982.....	22	-	-	-	1	2	-	2	7	7	1	2	-
1981.....	34	-	-	-	-	2	-	2	12	8	10	-	-
1980.....	45	-	-	-	-	1	3	6	11	13	8	3	-
1979.....	32	-	-	-	-	-	-	1	10	9	10	2	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 CEREBRAL EMBOLISM (434.1)													
ALL OTHER FEMALE													
1998.....	29	-	-	-	1	-	1	3	-	5	13	6	-
1997.....	33	-	-	-	-	-	1	2	1	10	13	6	-
1996.....	38	-	-	-	-	-	-	3	3	8	12	12	-
1995.....	32	-	-	-	-	-	1	2	5	7	8	9	-
1994.....	39	-	-	-	-	1	1	2	6	5	11	13	-
1993.....	34	-	-	-	1	-	2	3	5	8	8	7	-
1992.....	42	-	-	-	-	-	1	3	5	11	13	9	-
1991.....	35	-	-	-	-	1	1	3	3	9	12	6	-
1990.....	24	-	-	-	-	3	-	4	3	5	5	4	-
1989.....	30	-	-	-	-	-	-	1	3	6	11	9	-
1988.....	30	-	-	-	-	1	2	1	1	8	9	8	-
1987.....	41	-	-	-	1	-	3	4	5	10	11	7	-
1986.....	41	-	-	-	-	1	1	5	3	17	10	4	-
1985.....	32	-	-	-	-	1	-	2	3	8	11	7	-
1984.....	44	-	1	-	1	-	1	2	5	20	11	3	-
1983.....	37	-	-	-	-	1	-	6	4	12	7	7	-
1982.....	35	-	-	-	-	-	3	4	4	10	8	6	-
1981.....	33	-	-	-	-	1	2	-	7	8	12	3	-
1980.....	45	1	-	-	-	1	4	4	5	14	11	5	-
1979.....	39	-	-	-	1	-	1	3	5	11	11	7	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 CEREBRAL EMBOLISM (434.1) BLACK, BOTH SEXES													
1998.....	38	-	-	-	-	-	2	5	4	7	13	7	-
1997.....	36	-	-	-	-	2	-	3	4	10	13	4	-
1996.....	47	-	-	-	-	-	-	5	5	8	17	12	-
1995.....	43	-	-	-	-	-	1	2	8	10	9	13	-
1994.....	54	-	-	-	-	1	4	2	8	10	17	12	-
1993.....	39	-	-	-	-	-	2	3	8	10	10	6	-
1992.....	56	-	-	-	-	2	2	2	8	12	20	10	-
1991.....	53	-	-	-	-	1	3	4	5	18	15	7	-
1990.....	39	-	-	-	-	3	1	2	6	8	12	7	-
1989.....	57	-	1	-	-	-	3	3	8	16	14	12	-
1988.....	49	-	-	-	-	1	3	3	7	16	11	8	-
1987.....	61	-	-	-	1	-	4	6	8	16	16	10	-
1986.....	64	-	-	-	-	1	3	4	5	22	18	11	-
1985.....	53	-	-	-	1	-	-	3	7	14	18	10	-
1984.....	66	-	1	1	1	1	2	3	10	26	13	8	-
1983.....	62	-	-	-	-	2	2	8	9	16	13	12	-
1982.....	52	-	-	-	1	2	2	6	10	15	9	7	-
1981.....	66	-	-	-	-	3	2	2	19	16	21	3	-
1980.....	80	-	-	-	-	1	6	9	14	26	17	7	-
1979.....	67	-	-	-	1	-	1	4	15	19	18	9	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 CEREBRAL EMBOLISM (434.1)													
BLACK MALE													
1998.....	16	-	-	-	-	-	1	2	4	2	5	2	-
1997.....	15	-	-	-	-	2	-	2	3	3	5	-	-
1996.....	17	-	-	-	-	-	-	3	2	3	7	2	-
1995.....	18	-	-	-	-	-	-	1	3	5	5	4	-
1994.....	21	-	-	-	-	-	3	-	3	5	8	2	-
1993.....	12	-	-	-	-	-	-	1	3	5	3	-	-
1992.....	19	-	-	-	-	2	1	-	3	2	9	2	-
1991.....	23	-	-	-	-	-	2	2	2	10	5	2	-
1990.....	20	-	-	-	-	-	1	-	4	4	8	3	-
1989.....	29	-	1	-	-	-	3	2	6	10	4	3	-
1988.....	23	-	-	-	-	-	1	3	6	9	4	-	-
1987.....	24	-	-	-	-	-	2	3	4	7	5	3	-
1986.....	28	-	-	-	-	-	2	-	2	7	10	7	-
1985.....	25	-	-	-	1	-	-	2	4	7	8	3	-
1984.....	24	-	-	1	-	1	1	1	5	6	3	6	-
1983.....	27	-	-	-	-	1	2	3	5	4	7	5	-
1982.....	19	-	-	-	1	2	-	2	6	6	1	1	-
1981.....	33	-	-	-	-	2	-	2	12	8	9	-	-
1980.....	40	-	-	-	-	1	3	6	9	13	6	2	-
1979.....	30	-	-	-	-	-	-	1	10	9	8	2	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 CEREBRAL EMBOLISM (434.1)													
BLACK FEMALE													
1998.....	22	-	-	-	-	-	1	3	-	5	8	5	-
1997.....	21	-	-	-	-	-	-	1	1	7	8	4	-
1996.....	30	-	-	-	-	-	-	2	3	5	10	10	-
1995.....	25	-	-	-	-	-	1	1	5	5	4	9	-
1994.....	33	-	-	-	-	1	1	2	5	5	9	10	-
1993.....	27	-	-	-	-	-	2	2	5	5	7	6	-
1992.....	37	-	-	-	-	-	1	2	5	10	11	8	-
1991.....	30	-	-	-	-	1	1	2	3	8	10	5	-
1990.....	19	-	-	-	-	3	-	2	2	4	4	4	-
1989.....	28	-	-	-	-	-	-	1	2	6	10	9	-
1988.....	26	-	-	-	-	1	2	-	1	7	7	8	-
1987.....	37	-	-	-	1	-	2	3	4	9	11	7	-
1986.....	36	-	-	-	-	1	1	4	3	15	8	4	-
1985.....	28	-	-	-	-	-	-	1	3	7	10	7	-
1984.....	42	-	1	-	1	-	1	2	5	20	10	2	-
1983.....	35	-	-	-	-	1	-	5	4	12	6	7	-
1982.....	33	-	-	-	-	-	2	4	4	9	8	6	-
1981.....	33	-	-	-	-	1	2	-	7	8	12	3	-
1980.....	40	-	-	-	-	-	3	3	5	13	11	5	-
1979.....	37	-	-	-	1	-	1	3	5	10	10	7	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ALL OTHER AND LATE EFFECTS OF CEREBROVASCULAR DISEASES (430,433,435-438)													
TOTAL, BOTH SEXES													
1998.....	120,690	234	41	44	97	389	1,449	3,112	5,975	16,668	41,561	51,115	5
1997.....	121,271	209	38	42	102	370	1,499	3,044	6,016	17,316	41,326	51,305	4
1996.....	122,675	179	34	45	94	436	1,529	3,160	6,112	17,826	42,327	50,925	8
1995.....	120,818	161	34	40	85	426	1,538	3,059	6,182	18,335	41,414	49,540	4
1994.....	116,162	119	32	40	101	493	1,476	2,982	6,049	17,759	40,379	46,726	6
1993.....	112,780	130	29	38	122	486	1,384	2,823	6,012	17,545	39,190	45,016	5
1992.....	106,438	104	26	35	110	474	1,423	2,679	6,018	17,183	37,160	41,216	10
1991.....	105,468	97	33	37	113	502	1,389	2,647	5,933	17,508	36,978	40,221	10
1990.....	104,601	72	26	43	131	569	1,334	2,578	6,132	17,802	36,919	38,987	8
1989.....	104,392	61	18	36	118	554	1,327	2,511	6,294	17,896	37,164	38,404	9
1988.....	107,269	68	26	36	160	556	1,367	2,479	6,743	18,463	38,269	39,098	4
1987.....	106,018	59	28	33	140	594	1,357	2,518	6,817	18,499	37,806	38,156	11
1986.....	104,913	43	20	31	136	576	1,315	2,558	7,078	18,774	37,264	37,077	41
1985.....	107,017	50	29	36	173	530	1,272	2,637	7,262	19,313	38,217	37,460	38
1984.....	108,077	28	24	41	187	560	1,278	2,831	7,447	19,788	38,667	37,215	11
1983.....	109,010	39	21	46	189	509	1,227	2,882	7,778	20,278	39,239	36,783	19
1982.....	108,695	35	23	49	159	557	1,272	2,916	7,870	20,863	39,263	35,675	13
1981.....	111,497	32	28	40	205	623	1,292	3,134	8,352	21,668	39,812	36,298	13
1980.....	114,610	46	25	42	244	601	1,258	3,254	8,327	22,450	41,988	36,363	12
1979.....	111,166	36	15	53	216	596	1,338	3,333	8,595	22,085	40,492	34,392	15

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ALL OTHER AND LATE EFFECTS OF CEREBROVASCULAR DISEASES (430,433,435-438)													
TOTAL, MALE													
1998.....	44,713	135	19	24	63	171	675	1,561	3,210	8,325	17,241	13,286	3
1997.....	45,778	115	24	26	57	175	683	1,563	3,210	8,759	17,272	13,891	3
1996.....	46,345	98	17	28	50	191	731	1,617	3,295	9,045	17,732	13,539	2
1995.....	45,626	94	19	26	55	210	758	1,550	3,345	9,203	17,396	12,968	2
1994.....	44,155	71	21	27	55	215	703	1,501	3,248	9,024	17,036	12,254	-
1993.....	42,863	67	15	26	53	239	678	1,389	3,213	8,925	16,357	11,900	1
1992.....	40,712	69	13	19	68	217	659	1,368	3,187	8,704	15,423	10,979	6
1991.....	40,478	50	18	20	60	226	677	1,316	3,113	8,980	15,492	10,520	6
1990.....	40,175	42	13	21	73	250	623	1,276	3,200	9,054	15,407	10,212	4
1989.....	39,937	34	5	20	55	254	634	1,225	3,356	9,013	15,324	10,015	2
1988.....	41,411	37	16	16	77	266	666	1,232	3,630	9,292	15,780	10,399	-
1987.....	40,626	35	16	16	68	273	655	1,232	3,608	9,298	15,427	9,993	5
1986.....	40,522	24	10	18	73	280	633	1,255	3,683	9,325	15,334	9,879	8
1985.....	41,567	31	16	19	90	248	582	1,309	3,871	9,749	15,670	9,971	11
1984.....	42,281	19	14	23	104	273	579	1,450	3,940	10,086	15,604	10,185	4
1983.....	43,251	23	17	21	103	254	559	1,402	4,108	10,349	16,177	10,235	3
1982.....	43,181	22	14	25	80	261	572	1,432	4,058	10,650	15,897	10,162	8
1981.....	44,718	25	14	27	102	294	601	1,527	4,379	11,084	16,258	10,399	8
1980.....	46,464	28	11	20	136	285	586	1,636	4,364	11,546	17,183	10,662	7
1979.....	45,649	23	9	30	110	315	624	1,623	4,617	11,278	16,654	10,357	9

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ALL OTHER AND LATE EFFECTS OF CEREBROVASCULAR DISEASES (430,433,435-438)													
TOTAL, FEMALE													
1998.....	75,977	99	22	20	34	218	774	1,551	2,765	8,343	24,320	37,829	2
1997.....	75,493	94	14	16	45	195	816	1,481	2,806	8,557	24,054	37,414	1
1996.....	76,330	81	17	17	44	245	798	1,543	2,817	8,781	24,595	37,386	6
1995.....	75,192	67	15	14	30	216	780	1,509	2,837	9,132	24,018	36,572	2
1994.....	72,007	48	11	13	46	278	773	1,481	2,801	8,735	23,343	34,472	6
1993.....	69,917	63	14	12	69	247	706	1,434	2,799	8,620	22,833	33,116	4
1992.....	65,726	35	13	16	42	257	764	1,311	2,831	8,479	21,737	30,237	4
1991.....	64,990	47	15	17	53	276	712	1,331	2,820	8,528	21,486	29,701	4
1990.....	64,426	30	13	22	58	319	711	1,302	2,932	8,748	21,512	28,775	4
1989.....	64,455	27	13	16	63	300	693	1,286	2,938	8,883	21,840	28,389	7
1988.....	65,858	31	10	20	83	290	701	1,247	3,113	9,171	22,489	28,699	4
1987.....	65,392	24	12	17	72	321	702	1,286	3,209	9,201	22,379	28,163	6
1986.....	64,391	19	10	13	63	296	682	1,303	3,395	9,449	21,930	27,198	33
1985.....	65,450	19	13	17	83	282	690	1,328	3,391	9,564	22,547	27,489	27
1984.....	65,796	9	10	18	83	287	699	1,381	3,507	9,702	23,063	27,030	7
1983.....	65,759	16	4	25	86	255	668	1,480	3,670	9,929	23,062	26,548	16
1982.....	65,514	13	9	24	79	296	700	1,484	3,812	10,213	23,366	25,513	5
1981.....	66,779	7	14	13	103	329	691	1,607	3,973	10,584	23,554	25,899	5
1980.....	68,146	18	14	22	108	316	672	1,618	3,963	10,904	24,805	25,701	5
1979.....	65,517	13	6	23	106	281	714	1,710	3,978	10,807	23,838	24,035	6

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ALL OTHER AND LATE EFFECTS OF CEREBROVASCULAR DISEASES (430,433,435-438)													
WHITE, BOTH SEXES													
1998.....	105,272	162	27	29	75	274	993	2,203	4,394	13,480	36,674	46,960	1
1997.....	106,066	144	23	29	72	265	1,014	2,123	4,329	14,065	36,706	47,293	3
1996.....	107,029	129	24	34	76	304	1,042	2,270	4,467	14,369	37,455	46,853	6
1995.....	105,370	122	20	34	55	298	1,059	2,197	4,557	14,885	36,626	45,515	2
1994.....	101,410	85	22	32	72	340	990	2,107	4,483	14,404	35,711	43,160	4
1993.....	98,502	89	24	25	90	350	949	2,005	4,460	14,288	34,671	41,550	1
1992.....	92,869	72	19	26	84	321	944	1,941	4,466	13,958	32,917	38,113	8
1991.....	91,723	65	21	29	85	346	952	1,899	4,349	14,274	32,658	37,038	7
1990.....	91,067	47	18	32	100	390	879	1,838	4,561	14,537	32,679	35,983	3
1989.....	90,588	44	14	30	85	374	883	1,752	4,618	14,592	32,726	35,465	5
1988.....	93,280	46	15	27	122	366	931	1,798	4,987	15,048	33,824	36,116	-
1987.....	92,488	42	21	27	100	397	961	1,775	5,107	15,178	33,537	35,337	6
1986.....	91,599	30	13	24	102	393	928	1,830	5,403	15,384	33,047	34,415	30
1985.....	93,481	37	18	32	126	365	923	1,879	5,532	15,786	33,922	34,827	34
1984.....	94,408	20	15	29	135	375	901	2,035	5,685	16,163	34,252	34,791	7
1983.....	95,376	29	19	38	131	350	876	2,092	5,866	16,610	35,073	34,278	14
1982.....	94,986	24	16	37	113	384	895	2,108	5,960	17,185	34,993	33,264	7
1981.....	97,407	22	21	32	153	449	940	2,252	6,409	17,795	35,540	33,785	9
1980.....	100,460	28	19	35	178	423	928	2,364	6,396	18,496	37,601	33,986	6
1979.....	97,500	21	10	43	167	430	946	2,430	6,638	18,227	36,462	32,115	11

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ALL OTHER AND LATE EFFECTS OF CEREBROVASCULAR DISEASES (430,433,435-438)													
WHITE MALE													
1998.....	38,322	95	11	14	51	126	477	1,124	2,341	6,774	15,231	12,077	1
1997.....	39,483	75	12	18	40	133	490	1,096	2,327	7,168	15,385	12,737	2
1996.....	39,834	75	11	23	42	142	531	1,138	2,407	7,341	15,786	12,336	2
1995.....	39,070	73	11	23	38	149	535	1,075	2,454	7,535	15,358	11,817	2
1994.....	37,934	52	14	24	41	162	484	1,055	2,405	7,384	15,096	11,217	-
1993.....	36,912	43	14	18	38	182	484	990	2,407	7,370	14,481	10,885	-
1992.....	34,985	48	10	12	55	165	437	1,001	2,379	7,098	13,705	10,071	4
1991.....	34,576	35	11	17	49	162	464	927	2,300	7,393	13,669	9,545	4
1990.....	34,445	27	6	16	56	187	433	893	2,393	7,469	13,654	9,311	-
1989.....	34,184	23	4	18	46	191	422	858	2,501	7,465	13,543	9,111	2
1988.....	35,488	22	10	12	64	182	464	890	2,713	7,664	13,936	9,531	-
1987.....	34,898	28	13	14	50	189	460	878	2,724	7,733	13,658	9,147	4
1986.....	34,715	16	6	14	52	200	451	874	2,812	7,689	13,531	9,064	6
1985.....	35,840	24	10	17	68	177	435	941	2,977	8,067	13,926	9,189	9
1984.....	36,406	13	8	14	78	200	417	1,052	3,013	8,324	13,863	9,422	2
1983.....	37,373	17	17	17	75	184	408	1,028	3,121	8,597	14,482	9,424	3
1982.....	37,146	16	9	17	60	199	407	1,041	3,086	8,809	14,136	9,362	4
1981.....	38,506	16	9	23	77	229	445	1,075	3,390	9,211	14,453	9,572	6
1980.....	40,108	15	7	15	103	208	442	1,201	3,386	9,601	15,259	9,867	4
1979.....	39,489	12	6	26	93	234	437	1,197	3,555	9,401	14,940	9,582	6

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
---	-------	-----------------	--------------	---------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	--------------	------

ALL OTHER AND LATE EFFECTS OF CEREBROVASCULAR DISEASES (430,433,435-438)

WHITE FEMALE

1998.....	66,950	67	16	15	24	148	516	1,079	2,053	6,706	21,443	34,883	-
1997.....	66,583	69	11	11	32	132	524	1,027	2,002	6,897	21,321	34,556	1
1996.....	67,195	54	13	11	34	162	511	1,132	2,060	7,028	21,669	34,517	4
1995.....	66,300	49	9	11	17	149	524	1,122	2,103	7,350	21,268	33,698	-
1994.....	63,476	33	8	8	31	178	506	1,052	2,078	7,020	20,615	31,943	4
1993.....	61,590	46	10	7	52	168	465	1,015	2,053	6,918	20,190	30,665	1
1992.....	57,884	24	9	14	29	156	507	940	2,087	6,860	19,212	28,042	4
1991.....	57,147	30	10	12	36	184	488	972	2,049	6,881	18,989	27,493	3
1990.....	56,622	20	12	16	44	203	446	945	2,168	7,068	19,025	26,672	3
1989.....	56,404	21	10	12	39	183	461	894	2,117	7,127	19,183	26,354	3
1988.....	57,792	24	5	15	58	184	467	908	2,274	7,384	19,888	26,585	-
1987.....	57,590	14	8	13	50	208	501	897	2,383	7,445	19,879	26,190	2
1986.....	56,884	14	7	10	50	193	477	956	2,591	7,695	19,516	25,351	24
1985.....	57,641	13	8	15	58	188	488	938	2,555	7,719	19,996	25,638	25
1984.....	58,002	7	7	15	57	175	484	983	2,672	7,839	20,389	25,369	5
1983.....	58,003	12	2	21	56	166	468	1,064	2,745	8,013	20,591	24,854	11
1982.....	57,840	8	7	20	53	185	488	1,067	2,874	8,376	20,857	23,902	3
1981.....	58,901	6	12	9	76	220	495	1,177	3,019	8,584	21,087	24,213	3
1980.....	60,352	13	12	20	75	215	486	1,163	3,010	8,895	22,342	24,119	2
1979.....	58,011	9	4	17	74	196	509	1,233	3,083	8,826	21,522	22,533	5

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ALL OTHER AND LATE EFFECTS OF CEREBROVASCULAR DISEASES (430,433,435-438)													
ALL OTHER, BOTH SEXES													
1998.....	15,418	72	14	15	22	115	456	909	1,581	3,188	4,887	4,155	4
1997.....	15,205	65	15	13	30	105	485	921	1,687	3,251	4,620	4,012	1
1996.....	15,646	50	10	11	18	132	487	890	1,645	3,457	4,872	4,072	2
1995.....	15,448	39	14	6	30	128	479	862	1,625	3,450	4,788	4,025	2
1994.....	14,752	34	10	8	29	153	486	875	1,566	3,355	4,668	3,566	2
1993.....	14,278	41	5	13	32	136	435	818	1,552	3,257	4,519	3,466	4
1992.....	13,569	32	7	9	26	153	479	738	1,552	3,225	4,243	3,103	2
1991.....	13,745	32	12	8	28	156	437	748	1,584	3,234	4,320	3,183	3
1990.....	13,534	25	8	11	31	179	455	740	1,571	3,265	4,240	3,004	5
1989.....	13,804	17	4	6	33	180	444	759	1,676	3,304	4,438	2,939	4
1988.....	13,989	22	11	9	38	190	436	681	1,756	3,415	4,445	2,982	4
1987.....	13,530	17	7	6	40	197	396	743	1,710	3,321	4,269	2,819	5
1986.....	13,314	13	7	7	34	183	387	728	1,675	3,390	4,217	2,662	11
1985.....	13,536	13	11	4	47	165	349	758	1,730	3,527	4,295	2,633	4
1984.....	13,669	8	9	12	52	185	377	796	1,762	3,625	4,415	2,424	4
1983.....	13,634	10	2	8	58	159	351	790	1,912	3,668	4,166	2,505	5
1982.....	13,709	11	7	12	46	173	377	808	1,910	3,678	4,270	2,411	6
1981.....	14,090	10	7	8	52	174	352	882	1,943	3,873	4,272	2,513	4
1980.....	14,150	18	6	7	66	178	330	890	1,931	3,954	4,387	2,377	6
1979.....	13,666	15	5	10	49	166	392	903	1,957	3,858	4,030	2,277	4

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ALL OTHER AND LATE EFFECTS OF CEREBROVASCULAR DISEASES (430,433,435-438)													
ALL OTHER MALE													
1998.....	6,391	40	8	10	12	45	198	437	869	1,551	2,010	1,209	2
1997.....	6,295	40	12	8	17	42	193	467	883	1,591	1,887	1,154	1
1996.....	6,511	23	6	5	8	49	200	479	888	1,704	1,946	1,203	-
1995.....	6,556	21	8	3	17	61	223	475	891	1,668	2,038	1,151	-
1994.....	6,221	19	7	3	14	53	219	446	843	1,640	1,940	1,037	-
1993.....	5,951	24	1	8	15	57	194	399	806	1,555	1,876	1,015	1
1992.....	5,727	21	3	7	13	52	222	367	808	1,606	1,718	908	2
1991.....	5,902	15	7	3	11	64	213	389	813	1,587	1,823	975	2
1990.....	5,730	15	7	5	17	63	190	383	807	1,585	1,753	901	4
1989.....	5,753	11	1	2	9	63	212	367	855	1,548	1,781	904	-
1988.....	5,923	15	6	4	13	84	202	342	917	1,628	1,844	868	-
1987.....	5,728	7	3	2	18	84	195	354	884	1,565	1,769	846	1
1986.....	5,807	8	4	4	21	80	182	381	871	1,636	1,803	815	2
1985.....	5,727	7	6	2	22	71	147	368	894	1,682	1,744	782	2
1984.....	5,875	6	6	9	26	73	162	398	927	1,762	1,741	763	2
1983.....	5,878	6	-	4	28	70	151	374	987	1,752	1,695	811	-
1982.....	6,035	6	5	8	20	62	165	391	972	1,841	1,761	800	4
1981.....	6,212	9	5	4	25	65	156	452	989	1,873	1,805	827	2
1980.....	6,356	13	4	5	33	77	144	435	978	1,945	1,924	795	3
1979.....	6,160	11	3	4	17	81	187	426	1,062	1,877	1,714	775	3

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ALL OTHER AND LATE EFFECTS OF CEREBROVASCULAR DISEASES (430,433,435-438)													
ALL OTHER FEMALE													
1998.....	9,027	32	6	5	10	70	258	472	712	1,637	2,877	2,946	2
1997.....	8,910	25	3	5	13	63	292	454	804	1,660	2,733	2,858	-
1996.....	9,135	27	4	6	10	83	287	411	757	1,753	2,926	2,869	2
1995.....	8,892	18	6	3	13	67	256	387	734	1,782	2,750	2,874	2
1994.....	8,531	15	3	5	15	100	267	429	723	1,715	2,728	2,529	2
1993.....	8,327	17	4	5	17	79	241	419	746	1,702	2,643	2,451	3
1992.....	7,842	11	4	2	13	101	257	371	744	1,619	2,525	2,195	-
1991.....	7,843	17	5	5	17	92	224	359	771	1,647	2,497	2,208	1
1990.....	7,804	10	1	6	14	116	265	357	764	1,680	2,487	2,103	1
1989.....	8,051	6	3	4	24	117	232	392	821	1,756	2,657	2,035	4
1988.....	8,066	7	5	5	25	106	234	339	839	1,787	2,601	2,114	4
1987.....	7,802	10	4	4	22	113	201	389	826	1,756	2,500	1,973	4
1986.....	7,507	5	3	3	13	103	205	347	804	1,754	2,414	1,847	9
1985.....	7,809	6	5	2	25	94	202	390	836	1,845	2,551	1,851	2
1984.....	7,794	2	3	3	26	112	215	398	835	1,863	2,674	1,661	2
1983.....	7,756	4	2	4	30	89	200	416	925	1,916	2,471	1,694	5
1982.....	7,674	5	2	4	26	111	212	417	938	1,837	2,509	1,611	2
1981.....	7,878	1	2	4	27	109	196	430	954	2,000	2,467	1,686	2
1980.....	7,794	5	2	2	33	101	186	455	953	2,009	2,463	1,582	3
1979.....	7,506	4	2	6	32	85	205	477	895	1,981	2,316	1,502	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ALL OTHER AND LATE EFFECTS OF CEREBROVASCULAR DISEASES (430,433,435-438)													
BLACK, BOTH SEXES													
1998.....	13,246	68	13	15	18	102	408	815	1,383	2,728	4,136	3,556	4
1997.....	13,030	57	14	13	24	91	422	809	1,469	2,830	3,880	3,420	1
1996.....	13,553	42	10	10	16	116	435	773	1,449	3,042	4,209	3,449	2
1995.....	13,515	36	14	5	22	112	431	758	1,435	3,045	4,159	3,496	2
1994.....	12,934	32	9	8	26	144	440	776	1,402	2,949	4,061	3,085	2
1993.....	12,618	32	4	10	27	124	392	718	1,402	2,899	3,996	3,010	4
1992.....	12,089	30	6	8	22	140	439	649	1,381	2,912	3,797	2,703	2
1991.....	12,221	28	12	8	24	145	391	671	1,437	2,907	3,831	2,765	2
1990.....	12,164	22	8	9	28	162	415	675	1,433	2,960	3,807	2,641	4
1989.....	12,489	17	2	6	31	164	393	686	1,530	3,046	4,021	2,589	4
1988.....	12,747	19	9	9	34	175	392	610	1,638	3,175	4,039	2,645	2
1987.....	12,367	16	6	5	32	178	365	682	1,582	3,066	3,896	2,534	5
1986.....	12,283	11	6	5	30	172	351	676	1,567	3,132	3,901	2,424	8
1985.....	12,493	12	11	4	40	157	315	714	1,627	3,289	3,955	2,365	4
1984.....	12,647	8	8	9	45	171	336	741	1,646	3,416	4,056	2,208	3
1983.....	12,726	9	1	8	53	153	318	732	1,822	3,464	3,872	2,291	3
1982.....	12,833	8	7	11	45	168	350	753	1,838	3,489	3,952	2,206	6
1981.....	13,279	9	5	8	47	162	328	838	1,858	3,702	4,013	2,306	3
1980.....	13,315	17	3	6	63	169	309	849	1,852	3,767	4,100	2,174	6
1979.....	12,923	13	5	10	43	152	371	847	1,875	3,697	3,802	2,105	3

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ALL OTHER AND LATE EFFECTS OF CEREBROVASCULAR DISEASES (430,433,435-438)													
BLACK MALE													
1998.....	5,359	37	7	10	11	39	174	386	758	1,317	1,661	957	2
1997.....	5,272	35	12	8	14	36	164	417	767	1,377	1,532	909	1
1996.....	5,555	19	6	4	6	43	171	423	783	1,489	1,665	946	-
1995.....	5,597	20	8	2	11	51	190	427	788	1,453	1,721	926	-
1994.....	5,354	18	7	3	13	49	200	397	765	1,432	1,637	833	-
1993.....	5,194	20	1	7	13	49	173	359	724	1,385	1,618	844	1
1992.....	5,022	19	3	6	11	48	201	329	721	1,441	1,492	749	2
1991.....	5,177	13	7	3	9	59	187	354	746	1,431	1,582	785	1
1990.....	5,117	12	7	4	15	58	171	362	746	1,432	1,535	772	3
1989.....	5,116	11	-	2	9	55	188	338	787	1,408	1,551	767	-
1988.....	5,323	12	4	4	10	78	179	312	857	1,508	1,635	724	-
1987.....	5,145	6	2	1	14	71	180	329	808	1,426	1,575	732	1
1986.....	5,293	7	4	3	19	73	167	360	824	1,501	1,617	717	1
1985.....	5,244	6	6	2	19	67	139	349	848	1,566	1,561	679	2
1984.....	5,390	6	6	6	20	69	145	374	870	1,652	1,556	684	2
1983.....	5,429	5	-	4	26	67	135	350	933	1,637	1,543	729	-
1982.....	5,594	4	5	7	20	59	151	369	925	1,745	1,580	725	4
1981.....	5,820	8	4	4	22	60	147	431	949	1,771	1,668	755	1
1980.....	5,948	13	3	5	31	73	137	420	942	1,836	1,765	720	3
1979.....	5,779	10	3	4	14	75	181	404	1,015	1,781	1,592	697	3

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
---	-------	-----------------	--------------	---------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	--------------	------

ALL OTHER AND LATE EFFECTS OF CEREBROVASCULAR DISEASES (430,433,435-438)

BLACK FEMALE

1998.....	7,887	31	6	5	7	63	234	429	625	1,411	2,475	2,599	2
1997.....	7,758	22	2	5	10	55	258	392	702	1,453	2,348	2,511	-
1996.....	7,998	23	4	6	10	73	264	350	666	1,553	2,544	2,503	2
1995.....	7,918	16	6	3	11	61	241	331	647	1,592	2,438	2,570	2
1994.....	7,580	14	2	5	13	95	240	379	637	1,517	2,424	2,252	2
1993.....	7,424	12	3	3	14	75	219	359	678	1,514	2,378	2,166	3
1992.....	7,067	11	3	2	11	92	238	320	660	1,471	2,305	1,954	-
1991.....	7,044	15	5	5	15	86	204	317	691	1,476	2,249	1,980	1
1990.....	7,047	10	1	5	13	104	244	313	687	1,528	2,272	1,869	1
1989.....	7,373	6	2	4	22	109	205	348	743	1,638	2,470	1,822	4
1988.....	7,424	7	5	5	24	97	213	298	781	1,667	2,404	1,921	2
1987.....	7,222	10	4	4	18	107	185	353	774	1,640	2,321	1,802	4
1986.....	6,990	4	2	2	11	99	184	316	743	1,631	2,284	1,707	7
1985.....	7,249	6	5	2	21	90	176	365	779	1,723	2,394	1,686	2
1984.....	7,257	2	2	3	25	102	191	367	776	1,764	2,500	1,524	1
1983.....	7,297	4	1	4	27	86	183	382	889	1,827	2,329	1,562	3
1982.....	7,239	4	2	4	25	109	199	384	913	1,744	2,372	1,481	2
1981.....	7,459	1	1	4	25	102	181	407	909	1,931	2,345	1,551	2
1980.....	7,367	4	-	1	32	96	172	429	910	1,931	2,335	1,454	3
1979.....	7,144	3	2	6	29	77	190	443	860	1,916	2,210	1,408	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 ATHEROSCLEROSIS (440)													
TOTAL, BOTH SEXES													
1998.....	15,279	1	1	-	2	10	41	172	560	1,687	4,407	8,398	-
1997.....	16,057	-	1	-	-	5	49	208	520	1,805	4,738	8,730	1
1996.....	16,740	2	-	-	1	10	60	204	571	1,885	4,915	9,091	1
1995.....	16,723	-	-	1	-	5	42	196	595	1,907	5,035	8,941	1
1994.....	17,116	-	-	1	1	7	58	151	567	2,022	4,972	9,336	1
1993.....	17,272	-	-	2	2	13	46	171	575	2,004	5,057	9,399	3
1992.....	16,831	-	-	-	1	9	48	162	614	2,034	4,909	9,052	2
1991.....	17,420	1	-	-	2	8	41	157	642	2,126	5,219	9,223	1
1990.....	18,047	1	-	1	1	14	33	162	674	2,220	5,331	9,607	3
1989.....	19,357	1	1	1	2	5	44	168	721	2,348	5,761	10,304	1
1988.....	22,086	1	1	-	2	7	54	176	787	2,699	6,679	11,677	3
1987.....	22,474	1	-	-	2	11	42	174	870	2,875	6,844	11,653	2
1986.....	22,706	-	-	-	1	10	40	190	889	2,765	6,781	12,009	21
1985.....	23,926	-	-	-	2	7	48	182	892	2,898	7,263	12,609	25
1984.....	24,462	-	3	3	3	5	44	153	910	2,911	7,610	12,815	5
1983.....	26,371	1	1	1	3	4	32	242	992	3,191	8,274	13,626	4
1982.....	26,823	1	3	4	2	9	42	219	991	3,332	8,486	13,720	14
1981.....	28,004	-	2	-	2	5	59	217	989	3,398	8,976	14,346	10
1980.....	29,449	2	-	-	2	9	44	270	1,035	3,679	9,696	14,706	6
1979.....	28,801	3	-	-	1	5	37	208	1,023	3,736	9,525	14,260	3

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 ATHEROSCLEROSIS (440)													
TOTAL, MALE													
1998.....	5,719	-	-	-	-	6	30	116	363	983	1,970	2,251	-
1997.....	6,019	-	1	-	-	4	34	147	334	1,037	2,129	2,332	1
1996.....	6,281	2	-	-	1	4	36	147	378	1,034	2,241	2,437	1
1995.....	6,404	-	-	1	-	4	34	141	368	1,109	2,277	2,469	1
1994.....	6,420	-	-	-	1	6	39	105	364	1,106	2,250	2,549	-
1993.....	6,410	-	-	1	1	9	33	112	367	1,131	2,232	2,523	1
1992.....	6,328	-	-	-	-	7	29	118	365	1,144	2,198	2,466	1
1991.....	6,636	1	-	-	1	5	29	111	413	1,199	2,380	2,496	1
1990.....	6,859	1	-	-	1	11	20	110	437	1,260	2,362	2,654	3
1989.....	7,254	-	1	1	1	4	35	104	456	1,323	2,544	2,785	-
1988.....	8,327	-	1	-	1	4	41	119	501	1,551	2,930	3,178	1
1987.....	8,428	-	-	-	2	6	29	123	548	1,657	2,927	3,135	1
1986.....	8,587	-	-	-	-	9	26	135	585	1,597	2,959	3,267	9
1985.....	9,062	-	-	-	1	5	35	128	594	1,686	3,077	3,530	6
1984.....	9,240	-	2	1	3	4	31	106	542	1,631	3,314	3,604	2
1983.....	10,042	-	-	1	1	2	24	169	618	1,778	3,573	3,876	-
1982.....	10,583	1	-	1	1	7	29	152	625	1,922	3,729	4,112	4
1981.....	10,969	-	-	-	1	4	40	139	631	1,927	3,912	4,310	5
1980.....	11,601	1	-	-	2	6	30	181	666	2,115	4,091	4,508	1
1979.....	11,426	2	-	-	-	3	26	152	636	2,081	4,087	4,439	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 ATHEROSCLEROSIS (440)													
TOTAL, FEMALE													
1998.....	9,560	1	1	-	2	4	11	56	197	704	2,437	6,147	-
1997.....	10,038	-	-	-	-	1	15	61	186	768	2,609	6,398	-
1996.....	10,459	-	-	-	-	6	24	57	193	851	2,674	6,654	-
1995.....	10,319	-	-	-	-	1	8	55	227	798	2,758	6,472	-
1994.....	10,696	-	-	1	-	1	19	46	203	916	2,722	6,787	1
1993.....	10,862	-	-	1	1	4	13	59	208	873	2,825	6,876	2
1992.....	10,503	-	-	-	1	2	19	44	249	890	2,711	6,586	1
1991.....	10,784	-	-	-	1	3	12	46	229	927	2,839	6,727	-
1990.....	11,188	-	-	1	-	3	13	52	237	960	2,969	6,953	-
1989.....	12,103	1	-	-	1	1	9	64	265	1,025	3,217	7,519	1
1988.....	13,759	1	-	-	1	3	13	57	286	1,148	3,749	8,499	2
1987.....	14,046	1	-	-	-	5	13	51	322	1,218	3,917	8,518	1
1986.....	14,119	-	-	-	1	1	14	55	304	1,168	3,822	8,742	12
1985.....	14,864	-	-	-	1	2	13	54	298	1,212	4,186	9,079	19
1984.....	15,222	-	1	2	-	1	13	47	368	1,280	4,296	9,211	3
1983.....	16,329	1	1	-	2	2	8	73	374	1,413	4,701	9,750	4
1982.....	16,240	-	3	3	1	2	13	67	366	1,410	4,757	9,608	10
1981.....	17,035	-	2	-	1	1	19	78	358	1,471	5,064	10,036	5
1980.....	17,848	1	-	-	-	3	14	89	369	1,564	5,605	10,198	5
1979.....	17,375	1	-	-	1	2	11	56	387	1,655	5,438	9,821	3

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 ATHEROSCLEROSIS (440)													
WHITE, BOTH SEXES													
1998.....	14,050	-	-	-	2	5	34	137	470	1,488	4,049	7,865	-
1997.....	14,750	-	1	-	-	3	36	154	433	1,563	4,364	8,195	1
1996.....	15,379	2	-	-	1	8	44	165	449	1,668	4,519	8,522	1
1995.....	15,378	-	-	1	-	-	39	167	487	1,652	4,605	8,426	1
1994.....	15,660	-	-	-	-	5	45	111	454	1,764	4,527	8,753	1
1993.....	15,905	-	-	2	-	9	29	138	467	1,743	4,637	8,878	2
1992.....	15,493	-	-	-	1	8	39	126	508	1,780	4,493	8,536	2
1991.....	15,981	1	-	-	2	6	32	127	515	1,867	4,749	8,681	1
1990.....	16,547	1	-	-	1	12	27	133	557	1,943	4,849	9,022	2
1989.....	17,791	1	-	-	2	5	36	141	599	2,065	5,279	9,663	-
1988.....	20,261	1	1	-	2	5	45	137	652	2,373	6,034	11,009	2
1987.....	20,726	1	-	-	2	10	37	139	723	2,532	6,247	11,034	1
1986.....	20,858	-	-	-	-	8	34	148	733	2,397	6,166	11,353	19
1985.....	22,021	-	-	-	1	7	37	147	745	2,517	6,630	11,917	20
1984.....	22,645	-	1	3	2	5	35	127	775	2,526	7,012	12,156	3
1983.....	24,451	1	-	1	1	4	27	197	825	2,801	7,571	13,022	1
1982.....	24,789	-	3	4	2	9	32	170	852	2,932	7,777	12,997	11
1981.....	25,824	-	2	-	2	4	42	170	827	2,932	8,227	13,613	5
1980.....	27,069	2	-	-	2	6	31	202	855	3,201	8,891	13,877	2
1979.....	26,602	3	-	-	-	4	33	170	838	3,238	8,769	13,545	2

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 ATHEROSCLEROSIS (440)													
WHITE MALE													
1998.....	5,213	-	-	-	-	4	24	93	313	862	1,809	2,108	-
1997.....	5,506	-	1	-	-	2	27	111	286	918	1,966	2,194	1
1996.....	5,746	2	-	-	1	3	29	127	308	932	2,070	2,273	1
1995.....	5,840	-	-	1	-	-	32	118	314	974	2,096	2,304	1
1994.....	5,838	-	-	-	-	4	31	83	299	981	2,055	2,385	-
1993.....	5,853	-	-	1	-	5	22	95	301	993	2,067	2,369	-
1992.....	5,756	-	-	-	-	6	24	91	303	1,007	2,015	2,309	1
1991.....	6,033	1	-	-	1	5	22	86	344	1,084	2,157	2,332	1
1990.....	6,232	1	-	-	1	10	16	90	379	1,119	2,159	2,455	2
1989.....	6,652	-	-	-	1	4	29	93	391	1,178	2,354	2,602	-
1988.....	7,529	-	1	-	1	2	34	90	431	1,380	2,636	2,953	1
1987.....	7,686	-	-	-	2	6	27	102	466	1,461	2,678	2,944	-
1986.....	7,767	-	-	-	-	7	22	107	485	1,406	2,680	3,051	9
1985.....	8,251	-	-	-	1	5	29	105	511	1,476	2,815	3,305	4
1984.....	8,447	-	-	1	2	4	27	92	469	1,421	3,033	3,397	1
1983.....	9,165	-	-	1	-	2	20	141	525	1,577	3,249	3,650	-
1982.....	9,689	-	-	1	1	7	25	122	556	1,695	3,407	3,872	3
1981.....	10,028	-	-	-	1	3	33	115	535	1,694	3,590	4,055	2
1980.....	10,543	1	-	-	2	5	22	136	555	1,867	3,753	4,202	-
1979.....	10,460	2	-	-	-	2	23	125	537	1,832	3,748	4,191	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 ATHEROSCLEROSIS (440)													
WHITE FEMALE													
1998.....	8,837	-	-	-	2	1	10	44	157	626	2,240	5,757	-
1997.....	9,244	-	-	-	-	1	9	43	147	645	2,398	6,001	-
1996.....	9,633	-	-	-	-	5	15	38	141	736	2,449	6,249	-
1995.....	9,538	-	-	-	-	-	7	49	173	678	2,509	6,122	-
1994.....	9,822	-	-	-	-	1	14	28	155	783	2,472	6,368	1
1993.....	10,052	-	-	1	-	4	7	43	166	750	2,570	6,509	2
1992.....	9,737	-	-	-	1	2	15	35	205	773	2,478	6,227	1
1991.....	9,948	-	-	-	1	1	10	41	171	783	2,592	6,349	-
1990.....	10,315	-	-	-	-	2	11	43	178	824	2,690	6,567	-
1989.....	11,139	1	-	-	1	1	7	48	208	887	2,925	7,061	-
1988.....	12,732	1	-	-	1	3	11	47	221	993	3,398	8,056	1
1987.....	13,040	1	-	-	-	4	10	37	257	1,071	3,569	8,090	1
1986.....	13,091	-	-	-	-	1	12	41	248	991	3,486	8,302	10
1985.....	13,770	-	-	-	-	2	8	42	234	1,041	3,815	8,612	16
1984.....	14,198	-	1	2	-	1	8	35	306	1,105	3,979	8,759	2
1983.....	15,286	1	-	-	1	2	7	56	300	1,224	4,322	9,372	1
1982.....	15,100	-	3	3	1	2	7	48	296	1,237	4,370	9,125	8
1981.....	15,796	-	2	-	1	1	9	55	292	1,238	4,637	9,558	3
1980.....	16,526	1	-	-	-	1	9	66	300	1,334	5,138	9,675	2
1979.....	16,142	1	-	-	-	2	10	45	301	1,406	5,021	9,354	2

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 ATHEROSCLEROSIS (440)													
ALL OTHER, BOTH SEXES													
1998.....	1,229	1	1	-	-	5	7	35	90	199	358	533	-
1997.....	1,307	-	-	-	-	2	13	54	87	242	374	535	-
1996.....	1,361	-	-	-	-	2	16	39	122	217	396	569	-
1995.....	1,345	-	-	-	-	5	3	29	108	255	430	515	-
1994.....	1,456	-	-	1	1	2	13	40	113	258	445	583	-
1993.....	1,367	-	-	-	2	4	17	33	108	261	420	521	1
1992.....	1,338	-	-	-	-	1	9	36	106	254	416	516	-
1991.....	1,439	-	-	-	-	2	9	30	127	259	470	542	-
1990.....	1,500	-	-	1	-	2	6	29	117	277	482	585	1
1989.....	1,566	-	1	1	-	-	8	27	122	283	482	641	1
1988.....	1,825	-	-	-	-	2	9	39	135	326	645	668	1
1987.....	1,748	-	-	-	-	1	5	35	147	343	597	619	1
1986.....	1,848	-	-	-	1	2	6	42	156	368	615	656	2
1985.....	1,905	-	-	-	1	-	11	35	147	381	633	692	5
1984.....	1,817	-	2	-	1	-	9	26	135	385	598	659	2
1983.....	1,920	-	1	-	2	-	5	45	167	390	703	604	3
1982.....	2,034	1	-	-	-	-	10	49	139	400	709	723	3
1981.....	2,180	-	-	-	-	1	17	47	162	466	749	733	5
1980.....	2,380	-	-	-	-	3	13	68	180	478	805	829	4
1979.....	2,199	-	-	-	1	1	4	38	185	498	756	715	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 ATHEROSCLEROSIS (440)													
ALL OTHER MALE													
1998.....	506	-	-	-	-	2	6	23	50	121	161	143	-
1997.....	513	-	-	-	-	2	7	36	48	119	163	138	-
1996.....	535	-	-	-	-	1	7	20	70	102	171	164	-
1995.....	564	-	-	-	-	4	2	23	54	135	181	165	-
1994.....	582	-	-	-	1	2	8	22	65	125	195	164	-
1993.....	557	-	-	-	1	4	11	17	66	138	165	154	1
1992.....	572	-	-	-	-	1	5	27	62	137	183	157	-
1991.....	603	-	-	-	-	-	7	25	69	115	223	164	-
1990.....	627	-	-	-	-	1	4	20	58	141	203	199	1
1989.....	602	-	1	1	-	-	6	11	65	145	190	183	-
1988.....	798	-	-	-	-	2	7	29	70	171	294	225	-
1987.....	742	-	-	-	-	-	2	21	82	196	249	191	1
1986.....	820	-	-	-	-	2	4	28	100	191	279	216	-
1985.....	811	-	-	-	-	-	6	23	83	210	262	225	2
1984.....	793	-	2	-	1	-	4	14	73	210	281	207	1
1983.....	877	-	-	-	1	-	4	28	93	201	324	226	-
1982.....	894	1	-	-	-	-	4	30	69	227	322	240	1
1981.....	941	-	-	-	-	1	7	24	96	233	322	255	3
1980.....	1,058	-	-	-	-	1	8	45	111	248	338	306	1
1979.....	966	-	-	-	-	1	3	27	99	249	339	248	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ATHEROSCLEROSIS (440)													
ALL OTHER FEMALE													
1998.....	723	1	1	-	-	3	1	12	40	78	197	390	-
1997.....	794	-	-	-	-	-	6	18	39	123	211	397	-
1996.....	826	-	-	-	-	1	9	19	52	115	225	405	-
1995.....	781	-	-	-	-	1	1	6	54	120	249	350	-
1994.....	874	-	-	1	-	-	5	18	48	133	250	419	-
1993.....	810	-	-	-	1	-	6	16	42	123	255	367	-
1992.....	766	-	-	-	-	-	4	9	44	117	233	359	-
1991.....	836	-	-	-	-	2	2	5	58	144	247	378	-
1990.....	873	-	-	1	-	1	2	9	59	136	279	386	-
1989.....	964	-	-	-	-	-	2	16	57	138	292	458	1
1988.....	1,027	-	-	-	-	-	2	10	65	155	351	443	1
1987.....	1,006	-	-	-	-	1	3	14	65	147	348	428	-
1986.....	1,028	-	-	-	1	-	2	14	56	177	336	440	2
1985.....	1,094	-	-	-	1	-	5	12	64	171	371	467	3
1984.....	1,024	-	-	-	-	-	5	12	62	175	317	452	1
1983.....	1,043	-	1	-	1	-	1	17	74	189	379	378	3
1982.....	1,140	-	-	-	-	-	6	19	70	173	387	483	2
1981.....	1,239	-	-	-	-	-	10	23	66	233	427	478	2
1980.....	1,322	-	-	-	-	2	5	23	69	230	467	523	3
1979.....	1,233	-	-	-	1	-	1	11	86	249	417	467	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ATHEROSCLEROSIS (440)													
BLACK, BOTH SEXES													
1998.....	1,082	1	1	-	-	4	6	31	87	180	309	463	-
1997.....	1,171	-	-	-	-	-	13	48	77	219	337	477	-
1996.....	1,200	-	-	-	-	2	14	36	112	197	347	492	-
1995.....	1,199	-	-	-	-	4	3	26	98	224	384	460	-
1994.....	1,299	-	-	1	1	2	11	33	104	234	395	518	-
1993.....	1,238	-	-	-	2	3	15	30	98	237	391	461	1
1992.....	1,209	-	-	-	-	1	8	34	93	225	377	471	-
1991.....	1,306	-	-	-	-	1	9	26	118	240	425	487	-
1990.....	1,380	-	-	1	-	2	6	26	113	258	442	531	1
1989.....	1,436	-	-	1	-	-	7	25	114	253	452	583	1
1988.....	1,694	-	-	-	-	2	8	37	127	308	602	609	1
1987.....	1,622	-	-	-	-	1	5	34	142	324	549	566	1
1986.....	1,720	-	-	-	1	2	6	42	149	345	565	608	2
1985.....	1,780	-	-	-	1	-	10	32	142	365	602	624	4
1984.....	1,684	-	1	-	1	-	8	24	129	364	557	598	2
1983.....	1,807	-	-	-	2	-	4	45	160	372	668	556	-
1982.....	1,898	-	-	-	-	-	10	46	128	381	672	659	2
1981.....	2,062	-	-	-	-	1	17	46	158	446	713	676	5
1980.....	2,252	-	-	-	-	3	12	66	172	458	763	775	3
1979.....	2,057	-	-	-	-	1	4	37	180	467	709	658	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ATHEROSCLEROSIS (440) BLACK MALE													
1998.....	436	-	-	-	-	1	5	21	49	111	135	114	-
1997.....	451	-	-	-	-	-	7	31	42	106	146	119	-
1996.....	458	-	-	-	-	1	6	19	65	92	146	129	-
1995.....	489	-	-	-	-	3	2	21	49	116	160	138	-
1994.....	507	-	-	-	1	2	6	18	61	114	168	137	-
1993.....	490	-	-	-	1	3	11	14	59	124	151	126	1
1992.....	504	-	-	-	-	1	5	25	53	119	158	143	-
1991.....	543	-	-	-	-	-	7	22	67	108	194	145	-
1990.....	563	-	-	-	-	1	4	18	56	131	179	173	1
1989.....	547	-	-	1	-	-	6	10	64	128	175	163	-
1988.....	739	-	-	-	-	2	6	27	65	162	275	202	-
1987.....	680	-	-	-	-	-	2	21	79	184	223	170	1
1986.....	756	-	-	-	-	2	4	28	94	178	249	201	-
1985.....	758	-	-	-	-	-	5	22	78	201	248	202	2
1984.....	720	-	1	-	1	-	3	12	69	200	255	178	1
1983.....	823	-	-	-	1	-	3	28	89	188	304	210	-
1982.....	826	-	-	-	-	-	4	29	62	216	303	212	-
1981.....	880	-	-	-	-	1	7	23	93	221	300	232	3
1980.....	990	-	-	-	-	1	8	44	107	237	313	280	-
1979.....	888	-	-	-	-	1	3	26	96	226	313	223	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ATHEROSCLEROSIS (440)													
BLACK FEMALE													
1998.....	646	1	1	-	-	3	1	10	38	69	174	349	-
1997.....	720	-	-	-	-	-	6	17	35	113	191	358	-
1996.....	742	-	-	-	-	1	8	17	47	105	201	363	-
1995.....	710	-	-	-	-	1	1	5	49	108	224	322	-
1994.....	792	-	-	1	-	-	5	15	43	120	227	381	-
1993.....	748	-	-	-	1	-	4	16	39	113	240	335	-
1992.....	705	-	-	-	-	-	3	9	40	106	219	328	-
1991.....	763	-	-	-	-	1	2	4	51	132	231	342	-
1990.....	817	-	-	1	-	1	2	8	57	127	263	358	-
1989.....	889	-	-	-	-	-	1	15	50	125	277	420	1
1988.....	955	-	-	-	-	-	2	10	62	146	327	407	1
1987.....	942	-	-	-	-	1	3	13	63	140	326	396	-
1986.....	964	-	-	-	1	-	2	14	55	167	316	407	2
1985.....	1,022	-	-	-	1	-	5	10	64	164	354	422	2
1984.....	964	-	-	-	-	-	5	12	60	164	302	420	1
1983.....	984	-	-	-	1	-	1	17	71	184	364	346	-
1982.....	1,072	-	-	-	-	-	6	17	66	165	369	447	2
1981.....	1,182	-	-	-	-	-	10	23	65	225	413	444	2
1980.....	1,262	-	-	-	-	2	4	22	65	221	450	495	3
1979.....	1,169	-	-	-	-	-	1	11	84	241	396	435	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)													
TOTAL, BOTH SEXES													
1998.....	27,671	14	5	17	64	219	554	1,059	2,397	6,621	9,885	6,836	-
1997.....	27,792	12	7	20	79	213	532	1,006	2,463	6,952	9,934	6,574	-
1996.....	27,176	13	6	16	60	177	526	986	2,413	6,867	9,695	6,416	1
1995.....	26,646	16	6	20	71	224	563	941	2,427	7,151	9,182	6,044	1
1994.....	26,097	12	8	19	66	200	469	876	2,433	7,082	9,111	5,818	3
1993.....	26,005	12	3	24	65	197	484	883	2,471	7,216	9,088	5,559	3
1992.....	25,337	12	9	13	74	202	473	860	2,465	7,110	8,814	5,303	2
1991.....	25,055	15	5	15	62	216	418	811	2,582	7,218	8,546	5,167	-
1990.....	24,645	15	7	17	62	193	376	789	2,581	7,109	8,552	4,943	1
1989.....	24,297	17	7	12	60	194	429	779	2,699	7,109	8,266	4,721	4
1988.....	23,185	8	3	13	67	189	349	701	2,685	6,911	7,808	4,450	1
1987.....	22,810	14	6	18	71	185	346	715	2,695	6,873	7,594	4,289	4
1986.....	22,417	20	11	18	85	157	325	674	2,760	6,807	7,548	4,010	2
1985.....	21,983	26	10	20	72	159	317	705	2,842	6,770	7,141	3,920	1
1984.....	21,741	19	8	18	70	175	320	717	2,887	6,565	7,113	3,841	8
1983.....	20,958	15	7	20	88	174	283	704	2,847	6,327	6,874	3,618	1
1982.....	20,172	14	7	17	74	159	234	730	2,760	6,459	6,487	3,227	4
1981.....	20,013	18	8	14	77	162	270	724	2,812	6,383	6,228	3,317	-
1980.....	19,959	17	9	18	89	163	262	822	2,888	6,318	6,284	3,088	1
1979.....	19,483	16	11	19	96	168	265	820	2,861	6,152	6,146	2,926	3

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)													
TOTAL, MALE													
1998.....	14,991	8	3	9	29	130	352	705	1,599	4,109	5,422	2,625	-
1997.....	15,109	7	5	6	43	122	350	654	1,628	4,384	5,363	2,547	-
1996.....	14,857	8	2	6	33	98	330	667	1,665	4,332	5,338	2,377	1
1995.....	14,817	10	6	15	34	127	360	616	1,649	4,649	5,046	2,305	-
1994.....	14,518	5	6	11	36	124	266	555	1,623	4,616	5,023	2,251	2
1993.....	14,963	8	1	19	39	118	281	570	1,733	4,771	5,261	2,160	2
1992.....	14,504	6	4	9	42	108	300	543	1,695	4,763	4,962	2,070	2
1991.....	14,569	10	2	8	38	124	256	525	1,832	4,864	4,879	2,031	-
1990.....	14,560	8	2	9	37	105	242	526	1,829	4,803	5,019	1,979	1
1989.....	14,447	11	5	4	35	116	274	513	1,914	4,813	4,854	1,905	3
1988.....	13,814	7	1	9	39	114	226	438	1,914	4,701	4,582	1,782	1
1987.....	13,840	8	3	10	47	111	204	473	1,912	4,723	4,564	1,782	3
1986.....	13,525	10	8	9	42	97	181	433	1,993	4,748	4,448	1,555	1
1985.....	13,620	16	7	9	43	85	196	465	2,079	4,802	4,317	1,600	1
1984.....	13,550	8	6	8	37	91	208	477	2,116	4,641	4,336	1,619	3
1983.....	13,243	7	4	10	50	105	179	471	2,080	4,513	4,279	1,545	-
1982.....	12,739	10	5	11	43	91	152	479	2,011	4,587	4,004	1,344	2
1981.....	12,794	13	6	6	42	88	159	489	2,079	4,554	3,944	1,414	-
1980.....	12,933	12	5	9	42	95	156	554	2,196	4,549	3,957	1,357	1
1979.....	12,620	11	7	10	49	102	151	557	2,094	4,497	3,863	1,276	3

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)													
TOTAL, FEMALE													
1998.....	12,680	6	2	8	35	89	202	354	798	2,512	4,463	4,211	-
1997.....	12,683	5	2	14	36	91	182	352	835	2,568	4,571	4,027	-
1996.....	12,319	5	4	10	27	79	196	319	748	2,535	4,357	4,039	-
1995.....	11,829	6	-	5	37	97	203	325	778	2,502	4,136	3,739	1
1994.....	11,579	7	2	8	30	76	203	321	810	2,466	4,088	3,567	1
1993.....	11,042	4	2	5	26	79	203	313	738	2,445	3,827	3,399	1
1992.....	10,833	6	5	4	32	94	173	317	770	2,347	3,852	3,233	-
1991.....	10,486	5	3	7	24	92	162	286	750	2,354	3,667	3,136	-
1990.....	10,085	7	5	8	25	88	134	263	752	2,306	3,533	2,964	-
1989.....	9,850	6	2	8	25	78	155	266	785	2,296	3,412	2,816	1
1988.....	9,371	1	2	4	28	75	123	263	771	2,210	3,226	2,668	-
1987.....	8,970	6	3	8	24	74	142	242	783	2,150	3,030	2,507	1
1986.....	8,892	10	3	9	43	60	144	241	767	2,059	3,100	2,455	1
1985.....	8,363	10	3	11	29	74	121	240	763	1,968	2,824	2,320	-
1984.....	8,191	11	2	10	33	84	112	240	771	1,924	2,777	2,222	5
1983.....	7,715	8	3	10	38	69	104	233	767	1,814	2,595	2,073	1
1982.....	7,433	4	2	6	31	68	82	251	749	1,872	2,483	1,883	2
1981.....	7,219	5	2	8	35	74	111	235	733	1,829	2,284	1,903	-
1980.....	7,026	5	4	9	47	68	106	268	692	1,769	2,327	1,731	-
1979.....	6,863	5	4	9	47	66	114	263	767	1,655	2,283	1,650	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)													
WHITE, BOTH SEXES													
1998.....	24,564	11	4	14	41	159	396	783	1,983	5,934	9,026	6,213	-
1997.....	24,791	6	6	14	59	165	363	726	2,044	6,218	9,145	6,045	-
1996.....	24,308	10	6	13	46	124	361	753	2,045	6,146	8,890	5,914	-
1995.....	23,966	10	3	14	54	161	418	719	2,050	6,457	8,501	5,578	1
1994.....	23,363	9	7	14	50	156	331	670	2,059	6,391	8,346	5,328	2
1993.....	23,334	11	3	15	47	140	334	660	2,107	6,531	8,388	5,096	2
1992.....	22,895	9	8	10	59	152	352	642	2,121	6,477	8,167	4,896	2
1991.....	22,636	8	3	13	44	148	290	611	2,242	6,579	7,911	4,787	-
1990.....	22,291	12	4	11	44	144	262	598	2,248	6,496	7,921	4,550	1
1989.....	21,988	14	5	10	43	149	309	582	2,341	6,513	7,629	4,389	4
1988.....	21,072	6	2	11	54	140	244	546	2,319	6,346	7,258	4,145	1
1987.....	20,725	10	6	16	48	135	249	565	2,363	6,302	7,019	4,008	4
1986.....	20,422	12	9	14	62	116	233	501	2,403	6,287	7,019	3,764	2
1985.....	20,021	18	10	16	60	113	247	552	2,506	6,185	6,624	3,689	1
1984.....	19,839	14	6	15	54	136	243	540	2,529	6,027	6,664	3,605	6
1983.....	19,189	10	7	11	73	127	202	576	2,514	5,834	6,435	3,399	1
1982.....	18,489	11	6	15	62	120	177	594	2,424	5,905	6,114	3,057	4
1981.....	18,374	16	5	11	60	113	191	585	2,490	5,907	5,858	3,138	-
1980.....	18,260	15	7	14	72	119	197	680	2,573	5,810	5,868	2,904	1
1979.....	17,952	13	8	13	66	112	202	669	2,576	5,699	5,798	2,795	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)													
WHITE MALE													
1998.....	13,484	6	3	8	19	96	261	537	1,360	3,770	5,018	2,406	-
1997.....	13,660	3	4	5	33	100	248	488	1,398	4,019	4,991	2,371	-
1996.....	13,433	6	2	6	26	73	238	518	1,439	3,947	4,958	2,220	-
1995.....	13,529	5	3	11	27	91	276	479	1,444	4,285	4,737	2,171	-
1994.....	13,200	3	5	8	28	101	198	440	1,420	4,248	4,649	2,099	1
1993.....	13,599	7	1	12	26	84	205	440	1,526	4,389	4,913	1,994	2
1992.....	13,263	5	4	6	36	83	230	420	1,503	4,397	4,633	1,944	2
1991.....	13,356	4	1	8	27	93	186	417	1,627	4,519	4,573	1,901	-
1990.....	13,344	7	1	7	29	83	171	415	1,636	4,446	4,686	1,862	1
1989.....	13,279	10	4	4	29	101	207	397	1,708	4,469	4,546	1,801	3
1988.....	12,733	6	-	8	31	91	161	347	1,696	4,383	4,317	1,692	1
1987.....	12,728	7	3	10	33	85	152	376	1,718	4,403	4,258	1,680	3
1986.....	12,492	6	7	8	32	71	138	337	1,772	4,460	4,183	1,477	1
1985.....	12,600	12	7	9	38	65	162	379	1,875	4,467	4,068	1,517	1
1984.....	12,532	6	5	8	30	78	160	376	1,903	4,326	4,104	1,534	2
1983.....	12,298	4	4	5	43	86	127	388	1,885	4,230	4,064	1,462	-
1982.....	11,818	9	5	9	39	72	117	390	1,805	4,258	3,828	1,284	2
1981.....	11,934	12	4	6	34	67	112	410	1,892	4,293	3,755	1,349	-
1980.....	11,992	12	4	8	33	71	123	474	1,995	4,258	3,738	1,275	1
1979.....	11,746	8	4	8	36	74	118	472	1,920	4,205	3,680	1,220	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)													
WHITE FEMALE													
1998.....	11,080	5	1	6	22	63	135	246	623	2,164	4,008	3,807	-
1997.....	11,131	3	2	9	26	65	115	238	646	2,199	4,154	3,674	-
1996.....	10,875	4	4	7	20	51	123	235	606	2,199	3,932	3,694	-
1995.....	10,437	5	-	3	27	70	142	240	606	2,172	3,764	3,407	1
1994.....	10,163	6	2	6	22	55	133	230	639	2,143	3,697	3,229	1
1993.....	9,735	4	2	3	21	56	129	220	581	2,142	3,475	3,102	-
1992.....	9,632	4	4	4	23	69	122	222	618	2,080	3,534	2,952	-
1991.....	9,280	4	2	5	17	55	104	194	615	2,060	3,338	2,886	-
1990.....	8,947	5	3	4	15	61	91	183	612	2,050	3,235	2,688	-
1989.....	8,709	4	1	6	14	48	102	185	633	2,044	3,083	2,588	1
1988.....	8,339	-	2	3	23	49	83	199	623	1,963	2,941	2,453	-
1987.....	7,997	3	3	6	15	50	97	189	645	1,899	2,761	2,328	1
1986.....	7,930	6	2	6	30	45	95	164	631	1,827	2,836	2,287	1
1985.....	7,421	6	3	7	22	48	85	173	631	1,718	2,556	2,172	-
1984.....	7,307	8	1	7	24	58	83	164	626	1,701	2,560	2,071	4
1983.....	6,891	6	3	6	30	41	75	188	629	1,604	2,371	1,937	1
1982.....	6,671	2	1	6	23	48	60	204	619	1,647	2,286	1,773	2
1981.....	6,440	4	1	5	26	46	79	175	598	1,614	2,103	1,789	-
1980.....	6,268	3	3	6	39	48	74	206	578	1,552	2,130	1,629	-
1979.....	6,206	5	4	5	30	38	84	197	656	1,494	2,118	1,575	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
---	-------	-----------------	--------------	---------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	--------------	------

OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)													
ALL OTHER, BOTH SEXES													
1998.....	3,107	3	1	3	23	60	158	276	414	687	859	623	-
1997.....	3,001	6	1	6	20	48	169	280	419	734	789	529	-
1996.....	2,868	3	-	3	14	53	165	233	368	721	805	502	1
1995.....	2,680	6	3	6	17	63	145	222	377	694	681	466	-
1994.....	2,734	3	1	5	16	44	138	206	374	691	765	490	1
1993.....	2,671	1	-	9	18	57	150	223	364	685	700	463	1
1992.....	2,442	3	1	3	15	50	121	218	344	633	647	407	-
1991.....	2,419	7	2	2	18	68	128	200	340	639	635	380	-
1990.....	2,354	3	3	6	18	49	114	191	333	613	631	393	-
1989.....	2,309	3	2	2	17	45	120	197	358	596	637	332	-
1988.....	2,113	2	1	2	13	49	105	155	366	565	550	305	-
1987.....	2,085	4	-	2	23	50	97	150	332	571	575	281	-
1986.....	1,995	8	2	4	23	41	92	173	357	520	529	246	-
1985.....	1,962	8	-	4	12	46	70	153	336	585	517	231	-
1984.....	1,902	5	2	3	16	39	77	177	358	538	449	236	2
1983.....	1,769	5	-	9	15	47	81	128	333	493	439	219	-
1982.....	1,683	3	1	2	12	39	57	136	336	554	373	170	-
1981.....	1,639	2	3	3	17	49	79	139	322	476	370	179	-
1980.....	1,699	2	2	4	17	44	65	142	315	508	416	184	-
1979.....	1,531	3	3	6	30	56	63	151	285	453	348	131	2

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)													
ALL OTHER MALE													
1998.....	1,507	2	-	1	10	34	91	168	239	339	404	219	-
1997.....	1,449	4	1	1	10	22	102	166	230	365	372	176	-
1996.....	1,424	2	-	-	7	25	92	149	226	385	380	157	1
1995.....	1,288	5	3	4	7	36	84	137	205	364	309	134	-
1994.....	1,318	2	1	3	8	23	68	115	203	368	374	152	1
1993.....	1,364	1	-	7	13	34	76	130	207	382	348	166	-
1992.....	1,241	1	-	3	6	25	70	123	192	366	329	126	-
1991.....	1,213	6	1	-	11	31	70	108	205	345	306	130	-
1990.....	1,216	1	1	2	8	22	71	111	193	357	333	117	-
1989.....	1,168	1	1	-	6	15	67	116	206	344	308	104	-
1988.....	1,081	1	1	1	8	23	65	91	218	318	265	90	-
1987.....	1,112	1	-	-	14	26	52	97	194	320	306	102	-
1986.....	1,033	4	1	1	10	26	43	96	221	288	265	78	-
1985.....	1,020	4	-	-	5	20	34	86	204	335	249	83	-
1984.....	1,018	2	1	-	7	13	48	101	213	315	232	85	1
1983.....	945	3	-	5	7	19	52	83	195	283	215	83	-
1982.....	921	1	-	2	4	19	35	89	206	329	176	60	-
1981.....	860	1	2	-	8	21	47	79	187	261	189	65	-
1980.....	941	-	1	1	9	24	33	80	201	291	219	82	-
1979.....	874	3	3	2	13	28	33	85	174	292	183	56	2

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)													
ALL OTHER FEMALE													
1998.....	1,600	1	1	2	13	26	67	108	175	348	455	404	-
1997.....	1,552	2	-	5	10	26	67	114	189	369	417	353	-
1996.....	1,444	1	-	3	7	28	73	84	142	336	425	345	-
1995.....	1,392	1	-	2	10	27	61	85	172	330	372	332	-
1994.....	1,416	1	-	2	8	21	70	91	171	323	391	338	-
1993.....	1,307	-	-	2	5	23	74	93	157	303	352	297	1
1992.....	1,201	2	1	-	9	25	51	95	152	267	318	281	-
1991.....	1,206	1	1	2	7	37	58	92	135	294	329	250	-
1990.....	1,138	2	2	4	10	27	43	80	140	256	298	276	-
1989.....	1,141	2	1	2	11	30	53	81	152	252	329	228	-
1988.....	1,032	1	-	1	5	26	40	64	148	247	285	215	-
1987.....	973	3	-	2	9	24	45	53	138	251	269	179	-
1986.....	962	4	1	3	13	15	49	77	136	232	264	168	-
1985.....	942	4	-	4	7	26	36	67	132	250	268	148	-
1984.....	884	3	1	3	9	26	29	76	145	223	217	151	1
1983.....	824	2	-	4	8	28	29	45	138	210	224	136	-
1982.....	762	2	1	-	8	20	22	47	130	225	197	110	-
1981.....	779	1	1	3	9	28	32	60	135	215	181	114	-
1980.....	758	2	1	3	8	20	32	62	114	217	197	102	-
1979.....	657	-	-	4	17	28	30	66	111	161	165	75	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)													
BLACK, BOTH SEXES													
1998.....	2,666	3	-	3	20	53	145	247	355	576	717	547	-
1997.....	2,586	6	1	5	17	42	158	254	351	621	669	462	-
1996.....	2,455	3	-	2	12	44	146	210	317	620	668	432	1
1995.....	2,342	6	2	5	14	55	131	198	335	602	593	401	-
1994.....	2,363	2	-	3	14	39	124	183	316	606	640	435	1
1993.....	2,301	-	-	6	16	50	130	207	311	580	589	411	1
1992.....	2,115	3	1	2	13	45	109	196	293	549	551	353	-
1991.....	2,137	7	-	1	16	61	123	193	300	554	544	338	-
1990.....	2,061	2	2	4	18	43	104	176	290	530	544	348	-
1989.....	2,058	3	2	2	16	40	114	176	329	525	555	296	-
1988.....	1,861	1	-	2	12	45	100	137	323	499	477	265	-
1987.....	1,841	3	-	2	20	47	88	141	295	504	492	249	-
1986.....	1,761	7	2	4	21	35	84	154	321	470	445	218	-
1985.....	1,732	6	-	1	11	43	64	142	306	513	447	199	-
1984.....	1,697	5	-	2	13	37	71	165	327	480	393	202	2
1983.....	1,561	4	-	8	11	43	74	119	305	440	368	189	-
1982.....	1,526	3	1	1	12	34	52	130	310	504	329	150	-
1981.....	1,485	2	3	3	13	46	77	127	296	432	329	157	-
1980.....	1,532	2	2	3	17	43	61	133	291	457	362	161	-
1979.....	1,387	2	2	5	27	54	57	140	265	415	302	117	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)													
BLACK MALE													
1998.....	1,252	2	-	1	8	30	82	150	205	278	319	177	-
1997.....	1,229	4	1	1	9	19	97	148	190	316	299	145	-
1996.....	1,186	2	-	-	7	21	81	131	197	324	295	127	1
1995.....	1,078	5	2	3	5	30	76	117	183	302	250	105	-
1994.....	1,103	1	-	1	7	18	62	103	172	314	305	119	1
1993.....	1,143	-	-	5	11	31	64	124	182	312	275	139	-
1992.....	1,032	1	-	2	4	21	64	111	160	307	262	100	-
1991.....	1,027	6	-	-	10	27	67	103	176	282	250	106	-
1990.....	1,036	-	-	1	8	19	65	101	168	300	274	100	-
1989.....	1,009	1	1	-	6	12	62	102	190	299	251	85	-
1988.....	919	1	-	1	7	21	62	82	189	274	214	68	-
1987.....	940	1	-	-	11	25	45	89	172	276	240	81	-
1986.....	886	3	1	1	10	22	38	82	197	255	211	66	-
1985.....	871	3	-	-	5	17	31	81	185	282	197	70	-
1984.....	894	2	-	-	7	13	43	95	193	277	191	72	1
1983.....	820	3	-	5	5	18	48	78	177	248	168	70	-
1982.....	817	1	-	1	4	17	31	86	191	291	146	49	-
1981.....	760	1	2	-	7	19	46	70	170	228	161	56	-
1980.....	821	-	1	1	9	23	31	76	181	255	177	67	-
1979.....	764	2	2	2	12	27	28	79	158	257	148	48	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
OTHER DISEASES OF ARTERIES, ARTERIOLES, AND CAPILLARIES (441-448)													
BLACK FEMALE													
1998.....	1,414	1	-	2	12	23	63	97	150	298	398	370	-
1997.....	1,357	2	-	4	8	23	61	106	161	305	370	317	-
1996.....	1,269	1	-	2	5	23	65	79	120	296	373	305	-
1995.....	1,264	1	-	2	9	25	55	81	152	300	343	296	-
1994.....	1,260	1	-	2	7	21	62	80	144	292	335	316	-
1993.....	1,158	-	-	1	5	19	66	83	129	268	314	272	1
1992.....	1,083	2	1	-	9	24	45	85	133	242	289	253	-
1991.....	1,110	1	-	1	6	34	56	90	124	272	294	232	-
1990.....	1,025	2	2	3	10	24	39	75	122	230	270	248	-
1989.....	1,049	2	1	2	10	28	52	74	139	226	304	211	-
1988.....	942	-	-	1	5	24	38	55	134	225	263	197	-
1987.....	901	2	-	2	9	22	43	52	123	228	252	168	-
1986.....	875	4	1	3	11	13	46	72	124	215	234	152	-
1985.....	861	3	-	1	6	26	33	61	121	231	250	129	-
1984.....	803	3	-	2	6	24	28	70	134	203	202	130	1
1983.....	741	1	-	3	6	25	26	41	128	192	200	119	-
1982.....	709	2	1	-	8	17	21	44	119	213	183	101	-
1981.....	725	1	1	3	6	27	31	57	126	204	168	101	-
1980.....	711	2	1	2	8	20	30	57	110	202	185	94	-
1979.....	623	-	-	3	15	27	29	61	107	158	154	69	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ACUTE BRONCHITIS AND BRONCHIOLITIS (466)													
TOTAL, BOTH SEXES													
1998.....	452	44	18	2	6	6	9	15	27	57	110	158	-
1997.....	465	67	20	8	1	2	16	11	21	56	110	153	-
1996.....	486	65	25	6	1	4	6	16	25	72	109	157	-
1995.....	532	71	25	3	2	6	8	7	30	72	137	171	-
1994.....	578	84	24	4	-	1	11	12	41	83	151	167	-
1993.....	662	75	14	6	6	10	11	28	42	95	166	208	1
1992.....	577	92	16	7	1	15	14	20	35	84	140	153	-
1991.....	633	68	18	5	4	9	8	19	46	81	159	216	-
1990.....	633	75	18	6	5	5	17	11	49	90	157	200	-
1989.....	633	73	21	4	3	10	7	20	35	100	175	183	2
1988.....	635	72	22	5	5	8	11	25	44	101	149	193	-
1987.....	548	63	20	10	3	7	15	17	40	75	139	159	-
1986.....	588	59	14	5	6	4	10	14	36	98	176	165	1
1985.....	600	64	17	3	6	5	9	19	47	92	151	187	-
1984.....	544	57	24	4	8	8	13	15	43	83	127	161	1
1983.....	552	87	14	4	7	7	16	20	49	70	117	161	-
1982.....	503	74	27	6	8	16	12	21	37	59	116	127	-
1981.....	573	86	22	10	5	7	13	20	51	88	133	138	-
1980.....	642	87	34	7	14	13	9	23	58	89	145	163	-
1979.....	554	94	34	10	7	16	10	26	45	90	111	110	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ACUTE BRONCHITIS AND BRONCHIOLITIS (466)													
TOTAL, MALE													
1998.....	194	29	14	-	1	4	3	8	13	27	45	50	-
1997.....	194	40	10	3	1	2	6	4	12	28	46	42	-
1996.....	205	40	14	3	-	4	5	3	9	34	48	45	-
1995.....	224	40	12	2	1	5	3	3	9	28	67	54	-
1994.....	243	53	18	2	-	-	5	5	14	31	69	46	-
1993.....	286	45	8	2	5	8	8	16	17	44	72	61	-
1992.....	282	61	8	7	1	11	11	8	22	45	66	42	-
1991.....	288	45	12	1	1	6	7	7	24	47	70	68	-
1990.....	269	44	6	4	3	1	9	3	26	46	64	63	-
1989.....	288	48	10	2	3	6	2	10	22	48	82	54	1
1988.....	281	47	14	2	2	6	6	13	16	58	64	53	-
1987.....	267	39	9	5	3	6	9	7	20	43	69	57	-
1986.....	280	38	6	2	4	2	7	5	23	62	79	52	-
1985.....	303	44	10	2	5	3	6	13	30	54	77	59	-
1984.....	260	35	10	3	6	6	7	7	27	47	61	51	-
1983.....	273	57	6	3	4	2	8	9	32	38	53	61	-
1982.....	250	47	19	3	6	11	6	11	19	40	52	36	-
1981.....	277	52	8	3	3	5	7	11	30	47	66	45	-
1980.....	299	52	24	4	9	7	6	16	16	48	65	52	-
1979.....	283	57	15	6	5	8	5	15	29	46	56	41	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ACUTE BRONCHITIS AND BRONCHIOLITIS (466)													
TOTAL, FEMALE													
1998.....	258	15	4	2	5	2	6	7	14	30	65	108	-
1997.....	271	27	10	5	-	-	10	7	9	28	64	111	-
1996.....	281	25	11	3	1	-	1	13	16	38	61	112	-
1995.....	308	31	13	1	1	1	5	4	21	44	70	117	-
1994.....	335	31	6	2	-	1	6	7	27	52	82	121	-
1993.....	376	30	6	4	1	2	3	12	25	51	94	147	1
1992.....	295	31	8	-	-	4	3	12	13	39	74	111	-
1991.....	345	23	6	4	3	3	1	12	22	34	89	148	-
1990.....	364	31	12	2	2	4	8	8	23	44	93	137	-
1989.....	345	25	11	2	-	4	5	10	13	52	93	129	1
1988.....	354	25	8	3	3	2	5	12	28	43	85	140	-
1987.....	281	24	11	5	-	1	6	10	20	32	70	102	-
1986.....	308	21	8	3	2	2	3	9	13	36	97	113	1
1985.....	297	20	7	1	1	2	3	6	17	38	74	128	-
1984.....	284	22	14	1	2	2	6	8	16	36	66	110	1
1983.....	279	30	8	1	3	5	8	11	17	32	64	100	-
1982.....	253	27	8	3	2	5	6	10	18	19	64	91	-
1981.....	296	34	14	7	2	2	6	9	21	41	67	93	-
1980.....	343	35	10	3	5	6	3	7	42	41	80	111	-
1979.....	271	37	19	4	2	8	5	11	16	44	55	69	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ACUTE BRONCHITIS AND BRONCHIOLITIS (466)													
WHITE, BOTH SEXES													
1998.....	400	28	8	2	4	5	4	13	27	55	102	152	-
1997.....	404	46	14	5	-	2	12	6	16	51	104	148	-
1996.....	418	38	14	3	1	4	5	13	24	68	101	147	-
1995.....	477	44	16	3	2	6	7	6	27	69	130	167	-
1994.....	497	48	16	3	-	1	8	9	35	78	136	163	-
1993.....	583	49	7	6	6	9	9	22	37	85	156	197	-
1992.....	500	58	8	7	1	14	10	15	31	81	128	147	-
1991.....	560	53	10	4	3	7	8	17	37	74	147	200	-
1990.....	559	39	11	5	3	4	13	9	45	86	150	194	-
1989.....	544	37	13	3	2	7	5	14	31	92	165	174	1
1988.....	564	44	18	2	4	6	10	22	41	95	141	181	-
1987.....	485	37	14	10	3	4	9	13	37	72	134	152	-
1986.....	537	43	11	3	5	4	10	10	31	91	167	161	1
1985.....	532	49	8	1	5	3	8	15	42	82	137	182	-
1984.....	482	35	18	4	6	6	10	15	38	74	119	156	1
1983.....	481	56	11	2	7	5	13	17	39	61	111	159	-
1982.....	433	49	17	5	7	12	12	16	33	51	107	124	-
1981.....	507	57	12	10	5	7	12	17	48	78	127	134	-
1980.....	568	64	23	5	13	11	6	21	51	79	139	156	-
1979.....	482	63	24	9	6	12	8	20	38	85	109	108	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ACUTE BRONCHITIS AND BRONCHIOLITIS (466)													
WHITE MALE													
1998.....	164	19	6	-	1	4	1	8	13	25	40	47	-
1997.....	161	28	8	2	-	2	5	1	10	24	42	39	-
1996.....	176	27	12	2	-	4	4	2	9	31	45	40	-
1995.....	197	27	8	2	1	5	3	2	8	25	64	52	-
1994.....	199	31	12	1	-	-	4	3	12	28	63	45	-
1993.....	242	31	4	2	5	7	7	12	14	39	65	56	-
1992.....	239	39	5	7	1	11	7	7	19	44	59	40	-
1991.....	248	35	7	1	1	6	7	7	18	42	62	62	-
1990.....	233	21	4	4	1	1	7	2	24	45	61	63	-
1989.....	241	24	7	2	2	4	2	7	18	44	77	53	1
1988.....	246	29	11	1	2	5	6	11	14	56	60	51	-
1987.....	236	26	7	5	3	3	6	5	19	42	66	54	-
1986.....	251	27	5	2	3	2	7	2	20	57	75	51	-
1985.....	258	33	4	1	4	2	6	9	27	47	69	56	-
1984.....	230	25	8	3	5	5	6	7	24	42	56	49	-
1983.....	229	38	4	2	4	1	5	7	25	34	49	60	-
1982.....	205	29	12	2	6	8	6	8	17	35	47	35	-
1981.....	242	34	5	3	3	5	6	9	28	42	64	43	-
1980.....	255	37	17	3	8	6	4	14	14	42	62	48	-
1979.....	243	40	10	5	4	6	5	12	23	42	55	41	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ACUTE BRONCHITIS AND BRONCHIOLITIS (466)													
WHITE FEMALE													
1998.....	236	9	2	2	3	1	3	5	14	30	62	105	-
1997.....	243	18	6	3	-	-	7	5	6	27	62	109	-
1996.....	242	11	2	1	1	-	1	11	15	37	56	107	-
1995.....	280	17	8	1	1	1	4	4	19	44	66	115	-
1994.....	298	17	4	2	-	1	4	6	23	50	73	118	-
1993.....	341	18	3	4	1	2	2	10	23	46	91	141	-
1992.....	261	19	3	-	-	3	3	8	12	37	69	107	-
1991.....	312	18	3	3	2	1	1	10	19	32	85	138	-
1990.....	326	18	7	1	2	3	6	7	21	41	89	131	-
1989.....	303	13	6	1	-	3	3	7	13	48	88	121	-
1988.....	318	15	7	1	2	1	4	11	27	39	81	130	-
1987.....	249	11	7	5	-	1	3	8	18	30	68	98	-
1986.....	286	16	6	1	2	2	3	8	11	34	92	110	1
1985.....	274	16	4	-	1	1	2	6	15	35	68	126	-
1984.....	252	10	10	1	1	1	4	8	14	32	63	107	1
1983.....	252	18	7	-	3	4	8	10	14	27	62	99	-
1982.....	228	20	5	3	1	4	6	8	16	16	60	89	-
1981.....	265	23	7	7	2	2	6	8	20	36	63	91	-
1980.....	313	27	6	2	5	5	2	7	37	37	77	108	-
1979.....	239	23	14	4	2	6	3	8	15	43	54	67	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ACUTE BRONCHITIS AND BRONCHIOLITIS (466)													
ALL OTHER, BOTH SEXES													
1998.....	52	16	10	-	2	1	5	2	-	2	8	6	-
1997.....	61	21	6	3	1	-	4	5	5	5	6	5	-
1996.....	68	27	11	3	-	-	1	3	1	4	8	10	-
1995.....	55	27	9	-	-	-	1	1	3	3	7	4	-
1994.....	81	36	8	1	-	-	3	3	6	5	15	4	-
1993.....	79	26	7	-	-	1	2	6	5	10	10	11	1
1992.....	77	34	8	-	-	1	4	5	4	3	12	6	-
1991.....	73	15	8	1	1	2	-	2	9	7	12	16	-
1990.....	74	36	7	1	2	1	4	2	4	4	7	6	-
1989.....	89	36	8	1	1	3	2	6	4	8	10	9	1
1988.....	71	28	4	3	1	2	1	3	3	6	8	12	-
1987.....	63	26	6	-	-	3	6	4	3	3	5	7	-
1986.....	51	16	3	2	1	-	-	4	5	7	9	4	-
1985.....	68	15	9	2	1	2	1	4	5	10	14	5	-
1984.....	62	22	6	-	2	2	3	-	5	9	8	5	-
1983.....	71	31	3	2	-	2	3	3	10	9	6	2	-
1982.....	70	25	10	1	1	4	-	5	4	8	9	3	-
1981.....	66	29	10	-	-	-	1	3	3	10	6	4	-
1980.....	74	23	11	2	1	2	3	2	7	10	6	7	-
1979.....	72	31	10	1	1	4	2	6	7	5	2	2	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ACUTE BRONCHITIS AND BRONCHIOLITIS (466)													
ALL OTHER MALE													
1998.....	30	10	8	-	-	-	2	-	-	2	5	3	-
1997.....	33	12	2	1	1	-	1	3	2	4	4	3	-
1996.....	29	13	2	1	-	-	1	1	-	3	3	5	-
1995.....	27	13	4	-	-	-	-	1	1	3	3	2	-
1994.....	44	22	6	1	-	-	1	2	2	3	6	1	-
1993.....	44	14	4	-	-	1	1	4	3	5	7	5	-
1992.....	43	22	3	-	-	-	4	1	3	1	7	2	-
1991.....	40	10	5	-	-	-	-	-	6	5	8	6	-
1990.....	36	23	2	-	2	-	2	1	2	1	3	-	-
1989.....	47	24	3	-	1	2	-	3	4	4	5	1	-
1988.....	35	18	3	1	-	1	-	2	2	2	4	2	-
1987.....	31	13	2	-	-	3	3	2	1	1	3	3	-
1986.....	29	11	1	-	1	-	-	3	3	5	4	1	-
1985.....	45	11	6	1	1	1	-	4	3	7	8	3	-
1984.....	30	10	2	-	1	1	1	-	3	5	5	2	-
1983.....	44	19	2	1	-	1	3	2	7	4	4	1	-
1982.....	45	18	7	1	-	3	-	3	2	5	5	1	-
1981.....	35	18	3	-	-	-	1	2	2	5	2	2	-
1980.....	44	15	7	1	1	1	2	2	2	6	3	4	-
1979.....	40	17	5	1	1	2	-	3	6	4	1	-	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ACUTE BRONCHITIS AND BRONCHIOLITIS (466)													
ALL OTHER FEMALE													
1998.....	22	6	2	-	2	1	3	2	-	-	3	3	-
1997.....	28	9	4	2	-	-	3	2	3	1	2	2	-
1996.....	39	14	9	2	-	-	-	2	1	1	5	5	-
1995.....	28	14	5	-	-	-	1	-	2	-	4	2	-
1994.....	37	14	2	-	-	-	2	1	4	2	9	3	-
1993.....	35	12	3	-	-	-	1	2	2	5	3	6	1
1992.....	34	12	5	-	-	1	-	4	1	2	5	4	-
1991.....	33	5	3	1	1	2	-	2	3	2	4	10	-
1990.....	38	13	5	1	-	1	2	1	2	3	4	6	-
1989.....	42	12	5	1	-	1	2	3	-	4	5	8	1
1988.....	36	10	1	2	1	1	1	1	1	4	4	10	-
1987.....	32	13	4	-	-	-	3	2	2	2	2	4	-
1986.....	22	5	2	2	-	-	-	1	2	2	5	3	-
1985.....	23	4	3	1	-	1	1	-	2	3	6	2	-
1984.....	32	12	4	-	1	1	2	-	2	4	3	3	-
1983.....	27	12	1	1	-	1	-	1	3	5	2	1	-
1982.....	25	7	3	-	1	1	-	2	2	3	4	2	-
1981.....	31	11	7	-	-	-	-	1	1	5	4	2	-
1980.....	30	8	4	1	-	1	1	-	5	4	3	3	-
1979.....	32	14	5	-	-	2	2	3	1	1	1	2	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ACUTE BRONCHITIS AND BRONCHIOLITIS (466)													
BLACK, BOTH SEXES													
1998.....	46	12	10	-	2	1	5	2	-	2	8	4	-
1997.....	53	18	6	2	1	-	4	4	5	4	6	3	-
1996.....	55	22	9	3	-	-	1	3	-	2	6	9	-
1995.....	49	25	7	-	-	-	1	1	2	2	7	4	-
1994.....	77	32	8	1	-	-	3	3	6	5	15	4	-
1993.....	69	25	7	-	-	1	1	5	5	10	7	7	1
1992.....	71	32	8	-	-	1	4	5	4	3	9	5	-
1991.....	57	11	6	1	1	2	-	-	7	7	9	13	-
1990.....	64	32	6	1	2	1	3	2	4	3	6	4	-
1989.....	79	30	8	1	1	3	1	6	3	8	8	9	1
1988.....	62	23	3	3	1	2	1	3	3	5	8	10	-
1987.....	56	22	6	-	-	2	6	4	3	3	4	6	-
1986.....	47	15	3	2	1	-	-	4	4	6	8	4	-
1985.....	63	15	8	2	1	2	1	4	5	10	12	3	-
1984.....	56	22	5	-	1	2	3	-	5	7	7	4	-
1983.....	59	25	2	2	-	2	3	3	6	8	6	2	-
1982.....	59	21	7	1	1	4	-	5	3	7	7	3	-
1981.....	56	25	7	-	-	-	1	3	3	10	5	2	-
1980.....	64	21	10	2	1	-	2	1	7	10	5	5	-
1979.....	69	30	9	1	1	4	2	6	7	4	2	2	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ACUTE BRONCHITIS AND BRONCHIOLITIS (466)													
BLACK MALE													
1998.....	27	8	8	-	-	-	2	-	-	2	5	2	-
1997.....	27	9	2	1	1	-	1	2	2	3	4	2	-
1996.....	24	12	1	1	-	-	1	1	-	2	2	4	-
1995.....	24	12	3	-	-	-	-	1	1	2	3	2	-
1994.....	41	19	6	1	-	-	1	2	2	3	6	1	-
1993.....	39	14	4	-	-	1	-	3	3	5	6	3	-
1992.....	38	21	3	-	-	-	4	1	3	1	4	1	-
1991.....	31	6	5	-	-	-	-	-	4	5	6	5	-
1990.....	33	20	2	-	2	-	2	1	2	1	3	-	-
1989.....	39	19	3	-	1	2	-	3	3	4	3	1	-
1988.....	32	16	2	1	-	1	-	2	2	2	4	2	-
1987.....	27	11	2	-	-	2	3	2	1	1	2	3	-
1986.....	27	10	1	-	1	-	-	3	3	4	4	1	-
1985.....	41	11	5	1	1	1	-	4	3	7	7	1	-
1984.....	28	10	2	-	1	1	1	-	3	5	4	1	-
1983.....	34	14	2	1	-	1	3	2	3	3	4	1	-
1982.....	36	15	5	1	-	3	-	3	1	4	3	1	-
1981.....	28	15	1	-	-	-	1	2	2	5	1	1	-
1980.....	35	13	6	1	1	-	1	1	2	6	2	2	-
1979.....	39	17	5	1	1	2	-	3	6	3	1	-	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ACUTE BRONCHITIS AND BRONCHIOLITIS (466)													
BLACK FEMALE													
1998.....	19	4	2	-	2	1	3	2	-	-	3	2	-
1997.....	26	9	4	1	-	-	3	2	3	1	2	1	-
1996.....	31	10	8	2	-	-	-	2	-	-	4	5	-
1995.....	25	13	4	-	-	-	1	-	1	-	4	2	-
1994.....	36	13	2	-	-	-	2	1	4	2	9	3	-
1993.....	30	11	3	-	-	-	1	2	2	5	1	4	1
1992.....	33	11	5	-	-	1	-	4	1	2	5	4	-
1991.....	26	5	1	1	1	2	-	-	3	2	3	8	-
1990.....	31	12	4	1	-	1	1	1	2	2	3	4	-
1989.....	40	11	5	1	-	1	1	3	-	4	5	8	1
1988.....	30	7	1	2	1	1	1	1	1	3	4	8	-
1987.....	29	11	4	-	-	-	3	2	2	2	2	3	-
1986.....	20	5	2	2	-	-	-	1	1	2	4	3	-
1985.....	22	4	3	1	-	1	1	-	2	3	5	2	-
1984.....	28	12	3	-	-	1	2	-	2	2	3	3	-
1983.....	25	11	-	1	-	1	-	1	3	5	2	1	-
1982.....	23	6	2	-	1	1	-	2	2	3	4	2	-
1981.....	28	10	6	-	-	-	-	1	1	5	4	1	-
1980.....	29	8	4	1	-	-	1	-	5	4	3	3	-
1979.....	30	13	4	-	-	2	2	3	1	1	1	2	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
PNEUMONIA AND INFLUENZA (480-487)													
TOTAL, BOTH SEXES													
1998.....	91,871	441	146	121	215	531	1,400	2,167	3,856	11,005	28,857	43,127	5
1997.....	86,449	421	180	141	220	534	1,394	2,233	3,759	10,535	27,358	39,668	6
1996.....	83,727	496	168	136	203	568	1,461	2,093	3,613	10,597	26,355	38,027	10
1995.....	82,923	492	156	128	207	622	1,480	2,079	3,458	10,737	25,985	37,575	4
1994.....	81,473	559	178	103	221	647	1,508	1,985	3,505	10,602	25,760	36,400	5
1993.....	82,820	530	182	135	251	724	1,551	1,879	3,704	10,823	25,859	37,171	11
1992.....	75,719	600	188	104	229	654	1,350	1,645	3,453	10,212	23,981	33,296	7
1991.....	77,860	607	207	135	256	759	1,444	1,738	3,738	10,223	24,595	34,144	14
1990.....	79,513	634	171	134	231	762	1,416	1,751	3,922	10,665	25,377	34,443	7
1989.....	76,550	636	228	122	271	881	1,415	1,707	3,880	10,418	24,022	32,955	15
1988.....	77,662	641	186	127	266	845	1,348	1,771	4,124	10,713	24,481	33,149	11
1987.....	69,225	674	199	94	268	759	1,177	1,626	3,879	10,026	21,777	28,739	7
1986.....	69,812	663	199	147	276	736	1,200	1,600	4,144	10,154	21,995	28,652	46
1985.....	67,615	705	219	130	251	630	1,047	1,623	4,130	9,828	21,296	27,705	51
1984.....	58,894	685	211	171	251	650	923	1,489	3,751	8,978	18,595	23,176	14
1983.....	55,854	769	232	130	270	577	816	1,498	3,743	8,438	17,293	22,073	15
1982.....	48,886	756	230	142	310	551	775	1,461	3,616	7,677	15,127	18,225	16
1981.....	53,731	809	240	161	327	571	864	1,677	4,033	8,349	16,751	19,935	14
1980.....	54,619	1,012	267	194	348	563	904	1,760	4,044	8,668	17,003	19,841	15
1979.....	45,030	1,129	258	212	341	524	813	1,634	3,511	7,337	13,995	15,266	10

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
PNEUMONIA AND INFLUENZA (480-487)													
TOTAL, MALE													
1998.....	40,979	239	73	57	109	308	810	1,302	2,287	6,376	14,542	14,872	4
1997.....	39,284	257	89	71	119	313	851	1,375	2,194	6,147	13,960	13,904	4
1996.....	37,991	299	91	69	106	317	916	1,302	2,164	6,165	13,360	13,196	6
1995.....	37,787	280	69	58	119	377	925	1,318	2,082	6,258	13,215	13,084	2
1994.....	37,339	339	98	58	115	417	924	1,254	2,115	6,187	12,946	12,885	1
1993.....	37,996	310	93	72	127	422	1,012	1,160	2,228	6,429	13,232	12,903	8
1992.....	35,465	356	95	54	126	411	880	1,059	2,106	6,022	12,442	11,910	4
1991.....	36,214	328	125	69	151	489	946	1,066	2,320	5,942	12,710	12,058	10
1990.....	36,898	365	88	71	119	485	950	1,114	2,447	6,359	12,939	11,958	3
1989.....	35,701	383	119	64	147	523	931	1,091	2,460	6,359	12,080	11,533	11
1988.....	36,834	381	91	75	144	520	894	1,172	2,587	6,550	12,631	11,783	6
1987.....	33,562	381	109	45	149	499	799	1,056	2,458	6,206	11,288	10,567	5
1986.....	34,203	387	110	71	165	453	786	1,018	2,665	6,247	11,588	10,697	16
1985.....	33,159	412	111	64	150	399	674	1,038	2,684	6,121	11,131	10,352	23
1984.....	29,440	400	105	85	145	405	594	962	2,487	5,582	9,815	8,849	11
1983.....	28,007	442	124	65	148	360	528	959	2,467	5,300	9,094	8,511	9
1982.....	25,325	425	128	83	183	343	485	956	2,345	4,823	8,186	7,363	5
1981.....	27,059	468	136	80	195	337	550	1,047	2,630	5,136	8,769	7,699	12
1980.....	27,574	598	144	96	171	332	562	1,164	2,603	5,346	8,743	7,806	9
1979.....	23,725	628	138	110	190	321	520	1,079	2,296	4,724	7,402	6,307	10

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
PNEUMONIA AND INFLUENZA (480-487)													
TOTAL, FEMALE													
1998.....	50,892	202	73	64	106	223	590	865	1,569	4,629	14,315	28,255	1
1997.....	47,165	164	91	70	101	221	543	858	1,565	4,388	13,398	25,764	2
1996.....	45,736	197	77	67	97	251	545	791	1,449	4,432	12,995	24,831	4
1995.....	45,136	212	87	70	88	245	555	761	1,376	4,479	12,770	24,491	2
1994.....	44,134	220	80	45	106	230	584	731	1,390	4,415	12,814	23,515	4
1993.....	44,824	220	89	63	124	302	539	719	1,476	4,394	12,627	24,268	3
1992.....	40,254	244	93	50	103	243	470	586	1,347	4,190	11,539	21,386	3
1991.....	41,646	279	82	66	105	270	498	672	1,418	4,281	11,885	22,086	4
1990.....	42,615	269	83	63	112	277	466	637	1,475	4,306	12,438	22,485	4
1989.....	40,849	253	109	58	124	358	484	616	1,420	4,059	11,942	21,422	4
1988.....	40,828	260	95	52	122	325	454	599	1,537	4,163	11,850	21,366	5
1987.....	35,663	293	90	49	119	260	378	570	1,421	3,820	10,489	18,172	2
1986.....	35,609	276	89	76	111	283	414	582	1,479	3,907	10,407	17,955	30
1985.....	34,456	293	108	66	101	231	373	585	1,446	3,707	10,165	17,353	28
1984.....	29,454	285	106	86	106	245	329	527	1,264	3,396	8,780	14,327	3
1983.....	27,847	327	108	65	122	217	288	539	1,276	3,138	8,199	13,562	6
1982.....	23,561	331	102	59	127	208	290	505	1,271	2,854	6,941	10,862	11
1981.....	26,672	341	104	81	132	234	314	630	1,403	3,213	7,982	12,236	2
1980.....	27,045	414	123	98	177	231	342	596	1,441	3,322	8,260	12,035	6
1979.....	21,305	501	120	102	151	203	293	555	1,215	2,613	6,593	8,959	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
PNEUMONIA AND INFLUENZA (480-487)													
WHITE, BOTH SEXES													
1998.....	81,659	255	98	89	139	341	929	1,570	3,034	9,362	25,926	39,915	1
1997.....	76,875	264	120	105	154	337	958	1,591	2,926	8,971	24,681	36,766	2
1996.....	74,194	310	109	101	134	374	940	1,489	2,778	8,989	23,761	35,202	7
1995.....	73,641	302	89	89	153	412	986	1,468	2,680	9,147	23,453	34,858	4
1994.....	72,605	342	118	73	160	414	956	1,425	2,775	9,100	23,384	33,855	3
1993.....	73,720	323	117	109	168	472	1,010	1,354	2,901	9,227	23,378	34,657	4
1992.....	67,456	357	116	80	164	409	841	1,179	2,705	8,732	21,821	31,048	4
1991.....	69,276	346	134	112	185	491	893	1,209	2,960	8,799	22,282	31,854	11
1990.....	70,806	375	118	100	154	444	864	1,241	3,073	9,156	23,043	32,233	5
1989.....	67,853	396	137	95	185	527	830	1,158	3,041	8,894	21,763	30,815	12
1988.....	69,570	387	134	95	183	509	846	1,181	3,233	9,249	22,433	31,310	10
1987.....	61,811	412	135	70	191	457	706	1,112	3,076	8,740	19,889	27,021	2
1986.....	62,323	421	133	117	205	473	712	1,118	3,306	8,797	20,061	26,943	37
1985.....	60,508	443	149	91	200	390	640	1,138	3,286	8,532	19,418	26,181	40
1984.....	52,514	441	135	144	182	388	561	1,015	3,005	7,755	16,975	21,902	11
1983.....	49,996	465	161	100	213	347	519	1,067	2,991	7,317	15,862	20,947	7
1982.....	43,515	458	150	103	224	333	479	1,007	2,875	6,651	13,951	17,272	12
1981.....	47,919	507	167	137	258	385	499	1,157	3,195	7,229	15,441	18,937	7
1980.....	48,369	593	195	151	246	372	577	1,212	3,222	7,454	15,583	18,751	13
1979.....	39,803	703	172	170	260	330	481	1,146	2,805	6,346	12,911	14,472	7

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
PNEUMONIA AND INFLUENZA (480-487)													
WHITE MALE													
1998.....	35,795	138	52	43	79	198	524	928	1,778	5,374	13,021	13,659	1
1997.....	34,386	168	56	54	86	206	583	958	1,687	5,253	12,560	12,773	2
1996.....	32,924	190	54	50	73	199	586	903	1,633	5,199	11,970	12,062	5
1995.....	32,948	170	41	40	96	245	622	910	1,601	5,310	11,905	12,006	2
1994.....	32,658	203	66	38	85	280	594	881	1,653	5,321	11,662	11,874	1
1993.....	33,151	186	61	56	85	288	664	809	1,729	5,474	11,889	11,907	3
1992.....	30,951	218	56	38	93	259	542	737	1,608	5,132	11,258	11,008	2
1991.....	31,589	196	79	60	109	318	598	731	1,822	5,105	11,448	11,116	7
1990.....	32,101	214	62	51	85	282	574	760	1,919	5,424	11,659	11,070	1
1989.....	30,892	246	70	50	101	328	538	707	1,907	5,380	10,888	10,668	9
1988.....	32,262	239	66	57	99	318	557	747	2,000	5,657	11,499	11,018	5
1987.....	29,284	235	73	31	109	305	475	707	1,920	5,382	10,224	9,823	-
1986.....	29,891	251	77	60	122	300	454	703	2,119	5,390	10,502	9,903	10
1985.....	29,028	256	74	44	125	246	395	706	2,123	5,272	10,095	9,677	15
1984.....	25,677	254	72	71	112	253	351	619	1,964	4,803	8,893	8,276	9
1983.....	24,463	258	87	48	122	207	312	668	1,950	4,562	8,243	8,002	4
1982.....	22,100	263	85	61	134	208	281	635	1,850	4,146	7,525	6,909	3
1981.....	23,531	296	92	68	154	227	301	679	2,054	4,399	8,032	7,224	5
1980.....	23,810	350	108	76	117	206	344	778	2,037	4,568	7,938	7,280	8
1979.....	20,544	394	93	89	150	212	288	735	1,813	4,089	6,757	5,917	7

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
PNEUMONIA AND INFLUENZA (480-487)													
WHITE FEMALE													
1998.....	45,864	117	46	46	60	143	405	642	1,256	3,988	12,905	26,256	-
1997.....	42,489	96	64	51	68	131	375	633	1,239	3,718	12,121	23,993	-
1996.....	41,270	120	55	51	61	175	354	586	1,145	3,790	11,791	23,140	2
1995.....	40,693	132	48	49	57	167	364	558	1,079	3,837	11,548	22,852	2
1994.....	39,947	139	52	35	75	134	362	544	1,122	3,779	11,722	21,981	2
1993.....	40,569	137	56	53	83	184	346	545	1,172	3,753	11,489	22,750	1
1992.....	36,505	139	60	42	71	150	299	442	1,097	3,600	10,563	20,040	2
1991.....	37,687	150	55	52	76	173	295	478	1,138	3,694	10,834	20,738	4
1990.....	38,705	161	56	49	69	162	290	481	1,154	3,732	11,384	21,163	4
1989.....	36,961	150	67	45	84	199	292	451	1,134	3,514	10,875	20,147	3
1988.....	37,308	148	68	38	84	191	289	434	1,233	3,592	10,934	20,292	5
1987.....	32,527	177	62	39	82	152	231	405	1,156	3,358	9,665	17,198	2
1986.....	32,432	170	56	57	83	173	258	415	1,187	3,407	9,559	17,040	27
1985.....	31,480	187	75	47	75	144	245	432	1,163	3,260	9,323	16,504	25
1984.....	26,837	187	63	73	70	135	210	396	1,041	2,952	8,082	13,626	2
1983.....	25,533	207	74	52	91	140	207	399	1,041	2,755	7,619	12,945	3
1982.....	21,415	195	65	42	90	125	198	372	1,025	2,505	6,426	10,363	9
1981.....	24,388	211	75	69	104	158	198	478	1,141	2,830	7,409	11,713	2
1980.....	24,559	243	87	75	129	166	233	434	1,185	2,886	7,645	11,471	5
1979.....	19,259	309	79	81	110	118	193	411	992	2,257	6,154	8,555	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
PNEUMONIA AND INFLUENZA (480-487)													
ALL OTHER, BOTH SEXES													
1998.....	10,212	186	48	32	76	190	471	597	822	1,643	2,931	3,212	4
1997.....	9,574	157	60	36	66	197	436	642	833	1,564	2,677	2,902	4
1996.....	9,533	186	59	35	69	194	521	604	835	1,608	2,594	2,825	3
1995.....	9,282	190	67	39	54	210	494	611	778	1,590	2,532	2,717	-
1994.....	8,868	217	60	30	61	233	552	560	730	1,502	2,376	2,545	2
1993.....	9,100	207	65	26	83	252	541	525	803	1,596	2,481	2,514	7
1992.....	8,263	243	72	24	65	245	509	466	748	1,480	2,160	2,248	3
1991.....	8,584	261	73	23	71	268	551	529	778	1,424	2,313	2,290	3
1990.....	8,707	259	53	34	77	318	552	510	849	1,509	2,334	2,210	2
1989.....	8,697	240	91	27	86	354	585	549	839	1,524	2,259	2,140	3
1988.....	8,092	254	52	32	83	336	502	590	891	1,464	2,048	1,839	1
1987.....	7,414	262	64	24	77	302	471	514	803	1,286	1,888	1,718	5
1986.....	7,489	242	66	30	71	263	488	482	838	1,357	1,934	1,709	9
1985.....	7,107	262	70	39	51	240	407	485	844	1,296	1,878	1,524	11
1984.....	6,380	244	76	27	69	262	362	474	746	1,223	1,620	1,274	3
1983.....	5,858	304	71	30	57	230	297	431	752	1,121	1,431	1,126	8
1982.....	5,371	298	80	39	86	218	296	454	741	1,026	1,176	953	4
1981.....	5,812	302	73	24	69	186	365	520	838	1,120	1,310	998	7
1980.....	6,250	419	72	43	102	191	327	548	822	1,214	1,420	1,090	2
1979.....	5,227	426	86	42	81	194	332	488	706	991	1,084	794	3

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
PNEUMONIA AND INFLUENZA (480-487)													
ALL OTHER MALE													
1998.....	5,184	101	21	14	30	110	286	374	509	1,002	1,521	1,213	3
1997.....	4,898	89	33	17	33	107	268	417	507	894	1,400	1,131	2
1996.....	5,067	109	37	19	33	118	330	399	531	966	1,390	1,134	1
1995.....	4,839	110	28	18	23	132	303	408	481	948	1,310	1,078	-
1994.....	4,681	136	32	20	30	137	330	373	462	866	1,284	1,011	-
1993.....	4,845	124	32	16	42	134	348	351	499	955	1,343	996	5
1992.....	4,514	138	39	16	33	152	338	322	498	890	1,184	902	2
1991.....	4,625	132	46	9	42	171	348	335	498	837	1,262	942	3
1990.....	4,797	151	26	20	34	203	376	354	528	935	1,280	888	2
1989.....	4,809	137	49	14	46	195	393	384	553	979	1,192	865	2
1988.....	4,572	142	25	18	45	202	337	425	587	893	1,132	765	1
1987.....	4,278	146	36	14	40	194	324	349	538	824	1,064	744	5
1986.....	4,312	136	33	11	43	153	332	315	546	857	1,086	794	6
1985.....	4,131	156	37	20	25	153	279	332	561	849	1,036	675	8
1984.....	3,763	146	33	14	33	152	243	343	523	779	922	573	2
1983.....	3,544	184	37	17	26	153	216	291	517	738	851	509	5
1982.....	3,225	162	43	22	49	135	204	321	495	677	661	454	2
1981.....	3,528	172	44	12	41	110	249	368	576	737	737	475	7
1980.....	3,764	248	36	20	54	126	218	386	566	778	805	526	1
1979.....	3,181	234	45	21	40	109	232	344	483	635	645	390	3

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
PNEUMONIA AND INFLUENZA (480-487)													
ALL OTHER FEMALE													
1998.....	5,028	85	27	18	46	80	185	223	313	641	1,410	1,999	1
1997.....	4,676	68	27	19	33	90	168	225	326	670	1,277	1,771	2
1996.....	4,466	77	22	16	36	76	191	205	304	642	1,204	1,691	2
1995.....	4,443	80	39	21	31	78	191	203	297	642	1,222	1,639	-
1994.....	4,187	81	28	10	31	96	222	187	268	636	1,092	1,534	2
1993.....	4,255	83	33	10	41	118	193	174	304	641	1,138	1,518	2
1992.....	3,749	105	33	8	32	93	171	144	250	590	976	1,346	1
1991.....	3,959	129	27	14	29	97	203	194	280	587	1,051	1,348	-
1990.....	3,910	108	27	14	43	115	176	156	321	574	1,054	1,322	-
1989.....	3,888	103	42	13	40	159	192	165	286	545	1,067	1,275	1
1988.....	3,520	112	27	14	38	134	165	165	304	571	916	1,074	-
1987.....	3,136	116	28	10	37	108	147	165	265	462	824	974	-
1986.....	3,177	106	33	19	28	110	156	167	292	500	848	915	3
1985.....	2,976	106	33	19	26	87	128	153	283	447	842	849	3
1984.....	2,617	98	43	13	36	110	119	131	223	444	698	701	1
1983.....	2,314	120	34	13	31	77	81	140	235	383	580	617	3
1982.....	2,146	136	37	17	37	83	92	133	246	349	515	499	2
1981.....	2,284	130	29	12	28	76	116	152	262	383	573	523	-
1980.....	2,486	171	36	23	48	65	109	162	256	436	615	564	1
1979.....	2,046	192	41	21	41	85	100	144	223	356	439	404	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
PNEUMONIA AND INFLUENZA (480-487)													
BLACK, BOTH SEXES													
1998.....	8,326	148	44	28	62	161	432	538	728	1,353	2,345	2,483	4
1997.....	7,920	141	50	32	56	177	404	563	721	1,302	2,154	2,316	4
1996.....	7,963	159	53	27	64	172	479	544	743	1,356	2,084	2,279	3
1995.....	7,803	166	58	36	47	192	455	550	694	1,362	2,082	2,161	-
1994.....	7,472	189	48	26	48	207	509	524	649	1,270	1,953	2,047	2
1993.....	7,724	176	54	20	75	234	500	488	725	1,352	2,050	2,043	7
1992.....	7,074	216	56	19	57	230	475	422	658	1,281	1,824	1,833	3
1991.....	7,372	234	68	23	66	251	518	489	692	1,245	1,943	1,840	3
1990.....	7,563	235	40	28	69	295	519	470	772	1,360	1,971	1,802	2
1989.....	7,585	210	75	25	80	344	556	502	755	1,360	1,917	1,758	3
1988.....	7,191	224	45	26	75	332	481	548	814	1,302	1,785	1,558	1
1987.....	6,565	227	52	21	71	293	449	473	733	1,170	1,652	1,419	5
1986.....	6,700	223	57	26	66	252	461	452	790	1,245	1,689	1,433	6
1985.....	6,338	237	63	36	49	225	382	459	792	1,167	1,644	1,274	10
1984.....	5,669	220	68	23	62	253	340	445	686	1,106	1,409	1,054	3
1983.....	5,234	279	62	26	52	218	274	413	700	1,014	1,254	935	7
1982.....	4,799	268	71	30	74	206	279	431	692	928	1,030	786	4
1981.....	5,276	274	62	20	64	177	351	496	795	1,029	1,157	844	7
1980.....	5,648	391	64	41	94	175	308	513	785	1,118	1,237	920	2
1979.....	4,740	395	83	39	71	178	311	466	664	910	943	678	2

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
PNEUMONIA AND INFLUENZA (480-487)													
BLACK MALE													
1998.....	4,178	83	20	14	23	90	264	339	459	826	1,194	863	3
1997.....	3,978	75	28	15	28	94	247	369	443	736	1,092	849	2
1996.....	4,170	89	34	16	31	103	307	363	469	808	1,087	862	1
1995.....	4,019	96	22	16	18	123	281	372	432	806	1,045	808	-
1994.....	3,899	119	26	19	25	121	298	348	410	732	1,026	775	-
1993.....	4,051	105	27	11	37	129	322	331	456	798	1,080	750	5
1992.....	3,822	124	31	11	29	142	315	291	443	774	971	689	2
1991.....	3,938	117	42	9	39	161	329	314	451	721	1,022	730	3
1990.....	4,161	136	20	16	32	190	357	329	484	845	1,051	699	2
1989.....	4,168	121	40	13	43	191	373	353	510	879	978	665	2
1988.....	4,047	123	23	16	42	201	327	401	538	792	966	617	1
1987.....	3,795	127	29	11	37	188	310	325	495	745	914	609	5
1986.....	3,836	123	31	10	39	142	313	296	516	793	920	648	5
1985.....	3,664	141	34	18	23	143	266	317	523	763	873	555	8
1984.....	3,336	131	31	12	30	147	228	325	480	700	782	468	2
1983.....	3,190	172	32	15	23	148	199	284	485	666	732	430	4
1982.....	2,884	148	37	17	41	127	198	310	463	611	570	360	2
1981.....	3,201	155	37	8	37	105	242	353	552	672	642	391	7
1980.....	3,386	231	34	18	48	114	203	369	539	714	682	433	1
1979.....	2,884	218	44	19	35	100	222	328	453	576	556	331	2

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
PNEUMONIA AND INFLUENZA (480-487)													
BLACK FEMALE													
1998.....	4,148	65	24	14	39	71	168	199	269	527	1,151	1,620	1
1997.....	3,942	66	22	17	28	83	157	194	278	566	1,062	1,467	2
1996.....	3,793	70	19	11	33	69	172	181	274	548	997	1,417	2
1995.....	3,784	70	36	20	29	69	174	178	262	556	1,037	1,353	-
1994.....	3,573	70	22	7	23	86	211	176	239	538	927	1,272	2
1993.....	3,673	71	27	9	38	105	178	157	269	554	970	1,293	2
1992.....	3,252	92	25	8	28	88	160	131	215	507	853	1,144	1
1991.....	3,434	117	26	14	27	90	189	175	241	524	921	1,110	-
1990.....	3,402	99	20	12	37	105	162	141	288	515	920	1,103	-
1989.....	3,417	89	35	12	37	153	183	149	245	481	939	1,093	1
1988.....	3,144	101	22	10	33	131	154	147	276	510	819	941	-
1987.....	2,770	100	23	10	34	105	139	148	238	425	738	810	-
1986.....	2,864	100	26	16	27	110	148	156	274	452	769	785	1
1985.....	2,674	96	29	18	26	82	116	142	269	404	771	719	2
1984.....	2,333	89	37	11	32	106	112	120	206	406	627	586	1
1983.....	2,044	107	30	11	29	70	75	129	215	348	522	505	3
1982.....	1,915	120	34	13	33	79	81	121	229	317	460	426	2
1981.....	2,075	119	25	12	27	72	109	143	243	357	515	453	-
1980.....	2,262	160	30	23	46	61	105	144	246	404	555	487	1
1979.....	1,856	177	39	20	36	78	89	138	211	334	387	347	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 PNEUMONIA (480-486)													
TOTAL, BOTH SEXES													
1998.....	90,147	435	143	107	205	530	1,383	2,146	3,795	10,853	28,344	42,201	5
1997.....	85,729	409	170	128	216	527	1,376	2,215	3,728	10,457	27,196	39,301	6
1996.....	82,982	481	165	128	195	560	1,447	2,072	3,575	10,513	26,172	37,664	10
1995.....	82,317	485	149	121	201	621	1,466	2,061	3,427	10,657	25,850	37,275	4
1994.....	80,244	553	171	100	216	639	1,488	1,953	3,445	10,455	25,417	35,802	5
1993.....	81,776	520	168	122	243	716	1,532	1,857	3,658	10,709	25,601	36,639	11
1992.....	74,713	592	182	99	221	647	1,331	1,627	3,409	10,092	23,702	32,804	7
1991.....	76,723	591	192	124	246	744	1,423	1,712	3,684	10,086	24,304	33,603	14
1990.....	77,415	627	161	122	226	756	1,402	1,717	3,826	10,419	24,753	33,399	7
1989.....	74,957	624	220	108	255	866	1,384	1,676	3,808	10,246	23,591	32,164	15
1988.....	75,719	635	177	122	258	834	1,332	1,739	4,065	10,521	23,915	32,110	11
1987.....	68,593	666	193	93	262	751	1,161	1,609	3,842	9,962	21,622	28,425	7
1986.....	67,974	656	191	133	267	724	1,177	1,564	4,087	9,945	21,451	27,733	46
1985.....	65,561	698	213	123	244	622	1,032	1,592	4,040	9,614	20,698	26,637	48
1984.....	57,798	680	206	160	240	636	911	1,473	3,702	8,852	18,252	22,673	13
1983.....	54,423	763	224	127	263	568	802	1,479	3,676	8,255	16,893	21,358	15
1982.....	48,159	748	226	137	306	544	762	1,446	3,576	7,591	14,930	17,877	16
1981.....	50,725	796	232	149	309	540	845	1,629	3,886	7,950	15,812	18,563	14
1980.....	51,917	1,000	255	184	336	550	875	1,727	3,933	8,347	16,142	18,553	15
1979.....	44,426	1,120	250	204	332	516	807	1,624	3,483	7,253	13,826	15,001	10

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 PNEUMONIA (480-486)													
TOTAL, MALE													
1998.....	40,395	237	71	51	105	308	805	1,289	2,262	6,305	14,316	14,642	4
1997.....	39,013	250	84	65	117	309	839	1,368	2,175	6,106	13,893	13,803	4
1996.....	37,722	290	90	65	101	315	913	1,289	2,146	6,127	13,281	13,099	6
1995.....	37,565	275	65	53	117	376	922	1,309	2,069	6,223	13,154	13,000	2
1994.....	36,913	335	96	57	112	412	916	1,237	2,088	6,129	12,809	12,721	1
1993.....	37,607	304	86	64	122	419	1,000	1,145	2,210	6,373	13,099	12,777	8
1992.....	35,127	350	93	53	122	407	867	1,050	2,091	5,971	12,338	11,781	4
1991.....	35,781	316	116	65	146	478	934	1,051	2,291	5,882	12,598	11,894	10
1990.....	36,099	360	86	63	116	483	946	1,098	2,392	6,237	12,669	11,646	3
1989.....	35,151	377	117	57	140	519	917	1,072	2,425	6,271	11,912	11,333	11
1988.....	36,161	378	84	73	139	515	888	1,154	2,560	6,453	12,403	11,508	6
1987.....	33,310	374	107	45	146	496	787	1,043	2,442	6,167	11,221	10,477	5
1986.....	33,527	382	105	62	161	448	781	996	2,630	6,134	11,347	10,465	16
1985.....	32,422	409	108	60	145	393	664	1,024	2,645	6,025	10,877	10,049	23
1984.....	29,024	399	103	79	137	396	586	955	2,459	5,533	9,666	8,700	11
1983.....	27,464	439	119	64	147	357	524	952	2,429	5,212	8,930	8,282	9
1982.....	25,030	422	125	80	182	341	478	946	2,323	4,780	8,094	7,254	5
1981.....	25,954	459	133	74	181	323	543	1,028	2,561	4,954	8,379	7,307	12
1980.....	26,581	591	138	89	162	326	549	1,150	2,545	5,180	8,414	7,428	9
1979.....	23,493	624	133	104	185	314	516	1,075	2,286	4,676	7,332	6,238	10

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 PNEUMONIA (480-486) TOTAL, FEMALE													
1998.....	49,752	198	72	56	100	222	578	857	1,533	4,548	14,028	27,559	1
1997.....	46,716	159	86	63	99	218	537	847	1,553	4,351	13,303	25,498	2
1996.....	45,260	191	75	63	94	245	534	783	1,429	4,386	12,891	24,565	4
1995.....	44,752	210	84	68	84	245	544	752	1,358	4,434	12,696	24,275	2
1994.....	43,331	218	75	43	104	227	572	716	1,357	4,326	12,608	23,081	4
1993.....	44,169	216	82	58	121	297	532	712	1,448	4,336	12,502	23,862	3
1992.....	39,586	242	89	46	99	240	464	577	1,318	4,121	11,364	21,023	3
1991.....	40,942	275	76	59	100	266	489	661	1,393	4,204	11,706	21,709	4
1990.....	41,316	267	75	59	110	273	456	619	1,434	4,182	12,084	21,753	4
1989.....	39,806	247	103	51	115	347	467	604	1,383	3,975	11,679	20,831	4
1988.....	39,558	257	93	49	119	319	444	585	1,505	4,068	11,512	20,602	5
1987.....	35,283	292	86	48	116	255	374	566	1,400	3,795	10,401	17,948	2
1986.....	34,447	274	86	71	106	276	396	568	1,457	3,811	10,104	17,268	30
1985.....	33,139	289	105	63	99	229	368	568	1,395	3,589	9,821	16,588	25
1984.....	28,774	281	103	81	103	240	325	518	1,243	3,319	8,586	13,973	2
1983.....	26,959	324	105	63	116	211	278	527	1,247	3,043	7,963	13,076	6
1982.....	23,129	326	101	57	124	203	284	500	1,253	2,811	6,836	10,623	11
1981.....	24,771	337	99	75	128	217	302	601	1,325	2,996	7,433	11,256	2
1980.....	25,336	409	117	95	174	224	326	577	1,388	3,167	7,728	11,125	6
1979.....	20,933	496	117	100	147	202	291	549	1,197	2,577	6,494	8,763	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
PNEUMONIA (480-486)													
WHITE, BOTH SEXES													
1998.....	79,992	251	96	77	131	340	913	1,551	2,978	9,217	25,427	39,010	1
1997.....	76,194	254	112	94	151	332	945	1,576	2,901	8,897	24,526	36,404	2
1996.....	73,499	300	106	94	129	368	928	1,471	2,745	8,911	23,589	34,851	7
1995.....	73,075	299	82	84	148	411	975	1,452	2,653	9,072	23,326	34,569	4
1994.....	71,428	339	111	70	156	406	937	1,395	2,721	8,968	23,049	33,273	3
1993.....	72,728	317	105	98	161	465	992	1,334	2,860	9,123	23,129	34,140	4
1992.....	66,502	350	111	75	156	404	827	1,165	2,665	8,625	21,550	30,570	4
1991.....	68,207	334	122	105	177	478	878	1,187	2,907	8,669	22,007	31,332	11
1990.....	68,807	368	110	91	151	440	852	1,213	2,987	8,926	22,445	31,219	5
1989.....	66,344	386	130	83	169	515	803	1,132	2,973	8,738	21,348	30,055	12
1988.....	67,705	384	128	90	175	504	833	1,153	3,179	9,072	21,884	30,293	10
1987.....	61,216	407	129	69	186	449	690	1,096	3,043	8,682	19,740	26,723	2
1986.....	60,569	415	128	104	199	465	692	1,085	3,255	8,600	19,544	26,045	37
1985.....	58,561	439	145	85	193	383	628	1,113	3,209	8,340	18,848	25,141	37
1984.....	51,473	439	132	135	171	374	553	999	2,962	7,635	16,652	21,411	10
1983.....	48,616	460	155	99	207	340	507	1,050	2,929	7,143	15,476	20,243	7
1982.....	42,829	453	147	99	220	326	468	996	2,841	6,570	13,766	16,931	12
1981.....	45,079	498	162	126	243	360	484	1,116	3,068	6,863	14,553	17,599	7
1980.....	45,774	586	184	142	240	360	551	1,187	3,121	7,148	14,747	17,495	13
1979.....	39,253	699	164	163	251	323	479	1,137	2,780	6,277	12,754	14,219	7

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
PNEUMONIA (480-486) WHITE MALE													
1998.....	35,235	137	51	37	76	198	520	916	1,755	5,306	12,801	13,437	1
1997.....	34,135	162	53	49	84	203	575	952	1,673	5,214	12,495	12,673	2
1996.....	32,678	184	53	46	69	197	584	892	1,619	5,163	11,895	11,971	5
1995.....	32,742	168	37	36	95	244	619	901	1,589	5,279	11,848	11,924	2
1994.....	32,252	201	64	37	83	275	587	864	1,629	5,267	11,529	11,715	1
1993.....	32,785	182	55	49	81	285	653	794	1,712	5,422	11,762	11,787	3
1992.....	30,637	212	54	37	89	256	533	730	1,595	5,088	11,158	10,883	2
1991.....	31,187	187	71	58	105	309	589	719	1,794	5,049	11,342	10,957	7
1990.....	31,350	209	61	45	83	281	571	748	1,868	5,313	11,404	10,766	1
1989.....	30,379	241	69	44	94	325	525	691	1,875	5,302	10,726	10,478	9
1988.....	31,622	237	62	55	94	317	552	733	1,974	5,565	11,281	10,747	5
1987.....	29,048	231	71	31	107	302	463	695	1,905	5,346	10,160	9,737	-
1986.....	29,247	246	74	52	119	296	449	682	2,088	5,283	10,272	9,676	10
1985.....	28,347	255	72	40	120	241	387	695	2,091	5,187	9,857	9,387	15
1984.....	25,289	253	71	66	104	244	344	612	1,939	4,757	8,755	8,135	9
1983.....	23,943	256	83	48	121	205	308	662	1,915	4,478	8,086	7,777	4
1982.....	21,827	260	83	58	133	206	275	627	1,831	4,106	7,441	6,804	3
1981.....	22,498	290	90	63	143	216	296	663	1,993	4,235	7,659	6,845	5
1980.....	22,859	346	102	69	114	201	332	769	1,982	4,411	7,617	6,908	8
1979.....	20,340	392	88	84	145	206	286	732	1,804	4,050	6,694	5,852	7

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
PNEUMONIA (480-486)													
WHITE FEMALE													
1998.....	44,757	114	45	40	55	142	393	635	1,223	3,911	12,626	25,573	-
1997.....	42,059	92	59	45	67	129	370	624	1,228	3,683	12,031	23,731	-
1996.....	40,821	116	53	48	60	171	344	579	1,126	3,748	11,694	22,880	2
1995.....	40,333	131	45	48	53	167	356	551	1,064	3,793	11,478	22,645	2
1994.....	39,176	138	47	33	73	131	350	531	1,092	3,701	11,520	21,558	2
1993.....	39,943	135	50	49	80	180	339	540	1,148	3,701	11,367	22,353	1
1992.....	35,865	138	57	38	67	148	294	435	1,070	3,537	10,392	19,687	2
1991.....	37,020	147	51	47	72	169	289	468	1,113	3,620	10,665	20,375	4
1990.....	37,457	159	49	46	68	159	281	465	1,119	3,613	11,041	20,453	4
1989.....	35,965	145	61	39	75	190	278	441	1,098	3,436	10,622	19,577	3
1988.....	36,083	147	66	35	81	187	281	420	1,205	3,507	10,603	19,546	5
1987.....	32,168	176	58	38	79	147	227	401	1,138	3,336	9,580	16,986	2
1986.....	31,322	169	54	52	80	169	243	403	1,167	3,317	9,272	16,369	27
1985.....	30,214	184	73	45	73	142	241	418	1,118	3,153	8,991	15,754	22
1984.....	26,184	186	61	69	67	130	209	387	1,023	2,878	7,897	13,276	1
1983.....	24,673	204	72	51	86	135	199	388	1,014	2,665	7,390	12,466	3
1982.....	21,002	193	64	41	87	120	193	369	1,010	2,464	6,325	10,127	9
1981.....	22,581	208	72	63	100	144	188	453	1,075	2,628	6,894	10,754	2
1980.....	22,915	240	82	73	126	159	219	418	1,139	2,737	7,130	10,587	5
1979.....	18,913	307	76	79	106	117	193	405	976	2,227	6,060	8,367	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
PNEUMONIA (480-486)													
ALL OTHER, BOTH SEXES													
1998.....	10,155	184	47	30	74	190	470	595	817	1,636	2,917	3,191	4
1997.....	9,535	155	58	34	65	195	431	639	827	1,560	2,670	2,897	4
1996.....	9,483	181	59	34	66	192	519	601	830	1,602	2,583	2,813	3
1995.....	9,242	186	67	37	53	210	491	609	774	1,585	2,524	2,706	-
1994.....	8,816	214	60	30	60	233	551	558	724	1,487	2,368	2,529	2
1993.....	9,048	203	63	24	82	251	540	523	798	1,586	2,472	2,499	7
1992.....	8,211	242	71	24	65	243	504	462	744	1,467	2,152	2,234	3
1991.....	8,516	257	70	19	69	266	545	525	777	1,417	2,297	2,271	3
1990.....	8,608	259	51	31	75	316	550	504	839	1,493	2,308	2,180	2
1989.....	8,613	238	90	25	86	351	581	544	835	1,508	2,243	2,109	3
1988.....	8,014	251	49	32	83	330	499	586	886	1,449	2,031	1,817	1
1987.....	7,377	259	64	24	76	302	471	513	799	1,280	1,882	1,702	5
1986.....	7,405	241	63	29	68	259	485	479	832	1,345	1,907	1,688	9
1985.....	7,000	259	68	38	51	239	404	479	831	1,274	1,850	1,496	11
1984.....	6,325	241	74	25	69	262	358	474	740	1,217	1,600	1,262	3
1983.....	5,807	303	69	28	56	228	295	429	747	1,112	1,417	1,115	8
1982.....	5,330	295	79	38	86	218	294	450	735	1,021	1,164	946	4
1981.....	5,646	298	70	23	66	180	361	513	818	1,087	1,259	964	7
1980.....	6,143	414	71	42	96	190	324	540	812	1,199	1,395	1,058	2
1979.....	5,173	421	86	41	81	193	328	487	703	976	1,072	782	3

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
PNEUMONIA (480-486)													
ALL OTHER MALE													
1998.....	5,160	100	20	14	29	110	285	373	507	999	1,515	1,205	3
1997.....	4,878	88	31	16	33	106	264	416	502	892	1,398	1,130	2
1996.....	5,044	106	37	19	32	118	329	397	527	964	1,386	1,128	1
1995.....	4,823	107	28	17	22	132	303	408	480	944	1,306	1,076	-
1994.....	4,661	134	32	20	29	137	329	373	459	862	1,280	1,006	-
1993.....	4,822	122	31	15	41	134	347	351	498	951	1,337	990	5
1992.....	4,490	138	39	16	33	151	334	320	496	883	1,180	898	2
1991.....	4,594	129	45	7	41	169	345	332	497	833	1,256	937	3
1990.....	4,749	151	25	18	33	202	375	350	524	924	1,265	880	2
1989.....	4,772	136	48	13	46	194	392	381	550	969	1,186	855	2
1988.....	4,539	141	22	18	45	198	336	421	586	888	1,122	761	1
1987.....	4,262	143	36	14	39	194	324	348	537	821	1,061	740	5
1986.....	4,280	136	31	10	42	152	332	314	542	851	1,075	789	6
1985.....	4,075	154	36	20	25	152	277	329	554	838	1,020	662	8
1984.....	3,735	146	32	13	33	152	242	343	520	776	911	565	2
1983.....	3,521	183	36	16	26	152	216	290	514	734	844	505	5
1982.....	3,203	162	42	22	49	135	203	319	492	674	653	450	2
1981.....	3,456	169	43	11	38	107	247	365	568	719	720	462	7
1980.....	3,722	245	36	20	48	125	217	381	563	769	797	520	1
1979.....	3,153	232	45	20	40	108	230	343	482	626	638	386	3

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
PNEUMONIA (480-486)													
ALL OTHER FEMALE													
1998.....	4,995	84	27	16	45	80	185	222	310	637	1,402	1,986	1
1997.....	4,657	67	27	18	32	89	167	223	325	668	1,272	1,767	2
1996.....	4,439	75	22	15	34	74	190	204	303	638	1,197	1,685	2
1995.....	4,419	79	39	20	31	78	188	201	294	641	1,218	1,630	-
1994.....	4,155	80	28	10	31	96	222	185	265	625	1,088	1,523	2
1993.....	4,226	81	32	9	41	117	193	172	300	635	1,135	1,509	2
1992.....	3,721	104	32	8	32	92	170	142	248	584	972	1,336	1
1991.....	3,922	128	25	12	28	97	200	193	280	584	1,041	1,334	-
1990.....	3,859	108	26	13	42	114	175	154	315	569	1,043	1,300	-
1989.....	3,841	102	42	12	40	157	189	163	285	539	1,057	1,254	1
1988.....	3,475	110	27	14	38	132	163	165	300	561	909	1,056	-
1987.....	3,115	116	28	10	37	108	147	165	262	459	821	962	-
1986.....	3,125	105	32	19	26	107	153	165	290	494	832	899	3
1985.....	2,925	105	32	18	26	87	127	150	277	436	830	834	3
1984.....	2,590	95	42	12	36	110	116	131	220	441	689	697	1
1983.....	2,286	120	33	12	30	76	79	139	233	378	573	610	3
1982.....	2,127	133	37	16	37	83	91	131	243	347	511	496	2
1981.....	2,190	129	27	12	28	73	114	148	250	368	539	502	-
1980.....	2,421	169	35	22	48	65	107	159	249	430	598	538	1
1979.....	2,020	189	41	21	41	85	98	144	221	350	434	396	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
PNEUMONIA (480-486) BLACK, BOTH SEXES													
1998.....	8,293	147	43	27	60	161	431	537	725	1,348	2,338	2,472	4
1997.....	7,894	139	48	32	56	175	400	562	718	1,298	2,149	2,313	4
1996.....	7,929	156	53	27	62	171	477	542	739	1,351	2,079	2,269	3
1995.....	7,772	163	58	34	46	192	452	548	690	1,358	2,077	2,154	-
1994.....	7,433	186	48	26	48	207	508	522	645	1,258	1,946	2,037	2
1993.....	7,677	173	52	18	74	233	499	486	720	1,345	2,041	2,029	7
1992.....	7,034	216	56	19	57	228	470	418	655	1,271	1,819	1,822	3
1991.....	7,320	230	67	19	64	251	514	485	691	1,240	1,930	1,826	3
1990.....	7,473	235	38	25	67	293	517	466	763	1,346	1,945	1,776	2
1989.....	7,521	208	74	23	80	342	553	497	752	1,349	1,905	1,735	3
1988.....	7,122	222	42	26	75	326	478	544	810	1,289	1,770	1,539	1
1987.....	6,543	226	52	21	70	293	449	472	729	1,165	1,648	1,413	5
1986.....	6,631	222	55	25	64	248	458	449	784	1,236	1,667	1,417	6
1985.....	6,247	235	61	35	49	224	379	454	779	1,148	1,619	1,254	10
1984.....	5,626	218	66	22	62	253	337	445	680	1,101	1,393	1,046	3
1983.....	5,194	278	60	24	51	216	272	411	698	1,006	1,244	927	7
1982.....	4,772	266	71	29	74	206	277	428	687	925	1,022	783	4
1981.....	5,130	272	59	19	61	172	347	490	776	998	1,113	816	7
1980.....	5,560	386	63	40	89	174	305	507	776	1,104	1,216	898	2
1979.....	4,697	391	83	38	71	177	307	465	662	897	934	670	2

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
PNEUMONIA (480-486) BLACK MALE													
1998.....	4,165	82	19	14	22	90	263	338	457	824	1,192	861	3
1997.....	3,965	74	26	15	28	93	244	368	441	734	1,091	849	2
1996.....	4,156	88	34	16	30	103	306	361	466	807	1,086	858	1
1995.....	4,008	94	22	15	17	123	281	372	431	803	1,042	808	-
1994.....	3,884	117	26	19	25	121	297	348	408	728	1,023	772	-
1993.....	4,028	103	26	10	36	129	321	331	455	794	1,074	744	5
1992.....	3,804	124	31	11	29	141	311	289	441	769	970	686	2
1991.....	3,915	114	42	7	38	161	326	311	450	719	1,017	727	3
1990.....	4,115	136	19	14	31	189	356	326	480	835	1,036	691	2
1989.....	4,141	120	39	12	43	191	372	350	508	870	975	659	2
1988.....	4,019	123	20	16	42	197	326	397	538	787	957	615	1
1987.....	3,785	126	29	11	36	188	310	324	494	743	912	607	5
1986.....	3,812	123	29	9	39	141	313	295	512	789	911	646	5
1985.....	3,616	140	33	18	23	142	264	315	516	753	859	545	8
1984.....	3,314	131	30	12	30	147	227	325	477	697	773	463	2
1983.....	3,171	171	31	14	23	147	199	283	483	662	728	426	4
1982.....	2,869	148	37	17	41	127	197	308	460	608	565	359	2
1981.....	3,137	154	36	7	34	103	240	350	544	656	625	381	7
1980.....	3,349	228	34	18	43	113	202	364	536	706	675	429	1
1979.....	2,862	216	44	18	35	99	220	327	452	568	551	330	2

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
PNEUMONIA (480-486) BLACK FEMALE													
1998.....	4,128	65	24	13	38	71	168	199	268	524	1,146	1,611	1
1997.....	3,929	65	22	17	28	82	156	194	277	564	1,058	1,464	2
1996.....	3,773	68	19	11	32	68	171	181	273	544	993	1,411	2
1995.....	3,764	69	36	19	29	69	171	176	259	555	1,035	1,346	-
1994.....	3,549	69	22	7	23	86	211	174	237	530	923	1,265	2
1993.....	3,649	70	26	8	38	104	178	155	265	551	967	1,285	2
1992.....	3,230	92	25	8	28	87	159	129	214	502	849	1,136	1
1991.....	3,405	116	25	12	26	90	188	174	241	521	913	1,099	-
1990.....	3,358	99	19	11	36	104	161	140	283	511	909	1,085	-
1989.....	3,380	88	35	11	37	151	181	147	244	479	930	1,076	1
1988.....	3,103	99	22	10	33	129	152	147	272	502	813	924	-
1987.....	2,758	100	23	10	34	105	139	148	235	422	736	806	-
1986.....	2,819	99	26	16	25	107	145	154	272	447	756	771	1
1985.....	2,631	95	28	17	26	82	115	139	263	395	760	709	2
1984.....	2,312	87	36	10	32	106	110	120	203	404	620	583	1
1983.....	2,023	107	29	10	28	69	73	128	215	344	516	501	3
1982.....	1,903	118	34	12	33	79	80	120	227	317	457	424	2
1981.....	1,993	118	23	12	27	69	107	140	232	342	488	435	-
1980.....	2,211	158	29	22	46	61	103	143	240	398	541	469	1
1979.....	1,835	175	39	20	36	78	87	138	210	329	383	340	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
INFLUENZA (487)													
TOTAL, BOTH SEXES													
1998.....	1,724	6	3	14	10	1	17	21	61	152	513	926	-
1997.....	720	12	10	13	4	7	18	18	31	78	162	367	-
1996.....	745	15	3	8	8	8	14	21	38	84	183	363	-
1995.....	606	7	7	7	6	1	14	18	31	80	135	300	-
1994.....	1,229	6	7	3	5	8	20	32	60	147	343	598	-
1993.....	1,044	10	14	13	8	8	19	22	46	114	258	532	-
1992.....	1,006	8	6	5	8	7	19	18	44	120	279	492	-
1991.....	1,137	16	15	11	10	15	21	26	54	137	291	541	-
1990.....	2,098	7	10	12	5	6	14	34	96	246	624	1,044	-
1989.....	1,593	12	8	14	16	15	31	31	72	172	431	791	-
1988.....	1,943	6	9	5	8	11	16	32	59	192	566	1,039	-
1987.....	632	8	6	1	6	8	16	17	37	64	155	314	-
1986.....	1,838	7	8	14	9	12	23	36	57	209	544	919	-
1985.....	2,054	7	6	7	7	8	15	31	90	214	598	1,068	3
1984.....	1,096	5	5	11	11	14	12	16	49	126	343	503	1
1983.....	1,431	6	8	3	7	9	14	19	67	183	400	715	-
1982.....	727	8	4	5	4	7	13	15	40	86	197	348	-
1981.....	3,006	13	8	12	18	31	19	48	147	399	939	1,372	-
1980.....	2,702	12	12	10	12	13	29	33	111	321	861	1,288	-
1979.....	604	9	8	8	9	8	6	10	28	84	169	265	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
INFLUENZA (487)													
TOTAL, MALE													
1998.....	584	2	2	6	4	-	5	13	25	71	226	230	-
1997.....	271	7	5	6	2	4	12	7	19	41	67	101	-
1996.....	269	9	1	4	5	2	3	13	18	38	79	97	-
1995.....	222	5	4	5	2	1	3	9	13	35	61	84	-
1994.....	426	4	2	1	3	5	8	17	27	58	137	164	-
1993.....	389	6	7	8	5	3	12	15	18	56	133	126	-
1992.....	338	6	2	1	4	4	13	9	15	51	104	129	-
1991.....	433	12	9	4	5	11	12	15	29	60	112	164	-
1990.....	799	5	2	8	3	2	4	16	55	122	270	312	-
1989.....	550	6	2	7	7	4	14	19	35	88	168	200	-
1988.....	673	3	7	2	5	5	6	18	27	97	228	275	-
1987.....	252	7	2	-	3	3	12	13	16	39	67	90	-
1986.....	676	5	5	9	4	5	5	22	35	113	241	232	-
1985.....	737	3	3	4	5	6	10	14	39	96	254	303	-
1984.....	416	1	2	6	8	9	8	7	28	49	149	149	-
1983.....	543	3	5	1	1	3	4	7	38	88	164	229	-
1982.....	295	3	3	3	1	2	7	10	22	43	92	109	-
1981.....	1,105	9	3	6	14	14	7	19	69	182	390	392	-
1980.....	993	7	6	7	9	6	13	14	58	166	329	378	-
1979.....	232	4	5	6	5	7	4	4	10	48	70	69	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
INFLUENZA (487)													
TOTAL, FEMALE													
1998.....	1,140	4	1	8	6	1	12	8	36	81	287	696	-
1997.....	449	5	5	7	2	3	6	11	12	37	95	266	-
1996.....	476	6	2	4	3	6	11	8	20	46	104	266	-
1995.....	384	2	3	2	4	-	11	9	18	45	74	216	-
1994.....	803	2	5	2	2	3	12	15	33	89	206	434	-
1993.....	655	4	7	5	3	5	7	7	28	58	125	406	-
1992.....	668	2	4	4	4	3	6	9	29	69	175	363	-
1991.....	704	4	6	7	5	4	9	11	25	77	179	377	-
1990.....	1,299	2	8	4	2	4	10	18	41	124	354	732	-
1989.....	1,043	6	6	7	9	11	17	12	37	84	263	591	-
1988.....	1,270	3	2	3	3	6	10	14	32	95	338	764	-
1987.....	380	1	4	1	3	5	4	4	21	25	88	224	-
1986.....	1,162	2	3	5	5	7	18	14	22	96	303	687	-
1985.....	1,317	4	3	3	2	2	5	17	51	118	344	765	3
1984.....	680	4	3	5	3	5	4	9	21	77	194	354	1
1983.....	888	3	3	2	6	6	10	12	29	95	236	486	-
1982.....	432	5	1	2	3	5	6	5	18	43	105	239	-
1981.....	1,901	4	5	6	4	17	12	29	78	217	549	980	-
1980.....	1,709	5	6	3	3	7	16	19	53	155	532	910	-
1979.....	372	5	3	2	4	1	2	6	18	36	99	196	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
INFLUENZA (487)													
WHITE, BOTH SEXES													
1998.....	1,667	4	2	12	8	1	16	19	56	145	499	905	-
1997.....	681	10	8	11	3	5	13	15	25	74	155	362	-
1996.....	695	10	3	7	5	6	12	18	33	78	172	351	-
1995.....	566	3	7	5	5	1	11	16	27	75	127	289	-
1994.....	1,177	3	7	3	4	8	19	30	54	132	335	582	-
1993.....	992	6	12	11	7	7	18	20	41	104	249	517	-
1992.....	954	7	5	5	8	5	14	14	40	107	271	478	-
1991.....	1,069	12	12	7	8	13	15	22	53	130	275	522	-
1990.....	1,999	7	8	9	3	4	12	28	86	230	598	1,014	-
1989.....	1,509	10	7	12	16	12	27	26	68	156	415	760	-
1988.....	1,865	3	6	5	8	5	13	28	54	177	549	1,017	-
1987.....	595	5	6	1	5	8	16	16	33	58	149	298	-
1986.....	1,754	6	5	13	6	8	20	33	51	197	517	898	-
1985.....	1,947	4	4	6	7	7	12	25	77	192	570	1,040	3
1984.....	1,041	2	3	9	11	14	8	16	43	120	323	491	1
1983.....	1,380	5	6	1	6	7	12	17	62	174	386	704	-
1982.....	686	5	3	4	4	7	11	11	34	81	185	341	-
1981.....	2,840	9	5	11	15	25	15	41	127	366	888	1,338	-
1980.....	2,595	7	11	9	6	12	26	25	101	306	836	1,256	-
1979.....	550	4	8	7	9	7	2	9	25	69	157	253	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
INFLUENZA (487)													
WHITE MALE													
1998.....	560	1	1	6	3	-	4	12	23	68	220	222	-
1997.....	251	6	3	5	2	3	8	6	14	39	65	100	-
1996.....	246	6	1	4	4	2	2	11	14	36	75	91	-
1995.....	206	2	4	4	1	1	3	9	12	31	57	82	-
1994.....	406	2	2	1	2	5	7	17	24	54	133	159	-
1993.....	366	4	6	7	4	3	11	15	17	52	127	120	-
1992.....	314	6	2	1	4	3	9	7	13	44	100	125	-
1991.....	402	9	8	2	4	9	9	12	28	56	106	159	-
1990.....	751	5	1	6	2	1	3	12	51	111	255	304	-
1989.....	513	5	1	6	7	3	13	16	32	78	162	190	-
1988.....	640	2	4	2	5	1	5	14	26	92	218	271	-
1987.....	236	4	2	-	2	3	12	12	15	36	64	86	-
1986.....	644	5	3	8	3	4	5	21	31	107	230	227	-
1985.....	681	1	2	4	5	5	8	11	32	85	238	290	-
1984.....	388	1	1	5	8	9	7	7	25	46	138	141	-
1983.....	520	2	4	-	1	2	4	6	35	84	157	225	-
1982.....	273	3	2	3	1	2	6	8	19	40	84	105	-
1981.....	1,033	6	2	5	11	11	5	16	61	164	373	379	-
1980.....	951	4	6	7	3	5	12	9	55	157	321	372	-
1979.....	204	2	5	5	5	6	2	3	9	39	63	65	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
INFLUENZA (487)													
WHITE FEMALE													
1998.....	1,107	3	1	6	5	1	12	7	33	77	279	683	-
1997.....	430	4	5	6	1	2	5	9	11	35	90	262	-
1996.....	449	4	2	3	1	4	10	7	19	42	97	260	-
1995.....	360	1	3	1	4	-	8	7	15	44	70	207	-
1994.....	771	1	5	2	2	3	12	13	30	78	202	423	-
1993.....	626	2	6	4	3	4	7	5	24	52	122	397	-
1992.....	640	1	3	4	4	2	5	7	27	63	171	353	-
1991.....	667	3	4	5	4	4	6	10	25	74	169	363	-
1990.....	1,248	2	7	3	1	3	9	16	35	119	343	710	-
1989.....	996	5	6	6	9	9	14	10	36	78	253	570	-
1988.....	1,225	1	2	3	3	4	8	14	28	85	331	746	-
1987.....	359	1	4	1	3	5	4	4	18	22	85	212	-
1986.....	1,110	1	2	5	3	4	15	12	20	90	287	671	-
1985.....	1,266	3	2	2	2	2	4	14	45	107	332	750	3
1984.....	653	1	2	4	3	5	1	9	18	74	185	350	1
1983.....	860	3	2	1	5	5	8	11	27	90	229	479	-
1982.....	413	2	1	1	3	5	5	3	15	41	101	236	-
1981.....	1,807	3	3	6	4	14	10	25	66	202	515	959	-
1980.....	1,644	3	5	2	3	7	14	16	46	149	515	884	-
1979.....	346	2	3	2	4	1	-	6	16	30	94	188	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
INFLUENZA (487)													
ALL OTHER, BOTH SEXES													
1998.....	57	2	1	2	2	-	1	2	5	7	14	21	-
1997.....	39	2	2	2	1	2	5	3	6	4	7	5	-
1996.....	50	5	-	1	3	2	2	3	5	6	11	12	-
1995.....	40	4	-	2	1	-	3	2	4	5	8	11	-
1994.....	52	3	-	-	1	-	1	2	6	15	8	16	-
1993.....	52	4	2	2	1	1	1	2	5	10	9	15	-
1992.....	52	1	1	-	-	2	5	4	4	13	8	14	-
1991.....	68	4	3	4	2	2	6	4	1	7	16	19	-
1990.....	99	-	2	3	2	2	2	6	10	16	26	30	-
1989.....	84	2	1	2	-	3	4	5	4	16	16	31	-
1988.....	78	3	3	-	-	6	3	4	5	15	17	22	-
1987.....	37	3	-	-	1	-	-	1	4	6	6	16	-
1986.....	84	1	3	1	3	4	3	3	6	12	27	21	-
1985.....	107	3	2	1	-	1	3	6	13	22	28	28	-
1984.....	55	3	2	2	-	-	4	-	6	6	20	12	-
1983.....	51	1	2	2	1	2	2	2	5	9	14	11	-
1982.....	41	3	1	1	-	-	2	4	6	5	12	7	-
1981.....	166	4	3	1	3	6	4	7	20	33	51	34	-
1980.....	107	5	1	1	6	1	3	8	10	15	25	32	-
1979.....	54	5	-	1	-	1	4	1	3	15	12	12	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
INFLUENZA (487)													
ALL OTHER MALE													
1998.....	24	1	1	-	1	-	1	1	2	3	6	8	-
1997.....	20	1	2	1	-	1	4	1	5	2	2	1	-
1996.....	23	3	-	-	1	-	1	2	4	2	4	6	-
1995.....	16	3	-	1	1	-	-	-	1	4	4	2	-
1994.....	20	2	-	-	1	-	1	-	3	4	4	5	-
1993.....	23	2	1	1	1	-	1	-	1	4	6	6	-
1992.....	24	-	-	-	-	1	4	2	2	7	4	4	-
1991.....	31	3	1	2	1	2	3	3	1	4	6	5	-
1990.....	48	-	1	2	1	1	1	4	4	11	15	8	-
1989.....	37	1	1	1	-	1	1	3	3	10	6	10	-
1988.....	33	1	3	-	-	4	1	4	1	5	10	4	-
1987.....	16	3	-	-	1	-	-	1	1	3	3	4	-
1986.....	32	-	2	1	1	1	-	1	4	6	11	5	-
1985.....	56	2	1	-	-	1	2	3	7	11	16	13	-
1984.....	28	-	1	1	-	-	1	-	3	3	11	8	-
1983.....	23	1	1	1	-	1	-	1	3	4	7	4	-
1982.....	22	-	1	-	-	-	1	2	3	3	8	4	-
1981.....	72	3	1	1	3	3	2	3	8	18	17	13	-
1980.....	42	3	-	-	6	1	1	5	3	9	8	6	-
1979.....	28	2	-	1	-	1	2	1	1	9	7	4	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
INFLUENZA (487)													
ALL OTHER FEMALE													
1998.....	33	1	-	2	1	-	-	1	3	4	8	13	-
1997.....	19	1	-	1	1	1	1	2	1	2	5	4	-
1996.....	27	2	-	1	2	2	1	1	1	4	7	6	-
1995.....	24	1	-	1	-	-	3	2	3	1	4	9	-
1994.....	32	1	-	-	-	-	-	2	3	11	4	11	-
1993.....	29	2	1	1	-	1	-	2	4	6	3	9	-
1992.....	28	1	1	-	-	1	1	2	2	6	4	10	-
1991.....	37	1	2	2	1	-	3	1	-	3	10	14	-
1990.....	51	-	1	1	1	1	1	2	6	5	11	22	-
1989.....	47	1	-	1	-	2	3	2	1	6	10	21	-
1988.....	45	2	-	-	-	2	2	-	4	10	7	18	-
1987.....	21	-	-	-	-	-	-	-	3	3	3	12	-
1986.....	52	1	1	-	2	3	3	2	2	6	16	16	-
1985.....	51	1	1	1	-	-	1	3	6	11	12	15	-
1984.....	27	3	1	1	-	-	3	-	3	3	9	4	-
1983.....	28	-	1	1	1	1	2	1	2	5	7	7	-
1982.....	19	3	-	1	-	-	1	2	3	2	4	3	-
1981.....	94	1	2	-	-	3	2	4	12	15	34	21	-
1980.....	65	2	1	1	-	-	2	3	7	6	17	26	-
1979.....	26	3	-	-	-	-	2	-	2	6	5	8	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
INFLUENZA (487)													
BLACK, BOTH SEXES													
1998.....	33	1	1	1	2	-	1	1	3	5	7	11	-
1997.....	26	2	2	-	-	2	4	1	3	4	5	3	-
1996.....	34	3	-	-	2	1	2	2	4	5	5	10	-
1995.....	31	3	-	2	1	-	3	2	4	4	5	7	-
1994.....	39	3	-	-	-	-	1	2	4	12	7	10	-
1993.....	47	3	2	2	1	1	1	2	5	7	9	14	-
1992.....	40	-	-	-	-	2	5	4	3	10	5	11	-
1991.....	52	4	1	4	2	-	4	4	1	5	13	14	-
1990.....	90	-	2	3	2	2	2	4	9	14	26	26	-
1989.....	64	2	1	2	-	2	3	5	3	11	12	23	-
1988.....	69	2	3	-	-	6	3	4	4	13	15	19	-
1987.....	22	1	-	-	1	-	-	1	4	5	4	6	-
1986.....	69	1	2	1	2	4	3	3	6	9	22	16	-
1985.....	91	2	2	1	-	1	3	5	13	19	25	20	-
1984.....	43	2	2	1	-	-	3	-	6	5	16	8	-
1983.....	40	1	2	2	1	2	2	2	2	8	10	8	-
1982.....	27	2	-	1	-	-	2	3	5	3	8	3	-
1981.....	146	2	3	1	3	5	4	6	19	31	44	28	-
1980.....	88	5	1	1	5	1	3	6	9	14	21	22	-
1979.....	43	4	-	1	-	1	4	1	2	13	9	8	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
INFLUENZA (487)													
BLACK MALE													
1998.....	13	1	1	-	1	-	1	1	2	2	2	2	-
1997.....	13	1	2	-	-	1	3	1	2	2	1	-	-
1996.....	14	1	-	-	1	-	1	2	3	1	1	4	-
1995.....	11	2	-	1	1	-	-	-	1	3	3	-	-
1994.....	15	2	-	-	-	-	1	-	2	4	3	3	-
1993.....	23	2	1	1	1	-	1	-	1	4	6	6	-
1992.....	18	-	-	-	-	1	4	2	2	5	1	3	-
1991.....	23	3	-	2	1	-	3	3	1	2	5	3	-
1990.....	46	-	1	2	1	1	1	3	4	10	15	8	-
1989.....	27	1	1	1	-	-	1	3	2	9	3	6	-
1988.....	28	-	3	-	-	4	1	4	-	5	9	2	-
1987.....	10	1	-	-	1	-	-	1	1	2	2	2	-
1986.....	24	-	2	1	-	1	-	1	4	4	9	2	-
1985.....	48	1	1	-	-	1	2	2	7	10	14	10	-
1984.....	22	-	1	-	-	-	1	-	3	3	9	5	-
1983.....	19	1	1	1	-	1	-	1	2	4	4	4	-
1982.....	15	-	-	-	-	-	1	2	3	3	5	1	-
1981.....	64	1	1	1	3	2	2	3	8	16	17	10	-
1980.....	37	3	-	-	5	1	1	5	3	8	7	4	-
1979.....	22	2	-	1	-	1	2	1	1	8	5	1	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
INFLUENZA (487)													
BLACK FEMALE													
1998.....	20	-	-	1	1	-	-	-	1	3	5	9	-
1997.....	13	1	-	-	-	1	1	-	1	2	4	3	-
1996.....	20	2	-	-	1	1	1	-	1	4	4	6	-
1995.....	20	1	-	1	-	-	3	2	3	1	2	7	-
1994.....	24	1	-	-	-	-	-	2	2	8	4	7	-
1993.....	24	1	1	1	-	1	-	2	4	3	3	8	-
1992.....	22	-	-	-	-	1	1	2	1	5	4	8	-
1991.....	29	1	1	2	1	-	1	1	-	3	8	11	-
1990.....	44	-	1	1	1	1	1	1	5	4	11	18	-
1989.....	37	1	-	1	-	2	2	2	1	2	9	17	-
1988.....	41	2	-	-	-	2	2	-	4	8	6	17	-
1987.....	12	-	-	-	-	-	-	-	3	3	2	4	-
1986.....	45	1	-	-	2	3	3	2	2	5	13	14	-
1985.....	43	1	1	1	-	-	1	3	6	9	11	10	-
1984.....	21	2	1	1	-	-	2	-	3	2	7	3	-
1983.....	21	-	1	1	1	1	2	1	-	4	6	4	-
1982.....	12	2	-	1	-	-	1	1	2	-	3	2	-
1981.....	82	1	2	-	-	3	2	3	11	15	27	18	-
1980.....	51	2	1	1	-	-	2	1	6	6	14	18	-
1979.....	21	2	-	-	-	-	2	-	1	5	4	7	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)													
TOTAL, BOTH SEXES													
1998.....	112,584	39	49	152	239	328	884	2,828	10,162	31,102	43,718	23,076	7
1997.....	109,029	50	41	129	201	357	886	2,838	10,109	30,569	42,090	21,752	7
1996.....	106,027	38	51	165	237	351	855	2,801	10,046	30,171	40,952	20,347	13
1995.....	102,899	43	37	143	246	374	831	2,756	9,988	30,118	39,211	19,149	3
1994.....	101,628	54	44	127	232	364	737	2,676	10,335	30,654	38,446	17,948	11
1993.....	101,077	53	51	138	206	296	733	2,494	10,671	31,268	38,300	16,857	10
1992.....	91,938	45	63	100	189	278	701	2,274	10,098	28,705	34,473	15,004	8
1991.....	90,650	59	51	122	209	331	687	2,337	10,432	28,561	33,728	14,123	10
1990.....	86,679	55	55	115	178	300	608	2,277	10,328	27,518	32,145	13,092	8
1989.....	84,344	48	55	113	176	318	632	2,283	10,748	27,065	30,627	12,273	6
1988.....	82,853	55	44	103	178	300	630	2,259	10,659	27,185	29,806	11,623	11
1987.....	78,380	53	49	119	209	264	633	2,145	10,448	25,707	27,938	10,806	9
1986.....	76,559	60	34	106	191	247	542	2,235	10,485	25,866	26,708	10,075	10
1985.....	74,662	52	36	115	180	233	494	2,294	10,607	25,149	25,740	9,745	17
1984.....	69,100	56	46	94	160	227	493	2,125	10,271	23,668	23,266	8,686	8
1983.....	66,246	52	58	93	184	236	485	2,227	9,985	23,065	21,907	7,938	16
1982.....	59,869	61	59	87	201	223	447	2,128	9,225	21,185	19,464	6,776	13
1981.....	58,832	61	43	97	149	213	440	2,246	9,491	21,084	18,527	6,474	7
1980.....	56,050	57	47	85	141	202	411	2,237	9,277	20,110	17,340	6,137	6
1979.....	49,933	66	61	57	132	176	425	2,136	8,626	17,946	15,245	5,058	5

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)													
TOTAL, MALE													
1998.....	57,018	24	33	88	149	176	428	1,380	5,357	16,597	22,450	10,329	7
1997.....	55,984	32	27	71	135	190	415	1,443	5,247	16,643	21,738	10,038	5
1996.....	54,485	25	34	97	131	160	401	1,413	5,302	16,034	21,482	9,399	7
1995.....	53,938	28	20	98	133	191	367	1,361	5,312	16,422	20,890	9,113	3
1994.....	53,729	34	26	82	143	188	372	1,353	5,577	16,747	20,625	8,573	9
1993.....	54,371	31	33	79	128	136	355	1,328	5,771	17,165	20,982	8,357	6
1992.....	50,465	34	35	55	106	158	358	1,169	5,582	16,229	19,180	7,552	7
1991.....	50,485	32	34	75	117	174	357	1,165	5,709	16,235	19,260	7,319	8
1990.....	49,416	32	40	71	91	155	322	1,153	5,832	16,132	18,723	6,857	8
1989.....	48,178	35	28	70	96	169	334	1,141	5,997	15,762	17,958	6,584	4
1988.....	48,939	33	25	63	99	157	329	1,202	6,163	16,360	18,092	6,409	7
1987.....	47,039	34	25	78	117	139	333	1,096	6,126	15,666	17,451	5,968	6
1986.....	47,058	43	19	58	114	119	290	1,219	6,199	16,137	16,996	5,858	6
1985.....	46,596	37	19	57	91	118	257	1,231	6,310	16,062	16,632	5,769	13
1984.....	44,013	35	19	60	90	105	253	1,199	6,313	15,271	15,440	5,224	4
1983.....	43,119	33	42	56	93	116	235	1,221	6,243	15,172	14,984	4,911	13
1982.....	39,702	40	29	42	120	124	224	1,202	5,848	14,238	13,572	4,253	10
1981.....	39,773	38	31	58	88	113	220	1,304	6,113	14,541	13,053	4,210	4
1980.....	38,625	34	30	42	78	106	214	1,330	6,085	14,188	12,539	3,976	3
1979.....	35,295	40	33	35	67	92	220	1,290	5,765	13,077	11,292	3,380	4

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)													
TOTAL, FEMALE													
1998.....	55,566	15	16	64	90	152	456	1,448	4,805	14,505	21,268	12,747	-
1997.....	53,045	18	14	58	66	167	471	1,395	4,862	13,926	20,352	11,714	2
1996.....	51,542	13	17	68	106	191	454	1,388	4,744	14,137	19,470	10,948	6
1995.....	48,961	15	17	45	113	183	464	1,395	4,676	13,696	18,321	10,036	-
1994.....	47,899	20	18	45	89	176	365	1,323	4,758	13,907	17,821	9,375	2
1993.....	46,706	22	18	59	78	160	378	1,166	4,900	14,103	17,318	8,500	4
1992.....	41,473	11	28	45	83	120	343	1,105	4,516	12,476	15,293	7,452	1
1991.....	40,165	27	17	47	92	157	330	1,172	4,723	12,326	14,468	6,804	2
1990.....	37,263	23	15	44	87	145	286	1,124	4,496	11,386	13,422	6,235	-
1989.....	36,166	13	27	43	80	149	298	1,142	4,751	11,303	12,669	5,689	2
1988.....	33,914	22	19	40	79	143	301	1,057	4,496	10,825	11,714	5,214	4
1987.....	31,341	19	24	41	92	125	300	1,049	4,322	10,041	10,487	4,838	3
1986.....	29,501	17	15	48	77	128	252	1,016	4,286	9,729	9,712	4,217	4
1985.....	28,066	15	17	58	89	115	237	1,063	4,297	9,087	9,108	3,976	4
1984.....	25,087	21	27	34	70	122	240	926	3,958	8,397	7,826	3,462	4
1983.....	23,127	19	16	37	91	120	250	1,006	3,742	7,893	6,923	3,027	3
1982.....	20,167	21	30	45	81	99	223	926	3,377	6,947	5,892	2,523	3
1981.....	19,059	23	12	39	61	100	220	942	3,378	6,543	5,474	2,264	3
1980.....	17,425	23	17	43	63	96	197	907	3,192	5,922	4,801	2,161	3
1979.....	14,638	26	28	22	65	84	205	846	2,861	4,869	3,953	1,678	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)													
WHITE, BOTH SEXES													
1998.....	104,061	20	23	78	129	168	578	2,231	9,028	28,791	41,232	21,776	7
1997.....	100,770	29	17	60	125	202	591	2,301	8,970	28,270	39,668	20,532	5
1996.....	97,889	19	22	76	123	199	565	2,273	8,892	27,935	38,610	19,166	9
1995.....	95,077	29	24	67	138	233	543	2,219	8,867	27,882	36,998	18,074	3
1994.....	94,073	36	21	62	132	206	470	2,171	9,240	28,412	36,338	16,980	5
1993.....	93,615	35	24	73	120	170	452	2,033	9,543	29,011	36,152	15,994	8
1992.....	85,231	22	32	50	107	168	475	1,852	9,035	26,638	32,648	14,197	7
1991.....	83,951	34	26	65	118	196	449	1,862	9,342	26,496	31,950	13,408	5
1990.....	80,179	38	31	59	108	174	402	1,824	9,236	25,580	30,314	12,408	5
1989.....	77,881	33	36	62	112	187	397	1,857	9,622	25,064	28,866	11,640	5
1988.....	76,673	35	27	53	100	175	406	1,823	9,534	25,259	28,188	11,065	8
1987.....	72,668	39	31	59	122	158	444	1,746	9,412	23,918	26,490	10,242	7
1986.....	71,122	38	24	60	108	156	379	1,837	9,412	24,128	25,376	9,595	9
1985.....	69,438	37	21	58	99	138	355	1,907	9,550	23,552	24,399	9,312	10
1984.....	64,276	31	33	57	100	139	330	1,752	9,296	22,167	22,091	8,276	4
1983.....	61,709	38	31	48	114	133	329	1,892	8,994	21,704	20,859	7,555	12
1982.....	55,887	39	34	52	124	142	302	1,780	8,374	19,918	18,609	6,502	11
1981.....	54,982	45	25	63	92	133	314	1,901	8,664	19,863	17,646	6,230	6
1980.....	52,375	36	26	49	84	117	281	1,902	8,452	18,960	16,591	5,871	6
1979.....	46,692	50	48	42	85	104	301	1,819	7,917	16,923	14,565	4,835	3

CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS N.S.
 CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
WHITE MALE													
1998.....	52,172	14	16	41	79	87	286	1,094	4,709	15,243	20,953	9,643	7
1997.....	51,184	18	9	34	84	103	281	1,170	4,616	15,251	20,237	9,377	4
1996.....	49,822	12	14	49	63	87	263	1,158	4,635	14,720	20,015	8,802	4
1995.....	49,320	20	11	40	66	111	243	1,083	4,669	15,032	19,553	8,489	3
1994.....	49,226	21	11	41	76	93	248	1,098	4,959	15,346	19,294	8,036	3
1993.....	49,812	20	17	39	71	79	220	1,089	5,102	15,750	19,577	7,843	5
1992.....	46,355	19	22	26	54	92	250	961	4,935	14,921	17,988	7,081	6
1991.....	46,316	19	16	41	60	104	229	916	5,061	14,908	18,062	6,896	4
1990.....	45,234	21	21	33	50	91	213	912	5,175	14,833	17,444	6,436	5
1989.....	44,046	25	18	38	55	93	198	907	5,342	14,431	16,749	6,187	3
1988.....	44,827	23	19	34	49	83	208	962	5,473	15,012	16,899	6,060	5
1987.....	43,290	24	14	33	69	79	231	881	5,485	14,413	16,439	5,617	5
1986.....	43,341	28	12	27	65	75	200	984	5,509	14,894	16,011	5,531	5
1985.....	43,074	30	10	29	42	63	173	1,004	5,632	14,925	15,669	5,491	6
1984.....	40,728	20	11	35	57	69	174	962	5,676	14,170	14,584	4,969	1
1983.....	39,978	22	22	27	56	63	158	1,036	5,560	14,157	14,206	4,662	9
1982.....	36,970	27	17	24	72	78	147	1,002	5,291	13,296	12,944	4,064	8
1981.....	36,991	29	15	40	47	69	158	1,084	5,538	13,594	12,382	4,031	4
1980.....	35,977	20	17	21	46	66	136	1,117	5,487	13,312	11,958	3,794	3
1979.....	32,942	29	27	26	46	58	150	1,084	5,268	12,282	10,760	3,210	2

CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+ N.S.
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
WHITE FEMALE													
1998.....	51,889	6	7	37	50	81	292	1,137	4,319	13,548	20,279	12,133	-
1997.....	49,586	11	8	26	41	99	310	1,131	4,354	13,019	19,431	11,155	1
1996.....	48,067	7	8	27	60	112	302	1,115	4,257	13,215	18,595	10,364	5
1995.....	45,757	9	13	27	72	122	300	1,136	4,198	12,850	17,445	9,585	-
1994.....	44,847	15	10	21	56	113	222	1,073	4,281	13,066	17,044	8,944	2
1993.....	43,803	15	7	34	49	91	232	944	4,441	13,261	16,575	8,151	3
1992.....	38,876	3	10	24	53	76	225	891	4,100	11,717	14,660	7,116	1
1991.....	37,635	15	10	24	58	92	220	946	4,281	11,588	13,888	6,512	1
1990.....	34,945	17	10	26	58	83	189	912	4,061	10,747	12,870	5,972	-
1989.....	33,835	8	18	24	57	94	199	950	4,280	10,633	12,117	5,453	2
1988.....	31,846	12	8	19	51	92	198	861	4,061	10,247	11,289	5,005	3
1987.....	29,378	15	17	26	53	79	213	865	3,927	9,505	10,051	4,625	2
1986.....	27,781	10	12	33	43	81	179	853	3,903	9,234	9,365	4,064	4
1985.....	26,364	7	11	29	57	75	182	903	3,918	8,627	8,730	3,821	4
1984.....	23,548	11	22	22	43	70	156	790	3,620	7,997	7,507	3,307	3
1983.....	21,731	16	9	21	58	70	171	856	3,434	7,547	6,653	2,893	3
1982.....	18,917	12	17	28	52	64	155	778	3,083	6,622	5,665	2,438	3
1981.....	17,991	16	10	23	45	64	156	817	3,126	6,269	5,264	2,199	2
1980.....	16,398	16	9	28	38	51	145	785	2,965	5,648	4,633	2,077	3
1979.....	13,750	21	21	16	39	46	151	735	2,649	4,641	3,805	1,625	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)													
ALL OTHER, BOTH SEXES													
1998.....	8,523	19	26	74	110	160	306	597	1,134	2,311	2,486	1,300	-
1997.....	8,259	21	24	69	76	155	295	537	1,139	2,299	2,422	1,220	2
1996.....	8,138	19	29	89	114	152	290	528	1,154	2,236	2,342	1,181	4
1995.....	7,822	14	13	76	108	141	288	537	1,121	2,236	2,213	1,075	-
1994.....	7,555	18	23	65	100	158	267	505	1,095	2,242	2,108	968	6
1993.....	7,462	18	27	65	86	126	281	461	1,128	2,257	2,148	863	2
1992.....	6,707	23	31	50	82	110	226	422	1,063	2,067	1,825	807	1
1991.....	6,699	25	25	57	91	135	238	475	1,090	2,065	1,778	715	5
1990.....	6,500	17	24	56	70	126	206	453	1,092	1,938	1,831	684	3
1989.....	6,463	15	19	51	64	131	235	426	1,126	2,001	1,761	633	1
1988.....	6,180	20	17	50	78	125	224	436	1,125	1,926	1,618	558	3
1987.....	5,712	14	18	60	87	106	189	399	1,036	1,789	1,448	564	2
1986.....	5,437	22	10	46	83	91	163	398	1,073	1,738	1,332	480	1
1985.....	5,224	15	15	57	81	95	139	387	1,057	1,597	1,341	433	7
1984.....	4,824	25	13	37	60	88	163	373	975	1,501	1,175	410	4
1983.....	4,537	14	27	45	70	103	156	335	991	1,361	1,048	383	4
1982.....	3,982	22	25	35	77	81	145	348	851	1,267	855	274	2
1981.....	3,850	16	18	34	57	80	126	345	827	1,221	881	244	1
1980.....	3,675	21	21	36	57	85	130	335	825	1,150	749	266	-
1979.....	3,241	16	13	15	47	72	124	317	709	1,023	680	223	2

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
--	-------	-----------------	--------------	---------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	--------------	------

CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)

ALL OTHER MALE

1998.....	4,846	10	17	47	70	89	142	286	648	1,354	1,497	686	-
1997.....	4,800	14	18	37	51	87	134	273	631	1,392	1,501	661	1
1996.....	4,663	13	20	48	68	73	138	255	667	1,314	1,467	597	3
1995.....	4,618	8	9	58	67	80	124	278	643	1,390	1,337	624	-
1994.....	4,503	13	15	41	67	95	124	255	618	1,401	1,331	537	6
1993.....	4,559	11	16	40	57	57	135	239	669	1,415	1,405	514	1
1992.....	4,110	15	13	29	52	66	108	208	647	1,308	1,192	471	1
1991.....	4,169	13	18	34	57	70	128	249	648	1,327	1,198	423	4
1990.....	4,182	11	19	38	41	64	109	241	657	1,299	1,279	421	3
1989.....	4,132	10	10	32	41	76	136	234	655	1,331	1,209	397	1
1988.....	4,112	10	6	29	50	74	121	240	690	1,348	1,193	349	2
1987.....	3,749	10	11	45	48	60	102	215	641	1,253	1,012	351	1
1986.....	3,717	15	7	31	49	44	90	235	690	1,243	985	327	1
1985.....	3,522	7	9	28	49	55	84	227	678	1,137	963	278	7
1984.....	3,285	15	8	25	33	36	79	237	637	1,101	856	255	3
1983.....	3,141	11	20	29	37	53	77	185	683	1,015	778	249	4
1982.....	2,732	13	12	18	48	46	77	200	557	942	628	189	2
1981.....	2,782	9	16	18	41	44	62	220	575	947	671	179	-
1980.....	2,648	14	13	21	32	40	78	213	598	876	581	182	-
1979.....	2,353	11	6	9	21	34	70	206	497	795	532	170	2

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)													
ALL OTHER FEMALE													
1998.....	3,677	9	9	27	40	71	164	311	486	957	989	614	-
1997.....	3,459	7	6	32	25	68	161	264	508	907	921	559	1
1996.....	3,475	6	9	41	46	79	152	273	487	922	875	584	1
1995.....	3,204	6	4	18	41	61	164	259	478	846	876	451	-
1994.....	3,052	5	8	24	33	63	143	250	477	841	777	431	-
1993.....	2,903	7	11	25	29	69	146	222	459	842	743	349	1
1992.....	2,597	8	18	21	30	44	118	214	416	759	633	336	-
1991.....	2,530	12	7	23	34	65	110	226	442	738	580	292	1
1990.....	2,318	6	5	18	29	62	97	212	435	639	552	263	-
1989.....	2,331	5	9	19	23	55	99	192	471	670	552	236	-
1988.....	2,068	10	11	21	28	51	103	196	435	578	425	209	1
1987.....	1,963	4	7	15	39	46	87	184	395	536	436	213	1
1986.....	1,720	7	3	15	34	47	73	163	383	495	347	153	-
1985.....	1,702	8	6	29	32	40	55	160	379	460	378	155	-
1984.....	1,539	10	5	12	27	52	84	136	338	400	319	155	1
1983.....	1,396	3	7	16	33	50	79	150	308	346	270	134	-
1982.....	1,250	9	13	17	29	35	68	148	294	325	227	85	-
1981.....	1,068	7	2	16	16	36	64	125	252	274	210	65	1
1980.....	1,027	7	8	15	25	45	52	122	227	274	168	84	-
1979.....	888	5	7	6	26	38	54	111	212	228	148	53	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)													
BLACK, BOTH SEXES													
1998.....	7,205	16	24	64	105	143	286	547	994	1,968	2,045	1,013	-
1997.....	6,908	18	22	64	65	143	267	479	991	1,958	1,941	959	1
1996.....	6,924	17	25	78	104	136	270	485	1,017	1,905	1,920	963	4
1995.....	6,667	14	12	72	104	134	255	483	990	1,919	1,825	859	-
1994.....	6,511	16	20	61	90	148	252	458	980	1,948	1,738	796	4
1993.....	6,435	16	23	62	82	116	260	426	1,004	1,938	1,792	715	1
1992.....	5,857	21	28	47	80	100	211	394	947	1,799	1,556	673	1
1991.....	5,816	25	24	54	82	124	215	456	980	1,793	1,493	565	5
1990.....	5,655	15	22	53	63	118	191	419	971	1,704	1,558	538	3
1989.....	5,671	12	18	45	60	122	214	388	1,010	1,774	1,509	518	1
1988.....	5,476	18	16	44	69	115	213	406	1,028	1,727	1,383	456	1
1987.....	5,052	12	18	56	81	102	180	358	943	1,598	1,250	452	2
1986.....	4,856	19	9	46	76	84	149	369	990	1,578	1,135	400	1
1985.....	4,659	13	13	53	76	90	134	353	960	1,446	1,157	357	7
1984.....	4,293	23	12	34	58	81	150	348	898	1,351	1,011	324	3
1983.....	4,068	11	25	39	65	98	144	320	921	1,212	907	324	2
1982.....	3,631	21	24	34	71	77	139	332	798	1,170	735	228	2
1981.....	3,517	16	18	33	51	73	118	326	779	1,115	780	207	1
1980.....	3,380	20	18	36	54	79	123	319	789	1,059	672	211	-
1979.....	2,957	14	11	15	44	68	116	304	668	942	607	166	2

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR
 CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
BLACK MALE													
1998.....	4,039	8	15	39	69	80	130	256	558	1,148	1,223	513	-
1997.....	3,966	12	18	33	42	78	122	241	543	1,178	1,196	502	1
1996.....	3,928	13	16	41	62	64	129	238	592	1,103	1,184	483	3
1995.....	3,917	8	8	55	64	78	105	254	573	1,180	1,106	486	-
1994.....	3,857	12	12	39	57	91	116	231	556	1,208	1,102	429	4
1993.....	3,913	9	12	38	55	53	123	224	594	1,213	1,174	417	1
1992.....	3,569	14	13	28	50	61	103	191	577	1,126	1,015	390	1
1991.....	3,621	13	17	31	49	64	116	238	591	1,156	1,009	333	4
1990.....	3,628	9	17	37	38	62	104	221	592	1,132	1,083	330	3
1989.....	3,593	9	9	28	38	71	122	209	587	1,174	1,027	318	1
1988.....	3,644	9	6	24	44	67	117	225	631	1,218	1,015	287	1
1987.....	3,319	8	11	41	46	58	95	197	585	1,125	870	282	1
1986.....	3,302	12	6	31	45	41	83	222	636	1,127	831	267	1
1985.....	3,154	6	9	25	46	51	82	208	617	1,044	827	232	7
1984.....	2,922	15	8	24	31	33	73	220	589	989	739	199	2
1983.....	2,813	8	19	26	35	51	73	176	638	906	671	208	2
1982.....	2,489	12	12	18	48	44	75	191	518	870	541	158	2
1981.....	2,545	9	16	17	36	40	60	208	542	871	594	152	-
1980.....	2,429	13	11	21	30	38	72	202	569	805	524	144	-
1979.....	2,166	10	6	9	19	33	64	198	476	737	484	128	2

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR
 CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (490-496)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
BLACK FEMALE													
1998.....	3,166	8	9	25	36	63	156	291	436	820	822	500	-
1997.....	2,942	6	4	31	23	65	145	238	448	780	745	457	-
1996.....	2,996	4	9	37	42	72	141	247	425	802	736	480	1
1995.....	2,750	6	4	17	40	56	150	229	417	739	719	373	-
1994.....	2,654	4	8	22	33	57	136	227	424	740	636	367	-
1993.....	2,522	7	11	24	27	63	137	202	410	725	618	298	-
1992.....	2,288	7	15	19	30	39	108	203	370	673	541	283	-
1991.....	2,195	12	7	23	33	60	99	218	389	637	484	232	1
1990.....	2,027	6	5	16	25	56	87	198	379	572	475	208	-
1989.....	2,078	3	9	17	22	51	92	179	423	600	482	200	-
1988.....	1,832	9	10	20	25	48	96	181	397	509	368	169	-
1987.....	1,733	4	7	15	35	44	85	161	358	473	380	170	1
1986.....	1,554	7	3	15	31	43	66	147	354	451	304	133	-
1985.....	1,505	7	4	28	30	39	52	145	343	402	330	125	-
1984.....	1,371	8	4	10	27	48	77	128	309	362	272	125	1
1983.....	1,255	3	6	13	30	47	71	144	283	306	236	116	-
1982.....	1,142	9	12	16	23	33	64	141	280	300	194	70	-
1981.....	972	7	2	16	15	33	58	118	237	244	186	55	1
1980.....	951	7	7	15	24	41	51	117	220	254	148	67	-
1979.....	791	4	5	6	25	35	52	106	192	205	123	38	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 BRONCHITIS, CHRONIC AND UNSPECIFIED (490-491) TOTAL, BOTH SEXES													
1998.....	3,032	27	12	11	10	13	41	101	279	676	1,048	814	-
1997.....	3,055	39	10	6	12	13	39	98	244	720	1,046	828	-
1996.....	3,151	27	11	12	9	28	49	104	266	772	1,095	777	1
1995.....	3,333	26	13	6	15	22	38	83	281	830	1,130	889	-
1994.....	3,579	41	16	5	6	13	40	118	323	927	1,211	879	-
1993.....	3,777	41	12	15	9	17	46	109	355	976	1,278	918	1
1992.....	3,664	33	20	7	10	15	40	103	375	985	1,238	838	-
1991.....	3,727	45	19	12	14	17	39	110	399	959	1,271	842	-
1990.....	3,600	39	23	7	7	19	38	95	386	898	1,271	817	-
1989.....	3,759	30	26	10	9	17	30	98	398	979	1,277	885	-
1988.....	3,720	43	18	4	5	22	35	92	422	1,029	1,249	799	2
1987.....	3,581	36	23	14	16	19	26	80	403	932	1,243	789	-
1986.....	3,750	40	12	5	9	12	33	98	422	1,046	1,281	790	2
1985.....	3,615	40	12	10	9	14	24	91	442	1,054	1,143	775	1
1984.....	3,545	38	17	6	11	17	36	96	458	1,037	1,147	682	-
1983.....	3,578	36	23	4	13	10	25	118	473	1,087	1,110	679	-
1982.....	3,495	41	24	6	17	14	33	130	468	1,053	1,109	599	1
1981.....	3,685	44	24	14	14	14	27	118	553	1,147	1,101	629	-
1980.....	3,728	42	21	12	12	16	35	133	556	1,180	1,143	578	-
1979.....	3,650	57	37	14	14	17	27	137	597	1,159	1,085	505	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 BRONCHITIS, CHRONIC AND UNSPECIFIED (490-491) TOTAL, MALE													
1998.....	1,482	18	9	4	5	7	24	47	159	365	516	328	-
1997.....	1,460	27	6	3	8	7	19	45	113	368	524	340	-
1996.....	1,574	18	9	4	4	13	27	46	133	416	579	324	1
1995.....	1,667	22	5	2	10	9	17	52	147	462	601	340	-
1994.....	1,763	26	8	4	3	5	25	58	165	490	636	343	-
1993.....	1,888	24	8	8	7	10	23	54	180	524	682	367	1
1992.....	1,819	24	14	6	5	8	24	48	202	523	653	312	-
1991.....	1,957	23	14	5	8	11	20	67	218	513	710	368	-
1990.....	1,878	23	14	5	2	11	16	52	211	518	692	334	-
1989.....	1,956	22	16	6	5	11	22	43	211	553	713	354	-
1988.....	1,992	26	10	3	3	10	18	52	209	604	724	332	1
1987.....	1,884	22	11	11	9	10	18	43	211	524	705	320	-
1986.....	2,079	27	7	2	7	5	22	51	238	610	767	342	1
1985.....	2,041	28	6	4	5	9	11	35	251	656	698	337	1
1984.....	2,029	25	4	4	9	8	18	56	269	647	676	313	-
1983.....	2,139	22	16	2	7	6	13	73	283	695	689	333	-
1982.....	2,126	24	9	3	12	9	11	66	280	680	722	309	1
1981.....	2,344	31	18	8	8	10	15	70	366	758	722	338	-
1980.....	2,380	25	15	8	7	6	23	83	347	823	756	287	-
1979.....	2,405	34	22	9	9	12	11	84	366	784	770	304	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 BRONCHITIS, CHRONIC AND UNSPECIFIED (490-491) TOTAL, FEMALE													
1998.....	1,550	9	3	7	5	6	17	54	120	311	532	486	-
1997.....	1,595	12	4	3	4	6	20	53	131	352	522	488	-
1996.....	1,577	9	2	8	5	15	22	58	133	356	516	453	-
1995.....	1,666	4	8	4	5	13	21	31	134	368	529	549	-
1994.....	1,816	15	8	1	3	8	15	60	158	437	575	536	-
1993.....	1,889	17	4	7	2	7	23	55	175	452	596	551	-
1992.....	1,845	9	6	1	5	7	16	55	173	462	585	526	-
1991.....	1,770	22	5	7	6	6	19	43	181	446	561	474	-
1990.....	1,722	16	9	2	5	8	22	43	175	380	579	483	-
1989.....	1,803	8	10	4	4	6	8	55	187	426	564	531	-
1988.....	1,728	17	8	1	2	12	17	40	213	425	525	467	1
1987.....	1,697	14	12	3	7	9	8	37	192	408	538	469	-
1986.....	1,671	13	5	3	2	7	11	47	184	436	514	448	1
1985.....	1,574	12	6	6	4	5	13	56	191	398	445	438	-
1984.....	1,516	13	13	2	2	9	18	40	189	390	471	369	-
1983.....	1,439	14	7	2	6	4	12	45	190	392	421	346	-
1982.....	1,369	17	15	3	5	5	22	64	188	373	387	290	-
1981.....	1,341	13	6	6	6	4	12	48	187	389	379	291	-
1980.....	1,348	17	6	4	5	10	12	50	209	357	387	291	-
1979.....	1,245	23	15	5	5	5	16	53	231	375	315	201	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 BRONCHITIS, CHRONIC AND UNSPECIFIED (490-491) WHITE, BOTH SEXES													
1998.....	2,817	15	8	10	9	10	31	78	259	620	996	781	-
1997.....	2,805	25	7	2	8	11	26	84	221	653	981	787	-
1996.....	2,889	16	9	7	7	20	33	85	234	707	1,034	736	1
1995.....	3,053	18	8	5	11	14	23	66	256	766	1,056	830	-
1994.....	3,323	27	11	4	5	8	31	107	297	854	1,147	832	-
1993.....	3,502	26	7	9	7	11	31	91	318	922	1,208	871	1
1992.....	3,421	17	13	6	10	12	29	93	338	924	1,185	794	-
1991.....	3,459	26	13	5	12	10	27	80	358	912	1,216	800	-
1990.....	3,365	27	14	2	4	15	31	82	360	851	1,197	782	-
1989.....	3,522	21	20	5	8	15	22	83	364	918	1,218	848	-
1988.....	3,491	29	12	3	3	14	23	83	385	966	1,200	772	1
1987.....	3,379	27	19	10	10	12	24	70	374	880	1,192	761	-
1986.....	3,531	27	9	4	7	9	29	89	390	987	1,214	764	2
1985.....	3,413	28	8	7	6	10	19	76	405	1,007	1,095	751	1
1984.....	3,359	21	15	4	10	13	27	86	420	991	1,109	663	-
1983.....	3,364	24	14	3	11	7	19	103	436	1,031	1,069	647	-
1982.....	3,311	28	16	6	14	14	21	118	434	1,014	1,068	577	1
1981.....	3,486	33	16	12	12	12	24	104	517	1,093	1,051	612	-
1980.....	3,513	27	12	11	10	14	26	111	515	1,124	1,102	561	-
1979.....	3,452	41	30	13	13	15	20	122	564	1,109	1,037	487	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 BRONCHITIS, CHRONIC AND UNSPECIFIED (490-491) WHITE MALE													
1998.....	1,359	11	5	4	5	5	17	36	147	335	484	310	-
1997.....	1,321	17	4	1	5	5	11	38	106	326	487	321	-
1996.....	1,435	10	8	3	3	10	19	38	113	380	541	309	1
1995.....	1,509	15	2	2	8	3	10	39	137	419	559	315	-
1994.....	1,618	16	5	3	2	5	20	52	155	441	595	324	-
1993.....	1,734	14	6	5	6	6	18	43	154	492	643	346	1
1992.....	1,685	14	10	5	5	7	18	44	177	489	622	294	-
1991.....	1,801	15	10	2	6	7	14	46	193	481	676	351	-
1990.....	1,726	15	8	1	1	9	12	42	195	488	635	320	-
1989.....	1,823	17	13	3	4	11	14	37	196	514	676	338	-
1988.....	1,850	19	8	2	2	5	13	46	188	558	689	319	1
1987.....	1,766	17	8	7	7	7	16	38	199	487	676	304	-
1986.....	1,931	19	6	1	6	3	18	46	212	571	720	328	1
1985.....	1,929	23	5	2	4	6	9	31	228	629	668	323	1
1984.....	1,912	14	3	2	8	5	12	50	250	614	651	303	-
1983.....	1,995	13	10	2	7	5	10	64	258	654	662	310	-
1982.....	2,010	16	6	3	10	9	6	62	258	650	694	295	1
1981.....	2,193	23	11	6	6	9	13	60	342	709	687	327	-
1980.....	2,231	16	9	8	6	5	17	69	319	778	729	275	-
1979.....	2,275	23	19	8	9	12	8	74	347	745	737	293	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 BRONCHITIS, CHRONIC AND UNSPECIFIED (490-491)													
WHITE FEMALE													
1998.....	1,458	4	3	6	4	5	14	42	112	285	512	471	-
1997.....	1,484	8	3	1	3	6	15	46	115	327	494	466	-
1996.....	1,454	6	1	4	4	10	14	47	121	327	493	427	-
1995.....	1,544	3	6	3	3	11	13	27	119	347	497	515	-
1994.....	1,705	11	6	1	3	3	11	55	142	413	552	508	-
1993.....	1,768	12	1	4	1	5	13	48	164	430	565	525	-
1992.....	1,736	3	3	1	5	5	11	49	161	435	563	500	-
1991.....	1,658	11	3	3	6	3	13	34	165	431	540	449	-
1990.....	1,639	12	6	1	3	6	19	40	165	363	562	462	-
1989.....	1,699	4	7	2	4	4	8	46	168	404	542	510	-
1988.....	1,641	10	4	1	1	9	10	37	197	408	511	453	-
1987.....	1,613	10	11	3	3	5	8	32	175	393	516	457	-
1986.....	1,600	8	3	3	1	6	11	43	178	416	494	436	1
1985.....	1,484	5	3	5	2	4	10	45	177	378	427	428	-
1984.....	1,447	7	12	2	2	8	15	36	170	377	458	360	-
1983.....	1,369	11	4	1	4	2	9	39	178	377	407	337	-
1982.....	1,301	12	10	3	4	5	15	56	176	364	374	282	-
1981.....	1,293	10	5	6	6	3	11	44	175	384	364	285	-
1980.....	1,282	11	3	3	4	9	9	42	196	346	373	286	-
1979.....	1,177	18	11	5	4	3	12	48	217	364	300	194	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 BRONCHITIS, CHRONIC AND UNSPECIFIED (490-491)													
ALL OTHER, BOTH SEXES													
1998.....	215	12	4	1	1	3	10	23	20	56	52	33	-
1997.....	250	14	3	4	4	2	13	14	23	67	65	41	-
1996.....	262	11	2	5	2	8	16	19	32	65	61	41	-
1995.....	280	8	5	1	4	8	15	17	25	64	74	59	-
1994.....	256	14	5	1	1	5	9	11	26	73	64	47	-
1993.....	275	15	5	6	2	6	15	18	37	54	70	47	-
1992.....	243	16	7	1	-	3	11	10	37	61	53	44	-
1991.....	268	19	6	7	2	7	12	30	41	47	55	42	-
1990.....	235	12	9	5	3	4	7	13	26	47	74	35	-
1989.....	237	9	6	5	1	2	8	15	34	61	59	37	-
1988.....	229	14	6	1	2	8	12	9	37	63	49	27	1
1987.....	202	9	4	4	6	7	2	10	29	52	51	28	-
1986.....	219	13	3	1	2	3	4	9	32	59	67	26	-
1985.....	202	12	4	3	3	4	5	15	37	47	48	24	-
1984.....	186	17	2	2	1	4	9	10	38	46	38	19	-
1983.....	214	12	9	1	2	3	6	15	37	56	41	32	-
1982.....	184	13	8	-	3	-	12	12	34	39	41	22	-
1981.....	199	11	8	2	2	2	3	14	36	54	50	17	-
1980.....	215	15	9	1	2	2	9	22	41	56	41	17	-
1979.....	198	16	7	1	1	2	7	15	33	50	48	18	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 BRONCHITIS, CHRONIC AND UNSPECIFIED (490-491)													
ALL OTHER MALE													
1998.....	123	7	4	-	-	2	7	11	12	30	32	18	-
1997.....	139	10	2	2	3	2	8	7	7	42	37	19	-
1996.....	139	8	1	1	1	3	8	8	20	36	38	15	-
1995.....	158	7	3	-	2	6	7	13	10	43	42	25	-
1994.....	145	10	3	1	1	-	5	6	10	49	41	19	-
1993.....	154	10	2	3	1	4	5	11	26	32	39	21	-
1992.....	134	10	4	1	-	1	6	4	25	34	31	18	-
1991.....	156	8	4	3	2	4	6	21	25	32	34	17	-
1990.....	152	8	6	4	1	2	4	10	16	30	57	14	-
1989.....	133	5	3	3	1	-	8	6	15	39	37	16	-
1988.....	142	7	2	1	1	5	5	6	21	46	35	13	-
1987.....	118	5	3	4	2	3	2	5	12	37	29	16	-
1986.....	148	8	1	1	1	2	4	5	26	39	47	14	-
1985.....	112	5	1	2	1	3	2	4	23	27	30	14	-
1984.....	117	11	1	2	1	3	6	6	19	33	25	10	-
1983.....	144	9	6	-	-	1	3	9	25	41	27	23	-
1982.....	116	8	3	-	2	-	5	4	22	30	28	14	-
1981.....	151	8	7	2	2	1	2	10	24	49	35	11	-
1980.....	149	9	6	-	1	1	6	14	28	45	27	12	-
1979.....	130	11	3	1	-	-	3	10	19	39	33	11	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 BRONCHITIS, CHRONIC AND UNSPECIFIED (490-491)													
ALL OTHER FEMALE													
1998.....	92	5	-	1	1	1	3	12	8	26	20	15	-
1997.....	111	4	1	2	1	-	5	7	16	25	28	22	-
1996.....	123	3	1	4	1	5	8	11	12	29	23	26	-
1995.....	122	1	2	1	2	2	8	4	15	21	32	34	-
1994.....	111	4	2	-	-	5	4	5	16	24	23	28	-
1993.....	121	5	3	3	1	2	10	7	11	22	31	26	-
1992.....	109	6	3	-	-	2	5	6	12	27	22	26	-
1991.....	112	11	2	4	-	3	6	9	16	15	21	25	-
1990.....	83	4	3	1	2	2	3	3	10	17	17	21	-
1989.....	104	4	3	2	-	2	-	9	19	22	22	21	-
1988.....	87	7	4	-	1	3	7	3	16	17	14	14	1
1987.....	84	4	1	-	4	4	-	5	17	15	22	12	-
1986.....	71	5	2	-	1	1	-	4	6	20	20	12	-
1985.....	90	7	3	1	2	1	3	11	14	20	18	10	-
1984.....	69	6	1	-	-	1	3	4	19	13	13	9	-
1983.....	70	3	3	1	2	2	3	6	12	15	14	9	-
1982.....	68	5	5	-	1	-	7	8	12	9	13	8	-
1981.....	48	3	1	-	-	1	1	4	12	5	15	6	-
1980.....	66	6	3	1	1	1	3	8	13	11	14	5	-
1979.....	68	5	4	-	1	2	4	5	14	11	15	7	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 BRONCHITIS, CHRONIC AND UNSPECIFIED (490-491) BLACK, BOTH SEXES													
1998.....	165	10	4	1	1	2	9	20	15	44	41	18	-
1997.....	196	12	2	4	3	1	11	11	20	51	50	31	-
1996.....	214	10	2	3	1	8	15	16	29	47	47	36	-
1995.....	222	8	4	1	4	6	13	15	22	53	52	44	-
1994.....	209	12	4	1	-	4	9	10	20	61	52	36	-
1993.....	222	13	3	6	1	5	14	17	31	46	52	34	-
1992.....	204	14	5	1	-	3	10	9	28	55	42	37	-
1991.....	224	19	6	6	2	6	10	26	35	41	44	29	-
1990.....	190	10	8	5	1	4	6	12	22	44	58	20	-
1989.....	207	7	6	4	1	2	6	13	31	58	50	29	-
1988.....	193	14	5	1	2	5	11	7	35	54	38	21	-
1987.....	169	7	4	4	5	6	2	8	27	44	45	17	-
1986.....	184	11	3	1	2	2	4	9	29	55	52	16	-
1985.....	167	10	3	1	3	4	4	12	33	40	39	18	-
1984.....	166	16	2	2	1	4	8	10	33	40	34	16	-
1983.....	180	9	8	1	2	3	5	13	32	47	35	25	-
1982.....	163	12	8	-	3	-	11	9	32	38	35	15	-
1981.....	178	11	8	2	2	2	3	12	33	50	44	11	-
1980.....	195	14	8	1	2	2	9	22	37	52	34	14	-
1979.....	170	14	6	1	1	1	6	11	31	45	39	15	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
BRONCHITIS, CHRONIC AND UNSPECIFIED (490-491)													
BLACK MALE													
1998.....	94	5	4	-	-	1	6	11	9	23	24	11	-
1997.....	108	9	2	2	2	1	6	6	6	31	28	15	-
1996.....	108	8	1	-	-	3	8	7	19	24	27	11	-
1995.....	127	7	2	-	2	5	7	11	9	36	29	19	-
1994.....	118	9	2	1	-	-	5	5	8	41	34	13	-
1993.....	122	8	-	3	1	3	5	10	22	26	30	14	-
1992.....	115	9	4	1	-	1	6	3	19	32	26	14	-
1991.....	135	8	4	2	2	3	5	19	22	28	28	14	-
1990.....	125	6	5	4	-	2	3	9	15	28	46	7	-
1989.....	113	5	3	2	1	-	6	4	14	38	28	12	-
1988.....	121	7	2	1	1	3	5	5	20	39	28	10	-
1987.....	100	3	3	4	2	3	2	4	11	33	25	10	-
1986.....	121	6	1	1	1	1	4	5	24	36	36	6	-
1985.....	93	4	1	-	1	3	1	4	22	23	24	10	-
1984.....	105	11	1	2	1	3	5	6	15	30	23	8	-
1983.....	120	6	5	-	-	1	2	7	21	37	23	18	-
1982.....	102	7	3	-	2	-	5	3	20	30	24	8	-
1981.....	133	8	7	2	2	1	2	8	21	45	31	6	-
1980.....	136	8	5	-	1	1	6	14	26	42	24	9	-
1979.....	117	10	3	1	-	-	2	8	18	36	29	10	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
BRONCHITIS, CHRONIC AND UNSPECIFIED (490-491)													
BLACK FEMALE													
1998.....	71	5	-	1	1	1	3	9	6	21	17	7	-
1997.....	88	3	-	2	1	-	5	5	14	20	22	16	-
1996.....	106	2	1	3	1	5	7	9	10	23	20	25	-
1995.....	95	1	2	1	2	1	6	4	13	17	23	25	-
1994.....	91	3	2	-	-	4	4	5	12	20	18	23	-
1993.....	100	5	3	3	-	2	9	7	9	20	22	20	-
1992.....	89	5	1	-	-	2	4	6	9	23	16	23	-
1991.....	89	11	2	4	-	3	5	7	13	13	16	15	-
1990.....	65	4	3	1	1	2	3	3	7	16	12	13	-
1989.....	94	2	3	2	-	2	-	9	17	20	22	17	-
1988.....	72	7	3	-	1	2	6	2	15	15	10	11	-
1987.....	69	4	1	-	3	3	-	4	16	11	20	7	-
1986.....	63	5	2	-	1	1	-	4	5	19	16	10	-
1985.....	74	6	2	1	2	1	3	8	11	17	15	8	-
1984.....	61	5	1	-	-	1	3	4	18	10	11	8	-
1983.....	60	3	3	1	2	2	3	6	11	10	12	7	-
1982.....	61	5	5	-	1	-	6	6	12	8	11	7	-
1981.....	45	3	1	-	-	1	1	4	12	5	13	5	-
1980.....	59	6	3	1	1	1	3	8	11	10	10	5	-
1979.....	53	4	3	-	1	1	4	3	13	9	10	5	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
EMPHYSEMA (492)													
TOTAL, BOTH SEXES													
1998.....	17,555	1	-	-	4	12	82	476	2,000	5,835	6,717	2,428	-
1997.....	17,518	2	-	1	-	11	91	456	1,958	5,897	6,698	2,402	2
1996.....	17,286	2	1	-	1	9	70	462	1,949	5,733	6,744	2,315	-
1995.....	16,927	1	1	-	1	12	66	505	2,048	5,705	6,382	2,206	-
1994.....	17,215	2	-	1	2	10	80	426	2,107	5,952	6,406	2,228	1
1993.....	17,586	1	1	3	4	9	59	444	2,266	6,167	6,575	2,056	1
1992.....	16,363	1	2	-	3	8	75	416	2,052	5,897	5,930	1,979	-
1991.....	16,436	2	-	-	1	8	62	457	2,156	5,814	6,014	1,921	1
1990.....	15,706	-	1	-	1	13	71	417	2,213	5,642	5,671	1,677	-
1989.....	15,467	7	1	1	3	7	63	401	2,318	5,595	5,485	1,586	-
1988.....	15,513	3	-	-	1	16	74	402	2,294	5,738	5,369	1,614	2
1987.....	14,483	8	1	-	-	14	78	417	2,268	5,221	5,020	1,453	3
1986.....	14,471	4	-	1	2	11	63	486	2,274	5,351	4,910	1,368	1
1985.....	14,150	2	-	2	4	12	65	458	2,262	5,315	4,713	1,316	1
1984.....	13,263	6	1	1	4	17	67	395	2,214	4,942	4,348	1,268	-
1983.....	13,293	6	1	-	5	14	73	468	2,225	5,002	4,253	1,241	5
1982.....	12,793	2	-	-	5	9	70	474	2,194	4,845	4,034	1,156	4
1981.....	13,369	2	1	1	6	14	84	540	2,319	5,187	4,043	1,171	1
1980.....	13,877	3	-	2	6	19	76	558	2,462	5,214	4,262	1,274	1
1979.....	13,569	2	2	1	4	19	93	618	2,463	5,149	4,060	1,157	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
EMPHYSEMA (492)													
TOTAL, MALE													
1998.....	9,333	-	-	-	3	7	52	254	1,113	3,159	3,548	1,197	-
1997.....	9,497	1	-	1	-	4	57	261	1,061	3,292	3,597	1,222	1
1996.....	9,422	-	1	-	1	4	46	263	1,074	3,161	3,682	1,190	-
1995.....	9,344	-	-	-	-	9	35	300	1,152	3,158	3,535	1,155	-
1994.....	9,622	-	-	1	1	8	49	250	1,148	3,368	3,597	1,199	1
1993.....	9,914	1	-	1	3	7	41	268	1,245	3,454	3,761	1,133	-
1992.....	9,422	1	1	-	2	7	52	228	1,184	3,396	3,438	1,113	-
1991.....	9,531	-	-	-	-	6	39	256	1,228	3,363	3,553	1,086	-
1990.....	9,408	-	1	-	-	9	51	227	1,283	3,394	3,470	973	-
1989.....	9,294	3	-	1	2	5	42	232	1,312	3,369	3,360	968	-
1988.....	9,686	2	-	-	1	11	51	221	1,385	3,505	3,507	1,002	1
1987.....	9,182	7	-	-	-	11	53	232	1,381	3,262	3,367	866	3
1986.....	9,396	2	-	1	1	9	46	291	1,403	3,462	3,300	880	1
1985.....	9,375	2	-	1	4	6	41	287	1,386	3,494	3,259	894	1
1984.....	8,926	3	-	1	3	8	47	241	1,426	3,287	3,081	829	-
1983.....	9,203	3	-	-	4	10	45	279	1,459	3,456	3,080	863	4
1982.....	9,037	1	-	-	4	7	42	291	1,412	3,454	2,997	828	1
1981.....	9,592	-	1	1	5	9	52	356	1,562	3,752	3,010	844	-
1980.....	10,133	1	-	2	5	16	48	352	1,691	3,811	3,308	899	-
1979.....	10,171	-	1	1	2	15	56	413	1,749	3,941	3,145	847	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
EMPHYSEMA (492)													
TOTAL, FEMALE													
1998.....	8,222	1	-	-	1	5	30	222	887	2,676	3,169	1,231	-
1997.....	8,021	1	-	-	-	7	34	195	897	2,605	3,101	1,180	1
1996.....	7,864	2	-	-	-	5	24	199	875	2,572	3,062	1,125	-
1995.....	7,583	1	1	-	1	3	31	205	896	2,547	2,847	1,051	-
1994.....	7,593	2	-	-	1	2	31	176	959	2,584	2,809	1,029	-
1993.....	7,672	-	1	2	1	2	18	176	1,021	2,713	2,814	923	1
1992.....	6,941	-	1	-	1	1	23	188	868	2,501	2,492	866	-
1991.....	6,905	2	-	-	1	2	23	201	928	2,451	2,461	835	1
1990.....	6,298	-	-	-	1	4	20	190	930	2,248	2,201	704	-
1989.....	6,173	4	1	-	1	2	21	169	1,006	2,226	2,125	618	-
1988.....	5,827	1	-	-	-	5	23	181	909	2,233	1,862	612	1
1987.....	5,301	1	1	-	-	3	25	185	887	1,959	1,653	587	-
1986.....	5,075	2	-	-	1	2	17	195	871	1,889	1,610	488	-
1985.....	4,775	-	-	1	-	6	24	171	876	1,821	1,454	422	-
1984.....	4,337	3	1	-	1	9	20	154	788	1,655	1,267	439	-
1983.....	4,090	3	1	-	1	4	28	189	766	1,546	1,173	378	1
1982.....	3,756	1	-	-	1	2	28	183	782	1,391	1,037	328	3
1981.....	3,777	2	-	-	1	5	32	184	757	1,435	1,033	327	1
1980.....	3,744	2	-	-	1	3	28	206	771	1,403	954	375	1
1979.....	3,398	2	1	-	2	4	37	205	714	1,208	915	310	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
EMPHYSEMA (492)													
WHITE, BOTH SEXES													
1998.....	16,511	-	-	-	3	7	58	399	1,822	5,487	6,420	2,315	-
1997.....	16,516	2	-	1	-	6	79	386	1,811	5,546	6,396	2,287	2
1996.....	16,257	-	-	-	-	8	47	398	1,777	5,410	6,430	2,187	-
1995.....	15,928	-	1	-	1	7	43	442	1,893	5,393	6,050	2,098	-
1994.....	16,223	2	-	1	2	3	53	375	1,936	5,610	6,121	2,119	1
1993.....	16,534	1	-	1	2	5	32	384	2,112	5,791	6,255	1,950	1
1992.....	15,405	1	2	-	2	6	57	361	1,896	5,549	5,651	1,880	-
1991.....	15,539	2	-	-	1	6	52	394	1,991	5,475	5,772	1,845	1
1990.....	14,828	-	1	-	1	7	60	363	2,038	5,341	5,406	1,611	-
1989.....	14,590	7	1	-	1	3	47	356	2,154	5,276	5,243	1,502	-
1988.....	14,589	1	-	-	1	6	53	359	2,108	5,407	5,101	1,551	2
1987.....	13,663	5	1	-	-	11	57	369	2,086	4,938	4,811	1,382	3
1986.....	13,687	2	-	-	2	9	47	430	2,094	5,074	4,716	1,312	1
1985.....	13,353	2	-	2	3	7	56	396	2,100	5,042	4,493	1,252	-
1984.....	12,547	5	-	1	2	12	52	332	2,080	4,689	4,161	1,213	-
1983.....	12,588	5	-	-	5	7	52	424	2,059	4,764	4,084	1,184	4
1982.....	12,155	1	-	-	3	8	57	422	2,052	4,612	3,881	1,116	3
1981.....	12,683	1	1	1	3	10	61	481	2,159	4,947	3,890	1,128	1
1980.....	13,194	3	-	1	5	11	56	503	2,286	4,983	4,119	1,226	1
1979.....	12,887	2	2	-	3	15	71	545	2,304	4,910	3,917	1,118	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
EMPHYSEMA (492)													
WHITE MALE													
1998.....	8,684	-	-	-	2	4	35	207	996	2,944	3,355	1,141	-
1997.....	8,823	1	-	1	-	3	51	212	965	3,049	3,394	1,146	1
1996.....	8,750	-	-	-	-	4	29	221	961	2,949	3,472	1,114	-
1995.....	8,656	-	-	-	-	5	21	258	1,037	2,942	3,307	1,086	-
1994.....	8,952	-	-	1	1	1	31	214	1,034	3,143	3,400	1,126	1
1993.....	9,202	1	-	1	1	4	23	226	1,141	3,211	3,537	1,057	-
1992.....	8,745	1	1	-	1	5	40	190	1,068	3,162	3,233	1,044	-
1991.....	8,904	-	-	-	-	4	31	211	1,117	3,135	3,371	1,035	-
1990.....	8,769	-	1	-	-	4	43	188	1,167	3,170	3,269	927	-
1989.....	8,665	3	-	-	-	2	30	200	1,208	3,138	3,180	904	-
1988.....	8,953	1	-	-	1	3	32	192	1,257	3,236	3,278	952	1
1987.....	8,566	4	-	-	-	8	34	194	1,249	3,045	3,209	820	3
1986.....	8,781	1	-	-	1	7	32	255	1,267	3,247	3,130	840	1
1985.....	8,766	2	-	1	3	2	34	237	1,270	3,286	3,087	844	-
1984.....	8,369	2	-	1	2	6	34	192	1,330	3,082	2,929	791	-
1983.....	8,653	2	-	-	4	4	30	246	1,326	3,266	2,948	824	3
1982.....	8,533	1	-	-	2	6	32	250	1,308	3,268	2,871	795	-
1981.....	9,026	-	1	1	2	5	36	308	1,432	3,549	2,882	810	-
1980.....	9,587	1	-	1	4	10	32	309	1,548	3,629	3,191	862	-
1979.....	9,625	-	1	-	2	13	39	359	1,624	3,747	3,028	812	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
EMPHYSEMA (492)													
WHITE FEMALE													
1998.....	7,827	-	-	-	1	3	23	192	826	2,543	3,065	1,174	-
1997.....	7,693	1	-	-	-	3	28	174	846	2,497	3,002	1,141	1
1996.....	7,507	-	-	-	-	4	18	177	816	2,461	2,958	1,073	-
1995.....	7,272	-	1	-	1	2	22	184	856	2,451	2,743	1,012	-
1994.....	7,271	2	-	-	1	2	22	161	902	2,467	2,721	993	-
1993.....	7,332	-	-	-	1	1	9	158	971	2,580	2,718	893	1
1992.....	6,660	-	1	-	1	1	17	171	828	2,387	2,418	836	-
1991.....	6,635	2	-	-	1	2	21	183	874	2,340	2,401	810	1
1990.....	6,059	-	-	-	1	3	17	175	871	2,171	2,137	684	-
1989.....	5,925	4	1	-	1	1	17	156	946	2,138	2,063	598	-
1988.....	5,636	-	-	-	-	3	21	167	851	2,171	1,823	599	1
1987.....	5,097	1	1	-	-	3	23	175	837	1,893	1,602	562	-
1986.....	4,906	1	-	-	1	2	15	175	827	1,827	1,586	472	-
1985.....	4,587	-	-	1	-	5	22	159	830	1,756	1,406	408	-
1984.....	4,178	3	-	-	-	6	18	140	750	1,607	1,232	422	-
1983.....	3,935	3	-	-	1	3	22	178	733	1,498	1,136	360	1
1982.....	3,622	-	-	-	1	2	25	172	744	1,344	1,010	321	3
1981.....	3,657	1	-	-	1	5	25	173	727	1,398	1,008	318	1
1980.....	3,607	2	-	-	1	1	24	194	738	1,354	928	364	1
1979.....	3,262	2	1	-	1	2	32	186	680	1,163	889	306	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
EMPHYSEMA (492)													
ALL OTHER, BOTH SEXES													
1998.....	1,044	1	-	-	1	5	24	77	178	348	297	113	-
1997.....	1,002	-	-	-	-	5	12	70	147	351	302	115	-
1996.....	1,029	2	1	-	1	1	23	64	172	323	314	128	-
1995.....	999	1	-	-	-	5	23	63	155	312	332	108	-
1994.....	992	-	-	-	-	7	27	51	171	342	285	109	-
1993.....	1,052	-	1	2	2	4	27	60	154	376	320	106	-
1992.....	958	-	-	-	1	2	18	55	156	348	279	99	-
1991.....	897	-	-	-	-	2	10	63	165	339	242	76	-
1990.....	878	-	-	-	-	6	11	54	175	301	265	66	-
1989.....	877	-	-	1	2	4	16	45	164	319	242	84	-
1988.....	924	2	-	-	-	10	21	43	186	331	268	63	-
1987.....	820	3	-	-	-	3	21	48	182	283	209	71	-
1986.....	784	2	-	1	-	2	16	56	180	277	194	56	-
1985.....	797	-	-	-	1	5	9	62	162	273	220	64	1
1984.....	716	1	1	-	2	5	15	63	134	253	187	55	-
1983.....	705	1	1	-	-	7	21	44	166	238	169	57	1
1982.....	638	1	-	-	2	1	13	52	142	233	153	40	1
1981.....	686	1	-	-	3	4	23	59	160	240	153	43	-
1980.....	683	-	-	1	1	8	20	55	176	231	143	48	-
1979.....	682	-	-	1	1	4	22	73	159	239	143	39	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
EMPHYSEMA (492)													
ALL OTHER MALE													
1998.....	649	-	-	-	1	3	17	47	117	215	193	56	-
1997.....	674	-	-	-	-	1	6	49	96	243	203	76	-
1996.....	672	-	1	-	1	-	17	42	113	212	210	76	-
1995.....	688	-	-	-	-	4	14	42	115	216	228	69	-
1994.....	670	-	-	-	-	7	18	36	114	225	197	73	-
1993.....	712	-	-	-	2	3	18	42	104	243	224	76	-
1992.....	677	-	-	-	1	2	12	38	116	234	205	69	-
1991.....	627	-	-	-	-	2	8	45	111	228	182	51	-
1990.....	639	-	-	-	-	5	8	39	116	224	201	46	-
1989.....	629	-	-	1	2	3	12	32	104	231	180	64	-
1988.....	733	1	-	-	-	8	19	29	128	269	229	50	-
1987.....	616	3	-	-	-	3	19	38	132	217	158	46	-
1986.....	615	1	-	1	-	2	14	36	136	215	170	40	-
1985.....	609	-	-	-	1	4	7	50	116	208	172	50	1
1984.....	557	1	-	-	1	2	13	49	96	205	152	38	-
1983.....	550	1	-	-	-	6	15	33	133	190	132	39	1
1982.....	504	-	-	-	2	1	10	41	104	186	126	33	1
1981.....	566	-	-	-	3	4	16	48	130	203	128	34	-
1980.....	546	-	-	1	1	6	16	43	143	182	117	37	-
1979.....	546	-	-	1	-	2	17	54	125	194	117	35	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
EMPHYSEMA (492)													
ALL OTHER FEMALE													
1998.....	395	1	-	-	-	2	7	30	61	133	104	57	-
1997.....	328	-	-	-	-	4	6	21	51	108	99	39	-
1996.....	357	2	-	-	-	1	6	22	59	111	104	52	-
1995.....	311	1	-	-	-	1	9	21	40	96	104	39	-
1994.....	322	-	-	-	-	-	9	15	57	117	88	36	-
1993.....	340	-	1	2	-	1	9	18	50	133	96	30	-
1992.....	281	-	-	-	-	-	6	17	40	114	74	30	-
1991.....	270	-	-	-	-	-	2	18	54	111	60	25	-
1990.....	239	-	-	-	-	1	3	15	59	77	64	20	-
1989.....	248	-	-	-	-	1	4	13	60	88	62	20	-
1988.....	191	1	-	-	-	2	2	14	58	62	39	13	-
1987.....	204	-	-	-	-	-	2	10	50	66	51	25	-
1986.....	169	1	-	-	-	-	2	20	44	62	24	16	-
1985.....	188	-	-	-	-	1	2	12	46	65	48	14	-
1984.....	159	-	1	-	1	3	2	14	38	48	35	17	-
1983.....	155	-	1	-	-	1	6	11	33	48	37	18	-
1982.....	134	1	-	-	-	-	3	11	38	47	27	7	-
1981.....	120	1	-	-	-	-	7	11	30	37	25	9	-
1980.....	137	-	-	-	-	2	4	12	33	49	26	11	-
1979.....	136	-	-	-	1	2	5	19	34	45	26	4	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
EMPHYSEMA (492)													
BLACK, BOTH SEXES													
1998.....	890	1	-	-	1	5	23	67	154	298	248	93	-
1997.....	847	-	-	-	-	5	10	60	131	301	248	92	-
1996.....	882	1	1	-	1	1	23	55	156	280	263	101	-
1995.....	855	1	-	-	-	5	22	60	141	262	277	87	-
1994.....	858	-	-	-	-	6	26	44	157	296	241	88	-
1993.....	888	-	1	2	2	4	27	58	138	311	256	89	-
1992.....	831	-	-	-	1	1	18	53	135	306	235	82	-
1991.....	772	-	-	-	-	2	9	59	147	293	197	65	-
1990.....	763	-	-	-	-	6	10	50	155	268	220	54	-
1989.....	765	-	-	1	2	4	15	43	144	278	208	70	-
1988.....	816	2	-	-	-	9	20	41	163	298	234	49	-
1987.....	719	3	-	-	-	3	20	47	168	255	171	52	-
1986.....	704	2	-	1	-	2	15	52	169	255	160	48	-
1985.....	687	-	-	-	1	5	9	56	140	244	175	56	1
1984.....	627	1	1	-	2	4	14	61	124	222	154	44	-
1983.....	624	1	1	-	-	6	21	44	159	209	134	48	1
1982.....	579	1	-	-	2	1	13	50	137	209	131	34	1
1981.....	643	1	-	-	2	3	22	57	154	225	138	41	-
1980.....	625	-	-	1	1	8	20	51	169	212	123	40	-
1979.....	631	-	-	1	1	4	22	71	149	218	132	32	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
EMPHYSEMA (492)													
BLACK MALE													
1998.....	543	-	-	-	1	3	16	40	100	184	157	42	-
1997.....	562	-	-	-	-	1	5	43	85	206	162	60	-
1996.....	576	-	1	-	1	-	17	38	103	182	170	64	-
1995.....	578	-	-	-	-	4	13	39	106	177	184	55	-
1994.....	567	-	-	-	-	6	17	32	104	191	162	55	-
1993.....	601	-	-	-	2	3	18	40	93	202	180	63	-
1992.....	585	-	-	-	1	1	12	37	102	205	171	56	-
1991.....	536	-	-	-	-	2	7	42	98	197	147	43	-
1990.....	552	-	-	-	-	5	7	35	105	195	166	39	-
1989.....	547	-	-	1	2	3	11	32	89	202	155	52	-
1988.....	648	1	-	-	-	7	18	28	111	245	202	36	-
1987.....	543	3	-	-	-	3	18	37	123	196	128	35	-
1986.....	553	1	-	1	-	2	13	35	128	199	140	34	-
1985.....	523	-	-	-	1	4	7	45	97	190	136	42	1
1984.....	480	1	-	-	1	2	12	47	89	175	124	29	-
1983.....	484	1	-	-	-	6	15	33	127	167	101	33	1
1982.....	454	-	-	-	2	1	10	39	99	167	107	28	1
1981.....	531	-	-	-	2	3	16	46	126	192	114	32	-
1980.....	504	-	-	1	1	6	16	40	139	169	101	31	-
1979.....	506	-	-	1	-	2	17	52	119	179	107	28	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
EMPHYSEMA (492)													
BLACK FEMALE													
1998.....	347	1	-	-	-	2	7	27	54	114	91	51	-
1997.....	285	-	-	-	-	4	5	17	46	95	86	32	-
1996.....	306	1	-	-	-	1	6	17	53	98	93	37	-
1995.....	277	1	-	-	-	1	9	21	35	85	93	32	-
1994.....	291	-	-	-	-	-	9	12	53	105	79	33	-
1993.....	287	-	1	2	-	1	9	18	45	109	76	26	-
1992.....	246	-	-	-	-	-	6	16	33	101	64	26	-
1991.....	236	-	-	-	-	-	2	17	49	96	50	22	-
1990.....	211	-	-	-	-	1	3	15	50	73	54	15	-
1989.....	218	-	-	-	-	1	4	11	55	76	53	18	-
1988.....	168	1	-	-	-	2	2	13	52	53	32	13	-
1987.....	176	-	-	-	-	-	2	10	45	59	43	17	-
1986.....	151	1	-	-	-	-	2	17	41	56	20	14	-
1985.....	164	-	-	-	-	1	2	11	43	54	39	14	-
1984.....	147	-	1	-	1	2	2	14	35	47	30	15	-
1983.....	140	-	1	-	-	-	6	11	32	42	33	15	-
1982.....	125	1	-	-	-	-	3	11	38	42	24	6	-
1981.....	112	1	-	-	-	-	6	11	28	33	24	9	-
1980.....	121	-	-	-	-	2	4	11	30	43	22	9	-
1979.....	125	-	-	-	1	2	5	19	30	39	25	4	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 ASTHMA (493)													
TOTAL, BOTH SEXES													
1998.....	5,438	7	33	131	214	277	487	647	673	972	1,190	807	-
1997.....	5,434	5	30	119	174	298	489	636	757	992	1,183	751	-
1996.....	5,667	8	34	149	214	288	496	649	816	1,095	1,177	739	2
1995.....	5,637	13	21	130	224	298	498	663	785	1,147	1,195	663	-
1994.....	5,487	5	24	118	215	304	421	597	780	1,223	1,155	644	1
1993.....	5,167	6	32	118	186	240	405	508	738	1,196	1,114	623	1
1992.....	4,964	9	38	88	168	232	373	495	692	1,164	1,097	608	-
1991.....	5,106	5	30	106	183	280	386	510	737	1,155	1,161	553	-
1990.....	4,819	12	24	102	160	237	332	502	738	1,125	1,074	512	1
1989.....	4,869	6	26	95	148	256	346	472	743	1,208	1,094	473	2
1988.....	4,597	7	19	93	162	231	343	440	785	1,097	991	429	-
1987.....	4,360	4	19	101	181	199	341	443	709	1,081	873	408	1
1986.....	3,955	13	17	92	166	197	251	356	688	982	843	350	-
1985.....	3,880	6	21	98	156	182	231	378	755	936	785	332	-
1984.....	3,564	10	17	79	132	159	227	355	674	905	702	303	1
1983.....	3,561	5	28	78	144	186	231	384	686	836	693	290	-
1982.....	3,154	8	26	70	162	169	176	341	582	793	593	234	-
1981.....	3,054	3	12	72	112	155	178	308	607	803	575	229	-
1980.....	2,891	8	21	61	105	130	145	309	529	765	596	222	-
1979.....	2,598	5	19	39	99	111	157	282	502	695	499	190	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ASTHMA (493)													
TOTAL, MALE													
1998.....	2,000	5	22	80	134	146	189	215	242	381	405	181	-
1997.....	1,986	3	20	66	118	160	187	220	283	390	367	172	-
1996.....	2,075	7	20	92	119	128	194	248	289	403	387	187	1
1995.....	2,079	5	15	91	118	147	196	240	288	418	379	182	-
1994.....	2,101	5	14	75	134	158	179	216	310	471	391	147	1
1993.....	1,928	2	20	69	112	98	163	192	302	441	368	161	-
1992.....	1,869	8	19	48	95	130	160	169	274	428	374	164	-
1991.....	1,927	5	19	66	102	139	179	193	269	421	392	142	-
1990.....	1,885	7	18	63	82	118	152	188	286	442	390	138	1
1989.....	1,848	6	11	58	82	131	146	191	261	463	363	135	1
1988.....	1,822	4	12	56	94	118	147	169	308	447	354	113	-
1987.....	1,730	2	12	64	100	99	145	157	301	439	307	104	-
1986.....	1,584	11	10	51	94	93	104	145	290	373	315	98	-
1985.....	1,551	4	12	49	76	86	96	146	309	372	305	96	-
1984.....	1,467	5	9	53	71	66	96	149	278	359	287	93	1
1983.....	1,455	5	23	48	69	85	92	144	279	357	264	89	-
1982.....	1,314	7	17	35	92	87	73	131	241	334	233	64	-
1981.....	1,287	1	9	42	64	74	67	123	263	336	233	75	-
1980.....	1,292	6	12	29	58	61	48	123	232	375	277	71	-
1979.....	1,133	4	9	23	49	51	64	109	224	326	209	65	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ASTHMA (493)													
TOTAL, FEMALE													
1998.....	3,438	2	11	51	80	131	298	432	431	591	785	626	-
1997.....	3,448	2	10	53	56	138	302	416	474	602	816	579	-
1996.....	3,592	1	14	57	95	160	302	401	527	692	790	552	1
1995.....	3,558	8	6	39	106	151	302	423	497	729	816	481	-
1994.....	3,386	-	10	43	81	146	242	381	470	752	764	497	-
1993.....	3,239	4	12	49	74	142	242	316	436	755	746	462	1
1992.....	3,095	1	19	40	73	102	213	326	418	736	723	444	-
1991.....	3,179	-	11	40	81	141	207	317	468	734	769	411	-
1990.....	2,934	5	6	39	78	119	180	314	452	683	684	374	-
1989.....	3,021	-	15	37	66	125	200	281	482	745	731	338	1
1988.....	2,775	3	7	37	68	113	196	271	477	650	637	316	-
1987.....	2,630	2	7	37	81	100	196	286	408	642	566	304	1
1986.....	2,371	2	7	41	72	104	147	211	398	609	528	252	-
1985.....	2,329	2	9	49	80	96	135	232	446	564	480	236	-
1984.....	2,097	5	8	26	61	93	131	206	396	546	415	210	-
1983.....	2,106	-	5	30	75	101	139	240	407	479	429	201	-
1982.....	1,840	1	9	35	70	82	103	210	341	459	360	170	-
1981.....	1,767	2	3	30	48	81	111	185	344	467	342	154	-
1980.....	1,599	2	9	32	47	69	97	186	297	390	319	151	-
1979.....	1,465	1	10	16	50	60	93	173	278	369	290	125	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ASTHMA (493)													
WHITE, BOTH SEXES													
1998.....	3,947	2	13	63	108	133	282	394	467	732	1,020	733	-
1997.....	4,002	1	10	55	104	159	283	406	507	772	1,020	685	-
1996.....	4,110	2	10	67	106	155	288	423	559	847	1,004	647	2
1995.....	4,208	9	13	57	120	183	304	423	563	898	1,033	605	-
1994.....	4,134	3	8	54	118	163	242	378	559	1,000	1,012	597	-
1993.....	3,910	4	12	62	105	128	225	329	513	978	987	566	1
1992.....	3,789	4	15	39	89	131	241	320	484	951	967	548	-
1991.....	3,915	2	12	57	97	159	224	329	527	955	1,037	516	-
1990.....	3,696	7	11	53	94	129	192	311	549	930	944	476	-
1989.....	3,761	4	14	53	92	147	200	308	552	989	964	437	1
1988.....	3,473	4	10	45	89	132	197	274	557	883	881	401	-
1987.....	3,327	4	8	46	101	114	216	280	523	885	776	374	-
1986.....	3,036	7	11	49	86	120	155	218	497	807	760	326	-
1985.....	3,026	4	12	46	81	104	143	252	588	785	704	307	-
1984.....	2,779	4	10	44	78	91	128	239	516	773	618	278	-
1983.....	2,751	5	12	36	82	100	138	251	520	710	627	270	-
1982.....	2,450	5	11	36	93	93	97	226	449	679	540	221	-
1981.....	2,426	1	3	43	65	88	108	214	494	671	524	215	-
1980.....	2,291	5	10	30	56	67	91	220	420	650	540	202	-
1979.....	2,095	5	15	26	57	56	98	200	397	608	460	173	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ASTHMA (493)													
WHITE MALE													
1998.....	1,366	2	10	35	66	67	107	133	162	281	341	162	-
1997.....	1,383	-	5	31	71	79	104	138	179	315	311	150	-
1996.....	1,426	2	4	46	53	63	103	164	196	304	328	162	1
1995.....	1,454	4	9	34	53	83	116	148	207	319	322	159	-
1994.....	1,492	3	4	35	69	72	105	131	217	386	335	135	-
1993.....	1,384	2	7	33	58	50	86	136	212	342	314	144	-
1992.....	1,362	4	10	20	46	69	107	110	186	339	328	143	-
1991.....	1,388	2	5	36	49	79	103	125	183	337	340	129	-
1990.....	1,358	4	7	29	43	67	85	113	201	356	331	122	-
1989.....	1,352	4	5	33	45	69	78	119	195	369	313	122	-
1988.....	1,299	2	8	29	45	60	83	102	206	358	301	105	-
1987.....	1,244	2	5	24	54	53	89	97	214	354	260	92	-
1986.....	1,178	6	5	22	47	58	66	89	209	307	279	90	-
1985.....	1,140	3	5	24	30	43	48	94	232	306	269	86	-
1984.....	1,106	3	4	30	42	39	60	98	202	298	251	79	-
1983.....	1,084	5	9	20	36	42	57	97	207	296	234	81	-
1982.....	983	5	9	17	50	45	39	91	177	282	209	59	-
1981.....	977	1	1	27	31	40	40	85	209	265	209	69	-
1980.....	1,008	3	5	10	30	37	25	91	178	320	246	63	-
1979.....	898	4	7	16	30	25	39	78	177	281	187	54	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 ASTHMA (493)													
WHITE FEMALE													
1998.....	2,581	-	3	28	42	66	175	261	305	451	679	571	-
1997.....	2,619	1	5	24	33	80	179	268	328	457	709	535	-
1996.....	2,684	-	6	21	53	92	185	259	363	543	676	485	1
1995.....	2,754	5	4	23	67	100	188	275	356	579	711	446	-
1994.....	2,642	-	4	19	49	91	137	247	342	614	677	462	-
1993.....	2,526	2	5	29	47	78	139	193	301	636	673	422	1
1992.....	2,427	-	5	19	43	62	134	210	298	612	639	405	-
1991.....	2,527	-	7	21	48	80	121	204	344	618	697	387	-
1990.....	2,338	3	4	24	51	62	107	198	348	574	613	354	-
1989.....	2,409	-	9	20	47	78	122	189	357	620	651	315	1
1988.....	2,174	2	2	16	44	72	114	172	351	525	580	296	-
1987.....	2,083	2	3	22	47	61	127	183	309	531	516	282	-
1986.....	1,858	1	6	27	39	62	89	129	288	500	481	236	-
1985.....	1,886	1	7	22	51	61	95	158	356	479	435	221	-
1984.....	1,673	1	6	14	36	52	68	141	314	475	367	199	-
1983.....	1,667	-	3	16	46	58	81	154	313	414	393	189	-
1982.....	1,467	-	2	19	43	48	58	135	272	397	331	162	-
1981.....	1,449	-	2	16	34	48	68	129	285	406	315	146	-
1980.....	1,283	2	5	20	26	30	66	129	242	330	294	139	-
1979.....	1,197	1	8	10	27	31	59	122	220	327	273	119	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 ASTHMA (493)													
ALL OTHER, BOTH SEXES													
1998.....	1,491	5	20	68	106	144	205	253	206	240	170	74	-
1997.....	1,432	4	20	64	70	139	206	230	250	220	163	66	-
1996.....	1,557	6	24	82	108	133	208	226	257	248	173	92	-
1995.....	1,429	4	8	73	104	115	194	240	222	249	162	58	-
1994.....	1,353	2	16	64	97	141	179	219	221	223	143	47	1
1993.....	1,257	2	20	56	81	112	180	179	225	218	127	57	-
1992.....	1,175	5	23	49	79	101	132	175	208	213	130	60	-
1991.....	1,191	3	18	49	86	121	162	181	210	200	124	37	-
1990.....	1,123	5	13	49	66	108	140	191	189	195	130	36	1
1989.....	1,108	2	12	42	56	109	146	164	191	219	130	36	1
1988.....	1,124	3	9	48	73	99	146	166	228	214	110	28	-
1987.....	1,033	-	11	55	80	85	125	163	186	196	97	34	1
1986.....	919	6	6	43	80	77	96	138	191	175	83	24	-
1985.....	854	2	9	52	75	78	88	126	167	151	81	25	-
1984.....	785	6	7	35	54	68	99	116	158	132	84	25	1
1983.....	810	-	16	42	62	86	93	133	166	126	66	20	-
1982.....	704	3	15	34	69	76	79	115	133	114	53	13	-
1981.....	628	2	9	29	47	67	70	94	113	132	51	14	-
1980.....	600	3	11	31	49	63	54	89	109	115	56	20	-
1979.....	503	-	4	13	42	55	59	82	105	87	39	17	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 ASTHMA (493)													
ALL OTHER MALE													
1998.....	634	3	12	45	68	79	82	82	80	100	64	19	-
1997.....	603	3	15	35	47	81	83	82	104	75	56	22	-
1996.....	649	5	16	46	66	65	91	84	93	99	59	25	-
1995.....	625	1	6	57	65	64	80	92	81	99	57	23	-
1994.....	609	2	10	40	65	86	74	85	93	85	56	12	1
1993.....	544	-	13	36	54	48	77	56	90	99	54	17	-
1992.....	507	4	9	28	49	61	53	59	88	89	46	21	-
1991.....	539	3	14	30	53	60	76	68	86	84	52	13	-
1990.....	527	3	11	34	39	51	67	75	85	86	59	16	1
1989.....	496	2	6	25	37	62	68	72	66	94	50	13	1
1988.....	523	2	4	27	49	58	64	67	102	89	53	8	-
1987.....	486	-	7	40	46	46	56	60	87	85	47	12	-
1986.....	406	5	5	29	47	35	38	56	81	66	36	8	-
1985.....	411	1	7	25	46	43	48	52	77	66	36	10	-
1984.....	361	2	5	23	29	27	36	51	76	61	36	14	1
1983.....	371	-	14	28	33	43	35	47	72	61	30	8	-
1982.....	331	2	8	18	42	42	34	40	64	52	24	5	-
1981.....	310	-	8	15	33	34	27	38	54	71	24	6	-
1980.....	284	3	7	19	28	24	23	32	54	55	31	8	-
1979.....	235	-	2	7	19	26	25	31	47	45	22	11	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 ASTHMA (493)													
ALL OTHER FEMALE													
1998.....	857	2	8	23	38	65	123	171	126	140	106	55	-
1997.....	829	1	5	29	23	58	123	148	146	145	107	44	-
1996.....	908	1	8	36	42	68	117	142	164	149	114	67	-
1995.....	804	3	2	16	39	51	114	148	141	150	105	35	-
1994.....	744	-	6	24	32	55	105	134	128	138	87	35	-
1993.....	713	2	7	20	27	64	103	123	135	119	73	40	-
1992.....	668	1	14	21	30	40	79	116	120	124	84	39	-
1991.....	652	-	4	19	33	61	86	113	124	116	72	24	-
1990.....	596	2	2	15	27	57	73	116	104	109	71	20	-
1989.....	612	-	6	17	19	47	78	92	125	125	80	23	-
1988.....	601	1	5	21	24	41	82	99	126	125	57	20	-
1987.....	547	-	4	15	34	39	69	103	99	111	50	22	1
1986.....	513	1	1	14	33	42	58	82	110	109	47	16	-
1985.....	443	1	2	27	29	35	40	74	90	85	45	15	-
1984.....	424	4	2	12	25	41	63	65	82	71	48	11	-
1983.....	439	-	2	14	29	43	58	86	94	65	36	12	-
1982.....	373	1	7	16	27	34	45	75	69	62	29	8	-
1981.....	318	2	1	14	14	33	43	56	59	61	27	8	-
1980.....	316	-	4	12	21	39	31	57	55	60	25	12	-
1979.....	268	-	2	6	23	29	34	51	58	42	17	6	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 ASTHMA (493)													
BLACK, BOTH SEXES													
1998.....	1,290	5	18	60	101	129	194	234	177	194	129	49	-
1997.....	1,200	3	19	59	61	129	185	204	203	165	122	50	-
1996.....	1,325	6	20	73	99	118	190	205	212	191	137	74	-
1995.....	1,247	4	8	69	100	112	171	214	189	207	127	46	-
1994.....	1,186	2	15	60	89	135	168	191	196	179	112	38	1
1993.....	1,112	2	18	53	78	104	164	158	202	184	105	44	-
1992.....	1,036	5	22	46	77	93	122	160	183	173	108	47	-
1991.....	1,043	3	17	48	79	112	148	175	185	162	93	21	-
1990.....	986	5	12	46	61	101	131	177	163	165	96	28	1
1989.....	984	2	11	37	52	101	135	149	166	189	112	29	1
1988.....	1,012	1	9	42	65	94	137	150	210	188	90	26	-
1987.....	920	-	11	52	75	83	121	146	161	170	72	28	1
1986.....	828	5	5	43	73	73	89	126	176	154	66	18	-
1985.....	778	2	9	50	70	74	86	116	152	136	67	16	-
1984.....	701	5	6	32	53	64	91	104	145	115	67	18	1
1983.....	732	-	15	36	59	84	85	126	148	109	53	17	-
1982.....	647	3	14	33	63	72	76	107	122	106	41	10	-
1981.....	576	2	9	28	44	61	65	89	106	117	44	11	-
1980.....	557	3	10	31	47	58	51	84	101	106	52	14	-
1979.....	470	-	4	13	40	55	53	80	100	79	33	13	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 ASTHMA (493)													
BLACK MALE													
1998.....	536	3	10	38	67	72	79	72	61	75	48	11	-
1997.....	498	2	15	31	40	73	76	69	79	51	45	17	-
1996.....	540	5	12	40	61	56	83	77	76	69	43	18	-
1995.....	538	1	6	54	62	64	67	84	62	80	39	19	-
1994.....	525	2	9	38	57	84	69	71	79	64	42	9	1
1993.....	465	-	11	34	52	46	67	49	76	77	42	11	-
1992.....	433	4	9	27	47	57	49	49	74	65	36	16	-
1991.....	472	3	13	29	47	56	68	65	79	68	37	7	-
1990.....	460	3	10	33	37	49	66	68	70	74	38	11	1
1989.....	434	2	5	22	34	58	61	63	59	78	39	12	1
1988.....	460	1	4	22	43	54	61	59	92	78	39	7	-
1987.....	428	-	7	37	44	44	52	55	73	75	31	10	-
1986.....	360	4	4	29	43	34	36	52	75	55	25	3	-
1985.....	371	1	7	24	43	40	48	49	69	59	26	5	-
1984.....	312	2	5	22	28	24	33	44	66	49	29	9	1
1983.....	336	-	14	25	32	42	33	44	65	52	21	8	-
1982.....	301	2	8	18	42	40	33	35	56	47	18	2	-
1981.....	281	-	8	14	30	31	25	36	51	62	19	5	-
1980.....	260	3	6	19	27	23	21	30	48	49	28	6	-
1979.....	214	-	2	7	18	26	20	30	45	38	19	9	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 ASTHMA (493)													
BLACK FEMALE													
1998.....	754	2	8	22	34	57	115	162	116	119	81	38	-
1997.....	702	1	4	28	21	56	109	135	124	114	77	33	-
1996.....	785	1	8	33	38	62	107	128	136	122	94	56	-
1995.....	709	3	2	15	38	48	104	130	127	127	88	27	-
1994.....	661	-	6	22	32	51	99	120	117	115	70	29	-
1993.....	647	2	7	19	26	58	97	109	126	107	63	33	-
1992.....	603	1	13	19	30	36	73	111	109	108	72	31	-
1991.....	571	-	4	19	32	56	80	110	106	94	56	14	-
1990.....	526	2	2	13	24	52	65	109	93	91	58	17	-
1989.....	550	-	6	15	18	43	74	86	107	111	73	17	-
1988.....	552	-	5	20	22	40	76	91	118	110	51	19	-
1987.....	492	-	4	15	31	39	69	91	88	95	41	18	1
1986.....	468	1	1	14	30	39	53	74	101	99	41	15	-
1985.....	407	1	2	26	27	34	38	67	83	77	41	11	-
1984.....	389	3	1	10	25	40	58	60	79	66	38	9	-
1983.....	396	-	1	11	27	42	52	82	83	57	32	9	-
1982.....	346	1	6	15	21	32	43	72	66	59	23	8	-
1981.....	295	2	1	14	14	30	40	53	55	55	25	6	-
1980.....	297	-	4	12	20	35	30	54	53	57	24	8	-
1979.....	256	-	2	6	22	29	33	50	55	41	14	4	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (494-496)													
TOTAL, BOTH SEXES													
1998.....	86,559	4	4	10	11	26	274	1,604	7,210	23,619	34,763	19,027	7
1997.....	83,022	4	1	3	15	35	267	1,648	7,150	22,960	33,163	17,771	5
1996.....	79,923	1	5	4	13	26	240	1,586	7,015	22,571	31,936	16,516	10
1995.....	77,002	3	2	7	6	42	229	1,505	6,874	22,436	30,504	15,391	3
1994.....	75,347	6	4	3	9	37	196	1,535	7,125	22,552	29,674	14,197	9
1993.....	74,547	5	6	2	7	30	223	1,433	7,312	22,929	29,333	13,260	7
1992.....	66,947	2	3	5	8	23	213	1,260	6,979	20,659	26,208	11,579	8
1991.....	65,381	7	2	4	11	26	200	1,260	7,140	20,633	25,282	10,807	9
1990.....	62,554	4	7	6	10	31	167	1,263	6,991	19,853	24,129	10,086	7
1989.....	60,249	5	2	7	16	38	193	1,312	7,289	19,283	22,771	9,329	4
1988.....	59,023	2	7	6	10	31	178	1,325	7,158	19,321	22,197	8,781	7
1987.....	55,956	5	6	4	12	32	188	1,205	7,068	18,473	20,802	8,156	5
1986.....	54,383	3	5	8	14	27	195	1,295	7,101	18,487	19,674	7,567	7
1985.....	53,017	4	3	5	11	25	174	1,367	7,148	17,844	19,099	7,322	15
1984.....	48,728	2	11	8	13	34	163	1,279	6,925	16,784	17,069	6,433	7
1983.....	45,814	5	6	11	22	26	156	1,257	6,601	16,140	15,851	5,728	11
1982.....	40,427	10	9	11	17	31	168	1,183	5,981	14,494	13,728	4,787	8
1981.....	38,724	12	6	10	17	30	151	1,280	6,012	13,947	12,808	4,445	6
1980.....	35,554	4	5	10	18	37	155	1,237	5,730	12,951	11,339	4,063	5
1979.....	30,116	2	3	3	15	29	148	1,099	5,064	10,943	9,601	3,206	3

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (494-496)													
TOTAL, MALE													
1998.....	44,203	1	2	4	7	16	163	864	3,843	12,692	17,981	8,623	7
1997.....	43,041	1	1	1	9	19	152	917	3,790	12,593	17,250	8,304	4
1996.....	41,414	-	4	1	7	15	134	856	3,806	12,054	16,834	7,698	5
1995.....	40,848	1	-	5	5	26	119	769	3,725	12,384	16,375	7,436	3
1994.....	40,243	3	4	2	5	17	119	829	3,954	12,418	16,001	6,884	7
1993.....	40,641	4	5	1	6	21	128	814	4,044	12,746	16,171	6,696	5
1992.....	37,355	1	1	1	4	13	122	724	3,922	11,882	14,715	5,963	7
1991.....	37,070	4	1	4	7	18	119	649	3,994	11,938	14,605	5,723	8
1990.....	36,245	2	7	3	7	17	103	686	4,052	11,778	14,171	5,412	7
1989.....	35,080	4	1	5	7	22	124	675	4,213	11,377	13,522	5,127	3
1988.....	35,439	1	3	4	1	18	113	760	4,261	11,804	13,507	4,962	5
1987.....	34,243	3	2	3	8	19	117	664	4,233	11,441	13,072	4,678	3
1986.....	33,999	3	2	4	12	12	118	732	4,268	11,692	12,614	4,538	4
1985.....	33,629	3	1	3	6	17	109	763	4,364	11,540	12,370	4,442	11
1984.....	31,591	2	6	2	7	23	92	753	4,340	10,978	11,396	3,989	3
1983.....	30,322	3	3	6	13	15	85	725	4,222	10,664	10,951	3,626	9
1982.....	27,225	8	3	4	12	21	98	714	3,915	9,770	9,620	3,052	8
1981.....	26,550	6	3	7	11	20	86	755	3,922	9,695	9,088	2,953	4
1980.....	24,820	2	3	3	8	23	95	772	3,815	9,179	8,198	2,719	3
1979.....	21,586	2	1	2	7	14	89	684	3,426	8,026	7,168	2,164	3

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (494-496)													
TOTAL, FEMALE													
1998.....	42,356	3	2	6	4	10	111	740	3,367	10,927	16,782	10,404	-
1997.....	39,981	3	-	2	6	16	115	731	3,360	10,367	15,913	9,467	1
1996.....	38,509	1	1	3	6	11	106	730	3,209	10,517	15,102	8,818	5
1995.....	36,154	2	2	2	1	16	110	736	3,149	10,052	14,129	7,955	-
1994.....	35,104	3	-	1	4	20	77	706	3,171	10,134	13,673	7,313	2
1993.....	33,906	1	1	1	1	9	95	619	3,268	10,183	13,162	6,564	2
1992.....	29,592	1	2	4	4	10	91	536	3,057	8,777	11,493	5,616	1
1991.....	28,311	3	1	-	4	8	81	611	3,146	8,695	10,677	5,084	1
1990.....	26,309	2	-	3	3	14	64	577	2,939	8,075	9,958	4,674	-
1989.....	25,169	1	1	2	9	16	69	637	3,076	7,906	9,249	4,202	1
1988.....	23,584	1	4	2	9	13	65	565	2,897	7,517	8,690	3,819	2
1987.....	21,713	2	4	1	4	13	71	541	2,835	7,032	7,730	3,478	2
1986.....	20,384	-	3	4	2	15	77	563	2,833	6,795	7,060	3,029	3
1985.....	19,388	1	2	2	5	8	65	604	2,784	6,304	6,729	2,880	4
1984.....	17,137	-	5	6	6	11	71	526	2,585	5,806	5,673	2,444	4
1983.....	15,492	2	3	5	9	11	71	532	2,379	5,476	4,900	2,102	2
1982.....	13,202	2	6	7	5	10	70	469	2,066	4,724	4,108	1,735	-
1981.....	12,174	6	3	3	6	10	65	525	2,090	4,252	3,720	1,492	2
1980.....	10,734	2	2	7	10	14	60	465	1,915	3,772	3,141	1,344	2
1979.....	8,530	-	2	1	8	15	59	415	1,638	2,917	2,433	1,042	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (494-496)													
WHITE, BOTH SEXES													
1998.....	80,786	3	2	5	9	18	207	1,360	6,480	21,952	32,796	17,947	7
1997.....	77,447	1	-	2	13	26	203	1,425	6,431	21,299	31,271	16,773	3
1996.....	74,633	1	3	2	10	16	197	1,367	6,322	20,971	30,142	15,596	6
1995.....	71,888	2	2	5	6	29	173	1,288	6,155	20,825	28,859	14,541	3
1994.....	70,393	4	2	3	7	32	144	1,311	6,448	20,948	28,058	13,432	4
1993.....	69,669	4	5	1	6	26	164	1,229	6,600	21,320	27,702	12,607	5
1992.....	62,616	-	2	5	6	19	148	1,078	6,317	19,214	24,845	10,975	7
1991.....	61,038	4	1	3	8	21	146	1,059	6,466	19,154	23,925	10,247	4
1990.....	58,290	4	5	4	9	23	119	1,068	6,289	18,458	22,767	9,539	5
1989.....	56,008	1	1	4	11	22	128	1,110	6,552	17,881	21,441	8,853	4
1988.....	55,120	1	5	5	7	23	133	1,107	6,484	18,003	21,006	8,341	5
1987.....	52,299	3	3	3	11	21	147	1,027	6,429	17,215	19,711	7,725	4
1986.....	50,868	2	4	7	13	18	148	1,100	6,431	17,260	18,686	7,193	6
1985.....	49,646	3	1	3	9	17	137	1,183	6,457	16,718	18,107	7,002	9
1984.....	45,591	1	8	8	10	23	123	1,095	6,280	15,714	16,203	6,122	4
1983.....	43,006	4	5	9	16	19	120	1,114	5,979	15,199	15,079	5,454	8
1982.....	37,971	5	7	10	14	27	127	1,014	5,439	13,613	13,120	4,588	7
1981.....	36,387	10	5	7	12	23	121	1,102	5,494	13,152	12,181	4,275	5
1980.....	33,377	1	4	7	13	25	108	1,068	5,231	12,203	10,830	3,882	5
1979.....	28,258	2	1	3	12	18	112	952	4,652	10,296	9,151	3,057	2

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (494-496)													
WHITE MALE													
1998.....	40,763	1	1	2	6	11	127	718	3,404	11,683	16,773	8,030	7
1997.....	39,657	-	-	1	8	16	115	782	3,366	11,561	16,045	7,760	3
1996.....	38,211	-	2	-	7	10	112	735	3,365	11,087	15,674	7,217	2
1995.....	37,701	1	-	4	5	20	96	638	3,288	11,352	15,365	6,929	3
1994.....	37,164	2	2	2	4	15	92	701	3,553	11,376	14,964	6,451	2
1993.....	37,492	3	4	-	6	19	93	684	3,595	11,705	15,083	6,296	4
1992.....	34,563	-	1	1	2	11	85	617	3,504	10,931	13,805	5,600	6
1991.....	34,223	2	1	3	5	14	81	534	3,568	10,955	13,675	5,381	4
1990.....	33,381	2	5	3	6	11	73	569	3,612	10,819	13,209	5,067	5
1989.....	32,206	1	-	2	6	11	76	551	3,743	10,410	12,580	4,823	3
1988.....	32,725	1	3	3	1	15	80	622	3,822	10,860	12,631	4,684	3
1987.....	31,714	1	1	2	8	11	92	552	3,823	10,527	12,294	4,401	2
1986.....	31,451	2	1	4	11	7	84	594	3,821	10,769	11,882	4,273	3
1985.....	31,239	2	-	2	5	12	82	642	3,902	10,704	11,645	4,238	5
1984.....	29,341	1	4	2	5	19	68	622	3,894	10,176	10,753	3,796	1
1983.....	28,246	2	3	5	9	12	61	629	3,769	9,941	10,362	3,447	6
1982.....	25,444	5	2	4	10	18	70	599	3,548	9,096	9,170	2,915	7
1981.....	24,795	5	2	6	8	15	69	631	3,555	9,071	8,604	2,825	4
1980.....	23,151	-	3	2	6	14	62	648	3,442	8,585	7,792	2,594	3
1979.....	20,144	2	-	2	5	8	64	573	3,120	7,509	6,808	2,051	2

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (494-496)													
WHITE FEMALE													
1998.....	40,023	2	1	3	3	7	80	642	3,076	10,269	16,023	9,917	-
1997.....	37,790	1	-	1	5	10	88	643	3,065	9,738	15,226	9,013	-
1996.....	36,422	1	1	2	3	6	85	632	2,957	9,884	14,468	8,379	4
1995.....	34,187	1	2	1	1	9	77	650	2,867	9,473	13,494	7,612	-
1994.....	33,229	2	-	1	3	17	52	610	2,895	9,572	13,094	6,981	2
1993.....	32,177	1	1	1	-	7	71	545	3,005	9,615	12,619	6,311	1
1992.....	28,053	-	1	4	4	8	63	461	2,813	8,283	11,040	5,375	1
1991.....	26,815	2	-	-	3	7	65	525	2,898	8,199	10,250	4,866	-
1990.....	24,909	2	-	1	3	12	46	499	2,677	7,639	9,558	4,472	-
1989.....	23,802	-	1	2	5	11	52	559	2,809	7,471	8,861	4,030	1
1988.....	22,395	-	2	2	6	8	53	485	2,662	7,143	8,375	3,657	2
1987.....	20,585	2	2	1	3	10	55	475	2,606	6,688	7,417	3,324	2
1986.....	19,417	-	3	3	2	11	64	506	2,610	6,491	6,804	2,920	3
1985.....	18,407	1	1	1	4	5	55	541	2,555	6,014	6,462	2,764	4
1984.....	16,250	-	4	6	5	4	55	473	2,386	5,538	5,450	2,326	3
1983.....	14,760	2	2	4	7	7	59	485	2,210	5,258	4,717	2,007	2
1982.....	12,527	-	5	6	4	9	57	415	1,891	4,517	3,950	1,673	-
1981.....	11,592	5	3	1	4	8	52	471	1,939	4,081	3,577	1,450	1
1980.....	10,226	1	1	5	7	11	46	420	1,789	3,618	3,038	1,288	2
1979.....	8,114	-	1	1	7	10	48	379	1,532	2,787	2,343	1,006	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (494-496)													
ALL OTHER, BOTH SEXES													
1998.....	5,773	1	2	5	2	8	67	244	730	1,667	1,967	1,080	-
1997.....	5,575	3	1	1	2	9	64	223	719	1,661	1,892	998	2
1996.....	5,290	-	2	2	3	10	43	219	693	1,600	1,794	920	4
1995.....	5,114	1	-	2	-	13	56	217	719	1,611	1,645	850	-
1994.....	4,954	2	2	-	2	5	52	224	677	1,604	1,616	765	5
1993.....	4,878	1	1	1	1	4	59	204	712	1,609	1,631	653	2
1992.....	4,331	2	1	-	2	4	65	182	662	1,445	1,363	604	1
1991.....	4,343	3	1	1	3	5	54	201	674	1,479	1,357	560	5
1990.....	4,264	-	2	2	1	8	48	195	702	1,395	1,362	547	2
1989.....	4,241	4	1	3	5	16	65	202	737	1,402	1,330	476	-
1988.....	3,903	1	2	1	3	8	45	218	674	1,318	1,191	440	2
1987.....	3,657	2	3	1	1	11	41	178	639	1,258	1,091	431	1
1986.....	3,515	1	1	1	1	9	47	195	670	1,227	988	374	1
1985.....	3,371	1	2	2	2	8	37	184	691	1,126	992	320	6
1984.....	3,137	1	3	-	3	11	40	184	645	1,070	866	311	3
1983.....	2,808	1	1	2	6	7	36	143	622	941	772	274	3
1982.....	2,456	5	2	1	3	4	41	169	542	881	608	199	1
1981.....	2,337	2	1	3	5	7	30	178	518	795	627	170	1
1980.....	2,177	3	1	3	5	12	47	169	499	748	509	181	-
1979.....	1,858	-	2	-	3	11	36	147	412	647	450	149	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (494-496)													
ALL OTHER MALE													
1998.....	3,440	-	1	2	1	5	36	146	439	1,009	1,208	593	-
1997.....	3,384	1	1	-	1	3	37	135	424	1,032	1,205	544	1
1996.....	3,203	-	2	1	-	5	22	121	441	967	1,160	481	3
1995.....	3,147	-	-	1	-	6	23	131	437	1,032	1,010	507	-
1994.....	3,079	1	2	-	1	2	27	128	401	1,042	1,037	433	5
1993.....	3,149	1	1	1	-	2	35	130	449	1,041	1,088	400	1
1992.....	2,792	1	-	-	2	2	37	107	418	951	910	363	1
1991.....	2,847	2	-	1	2	4	38	115	426	983	930	342	4
1990.....	2,864	-	2	-	1	6	30	117	440	959	962	345	2
1989.....	2,874	3	1	3	1	11	48	124	470	967	942	304	-
1988.....	2,714	-	-	1	-	3	33	138	439	944	876	278	2
1987.....	2,529	2	1	1	-	8	25	112	410	914	778	277	1
1986.....	2,548	1	1	-	1	5	34	138	447	923	732	265	1
1985.....	2,390	1	1	1	1	5	27	121	462	836	725	204	6
1984.....	2,250	1	2	-	2	4	24	131	446	802	643	193	2
1983.....	2,076	1	-	1	4	3	24	96	453	723	589	179	3
1982.....	1,781	3	1	-	2	3	28	115	367	674	450	137	1
1981.....	1,755	1	1	1	3	5	17	124	367	624	484	128	-
1980.....	1,669	2	-	1	2	9	33	124	373	594	406	125	-
1979.....	1,442	-	1	-	2	6	25	111	306	517	360	113	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (494-496)													
ALL OTHER FEMALE													
1998.....	2,333	1	1	3	1	3	31	98	291	658	759	487	-
1997.....	2,191	2	-	1	1	6	27	88	295	629	687	454	1
1996.....	2,087	-	-	1	3	5	21	98	252	633	634	439	1
1995.....	1,967	1	-	1	-	7	33	86	282	579	635	343	-
1994.....	1,875	1	-	-	1	3	25	96	276	562	579	332	-
1993.....	1,729	-	-	-	1	2	24	74	263	568	543	253	1
1992.....	1,539	1	1	-	-	2	28	75	244	494	453	241	-
1991.....	1,496	1	1	-	1	1	16	86	248	496	427	218	1
1990.....	1,400	-	-	2	-	2	18	78	262	436	400	202	-
1989.....	1,367	1	-	-	4	5	17	78	267	435	388	172	-
1988.....	1,189	1	2	-	3	5	12	80	235	374	315	162	-
1987.....	1,128	-	2	-	1	3	16	66	229	344	313	154	-
1986.....	967	-	-	1	-	4	13	57	223	304	256	109	-
1985.....	981	-	1	1	1	3	10	63	229	290	267	116	-
1984.....	887	-	1	-	1	7	16	53	199	268	223	118	1
1983.....	732	-	1	1	2	4	12	47	169	218	183	95	-
1982.....	675	2	1	1	1	1	13	54	175	207	158	62	-
1981.....	582	1	-	2	2	2	13	54	151	171	143	42	1
1980.....	508	1	1	2	3	3	14	45	126	154	103	56	-
1979.....	416	-	1	-	1	5	11	36	106	130	90	36	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (494-496)													
BLACK, BOTH SEXES													
1998.....	4,860	-	2	3	2	7	60	226	648	1,432	1,627	853	-
1997.....	4,665	3	1	1	1	8	61	204	637	1,441	1,521	786	1
1996.....	4,503	-	2	2	3	9	42	209	620	1,387	1,473	752	4
1995.....	4,343	1	-	2	-	11	49	194	638	1,397	1,369	682	-
1994.....	4,258	2	1	-	1	3	49	213	607	1,412	1,333	634	3
1993.....	4,213	1	1	1	1	3	55	193	633	1,397	1,379	548	1
1992.....	3,786	2	1	-	2	3	61	172	601	1,265	1,171	507	1
1991.....	3,777	3	1	-	1	4	48	196	613	1,297	1,159	450	5
1990.....	3,716	-	2	2	1	7	44	180	631	1,227	1,184	436	2
1989.....	3,715	3	1	3	5	15	58	183	669	1,249	1,139	390	-
1988.....	3,455	1	2	1	2	7	45	208	620	1,187	1,021	360	1
1987.....	3,244	2	3	-	1	10	37	157	587	1,129	962	355	1
1986.....	3,140	1	1	1	1	7	41	182	616	1,114	857	318	1
1985.....	3,027	1	1	2	2	7	35	169	635	1,026	876	267	6
1984.....	2,799	1	3	-	2	9	37	173	596	974	756	246	2
1983.....	2,532	1	1	2	4	5	33	137	582	847	685	234	1
1982.....	2,242	5	2	1	3	4	39	166	507	817	528	169	1
1981.....	2,120	2	1	3	3	7	28	168	486	723	554	144	1
1980.....	2,003	3	-	3	4	11	43	162	482	689	463	143	-
1979.....	1,686	-	1	-	2	8	35	142	388	600	403	106	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
---	-------	-----------------	--------------	---------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	--------------	------

OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (494-496)													
BLACK MALE													
1998.....	2,866	-	1	1	1	4	29	133	388	866	994	449	-
1997.....	2,798	1	1	-	-	3	35	123	373	890	961	410	1
1996.....	2,704	-	2	1	-	5	21	116	394	828	944	390	3
1995.....	2,674	-	-	1	-	5	18	120	396	887	854	393	-
1994.....	2,647	1	1	-	-	1	25	123	365	912	864	352	3
1993.....	2,725	1	1	1	-	1	33	125	403	908	922	329	1
1992.....	2,436	1	-	-	2	2	36	102	382	824	782	304	1
1991.....	2,478	2	-	-	-	3	36	112	392	863	797	269	4
1990.....	2,491	-	2	-	1	6	28	109	402	835	833	273	2
1989.....	2,499	2	1	3	1	10	44	110	425	856	805	242	-
1988.....	2,415	-	-	1	-	3	33	133	408	856	746	234	1
1987.....	2,248	2	1	-	-	8	23	101	378	821	686	227	1
1986.....	2,268	1	1	-	1	4	30	130	409	837	630	224	1
1985.....	2,167	1	1	1	1	4	26	110	429	772	641	175	6
1984.....	2,025	1	2	-	1	4	23	123	419	735	563	153	1
1983.....	1,873	1	-	1	3	2	23	92	425	650	526	149	1
1982.....	1,632	3	1	-	2	3	27	114	343	626	392	120	1
1981.....	1,600	1	1	1	2	5	17	118	344	572	430	109	-
1980.....	1,529	2	-	1	1	8	29	118	356	545	371	98	-
1979.....	1,329	-	1	-	1	5	25	108	294	484	329	81	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
OTHER CHRONIC OBSTRUCTIVE PULMONARY DISEASES AND ALLIED CONDITIONS (494-496)													
BLACK FEMALE													
1998.....	1,994	-	1	2	1	3	31	93	260	566	633	404	-
1997.....	1,867	2	-	1	1	5	26	81	264	551	560	376	-
1996.....	1,799	-	-	1	3	4	21	93	226	559	529	362	1
1995.....	1,669	1	-	1	-	6	31	74	242	510	515	289	-
1994.....	1,611	1	-	-	1	2	24	90	242	500	469	282	-
1993.....	1,488	-	-	-	1	2	22	68	230	489	457	219	-
1992.....	1,350	1	1	-	-	1	25	70	219	441	389	203	-
1991.....	1,299	1	1	-	1	1	12	84	221	434	362	181	1
1990.....	1,225	-	-	2	-	1	16	71	229	392	351	163	-
1989.....	1,216	1	-	-	4	5	14	73	244	393	334	148	-
1988.....	1,040	1	2	-	2	4	12	75	212	331	275	126	-
1987.....	996	-	2	-	1	2	14	56	209	308	276	128	-
1986.....	872	-	-	1	-	3	11	52	207	277	227	94	-
1985.....	860	-	-	1	1	3	9	59	206	254	235	92	-
1984.....	774	-	1	-	1	5	14	50	177	239	193	93	1
1983.....	659	-	1	1	1	3	10	45	157	197	159	85	-
1982.....	610	2	1	1	1	1	12	52	164	191	136	49	-
1981.....	520	1	-	2	1	2	11	50	142	151	124	35	1
1980.....	474	1	-	2	3	3	14	44	126	144	92	45	-
1979.....	357	-	-	-	1	3	10	34	94	116	74	25	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ULCER OF STOMACH AND DUODENUM (531-533)													
TOTAL, BOTH SEXES													
1998.....	4,695	4	2	3	8	35	109	256	417	845	1,496	1,520	-
1997.....	5,115	8	-	5	11	24	133	285	427	939	1,623	1,658	2
1996.....	5,105	12	4	5	8	29	139	264	411	972	1,685	1,573	3
1995.....	5,464	7	1	6	12	35	137	269	478	1,050	1,825	1,644	-
1994.....	6,088	8	2	5	16	50	144	298	521	1,229	1,954	1,859	2
1993.....	5,945	5	5	3	13	34	151	304	515	1,185	1,966	1,762	2
1992.....	6,128	7	3	4	9	45	145	251	524	1,234	2,090	1,814	2
1991.....	6,117	6	5	2	6	39	151	270	587	1,230	2,064	1,757	-
1990.....	6,186	9	3	4	11	57	126	252	576	1,360	2,023	1,764	1
1989.....	6,455	12	3	4	11	40	143	269	611	1,383	2,169	1,809	1
1988.....	6,435	16	3	5	17	48	144	257	657	1,416	2,140	1,731	1
1987.....	6,358	10	5	5	7	58	131	266	646	1,414	2,113	1,703	-
1986.....	6,477	9	1	3	15	57	142	248	736	1,423	2,130	1,710	3
1985.....	6,645	12	5	1	12	39	122	286	782	1,505	2,188	1,692	1
1984.....	6,570	11	2	4	15	49	128	272	828	1,523	2,103	1,634	1
1983.....	6,369	11	3	4	12	45	123	305	769	1,532	2,050	1,514	1
1982.....	6,738	13	2	7	16	70	129	323	851	1,599	2,139	1,586	3
1981.....	6,489	14	5	5	23	63	134	354	894	1,586	1,984	1,426	1
1980.....	6,115	11	10	11	25	61	143	360	882	1,536	1,841	1,235	-
1979.....	5,902	16	3	3	29	61	163	408	835	1,428	1,773	1,182	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ULCER OF STOMACH AND DUODENUM (531-533)													
TOTAL, MALE													
1998.....	2,235	2	-	1	5	24	75	153	266	485	699	525	-
1997.....	2,379	4	-	4	8	18	90	198	266	525	755	509	2
1996.....	2,404	5	2	4	3	17	105	182	259	542	802	481	2
1995.....	2,624	6	1	3	8	26	94	197	290	595	885	519	-
1994.....	2,928	5	1	4	13	42	98	203	331	705	918	607	1
1993.....	2,824	4	5	3	7	21	96	200	335	668	921	562	2
1992.....	2,924	6	1	2	5	38	103	177	326	721	946	598	1
1991.....	2,928	4	2	1	3	27	101	182	367	702	985	554	-
1990.....	2,973	3	2	3	7	42	92	163	365	810	924	562	-
1989.....	3,145	7	2	2	8	29	105	166	376	812	1,048	589	1
1988.....	3,182	8	2	4	11	39	101	168	418	841	998	591	1
1987.....	3,192	5	2	4	4	38	94	181	426	845	1,034	559	-
1986.....	3,108	6	1	2	8	33	99	167	466	813	945	567	1
1985.....	3,330	6	1	-	7	31	91	199	486	883	1,048	577	1
1984.....	3,227	5	-	2	10	33	79	172	544	854	984	544	-
1983.....	3,260	8	2	2	10	28	84	197	476	936	988	528	1
1982.....	3,422	6	1	5	11	39	86	211	541	941	1,017	562	2
1981.....	3,432	9	4	3	17	41	94	234	556	950	1,001	522	1
1980.....	3,405	7	5	7	15	31	102	254	597	963	945	479	-
1979.....	3,246	10	2	1	15	39	109	279	542	858	928	463	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ULCER OF STOMACH AND DUODENUM (531-533) TOTAL, FEMALE													
1998.....	2,460	2	2	2	3	11	34	103	151	360	797	995	-
1997.....	2,736	4	-	1	3	6	43	87	161	414	868	1,149	-
1996.....	2,701	7	2	1	5	12	34	82	152	430	883	1,092	1
1995.....	2,840	1	-	3	4	9	43	72	188	455	940	1,125	-
1994.....	3,160	3	1	1	3	8	46	95	190	524	1,036	1,252	1
1993.....	3,121	1	-	-	6	13	55	104	180	517	1,045	1,200	-
1992.....	3,204	1	2	2	4	7	42	74	198	513	1,144	1,216	1
1991.....	3,189	2	3	1	3	12	50	88	220	528	1,079	1,203	-
1990.....	3,213	6	1	1	4	15	34	89	211	550	1,099	1,202	1
1989.....	3,310	5	1	2	3	11	38	103	235	571	1,121	1,220	-
1988.....	3,253	8	1	1	6	9	43	89	239	575	1,142	1,140	-
1987.....	3,166	5	3	1	3	20	37	85	220	569	1,079	1,144	-
1986.....	3,369	3	-	1	7	24	43	81	270	610	1,185	1,143	2
1985.....	3,315	6	4	1	5	8	31	87	296	622	1,140	1,115	-
1984.....	3,343	6	2	2	5	16	49	100	284	669	1,119	1,090	1
1983.....	3,109	3	1	2	2	17	39	108	293	596	1,062	986	-
1982.....	3,316	7	1	2	5	31	43	112	310	658	1,122	1,024	1
1981.....	3,057	5	1	2	6	22	40	120	338	636	983	904	-
1980.....	2,710	4	5	4	10	30	41	106	285	573	896	756	-
1979.....	2,656	6	1	2	14	22	54	129	293	570	845	719	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ULCER OF STOMACH AND DUODENUM (531-533)													
WHITE, BOTH SEXES													
1998.....	4,162	2	2	3	5	26	79	202	348	727	1,352	1,416	-
1997.....	4,484	4	-	1	6	14	95	200	338	806	1,471	1,548	1
1996.....	4,460	8	3	2	3	14	92	200	319	804	1,533	1,481	1
1995.....	4,840	6	-	6	9	20	87	204	399	904	1,657	1,548	-
1994.....	5,366	2	2	3	14	32	93	236	414	1,070	1,771	1,728	1
1993.....	5,264	3	5	2	8	23	107	225	429	1,020	1,787	1,654	1
1992.....	5,452	3	1	4	8	26	95	190	425	1,075	1,931	1,693	1
1991.....	5,456	5	4	2	4	24	107	197	480	1,087	1,893	1,653	-
1990.....	5,517	8	2	4	5	31	80	195	468	1,185	1,873	1,665	1
1989.....	5,664	6	1	3	6	22	92	203	495	1,185	1,963	1,687	1
1988.....	5,787	9	2	5	10	28	98	203	537	1,264	1,992	1,638	1
1987.....	5,740	4	3	2	4	39	87	214	542	1,252	1,980	1,613	-
1986.....	5,794	7	1	3	13	36	100	195	612	1,260	1,948	1,617	2
1985.....	5,984	9	3	1	10	19	90	247	651	1,354	2,004	1,595	1
1984.....	5,933	6	1	3	12	31	88	199	716	1,381	1,943	1,552	1
1983.....	5,752	8	2	4	8	30	93	247	646	1,359	1,915	1,439	1
1982.....	6,063	5	2	7	12	50	101	243	723	1,432	1,973	1,514	1
1981.....	5,834	7	3	4	17	39	97	281	759	1,421	1,846	1,359	1
1980.....	5,543	5	9	9	18	42	98	288	789	1,396	1,708	1,181	-
1979.....	5,331	7	3	2	21	39	126	317	734	1,288	1,666	1,128	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ULCER OF STOMACH AND DUODENUM (531-533)													
WHITE MALE													
1998.....	1,960	1	-	1	4	19	56	117	219	418	633	492	-
1997.....	2,025	2	-	1	5	10	66	139	205	445	679	472	1
1996.....	2,052	3	2	2	1	6	72	137	197	451	730	451	-
1995.....	2,269	5	-	3	6	13	53	156	241	515	795	482	-
1994.....	2,528	1	1	2	11	24	60	156	265	622	834	551	1
1993.....	2,431	3	5	2	5	14	63	149	274	564	829	522	1
1992.....	2,539	2	1	2	4	23	61	134	264	632	863	553	-
1991.....	2,558	4	1	1	2	18	63	134	304	621	893	517	-
1990.....	2,594	2	2	3	3	21	59	124	287	709	854	530	-
1989.....	2,701	4	1	2	4	16	66	120	305	692	948	542	1
1988.....	2,807	5	1	4	7	20	65	133	345	746	922	558	1
1987.....	2,828	3	1	1	2	24	57	143	357	746	965	529	-
1986.....	2,726	4	1	2	7	21	69	128	391	716	851	535	1
1985.....	2,947	5	1	-	6	15	66	169	399	794	953	538	1
1984.....	2,865	3	-	1	8	19	51	122	466	774	911	510	-
1983.....	2,885	5	1	2	7	19	63	156	404	825	911	491	1
1982.....	3,032	3	1	5	9	26	65	156	459	846	930	532	-
1981.....	3,035	5	3	3	13	26	62	184	472	848	925	493	1
1980.....	3,036	2	5	5	12	19	67	196	526	877	872	455	-
1979.....	2,882	6	2	1	11	21	78	208	476	778	864	437	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ULCER OF STOMACH AND DUODENUM (531-533)													
WHITE FEMALE													
1998.....	2,202	1	2	2	1	7	23	85	129	309	719	924	-
1997.....	2,459	2	-	-	1	4	29	61	133	361	792	1,076	-
1996.....	2,408	5	1	-	2	8	20	63	122	353	803	1,030	1
1995.....	2,571	1	-	3	3	7	34	48	158	389	862	1,066	-
1994.....	2,838	1	1	1	3	8	33	80	149	448	937	1,177	-
1993.....	2,833	-	-	-	3	9	44	76	155	456	958	1,132	-
1992.....	2,913	1	-	2	4	3	34	56	161	443	1,068	1,140	1
1991.....	2,898	1	3	1	2	6	44	63	176	466	1,000	1,136	-
1990.....	2,923	6	-	1	2	10	21	71	181	476	1,019	1,135	1
1989.....	2,963	2	-	1	2	6	26	83	190	493	1,015	1,145	-
1988.....	2,980	4	1	1	3	8	33	70	192	518	1,070	1,080	-
1987.....	2,912	1	2	1	2	15	30	71	185	506	1,015	1,084	-
1986.....	3,068	3	-	1	6	15	31	67	221	544	1,097	1,082	1
1985.....	3,037	4	2	1	4	4	24	78	252	560	1,051	1,057	-
1984.....	3,068	3	1	2	4	12	37	77	250	607	1,032	1,042	1
1983.....	2,867	3	1	2	1	11	30	91	242	534	1,004	948	-
1982.....	3,031	2	1	2	3	24	36	87	264	586	1,043	982	1
1981.....	2,799	2	-	1	4	13	35	97	287	573	921	866	-
1980.....	2,507	3	4	4	6	23	31	92	263	519	836	726	-
1979.....	2,449	1	1	1	10	18	48	109	258	510	802	691	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ULCER OF STOMACH AND DUODENUM (531-533)													
ALL OTHER, BOTH SEXES													
1998.....	533	2	-	-	3	9	30	54	69	118	144	104	-
1997.....	631	4	-	4	5	10	38	85	89	133	152	110	1
1996.....	645	4	1	3	5	15	47	64	92	168	152	92	2
1995.....	624	1	1	-	3	15	50	65	79	146	168	96	-
1994.....	722	6	-	2	2	18	51	62	107	159	183	131	1
1993.....	681	2	-	1	5	11	44	79	86	165	179	108	1
1992.....	676	4	2	-	1	19	50	61	99	159	159	121	1
1991.....	661	1	1	-	2	15	44	73	107	143	171	104	-
1990.....	669	1	1	-	6	26	46	57	108	175	150	99	-
1989.....	791	6	2	1	5	18	51	66	116	198	206	122	-
1988.....	648	7	1	-	7	20	46	54	120	152	148	93	-
1987.....	618	6	2	3	3	19	44	52	104	162	133	90	-
1986.....	683	2	-	-	2	21	42	53	124	163	182	93	1
1985.....	661	3	2	-	2	20	32	39	131	151	184	97	-
1984.....	637	5	1	1	3	18	40	73	112	142	160	82	-
1983.....	617	3	1	-	4	15	30	58	123	173	135	75	-
1982.....	675	8	-	-	4	20	28	80	128	167	166	72	2
1981.....	655	7	2	1	6	24	37	73	135	165	138	67	-
1980.....	572	6	1	2	7	19	45	72	93	140	133	54	-
1979.....	571	9	-	1	8	22	37	91	101	140	107	54	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ULCER OF STOMACH AND DUODENUM (531-533)													
ALL OTHER MALE													
1998.....	275	1	-	-	1	5	19	36	47	67	66	33	-
1997.....	354	2	-	3	3	8	24	59	61	80	76	37	1
1996.....	352	2	-	2	2	11	33	45	62	91	72	30	2
1995.....	355	1	1	-	2	13	41	41	49	80	90	37	-
1994.....	400	4	-	2	2	18	38	47	66	83	84	56	-
1993.....	393	1	-	1	2	7	33	51	61	104	92	40	1
1992.....	385	4	-	-	1	15	42	43	62	89	83	45	1
1991.....	370	-	1	-	1	9	38	48	63	81	92	37	-
1990.....	379	1	-	-	4	21	33	39	78	101	70	32	-
1989.....	444	3	1	-	4	13	39	46	71	120	100	47	-
1988.....	375	3	1	-	4	19	36	35	73	95	76	33	-
1987.....	364	2	1	3	2	14	37	38	69	99	69	30	-
1986.....	382	2	-	-	1	12	30	39	75	97	94	32	-
1985.....	383	1	-	-	1	16	25	30	87	89	95	39	-
1984.....	362	2	-	1	2	14	28	50	78	80	73	34	-
1983.....	375	3	1	-	3	9	21	41	72	111	77	37	-
1982.....	390	3	-	-	2	13	21	55	82	95	87	30	2
1981.....	397	4	1	-	4	15	32	50	84	102	76	29	-
1980.....	369	5	-	2	3	12	35	58	71	86	73	24	-
1979.....	364	4	-	-	4	18	31	71	66	80	64	26	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ULCER OF STOMACH AND DUODENUM (531-533)													
ALL OTHER FEMALE													
1998.....	258	1	-	-	2	4	11	18	22	51	78	71	-
1997.....	277	2	-	1	2	2	14	26	28	53	76	73	-
1996.....	293	2	1	1	3	4	14	19	30	77	80	62	-
1995.....	269	-	-	-	1	2	9	24	30	66	78	59	-
1994.....	322	2	-	-	-	-	13	15	41	76	99	75	1
1993.....	288	1	-	-	3	4	11	28	25	61	87	68	-
1992.....	291	-	2	-	-	4	8	18	37	70	76	76	-
1991.....	291	1	-	-	1	6	6	25	44	62	79	67	-
1990.....	290	-	1	-	2	5	13	18	30	74	80	67	-
1989.....	347	3	1	1	1	5	12	20	45	78	106	75	-
1988.....	273	4	-	-	3	1	10	19	47	57	72	60	-
1987.....	254	4	1	-	1	5	7	14	35	63	64	60	-
1986.....	301	-	-	-	1	9	12	14	49	66	88	61	1
1985.....	278	2	2	-	1	4	7	9	44	62	89	58	-
1984.....	275	3	1	-	1	4	12	23	34	62	87	48	-
1983.....	242	-	-	-	1	6	9	17	51	62	58	38	-
1982.....	285	5	-	-	2	7	7	25	46	72	79	42	-
1981.....	258	3	1	1	2	9	5	23	51	63	62	38	-
1980.....	203	1	1	-	4	7	10	14	22	54	60	30	-
1979.....	207	5	-	1	4	4	6	20	35	60	43	28	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ULCER OF STOMACH AND DUODENUM (531-533) BLACK, BOTH SEXES													
1998.....	411	1	-	-	3	7	26	48	59	85	106	76	-
1997.....	492	4	-	2	5	9	34	71	76	99	110	82	-
1996.....	520	3	1	2	5	13	42	57	71	139	117	68	2
1995.....	518	1	-	-	3	14	47	57	70	123	133	70	-
1994.....	577	5	-	2	2	15	50	54	91	119	137	101	1
1993.....	561	2	-	1	4	10	42	74	69	139	138	81	1
1992.....	568	4	-	-	-	18	48	55	85	126	134	97	1
1991.....	547	1	-	-	2	15	40	64	94	113	134	84	-
1990.....	582	1	1	-	6	23	42	50	100	159	125	75	-
1989.....	665	6	1	1	5	18	43	63	95	167	176	90	-
1988.....	560	7	1	-	7	20	43	47	108	129	123	75	-
1987.....	543	6	1	2	2	19	44	51	87	143	117	71	-
1986.....	600	2	-	-	2	20	40	46	113	149	151	76	1
1985.....	571	2	2	-	2	17	29	36	119	129	157	78	-
1984.....	562	5	-	1	1	18	38	70	98	122	141	68	-
1983.....	547	3	-	-	4	14	28	53	114	147	120	64	-
1982.....	593	7	-	-	4	20	26	74	117	151	135	57	2
1981.....	593	7	1	1	6	24	35	66	126	146	122	59	-
1980.....	511	5	1	1	7	18	44	68	87	129	105	46	-
1979.....	504	8	-	1	7	20	32	81	92	128	92	42	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ULCER OF STOMACH AND DUODENUM (531-533)													
BLACK MALE													
1998.....	204	1	-	-	1	4	15	32	40	44	48	19	-
1997.....	275	2	-	2	3	7	21	51	49	61	54	25	-
1996.....	280	1	-	1	2	10	30	41	50	74	51	18	2
1995.....	289	1	-	-	2	12	39	35	44	67	69	20	-
1994.....	313	3	-	2	2	15	37	41	56	61	56	40	-
1993.....	317	1	-	1	1	6	32	47	50	87	63	28	1
1992.....	323	4	-	-	-	14	40	39	53	71	72	29	1
1991.....	302	-	-	-	1	9	34	44	55	65	68	26	-
1990.....	332	1	-	-	4	18	32	35	71	92	55	24	-
1989.....	362	3	1	-	4	13	33	45	61	92	80	30	-
1988.....	324	3	1	-	4	19	33	32	65	85	58	24	-
1987.....	316	2	1	2	2	14	37	37	54	87	61	19	-
1986.....	333	2	-	-	1	11	28	37	67	87	74	26	-
1985.....	328	1	-	-	1	15	23	29	80	73	75	31	-
1984.....	313	2	-	1	1	14	26	47	66	68	60	28	-
1983.....	327	3	-	-	3	9	21	38	65	92	65	31	-
1982.....	339	3	-	-	2	13	20	50	79	84	65	21	2
1981.....	357	4	1	-	4	15	31	46	78	88	62	28	-
1980.....	331	4	-	1	3	12	34	56	68	80	55	18	-
1979.....	316	3	-	-	3	17	26	64	61	71	53	18	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ULCER OF STOMACH AND DUODENUM (531-533)													
BLACK FEMALE													
1998.....	207	-	-	-	2	3	11	16	19	41	58	57	-
1997.....	217	2	-	-	2	2	13	20	27	38	56	57	-
1996.....	240	2	1	1	3	3	12	16	21	65	66	50	-
1995.....	229	-	-	-	1	2	8	22	26	56	64	50	-
1994.....	264	2	-	-	-	-	13	13	35	58	81	61	1
1993.....	244	1	-	-	3	4	10	27	19	52	75	53	-
1992.....	245	-	-	-	-	4	8	16	32	55	62	68	-
1991.....	245	1	-	-	1	6	6	20	39	48	66	58	-
1990.....	250	-	1	-	2	5	10	15	29	67	70	51	-
1989.....	303	3	-	1	1	5	10	18	34	75	96	60	-
1988.....	236	4	-	-	3	1	10	15	43	44	65	51	-
1987.....	227	4	-	-	-	5	7	14	33	56	56	52	-
1986.....	267	-	-	-	1	9	12	9	46	62	77	50	1
1985.....	243	1	2	-	1	2	6	7	39	56	82	47	-
1984.....	249	3	-	-	-	4	12	23	32	54	81	40	-
1983.....	220	-	-	-	1	5	7	15	49	55	55	33	-
1982.....	254	4	-	-	2	7	6	24	38	67	70	36	-
1981.....	236	3	-	1	2	9	4	20	48	58	60	31	-
1980.....	180	1	1	-	4	6	10	12	19	49	50	28	-
1979.....	188	5	-	1	4	3	6	17	31	57	39	24	1

00/03/28 TABLE 290A. DEATHS FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 721
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+ N.S.
 0APPENDICITIS (540-543)
 TOTAL, BOTH SEXES

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
1998.....	439	9	5	15	12	11	29	29	53	76	121	79	-
1997.....	395	3	2	18	9	15	24	32	47	87	88	70	-
1996.....	424	1	2	25	18	11	28	34	49	82	109	65	-
1995.....	398	4	3	14	6	9	18	34	62	83	93	72	-
1994.....	380	1	5	10	15	14	23	40	35	81	93	63	-
1993.....	367	6	8	10	11	12	26	30	45	86	80	53	-
1992.....	413	4	2	9	16	17	25	25	41	102	98	74	-
1991.....	389	2	5	10	15	11	27	31	49	85	93	61	-
1990.....	438	5	7	13	11	12	30	32	55	92	114	67	-
1989.....	451	2	-	16	18	17	13	35	53	111	112	74	-
1988.....	473	3	7	19	7	13	23	25	68	103	123	82	-
1987.....	481	1	1	15	11	11	23	31	57	115	124	92	-
1986.....	512	6	6	17	16	15	16	24	87	126	130	69	-
1985.....	501	6	8	10	13	14	15	28	68	125	121	93	-
1984.....	493	3	8	18	10	15	17	20	72	111	139	80	-
1983.....	526	2	7	16	19	12	17	31	72	132	127	91	-
1982.....	529	7	9	29	12	9	21	38	83	113	122	86	-
1981.....	589	3	5	17	22	21	28	37	84	162	133	77	-
1980.....	701	10	12	23	28	22	25	49	126	135	171	100	-
1979.....	682	6	7	29	26	17	23	50	107	163	164	90	-

00/03/28 TABLE 290A. DEATHS FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 722
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+ N.S.
 0APPENDICITIS (540-543)
 TOTAL, MALE

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
1998.....	256	5	3	9	9	9	19	18	36	53	59	36	-
1997.....	228	1	-	9	5	14	17	17	33	51	47	34	-
1996.....	240	1	1	14	13	8	14	25	33	49	55	27	-
1995.....	229	3	1	9	6	7	12	25	38	54	50	24	-
1994.....	220	1	2	6	10	7	13	30	23	54	45	29	-
1993.....	217	6	6	6	6	8	17	22	31	53	42	20	-
1992.....	244	3	2	9	11	8	17	16	23	57	58	40	-
1991.....	207	2	2	5	12	8	19	15	28	49	48	19	-
1990.....	257	3	5	6	9	6	19	22	36	60	65	26	-
1989.....	237	1	-	12	11	14	8	21	28	61	60	21	-
1988.....	241	3	3	12	3	5	16	19	40	54	57	29	-
1987.....	255	-	1	10	9	6	18	17	37	61	59	37	-
1986.....	280	4	3	7	9	11	8	11	52	74	67	34	-
1985.....	276	4	4	6	9	10	12	20	41	75	57	38	-
1984.....	265	2	2	10	8	6	9	9	47	64	72	36	-
1983.....	292	1	6	13	13	9	9	19	41	78	66	37	-
1982.....	303	3	6	21	7	5	14	22	55	68	68	34	-
1981.....	329	1	3	10	14	13	21	24	51	94	66	32	-
1980.....	383	4	6	11	15	12	14	33	75	90	84	39	-
1979.....	373	4	2	18	16	11	15	30	61	96	84	36	-

00/03/28 TABLE 290A. DEATHS FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 723
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+ N.S.
 0APPENDICITIS (540-543)
 TOTAL, FEMALE

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
1998.....	183	4	2	6	3	2	10	11	17	23	62	43	-
1997.....	167	2	2	9	4	1	7	15	14	36	41	36	-
1996.....	184	-	1	11	5	3	14	9	16	33	54	38	-
1995.....	169	1	2	5	-	2	6	9	24	29	43	48	-
1994.....	160	-	3	4	5	7	10	10	12	27	48	34	-
1993.....	150	-	2	4	5	4	9	8	14	33	38	33	-
1992.....	169	1	-	-	5	9	8	9	18	45	40	34	-
1991.....	182	-	3	5	3	3	8	16	21	36	45	42	-
1990.....	181	2	2	7	2	6	11	10	19	32	49	41	-
1989.....	214	1	-	4	7	3	5	14	25	50	52	53	-
1988.....	232	-	4	7	4	8	7	6	28	49	66	53	-
1987.....	226	1	-	5	2	5	5	14	20	54	65	55	-
1986.....	232	2	3	10	7	4	8	13	35	52	63	35	-
1985.....	225	2	4	4	4	4	3	8	27	50	64	55	-
1984.....	228	1	6	8	2	9	8	11	25	47	67	44	-
1983.....	234	1	1	3	6	3	8	12	31	54	61	54	-
1982.....	226	4	3	8	5	4	7	16	28	45	54	52	-
1981.....	260	2	2	7	8	8	7	13	33	68	67	45	-
1980.....	318	6	6	12	13	10	11	16	51	45	87	61	-
1979.....	309	2	5	11	10	6	8	20	46	67	80	54	-

00/03/28 TABLE 290A. DEATHS FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 724
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+ N.S.
 0APPENDICITIS (540-543)
 WHITE, BOTH SEXES

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
1998.....	356	4	4	11	8	9	22	16	42	65	103	72	-
1997.....	309	3	1	12	7	10	14	21	38	64	73	66	-
1996.....	352	1	2	21	11	8	21	28	39	69	95	57	-
1995.....	313	3	3	12	4	8	8	24	41	68	79	63	-
1994.....	305	-	3	6	12	9	13	30	30	67	79	56	-
1993.....	283	4	5	7	7	10	16	19	31	67	70	47	-
1992.....	326	3	2	7	11	6	18	14	33	84	82	66	-
1991.....	321	2	2	9	8	8	20	24	43	69	79	57	-
1990.....	357	5	7	10	7	8	23	20	47	71	98	61	-
1989.....	354	1	-	8	11	12	9	24	33	93	101	62	-
1988.....	368	3	5	12	4	11	17	12	46	82	103	73	-
1987.....	378	1	-	11	8	7	19	18	45	88	102	79	-
1986.....	394	5	2	11	8	10	9	11	66	99	110	63	-
1985.....	396	6	4	4	12	7	8	21	51	97	104	82	-
1984.....	403	2	7	12	8	10	11	13	54	91	122	73	-
1983.....	428	2	6	13	14	10	11	22	55	104	108	83	-
1982.....	413	6	8	22	10	7	14	24	63	83	102	74	-
1981.....	466	2	4	14	17	18	23	29	59	129	107	64	-
1980.....	566	7	11	17	19	18	17	30	90	109	153	95	-
1979.....	539	5	5	23	18	9	16	29	82	125	141	86	-

00/03/28 TABLE 290A. DEATHS FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 725
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+ N.S.
 0APPENDICITIS (540-543) WHITE MALE

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
1998.....	201	3	2	7	5	7	15	7	27	45	50	33	-
1997.....	167	1	-	6	3	9	10	11	24	36	37	30	-
1996.....	191	1	1	12	7	5	11	19	25	41	45	24	-
1995.....	168	2	1	8	4	6	5	16	22	43	40	21	-
1994.....	168	-	2	2	8	3	7	21	18	44	37	26	-
1993.....	159	4	4	4	3	7	11	12	20	40	37	17	-
1992.....	196	3	2	7	7	3	13	11	19	45	49	37	-
1991.....	163	2	1	4	6	5	15	10	24	38	40	18	-
1990.....	212	3	5	5	6	6	16	13	32	47	53	26	-
1989.....	185	1	-	6	6	10	5	15	18	52	55	17	-
1988.....	181	3	2	9	2	4	10	9	28	44	46	24	-
1987.....	203	-	-	7	7	5	14	11	32	43	53	31	-
1986.....	215	3	1	4	6	8	6	4	41	56	55	31	-
1985.....	217	4	2	3	8	5	7	17	31	59	48	33	-
1984.....	220	1	2	7	6	4	5	8	34	54	67	32	-
1983.....	238	1	5	10	10	9	7	15	35	58	56	32	-
1982.....	236	2	5	16	6	4	10	15	44	50	55	29	-
1981.....	260	-	2	8	12	12	17	21	36	77	49	26	-
1980.....	308	3	6	7	11	10	9	22	57	74	73	36	-
1979.....	292	3	1	17	11	6	12	17	49	74	67	35	-

00/03/28 TABLE 290A. DEATHS FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 726
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+ N.S.
 0APPENDICITIS (540-543)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
WHITE FEMALE													
1998.....	155	1	2	4	3	2	7	9	15	20	53	39	-
1997.....	142	2	1	6	4	1	4	10	14	28	36	36	-
1996.....	161	-	1	9	4	3	10	9	14	28	50	33	-
1995.....	145	1	2	4	-	2	3	8	19	25	39	42	-
1994.....	137	-	1	4	4	6	6	9	12	23	42	30	-
1993.....	124	-	1	3	4	3	5	7	11	27	33	30	-
1992.....	130	-	-	-	4	3	5	3	14	39	33	29	-
1991.....	158	-	1	5	2	3	5	14	19	31	39	39	-
1990.....	145	2	2	5	1	2	7	7	15	24	45	35	-
1989.....	169	-	-	2	5	2	4	9	15	41	46	45	-
1988.....	187	-	3	3	2	7	7	3	18	38	57	49	-
1987.....	175	1	-	4	1	2	5	7	13	45	49	48	-
1986.....	179	2	1	7	2	2	3	7	25	43	55	32	-
1985.....	179	2	2	1	4	2	1	4	20	38	56	49	-
1984.....	183	1	5	5	2	6	6	5	20	37	55	41	-
1983.....	190	1	1	3	4	1	4	7	20	46	52	51	-
1982.....	177	4	3	6	4	3	4	9	19	33	47	45	-
1981.....	206	2	2	6	5	6	6	8	23	52	58	38	-
1980.....	258	4	5	10	8	8	8	8	33	35	80	59	-
1979.....	247	2	4	6	7	3	4	12	33	51	74	51	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0APPENDICITIS (540-543) ALL OTHER, BOTH SEXES													
1998.....	83	5	1	4	4	2	7	13	11	11	18	7	-
1997.....	86	-	1	6	2	5	10	11	9	23	15	4	-
1996.....	72	-	-	4	7	3	7	6	10	13	14	8	-
1995.....	85	1	-	2	2	1	10	10	21	15	14	9	-
1994.....	75	1	2	4	3	5	10	10	5	14	14	7	-
1993.....	84	2	3	3	4	2	10	11	14	19	10	6	-
1992.....	87	1	-	2	5	11	7	11	8	18	16	8	-
1991.....	68	-	3	1	7	3	7	7	6	16	14	4	-
1990.....	81	-	-	3	4	4	7	12	8	21	16	6	-
1989.....	97	1	-	8	7	5	4	11	20	18	11	12	-
1988.....	105	-	2	7	3	2	6	13	22	21	20	9	-
1987.....	103	-	1	4	3	4	4	13	12	27	22	13	-
1986.....	118	1	4	6	8	5	7	13	21	27	20	6	-
1985.....	105	-	4	6	1	7	7	7	17	28	17	11	-
1984.....	90	1	1	6	2	5	6	7	18	20	17	7	-
1983.....	98	-	1	3	5	2	6	9	17	28	19	8	-
1982.....	116	1	1	7	2	2	7	14	20	30	20	12	-
1981.....	123	1	1	3	5	3	5	8	25	33	26	13	-
1980.....	135	3	1	6	9	4	8	19	36	26	18	5	-
1979.....	143	1	2	6	8	8	7	21	25	38	23	4	-

00/03/28 TABLE 290A. DEATHS FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 728
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+ N.S.
 0APPENDICITIS (540-543) ALL OTHER MALE

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
1998.....	55	2	1	2	4	2	4	11	9	8	9	3	-
1997.....	61	-	-	3	2	5	7	6	9	15	10	4	-
1996.....	49	-	-	2	6	3	3	6	8	8	10	3	-
1995.....	61	1	-	1	2	1	7	9	16	11	10	3	-
1994.....	52	1	-	4	2	4	6	9	5	10	8	3	-
1993.....	58	2	2	2	3	1	6	10	11	13	5	3	-
1992.....	48	-	-	2	4	5	4	5	4	12	9	3	-
1991.....	44	-	1	1	6	3	4	5	4	11	8	1	-
1990.....	45	-	-	1	3	-	3	9	4	13	12	-	-
1989.....	52	-	-	6	5	4	3	6	10	9	5	4	-
1988.....	60	-	1	3	1	1	6	10	12	10	11	5	-
1987.....	52	-	1	3	2	1	4	6	5	18	6	6	-
1986.....	65	1	2	3	3	3	2	7	11	18	12	3	-
1985.....	59	-	2	3	1	5	5	3	10	16	9	5	-
1984.....	45	1	-	3	2	2	4	1	13	10	5	4	-
1983.....	54	-	1	3	3	-	2	4	6	20	10	5	-
1982.....	67	1	1	5	1	1	4	7	11	18	13	5	-
1981.....	69	1	1	2	2	1	4	3	15	17	17	6	-
1980.....	75	1	-	4	4	2	5	11	18	16	11	3	-
1979.....	81	1	1	1	5	5	3	13	12	22	17	1	-

00/03/28 TABLE 290A. DEATHS FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 729
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+ N.S.
 0APPENDICITIS (540-543)
 ALL OTHER FEMALE

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
1998.....	28	3	-	2	-	-	3	2	2	3	9	4	-
1997.....	25	-	1	3	-	-	3	5	-	8	5	-	-
1996.....	23	-	-	2	1	-	4	-	2	5	4	5	-
1995.....	24	-	-	1	-	-	3	1	5	4	4	6	-
1994.....	23	-	2	-	1	1	4	1	-	4	6	4	-
1993.....	26	-	1	1	1	1	4	1	3	6	5	3	-
1992.....	39	1	-	-	1	6	3	6	4	6	7	5	-
1991.....	24	-	2	-	1	-	3	2	2	5	6	3	-
1990.....	36	-	-	2	1	4	4	3	4	8	4	6	-
1989.....	45	1	-	2	2	1	1	5	10	9	6	8	-
1988.....	45	-	1	4	2	1	-	3	10	11	9	4	-
1987.....	51	-	-	1	1	3	-	7	7	9	16	7	-
1986.....	53	-	2	3	5	2	5	6	10	9	8	3	-
1985.....	46	-	2	3	-	2	2	4	7	12	8	6	-
1984.....	45	-	1	3	-	3	2	6	5	10	12	3	-
1983.....	44	-	-	-	2	2	4	5	11	8	9	3	-
1982.....	49	-	-	2	1	1	3	7	9	12	7	7	-
1981.....	54	-	-	1	3	2	1	5	10	16	9	7	-
1980.....	60	2	1	2	5	2	3	8	18	10	7	2	-
1979.....	62	-	1	5	3	3	4	8	13	16	6	3	-

00/03/28 TABLE 290A. DEATHS FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 730
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+ N.S.
 0APPENDICITIS (540-543)

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
BLACK, BOTH SEXES													
1998.....	66	2	1	2	3	1	6	11	11	9	13	7	-
1997.....	76	-	-	6	2	5	10	10	8	18	13	4	-
1996.....	66	-	-	4	6	3	7	6	8	12	12	8	-
1995.....	79	1	-	2	2	1	10	10	18	15	12	8	-
1994.....	68	1	2	3	3	4	8	10	4	14	13	6	-
1993.....	71	2	2	3	3	2	10	9	12	15	9	4	-
1992.....	76	1	-	2	4	9	6	11	8	16	12	7	-
1991.....	65	-	2	1	7	3	7	7	6	15	14	3	-
1990.....	71	-	-	2	3	4	7	10	8	19	12	6	-
1989.....	89	1	-	7	6	4	4	11	20	15	10	11	-
1988.....	99	-	2	6	3	2	6	12	21	19	19	9	-
1987.....	95	-	1	3	3	4	4	12	10	26	21	11	-
1986.....	109	1	4	5	8	5	7	11	20	26	16	6	-
1985.....	99	-	4	6	1	7	6	6	14	27	17	11	-
1984.....	84	1	1	5	2	5	5	7	18	19	14	7	-
1983.....	91	-	1	2	5	-	5	8	17	28	17	8	-
1982.....	108	1	1	7	2	2	7	12	18	27	19	12	-
1981.....	117	1	1	3	5	3	5	8	22	32	25	12	-
1980.....	130	3	1	6	8	4	8	19	35	25	16	5	-
1979.....	136	1	1	6	8	7	7	21	23	36	22	4	-

00/03/28 TABLE 290A. DEATHS FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 731
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+ N.S.
 0APPENDICITIS (540-543) BLACK MALE

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
1998.....	46	1	1	-	3	1	3	10	9	7	8	3	-
1997.....	56	-	-	3	2	5	7	6	8	12	9	4	-
1996.....	44	-	-	2	5	3	3	6	6	8	8	3	-
1995.....	57	1	-	1	2	1	7	9	14	11	8	3	-
1994.....	46	1	-	3	2	3	5	9	4	10	7	2	-
1993.....	48	2	1	2	2	1	6	8	10	11	4	1	-
1992.....	41	-	-	2	3	3	4	5	4	11	7	2	-
1991.....	42	-	-	1	6	3	4	5	4	10	8	1	-
1990.....	39	-	-	1	2	-	3	8	4	12	9	-	-
1989.....	47	-	-	5	4	4	3	6	10	7	5	3	-
1988.....	57	-	1	3	1	1	6	9	11	9	11	5	-
1987.....	47	-	1	2	2	1	4	5	5	17	6	4	-
1986.....	59	1	2	3	3	3	2	5	10	18	9	3	-
1985.....	57	-	2	3	1	5	4	3	9	16	9	5	-
1984.....	40	1	-	2	2	2	3	1	13	9	3	4	-
1983.....	51	-	1	2	3	-	2	3	6	20	9	5	-
1982.....	62	1	1	5	1	1	4	7	9	15	13	5	-
1981.....	64	1	1	2	2	1	4	3	12	17	16	5	-
1980.....	72	1	-	4	3	2	5	11	18	16	9	3	-
1979.....	75	1	-	1	5	4	3	13	11	20	16	1	-

00/03/28 TABLE 290A. DEATHS FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 732
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+ N.S.
 0APPENDICITIS (540-543)
 BLACK FEMALE

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
1998.....	20	1	-	2	-	-	3	1	2	2	5	4	-
1997.....	20	-	-	3	-	-	3	4	-	6	4	-	-
1996.....	22	-	-	2	1	-	4	-	2	4	4	5	-
1995.....	22	-	-	1	-	-	3	1	4	4	4	5	-
1994.....	22	-	2	-	1	1	3	1	-	4	6	4	-
1993.....	23	-	1	1	1	1	4	1	2	4	5	3	-
1992.....	35	1	-	-	1	6	2	6	4	5	5	5	-
1991.....	23	-	2	-	1	-	3	2	2	5	6	2	-
1990.....	32	-	-	1	1	4	4	2	4	7	3	6	-
1989.....	42	1	-	2	2	-	1	5	10	8	5	8	-
1988.....	42	-	1	3	2	1	-	3	10	10	8	4	-
1987.....	48	-	-	1	1	3	-	7	5	9	15	7	-
1986.....	50	-	2	2	5	2	5	6	10	8	7	3	-
1985.....	42	-	2	3	-	2	2	3	5	11	8	6	-
1984.....	44	-	1	3	-	3	2	6	5	10	11	3	-
1983.....	40	-	-	-	2	-	3	5	11	8	8	3	-
1982.....	46	-	-	2	1	1	3	5	9	12	6	7	-
1981.....	53	-	-	1	3	2	1	5	10	15	9	7	-
1980.....	58	2	1	2	5	2	3	8	17	9	7	2	-
1979.....	61	-	1	5	3	3	4	8	12	16	6	3	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553,560)													
TOTAL, BOTH SEXES													
1998.....	6,635	69	20	19	24	33	95	210	341	874	2,182	2,768	-
1997.....	6,498	77	15	17	20	37	104	187	316	894	2,112	2,719	-
1996.....	6,476	69	24	22	24	50	104	169	330	905	2,128	2,651	-
1995.....	6,188	74	25	24	23	45	104	175	290	907	2,057	2,463	1
1994.....	6,142	62	21	22	20	43	83	185	350	886	1,986	2,484	-
1993.....	5,919	69	26	23	17	43	78	143	302	893	1,963	2,362	-
1992.....	6,073	77	21	22	27	49	90	134	329	935	1,992	2,397	-
1991.....	6,106	88	31	10	20	48	90	163	340	972	2,045	2,299	-
1990.....	5,838	87	23	27	22	32	97	135	334	883	1,980	2,217	1
1989.....	5,530	88	26	24	14	54	95	121	365	891	1,852	2,000	-
1988.....	5,599	77	25	19	19	39	75	156	368	903	1,850	2,066	2
1987.....	5,547	94	33	17	25	57	75	138	378	938	1,829	1,962	1
1986.....	5,445	104	31	25	27	39	72	135	402	924	1,812	1,872	2
1985.....	5,361	81	23	21	24	48	74	119	406	888	1,843	1,833	1
1984.....	5,300	105	21	17	33	43	71	142	388	907	1,766	1,807	-
1983.....	5,094	105	28	21	24	42	72	145	409	961	1,652	1,633	2
1982.....	5,054	130	29	15	38	43	74	178	407	911	1,597	1,631	1
1981.....	5,282	126	30	29	29	39	76	198	401	1,040	1,717	1,597	-
1980.....	5,415	131	27	25	47	50	103	211	489	1,031	1,710	1,591	-
1979.....	5,349	171	25	20	46	60	85	216	498	1,093	1,723	1,411	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553,560)													
TOTAL, MALE													
1998.....	2,350	40	12	16	13	18	55	118	165	406	853	654	-
1997.....	2,420	49	8	12	14	23	54	97	176	419	881	687	-
1996.....	2,400	36	15	14	15	28	50	103	171	447	825	696	-
1995.....	2,280	39	15	22	15	28	56	92	149	421	789	653	1
1994.....	2,284	37	17	8	12	30	53	100	183	434	796	614	-
1993.....	2,197	47	16	11	14	24	45	80	154	439	766	601	-
1992.....	2,241	40	15	13	15	32	51	68	160	429	795	623	-
1991.....	2,244	61	21	7	15	31	49	85	161	439	784	591	-
1990.....	2,132	59	16	17	15	19	51	65	161	401	765	562	1
1989.....	2,047	57	16	16	11	28	44	48	189	405	740	493	-
1988.....	2,041	36	15	13	11	20	48	85	193	415	698	507	-
1987.....	2,091	58	22	11	15	27	45	79	179	426	723	505	1
1986.....	2,072	65	20	12	17	24	36	67	197	412	714	508	-
1985.....	2,040	43	15	10	18	24	45	61	193	432	712	486	1
1984.....	2,029	72	10	8	16	25	43	68	197	406	734	450	-
1983.....	2,091	62	21	14	15	26	43	70	201	491	687	459	2
1982.....	1,965	82	21	10	22	24	43	91	200	432	579	461	-
1981.....	2,079	80	18	16	16	20	40	95	183	488	654	469	-
1980.....	2,147	78	16	16	26	24	43	108	234	463	656	483	-
1979.....	2,146	104	14	12	25	40	44	121	236	486	663	401	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553,560)													
TOTAL, FEMALE													
1998.....	4,285	29	8	3	11	15	40	92	176	468	1,329	2,114	-
1997.....	4,078	28	7	5	6	14	50	90	140	475	1,231	2,032	-
1996.....	4,076	33	9	8	9	22	54	66	159	458	1,303	1,955	-
1995.....	3,908	35	10	2	8	17	48	83	141	486	1,268	1,810	-
1994.....	3,858	25	4	14	8	13	30	85	167	452	1,190	1,870	-
1993.....	3,722	22	10	12	3	19	33	63	148	454	1,197	1,761	-
1992.....	3,832	37	6	9	12	17	39	66	169	506	1,197	1,774	-
1991.....	3,862	27	10	3	5	17	41	78	179	533	1,261	1,708	-
1990.....	3,706	28	7	10	7	13	46	70	173	482	1,215	1,655	-
1989.....	3,483	31	10	8	3	26	51	73	176	486	1,112	1,507	-
1988.....	3,558	41	10	6	8	19	27	71	175	488	1,152	1,559	2
1987.....	3,456	36	11	6	10	30	30	59	199	512	1,106	1,457	-
1986.....	3,373	39	11	13	10	15	36	68	205	512	1,098	1,364	2
1985.....	3,321	38	8	11	6	24	29	58	213	456	1,131	1,347	-
1984.....	3,271	33	11	9	17	18	28	74	191	501	1,032	1,357	-
1983.....	3,003	43	7	7	9	16	29	75	208	470	965	1,174	-
1982.....	3,089	48	8	5	16	19	31	87	207	479	1,018	1,170	1
1981.....	3,203	46	12	13	13	19	36	103	218	552	1,063	1,128	-
1980.....	3,268	53	11	9	21	26	60	103	255	568	1,054	1,108	-
1979.....	3,203	67	11	8	21	20	41	95	262	607	1,060	1,010	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553,560) WHITE, BOTH SEXES													
1998.....	5,815	41	14	14	14	27	77	161	270	740	1,920	2,537	-
1997.....	5,729	50	10	15	11	26	73	137	256	746	1,909	2,496	-
1996.....	5,585	44	12	15	15	28	74	118	261	746	1,871	2,401	-
1995.....	5,376	47	21	17	18	31	77	121	231	758	1,790	2,264	1
1994.....	5,318	45	11	13	17	31	54	127	278	724	1,757	2,261	-
1993.....	5,168	49	18	14	11	31	59	101	221	763	1,719	2,182	-
1992.....	5,291	47	16	17	24	33	67	99	264	782	1,745	2,197	-
1991.....	5,296	56	19	7	16	36	68	115	252	806	1,797	2,124	-
1990.....	5,089	59	19	21	18	18	60	91	262	736	1,758	2,047	-
1989.....	4,791	57	19	16	10	32	65	87	287	744	1,630	1,844	-
1988.....	4,866	49	17	12	13	27	52	105	287	754	1,645	1,903	2
1987.....	4,867	50	21	12	14	37	54	114	290	816	1,630	1,829	-
1986.....	4,725	71	25	20	19	28	47	103	310	766	1,592	1,742	2
1985.....	4,683	61	13	16	17	31	56	91	316	748	1,620	1,713	1
1984.....	4,659	79	13	10	24	34	51	106	315	765	1,579	1,683	-
1983.....	4,416	74	23	14	14	29	47	105	324	802	1,459	1,524	1
1982.....	4,416	88	20	13	28	32	53	135	332	757	1,426	1,531	1
1981.....	4,605	93	21	22	21	31	48	149	334	869	1,529	1,488	-
1980.....	4,757	93	14	19	32	38	72	151	409	885	1,547	1,497	-
1979.....	4,675	123	20	13	32	42	51	174	404	935	1,555	1,325	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR
 HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553,560)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
WHITE MALE													
1998.....	2,005	22	8	12	5	14	45	94	130	343	738	594	-
1997.....	2,064	31	6	10	6	17	35	70	139	347	784	619	-
1996.....	2,000	23	7	8	9	19	32	69	135	364	724	610	-
1995.....	1,918	21	12	15	12	18	39	60	113	348	676	603	1
1994.....	1,904	26	9	5	9	23	32	72	138	350	694	546	-
1993.....	1,846	34	11	6	9	19	34	54	115	365	661	538	-
1992.....	1,879	23	11	9	14	22	36	52	128	354	685	545	-
1991.....	1,868	39	12	5	12	23	36	55	114	355	681	536	-
1990.....	1,787	40	14	12	13	12	29	43	122	332	665	505	-
1989.....	1,711	35	12	12	7	18	30	35	139	326	647	450	-
1988.....	1,706	23	9	9	7	15	36	58	154	336	607	452	-
1987.....	1,749	27	13	7	9	16	35	67	128	371	630	446	-
1986.....	1,744	46	18	10	11	17	21	48	156	338	616	463	-
1985.....	1,711	32	8	9	13	15	33	45	149	361	597	448	1
1984.....	1,731	55	7	6	15	18	34	46	158	340	646	406	-
1983.....	1,732	43	16	10	9	17	24	47	157	409	586	413	1
1982.....	1,617	53	16	8	13	16	31	63	160	339	499	419	-
1981.....	1,734	57	14	12	10	16	26	72	146	398	557	426	-
1980.....	1,806	55	8	13	16	19	31	74	188	392	569	441	-
1979.....	1,801	77	11	7	20	30	27	91	178	410	588	362	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553,560)													
WHITE FEMALE													
1998.....	3,810	19	6	2	9	13	32	67	140	397	1,182	1,943	-
1997.....	3,665	19	4	5	5	9	38	67	117	399	1,125	1,877	-
1996.....	3,585	21	5	7	6	9	42	49	126	382	1,147	1,791	-
1995.....	3,458	26	9	2	6	13	38	61	118	410	1,114	1,661	-
1994.....	3,414	19	2	8	8	8	22	55	140	374	1,063	1,715	-
1993.....	3,322	15	7	8	2	12	25	47	106	398	1,058	1,644	-
1992.....	3,412	24	5	8	10	11	31	47	136	428	1,060	1,652	-
1991.....	3,428	17	7	2	4	13	32	60	138	451	1,116	1,588	-
1990.....	3,302	19	5	9	5	6	31	48	140	404	1,093	1,542	-
1989.....	3,080	22	7	4	3	14	35	52	148	418	983	1,394	-
1988.....	3,160	26	8	3	6	12	16	47	133	418	1,038	1,451	2
1987.....	3,118	23	8	5	5	21	19	47	162	445	1,000	1,383	-
1986.....	2,981	25	7	10	8	11	26	55	154	428	976	1,279	2
1985.....	2,972	29	5	7	4	16	23	46	167	387	1,023	1,265	-
1984.....	2,928	24	6	4	9	16	17	60	157	425	933	1,277	-
1983.....	2,684	31	7	4	5	12	23	58	167	393	873	1,111	-
1982.....	2,799	35	4	5	15	16	22	72	172	418	927	1,112	1
1981.....	2,871	36	7	10	11	15	22	77	188	471	972	1,062	-
1980.....	2,951	38	6	6	16	19	41	77	221	493	978	1,056	-
1979.....	2,874	46	9	6	12	12	24	83	226	525	967	963	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553,560)													
ALL OTHER, BOTH SEXES													
1998.....	820	28	6	5	10	6	18	49	71	134	262	231	-
1997.....	769	27	5	2	9	11	31	50	60	148	203	223	-
1996.....	891	25	12	7	9	22	30	51	69	159	257	250	-
1995.....	812	27	4	7	5	14	27	54	59	149	267	199	-
1994.....	824	17	10	9	3	12	29	58	72	162	229	223	-
1993.....	751	20	8	9	6	12	19	42	81	130	244	180	-
1992.....	782	30	5	5	3	16	23	35	65	153	247	200	-
1991.....	810	32	12	3	4	12	22	48	88	166	248	175	-
1990.....	749	28	4	6	4	14	37	44	72	147	222	170	1
1989.....	739	31	7	8	4	22	30	34	78	147	222	156	-
1988.....	733	28	8	7	6	12	23	51	81	149	205	163	-
1987.....	680	44	12	5	11	20	21	24	88	122	199	133	1
1986.....	720	33	6	5	8	11	25	32	92	158	220	130	-
1985.....	678	20	10	5	7	17	18	28	90	140	223	120	-
1984.....	641	26	8	7	9	9	20	36	73	142	187	124	-
1983.....	678	31	5	7	10	13	25	40	85	159	193	109	1
1982.....	638	42	9	2	10	11	21	43	75	154	171	100	-
1981.....	677	33	9	7	8	8	28	49	67	171	188	109	-
1980.....	658	38	13	6	15	12	31	60	80	146	163	94	-
1979.....	674	48	5	7	14	18	34	42	94	158	168	86	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553,560)													
ALL OTHER MALE													
1998.....	345	18	4	4	8	4	10	24	35	63	115	60	-
1997.....	356	18	2	2	8	6	19	27	37	72	97	68	-
1996.....	400	13	8	6	6	9	18	34	36	83	101	86	-
1995.....	362	18	3	7	3	10	17	32	36	73	113	50	-
1994.....	380	11	8	3	3	7	21	28	45	84	102	68	-
1993.....	351	13	5	5	5	5	11	26	39	74	105	63	-
1992.....	362	17	4	4	1	10	15	16	32	75	110	78	-
1991.....	376	22	9	2	3	8	13	30	47	84	103	55	-
1990.....	345	19	2	5	2	7	22	22	39	69	100	57	1
1989.....	336	22	4	4	4	10	14	13	50	79	93	43	-
1988.....	335	13	6	4	4	5	12	27	39	79	91	55	-
1987.....	342	31	9	4	6	11	10	12	51	55	93	59	1
1986.....	328	19	2	2	6	7	15	19	41	74	98	45	-
1985.....	329	11	7	1	5	9	12	16	44	71	115	38	-
1984.....	298	17	3	2	1	7	9	22	39	66	88	44	-
1983.....	359	19	5	4	6	9	19	23	44	82	101	46	1
1982.....	348	29	5	2	9	8	12	28	40	93	80	42	-
1981.....	345	23	4	4	6	4	14	23	37	90	97	43	-
1980.....	341	23	8	3	10	5	12	34	46	71	87	42	-
1979.....	345	27	3	5	5	10	17	30	58	76	75	39	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553,560)													
ALL OTHER FEMALE													
1998.....	475	10	2	1	2	2	8	25	36	71	147	171	-
1997.....	413	9	3	-	1	5	12	23	23	76	106	155	-
1996.....	491	12	4	1	3	13	12	17	33	76	156	164	-
1995.....	450	9	1	-	2	4	10	22	23	76	154	149	-
1994.....	444	6	2	6	-	5	8	30	27	78	127	155	-
1993.....	400	7	3	4	1	7	8	16	42	56	139	117	-
1992.....	420	13	1	1	2	6	8	19	33	78	137	122	-
1991.....	434	10	3	1	1	4	9	18	41	82	145	120	-
1990.....	404	9	2	1	2	7	15	22	33	78	122	113	-
1989.....	403	9	3	4	-	12	16	21	28	68	129	113	-
1988.....	398	15	2	3	2	7	11	24	42	70	114	108	-
1987.....	338	13	3	1	5	9	11	12	37	67	106	74	-
1986.....	392	14	4	3	2	4	10	13	51	84	122	85	-
1985.....	349	9	3	4	2	8	6	12	46	69	108	82	-
1984.....	343	9	5	5	8	2	11	14	34	76	99	80	-
1983.....	319	12	-	3	4	4	6	17	41	77	92	63	-
1982.....	290	13	4	-	1	3	9	15	35	61	91	58	-
1981.....	332	10	5	3	2	4	14	26	30	81	91	66	-
1980.....	317	15	5	3	5	7	19	26	34	75	76	52	-
1979.....	329	21	2	2	9	8	17	12	36	82	93	47	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553,560)													
BLACK, BOTH SEXES													
1998.....	750	24	6	4	9	6	17	46	70	123	240	205	-
1997.....	706	25	4	2	7	9	31	46	54	135	187	206	-
1996.....	823	21	10	6	9	18	27	47	68	147	238	232	-
1995.....	755	23	3	7	5	13	24	50	55	138	253	184	-
1994.....	764	14	8	9	3	12	25	53	66	150	214	210	-
1993.....	693	18	7	7	5	11	19	39	75	122	225	165	-
1992.....	724	25	5	5	2	14	22	33	60	146	223	189	-
1991.....	753	29	10	-	4	12	18	47	85	147	235	166	-
1990.....	697	26	4	5	3	14	35	41	67	135	208	158	1
1989.....	683	27	5	6	3	22	25	32	73	141	209	140	-
1988.....	695	27	8	7	6	11	22	50	78	140	192	154	-
1987.....	635	38	9	5	11	17	21	23	84	116	183	127	1
1986.....	673	27	6	5	8	9	25	29	87	148	207	122	-
1985.....	637	18	10	5	5	16	18	26	85	133	208	113	-
1984.....	602	24	7	7	9	7	19	35	64	135	175	120	-
1983.....	635	30	5	6	9	13	24	39	76	154	180	98	1
1982.....	607	41	9	2	10	11	21	41	73	145	159	95	-
1981.....	643	28	9	7	8	7	28	46	64	165	179	102	-
1980.....	618	30	12	6	13	11	31	58	78	141	150	88	-
1979.....	641	40	5	6	14	17	34	40	91	153	159	82	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR
 HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553,560)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
BLACK MALE													
1998.....	310	16	4	4	8	4	9	22	35	56	101	51	-
1997.....	321	16	1	2	6	4	19	25	32	67	87	62	-
1996.....	369	10	6	6	6	7	17	32	36	76	91	82	-
1995.....	333	17	2	7	3	9	15	29	34	66	104	47	-
1994.....	352	9	7	3	3	7	18	26	43	76	97	63	-
1993.....	325	12	5	4	4	4	11	23	37	70	96	59	-
1992.....	326	14	4	4	-	9	14	14	29	70	96	72	-
1991.....	347	19	8	-	3	8	12	29	45	73	97	53	-
1990.....	319	17	2	4	2	7	22	21	37	63	92	51	1
1989.....	315	20	3	3	3	10	13	13	47	76	88	39	-
1988.....	312	13	6	4	4	4	11	27	38	74	83	48	-
1987.....	322	27	8	4	6	9	10	12	50	52	85	58	1
1986.....	306	17	2	2	6	6	15	16	39	69	91	43	-
1985.....	306	9	7	1	4	8	12	14	42	67	107	35	-
1984.....	274	15	3	2	1	6	9	22	33	59	82	42	-
1983.....	334	18	5	3	6	9	18	22	38	81	93	40	1
1982.....	324	28	5	2	9	8	12	27	38	85	70	40	-
1981.....	324	19	4	4	6	4	14	21	36	84	90	42	-
1980.....	319	21	8	3	8	4	12	33	45	67	80	38	-
1979.....	332	22	3	5	5	10	17	28	58	75	71	38	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR
 HERNIA OF ABDOMINAL CAVITY AND INTESTINAL OBSTRUCTION WITHOUT MENTION OF HERNIA (550-553,560)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
BLACK FEMALE													
1998.....	440	8	2	-	1	2	8	24	35	67	139	154	-
1997.....	385	9	3	-	1	5	12	21	22	68	100	144	-
1996.....	454	11	4	-	3	11	10	15	32	71	147	150	-
1995.....	422	6	1	-	2	4	9	21	21	72	149	137	-
1994.....	412	5	1	6	-	5	7	27	23	74	117	147	-
1993.....	368	6	2	3	1	7	8	16	38	52	129	106	-
1992.....	398	11	1	1	2	5	8	19	31	76	127	117	-
1991.....	406	10	2	-	1	4	6	18	40	74	138	113	-
1990.....	378	9	2	1	1	7	13	20	30	72	116	107	-
1989.....	368	7	2	3	-	12	12	19	26	65	121	101	-
1988.....	383	14	2	3	2	7	11	23	40	66	109	106	-
1987.....	313	11	1	1	5	8	11	11	34	64	98	69	-
1986.....	367	10	4	3	2	3	10	13	48	79	116	79	-
1985.....	331	9	3	4	1	8	6	12	43	66	101	78	-
1984.....	328	9	4	5	8	1	10	13	31	76	93	78	-
1983.....	301	12	-	3	3	4	6	17	38	73	87	58	-
1982.....	283	13	4	-	1	3	9	14	35	60	89	55	-
1981.....	319	9	5	3	2	3	14	25	28	81	89	60	-
1980.....	299	9	4	3	5	7	19	25	33	74	70	50	-
1979.....	309	18	2	1	9	7	17	12	33	78	88	44	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)													
TOTAL, BOTH SEXES													
1998.....	25,192	16	1	4	22	506	3,370	5,744	5,279	5,655	3,703	887	5
1997.....	25,175	15	4	2	25	516	3,508	5,622	5,253	5,804	3,538	884	4
1996.....	25,047	17	5	5	20	570	3,640	5,431	5,312	5,725	3,507	805	10
1995.....	25,222	23	6	7	33	604	3,705	5,247	5,356	5,909	3,492	831	9
1994.....	25,406	19	7	5	26	733	3,698	5,043	5,530	6,158	3,371	809	7
1993.....	25,209	19	11	8	39	721	3,756	4,703	5,613	6,094	3,491	741	13
1992.....	25,263	24	9	3	32	765	3,608	4,569	5,780	6,264	3,414	789	6
1991.....	25,429	15	4	6	38	858	3,591	4,450	6,047	6,222	3,450	730	18
1990.....	25,815	16	7	7	44	889	3,616	4,500	6,306	6,290	3,419	706	15
1989.....	26,694	18	6	7	57	981	3,603	4,721	6,756	6,492	3,340	704	9
1988.....	26,409	21	6	2	53	1,057	3,563	4,780	6,980	6,266	3,083	590	8
1987.....	26,201	16	4	10	71	1,140	3,422	4,618	7,078	6,202	3,034	598	8
1986.....	26,159	20	10	4	69	1,182	3,188	4,632	7,163	6,455	2,850	578	8
1985.....	26,767	13	15	2	65	1,244	3,114	4,965	7,541	6,379	2,881	537	11
1984.....	27,317	23	12	22	66	1,162	3,072	5,214	7,819	6,579	2,850	491	7
1983.....	27,266	23	13	13	66	1,208	2,951	5,440	8,052	6,347	2,670	474	9
1982.....	27,690	31	10	15	87	1,202	3,007	5,694	8,160	6,474	2,566	437	7
1981.....	29,308	28	12	14	101	1,190	3,232	6,387	8,626	6,742	2,478	489	9
1980.....	30,583	33	12	11	122	1,292	3,490	7,050	9,039	6,709	2,364	446	15
1979.....	29,720	34	10	15	94	1,224	3,490	7,116	8,771	6,410	2,149	397	10

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)													
TOTAL, MALE													
1998.....	16,343	11	-	1	16	332	2,338	4,296	3,735	3,396	1,827	386	5
1997.....	16,260	6	2	2	15	337	2,463	4,198	3,654	3,447	1,791	341	4
1996.....	16,311	12	2	2	12	360	2,636	4,018	3,690	3,443	1,799	330	7
1995.....	16,525	14	2	5	26	414	2,705	3,887	3,670	3,676	1,763	354	9
1994.....	16,513	11	2	3	13	486	2,686	3,659	3,842	3,744	1,734	326	7
1993.....	16,276	15	6	2	22	479	2,732	3,451	3,796	3,693	1,746	324	10
1992.....	16,487	14	4	2	18	501	2,703	3,322	3,981	3,813	1,791	332	6
1991.....	16,269	10	2	2	23	542	2,593	3,174	4,127	3,700	1,780	302	14
1990.....	16,627	8	2	2	23	557	2,645	3,252	4,263	3,800	1,758	305	12
1989.....	17,310	11	3	6	28	672	2,716	3,378	4,518	3,936	1,732	302	8
1988.....	17,196	12	3	1	30	709	2,597	3,416	4,700	3,872	1,570	279	7
1987.....	17,051	8	3	6	42	759	2,468	3,288	4,812	3,798	1,586	274	7
1986.....	16,797	9	4	4	43	793	2,281	3,202	4,722	3,972	1,496	264	7
1985.....	17,244	8	6	1	43	827	2,206	3,410	5,089	3,925	1,498	222	9
1984.....	17,558	15	4	15	40	794	2,172	3,546	5,169	4,067	1,505	225	6
1983.....	17,530	13	9	3	27	819	2,058	3,669	5,278	4,010	1,433	204	7
1982.....	17,917	21	4	8	47	820	2,090	3,914	5,374	4,080	1,347	206	6
1981.....	18,894	14	8	4	55	814	2,212	4,248	5,672	4,249	1,375	238	5
1980.....	19,768	19	7	5	69	867	2,333	4,706	5,979	4,261	1,290	219	13
1979.....	19,369	19	7	6	56	847	2,365	4,723	5,804	4,145	1,196	192	9

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)													
TOTAL, FEMALE													
1998.....	8,849	5	1	3	6	174	1,032	1,448	1,544	2,259	1,876	501	-
1997.....	8,915	9	2	-	10	179	1,045	1,424	1,599	2,357	1,747	543	-
1996.....	8,736	5	3	3	8	210	1,004	1,413	1,622	2,282	1,708	475	3
1995.....	8,697	9	4	2	7	190	1,000	1,360	1,686	2,233	1,729	477	-
1994.....	8,893	8	5	2	13	247	1,012	1,384	1,688	2,414	1,637	483	-
1993.....	8,933	4	5	6	17	242	1,024	1,252	1,817	2,401	1,745	417	3
1992.....	8,776	10	5	1	14	264	905	1,247	1,799	2,451	1,623	457	-
1991.....	9,160	5	2	4	15	316	998	1,276	1,920	2,522	1,670	428	4
1990.....	9,188	8	5	5	21	332	971	1,248	2,043	2,490	1,661	401	3
1989.....	9,384	7	3	1	29	309	887	1,343	2,238	2,556	1,608	402	1
1988.....	9,213	9	3	1	23	348	966	1,364	2,280	2,394	1,513	311	1
1987.....	9,150	8	1	4	29	381	954	1,330	2,266	2,404	1,448	324	1
1986.....	9,362	11	6	-	26	389	907	1,430	2,441	2,483	1,354	314	1
1985.....	9,523	5	9	1	22	417	908	1,555	2,452	2,454	1,383	315	2
1984.....	9,759	8	8	7	26	368	900	1,668	2,650	2,512	1,345	266	1
1983.....	9,736	10	4	10	39	389	893	1,771	2,774	2,337	1,237	270	2
1982.....	9,773	10	6	7	40	382	917	1,780	2,786	2,394	1,219	231	1
1981.....	10,414	14	4	10	46	376	1,020	2,139	2,954	2,493	1,103	251	4
1980.....	10,815	14	5	6	53	425	1,157	2,344	3,060	2,448	1,074	227	2
1979.....	10,351	15	3	9	38	377	1,125	2,393	2,967	2,265	953	205	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)													
WHITE, BOTH SEXES													
1998.....	21,771	11	-	3	17	401	2,737	4,671	4,479	5,123	3,488	838	3
1997.....	21,683	9	3	2	18	401	2,872	4,548	4,433	5,229	3,323	841	4
1996.....	21,422	16	4	5	17	452	2,860	4,405	4,482	5,134	3,292	747	8
1995.....	21,432	15	3	6	15	465	2,893	4,193	4,464	5,342	3,256	773	7
1994.....	21,476	13	7	3	17	548	2,869	3,931	4,683	5,504	3,150	744	7
1993.....	21,348	14	7	3	27	536	2,796	3,733	4,795	5,478	3,252	699	8
1992.....	21,286	19	8	3	20	548	2,727	3,594	4,880	5,559	3,187	736	5
1991.....	21,386	9	4	5	22	610	2,639	3,472	5,136	5,556	3,236	686	11
1990.....	21,478	13	4	5	31	602	2,585	3,443	5,268	5,689	3,163	665	10
1989.....	22,211	9	3	5	36	649	2,536	3,665	5,700	5,821	3,122	661	4
1988.....	21,924	15	3	2	35	701	2,502	3,661	5,946	5,651	2,844	558	6
1987.....	21,766	8	2	7	51	736	2,334	3,520	6,068	5,633	2,838	566	3
1986.....	21,916	12	8	3	47	731	2,211	3,612	6,204	5,879	2,655	550	4
1985.....	22,192	5	13	2	49	777	2,079	3,854	6,467	5,760	2,679	501	6
1984.....	22,909	11	11	17	44	703	2,122	4,143	6,747	5,987	2,652	469	3
1983.....	22,927	18	11	6	36	750	2,029	4,329	6,977	5,777	2,526	460	8
1982.....	23,409	19	7	12	51	729	2,104	4,552	7,160	5,948	2,408	414	5
1981.....	24,465	19	10	8	70	700	2,174	5,040	7,524	6,126	2,323	464	7
1980.....	25,240	22	9	8	75	724	2,303	5,539	7,811	6,099	2,218	423	9
1979.....	24,639	25	7	10	65	696	2,378	5,606	7,628	5,836	2,006	374	8

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)													
WHITE MALE													
1998.....	14,096	8	-	1	14	269	1,945	3,551	3,167	3,050	1,728	360	3
1997.....	14,045	4	1	2	13	276	2,069	3,451	3,097	3,119	1,688	321	4
1996.....	13,992	11	2	2	12	288	2,138	3,305	3,140	3,102	1,682	305	5
1995.....	14,100	11	1	5	12	329	2,154	3,158	3,101	3,331	1,664	327	7
1994.....	14,015	7	2	2	8	390	2,153	2,875	3,291	3,366	1,618	296	7
1993.....	13,821	10	4	-	17	372	2,099	2,780	3,268	3,318	1,638	309	6
1992.....	13,910	11	4	2	10	375	2,101	2,643	3,402	3,384	1,662	311	5
1991.....	13,789	6	2	2	13	412	1,993	2,530	3,526	3,332	1,681	283	9
1990.....	13,889	6	2	2	19	400	1,966	2,516	3,604	3,451	1,631	284	8
1989.....	14,414	7	1	5	18	465	1,972	2,662	3,852	3,540	1,611	277	4
1988.....	14,381	7	1	1	21	494	1,890	2,669	4,044	3,523	1,458	267	6
1987.....	14,175	3	2	6	34	514	1,730	2,538	4,158	3,456	1,476	255	3
1986.....	14,099	4	3	3	32	518	1,622	2,533	4,111	3,637	1,384	249	3
1985.....	14,321	2	4	1	33	552	1,506	2,672	4,384	3,554	1,403	204	6
1984.....	14,783	6	4	11	31	520	1,548	2,825	4,512	3,710	1,398	215	3
1983.....	14,823	10	7	2	18	547	1,458	2,955	4,604	3,661	1,355	200	6
1982.....	15,249	13	3	7	32	538	1,511	3,169	4,737	3,776	1,259	199	5
1981.....	15,868	10	7	3	39	522	1,525	3,380	4,982	3,884	1,287	226	3
1980.....	16,407	15	7	4	48	520	1,569	3,733	5,205	3,884	1,209	206	7
1979.....	16,104	13	4	4	37	516	1,654	3,731	5,057	3,786	1,119	176	7

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)													
WHITE FEMALE													
1998.....	7,675	3	-	2	3	132	792	1,120	1,312	2,073	1,760	478	-
1997.....	7,638	5	2	-	5	125	803	1,097	1,336	2,110	1,635	520	-
1996.....	7,430	5	2	3	5	164	722	1,100	1,342	2,032	1,610	442	3
1995.....	7,332	4	2	1	3	136	739	1,035	1,363	2,011	1,592	446	-
1994.....	7,461	6	5	1	9	158	716	1,056	1,392	2,138	1,532	448	-
1993.....	7,527	4	3	3	10	164	697	953	1,527	2,160	1,614	390	2
1992.....	7,376	8	4	1	10	173	626	951	1,478	2,175	1,525	425	-
1991.....	7,597	3	2	3	9	198	646	942	1,610	2,224	1,555	403	2
1990.....	7,589	7	2	3	12	202	619	927	1,664	2,238	1,532	381	2
1989.....	7,797	2	2	-	18	184	564	1,003	1,848	2,281	1,511	384	-
1988.....	7,543	8	2	1	14	207	612	992	1,902	2,128	1,386	291	-
1987.....	7,591	5	-	1	17	222	604	982	1,910	2,177	1,362	311	-
1986.....	7,817	8	5	-	15	213	589	1,079	2,093	2,242	1,271	301	1
1985.....	7,871	3	9	1	16	225	573	1,182	2,083	2,206	1,276	297	-
1984.....	8,126	5	7	6	13	183	574	1,318	2,235	2,277	1,254	254	-
1983.....	8,104	8	4	4	18	203	571	1,374	2,373	2,116	1,171	260	2
1982.....	8,160	6	4	5	19	191	593	1,383	2,423	2,172	1,149	215	-
1981.....	8,597	9	3	5	31	178	649	1,660	2,542	2,242	1,036	238	4
1980.....	8,833	7	2	4	27	204	734	1,806	2,606	2,215	1,009	217	2
1979.....	8,535	12	3	6	28	180	724	1,875	2,571	2,050	887	198	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)													
ALL OTHER, BOTH SEXES													
1998.....	3,421	5	1	1	5	105	633	1,073	800	532	215	49	2
1997.....	3,492	6	1	-	7	115	636	1,074	820	575	215	43	-
1996.....	3,625	1	1	-	3	118	780	1,026	830	591	215	58	2
1995.....	3,790	8	3	1	18	139	812	1,054	892	567	236	58	2
1994.....	3,930	6	-	2	9	185	829	1,112	847	654	221	65	-
1993.....	3,861	5	4	5	12	185	960	970	818	616	239	42	5
1992.....	3,977	5	1	-	12	217	881	975	900	705	227	53	1
1991.....	4,043	6	-	1	16	248	952	978	911	666	214	44	7
1990.....	4,337	3	3	2	13	287	1,031	1,057	1,038	601	256	41	5
1989.....	4,483	9	3	2	21	332	1,067	1,056	1,056	671	218	43	5
1988.....	4,485	6	3	-	18	356	1,061	1,119	1,034	615	239	32	2
1987.....	4,435	8	2	3	20	404	1,088	1,098	1,010	569	196	32	5
1986.....	4,243	8	2	1	22	451	977	1,020	959	576	195	28	4
1985.....	4,575	8	2	-	16	467	1,035	1,111	1,074	619	202	36	5
1984.....	4,408	12	1	5	22	459	950	1,071	1,072	592	198	22	4
1983.....	4,339	5	2	7	30	458	922	1,111	1,075	570	144	14	1
1982.....	4,281	12	3	3	36	473	903	1,142	1,000	526	158	23	2
1981.....	4,843	9	2	6	31	490	1,058	1,347	1,102	616	155	25	2
1980.....	5,343	11	3	3	47	568	1,187	1,511	1,228	610	146	23	6
1979.....	5,081	9	3	5	29	528	1,112	1,510	1,143	574	143	23	2

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)													
ALL OTHER MALE													
1998.....	2,247	3	-	-	2	63	393	745	568	346	99	26	2
1997.....	2,215	2	1	-	2	61	394	747	557	328	103	20	-
1996.....	2,319	1	-	-	-	72	498	713	550	341	117	25	2
1995.....	2,425	3	1	-	14	85	551	729	569	345	99	27	2
1994.....	2,498	4	-	1	5	96	533	784	551	378	116	30	-
1993.....	2,455	5	2	2	5	107	633	671	528	375	108	15	4
1992.....	2,577	3	-	-	8	126	602	679	579	429	129	21	1
1991.....	2,480	4	-	-	10	130	600	644	601	368	99	19	5
1990.....	2,738	2	-	-	4	157	679	736	659	349	127	21	4
1989.....	2,896	4	2	1	10	207	744	716	666	396	121	25	4
1988.....	2,815	5	2	-	9	215	707	747	656	349	112	12	1
1987.....	2,876	5	1	-	8	245	738	750	654	342	110	19	4
1986.....	2,698	5	1	1	11	275	659	669	611	335	112	15	4
1985.....	2,923	6	2	-	10	275	700	738	705	371	95	18	3
1984.....	2,775	9	-	4	9	274	624	721	657	357	107	10	3
1983.....	2,707	3	2	1	9	272	600	714	674	349	78	4	1
1982.....	2,668	8	1	1	15	282	579	745	637	304	88	7	1
1981.....	3,026	4	1	1	16	292	687	868	690	365	88	12	2
1980.....	3,361	4	-	1	21	347	764	973	774	377	81	13	6
1979.....	3,265	6	3	2	19	331	711	992	747	359	77	16	2

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)													
ALL OTHER FEMALE													
1998.....	1,174	2	1	1	3	42	240	328	232	186	116	23	-
1997.....	1,277	4	-	-	5	54	242	327	263	247	112	23	-
1996.....	1,306	-	1	-	3	46	282	313	280	250	98	33	-
1995.....	1,365	5	2	1	4	54	261	325	323	222	137	31	-
1994.....	1,432	2	-	1	4	89	296	328	296	276	105	35	-
1993.....	1,406	-	2	3	7	78	327	299	290	241	131	27	1
1992.....	1,400	2	1	-	4	91	279	296	321	276	98	32	-
1991.....	1,563	2	-	1	6	118	352	334	310	298	115	25	2
1990.....	1,599	1	3	2	9	130	352	321	379	252	129	20	1
1989.....	1,587	5	1	1	11	125	323	340	390	275	97	18	1
1988.....	1,670	1	1	-	9	141	354	372	378	266	127	20	1
1987.....	1,559	3	1	3	12	159	350	348	356	227	86	13	1
1986.....	1,545	3	1	-	11	176	318	351	348	241	83	13	-
1985.....	1,652	2	-	-	6	192	335	373	369	248	107	18	2
1984.....	1,633	3	1	1	13	185	326	350	415	235	91	12	1
1983.....	1,632	2	-	6	21	186	322	397	401	221	66	10	-
1982.....	1,613	4	2	2	21	191	324	397	363	222	70	16	1
1981.....	1,817	5	1	5	15	198	371	479	412	251	67	13	-
1980.....	1,982	7	3	2	26	221	423	538	454	233	65	10	-
1979.....	1,816	3	-	3	10	197	401	518	396	215	66	7	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
CHRONIC LIVER DISEASE AND CIRRHOSIS (571) BLACK, BOTH SEXES													
1998.....	2,697	5	1	1	3	59	487	873	640	432	162	32	2
1997.....	2,820	5	1	-	6	67	493	894	696	455	166	37	-
1996.....	2,950	1	1	-	2	74	634	878	678	494	147	39	2
1995.....	3,073	5	1	1	14	94	654	892	723	465	175	47	2
1994.....	3,245	6	-	2	8	131	692	943	703	540	170	50	-
1993.....	3,228	4	4	4	10	147	795	831	696	518	185	30	4
1992.....	3,315	5	1	-	8	162	765	828	756	572	178	39	1
1991.....	3,464	6	-	1	13	203	842	848	781	563	168	32	7
1990.....	3,753	3	3	2	10	237	919	916	905	515	203	35	5
1989.....	3,851	7	3	2	18	277	936	914	917	571	171	31	4
1988.....	3,903	6	2	-	15	307	957	965	896	528	197	28	2
1987.....	3,916	7	1	3	14	366	1,000	966	877	486	167	24	5
1986.....	3,745	7	2	1	18	402	887	888	855	509	156	16	4
1985.....	4,055	5	2	-	15	417	934	982	957	544	167	27	5
1984.....	3,901	11	1	5	20	408	838	942	967	520	166	19	4
1983.....	3,883	3	2	5	26	412	835	992	974	497	123	13	1
1982.....	3,839	12	2	3	33	418	821	1,023	912	467	128	19	1
1981.....	4,349	7	2	6	26	434	951	1,210	1,005	557	131	18	2
1980.....	4,790	10	3	3	45	501	1,051	1,368	1,125	540	119	19	6
1979.....	4,567	6	2	5	26	454	1,001	1,371	1,040	527	114	19	2

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
CHRONIC LIVER DISEASE AND CIRRHOSIS (571) BLACK MALE													
1998.....	1,804	3	-	-	1	35	311	622	456	282	78	14	2
1997.....	1,818	1	1	-	2	36	304	632	474	272	81	15	-
1996.....	1,923	1	-	-	-	43	414	623	452	291	85	12	2
1995.....	1,999	2	1	-	10	52	440	630	473	293	73	23	2
1994.....	2,097	4	-	1	5	71	455	670	459	325	87	20	-
1993.....	2,100	4	2	1	5	87	534	579	466	322	86	10	4
1992.....	2,181	3	-	-	6	96	527	582	501	355	93	17	1
1991.....	2,137	4	-	-	9	105	532	564	522	308	77	11	5
1990.....	2,393	2	-	-	3	137	602	640	585	303	100	17	4
1989.....	2,517	4	2	1	8	176	660	632	584	340	93	14	3
1988.....	2,476	5	2	-	8	193	640	652	576	298	91	10	1
1987.....	2,574	4	1	-	6	222	684	668	588	289	94	14	4
1986.....	2,404	4	1	1	8	249	604	583	545	302	91	12	4
1985.....	2,616	4	2	-	9	246	644	657	637	325	75	14	3
1984.....	2,458	8	-	4	7	241	561	635	594	310	86	9	3
1983.....	2,429	3	2	-	9	240	544	647	609	307	63	4	1
1982.....	2,408	8	1	1	13	249	531	670	590	268	71	6	-
1981.....	2,740	3	1	1	15	263	620	792	626	335	76	6	2
1980.....	3,020	4	-	1	20	310	682	883	706	331	65	12	6
1979.....	2,954	4	2	2	17	290	648	905	684	327	59	14	2

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
CHRONIC LIVER DISEASE AND CIRRHOSIS (571)													
BLACK FEMALE													
1998.....	893	2	1	1	2	24	176	251	184	150	84	18	-
1997.....	1,002	4	-	-	4	31	189	262	222	183	85	22	-
1996.....	1,027	-	1	-	2	31	220	255	226	203	62	27	-
1995.....	1,074	3	-	1	4	42	214	262	250	172	102	24	-
1994.....	1,148	2	-	1	3	60	237	273	244	215	83	30	-
1993.....	1,128	-	2	3	5	60	261	252	230	196	99	20	-
1992.....	1,134	2	1	-	2	66	238	246	255	217	85	22	-
1991.....	1,327	2	-	1	4	98	310	284	259	255	91	21	2
1990.....	1,360	1	3	2	7	100	317	276	320	212	103	18	1
1989.....	1,334	3	1	1	10	101	276	282	333	231	78	17	1
1988.....	1,427	1	-	-	7	114	317	313	320	230	106	18	1
1987.....	1,342	3	-	3	8	144	316	298	289	197	73	10	1
1986.....	1,341	3	1	-	10	153	283	305	310	207	65	4	-
1985.....	1,439	1	-	-	6	171	290	325	320	219	92	13	2
1984.....	1,443	3	1	1	13	167	277	307	373	210	80	10	1
1983.....	1,454	-	-	5	17	172	291	345	365	190	60	9	-
1982.....	1,431	4	1	2	20	169	290	353	322	199	57	13	1
1981.....	1,609	4	1	5	11	171	331	418	379	222	55	12	-
1980.....	1,770	6	3	2	25	191	369	485	419	209	54	7	-
1979.....	1,613	2	-	3	9	164	353	466	356	200	55	5	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575)													
TOTAL, BOTH SEXES													
1998.....	2,822	2	5	1	8	29	56	107	179	496	954	985	-
1997.....	2,757	1	2	1	9	22	53	102	177	505	921	964	-
1996.....	2,816	4	1	3	7	22	49	101	204	562	930	933	-
1995.....	2,751	6	-	1	6	18	51	97	201	493	961	917	-
1994.....	2,855	9	4	1	8	22	59	89	204	553	929	977	-
1993.....	2,752	5	1	-	5	17	45	75	191	534	949	930	-
1992.....	2,915	2	-	2	5	22	50	100	196	571	979	988	-
1991.....	2,881	2	1	-	13	21	46	75	206	548	984	985	-
1990.....	3,022	3	-	1	5	22	43	67	212	630	1,027	1,010	2
1989.....	3,048	3	2	-	4	20	48	85	227	590	1,032	1,037	-
1988.....	3,115	4	1	1	5	23	47	83	226	624	1,020	1,081	-
1987.....	3,032	1	-	-	6	19	27	81	254	639	1,051	954	-
1986.....	2,956	4	1	2	7	16	33	71	225	615	1,060	920	2
1985.....	2,975	2	1	-	8	23	46	88	257	623	982	944	1
1984.....	3,023	4	-	-	7	20	46	95	269	666	1,020	894	2
1983.....	2,989	3	3	-	6	27	42	96	288	597	1,043	884	-
1982.....	2,941	2	-	3	8	15	42	108	262	665	978	858	-
1981.....	3,084	1	-	3	10	19	37	95	295	698	1,046	879	1
1980.....	3,285	1	-	-	13	31	49	119	321	721	1,132	898	-
1979.....	3,139	5	1	-	5	27	40	118	319	747	1,047	830	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575)													
TOTAL, MALE													
1998.....	1,216	1	3	-	3	16	29	50	94	260	430	330	-
1997.....	1,239	-	1	1	2	8	31	61	101	275	470	289	-
1996.....	1,213	2	1	1	2	10	25	64	106	301	445	256	-
1995.....	1,215	4	-	-	4	6	25	50	116	292	439	279	-
1994.....	1,245	5	-	1	2	8	37	49	112	284	408	339	-
1993.....	1,207	2	1	-	-	7	26	46	116	298	429	282	-
1992.....	1,252	2	-	1	3	11	25	58	95	297	451	309	-
1991.....	1,246	1	-	-	2	12	25	33	117	293	461	302	-
1990.....	1,280	2	-	1	3	9	24	31	106	345	454	305	-
1989.....	1,336	3	2	-	-	12	23	35	122	332	476	331	-
1988.....	1,385	4	-	-	3	11	23	46	114	359	495	330	-
1987.....	1,297	1	-	-	3	8	12	42	140	336	492	263	-
1986.....	1,344	1	-	1	2	5	14	47	137	325	520	292	-
1985.....	1,368	2	-	-	3	6	30	48	140	357	461	321	-
1984.....	1,387	4	-	-	-	4	25	48	155	371	478	300	2
1983.....	1,385	-	2	-	1	15	27	45	161	328	508	298	-
1982.....	1,289	1	-	2	6	6	14	51	136	368	450	255	-
1981.....	1,345	1	-	1	-	5	16	49	155	347	476	295	-
1980.....	1,475	-	-	-	4	12	25	57	183	389	497	308	-
1979.....	1,383	5	-	-	-	9	16	61	152	405	444	291	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575)													
TOTAL, FEMALE													
1998.....	1,606	1	2	1	5	13	27	57	85	236	524	655	-
1997.....	1,518	1	1	-	7	14	22	41	76	230	451	675	-
1996.....	1,603	2	-	2	5	12	24	37	98	261	485	677	-
1995.....	1,536	2	-	1	2	12	26	47	85	201	522	638	-
1994.....	1,610	4	4	-	6	14	22	40	92	269	521	638	-
1993.....	1,545	3	-	-	5	10	19	29	75	236	520	648	-
1992.....	1,663	-	-	1	2	11	25	42	101	274	528	679	-
1991.....	1,635	1	1	-	11	9	21	42	89	255	523	683	-
1990.....	1,742	1	-	-	2	13	19	36	106	285	573	705	2
1989.....	1,712	-	-	-	4	8	25	50	105	258	556	706	-
1988.....	1,730	-	1	1	2	12	24	37	112	265	525	751	-
1987.....	1,735	-	-	-	3	11	15	39	114	303	559	691	-
1986.....	1,612	3	1	1	5	11	19	24	88	290	540	628	2
1985.....	1,607	-	1	-	5	17	16	40	117	266	521	623	1
1984.....	1,636	-	-	-	7	16	21	47	114	295	542	594	-
1983.....	1,604	3	1	-	5	12	15	51	127	269	535	586	-
1982.....	1,652	1	-	1	2	9	28	57	126	297	528	603	-
1981.....	1,739	-	-	2	10	14	21	46	140	351	570	584	1
1980.....	1,810	1	-	-	9	19	24	62	138	332	635	590	-
1979.....	1,756	-	1	-	5	18	24	57	167	342	603	539	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575)													
WHITE, BOTH SEXES													
1998.....	2,474	-	1	1	6	22	40	81	146	408	859	910	-
1997.....	2,413	1	2	-	7	14	43	70	132	429	827	888	-
1996.....	2,440	2	1	2	6	18	30	81	158	467	826	849	-
1995.....	2,416	4	-	1	5	9	36	67	160	417	857	860	-
1994.....	2,525	6	2	1	6	15	40	71	162	480	838	904	-
1993.....	2,417	4	1	-	4	14	37	56	159	445	847	850	-
1992.....	2,589	2	-	1	3	16	35	82	163	493	879	915	-
1991.....	2,562	1	-	-	10	15	35	58	172	473	892	906	-
1990.....	2,722	3	-	-	3	18	30	55	175	556	943	937	2
1989.....	2,738	2	1	-	3	14	31	66	187	526	946	962	-
1988.....	2,789	4	1	1	2	19	33	61	181	557	918	1,012	-
1987.....	2,721	-	-	-	5	15	22	63	211	566	958	881	-
1986.....	2,673	2	-	-	5	10	27	54	198	545	956	874	2
1985.....	2,660	1	1	-	6	18	39	70	218	544	879	883	1
1984.....	2,752	3	-	-	7	16	35	76	225	606	937	846	1
1983.....	2,684	2	2	-	6	17	36	76	233	534	945	833	-
1982.....	2,663	1	-	2	4	11	27	89	234	587	894	814	-
1981.....	2,811	1	-	3	7	17	28	77	251	622	967	838	-
1980.....	2,995	1	-	-	5	21	34	89	292	637	1,050	866	-
1979.....	2,867	4	1	-	4	17	29	92	282	665	980	793	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575)													
WHITE MALE													
1998.....	1,074	-	1	-	2	11	20	39	77	229	395	300	-
1997.....	1,085	-	1	-	2	6	24	39	78	242	423	270	-
1996.....	1,064	1	1	1	1	8	16	53	82	260	407	234	-
1995.....	1,080	2	-	-	3	4	19	39	96	253	403	261	-
1994.....	1,109	3	-	1	2	5	28	41	91	252	376	310	-
1993.....	1,067	1	1	-	-	6	23	36	99	252	386	263	-
1992.....	1,140	2	-	-	2	10	22	49	82	266	414	293	-
1991.....	1,122	-	-	-	2	9	20	29	104	259	420	279	-
1990.....	1,156	2	-	-	2	7	15	29	90	304	422	285	-
1989.....	1,210	2	1	-	-	8	15	29	103	301	445	306	-
1988.....	1,243	4	-	-	1	9	17	33	96	324	444	315	-
1987.....	1,181	-	-	-	2	6	8	35	118	306	458	248	-
1986.....	1,224	-	-	-	1	5	14	35	121	297	470	281	-
1985.....	1,229	1	-	-	3	5	25	39	120	316	418	302	-
1984.....	1,272	3	-	-	-	4	19	39	133	347	438	288	1
1983.....	1,255	-	1	-	1	9	23	36	137	301	470	277	-
1982.....	1,177	1	-	1	2	4	10	42	124	338	413	242	-
1981.....	1,255	1	-	1	-	4	12	42	133	324	453	285	-
1980.....	1,356	-	-	-	2	7	15	44	168	356	467	297	-
1979.....	1,266	4	-	-	-	6	12	55	135	360	417	277	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575)													
WHITE FEMALE													
1998.....	1,400	-	-	1	4	11	20	42	69	179	464	610	-
1997.....	1,328	1	1	-	5	8	19	31	54	187	404	618	-
1996.....	1,376	1	-	1	5	10	14	28	76	207	419	615	-
1995.....	1,336	2	-	1	2	5	17	28	64	164	454	599	-
1994.....	1,416	3	2	-	4	10	12	30	71	228	462	594	-
1993.....	1,350	3	-	-	4	8	14	20	60	193	461	587	-
1992.....	1,449	-	-	1	1	6	13	33	81	227	465	622	-
1991.....	1,440	1	-	-	8	6	15	29	68	214	472	627	-
1990.....	1,566	1	-	-	1	11	15	26	85	252	521	652	2
1989.....	1,528	-	-	-	3	6	16	37	84	225	501	656	-
1988.....	1,546	-	1	1	1	10	16	28	85	233	474	697	-
1987.....	1,540	-	-	-	3	9	14	28	93	260	500	633	-
1986.....	1,449	2	-	-	4	5	13	19	77	248	486	593	2
1985.....	1,431	-	1	-	3	13	14	31	98	228	461	581	1
1984.....	1,480	-	-	-	7	12	16	37	92	259	499	558	-
1983.....	1,429	2	1	-	5	8	13	40	96	233	475	556	-
1982.....	1,486	-	-	1	2	7	17	47	110	249	481	572	-
1981.....	1,556	-	-	2	7	13	16	35	118	298	514	553	-
1980.....	1,639	1	-	-	3	14	19	45	124	281	583	569	-
1979.....	1,601	-	1	-	4	11	17	37	147	305	563	516	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575)													
ALL OTHER, BOTH SEXES													
1998.....	348	2	4	-	2	7	16	26	33	88	95	75	-
1997.....	344	-	-	1	2	8	10	32	45	76	94	76	-
1996.....	376	2	-	1	1	4	19	20	46	95	104	84	-
1995.....	335	2	-	-	1	9	15	30	41	76	104	57	-
1994.....	330	3	2	-	2	7	19	18	42	73	91	73	-
1993.....	335	1	-	-	1	3	8	19	32	89	102	80	-
1992.....	326	-	-	1	2	6	15	18	33	78	100	73	-
1991.....	319	1	1	-	3	6	11	17	34	75	92	79	-
1990.....	300	-	-	1	2	4	13	12	37	74	84	73	-
1989.....	310	1	1	-	1	6	17	19	40	64	86	75	-
1988.....	326	-	-	-	3	4	14	22	45	67	102	69	-
1987.....	311	1	-	-	1	4	5	18	43	73	93	73	-
1986.....	283	2	1	2	2	6	6	17	27	70	104	46	-
1985.....	315	1	-	-	2	5	7	18	39	79	103	61	-
1984.....	271	1	-	-	-	4	11	19	44	60	83	48	1
1983.....	305	1	1	-	-	10	6	20	55	63	98	51	-
1982.....	278	1	-	1	4	4	15	19	28	78	84	44	-
1981.....	273	-	-	-	3	2	9	18	44	76	79	41	1
1980.....	290	-	-	-	8	10	15	30	29	84	82	32	-
1979.....	272	1	-	-	1	10	11	26	37	82	67	37	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575)													
ALL OTHER MALE													
1998.....	142	1	2	-	1	5	9	11	17	31	35	30	-
1997.....	154	-	-	1	-	2	7	22	23	33	47	19	-
1996.....	149	1	-	-	1	2	9	11	24	41	38	22	-
1995.....	135	2	-	-	1	2	6	11	20	39	36	18	-
1994.....	136	2	-	-	-	3	9	8	21	32	32	29	-
1993.....	140	1	-	-	-	1	3	10	17	46	43	19	-
1992.....	112	-	-	1	1	1	3	9	13	31	37	16	-
1991.....	124	1	-	-	-	3	5	4	13	34	41	23	-
1990.....	124	-	-	1	1	2	9	2	16	41	32	20	-
1989.....	126	1	1	-	-	4	8	6	19	31	31	25	-
1988.....	142	-	-	-	2	2	6	13	18	35	51	15	-
1987.....	116	1	-	-	1	2	4	7	22	30	34	15	-
1986.....	120	1	-	1	1	-	-	12	16	28	50	11	-
1985.....	139	1	-	-	-	1	5	9	20	41	43	19	-
1984.....	115	1	-	-	-	-	6	9	22	24	40	12	1
1983.....	130	-	1	-	-	6	4	9	24	27	38	21	-
1982.....	112	-	-	1	4	2	4	9	12	30	37	13	-
1981.....	90	-	-	-	-	1	4	7	22	23	23	10	-
1980.....	119	-	-	-	2	5	10	13	15	33	30	11	-
1979.....	117	1	-	-	-	3	4	6	17	45	27	14	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575)													
ALL OTHER FEMALE													
1998.....	206	1	2	-	1	2	7	15	16	57	60	45	-
1997.....	190	-	-	-	2	6	3	10	22	43	47	57	-
1996.....	227	1	-	1	-	2	10	9	22	54	66	62	-
1995.....	200	-	-	-	-	7	9	19	21	37	68	39	-
1994.....	194	1	2	-	2	4	10	10	21	41	59	44	-
1993.....	195	-	-	-	1	2	5	9	15	43	59	61	-
1992.....	214	-	-	-	1	5	12	9	20	47	63	57	-
1991.....	195	-	1	-	3	3	6	13	21	41	51	56	-
1990.....	176	-	-	-	1	2	4	10	21	33	52	53	-
1989.....	184	-	-	-	1	2	9	13	21	33	55	50	-
1988.....	184	-	-	-	1	2	8	9	27	32	51	54	-
1987.....	195	-	-	-	-	2	1	11	21	43	59	58	-
1986.....	163	1	1	1	1	6	6	5	11	42	54	35	-
1985.....	176	-	-	-	2	4	2	9	19	38	60	42	-
1984.....	156	-	-	-	-	4	5	10	22	36	43	36	-
1983.....	175	1	-	-	-	4	2	11	31	36	60	30	-
1982.....	166	1	-	-	-	2	11	10	16	48	47	31	-
1981.....	183	-	-	-	3	1	5	11	22	53	56	31	1
1980.....	171	-	-	-	6	5	5	17	14	51	52	21	-
1979.....	155	-	-	-	1	7	7	20	20	37	40	23	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575)													
BLACK, BOTH SEXES													
1998.....	282	2	4	-	2	5	14	22	29	69	70	65	-
1997.....	272	-	-	1	1	8	7	28	35	56	72	64	-
1996.....	304	2	-	-	1	4	16	17	40	73	83	68	-
1995.....	268	1	-	-	1	9	10	25	35	58	80	49	-
1994.....	275	3	2	-	2	6	17	15	35	61	76	58	-
1993.....	272	1	-	-	1	2	8	16	27	73	82	62	-
1992.....	275	-	-	1	2	5	14	16	28	62	89	58	-
1991.....	260	1	-	-	3	4	10	15	29	63	74	61	-
1990.....	244	-	-	1	2	4	11	10	30	59	70	57	-
1989.....	255	1	1	-	1	6	14	15	36	53	71	57	-
1988.....	264	-	-	-	3	4	14	19	36	51	82	55	-
1987.....	263	1	-	-	1	4	5	15	34	62	77	64	-
1986.....	230	2	1	2	2	5	6	13	22	55	83	39	-
1985.....	270	1	-	-	2	5	6	17	36	64	90	49	-
1984.....	228	-	-	-	-	3	11	17	37	51	67	41	1
1983.....	262	1	1	-	-	9	6	18	46	50	89	42	-
1982.....	230	1	-	1	4	4	15	16	24	66	65	34	-
1981.....	215	-	-	-	1	1	8	15	36	58	61	34	1
1980.....	235	-	-	-	8	10	15	28	23	66	61	24	-
1979.....	226	1	-	-	1	10	10	21	32	70	54	27	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
--	-------	--------------	-----------	------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-----------	------

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575)													
BLACK MALE													
1998.....	109	1	2	-	1	4	8	9	15	26	20	23	-
1997.....	119	-	-	1	-	2	5	20	19	24	34	14	-
1996.....	122	1	-	-	1	2	7	9	22	31	31	18	-
1995.....	100	1	-	-	1	2	5	10	16	28	25	12	-
1994.....	111	2	-	-	-	2	8	8	17	28	24	22	-
1993.....	103	1	-	-	-	1	3	8	14	36	28	12	-
1992.....	92	-	-	1	1	1	2	8	12	24	34	9	-
1991.....	92	1	-	-	-	2	4	4	9	27	29	16	-
1990.....	96	-	-	1	1	2	8	1	14	31	24	14	-
1989.....	102	1	1	-	-	4	8	5	18	23	26	16	-
1988.....	107	-	-	-	2	2	6	11	13	23	42	8	-
1987.....	90	1	-	-	1	2	4	6	14	26	25	11	-
1986.....	92	1	-	1	1	-	-	9	13	19	38	10	-
1985.....	118	1	-	-	-	1	4	9	19	32	37	15	-
1984.....	89	-	-	-	-	-	6	8	17	20	30	7	1
1983.....	103	-	1	-	-	5	4	8	19	18	33	15	-
1982.....	87	-	-	1	4	2	4	9	9	25	25	8	-
1981.....	65	-	-	-	-	-	3	6	18	14	16	8	-
1980.....	89	-	-	-	2	5	10	11	11	22	20	8	-
1979.....	91	1	-	-	-	3	3	4	15	37	19	9	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
CHOLELITHIASIS AND OTHER DISORDERS OF GALLBLADDER (574-575)													
BLACK FEMALE													
1998.....	173	1	2	-	1	1	6	13	14	43	50	42	-
1997.....	153	-	-	-	1	6	2	8	16	32	38	50	-
1996.....	182	1	-	-	-	2	9	8	18	42	52	50	-
1995.....	168	-	-	-	-	7	5	15	19	30	55	37	-
1994.....	164	1	2	-	2	4	9	7	18	33	52	36	-
1993.....	169	-	-	-	1	1	5	8	13	37	54	50	-
1992.....	183	-	-	-	1	4	12	8	16	38	55	49	-
1991.....	168	-	-	-	3	2	6	11	20	36	45	45	-
1990.....	148	-	-	-	1	2	3	9	16	28	46	43	-
1989.....	153	-	-	-	1	2	6	10	18	30	45	41	-
1988.....	157	-	-	-	1	2	8	8	23	28	40	47	-
1987.....	173	-	-	-	-	2	1	9	20	36	52	53	-
1986.....	138	1	1	1	1	5	6	4	9	36	45	29	-
1985.....	152	-	-	-	2	4	2	8	17	32	53	34	-
1984.....	139	-	-	-	-	3	5	9	20	31	37	34	-
1983.....	159	1	-	-	-	4	2	10	27	32	56	27	-
1982.....	143	1	-	-	-	2	11	7	15	41	40	26	-
1981.....	150	-	-	-	1	1	5	9	18	44	45	26	1
1980.....	146	-	-	-	6	5	5	17	12	44	41	16	-
1979.....	135	-	-	-	1	7	7	17	17	33	35	18	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)													
TOTAL, BOTH SEXES													
1998.....	26,182	138	12	20	43	149	436	932	1,812	4,778	9,058	8,804	-
1997.....	25,331	136	11	18	53	179	448	867	1,832	4,729	8,620	8,438	-
1996.....	24,304	144	16	27	59	153	476	879	1,679	4,633	8,353	7,883	2
1995.....	23,676	155	19	23	54	198	494	808	1,739	4,590	8,079	7,513	4
1994.....	22,976	175	10	14	47	187	430	746	1,699	4,652	7,788	7,226	2
1993.....	23,317	183	21	28	48	220	458	760	1,854	4,780	7,807	7,156	2
1992.....	22,162	189	17	20	56	236	480	725	1,724	4,540	7,431	6,740	4
1991.....	21,360	189	16	25	62	223	506	679	1,695	4,398	7,189	6,376	2
1990.....	20,764	151	24	20	57	215	531	724	1,736	4,312	6,978	6,016	-
1989.....	21,118	198	15	20	70	258	465	713	1,866	4,415	7,133	5,960	5
1988.....	22,392	218	21	20	83	271	479	788	2,058	4,590	7,467	6,396	1
1987.....	22,052	220	21	25	74	265	405	761	2,032	4,656	7,341	6,252	-
1986.....	21,767	251	28	33	79	241	435	732	2,115	4,649	7,196	6,006	2
1985.....	21,349	277	23	28	76	241	433	717	2,158	4,711	6,896	5,786	3
1984.....	20,126	273	22	40	83	247	392	700	2,064	4,477	6,553	5,273	2
1983.....	18,998	232	20	28	89	244	343	720	2,046	4,208	6,272	4,791	5
1982.....	18,102	260	28	32	81	225	365	689	2,057	4,163	5,744	4,455	3
1981.....	17,277	258	26	36	111	227	357	739	1,935	4,027	5,505	4,053	3
1980.....	16,753	225	26	31	111	246	362	824	1,957	3,827	5,240	3,901	3
1979.....	15,729	219	29	54	133	267	379	847	1,833	3,639	4,917	3,410	2

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)													
TOTAL, MALE													
1998.....	12,561	69	7	11	21	83	276	578	983	2,505	4,522	3,506	-
1997.....	12,140	81	4	10	32	101	268	507	981	2,525	4,266	3,365	-
1996.....	11,642	91	8	14	34	95	287	501	938	2,451	4,156	3,066	1
1995.....	11,389	90	12	9	31	116	312	458	936	2,450	3,997	2,974	4
1994.....	10,866	104	5	7	23	109	273	427	894	2,371	3,810	2,841	2
1993.....	11,210	102	17	15	29	135	283	441	976	2,530	3,831	2,851	-
1992.....	10,816	94	6	12	31	153	322	429	956	2,377	3,707	2,727	2
1991.....	10,418	118	13	14	33	135	346	399	960	2,321	3,549	2,529	1
1990.....	10,005	82	14	10	35	140	343	403	887	2,265	3,460	2,366	-
1989.....	10,320	118	10	10	33	166	321	408	1,063	2,351	3,487	2,349	4
1988.....	10,880	113	9	11	43	167	311	455	1,121	2,421	3,678	2,550	1
1987.....	10,872	111	13	14	40	160	259	455	1,132	2,468	3,645	2,575	-
1986.....	10,863	150	14	13	46	137	262	429	1,164	2,538	3,615	2,494	1
1985.....	10,551	157	14	13	49	151	283	387	1,159	2,529	3,380	2,428	1
1984.....	10,051	163	11	18	46	148	238	370	1,130	2,402	3,282	2,242	1
1983.....	9,312	121	11	12	44	137	184	392	1,090	2,209	3,121	1,986	5
1982.....	9,165	157	11	19	44	129	216	406	1,114	2,229	2,863	1,974	3
1981.....	8,720	144	10	24	60	140	208	410	1,079	2,170	2,706	1,769	-
1980.....	8,638	128	12	17	52	151	224	429	1,073	2,130	2,679	1,741	2
1979.....	8,260	123	18	34	72	157	222	462	1,031	1,986	2,572	1,582	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)													
TOTAL, FEMALE													
1998.....	13,621	69	5	9	22	66	160	354	829	2,273	4,536	5,298	-
1997.....	13,191	55	7	8	21	78	180	360	851	2,204	4,354	5,073	-
1996.....	12,662	53	8	13	25	58	189	378	741	2,182	4,197	4,817	1
1995.....	12,287	65	7	14	23	82	182	350	803	2,140	4,082	4,539	-
1994.....	12,110	71	5	7	24	78	157	319	805	2,281	3,978	4,385	-
1993.....	12,107	81	4	13	19	85	175	319	878	2,250	3,976	4,305	2
1992.....	11,346	95	11	8	25	83	158	296	768	2,163	3,724	4,013	2
1991.....	10,942	71	3	11	29	88	160	280	735	2,077	3,640	3,847	1
1990.....	10,759	69	10	10	22	75	188	321	849	2,047	3,518	3,650	-
1989.....	10,798	80	5	10	37	92	144	305	803	2,064	3,646	3,611	1
1988.....	11,512	105	12	9	40	104	168	333	937	2,169	3,789	3,846	-
1987.....	11,180	109	8	11	34	105	146	306	900	2,188	3,696	3,677	-
1986.....	10,904	101	14	20	33	104	173	303	951	2,111	3,581	3,512	1
1985.....	10,798	120	9	15	27	90	150	330	999	2,182	3,516	3,358	2
1984.....	10,075	110	11	22	37	99	154	330	934	2,075	3,271	3,031	1
1983.....	9,686	111	9	16	45	107	159	328	956	1,999	3,151	2,805	-
1982.....	8,937	103	17	13	37	96	149	283	943	1,934	2,881	2,481	-
1981.....	8,557	114	16	12	51	87	149	329	856	1,857	2,799	2,284	3
1980.....	8,115	97	14	14	59	95	138	395	884	1,697	2,561	2,160	1
1979.....	7,469	96	11	20	61	110	157	385	802	1,653	2,345	1,828	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)													
WHITE, BOTH SEXES													
1998.....	21,369	89	7	16	27	89	250	589	1,202	3,722	7,702	7,676	-
1997.....	20,678	96	9	12	41	105	273	532	1,210	3,705	7,339	7,356	-
1996.....	19,696	83	14	18	34	87	270	558	1,157	3,591	7,047	6,837	-
1995.....	19,117	92	12	14	31	122	262	494	1,163	3,592	6,781	6,553	1
1994.....	18,639	100	6	6	32	93	222	452	1,123	3,641	6,621	6,342	1
1993.....	18,795	113	16	21	35	101	240	455	1,266	3,770	6,558	6,219	1
1992.....	17,903	127	14	14	34	124	257	435	1,149	3,542	6,319	5,886	2
1991.....	17,165	126	13	16	31	117	272	417	1,150	3,392	6,100	5,529	2
1990.....	16,571	90	15	13	35	117	290	429	1,144	3,320	5,837	5,281	-
1989.....	16,607	130	10	10	41	134	237	418	1,224	3,333	5,875	5,195	-
1988.....	17,915	148	18	15	46	151	269	465	1,413	3,576	6,224	5,590	-
1987.....	17,764	126	14	15	43	145	245	462	1,414	3,612	6,202	5,486	-
1986.....	17,446	164	19	26	50	138	244	439	1,468	3,626	6,027	5,244	1
1985.....	17,046	185	18	22	49	128	253	444	1,512	3,624	5,764	5,045	2
1984.....	16,198	178	17	26	59	160	239	437	1,448	3,483	5,493	4,658	-
1983.....	15,334	157	16	22	63	153	202	481	1,429	3,239	5,314	4,257	1
1982.....	14,453	174	21	26	52	142	234	418	1,426	3,199	4,806	3,954	1
1981.....	13,828	184	21	30	84	142	217	470	1,341	3,060	4,665	3,613	1
1980.....	13,137	155	22	24	67	144	228	504	1,305	2,890	4,369	3,427	2
1979.....	12,534	158	25	40	86	178	235	537	1,275	2,808	4,140	3,051	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)													
WHITE MALE													
1998.....	10,406	45	5	9	12	48	154	369	655	2,038	3,950	3,121	-
1997.....	10,002	52	4	6	23	56	155	307	665	2,052	3,724	2,958	-
1996.....	9,549	53	6	10	22	51	154	324	662	1,969	3,608	2,690	-
1995.....	9,288	53	6	6	15	67	161	283	646	1,987	3,445	2,618	1
1994.....	8,901	56	2	2	12	49	130	252	611	1,902	3,358	2,526	1
1993.....	9,110	62	13	10	21	55	141	263	699	2,056	3,286	2,504	-
1992.....	8,784	68	5	8	22	82	160	263	666	1,912	3,200	2,396	2
1991.....	8,403	82	11	7	19	61	191	243	663	1,835	3,084	2,206	1
1990.....	8,021	50	7	7	24	78	195	241	606	1,788	2,944	2,081	-
1989.....	8,093	78	7	5	18	86	159	236	739	1,815	2,906	2,044	-
1988.....	8,786	82	9	9	21	93	176	273	801	1,951	3,114	2,257	-
1987.....	8,800	66	9	9	23	84	147	288	810	1,985	3,124	2,255	-
1986.....	8,754	101	10	10	28	75	139	259	844	2,035	3,067	2,186	-
1985.....	8,482	111	10	12	32	77	159	256	844	2,017	2,846	2,117	1
1984.....	8,174	107	10	11	34	94	148	235	809	1,943	2,804	1,979	-
1983.....	7,548	86	8	8	34	83	102	270	780	1,765	2,669	1,742	1
1982.....	7,405	108	8	14	29	82	147	249	814	1,771	2,434	1,748	1
1981.....	7,018	101	7	21	49	89	131	268	772	1,696	2,330	1,554	-
1980.....	6,848	93	10	14	35	88	135	267	766	1,677	2,236	1,525	2
1979.....	6,630	83	15	24	44	108	135	300	766	1,588	2,164	1,403	-

00/03/28 TABLE 290A. DEATHS FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 774
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR
 NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
WHITE FEMALE													
1998.....	10,963	44	2	7	15	41	96	220	547	1,684	3,752	4,555	-
1997.....	10,676	44	5	6	18	49	118	225	545	1,653	3,615	4,398	-
1996.....	10,147	30	8	8	12	36	116	234	495	1,622	3,439	4,147	-
1995.....	9,829	39	6	8	16	55	101	211	517	1,605	3,336	3,935	-
1994.....	9,738	44	4	4	20	44	92	200	512	1,739	3,263	3,816	-
1993.....	9,685	51	3	11	14	46	99	192	567	1,714	3,272	3,715	1
1992.....	9,119	59	9	6	12	42	97	172	483	1,630	3,119	3,490	-
1991.....	8,762	44	2	9	12	56	81	174	487	1,557	3,016	3,323	1
1990.....	8,550	40	8	6	11	39	95	188	538	1,532	2,893	3,200	-
1989.....	8,514	52	3	5	23	48	78	182	485	1,518	2,969	3,151	-
1988.....	9,129	66	9	6	25	58	93	192	612	1,625	3,110	3,333	-
1987.....	8,964	60	5	6	20	61	98	174	604	1,627	3,078	3,231	-
1986.....	8,692	63	9	16	22	63	105	180	624	1,591	2,960	3,058	1
1985.....	8,564	74	8	10	17	51	94	188	668	1,607	2,918	2,928	1
1984.....	8,024	71	7	15	25	66	91	202	639	1,540	2,689	2,679	-
1983.....	7,786	71	8	14	29	70	100	211	649	1,474	2,645	2,515	-
1982.....	7,048	66	13	12	23	60	87	169	612	1,428	2,372	2,206	-
1981.....	6,810	83	14	9	35	53	86	202	569	1,364	2,335	2,059	1
1980.....	6,289	62	12	10	32	56	93	237	539	1,213	2,133	1,902	-
1979.....	5,904	75	10	16	42	70	100	237	509	1,220	1,976	1,648	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)													
ALL OTHER, BOTH SEXES													
1998.....	4,813	49	5	4	16	60	186	343	610	1,056	1,356	1,128	-
1997.....	4,653	40	2	6	12	74	175	335	622	1,024	1,281	1,082	-
1996.....	4,608	61	2	9	25	66	206	321	522	1,042	1,306	1,046	2
1995.....	4,559	63	7	9	23	76	232	314	576	998	1,298	960	3
1994.....	4,337	75	4	8	15	94	208	294	576	1,011	1,167	884	1
1993.....	4,522	70	5	7	13	119	218	305	588	1,010	1,249	937	1
1992.....	4,259	62	3	6	22	112	223	290	575	998	1,112	854	2
1991.....	4,195	63	3	9	31	106	234	262	545	1,006	1,089	847	-
1990.....	4,193	61	9	7	22	98	241	295	592	992	1,141	735	-
1989.....	4,511	68	5	10	29	124	228	295	642	1,082	1,258	765	5
1988.....	4,477	70	3	5	37	120	210	323	645	1,014	1,243	806	1
1987.....	4,288	94	7	10	31	120	160	299	618	1,044	1,139	766	-
1986.....	4,321	87	9	7	29	103	191	293	647	1,023	1,169	762	1
1985.....	4,303	92	5	6	27	113	180	273	646	1,087	1,132	741	1
1984.....	3,928	95	5	14	24	87	153	263	616	994	1,060	615	2
1983.....	3,664	75	4	6	26	91	141	239	617	969	958	534	4
1982.....	3,649	86	7	6	29	83	131	271	631	964	938	501	2
1981.....	3,449	74	5	6	27	85	140	269	594	967	840	440	2
1980.....	3,616	70	4	7	44	102	134	320	652	937	871	474	1
1979.....	3,195	61	4	14	47	89	144	310	558	831	777	359	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)													
ALL OTHER MALE													
1998.....	2,155	24	2	2	9	35	122	209	328	467	572	385	-
1997.....	2,138	29	-	4	9	45	113	200	316	473	542	407	-
1996.....	2,093	38	2	4	12	44	133	177	276	482	548	376	1
1995.....	2,101	37	6	3	16	49	151	175	290	463	552	356	3
1994.....	1,965	48	3	5	11	60	143	175	283	469	452	315	1
1993.....	2,100	40	4	5	8	80	142	178	277	474	545	347	-
1992.....	2,032	26	1	4	9	71	162	166	290	465	507	331	-
1991.....	2,015	36	2	7	14	74	155	156	297	486	465	323	-
1990.....	1,984	32	7	3	11	62	148	162	281	477	516	285	-
1989.....	2,227	40	3	5	15	80	162	172	324	536	581	305	4
1988.....	2,094	31	-	2	22	74	135	182	320	470	564	293	1
1987.....	2,072	45	4	5	17	76	112	167	322	483	521	320	-
1986.....	2,109	49	4	3	18	62	123	170	320	503	548	308	1
1985.....	2,069	46	4	1	17	74	124	131	315	512	534	311	-
1984.....	1,877	56	1	7	12	54	90	135	321	459	478	263	1
1983.....	1,764	35	3	4	10	54	82	122	310	444	452	244	4
1982.....	1,760	49	3	5	15	47	69	157	300	458	429	226	2
1981.....	1,702	43	3	3	11	51	77	142	307	474	376	215	-
1980.....	1,790	35	2	3	17	63	89	162	307	453	443	216	-
1979.....	1,630	40	3	10	28	49	87	162	265	398	408	179	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)													
ALL OTHER FEMALE													
1998.....	2,658	25	3	2	7	25	64	134	282	589	784	743	-
1997.....	2,515	11	2	2	3	29	62	135	306	551	739	675	-
1996.....	2,515	23	-	5	13	22	73	144	246	560	758	670	1
1995.....	2,458	26	1	6	7	27	81	139	286	535	746	604	-
1994.....	2,372	27	1	3	4	34	65	119	293	542	715	569	-
1993.....	2,422	30	1	2	5	39	76	127	311	536	704	590	1
1992.....	2,227	36	2	2	13	41	61	124	285	533	605	523	2
1991.....	2,180	27	1	2	17	32	79	106	248	520	624	524	-
1990.....	2,209	29	2	4	11	36	93	133	311	515	625	450	-
1989.....	2,284	28	2	5	14	44	66	123	318	546	677	460	1
1988.....	2,383	39	3	3	15	46	75	141	325	544	679	513	-
1987.....	2,216	49	3	5	14	44	48	132	296	561	618	446	-
1986.....	2,212	38	5	4	11	41	68	123	327	520	621	454	-
1985.....	2,234	46	1	5	10	39	56	142	331	575	598	430	1
1984.....	2,051	39	4	7	12	33	63	128	295	535	582	352	1
1983.....	1,900	40	1	2	16	37	59	117	307	525	506	290	-
1982.....	1,889	37	4	1	14	36	62	114	331	506	509	275	-
1981.....	1,747	31	2	3	16	34	63	127	287	493	464	225	2
1980.....	1,826	35	2	4	27	39	45	158	345	484	428	258	1
1979.....	1,565	21	1	4	19	40	57	148	293	433	369	180	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)													
BLACK, BOTH SEXES													
1998.....	4,329	42	5	4	15	56	175	303	561	932	1,207	1,029	-
1997.....	4,236	35	1	5	11	68	166	303	570	925	1,153	999	-
1996.....	4,144	59	2	9	21	59	195	297	476	923	1,162	939	2
1995.....	4,159	59	6	6	21	74	221	288	527	905	1,172	877	3
1994.....	3,980	69	3	7	15	93	196	280	527	928	1,056	805	1
1993.....	4,107	67	5	7	12	110	205	284	541	915	1,113	847	1
1992.....	3,889	56	3	6	18	104	211	264	526	902	1,008	789	2
1991.....	3,866	61	2	8	28	102	225	245	501	933	992	769	-
1990.....	3,855	54	9	7	21	93	229	273	548	906	1,040	675	-
1989.....	4,166	65	4	7	26	118	217	279	597	1,000	1,152	696	5
1988.....	4,157	64	3	5	34	112	200	301	604	941	1,147	745	1
1987.....	3,975	85	6	7	30	110	148	278	584	967	1,055	705	-
1986.....	4,020	82	8	6	26	95	183	265	597	966	1,094	698	-
1985.....	4,044	82	5	5	25	111	177	247	616	1,019	1,050	706	1
1984.....	3,666	91	4	12	22	81	141	237	579	942	983	572	2
1983.....	3,426	71	4	6	23	85	126	225	581	908	901	492	4
1982.....	3,417	84	6	5	23	73	119	252	597	920	870	466	2
1981.....	3,262	69	4	5	27	80	133	254	567	917	796	408	2
1980.....	3,416	67	3	6	38	96	123	304	619	898	818	443	1
1979.....	3,018	58	4	13	43	86	141	292	539	788	727	326	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)													
BLACK MALE													
1998.....	1,929	23	2	2	8	34	114	184	308	409	505	340	-
1997.....	1,941	25	-	3	8	44	110	183	287	436	482	363	-
1996.....	1,873	38	2	4	10	41	126	168	251	425	486	321	1
1995.....	1,916	37	5	2	15	49	144	158	265	423	497	318	3
1994.....	1,794	44	2	4	11	60	136	167	263	429	403	274	1
1993.....	1,879	39	4	5	8	75	133	165	251	431	468	300	-
1992.....	1,850	23	1	4	8	69	154	151	270	419	457	294	-
1991.....	1,849	35	1	6	12	71	152	147	273	455	412	285	-
1990.....	1,806	28	7	3	10	59	141	155	257	436	456	254	-
1989.....	2,047	39	2	3	14	77	157	165	303	490	522	271	4
1988.....	1,908	29	-	2	21	71	130	167	297	428	503	259	1
1987.....	1,905	41	3	4	17	72	104	154	304	444	471	291	-
1986.....	1,963	46	3	3	16	57	120	157	296	476	514	275	-
1985.....	1,935	41	4	1	16	72	122	123	301	479	482	294	-
1984.....	1,731	54	1	6	10	53	86	121	300	428	432	239	1
1983.....	1,648	33	3	4	10	51	77	113	293	417	422	221	4
1982.....	1,650	47	3	5	12	41	63	151	285	436	394	211	2
1981.....	1,609	41	2	3	11	48	75	133	294	446	355	201	-
1980.....	1,694	34	2	3	15	59	84	157	295	433	410	202	-
1979.....	1,525	38	3	10	26	47	86	153	252	371	379	159	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
NEPHRITIS, NEPHROTIC SYNDROME, AND NEPHROSIS (580-589)													
BLACK FEMALE													
1998.....	2,400	19	3	2	7	22	61	119	253	523	702	689	-
1997.....	2,295	10	1	2	3	24	56	120	283	489	671	636	-
1996.....	2,271	21	-	5	11	18	69	129	225	498	676	618	1
1995.....	2,243	22	1	4	6	25	77	130	262	482	675	559	-
1994.....	2,186	25	1	3	4	33	60	113	264	499	653	531	-
1993.....	2,228	28	1	2	4	35	72	119	290	484	645	547	1
1992.....	2,039	33	2	2	10	35	57	113	256	483	551	495	2
1991.....	2,017	26	1	2	16	31	73	98	228	478	580	484	-
1990.....	2,049	26	2	4	11	34	88	118	291	470	584	421	-
1989.....	2,119	26	2	4	12	41	60	114	294	510	630	425	1
1988.....	2,249	35	3	3	13	41	70	134	307	513	644	486	-
1987.....	2,070	44	3	3	13	38	44	124	280	523	584	414	-
1986.....	2,057	36	5	3	10	38	63	108	301	490	580	423	-
1985.....	2,109	41	1	4	9	39	55	124	315	540	568	412	1
1984.....	1,935	37	3	6	12	28	55	116	279	514	551	333	1
1983.....	1,778	38	1	2	13	34	49	112	288	491	479	271	-
1982.....	1,767	37	3	-	11	32	56	101	312	484	476	255	-
1981.....	1,653	28	2	2	16	32	58	121	273	471	441	207	2
1980.....	1,722	33	1	3	23	37	39	147	324	465	408	241	1
1979.....	1,493	20	1	3	17	39	55	139	287	417	348	167	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 ACUTE GLOMERULONEPHRITIS AND NEPHROTIC SYNDROME (580-581)													
TOTAL, BOTH SEXES													
1998.....	325	11	2	4	1	3	7	17	23	59	109	89	-
1997.....	324	8	-	3	3	7	9	16	26	51	109	92	-
1996.....	321	8	5	3	5	5	7	15	21	55	119	78	-
1995.....	292	6	7	5	4	3	9	10	11	54	101	82	-
1994.....	305	7	2	-	3	3	8	16	20	49	109	88	-
1993.....	292	7	4	5	3	3	10	13	26	50	93	78	-
1992.....	304	5	5	4	6	5	8	6	37	60	105	63	-
1991.....	320	5	5	2	3	7	15	13	24	54	99	93	-
1990.....	296	10	5	3	3	7	11	18	25	59	82	73	-
1989.....	310	8	3	4	4	7	14	9	32	70	109	50	-
1988.....	310	4	4	1	4	4	9	14	35	68	97	70	-
1987.....	277	9	3	5	2	7	9	9	28	64	90	51	-
1986.....	293	8	5	1	6	8	12	5	36	59	95	58	-
1985.....	348	9	5	1	4	12	9	15	42	70	108	73	-
1984.....	316	5	6	2	2	9	8	22	29	61	112	60	-
1983.....	354	8	2	3	5	7	9	11	42	81	111	75	-
1982.....	309	8	3	4	1	6	6	19	42	63	104	53	-
1981.....	302	9	6	4	3	5	10	10	30	81	89	55	-
1980.....	328	7	5	4	6	10	11	22	37	61	101	64	-
1979.....	338	7	9	3	10	3	11	18	34	80	107	56	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 ACUTE GLOMERULONEPHRITIS AND NEPHROTIC SYNDROME (580-581)													
TOTAL, MALE													
1998.....	154	3	1	4	1	1	5	11	13	31	44	40	-
1997.....	154	2	-	2	2	4	5	11	17	25	51	35	-
1996.....	153	3	5	3	3	2	5	6	13	29	57	27	-
1995.....	133	4	5	1	1	2	5	6	6	23	47	33	-
1994.....	142	4	2	-	3	-	7	9	11	27	50	29	-
1993.....	124	3	4	3	2	2	6	7	13	20	37	27	-
1992.....	143	4	2	4	3	4	3	5	19	24	48	27	-
1991.....	154	2	3	1	3	4	6	9	16	27	49	34	-
1990.....	145	4	2	2	2	7	8	11	16	30	38	25	-
1989.....	160	3	-	4	3	4	11	6	24	40	50	15	-
1988.....	158	2	2	-	1	2	7	9	24	38	48	25	-
1987.....	133	2	2	1	1	5	5	6	14	31	46	20	-
1986.....	133	6	2	-	2	4	8	2	16	28	42	23	-
1985.....	159	4	3	1	3	7	6	7	29	29	49	21	-
1984.....	147	4	2	1	-	6	2	6	20	26	57	23	-
1983.....	171	4	1	1	4	4	6	4	19	49	54	25	-
1982.....	151	4	2	3	1	3	4	6	23	32	46	27	-
1981.....	142	5	3	1	2	2	6	5	16	37	41	24	-
1980.....	162	5	2	2	1	3	6	16	20	37	47	23	-
1979.....	182	6	5	2	9	2	9	14	16	44	52	23	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 ACUTE GLOMERULONEPHRITIS AND NEPHROTIC SYNDROME (580-581)													
TOTAL, FEMALE													
1998.....	171	8	1	-	-	2	2	6	10	28	65	49	-
1997.....	170	6	-	1	1	3	4	5	9	26	58	57	-
1996.....	168	5	-	-	2	3	2	9	8	26	62	51	-
1995.....	159	2	2	4	3	1	4	4	5	31	54	49	-
1994.....	163	3	-	-	-	3	1	7	9	22	59	59	-
1993.....	168	4	-	2	1	1	4	6	13	30	56	51	-
1992.....	161	1	3	-	3	1	5	1	18	36	57	36	-
1991.....	166	3	2	1	-	3	9	4	8	27	50	59	-
1990.....	151	6	3	1	1	-	3	7	9	29	44	48	-
1989.....	150	5	3	-	1	3	3	3	8	30	59	35	-
1988.....	152	2	2	1	3	2	2	5	11	30	49	45	-
1987.....	144	7	1	4	1	2	4	3	14	33	44	31	-
1986.....	160	2	3	1	4	4	4	3	20	31	53	35	-
1985.....	189	5	2	-	1	5	3	8	13	41	59	52	-
1984.....	169	1	4	1	2	3	6	16	9	35	55	37	-
1983.....	183	4	1	2	1	3	3	7	23	32	57	50	-
1982.....	158	4	1	1	-	3	2	13	19	31	58	26	-
1981.....	160	4	3	3	1	3	4	5	14	44	48	31	-
1980.....	166	2	3	2	5	7	5	6	17	24	54	41	-
1979.....	156	1	4	1	1	1	2	4	18	36	55	33	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 ACUTE GLOMERULONEPHRITIS AND NEPHROTIC SYNDROME (580-581)													
WHITE, BOTH SEXES													
1998.....	272	10	2	3	1	-	4	13	16	51	94	78	-
1997.....	270	8	-	2	2	6	5	14	17	40	92	84	-
1996.....	257	7	4	3	3	3	3	11	14	46	98	65	-
1995.....	244	4	5	3	3	3	5	5	9	49	90	68	-
1994.....	248	5	1	-	1	2	4	12	14	39	92	78	-
1993.....	232	6	3	3	1	-	7	8	16	39	77	72	-
1992.....	252	4	4	3	3	2	3	4	33	47	96	53	-
1991.....	259	3	3	2	-	4	7	10	18	38	87	87	-
1990.....	249	8	2	2	3	3	8	11	18	50	76	68	-
1989.....	241	7	3	1	1	2	7	5	25	55	93	42	-
1988.....	249	4	3	-	3	2	5	6	27	57	82	60	-
1987.....	221	7	2	1	1	5	4	5	18	49	82	47	-
1986.....	243	8	2	1	2	4	6	2	34	50	85	49	-
1985.....	286	6	5	-	1	4	6	9	35	59	93	68	-
1984.....	262	4	5	1	2	6	1	13	23	53	100	54	-
1983.....	301	7	2	3	3	4	5	9	31	63	103	71	-
1982.....	247	4	2	3	1	2	3	10	30	54	88	50	-
1981.....	251	8	4	2	2	3	7	6	21	66	80	52	-
1980.....	270	7	5	3	4	3	9	12	26	48	93	60	-
1979.....	291	4	7	-	5	2	8	15	28	73	94	55	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 ACUTE GLOMERULONEPHRITIS AND NEPHROTIC SYNDROME (580-581)													
WHITE MALE													
1998.....	133	3	1	3	1	-	3	9	8	28	39	38	-
1997.....	125	2	-	1	1	3	3	11	11	17	44	32	-
1996.....	125	2	4	3	2	1	2	5	8	23	50	25	-
1995.....	115	3	3	1	1	2	3	2	5	21	44	30	-
1994.....	108	2	1	-	1	-	4	7	7	19	44	23	-
1993.....	98	2	3	2	-	-	5	6	7	15	33	25	-
1992.....	119	4	2	3	2	2	1	4	17	18	44	22	-
1991.....	129	2	2	1	-	1	3	7	13	21	46	33	-
1990.....	118	3	-	1	2	3	6	6	11	26	36	24	-
1989.....	126	3	-	1	1	-	6	3	19	33	46	14	-
1988.....	131	2	2	-	-	1	4	4	20	32	43	23	-
1987.....	103	1	1	-	-	3	3	4	9	23	42	17	-
1986.....	107	6	1	-	1	2	3	1	14	22	36	21	-
1985.....	130	3	3	-	-	3	4	5	25	26	41	20	-
1984.....	125	4	2	1	-	4	1	3	15	23	51	21	-
1983.....	143	3	1	1	2	2	4	3	15	39	48	25	-
1982.....	120	1	1	2	1	1	3	3	18	28	38	24	-
1981.....	119	5	2	1	2	-	4	4	13	30	37	21	-
1980.....	131	5	2	1	1	-	4	10	16	30	41	21	-
1979.....	157	3	3	-	4	1	7	12	14	42	48	23	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 ACUTE GLOMERULONEPHRITIS AND NEPHROTIC SYNDROME (580-581)													
WHITE FEMALE													
1998.....	139	7	1	-	-	-	1	4	8	23	55	40	-
1997.....	145	6	-	1	1	3	2	3	6	23	48	52	-
1996.....	132	5	-	-	1	2	1	6	6	23	48	40	-
1995.....	129	1	2	2	2	1	2	3	4	28	46	38	-
1994.....	140	3	-	-	-	2	-	5	7	20	48	55	-
1993.....	134	4	-	1	1	-	2	2	9	24	44	47	-
1992.....	133	-	2	-	1	-	2	-	16	29	52	31	-
1991.....	130	1	1	1	-	3	4	3	5	17	41	54	-
1990.....	131	5	2	1	1	-	2	5	7	24	40	44	-
1989.....	115	4	3	-	-	2	1	2	6	22	47	28	-
1988.....	118	2	1	-	3	1	1	2	7	25	39	37	-
1987.....	118	6	1	1	1	2	1	1	9	26	40	30	-
1986.....	136	2	1	1	1	2	3	1	20	28	49	28	-
1985.....	156	3	2	-	1	1	2	4	10	33	52	48	-
1984.....	137	-	3	-	2	2	-	10	8	30	49	33	-
1983.....	158	4	1	2	1	2	1	6	16	24	55	46	-
1982.....	127	3	1	1	-	1	-	7	12	26	50	26	-
1981.....	132	3	2	1	-	3	3	2	8	36	43	31	-
1980.....	139	2	3	2	3	3	5	2	10	18	52	39	-
1979.....	134	1	4	-	1	1	1	3	14	31	46	32	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 ACUTE GLOMERULONEPHRITIS AND NEPHROTIC SYNDROME (580-581)													
ALL OTHER, BOTH SEXES													
1998.....	53	1	-	1	-	3	3	4	7	8	15	11	-
1997.....	54	-	-	1	1	1	4	2	9	11	17	8	-
1996.....	64	1	1	-	2	2	4	4	7	9	21	13	-
1995.....	48	2	2	2	1	-	4	5	2	5	11	14	-
1994.....	57	2	1	-	2	1	4	4	6	10	17	10	-
1993.....	60	1	1	2	2	3	3	5	10	11	16	6	-
1992.....	52	1	1	1	3	3	5	2	4	13	9	10	-
1991.....	61	2	2	-	3	3	8	3	6	16	12	6	-
1990.....	47	2	3	1	-	4	3	7	7	9	6	5	-
1989.....	69	1	-	3	3	5	7	4	7	15	16	8	-
1988.....	61	-	1	1	1	2	4	8	8	11	15	10	-
1987.....	56	2	1	4	1	2	5	4	10	15	8	4	-
1986.....	50	-	3	-	4	4	6	3	2	9	10	9	-
1985.....	62	3	-	1	3	8	3	6	7	11	15	5	-
1984.....	54	1	1	1	-	3	7	9	6	8	12	6	-
1983.....	53	1	-	-	2	3	4	2	11	18	8	4	-
1982.....	62	4	1	1	-	4	3	9	12	9	16	3	-
1981.....	51	1	2	2	1	2	3	4	9	15	9	3	-
1980.....	58	-	-	1	2	7	2	10	11	13	8	4	-
1979.....	47	3	2	3	5	1	3	3	6	7	13	1	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 ACUTE GLOMERULONEPHRITIS AND NEPHROTIC SYNDROME (580-581)													
ALL OTHER MALE													
1998.....	21	-	-	1	-	1	2	2	5	3	5	2	-
1997.....	29	-	-	1	1	1	2	-	6	8	7	3	-
1996.....	28	1	1	-	1	1	3	1	5	6	7	2	-
1995.....	18	1	2	-	-	-	2	4	1	2	3	3	-
1994.....	34	2	1	-	2	-	3	2	4	8	6	6	-
1993.....	26	1	1	1	2	2	1	1	6	5	4	2	-
1992.....	24	-	-	1	1	2	2	1	2	6	4	5	-
1991.....	25	-	1	-	3	3	3	2	3	6	3	1	-
1990.....	27	1	2	1	-	4	2	5	5	4	2	1	-
1989.....	34	-	-	3	2	4	5	3	5	7	4	1	-
1988.....	27	-	-	-	1	1	3	5	4	6	5	2	-
1987.....	30	1	1	1	1	2	2	2	5	8	4	3	-
1986.....	26	-	1	-	1	2	5	1	2	6	6	2	-
1985.....	29	1	-	1	3	4	2	2	4	3	8	1	-
1984.....	22	-	-	-	-	2	1	3	5	3	6	2	-
1983.....	28	1	-	-	2	2	2	1	4	10	6	-	-
1982.....	31	3	1	1	-	2	1	3	5	4	8	3	-
1981.....	23	-	1	-	-	2	2	1	3	7	4	3	-
1980.....	31	-	-	1	-	3	2	6	4	7	6	2	-
1979.....	25	3	2	2	5	1	2	2	2	2	4	-	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 ACUTE GLOMERULONEPHRITIS AND NEPHROTIC SYNDROME (580-581)													
ALL OTHER FEMALE													
1998.....	32	1	-	-	-	2	1	2	2	5	10	9	-
1997.....	25	-	-	-	-	-	2	2	3	3	10	5	-
1996.....	36	-	-	-	1	1	1	3	2	3	14	11	-
1995.....	30	1	-	2	1	-	2	1	1	3	8	11	-
1994.....	23	-	-	-	-	1	1	2	2	2	11	4	-
1993.....	34	-	-	1	-	1	2	4	4	6	12	4	-
1992.....	28	1	1	-	2	1	3	1	2	7	5	5	-
1991.....	36	2	1	-	-	-	5	1	3	10	9	5	-
1990.....	20	1	1	-	-	-	1	2	2	5	4	4	-
1989.....	35	1	-	-	1	1	2	1	2	8	12	7	-
1988.....	34	-	1	1	-	1	1	3	4	5	10	8	-
1987.....	26	1	-	3	-	-	3	2	5	7	4	1	-
1986.....	24	-	2	-	3	2	1	2	-	3	4	7	-
1985.....	33	2	-	-	-	4	1	4	3	8	7	4	-
1984.....	32	1	1	1	-	1	6	6	1	5	6	4	-
1983.....	25	-	-	-	-	1	2	1	7	8	2	4	-
1982.....	31	1	-	-	-	2	2	6	7	5	8	-	-
1981.....	28	1	1	2	1	-	1	3	6	8	5	-	-
1980.....	27	-	-	-	2	4	-	4	7	6	2	2	-
1979.....	22	-	-	1	-	-	1	1	4	5	9	1	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 ACUTE GLOMERULONEPHRITIS AND NEPHROTIC SYNDROME (580-581)													
BLACK, BOTH SEXES													
1998.....	45	-	-	1	-	2	3	2	6	7	13	11	-
1997.....	49	-	-	1	1	1	4	2	7	8	17	8	-
1996.....	60	1	1	-	2	2	3	4	7	8	20	12	-
1995.....	45	1	2	1	1	-	4	5	2	5	10	14	-
1994.....	50	1	1	-	2	1	3	4	5	10	14	9	-
1993.....	55	1	1	2	2	3	3	5	8	11	14	5	-
1992.....	44	1	1	1	2	3	5	2	4	11	7	7	-
1991.....	59	2	2	-	3	3	6	3	6	16	12	6	-
1990.....	42	1	3	1	-	4	3	7	6	9	5	3	-
1989.....	66	1	-	2	3	4	6	4	7	15	16	8	-
1988.....	59	-	1	1	1	2	4	8	8	11	14	9	-
1987.....	48	1	-	2	1	1	4	4	10	14	7	4	-
1986.....	49	-	3	-	4	4	6	3	2	9	10	8	-
1985.....	58	2	-	1	3	8	3	6	7	11	12	5	-
1984.....	51	1	-	1	-	3	7	8	6	8	11	6	-
1983.....	49	1	-	-	2	3	3	2	10	17	8	3	-
1982.....	59	4	1	1	-	3	3	9	12	9	14	3	-
1981.....	47	-	1	1	1	2	3	3	9	15	9	3	-
1980.....	55	-	-	1	2	7	1	10	11	12	7	4	-
1979.....	44	3	2	3	5	1	3	2	6	7	11	1	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 ACUTE GLOMERULONEPHRITIS AND NEPHROTIC SYNDROME (580-581)													
BLACK MALE													
1998.....	19	-	-	1	-	1	2	-	5	3	5	2	-
1997.....	24	-	-	1	1	1	2	-	4	5	7	3	-
1996.....	26	1	1	-	1	1	2	1	5	6	6	2	-
1995.....	18	1	2	-	-	-	2	4	1	2	3	3	-
1994.....	30	1	1	-	2	-	3	2	3	8	5	5	-
1993.....	23	1	1	1	2	2	1	1	4	5	4	1	-
1992.....	18	-	-	1	1	2	2	1	2	4	2	3	-
1991.....	25	-	1	-	3	3	3	2	3	6	3	1	-
1990.....	24	1	2	1	-	4	2	5	4	4	1	-	-
1989.....	33	-	-	2	2	4	5	3	5	7	4	1	-
1988.....	27	-	-	-	1	1	3	5	4	6	5	2	-
1987.....	26	1	-	1	1	1	2	2	5	7	3	3	-
1986.....	25	-	1	-	1	2	5	1	2	6	6	1	-
1985.....	27	1	-	1	3	4	2	2	4	3	6	1	-
1984.....	21	-	-	-	-	2	1	3	5	3	5	2	-
1983.....	26	1	-	-	2	2	2	1	3	9	6	-	-
1982.....	30	3	1	1	-	2	1	3	5	4	7	3	-
1981.....	22	-	-	-	-	2	2	1	3	7	4	3	-
1980.....	28	-	-	1	-	3	1	6	4	6	5	2	-
1979.....	24	3	2	2	5	1	2	1	2	2	4	-	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 ACUTE GLOMERULONEPHRITIS AND NEPHROTIC SYNDROME (580-581)													
BLACK FEMALE													
1998.....	26	-	-	-	-	1	1	2	1	4	8	9	-
1997.....	25	-	-	-	-	-	2	2	3	3	10	5	-
1996.....	34	-	-	-	1	1	1	3	2	2	14	10	-
1995.....	27	-	-	1	1	-	2	1	1	3	7	11	-
1994.....	20	-	-	-	-	1	-	2	2	2	9	4	-
1993.....	32	-	-	1	-	1	2	4	4	6	10	4	-
1992.....	26	1	1	-	1	1	3	1	2	7	5	4	-
1991.....	34	2	1	-	-	-	3	1	3	10	9	5	-
1990.....	18	-	1	-	-	-	1	2	2	5	4	3	-
1989.....	33	1	-	-	1	-	1	1	2	8	12	7	-
1988.....	32	-	1	1	-	1	1	3	4	5	9	7	-
1987.....	22	-	-	1	-	-	2	2	5	7	4	1	-
1986.....	24	-	2	-	3	2	1	2	-	3	4	7	-
1985.....	31	1	-	-	-	4	1	4	3	8	6	4	-
1984.....	30	1	-	1	-	1	6	5	1	5	6	4	-
1983.....	23	-	-	-	-	1	1	1	7	8	2	3	-
1982.....	29	1	-	-	-	1	2	6	7	5	7	-	-
1981.....	25	-	1	1	1	-	1	2	6	8	5	-	-
1980.....	27	-	-	-	2	4	-	4	7	6	2	2	-
1979.....	20	-	-	1	-	-	1	1	4	5	7	1	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHROPATHY, N.S. AS ACUTE OR CHRONIC, AND RENAL SCLEROSIS, UNSPECIFIED (582-583,587)													
TOTAL, BOTH SEXES													
1998.....	1,715	1	1	3	8	22	47	67	121	295	573	577	-
1997.....	1,652	4	-	5	13	33	62	79	115	299	543	499	-
1996.....	1,638	3	2	5	12	17	46	91	89	311	516	546	-
1995.....	1,504	4	2	5	9	32	57	57	125	290	472	451	-
1994.....	1,546	-	-	4	9	25	44	64	118	297	536	449	-
1993.....	1,588	3	2	2	11	28	50	67	119	335	507	464	-
1992.....	1,503	3	2	2	7	32	52	72	106	290	497	439	1
1991.....	1,512	6	2	5	17	19	61	65	120	310	491	416	-
1990.....	1,521	1	4	6	11	31	72	74	134	307	495	386	-
1989.....	1,517	4	3	4	13	36	57	61	151	313	479	395	1
1988.....	1,521	2	4	2	11	43	55	60	137	310	486	411	-
1987.....	1,509	4	-	5	16	23	53	65	142	297	495	409	-
1986.....	1,505	2	2	8	12	32	47	56	164	349	481	352	-
1985.....	1,565	1	1	5	10	34	52	60	144	353	494	411	-
1984.....	1,824	3	-	7	18	51	71	78	180	384	572	460	-
1983.....	1,887	6	4	4	23	43	52	79	197	412	625	440	2
1982.....	1,946	7	4	4	19	48	56	97	218	433	613	447	-
1981.....	2,055	5	2	5	27	47	64	109	222	456	694	423	1
1980.....	2,245	-	2	5	30	46	65	124	257	524	694	498	-
1979.....	2,363	6	2	13	32	67	76	137	257	573	715	485	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHROPATHY, N.S. AS ACUTE OR CHRONIC, AND RENAL SCLEROSIS, UNSPECIFIED (582-583,587)													
TOTAL, MALE													
1998.....	831	1	1	2	3	11	29	42	63	161	298	220	-
1997.....	807	3	-	1	7	14	35	48	67	142	276	214	-
1996.....	800	2	-	-	5	10	28	57	40	170	277	211	-
1995.....	753	4	-	3	6	15	31	29	73	158	252	182	-
1994.....	728	-	-	4	5	13	29	31	62	149	267	168	-
1993.....	806	2	2	2	6	19	32	40	69	184	249	201	-
1992.....	776	3	1	1	6	21	31	40	71	157	255	189	1
1991.....	758	3	2	3	7	10	36	41	67	156	247	186	-
1990.....	763	1	-	2	6	24	49	45	76	164	234	162	-
1989.....	733	3	2	3	7	22	39	38	89	153	218	159	-
1988.....	793	1	2	-	6	28	33	34	76	170	258	185	-
1987.....	741	3	-	2	8	16	34	43	81	163	231	160	-
1986.....	785	2	2	3	10	20	32	32	98	188	236	162	-
1985.....	770	1	1	1	9	26	37	39	78	188	221	169	-
1984.....	911	2	-	4	11	33	42	41	100	222	268	188	-
1983.....	882	3	1	1	11	23	26	37	102	201	312	163	2
1982.....	984	4	2	-	8	32	40	57	116	222	286	217	-
1981.....	963	3	1	4	18	29	29	59	114	224	304	178	-
1980.....	1,138	-	2	4	14	28	37	61	145	289	346	212	-
1979.....	1,244	4	2	9	19	39	45	81	153	322	354	216	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHROPATHY, N.S. AS ACUTE OR CHRONIC, AND RENAL SCLEROSIS, UNSPECIFIED (582-583,587)													
TOTAL, FEMALE													
1998.....	884	-	-	1	5	11	18	25	58	134	275	357	-
1997.....	845	1	-	4	6	19	27	31	48	157	267	285	-
1996.....	838	1	2	5	7	7	18	34	49	141	239	335	-
1995.....	751	-	2	2	3	17	26	28	52	132	220	269	-
1994.....	818	-	-	-	4	12	15	33	56	148	269	281	-
1993.....	782	1	-	-	5	9	18	27	50	151	258	263	-
1992.....	727	-	1	1	1	11	21	32	35	133	242	250	-
1991.....	754	3	-	2	10	9	25	24	53	154	244	230	-
1990.....	758	-	4	4	5	7	23	29	58	143	261	224	-
1989.....	784	1	1	1	6	14	18	23	62	160	261	236	1
1988.....	728	1	2	2	5	15	22	26	61	140	228	226	-
1987.....	768	1	-	3	8	7	19	22	61	134	264	249	-
1986.....	720	-	-	5	2	12	15	24	66	161	245	190	-
1985.....	795	-	-	4	1	8	15	21	66	165	273	242	-
1984.....	913	1	-	3	7	18	29	37	80	162	304	272	-
1983.....	1,005	3	3	3	12	20	26	42	95	211	313	277	-
1982.....	962	3	2	4	11	16	16	40	102	211	327	230	-
1981.....	1,092	2	1	1	9	18	35	50	108	232	390	245	1
1980.....	1,107	-	-	1	16	18	28	63	112	235	348	286	-
1979.....	1,119	2	-	4	13	28	31	56	104	251	361	269	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHROPATHY, N.S. AS ACUTE OR CHRONIC, AND RENAL SCLEROSIS, UNSPECIFIED (582-583,587)													
WHITE, BOTH SEXES													
1998.....	1,369	-	1	2	5	16	31	46	82	229	478	479	-
1997.....	1,343	2	-	2	10	20	41	56	81	242	454	435	-
1996.....	1,308	2	2	2	7	13	26	67	60	225	445	459	-
1995.....	1,206	2	2	3	4	22	30	37	92	224	400	390	-
1994.....	1,211	-	-	1	6	12	25	32	74	236	444	381	-
1993.....	1,251	3	1	2	5	13	28	49	80	255	422	393	-
1992.....	1,200	2	1	2	7	19	28	48	72	224	430	366	1
1991.....	1,199	3	1	2	9	11	43	44	91	233	405	357	-
1990.....	1,191	1	4	5	6	17	46	52	93	237	401	329	-
1989.....	1,201	4	1	3	10	22	36	36	115	244	396	334	-
1988.....	1,250	2	4	2	6	28	34	46	103	255	411	359	-
1987.....	1,204	-	-	4	11	12	27	46	105	224	420	355	-
1986.....	1,180	2	-	5	6	20	26	43	114	264	400	300	-
1985.....	1,256	-	-	4	5	19	33	39	110	287	402	357	-
1984.....	1,472	2	-	5	11	31	47	48	131	317	491	389	-
1983.....	1,497	2	4	3	16	21	34	59	126	324	516	391	1
1982.....	1,558	4	3	3	14	26	34	57	154	351	513	399	-
1981.....	1,670	5	1	4	21	31	34	80	168	354	598	374	-
1980.....	1,717	-	1	4	21	21	45	78	170	391	559	427	-
1979.....	1,847	5	2	11	18	41	48	87	185	431	596	423	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR
 0 CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHROPATHY, N.S. AS ACUTE OR CHRONIC, AND RENAL SCLEROSIS, UNSPECIFIED (582-583,587)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
WHITE MALE													
1998.....	664	-	1	1	2	7	20	31	46	122	248	186	-
1997.....	657	2	-	-	6	7	22	30	51	117	234	188	-
1996.....	642	1	-	-	3	7	15	40	27	133	234	182	-
1995.....	599	2	-	2	3	12	14	20	55	126	211	154	-
1994.....	578	-	-	1	3	7	15	16	38	123	231	144	-
1993.....	639	2	1	2	3	8	19	30	49	145	204	176	-
1992.....	611	2	-	1	6	11	16	26	45	125	219	159	1
1991.....	605	1	1	1	5	4	26	31	50	117	207	162	-
1990.....	590	1	-	2	4	13	30	31	57	125	192	135	-
1989.....	590	3	1	2	5	16	23	20	69	131	185	135	-
1988.....	644	1	2	-	3	19	17	26	53	140	221	162	-
1987.....	587	-	-	1	5	8	14	32	62	129	195	141	-
1986.....	610	2	-	1	4	10	16	24	70	147	200	136	-
1985.....	607	-	-	1	4	13	24	26	64	150	179	146	-
1984.....	741	1	-	3	7	19	30	27	78	190	231	155	-
1983.....	675	1	1	-	7	10	14	26	67	154	252	142	1
1982.....	798	2	2	-	6	19	23	31	86	186	248	195	-
1981.....	785	3	-	3	14	19	18	46	92	170	265	155	-
1980.....	878	-	1	3	10	14	25	38	107	218	279	183	-
1979.....	972	3	2	8	12	25	26	46	119	244	301	186	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR
 0 CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHROPATHY, N.S. AS ACUTE OR CHRONIC, AND RENAL SCLEROSIS, UNSPECIFIED (582-583,587)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
WHITE FEMALE													
1998.....	705	-	-	1	3	9	11	15	36	107	230	293	-
1997.....	686	-	-	2	4	13	19	26	30	125	220	247	-
1996.....	666	1	2	2	4	6	11	27	33	92	211	277	-
1995.....	607	-	2	1	1	10	16	17	37	98	189	236	-
1994.....	633	-	-	-	3	5	10	16	36	113	213	237	-
1993.....	612	1	-	-	2	5	9	19	31	110	218	217	-
1992.....	589	-	1	1	1	8	12	22	27	99	211	207	-
1991.....	594	2	-	1	4	7	17	13	41	116	198	195	-
1990.....	601	-	4	3	2	4	16	21	36	112	209	194	-
1989.....	611	1	-	1	5	6	13	16	46	113	211	199	-
1988.....	606	1	2	2	3	9	17	20	50	115	190	197	-
1987.....	617	-	-	3	6	4	13	14	43	95	225	214	-
1986.....	570	-	-	4	2	10	10	19	44	117	200	164	-
1985.....	649	-	-	3	1	6	9	13	46	137	223	211	-
1984.....	731	1	-	2	4	12	17	21	53	127	260	234	-
1983.....	822	1	3	3	9	11	20	33	59	170	264	249	-
1982.....	760	2	1	3	8	7	11	26	68	165	265	204	-
1981.....	885	2	1	1	7	12	16	34	76	184	333	219	-
1980.....	839	-	-	1	11	7	20	40	63	173	280	244	-
1979.....	875	2	-	3	6	16	22	41	66	187	295	237	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHROPATHY, N.S. AS ACUTE OR CHRONIC, AND RENAL SCLEROSIS, UNSPECIFIED (582-583,587)													
ALL OTHER, BOTH SEXES													
1998.....	346	1	-	1	3	6	16	21	39	66	95	98	-
1997.....	309	2	-	3	3	13	21	23	34	57	89	64	-
1996.....	330	1	-	3	5	4	20	24	29	86	71	87	-
1995.....	298	2	-	2	5	10	27	20	33	66	72	61	-
1994.....	335	-	-	3	3	13	19	32	44	61	92	68	-
1993.....	337	-	1	-	6	15	22	18	39	80	85	71	-
1992.....	303	1	1	-	-	13	24	24	34	66	67	73	-
1991.....	313	3	1	3	8	8	18	21	29	77	86	59	-
1990.....	330	-	-	1	5	14	26	22	41	70	94	57	-
1989.....	316	-	2	1	3	14	21	25	36	69	83	61	1
1988.....	271	-	-	-	5	15	21	14	34	55	75	52	-
1987.....	305	4	-	1	5	11	26	19	37	73	75	54	-
1986.....	325	-	2	3	6	12	21	13	50	85	81	52	-
1985.....	309	1	1	1	5	15	19	21	34	66	92	54	-
1984.....	352	1	-	2	7	20	24	30	49	67	81	71	-
1983.....	390	4	-	1	7	22	18	20	71	88	109	49	1
1982.....	388	3	1	1	5	22	22	40	64	82	100	48	-
1981.....	385	-	1	1	6	16	30	29	54	102	96	49	1
1980.....	528	-	1	1	9	25	20	46	87	133	135	71	-
1979.....	516	1	-	2	14	26	28	50	72	142	119	62	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHROPATHY, N.S. AS ACUTE OR CHRONIC, AND RENAL SCLEROSIS, UNSPECIFIED (582-583,587)													
ALL OTHER MALE													
1998.....	167	1	-	1	1	4	9	11	17	39	50	34	-
1997.....	150	1	-	1	1	7	13	18	16	25	42	26	-
1996.....	158	1	-	-	2	3	13	17	13	37	43	29	-
1995.....	154	2	-	1	3	3	17	9	18	32	41	28	-
1994.....	150	-	-	3	2	6	14	15	24	26	36	24	-
1993.....	167	-	1	-	3	11	13	10	20	39	45	25	-
1992.....	165	1	1	-	-	10	15	14	26	32	36	30	-
1991.....	153	2	1	2	2	6	10	10	17	39	40	24	-
1990.....	173	-	-	-	2	11	19	14	19	39	42	27	-
1989.....	143	-	1	1	2	6	16	18	20	22	33	24	-
1988.....	149	-	-	-	3	9	16	8	23	30	37	23	-
1987.....	154	3	-	1	3	8	20	11	19	34	36	19	-
1986.....	175	-	2	2	6	10	16	8	28	41	36	26	-
1985.....	163	1	1	-	5	13	13	13	14	38	42	23	-
1984.....	170	1	-	1	4	14	12	14	22	32	37	33	-
1983.....	207	2	-	1	4	13	12	11	35	47	60	21	1
1982.....	186	2	-	-	2	13	17	26	30	36	38	22	-
1981.....	178	-	1	1	4	10	11	13	22	54	39	23	-
1980.....	260	-	1	1	4	14	12	23	38	71	67	29	-
1979.....	272	1	-	1	7	14	19	35	34	78	53	30	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHROPATHY, N.S. AS ACUTE OR CHRONIC, AND RENAL SCLEROSIS, UNSPECIFIED (582-583,587)													
ALL OTHER FEMALE													
1998.....	179	-	-	-	2	2	7	10	22	27	45	64	-
1997.....	159	1	-	2	2	6	8	5	18	32	47	38	-
1996.....	172	-	-	3	3	1	7	7	16	49	28	58	-
1995.....	144	-	-	1	2	7	10	11	15	34	31	33	-
1994.....	185	-	-	-	1	7	5	17	20	35	56	44	-
1993.....	170	-	-	-	3	4	9	8	19	41	40	46	-
1992.....	138	-	-	-	-	3	9	10	8	34	31	43	-
1991.....	160	1	-	1	6	2	8	11	12	38	46	35	-
1990.....	157	-	-	1	3	3	7	8	22	31	52	30	-
1989.....	173	-	1	-	1	8	5	7	16	47	50	37	1
1988.....	122	-	-	-	2	6	5	6	11	25	38	29	-
1987.....	151	1	-	-	2	3	6	8	18	39	39	35	-
1986.....	150	-	-	1	-	2	5	5	22	44	45	26	-
1985.....	146	-	-	1	-	2	6	8	20	28	50	31	-
1984.....	182	-	-	1	3	6	12	16	27	35	44	38	-
1983.....	183	2	-	-	3	9	6	9	36	41	49	28	-
1982.....	202	1	1	1	3	9	5	14	34	46	62	26	-
1981.....	207	-	-	-	2	6	19	16	32	48	57	26	1
1980.....	268	-	-	-	5	11	8	23	49	62	68	42	-
1979.....	244	-	-	1	7	12	9	15	38	64	66	32	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHROPATHY, N.S. AS ACUTE OR CHRONIC, AND RENAL SCLEROSIS, UNSPECIFIED (582-583,587)													
BLACK, BOTH SEXES													
1998.....	310	1	-	1	3	5	13	17	35	58	91	86	-
1997.....	276	2	-	3	3	12	21	17	31	53	74	60	-
1996.....	292	1	-	3	2	2	19	20	23	76	64	82	-
1995.....	266	2	-	1	4	8	24	16	27	62	67	55	-
1994.....	306	-	-	2	3	13	18	30	39	54	82	65	-
1993.....	309	-	1	-	5	13	21	16	36	75	77	65	-
1992.....	279	1	1	-	-	11	24	21	29	61	60	71	-
1991.....	285	2	-	3	7	7	18	17	26	68	80	57	-
1990.....	300	-	-	1	5	13	25	17	38	64	84	53	-
1989.....	295	-	1	-	3	13	20	25	34	64	77	57	1
1988.....	241	-	-	-	5	12	20	13	30	47	68	46	-
1987.....	277	4	-	-	5	11	23	18	35	64	70	47	-
1986.....	299	-	1	2	6	11	21	10	44	83	75	46	-
1985.....	288	1	1	1	4	15	17	19	32	60	85	53	-
1984.....	324	1	-	1	6	19	21	28	43	65	79	61	-
1983.....	366	4	-	1	7	21	14	19	67	84	101	47	1
1982.....	353	3	1	-	4	17	20	33	63	78	91	43	-
1981.....	359	-	1	1	6	15	27	27	50	96	89	46	1
1980.....	498	-	1	1	6	24	18	41	81	128	130	68	-
1979.....	484	-	-	2	11	24	27	48	70	134	114	54	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
--	-------	--------------	-----------	------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-----------	------

0 CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHROPATHY, N.S. AS ACUTE OR CHRONIC, AND RENAL SCLEROSIS, UNSPECIFIED (582-583,587)

BLACK MALE

1998.....	153	1	-	1	1	4	7	9	16	34	49	31	-
1997.....	135	1	-	1	1	7	13	13	14	25	37	23	-
1996.....	144	1	-	-	1	1	13	16	10	33	40	29	-
1995.....	139	2	-	1	2	3	14	8	14	32	38	25	-
1994.....	138	-	-	2	2	6	13	14	22	25	32	22	-
1993.....	153	-	1	-	3	11	12	10	17	37	41	21	-
1992.....	152	1	1	-	-	10	15	11	22	30	33	29	-
1991.....	136	1	-	2	1	5	10	8	15	35	36	23	-
1990.....	156	-	-	-	2	11	18	12	16	36	36	25	-
1989.....	137	-	-	-	2	6	16	18	20	21	31	23	-
1988.....	133	-	-	-	3	9	16	7	21	24	33	20	-
1987.....	139	3	-	-	3	8	17	10	18	30	34	16	-
1986.....	166	-	1	2	6	9	16	7	27	40	34	24	-
1985.....	155	1	1	-	4	13	12	13	14	38	36	23	-
1984.....	155	1	-	1	3	13	12	13	18	30	35	29	-
1983.....	194	2	-	1	4	12	10	10	33	46	56	19	1
1982.....	172	2	-	-	2	10	16	22	30	33	36	21	-
1981.....	166	-	1	1	4	9	10	12	22	50	36	21	-
1980.....	243	-	1	1	2	14	11	20	35	68	63	28	-
1979.....	252	-	-	1	6	12	18	34	32	72	50	27	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
--	-------	--------------	-----------	------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-----------	------

0 CHRONIC GLOMERULONEPHRITIS, NEPHRITIS AND NEPHROPATHY, N.S. AS ACUTE OR CHRONIC, AND RENAL SCLEROSIS, UNSPECIFIED (582-583,587)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
BLACK FEMALE													
1998.....	157	-	-	-	2	1	6	8	19	24	42	55	-
1997.....	141	1	-	2	2	5	8	4	17	28	37	37	-
1996.....	148	-	-	3	1	1	6	4	13	43	24	53	-
1995.....	127	-	-	-	2	5	10	8	13	30	29	30	-
1994.....	168	-	-	-	1	7	5	16	17	29	50	43	-
1993.....	156	-	-	-	2	2	9	6	19	38	36	44	-
1992.....	127	-	-	-	-	1	9	10	7	31	27	42	-
1991.....	149	1	-	1	6	2	8	9	11	33	44	34	-
1990.....	144	-	-	1	3	2	7	5	22	28	48	28	-
1989.....	158	-	1	-	1	7	4	7	14	43	46	34	1
1988.....	108	-	-	-	2	3	4	6	9	23	35	26	-
1987.....	138	1	-	-	2	3	6	8	17	34	36	31	-
1986.....	133	-	-	-	-	2	5	3	17	43	41	22	-
1985.....	133	-	-	1	-	2	5	6	18	22	49	30	-
1984.....	169	-	-	-	3	6	9	15	25	35	44	32	-
1983.....	172	2	-	-	3	9	4	9	34	38	45	28	-
1982.....	181	1	1	-	2	7	4	11	33	45	55	22	-
1981.....	193	-	-	-	2	6	17	15	28	46	53	25	1
1980.....	255	-	-	-	4	10	7	21	46	60	67	40	-
1979.....	232	-	-	1	5	12	9	14	38	62	64	27	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION, AND SMALL KIDNEY OF UNKNOWN CAUSE (584-586,588-589)													
TOTAL, BOTH SEXES													
1998.....	24,142	126	9	13	34	124	382	848	1,668	4,424	8,376	8,138	-
1997.....	23,355	124	11	10	37	139	377	772	1,691	4,379	7,968	7,847	-
1996.....	22,345	133	9	19	42	131	423	773	1,569	4,267	7,718	7,259	2
1995.....	21,880	145	10	13	41	163	428	741	1,603	4,246	7,506	6,980	4
1994.....	21,125	168	8	10	35	159	378	666	1,561	4,306	7,143	6,689	2
1993.....	21,437	173	15	21	34	189	398	680	1,709	4,395	7,207	6,614	2
1992.....	20,355	181	10	14	43	199	420	647	1,581	4,190	6,829	6,238	3
1991.....	19,528	178	9	18	42	197	430	601	1,551	4,034	6,599	5,867	2
1990.....	18,947	140	15	11	43	177	448	632	1,577	3,946	6,401	5,557	-
1989.....	19,291	186	9	12	53	215	394	643	1,683	4,032	6,545	5,515	4
1988.....	20,561	212	13	17	68	224	415	714	1,886	4,212	6,884	5,915	1
1987.....	20,266	207	18	15	56	235	343	687	1,862	4,295	6,756	5,792	-
1986.....	19,969	241	21	24	61	201	376	671	1,915	4,241	6,620	5,596	2
1985.....	19,436	267	17	22	62	195	372	642	1,972	4,288	6,294	5,302	3
1984.....	17,986	265	16	31	63	187	313	600	1,855	4,032	5,869	4,753	2
1983.....	16,757	218	14	21	61	194	282	630	1,807	3,715	5,536	4,276	3
1982.....	15,847	245	21	24	61	171	303	573	1,797	3,667	5,027	3,955	3
1981.....	14,920	244	18	27	81	175	283	620	1,683	3,490	4,722	3,575	2
1980.....	14,180	218	19	22	75	190	286	678	1,663	3,242	4,445	3,339	3
1979.....	13,028	206	18	38	91	197	292	692	1,542	2,986	4,095	2,869	2

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION, AND SMALL KIDNEY OF UNKNOWN CAUSE (584-586,588-589)													
TOTAL, MALE													
1998.....	11,576	65	5	5	17	71	242	525	907	2,313	4,180	3,246	-
1997.....	11,179	76	4	7	23	83	228	448	897	2,358	3,939	3,116	-
1996.....	10,689	86	3	11	26	83	254	438	885	2,252	3,822	2,828	1
1995.....	10,503	82	7	5	24	99	276	423	857	2,269	3,698	2,759	4
1994.....	9,996	100	3	3	15	96	237	387	821	2,195	3,493	2,644	2
1993.....	10,280	97	11	10	21	114	245	394	894	2,326	3,545	2,623	-
1992.....	9,897	87	3	7	22	128	288	384	866	2,196	3,404	2,511	1
1991.....	9,506	113	8	10	23	121	304	349	877	2,138	3,253	2,309	1
1990.....	9,097	77	12	6	27	109	286	347	795	2,071	3,188	2,179	-
1989.....	9,427	112	8	3	23	140	271	364	950	2,158	3,219	2,175	4
1988.....	9,929	110	5	11	36	137	271	412	1,021	2,213	3,372	2,340	1
1987.....	9,998	106	11	11	31	139	220	406	1,037	2,274	3,368	2,395	-
1986.....	9,945	142	10	10	34	113	222	395	1,050	2,322	3,337	2,309	1
1985.....	9,622	152	10	11	37	118	240	341	1,052	2,312	3,110	2,238	1
1984.....	8,993	157	9	13	35	109	194	323	1,010	2,154	2,957	2,031	1
1983.....	8,259	114	9	10	29	110	152	351	969	1,959	2,755	1,798	3
1982.....	8,030	149	7	16	35	94	172	343	975	1,975	2,531	1,730	3
1981.....	7,615	136	6	19	40	109	173	346	949	1,909	2,361	1,567	-
1980.....	7,338	123	8	11	37	120	181	352	908	1,804	2,286	1,506	2
1979.....	6,834	113	11	23	44	116	168	367	862	1,620	2,166	1,343	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION, AND SMALL KIDNEY OF UNKNOWN CAUSE (584-586,588-589)													
TOTAL, FEMALE													
1998.....	12,566	61	4	8	17	53	140	323	761	2,111	4,196	4,892	-
1997.....	12,176	48	7	3	14	56	149	324	794	2,021	4,029	4,731	-
1996.....	11,656	47	6	8	16	48	169	335	684	2,015	3,896	4,431	1
1995.....	11,377	63	3	8	17	64	152	318	746	1,977	3,808	4,221	-
1994.....	11,129	68	5	7	20	63	141	279	740	2,111	3,650	4,045	-
1993.....	11,157	76	4	11	13	75	153	286	815	2,069	3,662	3,991	2
1992.....	10,458	94	7	7	21	71	132	263	715	1,994	3,425	3,727	2
1991.....	10,022	65	1	8	19	76	126	252	674	1,896	3,346	3,558	1
1990.....	9,850	63	3	5	16	68	162	285	782	1,875	3,213	3,378	-
1989.....	9,864	74	1	9	30	75	123	279	733	1,874	3,326	3,340	-
1988.....	10,632	102	8	6	32	87	144	302	865	1,999	3,512	3,575	-
1987.....	10,268	101	7	4	25	96	123	281	825	2,021	3,388	3,397	-
1986.....	10,024	99	11	14	27	88	154	276	865	1,919	3,283	3,287	1
1985.....	9,814	115	7	11	25	77	132	301	920	1,976	3,184	3,064	2
1984.....	8,993	108	7	18	28	78	119	277	845	1,878	2,912	2,722	1
1983.....	8,498	104	5	11	32	84	130	279	838	1,756	2,781	2,478	-
1982.....	7,817	96	14	8	26	77	131	230	822	1,692	2,496	2,225	-
1981.....	7,305	108	12	8	41	66	110	274	734	1,581	2,361	2,008	2
1980.....	6,842	95	11	11	38	70	105	326	755	1,438	2,159	1,833	1
1979.....	6,194	93	7	15	47	81	124	325	680	1,366	1,929	1,526	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION, AND SMALL KIDNEY OF UNKNOWN CAUSE (584-586,588-589)													
WHITE, BOTH SEXES													
1998.....	19,728	79	4	11	21	73	215	530	1,104	3,442	7,130	7,119	-
1997.....	19,065	86	9	8	29	79	227	462	1,112	3,423	6,793	6,837	-
1996.....	18,131	74	8	13	24	71	241	480	1,083	3,320	6,504	6,313	-
1995.....	17,667	86	5	8	24	97	227	452	1,062	3,319	6,291	6,095	1
1994.....	17,180	95	5	5	25	79	193	408	1,035	3,366	6,085	5,883	1
1993.....	17,312	104	12	16	29	88	205	398	1,170	3,476	6,059	5,754	1
1992.....	16,451	121	9	9	24	103	226	383	1,044	3,271	5,793	5,467	1
1991.....	15,707	120	9	12	22	102	222	363	1,041	3,121	5,608	5,085	2
1990.....	15,131	81	9	6	26	97	236	366	1,033	3,033	5,360	4,884	-
1989.....	15,165	119	6	6	30	110	194	377	1,084	3,034	5,386	4,819	-
1988.....	16,416	142	11	13	37	121	230	413	1,283	3,264	5,731	5,171	-
1987.....	16,339	119	12	10	31	128	214	411	1,291	3,339	5,700	5,084	-
1986.....	16,023	154	17	20	42	114	212	394	1,320	3,312	5,542	4,895	1
1985.....	15,504	179	13	18	43	105	214	396	1,367	3,278	5,269	4,620	2
1984.....	14,464	172	12	20	46	123	191	376	1,294	3,113	4,902	4,215	-
1983.....	13,536	148	10	16	44	128	163	413	1,272	2,852	4,695	3,795	-
1982.....	12,648	166	16	20	37	114	197	351	1,242	2,794	4,205	3,505	1
1981.....	11,907	171	16	24	61	108	176	384	1,152	2,640	3,987	3,187	1
1980.....	11,150	148	16	17	42	120	174	414	1,109	2,451	3,717	2,940	2
1979.....	10,396	149	16	29	63	135	179	435	1,062	2,304	3,450	2,573	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION, AND SMALL KIDNEY OF UNKNOWN CAUSE (584-586,588-589)													
WHITE MALE													
1998.....	9,609	42	3	5	9	41	131	329	601	1,888	3,663	2,897	-
1997.....	9,220	48	4	5	16	46	130	266	603	1,918	3,446	2,738	-
1996.....	8,782	50	2	7	17	43	137	279	627	1,813	3,324	2,483	-
1995.....	8,574	48	3	3	11	53	144	261	586	1,840	3,190	2,434	1
1994.....	8,215	54	1	1	8	42	111	229	566	1,760	3,083	2,359	1
1993.....	8,373	58	9	6	18	47	117	227	643	1,896	3,049	2,303	-
1992.....	8,054	62	3	4	14	69	143	233	604	1,769	2,937	2,215	1
1991.....	7,669	79	8	5	14	56	162	205	600	1,697	2,831	2,011	1
1990.....	7,313	46	7	4	18	62	159	204	538	1,637	2,716	1,922	-
1989.....	7,377	72	6	2	12	70	130	213	651	1,651	2,675	1,895	-
1988.....	8,011	79	5	9	18	73	155	243	728	1,779	2,850	2,072	-
1987.....	8,110	65	8	8	18	73	130	252	739	1,833	2,887	2,097	-
1986.....	8,037	93	9	9	23	63	120	234	760	1,866	2,831	2,029	-
1985.....	7,745	108	7	11	28	61	131	225	755	1,841	2,626	1,951	1
1984.....	7,308	102	8	7	27	71	117	205	716	1,730	2,522	1,803	-
1983.....	6,730	82	6	7	25	71	84	241	698	1,572	2,369	1,575	-
1982.....	6,487	105	5	12	22	62	121	215	710	1,557	2,148	1,529	1
1981.....	6,114	93	5	17	33	70	109	218	667	1,496	2,028	1,378	-
1980.....	5,839	88	7	10	24	74	106	219	643	1,429	1,916	1,321	2
1979.....	5,501	77	10	16	28	82	102	242	633	1,302	1,815	1,194	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION, AND SMALL KIDNEY OF UNKNOWN CAUSE (584-586,588-589)													
WHITE FEMALE													
1998.....	10,119	37	1	6	12	32	84	201	503	1,554	3,467	4,222	-
1997.....	9,845	38	5	3	13	33	97	196	509	1,505	3,347	4,099	-
1996.....	9,349	24	6	6	7	28	104	201	456	1,507	3,180	3,830	-
1995.....	9,093	38	2	5	13	44	83	191	476	1,479	3,101	3,661	-
1994.....	8,965	41	4	4	17	37	82	179	469	1,606	3,002	3,524	-
1993.....	8,939	46	3	10	11	41	88	171	527	1,580	3,010	3,451	1
1992.....	8,397	59	6	5	10	34	83	150	440	1,502	2,856	3,252	-
1991.....	8,038	41	1	7	8	46	60	158	441	1,424	2,777	3,074	1
1990.....	7,818	35	2	2	8	35	77	162	495	1,396	2,644	2,962	-
1989.....	7,788	47	-	4	18	40	64	164	433	1,383	2,711	2,924	-
1988.....	8,405	63	6	4	19	48	75	170	555	1,485	2,881	3,099	-
1987.....	8,229	54	4	2	13	55	84	159	552	1,506	2,813	2,987	-
1986.....	7,986	61	8	11	19	51	92	160	560	1,446	2,711	2,866	1
1985.....	7,759	71	6	7	15	44	83	171	612	1,437	2,643	2,669	1
1984.....	7,156	70	4	13	19	52	74	171	578	1,383	2,380	2,412	-
1983.....	6,806	66	4	9	19	57	79	172	574	1,280	2,326	2,220	-
1982.....	6,161	61	11	8	15	52	76	136	532	1,237	2,057	1,976	-
1981.....	5,793	78	11	7	28	38	67	166	485	1,144	1,959	1,809	1
1980.....	5,311	60	9	7	18	46	68	195	466	1,022	1,801	1,619	-
1979.....	4,895	72	6	13	35	53	77	193	429	1,002	1,635	1,379	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION, AND SMALL KIDNEY OF UNKNOWN CAUSE (584-586,588-589)													
ALL OTHER, BOTH SEXES													
1998.....	4,414	47	5	2	13	51	167	318	564	982	1,246	1,019	-
1997.....	4,290	38	2	2	8	60	150	310	579	956	1,175	1,010	-
1996.....	4,214	59	1	6	18	60	182	293	486	947	1,214	946	2
1995.....	4,213	59	5	5	17	66	201	289	541	927	1,215	885	3
1994.....	3,945	73	3	5	10	80	185	258	526	940	1,058	806	1
1993.....	4,125	69	3	5	5	101	193	282	539	919	1,148	860	1
1992.....	3,904	60	1	5	19	96	194	264	537	919	1,036	771	2
1991.....	3,821	58	-	6	20	95	208	238	510	913	991	782	-
1990.....	3,816	59	6	5	17	80	212	266	544	913	1,041	673	-
1989.....	4,126	67	3	6	23	105	200	266	599	998	1,159	696	4
1988.....	4,145	70	2	4	31	103	185	301	603	948	1,153	744	1
1987.....	3,927	88	6	5	25	107	129	276	571	956	1,056	708	-
1986.....	3,946	87	4	4	19	87	164	277	595	929	1,078	701	1
1985.....	3,932	88	4	4	19	90	158	246	605	1,010	1,025	682	1
1984.....	3,522	93	4	11	17	64	122	224	561	919	967	538	2
1983.....	3,221	70	4	5	17	66	119	217	535	863	841	481	3
1982.....	3,199	79	5	4	24	57	106	222	555	873	822	450	2
1981.....	3,013	73	2	3	20	67	107	236	531	850	735	388	1
1980.....	3,030	70	3	5	33	70	112	264	554	791	728	399	1
1979.....	2,632	57	2	9	28	62	113	257	480	682	645	296	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION, AND SMALL KIDNEY OF UNKNOWN CAUSE (584-586,588-589)													
ALL OTHER MALE													
1998.....	1,967	23	2	-	8	30	111	196	306	425	517	349	-
1997.....	1,959	28	-	2	7	37	98	182	294	440	493	378	-
1996.....	1,907	36	1	4	9	40	117	159	258	439	498	345	1
1995.....	1,929	34	4	2	13	46	132	162	271	429	508	325	3
1994.....	1,781	46	2	2	7	54	126	158	255	435	410	285	1
1993.....	1,907	39	2	4	3	67	128	167	251	430	496	320	-
1992.....	1,843	25	-	3	8	59	145	151	262	427	467	296	-
1991.....	1,837	34	-	5	9	65	142	144	277	441	422	298	-
1990.....	1,784	31	5	2	9	47	127	143	257	434	472	257	-
1989.....	2,050	40	2	1	11	70	141	151	299	507	544	280	4
1988.....	1,918	31	-	2	18	64	116	169	293	434	522	268	1
1987.....	1,888	41	3	3	13	66	90	154	298	441	481	298	-
1986.....	1,908	49	1	1	11	50	102	161	290	456	506	280	1
1985.....	1,877	44	3	-	9	57	109	116	297	471	484	287	-
1984.....	1,685	55	1	6	8	38	77	118	294	424	435	228	1
1983.....	1,529	32	3	3	4	39	68	110	271	387	386	223	3
1982.....	1,543	44	2	4	13	32	51	128	265	418	383	201	2
1981.....	1,501	43	1	2	7	39	64	128	282	413	333	189	-
1980.....	1,499	35	1	1	13	46	75	133	265	375	370	185	-
1979.....	1,333	36	1	7	16	34	66	125	229	318	351	149	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION, AND SMALL KIDNEY OF UNKNOWN CAUSE (584-586,588-589)													
ALL OTHER FEMALE													
1998.....	2,447	24	3	2	5	21	56	122	258	557	729	670	-
1997.....	2,331	10	2	-	1	23	52	128	285	516	682	632	-
1996.....	2,307	23	-	2	9	20	65	134	228	508	716	601	1
1995.....	2,284	25	1	3	4	20	69	127	270	498	707	560	-
1994.....	2,164	27	1	3	3	26	59	100	271	505	648	521	-
1993.....	2,218	30	1	1	2	34	65	115	288	489	652	540	1
1992.....	2,061	35	1	2	11	37	49	113	275	492	569	475	2
1991.....	1,984	24	-	1	11	30	66	94	233	472	569	484	-
1990.....	2,032	28	1	3	8	33	85	123	287	479	569	416	-
1989.....	2,076	27	1	5	12	35	59	115	300	491	615	416	-
1988.....	2,227	39	2	2	13	39	69	132	310	514	631	476	-
1987.....	2,039	47	3	2	12	41	39	122	273	515	575	410	-
1986.....	2,038	38	3	3	8	37	62	116	305	473	572	421	-
1985.....	2,055	44	1	4	10	33	49	130	308	539	541	395	1
1984.....	1,837	38	3	5	9	26	45	106	267	495	532	310	1
1983.....	1,692	38	1	2	13	27	51	107	264	476	455	258	-
1982.....	1,656	35	3	-	11	25	55	94	290	455	439	249	-
1981.....	1,512	30	1	1	13	28	43	108	249	437	402	199	1
1980.....	1,531	35	2	4	20	24	37	131	289	416	358	214	1
1979.....	1,299	21	1	2	12	28	47	132	251	364	294	147	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION, AND SMALL KIDNEY OF UNKNOWN CAUSE (584-586,588-589)													
BLACK, BOTH SEXES													
1998.....	3,974	41	5	2	12	49	159	284	520	867	1,103	932	-
1997.....	3,911	33	1	1	7	55	141	284	532	864	1,062	931	-
1996.....	3,792	57	1	6	17	55	173	273	446	839	1,078	845	2
1995.....	3,848	56	4	4	16	66	193	267	498	838	1,095	808	3
1994.....	3,624	68	2	5	10	79	175	246	483	864	960	731	1
1993.....	3,743	66	3	5	5	94	181	263	497	829	1,022	777	1
1992.....	3,566	54	1	5	16	90	182	241	493	830	941	711	2
1991.....	3,522	57	-	5	18	92	201	225	469	849	900	706	-
1990.....	3,513	53	6	5	16	76	201	249	504	833	951	619	-
1989.....	3,805	64	3	5	20	101	191	250	556	921	1,059	631	4
1988.....	3,857	64	2	4	28	98	176	280	566	883	1,065	690	1
1987.....	3,650	80	6	5	24	98	121	256	539	889	978	654	-
1986.....	3,672	82	4	4	16	80	156	252	551	874	1,009	644	-
1985.....	3,698	79	4	3	18	88	157	222	577	948	953	648	1
1984.....	3,291	89	4	10	16	59	113	201	530	869	893	505	2
1983.....	3,011	66	4	5	14	61	109	204	504	807	792	442	3
1982.....	3,005	77	4	4	19	53	96	210	522	833	765	420	2
1981.....	2,856	69	2	3	20	63	103	224	508	806	698	359	1
1980.....	2,863	67	2	4	30	65	104	253	527	758	681	371	1
1979.....	2,490	55	2	8	27	61	111	242	463	647	602	271	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION, AND SMALL KIDNEY OF UNKNOWN CAUSE (584-586,588-589)													
BLACK MALE													
1998.....	1,757	22	2	-	7	29	105	175	287	372	451	307	-
1997.....	1,782	24	-	1	6	36	95	170	269	406	438	337	-
1996.....	1,703	36	1	4	8	39	111	151	236	386	440	290	1
1995.....	1,759	34	3	1	13	46	128	146	250	389	456	290	3
1994.....	1,626	43	1	2	7	54	120	151	238	396	366	247	1
1993.....	1,703	38	2	4	3	62	120	154	230	389	423	278	-
1992.....	1,680	22	-	3	7	57	137	139	246	385	422	262	-
1991.....	1,688	34	-	4	8	63	139	137	255	414	373	261	-
1990.....	1,626	27	5	2	8	44	121	138	237	396	419	229	-
1989.....	1,877	39	2	1	10	67	136	144	278	462	487	247	4
1988.....	1,748	29	-	2	17	61	111	155	272	398	465	237	1
1987.....	1,740	37	3	3	13	63	85	142	281	407	434	272	-
1986.....	1,772	46	1	1	9	46	99	149	267	430	474	250	-
1985.....	1,753	39	3	-	9	55	108	108	283	438	440	270	-
1984.....	1,555	53	1	5	7	38	73	105	277	395	392	208	1
1983.....	1,428	30	3	3	4	37	65	102	257	362	360	202	3
1982.....	1,448	42	2	4	10	29	46	126	250	399	351	187	2
1981.....	1,421	41	1	2	7	37	63	120	269	389	315	177	-
1980.....	1,423	34	1	1	13	42	72	131	256	359	342	172	-
1979.....	1,249	35	1	7	15	34	66	118	218	297	325	132	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 RENAL FAILURE, DISORDERS RESULTING FROM IMPAIRED RENAL FUNCTION, AND SMALL KIDNEY OF UNKNOWN CAUSE (584-586,588-589)													
BLACK FEMALE													
1998.....	2,217	19	3	2	5	20	54	109	233	495	652	625	-
1997.....	2,129	9	1	-	1	19	46	114	263	458	624	594	-
1996.....	2,089	21	-	2	9	16	62	122	210	453	638	555	1
1995.....	2,089	22	1	3	3	20	65	121	248	449	639	518	-
1994.....	1,998	25	1	3	3	25	55	95	245	468	594	484	-
1993.....	2,040	28	1	1	2	32	61	109	267	440	599	499	1
1992.....	1,886	32	1	2	9	33	45	102	247	445	519	449	2
1991.....	1,834	23	-	1	10	29	62	88	214	435	527	445	-
1990.....	1,887	26	1	3	8	32	80	111	267	437	532	390	-
1989.....	1,928	25	1	4	10	34	55	106	278	459	572	384	-
1988.....	2,109	35	2	2	11	37	65	125	294	485	600	453	-
1987.....	1,910	43	3	2	11	35	36	114	258	482	544	382	-
1986.....	1,900	36	3	3	7	34	57	103	284	444	535	394	-
1985.....	1,945	40	1	3	9	33	49	114	294	510	513	378	1
1984.....	1,736	36	3	5	9	21	40	96	253	474	501	297	1
1983.....	1,583	36	1	2	10	24	44	102	247	445	432	240	-
1982.....	1,557	35	2	-	9	24	50	84	272	434	414	233	-
1981.....	1,435	28	1	1	13	26	40	104	239	417	383	182	1
1980.....	1,440	33	1	3	17	23	32	122	271	399	339	199	1
1979.....	1,241	20	1	1	12	27	45	124	245	350	277	139	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
INFECTIONS OF KIDNEY (590)													
TOTAL, BOTH SEXES													
1998.....	828	5	-	-	2	7	31	43	58	120	240	322	-
1997.....	831	1	2	-	4	11	21	42	52	127	256	315	-
1996.....	896	6	4	1	5	15	25	28	65	142	284	320	1
1995.....	918	2	3	1	2	12	28	42	60	144	272	352	-
1994.....	973	6	1	1	3	12	24	38	64	140	332	352	-
1993.....	1,023	1	1	-	7	9	29	47	69	133	345	382	-
1992.....	1,083	1	1	2	2	12	35	39	64	150	338	439	-
1991.....	1,219	8	5	1	9	17	33	45	70	167	415	449	-
1990.....	1,296	6	1	-	9	8	34	44	93	199	436	466	-
1989.....	1,414	6	-	-	10	25	34	39	80	228	468	523	1
1988.....	1,610	5	3	2	6	18	37	56	91	236	564	591	1
1987.....	1,742	7	3	-	4	14	29	51	111	302	591	630	-
1986.....	1,870	4	3	1	4	18	28	56	125	298	604	727	2
1985.....	1,982	4	3	1	6	22	22	48	128	307	748	691	2
1984.....	2,077	5	1	1	13	21	37	58	157	361	703	720	-
1983.....	2,089	3	3	1	8	24	24	57	162	348	742	717	-
1982.....	2,218	8	1	3	7	22	27	71	162	418	786	713	-
1981.....	2,305	3	1	1	10	23	32	81	175	391	889	699	-
1980.....	2,732	6	-	4	6	28	42	94	195	537	958	862	-
1979.....	2,868	9	1	2	18	23	41	100	213	570	1,008	883	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
INFECTIONS OF KIDNEY (590)													
TOTAL, MALE													
1998.....	214	2	-	-	1	3	14	18	18	32	64	62	-
1997.....	241	-	1	-	3	4	7	13	17	33	91	72	-
1996.....	255	3	3	-	2	2	10	4	20	53	86	71	1
1995.....	241	-	1	1	-	5	9	13	19	47	73	73	-
1994.....	261	1	-	-	-	1	9	9	28	52	83	78	-
1993.....	276	1	-	-	1	4	7	13	22	44	105	79	-
1992.....	327	1	1	1	1	6	12	8	20	55	118	104	-
1991.....	327	6	1	1	5	6	13	17	19	48	121	90	-
1990.....	404	5	-	-	2	5	11	20	42	72	130	117	-
1989.....	435	4	-	-	4	8	13	16	31	89	142	128	-
1988.....	496	3	1	-	2	7	15	23	33	85	182	145	-
1987.....	536	6	2	-	-	4	11	18	38	121	177	159	-
1986.....	562	1	-	-	2	7	7	22	41	101	205	174	2
1985.....	691	2	2	1	2	8	6	19	55	111	283	202	-
1984.....	713	3	-	1	3	9	13	21	58	149	255	201	-
1983.....	715	1	3	1	2	10	6	20	57	134	271	210	-
1982.....	733	5	-	1	-	4	10	26	59	157	266	205	-
1981.....	838	3	-	1	7	9	10	20	74	148	336	230	-
1980.....	960	2	-	-	3	11	15	38	71	202	339	279	-
1979.....	1,095	5	1	1	6	9	14	36	89	235	397	302	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
INFECTIONS OF KIDNEY (590)													
TOTAL, FEMALE													
1998.....	614	3	-	-	1	4	17	25	40	88	176	260	-
1997.....	590	1	1	-	1	7	14	29	35	94	165	243	-
1996.....	641	3	1	1	3	13	15	24	45	89	198	249	-
1995.....	677	2	2	-	2	7	19	29	41	97	199	279	-
1994.....	712	5	1	1	3	11	15	29	36	88	249	274	-
1993.....	747	-	1	-	6	5	22	34	47	89	240	303	-
1992.....	756	-	-	1	1	6	23	31	44	95	220	335	-
1991.....	892	2	4	-	4	11	20	28	51	119	294	359	-
1990.....	892	1	1	-	7	3	23	24	51	127	306	349	-
1989.....	979	2	-	-	6	17	21	23	49	139	326	395	1
1988.....	1,114	2	2	2	4	11	22	33	58	151	382	446	1
1987.....	1,206	1	1	-	4	10	18	33	73	181	414	471	-
1986.....	1,308	3	3	1	2	11	21	34	84	197	399	553	-
1985.....	1,291	2	1	-	4	14	16	29	73	196	465	489	2
1984.....	1,364	2	1	-	10	12	24	37	99	212	448	519	-
1983.....	1,374	2	-	-	6	14	18	37	105	214	471	507	-
1982.....	1,485	3	1	2	7	18	17	45	103	261	520	508	-
1981.....	1,467	-	1	-	3	14	22	61	101	243	553	469	-
1980.....	1,772	4	-	4	3	17	27	56	124	335	619	583	-
1979.....	1,773	4	-	1	12	14	27	64	124	335	611	581	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
INFECTIONS OF KIDNEY (590) WHITE, BOTH SEXES													
1998.....	704	4	-	-	-	5	24	34	38	97	210	292	-
1997.....	725	-	2	-	4	9	13	28	41	104	233	291	-
1996.....	778	4	4	1	4	8	18	19	56	123	256	285	-
1995.....	783	1	3	1	1	6	22	29	43	120	239	318	-
1994.....	830	5	-	1	2	7	16	27	51	113	290	318	-
1993.....	881	1	1	-	5	4	23	31	50	120	303	343	-
1992.....	946	-	-	1	1	7	19	27	53	124	308	406	-
1991.....	1,041	4	3	1	6	12	22	36	52	142	361	402	-
1990.....	1,134	3	1	-	8	6	25	36	76	164	387	428	-
1989.....	1,203	3	-	-	6	15	22	23	58	189	405	481	1
1988.....	1,415	5	2	-	3	11	22	42	75	202	500	552	1
1987.....	1,526	5	2	-	1	10	19	40	92	242	533	582	-
1986.....	1,623	3	3	-	3	12	17	36	97	252	532	666	2
1985.....	1,708	3	2	1	5	14	14	32	103	244	658	630	2
1984.....	1,805	5	1	1	11	14	20	45	116	302	626	664	-
1983.....	1,821	2	3	1	6	14	14	41	125	294	669	652	-
1982.....	1,953	6	1	3	4	16	17	52	130	354	704	666	-
1981.....	2,022	2	1	1	9	14	23	59	143	325	796	649	-
1980.....	2,365	4	-	4	5	20	30	61	149	450	840	802	-
1979.....	2,493	6	1	2	14	18	25	68	154	482	903	820	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
INFECTIONS OF KIDNEY (590) WHITE MALE													
1998.....	173	1	-	-	-	2	11	17	11	30	51	50	-
1997.....	203	-	1	-	3	3	4	8	12	23	84	65	-
1996.....	222	2	3	-	1	1	7	3	19	43	82	61	-
1995.....	201	-	1	1	-	2	7	8	13	40	63	66	-
1994.....	215	1	-	-	-	1	7	7	21	39	70	69	-
1993.....	226	1	-	-	1	2	6	7	11	38	93	67	-
1992.....	277	-	-	1	-	4	7	6	16	44	105	94	-
1991.....	274	2	-	1	3	6	9	12	16	40	102	83	-
1990.....	339	2	-	-	2	5	6	15	33	57	112	107	-
1989.....	358	1	-	-	4	5	9	11	21	71	125	111	-
1988.....	414	3	-	-	1	5	9	17	25	67	157	130	-
1987.....	458	4	1	-	-	2	9	13	32	96	157	144	-
1986.....	479	-	-	-	2	6	4	20	31	85	176	153	2
1985.....	582	1	1	1	1	7	4	11	42	83	247	184	-
1984.....	597	3	-	1	3	7	7	15	38	124	225	174	-
1983.....	613	1	3	1	2	6	5	15	43	117	236	184	-
1982.....	629	4	-	1	-	4	7	17	45	137	230	184	-
1981.....	741	2	-	1	6	4	9	16	61	124	305	213	-
1980.....	813	-	-	-	3	11	11	27	56	166	284	255	-
1979.....	935	3	1	1	6	7	11	24	60	195	348	279	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
INFECTIONS OF KIDNEY (590)													
WHITE FEMALE													
1998.....	531	3	-	-	-	3	13	17	27	67	159	242	-
1997.....	522	-	1	-	1	6	9	20	29	81	149	226	-
1996.....	556	2	1	1	3	7	11	16	37	80	174	224	-
1995.....	582	1	2	-	1	4	15	21	30	80	176	252	-
1994.....	615	4	-	1	2	6	9	20	30	74	220	249	-
1993.....	655	-	1	-	4	2	17	24	39	82	210	276	-
1992.....	669	-	-	-	1	3	12	21	37	80	203	312	-
1991.....	767	2	3	-	3	6	13	24	36	102	259	319	-
1990.....	795	1	1	-	6	1	19	21	43	107	275	321	-
1989.....	845	2	-	-	2	10	13	12	37	118	280	370	1
1988.....	1,001	2	2	-	2	6	13	25	50	135	343	422	1
1987.....	1,068	1	1	-	1	8	10	27	60	146	376	438	-
1986.....	1,144	3	3	-	1	6	13	16	66	167	356	513	-
1985.....	1,126	2	1	-	4	7	10	21	61	161	411	446	2
1984.....	1,208	2	1	-	8	7	13	30	78	178	401	490	-
1983.....	1,208	1	-	-	4	8	9	26	82	177	433	468	-
1982.....	1,324	2	1	2	4	12	10	35	85	217	474	482	-
1981.....	1,281	-	1	-	3	10	14	43	82	201	491	436	-
1980.....	1,552	4	-	4	2	9	19	34	93	284	556	547	-
1979.....	1,558	3	-	1	8	11	14	44	94	287	555	541	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
INFECTIONS OF KIDNEY (590)													
ALL OTHER, BOTH SEXES													
1998.....	124	1	-	-	2	2	7	9	20	23	30	30	-
1997.....	106	1	-	-	-	2	8	14	11	23	23	24	-
1996.....	118	2	-	-	1	7	7	9	9	19	28	35	1
1995.....	135	1	-	-	1	6	6	13	17	24	33	34	-
1994.....	143	1	1	-	1	5	8	11	13	27	42	34	-
1993.....	142	-	-	-	2	5	6	16	19	13	42	39	-
1992.....	137	1	1	1	1	5	16	12	11	26	30	33	-
1991.....	178	4	2	-	3	5	11	9	18	25	54	47	-
1990.....	162	3	-	-	1	2	9	8	17	35	49	38	-
1989.....	211	3	-	-	4	10	12	16	22	39	63	42	-
1988.....	195	-	1	2	3	7	15	14	16	34	64	39	-
1987.....	216	2	1	-	3	4	10	11	19	60	58	48	-
1986.....	247	1	-	1	1	6	11	20	28	46	72	61	-
1985.....	274	1	1	-	1	8	8	16	25	63	90	61	-
1984.....	272	-	-	-	2	7	17	13	41	59	77	56	-
1983.....	268	1	-	-	2	10	10	16	37	54	73	65	-
1982.....	265	2	-	-	3	6	10	19	32	64	82	47	-
1981.....	283	1	-	-	1	9	9	22	32	66	93	50	-
1980.....	367	2	-	-	1	8	12	33	46	87	118	60	-
1979.....	375	3	-	-	4	5	16	32	59	88	105	63	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
INFECTIONS OF KIDNEY (590)													
ALL OTHER MALE													
1998.....	41	1	-	-	1	1	3	1	7	2	13	12	-
1997.....	38	-	-	-	-	1	3	5	5	10	7	7	-
1996.....	33	1	-	-	1	1	3	1	1	10	4	10	1
1995.....	40	-	-	-	-	3	2	5	6	7	10	7	-
1994.....	46	-	-	-	-	-	2	2	7	13	13	9	-
1993.....	50	-	-	-	-	2	1	6	11	6	12	12	-
1992.....	50	1	1	-	1	2	5	2	4	11	13	10	-
1991.....	53	4	1	-	2	-	4	5	3	8	19	7	-
1990.....	65	3	-	-	-	-	5	5	9	15	18	10	-
1989.....	77	3	-	-	-	3	4	5	10	18	17	17	-
1988.....	82	-	1	-	1	2	6	6	8	18	25	15	-
1987.....	78	2	1	-	-	2	2	5	6	25	20	15	-
1986.....	83	1	-	-	-	1	3	2	10	16	29	21	-
1985.....	109	1	1	-	1	1	2	8	13	28	36	18	-
1984.....	116	-	-	-	-	2	6	6	20	25	30	27	-
1983.....	102	-	-	-	-	4	1	5	14	17	35	26	-
1982.....	104	1	-	-	-	-	3	9	14	20	36	21	-
1981.....	97	1	-	-	1	5	1	4	13	24	31	17	-
1980.....	147	2	-	-	-	-	4	11	15	36	55	24	-
1979.....	160	2	-	-	-	2	3	12	29	40	49	23	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
INFECTIONS OF KIDNEY (590)													
ALL OTHER FEMALE													
1998.....	83	-	-	-	1	1	4	8	13	21	17	18	-
1997.....	68	1	-	-	-	1	5	9	6	13	16	17	-
1996.....	85	1	-	-	-	6	4	8	8	9	24	25	-
1995.....	95	1	-	-	1	3	4	8	11	17	23	27	-
1994.....	97	1	1	-	1	5	6	9	6	14	29	25	-
1993.....	92	-	-	-	2	3	5	10	8	7	30	27	-
1992.....	87	-	-	1	-	3	11	10	7	15	17	23	-
1991.....	125	-	1	-	1	5	7	4	15	17	35	40	-
1990.....	97	-	-	-	1	2	4	3	8	20	31	28	-
1989.....	134	-	-	-	4	7	8	11	12	21	46	25	-
1988.....	113	-	-	2	2	5	9	8	8	16	39	24	-
1987.....	138	-	-	-	3	2	8	6	13	35	38	33	-
1986.....	164	-	-	1	1	5	8	18	18	30	43	40	-
1985.....	165	-	-	-	-	7	6	8	12	35	54	43	-
1984.....	156	-	-	-	2	5	11	7	21	34	47	29	-
1983.....	166	1	-	-	2	6	9	11	23	37	38	39	-
1982.....	161	1	-	-	3	6	7	10	18	44	46	26	-
1981.....	186	-	-	-	-	4	8	18	19	42	62	33	-
1980.....	220	-	-	-	1	8	8	22	31	51	63	36	-
1979.....	215	1	-	-	4	3	13	20	30	48	56	40	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
INFECTIONS OF KIDNEY (590) BLACK, BOTH SEXES													
1998.....	102	1	-	-	2	-	6	8	19	17	25	24	-
1997.....	91	1	-	-	-	1	6	14	8	18	22	21	-
1996.....	106	1	-	-	-	5	7	8	8	18	25	33	1
1995.....	111	1	-	-	1	4	5	10	13	18	28	31	-
1994.....	125	1	-	-	1	4	7	10	11	23	38	30	-
1993.....	127	-	-	-	2	5	5	15	13	12	39	36	-
1992.....	119	1	-	1	1	3	13	11	10	26	24	29	-
1991.....	161	3	2	-	3	5	10	8	18	22	48	42	-
1990.....	138	3	-	-	1	2	6	8	15	30	39	34	-
1989.....	194	3	-	-	3	10	11	14	22	35	56	40	-
1988.....	175	-	1	2	3	5	13	13	14	30	56	38	-
1987.....	196	2	-	-	2	4	9	10	17	58	54	40	-
1986.....	223	-	-	1	1	5	11	18	24	41	68	54	-
1985.....	249	1	1	-	1	6	8	15	23	56	84	54	-
1984.....	248	-	-	-	2	7	17	13	39	54	66	50	-
1983.....	254	1	-	-	2	10	9	16	36	54	71	55	-
1982.....	249	1	-	-	2	6	10	18	31	61	78	42	-
1981.....	267	1	-	-	1	7	9	19	31	60	90	49	-
1980.....	350	2	-	-	1	8	12	30	44	86	111	56	-
1979.....	350	3	-	-	2	5	15	30	54	84	102	55	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
INFECTIONS OF KIDNEY (590) BLACK MALE													
1998.....	33	1	-	-	1	-	2	1	7	1	11	9	-
1997.....	33	-	-	-	-	1	3	5	4	7	7	6	-
1996.....	30	-	-	-	-	1	3	1	1	9	4	10	1
1995.....	36	-	-	-	-	3	2	3	6	7	9	6	-
1994.....	42	-	-	-	-	-	2	2	7	11	13	7	-
1993.....	44	-	-	-	-	2	1	5	10	5	12	9	-
1992.....	44	1	-	-	1	2	4	2	4	11	11	8	-
1991.....	50	3	1	-	2	-	3	5	3	8	18	7	-
1990.....	57	3	-	-	-	-	4	5	8	13	15	9	-
1989.....	68	3	-	-	-	3	3	3	10	16	15	15	-
1988.....	74	-	1	-	1	1	6	5	7	15	23	15	-
1987.....	74	2	-	-	-	2	2	5	5	25	19	14	-
1986.....	76	-	-	-	-	-	3	2	10	14	27	20	-
1985.....	103	1	1	-	1	1	2	8	11	24	36	18	-
1984.....	107	-	-	-	-	2	6	6	19	23	26	25	-
1983.....	96	-	-	-	-	4	1	5	14	17	34	21	-
1982.....	98	1	-	-	-	-	3	8	13	20	34	19	-
1981.....	93	1	-	-	1	3	1	4	12	23	31	17	-
1980.....	138	2	-	-	-	-	4	8	14	36	52	22	-
1979.....	153	2	-	-	-	2	3	12	28	38	47	21	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
INFECTIONS OF KIDNEY (590)													
BLACK FEMALE													
1998.....	69	-	-	-	1	-	4	7	12	16	14	15	-
1997.....	58	1	-	-	-	-	3	9	4	11	15	15	-
1996.....	76	1	-	-	-	4	4	7	7	9	21	23	-
1995.....	75	1	-	-	1	1	3	7	7	11	19	25	-
1994.....	83	1	-	-	1	4	5	8	4	12	25	23	-
1993.....	83	-	-	-	2	3	4	10	3	7	27	27	-
1992.....	75	-	-	1	-	1	9	9	6	15	13	21	-
1991.....	111	-	1	-	1	5	7	3	15	14	30	35	-
1990.....	81	-	-	-	1	2	2	3	7	17	24	25	-
1989.....	126	-	-	-	3	7	8	11	12	19	41	25	-
1988.....	101	-	-	2	2	4	7	8	7	15	33	23	-
1987.....	122	-	-	-	2	2	7	5	12	33	35	26	-
1986.....	147	-	-	1	1	5	8	16	14	27	41	34	-
1985.....	146	-	-	-	-	5	6	7	12	32	48	36	-
1984.....	141	-	-	-	2	5	11	7	20	31	40	25	-
1983.....	158	1	-	-	2	6	8	11	22	37	37	34	-
1982.....	151	-	-	-	2	6	7	10	18	41	44	23	-
1981.....	174	-	-	-	-	4	8	15	19	37	59	32	-
1980.....	212	-	-	-	1	8	8	22	30	50	59	34	-
1979.....	197	1	-	-	2	3	12	18	26	46	55	34	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
HYPERPLASIA OF PROSTATE (600)													
TOTAL, BOTH SEXES													
1998.....	410	-	-	-	-	-	-	1	13	26	163	206	1
1997.....	420	-	-	-	-	-	-	4	11	33	154	218	-
1996.....	457	-	-	-	-	-	-	3	10	47	166	231	-
1995.....	406	-	-	-	-	-	-	-	6	58	141	201	-
1994.....	413	-	-	-	-	-	3	2	12	54	170	172	-
1993.....	410	-	-	-	-	1	-	2	13	49	158	187	-
1992.....	397	-	-	-	-	-	-	-	8	52	143	194	-
1991.....	428	-	-	-	-	-	-	3	10	60	167	188	-
1990.....	455	-	-	-	-	-	-	-	17	58	180	200	-
1989.....	449	-	-	-	-	-	3	3	13	60	184	186	-
1988.....	454	-	-	-	-	-	-	1	26	71	177	179	-
1987.....	461	-	-	-	-	-	-	1	11	66	182	201	-
1986.....	508	-	-	-	-	-	-	-	24	83	175	225	1
1985.....	479	-	-	-	-	-	-	-	18	72	186	203	-
1984.....	536	-	-	-	-	-	-	4	23	77	213	219	-
1983.....	572	-	-	-	-	-	-	2	22	94	229	225	-
1982.....	655	-	-	-	-	-	-	1	23	105	241	285	-
1981.....	693	-	-	-	-	-	-	1	25	126	279	261	1
1980.....	754	-	-	-	-	-	-	4	27	132	310	281	-
1979.....	810	-	-	-	-	-	-	2	26	161	335	286	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
HYPERPLASIA OF PROSTATE (600)													
TOTAL, MALE													
1998.....	410	-	-	-	-	-	-	1	13	26	163	206	1
1997.....	420	-	-	-	-	-	-	4	11	33	154	218	-
1996.....	457	-	-	-	-	-	-	3	10	47	166	231	-
1995.....	406	-	-	-	-	-	-	-	6	58	141	201	-
1994.....	413	-	-	-	-	-	3	2	12	54	170	172	-
1993.....	410	-	-	-	-	1	-	2	13	49	158	187	-
1992.....	397	-	-	-	-	-	-	-	8	52	143	194	-
1991.....	428	-	-	-	-	-	-	3	10	60	167	188	-
1990.....	455	-	-	-	-	-	-	-	17	58	180	200	-
1989.....	449	-	-	-	-	-	3	3	13	60	184	186	-
1988.....	454	-	-	-	-	-	-	1	26	71	177	179	-
1987.....	461	-	-	-	-	-	-	1	11	66	182	201	-
1986.....	508	-	-	-	-	-	-	-	24	83	175	225	1
1985.....	479	-	-	-	-	-	-	-	18	72	186	203	-
1984.....	536	-	-	-	-	-	-	4	23	77	213	219	-
1983.....	572	-	-	-	-	-	-	2	22	94	229	225	-
1982.....	655	-	-	-	-	-	-	1	23	105	241	285	-
1981.....	693	-	-	-	-	-	-	1	25	126	279	261	1
1980.....	754	-	-	-	-	-	-	4	27	132	310	281	-
1979.....	810	-	-	-	-	-	-	2	26	161	335	286	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
HYPERPLASIA OF PROSTATE (600)													
WHITE, BOTH SEXES													
1998.....	356	-	-	-	-	-	-	1	8	21	136	190	-
1997.....	370	-	-	-	-	-	-	2	9	23	138	198	-
1996.....	408	-	-	-	-	-	-	3	7	35	152	211	-
1995.....	364	-	-	-	-	-	-	-	6	49	123	186	-
1994.....	372	-	-	-	-	-	1	1	11	42	154	163	-
1993.....	350	-	-	-	-	1	-	1	10	41	130	167	-
1992.....	358	-	-	-	-	-	-	-	4	45	132	177	-
1991.....	372	-	-	-	-	-	-	1	7	50	144	170	-
1990.....	402	-	-	-	-	-	-	-	15	46	157	184	-
1989.....	375	-	-	-	-	-	-	2	6	46	156	165	-
1988.....	391	-	-	-	-	-	-	1	19	60	152	159	-
1987.....	406	-	-	-	-	-	-	1	8	49	159	189	-
1986.....	439	-	-	-	-	-	-	-	20	63	147	209	-
1985.....	422	-	-	-	-	-	-	-	12	59	167	184	-
1984.....	474	-	-	-	-	-	-	3	19	64	187	201	-
1983.....	501	-	-	-	-	-	-	-	18	70	201	212	-
1982.....	565	-	-	-	-	-	-	1	20	83	196	265	-
1981.....	600	-	-	-	-	-	-	1	17	103	242	237	-
1980.....	654	-	-	-	-	-	-	4	18	102	273	257	-
1979.....	703	-	-	-	-	-	-	2	19	122	295	265	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
HYPERPLASIA OF PROSTATE (600)													
WHITE MALE													
1998.....	356	-	-	-	-	-	-	1	8	21	136	190	-
1997.....	370	-	-	-	-	-	-	2	9	23	138	198	-
1996.....	408	-	-	-	-	-	-	3	7	35	152	211	-
1995.....	364	-	-	-	-	-	-	-	6	49	123	186	-
1994.....	372	-	-	-	-	-	1	1	11	42	154	163	-
1993.....	350	-	-	-	-	1	-	1	10	41	130	167	-
1992.....	358	-	-	-	-	-	-	-	4	45	132	177	-
1991.....	372	-	-	-	-	-	-	1	7	50	144	170	-
1990.....	402	-	-	-	-	-	-	-	15	46	157	184	-
1989.....	375	-	-	-	-	-	-	2	6	46	156	165	-
1988.....	391	-	-	-	-	-	-	1	19	60	152	159	-
1987.....	406	-	-	-	-	-	-	1	8	49	159	189	-
1986.....	439	-	-	-	-	-	-	-	20	63	147	209	-
1985.....	422	-	-	-	-	-	-	-	12	59	167	184	-
1984.....	474	-	-	-	-	-	-	3	19	64	187	201	-
1983.....	501	-	-	-	-	-	-	-	18	70	201	212	-
1982.....	565	-	-	-	-	-	-	1	20	83	196	265	-
1981.....	600	-	-	-	-	-	-	1	17	103	242	237	-
1980.....	654	-	-	-	-	-	-	4	18	102	273	257	-
1979.....	703	-	-	-	-	-	-	2	19	122	295	265	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
HYPERPLASIA OF PROSTATE (600)													
ALL OTHER, BOTH SEXES													
1998.....	54	-	-	-	-	-	-	-	5	5	27	16	1
1997.....	50	-	-	-	-	-	-	2	2	10	16	20	-
1996.....	49	-	-	-	-	-	-	-	3	12	14	20	-
1995.....	42	-	-	-	-	-	-	-	-	9	18	15	-
1994.....	41	-	-	-	-	-	2	1	1	12	16	9	-
1993.....	60	-	-	-	-	-	-	1	3	8	28	20	-
1992.....	39	-	-	-	-	-	-	-	4	7	11	17	-
1991.....	56	-	-	-	-	-	-	2	3	10	23	18	-
1990.....	53	-	-	-	-	-	-	-	2	12	23	16	-
1989.....	74	-	-	-	-	-	3	1	7	14	28	21	-
1988.....	63	-	-	-	-	-	-	-	7	11	25	20	-
1987.....	55	-	-	-	-	-	-	-	3	17	23	12	-
1986.....	69	-	-	-	-	-	-	-	4	20	28	16	1
1985.....	57	-	-	-	-	-	-	-	6	13	19	19	-
1984.....	62	-	-	-	-	-	-	1	4	13	26	18	-
1983.....	71	-	-	-	-	-	-	2	4	24	28	13	-
1982.....	90	-	-	-	-	-	-	-	3	22	45	20	-
1981.....	93	-	-	-	-	-	-	-	8	23	37	24	1
1980.....	100	-	-	-	-	-	-	-	9	30	37	24	-
1979.....	107	-	-	-	-	-	-	-	7	39	40	21	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
HYPERPLASIA OF PROSTATE (600)													
ALL OTHER MALE													
1998.....	54	-	-	-	-	-	-	-	5	5	27	16	1
1997.....	50	-	-	-	-	-	-	2	2	10	16	20	-
1996.....	49	-	-	-	-	-	-	-	3	12	14	20	-
1995.....	42	-	-	-	-	-	-	-	-	9	18	15	-
1994.....	41	-	-	-	-	-	2	1	1	12	16	9	-
1993.....	60	-	-	-	-	-	-	1	3	8	28	20	-
1992.....	39	-	-	-	-	-	-	-	4	7	11	17	-
1991.....	56	-	-	-	-	-	-	2	3	10	23	18	-
1990.....	53	-	-	-	-	-	-	-	2	12	23	16	-
1989.....	74	-	-	-	-	-	3	1	7	14	28	21	-
1988.....	63	-	-	-	-	-	-	-	7	11	25	20	-
1987.....	55	-	-	-	-	-	-	-	3	17	23	12	-
1986.....	69	-	-	-	-	-	-	-	4	20	28	16	1
1985.....	57	-	-	-	-	-	-	-	6	13	19	19	-
1984.....	62	-	-	-	-	-	-	1	4	13	26	18	-
1983.....	71	-	-	-	-	-	-	2	4	24	28	13	-
1982.....	90	-	-	-	-	-	-	-	3	22	45	20	-
1981.....	93	-	-	-	-	-	-	-	8	23	37	24	1
1980.....	100	-	-	-	-	-	-	-	9	30	37	24	-
1979.....	107	-	-	-	-	-	-	-	7	39	40	21	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
HYPERPLASIA OF PROSTATE (600)													
BLACK, BOTH SEXES													
1998.....	45	-	-	-	-	-	-	-	5	4	22	13	1
1997.....	46	-	-	-	-	-	-	2	2	8	15	19	-
1996.....	43	-	-	-	-	-	-	-	3	11	11	18	-
1995.....	36	-	-	-	-	-	-	-	-	9	16	11	-
1994.....	36	-	-	-	-	-	2	1	1	11	15	6	-
1993.....	53	-	-	-	-	-	-	1	3	7	23	19	-
1992.....	36	-	-	-	-	-	-	-	4	7	11	14	-
1991.....	50	-	-	-	-	-	-	2	3	10	20	15	-
1990.....	48	-	-	-	-	-	-	-	2	11	22	13	-
1989.....	70	-	-	-	-	-	3	1	7	14	27	18	-
1988.....	58	-	-	-	-	-	-	-	7	10	22	19	-
1987.....	50	-	-	-	-	-	-	-	2	17	22	9	-
1986.....	65	-	-	-	-	-	-	-	4	20	25	15	1
1985.....	55	-	-	-	-	-	-	-	6	13	17	19	-
1984.....	61	-	-	-	-	-	-	1	4	13	26	17	-
1983.....	69	-	-	-	-	-	-	2	4	23	28	12	-
1982.....	87	-	-	-	-	-	-	-	3	22	43	19	-
1981.....	88	-	-	-	-	-	-	-	8	22	35	22	1
1980.....	91	-	-	-	-	-	-	-	7	29	34	21	-
1979.....	103	-	-	-	-	-	-	-	7	38	40	18	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
HYPERPLASIA OF PROSTATE (600)													
BLACK MALE													
1998.....	45	-	-	-	-	-	-	-	5	4	22	13	1
1997.....	46	-	-	-	-	-	-	2	2	8	15	19	-
1996.....	43	-	-	-	-	-	-	-	3	11	11	18	-
1995.....	36	-	-	-	-	-	-	-	-	9	16	11	-
1994.....	36	-	-	-	-	-	2	1	1	11	15	6	-
1993.....	53	-	-	-	-	-	-	1	3	7	23	19	-
1992.....	36	-	-	-	-	-	-	-	4	7	11	14	-
1991.....	50	-	-	-	-	-	-	2	3	10	20	15	-
1990.....	48	-	-	-	-	-	-	-	2	11	22	13	-
1989.....	70	-	-	-	-	-	3	1	7	14	27	18	-
1988.....	58	-	-	-	-	-	-	-	7	10	22	19	-
1987.....	50	-	-	-	-	-	-	-	2	17	22	9	-
1986.....	65	-	-	-	-	-	-	-	4	20	25	15	1
1985.....	55	-	-	-	-	-	-	-	6	13	17	19	-
1984.....	61	-	-	-	-	-	-	1	4	13	26	17	-
1983.....	69	-	-	-	-	-	-	2	4	23	28	12	-
1982.....	87	-	-	-	-	-	-	-	3	22	43	19	-
1981.....	88	-	-	-	-	-	-	-	8	22	35	22	1
1980.....	91	-	-	-	-	-	-	-	7	29	34	21	-
1979.....	103	-	-	-	-	-	-	-	7	38	40	18	-

00/03/28 TABLE 290A. DEATHS FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 838
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+ N.S.
 COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM (630-676)

	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	N.S.
TOTAL, BOTH SEXES													
1998.....	281	-	67	140	73	1	-
1997.....	327	3	87	158	74	5	-
1996.....	294	-	65	139	88	2	-
1995.....	277	1	74	130	71	1	-
1994.....	328	-	112	136	79	1	-
1993.....	302	1	83	136	82	-	-
1992.....	318	1	110	139	67	1	-
1991.....	323	3	97	150	68	5	-
1990.....	343	-	107	160	73	3	-
1989.....	320	-	99	169	50	2	-
1988.....	330	-	111	151	66	2	-
1987.....	251	1	75	132	42	1	-
1986.....	272	-	91	125	55	1	-
1985.....	295	2	93	139	58	3	-
1984.....	285	1	78	157	47	2	-
1983.....	290	-	114	133	43	-	-
1982.....	292	2	86	157	45	2	-
1981.....	309	1	119	140	48	1	-
1980.....	334	-	114	160	58	2	-
1979.....	336	2	122	147	60	5	-

00/03/28 TABLE 290A. DEATHS FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 839
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+ N.S.
 COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM (630-676)

	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	N.S.
TOTAL, FEMALE													
1998.....	281	-	67	140	73	1	-
1997.....	327	3	87	158	74	5	-
1996.....	294	-	65	139	88	2	-
1995.....	277	1	74	130	71	1	-
1994.....	328	-	112	136	79	1	-
1993.....	302	1	83	136	82	-	-
1992.....	318	1	110	139	67	1	-
1991.....	323	3	97	150	68	5	-
1990.....	343	-	107	160	73	3	-
1989.....	320	-	99	169	50	2	-
1988.....	330	-	111	151	66	2	-
1987.....	251	1	75	132	42	1	-
1986.....	272	-	91	125	55	1	-
1985.....	295	2	93	139	58	3	-
1984.....	285	1	78	157	47	2	-
1983.....	290	-	114	133	43	-	-
1982.....	292	2	86	157	45	2	-
1981.....	309	1	119	140	48	1	-
1980.....	334	-	114	160	58	2	-
1979.....	336	2	122	147	60	5	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR
 TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+ N.S.
 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM (630-676)
 WHITE, BOTH SEXES

Year	Total	Under 1 Year	1-4 Years	5-14 Years	15-24 Years	25-34 Years	35-44 Years	45-54 Years	55-64 Years	65-74 Years	75-84 Years	85+ Years	N.S.
1998	158	-	33	79	46	-	-
1997	179	-	46	87	42	4	-
1996	159	-	29	72	56	2	-
1995	129	-	30	65	34	-	-
1994	193	-	58	92	43	-	-
1993	152	1	37	74	40	-	-
1992	161	-	53	77	31	-	-
1991	187	2	45	95	42	3	-
1990	177	-	52	87	37	1	-
1989	180	-	58	95	27	-	-
1988	180	-	56	93	31	-	-
1987	153	1	48	77	26	1	-
1986	146	-	45	67	34	-	-
1985	156	1	43	77	34	1	-
1984	159	-	32	98	28	1	-
1983	170	-	60	81	29	-	-
1982	171	-	45	99	26	1	-
1981	184	-	67	90	27	-	-
1980	193	-	65	94	33	1	-
1979	180	1	55	90	32	2	-

00/03/28 TABLE 290A. DEATHS FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 841
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+ N.S.
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM (630-676)

	TOTAL	UNDER	1-4	5-14	15-24	25-34	35-44	45-54	55-64	65-74	75-84	85+	N.S.
WHITE FEMALE													
1998.....	158	-	33	79	46	-	-
1997.....	179	-	46	87	42	4	-
1996.....	159	-	29	72	56	2	-
1995.....	129	-	30	65	34	-	-
1994.....	193	-	58	92	43	-	-
1993.....	152	1	37	74	40	-	-
1992.....	161	-	53	77	31	-	-
1991.....	187	2	45	95	42	3	-
1990.....	177	-	52	87	37	1	-
1989.....	180	-	58	95	27	-	-
1988.....	180	-	56	93	31	-	-
1987.....	153	1	48	77	26	1	-
1986.....	146	-	45	67	34	-	-
1985.....	156	1	43	77	34	1	-
1984.....	159	-	32	98	28	1	-
1983.....	170	-	60	81	29	-	-
1982.....	171	-	45	99	26	1	-
1981.....	184	-	67	90	27	-	-
1980.....	193	-	65	94	33	1	-
1979.....	180	1	55	90	32	2	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM (630-676)													
ALL OTHER, BOTH SEXES													
1998.....	123	-	34	61	27	1	-
1997.....	148	3	41	71	32	1	-
1996.....	135	-	36	67	32	-	-
1995.....	148	1	44	65	37	1	-
1994.....	135	-	54	44	36	1	-
1993.....	150	-	46	62	42	-	-
1992.....	157	1	57	62	36	1	-
1991.....	136	1	52	55	26	2	-
1990.....	166	-	55	73	36	2	-
1989.....	140	-	41	74	23	2	-
1988.....	150	-	55	58	35	2	-
1987.....	98	-	27	55	16	-	-
1986.....	126	-	46	58	21	1	-
1985.....	139	1	50	62	24	2	-
1984.....	126	1	46	59	19	1	-
1983.....	120	-	54	52	14	-	-
1982.....	121	2	41	58	19	1	-
1981.....	125	1	52	50	21	1	-
1980.....	141	-	49	66	25	1	-
1979.....	156	1	67	57	28	3	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR
 TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+ N.S.
 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM (630-676)

ALL OTHER FEMALE

Year	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
1998	123	-	34	61	27	1	-
1997	148	3	41	71	32	1	-
1996	135	-	36	67	32	-	-
1995	148	1	44	65	37	1	-
1994	135	-	54	44	36	1	-
1993	150	-	46	62	42	-	-
1992	157	1	57	62	36	1	-
1991	136	1	52	55	26	2	-
1990	166	-	55	73	36	2	-
1989	140	-	41	74	23	2	-
1988	150	-	55	58	35	2	-
1987	98	-	27	55	16	-	-
1986	126	-	46	58	21	1	-
1985	139	1	50	62	24	2	-
1984	126	1	46	59	19	1	-
1983	120	-	54	52	14	-	-
1982	121	2	41	58	19	1	-
1981	125	1	52	50	21	1	-
1980	141	-	49	66	25	1	-
1979	156	1	67	57	28	3	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR
 TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+ N.S.
 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS

COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM (630-676)

BLACK, BOTH SEXES

Year	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
1998	104	-	33	50	20	1	-
1997	125	3	36	64	21	1	-
1996	121	-	34	61	26	-	-
1995	133	1	43	58	30	1	-
1994	118	-	50	36	31	1	-
1993	135	-	43	58	34	-	-
1992	140	1	53	56	29	1	-
1991	125	1	47	50	25	2	-
1990	153	-	51	69	31	2	-
1989	124	-	40	62	20	2	-
1988	131	-	50	49	30	2	-
1987	91	-	26	50	15	-	-
1986	117	-	44	54	18	1	-
1985	124	1	45	56	21	1	-
1984	117	1	46	51	18	1	-
1983	107	-	51	45	11	-	-
1982	108	2	40	48	17	1	-
1981	120	1	51	48	19	1	-
1980	127	-	48	56	22	1	-
1979	145	1	67	52	22	3	-

00/03/28 TABLE 290A. DEATHS FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 845
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+ N.S.
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS
 COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM (630-676)

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
BLACK FEMALE													
1998.....	104	-	33	50	20	1	-
1997.....	125	3	36	64	21	1	-
1996.....	121	-	34	61	26	-	-
1995.....	133	1	43	58	30	1	-
1994.....	118	-	50	36	31	1	-
1993.....	135	-	43	58	34	-	-
1992.....	140	1	53	56	29	1	-
1991.....	125	1	47	50	25	2	-
1990.....	153	-	51	69	31	2	-
1989.....	124	-	40	62	20	2	-
1988.....	131	-	50	49	30	2	-
1987.....	91	-	26	50	15	-	-
1986.....	117	-	44	54	18	1	-
1985.....	124	1	45	56	21	1	-
1984.....	117	1	46	51	18	1	-
1983.....	107	-	51	45	11	-	-
1982.....	108	2	40	48	17	1	-
1981.....	120	1	51	48	19	1	-
1980.....	127	-	48	56	22	1	-
1979.....	145	1	67	52	22	3	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 PREGNANCY WITH ABORTIVE OUTCOME (630-638)													
TOTAL, BOTH SEXES													
1998.....	32	-	9	15	8	-	-
1997.....	41	1	12	19	9	-	-
1996.....	39	-	14	15	10	-	-
1995.....	28	-	14	9	5	-	-
1994.....	41	-	13	20	8	-	-
1993.....	47	-	19	22	6	-	-
1992.....	52	1	15	24	12	-	-
1991.....	54	1	20	18	14	1	-
1990.....	57	-	19	26	11	1	-
1989.....	50	-	19	25	6	-	-
1988.....	61	-	23	25	13	-	-
1987.....	44	-	12	29	3	-	-
1986.....	51	-	20	18	13	-	-
1985.....	49	1	20	22	6	-	-
1984.....	57	1	21	22	12	1	-
1983.....	50	-	18	26	6	-	-
1982.....	55	-	19	27	8	1	-
1981.....	47	-	17	23	7	-	-
1980.....	62	-	20	33	9	-	-
1979.....	61	-	26	28	7	-	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 PREGNANCY WITH ABORTIVE OUTCOME (630-638)													
TOTAL, FEMALE													
1998.....	32	-	9	15	8	-	-
1997.....	41	1	12	19	9	-	-
1996.....	39	-	14	15	10	-	-
1995.....	28	-	14	9	5	-	-
1994.....	41	-	13	20	8	-	-
1993.....	47	-	19	22	6	-	-
1992.....	52	1	15	24	12	-	-
1991.....	54	1	20	18	14	1	-
1990.....	57	-	19	26	11	1	-
1989.....	50	-	19	25	6	-	-
1988.....	61	-	23	25	13	-	-
1987.....	44	-	12	29	3	-	-
1986.....	51	-	20	18	13	-	-
1985.....	49	1	20	22	6	-	-
1984.....	57	1	21	22	12	1	-
1983.....	50	-	18	26	6	-	-
1982.....	55	-	19	27	8	1	-
1981.....	47	-	17	23	7	-	-
1980.....	62	-	20	33	9	-	-
1979.....	61	-	26	28	7	-	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 PREGNANCY WITH ABORTIVE OUTCOME (630-638)													
WHITE, BOTH SEXES													
1998.....	15	-	4	8	3	-	-
1997.....	18	-	5	11	2	-	-
1996.....	24	-	10	6	8	-	-
1995.....	7	-	-	2	5	-	-
1994.....	24	-	6	12	6	-	-
1993.....	21	-	10	10	1	-	-
1992.....	25	-	7	11	7	-	-
1991.....	25	1	8	8	7	1	-
1990.....	23	-	8	10	5	-	-
1989.....	21	-	8	13	-	-	-
1988.....	23	-	9	11	3	-	-
1987.....	25	-	8	15	2	-	-
1986.....	24	-	11	7	6	-	-
1985.....	19	1	4	12	2	-	-
1984.....	25	-	7	12	5	1	-
1983.....	23	-	9	13	1	-	-
1982.....	27	-	9	13	4	1	-
1981.....	24	-	8	12	4	-	-
1980.....	27	-	10	14	3	-	-
1979.....	27	-	11	14	2	-	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 PREGNANCY WITH ABORTIVE OUTCOME (630-638)													
WHITE FEMALE													
1998.....	15	-	4	8	3	-	-
1997.....	18	-	5	11	2	-	-
1996.....	24	-	10	6	8	-	-
1995.....	7	-	-	2	5	-	-
1994.....	24	-	6	12	6	-	-
1993.....	21	-	10	10	1	-	-
1992.....	25	-	7	11	7	-	-
1991.....	25	1	8	8	7	1	-
1990.....	23	-	8	10	5	-	-
1989.....	21	-	8	13	-	-	-
1988.....	23	-	9	11	3	-	-
1987.....	25	-	8	15	2	-	-
1986.....	24	-	11	7	6	-	-
1985.....	19	1	4	12	2	-	-
1984.....	25	-	7	12	5	1	-
1983.....	23	-	9	13	1	-	-
1982.....	27	-	9	13	4	1	-
1981.....	24	-	8	12	4	-	-
1980.....	27	-	10	14	3	-	-
1979.....	27	-	11	14	2	-	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 PREGNANCY WITH ABORTIVE OUTCOME (630-638)													
ALL OTHER, BOTH SEXES													
1998.....	17	-	5	7	5	-	-
1997.....	23	1	7	8	7	-	-
1996.....	15	-	4	9	2	-	-
1995.....	21	-	14	7	-	-	-
1994.....	17	-	7	8	2	-	-
1993.....	26	-	9	12	5	-	-
1992.....	27	1	8	13	5	-	-
1991.....	29	-	12	10	7	-	-
1990.....	34	-	11	16	6	1	-
1989.....	29	-	11	12	6	-	-
1988.....	38	-	14	14	10	-	-
1987.....	19	-	4	14	1	-	-
1986.....	27	-	9	11	7	-	-
1985.....	30	-	16	10	4	-	-
1984.....	32	1	14	10	7	-	-
1983.....	27	-	9	13	5	-	-
1982.....	28	-	10	14	4	-	-
1981.....	23	-	9	11	3	-	-
1980.....	35	-	10	19	6	-	-
1979.....	34	-	15	14	5	-	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 PREGNANCY WITH ABORTIVE OUTCOME (630-638)													
ALL OTHER FEMALE													
1998.....	17	-	5	7	5	-	-
1997.....	23	1	7	8	7	-	-
1996.....	15	-	4	9	2	-	-
1995.....	21	-	14	7	-	-	-
1994.....	17	-	7	8	2	-	-
1993.....	26	-	9	12	5	-	-
1992.....	27	1	8	13	5	-	-
1991.....	29	-	12	10	7	-	-
1990.....	34	-	11	16	6	1	-
1989.....	29	-	11	12	6	-	-
1988.....	38	-	14	14	10	-	-
1987.....	19	-	4	14	1	-	-
1986.....	27	-	9	11	7	-	-
1985.....	30	-	16	10	4	-	-
1984.....	32	1	14	10	7	-	-
1983.....	27	-	9	13	5	-	-
1982.....	28	-	10	14	4	-	-
1981.....	23	-	9	11	3	-	-
1980.....	35	-	10	19	6	-	-
1979.....	34	-	15	14	5	-	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 PREGNANCY WITH ABORTIVE OUTCOME (630-638)													
BLACK, BOTH SEXES													
1998.....	14	-	5	4	5	-	-
1997.....	21	1	7	8	5	-	-
1996.....	14	-	4	8	2	-	-
1995.....	21	-	14	7	-	-	-
1994.....	17	-	7	8	2	-	-
1993.....	25	-	9	12	4	-	-
1992.....	26	1	8	13	4	-	-
1991.....	27	-	11	9	7	-	-
1990.....	33	-	11	15	6	1	-
1989.....	26	-	11	9	6	-	-
1988.....	35	-	12	13	10	-	-
1987.....	18	-	4	13	1	-	-
1986.....	26	-	9	11	6	-	-
1985.....	28	-	15	10	3	-	-
1984.....	30	1	14	9	6	-	-
1983.....	26	-	9	13	4	-	-
1982.....	23	-	9	11	3	-	-
1981.....	22	-	9	11	2	-	-
1980.....	31	-	9	17	5	-	-
1979.....	30	-	15	11	4	-	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 PREGNANCY WITH ABORTIVE OUTCOME (630-638)													
BLACK FEMALE													
1998.....	14	-	5	4	5	-	-
1997.....	21	1	7	8	5	-	-
1996.....	14	-	4	8	2	-	-
1995.....	21	-	14	7	-	-	-
1994.....	17	-	7	8	2	-	-
1993.....	25	-	9	12	4	-	-
1992.....	26	1	8	13	4	-	-
1991.....	27	-	11	9	7	-	-
1990.....	33	-	11	15	6	1	-
1989.....	26	-	11	9	6	-	-
1988.....	35	-	12	13	10	-	-
1987.....	18	-	4	13	1	-	-
1986.....	26	-	9	11	6	-	-
1985.....	28	-	15	10	3	-	-
1984.....	30	1	14	9	6	-	-
1983.....	26	-	9	13	4	-	-
1982.....	23	-	9	11	3	-	-
1981.....	22	-	9	11	2	-	-
1980.....	31	-	9	17	5	-	-
1979.....	30	-	15	11	4	-	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM (640-676)													
TOTAL, BOTH SEXES													
1998.....	249	-	58	125	65	1	-
1997.....	286	2	75	139	65	5	-
1996.....	255	-	51	124	78	2	-
1995.....	249	1	60	121	66	1	-
1994.....	287	-	99	116	71	1	-
1993.....	255	1	64	114	76	-	-
1992.....	266	-	95	115	55	1	-
1991.....	269	2	77	132	54	4	-
1990.....	286	-	88	134	62	2	-
1989.....	270	-	80	144	44	2	-
1988.....	269	-	88	126	53	2	-
1987.....	207	1	63	103	39	1	-
1986.....	221	-	71	107	42	1	-
1985.....	246	1	73	117	52	3	-
1984.....	228	-	57	135	35	1	-
1983.....	240	-	96	107	37	-	-
1982.....	237	2	67	130	37	1	-
1981.....	262	1	102	117	41	1	-
1980.....	272	-	94	127	49	2	-
1979.....	275	2	96	119	53	5	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM (640-676)													
TOTAL, FEMALE													
1998.....	249	-	58	125	65	1	-
1997.....	286	2	75	139	65	5	-
1996.....	255	-	51	124	78	2	-
1995.....	249	1	60	121	66	1	-
1994.....	287	-	99	116	71	1	-
1993.....	255	1	64	114	76	-	-
1992.....	266	-	95	115	55	1	-
1991.....	269	2	77	132	54	4	-
1990.....	286	-	88	134	62	2	-
1989.....	270	-	80	144	44	2	-
1988.....	269	-	88	126	53	2	-
1987.....	207	1	63	103	39	1	-
1986.....	221	-	71	107	42	1	-
1985.....	246	1	73	117	52	3	-
1984.....	228	-	57	135	35	1	-
1983.....	240	-	96	107	37	-	-
1982.....	237	2	67	130	37	1	-
1981.....	262	1	102	117	41	1	-
1980.....	272	-	94	127	49	2	-
1979.....	275	2	96	119	53	5	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM (640-676)													
WHITE, BOTH SEXES													
1998.....	143	-	29	71	43	-	-
1997.....	161	-	41	76	40	4	-
1996.....	135	-	19	66	48	2	-
1995.....	122	-	30	63	29	-	-
1994.....	169	-	52	80	37	-	-
1993.....	131	1	27	64	39	-	-
1992.....	136	-	46	66	24	-	-
1991.....	162	1	37	87	35	2	-
1990.....	154	-	44	77	32	1	-
1989.....	159	-	50	82	27	-	-
1988.....	157	-	47	82	28	-	-
1987.....	128	1	40	62	24	1	-
1986.....	122	-	34	60	28	-	-
1985.....	137	-	39	65	32	1	-
1984.....	134	-	25	86	23	-	-
1983.....	147	-	51	68	28	-	-
1982.....	144	-	36	86	22	-	-
1981.....	160	-	59	78	23	-	-
1980.....	166	-	55	80	30	1	-
1979.....	153	1	44	76	30	2	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1 YEAR 1-4 YEARS 5-14 YEARS 15-24 YEARS 25-34 YEARS 35-44 YEARS 45-54 YEARS 55-64 YEARS 65-74 YEARS 75-84 YEARS 85+ YEARS N.S.

OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM (640-676)

WHITE FEMALE

Year	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
1998	143	-	29	71	43	-	-
1997	161	-	41	76	40	4	-
1996	135	-	19	66	48	2	-
1995	122	-	30	63	29	-	-
1994	169	-	52	80	37	-	-
1993	131	1	27	64	39	-	-
1992	136	-	46	66	24	-	-
1991	162	1	37	87	35	2	-
1990	154	-	44	77	32	1	-
1989	159	-	50	82	27	-	-
1988	157	-	47	82	28	-	-
1987	128	1	40	62	24	1	-
1986	122	-	34	60	28	-	-
1985	137	-	39	65	32	1	-
1984	134	-	25	86	23	-	-
1983	147	-	51	68	28	-	-
1982	144	-	36	86	22	-	-
1981	160	-	59	78	23	-	-
1980	166	-	55	80	30	1	-
1979	153	1	44	76	30	2	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM (640-676)													
ALL OTHER, BOTH SEXES													
1998.....	106	-	29	54	22	1	-
1997.....	125	2	34	63	25	1	-
1996.....	120	-	32	58	30	-	-
1995.....	127	1	30	58	37	1	-
1994.....	118	-	47	36	34	1	-
1993.....	124	-	37	50	37	-	-
1992.....	130	-	49	49	31	1	-
1991.....	107	1	40	45	19	2	-
1990.....	132	-	44	57	30	1	-
1989.....	111	-	30	62	17	2	-
1988.....	112	-	41	44	25	2	-
1987.....	79	-	23	41	15	-	-
1986.....	99	-	37	47	14	1	-
1985.....	109	1	34	52	20	2	-
1984.....	94	-	32	49	12	1	-
1983.....	93	-	45	39	9	-	-
1982.....	93	2	31	44	15	1	-
1981.....	102	1	43	39	18	1	-
1980.....	106	-	39	47	19	1	-
1979.....	122	1	52	43	23	3	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM (640-676)													
ALL OTHER FEMALE													
1998.....	106	-	29	54	22	1	-
1997.....	125	2	34	63	25	1	-
1996.....	120	-	32	58	30	-	-
1995.....	127	1	30	58	37	1	-
1994.....	118	-	47	36	34	1	-
1993.....	124	-	37	50	37	-	-
1992.....	130	-	49	49	31	1	-
1991.....	107	1	40	45	19	2	-
1990.....	132	-	44	57	30	1	-
1989.....	111	-	30	62	17	2	-
1988.....	112	-	41	44	25	2	-
1987.....	79	-	23	41	15	-	-
1986.....	99	-	37	47	14	1	-
1985.....	109	1	34	52	20	2	-
1984.....	94	-	32	49	12	1	-
1983.....	93	-	45	39	9	-	-
1982.....	93	2	31	44	15	1	-
1981.....	102	1	43	39	18	1	-
1980.....	106	-	39	47	19	1	-
1979.....	122	1	52	43	23	3	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM (640-676)													
BLACK, BOTH SEXES													
1998.....	90	-	28	46	15	1	-
1997.....	104	2	29	56	16	1	-
1996.....	107	-	30	53	24	-	-
1995.....	112	1	29	51	30	1	-
1994.....	101	-	43	28	29	1	-
1993.....	110	-	34	46	30	-	-
1992.....	114	-	45	43	25	1	-
1991.....	98	1	36	41	18	2	-
1990.....	120	-	40	54	25	1	-
1989.....	98	-	29	53	14	2	-
1988.....	96	-	38	36	20	2	-
1987.....	73	-	22	37	14	-	-
1986.....	91	-	35	43	12	1	-
1985.....	96	1	30	46	18	1	-
1984.....	87	-	32	42	12	1	-
1983.....	81	-	42	32	7	-	-
1982.....	85	2	31	37	14	1	-
1981.....	98	1	42	37	17	1	-
1980.....	96	-	39	39	17	1	-
1979.....	115	1	52	41	18	3	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
OTHER COMPLICATIONS OF PREGNANCY, CHILDBIRTH, AND THE PUERPERIUM (640-676)													
BLACK FEMALE													
1998.....	90	-	28	46	15	1	-
1997.....	104	2	29	56	16	1	-
1996.....	107	-	30	53	24	-	-
1995.....	112	1	29	51	30	1	-
1994.....	101	-	43	28	29	1	-
1993.....	110	-	34	46	30	-	-
1992.....	114	-	45	43	25	1	-
1991.....	98	1	36	41	18	2	-
1990.....	120	-	40	54	25	1	-
1989.....	98	-	29	53	14	2	-
1988.....	96	-	38	36	20	2	-
1987.....	73	-	22	37	14	-	-
1986.....	91	-	35	43	12	1	-
1985.....	96	1	30	46	18	1	-
1984.....	87	-	32	42	12	1	-
1983.....	81	-	42	32	7	-	-
1982.....	85	2	31	37	14	1	-
1981.....	98	1	42	37	17	1	-
1980.....	96	-	39	39	17	1	-
1979.....	115	1	52	41	18	3	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
CONGENITAL ANOMALIES (740-759)													
TOTAL, BOTH SEXES													
1998.....	11,934	6,212	564	371	450	452	545	525	519	651	998	646	1
1997.....	11,912	6,178	589	447	420	454	534	538	501	654	952	643	2
1996.....	11,836	6,381	638	457	382	392	534	527	480	672	813	559	1
1995.....	11,891	6,554	695	449	452	474	527	487	465	621	721	446	-
1994.....	12,030	6,854	714	434	463	456	495	486	458	574	684	412	-
1993.....	12,444	7,129	804	485	472	476	469	458	482	588	684	396	1
1992.....	12,491	7,449	856	448	450	466	479	387	469	572	599	316	-
1991.....	12,599	7,685	871	487	449	467	452	400	408	550	534	292	4
1990.....	13,085	8,239	896	468	491	473	454	364	412	547	478	259	4
1989.....	12,897	8,120	928	480	474	483	402	395	428	513	450	218	6
1988.....	12,753	8,141	913	499	474	465	411	336	433	490	421	165	5
1987.....	12,333	7,884	924	448	499	448	387	350	409	446	383	154	1
1986.....	12,638	8,244	879	453	511	398	383	315	446	479	365	163	2
1985.....	12,783	8,561	840	469	466	410	363	313	434	429	341	151	6
1984.....	13,039	8,548	946	484	516	445	348	350	497	426	323	152	4
1983.....	13,173	8,732	913	471	554	453	357	329	436	436	337	151	4
1982.....	13,604	9,024	1,028	553	560	453	331	333	436	439	330	110	7
1981.....	13,527	8,914	1,018	542	594	495	325	339	431	420	319	119	11
1980.....	13,938	9,220	1,026	561	600	482	335	390	485	445	288	103	3
1979.....	13,526	8,923	1,021	578	576	415	359	410	451	412	258	115	8

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
CONGENITAL ANOMALIES (740-759)													
TOTAL, MALE													
1998.....	6,199	3,282	287	197	256	256	280	286	265	342	492	256	-
1997.....	6,261	3,266	317	232	241	259	287	293	275	343	484	262	2
1996.....	6,238	3,452	325	273	231	216	279	282	240	323	409	207	1
1995.....	6,243	3,585	374	230	258	246	268	265	228	301	332	156	-
1994.....	6,209	3,590	354	232	272	240	252	271	227	298	324	149	-
1993.....	6,610	3,886	388	264	277	272	255	242	241	318	308	158	1
1992.....	6,625	4,034	460	238	280	253	268	199	222	275	277	119	-
1991.....	6,800	4,202	469	263	258	250	262	228	211	290	248	115	4
1990.....	7,050	4,520	473	245	301	268	264	185	205	252	233	102	2
1989.....	6,812	4,387	436	256	281	281	210	192	228	246	200	91	4
1988.....	6,775	4,384	511	286	267	250	234	176	210	214	184	58	1
1987.....	6,604	4,232	492	265	305	264	213	189	208	210	169	57	-
1986.....	6,744	4,459	464	251	299	232	218	179	197	236	149	59	1
1985.....	6,895	4,709	451	246	288	223	193	162	234	183	147	59	-
1984.....	6,925	4,576	489	256	313	262	191	177	238	222	144	55	2
1983.....	7,013	4,711	487	254	312	257	190	180	204	207	144	64	3
1982.....	7,157	4,806	524	292	324	258	171	161	229	211	139	41	1
1981.....	7,128	4,769	527	278	355	283	170	172	206	191	123	47	7
1980.....	7,496	4,968	555	298	345	284	183	217	258	223	137	28	-
1979.....	7,309	4,903	551	307	378	235	180	198	192	214	106	40	5

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
CONGENITAL ANOMALIES (740-759)													
TOTAL, FEMALE													
1998.....	5,735	2,930	277	174	194	196	265	239	254	309	506	390	1
1997.....	5,651	2,912	272	215	179	195	247	245	226	311	468	381	-
1996.....	5,598	2,929	313	184	151	176	255	245	240	349	404	352	-
1995.....	5,648	2,969	321	219	194	228	259	222	237	320	389	290	-
1994.....	5,821	3,264	360	202	191	216	243	215	231	276	360	263	-
1993.....	5,834	3,243	416	221	195	204	214	216	241	270	376	238	-
1992.....	5,866	3,415	396	210	170	213	211	188	247	297	322	197	-
1991.....	5,799	3,483	402	224	191	217	190	172	197	260	286	177	-
1990.....	6,035	3,719	423	223	190	205	190	179	207	295	245	157	2
1989.....	6,085	3,733	492	224	193	202	192	203	200	267	250	127	2
1988.....	5,978	3,757	402	213	207	215	177	160	223	276	237	107	4
1987.....	5,729	3,652	432	183	194	184	174	161	201	236	214	97	1
1986.....	5,894	3,785	415	202	212	166	165	136	249	243	216	104	1
1985.....	5,888	3,852	389	223	178	187	170	151	200	246	194	92	6
1984.....	6,114	3,972	457	228	203	183	157	173	259	204	179	97	2
1983.....	6,160	4,021	426	217	242	196	167	149	232	229	193	87	1
1982.....	6,447	4,218	504	261	236	195	160	172	207	228	191	69	6
1981.....	6,399	4,145	491	264	239	212	155	167	225	229	196	72	4
1980.....	6,442	4,252	471	263	255	198	152	173	227	222	151	75	3
1979.....	6,217	4,020	470	271	198	180	179	212	259	198	152	75	3

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
CONGENITAL ANOMALIES (740-759)													
WHITE, BOTH SEXES													
1998.....	9,651	4,794	406	275	324	359	440	467	455	587	929	614	1
1997.....	9,719	4,803	439	336	307	381	448	469	447	589	892	606	2
1996.....	9,556	4,951	456	338	302	319	427	453	427	608	748	526	1
1995.....	9,614	5,095	504	347	356	382	442	426	413	556	670	423	-
1994.....	9,660	5,304	515	338	360	373	414	413	399	520	640	384	-
1993.....	9,934	5,449	597	393	380	385	391	389	425	518	630	376	1
1992.....	9,890	5,666	613	343	369	379	402	340	409	521	550	298	-
1991.....	9,978	5,864	650	376	364	389	367	333	361	503	485	283	3
1990.....	10,502	6,418	686	372	382	394	388	323	373	486	437	240	3
1989.....	10,291	6,312	703	382	378	394	332	340	370	464	409	204	3
1988.....	10,334	6,442	727	393	393	382	333	291	380	443	394	152	4
1987.....	9,910	6,172	719	336	405	373	330	308	360	402	359	145	1
1986.....	10,188	6,519	684	359	403	313	317	268	396	436	341	150	2
1985.....	10,437	6,898	665	360	383	336	304	263	381	395	312	134	6
1984.....	10,662	6,875	771	392	422	344	304	296	440	383	293	140	2
1983.....	10,747	7,026	726	370	458	366	293	275	387	397	307	139	3
1982.....	11,129	7,281	810	453	460	366	265	285	391	402	310	99	7
1981.....	11,145	7,224	797	460	503	412	283	298	383	375	293	108	9
1980.....	11,471	7,442	819	463	496	397	290	349	443	406	263	100	3
1979.....	11,222	7,288	824	472	483	350	309	359	402	381	242	108	4

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
CONGENITAL ANOMALIES (740-759)													
WHITE MALE													
1998.....	5,001	2,547	205	139	179	212	224	250	231	307	461	246	-
1997.....	5,123	2,567	237	179	175	210	237	260	247	307	455	247	2
1996.....	5,066	2,706	243	202	186	177	227	241	217	290	378	198	1
1995.....	5,047	2,809	273	174	203	202	227	229	199	275	306	150	-
1994.....	4,993	2,793	254	182	213	192	210	224	203	272	310	140	-
1993.....	5,281	2,987	293	207	222	218	217	202	213	286	286	149	1
1992.....	5,254	3,084	339	179	228	203	228	175	196	256	254	112	-
1991.....	5,378	3,220	343	202	207	210	212	191	187	269	224	110	3
1990.....	5,667	3,545	353	195	228	230	235	164	189	221	211	94	2
1989.....	5,444	3,437	333	203	216	227	171	170	199	223	179	83	3
1988.....	5,491	3,474	417	225	210	213	190	159	180	196	174	52	1
1987.....	5,364	3,370	392	198	246	220	180	167	188	192	157	54	-
1986.....	5,444	3,561	353	204	231	178	185	154	173	211	139	54	1
1985.....	5,674	3,836	359	183	234	190	167	144	205	169	133	54	-
1984.....	5,703	3,727	403	217	246	201	162	154	219	195	129	50	-
1983.....	5,718	3,803	381	198	262	209	158	151	184	187	127	55	3
1982.....	5,883	3,902	424	245	262	212	136	138	205	194	128	36	1
1981.....	5,906	3,902	419	244	298	235	150	149	178	168	114	44	5
1980.....	6,188	4,034	441	249	283	238	161	194	234	202	125	27	-
1979.....	6,106	4,025	459	258	316	206	159	173	172	197	100	37	4

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
CONGENITAL ANOMALIES (740-759)													
WHITE FEMALE													
1998.....	4,650	2,247	201	136	145	147	216	217	224	280	468	368	1
1997.....	4,596	2,236	202	157	132	171	211	209	200	282	437	359	-
1996.....	4,490	2,245	213	136	116	142	200	212	210	318	370	328	-
1995.....	4,567	2,286	231	173	153	180	215	197	214	281	364	273	-
1994.....	4,667	2,511	261	156	147	181	204	189	196	248	330	244	-
1993.....	4,653	2,462	304	186	158	167	174	187	212	232	344	227	-
1992.....	4,636	2,582	274	164	141	176	174	165	213	265	296	186	-
1991.....	4,600	2,644	307	174	157	179	155	142	174	234	261	173	-
1990.....	4,835	2,873	333	177	154	164	153	159	184	265	226	146	1
1989.....	4,847	2,875	370	179	162	167	161	170	171	241	230	121	-
1988.....	4,843	2,968	310	168	183	169	143	132	200	247	220	100	3
1987.....	4,546	2,802	327	138	159	153	150	141	172	210	202	91	1
1986.....	4,744	2,958	331	155	172	135	132	114	223	225	202	96	1
1985.....	4,763	3,062	306	177	149	146	137	119	176	226	179	80	6
1984.....	4,959	3,148	368	175	176	143	142	142	221	188	164	90	2
1983.....	5,029	3,223	345	172	196	157	135	124	203	210	180	84	-
1982.....	5,246	3,379	386	208	198	154	129	147	186	208	182	63	6
1981.....	5,239	3,322	378	216	205	177	133	149	205	207	179	64	4
1980.....	5,283	3,408	378	214	213	159	129	155	209	204	138	73	3
1979.....	5,116	3,263	365	214	167	144	150	186	230	184	142	71	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
CONGENITAL ANOMALIES (740-759)													
ALL OTHER, BOTH SEXES													
1998.....	2,283	1,418	158	96	126	93	105	58	64	64	69	32	-
1997.....	2,193	1,375	150	111	113	73	86	69	54	65	60	37	-
1996.....	2,280	1,430	182	119	80	73	107	74	53	64	65	33	-
1995.....	2,277	1,459	191	102	96	92	85	61	52	65	51	23	-
1994.....	2,370	1,550	199	96	103	83	81	73	59	54	44	28	-
1993.....	2,510	1,680	207	92	92	91	78	69	57	70	54	20	-
1992.....	2,601	1,783	243	105	81	87	77	47	60	51	49	18	-
1991.....	2,621	1,821	221	111	85	78	85	67	47	47	49	9	1
1990.....	2,583	1,821	210	96	109	79	66	41	39	61	41	19	1
1989.....	2,606	1,808	225	98	96	89	70	55	58	49	41	14	3
1988.....	2,419	1,699	186	106	81	83	78	45	53	47	27	13	1
1987.....	2,423	1,712	205	112	94	75	57	42	49	44	24	9	-
1986.....	2,450	1,725	195	94	108	85	66	47	50	43	24	13	-
1985.....	2,346	1,663	175	109	83	74	59	50	53	34	29	17	-
1984.....	2,377	1,673	175	92	94	101	44	54	57	43	30	12	2
1983.....	2,426	1,706	187	101	96	87	64	54	49	39	30	12	1
1982.....	2,475	1,743	218	100	100	87	66	48	45	37	20	11	-
1981.....	2,382	1,690	221	82	91	83	42	41	48	45	26	11	2
1980.....	2,467	1,778	207	98	104	85	45	41	42	39	25	3	-
1979.....	2,304	1,635	197	106	93	65	50	51	49	31	16	7	4

00/03/28 TABLE 290A. DEATHS FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 869
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+ N.S.
 CONGENITAL ANOMALIES (740-759)

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ALL OTHER MALE													
1998.....	1,198	735	82	58	77	44	56	36	34	35	31	10	-
1997.....	1,138	699	80	53	66	49	50	33	28	36	29	15	-
1996.....	1,172	746	82	71	45	39	52	41	23	33	31	9	-
1995.....	1,196	776	101	56	55	44	41	36	29	26	26	6	-
1994.....	1,216	797	100	50	59	48	42	47	24	26	14	9	-
1993.....	1,329	899	95	57	55	54	38	40	28	32	22	9	-
1992.....	1,371	950	121	59	52	50	40	24	26	19	23	7	-
1991.....	1,422	982	126	61	51	40	50	37	24	21	24	5	1
1990.....	1,383	975	120	50	73	38	29	21	16	31	22	8	-
1989.....	1,368	950	103	53	65	54	39	22	29	23	21	8	1
1988.....	1,284	910	94	61	57	37	44	17	30	18	10	6	-
1987.....	1,240	862	100	67	59	44	33	22	20	18	12	3	-
1986.....	1,300	898	111	47	68	54	33	25	24	25	10	5	-
1985.....	1,221	873	92	63	54	33	26	18	29	14	14	5	-
1984.....	1,222	849	86	39	67	61	29	23	19	27	15	5	2
1983.....	1,295	908	106	56	50	48	32	29	20	20	17	9	-
1982.....	1,274	904	100	47	62	46	35	23	24	17	11	5	-
1981.....	1,222	867	108	34	57	48	20	23	28	23	9	3	2
1980.....	1,308	934	114	49	62	46	22	23	24	21	12	1	-
1979.....	1,203	878	92	49	62	29	21	25	20	17	6	3	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
CONGENITAL ANOMALIES (740-759)													
ALL OTHER FEMALE													
1998.....	1,085	683	76	38	49	49	49	22	30	29	38	22	-
1997.....	1,055	676	70	58	47	24	36	36	26	29	31	22	-
1996.....	1,108	684	100	48	35	34	55	33	30	31	34	24	-
1995.....	1,081	683	90	46	41	48	44	25	23	39	25	17	-
1994.....	1,154	753	99	46	44	35	39	26	35	28	30	19	-
1993.....	1,181	781	112	35	37	37	40	29	29	38	32	11	-
1992.....	1,230	833	122	46	29	37	37	23	34	32	26	11	-
1991.....	1,199	839	95	50	34	38	35	30	23	26	25	4	-
1990.....	1,200	846	90	46	36	41	37	20	23	30	19	11	1
1989.....	1,238	858	122	45	31	35	31	33	29	26	20	6	2
1988.....	1,135	789	92	45	24	46	34	28	23	29	17	7	1
1987.....	1,183	850	105	45	35	31	24	20	29	26	12	6	-
1986.....	1,150	827	84	47	40	31	33	22	26	18	14	8	-
1985.....	1,125	790	83	46	29	41	33	32	24	20	15	12	-
1984.....	1,155	824	89	53	27	40	15	31	38	16	15	7	-
1983.....	1,131	798	81	45	46	39	32	25	29	19	13	3	1
1982.....	1,201	839	118	53	38	41	31	25	21	20	9	6	-
1981.....	1,160	823	113	48	34	35	22	18	20	22	17	8	-
1980.....	1,159	844	93	49	42	39	23	18	18	18	13	2	-
1979.....	1,101	757	105	57	31	36	29	26	29	14	10	4	3

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
CONGENITAL ANOMALIES (740-759)													
BLACK, BOTH SEXES													
1998.....	1,885	1,161	125	80	107	78	90	50	56	52	60	26	-
1997.....	1,797	1,125	111	95	96	59	71	61	42	52	55	30	-
1996.....	1,905	1,189	152	100	64	58	94	67	48	52	53	28	-
1995.....	1,887	1,204	168	78	81	72	72	52	44	54	44	18	-
1994.....	1,961	1,266	174	81	90	70	71	63	47	39	36	24	-
1993.....	2,104	1,403	174	74	75	80	69	64	46	56	44	19	-
1992.....	2,167	1,477	208	91	70	76	60	36	48	44	41	16	-
1991.....	2,202	1,524	181	89	69	68	77	55	40	46	45	7	1
1990.....	2,177	1,530	176	79	99	69	57	34	31	54	33	14	1
1989.....	2,179	1,498	191	77	80	81	63	48	47	45	35	11	3
1988.....	2,019	1,410	148	88	69	76	71	36	49	40	20	11	1
1987.....	2,076	1,453	173	99	87	69	49	37	42	39	22	6	-
1986.....	2,061	1,442	165	80	96	78	52	39	43	37	19	10	-
1985.....	2,008	1,419	144	93	76	70	49	45	44	30	23	15	-
1984.....	1,983	1,389	140	77	82	86	37	47	48	39	26	11	1
1983.....	2,088	1,443	159	92	88	80	57	49	47	35	28	10	-
1982.....	2,141	1,488	190	92	90	78	59	42	39	35	19	9	-
1981.....	2,064	1,443	193	76	81	77	37	36	43	42	24	10	2
1980.....	2,168	1,544	184	90	94	75	43	39	37	36	24	2	-
1979.....	2,040	1,434	180	98	81	57	45	50	45	28	13	5	4

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
CONGENITAL ANOMALIES (740-759)													
BLACK MALE													
1998.....	994	604	69	46	67	37	45	30	32	29	27	8	-
1997.....	921	567	59	45	55	40	38	27	23	29	26	12	-
1996.....	971	615	71	61	36	27	44	38	21	27	25	6	-
1995.....	996	643	87	45	45	37	34	31	26	20	24	4	-
1994.....	1,014	654	90	42	52	41	37	40	20	19	11	8	-
1993.....	1,116	743	84	45	44	46	36	37	23	28	21	9	-
1992.....	1,152	796	102	50	44	44	32	20	22	17	19	6	-
1991.....	1,206	833	101	51	43	36	44	30	22	21	20	4	1
1990.....	1,174	823	99	42	68	34	27	17	12	29	16	7	-
1989.....	1,143	789	83	44	54	49	35	21	22	21	18	6	1
1988.....	1,069	747	79	52	49	33	40	13	29	15	7	5	-
1987.....	1,087	751	83	62	55	39	29	19	18	17	12	2	-
1986.....	1,096	753	92	39	60	49	26	22	20	22	9	4	-
1985.....	1,046	745	75	57	51	31	21	16	25	12	10	3	-
1984.....	1,023	705	70	31	62	51	25	18	19	23	13	5	1
1983.....	1,108	770	86	51	45	44	26	26	20	17	15	8	-
1982.....	1,092	764	87	42	57	41	32	19	20	17	10	3	-
1981.....	1,064	748	94	31	50	42	18	21	25	21	9	3	2
1980.....	1,160	817	103	45	56	43	20	22	22	20	11	1	-
1979.....	1,068	770	83	47	56	25	20	25	17	16	5	3	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
CONGENITAL ANOMALIES (740-759)													
BLACK FEMALE													
1998.....	891	557	56	34	40	41	45	20	24	23	33	18	-
1997.....	876	558	52	50	41	19	33	34	19	23	29	18	-
1996.....	934	574	81	39	28	31	50	29	27	25	28	22	-
1995.....	891	561	81	33	36	35	38	21	18	34	20	14	-
1994.....	947	612	84	39	38	29	34	23	27	20	25	16	-
1993.....	988	660	90	29	31	34	33	27	23	28	23	10	-
1992.....	1,015	681	106	41	26	32	28	16	26	27	22	10	-
1991.....	996	691	80	38	26	32	33	25	18	25	25	3	-
1990.....	1,003	707	77	37	31	35	30	17	19	25	17	7	1
1989.....	1,036	709	108	33	26	32	28	27	25	24	17	5	2
1988.....	950	663	69	36	20	43	31	23	20	25	13	6	1
1987.....	989	702	90	37	32	30	20	18	24	22	10	4	-
1986.....	965	689	73	41	36	29	26	17	23	15	10	6	-
1985.....	962	674	69	36	25	39	28	29	19	18	13	12	-
1984.....	960	684	70	46	20	35	12	29	29	16	13	6	-
1983.....	980	673	73	41	43	36	31	23	27	18	13	2	-
1982.....	1,049	724	103	50	33	37	27	23	19	18	9	6	-
1981.....	1,000	695	99	45	31	35	19	15	18	21	15	7	-
1980.....	1,008	727	81	45	38	32	23	17	15	16	13	1	-
1979.....	972	664	97	51	25	32	25	25	28	12	8	2	3

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)													
TOTAL, BOTH SEXES													
1998.....	13,428	13,294	75	26	6	8	8	2	4	1	1	2	1
1997.....	13,092	12,935	75	37	18	7	6	4	1	6	-	1	2
1996.....	13,069	12,955	60	24	8	4	7	4	-	1	-	-	6
1995.....	13,471	13,328	87	31	5	7	4	2	1	2	1	2	1
1994.....	14,487	14,315	114	28	8	9	2	6	1	2	-	2	-
1993.....	15,097	14,946	100	20	6	8	5	1	-	3	4	-	4
1992.....	15,730	15,562	113	31	2	5	7	2	-	3	1	2	2
1991.....	16,781	16,591	140	27	10	3	5	2	2	-	-	1	-
1990.....	17,674	17,482	134	29	5	6	2	2	1	1	1	4	7
1989.....	18,752	18,564	134	23	7	6	6	2	2	3	1	-	4
1988.....	18,220	18,036	129	22	9	9	2	3	-	-	1	1	8
1987.....	18,222	18,070	121	14	6	2	4	-	1	1	1	-	2
1986.....	18,391	18,226	132	13	6	7	1	2	-	1	1	1	1
1985.....	19,246	19,068	139	13	10	7	3	1	1	-	1	-	3
1984.....	18,881	18,682	144	26	9	5	2	3	2	-	-	-	8
1983.....	19,310	19,157	112	13	7	7	2	3	1	2	1	1	4
1982.....	20,794	20,685	77	7	9	5	2	2	1	2	-	-	4
1981.....	21,626	21,510	77	17	6	2	-	-	3	-	-	2	9
1980.....	22,866	22,745	84	12	10	3	1	1	4	1	-	1	4
1979.....	23,448	23,322	75	8	7	3	5	2	3	1	1	1	20

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)													
TOTAL, MALE													
1998.....	7,496	7,429	37	11	5	3	4	2	3	1	1	-	-
1997.....	7,398	7,308	46	20	11	2	5	1	1	2	-	1	1
1996.....	7,303	7,230	44	13	5	3	4	2	-	-	-	-	2
1995.....	7,600	7,516	45	22	4	6	3	1	-	2	-	1	-
1994.....	8,156	8,057	67	15	7	4	1	3	-	1	-	1	-
1993.....	8,472	8,374	68	13	3	1	4	1	-	3	3	-	2
1992.....	8,817	8,727	62	20	-	1	2	1	-	-	1	1	2
1991.....	9,561	9,450	84	14	6	1	3	1	2	-	-	-	-
1990.....	10,056	9,936	91	14	2	3	-	2	-	-	1	2	5
1989.....	10,511	10,387	89	15	4	5	4	1	2	1	1	-	2
1988.....	10,393	10,280	79	16	6	4	-	1	-	-	1	1	5
1987.....	10,442	10,348	72	14	2	1	3	-	-	-	1	-	1
1986.....	10,563	10,465	83	3	4	6	-	1	-	-	1	-	-
1985.....	11,094	10,979	95	5	6	3	2	-	-	-	1	-	3
1984.....	10,659	10,547	84	14	3	4	1	1	1	-	-	-	4
1983.....	11,036	10,948	72	4	2	4	-	1	-	1	-	-	4
1982.....	11,876	11,811	47	4	5	3	-	2	-	-	-	-	4
1981.....	12,302	12,228	48	13	3	1	-	-	1	-	-	2	6
1980.....	13,051	12,984	46	6	8	1	-	1	2	1	-	1	1
1979.....	13,350	13,278	46	4	5	1	3	1	2	-	-	-	10

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)													
TOTAL, FEMALE													
1998.....	5,932	5,865	38	15	1	5	4	-	1	-	-	2	1
1997.....	5,694	5,627	29	17	7	5	1	3	-	4	-	-	1
1996.....	5,766	5,725	16	11	3	1	3	2	-	1	-	-	4
1995.....	5,871	5,812	42	9	1	1	1	1	1	-	1	1	1
1994.....	6,331	6,258	47	13	1	5	1	3	1	1	-	1	-
1993.....	6,625	6,572	32	7	3	7	1	-	-	-	1	-	2
1992.....	6,913	6,835	51	11	2	4	5	1	-	3	-	1	-
1991.....	7,220	7,141	56	13	4	2	2	1	-	-	-	1	-
1990.....	7,618	7,546	43	15	3	3	2	-	1	1	-	2	2
1989.....	8,241	8,177	45	8	3	1	2	1	-	2	-	-	2
1988.....	7,827	7,756	50	6	3	5	2	2	-	-	-	-	3
1987.....	7,780	7,722	49	-	4	1	1	-	1	1	-	-	1
1986.....	7,828	7,761	49	10	2	1	1	1	-	1	-	1	1
1985.....	8,152	8,089	44	8	4	4	1	1	1	-	-	-	-
1984.....	8,222	8,135	60	12	6	1	1	2	1	-	-	-	4
1983.....	8,274	8,209	40	9	5	3	2	2	1	1	1	1	-
1982.....	8,918	8,874	30	3	4	2	2	-	1	2	-	-	-
1981.....	9,324	9,282	29	4	3	1	-	-	2	-	-	-	3
1980.....	9,815	9,761	38	6	2	2	1	-	2	-	-	-	3
1979.....	10,098	10,044	29	4	2	2	2	1	1	1	1	1	10

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)													
WHITE, BOTH SEXES													
1998.....	8,129	8,043	48	15	2	5	7	2	3	1	-	2	1
1997.....	7,981	7,877	40	24	15	7	5	3	1	6	-	1	2
1996.....	7,964	7,890	33	18	7	2	6	3	-	1	-	-	4
1995.....	8,155	8,065	47	21	4	6	4	2	1	2	1	2	-
1994.....	8,562	8,459	61	19	5	6	2	6	1	2	-	1	-
1993.....	8,831	8,732	58	17	4	8	4	1	-	2	3	-	2
1992.....	9,168	9,058	64	27	2	4	5	2	-	3	-	1	2
1991.....	9,889	9,771	88	14	5	2	4	2	2	-	-	1	-
1990.....	10,506	10,378	81	21	5	5	2	2	1	1	1	3	6
1989.....	11,306	11,181	85	14	6	5	6	2	2	3	-	-	2
1988.....	11,192	11,060	86	19	7	9	2	2	-	-	1	1	5
1987.....	11,412	11,300	86	11	5	2	4	-	-	1	1	-	2
1986.....	11,814	11,691	95	12	6	4	1	2	-	1	-	1	1
1985.....	12,634	12,520	85	8	9	6	3	1	1	-	-	-	1
1984.....	12,471	12,331	94	20	7	5	2	3	2	-	-	-	7
1983.....	12,816	12,715	73	9	4	7	2	2	-	2	1	-	1
1982.....	13,932	13,848	57	6	9	5	2	1	1	2	-	-	1
1981.....	14,551	14,472	49	14	6	1	-	-	3	-	-	-	6
1980.....	15,457	15,367	60	9	10	2	1	1	4	1	-	1	1
1979.....	16,034	15,933	59	7	5	3	4	2	3	1	1	1	15

00/03/28 TABLE 290A. DEATHS FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 878
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
WHITE MALE													
1998.....	4,523	4,481	25	6	1	2	3	2	2	1	-	-	-
1997.....	4,538	4,479	22	15	9	2	5	1	1	2	-	1	1
1996.....	4,446	4,401	23	9	5	1	4	1	-	-	-	-	2
1995.....	4,676	4,624	23	13	4	5	3	1	-	2	-	1	-
1994.....	4,829	4,769	38	10	4	3	1	3	-	1	-	-	-
1993.....	4,956	4,891	39	13	2	1	3	1	-	2	3	-	1
1992.....	5,128	5,068	36	18	-	1	2	1	-	-	-	-	2
1991.....	5,654	5,587	51	8	2	1	2	1	2	-	-	-	-
1990.....	6,055	5,975	55	12	2	2	-	2	-	-	1	2	4
1989.....	6,426	6,339	60	10	4	4	4	1	2	1	-	-	1
1988.....	6,485	6,407	48	14	6	4	-	1	-	-	1	1	3
1987.....	6,560	6,491	50	11	2	1	3	-	-	-	1	-	1
1986.....	6,815	6,743	60	3	4	4	-	1	-	-	-	-	-
1985.....	7,404	7,329	61	4	5	2	2	-	-	-	-	-	1
1984.....	7,135	7,055	55	12	2	4	1	1	1	-	-	-	4
1983.....	7,417	7,358	47	4	1	4	-	1	-	1	-	-	1
1982.....	8,003	7,959	31	3	5	3	-	1	-	-	-	-	1
1981.....	8,380	8,326	34	11	3	-	-	-	1	-	-	-	5
1980.....	8,945	8,895	31	5	8	1	-	1	2	1	-	1	-
1979.....	9,262	9,203	38	3	4	1	3	1	2	-	-	-	7

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
WHITE FEMALE													
1998.....	3,606	3,562	23	9	1	3	4	-	1	-	-	2	1
1997.....	3,443	3,398	18	9	6	5	-	2	-	4	-	-	1
1996.....	3,518	3,489	10	9	2	1	2	2	-	1	-	-	2
1995.....	3,479	3,441	24	8	-	1	1	1	1	-	1	1	-
1994.....	3,733	3,690	23	9	1	3	1	3	1	1	-	1	-
1993.....	3,875	3,841	19	4	2	7	1	-	-	-	-	-	1
1992.....	4,040	3,990	28	9	2	3	3	1	-	3	-	1	-
1991.....	4,235	4,184	37	6	3	1	2	1	-	-	-	1	-
1990.....	4,451	4,403	26	9	3	3	2	-	1	1	-	1	2
1989.....	4,880	4,842	25	4	2	1	2	1	-	2	-	-	1
1988.....	4,707	4,653	38	5	1	5	2	1	-	-	-	-	2
1987.....	4,852	4,809	36	-	3	1	1	-	-	1	-	-	1
1986.....	4,999	4,948	35	9	2	-	1	1	-	1	-	1	1
1985.....	5,230	5,191	24	4	4	4	1	1	1	-	-	-	-
1984.....	5,336	5,276	39	8	5	1	1	2	1	-	-	-	3
1983.....	5,399	5,357	26	5	3	3	2	1	-	1	1	-	-
1982.....	5,929	5,889	26	3	4	2	2	-	1	2	-	-	-
1981.....	6,171	6,146	15	3	3	1	-	-	2	-	-	-	1
1980.....	6,512	6,472	29	4	2	1	1	-	2	-	-	-	1
1979.....	6,772	6,730	21	4	1	2	1	1	1	1	1	1	8

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)													
ALL OTHER, BOTH SEXES													
1998.....	5,299	5,251	27	11	4	3	1	-	1	-	1	-	-
1997.....	5,111	5,058	35	13	3	-	1	1	-	-	-	-	-
1996.....	5,105	5,065	27	6	1	2	1	1	-	-	-	-	2
1995.....	5,316	5,263	40	10	1	1	-	-	-	-	-	-	1
1994.....	5,925	5,856	53	9	3	3	-	-	-	-	-	1	-
1993.....	6,266	6,214	42	3	2	-	1	-	-	1	1	-	2
1992.....	6,562	6,504	49	4	-	1	2	-	-	-	1	1	-
1991.....	6,892	6,820	52	13	5	1	1	-	-	-	-	-	-
1990.....	7,168	7,104	53	8	-	1	-	-	-	-	-	1	1
1989.....	7,446	7,383	49	9	1	1	-	-	-	-	1	-	2
1988.....	7,028	6,976	43	3	2	-	-	1	-	-	-	-	3
1987.....	6,810	6,770	35	3	1	-	-	-	1	-	-	-	-
1986.....	6,577	6,535	37	1	-	3	-	-	-	-	1	-	-
1985.....	6,612	6,548	54	5	1	1	-	-	-	-	1	-	2
1984.....	6,410	6,351	50	6	2	-	-	-	-	-	-	-	1
1983.....	6,494	6,442	39	4	3	-	-	1	1	-	-	1	3
1982.....	6,862	6,837	20	1	-	-	-	1	-	-	-	-	3
1981.....	7,075	7,038	28	3	-	1	-	-	-	-	-	2	3
1980.....	7,409	7,378	24	3	-	1	-	-	-	-	-	-	3
1979.....	7,414	7,389	16	1	2	-	1	-	-	-	-	-	5

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)													
ALL OTHER FEMALE													
1998.....	2,326	2,303	15	6	-	2	-	-	-	-	-	-	-
1997.....	2,251	2,229	11	8	1	-	1	1	-	-	-	-	-
1996.....	2,248	2,236	6	2	1	-	1	-	-	-	-	-	2
1995.....	2,392	2,371	18	1	1	-	-	-	-	-	-	-	1
1994.....	2,598	2,568	24	4	-	2	-	-	-	-	-	-	-
1993.....	2,750	2,731	13	3	1	-	-	-	-	-	1	-	1
1992.....	2,873	2,845	23	2	-	1	2	-	-	-	-	-	-
1991.....	2,985	2,957	19	7	1	1	-	-	-	-	-	-	-
1990.....	3,167	3,143	17	6	-	-	-	-	-	-	-	1	-
1989.....	3,361	3,335	20	4	1	-	-	-	-	-	-	-	1
1988.....	3,120	3,103	12	1	2	-	-	1	-	-	-	-	1
1987.....	2,928	2,913	13	-	1	-	-	-	1	-	-	-	-
1986.....	2,829	2,813	14	1	-	1	-	-	-	-	-	-	-
1985.....	2,922	2,898	20	4	-	-	-	-	-	-	-	-	-
1984.....	2,886	2,859	21	4	1	-	-	-	-	-	-	-	1
1983.....	2,875	2,852	14	4	2	-	-	1	1	-	-	1	-
1982.....	2,989	2,985	4	-	-	-	-	-	-	-	-	-	-
1981.....	3,153	3,136	14	1	-	-	-	-	-	-	-	-	2
1980.....	3,303	3,289	9	2	-	1	-	-	-	-	-	-	2
1979.....	3,326	3,314	8	-	1	-	1	-	-	-	-	-	2

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
CERTAIN CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-779)													
BLACK, BOTH SEXES													
1998.....	4,841	4,796	26	10	3	3	1	-	1	-	1	-	-
1997.....	4,714	4,664	34	11	3	-	1	1	-	-	-	-	-
1996.....	4,711	4,679	22	4	-	2	1	1	-	-	-	-	2
1995.....	4,952	4,905	35	10	1	1	-	-	-	-	-	-	-
1994.....	5,515	5,455	46	7	3	3	-	-	-	-	-	1	-
1993.....	5,891	5,844	38	3	1	-	1	-	-	1	1	-	2
1992.....	6,176	6,125	43	4	-	1	1	-	-	-	1	1	-
1991.....	6,512	6,447	50	9	4	1	1	-	-	-	-	-	-
1990.....	6,744	6,688	48	7	-	-	-	-	-	-	-	1	-
1989.....	6,965	6,907	47	6	1	1	-	-	-	-	1	-	2
1988.....	6,614	6,566	39	3	2	-	-	1	-	-	-	-	3
1987.....	6,373	6,336	34	2	1	-	-	-	-	-	-	-	-
1986.....	6,149	6,109	35	1	-	3	-	-	-	-	1	-	-
1985.....	6,196	6,140	46	5	1	1	-	-	-	-	1	-	2
1984.....	6,002	5,950	44	6	1	-	-	-	-	-	-	-	1
1983.....	6,100	6,051	37	3	3	-	-	1	1	-	-	1	3
1982.....	6,464	6,443	18	1	-	-	-	1	-	-	-	-	1
1981.....	6,658	6,623	27	3	-	1	-	-	-	-	-	2	2
1980.....	6,961	6,933	23	2	-	1	-	-	-	-	-	-	2
1979.....	7,024	7,002	14	1	1	-	1	-	-	1	-	-	5

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
BLACK FEMALE													
1998.....	2,109	2,087	14	6	-	2	-	-	-	-	-	-	-
1997.....	2,090	2,069	11	7	1	-	1	1	-	-	-	-	-
1996.....	2,080	2,069	6	2	-	-	1	-	-	-	-	-	2
1995.....	2,221	2,202	17	1	1	-	-	-	-	-	-	-	-
1994.....	2,427	2,400	22	3	-	2	-	-	-	-	-	-	-
1993.....	2,582	2,566	11	3	-	-	-	-	-	-	1	-	1
1992.....	2,707	2,681	22	2	-	1	1	-	-	-	-	-	-
1991.....	2,801	2,775	18	6	1	1	-	-	-	-	-	-	-
1990.....	2,982	2,959	16	6	-	-	-	-	-	-	-	1	-
1989.....	3,152	3,129	19	2	1	-	-	-	-	-	-	-	1
1988.....	2,921	2,906	10	1	2	-	-	1	-	-	-	-	1
1987.....	2,765	2,752	12	-	1	-	-	-	-	-	-	-	-
1986.....	2,648	2,632	14	1	-	1	-	-	-	-	-	-	-
1985.....	2,738	2,717	17	4	-	-	-	-	-	-	-	-	-
1984.....	2,712	2,687	20	4	-	-	-	-	-	-	-	-	1
1983.....	2,699	2,678	13	3	2	-	-	1	1	-	-	1	-
1982.....	2,831	2,828	3	-	-	-	-	-	-	-	-	-	-
1981.....	2,970	2,953	14	1	-	-	-	-	-	-	-	-	2
1980.....	3,092	3,080	8	2	-	1	-	-	-	-	-	-	1
1979.....	3,153	3,143	7	-	-	-	1	-	-	-	-	-	2

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 BIRTH TRAUMA, INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA, AND RESPIRATORY DISTRESS SYNDROME (767-769)													
TOTAL, BOTH SEXES													
1998.....	1,997	1,950	27	11	3	-	1	2	2	1	-	-	-
1997.....	1,990	1,938	23	13	8	3	3	1	-	1	-	-	-
1996.....	1,993	1,956	15	11	4	2	3	1	-	-	-	-	1
1995.....	2,168	2,130	20	15	1	1	-	-	1	-	-	-	-
1994.....	2,378	2,332	22	9	6	4	1	2	-	2	-	-	-
1993.....	2,618	2,580	21	7	1	2	3	1	-	2	1	-	-
1992.....	2,929	2,883	25	12	2	2	3	-	-	1	-	-	1
1991.....	3,417	3,372	28	10	5	1	1	-	-	-	-	-	-
1990.....	3,871	3,819	28	16	3	3	1	1	-	-	-	-	-
1989.....	4,631	4,578	31	9	4	4	3	-	1	1	-	-	-
1988.....	4,222	4,174	29	9	4	3	1	1	-	-	-	-	1
1987.....	4,354	4,322	17	7	5	1	2	-	-	-	-	-	-
1986.....	4,693	4,652	28	8	2	2	-	1	-	-	-	-	-
1985.....	5,225	5,178	32	3	5	6	1	-	-	-	-	-	-
1984.....	5,163	5,103	36	18	3	1	-	1	1	-	-	-	-
1983.....	5,371	5,326	33	4	3	4	1	-	-	-	-	-	-
1982.....	6,183	6,144	24	2	3	5	2	1	1	1	-	-	-
1981.....	6,677	6,642	20	8	4	1	-	-	2	-	-	-	-
1980.....	7,580	7,544	26	7	1	-	-	1	1	-	-	-	-
1979.....	8,017	7,980	20	5	5	2	2	-	1	-	-	-	2

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 BIRTH TRAUMA, INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA, AND RESPIRATORY DISTRESS SYNDROME (767-769)													
TOTAL, MALE													
1998.....	1,131	1,111	10	3	3	-	-	2	1	1	-	-	-
1997.....	1,145	1,113	13	8	6	2	3	-	-	-	-	-	-
1996.....	1,181	1,161	7	6	3	1	2	-	-	-	-	-	1
1995.....	1,281	1,258	10	11	1	1	-	-	-	-	-	-	-
1994.....	1,414	1,383	15	7	6	1	-	1	-	1	-	-	-
1993.....	1,523	1,500	13	3	-	-	3	1	-	2	1	-	-
1992.....	1,699	1,673	15	9	-	1	-	-	-	-	-	-	1
1991.....	2,059	2,037	14	4	3	1	-	-	-	-	-	-	-
1990.....	2,311	2,282	19	6	1	2	-	1	-	-	-	-	-
1989.....	2,803	2,768	21	5	2	3	2	-	1	1	-	-	-
1988.....	2,508	2,478	14	8	3	3	-	1	-	-	-	-	1
1987.....	2,658	2,641	8	7	1	-	1	-	-	-	-	-	-
1986.....	2,791	2,772	15	1	1	2	-	-	-	-	-	-	-
1985.....	3,178	3,149	23	-	4	2	-	-	-	-	-	-	-
1984.....	3,071	3,039	20	9	1	1	-	-	1	-	-	-	-
1983.....	3,224	3,194	24	3	1	2	-	-	-	-	-	-	-
1982.....	3,695	3,673	14	2	2	3	-	1	-	-	-	-	-
1981.....	4,009	3,986	15	6	2	-	-	-	-	-	-	-	-
1980.....	4,503	4,482	15	4	1	-	-	1	-	-	-	-	-
1979.....	4,767	4,744	13	2	4	1	1	-	1	-	-	-	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 BIRTH TRAUMA, INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA, AND RESPIRATORY DISTRESS SYNDROME (767-769)													
TOTAL, FEMALE													
1998.....	866	839	17	8	-	-	1	-	1	-	-	-	-
1997.....	845	825	10	5	2	1	-	1	-	1	-	-	-
1996.....	812	795	8	5	1	1	1	1	-	-	-	-	-
1995.....	887	872	10	4	-	-	-	-	1	-	-	-	-
1994.....	964	949	7	2	-	3	1	1	-	1	-	-	-
1993.....	1,095	1,080	8	4	1	2	-	-	-	-	-	-	-
1992.....	1,230	1,210	10	3	2	1	3	-	-	1	-	-	-
1991.....	1,358	1,335	14	6	2	-	1	-	-	-	-	-	-
1990.....	1,560	1,537	9	10	2	1	1	-	-	-	-	-	-
1989.....	1,828	1,810	10	4	2	1	1	-	-	-	-	-	-
1988.....	1,714	1,696	15	1	1	-	1	-	-	-	-	-	-
1987.....	1,696	1,681	9	-	4	1	1	-	-	-	-	-	-
1986.....	1,902	1,880	13	7	1	-	-	1	-	-	-	-	-
1985.....	2,047	2,029	9	3	1	4	1	-	-	-	-	-	-
1984.....	2,092	2,064	16	9	2	-	-	1	-	-	-	-	-
1983.....	2,147	2,132	9	1	2	2	1	-	-	-	-	-	-
1982.....	2,488	2,471	10	-	1	2	2	-	1	1	-	-	-
1981.....	2,668	2,656	5	2	2	1	-	-	2	-	-	-	-
1980.....	3,077	3,062	11	3	-	-	-	-	1	-	-	-	-
1979.....	3,250	3,236	7	3	1	1	1	-	-	-	-	-	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 BIRTH TRAUMA, INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA, AND RESPIRATORY DISTRESS SYNDROME (767-769)													
WHITE, BOTH SEXES													
1998.....	1,323	1,292	19	7	-	-	1	2	1	1	-	-	-
1997.....	1,317	1,276	16	10	8	3	3	-	-	1	-	-	-
1996.....	1,310	1,280	11	9	4	1	3	1	-	-	-	-	1
1995.....	1,411	1,387	11	10	1	1	-	-	1	-	-	-	-
1994.....	1,556	1,525	15	5	3	3	1	2	-	2	-	-	-
1993.....	1,652	1,625	13	6	1	2	2	1	-	1	1	-	-
1992.....	1,898	1,867	13	11	2	1	2	-	-	1	-	-	1
1991.....	2,182	2,151	19	6	4	1	1	-	-	-	-	-	-
1990.....	2,498	2,455	23	12	3	3	1	1	-	-	-	-	-
1989.....	3,037	2,997	21	6	4	4	3	-	1	1	-	-	-
1988.....	2,861	2,823	21	9	3	3	1	1	-	-	-	-	-
1987.....	2,974	2,952	10	5	4	1	2	-	-	-	-	-	-
1986.....	3,303	3,268	23	7	2	2	-	1	-	-	-	-	-
1985.....	3,747	3,710	25	1	4	6	1	-	-	-	-	-	-
1984.....	3,700	3,656	26	13	2	1	-	1	1	-	-	-	-
1983.....	3,885	3,853	21	4	2	4	1	-	-	-	-	-	-
1982.....	4,485	4,452	19	2	3	5	2	-	1	1	-	-	-
1981.....	4,834	4,809	13	5	4	1	-	-	2	-	-	-	-
1980.....	5,503	5,473	20	7	1	-	-	1	1	-	-	-	-
1979.....	5,804	5,771	18	5	4	2	1	-	1	-	-	-	2

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 BIRTH TRAUMA, INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA, AND RESPIRATORY DISTRESS SYNDROME (767-769)													
WHITE MALE													
1998.....	746	733	8	2	-	-	-	2	-	1	-	-	-
1997.....	767	741	8	7	6	2	3	-	-	-	-	-	-
1996.....	785	768	5	6	3	-	2	-	-	-	-	-	1
1995.....	835	820	6	7	1	1	-	-	-	-	-	-	-
1994.....	924	904	10	4	3	1	-	1	-	1	-	-	-
1993.....	959	943	8	3	-	-	2	1	-	1	1	-	-
1992.....	1,098	1,081	6	9	-	1	-	-	-	-	-	-	1
1991.....	1,334	1,317	10	4	2	1	-	-	-	-	-	-	-
1990.....	1,487	1,461	16	6	1	2	-	1	-	-	-	-	-
1989.....	1,844	1,817	14	4	2	3	2	-	1	1	-	-	-
1988.....	1,747	1,724	8	8	3	3	-	1	-	-	-	-	-
1987.....	1,850	1,838	5	5	1	-	1	-	-	-	-	-	-
1986.....	1,952	1,936	12	1	1	2	-	-	-	-	-	-	-
1985.....	2,301	2,277	19	-	3	2	-	-	-	-	-	-	-
1984.....	2,234	2,210	14	7	1	1	-	-	1	-	-	-	-
1983.....	2,383	2,361	16	3	1	2	-	-	-	-	-	-	-
1982.....	2,676	2,657	12	2	2	3	-	-	-	-	-	-	-
1981.....	2,920	2,904	10	4	2	-	-	-	-	-	-	-	-
1980.....	3,336	3,320	10	4	1	-	-	1	-	-	-	-	-
1979.....	3,488	3,468	11	2	3	1	1	-	1	-	-	-	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 BIRTH TRAUMA, INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA, AND RESPIRATORY DISTRESS SYNDROME (767-769)													
WHITE FEMALE													
1998.....	577	559	11	5	-	-	1	-	1	-	-	-	-
1997.....	550	535	8	3	2	1	-	-	-	1	-	-	-
1996.....	525	512	6	3	1	1	1	1	-	-	-	-	-
1995.....	576	567	5	3	-	-	-	-	1	-	-	-	-
1994.....	632	621	5	1	-	2	1	1	-	1	-	-	-
1993.....	693	682	5	3	1	2	-	-	-	-	-	-	-
1992.....	800	786	7	2	2	-	2	-	-	1	-	-	-
1991.....	848	834	9	2	2	-	1	-	-	-	-	-	-
1990.....	1,011	994	7	6	2	1	1	-	-	-	-	-	-
1989.....	1,193	1,180	7	2	2	1	1	-	-	-	-	-	-
1988.....	1,114	1,099	13	1	-	-	1	-	-	-	-	-	-
1987.....	1,124	1,114	5	-	3	1	1	-	-	-	-	-	-
1986.....	1,351	1,332	11	6	1	-	-	1	-	-	-	-	-
1985.....	1,446	1,433	6	1	1	4	1	-	-	-	-	-	-
1984.....	1,466	1,446	12	6	1	-	-	1	-	-	-	-	-
1983.....	1,502	1,492	5	1	1	2	1	-	-	-	-	-	-
1982.....	1,809	1,795	7	-	1	2	2	-	1	1	-	-	-
1981.....	1,914	1,905	3	1	2	1	-	-	2	-	-	-	-
1980.....	2,167	2,153	10	3	-	-	-	-	1	-	-	-	-
1979.....	2,316	2,303	7	3	1	1	-	-	-	-	-	-	1

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 BIRTH TRAUMA, INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA, AND RESPIRATORY DISTRESS SYNDROME (767-769)													
ALL OTHER, BOTH SEXES													
1998.....	674	658	8	4	3	-	-	-	1	-	-	-	-
1997.....	673	662	7	3	-	-	-	1	-	-	-	-	-
1996.....	683	676	4	2	-	1	-	-	-	-	-	-	-
1995.....	757	743	9	5	-	-	-	-	-	-	-	-	-
1994.....	822	807	7	4	3	1	-	-	-	-	-	-	-
1993.....	966	955	8	1	-	-	1	-	-	1	-	-	-
1992.....	1,031	1,016	12	1	-	1	1	-	-	-	-	-	-
1991.....	1,235	1,221	9	4	1	-	-	-	-	-	-	-	-
1990.....	1,373	1,364	5	4	-	-	-	-	-	-	-	-	-
1989.....	1,594	1,581	10	3	-	-	-	-	-	-	-	-	-
1988.....	1,361	1,351	8	-	1	-	-	-	-	-	-	-	1
1987.....	1,380	1,370	7	2	1	-	-	-	-	-	-	-	-
1986.....	1,390	1,384	5	1	-	-	-	-	-	-	-	-	-
1985.....	1,478	1,468	7	2	1	-	-	-	-	-	-	-	-
1984.....	1,463	1,447	10	5	1	-	-	-	-	-	-	-	-
1983.....	1,486	1,473	12	-	1	-	-	-	-	-	-	-	-
1982.....	1,698	1,692	5	-	-	-	-	1	-	-	-	-	-
1981.....	1,843	1,833	7	3	-	-	-	-	-	-	-	-	-
1980.....	2,077	2,071	6	-	-	-	-	-	-	-	-	-	-
1979.....	2,213	2,209	2	-	1	-	1	-	-	-	-	-	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 BIRTH TRAUMA, INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA, AND RESPIRATORY DISTRESS SYNDROME (767-769)													
ALL OTHER FEMALE													
1998.....	289	280	6	3	-	-	-	-	-	-	-	-	-
1997.....	295	290	2	2	-	-	-	1	-	-	-	-	-
1996.....	287	283	2	2	-	-	-	-	-	-	-	-	-
1995.....	311	305	5	1	-	-	-	-	-	-	-	-	-
1994.....	332	328	2	1	-	1	-	-	-	-	-	-	-
1993.....	402	398	3	1	-	-	-	-	-	-	-	-	-
1992.....	430	424	3	1	-	1	1	-	-	-	-	-	-
1991.....	510	501	5	4	-	-	-	-	-	-	-	-	-
1990.....	549	543	2	4	-	-	-	-	-	-	-	-	-
1989.....	635	630	3	2	-	-	-	-	-	-	-	-	-
1988.....	600	597	2	-	1	-	-	-	-	-	-	-	-
1987.....	572	567	4	-	1	-	-	-	-	-	-	-	-
1986.....	551	548	2	1	-	-	-	-	-	-	-	-	-
1985.....	601	596	3	2	-	-	-	-	-	-	-	-	-
1984.....	626	618	4	3	1	-	-	-	-	-	-	-	-
1983.....	645	640	4	-	1	-	-	-	-	-	-	-	-
1982.....	679	676	3	-	-	-	-	-	-	-	-	-	-
1981.....	754	751	2	1	-	-	-	-	-	-	-	-	-
1980.....	910	909	1	-	-	-	-	-	-	-	-	-	-
1979.....	934	933	-	-	-	-	1	-	-	-	-	-	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 BIRTH TRAUMA, INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA, AND RESPIRATORY DISTRESS SYNDROME (767-769)													
BLACK, BOTH SEXES													
1998.....	615	599	8	4	3	-	-	-	1	-	-	-	-
1997.....	614	603	7	3	-	-	-	1	-	-	-	-	-
1996.....	618	612	3	2	-	1	-	-	-	-	-	-	-
1995.....	687	673	9	5	-	-	-	-	-	-	-	-	-
1994.....	766	753	5	4	3	1	-	-	-	-	-	-	-
1993.....	909	900	6	1	-	-	1	-	-	1	-	-	-
1992.....	960	950	8	1	-	1	-	-	-	-	-	-	-
1991.....	1,167	1,155	9	3	-	-	-	-	-	-	-	-	-
1990.....	1,276	1,267	5	4	-	-	-	-	-	-	-	-	-
1989.....	1,467	1,456	10	1	-	-	-	-	-	-	-	-	-
1988.....	1,256	1,248	6	-	1	-	-	-	-	-	-	-	1
1987.....	1,294	1,285	7	1	1	-	-	-	-	-	-	-	-
1986.....	1,272	1,267	4	1	-	-	-	-	-	-	-	-	-
1985.....	1,373	1,364	6	2	1	-	-	-	-	-	-	-	-
1984.....	1,346	1,332	9	5	-	-	-	-	-	-	-	-	-
1983.....	1,374	1,361	12	-	1	-	-	-	-	-	-	-	-
1982.....	1,582	1,577	4	-	-	-	-	1	-	-	-	-	-
1981.....	1,712	1,703	6	3	-	-	-	-	-	-	-	-	-
1980.....	1,937	1,931	6	-	-	-	-	-	-	-	-	-	-
1979.....	2,067	2,063	2	-	1	-	1	-	-	-	-	-	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
0 BIRTH TRAUMA, INTRAUTERINE HYPOXIA, BIRTH ASPHYXIA, AND RESPIRATORY DISTRESS SYNDROME (767-769)													
BLACK FEMALE													
1998.....	262	253	6	3	-	-	-	-	-	-	-	-	-
1997.....	276	271	2	2	-	-	-	1	-	-	-	-	-
1996.....	263	259	2	2	-	-	-	-	-	-	-	-	-
1995.....	274	268	5	1	-	-	-	-	-	-	-	-	-
1994.....	310	306	2	1	-	1	-	-	-	-	-	-	-
1993.....	375	372	2	1	-	-	-	-	-	-	-	-	-
1992.....	400	395	3	1	-	1	-	-	-	-	-	-	-
1991.....	481	473	5	3	-	-	-	-	-	-	-	-	-
1990.....	510	504	2	4	-	-	-	-	-	-	-	-	-
1989.....	590	587	3	-	-	-	-	-	-	-	-	-	-
1988.....	553	551	1	-	1	-	-	-	-	-	-	-	-
1987.....	541	536	4	-	1	-	-	-	-	-	-	-	-
1986.....	505	502	2	1	-	-	-	-	-	-	-	-	-
1985.....	564	559	3	2	-	-	-	-	-	-	-	-	-
1984.....	579	572	4	3	-	-	-	-	-	-	-	-	-
1983.....	600	595	4	-	1	-	-	-	-	-	-	-	-
1982.....	638	636	2	-	-	-	-	-	-	-	-	-	-
1981.....	701	698	2	1	-	-	-	-	-	-	-	-	-
1980.....	848	847	1	-	-	-	-	-	-	-	-	-	-
1979.....	874	873	-	-	-	-	1	-	-	-	-	-	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
OTHER CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-766,770-779)													
TOTAL, BOTH SEXES													
1998.....	11,431	11,344	48	15	3	8	7	-	2	-	1	2	1
1997.....	11,102	10,997	52	24	10	4	3	3	1	5	-	1	2
1996.....	11,076	10,999	45	13	4	2	4	3	-	1	-	-	5
1995.....	11,303	11,198	67	16	4	6	4	2	-	2	1	2	1
1994.....	12,109	11,983	92	19	2	5	1	4	1	-	-	2	-
1993.....	12,479	12,366	79	13	5	6	2	-	-	1	3	-	4
1992.....	12,801	12,679	88	19	-	3	4	2	-	2	1	2	1
1991.....	13,364	13,219	112	17	5	2	4	2	2	-	-	1	-
1990.....	13,803	13,663	106	13	2	3	1	1	1	1	1	4	7
1989.....	14,121	13,986	103	14	3	2	3	2	1	2	1	-	4
1988.....	13,998	13,862	100	13	5	6	1	2	-	-	1	1	7
1987.....	13,868	13,748	104	7	1	1	2	-	1	1	1	-	2
1986.....	13,698	13,574	104	5	4	5	1	1	-	1	1	1	1
1985.....	14,021	13,890	107	10	5	1	2	1	1	-	1	-	3
1984.....	13,718	13,579	108	8	6	4	2	2	1	-	-	-	8
1983.....	13,939	13,831	79	9	4	3	1	3	1	2	1	1	4
1982.....	14,611	14,541	53	5	6	-	-	1	-	1	-	-	4
1981.....	14,949	14,868	57	9	2	1	-	-	1	-	-	2	9
1980.....	15,286	15,201	58	5	9	3	1	-	3	1	-	1	4
1979.....	15,431	15,342	55	3	2	1	3	2	2	1	1	1	18

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
OTHER CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-766,770-779)													
TOTAL, MALE													
1998.....	6,365	6,318	27	8	2	3	4	-	2	-	1	-	-
1997.....	6,253	6,195	33	12	5	-	2	1	1	2	-	1	1
1996.....	6,122	6,069	37	7	2	2	2	2	-	-	-	-	1
1995.....	6,319	6,258	35	11	3	5	3	1	-	2	-	1	-
1994.....	6,742	6,674	52	8	1	3	1	2	-	-	-	1	-
1993.....	6,949	6,874	55	10	3	1	1	-	-	1	2	-	2
1992.....	7,118	7,054	47	11	-	-	2	1	-	-	1	1	1
1991.....	7,502	7,413	70	10	3	-	3	1	2	-	-	-	-
1990.....	7,745	7,654	72	8	1	1	-	1	-	-	1	2	5
1989.....	7,708	7,619	68	10	2	2	2	1	1	-	1	-	2
1988.....	7,885	7,802	65	8	3	1	-	-	-	-	1	1	4
1987.....	7,784	7,707	64	7	1	1	2	-	-	-	1	-	1
1986.....	7,772	7,693	68	2	3	4	-	1	-	-	1	-	-
1985.....	7,916	7,830	72	5	2	1	2	-	-	-	1	-	3
1984.....	7,588	7,508	64	5	2	3	1	1	-	-	-	-	4
1983.....	7,812	7,754	48	1	1	2	-	1	-	1	-	-	4
1982.....	8,181	8,138	33	2	3	-	-	1	-	-	-	-	4
1981.....	8,293	8,242	33	7	1	1	-	-	1	-	-	2	6
1980.....	8,548	8,502	31	2	7	1	-	-	2	1	-	1	1
1979.....	8,583	8,534	33	2	1	-	2	1	1	-	-	-	9

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
OTHER CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-766,770-779)													
WHITE, BOTH SEXES													
1998.....	6,806	6,751	29	8	2	5	6	-	2	-	-	2	1
1997.....	6,664	6,601	24	14	7	4	2	3	1	5	-	1	2
1996.....	6,654	6,610	22	9	3	1	3	2	-	1	-	-	3
1995.....	6,744	6,678	36	11	3	5	4	2	-	2	1	2	-
1994.....	7,006	6,934	46	14	2	3	1	4	1	-	-	1	-
1993.....	7,179	7,107	45	11	3	6	2	-	-	1	2	-	2
1992.....	7,270	7,191	51	16	-	3	3	2	-	2	-	1	1
1991.....	7,707	7,620	69	8	1	1	3	2	2	-	-	1	-
1990.....	8,008	7,923	58	9	2	2	1	1	1	1	1	3	6
1989.....	8,269	8,184	64	8	2	1	3	2	1	2	-	-	2
1988.....	8,331	8,237	65	10	4	6	1	1	-	-	1	1	5
1987.....	8,438	8,348	76	6	1	1	2	-	-	1	1	-	2
1986.....	8,511	8,423	72	5	4	2	1	1	-	1	-	1	1
1985.....	8,887	8,810	60	7	5	-	2	1	1	-	-	-	1
1984.....	8,771	8,675	68	7	5	4	2	2	1	-	-	-	7
1983.....	8,931	8,862	52	5	2	3	1	2	-	2	1	-	1
1982.....	9,447	9,396	38	4	6	-	-	1	-	1	-	-	1
1981.....	9,717	9,663	36	9	2	-	-	-	1	-	-	-	6
1980.....	9,954	9,894	40	2	9	2	1	-	3	1	-	1	1
1979.....	10,230	10,162	41	2	1	1	3	2	2	1	1	1	13

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
OTHER CONDITIONS ORIGINATING IN THE PERINATAL PERIOD (760-766,770-779)													
WHITE MALE													
1998.....	3,777	3,748	17	4	1	2	3	-	2	-	-	-	-
1997.....	3,771	3,738	14	8	3	-	2	1	1	2	-	1	1
1996.....	3,661	3,633	18	3	2	1	2	1	-	-	-	-	1
1995.....	3,841	3,804	17	6	3	4	3	1	-	2	-	1	-
1994.....	3,905	3,865	28	6	1	2	1	2	-	-	-	-	-
1993.....	3,997	3,948	31	10	2	1	1	-	-	1	2	-	1
1992.....	4,030	3,987	30	9	-	-	2	1	-	-	-	-	1
1991.....	4,320	4,270	41	4	-	-	2	1	2	-	-	-	-
1990.....	4,568	4,514	39	6	1	-	-	1	-	-	1	2	4
1989.....	4,582	4,522	46	6	2	1	2	1	1	-	-	-	1
1988.....	4,738	4,683	40	6	3	1	-	-	-	-	1	1	3
1987.....	4,710	4,653	45	6	1	1	2	-	-	-	1	-	1
1986.....	4,863	4,807	48	2	3	2	-	1	-	-	-	-	-
1985.....	5,103	5,052	42	4	2	-	2	-	-	-	-	-	1
1984.....	4,901	4,845	41	5	1	3	1	1	-	-	-	-	4
1983.....	5,034	4,997	31	1	-	2	-	1	-	1	-	-	1
1982.....	5,327	5,302	19	1	3	-	-	1	-	-	-	-	1
1981.....	5,460	5,422	24	7	1	-	-	-	1	-	-	-	5
1980.....	5,609	5,575	21	1	7	1	-	-	2	1	-	1	-
1979.....	5,774	5,735	27	1	1	-	2	1	1	-	-	-	6

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-799)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
TOTAL, BOTH SEXES													
1998.....	25,992	3,658	219	156	558	1,058	1,966	1,935	1,734	2,902	4,619	7,099	88
1997.....	25,752	3,773	241	171	651	1,147	2,054	1,879	1,825	2,880	4,463	6,590	78
1996.....	26,190	3,883	283	172	687	1,270	2,150	2,011	1,863	2,901	4,511	6,373	86
1995.....	27,283	4,381	315	207	758	1,600	2,546	2,061	1,910	3,071	4,332	6,013	89
1994.....	25,245	4,942	268	154	637	1,313	2,042	1,635	1,726	2,844	3,967	5,651	66
1993.....	26,540	5,659	297	194	616	1,490	2,170	1,759	1,916	2,975	4,040	5,354	70
1992.....	23,430	5,838	258	128	634	1,433	1,764	1,297	1,614	2,561	3,395	4,450	58
1991.....	24,342	6,268	336	142	659	1,617	1,973	1,407	1,613	2,618	3,490	4,136	83
1990.....	24,137	6,409	270	123	711	1,693	2,015	1,352	1,701	2,579	3,398	3,801	85
1989.....	26,988	6,627	285	181	736	1,969	2,231	1,512	1,999	3,089	3,899	4,369	91
1988.....	30,951	6,486	298	168	852	2,117	2,198	1,631	2,578	4,147	5,188	5,198	90
1987.....	31,261	6,137	305	159	880	2,230	2,166	1,815	2,931	4,282	5,298	4,974	84
1986.....	31,390	6,038	317	146	870	1,845	1,763	1,746	3,105	4,700	5,505	5,266	89
1985.....	30,960	5,945	277	116	750	1,655	1,490	1,731	3,331	4,832	5,581	5,160	92
1984.....	29,721	5,874	259	102	723	1,443	1,305	1,627	3,354	4,857	5,326	4,789	62
1983.....	29,628	5,927	290	128	773	1,427	1,264	1,712	3,378	4,790	5,147	4,710	82
1982.....	29,814	5,933	269	147	961	1,645	1,392	1,995	3,516	4,778	4,990	4,118	70
1981.....	29,472	5,954	280	160	916	1,501	1,256	2,045	3,502	4,932	4,897	3,966	63
1980.....	28,808	6,088	288	151	881	1,266	1,140	1,935	3,565	4,826	4,800	3,804	64
1979.....	27,578	5,899	259	123	885	1,215	1,141	2,006	3,359	4,657	4,490	3,454	90

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-799)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
TOTAL, MALE													
1998.....	12,766	2,193	119	80	396	711	1,296	1,267	1,093	1,664	2,022	1,857	68
1997.....	13,065	2,268	146	91	457	784	1,399	1,257	1,171	1,664	2,048	1,721	59
1996.....	13,348	2,308	159	94	470	840	1,450	1,375	1,180	1,621	2,108	1,688	55
1995.....	14,244	2,578	168	128	541	1,103	1,737	1,405	1,227	1,731	1,949	1,624	53
1994.....	13,182	2,973	159	95	433	899	1,409	1,074	1,119	1,669	1,803	1,503	46
1993.....	14,179	3,463	162	103	409	1,049	1,542	1,145	1,243	1,672	1,845	1,495	51
1992.....	12,580	3,507	144	74	437	1,006	1,217	850	1,030	1,503	1,509	1,260	43
1991.....	13,407	3,823	195	73	458	1,126	1,403	921	1,022	1,537	1,613	1,179	57
1990.....	13,533	3,910	144	78	485	1,179	1,442	895	1,122	1,515	1,621	1,080	62
1989.....	15,205	4,025	155	101	495	1,386	1,612	1,035	1,244	1,887	1,875	1,328	62
1988.....	16,969	3,861	169	101	574	1,505	1,490	1,065	1,659	2,467	2,416	1,606	56
1987.....	17,440	3,685	161	96	603	1,554	1,504	1,160	1,887	2,615	2,523	1,593	59
1986.....	17,587	3,652	175	97	564	1,319	1,231	1,145	2,028	2,838	2,741	1,746	51
1985.....	17,470	3,643	166	63	474	1,133	1,041	1,154	2,245	2,957	2,821	1,710	63
1984.....	16,711	3,554	138	61	463	994	890	1,115	2,283	2,943	2,637	1,593	40
1983.....	16,666	3,483	162	83	515	955	838	1,103	2,243	2,985	2,613	1,638	48
1982.....	17,060	3,541	153	97	627	1,156	907	1,310	2,301	2,956	2,531	1,438	43
1981.....	17,127	3,553	168	97	574	1,015	819	1,346	2,384	3,137	2,487	1,502	45
1980.....	16,465	3,579	170	79	583	867	710	1,254	2,395	2,997	2,421	1,366	44
1979.....	16,012	3,517	131	70	588	824	716	1,331	2,255	2,973	2,276	1,270	61

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-799)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
TOTAL, FEMALE													
1998.....	13,226	1,465	100	76	162	347	670	668	641	1,238	2,597	5,242	20
1997.....	12,687	1,505	95	80	194	363	655	622	654	1,216	2,415	4,869	19
1996.....	12,842	1,575	124	78	217	430	700	636	683	1,280	2,403	4,685	31
1995.....	13,039	1,803	147	79	217	497	809	656	683	1,340	2,383	4,389	36
1994.....	12,063	1,969	109	59	204	414	633	561	607	1,175	2,164	4,148	20
1993.....	12,361	2,196	135	91	207	441	628	614	673	1,303	2,195	3,859	19
1992.....	10,850	2,331	114	54	197	427	547	447	584	1,058	1,886	3,190	15
1991.....	10,935	2,445	141	69	201	491	570	486	591	1,081	1,877	2,957	26
1990.....	10,604	2,499	126	45	226	514	573	457	579	1,064	1,777	2,721	23
1989.....	11,783	2,602	130	80	241	583	619	477	755	1,202	2,024	3,041	29
1988.....	13,982	2,625	129	67	278	612	708	566	919	1,680	2,772	3,592	34
1987.....	13,821	2,452	144	63	277	676	662	655	1,044	1,667	2,775	3,381	25
1986.....	13,803	2,386	142	49	306	526	532	601	1,077	1,862	2,764	3,520	38
1985.....	13,490	2,302	111	53	276	522	449	577	1,086	1,875	2,760	3,450	29
1984.....	13,010	2,320	121	41	260	449	415	512	1,071	1,914	2,689	3,196	22
1983.....	12,962	2,444	128	45	258	472	426	609	1,135	1,805	2,534	3,072	34
1982.....	12,754	2,392	116	50	334	489	485	685	1,215	1,822	2,459	2,680	27
1981.....	12,345	2,401	112	63	342	486	437	699	1,118	1,795	2,410	2,464	18
1980.....	12,343	2,509	118	72	298	399	430	681	1,170	1,829	2,379	2,438	20
1979.....	11,566	2,382	128	53	297	391	425	675	1,104	1,684	2,214	2,184	29

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-799)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
WHITE, BOTH SEXES													
1998.....	21,041	2,315	141	107	402	768	1,473	1,465	1,366	2,414	4,075	6,446	69
1997.....	20,790	2,428	159	119	478	823	1,527	1,376	1,420	2,459	3,957	5,975	69
1996.....	21,126	2,466	195	122	481	939	1,556	1,509	1,484	2,479	3,990	5,838	67
1995.....	21,837	2,859	211	149	537	1,181	1,894	1,579	1,522	2,599	3,815	5,422	69
1994.....	19,835	3,170	168	104	412	929	1,410	1,201	1,385	2,379	3,445	5,180	52
1993.....	20,529	3,652	185	135	414	1,030	1,449	1,244	1,499	2,466	3,532	4,868	55
1992.....	17,959	3,778	168	81	419	965	1,205	956	1,259	2,132	2,926	4,024	46
1991.....	18,499	4,075	225	95	434	1,081	1,309	1,019	1,298	2,200	2,998	3,698	67
1990.....	18,058	4,161	168	77	504	1,121	1,300	940	1,314	2,146	2,886	3,382	59
1989.....	20,597	4,323	173	114	519	1,328	1,504	1,106	1,559	2,603	3,377	3,927	64
1988.....	24,060	4,342	207	106	611	1,434	1,420	1,160	2,034	3,457	4,541	4,675	73
1987.....	24,184	4,168	195	107	616	1,493	1,469	1,292	2,313	3,528	4,513	4,428	62
1986.....	24,304	4,138	209	99	657	1,282	1,163	1,226	2,426	3,828	4,619	4,579	78
1985.....	23,836	4,118	179	79	560	1,113	1,017	1,219	2,553	3,849	4,592	4,481	76
1984.....	22,796	4,053	173	71	535	1,016	868	1,172	2,550	3,879	4,302	4,127	50
1983.....	22,387	3,981	177	91	581	1,040	856	1,215	2,583	3,730	4,100	3,973	60
1982.....	22,376	4,026	182	94	709	1,156	922	1,435	2,593	3,709	4,010	3,487	53
1981.....	22,036	4,089	165	107	696	1,031	835	1,424	2,635	3,842	3,853	3,314	45
1980.....	20,902	4,070	206	94	664	887	700	1,300	2,640	3,549	3,677	3,066	49
1979.....	19,898	3,835	174	91	648	813	735	1,361	2,431	3,448	3,493	2,800	69

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-799)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
WHITE MALE													
1998.....	10,045	1,409	73	57	288	532	984	969	866	1,369	1,780	1,663	55
1997.....	10,244	1,500	101	64	336	568	1,037	922	909	1,414	1,815	1,527	51
1996.....	10,516	1,490	114	65	342	627	1,070	1,037	939	1,389	1,861	1,540	42
1995.....	11,126	1,711	104	90	382	839	1,315	1,063	976	1,465	1,704	1,438	39
1994.....	10,022	1,932	102	68	277	648	981	786	892	1,385	1,548	1,367	36
1993.....	10,631	2,260	102	75	279	747	1,042	805	964	1,387	1,595	1,334	41
1992.....	9,424	2,335	94	48	289	696	844	624	794	1,250	1,288	1,130	32
1991.....	10,069	2,623	129	52	302	757	941	656	830	1,316	1,395	1,024	44
1990.....	9,951	2,620	96	48	341	800	932	607	855	1,272	1,386	951	43
1989.....	11,361	2,685	96	59	363	952	1,081	748	957	1,608	1,606	1,163	43
1988.....	12,947	2,680	119	59	433	1,042	971	748	1,298	2,059	2,086	1,408	44
1987.....	13,322	2,559	103	71	431	1,068	1,020	823	1,500	2,177	2,148	1,379	43
1986.....	13,465	2,566	118	66	447	941	805	792	1,579	2,322	2,293	1,492	44
1985.....	13,340	2,608	109	46	362	791	712	804	1,723	2,385	2,319	1,428	53
1984.....	12,682	2,541	88	45	351	714	590	798	1,727	2,350	2,116	1,334	28
1983.....	12,525	2,393	100	57	393	694	562	786	1,718	2,359	2,067	1,360	36
1982.....	12,753	2,462	112	65	482	817	591	933	1,705	2,333	2,038	1,182	33
1981.....	12,786	2,516	95	63	443	709	540	922	1,836	2,474	1,944	1,212	32
1980.....	11,992	2,468	126	50	443	605	435	839	1,784	2,267	1,861	1,082	32
1979.....	11,599	2,364	94	55	434	547	456	902	1,655	2,267	1,776	1,003	46

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-799)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
WHITE FEMALE													
1998.....	10,996	906	68	50	114	236	489	496	500	1,045	2,295	4,783	14
1997.....	10,546	928	58	55	142	255	490	454	511	1,045	2,142	4,448	18
1996.....	10,610	976	81	57	139	312	486	472	545	1,090	2,129	4,298	25
1995.....	10,711	1,148	107	59	155	342	579	516	546	1,134	2,111	3,984	30
1994.....	9,813	1,238	66	36	135	281	429	415	493	994	1,897	3,813	16
1993.....	9,898	1,392	83	60	135	283	407	439	535	1,079	1,937	3,534	14
1992.....	8,535	1,443	74	33	130	269	361	332	465	882	1,638	2,894	14
1991.....	8,430	1,452	96	43	132	324	368	363	468	884	1,603	2,674	23
1990.....	8,107	1,541	72	29	163	321	368	333	459	874	1,500	2,431	16
1989.....	9,236	1,638	77	55	156	376	423	358	602	995	1,771	2,764	21
1988.....	11,113	1,662	88	47	178	392	449	412	736	1,398	2,455	3,267	29
1987.....	10,862	1,609	92	36	185	425	449	469	813	1,351	2,365	3,049	19
1986.....	10,839	1,572	91	33	210	341	358	434	847	1,506	2,326	3,087	34
1985.....	10,496	1,510	70	33	198	322	305	415	830	1,464	2,273	3,053	23
1984.....	10,114	1,512	85	26	184	302	278	374	823	1,529	2,186	2,793	22
1983.....	9,862	1,588	77	34	188	346	294	429	865	1,371	2,033	2,613	24
1982.....	9,623	1,564	70	29	227	339	331	502	888	1,376	1,972	2,305	20
1981.....	9,250	1,573	70	44	253	322	295	502	799	1,368	1,909	2,102	13
1980.....	8,910	1,602	80	44	221	282	265	461	856	1,282	1,816	1,984	17
1979.....	8,299	1,471	80	36	214	266	279	459	776	1,181	1,717	1,797	23

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-799) ALL OTHER, BOTH SEXES	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
1998.....	4,951	1,343	78	49	156	290	493	470	368	488	544	653	19
1997.....	4,962	1,345	82	52	173	324	527	503	405	421	506	615	9
1996.....	5,064	1,417	88	50	206	331	594	502	379	422	521	535	19
1995.....	5,446	1,522	104	58	221	419	652	482	388	472	517	591	20
1994.....	5,410	1,772	100	50	225	384	632	434	341	465	522	471	14
1993.....	6,011	2,007	112	59	202	460	721	515	417	509	508	486	15
1992.....	5,471	2,060	90	47	215	468	559	341	355	429	469	426	12
1991.....	5,843	2,193	111	47	225	536	664	388	315	418	492	438	16
1990.....	6,079	2,248	102	46	207	572	715	412	387	433	512	419	26
1989.....	6,391	2,304	112	67	217	641	727	406	440	486	522	442	27
1988.....	6,891	2,144	91	62	241	683	778	471	544	690	647	523	17
1987.....	7,077	1,969	110	52	264	737	697	523	618	754	785	546	22
1986.....	7,086	1,900	108	47	213	563	600	520	679	872	886	687	11
1985.....	7,124	1,827	98	37	190	542	473	512	778	983	989	679	16
1984.....	6,925	1,821	86	31	188	427	437	455	804	978	1,024	662	12
1983.....	7,241	1,946	113	37	192	387	408	497	795	1,060	1,047	737	22
1982.....	7,438	1,907	87	53	252	489	470	560	923	1,069	980	631	17
1981.....	7,436	1,865	115	53	220	470	421	621	867	1,090	1,044	652	18
1980.....	7,906	2,018	82	57	217	379	440	635	925	1,277	1,123	738	15
1979.....	7,680	2,064	85	32	237	402	406	645	928	1,209	997	654	21

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-799)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ALL OTHER MALE													
1998.....	2,721	784	46	23	108	179	312	298	227	295	242	194	13
1997.....	2,821	768	45	27	121	216	362	335	262	250	233	194	8
1996.....	2,832	818	45	29	128	213	380	338	241	232	247	148	13
1995.....	3,118	867	64	38	159	264	422	342	251	266	245	186	14
1994.....	3,160	1,041	57	27	156	251	428	288	227	284	255	136	10
1993.....	3,548	1,203	60	28	130	302	500	340	279	285	250	161	10
1992.....	3,156	1,172	50	26	148	310	373	226	236	253	221	130	11
1991.....	3,338	1,200	66	21	156	369	462	265	192	221	218	155	13
1990.....	3,582	1,290	48	30	144	379	510	288	267	243	235	129	19
1989.....	3,844	1,340	59	42	132	434	531	287	287	279	269	165	19
1988.....	4,022	1,181	50	42	141	463	519	317	361	408	330	198	12
1987.....	4,118	1,126	58	25	172	486	484	337	387	438	375	214	16
1986.....	4,122	1,086	57	31	117	378	426	353	449	516	448	254	7
1985.....	4,130	1,035	57	17	112	342	329	350	522	572	502	282	10
1984.....	4,029	1,013	50	16	112	280	300	317	556	593	521	259	12
1983.....	4,141	1,090	62	26	122	261	276	317	525	626	546	278	12
1982.....	4,307	1,079	41	32	145	339	316	377	596	623	493	256	10
1981.....	4,341	1,037	73	34	131	306	279	424	548	663	543	290	13
1980.....	4,473	1,111	44	29	140	262	275	415	611	730	560	284	12
1979.....	4,413	1,153	37	15	154	277	260	429	600	706	500	267	15

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-799)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ALL OTHER FEMALE													
1998.....	2,230	559	32	26	48	111	181	172	141	193	302	459	6
1997.....	2,141	577	37	25	52	108	165	168	143	171	273	421	1
1996.....	2,232	599	43	21	78	118	214	164	138	190	274	387	6
1995.....	2,328	655	40	20	62	155	230	140	137	206	272	405	6
1994.....	2,250	731	43	23	69	133	204	146	114	181	267	335	4
1993.....	2,463	804	52	31	72	158	221	175	138	224	258	325	5
1992.....	2,315	888	40	21	67	158	186	115	119	176	248	296	1
1991.....	2,505	993	45	26	69	167	202	123	123	197	274	283	3
1990.....	2,497	958	54	16	63	193	205	124	120	190	277	290	7
1989.....	2,547	964	53	25	85	207	196	119	153	207	253	277	8
1988.....	2,869	963	41	20	100	220	259	154	183	282	317	325	5
1987.....	2,959	843	52	27	92	251	213	186	231	316	410	332	6
1986.....	2,964	814	51	16	96	185	174	167	230	356	438	433	4
1985.....	2,994	792	41	20	78	200	144	162	256	411	487	397	6
1984.....	2,896	808	36	15	76	147	137	138	248	385	503	403	-
1983.....	3,100	856	51	11	70	126	132	180	270	434	501	459	10
1982.....	3,131	828	46	21	107	150	154	183	327	446	487	375	7
1981.....	3,095	828	42	19	89	164	142	197	319	427	501	362	5
1980.....	3,433	907	38	28	77	117	165	220	314	547	563	454	3
1979.....	3,267	911	48	17	83	125	146	216	328	503	497	387	6

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-799)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
BLACK, BOTH SEXES													
1998.....	4,481	1,198	66	46	142	254	449	430	345	447	493	594	17
1997.....	4,505	1,206	77	46	156	287	487	474	380	372	456	556	8
1996.....	4,607	1,267	80	46	177	299	557	468	346	393	475	486	13
1995.....	4,958	1,377	91	50	192	383	600	439	359	433	478	540	16
1994.....	4,895	1,558	90	43	204	341	587	398	317	429	481	436	11
1993.....	5,499	1,802	105	52	183	416	666	482	385	477	467	450	14
1992.....	4,976	1,837	77	44	194	431	525	313	321	399	437	388	10
1991.....	5,306	1,963	100	40	197	492	618	350	290	387	459	394	16
1990.....	5,505	2,014	91	42	180	505	660	381	351	397	473	389	22
1989.....	5,835	2,017	98	58	191	587	684	376	417	464	499	418	26
1988.....	6,353	1,918	80	54	214	620	738	438	515	665	609	486	16
1987.....	6,562	1,762	99	41	235	682	660	499	579	724	749	514	18
1986.....	6,642	1,711	98	43	196	531	569	495	656	839	851	642	11
1985.....	6,626	1,606	84	35	177	512	442	492	747	940	942	633	16
1984.....	6,511	1,657	73	28	175	390	413	438	771	951	981	622	12
1983.....	6,787	1,748	100	30	170	366	383	480	766	1,019	1,000	707	18
1982.....	6,938	1,713	83	45	230	446	441	531	886	1,027	939	584	13
1981.....	6,886	1,686	106	41	179	415	391	585	823	1,036	987	619	18
1980.....	7,461	1,852	76	44	200	353	420	616	886	1,232	1,078	689	15
1979.....	7,242	1,879	77	30	217	372	383	622	898	1,176	954	617	17

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR
 SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-799)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
BLACK MALE													
1998.....	2,451	697	39	22	99	150	283	272	213	271	221	173	11
1997.....	2,560	694	43	22	111	191	335	313	247	219	206	171	8
1996.....	2,564	722	43	28	109	189	353	315	223	216	227	130	9
1995.....	2,839	788	59	33	143	233	391	309	236	240	229	167	11
1994.....	2,839	919	50	23	143	218	396	263	211	262	228	118	8
1993.....	3,235	1,081	56	27	117	267	463	317	258	268	228	144	9
1992.....	2,856	1,040	44	25	129	280	350	206	216	238	204	115	9
1991.....	3,020	1,067	59	18	139	333	428	241	180	206	200	136	13
1990.....	3,215	1,140	45	27	124	329	470	265	246	223	212	117	17
1989.....	3,496	1,160	52	34	120	394	503	267	271	269	253	155	18
1988.....	3,692	1,050	47	38	125	418	494	290	339	391	309	179	12
1987.....	3,817	1,004	53	22	152	447	463	324	366	415	360	199	12
1986.....	3,865	974	54	27	107	356	404	335	435	493	432	241	7
1985.....	3,829	913	48	16	100	320	307	337	502	546	473	257	10
1984.....	3,784	925	41	15	104	252	286	306	533	576	495	239	12
1983.....	3,879	988	55	22	106	246	261	310	501	598	516	267	9
1982.....	4,014	967	41	27	129	309	296	361	578	599	468	231	8
1981.....	3,982	929	67	25	98	267	258	402	521	623	500	279	13
1980.....	4,214	1,020	40	21	126	243	265	400	585	701	538	263	12
1979.....	4,163	1,059	32	15	142	254	243	414	582	682	475	253	12

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR SYMPTOMS, SIGNS, AND ILL-DEFINED CONDITIONS (780-799)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
BLACK FEMALE													
1998.....	2,030	501	27	24	43	104	166	158	132	176	272	421	6
1997.....	1,945	512	34	24	45	96	152	161	133	153	250	385	-
1996.....	2,043	545	37	18	68	110	204	153	123	177	248	356	4
1995.....	2,119	589	32	17	49	150	209	130	123	193	249	373	5
1994.....	2,056	639	40	20	61	123	191	135	106	167	253	318	3
1993.....	2,264	721	49	25	66	149	203	165	127	209	239	306	5
1992.....	2,120	797	33	19	65	151	175	107	105	161	233	273	1
1991.....	2,286	896	41	22	58	159	190	109	110	181	259	258	3
1990.....	2,290	874	46	15	56	176	190	116	105	174	261	272	5
1989.....	2,339	857	46	24	71	193	181	109	146	195	246	263	8
1988.....	2,661	868	33	16	89	202	244	148	176	274	300	307	4
1987.....	2,745	758	46	19	83	235	197	175	213	309	389	315	6
1986.....	2,777	737	44	16	89	175	165	160	221	346	419	401	4
1985.....	2,797	693	36	19	77	192	135	155	245	394	469	376	6
1984.....	2,727	732	32	13	71	138	127	132	238	375	486	383	-
1983.....	2,908	760	45	8	64	120	122	170	265	421	484	440	9
1982.....	2,924	746	42	18	101	137	145	170	308	428	471	353	5
1981.....	2,904	757	39	16	81	148	133	183	302	413	487	340	5
1980.....	3,247	832	36	23	74	110	155	216	301	531	540	426	3
1979.....	3,079	820	45	15	75	118	140	208	316	494	479	364	5

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ALL OTHER DISEASES (RESIDUAL)													
TOTAL, BOTH SEXES													
1998.....	247,644	1,328	716	934	1,728	3,289	8,261	12,906	17,268	37,169	75,825	88,208	12
1997.....	235,435	1,328	738	942	1,773	3,432	8,183	12,329	16,358	36,388	72,176	81,768	20
1996.....	223,540	1,340	800	954	1,710	3,535	8,128	11,453	16,010	35,599	68,386	75,599	26
1995.....	214,121	1,308	836	1,011	1,785	3,620	8,295	11,258	15,723	34,731	65,179	70,349	26
1994.....	203,939	1,353	822	1,003	1,710	3,754	7,908	10,537	15,601	34,475	61,802	64,952	22
1993.....	195,584	1,496	929	1,063	1,716	3,758	7,928	9,867	15,385	33,559	59,322	60,539	22
1992.....	180,901	1,517	907	1,004	1,713	3,811	7,716	9,270	14,946	32,614	54,076	53,309	18
1991.....	177,873	1,723	879	1,049	1,728	3,774	7,415	8,827	15,637	32,306	53,454	51,052	29
1990.....	172,891	1,655	864	1,030	1,742	3,908	6,865	8,596	15,643	31,856	52,053	48,661	18
1989.....	171,472	1,623	892	1,062	1,924	4,160	6,928	8,475	15,935	32,245	51,522	46,686	20
1988.....	167,935	1,660	876	943	1,830	4,232	6,855	8,551	16,520	31,868	50,322	44,253	25
1987.....	160,673	1,639	867	900	1,925	4,193	6,475	8,087	16,293	31,574	47,943	40,753	24
1986.....	158,102	1,689	921	973	2,209	6,430	8,401	8,841	16,667	30,517	44,744	36,658	52
1985.....	149,685	1,810	972	1,015	2,087	5,330	6,873	8,478	16,895	29,720	42,548	33,916	41
1984.....	137,497	1,798	940	1,065	2,173	4,271	5,848	7,884	16,494	28,423	38,476	30,099	26
1983.....	130,087	1,883	1,014	1,069	2,211	3,986	5,198	8,108	16,610	27,451	35,576	26,957	24
1982.....	120,029	1,815	981	1,099	2,246	3,657	4,738	8,013	15,870	25,852	32,162	23,565	31
1981.....	117,795	1,949	1,062	1,172	2,365	3,754	4,930	8,456	16,264	25,479	30,430	21,895	39
1980.....	115,292	2,096	975	1,294	2,511	3,722	4,883	8,938	16,247	25,233	29,137	20,232	24
1979.....	107,385	2,166	1,048	1,238	2,482	3,612	4,765	8,801	15,570	23,400	26,687	17,593	23

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ALL OTHER DISEASES (RESIDUAL)													
TOTAL, MALE													
1998.....	104,589	730	374	520	1,010	1,886	4,922	7,706	9,553	19,284	33,541	25,055	8
1997.....	100,435	768	412	521	1,027	1,927	4,924	7,319	8,965	18,930	32,329	23,296	17
1996.....	96,646	786	436	537	1,014	2,106	5,046	6,765	8,988	18,532	30,639	21,779	18
1995.....	93,605	730	465	533	1,073	2,164	5,147	6,734	8,908	18,256	29,059	20,519	17
1994.....	90,194	787	444	577	1,010	2,237	4,974	6,259	8,907	18,302	27,618	19,061	18
1993.....	87,271	838	509	590	1,033	2,265	4,950	5,824	8,678	17,765	26,895	17,909	15
1992.....	82,152	888	472	551	1,013	2,311	4,912	5,631	8,453	17,281	24,472	16,156	12
1991.....	81,082	994	456	569	1,012	2,295	4,663	5,273	9,011	17,170	24,307	15,308	24
1990.....	79,020	952	495	568	1,033	2,351	4,390	5,234	8,973	17,044	23,369	14,600	11
1989.....	79,288	930	504	569	1,143	2,560	4,451	5,156	9,238	17,410	23,212	14,101	14
1988.....	78,490	935	483	477	1,130	2,606	4,502	5,163	9,527	17,221	22,691	13,737	18
1987.....	75,661	922	482	481	1,152	2,619	4,071	4,939	9,322	16,951	21,983	12,727	12
1986.....	78,129	972	508	544	1,387	4,609	6,005	5,607	9,721	16,513	20,410	11,829	24
1985.....	73,510	1,001	524	567	1,269	3,626	4,727	5,196	9,783	16,187	19,454	11,154	22
1984.....	67,304	1,032	512	579	1,301	2,738	3,720	4,716	9,420	15,526	17,702	10,044	14
1983.....	64,336	1,038	569	555	1,332	2,484	3,163	4,775	9,618	14,931	16,605	9,250	16
1982.....	59,392	1,047	510	578	1,318	2,249	2,871	4,739	9,137	14,051	14,755	8,120	17
1981.....	58,974	1,117	591	608	1,380	2,210	2,955	4,980	9,318	14,012	14,105	7,677	21
1980.....	58,514	1,189	542	673	1,485	2,246	2,857	5,300	9,433	14,040	13,461	7,273	15
1979.....	55,248	1,242	577	632	1,496	2,116	2,766	5,292	9,243	12,929	12,607	6,333	15

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ALL OTHER DISEASES (RESIDUAL)													
TOTAL, FEMALE													
1998.....	143,055	598	342	414	718	1,403	3,339	5,200	7,715	17,885	42,284	63,153	4
1997.....	135,000	560	326	421	746	1,505	3,259	5,010	7,393	17,458	39,847	58,472	3
1996.....	126,894	554	364	417	696	1,429	3,082	4,688	7,022	17,067	37,747	53,820	8
1995.....	120,516	578	371	478	712	1,456	3,148	4,524	6,815	16,475	36,120	49,830	9
1994.....	113,745	566	378	426	700	1,517	2,934	4,278	6,694	16,173	34,184	45,891	4
1993.....	108,313	658	420	473	683	1,493	2,978	4,043	6,707	15,794	32,427	42,630	7
1992.....	98,749	629	435	453	700	1,500	2,804	3,639	6,493	15,333	29,604	37,153	6
1991.....	96,791	729	423	480	716	1,479	2,752	3,554	6,626	15,136	29,147	35,744	5
1990.....	93,871	703	369	462	709	1,557	2,475	3,362	6,670	14,812	28,684	34,061	7
1989.....	92,184	693	388	493	781	1,600	2,477	3,319	6,697	14,835	28,310	32,585	6
1988.....	89,445	725	393	466	700	1,626	2,353	3,388	6,993	14,647	27,631	30,516	7
1987.....	85,012	717	385	419	773	1,574	2,404	3,148	6,971	14,623	25,960	28,026	12
1986.....	79,973	717	413	429	822	1,821	2,396	3,234	6,946	14,004	24,334	24,829	28
1985.....	76,175	809	448	448	818	1,704	2,146	3,282	7,112	13,533	23,094	22,762	19
1984.....	70,193	766	428	486	872	1,533	2,128	3,168	7,074	12,897	20,774	20,055	12
1983.....	65,751	845	445	514	879	1,502	2,035	3,333	6,992	12,520	18,971	17,707	8
1982.....	60,637	768	471	521	928	1,408	1,867	3,274	6,733	11,801	17,407	15,445	14
1981.....	58,821	832	471	564	985	1,544	1,975	3,476	6,946	11,467	16,325	14,218	18
1980.....	56,778	907	433	621	1,026	1,476	2,026	3,638	6,814	11,193	15,676	12,959	9
1979.....	52,137	924	471	606	986	1,496	1,999	3,509	6,327	10,471	14,080	11,260	8

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ALL OTHER DISEASES (RESIDUAL)													
WHITE, BOTH SEXES													
1998.....	217,822	938	519	696	1,313	2,266	5,924	9,737	13,767	32,003	68,946	81,705	8
1997.....	207,175	929	553	703	1,318	2,370	5,853	9,280	13,122	31,514	65,724	75,797	12
1996.....	196,175	942	572	737	1,279	2,490	5,657	8,516	12,896	30,799	62,181	70,089	17
1995.....	187,233	920	596	772	1,328	2,546	5,729	8,267	12,577	30,117	59,224	65,139	18
1994.....	178,038	946	583	749	1,284	2,611	5,508	7,865	12,576	29,843	55,920	60,140	13
1993.....	170,188	1,003	654	824	1,270	2,617	5,426	7,326	12,306	29,114	53,707	55,927	14
1992.....	156,775	1,041	666	754	1,278	2,659	5,302	6,792	11,918	28,164	48,940	49,249	12
1991.....	153,917	1,180	621	823	1,271	2,547	5,071	6,491	12,601	27,977	48,227	47,090	18
1990.....	148,904	1,141	633	806	1,336	2,591	4,545	6,204	12,511	27,510	46,911	44,705	11
1989.....	147,014	1,083	670	827	1,450	2,780	4,551	5,985	12,683	27,742	46,405	42,829	9
1988.....	144,073	1,113	664	716	1,348	2,837	4,433	6,101	13,269	27,474	45,331	40,772	15
1987.....	137,905	1,130	659	719	1,447	2,796	4,191	5,788	13,113	27,291	43,110	37,647	14
1986.....	134,409	1,147	670	772	1,641	4,199	5,656	6,401	13,446	26,432	40,306	33,699	40
1985.....	127,669	1,224	712	807	1,555	3,440	4,579	6,195	13,754	25,713	38,419	31,249	22
1984.....	117,626	1,240	699	848	1,668	2,759	3,904	5,737	13,536	24,751	34,596	27,872	16
1983.....	111,248	1,344	774	872	1,714	2,598	3,508	6,016	13,534	23,891	32,080	24,901	16
1982.....	102,545	1,256	766	904	1,735	2,369	3,164	5,995	13,099	22,503	28,991	21,744	19
1981.....	100,230	1,332	804	955	1,844	2,412	3,267	6,329	13,376	22,264	27,426	20,199	22
1980.....	97,751	1,446	746	1,052	1,952	2,454	3,178	6,576	13,383	21,922	26,300	18,733	9
1979.....	91,332	1,489	786	1,027	1,980	2,423	3,134	6,630	12,908	20,500	24,146	16,296	13

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ALL OTHER DISEASES (RESIDUAL)													
WHITE MALE													
1998.....	91,004	508	269	390	806	1,368	3,662	5,883	7,602	16,804	30,612	23,095	5
1997.....	87,262	531	313	404	786	1,406	3,661	5,549	7,244	16,518	29,458	21,380	12
1996.....	83,682	562	323	419	796	1,557	3,607	5,078	7,260	16,144	27,881	20,042	13
1995.....	80,624	528	341	415	827	1,585	3,688	4,932	7,162	15,867	26,429	18,837	13
1994.....	77,629	552	319	441	797	1,648	3,541	4,694	7,256	15,874	25,028	17,468	11
1993.....	74,825	573	364	468	790	1,656	3,481	4,364	6,962	15,468	24,360	16,329	10
1992.....	70,166	615	345	413	787	1,686	3,512	4,126	6,827	14,992	22,100	14,753	10
1991.....	69,183	673	327	446	787	1,613	3,256	3,869	7,305	14,928	21,967	13,998	14
1990.....	66,879	670	362	457	821	1,609	2,946	3,768	7,174	14,774	21,011	13,281	6
1989.....	66,907	640	370	458	903	1,807	2,972	3,623	7,409	15,008	20,899	12,810	8
1988.....	66,100	631	365	370	869	1,802	2,910	3,668	7,685	14,866	20,392	12,531	11
1987.....	63,865	623	369	378	902	1,796	2,670	3,530	7,522	14,734	19,708	11,626	7
1986.....	65,120	652	371	432	1,072	3,120	4,144	4,054	7,859	14,280	18,301	10,818	17
1985.....	61,638	681	383	452	969	2,425	3,163	3,803	7,952	14,072	17,520	10,207	11
1984.....	56,773	726	381	461	1,048	1,825	2,469	3,441	7,728	13,580	15,920	9,186	8
1983.....	54,305	747	429	465	1,070	1,655	2,133	3,549	7,847	13,002	14,921	8,476	11
1982.....	50,048	727	389	475	1,063	1,495	1,876	3,559	7,491	12,265	13,277	7,422	9
1981.....	49,610	776	445	496	1,124	1,423	1,942	3,725	7,660	12,295	12,694	7,018	12
1980.....	48,917	832	412	537	1,189	1,512	1,845	3,900	7,745	12,196	12,093	6,647	9
1979.....	46,363	873	438	531	1,215	1,402	1,782	3,988	7,646	11,342	11,337	5,802	7

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ALL OTHER DISEASES (RESIDUAL)													
WHITE FEMALE													
1998.....	126,818	430	250	306	507	898	2,262	3,854	6,165	15,199	38,334	58,610	3
1997.....	119,913	398	240	299	532	964	2,192	3,731	5,878	14,996	36,266	54,417	-
1996.....	112,493	380	249	318	483	933	2,050	3,438	5,636	14,655	34,300	50,047	4
1995.....	106,609	392	255	357	501	961	2,041	3,335	5,415	14,250	32,795	46,302	5
1994.....	100,409	394	264	308	487	963	1,967	3,171	5,320	13,969	30,892	42,672	2
1993.....	95,363	430	290	356	480	961	1,945	2,962	5,344	13,646	29,347	39,598	4
1992.....	86,609	426	321	341	491	973	1,790	2,666	5,091	13,172	26,840	34,496	2
1991.....	84,734	507	294	377	484	934	1,815	2,622	5,296	13,049	26,260	33,092	4
1990.....	82,025	471	271	349	515	982	1,599	2,436	5,337	12,736	25,900	31,424	5
1989.....	80,107	443	300	369	547	973	1,579	2,362	5,274	12,734	25,506	30,019	1
1988.....	77,973	482	299	346	479	1,035	1,523	2,433	5,584	12,608	24,939	28,241	4
1987.....	74,040	507	290	341	545	1,000	1,521	2,258	5,591	12,557	23,402	26,021	7
1986.....	69,289	495	299	340	569	1,079	1,512	2,347	5,587	12,152	22,005	22,881	23
1985.....	66,031	543	329	355	586	1,015	1,416	2,392	5,802	11,641	20,899	21,042	11
1984.....	60,853	514	318	387	620	934	1,435	2,296	5,808	11,171	18,676	18,686	8
1983.....	56,943	597	345	407	644	943	1,375	2,467	5,687	10,889	17,159	16,425	5
1982.....	52,497	529	377	429	672	874	1,288	2,436	5,608	10,238	15,714	14,322	10
1981.....	50,620	556	359	459	720	989	1,325	2,604	5,716	9,969	14,732	13,181	10
1980.....	48,834	614	334	515	763	942	1,333	2,676	5,638	9,726	14,207	12,086	-
1979.....	44,969	616	348	496	765	1,021	1,352	2,642	5,262	9,158	12,809	10,494	6

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ALL OTHER DISEASES (RESIDUAL)													
ALL OTHER, BOTH SEXES													
1998.....	29,822	390	197	238	415	1,023	2,337	3,169	3,501	5,166	6,879	6,503	4
1997.....	28,260	399	185	239	455	1,062	2,330	3,049	3,236	4,874	6,452	5,971	8
1996.....	27,365	398	228	217	431	1,045	2,471	2,937	3,114	4,800	6,205	5,510	9
1995.....	26,888	388	240	239	457	1,074	2,566	2,991	3,146	4,614	5,955	5,210	8
1994.....	25,901	407	239	254	426	1,143	2,400	2,672	3,025	4,632	5,882	4,812	9
1993.....	25,396	493	275	239	446	1,141	2,502	2,541	3,079	4,445	5,615	4,612	8
1992.....	24,126	476	241	250	435	1,152	2,414	2,478	3,028	4,450	5,136	4,060	6
1991.....	23,956	543	258	226	457	1,227	2,344	2,336	3,036	4,329	5,227	3,962	11
1990.....	23,987	514	231	224	406	1,317	2,320	2,392	3,132	4,346	5,142	3,956	7
1989.....	24,458	540	222	235	474	1,380	2,377	2,490	3,252	4,503	5,117	3,857	11
1988.....	23,862	547	212	227	482	1,395	2,422	2,450	3,251	4,394	4,991	3,481	10
1987.....	22,768	509	208	181	478	1,397	2,284	2,299	3,180	4,283	4,833	3,106	10
1986.....	23,693	542	251	201	568	2,231	2,745	2,440	3,221	4,085	4,438	2,959	12
1985.....	22,016	586	260	208	532	1,890	2,294	2,283	3,141	4,007	4,129	2,667	19
1984.....	19,871	558	241	217	505	1,512	1,944	2,147	2,958	3,672	3,880	2,227	10
1983.....	18,839	539	240	197	497	1,388	1,690	2,092	3,076	3,560	3,496	2,056	8
1982.....	17,484	559	215	195	511	1,288	1,574	2,018	2,771	3,349	3,171	1,821	12
1981.....	17,565	617	258	217	521	1,342	1,663	2,127	2,888	3,215	3,004	1,696	17
1980.....	17,541	650	229	242	559	1,268	1,705	2,362	2,864	3,311	2,837	1,499	15
1979.....	16,053	677	262	211	502	1,189	1,631	2,171	2,662	2,900	2,541	1,297	10

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ALL OTHER DISEASES (RESIDUAL)													
ALL OTHER MALE													
1998.....	13,585	222	105	130	204	518	1,260	1,823	1,951	2,480	2,929	1,960	3
1997.....	13,173	237	99	117	241	521	1,263	1,770	1,721	2,412	2,871	1,916	5
1996.....	12,964	224	113	118	218	549	1,439	1,687	1,728	2,388	2,758	1,737	5
1995.....	12,981	202	124	118	246	579	1,459	1,802	1,746	2,389	2,630	1,682	4
1994.....	12,565	235	125	136	213	589	1,433	1,565	1,651	2,428	2,590	1,593	7
1993.....	12,446	265	145	122	243	609	1,469	1,460	1,716	2,297	2,535	1,580	5
1992.....	11,986	273	127	138	226	625	1,400	1,505	1,626	2,289	2,372	1,403	2
1991.....	11,899	321	129	123	225	682	1,407	1,404	1,706	2,242	2,340	1,310	10
1990.....	12,141	282	133	111	212	742	1,444	1,466	1,799	2,270	2,358	1,319	5
1989.....	12,381	290	134	111	240	753	1,479	1,533	1,829	2,402	2,313	1,291	6
1988.....	12,390	304	118	107	261	804	1,592	1,495	1,842	2,355	2,299	1,206	7
1987.....	11,796	299	113	103	250	823	1,401	1,409	1,800	2,217	2,275	1,101	5
1986.....	13,009	320	137	112	315	1,489	1,861	1,553	1,862	2,233	2,109	1,011	7
1985.....	11,872	320	141	115	300	1,201	1,564	1,393	1,831	2,115	1,934	947	11
1984.....	10,531	306	131	118	253	913	1,251	1,275	1,692	1,946	1,782	858	6
1983.....	10,031	291	140	90	262	829	1,030	1,226	1,771	1,929	1,684	774	5
1982.....	9,344	320	121	103	255	754	995	1,180	1,646	1,786	1,478	698	8
1981.....	9,364	341	146	112	256	787	1,013	1,255	1,658	1,717	1,411	659	9
1980.....	9,597	357	130	136	296	734	1,012	1,400	1,688	1,844	1,368	626	6
1979.....	8,885	369	139	101	281	714	984	1,304	1,597	1,587	1,270	531	8

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ALL OTHER DISEASES (RESIDUAL)													
ALL OTHER FEMALE													
1998.....	16,237	168	92	108	211	505	1,077	1,346	1,550	2,686	3,950	4,543	1
1997.....	15,087	162	86	122	214	541	1,067	1,279	1,515	2,462	3,581	4,055	3
1996.....	14,401	174	115	99	213	496	1,032	1,250	1,386	2,412	3,447	3,773	4
1995.....	13,907	186	116	121	211	495	1,107	1,189	1,400	2,225	3,325	3,528	4
1994.....	13,336	172	114	118	213	554	967	1,107	1,374	2,204	3,292	3,219	2
1993.....	12,950	228	130	117	203	532	1,033	1,081	1,363	2,148	3,080	3,032	3
1992.....	12,140	203	114	112	209	527	1,014	973	1,402	2,161	2,764	2,657	4
1991.....	12,057	222	129	103	232	545	937	932	1,330	2,087	2,887	2,652	1
1990.....	11,846	232	98	113	194	575	876	926	1,333	2,076	2,784	2,637	2
1989.....	12,077	250	88	124	234	627	898	957	1,423	2,101	2,804	2,566	5
1988.....	11,472	243	94	120	221	591	830	955	1,409	2,039	2,692	2,275	3
1987.....	10,972	210	95	78	228	574	883	890	1,380	2,066	2,558	2,005	5
1986.....	10,684	222	114	89	253	742	884	887	1,359	1,852	2,329	1,948	5
1985.....	10,144	266	119	93	232	689	730	890	1,310	1,892	2,195	1,720	8
1984.....	9,340	252	110	99	252	599	693	872	1,266	1,726	2,098	1,369	4
1983.....	8,808	248	100	107	235	559	660	866	1,305	1,631	1,812	1,282	3
1982.....	8,140	239	94	92	256	534	579	838	1,125	1,563	1,693	1,123	4
1981.....	8,201	276	112	105	265	555	650	872	1,230	1,498	1,593	1,037	8
1980.....	7,944	293	99	106	263	534	693	962	1,176	1,467	1,469	873	9
1979.....	7,168	308	123	110	221	475	647	867	1,065	1,313	1,271	766	2

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ALL OTHER DISEASES (RESIDUAL)													
BLACK, BOTH SEXES													
1998.....	26,127	351	165	197	352	905	2,105	2,848	3,058	4,529	6,013	5,601	3
1997.....	24,803	338	153	196	383	935	2,112	2,765	2,869	4,255	5,577	5,212	8
1996.....	24,167	348	181	185	374	926	2,249	2,637	2,786	4,225	5,412	4,835	9
1995.....	23,865	328	200	209	394	983	2,342	2,682	2,801	4,072	5,230	4,616	8
1994.....	23,064	350	202	210	381	1,005	2,204	2,407	2,734	4,114	5,197	4,251	9
1993.....	22,657	449	238	209	369	1,037	2,279	2,291	2,737	3,991	4,979	4,072	6
1992.....	21,648	418	212	209	375	1,043	2,221	2,260	2,737	4,004	4,575	3,588	6
1991.....	21,709	500	219	195	412	1,127	2,162	2,157	2,770	3,909	4,721	3,526	11
1990.....	21,737	461	200	191	357	1,220	2,153	2,203	2,837	3,934	4,643	3,531	7
1989.....	22,334	480	183	209	425	1,271	2,229	2,276	2,976	4,148	4,664	3,462	11
1988.....	21,797	475	182	198	434	1,311	2,278	2,259	2,981	4,023	4,517	3,132	7
1987.....	20,893	446	175	152	432	1,305	2,169	2,115	2,920	3,967	4,424	2,779	9
1986.....	21,911	483	223	169	517	2,146	2,607	2,290	2,998	3,778	4,070	2,620	10
1985.....	20,357	521	226	186	480	1,786	2,176	2,143	2,923	3,723	3,764	2,412	17
1984.....	18,312	480	213	192	457	1,417	1,815	2,018	2,775	3,410	3,540	1,985	10
1983.....	17,316	472	206	176	448	1,301	1,587	1,935	2,880	3,292	3,179	1,833	7
1982.....	16,177	500	191	173	460	1,202	1,470	1,862	2,608	3,131	2,929	1,642	9
1981.....	16,274	559	220	197	462	1,256	1,540	1,985	2,712	2,999	2,776	1,553	15
1980.....	16,248	602	204	217	503	1,182	1,593	2,229	2,683	3,061	2,618	1,342	14
1979.....	14,848	609	233	188	456	1,097	1,523	2,036	2,507	2,688	2,330	1,171	10

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ALL OTHER DISEASES (RESIDUAL)													
BLACK MALE													
1998.....	11,780	201	89	106	174	452	1,126	1,629	1,706	2,180	2,529	1,586	2
1997.....	11,426	203	81	98	202	459	1,128	1,620	1,518	2,099	2,443	1,570	5
1996.....	11,336	195	88	102	190	482	1,297	1,528	1,547	2,098	2,365	1,439	5
1995.....	11,400	168	105	104	207	530	1,318	1,612	1,545	2,120	2,266	1,421	4
1994.....	11,093	203	102	120	186	519	1,318	1,406	1,500	2,144	2,243	1,345	7
1993.....	11,011	242	128	109	200	540	1,348	1,335	1,545	2,046	2,186	1,329	3
1992.....	10,671	229	112	117	196	563	1,283	1,388	1,488	2,052	2,054	1,187	2
1991.....	10,702	295	112	106	197	614	1,293	1,290	1,558	2,035	2,058	1,134	10
1990.....	10,908	250	110	98	182	690	1,336	1,360	1,631	2,018	2,086	1,142	5
1989.....	11,199	253	109	100	205	693	1,380	1,408	1,676	2,191	2,049	1,129	6
1988.....	11,263	266	106	95	236	764	1,499	1,384	1,695	2,147	2,027	1,040	4
1987.....	10,788	262	95	86	222	760	1,339	1,313	1,661	2,060	2,032	954	4
1986.....	12,004	283	120	96	285	1,434	1,784	1,461	1,737	2,041	1,898	858	7
1985.....	10,971	281	121	99	266	1,147	1,489	1,324	1,716	1,965	1,727	825	11
1984.....	9,677	266	119	105	226	863	1,178	1,203	1,597	1,796	1,579	739	6
1983.....	9,182	258	120	78	231	779	979	1,140	1,670	1,747	1,495	681	4
1982.....	8,599	290	107	91	219	701	931	1,091	1,553	1,661	1,332	616	7
1981.....	8,625	308	127	98	219	741	945	1,178	1,558	1,595	1,262	587	7
1980.....	8,865	333	116	119	261	688	956	1,327	1,575	1,689	1,243	552	6
1979.....	8,145	333	127	87	249	667	919	1,223	1,495	1,462	1,120	455	8

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ALL OTHER DISEASES (RESIDUAL)													
BLACK FEMALE													
1998.....	14,347	150	76	91	178	453	979	1,219	1,352	2,349	3,484	4,015	1
1997.....	13,377	135	72	98	181	476	984	1,145	1,351	2,156	3,134	3,642	3
1996.....	12,831	153	93	83	184	444	952	1,109	1,239	2,127	3,047	3,396	4
1995.....	12,465	160	95	105	187	453	1,024	1,070	1,256	1,952	2,964	3,195	4
1994.....	11,971	147	100	90	195	486	886	1,001	1,234	1,970	2,954	2,906	2
1993.....	11,646	207	110	100	169	497	931	956	1,192	1,945	2,793	2,743	3
1992.....	10,977	189	100	92	179	480	938	872	1,249	1,952	2,521	2,401	4
1991.....	11,007	205	107	89	215	513	869	867	1,212	1,874	2,663	2,392	1
1990.....	10,829	211	90	93	175	530	817	843	1,206	1,916	2,557	2,389	2
1989.....	11,135	227	74	109	220	578	849	868	1,300	1,957	2,615	2,333	5
1988.....	10,534	209	76	103	198	547	779	875	1,286	1,876	2,490	2,092	3
1987.....	10,105	184	80	66	210	545	830	802	1,259	1,907	2,392	1,825	5
1986.....	9,907	200	103	73	232	712	823	829	1,261	1,737	2,172	1,762	3
1985.....	9,386	240	105	87	214	639	687	819	1,207	1,758	2,037	1,587	6
1984.....	8,635	214	94	87	231	554	637	815	1,178	1,614	1,961	1,246	4
1983.....	8,134	214	86	98	217	522	608	795	1,210	1,545	1,684	1,152	3
1982.....	7,578	210	84	82	241	501	539	771	1,055	1,470	1,597	1,026	2
1981.....	7,649	251	93	99	243	515	595	807	1,154	1,404	1,514	966	8
1980.....	7,383	269	88	98	242	494	637	902	1,108	1,372	1,375	790	8
1979.....	6,703	276	106	101	207	430	604	813	1,012	1,226	1,210	716	2

00/03/28 TABLE 290A. DEATHS FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 934
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS N.S.
 0ACCIDENTS AND ADVERSE EFFECTS (E800-E949)

TOTAL, BOTH SEXES													
Year	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
1998.....	97,835	754	1,935	3,254	13,349	12,045	15,127	10,946	7,340	8,892	12,711	11,372	110
1997.....	95,644	765	2,005	3,371	13,367	12,598	14,531	10,416	7,105	8,578	12,105	10,703	100
1996.....	94,948	804	2,147	3,433	13,809	12,825	14,267	9,846	6,871	8,780	11,662	10,388	116
1995.....	93,320	787	2,280	3,544	13,842	13,435	14,225	9,261	6,743	8,400	10,968	9,731	104
1994.....	91,437	889	2,517	3,508	13,898	13,452	13,560	8,768	6,432	8,279	10,957	9,078	99
1993.....	90,523	898	2,590	3,466	13,966	14,022	13,255	8,029	6,405	8,125	10,665	8,994	108
1992.....	86,777	819	2,467	3,388	13,662	13,798	12,010	7,485	6,397	8,165	10,172	8,296	118
1991.....	89,347	961	2,665	3,660	15,278	14,774	11,752	7,137	6,556	8,137	10,142	8,165	120
1990.....	91,983	930	2,566	3,650	16,241	15,950	11,713	7,375	7,232	8,405	10,041	7,767	113
1989.....	95,028	996	2,774	4,090	16,738	16,574	11,855	7,494	7,552	8,812	10,256	7,764	123
1988.....	97,100	936	2,858	4,215	18,507	16,728	11,551	7,514	7,663	8,971	10,145	7,880	132
1987.....	95,020	950	2,921	4,198	18,695	16,622	10,862	6,982	7,825	8,686	9,929	7,223	127
1986.....	95,277	909	2,934	4,226	19,975	16,906	10,295	7,005	7,728	8,499	9,633	7,002	165
1985.....	93,457	890	2,856	4,252	19,161	15,896	10,044	7,069	8,182	8,583	9,503	6,885	136
1984.....	92,911	838	2,814	4,198	19,801	15,967	9,531	7,250	8,023	8,424	9,226	6,740	99
1983.....	92,488	956	3,043	4,321	19,756	15,669	9,327	7,297	8,147	8,336	8,908	6,610	118
1982.....	94,082	1,024	3,084	4,504	21,306	15,941	9,194	7,654	8,253	8,224	8,564	6,237	97
1981.....	100,704	981	3,149	4,866	23,582	17,496	9,432	8,486	8,853	8,639	8,662	6,442	116
1980.....	105,718	1,166	3,313	5,224	26,206	17,161	9,561	8,887	9,253	8,997	9,295	6,552	103
1979.....	105,312	1,080	3,349	5,689	26,574	16,452	9,645	9,026	9,320	9,013	8,955	6,064	145

00/03/28	TABLE 290A. DEATHS FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98													PAGE 935
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.	
ACCIDENTS AND ADVERSE EFFECTS (E800-E949)														
TOTAL, MALE														
1998.....	63,042	433	1,155	2,086	9,887	9,154	11,078	7,983	4,988	5,286	6,573	4,317	102	
1997.....	61,963	430	1,192	2,110	9,791	9,590	10,822	7,594	4,817	5,213	6,278	4,035	91	
1996.....	61,589	448	1,290	2,183	10,273	9,658	10,615	7,150	4,676	5,320	5,972	3,905	99	
1995.....	61,401	422	1,354	2,288	10,313	10,317	10,779	6,832	4,597	4,994	5,656	3,749	100	
1994.....	60,509	505	1,518	2,305	10,417	10,392	10,337	6,378	4,416	4,955	5,672	3,525	89	
1993.....	60,117	504	1,545	2,247	10,601	10,874	10,194	5,908	4,357	4,861	5,458	3,472	96	
1992.....	57,862	463	1,513	2,280	10,253	10,746	9,235	5,488	4,438	4,964	5,242	3,129	111	
1991.....	59,730	555	1,566	2,493	11,534	11,574	8,987	5,207	4,543	4,929	5,145	3,089	108	
1990.....	61,938	509	1,574	2,418	12,470	12,479	9,012	5,350	4,954	5,111	5,017	2,943	101	
1989.....	63,912	542	1,675	2,718	12,647	12,861	9,028	5,512	5,294	5,321	5,214	2,990	110	
1988.....	65,821	530	1,728	2,792	14,195	13,102	8,871	5,524	5,269	5,449	5,150	3,090	121	
1987.....	64,816	524	1,799	2,913	14,313	13,091	8,339	5,112	5,397	5,263	5,093	2,861	111	
1986.....	65,570	492	1,744	2,914	15,466	13,511	7,932	5,229	5,348	5,094	4,908	2,786	146	
1985.....	64,160	481	1,757	2,889	14,791	12,755	7,683	5,192	5,723	5,077	4,912	2,773	127	
1984.....	64,053	449	1,737	2,878	15,329	12,729	7,301	5,316	5,562	5,238	4,726	2,698	90	
1983.....	63,902	550	1,847	2,948	15,372	12,525	7,204	5,405	5,717	5,069	4,543	2,621	101	
1982.....	65,754	602	1,852	3,045	16,856	12,837	7,095	5,686	5,801	5,055	4,389	2,460	76	
1981.....	70,881	542	1,916	3,374	18,567	14,114	7,270	6,316	6,254	5,406	4,448	2,570	104	
1980.....	74,180	659	1,997	3,551	20,719	13,861	7,381	6,600	6,497	5,582	4,672	2,569	92	
1979.....	74,403	614	2,000	3,932	21,012	13,297	7,439	6,711	6,594	5,687	4,585	2,406	126	

00/03/28 TABLE 290A. DEATHS FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 936
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS N.S.
 ACCIDENTS AND ADVERSE EFFECTS (E800-E949)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
TOTAL, FEMALE													
1998.....	34,793	321	780	1,168	3,462	2,891	4,049	2,963	2,352	3,606	6,138	7,055	8
1997.....	33,681	335	813	1,261	3,576	3,008	3,709	2,822	2,288	3,365	5,827	6,668	9
1996.....	33,359	356	857	1,250	3,536	3,167	3,652	2,696	2,195	3,460	5,690	6,483	17
1995.....	31,919	365	926	1,256	3,529	3,118	3,446	2,429	2,146	3,406	5,312	5,982	4
1994.....	30,928	384	999	1,203	3,481	3,060	3,223	2,390	2,016	3,324	5,285	5,553	10
1993.....	30,406	394	1,045	1,219	3,365	3,148	3,061	2,121	2,048	3,264	5,207	5,522	12
1992.....	28,915	356	954	1,108	3,409	3,052	2,775	1,997	1,959	3,201	4,930	5,167	7
1991.....	29,617	406	1,099	1,167	3,744	3,200	2,765	1,930	2,013	3,208	4,997	5,076	12
1990.....	30,045	421	992	1,232	3,771	3,471	2,701	2,025	2,278	3,294	5,024	4,824	12
1989.....	31,116	454	1,099	1,372	4,091	3,713	2,827	1,982	2,258	3,491	5,042	4,774	13
1988.....	31,279	406	1,130	1,423	4,312	3,626	2,680	1,990	2,394	3,522	4,995	4,790	11
1987.....	30,204	426	1,122	1,285	4,382	3,531	2,523	1,870	2,428	3,423	4,836	4,362	16
1986.....	29,707	417	1,190	1,312	4,509	3,395	2,363	1,776	2,380	3,405	4,725	4,216	19
1985.....	29,297	409	1,099	1,363	4,370	3,141	2,361	1,877	2,459	3,506	4,591	4,112	9
1984.....	28,858	389	1,077	1,320	4,472	3,238	2,230	1,934	2,461	3,186	4,500	4,042	9
1983.....	28,586	406	1,196	1,373	4,384	3,144	2,123	1,892	2,430	3,267	4,365	3,989	17
1982.....	28,328	422	1,232	1,459	4,450	3,104	2,099	1,968	2,452	3,169	4,175	3,777	21
1981.....	29,823	439	1,233	1,492	5,015	3,382	2,162	2,170	2,599	3,233	4,214	3,872	12
1980.....	31,538	507	1,316	1,673	5,487	3,300	2,180	2,287	2,756	3,415	4,623	3,983	11
1979.....	30,909	466	1,349	1,757	5,562	3,155	2,206	2,315	2,726	3,326	4,370	3,658	19

00/03/28	TABLE 290A. DEATHS FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98												PAGE 937
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ACCIDENTS AND ADVERSE EFFECTS (E800-E949)													
WHITE, BOTH SEXES													
1998.....	82,178	511	1,388	2,336	11,170	9,745	12,281	8,727	6,071	7,700	11,571	10,580	98
1997.....	79,922	515	1,438	2,449	11,155	10,157	11,643	8,350	5,825	7,376	10,960	9,970	84
1996.....	79,405	545	1,513	2,536	11,401	10,391	11,557	7,912	5,681	7,521	10,546	9,704	98
1995.....	77,748	523	1,648	2,652	11,524	10,922	11,320	7,408	5,517	7,199	9,892	9,048	95
1994.....	75,894	583	1,749	2,557	11,536	10,952	10,807	6,989	5,216	7,137	9,860	8,425	83
1993.....	75,218	599	1,821	2,527	11,562	11,471	10,494	6,463	5,263	6,967	9,657	8,303	91
1992.....	72,392	533	1,794	2,501	11,450	11,309	9,565	6,018	5,199	7,058	9,154	7,709	102
1991.....	74,413	638	1,943	2,747	12,923	11,977	9,196	5,788	5,409	6,984	9,179	7,523	106
1990.....	76,934	609	1,861	2,747	13,827	13,037	9,376	5,962	5,991	7,235	9,017	7,175	97
1989.....	79,139	614	2,030	3,091	14,290	13,603	9,407	5,969	6,195	7,558	9,187	7,097	98
1988.....	81,091	638	2,078	3,176	15,889	13,707	9,195	6,048	6,302	7,648	9,059	7,251	100
1987.....	79,810	650	2,177	3,211	16,167	13,690	8,679	5,616	6,523	7,436	8,919	6,640	102
1986.....	80,315	602	2,195	3,171	17,475	13,923	8,317	5,676	6,381	7,374	8,621	6,445	135
1985.....	79,011	626	2,136	3,250	16,785	13,192	8,156	5,711	6,814	7,400	8,476	6,351	114
1984.....	79,222	588	2,066	3,264	17,453	13,431	7,811	5,985	6,759	7,255	8,302	6,226	82
1983.....	78,607	667	2,293	3,364	17,471	13,151	7,677	5,925	6,787	7,102	7,921	6,157	92
1982.....	80,392	707	2,326	3,520	18,939	13,412	7,584	6,274	6,923	7,071	7,722	5,833	81
1981.....	86,432	689	2,352	3,812	21,100	14,885	7,773	6,977	7,478	7,457	7,821	5,998	90
1980.....	90,122	817	2,500	4,061	23,397	14,515	7,849	7,269	7,701	7,641	8,217	6,073	82
1979.....	90,310	744	2,487	4,452	23,809	13,896	7,906	7,433	7,913	7,812	8,117	5,621	120

00/03/28	TABLE 290A. DEATHS FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98												PAGE 938
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ACCIDENTS AND ADVERSE EFFECTS (E800-E949)													
WHITE MALE													
1998.....	52,398	304	833	1,468	8,239	7,409	9,070	6,365	4,106	4,578	5,979	3,955	92
1997.....	51,396	285	866	1,557	8,134	7,772	8,743	6,109	3,942	4,489	5,689	3,730	80
1996.....	51,061	302	921	1,585	8,454	7,870	8,706	5,741	3,854	4,546	5,377	3,620	85
1995.....	50,670	292	978	1,712	8,547	8,444	8,635	5,475	3,740	4,249	5,072	3,435	91
1994.....	49,809	339	1,061	1,676	8,600	8,556	8,310	5,095	3,553	4,262	5,049	3,233	75
1993.....	49,515	334	1,099	1,670	8,734	8,986	8,095	4,719	3,558	4,136	4,942	3,159	83
1992.....	47,879	320	1,136	1,680	8,546	8,880	7,414	4,391	3,589	4,258	4,704	2,863	98
1991.....	49,212	361	1,149	1,852	9,693	9,414	7,065	4,229	3,739	4,194	4,606	2,813	97
1990.....	51,348	333	1,146	1,818	10,576	10,252	7,203	4,303	4,096	4,378	4,471	2,683	89
1989.....	52,691	334	1,228	2,049	10,710	10,612	7,180	4,338	4,302	4,531	4,616	2,701	90
1988.....	54,435	360	1,259	2,124	12,147	10,804	7,083	4,398	4,274	4,560	4,534	2,800	92
1987.....	53,936	354	1,341	2,225	12,286	10,836	6,643	4,089	4,455	4,484	4,542	2,592	89
1986.....	54,864	324	1,313	2,200	13,464	11,194	6,397	4,215	4,408	4,384	4,314	2,528	123
1985.....	53,856	342	1,322	2,219	12,908	10,661	6,219	4,168	4,725	4,328	4,333	2,524	107
1984.....	54,227	310	1,288	2,216	13,478	10,749	5,955	4,380	4,646	4,465	4,216	2,449	75
1983.....	54,074	378	1,411	2,318	13,606	10,568	5,910	4,390	4,734	4,278	3,992	2,408	81
1982.....	55,896	417	1,412	2,401	14,992	10,852	5,859	4,634	4,815	4,298	3,884	2,266	66
1981.....	60,491	381	1,437	2,659	16,575	12,081	5,972	5,157	5,230	4,593	3,962	2,363	81
1980.....	62,963	460	1,519	2,765	18,446	11,774	6,052	5,347	5,367	4,710	4,092	2,354	77
1979.....	63,460	442	1,491	3,062	18,842	11,252	6,063	5,485	5,550	4,877	4,087	2,206	103

00/03/28 TABLE 290A. DEATHS FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 939
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS N.S.
 0ACCIDENTS AND ADVERSE EFFECTS (E800-E949)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
WHITE FEMALE													
1998.....	29,780	207	555	868	2,931	2,336	3,211	2,362	1,965	3,122	5,592	6,625	6
1997.....	28,526	230	572	892	3,021	2,385	2,900	2,241	1,883	2,887	5,271	6,240	4
1996.....	28,344	243	592	951	2,947	2,521	2,851	2,171	1,827	2,975	5,169	6,084	13
1995.....	27,078	231	670	940	2,977	2,478	2,685	1,933	1,777	2,950	4,820	5,613	4
1994.....	26,085	244	688	881	2,936	2,396	2,497	1,894	1,663	2,875	4,811	5,192	8
1993.....	25,703	265	722	857	2,828	2,485	2,399	1,744	1,705	2,831	4,715	5,144	8
1992.....	24,513	213	658	821	2,904	2,429	2,151	1,627	1,610	2,800	4,450	4,846	4
1991.....	25,201	277	794	895	3,230	2,563	2,131	1,559	1,670	2,790	4,573	4,710	9
1990.....	25,586	276	715	929	3,251	2,785	2,173	1,659	1,895	2,857	4,546	4,492	8
1989.....	26,448	280	802	1,042	3,580	2,991	2,227	1,631	1,893	3,027	4,571	4,396	8
1988.....	26,656	278	819	1,052	3,742	2,903	2,112	1,650	2,028	3,088	4,525	4,451	8
1987.....	25,874	296	836	986	3,881	2,854	2,036	1,527	2,068	2,952	4,377	4,048	13
1986.....	25,451	278	882	971	4,011	2,729	1,920	1,461	1,973	2,990	4,307	3,917	12
1985.....	25,155	284	814	1,031	3,877	2,531	1,937	1,543	2,089	3,072	4,143	3,827	7
1984.....	24,995	278	778	1,048	3,975	2,682	1,856	1,605	2,113	2,790	4,086	3,777	7
1983.....	24,533	289	882	1,046	3,865	2,583	1,767	1,535	2,053	2,824	3,929	3,749	11
1982.....	24,496	290	914	1,119	3,947	2,560	1,725	1,640	2,108	2,773	3,838	3,567	15
1981.....	25,941	308	915	1,153	4,525	2,804	1,801	1,820	2,248	2,864	3,859	3,635	9
1980.....	27,159	357	981	1,296	4,951	2,741	1,797	1,922	2,334	2,931	4,125	3,719	5
1979.....	26,850	302	996	1,390	4,967	2,644	1,843	1,948	2,363	2,935	4,030	3,415	17

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ACCIDENTS AND ADVERSE EFFECTS (E800-E949)													
ALL OTHER, BOTH SEXES													
1998.....	15,657	243	547	918	2,179	2,300	2,846	2,219	1,269	1,192	1,140	792	12
1997.....	15,722	250	567	922	2,212	2,441	2,888	2,066	1,280	1,202	1,145	733	16
1996.....	15,543	259	634	897	2,408	2,434	2,710	1,934	1,190	1,259	1,116	684	18
1995.....	15,572	264	632	892	2,318	2,513	2,905	1,853	1,226	1,201	1,076	683	9
1994.....	15,543	306	768	951	2,362	2,500	2,753	1,779	1,216	1,142	1,097	653	16
1993.....	15,305	299	769	939	2,404	2,551	2,761	1,566	1,142	1,158	1,008	691	17
1992.....	14,385	286	673	887	2,212	2,489	2,445	1,467	1,198	1,107	1,018	587	16
1991.....	14,934	323	722	913	2,355	2,797	2,556	1,349	1,147	1,153	963	642	14
1990.....	15,049	321	705	903	2,414	2,913	2,337	1,413	1,241	1,170	1,024	592	16
1989.....	15,889	382	744	999	2,448	2,971	2,448	1,525	1,357	1,254	1,069	667	25
1988.....	16,009	298	780	1,039	2,618	3,021	2,356	1,466	1,361	1,323	1,086	629	32
1987.....	15,210	300	744	987	2,528	2,932	2,183	1,366	1,302	1,250	1,010	583	25
1986.....	14,962	307	739	1,055	2,500	2,983	1,978	1,329	1,347	1,125	1,012	557	30
1985.....	14,446	264	720	1,002	2,376	2,704	1,888	1,358	1,368	1,183	1,027	534	22
1984.....	13,689	250	748	934	2,348	2,536	1,720	1,265	1,264	1,169	924	514	17
1983.....	13,881	289	750	957	2,285	2,518	1,650	1,372	1,360	1,234	987	453	26
1982.....	13,690	317	758	984	2,367	2,529	1,610	1,380	1,330	1,153	842	404	16
1981.....	14,272	292	797	1,054	2,482	2,611	1,659	1,509	1,375	1,182	841	444	26
1980.....	15,596	349	813	1,163	2,809	2,646	1,712	1,618	1,552	1,356	1,078	479	21
1979.....	15,002	336	862	1,237	2,765	2,556	1,739	1,593	1,407	1,201	838	443	25

00/03/28	TABLE 290A. DEATHS FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98												PAGE 941
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ACCIDENTS AND ADVERSE EFFECTS (E800-E949)													
ALL OTHER MALE													
1998.....	10,644	129	322	618	1,648	1,745	2,008	1,618	882	708	594	362	10
1997.....	10,567	145	326	553	1,657	1,818	2,079	1,485	875	724	589	305	11
1996.....	10,528	146	369	598	1,819	1,788	1,909	1,409	822	774	595	285	14
1995.....	10,731	130	376	576	1,766	1,873	2,144	1,357	857	745	584	314	9
1994.....	10,700	166	457	629	1,817	1,836	2,027	1,283	863	693	623	292	14
1993.....	10,602	170	446	577	1,867	1,888	2,099	1,189	799	725	516	313	13
1992.....	9,983	143	377	600	1,707	1,866	1,821	1,097	849	706	538	266	13
1991.....	10,518	194	417	641	1,841	2,160	1,922	978	804	735	539	276	11
1990.....	10,590	176	428	600	1,894	2,227	1,809	1,047	858	733	546	260	12
1989.....	11,221	208	447	669	1,937	2,249	1,848	1,174	992	790	598	289	20
1988.....	11,386	170	469	668	2,048	2,298	1,788	1,126	995	889	616	290	29
1987.....	10,880	170	458	688	2,027	2,255	1,696	1,023	942	779	551	269	22
1986.....	10,706	168	431	714	2,002	2,317	1,535	1,014	940	710	594	258	23
1985.....	10,304	139	435	670	1,883	2,094	1,464	1,024	998	749	579	249	20
1984.....	9,826	139	449	662	1,851	1,980	1,346	936	916	773	510	249	15
1983.....	9,828	172	436	630	1,766	1,957	1,294	1,015	983	791	551	213	20
1982.....	9,858	185	440	644	1,864	1,985	1,236	1,052	986	757	505	194	10
1981.....	10,390	161	479	715	1,992	2,033	1,298	1,159	1,024	813	486	207	23
1980.....	11,217	199	478	786	2,273	2,087	1,329	1,253	1,130	872	580	215	15
1979.....	10,943	172	509	870	2,170	2,045	1,376	1,226	1,044	810	498	200	23

00/03/28 TABLE 290A. DEATHS FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 942
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS N.S.
 0ACCIDENTS AND ADVERSE EFFECTS (E800-E949)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ALL OTHER FEMALE													
1998.....	5,013	114	225	300	531	555	838	601	387	484	546	430	2
1997.....	5,155	105	241	369	555	623	809	581	405	478	556	428	5
1996.....	5,015	113	265	299	589	646	801	525	368	485	521	399	4
1995.....	4,841	134	256	316	552	640	761	496	369	456	492	369	-
1994.....	4,843	140	311	322	545	664	726	496	353	449	474	361	2
1993.....	4,703	129	323	362	537	663	662	377	343	433	492	378	4
1992.....	4,402	143	296	287	505	623	624	370	349	401	480	321	3
1991.....	4,416	129	305	272	514	637	634	371	343	418	424	366	3
1990.....	4,459	145	277	303	520	686	528	366	383	437	478	332	4
1989.....	4,668	174	297	330	511	722	600	351	365	464	471	378	5
1988.....	4,623	128	311	371	570	723	568	340	366	434	470	339	3
1987.....	4,330	130	286	299	501	677	487	343	360	471	459	314	3
1986.....	4,256	139	308	341	498	666	443	315	407	415	418	299	7
1985.....	4,142	125	285	332	493	610	424	334	370	434	448	285	2
1984.....	3,863	111	299	272	497	556	374	329	348	396	414	265	2
1983.....	4,053	117	314	327	519	561	356	357	377	443	436	240	6
1982.....	3,832	132	318	340	503	544	374	328	344	396	337	210	6
1981.....	3,882	131	318	339	490	578	361	350	351	369	355	237	3
1980.....	4,379	150	335	377	536	559	383	365	422	484	498	264	6
1979.....	4,059	164	353	367	595	511	363	367	363	391	340	243	2

00/03/28	TABLE 290A. DEATHS FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98												PAGE 943
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ACCIDENTS AND ADVERSE EFFECTS (E800-E949)													
BLACK, BOTH SEXES													
1998.....	12,801	223	470	761	1,654	1,810	2,400	1,872	1,047	978	928	646	12
1997.....	12,665	221	455	753	1,688	1,894	2,401	1,742	1,044	952	904	597	14
1996.....	12,655	223	532	730	1,838	1,921	2,284	1,638	985	1,026	904	561	13
1995.....	12,748	238	515	733	1,749	1,991	2,466	1,550	1,015	1,005	903	574	9
1994.....	12,767	271	657	801	1,825	1,994	2,346	1,486	990	946	895	545	11
1993.....	12,707	259	660	777	1,865	2,060	2,406	1,318	950	984	830	584	14
1992.....	11,820	251	574	738	1,684	1,978	2,087	1,217	1,008	918	862	487	16
1991.....	12,472	276	641	783	1,866	2,287	2,170	1,114	960	970	839	553	13
1990.....	12,419	289	591	745	1,828	2,394	1,950	1,179	1,062	994	865	506	16
1989.....	13,404	335	611	852	1,886	2,478	2,084	1,298	1,192	1,119	937	591	21
1988.....	13,487	281	666	884	2,009	2,530	2,021	1,283	1,171	1,134	933	546	29
1987.....	12,777	272	647	834	1,977	2,428	1,856	1,189	1,125	1,063	865	504	17
1986.....	12,585	268	625	887	1,948	2,484	1,667	1,129	1,192	1,004	880	477	24
1985.....	12,207	227	599	849	1,849	2,240	1,602	1,174	1,226	1,043	914	464	20
1984.....	11,687	222	625	835	1,844	2,160	1,458	1,075	1,125	1,049	828	452	14
1983.....	11,883	267	670	828	1,792	2,117	1,398	1,177	1,225	1,099	888	401	21
1982.....	11,688	281	663	872	1,868	2,126	1,382	1,191	1,158	1,025	753	354	15
1981.....	12,310	259	707	913	2,003	2,170	1,420	1,338	1,258	1,069	754	398	21
1980.....	13,480	316	713	1,012	2,256	2,211	1,450	1,455	1,418	1,231	975	423	20
1979.....	13,000	309	750	1,108	2,207	2,164	1,495	1,434	1,261	1,097	756	396	23

00/03/28 TABLE 290A. DEATHS FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 944
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS N.S.
 0ACCIDENTS AND ADVERSE EFFECTS (E800-E949)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
BLACK MALE													
1998.....	8,788	119	279	521	1,286	1,404	1,687	1,386	743	595	479	279	10
1997.....	8,582	128	269	457	1,288	1,418	1,749	1,267	721	581	468	227	9
1996.....	8,642	122	313	486	1,391	1,412	1,623	1,235	697	655	473	226	9
1995.....	8,834	118	306	483	1,367	1,483	1,823	1,167	713	626	490	249	9
1994.....	8,832	145	390	530	1,420	1,475	1,744	1,088	721	577	502	230	10
1993.....	8,900	148	385	480	1,476	1,542	1,843	1,031	672	636	414	263	10
1992.....	8,238	120	319	497	1,328	1,481	1,565	933	728	593	457	204	13
1991.....	8,821	168	368	552	1,499	1,762	1,652	814	690	616	457	232	11
1990.....	8,756	157	351	496	1,455	1,838	1,519	893	747	631	450	207	12
1989.....	9,503	179	374	577	1,509	1,874	1,602	1,017	878	707	520	250	16
1988.....	9,608	160	400	578	1,592	1,920	1,551	991	867	757	523	243	26
1987.....	9,159	152	399	581	1,593	1,870	1,456	906	821	667	468	231	15
1986.....	9,035	146	354	597	1,571	1,949	1,322	871	841	633	516	215	20
1985.....	8,752	118	356	574	1,474	1,758	1,272	898	905	670	501	208	18
1984.....	8,399	124	377	593	1,459	1,698	1,145	806	826	696	449	213	13
1983.....	8,385	160	388	547	1,385	1,655	1,106	881	884	694	483	187	15
1982.....	8,449	162	392	569	1,490	1,685	1,079	920	862	678	440	162	10
1981.....	9,014	143	421	619	1,635	1,727	1,127	1,042	938	730	432	182	18
1980.....	9,701	178	419	700	1,835	1,770	1,139	1,142	1,035	778	509	182	14
1979.....	9,489	160	438	782	1,743	1,734	1,201	1,123	929	742	442	174	21

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR
 ACCIDENTS AND ADVERSE EFFECTS (E800-E949)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
BLACK FEMALE													
1998.....	4,013	104	191	240	368	406	713	486	304	383	449	367	2
1997.....	4,083	93	186	296	400	476	652	475	323	371	436	370	5
1996.....	4,013	101	219	244	447	509	661	403	288	371	431	335	4
1995.....	3,914	120	209	250	382	508	643	383	302	379	413	325	-
1994.....	3,935	126	267	271	405	519	602	398	269	369	393	315	1
1993.....	3,807	111	275	297	389	518	563	287	278	348	416	321	4
1992.....	3,582	131	255	241	356	497	522	284	280	325	405	283	3
1991.....	3,651	108	273	231	367	525	518	300	270	354	382	321	2
1990.....	3,663	132	240	249	373	556	431	286	315	363	415	299	4
1989.....	3,901	156	237	275	377	604	482	281	314	412	417	341	5
1988.....	3,879	121	266	306	417	610	470	292	304	377	410	303	3
1987.....	3,618	120	248	253	384	558	400	283	304	396	397	273	2
1986.....	3,550	122	271	290	377	535	345	258	351	371	364	262	4
1985.....	3,455	109	243	275	375	482	330	276	321	373	413	256	2
1984.....	3,288	98	248	242	385	462	313	269	299	353	379	239	1
1983.....	3,498	107	282	281	407	462	292	296	341	405	405	214	6
1982.....	3,239	119	271	303	378	441	303	271	296	347	313	192	5
1981.....	3,296	116	286	294	368	443	293	296	320	339	322	216	3
1980.....	3,779	138	294	312	421	441	311	313	383	453	466	241	6
1979.....	3,511	149	312	326	464	430	294	311	332	355	314	222	2

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MOTOR VEHICLE ACCIDENTS (E810-E825)													
TOTAL, BOTH SEXES													
1998.....	43,501	162	759	1,868	10,026	7,132	6,963	4,996	3,420	3,410	3,457	1,278	30
1997.....	43,458	165	768	1,967	10,208	7,500	6,667	4,805	3,329	3,370	3,392	1,265	22
1996.....	43,649	215	820	1,980	10,576	7,729	6,753	4,553	3,196	3,419	3,233	1,132	43
1995.....	43,363	179	825	2,055	10,600	8,077	6,541	4,333	3,095	3,300	3,185	1,141	32
1994.....	42,524	187	952	2,026	10,660	7,780	6,186	4,174	2,923	3,385	3,191	1,026	34
1993.....	41,893	190	891	1,963	10,500	8,212	6,071	3,803	2,908	3,116	3,190	1,015	34
1992.....	40,982	160	860	1,904	10,305	8,229	5,842	3,721	2,876	3,247	2,913	893	32
1991.....	43,536	174	902	2,011	11,664	9,093	5,989	3,632	2,984	3,193	2,932	919	43
1990.....	46,814	195	928	2,059	12,607	10,170	6,318	3,917	3,365	3,350	2,917	943	45
1989.....	47,575	216	1,005	2,266	12,941	10,269	6,302	3,879	3,408	3,465	2,909	877	38
1988.....	49,078	215	1,005	2,423	14,406	10,433	6,147	3,825	3,420	3,429	2,872	858	45
1987.....	48,290	201	989	2,397	14,447	10,467	5,938	3,576	3,445	3,277	2,726	778	49
1986.....	47,865	183	1,005	2,350	15,227	10,358	5,486	3,442	3,357	3,096	2,612	702	47
1985.....	45,901	179	1,016	2,319	14,277	9,589	5,445	3,423	3,462	3,014	2,436	706	35
1984.....	46,263	161	977	2,263	14,738	9,815	5,221	3,460	3,494	3,020	2,428	655	31
1983.....	44,452	190	1,043	2,241	14,289	9,395	4,928	3,430	3,260	2,827	2,181	641	27
1982.....	45,779	210	1,090	2,301	15,324	9,491	4,978	3,524	3,355	2,825	2,074	578	29
1981.....	51,385	220	1,036	2,575	17,363	11,116	5,331	4,021	3,797	3,090	2,182	607	47
1980.....	53,172	247	1,179	2,747	19,040	10,785	5,348	4,235	3,787	2,991	2,168	619	26
1979.....	53,524	222	1,239	2,952	19,369	10,372	5,286	4,257	3,905	3,171	2,179	537	35

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MOTOR VEHICLE ACCIDENTS (E810-E825)													
TOTAL, MALE													
1998.....	28,990	88	416	1,144	7,109	5,203	4,791	3,439	2,219	1,938	1,889	727	27
1997.....	28,770	84	419	1,154	7,167	5,447	4,642	3,274	2,101	1,955	1,837	672	18
1996.....	29,123	109	455	1,188	7,573	5,562	4,700	3,104	2,041	1,986	1,738	631	36
1995.....	29,164	96	454	1,255	7,594	5,941	4,606	2,981	1,993	1,864	1,721	629	30
1994.....	28,635	96	532	1,260	7,664	5,732	4,409	2,825	1,885	1,914	1,704	584	30
1993.....	28,531	97	489	1,202	7,687	6,086	4,357	2,633	1,887	1,756	1,714	594	29
1992.....	27,982	90	487	1,230	7,438	6,163	4,164	2,550	1,859	1,876	1,588	506	31
1991.....	29,947	92	491	1,299	8,468	6,840	4,302	2,502	1,956	1,835	1,597	524	41
1990.....	32,406	100	523	1,260	9,361	7,696	4,568	2,689	2,163	1,917	1,544	543	42
1989.....	32,704	114	548	1,421	9,429	7,657	4,512	2,682	2,256	1,945	1,591	515	34
1988.....	34,258	118	543	1,538	10,689	7,909	4,487	2,649	2,208	2,024	1,559	495	39
1987.....	33,904	97	561	1,589	10,719	7,973	4,322	2,470	2,253	1,928	1,490	460	42
1986.....	34,088	94	572	1,541	11,463	8,061	4,042	2,430	2,197	1,747	1,484	415	42
1985.....	32,443	95	601	1,481	10,680	7,475	3,928	2,388	2,294	1,685	1,361	421	34
1984.....	32,949	79	578	1,446	11,107	7,612	3,791	2,446	2,293	1,822	1,345	403	27
1983.....	31,907	100	619	1,473	10,807	7,320	3,634	2,429	2,176	1,680	1,251	394	24
1982.....	33,191	112	608	1,465	11,764	7,432	3,722	2,547	2,270	1,691	1,213	346	21
1981.....	37,533	116	571	1,706	13,237	8,772	4,021	2,921	2,559	1,918	1,297	373	42
1980.....	38,861	132	671	1,776	14,656	8,509	3,986	3,036	2,575	1,846	1,269	382	23
1979.....	39,309	120	675	1,927	14,949	8,231	3,944	3,086	2,715	2,001	1,297	331	33

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MOTOR VEHICLE ACCIDENTS (E810-E825)													
TOTAL, FEMALE													
1998.....	14,511	74	343	724	2,917	1,929	2,172	1,557	1,201	1,472	1,568	551	3
1997.....	14,688	81	349	813	3,041	2,053	2,025	1,531	1,228	1,415	1,555	593	4
1996.....	14,526	106	365	792	3,003	2,167	2,053	1,449	1,155	1,433	1,495	501	7
1995.....	14,199	83	371	800	3,006	2,136	1,935	1,352	1,102	1,436	1,464	512	2
1994.....	13,889	91	420	766	2,996	2,048	1,777	1,349	1,038	1,471	1,487	442	4
1993.....	13,362	93	402	761	2,813	2,126	1,714	1,170	1,021	1,360	1,476	421	5
1992.....	13,000	70	373	674	2,867	2,066	1,678	1,171	1,017	1,371	1,325	387	1
1991.....	13,589	82	411	712	3,196	2,253	1,687	1,130	1,028	1,358	1,335	395	2
1990.....	14,408	95	405	799	3,246	2,474	1,750	1,228	1,202	1,433	1,373	400	3
1989.....	14,871	102	457	845	3,512	2,612	1,790	1,197	1,152	1,520	1,318	362	4
1988.....	14,820	97	462	885	3,717	2,524	1,660	1,176	1,212	1,405	1,313	363	6
1987.....	14,386	104	428	808	3,728	2,494	1,616	1,106	1,192	1,349	1,236	318	7
1986.....	13,777	89	433	809	3,764	2,297	1,444	1,012	1,160	1,349	1,128	287	5
1985.....	13,458	84	415	838	3,597	2,114	1,517	1,035	1,168	1,329	1,075	285	1
1984.....	13,314	82	399	817	3,631	2,203	1,430	1,014	1,201	1,198	1,083	252	4
1983.....	12,545	90	424	768	3,482	2,075	1,294	1,001	1,084	1,147	930	247	3
1982.....	12,588	98	482	836	3,560	2,059	1,256	977	1,085	1,134	861	232	8
1981.....	13,852	104	465	869	4,126	2,344	1,310	1,100	1,238	1,172	885	234	5
1980.....	14,311	115	508	971	4,384	2,276	1,362	1,199	1,212	1,145	899	237	3
1979.....	14,215	102	564	1,025	4,420	2,141	1,342	1,171	1,190	1,170	882	206	2

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MOTOR VEHICLE ACCIDENTS (E810-E825)													
WHITE, BOTH SEXES													
1998.....	36,182	118	535	1,401	8,485	5,672	5,681	4,087	2,870	2,975	3,142	1,190	26
1997.....	36,094	120	544	1,510	8,591	5,970	5,424	3,951	2,778	2,918	3,097	1,173	18
1996.....	36,452	165	588	1,559	8,818	6,228	5,555	3,791	2,730	2,983	2,944	1,055	36
1995.....	36,255	132	604	1,598	8,926	6,576	5,329	3,581	2,613	2,884	2,916	1,066	30
1994.....	35,619	125	681	1,570	8,986	6,429	5,124	3,455	2,430	2,946	2,892	952	29
1993.....	35,194	137	634	1,505	8,903	6,825	4,977	3,158	2,446	2,737	2,930	914	28
1992.....	34,439	112	627	1,472	8,811	6,833	4,764	3,058	2,364	2,852	2,681	840	25
1991.....	36,851	120	684	1,577	10,096	7,526	4,892	3,028	2,526	2,801	2,718	845	38
1990.....	39,651	148	668	1,629	10,932	8,463	5,213	3,228	2,838	2,946	2,668	878	40
1989.....	40,491	153	765	1,824	11,295	8,588	5,159	3,215	2,884	3,082	2,673	819	34
1988.....	41,974	172	770	1,938	12,620	8,784	5,086	3,218	2,922	3,012	2,636	781	35
1987.....	41,581	154	764	1,946	12,767	8,855	4,961	2,973	2,969	2,893	2,532	724	43
1986.....	41,189	133	762	1,870	13,603	8,709	4,569	2,861	2,849	2,787	2,376	633	37
1985.....	39,689	127	776	1,893	12,760	8,109	4,573	2,891	2,955	2,677	2,234	660	34
1984.....	40,429	124	747	1,871	13,270	8,457	4,436	2,958	3,033	2,683	2,230	595	25
1983.....	38,864	157	812	1,832	12,910	8,131	4,197	2,875	2,830	2,510	1,985	604	21
1982.....	40,191	167	852	1,892	13,928	8,226	4,257	2,993	2,906	2,497	1,912	538	23
1981.....	45,424	182	816	2,136	15,906	9,759	4,542	3,422	3,332	2,715	2,004	574	36
1980.....	46,863	204	910	2,252	17,440	9,374	4,566	3,626	3,272	2,641	1,981	576	21
1979.....	47,248	192	972	2,454	17,738	9,045	4,493	3,632	3,369	2,812	2,015	496	30

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MOTOR VEHICLE ACCIDENTS (E810-E825)													
WHITE MALE													
1998.....	23,985	70	291	835	5,995	4,116	3,919	2,824	1,858	1,690	1,696	668	23
1997.....	23,834	57	295	897	5,997	4,340	3,792	2,707	1,747	1,687	1,669	629	17
1996.....	24,214	81	327	917	6,294	4,481	3,879	2,599	1,730	1,722	1,571	583	30
1995.....	24,229	66	328	974	6,362	4,852	3,749	2,469	1,677	1,601	1,549	574	28
1994.....	23,932	67	379	978	6,429	4,784	3,669	2,355	1,551	1,639	1,519	536	26
1993.....	23,874	69	343	937	6,499	5,086	3,577	2,167	1,566	1,517	1,563	526	24
1992.....	23,415	68	379	946	6,313	5,142	3,408	2,087	1,516	1,619	1,444	468	25
1991.....	25,183	65	360	1,008	7,287	5,665	3,510	2,080	1,658	1,577	1,461	476	36
1990.....	27,288	77	371	980	8,082	6,404	3,755	2,196	1,819	1,675	1,395	496	38
1989.....	27,621	80	417	1,135	8,168	6,423	3,681	2,185	1,884	1,706	1,439	472	31
1988.....	29,127	92	417	1,240	9,329	6,671	3,709	2,206	1,863	1,726	1,406	438	30
1987.....	29,017	68	430	1,289	9,410	6,767	3,591	2,034	1,913	1,685	1,370	424	36
1986.....	29,163	64	420	1,224	10,194	6,789	3,361	2,006	1,853	1,539	1,315	364	34
1985.....	27,894	70	452	1,201	9,508	6,343	3,284	2,000	1,924	1,459	1,228	392	33
1984.....	28,614	60	444	1,186	9,964	6,560	3,193	2,072	1,959	1,584	1,212	358	22
1983.....	27,781	87	482	1,200	9,764	6,321	3,072	2,026	1,855	1,461	1,124	370	19
1982.....	29,073	88	472	1,212	10,701	6,460	3,179	2,140	1,934	1,460	1,091	318	18
1981.....	33,067	91	452	1,429	12,110	7,711	3,401	2,461	2,214	1,639	1,176	350	33
1980.....	34,109	104	514	1,455	13,381	7,432	3,381	2,573	2,187	1,574	1,134	356	18
1979.....	34,579	107	518	1,588	13,698	7,165	3,327	2,610	2,313	1,737	1,189	299	28

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MOTOR VEHICLE ACCIDENTS (E810-E825)													
WHITE FEMALE													
1998.....	12,197	48	244	566	2,490	1,556	1,762	1,263	1,012	1,285	1,446	522	3
1997.....	12,260	63	249	613	2,594	1,630	1,632	1,244	1,031	1,231	1,428	544	1
1996.....	12,238	84	261	642	2,524	1,747	1,676	1,192	1,000	1,261	1,373	472	6
1995.....	12,026	66	276	624	2,564	1,724	1,580	1,112	936	1,283	1,367	492	2
1994.....	11,687	58	302	592	2,557	1,645	1,455	1,100	879	1,307	1,373	416	3
1993.....	11,320	68	291	568	2,404	1,739	1,400	991	880	1,220	1,367	388	4
1992.....	11,024	44	248	526	2,498	1,691	1,356	971	848	1,233	1,237	372	-
1991.....	11,668	55	324	569	2,809	1,861	1,382	948	868	1,224	1,257	369	2
1990.....	12,363	71	297	649	2,850	2,059	1,458	1,032	1,019	1,271	1,273	382	2
1989.....	12,870	73	348	689	3,127	2,165	1,478	1,030	1,000	1,376	1,234	347	3
1988.....	12,847	80	353	698	3,291	2,113	1,377	1,012	1,059	1,286	1,230	343	5
1987.....	12,564	86	334	657	3,357	2,088	1,370	939	1,056	1,208	1,162	300	7
1986.....	12,026	69	342	646	3,409	1,920	1,208	855	996	1,248	1,061	269	3
1985.....	11,795	57	324	692	3,252	1,766	1,289	891	1,031	1,218	1,006	268	1
1984.....	11,815	64	303	685	3,306	1,897	1,243	886	1,074	1,099	1,018	237	3
1983.....	11,083	70	330	632	3,146	1,810	1,125	849	975	1,049	861	234	2
1982.....	11,118	79	380	680	3,227	1,766	1,078	853	972	1,037	821	220	5
1981.....	12,357	91	364	707	3,796	2,048	1,141	961	1,118	1,076	828	224	3
1980.....	12,754	100	396	797	4,059	1,942	1,185	1,053	1,085	1,067	847	220	3
1979.....	12,669	85	454	866	4,040	1,880	1,166	1,022	1,056	1,075	826	197	2

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MOTOR VEHICLE ACCIDENTS (E810-E825)													
ALL OTHER, BOTH SEXES													
1998.....	7,319	44	224	467	1,541	1,460	1,282	909	550	435	315	88	4
1997.....	7,364	45	224	457	1,617	1,530	1,243	854	551	452	295	92	4
1996.....	7,197	50	232	421	1,758	1,501	1,198	762	466	436	289	77	7
1995.....	7,108	47	221	457	1,674	1,501	1,212	752	482	416	269	75	2
1994.....	6,905	62	271	456	1,674	1,351	1,062	719	493	439	299	74	5
1993.....	6,699	53	257	458	1,597	1,387	1,094	645	462	379	260	101	6
1992.....	6,543	48	233	432	1,494	1,396	1,078	663	512	395	232	53	7
1991.....	6,685	54	218	434	1,568	1,567	1,097	604	458	392	214	74	5
1990.....	7,163	47	260	430	1,675	1,707	1,105	689	527	404	249	65	5
1989.....	7,084	63	240	442	1,646	1,681	1,143	664	524	383	236	58	4
1988.....	7,104	43	235	485	1,786	1,649	1,061	607	498	417	236	77	10
1987.....	6,709	47	225	451	1,680	1,612	977	603	476	384	194	54	6
1986.....	6,676	50	243	480	1,624	1,649	917	581	508	309	236	69	10
1985.....	6,212	52	240	426	1,517	1,480	872	532	507	337	202	46	1
1984.....	5,834	37	230	392	1,468	1,358	785	502	461	337	198	60	6
1983.....	5,588	33	231	409	1,379	1,264	731	555	430	317	196	37	6
1982.....	5,588	43	238	409	1,396	1,265	721	531	449	328	162	40	6
1981.....	5,961	38	220	439	1,457	1,357	789	599	465	375	178	33	11
1980.....	6,309	43	269	495	1,600	1,411	782	609	515	350	187	43	5
1979.....	6,276	30	267	498	1,631	1,327	793	625	536	359	164	41	5

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MOTOR VEHICLE ACCIDENTS (E810-E825)													
ALL OTHER MALE													
1998.....	5,005	18	125	309	1,114	1,087	872	615	361	248	193	59	4
1997.....	4,936	27	124	257	1,170	1,107	850	567	354	268	168	43	1
1996.....	4,909	28	128	271	1,279	1,081	821	505	311	264	167	48	6
1995.....	4,935	30	126	281	1,232	1,089	857	512	316	263	172	55	2
1994.....	4,703	29	153	282	1,235	948	740	470	334	275	185	48	4
1993.....	4,657	28	146	265	1,188	1,000	780	466	321	239	151	68	5
1992.....	4,567	22	108	284	1,125	1,021	756	463	343	257	144	38	6
1991.....	4,764	27	131	291	1,181	1,175	792	422	298	258	136	48	5
1990.....	5,118	23	152	280	1,279	1,292	813	493	344	242	149	47	4
1989.....	5,083	34	131	286	1,261	1,234	831	497	372	239	152	43	3
1988.....	5,131	26	126	298	1,360	1,238	778	443	345	298	153	57	9
1987.....	4,887	29	131	300	1,309	1,206	731	436	340	243	120	36	6
1986.....	4,925	30	152	317	1,269	1,272	681	424	344	208	169	51	8
1985.....	4,549	25	149	280	1,172	1,132	644	388	370	226	133	29	1
1984.....	4,335	19	134	260	1,143	1,052	598	374	334	238	133	45	5
1983.....	4,126	13	137	273	1,043	999	562	403	321	219	127	24	5
1982.....	4,118	24	136	253	1,063	972	543	407	336	231	122	28	3
1981.....	4,466	25	119	277	1,127	1,061	620	460	345	279	121	23	9
1980.....	4,752	28	157	321	1,275	1,077	605	463	388	272	135	26	5
1979.....	4,730	13	157	339	1,251	1,066	617	476	402	264	108	32	5

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MOTOR VEHICLE ACCIDENTS (E810-E825)													
ALL OTHER FEMALE													
1998.....	2,314	26	99	158	427	373	410	294	189	187	122	29	-
1997.....	2,428	18	100	200	447	423	393	287	197	184	127	49	3
1996.....	2,288	22	104	150	479	420	377	257	155	172	122	29	1
1995.....	2,173	17	95	176	442	412	355	240	166	153	97	20	-
1994.....	2,202	33	118	174	439	403	322	249	159	164	114	26	1
1993.....	2,042	25	111	193	409	387	314	179	141	140	109	33	1
1992.....	1,976	26	125	148	369	375	322	200	169	138	88	15	1
1991.....	1,921	27	87	143	387	392	305	182	160	134	78	26	-
1990.....	2,045	24	108	150	396	415	292	196	183	162	100	18	1
1989.....	2,001	29	109	156	385	447	312	167	152	144	84	15	1
1988.....	1,973	17	109	187	426	411	283	164	153	119	83	20	1
1987.....	1,822	18	94	151	371	406	246	167	136	141	74	18	-
1986.....	1,751	20	91	163	355	377	236	157	164	101	67	18	2
1985.....	1,663	27	91	146	345	348	228	144	137	111	69	17	-
1984.....	1,499	18	96	132	325	306	187	128	127	99	65	15	1
1983.....	1,462	20	94	136	336	265	169	152	109	98	69	13	1
1982.....	1,470	19	102	156	333	293	178	124	113	97	40	12	3
1981.....	1,495	13	101	162	330	296	169	139	120	96	57	10	2
1980.....	1,557	15	112	174	325	334	177	146	127	78	52	17	-
1979.....	1,546	17	110	159	380	261	176	149	134	95	56	9	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MOTOR VEHICLE ACCIDENTS (E810-E825)													
BLACK, BOTH SEXES													
1998.....	5,686	41	186	378	1,151	1,125	1,030	706	424	338	238	65	4
1997.....	5,666	37	181	377	1,226	1,164	981	672	427	326	198	73	4
1996.....	5,528	42	183	339	1,335	1,144	933	588	354	322	218	64	6
1995.....	5,423	40	180	364	1,227	1,145	969	563	358	317	199	59	2
1994.....	5,341	54	219	383	1,262	1,052	833	553	368	330	224	60	3
1993.....	5,217	42	211	380	1,201	1,076	887	494	352	301	194	74	5
1992.....	5,071	42	191	356	1,117	1,072	860	510	400	297	181	38	7
1991.....	5,205	42	185	356	1,193	1,212	869	456	360	298	169	60	5
1990.....	5,560	40	205	341	1,231	1,347	873	537	423	325	187	46	5
1989.....	5,611	48	172	364	1,254	1,347	911	540	425	316	185	45	4
1988.....	5,623	39	184	407	1,328	1,320	857	495	407	329	187	63	7
1987.....	5,287	39	189	370	1,260	1,290	769	486	391	305	145	39	4
1986.....	5,287	38	190	381	1,234	1,327	725	460	429	255	182	58	8
1985.....	4,916	39	187	350	1,147	1,154	702	430	431	267	171	37	1
1984.....	4,721	30	179	342	1,130	1,107	639	387	388	297	169	49	4
1983.....	4,472	24	199	332	1,044	1,002	591	453	375	255	163	28	6
1982.....	4,493	29	199	360	1,066	1,026	579	436	364	265	132	32	5
1981.....	4,809	27	185	370	1,105	1,082	627	500	408	321	150	27	7
1980.....	5,081	35	223	408	1,214	1,125	633	515	443	303	146	31	5
1979.....	5,132	25	214	430	1,232	1,086	631	547	472	316	139	37	3

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MOTOR VEHICLE ACCIDENTS (E810-E825)													
BLACK MALE													
1998.....	3,996	15	108	255	860	873	702	490	287	205	153	44	4
1997.....	3,895	22	107	217	913	848	687	459	287	207	115	32	1
1996.....	3,862	21	103	220	970	833	661	417	249	209	133	41	5
1995.....	3,863	26	102	231	935	844	698	405	237	208	133	42	2
1994.....	3,703	25	127	238	945	752	594	371	259	212	141	37	2
1993.....	3,752	23	121	223	916	802	650	379	253	212	115	54	4
1992.....	3,607	16	85	231	862	792	613	380	274	205	117	26	6
1991.....	3,771	18	109	236	927	910	646	325	247	199	107	42	5
1990.....	4,046	18	117	227	963	1,024	658	401	285	204	113	32	4
1989.....	4,120	24	102	241	977	996	686	419	312	203	122	35	3
1988.....	4,139	23	103	259	1,030	996	647	369	293	244	123	46	6
1987.....	3,913	24	109	247	992	974	585	362	289	202	97	28	4
1986.....	3,974	23	117	256	975	1,038	559	343	303	172	139	42	7
1985.....	3,659	17	116	238	887	902	536	322	322	186	108	24	1
1984.....	3,556	16	106	228	887	867	489	303	292	216	113	36	3
1983.....	3,349	10	116	222	793	812	469	341	284	176	103	18	5
1982.....	3,387	15	118	219	837	807	454	346	277	192	98	21	3
1981.....	3,702	18	98	238	878	886	509	397	307	241	105	20	5
1980.....	3,912	21	133	275	980	884	509	400	344	237	106	18	5
1979.....	3,929	10	125	294	960	882	510	436	355	234	91	29	3

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
MOTOR VEHICLE ACCIDENTS (E810-E825)													
BLACK FEMALE													
1998.....	1,690	26	78	123	291	252	328	216	137	133	85	21	-
1997.....	1,771	15	74	160	313	316	294	213	140	119	83	41	3
1996.....	1,666	21	80	119	365	311	272	171	105	113	85	23	1
1995.....	1,560	14	78	133	292	301	271	158	121	109	66	17	-
1994.....	1,638	29	92	145	317	300	239	182	109	118	83	23	1
1993.....	1,465	19	90	157	285	274	237	115	99	89	79	20	1
1992.....	1,464	26	106	125	255	280	247	130	126	92	64	12	1
1991.....	1,434	24	76	120	266	302	223	131	113	99	62	18	-
1990.....	1,514	22	88	114	268	323	215	136	138	121	74	14	1
1989.....	1,491	24	70	123	277	351	225	121	113	113	63	10	1
1988.....	1,484	16	81	148	298	324	210	126	114	85	64	17	1
1987.....	1,374	15	80	123	268	316	184	124	102	103	48	11	-
1986.....	1,313	15	73	125	259	289	166	117	126	83	43	16	1
1985.....	1,257	22	71	112	260	252	166	108	109	81	63	13	-
1984.....	1,165	14	73	114	243	240	150	84	96	81	56	13	1
1983.....	1,123	14	83	110	251	190	122	112	91	79	60	10	1
1982.....	1,106	14	81	141	229	219	125	90	87	73	34	11	2
1981.....	1,107	9	87	132	227	196	118	103	101	80	45	7	2
1980.....	1,169	14	90	133	234	241	124	115	99	66	40	13	-
1979.....	1,203	15	89	136	272	204	121	111	117	82	48	8	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ALL OTHER ACCIDENTS AND ADVERSE EFFECTS (E800-E807,E826-E949)													
TOTAL, BOTH SEXES													
1998.....	54,334	592	1,176	1,386	3,323	4,913	8,164	5,950	3,920	5,482	9,254	10,094	80
1997.....	52,186	600	1,237	1,404	3,159	5,098	7,864	5,611	3,776	5,208	8,713	9,438	78
1996.....	51,299	589	1,327	1,453	3,233	5,096	7,514	5,293	3,675	5,361	8,429	9,256	73
1995.....	49,957	608	1,455	1,489	3,242	5,358	7,684	4,928	3,648	5,100	7,783	8,590	72
1994.....	48,913	702	1,565	1,482	3,238	5,672	7,374	4,594	3,509	4,894	7,766	8,052	65
1993.....	48,630	708	1,699	1,503	3,466	5,810	7,184	4,226	3,497	5,009	7,475	7,979	74
1992.....	45,795	659	1,607	1,484	3,357	5,569	6,168	3,764	3,521	4,918	7,259	7,403	86
1991.....	45,811	787	1,763	1,649	3,614	5,681	5,763	3,505	3,572	4,944	7,210	7,246	77
1990.....	45,169	735	1,638	1,591	3,634	5,780	5,395	3,458	3,867	5,055	7,124	6,824	68
1989.....	47,453	780	1,769	1,824	3,797	6,305	5,553	3,615	4,144	5,347	7,347	6,887	85
1988.....	48,022	721	1,853	1,792	4,101	6,295	5,404	3,689	4,243	5,542	7,273	7,022	87
1987.....	46,730	749	1,932	1,801	4,248	6,155	4,924	3,406	4,380	5,409	7,203	6,445	78
1986.....	47,412	726	1,929	1,876	4,748	6,548	4,809	3,563	4,371	5,403	7,021	6,300	118
1985.....	47,556	711	1,840	1,933	4,884	6,307	4,599	3,646	4,720	5,569	7,067	6,179	101
1984.....	46,648	677	1,837	1,935	5,063	6,152	4,310	3,790	4,529	5,404	6,798	6,085	68
1983.....	48,036	766	2,000	2,080	5,467	6,274	4,399	3,867	4,887	5,509	6,727	5,969	91
1982.....	48,303	814	1,994	2,203	5,982	6,450	4,216	4,130	4,898	5,399	6,490	5,659	68
1981.....	49,319	761	2,113	2,291	6,219	6,380	4,101	4,465	5,056	5,549	6,480	5,835	69
1980.....	52,546	919	2,134	2,477	7,166	6,376	4,213	4,652	5,466	6,006	7,127	5,933	77
1979.....	51,788	858	2,110	2,737	7,205	6,080	4,359	4,769	5,415	5,842	6,776	5,527	110

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ALL OTHER ACCIDENTS AND ADVERSE EFFECTS (E800-E807,E826-E949)													
TOTAL, MALE													
1998.....	34,052	345	739	942	2,778	3,951	6,287	4,544	2,769	3,348	4,684	3,590	75
1997.....	33,193	346	773	956	2,624	4,143	6,180	4,320	2,716	3,258	4,441	3,363	73
1996.....	32,466	339	835	995	2,700	4,096	5,915	4,046	2,635	3,334	4,234	3,274	63
1995.....	32,237	326	900	1,033	2,719	4,376	6,173	3,851	2,604	3,130	3,935	3,120	70
1994.....	31,874	409	986	1,045	2,753	4,660	5,928	3,553	2,531	3,041	3,968	2,941	59
1993.....	31,586	407	1,056	1,045	2,914	4,788	5,837	3,275	2,470	3,105	3,744	2,878	67
1992.....	29,880	373	1,026	1,050	2,815	4,583	5,071	2,938	2,579	3,088	3,654	2,623	80
1991.....	29,783	463	1,075	1,194	3,066	4,734	4,685	2,705	2,587	3,094	3,548	2,565	67
1990.....	29,532	409	1,051	1,158	3,109	4,783	4,444	2,661	2,791	3,194	3,473	2,400	59
1989.....	31,208	428	1,127	1,297	3,218	5,204	4,516	2,830	3,038	3,376	3,623	2,475	76
1988.....	31,563	412	1,185	1,254	3,506	5,193	4,384	2,875	3,061	3,425	3,591	2,595	82
1987.....	30,912	427	1,238	1,324	3,594	5,118	4,017	2,642	3,144	3,335	3,603	2,401	69
1986.....	31,482	398	1,172	1,373	4,003	5,450	3,890	2,799	3,151	3,347	3,424	2,371	104
1985.....	31,717	386	1,156	1,408	4,111	5,280	3,755	2,804	3,429	3,392	3,551	2,352	93
1984.....	31,104	370	1,159	1,432	4,222	5,117	3,510	2,870	3,269	3,416	3,381	2,295	63
1983.....	31,995	450	1,228	1,475	4,565	5,205	3,570	2,976	3,541	3,389	3,292	2,227	77
1982.....	32,563	490	1,244	1,580	5,092	5,405	3,373	3,139	3,531	3,364	3,176	2,114	55
1981.....	33,348	426	1,345	1,668	5,330	5,342	3,249	3,395	3,695	3,488	3,151	2,197	62
1980.....	35,319	527	1,326	1,775	6,063	5,352	3,395	3,564	3,922	3,736	3,403	2,187	69
1979.....	35,094	494	1,325	2,005	6,063	5,066	3,495	3,625	3,879	3,686	3,288	2,075	93

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ALL OTHER ACCIDENTS AND ADVERSE EFFECTS (E800-E807,E826-E949)													
TOTAL, FEMALE													
1998.....	20,282	247	437	444	545	962	1,877	1,406	1,151	2,134	4,570	6,504	5
1997.....	18,993	254	464	448	535	955	1,684	1,291	1,060	1,950	4,272	6,075	5
1996.....	18,833	250	492	458	533	1,000	1,599	1,247	1,040	2,027	4,195	5,982	10
1995.....	17,720	282	555	456	523	982	1,511	1,077	1,044	1,970	3,848	5,470	2
1994.....	17,039	293	579	437	485	1,012	1,446	1,041	978	1,853	3,798	5,111	6
1993.....	17,044	301	643	458	552	1,022	1,347	951	1,027	1,904	3,731	5,101	7
1992.....	15,915	286	581	434	542	986	1,097	826	942	1,830	3,605	4,780	6
1991.....	16,028	324	688	455	548	947	1,078	800	985	1,850	3,662	4,681	10
1990.....	15,637	326	587	433	525	997	951	797	1,076	1,861	3,651	4,424	9
1989.....	16,245	352	642	527	579	1,101	1,037	785	1,106	1,971	3,724	4,412	9
1988.....	16,459	309	668	538	595	1,102	1,020	814	1,182	2,117	3,682	4,427	5
1987.....	15,818	322	694	477	654	1,037	907	764	1,236	2,074	3,600	4,044	9
1986.....	15,930	328	757	503	745	1,098	919	764	1,220	2,056	3,597	3,929	14
1985.....	15,839	325	684	525	773	1,027	844	842	1,291	2,177	3,516	3,827	8
1984.....	15,544	307	678	503	841	1,035	800	920	1,260	1,988	3,417	3,790	5
1983.....	16,041	316	772	605	902	1,069	829	891	1,346	2,120	3,435	3,742	14
1982.....	15,740	324	750	623	890	1,045	843	991	1,367	2,035	3,314	3,545	13
1981.....	15,971	335	768	623	889	1,038	852	1,070	1,361	2,061	3,329	3,638	7
1980.....	17,227	392	808	702	1,103	1,024	818	1,088	1,544	2,270	3,724	3,746	8
1979.....	16,694	364	785	732	1,142	1,014	864	1,144	1,536	2,156	3,488	3,452	17

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ALL OTHER ACCIDENTS AND ADVERSE EFFECTS (E800-E807,E826-E949)													
WHITE, BOTH SEXES													
1998.....	45,996	393	853	935	2,685	4,073	6,600	4,640	3,201	4,725	8,429	9,390	72
1997.....	43,828	395	894	939	2,564	4,187	6,219	4,399	3,047	4,458	7,863	8,797	66
1996.....	42,953	380	925	977	2,583	4,163	6,002	4,121	2,951	4,538	7,602	8,649	62
1995.....	41,493	391	1,044	1,054	2,598	4,346	5,991	3,827	2,904	4,315	6,976	7,982	65
1994.....	40,275	458	1,068	987	2,550	4,523	5,683	3,534	2,786	4,191	6,968	7,473	54
1993.....	40,024	462	1,187	1,022	2,659	4,646	5,517	3,305	2,817	4,230	6,727	7,389	63
1992.....	37,953	421	1,167	1,029	2,639	4,476	4,801	2,960	2,835	4,206	6,473	6,869	77
1991.....	37,562	518	1,259	1,170	2,827	4,451	4,304	2,760	2,883	4,183	6,461	6,678	68
1990.....	37,283	461	1,193	1,118	2,895	4,574	4,163	2,734	3,153	4,289	6,349	6,297	57
1989.....	38,648	461	1,265	1,267	2,995	5,015	4,248	2,754	3,311	4,476	6,514	6,278	64
1988.....	39,117	466	1,308	1,238	3,269	4,923	4,109	2,830	3,380	4,636	6,423	6,470	65
1987.....	38,229	496	1,413	1,265	3,400	4,835	3,718	2,643	3,554	4,543	6,387	5,916	59
1986.....	39,126	469	1,433	1,301	3,872	5,214	3,748	2,815	3,532	4,587	6,245	5,812	98
1985.....	39,322	499	1,360	1,357	4,025	5,083	3,583	2,820	3,859	4,723	6,242	5,691	80
1984.....	38,793	464	1,319	1,393	4,183	4,974	3,375	3,027	3,726	4,572	6,072	5,631	57
1983.....	39,743	510	1,481	1,532	4,561	5,020	3,480	3,050	3,957	4,592	5,936	5,553	71
1982.....	40,201	540	1,474	1,628	5,011	5,186	3,327	3,281	4,017	4,574	5,810	5,295	58
1981.....	41,008	507	1,536	1,676	5,194	5,126	3,231	3,555	4,146	4,742	5,817	5,424	54
1980.....	43,259	613	1,590	1,809	5,957	5,141	3,283	3,643	4,429	5,000	6,236	5,497	61
1979.....	43,062	552	1,515	1,998	6,071	4,851	3,413	3,801	4,544	5,000	6,102	5,125	90

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ALL OTHER ACCIDENTS AND ADVERSE EFFECTS (E800-E807,E826-E949)													
WHITE MALE													
1998.....	28,413	234	542	633	2,244	3,293	5,151	3,541	2,248	2,888	4,283	3,287	69
1997.....	27,562	228	571	660	2,137	3,432	4,951	3,402	2,195	2,802	4,020	3,101	63
1996.....	26,847	221	594	668	2,160	3,389	4,827	3,142	2,124	2,824	3,806	3,037	55
1995.....	26,441	226	650	738	2,185	3,592	4,886	3,006	2,063	2,648	3,523	2,861	63
1994.....	25,877	272	682	698	2,171	3,772	4,641	2,740	2,002	2,623	3,530	2,697	49
1993.....	25,641	265	756	733	2,235	3,900	4,518	2,552	1,992	2,619	3,379	2,633	59
1992.....	24,464	252	757	734	2,233	3,738	4,006	2,304	2,073	2,639	3,260	2,395	73
1991.....	24,029	296	789	844	2,406	3,749	3,555	2,149	2,081	2,617	3,145	2,337	61
1990.....	24,060	256	775	838	2,494	3,848	3,448	2,107	2,277	2,703	3,076	2,187	51
1989.....	25,070	254	811	914	2,542	4,189	3,499	2,153	2,418	2,825	3,177	2,229	59
1988.....	25,308	268	842	884	2,818	4,133	3,374	2,192	2,411	2,834	3,128	2,362	62
1987.....	24,919	286	911	936	2,876	4,069	3,052	2,055	2,542	2,799	3,172	2,168	53
1986.....	25,701	260	893	976	3,270	4,405	3,036	2,209	2,555	2,845	2,999	2,164	89
1985.....	25,962	272	870	1,018	3,400	4,318	2,935	2,168	2,801	2,869	3,105	2,132	74
1984.....	25,613	250	844	1,030	3,514	4,189	2,762	2,308	2,687	2,881	3,004	2,091	53
1983.....	26,293	291	929	1,118	3,842	4,247	2,838	2,364	2,879	2,817	2,868	2,038	62
1982.....	26,823	329	940	1,189	4,291	4,392	2,680	2,494	2,881	2,838	2,793	1,948	48
1981.....	27,424	290	985	1,230	4,465	4,370	2,571	2,696	3,016	2,954	2,786	2,013	48
1980.....	28,854	356	1,005	1,310	5,065	4,342	2,671	2,774	3,180	3,136	2,958	1,998	59
1979.....	28,881	335	973	1,474	5,144	4,087	2,736	2,875	3,237	3,140	2,898	1,907	75

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ALL OTHER ACCIDENTS AND ADVERSE EFFECTS (E800-E807,E826-E949)													
WHITE FEMALE													
1998.....	17,583	159	311	302	441	780	1,449	1,099	953	1,837	4,146	6,103	3
1997.....	16,266	167	323	279	427	755	1,268	997	852	1,656	3,843	5,696	3
1996.....	16,106	159	331	309	423	774	1,175	979	827	1,714	3,796	5,612	7
1995.....	15,052	165	394	316	413	754	1,105	821	841	1,667	3,453	5,121	2
1994.....	14,398	186	386	289	379	751	1,042	794	784	1,568	3,438	4,776	5
1993.....	14,383	197	431	289	424	746	999	753	825	1,611	3,348	4,756	4
1992.....	13,489	169	410	295	406	738	795	656	762	1,567	3,213	4,474	4
1991.....	13,533	222	470	326	421	702	749	611	802	1,566	3,316	4,341	7
1990.....	13,223	205	418	280	401	726	715	627	876	1,586	3,273	4,110	6
1989.....	13,578	207	454	353	453	826	749	601	893	1,651	3,337	4,049	5
1988.....	13,809	198	466	354	451	790	735	638	969	1,802	3,295	4,108	3
1987.....	13,310	210	502	329	524	766	666	588	1,012	1,744	3,215	3,748	6
1986.....	13,425	209	540	325	602	809	712	606	977	1,742	3,246	3,648	9
1985.....	13,360	227	490	339	625	765	648	652	1,058	1,854	3,137	3,559	6
1984.....	13,180	214	475	363	669	785	613	719	1,039	1,691	3,068	3,540	4
1983.....	13,450	219	552	414	719	773	642	686	1,078	1,775	3,068	3,515	9
1982.....	13,378	211	534	439	720	794	647	787	1,136	1,736	3,017	3,347	10
1981.....	13,584	217	551	446	729	756	660	859	1,130	1,788	3,031	3,411	6
1980.....	14,405	257	585	499	892	799	612	869	1,249	1,864	3,278	3,499	2
1979.....	14,181	217	542	524	927	764	677	926	1,307	1,860	3,204	3,218	15

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ALL OTHER ACCIDENTS AND ADVERSE EFFECTS (E800-E807,E826-E949)													
ALL OTHER, BOTH SEXES													
1998.....	8,338	199	323	451	638	840	1,564	1,310	719	757	825	704	8
1997.....	8,358	205	343	465	595	911	1,645	1,212	729	750	850	641	12
1996.....	8,346	209	402	476	650	933	1,512	1,172	724	823	827	607	11
1995.....	8,464	217	411	435	644	1,012	1,693	1,101	744	785	807	608	7
1994.....	8,638	244	497	495	688	1,149	1,691	1,060	723	703	798	579	11
1993.....	8,606	246	512	481	807	1,164	1,667	921	680	779	748	590	11
1992.....	7,842	238	440	455	718	1,093	1,367	804	686	712	786	534	9
1991.....	8,249	269	504	479	787	1,230	1,459	745	689	761	749	568	9
1990.....	7,886	274	445	473	739	1,206	1,232	724	714	766	775	527	11
1989.....	8,805	319	504	557	802	1,290	1,305	861	833	871	833	609	21
1988.....	8,905	255	545	554	832	1,372	1,295	859	863	906	850	552	22
1987.....	8,501	253	519	536	848	1,320	1,206	763	826	866	816	529	19
1986.....	8,286	257	496	575	876	1,334	1,061	748	839	816	776	488	20
1985.....	8,234	212	480	576	859	1,224	1,016	826	861	846	825	488	21
1984.....	7,855	213	518	542	880	1,178	935	763	803	832	726	454	11
1983.....	8,293	256	519	548	906	1,254	919	817	930	917	791	416	20
1982.....	8,102	274	520	575	971	1,264	889	849	881	825	680	364	10
1981.....	8,311	254	577	615	1,025	1,254	870	910	910	807	663	411	15
1980.....	9,287	306	544	668	1,209	1,235	930	1,009	1,037	1,006	891	436	16
1979.....	8,726	306	595	739	1,134	1,229	946	968	871	842	674	402	20

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ALL OTHER ACCIDENTS AND ADVERSE EFFECTS (E800-E807,E826-E949)													
ALL OTHER MALE													
1998.....	5,639	111	197	309	534	658	1,136	1,003	521	460	401	303	6
1997.....	5,631	118	202	296	487	711	1,229	918	521	456	421	262	10
1996.....	5,619	118	241	327	540	707	1,088	904	511	510	428	237	8
1995.....	5,796	100	250	295	534	784	1,287	845	541	482	412	259	7
1994.....	5,997	137	304	347	582	888	1,287	813	529	418	438	244	10
1993.....	5,945	142	300	312	679	888	1,319	723	478	486	365	245	8
1992.....	5,416	121	269	316	582	845	1,065	634	506	449	394	228	7
1991.....	5,754	167	286	350	660	985	1,130	556	506	477	403	228	6
1990.....	5,472	153	276	320	615	935	996	554	514	491	397	213	8
1989.....	6,138	174	316	383	676	1,015	1,017	677	620	551	446	246	17
1988.....	6,255	144	343	370	688	1,060	1,010	683	650	591	463	233	20
1987.....	5,993	141	327	388	718	1,049	965	587	602	536	431	233	16
1986.....	5,781	138	279	397	733	1,045	854	590	596	502	425	207	15
1985.....	5,755	114	286	390	711	962	820	636	628	523	446	220	19
1984.....	5,491	120	315	402	708	928	748	562	582	535	377	204	10
1983.....	5,702	159	299	357	723	958	732	612	662	572	424	189	15
1982.....	5,740	161	304	391	801	1,013	693	645	650	526	383	166	7
1981.....	5,924	136	360	438	865	972	678	699	679	534	365	184	14
1980.....	6,465	171	321	465	998	1,010	724	790	742	600	445	189	10
1979.....	6,213	159	352	531	919	979	759	750	642	546	390	168	18

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ALL OTHER ACCIDENTS AND ADVERSE EFFECTS (E800-E807,E826-E949)													
ALL OTHER FEMALE													
1998.....	2,699	88	126	142	104	182	428	307	198	297	424	401	2
1997.....	2,727	87	141	169	108	200	416	294	208	294	429	379	2
1996.....	2,727	91	161	149	110	226	424	268	213	313	399	370	3
1995.....	2,668	117	161	140	110	228	406	256	203	303	395	349	-
1994.....	2,641	107	193	148	106	261	404	247	194	285	360	335	1
1993.....	2,661	104	212	169	128	276	348	198	202	293	383	345	3
1992.....	2,426	117	171	139	136	248	302	170	180	263	392	306	2
1991.....	2,495	102	218	129	127	245	329	189	183	284	346	340	3
1990.....	2,414	121	169	153	124	271	236	170	200	275	378	314	3
1989.....	2,667	145	188	174	126	275	288	184	213	320	387	363	4
1988.....	2,650	111	202	184	144	312	285	176	213	315	387	319	2
1987.....	2,508	112	192	148	130	271	241	176	224	330	385	296	3
1986.....	2,505	119	217	178	143	289	207	158	243	314	351	281	5
1985.....	2,479	98	194	186	148	262	196	190	233	323	379	268	2
1984.....	2,364	93	203	140	172	250	187	201	221	297	349	250	1
1983.....	2,591	97	220	191	183	296	187	205	268	345	367	227	5
1982.....	2,362	113	216	184	170	251	196	204	231	299	297	198	3
1981.....	2,387	118	217	177	160	282	192	211	231	273	298	227	1
1980.....	2,822	135	223	203	211	225	206	219	295	406	446	247	6
1979.....	2,513	147	243	208	215	250	187	218	229	296	284	234	2

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ALL OTHER ACCIDENTS AND ADVERSE EFFECTS (E800-E807,E826-E949) BLACK, BOTH SEXES													
1998.....	7,115	182	284	383	503	685	1,370	1,166	623	640	690	581	8
1997.....	6,999	184	274	376	462	730	1,420	1,070	617	626	706	524	10
1996.....	7,127	181	349	391	503	777	1,351	1,050	631	704	686	497	7
1995.....	7,325	198	335	369	522	846	1,497	987	657	688	704	515	7
1994.....	7,426	217	438	418	563	942	1,513	933	622	616	671	485	8
1993.....	7,490	217	449	397	664	984	1,519	824	598	683	636	510	9
1992.....	6,749	209	383	382	567	906	1,227	707	608	621	681	449	9
1991.....	7,267	234	456	427	673	1,075	1,301	658	600	672	670	493	8
1990.....	6,859	249	386	404	597	1,047	1,077	642	639	669	678	460	11
1989.....	7,793	287	439	488	632	1,131	1,173	758	767	803	752	546	17
1988.....	7,864	242	482	477	681	1,210	1,164	788	764	805	746	483	22
1987.....	7,490	233	458	464	717	1,138	1,087	703	734	758	720	465	13
1986.....	7,298	230	435	506	714	1,157	942	669	763	749	698	419	16
1985.....	7,291	188	412	499	702	1,086	900	744	795	776	743	427	19
1984.....	6,966	192	446	493	714	1,053	819	688	737	752	659	403	10
1983.....	7,411	243	471	496	748	1,115	807	724	850	844	725	373	15
1982.....	7,195	252	464	512	802	1,100	803	755	794	760	621	322	10
1981.....	7,501	232	522	543	898	1,088	793	838	850	748	604	371	14
1980.....	8,399	281	490	604	1,042	1,086	817	940	975	928	829	392	15
1979.....	7,868	284	536	678	975	1,078	864	887	789	781	617	359	20

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ALL OTHER ACCIDENTS AND ADVERSE EFFECTS (E800-E807,E826-E949)													
BLACK MALE													
1998.....	4,792	104	171	266	426	531	985	896	456	390	326	235	6
1997.....	4,687	106	162	240	375	570	1,062	808	434	374	353	195	8
1996.....	4,780	101	210	266	421	579	962	818	448	446	340	185	4
1995.....	4,971	92	204	252	432	639	1,125	762	476	418	357	207	7
1994.....	5,129	120	263	292	475	723	1,150	717	462	365	361	193	8
1993.....	5,148	125	264	257	560	740	1,193	652	419	424	299	209	6
1992.....	4,631	104	234	266	466	689	952	553	454	388	340	178	7
1991.....	5,050	150	259	316	572	852	1,006	489	443	417	350	190	6
1990.....	4,710	139	234	269	492	814	861	492	462	427	337	175	8
1989.....	5,383	155	272	336	532	878	916	598	566	504	398	215	13
1988.....	5,469	137	297	319	562	924	904	622	574	513	400	197	20
1987.....	5,246	128	290	334	601	896	871	544	532	465	371	203	11
1986.....	5,061	123	237	341	596	911	763	528	538	461	377	173	13
1985.....	5,093	101	240	336	587	856	736	576	583	484	393	184	17
1984.....	4,843	108	271	365	572	831	656	503	534	480	336	177	10
1983.....	5,036	150	272	325	592	843	637	540	600	518	380	169	10
1982.....	5,062	147	274	350	653	878	625	574	585	486	342	141	7
1981.....	5,312	125	323	381	757	841	618	645	631	489	327	162	13
1980.....	5,789	157	286	425	855	886	630	742	691	541	403	164	9
1979.....	5,560	150	313	488	783	852	691	687	574	508	351	145	18

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ALL OTHER ACCIDENTS AND ADVERSE EFFECTS (E800-E807,E826-E949)													
BLACK FEMALE													
1998.....	2,323	78	113	117	77	154	385	270	167	250	364	346	2
1997.....	2,312	78	112	136	87	160	358	262	183	252	353	329	2
1996.....	2,347	80	139	125	82	198	389	232	183	258	346	312	3
1995.....	2,354	106	131	117	90	207	372	225	181	270	347	308	-
1994.....	2,297	97	175	126	88	219	363	216	160	251	310	292	-
1993.....	2,342	92	185	140	104	244	326	172	179	259	337	301	3
1992.....	2,118	105	149	116	101	217	275	154	154	233	341	271	2
1991.....	2,217	84	197	111	101	223	295	169	157	255	320	303	2
1990.....	2,149	110	152	135	105	233	216	150	177	242	341	285	3
1989.....	2,410	132	167	152	100	253	257	160	201	299	354	331	4
1988.....	2,395	105	185	158	119	286	260	166	190	292	346	286	2
1987.....	2,244	105	168	130	116	242	216	159	202	293	349	262	2
1986.....	2,237	107	198	165	118	246	179	141	225	288	321	246	3
1985.....	2,198	87	172	163	115	230	164	168	212	292	350	243	2
1984.....	2,123	84	175	128	142	222	163	185	203	272	323	226	-
1983.....	2,375	93	199	171	156	272	170	184	250	326	345	204	5
1982.....	2,133	105	190	162	149	222	178	181	209	274	279	181	3
1981.....	2,189	107	199	162	141	247	175	193	219	259	277	209	1
1980.....	2,610	124	204	179	187	200	187	198	284	387	426	228	6
1979.....	2,308	134	223	190	192	226	173	200	215	273	266	214	2

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR SUICIDE (E950-E959)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
TOTAL, BOTH SEXES													
1998.....	30,575	324	4,135	5,365	6,837	5,131	2,963	2,597	2,355	851	17
1997.....	30,535	307	4,186	5,672	6,730	4,948	2,946	2,663	2,260	805	18
1996.....	30,903	302	4,358	5,861	6,741	4,837	2,925	2,806	2,290	759	24
1995.....	31,284	337	4,784	6,292	6,467	4,532	2,804	2,960	2,311	785	12
1994.....	31,142	322	4,956	6,354	6,375	4,296	2,812	2,865	2,332	811	19
1993.....	31,102	321	4,849	6,307	6,170	4,168	3,061	3,040	2,390	778	18
1992.....	30,484	314	4,693	6,172	6,009	4,018	3,105	3,038	2,408	714	13
1991.....	30,810	266	4,751	6,514	5,767	3,983	3,241	3,084	2,426	758	20
1990.....	30,906	264	4,869	6,550	5,717	3,718	3,383	3,230	2,493	671	11
1989.....	30,232	240	4,870	6,565	5,331	3,642	3,342	3,275	2,259	694	14
1988.....	30,407	243	4,929	6,710	5,205	3,532	3,406	3,296	2,462	605	19
1987.....	30,796	251	4,924	6,655	5,132	3,707	3,650	3,428	2,402	634	13
1986.....	30,904	255	5,120	6,711	5,013	3,736	3,782	3,414	2,283	578	12
1985.....	29,453	278	5,121	6,376	4,626	3,532	3,725	3,145	2,126	517	7
1984.....	29,286	232	5,026	6,392	4,602	3,648	3,850	3,141	1,894	482	19
1983.....	28,295	205	4,845	6,338	4,306	3,629	3,673	2,924	1,871	489	15
1982.....	28,242	200	5,025	6,316	4,315	3,710	3,741	2,812	1,678	429	16
1981.....	27,596	167	5,161	6,343	4,207	3,629	3,589	2,574	1,487	417	22
1980.....	26,869	142	5,239	5,920	3,935	3,623	3,456	2,630	1,477	430	17
1979.....	27,206	152	5,246	5,857	3,876	3,789	3,568	2,730	1,577	394	17

00/03/28	TABLE 290A. DEATHS FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98												PAGE 971
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR SUICIDE (E950-E959)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
TOTAL, MALE													
1998.....	24,538	241	3,532	4,404	5,296	3,896	2,305	2,161	2,000	686	17
1997.....	24,492	233	3,559	4,684	5,223	3,697	2,331	2,183	1,895	671	16
1996.....	24,998	225	3,724	4,848	5,300	3,684	2,306	2,307	1,945	641	18
1995.....	25,369	260	4,132	5,234	5,080	3,465	2,214	2,393	1,938	642	11
1994.....	25,174	234	4,302	5,295	4,970	3,229	2,198	2,300	1,976	653	17
1993.....	25,007	233	4,119	5,218	4,842	3,134	2,372	2,425	2,003	646	15
1992.....	24,457	232	4,044	5,102	4,680	2,999	2,386	2,432	2,002	571	9
1991.....	24,769	208	4,073	5,361	4,475	2,979	2,517	2,466	2,059	614	17
1990.....	24,724	195	4,160	5,339	4,424	2,836	2,563	2,546	2,099	554	8
1989.....	24,102	184	4,106	5,339	4,103	2,711	2,510	2,675	1,895	567	12
1988.....	24,078	181	4,143	5,463	3,975	2,553	2,576	2,622	2,050	498	17
1987.....	24,272	199	4,109	5,370	3,877	2,692	2,758	2,724	1,993	539	11
1986.....	24,226	199	4,276	5,450	3,742	2,708	2,788	2,712	1,856	484	11
1985.....	23,145	205	4,267	5,134	3,481	2,572	2,814	2,488	1,749	428	7
1984.....	22,689	177	4,149	5,125	3,401	2,582	2,844	2,451	1,553	390	17
1983.....	21,786	152	3,981	5,017	3,169	2,590	2,684	2,247	1,535	397	14
1982.....	21,625	160	4,161	4,939	3,107	2,614	2,708	2,182	1,377	363	14
1981.....	20,809	119	4,201	4,906	3,007	2,455	2,565	1,958	1,226	354	18
1980.....	20,505	116	4,336	4,598	2,824	2,520	2,485	2,053	1,212	345	16
1979.....	20,256	104	4,245	4,505	2,680	2,527	2,505	2,088	1,265	322	15

00/03/28	TABLE 290A. DEATHS FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98												PAGE 972
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR SUICIDE (E950-E959)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
TOTAL, FEMALE													
1998.....	6,037	83	603	961	1,541	1,235	658	436	355	165	-
1997.....	6,043	74	627	988	1,507	1,251	615	480	365	134	2
1996.....	5,905	77	634	1,013	1,441	1,153	619	499	345	118	6
1995.....	5,915	77	652	1,058	1,387	1,067	590	567	373	143	1
1994.....	5,968	88	654	1,059	1,405	1,067	614	565	356	158	2
1993.....	6,095	88	730	1,089	1,328	1,034	689	615	387	132	3
1992.....	6,027	82	649	1,070	1,329	1,019	719	606	406	143	4
1991.....	6,041	58	678	1,153	1,292	1,004	724	618	367	144	3
1990.....	6,182	69	709	1,211	1,293	882	820	684	394	117	3
1989.....	6,130	56	764	1,226	1,228	931	832	600	364	127	2
1988.....	6,329	62	786	1,247	1,230	979	830	674	412	107	2
1987.....	6,524	52	815	1,285	1,255	1,015	892	704	409	95	2
1986.....	6,678	56	844	1,261	1,271	1,028	994	702	427	94	1
1985.....	6,308	73	854	1,242	1,145	960	911	657	377	89	-
1984.....	6,597	55	877	1,267	1,201	1,066	1,006	690	341	92	2
1983.....	6,509	53	864	1,321	1,137	1,039	989	677	336	92	1
1982.....	6,617	40	864	1,377	1,208	1,096	1,033	630	301	66	2
1981.....	6,787	48	960	1,437	1,200	1,174	1,024	616	261	63	4
1980.....	6,364	26	903	1,322	1,111	1,103	971	577	265	85	1
1979.....	6,950	48	1,001	1,352	1,196	1,262	1,063	642	312	72	2

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR SUICIDE (E950-E959)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
WHITE, BOTH SEXES													
1998.....	27,648	274	3,434	4,559	6,278	4,753	2,793	2,456	2,262	824	15
1997.....	27,513	255	3,456	4,887	6,109	4,615	2,739	2,499	2,169	771	13
1996.....	27,856	248	3,639	5,009	6,102	4,509	2,737	2,651	2,205	737	19
1995.....	28,187	289	4,003	5,420	5,842	4,225	2,622	2,784	2,230	761	11
1994.....	27,976	271	4,078	5,490	5,722	4,030	2,631	2,705	2,253	783	13
1993.....	28,035	262	4,037	5,444	5,567	3,869	2,886	2,895	2,307	752	16
1992.....	27,611	271	3,935	5,359	5,427	3,734	2,953	2,911	2,319	691	11
1991.....	27,996	228	4,078	5,674	5,269	3,695	3,035	2,939	2,330	734	14
1990.....	28,086	223	4,182	5,683	5,183	3,449	3,201	3,083	2,429	642	11
1989.....	27,424	198	4,142	5,697	4,817	3,418	3,167	3,115	2,188	670	12
1988.....	27,790	201	4,308	5,844	4,750	3,285	3,246	3,163	2,388	588	17
1987.....	28,217	219	4,328	5,850	4,674	3,464	3,487	3,255	2,319	610	11
1986.....	28,437	214	4,591	5,919	4,584	3,504	3,596	3,248	2,214	559	8
1985.....	27,087	246	4,509	5,659	4,264	3,304	3,546	2,995	2,056	503	5
1984.....	27,002	204	4,489	5,681	4,230	3,421	3,650	3,007	1,840	467	13
1983.....	26,157	170	4,291	5,698	3,975	3,416	3,507	2,812	1,803	473	12
1982.....	26,141	171	4,500	5,631	3,982	3,510	3,586	2,705	1,626	416	14
1981.....	25,452	156	4,631	5,641	3,859	3,427	3,413	2,475	1,430	401	19
1980.....	24,829	132	4,692	5,267	3,618	3,416	3,302	2,539	1,436	411	16
1979.....	24,945	139	4,602	5,157	3,550	3,569	3,396	2,613	1,523	381	15

00/03/28 TABLE 290A. DEATHS FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 974
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR SUICIDE (E950-E959)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
WHITE MALE													
1998.....	22,174	205	2,934	3,734	4,860	3,613	2,173	2,042	1,930	668	15
1997.....	22,042	194	2,941	4,026	4,720	3,455	2,166	2,057	1,823	648	12
1996.....	22,547	182	3,109	4,146	4,789	3,440	2,166	2,195	1,880	627	13
1995.....	22,853	223	3,459	4,514	4,584	3,228	2,073	2,262	1,873	627	10
1994.....	22,581	196	3,550	4,570	4,435	3,033	2,066	2,175	1,912	632	12
1993.....	22,524	186	3,433	4,506	4,354	2,900	2,242	2,319	1,941	629	14
1992.....	22,126	196	3,392	4,429	4,219	2,791	2,272	2,335	1,928	555	9
1991.....	22,452	175	3,476	4,663	4,085	2,759	2,352	2,352	1,981	597	12
1990.....	22,448	165	3,569	4,625	4,008	2,630	2,428	2,435	2,046	534	8
1989.....	21,858	152	3,498	4,622	3,709	2,549	2,384	2,543	1,844	547	10
1988.....	21,980	151	3,618	4,746	3,629	2,374	2,450	2,519	1,991	486	16
1987.....	22,188	174	3,617	4,710	3,513	2,507	2,633	2,584	1,921	520	9
1986.....	22,270	168	3,841	4,807	3,394	2,537	2,663	2,582	1,803	468	7
1985.....	21,256	183	3,753	4,535	3,209	2,402	2,674	2,375	1,701	419	5
1984.....	20,882	158	3,713	4,537	3,110	2,425	2,695	2,348	1,505	380	11
1983.....	20,097	135	3,530	4,483	2,926	2,433	2,559	2,153	1,483	384	11
1982.....	19,965	134	3,737	4,382	2,855	2,466	2,593	2,096	1,336	354	12
1981.....	19,166	113	3,775	4,361	2,757	2,306	2,431	1,887	1,176	344	16
1980.....	18,901	108	3,881	4,082	2,591	2,370	2,364	1,980	1,182	328	15
1979.....	18,504	94	3,727	3,951	2,430	2,362	2,386	2,000	1,231	310	13

00/03/28 TABLE 290A. DEATHS FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 975
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR SUICIDE (E950-E959)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
WHITE FEMALE													
1998.....	5,474	69	500	825	1,418	1,140	620	414	332	156	-
1997.....	5,471	61	515	861	1,389	1,160	573	442	346	123	1
1996.....	5,309	66	530	863	1,313	1,069	571	456	325	110	6
1995.....	5,334	66	544	906	1,258	997	549	522	357	134	1
1994.....	5,395	75	528	920	1,287	997	565	530	341	151	1
1993.....	5,511	76	604	938	1,213	969	644	576	366	123	2
1992.....	5,485	75	543	930	1,208	943	681	576	391	136	2
1991.....	5,544	53	602	1,011	1,184	936	683	587	349	137	2
1990.....	5,638	58	613	1,058	1,175	819	773	648	383	108	3
1989.....	5,566	46	644	1,075	1,108	869	783	572	344	123	2
1988.....	5,810	50	690	1,098	1,121	911	796	644	397	102	1
1987.....	6,029	45	711	1,140	1,161	957	854	671	398	90	2
1986.....	6,167	46	750	1,112	1,190	967	933	666	411	91	1
1985.....	5,831	63	756	1,124	1,055	902	872	620	355	84	-
1984.....	6,120	46	776	1,144	1,120	996	955	659	335	87	2
1983.....	6,060	35	761	1,215	1,049	983	948	659	320	89	1
1982.....	6,176	37	763	1,249	1,127	1,044	993	609	290	62	2
1981.....	6,286	43	856	1,280	1,102	1,121	982	588	254	57	3
1980.....	5,928	24	811	1,185	1,027	1,046	938	559	254	83	1
1979.....	6,441	45	875	1,206	1,120	1,207	1,010	613	292	71	2

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR SUICIDE (E950-E959) ALL OTHER, BOTH SEXES	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
1998.....	2,927	50	701	806	559	378	170	141	93	27	2
1997.....	3,022	52	730	785	621	333	207	164	91	34	5
1996.....	3,047	54	719	852	639	328	188	155	85	22	5
1995.....	3,097	48	781	872	625	307	182	176	81	24	1
1994.....	3,166	51	878	864	653	266	181	160	79	28	6
1993.....	3,067	59	812	863	603	299	175	145	83	26	2
1992.....	2,873	43	758	813	582	284	152	127	89	23	2
1991.....	2,814	38	673	840	498	288	206	145	96	24	6
1990.....	2,820	41	687	867	534	269	182	147	64	29	-
1989.....	2,808	42	728	868	514	224	175	160	71	24	2
1988.....	2,617	42	621	866	455	247	160	133	74	17	2
1987.....	2,579	32	596	805	458	243	163	173	83	24	2
1986.....	2,467	41	529	792	429	232	186	166	69	19	4
1985.....	2,366	32	612	717	362	228	179	150	70	14	2
1984.....	2,284	28	537	711	372	227	200	134	54	15	6
1983.....	2,138	35	554	640	331	213	166	112	68	16	3
1982.....	2,101	29	525	685	333	200	155	107	52	13	2
1981.....	2,144	11	530	702	348	202	176	99	57	16	3
1980.....	2,040	10	547	653	317	207	154	91	41	19	1
1979.....	2,261	13	644	700	326	220	172	117	54	13	2

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR SUICIDE (E950-E959)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ALL OTHER MALE													
1998.....	2,364	36	598	670	436	283	132	119	70	18	2
1997.....	2,450	39	618	658	503	242	165	126	72	23	4
1996.....	2,451	43	615	702	511	244	140	112	65	14	5
1995.....	2,516	37	673	720	496	237	141	131	65	15	1
1994.....	2,593	38	752	725	535	196	132	125	64	21	5
1993.....	2,483	47	686	712	488	234	130	106	62	17	1
1992.....	2,331	36	652	673	461	208	114	97	74	16	-
1991.....	2,317	33	597	698	390	220	165	114	78	17	5
1990.....	2,276	30	591	714	416	206	135	111	53	20	-
1989.....	2,244	32	608	717	394	162	126	132	51	20	2
1988.....	2,098	30	525	717	346	179	126	103	59	12	1
1987.....	2,084	25	492	660	364	185	125	140	72	19	2
1986.....	1,956	31	435	643	348	171	125	130	53	16	4
1985.....	1,889	22	514	599	272	170	140	113	48	9	2
1984.....	1,807	19	436	588	291	157	149	103	48	10	6
1983.....	1,689	17	451	534	243	157	125	94	52	13	3
1982.....	1,660	26	424	557	252	148	115	86	41	9	2
1981.....	1,643	6	426	545	250	149	134	71	50	10	2
1980.....	1,604	8	455	516	233	150	121	73	30	17	1
1979.....	1,752	10	518	554	250	165	119	88	34	12	2

00/03/28 TABLE 290A. DEATHS FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 978
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR SUICIDE (E950-E959) ALL OTHER FEMALE

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
1998.....	563	14	103	136	123	95	38	22	23	9	-
1997.....	572	13	112	127	118	91	42	38	19	11	1
1996.....	596	11	104	150	128	84	48	43	20	8	-
1995.....	581	11	108	152	129	70	41	45	16	9	-
1994.....	573	13	126	139	118	70	49	35	15	7	1
1993.....	584	12	126	151	115	65	45	39	21	9	1
1992.....	542	7	106	140	121	76	38	30	15	7	2
1991.....	497	5	76	142	108	68	41	31	18	7	1
1990.....	544	11	96	153	118	63	47	36	11	9	-
1989.....	564	10	120	151	120	62	49	28	20	4	-
1988.....	519	12	96	149	109	68	34	30	15	5	1
1987.....	495	7	104	145	94	58	38	33	11	5	-
1986.....	511	10	94	149	81	61	61	36	16	3	-
1985.....	477	10	98	118	90	58	39	37	22	5	-
1984.....	477	9	101	123	81	70	51	31	6	5	-
1983.....	449	18	103	106	88	56	41	18	16	3	-
1982.....	441	3	101	128	81	52	40	21	11	4	-
1981.....	501	5	104	157	98	53	42	28	7	6	1
1980.....	436	2	92	137	84	57	33	18	11	2	-
1979.....	509	3	126	146	76	55	53	29	20	1	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR SUICIDE (E950-E959)	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
BLACK, BOTH SEXES													
1998.....	1,977	31	488	546	388	262	110	89	50	11	2
1997.....	2,103	40	513	567	453	218	131	107	52	17	5
1996.....	2,164	36	523	590	476	236	128	108	50	14	3
1995.....	2,231	31	552	633	484	222	121	118	56	13	1
1994.....	2,271	41	629	607	497	188	115	123	52	17	2
1993.....	2,259	41	608	649	448	223	117	97	61	14	1
1992.....	2,143	34	536	634	451	203	113	95	58	17	2
1991.....	2,097	32	479	645	390	216	139	109	68	14	5
1990.....	2,111	31	465	675	423	219	125	113	43	17	-
1989.....	2,153	34	525	689	412	172	130	123	49	17	2
1988.....	2,022	29	465	685	357	188	132	103	54	7	2
1987.....	1,963	25	425	652	354	175	120	136	66	9	1
1986.....	1,892	27	380	635	331	183	142	126	53	12	3
1985.....	1,795	22	424	556	290	188	133	115	59	7	1
1984.....	1,760	19	380	581	295	169	159	105	40	8	4
1983.....	1,623	27	399	505	253	166	125	92	44	11	1
1982.....	1,639	22	383	540	274	159	128	86	35	10	2
1981.....	1,658	7	387	568	261	157	140	79	47	9	3
1980.....	1,607	10	415	523	261	158	124	76	29	10	1
1979.....	1,812	8	486	587	265	177	148	96	34	9	2

00/03/28 TABLE 290A. DEATHS FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 980
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR SUICIDE (E950-E959)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
BLACK MALE													
1998.....	1,659	23	425	468	313	210	88	80	41	9	2
1997.....	1,764	28	447	492	373	164	107	89	45	15	4
1996.....	1,820	28	461	503	397	184	108	87	39	10	3
1995.....	1,878	25	492	535	391	184	99	91	50	10	1
1994.....	1,922	33	556	521	413	148	90	100	44	15	2
1993.....	1,905	33	536	559	369	187	87	77	47	10	-
1992.....	1,803	29	478	539	369	157	90	76	53	12	-
1991.....	1,782	28	435	549	319	172	115	87	61	12	4
1990.....	1,737	22	404	567	332	174	95	90	40	13	-
1989.....	1,771	25	447	579	328	128	101	104	41	16	2
1988.....	1,648	17	394	574	285	134	103	85	48	7	1
1987.....	1,635	21	354	539	297	145	99	114	56	9	1
1986.....	1,537	21	316	529	278	140	94	102	42	12	3
1985.....	1,481	17	367	475	225	145	108	98	40	5	1
1984.....	1,432	14	311	488	239	123	124	84	38	7	4
1983.....	1,321	12	321	431	195	127	106	81	39	8	1
1982.....	1,327	20	317	447	209	120	104	69	30	9	2
1981.....	1,315	5	316	457	197	125	108	55	43	7	2
1980.....	1,297	8	346	429	193	123	100	63	24	10	1
1979.....	1,428	5	389	469	205	141	108	76	25	8	2

00/03/28 TABLE 290A. DEATHS FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE 981
 CAUSE OF DEATH CODE, RACE, SEX, AND YEAR SUICIDE (E950-E959)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
BLACK FEMALE													
1998.....	318	8	63	78	75	52	22	9	9	2	-
1997.....	339	12	66	75	80	54	24	18	7	2	1
1996.....	344	8	62	87	79	52	20	21	11	4	-
1995.....	353	6	60	98	93	38	22	27	6	3	-
1994.....	349	8	73	86	84	40	25	23	8	2	-
1993.....	354	8	72	90	79	36	30	20	14	4	1
1992.....	340	5	58	95	82	46	23	19	5	5	2
1991.....	315	4	44	96	71	44	24	22	7	2	1
1990.....	374	9	61	108	91	45	30	23	3	4	-
1989.....	382	9	78	110	84	44	29	19	8	1	-
1988.....	374	12	71	111	72	54	29	18	6	-	1
1987.....	328	4	71	113	57	30	21	22	10	-	-
1986.....	355	6	64	106	53	43	48	24	11	-	-
1985.....	314	5	57	81	65	43	25	17	19	2	-
1984.....	328	5	69	93	56	46	35	21	2	1	-
1983.....	302	15	78	74	58	39	19	11	5	3	-
1982.....	312	2	66	93	65	39	24	17	5	1	-
1981.....	343	2	71	111	64	32	32	24	4	2	1
1980.....	310	2	69	94	68	35	24	13	5	-	-
1979.....	384	3	97	118	60	36	40	20	9	1	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
HOMICIDE AND LEGAL INTERVENTION (E960-E978)													
TOTAL, BOTH SEXES													
1998.....	18,272	322	399	460	5,506	4,565	3,567	1,744	766	468	318	101	56
1997.....	19,846	317	375	457	6,146	5,075	3,677	1,869	853	545	335	149	48
1996.....	20,971	332	420	514	6,548	5,428	3,894	1,896	875	554	335	112	63
1995.....	22,895	311	452	562	7,284	6,162	4,118	1,927	954	610	343	120	52
1994.....	24,926	313	473	572	8,116	6,888	4,531	1,929	904	636	390	122	52
1993.....	26,009	344	464	656	8,424	7,278	4,537	2,052	977	691	379	139	68
1992.....	25,488	326	430	587	8,019	7,343	4,460	2,046	992	692	404	135	54
1991.....	26,513	380	428	519	8,159	7,801	4,571	2,112	1,156	738	438	130	81
1990.....	24,932	332	378	512	7,354	7,643	4,417	1,892	1,055	682	430	139	98
1989.....	22,909	335	393	510	6,185	7,135	4,019	1,885	1,085	740	409	130	83
1988.....	22,032	315	381	459	5,771	6,992	3,834	1,727	1,130	760	433	139	91
1987.....	21,103	273	334	407	5,354	6,546	3,722	1,803	1,204	763	449	147	101
1986.....	21,731	278	382	379	5,522	6,904	3,783	1,895	1,195	758	417	130	88
1985.....	19,893	200	348	417	4,772	6,190	3,581	1,828	1,272	729	382	111	63
1984.....	19,796	237	341	429	4,819	6,054	3,463	1,916	1,288	695	383	113	58
1983.....	20,191	193	320	357	5,037	6,201	3,477	1,948	1,354	702	410	129	63
1982.....	22,358	243	377	403	5,695	6,813	3,729	2,285	1,428	794	386	141	64
1981.....	23,646	218	341	440	6,172	7,179	3,817	2,548	1,561	765	421	126	58
1980.....	24,278	210	319	415	6,647	7,267	3,869	2,530	1,527	895	405	118	76
1979.....	22,550	170	314	394	6,156	6,545	3,585	2,488	1,512	835	364	110	77

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
HOMICIDE AND LEGAL INTERVENTION (E960-E978)													
TOTAL, MALE													
1998.....	14,023	172	223	257	4,720	3,611	2,599	1,311	578	304	167	39	42
1997.....	15,449	182	209	295	5,302	4,068	2,735	1,401	629	353	177	66	32
1996.....	16,269	168	214	311	5,655	4,322	2,913	1,405	666	362	171	40	42
1995.....	17,740	175	253	374	6,224	4,840	3,070	1,458	722	386	159	43	36
1994.....	19,707	179	265	357	7,024	5,485	3,502	1,496	685	417	207	55	35
1993.....	20,290	193	274	408	7,206	5,686	3,476	1,596	734	433	183	54	47
1992.....	20,115	181	242	375	6,891	5,832	3,479	1,583	767	447	214	66	38
1991.....	20,768	206	235	337	6,923	6,199	3,571	1,614	864	494	220	49	56
1990.....	19,604	178	208	299	6,222	6,096	3,516	1,484	802	456	214	57	72
1989.....	17,686	165	215	300	5,112	5,648	3,149	1,475	816	472	214	65	55
1988.....	16,712	151	217	268	4,668	5,397	3,012	1,337	841	468	227	60	66
1987.....	15,855	155	164	246	4,223	5,045	2,886	1,373	912	485	238	60	68
1986.....	16,595	152	223	215	4,341	5,465	2,975	1,490	908	491	219	50	66
1985.....	15,066	106	184	245	3,767	4,849	2,797	1,405	956	479	192	38	48
1984.....	15,038	134	173	220	3,662	4,830	2,739	1,536	980	474	199	55	36
1983.....	15,514	92	181	220	3,938	4,957	2,766	1,522	1,045	477	214	55	47
1982.....	17,315	139	208	213	4,467	5,538	2,960	1,836	1,103	533	209	66	43
1981.....	18,572	106	183	247	4,888	5,883	3,121	2,063	1,204	543	219	69	46
1980.....	19,088	114	180	221	5,255	5,967	3,125	2,052	1,208	630	233	51	52
1979.....	17,628	104	154	236	4,824	5,371	2,899	2,006	1,182	552	200	46	54

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
HOMICIDE AND LEGAL INTERVENTION (E960-E978)													
TOTAL, FEMALE													
1998.....	4,249	150	176	203	786	954	968	433	188	164	151	62	14
1997.....	4,397	135	166	162	844	1,007	942	468	224	192	158	83	16
1996.....	4,702	164	206	203	893	1,106	981	491	209	192	164	72	21
1995.....	5,155	136	199	188	1,060	1,322	1,048	469	232	224	184	77	16
1994.....	5,219	134	208	215	1,092	1,403	1,029	433	219	219	183	67	17
1993.....	5,719	151	190	248	1,218	1,592	1,061	456	243	258	196	85	21
1992.....	5,373	145	188	212	1,128	1,511	981	463	225	245	190	69	16
1991.....	5,745	174	193	182	1,236	1,602	1,000	498	292	244	218	81	25
1990.....	5,328	154	170	213	1,132	1,547	901	408	253	226	216	82	26
1989.....	5,223	170	178	210	1,073	1,487	870	410	269	268	195	65	28
1988.....	5,320	164	164	191	1,103	1,595	822	390	289	292	206	79	25
1987.....	5,248	118	170	161	1,131	1,501	836	430	292	278	211	87	33
1986.....	5,136	126	159	164	1,181	1,439	808	405	287	267	198	80	22
1985.....	4,827	94	164	172	1,005	1,341	784	423	316	250	190	73	15
1984.....	4,758	103	168	209	1,157	1,224	724	380	308	221	184	58	22
1983.....	4,677	101	139	137	1,099	1,244	711	426	309	225	196	74	16
1982.....	5,043	104	169	190	1,228	1,275	769	449	325	261	177	75	21
1981.....	5,074	112	158	193	1,284	1,296	696	485	357	222	202	57	12
1980.....	5,190	96	139	194	1,392	1,300	744	478	319	265	172	67	24
1979.....	4,922	66	160	158	1,332	1,174	686	482	330	283	164	64	23

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
HOMICIDE AND LEGAL INTERVENTION (E960-E978)													
WHITE, BOTH SEXES													
1998.....	9,241	188	199	267	2,262	2,110	1,961	1,044	504	333	242	83	48
1997.....	9,913	189	212	247	2,428	2,382	1,956	1,132	566	390	258	119	34
1996.....	10,317	201	225	296	2,546	2,471	2,093	1,137	582	394	244	85	43
1995.....	11,364	184	242	316	2,985	2,875	2,228	1,167	601	406	240	81	39
1994.....	11,976	170	266	290	3,121	3,155	2,379	1,180	601	410	278	90	36
1993.....	12,286	198	223	342	3,128	3,298	2,345	1,262	632	457	257	98	46
1992.....	12,468	189	224	295	3,179	3,388	2,399	1,263	665	442	286	99	39
1991.....	12,782	207	226	277	3,166	3,546	2,419	1,288	736	473	287	96	61
1990.....	12,153	181	190	267	2,965	3,493	2,319	1,169	664	457	290	88	70
1989.....	11,308	178	202	265	2,489	3,300	2,147	1,177	669	468	276	79	58
1988.....	11,066	180	221	247	2,373	3,249	2,051	1,048	746	494	297	95	65
1987.....	11,128	156	195	220	2,384	3,260	2,026	1,093	774	512	318	110	80
1986.....	11,690	160	194	223	2,716	3,444	2,137	1,111	756	486	299	91	73
1985.....	11,163	121	204	259	2,427	3,245	2,061	1,109	824	486	291	84	52
1984.....	11,127	133	208	250	2,580	3,152	1,993	1,164	814	441	267	81	44
1983.....	11,235	104	166	231	2,593	3,237	2,011	1,164	834	465	280	101	49
1982.....	12,439	146	203	253	3,057	3,438	2,170	1,331	890	509	281	115	46
1981.....	13,066	137	188	264	3,324	3,633	2,134	1,490	957	492	303	102	42
1980.....	13,558	125	181	272	3,626	3,696	2,168	1,468	937	621	311	98	55
1979.....	12,334	96	177	250	3,390	3,248	1,905	1,402	886	564	265	95	56

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
HOMICIDE AND LEGAL INTERVENTION (E960-E978)													
WHITE MALE													
1998.....	6,707	102	104	142	1,858	1,594	1,388	759	364	207	123	30	36
1997.....	7,343	121	119	157	1,984	1,840	1,434	829	412	240	130	52	25
1996.....	7,570	101	122	177	2,091	1,903	1,523	798	430	250	117	27	31
1995.....	8,336	110	133	203	2,421	2,177	1,629	829	438	236	100	32	28
1994.....	9,055	94	147	174	2,570	2,450	1,811	898	448	261	140	38	24
1993.....	9,054	110	138	201	2,535	2,500	1,722	945	456	267	115	34	31
1992.....	9,456	104	133	185	2,604	2,668	1,828	939	513	264	147	42	29
1991.....	9,581	121	131	177	2,543	2,772	1,848	952	535	292	135	35	40
1990.....	9,147	103	109	154	2,375	2,724	1,807	880	485	294	132	37	47
1989.....	8,337	91	115	146	1,921	2,543	1,631	899	504	280	130	39	38
1988.....	7,994	89	131	142	1,784	2,446	1,561	782	544	290	138	38	49
1987.....	7,979	94	107	118	1,786	2,429	1,502	820	579	298	154	39	53
1986.....	8,567	84	115	122	2,034	2,664	1,640	833	555	295	140	31	54
1985.....	8,122	58	111	150	1,850	2,478	1,563	822	588	301	134	27	40
1984.....	8,171	75	115	125	1,874	2,479	1,547	900	588	280	123	36	29
1983.....	8,355	50	97	135	1,979	2,548	1,568	872	600	301	130	38	37
1982.....	9,260	86	108	119	2,303	2,724	1,679	1,039	659	315	142	54	32
1981.....	9,941	69	90	132	2,575	2,923	1,713	1,167	729	323	136	51	33
1980.....	10,381	64	106	138	2,800	3,015	1,712	1,161	718	423	165	40	39
1979.....	9,392	58	93	147	2,622	2,622	1,504	1,103	669	360	139	37	38

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
HOMICIDE AND LEGAL INTERVENTION (E960-E978)													
WHITE FEMALE													
1998.....	2,534	86	95	125	404	516	573	285	140	126	119	53	12
1997.....	2,570	68	93	90	444	542	522	303	154	150	128	67	9
1996.....	2,747	100	103	119	455	568	570	339	152	144	127	58	12
1995.....	3,028	74	109	113	564	698	599	338	163	170	140	49	11
1994.....	2,921	76	119	116	551	705	568	282	153	149	138	52	12
1993.....	3,232	88	85	141	593	798	623	317	176	190	142	64	15
1992.....	3,012	85	91	110	575	720	571	324	152	178	139	57	10
1991.....	3,201	86	95	100	623	774	571	336	201	181	152	61	21
1990.....	3,006	78	81	113	590	769	512	289	179	163	158	51	23
1989.....	2,971	87	87	119	568	757	516	278	165	188	146	40	20
1988.....	3,072	91	90	105	589	803	490	266	202	204	159	57	16
1987.....	3,149	62	88	102	598	831	524	273	195	214	164	71	27
1986.....	3,123	76	79	101	682	780	497	278	201	191	159	60	19
1985.....	3,041	63	93	109	577	767	498	287	236	185	157	57	12
1984.....	2,956	58	93	125	706	673	446	264	226	161	144	45	15
1983.....	2,880	54	69	96	614	689	443	292	234	164	150	63	12
1982.....	3,179	60	95	134	754	714	491	292	231	194	139	61	14
1981.....	3,125	68	98	132	749	710	421	323	228	169	167	51	9
1980.....	3,177	61	75	134	826	681	456	307	219	198	146	58	16
1979.....	2,942	38	84	103	768	626	401	299	217	204	126	58	18

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
HOMICIDE AND LEGAL INTERVENTION (E960-E978)													
ALL OTHER, BOTH SEXES													
1998.....	9,031	134	200	193	3,244	2,455	1,606	700	262	135	76	18	8
1997.....	9,933	128	163	210	3,718	2,693	1,721	737	287	155	77	30	14
1996.....	10,654	131	195	218	4,002	2,957	1,801	759	293	160	91	27	20
1995.....	11,531	127	210	246	4,299	3,287	1,890	760	353	204	103	39	13
1994.....	12,950	143	207	282	4,995	3,733	2,152	749	303	226	112	32	16
1993.....	13,723	146	241	314	5,296	3,980	2,192	790	345	234	122	41	22
1992.....	13,020	137	206	292	4,840	3,955	2,061	783	327	250	118	36	15
1991.....	13,731	173	202	242	4,993	4,255	2,152	824	420	265	151	34	20
1990.....	12,779	151	188	245	4,389	4,150	2,098	723	391	225	140	51	28
1989.....	11,601	157	191	245	3,696	3,835	1,872	708	416	272	133	51	25
1988.....	10,966	135	160	212	3,398	3,743	1,783	679	384	266	136	44	26
1987.....	9,975	117	139	187	2,970	3,286	1,696	710	430	251	131	37	21
1986.....	10,041	118	188	156	2,806	3,460	1,646	784	439	272	118	39	15
1985.....	8,730	79	144	158	2,345	2,945	1,520	719	448	243	91	27	11
1984.....	8,669	104	133	179	2,239	2,902	1,470	752	474	254	116	32	14
1983.....	8,956	89	154	126	2,444	2,964	1,466	784	520	237	130	28	14
1982.....	9,919	97	174	150	2,638	3,375	1,559	954	538	285	105	26	18
1981.....	10,580	81	153	176	2,848	3,546	1,683	1,058	604	273	118	24	16
1980.....	10,720	85	138	143	3,021	3,571	1,701	1,062	590	274	94	20	21
1979.....	10,216	74	137	144	2,766	3,297	1,680	1,086	626	271	99	15	21

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
HOMICIDE AND LEGAL INTERVENTION (E960-E978)													
ALL OTHER MALE													
1998.....	7,316	70	119	115	2,862	2,017	1,211	552	214	97	44	9	6
1997.....	8,106	61	90	138	3,318	2,228	1,301	572	217	113	47	14	7
1996.....	8,699	67	92	134	3,564	2,419	1,390	607	236	112	54	13	11
1995.....	9,404	65	120	171	3,803	2,663	1,441	629	284	150	59	11	8
1994.....	10,652	85	118	183	4,454	3,035	1,691	598	237	156	67	17	11
1993.....	11,236	83	136	207	4,671	3,186	1,754	651	278	166	68	20	16
1992.....	10,659	77	109	190	4,287	3,164	1,651	644	254	183	67	24	9
1991.....	11,187	85	104	160	4,380	3,427	1,723	662	329	202	85	14	16
1990.....	10,457	75	99	145	3,847	3,372	1,709	604	317	162	82	20	25
1989.....	9,349	74	100	154	3,191	3,105	1,518	576	312	192	84	26	17
1988.....	8,718	62	86	126	2,884	2,951	1,451	555	297	178	89	22	17
1987.....	7,876	61	57	128	2,437	2,616	1,384	553	333	187	84	21	15
1986.....	8,028	68	108	93	2,307	2,801	1,335	657	353	196	79	19	12
1985.....	6,944	48	73	95	1,917	2,371	1,234	583	368	178	58	11	8
1984.....	6,867	59	58	95	1,788	2,351	1,192	636	392	194	76	19	7
1983.....	7,159	42	84	85	1,959	2,409	1,198	650	445	176	84	17	10
1982.....	8,055	53	100	94	2,164	2,814	1,281	797	444	218	67	12	11
1981.....	8,631	37	93	115	2,313	2,960	1,408	896	475	220	83	18	13
1980.....	8,707	50	74	83	2,455	2,952	1,413	891	490	207	68	11	13
1979.....	8,236	46	61	89	2,202	2,749	1,395	903	513	192	61	9	16

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
HOMICIDE AND LEGAL INTERVENTION (E960-E978)													
ALL OTHER FEMALE													
1998.....	1,715	64	81	78	382	438	395	148	48	38	32	9	2
1997.....	1,827	67	73	72	400	465	420	165	70	42	30	16	7
1996.....	1,955	64	103	84	438	538	411	152	57	48	37	14	9
1995.....	2,127	62	90	75	496	624	449	131	69	54	44	28	5
1994.....	2,298	58	89	99	541	698	461	151	66	70	45	15	5
1993.....	2,487	63	105	107	625	794	438	139	67	68	54	21	6
1992.....	2,361	60	97	102	553	791	410	139	73	67	51	12	6
1991.....	2,544	88	98	82	613	828	429	162	91	63	66	20	4
1990.....	2,322	76	89	100	542	778	389	119	74	63	58	31	3
1989.....	2,252	83	91	91	505	730	354	132	104	80	49	25	8
1988.....	2,248	73	74	86	514	792	332	124	87	88	47	22	9
1987.....	2,099	56	82	59	533	670	312	157	97	64	47	16	6
1986.....	2,013	50	80	63	499	659	311	127	86	76	39	20	3
1985.....	1,786	31	71	63	428	574	286	136	80	65	33	16	3
1984.....	1,802	45	75	84	451	551	278	116	82	60	40	13	7
1983.....	1,797	47	70	41	485	555	268	134	75	61	46	11	4
1982.....	1,864	44	74	56	474	561	278	157	94	67	38	14	7
1981.....	1,949	44	60	61	535	586	275	162	129	53	35	6	3
1980.....	2,013	35	64	60	566	619	288	171	100	67	26	9	8
1979.....	1,980	28	76	55	564	548	285	183	113	79	38	6	5

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
HOMICIDE AND LEGAL INTERVENTION (E960-E978)													
BLACK, BOTH SEXES													
1998.....	8,420	123	187	163	3,095	2,296	1,486	631	229	116	68	18	8
1997.....	9,253	110	147	180	3,529	2,550	1,583	650	254	137	72	28	13
1996.....	9,983	121	174	194	3,795	2,795	1,687	678	266	144	85	27	17
1995.....	10,783	120	192	216	4,060	3,096	1,760	692	310	191	96	38	12
1994.....	12,207	128	185	251	4,758	3,555	2,008	684	275	213	107	31	12
1993.....	12,937	132	217	292	5,052	3,760	2,054	719	308	225	119	41	18
1992.....	12,318	128	185	260	4,625	3,775	1,938	717	301	230	114	32	13
1991.....	12,958	159	184	226	4,785	4,021	2,004	748	377	256	147	33	18
1990.....	12,144	141	170	232	4,201	3,984	1,969	663	363	209	137	48	27
1989.....	10,962	142	172	214	3,541	3,644	1,749	661	389	252	125	50	23
1988.....	10,403	127	152	196	3,247	3,567	1,677	627	362	253	128	42	25
1987.....	9,487	109	130	169	2,845	3,162	1,590	659	404	241	125	36	17
1986.....	9,495	113	174	146	2,644	3,300	1,547	730	415	265	110	36	15
1985.....	8,282	75	136	137	2,230	2,827	1,424	669	428	232	87	27	10
1984.....	8,240	101	125	165	2,137	2,780	1,382	705	452	241	111	28	13
1983.....	8,494	81	142	116	2,326	2,821	1,394	729	496	225	125	28	11
1982.....	9,473	87	159	137	2,516	3,264	1,481	901	517	273	96	25	17
1981.....	10,137	71	147	163	2,730	3,434	1,599	1,003	583	258	115	21	13
1980.....	10,283	84	131	134	2,904	3,439	1,625	1,015	569	259	87	18	18
1979.....	9,812	70	132	138	2,660	3,168	1,617	1,044	596	258	95	15	19

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
HOMICIDE AND LEGAL INTERVENTION (E960-E978)													
BLACK MALE													
1998.....	6,873	62	109	100	2,739	1,900	1,131	505	188	86	38	9	6
1997.....	7,601	51	84	117	3,160	2,115	1,201	516	192	99	46	13	7
1996.....	8,183	64	84	121	3,393	2,294	1,293	546	212	103	52	13	8
1995.....	8,847	61	109	151	3,602	2,522	1,357	576	251	145	55	10	8
1994.....	10,083	75	106	164	4,252	2,891	1,588	551	219	149	64	16	8
1993.....	10,640	76	122	190	4,461	3,029	1,649	602	251	161	66	20	13
1992.....	10,131	72	95	166	4,107	3,028	1,562	595	238	172	66	22	8
1991.....	10,628	77	97	150	4,208	3,253	1,624	610	300	197	84	14	14
1990.....	9,981	69	88	137	3,692	3,250	1,614	560	299	149	81	18	24
1989.....	8,888	69	91	136	3,068	2,963	1,429	540	294	178	79	25	16
1988.....	8,314	58	84	114	2,762	2,827	1,375	518	282	173	83	22	16
1987.....	7,518	56	53	117	2,346	2,522	1,303	514	315	181	79	20	12
1986.....	7,634	65	102	86	2,184	2,688	1,265	615	337	190	73	17	12
1985.....	6,616	46	70	85	1,825	2,285	1,156	550	355	171	55	11	7
1984.....	6,563	56	54	85	1,710	2,264	1,131	607	376	184	71	18	7
1983.....	6,822	39	77	80	1,870	2,307	1,146	607	425	167	80	17	7
1982.....	7,730	48	92	87	2,066	2,739	1,223	756	429	208	61	11	10
1981.....	8,312	33	90	106	2,231	2,877	1,349	853	461	206	80	16	10
1980.....	8,385	50	70	77	2,365	2,854	1,362	858	475	192	63	9	10
1979.....	7,938	43	60	84	2,129	2,653	1,346	868	488	184	59	9	15

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
HOMICIDE AND LEGAL INTERVENTION (E960-E978)													
BLACK FEMALE													
1998.....	1,547	61	78	63	356	396	355	126	41	30	30	9	2
1997.....	1,652	59	63	63	369	435	382	134	62	38	26	15	6
1996.....	1,800	57	90	73	402	501	394	132	54	41	33	14	9
1995.....	1,936	59	83	65	458	574	403	116	59	46	41	28	4
1994.....	2,124	53	79	87	506	664	420	133	56	64	43	15	4
1993.....	2,297	56	95	102	591	731	405	117	57	64	53	21	5
1992.....	2,187	56	90	94	518	747	376	122	63	58	48	10	5
1991.....	2,330	82	87	76	577	768	380	138	77	59	63	19	4
1990.....	2,163	72	82	95	509	734	355	103	64	60	56	30	3
1989.....	2,074	73	81	78	473	681	320	121	95	74	46	25	7
1988.....	2,089	69	68	82	485	740	302	109	80	80	45	20	9
1987.....	1,969	53	77	52	499	640	287	145	89	60	46	16	5
1986.....	1,861	48	72	60	460	612	282	115	78	75	37	19	3
1985.....	1,666	29	66	52	405	542	268	119	73	61	32	16	3
1984.....	1,677	45	71	80	427	516	251	98	76	57	40	10	6
1983.....	1,672	42	65	36	456	514	248	122	71	58	45	11	4
1982.....	1,743	39	67	50	450	525	258	145	88	65	35	14	7
1981.....	1,825	38	57	57	499	557	250	150	122	52	35	5	3
1980.....	1,898	34	61	57	539	585	263	157	94	67	24	9	8
1979.....	1,874	27	72	54	531	515	271	176	108	74	36	6	4

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ALL OTHER EXTERNAL CAUSES (E980-E999)													
TOTAL, BOTH SEXES													
1998.....	3,763	75	43	66	342	734	1,286	713	214	107	94	64	25
1997.....	3,666	57	40	48	360	716	1,298	633	224	124	91	56	19
1996.....	3,476	58	54	48	367	763	1,163	502	180	146	103	65	27
1995.....	3,310	57	45	46	364	780	1,131	467	150	103	85	57	25
1994.....	3,435	47	47	71	423	819	1,061	463	206	124	99	56	19
1993.....	3,427	61	39	59	420	884	1,017	431	202	144	93	51	26
1992.....	2,906	41	34	45	341	762	909	324	165	127	91	38	29
1991.....	2,517	48	41	50	323	635	672	275	176	122	101	41	33
1990.....	2,390	53	31	53	310	647	582	263	177	127	85	44	18
1989.....	2,700	51	56	49	345	760	668	278	193	146	97	37	20
1988.....	3,033	42	55	73	449	898	636	288	206	197	104	61	24
1987.....	3,023	57	76	63	417	874	642	264	242	180	115	62	31
1986.....	3,120	51	53	49	465	864	617	341	291	181	127	53	28
1985.....	2,845	54	71	58	397	792	532	322	256	163	126	52	22
1984.....	3,019	60	56	75	496	777	516	335	289	219	117	62	17
1983.....	3,117	56	71	75	512	807	505	360	313	193	139	67	19
1982.....	3,212	73	67	63	559	833	497	386	332	192	125	54	31
1981.....	3,630	81	84	71	662	836	536	441	415	267	150	71	16
1980.....	3,686	68	100	82	702	895	531	440	382	245	156	60	25
1979.....	3,877	85	95	100	778	870	550	531	413	244	136	57	18

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ALL OTHER EXTERNAL CAUSES (E980-E999)													
TOTAL, MALE													
1998.....	2,614	53	27	53	271	509	921	488	130	60	59	25	18
1997.....	2,665	37	19	36	289	535	973	457	145	78	56	25	15
1996.....	2,536	29	26	37	308	577	871	369	105	101	59	30	24
1995.....	2,470	28	28	37	308	576	889	340	93	64	57	30	20
1994.....	2,524	24	21	51	356	601	812	344	129	78	63	29	16
1993.....	2,521	38	22	46	336	671	768	301	138	99	61	22	19
1992.....	2,115	24	18	36	282	578	681	216	108	79	53	17	23
1991.....	1,765	29	16	31	245	473	498	178	116	73	60	22	24
1990.....	1,733	30	20	40	249	499	439	168	121	83	52	16	16
1989.....	1,956	30	33	33	284	575	493	188	132	89	56	23	20
1988.....	2,208	28	26	58	341	688	484	210	138	120	67	28	20
1987.....	2,196	32	41	45	301	678	487	184	164	129	80	33	22
1986.....	2,270	30	33	37	359	654	458	243	204	117	84	29	22
1985.....	2,037	30	43	39	292	622	396	208	181	95	79	35	17
1984.....	2,174	36	27	53	378	612	370	225	204	154	70	30	15
1983.....	2,193	27	46	56	376	615	356	247	209	134	80	32	15
1982.....	2,309	43	40	48	417	651	363	256	237	129	74	24	27
1981.....	2,549	36	47	48	503	647	375	295	262	181	97	44	14
1980.....	2,643	44	60	60	549	696	365	286	266	162	98	35	22
1979.....	2,688	36	57	67	594	647	367	344	278	167	83	34	14

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ALL OTHER EXTERNAL CAUSES (E980-E999)													
TOTAL, FEMALE													
1998.....	1,149	22	16	13	71	225	365	225	84	47	35	39	7
1997.....	1,001	20	21	12	71	181	325	176	79	46	35	31	4
1996.....	940	29	28	11	59	186	292	133	75	45	44	35	3
1995.....	840	29	17	9	56	204	242	127	57	39	28	27	5
1994.....	911	23	26	20	67	218	249	119	77	46	36	27	3
1993.....	906	23	17	13	84	213	249	130	64	45	32	29	7
1992.....	791	17	16	9	59	184	228	108	57	48	38	21	6
1991.....	752	19	25	19	78	162	174	97	60	49	41	19	9
1990.....	657	23	11	13	61	148	143	95	56	44	33	28	2
1989.....	744	21	23	16	61	185	175	90	61	57	41	14	-
1988.....	825	14	29	15	108	210	152	78	68	77	37	33	4
1987.....	827	25	35	18	116	196	155	80	78	51	35	29	9
1986.....	850	21	20	12	106	210	159	98	87	64	43	24	6
1985.....	808	24	28	19	105	170	136	114	75	68	47	17	5
1984.....	845	24	29	22	118	165	146	110	85	65	47	32	2
1983.....	924	29	25	19	136	192	149	113	104	59	59	35	4
1982.....	903	30	27	15	142	182	134	130	95	63	51	30	4
1981.....	1,081	45	37	23	159	189	161	146	153	86	53	27	2
1980.....	1,043	24	40	22	153	199	166	154	116	83	58	25	3
1979.....	1,189	49	38	33	184	223	183	187	135	77	53	23	4

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ALL OTHER EXTERNAL CAUSES (E980-E999)													
WHITE, BOTH SEXES													
1998.....	2,968	53	28	47	270	582	1,002	562	168	95	86	61	14
1997.....	2,846	38	22	37	256	550	1,024	503	171	108	77	49	11
1996.....	2,693	39	33	37	253	587	907	403	143	124	91	55	21
1995.....	2,484	34	26	34	250	606	860	333	122	83	76	46	14
1994.....	2,634	27	29	44	319	632	820	341	165	109	85	50	13
1993.....	2,581	30	20	43	317	663	743	339	166	118	77	45	20
1992.....	2,239	22	19	30	247	589	693	261	140	107	78	32	21
1991.....	1,951	27	28	34	233	488	524	226	142	102	91	34	22
1990.....	1,820	22	13	39	231	490	453	209	138	107	74	36	8
1989.....	1,973	25	40	41	263	537	461	202	153	123	79	35	14
1988.....	2,250	22	29	53	320	637	471	229	160	166	91	55	17
1987.....	2,194	40	37	44	304	617	440	200	191	145	101	53	22
1986.....	2,326	27	19	35	359	637	453	254	221	151	110	42	18
1985.....	2,165	26	42	40	317	587	394	251	209	133	105	45	16
1984.....	2,276	34	30	50	398	550	373	258	224	188	104	50	17
1983.....	2,327	20	38	51	381	600	374	266	244	162	119	56	16
1982.....	2,391	38	38	40	434	594	347	295	277	153	107	45	23
1981.....	2,741	47	45	54	511	617	377	336	338	224	121	60	11
1980.....	2,805	40	54	54	560	667	374	335	308	202	137	52	22
1979.....	2,917	41	52	70	584	634	403	410	343	204	118	45	13

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
---	-------	-----------------	--------------	---------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	--------------	------

ALL OTHER EXTERNAL CAUSES (E980-E999)

WHITE MALE

1998.....	2,004	35	15	37	207	407	694	377	93	52	54	22	11
1997.....	2,046	25	11	30	201	411	761	359	104	64	48	23	9
1996.....	1,937	20	17	30	210	436	677	284	78	86	55	25	19
1995.....	1,842	16	14	29	213	454	678	233	72	48	51	23	11
1994.....	1,905	16	11	33	265	464	625	240	98	67	52	24	10
1993.....	1,882	20	12	35	254	504	557	231	109	78	50	17	15
1992.....	1,602	14	9	24	201	449	517	164	85	67	44	12	16
1991.....	1,366	16	12	20	178	362	398	144	91	58	52	18	17
1990.....	1,315	13	8	29	183	388	335	127	93	69	47	15	8
1989.....	1,414	12	23	29	215	413	336	132	98	70	49	23	14
1988.....	1,620	13	14	43	244	491	352	159	103	101	59	25	16
1987.....	1,566	24	23	35	222	471	327	132	122	99	68	28	15
1986.....	1,683	16	15	26	279	481	336	174	150	93	73	24	16
1985.....	1,548	14	24	29	234	468	294	157	146	75	63	31	13
1984.....	1,630	21	11	41	305	434	260	169	155	132	63	24	15
1983.....	1,634	9	23	39	286	458	262	177	157	114	69	26	14
1982.....	1,696	21	24	31	324	466	248	183	197	100	61	20	21
1981.....	1,907	22	27	35	387	477	256	220	207	151	79	37	9
1980.....	1,986	27	35	45	443	526	249	206	199	127	82	27	20
1979.....	2,016	20	32	47	461	473	262	260	219	135	73	25	9

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR
 ALL OTHER EXTERNAL CAUSES (E980-E999)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
WHITE FEMALE													
1998.....	964	18	13	10	63	175	308	185	75	43	32	39	3
1997.....	800	13	11	7	55	139	263	144	67	44	29	26	2
1996.....	756	19	16	7	43	151	230	119	65	38	36	30	2
1995.....	642	18	12	5	37	152	182	100	50	35	25	23	3
1994.....	729	11	18	11	54	168	195	101	67	42	33	26	3
1993.....	699	10	8	8	63	159	186	108	57	40	27	28	5
1992.....	637	8	10	6	46	140	176	97	55	40	34	20	5
1991.....	585	11	16	14	55	126	126	82	51	44	39	16	5
1990.....	505	9	5	10	48	102	118	82	45	38	27	21	-
1989.....	559	13	17	12	48	124	125	70	55	53	30	12	-
1988.....	630	9	15	10	76	146	119	70	57	65	32	30	1
1987.....	628	16	14	9	82	146	113	68	69	46	33	25	7
1986.....	643	11	4	9	80	156	117	80	71	58	37	18	2
1985.....	617	12	18	11	83	119	100	94	63	58	42	14	3
1984.....	646	13	19	9	93	116	113	89	69	56	41	26	2
1983.....	693	11	15	12	95	142	112	89	87	48	50	30	2
1982.....	695	17	14	9	110	128	99	112	80	53	46	25	2
1981.....	834	25	18	19	124	140	121	116	131	73	42	23	2
1980.....	819	13	19	9	117	141	125	129	109	75	55	25	2
1979.....	901	21	20	23	123	161	141	150	124	69	45	20	4

00/03/28	TABLE 290A. DEATHS FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98												PAGE1000
CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ALL OTHER EXTERNAL CAUSES (E980-E999)													
ALL OTHER, BOTH SEXES													
1998.....	795	22	15	19	72	152	284	151	46	12	8	3	11
1997.....	820	19	18	11	104	166	274	130	53	16	14	7	8
1996.....	783	19	21	11	114	176	256	99	37	22	12	10	6
1995.....	826	23	19	12	114	174	271	134	28	20	9	11	11
1994.....	801	20	18	27	104	187	241	122	41	15	14	6	6
1993.....	846	31	19	16	103	221	274	92	36	26	16	6	6
1992.....	667	19	15	15	94	173	216	63	25	20	13	6	8
1991.....	566	21	13	16	90	147	148	49	34	20	10	7	11
1990.....	570	31	18	14	79	157	129	54	39	20	11	8	10
1989.....	727	26	16	8	82	223	207	76	40	23	18	2	6
1988.....	783	20	26	20	129	261	165	59	46	31	13	6	7
1987.....	829	17	39	19	113	257	202	64	51	35	14	9	9
1986.....	794	24	34	14	106	227	164	87	70	30	17	11	10
1985.....	680	28	29	18	80	205	138	71	47	30	21	7	6
1984.....	743	26	26	25	98	227	143	77	65	31	13	12	-
1983.....	790	36	33	24	131	207	131	94	69	31	20	11	3
1982.....	821	35	29	23	125	239	150	91	55	39	18	9	8
1981.....	889	34	39	17	151	219	159	105	77	43	29	11	5
1980.....	881	28	46	28	142	228	157	105	74	43	19	8	3
1979.....	960	44	43	30	194	236	147	121	70	40	18	12	5

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ALL OTHER EXTERNAL CAUSES (E980-E999)													
ALL OTHER MALE													
1998.....	610	18	12	16	64	102	227	111	37	8	5	3	7
1997.....	619	12	8	6	88	124	212	98	41	14	8	2	6
1996.....	599	9	9	7	98	141	194	85	27	15	4	5	5
1995.....	628	12	14	8	95	122	211	107	21	16	6	7	9
1994.....	619	8	10	18	91	137	187	104	31	11	11	5	6
1993.....	639	18	10	11	82	167	211	70	29	21	11	5	4
1992.....	513	10	9	12	81	129	164	52	23	12	9	5	7
1991.....	399	13	4	11	67	111	100	34	25	15	8	4	7
1990.....	418	17	12	11	66	111	104	41	28	14	5	1	8
1989.....	542	18	10	4	69	162	157	56	34	19	7	-	6
1988.....	588	15	12	15	97	197	132	51	35	19	8	3	4
1987.....	630	8	18	10	79	207	160	52	42	30	12	5	7
1986.....	587	14	18	11	80	173	122	69	54	24	11	5	6
1985.....	489	16	19	10	58	154	102	51	35	20	16	4	4
1984.....	544	15	16	12	73	178	110	56	49	22	7	6	-
1983.....	559	18	23	17	90	157	94	70	52	20	11	6	1
1982.....	613	22	16	17	93	185	115	73	40	29	13	4	6
1981.....	642	14	20	13	116	170	119	75	55	30	18	7	5
1980.....	657	17	25	15	106	170	116	80	67	35	16	8	2
1979.....	672	16	25	20	133	174	105	84	59	32	10	9	5

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ALL OTHER EXTERNAL CAUSES (E980-E999)													
ALL OTHER FEMALE													
1998.....	185	4	3	3	8	50	57	40	9	4	3	-	4
1997.....	201	7	10	5	16	42	62	32	12	2	6	5	2
1996.....	184	10	12	4	16	35	62	14	10	7	8	5	1
1995.....	198	11	5	4	19	52	60	27	7	4	3	4	2
1994.....	182	12	8	9	13	50	54	18	10	4	3	1	-
1993.....	207	13	9	5	21	54	63	22	7	5	5	1	2
1992.....	154	9	6	3	13	44	52	11	2	8	4	1	1
1991.....	167	8	9	5	23	36	48	15	9	5	2	3	4
1990.....	152	14	6	3	13	46	25	13	11	6	6	7	2
1989.....	185	8	6	4	13	61	50	20	6	4	11	2	-
1988.....	195	5	14	5	32	64	33	8	11	12	5	3	3
1987.....	199	9	21	9	34	50	42	12	9	5	2	4	2
1986.....	207	10	16	3	26	54	42	18	16	6	6	6	4
1985.....	191	12	10	8	22	51	36	20	12	10	5	3	2
1984.....	199	11	10	13	25	49	33	21	16	9	6	6	-
1983.....	231	18	10	7	41	50	37	24	17	11	9	5	2
1982.....	208	13	13	6	32	54	35	18	15	10	5	5	2
1981.....	247	20	19	4	35	49	40	30	22	13	11	4	-
1980.....	224	11	21	13	36	58	41	25	7	8	3	-	1
1979.....	288	28	18	10	61	62	42	37	11	8	8	3	-

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
ALL OTHER EXTERNAL CAUSES (E980-E999)													
BLACK, BOTH SEXES													
1998.....	709	16	15	17	62	129	257	144	42	9	7	3	8
1997.....	730	14	17	11	90	154	246	114	49	13	10	6	6
1996.....	713	19	19	9	106	161	236	86	34	20	10	8	5
1995.....	729	19	18	12	88	158	247	116	25	17	9	10	10
1994.....	719	18	17	25	91	169	224	106	35	12	13	4	5
1993.....	751	29	17	12	84	192	257	80	32	24	14	5	5
1992.....	599	17	15	13	80	154	203	53	22	17	12	6	7
1991.....	508	19	11	15	79	131	137	41	33	19	7	6	10
1990.....	494	29	15	14	61	139	120	49	28	15	9	6	9
1989.....	664	24	16	6	66	208	194	72	34	21	16	1	6
1988.....	715	19	23	19	113	239	153	57	39	30	11	6	6
1987.....	754	17	38	14	100	236	182	62	47	30	11	8	9
1986.....	684	24	33	10	81	190	146	76	64	26	14	10	10
1985.....	600	26	25	17	61	181	126	61	45	27	18	7	6
1984.....	661	24	24	21	79	208	132	69	56	29	10	9	-
1983.....	699	34	29	23	109	183	116	85	62	27	19	9	3
1982.....	720	32	26	22	102	212	135	75	49	35	17	7	8
1981.....	797	31	37	17	126	201	146	93	68	38	26	9	5
1980.....	797	26	46	26	123	204	142	101	67	36	17	6	3
1979.....	867	41	41	27	174	210	133	110	66	33	16	11	5

00/03/28 TABLE 290A. DEATHS FOR 72 SELECTED CAUSES, BY 10-YEAR AGE GROUPS, RACE, AND SEX: UNITED STATES, 1979-98 PAGE1004
 CAUSE OF DEATH CODE, TOTAL UNDER 1-4 5-14 15-24 25-34 35-44 45-54 55-64 65-74 75-84 85+
 RACE, SEX, AND YEAR 1 YEAR YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS N.S.
 ALL OTHER EXTERNAL CAUSES (E980-E999)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
BLACK MALE													
1998.....	550	13	12	15	56	87	205	108	33	8	4	3	6
1997.....	556	9	7	6	79	115	190	88	38	11	6	2	5
1996.....	551	9	8	5	93	129	183	75	25	13	3	4	4
1995.....	560	10	13	8	73	110	199	95	19	13	6	6	8
1994.....	556	7	9	17	82	121	175	92	26	8	10	4	5
1993.....	564	16	9	8	66	143	200	61	25	20	9	4	3
1992.....	460	9	9	10	70	114	153	44	21	10	9	5	6
1991.....	360	12	4	10	57	102	93	29	24	15	5	3	6
1990.....	361	15	10	11	52	96	97	37	22	10	3	1	7
1989.....	492	16	10	3	57	149	147	53	28	17	6	-	6
1988.....	544	14	11	15	84	186	123	50	30	18	7	3	3
1987.....	570	8	17	6	69	189	145	51	38	26	9	5	7
1986.....	510	14	17	8	61	144	111	63	52	21	9	4	6
1985.....	434	14	18	10	46	135	92	46	34	17	14	4	4
1984.....	486	14	14	10	57	165	104	51	41	21	5	4	-
1983.....	492	17	21	16	72	138	84	63	47	18	11	4	1
1982.....	539	21	13	17	75	164	105	60	36	25	13	4	6
1981.....	583	13	18	13	101	156	111	68	50	26	16	6	5
1980.....	596	17	25	15	94	154	103	77	60	29	14	6	2
1979.....	608	14	24	18	118	158	96	78	55	26	8	8	5

CAUSE OF DEATH CODE, RACE, SEX, AND YEAR
 ALL OTHER EXTERNAL CAUSES (E980-E999)

	TOTAL	UNDER 1 YEAR	1-4 YEARS	5-14 YEARS	15-24 YEARS	25-34 YEARS	35-44 YEARS	45-54 YEARS	55-64 YEARS	65-74 YEARS	75-84 YEARS	85+ YEARS	N.S.
BLACK FEMALE													
1998.....	159	3	3	2	6	42	52	36	9	1	3	-	2
1997.....	174	5	10	5	11	39	56	26	11	2	4	4	1
1996.....	162	10	11	4	13	32	53	11	9	7	7	4	1
1995.....	169	9	5	4	15	48	48	21	6	4	3	4	2
1994.....	163	11	8	8	9	48	49	14	9	4	3	-	-
1993.....	187	13	8	4	18	49	57	19	7	4	5	1	2
1992.....	139	8	6	3	10	40	50	9	1	7	3	1	1
1991.....	148	7	7	5	22	29	44	12	9	4	2	3	4
1990.....	133	14	5	3	9	43	23	12	6	5	6	5	2
1989.....	172	8	6	3	9	59	47	19	6	4	10	1	-
1988.....	171	5	12	4	29	53	30	7	9	12	4	3	3
1987.....	184	9	21	8	31	47	37	11	9	4	2	3	2
1986.....	174	10	16	2	20	46	35	13	12	5	5	6	4
1985.....	166	12	7	7	15	46	34	15	11	10	4	3	2
1984.....	175	10	10	11	22	43	28	18	15	8	5	5	-
1983.....	207	17	8	7	37	45	32	22	15	9	8	5	2
1982.....	181	11	13	5	27	48	30	15	13	10	4	3	2
1981.....	214	18	19	4	25	45	35	25	18	12	10	3	-
1980.....	201	9	21	11	29	50	39	24	7	7	3	-	1
1979.....	259	27	17	9	56	52	37	32	11	7	8	3	-