

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
VI. Diseases of the nervous system (G00-G98)												
COLORADO -----	1,451	7	4	1	6	8	13	5	6	15	20	20
WHITE-----MALE----	539	2	1	-	4	5	10	2	2	12	11	10
FEMALE--	873	5	2	1	2	3	2	1	4	3	7	9
ALL OTHER--MALE----	11	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	28	-	1	-	-	-	1	1	-	-	1	1
BLACK---MALE-----	8	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	19	-	1	-	-	-	1	1	-	-	1	1
CONNECTICUT -----	1,106	2	4	3	2	3	3	2	4	4	13	29
WHITE-----MALE----	420	-	-	-	1	1	1	1	3	-	7	16
FEMALE--	622	2	3	3	1	-	2	1	1	2	5	8
ALL OTHER--MALE----	29	-	1	-	-	2	-	-	-	2	1	2
FEMALE--	35	-	-	-	-	-	-	-	-	-	-	3
BLACK---MALE-----	26	-	-	-	-	2	-	-	-	2	1	1
FEMALE--	33	-	-	-	-	-	-	-	-	-	-	3
DELAWARE -----	261	1	-	-	1	2	-	-	2	1	3	4
WHITE-----MALE----	101	1	-	-	1	1	-	-	1	1	2	1
FEMALE--	135	-	-	-	-	-	-	-	1	-	1	2
ALL OTHER--MALE----	9	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	9	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	1
DISTRICT OF COLUMBIA ---	189	-	1	-	-	-	1	-	2	-	2	5
WHITE-----MALE----	27	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	38	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	53	-	-	-	-	-	1	-	1	-	1	2
FEMALE--	71	-	1	-	-	-	-	-	-	-	1	3
BLACK---MALE-----	51	-	-	-	-	-	1	-	1	-	1	2
FEMALE--	71	-	1	-	-	-	-	-	-	-	1	3
FLORIDA -----	6,724	25	19	13	23	22	27	26	35	39	64	86
WHITE-----MALE----	2,723	10	4	6	8	8	17	7	13	19	25	41
FEMALE--	3,584	8	8	4	8	7	5	3	10	5	24	25
ALL OTHER--MALE----	191	5	4	2	4	6	3	8	5	9	7	14
FEMALE--	226	2	3	1	3	1	2	8	7	6	8	6
BLACK---MALE-----	181	5	4	2	4	6	3	8	5	9	7	13
FEMALE--	220	2	3	1	3	1	2	7	7	6	8	6
GEORGIA -----	2,509	13	15	8	14	17	12	16	23	25	42	51
WHITE-----MALE----	790	3	8	3	5	8	5	7	4	8	10	13
FEMALE--	1,299	3	5	2	2	2	1	4	5	8	18	20
ALL OTHER--MALE----	155	6	1	-	1	4	3	2	6	8	6	11
FEMALE--	265	1	1	3	6	3	3	3	8	1	8	7
BLACK---MALE-----	150	6	1	-	1	4	3	2	6	8	6	11
FEMALE--	262	1	1	3	6	3	3	3	8	1	7	7

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

VI. Diseases of the nervous system (G00-G98)

COLORADO -----	30	36	31	63	87	169	292	317	221	91	9	-
WHITE-----MALE----	11	14	9	25	35	85	124	110	47	20	-	-
FEMALE--	18	19	19	36	50	82	162	203	168	68	9	-
ALL OTHER--MALE----	-	1	-	2	-	-	3	1	2	-	-	-
FEMALE--	1	2	3	-	2	2	3	3	4	3	-	-
BLACK---MALE-----	-	1	-	2	-	-	2	1	-	-	-	-
FEMALE--	1	1	-	-	1	-	3	3	3	2	-	-
CONNECTICUT -----	27	33	25	42	83	145	231	232	139	70	10	-
WHITE-----MALE----	9	17	8	16	47	75	99	78	34	7	-	-
FEMALE--	13	11	16	18	29	62	124	150	100	61	10	-
ALL OTHER--MALE----	1	4	-	3	3	3	2	2	3	-	-	-
FEMALE--	4	1	1	5	4	5	6	2	2	2	-	-
BLACK---MALE-----	1	4	-	3	3	3	1	2	3	-	-	-
FEMALE--	3	1	1	5	3	5	6	2	2	2	-	-
DELAWARE -----	7	8	6	8	32	35	59	57	22	12	1	-
WHITE-----MALE----	5	4	2	5	12	11	22	26	4	2	-	-
FEMALE--	1	2	3	2	18	20	33	26	17	9	-	-
ALL OTHER--MALE----	-	1	1	-	1	1	1	3	-	-	-	-
FEMALE--	1	1	-	1	1	3	3	2	1	1	1	-
BLACK---MALE-----	-	1	1	-	1	1	1	3	-	-	-	-
FEMALE--	1	1	-	1	1	2	3	2	1	1	1	-
DISTRICT OF COLUMBIA ---	4	7	5	11	12	27	32	31	30	14	5	-
WHITE-----MALE----	1	1	-	3	2	4	5	2	6	2	-	-
FEMALE--	-	1	-	1	1	1	7	11	9	6	1	-
ALL OTHER--MALE----	1	2	1	4	6	11	9	5	7	1	1	-
FEMALE--	2	3	4	3	3	11	11	13	8	5	3	-
BLACK---MALE-----	1	2	1	4	6	11	8	5	6	1	1	-
FEMALE--	2	3	4	3	3	11	11	13	8	5	3	-
FLORIDA -----	94	101	130	240	514	958	1,439	1,473	952	377	67	-
WHITE-----MALE----	52	52	57	118	246	453	663	567	262	89	6	-
FEMALE--	31	36	57	93	229	449	725	865	659	276	57	-
ALL OTHER--MALE----	7	5	6	18	22	27	20	13	6	-	-	-
FEMALE--	4	8	10	11	17	29	31	28	25	12	4	-
BLACK---MALE-----	7	4	6	16	19	26	20	11	6	-	-	-
FEMALE--	4	8	10	10	16	29	29	27	25	12	4	-
GEORGIA -----	57	68	95	105	195	358	501	468	288	116	22	-
WHITE-----MALE----	11	27	43	47	84	164	164	107	56	13	-	-
FEMALE--	21	24	33	42	90	156	272	296	197	85	13	-
ALL OTHER--MALE----	12	9	10	7	8	9	24	24	3	-	1	-
FEMALE--	13	8	9	9	13	29	41	41	32	18	8	-
BLACK---MALE-----	12	9	9	7	8	9	23	22	2	-	1	-
FEMALE--	13	8	9	8	13	28	41	41	32	18	8	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
VI. Diseases of the nervous system (G00-G98)												
HAWAII -----	306	3	3	1	2	1	-	1	2	1	8	8
WHITE-----MALE----	44	1	-	-	-	-	-	-	-	1	4	2
FEMALE--	61	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	106	2	2	1	2	1	-	1	1	-	1	3
FEMALE--	95	-	1	-	-	-	-	-	1	-	2	2
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	518	1	3	1	3	1	1	2	1	4	12	9
WHITE-----MALE----	214	1	2	1	3	1	-	1	-	3	5	2
FEMALE--	298	-	1	-	-	-	-	1	1	1	6	6
ALL OTHER--MALE----	4	-	-	-	-	-	1	-	-	-	1	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	4,051	15	17	9	8	24	26	12	17	31	66	60
WHITE-----MALE----	1,424	6	2	3	5	10	13	5	6	8	27	25
FEMALE--	2,189	5	8	4	-	7	6	3	6	9	23	19
ALL OTHER--MALE----	195	3	3	-	1	5	6	1	4	6	11	9
FEMALE--	243	1	4	2	2	2	1	3	1	8	5	7
BLACK---MALE----	183	3	3	-	1	5	6	1	4	6	11	8
FEMALE--	230	1	4	2	2	2	1	3	1	8	5	7
INDIANA -----	2,310	11	6	11	11	8	12	11	12	28	30	44
WHITE-----MALE----	897	4	3	3	10	7	7	7	4	16	14	17
FEMALE--	1,284	5	2	3	1	1	4	4	7	9	10	22
ALL OTHER--MALE----	46	1	-	1	-	-	-	-	-	2	4	2
FEMALE--	83	1	1	4	-	-	1	-	1	1	2	3
BLACK---MALE----	44	1	-	-	-	-	-	-	-	2	4	2
FEMALE--	80	1	1	4	-	-	1	-	-	1	2	3
IOWA -----	1,348	5	6	2	5	3	5	6	5	3	9	13
WHITE-----MALE----	480	3	3	-	3	2	1	4	2	1	7	5
FEMALE--	852	1	2	2	2	-	1	1	3	2	1	8
ALL OTHER--MALE----	10	-	1	-	-	-	3	-	-	-	1	-
FEMALE--	6	1	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	3	-	-	-	1	-
FEMALE--	5	1	-	-	-	-	-	1	-	-	-	-
KANSAS -----	1,165	2	6	-	2	4	3	3	6	6	22	14
WHITE-----MALE----	448	1	4	-	1	2	2	1	3	2	7	5
FEMALE--	669	1	1	-	-	2	-	2	2	3	12	8
ALL OTHER--MALE----	18	-	1	-	-	-	1	-	-	1	1	1
FEMALE--	30	-	-	-	1	-	-	-	1	-	2	-
BLACK---MALE----	17	-	1	-	-	-	1	-	-	1	1	1
FEMALE--	28	-	-	-	1	-	-	-	1	-	2	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

VI. Diseases of the nervous system (G00-G98)

HAWAII -----	1	8	6	12	25	40	57	59	44	17	7	-
WHITE-----MALE----	-	1	2	3	-	7	9	7	6	1	-	-
FEMALE--	1	3	-	1	8	7	13	11	8	6	1	-
ALL OTHER--MALE----	-	2	1	6	7	14	17	25	15	3	2	-
FEMALE--	-	2	3	2	10	12	18	16	15	7	4	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	13	9	18	15	34	74	104	109	72	28	4	-
WHITE-----MALE----	6	5	10	10	17	30	44	46	23	3	1	-
FEMALE--	7	4	8	5	17	42	59	63	49	25	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	80	101	127	151	286	566	784	824	592	218	37	-
WHITE-----MALE----	27	37	58	78	114	257	299	274	137	28	5	-
FEMALE--	31	45	46	57	140	244	428	496	414	170	28	-
ALL OTHER--MALE----	12	9	15	10	10	25	27	16	17	5	-	-
FEMALE--	10	10	8	6	22	40	30	38	24	15	4	-
BLACK---MALE----	12	7	13	9	9	23	26	15	16	5	-	-
FEMALE--	10	10	7	5	19	37	29	35	23	15	4	-
INDIANA -----	51	45	71	88	176	325	468	488	290	106	18	-
WHITE-----MALE----	25	15	38	50	99	153	172	163	77	13	-	-
FEMALE--	22	23	29	31	67	156	272	306	206	86	18	-
ALL OTHER--MALE----	1	4	-	3	5	6	10	5	2	-	-	-
FEMALE--	3	3	4	4	5	10	14	14	5	7	-	-
BLACK---MALE----	1	4	-	3	5	6	10	4	2	-	-	-
FEMALE--	3	3	4	4	4	10	13	14	5	7	-	-
IOWA -----	9	27	25	48	89	158	270	304	247	97	12	-
WHITE-----MALE----	7	13	15	19	38	78	112	101	49	16	1	-
FEMALE--	2	14	9	28	49	79	156	203	197	81	11	-
ALL OTHER--MALE----	-	-	1	1	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	1	-	-	-
BLACK---MALE----	-	-	1	1	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	1	-	-	-
KANSAS -----	18	27	25	46	66	180	224	255	166	79	11	-
WHITE-----MALE----	8	19	12	26	31	87	87	91	43	15	1	-
FEMALE--	8	8	11	17	30	86	135	154	119	61	9	-
ALL OTHER--MALE----	1	-	-	1	2	4	-	3	2	-	-	-
FEMALE--	1	-	2	2	3	3	2	7	2	3	1	-
BLACK---MALE----	1	-	-	1	2	3	-	3	2	-	-	-
FEMALE--	1	-	1	2	3	3	1	7	2	3	1	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 1669

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
VI. Diseases of the nervous system (G00-G98)												
KENTUCKY -----	1,561	3	2	1	3	8	9	6	9	6	28	27
WHITE-----MALE----	563	-	1	-	3	6	4	5	4	2	13	9
FEMALE--	935	2	1	1	-	2	3	1	4	3	13	15
ALL OTHER--MALE----	28	-	-	-	-	-	1	-	-	-	2	3
FEMALE--	35	1	-	-	-	-	1	-	1	1	-	-
BLACK---MALE-----	28	-	-	-	-	-	1	-	-	-	2	3
FEMALE--	34	1	-	-	-	-	1	-	1	1	-	-
LOUISIANA -----	1,628	10	7	4	9	14	9	13	8	18	19	28
WHITE-----MALE----	491	1	3	2	4	5	2	-	2	10	7	12
FEMALE--	810	3	1	-	1	3	2	1	1	3	2	7
ALL OTHER--MALE----	149	5	1	1	2	4	2	8	4	2	6	4
FEMALE--	178	1	2	1	2	2	3	4	1	3	4	5
BLACK---MALE-----	149	5	1	1	2	4	2	8	4	2	6	4
FEMALE--	174	1	2	1	2	2	3	4	1	3	4	5
MAINE -----	715	1	-	1	1	1	1	-	1	5	5	10
WHITE-----MALE----	251	-	-	-	-	1	1	-	1	4	2	6
FEMALE--	462	-	-	1	1	-	-	-	-	1	3	4
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1,812	5	4	2	3	6	8	9	13	10	21	34
WHITE-----MALE----	587	1	-	-	1	1	2	2	5	2	7	13
FEMALE--	901	1	1	1	1	1	3	1	2	4	7	8
ALL OTHER--MALE----	139	1	1	-	1	2	2	6	3	2	6	3
FEMALE--	185	2	2	1	-	2	1	-	3	2	1	10
BLACK---MALE-----	134	1	1	-	1	2	2	6	3	2	6	3
FEMALE--	178	2	2	1	-	2	1	-	3	2	1	9
MASSACHUSETTS -----	2,745	6	5	5	2	8	9	5	13	16	29	48
WHITE-----MALE----	1,037	4	2	3	1	5	7	3	5	8	19	26
FEMALE--	1,609	2	1	1	-	2	2	1	6	6	7	19
ALL OTHER--MALE----	40	-	2	1	-	-	-	-	-	-	3	3
FEMALE--	59	-	-	-	1	-	-	1	2	2	-	-
BLACK---MALE-----	32	-	1	1	-	-	-	-	-	-	3	3
FEMALE--	48	-	-	-	-	1	-	1	2	2	-	-
MICHIGAN -----	3,508	7	19	13	13	17	22	19	30	38	47	81
WHITE-----MALE----	1,274	3	6	2	5	10	12	8	16	19	15	27
FEMALE--	1,898	1	5	7	4	5	6	4	5	9	16	29
ALL OTHER--MALE----	128	1	2	3	1	1	3	5	5	6	7	11
FEMALE--	208	2	6	1	3	1	1	2	4	4	9	14
BLACK---MALE-----	120	1	2	3	1	-	3	5	5	6	7	11
FEMALE--	200	2	6	1	3	1	1	2	4	3	9	14

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
VI. Diseases of the nervous system (G00-G98)												
KENTUCKY -----	29	34	36	61	123	214	325	343	214	67	13	-
WHITE-----MALE----	14	18	17	31	62	90	116	114	50	4	-	-
FEMALE--	13	13	17	28	60	115	196	217	157	61	13	-
ALL OTHER--MALE----	2	3	1	1	1	5	3	4	2	-	-	-
FEMALE--	-	-	1	1	-	4	10	8	5	2	-	-
BLACK---MALE-----	2	3	1	1	1	5	3	4	2	-	-	-
FEMALE--	-	-	1	1	-	3	10	8	5	2	-	-
LOUISIANA -----	41	39	48	76	128	254	312	310	208	65	8	-
WHITE-----MALE----	14	12	19	27	58	97	97	81	35	2	1	-
FEMALE--	14	13	16	25	47	122	171	186	140	48	4	-
ALL OTHER--MALE----	12	9	7	12	11	13	16	17	11	2	-	-
FEMALE--	1	5	6	12	12	22	28	26	22	13	3	-
BLACK---MALE-----	12	9	7	12	11	13	16	17	11	2	-	-
FEMALE--	1	5	5	11	11	21	28	26	22	13	3	-
MAINE -----	11	11	11	18	55	88	137	164	121	60	13	-
WHITE-----MALE----	8	1	8	11	27	39	51	48	29	10	4	-
FEMALE--	3	10	3	7	28	49	85	116	92	50	9	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
MARYLAND -----	45	52	48	71	144	244	364	360	248	101	20	-
WHITE-----MALE----	17	17	19	33	56	106	134	113	42	15	1	-
FEMALE--	10	23	14	21	58	100	181	196	180	73	15	-
ALL OTHER--MALE----	12	7	4	9	15	18	23	16	6	1	1	-
FEMALE--	6	5	11	8	15	20	26	35	20	12	3	-
BLACK---MALE-----	12	6	4	9	14	18	22	15	5	1	1	-
FEMALE--	6	4	11	7	15	19	26	32	20	12	3	-
MASSACHUSETTS -----	42	71	66	97	215	382	513	580	431	162	40	-
WHITE-----MALE----	19	30	27	40	115	195	231	176	99	20	2	-
FEMALE--	21	36	35	48	95	176	264	392	320	137	38	-
ALL OTHER--MALE----	2	4	2	5	3	4	6	2	3	-	-	-
FEMALE--	-	1	2	4	2	7	12	10	9	5	-	-
BLACK---MALE-----	1	4	1	2	3	4	5	1	3	-	-	-
FEMALE--	-	1	2	4	1	5	10	8	7	4	-	-
MICHIGAN -----	96	86	108	137	283	464	682	717	436	163	30	-
WHITE-----MALE----	51	42	47	59	126	199	259	237	99	28	4	-
FEMALE--	27	32	44	65	127	227	376	438	318	130	23	-
ALL OTHER--MALE----	4	2	7	6	14	15	17	10	8	-	-	-
FEMALE--	14	10	10	7	16	23	30	32	11	5	3	-
BLACK---MALE-----	4	2	7	5	12	14	14	10	8	-	-	-
FEMALE--	13	10	10	7	16	20	29	31	10	5	3	-



[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

VI. Diseases of the nervous system (G00-G98)

MINNESOTA -----	38	28	52	96	142	263	443	488	353	139	20	-
WHITE-----MALE----	23	17	23	57	69	132	202	185	92	15	3	-
FEMALE--	13	11	28	38	64	123	238	300	259	121	17	-
ALL OTHER--MALE----	2	-	-	-	5	6	2	1	1	-	-	-
FEMALE--	-	-	1	1	4	2	1	2	1	3	-	-
BLACK---MALE-----	-	-	-	-	4	4	1	-	1	-	-	-
FEMALE--	-	-	1	-	3	1	-	1	1	1	-	-
MISSISSIPPI -----	23	24	27	51	76	111	155	160	110	34	6	-
WHITE-----MALE----	8	11	9	24	29	40	49	40	20	3	-	-
FEMALE--	8	5	7	14	30	54	81	91	71	23	2	-
ALL OTHER--MALE----	3	4	4	3	11	8	8	13	5	2	-	-
FEMALE--	4	4	7	10	6	9	17	16	14	6	4	-
BLACK---MALE-----	3	4	4	3	10	8	8	13	5	2	-	-
FEMALE--	4	4	7	10	6	9	16	16	14	6	4	-
MISSOURI -----	38	50	56	96	149	261	408	433	323	125	21	-
WHITE-----MALE----	18	20	22	50	72	120	171	133	76	18	3	-
FEMALE--	19	25	25	40	67	120	222	282	238	103	16	-
ALL OTHER--MALE----	-	-	3	3	5	11	5	6	1	-	1	-
FEMALE--	1	5	6	3	5	10	10	12	8	4	1	-
BLACK---MALE-----	-	-	2	2	5	11	4	6	1	-	1	-
FEMALE--	1	4	5	3	5	10	10	11	8	4	1	-
MONTANA -----	9	8	10	8	24	44	93	105	70	25	3	-
WHITE-----MALE----	5	5	4	6	15	24	40	43	13	6	-	-
FEMALE--	4	2	4	2	9	19	52	60	57	19	3	-
ALL OTHER--MALE----	-	1	1	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	19	15	22	24	53	91	132	164	123	52	7	-
WHITE-----MALE----	9	8	10	9	25	45	49	54	28	11	2	-
FEMALE--	10	7	10	14	27	45	80	107	94	38	5	-
ALL OTHER--MALE----	-	-	1	1	-	1	2	1	-	2	-	-
FEMALE--	-	-	1	-	1	-	1	2	1	1	-	-
BLACK---MALE-----	-	-	1	1	-	1	2	1	-	2	-	-
FEMALE--	-	-	1	-	1	-	-	2	1	1	-	-
NEVADA -----	9	17	28	36	53	71	86	87	35	13	2	-
WHITE-----MALE----	2	8	13	22	26	34	45	23	7	3	-	-
FEMALE--	7	8	10	11	17	37	37	59	28	10	2	-
ALL OTHER--MALE----	-	1	2	2	5	-	3	1	-	-	-	-
FEMALE--	-	-	3	1	5	-	1	4	-	-	-	-
BLACK---MALE-----	-	1	1	2	3	-	2	-	-	-	-	-
FEMALE--	-	-	1	1	2	-	1	3	-	-	-	-







[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
VI. Diseases of the nervous system (G00-G98)												
OHIO -----	4,285	16	15	8	10	15	20	18	23	29	52	66
WHITE-----MALE----	1,572	6	5	4	6	9	7	11	6	15	26	31
FEMALE--	2,404	7	4	1	4	3	11	5	12	10	19	27
ALL OTHER--MALE----	120	1	4	1	-	2	2	2	2	4	5	1
FEMALE--	189	2	2	2	-	1	-	-	3	-	2	7
BLACK---MALE----	118	1	3	1	-	2	1	2	2	4	5	1
FEMALE--	186	2	2	2	-	1	-	-	3	-	2	7
OKLAHOMA -----	1,187	7	4	7	6	5	6	4	7	8	15	31
WHITE-----MALE----	430	3	3	2	4	2	3	1	3	2	9	13
FEMALE--	656	2	-	1	2	1	2	-	4	5	3	14
ALL OTHER--MALE----	42	2	-	2	-	2	1	2	-	-	3	2
FEMALE--	59	-	1	2	-	-	-	1	-	1	-	2
BLACK---MALE----	24	2	-	1	-	2	1	-	-	-	2	1
FEMALE--	39	-	-	2	-	-	-	-	-	1	-	-
OREGON -----	1,709	3	1	3	-	3	3	6	7	8	19	24
WHITE-----MALE----	648	1	1	1	-	1	2	2	3	4	10	11
FEMALE--	1,023	1	-	2	-	1	1	3	3	2	8	10
ALL OTHER--MALE----	12	1	-	-	-	1	-	-	1	2	-	1
FEMALE--	26	-	-	-	-	-	-	1	-	-	1	2
BLACK---MALE----	4	1	-	-	-	1	-	-	1	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	5,236	11	9	10	9	13	15	10	18	29	50	63
WHITE-----MALE----	1,921	5	2	1	4	5	9	5	6	18	18	33
FEMALE--	2,955	3	5	6	4	5	3	5	5	4	25	22
ALL OTHER--MALE----	126	2	1	2	1	2	2	-	2	3	5	5
FEMALE--	234	1	1	1	-	1	1	-	5	4	2	3
BLACK---MALE----	118	1	1	1	1	2	1	-	2	3	5	4
FEMALE--	225	1	1	1	-	1	-	-	5	4	2	3
RHODE ISLAND -----	410	-	1	-	1	3	1	2	1	1	3	2
WHITE-----MALE----	130	-	1	-	1	3	1	1	-	-	1	1
FEMALE--	273	-	-	-	-	-	-	-	1	1	1	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	1	-	-	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	1	-	-	1	-
SOUTH CAROLINA -----	1,501	-	1	2	3	7	5	4	10	16	21	34
WHITE-----MALE----	462	-	1	1	-	3	1	1	4	6	12	12
FEMALE--	725	-	-	-	-	2	-	2	1	4	3	11
ALL OTHER--MALE----	116	-	-	1	2	2	2	-	5	-	1	9
FEMALE--	198	-	-	-	1	-	2	1	-	6	5	2
BLACK---MALE----	114	-	-	1	2	2	1	-	5	-	1	9
FEMALE--	197	-	-	-	1	-	2	1	-	6	5	2

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 1672

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
VI. Diseases of the nervous system (G00-G98)												
OHIO -----	82	93	121	202	361	628	850	869	577	202	28	-
WHITE-----MALE----	41	36	53	100	167	271	330	286	132	29	1	-
FEMALE--	26	48	54	78	170	315	476	532	420	158	24	-
ALL OTHER--MALE----	6	7	6	6	13	18	21	15	3	-	1	-
FEMALE--	9	2	8	18	11	24	23	36	22	15	2	-
BLACK---MALE-----	6	7	6	6	13	18	21	15	3	-	1	-
FEMALE--	9	2	8	18	11	22	23	36	21	15	2	-
OKLAHOMA -----	26	37	32	41	74	155	248	260	150	58	6	-
WHITE-----MALE----	12	18	12	19	32	72	96	74	39	10	1	-
FEMALE--	9	17	15	17	35	73	134	169	103	46	4	-
ALL OTHER--MALE----	3	2	2	3	1	4	7	5	1	-	-	-
FEMALE--	2	-	3	2	6	6	11	12	7	2	1	-
BLACK---MALE-----	1	1	1	2	-	3	2	4	1	-	-	-
FEMALE--	2	-	1	2	3	6	5	9	5	2	1	-
OREGON -----	28	46	47	61	98	225	359	408	248	98	14	-
WHITE-----MALE----	15	19	25	25	49	108	145	144	68	13	1	-
FEMALE--	11	24	22	34	48	112	209	261	173	85	13	-
ALL OTHER--MALE----	1	2	-	1	-	1	1	-	-	-	-	-
FEMALE--	1	1	-	1	1	4	4	3	7	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	2	1	3	4	-	-	-
PENNSYLVANIA -----	92	132	166	211	414	735	1,066	1,099	757	278	49	-
WHITE-----MALE----	31	57	73	102	202	342	433	353	179	42	1	-
FEMALE--	48	56	65	89	189	339	577	697	545	222	41	-
ALL OTHER--MALE----	6	10	15	4	7	18	18	13	9	1	-	-
FEMALE--	7	9	13	16	16	36	38	36	24	13	7	-
BLACK---MALE-----	6	10	15	4	7	16	17	12	9	1	-	-
FEMALE--	6	9	12	16	16	32	37	36	23	13	7	-
RHODE ISLAND -----	6	7	8	15	23	48	90	77	77	39	5	-
WHITE-----MALE----	2	3	2	8	13	22	33	23	13	2	-	-
FEMALE--	4	4	6	7	10	26	57	53	62	35	5	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	2	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	2	-	-
SOUTH CAROLINA -----	38	35	50	81	108	229	289	292	189	66	21	-
WHITE-----MALE----	12	15	21	29	47	88	95	74	32	8	-	-
FEMALE--	11	7	18	34	40	99	142	174	123	42	12	-
ALL OTHER--MALE----	7	2	5	10	11	18	15	11	11	1	3	-
FEMALE--	8	11	6	8	10	24	37	33	23	15	6	-
BLACK---MALE-----	7	2	5	10	11	18	15	10	11	1	3	-
FEMALE--	8	11	6	8	10	24	36	33	23	15	6	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 1673

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
VI. Diseases of the nervous system (G00-G98)												
SOUTH DAKOTA -----	295	-	1	-	-	-	2	-	2	5	3	2
WHITE-----MALE----	120	-	1	-	-	-	2	-	-	3	2	-
FEMALE--	167	-	-	-	-	-	-	-	1	2	1	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1,984	10	7	3	4	6	6	16	14	23	22	31
WHITE-----MALE----	682	5	4	2	3	2	4	8	4	11	10	11
FEMALE--	1,085	3	-	-	1	-	1	6	5	7	8	11
ALL OTHER--MALE----	92	-	1	-	-	3	1	2	4	4	-	4
FEMALE--	125	2	2	1	-	1	-	-	1	1	4	5
BLACK---MALE----	91	-	1	-	-	3	1	2	4	4	-	4
FEMALE--	123	2	2	1	-	1	-	-	1	1	4	4
TEXAS -----	6,183	35	34	18	17	35	30	31	32	41	66	103
WHITE-----MALE----	2,202	18	16	13	6	21	18	12	12	17	39	39
FEMALE--	3,464	6	11	5	8	5	7	10	12	14	18	48
ALL OTHER--MALE----	209	6	4	-	1	5	2	6	3	3	4	9
FEMALE--	308	5	3	-	2	4	3	3	5	7	5	7
BLACK---MALE----	200	6	4	-	1	5	2	5	2	3	4	8
FEMALE--	294	5	2	-	2	4	3	3	5	7	5	7
UTAH -----	638	10	1	1	3	6	4	2	5	9	6	15
WHITE-----MALE----	293	4	1	-	3	4	3	1	1	4	2	8
FEMALE--	339	6	-	1	-	2	1	1	3	5	4	7
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	284	-	-	2	-	1	1	-	2	-	3	1
WHITE-----MALE----	107	-	-	-	-	-	1	-	2	-	3	-
FEMALE--	176	-	-	2	-	1	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2,218	8	6	12	10	11	10	9	7	18	30	36
WHITE-----MALE----	735	5	2	2	2	3	2	4	4	5	11	18
FEMALE--	1,173	1	2	2	3	3	3	-	-	6	12	9
ALL OTHER--MALE----	134	1	-	3	1	3	3	4	2	5	3	2
FEMALE--	176	1	2	5	4	2	2	1	1	2	4	7
BLACK---MALE----	128	1	-	3	1	3	3	4	2	4	3	2
FEMALE--	171	-	2	5	4	2	2	1	1	2	4	6

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
VI. Diseases of the nervous system (G00-G98)												
SOUTH DAKOTA -----	6	10	6	10	17	40	56	57	60	13	5	-
WHITE-----MALE----	1	4	3	8	8	15	25	27	17	4	-	-
FEMALE--	3	4	2	2	9	25	31	30	42	9	5	-
ALL OTHER--MALE----	1	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	37	55	57	103	160	298	382	394	250	92	14	-
WHITE-----MALE----	15	28	27	45	71	118	149	114	39	12	-	-
FEMALE--	17	20	21	46	73	145	203	246	187	72	13	-
ALL OTHER--MALE----	2	3	5	9	6	14	15	10	5	4	-	-
FEMALE--	3	4	4	3	10	21	15	24	19	4	1	-
BLACK---MALE----	2	3	5	9	6	14	15	9	5	4	-	-
FEMALE--	3	4	4	3	10	21	15	24	18	4	1	-
TEXAS -----	126	157	194	258	489	854	1,218	1,250	855	290	50	-
WHITE-----MALE----	56	60	88	127	230	342	483	363	194	44	4	-
FEMALE--	43	67	83	103	217	453	666	811	607	230	40	-
ALL OTHER--MALE----	14	14	11	11	22	22	26	28	16	2	-	-
FEMALE--	13	16	12	17	20	37	43	48	38	14	6	-
BLACK---MALE----	14	13	10	11	22	20	25	27	16	2	-	-
FEMALE--	13	15	11	15	19	35	41	47	36	13	6	-
UTAH -----	14	20	23	25	53	101	120	123	76	19	2	-
WHITE-----MALE----	7	9	12	17	24	51	56	62	21	2	1	-
FEMALE--	7	11	10	7	28	50	62	61	55	17	1	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	5	9	11	11	16	29	65	58	53	15	2	-
WHITE-----MALE----	1	3	7	7	6	20	24	19	13	1	-	-
FEMALE--	4	6	4	4	10	9	40	39	40	14	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	54	56	69	116	171	316	436	460	262	108	13	-
WHITE-----MALE----	23	27	36	52	78	125	154	119	52	10	1	-
FEMALE--	22	17	24	47	71	154	231	288	182	88	8	-
ALL OTHER--MALE----	4	4	4	11	10	20	23	23	7	1	-	-
FEMALE--	5	8	5	6	12	17	28	30	21	9	4	-
BLACK---MALE----	4	4	3	11	10	19	22	21	7	1	-	-
FEMALE--	5	7	5	6	12	17	28	30	19	9	4	-













04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 1676

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Meningitis (G00,G03)

COLORADO -----	-	-	-	1	1	-	1	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	1	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	-	1	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	2	2	1	4	1	2	3	-	-	-	-	-
WHITE-----MALE----	-	-	1	3	1	1	1	-	-	-	-	-
FEMALE--	-	2	-	1	-	1	2	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	6	1	1	1	2	3	3	2	-	-	-	-
WHITE-----MALE----	2	-	1	-	-	2	-	-	-	-	-	-
FEMALE--	2	-	-	1	2	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	2	1	-	-	-	-
FEMALE--	1	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	2	1	-	-	-	-
FEMALE--	1	-	-	-	-	1	1	-	-	-	-	-





[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Meningitis (G00,G03)												
KENTUCKY -----	13	2	-	-	-	-	1	-	1	-	2	1
WHITE-----MALE----	4	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	7	1	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	21	2	-	1	-	1	-	-	-	-	1	2
WHITE-----MALE----	9	-	-	-	-	1	-	-	-	-	1	2
FEMALE--	5	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	10	-	-	-	-	-	-	1	-	2	1	1
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	3	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
MASSACHUSETTS -----	15	-	-	-	-	-	-	-	1	-	-	3
WHITE-----MALE----	7	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	32	-	4	-	1	2	1	-	3	2	4	3
WHITE-----MALE----	10	-	2	-	1	1	-	-	-	-	1	1
FEMALE--	6	-	1	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	1	-	1	2	1	1
FEMALE--	8	-	1	-	-	-	-	-	2	-	2	1
BLACK---MALE----	8	-	-	-	-	-	1	-	1	2	1	1
FEMALE--	7	-	1	-	-	-	-	-	2	-	2	1













04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 1681

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Meningitis (G00,G03)												
OHIO -----	27	4	1	-	1	-	1	-	-	1	1	1
WHITE-----MALE----	10	1	-	-	1	-	-	-	-	1	-	1
FEMALE--	10	1	1	-	-	-	1	-	-	-	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	2	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	2	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	13	1	-	1	-	-	-	1	1	-	2	-
WHITE-----MALE----	9	-	-	1	-	-	-	1	1	-	2	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	6	-	-	-	-	-	-	-	-	1	1	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	27	1	-	2	1	-	1	-	-	1	3	-
WHITE-----MALE----	9	-	-	1	-	-	-	-	-	1	1	-
FEMALE--	11	-	-	1	1	-	-	-	-	-	1	-
ALL OTHER--MALE----	5	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	3	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	13	-	-	-	-	-	2	-	1	1	-	2
WHITE-----MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	1	-	-	-	-	2
FEMALE--	2	-	-	-	-	-	1	-	-	1	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	2	-	-	-	-	-	1	-	-	1	-	-

















[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

ALL AGES UNDER 1 YEAR 1-4 YEARS 5-9 YEARS 10-14 YEARS 15-19 YEARS 20-24 YEARS 25-29 YEARS 30-34 YEARS 35-39 YEARS 40-44 YEARS 45-49 YEARS

Other inflammatory diseases of central nervous system (G04-G09)

COLORADO -----	11	-	-	-	-	-	2	-	1	-	-	-
WHITE-----MALE----	4	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	7	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	6	-	-	1	-	1	-	-	-	-	-	2
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	2	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	4	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	1	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
FLORIDA -----	36	-	1	-	1	1	1	1	1	2	2	3
WHITE-----MALE----	12	-	-	-	1	-	1	-	-	1	-	-
FEMALE--	12	-	-	-	-	-	-	-	1	1	1	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	7	-	1	-	-	1	-	1	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	7	-	1	-	-	1	-	1	-	-	-	-
GEORGIA -----	23	-	1	-	-	-	-	2	1	1	2	3
WHITE-----MALE----	3	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	1	-	-	1	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	6	-	-	-	-	-	-	1	1	-	-	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	6	-	-	-	-	-	-	1	1	-	-	1

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

50-54 YEARS    55-59 YEARS    60-64 YEARS    65-69 YEARS    70-74 YEARS    75-79 YEARS    80-84 YEARS    85-89 YEARS    90-94 YEARS    95-99 YEARS    100 YEARS & OVER    AGE NOT STATED

Other inflammatory diseases of central nervous system (G04-G09)

COLORADO -----	-	1	1	2	1	2	1	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	2	-	2	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	-	-	-	-	1	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	2	1	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	2	-	2	4	6	5	2	2	-	-	-	-
WHITE-----MALE----	-	-	1	2	1	3	1	1	-	-	-	-
FEMALE--	-	-	-	1	4	2	1	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	1	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	1	1	-	-	-	-	-	-	-
GEORGIA -----	-	3	5	-	2	1	1	1	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	3	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	1	-	1	-	-	-	-	-	-	-



04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 1686

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Other inflammatory diseases of central nervous system (G04-G09)

HAWAII -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	1	-	-	1	-	2	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	1	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	-	3	1	-	3	2	2	3	1	-	-	-
WHITE-----MALE----	-	3	1	-	2	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
INDIANA -----	-	2	1	1	2	1	1	-	1	-	-	-
WHITE-----MALE----	-	1	-	-	-	1	1	-	1	-	-	-
FEMALE--	-	1	1	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA -----	-	-	-	-	-	2	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-



[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other inflammatory diseases of central nervous system (G04-G09)

KENTUCKY -----	10	-	-	-	-	-	-	1	-	-	1	1
WHITE-----MALE----	5	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	9	-	-	-	1	-	-	2	-	-	2	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	1	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	1	-
MAINE -----	3	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	15	1	-	-	1	-	-	-	-	-	2	1
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	21	1	-	-	-	-	-	-	2	1	-	-
WHITE-----MALE----	10	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
MICHIGAN -----	27	-	1	-	-	2	-	1	3	1	2	2
WHITE-----MALE----	16	-	1	-	-	2	-	1	1	1	2	-
FEMALE--	8	-	-	-	-	-	-	1	1	-	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 1687

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Other inflammatory diseases of central nervous system (G04-G09)

KENTUCKY -----	1	-	1	2	-	2	1	-	-	-	-	-
WHITE-----MALE----	-	-	1	1	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	1	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	1	1	-	-	-	-	-	2	-	-	-	-
WHITE-----MALE----	1	1	-	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	-	-	-	-	-	1	1	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	-	-	-	1	5	1	1	1	-	-	-
WHITE-----MALE----	1	-	-	-	-	2	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	2	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	2	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	2	2	1	1	2	3	3	2	1	-	-	-
WHITE-----MALE----	1	-	-	-	1	2	3	1	1	-	-	-
FEMALE--	1	2	1	1	1	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	1	2	1	2	6	2	-	1	-	-	-	-
WHITE-----MALE----	-	1	1	2	3	1	-	1	-	-	-	-
FEMALE--	1	1	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-









[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other inflammatory diseases of central nervous system (G04-G09)												
OHIO -----	32	1	1	1	1	-	3	-	2	-	2	2
WHITE-----MALE----	12	-	1	-	1	-	-	-	-	-	1	1
FEMALE--	13	1	-	-	-	-	2	-	1	-	1	1
ALL OTHER--MALE----	4	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	3	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	3	-	-	1	-	-	-	-	-	-	-	-
OKLAHOMA -----	10	-	-	-	1	-	1	1	-	-	-	2
WHITE-----MALE----	6	-	-	-	1	-	1	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	8	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	20	-	-	-	1	-	-	1	-	-	-	1
WHITE-----MALE----	6	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
RHODE ISLAND -----	3	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	9	-	-	1	-	-	-	-	-	2	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	4	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-





04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 1691

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other inflammatory diseases of central nervous system (G04-G09)												
SOUTH DAKOTA -----	4	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	13	-	-	-	-	-	-	1	1	-	1	-
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	51	2	1	1	-	1	1	6	3	1	3	3
WHITE-----MALE----	18	2	1	1	-	1	-	-	-	-	3	1
FEMALE--	18	-	-	-	-	-	1	3	1	1	-	1
ALL OTHER--MALE----	7	-	-	-	-	-	-	2	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	1	2	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	2	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	1	2	-	-	-
UTAH -----	3	-	1	-	-	-	-	-	-	-	2	-
WHITE-----MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	19	1	1	-	1	1	-	-	-	-	-	4
WHITE-----MALE----	9	1	-	-	-	-	-	-	-	-	-	2
FEMALE--	6	-	1	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	1	1	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	1	1	-	-	-	-	-	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 1691

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other inflammatory diseases of central nervous system (G04-G09)												
SOUTH DAKOTA -----	-	-	-	-	-	1	1	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1	2	1	2	2	1	1	-	-	-	-	-
WHITE-----MALE----	1	2	-	1	1	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	6	2	4	6	5	2	2	1	-	-	1	-
WHITE-----MALE----	3	-	2	2	1	-	-	-	-	-	1	-
FEMALE--	2	2	-	1	2	2	1	1	-	-	-	-
ALL OTHER--MALE----	1	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	2	1	-	1	-	-	-	-	-
BLACK---MALE----	1	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	2	1	-	1	-	-	-	-	-
UTAH -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2	-	1	1	2	3	1	-	-	1	-	-
WHITE-----MALE----	2	-	1	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-







[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Parkinson's disease (G20-G21)

UNITED STATES -	32	100	201	554	1,593	3,446	4,679	3,786	1,655	425	43	-
WHITE-----MALE----	23	62	135	339	972	2,019	2,622	1,934	725	127	9	-
FEMALE--	7	28	45	174	526	1,269	1,862	1,694	860	275	28	-
ALL OTHER--MALE----	2	7	10	23	60	85	111	78	34	7	1	-
FEMALE--	-	3	11	18	35	73	84	80	36	16	5	-
BLACK---MALE-----	2	4	9	15	44	55	72	55	29	4	-	-
FEMALE--	-	1	6	10	22	54	57	61	25	14	4	-
ALABAMA -----	1	3	2	9	27	57	75	36	23	6	-	-
WHITE-----MALE----	-	3	1	6	10	40	41	13	10	1	-	-
FEMALE--	-	-	-	3	13	15	30	22	11	4	-	-
ALL OTHER--MALE----	1	-	-	-	1	1	3	-	2	-	-	-
FEMALE--	-	-	1	-	3	1	1	1	-	1	-	-
BLACK---MALE-----	1	-	-	-	1	1	3	-	2	-	-	-
FEMALE--	-	-	1	-	3	1	1	1	-	1	-	-
ALASKA -----	-	-	3	-	1	5	4	5	-	1	-	-
WHITE-----MALE----	-	-	-	-	1	4	2	-	-	1	-	-
FEMALE--	-	-	-	-	-	1	1	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	3	-	-	-	-	2	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2	1	5	12	29	71	103	91	43	11	1	-
WHITE-----MALE----	1	1	5	8	18	43	60	53	23	5	1	-
FEMALE--	1	-	-	3	10	23	40	37	19	6	-	-
ALL OTHER--MALE----	-	-	-	-	1	4	1	-	1	-	-	-
FEMALE--	-	-	-	1	-	1	2	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	1	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ARKANSAS -----	-	-	6	7	18	37	48	44	10	2	2	-
WHITE-----MALE----	-	-	6	5	14	25	32	20	3	1	-	-
FEMALE--	-	-	-	2	4	12	15	23	5	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	2	-	2	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	2	-	2	-
CALIFORNIA -----	4	10	17	53	138	336	440	329	144	36	4	-
WHITE-----MALE----	2	2	13	23	81	196	260	164	65	11	1	-
FEMALE--	2	6	2	21	40	114	143	144	70	21	3	-
ALL OTHER--MALE----	-	-	-	4	12	14	23	13	5	2	-	-
FEMALE--	-	2	2	5	5	12	14	8	4	2	-	-
BLACK---MALE-----	-	-	-	1	5	6	8	7	2	-	-	-
FEMALE--	-	-	1	1	-	4	5	3	-	1	-	-



04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 1694

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Parkinson's disease (G20-G21)												
COLORADO -----	1	2	2	8	22	38	73	38	26	8	-	-
WHITE-----MALE----	1	1	1	4	13	23	39	22	14	4	-	-
FEMALE--	-	1	1	4	8	14	33	16	12	4	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	2	1	5	27	41	67	46	17	6	1	-
WHITE-----MALE----	-	1	1	1	19	26	35	23	8	2	-	-
FEMALE--	-	-	-	4	6	14	30	22	8	4	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	1	1	-	-	-
FEMALE--	-	1	-	-	1	1	2	-	-	-	-	-
BLACK--MALE----	-	-	-	-	1	-	-	1	1	-	-	-
FEMALE--	-	1	-	-	1	1	2	-	-	-	-	-
DELAWARE -----	-	1	1	1	3	13	11	12	3	2	-	-
WHITE-----MALE----	-	1	1	1	1	5	7	8	1	1	-	-
FEMALE--	-	-	-	-	2	7	3	4	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	2	4	10	6	6	6	-	-	-
WHITE-----MALE----	-	-	-	1	-	4	2	-	1	-	-	-
FEMALE--	-	-	-	-	1	1	2	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	1	3	3	2	-	1	-	-	-
FEMALE--	-	-	-	-	1	2	2	4	2	-	-	-
BLACK--MALE----	-	-	-	1	3	3	1	-	1	-	-	-
FEMALE--	-	-	-	-	1	2	2	4	2	-	-	-
FLORIDA -----	5	2	11	42	135	264	381	338	114	23	2	-
WHITE-----MALE----	3	2	5	26	83	156	249	193	55	12	-	-
FEMALE--	2	-	5	12	47	99	128	138	56	11	2	-
ALL OTHER--MALE----	-	-	-	3	3	3	2	5	2	-	-	-
FEMALE--	-	-	1	1	2	6	2	2	1	-	-	-
BLACK--MALE----	-	-	-	2	3	3	2	4	2	-	-	-
FEMALE--	-	-	1	1	2	6	1	2	1	-	-	-
GEORGIA -----	-	2	5	22	38	80	84	62	24	8	1	-
WHITE-----MALE----	-	1	3	14	21	52	44	27	12	1	-	-
FEMALE--	-	1	-	5	12	26	38	30	10	4	1	-
ALL OTHER--MALE----	-	-	1	2	3	-	1	2	-	-	-	-
FEMALE--	-	-	1	1	2	2	1	3	2	3	-	-
BLACK--MALE----	-	-	1	2	3	-	1	2	-	-	-	-
FEMALE--	-	-	1	-	2	2	1	3	2	3	-	-





04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 1695

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Parkinson's disease (G20-G21)												
HAWAII -----	-	2	1	2	8	10	26	21	11	1	2	-
WHITE-----MALE----	-	-	-	-	-	-	5	3	3	-	-	-
FEMALE--	-	1	-	-	2	1	4	2	3	-	-	-
ALL OTHER--MALE----	-	1	-	2	3	6	8	10	2	1	1	-
FEMALE--	-	-	1	-	3	3	9	6	3	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	1	1	2	3	8	11	24	27	10	3	-	-
WHITE-----MALE----	1	1	2	3	4	7	15	15	6	-	-	-
FEMALE--	-	-	-	-	4	4	8	12	4	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	-	5	15	21	64	167	189	191	85	16	1	-
WHITE-----MALE----	-	2	9	16	40	104	97	100	37	5	1	-
FEMALE--	-	1	5	4	23	52	83	83	43	10	-	-
ALL OTHER--MALE----	-	2	1	-	-	9	5	6	2	1	-	-
FEMALE--	-	-	-	1	1	2	4	2	3	-	-	-
BLACK---MALE----	-	-	1	-	1	8	5	5	2	1	-	-
FEMALE--	-	-	-	-	-	1	3	2	3	-	-	-
INDIANA -----	1	1	6	9	52	82	114	93	37	10	2	-
WHITE-----MALE----	1	1	5	4	38	47	54	56	13	3	-	-
FEMALE--	-	-	1	2	12	32	56	36	23	7	2	-
ALL OTHER--MALE----	-	-	-	1	1	1	3	-	-	-	-	-
FEMALE--	-	-	-	2	1	2	1	1	1	-	-	-
BLACK---MALE----	-	-	-	1	1	1	3	-	-	-	-	-
FEMALE--	-	-	-	2	1	2	1	1	1	-	-	-
IOWA -----	-	1	1	9	27	46	62	47	12	13	-	-
WHITE-----MALE----	-	1	-	5	15	29	32	32	8	3	-	-
FEMALE--	-	-	1	4	12	17	30	15	4	10	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	-	1	1	7	15	54	50	49	26	11	-	-
WHITE-----MALE----	-	1	1	5	11	32	29	26	12	5	-	-
FEMALE--	-	-	-	2	4	22	21	21	13	6	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-



[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Parkinson's disease (G20-G21)												
KENTUCKY -----	1	1	1	8	24	52	68	43	20	4	-	-
WHITE-----MALE----	1	-	1	2	14	26	38	18	8	-	-	-
FEMALE--	-	-	-	6	10	25	28	23	12	4	-	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	1	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
LOUISIANA -----	1	1	3	8	31	60	59	41	20	4	1	-
WHITE-----MALE----	-	-	1	3	18	28	26	16	7	-	-	-
FEMALE--	-	-	2	2	11	29	25	22	11	4	-	-
ALL OTHER--MALE----	1	1	-	-	2	2	6	2	1	-	-	-
FEMALE--	-	-	-	3	-	1	2	1	1	-	1	-
BLACK---MALE----	1	1	-	-	2	2	6	2	1	-	-	-
FEMALE--	-	-	-	2	-	1	2	1	1	-	1	-
MAINE -----	-	-	-	4	17	25	17	25	10	4	1	-
WHITE-----MALE----	-	-	-	2	13	13	13	14	5	1	-	-
FEMALE--	-	-	-	2	4	12	4	11	5	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	2	4	8	31	67	92	81	40	8	1	-
WHITE-----MALE----	-	1	3	7	12	39	44	42	17	2	1	-
FEMALE--	-	1	1	1	15	22	40	32	21	6	-	-
ALL OTHER--MALE----	-	-	-	-	3	4	5	3	1	-	-	-
FEMALE--	-	-	-	-	1	2	3	4	1	-	-	-
BLACK---MALE----	-	-	-	-	3	4	5	2	1	-	-	-
FEMALE--	-	-	-	-	1	2	3	3	1	-	-	-
MASSACHUSETTS -----	-	3	5	9	39	86	122	114	55	16	1	-
WHITE-----MALE----	-	2	2	4	29	59	79	52	23	5	-	-
FEMALE--	-	1	1	4	10	26	40	59	31	11	1	-
ALL OTHER--MALE----	-	-	2	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	3	1	-	-	-
BLACK---MALE----	-	-	1	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	2	1	-	-	-
MICHIGAN -----	1	6	11	23	61	112	177	146	49	15	-	-
WHITE-----MALE----	-	3	6	12	38	62	87	78	19	4	-	-
FEMALE--	1	2	3	10	18	46	82	59	30	10	-	-
ALL OTHER--MALE----	-	1	1	-	5	2	2	4	-	-	-	-
FEMALE--	-	-	1	1	-	2	6	5	-	1	-	-
BLACK---MALE----	-	1	1	-	4	1	1	4	-	-	-	-
FEMALE--	-	-	1	1	-	1	6	5	-	1	-	-













[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Parkinson's disease (G20-G21)

OHIO -----	2	4	7	33	56	147	190	165	60	13	1	-
WHITE-----MALE----	2	3	5	26	31	86	105	87	31	4	-	-
FEMALE--	-	1	2	7	24	58	82	70	28	8	1	-
ALL OTHER--MALE----	-	-	-	-	1	1	2	3	1	-	-	-
FEMALE--	-	-	-	-	-	2	1	5	-	1	-	-
BLACK---MALE-----	-	-	-	-	1	1	2	3	1	-	-	-
FEMALE--	-	-	-	-	-	2	1	5	-	1	-	-
OKLAHOMA -----	-	1	3	2	12	48	50	42	19	6	-	-
WHITE-----MALE----	-	1	2	-	5	26	30	20	7	2	-	-
FEMALE--	-	-	1	1	6	21	18	22	11	4	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	2	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
OREGON -----	1	1	4	11	20	51	95	72	27	8	1	-
WHITE-----MALE----	1	-	3	6	17	30	48	40	11	2	-	-
FEMALE--	-	1	1	5	3	20	44	32	16	6	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
PENNSYLVANIA -----	-	6	18	30	92	195	315	218	118	29	1	-
WHITE-----MALE----	-	4	12	21	54	125	166	113	46	7	-	-
FEMALE--	-	2	6	8	37	60	144	98	67	21	1	-
ALL OTHER--MALE----	-	-	-	-	1	5	3	3	2	-	-	-
FEMALE--	-	-	-	1	-	5	2	4	3	1	-	-
BLACK---MALE-----	-	-	-	-	1	4	3	3	2	-	-	-
FEMALE--	-	-	-	1	-	4	2	4	3	1	-	-
RHODE ISLAND -----	-	-	-	3	8	13	16	24	8	2	-	-
WHITE-----MALE----	-	-	-	2	6	6	7	15	3	-	-	-
FEMALE--	-	-	-	1	2	7	9	9	5	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	5	1	10	26	54	57	40	17	3	1	-
WHITE-----MALE----	1	3	-	5	16	27	30	17	5	1	-	-
FEMALE--	-	2	-	4	7	20	24	19	10	2	1	-
ALL OTHER--MALE----	-	-	-	1	2	3	2	2	2	-	-	-
FEMALE--	-	-	1	-	1	4	1	2	-	-	-	-
BLACK---MALE-----	-	-	-	1	2	3	2	1	2	-	-	-
FEMALE--	-	-	1	-	1	4	1	2	-	-	-	-



04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 1700

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Parkinson's disease (G20-G21)												
SOUTH DAKOTA -----	-	-	-	2	2	11	15	15	10	-	-	-
WHITE-----MALE----	-	-	-	2	1	7	8	9	5	-	-	-
FEMALE--	-	-	-	-	1	4	7	6	5	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	4	2	11	23	74	74	58	31	8	-	-
WHITE-----MALE----	-	3	1	8	14	37	42	24	12	2	-	-
FEMALE--	-	1	-	3	8	33	29	28	17	5	-	-
ALL OTHER--MALE----	-	-	1	-	1	1	2	2	-	1	-	-
FEMALE--	-	-	-	-	-	3	1	4	2	-	-	-
BLACK---MALE----	-	-	1	-	1	1	2	1	-	1	-	-
FEMALE--	-	-	-	-	-	3	1	4	1	-	-	-
TEXAS -----	3	10	15	35	111	201	285	218	107	21	5	-
WHITE-----MALE----	3	5	11	26	66	107	168	112	46	8	2	-
FEMALE--	-	5	3	9	39	84	110	100	52	12	3	-
ALL OTHER--MALE----	-	-	1	-	5	3	4	3	3	-	-	-
FEMALE--	-	-	-	-	1	7	3	3	6	1	-	-
BLACK---MALE----	-	-	1	-	5	3	3	3	3	-	-	-
FEMALE--	-	-	-	-	1	6	3	2	4	1	-	-
UTAH -----	-	-	2	6	14	28	37	27	15	5	-	-
WHITE-----MALE----	-	-	1	5	8	22	26	15	7	-	-	-
FEMALE--	-	-	1	1	5	6	11	12	8	5	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	1	-	2	11	27	16	3	4	-	-
WHITE-----MALE----	-	-	1	-	2	9	15	7	3	1	-	-
FEMALE--	-	-	-	-	-	2	11	9	-	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	5	6	12	35	83	111	80	32	8	-	-
WHITE-----MALE----	-	5	4	6	20	42	55	33	14	3	-	-
FEMALE--	-	-	2	4	14	37	47	36	15	5	-	-
ALL OTHER--MALE----	-	-	-	2	-	1	6	7	3	-	-	-
FEMALE--	-	-	-	-	1	3	3	4	-	-	-	-
BLACK---MALE----	-	-	-	2	-	1	6	5	3	-	-	-
FEMALE--	-	-	-	-	1	3	3	4	-	-	-	-







[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Alzheimer's disease (G30)												
UNITED STATES -	56	165	364	858	2,564	6,568	11,974	14,843	11,168	4,474	796	-
WHITE-----MALE----	25	56	154	353	996	2,423	3,904	3,968	2,178	576	67	-
FEMALE--	29	102	187	414	1,373	3,609	7,290	9,993	8,387	3,606	640	-
ALL OTHER--MALE----	2	5	13	44	79	193	275	257	134	32	12	-
FEMALE--	-	2	10	47	116	343	505	625	469	260	77	-
BLACK---MALE-----	2	5	13	39	72	182	231	219	110	25	11	-
FEMALE--	-	1	8	42	101	318	447	565	415	236	69	-
ALABAMA -----	1	2	6	28	63	132	280	318	193	63	17	-
WHITE-----MALE----	1	-	1	13	15	42	75	70	30	9	2	-
FEMALE--	-	2	5	11	39	65	167	209	136	42	7	-
ALL OTHER--MALE----	-	-	-	4	4	9	15	9	4	1	1	-
FEMALE--	-	-	-	-	5	16	23	30	23	11	7	-
BLACK---MALE-----	-	-	-	4	4	9	14	9	4	1	1	-
FEMALE--	-	-	-	-	5	16	23	30	22	11	7	-
ALASKA -----	-	1	3	3	3	4	10	9	9	2	-	-
WHITE-----MALE----	-	1	1	-	2	2	3	3	1	-	-	-
FEMALE--	-	-	2	3	1	2	5	6	7	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
ARIZONA -----	2	3	6	16	52	122	245	317	241	95	9	-
WHITE-----MALE----	1	1	3	10	18	44	73	106	60	14	2	-
FEMALE--	1	2	3	4	31	74	163	203	177	79	7	-
ALL OTHER--MALE----	-	-	-	-	1	1	1	2	-	1	-	-
FEMALE--	-	-	-	2	2	3	8	6	4	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	1	2	3	3	3	1	-	-
ARKANSAS -----	-	3	3	8	25	68	113	130	72	29	1	-
WHITE-----MALE----	-	-	-	2	14	26	42	35	11	4	-	-
FEMALE--	-	3	3	5	10	37	65	86	56	19	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	3	2	1	-	-
FEMALE--	-	-	-	-	1	5	5	6	3	5	1	-
BLACK---MALE-----	-	-	-	1	-	-	1	3	2	1	-	-
FEMALE--	-	-	-	-	1	5	5	6	3	5	1	-
CALIFORNIA -----	3	13	31	72	210	591	1,118	1,377	1,020	402	93	-
WHITE-----MALE----	2	4	9	25	89	217	393	388	232	56	10	-
FEMALE--	1	7	21	35	105	324	639	912	726	311	74	-
ALL OTHER--MALE----	-	1	-	5	8	22	33	26	13	4	2	-
FEMALE--	-	1	1	7	8	28	53	51	49	31	7	-
BLACK---MALE-----	-	1	-	3	8	17	16	12	5	2	1	-
FEMALE--	-	-	-	5	3	20	39	26	29	24	5	-





[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Alzheimer's disease (G30)												
COLORADO -----	-	2	3	15	29	86	182	256	188	82	9	-
WHITE-----MALE----	-	2	1	5	11	37	73	77	31	16	-	-
FEMALE--	-	-	2	9	17	49	105	176	153	63	9	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	3	3	3	3	-	-
BLACK---MALE-----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	3	3	3	2	-	-
CONNECTICUT -----	2	4	1	9	24	65	130	156	113	62	7	-
WHITE-----MALE----	-	2	-	5	12	28	47	41	23	5	-	-
FEMALE--	1	2	1	3	11	31	78	112	86	55	7	-
ALL OTHER--MALE----	1	-	-	-	1	2	1	1	2	-	-	-
FEMALE--	-	-	-	1	-	4	4	2	2	2	-	-
BLACK---MALE-----	1	-	-	-	1	2	1	1	2	-	-	-
FEMALE--	-	-	-	1	-	4	4	2	2	2	-	-
DELAWARE -----	-	2	-	2	10	17	38	39	18	9	-	-
WHITE-----MALE----	-	1	-	1	2	6	12	16	3	-	-	-
FEMALE--	-	1	-	1	8	9	25	20	14	8	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	2	1	1	1	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	2	2	-	-	-	-
FEMALE--	-	-	-	-	-	2	1	1	1	1	-	-
DISTRICT OF COLUMBIA ---	-	-	1	-	3	12	18	22	24	13	5	-
WHITE-----MALE----	-	-	-	-	2	-	3	2	5	2	-	-
FEMALE--	-	-	-	-	1	-	4	8	7	6	1	-
ALL OTHER--MALE----	-	-	-	-	-	6	5	4	6	1	1	-
FEMALE--	-	-	1	-	-	6	6	8	6	4	3	-
BLACK---MALE-----	-	-	-	-	-	6	5	4	5	1	1	-
FEMALE--	-	-	1	-	-	6	6	8	6	4	3	-
FLORIDA -----	2	7	14	51	183	468	829	978	741	309	61	-
WHITE-----MALE----	1	4	7	20	77	191	307	301	172	63	5	-
FEMALE--	1	3	6	24	95	249	490	647	548	237	54	-
ALL OTHER--MALE----	-	-	-	5	4	12	10	6	2	-	-	-
FEMALE--	-	-	1	2	7	16	22	24	19	9	2	-
BLACK---MALE-----	-	-	-	4	4	12	10	6	2	-	-	-
FEMALE--	-	-	1	2	6	16	21	23	19	9	2	-
GEORGIA -----	3	3	15	20	79	196	356	376	245	105	20	-
WHITE-----MALE----	-	1	7	5	29	65	104	73	36	11	-	-
FEMALE--	3	2	7	12	40	104	204	250	182	79	11	-
ALL OTHER--MALE----	-	-	-	1	3	6	18	19	1	-	1	-
FEMALE--	-	-	1	2	7	21	30	34	26	15	8	-
BLACK---MALE-----	-	-	-	1	3	6	17	18	1	-	1	-
FEMALE--	-	-	1	2	7	20	30	34	26	15	8	-



[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Alzheimer's disease (G30)												
HAWAII -----	-	-	-	1	6	9	26	31	30	15	4	-
WHITE-----MALE----	-	-	-	-	-	2	2	3	3	1	-	-
FEMALE--	-	-	-	-	3	3	9	9	5	5	1	-
ALL OTHER--MALE----	-	-	-	-	1	1	6	11	12	2	-	-
FEMALE--	-	-	-	1	2	3	9	8	10	7	3	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	1	-	3	1	14	44	67	75	59	25	4	-
WHITE-----MALE----	-	-	2	-	8	15	21	25	15	3	1	-
FEMALE--	1	-	1	1	6	28	46	50	44	22	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	4	12	15	36	107	259	471	567	466	192	34	-
WHITE-----MALE----	1	2	7	14	34	100	145	151	92	20	4	-
FEMALE--	3	10	6	19	63	128	292	374	343	154	26	-
ALL OTHER--MALE----	-	-	1	1	2	9	17	10	12	3	-	-
FEMALE--	-	-	1	2	8	22	17	32	19	15	4	-
BLACK---MALE----	-	-	1	1	2	9	16	10	12	3	-	-
FEMALE--	-	-	1	2	7	22	17	29	18	15	4	-
INDIANA -----	4	1	9	21	59	149	297	346	236	93	15	-
WHITE-----MALE----	2	-	5	8	23	53	96	82	57	10	-	-
FEMALE--	2	1	3	10	34	88	186	249	174	76	15	-
ALL OTHER--MALE----	-	-	-	1	1	2	4	3	1	-	-	-
FEMALE--	-	-	1	2	1	6	11	12	4	7	-	-
BLACK---MALE----	-	-	1	1	1	2	4	3	1	-	-	-
FEMALE--	-	-	1	2	1	6	10	12	4	7	-	-
IOWA -----	1	4	5	8	30	83	179	235	225	81	12	-
WHITE-----MALE----	1	1	4	1	9	36	63	58	39	12	1	-
FEMALE--	-	3	1	7	21	47	114	177	185	69	11	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	1	-	-	-
KANSAS -----	-	1	2	14	24	76	135	191	129	60	10	-
WHITE-----MALE----	-	1	1	7	8	29	44	58	30	10	1	-
FEMALE--	-	-	1	6	15	43	89	125	96	47	8	-
ALL OTHER--MALE----	-	-	-	1	1	3	-	3	1	-	-	-
FEMALE--	-	-	-	-	-	1	2	5	2	3	1	-
BLACK---MALE----	-	-	-	1	1	2	-	3	1	-	-	-
FEMALE--	-	-	-	-	-	1	1	5	2	3	1	-



04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 1705

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Alzheimer's disease (G30)												
KENTUCKY -----	1	3	7	14	58	124	227	279	182	58	13	-
WHITE-----MALE----	-	1	1	6	25	46	63	88	39	4	-	-
FEMALE--	1	2	5	7	32	71	155	182	136	52	13	-
ALL OTHER--MALE----	-	-	1	-	1	3	3	2	2	-	-	-
FEMALE--	-	-	-	1	-	4	6	7	5	2	-	-
BLACK---MALE-----	-	-	1	-	1	3	3	2	2	-	-	-
FEMALE--	-	-	-	1	-	3	6	7	5	2	-	-
LOUISIANA -----	2	2	10	24	61	144	216	252	180	59	7	-
WHITE-----MALE----	2	-	3	11	28	50	58	61	26	1	1	-
FEMALE--	-	2	4	6	22	67	126	154	125	44	4	-
ALL OTHER--MALE----	-	-	2	5	5	11	9	14	8	1	-	-
FEMALE--	-	-	1	2	6	16	23	23	21	13	2	-
BLACK---MALE-----	-	-	2	5	5	11	9	14	8	1	-	-
FEMALE--	-	-	1	2	6	16	23	23	21	13	2	-
MAINE -----	-	2	1	5	17	47	104	129	100	55	11	-
WHITE-----MALE----	-	-	1	3	5	19	32	29	19	9	4	-
FEMALE--	-	2	-	2	12	28	71	100	81	46	7	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
MARYLAND -----	2	2	5	18	49	106	216	251	190	90	19	-
WHITE-----MALE----	1	1	2	8	16	37	72	61	19	13	-	-
FEMALE--	1	-	2	5	21	53	117	150	152	64	15	-
ALL OTHER--MALE----	-	1	1	3	6	7	14	12	2	1	1	-
FEMALE--	-	-	-	2	6	9	13	28	17	12	3	-
BLACK---MALE-----	-	1	1	3	6	7	13	12	2	1	1	-
FEMALE--	-	-	-	2	6	9	13	26	17	12	3	-
MASSACHUSETTS -----	2	8	10	23	72	187	299	408	352	133	38	-
WHITE-----MALE----	1	2	3	9	31	79	108	102	67	13	2	-
FEMALE--	1	5	7	12	40	100	178	298	274	115	36	-
ALL OTHER--MALE----	-	1	-	-	1	1	5	2	3	-	-	-
FEMALE--	-	-	-	2	-	7	8	6	8	5	-	-
BLACK---MALE-----	-	1	-	-	1	1	4	1	3	-	-	-
FEMALE--	-	-	-	2	-	5	7	6	6	4	-	-
MICHIGAN -----	2	6	14	29	97	211	407	510	359	137	29	-
WHITE-----MALE----	2	2	6	7	44	81	141	132	75	22	4	-
FEMALE--	-	4	8	19	45	115	240	352	269	112	23	-
ALL OTHER--MALE----	-	-	-	1	3	6	8	3	6	-	-	-
FEMALE--	-	-	-	2	5	9	18	23	9	3	2	-
BLACK---MALE-----	-	-	-	-	3	6	6	3	6	-	-	-
FEMALE--	-	-	-	2	5	9	17	22	8	3	2	-



[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Alzheimer's disease (G30)												
MINNESOTA -----	-	6	8	15	36	119	245	316	288	120	18	-
WHITE-----MALE----	-	2	2	8	14	55	94	100	62	11	3	-
FEMALE--	-	4	6	7	19	61	150	214	225	106	15	-
ALL OTHER--MALE----	-	-	-	-	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	1	2	1	3	-	-
BLACK---MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	1	1	1	-	-
MISSISSIPPI -----	-	2	2	8	30	59	102	118	94	28	6	-
WHITE-----MALE----	-	1	1	2	9	14	24	22	16	3	-	-
FEMALE--	-	1	1	3	16	38	60	73	62	19	2	-
ALL OTHER--MALE----	-	-	-	1	2	4	5	11	4	1	-	-
FEMALE--	-	-	-	2	3	3	13	12	12	5	4	-
BLACK---MALE----	-	-	-	1	2	4	5	11	4	1	-	-
FEMALE--	-	-	-	2	3	3	12	12	12	5	4	-
MISSOURI -----	-	6	9	22	45	102	221	314	259	110	18	-
WHITE-----MALE----	-	2	3	10	16	41	75	82	49	12	1	-
FEMALE--	-	4	4	11	27	52	136	219	205	94	15	-
ALL OTHER--MALE----	-	-	1	1	1	2	3	4	-	-	1	-
FEMALE--	-	-	1	-	7	7	9	7	5	4	1	-
BLACK---MALE----	-	-	1	-	1	2	2	4	-	-	1	-
FEMALE--	-	-	1	-	1	7	7	9	5	4	1	-
MONTANA -----	-	-	-	2	11	22	64	70	56	22	2	-
WHITE-----MALE----	-	-	-	1	5	12	25	26	9	5	-	-
FEMALE--	-	-	-	1	6	10	39	43	47	17	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	1	-	2	6	29	44	81	118	103	41	5	-
WHITE-----MALE----	-	-	-	1	10	17	26	35	22	7	-	-
FEMALE--	1	-	2	5	18	26	53	80	80	32	5	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	1	-	2	-	-
FEMALE--	-	-	-	-	1	-	1	2	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	1	1	-	2	-	-
FEMALE--	-	-	-	-	1	-	-	2	1	-	-	-
NEVADA -----	-	-	-	7	11	38	52	62	28	11	2	-
WHITE-----MALE----	-	-	-	3	4	16	24	16	5	2	-	-
FEMALE--	-	-	-	3	5	22	25	43	23	9	2	-
ALL OTHER--MALE----	-	-	-	-	1	-	2	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	3	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	3	-	-	-	-









04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 1708

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Alzheimer's disease (G30)												
OHIO -----	4	5	15	39	149	319	528	626	477	178	27	-
WHITE-----MALE----	1	1	7	14	63	121	173	168	92	21	1	-
FEMALE--	3	4	7	21	71	177	326	419	365	143	23	-
ALL OTHER--MALE----	-	-	1	1	7	8	14	12	2	-	1	-
FEMALE--	-	-	-	3	8	13	15	27	18	14	2	-
BLACK---MALE-----	-	-	1	1	7	8	14	12	2	-	1	-
FEMALE--	-	-	-	3	8	13	15	27	17	14	2	-
OKLAHOMA -----	1	4	2	9	34	77	169	205	125	50	6	-
WHITE-----MALE----	1	3	1	1	10	32	55	49	31	8	1	-
FEMALE--	-	1	1	6	21	39	101	141	88	41	4	-
ALL OTHER--MALE----	-	-	-	1	-	1	5	5	1	-	-	-
FEMALE--	-	-	-	1	3	5	8	10	5	1	1	-
BLACK---MALE-----	-	-	-	1	-	1	2	4	1	-	-	-
FEMALE--	-	-	-	1	1	5	4	7	4	1	1	-
OREGON -----	2	4	6	13	40	120	223	313	210	86	13	-
WHITE-----MALE----	2	-	2	6	16	51	78	98	49	10	1	-
FEMALE--	-	4	4	7	24	67	143	212	154	76	12	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	2	3	7	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	3	4	-	-	-
PENNSYLVANIA -----	2	8	19	31	127	327	582	789	587	238	43	-
WHITE-----MALE----	1	3	6	13	62	121	191	211	114	33	1	-
FEMALE--	1	5	12	17	61	182	360	545	451	193	36	-
ALL OTHER--MALE----	-	-	1	-	1	6	7	5	4	1	-	-
FEMALE--	-	-	-	1	3	18	24	28	18	11	6	-
BLACK---MALE-----	-	-	1	-	1	6	7	5	4	1	-	-
FEMALE--	-	-	-	1	3	17	24	28	17	11	6	-
RHODE ISLAND -----	-	1	2	2	8	17	60	52	68	36	5	-
WHITE-----MALE----	-	-	-	1	3	9	17	7	9	2	-	-
FEMALE--	-	1	2	1	5	8	43	44	57	32	5	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	2	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	2	-	-
SOUTH CAROLINA -----	-	3	12	23	40	132	201	229	160	61	19	-
WHITE-----MALE----	-	2	7	8	14	43	55	47	26	5	-	-
FEMALE--	-	1	5	11	16	64	101	143	107	40	11	-
ALL OTHER--MALE----	-	-	-	3	6	9	11	8	6	1	3	-
FEMALE--	-	-	-	1	4	16	34	31	21	15	5	-
BLACK---MALE-----	-	-	-	3	6	9	11	8	6	1	3	-
FEMALE--	-	-	-	1	4	16	33	31	21	15	5	-



[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Alzheimer's disease (G30)												
SOUTH DAKOTA -----	-	1	1	-	3	17	32	39	46	12	5	-
WHITE-----MALE----	-	-	1	-	1	4	12	17	10	4	-	-
FEMALE--	-	1	-	-	2	13	20	22	35	8	5	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK--MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	7	11	27	68	166	256	307	210	82	13	-
WHITE-----MALE----	-	3	7	13	27	57	82	79	25	9	-	-
FEMALE--	-	4	3	12	36	88	152	203	164	66	12	-
ALL OTHER--MALE----	-	-	1	2	2	7	11	6	4	3	-	-
FEMALE--	-	-	-	-	3	14	11	19	17	4	1	-
BLACK--MALE-----	-	-	1	2	2	7	11	6	4	3	-	-
FEMALE--	-	-	-	-	3	14	11	19	17	4	1	-
TEXAS -----	1	3	34	61	180	483	765	932	689	252	38	-
WHITE-----MALE----	-	1	18	33	65	167	244	218	128	36	1	-
FEMALE--	1	2	14	23	102	279	470	649	520	203	34	-
ALL OTHER--MALE----	-	-	1	3	5	14	19	22	11	1	-	-
FEMALE--	-	-	1	2	8	23	32	43	30	12	3	-
BLACK--MALE-----	-	-	1	3	5	14	19	21	11	1	-	-
FEMALE--	-	-	-	2	8	23	30	43	30	11	3	-
UTAH -----	2	1	6	7	17	48	73	86	58	14	2	-
WHITE-----MALE----	1	-	2	4	6	16	25	43	13	2	1	-
FEMALE--	1	1	4	2	11	32	46	43	45	12	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
BLACK--MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	1	-	3	5	12	31	37	48	11	1	-
WHITE-----MALE----	-	-	-	2	-	7	7	8	8	-	-	-
FEMALE--	-	1	-	1	5	5	24	29	40	11	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	5	9	24	58	151	257	349	224	93	12	-
WHITE-----MALE----	-	1	4	10	25	52	74	74	36	5	1	-
FEMALE--	1	3	4	10	30	84	149	236	165	80	8	-
ALL OTHER--MALE----	-	-	-	2	1	6	14	15	4	1	-	-
FEMALE--	-	1	1	2	2	9	20	24	19	7	3	-
BLACK--MALE-----	-	-	-	2	1	6	13	15	4	1	-	-
FEMALE--	-	1	1	2	2	9	20	24	17	7	3	-







04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 1711

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Multiple sclerosis (G35)												
UNITED STATES -	3,053	-	1	-	1	1	5	14	38	96	207	331
WHITE-----MALE----	955	-	-	-	-	-	-	6	11	27	56	101
FEMALE--	1,784	-	1	-	-	-	3	6	18	38	115	178
ALL OTHER--MALE----	88	-	-	-	-	-	2	-	2	9	9	17
FEMALE--	226	-	-	-	1	1	-	2	7	22	27	35
BLACK---MALE-----	84	-	-	-	-	-	2	-	2	9	9	16
FEMALE--	216	-	-	-	1	1	-	1	7	21	25	33
ALABAMA -----	26	-	-	-	-	-	-	-	-	1	5	1
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	4	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	1	1	1
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	1	1	1
ALASKA -----	4	-	-	-	-	-	-	-	1	-	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	54	-	-	-	-	-	-	-	1	2	5	6
WHITE-----MALE----	21	-	-	-	-	-	-	-	1	2	2	2
FEMALE--	32	-	-	-	-	-	-	-	-	-	3	3
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	19	-	-	-	-	-	-	-	-	1	3	1
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	3	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	258	-	-	-	1	-	1	2	2	8	13	29
WHITE-----MALE----	77	-	-	-	-	-	-	1	1	2	3	8
FEMALE--	156	-	-	-	-	-	1	1	1	5	8	17
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	21	-	-	-	1	-	-	-	-	1	2	3
BLACK---MALE-----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	16	-	-	-	1	-	-	-	-	-	1	2







[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Multiple sclerosis (G35)												
HAWAII -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	23	-	-	-	-	-	-	-	-	1	2	1
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	147	-	-	-	-	-	-	-	2	8	13	17
WHITE-----MALE----	41	-	-	-	-	-	-	-	-	2	3	4
FEMALE--	86	-	-	-	-	-	-	-	1	1	9	9
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	2	1	2
FEMALE--	12	-	-	-	-	-	-	-	1	3	-	2
BLACK---MALE----	8	-	-	-	-	-	-	-	-	2	1	2
FEMALE--	12	-	-	-	-	-	-	-	1	3	-	2
INDIANA -----	64	-	-	-	-	-	-	-	1	2	5	9
WHITE-----MALE----	17	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	42	-	-	-	-	-	-	-	1	1	3	6
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	1
IOWA -----	34	-	-	-	-	-	-	-	-	-	1	5
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	21	-	-	-	-	-	-	-	-	-	1	3
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	34	-	-	-	-	-	-	-	1	2	4	6
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	26	-	-	-	-	-	-	-	-	2	3	5
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-



[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Multiple sclerosis (G35)												
KENTUCKY -----	24	-	-	-	-	-	-	-	-	3	4	3
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	18	-	-	-	-	-	-	-	-	2	4	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
LOUISIANA -----	23	-	-	-	-	-	-	-	-	2	1	3
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	2	-	1
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	1
MAINE -----	21	-	-	-	-	-	-	-	1	-	2	3
WHITE-----MALE----	7	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	14	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	60	-	-	-	-	-	-	-	2	1	7	7
WHITE-----MALE----	11	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	33	-	-	-	-	-	-	-	1	-	4	3
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	13	-	-	-	-	-	-	-	1	1	1	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	13	-	-	-	-	-	-	-	1	1	1	1
MASSACHUSETTS -----	112	-	-	-	-	-	1	-	-	2	8	7
WHITE-----MALE----	33	-	-	-	-	-	-	-	-	-	4	1
FEMALE--	74	-	-	-	-	-	1	-	-	1	3	5
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
MICHIGAN -----	162	-	-	-	-	-	-	1	1	2	10	21
WHITE-----MALE----	59	-	-	-	-	-	-	1	-	-	3	6
FEMALE--	85	-	-	-	-	-	-	-	1	1	4	11
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	16	-	-	-	-	-	-	-	-	1	2	4
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	16	-	-	-	-	-	-	-	-	1	2	4

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Multiple sclerosis (G35)												
KENTUCKY -----	1	3	2	4	1	1	2	-	-	-	-	-
WHITE-----MALE----	-	2	1	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	1	3	1	1	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	5	5	2	-	-	2	3	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	2	2	-	-	2	3	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	3	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	3	-	-	-	-	-	-	-	-	-	-
MAINE -----	1	3	3	3	2	1	1	-	1	-	-	-
WHITE-----MALE----	-	-	2	1	1	-	-	-	-	-	-	-
FEMALE--	1	3	1	2	1	1	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	5	10	9	2	6	7	2	2	-	-	-	-
WHITE-----MALE----	2	1	1	1	-	2	-	-	-	-	-	-
FEMALE--	3	8	4	1	3	3	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	1	4	-	2	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	1	4	-	2	1	1	-	-	-	-	-
MASSACHUSETTS -----	10	16	16	10	14	13	7	4	3	1	-	-
WHITE-----MALE----	4	2	6	4	6	4	1	-	1	-	-	-
FEMALE--	6	13	9	6	8	9	6	4	2	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
MICHIGAN -----	29	25	18	14	18	14	6	2	1	-	-	-
WHITE-----MALE----	14	11	10	2	5	6	1	-	-	-	-	-
FEMALE--	10	13	7	12	11	8	5	1	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	1	1	-	2	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	1	1	-	2	-	-	1	-	-	-	-











[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Multiple sclerosis (G35)												
OHIO -----	159	-	-	-	-	1	-	1	-	3	14	18
WHITE-----MALE----	51	-	-	-	-	-	-	1	-	1	6	5
FEMALE--	91	-	-	-	-	-	-	-	-	2	6	12
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	13	-	-	-	-	1	-	-	-	-	1	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	13	-	-	-	-	1	-	-	-	-	1	1
OKLAHOMA -----	32	-	-	-	-	-	-	-	-	2	1	9
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	23	-	-	-	-	-	-	-	-	2	-	6
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	71	-	-	-	-	-	-	-	-	-	3	5
WHITE-----MALE----	27	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	43	-	-	-	-	-	-	-	-	-	2	3
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	149	-	-	-	-	-	-	1	1	4	6	12
WHITE-----MALE----	53	-	-	-	-	-	-	-	1	2	-	7
FEMALE--	82	-	-	-	-	-	-	1	-	-	6	4
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	2	-	1
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	2	-	1
RHODE ISLAND -----	19	-	-	-	-	-	-	1	-	-	1	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	1	-
SOUTH CAROLINA -----	31	-	-	-	-	-	-	-	-	2	-	4
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	1	-	1

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Multiple sclerosis (G35)												
OHIO -----	16	16	16	23	22	18	6	2	1	2	-	-
WHITE-----MALE----	7	5	5	9	6	5	1	-	-	-	-	-
FEMALE--	5	11	8	11	15	12	4	2	1	2	-	-
ALL OTHER--MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	2	-	3	3	1	-	1	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	2	-	3	3	1	-	1	-	-	-	-	-
OKLAHOMA -----	5	5	2	2	4	-	1	-	1	-	-	-
WHITE-----MALE----	-	-	1	1	1	-	1	-	-	-	-	-
FEMALE--	5	4	1	1	3	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	10	13	7	8	4	14	5	1	1	-	-	-
WHITE-----MALE----	4	6	2	3	1	6	1	-	1	-	-	-
FEMALE--	6	7	5	5	3	7	4	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
PENNSYLVANIA -----	21	29	23	14	16	12	8	-	2	-	-	-
WHITE-----MALE----	3	13	9	8	6	3	1	-	-	-	-	-
FEMALE--	17	15	10	5	8	8	6	-	2	-	-	-
ALL OTHER--MALE----	1	1	2	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	2	1	2	-	-	-	-	-	-	-
BLACK---MALE----	1	1	2	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	2	1	2	-	-	-	-	-	-	-
RHODE ISLAND -----	2	2	5	1	1	4	1	-	-	-	-	-
WHITE-----MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	2	2	4	-	1	4	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	10	3	4	6	2	-	-	-	-	-	-	-
WHITE-----MALE----	2	2	2	1	-	-	-	-	-	-	-	-
FEMALE--	5	-	2	3	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	3	1	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	3	1	-	1	1	-	-	-	-	-	-	-



04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 1718

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Multiple sclerosis (G35)												
SOUTH DAKOTA -----	2	-	-	2	2	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	2	1	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	7	6	7	6	4	1	2	1	-	-	-	-
WHITE-----MALE----	2	2	2	2	1	1	1	-	-	-	-	-
FEMALE--	4	4	2	3	3	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	3	1	-	-	1	-	-	-	-	-
BLACK--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	3	1	-	-	1	-	-	-	-	-
TEXAS -----	21	19	23	16	15	10	6	1	1	1	-	-
WHITE-----MALE----	6	4	4	3	4	4	1	-	-	-	-	-
FEMALE--	12	12	16	11	11	6	5	1	1	1	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	2	3	3	1	-	-	-	-	-	-	-	-
BLACK--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	2	3	3	1	-	-	-	-	-	-	-	-
UTAH -----	3	5	1	4	3	-	1	-	-	-	-	-
WHITE-----MALE----	-	2	1	3	-	-	1	-	-	-	-	-
FEMALE--	3	3	-	1	3	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	2	3	3	-	2	1	2	-	-	-	-	-
WHITE-----MALE----	-	1	2	-	-	-	-	-	-	-	-	-
FEMALE--	2	2	1	-	2	1	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	8	11	10	3	4	1	5	-	-	-	-	-
WHITE-----MALE----	4	5	3	2	1	-	-	-	-	-	-	-
FEMALE--	2	5	5	-	3	1	4	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	2	1	1	-	-	-	1	-	-	-	-	-
BLACK--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	2	1	1	-	-	-	1	-	-	-	-	-







04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 1720

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Epilepsy (G40-G41)												
UNITED STATES -	1,292	8	18	24	16	42	53	76	84	115	143	104
WHITE-----MALE----	518	2	7	10	10	15	29	32	33	52	63	51
FEMALE--	450	4	8	10	4	14	9	20	31	28	42	33
ALL OTHER--MALE----	182	1	1	2	1	9	11	15	13	25	23	12
FEMALE--	142	1	2	2	1	4	4	9	7	10	15	8
BLACK---MALE----	164	1	-	1	1	6	10	13	12	24	22	11
FEMALE--	126	1	2	2	1	4	4	7	7	9	12	6
ALABAMA -----	30	-	-	1	-	1	1	1	2	5	1	6
WHITE-----MALE----	12	-	-	1	-	-	-	1	1	2	-	4
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	9	-	-	-	-	1	1	-	-	2	-	2
FEMALE--	4	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	9	-	-	-	-	1	1	-	-	2	-	2
FEMALE--	4	-	-	-	-	-	-	-	1	1	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	21	1	1	1	-	-	-	1	1	2	3	4
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	2	2	2
FEMALE--	7	1	-	1	-	-	-	1	-	-	1	1
ALL OTHER--MALE----	3	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	19	1	-	-	-	-	-	-	5	1	1	2
WHITE-----MALE----	3	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	11	1	-	-	-	-	-	-	2	1	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	4	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
CALIFORNIA -----	151	1	3	2	1	5	4	11	10	10	21	13
WHITE-----MALE----	72	1	1	1	-	2	2	7	3	6	12	6
FEMALE--	50	-	2	1	1	1	-	2	3	3	5	6
ALL OTHER--MALE----	17	-	-	-	-	2	2	1	2	1	2	-
FEMALE--	12	-	-	-	-	-	-	1	2	-	2	1
BLACK---MALE----	10	-	-	-	-	-	1	1	2	1	2	-
FEMALE--	9	-	-	-	-	-	-	1	2	-	1	1

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Epilepsy (G40-G41)

UNITED STATES -	108	83	72	64	66	83	62	51	11	7	2	-
WHITE-----MALE----	47	33	28	27	24	20	12	18	3	2	-	-
FEMALE--	36	22	26	25	24	39	35	30	6	4	-	-
ALL OTHER--MALE----	14	16	8	7	8	10	3	1	1	-	1	-
FEMALE--	11	12	10	5	10	14	12	2	1	1	1	-
BLACK---MALE-----	13	15	7	6	7	9	3	1	1	-	1	-
FEMALE--	10	10	9	5	9	12	12	2	-	1	1	-
ALABAMA -----	2	4	-	1	1	-	1	2	1	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	1	-	-	1	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	2	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
BLACK---MALE-----	-	2	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	1	-	2	-	1	1	1	-	-	-	-
WHITE-----MALE----	-	1	-	2	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	3	-	1	2	-	2	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	1	-	2	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	17	13	9	6	5	6	6	7	1	-	-	-
WHITE-----MALE----	8	7	3	3	2	2	2	4	-	-	-	-
FEMALE--	8	5	3	1	3	1	2	2	1	-	-	-
ALL OTHER--MALE----	1	1	1	2	-	1	-	1	-	-	-	-
FEMALE--	-	-	2	-	-	2	2	-	-	-	-	-
BLACK---MALE-----	-	-	1	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	1	2	-	-	-	-	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 1721

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Epilepsy (G40-G41)												
COLORADO -----	29	1	1	-	2	3	3	3	3	2	3	-
WHITE-----MALE----	13	-	-	-	2	2	3	1	-	2	3	-
FEMALE--	13	1	1	-	-	1	-	-	3	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
CONNECTICUT -----	8	-	-	-	1	-	-	-	-	-	1	-
WHITE-----MALE----	4	-	-	-	1	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	3	1	-	-	-	1	-	-	1	-	-	-
WHITE-----MALE----	3	1	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	3	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	111	1	1	1	2	4	3	9	6	13	12	16
WHITE-----MALE----	45	-	1	1	2	-	2	2	2	10	2	7
FEMALE--	34	-	-	-	-	4	1	1	3	-	5	5
ALL OTHER--MALE----	15	-	-	-	-	-	-	4	-	1	2	3
FEMALE--	17	1	-	-	-	-	-	2	1	2	3	1
BLACK---MALE----	14	-	-	-	-	-	-	4	-	1	2	2
FEMALE--	16	1	-	-	-	-	-	1	1	2	3	1
GEORGIA -----	30	-	3	1	1	1	3	2	-	3	4	1
WHITE-----MALE----	8	-	1	1	-	-	-	1	-	-	1	-
FEMALE--	9	-	1	-	-	-	-	1	-	1	1	-
ALL OTHER--MALE----	6	-	-	-	-	-	2	-	-	2	-	1
FEMALE--	7	-	1	-	1	1	1	-	-	-	2	-
BLACK---MALE----	6	-	-	-	-	-	2	-	-	2	-	1
FEMALE--	7	-	1	-	1	1	1	-	-	-	2	-









04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 1723

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Epilepsy (G40-G41)												
KENTUCKY -----	21	-	-	-	-	-	2	3	1	1	3	1
WHITE-----MALE----	11	-	-	-	-	-	1	3	-	-	3	1
FEMALE--	6	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	24	-	-	1	-	-	3	-	2	5	4	-
WHITE-----MALE----	7	-	-	1	-	-	-	-	-	1	3	-
FEMALE--	6	-	-	-	-	-	1	-	-	2	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	2	2	1	-
FEMALE--	4	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	2	2	1	-
FEMALE--	4	-	-	-	-	-	2	-	-	-	-	-
MAINE -----	1	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	16	-	-	-	1	-	1	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	16	-	-	2	-	-	-	-	-	1	2	2
WHITE-----MALE----	7	-	-	2	-	-	-	-	-	-	1	1
FEMALE--	8	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	84	-	2	-	-	3	7	6	7	8	10	3
WHITE-----MALE----	33	-	-	-	-	2	4	2	5	1	3	2
FEMALE--	24	-	1	-	-	-	3	1	-	3	3	-
ALL OTHER--MALE----	12	-	-	-	-	-	-	2	2	2	3	1
FEMALE--	15	-	1	-	-	1	-	1	-	2	1	-
BLACK---MALE----	11	-	-	-	-	-	-	2	2	2	3	1
FEMALE--	14	-	1	-	-	1	-	1	-	1	1	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Epilepsy (G40-G41)												
KENTUCKY -----	3	1	2	1	-	1	1	1	-	-	-	-
WHITE-----MALE----	1	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
LOUISIANA -----	3	2	1	-	2	1	-	-	-	-	-	-
WHITE-----MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
MAINE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	4	2	1	-	1	2	3	1	-	-	-	-
WHITE-----MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	1	-	-	-	-	-
ALL OTHER--MALE----	2	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	1	-	1	-	1	1	-	-	-	-
BLACK---MALE----	2	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	1	-	1	-	1	1	-	-	-	-
MASSACHUSETTS -----	1	1	1	1	1	-	3	1	-	-	-	-
WHITE-----MALE----	1	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	3	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	8	5	3	1	4	7	6	4	-	-	-	-
WHITE-----MALE----	4	3	2	-	-	2	2	1	-	-	-	-
FEMALE--	2	1	1	1	2	3	-	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	2	1	-	-	1	2	3	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	2	1	-	-	1	2	3	-	-	-	-	-



[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Epilepsy (G40-G41)												
MINNESOTA -----	1	1	1	-	-	1	1	1	1	-	-	-
WHITE-----MALE----	1	1	1	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	2	-	2	1	1	1	1	1	-	-	-	-
WHITE-----MALE----	1	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
MISSOURI -----	2	2	3	1	4	3	-	-	-	-	-	-
WHITE-----MALE----	1	1	1	1	3	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	2	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	2	-	-	1	-	-	-	-	-	-
MONTANA -----	-	-	-	1	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	1	-	-	1	-	1	-	1	-	1	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	1	1	1	-	2	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	1	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-





[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Epilepsy (G40-G41)												
OHIO -----	40	-	1	1	-	-	-	4	5	2	5	5
WHITE-----MALE----	17	-	-	1	-	-	-	1	1	2	1	2
FEMALE--	19	-	1	-	-	-	-	2	3	-	4	3
ALL OTHER--MALE----	3	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
OKLAHOMA -----	22	1	-	-	-	2	1	2	1	5	1	2
WHITE-----MALE----	10	-	-	-	-	-	1	-	1	2	1	2
FEMALE--	7	-	-	-	-	1	-	-	-	3	-	-
ALL OTHER--MALE----	3	1	-	-	-	1	-	1	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	2	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	18	-	-	-	-	-	1	1	1	2	2	-
WHITE-----MALE----	6	-	-	-	-	-	1	-	1	1	1	-
FEMALE--	11	-	-	-	-	-	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	59	-	-	1	-	2	1	2	5	7	4	1
WHITE-----MALE----	18	-	-	-	-	1	-	-	1	4	1	-
FEMALE--	25	-	-	-	-	1	-	2	3	2	-	1
ALL OTHER--MALE----	8	-	-	1	-	-	1	-	-	1	2	-
FEMALE--	8	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	7	-	-	-	-	-	1	-	-	1	2	-
FEMALE--	7	-	-	-	-	-	-	-	1	-	1	-
RHODE ISLAND -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	16	-	-	-	-	1	-	-	3	2	1	5
WHITE-----MALE----	5	-	-	-	-	-	-	-	1	1	1	2
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	2
ALL OTHER--MALE----	6	-	-	-	-	1	-	-	1	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	6	-	-	-	-	1	-	-	1	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-







04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 1727

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Epilepsy (G40-G41)												
SOUTH DAKOTA -----	-	1	-	-	-	-	1	-	1	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	3	1	3	1	-	1	-	-	1	-	-	-
WHITE-----MALE----	2	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	2	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	2	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	6	6	6	6	2	6	7	1	-	1	1	-
WHITE-----MALE----	-	2	4	6	-	2	1	-	-	-	-	-
FEMALE--	1	2	2	-	1	4	6	1	-	1	-	-
ALL OTHER--MALE----	3	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	3	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	-	-	-	-	-	1	-
UTAH -----	-	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	3	1	-	6	7	7	-	4	-	1	-	-
WHITE-----MALE----	1	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	2	1	-	4	1	4	-	4	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	3	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	1	3	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	1	-	-



































[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Transient cerebral ischemic attacks and related syndromes (G45)												
OHIO -----	-	-	-	1	1	4	4	3	5	1	-	-
WHITE-----MALE----	-	-	-	1	-	4	4	1	3	-	-	-
FEMALE--	-	-	-	-	1	-	-	2	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	-	-	-	1	-	1	-	4	2	2	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	1	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	3	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
OREGON -----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	-	1	1	-	-	2	2	3	2	-	-
WHITE-----MALE----	-	-	1	-	-	-	2	-	3	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
RHODE ISLAND -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	2	-	-	-	-	-	3	1	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-









[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Infantile cerebral palsy (G80)												
UNITED STATES -	1,155	19	71	87	110	141	121	70	68	50	52	50
WHITE-----MALE----	521	5	33	28	43	59	59	27	29	21	30	23
FEMALE--	389	2	17	33	34	40	33	20	23	24	15	19
ALL OTHER--MALE----	136	7	10	13	16	26	16	11	12	2	5	2
FEMALE--	109	5	11	13	17	16	13	12	4	3	2	6
BLACK---MALE-----	120	5	9	10	15	25	12	11	11	2	4	1
FEMALE--	96	4	9	12	15	14	11	12	4	3	1	4
ALABAMA -----	30	-	2	2	4	5	2	1	4	1	1	1
WHITE-----MALE----	8	-	1	-	1	2	-	-	-	-	-	-
FEMALE--	9	-	-	1	-	2	-	2	-	-	1	1
ALL OTHER--MALE----	6	-	1	-	2	1	-	-	-	1	-	-
FEMALE--	7	-	-	1	1	-	2	1	2	-	-	-
BLACK---MALE-----	6	-	1	-	2	1	-	-	-	1	-	-
FEMALE--	7	-	-	1	1	-	2	1	2	-	-	-
ALASKA -----	3	-	-	-	1	1	-	-	-	-	-	1
WHITE-----MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	15	-	1	1	-	2	3	-	1	1	3	-
WHITE-----MALE----	8	-	1	1	-	1	2	-	-	1	1	-
FEMALE--	6	-	-	-	-	1	1	-	1	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	10	-	-	1	-	1	2	-	-	-	2	-
WHITE-----MALE----	5	-	-	-	-	1	1	-	-	-	2	-
FEMALE--	4	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	112	2	4	11	12	16	15	8	7	3	6	6
WHITE-----MALE----	58	-	2	5	2	13	11	3	5	2	2	2
FEMALE--	38	1	1	4	7	1	2	3	2	1	3	3
ALL OTHER--MALE----	7	1	-	1	2	1	1	1	-	-	-	-
FEMALE--	9	-	1	1	1	1	1	1	-	-	1	1
BLACK---MALE-----	4	-	-	-	1	1	1	1	-	-	-	-
FEMALE--	3	-	-	-	1	-	-	1	-	-	-	-





04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 1739

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Infantile cerebral palsy (G80)												
COLORADO -----	19	-	1	1	4	4	2	-	-	1	1	1
WHITE-----MALE----	7	-	-	-	2	2	1	-	-	-	1	1
FEMALE--	10	-	-	1	2	2	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	1	-	-	-	-	-
CONNECTICUT -----	10	-	1	1	-	-	1	1	1	-	-	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	5	-	1	1	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	3	-	-	-	-	1	-	-	-	1	-	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	60	1	4	3	11	6	11	3	3	2	3	1
WHITE-----MALE----	26	-	1	1	2	3	5	1	1	2	2	1
FEMALE--	21	-	3	1	5	1	4	-	1	-	1	-
ALL OTHER--MALE----	9	1	-	1	2	2	2	-	1	-	-	-
FEMALE--	4	-	-	-	2	-	-	2	-	-	-	-
BLACK---MALE----	9	1	-	1	2	2	2	-	1	-	-	-
FEMALE--	4	-	-	-	2	-	-	2	-	-	-	-
GEORGIA -----	42	2	4	3	8	4	2	2	4	1	3	1
WHITE-----MALE----	16	-	2	1	4	1	1	1	-	1	-	1
FEMALE--	11	-	1	-	1	2	-	2	-	-	3	-
ALL OTHER--MALE----	7	1	1	-	1	1	-	-	2	-	-	-
FEMALE--	8	1	-	2	2	-	1	1	-	-	-	-
BLACK---MALE----	7	1	1	-	1	1	-	-	2	-	-	-
FEMALE--	8	1	-	2	2	-	1	1	-	-	-	-







[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Infantile cerebral palsy (G80)												
KENTUCKY -----	15	-	1	1	2	4	2	-	1	1	-	-
WHITE-----MALE----	11	-	1	-	2	3	1	-	1	1	-	-
FEMALE--	4	-	-	1	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	34	-	4	-	3	8	4	2	2	1	-	1
WHITE-----MALE----	9	-	1	-	1	1	1	-	1	1	-	-
FEMALE--	12	-	1	-	-	3	1	-	1	-	-	1
ALL OTHER--MALE----	5	-	-	-	1	2	1	1	-	-	-	-
FEMALE--	8	-	2	-	1	2	1	1	-	-	-	-
BLACK---MALE----	5	-	-	-	1	2	1	1	-	-	-	-
FEMALE--	8	-	2	-	1	2	1	1	-	-	-	-
MAINE -----	6	-	-	1	-	-	1	-	-	-	-	1
WHITE-----MALE----	5	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	21	-	2	2	-	3	2	4	4	1	-	1
WHITE-----MALE----	4	-	-	-	-	-	-	1	2	-	-	1
FEMALE--	7	-	-	1	-	1	1	-	-	1	-	-
ALL OTHER--MALE----	7	-	-	-	-	2	1	2	2	-	-	-
FEMALE--	3	-	2	1	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	2	1	2	2	-	-	-
FEMALE--	3	-	2	1	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	17	-	2	1	2	3	-	1	1	-	1	-
WHITE-----MALE----	11	-	1	-	1	1	-	1	1	-	1	-
FEMALE--	4	-	1	-	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	57	1	4	9	8	4	3	4	6	5	1	2
WHITE-----MALE----	26	-	2	2	4	2	1	1	4	3	-	2
FEMALE--	17	-	1	4	2	2	2	-	1	1	-	-
ALL OTHER--MALE----	9	-	1	3	-	-	-	2	-	1	1	-
FEMALE--	5	1	-	-	2	-	-	1	1	-	-	-
BLACK---MALE----	9	-	1	3	-	-	-	2	-	1	1	-
FEMALE--	5	1	-	-	2	-	-	1	1	-	-	-













[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Infantile cerebral palsy (G80)												
OHIO -----	54	-	2	2	3	4	1	5	4	5	1	4
WHITE-----MALE----	23	-	-	-	1	1	-	3	1	1	-	3
FEMALE--	25	-	1	1	2	2	1	2	2	4	1	1
ALL OTHER--MALE----	4	-	1	-	-	1	-	-	1	-	-	-
FEMALE--	2	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	1	-	-	1	-	-	1	-	-	-
FEMALE--	2	-	-	1	-	-	-	-	-	-	-	-
OKLAHOMA -----	15	-	-	3	2	1	-	-	1	-	2	2
WHITE-----MALE----	3	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	1	-	-	-	1	-	1	2
ALL OTHER--MALE----	4	-	-	2	-	1	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	10	-	-	1	-	1	1	1	1	-	-	2
WHITE-----MALE----	5	-	-	-	-	-	1	1	-	-	-	1
FEMALE--	3	-	-	1	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	51	1	-	5	3	3	5	-	4	-	4	3
WHITE-----MALE----	18	-	-	-	3	1	2	-	1	-	1	1
FEMALE--	26	-	-	3	-	-	3	-	2	-	2	2
ALL OTHER--MALE----	6	1	-	1	-	2	-	-	1	-	1	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	6	1	-	1	-	2	-	-	1	-	1	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
RHODE ISLAND -----	3	-	-	-	-	1	1	-	1	-	-	-
WHITE-----MALE----	2	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	18	-	1	1	3	3	1	1	-	2	1	-
WHITE-----MALE----	4	-	1	1	-	1	-	1	-	-	-	-
FEMALE--	7	-	-	-	-	1	-	-	-	2	1	-
ALL OTHER--MALE----	4	-	-	-	2	1	-	-	-	-	-	-
FEMALE--	3	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	4	-	-	-	2	1	-	-	-	-	-	-
FEMALE--	3	-	-	-	1	-	1	-	-	-	-	-



04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 1745

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Infantile cerebral palsy (G80)												
SOUTH DAKOTA -----	4	-	-	-	-	-	1	-	1	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	30	2	2	2	1	4	3	1	2	3	2	-
WHITE-----MALE----	15	1	2	2	1	1	1	1	1	-	2	-
FEMALE--	9	-	-	-	-	-	1	-	1	2	-	-
ALL OTHER--MALE----	3	-	-	-	-	2	1	-	-	-	-	-
FEMALE--	3	1	-	-	-	1	-	-	-	1	-	-
BLACK---MALE----	3	-	-	-	-	2	1	-	-	-	-	-
FEMALE--	3	1	-	-	-	1	-	-	-	1	-	-
TEXAS -----	91	1	9	7	7	12	9	4	5	2	6	4
WHITE-----MALE----	46	1	5	6	2	5	5	1	3	-	5	2
FEMALE--	27	-	2	1	3	4	2	1	-	1	1	1
ALL OTHER--MALE----	9	-	2	-	1	-	1	1	1	-	-	-
FEMALE--	9	-	-	-	1	3	1	1	1	1	-	1
BLACK---MALE----	9	-	2	-	1	-	1	1	1	-	-	-
FEMALE--	9	-	-	-	1	3	1	1	1	1	-	1
UTAH -----	14	-	-	-	2	2	2	2	2	-	-	-
WHITE-----MALE----	8	-	-	-	2	1	1	1	1	-	-	-
FEMALE--	6	-	-	-	-	1	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	2	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	29	2	2	1	5	4	3	1	1	-	-	2
WHITE-----MALE----	10	-	1	1	-	-	-	-	1	-	-	2
FEMALE--	6	-	-	-	2	2	1	-	-	-	-	-
ALL OTHER--MALE----	8	1	-	-	1	1	2	1	-	-	-	-
FEMALE--	5	1	1	-	2	1	-	-	-	-	-	-
BLACK---MALE----	8	1	-	-	1	1	2	1	-	-	-	-
FEMALE--	4	-	1	-	2	1	-	-	-	-	-	-









[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

ALL AGES UNDER 1 YEAR 1-4 YEARS 5-9 YEARS 10-14 YEARS 15-19 YEARS 20-24 YEARS 25-29 YEARS 30-34 YEARS 35-39 YEARS 40-44 YEARS 45-49 YEARS

All other diseases of nervous system (G10-G12,G23-G25,G31,G36-G37,G43-G44,G47-G72,G81-G98)

UNITED STATES -	19,012	246	185	97	118	186	223	191	232	397	650	897
WHITE-----MALE----	8,617	106	69	41	57	123	130	93	86	214	310	410
FEMALE--	7,763	76	57	35	34	24	44	47	77	105	213	304
ALL OTHER--MALE----	1,317	41	29	6	14	30	28	37	33	44	74	97
FEMALE--	1,315	23	30	15	13	9	21	14	36	34	53	86
BLACK---MALE-----	1,120	34	24	5	12	26	22	32	29	40	68	86
FEMALE--	1,150	18	25	14	13	8	19	12	31	31	47	73
ALABAMA -----	349	6	3	1	2	3	5	4	8	10	9	13
WHITE-----MALE----	134	2	1	-	2	2	4	3	4	4	4	3
FEMALE--	125	1	2	1	-	-	1	-	2	2	2	5
ALL OTHER--MALE----	45	2	-	-	-	1	-	1	1	2	2	3
FEMALE--	45	1	-	-	-	-	-	-	1	2	1	2
BLACK---MALE-----	45	2	-	-	-	1	-	1	1	2	2	3
FEMALE--	45	1	-	-	-	-	-	-	1	2	1	2
ALASKA -----	34	2	1	-	-	1	-	1	-	1	1	5
WHITE-----MALE----	14	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	4
ALL OTHER--MALE----	6	1	-	-	-	1	-	1	-	-	-	-
FEMALE--	4	1	1	-	-	-	-	-	-	1	-	1
BLACK---MALE-----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	300	3	5	4	2	6	4	1	-	7	11	11
WHITE-----MALE----	165	1	5	1	2	5	1	1	-	4	3	8
FEMALE--	121	2	-	3	-	1	2	-	-	3	8	2
ALL OTHER--MALE----	8	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	216	3	1	-	-	1	-	4	1	4	13	13
WHITE-----MALE----	95	1	-	-	-	-	-	-	-	4	5	6
FEMALE--	91	1	1	-	-	-	-	3	1	-	4	3
ALL OTHER--MALE----	16	-	-	-	-	1	-	1	-	-	2	2
FEMALE--	14	1	-	-	-	-	-	-	-	-	2	2
BLACK---MALE-----	16	-	-	-	-	1	-	1	-	-	2	2
FEMALE--	14	1	-	-	-	-	-	-	-	-	2	2
CALIFORNIA -----	1,394	27	14	9	19	15	21	16	16	33	41	69
WHITE-----MALE----	672	13	5	5	9	9	13	11	7	19	19	34
FEMALE--	568	7	2	3	7	1	3	3	6	9	14	28
ALL OTHER--MALE----	89	2	5	1	2	4	3	-	2	3	4	4
FEMALE--	65	5	2	-	1	1	2	2	1	2	4	3
BLACK---MALE-----	45	2	4	-	1	4	2	-	1	2	3	4
FEMALE--	34	3	2	-	1	-	2	2	-	2	3	1

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

All other diseases of nervous system (G10-G12,G23-G25,G31,G36-G37,G43-G44,G47-G72,G81-G98)

UNITED STATES -	1,124	1,300	1,529	1,970	2,425	2,695	2,261	1,387	671	196	32	-
WHITE-----MALE----	513	601	693	954	1,155	1,230	1,007	555	218	48	4	-
FEMALE--	397	466	600	758	1,005	1,196	1,059	730	384	134	18	-
ALL OTHER--MALE----	118	110	114	131	127	127	77	46	28	5	1	-
FEMALE--	96	123	122	127	138	142	118	56	41	9	9	-
BLACK---MALE-----	105	97	95	111	106	107	66	29	22	4	-	-
FEMALE--	89	110	103	114	122	114	103	48	38	9	9	-
ALABAMA -----	25	32	39	35	50	37	33	17	12	4	1	-
WHITE-----MALE----	13	12	16	9	18	12	10	10	3	1	1	-
FEMALE--	6	9	16	12	23	18	15	3	5	2	-	-
ALL OTHER--MALE----	4	3	6	7	4	4	2	1	2	-	-	-
FEMALE--	2	8	1	7	5	3	6	3	2	1	-	-
BLACK---MALE-----	4	3	6	7	4	4	2	1	2	-	-	-
FEMALE--	2	8	1	7	5	3	6	3	2	1	-	-
ALASKA -----	3	3	2	2	3	6	3	-	-	-	-	-
WHITE-----MALE----	3	1	1	2	1	4	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	2	2	-	-	-	-	-
ALL OTHER--MALE----	-	2	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	22	15	18	40	46	41	40	18	5	1	-	-
WHITE-----MALE----	12	12	6	24	29	24	21	4	1	1	-	-
FEMALE--	9	2	12	11	15	16	18	14	3	-	-	-
ALL OTHER--MALE----	1	1	-	3	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	1	1	1	-	1	-	-	-
BLACK---MALE-----	-	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
ARKANSAS -----	14	23	18	18	27	28	27	14	6	1	-	-
WHITE-----MALE----	7	10	8	10	13	15	8	5	3	-	-	-
FEMALE--	6	10	7	6	11	11	16	7	3	1	-	-
ALL OTHER--MALE----	1	2	-	-	2	1	3	1	-	-	-	-
FEMALE--	-	1	3	2	1	1	-	1	-	-	-	-
BLACK---MALE-----	1	2	-	2	1	3	1	1	-	-	-	-
FEMALE--	-	1	3	2	1	1	-	1	-	-	-	-
CALIFORNIA -----	77	95	113	137	166	211	143	108	48	12	4	-
WHITE-----MALE----	34	48	61	78	84	91	70	41	19	2	-	-
FEMALE--	28	38	42	47	67	106	59	58	27	9	4	-
ALL OTHER--MALE----	10	4	8	8	9	6	5	7	1	1	-	-
FEMALE--	5	5	2	4	6	8	9	2	1	-	-	-
BLACK---MALE-----	5	2	4	4	2	4	1	-	-	-	-	-
FEMALE--	3	3	1	1	5	1	3	-	1	-	-	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 1748

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

All other diseases of nervous system (G10-G12,G23-G25,G31,G36-G37,G43-G44,G47-G72,G81-G98)

COLORADO -----	232	5	1	-	-	1	5	1	1	11	7	8
WHITE-----MALE----	111	2	-	-	-	1	4	-	-	10	4	4
FEMALE--	108	3	1	-	-	-	1	1	1	1	1	3
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	1
CONNECTICUT -----	228	2	2	1	1	2	2	1	1	2	8	20
WHITE-----MALE----	105	-	-	-	-	1	1	1	1	-	4	10
FEMALE--	100	2	2	1	1	-	1	-	-	2	3	8
ALL OTHER--MALE----	13	-	-	-	-	1	-	-	-	-	1	2
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	11	-	-	-	-	1	-	-	-	-	1	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	57	-	-	-	1	-	-	-	1	-	2	2
WHITE-----MALE----	25	-	-	-	1	-	-	-	-	-	1	1
FEMALE--	20	-	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	1
DISTRICT OF COLUMBIA ---	44	-	1	-	-	-	1	-	2	-	1	3
WHITE-----MALE----	5	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	17	-	-	-	-	-	1	-	1	-	1	1
FEMALE--	18	-	1	-	-	-	-	-	-	-	-	2
BLACK---MALE----	17	-	-	-	-	-	1	-	1	-	1	1
FEMALE--	18	-	1	-	-	-	-	-	-	-	-	2
FLORIDA -----	1,367	18	10	9	9	10	12	12	20	17	38	48
WHITE-----MALE----	631	8	1	4	3	5	9	4	7	6	17	27
FEMALE--	574	7	5	3	3	1	-	2	4	3	14	12
ALL OTHER--MALE----	92	2	3	1	2	4	1	3	4	6	3	6
FEMALE--	70	1	1	1	1	-	2	3	5	2	4	3
BLACK---MALE----	86	2	3	1	2	4	1	3	4	6	3	6
FEMALE--	69	1	1	1	1	-	2	3	5	2	4	3
GEORGIA -----	563	9	6	4	5	12	5	10	12	15	26	32
WHITE-----MALE----	225	3	3	1	1	7	4	5	2	5	6	11
FEMALE--	199	3	3	2	1	-	-	2	1	4	11	11
ALL OTHER--MALE----	63	3	-	-	-	3	-	2	2	5	4	6
FEMALE--	76	-	-	1	3	2	1	1	7	1	5	4
BLACK---MALE----	60	3	-	-	-	3	-	2	2	5	4	6
FEMALE--	75	-	-	1	3	2	1	1	7	1	4	4

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 1748

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

All other diseases of nervous system (G10-G12,G23-G25,G31,G36-G37,G43-G44,G47-G72,G81-G98)

COLORADO -----	15	21	16	26	26	37	28	17	5	1	-	-
WHITE-----MALE----	5	8	5	15	8	23	10	11	1	-	-	-
FEMALE--	9	13	8	10	18	13	17	5	2	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	1	1	-	-	-
FEMALE--	1	-	3	-	-	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	1	-	-	1	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	16	18	17	21	24	33	30	19	6	1	1	-
WHITE-----MALE----	6	10	6	8	12	18	15	10	2	-	-	-
FEMALE--	8	4	10	7	8	14	14	9	4	1	1	-
ALL OTHER--MALE----	-	4	-	2	1	1	1	-	-	-	-	-
FEMALE--	2	-	1	4	3	-	-	-	-	-	-	-
BLACK---MALE----	-	4	-	2	1	1	-	-	-	-	-	-
FEMALE--	1	-	1	4	2	-	-	-	-	-	-	-
DELAWARE -----	4	4	4	4	15	4	8	6	-	1	1	-
WHITE-----MALE----	3	2	1	2	9	-	2	2	-	1	-	-
FEMALE--	-	1	2	1	5	3	4	2	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	1	-	-	-	-
FEMALE--	1	1	-	1	1	-	2	1	-	-	1	-
BLACK---MALE----	-	-	1	-	-	1	-	1	-	-	-	-
FEMALE--	1	1	-	1	1	-	2	1	-	-	1	-
DISTRICT OF COLUMBIA ---	3	3	3	8	5	4	6	3	-	1	-	-
WHITE-----MALE----	1	1	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	2	1	-	-	-	-
ALL OTHER--MALE----	1	1	1	2	3	2	2	1	-	-	-	-
FEMALE--	1	1	2	3	2	2	2	1	-	1	-	-
BLACK---MALE----	1	1	1	2	3	2	2	1	-	-	-	-
FEMALE--	1	1	2	3	2	2	2	1	-	1	-	-
FLORIDA -----	56	68	75	120	170	188	202	145	93	43	4	-
WHITE-----MALE----	30	39	31	59	75	93	98	66	34	14	1	-
FEMALE--	21	21	34	46	73	82	89	75	52	26	1	-
ALL OTHER--MALE----	4	4	4	10	15	8	8	2	2	-	-	-
FEMALE--	1	4	6	5	7	5	7	2	5	3	2	-
BLACK---MALE----	4	3	4	10	12	7	8	1	2	-	-	-
FEMALE--	1	4	6	4	7	5	7	2	5	3	2	-
GEORGIA -----	34	52	56	55	63	70	53	24	18	2	-	-
WHITE-----MALE----	6	22	28	22	31	39	15	6	8	-	-	-
FEMALE--	11	16	15	24	27	23	26	13	4	2	-	-
ALL OTHER--MALE----	9	7	7	4	2	3	3	1	2	-	-	-
FEMALE--	8	7	6	5	3	5	9	4	4	-	-	-
BLACK---MALE----	9	7	6	4	2	3	3	-	1	-	-	-
FEMALE--	8	7	6	5	3	5	9	4	4	-	-	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 1749

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

All other diseases of nervous system (G10-G12,G23-G25,G31,G36-G37,G43-G44,G47-G72,G81-G98)

HAWAII -----	88	2	2	-	1	-	-	-	1	1	8	5
WHITE-----MALE----	21	1	-	-	-	-	-	-	-	1	4	1
FEMALE--	12	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	32	1	1	-	1	-	-	-	-	-	1	3
FEMALE--	23	-	1	-	-	-	-	-	1	-	2	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	84	-	2	1	2	1	-	-	1	-	5	4
WHITE-----MALE----	46	-	1	1	2	1	-	-	-	-	4	1
FEMALE--	38	-	1	-	-	-	-	-	1	-	1	3
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	827	14	12	5	4	10	14	4	11	10	38	37
WHITE-----MALE----	344	6	1	3	2	8	7	4	4	4	18	18
FEMALE--	321	4	7	1	-	1	2	-	4	3	9	9
ALL OTHER--MALE----	84	3	2	-	1	1	4	-	3	1	8	5
FEMALE--	78	1	2	1	-	-	1	-	-	2	3	5
BLACK---MALE----	77	3	2	-	1	1	4	-	3	1	8	4
FEMALE--	74	1	2	1	1	-	1	-	-	2	3	5
INDIANA -----	491	7	2	3	5	3	6	7	9	20	16	27
WHITE-----MALE----	264	4	2	2	5	3	6	4	4	10	6	12
FEMALE--	188	3	-	-	-	-	-	3	4	8	5	12
ALL OTHER--MALE----	21	-	-	-	-	-	-	-	-	2	3	1
FEMALE--	18	-	-	1	-	-	-	-	1	-	2	2
BLACK---MALE----	20	-	-	-	-	-	-	-	-	2	3	1
FEMALE--	17	-	-	1	-	-	-	-	-	-	2	2
IOWA -----	185	3	5	1	3	1	3	2	1	1	7	5
WHITE-----MALE----	91	2	2	-	1	1	-	2	-	-	6	2
FEMALE--	86	-	2	1	2	-	1	-	1	1	-	3
ALL OTHER--MALE----	7	-	1	-	-	-	2	-	-	-	1	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	2	-	-	-	1	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
KANSAS -----	245	1	2	-	1	1	3	1	4	3	15	7
WHITE-----MALE----	116	-	2	-	-	-	2	-	3	2	5	4
FEMALE--	111	1	-	-	-	1	-	1	1	1	7	2
ALL OTHER--MALE----	6	-	-	-	-	-	1	-	-	-	1	1
FEMALE--	12	-	-	-	1	-	-	-	-	-	2	-
BLACK---MALE----	6	-	-	-	-	-	1	-	-	-	1	1
FEMALE--	11	-	-	-	1	-	-	-	-	-	2	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

All other diseases of nervous system (G10-G12,G23-G25,G31,G36-G37,G43-G44,G47-G72,G81-G98)

HAWAII -----	1	6	5	9	10	21	5	7	2	1	1	-
WHITE-----MALE----	-	1	2	3	-	5	2	1	-	-	-	-
FEMALE--	1	2	-	1	3	3	-	-	-	1	-	-
ALL OTHER--MALE----	-	1	1	4	3	7	3	4	1	-	1	-
FEMALE--	-	2	2	1	4	6	-	2	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	6	6	9	7	10	10	12	6	2	-	-	-
WHITE-----MALE----	2	4	3	3	5	4	8	6	1	-	-	-
FEMALE--	4	2	6	4	5	6	4	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	45	57	78	77	92	118	101	57	36	7	-	-
WHITE-----MALE----	16	20	35	43	31	46	45	22	8	3	-	-
FEMALE--	12	24	23	24	41	53	46	31	23	4	-	-
ALL OTHER--MALE----	10	5	13	8	8	5	4	-	3	-	-	-
FEMALE--	7	8	7	2	12	14	6	4	2	-	-	-
BLACK---MALE-----	10	5	11	7	7	4	4	-	2	-	-	-
FEMALE--	7	8	6	2	11	12	6	4	2	-	-	-
INDIANA -----	31	23	44	51	53	78	51	39	13	2	1	-
WHITE-----MALE----	17	8	23	37	32	44	21	19	5	-	-	-
FEMALE--	11	9	18	14	18	29	27	17	7	2	1	-
ALL OTHER--MALE----	1	3	-	-	2	3	3	2	1	-	-	-
FEMALE--	2	3	3	-	1	2	-	1	-	-	-	-
BLACK---MALE-----	1	3	-	-	2	3	3	1	1	-	-	-
FEMALE--	2	3	3	-	1	2	-	1	-	-	-	-
IOWA -----	5	13	14	23	21	23	26	17	9	2	-	-
WHITE-----MALE----	4	7	9	10	9	11	15	8	2	-	-	-
FEMALE--	1	6	4	12	12	11	11	9	7	2	-	-
ALL OTHER--MALE----	-	-	1	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	13	21	19	22	24	45	31	15	9	8	-	-
WHITE-----MALE----	8	13	9	14	11	23	12	7	1	-	-	-
FEMALE--	3	8	8	6	9	20	19	8	8	8	-	-
ALL OTHER--MALE----	1	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	1	-	2	2	3	1	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	1	-	1	2	3	1	-	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

All other diseases of nervous system (G10-G12,G23-G25,G31,G36-G37,G43-G44,G47-G72,G81-G98)

KENTUCKY -----	287	1	1	-	1	4	4	2	6	1	18	21
WHITE-----MALE----	147	-	-	-	1	3	1	1	2	1	10	7
FEMALE--	128	1	1	-	-	1	2	1	3	-	7	12
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	5	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	5	-	-	-	-	-	1	-	1	-	-	-
LOUISIANA -----	331	8	3	2	5	5	2	9	4	10	11	22
WHITE-----MALE----	118	1	2	1	3	3	1	-	1	6	2	9
FEMALE--	112	2	-	-	1	-	-	-	-	1	2	5
ALL OTHER--MALE----	60	4	1	-	-	2	1	7	2	-	5	4
FEMALE--	41	1	-	1	1	-	-	2	1	3	2	4
BLACK---MALE----	60	4	1	-	-	2	1	7	2	-	5	4
FEMALE--	39	1	-	1	1	-	-	2	1	3	2	4
MAINE -----	104	1	-	-	1	1	-	-	-	5	2	6
WHITE-----MALE----	53	-	-	-	-	1	-	-	-	4	-	4
FEMALE--	50	-	-	-	1	-	-	-	-	1	2	2
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	405	4	2	-	1	3	5	4	7	6	11	24
WHITE-----MALE----	162	1	-	-	1	1	2	1	3	2	4	9
FEMALE--	130	1	1	-	-	-	1	-	1	2	3	5
ALL OTHER--MALE----	52	1	1	-	-	-	1	3	1	1	4	2
FEMALE--	61	1	-	-	-	2	1	-	2	1	-	8
BLACK---MALE----	49	1	1	-	-	-	1	3	1	1	4	2
FEMALE--	57	1	-	-	-	2	1	-	2	1	-	7
MASSACHUSETTS -----	574	5	3	2	-	5	8	4	8	12	18	35
WHITE-----MALE----	292	3	1	1	-	4	7	2	2	8	13	22
FEMALE--	255	2	-	1	-	-	1	1	4	4	4	12
ALL OTHER--MALE----	15	-	2	-	-	-	-	-	-	-	1	1
FEMALE--	12	-	-	-	-	1	-	1	2	-	-	-
BLACK---MALE----	11	-	1	-	-	-	-	-	-	-	1	1
FEMALE--	9	-	-	-	-	1	-	1	2	-	-	-
MICHIGAN -----	734	6	8	4	4	6	11	7	9	20	20	49
WHITE-----MALE----	301	3	1	-	-	3	7	4	5	14	6	15
FEMALE--	304	1	2	3	2	2	1	2	2	4	9	16
ALL OTHER--MALE----	55	1	1	-	1	1	2	1	2	1	1	9
FEMALE--	74	1	4	1	1	-	1	-	-	1	4	9
BLACK---MALE----	54	1	1	-	1	-	2	1	2	1	1	9
FEMALE--	72	1	4	1	1	-	1	-	-	1	4	9

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

All other diseases of nervous system (G10-G12,G23-G25,G31,G36-G37,G43-G44,G47-G72,G81-G98)

KENTUCKY -----	20	25	22	31	38	32	26	19	10	5	-	-
WHITE-----MALE----	10	14	11	20	23	18	14	8	3	-	-	-
FEMALE--	9	10	10	10	15	13	11	10	7	5	-	-
ALL OTHER--MALE----	1	1	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	1	-	-	-	-
BLACK---MALE----	1	1	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	1	-	-	-	-
LOUISIANA -----	26	22	25	42	32	45	34	14	8	2	-	-
WHITE-----MALE----	10	9	11	12	11	18	13	2	2	1	-	-
FEMALE--	7	5	7	16	13	23	17	9	4	-	-	-
ALL OTHER--MALE----	8	7	4	7	3	-	1	1	2	1	-	-
FEMALE--	1	1	3	7	5	4	3	2	-	-	-	-
BLACK---MALE----	8	7	4	7	3	-	1	1	2	1	-	-
FEMALE--	1	1	3	7	4	3	3	2	-	-	-	-
MAINE -----	8	6	7	6	19	12	12	10	6	1	1	-
WHITE-----MALE----	6	1	5	5	8	6	5	5	3	-	-	-
FEMALE--	2	5	2	1	11	6	7	5	3	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	33	34	29	42	55	55	48	24	15	3	-	-
WHITE-----MALE----	12	13	13	17	27	25	17	9	5	-	-	-
FEMALE--	6	12	7	14	18	18	20	12	6	3	-	-
ALL OTHER--MALE----	10	5	3	5	5	4	3	1	2	-	-	-
FEMALE--	5	4	6	6	5	8	8	2	2	-	-	-
BLACK---MALE----	10	4	3	5	4	4	3	1	1	-	-	-
FEMALE--	5	3	6	5	5	7	8	2	2	-	-	-
MASSACHUSETTS -----	27	39	30	52	83	89	78	47	17	11	1	-
WHITE-----MALE----	12	22	13	23	45	48	40	18	6	2	-	-
FEMALE--	13	14	16	24	35	39	36	28	11	9	1	-
ALL OTHER--MALE----	2	2	-	3	2	2	-	-	-	-	-	-
FEMALE--	-	1	1	2	1	-	2	1	-	-	-	-
BLACK---MALE----	1	2	-	1	2	2	-	-	-	-	-	-
FEMALE--	-	1	1	2	-	-	1	-	-	-	-	-
MICHIGAN -----	50	37	60	66	93	115	82	51	25	10	1	-
WHITE-----MALE----	28	19	22	34	36	47	26	24	5	2	-	-
FEMALE--	13	10	24	23	46	52	47	22	16	7	-	-
ALL OTHER--MALE----	2	1	6	5	5	6	6	2	2	-	-	-
FEMALE--	7	7	8	4	6	10	3	3	2	1	1	-
BLACK---MALE----	2	1	6	5	5	6	6	2	2	-	-	-
FEMALE--	7	7	8	4	6	8	3	3	2	1	1	-











04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 1753

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

All other diseases of nervous system (G10-G12,G23-G25,G31,G36-G37,G43-G44,G47-G72,G81-G98)

OHIO -----	908	11	10	4	5	10	15	8	12	18	28	36
WHITE-----MALE----	404	5	4	3	3	8	7	6	4	10	18	19
FEMALE--	400	5	1	-	2	1	7	1	6	4	6	10
ALL OTHER--MALE----	48	1	3	1	-	1	1	1	-	4	4	1
FEMALE--	56	-	2	-	-	-	-	-	2	-	-	6
BLACK---MALE----	46	1	2	1	-	1	-	1	-	4	4	1
FEMALE--	54	-	2	-	-	-	-	-	2	-	-	6
OKLAHOMA -----	220	5	4	3	3	2	4	-	4	1	9	16
WHITE-----MALE----	108	3	3	-	2	2	1	-	1	-	6	8
FEMALE--	83	2	-	1	1	-	2	-	3	-	2	6
ALL OTHER--MALE----	11	-	-	-	-	1	-	-	-	-	1	1
FEMALE--	18	-	1	2	-	-	-	-	-	1	-	1
BLACK---MALE----	7	-	-	-	-	-	1	-	-	-	1	-
FEMALE--	11	-	-	2	-	-	-	-	-	1	-	-
OREGON -----	274	3	1	2	-	2	1	4	5	4	13	16
WHITE-----MALE----	131	1	1	1	-	1	-	1	2	2	8	7
FEMALE--	128	1	-	1	-	1	1	2	2	1	5	7
ALL OTHER--MALE----	8	1	-	-	-	-	-	-	1	1	-	1
FEMALE--	7	-	-	-	-	-	-	1	-	-	-	1
BLACK---MALE----	3	1	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1,144	9	9	2	4	8	8	6	8	17	33	46
WHITE-----MALE----	507	5	2	-	1	3	7	4	3	11	15	25
FEMALE--	489	3	5	2	3	4	-	2	-	2	16	15
ALL OTHER--MALE----	61	-	1	-	-	-	1	-	1	2	1	5
FEMALE--	87	1	1	-	-	1	-	-	4	2	1	1
BLACK---MALE----	57	-	1	-	-	-	-	-	1	2	1	4
FEMALE--	83	1	1	-	-	1	-	-	4	2	1	1
RHODE ISLAND -----	55	-	1	-	1	2	-	1	-	1	1	1
WHITE-----MALE----	33	-	1	-	1	2	-	1	-	-	-	-
FEMALE--	22	-	-	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	310	-	-	-	-	3	2	3	6	7	19	22
WHITE-----MALE----	126	-	-	-	-	2	1	-	2	3	11	8
FEMALE--	109	-	-	-	-	1	-	2	-	2	2	8
ALL OTHER--MALE----	31	-	-	-	-	-	1	-	4	-	1	5
FEMALE--	44	-	-	-	-	-	-	1	-	2	5	1
BLACK---MALE----	31	-	-	-	-	-	1	-	4	-	1	5
FEMALE--	44	-	-	-	-	-	-	1	-	2	5	1

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

All other diseases of nervous system (G10-G12,G23-G25,G31,G36-G37,G43-G44,G47-G72,G81-G98)

OHIO -----	55	62	66	98	122	131	113	66	31	7	-	-
WHITE-----MALE----	29	22	29	48	64	53	42	23	4	3	-	-
FEMALE--	16	32	30	35	54	64	60	39	23	4	-	-
ALL OTHER--MALE----	4	6	4	4	2	6	5	-	-	-	-	-
FEMALE--	6	2	3	11	2	8	6	4	4	-	-	-
BLACK---MALE----	4	6	4	4	2	6	5	-	-	-	-	-
FEMALE--	6	2	3	11	2	6	6	4	4	-	-	-
OKLAHOMA -----	17	20	22	20	22	29	28	9	2	-	-	-
WHITE-----MALE----	9	11	8	13	14	13	10	4	-	-	-	-
FEMALE--	3	8	10	7	5	13	15	3	2	-	-	-
ALL OTHER--MALE----	3	1	2	-	-	2	-	-	-	-	-	-
FEMALE--	2	-	2	-	3	1	3	2	-	-	-	-
BLACK---MALE----	1	1	1	-	-	2	-	-	-	-	-	-
FEMALE--	2	-	-	-	2	1	1	2	-	-	-	-
OREGON -----	15	25	25	23	32	39	31	20	10	3	-	-
WHITE-----MALE----	8	11	15	7	14	20	18	6	7	1	-	-
FEMALE--	5	11	10	14	17	18	13	14	3	2	-	-
ALL OTHER--MALE----	1	2	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	1	1	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	60	76	96	125	165	185	143	83	47	9	5	-
WHITE-----MALE----	23	33	43	56	73	89	68	28	16	2	-	-
FEMALE--	26	29	33	53	78	79	57	47	25	6	4	-
ALL OTHER--MALE----	4	6	11	4	5	6	6	5	3	-	-	-
FEMALE--	7	8	9	12	9	11	12	3	3	1	1	-
BLACK---MALE----	4	6	11	4	5	5	6	4	3	-	-	-
FEMALE--	6	8	8	12	9	10	11	3	3	1	1	-
RHODE ISLAND -----	3	1	1	7	6	14	12	1	1	1	-	-
WHITE-----MALE----	1	1	1	4	4	7	8	1	1	-	-	-
FEMALE--	2	-	-	3	2	7	4	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	19	20	29	39	38	42	27	22	9	2	1	-
WHITE-----MALE----	9	8	12	15	16	18	9	9	1	2	-	-
FEMALE--	4	2	9	16	16	15	14	12	6	-	-	-
ALL OTHER--MALE----	3	1	3	2	2	5	2	1	1	-	-	-
FEMALE--	3	9	5	6	4	4	2	-	1	-	1	-
BLACK---MALE----	3	1	3	2	2	5	2	1	1	-	-	-
FEMALE--	3	9	5	6	4	4	2	-	1	-	1	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 1754

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

All other diseases of nervous system (G10-G12,G23-G25,G31,G36-G37,G43-G44,G47-G72,G81-G98)

SOUTH DAKOTA -----	57	-	1	-	-	-	-	-	-	3	1	2
WHITE-----MALE----	29	-	1	-	-	-	-	-	-	2	1	-
FEMALE--	24	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	414	5	5	-	2	2	3	10	10	13	11	19
WHITE-----MALE----	186	2	2	-	2	1	3	7	3	10	6	6
FEMALE--	163	2	-	-	-	-	-	2	3	-	5	6
ALL OTHER--MALE----	36	-	1	-	-	1	-	1	3	3	-	4
FEMALE--	29	1	2	-	-	-	-	-	1	-	-	3
BLACK---MALE----	36	-	1	-	-	1	-	1	3	3	-	4
FEMALE--	28	1	2	-	-	-	-	-	1	-	-	2
TEXAS -----	1,264	21	19	9	8	15	14	15	14	26	35	55
WHITE-----MALE----	559	12	6	6	3	13	8	9	6	12	22	21
FEMALE--	542	3	8	3	4	-	3	4	5	8	9	25
ALL OTHER--MALE----	78	4	2	-	-	2	1	2	1	2	3	5
FEMALE--	85	2	3	-	1	-	2	-	2	4	1	4
BLACK---MALE----	71	4	2	-	-	2	1	1	-	2	3	4
FEMALE--	79	2	2	-	1	-	2	-	2	4	1	4
UTAH -----	138	8	-	1	-	4	1	-	2	6	4	8
WHITE-----MALE----	73	4	-	-	-	3	1	-	-	4	2	5
FEMALE--	63	4	-	1	-	1	-	-	1	2	2	3
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	50	-	-	1	-	-	1	-	1	-	3	-
WHITE-----MALE----	32	-	-	-	-	-	1	-	1	-	3	-
FEMALE--	18	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	493	4	2	8	4	2	6	7	3	11	20	20
WHITE-----MALE----	214	3	1	1	2	1	2	3	1	3	9	8
FEMALE--	180	1	-	1	1	1	2	-	-	4	7	7
ALL OTHER--MALE----	44	-	-	2	-	-	-	3	1	2	1	2
FEMALE--	55	-	1	4	1	-	2	1	1	2	3	3
BLACK---MALE----	41	-	-	2	-	-	-	3	1	1	1	2
FEMALE--	54	-	1	4	1	-	2	1	1	2	3	3

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

All other diseases of nervous system (G10-G12,G23-G25,G31,G36-G37,G43-G44,G47-G72,G81-G98)

SOUTH DAKOTA -----	3	6	5	5	9	10	7	2	3	-	-	-
WHITE-----MALE----	1	3	2	4	4	4	5	1	1	-	-	-
FEMALE--	1	2	2	1	5	6	2	1	2	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	25	30	33	55	58	55	45	24	8	1	-	-
WHITE-----MALE----	9	15	17	19	25	23	22	11	2	1	-	-
FEMALE--	12	9	14	28	23	23	19	11	6	-	-	-
ALL OTHER--MALE----	2	2	1	6	3	5	2	2	-	-	-	-
FEMALE--	2	4	1	2	7	4	2	-	-	-	-	-
BLACK---MALE----	2	2	1	6	3	5	2	2	-	-	-	-
FEMALE--	2	4	1	2	7	4	2	-	-	-	-	-
TEXAS -----	80	109	99	127	167	145	147	91	53	11	4	-
WHITE-----MALE----	40	44	42	53	89	59	66	30	18	-	-	-
FEMALE--	25	41	42	58	59	74	71	56	32	10	2	-
ALL OTHER--MALE----	7	13	8	6	9	5	3	3	1	1	-	-
FEMALE--	8	11	7	10	10	7	7	2	2	-	2	-
BLACK---MALE----	7	12	7	6	9	3	3	3	1	1	-	-
FEMALE--	8	10	7	8	9	6	7	2	2	-	2	-
UTAH -----	8	12	14	8	19	23	8	9	3	-	-	-
WHITE-----MALE----	6	6	8	5	10	12	3	3	1	-	-	-
FEMALE--	2	6	5	3	9	11	5	6	2	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	3	3	7	8	6	5	5	4	2	-	1	-
WHITE-----MALE----	1	2	4	5	4	4	2	3	2	-	-	-
FEMALE--	2	1	3	3	2	1	3	1	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	35	32	41	67	65	70	61	24	6	4	1	-
WHITE-----MALE----	14	15	22	31	31	29	24	11	2	1	-	-
FEMALE--	15	8	13	28	21	26	30	10	2	3	-	-
ALL OTHER--MALE----	3	3	3	4	6	10	3	1	-	-	-	-
FEMALE--	3	6	3	4	7	5	4	2	2	-	1	-
BLACK---MALE----	3	3	2	4	6	9	3	1	-	-	-	-
FEMALE--	3	5	3	4	7	5	4	2	2	-	1	-











[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

ALL AGES UNDER 1 YEAR 1-4 YEARS 5-9 YEARS 10-14 YEARS 15-19 YEARS 20-24 YEARS 25-29 YEARS 30-34 YEARS 35-39 YEARS 40-44 YEARS 45-49 YEARS

VII. Diseases of the eye and adnexa (H00-H57)

COLORADO -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	2	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-











[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

50-54 YEARS 55-59 YEARS 60-64 YEARS 65-69 YEARS 70-74 YEARS 75-79 YEARS 80-84 YEARS 85-89 YEARS 90-94 YEARS 95-99 YEARS 100 YEARS & OVER AGE NOT STATED

VII. Diseases of the eye and adnexa (H00-H57)

Table with columns for state (Kentucky, Louisiana, Maine, Maryland, Massachusetts, Michigan) and race/sex categories (White-Male, White-Female, All Other-Male, All Other-Female, Black-Male, Black-Female). Rows show death counts for various age groups (50-54 to 100+ years) and 'AGE NOT STATED'.

















[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

50-54 YEARS 55-59 YEARS 60-64 YEARS 65-69 YEARS 70-74 YEARS 75-79 YEARS 80-84 YEARS 85-89 YEARS 90-94 YEARS 95-99 YEARS 100 YEARS & OVER AGE NOT STATED

VII. Diseases of the eye and adnexa (H00-H57)

Table with columns for state (SOUTH DAKOTA, TENNESSEE, TEXAS, UTAH, VERMONT, VIRGINIA) and race/sex categories (WHITE-MALE, FEMALE, ALL OTHER-MALE, FEMALE, BLACK-MALE, FEMALE). Rows show death counts for various age groups (50-54 to 100+ years) and 'AGE NOT STATED'.









[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

ALL AGES UNDER 1 YEAR 1-4 YEARS 5-9 YEARS 10-14 YEARS 15-19 YEARS 20-24 YEARS 25-29 YEARS 30-34 YEARS 35-39 YEARS 40-44 YEARS 45-49 YEARS

VIII. Diseases of the ear and mastoid process (H60-H93)

COLORADO -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	2	-	-	-	-	-	-	-	-	1	1	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-







[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

50-54 YEARS 55-59 YEARS 60-64 YEARS 65-69 YEARS 70-74 YEARS 75-79 YEARS 80-84 YEARS 85-89 YEARS 90-94 YEARS 95-99 YEARS 100 YEARS & OVER AGE NOT STATED

VIII. Diseases of the ear and mastoid process (H60-H93)

Table with columns for state (HAWAII, IDAHO, ILLINOIS, INDIANA, IOWA, KANSAS) and rows for race/sex combinations (WHITE-MALE, FEMALE, ALL OTHER-MALE, FEMALE, BLACK-MALE, FEMALE). Columns represent age groups from 50-54 to 100+ years and 'AGE NOT STATED'. Data points are mostly dashes with some '1's indicating specific counts.







04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 1769

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

50-54 YEARS 55-59 YEARS 60-64 YEARS 65-69 YEARS 70-74 YEARS 75-79 YEARS 80-84 YEARS 85-89 YEARS 90-94 YEARS 95-99 YEARS 100 YEARS & OVER AGE NOT STATED

VIII. Diseases of the ear and mastoid process (H60-H93)

Table with columns for state (MINNESOTA, MISSISSIPPI, MISSOURI, MONTANA, NEBRASKA, NEVADA), race (WHITE, ALL OTHER, BLACK), and sex (MALE, FEMALE). Rows show death counts for various age groups (50-54 to 100+ years) and 'AGE NOT STATED'.



















[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
IX. Diseases of the circulatory system (I00-I99)												
UNITED STATES -	926,999	622	290	139	226	453	865	1,396	2,766	5,668	11,303	17,990
WHITE-----MALE----	372,521	220	98	49	87	192	353	574	1,208	2,654	5,602	9,448
FEMALE--	432,374	180	90	51	71	120	194	332	644	1,265	2,296	3,504
ALL OTHER--MALE----	57,525	106	56	16	32	91	188	284	542	1,069	2,004	3,097
FEMALE--	64,579	116	46	23	36	50	130	206	372	680	1,401	1,941
BLACK---MALE-----	48,576	97	48	13	27	82	167	263	473	922	1,780	2,733
FEMALE--	56,482	94	41	21	27	45	119	186	344	623	1,307	1,801
ALABAMA -----	17,301	16	9	5	8	8	33	36	71	131	311	450
WHITE-----MALE----	6,088	6	2	1	4	4	10	12	22	45	132	190
FEMALE--	7,042	3	2	2	2	3	2	5	12	32	57	79
ALL OTHER--MALE----	1,915	5	4	-	1	1	13	13	22	35	71	113
FEMALE--	2,256	2	1	2	1	-	8	6	15	19	51	68
BLACK---MALE-----	1,897	5	4	-	1	1	13	13	22	35	70	113
FEMALE--	2,243	2	1	2	1	-	8	6	15	19	51	68
ALASKA -----	864	1	-	-	2	-	2	5	4	16	31	28
WHITE-----MALE----	391	-	-	-	1	-	-	3	-	8	11	12
FEMALE--	264	-	-	-	1	-	1	-	2	2	7	4
ALL OTHER--MALE----	111	1	-	-	-	-	1	1	2	4	4	7
FEMALE--	98	-	-	-	-	-	-	1	-	2	9	5
BLACK---MALE-----	11	-	-	-	-	-	-	1	-	-	1	1
FEMALE--	12	-	-	-	-	-	-	-	-	2	1	1
ARIZONA -----	14,094	13	6	-	3	9	11	20	34	79	186	258
WHITE-----MALE----	6,826	6	3	-	1	6	6	10	20	40	99	162
FEMALE--	6,500	2	3	-	2	2	4	6	5	21	56	67
ALL OTHER--MALE----	394	-	-	-	-	1	1	1	7	13	25	19
FEMALE--	374	5	-	-	-	-	-	3	2	5	6	10
BLACK---MALE-----	178	-	-	-	-	-	1	1	3	7	12	9
FEMALE--	171	-	-	-	-	-	-	-	2	1	4	2
ARKANSAS -----	11,183	9	1	2	5	7	13	23	50	64	149	214
WHITE-----MALE----	4,482	4	-	2	2	3	3	11	28	30	87	113
FEMALE--	5,174	2	1	-	2	2	4	5	13	18	29	40
ALL OTHER--MALE----	694	2	-	-	1	-	5	6	2	12	17	34
FEMALE--	833	1	-	-	-	2	1	7	4	4	16	27
BLACK---MALE-----	683	2	-	-	1	-	5	6	2	12	17	34
FEMALE--	822	1	-	-	-	2	1	1	7	4	16	27
CALIFORNIA -----	92,912	48	19	18	25	36	68	118	209	466	885	1,579
WHITE-----MALE----	36,892	20	8	9	9	16	38	46	92	211	450	840
FEMALE--	42,256	19	7	6	8	11	12	33	52	121	188	296
ALL OTHER--MALE----	6,838	4	2	2	4	5	10	24	35	84	164	289
FEMALE--	6,926	5	2	1	4	4	8	15	30	50	83	154
BLACK---MALE-----	3,448	3	-	1	2	3	8	19	22	48	102	180
FEMALE--	3,791	2	2	1	1	3	4	9	23	40	60	123

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
IX. Diseases of the circulatory system (I00-I99)												
UNITED STATES -	26,914	33,607	43,180	59,432	89,818	131,203	161,975	164,568	116,511	47,372	10,628	73
WHITE-----MALE----	14,327	18,004	22,670	30,219	44,742	60,547	66,436	55,398	29,699	8,687	1,273	34
FEMALE--	5,641	7,991	11,398	17,829	31,523	54,129	79,436	95,250	77,743	34,660	8,016	11
ALL OTHER--MALE----	4,250	4,634	5,316	6,176	7,024	7,679	6,615	4,680	2,525	897	224	20
FEMALE--	2,696	2,978	3,796	5,208	6,529	8,848	9,488	9,240	6,544	3,128	1,115	8
BLACK---MALE-----	3,777	4,043	4,636	5,315	5,937	6,371	5,357	3,677	1,942	706	191	19
FEMALE--	2,442	2,695	3,402	4,544	5,639	7,660	8,075	7,927	5,741	2,774	968	7
ALABAMA -----	674	772	988	1,320	1,909	2,372	2,709	2,698	1,896	718	167	-
WHITE-----MALE----	316	349	458	623	801	948	940	710	392	109	14	-
FEMALE--	112	180	246	355	615	898	1,254	1,506	1,154	442	81	-
ALL OTHER--MALE----	158	142	154	171	251	241	203	160	102	38	17	-
FEMALE--	88	101	130	171	242	285	312	322	248	129	55	-
BLACK---MALE-----	156	138	152	170	250	238	203	156	102	38	17	-
FEMALE--	88	101	128	169	242	281	310	320	247	129	55	-
ALASKA -----	71	60	63	74	115	103	125	92	48	18	6	-
WHITE-----MALE----	47	32	33	34	56	55	51	34	10	2	2	-
FEMALE--	12	19	10	20	28	32	48	34	29	12	3	-
ALL OTHER--MALE----	6	6	12	12	18	9	8	12	7	1	-	-
FEMALE--	6	3	8	8	13	7	18	12	2	3	1	-
BLACK---MALE-----	1	1	-	-	2	3	-	1	-	-	-	-
FEMALE--	-	-	3	1	-	1	-	2	-	1	-	-
ARIZONA -----	391	517	715	993	1,551	2,128	2,514	2,383	1,603	560	113	7
WHITE-----MALE----	242	339	445	589	895	1,149	1,175	946	527	141	19	6
FEMALE--	104	121	207	310	569	890	1,248	1,372	1,029	397	84	1
ALL OTHER--MALE----	25	39	36	46	47	38	35	35	17	8	1	-
FEMALE--	20	18	27	48	40	51	56	30	30	14	9	-
BLACK---MALE-----	12	22	18	19	19	17	14	14	7	3	-	-
FEMALE--	7	6	14	23	20	25	26	17	13	9	2	-
ARKANSAS -----	346	470	593	822	1,114	1,558	1,916	1,878	1,335	511	103	-
WHITE-----MALE----	178	254	326	458	531	698	770	560	332	86	6	-
FEMALE--	89	129	166	237	406	662	960	1,107	879	354	69	-
ALL OTHER--MALE----	46	68	59	66	76	86	76	76	38	19	5	-
FEMALE--	33	19	42	61	101	112	110	135	86	52	23	-
BLACK---MALE-----	45	67	59	63	74	83	76	75	38	19	5	-
FEMALE--	33	19	40	60	98	111	108	133	86	52	23	-
CALIFORNIA -----	2,496	3,052	4,105	5,640	8,505	13,338	16,631	17,263	12,179	5,002	1,222	8
WHITE-----MALE----	1,311	1,660	2,093	2,771	4,010	5,921	6,915	6,114	3,205	989	160	4
FEMALE--	548	701	1,084	1,663	2,971	5,400	7,613	9,322	7,775	3,519	906	1
ALL OTHER--MALE----	411	425	574	690	830	1,019	950	703	427	160	24	2
FEMALE--	226	266	354	516	694	998	1,153	1,124	772	334	132	1
BLACK---MALE-----	271	250	353	408	418	466	396	271	149	65	11	2
FEMALE--	158	173	238	308	350	528	565	534	415	184	70	-



[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
IX. Diseases of the circulatory system (I00-I99)												
COLORADO -----	9,238	7	5	6	4	8	8	17	35	52	132	180
WHITE-----MALE----	3,999	3	3	2	3	5	1	10	19	32	78	121
FEMALE--	4,804	4	2	2	1	2	5	5	12	11	36	40
ALL OTHER--MALE----	232	-	-	1	-	1	2	1	3	7	14	15
FEMALE--	203	-	-	1	-	-	-	1	1	2	4	4
BLACK---MALE----	167	-	-	1	-	1	2	1	3	6	10	12
FEMALE--	148	-	-	1	-	-	-	1	1	1	3	4
CONNECTICUT -----	11,358	3	1	4	2	9	7	13	32	69	122	186
WHITE-----MALE----	4,717	-	-	3	1	4	2	8	20	37	72	110
FEMALE--	5,928	3	-	1	1	4	3	3	4	15	21	46
ALL OTHER--MALE----	348	-	-	-	-	1	1	1	3	8	22	18
FEMALE--	365	-	1	-	-	-	1	1	5	9	7	12
BLACK---MALE----	319	-	-	-	-	1	1	1	3	7	21	14
FEMALE--	335	-	1	-	-	-	1	1	5	8	6	12
DELAWARE -----	2,568	-	1	-	-	2	3	2	11	14	36	36
WHITE-----MALE----	1,023	-	-	-	-	1	1	2	2	8	18	17
FEMALE--	1,132	-	-	-	-	-	-	-	2	1	4	6
ALL OTHER--MALE----	179	-	-	-	-	1	1	-	4	3	6	4
FEMALE--	234	-	1	-	-	-	1	-	3	2	8	9
BLACK---MALE----	172	-	-	-	-	1	1	-	4	3	6	4
FEMALE--	227	-	1	-	-	-	1	-	3	2	8	9
DISTRICT OF COLUMBIA ---	2,164	-	1	1	-	-	2	4	9	17	37	64
WHITE-----MALE----	218	-	-	-	-	-	-	-	-	4	2	5
FEMALE--	261	-	-	-	-	-	-	1	-	-	1	-
ALL OTHER--MALE----	755	-	-	-	-	-	1	2	6	7	18	37
FEMALE--	930	-	1	1	-	-	1	1	3	6	16	22
BLACK---MALE----	745	-	-	-	-	-	1	2	6	7	18	37
FEMALE--	922	-	1	1	-	-	1	1	3	6	16	22
FLORIDA -----	65,387	34	14	1	15	25	41	83	161	335	621	1,004
WHITE-----MALE----	28,700	10	4	1	2	10	10	32	72	165	332	560
FEMALE--	29,880	7	2	-	3	6	12	17	31	64	99	170
ALL OTHER--MALE----	3,083	9	2	-	8	5	10	17	34	65	104	168
FEMALE--	3,724	8	6	-	2	4	9	17	24	41	86	106
BLACK---MALE----	2,945	8	1	-	8	5	10	16	31	61	104	164
FEMALE--	3,597	8	5	-	2	4	9	17	23	40	85	105
GEORGIA -----	23,632	36	18	9	12	17	30	73	113	220	447	666
WHITE-----MALE----	8,042	10	6	1	2	6	9	25	40	74	153	266
FEMALE--	9,149	6	-	3	1	4	3	11	20	38	74	114
ALL OTHER--MALE----	2,896	11	8	3	3	5	10	17	28	64	120	170
FEMALE--	3,545	9	4	2	6	2	8	20	25	44	100	116
BLACK---MALE----	2,826	11	8	3	3	5	9	17	25	63	120	168
FEMALE--	3,489	9	3	2	6	2	7	19	25	43	100	114

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 1775

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

IX. Diseases of the circulatory system (I00-I99)

COLORADO -----	266	325	371	553	882	1,278	1,635	1,628	1,243	521	81	1
WHITE-----MALE----	160	197	233	314	483	620	712	547	341	110	5	-
FEMALE--	76	101	108	202	343	607	858	1,035	874	405	74	1
ALL OTHER--MALE----	20	20	19	22	24	20	33	20	10	-	-	-
FEMALE--	10	7	11	15	32	31	32	26	18	6	2	-
BLACK---MALE-----	16	16	15	19	19	9	22	8	7	-	-	-
FEMALE--	6	6	9	9	23	22	18	20	16	6	2	-
CONNECTICUT -----	250	347	421	589	950	1,506	2,096	2,206	1,649	725	171	-
WHITE-----MALE----	142	203	244	334	513	743	943	758	433	128	19	-
FEMALE--	65	89	116	185	374	672	1,060	1,377	1,161	583	145	-
ALL OTHER--MALE----	26	35	28	39	34	45	38	26	17	6	-	-
FEMALE--	17	20	33	31	29	46	55	45	38	8	7	-
BLACK---MALE-----	24	31	28	37	31	42	34	24	16	4	-	-
FEMALE--	14	20	30	28	27	44	46	43	35	7	7	-
DELAWARE -----	84	102	129	192	264	372	456	423	273	130	38	-
WHITE-----MALE----	35	47	73	85	129	172	195	151	67	17	3	-
FEMALE--	18	27	23	61	89	148	210	241	174	98	30	-
ALL OTHER--MALE----	14	16	21	26	25	17	19	12	10	-	-	-
FEMALE--	17	12	12	20	21	35	32	19	22	15	5	-
BLACK---MALE-----	12	15	21	24	25	16	18	12	10	-	-	-
FEMALE--	17	11	12	19	19	35	31	19	21	14	5	-
DISTRICT OF COLUMBIA ---	98	111	122	155	219	316	331	293	235	115	27	7
WHITE-----MALE----	11	5	7	13	21	26	37	38	31	14	1	3
FEMALE--	1	7	6	10	11	28	44	46	60	35	11	-
ALL OTHER--MALE----	56	65	67	69	106	121	103	58	25	9	3	2
FEMALE--	30	34	42	63	81	141	147	151	119	57	12	2
BLACK---MALE-----	55	65	66	69	104	120	100	57	24	9	3	2
FEMALE--	30	34	42	62	81	140	145	150	118	55	12	2
FLORIDA -----	1,547	2,060	2,727	3,922	6,275	9,473	12,059	12,188	8,671	3,456	666	9
WHITE-----MALE----	873	1,160	1,484	2,102	3,389	4,725	5,434	4,795	2,629	799	111	1
FEMALE--	291	474	674	1,144	2,139	3,866	5,743	6,650	5,571	2,426	488	3
ALL OTHER--MALE----	226	231	310	358	373	405	336	250	124	34	11	3
FEMALE--	157	195	259	318	374	477	546	493	347	197	56	2
BLACK---MALE-----	216	217	298	334	352	390	322	241	122	32	10	3
FEMALE--	152	190	249	303	360	454	525	475	338	195	56	2
GEORGIA -----	1,015	1,247	1,436	1,820	2,439	3,268	3,670	3,629	2,404	877	183	3
WHITE-----MALE----	431	538	616	774	1,054	1,245	1,265	936	469	110	10	2
FEMALE--	147	233	319	441	718	1,225	1,677	1,981	1,473	549	112	-
ALL OTHER--MALE----	271	286	298	321	309	333	277	198	111	42	10	1
FEMALE--	166	190	203	284	358	465	451	514	351	176	51	-
BLACK---MALE-----	265	276	293	309	303	324	271	194	107	41	10	1
FEMALE--	165	187	199	276	349	458	442	510	346	176	51	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 1776

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
IX. Diseases of the circulatory system (I00-I99)												
HAWAII -----	3,293	5	1	-	2	1	2	6	14	34	56	87
WHITE-----MALE----	411	-	-	-	-	-	-	-	1	6	11	14
FEMALE--	400	-	-	-	-	-	-	2	-	1	2	4
ALL OTHER--MALE----	1,365	1	1	-	1	1	2	2	9	21	27	51
FEMALE--	1,117	4	-	-	1	-	-	2	4	6	16	18
BLACK---MALE----	11	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	1	-	-	2
IDAHO -----	3,507	2	1	1	1	3	5	4	5	20	39	51
WHITE-----MALE----	1,712	2	1	-	1	3	3	3	3	8	25	36
FEMALE--	1,752	-	-	1	-	-	2	-	2	10	13	14
ALL OTHER--MALE----	19	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	24	-	-	-	-	-	-	1	-	1	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	40,866	42	19	7	12	21	49	73	149	259	524	880
WHITE-----MALE----	15,423	11	7	1	3	11	23	33	65	131	230	409
FEMALE--	19,187	14	6	3	5	4	6	12	30	46	93	156
ALL OTHER--MALE----	2,949	11	2	2	1	6	11	19	31	51	130	188
FEMALE--	3,307	6	4	1	3	-	9	9	23	31	71	127
BLACK---MALE----	2,713	11	2	2	1	6	10	18	28	47	122	176
FEMALE--	3,090	5	4	1	3	-	8	9	21	31	70	123
INDIANA -----	21,037	14	6	1	8	11	19	47	62	147	259	419
WHITE-----MALE----	8,974	6	2	-	6	4	9	16	33	98	168	259
FEMALE--	10,474	5	4	1	1	6	6	17	18	27	56	91
ALL OTHER--MALE----	784	2	-	-	-	1	3	8	9	7	19	42
FEMALE--	805	1	-	-	1	-	1	6	2	15	16	27
BLACK---MALE----	768	2	-	-	-	1	3	8	9	7	18	41
FEMALE--	788	1	-	-	-	-	1	6	2	15	16	27
IOWA -----	11,334	3	1	4	3	10	7	9	23	52	99	174
WHITE-----MALE----	5,006	3	-	3	1	5	5	5	14	33	54	115
FEMALE--	6,145	-	1	-	2	5	2	4	8	15	39	52
ALL OTHER--MALE----	99	-	-	-	-	-	-	-	-	4	4	6
FEMALE--	84	-	-	1	-	-	-	-	1	-	2	1
BLACK---MALE----	82	-	-	-	-	-	-	-	-	3	4	5
FEMALE--	66	-	-	-	-	-	-	-	-	-	1	1
KANSAS -----	9,350	6	3	1	1	2	5	12	13	36	90	158
WHITE-----MALE----	3,915	4	1	-	-	1	1	8	7	20	57	102
FEMALE--	4,971	2	2	1	1	-	3	3	2	14	23	40
ALL OTHER--MALE----	204	-	-	-	-	1	-	-	3	2	6	6
FEMALE--	260	-	-	-	-	-	1	1	1	-	4	10
BLACK---MALE----	179	-	-	-	-	1	-	-	3	2	5	5
FEMALE--	226	-	-	-	-	-	1	1	1	-	4	8

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
IX. Diseases of the circulatory system (I00-I99)												
HAWAII -----	98	144	150	229	318	470	540	559	371	157	49	-
WHITE-----MALE----	20	27	19	25	36	62	76	63	37	13	1	-
FEMALE--	5	17	14	16	21	55	71	90	71	26	5	-
ALL OTHER--MALE----	45	61	70	110	162	198	213	204	138	41	7	-
FEMALE--	28	39	47	78	99	155	180	202	125	77	36	-
BLACK---MALE----	-	2	2	1	2	-	2	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	1	-	-	-
IDAHO -----	92	114	158	213	333	460	620	726	456	165	38	-
WHITE-----MALE----	64	79	108	132	195	243	298	301	146	53	8	-
FEMALE--	25	32	46	76	135	213	311	421	310	111	30	-
ALL OTHER--MALE----	1	2	3	2	2	1	4	1	-	1	-	-
FEMALE--	2	1	1	3	1	3	7	3	-	-	-	-
BLACK---MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	3	-	-	-	-	-
ILLINOIS -----	1,220	1,544	1,900	2,488	3,795	5,692	6,920	7,249	5,299	2,239	485	-
WHITE-----MALE----	578	778	904	1,127	1,811	2,552	2,705	2,342	1,273	362	67	-
FEMALE--	211	327	498	738	1,296	2,287	3,422	4,330	3,616	1,723	364	-
ALL OTHER--MALE----	271	275	282	318	364	368	298	193	95	23	10	-
FEMALE--	160	164	216	305	324	485	495	384	315	131	44	-
BLACK---MALE----	257	253	267	298	335	325	267	172	85	21	10	-
FEMALE--	156	155	208	286	306	442	452	354	291	124	41	-
INDIANA -----	598	777	1,013	1,355	2,071	2,998	3,694	3,713	2,559	1,053	213	-
WHITE-----MALE----	353	467	571	760	1,061	1,487	1,564	1,284	609	192	25	-
FEMALE--	152	229	294	453	795	1,325	1,918	2,236	1,864	803	173	-
ALL OTHER--MALE----	58	48	88	89	115	88	101	71	24	9	2	-
FEMALE--	35	33	60	53	100	98	111	122	62	49	13	-
BLACK---MALE----	58	48	86	86	111	87	100	69	24	8	2	-
FEMALE--	34	33	60	52	97	95	110	119	60	48	12	-
IOWA -----	212	274	420	592	956	1,453	1,978	2,195	1,873	777	219	-
WHITE-----MALE----	143	178	267	368	564	790	946	819	535	134	24	-
FEMALE--	55	83	133	209	373	633	1,010	1,362	1,331	640	188	-
ALL OTHER--MALE----	9	11	13	11	11	14	9	4	1	-	2	-
FEMALE--	5	2	7	4	8	16	13	10	6	3	5	-
BLACK---MALE----	6	8	11	11	8	12	8	4	1	-	1	-
FEMALE--	5	2	6	3	6	14	8	8	4	3	5	-
KANSAS -----	233	264	351	495	779	1,229	1,660	1,833	1,392	643	144	-
WHITE-----MALE----	142	148	219	291	402	620	711	666	367	128	20	-
FEMALE--	63	84	98	162	322	551	873	1,116	990	503	118	-
ALL OTHER--MALE----	17	19	23	16	32	27	27	14	7	3	1	-
FEMALE--	11	13	11	26	23	31	49	37	28	9	5	-
BLACK---MALE----	15	14	21	14	27	22	26	14	6	3	1	-
FEMALE--	9	13	9	21	19	28	42	33	24	8	5	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
IX. Diseases of the circulatory system (I00-I99)												
KENTUCKY -----	15,187	10	3	1	7	7	19	28	63	120	192	370
WHITE-----MALE----	6,541	2	1	-	4	4	8	15	32	69	113	229
FEMALE--	7,623	6	2	1	3	-	7	11	20	38	49	90
ALL OTHER--MALE----	487	-	-	-	-	1	2	-	7	7	17	30
FEMALE--	536	2	-	-	-	2	2	2	4	6	13	21
BLACK---MALE-----	475	-	-	-	-	1	2	-	7	7	17	30
FEMALE--	523	2	-	-	-	2	2	2	3	6	13	20
LOUISIANA -----	15,070	13	5	1	5	15	21	33	61	132	281	423
WHITE-----MALE----	5,038	4	-	-	1	2	6	6	13	48	100	174
FEMALE--	5,502	2	1	-	2	2	1	3	15	22	40	54
ALL OTHER--MALE----	2,069	1	2	1	2	6	8	12	24	37	73	110
FEMALE--	2,461	6	2	-	-	5	6	12	9	25	68	85
BLACK---MALE-----	2,038	1	2	1	2	6	8	12	22	37	72	108
FEMALE--	2,420	5	2	-	-	5	6	12	9	24	67	85
MAINE -----	4,440	-	-	-	1	2	4	5	16	11	34	85
WHITE-----MALE----	2,029	-	-	-	1	2	2	3	13	4	25	61
FEMALE--	2,382	-	-	-	-	-	2	2	3	6	8	22
ALL OTHER--MALE----	17	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	7	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	16,208	6	4	5	3	7	23	29	66	134	263	392
WHITE-----MALE----	5,577	1	1	1	1	3	6	7	20	40	103	148
FEMALE--	6,593	1	2	2	-	-	3	3	7	15	32	56
ALL OTHER--MALE----	1,912	-	1	1	1	4	6	12	22	49	73	110
FEMALE--	2,126	4	-	1	1	-	8	7	17	30	55	78
BLACK---MALE-----	1,812	-	1	1	1	4	6	11	22	48	70	108
FEMALE--	2,030	4	-	1	1	-	7	7	17	29	55	74
MASSACHUSETTS -----	20,207	10	3	2	6	2	14	30	51	90	221	295
WHITE-----MALE----	8,489	3	2	1	1	-	6	13	23	47	138	192
FEMALE--	10,867	5	1	1	4	1	5	14	16	26	53	76
ALL OTHER--MALE----	428	1	-	-	1	1	3	2	10	12	20	14
FEMALE--	423	1	-	-	-	-	-	1	2	5	10	13
BLACK---MALE-----	339	1	-	-	1	-	2	2	8	12	17	12
FEMALE--	344	1	-	-	-	-	-	1	2	4	9	10
MICHIGAN -----	35,055	23	10	4	6	21	31	44	119	221	445	735
WHITE-----MALE----	13,890	11	3	1	2	7	12	15	48	105	204	359
FEMALE--	16,135	5	4	2	1	4	8	10	27	38	92	133
ALL OTHER--MALE----	2,402	2	2	-	2	8	7	11	29	47	81	151
FEMALE--	2,628	5	1	1	1	2	4	8	15	31	68	92
BLACK---MALE-----	2,275	2	2	-	2	8	7	10	28	45	79	142
FEMALE--	2,500	5	1	1	1	2	4	7	14	30	65	89

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 1777

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

IX. Diseases of the circulatory system (I00-I99)

KENTUCKY -----	530	679	806	1,053	1,569	2,153	2,611	2,488	1,690	637	151	-
WHITE-----MALE----	334	433	500	591	820	1,012	1,035	788	422	113	16	-
FEMALE--	124	183	249	376	639	1,018	1,426	1,579	1,193	482	127	-
ALL OTHER--MALE----	48	44	35	37	64	59	64	41	18	12	1	-
FEMALE--	24	19	22	49	46	64	86	80	57	30	7	-
BLACK---MALE-----	48	42	32	34	62	58	64	41	18	11	1	-
FEMALE--	24	18	22	49	45	61	83	79	56	29	7	-
LOUISIANA -----	624	737	918	1,097	1,597	2,157	2,444	2,205	1,553	619	129	-
WHITE-----MALE----	227	290	382	425	686	850	857	560	312	88	7	-
FEMALE--	88	122	185	273	461	733	1,020	1,149	889	370	70	-
ALL OTHER--MALE----	181	192	183	214	219	272	218	165	87	50	12	-
FEMALE--	128	133	168	185	231	302	349	331	265	111	40	-
BLACK---MALE-----	180	189	181	207	217	268	214	163	86	50	12	-
FEMALE--	125	130	164	184	224	293	347	326	262	110	40	-
MAINE -----	104	147	178	275	418	630	770	822	626	253	59	-
WHITE-----MALE----	79	92	122	169	247	356	354	294	152	46	7	-
FEMALE--	23	53	56	104	168	270	410	524	472	207	52	-
ALL OTHER--MALE----	1	1	-	1	3	3	2	2	1	-	-	-
FEMALE--	1	1	-	-	-	1	4	2	1	-	-	-
BLACK---MALE-----	-	1	-	-	-	-	1	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	587	647	811	1,148	1,590	2,326	2,771	2,689	1,798	732	175	2
WHITE-----MALE----	234	259	297	476	691	921	1,044	805	382	120	16	1
FEMALE--	101	115	181	265	510	839	1,233	1,460	1,151	493	124	-
ALL OTHER--MALE----	148	171	193	234	199	264	187	139	68	21	8	1
FEMALE--	104	102	140	173	190	302	307	285	197	98	27	-
BLACK---MALE-----	144	165	186	224	191	243	173	126	63	18	6	1
FEMALE--	101	99	130	161	178	287	294	274	189	96	26	-
MASSACHUSETTS -----	431	582	708	1,118	1,845	2,754	3,731	3,910	2,863	1,222	318	1
WHITE-----MALE----	270	384	422	671	1,031	1,390	1,645	1,337	692	186	35	-
FEMALE--	114	147	224	373	708	1,243	1,970	2,490	2,110	1,011	274	1
ALL OTHER--MALE----	33	32	40	37	69	56	49	27	14	6	1	-
FEMALE--	14	19	22	37	37	65	67	56	47	19	8	-
BLACK---MALE-----	26	26	37	25	56	42	37	19	11	4	1	-
FEMALE--	11	15	19	30	30	56	50	46	37	16	7	-
MICHIGAN -----	1,063	1,287	1,667	2,167	3,393	5,142	6,139	6,315	4,122	1,703	397	1
WHITE-----MALE----	539	650	833	1,094	1,678	2,304	2,489	2,074	1,057	345	60	-
FEMALE--	235	295	442	611	1,164	2,102	3,005	3,707	2,744	1,214	292	-
ALL OTHER--MALE----	163	204	231	244	287	358	271	194	73	28	8	1
FEMALE--	126	138	161	218	264	378	374	340	248	116	37	-
BLACK---MALE-----	155	195	215	231	274	342	253	180	69	27	8	1
FEMALE--	121	132	155	201	247	356	357	327	237	113	35	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
IX. Diseases of the circulatory system (I00-I99)												
MINNESOTA -----	12,722	6	1	1	3	4	8	13	31	80	160	190
WHITE-----MALE----	5,871	1	-	-	1	1	2	6	9	44	99	118
FEMALE--	6,484	2	1	1	1	2	4	2	14	23	30	49
ALL OTHER--MALE----	205	1	-	-	1	1	1	5	6	7	18	12
FEMALE--	162	2	-	-	-	-	1	-	2	6	13	11
BLACK---MALE-----	103	-	-	-	-	-	1	5	4	3	11	8
FEMALE--	95	2	-	-	-	-	1	-	2	4	10	6
MISSISSIPPI -----	11,660	11	7	1	1	6	22	21	44	111	206	295
WHITE-----MALE----	3,471	1	1	-	-	-	2	5	10	29	61	93
FEMALE--	4,370	3	-	-	1	2	2	2	7	15	33	37
ALL OTHER--MALE----	1,675	2	4	1	-	4	10	5	14	41	59	97
FEMALE--	2,144	5	2	-	-	-	8	9	13	26	53	68
BLACK---MALE-----	1,653	2	4	1	-	4	10	5	13	39	59	93
FEMALE--	2,126	5	2	-	-	-	8	8	13	26	53	68
MISSOURI -----	21,800	13	8	2	5	18	17	23	73	135	275	369
WHITE-----MALE----	8,874	4	2	-	3	10	6	8	41	62	145	196
FEMALE--	10,840	4	4	2	1	6	6	7	16	41	53	80
ALL OTHER--MALE----	982	2	1	-	-	2	3	5	10	20	47	59
FEMALE--	1,104	3	1	-	1	-	2	3	6	12	30	34
BLACK---MALE-----	944	2	1	-	-	2	3	5	10	20	44	57
FEMALE--	1,067	3	1	-	1	-	2	3	5	12	30	34
MONTANA -----	2,736	2	-	1	1	-	-	-	3	16	25	42
WHITE-----MALE----	1,314	1	-	1	1	-	-	-	-	10	16	30
FEMALE--	1,340	1	-	-	-	-	-	-	3	3	8	9
ALL OTHER--MALE----	42	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	40	-	-	-	-	-	-	-	-	2	-	2
BLACK---MALE-----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	5,765	3	5	-	3	6	8	6	13	24	68	84
WHITE-----MALE----	2,500	2	1	-	-	6	6	2	9	10	42	50
FEMALE--	3,062	-	2	-	2	-	1	2	4	11	17	23
ALL OTHER--MALE----	104	-	2	-	-	-	1	1	-	2	6	6
FEMALE--	99	1	-	-	1	-	-	1	-	1	3	5
BLACK---MALE-----	81	-	1	-	-	-	1	1	-	2	4	4
FEMALE--	78	-	-	-	1	-	-	1	-	1	3	5
NEVADA -----	5,709	4	1	1	1	3	11	15	26	56	93	167
WHITE-----MALE----	2,860	1	-	1	-	-	3	5	18	31	55	103
FEMALE--	2,289	1	-	-	1	1	3	6	4	11	20	34
ALL OTHER--MALE----	272	1	1	-	-	1	3	4	4	7	11	14
FEMALE--	288	1	-	-	-	1	2	-	-	7	7	16
BLACK---MALE-----	186	1	-	-	-	1	2	3	4	4	8	9
FEMALE--	196	1	-	-	-	1	2	-	-	4	6	11

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 1778

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

IX. Diseases of the circulatory system (I00-I99)

MINNESOTA -----	315	370	455	676	1,044	1,621	2,262	2,572	1,899	815	196	-
WHITE-----MALE----	222	253	288	431	619	898	1,088	1,008	578	181	24	-
FEMALE--	73	87	127	226	382	687	1,131	1,532	1,309	630	171	-
ALL OTHER--MALE----	15	22	32	10	20	17	19	12	5	1	-	-
FEMALE--	5	8	8	9	23	19	24	20	7	3	1	-
BLACK---MALE-----	8	12	16	3	8	6	11	4	3	-	-	-
FEMALE--	2	4	6	5	15	10	13	10	4	1	-	-
MISSISSIPPI -----	436	514	685	908	1,257	1,602	1,760	1,869	1,271	495	137	1
WHITE-----MALE----	143	201	251	340	489	564	552	448	223	47	11	-
FEMALE--	74	96	150	200	357	545	779	988	716	290	73	-
ALL OTHER--MALE----	130	135	159	174	194	191	173	144	99	28	11	-
FEMALE--	89	82	125	194	217	302	256	289	233	130	42	1
BLACK---MALE-----	130	134	156	169	192	190	172	144	97	28	11	-
FEMALE--	86	81	124	193	213	298	254	288	233	130	42	1
MISSOURI -----	590	714	1,001	1,356	2,089	3,016	3,729	3,905	2,953	1,249	260	-
WHITE-----MALE----	322	418	571	721	1,089	1,417	1,594	1,283	731	216	35	-
FEMALE--	151	181	295	440	753	1,309	1,878	2,381	2,061	964	207	-
ALL OTHER--MALE----	73	66	79	108	118	145	116	72	43	12	1	-
FEMALE--	44	49	56	87	129	145	141	169	118	57	17	-
BLACK---MALE-----	72	65	77	104	110	136	113	68	42	12	1	-
FEMALE--	43	48	51	83	117	139	140	168	116	54	17	-
MONTANA -----	69	106	142	147	253	380	502	514	355	151	27	-
WHITE-----MALE----	46	62	97	85	171	195	252	215	101	27	4	-
FEMALE--	18	37	36	53	72	174	240	290	251	122	23	-
ALL OTHER--MALE----	3	3	6	5	6	7	3	6	-	-	-	-
FEMALE--	2	4	3	4	4	4	7	3	3	2	-	-
BLACK---MALE-----	-	1	-	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
NEBRASKA -----	121	145	201	271	466	744	1,007	1,166	859	452	113	-
WHITE-----MALE----	73	87	134	163	239	413	468	426	264	90	15	-
FEMALE--	28	45	58	89	205	303	512	719	588	359	94	-
ALL OTHER--MALE----	13	6	5	11	14	15	12	7	2	1	-	-
FEMALE--	7	7	4	8	8	13	15	14	5	2	4	-
BLACK---MALE-----	10	4	3	8	14	13	10	4	2	-	-	-
FEMALE--	7	4	2	6	6	8	10	13	5	2	4	-
NEVADA -----	235	350	402	539	700	890	911	725	413	145	20	1
WHITE-----MALE----	146	225	263	318	395	454	436	267	113	20	5	1
FEMALE--	55	77	94	156	228	364	427	404	274	115	14	-
ALL OTHER--MALE----	20	26	31	26	35	37	24	16	8	3	-	-
FEMALE--	14	22	14	39	42	35	24	38	18	7	1	-
BLACK---MALE-----	14	18	20	15	26	26	15	13	7	-	-	-
FEMALE--	10	18	9	23	27	21	15	25	16	6	1	-







[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
IX. Diseases of the circulatory system (I00-I99)												
OHIO -----	42,220	19	6	6	13	24	37	66	125	223	528	810
WHITE-----MALE----	17,204	5	4	3	9	8	17	26	55	118	277	469
FEMALE--	20,595	6	1	2	2	7	10	25	38	46	130	163
ALL OTHER--MALE----	2,074	2	-	1	1	5	7	11	18	30	73	116
FEMALE--	2,347	6	1	-	1	4	3	4	14	29	48	62
BLACK---MALE-----	2,022	2	-	1	1	5	6	10	18	30	69	115
FEMALE--	2,291	5	1	-	1	4	3	4	14	29	46	60
OKLAHOMA -----	14,235	8	5	2	4	5	16	13	34	89	166	303
WHITE-----MALE----	5,905	3	2	-	3	3	7	8	16	35	87	173
FEMALE--	6,944	3	2	1	1	2	2	3	7	30	39	68
ALL OTHER--MALE----	656	1	1	1	-	-	5	1	6	15	20	41
FEMALE--	730	1	-	-	-	-	2	1	5	9	20	21
BLACK---MALE-----	375	-	-	1	-	-	5	1	2	8	17	25
FEMALE--	475	-	-	-	-	-	2	1	3	3	13	18
OREGON -----	10,570	9	-	2	1	2	8	8	26	41	78	153
WHITE-----MALE----	4,865	6	-	1	-	1	5	5	15	19	50	96
FEMALE--	5,386	1	-	1	1	1	3	3	8	19	22	43
ALL OTHER--MALE----	156	2	-	-	-	-	-	-	2	2	3	10
FEMALE--	163	-	-	-	-	-	-	-	1	1	3	4
BLACK---MALE-----	74	1	-	-	-	-	-	-	1	2	1	4
FEMALE--	71	-	-	-	-	-	-	-	1	1	2	2
PENNSYLVANIA -----	51,215	18	15	8	11	22	34	55	113	242	478	798
WHITE-----MALE----	21,072	7	7	3	7	9	20	32	58	130	264	464
FEMALE--	25,934	8	4	3	2	6	9	10	32	61	105	161
ALL OTHER--MALE----	1,998	2	1	-	1	2	2	7	13	30	64	114
FEMALE--	2,211	1	3	2	1	5	3	6	10	21	45	59
BLACK---MALE-----	1,898	2	1	-	1	2	2	7	12	28	57	111
FEMALE--	2,125	1	3	2	1	2	3	6	10	21	43	59
RHODE ISLAND -----	3,969	4	2	-	-	-	1	7	6	22	44	54
WHITE-----MALE----	1,690	2	2	-	-	-	-	3	3	17	26	39
FEMALE--	2,165	2	-	-	-	-	1	3	1	3	16	10
ALL OTHER--MALE----	55	-	-	-	-	-	-	1	1	1	2	5
FEMALE--	59	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE-----	45	-	-	-	-	-	-	-	1	1	1	5
FEMALE--	42	-	-	-	-	-	-	-	-	1	-	-
SOUTH CAROLINA -----	13,210	16	6	4	3	5	17	21	58	137	247	349
WHITE-----MALE----	4,457	3	2	1	1	2	4	7	28	43	102	143
FEMALE--	4,833	3	1	2	-	-	1	2	7	30	26	40
ALL OTHER--MALE----	1,884	5	2	-	-	-	3	7	16	32	68	102
FEMALE--	2,036	5	1	1	2	-	5	5	7	32	51	64
BLACK---MALE-----	1,871	5	2	-	-	3	7	7	16	32	67	102
FEMALE--	2,010	4	-	1	2	-	4	5	7	32	51	62

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 1780

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
IX. Diseases of the circulatory system (I00-I99)												
OHIO -----	1,242	1,430	2,004	2,720	4,407	6,281	7,485	7,426	4,965	1,989	414	-
WHITE-----MALE----	712	798	1,086	1,404	2,250	2,966	2,973	2,448	1,219	305	52	-
FEMALE--	280	368	580	880	1,613	2,728	3,895	4,482	3,483	1,529	327	-
ALL OTHER--MALE----	140	142	203	234	291	281	256	160	58	36	9	-
FEMALE--	110	122	135	202	253	306	361	336	205	119	26	-
BLACK---MALE-----	137	138	197	225	283	277	250	157	56	36	9	-
FEMALE--	108	119	129	198	245	298	353	328	201	119	26	-
OKLAHOMA -----	394	545	711	971	1,351	2,015	2,449	2,421	1,854	727	152	-
WHITE-----MALE----	205	305	408	496	737	958	1,033	794	472	146	14	-
FEMALE--	107	160	212	337	484	879	1,234	1,450	1,273	538	112	-
ALL OTHER--MALE----	53	53	55	86	75	82	79	40	29	11	2	-
FEMALE--	29	27	36	52	55	96	103	137	80	32	24	-
BLACK---MALE-----	29	31	34	48	43	39	42	22	18	8	2	-
FEMALE--	18	20	22	31	41	60	61	86	55	23	18	-
OREGON -----	287	303	439	580	931	1,513	1,997	2,115	1,412	566	99	-
WHITE-----MALE----	198	195	259	343	524	788	950	820	435	142	13	-
FEMALE--	68	85	151	210	362	682	1,003	1,263	954	420	86	-
ALL OTHER--MALE----	14	15	17	12	23	16	20	13	7	-	-	-
FEMALE--	7	8	12	15	22	27	24	19	16	4	-	-
BLACK---MALE-----	7	7	6	8	14	6	8	7	2	-	-	-
FEMALE--	3	6	3	5	11	10	10	11	5	1	-	-
PENNSYLVANIA -----	1,188	1,500	1,989	2,914	4,963	7,613	9,675	9,822	6,585	2,609	561	2
WHITE-----MALE----	681	856	1,082	1,578	2,594	3,693	3,998	3,412	1,653	457	65	2
FEMALE--	266	412	572	926	1,890	3,343	5,132	5,926	4,617	1,999	450	-
ALL OTHER--MALE----	161	140	200	229	259	274	234	152	82	25	6	-
FEMALE--	80	92	135	181	220	303	311	332	233	128	40	-
BLACK---MALE-----	154	130	192	219	244	261	220	146	78	25	6	-
FEMALE--	79	91	133	168	210	295	295	310	227	126	40	-
RHODE ISLAND -----	72	101	141	203	345	562	763	766	586	234	55	1
WHITE-----MALE----	40	67	90	121	203	283	350	265	137	38	3	1
FEMALE--	24	29	43	76	128	257	398	491	442	190	51	-
ALL OTHER--MALE----	4	4	4	2	9	12	2	4	3	1	-	-
FEMALE--	4	1	4	4	5	10	13	6	4	5	1	-
BLACK---MALE-----	3	4	4	2	8	10	-	2	3	1	-	-
FEMALE--	4	1	4	-	2	8	9	5	3	4	1	-
SOUTH CAROLINA -----	532	708	822	1,052	1,404	1,975	2,221	1,879	1,203	440	110	1
WHITE-----MALE----	218	302	343	430	558	765	736	482	223	55	9	-
FEMALE--	71	124	154	265	386	686	952	998	737	286	62	-
ALL OTHER--MALE----	156	180	196	198	242	244	206	125	71	18	6	-
FEMALE--	87	102	129	159	218	280	327	274	172	81	33	1
BLACK---MALE-----	155	180	194	195	238	242	206	125	71	18	6	-
FEMALE--	87	99	128	156	215	274	325	273	172	80	32	1

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
IX. Diseases of the circulatory system (I00-I99)												
SOUTH DAKOTA -----	2,643	-	-	1	1	-	2	2	5	17	17	47
WHITE-----MALE----	1,249	-	-	1	1	-	-	-	4	4	12	33
FEMALE--	1,269	-	-	-	-	-	2	-	1	6	3	8
ALL OTHER--MALE----	67	-	-	-	-	-	-	1	-	3	2	6
FEMALE--	58	-	-	-	-	-	-	1	-	4	-	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	21,245	11	2	-	2	8	21	41	75	157	350	531
WHITE-----MALE----	8,223	1	-	-	-	3	8	18	28	62	172	262
FEMALE--	9,833	5	1	-	2	3	4	10	20	47	86	124
ALL OTHER--MALE----	1,441	3	1	-	-	1	5	6	14	32	51	79
FEMALE--	1,748	2	-	-	-	1	4	7	13	16	41	66
BLACK---MALE-----	1,413	2	1	-	-	1	5	6	13	31	50	78
FEMALE--	1,725	2	-	-	-	1	4	6	13	16	40	66
TEXAS -----	57,484	60	33	11	15	40	67	133	209	423	870	1,358
WHITE-----MALE----	23,458	20	8	2	3	20	31	69	97	212	434	734
FEMALE--	26,199	18	13	6	6	12	18	26	51	97	179	264
ALL OTHER--MALE----	3,666	14	6	-	2	6	8	20	38	79	153	220
FEMALE--	4,161	8	6	3	4	2	10	18	23	35	104	140
BLACK---MALE-----	3,431	14	6	-	2	5	7	20	34	73	142	211
FEMALE--	3,947	7	6	3	2	2	10	18	23	34	102	136
UTAH -----	4,093	10	2	-	-	2	5	8	18	29	50	77
WHITE-----MALE----	1,852	4	1	-	-	1	3	3	10	15	36	46
FEMALE--	2,139	6	1	-	-	1	1	5	5	11	14	22
ALL OTHER--MALE----	62	-	-	-	-	-	1	-	2	2	-	3
FEMALE--	40	-	-	-	-	-	-	-	1	1	-	6
BLACK---MALE-----	19	-	-	-	-	-	-	-	2	2	-	3
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	3
VERMONT -----	1,886	3	-	-	-	2	-	2	3	13	21	29
WHITE-----MALE----	845	2	-	-	-	-	-	1	1	6	13	19
FEMALE--	1,035	1	-	-	-	2	-	1	2	6	8	10
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	20,334	21	12	2	3	10	19	43	74	161	283	482
WHITE-----MALE----	7,238	7	5	1	1	1	9	13	29	67	106	226
FEMALE--	8,651	3	3	-	1	3	3	8	17	29	52	85
ALL OTHER--MALE----	2,116	4	3	-	-	3	6	13	12	41	78	111
FEMALE--	2,329	7	1	1	1	3	1	9	16	24	47	60
BLACK---MALE-----	2,004	4	3	-	-	3	5	12	11	39	75	106
FEMALE--	2,236	7	1	1	1	3	1	9	14	24	46	57

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	------------------	----------------

IX. Diseases of the circulatory system (I00-I99)

SOUTH DAKOTA -----	57	82	91	143	238	327	462	504	397	192	58	-
WHITE-----MALE----	41	59	49	84	149	185	236	206	127	47	11	-
FEMALE--	8	10	26	42	72	136	216	288	261	143	47	-
ALL OTHER--MALE----	6	11	9	6	7	4	5	4	3	-	-	-
FEMALE--	2	2	7	11	10	2	5	6	6	2	-	-
BLACK---MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
TENNESSEE -----	753	990	1,192	1,592	2,051	2,895	3,616	3,488	2,395	915	160	-
WHITE-----MALE----	383	506	649	803	1,010	1,224	1,344	1,075	489	174	12	-
FEMALE--	186	269	322	479	681	1,270	1,867	2,067	1,651	639	100	-
ALL OTHER--MALE----	113	132	128	170	178	179	146	111	62	23	7	-
FEMALE--	71	83	93	140	182	222	259	235	193	79	41	-
BLACK---MALE----	110	129	125	165	174	178	144	109	62	23	7	-
FEMALE--	69	81	91	139	178	221	253	233	192	79	41	-
TEXAS -----	2,044	2,522	3,091	4,188	5,862	8,129	9,254	9,301	6,716	2,580	571	7
WHITE-----MALE----	1,130	1,368	1,618	2,155	2,934	3,713	3,655	2,962	1,713	508	67	5
FEMALE--	456	646	882	1,297	2,086	3,372	4,663	5,496	4,378	1,830	401	2
ALL OTHER--MALE----	269	304	326	405	427	493	378	263	178	59	18	-
FEMALE--	189	204	265	331	415	551	558	580	447	183	85	-
BLACK---MALE----	255	276	302	384	403	462	353	243	167	55	17	-
FEMALE--	179	192	248	317	390	520	517	545	436	177	83	-
UTAH -----	94	154	160	221	370	562	766	810	546	180	28	1
WHITE-----MALE----	66	97	99	131	192	296	348	298	160	42	3	1
FEMALE--	18	47	57	81	166	257	406	500	382	136	23	-
ALL OTHER--MALE----	8	5	4	8	6	5	7	6	2	2	1	-
FEMALE--	2	5	-	1	6	4	5	6	2	-	1	-
BLACK---MALE----	1	-	2	1	-	1	3	2	1	-	1	-
FEMALE--	1	-	-	-	3	1	2	1	1	-	-	-
VERMONT -----	44	47	62	120	181	249	341	353	275	116	25	-
WHITE-----MALE----	32	32	39	69	109	136	149	119	92	21	5	-
FEMALE--	12	13	23	50	71	113	192	234	182	95	20	-
ALL OTHER--MALE----	-	2	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
VIRGINIA -----	711	843	1,107	1,457	2,084	2,917	3,402	3,311	2,285	913	194	-
WHITE-----MALE----	319	396	539	647	883	1,154	1,227	974	504	116	14	-
FEMALE--	133	168	244	420	697	1,136	1,561	1,799	1,478	675	136	-
ALL OTHER--MALE----	148	174	198	219	250	296	267	178	78	28	9	-
FEMALE--	111	105	126	171	254	331	347	360	225	94	35	-
BLACK---MALE----	142	165	183	205	237	282	252	167	77	28	8	-
FEMALE--	107	102	121	158	236	319	332	350	221	92	34	-



[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
IX. Diseases of the circulatory system (I00-I99)												
WASHINGTON -----	439	535	695	993	1,448	2,253	3,090	3,012	2,155	840	172	-
WHITE-----MALE----	279	338	440	595	805	1,130	1,369	1,205	651	167	27	-
FEMALE--	112	135	192	313	534	986	1,595	1,699	1,450	644	136	-
ALL OTHER--MALE----	35	39	42	42	56	57	63	45	21	6	3	-
FEMALE--	13	23	21	43	53	80	63	63	33	23	6	-
BLACK---MALE-----	11	20	20	14	18	20	33	9	6	1	1	-
FEMALE--	3	8	9	15	22	34	23	25	15	9	1	-
WEST VIRGINIA -----	251	308	401	508	844	1,229	1,461	1,383	1,003	371	79	-
WHITE-----MALE----	175	209	232	293	451	616	640	471	243	60	9	-
FEMALE--	59	88	157	198	367	576	785	870	731	297	65	-
ALL OTHER--MALE----	12	8	8	6	12	13	16	14	9	-	-	-
FEMALE--	5	3	4	11	14	24	20	28	20	14	5	-
BLACK---MALE-----	12	8	7	6	11	13	15	13	9	-	-	-
FEMALE--	5	3	4	11	14	24	20	27	19	14	5	-
WISCONSIN -----	437	534	681	1,027	1,657	2,478	3,160	3,467	2,440	1,113	263	-
WHITE-----MALE----	283	336	442	612	977	1,356	1,487	1,279	693	234	28	-
FEMALE--	96	147	185	330	614	1,036	1,607	2,135	1,709	861	230	-
ALL OTHER--MALE----	37	35	33	47	26	38	29	22	10	1	1	-
FEMALE--	21	16	21	38	40	48	37	31	28	17	4	-
BLACK---MALE-----	26	30	24	37	22	29	22	16	8	1	1	-
FEMALE--	18	15	19	28	30	40	26	22	24	15	4	-
WYOMING -----	38	51	71	78	120	195	214	248	165	57	15	-
WHITE-----MALE----	23	38	44	46	60	113	97	99	49	5	5	-
FEMALE--	12	10	25	30	58	77	113	147	116	50	10	-
ALL OTHER--MALE----	2	3	1	-	-	4	3	-	-	-	-	-
FEMALE--	1	-	1	2	2	1	1	2	-	2	-	-
BLACK---MALE-----	1	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	-	-	-



04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 1783

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)												
UNITED STATES -	3,489	3	1	1	4	3	8	11	23	45	85	107
WHITE-----MALE----	910	1	1	-	1	2	5	2	7	12	28	32
FEMALE--	2,176	-	-	1	1	1	2	3	3	16	29	38
ALL OTHER--MALE----	121	2	-	-	1	-	-	2	4	6	8	14
FEMALE--	282	-	-	-	1	-	1	4	9	11	20	23
BLACK---MALE----	86	2	-	-	-	-	-	-	3	6	7	11
FEMALE--	216	-	-	-	1	-	1	3	7	9	19	16
ALABAMA -----	50	1	-	-	-	-	-	-	-	3	-	4
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	25	-	-	-	-	-	-	-	-	2	-	1
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	15	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	2	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	15	-	-	-	-	-	-	-	-	1	-	1
ALASKA -----	9	-	-	-	-	-	-	-	-	-	-	2
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	41	-	1	-	-	-	-	-	1	-	2	-
WHITE-----MALE----	15	-	1	-	-	-	-	-	1	-	1	-
FEMALE--	23	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	27	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	374	-	-	-	1	1	1	1	2	9	7	13
WHITE-----MALE----	96	-	-	-	-	1	1	-	1	2	3	4
FEMALE--	216	-	-	-	-	-	-	-	-	6	4	3
ALL OTHER--MALE----	16	-	-	-	1	-	-	-	-	-	-	2
FEMALE--	46	-	-	-	-	-	-	1	1	1	-	4
BLACK---MALE----	10	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	19	-	-	-	-	-	-	1	-	1	-	2

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)												
UNITED STATES -	125	168	193	307	437	599	589	468	235	67	10	-
WHITE-----MALE----	32	61	54	88	114	172	141	101	48	8	-	-
FEMALE--	55	66	112	173	274	386	426	346	180	54	10	-
ALL OTHER--MALE----	9	12	8	18	11	10	7	5	2	2	-	-
FEMALE--	29	29	19	28	38	31	15	16	5	3	-	-
BLACK---MALE-----	9	10	7	11	6	5	3	4	-	2	-	-
FEMALE--	24	21	15	20	32	23	9	9	4	3	-	-
ALABAMA -----	6	3	3	3	5	3	7	9	2	1	-	-
WHITE-----MALE----	1	-	1	-	1	2	1	1	-	-	-	-
FEMALE--	1	2	-	-	4	-	6	7	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	1	2	3	-	1	-	1	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	1	2	3	-	1	-	1	1	-	-	-
ALASKA -----	-	2	-	2	1	1	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	1	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	1	-	4	6	6	11	6	2	-	-	-
WHITE-----MALE----	-	-	-	2	4	3	-	2	1	-	-	-
FEMALE--	1	-	-	1	2	3	10	4	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ARKANSAS -----	-	3	1	4	4	9	2	1	1	-	1	-
WHITE-----MALE----	-	-	-	1	1	2	1	1	-	-	-	-
FEMALE--	-	1	1	3	3	6	-	-	1	-	1	-
ALL OTHER--MALE----	-	2	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	2	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
CALIFORNIA -----	12	19	17	33	49	57	62	52	28	8	2	-
WHITE-----MALE----	2	5	4	12	12	16	15	16	2	-	-	-
FEMALE--	4	7	11	17	27	32	40	29	26	8	2	-
ALL OTHER--MALE----	2	3	2	1	2	-	2	1	-	-	-	-
FEMALE--	4	4	-	3	8	9	5	6	-	-	-	-
BLACK---MALE-----	2	1	2	1	1	-	1	1	-	-	-	-
FEMALE--	2	1	-	-	6	4	1	1	-	-	-	-



[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)												
COLORADO -----	-	2	5	4	1	10	9	8	6	1	-	-
WHITE-----MALE----	-	-	2	2	-	3	-	-	1	-	-	-
FEMALE--	-	2	3	2	1	5	9	8	5	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	2	5	5	3	10	9	2	1	-	-
WHITE-----MALE----	-	-	-	1	2	-	5	2	-	-	-	-
FEMALE--	-	-	1	4	3	3	5	7	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
DELAWARE -----	3	1	-	1	2	1	2	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	2	1	2	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	2	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	-	-	-	-	-	-
FLORIDA -----	3	8	10	19	25	53	40	42	18	6	-	-
WHITE-----MALE----	1	4	4	9	12	22	12	11	4	1	-	-
FEMALE--	2	3	3	7	11	31	28	31	14	5	-	-
ALL OTHER--MALE----	-	-	1	2	-	-	-	-	-	-	-	-
FEMALE--	-	1	2	1	2	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	2	1	1	-	-	-	-	-	-	-
GEORGIA -----	6	8	5	3	10	9	7	7	4	-	-	-
WHITE-----MALE----	4	3	3	-	2	1	2	2	1	-	-	-
FEMALE--	1	3	2	3	7	6	5	5	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	2	-	-	-	2	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	2	-	-	1	-	-	-



[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)												
HAWAII -----	1	1	-	2	1	1	1	1	3	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	1	-	-	-
FEMALE--	1	1	-	1	1	-	-	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	1	-	1	1	2	6	6	11	3	1	-	-
WHITE-----MALE----	-	-	-	-	2	2	1	2	1	1	-	-
FEMALE--	1	-	1	1	2	4	4	9	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ILLINOIS -----	5	7	11	6	22	25	19	19	9	-	-	-
WHITE-----MALE----	1	4	2	2	6	8	4	4	4	-	-	-
FEMALE--	1	2	8	4	14	16	15	15	5	-	-	-
ALL OTHER--MALE----	-	1	1	-	1	1	-	-	-	-	-	-
FEMALE--	3	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	-	1	1	-	-	1	-	-	-	-	-	-
FEMALE--	3	-	-	-	1	-	-	-	-	-	-	-
INDIANA -----	5	4	2	9	4	16	10	10	1	1	-	-
WHITE-----MALE----	4	-	-	2	2	4	1	4	1	-	-	-
FEMALE--	1	3	2	7	2	12	8	6	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
IOWA -----	1	-	7	4	4	4	5	6	4	3	-	-
WHITE-----MALE----	-	-	5	1	1	3	-	-	2	-	-	-
FEMALE--	1	-	2	3	2	1	5	6	2	3	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	1	2	1	3	2	4	11	9	6	1	-	-
WHITE-----MALE----	-	-	-	2	-	1	4	2	-	-	-	-
FEMALE--	1	2	1	1	2	2	7	7	6	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-



[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)												
KENTUCKY -----	5	1	4	6	4	9	17	3	2	1	-	-
WHITE-----MALE----	1	-	1	2	-	2	3	1	1	-	-	-
FEMALE--	4	1	3	4	4	7	14	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	2	2	1	5	8	6	9	2	3	-	-	-
WHITE-----MALE----	-	-	-	2	1	1	3	-	2	-	-	-
FEMALE--	-	-	1	1	4	4	6	2	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	1	2	-	1	2	1	-	-	1	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	2	-	1	2	1	-	-	1	-	-	-
MAINE -----	1	2	-	5	1	3	6	2	5	-	-	-
WHITE-----MALE----	-	1	-	2	-	2	-	-	2	-	-	-
FEMALE--	1	1	-	3	1	1	6	2	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2	2	4	3	8	6	7	4	5	3	-	-
WHITE-----MALE----	2	-	-	1	3	4	-	2	3	-	-	-
FEMALE--	-	2	1	2	4	2	5	-	2	2	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	2	-	1	-	1	1	-	1	-	-
BLACK---MALE----	-	-	1	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	2	-	1	-	1	1	-	1	-	-
MASSACHUSETTS -----	2	3	3	5	7	15	14	11	7	1	-	-
WHITE-----MALE----	-	-	1	-	1	3	4	2	-	-	-	-
FEMALE--	1	3	2	4	6	12	9	9	7	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
MICHIGAN -----	3	6	8	16	19	24	19	14	6	-	1	-
WHITE-----MALE----	1	3	2	4	2	5	6	1	-	-	-	-
FEMALE--	2	2	3	6	15	19	12	13	6	-	1	-
ALL OTHER--MALE----	-	1	-	3	1	-	-	-	-	-	-	-
FEMALE--	-	-	3	3	1	-	1	-	-	-	-	-
BLACK---MALE----	-	1	-	3	1	-	-	-	-	-	-	-
FEMALE--	-	-	2	3	1	-	-	-	-	-	-	-











04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 1789

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)												
OHIO -----	164	-	-	1	-	-	-	-	2	2	3	1
WHITE-----MALE----	38	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	109	-	-	1	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	1	1	-	-
OKLAHOMA -----	37	-	-	-	-	-	-	-	-	1	-	3
WHITE-----MALE----	11	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	1
OREGON -----	67	-	-	-	-	-	-	-	-	-	2	1
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	52	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	234	-	-	-	-	-	-	1	1	3	7	7
WHITE-----MALE----	68	-	-	-	-	-	-	1	-	1	1	2
FEMALE--	150	-	-	-	-	-	-	-	1	1	2	5
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	1	4	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	1	4	-
RHODE ISLAND -----	14	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	50	1	-	-	-	-	-	1	1	3	3	1
WHITE-----MALE----	13	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	20	-	-	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	14	-	-	-	-	-	-	-	1	1	2	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	14	-	-	-	-	-	-	-	1	1	2	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

## Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)

OHIO -----	13	8	7	9	19	28	30	28	8	4	1	-
WHITE-----MALE----	2	3	-	2	5	8	5	9	-	1	-	-
FEMALE--	7	5	5	6	12	17	25	17	8	3	1	-
ALL OTHER--MALE----	2	-	1	-	-	1	-	1	-	-	-	-
FEMALE--	2	-	1	1	2	2	-	1	-	-	-	-
BLACK---MALE-----	2	-	1	-	-	1	-	1	-	-	-	-
FEMALE--	2	-	1	1	2	2	-	1	-	-	-	-
OKLAHOMA -----	2	4	1	2	4	5	3	10	2	-	-	-
WHITE-----MALE----	-	3	-	-	1	3	1	2	-	-	-	-
FEMALE--	1	1	1	2	3	2	2	8	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	2	2	-	4	11	8	13	15	8	1	-	-
WHITE-----MALE----	1	2	-	-	2	1	1	1	2	-	-	-
FEMALE--	1	-	-	3	9	6	11	14	6	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	8	15	9	14	27	49	48	23	18	4	-	-
WHITE-----MALE----	5	7	2	5	9	18	8	4	4	1	-	-
FEMALE--	3	4	7	9	15	28	39	19	14	3	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	3	-	-	3	3	1	-	-	-	-	-
BLACK---MALE-----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	3	-	-	3	3	1	-	-	-	-	-
RHODE ISLAND -----	-	-	-	1	3	3	3	-	3	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	1	2	3	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	2	2	6	5	9	7	2	4	2	1	-	-
WHITE-----MALE----	-	-	3	1	2	3	1	-	1	-	-	-
FEMALE--	-	-	2	3	5	4	-	3	-	-	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	2	1	1	-	2	-	1	1	1	1	-	-
BLACK---MALE-----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	2	1	1	-	2	-	1	1	1	1	-	-



04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 1790

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Acute rheumatic fever and chronic rheumatic heart diseases (I00-I09)

SOUTH DAKOTA -----	-	-	1	-	2	1	1	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	2	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	3	5	11	8	5	9	10	9	8	2	1	-
WHITE-----MALE----	-	2	3	3	1	2	3	-	-	-	-	-
FEMALE--	3	1	8	5	3	6	7	8	8	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	-	2	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	-	2	-	-	1	1	-	-	-	-	-	-
TEXAS -----	11	8	12	14	24	34	25	16	6	2	-	-
WHITE-----MALE----	3	3	4	2	9	6	7	2	1	-	-	-
FEMALE--	3	4	6	9	12	24	17	14	4	2	-	-
ALL OTHER--MALE----	1	-	-	-	1	1	1	-	1	-	-	-
FEMALE--	4	1	2	3	2	3	-	-	-	-	-	-
BLACK---MALE----	1	-	-	3	1	-	1	-	-	-	-	-
FEMALE--	4	1	1	3	1	2	-	-	-	-	-	-
UTAH -----	-	1	1	4	9	9	8	5	4	-	-	-
WHITE-----MALE----	-	1	-	2	-	3	2	1	-	-	-	-
FEMALE--	-	-	1	1	9	6	6	4	4	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	1	-	2	4	-	-	1	-	-
WHITE-----MALE----	-	-	-	1	-	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2	1	8	3	8	11	7	8	4	1	-	-
WHITE-----MALE----	-	1	1	1	4	1	2	3	2	-	-	-
FEMALE--	-	-	4	2	3	9	5	4	2	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	2	-	1	1	-	1	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	2	-	1	1	-	-	-	-	-	-















































04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 1801

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

ALL AGES UNDER 1 YEAR 1-4 YEARS 5-9 YEARS 10-14 YEARS 15-19 YEARS 20-24 YEARS 25-29 YEARS 30-34 YEARS 35-39 YEARS 40-44 YEARS 45-49 YEARS

Chronic rheumatic heart diseases (I05-I09)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
UNITED STATES -	3,424	3	1	1	2	3	8	11	20	45	83	104
WHITE-----MALE----	890	1	1	-	-	2	5	2	6	12	28	30
FEMALE--	2,143	-	-	1	1	1	2	3	3	16	28	37
ALL OTHER--MALE----	118	2	-	-	1	-	-	2	4	6	7	14
FEMALE--	273	-	-	-	-	-	1	4	7	11	20	23
BLACK---MALE----	83	2	-	-	-	-	-	-	3	6	6	11
FEMALE--	209	-	-	-	-	-	1	3	6	9	19	16
ALABAMA -----	49	1	-	-	-	-	-	-	-	3	-	4
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	25	-	-	-	-	-	-	-	-	2	-	1
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	14	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	2	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	14	-	-	-	-	-	-	-	-	1	-	1
ALASKA -----	9	-	-	-	-	-	-	-	-	-	-	2
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	40	-	1	-	-	-	-	-	1	-	2	-
WHITE-----MALE----	15	-	1	-	-	-	-	-	1	-	1	-
FEMALE--	23	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	27	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	369	-	-	-	1	1	1	1	1	9	7	12
WHITE-----MALE----	94	-	-	-	-	1	1	-	1	2	3	4
FEMALE--	214	-	-	-	-	-	-	-	-	6	4	2
ALL OTHER--MALE----	16	-	-	-	1	-	-	-	-	-	-	2
FEMALE--	45	-	-	-	-	-	-	1	-	1	-	4
BLACK---MALE----	10	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	19	-	-	-	-	-	-	1	-	1	-	2

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 1801

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Chronic rheumatic heart diseases (I05-I09)												
UNITED STATES -	124	166	189	302	431	591	581	452	232	65	10	-
WHITE-----MALE----	31	59	54	87	112	170	138	98	47	7	-	-
FEMALE--	55	66	109	172	271	380	421	335	178	54	10	-
ALL OTHER--MALE----	9	12	7	18	11	10	7	4	2	2	-	-
FEMALE--	29	29	19	25	37	31	15	15	5	2	-	-
BLACK---MALE-----	9	10	6	11	6	5	3	3	-	2	-	-
FEMALE--	24	21	15	17	32	23	9	8	4	2	-	-
ALABAMA -----	6	3	3	2	5	3	7	9	2	1	-	-
WHITE-----MALE----	1	-	1	-	1	2	1	1	-	-	-	-
FEMALE--	1	2	-	-	4	-	6	7	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	1	2	2	-	1	-	1	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	1	2	2	-	1	-	1	1	-	-	-
ALASKA -----	-	2	-	2	1	1	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	1	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	1	-	3	6	6	11	6	2	-	-	-
WHITE-----MALE----	-	-	-	2	4	3	-	2	1	-	-	-
FEMALE--	1	-	-	1	2	3	10	4	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	3	1	4	4	9	2	1	1	-	1	-
WHITE-----MALE----	-	-	-	1	1	2	1	1	-	-	-	-
FEMALE--	-	1	1	3	3	6	-	-	1	-	1	-
ALL OTHER--MALE----	-	2	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	2	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
CALIFORNIA -----	12	19	17	32	48	57	62	52	27	8	2	-
WHITE-----MALE----	2	5	4	11	11	16	15	16	2	-	-	-
FEMALE--	4	7	11	17	27	32	40	29	25	8	2	-
ALL OTHER--MALE----	2	3	2	1	2	-	2	1	-	-	-	-
FEMALE--	4	4	-	3	8	9	5	6	-	-	-	-
BLACK---MALE-----	2	1	2	1	1	-	1	1	-	-	-	-
FEMALE--	2	1	-	-	6	4	1	1	-	-	-	-



[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Chronic rheumatic heart diseases (I05-I09)

COLORADO -----	-	2	5	4	1	10	9	8	6	1	-	-
WHITE-----MALE----	-	-	2	2	-	3	-	-	1	-	-	-
FEMALE--	-	2	3	2	1	5	9	8	5	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	1	5	5	3	10	9	2	1	-	-
WHITE-----MALE----	-	-	-	1	2	-	5	2	-	-	-	-
FEMALE--	-	-	-	4	3	3	5	7	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
DELAWARE -----	3	1	-	1	2	1	2	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	2	1	2	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	2	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	-	-	-	-	-	-
FLORIDA -----	3	8	9	19	25	53	40	42	18	6	-	-
WHITE-----MALE----	1	4	4	9	12	22	12	11	4	1	-	-
FEMALE--	2	3	2	7	11	31	28	31	14	5	-	-
ALL OTHER--MALE----	-	-	1	2	-	-	-	-	-	-	-	-
FEMALE--	-	1	2	1	2	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	2	1	1	-	-	-	-	-	-	-
GEORGIA -----	6	8	5	3	10	9	7	7	4	-	-	-
WHITE-----MALE----	4	3	3	-	2	1	2	2	1	-	-	-
FEMALE--	1	3	2	3	7	6	5	5	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	2	-	-	-	2	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	2	-	-	1	-	-	-





04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 1803

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Chronic rheumatic heart diseases (I05-I09)

HAWAII -----	1	1	-	2	1	1	1	1	3	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	1	-	-	-
FEMALE--	1	1	-	1	1	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	1	-	1	1	2	6	6	11	3	1	-	-
WHITE-----MALE----	-	-	-	-	2	2	1	2	1	1	-	-
FEMALE--	1	-	1	1	2	4	4	9	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ILLINOIS -----	5	6	11	6	20	24	18	19	9	-	-	-
WHITE-----MALE----	1	3	2	2	5	8	3	4	4	-	-	-
FEMALE--	1	2	8	4	13	15	15	15	5	-	-	-
ALL OTHER--MALE----	-	1	1	-	1	1	-	-	-	-	-	-
FEMALE--	3	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	1	1	-	-	1	-	-	-	-	-	-
FEMALE--	3	-	-	-	1	-	-	-	-	-	-	-
INDIANA -----	5	4	2	9	4	15	9	9	1	1	-	-
WHITE-----MALE----	4	-	-	2	2	4	1	3	1	-	-	-
FEMALE--	1	3	2	7	2	11	7	6	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
IOWA -----	1	-	7	4	4	4	5	6	4	3	-	-
WHITE-----MALE----	-	-	5	1	1	3	-	-	2	-	-	-
FEMALE--	1	-	2	3	2	1	5	6	2	3	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	1	2	1	3	2	4	11	9	6	1	-	-
WHITE-----MALE----	-	-	-	2	-	1	4	2	-	-	-	-
FEMALE--	1	2	1	1	2	2	7	7	6	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-



04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 1804

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Chronic rheumatic heart diseases (I05-I09)

KENTUCKY -----	5	1	4	5	4	9	16	3	1	1	-	-
WHITE-----MALE----	1	-	1	2	-	2	3	1	-	-	-	-
FEMALE--	4	1	3	3	4	7	13	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	2	2	1	5	8	6	9	2	3	-	-	-
WHITE-----MALE----	-	-	-	2	1	1	3	-	2	-	-	-
FEMALE--	-	-	1	1	4	4	6	2	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	1	2	-	1	2	1	-	-	1	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	2	-	1	2	1	-	-	1	-	-	-
MAINE -----	1	2	-	5	1	3	6	2	5	-	-	-
WHITE-----MALE----	-	1	-	2	-	2	-	-	2	-	-	-
FEMALE--	1	1	-	3	1	1	6	2	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2	2	4	3	8	6	7	4	5	3	-	-
WHITE-----MALE----	2	-	-	1	3	4	-	2	3	-	-	-
FEMALE--	-	2	1	2	4	2	5	-	2	2	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	2	-	1	-	1	1	-	1	-	-
BLACK---MALE----	-	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	2	-	1	-	1	1	-	1	-	-
MASSACHUSETTS -----	2	3	3	5	7	15	13	11	7	1	-	-
WHITE-----MALE----	-	-	1	-	1	3	3	2	-	-	-	-
FEMALE--	1	3	2	4	6	12	9	9	7	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
MICHIGAN -----	3	6	8	16	18	23	19	13	5	-	1	-
WHITE-----MALE----	1	3	2	4	2	5	6	1	-	-	-	-
FEMALE--	2	2	3	6	14	18	12	12	5	-	1	-
ALL OTHER--MALE----	-	1	-	3	1	-	-	-	-	-	-	-
FEMALE--	-	-	3	3	1	-	1	-	-	-	-	-
BLACK---MALE----	-	1	-	3	1	-	-	-	-	-	-	-
FEMALE--	-	-	2	3	1	-	-	-	-	-	-	-











[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Chronic rheumatic heart diseases (I05-I09)												
OHIO -----	149	-	-	1	-	-	-	-	1	2	3	1
WHITE-----MALE----	36	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	100	-	-	1	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	1	-	-
OKLAHOMA -----	37	-	-	-	-	-	-	-	-	1	-	3
WHITE-----MALE----	11	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	1
OREGON -----	67	-	-	-	-	-	-	-	-	-	2	1
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	52	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	232	-	-	-	-	-	-	1	1	3	7	7
WHITE-----MALE----	67	-	-	-	-	-	-	1	-	1	1	2
FEMALE--	149	-	-	-	-	-	-	-	1	1	2	5
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	1	4	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	1	4	-
RHODE ISLAND -----	14	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	50	1	-	-	-	-	-	1	1	3	3	1
WHITE-----MALE----	13	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	20	-	-	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	14	-	-	-	-	-	-	-	1	1	2	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	14	-	-	-	-	-	-	-	1	1	2	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 1807

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Chronic rheumatic heart diseases (I05-I09)												
OHIO -----	13	8	6	9	18	28	28	18	8	4	1	-
WHITE-----MALE----	2	3	-	2	5	8	5	7	-	1	-	-
FEMALE--	7	5	5	6	11	17	23	11	8	3	1	-
ALL OTHER--MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	2	-	1	1	2	2	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	2	-	1	1	2	2	-	-	-	-	-	-
OKLAHOMA -----	2	4	1	2	4	5	3	10	2	-	-	-
WHITE-----MALE----	-	3	-	-	1	3	1	2	-	-	-	-
FEMALE--	1	1	1	2	3	2	2	8	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	2	2	-	4	11	8	13	15	8	1	-	-
WHITE-----MALE----	1	2	-	-	2	1	1	1	2	-	-	-
FEMALE--	1	-	-	3	9	6	11	14	6	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	7	15	9	14	27	48	48	23	18	4	-	-
WHITE-----MALE----	4	7	2	5	9	18	8	4	4	1	-	-
FEMALE--	3	4	7	9	15	27	39	19	14	3	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	3	-	-	3	3	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	3	-	-	3	3	1	-	-	-	-	-
RHODE ISLAND -----	-	-	-	1	3	3	3	-	3	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	1	2	3	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	2	2	6	5	9	7	2	4	2	1	-	-
WHITE-----MALE----	-	-	3	1	2	3	1	-	1	-	-	-
FEMALE--	-	-	2	3	5	4	-	3	-	-	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	2	1	1	-	2	-	1	1	1	1	-	-
BLACK---MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	2	1	1	-	2	-	1	1	1	1	-	-



04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 1808

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Chronic rheumatic heart diseases (I05-I09)												
SOUTH DAKOTA -----	-	-	1	-	2	1	1	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	2	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	3	5	10	8	5	8	10	8	8	2	1	-
WHITE-----MALE----	-	2	3	3	1	2	3	-	-	-	-	-
FEMALE--	3	1	7	5	3	5	7	7	8	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	-	2	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	-	2	-	-	1	1	-	-	-	-	-	-
TEXAS -----	11	8	12	14	23	34	25	16	6	2	-	-
WHITE-----MALE----	3	3	4	2	9	6	7	2	1	-	-	-
FEMALE--	3	4	6	9	12	24	17	14	4	2	-	-
ALL OTHER--MALE----	1	-	-	-	1	1	1	-	1	-	-	-
FEMALE--	4	1	2	3	1	3	-	-	-	-	-	-
BLACK---MALE----	1	-	-	3	1	3	1	-	-	-	-	-
FEMALE--	4	1	1	3	1	2	-	-	-	-	-	-
UTAH -----	-	1	1	4	9	9	8	5	4	-	-	-
WHITE-----MALE----	-	1	-	2	-	3	2	1	-	-	-	-
FEMALE--	-	-	1	1	9	6	6	4	4	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	1	-	1	4	-	-	1	-	-
WHITE-----MALE----	-	-	-	1	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2	1	8	3	8	11	7	7	4	1	-	-
WHITE-----MALE----	-	1	1	1	4	1	2	3	2	-	-	-
FEMALE--	-	-	4	2	3	9	5	3	2	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	2	-	1	1	-	1	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	2	-	1	1	-	-	-	-	-	-





04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 1810

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Rheumatic mitral valve diseases (I05)												
UNITED STATES -	1,902	3	-	-	2	2	5	9	12	31	48	68
WHITE-----MALE----	477	1	-	-	-	2	2	2	3	10	18	20
FEMALE--	1,209	-	-	-	1	-	2	3	2	13	17	27
ALL OTHER--MALE----	58	2	-	-	1	-	-	1	2	-	2	7
FEMALE--	158	-	-	-	-	-	1	3	5	8	11	14
BLACK---MALE-----	44	2	-	-	-	-	-	-	2	-	2	7
FEMALE--	123	-	-	-	-	-	1	2	4	8	10	10
ALABAMA -----	34	1	-	-	-	-	-	-	-	3	-	4
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	19	-	-	-	-	-	-	-	-	2	-	1
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE-----	2	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	1	-	1
ALASKA -----	4	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	19	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	14	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	189	-	-	-	1	1	-	1	1	6	5	6
WHITE-----MALE----	51	-	-	-	-	1	-	-	1	2	2	3
FEMALE--	102	-	-	-	-	-	-	-	-	3	3	1
ALL OTHER--MALE----	11	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	25	-	-	-	-	-	-	1	-	1	-	2
BLACK---MALE-----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	1	-	1	-	1

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 1810

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Rheumatic mitral valve diseases (I05)

UNITED STATES -	84	99	109	170	246	331	309	237	107	27	3	-
WHITE-----MALE----	19	32	26	48	62	85	70	53	21	3	-	-
FEMALE--	43	42	69	94	157	224	231	174	84	23	3	-
ALL OTHER--MALE----	6	6	2	12	7	4	2	4	-	-	-	-
FEMALE--	16	19	12	16	20	18	6	6	2	1	-	-
BLACK---MALE-----	6	5	2	8	3	3	1	3	-	-	-	-
FEMALE--	16	13	10	11	17	14	3	2	1	1	-	-
ALABAMA -----	4	2	1	1	3	2	5	6	1	1	-	-
WHITE-----MALE----	1	-	-	-	1	1	1	1	-	-	-	-
FEMALE--	1	1	-	-	3	-	4	5	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	1	1	-	1	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	1	1	1	-	1	-	-	-	-	-	-
ALASKA -----	-	-	-	1	1	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	1	-	2	3	3	6	2	1	-	-	-
WHITE-----MALE----	-	-	-	2	2	2	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	6	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	1	1	2	2	6	1	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	1	2	2	5	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
CALIFORNIA -----	6	11	8	16	23	35	31	25	10	3	-	-
WHITE-----MALE----	1	1	2	6	5	12	6	8	1	-	-	-
FEMALE--	2	5	5	8	11	17	23	12	9	3	-	-
ALL OTHER--MALE----	2	2	1	1	2	-	1	1	-	-	-	-
FEMALE--	1	3	-	1	5	6	1	4	-	-	-	-
BLACK---MALE-----	2	1	1	1	1	-	1	1	-	-	-	-
FEMALE--	1	-	-	-	4	3	-	1	-	-	-	-





[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Rheumatic mitral valve diseases (I05)												
COLORADO -----	-	2	4	1	-	4	6	3	3	-	-	-
WHITE-----MALE----	-	-	1	-	-	2	-	-	1	-	-	-
FEMALE--	-	2	3	1	-	2	6	3	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	-	2	1	1	5	8	2	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	2	2	-	-	-	-
FEMALE--	-	-	-	1	1	1	3	6	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	2	-	-	1	-	1	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
FLORIDA -----	2	4	3	11	9	31	20	24	12	3	-	-
WHITE-----MALE----	1	1	2	4	-	11	3	7	4	-	-	-
FEMALE--	1	2	1	5	7	20	17	17	8	3	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	2	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	-	-	-	-	-	-	-
GEORGIA -----	3	5	2	2	4	4	6	1	3	-	-	-
WHITE-----MALE----	1	2	2	-	1	1	2	-	1	-	-	-
FEMALE--	1	1	-	2	3	2	4	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	2	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	1	-	-	-	-	-	-



















04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 1816

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Rheumatic mitral valve diseases (I05)												
OHIO -----	84	-	-	-	-	-	-	-	1	2	2	-
WHITE-----MALE----	22	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	53	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	-
OKLAHOMA -----	25	-	-	-	-	-	-	-	-	1	-	3
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	1
OREGON -----	31	-	-	-	-	-	-	-	-	-	2	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	27	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	134	-	-	-	-	-	-	1	1	2	4	4
WHITE-----MALE----	30	-	-	-	-	-	-	1	-	1	1	-
FEMALE--	95	-	-	-	-	-	-	-	1	1	1	4
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	2	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	2	-
RHODE ISLAND -----	9	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	28	1	-	-	-	-	-	1	1	2	1	1
WHITE-----MALE----	6	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	1	1	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	1	1	1	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Rheumatic mitral valve diseases (I05)												
OHIO -----	7	7	4	5	12	18	12	11	1	1	1	-
WHITE-----MALE----	1	3	-	2	2	5	2	6	-	-	-	-
FEMALE--	4	4	3	3	8	11	10	5	1	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	2	-	1	-	2	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	2	-	1	-	2	1	-	-	-	-	-	-
OKLAHOMA -----	1	2	1	2	4	3	2	6	-	-	-	-
WHITE-----MALE----	-	2	-	-	1	3	1	-	-	-	-	-
FEMALE--	1	-	1	2	3	-	1	6	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	1	-	-	1	3	5	7	7	5	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	2	-	-	-	-
FEMALE--	1	-	-	1	3	5	6	7	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	6	13	6	9	15	21	27	16	9	-	-	-
WHITE-----MALE----	3	5	-	3	5	6	2	2	1	-	-	-
FEMALE--	3	4	6	6	9	13	25	14	8	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	3	-	-	1	2	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	3	-	-	1	2	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	2	2	3	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	2	-	-	-
FEMALE--	-	-	-	-	1	2	3	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	2	1	3	4	5	2	1	3	-	-	-	-
WHITE-----MALE----	-	-	-	1	2	-	1	-	-	-	-	-
FEMALE--	-	-	2	3	2	2	-	2	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	-	1	-	-	1	-	-	-	-





















































04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 1828

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Disorders of both mitral and aortic valves (I08.0)												
UNITED STATES -	9	11	16	33	53	49	81	61	34	11	2	-
WHITE-----MALE----	4	5	6	10	21	17	30	19	9	1	-	-
FEMALE--	4	5	8	20	24	30	47	39	24	8	2	-
ALL OTHER--MALE----	1	-	1	2	3	2	1	-	-	1	-	-
FEMALE--	-	1	1	1	5	-	3	3	1	1	-	-
BLACK---MALE----	1	-	1	1	2	1	1	-	-	1	-	-
FEMALE--	-	1	1	1	5	-	1	3	1	1	-	-
ALABAMA -----	-	-	-	-	1	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALASKA -----	-	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	-	1	2	1	2	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	2	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	1	1	5	6	4	8	15	11	4	1	-	-
WHITE-----MALE----	-	1	2	3	2	1	4	5	-	-	-	-
FEMALE--	1	-	2	3	1	7	9	6	4	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	2	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-





















04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 1833

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

50-54 YEARS 55-59 YEARS 60-64 YEARS 65-69 YEARS 70-74 YEARS 75-79 YEARS 80-84 YEARS 85-89 YEARS 90-94 YEARS 95-99 YEARS 100 YEARS & OVER AGE NOT STATED

Disorders of both mitral and aortic valves (I08.0)

Table with columns for state (NEW HAMPSHIRE, NEW JERSEY, NEW MEXICO, NEW YORK, NORTH CAROLINA, NORTH DAKOTA) and rows for race/sex combinations (WHITE-MALE, FEMALE, ALL OTHER-MALE, FEMALE, BLACK-MALE, FEMALE). Columns represent age groups from 50-54 to 100+ years.



04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 1834

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Disorders of both mitral and aortic valves (I08.0)												
OHIO -----	2	-	-	1	1	-	6	1	3	-	-	-
WHITE-----MALE----	1	-	-	-	1	-	2	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	4	1	3	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	-	-	-	-	-	1	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	-	1	2	-	1	3	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	2	-	1	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1	1	-	1	3	3	3	2	2	1	-	-
WHITE-----MALE----	1	1	-	-	2	2	3	1	1	1	-	-
FEMALE--	-	-	-	1	-	1	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	-	-	1	2	1	-	-	2	1	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	1	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	1	-	-













04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 1837

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Other chronic rheumatic heart diseases (I07,I08.1-I08.9,I09)

UNITED STATES -	28	55	60	94	127	202	176	144	86	24	5	-
WHITE-----MALE----	7	21	19	27	29	62	31	25	16	3	-	-
FEMALE--	7	19	31	55	86	123	136	115	66	20	5	-
ALL OTHER--MALE----	2	6	4	4	1	4	4	-	2	1	-	-
FEMALE--	12	9	6	8	11	13	5	4	2	-	-	-
BLACK---MALE-----	2	5	3	2	1	1	1	-	-	1	-	-
FEMALE--	7	7	4	5	9	9	4	2	2	-	-	-
ALABAMA -----	2	1	2	1	1	1	2	2	1	-	-	-
WHITE-----MALE----	-	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	2	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	1	-	-	-	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	1	1	-	-	-	-	1	-	-	-
ALASKA -----	-	2	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	-	-	1	2	3	2	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	1	2	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	2	-	2	2	3	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	1	1	1	1	1	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	2	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	2	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	4	6	3	9	19	13	16	15	12	3	2	-
WHITE-----MALE----	-	2	-	2	4	2	5	3	1	-	-	-
FEMALE--	1	2	3	5	13	8	8	11	11	3	2	-
ALL OTHER--MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	3	1	-	2	2	3	2	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	1	1	-	-	-	-	-



04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 1838

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Other chronic rheumatic heart diseases (I07,I08.1-I08.9,I09)

COLORADO -----	-	-	-	2	1	5	3	3	2	-	-	-
WHITE-----MALE----	-	-	-	2	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	3	3	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	1	3	1	2	4	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	2	-	-	-	-	-
FEMALE--	-	-	-	3	-	2	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
DELAWARE -----	1	1	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
FLORIDA -----	1	4	4	4	10	14	11	9	5	1	-	-
WHITE-----MALE----	-	3	1	2	8	7	4	1	-	1	-	-
FEMALE--	1	1	1	1	2	7	7	8	5	-	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
GEORGIA -----	3	2	3	1	4	5	1	5	1	-	-	-
WHITE-----MALE----	3	1	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	2	1	4	4	1	4	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-





[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

50-54 YEARS    55-59 YEARS    60-64 YEARS    65-69 YEARS    70-74 YEARS    75-79 YEARS    80-84 YEARS    85-89 YEARS    90-94 YEARS    95-99 YEARS    100 YEARS & OVER    AGE NOT STATED

Other chronic rheumatic heart diseases (I07,I08.1-I08.9,I09)

HAWAII -----	1	-	-	-	-	1	-	-	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	-	1	1	2	2	4	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	1	2	1	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ILLINOIS -----	-	2	4	2	6	7	7	1	3	-	-	-
WHITE-----MALE----	-	1	2	-	2	3	-	-	2	-	-	-
FEMALE--	-	-	1	2	4	4	7	1	1	-	-	-
ALL OTHER--MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
INDIANA -----	1	3	-	4	1	9	-	5	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	4	-	1	-	-	-	-
FEMALE--	-	3	-	4	1	5	-	4	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IOWA -----	-	-	4	1	1	1	4	1	-	2	-	-
WHITE-----MALE----	-	-	2	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	2	1	1	-	4	1	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	-	-	-	1	1	3	3	2	3	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	1	1	3	1	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-



04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 1840

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Other chronic rheumatic heart diseases (I07,I08.1-I08.9,I09)

KENTUCKY -----	-	-	1	1	1	3	3	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	2	3	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	1	-	-	1	1	2	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
MAINE -----	-	-	-	2	1	1	-	1	3	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	2	1	-	-	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	-	2	1	3	1	1	1	3	-	-	-
WHITE-----MALE----	1	-	-	-	2	1	-	1	1	-	-	-
FEMALE--	-	-	-	1	1	-	1	-	2	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	-	2	1	4	2	4	6	6	2	1	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	2	1	3	2	3	6	5	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	1	-	2	5	4	1	6	4	3	-	-	-
WHITE-----MALE----	1	-	1	2	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	2	3	1	5	4	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-













04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 1843

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other chronic rheumatic heart diseases (I07,I08.1-I08.9,I09)												
OHIO -----	3	1	2	3	4	9	8	5	4	2	-	-
WHITE-----MALE----	-	-	-	-	2	3	-	1	-	1	-	-
FEMALE--	2	1	2	2	2	5	8	4	4	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
OKLAHOMA -----	1	2	-	-	-	1	1	3	2	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	1	1	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	1	2	-	2	6	3	5	5	2	1	-	-
WHITE-----MALE----	1	2	-	-	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	4	1	4	5	2	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	-	1	3	4	9	24	17	5	7	3	-	-
WHITE-----MALE----	-	1	2	2	2	10	3	1	2	-	-	-
FEMALE--	-	-	1	2	6	13	14	4	5	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	-	1	1	-	-	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	1	3	-	2	4	1	1	-	-	-	-
WHITE-----MALE----	-	-	3	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	2	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-



04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 1844

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other chronic rheumatic heart diseases (I07,I08.1-I08.9,I09)												
SOUTH DAKOTA -----	-	-	1	-	1	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	3	4	4	-	1	3	3	2	1	1	-
WHITE-----MALE----	-	2	1	2	-	-	2	-	-	-	-	-
FEMALE--	-	1	3	2	-	1	1	3	2	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	3	2	4	4	5	9	5	5	3	-	-	-
WHITE-----MALE----	-	-	1	2	2	2	-	-	-	-	-	-
FEMALE--	1	1	3	1	3	5	4	5	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	2	1	-	1	-	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	1	-	1	-	2	-	-	-	-	-	-
UTAH -----	-	-	1	2	3	3	4	2	2	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	1	1	-	-	-	-
FEMALE--	-	-	1	1	3	3	3	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	1	-	-	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1	-	-	-	3	5	1	3	1	1	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	4	1	2	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	-	-	-	-	-	-





04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 1846

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Hypertensive diseases (I10-I13)												
UNITED STATES -	46,765	1	1	1	1	13	41	107	271	493	1,028	1,499
WHITE-----MALE----	13,508	-	-	-	-	5	14	33	94	179	372	542
FEMALE--	21,398	-	1	-	1	3	5	18	32	70	130	230
ALL OTHER--MALE----	5,366	1	-	-	-	1	17	31	87	134	324	458
FEMALE--	6,493	-	-	1	-	4	5	25	58	110	202	269
BLACK---MALE-----	4,904	1	-	-	-	1	17	30	81	126	301	436
FEMALE--	5,936	-	-	1	-	4	5	24	56	105	194	260
ALABAMA -----	789	-	-	-	-	-	-	3	4	11	19	32
WHITE-----MALE----	169	-	-	-	-	-	-	1	1	3	4	9
FEMALE--	277	-	-	-	-	-	-	1	1	3	3	1
ALL OTHER--MALE----	150	-	-	-	-	-	-	1	-	2	7	17
FEMALE--	193	-	-	-	-	-	-	1	2	3	5	5
BLACK---MALE-----	149	-	-	-	-	-	-	1	-	2	6	17
FEMALE--	193	-	-	-	-	-	-	1	2	3	5	5
ALASKA -----	30	-	-	-	-	-	-	1	-	1	1	3
WHITE-----MALE----	10	-	-	-	-	-	-	1	-	-	-	2
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ARIZONA -----	698	-	-	-	-	-	-	2	-	4	24	14
WHITE-----MALE----	283	-	-	-	-	-	-	1	-	3	14	6
FEMALE--	360	-	-	-	-	-	-	1	-	-	8	7
ALL OTHER--MALE----	29	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	26	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	20	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	18	-	-	-	-	-	-	-	-	-	1	-
ARKANSAS -----	373	-	-	-	-	-	1	2	5	5	8	9
WHITE-----MALE----	116	-	-	-	-	-	-	1	3	3	3	7
FEMALE--	175	-	-	-	-	-	1	-	1	2	1	-
ALL OTHER--MALE----	36	-	-	-	-	-	-	1	1	-	2	1
FEMALE--	46	-	-	-	-	-	-	-	-	-	2	1
BLACK---MALE-----	36	-	-	-	-	-	-	1	1	-	2	1
FEMALE--	46	-	-	-	-	-	-	-	-	-	2	1
CALIFORNIA -----	6,098	-	-	-	-	2	8	15	29	60	109	197
WHITE-----MALE----	2,012	-	-	-	-	1	5	5	6	32	44	86
FEMALE--	2,768	-	-	-	-	-	2	5	6	7	20	31
ALL OTHER--MALE----	602	-	-	-	-	-	1	3	10	10	27	57
FEMALE--	716	-	-	-	-	1	-	2	7	11	18	23
BLACK---MALE-----	403	-	-	-	-	-	1	2	8	9	21	46
FEMALE--	444	-	-	-	-	1	-	1	6	9	15	21

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Hypertensive diseases (I10-I13)												
UNITED STATES -	2,042	2,119	2,359	2,893	3,975	5,731	7,236	7,763	5,879	2,689	612	11
WHITE-----MALE----	767	801	875	1,058	1,395	1,883	2,091	1,888	1,117	352	37	5
FEMALE--	358	443	573	781	1,378	2,475	3,774	4,638	4,032	2,003	452	1
ALL OTHER--MALE----	547	493	490	545	548	563	498	372	160	72	21	4
FEMALE--	370	382	421	509	654	810	873	865	570	262	102	1
BLACK---MALE-----	521	463	455	508	496	496	435	319	134	60	20	4
FEMALE--	349	361	398	461	588	732	767	772	520	243	95	1
ALABAMA -----	32	41	37	51	76	121	103	117	100	32	10	-
WHITE-----MALE----	7	12	11	13	22	29	18	21	15	3	1	-
FEMALE--	3	8	3	9	23	40	51	59	54	18	-	-
ALL OTHER--MALE----	15	12	6	13	14	24	12	13	9	2	3	-
FEMALE--	7	9	17	16	17	28	22	24	22	9	6	-
BLACK---MALE-----	15	12	6	13	14	24	12	13	9	2	3	-
FEMALE--	7	9	17	16	17	28	22	24	22	9	6	-
ALASKA -----	5	4	2	2	2	2	3	2	2	-	-	-
WHITE-----MALE----	2	1	-	1	1	1	1	-	-	-	-	-
FEMALE--	2	1	2	1	-	1	-	1	2	-	-	-
ALL OTHER--MALE----	1	1	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	1	-	-	-	-
BLACK---MALE-----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	27	36	39	41	63	83	118	108	92	40	7	-
WHITE-----MALE----	11	18	17	25	24	39	47	39	34	4	1	-
FEMALE--	12	14	10	9	33	36	70	64	55	36	5	-
ALL OTHER--MALE----	2	4	7	2	5	2	-	4	-	-	-	-
FEMALE--	2	-	5	5	1	6	1	1	3	-	1	-
BLACK---MALE-----	1	4	6	1	3	2	-	1	-	-	-	-
FEMALE--	2	-	5	2	-	4	1	-	2	-	1	-
ARKANSAS -----	14	17	15	20	38	37	62	61	46	24	9	-
WHITE-----MALE----	9	9	5	12	14	11	15	11	10	3	-	-
FEMALE--	2	4	5	5	13	19	31	38	32	15	6	-
ALL OTHER--MALE----	3	3	3	2	2	2	9	3	-	3	1	-
FEMALE--	-	1	2	1	9	5	7	9	4	3	2	-
BLACK---MALE-----	3	3	3	2	2	2	9	3	-	3	1	-
FEMALE--	-	1	2	1	9	5	7	9	4	3	2	-
CALIFORNIA -----	235	258	334	362	504	777	993	1,041	768	335	69	2
WHITE-----MALE----	105	110	155	156	196	251	328	308	157	60	5	2
FEMALE--	44	73	83	95	178	357	478	578	525	232	54	-
ALL OTHER--MALE----	54	43	48	64	52	75	66	50	26	12	4	-
FEMALE--	32	32	48	47	78	94	121	105	60	31	6	-
BLACK---MALE-----	44	30	36	47	31	44	38	24	15	4	3	-
FEMALE--	24	26	37	31	39	57	62	54	36	20	5	-



04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 1847

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Hypertensive diseases (I10-I13)												
COLORADO -----	362	-	-	-	-	-	1	-	2	5	2	9
WHITE-----MALE----	106	-	-	-	-	-	1	-	-	3	-	4
FEMALE--	224	-	-	-	-	-	-	-	2	-	1	2
ALL OTHER--MALE----	20	-	-	-	-	-	-	-	-	1	1	3
FEMALE--	12	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	16	-	-	-	-	-	-	-	-	1	-	3
FEMALE--	9	-	-	-	-	-	-	-	-	1	-	-
CONNECTICUT -----	507	-	-	-	-	-	-	2	3	5	19	9
WHITE-----MALE----	191	-	-	-	-	-	-	1	2	1	12	5
FEMALE--	253	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	34	-	-	-	-	-	-	-	-	1	7	2
FEMALE--	29	-	-	-	-	-	-	1	1	2	-	1
BLACK---MALE----	33	-	-	-	-	-	-	-	-	1	7	2
FEMALE--	27	-	-	-	-	-	-	1	1	1	-	1
DELAWARE -----	119	-	-	-	-	-	-	-	-	3	6	4
WHITE-----MALE----	29	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	51	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	25	-	-	-	-	-	-	-	-	1	2	2
BLACK---MALE----	14	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	25	-	-	-	-	-	-	-	-	1	2	2
DISTRICT OF COLUMBIA ---	315	-	-	-	-	-	-	-	5	2	12	17
WHITE-----MALE----	16	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	34	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	126	-	-	-	-	-	-	-	4	-	7	10
FEMALE--	139	-	-	-	-	-	-	-	1	1	5	5
BLACK---MALE----	126	-	-	-	-	-	-	-	4	-	7	10
FEMALE--	139	-	-	-	-	-	-	-	1	1	5	5
FLORIDA -----	3,458	-	-	-	-	1	3	13	21	38	59	98
WHITE-----MALE----	1,203	-	-	-	-	-	-	3	10	14	27	35
FEMALE--	1,517	-	-	-	-	-	-	2	3	6	10	13
ALL OTHER--MALE----	341	-	-	-	-	-	3	4	5	12	16	23
FEMALE--	397	-	-	-	-	1	-	4	3	6	6	27
BLACK---MALE----	334	-	-	-	-	-	3	4	5	12	16	23
FEMALE--	391	-	-	-	-	1	-	4	3	6	6	27
GEORGIA -----	1,481	-	-	-	-	1	-	6	8	20	42	55
WHITE-----MALE----	286	-	-	-	-	1	-	2	-	3	6	10
FEMALE--	460	-	-	-	-	-	-	1	-	2	4	6
ALL OTHER--MALE----	312	-	-	-	-	-	-	2	3	8	18	20
FEMALE--	423	-	-	-	-	-	-	1	5	7	14	19
BLACK---MALE----	306	-	-	-	-	-	-	2	3	8	18	20
FEMALE--	420	-	-	-	-	-	-	1	5	7	14	19

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Hypertensive diseases (I10-I13)												
COLORADO -----	15	19	16	20	28	28	61	61	57	31	7	-
WHITE-----MALE----	7	6	11	12	12	8	16	16	6	3	1	-
FEMALE--	5	9	3	6	13	17	41	41	51	28	5	-
ALL OTHER--MALE----	3	2	2	1	1	2	2	2	-	-	-	-
FEMALE--	-	2	-	1	2	1	2	2	-	-	1	-
BLACK---MALE-----	3	1	2	1	-	2	2	1	-	-	-	-
FEMALE--	-	2	-	-	1	1	1	2	-	-	1	-
CONNECTICUT -----	21	29	18	36	44	57	77	87	63	27	10	-
WHITE-----MALE----	15	16	8	18	19	24	24	26	15	4	1	-
FEMALE--	3	9	5	13	17	23	46	58	45	23	9	-
ALL OTHER--MALE----	3	2	-	3	3	7	2	2	2	-	-	-
FEMALE--	-	2	5	2	5	3	5	1	1	-	-	-
BLACK---MALE-----	3	2	-	3	3	7	2	1	2	-	-	-
FEMALE--	-	2	5	2	5	3	4	1	1	-	-	-
DELAWARE -----	10	4	2	5	7	21	17	18	14	6	2	-
WHITE-----MALE----	3	1	1	1	3	5	6	4	1	-	-	-
FEMALE--	2	2	-	-	4	10	8	11	8	5	1	-
ALL OTHER--MALE----	3	-	1	2	-	1	-	1	2	-	-	-
FEMALE--	2	1	-	2	-	5	3	2	3	1	1	-
BLACK---MALE-----	3	-	1	2	-	1	-	1	2	-	-	-
FEMALE--	2	1	-	2	-	5	3	2	3	1	1	-
DISTRICT OF COLUMBIA ---	23	26	20	23	22	39	39	35	26	17	7	2
WHITE-----MALE----	2	1	1	1	-	1	3	1	1	1	-	1
FEMALE--	-	-	2	-	1	-	10	4	6	7	4	-
ALL OTHER--MALE----	11	17	13	12	10	20	7	10	2	2	-	1
FEMALE--	10	8	4	10	11	18	19	20	17	7	3	-
BLACK---MALE-----	11	17	13	12	10	20	7	10	2	2	-	1
FEMALE--	10	8	4	10	11	18	19	20	17	7	3	-
FLORIDA -----	142	145	166	252	325	458	582	569	372	170	42	2
WHITE-----MALE----	56	69	65	103	141	196	212	163	79	28	2	-
FEMALE--	19	28	34	83	107	190	279	334	249	125	34	1
ALL OTHER--MALE----	40	23	36	32	29	33	39	26	12	7	1	-
FEMALE--	27	25	31	34	48	39	52	46	32	10	5	1
BLACK---MALE-----	40	22	36	32	26	31	39	25	12	7	1	-
FEMALE--	27	25	30	34	47	37	50	46	32	10	5	1
GEORGIA -----	90	91	96	114	142	180	209	204	150	59	13	1
WHITE-----MALE----	21	27	23	29	34	38	36	28	20	8	-	-
FEMALE--	6	12	17	17	25	48	110	101	76	28	7	-
ALL OTHER--MALE----	36	35	27	35	37	31	23	17	12	5	2	1
FEMALE--	27	17	29	33	46	63	40	58	42	18	4	-
BLACK---MALE-----	35	34	26	35	36	30	22	17	12	5	2	1
FEMALE--	27	17	28	33	46	63	40	58	40	18	4	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 1848

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Hypertensive diseases (I10-I13)												
HAWAII -----	140	-	-	-	-	-	-	-	1	1	8	4
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	25	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	42	-	-	-	-	-	-	-	1	1	5	1
FEMALE--	64	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	150	-	-	-	-	-	-	-	1	-	1	2
WHITE-----MALE----	62	-	-	-	-	-	-	-	1	-	1	2
FEMALE--	85	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	2,245	-	1	-	-	1	4	6	22	30	71	86
WHITE-----MALE----	606	-	-	-	-	1	2	1	10	10	22	26
FEMALE--	951	-	1	-	-	-	-	-	-	5	5	10
ALL OTHER--MALE----	327	-	-	-	-	-	1	4	6	6	28	33
FEMALE--	361	-	-	-	-	-	1	1	6	9	16	17
BLACK---MALE----	318	-	-	-	-	-	1	4	6	5	28	33
FEMALE--	340	-	-	-	-	-	1	1	6	9	15	17
INDIANA -----	859	-	-	-	-	1	1	-	3	7	13	15
WHITE-----MALE----	260	-	-	-	-	-	1	-	3	4	1	9
FEMALE--	480	-	-	-	-	1	-	-	-	-	6	1
ALL OTHER--MALE----	50	-	-	-	-	-	-	-	-	2	1	3
FEMALE--	69	-	-	-	-	-	-	-	-	1	5	2
BLACK---MALE----	50	-	-	-	-	-	-	-	-	2	1	3
FEMALE--	69	-	-	-	-	-	-	-	-	1	5	2
IOWA -----	502	-	-	-	-	-	-	1	4	4	6	13
WHITE-----MALE----	179	-	-	-	-	-	-	-	3	2	4	6
FEMALE--	307	-	-	-	-	-	-	1	1	1	1	4
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	1	-	3
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
KANSAS -----	313	-	-	-	-	-	1	-	-	-	2	4
WHITE-----MALE----	79	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	201	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	21	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	10	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	20	-	-	-	-	-	1	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Hypertensive diseases (I10-I13)												
HAWAII -----	3	4	4	10	10	15	29	25	12	10	4	-
WHITE-----MALE----	-	1	-	1	1	-	1	2	-	-	-	-
FEMALE--	-	2	-	-	1	1	5	6	4	5	-	-
ALL OTHER--MALE----	1	-	2	2	5	7	7	8	-	2	-	-
FEMALE--	2	1	2	7	3	7	16	9	8	3	4	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	7	3	8	10	8	15	24	35	22	14	-	-
WHITE-----MALE----	6	3	3	4	5	5	7	14	5	6	-	-
FEMALE--	1	-	4	6	2	9	17	21	17	8	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	129	116	133	124	192	260	302	348	270	125	25	-
WHITE-----MALE----	41	35	43	32	53	89	83	86	53	15	4	-
FEMALE--	19	15	27	27	69	97	154	220	189	97	16	-
ALL OTHER--MALE----	39	38	32	35	41	24	22	11	4	3	-	-
FEMALE--	30	28	31	30	29	50	43	31	24	10	5	-
BLACK---MALE----	39	38	30	34	40	21	21	11	4	3	-	-
FEMALE--	30	26	30	27	26	47	41	29	20	10	5	-
INDIANA -----	27	20	40	39	59	104	139	178	132	70	11	-
WHITE-----MALE----	12	10	17	11	19	44	45	51	21	12	-	-
FEMALE--	6	5	13	22	23	49	77	110	105	52	10	-
ALL OTHER--MALE----	6	1	9	4	4	5	10	5	-	-	-	-
FEMALE--	3	4	1	2	13	6	7	12	6	6	1	-
BLACK---MALE----	6	1	9	4	4	5	10	5	-	-	-	-
FEMALE--	3	4	1	2	13	6	7	12	6	6	1	-
IOWA -----	14	16	22	17	31	46	61	102	88	57	20	-
WHITE-----MALE----	10	9	12	8	16	22	24	30	23	8	2	-
FEMALE--	4	4	6	8	15	24	37	71	63	49	18	-
ALL OTHER--MALE----	-	3	3	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	1	2	-	-	-
BLACK---MALE----	-	3	3	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	1	1	-	-	-
KANSAS -----	6	3	7	12	20	35	64	65	58	31	5	-
WHITE-----MALE----	2	-	-	6	6	12	16	18	13	2	-	-
FEMALE--	2	2	4	4	12	16	41	42	43	29	5	-
ALL OTHER--MALE----	1	-	2	1	-	3	2	2	-	-	-	-
FEMALE--	1	1	1	1	2	4	5	3	2	-	-	-
BLACK---MALE----	1	-	2	1	-	1	2	2	-	-	-	-
FEMALE--	1	1	1	1	2	4	4	3	2	-	-	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 1849

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Hypertensive diseases (I10-I13)												
KENTUCKY -----	468	-	-	-	-	1	1	2	7	4	10	24
WHITE-----MALE----	161	-	-	-	-	-	-	1	6	1	8	11
FEMALE--	246	-	-	-	-	-	-	1	-	1	-	7
ALL OTHER--MALE----	30	-	-	-	-	-	1	-	1	1	1	5
FEMALE--	31	-	-	-	-	1	-	-	-	1	1	1
BLACK---MALE-----	30	-	-	-	-	-	1	-	1	1	1	5
FEMALE--	31	-	-	-	-	1	-	-	-	1	1	1
LOUISIANA -----	1,021	-	-	-	-	-	1	3	4	10	36	41
WHITE-----MALE----	183	-	-	-	-	-	-	-	1	1	7	9
FEMALE--	343	-	-	-	-	-	-	-	1	1	5	6
ALL OTHER--MALE----	227	-	-	-	-	-	-	-	1	6	14	18
FEMALE--	268	-	-	-	-	-	1	3	1	2	10	8
BLACK---MALE-----	226	-	-	-	-	-	-	-	1	6	14	18
FEMALE--	262	-	-	-	-	-	1	3	1	2	10	8
MAINE -----	168	-	-	-	-	-	-	1	1	1	4	5
WHITE-----MALE----	60	-	-	-	-	-	-	1	-	-	4	3
FEMALE--	105	-	-	-	-	-	-	-	1	1	-	2
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1,083	-	-	-	-	1	1	2	6	18	36	56
WHITE-----MALE----	277	-	-	-	-	-	-	1	2	3	11	23
FEMALE--	374	-	-	-	-	-	-	-	-	2	1	4
ALL OTHER--MALE----	219	-	-	-	-	1	1	1	3	8	16	16
FEMALE--	213	-	-	-	-	-	-	-	1	5	8	13
BLACK---MALE-----	215	-	-	-	-	1	1	1	3	8	16	16
FEMALE--	208	-	-	-	-	-	-	-	1	4	8	13
MASSACHUSETTS -----	649	-	-	-	-	-	-	-	2	5	11	12
WHITE-----MALE----	209	-	-	-	-	-	-	-	1	4	8	8
FEMALE--	397	-	-	-	-	-	-	-	-	-	2	2
ALL OTHER--MALE----	19	-	-	-	-	-	-	-	1	1	1	-
FEMALE--	24	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE-----	16	-	-	-	-	-	-	-	1	1	1	-
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	2
MICHIGAN -----	1,661	-	-	-	-	-	3	4	12	19	23	66
WHITE-----MALE----	452	-	-	-	-	-	3	-	5	6	4	19
FEMALE--	794	-	-	-	-	-	-	-	2	-	4	9
ALL OTHER--MALE----	183	-	-	-	-	-	-	3	4	6	7	23
FEMALE--	232	-	-	-	-	-	-	1	1	7	8	15
BLACK---MALE-----	176	-	-	-	-	-	-	3	4	5	6	22
FEMALE--	224	-	-	-	-	-	-	1	1	7	8	15

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Hypertensive diseases (I10-I13)												
KENTUCKY -----	24	23	15	31	38	52	67	87	54	19	9	-
WHITE-----MALE----	13	13	10	11	13	19	23	19	10	3	-	-
FEMALE--	2	6	5	11	19	29	39	62	43	13	8	-
ALL OTHER--MALE----	6	2	-	4	2	2	4	1	-	-	-	-
FEMALE--	3	2	-	5	4	2	1	5	1	3	1	-
BLACK---MALE-----	6	2	-	4	2	2	4	1	-	-	-	-
FEMALE--	3	2	-	5	4	2	1	5	1	3	1	-
LOUISIANA -----	49	64	69	69	107	122	162	130	90	53	11	-
WHITE-----MALE----	10	9	20	16	32	19	29	18	8	4	-	-
FEMALE--	3	9	12	10	21	37	75	73	50	33	7	-
ALL OTHER--MALE----	16	26	18	23	25	37	20	12	6	4	1	-
FEMALE--	20	20	19	20	29	29	38	27	26	12	3	-
BLACK---MALE-----	16	26	18	22	25	37	20	12	6	4	1	-
FEMALE--	19	19	19	20	29	28	37	25	26	12	3	-
MAINE -----	5	9	11	9	5	16	19	32	27	19	4	-
WHITE-----MALE----	2	6	7	5	2	9	7	8	4	2	-	-
FEMALE--	3	3	4	3	3	7	11	23	23	17	4	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	74	65	82	77	95	127	158	134	94	46	10	1
WHITE-----MALE----	24	19	21	20	33	33	45	23	17	1	-	1
FEMALE--	13	10	17	11	23	52	68	73	58	36	6	-
ALL OTHER--MALE----	26	16	31	32	20	16	14	11	6	1	-	-
FEMALE--	11	20	13	14	19	26	31	27	13	8	4	-
BLACK---MALE-----	26	16	30	31	20	15	14	10	6	1	-	-
FEMALE--	11	20	13	14	18	24	31	26	13	8	4	-
MASSACHUSETTS -----	18	23	21	33	52	68	116	128	102	45	13	-
WHITE-----MALE----	8	13	14	14	22	23	37	32	19	3	3	-
FEMALE--	7	6	5	17	24	38	78	87	79	42	10	-
ALL OTHER--MALE----	3	3	2	-	3	2	-	2	1	-	-	-
FEMALE--	-	1	-	2	3	5	1	7	3	-	-	-
BLACK---MALE-----	3	3	2	-	2	1	-	1	1	-	-	-
FEMALE--	-	1	-	2	3	3	1	6	3	-	-	-
MICHIGAN -----	73	71	65	82	144	233	258	286	211	88	23	-
WHITE-----MALE----	18	26	24	30	51	75	66	63	44	16	2	-
FEMALE--	14	12	17	26	43	116	144	186	142	63	16	-
ALL OTHER--MALE----	24	16	13	10	23	19	13	15	3	1	3	-
FEMALE--	17	17	11	16	27	23	35	22	22	8	2	-
BLACK---MALE-----	23	16	13	10	21	19	12	15	3	1	3	-
FEMALE--	16	17	11	15	26	23	35	20	20	8	1	-



[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Hypertensive diseases (I10-I13)

MINNESOTA -----	7	14	26	45	38	83	100	162	114	56	15	-
WHITE-----MALE----	6	8	17	27	24	40	32	42	27	12	-	-
FEMALE--	-	5	6	15	14	38	65	118	85	43	15	-
ALL OTHER--MALE----	1	-	2	1	-	-	1	1	2	1	-	-
FEMALE--	-	1	1	2	-	5	2	1	-	-	-	-
BLACK---MALE----	1	-	2	1	-	-	1	-	1	-	-	-
FEMALE--	-	-	1	2	-	3	1	1	-	-	-	-
MISSISSIPPI -----	30	34	45	44	79	116	143	150	98	50	15	-
WHITE-----MALE----	3	9	5	10	19	19	27	22	8	3	-	-
FEMALE--	7	-	11	1	16	38	62	76	57	23	9	-
ALL OTHER--MALE----	12	14	14	13	22	20	20	12	7	3	2	-
FEMALE--	8	11	15	20	22	39	34	40	26	21	4	-
BLACK---MALE----	12	14	14	13	22	20	20	12	7	3	2	-
FEMALE--	8	11	15	20	22	39	34	39	26	21	4	-
MISSOURI -----	45	53	42	55	77	94	152	135	127	58	13	-
WHITE-----MALE----	12	22	20	15	19	25	38	21	14	10	-	-
FEMALE--	8	12	11	18	17	47	88	91	100	44	11	-
ALL OTHER--MALE----	18	7	8	11	13	14	10	5	4	2	-	-
FEMALE--	7	12	3	11	28	8	16	18	9	2	2	-
BLACK---MALE----	18	7	8	11	13	13	9	5	4	2	-	-
FEMALE--	7	12	3	11	28	8	16	18	9	1	2	-
MONTANA -----	6	3	2	4	8	9	18	10	10	8	1	-
WHITE-----MALE----	4	1	2	2	3	4	7	5	1	1	-	-
FEMALE--	1	1	-	2	5	4	9	5	9	7	1	-
ALL OTHER--MALE----	1	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	4	5	9	8	13	28	38	55	44	27	5	-
WHITE-----MALE----	3	4	3	4	6	8	13	11	5	6	-	-
FEMALE--	-	1	4	3	7	20	23	42	39	21	4	-
ALL OTHER--MALE----	1	-	2	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	-	-	1	-
BLACK---MALE----	1	-	1	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	-	-	1	-
NEVADA -----	30	22	31	38	48	58	49	37	25	8	1	-
WHITE-----MALE----	20	10	18	15	27	29	18	13	4	1	-	-
FEMALE--	7	5	7	15	10	25	24	20	17	7	1	-
ALL OTHER--MALE----	2	2	5	3	3	2	5	1	2	-	-	-
FEMALE--	1	5	1	5	8	2	2	3	2	-	-	-
BLACK---MALE----	1	2	2	3	2	1	2	1	2	-	-	-
FEMALE--	1	4	1	1	5	1	2	1	2	-	-	-







04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 1852

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Hypertensive diseases (I10-I13)												
OHIO -----	2,033	-	-	-	-	2	1	2	11	14	46	53
WHITE-----MALE----	570	-	-	-	-	1	-	1	4	5	16	18
FEMALE--	1,038	-	-	-	-	1	-	1	1	2	6	13
ALL OTHER--MALE----	192	-	-	-	-	-	1	-	4	4	16	16
FEMALE--	233	-	-	-	-	-	-	-	2	3	8	6
BLACK---MALE----	190	-	-	-	-	-	1	-	4	4	15	16
FEMALE--	228	-	-	-	-	-	-	-	2	3	8	6
OKLAHOMA -----	440	-	-	-	-	-	-	1	4	7	8	6
WHITE-----MALE----	115	-	-	-	-	-	-	1	1	2	3	2
FEMALE--	237	-	-	-	-	-	-	-	1	2	-	2
ALL OTHER--MALE----	41	-	-	-	-	-	-	-	2	2	3	2
FEMALE--	47	-	-	-	-	-	-	-	-	1	2	-
BLACK---MALE----	33	-	-	-	-	-	-	-	1	1	3	2
FEMALE--	37	-	-	-	-	-	-	-	-	1	2	-
OREGON -----	543	-	-	-	-	-	-	-	2	2	4	9
WHITE-----MALE----	171	-	-	-	-	-	-	-	-	1	-	5
FEMALE--	347	-	-	-	-	-	-	-	1	1	3	3
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	13	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	1	-	1	-
PENNSYLVANIA -----	1,650	-	-	-	-	-	-	2	6	9	21	46
WHITE-----MALE----	492	-	-	-	-	-	-	1	4	4	12	13
FEMALE--	889	-	-	-	-	-	-	-	1	1	3	8
ALL OTHER--MALE----	121	-	-	-	-	-	-	-	-	3	4	19
FEMALE--	148	-	-	-	-	-	-	1	1	1	2	6
BLACK---MALE----	118	-	-	-	-	-	-	-	-	3	4	19
FEMALE--	144	-	-	-	-	-	-	1	1	1	2	6
RHODE ISLAND -----	115	-	-	-	-	-	-	-	-	3	-	3
WHITE-----MALE----	37	-	-	-	-	-	-	-	-	2	-	2
FEMALE--	73	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	707	-	-	-	-	-	1	1	4	6	21	25
WHITE-----MALE----	118	-	-	-	-	-	-	-	1	1	3	8
FEMALE--	217	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	168	-	-	-	-	-	1	-	3	2	11	9
FEMALE--	204	-	-	-	-	-	-	1	-	2	7	7
BLACK---MALE----	168	-	-	-	-	-	1	-	3	2	11	9
FEMALE--	202	-	-	-	-	-	-	1	-	2	7	6

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Hypertensive diseases (I10-I13)

OHIO -----	78	60	85	134	191	267	297	356	280	132	24	-
WHITE-----MALE----	28	21	29	49	58	89	96	89	56	8	2	-
FEMALE--	23	16	25	36	71	128	163	219	199	112	22	-
ALL OTHER--MALE----	15	11	19	21	31	23	13	15	2	1	-	-
FEMALE--	12	12	12	28	31	27	25	33	23	11	-	-
BLACK---MALE----	15	11	19	21	31	22	13	15	2	1	-	-
FEMALE--	12	12	11	28	30	27	25	31	22	11	-	-
OKLAHOMA -----	12	17	22	23	23	54	65	96	65	30	7	-
WHITE-----MALE----	5	7	9	6	8	17	20	19	7	8	-	-
FEMALE--	3	5	9	13	10	29	34	58	47	18	6	-
ALL OTHER--MALE----	2	2	3	1	3	2	7	6	4	2	-	-
FEMALE--	2	3	1	3	2	6	4	13	7	2	1	-
BLACK---MALE----	2	2	2	1	2	2	6	5	2	2	-	-
FEMALE--	1	2	1	2	2	5	2	11	7	-	1	-
OREGON -----	13	17	12	23	49	65	99	106	97	39	6	-
WHITE-----MALE----	6	10	8	11	19	31	32	19	23	6	-	-
FEMALE--	5	4	4	9	24	31	65	86	73	32	6	-
ALL OTHER--MALE----	2	3	-	1	3	-	1	-	1	-	-	-
FEMALE--	-	-	-	2	3	3	1	-	-	1	-	-
BLACK---MALE----	2	3	-	1	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	2	1	1	1	-	-	-	-
PENNSYLVANIA -----	41	54	90	93	150	225	273	279	236	97	28	-
WHITE-----MALE----	18	26	41	34	48	89	81	68	41	10	2	-
FEMALE--	9	13	16	33	78	108	159	190	171	76	23	-
ALL OTHER--MALE----	11	10	12	10	11	11	16	7	6	1	-	-
FEMALE--	3	5	21	16	13	17	17	14	18	10	3	-
BLACK---MALE----	11	10	12	10	10	11	15	7	5	1	-	-
FEMALE--	3	5	21	15	12	17	16	13	18	10	3	-
RHODE ISLAND -----	4	-	5	8	4	15	16	30	20	6	1	-
WHITE-----MALE----	1	-	3	-	2	7	3	11	5	1	-	-
FEMALE--	3	-	2	7	2	8	11	19	15	5	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
SOUTH CAROLINA -----	51	53	41	62	41	72	120	105	60	36	8	-
WHITE-----MALE----	17	19	7	12	11	7	17	9	5	1	-	-
FEMALE--	2	4	5	13	4	26	46	53	37	23	2	-
ALL OTHER--MALE----	18	17	21	22	12	10	21	13	6	1	1	-
FEMALE--	14	13	8	15	14	29	36	30	12	11	5	-
BLACK---MALE----	18	17	21	22	12	10	21	13	6	1	1	-
FEMALE--	14	13	8	14	14	29	36	30	12	11	5	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 1853

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Hypertensive diseases (I10-I13)												
SOUTH DAKOTA -----	69	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	24	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	43	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1,542	-	-	-	-	-	1	7	16	25	50	61
WHITE-----MALE----	375	-	-	-	-	-	-	2	3	8	17	24
FEMALE--	678	-	-	-	-	-	-	2	2	4	2	5
ALL OTHER--MALE----	208	-	-	-	-	-	1	1	8	6	22	17
FEMALE--	281	-	-	-	-	-	-	2	3	7	9	15
BLACK---MALE----	208	-	-	-	-	-	1	1	8	6	22	17
FEMALE--	277	-	-	-	-	-	-	2	3	7	9	15
TEXAS -----	3,349	-	-	-	-	1	3	9	26	40	97	141
WHITE-----MALE----	1,061	-	-	-	-	-	-	3	12	19	41	51
FEMALE--	1,451	-	-	-	-	1	-	1	2	9	14	24
ALL OTHER--MALE----	368	-	-	-	-	-	3	2	8	5	27	39
FEMALE--	469	-	-	-	-	-	-	3	4	7	15	27
BLACK---MALE----	347	-	-	-	-	-	3	2	8	4	26	37
FEMALE--	451	-	-	-	-	-	-	3	4	7	15	27
UTAH -----	174	-	-	-	-	-	-	-	3	1	1	2
WHITE-----MALE----	60	-	-	-	-	-	-	-	2	1	1	1
FEMALE--	110	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	71	-	-	-	-	-	-	-	-	1	1	2
WHITE-----MALE----	20	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	50	-	-	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	862	-	-	-	-	-	1	2	5	13	23	30
WHITE-----MALE----	180	-	-	-	-	-	-	1	2	1	5	8
FEMALE--	342	-	-	-	-	-	-	-	-	1	-	3
ALL OTHER--MALE----	152	-	-	-	-	-	1	-	1	10	10	14
FEMALE--	188	-	-	-	-	-	-	1	2	1	8	5
BLACK---MALE----	148	-	-	-	-	-	1	-	1	10	10	14
FEMALE--	183	-	-	-	-	-	-	1	2	1	8	5

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Hypertensive diseases (I10-I13)												
SOUTH DAKOTA -----	1	1	-	3	4	6	10	15	13	13	2	-
WHITE-----MALE----	-	-	-	1	3	4	3	6	4	2	-	-
FEMALE--	1	1	-	1	-	2	7	9	9	11	2	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	82	73	71	81	115	167	251	261	183	82	16	-
WHITE-----MALE----	26	23	19	24	29	43	61	55	32	8	1	-
FEMALE--	16	12	20	20	34	81	134	155	119	65	7	-
ALL OTHER--MALE----	21	24	10	22	24	15	18	12	5	2	-	-
FEMALE--	19	14	22	15	28	28	38	39	27	7	8	-
BLACK---MALE----	21	24	10	22	24	15	18	12	5	2	-	-
FEMALE--	19	13	21	15	27	28	37	39	27	7	8	-
TEXAS -----	177	184	199	232	298	421	477	496	366	146	35	1
WHITE-----MALE----	75	81	67	105	110	153	129	111	77	24	2	1
FEMALE--	40	41	67	59	106	173	262	288	237	105	22	-
ALL OTHER--MALE----	34	32	33	33	43	35	24	34	11	4	1	-
FEMALE--	28	30	32	35	39	60	62	63	41	13	10	-
BLACK---MALE----	34	30	31	33	38	35	21	32	8	4	1	-
FEMALE--	26	27	30	34	38	56	59	62	40	13	10	-
UTAH -----	3	8	4	9	9	22	25	41	39	6	1	-
WHITE-----MALE----	1	3	2	5	7	8	8	10	11	-	-	-
FEMALE--	2	5	1	2	2	14	17	31	28	6	1	-
ALL OTHER--MALE----	-	-	1	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	3	3	2	5	5	7	13	16	10	2	1	-
WHITE-----MALE----	3	2	1	1	-	1	3	4	4	-	-	-
FEMALE--	-	1	1	3	5	6	10	12	6	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
VIRGINIA -----	32	46	39	52	93	115	134	131	92	47	7	-
WHITE-----MALE----	11	9	13	13	20	31	33	24	7	2	-	-
FEMALE--	5	11	5	17	29	43	58	61	65	39	5	-
ALL OTHER--MALE----	9	17	15	10	20	12	14	13	5	-	1	-
FEMALE--	7	9	6	12	24	29	29	33	15	6	1	-
BLACK---MALE----	9	16	15	9	20	12	13	12	5	-	1	-
FEMALE--	7	9	6	11	23	28	28	32	15	6	1	-







[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Essential (primary) hypertension (I10)												
UNITED STATES -	11,077	-	-	-	-	1	4	11	23	47	102	202
WHITE-----MALE----	2,986	-	-	-	-	1	1	4	11	19	34	80
FEMALE--	6,030	-	-	-	-	-	1	3	2	9	18	35
ALL OTHER--MALE----	860	-	-	-	-	-	1	4	4	12	27	46
FEMALE--	1,201	-	-	-	-	-	1	-	6	7	23	41
BLACK---MALE-----	768	-	-	-	-	-	1	4	3	11	23	44
FEMALE--	1,067	-	-	-	-	-	1	-	6	6	23	39
ALABAMA -----	221	-	-	-	-	-	-	-	-	4	6	9
WHITE-----MALE----	45	-	-	-	-	-	-	-	-	-	2	3
FEMALE--	83	-	-	-	-	-	-	-	-	2	-	-
ALL OTHER--MALE----	34	-	-	-	-	-	-	-	-	1	2	5
FEMALE--	59	-	-	-	-	-	-	-	-	1	2	1
BLACK---MALE-----	33	-	-	-	-	-	-	-	-	1	1	5
FEMALE--	59	-	-	-	-	-	-	-	-	1	2	1
ALASKA -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	128	-	-	-	-	-	-	-	-	-	4	1
WHITE-----MALE----	43	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	77	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
ARKANSAS -----	122	-	-	-	-	-	-	-	1	1	1	8
WHITE-----MALE----	38	-	-	-	-	-	-	-	-	1	-	6
FEMALE--	56	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	19	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE-----	9	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	19	-	-	-	-	-	-	-	-	-	1	1
CALIFORNIA -----	1,311	-	-	-	-	1	-	1	2	7	10	24
WHITE-----MALE----	392	-	-	-	-	1	-	-	1	4	7	10
FEMALE--	703	-	-	-	-	-	-	1	-	2	3	7
ALL OTHER--MALE----	88	-	-	-	-	-	-	-	-	1	-	3
FEMALE--	128	-	-	-	-	-	-	-	1	-	-	4
BLACK---MALE-----	54	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	68	-	-	-	-	-	-	-	1	-	-	3

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Essential (primary) hypertension (I10)												
UNITED STATES -	298	382	481	658	885	1,419	1,833	2,028	1,672	825	206	-
WHITE-----MALE----	126	154	202	261	319	466	472	439	289	97	11	-
FEMALE--	65	100	136	209	346	702	1,070	1,328	1,206	638	162	-
ALL OTHER--MALE----	68	78	74	87	106	109	108	78	39	14	5	-
FEMALE--	39	50	69	101	114	142	183	183	138	76	28	-
BLACK---MALE-----	64	72	67	80	93	99	90	64	35	13	5	-
FEMALE--	34	46	66	89	99	128	156	160	119	69	26	-
ALABAMA -----	5	15	8	20	16	34	24	34	31	13	2	-
WHITE-----MALE----	1	7	3	5	3	6	3	4	5	3	-	-
FEMALE--	-	1	-	4	5	11	16	19	18	7	-	-
ALL OTHER--MALE----	3	4	-	5	3	7	1	1	2	-	-	-
FEMALE--	1	3	5	6	5	10	4	10	6	3	2	-
BLACK---MALE-----	3	4	-	5	3	7	1	1	2	-	-	-
FEMALE--	1	3	5	6	5	10	4	10	6	3	2	-
ALASKA -----	-	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	3	7	4	8	9	10	23	22	26	8	3	-
WHITE-----MALE----	1	3	1	5	5	4	9	4	9	-	-	-
FEMALE--	2	3	2	2	4	5	14	17	17	8	2	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	1	-	1	-	-	-	-	1	-
BLACK---MALE-----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	1	-
ARKANSAS -----	3	3	7	5	19	11	18	22	13	7	3	-
WHITE-----MALE----	1	3	2	3	4	5	5	3	4	1	-	-
FEMALE--	1	-	2	1	10	6	8	14	7	4	2	-
ALL OTHER--MALE----	1	-	1	1	2	-	1	1	-	1	-	-
FEMALE--	-	-	2	-	3	-	4	4	2	1	1	-
BLACK---MALE-----	1	-	1	1	2	-	1	1	-	1	-	-
FEMALE--	-	-	2	-	3	-	4	4	2	1	1	-
CALIFORNIA -----	26	43	55	62	105	186	224	254	197	95	19	-
WHITE-----MALE----	10	13	23	28	42	62	66	69	41	14	1	-
FEMALE--	8	15	17	20	39	98	121	151	134	70	17	-
ALL OTHER--MALE----	4	7	11	9	10	10	12	13	6	1	1	-
FEMALE--	4	8	4	5	14	16	25	21	16	10	-	-
BLACK---MALE-----	3	3	10	7	5	7	3	7	5	1	1	-
FEMALE--	1	6	4	2	6	9	11	10	8	7	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Essential (primary) hypertension (I10)												
COLORADO -----	84	-	-	-	-	-	-	-	-	1	-	1
WHITE-----MALE----	20	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	61	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	176	-	-	-	-	-	-	-	1	1	3	-
WHITE-----MALE----	63	-	-	-	-	-	-	-	1	-	3	-
FEMALE--	102	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	25	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
DISTRICT OF COLUMBIA ---	22	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	11	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	641	-	-	-	-	-	-	3	1	2	4	10
WHITE-----MALE----	195	-	-	-	-	-	-	-	-	2	1	5
FEMALE--	345	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	45	-	-	-	-	-	-	3	-	-	3	1
FEMALE--	56	-	-	-	-	-	-	-	1	-	-	4
BLACK---MALE----	44	-	-	-	-	-	-	3	-	-	3	1
FEMALE--	55	-	-	-	-	-	-	-	1	-	-	4
GEORGIA -----	442	-	-	-	-	-	-	1	-	2	12	16
WHITE-----MALE----	94	-	-	-	-	-	-	1	-	1	3	7
FEMALE--	160	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	80	-	-	-	-	-	-	-	-	-	4	3
FEMALE--	108	-	-	-	-	-	-	-	-	1	4	4
BLACK---MALE----	79	-	-	-	-	-	-	-	-	-	4	3
FEMALE--	106	-	-	-	-	-	-	-	-	1	4	4

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Essential (primary) hypertension (I10)												
COLORADO -----	2	1	4	2	7	4	19	11	20	11	1	-
WHITE-----MALE----	1	-	3	2	3	2	2	3	1	2	-	-
FEMALE--	1	-	-	-	4	2	16	8	19	9	1	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
CONNECTICUT -----	5	5	6	10	10	20	33	43	21	13	5	-
WHITE-----MALE----	2	2	3	7	4	11	12	10	6	1	1	-
FEMALE--	2	2	2	3	4	9	18	32	14	12	4	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	1	1	-	2	-	2	-	1	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	1	-	2	-	2	-	1	-	-	-
DELAWARE -----	-	-	-	-	2	3	5	3	7	3	1	-
WHITE-----MALE----	-	-	-	-	-	-	3	1	1	-	-	-
FEMALE--	-	-	-	-	2	2	2	2	4	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
DISTRICT OF COLUMBIA ---	2	1	-	-	-	6	2	2	4	2	2	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	1	-	-	-	5	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	3	2	1	-
BLACK---MALE-----	2	1	-	-	-	5	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	1	1	1	3	2	1	-
FLORIDA -----	16	17	21	42	55	82	117	126	91	43	11	-
WHITE-----MALE----	8	8	9	15	23	31	37	31	18	6	1	-
FEMALE--	2	7	3	18	22	41	66	76	67	33	10	-
ALL OTHER--MALE----	5	-	1	3	5	6	8	6	2	2	-	-
FEMALE--	1	2	8	6	5	4	6	13	4	2	-	-
BLACK---MALE-----	5	-	1	3	4	6	8	6	2	2	-	-
FEMALE--	1	2	7	6	5	4	6	13	4	2	-	-
GEORGIA -----	27	16	29	35	44	63	61	54	51	23	8	-
WHITE-----MALE----	9	4	9	10	10	17	6	10	6	1	-	-
FEMALE--	2	5	3	3	7	23	36	30	29	15	4	-
ALL OTHER--MALE----	10	5	8	11	16	10	5	2	4	-	2	-
FEMALE--	6	2	9	11	11	13	14	12	12	7	2	-
BLACK---MALE-----	10	5	8	11	15	10	5	2	4	-	2	-
FEMALE--	6	2	8	11	11	13	14	12	11	7	2	-



[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Essential (primary) hypertension (I10)												
HAWAII -----	3	1	2	4	2	4	11	10	5	5	1	-
WHITE-----MALE----	-	-	-	1	-	-	1	1	-	-	-	-
FEMALE--	-	1	-	-	1	1	3	3	1	2	-	-
ALL OTHER--MALE----	1	-	2	-	-	3	2	2	-	1	-	-
FEMALE--	2	-	-	3	1	-	5	4	4	2	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	1	-	1	2	1	2	2	8	4	3	-	-
WHITE-----MALE----	1	-	-	-	1	-	1	3	-	1	-	-
FEMALE--	-	-	-	2	-	1	1	5	4	2	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	13	13	20	17	30	54	66	92	78	39	5	-
WHITE-----MALE----	6	5	8	5	11	21	12	12	13	3	2	-
FEMALE--	1	1	4	6	11	22	44	70	56	33	3	-
ALL OTHER--MALE----	4	5	2	3	5	4	3	-	2	-	-	-
FEMALE--	2	2	6	3	3	7	7	10	7	3	-	-
BLACK---MALE----	4	5	2	3	4	4	3	-	2	-	-	-
FEMALE--	2	2	6	3	2	6	7	9	5	3	-	-
INDIANA -----	6	3	11	11	15	27	36	47	42	21	4	-
WHITE-----MALE----	3	3	3	4	7	13	5	9	7	3	-	-
FEMALE--	1	-	4	6	4	13	24	33	34	17	3	-
ALL OTHER--MALE----	1	-	3	1	1	1	5	1	-	-	-	-
FEMALE--	1	-	1	-	3	-	2	4	1	1	1	-
BLACK---MALE----	1	-	3	1	1	1	5	1	-	-	-	-
FEMALE--	1	-	1	-	3	-	2	4	1	1	1	-
IOWA -----	2	1	1	-	5	8	9	28	19	20	4	-
WHITE-----MALE----	2	1	1	-	1	5	3	4	4	3	-	-
FEMALE--	-	-	-	-	4	3	6	23	15	17	4	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
KANSAS -----	2	-	4	2	9	13	17	24	16	10	1	-
WHITE-----MALE----	1	-	-	1	1	3	3	10	3	1	-	-
FEMALE--	1	-	2	-	7	9	12	14	13	9	1	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	1	1	1	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	1	1	1	1	-	-	-	-	-



[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Essential (primary) hypertension (I10)												
KENTUCKY -----	5	7	4	5	4	12	18	26	12	6	3	-
WHITE-----MALE----	3	4	2	1	2	5	5	3	4	-	-	-
FEMALE--	-	1	2	2	1	7	13	21	7	6	3	-
ALL OTHER--MALE----	1	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	1	-	2	-	-	-	2	1	-	-	-
BLACK---MALE-----	1	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	1	-	2	-	-	-	2	1	-	-	-
LOUISIANA -----	3	7	8	8	9	16	25	22	14	8	1	-
WHITE-----MALE----	1	-	3	2	2	-	7	-	-	1	-	-
FEMALE--	1	1	2	3	4	7	11	18	8	6	1	-
ALL OTHER--MALE----	-	3	-	3	1	5	4	2	1	-	-	-
FEMALE--	1	3	3	-	2	4	3	2	5	1	-	-
BLACK---MALE-----	-	3	-	3	1	5	4	2	1	-	-	-
FEMALE--	1	3	3	-	2	3	3	2	5	1	-	-
MAINE -----	4	4	3	4	2	6	5	12	9	8	1	-
WHITE-----MALE----	1	2	2	2	1	3	3	3	2	1	-	-
FEMALE--	3	2	1	1	1	3	2	8	7	7	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3	6	5	11	10	25	27	31	22	16	1	-
WHITE-----MALE----	-	3	2	1	4	8	6	6	4	1	-	-
FEMALE--	1	-	2	4	4	12	13	17	17	11	-	-
ALL OTHER--MALE----	2	1	1	5	2	3	-	3	-	-	-	-
FEMALE--	-	2	-	1	-	2	8	5	1	4	1	-
BLACK---MALE-----	2	1	1	5	2	2	-	3	-	-	-	-
FEMALE--	-	2	-	1	-	2	8	4	1	4	1	-
MASSACHUSETTS -----	7	14	8	18	27	32	54	46	35	19	6	-
WHITE-----MALE----	3	9	5	8	13	8	20	8	8	-	2	-
FEMALE--	3	2	2	8	11	21	34	37	27	19	4	-
ALL OTHER--MALE----	1	2	1	-	1	1	-	1	-	-	-	-
FEMALE--	-	1	-	2	2	2	-	-	-	-	-	-
BLACK---MALE-----	1	2	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	2	2	2	-	-	-	-	-	-
MICHIGAN -----	11	8	8	17	27	59	63	73	67	26	8	-
WHITE-----MALE----	2	5	6	6	12	22	9	14	16	5	-	-
FEMALE--	2	1	1	7	7	31	42	51	46	19	6	-
ALL OTHER--MALE----	5	-	-	-	4	1	4	4	1	-	1	-
FEMALE--	2	2	1	4	4	5	8	4	4	2	1	-
BLACK---MALE-----	5	-	-	-	3	1	3	4	1	-	1	-
FEMALE--	2	2	1	4	3	5	8	3	3	2	-	-





[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Essential (primary) hypertension (I10)												
MINNESOTA -----	2	6	16	31	19	38	49	76	59	28	9	-
WHITE-----MALE----	2	3	12	20	12	21	14	20	11	6	-	-
FEMALE--	-	3	4	9	7	17	34	55	48	22	9	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	1	-	-	-	-
MISSISSIPPI -----	8	11	8	9	26	19	31	29	16	8	4	-
WHITE-----MALE----	2	2	1	2	6	2	5	4	1	-	-	-
FEMALE--	2	-	2	-	6	8	15	16	9	4	3	-
ALL OTHER--MALE----	4	8	4	2	5	5	5	-	2	1	-	-
FEMALE--	-	1	1	5	9	4	6	9	4	3	1	-
BLACK---MALE----	4	8	4	2	5	5	5	-	2	1	-	-
FEMALE--	-	1	1	5	9	4	6	9	4	3	1	-
MISSOURI -----	4	9	10	17	9	28	31	29	41	21	4	-
WHITE-----MALE----	3	2	4	2	4	6	8	4	4	6	-	-
FEMALE--	1	5	3	9	2	20	17	21	33	15	3	-
ALL OTHER--MALE----	-	1	2	2	-	2	1	-	1	-	-	-
FEMALE--	-	1	1	4	3	-	5	4	3	-	1	-
BLACK---MALE----	-	1	2	2	-	1	1	-	1	-	-	-
FEMALE--	-	1	1	4	3	-	5	4	3	-	1	-
MONTANA -----	3	-	2	3	2	3	6	-	3	4	-	-
WHITE-----MALE----	2	-	2	1	1	2	3	-	-	-	-	-
FEMALE--	-	-	-	2	1	1	3	-	3	4	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	-	2	3	4	6	9	15	20	15	9	3	-
WHITE-----MALE----	-	2	-	3	3	4	4	3	1	2	-	-
FEMALE--	-	-	3	1	3	5	10	17	14	7	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
NEVADA -----	1	2	8	9	12	9	10	13	7	5	1	-
WHITE-----MALE----	-	2	2	4	4	3	3	5	1	1	-	-
FEMALE--	1	-	3	4	3	6	4	8	6	4	1	-
ALL OTHER--MALE----	-	-	3	-	2	-	2	-	-	-	-	-
FEMALE--	-	-	-	1	3	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-





04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 1861

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Essential (primary) hypertension (I10)												
OHIO -----	563	-	-	-	-	-	-	-	1	3	4	9
WHITE-----MALE----	159	-	-	-	-	-	-	-	-	1	2	7
FEMALE--	334	-	-	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	26	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	44	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	26	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	43	-	-	-	-	-	-	-	1	-	-	-
OKLAHOMA -----	141	-	-	-	-	-	-	-	1	2	-	1
WHITE-----MALE----	42	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	75	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	200	-	-	-	-	-	-	-	-	-	1	3
WHITE-----MALE----	59	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	138	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	544	-	-	-	-	-	-	-	-	1	4	13
WHITE-----MALE----	152	-	-	-	-	-	-	-	-	-	3	4
FEMALE--	311	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	38	-	-	-	-	-	-	-	-	1	1	4
FEMALE--	43	-	-	-	-	-	-	-	-	-	-	3
BLACK---MALE----	37	-	-	-	-	-	-	-	-	1	1	4
FEMALE--	41	-	-	-	-	-	-	-	-	-	-	3
RHODE ISLAND -----	31	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	22	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	171	-	-	-	-	-	1	-	-	1	4	8
WHITE-----MALE----	27	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	67	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	36	-	-	-	-	-	1	-	-	-	1	4
FEMALE--	41	-	-	-	-	-	-	-	-	1	2	1
BLACK---MALE----	36	-	-	-	-	-	1	-	-	-	1	4
FEMALE--	41	-	-	-	-	-	-	-	-	1	2	1

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Essential (primary) hypertension (I10)												
OHIO -----	11	12	17	31	52	75	93	106	85	52	12	-
WHITE-----MALE----	6	5	7	16	18	23	32	23	16	2	1	-
FEMALE--	5	3	6	8	21	45	51	71	64	46	11	-
ALL OTHER--MALE----	-	2	3	2	9	1	1	5	-	-	-	-
FEMALE--	-	2	1	5	4	6	9	7	5	4	-	-
BLACK---MALE-----	-	2	3	2	9	1	1	5	-	-	-	-
FEMALE--	-	2	1	5	4	6	9	7	4	4	-	-
OKLAHOMA -----	7	5	7	8	8	19	22	30	20	9	2	-
WHITE-----MALE----	4	1	5	1	5	3	9	6	3	3	-	-
FEMALE--	2	1	1	7	3	13	9	18	14	4	2	-
ALL OTHER--MALE----	1	2	-	-	-	1	2	3	1	-	-	-
FEMALE--	-	1	1	-	-	2	2	3	2	2	-	-
BLACK---MALE-----	1	2	-	-	-	1	1	2	1	-	-	-
FEMALE--	-	1	1	-	-	2	1	2	2	-	-	-
OREGON -----	3	8	7	9	13	30	33	35	36	17	5	-
WHITE-----MALE----	1	4	4	5	7	12	11	7	5	1	-	-
FEMALE--	2	3	3	3	5	18	22	28	31	16	5	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
PENNSYLVANIA -----	13	21	26	36	47	77	94	85	80	32	15	-
WHITE-----MALE----	6	11	13	14	13	30	20	20	14	3	1	-
FEMALE--	3	4	7	14	26	39	62	59	56	26	13	-
ALL OTHER--MALE----	3	4	1	3	4	5	8	3	1	-	-	-
FEMALE--	1	2	5	5	4	3	4	3	9	3	1	-
BLACK---MALE-----	3	4	1	3	3	5	8	3	1	-	-	-
FEMALE--	1	2	5	4	3	3	4	3	9	3	1	-
RHODE ISLAND -----	1	-	2	2	-	4	7	6	6	2	1	-
WHITE-----MALE----	-	-	2	-	-	2	1	1	1	-	-	-
FEMALE--	1	-	-	2	-	2	4	5	5	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
SOUTH CAROLINA -----	12	13	14	17	6	16	23	26	17	10	3	-
WHITE-----MALE----	2	6	4	5	2	-	1	2	1	-	-	-
FEMALE--	2	2	2	4	1	11	9	14	13	8	1	-
ALL OTHER--MALE----	5	3	6	5	-	2	5	3	1	-	-	-
FEMALE--	3	2	2	3	3	3	8	7	2	2	2	-
BLACK---MALE-----	5	3	6	5	-	2	5	3	1	-	-	-
FEMALE--	3	2	2	3	3	3	8	7	2	2	2	-



[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Essential (primary) hypertension (I10)												
SOUTH DAKOTA -----	-	-	-	3	2	2	2	6	3	3	1	-
WHITE-----MALE----	-	-	-	1	1	1	1	2	1	1	-	-
FEMALE--	-	-	-	1	-	1	1	4	2	2	1	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	11	11	10	11	20	29	48	52	29	14	3	-
WHITE-----MALE----	5	4	3	3	8	7	8	11	1	4	-	-
FEMALE--	2	3	5	3	7	17	32	32	23	9	2	-
ALL OTHER--MALE----	-	3	-	2	2	-	2	1	1	1	-	-
FEMALE--	4	1	2	3	3	5	6	8	4	-	1	-
BLACK---MALE----	-	3	-	2	2	-	2	1	1	1	-	-
FEMALE--	4	1	2	3	3	5	6	8	4	-	1	-
TEXAS -----	11	18	27	26	41	81	93	111	89	39	10	-
WHITE-----MALE----	7	6	10	12	18	30	25	18	17	4	-	-
FEMALE--	1	9	13	7	16	34	58	81	57	31	7	-
ALL OTHER--MALE----	2	1	2	3	5	6	4	6	4	1	-	-
FEMALE--	1	2	2	4	2	11	6	6	11	3	3	-
BLACK---MALE----	2	1	2	3	5	6	4	6	3	1	-	-
FEMALE--	1	1	2	4	2	10	5	6	11	3	3	-
UTAH -----	1	2	1	4	5	4	7	17	14	3	-	-
WHITE-----MALE----	-	1	1	1	3	1	2	6	4	-	-	-
FEMALE--	1	1	-	1	2	3	5	11	10	3	-	-
ALL OTHER--MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	2	1	2	3	2	4	2	2	-	-	-
WHITE-----MALE----	-	2	1	-	-	1	1	1	-	-	-	-
FEMALE--	-	-	-	2	3	1	3	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	5	18	13	20	29	37	40	31	31	16	4	-
WHITE-----MALE----	3	5	6	5	6	9	10	3	4	1	-	-
FEMALE--	1	4	3	6	11	14	18	18	22	12	3	-
ALL OTHER--MALE----	1	7	4	3	4	7	5	5	2	-	-	-
FEMALE--	-	2	-	6	8	7	7	5	3	3	1	-
BLACK---MALE----	1	7	4	2	4	7	5	4	2	-	-	-
FEMALE--	-	2	-	5	8	6	7	5	3	3	1	-







[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Hypertensive heart disease (I11)												
UNITED STATES -	24,689	-	-	1	-	6	18	65	181	352	739	1,050
WHITE-----MALE----	7,395	-	-	-	-	3	4	24	72	149	292	412
FEMALE--	10,837	-	-	-	-	1	2	12	17	48	97	160
ALL OTHER--MALE----	3,056	-	-	-	-	1	9	16	57	85	214	303
FEMALE--	3,401	-	-	1	-	1	3	13	35	70	136	175
BLACK---MALE----	2,813	-	-	-	-	1	9	15	53	81	199	287
FEMALE--	3,157	-	-	1	-	1	3	13	34	68	131	172
ALABAMA -----	360	-	-	-	-	-	-	3	3	7	8	18
WHITE-----MALE----	86	-	-	-	-	-	-	-	1	3	2	6
FEMALE--	134	-	-	-	-	-	-	1	1	1	1	1
ALL OTHER--MALE----	73	-	-	-	-	-	-	1	-	1	4	9
FEMALE--	67	-	-	-	-	-	-	1	1	2	1	2
BLACK---MALE----	73	-	-	-	-	-	-	1	-	1	4	9
FEMALE--	67	-	-	-	-	-	-	1	1	2	1	2
ALASKA -----	21	-	-	-	-	-	-	1	-	1	1	3
WHITE-----MALE----	6	-	-	-	-	-	-	1	-	-	-	2
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ARIZONA -----	367	-	-	-	-	-	-	1	-	3	17	10
WHITE-----MALE----	156	-	-	-	-	-	-	1	-	2	11	5
FEMALE--	181	-	-	-	-	-	-	-	-	-	6	5
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	14	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	180	-	-	-	-	-	1	1	4	4	4	-
WHITE-----MALE----	58	-	-	-	-	-	1	3	2	2	2	-
FEMALE--	91	-	-	-	-	-	1	-	2	1	-	-
ALL OTHER--MALE----	19	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	19	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	3,338	-	-	-	-	-	3	10	13	43	72	141
WHITE-----MALE----	1,160	-	-	-	-	-	1	4	5	24	32	65
FEMALE--	1,488	-	-	-	-	-	1	3	3	4	14	18
ALL OTHER--MALE----	330	-	-	-	-	-	1	2	3	7	16	43
FEMALE--	360	-	-	-	-	-	-	1	2	8	10	15
BLACK---MALE----	224	-	-	-	-	-	1	1	2	7	11	35
FEMALE--	235	-	-	-	-	-	-	1	2	7	9	15

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Hypertensive heart disease (I11)												
UNITED STATES -	1,414	1,380	1,389	1,557	2,062	2,719	3,400	3,658	2,958	1,398	331	11
WHITE-----MALE----	574	571	573	613	760	905	983	786	493	162	14	5
FEMALE--	236	272	297	386	675	1,146	1,771	2,287	2,118	1,063	248	1
ALL OTHER--MALE----	357	308	297	293	295	283	243	171	72	35	13	4
FEMALE--	247	229	222	265	332	385	403	414	275	138	56	1
BLACK---MALE-----	338	288	275	274	272	252	214	149	62	28	12	4
FEMALE--	233	218	212	243	306	353	357	377	253	128	53	1
ALABAMA -----	19	16	15	17	36	46	46	51	55	13	7	-
WHITE-----MALE----	5	4	5	6	14	13	13	9	5	-	-	-
FEMALE--	2	5	2	3	11	18	19	30	30	9	-	-
ALL OTHER--MALE----	10	5	4	3	5	10	6	5	6	1	3	-
FEMALE--	2	2	4	5	6	5	8	7	14	3	4	-
BLACK---MALE-----	10	5	4	3	5	10	6	5	6	1	3	-
FEMALE--	2	2	4	5	6	5	8	7	14	3	4	-
ALASKA -----	4	3	1	1	2	1	1	-	2	-	-	-
WHITE-----MALE----	2	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	1	1	1	-	1	-	-	2	-	-	-
ALL OTHER--MALE----	1	1	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	22	27	24	24	39	40	50	42	42	22	4	-
WHITE-----MALE----	9	15	13	15	16	21	15	16	14	2	1	-
FEMALE--	9	10	2	4	21	17	34	25	25	20	3	-
ALL OTHER--MALE----	2	2	7	1	2	2	-	1	-	-	-	-
FEMALE--	2	-	2	4	-	-	1	-	3	-	-	-
BLACK---MALE-----	1	2	6	-	1	2	-	1	-	-	-	-
FEMALE--	2	-	2	2	-	-	1	-	2	-	-	-
ARKANSAS -----	10	12	5	11	13	15	29	26	26	13	6	-
WHITE-----MALE----	8	6	3	7	7	4	3	6	5	1	-	-
FEMALE--	1	2	1	3	2	9	19	17	20	9	4	-
ALL OTHER--MALE----	1	3	1	1	-	-	7	1	-	2	1	-
FEMALE--	-	1	-	-	4	2	-	2	1	1	1	-
BLACK---MALE-----	1	3	1	1	-	-	7	1	-	2	1	-
FEMALE--	-	1	-	-	4	2	-	2	1	1	1	-
CALIFORNIA -----	174	170	213	213	268	371	499	522	401	183	40	2
WHITE-----MALE----	87	86	113	98	109	127	174	134	68	30	1	2
FEMALE--	29	42	47	53	95	170	237	314	295	132	31	-
ALL OTHER--MALE----	35	26	28	35	30	29	36	21	9	7	2	-
FEMALE--	23	16	25	27	34	45	52	53	29	14	6	-
BLACK---MALE-----	28	18	17	26	18	19	23	11	5	1	1	-
FEMALE--	18	13	20	20	20	23	26	31	17	8	5	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 1865

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Hypertensive heart disease (I11)												
COLORADO -----	182	-	-	-	-	-	1	-	1	3	2	5
WHITE-----MALE----	51	-	-	-	-	-	1	-	-	2	-	3
FEMALE--	115	-	-	-	-	-	-	-	1	-	1	1
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	229	-	-	-	-	-	-	-	1	2	14	9
WHITE-----MALE----	96	-	-	-	-	-	-	-	1	1	8	5
FEMALE--	102	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	21	-	-	-	-	-	-	-	-	-	6	2
FEMALE--	10	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	21	-	-	-	-	-	-	-	-	-	6	2
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	1
DELAWARE -----	65	-	-	-	-	-	-	-	-	2	3	2
WHITE-----MALE----	18	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	26	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	1	1	1
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	1	1	1
DISTRICT OF COLUMBIA ---	240	-	-	-	-	-	-	-	4	2	11	14
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	30	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	97	-	-	-	-	-	-	-	3	-	6	9
FEMALE--	101	-	-	-	-	-	-	-	1	1	5	4
BLACK---MALE----	97	-	-	-	-	-	-	-	3	-	6	9
FEMALE--	101	-	-	-	-	-	-	-	1	1	5	4
FLORIDA -----	1,987	-	-	-	-	1	2	9	15	31	49	67
WHITE-----MALE----	690	-	-	-	-	-	-	3	8	11	23	28
FEMALE--	856	-	-	-	-	-	-	2	1	5	9	7
ALL OTHER--MALE----	212	-	-	-	-	-	2	1	5	10	11	14
FEMALE--	229	-	-	-	-	1	-	3	1	5	6	18
BLACK---MALE----	208	-	-	-	-	-	2	1	5	10	11	14
FEMALE--	227	-	-	-	-	1	-	3	1	5	6	18
GEORGIA -----	729	-	-	-	-	1	-	4	6	14	25	28
WHITE-----MALE----	144	-	-	-	-	1	-	-	-	2	3	3
FEMALE--	210	-	-	-	-	-	-	1	-	2	3	2
ALL OTHER--MALE----	161	-	-	-	-	-	-	2	2	6	12	11
FEMALE--	214	-	-	-	-	-	-	1	4	4	7	12
BLACK---MALE----	157	-	-	-	-	-	-	2	2	6	12	11
FEMALE--	213	-	-	-	-	-	-	1	4	4	7	12

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 1865

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Hypertensive heart disease (I11)												
COLORADO -----	7	17	8	15	11	15	20	29	29	14	5	-
WHITE-----MALE----	3	5	5	9	6	3	4	5	3	1	1	-
FEMALE--	2	9	2	5	5	11	13	22	26	13	4	-
ALL OTHER--MALE----	2	2	1	-	-	-	2	1	-	-	-	-
FEMALE--	-	1	-	1	-	1	1	1	-	-	-	-
BLACK---MALE----	2	1	1	-	-	-	2	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	1	-	-	-	-
CONNECTICUT -----	15	22	9	19	20	21	25	25	33	10	4	-
WHITE-----MALE----	12	14	5	9	12	9	6	5	8	1	-	-
FEMALE--	1	6	2	7	5	7	18	18	24	9	4	-
ALL OTHER--MALE----	2	1	-	3	2	3	-	1	1	-	-	-
FEMALE--	-	1	2	-	1	2	1	1	-	-	-	-
BLACK---MALE----	2	1	-	3	2	3	-	1	1	-	-	-
FEMALE--	-	1	2	-	1	2	-	1	-	-	-	-
DELAWARE -----	10	2	2	4	4	8	9	10	5	3	1	-
WHITE-----MALE----	3	1	1	1	2	2	3	1	-	-	-	-
FEMALE--	2	1	-	-	2	5	5	7	2	2	-	-
ALL OTHER--MALE----	3	-	1	2	-	-	-	1	1	-	-	-
FEMALE--	2	-	-	1	-	1	1	1	2	1	1	-
BLACK---MALE----	3	-	1	2	-	-	-	1	1	-	-	-
FEMALE--	2	-	-	1	-	1	1	1	2	1	1	-
DISTRICT OF COLUMBIA ---	17	21	19	19	18	26	28	24	18	12	5	2
WHITE-----MALE----	2	1	1	1	-	1	1	1	1	-	-	1
FEMALE--	-	-	2	-	1	-	8	4	5	7	3	-
ALL OTHER--MALE----	7	14	13	10	7	12	7	6	1	1	-	1
FEMALE--	8	6	3	8	10	13	12	13	11	4	2	-
BLACK---MALE----	7	14	13	10	7	12	7	6	1	1	-	1
FEMALE--	8	6	3	8	10	13	12	13	11	4	2	-
FLORIDA -----	104	104	107	153	191	255	293	286	202	91	25	2
WHITE-----MALE----	41	59	46	67	79	105	100	71	34	14	1	-
FEMALE--	15	16	19	50	63	107	142	183	145	71	20	1
ALL OTHER--MALE----	29	17	26	19	16	21	21	12	6	2	-	-
FEMALE--	19	12	16	17	33	22	30	20	17	4	4	1
BLACK---MALE----	29	16	26	19	14	20	21	12	6	2	-	-
FEMALE--	19	12	16	17	32	21	30	20	17	4	4	1
GEORGIA -----	50	50	52	56	63	77	101	99	72	27	3	1
WHITE-----MALE----	12	16	13	13	16	13	21	14	11	6	-	-
FEMALE--	3	5	12	9	10	16	50	49	34	12	2	-
ALL OTHER--MALE----	19	20	14	18	17	13	12	7	6	1	-	1
FEMALE--	16	9	13	16	20	35	18	29	21	8	1	-
BLACK---MALE----	19	19	13	18	17	12	11	7	6	1	-	1
FEMALE--	16	9	13	16	20	35	18	29	20	8	1	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Hypertensive heart disease (I11)												
HAWAII -----	61	-	-	-	-	-	-	-	1	1	4	3
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	20	-	-	-	-	-	-	-	1	1	2	-
FEMALE--	27	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	85	-	-	-	-	-	-	-	1	-	1	2
WHITE-----MALE----	37	-	-	-	-	-	-	-	1	-	1	2
FEMALE--	48	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	1,333	-	-	-	-	1	3	5	19	24	59	67
WHITE-----MALE----	379	-	-	-	-	1	2	1	9	9	21	25
FEMALE--	505	-	-	-	-	-	-	-	-	5	5	8
ALL OTHER--MALE----	216	-	-	-	-	-	-	4	6	4	19	22
FEMALE--	233	-	-	-	-	-	1	-	4	6	14	12
BLACK---MALE----	211	-	-	-	-	-	-	4	6	3	19	22
FEMALE--	219	-	-	-	-	-	1	-	4	6	13	12
INDIANA -----	408	-	-	-	-	-	-	-	2	5	11	10
WHITE-----MALE----	127	-	-	-	-	-	-	-	2	3	1	7
FEMALE--	228	-	-	-	-	-	-	-	-	-	5	-
ALL OTHER--MALE----	20	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	33	-	-	-	-	-	-	-	-	1	4	2
BLACK---MALE----	20	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	33	-	-	-	-	-	-	-	-	1	4	2
IOWA -----	271	-	-	-	-	-	-	-	2	2	6	13
WHITE-----MALE----	100	-	-	-	-	-	-	-	2	2	4	6
FEMALE--	161	-	-	-	-	-	-	-	-	-	1	4
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
KANSAS -----	111	-	-	-	-	-	1	-	-	-	1	3
WHITE-----MALE----	29	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	72	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	1	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Hypertensive heart disease (I11)

HAWAII -----	-	1	1	4	6	5	11	13	5	4	2	-
WHITE-----MALE----	-	1	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	3	1	2	-	-
ALL OTHER--MALE----	-	-	-	1	4	3	2	5	-	1	-	-
FEMALE--	-	-	1	3	1	2	8	4	4	1	2	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	6	3	3	5	3	9	13	19	12	8	-	-
WHITE-----MALE----	5	3	2	2	2	4	4	5	2	4	-	-
FEMALE--	1	-	1	3	1	5	9	14	10	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	90	88	92	77	122	144	162	166	136	63	15	-
WHITE-----MALE----	31	28	31	18	32	47	50	42	25	7	-	-
FEMALE--	15	12	18	16	40	49	78	103	98	47	11	-
ALL OTHER--MALE----	25	24	24	22	31	16	11	6	-	2	-	-
FEMALE--	19	24	19	21	19	32	23	15	13	7	4	-
BLACK---MALE----	25	24	23	22	31	13	11	6	-	2	-	-
FEMALE--	19	22	18	18	17	30	22	14	12	7	4	-
INDIANA -----	12	17	22	15	23	48	55	83	64	35	6	-
WHITE-----MALE----	6	7	13	4	6	20	22	22	9	5	-	-
FEMALE--	4	5	4	8	12	22	28	54	53	27	6	-
ALL OTHER--MALE----	2	1	5	1	1	2	2	3	-	-	-	-
FEMALE--	-	4	-	2	4	4	3	4	2	3	-	-
BLACK---MALE----	2	1	5	1	1	2	2	3	-	-	-	-
FEMALE--	-	4	-	2	4	4	3	4	2	3	-	-
IOWA -----	11	12	20	13	20	24	25	45	40	25	13	-
WHITE-----MALE----	7	6	11	8	12	13	8	11	9	1	-	-
FEMALE--	4	3	6	5	8	11	17	34	31	24	13	-
ALL OTHER--MALE----	-	3	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	3	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
KANSAS -----	3	2	-	5	6	10	20	19	26	12	3	-
WHITE-----MALE----	-	-	-	3	3	4	4	6	6	-	-	-
FEMALE--	1	1	-	1	3	4	15	12	20	12	3	-
ALL OTHER--MALE----	1	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	1	1	1	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	1	-	1	-	-	-	-



[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Hypertensive heart disease (I11)												
KENTUCKY -----	249	-	-	-	-	-	-	2	6	4	8	18
WHITE-----MALE----	92	-	-	-	-	-	-	1	5	1	6	8
FEMALE--	120	-	-	-	-	-	-	1	-	1	-	5
ALL OTHER--MALE----	19	-	-	-	-	-	-	-	1	1	1	4
FEMALE--	18	-	-	-	-	-	-	-	1	1	1	1
BLACK---MALE----	19	-	-	-	-	-	-	-	1	1	1	4
FEMALE--	18	-	-	-	-	-	-	-	-	1	1	1
LOUISIANA -----	699	-	-	-	-	-	-	1	3	6	25	31
WHITE-----MALE----	135	-	-	-	-	-	-	-	1	1	7	7
FEMALE--	228	-	-	-	-	-	-	-	1	-	4	2
ALL OTHER--MALE----	162	-	-	-	-	-	-	-	-	5	9	16
FEMALE--	174	-	-	-	-	-	-	1	1	-	5	6
BLACK---MALE----	162	-	-	-	-	-	-	-	-	5	9	16
FEMALE--	171	-	-	-	-	-	-	1	1	-	5	6
MAINE -----	74	-	-	-	-	-	-	1	1	1	3	4
WHITE-----MALE----	29	-	-	-	-	-	-	1	-	-	3	3
FEMALE--	45	-	-	-	-	-	-	-	1	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	675	-	-	-	-	1	-	-	5	13	30	47
WHITE-----MALE----	191	-	-	-	-	-	-	-	2	3	9	20
FEMALE--	216	-	-	-	-	-	-	-	-	1	1	4
ALL OTHER--MALE----	149	-	-	-	-	1	-	-	2	6	14	13
FEMALE--	119	-	-	-	-	-	-	-	1	3	6	10
BLACK---MALE----	146	-	-	-	-	1	-	-	2	6	14	13
FEMALE--	118	-	-	-	-	-	-	-	1	3	6	10
MASSACHUSETTS -----	231	-	-	-	-	-	-	-	1	5	8	7
WHITE-----MALE----	77	-	-	-	-	-	-	-	1	4	5	6
FEMALE--	143	-	-	-	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	877	-	-	-	-	-	-	2	7	15	14	43
WHITE-----MALE----	242	-	-	-	-	-	-	-	3	6	3	16
FEMALE--	407	-	-	-	-	-	-	-	2	-	3	7
ALL OTHER--MALE----	94	-	-	-	-	-	-	1	1	4	3	13
FEMALE--	134	-	-	-	-	-	-	1	1	5	5	7
BLACK---MALE----	90	-	-	-	-	-	-	1	1	4	2	12
FEMALE--	130	-	-	-	-	-	-	1	1	5	5	7

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Hypertensive heart disease (I11)												
KENTUCKY -----	16	14	11	18	19	20	29	36	33	10	5	-
WHITE-----MALE----	10	9	8	6	6	6	11	10	4	1	-	-
FEMALE--	1	3	3	7	10	11	16	23	29	6	4	-
ALL OTHER--MALE----	3	1	-	3	1	2	2	-	-	-	-	-
FEMALE--	2	1	-	2	2	1	-	3	-	3	1	-
BLACK---MALE----	3	1	-	3	1	2	2	-	-	-	-	-
FEMALE--	2	1	-	2	2	1	-	3	-	3	1	-
LOUISIANA -----	39	43	53	46	70	77	106	86	67	38	8	-
WHITE-----MALE----	9	9	16	12	23	12	16	11	8	3	-	-
FEMALE--	2	6	10	5	13	22	49	46	39	23	6	-
ALL OTHER--MALE----	13	18	12	14	17	27	14	8	4	4	1	-
FEMALE--	15	10	15	15	17	16	27	21	16	8	1	-
BLACK---MALE----	13	18	12	14	17	27	14	8	4	4	1	-
FEMALE--	14	10	15	15	17	16	26	20	16	8	1	-
MAINE -----	1	5	6	4	1	6	8	11	13	7	2	-
WHITE-----MALE----	1	4	5	3	-	3	3	2	-	1	-	-
FEMALE--	-	1	1	1	1	3	5	9	13	6	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	57	50	59	44	65	71	81	68	49	26	8	1
WHITE-----MALE----	23	14	17	16	22	20	25	10	9	-	-	1
FEMALE--	11	7	11	5	16	30	34	39	29	22	6	-
ALL OTHER--MALE----	17	14	23	16	13	9	9	7	4	1	-	-
FEMALE--	6	15	8	7	14	12	13	12	7	3	2	-
BLACK---MALE----	17	14	22	15	13	9	9	6	4	1	-	-
FEMALE--	6	15	8	7	14	11	13	12	7	3	2	-
MASSACHUSETTS -----	9	4	6	8	15	19	35	38	47	22	7	-
WHITE-----MALE----	5	2	4	5	6	9	11	7	8	3	1	-
FEMALE--	3	2	1	3	8	8	24	29	37	19	6	-
ALL OTHER--MALE----	1	-	1	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	1	-	2	1	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	1	-	2	1	-	-	-
MICHIGAN -----	47	47	36	45	82	119	129	128	105	45	13	-
WHITE-----MALE----	15	16	13	18	31	32	38	27	14	8	2	-
FEMALE--	8	9	10	14	25	62	69	82	77	31	8	-
ALL OTHER--MALE----	12	10	7	5	12	11	5	5	2	1	2	-
FEMALE--	12	12	6	8	14	14	17	14	12	5	1	-
BLACK---MALE----	11	10	7	5	11	11	5	5	2	1	2	-
FEMALE--	11	12	6	7	14	14	17	13	11	5	1	-



[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Hypertensive heart disease (I11)												
MINNESOTA -----	4	7	9	10	9	20	25	36	32	17	5	-
WHITE-----MALE----	4	5	5	6	5	8	9	9	5	3	-	-
FEMALE--	-	2	1	4	4	12	14	27	26	14	5	-
ALL OTHER--MALE----	-	-	2	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	2	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
MISSISSIPPI -----	15	16	21	27	39	71	82	90	68	36	10	-
WHITE-----MALE----	-	6	3	7	12	12	14	10	6	2	-	-
FEMALE--	2	-	4	1	6	22	41	47	44	16	5	-
ALL OTHER--MALE----	6	3	8	8	12	11	9	10	4	2	2	-
FEMALE--	7	7	6	11	9	26	18	23	14	16	3	-
BLACK---MALE----	6	3	8	8	12	11	9	10	4	2	2	-
FEMALE--	7	7	6	11	9	26	18	23	14	16	3	-
MISSOURI -----	34	37	24	26	44	42	77	69	57	25	9	-
WHITE-----MALE----	9	19	14	8	9	9	16	7	5	1	-	-
FEMALE--	4	5	5	7	10	18	49	48	47	21	8	-
ALL OTHER--MALE----	14	5	4	5	8	11	6	4	1	1	-	-
FEMALE--	7	8	1	6	17	4	6	10	4	2	1	-
BLACK---MALE----	14	5	4	5	8	11	5	4	1	1	-	-
FEMALE--	7	8	1	6	17	4	6	10	4	1	1	-
MONTANA -----	2	3	-	-	4	4	3	6	5	3	1	-
WHITE-----MALE----	1	1	-	-	1	-	2	3	-	1	-	-
FEMALE--	1	1	-	-	3	3	1	3	5	2	1	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	4	3	4	1	1	9	13	22	17	12	2	-
WHITE-----MALE----	3	2	3	1	1	3	5	4	1	2	-	-
FEMALE--	-	1	-	-	-	6	8	17	16	10	1	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	1	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	1	-
NEVADA -----	29	17	22	22	33	42	29	21	14	3	-	-
WHITE-----MALE----	20	7	16	11	21	22	11	6	2	-	-	-
FEMALE--	6	5	4	5	6	16	17	12	10	3	-	-
ALL OTHER--MALE----	2	1	1	3	1	2	1	1	-	-	-	-
FEMALE--	1	4	1	3	5	2	-	2	2	-	-	-
BLACK---MALE----	1	1	-	3	1	1	-	1	-	-	-	-
FEMALE--	1	4	1	1	4	1	-	1	2	-	-	-





04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 1870

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Hypertensive heart disease (I11)												
OHIO -----	988	-	-	-	-	1	1	1	8	11	38	40
WHITE-----MALE----	288	-	-	-	-	-	-	1	3	4	13	10
FEMALE--	471	-	-	-	-	1	-	-	-	1	4	11
ALL OTHER--MALE----	116	-	-	-	-	-	1	-	4	3	13	13
FEMALE--	113	-	-	-	-	-	-	-	1	3	8	6
BLACK---MALE----	114	-	-	-	-	-	1	-	4	3	12	13
FEMALE--	112	-	-	-	-	-	-	-	1	3	8	6
OKLAHOMA -----	176	-	-	-	-	-	-	1	1	1	5	4
WHITE-----MALE----	34	-	-	-	-	-	-	1	-	-	2	1
FEMALE--	104	-	-	-	-	-	-	-	1	1	-	1
ALL OTHER--MALE----	20	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	18	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	19	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	16	-	-	-	-	-	-	-	-	-	1	-
OREGON -----	219	-	-	-	-	-	-	-	1	2	2	6
WHITE-----MALE----	69	-	-	-	-	-	-	-	-	1	-	3
FEMALE--	142	-	-	-	-	-	-	-	1	1	1	2
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	1	-
PENNSYLVANIA -----	714	-	-	-	-	-	-	1	5	8	16	19
WHITE-----MALE----	221	-	-	-	-	-	-	1	4	4	8	6
FEMALE--	381	-	-	-	-	-	-	-	-	1	3	4
ALL OTHER--MALE----	44	-	-	-	-	-	-	-	-	2	3	7
FEMALE--	68	-	-	-	-	-	-	-	1	1	2	2
BLACK---MALE----	42	-	-	-	-	-	-	-	-	2	3	7
FEMALE--	67	-	-	-	-	-	-	-	1	1	2	2
RHODE ISLAND -----	46	-	-	-	-	-	-	-	-	2	-	3
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	2	-	2
FEMALE--	33	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	324	-	-	-	-	-	-	1	1	3	11	13
WHITE-----MALE----	63	-	-	-	-	-	-	-	1	1	2	3
FEMALE--	109	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	74	-	-	-	-	-	-	-	-	1	6	3
FEMALE--	78	-	-	-	-	-	-	1	-	-	3	6
BLACK---MALE----	74	-	-	-	-	-	-	-	-	1	6	3
FEMALE--	77	-	-	-	-	-	-	1	-	-	3	5

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Hypertensive heart disease (I11)												
OHIO -----	51	38	50	68	91	104	127	162	124	64	9	-
WHITE-----MALE----	17	14	19	26	32	41	43	35	24	5	1	-
FEMALE--	15	12	12	17	31	42	72	103	88	54	8	-
ALL OTHER--MALE----	10	6	12	15	13	10	8	7	-	1	-	-
FEMALE--	9	6	7	10	15	11	4	17	12	4	-	-
BLACK---MALE-----	10	6	12	15	13	9	8	7	-	1	-	-
FEMALE--	9	6	7	10	15	11	4	16	12	4	-	-
OKLAHOMA -----	4	7	10	7	8	17	19	38	34	16	4	-
WHITE-----MALE----	1	3	3	1	2	6	4	5	3	2	-	-
FEMALE--	1	3	5	5	4	8	11	24	25	12	3	-
ALL OTHER--MALE----	1	-	2	-	1	1	4	3	2	2	-	-
FEMALE--	1	1	-	1	1	2	-	6	4	-	1	-
BLACK---MALE-----	1	-	2	-	1	1	4	3	1	2	-	-
FEMALE--	-	-	-	1	1	2	-	6	4	-	1	-
OREGON -----	9	7	4	8	24	16	34	46	44	15	1	-
WHITE-----MALE----	5	5	3	4	7	10	11	7	10	3	-	-
FEMALE--	2	1	1	4	16	6	23	39	33	11	1	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	1	-	-
BLACK---MALE-----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
PENNSYLVANIA -----	19	28	46	33	60	90	103	122	107	48	9	-
WHITE-----MALE----	9	14	24	13	23	37	31	24	17	6	-	-
FEMALE--	3	7	8	9	29	43	61	88	81	37	7	-
ALL OTHER--MALE----	5	4	5	5	2	3	3	1	4	-	-	-
FEMALE--	2	3	9	6	6	7	8	9	5	5	2	-
BLACK---MALE-----	5	4	5	5	2	3	2	1	3	-	-	-
FEMALE--	2	3	9	6	6	7	7	9	5	5	2	-
RHODE ISLAND -----	3	-	2	3	3	2	5	12	9	2	-	-
WHITE-----MALE----	1	-	-	-	1	1	-	4	1	-	-	-
FEMALE--	2	-	2	3	2	1	5	8	8	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	28	25	19	24	14	28	55	51	25	21	5	-
WHITE-----MALE----	13	10	3	3	5	6	9	5	2	-	-	-
FEMALE--	-	2	1	6	2	9	28	27	18	13	1	-
ALL OTHER--MALE----	8	11	10	8	3	4	8	7	3	1	1	-
FEMALE--	7	2	5	7	4	9	10	12	2	7	3	-
BLACK---MALE-----	8	11	10	8	3	4	8	7	3	1	1	-
FEMALE--	7	2	5	7	4	9	10	12	2	7	3	-



04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 1871

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Hypertensive heart disease (I11)												
SOUTH DAKOTA -----	23	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	902	-	-	-	-	-	-	5	14	18	38	46
WHITE-----MALE----	226	-	-	-	-	-	-	1	3	7	16	21
FEMALE--	383	-	-	-	-	-	-	2	1	2	2	4
ALL OTHER--MALE----	142	-	-	-	-	-	-	-	7	5	16	12
FEMALE--	151	-	-	-	-	-	-	2	3	4	4	9
BLACK---MALE----	142	-	-	-	-	-	-	-	7	5	16	12
FEMALE--	149	-	-	-	-	-	-	2	3	4	4	9
TEXAS -----	1,970	-	-	-	-	-	3	5	15	28	74	109
WHITE-----MALE----	669	-	-	-	-	-	-	2	7	16	33	42
FEMALE--	800	-	-	-	-	-	-	1	1	7	9	21
ALL OTHER--MALE----	224	-	-	-	-	-	3	1	4	2	19	24
FEMALE--	277	-	-	-	-	-	-	1	3	3	13	22
BLACK---MALE----	212	-	-	-	-	-	3	1	4	2	18	22
FEMALE--	268	-	-	-	-	-	-	1	3	3	13	22
UTAH -----	88	-	-	-	-	-	-	-	3	1	1	-
WHITE-----MALE----	31	-	-	-	-	-	-	-	2	1	1	-
FEMALE--	55	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	35	-	-	-	-	-	-	-	-	1	1	1
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	25	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	403	-	-	-	-	-	1	1	3	9	12	18
WHITE-----MALE----	88	-	-	-	-	-	-	1	1	1	3	7
FEMALE--	170	-	-	-	-	-	-	-	-	1	-	2
ALL OTHER--MALE----	65	-	-	-	-	-	1	-	1	6	4	8
FEMALE--	80	-	-	-	-	-	-	-	1	1	5	1
BLACK---MALE----	63	-	-	-	-	-	1	-	1	6	4	8
FEMALE--	79	-	-	-	-	-	-	-	1	1	5	1

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 1871

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Hypertensive heart disease (I11)												
SOUTH DAKOTA -----	-	1	-	-	2	1	5	2	7	4	1	-
WHITE-----MALE----	-	-	-	-	2	1	1	1	1	-	-	-
FEMALE--	-	1	-	-	-	-	4	1	6	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	60	49	39	57	62	89	129	133	112	45	6	-
WHITE-----MALE----	19	14	12	18	14	25	33	22	18	3	-	-
FEMALE--	12	9	10	13	15	41	65	88	80	36	3	-
ALL OTHER--MALE----	18	14	5	17	15	11	12	6	3	1	-	-
FEMALE--	11	12	12	9	18	12	19	17	11	5	3	-
BLACK---MALE----	18	14	5	17	15	11	12	6	3	1	-	-
FEMALE--	11	11	12	9	18	12	18	17	11	5	3	-
TEXAS -----	143	140	138	140	168	214	251	243	196	80	22	1
WHITE-----MALE----	59	68	48	72	67	80	65	55	38	14	2	1
FEMALE--	32	28	38	29	53	91	143	138	139	56	14	-
ALL OTHER--MALE----	27	26	27	16	27	15	11	15	4	2	1	-
FEMALE--	25	18	25	23	21	28	32	35	15	8	5	-
BLACK---MALE----	27	25	25	16	25	15	9	13	4	2	1	-
FEMALE--	23	16	23	23	20	28	31	34	15	8	5	-
UTAH -----	2	4	2	5	3	12	14	18	19	3	1	-
WHITE-----MALE----	1	2	1	4	3	3	5	3	5	-	-	-
FEMALE--	1	2	-	1	-	9	9	15	14	3	1	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	3	1	1	3	1	4	4	10	4	1	-	-
WHITE-----MALE----	3	-	-	1	-	-	-	1	3	-	-	-
FEMALE--	-	1	1	1	1	4	4	9	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
VIRGINIA -----	21	21	17	18	38	48	57	63	44	30	2	-
WHITE-----MALE----	7	4	7	7	7	14	14	13	1	1	-	-
FEMALE--	3	6	2	5	11	20	25	33	34	26	2	-
ALL OTHER--MALE----	6	7	5	4	10	3	4	5	1	-	-	-
FEMALE--	5	4	3	2	10	11	14	12	8	3	-	-
BLACK---MALE----	6	6	5	4	10	3	3	5	1	-	-	-
FEMALE--	5	4	3	2	9	11	14	12	8	3	-	-





04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 1873

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Hypertensive renal disease (I12)												
UNITED STATES -	8,173	-	1	-	1	4	14	21	49	54	128	183
WHITE-----MALE----	2,365	-	-	-	-	1	6	4	9	8	32	39
FEMALE--	3,371	-	1	-	1	2	2	10	9	9	11	29
ALL OTHER--MALE----	1,043	-	-	-	-	-	6	8	15	20	54	74
FEMALE--	1,394	-	-	-	-	1	-	7	15	17	31	41
BLACK---MALE-----	947	-	-	-	-	-	6	8	14	19	51	71
FEMALE--	1,256	-	-	-	-	1	-	6	14	17	29	37
ALABAMA -----	148	-	-	-	-	-	-	-	1	-	5	4
WHITE-----MALE----	25	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	41	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	31	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	51	-	-	-	-	-	-	-	1	-	2	1
BLACK---MALE-----	31	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	51	-	-	-	-	-	-	-	1	-	2	1
ALASKA -----	5	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	176	-	-	-	-	-	-	-	-	1	3	2
WHITE-----MALE----	75	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	87	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	49	-	-	-	-	-	-	1	-	-	3	1
WHITE-----MALE----	17	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	7	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	-
CALIFORNIA -----	1,028	-	-	-	-	-	4	3	8	7	16	22
WHITE-----MALE----	320	-	-	-	-	-	3	1	-	3	2	9
FEMALE--	429	-	-	-	-	-	1	1	2	1	3	4
ALL OTHER--MALE----	127	-	-	-	-	-	-	-	3	1	7	5
FEMALE--	152	-	-	-	-	-	-	1	3	2	4	4
BLACK---MALE-----	84	-	-	-	-	-	-	-	2	1	6	3
FEMALE--	91	-	-	-	-	-	-	-	2	2	3	3

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Hypertensive renal disease (I12)												
UNITED STATES -	248	248	351	509	780	1,219	1,522	1,578	901	311	51	-
WHITE-----MALE----	46	52	68	134	248	398	484	517	245	64	10	-
FEMALE--	43	50	101	149	273	483	701	774	503	199	28	-
ALL OTHER--MALE----	90	70	86	121	103	127	118	95	37	17	2	-
FEMALE--	69	76	96	105	156	211	219	192	116	31	11	-
BLACK---MALE-----	87	67	82	112	91	106	107	84	26	14	2	-
FEMALE--	67	71	87	93	135	184	194	173	108	30	10	-
ALABAMA -----	6	7	11	9	19	25	25	23	8	4	1	-
WHITE-----MALE----	1	1	2	2	4	5	1	6	2	-	1	-
FEMALE--	1	1	-	-	5	8	12	8	4	-	-	-
ALL OTHER--MALE----	1	2	2	3	5	3	4	5	1	1	-	-
FEMALE--	3	3	7	4	5	9	8	4	1	3	-	-
BLACK---MALE-----	1	2	2	3	5	3	4	5	1	1	-	-
FEMALE--	3	3	7	4	5	9	8	4	1	3	-	-
ALASKA -----	1	-	1	1	-	-	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2	2	8	8	13	32	41	35	23	6	-	-
WHITE-----MALE----	1	-	2	4	3	13	20	16	11	2	-	-
FEMALE--	1	1	5	3	7	14	21	17	12	4	-	-
ALL OTHER--MALE----	-	1	-	1	2	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	1	5	-	1	-	-	-	-
BLACK---MALE-----	-	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	3	-	-	-	-	-	-
ARKANSAS -----	1	2	2	4	4	9	10	7	4	1	-	-
WHITE-----MALE----	-	-	-	2	2	2	6	2	1	-	-	-
FEMALE--	-	2	1	1	1	2	1	5	3	1	-	-
ALL OTHER--MALE----	1	-	1	-	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	3	2	-	-	-	-	-
BLACK---MALE-----	1	-	1	-	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	3	2	-	-	-	-	-
CALIFORNIA -----	26	32	53	63	92	154	189	191	125	36	7	-
WHITE-----MALE----	5	6	16	19	30	43	62	77	30	11	3	-
FEMALE--	4	14	16	18	32	65	85	85	75	19	4	-
ALL OTHER--MALE----	12	7	5	15	8	26	15	12	9	2	-	-
FEMALE--	5	5	16	11	22	20	27	17	11	4	-	-
BLACK---MALE-----	10	7	5	9	6	12	12	6	4	1	-	-
FEMALE--	5	4	10	6	7	15	15	8	8	3	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE

TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Hypertensive renal disease (I12)												
COLORADO -----	75	-	-	-	-	-	-	-	1	-	-	3
WHITE-----MALE----	27	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	37	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	7	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	76	-	-	-	-	-	-	1	-	2	2	-
WHITE-----MALE----	23	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	37	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	8	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	8	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	8	-	-	-	-	-	-	-	-	1	-	-
DELAWARE -----	21	-	-	-	-	-	-	-	-	-	3	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	-
DISTRICT OF COLUMBIA ---	25	-	-	-	-	-	-	-	1	-	-	2
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	10	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	1
FLORIDA -----	636	-	-	-	-	-	1	-	3	1	6	17
WHITE-----MALE----	244	-	-	-	-	-	-	-	1	-	3	1
FEMALE--	251	-	-	-	-	-	-	-	1	1	1	5
ALL OTHER--MALE----	65	-	-	-	-	-	1	-	-	-	2	6
FEMALE--	76	-	-	-	-	-	-	-	1	-	-	5
BLACK---MALE-----	63	-	-	-	-	-	1	-	-	-	2	6
FEMALE--	74	-	-	-	-	-	-	-	1	-	-	5
GEORGIA -----	218	-	-	-	-	-	-	1	1	2	5	7
WHITE-----MALE----	34	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	61	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	49	-	-	-	-	-	-	-	-	1	2	2
FEMALE--	74	-	-	-	-	-	-	-	1	1	3	3
BLACK---MALE-----	48	-	-	-	-	-	-	-	-	1	2	2
FEMALE--	74	-	-	-	-	-	-	-	1	1	3	3

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Hypertensive renal disease (I12)												
COLORADO -----	5	-	2	3	8	9	20	16	3	4	1	-
WHITE-----MALE----	2	-	2	1	3	3	9	6	-	-	-	-
FEMALE--	2	-	-	1	3	4	11	8	3	4	-	-
ALL OTHER--MALE----	1	-	-	1	1	2	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	1	-
BLACK---MALE----	1	-	-	1	-	2	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	1	-
CONNECTICUT -----	1	1	1	4	12	13	15	13	8	2	1	-
WHITE-----MALE----	1	-	-	1	2	4	4	8	1	-	-	-
FEMALE--	-	1	-	2	7	4	8	5	6	2	1	-
ALL OTHER--MALE----	-	-	-	-	1	4	1	-	1	-	-	-
FEMALE--	-	-	1	1	2	1	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	4	1	-	1	-	-	-
FEMALE--	-	-	1	1	2	1	2	-	-	-	-	-
DELAWARE -----	-	1	-	-	1	8	2	4	2	-	-	-
WHITE-----MALE----	-	-	-	-	1	2	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	3	1	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	3	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	3	1	1	-	-	-	-
DISTRICT OF COLUMBIA ---	1	3	-	4	-	4	4	2	2	2	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	2	-	2	-	2	-	1	-	-
FEMALE--	-	2	-	2	-	2	3	-	2	1	-	-
BLACK---MALE----	1	1	-	2	-	2	-	2	-	1	-	-
FEMALE--	-	2	-	2	-	2	3	-	2	1	-	-
FLORIDA -----	18	12	28	37	57	91	133	133	64	30	5	-
WHITE-----MALE----	6	1	6	15	28	45	56	51	24	7	-	-
FEMALE--	2	2	9	10	17	32	55	65	29	18	4	-
ALL OTHER--MALE----	4	4	8	5	6	6	8	8	3	3	1	-
FEMALE--	6	5	5	7	6	8	14	9	8	2	-	-
BLACK---MALE----	4	4	8	5	6	5	8	7	3	3	1	-
FEMALE--	6	5	5	7	6	8	12	9	8	2	-	-
GEORGIA -----	11	15	9	17	26	28	32	38	21	5	-	-
WHITE-----MALE----	-	2	1	6	6	5	6	4	3	-	-	-
FEMALE--	1	1	-	4	4	8	15	15	10	1	-	-
ALL OTHER--MALE----	6	7	4	4	4	5	5	6	1	2	-	-
FEMALE--	4	5	4	3	12	10	6	13	7	2	-	-
BLACK---MALE----	5	7	4	4	4	5	6	6	1	2	-	-
FEMALE--	4	5	4	3	12	10	6	13	7	2	-	-





[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Hypertensive renal disease (I12)												
HAWAII -----	-	2	-	2	2	6	6	2	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	1	2	1	-	-	-	-
FEMALE--	-	1	-	1	1	5	3	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	3	3	4	4	5	7	4	2	-	-
WHITE-----MALE----	-	-	1	2	2	1	1	5	2	1	-	-
FEMALE--	-	-	2	1	1	3	4	2	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	21	9	18	21	29	50	50	71	45	18	2	-
WHITE-----MALE----	3	2	3	5	9	16	15	25	14	3	1	-
FEMALE--	2	2	4	4	13	22	18	37	25	14	-	-
ALL OTHER--MALE----	7	4	6	7	2	4	7	4	2	1	-	-
FEMALE--	9	1	5	5	5	8	10	5	4	-	1	-
BLACK---MALE----	7	4	5	6	2	4	6	4	2	1	-	-
FEMALE--	9	1	5	5	5	8	9	5	3	-	1	-
INDIANA -----	8	-	5	10	16	19	37	38	19	8	1	-
WHITE-----MALE----	2	-	1	3	5	6	16	15	4	3	-	-
FEMALE--	1	-	4	7	5	9	18	20	12	3	1	-
ALL OTHER--MALE----	3	-	-	-	2	2	2	1	-	-	-	-
FEMALE--	2	-	-	-	4	2	1	2	3	2	-	-
BLACK---MALE----	3	-	-	-	2	2	2	1	-	-	-	-
FEMALE--	2	-	-	-	4	2	1	2	3	2	-	-
IOWA -----	1	-	1	3	6	11	21	25	23	8	3	-
WHITE-----MALE----	1	-	-	-	3	3	10	14	8	4	2	-
FEMALE--	-	-	-	3	3	8	11	11	14	4	1	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	1	1	3	5	4	12	20	14	12	7	1	-
WHITE-----MALE----	1	-	-	2	1	5	7	2	3	1	-	-
FEMALE--	-	1	2	3	2	3	11	10	8	6	1	-
ALL OTHER--MALE----	-	-	1	-	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	1	2	1	-	-	-
BLACK---MALE----	-	-	1	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	1	2	1	-	-	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 1876

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Hypertensive renal disease (I12)												
KENTUCKY -----	86	-	-	-	-	-	1	-	-	-	2	3
WHITE-----MALE----	31	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	45	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	6	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	120	-	-	-	-	-	-	1	1	2	5	5
WHITE-----MALE----	17	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	34	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	25	-	-	-	-	-	-	-	1	1	2	1
FEMALE--	44	-	-	-	-	-	-	1	-	1	3	1
BLACK---MALE----	25	-	-	-	-	-	-	-	1	1	2	1
FEMALE--	43	-	-	-	-	-	-	1	-	1	3	1
MAINE -----	25	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	182	-	-	-	-	-	1	1	1	3	3	6
WHITE-----MALE----	34	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	56	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	37	-	-	-	-	-	1	1	1	2	-	2
FEMALE--	55	-	-	-	-	-	-	-	-	-	1	2
BLACK---MALE----	37	-	-	-	-	-	1	1	1	2	-	2
FEMALE--	54	-	-	-	-	-	-	-	-	-	1	2
MASSACHUSETTS -----	117	-	-	-	-	-	-	-	1	-	1	-
WHITE-----MALE----	37	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	66	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	289	-	-	-	-	-	-	1	-	1	4	8
WHITE-----MALE----	82	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	126	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	40	-	-	-	-	-	-	1	-	-	2	4
FEMALE--	41	-	-	-	-	-	-	-	-	1	1	3
BLACK---MALE----	40	-	-	-	-	-	-	1	-	-	2	4
FEMALE--	41	-	-	-	-	-	-	-	-	1	1	3

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Hypertensive renal disease (I12)												
KENTUCKY -----	2	2	-	8	11	16	14	18	6	2	1	-
WHITE-----MALE----	-	-	-	4	4	7	5	5	2	1	-	-
FEMALE--	1	2	-	2	5	9	7	12	4	1	1	-
ALL OTHER--MALE----	1	-	-	1	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	1	2	-	1	-	-	-	-	-
BLACK---MALE-----	1	-	-	1	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	1	2	-	1	-	-	-	-	-
LOUISIANA -----	6	8	3	10	18	18	20	13	6	2	2	-
WHITE-----MALE----	-	-	-	-	5	5	1	5	-	-	-	-
FEMALE--	-	2	-	2	3	7	10	3	3	2	-	-
ALL OTHER--MALE----	2	3	2	4	5	1	1	2	-	-	-	-
FEMALE--	4	3	1	4	5	5	8	3	3	-	2	-
BLACK---MALE-----	2	3	2	4	5	1	1	2	-	-	-	-
FEMALE--	4	3	1	4	5	5	8	2	3	-	2	-
MAINE -----	-	-	2	1	2	3	6	5	3	2	-	-
WHITE-----MALE----	-	-	-	-	1	2	1	2	1	-	-	-
FEMALE--	-	-	2	1	1	1	4	3	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	11	5	11	14	12	24	37	33	16	3	1	-
WHITE-----MALE----	-	-	1	-	5	3	12	6	3	-	-	-
FEMALE--	-	2	4	1	2	7	12	17	8	2	-	-
ALL OTHER--MALE----	7	-	4	8	2	3	5	-	1	-	-	-
FEMALE--	4	3	2	5	3	11	8	10	4	1	1	-
BLACK---MALE-----	7	-	4	8	2	3	5	-	1	-	-	-
FEMALE--	4	3	2	5	3	10	8	10	4	1	1	-
MASSACHUSETTS -----	1	3	5	5	9	14	22	34	18	4	-	-
WHITE-----MALE----	-	2	4	-	3	5	6	13	3	-	-	-
FEMALE--	1	1	1	5	4	7	15	15	13	4	-	-
ALL OTHER--MALE----	-	-	-	-	2	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	2	1	5	2	-	-	-
BLACK---MALE-----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	4	2	-	-	-
MICHIGAN -----	6	12	17	12	24	40	45	76	31	11	1	-
WHITE-----MALE----	-	4	4	2	6	18	12	19	12	3	-	-
FEMALE--	1	2	6	2	8	15	23	47	13	8	1	-
ALL OTHER--MALE----	4	3	5	4	5	4	2	6	-	-	-	-
FEMALE--	1	3	2	4	5	3	8	4	6	-	-	-
BLACK---MALE-----	4	3	5	4	5	4	2	6	-	-	-	-
FEMALE--	1	3	2	4	5	3	8	4	6	-	-	-



04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 1877

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Hypertensive renal disease (I12)												
MINNESOTA -----	-	1	-	3	8	20	23	42	19	9	-	-
WHITE-----MALE----	-	-	-	-	6	9	9	10	8	2	-	-
FEMALE--	-	-	-	2	2	6	14	31	10	6	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	1	1	1	-	-
FEMALE--	-	1	-	-	-	5	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	1	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	3	-	-	-	-	-	-
MISSISSIPPI -----	2	6	7	5	8	15	23	18	7	4	1	-
WHITE-----MALE----	-	1	1	1	1	4	8	5	1	1	-	-
FEMALE--	1	-	2	-	1	5	4	7	2	2	1	-
ALL OTHER--MALE----	1	3	-	2	2	1	5	2	-	-	-	-
FEMALE--	-	2	4	2	4	5	6	4	4	1	-	-
BLACK---MALE-----	1	3	-	2	2	1	5	2	-	-	-	-
FEMALE--	-	2	4	2	4	5	6	4	4	1	-	-
MISSOURI -----	6	5	4	8	18	20	37	27	18	8	-	-
WHITE-----MALE----	-	1	1	3	5	9	13	9	2	2	-	-
FEMALE--	3	1	2	2	5	8	17	16	13	6	-	-
ALL OTHER--MALE----	3	1	-	3	3	1	3	-	2	-	-	-
FEMALE--	-	2	1	-	5	2	4	2	1	-	-	-
BLACK---MALE-----	3	1	-	3	3	1	3	-	2	-	-	-
FEMALE--	-	2	1	-	5	2	4	2	1	-	-	-
MONTANA -----	1	-	-	1	2	2	9	4	2	-	-	-
WHITE-----MALE----	1	-	-	1	1	2	2	2	1	-	-	-
FEMALE--	-	-	-	-	1	-	5	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	-	-	1	2	6	10	9	10	8	5	-	-
WHITE-----MALE----	-	-	-	-	2	1	3	4	3	2	-	-
FEMALE--	-	-	-	2	4	9	5	6	5	3	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	-	3	-	7	3	6	9	3	3	-	-	-
WHITE-----MALE----	-	1	-	-	2	3	4	2	1	-	-	-
FEMALE--	-	-	-	6	1	3	3	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	1	-	2	-	-	-
FEMALE--	-	1	-	1	-	-	1	1	-	-	-	-
BLACK---MALE-----	-	1	-	-	-	-	-	-	2	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-







04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 1879

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Hypertensive renal disease (I12)												
OHIO -----	340	-	-	-	-	1	-	1	2	-	1	3
WHITE-----MALE----	82	-	-	-	-	1	-	-	1	-	-	1
FEMALE--	165	-	-	-	-	-	-	1	1	-	-	1
ALL OTHER--MALE----	35	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	58	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	35	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	55	-	-	-	-	-	-	-	-	-	-	-
OKLAHOMA -----	99	-	-	-	-	-	-	-	2	2	3	1
WHITE-----MALE----	31	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	46	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	1	1	1	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	6	-	-	-	-	-	-	-	1	1	1	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	1	-
OREGON -----	97	-	-	-	-	-	-	-	1	-	1	-
WHITE-----MALE----	32	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	52	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	-
PENNSYLVANIA -----	300	-	-	-	-	-	-	1	-	-	1	12
WHITE-----MALE----	92	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	144	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	34	-	-	-	-	-	-	-	-	-	-	6
FEMALE--	30	-	-	-	-	-	-	1	-	-	-	1
BLACK---MALE----	34	-	-	-	-	-	-	-	-	-	-	6
FEMALE--	29	-	-	-	-	-	-	1	-	-	-	1
RHODE ISLAND -----	24	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	167	-	-	-	-	-	-	-	2	2	4	3
WHITE-----MALE----	21	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	29	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	45	-	-	-	-	-	-	-	2	1	2	2
FEMALE--	72	-	-	-	-	-	-	-	-	1	2	-
BLACK---MALE----	45	-	-	-	-	-	-	-	2	1	2	2
FEMALE--	71	-	-	-	-	-	-	-	-	1	2	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Hypertensive renal disease (I12)												
OHIO -----	8	7	10	26	38	65	55	63	46	13	1	-
WHITE-----MALE----	2	1	1	5	7	15	14	24	9	1	-	-
FEMALE--	3	1	4	10	14	31	30	28	31	9	1	-
ALL OTHER--MALE----	2	1	3	3	7	10	3	3	1	-	-	-
FEMALE--	1	4	2	8	10	9	8	8	5	3	-	-
BLACK---MALE----	2	1	3	3	7	10	3	3	1	-	-	-
FEMALE--	1	4	1	8	9	9	8	7	5	3	-	-
OKLAHOMA -----	1	5	3	8	6	17	21	18	9	2	1	-
WHITE-----MALE----	-	3	1	4	-	7	5	6	1	1	-	-
FEMALE--	-	1	2	1	3	8	13	9	6	1	1	-
ALL OTHER--MALE----	-	-	-	1	2	-	1	-	1	-	-	-
FEMALE--	1	1	-	2	1	2	2	3	1	-	-	-
BLACK---MALE----	-	-	-	1	1	-	1	-	-	-	-	-
FEMALE--	1	1	-	1	1	1	1	2	1	-	-	-
OREGON -----	1	2	1	6	10	15	25	17	13	5	-	-
WHITE-----MALE----	-	1	1	2	4	8	5	3	7	1	-	-
FEMALE--	1	-	-	2	3	4	18	13	6	4	-	-
ALL OTHER--MALE----	-	1	-	-	2	-	1	-	-	-	-	-
FEMALE--	-	-	-	2	1	3	1	1	-	-	-	-
BLACK---MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	1	-	-	-	-
PENNSYLVANIA -----	8	2	15	22	33	40	60	56	35	12	3	-
WHITE-----MALE----	3	-	3	7	10	15	22	20	7	1	-	-
FEMALE--	2	-	1	8	17	18	28	32	25	8	3	-
ALL OTHER--MALE----	3	2	6	2	4	2	5	2	1	1	-	-
FEMALE--	-	-	5	5	2	5	5	2	2	2	-	-
BLACK---MALE----	3	2	6	2	4	2	5	2	1	1	-	-
FEMALE--	-	-	5	5	2	5	5	1	2	2	-	-
RHODE ISLAND -----	-	-	-	1	-	6	3	7	5	2	-	-
WHITE-----MALE----	-	-	-	-	-	4	2	4	3	1	-	-
FEMALE--	-	-	-	-	-	2	1	3	2	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	11	13	6	19	15	19	36	20	12	5	-	-
WHITE-----MALE----	2	2	-	3	2	-	7	2	1	1	-	-
FEMALE--	-	-	1	3	1	4	7	8	3	2	-	-
ALL OTHER--MALE----	5	3	4	9	6	1	6	3	1	-	-	-
FEMALE--	4	8	1	4	6	14	16	7	7	2	-	-
BLACK---MALE----	5	3	4	9	6	1	6	3	1	-	-	-
FEMALE--	4	8	1	3	6	14	16	7	7	2	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Hypertensive renal disease (I12)												
SOUTH DAKOTA -----	18	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	290	-	-	-	-	-	1	-	2	5	7	9
WHITE-----MALE----	68	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	119	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	37	-	-	-	-	-	1	-	1	1	5	3
FEMALE--	66	-	-	-	-	-	-	-	-	3	1	5
BLACK---MALE----	37	-	-	-	-	-	1	-	1	1	5	3
FEMALE--	65	-	-	-	-	-	-	-	-	3	1	5
TEXAS -----	603	-	-	-	-	1	-	1	6	4	10	12
WHITE-----MALE----	174	-	-	-	-	-	-	-	3	-	3	-
FEMALE--	256	-	-	-	-	1	-	-	1	-	2	1
ALL OTHER--MALE----	73	-	-	-	-	-	-	1	1	2	4	10
FEMALE--	100	-	-	-	-	-	-	-	1	2	1	1
BLACK---MALE----	67	-	-	-	-	-	-	1	1	1	4	10
FEMALE--	96	-	-	-	-	-	-	-	1	2	1	1
UTAH -----	20	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	13	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	143	-	-	-	-	-	-	1	2	1	4	5
WHITE-----MALE----	28	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	37	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	29	-	-	-	-	-	-	-	-	1	2	3
FEMALE--	49	-	-	-	-	-	-	1	1	-	2	2
BLACK---MALE----	29	-	-	-	-	-	-	-	-	1	2	3
FEMALE--	48	-	-	-	-	-	-	1	1	-	2	2

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 1880

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Hypertensive renal disease (I12)												
SOUTH DAKOTA -----	1	-	-	-	-	3	2	7	3	2	-	-
WHITE-----MALE----	-	-	-	-	-	2	1	3	2	-	-	-
FEMALE--	1	-	-	-	-	1	1	4	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	9	10	15	10	27	37	62	55	25	11	5	-
WHITE-----MALE----	1	4	2	2	6	6	18	15	10	1	1	-
FEMALE--	2	-	4	4	9	19	30	27	10	10	2	-
ALL OTHER--MALE----	3	5	2	2	7	4	2	1	-	-	-	-
FEMALE--	3	1	7	2	5	8	12	12	5	-	2	-
BLACK---MALE-----	3	5	2	2	7	4	2	1	-	-	-	-
FEMALE--	3	1	6	2	5	8	12	12	5	-	2	-
TEXAS -----	14	17	24	52	71	99	101	111	58	20	2	-
WHITE-----MALE----	6	6	5	17	20	35	31	29	16	3	-	-
FEMALE--	5	2	11	20	30	38	48	54	28	14	1	-
ALL OTHER--MALE----	2	3	4	9	7	10	5	11	3	1	-	-
FEMALE--	1	6	4	6	14	16	17	17	11	2	1	-
BLACK---MALE-----	2	2	4	9	5	10	5	11	1	1	-	-
FEMALE--	1	6	4	6	14	14	16	17	10	2	1	-
UTAH -----	-	1	-	-	1	6	2	6	4	-	-	-
WHITE-----MALE----	-	-	-	-	1	4	1	1	1	-	-	-
FEMALE--	-	1	-	-	-	2	1	5	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	1	5	4	2	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	2	2	1	-	-	-
FEMALE--	-	-	-	-	-	1	3	2	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	6	4	7	6	16	23	30	25	11	1	1	-
WHITE-----MALE----	1	-	-	-	5	7	7	6	1	-	-	-
FEMALE--	1	-	-	1	4	8	12	5	5	1	-	-
ALL OTHER--MALE----	2	2	5	2	3	1	4	1	2	-	1	-
FEMALE--	2	2	2	3	4	7	7	13	3	-	-	-
BLACK---MALE-----	2	2	5	2	3	1	4	1	2	-	1	-
FEMALE--	2	2	2	3	4	7	6	13	3	-	-	-





04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 1882

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Hypertensive heart and renal disease (I13)												
UNITED STATES -	2,826	1	-	-	-	2	5	10	18	40	59	64
WHITE-----MALE----	762	-	-	-	-	-	3	1	2	3	14	11
FEMALE--	1,160	-	-	-	-	-	-	1	3	4	4	6
ALL OTHER--MALE----	407	1	-	-	-	-	1	3	11	17	29	35
FEMALE--	497	-	-	-	-	2	1	5	2	16	12	12
BLACK---MALE-----	376	1	-	-	-	-	1	3	11	15	28	34
FEMALE--	456	-	-	-	-	2	1	5	2	14	11	12
ALABAMA -----	60	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	1
ALASKA -----	3	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	27	-	-	-	-	-	-	1	-	-	-	1
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	22	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	421	-	-	-	-	1	1	1	6	3	11	10
WHITE-----MALE----	140	-	-	-	-	-	1	-	-	1	3	2
FEMALE--	148	-	-	-	-	-	-	-	1	-	-	2
ALL OTHER--MALE----	57	-	-	-	-	-	-	1	4	1	4	6
FEMALE--	76	-	-	-	-	1	-	-	1	1	4	-
BLACK---MALE-----	41	-	-	-	-	-	-	1	4	1	4	6
FEMALE--	50	-	-	-	-	1	-	-	1	-	3	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Hypertensive heart and renal disease (I13)												
UNITED STATES -	82	109	138	169	248	374	481	499	348	155	24	-
WHITE-----MALE----	21	24	32	50	68	114	152	146	90	29	2	-
FEMALE--	14	21	39	37	84	144	232	249	205	103	14	-
ALL OTHER--MALE----	32	37	33	44	44	44	29	28	12	6	1	-
FEMALE--	15	27	34	38	52	72	68	76	41	17	7	-
BLACK---MALE-----	32	36	31	42	40	39	24	22	11	5	1	-
FEMALE--	15	26	33	36	48	67	60	62	40	16	6	-
ALABAMA -----	2	3	3	5	5	16	8	9	6	2	-	-
WHITE-----MALE----	-	-	1	-	1	5	1	2	3	-	-	-
FEMALE--	-	1	1	2	2	3	4	2	2	2	-	-
ALL OTHER--MALE----	1	1	-	2	1	4	1	2	-	-	-	-
FEMALE--	1	1	1	1	1	4	2	3	1	-	-	-
BLACK---MALE-----	1	1	-	2	1	4	1	2	-	-	-	-
FEMALE--	1	1	1	1	1	4	2	3	1	-	-	-
ALASKA -----	-	-	-	-	-	1	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	3	1	2	1	4	9	1	4	-	-
WHITE-----MALE----	-	-	1	1	-	1	3	3	-	-	-	-
FEMALE--	-	-	1	-	1	-	1	5	1	4	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	1	-	2	2	5	6	3	3	-	-
WHITE-----MALE----	-	-	-	-	1	-	1	-	-	1	-	-
FEMALE--	-	-	1	-	-	2	3	2	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	3	1	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	3	1	1	-	-
CALIFORNIA -----	9	13	13	24	39	66	81	74	45	21	3	-
WHITE-----MALE----	3	5	3	11	15	19	26	28	18	5	-	-
FEMALE--	3	2	3	4	12	24	35	28	21	11	2	-
ALL OTHER--MALE----	3	3	4	5	4	10	3	4	2	2	1	-
FEMALE--	-	3	3	4	8	13	17	14	4	3	-	-
BLACK---MALE-----	3	2	4	5	2	6	-	-	1	1	1	-
FEMALE--	-	3	3	3	6	10	10	5	3	2	-	-



[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Hypertensive heart and renal disease (I13)												
COLORADO -----	21	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
CONNECTICUT -----	26	-	-	-	-	-	-	1	1	-	-	-
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	1	1	-	-	-
DELAWARE -----	8	-	-	-	-	-	-	-	-	1	-	1
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	28	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	8	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	194	-	-	-	-	-	-	1	2	4	-	4
WHITE-----MALE----	74	-	-	-	-	-	-	-	1	1	-	1
FEMALE--	65	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	19	-	-	-	-	-	-	-	-	2	-	2
FEMALE--	36	-	-	-	-	-	-	1	-	1	-	-
BLACK---MALE-----	19	-	-	-	-	-	-	-	-	2	-	2
FEMALE--	35	-	-	-	-	-	-	1	-	1	-	-
GEORGIA -----	92	-	-	-	-	-	-	-	1	2	-	4
WHITE-----MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	29	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	22	-	-	-	-	-	-	-	1	1	-	4
FEMALE--	27	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	22	-	-	-	-	-	-	-	1	1	-	4
FEMALE--	27	-	-	-	-	-	-	-	-	1	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Hypertensive heart and renal disease (I13)												
COLORADO -----	1	1	2	-	2	-	2	5	5	2	-	-
WHITE-----MALE----	1	1	1	-	-	-	1	2	2	-	-	-
FEMALE--	-	-	1	-	1	-	1	3	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
CONNECTICUT -----	-	1	2	3	2	3	4	6	1	2	-	-
WHITE-----MALE----	-	-	-	1	2	-	2	3	-	2	-	-
FEMALE--	-	-	1	1	1	3	2	3	1	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	-	-	-	-
DELAWARE -----	-	1	-	1	-	2	1	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	-	-	-	-	-
DISTRICT OF COLUMBIA ---	3	1	1	-	4	3	5	7	2	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	1	1	-	-	3	1	-	1	-	-	-	-
FEMALE--	2	-	1	-	1	2	3	6	1	-	-	-
BLACK---MALE----	1	1	-	-	3	1	-	1	-	-	-	-
FEMALE--	2	-	1	-	1	2	3	6	1	-	-	-
FLORIDA -----	4	12	10	20	22	30	39	24	15	6	1	-
WHITE-----MALE----	1	1	4	6	11	15	19	10	3	1	-	-
FEMALE--	-	3	3	5	5	10	16	10	8	3	-	-
ALL OTHER--MALE----	2	2	1	5	2	-	2	-	1	-	-	-
FEMALE--	1	6	2	4	4	5	2	4	3	2	1	-
BLACK---MALE----	2	2	1	5	2	-	2	-	1	-	-	-
FEMALE--	1	6	2	4	4	4	2	4	3	2	1	-
GEORGIA -----	2	10	6	6	9	12	15	13	6	4	2	-
WHITE-----MALE----	-	5	-	-	2	3	3	-	-	1	-	-
FEMALE--	-	1	2	1	4	1	9	7	3	-	1	-
ALL OTHER--MALE----	1	3	1	2	-	3	1	2	1	2	-	-
FEMALE--	1	1	3	3	3	5	2	4	2	1	1	-
BLACK---MALE----	1	3	1	2	-	3	1	2	1	2	-	-
FEMALE--	1	1	3	3	3	5	2	4	2	1	1	-



04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 1884

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Hypertensive heart and renal disease (I13)												
HAWAII -----	-	-	1	-	-	-	1	-	1	1	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	1	-	-	-	4	1	2	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	1	1	-	-	-
FEMALE--	-	-	1	-	-	-	3	-	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	5	6	3	9	11	12	24	19	11	5	3	-
WHITE-----MALE----	1	-	1	4	1	5	6	7	1	2	1	-
FEMALE--	1	-	1	1	5	4	14	10	10	3	2	-
ALL OTHER--MALE----	3	5	-	3	3	-	1	1	-	-	-	-
FEMALE--	-	1	1	1	2	3	3	1	-	-	-	-
BLACK---MALE----	3	5	-	3	3	-	1	1	-	-	-	-
FEMALE--	-	1	1	1	2	3	3	1	-	-	-	-
INDIANA -----	1	-	2	3	5	10	11	10	7	6	-	-
WHITE-----MALE----	1	-	-	-	1	5	2	5	1	1	-	-
FEMALE--	-	-	1	1	2	5	7	3	6	5	-	-
ALL OTHER--MALE----	-	-	1	2	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	1	2	-	-	-	-
BLACK---MALE----	-	-	1	2	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	1	2	-	-	-	-
IOWA -----	-	3	-	1	-	3	6	4	6	4	-	-
WHITE-----MALE----	-	2	-	-	-	1	3	1	2	-	-	-
FEMALE--	-	1	-	-	-	2	3	3	3	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
KANSAS -----	-	-	-	-	1	-	7	8	4	2	-	-
WHITE-----MALE----	-	-	-	-	1	-	2	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	3	6	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	1	-	-	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 1885

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Hypertensive heart and renal disease (I13)												
KENTUCKY -----	27	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	-
LOUISIANA -----	74	-	-	-	-	-	1	1	-	1	3	2
WHITE-----MALE----	15	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	20	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	24	-	-	-	-	-	1	1	-	1	1	-
BLACK---MALE-----	19	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	23	-	-	-	-	-	1	1	-	1	1	-
MAINE -----	10	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	66	-	-	-	-	-	-	1	-	2	1	2
WHITE-----MALE----	17	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	14	-	-	-	-	-	-	-	-	2	-	1
BLACK---MALE-----	14	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	12	-	-	-	-	-	-	-	-	1	-	1
MASSACHUSETTS -----	29	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	112	-	-	-	-	-	2	1	1	3	3	6
WHITE-----MALE----	26	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	45	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	25	-	-	-	-	-	-	1	1	2	2	4
FEMALE--	16	-	-	-	-	-	-	-	-	1	1	2
BLACK---MALE-----	24	-	-	-	-	-	-	1	1	1	2	4
FEMALE--	16	-	-	-	-	-	-	-	-	1	1	2

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 1885

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Hypertensive heart and renal disease (I13)												
KENTUCKY -----	1	-	-	-	4	4	6	7	3	1	-	-
WHITE-----MALE----	-	-	-	-	1	1	2	1	-	1	-	-
FEMALE--	-	-	-	-	3	2	3	6	3	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
LOUISIANA -----	1	6	5	5	10	11	11	9	3	5	-	-
WHITE-----MALE----	-	-	1	2	2	2	5	2	-	-	-	-
FEMALE--	-	-	-	-	1	1	5	6	-	2	-	-
ALL OTHER--MALE----	1	2	4	2	2	4	1	-	1	-	-	-
FEMALE--	-	4	-	1	5	4	-	1	2	3	-	-
BLACK---MALE----	1	2	4	1	2	4	1	-	1	-	-	-
FEMALE--	-	3	-	1	5	4	-	1	2	3	-	-
MAINE -----	-	-	-	-	-	1	-	4	2	2	1	-
WHITE-----MALE----	-	-	-	-	-	1	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	3	1	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3	4	7	8	8	7	13	2	7	1	-	-
WHITE-----MALE----	1	2	1	3	2	2	2	1	1	-	-	-
FEMALE--	1	1	-	1	1	3	9	-	4	1	-	-
ALL OTHER--MALE----	-	1	3	3	3	1	-	1	1	-	-	-
FEMALE--	1	-	3	1	2	1	2	-	1	-	-	-
BLACK---MALE----	-	1	3	3	3	1	-	1	1	-	-	-
FEMALE--	1	-	3	1	1	1	2	-	1	-	-	-
MASSACHUSETTS -----	1	2	2	2	1	3	5	10	2	-	-	-
WHITE-----MALE----	-	-	1	1	-	1	-	4	-	-	-	-
FEMALE--	-	1	1	1	1	2	5	6	2	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	9	4	4	8	11	15	21	9	8	6	1	-
WHITE-----MALE----	1	1	1	4	2	3	7	3	2	-	-	-
FEMALE--	3	-	-	3	3	8	10	6	6	5	1	-
ALL OTHER--MALE----	3	3	1	1	2	3	2	-	-	-	-	-
FEMALE--	2	-	2	-	4	1	2	-	-	1	-	-
BLACK---MALE----	3	3	1	1	2	3	2	-	-	-	-	-
FEMALE--	2	-	2	-	4	1	2	-	-	1	-	-













[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Hypertensive heart and renal disease (I13)												
OHIO -----	8	3	8	9	10	23	22	25	25	3	2	-
WHITE-----MALE----	3	1	2	2	1	10	7	7	7	-	-	-
FEMALE--	-	-	3	1	5	10	10	17	16	3	2	-
ALL OTHER--MALE----	3	2	1	1	2	2	1	-	1	-	-	-
FEMALE--	2	-	2	5	2	1	4	1	1	-	-	-
BLACK---MALE----	3	2	1	1	2	2	1	-	1	-	-	-
FEMALE--	2	-	2	5	2	1	4	1	1	-	-	-
OKLAHOMA -----	-	-	2	-	1	1	3	10	2	3	-	-
WHITE-----MALE----	-	-	-	-	1	1	2	2	-	2	-	-
FEMALE--	-	-	1	-	-	-	1	7	2	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
OREGON -----	-	-	-	-	2	4	7	8	4	2	-	-
WHITE-----MALE----	-	-	-	-	1	1	5	2	1	1	-	-
FEMALE--	-	-	-	-	-	3	2	6	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1	3	3	2	10	18	16	16	14	5	1	-
WHITE-----MALE----	-	1	1	-	2	7	8	4	3	-	1	-
FEMALE--	1	2	-	2	6	8	8	11	9	5	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	1	-	-	-	-
FEMALE--	-	-	2	-	1	2	-	-	2	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	1	-	-	-	-
FEMALE--	-	-	2	-	1	2	-	-	2	-	-	-
RHODE ISLAND -----	-	-	1	2	1	3	1	5	-	-	-	-
WHITE-----MALE----	-	-	1	-	1	-	-	2	-	-	-	-
FEMALE--	-	-	-	2	-	3	1	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	2	2	2	6	9	6	8	6	-	-	-
WHITE-----MALE----	-	1	-	1	2	1	-	-	1	-	-	-
FEMALE--	-	-	1	-	-	2	2	4	3	-	-	-
ALL OTHER--MALE----	-	-	1	-	3	3	2	-	1	-	-	-
FEMALE--	-	1	-	1	1	3	2	4	1	-	-	-
BLACK---MALE----	-	-	1	-	3	3	2	-	1	-	-	-
FEMALE--	-	1	-	1	1	3	2	4	1	-	-	-



04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 1889

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Hypertensive heart and renal disease (I13)

SOUTH DAKOTA -----	-	-	-	-	-	-	1	-	-	4	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2	3	7	3	6	12	12	21	17	12	2	-
WHITE-----MALE----	1	1	2	1	1	5	2	7	3	-	-	-
FEMALE--	-	-	1	-	3	4	7	8	6	10	-	-
ALL OTHER--MALE----	-	2	3	1	-	-	2	4	1	-	-	-
FEMALE--	1	-	1	1	2	3	1	2	7	2	2	-
BLACK---MALE----	-	2	3	1	-	-	2	4	1	-	-	-
FEMALE--	1	-	1	1	1	3	1	2	7	2	2	-
TEXAS -----	9	9	10	14	18	27	32	31	23	7	1	-
WHITE-----MALE----	3	1	4	4	5	8	8	9	6	3	-	-
FEMALE--	2	2	5	3	7	10	13	15	13	4	-	-
ALL OTHER--MALE----	3	2	-	5	4	4	4	2	-	-	-	-
FEMALE--	1	4	1	2	2	5	7	5	4	-	1	-
BLACK---MALE----	3	2	-	5	3	4	3	2	-	-	-	-
FEMALE--	1	4	1	1	2	4	7	5	4	-	1	-
UTAH -----	-	1	1	-	-	-	2	-	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	1	1	-	-	-	2	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	1	-	-	-	2	-	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	2	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	3	2	8	10	7	7	12	6	-	-	-
WHITE-----MALE----	-	-	-	1	2	1	2	2	1	-	-	-
FEMALE--	-	1	-	5	3	1	3	5	4	-	-	-
ALL OTHER--MALE----	-	1	1	1	3	1	1	2	-	-	-	-
FEMALE--	-	1	1	1	2	4	1	3	1	-	-	-
BLACK---MALE----	-	1	1	1	3	1	1	2	-	-	-	-
FEMALE--	-	1	1	1	2	4	1	2	1	-	-	-







04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 1891

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Ischemic heart diseases (I20-I25)												
UNITED STATES -	502,189	26	9	4	16	31	132	279	837	2,212	5,322	9,461
WHITE-----MALE----	224,464	14	2	2	7	16	62	156	468	1,316	3,244	5,958
FEMALE--	218,072	5	4	1	3	6	20	41	155	398	884	1,468
ALL OTHER--MALE----	29,541	3	1	-	4	8	33	55	151	351	801	1,365
FEMALE--	30,112	4	2	1	2	1	17	27	63	147	393	670
BLACK---MALE-----	24,593	3	1	-	3	8	28	49	122	298	685	1,165
FEMALE--	26,340	4	2	1	2	1	16	24	55	139	364	622
ALABAMA -----	7,079	2	-	-	-	-	3	7	21	37	140	200
WHITE-----MALE----	2,927	-	-	-	-	-	-	5	10	16	73	105
FEMALE--	2,699	-	-	-	-	-	-	1	3	11	18	32
ALL OTHER--MALE----	711	2	-	-	-	-	1	1	7	6	34	48
FEMALE--	742	-	-	-	-	-	2	-	1	4	15	15
BLACK---MALE-----	703	2	-	-	-	-	1	1	7	6	34	48
FEMALE--	737	-	-	-	-	-	2	-	1	4	15	15
ALASKA -----	381	-	-	-	-	-	1	-	1	6	11	13
WHITE-----MALE----	206	-	-	-	-	-	-	-	-	4	9	7
FEMALE--	92	-	-	-	-	-	-	-	-	-	2	2
ALL OTHER--MALE----	50	-	-	-	-	-	1	-	1	2	-	3
FEMALE--	33	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	7,873	1	-	-	-	1	-	2	13	21	74	147
WHITE-----MALE----	4,209	1	-	-	-	1	-	1	10	12	50	108
FEMALE--	3,294	-	-	-	-	-	-	-	2	3	17	27
ALL OTHER--MALE----	189	-	-	-	-	-	-	-	1	5	6	7
FEMALE--	181	-	-	-	-	-	-	1	-	1	1	5
BLACK---MALE-----	82	-	-	-	-	-	-	-	1	3	3	2
FEMALE--	88	-	-	-	-	-	-	-	-	-	1	2
ARKANSAS -----	5,498	2	-	-	-	1	4	6	17	30	89	124
WHITE-----MALE----	2,506	1	-	-	-	1	1	2	12	17	61	78
FEMALE--	2,199	1	-	-	-	-	1	1	3	7	15	19
ALL OTHER--MALE----	381	-	-	-	-	-	2	3	-	5	7	20
FEMALE--	412	-	-	-	-	-	-	-	2	1	6	7
BLACK---MALE-----	376	-	-	-	-	-	2	3	-	5	7	20
FEMALE--	407	-	-	-	-	-	-	-	2	1	6	7
CALIFORNIA -----	53,275	2	-	-	3	4	9	19	55	149	358	758
WHITE-----MALE----	22,872	2	-	-	2	1	6	8	29	89	212	490
FEMALE--	23,047	-	-	-	1	2	3	3	13	23	56	107
ALL OTHER--MALE----	3,834	-	-	-	-	1	-	5	6	28	66	118
FEMALE--	3,522	-	-	-	-	-	-	3	7	9	24	43
BLACK---MALE-----	1,915	-	-	-	-	1	-	4	2	17	33	64
FEMALE--	1,974	-	-	-	-	-	-	2	6	7	18	33

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 1891

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Ischemic heart diseases (I20-I25)												
UNITED STATES -	15,612	20,270	26,304	35,502	51,961	73,082	86,772	84,880	59,558	24,206	5,665	48
WHITE-----MALE----	9,682	12,284	15,253	19,729	28,066	36,733	38,597	31,119	16,373	4,664	698	21
FEMALE--	2,759	4,152	6,240	9,727	16,868	27,819	40,046	46,985	38,711	17,493	4,278	9
ALL OTHER--MALE----	2,136	2,510	2,959	3,452	3,825	4,161	3,462	2,347	1,329	460	116	12
FEMALE--	1,035	1,324	1,852	2,594	3,202	4,369	4,667	4,429	3,145	1,589	573	6
BLACK---MALE-----	1,847	2,133	2,536	2,927	3,247	3,406	2,797	1,820	1,046	362	99	11
FEMALE--	942	1,216	1,667	2,283	2,778	3,787	3,986	3,806	2,729	1,410	501	5
ALABAMA -----	314	357	477	607	837	1,006	1,049	1,022	690	243	67	-
WHITE-----MALE----	170	193	255	325	390	475	412	299	157	35	7	-
FEMALE--	59	78	112	160	259	366	460	545	408	151	36	-
ALL OTHER--MALE----	53	54	69	67	95	81	65	62	44	14	8	-
FEMALE--	32	32	41	55	93	84	112	116	81	43	16	-
BLACK---MALE-----	53	52	68	66	95	79	65	60	44	14	8	-
FEMALE--	32	32	41	54	93	83	111	115	80	43	16	-
ALASKA -----	38	21	37	34	58	53	47	38	16	3	4	-
WHITE-----MALE----	29	15	22	17	29	32	20	16	4	-	2	-
FEMALE--	4	5	3	7	12	13	17	13	10	3	1	-
ALL OTHER--MALE----	3	1	8	7	9	5	2	6	2	-	-	-
FEMALE--	2	-	4	3	8	3	8	3	-	-	1	-
BLACK---MALE-----	-	-	-	-	1	1	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
ARIZONA -----	233	334	466	628	952	1,222	1,359	1,253	827	273	63	4
WHITE-----MALE----	162	235	314	405	589	722	689	519	299	78	10	4
FEMALE--	51	62	120	172	316	460	623	707	504	182	48	-
ALL OTHER--MALE----	10	27	20	22	23	20	21	13	8	6	-	-
FEMALE--	10	10	12	29	24	20	26	14	16	7	5	-
BLACK---MALE-----	3	15	9	11	7	9	10	6	2	1	-	-
FEMALE--	1	5	7	13	15	13	11	9	6	4	1	-
ARKANSAS -----	207	279	354	474	574	822	883	807	554	221	50	-
WHITE-----MALE----	114	168	221	276	312	399	400	256	147	36	4	-
FEMALE--	48	64	84	118	180	296	386	448	354	145	29	-
ALL OTHER--MALE----	27	37	32	44	39	58	40	40	17	7	3	-
FEMALE--	18	10	17	36	43	69	57	63	36	33	14	-
BLACK---MALE-----	26	37	32	42	39	56	40	40	17	7	3	-
FEMALE--	18	10	17	35	42	68	56	62	36	33	14	-
CALIFORNIA -----	1,446	1,845	2,534	3,519	5,195	7,834	9,429	9,603	6,933	2,870	705	5
WHITE-----MALE----	876	1,142	1,390	1,848	2,634	3,749	4,229	3,601	1,901	579	83	1
FEMALE--	256	338	631	986	1,748	2,933	4,059	4,997	4,340	2,017	533	1
ALL OTHER--MALE----	225	261	339	420	462	614	525	417	242	88	15	2
FEMALE--	89	104	174	265	351	538	616	588	450	186	74	1
BLACK---MALE-----	143	150	211	242	249	267	228	162	92	42	6	2
FEMALE--	74	74	125	175	188	290	307	284	245	103	43	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 1892

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Ischemic heart diseases (I20-I25)												
COLORADO -----	4,235	2	-	-	1	1	1	5	12	18	66	115
WHITE-----MALE----	2,167	1	-	-	1	1	-	5	7	13	45	88
FEMALE--	1,880	1	-	-	-	-	-	-	2	3	12	18
ALL OTHER--MALE----	107	-	-	-	-	-	1	-	3	2	8	8
FEMALE--	81	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	74	-	-	-	-	-	1	-	3	2	7	5
FEMALE--	62	-	-	-	-	-	-	-	-	-	-	1
CONNECTICUT -----	5,815	-	-	1	-	-	2	3	9	19	47	104
WHITE-----MALE----	2,657	-	-	-	-	-	1	2	7	11	34	71
FEMALE--	2,830	-	-	1	-	-	-	-	1	4	4	18
ALL OTHER--MALE----	158	-	-	-	-	-	-	1	1	2	6	8
FEMALE--	170	-	-	-	-	-	1	-	-	2	3	7
BLACK---MALE----	140	-	-	-	-	-	-	1	1	1	6	5
FEMALE--	154	-	-	-	-	-	1	-	-	2	3	7
DELAWARE -----	1,524	-	-	-	-	-	1	-	6	5	23	16
WHITE-----MALE----	651	-	-	-	-	-	-	-	2	4	14	11
FEMALE--	656	-	-	-	-	-	-	-	1	1	2	2
ALL OTHER--MALE----	107	-	-	-	-	-	1	-	2	-	3	2
FEMALE--	110	-	-	-	-	-	-	-	1	-	4	1
BLACK---MALE----	101	-	-	-	-	-	1	-	2	-	3	2
FEMALE--	105	-	-	-	-	-	-	-	1	-	4	1
DISTRICT OF COLUMBIA ---	1,241	-	-	-	-	-	-	-	2	7	18	22
WHITE-----MALE----	139	-	-	-	-	-	-	-	-	3	2	3
FEMALE--	130	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	440	-	-	-	-	-	-	-	1	3	9	16
FEMALE--	532	-	-	-	-	-	-	-	1	1	7	3
BLACK---MALE----	433	-	-	-	-	-	-	-	1	3	9	16
FEMALE--	527	-	-	-	-	-	-	-	1	1	7	3
FLORIDA -----	39,586	-	1	-	2	2	6	16	56	158	309	531
WHITE-----MALE----	18,681	-	-	-	-	2	2	10	27	93	195	345
FEMALE--	17,375	-	-	-	1	-	2	2	9	30	43	74
ALL OTHER--MALE----	1,658	-	-	-	1	-	2	4	12	20	39	75
FEMALE--	1,872	-	1	-	-	-	-	-	8	15	32	37
BLACK---MALE----	1,572	-	-	-	1	-	2	4	10	18	39	72
FEMALE--	1,811	-	1	-	-	-	-	-	7	15	32	36
GEORGIA -----	9,987	-	-	-	1	2	6	7	31	78	188	289
WHITE-----MALE----	4,078	-	-	-	1	1	1	4	16	38	85	146
FEMALE--	3,534	-	-	-	-	1	-	1	5	16	32	43
ALL OTHER--MALE----	1,165	-	-	-	-	-	4	1	6	16	41	70
FEMALE--	1,210	-	-	-	-	-	1	1	4	8	30	30
BLACK---MALE----	1,127	-	-	-	-	-	4	1	4	16	41	70
FEMALE--	1,190	-	-	-	-	-	-	1	4	8	30	28

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 1892

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Ischemic heart diseases (I20-I25)												
COLORADO -----	131	192	209	295	475	600	766	639	494	182	30	1
WHITE-----MALE----	95	137	149	193	285	324	368	254	159	40	2	-
FEMALE--	24	44	46	87	166	249	369	368	325	138	27	1
ALL OTHER--MALE----	8	10	10	7	15	10	16	8	1	-	-	-
FEMALE--	4	1	4	8	9	17	13	9	9	4	1	-
BLACK---MALE-----	4	8	8	6	12	3	10	4	1	-	-	-
FEMALE--	4	1	4	4	6	12	8	8	9	4	1	-
CONNECTICUT -----	148	192	259	340	510	784	1,045	1,087	805	380	80	-
WHITE-----MALE----	89	126	162	200	296	411	513	418	239	67	10	-
FEMALE--	32	46	68	97	187	339	482	637	542	306	66	-
ALL OTHER--MALE----	15	14	17	23	15	15	20	11	9	1	-	-
FEMALE--	12	6	12	20	12	19	30	21	15	6	4	-
BLACK---MALE-----	13	12	17	21	12	14	17	11	8	1	-	-
FEMALE--	11	6	11	18	12	18	23	20	13	5	4	-
DELAWARE -----	46	63	89	117	169	215	271	232	171	75	25	-
WHITE-----MALE----	25	30	55	57	85	109	123	82	43	10	1	-
FEMALE--	8	16	13	34	54	77	117	136	113	59	23	-
ALL OTHER--MALE----	6	11	12	13	19	12	14	6	6	-	-	-
FEMALE--	7	6	9	13	11	17	17	8	9	6	1	-
BLACK---MALE-----	4	10	12	12	19	11	13	6	6	-	-	-
FEMALE--	7	5	9	12	10	17	16	8	8	6	1	-
DISTRICT OF COLUMBIA ---	37	61	74	94	155	202	190	171	130	60	14	4
WHITE-----MALE----	5	3	5	10	18	18	26	19	18	6	1	2
FEMALE--	-	3	3	6	5	23	15	21	36	13	5	-
ALL OTHER--MALE----	23	40	39	41	74	71	62	36	17	5	2	1
FEMALE--	9	15	27	37	58	90	87	95	59	36	6	1
BLACK---MALE-----	23	40	38	41	73	70	60	35	16	5	2	1
FEMALE--	9	15	27	36	58	89	87	94	59	34	6	1
FLORIDA -----	893	1,272	1,742	2,454	3,904	5,761	7,339	7,326	5,262	2,127	419	6
WHITE-----MALE----	585	818	1,046	1,442	2,225	3,070	3,519	3,037	1,685	504	75	1
FEMALE--	153	243	392	642	1,235	2,224	3,325	3,890	3,318	1,486	304	2
ALL OTHER--MALE----	96	124	164	217	237	229	201	144	68	15	8	2
FEMALE--	59	87	140	153	207	238	294	255	191	122	32	1
BLACK---MALE-----	89	115	155	201	226	219	193	138	66	14	8	2
FEMALE--	56	83	136	148	199	228	289	243	185	120	32	1
GEORGIA -----	472	609	701	886	1,113	1,386	1,510	1,410	904	326	68	-
WHITE-----MALE----	254	317	361	443	542	614	591	415	202	41	6	-
FEMALE--	55	97	134	194	316	478	647	746	540	187	42	-
ALL OTHER--MALE----	117	116	126	152	133	136	115	64	44	21	3	-
FEMALE--	46	79	80	97	122	158	157	185	118	77	17	-
BLACK---MALE-----	114	109	124	145	130	132	111	62	40	21	3	-
FEMALE--	45	78	79	94	118	155	154	184	118	77	17	-



04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 1893

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Ischemic heart diseases (I20-I25)												
HAWAII -----	47	70	74	106	143	194	208	199	123	53	16	-
WHITE-----MALE----	14	17	9	15	20	36	38	25	17	5	-	-
FEMALE--	1	6	5	12	7	15	25	30	20	3	2	-
ALL OTHER--MALE----	27	29	40	51	75	83	89	80	51	18	1	-
FEMALE--	5	18	20	28	41	60	56	64	35	27	13	-
BLACK---MALE----	-	1	-	1	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	54	60	99	122	176	221	303	318	181	52	12	-
WHITE-----MALE----	43	45	75	89	122	141	176	151	62	18	1	-
FEMALE--	9	13	22	31	53	80	121	166	119	34	11	-
ALL OTHER--MALE----	1	1	2	-	1	-	3	-	-	-	-	-
FEMALE--	1	1	-	2	-	-	3	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ILLINOIS -----	718	948	1,150	1,473	2,194	3,193	3,763	3,718	2,629	1,092	259	-
WHITE-----MALE----	396	538	598	726	1,145	1,510	1,580	1,314	693	191	36	-
FEMALE--	103	181	285	407	682	1,219	1,789	2,112	1,729	819	193	-
ALL OTHER--MALE----	152	156	159	172	195	196	161	105	51	12	6	-
FEMALE--	67	73	108	168	172	268	233	187	156	70	24	-
BLACK---MALE----	143	139	149	157	181	171	143	98	47	11	6	-
FEMALE--	65	73	103	157	163	241	207	167	144	65	22	-
INDIANA -----	370	488	605	792	1,121	1,556	1,749	1,687	1,178	459	103	-
WHITE-----MALE----	242	331	387	474	639	856	817	619	309	85	13	-
FEMALE--	85	119	150	240	376	616	848	975	834	351	83	-
ALL OTHER--MALE----	28	26	41	50	60	38	47	32	10	2	-	-
FEMALE--	15	12	27	28	46	46	37	61	25	21	7	-
BLACK---MALE----	28	26	41	47	57	37	47	31	10	1	-	-
FEMALE--	15	12	27	28	45	44	37	60	24	20	6	-
IOWA -----	146	179	274	378	607	862	1,116	1,203	1,038	422	124	-
WHITE-----MALE----	105	119	193	259	378	486	557	487	336	80	20	-
FEMALE--	31	52	69	109	216	358	546	710	699	342	100	-
ALL OTHER--MALE----	7	6	8	8	8	9	4	1	1	-	1	-
FEMALE--	3	2	4	2	5	9	9	5	2	-	3	-
BLACK---MALE----	5	4	6	8	6	7	4	1	1	-	-	-
FEMALE--	3	2	3	2	3	9	5	3	1	-	3	-
KANSAS -----	129	148	203	302	436	628	760	798	555	243	58	-
WHITE-----MALE----	90	95	134	200	251	357	363	325	173	51	7	-
FEMALE--	30	38	51	83	156	244	367	450	372	187	49	-
ALL OTHER--MALE----	8	10	12	4	17	16	11	6	1	2	1	-
FEMALE--	1	5	6	15	12	11	19	17	9	3	1	-
BLACK---MALE----	6	5	11	3	14	14	10	6	1	2	1	-
FEMALE--	1	5	5	12	9	9	17	16	9	3	1	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 1894

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Ischemic heart diseases (I20-I25)												
KENTUCKY -----	7,700	-	-	-	-	3	3	7	23	59	106	216
WHITE-----MALE----	3,771	-	-	-	-	2	2	6	15	39	75	155
FEMALE--	3,479	-	-	-	-	-	-	1	5	17	20	45
ALL OTHER--MALE----	241	-	-	-	-	1	1	-	2	3	5	9
FEMALE--	209	-	-	-	-	-	-	-	1	-	6	7
BLACK---MALE----	231	-	-	-	-	1	1	-	2	3	5	9
FEMALE--	203	-	-	-	-	-	-	-	1	-	6	7
LOUISIANA -----	7,478	-	-	-	1	-	4	10	24	52	128	215
WHITE-----MALE----	2,925	-	-	-	1	-	-	4	6	25	58	115
FEMALE--	2,460	-	-	-	-	-	-	1	6	7	16	25
ALL OTHER--MALE----	1,015	-	-	-	-	-	3	3	11	13	35	42
FEMALE--	1,078	-	-	-	-	-	1	2	1	7	19	33
BLACK---MALE----	997	-	-	-	-	-	3	3	10	13	35	41
FEMALE--	1,056	-	-	-	-	-	1	2	1	6	19	33
MAINE -----	2,296	-	-	-	-	-	1	-	6	2	16	49
WHITE-----MALE----	1,127	-	-	-	-	-	1	-	6	1	13	38
FEMALE--	1,155	-	-	-	-	-	-	-	-	1	3	10
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	8,997	1	-	-	1	-	2	2	14	35	87	175
WHITE-----MALE----	3,447	1	-	-	-	-	1	1	8	13	45	84
FEMALE--	3,474	-	-	-	-	-	1	-	-	5	14	24
ALL OTHER--MALE----	1,016	-	-	-	1	-	-	-	4	14	21	41
FEMALE--	1,060	-	-	-	-	-	-	1	2	3	7	26
BLACK---MALE----	953	-	-	-	1	-	-	-	4	14	19	39
FEMALE--	1,012	-	-	-	-	-	-	1	2	3	7	25
MASSACHUSETTS -----	10,021	-	-	-	-	1	2	6	7	36	107	151
WHITE-----MALE----	4,715	-	-	-	-	-	2	3	2	21	74	112
FEMALE--	4,937	-	-	-	-	1	-	2	4	11	21	27
ALL OTHER--MALE----	206	-	-	-	-	-	-	1	1	2	9	7
FEMALE--	163	-	-	-	-	-	-	-	-	2	3	5
BLACK---MALE----	158	-	-	-	-	-	-	1	1	2	8	6
FEMALE--	133	-	-	-	-	-	-	-	-	2	3	3
MICHIGAN -----	19,836	-	-	-	1	-	3	6	34	94	222	392
WHITE-----MALE----	8,530	-	-	-	1	-	2	5	19	61	133	236
FEMALE--	8,447	-	-	-	-	-	1	1	8	10	41	55
ALL OTHER--MALE----	1,408	-	-	-	-	-	-	-	6	17	29	63
FEMALE--	1,451	-	-	-	-	-	-	-	1	6	19	38
BLACK---MALE----	1,330	-	-	-	-	-	-	-	5	17	28	60
FEMALE--	1,381	-	-	-	-	-	-	-	1	6	17	36

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 1894

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Ischemic heart diseases (I20-I25)												
KENTUCKY -----	313	396	509	596	886	1,103	1,237	1,121	770	289	63	-
WHITE-----MALE----	213	275	336	368	493	563	559	401	208	53	8	-
FEMALE--	59	93	140	187	333	483	620	675	531	219	51	-
ALL OTHER--MALE----	32	19	21	24	36	30	26	17	10	4	1	-
FEMALE--	9	9	12	17	24	27	32	28	21	13	3	-
BLACK---MALE-----	32	17	18	22	34	30	26	17	10	3	1	-
FEMALE--	9	8	12	17	23	27	30	28	20	12	3	-
LOUISIANA -----	363	428	505	599	835	1,104	1,158	1,026	717	255	54	-
WHITE-----MALE----	173	201	235	262	401	500	444	300	159	39	2	-
FEMALE--	44	66	91	149	223	341	433	499	393	139	27	-
ALL OTHER--MALE----	100	101	99	109	108	126	114	79	45	22	5	-
FEMALE--	46	60	80	79	103	137	167	148	120	55	20	-
BLACK---MALE-----	99	99	98	106	107	124	110	78	44	22	5	-
FEMALE--	45	59	77	79	98	131	167	146	118	54	20	-
MAINE -----	60	96	104	150	233	330	391	412	297	124	25	-
WHITE-----MALE----	49	64	71	88	146	192	202	162	72	19	3	-
FEMALE--	10	31	33	61	84	136	188	248	223	105	22	-
ALL OTHER--MALE----	1	-	-	-	3	1	-	-	1	-	-	-
FEMALE--	-	1	-	1	-	1	1	2	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	321	400	480	726	952	1,365	1,546	1,433	954	393	110	-
WHITE-----MALE----	154	182	198	334	464	576	631	465	217	61	12	-
FEMALE--	52	68	96	164	278	459	633	749	593	263	75	-
ALL OTHER--MALE----	73	102	115	125	112	166	107	76	43	12	4	-
FEMALE--	42	48	71	103	98	164	175	143	101	57	19	-
BLACK---MALE-----	70	96	111	119	108	152	98	68	41	10	3	-
FEMALE--	40	45	67	97	95	153	167	140	97	55	18	-
MASSACHUSETTS -----	247	344	440	631	1,038	1,488	1,831	1,759	1,262	511	159	1
WHITE-----MALE----	180	257	284	401	611	800	893	664	321	72	18	-
FEMALE--	49	61	130	195	374	637	884	1,060	917	426	137	1
ALL OTHER--MALE----	16	19	18	18	36	26	27	14	8	4	-	-
FEMALE--	2	7	8	17	17	25	27	21	16	9	4	-
BLACK---MALE-----	12	14	16	11	28	20	21	9	6	3	-	-
FEMALE--	1	6	8	12	14	24	21	17	12	7	3	-
MICHIGAN -----	635	811	1,099	1,401	2,058	2,987	3,405	3,399	2,164	919	206	-
WHITE-----MALE----	388	444	569	749	1,073	1,397	1,483	1,191	570	175	34	-
FEMALE--	122	164	267	358	654	1,115	1,556	1,885	1,406	657	147	-
ALL OTHER--MALE----	75	128	163	163	177	238	161	118	47	19	4	-
FEMALE--	50	75	100	131	154	237	205	205	141	68	21	-
BLACK---MALE-----	69	121	152	151	171	225	153	111	45	18	4	-
FEMALE--	48	70	96	121	146	224	194	197	138	67	20	-



04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 1895

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Ischemic heart diseases (I20-I25)												
MINNESOTA -----	5,754	1	-	-	1	-	3	5	9	37	85	105
WHITE-----MALE----	3,144	-	-	-	-	-	1	1	4	24	61	75
FEMALE--	2,462	1	-	-	-	-	1	-	2	7	11	19
ALL OTHER--MALE----	106	-	-	-	1	-	1	4	2	4	12	7
FEMALE--	42	-	-	-	-	-	-	-	1	2	1	4
BLACK---MALE----	50	-	-	-	-	-	1	4	1	2	7	4
FEMALE--	26	-	-	-	-	-	-	-	1	2	1	-
MISSISSIPPI -----	5,437	-	-	-	-	-	3	8	10	46	112	151
WHITE-----MALE----	1,935	-	-	-	-	-	-	3	4	18	33	61
FEMALE--	1,907	-	-	-	-	-	-	-	2	4	22	16
ALL OTHER--MALE----	753	-	-	-	-	-	2	1	3	16	33	45
FEMALE--	842	-	-	-	-	-	1	4	1	8	24	29
BLACK---MALE----	739	-	-	-	-	-	2	1	2	16	33	42
FEMALE--	833	-	-	-	-	-	1	3	1	8	24	29
MISSOURI -----	11,752	1	-	-	-	1	2	3	32	54	147	207
WHITE-----MALE----	5,301	-	-	-	-	-	1	3	20	29	90	129
FEMALE--	5,433	-	-	-	-	-	1	-	6	15	21	37
ALL OTHER--MALE----	490	-	-	-	-	1	-	-	3	9	24	28
FEMALE--	528	1	-	-	-	-	-	-	3	1	12	13
BLACK---MALE----	470	-	-	-	-	1	-	-	3	9	22	27
FEMALE--	509	1	-	-	-	-	-	-	3	1	12	13
MONTANA -----	1,155	-	-	-	-	-	-	-	1	6	14	23
WHITE-----MALE----	650	-	-	-	-	-	-	-	-	5	10	17
FEMALE--	465	-	-	-	-	-	-	-	1	1	4	4
ALL OTHER--MALE----	23	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	2,443	-	-	-	-	-	3	-	-	6	30	39
WHITE-----MALE----	1,168	-	-	-	-	-	3	-	-	5	24	30
FEMALE--	1,196	-	-	-	-	-	-	-	-	1	3	4
ALL OTHER--MALE----	38	-	-	-	-	-	-	-	-	-	3	3
FEMALE--	41	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	29	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	32	-	-	-	-	-	-	-	-	-	-	2
NEVADA -----	2,713	-	-	-	-	-	-	2	9	18	24	61
WHITE-----MALE----	1,532	-	-	-	-	-	-	-	8	11	18	50
FEMALE--	955	-	-	-	-	-	-	1	-	4	3	8
ALL OTHER--MALE----	123	-	-	-	-	-	-	1	1	2	3	1
FEMALE--	103	-	-	-	-	-	-	-	-	1	-	2
BLACK---MALE----	82	-	-	-	-	-	-	1	1	1	1	-
FEMALE--	72	-	-	-	-	-	-	-	-	1	-	1

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 1895

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Ischemic heart diseases (I20-I25)												
MINNESOTA -----	213	230	270	371	542	797	975	1,029	710	300	71	-
WHITE-----MALE----	172	174	184	256	352	497	520	481	244	84	14	-
FEMALE--	30	42	67	106	170	286	444	539	465	215	57	-
ALL OTHER--MALE----	10	11	17	6	13	6	7	5	-	-	-	-
FEMALE--	1	3	2	3	7	8	4	4	1	1	-	-
BLACK---MALE-----	6	7	7	-	5	1	4	1	-	-	-	-
FEMALE--	-	2	2	2	6	4	1	4	-	1	-	-
MISSISSIPPI -----	255	274	349	478	625	751	781	816	532	188	57	1
WHITE-----MALE----	102	130	155	213	280	300	273	230	106	21	6	-
FEMALE--	40	47	74	105	160	238	335	429	284	120	31	-
ALL OTHER--MALE----	70	63	74	76	92	83	78	56	51	7	3	-
FEMALE--	43	34	46	84	93	130	95	101	91	40	17	1
BLACK---MALE-----	70	63	72	72	92	82	77	56	49	7	3	-
FEMALE--	41	33	46	84	91	128	94	101	91	40	17	1
MISSOURI -----	345	449	638	808	1,185	1,694	1,975	1,989	1,483	604	135	-
WHITE-----MALE----	219	290	394	469	656	882	895	720	378	106	20	-
FEMALE--	81	103	173	241	421	654	948	1,151	1,017	458	106	-
ALL OTHER--MALE----	32	35	41	60	55	75	65	37	17	8	-	-
FEMALE--	13	21	30	38	53	83	67	81	71	32	9	-
BLACK---MALE-----	31	34	39	60	50	72	64	34	16	8	-	-
FEMALE--	13	20	28	36	48	79	66	80	70	30	9	-
MONTANA -----	33	59	84	79	133	168	195	191	117	46	6	-
WHITE-----MALE----	23	37	62	49	94	104	113	89	36	10	1	-
FEMALE--	8	16	15	24	35	60	76	100	80	36	5	-
ALL OTHER--MALE----	1	2	6	3	3	2	3	2	-	-	-	-
FEMALE--	1	4	1	3	1	2	3	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
NEBRASKA -----	51	64	126	130	215	338	406	493	341	162	39	-
WHITE-----MALE----	33	45	83	86	124	206	200	179	113	32	5	-
FEMALE--	12	16	38	37	81	120	193	303	226	128	34	-
ALL OTHER--MALE----	4	1	2	4	6	7	5	2	-	1	-	-
FEMALE--	2	2	3	3	4	5	8	9	2	1	-	-
BLACK---MALE-----	4	-	2	2	6	6	4	2	-	-	-	-
FEMALE--	2	1	1	3	4	4	4	8	2	1	-	-
NEVADA -----	118	210	238	283	345	430	442	299	165	63	6	-
WHITE-----MALE----	84	143	174	186	213	239	222	127	47	8	2	-
FEMALE--	21	47	42	67	100	150	199	150	109	50	4	-
ALL OTHER--MALE----	9	12	16	14	16	26	10	7	3	2	-	-
FEMALE--	4	8	6	16	16	15	11	15	6	3	-	-
BLACK---MALE-----	7	8	10	6	12	18	8	6	3	-	-	-
FEMALE--	4	8	3	11	11	10	5	10	5	3	-	-





04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 1897

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Ischemic heart diseases (I20-I25)												
OHIO -----	23,178	2	-	-	1	-	5	15	51	99	265	465
WHITE-----MALE----	10,651	1	-	-	-	-	3	6	26	65	165	305
FEMALE--	10,332	-	-	-	-	-	-	5	15	10	61	74
ALL OTHER--MALE----	1,095	-	-	-	-	-	1	2	6	17	27	59
FEMALE--	1,100	1	-	-	1	-	1	2	4	7	12	27
BLACK---MALE----	1,069	-	-	-	-	-	1	2	6	17	26	58
FEMALE--	1,078	1	-	-	1	-	1	2	4	7	11	27
OKLAHOMA -----	8,023	-	1	-	-	-	4	1	9	39	78	184
WHITE-----MALE----	3,691	-	-	-	-	-	3	1	5	23	49	121
FEMALE--	3,608	-	1	-	-	-	-	-	-	11	13	29
ALL OTHER--MALE----	360	-	-	-	-	-	1	-	3	2	9	26
FEMALE--	364	-	-	-	-	-	-	-	1	3	7	8
BLACK---MALE----	187	-	-	-	-	-	1	-	-	2	7	14
FEMALE--	232	-	-	-	-	-	-	-	-	1	3	7
OREGON -----	4,723	-	-	-	-	-	1	1	6	14	41	82
WHITE-----MALE----	2,597	-	-	-	-	-	1	1	4	8	32	58
FEMALE--	1,996	-	-	-	-	-	-	-	2	4	7	17
ALL OTHER--MALE----	73	-	-	-	-	-	-	-	-	1	1	6
FEMALE--	57	-	-	-	-	-	-	-	-	1	1	1
BLACK---MALE----	32	-	-	-	-	-	-	-	-	1	-	3
FEMALE--	21	-	-	-	-	-	-	-	-	1	-	1
PENNSYLVANIA -----	27,631	1	1	-	1	1	5	14	24	90	237	406
WHITE-----MALE----	12,424	-	-	-	1	1	2	8	18	63	161	282
FEMALE--	13,102	-	-	-	-	-	-	2	4	16	37	69
ALL OTHER--MALE----	1,088	1	1	-	-	-	1	3	1	7	23	36
FEMALE--	1,017	-	-	-	-	-	2	1	1	4	16	19
BLACK---MALE----	1,038	1	1	-	-	-	1	3	1	6	20	35
FEMALE--	980	-	-	-	-	-	2	1	1	4	15	19
RHODE ISLAND -----	2,596	-	-	-	-	-	-	2	3	8	26	32
WHITE-----MALE----	1,146	-	-	-	-	-	-	1	1	8	18	25
FEMALE--	1,378	-	-	-	-	-	-	-	-	-	7	6
ALL OTHER--MALE----	33	-	-	-	-	-	-	1	1	-	1	1
FEMALE--	39	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	29	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	30	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	6,206	1	-	-	-	1	-	3	20	48	111	162
WHITE-----MALE----	2,533	1	-	-	-	1	-	2	13	24	65	83
FEMALE--	2,072	-	-	-	-	-	-	1	2	9	10	16
ALL OTHER--MALE----	810	-	-	-	-	-	-	-	4	10	25	41
FEMALE--	791	-	-	-	-	-	-	-	1	5	11	22
BLACK---MALE----	802	-	-	-	-	-	-	-	4	10	25	41
FEMALE--	782	-	-	-	-	-	-	-	1	5	11	22

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Ischemic heart diseases (I20-I25)												
OHIO -----	767	886	1,273	1,645	2,559	3,573	4,084	3,834	2,462	984	208	-
WHITE-----MALE----	508	573	776	940	1,446	1,867	1,756	1,366	668	157	23	-
FEMALE--	142	183	309	469	834	1,396	2,011	2,240	1,673	750	160	-
ALL OTHER--MALE----	79	71	116	132	155	151	139	82	32	21	5	-
FEMALE--	38	59	72	104	124	159	178	146	89	56	20	-
BLACK---MALE-----	76	70	114	127	150	150	135	80	31	21	5	-
FEMALE--	37	58	70	100	122	156	174	145	86	56	20	-
OKLAHOMA -----	264	370	451	608	834	1,173	1,328	1,269	959	370	81	-
WHITE-----MALE----	154	215	276	333	501	600	604	472	258	67	9	-
FEMALE--	59	102	120	200	262	475	633	710	651	285	57	-
ALL OTHER--MALE----	34	40	34	47	39	52	37	18	11	5	2	-
FEMALE--	17	13	21	28	32	46	54	69	39	13	13	-
BLACK---MALE-----	17	21	21	22	19	25	18	9	5	4	2	-
FEMALE--	10	10	11	16	23	28	30	48	23	12	10	-
OREGON -----	179	179	262	343	456	689	904	831	498	197	40	-
WHITE-----MALE----	132	129	171	226	284	421	509	385	187	47	2	-
FEMALE--	36	39	78	103	156	250	379	435	303	149	38	-
ALL OTHER--MALE----	6	9	10	6	10	8	8	7	1	-	-	-
FEMALE--	5	2	3	8	6	10	8	4	7	1	-	-
BLACK---MALE-----	1	3	3	4	7	2	5	2	1	-	-	-
FEMALE--	3	1	-	2	1	6	4	1	1	-	-	-
PENNSYLVANIA -----	709	937	1,197	1,773	2,800	4,244	5,175	5,108	3,286	1,303	317	2
WHITE-----MALE----	456	591	701	1,032	1,577	2,180	2,316	1,910	850	233	40	2
FEMALE--	134	229	319	505	975	1,760	2,591	2,939	2,277	1,002	243	-
ALL OTHER--MALE----	87	76	114	142	150	165	125	87	51	13	5	-
FEMALE--	32	41	63	94	98	139	143	172	108	55	29	-
BLACK---MALE-----	83	71	109	136	143	158	117	86	49	13	5	-
FEMALE--	32	41	62	88	92	134	135	164	106	55	29	-
RHODE ISLAND -----	53	74	104	129	237	351	498	489	388	165	37	-
WHITE-----MALE----	33	53	67	82	139	183	240	175	94	25	2	-
FEMALE--	16	17	32	44	90	151	252	307	288	134	34	-
ALL OTHER--MALE----	2	3	3	1	7	9	-	1	2	1	-	-
FEMALE--	2	1	2	2	1	8	6	4	5	1	-	-
BLACK---MALE-----	2	3	3	1	7	7	-	1	2	1	-	-
FEMALE--	2	1	2	-	1	7	4	5	3	4	1	-
SOUTH CAROLINA -----	263	370	430	568	740	988	1,015	769	504	177	35	1
WHITE-----MALE----	140	192	215	277	339	434	375	237	114	20	1	-
FEMALE--	33	56	72	116	181	331	427	383	292	119	24	-
ALL OTHER--MALE----	65	83	85	102	125	105	82	44	31	7	1	-
FEMALE--	25	39	58	73	95	118	131	105	67	31	9	1
BLACK---MALE-----	64	83	83	99	123	105	82	44	31	7	1	-
FEMALE--	25	39	58	71	94	114	131	104	67	31	8	1

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 1898

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Ischemic heart diseases (I20-I25)												
SOUTH DAKOTA -----	1,433	-	-	-	-	-	-	-	1	4	11	28
WHITE-----MALE----	757	-	-	-	-	-	-	-	1	2	10	23
FEMALE--	609	-	-	-	-	-	-	-	-	-	-	3
ALL OTHER--MALE----	37	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	30	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	11,946	-	-	-	-	-	4	8	26	69	168	318
WHITE-----MALE----	5,275	-	-	-	-	-	2	5	15	39	100	182
FEMALE--	5,176	-	-	-	-	-	-	-	8	15	42	76
ALL OTHER--MALE----	693	-	-	-	-	-	1	3	1	11	13	34
FEMALE--	802	-	-	-	-	-	1	-	2	4	13	26
BLACK---MALE----	677	-	-	-	-	-	1	3	1	10	12	34
FEMALE--	794	-	-	-	-	-	1	-	2	4	13	26
TEXAS -----	31,043	4	1	1	1	1	14	32	51	160	416	729
WHITE-----MALE----	14,282	1	1	-	-	1	5	22	29	93	247	457
FEMALE--	12,955	1	-	-	-	-	4	2	5	31	71	119
ALL OTHER--MALE----	1,902	-	-	-	-	-	2	3	13	27	67	102
FEMALE--	1,904	2	-	1	1	-	3	5	4	9	31	51
BLACK---MALE----	1,767	-	-	-	-	-	1	3	12	24	59	98
FEMALE--	1,817	2	-	1	1	-	3	5	4	9	30	48
UTAH -----	1,692	-	-	-	-	-	1	4	6	9	25	36
WHITE-----MALE----	934	-	-	-	-	-	-	1	5	6	21	26
FEMALE--	714	-	-	-	-	-	-	3	-	2	4	7
ALL OTHER--MALE----	27	-	-	-	-	-	1	-	1	1	-	2
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	7	-	-	-	-	-	-	-	1	1	-	2
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	1
VERMONT -----	1,022	-	-	-	-	-	-	-	1	5	8	16
WHITE-----MALE----	523	-	-	-	-	-	-	-	-	4	5	13
FEMALE--	496	-	-	-	-	-	-	-	1	1	3	3
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	9,691	-	-	-	-	2	3	10	24	65	124	249
WHITE-----MALE----	4,038	-	-	-	-	-	1	4	15	41	56	144
FEMALE--	3,786	-	-	-	-	-	1	2	5	10	27	38
ALL OTHER--MALE----	954	-	-	-	-	1	1	2	2	6	33	46
FEMALE--	913	-	-	-	-	1	-	2	2	8	8	21
BLACK---MALE----	895	-	-	-	-	1	1	2	2	5	30	43
FEMALE--	879	-	-	-	-	1	-	2	2	8	8	21

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 1898

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Ischemic heart diseases (I20-I25)												
SOUTH DAKOTA -----	36	58	57	84	149	182	242	256	208	90	27	-
WHITE-----MALE----	27	44	29	53	103	118	141	111	63	27	5	-
FEMALE--	3	3	15	26	37	61	95	140	141	63	22	-
ALL OTHER--MALE----	4	10	7	1	4	2	3	1	1	-	-	-
FEMALE--	2	1	6	4	5	1	3	4	3	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
TENNESSEE -----	466	619	733	976	1,187	1,655	2,002	1,862	1,246	517	90	-
WHITE-----MALE----	272	361	462	544	657	757	841	630	289	111	8	-
FEMALE--	98	153	160	274	358	696	970	1,080	845	342	59	-
ALL OTHER--MALE----	69	68	67	91	85	90	61	46	34	14	5	-
FEMALE--	27	37	44	67	87	112	130	106	78	50	18	-
BLACK---MALE----	66	65	66	89	84	89	60	44	34	14	5	-
FEMALE--	26	36	44	67	84	112	128	106	77	50	18	-
TEXAS -----	1,193	1,519	1,911	2,548	3,415	4,559	4,875	4,719	3,359	1,244	286	5
WHITE-----MALE----	751	925	1,115	1,435	1,869	2,269	2,135	1,680	930	280	34	3
FEMALE--	217	331	472	713	1,107	1,768	2,280	2,651	2,120	857	204	2
ALL OTHER--MALE----	149	170	188	230	234	269	201	116	94	27	10	-
FEMALE--	76	93	136	170	205	253	259	272	215	80	38	-
BLACK---MALE----	138	151	176	217	219	250	184	107	92	26	10	-
FEMALE--	72	91	129	164	195	241	242	256	210	77	37	-
UTAH -----	49	81	92	118	189	248	313	298	163	55	4	1
WHITE-----MALE----	39	58	72	74	111	145	172	137	51	14	1	1
FEMALE--	5	19	18	39	70	99	138	157	111	39	3	-
ALL OTHER--MALE----	4	4	2	4	2	2	1	1	-	2	-	-
FEMALE--	1	-	-	1	6	2	2	3	1	-	-	-
BLACK---MALE----	-	-	2	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	3	1	1	1	1	-	-	-
VERMONT -----	33	30	40	78	95	143	192	186	124	62	9	-
WHITE-----MALE----	25	23	30	53	63	87	88	68	48	15	1	-
FEMALE--	8	5	10	25	32	56	104	118	75	47	8	-
ALL OTHER--MALE----	-	2	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	385	489	620	791	1,068	1,432	1,584	1,430	943	383	89	-
WHITE-----MALE----	212	276	336	404	516	645	624	464	246	48	6	-
FEMALE--	62	82	121	204	340	511	681	758	599	280	65	-
ALL OTHER--MALE----	72	88	101	112	109	136	126	69	31	15	4	-
FEMALE--	39	43	62	71	103	140	153	139	67	40	14	-
BLACK---MALE----	67	84	91	104	103	129	119	64	31	15	4	-
FEMALE--	37	41	60	68	95	135	147	138	65	38	13	-







04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 1900

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Acute myocardial infarction (I21-I22)												
UNITED STATES -	184,757	15	2	1	6	15	49	105	370	924	2,252	4,097
WHITE-----MALE----	85,280	9	2	-	1	11	23	46	208	556	1,395	2,654
FEMALE--	77,663	3	-	-	1	1	7	24	77	174	388	667
ALL OTHER--MALE----	10,595	1	-	-	3	3	11	23	56	135	298	492
FEMALE--	11,219	2	-	1	1	-	8	12	29	59	171	284
BLACK---MALE-----	8,717	1	-	-	2	3	10	19	45	110	250	416
FEMALE--	9,864	2	-	1	1	-	8	10	25	59	160	268
ALABAMA -----	3,536	-	-	-	-	-	-	5	9	25	87	125
WHITE-----MALE----	1,486	-	-	-	-	-	-	3	4	11	46	66
FEMALE--	1,296	-	-	-	-	-	-	1	2	9	12	22
ALL OTHER--MALE----	380	-	-	-	-	-	-	1	3	4	21	28
FEMALE--	374	-	-	-	-	-	-	-	-	1	8	9
BLACK---MALE-----	375	-	-	-	-	-	-	1	3	4	21	28
FEMALE--	371	-	-	-	-	-	-	-	-	1	8	9
ALASKA -----	108	-	-	-	-	-	-	-	1	3	6	-
WHITE-----MALE----	57	-	-	-	-	-	-	-	-	2	5	-
FEMALE--	27	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	1	1	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2,506	-	-	-	-	1	-	2	3	3	18	39
WHITE-----MALE----	1,337	-	-	-	-	1	-	1	2	2	13	31
FEMALE--	1,051	-	-	-	-	-	-	-	1	1	4	6
ALL OTHER--MALE----	58	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	60	-	-	-	-	-	-	1	-	-	-	1
BLACK---MALE-----	20	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	34	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	3,467	2	-	-	-	1	2	4	14	21	70	90
WHITE-----MALE----	1,582	1	-	-	-	1	1	1	10	13	47	54
FEMALE--	1,362	1	-	-	-	-	-	1	3	5	13	14
ALL OTHER--MALE----	262	-	-	-	-	-	1	2	-	3	6	16
FEMALE--	261	-	-	-	-	-	-	-	1	-	4	6
BLACK---MALE-----	258	-	-	-	-	-	1	2	-	3	6	16
FEMALE--	258	-	-	-	-	-	-	-	1	-	4	6
CALIFORNIA -----	16,101	1	-	-	1	1	1	8	20	52	123	253
WHITE-----MALE----	7,008	1	-	-	-	1	1	2	10	27	69	163
FEMALE--	6,598	-	-	-	1	-	-	2	3	12	23	41
ALL OTHER--MALE----	1,281	-	-	-	-	-	-	1	3	9	23	37
FEMALE--	1,214	-	-	-	-	-	-	3	4	4	8	12
BLACK---MALE-----	567	-	-	-	-	-	-	-	-	3	7	18
FEMALE--	666	-	-	-	-	-	-	2	3	4	6	8

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 1900

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Acute myocardial infarction (I21-I22)												
UNITED STATES -	6,720	8,704	11,126	14,690	20,690	27,766	31,488	29,242	18,525	6,606	1,354	10
WHITE-----MALE----	4,225	5,373	6,564	8,205	11,150	13,690	13,744	10,533	5,289	1,410	187	5
FEMALE--	1,259	1,884	2,805	4,206	6,908	10,984	14,768	16,260	11,691	4,571	984	1
ALL OTHER--MALE----	787	898	1,023	1,241	1,367	1,461	1,230	878	489	166	32	1
FEMALE--	449	549	734	1,038	1,265	1,631	1,746	1,571	1,056	459	151	3
BLACK---MALE-----	658	768	858	1,042	1,148	1,181	987	679	377	134	28	1
FEMALE--	410	497	660	913	1,113	1,423	1,491	1,349	932	410	129	3
ALABAMA -----	191	224	272	329	408	490	507	448	297	96	23	-
WHITE-----MALE----	109	123	144	163	194	225	194	122	67	13	2	-
FEMALE--	41	50	64	106	119	179	211	243	174	53	10	-
ALL OTHER--MALE----	26	31	44	34	45	44	39	26	22	10	2	-
FEMALE--	15	20	20	26	50	42	63	57	34	20	9	-
BLACK---MALE-----	26	31	43	33	45	43	39	24	22	10	2	-
FEMALE--	15	20	20	25	50	42	62	56	34	20	9	-
ALASKA -----	10	7	7	10	11	15	16	12	7	1	2	-
WHITE-----MALE----	7	6	3	7	9	6	5	4	2	-	1	-
FEMALE--	-	1	-	-	-	7	8	4	5	1	-	-
ALL OTHER--MALE----	2	-	1	2	1	-	-	3	-	-	-	-
FEMALE--	1	-	3	1	1	2	3	1	-	-	1	-
BLACK---MALE-----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ARIZONA -----	67	124	152	200	300	411	445	400	244	80	15	2
WHITE-----MALE----	45	91	105	123	171	236	229	167	93	23	2	2
FEMALE--	16	19	39	61	111	165	198	224	144	51	11	-
ALL OTHER--MALE----	2	12	8	2	7	5	7	4	4	5	-	-
FEMALE--	4	2	-	14	11	5	11	5	3	1	2	-
BLACK---MALE-----	-	6	3	-	3	2	3	2	-	-	-	-
FEMALE--	-	2	-	7	8	5	6	2	3	-	1	-
ARKANSAS -----	156	216	249	295	371	500	541	495	291	123	26	-
WHITE-----MALE----	87	128	155	163	194	239	236	160	75	16	1	-
FEMALE--	36	52	60	78	116	185	246	264	192	80	16	-
ALL OTHER--MALE----	18	27	21	34	30	39	23	28	7	4	3	-
FEMALE--	15	9	13	20	31	37	36	43	17	23	6	-
BLACK---MALE-----	17	27	21	32	30	38	23	28	7	4	3	-
FEMALE--	15	9	13	19	31	36	36	42	17	23	6	-
CALIFORNIA -----	457	615	838	1,165	1,761	2,570	2,905	2,756	1,804	627	142	1
WHITE-----MALE----	258	362	445	604	903	1,169	1,287	1,029	504	147	26	-
FEMALE--	98	123	228	333	579	977	1,229	1,382	1,071	401	95	-
ALL OTHER--MALE----	64	85	99	126	158	228	181	143	90	29	4	1
FEMALE--	37	45	66	102	121	196	208	202	139	50	17	-
BLACK---MALE-----	35	47	49	63	76	91	74	51	34	17	1	1
FEMALE--	29	30	45	63	63	106	96	98	77	28	8	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 1901

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Acute myocardial infarction (I21-I22)												
COLORADO -----	1,561	1	-	-	-	-	-	1	6	5	23	46
WHITE-----MALE----	845	-	-	-	-	-	-	1	5	5	18	37
FEMALE--	671	1	-	-	-	-	-	-	-	-	4	8
ALL OTHER--MALE----	24	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	13	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1,608	-	-	-	-	-	1	-	3	8	8	30
WHITE-----MALE----	743	-	-	-	-	-	-	-	2	5	7	24
FEMALE--	787	-	-	-	-	-	-	-	1	2	1	4
ALL OTHER--MALE----	37	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	41	-	-	-	-	-	1	-	-	-	-	1
BLACK---MALE----	30	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	37	-	-	-	-	-	1	-	-	-	-	1
DELAWARE -----	494	-	-	-	-	-	1	-	-	1	5	6
WHITE-----MALE----	209	-	-	-	-	-	-	-	-	1	3	5
FEMALE--	214	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	32	-	-	-	-	-	1	-	-	-	1	-
FEMALE--	39	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	28	-	-	-	-	-	1	-	-	-	1	-
FEMALE--	37	-	-	-	-	-	-	-	-	-	1	1
DISTRICT OF COLUMBIA ---	355	-	-	-	-	-	-	-	1	4	6	6
WHITE-----MALE----	40	-	-	-	-	-	-	-	-	3	1	1
FEMALE--	34	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	112	-	-	-	-	-	-	-	-	1	1	4
FEMALE--	169	-	-	-	-	-	-	-	1	-	4	1
BLACK---MALE----	109	-	-	-	-	-	-	-	-	1	1	4
FEMALE--	167	-	-	-	-	-	-	-	1	-	4	1
FLORIDA -----	12,359	-	-	-	-	1	3	3	21	46	105	164
WHITE-----MALE----	5,870	-	-	-	-	1	1	1	11	23	70	100
FEMALE--	5,350	-	-	-	-	-	1	1	2	11	10	27
ALL OTHER--MALE----	516	-	-	-	-	-	1	1	3	5	10	26
FEMALE--	623	-	-	-	-	-	-	-	5	7	15	11
BLACK---MALE----	490	-	-	-	-	-	1	1	2	4	10	26
FEMALE--	595	-	-	-	-	-	-	-	4	7	15	11
GEORGIA -----	4,174	-	-	-	-	1	-	4	14	39	84	144
WHITE-----MALE----	1,726	-	-	-	-	1	-	1	6	24	38	76
FEMALE--	1,453	-	-	-	-	-	-	1	4	7	16	24
ALL OTHER--MALE----	474	-	-	-	-	-	-	1	2	6	16	28
FEMALE--	521	-	-	-	-	-	-	1	2	2	14	16
BLACK---MALE----	463	-	-	-	-	-	-	1	1	6	16	28
FEMALE--	513	-	-	-	-	-	-	1	2	2	14	15

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 1901

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Acute myocardial infarction (I21-I22)												
COLORADO -----	49	69	89	118	175	240	314	218	157	46	4	-
WHITE-----MALE----	35	53	61	82	117	125	173	76	48	9	-	-
FEMALE--	12	13	24	32	54	107	132	140	105	35	4	-
ALL OTHER--MALE----	1	2	2	2	4	3	5	1	1	-	-	-
FEMALE--	1	1	2	2	-	5	4	1	3	2	-	-
BLACK---MALE-----	-	2	-	2	2	-	3	1	1	-	-	-
FEMALE--	1	1	2	2	-	3	2	1	3	2	-	-
CONNECTICUT -----	40	63	65	97	166	246	273	306	206	79	17	-
WHITE-----MALE----	26	40	39	59	89	128	126	114	61	19	4	-
FEMALE--	6	15	22	30	66	109	133	185	141	59	13	-
ALL OTHER--MALE----	4	7	2	4	5	3	5	4	1	-	-	-
FEMALE--	4	1	2	4	6	6	9	3	3	1	-	-
BLACK---MALE-----	4	6	2	3	4	3	3	4	1	-	-	-
FEMALE--	4	1	1	4	6	6	7	3	2	1	-	-
DELAWARE -----	14	23	33	40	61	70	99	66	49	21	5	-
WHITE-----MALE----	6	10	23	18	30	34	44	21	11	2	1	-
FEMALE--	5	7	3	17	17	28	41	39	35	18	4	-
ALL OTHER--MALE----	2	4	3	2	8	3	5	3	-	-	-	-
FEMALE--	1	2	4	3	6	5	9	3	3	1	-	-
BLACK---MALE-----	1	3	3	1	8	2	5	3	-	-	-	-
FEMALE--	1	1	4	3	6	5	8	3	3	1	-	-
DISTRICT OF COLUMBIA ---	8	15	14	22	47	56	68	49	42	13	3	1
WHITE-----MALE----	3	1	-	1	5	5	8	3	8	1	-	-
FEMALE--	-	-	1	-	2	4	7	5	13	1	1	-
ALL OTHER--MALE----	4	10	6	12	19	21	20	11	2	-	1	-
FEMALE--	1	4	7	9	21	26	33	30	19	11	1	1
BLACK---MALE-----	4	10	6	12	18	21	18	11	2	-	1	-
FEMALE--	1	4	7	9	21	26	33	30	19	9	1	1
FLORIDA -----	310	427	581	913	1,372	1,828	2,272	2,186	1,469	577	81	-
WHITE-----MALE----	202	250	342	520	765	960	1,057	905	501	145	16	-
FEMALE--	56	101	139	250	446	734	1,070	1,149	902	394	57	-
ALL OTHER--MALE----	34	38	43	77	85	64	56	50	16	5	2	-
FEMALE--	18	38	57	66	76	70	89	82	50	33	6	-
BLACK---MALE-----	32	35	39	73	81	61	54	48	16	5	2	-
FEMALE--	17	37	56	63	71	65	88	76	47	32	6	-
GEORGIA -----	208	284	333	389	455	594	595	561	340	111	18	-
WHITE-----MALE----	116	148	173	187	220	251	213	173	81	15	3	-
FEMALE--	27	46	71	96	130	204	276	286	194	58	13	-
ALL OTHER--MALE----	43	52	59	60	49	59	48	18	20	12	1	-
FEMALE--	22	38	30	46	56	80	58	84	45	26	1	-
BLACK---MALE-----	41	51	59	60	48	58	46	18	17	12	1	-
FEMALE--	22	38	29	45	55	79	56	83	45	26	1	-



04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 1902

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Acute myocardial infarction (I21-I22)												
HAWAII -----	18	27	28	42	49	52	79	81	41	12	3	-
WHITE-----MALE----	6	6	1	8	8	9	12	8	7	2	-	-
FEMALE--	1	2	3	4	2	7	9	9	5	-	-	-
ALL OTHER--MALE----	10	5	16	21	26	24	33	35	19	7	-	-
FEMALE--	1	14	8	9	13	12	25	29	10	3	3	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	36	43	64	73	84	123	135	142	52	21	5	-
WHITE-----MALE----	30	31	47	53	53	83	72	70	20	5	1	-
FEMALE--	4	11	16	19	30	40	60	71	32	16	4	-
ALL OTHER--MALE----	1	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	3	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ILLINOIS -----	313	416	529	646	947	1,367	1,604	1,480	967	333	75	-
WHITE-----MALE----	199	251	284	324	531	619	671	500	243	61	10	-
FEMALE--	45	87	134	198	279	559	775	862	639	247	54	-
ALL OTHER--MALE----	43	46	57	59	62	69	56	45	23	4	2	-
FEMALE--	26	32	54	65	75	120	102	73	62	21	9	-
BLACK---MALE----	37	38	51	54	53	58	48	41	20	4	2	-
FEMALE--	25	32	51	59	74	103	87	60	55	19	8	-
INDIANA -----	181	254	284	344	502	680	736	630	390	138	27	-
WHITE-----MALE----	124	178	186	214	288	376	341	222	105	33	2	-
FEMALE--	42	63	75	105	175	271	363	369	275	99	25	-
ALL OTHER--MALE----	8	8	13	15	20	18	20	16	3	1	-	-
FEMALE--	7	5	10	10	19	15	12	23	7	5	-	-
BLACK---MALE----	8	8	13	14	19	17	20	15	3	1	-	-
FEMALE--	7	5	10	10	19	13	12	23	7	5	-	-
IOWA -----	66	87	124	160	251	353	422	420	332	112	28	-
WHITE-----MALE----	47	63	87	108	155	192	203	173	114	17	5	-
FEMALE--	16	21	31	45	92	157	216	246	217	95	23	-
ALL OTHER--MALE----	1	3	3	5	4	3	3	-	1	-	-	-
FEMALE--	2	-	3	2	-	1	-	1	-	-	-	-
BLACK---MALE----	1	2	3	5	3	2	3	-	1	-	-	-
FEMALE--	2	-	2	2	-	1	-	1	-	-	-	-
KANSAS -----	67	68	84	131	200	270	292	280	200	59	21	-
WHITE-----MALE----	48	42	56	87	121	137	135	109	69	12	3	-
FEMALE--	16	18	23	36	66	123	148	166	128	46	18	-
ALL OTHER--MALE----	3	6	4	2	8	6	2	1	-	-	-	-
FEMALE--	-	2	1	6	5	4	7	4	3	1	-	-
BLACK---MALE----	2	3	4	1	5	5	2	1	-	-	-	-
FEMALE--	-	2	1	6	4	3	6	4	3	1	-	-



04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 1903

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Acute myocardial infarction (I21-I22)												
KENTUCKY -----	4,087	-	-	-	-	2	-	2	16	25	60	134
WHITE-----MALE----	2,103	-	-	-	-	2	-	2	9	18	42	99
FEMALE--	1,717	-	-	-	-	-	-	-	4	6	14	26
ALL OTHER--MALE----	159	-	-	-	-	-	-	-	2	1	1	4
FEMALE--	108	-	-	-	-	-	-	-	1	-	3	5
BLACK---MALE----	153	-	-	-	-	-	-	-	2	1	1	4
FEMALE--	103	-	-	-	-	-	-	-	1	-	3	5
LOUISIANA -----	3,464	-	-	-	-	-	2	3	16	28	74	120
WHITE-----MALE----	1,364	-	-	-	-	-	-	-	5	13	36	65
FEMALE--	1,094	-	-	-	-	-	-	1	4	4	7	12
ALL OTHER--MALE----	516	-	-	-	-	-	1	2	6	8	23	23
FEMALE--	490	-	-	-	-	-	1	-	1	3	8	20
BLACK---MALE----	507	-	-	-	-	-	1	2	6	8	23	22
FEMALE--	482	-	-	-	-	-	1	-	1	3	8	20
MAINE -----	843	-	-	-	-	-	-	-	-	-	7	16
WHITE-----MALE----	440	-	-	-	-	-	-	-	-	-	7	10
FEMALE--	397	-	-	-	-	-	-	-	-	-	-	6
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3,251	1	-	-	1	-	1	1	5	6	28	60
WHITE-----MALE----	1,279	1	-	-	-	-	-	1	4	1	16	29
FEMALE--	1,261	-	-	-	-	-	1	-	-	3	5	11
ALL OTHER--MALE----	345	-	-	-	1	-	-	-	1	2	4	7
FEMALE--	366	-	-	-	-	-	-	-	-	-	3	13
BLACK---MALE----	315	-	-	-	1	-	-	-	1	2	3	7
FEMALE--	346	-	-	-	-	-	-	-	-	-	3	12
MASSACHUSETTS -----	3,815	-	-	-	-	-	-	1	3	11	32	62
WHITE-----MALE----	1,831	-	-	-	-	-	-	-	1	5	23	46
FEMALE--	1,858	-	-	-	-	-	-	-	2	5	7	13
ALL OTHER--MALE----	61	-	-	-	-	-	-	1	-	-	1	1
FEMALE--	65	-	-	-	-	-	-	-	-	1	1	2
BLACK---MALE----	40	-	-	-	-	-	-	1	-	-	1	1
FEMALE--	52	-	-	-	-	-	-	-	-	1	1	1
MICHIGAN -----	6,558	-	-	-	-	-	2	1	13	44	84	131
WHITE-----MALE----	2,959	-	-	-	-	-	1	1	7	32	50	82
FEMALE--	2,900	-	-	-	-	-	1	-	5	7	18	24
ALL OTHER--MALE----	310	-	-	-	-	-	-	-	1	4	7	9
FEMALE--	389	-	-	-	-	-	-	-	-	1	9	16
BLACK---MALE----	287	-	-	-	-	-	-	-	1	4	6	8
FEMALE--	365	-	-	-	-	-	-	-	-	1	8	14

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Acute myocardial infarction (I21-I22)												
KENTUCKY -----	204	267	327	360	495	596	619	532	326	99	23	-
WHITE-----MALE----	133	186	222	224	273	304	278	190	97	20	4	-
FEMALE--	43	64	84	111	190	261	302	315	210	71	16	-
ALL OTHER--MALE----	22	14	12	15	24	19	20	13	8	3	1	-
FEMALE--	6	3	9	10	8	12	19	14	11	5	2	-
BLACK---MALE----	22	14	10	13	23	19	20	13	8	2	1	-
FEMALE--	6	3	9	10	7	12	17	14	10	4	2	-
LOUISIANA -----	205	230	289	313	389	495	499	426	278	81	16	-
WHITE-----MALE----	93	109	131	145	184	211	178	116	63	13	2	-
FEMALE--	25	35	54	72	112	162	197	213	147	42	7	-
ALL OTHER--MALE----	58	56	59	55	53	65	44	34	21	8	-	-
FEMALE--	29	30	45	41	40	57	80	63	47	18	7	-
BLACK---MALE----	57	56	59	52	52	65	43	33	20	8	-	-
FEMALE--	28	30	44	41	37	55	80	62	47	18	7	-
MAINE -----	24	46	43	55	99	134	162	143	82	29	3	-
WHITE-----MALE----	17	31	27	36	63	76	85	56	24	7	1	-
FEMALE--	6	14	16	18	36	57	76	87	57	22	2	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	1	-	1	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	102	136	170	307	378	525	582	501	311	111	25	-
WHITE-----MALE----	48	65	79	136	183	208	236	169	80	21	2	-
FEMALE--	16	27	32	78	121	198	235	263	186	62	23	-
ALL OTHER--MALE----	23	30	34	55	38	61	40	25	17	7	-	-
FEMALE--	15	14	25	38	36	58	71	44	28	21	-	-
BLACK---MALE----	20	27	31	53	35	57	35	22	16	5	-	-
FEMALE--	13	13	24	36	35	55	65	43	27	20	-	-
MASSACHUSETTS -----	103	161	182	272	432	616	692	670	415	128	35	-
WHITE-----MALE----	76	118	115	174	257	325	315	242	112	18	4	-
FEMALE--	21	29	61	84	157	275	356	419	292	106	31	-
ALL OTHER--MALE----	5	11	2	8	11	6	9	2	4	-	-	-
FEMALE--	1	3	4	6	7	10	12	7	7	4	-	-
BLACK---MALE----	4	6	2	5	7	5	6	-	2	-	-	-
FEMALE--	1	2	4	5	6	10	8	6	4	3	-	-
MICHIGAN -----	252	262	376	474	739	996	1,142	1,096	628	256	62	-
WHITE-----MALE----	165	163	222	275	389	462	491	383	172	55	9	-
FEMALE--	53	60	100	137	276	422	547	618	406	181	45	-
ALL OTHER--MALE----	18	20	30	32	37	52	40	42	12	5	1	-
FEMALE--	16	19	24	30	37	60	64	53	38	15	7	-
BLACK---MALE----	16	20	29	28	34	48	37	40	10	5	1	-
FEMALE--	15	19	21	25	36	56	59	51	38	15	7	-



[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Acute myocardial infarction (I21-I22)												
MINNESOTA -----	70	90	120	150	212	289	332	344	226	84	14	-
WHITE-----MALE----	62	72	80	92	143	177	174	168	82	19	3	-
FEMALE--	4	16	34	52	65	107	154	174	144	64	11	-
ALL OTHER--MALE----	4	2	6	3	2	3	3	2	-	-	-	-
FEMALE--	-	-	-	3	2	2	1	-	-	1	-	-
BLACK---MALE-----	1	1	1	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	2	2	-	-	-	-	1	-	-
MISSISSIPPI -----	151	170	194	267	317	358	348	335	188	46	16	1
WHITE-----MALE----	62	83	79	113	139	143	116	89	41	5	2	-
FEMALE--	21	25	38	57	75	103	140	174	89	29	7	-
ALL OTHER--MALE----	41	41	47	43	53	37	36	28	20	3	1	-
FEMALE--	27	21	30	54	50	75	56	44	38	9	6	1
BLACK---MALE-----	41	41	46	40	53	36	35	28	20	3	1	-
FEMALE--	26	21	30	54	48	74	55	44	38	9	6	1
MISSOURI -----	194	278	362	466	592	792	884	842	566	224	37	-
WHITE-----MALE----	130	183	237	274	327	411	392	293	161	48	5	-
FEMALE--	42	68	87	152	218	325	435	493	374	160	29	-
ALL OTHER--MALE----	16	15	21	23	29	27	29	23	10	5	-	-
FEMALE--	6	12	17	17	18	29	28	33	21	11	3	-
BLACK---MALE-----	15	15	20	23	24	24	28	21	9	5	-	-
FEMALE--	6	11	15	17	16	29	28	32	21	10	3	-
MONTANA -----	15	25	34	44	59	71	76	76	44	11	3	-
WHITE-----MALE----	13	18	24	29	43	46	43	34	19	4	1	-
FEMALE--	1	4	6	12	16	24	29	40	25	7	2	-
ALL OTHER--MALE----	1	1	4	1	-	1	3	2	-	-	-	-
FEMALE--	-	2	-	2	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	26	33	65	54	77	128	131	138	71	35	4	-
WHITE-----MALE----	19	24	41	39	45	81	62	51	25	12	1	-
FEMALE--	7	7	22	14	28	44	66	85	46	23	3	-
ALL OTHER--MALE----	-	1	-	1	2	1	2	-	-	-	-	-
FEMALE--	-	1	2	-	2	2	1	2	-	-	-	-
BLACK---MALE-----	-	-	-	-	2	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	2	2	1	2	-	-	-	-
NEVADA -----	32	59	76	79	106	122	136	92	33	14	3	-
WHITE-----MALE----	21	38	54	58	61	61	61	41	10	-	-	-
FEMALE--	6	14	16	15	37	51	71	47	21	13	3	-
ALL OTHER--MALE----	3	2	4	5	3	6	3	2	1	-	-	-
FEMALE--	2	5	2	1	5	4	1	2	1	1	-	-
BLACK---MALE-----	2	1	3	4	2	2	2	2	1	-	-	-
FEMALE--	2	5	2	-	3	3	-	2	1	1	-	-





04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 1906

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Acute myocardial infarction (I21-I22)												
OHIO -----	8,371	2	-	-	-	-	2	5	26	47	126	210
WHITE-----MALE----	4,085	1	-	-	-	-	1	1	11	33	72	150
FEMALE--	3,609	-	-	-	-	-	-	4	10	5	36	29
ALL OTHER--MALE----	337	-	-	-	-	-	1	-	3	8	12	18
FEMALE--	340	1	-	-	-	-	-	2	2	1	6	13
BLACK---MALE----	326	-	-	-	-	-	1	-	3	8	12	18
FEMALE--	328	1	-	-	-	-	-	-	2	1	5	13
OKLAHOMA -----	2,191	-	-	-	-	-	2	-	2	10	12	53
WHITE-----MALE----	1,021	-	-	-	-	-	2	-	2	6	8	34
FEMALE--	964	-	-	-	-	-	-	-	-	2	3	9
ALL OTHER--MALE----	95	-	-	-	-	-	-	-	-	1	-	7
FEMALE--	111	-	-	-	-	-	-	-	-	1	1	3
BLACK---MALE----	45	-	-	-	-	-	-	-	-	1	-	3
FEMALE--	75	-	-	-	-	-	-	-	-	1	-	3
OREGON -----	1,714	-	-	-	-	-	-	-	1	5	12	26
WHITE-----MALE----	932	-	-	-	-	-	-	-	-	3	8	17
FEMALE--	730	-	-	-	-	-	-	-	1	2	4	8
ALL OTHER--MALE----	31	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	10,508	1	-	-	1	-	1	3	13	38	112	192
WHITE-----MALE----	4,970	-	-	-	1	-	1	1	10	26	74	148
FEMALE--	4,788	-	-	-	-	-	-	2	1	6	20	25
ALL OTHER--MALE----	349	1	-	-	-	-	-	-	1	5	12	12
FEMALE--	401	-	-	-	-	-	-	-	1	1	6	7
BLACK---MALE----	326	1	-	-	-	-	-	-	1	4	9	11
FEMALE--	390	-	-	-	-	-	-	-	1	1	6	7
RHODE ISLAND -----	927	-	-	-	-	-	-	-	3	3	7	10
WHITE-----MALE----	447	-	-	-	-	-	-	-	1	3	6	10
FEMALE--	446	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	18	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	14	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	2,948	1	-	-	-	1	-	1	18	25	71	90
WHITE-----MALE----	1,202	1	-	-	-	1	-	-	12	10	40	44
FEMALE--	921	-	-	-	-	-	-	1	1	5	7	10
ALL OTHER--MALE----	404	-	-	-	-	-	-	-	4	7	17	19
FEMALE--	421	-	-	-	-	-	-	-	1	3	7	17
BLACK---MALE----	399	-	-	-	-	-	-	-	4	7	17	19
FEMALE--	417	-	-	-	-	-	-	-	1	3	7	17

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 1906

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Acute myocardial infarction (I21-I22)												
OHIO -----	334	371	533	677	993	1,294	1,438	1,267	729	276	41	-
WHITE-----MALE----	230	268	339	393	551	680	614	461	221	54	5	-
FEMALE--	66	68	137	207	347	526	722	738	472	210	32	-
ALL OTHER--MALE----	23	17	36	37	54	44	48	27	6	3	-	-
FEMALE--	15	18	21	40	41	44	54	41	30	9	4	-
BLACK---MALE-----	21	16	34	35	52	43	47	27	6	3	-	-
FEMALE--	14	18	21	37	40	43	51	41	28	9	4	-
OKLAHOMA -----	79	88	151	180	246	364	351	337	227	79	10	-
WHITE-----MALE----	47	50	91	94	135	178	164	119	70	19	2	-
FEMALE--	17	26	43	62	86	156	164	194	141	59	2	-
ALL OTHER--MALE----	9	9	13	13	11	16	7	3	4	1	1	-
FEMALE--	6	3	4	11	14	14	16	21	12	-	5	-
BLACK---MALE-----	3	4	8	8	5	6	2	2	1	1	1	-
FEMALE--	5	3	1	7	8	10	10	16	7	-	4	-
OREGON -----	43	62	105	139	184	248	339	296	167	75	12	-
WHITE-----MALE----	29	46	71	94	117	147	183	130	65	21	1	-
FEMALE--	10	13	28	39	60	92	149	159	101	53	11	-
ALL OTHER--MALE----	1	2	6	4	4	5	4	4	-	-	-	-
FEMALE--	3	1	-	2	3	4	3	3	1	1	-	-
BLACK---MALE-----	-	-	1	3	2	2	2	1	-	-	-	-
FEMALE--	1	-	-	1	1	2	1	1	-	-	-	-
PENNSYLVANIA -----	336	437	531	748	1,203	1,757	1,917	1,814	1,027	305	71	1
WHITE-----MALE----	232	276	323	455	666	911	839	665	271	61	9	1
FEMALE--	69	126	155	223	451	726	982	1,050	685	214	53	-
ALL OTHER--MALE----	22	20	33	37	47	58	40	34	19	6	2	-
FEMALE--	13	15	20	33	39	62	56	65	52	24	7	-
BLACK---MALE-----	20	18	33	34	43	56	36	34	18	6	2	-
FEMALE--	13	15	20	32	37	59	54	63	51	24	7	-
RHODE ISLAND -----	31	33	52	59	93	137	189	161	104	37	8	-
WHITE-----MALE----	19	26	35	35	51	75	96	53	30	6	1	-
FEMALE--	10	6	14	22	39	55	90	103	72	28	7	-
ALL OTHER--MALE----	2	1	2	1	2	2	-	1	2	1	-	-
FEMALE--	-	-	1	1	1	5	3	4	-	2	-	-
BLACK---MALE-----	2	1	2	1	2	1	-	1	2	1	-	-
FEMALE--	-	-	1	-	1	4	1	3	-	2	-	-
SOUTH CAROLINA -----	144	200	223	311	357	469	438	315	218	57	8	1
WHITE-----MALE----	76	99	113	144	146	193	163	97	53	9	1	-
FEMALE--	21	33	39	58	82	167	174	159	121	38	5	-
ALL OTHER--MALE----	32	45	42	59	66	50	35	14	11	3	-	-
FEMALE--	15	23	29	50	63	59	66	45	33	7	2	1
BLACK---MALE-----	31	45	40	57	66	50	35	14	11	3	-	-
FEMALE--	15	23	29	49	63	58	66	44	33	7	1	1



04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 1907

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Acute myocardial infarction (I21-I22)												
SOUTH DAKOTA -----	684	-	-	-	-	-	-	-	1	2	5	16
WHITE-----MALE----	404	-	-	-	-	-	-	-	1	1	4	14
FEMALE--	245	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	19	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	5,236	-	-	-	-	-	2	2	10	36	90	173
WHITE-----MALE----	2,442	-	-	-	-	-	-	1	4	20	52	104
FEMALE--	2,224	-	-	-	-	-	-	-	5	7	25	41
ALL OTHER--MALE----	252	-	-	-	-	-	1	1	-	7	5	16
FEMALE--	318	-	-	-	-	-	1	-	1	2	8	12
BLACK---MALE----	245	-	-	-	-	-	1	1	-	6	4	16
FEMALE--	315	-	-	-	-	-	1	-	1	2	8	12
TEXAS -----	13,810	2	1	1	1	1	8	16	26	59	179	364
WHITE-----MALE----	6,368	1	1	-	-	1	2	10	15	31	115	223
FEMALE--	5,762	-	-	-	-	-	2	1	3	12	29	66
ALL OTHER--MALE----	801	-	-	-	-	-	1	2	5	10	20	48
FEMALE--	879	1	-	1	1	-	3	3	3	6	15	27
BLACK---MALE----	747	-	-	-	-	-	-	2	5	10	18	47
FEMALE--	836	1	-	1	1	-	3	3	3	6	15	26
UTAH -----	724	-	-	-	-	-	-	-	-	1	10	12
WHITE-----MALE----	370	-	-	-	-	-	-	-	-	1	7	10
FEMALE--	332	-	-	-	-	-	-	-	-	-	3	2
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	364	-	-	-	-	-	-	-	1	2	4	5
WHITE-----MALE----	191	-	-	-	-	-	-	-	-	2	4	4
FEMALE--	170	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	3,678	-	-	-	-	-	-	5	7	34	48	99
WHITE-----MALE----	1,558	-	-	-	-	-	-	3	5	22	24	61
FEMALE--	1,414	-	-	-	-	-	-	1	2	5	13	17
ALL OTHER--MALE----	343	-	-	-	-	-	-	1	-	2	9	13
FEMALE--	363	-	-	-	-	-	-	-	-	5	2	8
BLACK---MALE----	316	-	-	-	-	-	-	1	-	1	8	11
FEMALE--	346	-	-	-	-	-	-	-	-	5	2	8

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 1907

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Acute myocardial infarction (I21-I22)												
SOUTH DAKOTA -----	27	34	41	56	93	85	110	99	78	30	7	-
WHITE-----MALE----	21	28	20	33	65	60	64	56	25	10	2	-
FEMALE--	3	2	12	19	22	23	44	41	52	20	5	-
ALL OTHER--MALE----	3	3	3	1	3	2	1	1	-	-	-	-
FEMALE--	-	1	6	3	3	-	1	1	1	-	-	-
BLACK--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
TENNESSEE -----	234	310	350	466	522	723	889	753	456	183	37	-
WHITE-----MALE----	149	194	240	269	297	327	359	263	113	44	6	-
FEMALE--	51	85	73	143	156	314	451	432	305	115	21	-
ALL OTHER--MALE----	23	17	17	30	36	31	31	19	12	5	1	-
FEMALE--	11	14	20	24	33	51	48	39	26	19	9	-
BLACK--MALE----	22	16	17	29	36	31	30	18	12	5	1	-
FEMALE--	11	13	20	24	32	51	47	39	26	19	9	-
TEXAS -----	580	714	919	1,188	1,560	2,017	2,153	2,033	1,382	489	115	2
WHITE-----MALE----	364	436	529	675	829	982	923	700	384	130	16	1
FEMALE--	115	172	256	351	535	812	1,025	1,151	843	308	80	1
ALL OTHER--MALE----	62	68	75	92	96	103	89	59	51	16	4	-
FEMALE--	39	38	59	70	100	120	116	123	104	35	15	-
BLACK--MALE----	57	63	69	86	92	95	81	54	49	15	4	-
FEMALE--	37	37	56	67	93	112	108	116	102	34	15	-
UTAH -----	21	30	41	55	87	115	134	133	66	16	2	1
WHITE-----MALE----	17	22	29	31	48	61	64	52	23	3	1	1
FEMALE--	4	6	10	19	35	50	69	80	42	11	1	-
ALL OTHER--MALE----	-	2	2	4	1	2	1	-	-	2	-	-
FEMALE--	-	-	-	1	3	2	-	1	1	-	-	-
BLACK--MALE----	-	-	2	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	-	1	1	-	-	-
VERMONT -----	19	12	23	30	34	48	75	62	29	19	1	-
WHITE-----MALE----	12	7	16	19	26	28	40	17	10	6	-	-
FEMALE--	7	3	7	11	8	20	35	45	18	13	1	-
ALL OTHER--MALE----	-	2	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	166	204	247	347	457	539	588	513	301	98	25	-
WHITE-----MALE----	96	123	142	162	225	227	228	154	73	13	-	-
FEMALE--	29	33	48	106	151	192	258	278	188	74	19	-
ALL OTHER--MALE----	22	29	34	45	38	56	45	27	17	3	2	-
FEMALE--	19	19	23	34	43	64	57	54	23	8	4	-
BLACK--MALE----	21	29	29	41	34	52	41	26	17	3	2	-
FEMALE--	19	18	23	32	37	63	53	54	23	6	3	-





04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 1909

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

Other acute ischemic heart diseases (I24)

UNITED STATES -	3,351	3	-	-	2	-	7	2	12	32	62	120
WHITE-----MALE----	1,431	2	-	-	1	-	3	2	7	14	32	69
FEMALE--	1,390	1	-	-	1	-	1	-	2	9	8	20
ALL OTHER--MALE----	289	-	-	-	-	-	3	-	1	4	15	20
FEMALE--	241	-	-	-	-	-	-	-	2	5	7	11
BLACK---MALE----	249	-	-	-	-	-	3	-	-	4	15	17
FEMALE--	205	-	-	-	-	-	-	-	2	4	6	10
ALABAMA -----	30	-	-	-	-	-	-	-	-	-	1	4
WHITE-----MALE----	19	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	53	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	34	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	12	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	105	-	-	-	-	-	1	-	2	-	1	4
WHITE-----MALE----	42	-	-	-	-	-	1	-	-	-	1	1
FEMALE--	53	-	-	-	-	-	-	-	1	-	-	3
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Other acute ischemic heart diseases (I24)

UNITED STATES -	187	200	263	281	364	397	474	455	317	142	31	-
WHITE-----MALE----	103	107	143	135	187	179	203	148	66	23	7	-
FEMALE--	34	47	58	84	125	166	223	258	232	102	19	-
ALL OTHER--MALE----	38	27	43	45	26	27	15	17	6	2	-	-
FEMALE--	12	19	19	17	26	25	33	32	13	15	5	-
BLACK---MALE-----	33	22	40	36	23	24	11	15	4	2	-	-
FEMALE--	9	18	18	13	23	16	29	30	8	14	5	-
ALABAMA -----	2	3	3	5	4	1	3	1	1	1	1	-
WHITE-----MALE----	-	2	2	3	3	-	2	1	1	1	-	-
FEMALE--	-	1	-	1	1	1	1	-	-	-	1	-
ALL OTHER--MALE----	2	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	2	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	3	2	5	7	9	13	4	3	4	1	1	-
WHITE-----MALE----	3	-	4	4	7	11	2	1	1	-	1	-
FEMALE--	-	2	1	2	2	1	2	2	1	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	2	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	-	-	1	1	-	4	-	3	2	-	-
WHITE-----MALE----	1	-	-	1	1	-	1	-	1	1	-	-
FEMALE--	-	-	-	-	-	-	2	-	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
CALIFORNIA -----	3	5	4	6	11	12	20	14	17	5	-	-
WHITE-----MALE----	2	4	2	3	6	3	9	9	1	-	-	-
FEMALE--	-	1	2	2	5	7	7	5	16	4	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	3	-	-	-	-	-
FEMALE--	1	-	-	-	-	2	1	-	-	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other acute ischemic heart diseases (I24)												
COLORADO -----	13	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	6	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	17	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	55	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	26	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
GEORGIA -----	83	-	-	-	-	-	1	-	1	1	5	1
WHITE-----MALE----	23	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	30	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	21	-	-	-	-	-	1	-	-	-	3	-
FEMALE--	9	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	21	-	-	-	-	-	1	-	-	-	3	-
FEMALE--	9	-	-	-	-	-	-	-	-	1	-	1

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Other acute ischemic heart diseases (I24)

COLORADO -----	-	2	1	1	1	2	4	1	-	-	-	-
WHITE-----MALE----	-	1	1	-	-	-	2	1	-	-	-	-
FEMALE--	-	1	-	1	1	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	-	1	2	5	1	4	2	1	1	-	-
WHITE-----MALE----	-	-	1	1	3	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	2	2	1	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	-	-	-	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	3	-	3	7	5	6	5	13	6	7	-	-
WHITE-----MALE----	2	-	3	3	2	2	3	7	1	3	-	-
FEMALE--	-	-	-	4	1	4	1	4	5	4	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	1	2	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	1	2	-	-	-	-
GEORGIA -----	4	2	5	8	17	11	10	8	6	3	-	-
WHITE-----MALE----	3	2	-	3	7	3	1	-	2	1	-	-
FEMALE--	-	-	1	-	6	7	6	4	3	1	-	-
ALL OTHER--MALE----	1	-	3	5	2	1	2	3	-	-	-	-
FEMALE--	-	-	1	-	2	-	1	1	1	1	-	-
BLACK---MALE----	1	-	3	5	2	1	2	3	-	-	-	-
FEMALE--	-	-	1	-	2	-	1	1	1	1	-	-









[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other acute ischemic heart diseases (I24)												
KENTUCKY -----	1	3	1	3	4	-	2	1	1	-	-	-
WHITE-----MALE----	1	2	-	2	4	-	1	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	5	5	2	4	3	2	1	4	1	2	-	-
WHITE-----MALE----	2	1	-	2	2	-	-	1	1	1	-	-
FEMALE--	-	1	1	2	1	2	1	2	-	-	-	-
ALL OTHER--MALE----	3	3	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	1	-	-
BLACK---MALE----	3	3	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	1	-	-
MAINE -----	1	-	-	2	1	-	-	2	-	-	-	-
WHITE-----MALE----	1	-	-	1	1	-	-	2	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	-	2	3	2	1	5	1	3	2	-	-
WHITE-----MALE----	1	-	1	1	1	1	1	1	-	-	-	-
FEMALE--	-	-	-	1	1	-	3	-	3	2	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	-	-	-	-
MASSACHUSETTS -----	4	1	3	2	6	3	13	7	5	-	-	-
WHITE-----MALE----	3	1	2	2	1	1	4	4	3	-	-	-
FEMALE--	1	-	1	-	5	2	7	3	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
MICHIGAN -----	1	5	2	1	2	5	6	6	5	1	-	-
WHITE-----MALE----	1	2	1	1	2	2	2	1	1	-	-	-
FEMALE--	-	2	1	-	-	2	2	5	3	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	-	1	1	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	-	1	1	-	-



[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Other acute ischemic heart diseases (I24)

MINNESOTA -----	-	1	-	1	1	4	3	3	2	-	-	-
WHITE-----MALE----	-	1	-	1	1	4	3	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	3	-	1	3	1	-	-	3	1	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	1	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	2	-	-	-	-
FEMALE--	1	-	1	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	2	-	-	-	-
FEMALE--	1	-	1	1	1	-	-	-	-	-	-	-
MISSOURI -----	1	-	1	2	3	7	7	11	4	5	1	-
WHITE-----MALE----	-	-	-	2	1	1	3	4	1	1	-	-
FEMALE--	1	-	1	-	2	6	4	7	3	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MONTANA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	-	-	-	-	2	-	2	-	2	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	2	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	1	-	-	-	1	1	2	1	-	-	-	-
WHITE-----MALE----	1	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-









04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 1915

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Other acute ischemic heart diseases (I24)

OHIO -----	4	3	7	4	9	11	12	14	8	2	2	-
WHITE-----MALE----	3	2	2	2	3	7	4	4	2	-	-	-
FEMALE--	1	1	3	1	6	3	8	9	6	1	2	-
ALL OTHER--MALE----	-	-	2	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	1	-	-
BLACK---MALE----	-	-	2	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	-	1	-	-
OKLAHOMA -----	54	64	84	97	93	128	159	147	123	51	10	-
WHITE-----MALE----	29	34	58	48	51	56	67	49	19	8	3	-
FEMALE--	12	17	17	35	31	58	82	92	99	42	6	-
ALL OTHER--MALE----	10	10	6	10	6	6	3	1	2	-	-	-
FEMALE--	3	3	3	4	5	8	7	5	3	1	1	-
BLACK---MALE----	6	5	4	4	3	3	2	-	1	-	-	-
FEMALE--	1	2	2	1	4	6	3	3	1	1	1	-
OREGON -----	1	1	-	-	1	2	4	1	1	1	-	-
WHITE-----MALE----	1	1	-	-	1	2	3	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	4	9	7	7	15	15	20	15	9	5	2	-
WHITE-----MALE----	2	9	2	3	6	7	7	8	3	-	-	-
FEMALE--	2	-	3	3	7	8	12	7	6	5	2	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	1	2	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	2	-	-	-	-	-	-	-
RHODE ISLAND -----	-	-	2	-	2	1	2	3	-	-	-	-
WHITE-----MALE----	-	-	-	-	2	1	-	2	-	-	-	-
FEMALE--	-	-	2	-	-	-	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	6	14	28	15	25	21	16	21	3	5	1	-
WHITE-----MALE----	2	6	7	6	13	7	6	3	-	-	-	-
FEMALE--	1	2	3	2	6	5	7	7	1	1	-	-
ALL OTHER--MALE----	3	3	12	6	5	4	1	3	1	-	-	-
FEMALE--	-	3	6	1	1	5	2	8	1	4	1	-
BLACK---MALE----	3	3	12	6	5	4	1	3	1	-	-	-
FEMALE--	-	3	6	1	1	4	2	8	1	4	1	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other acute ischemic heart diseases (I24)												
SOUTH DAKOTA -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	19	-	-	-	-	-	-	-	-	1	-	1
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	83	1	-	-	-	-	-	-	-	2	1	1
WHITE-----MALE----	33	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	42	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
UTAH -----	4	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	469	-	-	-	-	-	2	-	1	4	15	28
WHITE-----MALE----	185	-	-	-	-	-	1	-	-	2	8	18
FEMALE--	137	-	-	-	-	-	1	-	-	-	-	1
ALL OTHER--MALE----	85	-	-	-	-	-	-	-	-	1	7	6
FEMALE--	62	-	-	-	-	-	-	-	1	1	-	3
BLACK---MALE----	83	-	-	-	-	-	-	-	-	1	7	6
FEMALE--	60	-	-	-	-	-	-	-	1	1	-	3

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 1916

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Other acute ischemic heart diseases (I24)

SOUTH DAKOTA -----	-	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	1	1	1	5	3	3	1	2	-	-	-
WHITE-----MALE----	-	-	1	-	1	2	2	1	1	-	-	-
FEMALE--	-	1	-	-	4	1	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	3	3	6	7	9	12	10	15	11	1	1	-
WHITE-----MALE----	2	1	3	4	5	4	5	6	-	-	-	-
FEMALE--	1	1	2	2	4	5	5	9	11	1	-	-
ALL OTHER--MALE----	-	1	1	1	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	1	-
BLACK---MALE----	-	1	1	1	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	1	-
UTAH -----	1	-	1	-	1	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	1	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	45	39	48	45	56	52	50	45	27	10	2	-
WHITE-----MALE----	20	13	20	20	27	20	23	8	5	-	-	-
FEMALE--	9	7	12	11	16	17	16	24	17	5	1	-
ALL OTHER--MALE----	9	9	10	11	8	12	3	6	2	1	-	-
FEMALE--	7	10	6	3	5	3	8	7	3	4	1	-
BLACK---MALE----	9	9	9	11	8	12	3	5	2	1	-	-
FEMALE--	6	10	6	3	4	3	8	7	3	4	1	-





04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 1918

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other forms of chronic ischemic heart disease (I20,I25)												
UNITED STATES -	314,081	8	7	3	8	16	76	172	455	1,256	3,008	5,244
WHITE-----MALE----	137,753	3	-	2	5	5	36	108	253	746	1,817	3,235
FEMALE--	139,019	1	4	1	1	5	12	17	76	215	488	781
ALL OTHER--MALE----	18,657	2	1	-	1	5	19	32	94	212	488	853
FEMALE--	18,652	2	2	-	1	1	9	15	32	83	215	375
BLACK---MALE-----	15,627	2	1	-	1	5	15	30	77	184	420	732
FEMALE--	16,271	2	2	-	1	1	8	14	28	76	198	344
ALABAMA -----	3,513	2	-	-	-	-	3	2	12	12	52	71
WHITE-----MALE----	1,422	-	-	-	-	-	-	2	6	5	26	36
FEMALE--	1,397	-	-	-	-	-	-	-	1	2	6	10
ALL OTHER--MALE----	326	2	-	-	-	-	1	-	4	2	13	19
FEMALE--	368	-	-	-	-	-	2	-	1	3	7	6
BLACK---MALE-----	323	2	-	-	-	-	1	-	4	2	13	19
FEMALE--	366	-	-	-	-	-	2	-	1	3	7	6
ALASKA -----	273	-	-	-	-	-	1	-	-	3	5	13
WHITE-----MALE----	149	-	-	-	-	-	-	-	-	2	4	7
FEMALE--	65	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	39	-	-	-	-	-	1	-	-	1	-	3
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	5,314	1	-	-	-	-	-	-	10	18	56	107
WHITE-----MALE----	2,838	1	-	-	-	-	-	-	8	10	37	77
FEMALE--	2,229	-	-	-	-	-	-	-	1	2	13	21
ALL OTHER--MALE----	130	-	-	-	-	-	-	-	1	5	5	6
FEMALE--	117	-	-	-	-	-	-	-	-	1	1	3
BLACK---MALE-----	62	-	-	-	-	-	-	-	1	3	2	2
FEMALE--	54	-	-	-	-	-	-	-	-	-	1	2
ARKANSAS -----	2,019	-	-	-	-	-	2	2	3	9	19	34
WHITE-----MALE----	918	-	-	-	-	-	-	1	2	4	14	24
FEMALE--	832	-	-	-	-	-	1	-	-	2	2	5
ALL OTHER--MALE----	119	-	-	-	-	-	1	1	-	2	1	4
FEMALE--	150	-	-	-	-	-	-	-	1	1	2	1
BLACK---MALE-----	118	-	-	-	-	-	1	1	-	2	1	4
FEMALE--	148	-	-	-	-	-	-	-	1	1	2	1
CALIFORNIA -----	37,069	1	-	-	2	3	7	11	33	97	234	501
WHITE-----MALE----	15,822	1	-	-	2	-	4	6	19	62	142	326
FEMALE--	16,396	-	-	-	-	2	3	1	9	11	33	63
ALL OTHER--MALE----	2,549	-	-	-	-	1	-	4	3	19	43	81
FEMALE--	2,302	-	-	-	-	-	-	-	2	5	16	31
BLACK---MALE-----	1,347	-	-	-	-	1	-	4	2	14	26	46
FEMALE--	1,305	-	-	-	-	-	-	-	2	3	12	25

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 1918

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Other forms of chronic ischemic heart disease (I20,I25)

UNITED STATES -	8,705	11,366	14,915	20,531	30,907	44,919	54,810	55,183	40,716	17,458	4,280	38
WHITE-----MALE----	5,354	6,804	8,546	11,389	16,729	22,864	24,650	20,438	11,018	3,231	504	16
FEMALE--	1,466	2,221	3,377	5,437	9,835	16,669	25,055	30,467	26,788	12,820	3,275	8
ALL OTHER--MALE----	1,311	1,585	1,893	2,166	2,432	2,673	2,217	1,452	834	292	84	11
FEMALE--	574	756	1,099	1,539	1,911	2,713	2,888	2,826	2,076	1,115	417	3
BLACK---MALE----	1,156	1,343	1,638	1,849	2,076	2,201	1,799	1,126	665	226	71	10
FEMALE--	523	701	989	1,357	1,642	2,348	2,466	2,427	1,789	986	367	2
ALABAMA -----	121	130	202	273	425	515	539	573	392	146	43	-
WHITE-----MALE----	61	68	109	159	193	250	216	176	89	21	5	-
FEMALE--	18	27	48	53	139	186	248	302	234	98	25	-
ALL OTHER--MALE----	25	23	24	32	50	37	26	36	22	4	6	-
FEMALE--	17	12	21	29	43	42	49	59	47	23	7	-
BLACK---MALE----	25	21	24	32	50	36	26	36	22	4	6	-
FEMALE--	17	12	21	29	43	41	49	59	46	23	7	-
ALASKA -----	28	14	30	24	47	38	31	26	9	2	2	-
WHITE-----MALE----	22	9	19	10	20	26	15	12	2	-	1	-
FEMALE--	4	4	3	7	12	6	9	9	5	2	1	-
ALL OTHER--MALE----	1	1	7	5	8	5	2	3	2	-	-	-
FEMALE--	1	-	1	2	7	1	5	2	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ARIZONA -----	163	208	309	421	643	798	910	850	579	192	47	2
WHITE-----MALE----	114	144	205	278	411	475	458	351	205	55	7	2
FEMALE--	35	41	80	109	203	294	423	481	359	130	37	-
ALL OTHER--MALE----	8	15	12	19	16	15	14	9	4	1	-	-
FEMALE--	6	8	12	15	13	14	15	9	11	6	3	-
BLACK---MALE----	3	9	6	11	4	7	7	4	2	1	-	-
FEMALE--	1	3	7	6	7	8	5	7	3	4	-	-
ARKANSAS -----	50	63	105	178	202	322	338	312	260	96	24	-
WHITE-----MALE----	26	40	66	112	117	160	163	96	71	19	3	-
FEMALE--	12	12	24	40	64	111	138	184	160	64	13	-
ALL OTHER--MALE----	9	10	11	10	9	19	17	12	10	3	-	-
FEMALE--	3	1	4	16	12	32	20	20	19	10	8	-
BLACK---MALE----	9	10	11	10	9	18	17	12	10	3	-	-
FEMALE--	3	1	4	16	11	32	19	20	19	10	8	-
CALIFORNIA -----	986	1,225	1,692	2,348	3,423	5,252	6,504	6,833	5,112	2,238	563	4
WHITE-----MALE----	616	776	943	1,241	1,725	2,577	2,933	2,563	1,396	432	57	1
FEMALE--	158	214	401	651	1,164	1,949	2,823	3,610	3,253	1,612	438	1
ALL OTHER--MALE----	161	176	240	293	304	386	341	274	152	59	11	1
FEMALE--	51	59	108	163	230	340	407	386	311	135	57	1
BLACK---MALE----	108	103	162	179	173	176	153	111	58	25	5	1
FEMALE--	44	44	80	112	125	184	210	186	168	75	35	-



04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 1919

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other forms of chronic ischemic heart disease (I20,I25)												
COLORADO -----	2,661	-	-	-	1	1	1	4	6	13	43	69
WHITE-----MALE----	1,316	-	-	-	1	1	-	4	2	8	27	51
FEMALE--	1,202	-	-	-	-	-	-	-	2	3	8	10
ALL OTHER--MALE----	83	-	-	-	-	-	1	-	2	2	7	7
FEMALE--	60	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	61	-	-	-	-	-	1	-	2	2	7	4
FEMALE--	45	-	-	-	-	-	-	-	-	-	-	1
CONNECTICUT -----	4,190	-	-	1	-	-	1	3	6	11	39	74
WHITE-----MALE----	1,906	-	-	-	-	-	1	2	5	6	27	47
FEMALE--	2,035	-	-	1	-	-	-	-	-	2	3	14
ALL OTHER--MALE----	120	-	-	-	-	-	-	1	1	1	6	7
FEMALE--	129	-	-	-	-	-	-	-	-	2	3	6
BLACK---MALE----	109	-	-	-	-	-	-	1	1	1	6	5
FEMALE--	117	-	-	-	-	-	-	-	-	2	3	6
DELAWARE -----	1,028	-	-	-	-	-	-	-	6	4	18	10
WHITE-----MALE----	441	-	-	-	-	-	-	-	2	3	11	6
FEMALE--	441	-	-	-	-	-	-	-	1	1	2	2
ALL OTHER--MALE----	75	-	-	-	-	-	-	-	2	-	2	2
FEMALE--	71	-	-	-	-	-	-	-	1	-	3	-
BLACK---MALE----	73	-	-	-	-	-	-	-	2	-	2	2
FEMALE--	68	-	-	-	-	-	-	-	1	-	3	-
DISTRICT OF COLUMBIA ---	886	-	-	-	-	-	-	-	1	3	12	16
WHITE-----MALE----	99	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	96	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	328	-	-	-	-	-	-	-	1	2	8	12
FEMALE--	363	-	-	-	-	-	-	-	-	1	3	2
BLACK---MALE----	324	-	-	-	-	-	-	-	1	2	8	12
FEMALE--	360	-	-	-	-	-	-	-	-	1	3	2
FLORIDA -----	27,172	-	1	-	2	1	3	13	35	112	204	367
WHITE-----MALE----	12,785	-	-	-	-	1	1	9	16	70	125	245
FEMALE--	12,002	-	-	-	1	-	1	7	19	33	47	47
ALL OTHER--MALE----	1,141	-	-	-	1	-	1	3	9	15	29	49
FEMALE--	1,244	-	1	-	-	-	-	-	3	8	17	26
BLACK---MALE----	1,081	-	-	-	1	-	1	3	8	14	29	46
FEMALE--	1,211	-	1	-	-	-	-	-	3	8	17	25
GEORGIA -----	5,730	-	-	-	1	1	5	3	16	38	99	144
WHITE-----MALE----	2,329	-	-	-	1	-	1	3	9	14	47	70
FEMALE--	2,051	-	-	-	-	1	-	-	1	9	14	19
ALL OTHER--MALE----	670	-	-	-	-	-	3	-	4	10	22	42
FEMALE--	680	-	-	-	-	-	1	-	2	5	16	13
BLACK---MALE----	643	-	-	-	-	-	3	-	3	10	22	42
FEMALE--	668	-	-	-	-	-	-	-	2	5	16	12

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 1919

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Other forms of chronic ischemic heart disease (I20,I25)

COLORADO -----	82	121	119	176	299	358	448	420	337	136	26	1
WHITE-----MALE----	60	83	87	111	168	199	193	177	111	31	2	-
FEMALE--	12	30	22	54	111	140	235	228	220	103	23	1
ALL OTHER--MALE----	7	8	8	5	11	7	11	7	-	-	-	-
FEMALE--	3	-	2	6	9	12	9	8	6	2	1	-
BLACK---MALE-----	4	6	8	4	10	3	7	3	-	-	-	-
FEMALE--	3	-	2	2	6	9	6	7	6	2	1	-
CONNECTICUT -----	108	129	193	241	339	537	768	779	598	300	63	-
WHITE-----MALE----	63	86	122	140	204	282	385	304	178	48	6	-
FEMALE--	26	31	46	67	119	230	347	450	400	246	53	-
ALL OTHER--MALE----	11	7	15	18	10	12	15	7	8	1	-	-
FEMALE--	8	5	10	16	6	13	21	18	12	5	4	-
BLACK---MALE-----	9	6	15	17	8	11	14	7	7	1	-	-
FEMALE--	7	5	10	14	6	12	16	17	11	4	4	-
DELAWARE -----	32	40	56	77	108	145	172	164	122	54	20	-
WHITE-----MALE----	19	20	32	39	55	75	79	60	32	8	-	-
FEMALE--	3	9	10	17	37	49	76	96	78	41	19	-
ALL OTHER--MALE----	4	7	9	11	11	9	9	3	6	-	-	-
FEMALE--	6	4	5	10	5	12	8	5	6	5	1	-
BLACK---MALE-----	3	7	9	11	11	9	8	3	6	-	-	-
FEMALE--	6	4	5	9	4	12	8	5	5	5	1	-
DISTRICT OF COLUMBIA ---	29	46	60	72	108	146	122	122	88	47	11	3
WHITE-----MALE----	2	2	5	9	13	13	18	16	10	5	1	2
FEMALE--	-	3	2	6	3	19	8	16	23	12	4	-
ALL OTHER--MALE----	19	30	33	29	55	50	42	25	15	5	1	1
FEMALE--	8	11	20	28	37	64	54	65	40	25	5	-
BLACK---MALE-----	19	30	32	29	55	49	42	24	14	5	1	1
FEMALE--	8	11	20	27	37	63	54	64	40	25	5	-
FLORIDA -----	580	845	1,158	1,534	2,527	3,927	5,062	5,127	3,787	1,543	338	6
WHITE-----MALE----	381	568	701	919	1,458	2,108	2,459	2,125	1,183	356	59	1
FEMALE--	97	142	253	388	788	1,486	2,254	2,737	2,411	1,088	247	2
ALL OTHER--MALE----	61	86	121	140	152	165	145	94	52	10	6	2
FEMALE--	41	49	83	87	129	168	204	171	141	89	26	1
BLACK---MALE-----	56	80	116	128	145	158	139	90	50	9	6	2
FEMALE--	39	46	80	85	126	163	200	165	138	88	26	1
GEORGIA -----	260	323	363	489	641	781	905	841	558	212	50	-
WHITE-----MALE----	135	167	188	253	315	360	377	242	119	25	3	-
FEMALE--	28	51	62	98	180	267	365	456	343	128	29	-
ALL OTHER--MALE----	73	64	64	87	82	76	65	43	24	9	2	-
FEMALE--	24	41	49	51	64	78	98	100	72	50	16	-
BLACK---MALE-----	72	58	62	80	80	73	63	41	23	9	2	-
FEMALE--	23	40	49	49	61	76	97	100	72	50	16	-



[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Other forms of chronic ischemic heart disease (I20,I25)

HAWAII -----	29	43	46	64	94	141	129	118	81	41	13	-
WHITE-----MALE----	8	11	8	7	12	27	26	17	10	3	-	-
FEMALE--	-	4	2	8	5	8	16	21	15	3	2	-
ALL OTHER--MALE----	17	24	24	30	49	59	56	45	31	11	1	-
FEMALE--	4	4	12	19	28	47	31	35	25	24	10	-
BLACK---MALE----	-	-	-	1	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	18	17	35	49	90	98	168	176	129	31	7	-
WHITE-----MALE----	13	14	28	36	67	58	104	81	42	13	-	-
FEMALE--	5	2	6	12	23	40	61	95	87	18	7	-
ALL OTHER--MALE----	-	-	1	-	-	-	3	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	394	521	616	819	1,235	1,813	2,143	2,227	1,651	751	182	-
WHITE-----MALE----	191	281	311	398	609	887	902	812	449	129	26	-
FEMALE--	56	91	150	209	398	653	1,007	1,241	1,081	566	138	-
ALL OTHER--MALE----	106	110	101	110	132	126	105	60	28	8	4	-
FEMALE--	41	39	54	102	96	147	129	114	93	48	14	-
BLACK---MALE----	103	101	97	100	127	112	95	57	27	7	4	-
FEMALE--	40	39	52	97	88	138	118	107	88	45	13	-
INDIANA -----	189	234	320	446	617	873	1,007	1,054	786	320	76	-
WHITE-----MALE----	118	153	200	260	349	478	473	397	204	52	11	-
FEMALE--	43	56	75	133	201	344	482	603	557	251	58	-
ALL OTHER--MALE----	20	18	28	35	40	20	27	16	7	1	-	-
FEMALE--	8	7	17	18	27	31	25	38	18	16	7	-
BLACK---MALE----	20	18	28	33	38	20	27	16	7	-	-	-
FEMALE--	8	7	17	18	26	31	25	37	17	15	6	-
IOWA -----	80	92	150	218	355	509	693	780	702	310	96	-
WHITE-----MALE----	58	56	106	151	223	294	354	313	222	63	15	-
FEMALE--	15	31	38	64	123	201	329	462	478	247	77	-
ALL OTHER--MALE----	6	3	5	3	4	6	1	1	-	-	1	-
FEMALE--	1	2	1	-	5	8	9	4	2	-	3	-
BLACK---MALE----	4	2	3	3	3	5	1	1	-	-	-	-
FEMALE--	1	2	1	-	3	8	5	2	1	-	3	-
KANSAS -----	61	79	119	171	236	357	464	511	353	182	37	-
WHITE-----MALE----	42	53	78	113	130	219	227	212	104	39	4	-
FEMALE--	13	19	28	47	90	121	216	281	242	139	31	-
ALL OTHER--MALE----	5	4	8	2	9	10	9	5	1	2	1	-
FEMALE--	1	3	5	9	7	7	12	13	6	2	1	-
BLACK---MALE----	4	2	7	2	9	9	8	5	1	2	1	-
FEMALE--	1	3	4	6	5	6	11	12	6	2	1	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 1921

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other forms of chronic ischemic heart disease (I20,I25)												
KENTUCKY -----	3,593	-	-	-	-	1	2	5	6	33	46	81
WHITE-----MALE----	1,656	-	-	-	-	-	2	4	5	21	33	55
FEMALE--	1,756	-	-	-	-	-	-	1	1	10	6	19
ALL OTHER--MALE----	81	-	-	-	-	1	-	-	-	2	4	5
FEMALE--	100	-	-	-	-	-	-	-	-	-	3	2
BLACK---MALE-----	77	-	-	-	-	1	-	-	-	2	4	5
FEMALE--	99	-	-	-	-	-	-	-	-	-	3	2
LOUISIANA -----	3,972	-	-	-	1	-	1	7	8	21	49	91
WHITE-----MALE----	1,547	-	-	-	1	-	-	4	1	11	19	50
FEMALE--	1,354	-	-	-	-	-	-	-	2	3	9	11
ALL OTHER--MALE----	490	-	-	-	-	-	1	1	5	5	11	19
FEMALE--	581	-	-	-	-	-	-	2	-	2	10	11
BLACK---MALE-----	481	-	-	-	-	-	1	1	4	5	11	19
FEMALE--	568	-	-	-	-	-	-	2	-	2	10	11
MAINE -----	1,447	-	-	-	-	-	1	-	6	2	9	33
WHITE-----MALE----	682	-	-	-	-	-	1	-	6	1	6	28
FEMALE--	757	-	-	-	-	-	-	-	-	1	3	4
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	5,724	-	-	-	-	-	1	1	9	29	59	113
WHITE-----MALE----	2,160	-	-	-	-	-	1	-	4	12	29	54
FEMALE--	2,202	-	-	-	-	-	-	-	-	2	9	12
ALL OTHER--MALE----	670	-	-	-	-	-	-	-	3	12	17	34
FEMALE--	692	-	-	-	-	-	-	1	2	3	4	13
BLACK---MALE-----	637	-	-	-	-	-	-	-	3	12	16	32
FEMALE--	664	-	-	-	-	-	-	1	2	3	4	13
MASSACHUSETTS -----	6,160	-	-	-	-	1	2	5	4	25	73	89
WHITE-----MALE----	2,862	-	-	-	-	-	2	3	1	16	50	66
FEMALE--	3,058	-	-	-	-	1	-	2	2	6	14	14
ALL OTHER--MALE----	144	-	-	-	-	-	-	-	1	2	8	6
FEMALE--	96	-	-	-	-	-	-	-	-	1	1	3
BLACK---MALE-----	118	-	-	-	-	-	-	-	1	2	7	5
FEMALE--	79	-	-	-	-	-	-	-	-	1	1	2
MICHIGAN -----	13,239	-	-	-	-	-	1	5	21	50	136	259
WHITE-----MALE----	5,555	-	-	-	-	-	1	4	12	29	82	153
FEMALE--	5,532	-	-	-	-	-	-	1	3	3	23	31
ALL OTHER--MALE----	1,096	-	-	-	-	-	-	-	5	13	22	53
FEMALE--	1,056	-	-	-	-	-	-	-	1	5	9	22
BLACK---MALE-----	1,041	-	-	-	-	-	-	-	4	13	22	51
FEMALE--	1,011	-	-	-	-	-	-	-	1	5	9	22

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 1921

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Other forms of chronic ischemic heart disease (I20,I25)

KENTUCKY -----	108	126	181	233	387	507	616	588	443	190	40	-
WHITE-----MALE----	79	87	114	142	216	259	280	211	111	33	4	-
FEMALE--	16	29	55	75	143	222	317	359	320	148	35	-
ALL OTHER--MALE----	10	5	9	9	12	11	6	4	2	1	-	-
FEMALE--	3	5	3	7	16	15	13	14	10	8	1	-
BLACK---MALE-----	10	3	8	9	11	11	6	4	2	1	-	-
FEMALE--	3	4	3	7	16	15	13	14	10	8	1	-
LOUISIANA -----	153	193	214	282	443	607	658	596	438	172	38	-
WHITE-----MALE----	78	91	104	115	215	289	266	183	95	25	-	-
FEMALE--	19	30	36	75	110	177	235	284	246	97	20	-
ALL OTHER--MALE----	39	42	39	54	55	61	70	45	24	14	5	-
FEMALE--	17	30	35	38	63	80	87	84	73	36	13	-
BLACK---MALE-----	39	40	38	54	55	59	67	45	24	14	5	-
FEMALE--	17	29	33	38	61	76	87	83	71	35	13	-
MAINE -----	35	50	61	93	133	196	229	267	215	95	22	-
WHITE-----MALE----	31	33	44	51	82	116	117	104	48	12	2	-
FEMALE--	4	17	17	42	48	79	112	161	166	83	20	-
ALL OTHER--MALE----	-	-	-	-	3	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	218	264	308	416	572	839	959	931	640	280	85	-
WHITE-----MALE----	105	117	118	197	280	367	394	295	137	40	10	-
FEMALE--	36	41	64	85	156	261	395	486	404	199	52	-
ALL OTHER--MALE----	50	72	80	70	74	105	67	51	26	5	4	-
FEMALE--	27	34	46	64	62	106	103	99	73	36	19	-
BLACK---MALE-----	50	69	79	66	73	95	63	46	25	5	3	-
FEMALE--	27	32	43	60	60	98	101	97	70	35	18	-
MASSACHUSETTS -----	140	182	255	357	600	869	1,126	1,082	842	383	124	1
WHITE-----MALE----	101	138	167	225	353	474	574	418	206	54	14	-
FEMALE--	27	32	68	111	212	360	521	638	623	320	106	1
ALL OTHER--MALE----	11	8	16	10	25	20	17	12	4	4	-	-
FEMALE--	1	4	4	11	10	15	14	14	9	5	4	-
BLACK---MALE-----	8	8	14	6	21	15	15	9	4	3	-	-
FEMALE--	-	4	4	7	8	14	12	11	8	4	3	-
MICHIGAN -----	382	544	721	926	1,317	1,986	2,257	2,297	1,531	662	144	-
WHITE-----MALE----	222	279	346	473	682	933	990	807	397	120	25	-
FEMALE--	69	102	166	221	378	691	1,007	1,262	997	476	102	-
ALL OTHER--MALE----	57	107	133	131	140	186	121	76	35	14	3	-
FEMALE--	34	56	76	101	117	176	139	152	102	52	14	-
BLACK---MALE-----	53	100	123	123	137	177	116	71	35	13	3	-
FEMALE--	33	51	75	96	110	167	133	146	99	51	13	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 1922

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other forms of chronic ischemic heart disease (I20,I25)												
MINNESOTA -----	3,727	1	-	-	-	-	1	4	5	28	61	65
WHITE-----MALE----	2,004	-	-	-	-	-	-	1	2	16	42	48
FEMALE--	1,622	1	-	-	-	-	1	-	2	6	8	12
ALL OTHER--MALE----	72	-	-	-	-	-	-	3	-	4	11	4
FEMALE--	29	-	-	-	-	-	-	-	1	2	-	1
BLACK---MALE-----	39	-	-	-	-	-	-	3	-	2	6	2
FEMALE--	20	-	-	-	-	-	-	-	1	2	-	-
MISSISSIPPI -----	2,850	-	-	-	-	-	2	7	6	19	52	61
WHITE-----MALE----	993	-	-	-	-	-	-	3	1	9	14	23
FEMALE--	1,120	-	-	-	-	-	-	-	2	1	10	7
ALL OTHER--MALE----	348	-	-	-	-	-	1	1	2	7	16	21
FEMALE--	389	-	-	-	-	-	1	3	1	2	12	10
BLACK---MALE-----	343	-	-	-	-	-	1	1	1	7	16	21
FEMALE--	385	-	-	-	-	-	1	2	1	2	12	10
MISSOURI -----	6,233	1	-	-	-	-	1	2	15	28	72	88
WHITE-----MALE----	2,669	-	-	-	-	-	-	2	10	15	37	50
FEMALE--	2,969	-	-	-	-	-	1	-	2	6	7	12
ALL OTHER--MALE----	273	-	-	-	-	-	-	-	2	6	20	18
FEMALE--	322	1	-	-	-	-	-	-	1	1	8	8
BLACK---MALE-----	268	-	-	-	-	-	-	-	2	6	18	18
FEMALE--	310	1	-	-	-	-	-	-	1	1	8	8
MONTANA -----	678	-	-	-	-	-	-	-	-	4	9	12
WHITE-----MALE----	361	-	-	-	-	-	-	-	-	3	5	9
FEMALE--	296	-	-	-	-	-	-	-	-	1	4	2
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	1,636	-	-	-	-	-	1	-	-	2	13	23
WHITE-----MALE----	730	-	-	-	-	-	1	-	-	2	10	15
FEMALE--	845	-	-	-	-	-	-	-	-	-	1	3
ALL OTHER--MALE----	30	-	-	-	-	-	-	-	-	-	2	3
FEMALE--	31	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE-----	24	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	25	-	-	-	-	-	-	-	-	-	-	2
NEVADA -----	1,905	-	-	-	-	-	-	-	6	14	10	34
WHITE-----MALE----	1,083	-	-	-	-	-	-	-	6	7	7	27
FEMALE--	656	-	-	-	-	-	-	-	-	4	2	5
ALL OTHER--MALE----	89	-	-	-	-	-	-	-	-	2	1	-
FEMALE--	77	-	-	-	-	-	-	-	-	1	-	2
BLACK---MALE-----	60	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	51	-	-	-	-	-	-	-	-	1	-	1

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other forms of chronic ischemic heart disease (I20,I25)												
MINNESOTA -----	143	139	150	220	329	504	640	682	482	216	57	-
WHITE-----MALE----	110	101	104	163	208	316	343	312	162	65	11	-
FEMALE--	26	26	33	54	105	179	290	363	319	151	46	-
ALL OTHER--MALE----	6	9	11	3	11	3	4	3	-	-	-	-
FEMALE--	1	3	2	-	5	6	3	4	1	-	-	-
BLACK---MALE-----	5	6	6	-	5	-	3	1	-	-	-	-
FEMALE--	-	2	2	-	4	4	1	4	-	-	-	-
MISSISSIPPI -----	101	104	154	208	307	393	433	478	343	141	41	-
WHITE-----MALE----	40	47	76	100	141	157	157	141	65	15	4	-
FEMALE--	17	22	36	47	85	135	195	254	194	91	24	-
ALL OTHER--MALE----	29	22	27	32	39	46	42	26	31	4	2	-
FEMALE--	15	13	15	29	42	55	39	57	53	31	11	-
BLACK---MALE-----	29	22	26	31	39	46	42	26	29	4	2	-
FEMALE--	14	12	15	29	42	54	39	57	53	31	11	-
MISSOURI -----	150	171	275	340	590	895	1,084	1,136	913	375	97	-
WHITE-----MALE----	89	107	157	193	328	470	500	423	216	57	15	-
FEMALE--	38	35	85	89	201	323	509	651	640	294	76	-
ALL OTHER--MALE----	16	20	20	37	26	48	36	14	7	3	-	-
FEMALE--	7	9	13	21	35	54	39	48	50	21	6	-
BLACK---MALE-----	16	19	19	37	26	48	36	13	7	3	-	-
FEMALE--	7	9	13	19	32	50	38	48	49	20	6	-
MONTANA -----	18	34	50	35	74	97	119	115	73	35	3	-
WHITE-----MALE----	10	19	38	20	51	58	70	55	17	6	-	-
FEMALE--	7	12	9	12	19	36	47	60	55	29	3	-
ALL OTHER--MALE----	-	1	2	2	3	1	-	-	-	-	-	-
FEMALE--	1	2	1	1	1	2	2	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
NEBRASKA -----	25	31	61	76	136	210	273	355	268	127	35	-
WHITE-----MALE----	14	21	42	47	78	125	136	128	87	20	4	-
FEMALE--	5	9	16	23	52	76	127	218	179	105	31	-
ALL OTHER--MALE----	4	-	2	3	4	6	3	2	-	1	-	-
FEMALE--	2	1	1	3	2	3	7	7	2	1	-	-
BLACK---MALE-----	4	-	2	2	4	5	2	2	-	-	-	-
FEMALE--	2	1	1	3	2	2	3	6	2	1	-	-
NEVADA -----	85	151	162	204	238	307	304	206	132	49	3	-
WHITE-----MALE----	62	105	120	128	151	177	160	86	37	8	2	-
FEMALE--	15	33	26	52	63	99	128	103	88	37	1	-
ALL OTHER--MALE----	6	10	12	9	13	20	7	5	2	2	-	-
FEMALE--	2	3	4	15	11	11	9	12	5	2	-	-
BLACK---MALE-----	5	7	7	2	10	16	6	4	2	-	-	-
FEMALE--	2	3	1	11	8	7	4	7	4	2	-	-







04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 1924

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other forms of chronic ischemic heart disease (I20,I25)												
OHIO -----	14,719	-	-	-	1	-	3	9	23	49	138	250
WHITE-----MALE----	6,525	-	-	-	-	-	2	4	13	29	92	150
FEMALE--	6,682	-	-	-	-	-	-	1	5	5	25	45
ALL OTHER--MALE----	755	-	-	-	-	-	-	2	3	9	15	41
FEMALE--	757	-	-	-	1	-	1	2	2	6	6	14
BLACK---MALE-----	740	-	-	-	-	-	-	2	3	9	14	40
FEMALE--	747	-	-	-	1	-	1	2	2	6	6	14
OKLAHOMA -----	4,778	-	1	-	-	-	2	1	4	21	60	104
WHITE-----MALE----	2,226	-	-	-	-	-	1	1	1	13	40	72
FEMALE--	2,143	-	1	-	-	-	-	-	-	5	8	16
ALL OTHER--MALE----	201	-	-	-	-	-	1	-	2	1	7	12
FEMALE--	208	-	-	-	-	-	-	-	1	2	5	4
BLACK---MALE-----	108	-	-	-	-	-	1	-	-	1	5	7
FEMALE--	130	-	-	-	-	-	-	-	-	-	2	3
OREGON -----	2,996	-	-	-	-	-	1	1	5	9	29	55
WHITE-----MALE----	1,657	-	-	-	-	-	1	1	4	5	24	41
FEMALE--	1,263	-	-	-	-	-	-	-	1	2	3	9
ALL OTHER--MALE----	42	-	-	-	-	-	-	-	-	1	1	5
FEMALE--	34	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE-----	21	-	-	-	-	-	-	-	-	1	-	3
FEMALE--	13	-	-	-	-	-	-	-	-	1	-	-
PENNSYLVANIA -----	17,000	-	1	-	-	1	4	11	10	51	120	206
WHITE-----MALE----	7,397	-	-	-	-	1	1	7	8	37	84	127
FEMALE--	8,255	-	-	-	-	-	-	-	2	9	16	43
ALL OTHER--MALE----	737	-	1	-	-	-	1	3	-	2	11	24
FEMALE--	611	-	-	-	-	-	2	1	-	3	9	12
BLACK---MALE-----	710	-	1	-	-	-	1	3	-	2	11	24
FEMALE--	586	-	-	-	-	-	2	1	-	3	8	12
RHODE ISLAND -----	1,659	-	-	-	-	-	-	2	-	5	19	22
WHITE-----MALE----	694	-	-	-	-	-	-	1	-	5	12	15
FEMALE--	927	-	-	-	-	-	-	-	-	-	7	6
ALL OTHER--MALE----	17	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	15	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	3,098	-	-	-	-	-	-	2	2	22	39	69
WHITE-----MALE----	1,278	-	-	-	-	-	-	2	1	14	24	37
FEMALE--	1,114	-	-	-	-	-	-	-	1	3	3	5
ALL OTHER--MALE----	368	-	-	-	-	-	-	-	-	3	8	22
FEMALE--	338	-	-	-	-	-	-	-	-	2	4	5
BLACK---MALE-----	365	-	-	-	-	-	-	-	-	3	8	22
FEMALE--	334	-	-	-	-	-	-	-	-	2	4	5

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Other forms of chronic ischemic heart disease (I20,I25)

OHIO -----	429	512	733	964	1,557	2,268	2,634	2,553	1,725	706	165	-
WHITE-----MALE----	275	303	435	545	892	1,180	1,138	901	445	103	18	-
FEMALE--	75	114	169	261	481	867	1,281	1,493	1,195	539	126	-
ALL OTHER--MALE----	56	54	78	95	101	106	91	55	26	18	5	-
FEMALE--	23	41	51	63	83	115	124	104	59	46	16	-
BLACK---MALE-----	55	54	78	92	98	106	88	53	25	18	5	-
FEMALE--	23	40	49	62	82	113	123	103	58	46	16	-
OKLAHOMA -----	131	218	216	331	495	681	818	785	609	240	61	-
WHITE-----MALE----	78	131	127	191	315	366	373	304	169	40	4	-
FEMALE--	30	59	60	103	145	261	387	424	411	184	49	-
ALL OTHER--MALE----	15	21	15	24	22	30	27	14	5	4	1	-
FEMALE--	8	7	14	13	13	24	31	43	24	12	7	-
BLACK---MALE-----	8	12	9	10	11	16	14	7	3	3	1	-
FEMALE--	4	5	8	8	11	12	17	29	15	11	5	-
OREGON -----	135	116	157	204	271	439	561	534	330	121	28	-
WHITE-----MALE----	102	82	100	132	166	272	323	255	122	26	1	-
FEMALE--	26	26	50	64	96	158	229	275	202	95	27	-
ALL OTHER--MALE----	5	7	4	2	6	3	4	3	1	-	-	-
FEMALE--	2	1	3	6	3	6	5	1	5	-	-	-
BLACK---MALE-----	1	3	2	1	5	-	3	1	1	-	-	-
FEMALE--	2	1	-	1	-	4	3	-	1	-	-	-
PENNSYLVANIA -----	369	491	659	1,018	1,582	2,472	3,238	3,279	2,250	993	244	1
WHITE-----MALE----	222	306	376	574	905	1,262	1,470	1,237	576	172	31	1
FEMALE--	63	103	161	279	517	1,026	1,597	1,882	1,586	783	188	-
ALL OTHER--MALE----	65	56	80	105	103	107	84	53	32	7	3	-
FEMALE--	19	26	42	60	57	77	87	107	56	31	22	-
BLACK---MALE-----	63	53	75	102	100	102	80	52	31	7	3	-
FEMALE--	19	26	41	56	53	75	81	101	55	31	22	-
RHODE ISLAND -----	22	41	50	70	142	213	307	325	284	128	29	-
WHITE-----MALE----	14	27	32	47	86	107	144	120	64	19	1	-
FEMALE--	6	11	16	22	51	96	160	203	216	106	27	-
ALL OTHER--MALE----	-	2	1	-	5	7	-	-	-	-	-	-
FEMALE--	2	1	1	1	-	3	3	2	4	3	1	-
BLACK---MALE-----	-	2	1	-	5	6	-	-	-	-	-	-
FEMALE--	2	1	1	-	-	3	3	2	3	2	1	-
SOUTH CAROLINA -----	113	156	179	242	358	498	561	433	283	115	26	-
WHITE-----MALE----	62	87	95	127	180	234	206	137	61	11	-	-
FEMALE--	11	21	30	56	93	159	246	217	170	80	19	-
ALL OTHER--MALE----	30	35	31	37	54	51	46	27	19	4	1	-
FEMALE--	10	13	23	22	31	54	63	52	33	20	6	-
BLACK---MALE-----	30	35	31	36	52	51	46	27	19	4	1	-
FEMALE--	10	13	23	21	30	52	63	52	33	20	6	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 1925

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other forms of chronic ischemic heart disease (I20,I25)												
SOUTH DAKOTA -----	748	-	-	-	-	-	-	-	-	2	6	12
WHITE-----MALE----	353	-	-	-	-	-	-	-	-	1	6	9
FEMALE--	363	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	14	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	6,691	-	-	-	-	-	2	6	16	32	78	144
WHITE-----MALE----	2,825	-	-	-	-	-	2	4	11	19	48	78
FEMALE--	2,942	-	-	-	-	-	-	-	3	7	17	34
ALL OTHER--MALE----	440	-	-	-	-	-	-	2	1	4	8	18
FEMALE--	484	-	-	-	-	-	-	-	1	2	5	14
BLACK---MALE----	432	-	-	-	-	-	-	2	1	4	8	18
FEMALE--	479	-	-	-	-	-	-	-	1	2	5	14
TEXAS -----	17,150	1	-	-	-	-	6	16	25	99	236	364
WHITE-----MALE----	7,881	-	-	-	-	-	3	12	14	61	131	233
FEMALE--	7,151	-	-	-	-	-	2	1	2	19	42	53
ALL OTHER--MALE----	1,095	-	-	-	-	-	1	1	8	16	47	54
FEMALE--	1,023	1	-	-	-	-	-	2	1	3	16	24
BLACK---MALE----	1,014	-	-	-	-	-	1	1	7	13	41	51
FEMALE--	979	1	-	-	-	-	-	2	1	3	15	22
UTAH -----	964	-	-	-	-	-	1	4	6	8	15	24
WHITE-----MALE----	563	-	-	-	-	-	-	1	5	5	14	16
FEMALE--	380	-	-	-	-	-	-	3	-	2	1	5
ALL OTHER--MALE----	12	-	-	-	-	-	1	-	1	1	-	2
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	4	-	-	-	-	-	-	-	1	1	-	2
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
VERMONT -----	656	-	-	-	-	-	-	-	-	3	4	11
WHITE-----MALE----	330	-	-	-	-	-	-	-	-	2	1	9
FEMALE--	326	-	-	-	-	-	-	-	-	1	3	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	5,544	-	-	-	-	2	1	5	16	27	61	122
WHITE-----MALE----	2,295	-	-	-	-	-	-	1	10	17	24	65
FEMALE--	2,235	-	-	-	-	-	-	1	3	5	14	20
ALL OTHER--MALE----	526	-	-	-	-	1	1	1	2	3	17	27
FEMALE--	488	-	-	-	-	1	-	2	1	2	6	10
BLACK---MALE----	496	-	-	-	-	1	1	1	2	3	15	26
FEMALE--	473	-	-	-	-	1	-	2	1	2	6	10

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 1925

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Other forms of chronic ischemic heart disease (I20,I25)

SOUTH DAKOTA -----	9	24	16	28	56	97	131	157	130	60	20	-
WHITE-----MALE----	6	16	9	20	38	58	77	55	38	17	3	-
FEMALE--	-	1	3	7	15	38	50	99	89	43	17	-
ALL OTHER--MALE----	1	7	4	-	1	-	2	-	1	-	-	-
FEMALE--	2	-	-	1	2	1	2	3	2	-	-	-
BLACK---MALE-----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	232	308	382	509	660	929	1,110	1,108	788	334	53	-
WHITE-----MALE----	123	167	221	275	359	428	480	366	175	67	2	-
FEMALE--	47	67	87	131	198	381	518	648	539	227	38	-
ALL OTHER--MALE----	46	51	50	60	49	59	30	27	22	9	4	-
FEMALE--	16	23	24	43	54	61	82	67	52	31	9	-
BLACK---MALE-----	44	49	49	60	48	58	30	26	22	9	4	-
FEMALE--	15	23	24	43	52	61	81	67	51	31	9	-
TEXAS -----	610	802	986	1,353	1,846	2,530	2,712	2,671	1,966	754	170	3
WHITE-----MALE----	385	488	583	756	1,035	1,283	1,207	974	546	150	18	2
FEMALE--	101	158	214	360	568	951	1,250	1,491	1,266	548	124	1
ALL OTHER--MALE----	87	101	112	137	138	164	112	57	43	11	6	-
FEMALE--	37	55	77	100	105	132	143	149	111	45	22	-
BLACK---MALE-----	81	87	106	130	127	153	103	53	43	11	6	-
FEMALE--	35	54	73	97	102	128	134	140	108	43	21	-
UTAH -----	27	51	50	63	101	133	178	165	97	39	2	-
WHITE-----MALE----	22	36	43	43	63	84	107	85	28	11	-	-
FEMALE--	1	13	7	20	34	49	69	77	69	28	2	-
ALL OTHER--MALE----	3	2	-	-	1	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	3	-	2	2	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	1	-	-	-	-	-
VERMONT -----	14	18	16	48	61	94	117	124	95	43	8	-
WHITE-----MALE----	13	16	13	34	37	58	48	51	38	9	1	-
FEMALE--	1	2	3	14	24	36	69	73	57	34	7	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	174	246	325	399	555	841	946	872	615	275	62	-
WHITE-----MALE----	96	140	174	222	264	398	373	302	168	35	6	-
FEMALE--	24	42	61	87	173	302	407	456	394	201	45	-
ALL OTHER--MALE----	41	50	57	56	63	68	78	36	12	11	2	-
FEMALE--	13	14	33	34	55	73	88	78	41	28	9	-
BLACK---MALE-----	37	46	53	52	61	65	75	33	12	11	2	-
FEMALE--	12	13	31	33	54	69	86	77	39	28	9	-









04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 1927

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Atherosclerotic cardiovascular disease, so described (I25.0)

UNITED STATES -	3,209	3,924	4,514	5,272	6,733	9,041	10,155	9,984	7,556	3,323	873	25
WHITE-----MALE----	1,968	2,270	2,466	2,665	3,379	4,090	4,206	3,272	1,958	548	86	11
FEMALE--	445	627	869	1,276	1,996	3,357	4,663	5,655	4,909	2,430	659	5
ALL OTHER--MALE----	581	708	801	818	806	807	568	358	209	68	22	8
FEMALE--	215	319	378	513	552	787	718	699	480	277	106	1
BLACK---MALE-----	517	620	708	722	716	711	484	295	174	51	17	7
FEMALE--	200	291	346	464	492	694	629	627	428	248	96	1
ALABAMA -----	16	16	25	32	59	77	93	122	88	44	16	-
WHITE-----MALE----	9	6	13	17	25	31	32	33	18	7	-	-
FEMALE--	3	3	4	6	14	35	53	67	55	30	12	-
ALL OTHER--MALE----	3	2	5	5	10	5	3	9	4	2	2	-
FEMALE--	1	5	3	4	10	6	5	13	11	5	2	-
BLACK---MALE-----	3	2	5	5	10	5	3	9	4	2	2	-
FEMALE--	1	5	3	4	10	6	5	13	11	5	2	-
ALASKA -----	21	11	21	12	24	13	12	11	2	1	1	-
WHITE-----MALE----	17	8	15	5	9	9	10	6	-	-	1	-
FEMALE--	2	2	2	2	6	2	-	3	2	1	-	-
ALL OTHER--MALE----	1	1	3	4	5	1	-	1	-	-	-	-
FEMALE--	1	-	1	1	4	1	2	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ARIZONA -----	76	99	129	154	211	219	271	202	152	52	14	1
WHITE-----MALE----	63	69	85	108	119	116	124	69	53	15	2	1
FEMALE--	7	14	33	29	80	94	135	129	93	35	11	-
ALL OTHER--MALE----	4	10	7	10	8	6	6	3	2	1	-	-
FEMALE--	2	6	4	7	4	3	6	1	4	1	1	-
BLACK---MALE-----	-	5	3	6	3	3	2	-	2	1	-	-
FEMALE--	-	2	2	1	2	3	4	1	-	-	-	-
ARKANSAS -----	12	17	10	28	20	32	35	38	26	13	2	-
WHITE-----MALE----	8	12	7	15	9	16	14	13	4	2	-	-
FEMALE--	-	2	1	6	10	9	15	22	20	8	1	-
ALL OTHER--MALE----	4	3	2	3	1	4	2	1	1	2	-	-
FEMALE--	-	-	-	4	-	3	4	2	1	1	1	-
BLACK---MALE-----	4	3	2	3	1	4	2	1	1	2	-	-
FEMALE--	-	-	-	4	-	3	3	2	1	1	1	-
CALIFORNIA -----	374	496	633	683	775	1,147	1,239	1,271	960	474	127	1
WHITE-----MALE----	243	316	355	360	372	519	526	420	254	77	14	-
FEMALE--	45	65	131	179	257	442	543	696	623	350	95	-
ALL OTHER--MALE----	70	94	109	95	83	90	82	68	24	13	4	1
FEMALE--	16	21	38	49	63	96	88	87	59	34	14	-
BLACK---MALE-----	49	62	79	77	54	54	45	36	10	3	3	1
FEMALE--	13	11	28	34	40	63	54	57	35	21	11	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 1928

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Atherosclerotic cardiovascular disease, so described (I25.0)												
COLORADO -----	579	-	-	-	-	-	-	-	2	7	13	21
WHITE-----MALE----	285	-	-	-	-	-	-	-	2	4	8	18
FEMALE--	260	-	-	-	-	-	-	-	-	1	2	2
ALL OTHER--MALE----	20	-	-	-	-	-	-	-	-	2	2	1
FEMALE--	14	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	13	-	-	-	-	-	-	-	-	2	2	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1,191	-	-	-	-	-	-	-	1	1	13	36
WHITE-----MALE----	559	-	-	-	-	-	-	-	1	-	7	23
FEMALE--	535	-	-	-	-	-	-	-	-	-	2	8
ALL OTHER--MALE----	52	-	-	-	-	-	-	-	-	-	3	3
FEMALE--	45	-	-	-	-	-	-	-	-	1	1	2
BLACK---MALE----	47	-	-	-	-	-	-	-	-	-	3	1
FEMALE--	41	-	-	-	-	-	-	-	-	1	1	2
DELAWARE -----	373	-	-	-	-	-	-	-	3	1	11	5
WHITE-----MALE----	153	-	-	-	-	-	-	-	1	-	5	4
FEMALE--	168	-	-	-	-	-	-	-	1	1	1	1
ALL OTHER--MALE----	27	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	25	-	-	-	-	-	-	-	1	-	3	-
BLACK---MALE----	27	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	23	-	-	-	-	-	-	-	1	-	3	-
DISTRICT OF COLUMBIA ---	594	-	-	-	-	-	-	-	1	2	11	14
WHITE-----MALE----	56	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	62	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	228	-	-	-	-	-	-	-	1	2	7	11
FEMALE--	248	-	-	-	-	-	-	-	-	-	3	2
BLACK---MALE----	225	-	-	-	-	-	-	-	1	2	7	11
FEMALE--	245	-	-	-	-	-	-	-	-	-	3	2
FLORIDA -----	5,288	-	-	-	-	-	-	2	9	31	68	120
WHITE-----MALE----	2,493	-	-	-	-	-	-	2	5	20	49	94
FEMALE--	2,326	-	-	-	-	-	-	2	7	7	5	12
ALL OTHER--MALE----	256	-	-	-	-	-	-	-	1	1	11	10
FEMALE--	213	-	-	-	-	-	-	-	1	3	3	4
BLACK---MALE----	238	-	-	-	-	-	-	-	1	1	11	9
FEMALE--	210	-	-	-	-	-	-	-	1	3	3	4
GEORGIA -----	1,320	-	-	-	-	-	1	-	3	7	34	45
WHITE-----MALE----	451	-	-	-	-	-	-	-	3	2	14	22
FEMALE--	433	-	-	-	-	-	-	-	-	1	4	5
ALL OTHER--MALE----	226	-	-	-	-	-	1	-	-	1	11	15
FEMALE--	210	-	-	-	-	-	-	-	-	3	5	3
BLACK---MALE----	220	-	-	-	-	-	1	-	-	1	11	15
FEMALE--	206	-	-	-	-	-	-	-	-	3	5	3

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Atherosclerotic cardiovascular disease, so described (I25.0)

COLORADO -----	27	35	36	47	67	66	85	86	51	27	9	-
WHITE-----MALE----	19	26	29	23	37	34	28	33	18	6	-	-
FEMALE--	3	6	6	21	27	29	54	48	31	21	9	-
ALL OTHER--MALE----	4	3	1	1	2	2	1	1	-	-	-	-
FEMALE--	1	-	-	2	1	1	2	4	2	-	-	-
BLACK---MALE----	1	2	1	1	2	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	1	1	2	3	2	-	-	-
CONNECTICUT -----	63	56	89	99	114	146	206	165	133	57	12	-
WHITE-----MALE----	38	39	53	48	70	72	103	57	40	8	-	-
FEMALE--	15	11	26	31	37	65	91	103	86	48	12	-
ALL OTHER--MALE----	6	3	7	11	4	4	6	2	3	-	-	-
FEMALE--	4	3	3	9	3	5	6	3	4	1	-	-
BLACK---MALE----	5	3	7	10	4	3	6	2	3	-	-	-
FEMALE--	4	3	3	8	3	4	5	3	3	1	-	-
DELAWARE -----	8	12	25	29	42	45	49	51	60	21	11	-
WHITE-----MALE----	4	7	16	17	19	22	24	17	15	2	-	-
FEMALE--	-	2	5	5	15	17	20	32	39	18	11	-
ALL OTHER--MALE----	2	2	3	1	7	4	2	1	3	-	-	-
FEMALE--	2	1	1	6	1	2	3	1	3	1	-	-
BLACK---MALE----	2	2	3	1	7	4	2	1	3	-	-	-
FEMALE--	2	1	1	6	-	2	3	1	2	1	-	-
DISTRICT OF COLUMBIA ---	26	35	45	48	68	102	82	69	55	26	8	2
WHITE-----MALE----	2	1	3	7	8	9	10	5	6	1	1	1
FEMALE--	-	1	2	5	3	15	4	8	13	8	3	-
ALL OTHER--MALE----	16	25	27	18	33	27	31	16	9	4	-	1
FEMALE--	8	8	13	18	24	51	37	40	27	13	4	-
BLACK---MALE----	16	25	27	18	33	26	31	15	8	4	-	1
FEMALE--	8	8	13	17	24	50	37	39	27	13	4	-
FLORIDA -----	170	242	288	323	480	732	870	945	681	262	61	4
WHITE-----MALE----	119	170	175	190	262	354	401	384	215	47	5	1
FEMALE--	30	42	56	83	165	310	409	516	440	199	48	2
ALL OTHER--MALE----	17	22	36	41	31	35	24	14	8	3	1	1
FEMALE--	4	8	21	9	22	33	36	31	18	13	7	-
BLACK---MALE----	16	21	33	36	30	33	24	12	7	2	1	1
FEMALE--	4	8	21	9	21	32	36	31	18	12	7	-
GEORGIA -----	78	105	95	103	137	160	185	179	116	58	14	-
WHITE-----MALE----	31	52	47	45	49	56	62	46	19	2	1	-
FEMALE--	7	13	17	17	35	58	76	92	72	30	6	-
ALL OTHER--MALE----	31	22	19	32	29	25	22	10	6	2	-	-
FEMALE--	9	18	12	9	24	21	25	31	19	24	7	-
BLACK---MALE----	31	20	19	30	28	24	22	10	6	2	-	-
FEMALE--	8	18	12	8	24	19	25	31	19	24	7	-



04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 1929

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Atherosclerotic cardiovascular disease, so described (I25.0)

HAWAII -----	6	14	13	23	18	38	33	28	23	11	3	-
WHITE-----MALE----	3	5	4	2	2	7	8	5	2	-	-	-
FEMALE--	-	3	2	4	-	3	5	8	5	1	1	-
ALL OTHER--MALE----	2	6	6	14	11	12	12	7	11	4	-	-
FEMALE--	1	-	1	3	5	16	8	8	5	6	2	-
BLACK---MALE----	-	-	-	1	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	3	2	9	4	11	9	28	29	29	7	1	-
WHITE-----MALE----	1	2	7	2	8	4	15	12	6	4	-	-
FEMALE--	2	-	1	2	3	5	11	17	23	3	1	-
ALL OTHER--MALE----	-	-	1	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	204	215	199	236	266	328	294	263	196	81	16	-
WHITE-----MALE----	89	104	99	83	116	138	112	88	52	13	3	-
FEMALE--	20	26	34	45	69	109	123	142	126	58	11	-
ALL OTHER--MALE----	67	62	46	65	56	46	29	11	5	-	-	-
FEMALE--	28	23	20	43	25	35	30	22	13	10	2	-
BLACK---MALE----	65	58	45	59	56	43	28	11	5	-	-	-
FEMALE--	28	23	20	43	23	33	26	21	13	10	2	-
INDIANA -----	27	19	28	56	48	91	97	123	100	37	17	-
WHITE-----MALE----	15	15	18	37	27	56	52	34	24	6	1	-
FEMALE--	8	4	5	13	19	34	40	86	73	29	15	-
ALL OTHER--MALE----	2	-	3	5	1	1	3	1	1	-	-	-
FEMALE--	2	-	2	1	1	-	2	2	2	2	1	-
BLACK---MALE----	2	-	3	5	-	1	3	1	1	-	-	-
FEMALE--	2	-	2	1	1	-	2	2	2	2	1	-
IOWA -----	38	38	64	65	123	152	165	186	158	75	29	-
WHITE-----MALE----	29	21	47	42	77	89	81	66	45	14	5	-
FEMALE--	7	14	13	21	39	56	80	118	112	61	23	-
ALL OTHER--MALE----	2	2	3	2	2	2	-	1	-	-	1	-
FEMALE--	-	1	1	-	5	5	4	1	1	-	-	-
BLACK---MALE----	-	2	2	2	1	1	-	1	-	-	-	-
FEMALE--	-	1	1	-	3	5	1	-	1	-	-	-
KANSAS -----	21	18	33	30	40	40	57	78	45	22	6	-
WHITE-----MALE----	12	13	23	20	19	22	24	27	8	1	2	-
FEMALE--	6	3	5	8	15	15	29	49	35	21	4	-
ALL OTHER--MALE----	2	2	3	-	3	2	2	-	1	-	-	-
FEMALE--	1	-	2	2	3	1	2	2	1	-	-	-
BLACK---MALE----	1	1	3	-	3	1	2	-	1	-	-	-
FEMALE--	1	-	2	1	2	1	1	2	1	-	-	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 1930

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Atherosclerotic cardiovascular disease, so described (I25.0)												
KENTUCKY -----	611	-	-	-	-	-	1	1	2	6	9	18
WHITE-----MALE----	290	-	-	-	-	-	1	-	2	4	6	12
FEMALE--	285	-	-	-	-	-	-	1	-	2	2	6
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	23	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	23	-	-	-	-	-	-	-	-	-	1	-
LOUISIANA -----	1,333	-	-	-	-	-	1	3	2	7	18	21
WHITE-----MALE----	472	-	-	-	-	-	-	2	1	3	11	13
FEMALE--	480	-	-	-	-	-	-	-	1	3	1	1
ALL OTHER--MALE----	172	-	-	-	-	-	1	1	-	1	2	4
FEMALE--	209	-	-	-	-	-	-	-	-	-	4	3
BLACK---MALE----	171	-	-	-	-	-	1	1	-	1	2	4
FEMALE--	208	-	-	-	-	-	-	-	-	-	4	3
MAINE -----	306	-	-	-	-	-	1	-	4	2	4	19
WHITE-----MALE----	150	-	-	-	-	-	1	-	4	1	2	18
FEMALE--	153	-	-	-	-	-	-	-	-	1	2	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2,392	-	-	-	-	-	1	1	6	24	46	84
WHITE-----MALE----	806	-	-	-	-	-	1	-	4	12	24	37
FEMALE--	864	-	-	-	-	-	-	-	-	2	6	7
ALL OTHER--MALE----	393	-	-	-	-	-	-	-	2	10	13	30
FEMALE--	329	-	-	-	-	-	-	1	-	-	3	10
BLACK---MALE----	377	-	-	-	-	-	-	-	2	10	12	28
FEMALE--	317	-	-	-	-	-	-	1	-	-	3	10
MASSACHUSETTS -----	976	-	-	-	-	-	-	1	1	6	11	19
WHITE-----MALE----	492	-	-	-	-	-	-	-	1	3	9	15
FEMALE--	425	-	-	-	-	-	-	1	-	1	-	2
ALL OTHER--MALE----	40	-	-	-	-	-	-	-	-	2	2	1
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	33	-	-	-	-	-	-	-	-	2	2	1
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	1
MICHIGAN -----	3,819	-	-	-	-	-	1	3	13	28	71	148
WHITE-----MALE----	1,376	-	-	-	-	-	1	2	5	15	36	76
FEMALE--	1,092	-	-	-	-	-	-	1	2	1	13	14
ALL OTHER--MALE----	738	-	-	-	-	-	-	-	5	9	15	42
FEMALE--	613	-	-	-	-	-	-	-	1	3	7	16
BLACK---MALE----	714	-	-	-	-	-	-	-	4	9	15	41
FEMALE--	597	-	-	-	-	-	-	-	1	3	7	16

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 1930

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Atherosclerotic cardiovascular disease, so described (I25.0)												
KENTUCKY -----	30	28	30	41	55	76	106	85	78	38	7	-
WHITE-----MALE----	24	16	17	28	31	36	52	36	17	7	1	-
FEMALE--	5	11	8	11	18	33	51	44	59	28	6	-
ALL OTHER--MALE----	-	1	5	2	2	2	-	1	-	-	-	-
FEMALE--	1	-	-	-	4	5	3	4	2	3	-	-
BLACK---MALE-----	-	1	5	2	1	2	-	1	-	-	-	-
FEMALE--	1	-	-	-	4	5	3	4	2	3	-	-
LOUISIANA -----	61	63	76	76	133	187	223	203	167	73	19	-
WHITE-----MALE----	32	31	40	25	61	77	88	50	27	11	-	-
FEMALE--	7	8	10	18	34	61	77	103	104	41	11	-
ALL OTHER--MALE----	14	14	16	16	15	23	29	18	11	5	2	-
FEMALE--	8	10	10	17	23	26	29	32	25	16	6	-
BLACK---MALE-----	14	14	15	16	15	23	29	18	11	5	2	-
FEMALE--	8	9	10	17	23	26	29	32	25	16	6	-
MAINE -----	14	11	9	18	31	26	42	55	49	17	4	-
WHITE-----MALE----	13	8	5	12	16	16	18	18	15	3	-	-
FEMALE--	1	3	4	6	14	10	24	36	33	14	4	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	149	151	158	176	201	318	351	335	252	99	40	-
WHITE-----MALE----	68	65	54	64	88	116	123	89	42	14	5	-
FEMALE--	25	23	25	40	53	95	147	184	164	70	23	-
ALL OTHER--MALE----	38	42	52	37	39	61	34	19	14	2	-	-
FEMALE--	18	21	27	35	21	46	47	43	32	13	12	-
BLACK---MALE-----	38	42	52	36	39	55	30	18	13	2	-	-
FEMALE--	18	21	25	33	21	42	46	42	32	12	11	-
MASSACHUSETTS -----	42	63	72	74	111	123	138	148	92	53	21	1
WHITE-----MALE----	37	47	50	47	71	66	70	43	24	8	1	-
FEMALE--	1	9	13	19	29	54	62	102	66	45	20	1
ALL OTHER--MALE----	4	5	7	5	8	1	3	2	-	-	-	-
FEMALE--	-	2	2	3	3	2	3	1	2	-	-	-
BLACK---MALE-----	4	5	7	1	7	1	2	1	-	-	-	-
FEMALE--	-	2	2	3	1	1	2	1	2	-	-	-
MICHIGAN -----	200	270	313	372	441	578	522	453	280	99	27	-
WHITE-----MALE----	99	113	108	147	176	204	187	126	60	15	6	-
FEMALE--	31	35	48	57	94	153	196	224	152	58	13	-
ALL OTHER--MALE----	44	83	103	97	100	120	62	34	20	4	-	-
FEMALE--	26	39	54	71	71	101	77	69	48	22	8	-
BLACK---MALE-----	41	81	98	93	97	119	61	31	20	4	-	-
FEMALE--	25	38	54	67	70	97	74	68	48	22	7	-





04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 1931

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Atherosclerotic cardiovascular disease, so described (I25.0)												
MINNESOTA -----	2	9	9	22	35	47	65	75	55	25	6	-
WHITE-----MALE----	2	7	5	16	23	30	33	32	20	2	1	-
FEMALE--	-	1	3	6	10	16	31	42	35	23	5	-
ALL OTHER--MALE----	-	-	-	-	2	-	1	-	-	-	-	-
FEMALE--	-	1	1	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
MISSISSIPPI -----	21	28	31	52	66	95	126	152	112	58	18	-
WHITE-----MALE----	11	14	12	20	25	39	37	43	23	7	1	-
FEMALE--	4	3	7	10	24	29	67	77	65	36	12	-
ALL OTHER--MALE----	4	8	8	9	9	14	11	9	8	1	1	-
FEMALE--	2	3	4	13	8	13	11	23	16	14	4	-
BLACK---MALE----	4	8	7	9	9	14	11	9	8	1	1	-
FEMALE--	2	2	4	13	8	13	11	23	16	14	4	-
MISSOURI -----	13	29	33	33	61	81	112	111	86	43	9	-
WHITE-----MALE----	8	18	19	20	32	34	49	31	23	7	1	-
FEMALE--	3	6	7	10	21	34	51	73	56	32	8	-
ALL OTHER--MALE----	2	3	6	-	3	9	6	1	2	-	-	-
FEMALE--	-	2	1	3	5	4	6	6	5	4	-	-
BLACK---MALE----	2	2	6	-	3	9	6	1	2	-	-	-
FEMALE--	-	2	1	3	5	4	6	6	4	4	-	-
MONTANA -----	7	8	11	9	13	24	26	19	18	3	-	-
WHITE-----MALE----	4	4	9	3	10	11	15	8	3	-	-	-
FEMALE--	2	3	1	5	3	12	11	11	15	3	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	1	3	2	3	10	15	35	42	44	16	6	-
WHITE-----MALE----	1	2	1	2	6	12	15	11	16	4	-	-
FEMALE--	-	1	1	1	4	3	17	31	28	11	6	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
NEVADA -----	56	78	76	86	95	113	92	66	43	11	-	-
WHITE-----MALE----	43	55	56	58	58	64	52	26	17	3	-	-
FEMALE--	8	13	9	20	25	36	32	34	25	7	-	-
ALL OTHER--MALE----	4	8	8	3	10	7	3	1	-	1	-	-
FEMALE--	1	2	3	5	2	6	5	5	1	-	-	-
BLACK---MALE----	4	6	5	1	7	6	3	-	-	-	-	-
FEMALE--	1	2	1	2	1	4	1	2	1	-	-	-







04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 1933

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Atherosclerotic cardiovascular disease, so described (I25.0)												
OHIO -----	122	121	126	161	176	244	312	305	208	99	25	-
WHITE-----MALE----	81	71	75	89	97	133	137	103	53	23	4	-
FEMALE--	20	26	28	49	51	81	148	185	148	71	18	-
ALL OTHER--MALE----	19	11	14	18	21	12	9	5	4	2	-	-
FEMALE--	2	13	9	5	7	18	18	12	3	3	3	-
BLACK---MALE----	18	11	14	17	20	12	9	5	4	2	-	-
FEMALE--	2	13	9	5	7	17	18	12	3	3	3	-
OKLAHOMA -----	79	107	81	98	154	233	230	219	196	70	20	-
WHITE-----MALE----	47	74	40	56	102	131	100	87	61	12	1	-
FEMALE--	16	21	26	29	38	83	113	119	123	55	17	-
ALL OTHER--MALE----	11	8	8	10	7	9	5	2	1	-	-	-
FEMALE--	5	4	7	3	7	10	12	11	11	3	2	-
BLACK---MALE----	5	5	3	7	3	5	1	2	-	-	-	-
FEMALE--	3	2	2	2	7	5	7	8	6	3	2	-
OREGON -----	19	14	25	28	41	52	64	82	54	21	6	-
WHITE-----MALE----	13	9	17	20	28	31	32	33	26	8	-	-
FEMALE--	4	5	7	6	13	21	31	48	27	13	6	-
ALL OTHER--MALE----	2	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	2	-	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
PENNSYLVANIA -----	171	184	232	270	382	545	687	679	542	264	62	1
WHITE-----MALE----	99	101	112	129	189	226	258	210	125	31	4	1
FEMALE--	19	33	40	54	124	232	360	402	390	224	50	-
ALL OTHER--MALE----	45	34	55	62	51	55	30	23	12	1	1	-
FEMALE--	8	16	25	25	18	32	39	44	15	8	7	-
BLACK---MALE----	44	32	54	60	51	51	29	23	12	1	1	-
FEMALE--	8	16	24	25	17	30	37	40	14	8	7	-
RHODE ISLAND -----	14	22	24	28	51	71	97	82	82	38	5	-
WHITE-----MALE----	10	13	14	18	31	36	48	26	25	5	1	-
FEMALE--	3	7	8	10	19	31	48	55	56	31	4	-
ALL OTHER--MALE----	-	2	1	-	1	3	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	1	1	1	1	2	-	-
BLACK---MALE----	-	2	1	-	1	3	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	1	1	1	1	1	-	-
SOUTH CAROLINA -----	15	21	26	34	34	67	75	73	57	32	6	-
WHITE-----MALE----	8	9	12	17	16	28	20	20	8	3	-	-
FEMALE--	1	2	4	6	8	24	38	35	34	23	4	-
ALL OTHER--MALE----	5	7	2	9	5	10	6	5	2	2	-	-
FEMALE--	1	3	8	2	5	5	11	13	13	4	2	-
BLACK---MALE----	5	7	2	9	5	10	6	5	2	2	-	-
FEMALE--	1	3	8	2	5	5	11	13	13	4	2	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 1934

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Atherosclerotic cardiovascular disease, so described (I25.0)												
SOUTH DAKOTA -----	144	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	48	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	92	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2,078	-	-	-	-	-	-	1	8	9	31	66
WHITE-----MALE----	812	-	-	-	-	-	-	-	4	3	15	36
FEMALE--	822	-	-	-	-	-	-	-	2	2	8	10
ALL OTHER--MALE----	231	-	-	-	-	-	-	1	1	2	5	12
FEMALE--	213	-	-	-	-	-	-	-	1	2	3	8
BLACK---MALE----	228	-	-	-	-	-	-	1	1	2	5	12
FEMALE--	213	-	-	-	-	-	-	-	1	2	3	8
TEXAS -----	4,794	-	-	-	-	-	1	6	11	58	134	190
WHITE-----MALE----	2,236	-	-	-	-	-	-	6	7	36	68	112
FEMALE--	1,717	-	-	-	-	-	-	-	1	12	29	24
ALL OTHER--MALE----	485	-	-	-	-	-	1	-	2	8	29	35
FEMALE--	356	-	-	-	-	-	-	-	1	2	8	19
BLACK---MALE----	450	-	-	-	-	-	1	-	2	6	25	32
FEMALE--	341	-	-	-	-	-	-	-	1	2	8	18
UTAH -----	126	-	-	-	-	-	-	2	-	1	2	2
WHITE-----MALE----	61	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	62	-	-	-	-	-	-	2	-	1	-	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	200	-	-	-	-	-	-	-	-	1	3	5
WHITE-----MALE----	78	-	-	-	-	-	-	-	-	1	1	4
FEMALE--	122	-	-	-	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1,215	-	-	-	-	-	-	1	2	7	12	30
WHITE-----MALE----	435	-	-	-	-	-	-	-	2	5	2	16
FEMALE--	564	-	-	-	-	-	-	-	-	-	2	4
ALL OTHER--MALE----	123	-	-	-	-	-	-	1	-	1	7	9
FEMALE--	93	-	-	-	-	-	-	-	-	1	1	1
BLACK---MALE----	115	-	-	-	-	-	-	1	-	1	5	9
FEMALE--	90	-	-	-	-	-	-	-	-	1	1	1

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 1934

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Atherosclerotic cardiovascular disease, so described (I25.0)												
SOUTH DAKOTA -----	-	2	2	1	7	9	25	45	34	14	5	-
WHITE-----MALE----	-	1	1	1	5	1	15	11	7	5	1	-
FEMALE--	-	-	1	-	1	8	10	33	26	9	4	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	92	134	153	204	199	278	289	284	215	100	15	-
WHITE-----MALE----	42	66	78	94	92	103	119	91	51	18	-	-
FEMALE--	19	22	31	45	54	113	134	160	143	70	9	-
ALL OTHER--MALE----	25	30	29	37	28	30	10	8	8	2	3	-
FEMALE--	6	16	15	28	25	32	26	25	13	10	3	-
BLACK---MALE-----	25	29	29	37	27	30	10	7	8	2	3	-
FEMALE--	6	16	15	28	25	32	26	25	13	10	3	-
TEXAS -----	293	356	405	480	509	579	592	555	428	158	36	3
WHITE-----MALE----	196	215	237	256	273	254	252	185	103	30	4	2
FEMALE--	33	56	71	111	136	222	279	317	286	110	29	1
ALL OTHER--MALE----	45	60	63	69	57	55	29	18	9	3	2	-
FEMALE--	19	25	34	44	43	48	32	35	30	15	1	-
BLACK---MALE-----	42	51	59	67	54	52	27	18	9	3	2	-
FEMALE--	18	25	31	44	42	46	30	33	28	14	1	-
UTAH -----	3	8	8	7	12	14	22	22	16	7	-	-
WHITE-----MALE----	2	6	8	2	9	5	10	10	5	2	-	-
FEMALE--	1	2	-	5	2	9	11	11	11	5	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
VERMONT -----	4	5	3	9	19	25	25	44	34	20	3	-
WHITE-----MALE----	3	4	2	7	9	12	4	15	11	4	1	-
FEMALE--	1	1	1	2	10	13	21	29	23	16	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	60	52	72	73	96	154	188	198	159	87	24	-
WHITE-----MALE----	35	24	38	37	45	64	61	56	40	10	-	-
FEMALE--	6	10	17	19	33	68	108	116	98	63	20	-
ALL OTHER--MALE----	16	13	14	8	8	13	12	10	5	5	1	-
FEMALE--	3	5	3	9	10	9	7	16	16	9	3	-
BLACK---MALE-----	13	12	13	7	8	13	12	10	5	5	1	-
FEMALE--	3	4	3	9	10	8	7	15	16	9	3	-







04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 1936

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)												
UNITED STATES -	245,978	8	7	3	8	13	59	133	315	854	1,953	3,406
WHITE-----MALE----	108,714	3	-	2	5	4	29	85	173	502	1,197	2,090
FEMALE--	111,644	1	4	1	1	4	9	12	51	155	323	556
ALL OTHER--MALE----	12,256	2	1	-	1	4	12	25	71	141	293	510
FEMALE--	13,364	2	2	-	1	1	9	11	20	56	140	250
BLACK---MALE-----	10,049	2	1	-	1	4	9	23	60	120	253	438
FEMALE--	11,528	2	2	-	1	1	8	10	18	51	129	225
ALABAMA -----	2,905	2	-	-	-	-	3	2	10	10	45	62
WHITE-----MALE----	1,218	-	-	-	-	-	-	2	4	4	23	29
FEMALE--	1,114	-	-	-	-	-	-	-	1	2	5	10
ALL OTHER--MALE----	271	2	-	-	-	-	1	-	4	1	10	18
FEMALE--	302	-	-	-	-	-	2	-	1	3	7	5
BLACK---MALE-----	268	2	-	-	-	-	1	-	4	1	10	18
FEMALE--	300	-	-	-	-	-	2	-	1	3	7	5
ALASKA -----	127	-	-	-	-	-	-	-	-	2	1	2
WHITE-----MALE----	61	-	-	-	-	-	-	-	-	2	1	2
FEMALE--	40	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	3,632	1	-	-	-	-	-	-	5	6	26	52
WHITE-----MALE----	1,939	1	-	-	-	-	-	-	5	4	16	32
FEMALE--	1,557	-	-	-	-	-	-	-	-	1	8	16
ALL OTHER--MALE----	60	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	76	-	-	-	-	-	-	-	-	-	1	2
BLACK---MALE-----	31	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	39	-	-	-	-	-	-	-	-	-	1	2
ARKANSAS -----	1,756	-	-	-	-	-	1	-	1	5	10	22
WHITE-----MALE----	795	-	-	-	-	-	-	-	-	1	6	15
FEMALE--	737	-	-	-	-	-	1	-	-	2	2	4
ALL OTHER--MALE----	91	-	-	-	-	-	-	-	-	2	-	2
FEMALE--	133	-	-	-	-	-	-	-	1	-	2	1
BLACK---MALE-----	90	-	-	-	-	-	-	-	-	2	-	2
FEMALE--	132	-	-	-	-	-	-	-	1	-	2	1
CALIFORNIA -----	28,629	1	-	-	2	3	5	10	29	74	159	346
WHITE-----MALE----	12,199	1	-	-	2	-	3	5	18	47	97	222
FEMALE--	12,942	-	-	-	-	2	2	1	6	9	25	49
ALL OTHER--MALE----	1,760	-	-	-	-	1	-	4	3	13	26	48
FEMALE--	1,728	-	-	-	-	-	-	-	2	5	11	27
BLACK---MALE-----	836	-	-	-	-	1	-	4	2	10	13	25
FEMALE--	930	-	-	-	-	-	-	-	2	3	8	21

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 1936

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)

UNITED STATES -	5,496	7,442	10,401	15,259	24,174	35,878	44,655	45,199	33,160	14,135	3,407	13
WHITE-----MALE----	3,386	4,534	6,080	8,724	13,350	18,774	20,444	17,166	9,060	2,683	418	5
FEMALE--	1,021	1,594	2,508	4,161	7,839	13,312	20,392	24,812	21,879	10,390	2,616	3
ALL OTHER--MALE----	730	877	1,092	1,348	1,626	1,866	1,649	1,094	625	224	62	3
FEMALE--	359	437	721	1,026	1,359	1,926	2,170	2,127	1,596	838	311	2
BLACK---MALE-----	639	723	930	1,127	1,360	1,490	1,315	831	491	175	54	3
FEMALE--	323	410	643	893	1,150	1,654	1,837	1,800	1,361	738	271	1
ALABAMA -----	105	114	177	241	366	438	446	451	304	102	27	-
WHITE-----MALE----	52	62	96	142	168	219	184	143	71	14	5	-
FEMALE--	15	24	44	47	125	151	195	235	179	68	13	-
ALL OTHER--MALE----	22	21	19	27	40	32	23	27	18	2	4	-
FEMALE--	16	7	18	25	33	36	44	46	36	18	5	-
BLACK---MALE-----	22	19	19	27	40	31	23	27	18	2	4	-
FEMALE--	16	7	18	25	33	35	44	46	35	18	5	-
ALASKA -----	7	3	9	12	23	25	19	15	7	1	1	-
WHITE-----MALE----	5	1	4	5	11	17	5	6	2	-	-	-
FEMALE--	2	2	1	5	6	4	9	6	3	1	1	-
ALL OTHER--MALE----	-	-	4	1	3	4	2	2	2	-	-	-
FEMALE--	-	-	-	1	3	-	3	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	87	109	180	267	432	579	639	648	427	140	33	1
WHITE-----MALE----	51	75	120	170	292	359	334	282	152	40	5	1
FEMALE--	28	27	47	80	123	200	288	352	266	95	26	-
ALL OTHER--MALE----	4	5	5	9	8	9	8	6	2	-	-	-
FEMALE--	4	2	8	8	9	11	9	8	7	5	2	-
BLACK---MALE-----	3	4	3	5	1	4	5	4	-	-	-	-
FEMALE--	1	1	5	5	5	5	1	6	3	4	-	-
ARKANSAS -----	38	46	95	150	182	290	303	274	234	83	22	-
WHITE-----MALE----	18	28	59	97	108	144	149	83	67	17	3	-
FEMALE--	12	10	23	34	54	102	123	162	140	56	12	-
ALL OTHER--MALE----	5	7	9	7	8	15	15	11	9	1	-	-
FEMALE--	3	1	4	12	12	29	16	18	18	9	7	-
BLACK---MALE-----	5	7	9	7	8	14	15	11	9	1	-	-
FEMALE--	3	1	4	12	11	29	16	18	18	9	7	-
CALIFORNIA -----	612	729	1,059	1,665	2,648	4,105	5,265	5,562	4,152	1,764	436	3
WHITE-----MALE----	373	460	588	881	1,353	2,058	2,407	2,143	1,142	355	43	1
FEMALE--	113	149	270	472	907	1,507	2,280	2,914	2,630	1,262	343	1
ALL OTHER--MALE----	91	82	131	198	221	296	259	206	128	46	7	-
FEMALE--	35	38	70	114	167	244	319	299	252	101	43	1
BLACK---MALE-----	59	41	83	102	119	122	108	75	48	22	2	-
FEMALE--	31	33	52	78	85	121	156	129	133	54	24	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)												
COLORADO -----	2,082	-	-	-	1	1	1	4	4	6	30	48
WHITE-----MALE----	1,031	-	-	-	1	1	-	4	-	4	19	33
FEMALE--	942	-	-	-	-	-	-	-	2	2	6	8
ALL OTHER--MALE----	63	-	-	-	-	-	1	-	2	-	5	6
FEMALE--	46	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	48	-	-	-	-	-	1	-	2	-	5	3
FEMALE--	35	-	-	-	-	-	-	-	-	-	-	1
CONNECTICUT -----	2,999	-	-	1	-	-	1	3	5	10	26	38
WHITE-----MALE----	1,347	-	-	-	-	-	1	2	4	6	20	24
FEMALE--	1,500	-	-	1	-	-	-	-	-	2	1	6
ALL OTHER--MALE----	68	-	-	-	-	-	-	1	1	1	3	4
FEMALE--	84	-	-	-	-	-	-	-	-	1	2	4
BLACK---MALE----	62	-	-	-	-	-	-	1	1	1	3	4
FEMALE--	76	-	-	-	-	-	-	-	-	1	2	4
DELAWARE -----	655	-	-	-	-	-	-	-	3	3	7	5
WHITE-----MALE----	288	-	-	-	-	-	-	-	1	3	6	2
FEMALE--	273	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	48	-	-	-	-	-	-	-	2	-	-	2
FEMALE--	46	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	46	-	-	-	-	-	-	-	2	-	-	2
FEMALE--	45	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	292	-	-	-	-	-	-	-	-	1	1	2
WHITE-----MALE----	43	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	34	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	100	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	115	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	99	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	115	-	-	-	-	-	-	-	-	1	-	-
FLORIDA -----	21,884	-	1	-	2	1	3	11	26	81	136	247
WHITE-----MALE----	10,292	-	-	-	-	1	1	7	11	50	76	151
FEMALE--	9,676	-	-	-	1	-	1	5	12	28	28	35
ALL OTHER--MALE----	885	-	-	-	1	-	1	3	8	14	18	39
FEMALE--	1,031	-	1	-	-	-	-	2	5	14	14	22
BLACK---MALE----	843	-	-	-	1	-	1	3	7	13	18	37
FEMALE--	1,001	-	1	-	-	-	-	2	5	14	14	21
GEORGIA -----	4,410	-	-	-	1	1	4	3	13	31	65	99
WHITE-----MALE----	1,878	-	-	-	1	-	1	3	6	12	33	48
FEMALE--	1,618	-	-	-	-	1	-	-	1	8	10	14
ALL OTHER--MALE----	444	-	-	-	-	-	2	-	4	9	11	27
FEMALE--	470	-	-	-	-	-	1	-	2	2	11	10
BLACK---MALE----	423	-	-	-	-	-	2	-	3	9	11	27
FEMALE--	462	-	-	-	-	-	-	-	2	2	11	9

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 1937

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)

COLORADO -----	55	86	83	129	232	292	363	334	286	109	17	1
WHITE-----MALE----	41	57	58	88	131	165	165	144	93	25	2	-
FEMALE--	9	24	16	33	84	111	181	180	189	82	14	1
ALL OTHER--MALE----	3	5	7	4	9	5	10	6	-	-	-	-
FEMALE--	2	-	2	4	8	11	7	4	4	2	1	-
BLACK---MALE-----	3	4	7	3	8	3	6	3	-	-	-	-
FEMALE--	2	-	2	2	5	8	4	4	4	2	1	-
CONNECTICUT -----	45	73	104	142	225	391	562	614	465	243	51	-
WHITE-----MALE----	25	47	69	92	134	210	282	247	138	40	6	-
FEMALE--	11	20	20	36	82	165	256	347	314	198	41	-
ALL OTHER--MALE----	5	4	8	7	6	8	9	5	5	1	-	-
FEMALE--	4	2	7	7	3	8	15	15	8	4	4	-
BLACK---MALE-----	4	3	8	7	4	8	8	5	4	1	-	-
FEMALE--	3	2	7	6	3	8	11	14	8	3	4	-
DELAWARE -----	24	28	31	48	66	100	123	113	62	33	9	-
WHITE-----MALE----	15	13	16	22	36	53	55	43	17	6	-	-
FEMALE--	3	7	5	12	22	32	56	64	39	23	8	-
ALL OTHER--MALE----	2	5	6	10	4	5	7	2	3	-	-	-
FEMALE--	4	3	4	4	4	10	5	4	3	4	1	-
BLACK---MALE-----	1	5	6	10	4	5	6	2	3	-	-	-
FEMALE--	4	3	4	3	4	10	5	4	3	4	1	-
DISTRICT OF COLUMBIA ---	3	11	15	24	40	44	40	53	33	21	3	1
WHITE-----MALE----	-	1	2	2	5	4	8	11	4	4	-	1
FEMALE--	-	2	-	1	-	4	4	8	10	4	1	-
ALL OTHER--MALE----	3	5	6	11	22	23	11	9	6	1	1	-
FEMALE--	-	3	7	10	13	13	17	25	13	12	1	-
BLACK---MALE-----	3	5	5	11	22	23	11	9	6	1	1	-
FEMALE--	-	3	7	10	13	13	17	25	13	12	1	-
FLORIDA -----	410	603	870	1,211	2,047	3,195	4,192	4,182	3,106	1,281	277	2
WHITE-----MALE----	262	398	526	729	1,196	1,754	2,058	1,741	968	309	54	-
FEMALE--	67	100	197	305	623	1,176	1,845	2,221	1,971	889	199	-
ALL OTHER--MALE----	44	64	85	99	121	130	121	80	44	7	5	1
FEMALE--	37	41	62	78	107	135	168	140	123	76	19	1
BLACK---MALE-----	40	59	83	92	115	125	115	78	43	7	5	1
FEMALE--	35	38	59	76	105	131	164	134	120	76	19	1
GEORGIA -----	182	218	268	386	504	621	720	662	442	154	36	-
WHITE-----MALE----	104	115	141	208	266	304	315	196	100	23	2	-
FEMALE--	21	38	45	81	145	209	289	364	271	98	23	-
ALL OTHER--MALE----	42	42	45	55	53	51	43	33	18	7	2	-
FEMALE--	15	23	37	42	40	57	73	69	53	26	9	-
BLACK---MALE-----	41	38	43	50	52	49	41	31	17	7	2	-
FEMALE--	15	22	37	41	37	57	72	69	53	26	9	-



[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)												
HAWAII -----	23	29	33	41	76	103	96	90	58	30	10	-
WHITE-----MALE----	5	6	4	5	10	20	18	12	8	3	-	-
FEMALE--	-	1	-	4	5	5	11	13	10	2	1	-
ALL OTHER--MALE----	15	18	18	16	38	47	44	38	20	7	1	-
FEMALE--	3	4	11	16	23	31	23	27	20	18	8	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	15	15	26	45	79	89	140	147	100	24	6	-
WHITE-----MALE----	12	12	21	34	59	54	89	69	36	9	-	-
FEMALE--	3	2	5	10	20	35	50	78	64	15	6	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	190	306	417	583	969	1,485	1,849	1,964	1,455	670	166	-
WHITE-----MALE----	102	177	212	315	493	749	790	724	397	116	23	-
FEMALE--	36	65	116	164	329	544	884	1,099	955	508	127	-
ALL OTHER--MALE----	39	48	55	45	76	80	76	49	23	8	4	-
FEMALE--	13	16	34	59	71	112	99	92	80	38	12	-
BLACK---MALE----	38	43	52	41	71	69	67	46	22	7	4	-
FEMALE--	12	16	32	54	65	105	92	86	75	35	11	-
INDIANA -----	162	215	292	390	569	782	910	931	686	283	59	-
WHITE-----MALE----	103	138	182	223	322	422	421	363	180	46	10	-
FEMALE--	35	52	70	120	182	310	442	517	484	222	43	-
ALL OTHER--MALE----	18	18	25	30	39	19	24	15	6	1	-	-
FEMALE--	6	7	15	17	26	31	23	36	16	14	6	-
BLACK---MALE----	18	18	25	28	38	19	24	15	6	-	-	-
FEMALE--	6	7	15	17	25	31	23	35	15	13	5	-
IOWA -----	42	54	86	153	232	357	528	594	544	235	67	-
WHITE-----MALE----	29	35	59	109	146	205	273	247	177	49	10	-
FEMALE--	8	17	25	43	84	145	249	344	366	186	54	-
ALL OTHER--MALE----	4	1	2	1	2	4	1	-	-	-	-	-
FEMALE--	1	1	-	-	-	3	5	3	1	-	3	-
BLACK---MALE----	4	-	1	1	2	4	1	-	-	-	-	-
FEMALE--	1	1	-	-	-	3	4	2	-	-	3	-
KANSAS -----	40	61	86	141	196	317	407	433	308	160	31	-
WHITE-----MALE----	30	40	55	93	111	197	203	185	96	38	2	-
FEMALE--	7	16	23	39	75	106	187	232	207	118	27	-
ALL OTHER--MALE----	3	2	5	2	6	8	7	5	-	2	1	-
FEMALE--	-	3	3	7	4	6	10	11	5	2	1	-
BLACK---MALE----	3	1	4	2	6	8	6	5	-	2	1	-
FEMALE--	-	3	2	5	3	5	10	10	5	2	1	-



04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 1939

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)

KENTUCKY -----	2,982	-	-	-	-	1	1	4	4	27	37	63
WHITE-----MALE----	1,366	-	-	-	-	-	1	4	3	17	27	43
FEMALE--	1,471	-	-	-	-	-	-	-	1	8	4	13
ALL OTHER--MALE----	68	-	-	-	-	1	-	-	-	2	4	5
FEMALE--	77	-	-	-	-	-	-	-	-	-	2	2
BLACK---MALE-----	65	-	-	-	-	1	-	-	-	2	4	5
FEMALE--	76	-	-	-	-	-	-	-	-	-	2	2
LOUISIANA -----	2,639	-	-	-	1	-	-	4	6	14	31	70
WHITE-----MALE----	1,075	-	-	-	1	-	-	2	-	8	8	37
FEMALE--	874	-	-	-	-	-	-	-	1	-	8	10
ALL OTHER--MALE----	318	-	-	-	-	-	-	-	5	4	9	15
FEMALE--	372	-	-	-	-	-	-	2	-	2	6	8
BLACK---MALE-----	310	-	-	-	-	-	-	-	4	4	9	15
FEMALE--	360	-	-	-	-	-	-	2	-	2	6	8
MAINE -----	1,141	-	-	-	-	-	-	-	2	-	5	14
WHITE-----MALE----	532	-	-	-	-	-	-	-	2	-	4	10
FEMALE--	604	-	-	-	-	-	-	-	-	-	1	3
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3,332	-	-	-	-	-	-	-	3	5	13	29
WHITE-----MALE----	1,354	-	-	-	-	-	-	-	-	-	5	17
FEMALE--	1,338	-	-	-	-	-	-	-	-	-	3	5
ALL OTHER--MALE----	277	-	-	-	-	-	-	-	1	2	4	4
FEMALE--	363	-	-	-	-	-	-	-	2	3	1	3
BLACK---MALE-----	260	-	-	-	-	-	-	-	1	2	4	4
FEMALE--	347	-	-	-	-	-	-	-	2	3	1	3
MASSACHUSETTS -----	5,184	-	-	-	-	1	2	4	3	19	62	70
WHITE-----MALE----	2,370	-	-	-	-	-	2	3	-	13	41	51
FEMALE--	2,633	-	-	-	-	1	-	1	2	5	14	12
ALL OTHER--MALE----	104	-	-	-	-	-	-	-	1	-	6	5
FEMALE--	77	-	-	-	-	-	-	-	-	1	1	2
BLACK---MALE-----	85	-	-	-	-	-	-	-	1	-	5	4
FEMALE--	64	-	-	-	-	-	-	-	-	1	1	1
MICHIGAN -----	9,420	-	-	-	-	-	-	2	8	22	65	111
WHITE-----MALE----	4,179	-	-	-	-	-	-	2	7	14	46	77
FEMALE--	4,440	-	-	-	-	-	-	-	1	2	10	17
ALL OTHER--MALE----	358	-	-	-	-	-	-	-	-	4	7	11
FEMALE--	443	-	-	-	-	-	-	-	-	2	2	6
BLACK---MALE-----	327	-	-	-	-	-	-	-	-	4	7	10
FEMALE--	414	-	-	-	-	-	-	-	-	2	2	6

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)												
KENTUCKY -----	78	98	151	192	332	431	510	503	365	152	33	-
WHITE-----MALE----	55	71	97	114	185	223	228	175	94	26	3	-
FEMALE--	11	18	47	64	125	189	266	315	261	120	29	-
ALL OTHER--MALE----	10	4	4	7	10	9	6	3	2	1	-	-
FEMALE--	2	5	3	7	12	10	10	10	8	5	1	-
BLACK---MALE-----	10	2	3	7	10	9	6	3	2	1	-	-
FEMALE--	2	4	3	7	12	10	10	10	8	5	1	-
LOUISIANA -----	92	130	138	206	310	420	435	393	271	99	19	-
WHITE-----MALE----	46	60	64	90	154	212	178	133	68	14	-	-
FEMALE--	12	22	26	57	76	116	158	181	142	56	9	-
ALL OTHER--MALE----	25	28	23	38	40	38	41	27	13	9	3	-
FEMALE--	9	20	25	21	40	54	58	52	48	20	7	-
BLACK---MALE-----	25	26	23	38	40	36	38	27	13	9	3	-
FEMALE--	9	20	23	21	38	50	58	51	46	19	7	-
MAINE -----	21	39	52	75	102	170	187	212	166	78	18	-
WHITE-----MALE----	18	25	39	39	66	100	99	86	33	9	2	-
FEMALE--	3	14	13	36	34	69	88	125	133	69	16	-
ALL OTHER--MALE----	-	-	-	-	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	69	113	150	240	371	521	608	596	388	181	45	-
WHITE-----MALE----	37	52	64	133	192	251	271	206	95	26	5	-
FEMALE--	11	18	39	45	103	166	248	302	240	129	29	-
ALL OTHER--MALE----	12	30	28	33	35	44	33	32	12	3	4	-
FEMALE--	9	13	19	29	41	60	56	56	41	23	7	-
BLACK---MALE-----	12	27	27	30	34	40	33	28	12	3	3	-
FEMALE--	9	11	18	27	39	56	55	55	38	23	7	-
MASSACHUSETTS -----	98	119	183	283	489	746	988	934	750	330	103	-
WHITE-----MALE----	64	91	117	178	282	408	504	375	182	46	13	-
FEMALE--	26	23	55	92	183	306	459	536	557	275	86	-
ALL OTHER--MALE----	7	3	9	5	17	19	14	10	4	4	-	-
FEMALE--	1	2	2	8	7	13	11	13	7	5	4	-
BLACK---MALE-----	4	3	7	5	14	14	13	8	4	3	-	-
FEMALE--	-	2	2	4	7	13	10	10	6	4	3	-
MICHIGAN -----	182	274	408	554	876	1,408	1,735	1,844	1,251	563	117	-
WHITE-----MALE----	123	166	238	326	506	729	803	681	337	105	19	-
FEMALE--	38	67	118	164	284	538	811	1,038	845	418	89	-
ALL OTHER--MALE----	13	24	30	34	40	66	59	42	15	10	3	-
FEMALE--	8	17	22	30	46	75	62	83	54	30	6	-
BLACK---MALE-----	12	19	25	30	40	58	55	40	15	9	3	-
FEMALE--	8	13	21	29	40	70	59	78	51	29	6	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)												
MINNESOTA -----	3,367	1	-	-	-	-	1	4	4	27	56	62
WHITE-----MALE----	1,828	-	-	-	-	-	-	1	2	15	39	47
FEMALE--	1,448	1	-	-	-	-	1	-	2	6	7	11
ALL OTHER--MALE----	68	-	-	-	-	-	-	3	-	4	10	4
FEMALE--	23	-	-	-	-	-	-	-	-	2	-	-
BLACK---MALE----	38	-	-	-	-	-	-	3	-	2	5	2
FEMALE--	17	-	-	-	-	-	-	-	-	2	-	-
MISSISSIPPI -----	2,071	-	-	-	-	-	1	7	6	17	46	50
WHITE-----MALE----	755	-	-	-	-	-	-	3	1	8	12	20
FEMALE--	782	-	-	-	-	-	-	-	2	1	10	3
ALL OTHER--MALE----	260	-	-	-	-	-	-	1	2	6	16	17
FEMALE--	274	-	-	-	-	-	1	3	1	2	8	10
BLACK---MALE----	256	-	-	-	-	-	-	1	1	6	16	17
FEMALE--	271	-	-	-	-	-	1	2	1	2	8	10
MISSOURI -----	5,602	1	-	-	-	-	1	2	13	26	66	78
WHITE-----MALE----	2,416	-	-	-	-	-	-	2	10	14	34	43
FEMALE--	2,667	-	-	-	-	-	1	-	2	6	7	11
ALL OTHER--MALE----	234	-	-	-	-	-	-	-	1	5	17	16
FEMALE--	285	1	-	-	-	-	-	-	-	1	8	8
BLACK---MALE----	230	-	-	-	-	-	-	-	1	5	15	16
FEMALE--	274	1	-	-	-	-	-	-	-	1	8	8
MONTANA -----	533	-	-	-	-	-	-	-	-	3	7	8
WHITE-----MALE----	288	-	-	-	-	-	-	-	-	2	3	6
FEMALE--	229	-	-	-	-	-	-	-	-	1	4	1
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	1,453	-	-	-	-	-	-	-	-	2	10	21
WHITE-----MALE----	655	-	-	-	-	-	-	-	-	2	7	14
FEMALE--	741	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	28	-	-	-	-	-	-	-	-	-	2	3
FEMALE--	29	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	24	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	2
NEVADA -----	1,158	-	-	-	-	-	-	-	4	9	6	14
WHITE-----MALE----	625	-	-	-	-	-	-	-	4	4	5	8
FEMALE--	443	-	-	-	-	-	-	-	-	3	-	4
ALL OTHER--MALE----	43	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	47	-	-	-	-	-	-	-	-	1	-	2
BLACK---MALE----	27	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	36	-	-	-	-	-	-	-	-	1	-	1

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 1940

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)												
MINNESOTA -----	141	130	141	198	294	457	575	607	427	191	51	-
WHITE-----MALE----	108	94	99	147	185	286	310	280	142	63	10	-
FEMALE--	26	25	30	48	95	163	259	321	284	128	41	-
ALL OTHER--MALE----	6	9	11	3	9	3	3	3	-	-	-	-
FEMALE--	1	2	1	-	5	5	3	3	1	-	-	-
BLACK---MALE-----	5	6	6	-	5	-	3	1	-	-	-	-
FEMALE--	-	2	1	-	4	4	1	3	-	-	-	-
MISSISSIPPI -----	80	76	123	156	241	298	307	326	231	83	23	-
WHITE-----MALE----	29	33	64	80	116	118	120	98	42	8	3	-
FEMALE--	13	19	29	37	61	106	128	177	129	55	12	-
ALL OTHER--MALE----	25	14	19	23	30	32	31	17	23	3	1	-
FEMALE--	13	10	11	16	34	42	28	34	37	17	7	-
BLACK---MALE-----	25	14	19	22	30	32	31	17	21	3	1	-
FEMALE--	12	10	11	16	34	41	28	34	37	17	7	-
MISSOURI -----	137	142	242	307	529	814	972	1,025	827	332	88	-
WHITE-----MALE----	81	89	138	173	296	436	451	392	193	50	14	-
FEMALE--	35	29	78	79	180	289	458	578	584	262	68	-
ALL OTHER--MALE----	14	17	14	37	23	39	30	13	5	3	-	-
FEMALE--	7	7	12	18	30	50	33	42	45	17	6	-
BLACK---MALE-----	14	17	13	37	23	39	30	12	5	3	-	-
FEMALE--	7	7	12	16	27	46	32	42	45	16	6	-
MONTANA -----	11	26	39	26	61	73	93	96	55	32	3	-
WHITE-----MALE----	6	15	29	17	41	47	55	47	14	6	-	-
FEMALE--	5	9	8	7	16	24	36	49	40	26	3	-
ALL OTHER--MALE----	-	1	1	1	3	1	-	-	-	-	-	-
FEMALE--	-	1	1	1	1	1	2	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
NEBRASKA -----	24	28	59	73	126	195	238	313	224	111	29	-
WHITE-----MALE----	13	19	41	45	72	113	121	117	71	16	4	-
FEMALE--	5	8	15	22	48	73	110	187	151	94	25	-
ALL OTHER--MALE----	4	-	2	3	4	6	2	2	-	-	-	-
FEMALE--	2	1	1	3	2	3	5	7	2	1	-	-
BLACK---MALE-----	4	-	2	2	4	5	2	2	-	-	-	-
FEMALE--	2	1	1	3	2	2	1	6	2	1	-	-
NEVADA -----	29	73	86	118	143	194	212	140	89	38	3	-
WHITE-----MALE----	19	50	64	70	93	113	108	60	20	5	2	-
FEMALE--	7	20	17	32	38	63	96	69	63	30	1	-
ALL OTHER--MALE----	2	2	4	6	3	13	4	4	2	1	-	-
FEMALE--	1	1	1	10	9	5	4	7	4	2	-	-
BLACK---MALE-----	1	1	2	1	3	10	3	4	2	-	-	-
FEMALE--	1	1	-	9	7	3	3	5	3	2	-	-





04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 1942

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)												
OHIO -----	12,688	-	-	-	1	-	3	7	19	32	99	180
WHITE-----MALE----	5,570	-	-	-	-	-	2	4	11	19	64	101
FEMALE--	5,835	-	-	-	-	-	1	3	3	3	17	35
ALL OTHER--MALE----	625	-	-	-	-	-	-	1	3	7	13	31
FEMALE--	658	-	-	-	1	-	1	2	3	3	5	13
BLACK---MALE----	614	-	-	-	-	-	-	1	3	7	12	31
FEMALE--	649	-	-	-	1	-	1	1	2	3	5	13
OKLAHOMA -----	3,192	-	1	-	-	-	2	1	2	8	26	54
WHITE-----MALE----	1,448	-	-	-	-	-	1	1	1	2	19	37
FEMALE--	1,489	-	1	-	-	-	-	-	-	4	3	8
ALL OTHER--MALE----	127	-	-	-	-	-	1	-	1	1	1	6
FEMALE--	128	-	-	-	-	-	-	-	-	1	3	3
BLACK---MALE----	68	-	-	-	-	-	1	-	-	1	-	3
FEMALE--	83	-	-	-	-	-	-	-	-	-	2	3
OREGON -----	2,580	-	-	-	-	-	1	1	4	8	26	50
WHITE-----MALE----	1,432	-	-	-	-	-	1	1	4	4	22	36
FEMALE--	1,080	-	-	-	-	-	-	-	-	2	2	9
ALL OTHER--MALE----	38	-	-	-	-	-	-	-	-	1	1	5
FEMALE--	30	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	21	-	-	-	-	-	-	-	-	1	-	3
FEMALE--	12	-	-	-	-	-	-	-	-	1	-	-
PENNSYLVANIA -----	12,772	-	1	-	-	1	3	5	3	30	57	95
WHITE-----MALE----	5,778	-	-	-	-	1	1	4	2	22	42	59
FEMALE--	6,297	-	-	-	-	-	-	-	1	5	8	26
ALL OTHER--MALE----	339	-	1	-	-	-	-	1	-	2	1	8
FEMALE--	358	-	-	-	-	-	-	-	-	1	6	2
BLACK---MALE----	323	-	1	-	-	-	-	1	-	2	1	8
FEMALE--	344	-	-	-	-	-	2	-	-	1	5	2
RHODE ISLAND -----	1,137	-	-	-	-	-	-	2	-	5	15	18
WHITE-----MALE----	461	-	-	-	-	-	-	1	-	5	9	12
FEMALE--	654	-	-	-	-	-	-	-	-	-	6	6
ALL OTHER--MALE----	9	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	2,638	-	-	-	-	-	-	2	2	16	34	60
WHITE-----MALE----	1,122	-	-	-	-	-	-	2	1	9	20	31
FEMALE--	934	-	-	-	-	-	-	-	1	3	2	5
ALL OTHER--MALE----	311	-	-	-	-	-	-	-	-	2	8	19
FEMALE--	271	-	-	-	-	-	-	-	-	2	4	5
BLACK---MALE----	308	-	-	-	-	-	-	-	-	2	8	19
FEMALE--	267	-	-	-	-	-	-	-	-	2	4	5

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 1942

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)												
OHIO -----	307	391	607	803	1,381	2,024	2,322	2,248	1,517	607	140	-
WHITE-----MALE----	194	232	360	456	795	1,047	1,001	798	392	80	14	-
FEMALE--	55	88	141	212	430	786	1,133	1,308	1,047	468	108	-
ALL OTHER--MALE----	37	43	64	77	80	94	82	50	22	16	5	-
FEMALE--	21	28	42	58	76	97	106	92	56	43	13	-
BLACK---MALE-----	37	43	64	75	78	94	79	48	21	16	5	-
FEMALE--	21	27	40	57	75	96	105	91	55	43	13	-
OKLAHOMA -----	52	111	135	233	341	448	588	566	413	170	41	-
WHITE-----MALE----	31	57	87	135	213	235	273	217	108	28	3	-
FEMALE--	14	38	34	74	107	178	274	305	288	129	32	-
ALL OTHER--MALE----	4	13	7	14	15	21	22	12	4	4	1	-
FEMALE--	3	3	7	10	6	14	19	32	13	9	5	-
BLACK---MALE-----	3	7	6	3	8	11	13	5	3	3	1	-
FEMALE--	1	3	6	6	4	7	10	21	9	8	3	-
OREGON -----	116	102	132	176	230	387	497	452	276	100	22	-
WHITE-----MALE----	89	73	83	112	138	241	291	222	96	18	1	-
FEMALE--	22	21	43	58	83	137	198	227	175	82	21	-
ALL OTHER--MALE----	3	7	3	2	6	3	4	2	1	-	-	-
FEMALE--	2	1	3	4	3	6	4	1	4	-	-	-
BLACK---MALE-----	1	3	2	1	5	-	3	1	1	-	-	-
FEMALE--	2	1	-	1	-	4	2	-	1	-	-	-
PENNSYLVANIA -----	198	307	427	748	1,200	1,927	2,551	2,600	1,708	729	182	-
WHITE-----MALE----	123	205	264	445	716	1,036	1,212	1,027	451	141	27	-
FEMALE--	44	70	121	225	393	794	1,237	1,480	1,196	559	138	-
ALL OTHER--MALE----	20	22	25	43	52	52	54	30	20	6	2	-
FEMALE--	11	10	17	35	39	45	48	63	41	23	15	-
BLACK---MALE-----	19	21	21	42	49	51	51	29	19	6	2	-
FEMALE--	11	10	17	31	36	45	44	61	41	23	15	-
RHODE ISLAND -----	8	19	26	42	91	142	210	243	202	90	24	-
WHITE-----MALE----	4	14	18	29	55	71	96	94	39	14	-	-
FEMALE--	3	4	8	12	32	65	112	148	160	75	23	-
ALL OTHER--MALE----	-	-	-	-	4	4	-	-	-	-	-	-
FEMALE--	1	1	-	1	-	2	1	3	1	1	1	-
BLACK---MALE-----	-	-	-	-	4	3	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	2	2	1	2	1	1	-
SOUTH CAROLINA -----	98	135	153	208	324	431	486	360	226	83	20	-
WHITE-----MALE----	54	78	83	110	164	206	186	117	53	8	-	-
FEMALE--	10	19	26	50	85	135	208	182	136	57	15	-
ALL OTHER--MALE----	25	28	29	28	49	41	40	22	17	2	1	-
FEMALE--	9	10	15	20	26	49	52	39	20	16	4	-
BLACK---MALE-----	25	28	29	27	47	41	40	22	17	2	1	-
FEMALE--	9	10	15	19	25	47	52	39	20	16	4	-



04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 1943

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)												
SOUTH DAKOTA -----	604	-	-	-	-	-	-	-	-	2	6	12
WHITE-----MALE----	305	-	-	-	-	-	-	-	-	1	6	9
FEMALE--	271	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	12	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	4,613	-	-	-	-	-	2	5	8	23	47	78
WHITE-----MALE----	2,013	-	-	-	-	-	2	4	7	16	33	42
FEMALE--	2,120	-	-	-	-	-	-	-	1	5	9	24
ALL OTHER--MALE----	209	-	-	-	-	-	-	1	-	2	3	6
FEMALE--	271	-	-	-	-	-	-	-	-	-	2	6
BLACK---MALE----	204	-	-	-	-	-	-	1	-	2	3	6
FEMALE--	266	-	-	-	-	-	-	-	-	-	2	6
TEXAS -----	12,356	1	-	-	-	-	5	10	14	41	102	174
WHITE-----MALE----	5,645	-	-	-	-	-	3	6	7	25	63	121
FEMALE--	5,434	-	-	-	-	-	2	1	1	7	13	29
ALL OTHER--MALE----	610	-	-	-	-	-	-	1	6	8	18	19
FEMALE--	667	1	-	-	-	-	-	2	-	1	8	5
BLACK---MALE----	564	-	-	-	-	-	-	1	5	7	16	19
FEMALE--	638	1	-	-	-	-	-	2	-	1	7	4
UTAH -----	838	-	-	-	-	-	1	2	6	7	13	22
WHITE-----MALE----	502	-	-	-	-	-	-	1	5	5	12	16
FEMALE--	318	-	-	-	-	-	-	1	-	1	1	3
ALL OTHER--MALE----	10	-	-	-	-	-	1	-	1	1	-	2
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	4	-	-	-	-	-	-	-	1	1	-	2
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
VERMONT -----	456	-	-	-	-	-	-	-	-	2	1	6
WHITE-----MALE----	252	-	-	-	-	-	-	-	-	1	-	5
FEMALE--	204	-	-	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	4,329	-	-	-	-	2	1	4	14	20	49	92
WHITE-----MALE----	1,860	-	-	-	-	-	-	1	8	12	22	49
FEMALE--	1,671	-	-	-	-	-	-	1	3	5	12	16
ALL OTHER--MALE----	403	-	-	-	-	1	1	-	2	2	10	18
FEMALE--	395	-	-	-	-	1	-	2	1	1	5	9
BLACK---MALE----	381	-	-	-	-	1	1	-	2	2	10	17
FEMALE--	383	-	-	-	-	1	-	2	1	1	5	9

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 1943

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other forms of chronic ischemic heart disease (I20,I25.1-I25.9)												
SOUTH DAKOTA -----	9	22	14	27	49	88	106	112	96	46	15	-
WHITE-----MALE----	6	15	8	19	33	57	62	44	31	12	2	-
FEMALE--	-	1	2	7	14	30	40	66	63	34	13	-
ALL OTHER--MALE----	1	6	4	-	1	-	2	-	-	-	-	-
FEMALE--	2	-	-	1	1	1	2	2	2	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	140	174	229	305	461	651	821	824	573	234	38	-
WHITE-----MALE----	81	101	143	181	267	325	361	275	124	49	2	-
FEMALE--	28	45	56	86	144	268	384	488	396	157	29	-
ALL OTHER--MALE----	21	21	21	23	21	29	20	19	14	7	1	-
FEMALE--	10	7	9	15	29	29	56	42	39	21	6	-
BLACK---MALE----	19	20	20	23	21	28	20	19	14	7	1	-
FEMALE--	9	7	9	15	27	29	55	42	38	21	6	-
TEXAS -----	317	446	581	873	1,337	1,951	2,120	2,116	1,538	596	134	-
WHITE-----MALE----	189	273	346	500	762	1,029	955	789	443	120	14	-
FEMALE--	68	102	143	249	432	729	971	1,174	980	438	95	-
ALL OTHER--MALE----	42	41	49	68	81	109	83	39	34	8	4	-
FEMALE--	18	30	43	56	62	84	111	114	81	30	21	-
BLACK---MALE----	39	36	47	63	73	101	76	35	34	8	4	-
FEMALE--	17	29	42	53	60	82	104	107	80	29	20	-
UTAH -----	24	43	42	56	89	119	156	143	81	32	2	-
WHITE-----MALE----	20	30	35	41	54	79	97	75	23	9	-	-
FEMALE--	-	11	7	15	32	40	58	66	58	23	2	-
ALL OTHER--MALE----	3	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	3	-	1	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
VERMONT -----	10	13	13	39	42	69	92	80	61	23	5	-
WHITE-----MALE----	10	12	11	27	28	46	44	36	27	5	-	-
FEMALE--	-	1	2	12	14	23	48	44	34	18	5	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	114	194	253	326	459	687	758	674	456	188	38	-
WHITE-----MALE----	61	116	136	185	219	334	312	246	128	25	6	-
FEMALE--	18	32	44	68	140	234	299	340	296	138	25	-
ALL OTHER--MALE----	25	37	43	48	55	55	66	26	7	6	1	-
FEMALE--	10	9	30	25	45	64	81	62	25	19	6	-
BLACK---MALE----	24	34	40	45	53	52	63	23	7	6	1	-
FEMALE--	9	9	28	24	44	61	79	62	23	19	6	-





04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 1945

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other heart diseases (I26-I51)												
UNITED STATES -	166,949	449	215	92	154	305	489	687	1,049	1,770	2,702	3,708
WHITE-----MALE----	62,025	155	71	29	59	124	195	268	408	736	1,187	1,687
FEMALE--	82,837	137	63	35	48	79	114	170	273	430	619	874
ALL OTHER--MALE----	10,414	67	46	12	23	69	112	145	216	363	491	674
FEMALE--	11,673	90	35	16	24	33	68	104	152	241	405	473
BLACK---MALE-----	9,148	59	40	11	21	61	101	135	195	319	454	612
FEMALE--	10,489	72	31	15	18	31	61	95	146	219	385	449
ALABAMA -----	5,658	8	8	4	7	8	24	21	33	56	94	141
WHITE-----MALE----	1,865	3	2	1	4	4	8	6	8	21	43	55
FEMALE--	2,379	2	1	1	1	3	2	3	6	9	21	29
ALL OTHER--MALE----	670	1	4	-	1	1	10	9	13	19	14	30
FEMALE--	744	2	1	2	1	-	4	3	6	7	16	27
BLACK---MALE-----	666	1	4	-	1	1	10	9	13	19	14	30
FEMALE--	739	2	1	2	1	-	4	3	6	7	16	27
ALASKA -----	189	1	-	-	2	-	-	2	2	7	11	7
WHITE-----MALE----	68	-	-	-	1	-	-	-	-	3	2	3
FEMALE--	70	-	-	-	1	-	-	-	1	2	4	1
ALL OTHER--MALE----	29	1	-	-	-	-	-	1	1	1	3	3
FEMALE--	22	-	-	-	-	-	-	1	-	1	2	-
BLACK---MALE-----	4	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
ARIZONA -----	2,280	10	2	-	3	8	9	9	12	32	49	48
WHITE-----MALE----	971	5	-	-	1	5	6	5	6	13	18	28
FEMALE--	1,164	1	2	-	2	2	2	2	1	12	16	14
ALL OTHER--MALE----	80	-	-	-	-	1	1	1	3	4	14	5
FEMALE--	65	4	-	-	-	-	-	1	2	3	1	1
BLACK---MALE-----	31	-	-	-	-	-	1	1	-	2	7	4
FEMALE--	22	-	-	-	-	-	-	-	2	1	1	-
ARKANSAS -----	2,536	5	-	2	2	4	4	10	20	18	27	36
WHITE-----MALE----	930	2	-	2	1	1	1	6	7	6	15	16
FEMALE--	1,331	1	-	-	-	1	-	3	9	4	5	10
ALL OTHER--MALE----	117	2	-	-	1	-	2	-	1	6	3	5
FEMALE--	158	-	-	-	-	2	1	1	3	2	4	5
BLACK---MALE-----	113	2	-	-	1	-	2	-	1	6	3	5
FEMALE--	155	-	-	-	-	2	1	1	3	2	4	5
CALIFORNIA -----	10,826	34	16	11	16	22	30	44	57	123	184	262
WHITE-----MALE----	4,166	15	6	7	5	9	16	19	24	48	84	118
FEMALE--	5,224	15	6	3	6	7	3	10	13	39	42	52
ALL OTHER--MALE----	735	2	2	1	3	4	7	11	12	23	35	54
FEMALE--	701	2	2	-	2	2	4	4	8	13	23	38
BLACK---MALE-----	429	2	-	1	2	2	5	9	10	14	30	39
FEMALE--	415	2	2	-	1	2	1	3	7	12	17	33

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 1945

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other heart diseases (I26-I51)												
UNITED STATES -	4,776	5,637	6,898	9,596	14,460	21,325	27,651	30,343	22,779	9,653	2,204	7
WHITE-----MALE----	2,211	2,576	3,296	4,419	6,708	9,306	10,903	9,804	5,733	1,859	286	5
FEMALE--	1,242	1,645	2,151	3,328	5,597	9,380	14,169	18,235	15,480	7,087	1,680	1
ALL OTHER--MALE----	735	817	814	937	1,103	1,232	1,099	791	454	169	45	-
FEMALE--	588	599	637	912	1,052	1,407	1,480	1,513	1,112	538	193	1
BLACK---MALE-----	681	749	745	838	947	1,065	926	663	350	136	40	-
FEMALE--	543	548	582	826	944	1,255	1,296	1,331	1,004	471	166	1
ALABAMA -----	210	233	303	410	603	679	881	916	676	283	60	-
WHITE-----MALE----	99	92	121	187	242	255	290	225	148	46	5	-
FEMALE--	30	59	87	114	192	253	427	527	406	172	34	-
ALL OTHER--MALE----	52	48	53	56	89	82	75	63	28	19	3	-
FEMALE--	29	34	42	53	80	89	89	101	94	46	18	-
BLACK---MALE-----	51	47	53	56	89	81	75	62	28	19	3	-
FEMALE--	29	34	41	52	80	87	89	100	94	46	18	-
ALASKA -----	11	17	9	12	20	18	30	19	10	9	2	-
WHITE-----MALE----	8	8	1	5	8	7	12	7	3	-	-	-
FEMALE--	1	7	2	3	8	9	11	6	6	2	-	-
ALL OTHER--MALE----	-	2	3	2	2	2	3	3	1	1	-	-
FEMALE--	2	-	3	2	2	-	4	3	-	2	-	-
BLACK---MALE-----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
ARIZONA -----	68	72	90	136	202	327	381	408	280	113	19	2
WHITE-----MALE----	34	40	51	67	110	152	162	156	78	29	4	1
FEMALE--	25	27	33	57	77	159	201	240	194	82	14	1
ALL OTHER--MALE----	5	3	4	7	7	10	6	5	4	-	-	-
FEMALE--	4	2	2	5	8	6	12	7	4	2	1	-
BLACK---MALE-----	3	1	-	2	3	2	1	2	2	-	-	-
FEMALE--	4	-	-	3	2	2	3	3	-	1	-	-
ARKANSAS -----	66	89	107	173	245	292	435	479	352	148	22	-
WHITE-----MALE----	34	42	49	98	107	121	173	142	78	27	2	-
FEMALE--	21	32	35	55	101	150	235	298	247	106	18	-
ALL OTHER--MALE----	7	11	14	12	14	7	8	11	7	6	-	-
FEMALE--	4	4	9	8	23	14	19	28	20	9	2	-
BLACK---MALE-----	7	11	14	11	13	6	8	10	7	6	-	-
FEMALE--	4	4	7	8	22	14	19	28	20	9	2	-
CALIFORNIA -----	320	359	442	586	808	1,338	1,823	2,079	1,462	640	169	1
WHITE-----MALE----	145	167	224	273	348	590	765	733	393	143	33	1
FEMALE--	96	109	131	206	310	595	876	1,175	966	450	114	-
ALL OTHER--MALE----	44	40	57	48	89	78	93	62	51	18	1	-
FEMALE--	35	43	30	59	61	75	89	109	52	29	21	-
BLACK---MALE-----	31	28	40	30	44	46	40	30	17	8	1	-
FEMALE--	23	31	22	37	30	38	39	62	27	15	11	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 1946

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other heart diseases (I26-I51)												
COLORADO -----	1,806	4	4	5	3	6	6	8	12	21	40	25
WHITE-----MALE----	744	1	2	1	2	3	-	3	6	12	22	9
FEMALE--	989	3	2	2	1	2	5	4	5	5	15	11
ALL OTHER--MALE----	38	-	-	1	-	1	1	-	-	3	1	2
FEMALE--	35	-	-	1	-	-	-	1	1	1	2	3
BLACK---MALE-----	28	-	-	1	-	1	1	-	-	2	1	2
FEMALE--	28	-	-	1	-	-	-	1	1	-	2	3
CONNECTICUT -----	2,472	1	1	2	2	8	5	8	14	31	37	41
WHITE-----MALE----	981	-	-	2	1	3	1	5	7	19	18	21
FEMALE--	1,332	1	-	-	1	4	3	3	3	8	9	14
ALL OTHER--MALE----	86	-	-	-	-	1	1	-	1	2	8	4
FEMALE--	73	-	1	-	-	-	-	-	3	2	2	2
BLACK---MALE-----	80	-	-	-	-	1	1	-	1	2	7	4
FEMALE--	70	-	1	-	-	-	-	-	3	2	2	2
DELAWARE -----	425	-	1	-	-	2	1	-	4	2	2	7
WHITE-----MALE----	161	-	-	-	-	1	1	-	-	2	1	3
FEMALE--	196	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	27	-	-	-	-	1	-	-	2	-	1	1
FEMALE--	41	-	1	-	-	-	-	-	1	-	-	2
BLACK---MALE-----	27	-	-	-	-	1	-	-	2	-	1	1
FEMALE--	40	-	1	-	-	-	-	-	1	-	-	2
DISTRICT OF COLUMBIA ---	247	-	-	1	-	-	-	2	1	4	4	8
WHITE-----MALE----	28	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	37	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	78	-	-	-	-	-	-	2	-	2	-	3
FEMALE--	104	-	-	1	-	-	-	-	1	2	3	5
BLACK---MALE-----	77	-	-	-	-	-	-	2	-	2	-	3
FEMALE--	103	-	-	1	-	-	-	-	1	2	3	5
FLORIDA -----	8,621	25	11	1	9	18	19	32	49	73	126	184
WHITE-----MALE----	3,614	8	4	1	-	6	6	10	21	38	53	97
FEMALE--	4,055	3	2	-	1	6	4	6	10	12	20	35
ALL OTHER--MALE----	443	6	1	-	6	4	4	8	11	17	33	35
FEMALE--	509	8	4	-	2	2	5	8	7	6	20	17
BLACK---MALE-----	425	5	1	-	6	4	4	8	10	16	33	35
FEMALE--	493	8	3	-	2	2	5	8	7	6	20	17
GEORGIA -----	6,611	30	13	6	9	9	17	43	47	81	124	188
WHITE-----MALE----	2,112	10	5	-	1	4	5	14	15	24	43	68
FEMALE--	2,716	6	-	3	1	1	2	3	10	10	22	38
ALL OTHER--MALE----	784	8	6	1	3	3	4	13	13	25	33	47
FEMALE--	999	6	2	2	4	1	6	13	9	22	26	35
BLACK---MALE-----	772	8	6	1	3	3	4	13	12	25	33	46
FEMALE--	985	6	2	2	4	1	6	13	9	21	26	35

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 1946

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other heart diseases (I26-I51)												
COLORADO -----	63	58	71	101	149	227	264	315	262	140	22	-
WHITE-----MALE----	42	29	39	42	85	115	115	103	75	36	2	-
FEMALE--	18	24	29	50	60	105	141	205	178	104	20	-
ALL OTHER--MALE----	1	4	3	7	1	3	2	3	5	-	-	-
FEMALE--	2	1	-	2	3	4	6	4	4	-	-	-
BLACK---MALE-----	1	3	2	7	1	1	1	1	3	-	-	-
FEMALE--	-	1	-	2	3	4	3	4	3	-	-	-
CONNECTICUT -----	47	79	84	109	199	313	449	466	380	148	48	-
WHITE-----MALE----	25	37	46	60	101	156	202	147	92	33	5	-
FEMALE--	16	22	23	39	82	137	232	307	275	112	41	-
ALL OTHER--MALE----	4	13	6	6	11	11	7	6	2	3	-	-
FEMALE--	2	7	9	4	5	9	8	6	11	-	2	-
BLACK---MALE-----	4	11	6	6	11	9	7	6	2	2	-	-
FEMALE--	2	7	8	4	4	9	8	5	11	-	2	-
DELAWARE -----	14	23	22	31	38	63	83	69	37	22	4	-
WHITE-----MALE----	2	9	11	13	17	32	30	24	10	4	1	-
FEMALE--	4	7	5	14	13	25	48	41	22	14	1	-
ALL OTHER--MALE----	3	4	4	3	2	2	-	2	2	-	-	-
FEMALE--	5	3	2	1	6	4	5	2	3	4	2	-
BLACK---MALE-----	3	4	4	3	2	2	-	2	2	-	-	-
FEMALE--	5	3	2	1	6	4	5	2	3	3	2	-
DISTRICT OF COLUMBIA ---	14	13	14	15	10	33	43	35	32	16	1	1
WHITE-----MALE----	3	1	1	1	-	3	4	7	4	4	-	-
FEMALE--	1	3	1	1	-	1	7	9	8	5	-	-
ALL OTHER--MALE----	6	5	7	8	7	15	17	2	2	2	-	-
FEMALE--	4	4	5	5	3	14	15	17	18	5	1	1
BLACK---MALE-----	6	5	7	8	7	15	16	2	2	2	-	-
FEMALE--	4	4	5	5	3	14	15	17	17	5	1	1
FLORIDA -----	241	280	319	483	732	1,154	1,480	1,574	1,242	479	90	-
WHITE-----MALE----	117	118	148	232	397	569	642	632	379	120	16	-
FEMALE--	50	81	106	157	264	476	750	856	816	336	64	-
ALL OTHER--MALE----	42	46	36	37	27	45	32	32	12	7	2	-
FEMALE--	32	35	29	57	44	64	56	54	35	16	8	-
BLACK---MALE-----	40	45	34	33	27	45	29	31	12	6	1	-
FEMALE--	32	35	27	56	43	60	50	54	34	16	8	-
GEORGIA -----	264	315	366	463	631	902	997	1,020	739	284	62	1
WHITE-----MALE----	107	125	140	166	262	329	340	277	140	34	2	1
FEMALE--	46	70	92	142	197	366	447	554	470	198	38	-
ALL OTHER--MALE----	62	68	79	70	72	96	76	59	33	8	5	-
FEMALE--	49	52	55	85	100	111	134	130	96	44	17	-
BLACK---MALE-----	60	68	79	67	71	94	75	59	33	7	5	-
FEMALE--	49	51	54	84	97	110	131	129	94	44	17	-



04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 1947

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other heart diseases (I26-I51)												
HAWAII -----	915	5	-	-	2	1	1	3	4	6	15	20
WHITE-----MALE----	102	-	-	-	-	-	-	-	1	2	3	4
FEMALE--	131	-	-	-	-	-	-	1	-	1	-	2
ALL OTHER--MALE----	371	1	-	-	1	1	1	1	3	2	7	10
FEMALE--	311	4	-	-	1	-	-	1	-	1	5	4
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	704	2	-	-	1	-	2	3	-	6	12	14
WHITE-----MALE----	297	2	-	-	1	-	1	2	-	1	6	8
FEMALE--	394	-	-	-	-	-	1	-	-	4	5	6
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	1	-	1	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	7,383	30	15	5	9	16	25	39	50	87	131	165
WHITE-----MALE----	2,602	6	4	-	3	8	12	21	22	40	46	60
FEMALE--	3,683	11	5	2	4	3	4	6	12	15	38	49
ALL OTHER--MALE----	499	7	2	2	-	5	6	7	10	19	23	24
FEMALE--	599	6	4	1	2	-	3	5	6	13	24	32
BLACK---MALE----	470	7	2	2	-	5	5	7	10	19	22	22
FEMALE--	580	5	4	1	2	-	2	5	6	13	24	31
INDIANA -----	4,556	10	2	1	7	6	7	29	26	43	57	92
WHITE-----MALE----	1,769	4	2	-	5	3	2	9	10	25	34	51
FEMALE--	2,414	4	-	1	1	2	3	11	12	8	14	23
ALL OTHER--MALE----	185	1	-	-	-	1	2	5	3	3	5	10
FEMALE--	188	1	-	-	1	-	-	4	1	7	4	8
BLACK---MALE----	183	1	-	-	-	1	2	5	3	3	5	10
FEMALE--	184	1	-	-	-	-	-	4	1	7	4	8
IOWA -----	1,378	2	-	1	2	9	6	5	7	12	22	26
WHITE-----MALE----	576	2	-	1	1	4	5	3	4	5	12	15
FEMALE--	781	-	-	-	1	5	1	2	3	7	8	11
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	2,121	5	2	1	1	-	4	5	7	15	23	34
WHITE-----MALE----	778	3	1	-	-	-	1	3	2	6	10	19
FEMALE--	1,233	2	1	1	1	-	3	1	1	8	7	11
ALL OTHER--MALE----	46	-	-	-	-	-	-	-	3	1	3	-
FEMALE--	64	-	-	-	-	-	-	1	1	-	3	4
BLACK---MALE----	44	-	-	-	-	-	-	-	3	1	3	-
FEMALE--	53	-	-	-	-	-	-	1	1	-	3	3

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Other heart diseases (I26-I51)

HAWAII -----	29	46	42	57	92	128	143	148	107	53	13	-
WHITE-----MALE----	4	3	5	7	11	9	17	21	10	5	-	-
FEMALE--	-	7	7	2	9	22	21	29	19	9	2	-
ALL OTHER--MALE----	10	21	17	27	47	59	56	46	45	12	4	-
FEMALE--	15	15	13	21	25	38	49	52	33	27	7	-
BLACK---MALE----	-	1	1	-	-	-	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
IDAHO -----	22	27	29	45	59	70	98	143	110	47	14	-
WHITE-----MALE----	9	16	19	19	27	29	40	60	38	15	4	-
FEMALE--	12	11	10	24	31	39	56	82	72	31	10	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	1	-	1	-	-
FEMALE--	1	-	-	1	1	2	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
ILLINOIS -----	207	241	291	384	637	947	1,128	1,342	1,066	460	108	-
WHITE-----MALE----	85	101	131	170	295	409	415	434	249	74	17	-
FEMALE--	51	68	88	124	236	402	574	800	743	367	81	-
ALL OTHER--MALE----	38	34	38	51	58	63	51	33	20	5	3	-
FEMALE--	33	38	34	39	48	73	88	75	54	14	7	-
BLACK---MALE----	36	33	37	49	53	58	47	32	17	4	3	-
FEMALE--	32	36	34	38	47	70	84	73	52	14	7	-
INDIANA -----	104	148	198	252	425	632	810	829	575	250	53	-
WHITE-----MALE----	53	66	82	128	190	283	314	303	147	52	6	-
FEMALE--	28	62	70	94	194	306	444	497	412	184	44	-
ALL OTHER--MALE----	15	12	25	20	23	19	22	12	4	3	-	-
FEMALE--	8	8	21	10	18	24	30	17	12	11	3	-
BLACK---MALE----	15	12	23	20	23	19	22	12	4	3	-	-
FEMALE--	8	8	21	10	17	24	30	16	11	11	3	-
IOWA -----	29	36	44	62	107	157	230	265	228	97	31	-
WHITE-----MALE----	17	24	20	28	59	95	105	96	61	18	1	-
FEMALE--	10	12	24	32	46	55	123	167	167	78	29	-
ALL OTHER--MALE----	-	-	-	2	1	1	2	-	-	-	-	-
FEMALE--	2	-	-	-	1	6	-	2	-	1	1	-
BLACK---MALE----	-	-	-	2	1	1	2	-	-	-	-	-
FEMALE--	2	-	-	-	1	4	-	2	-	1	1	-
KANSAS -----	51	57	78	82	156	239	351	405	378	179	48	-
WHITE-----MALE----	28	28	49	33	77	106	143	133	90	37	9	-
FEMALE--	14	22	23	39	63	127	190	263	278	140	38	-
ALL OTHER--MALE----	3	2	4	7	10	2	7	2	1	1	-	-
FEMALE--	6	5	2	3	6	4	11	7	9	1	1	-
BLACK---MALE----	3	2	4	6	9	2	7	2	1	1	-	-
FEMALE--	6	5	1	2	5	4	10	5	5	1	1	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 1948

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other heart diseases (I26-I51)												
KENTUCKY -----	3,776	7	2	1	5	1	14	12	23	35	46	82
WHITE-----MALE----	1,453	1	-	-	2	-	5	6	8	19	21	43
FEMALE--	2,054	4	2	1	3	-	7	6	10	11	14	22
ALL OTHER--MALE----	126	-	-	-	-	-	-	-	3	2	8	11
FEMALE--	143	2	-	-	-	1	2	-	2	3	3	6
BLACK---MALE-----	125	-	-	-	-	-	-	-	3	2	8	11
FEMALE--	140	2	-	-	-	1	2	-	1	3	3	6
LOUISIANA -----	3,181	9	4	1	3	11	14	15	22	46	61	92
WHITE-----MALE----	1,006	3	-	-	-	2	4	1	5	13	22	36
FEMALE--	1,311	2	1	-	1	-	1	2	3	7	11	12
ALL OTHER--MALE----	380	-	2	1	2	5	5	7	11	15	13	23
FEMALE--	484	4	1	-	-	4	4	5	3	11	15	21
BLACK---MALE-----	375	-	2	1	2	5	5	7	10	15	12	23
FEMALE--	480	3	1	-	-	4	4	5	3	11	14	21
MAINE -----	867	-	-	-	1	1	3	2	6	3	9	21
WHITE-----MALE----	366	-	-	-	1	1	1	1	5	1	6	13
FEMALE--	495	-	-	-	-	-	2	1	1	2	2	7
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	4	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2,522	5	3	4	2	3	17	19	41	46	74	86
WHITE-----MALE----	780	-	-	1	1	1	5	4	9	13	27	24
FEMALE--	1,085	1	2	2	-	-	2	3	6	5	7	17
ALL OTHER--MALE----	295	-	1	1	-	2	4	9	14	14	23	26
FEMALE--	362	4	-	-	1	-	6	3	12	14	17	19
BLACK---MALE-----	290	-	1	1	-	2	4	8	14	14	23	26
FEMALE--	350	4	-	-	1	-	5	3	12	14	17	18
MASSACHUSETTS -----	4,792	9	2	1	4	1	8	17	27	39	63	79
WHITE-----MALE----	1,840	3	2	1	1	-	3	7	14	18	34	43
FEMALE--	2,732	5	-	-	2	-	3	9	7	10	18	30
ALL OTHER--MALE----	114	1	-	-	1	1	2	-	6	8	6	2
FEMALE--	106	-	-	-	-	-	-	1	-	3	5	4
BLACK---MALE-----	99	1	-	-	1	-	2	-	5	8	4	2
FEMALE--	92	-	-	-	-	-	-	1	-	2	4	4
MICHIGAN -----	5,945	19	8	2	3	19	16	26	50	73	116	155
WHITE-----MALE----	2,247	10	3	-	-	6	5	9	18	28	49	61
FEMALE--	2,917	4	2	1	1	3	5	6	9	14	20	32
ALL OTHER--MALE----	380	1	2	-	1	8	5	4	12	20	28	39
FEMALE--	401	4	1	1	1	2	1	7	11	11	19	23
BLACK---MALE-----	365	1	2	-	1	8	5	3	12	19	28	35
FEMALE--	379	4	1	1	1	2	1	6	10	10	19	23

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other heart diseases (I26-I51)												
KENTUCKY -----	120	150	173	231	341	529	637	667	466	184	50	-
WHITE-----MALE----	70	86	92	112	162	247	226	202	109	36	6	-
FEMALE--	36	46	70	102	154	249	373	433	333	136	42	-
ALL OTHER--MALE----	7	13	7	4	14	17	16	14	5	5	-	-
FEMALE--	7	5	4	13	11	16	22	18	19	7	2	-
BLACK---MALE-----	7	13	7	4	14	16	16	14	5	5	-	-
FEMALE--	7	5	4	13	11	14	22	18	19	7	2	-
LOUISIANA -----	88	119	183	206	290	426	515	513	369	161	33	-
WHITE-----MALE----	26	50	75	72	119	154	194	127	73	26	4	-
FEMALE--	13	21	48	59	95	165	235	287	227	104	17	-
ALL OTHER--MALE----	23	29	27	36	31	53	33	38	12	10	4	-
FEMALE--	26	19	33	39	45	54	53	61	57	21	8	-
BLACK---MALE-----	23	29	26	36	31	52	33	37	12	10	4	-
FEMALE--	25	19	33	39	45	54	53	60	57	21	8	-
MAINE -----	22	20	36	46	70	122	150	157	119	60	19	-
WHITE-----MALE----	14	8	26	30	41	62	61	51	28	13	3	-
FEMALE--	7	11	10	16	29	60	88	105	91	47	16	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	94	101	86	141	201	322	387	426	310	130	24	-
WHITE-----MALE----	33	34	27	46	72	124	135	121	68	34	1	-
FEMALE--	18	18	28	44	82	116	193	244	197	82	18	-
ALL OTHER--MALE----	21	31	16	27	26	28	27	12	7	3	3	-
FEMALE--	22	18	15	24	21	54	32	49	38	11	2	-
BLACK---MALE-----	21	31	15	26	26	28	26	12	6	3	3	-
FEMALE--	21	18	15	23	20	54	30	46	36	11	2	-
MASSACHUSETTS -----	106	113	141	232	336	532	849	1,035	749	370	79	-
WHITE-----MALE----	56	68	78	136	184	241	368	326	179	70	8	-
FEMALE--	37	34	48	81	128	257	458	690	551	294	70	-
ALL OTHER--MALE----	7	5	10	7	16	17	14	6	4	1	-	-
FEMALE--	6	6	5	8	8	17	9	13	15	5	1	-
BLACK---MALE-----	6	5	10	6	14	15	11	5	4	-	-	-
FEMALE--	5	5	5	8	7	15	7	11	12	5	1	-
MICHIGAN -----	185	198	218	318	483	744	1,003	1,107	775	332	95	-
WHITE-----MALE----	81	95	108	151	241	324	390	353	219	81	15	-
FEMALE--	43	51	69	113	186	330	517	684	525	227	75	-
ALL OTHER--MALE----	33	28	19	25	29	42	42	24	11	6	1	-
FEMALE--	28	24	22	29	27	48	54	46	20	18	4	-
BLACK---MALE-----	33	27	19	25	28	41	40	20	11	6	1	-
FEMALE--	28	23	22	25	26	44	52	43	16	18	4	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other heart diseases (I26-I51)												
MINNESOTA -----	2,724	4	1	1	1	4	4	5	14	23	38	39
WHITE-----MALE----	1,131	1	-	-	-	1	1	4	2	10	19	20
FEMALE--	1,519	-	1	1	1	2	3	1	9	10	14	14
ALL OTHER--MALE----	40	1	-	-	-	1	-	-	3	2	1	1
FEMALE--	34	2	-	-	-	-	-	-	-	1	4	4
BLACK---MALE-----	21	-	-	-	-	-	-	-	2	1	-	-
FEMALE--	25	2	-	-	-	-	-	-	-	1	4	3
MISSISSIPPI -----	3,019	8	6	1	1	5	14	10	16	30	51	67
WHITE-----MALE----	764	1	1	-	-	-	1	2	2	5	18	12
FEMALE--	1,249	3	-	-	1	1	2	1	4	2	7	15
ALL OTHER--MALE----	425	2	3	1	-	4	7	3	5	16	12	24
FEMALE--	581	2	2	-	-	-	4	4	5	7	14	16
BLACK---MALE-----	421	2	3	1	-	4	7	3	5	14	12	24
FEMALE--	576	2	2	-	-	-	4	4	5	7	14	16
MISSOURI -----	4,244	11	5	2	4	13	10	14	14	41	52	76
WHITE-----MALE----	1,620	3	1	-	3	8	4	4	11	17	23	41
FEMALE--	2,272	4	2	2	1	4	3	5	1	14	16	20
ALL OTHER--MALE----	166	2	1	-	-	1	2	2	1	3	6	11
FEMALE--	186	2	1	-	-	-	1	3	1	7	7	4
BLACK---MALE-----	160	2	1	-	-	1	2	2	1	3	5	11
FEMALE--	180	2	1	-	-	-	1	3	-	7	7	4
MONTANA -----	767	1	-	1	1	-	-	-	2	6	6	13
WHITE-----MALE----	349	-	-	1	1	-	-	-	-	3	3	8
FEMALE--	402	1	-	-	-	-	-	-	2	1	2	4
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	13	-	-	-	-	-	-	-	-	2	-	1
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	1,572	3	4	-	1	5	4	2	6	4	18	23
WHITE-----MALE----	655	2	1	-	-	5	2	1	4	2	10	12
FEMALE--	864	-	2	-	-	-	1	1	2	2	4	9
ALL OTHER--MALE----	34	-	1	-	-	-	1	-	-	-	3	1
FEMALE--	19	1	-	-	1	-	-	-	-	-	1	1
BLACK---MALE-----	26	-	-	-	-	-	1	-	-	-	2	1
FEMALE--	13	-	-	-	1	-	-	-	-	-	1	1
NEVADA -----	1,387	2	1	1	-	2	6	7	11	22	36	54
WHITE-----MALE----	631	1	-	1	-	-	2	3	5	12	21	28
FEMALE--	611	1	-	-	-	1	2	2	3	2	10	11
ALL OTHER--MALE----	78	-	1	-	-	-	2	2	3	4	3	9
FEMALE--	67	-	-	-	-	1	-	-	-	4	2	6
BLACK---MALE-----	56	-	-	-	-	-	1	1	3	3	3	6
FEMALE--	50	-	-	-	-	1	-	-	-	2	2	6

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other heart diseases (I26-I51)												
MINNESOTA -----	57	53	68	124	187	300	459	594	477	220	51	-
WHITE-----MALE----	29	29	40	70	104	157	215	216	158	49	6	-
FEMALE--	24	18	20	50	76	137	236	372	315	170	45	-
ALL OTHER--MALE----	3	6	6	2	2	4	4	2	2	-	-	-
FEMALE--	1	-	2	2	5	2	4	4	2	1	-	-
BLACK---MALE-----	1	4	5	1	-	3	2	1	1	-	-	-
FEMALE--	1	-	2	1	3	2	2	2	2	-	-	-
MISSISSIPPI -----	85	123	147	206	300	389	450	506	389	171	44	-
WHITE-----MALE----	27	42	48	61	104	129	125	107	61	15	3	-
FEMALE--	14	27	37	45	94	144	220	273	236	96	27	-
ALL OTHER--MALE----	25	37	28	44	43	43	45	42	26	13	2	-
FEMALE--	19	17	34	56	59	73	60	84	66	47	12	-
BLACK---MALE-----	25	37	27	44	42	43	45	42	26	13	2	-
FEMALE--	18	17	34	55	58	72	59	84	66	47	12	-
MISSOURI -----	109	114	136	248	377	535	693	815	625	285	65	-
WHITE-----MALE----	53	59	76	119	190	240	277	265	172	46	8	-
FEMALE--	35	33	46	98	147	249	363	511	430	233	55	-
ALL OTHER--MALE----	11	11	6	15	22	25	25	10	11	-	1	-
FEMALE--	10	11	8	16	18	21	28	29	12	6	1	-
BLACK---MALE-----	11	11	6	13	21	24	25	9	11	-	1	-
FEMALE--	9	11	7	15	17	20	28	29	12	6	1	-
MONTANA -----	17	20	28	35	56	107	144	152	113	50	15	-
WHITE-----MALE----	12	14	21	18	38	50	70	61	38	10	1	-
FEMALE--	4	6	6	17	15	56	74	87	74	39	14	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	1	-	1	-	2	1	-	3	1	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	42	39	36	68	112	183	261	305	248	162	46	-
WHITE-----MALE----	27	24	29	40	55	99	119	102	86	30	5	-
FEMALE--	7	10	6	24	51	74	139	199	161	132	40	-
ALL OTHER--MALE----	5	3	1	2	5	7	2	2	1	-	-	-
FEMALE--	3	2	-	2	1	3	1	2	-	-	1	-
BLACK---MALE-----	4	2	-	2	5	6	2	-	1	-	-	-
FEMALE--	3	1	-	1	-	1	1	2	-	-	1	-
NEVADA -----	47	57	71	121	152	187	210	204	141	48	6	1
WHITE-----MALE----	24	41	41	63	81	96	100	66	38	6	1	1
FEMALE--	13	8	21	43	54	78	99	121	97	40	5	-
ALL OTHER--MALE----	7	6	5	7	9	5	6	7	1	1	-	-
FEMALE--	3	2	4	8	8	8	5	10	5	1	-	-
BLACK---MALE-----	6	3	4	5	7	4	4	5	1	-	-	-
FEMALE--	3	1	4	6	4	6	4	7	4	-	-	-







04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 1951

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other heart diseases (I26-I51)												
OHIO -----	7,981	13	5	3	9	13	20	31	37	66	125	169
WHITE-----MALE----	2,931	2	3	2	6	4	9	11	13	31	66	90
FEMALE--	4,216	4	1	-	2	3	6	11	14	17	27	36
ALL OTHER--MALE----	367	2	-	1	1	4	5	7	5	7	16	26
FEMALE--	467	5	1	-	-	2	-	2	5	11	16	17
BLACK---MALE-----	360	2	-	1	1	4	4	6	5	7	16	26
FEMALE--	454	4	1	-	-	2	-	2	5	11	15	16
OKLAHOMA -----	2,580	8	3	2	2	4	9	7	18	29	43	56
WHITE-----MALE----	982	3	2	-	1	3	3	4	9	8	22	24
FEMALE--	1,356	3	-	1	1	1	1	2	6	13	8	19
ALL OTHER--MALE----	114	1	1	1	-	-	4	1	1	7	6	7
FEMALE--	128	1	-	-	-	-	1	-	2	1	7	6
BLACK---MALE-----	71	-	-	1	-	-	4	1	1	2	5	6
FEMALE--	96	-	-	-	-	-	1	-	2	-	6	6
OREGON -----	2,039	4	-	2	1	1	5	5	13	10	21	30
WHITE-----MALE----	825	2	-	1	-	-	2	4	10	6	11	18
FEMALE--	1,160	1	-	1	1	1	3	1	2	3	8	10
ALL OTHER--MALE----	26	1	-	-	-	-	-	-	1	1	1	2
FEMALE--	28	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	11	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	1	-
PENNSYLVANIA -----	10,767	11	11	5	8	14	22	28	62	89	121	214
WHITE-----MALE----	4,228	4	4	1	5	5	14	15	26	40	55	120
FEMALE--	5,682	7	4	2	1	5	7	5	18	27	31	41
ALL OTHER--MALE----	412	-	-	-	1	2	1	4	12	11	22	39
FEMALE--	445	-	3	2	1	2	-	4	6	11	13	14
BLACK---MALE-----	397	-	-	-	1	2	1	4	11	11	22	37
FEMALE--	429	-	3	2	1	1	-	4	6	11	13	14
RHODE ISLAND -----	406	4	2	-	-	-	1	4	2	7	7	12
WHITE-----MALE----	172	2	2	-	-	-	-	2	1	4	4	7
FEMALE--	223	2	-	-	-	-	1	2	1	2	3	3
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	5	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
SOUTH CAROLINA -----	2,846	12	4	2	1	3	12	13	23	51	67	87
WHITE-----MALE----	903	1	1	-	1	1	2	3	9	16	25	34
FEMALE--	1,111	3	-	1	-	-	1	1	3	11	9	8
ALL OTHER--MALE----	422	3	2	-	-	2	6	6	6	12	17	30
FEMALE--	410	5	1	1	-	-	3	3	5	12	16	15
BLACK---MALE-----	421	3	2	-	-	2	6	6	6	12	17	30
FEMALE--	403	4	-	1	-	-	3	3	5	12	16	14

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 1951

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other heart diseases (I26-I51)												
OHIO -----	207	257	318	457	757	1,057	1,353	1,497	1,070	422	95	-
WHITE-----MALE----	99	116	147	208	339	445	516	471	271	68	14	-
FEMALE--	61	87	119	184	318	515	730	931	750	325	75	-
ALL OTHER--MALE----	23	28	28	34	54	44	37	29	10	5	1	-
FEMALE--	24	26	24	31	46	53	70	66	39	24	5	-
BLACK---MALE-----	23	28	28	33	54	43	36	28	9	5	1	-
FEMALE--	24	26	23	31	45	49	69	63	39	24	5	-
OKLAHOMA -----	72	85	126	157	207	310	412	448	393	147	42	-
WHITE-----MALE----	28	44	69	83	90	142	173	134	106	32	2	-
FEMALE--	30	26	39	50	98	144	210	296	268	106	34	-
ALL OTHER--MALE----	10	9	8	14	12	9	10	6	6	1	-	-
FEMALE--	4	6	10	10	7	15	19	12	13	8	6	-
BLACK---MALE-----	7	6	6	9	9	1	4	3	5	1	-	-
FEMALE--	4	5	9	8	6	9	13	6	12	5	4	-
OREGON -----	39	42	77	72	151	234	364	442	346	158	22	-
WHITE-----MALE----	26	27	36	36	81	102	158	158	93	50	4	-
FEMALE--	11	15	32	33	61	125	201	278	248	107	18	-
ALL OTHER--MALE----	2	-	3	1	5	2	2	3	2	-	-	-
FEMALE--	-	-	6	2	4	5	3	3	3	1	-	-
BLACK---MALE-----	1	-	1	1	3	1	-	3	-	-	-	-
FEMALE--	-	-	2	1	2	3	2	2	1	1	-	-
PENNSYLVANIA -----	250	293	401	536	968	1,435	1,935	2,090	1,519	635	120	-
WHITE-----MALE----	127	153	207	266	483	690	787	698	389	127	12	-
FEMALE--	66	87	125	192	402	643	1,039	1,320	1,080	478	102	-
ALL OTHER--MALE----	35	33	47	37	46	45	42	18	11	5	1	-
FEMALE--	22	20	22	41	37	57	67	54	39	25	5	-
BLACK---MALE-----	35	31	46	36	42	43	41	17	11	5	1	-
FEMALE--	21	20	21	40	37	56	64	51	36	23	5	-
RHODE ISLAND -----	6	7	15	19	29	64	67	81	57	15	7	-
WHITE-----MALE----	2	4	7	14	18	31	33	26	13	2	-	-
FEMALE--	3	2	6	5	11	31	33	54	44	13	7	-
ALL OTHER--MALE----	-	1	1	-	-	1	-	1	-	-	-	-
FEMALE--	1	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE-----	-	1	1	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	1	-	-	-	-	-	-
SOUTH CAROLINA -----	106	163	174	218	250	374	449	414	283	113	27	-
WHITE-----MALE----	31	56	69	82	88	136	161	106	52	24	5	-
FEMALE--	17	36	39	70	88	139	193	229	179	69	15	-
ALL OTHER--MALE----	34	48	47	33	39	48	38	27	18	4	2	-
FEMALE--	24	23	19	33	35	51	57	52	34	16	5	-
BLACK---MALE-----	34	48	47	33	39	47	38	27	18	4	2	-
FEMALE--	24	20	19	33	35	51	56	52	34	16	5	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 1952

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other heart diseases (I26-I51)												
SOUTH DAKOTA -----	517	-	-	-	1	-	-	2	2	8	3	11
WHITE-----MALE----	219	-	-	-	1	-	-	-	2	2	1	6
FEMALE--	268	-	-	-	-	-	-	-	-	3	2	2
ALL OTHER--MALE----	17	-	-	-	-	-	-	1	-	2	-	3
FEMALE--	13	-	-	-	-	-	-	1	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2,657	9	2	-	2	5	15	20	18	36	58	82
WHITE-----MALE----	970	-	-	-	-	3	5	9	7	8	29	36
FEMALE--	1,264	4	1	-	2	2	4	6	4	17	16	16
ALL OTHER--MALE----	198	3	1	-	-	-	3	1	3	7	4	16
FEMALE--	225	2	-	-	-	-	3	4	4	4	9	14
BLACK---MALE----	193	2	1	-	-	-	3	1	3	7	4	16
FEMALE--	221	2	-	-	-	-	3	3	4	4	8	14
TEXAS -----	9,813	39	24	7	12	28	37	65	91	150	188	249
WHITE-----MALE----	3,675	11	4	1	3	14	18	32	39	71	84	124
FEMALE--	4,818	15	9	5	4	7	10	15	29	33	34	52
ALL OTHER--MALE----	615	8	6	-	2	5	3	10	14	35	38	39
FEMALE--	705	5	5	1	3	2	6	8	9	11	32	34
BLACK---MALE----	594	8	6	-	2	5	3	10	12	33	37	39
FEMALE--	665	4	5	1	1	2	6	8	9	10	32	33
UTAH -----	1,069	5	1	-	-	2	4	2	7	11	17	23
WHITE-----MALE----	435	3	1	-	-	1	3	1	3	5	11	11
FEMALE--	614	2	-	-	-	1	1	1	4	5	6	8
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	3
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
VERMONT -----	360	2	-	-	-	1	-	1	1	4	8	9
WHITE-----MALE----	154	1	-	-	-	-	-	-	-	1	7	5
FEMALE--	204	1	-	-	-	1	-	1	1	2	1	4
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	4,696	15	12	1	1	6	8	24	25	48	82	103
WHITE-----MALE----	1,526	4	5	-	1	1	5	5	6	18	31	39
FEMALE--	2,100	3	3	-	-	2	-	4	5	10	11	19
ALL OTHER--MALE----	511	2	3	-	-	1	3	10	7	11	22	25
FEMALE--	559	6	1	1	-	2	-	5	7	9	18	20
BLACK---MALE----	491	2	3	-	-	1	2	9	7	11	22	24
FEMALE--	537	6	1	1	-	2	-	5	6	9	18	19

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 1952

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other heart diseases (I26-I51)												
SOUTH DAKOTA -----	14	17	19	24	43	50	74	92	85	55	17	-
WHITE-----MALE----	9	11	11	13	27	26	29	34	29	14	4	-
FEMALE--	4	4	5	7	15	24	41	55	54	39	13	-
ALL OTHER--MALE----	1	1	2	3	-	-	2	1	1	-	-	-
FEMALE--	-	1	1	1	1	-	2	2	1	2	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	109	122	145	197	274	353	414	393	284	101	18	-
WHITE-----MALE----	52	52	62	90	130	161	141	110	49	25	1	-
FEMALE--	33	42	51	62	103	150	226	245	201	68	11	-
ALL OTHER--MALE----	11	18	19	18	17	27	21	16	10	2	1	-
FEMALE--	13	10	13	27	24	15	26	22	24	6	5	-
BLACK---MALE-----	11	18	19	16	16	27	20	16	10	2	1	-
FEMALE--	13	10	13	26	24	15	26	21	24	6	5	-
TEXAS -----	328	414	454	622	870	1,203	1,522	1,586	1,281	515	127	1
WHITE-----MALE----	170	194	216	287	388	516	571	509	307	98	17	1
FEMALE--	89	137	160	214	366	524	816	948	890	374	87	-
ALL OTHER--MALE----	35	45	44	69	50	71	63	42	20	12	4	-
FEMALE--	34	38	34	52	66	92	72	87	64	31	19	-
BLACK---MALE-----	35	43	43	65	50	67	62	40	20	10	4	-
FEMALE--	34	36	32	50	63	85	67	77	62	30	18	-
UTAH -----	25	29	34	38	76	123	174	244	184	57	13	-
WHITE-----MALE----	18	21	14	20	37	64	70	84	54	13	1	-
FEMALE--	5	7	20	17	39	57	102	156	128	44	11	-
ALL OTHER--MALE----	2	1	-	1	-	1	2	3	2	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	1	-
BLACK---MALE-----	-	-	-	1	-	-	1	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	6	8	8	15	37	37	51	69	67	27	9	-
WHITE-----MALE----	2	6	2	9	25	16	22	30	23	3	2	-
FEMALE--	4	2	6	6	11	21	29	39	44	24	7	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	174	161	232	316	452	626	732	776	607	247	48	-
WHITE-----MALE----	62	56	109	120	183	230	270	211	132	33	5	-
FEMALE--	41	41	60	101	150	264	333	438	394	187	34	-
ALL OTHER--MALE----	36	35	36	54	62	66	57	50	26	3	2	-
FEMALE--	35	29	27	41	57	66	72	77	55	24	7	-
BLACK---MALE-----	36	35	35	51	57	64	54	48	25	3	2	-
FEMALE--	34	29	26	37	54	64	68	73	54	24	7	-





04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 1954

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pulmonary heart disease and diseases of pulmonary circulation (I26-I28)												
UNITED STATES -	13,320	170	21	11	19	34	88	146	207	307	470	599
WHITE-----MALE----	4,380	54	10	7	8	7	24	38	48	83	157	199
FEMALE--	6,608	60	6	2	6	14	36	52	92	123	176	234
ALL OTHER--MALE----	919	26	2	2	2	10	10	21	23	39	56	68
FEMALE--	1,413	30	3	-	3	3	18	35	44	62	81	98
BLACK---MALE-----	845	23	2	2	2	9	9	18	22	38	51	63
FEMALE--	1,318	21	3	-	3	3	14	33	43	55	79	93
ALABAMA -----	287	5	-	-	1	-	2	4	6	5	9	20
WHITE-----MALE----	84	2	-	-	-	-	1	1	-	-	2	7
FEMALE--	120	-	-	-	-	-	-	-	1	2	5	6
ALL OTHER--MALE----	36	1	-	-	-	-	-	1	3	1	-	2
FEMALE--	47	2	-	-	1	-	1	2	2	2	2	5
BLACK---MALE-----	36	1	-	-	-	-	-	1	3	1	-	2
FEMALE--	47	2	-	-	1	-	1	2	2	2	2	5
ALASKA -----	21	-	-	-	-	-	-	1	1	3	1	-
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	9	-	-	-	-	-	-	-	1	1	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ARIZONA -----	227	5	1	-	1	-	2	1	-	5	10	11
WHITE-----MALE----	83	4	-	-	-	-	-	-	-	1	2	1
FEMALE--	126	1	1	-	1	-	2	1	-	3	6	6
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	1	1	3
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE-----	5	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	-
ARKANSAS -----	210	2	-	-	-	2	-	3	3	3	8	10
WHITE-----MALE----	76	-	-	-	-	-	-	1	-	1	3	3
FEMALE--	98	-	-	-	-	1	-	2	2	1	3	5
ALL OTHER--MALE----	8	2	-	-	-	-	-	-	-	-	1	1
FEMALE--	28	-	-	-	-	1	-	-	1	1	1	1
BLACK---MALE-----	7	2	-	-	-	-	-	-	-	-	1	1
FEMALE--	26	-	-	-	-	1	-	-	1	1	1	1
CALIFORNIA -----	795	15	2	5	4	2	6	12	5	21	30	45
WHITE-----MALE----	251	8	2	4	2	-	4	1	1	4	11	15
FEMALE--	414	6	-	-	2	1	-	4	3	12	14	16
ALL OTHER--MALE----	51	1	-	1	-	1	-	4	-	2	1	4
FEMALE--	79	-	-	-	-	-	2	3	1	3	4	10
BLACK---MALE-----	30	1	-	1	-	-	-	3	-	2	1	2
FEMALE--	52	-	-	-	-	-	-	2	1	3	2	8

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pulmonary heart disease and diseases of pulmonary circulation (I26-I28)												
UNITED STATES -	716	834	914	1,148	1,521	1,795	1,790	1,477	773	247	33	-
WHITE-----MALE----	252	269	351	430	592	611	610	409	174	45	2	-
FEMALE--	302	376	381	490	699	928	999	923	515	167	27	-
ALL OTHER--MALE----	53	82	83	87	94	95	74	50	32	9	1	-
FEMALE--	109	107	99	141	136	161	107	95	52	26	3	-
BLACK---MALE-----	48	76	80	83	85	82	68	46	29	8	1	-
FEMALE--	101	100	91	137	127	147	99	92	51	23	3	-
ALABAMA -----	17	15	27	26	31	39	43	29	8	-	-	-
WHITE-----MALE----	6	3	9	9	13	8	13	6	4	-	-	-
FEMALE--	5	8	13	7	15	18	22	16	2	-	-	-
ALL OTHER--MALE----	1	-	5	4	1	8	5	3	1	-	-	-
FEMALE--	5	4	-	6	2	5	3	4	1	-	-	-
BLACK---MALE-----	1	-	5	4	1	8	5	3	1	-	-	-
FEMALE--	5	4	-	6	2	5	3	4	1	-	-	-
ALASKA -----	4	3	1	1	3	-	3	-	-	-	-	-
WHITE-----MALE----	3	2	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	-	3	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	12	13	11	27	27	33	36	17	11	2	2	-
WHITE-----MALE----	4	6	5	13	15	13	12	5	1	1	-	-
FEMALE--	7	6	6	11	11	17	22	12	10	1	2	-
ALL OTHER--MALE----	-	1	-	1	1	1	1	-	-	-	-	-
FEMALE--	1	-	-	2	-	2	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	2	-	1	1	-	-	-	-	-
ARKANSAS -----	10	20	16	20	22	26	33	17	11	4	-	-
WHITE-----MALE----	6	6	6	9	4	10	17	7	2	1	-	-
FEMALE--	2	10	6	7	13	13	13	9	8	3	-	-
ALL OTHER--MALE----	1	-	1	-	-	1	1	-	-	-	-	-
FEMALE--	1	4	3	4	5	2	2	1	1	-	-	-
BLACK---MALE-----	1	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	1	4	1	4	5	2	2	1	1	-	-	-
CALIFORNIA -----	48	51	52	60	78	95	109	91	46	18	-	-
WHITE-----MALE----	18	13	26	25	27	22	36	21	9	2	-	-
FEMALE--	20	30	18	25	37	63	59	60	32	12	-	-
ALL OTHER--MALE----	5	1	4	2	4	2	9	5	3	2	-	-
FEMALE--	5	7	4	8	10	8	5	5	2	2	-	-
BLACK---MALE-----	2	-	3	2	3	-	4	4	1	1	-	-
FEMALE--	2	6	3	7	7	3	1	4	1	2	-	-



[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pulmonary heart disease and diseases of pulmonary circulation (I26-I28)												
COLORADO -----	255	2	-	-	-	2	1	3	2	3	11	7
WHITE-----MALE----	103	-	-	-	-	1	-	1	-	2	4	2
FEMALE--	142	2	-	-	-	1	1	2	2	1	6	4
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	1
CONNECTICUT -----	153	-	-	1	-	1	-	1	2	4	9	6
WHITE-----MALE----	53	-	-	1	-	-	-	-	1	-	2	3
FEMALE--	80	-	-	-	-	1	-	1	-	2	3	3
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	1	3	-
FEMALE--	9	-	-	-	-	-	-	-	1	1	1	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	1	2	-
FEMALE--	9	-	-	-	-	-	-	-	1	1	1	-
DELAWARE -----	37	-	-	-	-	-	-	-	-	-	-	4
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	2
DISTRICT OF COLUMBIA ---	33	-	-	-	-	-	-	-	-	1	2	1
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	18	-	-	-	-	-	-	-	-	1	1	1
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	18	-	-	-	-	-	-	-	-	1	1	1
FLORIDA -----	770	6	-	1	1	3	5	7	8	14	22	29
WHITE-----MALE----	278	3	-	1	-	2	1	1	4	6	9	9
FEMALE--	360	-	-	-	-	1	1	1	2	5	4	12
ALL OTHER--MALE----	41	2	-	-	1	-	-	2	-	2	5	4
FEMALE--	91	1	-	-	-	-	3	3	2	1	4	4
BLACK---MALE----	41	2	-	-	1	-	-	2	-	2	5	4
FEMALE--	90	1	-	-	-	-	3	3	2	1	4	4
GEORGIA -----	350	7	1	-	-	-	5	5	7	7	17	22
WHITE-----MALE----	96	1	-	-	-	-	-	-	-	1	5	5
FEMALE--	131	2	-	-	-	-	2	-	3	1	2	8
ALL OTHER--MALE----	48	3	-	-	-	-	1	2	1	2	4	4
FEMALE--	75	1	1	-	-	-	2	3	3	3	6	5
BLACK---MALE----	48	3	-	-	-	-	1	2	1	2	4	4
FEMALE--	73	1	1	-	-	-	2	3	3	3	6	5

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pulmonary heart disease and diseases of pulmonary circulation (I26-I28)												
COLORADO -----	22	17	18	19	30	25	33	35	16	7	2	-
WHITE-----MALE----	14	5	13	4	19	9	12	11	5	1	-	-
FEMALE--	7	12	4	14	11	14	20	23	10	6	2	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	2	1	1	1	-	-	-
BLACK---MALE-----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	1	1	1	-	-	-
CONNECTICUT -----	9	8	8	10	17	20	26	23	8	-	-	-
WHITE-----MALE----	3	4	2	5	7	11	9	2	3	-	-	-
FEMALE--	4	1	4	5	9	7	15	20	5	-	-	-
ALL OTHER--MALE----	2	1	1	-	-	2	1	-	-	-	-	-
FEMALE--	-	2	1	-	1	-	1	1	-	-	-	-
BLACK---MALE-----	2	1	1	-	-	1	1	-	-	-	-	-
FEMALE--	-	2	1	-	1	-	1	1	-	-	-	-
DELAWARE -----	2	4	2	3	2	6	7	3	4	-	-	-
WHITE-----MALE----	1	-	1	1	1	2	2	1	1	-	-	-
FEMALE--	1	2	1	2	-	3	3	2	2	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	1	2	-	1	-	-	-
BLACK---MALE-----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	1	2	-	1	-	-	-
DISTRICT OF COLUMBIA ---	2	4	-	3	-	7	6	1	3	3	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	1	-	-
ALL OTHER--MALE----	-	2	-	2	-	1	3	-	1	-	-	-
FEMALE--	2	1	-	1	-	6	1	1	1	2	-	-
BLACK---MALE-----	-	2	-	2	-	1	3	-	1	-	-	-
FEMALE--	2	1	-	1	-	6	1	1	1	2	-	-
FLORIDA -----	38	56	48	72	88	118	104	80	55	14	1	-
WHITE-----MALE----	13	14	17	20	38	48	35	32	18	7	-	-
FEMALE--	13	29	22	33	37	56	61	42	34	6	1	-
ALL OTHER--MALE----	1	6	2	4	3	6	2	1	-	-	-	-
FEMALE--	11	7	7	15	10	8	6	5	3	1	-	-
BLACK---MALE-----	1	6	2	4	3	6	2	1	-	-	-	-
FEMALE--	11	7	7	15	10	7	6	5	3	1	-	-
GEORGIA -----	15	24	30	27	44	47	48	21	16	4	3	-
WHITE-----MALE----	5	4	11	10	11	9	23	6	4	1	-	-
FEMALE--	6	4	14	8	20	21	20	8	8	2	2	-
ALL OTHER--MALE----	2	6	2	6	5	6	-	2	2	-	-	-
FEMALE--	2	10	3	3	8	11	5	5	2	1	1	-
BLACK---MALE-----	2	6	2	6	5	6	-	2	2	-	-	-
FEMALE--	2	9	3	3	8	11	4	5	2	1	1	-



04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 1956

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pulmonary heart disease and diseases of pulmonary circulation (I26-I28)												
HAWAII -----	2	3	2	1	8	7	1	3	2	2	-	-
WHITE-----MALE----	1	1	-	-	1	-	-	-	1	2	-	-
FEMALE--	-	1	1	1	2	1	1	2	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	3	4	-	-	-	-	-	-
FEMALE--	1	1	1	-	2	2	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	3	6	5	7	12	7	9	6	4	4	-	-
WHITE-----MALE----	-	2	4	3	3	2	3	2	-	-	-	-
FEMALE--	3	4	1	4	9	5	6	4	4	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	33	35	45	47	74	93	75	74	44	9	1	-
WHITE-----MALE----	8	9	18	18	36	30	21	18	3	2	1	-
FEMALE--	15	13	16	14	30	49	37	47	33	6	-	-
ALL OTHER--MALE----	2	5	5	9	6	7	6	2	3	-	-	-
FEMALE--	8	8	6	6	2	7	11	7	5	1	-	-
BLACK---MALE----	2	5	5	8	6	7	6	2	3	-	-	-
FEMALE--	8	7	6	6	2	6	11	7	5	1	-	-
INDIANA -----	22	22	28	31	46	54	57	43	18	4	1	-
WHITE-----MALE----	7	7	10	19	14	20	14	19	4	-	-	-
FEMALE--	11	10	13	9	27	32	39	22	13	4	1	-
ALL OTHER--MALE----	2	3	1	-	1	1	3	2	-	-	-	-
FEMALE--	2	2	4	3	4	1	1	-	1	-	-	-
BLACK---MALE----	2	3	1	-	1	1	3	2	-	-	-	-
FEMALE--	2	2	4	3	4	1	1	-	1	-	-	-
IOWA -----	6	11	9	11	26	18	26	20	11	1	1	-
WHITE-----MALE----	-	6	3	4	13	12	14	6	5	1	-	-
FEMALE--	4	5	6	7	13	5	12	14	6	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	-
KANSAS -----	9	15	5	11	13	27	20	19	8	2	1	-
WHITE-----MALE----	3	4	4	4	7	11	8	9	2	-	-	-
FEMALE--	4	10	1	7	4	15	11	9	6	2	1	-
ALL OTHER--MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	1	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	2	1	-	-	-	1	1	1	-	-	-	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 1957

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pulmonary heart disease and diseases of pulmonary circulation (I26-I28)												
KENTUCKY -----	246	2	-	-	-	-	3	6	7	2	12	8
WHITE-----MALE----	86	-	-	-	-	-	-	3	2	-	6	-
FEMALE--	134	1	-	-	-	-	3	3	3	1	3	6
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	1	2	-
FEMALE--	20	1	-	-	-	-	-	-	2	-	1	2
BLACK---MALE-----	6	-	-	-	-	-	-	-	-	1	2	-
FEMALE--	19	1	-	-	-	-	-	-	1	-	1	2
LOUISIANA -----	220	2	-	-	1	2	1	1	3	7	7	11
WHITE-----MALE----	56	-	-	-	-	-	-	-	-	2	1	1
FEMALE--	88	1	-	-	-	-	-	-	2	-	3	3
ALL OTHER--MALE----	31	-	-	-	1	2	-	-	-	1	1	2
FEMALE--	45	1	-	-	-	-	1	1	1	4	2	5
BLACK---MALE-----	31	-	-	-	1	2	-	-	-	1	1	2
FEMALE--	45	1	-	-	-	-	1	1	1	4	2	5
MAINE -----	71	-	-	-	-	-	2	2	1	-	-	3
WHITE-----MALE----	31	-	-	-	-	-	-	1	-	-	-	2
FEMALE--	40	-	-	-	-	-	2	1	1	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	296	2	-	-	-	-	-	3	6	8	8	12
WHITE-----MALE----	74	-	-	-	-	-	-	-	1	1	1	4
FEMALE--	127	-	-	-	-	-	-	1	1	-	2	3
ALL OTHER--MALE----	34	-	-	-	-	-	-	1	1	4	3	2
FEMALE--	61	2	-	-	-	-	-	1	3	3	2	3
BLACK---MALE-----	32	-	-	-	-	-	-	-	1	4	3	2
FEMALE--	61	2	-	-	-	-	-	1	3	3	2	3
MASSACHUSETTS -----	276	4	-	-	-	-	-	3	7	11	12	14
WHITE-----MALE----	90	1	-	-	-	-	-	1	2	2	3	6
FEMALE--	158	2	-	-	-	-	-	2	3	5	8	5
ALL OTHER--MALE----	11	1	-	-	-	-	-	-	2	3	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	1	1	3
BLACK---MALE-----	10	1	-	-	-	-	-	-	2	3	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	1	3
MICHIGAN -----	459	10	1	1	-	5	2	3	11	7	10	24
WHITE-----MALE----	137	4	1	-	-	1	-	1	2	1	4	7
FEMALE--	242	4	-	1	-	1	2	2	2	2	4	10
ALL OTHER--MALE----	28	-	-	-	-	2	-	-	1	-	2	3
FEMALE--	52	2	-	-	-	1	-	-	6	4	-	4
BLACK---MALE-----	26	-	-	-	-	2	-	-	1	-	2	3
FEMALE--	51	2	-	-	-	1	-	-	6	4	-	4

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 1957

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pulmonary heart disease and diseases of pulmonary circulation (I26-I28)												
KENTUCKY -----	18	18	13	26	28	33	31	24	13	2	-	-
WHITE-----MALE----	9	6	3	9	15	11	10	8	2	2	-	-
FEMALE--	7	10	9	14	12	20	18	15	9	-	-	-
ALL OTHER--MALE----	1	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	1	1	3	-	2	3	1	2	-	-	-
BLACK---MALE----	1	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	1	1	3	-	2	3	1	2	-	-	-
LOUISIANA -----	13	15	24	27	18	26	24	21	12	5	-	-
WHITE-----MALE----	2	4	8	7	7	9	9	3	3	-	-	-
FEMALE--	4	7	5	12	4	11	13	13	7	3	-	-
ALL OTHER--MALE----	3	2	4	6	-	3	1	2	2	1	-	-
FEMALE--	4	2	7	2	7	3	1	3	-	1	-	-
BLACK---MALE----	3	2	4	6	-	3	1	2	2	1	-	-
FEMALE--	4	2	7	2	7	3	1	3	-	1	-	-
MAINE -----	3	5	4	3	10	13	12	7	3	3	-	-
WHITE-----MALE----	1	3	4	3	5	8	3	1	-	-	-	-
FEMALE--	2	2	-	-	5	5	9	6	3	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	20	19	25	28	28	42	39	30	19	7	-	-
WHITE-----MALE----	7	5	6	8	9	13	12	4	2	1	-	-
FEMALE--	6	3	10	12	13	18	25	18	11	4	-	-
ALL OTHER--MALE----	-	6	4	2	2	3	1	3	2	-	-	-
FEMALE--	7	5	5	6	4	8	1	5	4	2	-	-
BLACK---MALE----	-	6	3	2	2	3	1	3	2	-	-	-
FEMALE--	7	5	5	6	4	8	1	5	4	2	-	-
MASSACHUSETTS -----	12	16	17	22	21	42	39	37	14	5	-	-
WHITE-----MALE----	4	6	11	9	10	16	11	5	1	2	-	-
FEMALE--	6	7	4	12	9	22	27	31	12	3	-	-
ALL OTHER--MALE----	1	1	1	-	1	1	-	-	-	-	-	-
FEMALE--	1	2	1	1	1	3	1	1	1	-	-	-
BLACK---MALE----	1	1	1	-	-	1	-	-	-	-	-	-
FEMALE--	1	2	1	1	1	3	1	1	1	-	-	-
MICHIGAN -----	24	32	35	45	49	50	66	59	17	8	-	-
WHITE-----MALE----	5	12	15	10	14	15	19	20	4	2	-	-
FEMALE--	15	13	14	26	27	27	41	34	13	4	-	-
ALL OTHER--MALE----	1	3	3	1	2	5	3	2	-	-	-	-
FEMALE--	3	4	3	8	6	3	3	3	-	2	-	-
BLACK---MALE----	1	2	3	1	2	5	3	1	-	-	-	-
FEMALE--	3	4	3	7	6	3	3	3	-	2	-	-



[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pulmonary heart disease and diseases of pulmonary circulation (I26-I28)												
MINNESOTA -----	14	7	12	21	26	35	33	30	19	4	2	-
WHITE-----MALE----	4	3	8	7	13	17	14	7	4	-	-	-
FEMALE--	8	4	3	13	11	17	18	22	14	4	2	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	1	-	-	-
FEMALE--	1	-	1	1	1	1	1	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	1	-	1	1	-	1	-	-	-	-
MISSISSIPPI -----	7	16	24	23	20	25	19	17	4	3	-	-
WHITE-----MALE----	2	5	7	11	5	7	5	5	-	-	-	-
FEMALE--	-	6	4	3	4	10	12	7	3	2	-	-
ALL OTHER--MALE----	3	3	4	5	5	3	1	2	1	1	-	-
FEMALE--	2	2	9	4	6	5	1	3	-	-	-	-
BLACK---MALE----	3	3	4	5	5	3	1	2	1	1	-	-
FEMALE--	2	2	9	4	6	5	1	3	-	-	-	-
MISSOURI -----	18	16	11	33	43	40	61	60	30	11	1	-
WHITE-----MALE----	7	6	4	15	21	12	21	21	4	-	-	-
FEMALE--	9	8	7	11	16	19	30	32	22	10	1	-
ALL OTHER--MALE----	2	1	-	2	2	3	3	-	2	-	-	-
FEMALE--	-	1	-	5	4	6	7	7	2	1	-	-
BLACK---MALE----	2	1	-	2	2	3	3	-	2	-	-	-
FEMALE--	-	1	-	5	4	6	7	7	2	1	-	-
MONTANA -----	3	2	6	6	4	8	11	8	3	3	-	-
WHITE-----MALE----	2	1	3	4	3	4	4	6	1	1	-	-
FEMALE--	1	1	3	2	1	4	7	2	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	6	9	4	8	17	22	14	13	4	8	-	-
WHITE-----MALE----	3	4	3	5	6	10	7	4	1	-	-	-
FEMALE--	3	4	1	3	9	11	7	9	3	8	-	-
ALL OTHER--MALE----	-	1	-	-	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	2	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	8	6	7	10	11	13	10	14	1	1	-	-
WHITE-----MALE----	1	3	2	6	4	6	7	3	-	-	-	-
FEMALE--	5	1	4	3	5	7	2	10	-	1	-	-
ALL OTHER--MALE----	-	2	1	1	2	-	1	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	1	1	1	2	-	1	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-







04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 1960

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pulmonary heart disease and diseases of pulmonary circulation (I26-I28)												
OHIO -----	551	3	-	1	2	2	4	7	7	13	18	20
WHITE-----MALE----	178	-	-	1	2	-	1	4	1	4	8	11
FEMALE--	299	2	-	-	-	-	3	2	5	7	7	7
ALL OTHER--MALE----	33	1	-	-	-	1	-	1	-	-	1	1
FEMALE--	41	-	-	-	-	1	-	-	1	2	2	1
BLACK---MALE----	33	1	-	-	-	1	-	1	-	-	1	1
FEMALE--	41	-	-	-	-	1	-	-	1	2	2	1
OKLAHOMA -----	176	3	-	-	1	1	-	1	6	6	2	8
WHITE-----MALE----	65	1	-	-	1	-	-	-	2	1	1	2
FEMALE--	92	2	-	-	-	1	-	1	2	4	-	5
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	11	-	-	-	-	-	-	-	1	1	1	-
BLACK---MALE----	7	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	1	-	1	-
OREGON -----	157	1	-	-	-	1	-	-	4	4	3	6
WHITE-----MALE----	59	-	-	-	-	-	-	-	4	1	-	2
FEMALE--	93	-	-	-	-	1	-	-	-	2	2	4
ALL OTHER--MALE----	5	1	-	-	-	-	-	-	-	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	778	6	3	-	2	-	5	6	14	23	25	30
WHITE-----MALE----	264	3	-	-	-	-	4	3	5	7	9	12
FEMALE--	410	3	2	-	1	-	1	1	5	8	10	10
ALL OTHER--MALE----	41	-	-	-	-	-	-	-	2	3	-	4
FEMALE--	63	-	1	-	1	-	-	2	2	5	6	4
BLACK---MALE----	40	-	-	-	-	-	-	-	1	3	-	4
FEMALE--	61	-	1	-	1	-	-	2	2	5	6	4
RHODE ISLAND -----	45	1	-	-	-	-	-	-	-	3	1	2
WHITE-----MALE----	20	1	-	-	-	-	-	-	-	1	-	2
FEMALE--	20	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	1	-	-
SOUTH CAROLINA -----	252	4	1	-	1	-	4	5	4	12	7	9
WHITE-----MALE----	64	-	1	-	1	-	-	-	-	3	2	3
FEMALE--	100	2	-	-	-	-	-	1	2	4	1	2
ALL OTHER--MALE----	34	1	-	-	-	-	2	1	2	1	1	2
FEMALE--	54	1	-	-	-	-	2	3	-	4	3	2
BLACK---MALE----	34	1	-	-	-	-	2	1	2	1	1	2
FEMALE--	54	1	-	-	-	-	2	3	-	4	3	2

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 1960

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pulmonary heart disease and diseases of pulmonary circulation (I26-I28)												
OHIO -----	29	30	34	58	70	78	63	68	35	8	1	-
WHITE-----MALE----	13	8	7	26	23	26	20	17	6	-	-	-
FEMALE--	9	14	19	26	37	43	37	48	25	7	1	-
ALL OTHER--MALE----	2	5	4	2	5	4	2	1	2	1	-	-
FEMALE--	5	3	4	4	5	5	4	2	2	-	-	-
BLACK---MALE-----	2	5	4	2	5	4	2	1	2	1	-	-
FEMALE--	5	3	4	4	5	5	4	2	2	-	-	-
OKLAHOMA -----	14	15	17	17	24	11	18	20	8	2	2	-
WHITE-----MALE----	5	4	8	5	10	6	8	6	5	-	-	-
FEMALE--	6	9	6	11	12	4	10	14	2	1	2	-
ALL OTHER--MALE----	1	1	2	-	2	-	-	-	-	-	-	-
FEMALE--	2	1	1	1	-	1	-	-	1	1	-	-
BLACK---MALE-----	1	-	2	-	2	-	-	-	-	-	-	-
FEMALE--	2	1	1	1	-	-	-	-	1	-	-	-
OREGON -----	11	10	6	11	14	26	26	18	12	4	-	-
WHITE-----MALE----	3	5	3	4	7	9	10	7	3	1	-	-
FEMALE--	7	5	3	7	7	17	16	11	8	3	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	34	37	56	53	98	114	105	100	57	8	2	-
WHITE-----MALE----	16	19	15	17	35	48	35	25	11	-	-	-
FEMALE--	16	11	27	23	46	60	62	70	45	7	2	-
ALL OTHER--MALE----	-	5	9	3	8	2	3	1	1	-	-	-
FEMALE--	2	2	5	10	9	4	5	4	-	1	-	-
BLACK---MALE-----	-	5	9	3	8	2	3	1	1	-	-	-
FEMALE--	1	2	5	10	9	4	5	4	-	-	-	-
RHODE ISLAND -----	1	2	4	2	7	10	4	5	1	2	-	-
WHITE-----MALE----	-	-	3	1	3	3	4	2	-	-	-	-
FEMALE--	-	2	-	1	4	6	-	2	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	1	-	-	-	-	-	-
SOUTH CAROLINA -----	13	21	22	27	19	36	32	21	7	7	-	-
WHITE-----MALE----	3	10	6	7	5	8	8	3	3	1	-	-
FEMALE--	4	6	7	13	5	20	16	12	1	4	-	-
ALL OTHER--MALE----	-	2	4	3	5	3	2	3	1	1	-	-
FEMALE--	6	3	5	4	4	5	6	3	2	1	-	-
BLACK---MALE-----	-	2	4	3	5	3	2	3	1	1	-	-
FEMALE--	6	3	5	4	4	5	6	3	2	1	-	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 1961

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pulmonary heart disease and diseases of pulmonary circulation (I26-I28)												
SOUTH DAKOTA -----	53	-	-	-	-	-	-	-	-	1	3	2
WHITE-----MALE----	22	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	30	-	-	-	-	-	-	-	-	1	2	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	300	3	-	-	-	1	2	5	5	6	7	12
WHITE-----MALE----	90	-	-	-	-	-	2	2	1	-	1	3
FEMALE--	151	-	-	-	-	1	2	2	3	5	5	4
ALL OTHER--MALE----	23	2	-	-	-	-	-	-	-	1	-	1
FEMALE--	36	1	-	-	-	-	-	1	1	-	1	4
BLACK---MALE----	21	1	-	-	-	-	-	-	-	1	-	1
FEMALE--	36	1	-	-	-	-	-	1	1	-	1	4
TEXAS -----	890	13	5	-	-	2	5	14	18	26	41	32
WHITE-----MALE----	284	4	1	-	-	-	2	4	3	11	15	11
FEMALE--	430	6	3	-	-	1	2	6	11	12	10	9
ALL OTHER--MALE----	70	1	-	-	-	1	-	2	2	3	7	4
FEMALE--	106	2	1	-	-	-	1	2	2	-	9	8
BLACK---MALE----	69	1	-	-	-	1	-	2	2	3	7	4
FEMALE--	102	1	1	-	-	-	1	2	2	-	9	8
UTAH -----	109	1	-	-	-	-	-	-	1	4	1	6
WHITE-----MALE----	36	-	-	-	-	-	-	-	-	2	-	1
FEMALE--	71	1	-	-	-	-	-	-	1	2	1	4
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	30	-	-	-	-	-	-	-	1	-	1	3
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	20	-	-	-	-	-	-	-	1	-	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	349	3	2	-	-	-	-	4	4	10	10	16
WHITE-----MALE----	90	-	1	-	-	-	-	-	1	5	3	5
FEMALE--	159	1	-	-	-	-	-	-	1	2	1	4
ALL OTHER--MALE----	49	1	1	-	-	-	-	2	2	-	4	5
FEMALE--	51	1	-	-	-	-	-	2	-	3	2	2
BLACK---MALE----	49	1	1	-	-	-	-	2	2	-	4	5
FEMALE--	51	1	-	-	-	-	-	2	-	3	2	2

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 1961

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pulmonary heart disease and diseases of pulmonary circulation (I26-I28)												
SOUTH DAKOTA -----	3	1	6	5	2	9	9	7	4	1	-	-
WHITE-----MALE----	2	-	5	2	1	5	1	3	1	-	-	-
FEMALE--	1	1	1	2	1	4	8	4	3	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	15	22	24	22	40	40	47	32	16	1	-	-
WHITE-----MALE----	4	6	6	6	15	19	18	4	5	-	-	-
FEMALE--	9	11	11	6	17	19	23	21	11	1	-	-
ALL OTHER--MALE----	-	3	4	3	1	-	4	4	-	-	-	-
FEMALE--	2	2	3	7	7	2	2	3	-	-	-	-
BLACK---MALE----	-	3	4	2	1	-	4	4	-	-	-	-
FEMALE--	2	2	3	7	7	2	2	3	-	-	-	-
TEXAS -----	49	56	65	85	90	123	107	77	56	22	4	-
WHITE-----MALE----	17	20	27	27	30	40	32	24	11	5	-	-
FEMALE--	20	30	31	33	46	59	62	38	35	14	2	-
ALL OTHER--MALE----	3	2	3	10	6	9	6	7	3	1	-	-
FEMALE--	9	4	4	15	8	15	7	8	7	2	2	-
BLACK---MALE----	3	2	3	9	6	9	6	7	3	1	-	-
FEMALE--	9	3	4	14	8	15	7	7	7	2	2	-
UTAH -----	4	9	7	5	15	11	12	17	10	6	-	-
WHITE-----MALE----	3	5	2	1	5	4	3	4	4	2	-	-
FEMALE--	1	4	5	4	10	7	9	13	5	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	3	1	9	4	5	1	1	-	-	-
WHITE-----MALE----	1	-	-	-	5	1	1	-	-	-	-	-
FEMALE--	-	-	3	1	4	3	4	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	33	20	35	36	32	44	39	35	17	9	-	-
WHITE-----MALE----	8	5	12	12	8	14	9	7	-	-	-	-
FEMALE--	18	7	17	15	14	17	23	19	13	7	-	-
ALL OTHER--MALE----	2	4	4	4	5	3	6	4	1	1	-	-
FEMALE--	5	4	2	5	5	10	1	5	3	1	-	-
BLACK---MALE----	2	4	4	4	5	3	6	4	1	1	-	-
FEMALE--	5	4	2	5	5	10	1	5	3	1	-	-







04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 1963

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pulmonary embolism (I26)												
UNITED STATES -	8,627	2	1	-	2	15	56	94	143	205	316	398
WHITE-----MALE----	2,947	-	-	-	1	3	16	23	31	59	106	133
FEMALE--	4,183	2	-	-	-	7	25	30	62	73	118	155
ALL OTHER--MALE----	625	-	-	-	1	4	6	17	20	29	43	46
FEMALE--	872	-	1	-	-	1	9	24	30	44	49	64
BLACK---MALE-----	588	-	-	-	1	4	5	15	19	29	39	46
FEMALE--	835	-	1	-	-	1	8	23	29	42	49	63
ALABAMA -----	201	-	-	-	-	-	2	3	3	4	7	16
WHITE-----MALE----	60	-	-	-	-	-	1	-	-	-	1	6
FEMALE--	83	-	-	-	-	-	-	-	-	1	5	5
ALL OTHER--MALE----	25	-	-	-	-	-	-	1	2	1	-	1
FEMALE--	33	-	-	-	-	-	1	2	1	2	1	4
BLACK---MALE-----	25	-	-	-	-	-	-	1	2	1	-	1
FEMALE--	33	-	-	-	-	-	1	2	1	2	1	4
ALASKA -----	15	-	-	-	-	-	-	1	1	3	1	-
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	7	-	-	-	-	-	-	-	1	1	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
ARIZONA -----	149	-	-	-	-	-	-	1	-	3	9	6
WHITE-----MALE----	54	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	82	-	-	-	-	-	-	1	-	1	6	2
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE-----	4	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
ARKANSAS -----	175	-	-	-	-	1	-	3	3	2	6	9
WHITE-----MALE----	67	-	-	-	-	-	-	1	-	1	3	2
FEMALE--	81	-	-	-	-	1	-	2	2	-	2	5
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	21	-	-	-	-	-	-	-	1	1	-	1
BLACK---MALE-----	5	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	19	-	-	-	-	-	-	-	1	1	-	1
CALIFORNIA -----	386	-	-	-	-	-	3	5	2	8	8	14
WHITE-----MALE----	135	-	-	-	-	-	2	1	-	2	4	9
FEMALE--	203	-	-	-	-	-	-	1	1	4	3	3
ALL OTHER--MALE----	21	-	-	-	-	-	-	2	-	-	1	1
FEMALE--	27	-	-	-	-	-	1	1	1	2	-	1
BLACK---MALE-----	13	-	-	-	-	-	-	1	-	-	1	1
FEMALE--	20	-	-	-	-	-	-	1	1	2	-	1

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pulmonary embolism (I26)												
UNITED STATES -	489	585	601	746	998	1,165	1,146	982	511	154	18	-
WHITE-----MALE----	184	193	238	312	398	423	402	280	113	31	1	-
FEMALE--	199	273	248	298	447	569	627	602	334	99	15	-
ALL OTHER--MALE----	34	57	59	59	59	70	52	36	27	6	-	-
FEMALE--	72	62	56	77	94	103	65	64	37	18	2	-
BLACK---MALE----	31	54	59	56	54	62	50	34	24	6	-	-
FEMALE--	69	58	52	76	89	95	62	63	36	17	2	-
ALABAMA -----	13	12	25	18	24	23	26	19	6	-	-	-
WHITE-----MALE----	4	2	8	7	11	4	10	4	2	-	-	-
FEMALE--	3	8	13	3	10	11	11	2	-	-	-	-
ALL OTHER--MALE----	1	-	4	3	1	5	4	1	1	-	-	-
FEMALE--	5	2	-	5	2	3	1	3	1	-	-	-
BLACK---MALE----	1	-	4	3	1	5	4	1	1	-	-	-
FEMALE--	5	2	-	5	2	3	1	3	1	-	-	-
ALASKA -----	3	3	-	1	1	-	1	-	-	-	-	-
WHITE-----MALE----	3	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	7	8	8	15	16	25	28	14	8	-	1	-
WHITE-----MALE----	2	4	4	9	9	10	10	3	-	-	-	-
FEMALE--	4	3	4	5	7	13	16	11	8	-	1	-
ALL OTHER--MALE----	-	1	-	1	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	2	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	1	-	-	-	-	-
ARKANSAS -----	9	16	14	18	16	21	30	14	9	4	-	-
WHITE-----MALE----	6	5	5	9	3	8	15	6	2	1	-	-
FEMALE--	1	7	6	6	11	10	12	7	6	3	-	-
ALL OTHER--MALE----	1	-	1	-	-	1	1	-	-	-	-	-
FEMALE--	1	4	2	3	2	2	2	1	1	-	-	-
BLACK---MALE----	1	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	1	4	-	3	2	2	2	1	1	-	-	-
CALIFORNIA -----	25	30	27	30	45	55	47	52	24	11	-	-
WHITE-----MALE----	10	10	13	15	16	14	21	12	4	2	-	-
FEMALE--	11	16	10	12	24	36	22	38	16	6	-	-
ALL OTHER--MALE----	3	-	2	1	2	1	3	1	3	1	-	-
FEMALE--	1	4	2	2	3	4	1	1	1	2	-	-
BLACK---MALE----	1	-	2	1	1	-	2	1	1	1	-	-
FEMALE--	1	3	2	2	3	1	-	1	-	2	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pulmonary embolism (I26)												
COLORADO -----	163	-	-	-	-	1	1	2	-	2	9	7
WHITE-----MALE----	69	-	-	-	-	-	-	1	-	1	3	2
FEMALE--	86	-	-	-	-	1	1	-	-	1	5	4
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	1
CONNECTICUT -----	102	-	-	-	-	-	-	1	2	4	5	4
WHITE-----MALE----	39	-	-	-	-	-	-	-	1	-	1	2
FEMALE--	49	-	-	-	-	-	-	1	-	2	2	2
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	7	-	-	-	-	-	-	-	1	1	1	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	7	-	-	-	-	-	-	-	1	1	1	-
DELAWARE -----	20	-	-	-	-	-	-	-	-	-	-	3
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
DISTRICT OF COLUMBIA ---	17	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	1	-	-
FLORIDA -----	481	-	-	-	-	1	2	3	6	9	13	20
WHITE-----MALE----	185	-	-	-	-	1	1	-	3	5	4	5
FEMALE--	217	-	-	-	-	-	-	-	2	2	3	8
ALL OTHER--MALE----	28	-	-	-	-	-	-	1	-	2	4	4
FEMALE--	51	-	-	-	-	-	1	2	1	-	2	3
BLACK---MALE----	28	-	-	-	-	-	-	1	-	2	4	4
FEMALE--	51	-	-	-	-	-	1	2	1	-	2	3
GEORGIA -----	218	-	-	-	-	-	3	3	5	5	14	14
WHITE-----MALE----	65	-	-	-	-	-	-	-	-	1	4	3
FEMALE--	77	-	-	-	-	-	2	-	2	-	2	5
ALL OTHER--MALE----	31	-	-	-	-	-	-	2	1	2	4	3
FEMALE--	45	-	-	-	-	-	1	1	2	2	4	3
BLACK---MALE----	31	-	-	-	-	-	-	2	1	2	4	3
FEMALE--	43	-	-	-	-	-	1	1	2	2	4	3

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pulmonary embolism (I26)												
COLORADO -----	15	14	12	13	19	13	22	20	10	2	1	-
WHITE-----MALE----	11	3	10	3	13	3	9	6	3	1	-	-
FEMALE--	3	11	2	9	6	8	13	13	6	1	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	2	-	1	1	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	1	1	-	-	-
CONNECTICUT -----	5	5	6	6	10	14	18	15	7	-	-	-
WHITE-----MALE----	3	2	2	4	5	8	6	2	3	-	-	-
FEMALE--	1	1	2	2	4	4	12	12	4	-	-	-
ALL OTHER--MALE----	1	1	1	-	-	2	-	-	-	-	-	-
FEMALE--	-	1	1	-	1	-	-	1	-	-	-	-
BLACK---MALE----	1	1	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	1	-	1	-	-	1	-	-	-	-
DELAWARE -----	2	2	2	1	1	3	1	1	4	-	-	-
WHITE-----MALE----	1	-	1	1	-	1	1	1	1	-	-	-
FEMALE--	1	2	1	-	-	2	-	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
DISTRICT OF COLUMBIA ---	2	-	-	1	-	4	3	1	2	3	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	-	1	-	-	-
FEMALE--	2	-	-	-	-	4	1	1	-	2	-	-
BLACK---MALE----	-	-	-	1	-	-	1	-	1	-	-	-
FEMALE--	2	-	-	-	-	4	1	1	-	2	-	-
FLORIDA -----	29	32	27	43	59	74	66	50	38	9	-	-
WHITE-----MALE----	13	9	10	17	25	33	18	23	14	4	-	-
FEMALE--	7	16	12	19	24	32	43	23	22	4	-	-
ALL OTHER--MALE----	-	4	1	3	2	5	1	1	-	-	-	-
FEMALE--	9	3	4	4	8	4	4	3	2	1	-	-
BLACK---MALE----	-	4	1	3	2	5	1	1	-	-	-	-
FEMALE--	9	3	4	4	8	4	4	3	2	1	-	-
GEORGIA -----	12	18	12	17	24	30	32	14	10	3	2	-
WHITE-----MALE----	5	4	6	6	6	8	16	4	1	1	-	-
FEMALE--	4	3	5	6	10	11	12	5	6	2	2	-
ALL OTHER--MALE----	2	4	1	3	3	4	-	-	2	-	-	-
FEMALE--	1	7	-	2	5	7	4	5	1	-	-	-
BLACK---MALE----	2	4	1	3	3	4	-	-	2	-	-	-
FEMALE--	1	6	-	2	5	7	3	5	1	-	-	-



04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 1965

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pulmonary embolism (I26)												
HAWAII -----	2	2	1	-	6	4	-	3	1	2	-	-
WHITE-----MALE----	1	-	-	-	1	-	-	-	1	2	-	-
FEMALE--	-	1	1	-	1	1	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	2	2	-	-	-	-	-	-
FEMALE--	1	1	-	-	2	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	2	6	4	2	9	4	7	4	1	1	-	-
WHITE-----MALE----	-	2	3	1	1	1	2	-	-	-	-	-
FEMALE--	2	4	1	1	8	3	5	4	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	22	28	29	29	48	64	53	57	32	7	-	-
WHITE-----MALE----	7	8	14	13	21	20	14	14	2	1	-	-
FEMALE--	10	10	9	10	19	34	27	34	24	5	-	-
ALL OTHER--MALE----	1	4	4	3	6	4	4	2	3	-	-	-
FEMALE--	4	6	2	3	2	6	8	7	3	1	-	-
BLACK---MALE----	1	4	4	3	6	4	4	2	3	-	-	-
FEMALE--	4	6	2	3	2	5	8	7	3	1	-	-
INDIANA -----	17	15	18	19	34	39	39	31	12	2	1	-
WHITE-----MALE----	6	6	9	14	11	14	9	12	2	-	-	-
FEMALE--	7	7	7	4	19	23	28	17	9	2	1	-
ALL OTHER--MALE----	2	1	1	-	-	1	2	2	-	-	-	-
FEMALE--	2	1	1	1	4	1	-	1	-	-	-	-
BLACK---MALE----	2	1	1	-	-	1	2	2	-	-	-	-
FEMALE--	2	1	1	1	4	1	-	-	1	-	-	-
IOWA -----	5	9	8	9	21	13	18	11	7	-	-	-
WHITE-----MALE----	-	4	3	4	11	11	10	5	3	-	-	-
FEMALE--	3	5	5	5	10	1	8	6	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	1	-	-	-	-	-	-
KANSAS -----	8	11	4	8	8	21	13	15	6	-	1	-
WHITE-----MALE----	3	3	3	3	4	10	4	7	2	-	-	-
FEMALE--	3	8	1	5	3	11	8	7	4	-	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	1	1	-	-	-	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 1966

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE

TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pulmonary embolism (I26)												
KENTUCKY -----	183	-	-	-	-	-	2	5	7	2	10	6
WHITE-----MALE----	62	-	-	-	-	-	-	3	2	-	5	-
FEMALE--	105	-	-	-	-	-	2	2	3	1	2	5
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	2	-
FEMALE--	12	-	-	-	-	-	-	-	2	-	1	1
BLACK---MALE-----	4	-	-	-	-	-	-	-	-	1	2	-
FEMALE--	11	-	-	-	-	-	-	-	1	-	1	1
LOUISIANA -----	153	-	-	-	1	-	-	-	3	5	5	8
WHITE-----MALE----	38	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	67	-	-	-	-	-	-	-	2	-	2	2
ALL OTHER--MALE----	19	-	-	-	1	-	-	-	-	1	1	1
FEMALE--	29	-	-	-	-	-	-	-	1	3	1	5
BLACK---MALE-----	19	-	-	-	1	-	-	-	-	1	1	1
FEMALE--	29	-	-	-	-	-	-	-	1	3	1	5
MAINE -----	51	-	-	-	-	-	2	1	-	-	-	2
WHITE-----MALE----	25	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	26	-	-	-	-	-	2	1	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	206	-	-	-	-	-	-	1	2	5	4	9
WHITE-----MALE----	52	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	89	-	-	-	-	-	-	-	-	-	1	3
ALL OTHER--MALE----	23	-	-	-	-	-	-	-	-	2	2	2
FEMALE--	42	-	-	-	-	-	-	1	1	3	1	2
BLACK---MALE-----	23	-	-	-	-	-	-	-	-	2	2	2
FEMALE--	42	-	-	-	-	-	-	1	1	3	1	2
MASSACHUSETTS -----	182	-	-	-	-	-	-	3	5	6	7	11
WHITE-----MALE----	65	-	-	-	-	-	-	1	1	2	3	5
FEMALE--	98	-	-	-	-	-	-	2	2	2	4	3
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	2	2	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	3
BLACK---MALE-----	7	-	-	-	-	-	-	-	2	2	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	3
MICHIGAN -----	282	-	-	-	-	3	2	2	8	4	6	10
WHITE-----MALE----	91	-	-	-	-	1	-	1	2	1	2	3
FEMALE--	138	-	-	-	-	-	2	1	1	1	3	4
ALL OTHER--MALE----	20	-	-	-	-	1	-	-	1	-	1	1
FEMALE--	33	-	-	-	-	1	-	-	4	2	-	2
BLACK---MALE-----	19	-	-	-	-	1	-	-	1	-	1	1
FEMALE--	32	-	-	-	-	1	-	-	4	2	-	2

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 1966

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pulmonary embolism (I26)												
KENTUCKY -----	13	13	10	21	23	23	20	16	10	2	-	-
WHITE-----MALE----	6	3	2	8	14	6	7	4	-	2	-	-
FEMALE--	6	9	7	11	9	16	13	11	8	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	2	-	1	-	1	2	-	-	-
BLACK---MALE-----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	2	-	1	-	1	2	-	-	-
LOUISIANA -----	8	10	14	20	17	19	19	15	4	5	-	-
WHITE-----MALE----	2	3	6	5	6	7	7	-	-	-	-	-
FEMALE--	3	6	3	9	4	8	11	11	3	3	-	-
ALL OTHER--MALE----	2	1	2	4	-	2	-	2	1	1	-	-
FEMALE--	1	-	3	2	7	2	1	2	-	1	-	-
BLACK---MALE-----	2	1	2	4	-	2	-	2	1	1	-	-
FEMALE--	1	-	3	2	7	2	1	2	-	1	-	-
MAINE -----	3	3	3	3	7	12	8	5	-	2	-	-
WHITE-----MALE----	1	3	3	3	4	7	2	1	-	-	-	-
FEMALE--	2	-	-	-	3	5	6	4	-	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	10	12	17	20	20	33	30	25	14	4	-	-
WHITE-----MALE----	6	3	5	7	5	9	8	4	2	-	-	-
FEMALE--	1	2	7	8	11	14	20	13	7	2	-	-
ALL OTHER--MALE----	-	5	2	1	1	3	1	3	1	-	-	-
FEMALE--	3	2	3	4	3	7	1	5	4	2	-	-
BLACK---MALE-----	-	5	2	1	1	3	1	3	1	-	-	-
FEMALE--	3	2	3	4	3	7	1	5	4	2	-	-
MASSACHUSETTS -----	11	10	14	15	16	28	21	23	10	2	-	-
WHITE-----MALE----	3	3	8	8	8	12	7	2	1	1	-	-
FEMALE--	6	5	4	7	7	13	14	20	8	1	-	-
ALL OTHER--MALE----	1	1	1	-	1	-	-	-	-	-	-	-
FEMALE--	1	1	1	-	-	3	-	1	1	-	-	-
BLACK---MALE-----	1	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	1	-	-	3	-	1	1	-	-	-
MICHIGAN -----	17	23	25	27	33	31	39	34	12	6	-	-
WHITE-----MALE----	3	9	11	7	10	11	11	15	4	-	-	-
FEMALE--	11	9	9	15	17	13	23	17	8	4	-	-
ALL OTHER--MALE----	1	3	3	-	1	4	3	1	-	-	-	-
FEMALE--	2	2	2	5	5	3	2	1	-	2	-	-
BLACK---MALE-----	1	2	3	-	1	4	3	1	-	-	-	-
FEMALE--	2	2	2	4	5	3	2	1	-	2	-	-





[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pulmonary embolism (I26)												
MINNESOTA -----	10	6	5	9	15	17	18	20	8	3	1	-
WHITE-----MALE----	3	3	3	4	7	7	7	4	3	-	-	-
FEMALE--	7	3	1	5	7	9	11	15	4	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	1	-	1	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	1	-	1	1	-	1	-	-	-	-
MISSISSIPPI -----	6	12	17	17	17	23	11	15	2	1	-	-
WHITE-----MALE----	2	3	5	8	4	7	3	5	-	-	-	-
FEMALE--	-	4	3	3	4	10	7	7	1	1	-	-
ALL OTHER--MALE----	3	3	3	4	4	3	1	1	1	-	-	-
FEMALE--	1	2	6	2	5	3	-	2	-	-	-	-
BLACK---MALE----	3	3	3	4	4	3	1	1	1	-	-	-
FEMALE--	1	2	6	2	5	3	-	2	-	-	-	-
MISSOURI -----	10	10	7	22	25	22	31	39	14	5	-	-
WHITE-----MALE----	4	4	2	12	15	8	12	17	2	-	-	-
FEMALE--	6	4	5	7	7	8	16	18	10	5	-	-
ALL OTHER--MALE----	-	1	-	1	1	2	1	-	1	-	-	-
FEMALE--	-	1	-	2	2	4	2	4	1	-	-	-
BLACK---MALE----	-	1	-	1	1	2	1	-	1	-	-	-
FEMALE--	-	1	-	2	2	4	2	4	1	-	-	-
MONTANA -----	2	1	3	3	3	4	6	5	2	1	-	-
WHITE-----MALE----	1	1	1	2	3	3	2	4	1	-	-	-
FEMALE--	1	-	2	1	-	1	4	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	4	6	3	7	17	16	7	7	3	2	-	-
WHITE-----MALE----	2	2	2	5	6	9	4	1	1	-	-	-
FEMALE--	2	4	1	2	9	7	3	6	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	3	2	5	8	8	7	7	9	1	-	-	-
WHITE-----MALE----	1	1	1	5	3	4	4	2	-	-	-	-
FEMALE--	2	-	3	2	3	3	2	6	-	-	-	-
ALL OTHER--MALE----	-	1	1	1	2	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	1	1	1	2	-	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-





04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 1969

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pulmonary embolism (I26)												
OHIO -----	334	-	-	-	-	1	3	5	3	6	13	12
WHITE-----MALE----	108	-	-	-	-	-	1	3	-	1	5	7
FEMALE--	177	-	-	-	-	-	2	1	3	3	6	4
ALL OTHER--MALE----	24	-	-	-	-	1	-	1	-	-	1	1
FEMALE--	25	-	-	-	-	-	-	-	-	2	1	-
BLACK---MALE----	24	-	-	-	-	1	-	1	-	-	1	1
FEMALE--	25	-	-	-	-	-	-	-	-	2	1	-
OKLAHOMA -----	126	-	-	-	-	1	-	1	4	5	2	6
WHITE-----MALE----	49	-	-	-	-	-	-	-	1	1	1	1
FEMALE--	61	-	-	-	-	1	-	1	1	3	-	4
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	8	-	-	-	-	-	-	-	1	1	1	-
BLACK---MALE----	7	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	1	-	1	-
OREGON -----	92	-	-	-	-	1	-	-	3	2	3	2
WHITE-----MALE----	40	-	-	-	-	-	-	-	3	-	-	-
FEMALE--	48	-	-	-	-	1	-	-	-	1	2	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	536	1	1	-	-	-	4	5	9	19	19	23
WHITE-----MALE----	179	-	-	-	-	-	3	3	3	6	7	9
FEMALE--	281	1	-	-	-	-	1	1	3	6	7	8
ALL OTHER--MALE----	30	-	-	-	-	-	-	-	2	3	-	2
FEMALE--	46	-	1	-	-	-	-	1	1	4	5	4
BLACK---MALE----	29	-	-	-	-	-	-	-	1	3	-	2
FEMALE--	44	-	1	-	-	-	-	1	1	4	5	4
RHODE ISLAND -----	25	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	181	1	-	-	1	-	3	3	4	8	5	7
WHITE-----MALE----	44	-	-	-	1	-	-	-	-	1	1	3
FEMALE--	72	1	-	-	-	-	-	-	2	4	-	2
ALL OTHER--MALE----	27	-	-	-	-	-	1	1	2	1	1	1
FEMALE--	38	-	-	-	-	-	2	2	-	2	3	1
BLACK---MALE----	27	-	-	-	-	-	1	1	2	1	1	1
FEMALE--	38	-	-	-	-	-	2	2	-	2	3	1

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 1969

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pulmonary embolism (I26)												
OHIO -----	21	18	20	36	43	42	39	47	20	4	1	-
WHITE-----MALE----	12	4	4	14	13	16	13	12	3	-	-	-
FEMALE--	4	9	12	17	25	19	21	33	14	3	1	-
ALL OTHER--MALE----	2	2	2	1	3	4	2	1	2	1	-	-
FEMALE--	3	3	2	4	2	3	3	1	1	-	-	-
BLACK---MALE----	2	2	2	1	3	4	2	1	2	1	-	-
FEMALE--	3	3	2	4	2	3	3	1	1	-	-	-
OKLAHOMA -----	8	14	14	9	16	9	14	15	7	-	1	-
WHITE-----MALE----	3	4	7	4	7	4	7	5	4	-	-	-
FEMALE--	4	8	4	4	7	4	7	10	2	-	1	-
ALL OTHER--MALE----	1	1	2	-	2	-	-	-	-	-	-	-
FEMALE--	-	1	1	1	-	1	-	-	1	-	-	-
BLACK---MALE----	1	-	2	-	2	-	-	-	-	-	-	-
FEMALE--	-	1	1	1	-	-	-	-	1	-	-	-
OREGON -----	10	7	6	6	6	9	17	11	7	2	-	-
WHITE-----MALE----	2	5	3	4	5	5	6	5	1	1	-	-
FEMALE--	7	2	3	2	1	4	11	6	5	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	25	29	42	33	62	77	62	72	45	6	2	-
WHITE-----MALE----	11	13	11	12	21	36	19	18	7	-	-	-
FEMALE--	12	9	20	13	31	38	37	50	37	5	2	-
ALL OTHER--MALE----	-	5	7	2	4	1	2	1	1	-	-	-
FEMALE--	2	2	4	6	6	2	4	3	-	1	-	-
BLACK---MALE----	-	5	7	2	4	1	2	1	1	-	-	-
FEMALE--	1	2	4	6	6	2	4	3	-	-	-	-
RHODE ISLAND -----	-	2	3	2	2	8	4	3	-	-	-	-
WHITE-----MALE----	-	-	2	1	1	3	4	1	-	-	-	-
FEMALE--	-	2	-	1	1	4	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
SOUTH CAROLINA -----	10	19	14	19	13	28	26	11	5	4	-	-
WHITE-----MALE----	3	9	3	5	2	5	6	2	2	1	-	-
FEMALE--	2	5	4	9	3	17	14	6	-	3	-	-
ALL OTHER--MALE----	-	2	4	3	4	2	2	2	1	-	-	-
FEMALE--	5	3	3	2	4	4	4	1	2	-	-	-
BLACK---MALE----	-	2	4	3	4	2	2	2	1	-	-	-
FEMALE--	5	3	3	2	4	4	4	1	2	-	-	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 1970

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Pulmonary embolism (I26)												
SOUTH DAKOTA -----	41	-	-	-	-	-	-	-	-	-	3	1
WHITE-----MALE----	16	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	24	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	229	-	-	-	-	1	2	2	5	5	7	9
WHITE-----MALE----	72	-	-	-	-	-	-	1	1	-	1	3
FEMALE--	116	-	-	-	-	1	2	1	3	4	5	3
ALL OTHER--MALE----	17	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	24	-	-	-	-	-	-	-	1	-	1	2
BLACK---MALE----	16	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	24	-	-	-	-	-	-	-	1	-	1	2
TEXAS -----	598	-	-	-	-	1	2	7	12	15	21	23
WHITE-----MALE----	180	-	-	-	-	-	-	1	1	8	5	6
FEMALE--	287	-	-	-	-	-	1	2	7	5	7	6
ALL OTHER--MALE----	57	-	-	-	-	1	-	2	2	2	4	4
FEMALE--	74	-	-	-	-	-	1	2	2	-	5	7
BLACK---MALE----	56	-	-	-	-	1	-	2	2	2	4	4
FEMALE--	74	-	-	-	-	-	1	2	2	-	5	7
UTAH -----	69	-	-	-	-	-	-	-	1	3	1	4
WHITE-----MALE----	23	-	-	-	-	-	-	-	-	2	-	1
FEMALE--	46	-	-	-	-	-	-	-	1	1	1	3
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	15	-	-	-	-	-	-	-	1	-	1	2
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	11	-	-	-	-	-	-	-	1	-	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	232	-	-	-	-	-	-	4	2	7	8	14
WHITE-----MALE----	57	-	-	-	-	-	-	-	-	2	3	5
FEMALE--	112	-	-	-	-	-	-	-	-	2	1	4
ALL OTHER--MALE----	34	-	-	-	-	-	-	2	2	-	3	3
FEMALE--	29	-	-	-	-	-	-	2	-	3	1	2
BLACK---MALE----	34	-	-	-	-	-	-	2	2	-	3	3
FEMALE--	29	-	-	-	-	-	-	2	-	3	1	2

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 1970

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Pulmonary embolism (I26)												
SOUTH DAKOTA -----	3	1	4	5	1	6	8	4	4	1	-	-
WHITE-----MALE----	2	-	3	2	-	4	1	1	1	-	-	-
FEMALE--	1	1	1	2	1	2	7	3	3	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	12	18	15	19	31	31	31	28	12	1	-	-
WHITE-----MALE----	3	4	3	6	10	18	13	4	5	-	-	-
FEMALE--	7	10	8	5	16	12	14	17	7	1	-	-
ALL OTHER--MALE----	-	3	2	3	-	-	3	4	-	-	-	-
FEMALE--	2	1	2	5	5	1	1	3	-	-	-	-
BLACK---MALE----	-	3	2	2	-	-	3	4	-	-	-	-
FEMALE--	2	1	2	5	5	1	1	3	-	-	-	-
TEXAS -----	29	39	44	60	57	91	76	58	45	16	2	-
WHITE-----MALE----	7	14	18	19	21	24	23	19	10	4	-	-
FEMALE--	12	23	20	22	28	45	41	30	28	10	-	-
ALL OTHER--MALE----	2	1	2	9	3	9	6	6	3	1	-	-
FEMALE--	8	1	4	10	5	13	6	3	4	1	2	-
BLACK---MALE----	2	1	2	8	3	9	6	6	3	1	-	-
FEMALE--	8	1	4	10	5	13	6	3	4	1	2	-
UTAH -----	1	7	3	4	11	11	6	8	5	4	-	-
WHITE-----MALE----	-	3	1	1	3	4	2	3	2	1	-	-
FEMALE--	1	4	2	3	8	7	4	5	3	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	1	1	6	1	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	2	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	4	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	23	13	18	26	18	28	26	25	12	8	-	-
WHITE-----MALE----	4	4	6	10	4	10	5	4	-	-	-	-
FEMALE--	15	6	9	10	7	12	16	14	9	7	-	-
ALL OTHER--MALE----	-	2	3	4	4	2	4	3	1	1	-	-
FEMALE--	4	1	-	2	3	4	1	4	2	-	-	-
BLACK---MALE----	-	2	3	4	4	2	4	3	1	1	-	-
FEMALE--	4	1	-	2	3	4	1	4	2	-	-	-







[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other pulmonary heart disease and diseases of pulmonary circulation (I27-I28)												
UNITED STATES -	4,693	168	20	11	17	19	32	52	64	102	154	201
WHITE-----MALE----	1,433	54	10	7	7	4	8	15	17	24	51	66
FEMALE--	2,425	58	6	2	6	7	11	22	30	50	58	79
ALL OTHER--MALE----	294	26	2	2	1	6	4	4	3	10	13	22
FEMALE--	541	30	2	-	3	2	9	11	14	18	32	34
BLACK---MALE-----	257	23	2	2	1	5	4	3	3	9	12	17
FEMALE--	483	21	2	-	3	2	6	10	14	13	30	30
ALABAMA -----	86	5	-	-	1	-	-	1	3	1	2	4
WHITE-----MALE----	24	2	-	-	-	-	-	1	-	-	1	1
FEMALE--	37	-	-	-	-	-	-	-	1	1	-	1
ALL OTHER--MALE----	11	1	-	-	-	-	-	-	1	-	-	1
FEMALE--	14	2	-	-	1	-	-	-	1	-	1	1
BLACK---MALE-----	11	1	-	-	-	-	-	-	1	-	-	1
FEMALE--	14	2	-	-	1	-	-	-	1	-	1	1
ALASKA -----	6	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	78	5	1	-	1	-	2	-	-	2	1	5
WHITE-----MALE----	29	4	-	-	-	-	-	-	-	-	1	-
FEMALE--	44	1	1	-	1	-	2	-	-	2	-	4
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	35	2	-	-	-	1	-	-	-	1	2	1
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	17	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	1	-	-	-	-	1	-
BLACK---MALE-----	2	2	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	1	-	-	-	-	1	-
CALIFORNIA -----	409	15	2	5	4	2	3	7	3	13	22	31
WHITE-----MALE----	116	8	2	4	2	-	2	-	1	2	7	6
FEMALE--	211	6	-	-	2	1	-	3	2	8	11	13
ALL OTHER--MALE----	30	1	-	1	-	1	-	2	-	2	-	3
FEMALE--	52	-	-	-	-	-	1	2	-	1	4	9
BLACK---MALE-----	17	1	-	1	-	-	-	2	-	2	-	1
FEMALE--	32	-	-	-	-	-	-	1	-	1	2	7

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other pulmonary heart disease and diseases of pulmonary circulation (I27-I28)												
UNITED STATES -	227	249	313	402	523	630	644	495	262	93	15	-
WHITE-----MALE----	68	76	113	118	194	188	208	129	61	14	1	-
FEMALE--	103	103	133	192	252	359	372	321	181	68	12	-
ALL OTHER--MALE----	19	25	24	28	35	25	22	14	5	3	1	-
FEMALE--	37	45	43	64	42	58	42	31	15	8	1	-
BLACK---MALE-----	17	22	21	27	31	20	18	12	5	2	1	-
FEMALE--	32	42	39	61	38	52	37	29	15	6	1	-
ALABAMA -----	4	3	2	8	7	16	17	10	2	-	-	-
WHITE-----MALE----	2	1	1	2	2	4	3	2	2	-	-	-
FEMALE--	2	-	-	4	5	7	11	5	-	-	-	-
ALL OTHER--MALE----	-	-	1	1	-	3	1	2	-	-	-	-
FEMALE--	-	2	-	1	-	2	2	1	-	-	-	-
BLACK---MALE-----	-	-	1	1	-	3	1	2	-	-	-	-
FEMALE--	-	2	-	1	-	2	2	1	-	-	-	-
ALASKA -----	1	-	1	-	2	-	2	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	5	5	3	12	11	8	8	3	3	2	1	-
WHITE-----MALE----	2	2	1	4	6	3	2	2	1	1	-	-
FEMALE--	3	3	2	6	4	4	6	1	2	1	1	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	-	-	-	-	-
ARKANSAS -----	1	4	2	2	6	5	3	3	2	-	-	-
WHITE-----MALE----	-	1	1	-	1	2	2	1	-	-	-	-
FEMALE--	1	3	-	1	2	3	1	2	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	3	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	3	-	-	-	-	-	-	-
CALIFORNIA -----	23	21	25	30	33	40	62	39	22	7	-	-
WHITE-----MALE----	8	3	13	10	11	8	15	9	5	-	-	-
FEMALE--	9	14	8	13	13	27	37	22	16	6	-	-
ALL OTHER--MALE----	2	1	2	1	2	1	6	4	-	1	-	-
FEMALE--	4	3	2	6	7	4	4	4	1	-	-	-
BLACK---MALE-----	1	-	1	1	2	-	2	3	-	-	-	-
FEMALE--	1	3	1	5	4	2	1	3	1	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other pulmonary heart disease and diseases of pulmonary circulation (I27-I28)												
COLORADO -----	92	2	-	-	-	1	-	1	2	1	2	-
WHITE-----MALE----	34	-	-	-	-	1	-	-	-	1	1	-
FEMALE--	56	2	-	-	-	-	-	1	2	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	51	-	-	1	-	1	-	-	-	-	4	2
WHITE-----MALE----	14	-	-	1	-	-	-	-	-	-	1	1
FEMALE--	31	-	-	-	-	1	-	-	-	-	1	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	4	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	17	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
DISTRICT OF COLUMBIA ---	16	-	-	-	-	-	-	-	-	-	2	1
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE-----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	1
FLORIDA -----	289	6	-	1	1	2	3	4	2	5	9	9
WHITE-----MALE----	93	3	-	1	-	1	-	1	1	1	5	4
FEMALE--	143	-	-	-	-	1	1	1	-	3	1	4
ALL OTHER--MALE----	13	2	-	-	1	-	-	1	-	-	1	-
FEMALE--	40	1	-	-	-	-	2	1	1	1	2	1
BLACK---MALE-----	13	2	-	-	1	-	-	1	-	-	1	-
FEMALE--	39	1	-	-	-	-	2	1	1	1	2	1
GEORGIA -----	132	7	1	-	-	-	2	2	2	2	3	8
WHITE-----MALE----	31	1	-	-	-	-	-	-	-	-	1	2
FEMALE--	54	2	-	-	-	-	-	-	1	1	-	3
ALL OTHER--MALE----	17	3	-	-	-	-	1	-	-	-	-	1
FEMALE--	30	1	1	-	-	-	1	2	1	1	2	2
BLACK---MALE-----	17	3	-	-	-	-	-	-	-	-	-	1
FEMALE--	30	1	1	-	-	-	1	2	1	1	2	2

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL

100

CLASSIFICATION OF DISEASES, 50-54 55-59 60-64 65-69 70-74 75-79 80-84 85-89 90-94 95-99 YEARS AGE NOT  
1992), RACE, AND SEX YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS YEARS & OVER STATED

Other pulmonary heart disease and diseases of pulmonary circulation (I27-I28)

COLORADO -----	7	3	6	6	11	12	11	15	6	5	1	-
WHITE-----MALE----	3	2	3	1	6	6	3	5	2	-	-	-
FEMALE--	4	1	2	5	5	6	7	10	4	5	1	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
CONNECTICUT -----	4	3	2	4	7	6	8	8	1	-	-	-
WHITE-----MALE----	-	2	-	1	2	3	3	-	-	-	-	-
FEMALE--	3	-	2	3	5	3	3	8	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
DELAWARE -----	-	2	-	2	1	3	6	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	2	-	1	3	2	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	2	-	-	-	-	-
BLACK---MALE-----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	2	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	4	-	2	-	3	3	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	2	-	1	-	1	2	-	-	-	-	-
FEMALE--	-	1	-	1	-	2	-	-	1	-	-	-
BLACK---MALE-----	-	2	-	1	-	1	2	-	-	-	-	-
FEMALE--	-	1	-	1	-	2	-	-	1	-	-	-
FLORIDA -----	9	24	21	29	29	44	38	30	17	5	1	-
WHITE-----MALE----	-	5	7	3	13	15	17	9	4	3	-	-
FEMALE--	6	13	10	14	13	24	18	19	12	2	1	-
ALL OTHER--MALE----	1	2	1	1	1	1	1	-	-	-	-	-
FEMALE--	2	4	3	11	2	4	2	2	1	-	-	-
BLACK---MALE-----	1	2	1	1	1	1	1	-	-	-	-	-
FEMALE--	2	4	3	11	2	3	2	2	1	-	-	-
GEORGIA -----	3	6	18	10	20	17	16	7	6	1	1	-
WHITE-----MALE----	-	-	5	4	5	1	7	2	3	-	-	-
FEMALE--	2	1	9	2	10	10	8	3	2	-	-	-
ALL OTHER--MALE----	-	2	1	3	2	2	-	2	-	-	-	-
FEMALE--	1	3	3	1	3	4	1	-	1	1	1	-
BLACK---MALE-----	-	2	1	3	2	2	-	2	-	-	-	-
FEMALE--	1	3	3	1	3	4	1	-	1	1	1	-



[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other pulmonary heart disease and diseases of pulmonary circulation (I27-I28)												
HAWAII -----	-	1	1	1	2	3	1	-	1	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	2	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	1	-	1	5	3	3	2	2	3	3	-	-
WHITE-----MALE----	-	-	1	2	2	1	1	2	-	-	-	-
FEMALE--	1	-	-	3	1	2	1	-	3	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	11	7	16	18	26	29	22	17	12	2	1	-
WHITE-----MALE----	1	1	4	5	15	10	7	4	1	1	1	-
FEMALE--	5	3	7	4	11	15	10	13	9	1	-	-
ALL OTHER--MALE----	1	1	1	6	-	3	2	-	-	-	-	-
FEMALE--	4	2	4	3	-	1	3	-	2	-	-	-
BLACK---MALE----	1	1	1	5	-	3	2	-	-	-	-	-
FEMALE--	4	1	4	3	-	1	3	-	2	-	-	-
INDIANA -----	5	7	10	12	12	15	18	12	6	2	-	-
WHITE-----MALE----	1	1	1	5	3	6	5	7	2	-	-	-
FEMALE--	4	3	6	5	8	9	11	5	4	2	-	-
ALL OTHER--MALE----	-	2	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	1	3	2	-	-	1	-	-	-	-	-
BLACK---MALE----	-	2	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	1	3	2	-	-	1	-	-	-	-	-
IOWA -----	1	2	1	2	5	5	8	9	4	1	1	-
WHITE-----MALE----	-	2	-	-	2	1	4	1	2	1	-	-
FEMALE--	1	-	1	2	3	4	4	8	2	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	1	4	1	3	5	6	7	4	2	2	-	-
WHITE-----MALE----	-	1	1	1	3	1	4	2	-	-	-	-
FEMALE--	1	2	-	2	1	4	3	2	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-



04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 1975

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other pulmonary heart disease and diseases of pulmonary circulation (I27-I28)												
KENTUCKY -----	63	2	-	-	-	-	1	1	-	-	2	2
WHITE-----MALE----	24	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	29	1	-	-	-	-	1	1	-	-	1	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	1	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	1	-	-	-	-	-	-	-	-	-	1
LOUISIANA -----	67	2	-	-	-	2	1	1	-	2	2	3
WHITE-----MALE----	18	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	21	1	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	12	-	-	-	-	2	-	-	-	-	-	1
FEMALE--	16	1	-	-	-	-	1	1	-	1	1	-
BLACK---MALE----	12	-	-	-	-	2	-	-	-	-	-	1
FEMALE--	16	1	-	-	-	-	1	1	-	1	1	-
MAINE -----	20	-	-	-	-	-	-	1	1	-	-	1
WHITE-----MALE----	6	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	14	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	90	2	-	-	-	-	-	2	4	3	4	3
WHITE-----MALE----	22	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	38	-	-	-	-	-	-	1	1	-	1	-
ALL OTHER--MALE----	11	-	-	-	-	-	-	1	1	2	1	-
FEMALE--	19	2	-	-	-	-	-	-	2	-	1	1
BLACK---MALE----	9	-	-	-	-	-	-	-	1	2	1	-
FEMALE--	19	2	-	-	-	-	-	-	2	-	1	1
MASSACHUSETTS -----	94	4	-	-	-	-	-	-	2	5	5	3
WHITE-----MALE----	25	1	-	-	-	-	-	-	1	-	-	1
FEMALE--	60	2	-	-	-	-	-	-	1	3	4	2
ALL OTHER--MALE----	3	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	3	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
MICHIGAN -----	177	10	1	1	-	2	-	1	3	3	4	14
WHITE-----MALE----	46	4	1	-	-	-	-	-	-	-	2	4
FEMALE--	104	4	-	1	-	1	-	1	1	1	1	6
ALL OTHER--MALE----	8	-	-	-	-	1	-	-	-	-	1	2
FEMALE--	19	2	-	-	-	-	-	-	2	2	-	2
BLACK---MALE----	7	-	-	-	-	1	-	-	-	-	1	2
FEMALE--	19	2	-	-	-	-	-	-	2	2	-	2

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other pulmonary heart disease and diseases of pulmonary circulation (I27-I28)												
KENTUCKY -----	5	5	3	5	5	10	11	8	3	-	-	-
WHITE-----MALE----	3	3	1	1	1	5	3	4	2	-	-	-
FEMALE--	1	1	2	3	3	4	5	4	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	1	3	-	-	-	-	-
BLACK--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	1	3	-	-	-	-	-
LOUISIANA -----	5	5	10	7	1	7	5	6	8	-	-	-
WHITE-----MALE----	-	1	2	2	1	2	2	3	3	-	-	-
FEMALE--	1	1	2	3	-	3	2	2	4	-	-	-
ALL OTHER--MALE----	1	1	2	2	-	1	1	-	1	-	-	-
FEMALE--	3	2	4	-	-	1	-	1	-	-	-	-
BLACK--MALE----	1	1	2	2	-	1	1	-	1	-	-	-
FEMALE--	3	2	4	-	-	1	-	1	-	-	-	-
MAINE -----	-	2	1	-	3	1	4	2	3	1	-	-
WHITE-----MALE----	-	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	2	-	-	2	-	3	2	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	10	7	8	8	8	9	9	5	5	3	-	-
WHITE-----MALE----	1	2	1	1	4	4	4	-	-	1	-	-
FEMALE--	5	1	3	4	2	4	5	5	4	2	-	-
ALL OTHER--MALE----	-	1	2	1	1	-	-	-	1	-	-	-
FEMALE--	4	3	2	2	1	1	-	-	-	-	-	-
BLACK--MALE----	-	1	1	1	1	-	-	-	1	-	-	-
FEMALE--	4	3	2	2	1	1	-	-	-	-	-	-
MASSACHUSETTS -----	1	6	3	7	5	14	18	14	4	3	-	-
WHITE-----MALE----	1	3	3	1	2	4	4	3	-	1	-	-
FEMALE--	-	2	-	5	2	9	13	11	4	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	-	1	-	-	-	-	-
BLACK--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	-	1	-	-	-	-	-
MICHIGAN -----	7	9	10	18	16	19	27	25	5	2	-	-
WHITE-----MALE----	2	3	4	3	4	4	8	5	-	2	-	-
FEMALE--	4	4	5	11	10	14	18	17	5	-	-	-
ALL OTHER--MALE----	-	-	-	1	1	1	-	1	-	-	-	-
FEMALE--	1	2	1	3	1	-	1	-	-	-	-	-
BLACK--MALE----	-	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	1	2	1	3	1	-	1	2	-	-	-	-









[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other pulmonary heart disease and diseases of pulmonary circulation (I27-I28)												
OHIO -----	217	3	-	1	2	1	1	2	4	7	5	8
WHITE-----MALE----	70	-	-	1	2	-	-	1	1	3	3	4
FEMALE--	122	2	-	-	-	-	1	1	2	4	1	3
ALL OTHER--MALE----	9	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	1	-	-	1	-	1	1
BLACK---MALE----	9	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	1	-	-	1	-	1	1
OKLAHOMA -----	50	3	-	-	1	-	-	-	2	1	-	2
WHITE-----MALE----	16	1	-	-	-	-	-	-	1	-	-	1
FEMALE--	31	2	-	-	-	-	-	-	1	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	65	1	-	-	-	-	-	-	1	2	-	4
WHITE-----MALE----	19	-	-	-	-	-	-	-	1	1	-	2
FEMALE--	45	-	-	-	-	-	-	-	-	1	-	2
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	242	5	2	-	2	-	1	1	5	4	6	7
WHITE-----MALE----	85	3	-	-	-	-	1	-	2	1	2	3
FEMALE--	129	2	2	-	1	-	-	-	2	2	3	2
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	17	-	-	-	1	-	-	1	1	1	1	-
BLACK---MALE----	11	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	17	-	-	-	1	-	-	1	1	1	1	-
RHODE ISLAND -----	20	1	-	-	-	-	-	-	-	2	1	2
WHITE-----MALE----	8	1	-	-	-	-	-	-	-	1	-	2
FEMALE--	10	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
SOUTH CAROLINA -----	71	3	1	-	-	-	1	2	-	4	2	2
WHITE-----MALE----	20	-	1	-	-	-	-	-	-	2	1	-
FEMALE--	28	1	-	-	-	-	-	1	-	-	1	-
ALL OTHER--MALE----	7	1	-	-	-	-	1	-	-	-	-	1
FEMALE--	16	1	-	-	-	-	-	1	-	2	-	1
BLACK---MALE----	7	1	-	-	-	-	1	-	-	-	-	1
FEMALE--	16	1	-	-	-	-	-	1	-	2	-	1

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 1978

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other pulmonary heart disease and diseases of pulmonary circulation (I27-I28)												
OHIO -----	8	12	14	22	27	36	24	21	15	4	-	-
WHITE-----MALE----	1	4	3	12	10	10	7	5	3	-	-	-
FEMALE--	5	5	7	9	12	24	16	15	11	4	-	-
ALL OTHER--MALE----	-	3	2	1	2	-	-	-	-	-	-	-
FEMALE--	2	-	2	-	3	2	1	1	1	-	-	-
BLACK---MALE----	-	3	2	1	2	-	-	-	-	-	-	-
FEMALE--	2	-	2	-	3	2	1	1	1	-	-	-
OKLAHOMA -----	6	1	3	8	8	2	4	5	1	2	1	-
WHITE-----MALE----	2	-	1	1	3	2	1	1	1	-	-	-
FEMALE--	2	1	2	7	5	-	3	4	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	1	3	-	5	8	17	9	7	5	2	-	-
WHITE-----MALE----	1	-	-	-	2	4	4	2	2	-	-	-
FEMALE--	-	3	-	5	6	13	5	5	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	9	8	14	20	36	37	43	28	12	2	-	-
WHITE-----MALE----	5	6	4	5	14	12	16	7	4	-	-	-
FEMALE--	4	2	7	10	15	22	25	20	8	2	-	-
ALL OTHER--MALE----	-	-	2	1	4	1	1	-	-	-	-	-
FEMALE--	-	-	1	4	3	2	1	1	-	-	-	-
BLACK---MALE----	-	-	2	1	4	1	1	-	-	-	-	-
FEMALE--	-	-	1	4	3	2	1	1	-	-	-	-
RHODE ISLAND -----	1	-	1	-	5	2	-	2	1	2	-	-
WHITE-----MALE----	-	-	1	-	2	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	3	2	-	1	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	3	2	8	8	6	8	6	10	2	3	-	-
WHITE-----MALE----	-	1	3	2	3	3	2	1	1	-	-	-
FEMALE--	2	1	3	4	2	3	2	6	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	1	-	1	-	-
FEMALE--	1	-	2	2	-	1	2	2	-	1	-	-
BLACK---MALE----	-	-	-	-	1	1	-	1	-	1	-	-
FEMALE--	1	-	2	2	-	1	2	2	-	1	-	-





04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 1979

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other pulmonary heart disease and diseases of pulmonary circulation (I27-I28)												
SOUTH DAKOTA -----	-	-	2	-	1	3	1	3	-	-	-	-
WHITE-----MALE----	-	-	2	-	1	1	-	2	-	-	-	-
FEMALE--	-	-	-	-	-	2	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	3	4	9	3	9	9	16	4	4	-	-	-
WHITE-----MALE----	1	2	3	-	5	1	5	-	-	-	-	-
FEMALE--	2	1	3	1	1	7	9	4	4	-	-	-
ALL OTHER--MALE----	-	-	2	-	1	-	1	-	-	-	-	-
FEMALE--	-	1	1	2	2	1	1	-	-	-	-	-
BLACK---MALE----	-	-	2	-	1	-	1	-	-	-	-	-
FEMALE--	-	1	1	2	2	1	-	-	-	-	-	-
TEXAS -----	20	17	21	25	33	32	31	19	11	6	2	-
WHITE-----MALE----	10	6	9	8	9	16	9	5	1	1	-	-
FEMALE--	8	7	11	11	18	14	21	8	7	4	2	-
ALL OTHER--MALE----	1	1	1	1	3	-	-	1	-	-	-	-
FEMALE--	1	3	-	5	3	2	1	5	3	1	-	-
BLACK---MALE----	1	1	1	1	3	-	-	1	-	-	-	-
FEMALE--	1	2	-	4	3	2	1	4	3	1	-	-
UTAH -----	3	2	4	1	4	-	6	9	5	2	-	-
WHITE-----MALE----	3	2	1	-	2	-	1	1	2	1	-	-
FEMALE--	-	-	3	1	2	-	5	8	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	2	-	3	3	3	1	1	-	-	-
WHITE-----MALE----	1	-	-	-	3	-	1	-	-	-	-	-
FEMALE--	-	-	2	-	-	3	2	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	10	7	17	10	14	16	13	10	5	1	-	-
WHITE-----MALE----	4	1	6	2	4	4	4	3	-	-	-	-
FEMALE--	3	1	8	5	7	5	7	5	4	-	-	-
ALL OTHER--MALE----	2	2	1	-	1	1	2	1	-	-	-	-
FEMALE--	1	3	2	3	2	6	-	1	1	1	-	-
BLACK---MALE----	2	2	1	-	1	1	2	1	-	-	-	-
FEMALE--	1	3	2	3	2	6	-	1	1	1	-	-





04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 1981

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES,

1992), RACE, AND SEX

Other non-pulmonary forms of heart disease (I30-I51)

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
UNITED STATES -	153,629	279	194	81	135	271	401	541	842	1,463	2,232	3,109
WHITE-----MALE----	57,645	101	61	22	51	117	171	230	360	653	1,030	1,488
FEMALE--	76,229	77	57	33	42	65	78	118	181	307	443	640
ALL OTHER--MALE----	9,495	41	44	10	21	59	102	124	193	324	435	606
FEMALE--	10,260	60	32	16	21	30	50	69	108	179	324	375
BLACK---MALE-----	8,303	36	38	9	19	52	92	117	173	281	403	549
FEMALE--	9,171	51	28	15	15	28	47	62	103	164	306	356
ALABAMA -----	5,371	3	8	4	6	8	22	17	27	51	85	121
WHITE-----MALE----	1,781	1	2	1	4	4	7	5	8	21	41	48
FEMALE--	2,259	2	1	1	1	3	2	3	5	7	16	23
ALL OTHER--MALE----	634	-	4	-	1	1	10	8	10	18	14	28
FEMALE--	697	-	1	2	-	-	3	1	4	5	14	22
BLACK---MALE-----	630	-	4	-	1	1	10	8	10	18	14	28
FEMALE--	692	-	1	2	-	-	3	1	4	5	14	22
ALASKA -----	168	1	-	-	2	-	-	1	1	4	10	7
WHITE-----MALE----	61	-	-	-	-	-	-	-	-	2	2	3
FEMALE--	61	-	-	-	1	-	-	-	-	1	3	1
ALL OTHER--MALE----	28	1	-	-	-	-	-	-	1	1	3	3
FEMALE--	18	-	-	-	-	-	-	1	-	-	2	-
BLACK---MALE-----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2,053	5	1	-	2	8	7	8	12	27	39	37
WHITE-----MALE----	888	1	-	-	1	5	6	5	6	12	16	27
FEMALE--	1,038	-	1	-	1	2	-	1	1	9	10	8
ALL OTHER--MALE----	70	-	-	-	-	1	1	1	3	3	13	2
FEMALE--	57	4	-	-	-	-	-	1	2	3	-	-
BLACK---MALE-----	26	-	-	-	-	-	1	1	-	1	7	2
FEMALE--	16	-	-	-	-	-	-	-	2	1	-	-
ARKANSAS -----	2,326	3	-	2	2	2	4	7	17	15	19	26
WHITE-----MALE----	854	2	-	2	1	1	1	5	7	5	12	13
FEMALE--	1,233	1	-	-	-	-	-	1	7	3	2	5
ALL OTHER--MALE----	109	-	-	-	1	-	2	-	1	6	2	4
FEMALE--	130	-	-	-	-	1	1	1	2	1	3	4
BLACK---MALE-----	106	-	-	-	1	-	2	-	1	6	2	4
FEMALE--	129	-	-	-	-	1	1	1	2	1	3	4
CALIFORNIA -----	10,031	19	14	6	12	20	24	32	52	102	154	217
WHITE-----MALE----	3,915	7	4	3	3	9	12	18	23	44	73	103
FEMALE--	4,810	9	6	3	4	6	3	6	10	27	28	36
ALL OTHER--MALE----	684	1	2	-	3	3	7	7	12	21	34	50
FEMALE--	622	2	2	-	2	2	2	1	7	10	19	28
BLACK---MALE-----	399	1	-	-	2	2	5	6	10	12	29	37
FEMALE--	363	2	2	-	1	2	1	1	6	9	15	25

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 1981

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Other non-pulmonary forms of heart disease (I30-I51)

UNITED STATES -	4,060	4,803	5,984	8,448	12,939	19,530	25,861	28,866	22,006	9,406	2,171	7
WHITE-----MALE----	1,959	2,307	2,945	3,989	6,116	8,695	10,293	9,395	5,559	1,814	284	5
FEMALE--	940	1,269	1,770	2,838	4,898	8,452	13,170	17,312	14,965	6,920	1,653	1
ALL OTHER--MALE----	682	735	731	850	1,009	1,137	1,025	741	422	160	44	-
FEMALE--	479	492	538	771	916	1,246	1,373	1,418	1,060	512	190	1
BLACK---MALE-----	633	673	665	755	862	983	858	617	321	128	39	-
FEMALE--	442	448	491	689	817	1,108	1,197	1,239	953	448	163	1
ALABAMA -----	193	218	276	384	572	640	838	887	668	283	60	-
WHITE-----MALE----	93	89	112	178	229	247	277	219	144	46	5	-
FEMALE--	25	51	74	107	177	235	405	511	404	172	34	-
ALL OTHER--MALE----	51	48	48	52	88	74	70	60	27	19	3	-
FEMALE--	24	30	42	47	78	84	86	97	93	46	18	-
BLACK---MALE-----	50	47	48	52	88	73	70	59	27	19	3	-
FEMALE--	24	30	41	46	78	82	86	96	93	46	18	-
ALASKA -----	7	14	8	11	17	18	27	19	10	9	2	-
WHITE-----MALE----	5	6	1	5	7	7	12	7	3	-	-	-
FEMALE--	1	6	2	2	7	9	8	6	6	6	2	-
ALL OTHER--MALE----	-	2	3	2	2	2	3	3	1	1	-	-
FEMALE--	1	-	2	2	1	-	4	3	-	2	-	-
BLACK---MALE-----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
ARIZONA -----	56	59	79	109	175	294	345	391	269	111	17	2
WHITE-----MALE----	30	34	46	54	95	139	150	151	77	28	4	1
FEMALE--	18	21	27	46	66	142	179	228	184	81	12	1
ALL OTHER--MALE----	5	2	4	6	6	9	5	5	4	-	-	-
FEMALE--	3	2	2	3	8	4	11	7	4	2	1	-
BLACK---MALE-----	3	1	-	1	2	2	1	2	2	-	-	-
FEMALE--	3	-	-	1	2	1	2	3	-	1	-	-
ARKANSAS -----	56	69	91	153	223	266	402	462	341	144	22	-
WHITE-----MALE----	28	36	43	89	103	111	156	135	76	26	2	-
FEMALE--	19	22	29	48	88	137	222	289	239	103	18	-
ALL OTHER--MALE----	6	11	13	12	14	6	7	11	7	6	-	-
FEMALE--	3	-	6	4	18	12	17	27	19	9	2	-
BLACK---MALE-----	6	11	13	11	13	6	7	10	7	6	-	-
FEMALE--	3	-	6	4	17	12	17	27	19	9	2	-
CALIFORNIA -----	272	308	390	526	730	1,243	1,714	1,988	1,416	622	169	1
WHITE-----MALE----	127	154	198	248	321	568	729	712	384	141	33	1
FEMALE--	76	79	113	181	273	532	817	1,115	934	438	114	-
ALL OTHER--MALE----	39	39	53	46	85	76	84	57	48	16	1	-
FEMALE--	30	36	26	51	51	67	84	104	50	27	21	-
BLACK---MALE-----	29	28	37	28	41	46	36	26	16	7	1	-
FEMALE--	21	25	19	30	23	35	38	58	26	13	11	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other non-pulmonary forms of heart disease (I30-I51)												
COLORADO -----	1,551	2	4	5	3	4	5	5	10	18	29	18
WHITE-----MALE----	641	1	2	1	2	2	-	2	6	10	18	7
FEMALE--	847	1	2	2	1	1	4	2	3	4	9	7
ALL OTHER--MALE----	36	-	-	1	-	1	1	-	-	3	1	2
FEMALE--	27	-	-	1	-	-	-	1	1	1	1	2
BLACK---MALE----	27	-	-	1	-	1	1	-	-	2	1	2
FEMALE--	21	-	-	1	-	-	-	1	1	-	1	2
CONNECTICUT -----	2,319	1	1	1	2	7	5	7	12	27	28	35
WHITE-----MALE----	928	-	-	1	1	3	1	5	6	19	16	18
FEMALE--	1,252	1	-	-	1	3	3	2	3	6	6	11
ALL OTHER--MALE----	75	-	-	-	-	1	1	-	1	1	5	4
FEMALE--	64	-	1	-	-	-	-	-	2	1	1	2
BLACK---MALE----	71	-	-	-	-	1	1	-	1	1	5	4
FEMALE--	61	-	1	-	-	-	-	-	2	1	1	2
DELAWARE -----	388	-	1	-	-	2	1	-	4	2	2	3
WHITE-----MALE----	149	-	-	-	-	1	1	-	-	2	1	1
FEMALE--	180	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	26	-	-	-	-	1	-	-	2	-	1	1
FEMALE--	33	-	1	-	-	-	-	-	1	-	-	-
BLACK---MALE----	26	-	-	-	-	1	-	-	2	-	1	1
FEMALE--	32	-	1	-	-	-	-	-	1	-	-	-
DISTRICT OF COLUMBIA ---	214	-	-	1	-	-	-	2	1	3	2	7
WHITE-----MALE----	26	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	33	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	69	-	-	-	-	-	-	2	-	2	-	3
FEMALE--	86	-	-	1	-	-	-	-	1	1	2	4
BLACK---MALE----	68	-	-	-	-	-	-	2	-	2	-	3
FEMALE--	85	-	-	1	-	-	-	-	1	1	2	4
FLORIDA -----	7,851	19	11	-	8	15	14	25	41	59	104	155
WHITE-----MALE----	3,336	5	4	-	-	4	5	9	17	32	44	88
FEMALE--	3,695	3	2	-	1	5	3	5	8	7	16	23
ALL OTHER--MALE----	402	4	1	-	5	4	4	6	11	15	28	31
FEMALE--	418	7	4	-	2	2	2	5	5	5	16	13
BLACK---MALE----	384	3	1	-	5	4	4	6	10	14	28	31
FEMALE--	403	7	3	-	2	2	2	5	5	5	16	13
GEORGIA -----	6,261	23	12	6	9	9	12	38	40	74	107	166
WHITE-----MALE----	2,016	9	5	-	1	4	5	14	15	23	38	63
FEMALE--	2,585	4	-	3	1	1	-	3	7	9	20	30
ALL OTHER--MALE----	736	5	6	1	3	3	3	11	12	23	29	43
FEMALE--	924	5	1	2	4	1	4	10	6	19	20	30
BLACK---MALE----	724	5	6	1	3	3	3	11	11	23	29	42
FEMALE--	912	5	1	2	4	1	4	10	6	18	20	30

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 1982

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Other non-pulmonary forms of heart disease (I30-I51)

COLORADO -----	41	41	53	82	119	202	231	280	246	133	20	-
WHITE-----MALE----	28	24	26	38	66	106	103	92	70	35	2	-
FEMALE--	11	12	25	36	49	91	121	182	168	98	18	-
ALL OTHER--MALE----	1	4	2	6	1	3	2	3	5	-	-	-
FEMALE--	1	1	-	2	3	2	5	3	3	-	-	-
BLACK---MALE-----	1	3	2	6	1	1	1	1	3	-	-	-
FEMALE--	-	1	-	2	3	2	2	3	2	-	-	-
CONNECTICUT -----	38	71	76	99	182	293	423	443	372	148	48	-
WHITE-----MALE----	22	33	44	55	94	145	193	145	89	33	5	-
FEMALE--	12	21	19	34	73	130	217	287	270	112	41	-
ALL OTHER--MALE----	2	12	5	6	11	9	6	6	2	3	-	-
FEMALE--	2	5	8	4	4	9	7	5	11	-	2	-
BLACK---MALE-----	2	10	5	6	11	8	6	6	2	2	-	-
FEMALE--	2	5	7	4	3	9	7	4	11	-	2	-
DELAWARE -----	12	19	20	28	36	57	76	66	33	22	4	-
WHITE-----MALE----	1	9	10	12	16	30	28	23	9	4	1	-
FEMALE--	3	5	4	12	13	22	45	39	20	14	1	-
ALL OTHER--MALE----	3	3	4	3	2	2	-	2	2	-	-	-
FEMALE--	5	2	2	1	5	3	3	2	2	4	2	-
BLACK---MALE-----	3	3	4	3	2	2	-	2	2	-	-	-
FEMALE--	5	2	2	1	5	3	3	2	2	3	2	-
DISTRICT OF COLUMBIA ---	12	9	14	12	10	26	37	34	29	13	1	1
WHITE-----MALE----	3	1	1	1	-	3	3	7	3	4	-	-
FEMALE--	1	2	1	1	-	1	6	9	8	4	-	-
ALL OTHER--MALE----	6	3	7	6	7	14	14	2	1	2	-	-
FEMALE--	2	3	5	4	3	8	14	16	17	3	1	1
BLACK---MALE-----	6	3	7	6	7	14	13	2	1	2	-	-
FEMALE--	2	3	5	4	3	8	14	16	16	3	1	1
FLORIDA -----	203	224	271	411	644	1,036	1,376	1,494	1,187	465	89	-
WHITE-----MALE----	104	104	131	212	359	521	607	600	361	113	16	-
FEMALE--	37	52	84	124	227	420	689	814	782	330	63	-
ALL OTHER--MALE----	41	40	34	33	24	39	30	31	12	7	2	-
FEMALE--	21	28	22	42	34	56	50	49	32	15	8	-
BLACK---MALE-----	39	39	32	29	24	39	27	30	12	6	1	-
FEMALE--	21	28	20	41	33	53	44	49	31	15	8	-
GEORGIA -----	249	291	336	436	587	855	949	999	723	280	59	1
WHITE-----MALE----	102	121	129	156	251	320	317	271	136	33	2	1
FEMALE--	40	66	78	134	177	345	427	546	462	196	36	-
ALL OTHER--MALE----	60	62	77	64	67	90	76	57	31	8	5	-
FEMALE--	47	42	52	82	92	100	129	125	94	43	16	-
BLACK---MALE-----	58	62	77	61	66	88	75	57	31	7	5	-
FEMALE--	47	42	51	81	89	99	127	124	92	43	16	-



04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 1983

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other non-pulmonary forms of heart disease (I30-I51)												
HAWAII -----	876	-	-	-	2	1	1	2	4	5	15	19
WHITE-----MALE----	96	-	-	-	-	-	-	-	1	2	3	4
FEMALE--	118	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	363	-	-	-	1	1	1	1	3	2	7	10
FEMALE--	299	-	-	-	1	-	-	1	-	1	5	4
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	628	1	-	-	1	-	1	2	-	3	7	12
WHITE-----MALE----	273	1	-	-	1	-	1	2	-	1	3	7
FEMALE--	343	-	-	-	-	-	-	-	-	1	3	5
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	6,733	15	15	5	8	13	18	33	42	76	99	128
WHITE-----MALE----	2,407	5	4	-	3	8	9	20	22	35	32	53
FEMALE--	3,378	1	5	2	3	1	3	4	9	14	28	34
ALL OTHER--MALE----	437	6	2	2	-	4	4	6	8	16	21	19
FEMALE--	511	3	4	1	2	-	2	3	3	11	18	22
BLACK---MALE----	410	6	2	2	-	4	3	6	8	16	20	18
FEMALE--	496	3	4	1	2	-	2	3	3	11	18	21
INDIANA -----	4,172	4	2	1	7	6	7	23	17	37	42	76
WHITE-----MALE----	1,634	1	2	-	5	3	2	8	6	24	30	43
FEMALE--	2,205	2	-	1	1	2	3	7	7	5	5	18
ALL OTHER--MALE----	168	-	-	-	-	1	2	5	3	3	3	9
FEMALE--	165	1	-	-	1	-	-	3	1	5	4	6
BLACK---MALE----	166	-	-	-	-	1	2	5	3	3	3	9
FEMALE--	161	1	-	-	-	-	-	3	1	5	4	6
IOWA -----	1,210	1	-	1	2	9	5	4	5	9	11	17
WHITE-----MALE----	495	1	-	1	1	4	5	2	3	4	6	8
FEMALE--	699	-	-	-	1	5	-	2	2	5	5	9
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	1,966	4	2	1	1	-	3	5	4	10	18	24
WHITE-----MALE----	720	2	1	-	-	-	1	3	2	5	10	15
FEMALE--	1,150	2	1	1	1	-	2	1	-	4	5	6
ALL OTHER--MALE----	40	-	-	-	-	-	-	-	1	1	1	-
FEMALE--	56	-	-	-	-	-	-	1	1	-	2	3
BLACK---MALE----	38	-	-	-	-	-	-	-	1	1	1	-
FEMALE--	45	-	-	-	-	-	-	1	1	-	2	2

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 1983

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Other non-pulmonary forms of heart disease (I30-I51)

HAWAII -----	27	43	40	56	84	121	142	145	105	51	13	-
WHITE-----MALE----	3	2	5	7	10	9	17	21	9	3	-	-
FEMALE--	-	6	6	1	7	21	20	27	18	9	2	-
ALL OTHER--MALE----	10	21	17	27	44	55	56	46	45	12	4	-
FEMALE--	14	14	12	21	23	36	49	51	33	27	7	-
BLACK---MALE----	-	1	1	-	-	-	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
IDAHO -----	19	21	24	38	47	63	89	137	106	43	14	-
WHITE-----MALE----	9	14	15	16	24	27	37	58	38	15	4	-
FEMALE--	9	7	9	20	22	34	50	78	68	27	10	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	1	-	1	-	-
FEMALE--	1	-	-	1	1	2	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
ILLINOIS -----	174	206	246	337	563	854	1,053	1,268	1,022	451	107	-
WHITE-----MALE----	77	92	113	152	259	379	394	416	246	72	16	-
FEMALE--	36	55	72	110	206	353	537	753	710	361	81	-
ALL OTHER--MALE----	36	29	33	42	52	56	45	31	17	5	3	-
FEMALE--	25	30	28	33	46	66	77	68	49	13	7	-
BLACK---MALE----	34	28	32	41	47	51	41	30	14	4	3	-
FEMALE--	24	29	28	32	45	64	73	66	47	13	7	-
INDIANA -----	82	126	170	221	379	578	753	786	557	246	52	-
WHITE-----MALE----	46	59	72	109	176	263	300	284	143	52	6	-
FEMALE--	17	52	57	85	167	274	405	475	399	180	43	-
ALL OTHER--MALE----	13	9	24	20	22	18	19	10	4	3	-	-
FEMALE--	6	6	17	7	14	23	29	17	11	11	3	-
BLACK---MALE----	13	9	22	20	22	18	19	10	4	3	-	-
FEMALE--	6	6	17	7	13	23	29	16	10	11	3	-
IOWA -----	23	25	35	51	81	139	204	245	217	96	30	-
WHITE-----MALE----	17	18	17	24	46	83	91	90	56	17	1	-
FEMALE--	6	7	18	25	33	50	111	153	161	78	28	-
ALL OTHER--MALE----	-	-	-	2	1	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	1	5	-	2	-	1	1	-
BLACK---MALE----	-	-	-	2	1	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	1	3	-	2	-	1	1	-
KANSAS -----	42	42	73	71	143	212	331	386	370	177	47	-
WHITE-----MALE----	25	24	45	29	70	95	135	124	88	37	9	-
FEMALE--	10	12	22	32	59	112	179	254	272	138	37	-
ALL OTHER--MALE----	3	2	4	7	8	2	7	2	1	1	-	-
FEMALE--	4	4	2	3	6	3	10	6	9	1	1	-
BLACK---MALE----	3	2	4	6	7	2	7	2	1	1	-	-
FEMALE--	4	4	1	2	5	3	9	4	5	1	1	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 1984

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other non-pulmonary forms of heart disease (I30-I51)												
KENTUCKY -----	3,530	5	2	1	5	1	11	6	16	33	34	74
WHITE-----MALE----	1,367	1	-	-	2	-	5	3	6	19	15	43
FEMALE--	1,920	3	2	1	3	-	4	3	7	10	11	16
ALL OTHER--MALE----	120	-	-	-	-	-	-	-	3	1	6	11
FEMALE--	123	1	-	-	-	1	2	-	-	3	2	4
BLACK---MALE-----	119	-	-	-	-	-	-	-	3	1	6	11
FEMALE--	121	1	-	-	-	1	2	-	-	3	2	4
LOUISIANA -----	2,961	7	4	1	2	9	13	14	19	39	54	81
WHITE-----MALE----	950	3	-	-	2	2	4	1	5	11	21	35
FEMALE--	1,223	1	1	-	1	-	1	2	1	7	8	9
ALL OTHER--MALE----	349	-	2	1	1	3	5	7	11	14	12	21
FEMALE--	439	3	1	-	-	4	3	4	2	7	13	16
BLACK---MALE-----	344	-	2	1	1	3	5	7	10	14	11	21
FEMALE--	435	2	1	-	-	4	3	4	2	7	12	16
MAINE -----	796	-	-	-	1	1	1	-	5	3	9	18
WHITE-----MALE----	335	-	-	-	1	1	1	-	5	1	6	11
FEMALE--	455	-	-	-	-	-	-	-	-	2	2	6
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	4	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2,226	3	3	4	2	3	17	16	35	38	66	74
WHITE-----MALE----	706	-	-	1	1	1	5	4	8	12	26	20
FEMALE--	958	1	2	2	-	-	2	2	5	5	5	14
ALL OTHER--MALE----	261	-	1	1	-	2	4	8	13	10	20	24
FEMALE--	301	2	-	-	1	-	6	2	9	11	15	16
BLACK---MALE-----	258	-	1	1	-	2	4	8	13	10	20	24
FEMALE--	289	2	-	-	1	-	5	2	9	11	15	15
MASSACHUSETTS -----	4,516	5	2	1	4	1	8	14	20	28	51	65
WHITE-----MALE----	1,750	2	2	1	1	-	3	6	12	16	31	37
FEMALE--	2,574	3	-	-	2	-	3	7	4	5	10	25
ALL OTHER--MALE----	103	-	-	-	1	1	2	-	4	5	6	2
FEMALE--	89	-	-	-	-	-	-	1	-	2	4	1
BLACK---MALE-----	89	-	-	-	1	-	2	-	3	5	4	2
FEMALE--	76	-	-	-	-	-	-	1	-	2	3	1
MICHIGAN -----	5,486	9	7	1	3	14	14	23	39	66	106	131
WHITE-----MALE----	2,110	6	2	-	-	5	5	8	16	27	45	54
FEMALE--	2,675	-	2	-	1	2	3	4	7	12	16	22
ALL OTHER--MALE----	352	1	2	-	1	6	5	4	11	20	26	36
FEMALE--	349	2	1	1	1	1	1	7	5	7	19	19
BLACK---MALE-----	339	1	2	-	1	6	5	3	11	19	26	32
FEMALE--	328	2	1	1	1	1	1	6	4	6	19	19

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other non-pulmonary forms of heart disease (I30-I51)												
KENTUCKY -----	102	132	160	205	313	496	606	643	453	182	50	-
WHITE-----MALE----	61	80	89	103	147	236	216	194	107	34	6	-
FEMALE--	29	36	61	88	142	229	355	418	324	136	42	-
ALL OTHER--MALE----	6	12	7	4	13	17	16	14	5	5	-	-
FEMALE--	6	4	3	10	11	14	19	17	17	7	2	-
BLACK---MALE-----	6	12	7	4	13	16	16	14	5	5	-	-
FEMALE--	6	4	3	10	11	12	19	17	17	7	2	-
LOUISIANA -----	75	104	159	179	272	400	491	492	357	156	33	-
WHITE-----MALE----	24	46	67	65	112	145	185	124	70	26	4	-
FEMALE--	9	14	43	47	91	154	222	274	220	101	17	-
ALL OTHER--MALE----	20	27	23	30	31	50	32	36	10	9	4	-
FEMALE--	22	17	26	37	38	51	52	58	57	20	8	-
BLACK---MALE-----	20	27	22	30	31	49	32	35	10	9	4	-
FEMALE--	21	17	26	37	38	51	52	57	57	20	8	-
MAINE -----	19	15	32	43	60	109	138	150	116	57	19	-
WHITE-----MALE----	13	5	22	27	36	54	58	50	28	13	3	-
FEMALE--	5	9	10	16	24	55	79	99	88	44	16	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE-----	-	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	74	82	61	113	173	280	348	396	291	123	24	-
WHITE-----MALE----	26	29	21	38	63	111	123	117	66	33	1	-
FEMALE--	12	15	18	32	69	98	168	226	186	78	18	-
ALL OTHER--MALE----	21	25	12	25	24	25	26	9	5	3	3	-
FEMALE--	15	13	10	18	17	46	31	44	34	9	2	-
BLACK---MALE-----	21	25	12	24	24	25	25	9	4	3	3	-
FEMALE--	14	13	10	17	16	46	29	41	32	9	2	-
MASSACHUSETTS -----	94	97	124	210	315	490	810	998	735	365	79	-
WHITE-----MALE----	52	62	67	127	174	225	357	321	178	68	8	-
FEMALE--	31	27	44	69	119	235	431	659	539	291	70	-
ALL OTHER--MALE----	6	4	9	7	15	16	14	6	4	1	-	-
FEMALE--	5	4	4	7	7	14	8	12	14	5	1	-
BLACK---MALE-----	5	4	9	6	14	14	11	5	4	-	-	-
FEMALE--	4	3	4	7	6	12	6	10	11	5	1	-
MICHIGAN -----	161	166	183	273	434	694	937	1,048	758	324	95	-
WHITE-----MALE----	76	83	93	141	227	309	371	333	215	79	15	-
FEMALE--	28	38	55	87	159	303	476	650	512	223	75	-
ALL OTHER--MALE----	32	25	16	24	27	37	39	22	11	6	1	-
FEMALE--	25	20	19	21	21	45	51	43	20	16	4	-
BLACK---MALE-----	32	25	16	24	26	36	37	19	11	6	1	-
FEMALE--	25	19	19	18	20	41	49	40	16	16	4	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 1985

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other non-pulmonary forms of heart disease (I30-I51)												
MINNESOTA -----	2,493	4	1	1	-	4	3	1	9	19	30	34
WHITE-----MALE----	1,047	1	-	-	-	1	1	-	2	8	18	20
FEMALE--	1,386	-	1	1	-	2	2	1	4	9	8	11
ALL OTHER--MALE----	37	1	-	-	-	1	-	-	3	2	1	1
FEMALE--	23	2	-	-	-	-	-	-	-	-	3	2
BLACK---MALE----	19	-	-	-	-	-	-	-	2	1	-	-
FEMALE--	17	2	-	-	-	-	-	-	-	-	3	2
MISSISSIPPI -----	2,815	6	4	1	1	4	10	6	12	24	41	54
WHITE-----MALE----	709	1	-	-	-	-	1	2	1	5	17	7
FEMALE--	1,188	2	-	-	1	1	1	-	2	1	5	13
ALL OTHER--MALE----	382	1	2	1	-	3	6	3	5	14	8	19
FEMALE--	536	2	2	-	-	-	2	1	4	4	11	15
BLACK---MALE----	378	1	2	1	-	3	6	3	5	12	8	19
FEMALE--	531	2	2	-	-	-	2	1	4	4	11	15
MISSOURI -----	3,885	8	5	1	4	11	7	13	12	35	45	66
WHITE-----MALE----	1,499	3	1	-	3	8	3	4	9	14	22	38
FEMALE--	2,090	3	2	1	1	2	2	5	1	11	10	17
ALL OTHER--MALE----	146	1	1	-	-	1	1	2	1	3	6	8
FEMALE--	150	1	1	-	-	-	1	2	1	7	7	3
BLACK---MALE----	140	1	1	-	-	1	1	2	1	3	5	8
FEMALE--	144	1	1	-	-	-	1	2	-	7	7	3
MONTANA -----	702	1	-	1	-	-	-	-	1	3	4	9
WHITE-----MALE----	316	-	-	1	-	-	-	-	-	2	2	7
FEMALE--	373	1	-	-	-	-	-	-	1	1	2	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	1,452	2	4	-	1	4	3	1	4	3	14	19
WHITE-----MALE----	602	1	1	-	-	4	1	1	3	1	6	11
FEMALE--	801	-	2	-	-	-	1	-	1	2	4	6
ALL OTHER--MALE----	30	-	1	-	-	-	1	-	-	-	3	1
FEMALE--	19	1	-	-	1	-	-	-	-	-	1	1
BLACK---MALE----	23	-	-	-	-	-	1	-	-	-	2	1
FEMALE--	13	-	-	-	1	-	-	-	-	-	1	1
NEVADA -----	1,288	1	1	1	-	2	2	7	11	21	32	46
WHITE-----MALE----	591	1	-	1	-	-	1	3	5	11	19	24
FEMALE--	566	-	-	-	-	1	-	2	3	2	9	8
ALL OTHER--MALE----	69	-	1	-	-	-	1	2	3	4	3	9
FEMALE--	62	-	-	-	-	1	-	-	-	4	1	5
BLACK---MALE----	49	-	-	-	-	-	1	1	3	3	3	6
FEMALE--	45	-	-	-	-	1	-	-	-	2	1	5

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 1985

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Other non-pulmonary forms of heart disease (I30-I51)

MINNESOTA -----	43	46	56	103	161	265	426	564	458	216	49	-
WHITE-----MALE----	25	26	32	63	91	140	201	209	154	49	6	-
FEMALE--	16	14	17	37	65	120	218	350	301	166	43	-
ALL OTHER--MALE----	2	6	6	2	1	4	4	2	1	-	-	-
FEMALE--	-	-	1	1	4	1	3	3	2	1	-	-
BLACK---MALE-----	-	4	5	1	-	3	2	1	-	-	-	-
FEMALE--	-	-	1	1	2	1	2	1	2	-	-	-
MISSISSIPPI -----	78	107	123	183	280	364	431	489	385	168	44	-
WHITE-----MALE----	25	37	41	50	99	122	120	102	61	15	3	-
FEMALE--	14	21	33	42	90	134	208	266	233	94	27	-
ALL OTHER--MALE----	22	34	24	39	38	40	44	40	25	12	2	-
FEMALE--	17	15	25	52	53	68	59	81	66	47	12	-
BLACK---MALE-----	22	34	23	39	37	40	44	40	25	12	2	-
FEMALE--	16	15	25	51	52	67	58	81	66	47	12	-
MISSOURI -----	91	98	125	215	334	495	632	755	595	274	64	-
WHITE-----MALE----	46	53	72	104	169	228	256	244	168	46	8	-
FEMALE--	26	25	39	87	131	230	333	479	408	223	54	-
ALL OTHER--MALE----	9	10	6	13	20	22	22	10	9	-	1	-
FEMALE--	10	10	8	11	14	15	21	22	10	5	1	-
BLACK---MALE-----	9	10	6	11	19	21	22	9	9	-	1	-
FEMALE--	9	10	7	10	13	14	21	22	10	5	1	-
MONTANA -----	14	18	22	29	52	99	133	144	110	47	15	-
WHITE-----MALE----	10	13	18	14	35	46	66	55	37	9	1	-
FEMALE--	3	5	3	15	14	52	67	85	72	37	14	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	1	-	1	-	2	1	-	3	1	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	36	30	32	60	95	161	247	292	244	154	46	-
WHITE-----MALE----	24	20	26	35	49	89	112	98	85	30	5	-
FEMALE--	4	6	5	21	42	63	132	190	158	124	40	-
ALL OTHER--MALE----	5	2	1	2	3	6	2	2	1	-	-	-
FEMALE--	3	2	-	2	1	3	1	2	-	-	1	-
BLACK---MALE-----	4	2	-	2	3	5	2	-	1	-	-	-
FEMALE--	3	1	-	1	-	1	1	2	-	-	1	-
NEVADA -----	39	51	64	111	141	174	200	190	140	47	6	1
WHITE-----MALE----	23	38	39	57	77	90	93	63	38	6	1	1
FEMALE--	8	7	17	40	49	71	97	111	97	39	5	-
ALL OTHER--MALE----	7	4	4	6	7	5	5	7	-	1	-	-
FEMALE--	1	2	4	8	8	8	5	9	5	1	-	-
BLACK---MALE-----	6	2	3	4	5	4	3	5	-	-	-	-
FEMALE--	1	1	4	6	4	6	4	6	4	-	-	-







[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other non-pulmonary forms of heart disease (I30-I51)												
OHIO -----	7,430	10	5	2	7	11	16	24	30	53	107	149
WHITE-----MALE----	2,753	2	3	1	4	4	8	7	12	27	58	79
FEMALE--	3,917	2	1	-	2	3	3	9	9	10	20	29
ALL OTHER--MALE----	334	1	-	1	1	3	5	6	5	7	15	25
FEMALE--	426	5	1	-	-	1	-	2	4	9	14	16
BLACK---MALE----	327	1	-	1	1	3	4	5	5	7	15	25
FEMALE--	413	4	1	-	-	1	-	2	4	9	13	15
OKLAHOMA -----	2,404	5	3	2	1	3	9	6	12	23	41	48
WHITE-----MALE----	917	2	2	-	-	3	3	4	7	7	21	22
FEMALE--	1,264	1	-	1	1	-	1	1	4	9	8	14
ALL OTHER--MALE----	106	1	1	1	-	-	4	1	-	7	6	6
FEMALE--	117	1	-	-	-	-	1	-	1	-	6	6
BLACK---MALE----	64	-	-	1	-	-	4	1	-	2	5	5
FEMALE--	88	-	-	-	-	-	1	-	1	-	5	6
OREGON -----	1,882	3	-	2	1	-	5	5	9	6	18	24
WHITE-----MALE----	766	2	-	1	-	-	2	4	6	5	11	16
FEMALE--	1,067	1	-	1	1	-	3	1	2	1	6	6
ALL OTHER--MALE----	21	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	28	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	1	-
PENNSYLVANIA -----	9,989	5	8	5	6	14	17	22	48	66	96	184
WHITE-----MALE----	3,964	1	4	1	5	5	10	12	21	33	46	108
FEMALE--	5,272	4	2	2	-	5	6	4	13	19	21	31
ALL OTHER--MALE----	371	-	-	-	1	2	1	4	10	8	22	35
FEMALE--	382	-	2	2	-	2	-	2	4	6	7	10
BLACK---MALE----	357	-	-	-	1	2	1	4	10	8	22	33
FEMALE--	368	-	2	2	-	1	-	2	4	6	7	10
RHODE ISLAND -----	361	3	2	-	-	-	1	4	2	4	6	10
WHITE-----MALE----	152	1	2	-	-	-	-	2	1	3	4	5
FEMALE--	203	2	-	-	-	-	1	2	1	1	2	3
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	2,594	8	3	2	-	3	8	8	19	39	60	78
WHITE-----MALE----	839	1	-	-	-	1	2	3	9	13	23	31
FEMALE--	1,011	1	-	1	-	-	1	-	1	7	8	6
ALL OTHER--MALE----	388	2	2	-	-	2	4	5	4	11	16	28
FEMALE--	356	4	1	1	-	-	1	-	5	8	13	13
BLACK---MALE----	387	2	2	-	-	2	4	5	4	11	16	28
FEMALE--	349	3	-	1	-	-	1	-	5	8	13	12

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 1987

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Other non-pulmonary forms of heart disease (I30-I51)

OHIO -----	178	227	284	399	687	979	1,290	1,429	1,035	414	94	-
WHITE-----MALE----	86	108	140	182	316	419	496	454	265	68	14	-
FEMALE--	52	73	100	158	281	472	693	883	725	318	74	-
ALL OTHER--MALE----	21	23	24	32	49	40	35	28	8	4	1	-
FEMALE--	19	23	20	27	41	48	66	64	37	24	5	-
BLACK---MALE-----	21	23	24	31	49	39	34	27	7	4	1	-
FEMALE--	19	23	19	27	40	44	65	61	37	24	5	-
OKLAHOMA -----	58	70	109	140	183	299	394	428	385	145	40	-
WHITE-----MALE----	23	40	61	78	80	136	165	128	101	32	2	-
FEMALE--	24	17	33	39	86	140	200	282	266	105	32	-
ALL OTHER--MALE----	9	8	6	14	10	9	10	6	6	1	-	-
FEMALE--	2	5	9	9	7	14	19	12	12	7	6	-
BLACK---MALE-----	6	6	4	9	7	1	4	3	5	1	-	-
FEMALE--	2	4	8	7	6	9	13	6	11	5	4	-
OREGON -----	28	32	71	61	137	208	338	424	334	154	22	-
WHITE-----MALE----	23	22	33	32	74	93	148	151	90	49	4	-
FEMALE--	4	10	29	26	54	108	185	267	240	104	18	-
ALL OTHER--MALE----	1	-	3	1	5	2	2	3	1	-	-	-
FEMALE--	-	-	6	2	4	5	3	3	3	1	-	-
BLACK---MALE-----	1	-	1	1	3	1	-	3	-	-	-	-
FEMALE--	-	-	2	1	2	3	2	2	1	1	-	-
PENNSYLVANIA -----	216	256	345	483	870	1,321	1,830	1,990	1,462	627	118	-
WHITE-----MALE----	111	134	192	249	448	642	752	673	378	127	12	-
FEMALE--	50	76	98	169	356	583	977	1,250	1,035	471	100	-
ALL OTHER--MALE----	35	28	38	34	38	43	39	17	10	5	1	-
FEMALE--	20	18	17	31	28	53	62	50	39	24	5	-
BLACK---MALE-----	35	26	37	33	34	41	38	16	10	5	1	-
FEMALE--	20	18	16	30	28	52	59	47	36	23	5	-
RHODE ISLAND -----	5	5	11	17	22	54	63	76	56	13	7	-
WHITE-----MALE----	2	4	4	13	15	28	29	24	13	2	-	-
FEMALE--	3	-	6	4	7	25	33	52	43	11	7	-
ALL OTHER--MALE----	-	1	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	1	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	93	142	152	191	231	338	417	393	276	106	27	-
WHITE-----MALE----	28	46	63	75	83	128	153	103	49	23	5	-
FEMALE--	13	30	32	57	83	119	177	217	178	65	15	-
ALL OTHER--MALE----	34	46	43	30	34	45	36	24	17	3	2	-
FEMALE--	18	20	14	29	31	46	51	49	32	15	5	-
BLACK---MALE-----	34	46	43	30	34	44	36	24	17	3	2	-
FEMALE--	18	17	14	29	31	46	50	49	32	15	5	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other non-pulmonary forms of heart disease (I30-I51)												
SOUTH DAKOTA -----	464	-	-	-	1	-	-	2	2	7	-	9
WHITE-----MALE----	197	-	-	-	1	-	-	-	2	2	-	5
FEMALE--	238	-	-	-	-	-	-	-	-	2	-	1
ALL OTHER--MALE----	16	-	-	-	-	-	-	1	-	2	-	3
FEMALE--	13	-	-	-	-	-	-	1	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2,357	6	2	-	2	4	13	15	13	30	51	70
WHITE-----MALE----	880	-	-	-	-	3	5	7	6	8	28	33
FEMALE--	1,113	4	1	-	2	1	2	4	1	12	11	12
ALL OTHER--MALE----	175	1	1	-	-	-	3	1	3	6	4	15
FEMALE--	189	1	-	-	-	-	3	3	3	4	8	10
BLACK---MALE----	172	1	1	-	-	-	3	1	3	6	4	15
FEMALE--	185	1	-	-	-	-	3	2	3	4	7	10
TEXAS -----	8,923	26	19	7	12	26	32	51	73	124	147	217
WHITE-----MALE----	3,391	7	3	1	3	14	16	28	36	60	69	113
FEMALE--	4,388	9	6	5	4	6	8	9	18	21	24	43
ALL OTHER--MALE----	545	7	6	-	2	4	3	8	12	32	31	35
FEMALE--	599	3	4	1	3	2	5	6	7	11	23	26
BLACK---MALE----	525	7	6	-	2	4	3	8	10	30	30	35
FEMALE--	563	3	4	1	1	2	5	6	7	10	23	25
UTAH -----	960	4	1	-	-	2	4	2	6	7	16	17
WHITE-----MALE----	399	3	1	-	-	1	3	1	3	3	11	10
FEMALE--	543	1	-	-	-	1	1	1	3	3	5	4
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	2
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
VERMONT -----	330	2	-	-	-	1	-	1	-	4	7	6
WHITE-----MALE----	144	1	-	-	-	-	-	-	-	1	6	4
FEMALE--	184	1	-	-	-	1	-	1	-	2	1	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	4,347	12	10	1	1	6	8	20	21	38	72	87
WHITE-----MALE----	1,436	4	4	-	1	1	5	5	5	13	28	34
FEMALE--	1,941	2	3	-	-	2	-	4	4	8	10	15
ALL OTHER--MALE----	462	1	2	-	-	1	3	8	5	11	18	20
FEMALE--	508	5	1	1	-	2	-	3	7	6	16	18
BLACK---MALE----	442	1	2	-	-	1	2	7	5	11	18	19
FEMALE--	486	5	1	1	-	2	-	3	6	6	16	17

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 1988

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other non-pulmonary forms of heart disease (I30-I51)												
SOUTH DAKOTA -----	11	16	13	19	41	41	65	85	81	54	17	-
WHITE-----MALE----	7	11	6	11	26	21	28	31	28	14	4	-
FEMALE--	3	3	4	5	14	20	33	51	51	38	13	-
ALL OTHER--MALE----	1	1	2	2	-	-	2	1	1	-	-	-
FEMALE--	-	1	1	1	1	-	2	2	1	2	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	94	100	121	175	234	313	367	361	268	100	18	-
WHITE-----MALE----	48	46	56	84	115	142	123	106	44	25	1	-
FEMALE--	24	31	40	56	86	131	203	224	190	67	11	-
ALL OTHER--MALE----	11	15	15	15	16	27	17	12	10	2	1	-
FEMALE--	11	8	10	20	17	13	24	19	24	6	5	-
BLACK---MALE----	11	15	15	14	15	27	16	12	10	2	1	-
FEMALE--	11	8	10	19	17	13	24	18	24	6	5	-
TEXAS -----	279	358	389	537	780	1,080	1,415	1,509	1,225	493	123	1
WHITE-----MALE----	153	174	189	260	358	476	539	485	296	93	17	1
FEMALE--	69	107	129	181	320	465	754	910	855	360	85	-
ALL OTHER--MALE----	32	43	41	59	44	62	57	35	17	11	4	-
FEMALE--	25	34	30	37	58	77	65	79	57	29	17	-
BLACK---MALE----	32	41	40	56	44	58	56	33	17	9	4	-
FEMALE--	25	33	28	36	55	70	60	70	55	28	16	-
UTAH -----	21	20	27	33	61	112	162	227	174	51	13	-
WHITE-----MALE----	15	16	12	19	32	60	67	80	50	11	1	-
FEMALE--	4	3	15	13	29	50	93	143	123	40	11	-
ALL OTHER--MALE----	2	1	-	1	-	1	2	3	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	1	-
BLACK---MALE----	-	-	-	1	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	5	8	5	14	28	33	46	68	66	27	9	-
WHITE-----MALE----	1	6	2	9	20	15	21	30	23	3	2	-
FEMALE--	4	2	3	5	7	18	25	38	43	24	7	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	141	141	197	280	420	582	693	741	590	238	48	-
WHITE-----MALE----	54	51	97	108	175	216	261	204	132	33	5	-
FEMALE--	23	34	43	86	136	247	310	419	381	180	34	-
ALL OTHER--MALE----	34	31	32	50	57	63	51	46	25	2	2	-
FEMALE--	30	25	25	36	52	56	71	72	52	23	7	-
BLACK---MALE----	34	31	31	47	52	61	48	44	24	2	2	-
FEMALE--	29	25	24	32	49	54	67	68	51	23	7	-





04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 1990

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Acute and subacute endocarditis (I33)												
UNITED STATES -	1,178	1	-	1	2	3	5	9	20	46	71	93
WHITE-----MALE----	517	1	-	-	1	1	3	4	8	16	25	45
FEMALE--	400	-	-	1	1	-	2	4	5	14	19	19
ALL OTHER--MALE----	151	-	-	-	-	1	-	1	4	9	12	23
FEMALE--	110	-	-	-	-	1	-	3	7	7	15	6
BLACK---MALE-----	135	-	-	-	-	-	-	1	4	8	12	21
FEMALE--	100	-	-	-	-	1	-	-	3	7	14	6
ALABAMA -----	24	-	-	-	-	-	-	-	-	2	1	3
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	8	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	6	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	1	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	23	-	-	-	-	1	1	-	-	2	5	1
WHITE-----MALE----	13	-	-	-	-	-	1	-	-	1	3	1
FEMALE--	8	-	-	-	-	-	-	-	-	1	2	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	12	-	-	-	-	-	-	-	1	-	1	2
WHITE-----MALE----	10	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
CALIFORNIA -----	127	-	-	-	-	-	-	1	2	6	4	9
WHITE-----MALE----	57	-	-	-	-	-	-	1	1	2	1	4
FEMALE--	43	-	-	-	-	-	-	-	-	2	-	2
ALL OTHER--MALE----	21	-	-	-	-	-	-	-	-	2	3	2
FEMALE--	6	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE-----	14	-	-	-	-	-	-	-	-	2	3	-
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	1

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 1990

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Acute and subacute endocarditis (I33)												
UNITED STATES -	93	72	88	102	145	162	154	79	30	2	-	-
WHITE-----MALE----	42	28	42	35	63	82	75	35	10	1	-	-
FEMALE--	19	25	22	39	54	52	65	41	17	1	-	-
ALL OTHER--MALE----	19	11	14	14	20	12	8	2	1	-	-	-
FEMALE--	13	8	10	14	8	16	6	1	2	-	-	-
BLACK---MALE-----	18	11	13	10	16	12	7	1	1	-	-	-
FEMALE--	12	8	9	11	6	15	5	1	2	-	-	-
ALABAMA -----	1	2	3	4	2	4	1	1	-	-	-	-
WHITE-----MALE----	-	-	2	1	-	1	-	1	-	-	-	-
FEMALE--	-	1	-	2	1	2	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	1	-	-	-	-	-	-
BLACK---MALE-----	1	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	1	-	-	-	-	-	-
ALASKA -----	-	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	3	3	1	1	1	2	2	-	-	-	-	-
WHITE-----MALE----	3	1	1	-	-	1	1	-	-	-	-	-
FEMALE--	-	2	-	1	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	-	-	1	3	1	2	1	-	-	-	-	-
WHITE-----MALE----	-	-	1	3	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	9	2	10	9	17	20	19	10	9	-	-	-
WHITE-----MALE----	-	1	5	3	11	12	8	5	3	-	-	-
FEMALE--	4	1	3	3	3	6	8	5	6	-	-	-
ALL OTHER--MALE----	4	-	2	2	2	1	3	-	2	-	-	-
FEMALE--	1	-	-	1	1	1	-	-	-	-	-	-
BLACK---MALE-----	3	-	1	1	1	1	2	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-



04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 1991

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Acute and subacute endocarditis (I33)												
COLORADO -----	14	-	-	1	-	-	-	-	-	-	2	-
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	6	-	-	1	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	18	-	-	-	-	1	-	1	1	1	-	2
WHITE-----MALE----	11	-	-	-	-	1	-	1	1	1	-	1
FEMALE--	7	-	-	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	2	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	6	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
FLORIDA -----	97	-	-	-	-	-	-	2	3	2	4	6
WHITE-----MALE----	53	-	-	-	-	-	-	1	1	-	1	4
FEMALE--	27	-	-	-	-	-	-	-	1	-	1	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	1	1	-	2	2
FEMALE--	8	-	-	-	-	-	-	-	-	2	-	-
BLACK---MALE----	8	-	-	-	-	-	-	1	1	-	2	2
FEMALE--	8	-	-	-	-	-	-	-	-	2	-	-
GEORGIA -----	38	-	-	-	-	1	-	-	1	3	1	2
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	2	-	1
FEMALE--	12	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	1	-	-	1	-	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	1	-	-	1	-	1	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 1991

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Acute and subacute endocarditis (I33)

COLORADO -----	2	-	2	-	2	2	-	3	-	-	-	-
WHITE-----MALE----	1	-	1	-	2	2	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1	1	-	2	1	1	5	1	-	-	-	-
WHITE-----MALE----	-	1	-	1	1	-	4	-	-	-	-	-
FEMALE--	1	-	-	1	-	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	-	-	-	-	1	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	1	-	2	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	2	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	2	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	6	2	7	8	15	17	14	10	1	-	-	-
WHITE-----MALE----	3	1	3	4	9	13	6	6	1	-	-	-
FEMALE--	1	-	3	3	5	2	7	4	-	-	-	-
ALL OTHER--MALE----	1	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	2	1	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	2	1	-	-	-	-	-
GEORGIA -----	2	8	2	2	4	6	5	-	1	-	-	-
WHITE-----MALE----	1	5	-	1	2	1	-	-	-	-	-	-
FEMALE--	-	2	-	-	1	3	3	-	1	-	-	-
ALL OTHER--MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	1	-	1	2	2	-	-	-	-	-
BLACK---MALE----	-	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	1	-	1	2	1	-	-	-	-	-





[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Acute and subacute endocarditis (I33)												
KENTUCKY -----	14	-	-	-	-	-	-	-	-	-	1	3
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	3
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	19	1	-	-	-	-	-	1	1	1	1	2
WHITE-----MALE----	8	1	-	-	-	-	-	-	-	1	1	1
FEMALE--	3	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	6	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	24	-	-	-	-	-	-	-	1	-	1	4
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	1	-	1	1
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	7	-	-	-	-	-	-	-	1	-	1	1
MASSACHUSETTS -----	21	-	-	-	-	-	-	-	-	1	-	1
WHITE-----MALE----	11	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	45	-	-	-	-	-	-	-	-	3	4	3
WHITE-----MALE----	18	-	-	-	-	-	-	-	-	1	2	2
FEMALE--	10	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	1	1	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 1993

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Acute and subacute endocarditis (I33)												
KENTUCKY -----	-	1	-	-	4	2	1	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	2	2	-	-	-	-	-	-
FEMALE--	-	1	-	-	2	-	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	2	-	3	1	2	2	-	1	1	-	-	-
WHITE-----MALE----	-	-	2	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	1	-	1	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	1	-	-	-
MAINE -----	-	-	-	-	-	4	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	3	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2	3	1	3	4	2	3	-	-	-	-	-
WHITE-----MALE----	1	1	-	-	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	2	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	3	-	-	-	-	-	-	-
FEMALE--	-	1	1	2	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	3	-	-	-	-	-	-	-
FEMALE--	-	1	1	2	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	1	2	1	3	2	3	4	2	1	-	-	-
WHITE-----MALE----	1	1	-	-	-	3	3	2	-	-	-	-
FEMALE--	-	1	1	2	-	-	1	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
MICHIGAN -----	6	6	3	1	4	9	3	2	1	-	-	-
WHITE-----MALE----	3	2	1	1	2	4	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	1	3	2	-	-	-	-
ALL OTHER--MALE----	2	4	-	-	-	2	-	-	-	-	-	-
FEMALE--	1	-	2	-	-	2	-	-	1	-	-	-
BLACK---MALE----	2	4	-	-	-	2	-	-	-	-	-	-
FEMALE--	1	-	2	-	-	2	-	-	1	-	-	-



[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Acute and subacute endocarditis (I33)

MINNESOTA -----	2	1	1	2	3	3	3	1	-	-	-	-
WHITE-----MALE----	1	-	-	1	-	2	2	1	-	-	-	-
FEMALE--	1	1	1	1	3	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	-	-	3	1	4	1	1	3	-	-	-	-
WHITE-----MALE----	-	-	2	-	1	-	-	3	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	-	-	-	-	-
MISSOURI -----	1	5	2	4	6	3	1	-	-	-	-	-
WHITE-----MALE----	-	2	-	1	2	1	-	-	-	-	-	-
FEMALE--	-	-	1	3	4	1	1	-	-	-	-	-
ALL OTHER--MALE----	1	2	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	2	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
MONTANA -----	-	1	-	-	-	-	2	1	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	1	-	-	-	2	1	2	1	-	-	-	-
WHITE-----MALE----	1	-	-	-	2	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	1	-	1	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-













[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Acute and subacute endocarditis (I33)

SOUTH DAKOTA -----	-	-	-	1	1	1	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	1	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	1	2	2	5	3	1	2	2	-	1	-	-
WHITE-----MALE----	-	1	-	3	1	1	1	1	-	1	-	-
FEMALE--	-	1	1	1	2	-	1	1	-	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	7	3	6	3	7	7	8	3	2	-	-	-
WHITE-----MALE----	4	1	2	1	3	5	3	-	1	-	-	-
FEMALE--	1	-	3	1	4	2	5	3	1	-	-	-
ALL OTHER--MALE----	1	2	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	2	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	1	-	-	-	-	-	-	-	-	-
UTAH -----	1	1	1	1	-	1	1	1	-	-	-	-
WHITE-----MALE----	1	1	1	1	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	1	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	4	4	2	1	3	2	2	-	-	-	-
WHITE-----MALE----	-	1	1	-	1	-	2	-	-	-	-	-
FEMALE--	-	2	1	2	-	2	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	2	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	2	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	-	-







04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 1999

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

ALL AGES UNDER 1 YEAR 1-4 YEARS 5-9 YEARS 10-14 YEARS 15-19 YEARS 20-24 YEARS 25-29 YEARS 30-34 YEARS 35-39 YEARS 40-44 YEARS 45-49 YEARS

Diseases of pericardium and acute myocarditis (I30-I31,I40)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
UNITED STATES -	839	32	26	12	9	14	26	20	30	43	50	57
WHITE-----MALE----	310	10	8	2	4	3	9	12	13	15	14	21
FEMALE--	348	4	6	7	3	7	8	3	10	13	18	22
ALL OTHER--MALE----	91	8	7	-	1	4	6	4	4	9	3	9
FEMALE--	90	10	5	3	1	-	3	1	3	6	15	5
BLACK---MALE-----	79	5	7	-	1	4	6	4	3	5	3	9
FEMALE--	79	9	5	3	-	-	3	1	2	5	12	5
ALABAMA -----	10	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	1	1	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	15	1	-	-	-	-	-	-	-	2	1	1
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	2	-	1
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	8	1	-	-	-	-	-	-	-	1	1	-
WHITE-----MALE----	5	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	52	2	1	1	-	-	2	2	2	1	3	6
WHITE-----MALE----	20	-	-	1	-	-	1	1	-	-	-	2
FEMALE--	20	-	1	-	-	-	-	-	1	-	2	2
ALL OTHER--MALE----	5	-	-	-	-	-	1	-	-	1	-	1
FEMALE--	7	2	-	-	-	-	-	1	1	-	1	1
BLACK---MALE-----	3	-	-	-	-	-	1	-	-	-	-	1
FEMALE--	4	2	-	-	-	-	-	1	-	-	-	1



[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of pericardium and acute myocarditis (I30-I31,I40)												
COLORADO -----	12	-	1	1	-	-	-	-	1	1	1	1
WHITE-----MALE----	5	-	1	1	-	-	-	-	-	-	1	-
FEMALE--	7	-	-	-	-	-	-	-	1	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	11	-	-	-	-	1	1	1	-	1	-	-
WHITE-----MALE----	8	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	3	-	-	-	-	1	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	7	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	3	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	1	-	-	-	-	-	-	-	-
FLORIDA -----	50	2	1	-	-	1	1	-	1	3	1	6
WHITE-----MALE----	16	-	-	-	-	-	-	-	-	2	1	1
FEMALE--	26	-	-	-	-	1	1	-	-	1	-	4
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	5	2	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	5	2	1	-	-	-	-	-	-	-	-	-
GEORGIA -----	47	5	4	-	-	-	2	1	1	2	1	4
WHITE-----MALE----	13	1	-	-	-	-	1	1	1	-	-	2
FEMALE--	19	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	10	2	4	-	-	-	1	-	-	-	-	2
FEMALE--	5	2	-	-	-	-	-	-	-	2	-	-
BLACK---MALE----	10	2	4	-	-	-	1	-	-	-	-	2
FEMALE--	5	2	-	-	-	-	-	-	-	2	-	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 2000

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of pericardium and acute myocarditis (I30-I31,I40)												
COLORADO -----	1	-	-	-	-	4	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	2	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	1	1	1	-	-	3	-	-	1	-	-
WHITE-----MALE----	-	1	1	1	-	-	2	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	1	-	-	1	-	2	-	1	1	-	-	-
WHITE-----MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	1	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
FLORIDA -----	2	4	2	3	7	10	3	1	2	-	-	-
WHITE-----MALE----	-	2	1	-	3	5	1	-	-	-	-	-
FEMALE--	1	2	1	2	3	5	2	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
GEORGIA -----	2	1	3	2	4	7	4	-	3	1	-	-
WHITE-----MALE----	1	1	1	1	1	2	-	-	-	-	-	-
FEMALE--	1	-	2	1	3	4	3	-	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-





[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of pericardium and acute myocarditis (I30-I31,I40)												
KENTUCKY -----	16	-	-	1	1	-	-	-	1	1	-	2
WHITE-----MALE----	7	-	-	-	1	-	-	-	1	1	-	-
FEMALE--	7	-	-	1	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	9	-	-	-	1	-	1	-	1	1	1	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	1	-	-	-	-	1	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	1	-
BLACK---MALE----	4	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
MAINE -----	5	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	4	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	11	-	-	-	-	-	-	-	-	1	1	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	1	-
MASSACHUSETTS -----	20	1	-	-	-	-	-	-	2	1	2	-
WHITE-----MALE----	9	-	-	-	-	-	-	-	1	1	2	-
FEMALE--	10	1	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	44	2	2	-	-	1	1	-	4	1	2	4
WHITE-----MALE----	16	1	1	-	-	-	-	-	2	-	-	1
FEMALE--	16	-	1	-	-	-	-	-	-	1	1	2
ALL OTHER--MALE----	4	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	8	1	-	-	-	-	-	-	2	-	1	1
BLACK---MALE----	4	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	8	1	-	-	-	-	-	-	2	-	1	1













04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 2005

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of pericardium and acute myocarditis (I30-I31,I40)												
OHIO -----	32	1	1	-	-	1	1	2	-	1	4	5
WHITE-----MALE----	12	1	-	-	-	-	-	-	-	-	2	3
FEMALE--	15	-	-	-	-	-	1	1	-	1	2	1
ALL OTHER--MALE----	2	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	3	-	1	-	-	-	-	-	-	-	-	1
BLACK---MALE----	2	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	3	-	1	-	-	-	-	-	-	-	-	1
OKLAHOMA -----	5	1	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	6	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	34	-	-	-	-	1	1	1	1	2	1	5
WHITE-----MALE----	9	-	-	-	-	-	1	-	-	2	-	1
FEMALE--	16	-	-	-	-	-	-	1	1	-	1	2
ALL OTHER--MALE----	5	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	5	-	-	-	-	1	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
RHODE ISLAND -----	2	-	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	13	2	-	1	-	1	1	-	-	-	2	-
WHITE-----MALE----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	4	1	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	1	-	-	-	2	-
BLACK---MALE----	2	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	1	-	-	-	2	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 2005

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of pericardium and acute myocarditis (I30-I31,I40)												
OHIO -----	-	3	1	1	1	1	6	3	-	-	-	-
WHITE-----MALE----	-	2	-	1	-	-	2	1	-	-	-	-
FEMALE--	-	1	1	-	1	1	3	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
OKLAHOMA -----	-	-	1	-	-	-	2	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	-	1	-	1	3	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	2	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	2	2	2	1	5	4	1	4	1	-	-	-
WHITE-----MALE----	1	-	-	-	2	-	1	1	-	-	-	-
FEMALE--	-	1	1	-	3	2	-	3	1	-	-	-
ALL OTHER--MALE----	1	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	2	-	-	-	-	-	-
BLACK---MALE----	1	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	2	-	-	-	-	-	-
RHODE ISLAND -----	-	-	-	1	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	1	1	1	-	-	-	3	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	1	-	-	-	-



04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 2006

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of pericardium and acute myocarditis (I30-I31,I40)												
SOUTH DAKOTA -----	-	-	-	-	1	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	-	3	2	1	-	1	-	-	1	-	-
WHITE-----MALE----	-	-	2	1	1	-	-	-	-	1	-	-
FEMALE--	-	-	1	2	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	4	4	2	2	4	3	5	3	3	-	1	-
WHITE-----MALE----	3	2	1	1	1	-	2	2	-	-	-	-
FEMALE--	1	1	-	1	3	2	3	1	2	-	-	-
ALL OTHER--MALE----	-	1	1	-	-	1	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	1	-
UTAH -----	-	-	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	-	-	-	3	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	2	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	3	3	2	-	1	2	2	3	-	-	-	-
WHITE-----MALE----	2	2	1	-	1	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	2	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-







04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 2008

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other diseases of endocardium (I34-I38)												
UNITED STATES -	19,553	6	7	1	8	11	28	53	64	130	172	259
WHITE-----MALE----	6,954	4	1	-	3	2	9	21	23	57	77	120
FEMALE--	11,136	-	1	1	4	6	10	15	24	40	49	63
ALL OTHER--MALE----	640	1	2	-	1	-	4	11	9	18	28	46
FEMALE--	823	1	3	-	-	3	5	6	8	15	18	30
BLACK---MALE-----	516	1	1	-	1	-	2	11	8	16	25	43
FEMALE--	699	1	3	-	-	3	5	5	8	13	17	28
ALABAMA -----	241	-	-	1	1	-	1	-	2	3	2	5
WHITE-----MALE----	82	-	-	-	-	-	-	-	1	2	1	2
FEMALE--	117	-	-	1	1	-	-	-	1	-	-	3
ALL OTHER--MALE----	25	-	-	-	-	-	1	-	-	1	1	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	24	-	-	-	-	-	1	-	-	1	1	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	28	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	291	-	-	-	-	-	1	1	-	2	5	3
WHITE-----MALE----	136	-	-	-	-	-	1	1	-	-	1	2
FEMALE--	141	-	-	-	-	-	-	-	-	2	2	1
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	159	-	-	-	-	-	-	1	1	2	3	1
WHITE-----MALE----	67	-	-	-	-	-	-	1	-	1	1	-
FEMALE--	82	-	-	-	-	-	-	-	1	1	1	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	1,987	-	2	-	-	-	1	2	4	10	10	22
WHITE-----MALE----	707	-	-	-	-	-	-	1	1	4	6	11
FEMALE--	1,107	-	-	-	-	-	-	1	2	3	-	7
ALL OTHER--MALE----	74	-	1	-	-	-	1	-	-	1	1	2
FEMALE--	99	-	1	-	-	-	-	-	1	2	3	2
BLACK---MALE-----	29	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	55	-	1	-	-	-	-	-	1	2	2	2

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 2008

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Other diseases of endocardium (I34-I38)

UNITED STATES -	380	403	523	858	1,521	2,517	3,619	4,419	3,237	1,142	195	-
WHITE-----MALE----	189	182	236	367	672	1,099	1,399	1,426	805	231	31	-
FEMALE--	108	128	206	358	706	1,234	2,048	2,813	2,307	866	149	-
ALL OTHER--MALE----	51	47	45	62	63	81	55	67	35	11	3	-
FEMALE--	32	46	36	71	80	103	117	113	90	34	12	-
BLACK---MALE-----	47	43	39	51	47	64	41	44	22	8	2	-
FEMALE--	31	40	32	62	65	84	100	91	75	26	10	-
ALABAMA -----	8	5	11	24	19	33	42	41	33	9	1	-
WHITE-----MALE----	4	1	4	9	9	16	19	8	4	2	-	-
FEMALE--	-	3	3	10	7	13	21	27	21	5	1	-
ALL OTHER--MALE----	3	1	3	2	2	2	-	4	3	2	-	-
FEMALE--	1	-	1	3	1	2	2	2	5	-	-	-
BLACK---MALE-----	3	1	3	2	2	2	-	3	3	2	-	-
FEMALE--	1	-	1	3	1	2	2	2	5	-	-	-
ALASKA -----	1	2	1	1	1	5	6	4	4	2	-	-
WHITE-----MALE----	-	-	-	1	1	1	3	-	1	-	-	-
FEMALE--	1	1	-	-	-	4	2	2	3	1	-	-
ALL OTHER--MALE----	-	1	1	-	-	-	1	1	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	7	3	12	13	35	44	53	59	46	6	1	-
WHITE-----MALE----	2	1	8	6	17	22	27	31	14	2	1	-
FEMALE--	3	1	4	5	16	19	25	28	31	4	-	-
ALL OTHER--MALE----	2	-	-	1	-	3	-	-	-	-	-	-
FEMALE--	-	1	-	1	2	-	1	-	1	-	-	-
BLACK---MALE-----	2	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ARKANSAS -----	5	3	6	4	21	20	36	34	18	3	1	-
WHITE-----MALE----	3	1	5	3	10	9	14	15	4	-	-	-
FEMALE--	1	2	1	1	9	10	21	16	13	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	2	-	1	3	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	2	-	1	3	1	-	-	-
CALIFORNIA -----	45	36	54	82	138	225	373	493	322	136	32	-
WHITE-----MALE----	21	18	22	34	47	98	154	168	82	33	7	-
FEMALE--	14	13	26	33	71	107	197	295	219	95	24	-
ALL OTHER--MALE----	4	3	3	6	11	10	11	9	9	2	-	-
FEMALE--	6	2	3	9	9	10	11	21	12	6	1	-
BLACK---MALE-----	3	2	1	2	3	4	5	3	2	-	-	-
FEMALE--	6	2	1	7	3	3	5	11	7	2	-	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 2009

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other diseases of endocardium (I34-I38)												
COLORADO -----	218	-	-	-	-	-	-	-	1	2	3	2
WHITE-----MALE----	88	-	-	-	-	-	-	-	1	-	2	1
FEMALE--	123	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
CONNECTICUT -----	235	-	-	-	-	-	1	2	-	1	4	2
WHITE-----MALE----	87	-	-	-	-	-	-	1	-	-	2	-
FEMALE--	138	-	-	-	-	-	1	1	-	1	1	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	76	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	24	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	41	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	34	-	-	-	-	-	-	1	-	-	-	3
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	6	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	2
FLORIDA -----	1,282	-	1	-	-	1	1	3	1	5	9	13
WHITE-----MALE----	512	-	-	-	-	-	-	1	-	4	4	6
FEMALE--	707	-	-	-	-	-	-	-	1	-	3	4
ALL OTHER--MALE----	22	-	-	-	-	-	-	2	-	1	-	1
FEMALE--	41	-	1	-	-	1	1	-	-	-	2	2
BLACK---MALE----	21	-	-	-	-	-	-	2	-	1	-	1
FEMALE--	38	-	1	-	-	1	1	-	-	-	2	2
GEORGIA -----	433	2	-	-	-	-	-	1	2	9	7	11
WHITE-----MALE----	144	1	-	-	-	-	-	-	1	3	3	6
FEMALE--	206	-	-	-	-	-	-	-	-	1	3	1
ALL OTHER--MALE----	26	-	-	-	-	-	-	1	1	1	-	3
FEMALE--	57	1	-	-	-	-	-	-	-	4	1	1
BLACK---MALE----	26	-	-	-	-	-	-	1	1	1	-	3
FEMALE--	54	1	-	-	-	-	-	-	-	3	1	1

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 2009

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other diseases of endocardium (I34-I38)												
COLORADO -----	5	12	6	10	17	25	42	42	38	11	2	-
WHITE-----MALE----	4	6	2	4	8	11	21	18	7	3	-	-
FEMALE--	1	5	4	4	8	14	20	24	31	8	2	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	-	-	-	-	-	-	-
CONNECTICUT -----	4	3	2	10	15	34	43	46	50	16	2	-
WHITE-----MALE----	3	1	1	7	6	16	19	10	15	6	-	-
FEMALE--	1	1	-	2	9	17	23	36	33	10	2	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	1	1	1	-	-	-	-	2	-	-	-
BLACK---MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	1	1	1	-	-	-	-	2	-	-	-
DELAWARE -----	3	3	3	9	7	13	12	15	6	4	1	-
WHITE-----MALE----	1	2	2	3	3	2	3	7	1	-	-	-
FEMALE--	-	-	-	5	4	10	7	8	4	3	-	-
ALL OTHER--MALE----	1	-	1	1	-	-	-	-	1	-	-	-
FEMALE--	1	1	-	-	-	1	2	-	-	1	1	-
BLACK---MALE----	1	-	1	1	-	-	-	-	1	-	-	-
FEMALE--	1	1	-	-	-	1	2	-	-	-	1	-
DISTRICT OF COLUMBIA ---	1	-	3	-	1	3	5	9	6	2	-	-
WHITE-----MALE----	-	-	1	-	-	-	1	-	1	1	-	-
FEMALE--	-	-	1	-	-	-	2	4	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	2	1	1	-	-	-	-
FEMALE--	1	-	1	-	1	1	1	4	3	-	-	-
BLACK---MALE----	-	-	-	-	-	2	1	1	-	-	-	-
FEMALE--	1	-	1	-	1	1	1	4	3	-	-	-
FLORIDA -----	30	24	30	51	90	174	241	296	224	74	14	-
WHITE-----MALE----	20	11	12	26	44	87	102	110	60	20	5	-
FEMALE--	7	7	13	17	40	84	131	178	160	54	8	-
ALL OTHER--MALE----	2	4	2	1	3	-	1	3	2	-	-	-
FEMALE--	1	2	3	7	3	3	7	5	2	-	1	-
BLACK---MALE----	2	4	1	1	3	-	1	3	2	-	-	-
FEMALE--	1	2	3	6	3	2	6	5	2	-	1	-
GEORGIA -----	18	19	12	17	38	69	64	88	53	21	2	-
WHITE-----MALE----	8	4	3	9	17	26	23	29	11	-	-	-
FEMALE--	3	8	4	4	14	33	31	51	34	18	1	-
ALL OTHER--MALE----	3	1	2	2	1	4	3	3	-	-	1	-
FEMALE--	4	6	3	2	6	6	7	5	8	3	-	-
BLACK---MALE----	3	1	2	2	1	4	3	3	-	-	1	-
FEMALE--	4	6	3	2	5	6	6	5	8	3	-	-



04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 2010

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other diseases of endocardium (I34-I38)												
HAWAII -----	3	3	3	2	4	11	6	22	13	1	3	-
WHITE-----MALE----	1	-	-	-	-	2	-	2	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	2	-	1	-
ALL OTHER--MALE----	1	1	3	1	2	4	2	10	3	-	1	-
FEMALE--	1	2	-	1	2	3	3	8	7	1	1	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	2	3	4	6	8	12	21	36	21	8	-	-
WHITE-----MALE----	-	3	3	1	2	6	8	10	6	4	-	-
FEMALE--	2	-	1	5	6	6	12	26	15	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ILLINOIS -----	14	17	24	33	73	112	134	171	132	53	7	-
WHITE-----MALE----	7	9	12	13	31	59	45	55	33	6	-	-
FEMALE--	4	5	9	13	34	44	78	111	93	46	6	-
ALL OTHER--MALE----	2	2	2	4	5	5	3	2	4	-	1	-
FEMALE--	1	1	1	3	3	4	8	3	2	1	-	-
BLACK---MALE----	2	2	2	4	3	5	2	2	2	-	1	-
FEMALE--	1	1	1	2	3	4	7	3	2	1	-	-
INDIANA -----	8	10	11	16	40	75	89	100	65	18	3	-
WHITE-----MALE----	5	3	4	4	17	37	24	38	18	3	-	-
FEMALE--	1	6	4	11	19	34	61	60	46	15	1	-
ALL OTHER--MALE----	2	1	2	1	2	3	1	-	1	-	-	-
FEMALE--	-	-	1	-	2	1	3	2	-	-	2	-
BLACK---MALE----	2	1	2	1	2	3	1	-	1	-	-	-
FEMALE--	-	-	1	-	2	1	3	2	-	-	2	-
IOWA -----	6	1	5	7	16	25	47	69	66	26	3	-
WHITE-----MALE----	4	-	1	5	10	12	21	28	18	5	-	-
FEMALE--	2	1	4	2	6	12	26	41	48	21	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	1	-
KANSAS -----	7	3	2	5	15	31	40	46	42	19	4	-
WHITE-----MALE----	2	-	2	1	6	8	10	17	10	4	1	-
FEMALE--	3	2	-	3	8	23	29	28	31	15	3	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	-	1	1	1	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	1	-	1	1	1	-	-	-



04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 2011

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other diseases of endocardium (I34-I38)												
KENTUCKY -----	233	1	-	-	1	1	-	1	1	-	1	1
WHITE-----MALE----	86	1	-	-	-	-	-	1	1	-	-	1
FEMALE--	140	-	-	-	1	-	-	-	-	-	1	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	1	-	-	-	-	-	-
LOUISIANA -----	261	-	-	-	-	-	1	3	-	1	4	5
WHITE-----MALE----	82	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	136	-	-	-	-	-	1	-	-	1	-	1
ALL OTHER--MALE----	22	-	-	-	-	-	-	2	-	-	2	1
FEMALE--	21	-	-	-	-	-	-	1	-	-	1	-
BLACK---MALE----	22	-	-	-	-	-	-	2	-	-	2	1
FEMALE--	21	-	-	-	-	-	-	1	-	-	1	-
MAINE -----	132	-	-	-	-	-	-	-	-	1	-	1
WHITE-----MALE----	51	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	81	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	282	-	1	-	-	-	1	1	3	3	3	8
WHITE-----MALE----	78	-	-	-	-	-	-	1	1	1	1	1
FEMALE--	155	-	1	-	-	-	1	-	1	2	-	1
ALL OTHER--MALE----	23	-	-	-	-	-	-	-	1	-	2	6
FEMALE--	26	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	23	-	-	-	-	-	-	-	1	-	2	6
FEMALE--	26	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	502	-	-	-	1	-	-	-	1	3	2	4
WHITE-----MALE----	180	-	-	-	-	-	-	-	1	3	1	1
FEMALE--	312	-	-	-	-	-	-	-	-	-	-	3
ALL OTHER--MALE----	7	-	-	-	1	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	654	-	-	-	-	-	1	3	1	4	8	10
WHITE-----MALE----	225	-	-	-	-	-	-	1	1	2	6	1
FEMALE--	370	-	-	-	-	-	1	1	-	-	1	2
ALL OTHER--MALE----	25	-	-	-	-	-	-	-	-	-	1	5
FEMALE--	34	-	-	-	-	-	-	1	-	2	-	2
BLACK---MALE----	23	-	-	-	-	-	-	-	-	-	1	4
FEMALE--	31	-	-	-	-	-	-	-	-	1	-	2

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 2011

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Other diseases of endocardium (I34-I38)

KENTUCKY -----	9	10	12	15	22	34	44	33	26	16	5	-
WHITE-----MALE----	4	4	5	7	12	21	11	8	5	4	1	-
FEMALE--	3	5	7	7	10	13	32	25	21	11	4	-
ALL OTHER--MALE----	1	1	-	-	-	-	1	-	-	1	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	1	-	-	1	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
LOUISIANA -----	1	10	8	12	28	38	61	48	30	11	-	-
WHITE-----MALE----	-	5	4	5	12	14	20	11	6	1	-	-
FEMALE--	-	2	2	3	11	19	35	33	20	8	-	-
ALL OTHER--MALE----	1	1	1	3	2	4	2	2	1	-	-	-
FEMALE--	-	2	1	1	3	1	4	2	3	2	-	-
BLACK---MALE----	1	1	1	3	2	4	2	2	1	-	-	-
FEMALE--	-	2	1	1	3	1	4	2	3	2	-	-
MAINE -----	3	1	2	9	13	10	23	33	27	9	-	-
WHITE-----MALE----	2	1	1	4	10	6	8	7	10	2	-	-
FEMALE--	1	-	1	5	3	4	15	26	17	7	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	8	10	5	13	19	39	47	67	40	13	1	-
WHITE-----MALE----	6	1	3	4	6	15	14	11	11	2	-	-
FEMALE--	1	3	1	5	9	18	28	49	24	11	-	-
ALL OTHER--MALE----	1	2	-	2	1	2	1	4	1	-	-	-
FEMALE--	-	4	1	2	3	4	4	3	4	-	1	-
BLACK---MALE----	1	2	-	2	1	2	1	4	1	-	-	-
FEMALE--	-	4	1	2	3	4	4	3	4	-	1	-
MASSACHUSETTS -----	4	7	11	20	31	47	93	138	90	43	7	-
WHITE-----MALE----	1	6	4	13	16	23	39	39	20	12	1	-
FEMALE--	2	1	5	7	14	24	52	98	69	31	6	-
ALL OTHER--MALE----	1	-	2	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	1	-	-	-
BLACK---MALE----	1	-	2	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	1	-	-	-
MICHIGAN -----	12	12	24	32	51	106	115	145	86	34	10	-
WHITE-----MALE----	4	6	11	12	31	43	39	39	21	7	1	-
FEMALE--	3	3	7	14	16	52	69	103	63	26	9	-
ALL OTHER--MALE----	3	1	3	1	2	3	3	2	-	1	-	-
FEMALE--	2	2	3	5	2	8	4	1	2	-	-	-
BLACK---MALE----	3	1	3	1	2	3	3	1	-	1	-	-
FEMALE--	2	2	3	4	2	8	4	1	2	-	-	-



04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 2012

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other diseases of endocardium (I34-I38)												
MINNESOTA -----	6	7	5	12	23	39	76	101	79	36	4	-
WHITE-----MALE----	2	3	4	9	10	17	38	39	21	11	-	-
FEMALE--	4	3	1	2	12	22	37	62	58	25	4	-
ALL OTHER--MALE----	-	1	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
MISSISSIPPI -----	4	2	3	7	12	20	30	14	13	4	1	-
WHITE-----MALE----	-	-	1	2	2	7	5	5	4	-	-	-
FEMALE--	3	1	-	2	8	7	20	6	7	2	1	-
ALL OTHER--MALE----	1	1	-	1	-	2	1	1	-	-	-	-
FEMALE--	-	-	2	2	2	4	4	2	2	2	-	-
BLACK---MALE----	1	1	-	1	-	2	1	1	-	-	-	-
FEMALE--	-	-	2	2	1	4	3	2	2	2	-	-
MISSOURI -----	5	9	14	26	46	58	78	89	73	35	5	-
WHITE-----MALE----	4	4	6	14	24	24	31	24	24	4	1	-
FEMALE--	-	2	6	11	18	33	42	63	47	30	4	-
ALL OTHER--MALE----	-	2	2	-	1	1	2	2	1	-	-	-
FEMALE--	1	1	-	1	3	-	3	-	1	1	-	-
BLACK---MALE----	-	2	2	-	1	1	2	1	1	-	-	-
FEMALE--	1	1	-	1	2	-	3	-	1	1	-	-
MONTANA -----	-	1	1	3	5	13	19	17	18	5	-	-
WHITE-----MALE----	-	1	1	1	2	4	4	5	3	1	-	-
FEMALE--	-	-	-	2	3	9	15	12	15	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	5	4	2	5	5	16	26	34	33	15	3	-
WHITE-----MALE----	3	1	2	-	-	9	8	10	8	2	1	-
FEMALE--	-	2	-	5	5	7	18	24	25	13	2	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	1	3	5	4	10	16	22	22	15	2	-	-
WHITE-----MALE----	1	2	3	2	5	4	12	10	5	-	-	-
FEMALE--	-	-	2	2	5	10	10	12	10	2	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-





04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 2014

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other diseases of endocardium (I34-I38)												
OHIO -----	860	-	1	-	-	-	3	2	2	3	12	8
WHITE-----MALE----	301	-	1	-	-	-	2	-	1	2	8	3
FEMALE--	502	-	-	-	-	-	1	2	-	-	3	1
ALL OTHER--MALE----	17	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	40	-	-	-	-	-	-	-	1	1	1	2
BLACK---MALE----	17	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	37	-	-	-	-	-	-	-	1	1	1	2
OKLAHOMA -----	210	-	-	-	-	-	-	-	1	1	2	1
WHITE-----MALE----	75	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	125	-	-	-	-	-	-	-	1	1	1	1
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	385	-	-	-	-	-	-	-	1	-	3	-
WHITE-----MALE----	158	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	223	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1,441	-	-	-	2	2	3	4	5	7	12	18
WHITE-----MALE----	499	-	-	-	2	-	1	2	1	3	4	11
FEMALE--	882	-	-	-	-	2	2	-	4	3	5	3
ALL OTHER--MALE----	23	-	-	-	-	-	-	1	-	1	2	3
FEMALE--	37	-	-	-	-	-	-	1	-	-	1	1
BLACK---MALE----	22	-	-	-	-	-	-	1	-	1	2	3
FEMALE--	37	-	-	-	-	-	-	1	-	-	1	1
RHODE ISLAND -----	93	-	-	-	-	-	-	-	1	-	2	1
WHITE-----MALE----	30	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	63	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	262	-	-	-	-	-	-	1	-	3	6	6
WHITE-----MALE----	99	-	-	-	-	-	-	-	-	2	-	1
FEMALE--	117	-	-	-	-	-	-	-	-	-	3	1
ALL OTHER--MALE----	19	-	-	-	-	-	-	1	-	-	2	2
FEMALE--	27	-	-	-	-	-	-	-	-	1	1	2
BLACK---MALE----	18	-	-	-	-	-	-	1	-	-	2	2
FEMALE--	27	-	-	-	-	-	-	-	-	1	1	2

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 2014

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other diseases of endocardium (I34-I38)												
OHIO -----	11	19	29	36	79	114	159	178	148	45	11	-
WHITE-----MALE----	4	9	12	14	31	47	64	49	44	8	2	-
FEMALE--	5	4	14	19	42	60	88	117	102	35	9	-
ALL OTHER--MALE----	1	5	1	1	2	1	1	1	-	2	-	-
FEMALE--	1	1	2	2	4	6	6	11	2	-	-	-
BLACK---MALE----	1	5	1	1	2	1	1	1	-	2	-	-
FEMALE--	1	1	2	2	4	6	5	9	2	-	-	-
OKLAHOMA -----	4	6	6	17	20	30	41	38	32	7	4	-
WHITE-----MALE----	-	5	2	9	7	18	15	11	8	-	-	-
FEMALE--	2	-	4	7	12	11	24	26	24	7	4	-
ALL OTHER--MALE----	2	-	-	1	1	-	1	1	-	-	-	-
FEMALE--	-	1	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	1	1	-	-	-	-
FEMALE--	-	1	-	-	-	1	1	-	-	-	-	-
OREGON -----	4	4	7	12	25	41	70	109	82	24	3	-
WHITE-----MALE----	3	3	1	6	13	16	35	47	22	9	1	-
FEMALE--	1	1	5	6	12	24	35	61	59	15	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	15	24	27	53	96	167	303	344	264	83	12	-
WHITE-----MALE----	8	13	18	20	43	75	116	106	56	18	2	-
FEMALE--	4	7	8	21	50	85	177	234	204	63	10	-
ALL OTHER--MALE----	2	2	-	4	1	3	3	-	1	-	-	-
FEMALE--	1	2	1	8	2	4	7	4	3	2	-	-
BLACK---MALE----	2	1	-	4	1	3	3	-	1	-	-	-
FEMALE--	1	2	1	8	2	4	7	4	3	2	-	-
RHODE ISLAND -----	3	-	-	6	5	11	14	32	15	3	-	-
WHITE-----MALE----	2	-	-	5	2	3	3	8	4	1	-	-
FEMALE--	1	-	-	1	3	8	11	24	11	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	6	12	20	26	33	43	48	41	13	3	-
WHITE-----MALE----	-	2	9	11	14	13	19	20	5	2	1	-
FEMALE--	-	2	1	5	9	15	19	21	33	7	1	-
ALL OTHER--MALE----	1	1	2	2	1	3	-	1	2	1	-	-
FEMALE--	-	1	-	2	2	2	5	6	1	3	1	-
BLACK---MALE----	1	1	2	2	1	2	-	1	2	1	-	-
FEMALE--	-	1	-	2	2	2	5	6	1	3	1	-



04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 2015

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other diseases of endocardium (I34-I38)												
SOUTH DAKOTA -----	47	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	18	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	27	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	345	-	-	-	1	1	1	1	1	1	2	4
WHITE-----MALE----	122	-	-	-	-	1	-	1	-	-	1	4
FEMALE--	188	-	-	-	1	-	-	-	-	-	1	-
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	21	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE-----	13	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	21	-	-	-	-	-	1	-	1	-	-	-
TEXAS -----	919	2	-	-	-	1	2	5	4	8	12	24
WHITE-----MALE----	374	1	-	-	-	1	1	5	1	4	6	10
FEMALE--	474	-	-	-	-	-	1	-	1	2	3	7
ALL OTHER--MALE----	28	1	-	-	-	-	-	-	1	2	2	3
FEMALE--	43	-	-	-	-	-	-	-	1	-	1	4
BLACK---MALE-----	27	1	-	-	-	-	-	-	1	2	2	3
FEMALE--	38	-	-	-	-	-	-	-	1	-	1	3
UTAH -----	143	-	-	-	-	-	-	-	1	-	1	3
WHITE-----MALE----	59	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	81	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	70	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	28	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	41	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	453	-	-	-	1	1	-	3	-	4	8	4
WHITE-----MALE----	140	-	-	-	1	-	-	-	-	3	3	2
FEMALE--	250	-	-	-	-	-	-	2	-	-	-	-
ALL OTHER--MALE----	32	-	-	-	-	-	-	-	-	1	4	1
FEMALE--	31	-	-	-	-	1	-	1	-	-	1	1
BLACK---MALE-----	31	-	-	-	-	-	-	-	-	1	4	1
FEMALE--	28	-	-	-	-	1	-	1	-	-	1	1

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 2015

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other diseases of endocardium (I34-I38)												
SOUTH DAKOTA -----	-	-	3	1	2	5	6	15	8	4	3	-
WHITE-----MALE----	-	-	3	1	2	2	3	4	2	1	-	-
FEMALE--	-	-	-	-	-	3	3	10	6	2	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	8	5	14	25	38	43	67	66	49	16	2	-
WHITE-----MALE----	5	4	5	11	14	17	26	17	11	5	-	-
FEMALE--	2	-	7	11	17	22	37	46	32	10	2	-
ALL OTHER--MALE----	1	1	1	-	4	1	2	1	1	1	-	-
FEMALE--	-	-	1	3	3	3	2	2	5	-	-	-
BLACK---MALE----	1	1	1	-	3	1	2	1	1	1	-	-
FEMALE--	-	-	1	3	3	3	2	2	5	-	-	-
TEXAS -----	31	34	27	45	90	136	159	165	130	36	8	-
WHITE-----MALE----	26	17	11	21	39	65	61	59	37	8	1	-
FEMALE--	3	9	13	21	42	58	92	99	90	27	6	-
ALL OTHER--MALE----	1	5	2	1	-	5	1	4	-	-	-	-
FEMALE--	1	3	1	2	9	8	5	3	3	1	1	-
BLACK---MALE----	1	5	2	-	-	5	1	4	-	-	-	-
FEMALE--	1	2	1	2	8	6	5	3	3	1	1	-
UTAH -----	2	3	8	5	12	20	24	41	19	2	2	-
WHITE-----MALE----	1	2	3	4	7	12	7	14	6	-	-	-
FEMALE--	1	1	5	1	5	8	16	27	13	2	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	2	-	1	1	4	6	10	20	20	5	-	-
WHITE-----MALE----	-	-	-	1	3	2	6	9	6	1	-	-
FEMALE--	2	-	1	-	-	4	4	11	14	4	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	7	6	5	21	40	54	86	109	71	27	6	-
WHITE-----MALE----	2	4	4	5	19	17	29	30	18	3	-	-
FEMALE--	1	-	1	13	15	30	47	71	46	20	4	-
ALL OTHER--MALE----	4	2	-	1	4	3	5	4	3	-	-	-
FEMALE--	-	-	-	2	2	4	5	4	4	4	2	-
BLACK---MALE----	4	2	-	1	4	3	4	4	3	-	-	-
FEMALE--	-	-	-	1	1	3	5	4	4	4	2	-





04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 2017

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Nonrheumatic mitral valve disorders (I34)												
UNITED STATES -	2,785	1	-	-	2	9	16	26	28	40	53	66
WHITE-----MALE----	870	-	-	-	1	1	5	10	9	11	17	28
FEMALE--	1,694	-	-	-	1	5	6	11	16	19	26	25
ALL OTHER--MALE----	69	-	-	-	-	-	1	2	1	6	5	7
FEMALE--	152	1	-	-	-	3	4	3	2	4	5	6
BLACK---MALE-----	56	-	-	-	-	-	1	2	1	5	5	7
FEMALE--	129	1	-	-	-	3	4	2	2	4	5	6
ALABAMA -----	41	-	-	-	-	-	-	-	2	2	1	1
WHITE-----MALE----	17	-	-	-	-	-	-	-	1	2	1	-
FEMALE--	20	-	-	-	-	-	-	-	1	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	3	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	37	-	-	-	-	-	-	1	-	1	1	1
WHITE-----MALE----	17	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	18	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	15	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	295	-	-	-	-	-	-	2	2	3	1	6
WHITE-----MALE----	93	-	-	-	-	-	-	1	-	1	1	3
FEMALE--	174	-	-	-	-	-	-	1	1	-	-	2
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	21	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE-----	3	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	12	-	-	-	-	-	-	-	1	1	-	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 2017

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Nonrheumatic mitral valve disorders (I34)

UNITED STATES -	70	72	83	162	241	421	495	531	342	106	21	-
WHITE-----MALE----	29	33	33	63	96	140	153	147	77	16	1	-
FEMALE--	27	27	38	72	119	260	319	364	253	89	17	-
ALL OTHER--MALE----	3	4	4	10	11	5	4	5	1	-	-	-
FEMALE--	11	8	8	17	15	16	19	15	11	1	3	-
BLACK---MALE-----	2	4	4	9	8	3	3	2	-	-	-	-
FEMALE--	11	8	6	14	13	11	16	11	9	1	2	-
ALABAMA -----	1	-	3	5	2	4	7	7	5	1	-	-
WHITE-----MALE----	1	-	2	3	-	2	4	1	-	-	-	-
FEMALE--	-	-	-	1	2	2	3	6	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	2	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	-	2	-	-	-
ALASKA -----	1	-	-	-	1	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	-	-	1	3	6	5	5	6	7	-	-	-
WHITE-----MALE----	-	-	-	1	2	3	3	2	4	-	-	-
FEMALE--	-	-	1	2	3	2	2	4	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1	-	1	1	-	-	6	4	1	-	-	-
WHITE-----MALE----	1	-	-	1	-	-	3	1	1	-	-	-
FEMALE--	-	-	1	-	-	-	3	3	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	13	5	7	18	22	46	50	65	38	12	5	-
WHITE-----MALE----	5	4	3	6	9	12	15	24	8	-	1	-
FEMALE--	5	1	3	7	11	29	33	36	29	12	4	-
ALL OTHER--MALE----	-	-	-	-	1	3	-	-	1	-	-	-
FEMALE--	3	-	1	5	1	2	2	5	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	3	-	-	4	1	-	1	1	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Nonrheumatic mitral valve disorders (I34)												
COLORADO -----	31	-	-	-	-	-	-	-	-	1	1	2
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	20	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
CONNECTICUT -----	48	-	-	-	-	-	1	2	-	1	2	-
WHITE-----MALE----	13	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	34	-	-	-	-	-	1	1	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	12	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	4	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	187	-	-	-	-	1	-	1	1	1	4	6
WHITE-----MALE----	57	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	120	-	-	-	-	-	-	-	1	-	2	2
ALL OTHER--MALE----	3	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	7	-	-	-	-	1	-	-	-	-	1	2
BLACK---MALE----	3	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	7	-	-	-	-	1	-	-	-	-	1	2
GEORGIA -----	61	1	-	-	-	-	-	-	-	1	2	2
WHITE-----MALE----	21	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	33	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	1	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	1	-	-	-	-	-	-	-	1	1	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 2018

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Nonrheumatic mitral valve disorders (I34)

COLORADO -----	-	3	-	2	4	5	5	4	3	1	-	-
WHITE-----MALE----	-	1	-	1	2	2	1	1	1	-	-	-
FEMALE--	-	2	-	1	2	3	4	3	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	1	1	1	3	7	7	16	5	1	-	-
WHITE-----MALE----	-	1	-	1	1	3	1	2	1	1	-	-
FEMALE--	-	-	-	-	2	4	6	14	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
DELAWARE -----	1	2	-	1	3	3	-	1	1	-	-	-
WHITE-----MALE----	1	2	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	2	3	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	1	-	-	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
FLORIDA -----	9	3	4	15	11	27	37	34	25	7	1	-
WHITE-----MALE----	6	1	1	7	6	6	12	9	4	1	-	-
FEMALE--	2	2	2	7	5	21	24	25	21	6	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	1	-
GEORGIA -----	1	6	1	2	8	13	7	14	2	1	-	-
WHITE-----MALE----	1	2	-	1	4	3	4	4	-	-	-	-
FEMALE--	-	2	1	1	3	10	3	9	2	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	1	-	-	-	-









04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 2020

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Nonrheumatic mitral valve disorders (I34)

KENTUCKY -----	3	2	4	2	6	9	3	8	1	1	1	-
WHITE-----MALE----	1	-	1	2	1	4	-	1	-	-	-	-
FEMALE--	1	2	3	-	5	5	3	7	1	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	2	-	1	3	5	4	6	2	1	-	-
WHITE-----MALE----	-	1	-	-	1	1	2	-	-	-	1	-
FEMALE--	-	-	-	-	2	4	1	6	1	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	1	-	-	-
MAINE -----	-	-	-	1	2	-	4	4	3	2	-	-
WHITE-----MALE----	-	-	-	1	2	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	4	4	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2	2	-	-	3	7	12	11	8	-	-	-
WHITE-----MALE----	2	-	-	-	-	3	3	1	-	-	-	-
FEMALE--	-	1	-	-	3	4	8	7	6	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	2	2	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	2	2	-	-	-
MASSACHUSETTS -----	-	2	3	4	2	10	13	24	6	3	2	-
WHITE-----MALE----	-	2	2	1	1	3	5	8	-	1	-	-
FEMALE--	-	-	-	3	1	7	8	16	6	2	2	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	5	5	4	7	7	15	10	12	6	2	-	-
WHITE-----MALE----	1	1	-	3	5	6	3	4	3	-	-	-
FEMALE--	2	3	3	2	1	9	7	8	3	2	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	1	2	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	1	1	1	-	-	-	-	-	-	-













04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 2023

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Nonrheumatic mitral valve disorders (I34)												
OHIO -----	2	4	4	5	11	25	24	16	17	4	-	-
WHITE-----MALE----	-	1	2	2	4	10	6	2	5	-	-	-
FEMALE--	2	2	2	2	5	12	17	13	12	4	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	3	1	1	-	-	-	-
BLACK---MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	3	1	1	-	-	-	-
OKLAHOMA -----	1	1	3	2	5	5	1	3	2	-	-	-
WHITE-----MALE----	-	1	-	2	-	3	-	2	-	-	-	-
FEMALE--	1	-	3	-	5	2	1	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	-	1	2	2	5	4	7	13	8	1	-	-
WHITE-----MALE----	-	1	-	-	3	2	4	5	3	-	-	-
FEMALE--	-	-	1	2	2	2	3	8	5	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1	1	6	11	14	28	49	41	30	9	3	-
WHITE-----MALE----	-	1	6	4	4	10	16	13	12	2	-	-
FEMALE--	1	-	-	4	9	18	30	28	18	7	3	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	1	-	3	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	1	-	3	-	-	-	-	-
RHODE ISLAND -----	1	-	-	-	1	2	1	6	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	1	2	1	5	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	2	2	2	8	3	5	5	7	3	-	-
WHITE-----MALE----	-	1	1	1	4	2	2	2	1	-	-	-
FEMALE--	-	-	1	-	3	1	3	2	6	2	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	1	-	1	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	1	-	1	-	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 2024

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Nonrheumatic mitral valve disorders (I34)												
SOUTH DAKOTA -----	3	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	59	-	-	-	1	-	1	1	-	-	-	-
WHITE-----MALE----	18	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	35	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	1	-	-	-	-	-
TEXAS -----	119	-	-	-	-	1	-	2	1	2	1	3
WHITE-----MALE----	37	-	-	-	-	1	-	2	-	-	-	1
FEMALE--	69	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	10	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	9	-	-	-	-	-	-	-	1	-	1	-
UTAH -----	18	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	11	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	66	-	-	-	1	1	-	1	-	1	1	1
WHITE-----MALE----	15	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	40	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	5	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	5	-	-	-	-	1	-	-	-	-	-	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 2024

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Nonrheumatic mitral valve disorders (I34)

SOUTH DAKOTA -----	-	-	-	-	-	1	1	-	-	-	1	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	3	-	4	4	8	6	16	10	4	1	-	-
WHITE-----MALE----	1	-	2	1	1	1	7	2	1	1	-	-
FEMALE--	2	-	2	2	5	4	9	8	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	1	-	-	-
TEXAS -----	4	7	1	9	18	15	27	12	15	1	-	-
WHITE-----MALE----	4	3	-	4	5	4	4	4	4	1	-	-
FEMALE--	-	3	1	5	8	10	22	7	11	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	5	1	1	1	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	4	1	1	1	-	-	-	-
UTAH -----	-	-	1	1	2	3	-	9	1	-	-	-
WHITE-----MALE----	-	-	1	1	2	2	-	3	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	6	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	-	-	-	-	4	1	3	2	-	-
WHITE-----MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	2	1	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	-	-	2	4	5	9	15	10	8	6	1	-
WHITE-----MALE----	-	-	2	-	2	2	3	4	-	1	-	-
FEMALE--	-	-	-	3	2	7	9	6	7	5	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	1	-	1	-
BLACK---MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	1	-	1	-







04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 2026

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Nonrheumatic aortic valve disorders (I35)												
UNITED STATES -	164	168	258	429	812	1,479	2,296	3,008	2,346	853	139	-
WHITE-----MALE----	93	91	135	209	395	693	943	1,005	595	178	27	-
FEMALE--	42	50	97	169	351	668	1,256	1,884	1,659	640	101	-
ALL OTHER--MALE----	23	14	18	26	34	62	35	46	31	10	3	-
FEMALE--	6	13	8	25	32	56	62	73	61	25	8	-
BLACK---MALE-----	21	11	14	19	24	49	24	30	21	7	2	-
FEMALE--	6	13	8	22	27	45	55	58	49	20	7	-
ALABAMA -----	3	5	4	14	9	23	24	25	22	6	1	-
WHITE-----MALE----	2	1	1	3	6	11	11	5	4	1	-	-
FEMALE--	-	3	2	8	2	8	12	17	14	3	1	-
ALL OTHER--MALE----	1	1	1	2	1	2	-	2	2	2	-	-
FEMALE--	-	-	-	1	-	2	1	1	2	-	-	-
BLACK---MALE-----	1	1	1	2	1	2	-	1	2	2	-	-
FEMALE--	-	-	-	1	-	2	1	1	2	-	-	-
ALASKA -----	-	1	-	1	-	4	2	4	2	2	-	-
WHITE-----MALE----	-	-	-	1	-	1	1	-	1	-	-	-
FEMALE--	-	-	-	-	-	3	1	2	1	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	1	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	4	-	6	7	17	26	32	38	30	6	-	-
WHITE-----MALE----	-	-	5	3	8	14	15	22	8	2	-	-
FEMALE--	2	-	1	3	9	9	17	16	22	4	-	-
ALL OTHER--MALE----	2	-	-	-	-	3	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE-----	2	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ARKANSAS -----	1	1	2	2	14	14	19	22	14	2	1	-
WHITE-----MALE----	1	-	2	1	8	8	7	9	3	-	-	-
FEMALE--	-	1	-	1	5	6	12	11	10	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	2	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	2	1	-	-	-
CALIFORNIA -----	19	18	30	40	77	137	257	345	243	106	23	-
WHITE-----MALE----	11	10	12	21	27	70	118	110	63	29	6	-
FEMALE--	5	6	16	14	36	56	126	216	164	70	16	-
ALL OTHER--MALE----	2	1	2	4	8	7	8	6	7	2	-	-
FEMALE--	1	1	-	1	6	4	5	13	9	5	1	-
BLACK---MALE-----	2	-	1	1	2	3	3	2	2	-	-	-
FEMALE--	1	1	-	1	2	-	2	9	5	2	-	-





04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 2027

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Nonrheumatic aortic valve disorders (I35)												
COLORADO -----	2	2	2	1	9	8	23	23	28	9	1	-
WHITE-----MALE----	1	2	2	-	6	6	12	11	5	3	-	-
FEMALE--	1	-	-	1	3	2	11	12	23	6	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	3	2	1	4	10	21	30	24	37	14	2	-
WHITE-----MALE----	2	-	1	3	5	9	15	8	9	5	-	-
FEMALE--	1	1	-	1	5	11	14	16	27	9	2	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	1	-	-	-
DELAWARE -----	1	-	1	7	2	6	12	12	4	4	1	-
WHITE-----MALE----	-	-	1	2	-	1	3	5	1	-	-	-
FEMALE--	-	-	-	4	2	4	7	7	2	3	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	2	-	-	1	1	-
BLACK---MALE----	1	-	-	1	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	1	2	-	-	-	1	-
DISTRICT OF COLUMBIA ---	1	-	2	-	-	-	5	7	3	2	-	-
WHITE-----MALE----	-	-	1	-	-	-	1	-	1	1	-	-
FEMALE--	-	-	1	-	-	-	2	4	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	2	2	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	2	2	-	-	-
FLORIDA -----	14	11	14	17	50	110	140	202	169	54	11	-
WHITE-----MALE----	12	5	7	14	25	59	64	84	47	19	4	-
FEMALE--	-	3	5	3	24	50	70	113	118	35	7	-
ALL OTHER--MALE----	2	2	1	-	-	-	-	3	2	-	-	-
FEMALE--	-	1	1	-	1	1	6	2	2	-	-	-
BLACK---MALE----	2	2	-	-	-	-	-	3	2	-	-	-
FEMALE--	-	1	1	-	1	-	5	2	2	-	-	-
GEORGIA -----	9	5	7	10	19	36	42	57	37	17	2	-
WHITE-----MALE----	3	-	2	6	11	16	14	19	9	-	-	-
FEMALE--	3	3	2	2	5	14	21	31	23	15	1	-
ALL OTHER--MALE----	2	-	2	1	1	3	2	3	-	-	1	-
FEMALE--	1	2	1	1	2	3	5	4	5	2	-	-
BLACK---MALE----	2	-	2	1	1	3	2	3	-	-	1	-
FEMALE--	1	2	1	1	2	3	5	4	5	2	-	-



04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 2028

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Nonrheumatic aortic valve disorders (I35)												
HAWAII -----	-	-	2	2	2	8	4	16	13	1	1	-
WHITE-----MALE----	-	-	-	-	-	1	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	2	1	2	2	-	-	-
ALL OTHER--MALE----	-	-	2	1	2	3	2	6	3	-	1	-
FEMALE--	-	-	-	1	-	2	1	7	7	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	2	3	2	1	5	8	13	24	14	6	-	-
WHITE-----MALE----	-	3	2	-	1	3	8	8	3	3	-	-
FEMALE--	2	-	-	1	4	5	5	16	11	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	6	4	12	16	36	65	93	111	90	39	7	-
WHITE-----MALE----	3	2	6	7	21	36	31	37	22	4	-	-
FEMALE--	2	1	5	7	13	24	55	71	64	34	6	-
ALL OTHER--MALE----	1	-	-	1	1	4	3	2	3	-	1	-
FEMALE--	-	1	1	1	1	1	4	1	1	1	-	-
BLACK---MALE----	1	-	-	1	1	4	2	2	2	-	1	-
FEMALE--	-	1	1	1	1	1	4	1	1	1	-	-
INDIANA -----	3	4	5	10	18	43	45	67	41	13	3	-
WHITE-----MALE----	2	3	3	4	7	22	12	29	13	1	-	-
FEMALE--	-	1	2	5	9	18	31	36	27	12	1	-
ALL OTHER--MALE----	1	-	-	1	1	2	1	-	1	-	-	-
FEMALE--	-	-	-	-	1	1	1	2	-	-	2	-
BLACK---MALE----	1	-	-	1	1	2	1	-	1	-	-	-
FEMALE--	-	-	-	-	1	1	1	2	-	-	2	-
IOWA -----	5	-	4	4	9	13	32	49	43	22	2	-
WHITE-----MALE----	3	-	1	3	7	8	13	20	11	4	-	-
FEMALE--	2	-	3	1	2	5	19	29	32	18	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
KANSAS -----	4	-	1	2	10	18	26	35	30	17	3	-
WHITE-----MALE----	2	-	1	-	4	3	5	11	9	4	1	-
FEMALE--	1	-	-	1	6	15	21	23	20	13	2	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	1	-	-	-



04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 2029

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Nonrheumatic aortic valve disorders (I35)

KENTUCKY -----	3	2	6	8	13	14	24	17	21	14	3	-
WHITE-----MALE----	2	2	3	3	9	10	7	5	4	4	1	-
FEMALE--	1	-	3	4	4	4	17	12	17	9	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
LOUISIANA -----	1	3	5	5	18	25	42	27	22	8	-	-
WHITE-----MALE----	-	2	4	4	7	10	13	9	6	1	-	-
FEMALE--	-	1	1	1	7	10	27	14	13	5	-	-
ALL OTHER--MALE----	1	-	-	-	2	4	-	2	1	-	-	-
FEMALE--	-	-	-	-	2	1	2	2	2	2	-	-
BLACK---MALE----	1	-	-	-	2	4	-	2	1	-	-	-
FEMALE--	-	-	-	-	2	1	2	2	2	2	-	-
MAINE -----	3	-	1	6	8	6	15	24	19	5	-	-
WHITE-----MALE----	2	-	-	2	6	4	6	5	7	-	-	-
FEMALE--	1	-	1	4	2	2	9	19	12	5	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	5	4	8	12	22	26	51	31	10	1	-
WHITE-----MALE----	1	1	3	3	5	6	9	10	11	1	-	-
FEMALE--	-	-	-	3	3	10	16	38	17	9	-	-
ALL OTHER--MALE----	-	2	-	-	1	2	-	2	1	-	-	-
FEMALE--	-	2	1	2	3	4	1	1	2	-	1	-
BLACK---MALE----	-	2	-	-	1	2	-	2	1	-	-	-
FEMALE--	-	2	1	2	3	4	1	1	2	-	1	-
MASSACHUSETTS -----	1	4	6	9	17	20	67	87	74	34	4	-
WHITE-----MALE----	-	3	2	7	11	11	28	25	19	7	1	-
FEMALE--	1	1	4	2	6	9	37	61	54	27	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	1	-	-	-
MICHIGAN -----	3	3	12	12	19	58	71	100	60	24	7	-
WHITE-----MALE----	1	2	8	5	9	26	21	28	12	6	1	-
FEMALE--	-	-	1	4	7	26	48	71	46	18	6	-
ALL OTHER--MALE----	1	1	2	1	2	2	-	1	-	-	-	-
FEMALE--	1	-	1	2	1	4	2	-	2	-	-	-
BLACK---MALE----	1	1	2	1	2	2	-	-	-	-	-	-
FEMALE--	1	-	1	2	1	4	2	-	2	-	-	-



04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 2030

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Nonrheumatic aortic valve disorders (I35)												
MINNESOTA -----	4	4	4	6	13	25	51	75	63	26	4	-
WHITE-----MALE----	1	3	3	4	5	11	29	31	17	7	-	-
FEMALE--	3	1	1	1	8	14	22	44	46	19	4	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	1	1	1	6	8	11	23	9	11	1	-	-
WHITE-----MALE----	-	-	1	2	2	2	3	3	4	-	-	-
FEMALE--	-	1	-	1	5	4	17	5	6	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	2	1	3	2	1	1	1	-	-
BLACK---MALE----	1	-	-	1	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	2	1	3	1	1	1	1	-	-
MISSOURI -----	3	3	7	17	16	36	55	64	51	20	2	-
WHITE-----MALE----	3	2	3	13	10	18	20	17	18	1	1	-
FEMALE--	-	-	4	4	4	17	30	46	31	18	1	-
ALL OTHER--MALE----	-	1	-	-	1	1	2	1	1	-	-	-
FEMALE--	-	-	-	-	1	-	3	-	1	1	-	-
BLACK---MALE----	-	1	-	-	1	1	2	1	1	-	-	-
FEMALE--	-	-	-	-	1	-	3	-	1	1	-	-
MONTANA -----	-	-	-	1	3	7	8	10	11	4	-	-
WHITE-----MALE----	-	-	-	1	2	2	2	3	2	1	-	-
FEMALE--	-	-	-	-	1	5	6	7	9	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	3	-	1	2	2	12	14	22	28	13	3	-
WHITE-----MALE----	2	-	1	-	-	6	7	4	8	2	1	-
FEMALE--	-	-	-	2	2	6	7	18	20	11	2	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	-	-	2	-	3	7	15	15	11	2	-	-
WHITE-----MALE----	-	-	-	-	1	2	10	7	5	-	-	-
FEMALE--	-	-	2	-	2	3	5	8	6	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-





04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 2031

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

50-54 YEARS 55-59 YEARS 60-64 YEARS 65-69 YEARS 70-74 YEARS 75-79 YEARS 80-84 YEARS 85-89 YEARS 90-94 YEARS 95-99 YEARS 100 YEARS & OVER AGE NOT STATED

Nonrheumatic aortic valve disorders (I35)

Table with columns for state (NEW HAMPSHIRE, NEW JERSEY, NEW MEXICO, NEW YORK, NORTH CAROLINA, NORTH DAKOTA), race (WHITE, ALL OTHER, BLACK), sex (MALE, FEMALE), and age groups (50-54 to 100+). Rows show death counts for each category.



[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Nonrheumatic aortic valve disorders (I35)

OHIO -----	6	5	14	17	45	60	100	120	92	31	7	-
WHITE-----MALE----	4	3	6	7	19	27	44	40	24	4	2	-
FEMALE--	1	1	7	10	24	31	52	71	67	25	5	-
ALL OTHER--MALE----	-	1	1	-	1	1	1	1	-	2	-	-
FEMALE--	1	-	-	-	1	1	3	8	1	-	-	-
BLACK---MALE----	-	1	1	-	1	1	1	1	-	2	-	-
FEMALE--	1	-	-	-	1	1	2	6	1	-	-	-
OKLAHOMA -----	2	3	2	12	8	23	31	28	24	4	3	-
WHITE-----MALE----	-	3	1	6	3	14	14	6	7	-	-	-
FEMALE--	-	-	1	6	5	8	16	21	17	4	3	-
ALL OTHER--MALE----	2	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
OREGON -----	3	2	4	8	15	25	43	75	65	22	2	-
WHITE-----MALE----	3	1	-	4	9	11	21	34	17	9	-	-
FEMALE--	-	1	4	4	6	14	22	41	47	13	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	7	16	10	22	54	99	177	247	188	61	7	-
WHITE-----MALE----	5	10	5	10	29	46	69	75	38	11	2	-
FEMALE--	1	3	4	9	25	48	102	170	146	48	5	-
ALL OTHER--MALE----	1	1	-	1	-	2	2	-	1	-	-	-
FEMALE--	-	2	1	2	-	3	4	2	3	2	-	-
BLACK---MALE----	1	-	-	1	-	2	2	-	1	-	-	-
FEMALE--	-	2	1	2	-	3	4	2	3	2	-	-
RHODE ISLAND -----	1	-	-	4	1	6	9	19	13	3	-	-
WHITE-----MALE----	1	-	-	3	-	2	3	4	3	1	-	-
FEMALE--	-	-	-	1	1	4	6	15	10	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	-	2	6	13	10	20	29	31	30	8	2	-
WHITE-----MALE----	-	-	6	8	7	8	14	12	3	2	1	-
FEMALE--	-	1	-	4	2	7	11	16	24	3	1	-
ALL OTHER--MALE----	-	1	-	-	1	3	-	-	2	1	-	-
FEMALE--	-	-	-	1	-	2	4	3	1	2	-	-
BLACK---MALE----	-	1	-	-	1	2	-	-	2	1	-	-
FEMALE--	-	-	-	1	-	2	4	3	1	2	-	-



04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 2033

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Nonrheumatic aortic valve disorders (I35)

SOUTH DAKOTA -----	-	-	2	-	1	3	4	12	6	2	-	-
WHITE-----MALE----	-	-	2	-	1	1	2	2	1	-	-	-
FEMALE--	-	-	-	-	-	2	2	9	5	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2	3	5	13	18	29	38	45	34	10	2	-
WHITE-----MALE----	2	2	2	7	9	13	16	13	7	3	-	-
FEMALE--	-	-	3	4	5	13	19	29	23	6	2	-
ALL OTHER--MALE----	-	1	-	-	2	1	2	1	1	1	-	-
FEMALE--	-	-	-	2	2	2	1	2	3	-	-	-
BLACK---MALE----	-	1	-	-	1	1	2	1	1	1	-	-
FEMALE--	-	-	-	2	2	2	1	2	3	-	-	-
TEXAS -----	17	14	18	24	53	88	100	130	98	32	6	-
WHITE-----MALE----	14	9	11	10	27	44	41	45	29	7	1	-
FEMALE--	2	5	7	11	24	35	57	81	67	25	4	-
ALL OTHER--MALE----	1	-	-	1	-	4	1	2	-	-	-	-
FEMALE--	-	-	-	2	2	5	1	2	2	-	1	-
BLACK---MALE----	1	-	-	-	-	4	1	2	-	-	-	-
FEMALE--	-	-	-	2	2	3	1	2	2	-	1	-
UTAH -----	1	2	4	4	5	12	14	20	14	2	-	-
WHITE-----MALE----	1	1	2	3	2	7	6	7	5	-	-	-
FEMALE--	-	1	2	1	3	5	7	13	9	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	1	-	1	1	2	5	6	15	15	3	-	-
WHITE-----MALE----	-	-	-	1	2	1	4	8	5	1	-	-
FEMALE--	1	-	1	-	-	4	2	7	10	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2	5	2	13	21	34	52	72	46	15	5	-
WHITE-----MALE----	-	4	1	4	11	10	22	19	13	2	-	-
FEMALE--	1	-	1	7	7	17	26	48	28	9	4	-
ALL OTHER--MALE----	1	1	-	-	1	3	2	2	3	-	-	-
FEMALE--	-	-	-	2	2	4	2	3	2	4	1	-
BLACK---MALE----	1	1	-	-	1	3	2	2	3	-	-	-
FEMALE--	-	-	-	1	1	3	2	3	2	4	1	-







04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 2035

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other diseases of endocardium (I36-I38)												
UNITED STATES -	4,579	2	6	1	-	-	8	16	18	52	69	89
WHITE-----MALE----	1,577	1	1	-	-	-	1	5	4	18	32	30
FEMALE--	2,480	-	1	1	-	-	4	2	4	16	16	15
ALL OTHER--MALE----	231	1	1	-	-	-	2	7	4	9	12	24
FEMALE--	291	-	3	-	-	-	1	2	6	9	9	20
BLACK---MALE-----	203	1	-	-	-	-	1	7	4	8	9	22
FEMALE--	251	-	3	-	-	-	1	2	6	8	9	18
ALABAMA -----	60	-	-	1	-	-	1	-	-	1	1	1
WHITE-----MALE----	19	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	24	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	11	-	-	-	-	-	1	-	-	1	1	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	11	-	-	-	-	-	1	-	-	1	1	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	8	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	86	-	-	-	-	-	-	-	-	1	4	1
WHITE-----MALE----	40	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	40	-	-	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	51	-	-	-	-	-	-	1	1	1	2	1
WHITE-----MALE----	19	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	26	-	-	-	-	-	-	-	1	1	1	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	378	-	2	-	-	-	1	-	-	4	4	7
WHITE-----MALE----	124	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	203	-	-	-	-	-	-	-	-	2	-	2
ALL OTHER--MALE----	20	-	1	-	-	-	1	-	-	-	1	1
FEMALE--	31	-	1	-	-	-	-	-	-	1	2	2
BLACK---MALE-----	10	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	20	-	1	-	-	-	-	-	-	1	2	2

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 2035

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

All other diseases of endocardium (I36-I38)

UNITED STATES -	146	163	182	267	468	617	828	880	549	183	35	-
WHITE-----MALE----	67	58	68	95	181	266	303	274	133	37	3	-
FEMALE--	39	51	71	117	236	306	473	565	395	137	31	-
ALL OTHER--MALE----	25	29	23	26	18	14	16	16	3	1	-	-
FEMALE--	15	25	20	29	33	31	36	25	18	8	1	-
BLACK---MALE-----	24	28	21	23	15	12	14	12	1	1	-	-
FEMALE--	14	19	18	26	25	28	29	22	17	5	1	-
ALABAMA -----	4	-	4	5	8	6	11	9	6	2	-	-
WHITE-----MALE----	1	-	1	3	3	3	4	2	-	1	-	-
FEMALE--	-	-	1	1	3	3	6	4	4	1	-	-
ALL OTHER--MALE----	2	-	2	-	1	-	-	2	1	-	-	-
FEMALE--	1	-	-	1	1	-	1	1	-	-	-	-
BLACK---MALE-----	2	-	2	-	1	-	-	2	1	-	-	-
FEMALE--	1	-	-	1	1	-	1	1	-	-	-	-
ALASKA -----	-	1	1	-	-	-	4	-	2	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	2	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	3	3	5	3	12	13	16	15	9	-	1	-
WHITE-----MALE----	2	1	3	2	7	5	9	7	2	-	1	-
FEMALE--	1	1	2	-	4	8	6	8	7	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	3	2	3	1	7	6	11	8	3	1	-	-
WHITE-----MALE----	1	1	3	1	2	1	4	5	-	-	-	-
FEMALE--	1	1	-	-	4	4	6	2	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	1	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	1	1	-	-	-	-
CALIFORNIA -----	13	13	17	24	39	42	66	83	41	18	4	-
WHITE-----MALE----	5	4	7	7	11	16	21	34	11	4	-	-
FEMALE--	4	6	7	12	24	22	38	43	26	13	4	-
ALL OTHER--MALE----	2	2	1	2	2	-	3	3	1	-	-	-
FEMALE--	2	1	2	3	2	4	4	3	3	1	-	-
BLACK---MALE-----	1	2	-	1	1	-	2	1	-	-	-	-
FEMALE--	2	1	1	2	-	3	2	1	2	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other diseases of endocardium (I36-I38)												
COLORADO -----	78	-	-	-	-	-	-	-	-	1	2	-
WHITE-----MALE----	29	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	43	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	38	-	-	-	-	-	-	-	-	-	2	1
WHITE-----MALE----	17	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	14	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	9	-	-	-	-	-	-	1	-	-	-	1
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	3	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
FLORIDA -----	296	-	1	-	-	-	1	1	-	3	3	4
WHITE-----MALE----	109	-	-	-	-	-	-	-	-	2	1	2
FEMALE--	158	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	9	-	-	-	-	-	-	1	-	1	-	1
FEMALE--	20	-	1	-	-	-	1	-	-	-	1	-
BLACK---MALE-----	9	-	-	-	-	-	-	1	-	1	-	1
FEMALE--	19	-	1	-	-	-	1	-	-	-	1	-
GEORGIA -----	118	1	-	-	-	-	-	-	1	4	3	4
WHITE-----MALE----	36	1	-	-	-	-	-	-	-	-	2	2
FEMALE--	51	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	1	1	-	1
FEMALE--	24	-	-	-	-	-	-	-	-	2	-	1
BLACK---MALE-----	7	-	-	-	-	-	-	-	1	1	-	1
FEMALE--	22	-	-	-	-	-	-	-	-	2	-	1

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other diseases of endocardium (I36-I38)												
COLORADO -----	3	7	4	7	4	12	14	15	7	1	1	-
WHITE-----MALE----	3	3	-	3	-	3	8	6	1	-	-	-
FEMALE--	-	3	4	2	3	9	5	9	6	1	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	-	-	-	-	-	-	-
CONNECTICUT -----	1	-	-	5	2	6	6	6	8	1	-	-
WHITE-----MALE----	1	-	-	3	-	4	3	-	5	-	-	-
FEMALE--	-	-	-	1	2	2	3	6	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	-	-
DELAWARE -----	1	1	2	1	2	4	-	2	1	-	-	-
WHITE-----MALE----	-	-	1	1	2	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	3	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	1	-	1	2	-	2	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	2	1	-	-	-
BLACK---MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	2	1	-	-	-
FLORIDA -----	7	10	12	19	29	37	64	60	30	13	2	-
WHITE-----MALE----	2	5	4	5	13	22	26	17	9	-	1	-
FEMALE--	5	2	6	7	11	13	37	40	21	13	1	-
ALL OTHER--MALE----	-	2	-	1	3	-	-	-	-	-	-	-
FEMALE--	-	1	2	6	2	2	1	3	-	-	-	-
BLACK---MALE----	-	2	-	1	3	-	-	-	-	-	-	-
FEMALE--	-	1	2	5	2	2	1	3	-	-	-	-
GEORGIA -----	8	8	4	5	11	20	15	17	14	3	-	-
WHITE-----MALE----	4	2	1	2	2	7	5	6	2	-	-	-
FEMALE--	-	3	1	1	6	9	7	11	9	2	-	-
ALL OTHER--MALE----	1	-	-	1	-	1	1	-	-	-	-	-
FEMALE--	3	3	2	1	3	3	2	-	3	1	-	-
BLACK---MALE----	1	-	-	1	-	1	1	-	-	-	-	-
FEMALE--	3	3	2	1	2	3	1	-	3	1	-	-



04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 2037

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other diseases of endocardium (I36-I38)												
HAWAII -----	2	3	1	-	2	2	-	4	-	-	1	-
WHITE-----MALE----	1	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	1	1	-	-	1	-	2	-	-	-	-
FEMALE--	1	2	-	-	2	-	-	1	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	1	3	2	3	5	7	5	1	-	-
WHITE-----MALE----	-	-	1	1	-	2	-	1	1	1	-	-
FEMALE--	-	-	-	2	2	1	5	6	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	3	8	7	11	27	25	28	36	21	7	-	-
WHITE-----MALE----	2	3	4	4	9	10	11	11	5	1	-	-
FEMALE--	-	3	2	3	15	12	15	24	15	6	-	-
ALL OTHER--MALE----	-	2	1	2	2	1	-	-	1	-	-	-
FEMALE--	1	-	-	2	1	2	2	1	-	-	-	-
BLACK---MALE----	-	2	1	2	1	1	-	-	-	-	-	-
FEMALE--	1	-	-	1	1	2	1	1	-	-	-	-
INDIANA -----	4	4	6	4	9	19	23	20	16	5	-	-
WHITE-----MALE----	2	-	1	-	4	11	8	6	5	2	-	-
FEMALE--	1	3	2	4	5	8	14	14	11	3	-	-
ALL OTHER--MALE----	1	1	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	1	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
IOWA -----	-	1	1	1	5	3	7	9	7	2	-	-
WHITE-----MALE----	-	-	-	1	2	-	4	3	1	1	-	-
FEMALE--	-	1	1	-	3	3	3	6	6	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	2	2	-	1	4	12	12	5	9	1	1	-
WHITE-----MALE----	-	-	-	-	2	5	4	2	1	-	-	-
FEMALE--	1	1	-	1	1	7	7	3	8	1	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	1	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other diseases of endocardium (I36-I38)												
KENTUCKY -----	62	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	22	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	37	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	70	-	-	-	-	-	-	1	-	1	-	1
WHITE-----MALE----	17	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	40	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
MAINE -----	27	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	15	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	56	-	1	-	-	-	1	1	1	1	1	4
WHITE-----MALE----	16	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	27	-	1	-	-	-	1	-	-	1	-	-
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	1	-	-	4
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	10	-	-	-	-	-	-	-	1	-	-	4
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	104	-	-	-	-	-	-	-	-	2	2	1
WHITE-----MALE----	40	-	-	-	-	-	-	-	-	2	1	-
FEMALE--	60	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	198	-	-	-	-	-	-	-	1	2	4	6
WHITE-----MALE----	74	-	-	-	-	-	-	-	1	-	3	1
FEMALE--	100	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	14	-	-	-	-	-	-	-	-	2	-	2
BLACK---MALE----	10	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	13	-	-	-	-	-	-	-	-	1	-	2

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

## All other diseases of endocardium (I36-I38)

KENTUCKY -----	3	6	2	5	3	11	17	8	4	1	1	-
WHITE-----MALE----	1	2	1	2	2	7	4	2	1	-	-	-
FEMALE--	1	3	1	3	1	4	12	6	3	1	1	-
ALL OTHER--MALE----	1	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	-	5	3	6	7	8	15	15	6	2	-	-
WHITE-----MALE----	-	2	-	1	4	3	5	2	-	-	-	-
FEMALE--	-	1	1	2	2	5	7	13	6	2	-	-
ALL OTHER--MALE----	-	1	1	2	-	-	1	-	-	-	-	-
FEMALE--	-	1	1	1	1	-	2	-	-	-	-	-
BLACK---MALE----	-	1	1	2	-	-	1	-	-	-	-	-
FEMALE--	-	1	1	1	1	-	2	-	-	-	-	-
MAINE -----	-	1	1	2	3	4	4	5	5	2	-	-
WHITE-----MALE----	-	1	1	1	2	2	2	2	3	1	-	-
FEMALE--	-	-	-	1	1	2	2	3	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	5	3	1	5	4	10	9	5	1	3	-	-
WHITE-----MALE----	3	-	-	1	1	6	2	-	-	1	-	-
FEMALE--	1	2	1	2	3	4	4	4	1	2	-	-
ALL OTHER--MALE----	1	-	-	2	-	-	1	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	1	-	-	2	-	-	1	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	2	-	-	-	-	-
MASSACHUSETTS -----	3	1	2	7	12	17	13	27	10	6	1	-
WHITE-----MALE----	1	1	-	5	4	9	6	6	1	4	-	-
FEMALE--	1	-	1	2	7	8	7	21	9	2	1	-
ALL OTHER--MALE----	1	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	4	4	8	13	25	33	34	33	20	8	3	-
WHITE-----MALE----	2	3	3	4	17	11	15	7	6	1	-	-
FEMALE--	1	-	3	8	8	17	14	24	14	6	3	-
ALL OTHER--MALE----	1	-	1	-	-	1	3	1	-	1	-	-
FEMALE--	-	1	1	1	-	4	2	1	-	-	-	-
BLACK---MALE----	1	-	1	-	-	1	3	1	-	1	-	-
FEMALE--	-	1	1	1	-	4	2	1	-	-	-	-











04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 2041

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other diseases of endocardium (I36-I38)												
OHIO -----	232	-	1	-	-	-	-	-	1	2	5	3
WHITE-----MALE----	78	-	1	-	-	-	-	-	-	1	4	-
FEMALE--	131	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	16	-	-	-	-	-	-	-	1	1	-	1
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	16	-	-	-	-	-	-	-	1	1	-	1
OKLAHOMA -----	43	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	26	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	75	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	29	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	44	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	326	-	-	-	-	-	1	4	1	4	4	5
WHITE-----MALE----	115	-	-	-	-	-	-	2	1	1	2	2
FEMALE--	188	-	-	-	-	-	1	-	-	2	1	-
ALL OTHER--MALE----	12	-	-	-	-	-	-	1	-	1	1	2
FEMALE--	11	-	-	-	-	-	-	1	-	-	-	1
BLACK---MALE----	12	-	-	-	-	-	-	1	-	1	1	2
FEMALE--	11	-	-	-	-	-	-	1	-	-	-	1
RHODE ISLAND -----	23	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	11	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	12	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	66	-	-	-	-	-	-	1	-	1	2	4
WHITE-----MALE----	21	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	27	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	1	-	-	1	2
FEMALE--	9	-	-	-	-	-	-	-	-	1	-	2
BLACK---MALE----	9	-	-	-	-	-	-	1	-	-	1	2
FEMALE--	9	-	-	-	-	-	-	-	-	1	-	2

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 2041

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

All other diseases of endocardium (I36-I38)

OHIO -----	3	10	11	14	23	29	35	42	39	10	4	-
WHITE-----MALE----	-	5	4	5	8	10	14	7	15	4	-	-
FEMALE--	2	1	5	7	13	17	19	33	23	6	4	-
ALL OTHER--MALE----	1	3	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	2	1	2	2	2	2	1	-	-	-
BLACK---MALE----	1	3	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	2	1	2	2	2	2	1	-	-	-
OKLAHOMA -----	1	2	1	3	7	2	9	7	6	3	1	-
WHITE-----MALE----	-	1	1	1	4	1	1	3	1	-	-	-
FEMALE--	1	-	-	1	2	1	7	4	5	3	1	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	-	-	-	-
OREGON -----	1	1	1	2	5	12	20	21	9	1	1	-
WHITE-----MALE----	-	1	1	2	1	3	10	8	2	-	1	-
FEMALE--	1	-	-	-	4	8	10	12	7	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	7	7	11	20	28	40	77	56	46	13	2	-
WHITE-----MALE----	3	2	7	6	10	19	31	18	6	5	-	-
FEMALE--	2	4	4	8	16	19	45	36	40	8	2	-
ALL OTHER--MALE----	1	1	-	2	1	1	1	-	-	-	-	-
FEMALE--	1	-	-	4	1	1	-	2	-	-	-	-
BLACK---MALE----	1	1	-	2	1	1	1	-	-	-	-	-
FEMALE--	1	-	-	4	1	1	-	2	-	-	-	-
RHODE ISLAND -----	1	-	-	2	3	3	4	7	1	-	-	-
WHITE-----MALE----	1	-	-	2	2	1	-	3	1	-	-	-
FEMALE--	-	-	-	-	1	2	4	4	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	2	4	5	8	10	9	12	4	2	1	-
WHITE-----MALE----	-	1	2	2	3	3	3	6	1	-	-	-
FEMALE--	-	1	-	1	4	7	5	3	3	2	-	-
ALL OTHER--MALE----	1	-	2	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	2	-	-	1	-
BLACK---MALE----	1	-	2	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	2	-	-	1	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 2042

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
All other diseases of endocardium (I36-I38)												
SOUTH DAKOTA -----	14	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	81	-	-	-	-	-	-	-	1	-	1	1
WHITE-----MALE----	25	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	49	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	1	-	-	-
TEXAS -----	192	1	-	-	-	-	1	1	-	1	7	9
WHITE-----MALE----	82	-	-	-	-	-	-	1	-	-	5	2
FEMALE--	81	-	-	-	-	-	1	-	-	1	2	2
ALL OTHER--MALE----	11	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	18	-	-	-	-	-	-	-	-	-	-	4
BLACK---MALE-----	11	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	3
UTAH -----	45	-	-	-	-	-	-	-	-	-	-	2
WHITE-----MALE----	14	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	30	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	10	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	110	-	-	-	-	-	-	2	-	1	2	-
WHITE-----MALE----	32	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	62	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	1	-	-	1	-
BLACK---MALE-----	11	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	1	-	-	1	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 2042

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other diseases of endocardium (I36-I38)												
SOUTH DAKOTA -----	-	-	1	1	1	1	1	3	2	2	2	-
WHITE-----MALE----	-	-	1	1	1	-	1	2	1	1	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	3	2	5	8	12	8	13	11	11	5	-	-
WHITE-----MALE----	2	2	1	3	4	3	3	2	3	1	-	-
FEMALE--	-	-	2	5	7	5	9	9	7	4	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	1	-	1	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	1	-	1	-	-	-
TEXAS -----	10	13	8	12	19	33	32	23	17	3	2	-
WHITE-----MALE----	8	5	-	7	7	17	16	10	4	-	-	-
FEMALE--	1	1	5	5	10	13	13	11	12	2	2	-
ALL OTHER--MALE----	-	4	2	-	-	1	-	2	-	-	-	-
FEMALE--	1	3	1	-	2	2	3	-	1	1	-	-
BLACK---MALE----	-	4	2	-	-	1	-	2	-	-	-	-
FEMALE--	1	2	1	-	2	2	3	-	1	1	-	-
UTAH -----	1	1	3	-	5	5	10	12	4	-	2	-
WHITE-----MALE----	-	1	-	-	3	3	1	4	1	-	-	-
FEMALE--	1	-	3	-	2	2	9	8	3	-	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	2	1	-	4	2	-	-	-
WHITE-----MALE----	-	-	-	-	1	1	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	3	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	5	1	1	4	14	11	19	27	17	6	-	-
WHITE-----MALE----	2	-	1	1	6	5	4	7	5	-	-	-
FEMALE--	-	-	-	3	6	6	12	17	11	6	-	-
ALL OTHER--MALE----	3	1	-	-	2	-	2	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	1	-	-	-
BLACK---MALE----	3	1	-	-	2	-	2	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	1	-	-	-







04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 2044

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Cardiomyopathy (I42)												
UNITED STATES -	26,863	137	61	23	41	112	154	213	346	588	917	1,140
WHITE-----MALE----	12,383	44	22	7	12	43	67	89	154	263	422	535
FEMALE--	9,338	44	12	8	15	25	21	33	53	95	139	189
ALL OTHER--MALE----	2,951	16	14	3	11	30	45	57	99	157	231	270
FEMALE--	2,191	33	13	5	3	14	21	34	40	73	125	146
BLACK---MALE-----	2,644	16	10	3	11	27	42	52	88	137	220	245
FEMALE--	1,979	28	12	4	3	13	19	32	40	70	119	136
ALABAMA -----	455	-	1	-	2	1	3	5	6	9	10	14
WHITE-----MALE----	159	-	-	-	1	-	2	2	-	2	2	8
FEMALE--	128	-	-	-	-	1	-	-	1	3	3	-
ALL OTHER--MALE----	93	-	1	-	1	-	1	3	4	2	3	4
FEMALE--	75	-	-	-	-	-	-	-	1	2	2	2
BLACK---MALE-----	92	-	1	-	1	-	1	3	4	2	3	4
FEMALE--	73	-	-	-	-	-	-	-	1	2	2	2
ALASKA -----	28	-	-	-	1	-	-	1	-	1	4	1
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	1	-	-	-	-	-	1	-
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	3	-	-	-	-	-	-	1	-	-	1	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	626	3	-	-	1	2	1	6	7	10	20	16
WHITE-----MALE----	308	-	-	-	-	1	1	3	5	4	9	12
FEMALE--	273	-	-	-	1	1	-	1	-	4	3	2
ALL OTHER--MALE----	27	-	-	-	-	-	-	1	1	1	8	2
FEMALE--	18	3	-	-	-	-	-	1	1	1	-	-
BLACK---MALE-----	13	-	-	-	-	-	-	1	-	1	7	2
FEMALE--	7	-	-	-	-	-	-	-	1	1	-	-
ARKANSAS -----	247	-	-	1	1	1	2	2	7	4	3	4
WHITE-----MALE----	112	-	-	1	-	-	1	2	3	1	3	3
FEMALE--	90	-	-	-	-	-	-	-	3	-	-	-
ALL OTHER--MALE----	25	-	-	-	1	-	1	-	1	2	-	1
FEMALE--	20	-	-	-	-	1	-	-	-	1	-	-
BLACK---MALE-----	25	-	-	-	1	-	1	-	1	2	-	1
FEMALE--	20	-	-	-	-	1	-	-	-	1	-	-
CALIFORNIA -----	2,810	13	8	3	7	16	18	18	30	70	105	129
WHITE-----MALE----	1,328	6	3	-	2	8	9	9	12	31	52	64
FEMALE--	950	6	3	3	3	4	3	3	6	16	18	15
ALL OTHER--MALE----	314	1	1	-	2	3	4	6	9	15	22	33
FEMALE--	218	-	1	-	-	1	2	-	3	8	13	17
BLACK---MALE-----	224	1	-	-	2	2	4	5	7	9	20	28
FEMALE--	142	-	1	-	-	1	1	-	3	7	12	15

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Cardiomyopathy (I42)												
UNITED STATES -	1,348	1,506	1,611	2,183	2,803	3,633	3,955	3,382	1,916	679	112	3
WHITE-----MALE----	638	737	832	1,098	1,478	1,863	1,877	1,367	635	180	17	3
FEMALE--	276	337	374	627	864	1,251	1,626	1,695	1,112	459	83	-
ALL OTHER--MALE----	264	276	254	269	259	273	223	134	55	9	2	-
FEMALE--	170	156	151	189	202	246	229	186	114	31	10	-
BLACK---MALE-----	246	256	234	246	218	243	191	109	41	7	2	-
FEMALE--	152	139	138	168	187	223	195	164	103	28	6	-
ALABAMA -----	39	32	23	41	63	52	74	47	26	6	1	-
WHITE-----MALE----	12	11	6	18	28	25	21	15	6	-	-	-
FEMALE--	6	8	4	10	12	10	29	26	10	4	1	-
ALL OTHER--MALE----	17	7	8	9	13	6	11	1	2	-	-	-
FEMALE--	4	6	5	4	10	11	13	5	8	2	-	-
BLACK---MALE-----	16	7	8	9	13	6	11	1	2	-	-	-
FEMALE--	4	6	5	3	10	10	13	5	8	2	-	-
ALASKA -----	1	1	2	1	2	5	5	2	1	-	-	-
WHITE-----MALE----	1	1	-	-	-	3	3	2	-	-	-	-
FEMALE--	-	-	1	1	2	2	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	22	31	36	44	58	96	96	94	51	26	6	-
WHITE-----MALE----	15	22	17	22	30	56	41	42	16	10	2	-
FEMALE--	4	8	15	18	26	40	50	48	32	16	4	-
ALL OTHER--MALE----	1	1	3	2	2	-	2	1	2	-	-	-
FEMALE--	2	-	1	2	-	-	3	3	1	-	-	-
BLACK---MALE-----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	3	-	-	-	-
ARKANSAS -----	11	11	17	27	31	37	34	26	19	9	-	-
WHITE-----MALE----	2	3	7	16	15	13	21	10	7	4	-	-
FEMALE--	6	5	5	4	10	18	10	13	11	5	-	-
ALL OTHER--MALE----	2	3	2	6	3	1	1	1	-	-	-	-
FEMALE--	1	-	3	1	3	5	2	2	1	-	-	-
BLACK---MALE-----	2	3	2	6	3	1	1	1	-	-	-	-
FEMALE--	1	-	3	1	3	5	2	2	1	-	-	-
CALIFORNIA -----	150	178	187	215	265	364	407	344	204	62	16	1
WHITE-----MALE----	74	94	99	108	139	183	208	136	74	14	2	1
FEMALE--	38	39	40	66	70	130	151	169	114	44	9	-
ALL OTHER--MALE----	20	25	33	20	36	32	26	15	8	3	-	-
FEMALE--	18	20	15	21	20	19	22	24	8	1	5	-
BLACK---MALE-----	13	18	26	17	21	23	14	10	3	1	-	-
FEMALE--	11	14	13	12	12	11	9	14	4	-	2	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 2045

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Cardiomyopathy (I42)												
COLORADO -----	223	1	1	1	1	-	1	2	4	9	9	10
WHITE-----MALE----	111	-	-	-	-	-	-	-	2	6	6	3
FEMALE--	88	1	1	-	1	-	-	1	2	1	3	3
ALL OTHER--MALE----	15	-	-	1	-	-	1	-	-	2	-	2
FEMALE--	9	-	-	-	-	-	-	1	-	-	-	2
BLACK---MALE----	11	-	-	1	-	-	1	-	-	1	-	2
FEMALE--	7	-	-	-	-	-	-	1	-	-	-	2
CONNECTICUT -----	348	1	-	-	1	4	1	1	7	6	8	9
WHITE-----MALE----	186	-	-	-	1	1	1	1	3	4	3	5
FEMALE--	133	1	-	-	-	2	-	-	2	1	2	2
ALL OTHER--MALE----	20	-	-	-	-	1	-	-	1	1	2	1
FEMALE--	9	-	-	-	-	-	-	-	1	-	1	1
BLACK---MALE----	20	-	-	-	-	1	-	-	1	1	2	1
FEMALE--	9	-	-	-	-	-	-	-	1	-	1	1
DELAWARE -----	93	-	1	-	-	2	1	-	2	2	1	1
WHITE-----MALE----	48	-	-	-	-	1	1	-	-	2	-	-
FEMALE--	25	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	15	-	-	-	-	1	-	-	1	-	1	1
FEMALE--	5	-	1	-	-	-	-	-	1	-	-	-
BLACK---MALE----	15	-	-	-	-	1	-	-	1	-	1	1
FEMALE--	5	-	1	-	-	-	-	-	1	-	-	-
DISTRICT OF COLUMBIA ---	54	-	-	-	-	-	-	1	-	1	-	2
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	27	-	-	-	-	-	-	1	-	1	-	1
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	27	-	-	-	-	-	-	1	-	1	-	1
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	1
FLORIDA -----	2,318	12	7	-	2	8	7	11	22	33	61	77
WHITE-----MALE----	1,198	3	4	-	-	2	3	5	11	15	29	46
FEMALE--	784	2	1	-	-	3	2	3	2	4	6	6
ALL OTHER--MALE----	188	2	1	-	1	3	2	1	7	11	20	20
FEMALE--	148	5	1	-	1	-	-	2	2	3	6	5
BLACK---MALE----	179	2	1	-	1	3	2	1	6	10	20	20
FEMALE--	144	5	1	-	1	-	-	2	2	3	6	5
GEORGIA -----	867	7	1	1	4	4	4	5	11	19	29	37
WHITE-----MALE----	307	3	-	-	1	1	3	1	5	6	10	13
FEMALE--	282	2	-	-	1	1	-	-	-	2	4	6
ALL OTHER--MALE----	147	1	1	-	2	2	1	2	5	7	10	9
FEMALE--	131	1	-	1	-	-	-	2	1	4	5	9
BLACK---MALE----	145	1	1	-	2	2	1	2	4	7	10	9
FEMALE--	131	1	-	1	-	-	-	2	1	4	5	9

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Cardiomyopathy (I42)												
COLORADO -----	14	14	15	21	28	33	19	23	12	4	1	-
WHITE-----MALE----	11	8	10	10	15	20	7	8	3	2	-	-
FEMALE--	2	4	4	8	12	12	9	13	8	2	1	-
ALL OTHER--MALE----	1	2	1	2	-	1	1	-	1	-	-	-
FEMALE--	-	-	-	1	1	-	2	2	-	-	-	-
BLACK---MALE----	1	2	1	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	2	-	-	-	-
CONNECTICUT -----	16	19	16	21	40	56	59	40	33	8	2	-
WHITE-----MALE----	9	12	10	12	25	32	35	16	13	3	-	-
FEMALE--	5	4	3	5	14	20	23	23	19	5	2	-
ALL OTHER--MALE----	1	3	2	3	1	2	1	1	-	-	-	-
FEMALE--	1	-	1	1	-	2	-	-	1	-	-	-
BLACK---MALE----	1	3	2	3	1	2	1	1	-	-	-	-
FEMALE--	1	-	1	1	-	2	-	-	1	-	-	-
DELAWARE -----	4	7	11	9	10	15	13	9	2	3	-	-
WHITE-----MALE----	-	4	7	4	5	12	6	4	1	1	-	-
FEMALE--	2	-	2	3	3	2	6	4	1	2	-	-
ALL OTHER--MALE----	2	3	2	1	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	-	-	-	-	-
BLACK---MALE----	2	3	2	1	1	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	-	-	-	-	-
DISTRICT OF COLUMBIA ---	8	2	6	3	3	5	9	6	6	2	-	-
WHITE-----MALE----	2	-	-	1	-	-	-	1	1	1	-	-
FEMALE--	-	-	-	-	-	-	2	1	1	-	-	-
ALL OTHER--MALE----	5	1	4	2	2	5	3	1	-	1	-	-
FEMALE--	1	1	2	-	1	-	4	3	4	-	-	-
BLACK---MALE----	5	1	4	2	2	5	3	1	-	1	-	-
FEMALE--	1	1	2	-	1	-	4	3	4	-	-	-
FLORIDA -----	107	98	119	177	251	311	417	333	183	74	8	-
WHITE-----MALE----	56	43	62	102	157	189	214	164	69	22	2	-
FEMALE--	13	24	30	42	72	91	181	149	103	45	5	-
ALL OTHER--MALE----	27	18	18	18	9	12	9	6	2	1	-	-
FEMALE--	11	13	9	15	13	19	13	14	9	6	1	-
BLACK---MALE----	25	18	17	16	9	12	7	6	2	1	-	-
FEMALE--	11	13	7	15	13	18	12	14	9	6	1	-
GEORGIA -----	50	61	65	74	83	125	101	97	63	21	4	1
WHITE-----MALE----	16	24	19	30	42	45	43	25	15	4	-	1
FEMALE--	9	11	17	23	20	49	35	51	32	15	4	-
ALL OTHER--MALE----	13	21	19	10	7	16	7	8	6	-	-	-
FEMALE--	12	5	10	11	14	15	16	13	10	2	-	-
BLACK---MALE----	12	21	19	10	7	16	7	8	6	-	-	-
FEMALE--	12	5	10	11	14	15	16	13	10	2	-	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 2046

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Cardiomyopathy (I42)												
HAWAII -----	162	-	-	-	-	1	1	-	2	2	7	8
WHITE-----MALE----	18	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	83	-	-	-	-	1	1	-	2	2	3	5
FEMALE--	48	-	-	-	-	-	-	-	-	-	2	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	96	1	-	-	-	-	-	-	-	-	1	3
WHITE-----MALE----	57	1	-	-	-	-	-	-	-	-	-	2
FEMALE--	35	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	1,150	5	6	1	-	6	4	15	19	35	51	45
WHITE-----MALE----	513	1	2	-	-	2	2	10	10	19	20	16
FEMALE--	399	-	1	-	-	1	1	-	3	3	12	10
ALL OTHER--MALE----	129	2	-	1	-	3	1	4	5	10	12	9
FEMALE--	109	2	3	-	-	-	-	1	1	3	7	10
BLACK---MALE----	125	2	-	1	-	3	1	4	5	10	12	8
FEMALE--	106	2	3	-	-	-	-	1	1	3	7	9
INDIANA -----	662	2	-	-	1	2	1	6	5	19	16	23
WHITE-----MALE----	308	1	-	-	1	1	1	2	3	11	10	10
FEMALE--	252	-	-	-	-	1	-	-	-	3	1	3
ALL OTHER--MALE----	57	-	-	-	-	-	-	2	2	2	2	6
FEMALE--	45	1	-	-	-	-	-	2	-	3	3	4
BLACK---MALE----	57	-	-	-	-	-	-	2	2	2	2	6
FEMALE--	45	1	-	-	-	-	-	2	-	3	3	4
IOWA -----	204	1	-	1	-	-	1	1	1	4	3	1
WHITE-----MALE----	117	1	-	1	-	-	1	1	1	2	3	-
FEMALE--	82	-	-	-	-	-	-	-	-	2	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	239	3	-	-	-	-	-	3	-	4	5	10
WHITE-----MALE----	127	1	-	-	-	-	-	2	-	1	2	9
FEMALE--	91	2	-	-	-	-	-	-	-	2	2	1
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	12	-	-	-	-	-	-	1	-	-	1	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	11	-	-	-	-	-	-	1	-	-	1	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Cardiomyopathy (I42)												
HAWAII -----	13	14	11	12	21	25	17	17	8	2	1	-
WHITE-----MALE----	1	1	2	-	4	2	3	2	-	-	-	-
FEMALE--	-	2	-	-	2	3	1	1	1	1	1	-
ALL OTHER--MALE----	5	7	5	8	13	12	7	8	4	-	-	-
FEMALE--	7	4	4	4	2	8	6	3	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	7	10	4	8	7	10	11	16	15	2	1	-
WHITE-----MALE----	4	7	3	6	4	5	7	10	6	2	-	-
FEMALE--	2	3	1	2	3	3	4	5	9	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ILLINOIS -----	53	65	59	83	127	164	152	154	81	18	7	-
WHITE-----MALE----	23	30	29	43	68	79	65	65	22	5	2	-
FEMALE--	7	18	12	24	30	62	68	74	57	11	5	-
ALL OTHER--MALE----	14	8	11	8	15	12	10	4	-	-	-	-
FEMALE--	9	9	7	8	14	11	9	11	2	2	-	-
BLACK---MALE----	14	8	11	8	14	11	9	4	-	-	-	-
FEMALE--	8	8	7	8	14	11	9	11	2	2	-	-
INDIANA -----	36	44	46	58	67	83	115	80	35	17	6	-
WHITE-----MALE----	18	18	20	30	33	43	57	31	11	7	-	-
FEMALE--	7	19	11	18	25	33	50	44	22	9	6	-
ALL OTHER--MALE----	6	4	9	8	6	2	4	2	2	-	-	-
FEMALE--	5	3	6	2	3	5	4	3	-	1	-	-
BLACK---MALE----	6	4	9	8	6	2	4	2	2	-	-	-
FEMALE--	5	3	6	2	3	5	4	3	-	1	-	-
IOWA -----	6	13	8	18	23	32	26	34	14	14	3	-
WHITE-----MALE----	4	11	6	7	12	25	17	17	4	4	-	-
FEMALE--	2	2	2	9	9	7	8	17	10	10	3	-
ALL OTHER--MALE----	-	-	-	2	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	2	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
KANSAS -----	10	10	18	14	23	23	44	40	19	12	1	-
WHITE-----MALE----	6	4	14	10	11	16	24	17	7	2	1	-
FEMALE--	2	2	2	2	9	6	17	22	12	10	-	-
ALL OTHER--MALE----	1	1	1	1	2	1	1	-	-	-	-	-
FEMALE--	1	3	1	1	1	-	2	1	-	-	-	-
BLACK---MALE----	1	1	1	-	2	1	1	-	-	-	-	-
FEMALE--	1	3	-	1	1	-	2	1	-	-	-	-



04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 2047

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Cardiomyopathy (I42)												
KENTUCKY -----	343	4	-	-	1	-	3	2	3	7	2	12
WHITE-----MALE----	163	-	-	-	-	-	-	-	1	4	-	7
FEMALE--	145	3	-	-	1	-	1	2	1	2	1	3
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	1	1	1	1
FEMALE--	17	1	-	-	-	-	2	-	-	-	-	1
BLACK---MALE----	18	-	-	-	-	-	-	-	1	1	1	1
FEMALE--	17	1	-	-	-	-	2	-	-	-	-	1
LOUISIANA -----	506	5	2	-	1	4	5	6	6	11	12	30
WHITE-----MALE----	191	1	-	-	-	1	2	-	2	-	3	11
FEMALE--	154	1	-	-	-	-	-	-	-	2	2	6
ALL OTHER--MALE----	82	-	1	-	1	2	1	4	2	7	3	8
FEMALE--	79	3	1	-	-	1	2	2	2	2	4	5
BLACK---MALE----	81	-	1	-	1	2	1	4	2	7	3	8
FEMALE--	78	2	1	-	-	1	2	2	2	2	4	5
MAINE -----	112	-	-	-	1	-	-	-	1	2	2	5
WHITE-----MALE----	61	-	-	-	1	-	-	-	1	1	2	3
FEMALE--	51	-	-	-	-	-	-	-	-	1	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	512	1	-	1	1	1	7	9	14	17	31	32
WHITE-----MALE----	181	-	-	1	1	1	2	1	4	4	10	9
FEMALE--	146	1	-	-	-	-	-	1	1	1	3	4
ALL OTHER--MALE----	101	-	-	-	-	-	2	6	5	9	10	10
FEMALE--	84	-	-	-	-	-	3	1	4	3	8	9
BLACK---MALE----	101	-	-	-	-	-	2	6	5	9	10	10
FEMALE--	82	-	-	-	-	-	3	1	4	3	8	8
MASSACHUSETTS -----	501	1	2	1	1	1	2	6	6	10	16	17
WHITE-----MALE----	275	-	2	1	-	-	1	2	3	3	9	13
FEMALE--	186	1	-	-	1	-	-	3	-	2	2	3
ALL OTHER--MALE----	29	-	-	-	-	1	1	-	3	3	3	1
FEMALE--	11	-	-	-	-	-	-	1	-	2	2	-
BLACK---MALE----	27	-	-	-	-	-	1	-	3	3	3	1
FEMALE--	9	-	-	-	-	-	-	1	-	2	1	-
MICHIGAN -----	1,131	3	1	-	1	10	7	15	24	41	74	82
WHITE-----MALE----	511	2	-	-	-	3	4	5	9	17	29	29
FEMALE--	341	-	-	-	-	2	1	2	3	4	6	8
ALL OTHER--MALE----	168	-	-	-	1	4	1	4	10	17	25	30
FEMALE--	111	1	1	-	-	1	1	4	2	3	14	15
BLACK---MALE----	162	-	-	-	1	4	1	3	10	16	25	27
FEMALE--	108	1	1	-	-	1	1	4	2	3	14	15

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 2047

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Cardiomyopathy (I42)												
KENTUCKY -----	20	22	20	16	39	51	53	57	24	7	-	-
WHITE-----MALE----	9	12	13	9	24	29	23	20	11	1	-	-
FEMALE--	7	6	6	6	12	17	25	34	12	6	-	-
ALL OTHER--MALE----	2	3	1	-	2	4	2	-	-	-	-	-
FEMALE--	2	1	-	1	1	1	3	3	1	-	-	-
BLACK---MALE-----	2	3	1	-	2	4	2	-	-	-	-	-
FEMALE--	2	1	-	1	1	1	3	3	1	-	-	-
LOUISIANA -----	16	28	38	33	59	64	68	59	43	14	2	-
WHITE-----MALE----	6	11	16	14	26	27	33	18	14	6	-	-
FEMALE--	1	3	13	6	20	19	24	26	24	5	2	-
ALL OTHER--MALE----	4	9	7	5	5	10	4	8	-	1	-	-
FEMALE--	5	5	2	8	8	8	7	7	5	2	-	-
BLACK---MALE-----	4	9	7	5	5	10	4	7	-	1	-	-
FEMALE--	5	5	2	8	8	8	7	7	5	2	-	-
MAINE -----	4	2	5	8	10	17	25	13	11	6	-	-
WHITE-----MALE----	4	-	2	6	5	11	14	7	2	2	-	-
FEMALE--	-	2	3	2	5	6	11	6	9	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	25	37	25	36	46	69	59	45	44	10	2	-
WHITE-----MALE----	11	17	9	11	17	27	26	18	9	3	-	-
FEMALE--	2	4	8	9	13	20	25	20	26	7	1	-
ALL OTHER--MALE----	8	12	5	9	11	8	3	2	-	-	1	-
FEMALE--	4	4	3	7	5	14	5	5	9	-	-	-
BLACK---MALE-----	8	12	5	9	11	8	3	2	-	-	1	-
FEMALE--	4	4	3	7	5	14	4	5	9	-	-	-
MASSACHUSETTS -----	21	15	27	47	49	56	90	81	32	19	1	-
WHITE-----MALE----	13	7	17	32	36	30	49	40	10	7	-	-
FEMALE--	6	8	6	14	9	21	37	39	21	12	1	-
ALL OTHER--MALE----	1	-	2	1	3	4	4	1	1	-	-	-
FEMALE--	1	-	2	-	1	1	-	1	-	-	-	-
BLACK---MALE-----	1	-	2	1	3	4	4	-	1	-	-	-
FEMALE--	1	-	2	-	1	1	-	-	-	-	-	-
MICHIGAN -----	88	70	61	81	100	129	148	95	78	17	6	-
WHITE-----MALE----	40	35	40	41	54	66	66	39	25	7	-	-
FEMALE--	17	11	15	26	34	42	61	46	49	9	5	-
ALL OTHER--MALE----	15	13	4	11	7	12	8	3	3	-	-	-
FEMALE--	16	11	2	3	5	9	13	7	1	1	1	-
BLACK---MALE-----	15	13	4	11	7	11	8	3	3	-	-	-
FEMALE--	16	10	2	3	5	8	13	7	-	1	1	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Cardiomyopathy (I42)												
MINNESOTA -----	315	1	1	1	-	-	1	-	4	8	11	4
WHITE-----MALE----	176	1	-	-	-	-	1	-	-	5	5	4
FEMALE--	125	-	1	1	-	-	-	-	1	3	4	-
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	3	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	7	-	-	-	-	-	-	-	2	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
MISSISSIPPI -----	324	5	1	-	1	-	2	2	5	4	7	14
WHITE-----MALE----	88	1	-	-	-	-	-	-	-	-	2	3
FEMALE--	112	1	-	-	1	-	-	-	1	-	-	4
ALL OTHER--MALE----	70	1	-	-	-	-	2	2	3	3	2	5
FEMALE--	54	2	1	-	-	-	-	-	1	1	3	2
BLACK---MALE-----	68	1	-	-	-	-	2	2	3	3	2	5
FEMALE--	53	2	1	-	-	-	-	-	1	1	3	2
MISSOURI -----	571	6	1	1	2	5	1	3	1	14	15	17
WHITE-----MALE----	239	1	1	-	1	4	-	2	1	7	5	10
FEMALE--	259	3	-	1	1	-	1	-	-	3	4	4
ALL OTHER--MALE----	37	1	-	-	-	1	-	-	-	2	4	1
FEMALE--	36	1	-	-	-	-	-	1	-	2	2	2
BLACK---MALE-----	36	1	-	-	-	1	-	-	-	2	4	1
FEMALE--	36	1	-	-	-	-	-	1	-	2	2	2
MONTANA -----	67	-	-	1	-	-	-	-	-	-	2	2
WHITE-----MALE----	43	-	-	1	-	-	-	-	-	-	1	1
FEMALE--	22	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	92	-	1	-	1	1	-	-	2	1	4	2
WHITE-----MALE----	42	-	1	-	1	1	-	-	1	-	3	-
FEMALE--	40	-	-	-	-	-	-	-	1	1	-	1
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	2	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	6	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
NEVADA -----	216	1	1	1	-	1	1	5	2	11	10	9
WHITE-----MALE----	122	1	-	1	-	-	-	3	1	7	8	4
FEMALE--	66	-	-	-	-	-	-	1	1	1	-	1
ALL OTHER--MALE----	18	-	1	-	-	-	1	1	-	1	2	4
FEMALE--	10	-	-	-	-	1	-	-	-	2	-	-
BLACK---MALE-----	14	-	-	-	-	-	1	-	-	1	2	2
FEMALE--	8	-	-	-	-	1	-	-	-	2	-	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 2048

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Cardiomyopathy (I42)

MINNESOTA -----	13	14	19	29	36	29	56	46	29	10	3	-
WHITE-----MALE----	9	10	12	16	20	21	34	24	11	3	-	-
FEMALE--	4	2	4	12	13	8	22	22	18	7	3	-
ALL OTHER--MALE----	-	2	3	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	3	-	-	-	-	-	-	-
BLACK---MALE----	-	2	3	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
MISSISSIPPI -----	15	15	26	31	41	38	36	58	15	6	2	-
WHITE-----MALE----	2	4	7	9	20	14	9	14	2	-	1	-
FEMALE--	1	5	6	8	9	13	19	30	8	5	1	-
ALL OTHER--MALE----	7	5	6	8	5	4	6	9	2	-	-	-
FEMALE--	5	1	7	6	7	7	2	5	3	1	-	-
BLACK---MALE----	7	5	5	8	4	4	6	9	2	-	-	-
FEMALE--	4	1	7	6	7	7	2	5	3	1	-	-
MISSOURI -----	24	20	22	36	62	87	91	82	58	21	2	-
WHITE-----MALE----	8	10	11	15	30	43	36	26	21	7	-	-
FEMALE--	8	5	8	14	25	35	49	52	30	14	2	-
ALL OTHER--MALE----	3	2	1	3	2	6	4	3	4	-	-	-
FEMALE--	5	3	2	4	5	3	2	1	3	-	-	-
BLACK---MALE----	3	2	1	2	2	6	4	3	4	-	-	-
FEMALE--	5	3	2	4	5	3	2	1	3	-	-	-
MONTANA -----	4	3	6	5	6	11	10	12	5	-	-	-
WHITE-----MALE----	3	3	4	-	5	9	5	7	4	-	-	-
FEMALE--	1	-	1	5	1	2	5	5	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	2	6	4	7	10	14	15	13	5	3	1	-
WHITE-----MALE----	1	5	3	3	4	5	8	3	3	1	-	-
FEMALE--	-	1	1	3	4	7	7	9	2	2	1	-
ALL OTHER--MALE----	1	-	-	1	1	2	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	6	14	7	28	22	29	38	21	5	3	-	1
WHITE-----MALE----	3	12	4	20	10	20	17	7	3	-	-	1
FEMALE--	1	2	3	7	9	7	16	12	2	3	-	-
ALL OTHER--MALE----	1	-	-	1	2	1	1	2	-	-	-	-
FEMALE--	1	-	-	-	1	1	4	-	-	-	-	-
BLACK---MALE----	1	-	-	1	2	1	1	2	-	-	-	-
FEMALE--	1	-	-	-	-	1	3	-	-	-	-	-





[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Cardiomyopathy (I42)												
OHIO -----	1,246	5	-	-	4	4	7	11	16	25	43	54
WHITE-----MALE----	564	1	-	-	2	2	2	3	8	14	21	29
FEMALE--	465	1	-	-	1	2	1	3	5	5	7	7
ALL OTHER--MALE----	115	1	-	-	1	-	4	4	1	2	9	12
FEMALE--	102	2	-	-	-	-	1	2	4	4	6	6
BLACK---MALE----	113	1	-	-	1	-	4	3	1	2	9	12
FEMALE--	99	1	-	-	-	-	-	1	2	4	5	6
OKLAHOMA -----	278	1	1	1	-	-	6	3	5	10	17	18
WHITE-----MALE----	142	1	-	-	-	-	2	2	3	4	12	8
FEMALE--	92	-	-	-	-	-	1	1	2	2	1	5
ALL OTHER--MALE----	26	-	1	1	-	-	2	-	-	4	2	2
FEMALE--	18	-	-	-	-	-	1	-	-	-	2	3
BLACK---MALE----	15	-	-	1	-	-	2	-	-	1	2	2
FEMALE--	17	-	-	-	-	-	1	-	-	-	2	3
OREGON -----	240	2	-	-	-	-	1	4	3	5	11	10
WHITE-----MALE----	144	2	-	-	-	-	1	4	2	4	9	7
FEMALE--	84	-	-	-	-	-	-	-	-	1	2	2
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1,553	2	6	2	-	5	6	11	17	30	37	57
WHITE-----MALE----	769	-	3	-	-	1	3	7	8	14	17	29
FEMALE--	552	2	1	-	-	2	2	-	2	7	4	9
ALL OTHER--MALE----	136	-	-	-	-	-	1	3	4	4	13	15
FEMALE--	96	-	2	2	-	2	-	1	3	5	3	4
BLACK---MALE----	131	-	-	-	-	-	1	3	4	4	13	14
FEMALE--	91	-	2	2	-	1	-	1	3	5	3	4
RHODE ISLAND -----	69	3	-	-	-	-	1	1	-	1	2	4
WHITE-----MALE----	37	1	-	-	-	-	-	1	-	-	2	3
FEMALE--	31	2	-	-	-	-	1	-	-	1	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	428	3	1	-	-	1	2	3	7	7	11	17
WHITE-----MALE----	142	1	-	-	-	-	1	2	3	1	5	5
FEMALE--	114	-	-	-	-	-	-	-	-	1	1	2
ALL OTHER--MALE----	106	-	1	-	-	1	1	1	2	3	5	7
FEMALE--	66	2	-	-	-	-	-	-	2	2	-	3
BLACK---MALE----	106	-	1	-	-	1	1	1	2	3	5	7
FEMALE--	63	2	-	-	-	-	-	-	2	2	-	2

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Cardiomyopathy (I42)												
OHIO -----	59	63	84	107	155	175	169	158	68	36	3	-
WHITE-----MALE----	27	33	47	49	76	92	71	59	21	6	1	-
FEMALE--	17	15	16	36	53	65	74	84	43	28	2	-
ALL OTHER--MALE----	7	7	10	13	16	11	10	7	-	-	-	-
FEMALE--	8	8	11	9	10	7	14	8	4	2	-	-
BLACK---MALE----	7	7	10	13	16	11	10	6	-	-	-	-
FEMALE--	8	8	11	9	10	6	14	8	4	2	-	-
OKLAHOMA -----	13	15	17	19	23	37	37	29	22	3	1	-
WHITE-----MALE----	6	10	11	11	11	22	19	11	8	1	-	-
FEMALE--	6	4	3	3	8	12	15	15	11	2	1	-
ALL OTHER--MALE----	1	1	-	3	3	2	2	2	-	-	-	-
FEMALE--	-	-	3	2	1	1	1	1	3	-	-	-
BLACK---MALE----	1	1	-	2	1	-	1	1	-	-	-	-
FEMALE--	-	-	3	2	1	1	1	-	3	-	-	-
OREGON -----	11	15	21	11	19	39	37	30	18	2	1	-
WHITE-----MALE----	7	10	10	8	9	24	21	18	6	2	-	-
FEMALE--	3	5	7	2	9	14	15	12	11	-	1	-
ALL OTHER--MALE----	1	-	3	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	1	-	-	-
BLACK---MALE----	1	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	1	-	-	-	-	-
PENNSYLVANIA -----	71	68	74	120	168	233	262	218	110	51	5	-
WHITE-----MALE----	39	34	39	60	95	131	134	100	40	13	2	-
FEMALE--	13	17	15	37	53	75	103	107	64	37	2	-
ALL OTHER--MALE----	13	11	14	13	13	13	13	5	-	1	-	-
FEMALE--	6	6	6	10	7	14	12	6	6	-	1	-
BLACK---MALE----	13	10	14	13	12	12	12	5	-	1	-	-
FEMALE--	6	6	5	10	7	13	11	5	6	-	1	-
RHODE ISLAND -----	2	4	4	3	8	13	14	6	2	1	-	-
WHITE-----MALE----	-	3	2	2	7	7	6	3	-	-	-	-
FEMALE--	2	-	2	1	1	6	8	3	2	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	26	44	41	46	37	56	49	53	18	5	1	-
WHITE-----MALE----	7	13	17	15	16	16	14	18	5	3	-	-
FEMALE--	2	8	7	14	9	19	14	26	9	1	1	-
ALL OTHER--MALE----	13	14	16	8	6	10	11	5	2	-	-	-
FEMALE--	4	9	1	9	6	11	10	4	2	1	-	-
BLACK---MALE----	13	14	16	8	6	10	11	5	2	-	-	-
FEMALE--	4	7	1	9	6	11	10	4	2	1	-	-



04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 2051

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Cardiomyopathy (I42)												
SOUTH DAKOTA -----	36	-	-	-	-	-	-	1	-	-	-	2
WHITE-----MALE----	19	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	587	2	1	-	-	2	5	6	8	10	17	32
WHITE-----MALE----	220	-	-	-	-	2	2	1	3	3	8	10
FEMALE--	224	2	-	-	-	-	-	3	1	2	3	7
ALL OTHER--MALE----	67	-	1	-	-	-	2	-	2	3	2	10
FEMALE--	76	-	-	-	-	-	1	2	2	2	4	5
BLACK---MALE----	67	-	1	-	-	-	2	-	2	3	2	10
FEMALE--	76	-	-	-	-	-	1	2	2	2	4	5
TEXAS -----	1,613	10	3	3	4	10	12	19	38	43	64	79
WHITE-----MALE----	726	1	1	-	1	5	5	8	24	20	32	37
FEMALE--	576	5	1	3	2	1	2	2	5	3	8	20
ALL OTHER--MALE----	182	2	1	-	1	2	2	3	6	15	16	10
FEMALE--	129	2	-	-	-	2	3	6	3	5	8	12
BLACK---MALE----	178	2	1	-	1	2	2	3	5	14	15	10
FEMALE--	125	2	-	-	-	2	3	6	3	4	8	12
UTAH -----	104	2	-	-	-	-	1	1	2	3	8	8
WHITE-----MALE----	53	1	-	-	-	-	-	1	1	1	5	5
FEMALE--	49	1	-	-	-	-	1	-	1	2	3	3
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	47	-	-	-	-	-	-	-	-	1	5	5
WHITE-----MALE----	35	-	-	-	-	-	-	-	-	-	5	3
FEMALE--	12	-	-	-	-	-	-	-	-	1	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	732	6	3	-	-	4	3	8	5	13	25	34
WHITE-----MALE----	260	1	2	-	-	1	1	1	1	4	8	11
FEMALE--	213	1	1	-	-	2	-	1	1	-	1	3
ALL OTHER--MALE----	144	1	-	-	-	-	2	4	2	5	9	10
FEMALE--	115	3	-	-	-	1	-	2	1	4	7	10
BLACK---MALE----	139	1	-	-	-	-	1	4	2	5	9	10
FEMALE--	112	3	-	-	-	1	-	2	1	4	7	9

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 2051

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Cardiomyopathy (I42)												
SOUTH DAKOTA -----	2	2	-	5	4	4	8	4	3	1	-	-
WHITE-----MALE----	1	1	-	2	2	2	5	3	2	-	-	-
FEMALE--	1	1	-	1	2	2	3	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	34	33	35	52	69	73	85	69	38	15	1	-
WHITE-----MALE----	17	9	16	21	37	30	29	23	4	5	-	-
FEMALE--	8	10	10	18	20	26	41	36	27	9	1	-
ALL OTHER--MALE----	2	10	3	5	6	12	4	3	2	-	-	-
FEMALE--	7	4	6	8	6	5	11	7	5	1	-	-
BLACK---MALE----	2	10	3	5	6	12	4	3	2	-	-	-
FEMALE--	7	4	6	8	6	5	11	7	5	1	-	-
TEXAS -----	83	120	113	161	150	184	186	171	110	45	5	-
WHITE-----MALE----	44	66	60	80	71	84	81	66	34	6	-	-
FEMALE--	19	25	25	52	53	68	85	91	66	36	4	-
ALL OTHER--MALE----	10	20	19	21	14	17	16	2	3	1	1	-
FEMALE--	10	9	9	8	12	15	4	12	7	2	-	-
BLACK---MALE----	10	20	19	21	14	16	16	2	3	1	1	-
FEMALE--	10	9	8	7	12	15	4	11	7	2	-	-
UTAH -----	7	4	5	5	12	11	10	13	9	2	1	-
WHITE-----MALE----	5	2	2	4	8	5	5	5	3	-	-	-
FEMALE--	1	2	3	1	4	6	5	8	6	2	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	2	4	1	6	6	7	4	4	1	1	-	-
WHITE-----MALE----	1	4	1	4	5	5	2	4	1	-	-	-
FEMALE--	1	-	-	2	1	2	2	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	41	41	44	67	84	115	95	67	59	16	2	-
WHITE-----MALE----	15	11	21	24	38	46	36	17	18	4	-	-
FEMALE--	5	6	7	15	21	38	37	34	29	10	1	-
ALL OTHER--MALE----	12	14	9	20	10	20	11	10	5	-	-	-
FEMALE--	9	10	7	8	15	11	11	6	7	2	1	-
BLACK---MALE----	12	14	9	19	9	20	10	9	5	-	-	-
FEMALE--	9	10	7	6	15	11	11	6	7	2	1	-





[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Conduction disorders and cardiac dysrhythmias (I44-I49)												
UNITED STATES -	38,554	38	30	16	42	60	96	109	174	287	495	806
WHITE-----MALE----	14,173	15	11	5	18	33	46	47	73	115	249	402
FEMALE--	18,978	13	12	6	10	11	17	31	44	68	113	194
ALL OTHER--MALE----	2,541	4	6	2	3	11	23	21	30	58	73	119
FEMALE--	2,862	6	1	3	11	5	10	10	27	46	60	91
BLACK---MALE----	2,165	4	5	2	3	10	21	19	28	53	59	108
FEMALE--	2,517	3	1	3	8	5	9	8	24	42	57	88
ALABAMA -----	2,046	2	5	2	2	6	10	4	10	28	52	64
WHITE-----MALE----	704	-	2	1	2	3	3	1	5	12	29	23
FEMALE--	754	2	-	-	-	2	1	3	-	1	11	14
ALL OTHER--MALE----	276	-	3	-	-	1	5	-	2	12	5	13
FEMALE--	312	-	-	1	-	-	1	-	3	3	7	14
BLACK---MALE----	275	-	3	-	-	1	5	-	2	12	5	13
FEMALE--	311	-	-	1	-	-	1	-	3	3	7	14
ALASKA -----	39	-	-	-	1	-	-	-	-	2	3	3
WHITE-----MALE----	11	-	-	-	1	-	-	-	-	1	-	1
FEMALE--	16	-	-	-	-	-	-	-	-	1	2	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	346	-	-	-	-	3	1	1	3	7	5	6
WHITE-----MALE----	119	-	-	-	-	2	-	1	1	3	2	3
FEMALE--	198	-	-	-	-	1	-	-	-	2	1	3
ALL OTHER--MALE----	15	-	-	-	-	-	1	-	1	1	2	-
FEMALE--	14	-	-	-	-	-	-	-	1	1	-	-
BLACK---MALE----	4	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
ARKANSAS -----	466	1	-	-	1	1	1	2	2	3	5	8
WHITE-----MALE----	158	1	-	-	1	1	-	1	1	1	4	4
FEMALE--	241	-	-	-	-	-	-	1	1	-	1	1
ALL OTHER--MALE----	36	-	-	-	-	-	1	-	-	2	-	3
FEMALE--	31	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	35	-	-	-	-	-	1	-	-	2	-	3
FEMALE--	30	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	956	-	2	1	2	1	2	-	3	5	10	6
WHITE-----MALE----	334	-	-	1	1	-	1	-	2	2	4	3
FEMALE--	534	-	2	-	-	1	-	-	1	3	3	1
ALL OTHER--MALE----	42	-	-	-	-	-	1	-	-	-	3	2
FEMALE--	46	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	14	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	23	-	-	-	1	-	-	-	-	-	-	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 2053

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Conduction disorders and cardiac dysrhythmias (I44-I49)												
UNITED STATES -	1,168	1,414	1,770	2,413	3,560	5,147	6,474	6,715	5,044	2,160	535	1
WHITE-----MALE----	589	690	887	1,141	1,626	2,167	2,410	2,050	1,165	368	65	1
FEMALE--	280	386	515	806	1,359	2,271	3,350	4,055	3,457	1,577	403	-
ALL OTHER--MALE----	178	210	217	226	306	347	307	202	128	56	14	-
FEMALE--	121	128	151	240	269	362	407	408	294	159	53	-
BLACK---MALE-----	163	182	199	199	256	292	247	170	92	41	12	-
FEMALE--	111	117	134	215	232	314	353	348	266	131	48	-
ALABAMA -----	93	106	133	162	233	245	287	293	201	90	18	-
WHITE-----MALE----	52	47	53	78	79	94	98	65	44	13	-	-
FEMALE--	12	23	41	44	72	82	121	155	106	55	9	-
ALL OTHER--MALE----	19	22	22	18	47	33	30	30	9	4	1	-
FEMALE--	10	14	17	22	35	36	38	43	42	18	8	-
BLACK---MALE-----	19	21	22	18	47	33	30	30	9	4	1	-
FEMALE--	10	14	17	22	35	35	38	43	42	18	8	-
ALASKA -----	1	4	3	3	3	2	6	2	2	3	1	-
WHITE-----MALE----	1	2	-	1	1	-	2	1	-	-	-	-
FEMALE--	-	1	1	-	1	2	1	2	1	2	1	-
ALL OTHER--MALE----	-	1	1	-	-	-	2	-	-	-	-	-
FEMALE--	-	-	1	2	1	-	-	-	-	2	-	-
BLACK---MALE-----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	7	7	13	14	25	43	69	71	46	21	4	-
WHITE-----MALE----	-	2	7	4	13	17	27	16	17	4	-	-
FEMALE--	6	3	5	9	11	22	36	50	28	17	4	-
ALL OTHER--MALE----	1	1	-	1	1	2	2	1	1	-	-	-
FEMALE--	-	1	1	-	-	2	4	4	-	-	-	-
BLACK---MALE-----	-	1	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ARKANSAS -----	12	19	26	41	48	59	64	86	57	28	2	-
WHITE-----MALE----	5	8	9	24	21	25	17	23	12	-	-	-
FEMALE--	5	7	9	12	18	31	42	54	37	20	2	-
ALL OTHER--MALE----	2	4	7	3	2	1	-	3	5	3	-	-
FEMALE--	-	-	1	2	7	2	5	6	3	5	-	-
BLACK---MALE-----	2	4	7	3	1	1	-	3	5	3	-	-
FEMALE--	-	-	1	2	6	2	5	6	3	5	-	-
CALIFORNIA -----	14	16	28	46	66	108	192	210	155	78	11	-
WHITE-----MALE----	7	6	16	21	27	47	64	71	43	15	3	-
FEMALE--	5	4	7	18	24	55	109	128	106	59	8	-
ALL OTHER--MALE----	1	3	3	6	9	2	5	2	3	2	-	-
FEMALE--	1	3	2	1	6	4	14	9	3	2	-	-
BLACK---MALE-----	1	2	3	2	2	-	1	2	-	-	-	-
FEMALE--	1	2	-	-	3	2	8	4	1	1	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Conduction disorders and cardiac dysrhythmias (I44-I49)												
COLORADO -----	292	-	1	-	1	1	2	2	2	2	4	1
WHITE-----MALE----	112	-	1	-	1	-	-	2	1	1	2	1
FEMALE--	173	-	-	-	-	1	2	-	-	1	2	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
CONNECTICUT -----	797	-	-	-	1	-	-	-	2	6	2	13
WHITE-----MALE----	309	-	-	-	-	-	-	-	1	4	-	8
FEMALE--	439	-	-	-	1	-	-	-	1	2	1	4
ALL OTHER--MALE----	26	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	24	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	74	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	28	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	37	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	38	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	15	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	1
FLORIDA -----	1,910	3	-	-	4	1	1	6	8	7	17	28
WHITE-----MALE----	710	1	-	-	-	-	-	2	2	5	5	15
FEMALE--	990	1	-	-	1	-	2	4	4	1	4	5
ALL OTHER--MALE----	86	1	-	-	2	-	1	2	-	1	3	2
FEMALE--	124	-	-	-	1	1	-	-	2	-	5	6
BLACK---MALE----	83	1	-	-	2	-	1	2	-	1	3	2
FEMALE--	121	-	-	-	1	1	-	-	2	-	5	6
GEORGIA -----	2,251	4	3	2	3	2	2	16	8	22	36	66
WHITE-----MALE----	696	1	2	-	-	1	-	7	4	7	18	20
FEMALE--	907	1	-	2	-	-	-	2	2	2	6	15
ALL OTHER--MALE----	299	1	1	-	-	1	-	4	1	7	8	19
FEMALE--	349	1	-	-	3	-	2	3	1	6	4	12
BLACK---MALE----	290	1	1	-	-	1	-	4	1	7	8	18
FEMALE--	345	1	-	-	3	-	2	3	1	6	4	12

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Conduction disorders and cardiac dysrhythmias (I44-I49)

COLORADO -----	4	4	14	11	25	41	38	62	45	27	5	-
WHITE-----MALE----	3	4	6	7	14	21	15	18	10	5	-	-
FEMALE--	1	-	8	4	11	20	21	43	32	22	5	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	1	2	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	1	1	2	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
CONNECTICUT -----	12	30	39	37	68	115	152	142	121	38	19	-
WHITE-----MALE----	7	13	25	18	32	61	60	45	25	8	2	-
FEMALE--	3	10	9	15	27	46	87	95	92	29	17	-
ALL OTHER--MALE----	1	4	2	2	6	4	2	1	1	1	-	-
FEMALE--	1	3	3	2	3	4	3	1	3	-	-	-
BLACK---MALE-----	1	2	2	2	6	4	2	1	1	1	-	-
FEMALE--	1	3	2	2	2	4	3	1	3	-	-	-
DELAWARE -----	4	3	3	5	13	6	18	16	3	2	-	-
WHITE-----MALE----	-	2	1	4	4	3	9	4	1	-	-	-
FEMALE--	1	1	1	1	6	3	9	11	2	1	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	3	-	-	-	3	-	-	-	-	1	-	-
BLACK---MALE-----	-	-	1	-	-	-	-	1	-	-	-	-
FEMALE--	3	-	-	-	3	-	-	-	-	1	-	-
DISTRICT OF COLUMBIA ---	2	2	-	4	4	5	8	6	6	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	3	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	3	3	6	-	1	-	-	-
FEMALE--	-	1	-	3	1	1	2	2	5	-	-	-
BLACK---MALE-----	1	-	-	1	3	3	6	-	1	-	-	-
FEMALE--	-	1	-	3	1	1	2	2	5	-	-	-
FLORIDA -----	38	54	65	106	136	273	350	357	308	122	26	-
WHITE-----MALE----	17	22	32	48	67	119	130	124	90	26	5	-
FEMALE--	8	14	17	38	54	122	193	212	207	89	18	-
ALL OTHER--MALE----	7	12	9	7	4	12	9	7	5	2	-	-
FEMALE--	6	6	7	13	11	20	18	14	6	5	3	-
BLACK---MALE-----	7	11	9	7	4	12	8	7	5	1	-	-
FEMALE--	6	6	7	13	10	20	17	14	5	5	3	-
GEORGIA -----	88	115	139	173	215	287	359	331	244	110	26	-
WHITE-----MALE----	37	46	54	61	80	102	116	85	37	17	1	-
FEMALE--	12	27	25	49	69	109	156	181	162	73	14	-
ALL OTHER--MALE----	26	26	36	29	30	40	35	18	10	6	1	-
FEMALE--	13	16	24	34	36	36	52	47	35	14	10	-
BLACK---MALE-----	25	26	36	26	30	38	34	18	10	5	1	-
FEMALE--	13	16	24	33	35	35	52	47	34	14	10	-





[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Conduction disorders and cardiac dysrhythmias (I44-I49)

HAWAII -----	10	22	22	27	51	71	80	74	58	38	6	-
WHITE-----MALE----	1	-	3	4	5	4	8	9	5	-	-	-
FEMALE--	-	4	5	1	3	10	7	15	8	6	-	-
ALL OTHER--MALE----	3	11	6	11	27	34	34	23	29	10	2	-
FEMALE--	6	7	8	11	16	23	31	27	16	22	4	-
BLACK---MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
IDAHO -----	5	2	9	16	13	19	27	23	19	8	4	-
WHITE-----MALE----	1	1	5	8	9	6	9	9	6	4	3	-
FEMALE--	4	1	4	6	4	13	18	14	13	4	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	51	55	60	98	125	175	221	236	205	98	18	-
WHITE-----MALE----	25	21	27	45	60	82	78	67	44	16	4	-
FEMALE--	12	17	20	30	49	68	112	142	148	78	14	-
ALL OTHER--MALE----	8	10	6	14	10	13	14	6	3	1	-	-
FEMALE--	6	7	7	9	6	12	17	21	10	3	-	-
BLACK---MALE----	8	9	5	14	10	10	12	5	3	1	-	-
FEMALE--	6	7	7	9	6	12	15	20	10	3	-	-
INDIANA -----	20	41	51	67	102	137	143	152	115	56	12	-
WHITE-----MALE----	12	25	23	35	44	59	54	51	22	7	1	-
FEMALE--	6	11	19	24	50	68	80	95	88	44	10	-
ALL OTHER--MALE----	2	3	6	6	4	7	5	3	1	1	-	-
FEMALE--	-	2	3	2	4	3	4	3	4	4	1	-
BLACK---MALE----	2	3	5	6	4	7	5	3	1	1	-	-
FEMALE--	-	2	3	2	3	3	4	3	4	4	1	-
IOWA -----	4	6	11	14	22	44	50	57	61	23	8	-
WHITE-----MALE----	3	4	5	9	14	23	20	22	15	4	-	-
FEMALE--	1	2	6	5	8	17	30	34	46	19	8	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	3	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	1	-	-	-	-
KANSAS -----	11	18	26	18	43	59	72	80	68	29	12	-
WHITE-----MALE----	6	12	14	7	17	29	32	27	17	8	1	-
FEMALE--	3	5	10	7	21	27	35	52	50	20	11	-
ALL OTHER--MALE----	1	1	2	2	3	-	1	-	1	-	-	-
FEMALE--	1	-	-	2	2	3	4	1	-	1	-	-
BLACK---MALE----	1	1	2	2	2	-	1	-	1	-	-	-
FEMALE--	1	-	-	1	2	3	3	1	-	1	-	-



[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Conduction disorders and cardiac dysrhythmias (I44-I49)

KENTUCKY -----	35	45	50	80	106	166	207	229	160	47	17	-
WHITE-----MALE----	21	28	30	43	43	69	72	76	30	11	3	-
FEMALE--	10	13	15	30	51	85	118	142	121	30	13	-
ALL OTHER--MALE----	2	3	4	2	9	7	10	6	1	2	-	-
FEMALE--	2	1	1	5	3	5	7	5	8	4	1	-
BLACK---MALE-----	2	3	4	2	9	7	10	6	1	2	-	-
FEMALE--	2	1	1	5	3	5	7	5	8	4	1	-
LOUISIANA -----	21	28	43	46	55	103	106	111	73	34	15	-
WHITE-----MALE----	10	13	16	17	20	34	34	32	9	1	3	-
FEMALE--	1	2	13	12	17	33	51	59	48	25	7	-
ALL OTHER--MALE----	8	9	6	10	9	18	10	6	1	5	1	-
FEMALE--	2	4	8	7	9	18	11	14	15	3	4	-
BLACK---MALE-----	8	9	6	10	9	18	10	6	1	5	1	-
FEMALE--	2	4	8	7	9	18	11	13	15	3	4	-
MAINE -----	4	6	14	12	18	31	27	33	26	13	5	-
WHITE-----MALE----	2	1	10	8	9	17	9	8	7	1	2	-
FEMALE--	1	4	4	4	9	14	18	25	19	12	3	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	18	12	13	24	37	73	88	79	61	25	6	-
WHITE-----MALE----	6	5	4	9	14	29	35	24	14	8	-	-
FEMALE--	5	3	3	7	18	22	38	44	37	14	4	-
ALL OTHER--MALE----	4	3	5	3	2	8	6	1	-	1	1	-
FEMALE--	3	1	1	5	3	14	9	10	10	2	1	-
BLACK---MALE-----	4	3	5	3	2	8	5	1	-	1	1	-
FEMALE--	3	1	1	5	2	14	9	8	8	2	1	-
MASSACHUSETTS -----	50	56	55	79	126	183	216	267	187	82	18	-
WHITE-----MALE----	25	36	33	50	62	75	93	75	50	13	-	-
FEMALE--	17	14	18	21	56	99	116	186	132	69	18	-
ALL OTHER--MALE----	4	2	4	5	4	2	5	2	1	-	-	-
FEMALE--	4	4	-	3	4	7	2	4	4	-	-	-
BLACK---MALE-----	3	2	4	4	4	2	4	2	1	-	-	-
FEMALE--	3	3	-	3	3	6	2	4	2	-	-	-
MICHIGAN -----	28	32	40	57	80	131	183	200	138	54	21	-
WHITE-----MALE----	15	18	16	35	46	54	81	61	39	10	5	-
FEMALE--	3	9	13	15	25	63	89	120	93	39	16	-
ALL OTHER--MALE----	5	3	4	6	4	6	6	5	3	3	-	-
FEMALE--	5	2	7	1	5	8	7	14	3	2	-	-
BLACK---MALE-----	5	3	4	6	4	6	5	4	3	3	-	-
FEMALE--	5	2	7	1	4	7	7	13	2	2	-	-



[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Conduction disorders and cardiac dysrhythmias (I44-I49)												
MINNESOTA -----	13	10	18	30	48	82	88	120	90	39	4	-
WHITE-----MALE----	8	7	11	18	30	37	36	37	31	8	1	-
FEMALE--	4	2	5	11	18	43	52	83	58	30	3	-
ALL OTHER--MALE----	1	1	1	1	-	1	-	-	1	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	1	-	-
BLACK---MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	-	-	-	-	-	-
MISSISSIPPI -----	31	41	35	69	98	96	117	104	76	45	11	-
WHITE-----MALE----	14	16	11	14	32	36	32	23	5	6	-	-
FEMALE--	6	8	10	17	26	29	50	52	43	21	6	-
ALL OTHER--MALE----	6	12	7	13	15	15	14	9	6	4	-	-
FEMALE--	5	5	7	25	25	16	21	20	22	14	5	-
BLACK---MALE----	6	12	7	13	15	15	14	9	6	4	-	-
FEMALE--	5	5	7	24	25	16	21	20	22	14	5	-
MISSOURI -----	42	29	44	71	98	140	184	217	149	71	20	-
WHITE-----MALE----	28	19	29	39	48	60	69	87	38	11	1	-
FEMALE--	11	7	10	27	45	71	103	127	109	60	18	-
ALL OTHER--MALE----	1	1	2	2	4	6	8	1	1	-	-	-
FEMALE--	2	2	3	3	1	3	4	2	1	-	1	-
BLACK---MALE----	1	1	2	2	3	6	8	1	1	-	-	-
FEMALE--	2	2	2	2	1	2	4	2	1	-	1	-
MONTANA -----	4	6	7	10	10	28	33	21	17	10	4	-
WHITE-----MALE----	3	2	5	5	8	17	16	4	4	2	1	-
FEMALE--	-	4	2	5	2	11	17	16	13	7	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	19	15	13	25	44	57	82	88	75	54	15	-
WHITE-----MALE----	13	11	11	17	27	29	41	30	26	14	-	-
FEMALE--	4	1	1	7	15	23	40	58	49	40	15	-
ALL OTHER--MALE----	1	2	1	1	2	3	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	2	1	-	-	-	-	-
BLACK---MALE----	1	2	-	1	2	3	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	1	-	-	-	-	-
NEVADA -----	22	26	32	44	54	63	53	57	33	10	1	-
WHITE-----MALE----	14	18	21	21	32	31	28	16	8	1	-	-
FEMALE--	4	4	7	13	17	25	24	35	23	9	1	-
ALL OTHER--MALE----	4	2	2	4	1	3	1	3	-	-	-	-
FEMALE--	-	2	2	6	4	4	-	3	2	-	-	-
BLACK---MALE----	3	-	2	2	1	2	1	1	-	-	-	-
FEMALE--	-	1	2	5	2	3	-	2	2	-	-	-







04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 2059

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Conduction disorders and cardiac dysrhythmias (I44-I49)												
OHIO -----	2,097	2	-	1	1	1	3	5	5	7	21	43
WHITE-----MALE----	789	-	-	1	1	-	3	3	1	4	13	26
FEMALE--	1,133	1	-	-	-	-	-	2	2	1	4	9
ALL OTHER--MALE----	75	-	-	-	-	1	-	-	2	1	2	5
FEMALE--	100	1	-	-	-	-	-	-	-	1	2	3
BLACK---MALE-----	74	-	-	-	-	1	-	-	2	1	2	5
FEMALE--	97	1	-	-	-	-	-	-	-	1	2	2
OKLAHOMA -----	495	1	1	1	1	1	-	1	5	4	14	13
WHITE-----MALE----	185	-	1	-	-	1	-	-	3	-	4	7
FEMALE--	258	-	-	1	1	-	-	-	1	2	4	4
ALL OTHER--MALE----	21	-	-	-	-	-	-	1	-	2	2	1
FEMALE--	31	1	-	-	-	-	-	-	1	-	4	1
BLACK---MALE-----	8	-	-	-	-	-	-	1	-	1	1	-
FEMALE--	21	-	-	-	-	-	-	-	1	-	3	1
OREGON -----	372	1	-	-	-	-	1	1	2	-	-	5
WHITE-----MALE----	140	-	-	-	-	-	-	-	1	-	-	3
FEMALE--	228	1	-	-	-	-	1	1	-	-	-	2
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	2,908	3	-	-	3	1	2	3	15	13	28	64
WHITE-----MALE----	1,211	1	-	-	2	1	1	2	6	7	17	46
FEMALE--	1,478	2	-	-	-	-	1	1	4	4	4	11
ALL OTHER--MALE----	115	-	-	-	1	-	-	-	5	2	5	5
FEMALE--	104	-	-	-	-	-	-	-	-	-	2	2
BLACK---MALE-----	110	-	-	-	1	-	-	-	5	2	5	5
FEMALE--	101	-	-	-	-	-	-	-	-	-	2	2
RHODE ISLAND -----	73	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	35	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	36	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	765	2	-	1	-	-	4	1	7	8	12	22
WHITE-----MALE----	251	-	-	-	-	-	1	-	3	1	5	12
FEMALE--	302	-	-	-	-	-	1	-	1	1	1	1
ALL OTHER--MALE----	112	-	-	-	-	-	2	1	1	4	3	6
FEMALE--	100	2	-	1	-	-	-	-	2	2	3	3
BLACK---MALE-----	112	-	-	-	-	-	2	1	1	4	3	6
FEMALE--	98	1	-	1	-	-	-	-	2	2	3	3

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Conduction disorders and cardiac dysrhythmias (I44-I49)												
OHIO -----	65	71	76	119	196	312	378	378	280	110	23	-
WHITE-----MALE----	39	36	39	62	90	122	139	117	70	18	5	-
FEMALE--	18	29	32	46	81	160	219	238	190	84	17	-
ALL OTHER--MALE----	2	4	3	5	13	14	7	8	6	2	-	-
FEMALE--	6	2	2	6	12	16	13	15	14	6	1	-
BLACK---MALE-----	2	4	3	5	13	14	7	8	5	2	-	-
FEMALE--	6	2	2	6	12	14	13	15	14	6	1	-
OKLAHOMA -----	12	24	35	33	37	67	81	77	52	27	8	-
WHITE-----MALE----	6	13	22	13	14	25	33	22	15	6	-	-
FEMALE--	4	4	9	15	20	33	43	52	37	21	7	-
ALL OTHER--MALE----	1	4	2	2	-	3	2	1	-	-	-	-
FEMALE--	1	3	2	3	3	6	3	2	-	-	1	-
BLACK---MALE-----	-	2	1	1	-	-	1	-	-	-	-	-
FEMALE--	1	3	1	2	3	4	2	-	-	-	-	-
OREGON -----	7	6	18	14	29	38	70	88	65	25	2	-
WHITE-----MALE----	7	5	10	6	19	12	29	24	16	8	-	-
FEMALE--	-	1	7	8	8	25	41	64	49	17	2	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	1	-	-	-	-	-	-
PENNSYLVANIA -----	87	98	149	178	291	429	517	508	332	155	32	-
WHITE-----MALE----	44	58	98	104	156	193	200	169	76	28	2	-
FEMALE--	24	27	34	58	117	202	287	314	243	116	29	-
ALL OTHER--MALE----	13	8	15	8	12	19	10	6	4	2	-	-
FEMALE--	6	5	2	8	6	15	20	19	9	9	1	-
BLACK---MALE-----	13	8	14	8	10	18	10	5	4	2	-	-
FEMALE--	6	5	2	7	6	15	20	18	9	8	1	-
RHODE ISLAND -----	-	-	-	5	4	10	12	18	16	4	3	-
WHITE-----MALE----	-	-	-	4	3	6	8	9	4	-	-	-
FEMALE--	-	-	-	1	1	3	3	9	12	4	3	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	26	47	49	70	77	97	145	92	74	23	8	-
WHITE-----MALE----	9	15	19	32	24	33	53	26	12	4	2	-
FEMALE--	4	9	12	19	34	37	64	52	48	16	2	-
ALL OTHER--MALE----	8	19	12	9	15	13	9	4	4	-	2	-
FEMALE--	5	4	6	10	4	14	19	10	10	3	2	-
BLACK---MALE-----	8	19	12	9	15	13	9	4	4	-	2	-
FEMALE--	5	4	6	10	4	14	18	10	10	3	2	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 2060

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Conduction disorders and cardiac dysrhythmias (I44-I49)												
SOUTH DAKOTA -----	124	-	-	-	-	-	-	-	1	2	-	3
WHITE-----MALE----	56	-	-	-	-	-	-	-	1	1	-	2
FEMALE--	61	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	730	-	-	-	-	-	2	2	4	10	22	21
WHITE-----MALE----	298	-	-	-	-	-	1	1	3	1	16	14
FEMALE--	345	-	-	-	-	-	1	-	-	7	2	5
ALL OTHER--MALE----	50	-	-	-	-	-	-	-	1	1	2	1
FEMALE--	37	-	-	-	-	-	-	1	-	1	2	1
BLACK---MALE----	50	-	-	-	-	-	-	-	1	1	2	1
FEMALE--	35	-	-	-	-	-	-	-	-	1	2	1
TEXAS -----	1,659	2	-	1	5	6	6	4	6	12	17	22
WHITE-----MALE----	601	2	-	1	1	3	3	3	4	5	10	11
FEMALE--	874	-	-	-	1	2	1	1	2	3	1	4
ALL OTHER--MALE----	74	-	-	-	-	1	1	-	-	3	2	4
FEMALE--	110	-	-	-	3	-	1	-	-	1	4	3
BLACK---MALE----	69	-	-	-	-	1	1	-	-	2	2	4
FEMALE--	102	-	-	-	1	-	1	-	-	1	4	3
UTAH -----	172	1	-	-	-	1	-	-	1	1	1	1
WHITE-----MALE----	77	1	-	-	-	1	-	-	-	-	1	1
FEMALE--	92	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	82	-	-	-	-	-	-	1	-	-	2	1
WHITE-----MALE----	27	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	55	-	-	-	-	-	-	1	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	1,495	-	4	-	-	1	3	6	10	7	16	32
WHITE-----MALE----	496	-	1	-	-	-	2	3	2	2	7	15
FEMALE--	649	-	2	-	-	-	-	-	2	2	6	7
ALL OTHER--MALE----	163	-	1	-	-	1	1	3	1	1	1	6
FEMALE--	187	-	-	-	-	-	-	-	5	2	2	4
BLACK---MALE----	154	-	1	-	-	1	1	2	1	1	1	6
FEMALE--	177	-	-	-	-	-	-	-	4	2	2	4

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 2060

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Conduction disorders and cardiac dysrhythmias (I44-I49)												
SOUTH DAKOTA -----	5	8	4	6	13	13	19	21	16	8	5	-
WHITE-----MALE----	2	6	-	3	8	5	9	8	6	4	1	-
FEMALE--	2	1	3	3	4	8	9	13	9	4	4	-
ALL OTHER--MALE----	1	1	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	43	40	40	58	78	93	104	106	79	22	6	-
WHITE-----MALE----	22	23	18	33	38	47	33	28	15	4	1	-
FEMALE--	13	10	14	16	34	37	63	67	56	16	4	-
ALL OTHER--MALE----	6	4	5	5	2	8	5	5	4	1	-	-
FEMALE--	2	3	3	4	4	1	3	6	4	1	1	-
BLACK---MALE----	6	4	5	5	2	8	5	5	4	1	-	-
FEMALE--	2	3	3	4	4	1	3	5	4	1	1	-
TEXAS -----	58	54	56	87	167	205	275	307	250	93	25	1
WHITE-----MALE----	30	24	25	34	88	79	99	94	61	20	3	1
FEMALE--	17	21	24	36	68	106	148	190	174	59	16	-
ALL OTHER--MALE----	7	5	2	5	4	9	11	8	5	4	3	-
FEMALE--	4	4	5	12	7	11	17	15	10	10	3	-
BLACK---MALE----	7	5	2	4	4	8	10	8	5	3	3	-
FEMALE--	4	4	5	12	6	10	16	12	10	10	3	-
UTAH -----	3	5	5	8	11	31	28	40	28	5	2	-
WHITE-----MALE----	3	4	2	4	5	15	16	14	9	1	-	-
FEMALE--	-	-	3	4	6	15	12	26	19	4	2	-
ALL OTHER--MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	2	1	1	6	6	16	17	19	7	3	-
WHITE-----MALE----	-	-	1	-	4	2	5	7	6	-	-	-
FEMALE--	-	2	-	1	2	4	11	10	13	7	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	57	55	79	103	168	209	244	246	174	64	17	-
WHITE-----MALE----	23	18	38	40	60	84	96	64	30	8	3	-
FEMALE--	11	19	17	30	61	88	90	132	123	47	12	-
ALL OTHER--MALE----	11	9	16	20	31	15	24	14	7	1	-	-
FEMALE--	12	9	8	13	16	22	34	36	14	8	2	-
BLACK---MALE----	11	9	15	19	27	14	23	14	7	1	-	-
FEMALE--	11	9	7	12	15	21	33	33	14	8	2	-





04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 2062

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Heart failure (I50)												
UNITED STATES -	56,934	24	17	8	7	19	15	41	51	115	192	353
WHITE-----MALE----	19,332	12	5	3	2	9	1	12	19	49	69	166
FEMALE--	31,920	7	10	2	4	4	4	13	13	27	43	71
ALL OTHER--MALE----	2,300	4	-	2	1	2	4	13	12	27	37	61
FEMALE--	3,382	1	2	1	-	4	6	3	7	12	43	55
BLACK---MALE-----	2,052	4	-	2	-	2	4	13	11	26	35	57
FEMALE--	3,070	1	2	1	-	4	6	3	7	9	42	54
ALABAMA -----	2,234	1	1	-	-	-	2	6	5	5	14	24
WHITE-----MALE----	699	1	-	-	-	-	-	1	1	2	5	10
FEMALE--	1,107	-	1	-	-	-	1	-	1	1	2	4
ALL OTHER--MALE----	187	-	-	-	-	-	-	5	3	2	5	6
FEMALE--	241	-	-	-	-	-	1	-	-	-	2	4
BLACK---MALE-----	186	-	-	-	-	-	-	5	3	2	5	6
FEMALE--	239	-	-	-	-	-	1	-	-	-	2	4
ALASKA -----	32	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	633	-	1	-	-	-	-	-	-	1	1	4
WHITE-----MALE----	243	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	366	-	1	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	14	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1,256	-	-	1	-	-	1	-	2	3	3	8
WHITE-----MALE----	438	-	-	1	-	-	-	-	-	1	1	4
FEMALE--	728	-	-	-	-	-	-	-	-	1	-	2
ALL OTHER--MALE----	32	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	58	-	-	-	-	-	1	-	2	-	2	2
BLACK---MALE-----	30	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	58	-	-	-	-	-	1	-	2	-	2	2
CALIFORNIA -----	3,435	3	-	-	1	2	-	4	4	5	10	21
WHITE-----MALE----	1,234	1	-	-	-	-	-	1	2	3	3	5
FEMALE--	1,836	2	-	-	-	1	-	2	-	1	3	5
ALL OTHER--MALE----	174	-	-	-	1	-	-	1	1	1	2	5
FEMALE--	191	-	-	-	-	1	-	-	1	-	2	6
BLACK---MALE-----	91	-	-	-	-	-	-	1	1	-	1	4
FEMALE--	105	-	-	-	-	1	-	-	1	-	1	5

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 2062

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Heart failure (I50)												
UNITED STATES -	601	926	1,448	2,270	4,004	6,879	10,255	12,793	10,735	4,971	1,209	1
WHITE-----MALE----	259	429	647	1,021	1,828	2,961	4,001	4,038	2,703	947	151	-
FEMALE--	159	264	502	828	1,600	3,147	5,357	7,865	7,360	3,698	941	1
ALL OTHER--MALE----	102	127	144	214	281	339	371	282	183	73	21	-
FEMALE--	81	106	155	207	295	432	526	608	489	253	96	-
BLACK---MALE-----	96	121	130	195	256	303	320	246	148	63	20	-
FEMALE--	78	102	145	187	272	394	469	541	441	232	80	-
ALABAMA -----	35	57	84	130	215	261	374	453	369	162	36	-
WHITE-----MALE----	18	21	34	61	96	99	115	121	83	28	3	-
FEMALE--	4	13	21	35	69	110	205	275	242	102	21	-
ALL OTHER--MALE----	7	14	13	19	20	26	25	19	11	10	2	-
FEMALE--	6	9	16	15	30	26	29	38	33	22	10	-
BLACK---MALE-----	7	14	13	19	20	25	25	19	11	10	2	-
FEMALE--	6	9	15	15	30	26	29	37	33	22	10	-
ALASKA -----	-	-	1	1	2	1	9	10	3	4	1	-
WHITE-----MALE----	-	-	-	-	-	-	4	4	2	-	-	-
FEMALE--	-	-	-	-	2	1	2	3	1	4	1	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	3	2	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
ARIZONA -----	9	8	11	29	46	93	109	153	109	52	6	1
WHITE-----MALE----	6	5	9	17	30	37	46	54	25	10	1	-
FEMALE--	2	3	2	11	10	53	60	97	81	40	4	1
ALL OTHER--MALE----	1	-	-	1	1	2	1	2	1	-	-	-
FEMALE--	-	-	-	-	5	1	2	-	2	2	1	-
BLACK---MALE-----	-	-	-	-	-	-	1	2	1	-	-	-
FEMALE--	-	-	-	-	2	-	1	-	-	1	-	-
ARKANSAS -----	23	27	34	62	105	132	227	293	223	94	18	-
WHITE-----MALE----	16	17	17	32	49	57	88	82	51	21	1	-
FEMALE--	6	7	12	28	45	68	127	190	159	68	15	-
ALL OTHER--MALE----	1	3	3	2	7	3	4	6	-	2	-	-
FEMALE--	-	-	2	-	4	4	8	15	13	3	2	-
BLACK---MALE-----	1	3	3	1	7	3	4	5	-	2	-	-
FEMALE--	-	-	2	-	4	4	8	15	13	3	2	-
CALIFORNIA -----	31	50	85	136	193	432	616	811	632	303	96	-
WHITE-----MALE----	14	25	42	60	75	192	261	295	163	72	20	-
FEMALE--	10	12	33	50	87	191	299	449	419	208	64	-
ALL OTHER--MALE----	5	7	8	8	20	24	31	27	25	7	1	-
FEMALE--	2	6	2	18	11	25	25	40	25	16	11	-
BLACK---MALE-----	5	5	5	5	11	15	12	10	10	5	1	-
FEMALE--	1	5	1	11	3	16	9	24	13	9	5	-



04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 2063

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Heart failure (I50)												
COLORADO -----	684	-	-	-	-	-	-	-	-	2	4	4
WHITE-----MALE----	267	-	-	-	-	-	-	-	-	1	2	2
FEMALE--	401	-	-	-	-	-	-	-	-	-	2	2
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	784	-	1	-	-	-	-	-	-	2	1	1
WHITE-----MALE----	262	-	-	-	-	-	-	-	-	2	1	1
FEMALE--	486	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	21	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	20	-	1	-	-	-	-	-	-	-	-	-
DELAWARE -----	119	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	40	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	63	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	59	-	-	-	-	-	-	-	-	1	1	-
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	22	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	21	-	-	-	-	-	-	-	-	1	1	-
FLORIDA -----	1,706	1	-	-	-	-	1	2	2	2	6	13
WHITE-----MALE----	645	1	-	-	-	-	-	-	1	1	2	7
FEMALE--	940	-	-	-	-	-	-	-	-	1	2	3
ALL OTHER--MALE----	59	-	-	-	-	-	-	-	1	-	1	3
FEMALE--	62	-	-	-	-	-	1	2	-	-	1	-
BLACK---MALE----	56	-	-	-	-	-	-	-	1	-	1	3
FEMALE--	59	-	-	-	-	-	1	2	-	-	1	-
GEORGIA -----	1,994	4	1	1	-	1	1	3	5	5	12	21
WHITE-----MALE----	602	2	1	-	-	1	-	1	2	-	3	7
FEMALE--	945	1	-	-	-	-	-	-	2	1	1	3
ALL OTHER--MALE----	170	1	-	-	-	-	-	1	-	3	5	6
FEMALE--	277	-	-	1	-	-	1	1	1	1	3	5
BLACK---MALE----	170	1	-	-	-	-	-	1	-	3	5	6
FEMALE--	275	-	-	1	-	-	1	1	1	1	3	5

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 2063

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Heart failure (I50)												
COLORADO -----	10	8	9	27	38	87	121	136	141	85	12	-
WHITE-----MALE----	5	5	3	11	23	45	54	43	48	23	2	-
FEMALE--	4	2	6	13	13	41	66	91	89	62	10	-
ALL OTHER--MALE----	-	1	-	3	1	-	-	1	2	-	-	-
FEMALE--	1	-	-	-	1	1	1	1	2	-	-	-
BLACK---MALE----	-	-	-	3	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	1	1	1	2	-	-	-
CONNECTICUT -----	2	5	13	26	50	79	145	197	159	81	22	-
WHITE-----MALE----	1	1	5	14	26	33	65	64	32	14	3	-
FEMALE--	1	3	4	11	19	43	74	127	121	65	18	-
ALL OTHER--MALE----	-	1	1	1	4	1	2	2	1	2	-	-
FEMALE--	-	-	3	-	1	2	4	4	5	-	1	-
BLACK---MALE----	-	1	1	1	4	1	2	2	1	1	-	-
FEMALE--	-	-	3	-	1	2	4	3	5	-	1	-
DELAWARE -----	-	2	3	3	5	18	29	24	18	13	3	-
WHITE-----MALE----	-	-	-	-	4	10	8	8	5	3	1	-
FEMALE--	-	1	1	2	-	5	21	14	10	8	1	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	1	-	-	-
FEMALE--	-	1	2	-	1	2	-	2	2	2	1	-
BLACK---MALE----	-	-	-	1	-	1	-	-	1	-	-	-
FEMALE--	-	1	2	-	1	2	-	2	2	2	1	-
DISTRICT OF COLUMBIA ---	-	3	4	1	1	8	12	11	9	7	1	-
WHITE-----MALE----	-	1	-	-	-	2	2	4	1	2	-	-
FEMALE--	-	-	-	-	-	1	2	1	5	2	-	-
ALL OTHER--MALE----	-	1	3	1	1	3	4	-	-	1	-	-
FEMALE--	-	1	1	-	-	2	4	6	3	2	1	-
BLACK---MALE----	-	1	3	1	1	3	3	-	-	1	-	-
FEMALE--	-	1	1	-	-	2	4	6	2	2	1	-
FLORIDA -----	12	27	27	44	115	178	274	385	404	177	36	-
WHITE-----MALE----	4	17	9	22	63	70	125	156	125	39	3	-
FEMALE--	6	1	15	14	44	91	133	207	264	131	28	-
ALL OTHER--MALE----	2	3	2	4	4	11	8	11	3	4	2	-
FEMALE--	-	6	1	4	4	6	8	11	12	3	3	-
BLACK---MALE----	2	3	2	3	4	11	8	10	3	4	1	-
FEMALE--	-	6	1	4	4	5	6	11	12	3	3	-
GEORGIA -----	31	54	67	123	176	285	343	406	320	112	23	-
WHITE-----MALE----	11	24	25	37	76	114	109	109	67	12	1	-
FEMALE--	5	12	21	44	54	114	165	227	206	75	14	-
ALL OTHER--MALE----	7	10	10	16	22	25	23	22	14	2	3	-
FEMALE--	8	8	11	26	24	32	46	48	33	23	5	-
BLACK---MALE----	7	10	10	16	22	25	23	22	14	2	3	-
FEMALE--	8	8	11	26	24	32	46	47	32	23	5	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 2064

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Heart failure (I50)												
HAWAII -----	131	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	21	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	34	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	40	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	36	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	210	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	84	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	124	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	2,839	2	2	-	-	-	1	2	2	4	8	10
WHITE-----MALE----	907	2	-	-	-	-	-	2	1	1	3	3
FEMALE--	1,606	-	2	-	-	-	-	-	1	2	2	2
ALL OTHER--MALE----	124	-	-	-	-	-	-	-	-	1	2	2
FEMALE--	202	-	-	-	-	-	1	-	-	-	1	3
BLACK---MALE----	119	-	-	-	-	-	-	-	-	1	2	2
FEMALE--	196	-	-	-	-	-	1	-	-	-	1	3
INDIANA -----	1,831	-	-	-	1	-	-	4	1	2	4	9
WHITE-----MALE----	675	-	-	-	1	-	-	1	-	2	4	6
FEMALE--	1,047	-	-	-	-	-	-	2	1	-	-	2
ALL OTHER--MALE----	43	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	66	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	42	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	64	-	-	-	-	-	-	-	-	-	-	1
IOWA -----	326	-	-	-	-	2	-	-	-	-	1	2
WHITE-----MALE----	102	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	221	-	-	-	-	2	-	-	-	-	1	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	946	-	-	-	-	-	-	-	2	-	1	2
WHITE-----MALE----	295	-	-	-	-	-	-	-	1	-	1	2
FEMALE--	620	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	19	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	1	-	-	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 2064

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Heart failure (I50)												
HAWAII -----	1	2	3	10	6	12	32	29	25	9	2	-
WHITE-----MALE----	-	-	-	1	1	-	6	7	3	3	-	-
FEMALE--	-	-	-	-	2	5	9	9	7	2	-	-
ALL OTHER--MALE----	1	1	3	5	1	5	10	4	9	1	-	-
FEMALE--	-	1	-	4	2	2	7	9	6	3	2	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
IDAHO -----	2	2	3	8	16	19	26	55	48	23	8	-
WHITE-----MALE----	1	2	1	1	8	10	12	25	19	4	1	-
FEMALE--	1	-	2	7	8	9	13	30	29	18	7	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	29	50	81	103	196	340	480	639	557	265	68	-
WHITE-----MALE----	10	21	38	44	81	128	182	207	133	42	9	-
FEMALE--	7	12	23	35	81	158	245	386	383	214	53	-
ALL OTHER--MALE----	7	6	10	13	15	19	17	18	9	4	1	-
FEMALE--	5	11	10	11	19	35	36	28	32	5	5	-
BLACK---MALE----	6	6	10	13	13	19	17	18	8	3	1	-
FEMALE--	5	11	10	11	19	33	35	27	30	5	5	-
INDIANA -----	6	24	43	65	148	250	368	417	321	141	27	-
WHITE-----MALE----	3	11	18	29	70	109	155	146	85	30	5	-
FEMALE--	2	12	15	28	63	122	188	257	230	103	22	-
ALL OTHER--MALE----	1	-	4	5	10	6	9	5	-	2	-	-
FEMALE--	-	1	6	3	5	13	16	9	6	6	-	-
BLACK---MALE----	1	-	3	5	10	6	9	5	-	2	-	-
FEMALE--	-	1	6	3	5	13	16	8	5	6	-	-
IOWA -----	2	2	5	10	13	32	74	66	72	31	14	-
WHITE-----MALE----	1	2	2	1	8	19	29	17	17	4	1	-
FEMALE--	1	-	3	9	5	13	44	48	55	26	13	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	1	-	-
KANSAS -----	8	6	22	26	46	87	162	210	231	114	29	-
WHITE-----MALE----	6	3	10	9	29	34	62	60	49	23	6	-
FEMALE--	1	3	10	15	15	52	93	145	174	90	22	-
ALL OTHER--MALE----	-	-	1	2	1	1	4	2	-	1	-	-
FEMALE--	1	-	1	-	1	-	3	3	8	-	1	-
BLACK---MALE----	-	-	1	2	1	1	4	2	-	1	-	-
FEMALE--	1	-	1	-	-	-	3	1	4	-	1	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 2065

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Heart failure (I50)												
KENTUCKY -----	1,458	-	-	-	2	-	-	-	1	8	5	18
WHITE-----MALE----	499	-	-	-	1	-	-	-	-	6	2	12
FEMALE--	875	-	-	-	1	-	-	-	1	2	2	3
ALL OTHER--MALE----	32	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	52	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	31	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	50	-	-	-	-	-	-	-	-	-	1	1
LOUISIANA -----	1,148	-	-	-	-	-	-	-	2	5	10	9
WHITE-----MALE----	332	-	-	-	-	-	-	-	1	-	2	2
FEMALE--	534	-	-	-	-	-	-	-	-	-	4	-
ALL OTHER--MALE----	101	-	-	-	-	-	-	-	1	3	1	4
FEMALE--	181	-	-	-	-	-	-	-	-	2	3	3
BLACK---MALE----	99	-	-	-	-	-	-	-	1	3	1	4
FEMALE--	181	-	-	-	-	-	-	-	-	2	3	3
MAINE -----	278	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	102	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	175	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	761	-	-	-	-	-	-	-	2	1	5	3
WHITE-----MALE----	230	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	396	-	-	-	-	-	-	-	-	-	2	-
ALL OTHER--MALE----	55	-	-	-	-	-	-	-	1	1	1	1
FEMALE--	80	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	54	-	-	-	-	-	-	-	1	1	1	1
FEMALE--	76	-	-	-	-	-	-	-	1	-	-	1
MASSACHUSETTS -----	1,911	-	-	-	-	-	-	-	-	-	1	3
WHITE-----MALE----	651	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	1,200	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	25	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	35	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	21	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	30	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	2,328	1	-	-	1	2	2	-	3	6	7	10
WHITE-----MALE----	826	1	-	-	-	1	-	-	2	1	3	7
FEMALE--	1,313	-	-	-	1	-	-	-	-	3	3	1
ALL OTHER--MALE----	83	-	-	-	-	1	2	-	1	1	-	1
FEMALE--	106	-	-	-	-	-	-	-	-	1	1	1
BLACK---MALE----	80	-	-	-	-	1	2	-	1	1	-	1
FEMALE--	98	-	-	-	-	-	-	-	-	1	1	1

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 2065

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL

100

CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	YEARS & OVER	AGE NOT STATED
Heart failure (I50)												
KENTUCKY -----	24	29	53	69	115	211	265	303	226	102	27	-
WHITE-----MALE----	16	18	22	34	50	93	89	86	52	16	2	-
FEMALE--	6	5	27	31	57	104	166	202	162	82	24	-
ALL OTHER--MALE----	1	4	2	1	2	6	2	7	4	1	-	-
FEMALE--	1	2	2	3	6	8	8	8	8	3	1	-
BLACK---MALE----	1	4	2	1	2	5	2	7	4	1	-	-
FEMALE--	1	2	2	3	6	6	8	8	8	3	1	-
LOUISIANA -----	20	27	48	62	96	159	208	238	173	81	10	-
WHITE-----MALE----	1	10	22	14	43	55	79	54	34	14	1	-
FEMALE--	6	6	6	21	29	72	89	138	106	53	4	-
ALL OTHER--MALE----	2	6	8	10	11	11	14	19	7	3	1	-
FEMALE--	11	5	12	17	13	21	26	27	26	11	4	-
BLACK---MALE----	2	6	7	10	11	10	14	19	7	3	1	-
FEMALE--	11	5	12	17	13	21	26	27	26	11	4	-
MAINE -----	4	4	4	10	16	39	53	64	43	28	13	-
WHITE-----MALE----	1	3	3	5	11	16	23	25	6	8	1	-
FEMALE--	3	1	1	5	5	23	29	39	37	20	12	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	9	13	15	29	58	86	130	192	138	67	13	-
WHITE-----MALE----	-	2	3	12	23	36	43	61	29	17	1	-
FEMALE--	1	5	6	8	25	32	62	107	95	42	11	-
ALL OTHER--MALE----	3	4	2	7	7	6	13	2	4	2	1	-
FEMALE--	5	2	4	2	3	12	12	22	10	6	-	-
BLACK---MALE----	3	4	2	7	7	6	13	2	3	2	1	-
FEMALE--	4	2	4	1	3	12	11	21	10	6	-	-
MASSACHUSETTS -----	11	14	24	47	96	180	383	481	409	211	51	-
WHITE-----MALE----	5	9	10	26	56	88	163	156	95	35	6	-
FEMALE--	6	3	12	18	33	78	211	317	305	171	44	-
ALL OTHER--MALE----	-	2	-	1	5	8	4	2	2	1	-	-
FEMALE--	-	-	2	2	2	6	5	6	7	4	1	-
BLACK---MALE----	-	2	-	1	5	6	3	2	2	-	-	-
FEMALE--	-	-	2	2	2	5	3	5	6	4	1	-
MICHIGAN -----	12	27	42	86	164	278	439	558	433	201	56	-
WHITE-----MALE----	5	13	19	43	77	124	168	175	125	53	9	-
FEMALE--	2	10	15	29	67	129	230	352	292	135	44	-
ALL OTHER--MALE----	4	2	4	4	13	11	20	12	4	2	1	-
FEMALE--	1	2	4	10	7	14	21	19	12	11	2	-
BLACK---MALE----	4	2	4	4	12	11	19	11	4	2	1	-
FEMALE--	1	2	4	8	7	12	20	17	11	11	2	-



04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 2066

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Heart failure (I50)												
MINNESOTA -----	4	6	8	24	41	104	191	272	246	125	37	-
WHITE-----MALE----	1	3	3	15	24	60	85	101	86	26	4	-
FEMALE--	3	2	4	9	16	42	100	166	158	99	33	-
ALL OTHER--MALE----	-	1	1	-	1	2	4	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	3	2	-	-	-
BLACK---MALE-----	-	1	1	-	-	1	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	2	-	-	-
MISSISSIPPI -----	19	40	42	61	100	183	218	266	249	98	28	-
WHITE-----MALE----	6	13	15	20	34	54	63	48	42	8	1	-
FEMALE--	4	7	12	14	37	75	108	155	155	59	19	-
ALL OTHER--MALE----	5	14	7	14	12	16	22	17	16	7	2	-
FEMALE--	4	6	8	13	17	38	25	46	36	24	6	-
BLACK---MALE-----	5	14	7	14	12	16	22	17	16	7	2	-
FEMALE--	4	6	8	13	17	37	25	46	36	24	6	-
MISSOURI -----	11	22	35	64	88	181	238	317	284	127	32	-
WHITE-----MALE----	5	10	22	25	49	83	105	93	80	21	5	-
FEMALE--	5	7	11	28	25	83	119	207	197	104	26	-
ALL OTHER--MALE----	1	2	-	8	11	9	5	3	3	-	1	-
FEMALE--	-	3	2	3	3	6	9	14	4	2	-	-
BLACK---MALE-----	1	2	-	7	11	8	5	3	3	-	1	-
FEMALE--	-	3	2	3	3	6	9	14	4	2	-	-
MONTANA -----	3	5	3	10	26	37	61	86	66	29	11	-
WHITE-----MALE----	2	4	3	7	16	14	38	35	26	5	-	-
FEMALE--	1	1	-	3	8	22	23	48	39	24	11	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	2	1	-	2	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	4	2	8	17	30	58	109	139	127	79	27	-
WHITE-----MALE----	3	1	6	11	13	34	46	50	47	12	4	-
FEMALE--	-	1	2	4	17	23	61	86	79	67	22	-
ALL OTHER--MALE----	1	-	-	-	-	1	2	1	1	-	-	-
FEMALE--	-	-	-	2	-	-	-	2	-	-	1	-
BLACK---MALE-----	1	-	-	-	-	1	2	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	-	2	-	-	1	-
NEVADA -----	5	7	15	31	45	61	77	79	81	28	4	-
WHITE-----MALE----	2	6	8	12	25	31	33	27	22	4	-	-
FEMALE--	2	1	3	16	14	28	40	47	56	23	4	-
ALL OTHER--MALE----	1	-	2	1	4	1	3	1	-	1	-	-
FEMALE--	-	-	2	2	2	1	1	4	3	-	-	-
BLACK---MALE-----	1	-	1	1	2	1	1	1	-	-	-	-
FEMALE--	-	-	2	1	1	1	1	2	2	-	-	-







04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 2068

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Heart failure (I50)												
OHIO -----	2,720	-	-	1	-	1	-	1	1	4	8	9
WHITE-----MALE----	879	-	-	-	-	-	-	-	-	1	5	3
FEMALE--	1,614	-	-	-	-	-	-	1	-	-	-	4
ALL OTHER--MALE----	85	-	-	1	-	-	-	-	1	2	1	1
FEMALE--	142	-	-	-	-	1	-	-	-	1	2	1
BLACK---MALE----	83	-	-	1	-	-	-	-	1	2	1	1
FEMALE--	139	-	-	-	-	1	-	-	-	1	2	1
OKLAHOMA -----	1,220	2	-	-	-	1	-	1	-	4	3	10
WHITE-----MALE----	432	1	-	-	-	1	-	1	-	2	1	3
FEMALE--	694	1	-	-	-	-	-	-	-	2	1	4
ALL OTHER--MALE----	38	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	56	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	27	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	42	-	-	-	-	-	-	-	-	-	-	2
OREGON -----	794	-	-	-	1	-	1	-	1	1	1	4
WHITE-----MALE----	278	-	-	-	-	-	-	-	1	1	-	2
FEMALE--	490	-	-	-	1	-	1	-	-	-	-	1
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	16	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	1	-
PENNSYLVANIA -----	3,558	-	1	2	-	2	-	-	-	5	9	22
WHITE-----MALE----	1,257	-	1	1	-	1	-	-	-	2	2	12
FEMALE--	2,109	-	-	1	-	-	-	-	-	1	4	3
ALL OTHER--MALE----	68	-	-	-	-	1	-	-	-	1	2	5
FEMALE--	124	-	-	-	-	-	-	-	-	1	1	2
BLACK---MALE----	66	-	-	-	-	1	-	-	-	1	2	5
FEMALE--	118	-	-	-	-	-	-	-	-	1	1	2
RHODE ISLAND -----	97	-	-	-	-	-	-	1	-	-	-	1
WHITE-----MALE----	34	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	62	-	-	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	890	1	-	-	-	-	1	3	-	2	11	13
WHITE-----MALE----	244	-	-	-	-	-	-	1	-	1	3	6
FEMALE--	409	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	105	1	-	-	-	-	1	2	-	-	4	5
FEMALE--	132	-	-	-	-	-	-	-	-	1	3	1
BLACK---MALE----	105	1	-	-	-	-	1	2	-	-	4	5
FEMALE--	132	-	-	-	-	-	-	-	-	1	3	1

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 2068

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Heart failure (I50)												
OHIO -----	22	44	71	105	210	333	515	650	484	209	52	-
WHITE-----MALE----	9	15	29	42	89	139	190	202	114	36	5	-
FEMALE--	6	18	31	48	94	168	281	408	354	159	42	-
ALL OTHER--MALE----	6	5	6	8	14	11	16	11	1	-	1	-
FEMALE--	1	6	5	7	13	15	28	29	15	14	4	-
BLACK---MALE-----	6	5	6	8	14	10	15	11	1	-	1	-
FEMALE--	1	6	4	7	12	15	28	28	15	14	4	-
OKLAHOMA -----	16	18	42	56	91	141	206	252	255	96	26	-
WHITE-----MALE----	5	10	19	35	41	62	87	75	67	20	2	-
FEMALE--	8	7	17	13	42	70	101	166	175	68	19	-
ALL OTHER--MALE----	3	1	3	6	6	4	5	2	5	1	-	-
FEMALE--	-	-	3	2	2	5	13	9	8	7	5	-
BLACK---MALE-----	2	1	3	5	5	1	2	1	4	1	-	-
FEMALE--	-	-	3	2	2	3	8	6	7	5	4	-
OREGON -----	5	4	19	19	55	77	145	186	157	102	16	-
WHITE-----MALE----	5	3	9	11	29	33	51	58	42	30	3	-
FEMALE--	-	1	8	7	21	40	90	123	113	71	13	-
ALL OTHER--MALE----	-	-	-	-	3	2	2	2	-	-	-	-
FEMALE--	-	-	2	1	2	2	2	3	2	1	-	-
BLACK---MALE-----	-	-	-	-	3	1	-	2	-	-	-	-
FEMALE--	-	-	-	1	-	1	1	2	1	1	-	-
PENNSYLVANIA -----	26	49	69	102	257	423	663	840	710	315	63	-
WHITE-----MALE----	11	22	27	44	126	216	265	269	192	62	4	-
FEMALE--	7	18	31	48	111	185	365	545	497	238	55	-
ALL OTHER--MALE----	4	5	6	6	8	6	12	6	3	2	1	-
FEMALE--	4	4	5	4	12	16	21	20	18	13	3	-
BLACK---MALE-----	4	5	6	5	7	6	12	6	3	2	1	-
FEMALE--	4	4	5	4	12	16	19	19	15	13	3	-
RHODE ISLAND -----	-	1	5	2	4	16	22	16	21	4	4	-
WHITE-----MALE----	-	1	2	2	2	9	11	1	5	1	-	-
FEMALE--	-	-	2	-	2	7	11	15	16	3	4	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	29	25	38	42	72	122	146	181	130	60	14	-
WHITE-----MALE----	7	7	14	12	18	49	55	32	24	13	2	-
FEMALE--	5	7	10	14	28	42	64	110	79	37	11	-
ALL OTHER--MALE----	10	8	8	9	8	15	12	12	8	2	-	-
FEMALE--	7	3	6	7	18	16	15	27	19	8	1	-
BLACK---MALE-----	10	8	8	9	8	15	12	12	8	2	-	-
FEMALE--	7	3	6	7	18	16	15	27	19	8	1	-



04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 2069

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Heart failure (I50)												
SOUTH DAKOTA -----	2	3	6	6	16	17	29	40	51	39	9	-
WHITE-----MALE----	2	2	3	4	9	10	9	15	16	9	3	-
FEMALE--	-	-	1	1	7	7	17	23	34	29	6	-
ALL OTHER--MALE----	-	-	1	-	-	-	2	-	1	-	-	-
FEMALE--	-	1	1	1	-	-	1	2	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	5	15	18	29	30	81	87	97	85	41	8	-
WHITE-----MALE----	3	6	10	15	13	39	30	30	11	8	-	-
FEMALE--	-	9	4	7	12	35	44	61	63	30	4	-
ALL OTHER--MALE----	1	-	4	3	2	4	6	2	3	-	1	-
FEMALE--	1	-	-	4	3	3	7	4	8	3	3	-
BLACK---MALE----	1	-	4	2	2	4	5	2	3	-	1	-
FEMALE--	1	-	-	4	3	3	7	4	8	3	3	-
TEXAS -----	49	100	130	193	302	463	692	770	649	280	72	-
WHITE-----MALE----	21	46	60	97	133	201	256	237	150	53	11	-
FEMALE--	14	38	49	60	125	203	379	471	461	207	53	-
ALL OTHER--MALE----	9	4	13	25	17	23	24	21	8	6	-	-
FEMALE--	5	12	8	11	27	36	33	41	30	14	8	-
BLACK---MALE----	9	4	13	25	17	22	24	19	8	5	-	-
FEMALE--	5	12	8	11	26	32	29	36	28	13	7	-
UTAH -----	3	6	5	9	24	36	86	106	106	33	5	-
WHITE-----MALE----	3	6	2	3	10	21	33	33	31	8	-	-
FEMALE--	-	-	3	5	14	14	52	70	74	25	5	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	2	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	1	1	4	6	11	13	26	24	12	5	-
WHITE-----MALE----	-	1	-	3	3	5	5	9	9	1	2	-
FEMALE--	-	-	1	1	3	6	8	17	15	11	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	25	23	48	67	113	173	240	284	264	123	20	-
WHITE-----MALE----	9	11	22	31	47	62	93	87	60	17	2	-
FEMALE--	3	3	15	19	36	74	120	161	170	97	15	-
ALL OTHER--MALE----	6	6	3	6	12	21	8	14	9	-	2	-
FEMALE--	7	3	8	11	18	16	19	22	25	9	1	-
BLACK---MALE----	6	6	3	5	12	21	8	13	8	-	2	-
FEMALE--	7	3	8	11	17	16	16	21	24	9	1	-







04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 2071

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Congestive heart failure (I50.0)												
UNITED STATES -	52,828	13	9	5	4	15	11	30	42	90	152	299
WHITE-----MALE----	17,782	8	3	2	1	6	-	8	18	38	52	138
FEMALE--	29,942	3	5	1	2	3	4	10	10	19	33	59
ALL OTHER--MALE----	2,023	2	-	2	1	2	3	9	8	22	33	54
FEMALE--	3,081	-	1	-	-	4	4	3	6	11	34	48
BLACK---MALE-----	1,802	2	-	2	-	2	3	9	7	21	31	52
FEMALE--	2,797	-	1	-	-	4	4	3	6	9	33	47
ALABAMA -----	1,940	1	-	-	-	-	1	3	2	5	11	17
WHITE-----MALE----	611	1	-	-	-	-	-	1	1	2	4	8
FEMALE--	986	-	-	-	-	-	1	-	-	1	1	3
ALL OTHER--MALE----	143	-	-	-	-	-	-	2	1	2	4	4
FEMALE--	200	-	-	-	-	-	-	-	-	-	2	2
BLACK---MALE-----	142	-	-	-	-	-	-	2	1	2	4	4
FEMALE--	198	-	-	-	-	-	-	-	-	-	2	2
ALASKA -----	28	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	599	-	-	-	-	-	-	-	-	1	1	3
WHITE-----MALE----	233	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	347	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	11	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	1,203	-	-	1	-	-	1	-	2	3	3	8
WHITE-----MALE----	419	-	-	1	-	-	-	-	-	1	1	4
FEMALE--	697	-	-	-	-	-	-	-	-	1	-	2
ALL OTHER--MALE----	31	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	56	-	-	-	-	-	1	-	2	-	2	2
BLACK---MALE-----	29	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	56	-	-	-	-	-	1	-	2	-	2	2
CALIFORNIA -----	3,347	1	-	-	1	2	-	3	4	5	9	21
WHITE-----MALE----	1,201	1	-	-	-	-	-	1	2	3	2	5
FEMALE--	1,788	-	-	-	-	1	-	1	-	1	3	5
ALL OTHER--MALE----	171	-	-	-	1	-	-	1	1	1	2	5
FEMALE--	187	-	-	-	-	1	-	-	1	-	2	6
BLACK---MALE-----	88	-	-	-	-	-	-	1	1	-	1	4
FEMALE--	104	-	-	-	-	1	-	-	1	-	1	5

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 2071

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Congestive heart failure (I50.0)												
UNITED STATES -	512	766	1,259	2,045	3,646	6,372	9,545	12,065	10,158	4,681	1,108	1
WHITE-----MALE----	214	354	554	906	1,660	2,726	3,696	3,807	2,564	885	142	-
FEMALE--	145	216	448	754	1,472	2,957	5,036	7,436	6,972	3,492	864	1
ALL OTHER--MALE----	86	102	124	192	247	293	326	260	169	69	19	-
FEMALE--	67	94	133	193	267	396	487	562	453	235	83	-
BLACK---MALE-----	81	97	111	174	224	265	280	226	137	60	18	-
FEMALE--	65	91	123	174	245	360	437	500	410	215	70	-
ALABAMA -----	26	46	60	107	186	223	334	417	333	139	29	-
WHITE-----MALE----	11	16	23	50	86	87	105	114	77	23	2	-
FEMALE--	4	12	17	29	61	93	184	253	220	91	16	-
ALL OTHER--MALE----	6	12	9	15	13	18	20	18	9	9	1	-
FEMALE--	5	6	11	13	26	25	25	32	27	16	10	-
BLACK---MALE-----	6	12	9	15	13	17	20	18	9	9	1	-
FEMALE--	5	6	10	13	26	25	25	31	27	16	10	-
ALASKA -----	-	-	1	1	2	1	8	8	3	4	-	-
WHITE-----MALE----	-	-	-	-	-	-	4	3	2	-	-	-
FEMALE--	-	-	-	-	2	1	2	2	1	4	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	2	2	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
ARIZONA -----	8	7	11	26	42	89	104	146	104	50	6	1
WHITE-----MALE----	5	4	9	15	29	35	45	53	25	10	1	-
FEMALE--	2	3	2	10	8	53	57	91	77	38	4	1
ALL OTHER--MALE----	1	-	-	1	1	-	1	2	1	-	-	-
FEMALE--	-	-	-	-	4	1	1	-	1	2	1	-
BLACK---MALE-----	-	-	-	-	-	-	1	2	1	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	1	-	-
ARKANSAS -----	23	25	32	61	100	128	219	276	215	89	17	-
WHITE-----MALE----	16	15	16	32	49	55	85	74	49	20	1	-
FEMALE--	6	7	12	27	41	66	122	181	153	65	14	-
ALL OTHER--MALE----	1	3	3	2	7	3	4	6	-	1	-	-
FEMALE--	-	-	1	-	3	4	8	15	13	3	2	-
BLACK---MALE-----	1	3	3	1	7	3	4	5	-	1	-	-
FEMALE--	-	-	1	-	3	4	8	15	13	3	2	-
CALIFORNIA -----	29	49	80	130	189	428	599	792	619	294	92	-
WHITE-----MALE----	13	25	40	58	75	188	253	287	160	69	19	-
FEMALE--	9	11	30	47	84	191	290	442	410	202	61	-
ALL OTHER--MALE----	5	7	8	7	19	24	31	26	25	7	1	-
FEMALE--	2	6	2	18	11	25	25	37	24	16	11	-
BLACK---MALE-----	5	5	5	4	10	15	12	9	10	5	1	-
FEMALE--	1	5	1	11	3	16	9	23	13	9	5	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 2072

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Congestive heart failure (I50.0)												
COLORADO -----	616	-	-	-	-	-	-	-	-	2	2	2
WHITE-----MALE----	239	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	362	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	715	-	-	-	-	-	-	-	-	1	1	1
WHITE-----MALE----	233	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	452	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	114	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	38	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	60	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	59	-	-	-	-	-	-	-	-	1	1	-
WHITE-----MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	22	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	21	-	-	-	-	-	-	-	-	1	1	-
FLORIDA -----	1,570	1	-	-	-	-	-	2	1	1	5	11
WHITE-----MALE----	592	1	-	-	-	-	-	-	1	1	2	5
FEMALE--	872	-	-	-	-	-	-	-	-	-	1	3
ALL OTHER--MALE----	48	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	58	-	-	-	-	-	-	2	-	-	1	-
BLACK---MALE----	45	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	55	-	-	-	-	-	-	2	-	-	1	-
GEORGIA -----	1,734	-	1	-	-	1	1	3	5	4	8	16
WHITE-----MALE----	522	-	1	-	-	1	-	1	2	-	2	4
FEMALE--	842	-	-	-	-	-	-	-	2	1	-	2
ALL OTHER--MALE----	141	-	-	-	-	-	-	1	-	2	4	5
FEMALE--	229	-	-	-	-	-	1	1	1	1	2	5
BLACK---MALE----	141	-	-	-	-	-	-	1	-	2	4	5
FEMALE--	227	-	-	-	-	-	1	1	1	1	2	5

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 2072

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Congestive heart failure (I50.0)												
COLORADO -----	7	7	9	24	31	78	114	125	129	76	10	-
WHITE-----MALE----	5	5	3	10	19	40	50	38	42	21	2	-
FEMALE--	2	1	6	11	10	37	63	85	83	55	8	-
ALL OTHER--MALE----	-	1	-	3	1	-	-	1	2	-	-	-
FEMALE--	-	-	-	-	1	1	1	1	2	-	-	-
BLACK---MALE-----	-	-	-	3	1	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	1	1	1	2	-	-	-
CONNECTICUT -----	2	4	11	22	40	71	131	183	150	76	22	-
WHITE-----MALE----	1	-	4	10	20	30	60	58	30	14	3	-
FEMALE--	1	3	4	11	16	38	67	120	114	60	18	-
ALL OTHER--MALE----	-	1	1	1	3	1	1	2	1	2	-	-
FEMALE--	-	-	2	-	1	2	3	3	5	-	1	-
BLACK---MALE-----	-	1	1	1	3	1	1	2	1	1	-	-
FEMALE--	-	-	2	-	1	2	3	2	5	-	1	-
DELAWARE -----	-	2	3	2	5	17	29	22	18	12	3	-
WHITE-----MALE----	-	-	-	-	4	9	8	8	5	2	1	-
FEMALE--	-	1	1	1	-	5	21	12	10	8	1	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	1	-	-	-
FEMALE--	-	1	2	-	1	2	-	2	2	2	1	-
BLACK---MALE-----	-	-	-	1	-	1	-	-	1	-	-	-
FEMALE--	-	1	2	-	1	2	-	2	2	2	1	-
DISTRICT OF COLUMBIA ---	-	3	4	1	1	8	12	11	9	7	1	-
WHITE-----MALE----	-	1	-	-	-	2	2	4	1	2	-	-
FEMALE--	-	-	-	-	-	1	2	1	5	2	-	-
ALL OTHER--MALE----	-	1	3	1	1	3	4	-	-	1	-	-
FEMALE--	-	1	1	-	-	2	4	6	3	2	1	-
BLACK---MALE-----	-	1	3	1	1	3	3	-	-	1	-	-
FEMALE--	-	1	1	-	-	2	4	6	2	2	1	-
FLORIDA -----	10	20	25	39	105	163	250	358	382	164	33	-
WHITE-----MALE----	4	12	9	18	59	64	114	144	119	36	3	-
FEMALE--	6	-	13	13	39	84	122	196	249	121	25	-
ALL OTHER--MALE----	-	3	2	4	3	10	6	7	3	4	2	-
FEMALE--	-	5	1	4	4	5	8	11	11	3	3	-
BLACK---MALE-----	-	3	2	3	3	10	6	6	3	4	1	-
FEMALE--	-	5	1	4	4	4	6	11	11	3	3	-
GEORGIA -----	26	41	58	113	158	244	297	359	285	98	16	-
WHITE-----MALE----	10	18	20	32	68	99	97	97	58	12	-	-
FEMALE--	5	9	19	41	50	99	143	208	186	65	12	-
ALL OTHER--MALE----	5	7	9	15	19	19	21	18	13	1	2	-
FEMALE--	6	7	10	25	21	27	36	36	28	20	2	-
BLACK---MALE-----	5	7	9	15	19	19	21	18	13	1	2	-
FEMALE--	6	7	10	25	21	27	36	35	27	20	2	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES,

1992), RACE, AND SEX ALL UNDER 1 1-4 5-9 10-14 15-19 20-24 25-29 30-34 35-39 40-44 45-49

Congestive heart failure (I50.0)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
HAWAII -----	109	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	18	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	29	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	31	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	31	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	200	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	80	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	119	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	2,669	2	1	-	-	-	1	2	2	3	6	9
WHITE-----MALE----	841	2	-	-	-	-	-	2	1	-	1	3
FEMALE--	1,525	-	1	-	-	-	-	-	1	2	2	1
ALL OTHER--MALE----	113	-	-	-	-	-	-	-	-	1	2	2
FEMALE--	190	-	-	-	-	-	1	-	-	-	1	3
BLACK---MALE-----	108	-	-	-	-	-	-	-	-	1	2	2
FEMALE--	184	-	-	-	-	-	1	-	-	-	1	3
INDIANA -----	1,739	-	-	-	-	-	-	3	1	2	2	9
WHITE-----MALE----	632	-	-	-	-	-	-	-	-	2	2	6
FEMALE--	1,006	-	-	-	-	-	-	2	1	-	-	2
ALL OTHER--MALE----	39	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	62	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	38	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	60	-	-	-	-	-	-	-	-	-	-	1
IOWA -----	302	-	-	-	-	2	-	-	-	-	1	2
WHITE-----MALE----	93	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	206	-	-	-	-	2	-	-	-	-	1	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	904	-	-	-	-	-	-	-	2	-	-	2
WHITE-----MALE----	282	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	595	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE-----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	1	-	-	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 2073

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Congestive heart failure (I50.0)												
HAWAII -----	1	2	3	9	5	8	25	24	22	9	1	-
WHITE-----MALE----	-	-	-	1	1	-	5	5	3	3	-	-
FEMALE--	-	-	-	-	2	3	6	9	7	2	-	-
ALL OTHER--MALE----	1	1	3	4	1	3	9	2	6	1	-	-
FEMALE--	-	1	-	4	1	2	5	8	6	3	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
IDAHO -----	2	2	3	8	14	19	26	52	46	21	7	-
WHITE-----MALE----	1	2	1	1	7	10	12	23	18	4	1	-
FEMALE--	1	-	2	7	7	9	13	29	28	17	6	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	29	44	72	88	180	320	455	609	533	249	64	-
WHITE-----MALE----	10	20	36	34	74	117	172	194	127	39	9	-
FEMALE--	7	10	18	33	74	153	234	370	367	202	50	-
ALL OTHER--MALE----	7	4	10	11	13	17	14	18	9	4	1	-
FEMALE--	5	10	8	10	19	33	35	27	30	4	4	-
BLACK---MALE----	6	4	10	11	11	17	14	18	8	3	1	-
FEMALE--	5	10	8	10	19	31	34	26	28	4	4	-
INDIANA -----	4	18	39	56	143	240	347	402	308	138	27	-
WHITE-----MALE----	2	7	15	26	67	105	143	140	82	30	5	-
FEMALE--	1	10	15	23	62	118	182	248	220	100	22	-
ALL OTHER--MALE----	1	-	4	4	9	5	8	5	-	2	-	-
FEMALE--	-	1	5	3	5	12	14	9	6	6	-	-
BLACK---MALE----	1	-	3	4	9	5	8	5	-	2	-	-
FEMALE--	-	1	5	3	5	12	14	8	5	6	-	-
IOWA -----	1	2	5	10	11	28	69	63	67	30	11	-
WHITE-----MALE----	-	2	2	1	6	17	28	16	16	4	-	-
FEMALE--	1	-	3	9	5	11	40	46	51	25	11	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	1	-	-
KANSAS -----	6	6	22	26	45	81	155	201	225	105	28	-
WHITE-----MALE----	5	3	10	9	29	31	60	58	48	20	6	-
FEMALE--	1	3	10	15	14	50	89	139	169	84	21	-
ALL OTHER--MALE----	-	-	1	2	1	-	3	2	-	1	-	-
FEMALE--	-	-	1	-	1	-	3	2	8	-	1	-
BLACK---MALE----	-	-	1	2	1	-	3	2	-	1	-	-
FEMALE--	-	-	1	-	-	-	3	-	4	-	1	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 2074

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Congestive heart failure (I50.0)												
KENTUCKY -----	1,377	-	-	-	1	-	-	-	1	5	3	18
WHITE-----MALE----	457	-	-	-	1	-	-	-	-	4	1	12
FEMALE--	840	-	-	-	-	-	-	-	1	1	2	3
ALL OTHER--MALE----	31	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	49	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	30	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	47	-	-	-	-	-	-	-	-	-	-	1
LOUISIANA -----	1,103	-	-	-	-	-	-	-	2	4	10	9
WHITE-----MALE----	316	-	-	-	-	-	-	-	1	-	2	2
FEMALE--	519	-	-	-	-	-	-	-	-	-	4	-
ALL OTHER--MALE----	95	-	-	-	-	-	-	-	1	2	1	4
FEMALE--	173	-	-	-	-	-	-	-	-	2	3	3
BLACK---MALE----	93	-	-	-	-	-	-	-	1	2	1	4
FEMALE--	173	-	-	-	-	-	-	-	-	2	3	3
MAINE -----	258	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	93	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	164	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	741	-	-	-	-	-	-	-	2	1	3	3
WHITE-----MALE----	224	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	387	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	52	-	-	-	-	-	-	-	1	1	1	1
FEMALE--	78	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	51	-	-	-	-	-	-	-	1	1	1	1
FEMALE--	74	-	-	-	-	-	-	-	1	-	-	1
MASSACHUSETTS -----	1,739	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	581	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1,103	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	22	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	33	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	19	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	28	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	2,213	-	-	-	1	1	1	-	3	3	7	10
WHITE-----MALE----	781	-	-	-	-	-	-	-	2	1	3	7
FEMALE--	1,259	-	-	-	1	-	-	-	-	1	3	1
ALL OTHER--MALE----	72	-	-	-	-	1	1	-	1	-	-	1
FEMALE--	101	-	-	-	-	-	-	-	-	1	1	1
BLACK---MALE----	69	-	-	-	-	1	1	-	1	-	-	1
FEMALE--	93	-	-	-	-	-	-	-	-	1	1	1

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 2074

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Congestive heart failure (I50.0)												
KENTUCKY -----	18	27	49	66	102	202	256	287	221	97	24	-
WHITE-----MALE----	12	16	19	33	41	87	84	79	51	15	2	-
FEMALE--	4	5	26	29	54	101	162	194	158	78	22	-
ALL OTHER--MALE----	1	4	2	1	2	6	2	6	4	1	-	-
FEMALE--	1	2	2	3	5	8	8	8	8	3	-	-
BLACK---MALE-----	1	4	2	1	2	5	2	6	4	1	-	-
FEMALE--	1	2	2	3	5	6	8	8	8	3	-	-
LOUISIANA -----	19	26	45	56	91	152	200	233	168	78	10	-
WHITE-----MALE----	1	10	21	14	40	53	73	52	33	13	1	-
FEMALE--	6	5	5	18	28	69	88	136	104	52	4	-
ALL OTHER--MALE----	2	6	8	7	10	11	13	19	7	3	1	-
FEMALE--	10	5	11	17	13	19	26	26	24	10	4	-
BLACK---MALE-----	2	6	7	7	10	10	13	19	7	3	1	-
FEMALE--	10	5	11	17	13	19	26	26	24	10	4	-
MAINE -----	4	4	3	7	15	35	50	61	43	24	12	-
WHITE-----MALE----	1	3	2	4	10	15	21	23	6	7	1	-
FEMALE--	3	1	1	3	5	20	28	38	37	17	11	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	9	11	14	27	57	85	126	189	135	66	13	-
WHITE-----MALE----	-	2	3	12	22	35	42	60	28	17	1	-
FEMALE--	1	4	5	7	25	32	60	106	93	42	11	-
ALL OTHER--MALE----	3	3	2	6	7	6	12	2	4	2	1	-
FEMALE--	5	2	4	2	3	12	12	21	10	5	-	-
BLACK---MALE-----	3	3	2	6	7	6	12	2	3	2	1	-
FEMALE--	4	2	4	1	3	12	11	20	10	5	-	-
MASSACHUSETTS -----	9	10	18	43	81	162	348	444	381	194	48	-
WHITE-----MALE----	4	7	7	24	48	77	144	143	90	31	6	-
FEMALE--	5	2	9	16	27	71	196	293	284	158	41	-
ALL OTHER--MALE----	-	1	-	1	4	8	3	2	2	1	-	-
FEMALE--	-	-	2	2	2	6	5	6	5	4	1	-
BLACK---MALE-----	-	1	-	1	4	6	3	2	2	-	-	-
FEMALE--	-	-	2	2	2	5	3	5	4	4	1	-
MICHIGAN -----	12	21	39	80	154	261	412	535	423	195	55	-
WHITE-----MALE----	5	10	19	41	72	113	159	170	120	50	9	-
FEMALE--	2	8	13	26	65	123	217	336	288	132	43	-
ALL OTHER--MALE----	4	1	3	3	12	11	16	11	4	2	1	-
FEMALE--	1	2	4	10	5	14	20	18	11	11	2	-
BLACK---MALE-----	4	1	3	3	11	11	15	10	4	2	1	-
FEMALE--	1	2	4	8	5	12	19	16	10	11	2	-





04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 2075

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Congestive heart failure (I50.0)												
MINNESOTA -----	4	5	8	23	40	99	184	254	231	120	37	-
WHITE-----MALE----	1	2	3	14	23	57	82	96	78	25	4	-
FEMALE--	3	2	4	9	16	40	96	153	151	95	33	-
ALL OTHER--MALE----	-	1	1	-	1	2	4	2	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	3	2	-	-	-
BLACK---MALE-----	-	1	1	-	-	1	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	2	-	-	-
MISSISSIPPI -----	18	32	35	53	92	167	202	249	221	89	26	-
WHITE-----MALE----	5	9	11	14	30	50	56	45	37	6	1	-
FEMALE--	4	5	11	13	35	68	101	145	137	53	17	-
ALL OTHER--MALE----	5	12	5	14	12	16	21	16	13	7	2	-
FEMALE--	4	6	8	12	15	33	24	43	34	23	6	-
BLACK---MALE-----	5	12	5	14	12	16	21	16	13	7	2	-
FEMALE--	4	6	8	12	15	32	24	43	34	23	6	-
MISSOURI -----	11	19	30	58	80	171	221	299	273	123	31	-
WHITE-----MALE----	5	9	19	23	43	80	95	89	78	21	5	-
FEMALE--	5	7	10	25	23	79	113	194	189	100	25	-
ALL OTHER--MALE----	1	-	-	7	11	6	5	3	2	-	1	-
FEMALE--	-	3	1	3	3	6	8	13	4	2	-	-
BLACK---MALE-----	1	-	-	6	11	6	5	3	2	-	1	-
FEMALE--	-	3	1	3	3	6	8	13	4	2	-	-
MONTANA -----	3	3	3	9	22	32	52	78	61	28	9	-
WHITE-----MALE----	2	2	3	6	13	12	30	33	22	5	-	-
FEMALE--	1	1	-	3	7	19	22	42	38	23	9	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	2	1	-	2	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	1	-	4	10	21	47	93	120	110	70	21	-
WHITE-----MALE----	-	-	3	6	7	26	36	40	42	10	3	-
FEMALE--	-	-	1	3	14	20	55	77	68	60	17	-
ALL OTHER--MALE----	1	-	-	-	-	1	2	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	2	-	-	1	-
BLACK---MALE-----	1	-	-	-	-	1	2	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	2	-	-	1	-
NEVADA -----	5	7	12	28	42	57	68	74	77	27	4	-
WHITE-----MALE----	2	6	7	11	24	30	30	25	22	4	-	-
FEMALE--	2	1	3	14	13	26	35	44	53	22	4	-
ALL OTHER--MALE----	1	-	1	1	3	-	2	1	-	1	-	-
FEMALE--	-	-	1	2	2	1	1	4	2	-	-	-
BLACK---MALE-----	1	-	-	1	1	-	1	1	-	-	-	-
FEMALE--	-	-	1	1	1	1	1	2	2	-	-	-





04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 2077

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Congestive heart failure (I50.0)												
OHIO -----	2,575	-	-	1	-	1	-	1	1	3	6	9
WHITE-----MALE----	826	-	-	-	-	-	-	-	-	-	4	3
FEMALE--	1,544	-	-	-	-	-	-	1	-	-	-	4
ALL OTHER--MALE----	77	-	-	1	-	-	-	-	1	2	1	1
FEMALE--	128	-	-	-	-	1	-	-	-	1	1	1
BLACK---MALE----	75	-	-	1	-	-	-	-	1	2	1	1
FEMALE--	125	-	-	-	-	1	-	-	-	1	1	1
OKLAHOMA -----	1,077	1	-	-	-	1	-	1	-	2	2	9
WHITE-----MALE----	387	1	-	-	-	1	-	1	-	1	-	3
FEMALE--	610	-	-	-	-	-	-	-	-	1	1	4
ALL OTHER--MALE----	33	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	47	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	24	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	35	-	-	-	-	-	-	-	-	-	-	1
OREGON -----	755	-	-	-	1	-	1	-	1	1	1	3
WHITE-----MALE----	263	-	-	-	-	-	-	-	1	1	-	1
FEMALE--	467	-	-	-	1	-	1	-	-	-	-	1
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	15	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	1	-
PENNSYLVANIA -----	3,236	-	-	-	-	2	-	-	-	4	6	18
WHITE-----MALE----	1,135	-	-	-	-	1	-	-	-	2	-	10
FEMALE--	1,930	-	-	-	-	-	-	-	-	-	4	1
ALL OTHER--MALE----	58	-	-	-	-	1	-	-	-	1	2	5
FEMALE--	113	-	-	-	-	-	-	-	-	1	-	2
BLACK---MALE----	56	-	-	-	-	1	-	-	-	1	2	5
FEMALE--	107	-	-	-	-	-	-	-	-	1	-	2
RHODE ISLAND -----	89	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	33	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	56	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	813	1	-	-	-	-	1	2	-	2	9	9
WHITE-----MALE----	213	-	-	-	-	-	-	-	-	1	3	3
FEMALE--	383	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	97	1	-	-	-	-	1	2	-	-	3	4
FEMALE--	120	-	-	-	-	-	-	-	-	1	2	1
BLACK---MALE----	97	1	-	-	-	-	1	2	-	-	3	4
FEMALE--	120	-	-	-	-	-	-	-	-	1	2	1

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 2077

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Congestive heart failure (I50.0)												
OHIO -----	17	33	68	97	194	316	494	629	460	197	48	-
WHITE-----MALE----	8	11	28	39	81	129	181	194	110	33	5	-
FEMALE--	6	12	30	44	88	164	273	397	336	150	39	-
ALL OTHER--MALE----	3	4	6	8	13	10	14	11	1	-	1	-
FEMALE--	-	6	4	6	12	13	26	27	13	14	3	-
BLACK---MALE----	3	4	6	8	13	9	13	11	1	-	1	-
FEMALE--	-	6	3	6	11	13	26	26	13	14	3	-
OKLAHOMA -----	10	13	31	53	76	131	183	225	227	89	23	-
WHITE-----MALE----	3	9	13	32	34	58	75	72	63	19	2	-
FEMALE--	6	4	12	13	36	66	93	142	153	63	16	-
ALL OTHER--MALE----	1	-	3	6	6	3	5	2	4	1	-	-
FEMALE--	-	-	3	2	-	4	10	9	7	6	5	-
BLACK---MALE----	1	-	3	5	5	1	2	1	3	1	-	-
FEMALE--	-	-	3	2	-	3	6	6	6	4	4	-
OREGON -----	5	2	18	18	55	73	137	175	152	96	16	-
WHITE-----MALE----	5	2	8	10	29	32	48	54	41	28	3	-
FEMALE--	-	-	8	7	21	38	85	116	109	67	13	-
ALL OTHER--MALE----	-	-	-	-	3	2	2	2	-	-	-	-
FEMALE--	-	-	2	1	2	1	2	3	2	1	-	-
BLACK---MALE----	-	-	-	-	3	1	-	2	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	2	1	1	-	-
PENNSYLVANIA -----	18	38	55	90	226	377	606	777	666	294	59	-
WHITE-----MALE----	5	17	22	37	114	191	241	252	184	55	4	-
FEMALE--	6	13	24	43	97	170	335	501	461	224	51	-
ALL OTHER--MALE----	3	4	5	6	6	5	9	5	3	2	1	-
FEMALE--	4	4	4	4	9	11	21	19	18	13	3	-
BLACK---MALE----	3	4	5	5	5	5	9	5	3	2	1	-
FEMALE--	4	4	4	4	9	11	19	18	15	13	3	-
RHODE ISLAND -----	-	1	4	2	3	15	20	15	21	4	4	-
WHITE-----MALE----	-	1	2	2	2	8	11	1	5	1	-	-
FEMALE--	-	-	2	-	1	7	9	14	16	3	4	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	25	22	34	37	67	111	132	171	120	59	11	-
WHITE-----MALE----	5	7	12	9	15	45	47	30	22	13	1	-
FEMALE--	5	6	10	14	26	39	59	103	74	36	9	-
ALL OTHER--MALE----	9	7	7	8	8	14	11	12	8	2	-	-
FEMALE--	6	2	5	6	18	13	15	26	16	8	1	-
BLACK---MALE----	9	7	7	8	8	14	11	12	8	2	-	-
FEMALE--	6	2	5	6	18	13	15	26	16	8	1	-



04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 2078

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Congestive heart failure (I50.0)

SOUTH DAKOTA -----	1	3	4	5	13	17	27	36	43	37	8	-
WHITE-----MALE----	1	2	1	3	8	10	8	15	13	9	3	-
FEMALE--	-	-	1	1	5	7	16	20	29	27	5	-
ALL OTHER--MALE----	-	-	1	-	-	-	2	-	1	-	-	-
FEMALE--	-	1	1	1	-	-	1	1	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	5	13	16	26	26	74	77	91	83	40	7	-
WHITE-----MALE----	3	5	8	14	10	35	26	28	11	8	-	-
FEMALE--	-	8	4	5	12	33	38	57	61	29	4	-
ALL OTHER--MALE----	1	-	4	3	1	3	6	2	3	-	1	-
FEMALE--	1	-	-	4	3	3	7	4	8	3	2	-
BLACK---MALE----	1	-	4	2	1	3	5	2	3	-	1	-
FEMALE--	1	-	-	4	3	3	7	4	8	3	2	-
TEXAS -----	41	88	110	177	276	434	659	743	617	266	62	-
WHITE-----MALE----	16	40	51	87	120	188	241	230	147	51	10	-
FEMALE--	14	33	42	57	116	191	365	455	433	197	46	-
ALL OTHER--MALE----	7	4	10	23	16	22	21	20	8	6	-	-
FEMALE--	4	11	7	10	24	33	32	38	29	12	6	-
BLACK---MALE----	7	4	10	23	16	21	21	18	8	5	-	-
FEMALE--	4	11	7	10	23	30	29	33	27	12	5	-
UTAH -----	3	4	4	8	23	35	83	105	105	32	5	-
WHITE-----MALE----	3	4	2	3	9	20	32	33	31	8	-	-
FEMALE--	-	-	2	4	14	14	50	69	73	24	5	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	2	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	1	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	1	1	4	6	11	13	25	24	12	5	-
WHITE-----MALE----	-	1	-	3	3	5	5	9	9	1	2	-
FEMALE--	-	-	1	1	3	6	8	16	15	11	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	19	13	34	56	95	147	204	248	233	112	15	-
WHITE-----MALE----	8	7	15	25	40	52	84	78	50	15	2	-
FEMALE--	2	1	13	16	28	65	101	139	152	89	10	-
ALL OTHER--MALE----	4	2	1	5	11	16	5	11	8	-	2	-
FEMALE--	5	3	5	10	16	14	14	20	23	8	1	-
BLACK---MALE----	4	2	1	4	11	16	5	10	7	-	2	-
FEMALE--	5	3	5	10	15	14	12	19	23	8	1	-









04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 2080

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified heart failure (I50.1-I50.9)												
UNITED STATES -	89	160	189	225	358	507	710	728	577	290	101	-
WHITE-----MALE----	45	75	93	115	168	235	305	231	139	62	9	-
FEMALE--	14	48	54	74	128	190	321	429	388	206	77	-
ALL OTHER--MALE----	16	25	20	22	34	46	45	22	14	4	2	-
FEMALE--	14	12	22	14	28	36	39	46	36	18	13	-
BLACK---MALE-----	15	24	19	21	32	38	40	20	11	3	2	-
FEMALE--	13	11	22	13	27	34	32	41	31	17	10	-
ALABAMA -----	9	11	24	23	29	38	40	36	36	23	7	-
WHITE-----MALE----	7	5	11	11	10	12	10	7	6	5	1	-
FEMALE--	-	1	4	6	8	17	21	22	22	11	5	-
ALL OTHER--MALE----	1	2	4	4	7	8	5	1	2	1	1	-
FEMALE--	1	3	5	2	4	1	4	6	6	6	-	-
BLACK---MALE-----	1	2	4	4	7	8	5	1	2	1	1	-
FEMALE--	1	3	5	2	4	1	4	6	6	6	-	-
ALASKA -----	-	-	-	-	-	-	1	2	-	-	1	-
WHITE-----MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	1	-	3	4	4	5	7	5	2	-	-
WHITE-----MALE----	1	1	-	2	1	2	1	1	-	-	-	-
FEMALE--	-	-	-	1	2	-	3	6	4	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ARKANSAS -----	-	2	2	1	5	4	8	17	8	5	1	-
WHITE-----MALE----	-	2	1	-	-	2	3	8	2	1	-	-
FEMALE--	-	-	-	1	4	2	5	9	6	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
CALIFORNIA -----	2	1	5	6	4	4	17	19	13	9	4	-
WHITE-----MALE----	1	-	2	2	-	4	8	8	3	3	1	-
FEMALE--	1	1	3	3	3	-	9	7	9	6	3	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	3	1	-	-	-
BLACK---MALE-----	-	-	-	1	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-



04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 2081

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified heart failure (I50.1-I50.9)												
COLORADO -----	3	1	-	3	7	9	7	11	12	9	2	-
WHITE-----MALE----	-	-	-	1	4	5	4	5	6	2	-	-
FEMALE--	2	1	-	2	3	4	3	6	6	7	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	1	2	4	10	8	14	14	9	5	-	-
WHITE-----MALE----	-	1	1	4	6	3	5	6	2	-	-	-
FEMALE--	-	-	-	-	3	5	7	7	5	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	1	-	-	-	-
DELAWARE -----	-	-	-	1	-	1	-	2	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	-	-	-	1	-	-	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	2	7	2	5	10	15	24	27	22	13	3	-
WHITE-----MALE----	-	5	-	4	4	6	11	12	6	3	-	-
FEMALE--	-	1	2	1	5	7	11	11	15	10	3	-
ALL OTHER--MALE----	2	-	-	-	1	1	2	4	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	1	-	-	-
BLACK---MALE----	2	-	-	-	1	1	2	4	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	1	-	-	-
GEORGIA -----	5	13	9	10	18	41	46	47	35	14	7	-
WHITE-----MALE----	1	6	5	5	8	15	12	12	9	-	1	-
FEMALE--	-	3	2	3	4	15	22	19	20	10	2	-
ALL OTHER--MALE----	2	3	1	1	3	6	2	4	1	1	1	-
FEMALE--	2	1	1	1	3	5	10	12	5	3	3	-
BLACK---MALE----	2	3	1	1	3	6	2	4	1	1	1	-
FEMALE--	2	1	1	1	3	5	10	12	5	3	3	-



04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 2082

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified heart failure (I50.1-I50.9)												
HAWAII -----	-	-	-	1	1	4	7	5	3	-	1	-
WHITE-----MALE----	-	-	-	-	-	-	1	2	-	-	-	-
FEMALE--	-	-	-	-	-	2	3	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	2	1	2	3	-	-	-
FEMALE--	-	-	-	-	1	-	2	1	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	-	-	2	-	-	3	2	2	1	-
WHITE-----MALE----	-	-	-	-	1	-	-	2	1	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	1	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	-	6	9	15	16	20	25	30	24	16	4	-
WHITE-----MALE----	-	1	2	10	7	11	10	13	6	3	-	-
FEMALE--	-	2	5	2	7	5	11	16	16	12	3	-
ALL OTHER--MALE----	-	2	-	2	2	2	3	-	-	-	-	-
FEMALE--	-	1	2	1	-	2	1	1	2	1	1	-
BLACK---MALE----	-	2	-	2	2	2	3	-	-	-	-	-
FEMALE--	-	1	2	1	-	2	1	1	2	1	1	-
INDIANA -----	2	6	4	9	5	10	21	15	13	3	-	-
WHITE-----MALE----	1	4	3	3	3	4	12	6	3	-	-	-
FEMALE--	1	2	-	5	1	4	6	9	10	3	-	-
ALL OTHER--MALE----	-	-	-	1	1	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	2	-	-	-	-	-
BLACK---MALE----	-	-	-	1	1	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	2	-	-	-	-	-
IOWA -----	1	-	-	-	2	4	5	3	5	1	3	-
WHITE-----MALE----	1	-	-	-	2	2	1	1	1	-	1	-
FEMALE--	-	-	-	-	-	2	4	2	4	1	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	2	-	-	-	1	6	7	9	6	9	1	-
WHITE-----MALE----	1	-	-	-	-	3	2	2	1	3	-	-
FEMALE--	-	-	-	-	1	2	4	6	5	6	1	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-





04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 2083

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified heart failure (I50.1-I50.9)												
KENTUCKY -----	6	2	4	3	13	9	9	16	5	5	3	-
WHITE-----MALE----	4	2	3	1	9	6	5	7	1	1	-	-
FEMALE--	2	-	1	2	3	3	4	8	4	4	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	1	-
LOUISIANA -----	1	1	3	6	5	7	8	5	5	3	-	-
WHITE-----MALE----	-	-	1	-	3	2	6	2	1	1	-	-
FEMALE--	-	1	1	3	1	3	1	2	2	1	-	-
ALL OTHER--MALE----	-	-	-	3	1	-	1	-	-	-	-	-
FEMALE--	1	-	1	-	-	2	-	1	2	1	-	-
BLACK---MALE----	-	-	-	3	1	-	1	-	-	-	-	-
FEMALE--	1	-	1	-	-	2	-	1	2	1	-	-
MAINE -----	-	-	1	3	1	4	3	3	-	4	1	-
WHITE-----MALE----	-	-	1	1	1	1	2	2	-	1	-	-
FEMALE--	-	-	-	2	-	3	1	1	-	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	2	1	2	1	1	4	3	3	1	-	-
WHITE-----MALE----	-	-	-	-	1	1	1	1	1	-	-	-
FEMALE--	-	1	1	1	-	-	2	1	2	-	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	1	-	-
BLACK---MALE----	-	1	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	1	-	-
MASSACHUSETTS -----	2	4	6	4	15	18	35	37	28	17	3	-
WHITE-----MALE----	1	2	3	2	8	11	19	13	5	4	-	-
FEMALE--	1	1	3	2	6	7	15	24	21	13	3	-
ALL OTHER--MALE----	-	1	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	-	-	-
BLACK---MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	-	-	-
MICHIGAN -----	-	6	3	6	10	17	27	23	10	6	1	-
WHITE-----MALE----	-	3	-	2	5	11	9	5	5	3	-	-
FEMALE--	-	2	2	3	2	6	13	16	4	3	1	-
ALL OTHER--MALE----	-	1	1	1	1	-	4	1	-	-	-	-
FEMALE--	-	-	-	-	2	-	1	1	1	-	-	-
BLACK---MALE----	-	1	1	1	1	-	4	1	-	-	-	-
FEMALE--	-	-	-	-	2	-	1	1	1	-	-	-











04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 2086

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified heart failure (I50.1-I50.9)												
OHIO -----	5	11	3	8	16	17	21	21	24	12	4	-
WHITE-----MALE----	1	4	1	3	8	10	9	8	4	3	-	-
FEMALE--	-	6	1	4	6	4	8	11	18	9	3	-
ALL OTHER--MALE----	3	1	-	-	1	1	2	-	-	-	-	-
FEMALE--	1	-	1	1	1	2	2	2	2	-	1	-
BLACK---MALE----	3	1	-	-	1	1	2	-	-	-	-	-
FEMALE--	1	-	1	1	1	2	2	2	2	-	1	-
OKLAHOMA -----	6	5	11	3	15	10	23	27	28	7	3	-
WHITE-----MALE----	2	1	6	3	7	4	12	3	4	1	-	-
FEMALE--	2	3	5	-	6	4	8	24	22	5	3	-
ALL OTHER--MALE----	2	1	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	2	1	3	-	1	1	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	2	-	2	-	1	1	-	-
OREGON -----	-	2	1	1	-	4	8	11	5	6	-	-
WHITE-----MALE----	-	1	1	1	-	1	3	4	1	2	-	-
FEMALE--	-	1	-	-	-	2	5	7	4	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
PENNSYLVANIA -----	8	11	14	12	31	46	57	63	44	21	4	-
WHITE-----MALE----	6	5	5	7	12	25	24	17	8	7	-	-
FEMALE--	1	5	7	5	14	15	30	44	36	14	4	-
ALL OTHER--MALE----	1	1	1	-	2	1	3	1	-	-	-	-
FEMALE--	-	-	1	-	3	5	-	1	-	-	-	-
BLACK---MALE----	1	1	1	-	2	1	3	1	-	-	-	-
FEMALE--	-	-	1	-	3	5	-	1	-	-	-	-
RHODE ISLAND -----	-	-	1	-	1	1	2	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	4	3	4	5	5	11	14	10	10	1	3	-
WHITE-----MALE----	2	-	2	3	3	4	8	2	2	-	1	-
FEMALE--	-	1	-	-	2	3	5	7	5	1	2	-
ALL OTHER--MALE----	1	1	1	1	-	1	1	-	-	-	-	-
FEMALE--	1	1	1	1	-	3	-	1	3	-	-	-
BLACK---MALE----	1	1	1	1	-	1	1	-	-	-	-	-
FEMALE--	1	1	1	1	-	3	-	1	3	-	-	-





04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 2087

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other and unspecified heart failure (I50.1-I50.9)												
SOUTH DAKOTA -----	1	-	2	1	3	-	2	4	8	2	1	-
WHITE-----MALE----	1	-	2	1	1	-	1	-	3	-	-	-
FEMALE--	-	-	-	-	2	-	1	3	5	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	-	2	2	3	4	7	10	6	2	1	1	-
WHITE-----MALE----	-	1	2	1	3	4	4	2	-	-	-	-
FEMALE--	-	1	-	2	-	2	6	4	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	1	-
TEXAS -----	8	12	20	16	26	29	33	27	32	14	10	-
WHITE-----MALE----	5	6	9	10	13	13	15	7	3	2	1	-
FEMALE--	-	5	7	3	9	12	14	16	28	10	7	-
ALL OTHER--MALE----	2	-	3	2	1	1	3	1	-	-	-	-
FEMALE--	1	1	1	1	3	3	1	3	1	2	2	-
BLACK---MALE----	2	-	3	2	1	1	3	1	-	-	-	-
FEMALE--	1	1	1	1	3	2	-	3	1	1	2	-
UTAH -----	-	2	1	1	1	1	3	1	1	1	-	-
WHITE-----MALE----	-	2	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	2	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	6	10	14	11	18	26	36	36	31	11	5	-
WHITE-----MALE----	1	4	7	6	7	10	9	9	10	2	-	-
FEMALE--	1	2	2	3	8	9	19	22	18	8	5	-
ALL OTHER--MALE----	2	4	2	1	1	5	3	3	1	-	-	-
FEMALE--	2	-	3	1	2	2	5	2	2	1	-	-
BLACK---MALE----	2	4	2	1	1	5	3	3	1	-	-	-
FEMALE--	2	-	3	1	2	2	4	2	1	1	-	-









[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Myocarditis, unspecified and myocardial degeneration (I51.4-I51.5)												
COLORADO -----	12	-	1	1	-	-	1	1	-	1	3	-
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	6	-	1	-	-	-	1	1	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
CONNECTICUT -----	7	-	-	-	-	-	1	-	1	1	1	1
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	1	-	-	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
DELAWARE -----	1	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	3	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
FLORIDA -----	54	1	2	-	1	2	3	1	2	4	3	5
WHITE-----MALE----	22	-	-	-	-	1	2	-	-	3	2	4
FEMALE--	21	-	1	-	-	1	-	-	-	-	-	1
ALL OTHER--MALE----	6	1	-	-	1	-	1	-	1	1	-	-
FEMALE--	5	-	1	-	-	-	-	1	1	-	1	-
BLACK---MALE----	5	-	-	-	1	-	1	-	1	1	-	-
FEMALE--	4	-	-	-	-	-	-	1	1	-	1	-
GEORGIA -----	22	-	1	-	-	-	-	2	1	2	6	-
WHITE-----MALE----	7	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	3	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	7	-	-	-	-	-	-	2	1	1	2	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	7	-	-	-	-	-	-	2	1	1	2	-













04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 2093

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

ALL AGES UNDER 1 YEAR 1-4 YEARS 5-9 YEARS 10-14 YEARS 15-19 YEARS 20-24 YEARS 25-29 YEARS 30-34 YEARS 35-39 YEARS 40-44 YEARS 45-49 YEARS

Myocarditis, unspecified and myocardial degeneration (I51.4-I51.5)

Table with columns for state (MINNESOTA, MISSISSIPPI, MISSOURI, MONTANA, NEBRASKA, NEVADA), race (WHITE, ALL OTHER, BLACK), and sex (MALE, FEMALE). Rows show death counts for various age groups (ALL AGES, UNDER 1 YEAR, 1-4 YEARS, 5-9 YEARS, 10-14 YEARS, 15-19 YEARS, 20-24 YEARS, 25-29 YEARS, 30-34 YEARS, 35-39 YEARS, 40-44 YEARS, 45-49 YEARS).









04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 2095

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Myocarditis, unspecified and myocardial degeneration (I51.4-I51.5)												
OHIO -----	48	2	1	-	-	2	-	1	2	2	4	4
WHITE-----MALE----	16	-	-	-	-	1	-	-	-	2	1	-
FEMALE--	17	-	1	-	-	-	-	-	2	-	2	1
ALL OTHER--MALE----	8	-	-	-	-	1	-	-	-	-	1	2
FEMALE--	7	2	-	-	-	-	-	1	-	-	-	1
BLACK---MALE----	7	-	-	-	-	1	-	-	-	-	1	2
FEMALE--	7	2	-	-	-	-	-	1	-	-	-	1
OKLAHOMA -----	6	-	1	-	-	-	1	-	-	1	-	-
WHITE-----MALE----	3	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	7	-	-	1	-	-	1	-	1	-	1	-
WHITE-----MALE----	5	-	-	1	-	-	-	-	1	-	1	-
FEMALE--	2	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	36	-	-	-	1	2	2	1	3	3	1	3
WHITE-----MALE----	21	-	-	-	1	1	2	-	3	2	-	2
FEMALE--	11	-	-	-	-	1	-	1	-	1	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
RHODE ISLAND -----	9	-	1	-	-	-	-	1	1	2	1	2
WHITE-----MALE----	5	-	1	-	-	-	-	-	-	2	1	-
FEMALE--	3	-	-	-	-	-	-	1	1	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	11	-	1	-	-	1	-	-	2	1	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	3	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	2	-	1	-	-	-	-	-	1	-	-	-
BLACK---MALE----	3	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-



04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 2096

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Myocarditis, unspecified and myocardial degeneration (I51.4-I51.5)												
SOUTH DAKOTA -----	-	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	17	1	-	-	1	-	1	-	-	1	-	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	1	-	-	-	-	1	-	-
ALL OTHER--MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	1	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	1	-	-	-	-	-
TEXAS -----	55	6	6	2	1	2	2	2	3	5	1	4
WHITE-----MALE----	15	2	1	-	-	1	1	-	1	2	-	-
FEMALE--	26	2	2	1	1	1	1	1	-	3	1	3
ALL OTHER--MALE----	10	2	3	-	-	-	-	1	1	-	-	1
FEMALE--	4	-	-	1	-	-	-	-	1	-	-	-
BLACK---MALE----	10	2	3	-	-	-	-	1	1	-	-	1
FEMALE--	4	-	-	1	-	-	-	-	1	-	-	-
UTAH -----	21	1	1	-	-	1	1	1	2	3	4	1
WHITE-----MALE----	14	1	1	-	-	-	1	-	1	2	3	1
FEMALE--	7	-	-	-	-	1	-	1	1	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	2	-	-	-	-	1	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	19	2	1	-	-	-	-	1	2	4	-	-
WHITE-----MALE----	7	-	1	-	-	-	-	-	-	1	-	-
FEMALE--	7	1	-	-	-	-	-	1	1	2	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	1	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	1	-	-	-	-	-	-	1	-	-	-









04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 2098

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other and ill-defined forms of heart disease (I51.0-I51.3,I51.6-I51.9)												
UNITED STATES -	369	403	460	541	794	1,068	1,306	1,397	985	428	110	-
WHITE-----MALE----	199	210	260	290	402	468	497	453	224	83	18	-
FEMALE--	70	97	122	154	264	439	669	795	673	301	72	-
ALL OTHER--MALE----	54	57	46	52	75	77	58	53	19	10	3	-
FEMALE--	46	39	32	45	53	84	82	96	69	34	17	-
BLACK---MALE-----	49	54	41	43	65	62	49	47	17	8	2	-
FEMALE--	42	33	30	44	48	75	70	88	64	30	17	-
ALABAMA -----	16	16	20	21	37	45	58	51	39	16	4	-
WHITE-----MALE----	7	9	12	11	17	13	23	10	7	3	2	-
FEMALE--	3	3	5	5	13	18	28	27	25	6	2	-
ALL OTHER--MALE----	3	4	1	3	5	6	4	6	2	3	-	-
FEMALE--	3	-	2	2	2	8	3	8	5	4	-	-
BLACK---MALE-----	3	4	1	3	5	6	4	6	2	3	-	-
FEMALE--	3	-	2	2	2	8	3	8	5	4	-	-
ALASKA -----	3	7	1	5	8	5	1	1	-	-	-	-
WHITE-----MALE----	2	3	1	3	4	3	-	-	-	-	-	-
FEMALE--	-	4	-	1	2	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	1	2	2	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	5	6	5	7	8	13	14	13	16	6	-	-
WHITE-----MALE----	3	3	3	4	5	5	7	8	5	2	-	-
FEMALE--	1	3	1	2	1	5	6	4	11	4	-	-
ALL OTHER--MALE----	-	-	1	1	2	2	-	1	-	-	-	-
FEMALE--	1	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	-	-	-	-	-	-
ARKANSAS -----	5	9	6	16	14	15	39	23	24	9	1	-
WHITE-----MALE----	2	7	3	11	6	5	15	5	2	1	1	-
FEMALE--	1	1	2	3	5	9	21	16	19	7	-	-
ALL OTHER--MALE----	1	1	1	1	2	-	2	1	2	1	-	-
FEMALE--	1	-	-	1	1	1	1	1	1	-	-	-
BLACK---MALE-----	1	1	1	1	2	-	2	1	2	1	-	-
FEMALE--	1	-	-	1	1	1	1	1	1	-	-	-
CALIFORNIA -----	17	23	21	32	47	88	103	112	89	42	14	-
WHITE-----MALE----	9	10	10	19	21	34	32	32	18	7	1	-
FEMALE--	2	7	4	9	17	39	51	67	67	31	9	-
ALL OTHER--MALE----	4	1	3	4	6	7	8	3	2	2	-	-
FEMALE--	2	5	4	-	3	8	12	10	2	2	4	-
BLACK---MALE-----	3	1	1	1	3	3	2	1	1	1	-	-
FEMALE--	1	2	4	-	1	3	7	5	1	1	4	-



[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

All other and ill-defined forms of heart disease (I51.0-I51.3,I51.6-I51.9)

COLORADO -----	96	1	-	1	1	3	1	-	2	1	3	-
WHITE-----MALE----	47	1	-	-	1	2	-	-	2	1	3	-
FEMALE--	43	-	-	1	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	119	-	-	1	-	1	1	2	1	9	12	7
WHITE-----MALE----	63	-	-	1	-	1	-	2	1	7	9	3
FEMALE--	42	-	-	-	-	-	-	-	-	1	2	3
ALL OTHER--MALE----	9	-	-	-	-	-	1	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE----	8	-	-	-	-	-	1	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	1	-	1
DELAWARE -----	16	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	17	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	434	-	-	-	1	2	-	-	2	3	3	7
WHITE-----MALE----	180	-	-	-	-	1	-	-	2	2	-	5
FEMALE--	200	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	29	-	-	-	1	1	-	-	-	1	2	2
FEMALE--	25	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	29	-	-	-	1	1	-	-	-	1	2	2
FEMALE--	24	-	-	-	-	-	-	-	-	-	1	-
GEORGIA -----	609	1	2	2	2	1	3	10	11	12	15	25
WHITE-----MALE----	234	1	1	-	-	1	1	4	2	5	4	14
FEMALE--	208	-	-	1	-	-	-	1	3	2	2	4
ALL OTHER--MALE----	80	-	-	1	1	-	1	3	5	4	5	4
FEMALE--	87	-	1	-	1	-	1	2	1	1	4	3
BLACK---MALE----	79	-	-	1	1	-	1	3	5	4	5	4
FEMALE--	85	-	1	-	1	-	1	2	1	1	4	3

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 2099

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

All other and ill-defined forms of heart disease (I51.0-I51.3,I51.6-I51.9)

COLORADO -----	5	3	7	12	8	10	11	13	10	4	-	-
WHITE-----MALE----	4	1	4	5	4	5	6	5	2	1	-	-
FEMALE--	1	1	2	7	4	2	5	8	8	3	-	-
ALL OTHER--MALE----	-	1	1	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	1	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
CONNECTICUT -----	3	11	5	2	8	7	16	17	9	4	3	-
WHITE-----MALE----	2	3	2	2	4	3	8	10	4	1	-	-
FEMALE--	1	3	3	-	4	2	8	5	5	3	2	-
ALL OTHER--MALE----	-	4	-	-	-	1	-	2	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	1	-
BLACK---MALE----	-	4	-	-	-	-	-	2	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	-	1	-
DELAWARE -----	-	4	-	1	-	2	4	1	3	-	-	-
WHITE-----MALE----	-	1	-	-	-	2	2	-	1	-	-	-
FEMALE--	-	3	-	1	-	-	2	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	1	-	1	1	1	4	2	2	2	2	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	4	2	1	2	1	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	4	2	1	2	1	-	-
FLORIDA -----	5	12	19	19	29	70	72	107	60	18	5	-
WHITE-----MALE----	3	7	10	9	15	37	28	38	16	6	1	-
FEMALE--	-	2	5	6	9	23	39	60	41	11	4	-
ALL OTHER--MALE----	2	3	2	1	4	4	2	4	-	-	-	-
FEMALE--	-	-	2	3	1	6	3	5	3	1	-	-
BLACK---MALE----	2	3	2	1	4	4	2	4	-	-	-	-
FEMALE--	-	-	2	3	1	6	2	5	3	1	-	-
GEORGIA -----	55	31	46	45	67	73	73	77	39	15	4	-
WHITE-----MALE----	25	17	26	17	33	28	26	23	6	-	-	-
FEMALE--	10	5	8	13	16	32	34	36	24	14	3	-
ALL OTHER--MALE----	11	4	9	6	7	4	8	6	1	-	-	-
FEMALE--	9	5	3	9	11	9	5	12	8	1	1	-
BLACK---MALE----	11	4	9	6	6	4	8	6	1	-	-	-
FEMALE--	9	5	2	9	10	9	5	12	8	1	1	-



[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

50-54 YEARS    55-59 YEARS    60-64 YEARS    65-69 YEARS    70-74 YEARS    75-79 YEARS    80-84 YEARS    85-89 YEARS    90-94 YEARS    95-99 YEARS    100 YEARS & OVER    AGE NOT STATED

All other and ill-defined forms of heart disease (I51.0-I51.3,I51.6-I51.9)

HAWAII -----	-	2	-	4	1	1	6	3	1	1	1	-
WHITE-----MALE----	-	1	-	2	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	1	-	2	1	-	3	1	-	1	1	-
FEMALE--	-	-	-	-	-	-	2	1	1	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	2	4	4	-	3	3	2	6	3	1	-	-
WHITE-----MALE----	2	1	3	-	1	-	1	3	1	1	-	-
FEMALE--	-	3	1	-	1	3	1	3	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	10	14	12	14	28	43	56	60	43	17	6	-
WHITE-----MALE----	6	8	4	5	13	19	19	20	13	3	1	-
FEMALE--	2	2	4	5	8	17	30	36	27	12	3	-
ALL OTHER--MALE----	2	2	1	2	5	5	-	1	1	-	-	-
FEMALE--	-	2	3	2	2	2	7	3	2	2	2	-
BLACK---MALE----	1	2	1	2	5	4	-	1	1	-	-	-
FEMALE--	-	2	3	2	2	2	7	3	2	2	2	-
INDIANA -----	8	6	12	12	18	24	35	32	20	12	3	-
WHITE-----MALE----	7	1	5	9	12	11	10	16	7	4	-	-
FEMALE--	1	4	4	3	6	12	23	16	12	8	3	-
ALL OTHER--MALE----	-	1	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	2	-	1	-	-	-
BLACK---MALE----	-	1	2	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	1	2	-	1	-	-	-
IOWA -----	4	2	4	2	4	4	6	17	4	2	1	-
WHITE-----MALE----	4	1	2	2	1	3	3	5	2	-	-	-
FEMALE--	-	1	2	-	3	-	3	12	2	2	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	3	3	2	7	14	9	10	7	9	3	1	-
WHITE-----MALE----	2	3	2	2	7	6	5	2	4	-	-	-
FEMALE--	1	-	-	4	5	3	5	5	5	3	1	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 2101

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

All other and ill-defined forms of heart disease (I51.0-I51.3,I51.6-I51.9)

KENTUCKY -----	241	-	-	-	-	-	2	-	4	8	8	9
WHITE-----MALE----	139	-	-	-	-	-	2	-	1	5	5	5
FEMALE--	90	-	-	-	-	-	-	-	3	3	1	1
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
LOUISIANA -----	315	-	-	-	-	1	3	-	5	10	13	13
WHITE-----MALE----	122	-	-	-	-	-	1	-	2	5	8	8
FEMALE--	117	-	-	-	-	-	-	-	-	2	2	-
ALL OTHER--MALE----	32	-	-	-	-	-	2	-	3	2	2	2
FEMALE--	44	-	-	-	-	1	-	-	-	1	1	3
BLACK---MALE----	31	-	-	-	-	-	2	-	2	2	2	2
FEMALE--	44	-	-	-	-	1	-	-	-	1	1	3
MAINE -----	64	-	-	-	-	-	-	-	4	-	4	6
WHITE-----MALE----	34	-	-	-	-	-	-	-	4	-	2	5
FEMALE--	28	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	115	-	-	1	-	1	3	-	3	3	9	11
WHITE-----MALE----	36	-	-	-	-	-	1	-	-	2	7	3
FEMALE--	41	-	-	1	-	-	-	-	-	-	-	4
ALL OTHER--MALE----	20	-	-	-	-	1	1	-	2	-	2	3
FEMALE--	18	-	-	-	-	-	1	-	1	1	-	1
BLACK---MALE----	19	-	-	-	-	1	1	-	2	-	2	3
FEMALE--	18	-	-	-	-	-	1	-	1	1	-	1
MASSACHUSETTS -----	162	-	-	-	-	-	3	4	4	7	10	9
WHITE-----MALE----	71	-	-	-	-	-	1	4	4	5	8	4
FEMALE--	78	-	-	-	-	-	1	-	-	1	-	3
ALL OTHER--MALE----	7	-	-	-	-	-	1	-	-	1	1	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	6	-	-	-	-	-	1	-	-	1	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	1
MICHIGAN -----	257	2	-	-	1	-	-	2	1	-	3	8
WHITE-----MALE----	105	2	-	-	-	-	-	-	-	-	1	6
FEMALE--	118	-	-	-	-	-	-	-	1	-	1	2
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	24	-	-	-	1	-	-	2	-	-	1	-
BLACK---MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	22	-	-	-	1	-	-	2	-	-	1	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 2101

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

All other and ill-defined forms of heart disease (I51.0-I51.3,I51.6-I51.9)

KENTUCKY -----	13	24	21	23	24	31	32	16	16	9	1	-
WHITE-----MALE----	11	17	16	9	15	21	19	3	8	2	-	-
FEMALE--	2	6	5	13	8	10	11	12	8	6	1	-
ALL OTHER--MALE----	-	1	-	1	-	-	1	1	-	1	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE-----	-	1	-	1	-	-	1	1	-	1	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
LOUISIANA -----	13	10	18	23	32	34	48	35	35	16	6	-
WHITE-----MALE----	6	7	7	15	10	15	19	8	7	4	-	-
FEMALE--	1	1	9	3	14	10	23	18	20	10	4	-
ALL OTHER--MALE----	3	1	-	1	4	6	2	1	1	-	2	-
FEMALE--	3	1	2	4	4	3	4	8	7	2	-	-
BLACK---MALE-----	3	1	-	1	4	6	2	1	1	-	2	-
FEMALE--	3	1	2	4	4	3	4	8	7	2	-	-
MAINE -----	3	2	7	2	3	8	8	6	9	1	1	-
WHITE-----MALE----	3	-	6	2	1	3	3	2	3	-	-	-
FEMALE--	-	2	1	-	2	5	5	3	6	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	8	4	2	7	6	6	20	13	8	8	2	-
WHITE-----MALE----	1	2	2	2	3	1	3	3	3	3	-	-
FEMALE--	1	-	-	2	1	3	13	6	4	4	2	-
ALL OTHER--MALE----	3	2	-	3	-	-	3	-	-	-	-	-
FEMALE--	3	-	-	-	2	2	1	4	1	1	-	-
BLACK---MALE-----	3	2	-	2	-	-	3	-	-	-	-	-
FEMALE--	3	-	-	-	2	2	1	4	1	1	-	-
MASSACHUSETTS -----	4	2	3	14	9	19	22	26	15	9	2	-
WHITE-----MALE----	4	2	2	6	4	6	9	7	3	1	1	-
FEMALE--	-	-	-	7	5	12	13	18	10	7	1	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	2	1	-	-
BLACK---MALE-----	-	-	1	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	2	1	-	-
MICHIGAN -----	8	12	7	14	31	38	46	46	20	16	2	-
WHITE-----MALE----	6	7	5	9	15	16	15	18	3	2	-	-
FEMALE--	2	3	2	2	13	15	23	26	15	12	1	-
ALL OTHER--MALE----	-	1	-	2	1	3	2	-	1	-	-	-
FEMALE--	-	1	-	1	2	4	6	2	1	2	1	-
BLACK---MALE-----	-	1	-	2	1	3	2	-	1	-	-	-
FEMALE--	-	1	-	1	2	4	5	2	-	2	1	-



04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 2102

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other and ill-defined forms of heart disease (I51.0-I51.3,I51.6-I51.9)												
MINNESOTA -----	5	6	5	4	9	6	11	22	14	6	1	-
WHITE-----MALE----	4	3	2	2	6	2	6	7	5	1	1	-
FEMALE--	-	2	2	2	3	3	5	15	9	5	-	-
ALL OTHER--MALE----	1	1	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	8	9	12	12	25	25	28	44	30	15	2	-
WHITE-----MALE----	3	4	5	5	10	11	10	9	8	1	1	-
FEMALE--	-	-	3	1	8	10	11	23	18	7	-	-
ALL OTHER--MALE----	3	2	3	1	5	3	1	4	1	1	-	-
FEMALE--	2	3	1	5	2	1	6	8	3	6	1	-
BLACK---MALE----	3	2	3	1	5	3	1	4	1	1	-	-
FEMALE--	2	3	1	5	2	1	6	8	3	6	1	-
MISSOURI -----	6	11	8	13	30	22	39	46	30	20	5	-
WHITE-----MALE----	1	7	4	9	16	16	15	14	5	3	1	-
FEMALE--	2	4	3	4	11	4	18	27	24	15	4	-
ALL OTHER--MALE----	2	-	-	-	1	-	3	1	-	-	-	-
FEMALE--	1	-	1	-	2	2	3	4	1	2	-	-
BLACK---MALE----	2	-	-	-	1	-	3	1	-	-	-	-
FEMALE--	-	-	1	-	2	2	3	4	1	2	-	-
MONTANA -----	3	2	5	1	5	10	8	7	4	3	-	-
WHITE-----MALE----	2	2	5	1	4	2	2	4	-	1	-	-
FEMALE--	1	-	-	-	-	8	6	3	4	2	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	3	2	5	6	4	14	13	15	4	2	-	-
WHITE-----MALE----	3	2	4	4	3	10	8	4	1	1	-	-
FEMALE--	-	-	1	2	1	3	5	11	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
NEVADA -----	3	1	3	3	9	5	10	11	6	4	1	-
WHITE-----MALE----	2	-	2	1	5	4	3	3	-	1	1	-
FEMALE--	1	-	1	2	4	1	7	5	6	2	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	1	-	-
BLACK---MALE----	-	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	-	-	-	-







04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 2104

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
--	----------	--------------	-----------	-----------	-------------	-------------	-------------	-------------	-------------	-------------	-------------	-------------

All other and ill-defined forms of heart disease (I51.0-I51.3,I51.6-I51.9)

OHIO -----	373	-	2	-	2	2	2	1	4	8	12	23
WHITE-----MALE----	168	-	2	-	1	1	1	-	2	3	7	14
FEMALE--	151	-	-	-	1	1	-	-	-	2	2	6
ALL OTHER--MALE----	29	-	-	-	-	-	1	1	1	2	2	2
FEMALE--	25	-	-	-	-	-	-	-	1	1	1	1
BLACK---MALE----	28	-	-	-	-	-	-	1	1	2	2	2
FEMALE--	24	-	-	-	-	-	-	-	1	1	1	1
OKLAHOMA -----	174	-	-	-	-	1	2	1	1	1	3	5
WHITE-----MALE----	69	-	-	-	-	1	-	1	1	1	2	3
FEMALE--	88	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	10	-	-	-	-	-	2	-	-	-	-	2
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	9	-	-	-	-	-	2	-	-	-	-	2
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	65	-	-	-	-	-	1	-	-	-	1	4
WHITE-----MALE----	31	-	-	-	-	-	1	-	-	-	-	3
FEMALE--	32	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	400	-	1	1	-	1	3	2	5	3	7	13
WHITE-----MALE----	172	-	-	-	-	1	2	1	3	1	5	7
FEMALE--	201	-	1	1	-	-	1	1	1	2	2	3
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	13	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	14	-	-	-	-	-	-	-	-	-	-	3
FEMALE--	13	-	-	-	-	-	-	-	1	-	-	-
RHODE ISLAND -----	18	-	-	-	-	-	-	1	-	1	-	2
WHITE-----MALE----	10	-	-	-	-	-	-	1	-	1	-	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	204	-	1	-	-	-	-	-	3	16	16	18
WHITE-----MALE----	89	-	-	-	-	-	-	-	2	8	8	7
FEMALE--	56	-	-	-	-	-	-	-	-	3	2	-
ALL OTHER--MALE----	36	-	1	-	-	-	-	-	1	3	2	7
FEMALE--	23	-	-	-	-	-	-	-	-	2	4	4
BLACK---MALE----	36	-	1	-	-	-	-	-	1	3	2	7
FEMALE--	22	-	-	-	-	-	-	-	-	2	4	4

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

All other and ill-defined forms of heart disease (I51.0-I51.3,I51.6-I51.9)

OHIO -----	16	18	16	24	37	35	51	54	50	12	4	-
WHITE-----MALE----	7	10	9	11	24	15	23	23	14	-	1	-
FEMALE--	4	2	4	8	8	14	24	29	33	10	3	-
ALL OTHER--MALE----	4	2	3	3	3	2	1	1	1	-	-	-
FEMALE--	1	4	-	2	2	4	3	1	2	2	-	-
BLACK---MALE----	4	2	3	3	3	2	1	1	1	-	-	-
FEMALE--	1	4	-	2	2	3	3	1	2	2	-	-
OKLAHOMA -----	9	7	8	8	12	23	25	32	24	11	1	-
WHITE-----MALE----	3	2	6	8	7	8	9	9	3	5	-	-
FEMALE--	3	2	-	-	4	14	15	23	19	6	1	-
ALL OTHER--MALE----	2	2	1	-	-	-	-	-	1	-	-	-
FEMALE--	1	1	1	-	1	1	-	1	-	-	-	-
BLACK---MALE----	2	2	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	1	-	-	-	1	-	1	-	-	-
OREGON -----	-	2	4	3	8	8	12	11	10	1	-	-
WHITE-----MALE----	-	1	3	1	3	5	8	4	2	-	-	-
FEMALE--	-	1	1	1	4	3	4	7	8	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
PENNSYLVANIA -----	12	10	19	22	41	55	66	68	43	22	6	-
WHITE-----MALE----	7	5	6	18	21	23	27	24	13	6	2	-
FEMALE--	2	4	9	4	16	28	38	43	25	16	4	-
ALL OTHER--MALE----	1	1	2	-	3	2	-	-	2	-	-	-
FEMALE--	2	-	2	-	1	2	1	1	3	-	-	-
BLACK---MALE----	1	1	2	-	3	2	-	-	2	-	-	-
FEMALE--	2	-	2	-	1	2	1	1	3	-	-	-
RHODE ISLAND -----	-	-	2	-	1	3	1	4	2	1	-	-
WHITE-----MALE----	-	-	-	-	1	2	1	3	-	-	-	-
FEMALE--	-	-	2	-	-	1	-	1	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	8	15	10	9	16	26	33	16	11	5	1	-
WHITE-----MALE----	3	8	4	3	9	15	12	7	2	1	-	-
FEMALE--	1	3	2	3	2	6	15	6	9	4	-	-
ALL OTHER--MALE----	2	3	3	2	4	2	4	2	-	-	-	-
FEMALE--	2	1	1	1	1	3	2	1	-	-	1	-
BLACK---MALE----	2	3	3	2	4	2	4	2	-	-	-	-
FEMALE--	2	-	1	1	1	3	2	1	-	-	1	-



04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 2105

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other and ill-defined forms of heart disease (I51.0-I51.3,I51.6-I51.9)												
SOUTH DAKOTA -----	2	3	-	-	4	1	3	4	3	2	-	-
WHITE-----MALE----	2	2	-	-	3	1	2	-	2	-	-	-
FEMALE--	-	1	-	-	1	-	1	4	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	3	4	8	4	12	21	19	20	13	4	1	-
WHITE-----MALE----	1	3	4	1	8	8	4	7	2	1	-	-
FEMALE--	1	-	3	1	1	10	14	12	9	2	-	-
ALL OTHER--MALE----	-	-	1	2	2	2	-	1	-	-	-	-
FEMALE--	1	1	-	-	1	1	1	-	2	1	1	-
BLACK---MALE----	-	-	1	2	2	2	-	1	-	-	-	-
FEMALE--	1	1	-	-	1	1	1	-	2	1	1	-
TEXAS -----	45	43	53	43	57	79	90	90	78	36	10	-
WHITE-----MALE----	25	18	29	25	23	39	37	27	12	6	1	-
FEMALE--	13	13	14	9	23	26	42	55	59	28	6	-
ALL OTHER--MALE----	4	6	4	5	8	7	5	-	1	-	-	-
FEMALE--	3	6	6	4	3	7	6	8	6	2	3	-
BLACK---MALE----	4	5	4	4	8	6	5	-	1	-	-	-
FEMALE--	3	6	5	4	3	7	6	8	6	2	3	-
UTAH -----	3	1	1	3	2	13	13	25	12	9	3	-
WHITE-----MALE----	1	1	1	1	2	7	5	12	1	2	1	-
FEMALE--	1	-	-	2	-	6	8	12	11	7	2	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	1	1	2	4	-	2	1	2	2	1	-
WHITE-----MALE----	-	1	-	1	3	-	2	1	1	1	-	-
FEMALE--	-	-	1	1	1	-	-	-	1	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	7	9	13	17	13	26	24	29	21	7	3	-
WHITE-----MALE----	2	4	9	6	9	7	5	5	6	1	-	-
FEMALE--	2	3	2	6	3	13	15	18	12	6	2	-
ALL OTHER--MALE----	1	-	1	3	-	4	2	3	1	-	-	-
FEMALE--	2	2	1	2	1	2	2	3	2	-	1	-
BLACK---MALE----	1	-	1	3	-	3	2	3	1	-	-	-
FEMALE--	2	2	1	2	1	2	2	3	2	-	1	-







04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 2107

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Cerebrovascular diseases (I60-I69)												
UNITED STATES -	163,538	108	54	38	42	68	128	199	402	840	1,651	2,507
WHITE-----MALE----	53,428	35	18	17	17	28	53	68	152	281	553	876
FEMALE--	87,037	25	21	12	13	25	32	65	131	272	499	721
ALL OTHER--MALE----	9,749	28	7	4	4	8	14	37	54	154	279	478
FEMALE--	13,324	20	8	5	8	7	29	29	65	133	320	432
BLACK---MALE-----	7,907	27	5	2	3	8	12	35	44	121	240	418
FEMALE--	11,095	16	7	4	5	5	26	24	55	115	289	384
ALABAMA -----	2,998	2	1	1	1	-	4	4	10	20	42	61
WHITE-----MALE----	833	2	-	-	-	-	1	1	2	4	8	15
FEMALE--	1,391	-	1	1	1	-	-	-	1	7	13	13
ALL OTHER--MALE----	313	-	-	-	-	-	1	2	2	6	11	15
FEMALE--	461	-	-	-	-	-	2	1	5	3	10	18
BLACK---MALE-----	309	-	-	-	-	-	1	2	2	6	11	15
FEMALE--	458	-	-	-	-	-	2	1	5	3	10	18
ALASKA -----	158	-	-	-	-	-	-	1	-	1	7	3
WHITE-----MALE----	52	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	58	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	32	-	-	-	-	-	-	-	-	-	5	3
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
ARIZONA -----	2,480	1	3	-	-	-	1	3	6	15	26	38
WHITE-----MALE----	974	-	2	-	-	-	-	2	2	6	11	14
FEMALE--	1,349	-	1	-	-	-	1	-	2	5	9	16
ALL OTHER--MALE----	72	-	-	-	-	-	-	-	2	3	3	5
FEMALE--	85	1	-	-	-	-	-	1	-	1	3	3
BLACK---MALE-----	32	-	-	-	-	-	-	-	1	1	1	2
FEMALE--	35	-	-	-	-	-	-	-	-	-	1	-
ARKANSAS -----	2,256	2	1	-	3	2	4	2	8	9	20	37
WHITE-----MALE----	702	1	-	-	1	1	1	1	6	2	6	9
FEMALE--	1,228	-	1	-	2	1	2	-	-	5	7	8
ALL OTHER--MALE----	138	-	-	-	-	-	1	1	-	1	3	7
FEMALE--	188	1	-	-	-	-	-	-	2	1	4	13
BLACK---MALE-----	136	-	-	-	-	-	1	1	-	1	3	7
FEMALE--	186	1	-	-	-	-	-	-	2	1	4	13
CALIFORNIA -----	18,088	8	2	6	5	4	15	26	48	97	172	264
WHITE-----MALE----	5,960	1	1	2	2	2	9	8	20	32	81	94
FEMALE--	9,084	3	1	2	1	2	4	11	17	36	53	82
ALL OTHER--MALE----	1,353	1	-	1	-	-	1	3	5	17	27	48
FEMALE--	1,691	3	-	1	2	-	1	4	6	12	11	40
BLACK---MALE-----	553	-	-	-	-	-	1	2	2	5	11	27
FEMALE--	793	-	-	1	-	-	-	1	3	7	6	29

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 2107

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Cerebrovascular diseases (I60-I69)												
UNITED STATES -	3,403	4,093	5,515	8,170	14,428	23,772	32,050	33,465	22,650	8,398	1,553	4
WHITE-----MALE----	1,179	1,594	2,196	3,337	6,056	9,291	11,373	9,749	5,019	1,351	184	1
FEMALE--	960	1,313	1,771	2,851	5,803	11,255	17,346	20,695	15,748	6,321	1,158	-
ALL OTHER--MALE----	672	657	830	1,008	1,248	1,380	1,257	982	463	155	27	3
FEMALE--	592	529	718	974	1,321	1,846	2,074	2,039	1,420	571	184	-
BLACK---MALE-----	590	560	705	860	999	1,129	957	733	320	116	20	3
FEMALE--	514	442	603	791	1,064	1,521	1,688	1,679	1,218	493	152	-
ALABAMA -----	92	104	124	183	306	451	546	524	367	129	26	-
WHITE-----MALE----	32	33	47	64	110	135	169	127	61	21	1	-
FEMALE--	16	28	30	54	106	207	259	314	249	80	11	-
ALL OTHER--MALE----	28	20	23	26	49	46	44	19	17	3	1	-
FEMALE--	16	23	24	39	41	63	74	64	40	25	13	-
BLACK---MALE-----	27	20	22	26	48	46	44	18	17	3	1	-
FEMALE--	16	23	23	39	41	62	73	64	40	25	13	-
ALASKA -----	9	7	7	11	19	18	29	24	16	6	-	-
WHITE-----MALE----	2	1	3	5	10	7	12	9	-	2	-	-
FEMALE--	3	4	3	3	4	6	11	10	3	-	-	-
ALL OTHER--MALE----	2	1	-	1	3	1	1	1	4	-	-	-
FEMALE--	2	1	1	2	4	5	4	2	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	-	-	1	-	1	-	-
ARIZONA -----	52	55	84	127	250	378	502	488	320	111	20	-
WHITE-----MALE----	29	35	40	51	120	166	204	175	90	23	4	-
FEMALE--	13	10	33	57	116	189	280	301	221	81	14	-
ALL OTHER--MALE----	6	5	5	11	8	5	6	7	3	2	1	-
FEMALE--	4	5	6	8	6	18	12	5	6	5	1	-
BLACK---MALE-----	3	2	3	4	5	3	2	2	1	2	-	-
FEMALE--	-	1	2	4	3	5	8	3	4	4	-	-
ARKANSAS -----	51	57	92	113	201	319	453	450	320	96	16	-
WHITE-----MALE----	16	22	35	51	67	120	147	118	80	18	-	-
FEMALE--	16	21	34	41	94	161	265	282	207	69	12	-
ALL OTHER--MALE----	9	12	9	7	19	16	18	21	10	3	1	-
FEMALE--	10	2	14	14	21	22	23	29	23	6	3	-
BLACK---MALE-----	9	11	9	7	18	16	18	21	10	3	1	-
FEMALE--	10	2	14	14	20	22	22	29	23	6	3	-
CALIFORNIA -----	382	426	594	885	1,569	2,706	3,587	3,710	2,455	923	204	-
WHITE-----MALE----	133	159	222	356	635	1,018	1,270	1,145	588	156	26	-
FEMALE--	119	137	187	275	576	1,237	1,800	2,145	1,592	652	152	-
ALL OTHER--MALE----	71	64	97	127	187	203	227	145	88	37	4	-
FEMALE--	59	66	88	127	171	248	290	275	187	78	22	-
BLACK---MALE-----	44	31	44	73	75	91	76	40	20	10	1	-
FEMALE--	31	30	44	56	75	119	140	111	94	40	6	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 2108

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Cerebrovascular diseases (I60-I69)												
COLORADO -----	1,825	1	1	1	-	1	-	2	4	7	14	16
WHITE-----MALE----	613	1	1	1	-	1	-	1	2	3	7	10
FEMALE--	1,121	-	-	-	-	-	-	-	2	3	4	5
ALL OTHER--MALE----	44	-	-	-	-	-	-	1	-	1	3	1
FEMALE--	47	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	32	-	-	-	-	-	-	1	-	1	1	1
FEMALE--	30	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	2,003	2	-	1	-	1	-	-	3	9	13	28
WHITE-----MALE----	648	-	-	1	-	1	-	-	1	4	6	11
FEMALE--	1,227	2	-	-	-	-	-	-	-	-	6	12
ALL OTHER--MALE----	54	-	-	-	-	-	-	-	1	2	-	3
FEMALE--	74	-	-	-	-	-	-	-	1	3	1	2
BLACK---MALE----	50	-	-	-	-	-	-	-	1	2	-	2
FEMALE--	69	-	-	-	-	-	-	-	1	3	-	2
DELAWARE -----	383	-	-	-	-	-	-	-	1	1	4	7
WHITE-----MALE----	137	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	181	-	-	-	-	-	-	-	-	-	2	2
ALL OTHER--MALE----	20	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	45	-	-	-	-	-	-	-	1	1	2	3
BLACK---MALE----	19	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	44	-	-	-	-	-	-	-	1	1	2	3
DISTRICT OF COLUMBIA ---	265	-	1	-	-	-	1	1	1	2	2	11
WHITE-----MALE----	24	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	49	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	75	-	-	-	-	-	1	-	1	-	1	5
FEMALE--	117	-	1	-	-	-	-	-	-	2	1	6
BLACK---MALE----	73	-	-	-	-	-	1	-	1	-	1	5
FEMALE--	115	-	1	-	-	-	-	-	-	2	1	6
FLORIDA -----	10,414	8	2	-	4	1	9	12	22	47	91	143
WHITE-----MALE----	3,715	2	-	-	2	-	-	6	11	16	38	58
FEMALE--	5,408	3	-	-	1	-	6	3	6	12	24	36
ALL OTHER--MALE----	513	3	1	-	1	1	-	-	3	10	8	30
FEMALE--	778	-	1	-	-	-	3	3	2	9	21	19
BLACK---MALE----	493	3	-	-	1	1	-	-	3	9	8	29
FEMALE--	744	-	1	-	-	-	3	3	2	9	21	19
GEORGIA -----	4,312	5	4	3	2	5	5	9	19	33	79	109
WHITE-----MALE----	1,156	-	1	1	-	-	2	3	7	8	12	33
FEMALE--	1,890	-	-	-	-	2	-	3	3	10	16	20
ALL OTHER--MALE----	525	3	1	2	-	2	2	1	5	10	25	28
FEMALE--	741	2	2	-	2	1	1	2	4	5	26	28
BLACK---MALE----	516	3	1	2	-	2	1	1	5	10	25	27
FEMALE--	724	2	1	-	2	1	1	1	4	5	26	28

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Cerebrovascular diseases (I60-I69)												
COLORADO -----	35	39	50	91	153	275	370	404	257	92	12	-
WHITE-----MALE----	8	19	24	41	65	101	140	113	57	18	-	-
FEMALE--	20	15	20	40	73	166	213	278	197	73	12	-
ALL OTHER--MALE----	4	3	2	7	4	2	9	5	2	-	-	-
FEMALE--	3	2	4	3	11	6	8	8	1	1	-	-
BLACK---MALE-----	4	3	1	5	3	2	7	2	1	-	-	-
FEMALE--	1	2	2	2	8	3	5	5	1	1	-	-
CONNECTICUT -----	28	34	42	69	139	271	417	461	325	134	26	-
WHITE-----MALE----	9	19	21	34	62	110	148	128	72	18	3	-
FEMALE--	14	9	11	23	68	140	250	312	244	114	22	-
ALL OTHER--MALE----	3	3	4	7	5	10	7	7	1	1	-	-
FEMALE--	2	3	6	5	4	11	12	14	8	1	1	-
BLACK---MALE-----	3	3	4	7	5	10	6	6	1	-	-	-
FEMALE--	1	3	5	4	4	11	11	14	8	1	1	-
DELAWARE -----	7	8	12	24	35	59	64	86	44	24	7	-
WHITE-----MALE----	4	5	4	8	17	24	27	31	12	2	1	-
FEMALE--	2	2	3	6	11	28	29	46	27	18	5	-
ALL OTHER--MALE----	-	1	4	6	3	1	3	2	-	-	-	-
FEMALE--	1	-	1	4	4	6	5	7	5	4	1	-
BLACK---MALE-----	-	1	4	5	3	1	3	2	-	-	-	-
FEMALE--	1	-	1	4	3	6	5	7	5	4	1	-
DISTRICT OF COLUMBIA ---	19	8	11	15	22	28	49	43	33	13	5	-
WHITE-----MALE----	1	-	-	-	1	1	4	9	6	2	-	-
FEMALE--	-	1	-	2	4	4	11	11	6	7	2	-
ALL OTHER--MALE----	12	1	6	5	10	9	11	9	3	-	1	-
FEMALE--	6	6	5	8	7	14	23	14	18	4	2	-
BLACK---MALE-----	11	1	6	5	9	9	11	9	3	-	1	-
FEMALE--	6	6	5	8	7	14	21	14	18	4	2	-
FLORIDA -----	213	278	352	515	931	1,543	2,096	2,134	1,417	513	82	1
WHITE-----MALE----	85	111	139	202	415	617	784	740	369	107	13	-
FEMALE--	53	97	104	191	389	735	1,133	1,238	948	367	62	-
ALL OTHER--MALE----	41	32	63	59	63	77	52	38	26	4	-	1
FEMALE--	34	38	46	63	64	114	127	118	74	35	7	-
BLACK---MALE-----	40	31	62	57	57	75	49	37	26	4	-	1
FEMALE--	33	37	43	56	61	108	120	113	73	35	7	-
GEORGIA -----	146	173	219	265	413	617	758	803	469	149	27	-
WHITE-----MALE----	32	42	69	89	137	210	237	175	79	17	2	-
FEMALE--	30	40	59	61	144	243	376	467	301	101	14	-
ALL OTHER--MALE----	45	55	56	56	57	58	47	51	16	5	-	-
FEMALE--	39	36	35	59	75	106	98	110	73	26	11	-
BLACK---MALE-----	45	53	54	54	57	57	47	51	16	5	-	-
FEMALE--	39	36	34	56	73	103	95	108	72	26	11	-



[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Cerebrovascular diseases (I60-I69)												
HAWAII -----	16	16	24	40	61	109	141	163	115	31	12	-
WHITE-----MALE----	2	3	5	2	2	12	14	13	9	3	-	-
FEMALE--	3	2	2	1	3	15	19	18	23	6	1	-
ALL OTHER--MALE----	6	7	7	20	30	37	56	62	38	4	1	-
FEMALE--	5	4	10	17	26	45	52	70	45	18	10	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	7	17	16	28	68	116	163	183	114	38	9	-
WHITE-----MALE----	5	10	9	14	29	49	62	55	33	6	3	-
FEMALE--	2	6	7	13	39	66	99	126	81	32	6	-
ALL OTHER--MALE----	-	1	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	2	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	123	181	243	370	581	1,004	1,378	1,492	1,085	451	61	-
WHITE-----MALE----	41	70	88	131	238	407	488	395	219	63	3	-
FEMALE--	29	53	74	139	223	448	733	984	783	355	53	-
ALL OTHER--MALE----	33	38	43	47	54	67	55	39	16	2	-	-
FEMALE--	20	20	38	53	66	82	102	74	67	31	5	-
BLACK---MALE----	30	35	41	46	46	58	48	31	13	2	-	-
FEMALE--	20	15	37	50	61	72	93	68	61	29	5	-
INDIANA -----	72	92	118	186	352	527	777	825	556	206	35	-
WHITE-----MALE----	30	46	61	102	156	224	295	230	112	32	4	-
FEMALE--	27	31	41	63	159	269	438	548	420	165	29	-
ALL OTHER--MALE----	8	8	7	13	20	16	13	20	7	2	-	-
FEMALE--	7	7	9	8	17	18	31	27	17	7	2	-
BLACK---MALE----	8	8	7	13	19	16	13	19	7	2	-	-
FEMALE--	6	7	9	8	16	17	30	26	17	7	2	-
IOWA -----	13	30	45	95	160	298	450	478	409	149	27	-
WHITE-----MALE----	4	16	23	51	81	141	202	143	87	15	1	-
FEMALE--	8	12	19	42	77	153	242	330	320	132	24	-
ALL OTHER--MALE----	1	2	2	1	-	3	2	3	-	-	1	-
FEMALE--	-	-	1	1	2	1	4	2	2	2	1	-
BLACK---MALE----	-	1	2	1	-	3	1	3	-	-	1	-
FEMALE--	-	-	1	-	2	1	3	2	2	2	1	-
KANSAS -----	34	38	39	71	124	248	359	433	286	146	23	-
WHITE-----MALE----	13	15	24	39	50	104	135	137	62	30	4	-
FEMALE--	13	16	9	23	69	130	208	284	216	112	17	-
ALL OTHER--MALE----	5	6	4	3	4	5	5	3	3	-	-	-
FEMALE--	3	1	2	6	1	9	11	9	5	4	2	-
BLACK---MALE----	5	6	4	3	3	4	5	3	3	-	-	-
FEMALE--	1	1	2	5	1	8	9	8	5	3	2	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 2110

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Cerebrovascular diseases (I60-I69)												
KENTUCKY -----	2,557	1	1	-	1	2	1	5	8	15	24	37
WHITE-----MALE----	839	1	1	-	1	2	1	2	2	6	7	16
FEMALE--	1,514	-	-	-	-	-	-	2	4	6	11	12
ALL OTHER--MALE----	73	-	-	-	-	-	-	-	1	1	3	5
FEMALE--	131	-	-	-	-	-	-	1	1	2	3	4
BLACK---MALE----	73	-	-	-	-	-	-	-	1	1	3	5
FEMALE--	128	-	-	-	-	-	-	1	1	2	3	4
LOUISIANA -----	2,638	3	1	-	1	3	2	3	8	20	50	66
WHITE-----MALE----	690	-	-	-	-	-	2	-	1	7	13	12
FEMALE--	1,087	-	-	-	1	2	-	-	3	6	5	9
ALL OTHER--MALE----	358	1	-	-	-	1	-	2	1	3	10	25
FEMALE--	503	2	1	-	-	-	-	1	3	4	22	20
BLACK---MALE----	354	1	-	-	-	1	-	2	1	3	10	25
FEMALE--	494	2	1	-	-	-	-	1	3	4	22	20
MAINE -----	822	-	-	-	-	-	-	-	1	4	2	8
WHITE-----MALE----	351	-	-	-	-	-	-	-	1	1	1	5
FEMALE--	466	-	-	-	-	-	-	-	-	2	1	3
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2,882	-	-	1	-	-	2	4	4	25	46	60
WHITE-----MALE----	813	-	-	-	-	-	-	1	1	8	13	12
FEMALE--	1,362	-	-	-	-	-	-	-	1	1	8	7
ALL OTHER--MALE----	305	-	-	-	-	-	1	1	1	10	7	22
FEMALE--	402	-	-	1	-	-	1	2	1	6	18	19
BLACK---MALE----	283	-	-	-	-	-	1	1	1	9	7	22
FEMALE--	373	-	-	1	-	-	1	2	1	6	18	17
MASSACHUSETTS -----	3,535	1	1	1	1	-	1	3	9	7	28	42
WHITE-----MALE----	1,264	-	-	-	-	-	1	-	3	2	17	20
FEMALE--	2,108	-	1	1	1	-	-	3	2	4	9	16
ALL OTHER--MALE----	61	-	-	-	-	-	-	-	2	1	1	4
FEMALE--	102	1	-	-	-	-	-	-	2	-	1	2
BLACK---MALE----	47	-	-	-	-	-	-	-	1	1	1	3
FEMALE--	78	1	-	-	-	-	-	-	2	-	1	1
MICHIGAN -----	5,701	3	2	1	1	2	5	5	13	26	60	89
WHITE-----MALE----	1,892	1	-	-	-	1	2	-	5	4	11	31
FEMALE--	3,046	1	2	1	-	1	-	2	6	11	19	29
ALL OTHER--MALE----	326	-	-	-	1	-	1	3	1	4	12	18
FEMALE--	437	1	-	-	-	-	2	-	1	7	18	11
BLACK---MALE----	305	-	-	-	1	-	1	3	1	4	12	17
FEMALE--	414	1	-	-	-	-	2	-	1	7	17	10

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 2110

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Cerebrovascular diseases (I60-I69)												
KENTUCKY -----	56	82	75	141	229	360	545	505	323	123	23	-
WHITE-----MALE----	28	40	40	69	103	130	174	129	69	17	1	-
FEMALE--	20	33	24	56	108	206	332	343	239	97	21	-
ALL OTHER--MALE----	3	6	5	4	11	9	13	8	2	2	-	-
FEMALE--	5	3	6	12	7	15	26	25	13	7	1	-
BLACK---MALE-----	3	6	5	4	11	9	13	8	2	2	-	-
FEMALE--	5	3	6	12	7	14	25	24	13	7	1	-
LOUISIANA -----	106	100	130	170	273	393	470	417	294	106	22	-
WHITE-----MALE----	15	25	43	52	95	133	142	83	52	14	1	-
FEMALE--	25	17	25	44	90	154	215	233	175	69	14	-
ALL OTHER--MALE----	35	32	33	37	42	42	37	30	16	10	1	-
FEMALE--	31	26	29	37	46	64	76	71	51	13	6	-
BLACK---MALE-----	35	31	33	35	42	41	37	30	16	10	1	-
FEMALE--	31	25	28	36	44	62	75	71	50	13	6	-
MAINE -----	11	13	17	43	76	121	158	178	147	36	7	-
WHITE-----MALE----	10	9	12	30	40	70	69	56	38	8	1	-
FEMALE--	1	4	5	13	36	49	87	122	109	28	6	-
ALL OTHER--MALE----	-	-	-	-	-	2	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	73	59	126	152	264	408	565	579	357	132	24	1
WHITE-----MALE----	13	20	40	49	90	140	193	153	60	18	2	-
FEMALE--	14	14	31	35	98	172	278	338	253	92	20	-
ALL OTHER--MALE----	22	16	22	40	31	48	33	34	11	5	-	1
FEMALE--	24	9	33	28	45	48	61	54	33	17	2	-
BLACK---MALE-----	21	16	21	39	28	42	31	30	9	4	-	1
FEMALE--	24	9	27	24	38	46	58	51	31	17	2	-
MASSACHUSETTS -----	42	78	78	138	304	474	725	762	578	220	42	-
WHITE-----MALE----	19	36	28	76	154	239	262	241	127	35	4	-
FEMALE--	13	33	35	49	132	215	434	503	442	180	35	-
ALL OTHER--MALE----	6	4	8	6	11	7	5	5	1	-	-	-
FEMALE--	4	5	7	7	7	13	24	13	8	5	3	-
BLACK---MALE-----	5	3	7	4	9	5	4	4	-	-	-	-
FEMALE--	3	3	5	6	4	12	16	11	6	4	3	-
MICHIGAN -----	124	145	182	246	487	883	1,158	1,185	772	260	52	-
WHITE-----MALE----	34	55	80	104	202	372	416	347	171	48	8	-
FEMALE--	40	47	58	77	195	405	638	747	537	194	36	-
ALL OTHER--MALE----	26	26	27	34	42	47	39	33	10	2	-	-
FEMALE--	24	17	17	31	48	59	65	58	54	16	8	-
BLACK---MALE-----	25	25	24	33	39	45	34	30	9	2	-	-
FEMALE--	23	17	16	29	42	54	62	58	52	15	8	-



04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 2111

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Cerebrovascular diseases (I60-I69)												
MINNESOTA -----	2,727	1	-	-	1	-	1	1	4	12	22	29
WHITE-----MALE----	1,010	-	-	-	1	-	-	1	3	6	10	14
FEMALE--	1,627	1	-	-	-	-	-	-	1	5	4	13
ALL OTHER--MALE----	34	-	-	-	-	-	-	-	-	-	3	2
FEMALE--	56	-	-	-	-	-	1	-	-	1	5	-
BLACK---MALE----	17	-	-	-	-	-	-	-	-	-	3	2
FEMALE--	23	-	-	-	-	-	1	-	-	-	3	-
MISSISSIPPI -----	1,935	3	1	-	-	1	3	2	7	28	25	44
WHITE-----MALE----	493	-	-	-	-	1	1	-	3	5	6	12
FEMALE--	771	-	-	-	-	1	-	1	-	8	4	5
ALL OTHER--MALE----	286	-	1	-	-	-	1	-	2	7	6	16
FEMALE--	385	3	-	-	-	-	1	1	2	8	9	11
BLACK---MALE----	284	-	1	-	-	-	1	-	2	7	6	16
FEMALE--	382	3	-	-	-	-	1	1	2	8	9	11
MISSOURI -----	3,796	-	3	-	1	4	3	3	17	19	33	48
WHITE-----MALE----	1,282	-	1	-	-	2	1	1	6	8	13	18
FEMALE--	2,148	-	2	-	-	2	1	1	7	8	10	15
ALL OTHER--MALE----	161	-	-	-	-	-	-	1	3	2	4	7
FEMALE--	205	-	-	-	1	-	1	-	1	1	6	8
BLACK---MALE----	151	-	-	-	-	-	-	1	3	2	4	6
FEMALE--	195	-	-	-	1	-	1	-	1	1	6	8
MONTANA -----	578	-	-	-	-	-	-	-	-	3	1	3
WHITE-----MALE----	204	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	358	-	-	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	1,130	-	-	-	-	1	-	1	5	8	12	15
WHITE-----MALE----	438	-	-	-	-	1	-	-	3	2	5	5
FEMALE--	645	-	-	-	-	-	-	-	2	4	6	7
ALL OTHER--MALE----	19	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	28	-	-	-	-	-	-	1	-	1	1	2
BLACK---MALE----	16	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	23	-	-	-	-	-	-	1	-	1	1	2
NEVADA -----	913	2	-	-	1	-	4	2	1	12	14	20
WHITE-----MALE----	371	-	-	-	-	-	1	-	1	6	6	6
FEMALE--	439	-	-	-	1	-	1	2	-	4	3	8
ALL OTHER--MALE----	34	1	-	-	-	-	-	-	-	1	2	2
FEMALE--	69	1	-	-	-	-	2	-	-	1	3	4
BLACK---MALE----	23	1	-	-	-	-	-	-	-	-	2	1
FEMALE--	46	1	-	-	-	-	2	-	-	1	3	2

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 2111

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Cerebrovascular diseases (I60-I69)												
MINNESOTA -----	29	52	59	92	198	330	563	621	475	187	50	-
WHITE-----MALE----	11	27	27	53	95	148	255	216	113	27	3	-
FEMALE--	16	17	24	36	88	173	293	394	357	159	46	-
ALL OTHER--MALE----	-	5	5	1	5	5	5	2	1	-	-	-
FEMALE--	2	3	3	2	10	4	10	9	4	1	1	-
BLACK---MALE-----	-	1	-	1	3	2	3	1	1	-	-	-
FEMALE--	1	1	1	-	5	1	6	2	2	-	-	-
MISSISSIPPI -----	56	67	124	142	194	275	321	338	220	66	18	-
WHITE-----MALE----	9	11	36	42	58	82	103	79	39	5	2	-
FEMALE--	10	19	23	36	69	104	141	178	124	42	6	-
ALL OTHER--MALE----	19	20	39	35	30	38	24	28	13	3	4	-
FEMALE--	18	17	26	29	37	51	53	53	44	16	6	-
BLACK---MALE-----	19	19	39	34	30	38	24	28	13	3	4	-
FEMALE--	18	17	25	29	36	50	53	53	44	16	6	-
MISSOURI -----	66	76	127	176	325	519	723	808	581	233	31	-
WHITE-----MALE----	30	31	53	81	150	192	291	219	137	42	6	-
FEMALE--	14	28	44	61	126	278	397	537	415	180	22	-
ALL OTHER--MALE----	11	12	18	19	23	24	13	16	7	1	-	-
FEMALE--	11	5	12	15	26	25	22	36	22	10	3	-
BLACK---MALE-----	11	12	18	17	21	20	12	16	7	1	-	-
FEMALE--	11	5	10	15	20	24	22	36	21	10	3	-
MONTANA -----	4	19	20	21	37	76	120	131	101	40	2	-
WHITE-----MALE----	1	6	7	12	24	26	52	47	20	6	-	-
FEMALE--	3	13	12	6	11	47	67	81	80	33	2	-
ALL OTHER--MALE----	-	-	-	2	1	2	-	3	-	-	-	-
FEMALE--	-	-	1	1	1	1	1	-	1	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	19	23	23	42	91	150	238	249	169	68	16	-
WHITE-----MALE----	8	7	13	20	40	71	104	103	38	14	4	-
FEMALE--	7	13	9	17	45	74	126	142	128	54	11	-
ALL OTHER--MALE----	2	1	-	3	3	1	3	3	1	-	-	-
FEMALE--	2	2	1	2	3	4	5	1	2	-	1	-
BLACK---MALE-----	1	1	-	3	3	1	2	2	1	-	-	-
FEMALE--	2	2	1	1	2	2	4	1	2	-	1	-
NEVADA -----	24	47	44	70	115	172	155	141	64	21	4	-
WHITE-----MALE----	11	24	20	36	52	71	66	48	17	4	2	-
FEMALE--	8	11	16	25	52	88	80	85	40	14	1	-
ALL OTHER--MALE----	1	6	5	2	4	4	3	1	2	-	-	-
FEMALE--	4	6	3	7	7	9	6	7	5	3	1	-
BLACK---MALE-----	-	5	4	1	3	3	1	1	1	-	-	-
FEMALE--	2	4	1	3	4	4	4	6	5	3	1	-





04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 2113

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Cerebrovascular diseases (I60-I69)												
OHIO -----	6,891	3	1	2	3	6	4	8	14	32	61	85
WHITE-----MALE----	2,235	1	1	1	3	1	1	3	8	14	19	38
FEMALE--	3,915	2	-	1	-	3	1	4	4	13	23	29
ALL OTHER--MALE----	318	-	-	-	-	1	-	1	1	1	9	9
FEMALE--	423	-	-	-	-	1	2	-	1	4	10	9
BLACK---MALE----	307	-	-	-	-	1	-	1	1	1	8	9
FEMALE--	408	-	-	-	-	1	2	-	1	4	10	8
OKLAHOMA -----	2,384	-	1	-	1	1	2	3	1	7	31	43
WHITE-----MALE----	794	-	-	-	1	-	1	1	-	1	8	20
FEMALE--	1,327	-	1	-	-	1	-	1	-	1	17	13
ALL OTHER--MALE----	109	-	-	-	-	-	-	-	-	3	2	5
FEMALE--	154	-	-	-	-	-	1	1	1	2	4	5
BLACK---MALE----	64	-	-	-	-	-	-	-	-	3	2	2
FEMALE--	89	-	-	-	-	-	1	1	-	-	2	3
OREGON -----	2,588	5	-	-	-	1	1	1	3	13	5	27
WHITE-----MALE----	990	4	-	-	-	1	1	-	1	3	4	12
FEMALE--	1,509	-	-	-	-	-	-	1	1	10	1	11
ALL OTHER--MALE----	35	1	-	-	-	-	-	-	1	-	-	1
FEMALE--	54	-	-	-	-	-	-	-	-	-	-	3
BLACK---MALE----	18	1	-	-	-	-	-	-	1	-	-	1
FEMALE--	25	-	-	-	-	-	-	-	-	-	-	1
PENNSYLVANIA -----	8,619	3	2	3	2	6	2	5	12	30	69	93
WHITE-----MALE----	2,870	2	2	2	1	3	1	3	5	13	23	30
FEMALE--	4,963	-	-	1	1	1	-	2	5	11	26	30
ALL OTHER--MALE----	298	-	-	-	-	-	-	-	-	5	11	17
FEMALE--	488	1	-	-	-	2	1	-	2	1	9	16
BLACK---MALE----	272	-	-	-	-	-	-	-	-	4	9	17
FEMALE--	462	1	-	-	-	-	1	-	2	1	8	16
RHODE ISLAND -----	614	-	-	-	-	-	-	1	-	4	7	6
WHITE-----MALE----	241	-	-	-	-	-	-	-	-	3	3	4
FEMALE--	351	-	-	-	-	-	-	1	-	1	4	1
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	2,832	2	2	2	1	1	3	2	9	21	36	59
WHITE-----MALE----	685	-	1	1	-	-	1	-	4	1	7	11
FEMALE--	1,200	-	1	1	-	-	-	-	2	7	4	12
ALL OTHER--MALE----	416	2	-	-	-	1	-	1	3	3	11	20
FEMALE--	531	-	-	-	1	-	2	1	-	10	14	16
BLACK---MALE----	413	2	-	-	-	1	-	1	3	3	10	20
FEMALE--	524	-	-	-	1	-	1	1	-	10	14	16

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Cerebrovascular diseases (I60-I69)												
OHIO -----	138	165	242	329	647	1,055	1,393	1,392	912	347	52	-
WHITE-----MALE----	52	63	89	129	291	419	465	411	163	55	8	-
FEMALE--	39	59	96	135	291	534	802	880	699	260	40	-
ALL OTHER--MALE----	17	24	32	36	33	52	54	26	11	8	3	-
FEMALE--	30	19	25	29	32	50	72	75	39	24	1	-
BLACK---MALE-----	17	22	28	34	31	52	54	26	11	8	3	-
FEMALE--	29	17	23	29	28	50	69	73	39	24	1	-
OKLAHOMA -----	34	58	75	133	200	367	480	470	327	132	18	-
WHITE-----MALE----	13	29	38	54	85	144	163	132	75	27	2	-
FEMALE--	10	23	25	54	87	184	276	296	230	95	13	-
ALL OTHER--MALE----	6	1	8	15	17	16	18	8	7	3	-	-
FEMALE--	5	5	4	10	11	23	23	34	15	7	3	-
BLACK---MALE-----	3	1	4	11	10	8	10	4	5	1	-	-
FEMALE--	3	3	1	4	7	16	14	16	10	6	2	-
OREGON -----	39	49	68	94	204	402	505	617	390	139	25	-
WHITE-----MALE----	23	23	31	39	103	179	201	218	110	31	6	-
FEMALE--	12	18	32	49	88	211	291	386	271	108	19	-
ALL OTHER--MALE----	3	3	2	3	5	6	5	2	3	-	-	-
FEMALE--	1	5	3	3	8	6	8	11	6	-	-	-
BLACK---MALE-----	2	1	1	2	2	3	2	1	1	-	-	-
FEMALE--	-	4	1	1	5	-	3	7	3	-	-	-
PENNSYLVANIA -----	137	154	211	368	768	1,281	1,846	1,885	1,225	449	68	-
WHITE-----MALE----	53	60	86	170	335	543	621	574	273	61	9	-
FEMALE--	43	61	80	139	334	627	1,109	1,197	884	355	57	-
ALL OTHER--MALE----	21	13	21	34	43	43	41	33	12	4	-	-
FEMALE--	20	20	24	25	56	68	75	81	56	29	2	-
BLACK---MALE-----	18	10	19	31	41	41	37	29	12	4	-	-
FEMALE--	20	19	24	20	55	66	71	71	56	29	2	-
RHODE ISLAND -----	8	13	12	30	49	101	137	113	88	36	8	1
WHITE-----MALE----	3	5	10	15	30	48	58	36	17	8	-	1
FEMALE--	2	8	1	13	14	51	74	75	70	28	8	-
ALL OTHER--MALE----	2	-	-	-	2	2	1	2	1	-	-	-
FEMALE--	1	-	1	2	3	-	4	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	1	2	-	1	1	-	-	-
FEMALE--	1	-	1	-	1	-	3	-	-	-	-	-
SOUTH CAROLINA -----	87	95	137	159	286	426	536	528	307	101	32	-
WHITE-----MALE----	17	29	39	42	87	137	138	114	46	8	2	-
FEMALE--	14	20	29	48	82	153	250	296	196	68	17	-
ALL OTHER--MALE----	36	28	35	35	57	68	58	39	12	5	2	-
FEMALE--	20	18	34	34	60	68	90	79	53	20	11	-
BLACK---MALE-----	36	28	35	35	55	68	58	39	12	5	2	-
FEMALE--	20	18	33	34	58	67	89	79	53	19	11	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Cerebrovascular diseases (I60-I69)												
SOUTH DAKOTA -----	490	-	-	1	-	-	2	-	1	5	2	6
WHITE-----MALE----	186	-	-	1	-	-	-	-	-	-	-	2
FEMALE--	282	-	-	-	-	-	2	-	1	3	1	3
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	13	-	-	-	-	-	-	-	-	2	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	4,037	2	-	-	-	2	1	4	10	21	54	50
WHITE-----MALE----	1,192	1	-	-	-	-	1	2	2	6	18	14
FEMALE--	2,213	1	-	-	-	1	-	1	5	8	17	18
ALL OTHER--MALE----	274	-	-	-	-	-	-	-	1	7	9	10
FEMALE--	358	-	-	-	-	1	-	1	2	-	10	8
BLACK---MALE----	268	-	-	-	-	-	-	-	-	7	9	9
FEMALE--	352	-	-	-	-	1	-	1	2	-	10	8
TEXAS -----	10,612	13	7	3	1	5	8	20	30	58	129	176
WHITE-----MALE----	3,420	6	2	1	-	3	6	8	11	23	44	79
FEMALE--	5,674	2	4	1	1	2	2	7	13	20	48	45
ALL OTHER--MALE----	630	4	-	-	-	-	-	4	1	7	18	31
FEMALE--	888	1	1	1	-	-	-	1	5	8	19	21
BLACK---MALE----	581	4	-	-	-	-	-	4	1	7	17	30
FEMALE--	827	1	1	1	-	-	-	1	5	8	18	21
UTAH -----	870	3	1	-	-	-	-	2	2	3	7	11
WHITE-----MALE----	303	1	-	-	-	-	-	1	-	1	3	5
FEMALE--	542	2	1	-	-	-	-	1	1	2	4	5
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	323	1	-	-	-	1	-	-	-	3	3	2
WHITE-----MALE----	107	1	-	-	-	-	-	-	-	1	1	-
FEMALE--	216	-	-	-	-	1	-	-	-	2	2	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	4,129	5	-	1	1	1	6	3	13	22	43	80
WHITE-----MALE----	1,146	3	-	1	-	-	3	2	4	3	10	24
FEMALE--	2,005	-	-	-	-	1	2	1	3	5	10	22
ALL OTHER--MALE----	421	2	-	-	-	-	1	-	2	9	12	21
FEMALE--	557	-	-	-	1	-	-	-	4	5	11	13
BLACK---MALE----	395	2	-	-	-	-	1	-	1	8	12	20
FEMALE--	528	-	-	-	1	-	-	-	3	5	10	12

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Cerebrovascular diseases (I60-I69)												
SOUTH DAKOTA -----	5	3	9	24	28	69	106	119	76	26	8	-
WHITE-----MALE----	4	2	6	11	11	31	46	45	22	4	1	-
FEMALE--	-	1	3	7	12	35	60	74	51	22	7	-
ALL OTHER--MALE----	1	-	-	1	2	2	-	-	1	-	-	-
FEMALE--	-	-	-	5	3	1	-	-	2	-	-	-
BLACK---MALE-----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	76	142	176	246	360	571	773	793	570	164	22	-
WHITE-----MALE----	28	50	73	97	132	200	231	212	101	22	2	-
FEMALE--	30	52	65	90	149	276	456	491	412	128	13	-
ALL OTHER--MALE----	9	21	27	33	43	36	36	30	8	4	-	-
FEMALE--	9	19	11	26	36	59	50	60	49	10	7	-
BLACK---MALE-----	9	21	25	33	41	36	36	30	8	4	-	-
FEMALE--	9	19	10	26	36	58	47	59	49	10	7	-
TEXAS -----	272	302	383	588	996	1,529	1,974	2,075	1,413	537	93	-
WHITE-----MALE----	99	122	145	234	431	586	663	526	340	80	11	-
FEMALE--	89	100	137	234	398	723	1,096	1,355	926	402	69	-
ALL OTHER--MALE----	40	44	49	62	86	98	72	59	41	12	2	-
FEMALE--	44	36	52	58	81	122	143	135	106	43	11	-
BLACK---MALE-----	37	39	42	58	83	91	68	52	36	11	1	-
FEMALE--	41	31	47	53	73	115	128	127	104	41	11	-
UTAH -----	11	20	20	35	66	123	206	181	123	50	6	-
WHITE-----MALE----	6	6	9	20	22	58	74	50	36	11	-	-
FEMALE--	4	9	11	15	41	63	125	127	86	39	6	-
ALL OTHER--MALE----	-	-	-	-	3	2	4	2	-	-	-	-
FEMALE--	1	5	-	-	-	-	3	2	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
VERMONT -----	-	4	9	17	27	47	60	61	63	20	5	-
WHITE-----MALE----	-	1	3	5	14	23	26	11	16	3	2	-
FEMALE--	-	3	6	12	13	24	34	50	47	17	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	98	112	166	232	370	574	798	812	546	203	43	-
WHITE-----MALE----	27	40	59	82	116	183	239	224	97	27	2	-
FEMALE--	19	25	46	72	143	251	416	454	359	146	30	-
ALL OTHER--MALE----	26	31	36	38	51	64	65	39	14	9	1	-
FEMALE--	26	16	25	40	60	76	78	95	76	21	10	-
BLACK---MALE-----	25	27	32	36	49	60	61	37	14	9	1	-
FEMALE--	25	15	23	35	54	73	74	92	75	21	10	-





[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Cerebrovascular diseases (I60-I69)												
WASHINGTON -----	68	73	106	161	284	519	802	824	605	206	33	-
WHITE-----MALE----	29	34	54	77	131	218	312	268	162	35	5	-
FEMALE--	23	24	36	69	121	264	450	521	424	164	24	-
ALL OTHER--MALE----	8	8	8	5	13	11	15	12	7	1	1	-
FEMALE--	8	7	8	10	19	26	25	23	12	6	3	-
BLACK---MALE-----	4	4	3	3	1	4	4	-	2	-	-	-
FEMALE--	2	1	4	2	5	4	6	12	4	3	-	-
WEST VIRGINIA -----	20	27	34	66	118	205	276	262	165	53	10	-
WHITE-----MALE----	15	19	17	34	59	87	111	74	32	6	1	-
FEMALE--	3	7	16	29	55	111	158	176	129	46	9	-
ALL OTHER--MALE----	1	1	1	1	2	3	4	1	1	-	-	-
FEMALE--	1	-	-	2	2	4	3	11	3	1	-	-
BLACK---MALE-----	1	1	1	1	2	3	3	1	1	-	-	-
FEMALE--	1	-	-	2	2	4	3	11	3	1	-	-
WISCONSIN -----	56	65	84	147	308	521	737	805	581	217	46	-
WHITE-----MALE----	23	31	42	73	160	243	319	254	153	47	7	-
FEMALE--	20	24	31	61	124	256	403	539	418	168	36	-
ALL OTHER--MALE----	9	6	5	8	8	12	5	5	2	-	-	-
FEMALE--	4	4	6	5	16	10	10	7	8	2	3	-
BLACK---MALE-----	6	5	4	7	7	7	2	4	2	-	-	-
FEMALE--	4	3	6	2	11	7	4	5	5	2	3	-
WYOMING -----	3	7	12	12	25	36	54	47	32	17	2	-
WHITE-----MALE----	1	7	3	5	7	14	23	17	10	3	1	-
FEMALE--	2	-	9	7	18	22	30	29	22	14	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Subarachnoid hemorrhage (I60)												
UNITED STATES -	6,142	2	3	5	8	21	46	67	146	283	507	617
WHITE-----MALE----	1,731	-	2	3	1	7	21	28	53	80	156	182
FEMALE--	3,166	-	1	-	4	8	11	17	54	116	207	278
ALL OTHER--MALE----	420	-	-	-	1	2	4	11	18	31	55	60
FEMALE--	825	2	-	2	2	4	10	11	21	56	89	97
BLACK---MALE-----	307	-	-	-	1	2	3	10	11	23	46	45
FEMALE--	617	2	-	2	-	3	8	9	16	46	80	81
ALABAMA -----												
WHITE-----MALE----	99	-	-	-	-	-	2	1	1	3	12	8
FEMALE--	23	-	-	-	-	-	1	1	1	-	3	1
ALL OTHER--MALE----	45	-	-	-	-	-	-	-	-	2	3	3
FEMALE--	11	-	-	-	-	-	1	-	-	1	3	1
BLACK---MALE-----	20	-	-	-	-	-	-	-	-	-	3	3
FEMALE--	11	-	-	-	-	-	1	-	-	1	3	1
FEMALE--	20	-	-	-	-	-	-	-	-	-	3	3
ALASKA -----												
WHITE-----MALE----	15	-	-	-	-	-	-	1	-	-	1	2
FEMALE--	3	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	3	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
ARIZONA -----												
WHITE-----MALE----	76	-	1	-	-	-	-	3	3	4	5	13
FEMALE--	32	-	1	-	-	-	-	2	1	2	1	4
ALL OTHER--MALE----	36	-	-	-	-	-	-	-	1	1	4	6
FEMALE--	4	-	-	-	-	-	-	-	1	1	-	1
BLACK---MALE-----	4	-	-	-	-	-	-	1	-	-	-	2
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----												
WHITE-----MALE----	65	1	-	-	2	-	-	1	2	3	6	5
FEMALE--	12	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	39	-	-	-	2	-	-	-	-	2	3	4
FEMALE--	7	-	-	-	-	-	-	1	-	-	2	-
BLACK---MALE-----	7	1	-	-	-	-	-	-	2	1	-	1
FEMALE--	7	-	-	-	-	-	-	1	-	-	2	-
FEMALE--	7	1	-	-	-	-	-	-	2	1	-	1
CALIFORNIA -----												
WHITE-----MALE----	657	-	-	1	1	2	7	9	19	34	52	55
FEMALE--	164	-	-	-	-	1	4	4	7	8	22	14
ALL OTHER--MALE----	334	-	-	-	-	1	2	2	6	13	25	26
FEMALE--	53	-	-	-	-	-	-	2	3	5	5	5
BLACK---MALE-----	106	-	-	1	1	-	1	1	3	8	-	10
FEMALE--	15	-	-	-	-	-	-	1	-	2	-	2
FEMALE--	36	-	-	1	-	-	-	-	1	4	-	7

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Subarachnoid hemorrhage (I60)

UNITED STATES -	624	600	473	502	555	596	506	365	162	49	5	-
WHITE-----MALE----	192	164	143	128	174	151	138	76	27	4	1	-
FEMALE--	264	299	260	267	297	360	323	239	121	36	4	-
ALL OTHER--MALE----	63	54	23	26	29	22	6	12	3	-	-	-
FEMALE--	105	83	47	81	55	63	39	38	11	9	-	-
BLACK---MALE-----	49	37	20	18	15	17	4	4	2	-	-	-
FEMALE--	82	65	34	58	32	39	21	27	7	5	-	-
ALABAMA -----	10	15	8	11	12	7	3	3	3	-	-	-
WHITE-----MALE----	3	3	3	3	1	2	1	-	-	-	-	-
FEMALE--	3	6	4	5	8	4	2	2	3	-	-	-
ALL OTHER--MALE----	-	1	1	-	2	1	-	-	-	-	-	-
FEMALE--	4	5	-	3	1	-	-	1	-	-	-	-
BLACK---MALE-----	-	1	1	-	2	1	-	-	-	-	-	-
FEMALE--	4	5	-	3	1	-	-	1	-	-	-	-
ALASKA -----	4	2	1	-	1	2	-	1	-	-	-	-
WHITE-----MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	2	2	1	-	-	1	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	9	1	5	5	4	6	3	7	5	2	-	-
WHITE-----MALE----	5	1	1	2	2	3	1	4	1	1	-	-
FEMALE--	4	-	4	2	2	3	1	3	4	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	7	3	3	7	5	7	6	6	1	-	-	-
WHITE-----MALE----	5	1	-	1	1	1	2	-	-	-	-	-
FEMALE--	-	2	2	4	4	5	4	6	1	-	-	-
ALL OTHER--MALE----	2	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
BLACK---MALE-----	2	-	1	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	-	-	-	-
CALIFORNIA -----	72	53	45	56	54	68	51	53	21	4	-	-
WHITE-----MALE----	18	16	10	12	12	10	12	11	3	-	-	-
FEMALE--	32	25	24	24	31	43	34	31	14	1	-	-
ALL OTHER--MALE----	9	4	2	4	3	4	-	6	1	-	-	-
FEMALE--	13	8	9	16	8	11	5	5	3	3	-	-
BLACK---MALE-----	5	-	2	1	-	2	-	-	-	-	-	-
FEMALE--	5	1	3	8	3	1	-	1	-	1	-	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 2117

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Subarachnoid hemorrhage (I60)												
COLORADO -----	56	-	-	1	-	-	-	-	3	1	1	5
WHITE-----MALE----	16	-	-	1	-	-	-	-	1	-	-	3
FEMALE--	35	-	-	-	-	-	-	-	2	-	1	2
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	70	-	-	-	-	-	-	-	-	1	7	11
WHITE-----MALE----	19	-	-	-	-	-	-	-	-	-	2	3
FEMALE--	42	-	-	-	-	-	-	-	-	-	4	7
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	1	1	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	1	-	1
DELAWARE -----	14	-	-	-	-	-	-	-	1	1	3	2
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	1	1	2	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	1	1	2	-
DISTRICT OF COLUMBIA ---	12	-	-	-	-	-	-	1	-	1	1	2
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	1	1	2
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	1	1	2
FLORIDA -----	365	-	-	-	1	-	7	5	7	16	20	27
WHITE-----MALE----	108	-	-	-	-	-	-	3	3	7	8	11
FEMALE--	190	-	-	-	-	-	4	1	2	4	8	10
ALL OTHER--MALE----	22	-	-	-	1	-	-	-	1	3	-	4
FEMALE--	45	-	-	-	-	-	3	1	1	2	4	2
BLACK---MALE----	21	-	-	-	1	-	-	-	1	3	-	4
FEMALE--	41	-	-	-	-	-	3	1	1	2	4	2
GEORGIA -----	191	-	-	-	-	1	-	3	6	7	19	29
WHITE-----MALE----	45	-	-	-	-	-	-	1	3	-	3	10
FEMALE--	79	-	-	-	-	-	-	1	1	2	9	6
ALL OTHER--MALE----	25	-	-	-	-	-	-	-	1	3	2	5
FEMALE--	42	-	-	-	-	1	-	1	1	2	5	8
BLACK---MALE----	24	-	-	-	-	-	-	-	1	3	2	5
FEMALE--	41	-	-	-	-	1	-	1	1	2	5	8

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Subarachnoid hemorrhage (I60)												
COLORADO -----	9	6	9	8	4	5	2	2	-	-	-	-
WHITE-----MALE----	1	-	3	4	1	-	1	1	-	-	-	-
FEMALE--	7	6	6	3	1	5	1	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	9	4	4	4	5	8	5	10	2	-	-	-
WHITE-----MALE----	3	2	1	2	1	2	1	2	-	-	-	-
FEMALE--	5	1	1	2	4	5	4	7	2	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	2	-	-	1	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	2	-	-	1	-	1	-	-	-	-
DELAWARE -----	2	-	1	-	1	1	1	1	-	-	-	-
WHITE-----MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	1	1	-	2	1	1	-	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	1	-	1	-	1	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	1	-	1	-	1	-	-	-	1	-	-
FLORIDA -----	43	38	32	30	35	41	31	17	12	3	-	-
WHITE-----MALE----	14	9	7	5	12	10	13	5	1	-	-	-
FEMALE--	19	20	21	17	19	26	15	11	10	3	-	-
ALL OTHER--MALE----	6	3	1	1	1	1	-	-	-	-	-	-
FEMALE--	4	6	3	7	3	4	3	1	1	-	-	-
BLACK---MALE----	6	2	1	1	1	1	-	-	-	-	-	-
FEMALE--	3	6	3	5	2	4	3	1	1	-	-	-
GEORGIA -----	25	19	12	16	10	20	12	7	5	-	-	-
WHITE-----MALE----	3	3	5	3	4	3	6	-	1	-	-	-
FEMALE--	9	8	4	10	4	12	3	6	4	-	-	-
ALL OTHER--MALE----	3	5	2	3	1	-	-	-	-	-	-	-
FEMALE--	10	3	1	-	1	5	3	1	-	-	-	-
BLACK---MALE----	3	4	2	3	1	-	-	-	-	-	-	-
FEMALE--	10	3	1	-	1	5	2	1	-	-	-	-







[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Subarachnoid hemorrhage (I60)												
KENTUCKY -----	91	-	-	-	-	1	1	2	1	4	11	9
WHITE-----MALE----	31	-	-	-	-	1	1	1	1	-	2	4
FEMALE--	49	-	-	-	-	-	-	1	-	4	6	3
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	2	2
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	2	2
LOUISIANA -----	114	-	-	-	1	-	-	1	2	6	8	7
WHITE-----MALE----	19	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	44	-	-	-	1	-	-	-	1	4	3	1
ALL OTHER--MALE----	21	-	-	-	-	-	-	1	-	-	-	2
FEMALE--	30	-	-	-	-	-	-	-	1	1	5	3
BLACK---MALE----	20	-	-	-	-	-	-	1	-	-	-	2
FEMALE--	30	-	-	-	-	-	-	-	1	1	5	3
MAINE -----	20	-	-	-	-	-	-	-	-	3	1	1
WHITE-----MALE----	8	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	11	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	116	-	-	-	-	-	-	1	4	3	15	13
WHITE-----MALE----	36	-	-	-	-	-	-	-	1	-	5	3
FEMALE--	48	-	-	-	-	-	-	-	1	-	3	2
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	1	2	2	2
FEMALE--	22	-	-	-	-	-	-	1	1	1	5	6
BLACK---MALE----	9	-	-	-	-	-	-	-	1	2	2	2
FEMALE--	19	-	-	-	-	-	-	1	1	1	5	6
MASSACHUSETTS -----	139	-	-	-	-	-	-	1	3	1	10	12
WHITE-----MALE----	43	-	-	-	-	-	-	-	1	-	7	3
FEMALE--	86	-	-	-	-	-	-	1	1	1	3	7
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	1	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
MICHIGAN -----	252	-	-	-	-	2	4	-	6	12	22	22
WHITE-----MALE----	74	-	-	-	-	1	2	-	1	2	3	6
FEMALE--	123	-	-	-	-	1	-	-	4	6	8	11
ALL OTHER--MALE----	25	-	-	-	-	-	1	-	-	-	4	5
FEMALE--	30	-	-	-	-	-	1	-	1	4	7	-
BLACK---MALE----	22	-	-	-	-	-	1	-	-	-	4	5
FEMALE--	28	-	-	-	-	-	1	-	1	4	6	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 2119

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Subarachnoid hemorrhage (I60)												
KENTUCKY -----	9	9	2	7	13	7	5	4	6	-	-	-
WHITE-----MALE----	4	2	2	2	8	2	-	-	1	-	-	-
FEMALE--	4	6	-	5	5	3	4	3	5	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	1	-	-	-	2	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	1	1	-	-	-	1	-	-	-	-	-	-
LOUISIANA -----	12	16	8	12	11	9	11	7	3	-	-	-
WHITE-----MALE----	-	2	3	2	6	1	2	1	-	-	-	-
FEMALE--	4	5	3	5	3	3	7	3	1	-	-	-
ALL OTHER--MALE----	4	8	-	2	-	3	-	1	-	-	-	-
FEMALE--	4	1	2	3	2	2	2	2	2	-	-	-
BLACK---MALE----	4	7	-	2	-	3	-	1	-	-	-	-
FEMALE--	4	1	2	3	2	2	2	2	2	-	-	-
MAINE -----	2	1	-	2	4	2	2	2	-	-	-	-
WHITE-----MALE----	2	1	-	1	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	1	4	1	1	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	8	8	11	9	9	7	14	7	7	-	-	-
WHITE-----MALE----	2	3	5	2	3	3	5	3	1	-	-	-
FEMALE--	4	4	4	5	5	3	7	4	6	-	-	-
ALL OTHER--MALE----	1	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	1	1	1	2	1	-	2	-	-	-	-	-
BLACK---MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	1	1	-	-	1	-	-	-	-	-
MASSACHUSETTS -----	5	12	11	11	16	11	19	14	9	3	1	-
WHITE-----MALE----	1	1	4	4	4	6	6	3	2	-	1	-
FEMALE--	4	10	6	6	12	4	12	11	6	2	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	-	1	-	1	1	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	-	1	-	-	-
MICHIGAN -----	30	31	21	20	15	25	22	17	3	-	-	-
WHITE-----MALE----	6	11	7	9	5	8	7	6	-	-	-	-
FEMALE--	15	10	12	8	8	14	12	11	3	-	-	-
ALL OTHER--MALE----	5	4	1	2	2	-	1	-	-	-	-	-
FEMALE--	4	6	1	1	-	3	2	-	-	-	-	-
BLACK---MALE----	4	4	1	2	-	-	1	-	-	-	-	-
FEMALE--	4	6	1	1	-	3	1	-	-	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Subarachnoid hemorrhage (I60)												
MINNESOTA -----	105	-	-	-	-	-	-	-	2	4	6	13
WHITE-----MALE----	36	-	-	-	-	-	-	-	1	-	3	6
FEMALE--	60	-	-	-	-	-	-	-	1	4	-	6
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	2	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	2	-
MISSISSIPPI -----	76	-	-	-	-	-	1	1	3	8	6	5
WHITE-----MALE----	16	-	-	-	-	-	1	-	3	1	1	1
FEMALE--	39	-	-	-	-	-	-	-	-	5	3	2
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	13	-	-	-	-	-	-	1	-	2	1	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	13	-	-	-	-	-	-	1	-	2	1	-
MISSOURI -----	141	-	-	-	-	-	2	-	6	6	10	11
WHITE-----MALE----	46	-	-	-	-	-	1	-	2	2	2	3
FEMALE--	78	-	-	-	-	-	-	-	2	3	6	5
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	2	-	1	-
FEMALE--	12	-	-	-	-	-	1	-	-	1	1	3
BLACK---MALE----	5	-	-	-	-	-	-	-	2	-	1	-
FEMALE--	12	-	-	-	-	-	1	-	-	1	1	3
MONTANA -----	17	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	48	-	-	-	-	1	-	-	1	-	5	5
WHITE-----MALE----	14	-	-	-	-	1	-	-	-	-	3	2
FEMALE--	30	-	-	-	-	-	-	-	1	-	2	3
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	47	-	-	-	-	-	2	1	-	3	4	6
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	26	-	-	-	-	-	1	1	-	2	3	3
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	1	-	-	-	1	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	1	-	-	-	1	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Subarachnoid hemorrhage (I60)

MINNESOTA -----	9	10	13	9	12	9	8	6	3	1	-	-
WHITE-----MALE----	1	5	6	3	5	4	1	1	-	-	-	-
FEMALE--	7	4	7	6	6	5	7	4	2	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	1	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
MISSISSIPPI -----	7	9	6	5	6	5	3	6	3	2	-	-
WHITE-----MALE----	3	-	1	-	2	1	-	2	-	-	-	-
FEMALE--	3	5	2	4	2	3	3	2	3	2	-	-
ALL OTHER--MALE----	1	1	1	-	2	-	-	-	-	-	-	-
FEMALE--	-	3	2	1	-	1	-	2	-	-	-	-
BLACK---MALE----	1	1	1	-	2	-	-	-	-	-	-	-
FEMALE--	-	3	2	1	-	1	-	2	-	-	-	-
MISSOURI -----	12	15	9	9	15	21	11	6	4	3	1	-
WHITE-----MALE----	5	4	3	5	3	10	4	1	1	-	-	-
FEMALE--	4	10	6	3	11	10	7	5	2	3	1	-
ALL OTHER--MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	2	1	-	1	1	-	-	-	1	-	-	-
BLACK---MALE----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	2	1	-	1	1	-	-	-	1	-	-	-
MONTANA -----	1	5	3	1	1	2	2	1	-	-	-	-
WHITE-----MALE----	-	1	-	1	1	-	-	-	-	-	-	-
FEMALE--	1	4	2	-	-	2	2	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	5	6	2	5	3	5	3	6	-	1	-	-
WHITE-----MALE----	2	-	-	1	2	2	-	1	-	-	-	-
FEMALE--	2	4	2	3	1	3	3	5	-	1	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	1	-	-	-	-	-	-	-	-	-	-
NEVADA -----	7	-	4	5	5	4	3	1	1	1	-	-
WHITE-----MALE----	1	-	-	2	1	1	1	1	-	-	-	-
FEMALE--	2	-	3	3	2	2	2	-	1	1	-	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	1	1	-	-	-	-	-	-





04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 2122

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Subarachnoid hemorrhage (I60)												
OHIO -----	283	-	-	-	-	4	-	4	10	16	18	23
WHITE-----MALE----	80	-	-	-	-	-	-	1	6	8	5	9
FEMALE--	150	-	-	-	-	2	-	2	2	5	7	10
ALL OTHER--MALE----	14	-	-	-	-	1	-	1	1	-	3	2
FEMALE--	39	-	-	-	-	1	-	1	1	3	3	2
BLACK---MALE-----	12	-	-	-	-	1	-	1	1	-	3	2
FEMALE--	33	-	-	-	-	1	-	-	1	3	3	1
OKLAHOMA -----	99	-	-	-	-	1	-	3	1	3	14	12
WHITE-----MALE----	21	-	-	-	-	-	-	1	-	-	2	3
FEMALE--	58	-	-	-	-	1	-	1	-	-	9	6
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	14	-	-	-	-	-	-	1	1	2	2	2
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	5	-	-	-	-	-	-	1	-	-	1	1
OREGON -----	76	-	-	-	-	-	-	-	2	5	2	10
WHITE-----MALE----	27	-	-	-	-	-	-	-	-	-	2	3
FEMALE--	44	-	-	-	-	-	-	-	1	5	-	6
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	1	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	286	-	-	1	-	1	1	1	6	9	24	28
WHITE-----MALE----	101	-	-	1	-	-	1	1	2	4	12	8
FEMALE--	151	-	-	-	-	-	-	-	4	4	5	17
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	1	3	2
FEMALE--	22	-	-	-	-	1	-	-	-	-	4	1
BLACK---MALE-----	7	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	18	-	-	-	-	-	-	-	-	-	4	1
RHODE ISLAND -----	24	-	-	-	-	-	-	-	-	2	4	1
WHITE-----MALE----	11	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	13	-	-	-	-	-	-	-	-	1	3	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	91	-	-	-	-	-	-	-	2	5	9	11
WHITE-----MALE----	24	-	-	-	-	-	-	-	1	-	2	-
FEMALE--	33	-	-	-	-	-	-	-	1	1	2	7
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	25	-	-	-	-	-	-	-	-	4	4	3
BLACK---MALE-----	9	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	25	-	-	-	-	-	-	-	-	4	4	3

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 2122

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Subarachnoid hemorrhage (I60)												
OHIO -----	26	35	28	14	33	29	29	8	2	4	-	-
WHITE-----MALE----	10	11	5	6	8	4	5	1	1	-	-	-
FEMALE--	8	17	19	6	20	21	20	7	1	3	-	-
ALL OTHER--MALE----	-	2	1	-	2	1	-	-	-	-	-	-
FEMALE--	8	5	3	2	3	3	4	-	1	-	-	-
BLACK---MALE-----	-	1	1	-	1	1	-	-	-	-	-	-
FEMALE--	7	4	1	2	2	3	4	-	-	1	-	-
OKLAHOMA -----	5	11	7	6	9	6	11	6	2	1	1	-
WHITE-----MALE----	1	4	1	2	2	1	3	1	-	-	-	-
FEMALE--	3	6	3	3	6	5	8	4	2	-	1	-
ALL OTHER--MALE----	-	-	2	-	1	-	-	-	-	-	-	-
FEMALE--	1	1	1	1	-	-	-	1	-	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	1	-	-	-	-
OREGON -----	5	6	7	6	10	9	8	4	2	-	-	-
WHITE-----MALE----	3	2	3	5	3	4	2	-	-	-	-	-
FEMALE--	2	4	4	1	6	4	6	3	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
PENNSYLVANIA -----	19	24	18	21	32	35	38	21	6	1	-	-
WHITE-----MALE----	8	8	2	9	11	13	12	6	3	-	-	-
FEMALE--	5	12	14	10	17	21	25	13	3	1	-	-
ALL OTHER--MALE----	1	-	-	-	3	1	-	1	-	-	-	-
FEMALE--	5	4	2	2	1	-	1	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	2	1	-	-	-	-	-	-
FEMALE--	5	3	2	1	-	-	1	1	-	-	-	-
RHODE ISLAND -----	1	2	1	1	4	5	1	1	-	1	-	-
WHITE-----MALE----	-	1	1	-	3	3	-	-	-	1	-	-
FEMALE--	1	1	-	1	1	2	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	9	7	15	4	8	7	4	5	4	1	-	-
WHITE-----MALE----	1	1	7	1	5	5	-	-	1	-	-	-
FEMALE--	3	2	2	2	2	1	4	3	2	1	-	-
ALL OTHER--MALE----	2	3	1	-	-	-	-	-	1	-	-	-
FEMALE--	3	1	5	1	1	1	-	2	-	-	-	-
BLACK---MALE-----	2	3	1	-	-	-	-	-	1	-	-	-
FEMALE--	3	1	5	1	1	1	-	2	-	-	-	-



04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 2123

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Subarachnoid hemorrhage (I60)												
SOUTH DAKOTA -----	17	-	-	-	-	-	-	-	1	2	-	1
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	1	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	163	-	-	-	-	-	-	2	3	7	18	16
WHITE-----MALE----	50	-	-	-	-	-	-	-	1	1	6	7
FEMALE--	91	-	-	-	-	-	-	1	1	4	9	7
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	-	2	3	1
FEMALE--	11	-	-	-	-	-	-	1	1	-	-	1
BLACK---MALE----	11	-	-	-	-	-	-	-	-	2	3	1
FEMALE--	11	-	-	-	-	-	-	1	1	-	-	1
TEXAS -----	387	-	1	1	-	1	4	6	8	20	38	38
WHITE-----MALE----	117	-	1	-	-	-	3	3	-	6	12	16
FEMALE--	207	-	-	-	-	1	1	2	5	11	17	13
ALL OTHER--MALE----	21	-	-	-	-	-	-	1	1	1	3	3
FEMALE--	42	-	-	1	-	-	-	-	2	2	6	6
BLACK---MALE----	18	-	-	-	-	-	-	1	1	1	3	3
FEMALE--	38	-	-	1	-	-	-	-	2	2	5	6
UTAH -----	23	-	-	-	-	-	-	1	1	1	-	2
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	18	-	-	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	15	-	-	-	-	1	-	-	-	1	-	2
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	1	-	-	-	1	-	2
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	157	-	-	-	-	-	3	-	6	9	14	17
WHITE-----MALE----	36	-	-	-	-	-	2	-	2	1	4	4
FEMALE--	82	-	-	-	-	-	1	-	2	4	6	9
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	1	3	2	4
FEMALE--	25	-	-	-	-	-	-	-	1	1	2	-
BLACK---MALE----	10	-	-	-	-	-	-	-	-	3	2	3
FEMALE--	23	-	-	-	-	-	-	-	1	1	2	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 2123

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Subarachnoid hemorrhage (I60)

SOUTH DAKOTA -----	-	1	1	2	2	5	1	1	-	-	-	-
WHITE-----MALE----	-	1	-	-	2	1	-	-	-	-	-	-
FEMALE--	-	-	1	1	-	4	1	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	19	22	12	16	9	12	20	1	4	2	-	-
WHITE-----MALE----	6	6	4	4	5	4	4	1	-	1	-	-
FEMALE--	11	10	8	12	2	7	14	-	4	1	-	-
ALL OTHER--MALE----	2	2	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	4	-	-	2	1	1	-	-	-	-	-
BLACK---MALE----	2	2	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	4	-	-	2	1	1	-	-	-	-	-
TEXAS -----	51	41	29	36	38	27	24	14	9	1	-	-
WHITE-----MALE----	16	9	11	9	12	5	7	3	4	-	-	-
FEMALE--	23	22	17	22	23	17	17	10	5	1	-	-
ALL OTHER--MALE----	4	5	-	1	1	1	-	-	-	-	-	-
FEMALE--	8	5	1	4	2	4	-	1	-	-	-	-
BLACK---MALE----	3	3	-	1	1	1	-	-	-	-	-	-
FEMALE--	7	4	1	4	2	4	-	-	-	-	-	-
UTAH -----	2	3	1	2	4	4	-	2	-	-	-	-
WHITE-----MALE----	-	1	-	-	-	1	-	-	-	-	-	-
FEMALE--	2	2	1	2	4	3	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	2	3	1	1	2	2	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	2	3	1	1	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	13	20	12	16	12	16	6	8	4	1	-	-
WHITE-----MALE----	3	8	5	1	2	1	2	1	-	-	-	-
FEMALE--	6	9	5	10	7	11	4	4	4	-	-	-
ALL OTHER--MALE----	1	2	-	-	1	-	-	-	-	-	-	-
FEMALE--	3	1	2	5	2	4	-	3	-	1	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	3	1	2	4	2	3	-	3	-	1	-	-





04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 2125

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intracerebral and other intracranial hemorrhage (I61-I62)												
UNITED STATES -	26,636	40	15	14	18	28	60	81	151	324	696	1,074
WHITE-----MALE----	9,910	13	4	8	6	16	25	28	58	123	234	383
FEMALE--	11,912	9	6	4	5	7	15	21	42	83	173	227
ALL OTHER--MALE----	2,356	12	3	-	3	4	10	19	23	77	151	263
FEMALE--	2,458	6	2	2	4	1	10	13	28	41	138	201
BLACK---MALE-----	1,825	12	3	-	2	4	9	19	20	58	126	232
FEMALE--	1,908	5	2	1	3	-	9	11	24	38	123	177
ALABAMA -----	525	-	1	1	1	-	1	2	5	8	17	34
WHITE-----MALE----	172	-	-	-	-	-	-	-	1	1	4	9
FEMALE--	191	-	1	1	1	-	-	-	-	3	5	6
ALL OTHER--MALE----	79	-	-	-	-	-	-	1	1	2	5	12
FEMALE--	83	-	-	-	-	-	1	1	3	2	3	7
BLACK---MALE-----	77	-	-	-	-	-	-	1	1	2	5	12
FEMALE--	82	-	-	-	-	-	1	1	3	2	3	7
ALASKA -----	29	-	-	-	-	-	-	-	-	1	3	1
WHITE-----MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	3	1
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	396	-	-	-	-	-	1	-	1	7	13	14
WHITE-----MALE----	162	-	-	-	-	-	-	-	-	3	7	5
FEMALE--	188	-	-	-	-	-	1	-	1	1	2	6
ALL OTHER--MALE----	22	-	-	-	-	-	-	-	-	2	2	2
FEMALE--	24	-	-	-	-	-	-	-	-	1	2	1
BLACK---MALE-----	9	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	293	1	-	-	-	-	2	1	2	2	7	14
WHITE-----MALE----	97	1	-	-	-	-	-	1	2	1	3	1
FEMALE--	154	-	-	-	-	-	1	-	-	1	2	3
ALL OTHER--MALE----	17	-	-	-	-	-	1	-	-	-	-	4
FEMALE--	25	-	-	-	-	-	-	-	-	-	2	6
BLACK---MALE-----	16	-	-	-	-	-	1	-	-	-	-	4
FEMALE--	25	-	-	-	-	-	-	-	-	-	2	6
CALIFORNIA -----	2,905	2	-	-	3	1	4	10	23	35	78	125
WHITE-----MALE----	1,032	-	-	-	2	1	3	4	11	14	39	46
FEMALE--	1,187	1	-	-	-	-	-	4	7	12	16	28
ALL OTHER--MALE----	345	-	-	-	-	-	1	-	2	7	18	30
FEMALE--	341	1	-	-	1	-	-	2	3	2	5	21
BLACK---MALE-----	119	-	-	-	-	-	1	-	2	2	7	14
FEMALE--	131	-	-	-	-	-	-	1	2	2	2	14

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 2125

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intracerebral and other intracranial hemorrhage (I61-I62)												
UNITED STATES -	1,371	1,345	1,651	2,025	3,092	4,323	4,693	3,578	1,609	401	43	4
WHITE-----MALE----	459	545	680	815	1,375	1,790	1,760	1,114	377	87	9	1
FEMALE--	325	401	507	757	1,230	2,045	2,506	2,151	1,097	272	29	-
ALL OTHER--MALE----	330	227	234	229	239	213	159	112	32	13	-	3
FEMALE--	257	172	230	224	248	275	268	201	103	29	5	-
BLACK---MALE-----	289	186	179	181	161	135	107	71	20	8	-	3
FEMALE--	223	134	178	162	164	206	200	135	85	23	5	-
ALABAMA -----	43	30	28	43	60	95	70	47	30	9	-	-
WHITE-----MALE----	14	10	7	17	26	35	25	18	5	-	-	-
FEMALE--	7	8	10	15	13	40	29	22	23	7	-	-
ALL OTHER--MALE----	14	6	8	5	10	6	6	3	-	-	-	-
FEMALE--	8	6	3	6	11	14	10	4	2	2	-	-
BLACK---MALE-----	13	6	7	5	10	6	6	3	-	-	-	-
FEMALE--	8	6	3	6	11	13	10	4	2	2	-	-
ALASKA -----	4	4	3	3	2	2	2	3	1	-	-	-
WHITE-----MALE----	-	1	1	2	1	1	2	3	-	-	-	-
FEMALE--	1	2	1	1	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	2	1	1	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
ARIZONA -----	27	19	25	29	49	72	70	46	19	4	-	-
WHITE-----MALE----	14	12	7	10	26	28	23	19	6	2	-	-
FEMALE--	6	4	12	14	20	37	45	24	13	2	-	-
ALL OTHER--MALE----	4	1	3	4	1	1	-	2	-	-	-	-
FEMALE--	3	2	3	1	2	6	2	1	-	-	-	-
BLACK---MALE-----	3	-	1	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	1	-	-	-	-
ARKANSAS -----	12	14	16	26	36	53	48	32	22	5	-	-
WHITE-----MALE----	3	5	10	12	14	19	12	10	2	1	-	-
FEMALE--	4	5	3	12	17	31	32	20	19	4	-	-
ALL OTHER--MALE----	3	4	-	-	2	1	-	1	1	-	-	-
FEMALE--	2	-	3	2	3	2	4	1	-	-	-	-
BLACK---MALE-----	3	3	-	2	2	1	-	1	1	-	-	-
FEMALE--	2	-	3	2	3	2	4	1	-	-	-	-
CALIFORNIA -----	154	178	209	208	340	461	460	395	182	32	5	-
WHITE-----MALE----	50	69	77	82	121	170	159	126	48	8	2	-
FEMALE--	39	54	62	62	124	211	233	211	107	13	3	-
ALL OTHER--MALE----	35	24	39	28	50	47	29	23	8	4	-	-
FEMALE--	30	31	31	36	45	33	39	35	19	7	-	-
BLACK---MALE-----	24	10	15	11	15	8	4	6	-	-	-	-
FEMALE--	15	14	12	12	8	14	17	5	10	3	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intracerebral and other intracranial hemorrhage (I61-I62)												
COLORADO -----	290	-	-	-	-	1	-	1	-	5	9	6
WHITE-----MALE----	118	-	-	-	-	1	-	-	-	3	5	5
FEMALE--	152	-	-	-	-	-	-	-	-	2	2	-
ALL OTHER--MALE----	13	-	-	-	-	-	-	1	-	-	2	1
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	9	-	-	-	-	-	-	1	-	-	1	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	319	1	-	1	-	-	-	-	2	6	3	12
WHITE-----MALE----	116	-	-	1	-	-	-	-	1	2	2	7
FEMALE--	175	1	-	-	-	-	-	-	-	-	1	3
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	2	-	1
FEMALE--	15	-	-	-	-	-	-	-	1	2	-	1
BLACK---MALE----	12	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	14	-	-	-	-	-	-	-	1	2	-	1
DELAWARE -----	75	-	-	-	-	-	-	-	-	-	1	4
WHITE-----MALE----	29	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	31	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	2
DISTRICT OF COLUMBIA ---	58	-	-	-	-	-	1	-	1	-	1	4
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	22	-	-	-	-	-	1	-	1	-	1	3
FEMALE--	25	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	20	-	-	-	-	-	1	-	1	-	1	3
FEMALE--	25	-	-	-	-	-	-	-	-	-	-	1
FLORIDA -----	1,775	6	-	-	-	-	2	6	9	19	37	66
WHITE-----MALE----	743	2	-	-	-	-	-	2	4	7	15	28
FEMALE--	776	2	-	-	-	-	2	2	2	5	11	16
ALL OTHER--MALE----	124	2	-	-	-	-	-	-	2	3	5	13
FEMALE--	132	-	-	-	-	-	-	2	1	4	6	9
BLACK---MALE----	119	2	-	-	-	-	-	-	2	2	5	12
FEMALE--	123	-	-	-	-	-	-	2	1	4	6	9
GEORGIA -----	751	1	-	-	1	3	3	2	8	19	34	44
WHITE-----MALE----	225	-	-	-	-	-	1	-	3	7	3	15
FEMALE--	273	-	-	-	-	1	-	-	-	5	2	5
ALL OTHER--MALE----	134	1	-	-	-	2	2	1	3	5	18	14
FEMALE--	119	-	-	-	1	-	-	1	2	2	11	10
BLACK---MALE----	130	1	-	-	-	2	1	1	3	5	18	14
FEMALE--	116	-	-	-	1	-	-	-	2	2	11	10

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intracerebral and other intracranial hemorrhage (I61-I62)												
COLORADO -----	11	10	14	24	33	55	58	49	9	5	-	-
WHITE-----MALE----	1	6	6	7	15	25	23	18	1	2	-	-
FEMALE--	8	2	6	15	16	28	33	29	8	3	-	-
ALL OTHER--MALE----	2	1	1	1	-	1	2	1	-	-	-	-
FEMALE--	-	1	1	1	2	1	-	1	-	-	-	-
BLACK---MALE-----	2	1	-	1	-	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	2	1	-	-	-	-	-	-
CONNECTICUT -----	9	15	15	19	34	56	59	52	27	6	2	-
WHITE-----MALE----	3	10	9	8	14	19	17	15	6	2	-	-
FEMALE--	5	3	4	6	16	33	39	37	21	4	2	-
ALL OTHER--MALE----	1	1	-	4	1	2	1	-	-	-	-	-
FEMALE--	-	1	2	1	3	2	2	-	-	-	-	-
BLACK---MALE-----	1	1	-	4	1	2	1	-	-	-	-	-
FEMALE--	-	1	1	1	3	2	2	-	-	-	-	-
DELAWARE -----	3	6	3	6	12	16	12	8	4	-	-	-
WHITE-----MALE----	2	3	1	2	6	6	6	1	1	-	-	-
FEMALE--	-	2	2	1	4	7	5	6	2	-	-	-
ALL OTHER--MALE----	-	1	-	2	2	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	3	1	1	1	-	-	-
BLACK---MALE-----	-	1	-	1	2	-	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	3	1	1	1	-	-	-
DISTRICT OF COLUMBIA ---	9	2	5	5	6	7	5	7	5	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	3	3	-	-	-
FEMALE--	-	-	-	1	2	-	-	1	1	-	-	-
ALL OTHER--MALE----	6	1	1	1	2	2	1	1	1	-	-	-
FEMALE--	3	1	4	3	2	5	4	2	-	-	-	-
BLACK---MALE-----	5	1	1	1	1	2	1	1	1	-	-	-
FEMALE--	3	1	4	3	2	5	4	2	-	-	-	-
FLORIDA -----	91	95	98	147	206	287	328	250	102	23	2	1
WHITE-----MALE----	38	40	41	65	98	117	156	91	32	7	-	-
FEMALE--	21	32	22	49	84	144	155	146	66	15	2	-
ALL OTHER--MALE----	19	10	19	14	14	7	10	4	1	-	-	1
FEMALE--	13	13	16	19	10	19	7	9	3	1	-	-
BLACK---MALE-----	19	10	18	14	13	7	9	4	1	-	-	1
FEMALE--	13	12	14	16	9	17	7	9	3	1	-	-
GEORGIA -----	74	47	54	61	64	106	105	84	31	9	1	-
WHITE-----MALE----	16	15	17	22	24	41	33	23	4	1	-	-
FEMALE--	15	7	18	16	24	46	55	51	22	6	-	-
ALL OTHER--MALE----	25	16	13	10	3	10	4	5	2	-	-	-
FEMALE--	18	9	6	13	13	9	13	5	3	2	1	-
BLACK---MALE-----	25	15	12	10	3	9	4	5	2	-	-	-
FEMALE--	18	9	6	12	12	9	13	5	3	2	1	-





[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intracerebral and other intracranial hemorrhage (I61-I62)												
HAWAII -----	9	7	10	11	20	33	22	23	9	3	-	-
WHITE-----MALE----	2	2	3	-	1	5	-	2	-	1	-	-
FEMALE--	-	-	2	-	1	3	3	1	2	-	-	-
ALL OTHER--MALE----	4	4	2	4	14	8	9	10	2	1	-	-
FEMALE--	3	1	3	7	4	17	10	10	5	1	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	9	1	7	12	20	22	18	3	1	1	-
WHITE-----MALE----	-	7	1	2	7	8	10	5	-	-	1	-
FEMALE--	-	2	-	5	5	12	12	13	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	58	56	75	104	120	174	203	169	83	22	2	-
WHITE-----MALE----	15	25	29	36	45	80	83	48	18	3	-	-
FEMALE--	12	17	23	41	51	69	97	102	58	19	2	-
ALL OTHER--MALE----	20	10	12	12	9	12	7	2	2	-	-	-
FEMALE--	11	4	11	15	15	13	16	17	5	-	-	-
BLACK---MALE----	18	8	10	12	6	8	5	2	1	-	-	-
FEMALE--	11	1	11	14	13	9	14	14	4	-	-	-
INDIANA -----	17	37	37	49	71	82	116	78	40	9	1	-
WHITE-----MALE----	7	22	21	26	36	37	50	18	8	4	-	-
FEMALE--	5	9	13	18	33	42	61	55	32	4	1	-
ALL OTHER--MALE----	4	4	1	4	1	2	1	3	-	1	-	-
FEMALE--	1	2	2	1	1	1	4	2	-	-	-	-
BLACK---MALE----	4	4	1	4	1	2	1	2	-	1	-	-
FEMALE--	1	2	2	1	1	1	3	2	-	-	-	-
IOWA -----	5	7	16	29	38	54	59	37	28	5	-	-
WHITE-----MALE----	1	3	8	15	21	27	28	10	7	2	-	-
FEMALE--	3	4	6	14	17	27	31	27	21	3	-	-
ALL OTHER--MALE----	1	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
KANSAS -----	10	4	8	12	31	49	48	42	19	8	-	-
WHITE-----MALE----	3	1	6	7	11	23	13	18	8	3	-	-
FEMALE--	3	2	-	3	18	23	34	22	11	5	-	-
ALL OTHER--MALE----	4	-	1	1	2	1	-	-	-	-	-	-
FEMALE--	-	1	1	1	-	2	1	2	-	-	-	-
BLACK---MALE----	4	-	1	1	1	-	-	-	-	-	-	-
FEMALE--	-	1	1	1	-	2	-	2	-	-	-	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 2128

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intracerebral and other intracranial hemorrhage (I61-I62)												
KENTUCKY -----	441	-	-	-	-	1	-	3	2	6	8	13
WHITE-----MALE----	175	-	-	-	-	1	-	1	-	2	3	5
FEMALE--	225	-	-	-	-	-	-	1	1	1	3	5
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	27	-	-	-	-	-	-	1	1	2	1	2
BLACK---MALE-----	14	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	27	-	-	-	-	-	-	1	1	2	1	2
LOUISIANA -----	468	2	-	-	-	1	2	2	3	9	24	36
WHITE-----MALE----	139	-	-	-	-	-	2	-	1	4	7	7
FEMALE--	155	-	-	-	-	-	-	-	1	-	2	4
ALL OTHER--MALE----	75	-	-	-	-	1	-	1	-	2	6	14
FEMALE--	99	2	-	-	-	-	-	1	1	3	9	11
BLACK---MALE-----	75	-	-	-	-	1	-	1	-	2	6	14
FEMALE--	95	2	-	-	-	-	-	1	1	3	9	11
MAINE -----	126	-	-	-	-	-	-	-	1	1	1	4
WHITE-----MALE----	57	-	-	-	-	-	-	-	1	-	1	3
FEMALE--	69	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	532	-	-	-	-	-	2	-	-	12	20	32
WHITE-----MALE----	161	-	-	-	-	-	-	-	-	4	6	6
FEMALE--	186	-	-	-	-	-	-	-	-	1	3	4
ALL OTHER--MALE----	89	-	-	-	-	-	1	-	-	3	5	14
FEMALE--	96	-	-	-	-	-	1	-	-	4	6	8
BLACK---MALE-----	82	-	-	-	-	-	1	-	-	3	5	14
FEMALE--	86	-	-	-	-	-	1	-	-	4	6	6
MASSACHUSETTS -----	598	1	1	1	1	-	1	-	4	3	15	19
WHITE-----MALE----	253	-	-	-	-	-	1	-	1	1	9	11
FEMALE--	313	-	1	1	1	-	-	-	-	2	5	5
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	1	-	1	2
FEMALE--	16	1	-	-	-	-	-	-	2	-	-	1
BLACK---MALE-----	13	-	-	-	-	-	-	-	1	-	1	1
FEMALE--	11	1	-	-	-	-	-	-	2	-	-	-
MICHIGAN -----	868	2	1	-	1	-	1	3	3	9	24	40
WHITE-----MALE----	313	1	-	-	-	-	-	-	1	1	3	12
FEMALE--	380	-	1	-	-	-	-	1	1	3	8	12
ALL OTHER--MALE----	76	-	-	-	1	-	-	2	1	2	5	8
FEMALE--	99	1	-	-	-	-	1	-	-	3	8	8
BLACK---MALE-----	70	-	-	-	1	-	-	-	1	2	5	7
FEMALE--	92	1	-	-	-	-	1	-	-	3	8	7

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intracerebral and other intracranial hemorrhage (I61-I62)												
KENTUCKY -----	21	32	25	32	46	74	87	56	30	5	-	-
WHITE-----MALE----	11	17	13	13	24	32	30	16	6	1	-	-
FEMALE--	7	12	11	14	20	39	48	38	22	3	-	-
ALL OTHER--MALE----	1	3	1	-	2	2	2	-	-	-	-	-
FEMALE--	2	-	-	5	-	1	7	2	2	1	-	-
BLACK---MALE----	1	3	1	-	2	2	2	-	-	-	-	-
FEMALE--	2	-	-	5	-	1	7	2	2	1	-	-
LOUISIANA -----	38	24	41	39	46	67	67	38	22	5	2	-
WHITE-----MALE----	6	3	15	12	20	26	26	5	5	-	-	-
FEMALE--	11	5	10	9	17	27	25	26	12	4	2	-
ALL OTHER--MALE----	12	8	8	6	4	6	5	1	-	1	-	-
FEMALE--	9	8	8	12	5	8	11	6	5	-	-	-
BLACK---MALE----	12	8	8	6	4	6	5	1	-	1	-	-
FEMALE--	9	7	8	11	4	7	11	6	5	-	-	-
MAINE -----	2	2	9	10	20	21	28	20	6	1	-	-
WHITE-----MALE----	2	1	7	6	9	12	8	6	1	-	-	-
FEMALE--	-	1	2	4	11	9	20	14	5	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	42	22	44	32	57	82	96	59	24	4	3	1
WHITE-----MALE----	5	9	13	10	24	27	32	18	7	-	-	-
FEMALE--	7	2	9	7	19	38	46	30	15	3	2	-
ALL OTHER--MALE----	15	6	5	10	9	8	6	5	1	-	-	1
FEMALE--	15	5	17	5	5	9	12	6	1	1	1	-
BLACK---MALE----	14	6	4	10	8	6	6	3	1	-	-	1
FEMALE--	15	5	13	3	5	9	10	6	1	1	1	-
MASSACHUSETTS -----	18	34	24	31	85	80	123	85	58	12	2	-
WHITE-----MALE----	8	18	6	16	47	35	51	32	16	1	-	-
FEMALE--	3	13	12	14	36	44	70	53	41	11	1	-
ALL OTHER--MALE----	6	2	2	-	2	-	-	-	-	-	-	-
FEMALE--	1	1	4	1	-	1	2	-	1	-	1	-
BLACK---MALE----	5	1	2	-	2	-	-	-	-	-	-	-
FEMALE--	1	-	2	1	-	1	1	-	1	-	1	-
MICHIGAN -----	46	43	53	51	91	152	150	133	48	15	2	-
WHITE-----MALE----	13	15	25	14	39	70	58	49	9	3	-	-
FEMALE--	11	15	15	16	36	64	76	77	32	11	1	-
ALL OTHER--MALE----	12	9	6	9	6	7	4	3	1	-	-	-
FEMALE--	10	4	7	12	10	11	12	4	6	1	1	-
BLACK---MALE----	12	9	5	8	5	6	3	3	1	-	-	-
FEMALE--	10	4	7	10	9	9	11	4	6	1	1	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 2129

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intracerebral and other intracranial hemorrhage (I61-I62)												
MINNESOTA -----	432	-	-	-	-	-	-	1	1	6	7	7
WHITE-----MALE----	178	-	-	-	-	-	-	1	1	5	3	4
FEMALE--	231	-	-	-	-	-	-	-	-	-	2	3
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	11	-	-	-	-	-	-	-	-	1	1	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	317	-	-	-	-	1	2	-	1	11	11	19
WHITE-----MALE----	100	-	-	-	-	-	-	-	-	2	4	7
FEMALE--	105	-	-	-	-	1	-	-	-	2	-	2
ALL OTHER--MALE----	55	-	-	-	-	-	1	-	1	5	2	7
FEMALE--	57	-	-	-	-	-	1	-	-	2	5	3
BLACK---MALE----	54	-	-	-	-	-	1	-	1	5	2	7
FEMALE--	57	-	-	-	-	-	1	-	-	2	5	3
MISSOURI -----	608	-	2	-	1	2	1	3	4	8	15	17
WHITE-----MALE----	215	-	1	-	-	1	-	1	-	6	6	6
FEMALE--	312	-	1	-	-	1	1	1	3	2	3	4
ALL OTHER--MALE----	41	-	-	-	-	-	-	1	1	-	1	4
FEMALE--	40	-	-	-	1	-	-	-	-	-	5	3
BLACK---MALE----	38	-	-	-	-	-	-	1	1	-	1	4
FEMALE--	35	-	-	-	1	-	-	-	-	-	5	3
MONTANA -----	73	-	-	-	-	-	-	-	-	2	-	2
WHITE-----MALE----	24	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	44	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	150	-	-	-	-	-	-	1	-	6	5	3
WHITE-----MALE----	61	-	-	-	-	-	-	-	-	2	2	1
FEMALE--	78	-	-	-	-	-	-	-	-	3	2	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	5	-	-	-	-	-	-	1	-	-	1	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	4	-	-	-	-	-	-	1	-	-	1	-
NEVADA -----	189	-	-	-	1	-	2	1	1	5	8	6
WHITE-----MALE----	95	-	-	-	-	-	1	-	1	3	6	3
FEMALE--	69	-	-	-	1	-	-	1	-	1	-	2
ALL OTHER--MALE----	13	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	12	-	-	-	-	-	1	-	-	-	1	1
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	7	-	-	-	-	-	1	-	-	-	1	1

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intracerebral and other intracranial hemorrhage (I61-I62)												
MINNESOTA -----	9	25	17	26	47	71	98	63	38	14	2	-
WHITE-----MALE----	6	13	7	10	18	31	49	22	6	1	1	-
FEMALE--	3	6	6	14	28	38	47	38	32	13	1	-
ALL OTHER--MALE----	-	4	2	-	-	2	2	1	-	-	-	-
FEMALE--	-	2	2	2	1	-	2	2	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	2	-	-	-	-	-
FEMALE--	-	1	1	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	20	20	32	34	40	35	40	32	12	7	-	-
WHITE-----MALE----	2	5	12	13	15	12	17	8	2	1	-	-
FEMALE--	1	6	7	8	14	18	18	17	7	4	-	-
ALL OTHER--MALE----	8	6	5	6	7	1	2	4	-	-	-	-
FEMALE--	9	3	8	7	4	4	3	3	3	2	-	-
BLACK---MALE----	8	5	5	6	7	1	2	4	-	-	-	-
FEMALE--	9	3	8	7	4	4	3	3	3	2	-	-
MISSOURI -----	29	16	33	44	76	97	113	89	40	18	-	-
WHITE-----MALE----	9	8	11	17	34	35	40	25	9	6	-	-
FEMALE--	5	4	8	20	31	56	72	59	29	12	-	-
ALL OTHER--MALE----	8	2	8	7	2	3	1	2	1	-	-	-
FEMALE--	7	2	6	-	9	3	-	3	1	-	-	-
BLACK---MALE----	8	2	8	6	1	2	1	2	1	-	-	-
FEMALE--	7	2	4	-	6	3	-	3	1	-	-	-
MONTANA -----	-	6	6	8	7	12	12	11	4	3	-	-
WHITE-----MALE----	-	1	1	2	6	2	5	4	-	-	-	-
FEMALE--	-	5	5	5	1	7	7	4	3	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	5	5	5	10	26	17	30	23	11	3	-	-
WHITE-----MALE----	3	3	5	3	9	11	9	10	2	1	-	-
FEMALE--	1	2	-	6	15	6	20	12	8	2	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	2	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	1	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
NEVADA -----	12	23	15	15	26	30	21	18	4	1	-	-
WHITE-----MALE----	8	11	11	9	13	16	7	3	2	1	-	-
FEMALE--	3	5	3	5	8	13	13	13	1	-	-	-
ALL OTHER--MALE----	1	4	-	1	2	-	1	1	1	-	-	-
FEMALE--	-	3	1	-	3	1	-	1	-	-	-	-
BLACK---MALE----	-	3	-	1	2	-	-	1	1	-	-	-
FEMALE--	-	2	1	-	1	-	-	-	-	-	-	-







04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 2131

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intracerebral and other intracranial hemorrhage (I61-I62)												
OHIO -----	1,195	-	-	-	1	1	3	2	2	5	26	31
WHITE-----MALE----	477	-	-	-	1	1	1	1	1	1	6	11
FEMALE--	560	-	-	-	-	-	1	1	1	3	10	10
ALL OTHER--MALE----	78	-	-	-	-	-	-	-	-	1	5	6
FEMALE--	80	-	-	-	-	-	1	-	-	-	5	4
BLACK---MALE----	74	-	-	-	-	-	-	-	-	1	4	6
FEMALE--	76	-	-	-	-	-	1	-	-	-	5	4
OKLAHOMA -----	308	-	-	-	-	-	1	-	-	3	10	13
WHITE-----MALE----	118	-	-	-	-	-	1	-	-	-	3	5
FEMALE--	153	-	-	-	-	-	-	-	-	1	5	3
ALL OTHER--MALE----	21	-	-	-	-	-	-	-	-	2	-	3
FEMALE--	16	-	-	-	-	-	-	-	-	-	2	2
BLACK---MALE----	10	-	-	-	-	-	-	-	-	2	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	1	1
OREGON -----	352	1	-	-	-	-	1	1	1	6	1	8
WHITE-----MALE----	152	-	-	-	-	-	1	-	1	3	-	5
FEMALE--	181	-	-	-	-	-	-	1	-	3	1	1
ALL OTHER--MALE----	9	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	5	1	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
PENNSYLVANIA -----	1,527	1	-	1	1	5	-	3	3	11	24	40
WHITE-----MALE----	566	1	-	1	1	3	-	2	2	4	7	11
FEMALE--	788	-	-	-	-	1	-	1	1	4	9	10
ALL OTHER--MALE----	83	-	-	-	-	-	-	-	-	3	5	10
FEMALE--	90	-	-	-	-	1	-	-	-	-	3	9
BLACK---MALE----	72	-	-	-	-	-	-	-	-	3	4	10
FEMALE--	82	-	-	-	-	-	-	-	-	-	2	9
RHODE ISLAND -----	108	-	-	-	-	-	-	-	-	1	2	3
WHITE-----MALE----	63	-	-	-	-	-	-	-	-	1	2	3
FEMALE--	38	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	450	-	-	2	1	-	2	-	5	8	17	33
WHITE-----MALE----	142	-	-	1	-	-	1	-	3	-	3	11
FEMALE--	158	-	-	1	-	-	-	-	-	3	2	2
ALL OTHER--MALE----	90	-	-	-	-	-	-	-	2	3	5	16
FEMALE--	60	-	-	-	1	-	1	-	-	2	7	4
BLACK---MALE----	89	-	-	-	-	-	-	-	2	3	4	16
FEMALE--	57	-	-	-	1	-	-	-	-	2	7	4

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intracerebral and other intracranial hemorrhage (I61-I62)												
OHIO -----	53	49	72	90	147	222	244	163	67	15	2	-
WHITE-----MALE----	22	17	27	39	79	104	102	44	14	5	1	-
FEMALE--	11	14	27	39	53	99	126	106	48	10	1	-
ALL OTHER--MALE----	9	12	8	8	7	10	9	2	1	-	-	-
FEMALE--	11	6	10	4	8	9	7	11	4	-	-	-
BLACK---MALE-----	9	11	7	7	7	10	9	2	1	-	-	-
FEMALE--	11	6	10	4	6	9	5	11	4	-	-	-
OKLAHOMA -----	6	13	19	30	34	47	65	44	18	5	-	-
WHITE-----MALE----	2	8	11	12	16	19	25	12	3	1	-	-
FEMALE--	3	5	4	13	15	24	35	27	14	4	-	-
ALL OTHER--MALE----	1	-	4	1	2	2	3	3	-	-	-	-
FEMALE--	-	-	-	4	1	2	2	2	1	-	-	-
BLACK---MALE-----	-	-	2	-	-	1	2	2	-	-	-	-
FEMALE--	-	-	-	1	1	1	-	1	-	-	-	-
OREGON -----	17	12	19	23	32	72	65	55	30	7	1	-
WHITE-----MALE----	9	6	9	7	17	32	31	22	7	1	1	-
FEMALE--	5	5	7	16	11	37	33	32	23	6	-	-
ALL OTHER--MALE----	2	1	-	-	3	1	-	-	-	-	-	-
FEMALE--	1	-	3	-	1	2	1	1	-	-	-	-
BLACK---MALE-----	1	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
PENNSYLVANIA -----	56	49	76	109	198	251	329	251	92	25	2	-
WHITE-----MALE----	15	18	30	46	101	121	101	81	16	5	-	-
FEMALE--	21	19	28	46	79	117	210	152	70	18	2	-
ALL OTHER--MALE----	14	7	9	12	9	4	5	4	1	-	-	-
FEMALE--	6	5	9	5	9	9	13	14	5	2	-	-
BLACK---MALE-----	12	5	9	10	8	4	4	2	1	-	-	-
FEMALE--	6	5	9	3	9	9	13	10	5	2	-	-
RHODE ISLAND -----	4	3	3	6	17	20	23	18	6	1	-	1
WHITE-----MALE----	3	2	3	3	11	13	10	7	3	1	-	1
FEMALE--	-	1	-	2	4	6	11	11	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	-	-	-	-	-
SOUTH CAROLINA -----	32	31	27	38	40	57	75	57	19	6	-	-
WHITE-----MALE----	11	9	7	14	18	24	23	14	2	1	-	-
FEMALE--	5	6	7	12	9	23	35	37	14	2	-	-
ALL OTHER--MALE----	11	11	7	6	9	9	6	1	1	3	-	-
FEMALE--	5	5	6	6	4	1	11	5	2	-	-	-
BLACK---MALE-----	11	11	7	6	9	9	6	1	1	3	-	-
FEMALE--	5	5	5	6	3	1	11	5	2	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Intracerebral and other intracranial hemorrhage (I61-I62)												
SOUTH DAKOTA -----	69	-	-	1	-	-	1	-	-	2	2	-
WHITE-----MALE----	26	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	36	-	-	-	-	-	1	-	-	2	1	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	627	1	-	-	-	1	1	1	5	4	22	22
WHITE-----MALE----	206	-	-	-	-	1	1	1	2	2	5	4
FEMALE--	320	1	-	-	-	1	-	-	3	1	5	7
ALL OTHER--MALE----	48	-	-	-	-	-	-	-	1	1	4	7
FEMALE--	53	-	-	-	-	-	-	-	-	-	8	4
BLACK---MALE----	44	-	-	-	-	-	-	-	-	1	4	6
FEMALE--	50	-	-	-	-	-	-	-	-	-	8	4
TEXAS -----	1,705	8	3	2	1	4	4	7	16	27	56	83
WHITE-----MALE----	624	4	1	1	-	3	3	3	8	14	18	36
FEMALE--	801	1	1	1	1	1	1	1	7	5	22	16
ALL OTHER--MALE----	135	2	-	-	-	-	-	2	-	4	7	20
FEMALE--	145	1	1	-	-	-	-	1	1	4	9	11
BLACK---MALE----	122	2	-	-	-	-	-	2	-	4	7	19
FEMALE--	133	1	1	-	-	-	-	1	1	4	9	11
UTAH -----	122	2	-	-	-	-	-	-	-	1	2	4
WHITE-----MALE----	47	1	-	-	-	-	-	-	-	-	1	2
FEMALE--	64	1	-	-	-	-	-	-	-	1	1	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	47	1	-	-	-	-	-	-	-	1	2	-
WHITE-----MALE----	18	1	-	-	-	-	-	-	-	1	1	-
FEMALE--	29	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	632	1	-	1	-	-	3	2	4	6	19	38
WHITE-----MALE----	216	-	-	1	-	-	1	2	1	1	2	10
FEMALE--	251	-	-	-	-	-	1	-	1	-	2	7
ALL OTHER--MALE----	82	1	-	-	-	-	1	-	1	3	8	12
FEMALE--	83	-	-	-	-	-	-	-	1	2	7	9
BLACK---MALE----	75	1	-	-	-	-	1	-	1	2	8	12
FEMALE--	73	-	-	-	-	-	-	-	1	2	7	8

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Intracerebral and other intracranial hemorrhage (I61-I62)												
SOUTH DAKOTA -----	3	1	1	5	7	9	17	13	6	1	-	-
WHITE-----MALE----	2	1	-	2	2	6	7	3	2	-	-	-
FEMALE--	-	-	1	2	2	2	10	10	4	1	-	-
ALL OTHER--MALE----	1	-	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	26	38	59	52	74	106	108	66	30	11	-	-
WHITE-----MALE----	10	10	24	18	31	39	36	19	4	1	-	-
FEMALE--	8	13	22	24	34	57	66	45	23	10	-	-
ALL OTHER--MALE----	4	7	8	6	3	4	2	1	-	-	-	-
FEMALE--	4	8	5	4	6	6	4	1	3	-	-	-
BLACK---MALE-----	4	7	6	6	3	4	2	1	-	-	-	-
FEMALE--	4	8	4	4	6	5	3	1	3	-	-	-
TEXAS -----	108	96	115	129	195	263	260	212	87	26	3	-
WHITE-----MALE----	43	42	45	48	80	101	91	50	27	5	1	-
FEMALE--	26	31	43	59	91	133	145	142	54	18	2	-
ALL OTHER--MALE----	16	13	14	14	12	11	9	8	2	1	-	-
FEMALE--	23	10	13	8	12	18	15	12	4	2	-	-
BLACK---MALE-----	15	13	10	12	12	8	8	7	2	1	-	-
FEMALE--	21	9	12	7	10	17	13	10	4	2	-	-
UTAH -----	4	7	5	6	14	18	27	22	8	2	-	-
WHITE-----MALE----	2	1	3	4	4	7	13	6	3	-	-	-
FEMALE--	1	4	2	2	9	10	12	13	5	2	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	2	2	-	-	-	-
FEMALE--	1	2	-	-	-	-	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	1	3	4	6	13	6	2	7	1	-	-
WHITE-----MALE----	-	-	1	2	2	7	3	-	-	-	-	-
FEMALE--	-	1	2	2	4	6	3	2	7	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	41	30	38	56	75	86	116	85	23	6	2	-
WHITE-----MALE----	14	10	18	22	32	30	40	28	2	2	-	-
FEMALE--	6	6	12	20	27	40	63	46	17	2	1	-
ALL OTHER--MALE----	15	7	3	9	6	6	6	3	-	1	-	-
FEMALE--	6	7	5	5	10	10	7	8	4	1	1	-
BLACK---MALE-----	15	6	3	7	6	5	4	3	-	1	-	-
FEMALE--	6	6	4	4	6	10	6	7	4	1	1	-







[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Cerebral infarction (I63)												
UNITED STATES -	197	268	347	578	1,138	1,806	2,451	2,751	1,867	763	114	-
WHITE-----MALE----	87	130	154	273	497	737	928	748	421	122	9	-
FEMALE--	60	67	102	174	457	828	1,282	1,755	1,302	577	88	-
ALL OTHER--MALE----	25	46	45	68	81	118	100	93	36	12	4	-
FEMALE--	25	25	46	63	103	123	141	155	108	52	13	-
BLACK---MALE-----	24	42	41	62	69	102	81	72	26	12	2	-
FEMALE--	21	21	40	52	92	99	116	130	96	45	12	-
ALABAMA -----	7	6	4	9	29	34	39	41	24	13	3	-
WHITE-----MALE----	3	2	1	5	10	10	8	8	2	-	-	-
FEMALE--	3	2	-	-	14	19	25	29	19	10	2	-
ALL OTHER--MALE----	1	1	2	3	1	4	5	1	1	-	-	-
FEMALE--	-	1	1	1	4	1	1	3	2	3	1	-
BLACK---MALE-----	1	1	2	3	1	4	5	1	1	-	-	-
FEMALE--	-	1	1	1	4	1	1	3	2	3	1	-
ALASKA -----	-	-	-	-	2	1	5	4	1	2	-	-
WHITE-----MALE----	-	-	-	-	1	-	3	2	-	1	-	-
FEMALE--	-	-	-	-	1	1	2	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	4	4	3	4	16	18	24	26	10	5	-	-
WHITE-----MALE----	2	3	2	3	6	9	11	10	4	2	-	-
FEMALE--	1	-	1	1	9	9	10	16	5	3	-	-
ALL OTHER--MALE----	-	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	3	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	1	-	-	-
ARKANSAS -----	4	4	2	3	10	20	21	28	25	4	1	-
WHITE-----MALE----	3	1	-	1	2	8	12	5	7	2	-	-
FEMALE--	1	3	-	1	5	10	7	20	15	2	-	-
ALL OTHER--MALE----	-	-	1	1	1	1	2	1	-	-	-	-
FEMALE--	-	-	1	-	2	1	-	2	3	-	1	-
BLACK---MALE-----	-	-	1	1	1	1	2	1	-	-	-	-
FEMALE--	-	-	1	-	2	1	-	2	3	-	1	-
CALIFORNIA -----	23	21	26	58	106	190	248	287	194	96	12	-
WHITE-----MALE----	11	7	12	28	40	73	100	88	37	14	-	-
FEMALE--	8	5	8	16	41	80	122	174	138	75	11	-
ALL OTHER--MALE----	-	7	1	8	13	13	12	9	6	1	1	-
FEMALE--	4	2	5	6	12	24	14	16	13	6	-	-
BLACK---MALE-----	-	5	-	6	7	7	5	3	2	1	-	-
FEMALE--	2	1	3	1	6	13	8	10	5	2	-	-





[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Cerebral infarction (I63)												
COLORADO -----	5	1	2	3	11	12	26	31	11	11	-	-
WHITE-----MALE----	2	1	2	1	7	5	10	4	4	-	-	-
FEMALE--	3	-	-	2	3	7	15	27	7	11	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
CONNECTICUT -----	2	2	2	7	13	23	35	28	27	11	2	-
WHITE-----MALE----	2	2	-	5	7	9	12	8	8	1	-	-
FEMALE--	-	-	-	2	4	14	21	20	17	10	2	-
ALL OTHER--MALE----	-	-	1	-	1	-	2	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	2	-	-	-
BLACK---MALE----	-	-	1	-	1	-	2	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	2	-	-	-
DELAWARE -----	-	-	-	1	1	2	4	7	6	4	1	-
WHITE-----MALE----	-	-	-	-	-	1	-	7	-	1	-	-
FEMALE--	-	-	-	1	1	-	2	-	6	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	1	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	1	-
DISTRICT OF COLUMBIA ---	2	1	1	-	-	4	5	4	1	3	1	-
WHITE-----MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	2	1	2	1	-
ALL OTHER--MALE----	2	-	-	-	-	2	1	1	-	-	-	-
FEMALE--	-	-	1	-	-	1	3	1	-	1	-	-
BLACK---MALE----	2	-	-	-	-	2	1	1	-	-	-	-
FEMALE--	-	-	1	-	-	1	3	1	-	1	-	-
FLORIDA -----	10	18	24	36	91	127	153	157	145	54	9	-
WHITE-----MALE----	5	9	12	17	45	50	59	54	36	15	1	-
FEMALE--	1	5	3	12	36	60	79	88	101	33	8	-
ALL OTHER--MALE----	2	2	6	2	5	12	4	3	1	-	-	-
FEMALE--	2	2	3	5	5	5	11	12	7	6	-	-
BLACK---MALE----	2	2	6	2	4	12	4	3	1	-	-	-
FEMALE--	2	2	3	5	5	5	10	12	7	6	-	-
GEORGIA -----	3	4	9	7	30	25	37	39	25	7	3	-
WHITE-----MALE----	1	2	2	1	10	11	14	7	9	-	-	-
FEMALE--	-	-	5	-	15	9	16	21	11	6	3	-
ALL OTHER--MALE----	2	2	-	5	1	4	2	2	1	-	-	-
FEMALE--	-	-	2	1	4	1	5	9	4	1	-	-
BLACK---MALE----	2	2	-	5	1	4	2	2	1	-	-	-
FEMALE--	-	-	2	1	4	1	5	8	4	1	-	-







[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Cerebral infarction (I63)												
KENTUCKY -----	5	5	3	13	18	16	28	26	24	9	1	-
WHITE-----MALE----	5	2	3	6	7	5	13	4	5	-	-	-
FEMALE--	-	2	-	5	10	9	14	19	19	7	1	-
ALL OTHER--MALE----	-	-	-	1	-	2	-	2	-	-	-	-
FEMALE--	-	1	-	1	-	-	1	1	-	2	-	-
BLACK---MALE-----	-	-	-	1	-	2	-	2	-	-	-	-
FEMALE--	-	1	-	1	1	-	1	1	-	2	-	-
LOUISIANA -----	8	7	5	11	19	24	26	33	22	8	4	-
WHITE-----MALE----	2	2	2	4	10	14	7	6	3	-	-	-
FEMALE--	1	1	1	2	5	7	15	16	14	5	4	-
ALL OTHER--MALE----	3	2	1	3	1	1	2	6	3	3	-	-
FEMALE--	2	2	1	2	3	2	2	5	2	-	-	-
BLACK---MALE-----	3	2	1	3	1	1	2	6	3	3	-	-
FEMALE--	2	2	1	2	3	2	2	5	2	-	-	-
MAINE -----	2	-	2	4	4	6	6	20	13	4	1	-
WHITE-----MALE----	2	-	2	4	4	5	3	5	4	-	-	-
FEMALE--	-	-	-	-	2	1	3	15	9	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3	2	8	15	20	43	57	78	44	22	2	-
WHITE-----MALE----	1	1	1	5	7	15	22	23	7	4	-	-
FEMALE--	1	-	3	5	7	20	28	44	33	16	1	-
ALL OTHER--MALE----	-	1	1	2	1	3	2	5	1	-	-	-
FEMALE--	1	-	3	3	5	5	5	6	3	2	1	-
BLACK---MALE-----	-	1	1	2	1	3	2	5	-	-	-	-
FEMALE--	1	-	3	3	5	5	5	5	3	2	1	-
MASSACHUSETTS -----	3	4	4	13	22	40	55	57	42	13	4	-
WHITE-----MALE----	1	1	1	10	9	17	22	19	13	6	-	-
FEMALE--	2	2	3	1	13	22	33	38	28	7	4	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	-	1	-	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	1	-	-	-
MICHIGAN -----	6	6	15	23	53	81	124	101	93	26	5	-
WHITE-----MALE----	3	2	6	6	23	26	44	23	23	4	1	-
FEMALE--	2	1	3	7	20	35	65	64	56	18	3	-
ALL OTHER--MALE----	1	2	5	5	3	13	4	7	3	1	-	-
FEMALE--	-	1	1	5	7	7	11	7	11	3	1	-
BLACK---MALE-----	1	2	5	5	3	13	4	6	3	1	-	-
FEMALE--	-	1	1	5	6	7	11	7	11	3	1	-



[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Cerebral infarction (I63)												
MINNESOTA -----	4	-	3	4	14	32	39	47	30	10	1	-
WHITE-----MALE----	-	-	1	3	5	14	15	18	7	1	-	-
FEMALE--	4	-	2	1	8	18	23	29	23	8	1	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	1	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MISSISSIPPI -----	6	4	5	7	10	13	22	21	11	4	2	-
WHITE-----MALE----	1	-	3	2	2	6	9	7	2	-	1	-
FEMALE--	1	1	1	2	5	5	7	10	7	4	1	-
ALL OTHER--MALE----	1	1	-	2	1	1	1	2	1	-	-	-
FEMALE--	3	2	1	1	2	1	5	2	1	-	-	-
BLACK---MALE----	1	1	-	2	1	1	1	2	1	-	-	-
FEMALE--	3	2	1	1	2	1	5	2	1	-	-	-
MISSOURI -----	2	6	9	20	33	35	39	57	36	14	2	-
WHITE-----MALE----	2	3	6	10	16	13	25	15	12	2	-	-
FEMALE--	-	2	3	7	8	17	12	38	22	11	1	-
ALL OTHER--MALE----	-	1	-	3	5	3	2	2	2	-	-	-
FEMALE--	-	-	-	-	4	2	-	2	-	1	1	-
BLACK---MALE----	-	1	-	2	5	3	2	2	2	-	-	-
FEMALE--	-	-	-	-	4	2	-	2	-	1	1	-
MONTANA -----	-	3	1	-	3	3	9	5	9	-	-	-
WHITE-----MALE----	-	-	-	-	2	1	7	3	2	-	-	-
FEMALE--	-	3	1	-	1	2	2	1	7	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	2	1	3	1	2	11	10	8	5	5	-	-
WHITE-----MALE----	1	1	1	1	-	7	2	5	3	1	-	-
FEMALE--	1	-	2	-	1	4	8	3	2	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
NEVADA -----	-	4	1	4	6	6	7	4	3	-	-	-
WHITE-----MALE----	-	2	-	1	3	3	1	-	-	-	-	-
FEMALE--	-	1	1	1	3	3	6	3	2	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	2	-	-	-	1	1	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	1	1	-	-	-







04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 2140

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Cerebral infarction (I63)												
OHIO -----	544	2	-	1	1	-	1	1	-	2	5	6
WHITE-----MALE----	184	1	-	1	1	-	-	-	-	-	2	5
FEMALE--	316	1	-	-	-	-	-	1	-	2	3	-
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	26	-	-	-	-	-	1	-	-	-	-	1
BLACK---MALE-----	18	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	26	-	-	-	-	-	1	-	-	-	-	1
OKLAHOMA -----	151	-	-	-	-	-	-	-	-	-	-	2
WHITE-----MALE----	46	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	89	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	205	2	-	-	-	1	-	-	-	1	-	4
WHITE-----MALE----	87	2	-	-	-	1	-	-	-	-	-	2
FEMALE--	112	-	-	-	-	-	-	-	-	1	-	2
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	807	-	-	-	-	-	-	-	1	2	3	6
WHITE-----MALE----	270	-	-	-	-	-	-	-	-	2	1	2
FEMALE--	463	-	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	27	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	47	-	-	-	-	-	-	1	-	-	-	1
BLACK---MALE-----	26	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	45	-	-	-	-	-	-	1	-	-	-	1
RHODE ISLAND -----	46	-	-	-	-	-	-	1	-	-	1	-
WHITE-----MALE----	17	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	26	-	-	-	-	-	-	1	-	-	1	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	246	1	-	-	-	-	-	-	1	2	1	4
WHITE-----MALE----	58	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	126	-	-	-	-	-	-	-	-	1	-	2
ALL OTHER--MALE----	30	1	-	-	-	-	-	-	1	-	1	1
FEMALE--	32	-	-	-	-	-	-	-	-	1	-	1
BLACK---MALE-----	29	1	-	-	-	-	-	-	1	-	1	1
FEMALE--	32	-	-	-	-	-	-	-	-	1	-	1

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Cerebral infarction (I63)												
OHIO -----	7	10	15	24	63	77	121	89	86	30	3	-
WHITE-----MALE----	3	6	7	10	31	30	38	31	12	6	-	-
FEMALE--	4	2	4	10	30	40	71	54	70	22	2	-
ALL OTHER--MALE----	-	2	1	2	1	4	5	1	1	1	-	-
FEMALE--	-	-	3	2	1	3	7	3	3	1	1	-
BLACK---MALE-----	-	2	1	2	1	4	5	1	1	1	-	-
FEMALE--	-	-	3	2	1	3	7	3	3	1	1	-
OKLAHOMA -----	1	2	3	8	6	19	34	39	21	15	1	-
WHITE-----MALE----	1	1	1	4	2	8	9	9	6	3	-	-
FEMALE--	-	1	-	1	3	10	22	26	14	11	1	-
ALL OTHER--MALE----	-	-	-	2	-	-	1	-	-	1	-	-
FEMALE--	-	-	2	1	1	1	2	4	1	-	-	-
BLACK---MALE-----	-	-	-	2	-	-	1	-	-	1	-	-
FEMALE--	-	-	1	1	1	1	2	1	1	-	-	-
OREGON -----	1	5	6	4	12	39	31	56	32	11	-	-
WHITE-----MALE----	1	5	5	3	4	19	13	20	10	2	-	-
FEMALE--	-	-	1	1	7	17	18	35	21	9	-	-
ALL OTHER--MALE----	-	-	-	-	-	3	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	-	-	-
PENNSYLVANIA -----	10	13	12	24	65	125	159	196	134	49	8	-
WHITE-----MALE----	7	7	6	13	29	55	66	52	26	4	-	-
FEMALE--	2	5	2	9	26	60	80	129	101	39	8	-
ALL OTHER--MALE----	-	-	2	1	1	3	6	8	1	2	-	-
FEMALE--	1	1	2	1	9	7	7	7	6	4	-	-
BLACK---MALE-----	-	-	1	1	1	3	6	8	1	2	-	-
FEMALE--	1	1	2	1	9	7	7	5	6	4	-	-
RHODE ISLAND -----	2	-	-	3	4	8	9	10	5	2	1	-
WHITE-----MALE----	-	-	-	2	2	3	3	4	2	1	-	-
FEMALE--	1	-	-	1	1	5	6	5	3	1	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	4	9	8	13	26	40	43	55	27	9	3	-
WHITE-----MALE----	1	3	3	5	8	16	13	5	4	-	-	-
FEMALE--	1	1	2	1	10	17	22	39	21	6	3	-
ALL OTHER--MALE----	2	3	1	2	2	4	5	6	1	-	-	-
FEMALE--	-	2	2	5	6	3	3	5	1	3	-	-
BLACK---MALE-----	2	3	1	2	1	4	5	6	1	-	-	-
FEMALE--	-	2	2	5	6	3	3	5	1	3	-	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 2141

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Cerebral infarction (I63)												
SOUTH DAKOTA -----	25	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	15	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	351	-	-	-	-	-	-	-	-	3	1	2
WHITE-----MALE----	122	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	178	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	22	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	29	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	22	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	29	-	-	-	-	-	-	-	-	-	1	1
TEXAS -----	882	1	1	-	-	-	-	1	1	3	7	19
WHITE-----MALE----	268	-	-	-	-	-	-	1	1	-	3	8
FEMALE--	503	-	1	-	-	-	-	-	-	2	2	7
ALL OTHER--MALE----	48	1	-	-	-	-	-	-	-	-	1	2
FEMALE--	63	-	-	-	-	-	-	-	-	1	1	2
BLACK---MALE----	44	1	-	-	-	-	-	-	-	-	1	2
FEMALE--	58	-	-	-	-	-	-	-	-	1	1	2
UTAH -----	49	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	15	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	32	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	38	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	25	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	334	-	-	-	-	-	-	-	1	1	3	8
WHITE-----MALE----	106	-	-	-	-	-	-	-	1	-	2	1
FEMALE--	163	-	-	-	-	-	-	-	-	-	1	3
ALL OTHER--MALE----	25	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	40	-	-	-	-	-	-	-	-	1	-	2
BLACK---MALE----	25	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	36	-	-	-	-	-	-	-	-	1	-	2

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 2141

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Cerebral infarction (I63)												
SOUTH DAKOTA -----	1	-	1	2	5	4	3	5	3	1	-	-
WHITE-----MALE----	1	-	-	2	2	1	2	1	1	-	-	-
FEMALE--	-	-	1	-	3	3	1	4	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	6	14	10	14	32	52	62	78	61	14	2	-
WHITE-----MALE----	4	8	5	9	12	24	25	16	14	3	-	-
FEMALE--	-	3	3	2	12	22	33	54	37	10	1	-
ALL OTHER--MALE----	-	3	2	-	6	3	1	3	3	-	-	-
FEMALE--	2	-	-	3	2	3	3	5	7	1	1	-
BLACK---MALE----	-	3	2	-	6	3	1	3	3	-	-	-
FEMALE--	2	-	-	3	2	3	3	5	7	1	1	-
TEXAS -----	21	23	30	39	67	119	188	185	120	43	14	-
WHITE-----MALE----	7	13	11	22	33	36	62	42	22	4	3	-
FEMALE--	9	7	9	12	24	65	111	126	86	33	9	-
ALL OTHER--MALE----	4	1	5	2	7	8	6	8	-	2	1	-
FEMALE--	1	2	5	3	3	10	9	9	12	4	1	-
BLACK---MALE----	4	1	4	2	7	8	5	7	-	2	-	-
FEMALE--	1	2	5	2	2	10	8	7	12	4	1	-
UTAH -----	1	1	2	4	2	8	13	10	6	1	-	-
WHITE-----MALE----	1	-	-	2	1	3	2	3	2	-	-	-
FEMALE--	-	-	2	2	1	4	11	7	4	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	2	4	2	4	6	5	9	6	-	-
WHITE-----MALE----	-	-	-	-	1	3	4	-	4	1	-	-
FEMALE--	-	-	2	4	1	1	2	5	5	5	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2	5	15	20	28	40	61	88	43	18	1	-
WHITE-----MALE----	-	3	4	8	12	19	17	25	10	4	-	-
FEMALE--	-	1	4	6	9	13	33	53	27	12	1	-
ALL OTHER--MALE----	1	1	4	4	4	2	4	2	-	1	-	-
FEMALE--	1	-	3	2	3	6	7	8	6	1	-	-
BLACK---MALE----	1	1	4	4	4	2	4	2	-	1	-	-
FEMALE--	1	-	3	1	3	5	6	7	6	1	-	-









04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 2143

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Stroke, not specified as hemorrhage or infarction (I64)												
UNITED STATES -	961	1,495	2,442	3,974	7,529	13,066	18,299	19,929	13,867	5,156	956	-
WHITE-----MALE----	361	595	967	1,628	3,103	5,000	6,268	5,717	3,026	828	114	-
FEMALE--	242	433	723	1,319	2,998	6,252	10,057	12,405	9,719	3,896	705	-
ALL OTHER--MALE----	201	271	436	550	704	762	752	572	284	92	16	-
FEMALE--	157	196	316	477	724	1,052	1,222	1,235	838	340	121	-
BLACK---MALE-----	183	242	383	483	593	652	586	443	194	70	13	-
FEMALE--	144	173	281	413	619	896	1,020	1,035	726	296	100	-
ALABAMA -----	29	44	73	104	179	263	369	373	262	84	18	-
WHITE-----MALE----	10	17	32	30	62	74	114	88	48	17	1	-
FEMALE--	3	9	13	31	61	119	175	225	175	51	7	-
ALL OTHER--MALE----	12	12	10	14	33	28	31	12	12	3	-	-
FEMALE--	4	6	18	29	23	42	49	48	27	13	10	-
BLACK---MALE-----	12	12	10	14	33	28	31	11	12	3	-	-
FEMALE--	4	6	17	29	23	42	48	48	27	13	10	-
ALASKA -----	-	1	2	5	11	12	16	12	10	3	-	-
WHITE-----MALE----	-	-	1	2	7	5	5	3	-	1	-	-
FEMALE--	-	-	1	1	1	4	7	6	5	2	-	-
ALL OTHER--MALE----	-	1	-	1	1	-	-	-	3	-	-	-
FEMALE--	-	-	-	1	2	3	4	3	2	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ARIZONA -----	11	24	46	76	153	236	324	339	216	76	15	-
WHITE-----MALE----	8	14	25	32	72	103	135	116	57	13	4	-
FEMALE--	2	4	16	32	73	118	181	214	154	57	10	-
ALL OTHER--MALE----	1	3	2	5	5	4	4	5	1	2	-	-
FEMALE--	-	3	3	7	3	11	4	4	4	4	1	-
BLACK---MALE-----	-	2	2	3	3	3	1	1	1	2	-	-
FEMALE--	-	1	2	4	3	4	2	2	3	3	-	-
ARKANSAS -----	19	33	60	59	124	190	305	284	200	68	13	-
WHITE-----MALE----	2	15	23	27	41	79	96	77	53	15	-	-
FEMALE--	11	10	26	19	54	88	187	173	128	48	10	-
ALL OTHER--MALE----	2	7	4	4	14	9	12	13	5	2	1	-
FEMALE--	4	1	7	9	15	14	10	21	14	3	2	-
BLACK---MALE-----	2	7	4	4	13	9	12	13	5	2	1	-
FEMALE--	4	1	7	9	14	14	10	21	14	3	2	-
CALIFORNIA -----	99	123	218	392	745	1,368	1,861	1,951	1,321	509	113	-
WHITE-----MALE----	43	47	79	163	317	495	647	621	310	87	15	-
FEMALE--	28	33	67	128	267	660	931	1,118	870	364	79	-
ALL OTHER--MALE----	19	24	41	60	84	91	123	68	51	20	3	-
FEMALE--	9	19	31	41	77	122	160	144	90	38	16	-
BLACK---MALE-----	10	14	20	39	36	47	40	21	9	6	1	-
FEMALE--	7	11	16	21	41	56	81	58	48	20	4	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 2144

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Stroke, not specified as hemorrhage or infarction (I64)												
COLORADO -----	1,052	-	1	-	-	-	-	-	-	-	4	4
WHITE-----MALE----	345	-	1	-	-	-	-	-	-	-	2	2
FEMALE--	663	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	17	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	27	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	1,123	-	-	-	-	-	-	-	-	1	1	4
WHITE-----MALE----	369	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	693	-	-	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	28	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	33	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	25	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	33	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	229	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	83	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	111	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	21	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	14	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	20	-	-	-	-	-	-	-	-	-	-	1
DISTRICT OF COLUMBIA ---	135	-	-	-	-	-	-	-	-	-	-	3
WHITE-----MALE----	15	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	25	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	40	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	55	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE----	40	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	54	-	-	-	-	-	-	-	-	-	-	2
FLORIDA -----	5,637	-	-	-	-	-	-	-	4	5	22	32
WHITE-----MALE----	1,941	-	-	-	-	-	-	-	2	1	11	15
FEMALE--	3,040	-	-	-	-	-	-	-	2	1	2	5
ALL OTHER--MALE----	244	-	-	-	-	-	-	-	-	1	-	9
FEMALE--	412	-	-	-	-	-	-	-	-	2	9	3
BLACK---MALE----	238	-	-	-	-	-	-	-	-	1	-	9
FEMALE--	396	-	-	-	-	-	-	-	-	2	9	3
GEORGIA -----	2,467	-	-	1	-	-	-	1	2	4	18	26
WHITE-----MALE----	663	-	-	1	-	-	-	-	-	1	4	6
FEMALE--	1,128	-	-	-	-	-	-	1	1	1	1	6
ALL OTHER--MALE----	257	-	-	-	-	-	-	-	-	1	5	8
FEMALE--	419	-	-	-	-	-	-	-	1	1	8	6
BLACK---MALE----	253	-	-	-	-	-	-	-	-	1	5	7
FEMALE--	411	-	-	-	-	-	-	-	1	1	8	6

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Stroke, not specified as hemorrhage or infarction (I64)

COLORADO -----	8	18	18	37	85	160	220	245	183	62	7	-
WHITE-----MALE----	4	10	12	22	32	58	79	67	44	12	-	-
FEMALE--	1	7	5	12	44	98	130	169	138	49	7	-
ALL OTHER--MALE----	1	-	-	2	4	-	5	4	-	-	-	-
FEMALE--	2	1	1	1	5	4	6	5	1	1	-	-
BLACK---MALE-----	1	-	-	1	3	-	5	2	-	-	-	-
FEMALE--	1	1	1	1	4	2	4	3	1	1	-	-
CONNECTICUT -----	4	10	15	33	69	148	255	289	196	80	18	-
WHITE-----MALE----	-	3	10	16	33	66	91	86	46	13	2	-
FEMALE--	3	5	4	11	33	67	152	188	148	65	15	-
ALL OTHER--MALE----	-	1	1	3	3	7	4	6	1	1	-	-
FEMALE--	1	1	-	3	-	8	8	9	1	1	1	-
BLACK---MALE-----	-	1	1	3	3	7	3	5	1	-	-	-
FEMALE--	1	1	-	3	-	8	8	9	1	1	1	-
DELAWARE -----	2	2	8	14	16	33	37	64	28	18	6	-
WHITE-----MALE----	1	2	2	4	7	16	17	23	9	1	1	-
FEMALE--	1	-	1	4	5	15	17	34	15	14	5	-
ALL OTHER--MALE----	-	-	4	4	1	1	2	2	-	-	-	-
FEMALE--	-	-	1	2	3	1	1	5	4	3	-	-
BLACK---MALE-----	-	-	4	4	1	1	2	2	-	-	-	-
FEMALE--	-	-	1	2	2	1	1	5	4	3	-	-
DISTRICT OF COLUMBIA ---	7	4	5	6	10	14	34	21	21	8	2	-
WHITE-----MALE----	1	-	-	-	1	-	3	5	3	2	-	-
FEMALE--	4	-	-	-	1	3	8	5	3	4	1	-
ALL OTHER--MALE----	4	-	5	4	5	4	9	6	2	-	-	-
FEMALE--	2	4	-	2	3	7	14	5	13	2	1	-
BLACK---MALE-----	4	-	5	4	5	4	9	6	2	-	-	-
FEMALE--	2	4	-	2	3	7	13	5	13	2	1	-
FLORIDA -----	50	104	165	248	485	853	1,192	1,284	848	299	46	-
WHITE-----MALE----	21	42	62	95	208	343	419	432	218	64	8	-
FEMALE--	10	33	48	93	215	405	661	752	566	214	33	-
ALL OTHER--MALE----	9	15	33	34	29	41	28	24	18	3	-	-
FEMALE--	10	14	22	26	33	64	84	76	46	18	5	-
BLACK---MALE-----	9	15	33	32	27	41	27	23	18	3	-	-
FEMALE--	10	14	21	24	33	62	78	72	45	18	5	-
GEORGIA -----	37	82	115	148	249	384	467	517	309	90	17	-
WHITE-----MALE----	10	20	39	51	85	134	139	110	53	9	1	-
FEMALE--	5	21	27	29	83	146	234	298	205	61	9	-
ALL OTHER--MALE----	13	23	30	28	42	30	31	34	8	4	-	-
FEMALE--	9	18	19	40	39	74	63	75	43	16	7	-
BLACK---MALE-----	13	23	29	26	42	30	31	34	8	4	-	-
FEMALE--	9	18	18	38	39	72	61	74	43	16	7	-



[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Stroke, not specified as hemorrhage or infarction (I64)												
HAWAII -----	1	5	8	19	31	45	86	101	74	19	8	-
WHITE-----MALE----	-	1	1	1	1	5	14	7	5	1	-	-
FEMALE--	-	1	-	-	1	8	12	13	16	4	1	-
ALL OTHER--MALE----	-	3	4	12	13	20	31	36	26	3	1	-
FEMALE--	1	-	3	6	16	12	29	45	27	11	6	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	5	5	8	12	38	63	94	107	76	17	6	-
WHITE-----MALE----	4	2	4	7	14	26	35	32	21	2	2	-
FEMALE--	1	3	4	4	24	36	58	73	55	15	4	-
ALL OTHER--MALE----	-	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	2	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	31	63	96	162	312	576	785	898	670	303	30	-
WHITE-----MALE----	11	24	32	59	131	225	267	229	139	47	2	-
FEMALE--	5	16	21	54	119	265	426	597	485	233	26	-
ALL OTHER--MALE----	10	15	24	28	30	42	32	31	4	2	-	-
FEMALE--	5	8	19	21	32	44	60	41	42	21	2	-
BLACK---MALE----	9	15	24	27	28	37	28	24	3	2	-	-
FEMALE--	5	8	19	20	31	40	53	38	40	20	2	-
INDIANA -----	28	36	55	102	194	315	493	551	370	136	26	-
WHITE-----MALE----	16	14	26	52	82	138	175	150	74	19	4	-
FEMALE--	6	16	17	37	91	158	287	379	280	114	22	-
ALL OTHER--MALE----	2	2	6	9	11	6	10	10	5	-	-	-
FEMALE--	4	4	6	4	10	13	21	12	11	3	-	-
BLACK---MALE----	2	2	6	9	11	6	10	10	5	-	-	-
FEMALE--	4	4	6	4	10	12	21	11	11	3	-	-
IOWA -----	4	13	20	42	77	165	272	311	275	107	21	-
WHITE-----MALE----	2	7	10	21	43	76	120	92	58	7	-	-
FEMALE--	2	4	10	20	33	86	148	215	215	98	19	-
ALL OTHER--MALE----	-	2	-	1	-	2	1	3	-	-	1	-
FEMALE--	-	-	-	-	1	1	3	1	2	2	1	-
BLACK---MALE----	-	1	-	1	-	2	-	3	-	-	1	-
FEMALE--	-	-	-	-	1	1	3	1	2	2	1	-
KANSAS -----	11	22	25	42	65	131	226	282	176	98	14	-
WHITE-----MALE----	5	9	15	21	27	50	91	88	31	18	4	-
FEMALE--	5	9	7	17	35	75	125	187	142	76	9	-
ALL OTHER--MALE----	1	4	2	2	2	1	4	3	-	-	-	-
FEMALE--	-	-	1	2	1	5	6	4	3	4	1	-
BLACK---MALE----	1	4	2	2	2	1	4	3	-	-	-	-
FEMALE--	-	-	1	2	1	5	6	3	3	3	1	-



04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 2146

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Stroke, not specified as hemorrhage or infarction (I64)

KENTUCKY -----	18	29	39	73	132	218	336	346	203	83	18	-
WHITE-----MALE----	7	15	18	39	57	73	102	91	43	13	-	-
FEMALE--	9	10	12	26	64	131	215	231	151	65	17	-
ALL OTHER--MALE----	2	3	3	3	7	4	7	5	1	2	-	-
FEMALE--	-	1	6	5	4	10	12	19	8	3	1	-
BLACK---MALE-----	2	3	3	3	7	4	7	5	1	2	-	-
FEMALE--	-	1	6	5	4	10	12	19	8	3	1	-
LOUISIANA -----	38	44	59	92	155	230	288	258	184	64	11	-
WHITE-----MALE----	5	16	20	29	42	71	82	56	35	11	-	-
FEMALE--	8	6	6	24	53	91	132	140	108	39	5	-
ALL OTHER--MALE----	12	11	20	23	27	25	24	18	9	4	1	-
FEMALE--	13	11	13	16	33	43	50	44	32	10	5	-
BLACK---MALE-----	12	11	20	21	27	25	24	18	9	4	1	-
FEMALE--	13	11	12	16	32	42	49	44	31	10	5	-
MAINE -----	4	8	5	21	35	78	91	94	105	21	5	-
WHITE-----MALE----	3	6	3	14	20	43	39	34	30	6	1	-
FEMALE--	1	2	2	7	15	33	51	60	75	15	4	-
ALL OTHER--MALE----	-	-	-	-	-	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	16	24	47	74	134	205	289	314	194	73	11	-
WHITE-----MALE----	5	6	14	26	41	75	98	82	29	9	-	-
FEMALE--	2	7	11	14	51	80	145	187	140	49	11	-
ALL OTHER--MALE----	4	9	12	20	16	24	17	14	5	2	-	-
FEMALE--	5	2	10	14	26	26	29	31	20	13	-	-
BLACK---MALE-----	4	9	12	20	15	22	15	13	4	1	-	-
FEMALE--	5	2	9	14	22	24	29	29	19	13	-	-
MASSACHUSETTS -----	12	19	28	57	132	233	360	417	319	133	24	-
WHITE-----MALE----	7	11	12	30	68	111	119	127	66	21	2	-
FEMALE--	3	6	8	22	52	112	230	277	251	109	20	-
ALL OTHER--MALE----	-	1	5	4	6	2	1	4	-	-	-	-
FEMALE--	2	1	3	1	6	8	10	9	2	3	2	-
BLACK---MALE-----	-	1	4	3	5	2	-	4	-	-	-	-
FEMALE--	1	1	3	1	3	8	5	7	1	3	2	-
MICHIGAN -----	26	45	71	112	230	451	587	630	411	153	31	-
WHITE-----MALE----	7	17	29	50	95	186	205	171	85	33	6	-
FEMALE--	7	17	23	36	99	220	337	413	302	110	21	-
ALL OTHER--MALE----	6	7	12	13	18	19	22	15	4	-	-	-
FEMALE--	6	4	7	13	18	26	23	31	20	10	4	-
BLACK---MALE-----	6	7	10	13	18	18	18	14	3	-	-	-
FEMALE--	5	4	7	13	16	24	22	31	18	9	4	-



04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 2147

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Stroke, not specified as hemorrhage or infarction (I64)												
MINNESOTA -----	1,435	-	-	-	-	-	1	-	-	-	4	6
WHITE-----MALE----	516	-	-	-	-	-	-	-	-	-	2	4
FEMALE--	886	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	24	-	-	-	-	-	1	-	-	-	1	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	1	-	-	-	1	-
MISSISSIPPI -----	1,183	-	-	-	-	-	-	-	1	8	6	15
WHITE-----MALE----	280	-	-	-	-	-	-	-	-	2	1	4
FEMALE--	501	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	174	-	-	-	-	-	-	-	-	2	3	5
FEMALE--	228	-	-	-	-	-	-	-	1	3	2	5
BLACK---MALE----	173	-	-	-	-	-	-	-	-	2	3	5
FEMALE--	225	-	-	-	-	-	-	-	1	3	2	5
MISSOURI -----	2,097	-	-	-	-	1	-	-	1	2	4	9
WHITE-----MALE----	701	-	-	-	-	1	-	-	-	-	2	4
FEMALE--	1,213	-	-	-	-	-	-	-	-	1	-	4
ALL OTHER--MALE----	77	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	106	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	73	-	-	-	-	-	-	-	-	1	2	1
FEMALE--	101	-	-	-	-	-	-	-	1	-	-	-
MONTANA -----	332	-	-	-	-	-	-	-	-	1	-	-
WHITE-----MALE----	112	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	212	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	658	-	-	-	-	-	-	-	1	-	1	5
WHITE-----MALE----	254	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	380	-	-	-	-	-	-	-	1	-	1	1
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	-	2
NEVADA -----	512	-	-	-	-	-	-	-	-	3	1	5
WHITE-----MALE----	210	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	251	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	36	-	-	-	-	-	-	-	-	1	1	2
BLACK---MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	26	-	-	-	-	-	-	-	-	1	1	1

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Stroke, not specified as hemorrhage or infarction (I64)												
MINNESOTA -----	6	14	19	41	88	158	306	351	288	120	33	-
WHITE-----MALE----	4	7	9	30	46	68	145	107	74	18	2	-
FEMALE--	1	6	7	10	35	87	156	238	211	102	30	-
ALL OTHER--MALE----	-	-	3	1	2	1	1	-	1	-	-	-
FEMALE--	1	1	-	-	5	2	4	6	2	-	1	-
BLACK---MALE-----	-	-	-	1	1	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	3	1	3	2	1	-	-	-
MISSISSIPPI -----	18	28	70	73	117	188	209	238	162	37	13	-
WHITE-----MALE----	3	6	19	19	33	54	62	49	24	3	1	-
FEMALE--	4	5	11	19	41	68	95	133	93	26	4	-
ALL OTHER--MALE----	6	10	30	20	18	28	16	18	12	2	4	-
FEMALE--	5	7	10	15	25	38	36	38	33	6	4	-
BLACK---MALE-----	6	10	30	19	18	28	16	18	12	2	4	-
FEMALE--	5	7	9	15	24	37	36	38	33	6	4	-
MISSOURI -----	21	33	66	83	162	286	418	475	369	146	21	-
WHITE-----MALE----	12	15	29	43	78	116	158	125	88	24	6	-
FEMALE--	5	9	23	24	60	142	237	315	267	113	13	-
ALL OTHER--MALE----	2	7	9	7	12	14	7	11	3	1	-	-
FEMALE--	2	2	5	9	12	14	16	24	11	8	2	-
BLACK---MALE-----	2	7	9	7	11	12	6	11	3	1	-	-
FEMALE--	2	2	5	9	9	13	16	24	10	8	2	-
MONTANA -----	3	3	9	9	21	39	81	78	63	24	1	-
WHITE-----MALE----	1	2	6	6	11	13	32	26	12	3	-	-
FEMALE--	2	1	3	1	9	26	48	50	50	20	1	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	2	-	-	-	-
FEMALE--	-	-	-	1	-	-	1	-	1	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	6	7	9	17	48	85	151	158	118	41	11	-
WHITE-----MALE----	2	3	5	10	24	36	69	64	26	9	4	-
FEMALE--	2	4	3	5	21	46	76	92	90	32	6	-
ALL OTHER--MALE----	1	-	-	2	3	1	2	1	-	-	-	-
FEMALE--	1	-	1	-	-	2	4	1	2	-	1	-
BLACK---MALE-----	-	-	-	2	3	1	2	1	-	-	-	-
FEMALE--	1	-	1	-	-	1	3	1	2	-	1	-
NEVADA -----	5	18	22	37	60	109	99	94	42	14	3	-
WHITE-----MALE----	2	10	8	20	29	43	46	35	10	3	2	-
FEMALE--	3	5	8	12	28	56	47	55	27	8	-	-
ALL OTHER--MALE----	-	1	4	1	1	4	2	-	1	-	-	-
FEMALE--	-	2	2	4	2	6	4	4	4	3	1	-
BLACK---MALE-----	-	1	3	-	1	3	1	-	-	-	-	-
FEMALE--	-	1	-	2	2	3	3	4	4	3	1	-





04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 2149

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Stroke, not specified as hemorrhage or infarction (I64)												
OHIO -----	3,625	-	-	-	1	1	-	-	-	4	11	16
WHITE-----MALE----	1,111	-	-	-	1	-	-	-	-	2	5	10
FEMALE--	2,149	-	-	-	-	1	-	-	-	1	3	5
ALL OTHER--MALE----	158	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	207	-	-	-	-	-	-	-	-	1	2	-
BLACK---MALE----	153	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	203	-	-	-	-	-	-	-	-	1	2	-
OKLAHOMA -----	1,546	-	-	-	1	-	1	-	-	-	6	13
WHITE-----MALE----	515	-	-	-	1	-	-	-	-	-	2	10
FEMALE--	882	-	-	-	-	-	-	-	-	-	3	2
ALL OTHER--MALE----	66	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	83	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	41	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	54	-	-	-	-	-	1	-	-	-	-	-
OREGON -----	1,380	-	-	-	-	-	-	-	-	-	1	3
WHITE-----MALE----	492	-	-	-	-	-	-	-	-	-	1	2
FEMALE--	842	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	30	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	4,708	-	-	-	-	-	-	1	2	5	15	14
WHITE-----MALE----	1,489	-	-	-	-	-	-	-	1	2	2	8
FEMALE--	2,820	-	-	-	-	-	-	1	-	2	10	1
ALL OTHER--MALE----	138	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	261	-	-	-	-	-	-	-	1	-	2	3
BLACK---MALE----	131	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	251	-	-	-	-	-	-	-	1	-	2	3
RHODE ISLAND -----	307	-	-	-	-	-	-	-	-	1	-	1
WHITE-----MALE----	103	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	195	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1,591	-	-	-	-	1	-	2	1	4	8	10
WHITE-----MALE----	350	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	680	-	-	-	-	-	-	-	1	1	-	1
ALL OTHER--MALE----	234	-	-	-	-	1	-	1	-	-	4	2
FEMALE--	327	-	-	-	-	-	-	1	-	3	2	7
BLACK---MALE----	233	-	-	-	-	1	-	1	-	-	4	2
FEMALE--	323	-	-	-	-	-	-	1	-	3	2	7

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 2149

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Stroke, not specified as hemorrhage or infarction (I64)

OHIO -----	38	51	105	150	311	541	738	864	555	211	28	-
WHITE-----MALE----	13	19	42	54	137	203	236	259	97	31	2	-
FEMALE--	12	18	38	60	141	285	430	547	425	160	23	-
ALL OTHER--MALE----	7	8	18	21	17	29	30	11	8	4	3	-
FEMALE--	6	6	7	15	16	24	42	47	25	16	-	-
BLACK---MALE-----	7	8	15	20	16	29	30	11	8	4	3	-
FEMALE--	6	5	7	15	16	24	41	45	25	16	-	-
OKLAHOMA -----	18	27	41	74	128	256	322	312	241	96	10	-
WHITE-----MALE----	8	14	23	31	56	100	109	86	57	17	1	-
FEMALE--	3	10	15	29	52	126	189	199	173	72	9	-
ALL OTHER--MALE----	3	1	2	11	13	13	10	5	4	2	-	-
FEMALE--	4	2	1	3	7	17	14	22	7	5	-	-
BLACK---MALE-----	2	1	2	9	9	6	5	2	3	-	-	-
FEMALE--	2	1	-	2	4	12	10	12	5	5	-	-
OREGON -----	14	20	26	50	109	197	287	347	225	87	14	-
WHITE-----MALE----	9	7	9	20	56	79	98	117	66	24	4	-
FEMALE--	4	7	15	24	47	113	179	224	156	63	10	-
ALL OTHER--MALE----	1	2	2	3	1	2	3	1	1	-	-	-
FEMALE--	-	4	-	3	5	3	7	5	2	-	-	-
BLACK---MALE-----	1	-	1	2	-	1	1	1	1	-	-	-
FEMALE--	-	3	-	1	2	-	3	4	-	-	-	-
PENNSYLVANIA -----	47	57	85	172	387	696	1,041	1,094	785	272	35	-
WHITE-----MALE----	20	21	37	78	159	276	349	326	168	39	3	-
FEMALE--	13	22	30	63	170	350	624	710	579	215	30	-
ALL OTHER--MALE----	6	6	8	17	25	27	24	13	6	2	-	-
FEMALE--	8	8	10	14	33	43	44	45	32	16	2	-
BLACK---MALE-----	6	5	7	16	25	25	22	13	6	2	-	-
FEMALE--	8	8	10	12	33	42	41	41	32	16	2	-
RHODE ISLAND -----	1	6	5	15	19	47	72	61	49	23	7	-
WHITE-----MALE----	-	1	3	7	11	22	27	20	8	3	-	-
FEMALE--	-	5	1	7	6	25	42	41	41	20	7	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	1	1	-	3	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	3	-	-	-	-	-
SOUTH CAROLINA -----	35	39	72	87	169	262	319	307	192	64	19	-
WHITE-----MALE----	3	12	16	18	46	74	81	65	28	4	1	-
FEMALE--	4	7	14	28	46	91	138	172	125	45	7	-
ALL OTHER--MALE----	17	11	23	22	37	46	38	23	7	1	1	-
FEMALE--	11	9	19	19	40	51	62	47	32	14	10	-
BLACK---MALE-----	17	11	23	22	36	46	38	23	7	1	1	-
FEMALE--	11	9	19	19	39	50	61	47	32	13	10	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE

TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Stroke, not specified as hemorrhage or infarction (I64)												
SOUTH DAKOTA -----	323	-	-	-	-	-	-	-	-	1	-	4
WHITE-----MALE----	120	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	193	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	2,287	-	-	-	-	1	-	1	1	5	11	8
WHITE-----MALE----	636	-	-	-	-	-	-	1	-	-	6	3
FEMALE--	1,273	-	-	-	-	-	-	-	-	3	2	1
ALL OTHER--MALE----	171	-	-	-	-	-	-	-	-	2	2	2
FEMALE--	207	-	-	-	-	1	-	-	1	-	1	2
BLACK---MALE-----	170	-	-	-	-	-	-	-	-	2	2	2
FEMALE--	204	-	-	-	-	1	-	-	1	-	1	2
TEXAS -----	5,500	-	-	-	-	-	-	4	5	7	20	30
WHITE-----MALE----	1,751	-	-	-	-	-	-	-	2	2	9	16
FEMALE--	2,977	-	-	-	-	-	-	3	1	2	3	6
ALL OTHER--MALE----	319	-	-	-	-	-	-	1	-	2	6	6
FEMALE--	453	-	-	-	-	-	-	-	2	1	2	2
BLACK---MALE-----	298	-	-	-	-	-	-	1	-	2	5	6
FEMALE--	423	-	-	-	-	-	-	-	2	1	2	2
UTAH -----	442	-	1	-	-	-	-	-	1	1	3	2
WHITE-----MALE----	155	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	279	-	1	-	-	-	-	-	1	1	2	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	160	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	52	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	108	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2,264	-	-	-	-	-	-	1	-	5	5	13
WHITE-----MALE----	576	-	-	-	-	-	-	-	-	1	2	7
FEMALE--	1,145	-	-	-	-	-	-	1	-	1	-	2
ALL OTHER--MALE----	236	-	-	-	-	-	-	-	-	2	1	2
FEMALE--	307	-	-	-	-	-	-	-	-	1	2	2
BLACK---MALE-----	225	-	-	-	-	-	-	-	-	2	1	2
FEMALE--	297	-	-	-	-	-	-	-	-	1	1	2

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 2150

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Stroke, not specified as hemorrhage or infarction (I64)

SOUTH DAKOTA -----	1	1	5	14	13	42	72	83	60	20	7	-
WHITE-----MALE----	1	-	5	7	5	17	32	30	17	3	1	-
FEMALE--	-	1	-	4	6	24	40	53	41	17	6	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	1	-	-	-
FEMALE--	-	-	-	3	1	-	-	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	21	57	80	135	197	322	464	507	363	103	11	-
WHITE-----MALE----	8	24	35	53	66	103	126	134	65	12	-	-
FEMALE--	8	21	26	42	79	156	276	306	266	81	6	-
ALL OTHER--MALE----	2	8	14	24	30	25	30	23	5	4	-	-
FEMALE--	3	4	5	16	22	38	32	44	27	6	5	-
BLACK---MALE-----	2	8	14	24	29	25	30	23	5	4	-	-
FEMALE--	3	4	5	16	22	38	30	43	27	6	5	-
TEXAS -----	63	107	155	285	530	824	1,080	1,203	832	302	53	-
WHITE-----MALE----	25	39	56	116	223	331	359	311	213	43	6	-
FEMALE--	18	31	53	104	205	382	591	784	525	227	42	-
ALL OTHER--MALE----	11	20	24	33	48	53	44	34	31	6	-	-
FEMALE--	9	17	22	32	54	58	86	74	63	26	5	-
BLACK---MALE-----	10	17	22	32	46	50	42	31	28	6	-	-
FEMALE--	9	14	18	29	50	54	79	73	61	24	5	-
UTAH -----	3	6	8	22	29	65	105	94	68	31	3	-
WHITE-----MALE----	3	2	4	13	13	35	30	25	19	9	-	-
FEMALE--	-	2	4	9	15	30	71	69	48	22	3	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	2	-	-	-	-	3	-	1	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
VERMONT -----	-	3	-	5	12	20	31	42	31	11	5	-
WHITE-----MALE----	-	1	-	3	8	10	12	7	7	2	2	-
FEMALE--	-	2	-	2	4	10	19	35	24	9	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	33	45	77	117	201	333	463	481	340	123	27	-
WHITE-----MALE----	8	17	24	39	56	103	130	121	53	14	1	-
FEMALE--	6	7	19	30	77	146	248	273	225	91	19	-
ALL OTHER--MALE----	7	15	23	22	34	40	44	29	11	6	-	-
FEMALE--	12	6	11	26	34	44	41	58	51	12	7	-
BLACK---MALE-----	7	14	19	22	32	39	42	28	11	6	-	-
FEMALE--	11	6	11	24	33	43	39	57	50	12	7	-





04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 2151

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Stroke, not specified as hemorrhage or infarction (I64)												
WASHINGTON -----	23	19	48	67	147	265	418	461	347	124	22	-
WHITE-----MALE----	10	12	23	34	70	112	154	153	86	22	4	-
FEMALE--	6	4	17	27	60	138	252	288	249	98	17	-
ALL OTHER--MALE----	4	1	3	3	8	3	3	9	5	1	-	-
FEMALE--	3	2	5	3	9	12	9	11	7	3	1	-
BLACK---MALE-----	4	-	1	1	-	1	1	-	1	-	-	-
FEMALE--	1	1	4	-	4	2	5	7	1	2	-	-
WEST VIRGINIA -----	11	9	16	39	68	110	168	167	102	38	10	-
WHITE-----MALE----	8	7	8	21	32	49	69	43	21	4	1	-
FEMALE--	3	1	8	16	33	59	97	115	79	34	9	-
ALL OTHER--MALE----	-	1	-	1	2	-	1	1	1	-	-	-
FEMALE--	-	-	-	1	1	2	1	8	1	-	-	-
BLACK---MALE-----	-	1	-	1	2	-	1	1	1	-	-	-
FEMALE--	-	-	-	1	1	2	1	8	1	-	-	-
WISCONSIN -----	15	17	37	67	160	279	405	475	364	146	30	-
WHITE-----MALE----	6	12	20	34	82	132	162	155	87	31	2	-
FEMALE--	5	3	13	27	68	137	235	312	272	115	26	-
ALL OTHER--MALE----	4	1	2	3	4	7	3	4	2	-	-	-
FEMALE--	-	1	2	3	6	3	5	4	3	-	2	-
BLACK---MALE-----	2	1	2	2	4	4	1	3	2	-	-	-
FEMALE--	-	1	2	2	6	3	3	2	1	-	2	-
WYOMING -----	-	2	5	7	12	23	29	33	22	10	2	-
WHITE-----MALE----	-	2	2	3	4	6	11	14	7	2	1	-
FEMALE--	-	-	3	4	8	17	17	18	15	8	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 2152

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

ALL AGES UNDER 1 YEAR 1-4 YEARS 5-9 YEARS 10-14 YEARS 15-19 YEARS 20-24 YEARS 25-29 YEARS 30-34 YEARS 35-39 YEARS 40-44 YEARS 45-49 YEARS

Other cerebrovascular diseases and their sequelae (I67,I69)

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
UNITED STATES -	29,436	49	30	13	8	11	6	18	34	64	85	143
WHITE-----MALE----	9,564	18	11	3	3	2	1	6	13	25	27	48
FEMALE--	16,148	9	9	6	3	8	1	8	13	23	28	50
ALL OTHER--MALE----	1,455	12	4	3	-	1	-	2	4	10	13	21
FEMALE--	2,269	10	6	1	2	-	4	2	4	6	17	24
BLACK---MALE----	1,174	12	2	2	-	1	-	2	4	9	12	19
FEMALE--	1,920	8	5	1	2	-	4	2	3	5	13	24
ALABAMA -----	326	2	-	-	-	-	-	1	-	2	2	1
WHITE-----MALE----	89	2	-	-	-	-	-	-	-	-	1	1
FEMALE--	153	-	-	-	-	-	-	-	-	2	-	-
ALL OTHER--MALE----	29	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	55	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	28	-	-	-	-	-	-	1	-	-	1	-
FEMALE--	55	-	-	-	-	-	-	-	-	-	-	-
ALASKA -----	24	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	352	-	1	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	140	-	1	-	-	-	-	-	-	-	1	-
FEMALE--	198	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	389	-	1	-	-	1	-	-	-	1	2	2
WHITE-----MALE----	106	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	211	-	1	-	-	1	-	-	-	-	-	-
ALL OTHER--MALE----	32	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	40	-	-	-	-	-	-	-	-	-	1	1
BLACK---MALE----	32	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	39	-	-	-	-	-	-	-	-	-	1	1
CALIFORNIA -----	4,440	4	1	2	1	1	1	2	3	11	11	24
WHITE-----MALE----	1,482	1	1	1	-	-	1	-	1	5	4	10
FEMALE--	2,294	1	-	1	1	1	-	1	2	5	4	7
ALL OTHER--MALE----	280	-	-	-	-	-	-	1	-	-	-	4
FEMALE--	384	2	-	-	-	-	-	-	-	1	3	3
BLACK---MALE----	127	-	-	-	-	-	-	1	-	-	-	3
FEMALE--	204	-	-	-	-	-	-	-	-	1	1	3

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other cerebrovascular diseases and their sequelae (I67,I69)												
UNITED STATES -	250	385	602	1,091	2,114	3,981	6,101	6,842	5,145	2,029	435	-
WHITE-----MALE----	80	160	252	493	907	1,613	2,279	2,094	1,168	310	51	-
FEMALE--	69	113	179	334	821	1,770	3,178	4,145	3,509	1,540	332	-
ALL OTHER--MALE----	53	59	92	135	195	265	240	193	108	38	7	-
FEMALE--	48	53	79	129	191	333	404	410	360	141	45	-
BLACK---MALE-----	45	53	82	116	161	223	179	143	78	26	5	-
FEMALE--	44	49	70	106	157	281	331	352	304	124	35	-
ALABAMA -----	3	9	11	16	26	52	65	60	48	23	5	-
WHITE-----MALE----	2	1	4	9	11	14	21	13	6	4	-	-
FEMALE--	-	3	3	3	10	25	28	36	29	12	2	-
ALL OTHER--MALE----	1	-	2	4	3	7	2	3	4	-	1	-
FEMALE--	-	5	2	-	2	6	14	8	9	7	2	-
BLACK---MALE-----	1	-	2	4	2	7	2	3	4	-	1	-
FEMALE--	-	5	2	-	2	6	14	8	9	7	2	-
ALASKA -----	1	-	1	3	3	1	6	4	4	1	-	-
WHITE-----MALE----	1	-	1	1	1	1	2	1	-	-	-	-
FEMALE--	-	-	-	1	2	-	2	2	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	1	1	-	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	1	-	-
ARIZONA -----	1	7	5	13	28	46	81	70	70	24	5	-
WHITE-----MALE----	-	5	5	4	14	23	34	26	22	5	-	-
FEMALE--	-	2	-	8	12	22	43	44	45	18	4	-
ALL OTHER--MALE----	1	-	-	1	1	-	2	-	2	-	1	-
FEMALE--	-	-	-	-	1	1	2	-	1	1	-	-
BLACK---MALE-----	-	-	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	2	-	-	1	-	-
ARKANSAS -----	9	3	11	18	26	49	73	100	72	19	2	-
WHITE-----MALE----	3	-	2	10	9	13	25	26	18	-	-	-
FEMALE--	-	1	3	5	14	27	35	63	44	15	2	-
ALL OTHER--MALE----	2	1	3	1	2	5	4	6	4	1	-	-
FEMALE--	4	1	3	2	1	4	9	5	6	3	-	-
BLACK---MALE-----	2	1	3	1	2	5	4	6	4	1	-	-
FEMALE--	4	1	3	2	1	4	8	5	6	3	-	-
CALIFORNIA -----	34	51	96	171	324	619	967	1,024	737	282	74	-
WHITE-----MALE----	11	20	44	71	145	270	352	299	190	47	9	-
FEMALE--	12	20	26	45	113	243	480	611	463	199	59	-
ALL OTHER--MALE----	8	5	14	27	37	48	63	39	22	12	-	-
FEMALE--	3	6	12	28	29	58	72	75	62	24	6	-
BLACK---MALE-----	5	2	7	16	17	27	27	10	9	3	-	-
FEMALE--	2	3	10	14	17	35	34	37	31	14	2	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 2153

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other cerebrovascular diseases and their sequelae (I67,I69)												
COLORADO -----	311	-	-	-	-	-	-	1	-	1	-	-
WHITE-----MALE----	96	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	195	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	10	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	335	1	-	-	-	1	-	-	1	-	-	-
WHITE-----MALE----	88	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	226	1	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	7	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	39	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	35	-	1	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	19	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	18	-	1	-	-	-	-	-	-	-	-	-
FLORIDA -----	1,789	1	2	-	1	1	-	-	-	3	7	9
WHITE-----MALE----	612	-	-	-	1	-	-	-	-	1	3	1
FEMALE--	968	-	-	-	-	-	-	-	-	1	1	2
ALL OTHER--MALE----	82	1	1	-	-	1	-	-	-	1	2	3
FEMALE--	127	-	1	-	-	-	-	-	-	-	1	3
BLACK---MALE-----	75	1	-	-	-	1	-	-	-	1	2	3
FEMALE--	123	-	1	-	-	-	-	-	-	-	1	3
GEORGIA -----	704	3	4	2	1	1	1	2	2	3	4	8
WHITE-----MALE----	162	-	1	-	-	-	-	1	1	-	1	1
FEMALE--	323	-	-	-	-	1	-	1	1	2	3	3
ALL OTHER--MALE----	89	2	1	2	-	-	-	-	-	1	-	1
FEMALE--	130	1	2	-	1	-	1	-	-	-	-	3
BLACK---MALE-----	89	2	1	2	-	-	-	-	-	1	-	1
FEMALE--	126	1	1	-	1	-	1	-	-	-	-	3

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other cerebrovascular diseases and their sequelae (I67,I69)												
COLORADO -----	2	4	7	19	20	43	64	77	54	14	5	-
WHITE-----MALE----	-	2	1	7	10	13	27	23	8	4	-	-
FEMALE--	1	-	3	8	9	28	34	52	44	10	5	-
ALL OTHER--MALE----	-	2	1	3	-	1	1	-	2	-	-	-
FEMALE--	1	-	2	1	1	2	2	-	-	-	-	-
BLACK---MALE----	-	2	1	2	-	1	1	-	1	-	-	-
FEMALE--	-	-	1	1	1	-	1	2	-	-	-	-
CONNECTICUT -----	4	3	6	6	18	36	63	82	73	37	4	-
WHITE-----MALE----	1	2	1	3	7	14	27	17	12	2	1	-
FEMALE--	1	-	2	2	11	21	34	60	56	35	3	-
ALL OTHER--MALE----	1	1	2	-	-	1	-	1	-	-	-	-
FEMALE--	1	-	1	1	-	-	2	4	5	-	-	-
BLACK---MALE----	1	1	2	-	-	1	-	1	-	-	-	-
FEMALE--	-	-	1	-	-	-	1	4	5	-	-	-
DELAWARE -----	-	-	-	3	5	7	10	6	6	2	-	-
WHITE-----MALE----	-	-	-	2	4	1	4	-	2	-	-	-
FEMALE--	-	-	-	-	1	4	5	4	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	2	1	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	2	2	1	-	1	-	-
DISTRICT OF COLUMBIA ---	-	-	-	2	5	2	5	11	6	1	2	-
WHITE-----MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	1	2	3	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	2	1	-	1	-	-	1	-
FEMALE--	-	-	-	2	2	-	2	6	5	-	1	-
BLACK---MALE----	-	-	-	-	2	1	-	1	-	-	1	-
FEMALE--	-	-	-	2	2	-	1	6	5	-	1	-
FLORIDA -----	19	23	33	54	114	235	392	426	310	134	25	-
WHITE-----MALE----	7	11	17	20	52	97	137	158	82	21	4	-
FEMALE--	2	7	10	20	35	100	223	241	205	102	19	-
ALL OTHER--MALE----	5	2	4	8	14	16	10	7	6	1	-	-
FEMALE--	5	3	2	6	13	22	22	20	17	10	2	-
BLACK---MALE----	4	2	4	8	12	14	9	7	6	1	-	-
FEMALE--	5	3	2	6	12	20	22	19	17	10	2	-
GEORGIA -----	7	21	29	33	60	82	137	156	99	43	6	-
WHITE-----MALE----	2	2	6	12	14	21	45	35	12	7	1	-
FEMALE--	1	4	5	6	18	30	68	91	59	28	2	-
ALL OTHER--MALE----	2	9	11	10	10	14	10	10	5	1	-	-
FEMALE--	2	6	7	5	18	17	14	20	23	7	3	-
BLACK---MALE----	2	9	11	10	10	14	10	10	5	1	-	-
FEMALE--	2	6	7	5	17	16	14	20	22	7	3	-



[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

## Other cerebrovascular diseases and their sequelae (I67,I69)

HAWAII -----	-	-	1	4	2	11	16	19	21	7	4	-
WHITE-----MALE----	-	-	-	-	-	1	-	2	3	1	-	-
FEMALE--	-	-	-	1	1	1	2	1	3	1	-	-
ALL OTHER--MALE----	-	-	-	2	-	4	8	8	6	-	-	-
FEMALE--	-	-	1	1	1	5	6	8	9	5	4	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	2	1	5	10	22	31	41	24	17	2	-
WHITE-----MALE----	-	-	1	3	5	10	12	14	7	3	-	-
FEMALE--	-	1	-	2	5	12	19	27	17	14	2	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	7	17	25	52	83	160	263	292	244	84	23	-
WHITE-----MALE----	2	8	9	18	33	61	93	93	49	9	1	-
FEMALE--	3	3	7	23	31	73	147	182	175	69	20	-
ALL OTHER--MALE----	1	4	4	3	9	9	11	6	8	-	-	-
FEMALE--	1	2	5	8	10	17	12	11	12	6	2	-
BLACK---MALE----	1	4	4	3	6	9	11	5	7	-	-	-
FEMALE--	1	1	5	7	9	16	12	11	9	5	2	-
INDIANA -----	6	3	11	17	49	74	119	121	111	50	7	-
WHITE-----MALE----	3	2	8	11	21	30	49	41	22	5	-	-
FEMALE--	3	-	3	4	19	36	63	69	82	40	5	-
ALL OTHER--MALE----	-	1	-	-	5	4	2	6	1	1	-	-
FEMALE--	-	-	-	2	4	4	5	5	6	4	2	-
BLACK---MALE----	-	1	-	-	5	4	2	6	1	1	-	-
FEMALE--	-	-	-	2	4	4	5	5	6	4	2	-
IOWA -----	-	1	2	10	21	41	70	82	67	25	3	-
WHITE-----MALE----	-	-	1	9	9	15	35	27	11	5	-	-
FEMALE--	-	1	-	1	11	25	34	54	56	20	3	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE----	-	-	1	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
KANSAS -----	3	2	2	9	18	45	54	79	71	29	9	-
WHITE-----MALE----	1	1	2	8	7	22	22	19	18	6	-	-
FEMALE--	1	1	-	1	11	20	28	57	48	23	8	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	3	-	-	-
FEMALE--	1	-	-	-	-	2	4	3	2	-	1	-
BLACK---MALE----	-	-	-	-	-	1	-	-	3	-	-	-
FEMALE--	-	-	-	-	-	1	3	3	2	-	1	-





[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other cerebrovascular diseases and their sequelae (I67,I69)												
KENTUCKY -----	3	7	6	16	20	45	89	73	60	26	4	-
WHITE-----MALE----	1	4	4	9	7	18	29	18	14	3	1	-
FEMALE--	-	3	1	6	9	24	51	52	42	22	3	-
ALL OTHER--MALE----	-	-	1	-	2	1	3	1	1	-	-	-
FEMALE--	2	-	-	1	2	2	6	2	3	1	-	-
BLACK---MALE-----	-	-	1	-	2	1	3	1	1	-	-	-
FEMALE--	2	-	-	1	2	2	5	2	3	1	-	-
LOUISIANA -----	10	9	17	16	42	63	78	81	63	29	5	-
WHITE-----MALE----	2	2	3	5	17	21	25	15	9	3	1	-
FEMALE--	1	-	5	4	12	26	36	48	40	21	3	-
ALL OTHER--MALE----	4	3	4	3	10	7	6	4	4	2	-	-
FEMALE--	3	4	5	4	3	9	11	14	10	3	1	-
BLACK---MALE-----	4	3	4	3	10	6	6	4	4	2	-	-
FEMALE--	3	4	5	4	3	9	11	14	10	3	1	-
MAINE -----	1	2	1	6	13	14	31	42	23	10	1	-
WHITE-----MALE----	1	1	-	5	9	9	18	11	3	2	-	-
FEMALE--	-	1	1	1	4	5	12	31	20	8	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	4	3	16	22	44	71	109	121	88	33	8	-
WHITE-----MALE----	-	1	7	6	15	20	36	27	16	5	2	-
FEMALE--	-	1	4	4	16	31	52	73	59	24	6	-
ALL OTHER--MALE----	2	-	3	8	5	12	8	10	4	3	-	-
FEMALE--	2	1	2	4	8	8	13	11	9	1	-	-
BLACK---MALE-----	2	-	3	7	4	11	8	9	4	3	-	-
FEMALE--	2	1	1	3	6	8	13	11	8	1	-	-
MASSACHUSETTS -----	4	9	11	26	49	110	168	189	150	59	11	-
WHITE-----MALE----	2	5	5	16	26	70	64	60	30	7	1	-
FEMALE--	1	2	6	6	19	33	89	124	116	51	10	-
ALL OTHER--MALE----	-	1	-	1	3	4	4	1	1	-	-	-
FEMALE--	1	1	-	3	1	3	11	4	3	1	-	-
BLACK---MALE-----	-	1	-	1	2	3	4	-	-	-	-	-
FEMALE--	1	1	-	3	1	2	9	4	2	1	-	-
MICHIGAN -----	16	20	22	40	98	174	275	304	217	66	14	-
WHITE-----MALE----	5	10	13	25	40	82	102	98	54	8	1	-
FEMALE--	5	4	5	10	32	72	148	182	144	55	11	-
ALL OTHER--MALE----	2	4	3	5	13	8	8	8	2	1	-	-
FEMALE--	4	2	1	-	13	12	17	16	17	2	2	-
BLACK---MALE-----	2	3	3	5	13	8	8	7	2	1	-	-
FEMALE--	4	2	-	-	11	11	17	16	17	2	2	-



[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other cerebrovascular diseases and their sequelae (I67,I69)												
MINNESOTA -----	1	3	7	12	37	60	112	154	116	42	14	-
WHITE-----MALE----	-	2	4	7	21	31	45	68	26	7	-	-
FEMALE--	1	1	2	5	11	25	60	85	89	35	14	-
ALL OTHER--MALE----	-	-	-	-	2	2	2	1	-	-	-	-
FEMALE--	-	-	1	-	3	2	5	-	1	-	-	-
BLACK---MALE----	-	-	-	-	1	1	1	1	-	-	-	-
FEMALE--	-	-	-	-	2	-	3	-	-	-	-	-
MISSISSIPPI -----	5	6	11	23	21	34	47	41	32	16	3	-
WHITE-----MALE----	-	-	1	8	6	9	15	13	11	1	-	-
FEMALE--	1	2	2	3	7	10	18	16	14	6	1	-
ALL OTHER--MALE----	3	2	3	7	2	8	5	4	-	1	-	-
FEMALE--	1	2	5	5	6	7	9	8	7	8	2	-
BLACK---MALE----	3	2	3	7	2	8	5	4	-	1	-	-
FEMALE--	1	2	5	5	6	7	9	8	7	8	2	-
MISSOURI -----	2	6	10	20	39	80	142	181	132	52	7	-
WHITE-----MALE----	2	1	4	6	19	18	64	53	27	10	-	-
FEMALE--	-	3	4	7	16	53	69	120	95	41	7	-
ALL OTHER--MALE----	-	2	1	2	4	3	3	1	1	-	-	-
FEMALE--	-	-	1	5	-	6	6	7	9	1	-	-
BLACK---MALE----	-	2	1	2	4	2	3	1	1	-	-	-
FEMALE--	-	-	1	5	-	6	6	7	9	1	-	-
MONTANA -----	-	2	1	3	5	20	16	36	25	13	1	-
WHITE-----MALE----	-	2	-	3	4	10	8	14	6	3	-	-
FEMALE--	-	-	1	-	-	10	8	22	19	10	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	1	4	4	9	12	32	44	54	35	18	5	-
WHITE-----MALE----	-	-	2	5	5	15	24	23	7	3	-	-
FEMALE--	1	3	2	3	7	15	19	30	28	15	5	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	1	-	1	-	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	1	-	1	-	1	-	-	-	-	-	-
NEVADA -----	-	2	2	9	18	23	25	24	14	5	1	-
WHITE-----MALE----	-	1	1	4	6	8	11	9	5	-	-	-
FEMALE--	-	-	1	4	11	14	12	14	9	5	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	1	2	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	1	1	-	-	-	-





[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other cerebrovascular diseases and their sequelae (I67,I69)												
OHIO -----	1,244	1	1	1	-	-	-	1	2	5	1	9
WHITE-----MALE----	383	-	1	-	-	-	-	1	1	3	1	3
FEMALE--	740	1	-	1	-	-	-	-	1	2	-	4
ALL OTHER--MALE----	50	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	71	-	-	-	-	-	-	-	-	-	-	2
BLACK---MALE-----	50	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	70	-	-	-	-	-	-	-	-	-	-	2
OKLAHOMA -----	280	-	1	-	-	-	-	-	-	1	1	3
WHITE-----MALE----	94	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	145	-	1	-	-	-	-	-	-	-	-	2
ALL OTHER--MALE----	12	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	29	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	1
OREGON -----	575	2	-	-	-	-	-	-	-	1	1	2
WHITE-----MALE----	232	2	-	-	-	-	-	-	-	-	1	-
FEMALE--	330	-	-	-	-	-	-	-	-	1	-	2
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	8	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	1,291	2	2	1	1	-	1	-	-	3	3	5
WHITE-----MALE----	444	1	2	-	-	-	-	-	-	1	1	1
FEMALE--	741	-	-	1	1	-	-	-	-	1	1	1
ALL OTHER--MALE----	38	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	68	1	-	-	-	-	1	-	-	1	-	2
BLACK---MALE-----	36	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	66	1	-	-	-	-	1	-	-	1	-	2
RHODE ISLAND -----	129	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	47	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	79	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	454	1	2	-	-	-	1	-	-	2	1	1
WHITE-----MALE----	111	-	1	-	-	-	-	-	-	1	-	-
FEMALE--	203	-	1	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	53	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	87	-	-	-	-	-	1	-	-	-	1	1
BLACK---MALE-----	53	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	87	-	-	-	-	-	1	-	-	-	1	1

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other cerebrovascular diseases and their sequelae (I67,I69)												
OHIO -----	14	20	22	51	93	186	261	268	202	87	19	-
WHITE-----MALE----	4	10	8	20	36	78	84	76	39	13	5	-
FEMALE--	4	8	8	20	47	89	155	166	155	65	14	-
ALL OTHER--MALE----	1	-	4	5	6	8	10	12	1	3	-	-
FEMALE--	5	2	2	6	4	11	12	14	7	6	-	-
BLACK---MALE-----	1	-	4	5	6	8	10	12	1	3	-	-
FEMALE--	5	2	2	6	3	11	12	14	7	6	-	-
OKLAHOMA -----	4	5	5	15	23	39	48	69	45	15	6	-
WHITE-----MALE----	1	2	2	5	9	16	17	24	9	6	1	-
FEMALE--	1	1	3	8	11	19	22	40	27	8	2	-
ALL OTHER--MALE----	2	-	-	1	1	1	4	-	3	-	-	-
FEMALE--	-	2	-	1	2	3	5	5	6	1	3	-
BLACK---MALE-----	1	-	-	-	1	1	2	-	2	-	-	-
FEMALE--	-	2	-	-	1	2	2	1	4	1	2	-
OREGON -----	2	6	10	11	41	85	114	155	101	34	10	-
WHITE-----MALE----	1	3	5	4	23	45	57	59	27	4	1	-
FEMALE--	1	2	5	7	17	40	55	92	69	30	9	-
ALL OTHER--MALE----	-	-	-	-	1	-	2	-	2	-	-	-
FEMALE--	-	1	-	-	-	-	-	4	3	-	-	-
BLACK---MALE-----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	3	2	-	-	-
PENNSYLVANIA -----	5	11	20	42	86	174	279	323	208	102	23	-
WHITE-----MALE----	3	6	11	24	35	78	93	109	60	13	6	-
FEMALE--	2	3	6	11	42	79	170	193	131	82	17	-
ALL OTHER--MALE----	-	-	2	4	5	8	6	7	4	-	-	-
FEMALE--	-	2	1	3	4	9	10	14	13	7	-	-
BLACK---MALE-----	-	-	2	4	5	8	5	6	4	-	-	-
FEMALE--	-	2	1	3	4	8	9	14	13	7	-	-
RHODE ISLAND -----	-	2	3	5	5	21	32	23	28	9	-	-
WHITE-----MALE----	-	1	3	3	3	7	18	5	4	2	-	-
FEMALE--	-	1	-	2	2	13	14	17	23	7	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	1	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	7	9	15	17	43	60	95	104	65	21	10	-
WHITE-----MALE----	1	4	6	4	10	18	21	30	11	3	1	-
FEMALE--	1	4	4	5	15	21	51	45	34	14	7	-
ALL OTHER--MALE----	4	-	3	5	9	9	9	9	2	1	1	-
FEMALE--	1	1	2	3	9	12	14	20	18	3	1	-
BLACK---MALE-----	4	-	3	5	9	9	9	9	2	1	1	-
FEMALE--	1	1	2	3	9	12	14	20	18	3	1	-



[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other cerebrovascular diseases and their sequelae (I67,I69)												
SOUTH DAKOTA -----	56	-	-	-	-	-	1	-	-	-	-	1
WHITE-----MALE----	26	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	27	-	-	-	-	-	1	-	-	-	-	1
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	609	1	-	-	-	-	-	-	1	2	2	2
WHITE-----MALE----	178	1	-	-	-	-	-	-	-	1	1	-
FEMALE--	351	-	-	-	-	-	-	-	1	-	1	2
ALL OTHER--MALE----	22	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	58	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	21	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	58	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	2,138	4	2	-	-	-	-	2	-	1	8	6
WHITE-----MALE----	660	2	-	-	-	-	-	1	-	1	2	3
FEMALE--	1,186	1	2	-	-	-	-	1	-	-	4	3
ALL OTHER--MALE----	107	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	185	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	99	1	-	-	-	-	-	-	-	-	1	-
FEMALE--	175	-	-	-	-	-	-	-	-	-	1	-
UTAH -----	234	1	-	-	-	-	-	1	-	-	1	3
WHITE-----MALE----	82	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	149	1	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	63	-	-	-	-	-	-	-	-	1	1	-
WHITE-----MALE----	23	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	40	-	-	-	-	-	-	-	-	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	742	4	-	-	1	1	-	-	2	1	2	4
WHITE-----MALE----	212	3	-	-	-	-	-	-	-	-	-	2
FEMALE--	364	-	-	-	-	1	-	-	-	-	1	1
ALL OTHER--MALE----	64	1	-	-	-	-	-	-	-	1	1	1
FEMALE--	102	-	-	-	1	-	-	-	2	-	-	-
BLACK---MALE----	60	1	-	-	-	-	-	-	-	1	1	1
FEMALE--	99	-	-	-	1	-	-	-	1	-	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Other cerebrovascular diseases and their sequelae (I67,I69)

SOUTH DAKOTA -----	-	-	1	1	1	9	13	17	7	4	1	-
WHITE-----MALE----	-	-	1	-	-	6	5	11	2	1	-	-
FEMALE--	-	-	-	-	1	2	8	6	4	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	4	11	15	29	48	79	119	141	112	34	9	-
WHITE-----MALE----	-	2	5	13	18	30	40	42	18	5	2	-
FEMALE--	3	5	6	10	22	34	67	86	82	26	6	-
ALL OTHER--MALE----	1	1	3	3	4	4	2	3	-	-	-	-
FEMALE--	-	3	1	3	4	11	10	10	12	3	1	-
BLACK---MALE----	1	1	3	3	3	4	2	3	-	-	-	-
FEMALE--	-	3	1	3	4	11	10	10	12	3	1	-
TEXAS -----	29	35	54	99	166	296	422	461	365	165	23	-
WHITE-----MALE----	8	19	22	39	83	113	144	120	74	28	1	-
FEMALE--	13	9	15	37	55	126	232	293	256	123	16	-
ALL OTHER--MALE----	5	5	6	12	18	25	13	9	8	3	1	-
FEMALE--	3	2	11	11	10	32	33	39	27	11	5	-
BLACK---MALE----	5	5	6	11	17	24	13	7	6	2	1	-
FEMALE--	3	2	11	11	9	30	28	37	27	11	5	-
UTAH -----	1	3	4	1	17	28	61	53	41	16	3	-
WHITE-----MALE----	-	2	2	1	4	12	29	16	12	2	-	-
FEMALE--	1	1	2	-	12	16	31	36	29	14	3	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	2	1	6	9	15	10	16	2	-	-
WHITE-----MALE----	-	-	2	-	3	3	6	4	5	-	-	-
FEMALE--	-	-	-	1	3	6	9	6	11	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	9	12	24	23	54	99	152	150	136	55	13	-
WHITE-----MALE----	2	2	8	12	14	30	50	49	32	7	1	-
FEMALE--	1	2	6	6	23	41	68	78	86	41	9	-
ALL OTHER--MALE----	2	6	6	3	6	16	11	5	3	1	1	-
FEMALE--	4	2	4	2	11	12	23	18	15	6	2	-
BLACK---MALE----	1	6	6	3	6	14	11	4	3	1	1	-
FEMALE--	4	2	3	2	10	12	23	18	15	6	2	-





04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 2161

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of arteries, arterioles and capillaries (I70-I78)												
UNITED STATES -	39,404	13	5	3	9	23	39	68	105	208	330	486
WHITE-----MALE----	16,583	7	3	1	3	14	17	36	56	98	151	251
FEMALE--	18,614	4	1	2	5	4	12	16	23	50	74	112
ALL OTHER--MALE----	1,956	2	-	-	-	3	7	7	18	42	70	83
FEMALE--	2,251	-	1	-	1	2	3	9	8	18	35	40
BLACK---MALE-----	1,599	2	-	-	-	3	5	7	17	35	63	71
FEMALE--	2,003	-	1	-	1	2	3	8	8	17	33	38
ALABAMA -----	639	2	-	-	-	-	1	1	2	2	9	10
WHITE-----MALE----	262	1	-	-	-	-	1	-	1	-	2	5
FEMALE--	236	1	-	-	-	-	-	-	-	-	1	1
ALL OTHER--MALE----	54	-	-	-	-	-	-	-	-	2	3	2
FEMALE--	87	-	-	-	-	-	-	1	1	-	3	2
BLACK---MALE-----	53	-	-	-	-	-	-	-	-	2	3	2
FEMALE--	87	-	-	-	-	-	-	1	1	-	3	2
ALASKA -----	89	-	-	-	-	-	-	1	1	1	1	-
WHITE-----MALE----	52	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	26	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ARIZONA -----	638	-	-	-	-	-	-	2	1	4	6	7
WHITE-----MALE----	337	-	-	-	-	-	-	1	-	4	4	4
FEMALE--	271	-	-	-	-	-	-	1	-	-	1	2
ALL OTHER--MALE----	17	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	10	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	437	-	-	-	-	-	-	-	-	-	4	3
WHITE-----MALE----	196	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	201	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	16	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	24	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	16	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	23	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	3,725	2	1	1	-	2	2	5	10	12	34	60
WHITE-----MALE----	1,590	1	1	-	-	2	-	4	8	4	18	35
FEMALE--	1,673	-	-	1	-	-	-	-	1	5	5	14
ALL OTHER--MALE----	259	1	-	-	-	-	1	1	1	2	7	8
FEMALE--	203	-	-	-	-	-	1	-	-	1	4	3
BLACK---MALE-----	110	1	-	-	-	-	1	1	-	1	5	1
FEMALE--	111	-	-	-	-	-	1	-	-	1	3	2

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 2161

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of arteries, arterioles and capillaries (I70-I78)												
UNITED STATES -	724	1,048	1,620	2,598	4,082	6,122	7,066	7,081	4,996	2,219	557	2
WHITE-----MALE----	354	570	883	1,448	2,210	2,947	3,120	2,588	1,322	438	64	2
FEMALE--	192	277	445	815	1,398	2,549	3,335	3,981	3,310	1,590	419	-
ALL OTHER--MALE----	118	114	173	182	251	294	269	168	107	35	13	-
FEMALE--	60	87	119	153	223	332	342	344	257	156	61	-
BLACK---MALE-----	100	98	146	140	211	235	220	126	84	26	10	-
FEMALE--	51	82	111	130	197	296	293	300	234	145	53	-
ALABAMA -----	15	30	35	57	74	97	115	101	55	29	4	-
WHITE-----MALE----	6	18	20	32	32	47	48	35	10	4	-	-
FEMALE--	3	5	12	13	29	24	48	32	19	-	-	-
ALL OTHER--MALE----	6	6	3	8	4	7	5	2	4	-	2	-
FEMALE--	-	1	-	4	9	19	14	16	9	6	2	-
BLACK---MALE-----	6	5	3	8	4	7	5	2	4	-	2	-
FEMALE--	-	1	-	4	9	19	14	16	9	6	2	-
ALASKA -----	6	9	8	13	14	10	16	6	3	-	-	-
WHITE-----MALE----	5	7	7	6	8	7	6	1	3	-	-	-
FEMALE--	1	1	-	6	2	3	9	3	-	-	-	-
ALL OTHER--MALE----	-	1	1	1	3	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	8	13	32	47	71	101	131	109	78	23	4	1
WHITE-----MALE----	5	8	22	34	43	64	64	51	25	7	-	1
FEMALE--	2	5	9	10	24	35	62	50	51	16	3	-
ALL OTHER--MALE----	1	-	-	3	3	1	1	5	1	-	-	-
FEMALE--	-	-	1	-	1	1	4	3	1	-	1	-
BLACK---MALE-----	1	-	-	-	1	1	1	3	1	-	-	-
FEMALE--	-	-	-	-	-	1	2	2	1	-	-	-
ARKANSAS -----	8	22	20	34	49	75	65	73	58	21	5	-
WHITE-----MALE----	5	11	13	17	29	44	24	31	16	2	-	-
FEMALE--	2	7	6	14	14	27	37	36	36	18	3	-
ALL OTHER--MALE----	-	3	1	1	2	2	1	1	3	-	-	-
FEMALE--	1	1	-	2	4	2	3	5	3	1	2	-
BLACK---MALE-----	-	3	1	1	2	2	1	1	3	-	-	-
FEMALE--	1	1	-	2	4	2	3	4	3	1	2	-
CALIFORNIA -----	73	115	146	215	330	561	668	703	494	219	72	-
WHITE-----MALE----	39	64	82	111	167	268	287	286	150	50	13	-
FEMALE--	14	28	28	70	107	216	319	357	304	154	50	-
ALL OTHER--MALE----	13	11	26	26	35	46	33	24	19	5	-	-
FEMALE--	7	12	10	8	21	31	29	36	21	10	9	-
BLACK---MALE-----	6	7	15	12	16	17	10	11	5	1	-	-
FEMALE--	4	7	7	4	9	17	13	20	12	6	5	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 2162

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of arteries, arterioles and capillaries (I70-I78)												
COLORADO -----	879	-	-	-	-	-	-	1	4	1	5	8
WHITE-----MALE----	336	-	-	-	-	-	-	-	4	1	3	6
FEMALE--	502	-	-	-	-	-	-	1	-	-	1	1
ALL OTHER--MALE----	17	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	24	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	13	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	16	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	472	-	-	-	-	-	-	-	3	3	3	3
WHITE-----MALE----	212	-	-	-	-	-	-	-	3	1	1	1
FEMALE--	230	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	15	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	15	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	11	-	-	-	-	-	-	-	-	-	1	-
DELAWARE -----	93	-	-	-	-	-	1	2	-	2	1	1
WHITE-----MALE----	42	-	-	-	-	-	-	2	-	1	1	-
FEMALE--	36	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	8	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	8	-	-	-	-	-	1	-	-	-	-	-
DISTRICT OF COLUMBIA ---	77	-	-	-	-	-	1	1	-	1	1	4
WHITE-----MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	28	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	28	-	-	-	-	-	1	1	-	-	-	2
BLACK---MALE----	28	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	28	-	-	-	-	-	1	1	-	-	-	2
FLORIDA -----	2,765	1	-	-	-	2	1	3	5	14	16	28
WHITE-----MALE----	1,283	-	-	-	-	2	-	1	-	2	8	18
FEMALE--	1,254	1	-	-	-	-	-	2	3	3	1	7
ALL OTHER--MALE----	104	-	-	-	-	-	1	-	2	5	4	3
FEMALE--	124	-	-	-	-	-	-	-	-	4	3	-
BLACK---MALE----	100	-	-	-	-	-	1	-	2	5	4	3
FEMALE--	116	-	-	-	-	-	-	-	-	3	2	-
GEORGIA -----	1,060	-	-	-	-	-	2	6	4	6	12	19
WHITE-----MALE----	364	-	-	-	-	-	1	2	2	1	7	8
FEMALE--	470	-	-	-	-	-	1	3	1	-	-	5
ALL OTHER--MALE----	91	-	-	-	-	-	-	-	-	5	2	2
FEMALE--	135	-	-	-	-	-	-	1	1	-	3	4
BLACK---MALE----	87	-	-	-	-	-	-	-	-	4	2	2
FEMALE--	134	-	-	-	-	-	-	1	1	-	3	4

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of arteries, arterioles and capillaries (I70-I78)												
COLORADO -----	15	11	19	36	65	130	154	189	161	70	10	-
WHITE-----MALE----	5	6	8	19	33	67	68	60	43	13	-	-
FEMALE--	7	5	7	16	24	59	79	124	112	56	10	-
ALL OTHER--MALE----	2	-	2	-	2	1	4	2	2	-	-	-
FEMALE--	1	-	2	1	6	3	3	3	4	1	-	-
BLACK---MALE----	2	-	2	-	2	1	2	-	2	-	-	-
FEMALE--	1	-	2	1	4	2	1	1	3	1	-	-
CONNECTICUT -----	5	7	15	27	49	74	93	88	64	31	7	-
WHITE-----MALE----	3	3	7	19	30	40	48	36	14	6	-	-
FEMALE--	-	1	7	8	16	29	43	49	45	23	7	-
ALL OTHER--MALE----	1	2	1	-	-	2	2	-	3	1	-	-
FEMALE--	1	1	-	-	3	3	-	3	2	1	-	-
BLACK---MALE----	1	2	1	-	-	2	2	-	3	1	-	-
FEMALE--	-	1	-	-	2	2	-	3	1	1	-	-
DELAWARE -----	1	3	3	13	13	11	18	14	7	3	-	-
WHITE-----MALE----	-	2	2	6	7	2	9	8	1	1	-	-
FEMALE--	-	-	1	6	5	6	6	5	4	2	-	-
ALL OTHER--MALE----	-	-	-	1	1	1	2	1	-	-	-	-
FEMALE--	1	1	-	-	-	2	1	-	2	-	-	-
BLACK---MALE----	1	-	-	1	1	1	2	1	-	-	-	-
FEMALE--	1	1	-	-	-	2	1	-	2	-	-	-
DISTRICT OF COLUMBIA ---	3	2	3	7	6	10	9	8	14	7	-	-
WHITE-----MALE----	-	-	-	1	2	3	-	2	2	1	-	-
FEMALE--	-	-	-	1	-	-	1	1	4	3	-	-
ALL OTHER--MALE----	3	1	2	3	4	4	5	1	1	-	-	-
FEMALE--	-	1	1	2	-	3	3	4	7	3	-	-
BLACK---MALE----	3	1	2	3	4	4	5	1	1	-	-	-
FEMALE--	-	1	1	2	-	3	3	4	7	3	-	-
FLORIDA -----	44	60	118	175	327	462	483	513	333	148	32	-
WHITE-----MALE----	24	31	72	104	183	233	252	204	106	38	5	-
FEMALE--	9	16	28	53	124	197	204	279	207	97	23	-
ALL OTHER--MALE----	7	6	8	9	14	17	11	10	6	1	-	-
FEMALE--	4	7	10	9	6	15	16	20	14	12	4	-
BLACK---MALE----	7	4	8	8	14	16	11	10	6	1	-	-
FEMALE--	3	7	10	8	6	14	15	19	13	12	4	-
GEORGIA -----	30	43	43	80	115	162	178	163	128	56	12	1
WHITE-----MALE----	11	20	18	43	72	51	55	37	25	10	-	1
FEMALE--	9	10	14	22	24	77	89	94	78	33	10	-
ALL OTHER--MALE----	8	10	7	8	8	11	16	6	6	2	-	-
FEMALE--	2	3	4	7	11	23	18	26	19	11	2	-
BLACK---MALE----	8	10	7	8	8	10	16	4	6	2	-	-
FEMALE--	2	3	4	6	11	23	18	26	19	11	2	-





04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 2163

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of arteries, arterioles and capillaries (I70-I78)												
HAWAII -----	2	7	6	13	11	20	16	19	9	9	3	-
WHITE-----MALE----	-	3	-	-	2	5	5	2	1	-	1	-
FEMALE--	1	-	-	-	1	1	1	4	4	2	-	-
ALL OTHER--MALE----	1	4	4	9	5	11	3	7	2	5	1	-
FEMALE--	-	-	2	4	3	3	7	6	2	2	1	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
IDAHO -----	1	5	5	6	15	29	24	31	24	13	3	-
WHITE-----MALE----	1	5	2	5	10	15	11	18	7	7	-	-
FEMALE--	-	-	2	1	5	14	13	13	17	6	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	27	41	67	118	156	239	302	313	226	104	28	-
WHITE-----MALE----	11	25	39	60	68	116	125	105	52	18	6	-
FEMALE--	4	6	16	31	65	97	142	189	157	80	18	-
ALL OTHER--MALE----	7	6	8	12	15	15	9	5	4	1	1	-
FEMALE--	5	4	4	15	8	11	26	14	13	5	3	-
BLACK---MALE----	7	5	8	11	15	14	8	-	4	1	1	-
FEMALE--	5	4	4	14	8	11	24	14	13	5	2	-
INDIANA -----	17	21	42	72	104	151	196	175	112	66	11	-
WHITE-----MALE----	9	12	21	42	51	72	90	75	19	11	2	-
FEMALE--	5	7	14	23	39	67	92	93	88	50	7	-
ALL OTHER--MALE----	1	1	5	2	8	9	9	2	3	1	2	-
FEMALE--	2	1	2	5	6	3	5	5	2	4	-	-
BLACK---MALE----	1	1	5	2	8	9	8	2	3	1	2	-
FEMALE--	2	1	2	4	6	3	5	5	2	4	-	-
IOWA -----	7	11	24	34	43	80	108	136	103	44	17	-
WHITE-----MALE----	5	8	13	20	26	41	53	62	25	10	-	-
FEMALE--	1	3	10	14	16	38	54	74	78	34	17	-
ALL OTHER--MALE----	1	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
KANSAS -----	6	13	17	19	40	71	110	119	103	39	10	-
WHITE-----MALE----	4	7	9	11	18	40	49	49	27	8	-	-
FEMALE--	2	4	7	7	19	29	56	68	72	30	9	-
ALL OTHER--MALE----	-	1	1	1	1	-	2	1	1	-	-	-
FEMALE--	-	1	-	-	2	2	3	1	3	1	1	-
BLACK---MALE----	-	1	-	1	1	-	2	1	-	-	-	-
FEMALE--	-	1	-	-	2	2	2	1	3	1	1	-



04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 2164

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of arteries, arterioles and capillaries (I70-I78)												
KENTUCKY -----	9	18	28	42	65	93	94	99	68	19	5	-
WHITE-----MALE----	7	15	20	26	44	48	44	34	24	3	1	-
FEMALE--	2	3	6	13	20	40	40	60	41	16	4	-
ALL OTHER--MALE----	-	-	2	1	1	1	5	1	-	-	-	-
FEMALE--	-	-	-	2	-	4	5	4	3	-	-	-
BLACK---MALE-----	-	-	2	-	1	1	5	1	-	-	-	-
FEMALE--	-	-	-	2	-	4	5	4	3	-	-	-
LOUISIANA -----	14	19	29	44	80	98	117	111	74	40	9	-
WHITE-----MALE----	3	5	8	20	37	42	43	31	18	5	-	-
FEMALE--	3	4	8	8	26	29	47	50	40	21	5	-
ALL OTHER--MALE----	5	4	6	8	11	10	14	6	7	4	1	-
FEMALE--	3	6	7	8	6	17	13	24	9	10	3	-
BLACK---MALE-----	5	4	6	7	11	10	14	6	7	4	1	-
FEMALE--	3	6	7	8	6	17	13	24	9	10	3	-
MAINE -----	3	7	10	18	31	35	42	38	26	13	3	-
WHITE-----MALE----	3	4	6	12	18	21	15	16	6	4	-	-
FEMALE--	-	3	4	6	13	14	26	22	20	9	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	21	12	20	43	65	89	96	107	71	26	6	-
WHITE-----MALE----	7	3	7	24	29	39	35	39	16	6	1	-
FEMALE--	4	2	6	7	22	35	50	52	43	17	4	-
ALL OTHER--MALE----	6	3	3	9	9	6	4	5	1	-	1	-
FEMALE--	4	4	4	3	5	9	7	11	11	3	-	-
BLACK---MALE-----	6	3	3	8	9	6	3	5	1	-	-	-
FEMALE--	4	4	4	2	5	9	7	10	11	3	-	-
MASSACHUSETTS -----	16	17	24	66	101	162	185	206	155	68	24	-
WHITE-----MALE----	7	10	17	38	55	79	79	70	43	5	2	-
FEMALE--	7	6	4	22	41	74	101	134	107	62	22	-
ALL OTHER--MALE----	1	1	2	4	3	4	2	-	-	1	-	-
FEMALE--	1	-	1	2	2	5	3	2	5	-	-	-
BLACK---MALE-----	-	1	2	3	3	1	1	-	-	1	-	-
FEMALE--	1	-	1	2	2	2	2	1	4	-	-	-
MICHIGAN -----	29	46	81	81	181	250	276	297	180	102	18	-
WHITE-----MALE----	12	22	44	46	101	122	125	110	51	24	-	-
FEMALE--	8	15	21	25	60	108	124	176	120	72	16	-
ALL OTHER--MALE----	4	4	9	6	14	12	16	3	2	-	-	-
FEMALE--	5	5	7	4	6	8	11	8	7	6	2	-
BLACK---MALE-----	4	4	7	6	13	12	14	3	1	-	-	-
FEMALE--	4	5	7	4	5	8	11	8	7	5	2	-



04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 2165

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of arteries, arterioles and capillaries (I70-I78)												
MINNESOTA -----	5	18	21	37	66	91	146	144	102	45	7	-
WHITE-----MALE----	2	13	15	22	42	47	61	52	34	8	1	-
FEMALE--	2	4	5	15	23	42	79	88	68	37	6	-
ALL OTHER--MALE----	1	-	1	-	-	2	2	2	-	-	-	-
FEMALE--	-	1	-	-	1	-	4	2	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	1	1	-	-	-	-
FEMALE--	-	1	-	-	1	-	3	1	-	-	-	-
MISSISSIPPI -----	7	12	15	32	45	63	56	51	28	16	3	-
WHITE-----MALE----	1	8	6	13	23	32	18	8	7	3	-	-
FEMALE--	2	2	3	9	11	18	19	28	13	7	-	-
ALL OTHER--MALE----	3	1	4	5	5	7	5	6	2	1	-	-
FEMALE--	1	1	2	5	6	6	14	9	6	5	3	-
BLACK---MALE----	3	1	4	5	5	7	5	6	2	1	-	-
FEMALE--	1	1	2	5	6	6	14	9	6	5	3	-
MISSOURI -----	21	18	41	53	102	148	168	136	122	64	15	-
WHITE-----MALE----	6	14	22	33	67	70	85	55	28	11	-	-
FEMALE--	11	4	12	15	30	65	72	74	87	46	13	-
ALL OTHER--MALE----	1	-	4	1	4	6	3	3	3	1	-	-
FEMALE--	3	-	3	4	1	7	8	4	4	6	2	-
BLACK---MALE----	1	-	4	1	4	6	3	3	3	1	-	-
FEMALE--	3	-	3	4	1	7	8	4	4	6	2	-
MONTANA -----	7	4	6	6	15	14	17	29	13	6	3	-
WHITE-----MALE----	5	3	4	2	11	8	7	13	5	-	2	-
FEMALE--	1	1	2	4	3	4	10	16	8	6	1	-
ALL OTHER--MALE----	1	-	-	-	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	3	12	6	20	25	38	56	57	49	29	7	-
WHITE-----MALE----	1	6	6	13	14	25	28	28	20	7	1	-
FEMALE--	2	5	-	5	11	12	27	29	28	21	5	-
ALL OTHER--MALE----	-	1	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	1	1	1	-
BLACK---MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	-	1	-	-	1	1	1	-
NEVADA -----	9	9	16	24	38	38	52	38	17	3	3	-
WHITE-----MALE----	5	5	8	18	21	16	29	12	6	1	-	-
FEMALE--	2	3	8	4	11	21	23	23	11	2	3	-
ALL OTHER--MALE----	1	-	-	-	3	-	-	-	-	-	-	-
FEMALE--	1	1	-	2	3	1	-	3	-	-	-	-
BLACK---MALE----	-	-	-	-	2	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	3	-	-	1	-	-	-	-







04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 2167

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of arteries, arterioles and capillaries (I70-I78)												
OHIO -----	1,740	1	-	-	-	2	5	5	4	7	17	27
WHITE-----MALE----	702	1	-	-	-	1	4	4	1	3	5	14
FEMALE--	871	-	-	-	-	-	1	1	1	2	8	8
ALL OTHER--MALE----	73	-	-	-	-	-	-	-	1	1	3	3
FEMALE--	94	-	-	-	-	1	-	-	1	1	1	2
BLACK---MALE----	67	-	-	-	-	-	-	-	1	1	2	3
FEMALE--	94	-	-	-	-	1	-	-	1	1	1	2
OKLAHOMA -----	715	-	-	-	1	-	1	1	1	4	3	8
WHITE-----MALE----	293	-	-	-	1	-	1	1	1	1	3	4
FEMALE--	366	-	-	-	-	-	1	-	-	2	-	3
ALL OTHER--MALE----	28	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	28	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	17	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	17	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	555	-	-	-	-	-	1	1	1	2	4	4
WHITE-----MALE----	252	-	-	-	-	-	1	-	-	1	2	2
FEMALE--	287	-	-	-	-	-	-	1	1	1	1	2
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	9	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	2,079	2	1	-	-	-	3	4	6	13	13	21
WHITE-----MALE----	904	-	1	-	-	-	2	4	4	9	7	12
FEMALE--	1,035	1	-	-	-	-	1	-	2	2	3	5
ALL OTHER--MALE----	57	1	-	-	-	-	-	-	-	-	3	3
FEMALE--	83	-	-	-	-	-	-	-	-	2	-	1
BLACK---MALE----	52	1	-	-	-	-	-	-	-	-	1	3
FEMALE--	80	-	-	-	-	-	-	-	-	2	-	1
RHODE ISLAND -----	203	-	-	-	-	-	-	-	1	-	2	-
WHITE-----MALE----	84	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	117	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	497	-	-	-	1	-	1	-	1	8	6	14
WHITE-----MALE----	180	-	-	-	-	-	1	-	1	1	1	7
FEMALE--	188	-	-	-	-	-	-	-	-	1	2	1
ALL OTHER--MALE----	55	-	-	-	-	-	-	-	-	4	2	2
FEMALE--	74	-	-	-	1	-	-	-	-	2	1	4
BLACK---MALE----	54	-	-	-	-	-	-	-	-	4	2	2
FEMALE--	73	-	-	-	1	-	-	-	-	2	1	4

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Diseases of arteries, arterioles and capillaries (I70-I78)												
OHIO -----	27	41	65	128	196	280	297	293	217	97	31	-
WHITE-----MALE----	17	20	39	71	95	134	123	92	58	15	5	-
FEMALE--	5	10	22	46	70	124	147	180	143	77	26	-
ALL OTHER--MALE----	3	7	3	6	14	9	13	6	3	1	-	-
FEMALE--	2	4	1	5	17	13	14	15	13	4	-	-
BLACK---MALE-----	3	6	3	5	13	8	12	6	3	1	-	-
FEMALE--	2	4	1	5	17	13	14	15	13	4	-	-
OKLAHOMA -----	6	10	35	41	80	97	150	123	104	46	4	-
WHITE-----MALE----	2	7	16	19	51	48	67	34	25	12	1	-
FEMALE--	3	2	17	14	23	42	74	78	73	32	2	-
ALL OTHER--MALE----	1	1	2	7	3	3	6	2	1	-	-	-
FEMALE--	-	-	-	1	3	4	3	9	5	2	1	-
BLACK---MALE-----	-	1	1	4	2	3	3	1	1	-	-	-
FEMALE--	-	-	-	1	3	2	2	5	3	-	1	-
OREGON -----	12	12	16	38	56	110	101	96	66	29	6	-
WHITE-----MALE----	7	3	12	27	33	52	46	37	20	8	1	-
FEMALE--	3	8	3	11	22	56	49	58	46	20	5	-
ALL OTHER--MALE----	1	-	1	-	-	-	3	1	-	-	-	-
FEMALE--	1	1	-	-	1	2	3	-	-	1	-	-
BLACK---MALE-----	1	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-
PENNSYLVANIA -----	31	38	69	106	222	352	374	405	274	117	28	-
WHITE-----MALE----	18	17	40	60	127	165	175	150	87	24	2	-
FEMALE--	5	13	21	38	74	165	182	241	175	82	25	-
ALL OTHER--MALE----	6	5	4	3	8	5	9	6	2	2	-	-
FEMALE--	2	3	4	5	13	17	8	8	10	9	1	-
BLACK---MALE-----	6	5	4	3	7	4	9	6	1	2	-	-
FEMALE--	2	3	4	5	11	17	8	8	9	9	1	-
RHODE ISLAND -----	-	6	3	14	21	26	38	51	28	11	2	-
WHITE-----MALE----	-	5	2	10	12	13	15	16	7	2	1	-
FEMALE--	-	1	1	4	9	13	22	35	21	9	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
SOUTH CAROLINA -----	19	22	28	37	63	94	91	55	40	10	7	-
WHITE-----MALE----	10	4	8	15	26	43	39	16	5	2	1	-
FEMALE--	4	7	6	13	21	30	35	31	28	6	3	-
ALL OTHER--MALE----	3	3	5	5	7	12	5	2	4	1	-	-
FEMALE--	2	8	9	4	9	9	12	6	3	1	3	-
BLACK---MALE-----	3	3	5	5	7	11	5	2	4	1	-	-
FEMALE--	2	8	9	4	9	8	12	6	3	1	3	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 2168

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Diseases of arteries, arterioles and capillaries (I70-I78)												
SOUTH DAKOTA -----	119	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	58	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	57	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	876	-	-	-	-	1	-	1	1	4	12	7
WHITE-----MALE----	362	-	-	-	-	-	-	-	1	1	4	3
FEMALE--	393	-	-	-	-	-	-	-	-	2	5	3
ALL OTHER--MALE----	61	-	-	-	-	1	-	1	-	1	3	1
FEMALE--	60	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	60	-	-	-	-	1	-	1	-	1	3	1
FEMALE--	60	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	2,230	1	-	-	1	4	3	6	6	9	24	46
WHITE-----MALE----	901	1	-	-	-	2	2	3	4	5	14	18
FEMALE--	1,064	-	-	-	1	2	1	1	1	2	6	15
ALL OTHER--MALE----	113	-	-	-	-	-	-	1	1	2	1	8
FEMALE--	152	-	-	-	-	-	-	1	-	-	3	5
BLACK---MALE----	109	-	-	-	-	-	-	1	1	2	1	6
FEMALE--	148	-	-	-	-	-	-	1	-	-	3	5
UTAH -----	213	-	-	-	-	-	-	-	-	2	-	3
WHITE-----MALE----	97	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	110	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	1
VERMONT -----	97	-	-	-	-	-	-	1	1	-	1	-
WHITE-----MALE----	36	-	-	-	-	-	-	1	1	-	-	-
FEMALE--	61	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	784	-	-	-	1	-	-	3	5	6	7	9
WHITE-----MALE----	297	-	-	-	-	-	-	1	2	2	3	4
FEMALE--	337	-	-	-	1	-	-	1	2	2	2	1
ALL OTHER--MALE----	64	-	-	-	-	-	-	1	-	2	1	4
FEMALE--	86	-	-	-	-	-	-	-	1	-	1	-
BLACK---MALE----	61	-	-	-	-	-	-	1	-	2	1	4
FEMALE--	85	-	-	-	-	-	-	-	1	-	1	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 2168

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Diseases of arteries, arterioles and capillaries (I70-I78)

SOUTH DAKOTA -----	1	3	5	7	11	18	26	20	15	8	4	-
WHITE-----MALE----	1	2	3	5	5	6	16	9	9	-	1	-
FEMALE--	-	1	2	1	5	12	10	9	6	8	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	1	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	11	24	51	76	101	123	152	157	97	46	12	-
WHITE-----MALE----	4	13	29	42	58	55	65	61	18	8	-	-
FEMALE--	3	9	15	23	31	53	64	83	62	32	8	-
ALL OTHER--MALE----	3	1	4	6	7	11	10	6	5	-	1	-
FEMALE--	1	1	3	5	5	4	13	7	12	6	3	-
BLACK---MALE----	3	1	4	5	7	11	10	6	5	-	1	-
FEMALE--	1	1	3	5	5	4	13	7	12	6	3	-
TEXAS -----	52	76	114	167	227	350	347	372	263	132	30	-
WHITE-----MALE----	29	37	66	88	114	169	143	122	55	26	3	-
FEMALE--	13	26	30	58	87	146	171	217	181	87	19	-
ALL OTHER--MALE----	8	9	9	10	9	17	13	12	9	3	1	-
FEMALE--	2	4	9	11	17	18	20	21	18	16	7	-
BLACK---MALE----	8	9	7	10	9	17	13	12	9	3	1	-
FEMALE--	1	4	9	11	16	18	19	21	17	16	7	-
UTAH -----	5	9	8	15	20	33	36	37	31	12	2	-
WHITE-----MALE----	2	6	2	9	15	15	20	14	7	4	-	-
FEMALE--	2	3	5	6	4	17	16	23	24	8	1	-
ALL OTHER--MALE----	1	-	1	-	1	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	2	1	3	4	15	13	21	20	11	3	1	-
WHITE-----MALE----	2	-	3	-	6	8	8	6	1	-	-	-
FEMALE--	-	1	-	4	9	5	13	14	10	3	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	16	21	32	60	79	148	131	148	82	29	7	-
WHITE-----MALE----	7	10	17	26	39	62	55	46	16	6	1	-
FEMALE--	4	4	7	22	28	51	57	81	53	19	2	-
ALL OTHER--MALE----	4	2	6	5	7	17	4	7	2	1	1	-
FEMALE--	1	5	2	7	5	18	15	14	11	3	3	-
BLACK---MALE----	4	2	6	5	7	16	4	6	2	1	-	-
FEMALE--	1	5	2	7	5	17	15	14	11	3	3	-







[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Atherosclerosis (I70)												
UNITED STATES -	121	198	275	471	864	1,624	2,532	3,214	2,786	1,471	417	1
WHITE-----MALE----	59	101	136	237	418	692	946	1,067	666	268	44	1
FEMALE--	38	65	80	169	342	783	1,393	1,967	1,958	1,106	333	-
ALL OTHER--MALE----	16	17	32	36	52	73	80	56	44	17	10	-
FEMALE--	8	15	27	29	52	76	113	124	118	80	30	-
BLACK---MALE-----	13	14	29	30	45	65	61	45	35	13	7	-
FEMALE--	7	14	27	28	45	67	97	106	104	74	25	-
ALABAMA -----	3	7	8	13	17	19	44	32	28	17	2	-
WHITE-----MALE----	-	5	5	6	7	10	18	11	6	2	-	-
FEMALE--	1	-	2	3	6	4	20	17	20	13	-	-
ALL OTHER--MALE----	2	2	1	3	1	1	2	-	-	-	1	-
FEMALE--	-	-	-	1	3	4	4	4	2	2	1	-
BLACK---MALE-----	2	1	1	3	1	1	2	-	-	-	1	-
FEMALE--	-	-	-	1	3	4	4	4	2	2	1	-
ALASKA -----	6	8	4	10	10	8	7	3	3	-	-	-
WHITE-----MALE----	5	7	3	5	5	5	3	-	3	-	-	-
FEMALE--	1	1	-	5	2	3	4	1	-	-	-	-
ALL OTHER--MALE----	-	-	1	-	2	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	3	3	12	9	26	45	48	45	16	3	1
WHITE-----MALE----	1	-	2	9	3	13	21	22	15	5	-	1
FEMALE--	-	3	1	3	5	11	24	23	29	11	2	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	3	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	1	-
BLACK---MALE-----	-	-	-	-	1	1	-	2	1	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
ARKANSAS -----	2	6	3	6	11	19	20	26	29	13	3	-
WHITE-----MALE----	1	2	3	2	7	7	6	10	9	-	-	-
FEMALE--	1	3	-	4	4	10	11	15	17	12	3	-
ALL OTHER--MALE----	-	-	-	-	-	1	1	-	1	-	-	-
FEMALE--	-	1	-	-	-	1	2	1	2	1	-	-
BLACK---MALE-----	-	-	-	-	-	1	1	-	1	-	-	-
FEMALE--	-	1	-	-	-	1	2	1	2	1	-	-
CALIFORNIA -----	9	16	32	44	80	184	292	384	326	165	59	-
WHITE-----MALE----	5	9	16	17	40	88	104	144	105	37	12	-
FEMALE--	3	3	6	21	32	80	163	216	201	119	41	-
ALL OTHER--MALE----	-	1	6	5	5	9	13	9	9	3	-	-
FEMALE--	1	3	4	1	3	7	12	15	11	6	6	-
BLACK---MALE-----	-	-	4	2	3	4	5	6	3	-	-	-
FEMALE--	-	2	4	1	1	5	6	8	4	4	3	-





[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Atherosclerosis (I70)												
COLORADO -----	5	1	6	11	30	56	99	141	121	61	10	-
WHITE-----MALE----	3	-	2	5	12	21	38	43	26	11	-	-
FEMALE--	1	1	3	6	13	32	54	94	91	49	10	-
ALL OTHER--MALE----	1	-	-	-	2	1	4	1	1	-	-	-
FEMALE--	-	-	1	-	3	2	3	3	3	1	-	-
BLACK---MALE-----	1	-	-	-	2	1	2	-	1	-	-	-
FEMALE--	-	-	1	-	1	1	1	1	3	1	-	-
CONNECTICUT -----	-	-	-	2	9	12	25	34	23	17	5	-
WHITE-----MALE----	-	-	-	2	4	6	10	14	2	3	-	-
FEMALE--	-	-	-	-	4	6	14	20	19	12	5	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	1	1	-	-
FEMALE--	-	-	-	-	1	-	-	-	1	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	1	-	1	1	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	1	-	-
DELAWARE -----	-	-	1	1	2	3	2	3	1	1	-	-
WHITE-----MALE----	-	-	1	-	1	-	1	1	-	-	-	-
FEMALE--	-	-	-	1	1	2	1	2	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	1	-	-	1	1	1	3	3	7	5	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	2	1	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	2	3	-	-
ALL OTHER--MALE----	1	-	-	1	1	1	2	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	3	1	-	-
BLACK---MALE-----	1	-	-	1	1	1	2	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	3	1	-	-
FLORIDA -----	6	10	23	38	65	108	194	238	186	94	24	-
WHITE-----MALE----	3	4	11	18	31	44	99	92	58	18	3	-
FEMALE--	1	2	6	14	28	56	87	132	117	70	21	-
ALL OTHER--MALE----	1	3	3	2	4	3	2	5	3	-	-	-
FEMALE--	1	1	3	4	2	5	6	9	8	6	-	-
BLACK---MALE-----	1	2	3	2	4	3	2	5	3	-	-	-
FEMALE--	1	1	3	4	2	5	6	9	8	6	-	-
GEORGIA -----	9	8	11	17	35	62	80	73	83	37	10	-
WHITE-----MALE----	4	4	3	7	19	19	25	14	13	9	-	-
FEMALE--	4	2	4	7	10	30	44	51	53	22	8	-
ALL OTHER--MALE----	1	1	3	2	3	7	4	-	5	1	-	-
FEMALE--	-	1	1	1	3	6	7	8	12	5	2	-
BLACK---MALE-----	1	1	3	2	3	7	4	-	5	1	-	-
FEMALE--	-	1	1	1	3	6	7	8	12	5	2	-



[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Atherosclerosis (I70)												
HAWAII -----	-	1	-	1	-	-	3	5	3	3	2	-
WHITE-----MALE----	-	1	-	-	-	-	1	2	-	-	1	-
FEMALE--	-	-	-	-	-	-	1	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	2	-	1	1	-
FEMALE--	-	-	-	-	-	-	1	1	-	2	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	-	-	3	2	2	5	7	7	14	7	3	-
WHITE-----MALE----	-	-	2	1	2	2	1	3	4	4	-	-
FEMALE--	-	-	1	1	2	3	6	4	10	3	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	5	7	12	15	30	53	103	129	125	67	21	-
WHITE-----MALE----	2	4	7	9	11	31	30	35	24	14	4	-
FEMALE--	2	1	4	3	12	19	65	86	92	52	16	-
ALL OTHER--MALE----	-	1	1	1	3	2	2	2	2	-	1	-
FEMALE--	1	1	-	2	4	1	6	7	7	1	-	-
BLACK---MALE----	-	1	1	1	3	2	2	-	2	-	1	-
FEMALE--	1	1	-	2	4	1	5	6	7	1	-	-
INDIANA -----	2	6	10	10	23	44	70	90	72	48	8	-
WHITE-----MALE----	1	3	1	4	9	15	22	33	10	8	2	-
FEMALE--	-	3	7	5	11	27	43	53	59	38	4	-
ALL OTHER--MALE----	-	-	1	-	2	2	3	2	2	-	2	-
FEMALE--	1	-	1	1	1	2	2	2	1	2	-	-
BLACK---MALE----	-	-	1	-	2	2	3	2	2	-	2	-
FEMALE--	1	-	1	1	1	-	2	2	1	2	-	-
IOWA -----	1	4	6	7	10	22	46	68	60	36	12	-
WHITE-----MALE----	-	3	3	3	6	10	22	29	15	8	-	-
FEMALE--	1	1	2	4	3	12	23	39	45	28	12	-
ALL OTHER--MALE----	-	-	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
KANSAS -----	3	1	3	5	15	34	52	71	78	34	9	-
WHITE-----MALE----	2	-	2	1	5	15	18	24	18	6	-	-
FEMALE--	1	1	1	4	8	19	33	46	56	27	8	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	1	1	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	3	1	1	-
BLACK---MALE----	-	-	-	-	1	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	3	1	1	-



[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Atherosclerosis (I70)												
KENTUCKY -----	1	3	3	4	12	12	30	38	30	14	1	-
WHITE-----MALE----	1	3	2	3	7	8	14	10	9	1	-	-
FEMALE--	-	-	-	1	4	4	12	26	20	13	1	-
ALL OTHER--MALE----	-	-	1	-	1	-	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	1	1	-	-	-
BLACK---MALE----	-	-	1	-	1	-	2	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	1	1	-	-	-
LOUISIANA -----	2	5	3	7	13	31	43	57	45	29	8	-
WHITE-----MALE----	-	2	-	2	5	14	11	13	9	-	-	-
FEMALE--	-	2	-	3	2	7	24	27	28	20	4	-
ALL OTHER--MALE----	1	-	-	2	5	2	3	4	4	1	1	-
FEMALE--	1	1	3	-	1	8	5	13	4	8	3	-
BLACK---MALE----	1	-	-	1	5	2	3	4	4	1	1	-
FEMALE--	1	1	3	-	1	8	5	13	4	8	3	-
MAINE -----	-	-	2	6	5	8	11	9	7	7	2	-
WHITE-----MALE----	-	-	2	5	4	6	2	4	1	2	-	-
FEMALE--	-	-	-	1	1	2	9	5	6	5	2	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	1	4	1	2	9	15	31	37	25	18	5	-
WHITE-----MALE----	1	2	-	1	4	5	12	13	4	5	1	-
FEMALE--	-	-	1	1	5	8	18	20	19	11	3	-
ALL OTHER--MALE----	-	2	-	-	-	-	1	1	-	-	1	-
FEMALE--	-	-	-	-	-	2	-	3	2	2	-	-
BLACK---MALE----	-	2	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	3	2	2	-	-
MASSACHUSETTS -----	6	5	4	9	15	39	55	84	76	44	16	-
WHITE-----MALE----	3	2	3	5	8	15	18	27	13	3	1	-
FEMALE--	3	3	-	4	7	21	36	57	61	40	15	-
ALL OTHER--MALE----	-	-	-	-	-	2	1	-	-	1	-	-
FEMALE--	-	-	1	-	-	1	-	-	2	-	-	-
BLACK---MALE----	-	-	-	-	-	1	-	-	-	1	-	-
FEMALE--	-	-	1	-	-	-	-	-	2	-	-	-
MICHIGAN -----	4	10	15	12	45	73	101	150	115	71	14	-
WHITE-----MALE----	2	3	8	6	20	28	34	58	26	15	-	-
FEMALE--	-	7	4	5	18	37	60	88	85	53	13	-
ALL OTHER--MALE----	-	-	1	1	3	4	5	1	2	-	-	-
FEMALE--	2	-	2	-	4	4	2	3	2	3	1	-
BLACK---MALE----	-	-	1	1	2	4	4	1	1	-	-	-
FEMALE--	2	-	2	-	3	4	2	3	2	3	1	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 2174

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

ALL AGES UNDER 1 YEAR 1-4 YEARS 5-9 YEARS 10-14 YEARS 15-19 YEARS 20-24 YEARS 25-29 YEARS 30-34 YEARS 35-39 YEARS 40-44 YEARS 45-49 YEARS

Atherosclerosis (I70)

Table with columns for state (MINNESOTA, MISSISSIPPI, MISSOURI, MONTANA, NEBRASKA, NEVADA), race/sex (WHITE-MALE, FEMALE, ALL OTHER-MALE, FEMALE, BLACK-MALE, FEMALE), and age groups (ALL AGES, UNDER 1 YEAR, 1-4 YEARS, 5-9 YEARS, 10-14 YEARS, 15-19 YEARS, 20-24 YEARS, 25-29 YEARS, 30-34 YEARS, 35-39 YEARS, 40-44 YEARS, 45-49 YEARS). Values represent the number of deaths.

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Atherosclerosis (I70)												
MINNESOTA -----	1	1	-	5	15	17	38	47	27	24	6	-
WHITE-----MALE----	-	1	-	3	8	6	15	17	5	3	1	-
FEMALE--	1	-	-	2	7	11	21	29	22	21	5	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
MISSISSIPPI -----	-	1	3	6	5	22	14	23	15	9	-	-
WHITE-----MALE----	-	1	-	1	3	10	2	5	4	1	-	-
FEMALE--	-	-	1	4	1	8	6	15	7	5	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	2	1	1	-	-	-
FEMALE--	-	-	1	1	1	3	4	2	3	3	-	-
BLACK---MALE----	-	-	1	-	-	1	2	1	1	-	-	-
FEMALE--	-	-	1	1	1	3	4	2	3	3	-	-
MISSOURI -----	1	2	8	9	19	37	51	55	65	33	13	-
WHITE-----MALE----	-	1	4	4	12	15	21	22	12	5	-	-
FEMALE--	1	1	3	4	7	15	25	30	52	27	12	-
ALL OTHER--MALE----	-	-	1	-	-	5	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	2	5	2	1	1	1	-
BLACK---MALE----	-	-	1	-	-	5	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	2	5	2	1	1	1	-
MONTANA -----	3	-	2	1	2	4	7	7	7	4	3	-
WHITE-----MALE----	3	-	1	-	2	3	4	3	3	-	2	-
FEMALE--	-	-	1	1	-	1	3	4	4	4	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	1	2	-	6	7	13	20	39	32	20	6	-
WHITE-----MALE----	-	1	-	4	3	10	9	20	14	3	-	-
FEMALE--	1	1	-	1	4	3	11	19	17	17	5	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	1	-	1	-
NEVADA -----	-	3	2	3	5	10	21	19	9	3	3	-
WHITE-----MALE----	-	1	2	3	3	2	8	5	3	1	-	-
FEMALE--	-	1	-	-	1	7	13	14	6	2	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	-	-	-









04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 2176

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Atherosclerosis (I70)												
OHIO -----	3	5	10	21	38	66	89	130	100	55	25	-
WHITE-----MALE----	2	3	6	13	22	24	35	35	25	9	2	-
FEMALE--	1	1	2	6	8	38	51	87	68	44	23	-
ALL OTHER--MALE----	-	-	2	1	2	2	2	3	2	-	-	-
FEMALE--	-	1	-	1	6	2	1	5	5	2	-	-
BLACK---MALE----	-	-	2	1	2	2	2	3	2	-	-	-
FEMALE--	-	1	-	1	6	2	1	5	5	2	-	-
OKLAHOMA -----	3	3	14	14	28	29	80	79	85	32	3	-
WHITE-----MALE----	1	2	6	5	16	9	26	18	17	7	1	-
FEMALE--	1	1	7	4	11	17	48	55	63	24	1	-
ALL OTHER--MALE----	1	-	1	4	-	1	4	1	1	-	-	-
FEMALE--	-	-	-	1	1	2	2	5	4	1	1	-
BLACK---MALE----	-	-	1	3	-	1	2	1	1	-	-	-
FEMALE--	-	-	-	1	1	1	1	3	2	-	1	-
OREGON -----	2	2	3	10	11	32	32	41	38	15	5	-
WHITE-----MALE----	1	1	2	7	5	11	14	11	9	6	1	-
FEMALE--	-	1	1	3	5	21	15	29	29	9	4	-
ALL OTHER--MALE----	1	-	-	-	-	-	2	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
PENNSYLVANIA -----	5	4	9	4	42	66	100	150	123	71	18	-
WHITE-----MALE----	3	1	7	2	18	31	38	44	26	12	2	-
FEMALE--	1	3	1	2	22	33	59	104	91	52	15	-
ALL OTHER--MALE----	-	-	1	-	1	-	-	2	-	1	-	-
FEMALE--	1	-	-	-	1	2	3	-	6	6	1	-
BLACK---MALE----	-	-	1	-	1	-	-	2	-	1	-	-
FEMALE--	1	-	-	-	-	2	3	-	5	6	1	-
RHODE ISLAND -----	-	1	1	2	4	10	19	25	20	8	1	-
WHITE-----MALE----	-	1	1	2	2	6	6	11	6	-	-	-
FEMALE--	-	-	-	-	2	4	13	14	14	8	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	2	-	2	-	5	10	25	13	19	6	4	-
WHITE-----MALE----	1	-	1	-	2	5	10	2	-	2	-	-
FEMALE--	1	-	1	-	2	4	14	9	18	3	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	1	1	1	2	1	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	1	1	1	2	1	-	1	-



[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Atherosclerosis (I70)												
SOUTH DAKOTA -----	1	-	2	1	3	2	9	5	5	4	3	-
WHITE-----MALE----	1	-	2	1	1	-	4	3	3	-	-	-
FEMALE--	-	-	-	-	2	2	5	2	2	4	3	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	3	7	9	19	20	47	55	70	58	30	6	-
WHITE-----MALE----	1	3	4	11	12	20	22	29	11	5	-	-
FEMALE--	1	4	4	5	8	20	27	40	40	22	5	-
ALL OTHER--MALE----	1	-	1	2	-	6	3	-	3	-	-	-
FEMALE--	-	-	-	1	-	1	3	1	4	3	1	-
BLACK---MALE----	1	-	1	2	-	6	3	-	3	-	-	-
FEMALE--	-	-	-	1	-	1	3	1	4	3	1	-
TEXAS -----	7	18	13	35	49	94	126	164	142	83	23	-
WHITE-----MALE----	3	7	4	13	25	41	43	48	34	15	3	-
FEMALE--	3	7	5	11	20	48	74	107	98	58	14	-
ALL OTHER--MALE----	1	3	2	5	1	3	2	3	2	3	1	-
FEMALE--	-	1	2	6	3	2	7	6	8	7	5	-
BLACK---MALE----	1	3	2	5	1	3	2	3	2	3	1	-
FEMALE--	-	1	2	6	3	2	6	6	8	7	5	-
UTAH -----	1	2	1	1	3	9	12	18	22	8	1	-
WHITE-----MALE----	-	2	1	1	1	2	8	6	3	3	-	-
FEMALE--	1	-	-	-	2	7	4	12	19	5	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	1	-	4	3	2	5	4	1	1	-
WHITE-----MALE----	-	-	1	-	2	2	-	2	-	-	-	-
FEMALE--	-	-	-	-	2	1	2	3	4	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	3	7	5	12	12	38	34	64	32	23	5	-
WHITE-----MALE----	2	2	2	6	3	14	11	17	4	5	1	-
FEMALE--	1	1	1	4	6	16	16	39	26	14	1	-
ALL OTHER--MALE----	-	2	1	1	2	5	1	1	1	1	1	-
FEMALE--	-	2	1	1	1	3	6	7	1	3	2	-
BLACK---MALE----	-	2	1	1	2	5	1	1	1	1	-	-
FEMALE--	-	2	1	1	1	2	6	7	1	3	2	-







04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 2179

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Aortic aneurysm and dissection (I71)												
UNITED STATES -	15,234	-	2	-	4	15	28	46	71	134	198	287
WHITE-----MALE----	8,224	-	2	-	3	9	14	29	44	77	106	163
FEMALE--	5,428	-	-	-	1	2	7	8	11	19	25	45
ALL OTHER--MALE----	890	-	-	-	-	3	5	5	12	28	53	56
FEMALE--	692	-	-	-	-	1	2	4	4	10	14	23
BLACK---MALE-----	671	-	-	-	-	3	4	5	11	24	46	45
FEMALE--	580	-	-	-	-	1	2	3	4	9	13	22
ALABAMA -----	251	-	-	-	-	-	-	1	1	2	5	4
WHITE-----MALE----	130	-	-	-	-	-	-	-	1	-	2	2
FEMALE--	72	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	17	-	-	-	-	-	-	-	-	2	1	1
FEMALE--	32	-	-	-	-	-	-	1	-	-	2	1
BLACK---MALE-----	17	-	-	-	-	-	-	-	-	2	1	1
FEMALE--	32	-	-	-	-	-	-	1	-	-	2	1
ALASKA -----	20	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	10	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	7	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	271	-	-	-	-	-	-	2	1	3	3	3
WHITE-----MALE----	176	-	-	-	-	-	-	1	-	3	2	3
FEMALE--	82	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	4	-	-	-	-	-	-	-	1	-	1	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	175	-	-	-	-	-	-	-	-	-	3	2
WHITE-----MALE----	98	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	65	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	7	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	1,355	-	1	-	-	1	1	4	7	7	29	40
WHITE-----MALE----	731	-	1	-	-	1	-	4	6	3	15	25
FEMALE--	400	-	-	-	-	-	-	-	-	2	5	6
ALL OTHER--MALE----	155	-	-	-	-	-	1	-	1	1	7	8
FEMALE--	69	-	-	-	-	-	-	-	-	1	2	1
BLACK---MALE-----	56	-	-	-	-	-	1	-	-	1	5	1
FEMALE--	26	-	-	-	-	-	-	-	-	1	2	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 2179

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Aortic aneurysm and dissection (I71)

UNITED STATES -	374	532	862	1,430	2,087	2,899	2,852	2,122	1,022	242	26	1
WHITE-----MALE----	212	333	544	892	1,293	1,588	1,499	950	385	73	7	1
FEMALE--	58	98	192	384	612	1,051	1,155	1,037	558	148	17	-
ALL OTHER--MALE----	75	65	89	89	108	134	92	50	21	5	-	-
FEMALE--	29	36	37	65	74	126	106	85	58	16	2	-
BLACK---MALE-----	64	55	72	59	79	93	68	28	13	2	-	-
FEMALE--	24	33	32	48	58	105	89	70	51	14	2	-
ALABAMA -----	10	13	12	25	34	48	44	34	12	5	1	-
WHITE-----MALE----	6	9	8	16	17	26	23	16	3	1	-	-
FEMALE--	-	1	3	5	14	13	12	15	5	4	-	-
ALL OTHER--MALE----	4	2	1	2	-	2	1	-	1	-	-	-
FEMALE--	-	1	-	2	3	7	8	3	3	-	1	-
BLACK---MALE-----	4	2	1	2	-	2	1	-	1	-	-	-
FEMALE--	-	1	-	2	3	7	8	3	3	-	1	-
ALASKA -----	-	1	3	2	2	2	6	3	-	-	-	-
WHITE-----MALE----	-	-	3	-	2	2	1	1	-	-	-	-
FEMALE--	-	-	-	1	-	-	4	2	-	-	-	-
ALL OTHER--MALE----	-	1	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	3	8	19	26	42	55	53	38	13	1	1	-
WHITE-----MALE----	2	6	14	21	30	39	29	21	5	-	-	-
FEMALE--	-	2	4	4	10	16	22	14	7	1	1	-
ALL OTHER--MALE----	1	-	-	1	2	-	-	2	-	-	-	-
FEMALE--	-	-	1	-	-	-	2	1	1	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	1	-	-	-
ARKANSAS -----	4	8	12	19	23	35	33	23	12	1	-	-
WHITE-----MALE----	4	5	8	11	14	25	15	8	4	-	-	-
FEMALE--	-	1	3	6	8	9	18	13	6	1	-	-
ALL OTHER--MALE----	-	2	1	1	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	1	1	-	-	2	1	-	-	-
BLACK---MALE-----	-	2	1	1	-	1	-	-	1	-	-	-
FEMALE--	-	-	-	1	1	-	-	1	1	-	-	-
CALIFORNIA -----	46	69	78	122	172	261	238	178	82	19	-	-
WHITE-----MALE----	28	42	51	73	99	131	122	92	32	6	-	-
FEMALE--	5	12	11	28	39	88	93	62	39	10	-	-
ALL OTHER--MALE----	10	9	15	17	23	28	16	13	4	2	-	-
FEMALE--	3	6	1	4	11	14	7	11	7	1	-	-
BLACK---MALE-----	4	6	7	7	8	8	3	4	-	1	-	-
FEMALE--	2	3	-	1	2	4	2	4	5	-	-	-



04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 2180

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Aortic aneurysm and dissection (I71)												
COLORADO -----	7	6	9	17	17	52	43	30	22	5	-	-
WHITE-----MALE----	2	4	4	9	13	32	24	13	11	2	-	-
FEMALE--	3	2	2	7	3	19	19	16	9	3	-	-
ALL OTHER--MALE----	1	-	2	-	-	-	-	1	1	-	-	-
FEMALE--	1	-	1	1	1	1	-	-	1	-	-	-
BLACK---MALE----	1	-	2	-	-	-	-	-	1	-	-	-
FEMALE--	1	-	1	1	1	1	-	-	-	-	-	-
CONNECTICUT -----	4	4	8	19	34	41	50	36	16	5	-	-
WHITE-----MALE----	2	3	6	12	21	27	30	16	6	1	-	-
FEMALE--	-	1	2	7	11	10	19	19	10	4	-	-
ALL OTHER--MALE----	1	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	1	-	-	-	2	3	-	1	-	-	-	-
BLACK---MALE----	1	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	1	-	-	-	-
DELAWARE -----	1	2	2	12	6	6	8	9	2	1	-	-
WHITE-----MALE----	-	2	1	6	4	2	6	7	1	-	-	-
FEMALE--	-	-	1	5	2	2	1	2	-	1	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	2	1	-	1	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	2	1	-	1	-	-	-
DISTRICT OF COLUMBIA ---	2	2	1	3	2	5	2	4	4	-	-	-
WHITE-----MALE----	-	-	-	1	1	1	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	-	1	1	1	-	-	-
ALL OTHER--MALE----	2	1	1	-	1	2	1	1	-	-	-	-
FEMALE--	-	1	-	1	-	2	-	2	2	-	-	-
BLACK---MALE----	2	1	1	-	1	2	1	1	-	-	-	-
FEMALE--	-	1	-	1	-	2	-	2	2	-	-	-
FLORIDA -----	26	27	62	88	165	242	179	145	64	21	1	-
WHITE-----MALE----	16	19	50	60	101	143	104	63	26	9	1	-
FEMALE--	4	5	10	21	56	85	67	78	37	10	-	-
ALL OTHER--MALE----	4	2	2	4	6	8	3	1	-	-	-	-
FEMALE--	2	1	-	3	2	6	5	3	1	2	-	-
BLACK---MALE----	4	1	2	3	6	7	3	1	-	-	-	-
FEMALE--	2	1	-	2	2	5	5	3	-	2	-	-
GEORGIA -----	11	20	23	41	45	59	52	47	21	2	1	1
WHITE-----MALE----	6	12	14	26	36	25	21	16	7	-	-	1
FEMALE--	2	2	6	9	5	27	23	24	10	-	1	-
ALL OTHER--MALE----	3	6	3	3	2	1	3	2	1	-	-	-
FEMALE--	-	-	-	3	2	6	5	5	3	2	-	-
BLACK---MALE----	3	6	3	3	2	1	3	1	1	-	-	-
FEMALE--	-	-	-	2	2	6	5	5	3	2	-	-







[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Aortic aneurysm and dissection (I71)												
KENTUCKY -----	7	8	16	21	35	54	38	29	16	2	1	-
WHITE-----MALE----	6	8	14	14	26	32	16	12	12	1	-	-
FEMALE--	1	-	2	6	9	19	20	16	4	1	1	-
ALL OTHER--MALE----	-	-	-	1	-	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	1	-	-	-	-
BLACK---MALE----	-	-	-	-	-	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	1	-	-	-	-
LOUISIANA -----	7	9	14	21	34	37	40	25	11	5	-	-
WHITE-----MALE----	2	3	6	17	21	19	21	10	5	3	-	-
FEMALE--	2	2	3	3	11	11	11	10	6	1	-	-
ALL OTHER--MALE----	2	2	3	1	1	5	4	2	-	1	-	-
FEMALE--	1	2	2	-	1	2	4	3	-	-	-	-
BLACK---MALE----	2	2	3	1	1	5	4	2	-	1	-	-
FEMALE--	1	2	2	-	1	2	4	3	-	-	-	-
MAINE -----	2	5	3	8	13	23	25	21	14	1	1	-
WHITE-----MALE----	2	3	2	4	9	13	10	9	3	-	-	-
FEMALE--	-	2	1	4	4	10	14	12	11	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	10	4	10	28	35	45	39	40	23	5	1	-
WHITE-----MALE----	3	-	4	16	14	20	14	18	10	1	-	-
FEMALE--	1	1	2	4	11	19	22	19	8	4	1	-
ALL OTHER--MALE----	4	-	3	6	7	3	2	-	-	-	-	-
FEMALE--	2	3	1	2	3	3	1	3	5	-	-	-
BLACK---MALE----	4	-	3	5	7	3	2	-	-	-	-	-
FEMALE--	2	3	1	2	3	3	1	3	5	-	-	-
MASSACHUSETTS -----	5	8	15	39	58	74	70	68	37	7	1	-
WHITE-----MALE----	3	7	12	27	38	40	33	23	15	1	-	-
FEMALE--	1	1	1	7	18	29	37	44	20	6	1	-
ALL OTHER--MALE----	-	-	2	4	2	2	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	3	-	1	2	-	-	-
BLACK---MALE----	-	-	2	3	2	-	-	-	1	-	-	-
FEMALE--	1	-	-	1	-	1	-	1	1	-	-	-
MICHIGAN -----	13	22	47	47	95	123	110	85	30	11	1	-
WHITE-----MALE----	7	12	28	32	58	70	58	38	15	4	-	-
FEMALE--	2	3	10	11	29	49	42	45	13	7	-	-
ALL OTHER--MALE----	3	4	7	3	7	3	4	1	-	-	-	-
FEMALE--	1	3	2	1	1	1	6	1	2	-	1	-
BLACK---MALE----	3	4	5	3	7	3	4	1	-	-	-	-
FEMALE--	1	3	2	1	1	1	6	1	2	-	1	-











04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 2185

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Aortic aneurysm and dissection (I71)												
OHIO -----	672	-	-	-	-	1	4	4	2	4	7	16
WHITE-----MALE----	341	-	-	-	-	1	4	3	1	3	2	9
FEMALE--	272	-	-	-	-	-	-	1	-	1	2	3
ALL OTHER--MALE----	30	-	-	-	-	-	-	-	-	-	3	3
FEMALE--	29	-	-	-	-	-	-	-	1	-	-	1
BLACK---MALE----	26	-	-	-	-	-	-	-	-	-	2	3
FEMALE--	29	-	-	-	-	-	-	-	1	-	-	1
OKLAHOMA -----	219	-	-	-	1	-	1	1	1	2	3	5
WHITE-----MALE----	134	-	-	-	1	-	-	1	1	1	3	3
FEMALE--	72	-	-	-	-	-	1	-	-	1	-	2
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	229	-	-	-	-	-	-	-	1	2	1	2
WHITE-----MALE----	132	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	90	-	-	-	-	-	-	-	1	1	-	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	869	-	1	-	-	-	2	4	5	10	10	13
WHITE-----MALE----	473	-	1	-	-	-	2	4	4	7	5	8
FEMALE--	327	-	-	-	-	-	-	-	1	1	2	2
ALL OTHER--MALE----	33	-	-	-	-	-	-	-	-	-	3	3
FEMALE--	36	-	-	-	-	-	-	-	-	2	-	-
BLACK---MALE----	28	-	-	-	-	-	-	-	-	-	1	3
FEMALE--	35	-	-	-	-	-	-	-	-	2	-	-
RHODE ISLAND -----	70	-	-	-	-	-	-	-	1	-	1	-
WHITE-----MALE----	40	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	29	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	244	-	-	-	-	-	1	-	1	4	3	8
WHITE-----MALE----	108	-	-	-	-	-	1	-	1	1	1	4
FEMALE--	78	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	25	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	33	-	-	-	-	-	-	-	-	2	-	3
BLACK---MALE----	24	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	32	-	-	-	-	-	-	-	-	2	-	3

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Aortic aneurysm and dissection (I71)												
OHIO -----	12	22	34	68	92	132	126	81	52	13	2	-
WHITE-----MALE----	7	14	21	39	45	78	56	35	18	4	1	-
FEMALE--	1	3	11	24	35	47	61	43	30	9	1	-
ALL OTHER--MALE----	2	4	1	3	6	3	5	-	-	-	-	-
FEMALE--	2	1	1	2	6	4	4	3	4	-	-	-
BLACK---MALE-----	2	4	1	2	6	2	4	-	-	-	-	-
FEMALE--	2	1	1	2	6	4	4	3	4	-	-	-
OKLAHOMA -----	1	4	14	17	41	42	42	29	10	4	1	-
WHITE-----MALE----	1	3	7	8	32	26	29	11	5	2	-	-
FEMALE--	-	-	6	7	6	13	13	16	5	1	1	-
ALL OTHER--MALE----	-	1	1	2	2	1	-	1	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	1	-	1	-	-
BLACK---MALE-----	-	1	-	1	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	1	-	-	-	-
OREGON -----	7	6	12	19	34	55	42	30	13	5	-	-
WHITE-----MALE----	5	2	9	13	24	31	21	17	8	-	-	-
FEMALE--	1	4	2	6	10	23	18	13	5	5	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	2	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	15	17	31	70	111	181	173	137	75	13	1	-
WHITE-----MALE----	7	10	19	45	77	85	90	61	44	4	-	-
FEMALE--	1	1	9	20	25	80	78	70	27	9	1	-
ALL OTHER--MALE----	6	4	1	1	5	3	3	2	2	-	-	-
FEMALE--	1	2	2	4	4	13	2	4	2	-	-	-
BLACK---MALE-----	6	4	1	1	4	2	3	2	1	-	-	-
FEMALE--	1	2	2	4	3	13	2	4	2	-	-	-
RHODE ISLAND -----	-	3	2	11	13	9	12	13	3	1	1	-
WHITE-----MALE----	-	2	1	8	9	5	6	5	1	1	1	-
FEMALE--	-	1	1	3	4	4	6	8	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	8	10	19	23	34	53	44	25	9	2	-	-
WHITE-----MALE----	5	4	7	10	18	25	20	8	3	-	-	-
FEMALE--	-	4	5	9	10	16	13	13	5	2	-	-
ALL OTHER--MALE----	2	1	3	2	2	7	2	2	1	-	-	-
FEMALE--	1	1	4	2	4	5	9	2	-	-	-	-
BLACK---MALE-----	2	1	3	2	2	6	2	2	1	-	-	-
FEMALE--	1	1	4	2	4	4	9	2	-	-	-	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 2186

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Aortic aneurysm and dissection (I71)												
SOUTH DAKOTA -----	56	-	-	-	-	-	-	-	1	-	-	-
WHITE-----MALE----	34	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	19	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	279	-	-	-	-	1	-	1	1	3	8	2
WHITE-----MALE----	156	-	-	-	-	-	-	-	1	-	3	-
FEMALE--	93	-	-	-	-	-	-	-	-	2	2	1
ALL OTHER--MALE----	20	-	-	-	-	1	-	1	-	1	3	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	19	-	-	-	-	1	-	1	-	1	3	1
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
TEXAS -----	786	-	-	-	-	3	3	3	4	6	14	20
WHITE-----MALE----	443	-	-	-	-	1	2	2	3	4	10	12
FEMALE--	262	-	-	-	-	2	1	1	-	-	1	4
ALL OTHER--MALE----	38	-	-	-	-	-	-	-	1	2	1	1
FEMALE--	43	-	-	-	-	-	-	-	-	-	2	3
BLACK---MALE----	36	-	-	-	-	-	-	-	1	2	1	-
FEMALE--	40	-	-	-	-	-	-	-	-	-	2	3
UTAH -----	87	-	-	-	-	-	-	-	-	-	-	2
WHITE-----MALE----	53	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	31	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	48	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	18	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	30	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	316	-	-	-	-	-	-	2	2	3	2	5
WHITE-----MALE----	152	-	-	-	-	-	-	-	1	2	2	3
FEMALE--	111	-	-	-	-	-	-	1	-	-	-	1
ALL OTHER--MALE----	28	-	-	-	-	-	-	1	-	1	-	1
FEMALE--	25	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	26	-	-	-	-	-	-	1	-	1	-	1
FEMALE--	25	-	-	-	-	-	-	-	1	-	-	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 2186

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Aortic aneurysm and dissection (I71)

SOUTH DAKOTA -----	-	1	3	4	4	14	12	12	3	2	-	-
WHITE-----MALE----	-	1	1	3	4	6	10	6	2	-	-	-
FEMALE--	-	-	2	-	-	8	2	4	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	2	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	4	14	21	31	49	49	46	36	9	3	1	-
WHITE-----MALE----	2	7	17	19	34	26	25	19	2	1	-	-
FEMALE--	-	5	3	9	14	19	16	15	4	2	1	-
ALL OTHER--MALE----	2	1	1	3	-	3	2	1	-	-	-	-
FEMALE--	-	1	-	-	1	1	3	1	3	-	-	-
BLACK---MALE----	2	1	1	2	-	3	2	1	-	-	-	-
FEMALE--	-	1	-	-	1	1	3	1	3	-	-	-
TEXAS -----	28	34	62	85	89	141	136	99	51	8	-	-
WHITE-----MALE----	17	19	47	56	59	82	71	44	10	4	-	-
FEMALE--	4	12	8	25	23	44	53	46	34	4	-	-
ALL OTHER--MALE----	5	3	4	2	1	7	8	1	2	-	-	-
FEMALE--	2	-	3	2	6	8	4	8	5	-	-	-
BLACK---MALE----	5	3	3	2	1	7	8	1	2	-	-	-
FEMALE--	1	-	3	2	5	8	4	8	4	-	-	-
UTAH -----	3	5	4	11	15	10	18	13	5	1	-	-
WHITE-----MALE----	1	2	1	7	12	7	10	7	3	1	-	-
FEMALE--	1	3	2	4	2	3	8	6	2	-	-	-
ALL OTHER--MALE----	1	-	1	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	1	3	8	7	14	9	3	2	-	-
WHITE-----MALE----	-	-	1	-	4	5	6	1	1	-	-	-
FEMALE--	-	-	-	3	4	2	8	8	2	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	7	11	21	28	37	67	62	42	24	3	-	-
WHITE-----MALE----	3	8	12	16	23	29	30	15	7	1	-	-
FEMALE--	-	2	5	7	12	23	24	21	13	2	-	-
ALL OTHER--MALE----	4	-	4	2	2	8	2	3	-	-	-	-
FEMALE--	-	1	-	3	-	7	6	3	4	-	-	-
BLACK---MALE----	4	-	4	2	2	7	2	2	-	-	-	-
FEMALE--	-	1	-	3	-	7	6	3	4	-	-	-







04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 2188

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other diseases of arteries, arterioles and capillaries (I72-I78)												
UNITED STATES -	10,084	12	2	2	5	8	10	21	32	60	106	134
WHITE-----MALE----	3,663	6	-	-	-	5	3	7	10	16	29	53
FEMALE--	4,921	4	1	2	4	2	5	8	12	25	43	48
ALL OTHER--MALE----	619	2	-	-	-	-	1	2	6	11	15	19
FEMALE--	881	-	1	-	1	1	1	4	4	8	19	14
BLACK---MALE-----	558	2	-	-	-	-	-	2	6	9	15	18
FEMALE--	823	-	1	-	1	1	1	4	4	8	18	13
ALABAMA -----	195	2	-	-	-	-	1	-	1	-	4	3
WHITE-----MALE----	61	1	-	-	-	-	1	-	-	-	-	2
FEMALE--	77	1	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	23	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	34	-	-	-	-	-	-	-	1	-	1	1
BLACK---MALE-----	23	-	-	-	-	-	-	-	-	-	2	-
FEMALE--	34	-	-	-	-	-	-	-	1	-	1	1
ALASKA -----	9	-	-	-	-	-	-	-	1	-	1	-
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	1	-
ARIZONA -----	153	-	-	-	-	-	-	-	-	1	2	3
WHITE-----MALE----	67	-	-	-	-	-	-	-	-	1	1	-
FEMALE--	77	-	-	-	-	-	-	-	-	-	1	2
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	124	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	51	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	56	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	6	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	-
CALIFORNIA -----	769	2	-	1	-	1	1	1	3	3	5	12
WHITE-----MALE----	277	1	-	-	-	1	-	-	2	1	3	5
FEMALE--	383	-	-	1	-	-	-	-	1	1	-	5
ALL OTHER--MALE----	44	1	-	-	-	-	-	1	-	1	-	-
FEMALE--	65	-	-	-	-	-	1	-	-	-	2	2
BLACK---MALE-----	27	1	-	-	-	-	-	1	-	-	-	-
FEMALE--	47	-	-	-	-	-	1	-	-	-	1	2

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 2188

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other diseases of arteries, arterioles and capillaries (I72-I78)												
UNITED STATES -	229	318	483	697	1,131	1,599	1,682	1,745	1,188	506	114	-
WHITE-----MALE----	83	136	203	319	499	667	675	571	271	97	13	-
FEMALE--	96	114	173	262	444	715	787	977	794	336	69	-
ALL OTHER--MALE----	27	32	52	57	91	87	97	62	42	13	3	-
FEMALE--	23	36	55	59	97	130	123	135	81	60	29	-
BLACK---MALE-----	23	29	45	51	87	77	91	53	36	11	3	-
FEMALE--	20	35	52	54	94	124	107	124	79	57	26	-
ALABAMA -----	2	10	15	19	23	30	27	35	15	7	1	-
WHITE-----MALE----	-	4	7	10	8	11	7	8	1	1	-	-
FEMALE--	2	4	7	5	9	7	16	16	7	2	-	-
ALL OTHER--MALE----	-	2	1	3	3	4	2	2	3	-	1	-
FEMALE--	-	-	-	1	3	8	2	9	4	4	-	-
BLACK---MALE-----	-	2	1	3	4	2	2	3	-	1	-	-
FEMALE--	-	-	-	1	3	8	2	9	4	4	-	-
ALASKA -----	-	-	1	1	2	-	3	-	-	-	-	-
WHITE-----MALE----	-	-	1	1	1	-	2	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	4	2	10	9	20	20	33	23	20	6	-	-
WHITE-----MALE----	2	2	6	4	10	12	14	8	5	2	-	-
FEMALE--	2	-	4	3	9	8	16	13	15	4	-	-
ALL OTHER--MALE----	-	-	-	2	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	2	2	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	1	-	-	-	-
ARKANSAS -----	2	8	5	9	15	21	12	24	17	7	2	-
WHITE-----MALE----	-	4	2	4	8	12	3	13	3	2	-	-
FEMALE--	1	3	3	4	2	8	8	8	13	5	-	-
ALL OTHER--MALE----	-	1	-	-	2	-	-	1	1	-	-	-
FEMALE--	1	-	-	1	3	1	1	2	-	-	2	-
BLACK---MALE-----	-	1	-	-	2	-	-	1	1	-	-	-
FEMALE--	1	-	-	1	3	1	1	2	-	-	2	-
CALIFORNIA -----	18	30	36	49	78	116	138	141	86	35	13	-
WHITE-----MALE----	6	13	15	21	28	49	61	50	13	7	1	-
FEMALE--	6	13	11	21	36	48	63	79	64	25	9	-
ALL OTHER--MALE----	3	1	5	4	7	9	4	2	6	-	-	-
FEMALE--	3	3	5	3	7	10	10	10	3	3	3	-
BLACK---MALE-----	2	1	4	3	5	5	2	1	2	-	-	-
FEMALE--	2	2	3	2	6	8	5	8	3	2	2	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 2189

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other diseases of arteries, arterioles and capillaries (I72-I78)												
COLORADO -----	117	-	-	-	-	-	-	1	1	-	1	3
WHITE-----MALE----	51	-	-	-	-	-	-	-	1	-	-	3
FEMALE--	64	-	-	-	-	-	-	1	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	121	-	-	-	-	-	-	-	1	1	1	2
WHITE-----MALE----	42	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	67	-	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	1	-
DELAWARE -----	24	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	22	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	8	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	10	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	711	1	-	-	-	1	-	2	3	5	3	7
WHITE-----MALE----	286	-	-	-	-	1	-	-	-	-	1	5
FEMALE--	338	1	-	-	-	-	-	2	1	3	-	1
ALL OTHER--MALE----	37	-	-	-	-	-	-	-	2	-	1	1
FEMALE--	50	-	-	-	-	-	-	-	-	2	1	-
BLACK---MALE----	37	-	-	-	-	-	-	-	2	-	1	1
FEMALE--	47	-	-	-	-	-	-	-	-	2	1	-
GEORGIA -----	279	-	-	-	-	-	1	3	1	2	3	6
WHITE-----MALE----	65	-	-	-	-	-	-	1	-	-	1	1
FEMALE--	121	-	-	-	-	-	1	1	-	-	-	3
ALL OTHER--MALE----	34	-	-	-	-	-	-	-	-	2	-	1
FEMALE--	59	-	-	-	-	-	-	1	1	-	2	1
BLACK---MALE----	32	-	-	-	-	-	-	-	-	2	-	1
FEMALE--	59	-	-	-	-	-	-	1	1	-	2	1

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other diseases of arteries, arterioles and capillaries (I72-I78)												
COLORADO -----	3	4	4	8	18	22	12	18	18	4	-	-
WHITE-----MALE----	-	2	2	5	8	14	6	4	6	-	-	-
FEMALE--	3	2	2	3	8	8	6	14	12	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	-	-	-	-	-	-
CONNECTICUT -----	1	3	7	6	6	21	18	18	25	9	2	-
WHITE-----MALE----	1	-	1	5	5	7	8	6	6	2	-	-
FEMALE--	-	-	5	1	1	13	10	10	16	7	2	-
ALL OTHER--MALE----	-	2	1	-	-	1	-	-	2	-	-	-
FEMALE--	-	1	-	-	-	-	-	2	1	-	-	-
BLACK---MALE----	-	2	1	-	-	1	-	-	2	-	-	-
FEMALE--	-	1	-	-	-	-	-	2	1	-	-	-
DELAWARE -----	-	1	-	-	5	2	8	2	4	1	-	-
WHITE-----MALE----	-	-	-	-	2	-	2	-	-	1	-	-
FEMALE--	-	-	-	-	2	2	4	1	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	2	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	1	-	2	1	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	1	-	-	-
DISTRICT OF COLUMBIA ---	-	-	2	3	3	4	4	1	3	2	-	-
WHITE-----MALE----	-	-	-	-	1	2	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
ALL OTHER--MALE----	-	-	1	2	2	1	2	-	-	-	-	-
FEMALE--	-	-	1	1	-	1	2	1	2	2	-	-
BLACK---MALE----	-	-	1	2	2	1	2	-	-	-	-	-
FEMALE--	-	-	1	1	-	1	2	1	2	2	-	-
FLORIDA -----	12	23	33	49	97	112	110	130	83	33	7	-
WHITE-----MALE----	5	8	11	26	51	46	49	49	22	11	1	-
FEMALE--	4	9	12	18	40	56	50	69	53	17	2	-
ALL OTHER--MALE----	2	1	3	3	4	6	6	4	3	1	-	-
FEMALE--	1	5	7	2	2	4	5	8	5	4	4	-
BLACK---MALE----	2	1	3	3	4	6	6	4	3	1	-	-
FEMALE--	-	5	7	2	2	4	4	7	5	4	4	-
GEORGIA -----	10	15	9	22	35	41	46	43	24	17	1	-
WHITE-----MALE----	1	4	1	10	17	7	9	7	5	1	-	-
FEMALE--	3	6	4	6	9	20	22	19	15	11	1	-
ALL OTHER--MALE----	4	3	1	3	3	3	9	4	-	1	-	-
FEMALE--	2	2	3	3	6	11	6	13	4	4	-	-
BLACK---MALE----	4	3	1	3	3	2	9	3	-	1	-	-
FEMALE--	2	2	3	3	6	11	6	13	4	4	-	-



[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

## Other diseases of arteries, arterioles and capillaries (I72-I78)

HAWAII -----	1	2	2	1	2	7	4	7	5	4	1	-
WHITE-----MALE----	-	1	-	-	-	2	1	-	1	-	-	-
FEMALE--	-	-	-	-	1	1	-	2	2	2	-	-
ALL OTHER--MALE----	1	1	1	1	-	4	-	3	1	2	-	-
FEMALE--	-	-	1	-	1	-	3	2	1	-	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
IDAHO -----	1	2	-	-	3	10	5	11	7	4	-	-
WHITE-----MALE----	1	2	-	-	2	4	4	5	3	2	-	-
FEMALE--	-	-	-	-	1	6	1	6	4	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	7	16	14	28	44	69	77	81	51	24	6	-
WHITE-----MALE----	2	11	7	13	18	27	29	27	9	3	1	-
FEMALE--	2	2	2	8	18	31	35	49	35	18	2	-
ALL OTHER--MALE----	1	2	2	6	5	3	4	-	2	1	-	-
FEMALE--	2	1	3	1	3	8	9	5	5	2	3	-
BLACK---MALE----	1	1	2	6	5	3	4	-	2	1	-	-
FEMALE--	2	1	3	1	3	8	8	5	5	2	2	-
INDIANA -----	7	3	12	14	28	34	49	37	18	13	3	-
WHITE-----MALE----	3	3	6	7	12	16	25	17	7	1	-	-
FEMALE--	4	-	3	6	9	15	19	20	10	9	3	-
ALL OTHER--MALE----	-	-	3	-	4	2	3	-	1	1	-	-
FEMALE--	-	-	-	1	3	1	2	-	-	2	-	-
BLACK---MALE----	-	-	3	-	4	2	3	-	1	1	-	-
FEMALE--	-	-	-	1	3	1	2	-	-	2	-	-
IOWA -----	3	2	4	7	10	19	16	27	17	6	3	-
WHITE-----MALE----	2	1	4	3	5	7	8	10	2	1	-	-
FEMALE--	-	1	-	4	5	12	8	17	15	5	3	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
KANSAS -----	-	6	8	4	7	11	22	20	16	3	-	-
WHITE-----MALE----	-	2	3	3	5	5	7	9	6	-	-	-
FEMALE--	-	3	4	1	1	4	12	10	10	3	-	-
ALL OTHER--MALE----	-	1	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	2	1	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	2	1	-	-	-	-





[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other diseases of arteries, arterioles and capillaries (I72-I78)												
KENTUCKY -----	1	7	9	17	18	27	26	32	22	3	3	-
WHITE-----MALE----	-	4	4	9	11	8	14	12	3	1	1	-
FEMALE--	1	3	4	6	7	17	8	18	17	2	2	-
ALL OTHER--MALE----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	2	-	2	3	2	2	-	-	-
BLACK---MALE-----	-	-	1	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	2	-	2	3	2	2	-	-	-
LOUISIANA -----	5	5	12	16	33	30	34	29	18	6	1	-
WHITE-----MALE----	1	-	2	1	11	9	11	8	4	2	-	-
FEMALE--	1	-	5	2	13	11	12	13	6	-	1	-
ALL OTHER--MALE----	2	2	3	5	5	3	7	-	3	2	-	-
FEMALE--	1	3	2	8	4	7	4	8	5	2	-	-
BLACK---MALE-----	2	2	3	5	5	3	7	-	3	2	-	-
FEMALE--	1	3	2	8	4	7	4	8	5	2	-	-
MAINE -----	1	2	5	4	13	4	6	8	5	5	-	-
WHITE-----MALE----	1	1	2	3	5	2	3	2	2	-	-	-
FEMALE--	-	1	3	1	8	2	3	5	3	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	10	4	9	13	21	29	26	30	23	3	-	-
WHITE-----MALE----	3	1	3	7	11	14	9	8	2	-	-	-
FEMALE--	3	1	3	2	6	8	10	13	16	2	-	-
ALL OTHER--MALE----	2	1	-	3	2	3	1	4	1	-	-	-
FEMALE--	2	1	3	1	2	4	6	5	4	1	-	-
BLACK---MALE-----	2	1	-	3	2	3	-	4	1	-	-	-
FEMALE--	2	1	3	-	2	4	6	4	4	1	-	-
MASSACHUSETTS -----	5	4	5	18	28	49	60	54	42	17	7	-
WHITE-----MALE----	1	1	2	6	9	24	28	20	15	1	1	-
FEMALE--	3	2	3	11	16	24	28	33	26	16	6	-
ALL OTHER--MALE----	1	1	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	2	1	3	1	1	-	-	-
BLACK---MALE-----	-	1	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	1	2	1	2	-	1	-	-	-
MICHIGAN -----	12	14	19	22	41	54	65	62	35	20	3	-
WHITE-----MALE----	3	7	8	8	23	24	33	14	10	5	-	-
FEMALE--	6	5	7	9	13	22	22	43	22	12	3	-
ALL OTHER--MALE----	1	-	1	2	4	5	7	1	-	-	-	-
FEMALE--	2	2	3	3	1	3	3	4	3	3	-	-
BLACK---MALE-----	1	-	1	2	4	5	6	1	-	-	-	-
FEMALE--	1	2	3	3	1	3	3	4	3	2	-	-



[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other diseases of arteries, arterioles and capillaries (I72-I78)												
MINNESOTA -----	1	7	5	10	14	16	43	32	29	12	-	-
WHITE-----MALE----	-	4	2	5	7	9	13	12	10	2	-	-
FEMALE--	1	3	2	5	6	6	29	20	19	10	-	-
ALL OTHER--MALE----	-	-	1	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
MISSISSIPPI -----	6	2	7	7	13	7	12	13	8	5	3	-
WHITE-----MALE----	1	1	2	2	4	2	2	-	1	1	-	-
FEMALE--	2	1	2	2	3	1	3	5	5	1	-	-
ALL OTHER--MALE----	3	-	2	2	2	3	-	3	1	1	-	-
FEMALE--	-	-	1	1	4	1	7	5	1	2	3	-
BLACK---MALE----	3	-	2	2	2	3	-	3	1	1	-	-
FEMALE--	-	-	1	1	4	1	7	5	1	2	3	-
MISSOURI -----	10	7	13	14	26	45	38	41	37	25	2	-
WHITE-----MALE----	2	4	5	6	17	17	16	13	9	3	-	-
FEMALE--	5	3	5	4	7	23	19	26	22	17	1	-
ALL OTHER--MALE----	-	-	1	1	1	1	2	1	3	1	-	-
FEMALE--	3	-	2	3	1	4	1	1	3	4	1	-
BLACK---MALE----	-	-	1	1	1	1	2	1	3	1	-	-
FEMALE--	3	-	2	3	1	4	1	1	3	4	1	-
MONTANA -----	-	-	1	3	4	3	3	12	4	1	-	-
WHITE-----MALE----	-	-	1	2	3	2	-	6	1	-	-	-
FEMALE--	-	-	-	1	1	1	3	6	3	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	1	5	1	4	6	8	16	8	13	6	1	-
WHITE-----MALE----	-	2	1	3	1	5	5	5	4	3	1	-
FEMALE--	1	3	-	1	5	3	10	3	9	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
NEVADA -----	3	-	4	3	13	9	9	9	2	-	-	-
WHITE-----MALE----	2	-	3	2	8	4	5	2	2	-	-	-
FEMALE--	1	-	1	-	3	5	4	5	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	2	-	-	2	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	2	-	-	1	-	-	-	-





04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 2194

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other diseases of arteries, arterioles and capillaries (I72-I78)												
OHIO -----	520	-	-	-	-	1	1	1	2	2	9	8
WHITE-----MALE----	182	-	-	-	-	-	-	1	-	-	3	3
FEMALE--	268	-	-	-	-	-	1	-	1	1	5	4
ALL OTHER--MALE----	28	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	42	-	-	-	-	1	-	-	-	1	1	1
BLACK---MALE-----	26	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	42	-	-	-	-	1	-	-	-	1	1	1
OKLAHOMA -----	124	-	-	-	-	-	-	-	-	2	-	1
WHITE-----MALE----	50	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	61	-	-	-	-	-	-	-	-	1	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	132	-	-	-	-	-	1	1	-	-	1	1
WHITE-----MALE----	51	-	-	-	-	-	1	-	-	-	1	1
FEMALE--	78	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	615	2	-	-	-	-	1	-	1	2	2	7
WHITE-----MALE----	244	-	-	-	-	-	-	-	-	1	1	3
FEMALE--	325	1	-	-	-	-	1	-	1	1	1	3
ALL OTHER--MALE----	19	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	27	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	19	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	27	-	-	-	-	-	-	-	-	-	-	1
RHODE ISLAND -----	42	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	32	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	165	-	-	-	1	-	-	-	-	4	3	4
WHITE-----MALE----	48	-	-	-	-	-	-	-	-	-	-	2
FEMALE--	55	-	-	-	-	-	-	-	-	-	2	1
ALL OTHER--MALE----	28	-	-	-	-	-	-	-	-	4	-	-
FEMALE--	34	-	-	-	1	-	-	-	-	-	1	1
BLACK---MALE-----	28	-	-	-	-	-	-	-	-	4	-	-
FEMALE--	34	-	-	-	1	-	-	-	-	-	1	1

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Other diseases of arteries, arterioles and capillaries (I72-I78)

OHIO -----	12	14	21	39	66	82	82	82	65	29	4	-
WHITE-----MALE----	8	3	12	19	28	32	32	22	15	2	2	-
FEMALE--	3	6	9	16	27	39	35	50	45	24	2	-
ALL OTHER--MALE----	1	3	-	2	6	4	6	3	1	1	-	-
FEMALE--	-	2	-	2	5	7	9	7	4	2	-	-
BLACK---MALE-----	1	2	-	2	5	4	6	3	1	1	-	-
FEMALE--	-	2	-	2	5	7	9	7	4	2	-	-
OKLAHOMA -----	2	3	7	10	11	26	28	15	9	10	-	-
WHITE-----MALE----	-	2	3	6	3	13	12	5	3	3	-	-
FEMALE--	2	1	4	3	6	12	13	7	5	7	-	-
ALL OTHER--MALE----	-	-	-	1	1	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	3	1	-	-	-
BLACK---MALE-----	-	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	1	1	1	-	-	-
OREGON -----	3	4	1	9	11	23	27	25	15	9	1	-
WHITE-----MALE----	1	-	1	7	4	10	11	9	3	2	-	-
FEMALE--	2	3	-	2	7	12	16	16	12	6	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	-	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	11	17	29	32	69	105	101	118	76	33	9	-
WHITE-----MALE----	8	6	14	13	32	49	47	45	17	8	-	-
FEMALE--	3	9	11	16	27	52	45	67	57	21	9	-
ALL OTHER--MALE----	-	1	2	2	2	2	6	2	-	1	-	-
FEMALE--	-	1	2	1	8	2	3	4	2	3	-	-
BLACK---MALE-----	-	1	2	2	2	2	6	2	-	1	-	-
FEMALE--	-	1	2	1	8	2	3	4	2	3	-	-
RHODE ISLAND -----	-	2	-	1	4	7	7	13	5	2	-	-
WHITE-----MALE----	-	2	-	1	2	3	3	-	-	1	-	-
FEMALE--	-	-	-	1	3	5	3	13	5	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
SOUTH CAROLINA -----	9	12	7	14	24	31	22	17	12	2	3	-
WHITE-----MALE----	4	-	-	5	6	13	9	6	2	-	1	-
FEMALE--	3	3	-	4	9	10	8	9	5	1	-	-
ALL OTHER--MALE----	1	2	2	3	5	5	3	-	3	-	-	-
FEMALE--	1	7	5	2	4	3	2	2	2	1	2	-
BLACK---MALE-----	1	2	2	3	5	5	3	-	3	-	-	-
FEMALE--	1	7	5	2	4	3	2	2	2	1	2	-





[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other diseases of arteries, arterioles and capillaries (I72-I78)												
SOUTH DAKOTA -----	-	2	-	2	4	2	5	3	7	2	1	-
WHITE-----MALE----	-	1	-	1	-	-	2	-	4	-	1	-
FEMALE--	-	1	-	1	3	2	3	3	3	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	4	3	21	26	32	27	51	51	30	13	5	-
WHITE-----MALE----	1	3	8	12	12	9	18	13	5	2	-	-
FEMALE--	2	-	8	9	9	14	21	28	18	8	2	-
ALL OTHER--MALE----	-	-	2	1	7	2	5	5	2	-	1	-
FEMALE--	1	-	3	4	4	2	7	5	5	3	2	-
BLACK---MALE----	-	-	2	1	7	2	5	5	2	-	1	-
FEMALE--	1	-	3	4	4	2	7	5	5	3	2	-
TEXAS -----	17	24	39	47	89	115	85	109	70	41	7	-
WHITE-----MALE----	9	11	15	19	30	46	29	30	11	7	-	-
FEMALE--	6	7	17	22	44	54	44	64	49	25	5	-
ALL OTHER--MALE----	2	3	3	3	7	7	3	8	5	-	-	-
FEMALE--	-	3	4	3	8	8	9	7	5	9	2	-
BLACK---MALE----	2	3	2	3	7	7	3	8	5	-	-	-
FEMALE--	-	3	4	3	8	8	9	7	5	9	2	-
UTAH -----	1	2	3	3	2	14	6	6	4	3	1	-
WHITE-----MALE----	1	2	-	1	2	6	2	1	1	-	-	-
FEMALE--	-	-	3	2	-	7	4	5	3	3	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	2	1	1	1	3	3	5	6	4	-	-	-
WHITE-----MALE----	2	-	1	-	-	1	2	3	-	-	-	-
FEMALE--	-	1	-	1	3	2	3	3	4	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	6	3	6	20	30	43	35	42	26	3	2	-
WHITE-----MALE----	2	-	3	4	13	19	14	14	5	-	-	-
FEMALE--	3	1	1	11	10	12	17	21	14	3	1	-
ALL OTHER--MALE----	-	-	1	2	3	4	1	3	1	-	-	-
FEMALE--	1	2	1	3	4	8	3	4	6	-	1	-
BLACK---MALE----	-	-	1	2	3	4	1	3	1	-	-	-
FEMALE--	1	2	1	3	4	8	3	4	6	-	1	-





04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 2197

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other disorders of circulatory system (I80-I99)												
UNITED STATES -	4,665	22	5	-	-	10	28	45	79	100	185	222
WHITE-----MALE----	1,603	8	3	-	-	3	7	11	23	32	67	102
FEMALE--	2,240	9	-	-	-	2	9	19	27	29	61	61
ALL OTHER--MALE----	378	3	2	-	-	2	5	7	12	19	31	25
FEMALE--	444	2	-	-	-	3	7	8	17	20	26	34
BLACK---MALE-----	339	3	2	-	-	1	4	7	11	17	30	20
FEMALE--	403	2	-	-	-	2	7	8	17	19	23	32
ALABAMA -----	88	1	-	-	-	-	1	-	1	2	7	2
WHITE-----MALE----	24	-	-	-	-	-	-	-	-	1	2	-
FEMALE--	35	-	-	-	-	-	-	-	1	-	1	2
ALL OTHER--MALE----	15	1	-	-	-	-	1	-	-	-	2	-
FEMALE--	14	-	-	-	-	-	-	-	-	1	2	-
BLACK---MALE-----	15	1	-	-	-	-	1	-	-	-	2	-
FEMALE--	14	-	-	-	-	-	-	-	-	1	2	-
ALASKA -----	8	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	84	1	-	-	-	-	1	2	1	3	5	4
WHITE-----MALE----	37	-	-	-	-	-	-	-	1	2	1	2
FEMALE--	39	1	-	-	-	-	1	2	-	1	4	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	56	-	-	-	-	-	-	3	-	2	1	4
WHITE-----MALE----	25	-	-	-	-	-	-	1	-	2	-	-
FEMALE--	24	-	-	-	-	-	-	1	-	-	1	2
ALL OTHER--MALE----	3	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	3	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
CALIFORNIA -----	526	2	-	-	-	1	3	8	8	16	21	25
WHITE-----MALE----	196	1	-	-	-	-	1	2	4	4	8	13
FEMALE--	244	1	-	-	-	-	-	4	2	5	8	7
ALL OTHER--MALE----	39	-	-	-	-	-	-	1	1	4	2	2
FEMALE--	47	-	-	-	-	1	2	1	1	3	3	3
BLACK---MALE-----	28	-	-	-	-	-	-	1	-	2	2	2
FEMALE--	35	-	-	-	-	-	2	1	1	3	1	3

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 2197

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Other disorders of circulatory system (I80-I99)

UNITED STATES -	232	272	291	366	475	572	611	568	414	140	27	1
WHITE-----MALE----	102	118	113	140	193	215	211	149	87	15	4	-
FEMALE--	75	95	106	154	205	265	340	370	282	112	19	-
ALL OTHER--MALE----	33	31	42	34	38	39	23	15	10	4	2	1
FEMALE--	22	28	30	38	39	53	37	34	35	9	2	-
BLACK---MALE-----	29	30	42	31	31	35	19	12	8	4	2	1
FEMALE--	19	25	26	33	36	46	36	30	32	9	1	-
ALABAMA -----	5	4	9	9	8	15	8	9	6	1	-	-
WHITE-----MALE----	1	1	3	2	4	5	2	2	1	-	-	-
FEMALE--	-	-	2	5	2	8	3	6	4	1	-	-
ALL OTHER--MALE----	4	2	-	1	-	1	2	1	-	-	-	-
FEMALE--	-	1	4	1	2	1	1	-	1	-	-	-
BLACK---MALE-----	4	2	-	1	-	1	2	1	-	-	-	-
FEMALE--	-	1	4	1	2	1	1	-	1	-	-	-
ALASKA -----	2	-	-	-	1	1	-	2	1	-	-	-
WHITE-----MALE----	1	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	2	6	4	10	7	11	12	11	4	-	-	-
WHITE-----MALE----	1	3	1	5	5	3	9	4	-	-	-	-
FEMALE--	-	3	2	4	1	8	2	6	3	-	-	-
ALL OTHER--MALE----	1	-	-	1	1	-	-	1	1	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	1	-	-	1	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ARKANSAS -----	-	3	4	4	3	4	16	7	4	1	-	-
WHITE-----MALE----	-	2	3	3	1	1	10	1	1	-	-	-
FEMALE--	-	-	1	1	1	3	6	5	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	1	-	-	1	-	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	1	-	-	1	-	-	1	-	-	-	-
CALIFORNIA -----	28	30	38	40	50	65	69	75	39	7	1	-
WHITE-----MALE----	11	13	16	15	18	29	21	25	14	1	-	-
FEMALE--	15	9	13	14	25	30	41	41	22	6	1	-
ALL OTHER--MALE----	2	3	5	4	3	3	4	4	1	-	-	-
FEMALE--	-	5	4	7	4	3	3	5	2	-	-	-
BLACK---MALE-----	1	3	5	3	2	1	3	3	-	-	-	-
FEMALE--	-	4	3	5	3	3	3	2	1	-	-	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 2198

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other disorders of circulatory system (I80-I99)												
COLORADO -----	82	-	-	-	-	-	-	1	1	-	4	5
WHITE-----MALE----	24	-	-	-	-	-	-	1	-	-	1	3
FEMALE--	50	-	-	-	-	-	-	-	1	-	2	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE-----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
CONNECTICUT -----	49	-	-	-	-	-	-	-	-	-	2	1
WHITE-----MALE----	17	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	28	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	13	-	-	-	-	-	-	-	-	1	-	1
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	1
DISTRICT OF COLUMBIA ---	14	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	7	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	302	-	-	-	-	1	3	5	4	5	11	18
WHITE-----MALE----	116	-	-	-	-	-	2	2	-	2	6	7
FEMALE--	134	-	-	-	-	-	-	2	-	1	1	3
ALL OTHER--MALE----	19	-	-	-	-	-	-	-	1	1	3	2
FEMALE--	33	-	-	-	-	1	1	3	3	1	1	6
BLACK---MALE-----	18	-	-	-	-	-	-	-	1	1	3	2
FEMALE--	32	-	-	-	-	1	1	1	3	1	1	6
GEORGIA -----	122	1	1	-	-	-	-	2	4	2	2	6
WHITE-----MALE----	28	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	45	-	-	-	-	-	-	-	1	-	-	2
ALL OTHER--MALE----	18	-	1	-	-	-	-	-	1	-	1	3
FEMALE--	31	1	-	-	-	-	-	2	2	2	1	-
BLACK---MALE-----	18	-	1	-	-	-	-	-	1	-	1	3
FEMALE--	31	1	-	-	-	-	-	2	2	2	1	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

Other disorders of circulatory system (I80-I99)

COLORADO -----	7	4	1	6	11	8	11	12	6	5	-	-
WHITE-----MALE----	3	-	-	5	3	2	5	1	-	-	-	-
FEMALE--	2	2	-	1	6	6	6	11	6	5	-	-
ALL OTHER--MALE----	2	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	2	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
CONNECTICUT -----	1	6	1	3	4	4	5	8	10	4	-	-
WHITE-----MALE----	1	2	-	2	3	2	3	1	1	-	-	-
FEMALE--	-	2	1	1	1	1	2	7	8	4	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	1	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	1	-	-	-
DELAWARE -----	3	-	1	1	-	2	1	3	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	1	1	-	1	-	2	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	1	-	-	-	-	-
DISTRICT OF COLUMBIA ---	2	1	-	1	2	3	1	1	-	2	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	1	2	1	-	-	-	-	-
FEMALE--	1	-	-	1	-	1	-	1	-	2	-	-
BLACK---MALE----	1	1	-	-	1	2	1	-	-	-	-	-
FEMALE--	1	-	-	1	-	1	-	1	-	2	-	-
FLORIDA -----	11	17	20	24	31	42	39	30	27	13	1	-
WHITE-----MALE----	5	9	10	10	16	18	13	8	7	1	-	-
FEMALE--	5	6	7	11	9	13	24	22	19	10	1	-
ALL OTHER--MALE----	-	-	2	2	3	4	1	-	-	-	-	-
FEMALE--	1	2	1	1	3	7	1	-	1	2	-	-
BLACK---MALE----	-	-	2	2	2	4	1	-	-	-	-	-
FEMALE--	1	2	1	-	3	7	1	-	1	2	-	-
GEORGIA -----	7	8	6	9	15	12	11	22	10	3	1	-
WHITE-----MALE----	2	4	2	4	5	2	4	2	2	-	-	-
FEMALE--	-	1	1	2	5	7	3	14	6	2	1	-
ALL OTHER--MALE----	3	2	3	-	1	1	-	1	-	1	-	-
FEMALE--	2	1	-	3	4	2	4	5	2	-	-	-
BLACK---MALE----	3	2	3	-	1	1	-	1	-	1	-	-
FEMALE--	2	1	-	3	4	2	4	5	2	-	-	-







04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 2200

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other disorders of circulatory system (I80-I99)												
KENTUCKY -----	75	1	-	-	-	-	-	1	1	2	2	5
WHITE-----MALE----	30	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	38	1	-	-	-	-	-	-	1	1	2	3
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	1
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	1
LOUISIANA -----	58	1	-	-	-	-	-	-	2	1	-	1
WHITE-----MALE----	8	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	36	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	8	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	7	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	6	-	-	-	-	-	-	-	1	-	-	-
MAINE -----	31	-	-	-	-	-	-	1	1	1	2	1
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	22	-	-	-	-	-	-	1	1	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	99	-	1	-	-	1	1	2	-	4	12	7
WHITE-----MALE----	29	-	1	-	-	1	-	-	-	-	3	3
FEMALE--	32	-	-	-	-	-	-	-	-	1	1	2
ALL OTHER--MALE----	19	-	-	-	-	-	-	1	-	1	5	1
FEMALE--	19	-	-	-	-	-	1	1	-	2	3	1
BLACK---MALE----	17	-	-	-	-	-	-	1	-	1	4	1
FEMALE--	19	-	-	-	-	-	1	1	-	2	3	1
MASSACHUSETTS -----	90	-	-	-	-	-	2	1	3	-	2	4
WHITE-----MALE----	30	-	-	-	-	-	-	-	2	-	1	4
FEMALE--	51	-	-	-	-	-	1	-	1	-	1	-
ALL OTHER--MALE----	6	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	196	1	-	-	-	-	2	1	5	2	12	4
WHITE-----MALE----	67	-	-	-	-	-	-	-	-	1	5	2
FEMALE--	89	-	-	-	-	-	-	-	-	1	4	1
ALL OTHER--MALE----	18	1	-	-	-	-	1	1	4	-	2	1
FEMALE--	22	-	-	-	-	-	1	-	1	-	1	-
BLACK---MALE----	18	1	-	-	-	-	1	1	4	-	2	1
FEMALE--	22	-	-	-	-	-	1	-	1	-	1	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other disorders of circulatory system (I80-I99)												
KENTUCKY -----	3	9	2	6	6	7	14	6	7	2	1	-
WHITE-----MALE----	2	4	1	3	5	3	6	2	1	1	-	-
FEMALE--	1	1	1	3	1	4	8	4	5	1	1	-
ALL OTHER--MALE----	-	4	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	4	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	2	5	1	4	4	8	13	6	6	4	-	-
WHITE-----MALE----	-	-	1	1	1	1	2	1	-	-	-	-
FEMALE--	-	5	-	2	2	3	9	5	4	4	-	-
ALL OTHER--MALE----	1	-	-	-	1	4	-	-	1	-	-	-
FEMALE--	1	-	-	1	-	-	2	-	1	-	-	-
BLACK---MALE----	1	-	-	-	1	4	-	-	1	-	-	-
FEMALE--	1	-	-	1	-	-	2	-	1	-	-	-
MAINE -----	2	-	-	4	2	3	4	3	5	1	1	-
WHITE-----MALE----	1	-	-	2	-	-	-	1	2	-	-	-
FEMALE--	1	-	-	2	2	3	4	2	3	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2	8	13	6	5	9	12	6	7	2	1	-
WHITE-----MALE----	1	1	4	2	-	5	5	2	1	-	-	-
FEMALE--	-	1	2	2	3	3	6	4	5	1	1	-
ALL OTHER--MALE----	-	3	5	1	1	-	1	-	-	-	-	-
FEMALE--	1	3	2	1	1	1	-	-	1	1	-	-
BLACK---MALE----	-	3	5	1	-	-	1	-	-	-	-	-
FEMALE--	1	3	2	1	1	1	-	-	1	1	-	-
MASSACHUSETTS -----	-	4	1	13	7	15	11	9	10	7	1	-
WHITE-----MALE----	-	-	-	6	4	5	2	2	3	1	-	-
FEMALE--	-	4	-	5	3	10	6	7	7	6	-	-
ALL OTHER--MALE----	-	-	-	2	-	-	1	-	-	-	1	-
FEMALE--	-	-	1	-	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
MICHIGAN -----	14	10	14	23	21	21	20	27	14	2	2	1
WHITE-----MALE----	5	5	6	10	8	9	3	9	2	1	1	-
FEMALE--	6	4	7	6	11	9	14	16	8	1	1	-
ALL OTHER--MALE----	1	1	-	3	1	-	-	1	-	-	-	1
FEMALE--	2	-	1	4	1	3	3	1	4	-	-	-
BLACK---MALE----	1	1	-	3	1	-	-	1	-	-	-	1
FEMALE--	2	-	1	4	1	3	3	1	4	-	-	-













04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 2203

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other disorders of circulatory system (I80-I99)												
OHIO -----	12	13	14	18	38	21	31	26	16	3	3	-
WHITE-----MALE----	6	2	6	5	16	4	12	10	3	1	-	-
FEMALE--	3	8	4	4	17	14	17	15	11	2	3	-
ALL OTHER--MALE----	1	1	4	5	4	1	-	1	-	-	-	-
FEMALE--	2	2	-	4	1	2	-	2	-	-	-	-
BLACK---MALE----	1	1	4	5	4	1	-	1	-	-	-	-
FEMALE--	2	2	-	4	1	1	2	-	2	-	-	-
OKLAHOMA -----	4	1	1	7	3	9	11	5	4	2	-	-
WHITE-----MALE----	3	-	-	1	1	4	5	1	1	-	-	-
FEMALE--	1	1	1	4	1	3	5	4	2	2	-	-
ALL OTHER--MALE----	-	-	-	2	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	1	-	-	-
BLACK---MALE----	-	-	-	1	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	3	2	4	6	4	5	11	8	7	3	-	-
WHITE-----MALE----	3	1	1	4	2	2	3	2	-	-	-	-
FEMALE--	-	1	2	2	2	3	7	6	7	3	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	12	9	12	24	28	27	24	32	27	4	-	-
WHITE-----MALE----	4	2	5	11	15	8	10	8	9	1	-	-
FEMALE--	6	5	4	10	12	12	13	20	16	3	-	-
ALL OTHER--MALE----	1	2	2	3	1	5	1	1	-	-	-	-
FEMALE--	1	-	1	-	-	2	-	3	2	-	-	-
BLACK---MALE----	1	2	2	3	1	4	1	1	-	-	-	-
FEMALE--	1	-	1	-	-	2	-	3	2	-	-	-
RHODE ISLAND -----	1	1	2	2	2	2	4	2	2	1	-	-
WHITE-----MALE----	1	-	1	-	1	1	1	1	-	-	-	-
FEMALE--	-	1	1	2	1	1	3	1	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	4	3	6	3	15	14	8	4	7	2	1	-
WHITE-----MALE----	3	2	2	1	5	5	5	-	-	-	-	-
FEMALE--	1	1	1	2	5	3	1	3	5	1	1	-
ALL OTHER--MALE----	-	-	3	-	2	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	3	5	-	1	2	1	-	-
BLACK---MALE----	-	-	3	-	2	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	3	5	-	1	2	1	-	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 2204

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Other disorders of circulatory system (I80-I99)												
SOUTH DAKOTA -----	8	-	-	-	-	-	-	-	-	-	1	1
WHITE-----MALE----	4	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	105	-	-	-	-	-	-	-	3	2	5	7
WHITE-----MALE----	34	-	-	-	-	-	-	-	-	-	3	3
FEMALE--	50	-	-	-	-	-	-	-	1	1	2	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	18	-	-	-	-	-	-	-	2	1	-	3
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	2	1	-	3
TEXAS -----	270	2	1	-	-	1	2	1	4	2	13	11
WHITE-----MALE----	82	1	1	-	-	-	-	1	2	1	4	5
FEMALE--	135	-	-	-	-	-	1	-	1	1	5	4
ALL OTHER--MALE----	28	1	-	-	-	1	-	-	-	-	2	1
FEMALE--	25	-	-	-	-	-	1	-	1	-	2	1
BLACK---MALE----	26	1	-	-	-	-	-	-	-	-	2	1
FEMALE--	24	-	-	-	-	-	1	-	1	-	2	1
UTAH -----	34	2	-	-	-	-	-	-	-	3	-	2
WHITE-----MALE----	14	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	18	2	-	-	-	-	-	-	-	1	-	1
ALL OTHER--MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	5	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	109	1	-	-	-	1	1	1	2	5	-	7
WHITE-----MALE----	33	-	-	-	-	-	-	-	-	2	-	5
FEMALE--	47	-	-	-	-	-	-	-	2	-	-	1
ALL OTHER--MALE----	12	-	-	-	-	1	-	-	-	2	-	1
FEMALE--	17	1	-	-	-	-	1	1	-	1	-	-
BLACK---MALE----	12	-	-	-	-	1	-	-	-	2	-	1
FEMALE--	17	1	-	-	-	-	1	1	-	1	-	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Other disorders of circulatory system (I80-I99)												
SOUTH DAKOTA -----	-	-	-	1	1	1	3	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	6	5	5	8	9	17	14	13	7	3	1	-
WHITE-----MALE----	1	5	1	3	3	6	2	7	-	-	-	-
FEMALE--	3	-	3	5	3	8	10	5	4	3	1	-
ALL OTHER--MALE----	-	-	1	-	2	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	1	3	2	1	3	-	-	-
BLACK---MALE----	-	-	1	-	2	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	3	2	1	3	-	-	-
TEXAS -----	11	19	18	17	32	33	34	37	28	4	-	-
WHITE-----MALE----	3	6	5	4	13	14	7	12	3	-	-	-
FEMALE--	5	7	10	10	10	14	21	23	20	3	-	-
ALL OTHER--MALE----	2	4	3	1	4	2	4	-	2	1	-	-
FEMALE--	1	2	-	2	5	3	2	2	3	-	-	-
BLACK---MALE----	2	4	3	1	3	2	4	-	2	1	-	-
FEMALE--	1	2	-	2	4	3	2	2	3	-	-	-
UTAH -----	1	6	1	2	1	4	4	4	2	-	2	-
WHITE-----MALE----	-	2	-	1	-	3	2	2	1	-	1	-
FEMALE--	-	4	1	1	1	1	2	2	1	-	1	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	1	-	-	2	-	-	1	-	1	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	1	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	4	13	10	3	14	11	16	6	11	3	-	-
WHITE-----MALE----	-	4	4	1	5	2	4	2	4	-	-	-
FEMALE--	2	5	1	2	4	7	11	3	6	3	-	-
ALL OTHER--MALE----	1	1	3	-	1	1	1	-	-	-	-	-
FEMALE--	1	3	2	-	4	1	-	1	1	-	-	-
BLACK---MALE----	1	1	3	-	1	1	1	-	-	-	-	-
FEMALE--	1	3	2	-	4	1	-	1	1	-	-	-





04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 2206

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Phlebitis, thrombophlebitis, venous embolism and thrombosis (I80-I82)												
UNITED STATES -	3,531	3	2	-	-	7	26	44	72	86	146	165
WHITE-----MALE----	1,122	1	1	-	-	2	6	11	19	25	45	63
FEMALE--	1,762	-	-	-	-	2	8	18	25	26	54	53
ALL OTHER--MALE----	276	1	1	-	-	1	5	7	12	17	24	18
FEMALE--	371	1	-	-	-	2	7	8	16	18	23	31
BLACK---MALE-----	260	1	1	-	-	1	4	7	11	16	23	16
FEMALE--	342	1	-	-	-	2	7	8	16	17	20	29
ALABAMA -----	60	-	-	-	-	-	1	-	1	1	5	1
WHITE-----MALE----	10	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	26	-	-	-	-	-	-	-	1	-	1	1
ALL OTHER--MALE----	12	-	-	-	-	-	1	-	-	-	2	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	2	-
BLACK---MALE-----	12	-	-	-	-	-	1	-	-	-	2	-
FEMALE--	12	-	-	-	-	-	-	-	-	-	2	-
ALASKA -----	8	-	-	-	-	-	1	-	-	-	-	-
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	62	-	-	-	-	-	-	2	1	2	5	2
WHITE-----MALE----	27	-	-	-	-	-	-	-	1	1	1	2
FEMALE--	29	-	-	-	-	-	-	2	-	1	4	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ARKANSAS -----	42	-	-	-	-	-	-	3	-	1	1	4
WHITE-----MALE----	15	-	-	-	-	-	-	1	-	1	-	-
FEMALE--	20	-	-	-	-	-	-	1	-	-	1	2
ALL OTHER--MALE----	3	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE-----	3	-	-	-	-	-	-	1	-	-	-	1
FEMALE--	4	-	-	-	-	-	-	-	-	-	-	1
CALIFORNIA -----	459	-	-	-	-	-	3	8	7	13	19	21
WHITE-----MALE----	170	-	-	-	-	-	1	2	3	3	7	11
FEMALE--	211	-	-	-	-	-	-	4	2	4	7	5
ALL OTHER--MALE----	32	-	-	-	-	-	-	1	1	3	2	2
FEMALE--	46	-	-	-	-	-	2	1	1	3	3	3
BLACK---MALE-----	27	-	-	-	-	-	-	1	-	2	2	2
FEMALE--	35	-	-	-	-	-	2	1	1	3	1	3

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 2206

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Phlebitis, thrombophlebitis, venous embolism and thrombosis (I80-I82)												
UNITED STATES -	167	202	225	269	356	440	457	430	306	104	23	1
WHITE-----MALE----	67	82	78	100	143	156	146	102	59	12	4	-
FEMALE--	62	76	86	116	151	216	266	291	214	81	17	-
ALL OTHER--MALE----	24	22	34	20	29	25	14	11	6	3	1	1
FEMALE--	14	22	27	33	33	43	31	26	27	8	1	-
BLACK---MALE-----	22	21	34	20	26	24	13	10	5	3	1	1
FEMALE--	13	20	25	29	32	36	30	22	26	8	1	-
ALABAMA -----	3	2	6	4	8	10	5	8	4	1	-	-
WHITE-----MALE----	1	-	1	-	4	2	-	1	-	-	-	-
FEMALE--	-	-	1	2	2	6	2	6	3	1	-	-
ALL OTHER--MALE----	2	2	-	1	-	1	2	1	-	-	-	-
FEMALE--	-	-	4	1	2	1	-	1	-	-	-	-
BLACK---MALE-----	2	2	-	1	-	1	2	1	-	-	-	-
FEMALE--	-	-	4	1	2	1	1	-	1	-	-	-
ALASKA -----	2	-	-	-	1	1	-	2	1	-	-	-
WHITE-----MALE----	1	-	-	-	-	1	-	1	-	-	-	-
FEMALE--	1	-	-	-	1	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ARIZONA -----	1	4	4	7	5	8	11	8	2	-	-	-
WHITE-----MALE----	-	1	1	3	4	2	9	2	-	-	-	-
FEMALE--	-	3	2	3	1	6	1	5	1	-	-	-
ALL OTHER--MALE----	1	-	-	1	-	-	-	1	1	-	-	-
FEMALE--	-	-	1	-	-	-	1	-	-	-	-	-
BLACK---MALE-----	1	-	-	1	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ARKANSAS -----	-	2	3	3	3	1	11	5	4	1	-	-
WHITE-----MALE----	-	1	2	2	1	-	6	-	1	-	-	-
FEMALE--	-	-	1	1	1	1	5	4	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	1	-	-	1	-	-	1	-	-	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	1	-	-	1	-	-	1	-	-	-	-
CALIFORNIA -----	27	28	34	36	42	59	58	64	33	6	1	-
WHITE-----MALE----	10	13	12	15	16	27	17	19	13	1	-	-
FEMALE--	15	7	13	12	19	27	35	37	18	5	1	-
ALL OTHER--MALE----	2	3	5	2	3	2	3	3	-	-	-	-
FEMALE--	-	5	4	7	4	3	3	5	2	-	-	-
BLACK---MALE-----	1	3	5	2	2	1	3	3	-	-	-	-
FEMALE--	-	4	3	5	3	3	3	2	1	-	-	-



[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Phlebitis, thrombophlebitis, venous embolism and thrombosis (I80-I82)												
COLORADO -----	62	-	-	-	-	-	-	1	1	-	4	5
WHITE-----MALE----	19	-	-	-	-	-	-	1	-	-	1	3
FEMALE--	35	-	-	-	-	-	-	-	1	-	2	2
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	4	-	-	-	-	-	-	-	-	-	1	-
BLACK---MALE----	4	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	1	-
CONNECTICUT -----	36	-	-	-	-	-	-	-	-	-	1	-
WHITE-----MALE----	11	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	22	-	-	-	-	-	-	-	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	10	-	-	-	-	-	-	-	-	1	-	1
WHITE-----MALE----	2	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	1
DISTRICT OF COLUMBIA ---	12	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	5	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	6	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	242	-	-	-	-	1	3	4	4	5	9	15
WHITE-----MALE----	89	-	-	-	-	-	2	2	-	2	5	4
FEMALE--	107	-	-	-	-	-	-	1	-	1	1	3
ALL OTHER--MALE----	15	-	-	-	-	-	-	-	1	1	2	2
FEMALE--	31	-	-	-	-	1	1	3	3	1	1	6
BLACK---MALE----	15	-	-	-	-	-	-	-	1	1	2	2
FEMALE--	30	-	-	-	-	1	1	1	3	1	1	6
GEORGIA -----	86	-	-	-	-	-	-	2	4	2	1	5
WHITE-----MALE----	13	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	37	-	-	-	-	-	-	-	1	-	-	2
ALL OTHER--MALE----	11	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	25	-	-	-	-	-	-	2	2	2	1	-
BLACK---MALE----	11	-	-	-	-	-	-	-	1	-	-	2
FEMALE--	25	-	-	-	-	-	-	2	2	2	1	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Phlebitis, thrombophlebitis, venous embolism and thrombosis (I80-I82)												
COLORADO -----	7	3	1	4	8	5	10	5	5	3	-	-
WHITE-----MALE----	3	-	-	4	2	1	4	-	-	-	-	-
FEMALE--	2	1	-	-	4	4	6	5	5	3	-	-
ALL OTHER--MALE----	2	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	1	-	1	-	-	-	-	-	-	-
BLACK---MALE----	2	1	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	1	-	1	-	-	-	-	-	-	-
CONNECTICUT -----	1	3	1	3	3	4	4	6	9	1	-	-
WHITE-----MALE----	1	-	-	2	2	2	2	1	1	-	-	-
FEMALE--	-	2	1	1	1	1	2	5	7	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	-	1	-	-	1	-	-	-
DELAWARE -----	2	-	1	-	-	1	1	3	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	1	-	1	-	-	1	-	2	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
DISTRICT OF COLUMBIA ---	2	1	-	1	1	2	1	1	-	2	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	1	-	-	-	1	1	-	-	-	-	-
FEMALE--	1	-	-	1	-	1	-	1	-	2	-	-
BLACK---MALE----	1	1	-	-	-	1	1	-	-	-	-	-
FEMALE--	1	-	-	1	-	1	-	1	-	2	-	-
FLORIDA -----	7	12	15	20	23	38	29	25	22	9	1	-
WHITE-----MALE----	2	7	8	7	12	15	10	7	5	1	-	-
FEMALE--	4	4	4	10	6	13	18	18	16	7	1	-
ALL OTHER--MALE----	-	-	2	2	2	3	-	-	-	-	-	-
FEMALE--	1	1	1	1	3	7	1	-	1	1	-	-
BLACK---MALE----	-	-	2	2	2	3	-	-	-	-	-	-
FEMALE--	1	1	1	-	3	7	1	-	1	1	-	-
GEORGIA -----	6	3	3	4	12	10	7	17	7	2	1	-
WHITE-----MALE----	2	-	-	-	4	1	2	1	2	-	-	-
FEMALE--	-	1	1	1	4	6	2	13	3	2	1	-
ALL OTHER--MALE----	3	1	2	-	1	1	-	-	-	-	-	-
FEMALE--	1	1	-	3	3	2	3	3	2	-	-	-
BLACK---MALE----	3	1	2	-	1	1	-	-	-	-	-	-
FEMALE--	1	1	-	3	3	2	3	3	2	-	-	-





04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 2209

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Phlebitis, thrombophlebitis, venous embolism and thrombosis (I80-I82)												
KENTUCKY -----	53	-	-	-	-	-	-	1	1	2	2	5
WHITE-----MALE----	20	-	-	-	-	-	-	-	-	1	-	1
FEMALE--	28	-	-	-	-	-	-	-	1	1	2	3
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	1
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	1	-	-	-	1
LOUISIANA -----	40	-	-	-	-	-	-	-	2	1	-	1
WHITE-----MALE----	6	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	27	-	-	-	-	-	-	-	1	1	-	-
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	1	-	-	-
MAINE -----	23	-	-	-	-	-	-	1	1	1	1	1
WHITE-----MALE----	7	-	-	-	-	-	-	-	-	1	1	1
FEMALE--	16	-	-	-	-	-	-	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	88	-	-	-	-	1	1	2	-	4	12	7
WHITE-----MALE----	25	-	-	-	-	1	-	-	-	-	3	3
FEMALE--	29	-	-	-	-	-	-	-	-	1	1	2
ALL OTHER--MALE----	15	-	-	-	-	-	-	1	-	1	5	1
FEMALE--	19	-	-	-	-	-	1	1	-	2	3	1
BLACK---MALE----	13	-	-	-	-	-	-	1	-	1	4	1
FEMALE--	19	-	-	-	-	-	1	1	-	2	3	1
MASSACHUSETTS -----	59	-	-	-	-	-	2	1	2	-	2	3
WHITE-----MALE----	21	-	-	-	-	-	-	-	2	-	1	3
FEMALE--	33	-	-	-	-	-	1	-	-	-	1	-
ALL OTHER--MALE----	3	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	2	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	155	-	-	-	-	-	2	1	5	2	11	2
WHITE-----MALE----	49	-	-	-	-	-	-	-	-	1	5	-
FEMALE--	77	-	-	-	-	-	-	-	-	1	3	1
ALL OTHER--MALE----	13	-	-	-	-	-	1	1	4	-	2	1
FEMALE--	16	-	-	-	-	-	1	-	1	-	1	-
BLACK---MALE----	13	-	-	-	-	-	-	1	4	-	2	1
FEMALE--	16	-	-	-	-	-	1	-	1	-	1	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 2209

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Phlebitis, thrombophlebitis, venous embolism and thrombosis (I80-I82)												
KENTUCKY -----	2	8	2	4	3	4	11	2	3	2	1	-
WHITE-----MALE----	1	4	1	2	3	1	5	-	-	1	-	-
FEMALE--	1	1	1	2	-	3	6	2	3	1	1	-
ALL OTHER--MALE----	-	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	3	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	1	4	1	2	2	6	8	5	3	4	-	-
WHITE-----MALE----	-	-	1	-	1	1	2	1	-	-	-	-
FEMALE--	-	4	-	1	1	2	6	4	3	4	-	-
ALL OTHER--MALE----	-	-	-	-	-	3	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	3	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	-	-	-	-	-
MAINE -----	2	-	-	3	1	1	4	3	2	1	1	-
WHITE-----MALE----	1	-	-	1	-	-	-	1	1	-	-	-
FEMALE--	1	-	-	2	1	1	4	2	1	1	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	2	5	12	6	3	8	9	6	7	2	1	-
WHITE-----MALE----	1	1	4	2	-	4	3	2	1	-	-	-
FEMALE--	-	1	2	2	1	3	5	4	5	1	1	-
ALL OTHER--MALE----	-	-	4	1	1	-	1	-	-	-	-	-
FEMALE--	1	3	2	1	1	1	-	-	1	1	-	-
BLACK---MALE----	-	-	4	1	-	-	1	-	-	-	-	-
FEMALE--	1	3	2	1	1	1	-	-	1	1	-	-
MASSACHUSETTS -----	-	3	-	8	6	7	8	6	6	5	-	-
WHITE-----MALE----	-	-	-	3	4	2	2	1	2	1	-	-
FEMALE--	-	3	-	4	2	5	4	5	4	4	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
BLACK---MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
MICHIGAN -----	10	6	11	19	15	18	17	21	10	2	2	1
WHITE-----MALE----	3	2	5	10	5	8	2	6	-	1	1	-
FEMALE--	4	4	5	5	8	9	13	14	8	1	1	-
ALL OTHER--MALE----	1	-	-	1	1	-	-	-	-	-	-	1
FEMALE--	2	-	1	3	1	1	2	1	2	-	-	-
BLACK---MALE----	1	-	-	1	1	-	-	-	-	-	-	1
FEMALE--	2	-	1	3	1	1	2	1	2	-	-	-













[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Phlebitis, thrombophlebitis, venous embolism and thrombosis (I80-I82)												
OHIO -----	10	11	9	11	27	19	23	24	11	3	3	-
WHITE-----MALE----	5	2	3	3	10	3	8	9	2	1	-	-
FEMALE--	3	7	3	3	13	13	13	14	7	2	3	-
ALL OTHER--MALE----	1	-	3	3	3	1	-	1	-	-	-	-
FEMALE--	1	2	-	2	1	2	2	-	2	-	-	-
BLACK---MALE----	1	-	3	3	3	1	-	1	-	-	-	-
FEMALE--	1	2	-	2	1	1	2	-	2	-	-	-
OKLAHOMA -----	2	-	1	6	2	7	8	3	1	2	-	-
WHITE-----MALE----	2	-	-	1	1	2	4	-	-	-	-	-
FEMALE--	-	-	1	4	-	3	4	3	1	2	-	-
ALL OTHER--MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	1	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	1	2	3	3	3	5	10	6	4	3	-	-
WHITE-----MALE----	1	1	-	2	2	2	3	2	-	-	-	-
FEMALE--	-	1	2	1	1	3	6	4	4	3	-	-
ALL OTHER--MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
BLACK---MALE----	-	-	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	7	7	6	12	19	19	14	25	23	2	-	-
WHITE-----MALE----	2	1	3	6	10	5	6	8	7	1	-	-
FEMALE--	4	4	2	5	8	10	7	14	14	1	-	-
ALL OTHER--MALE----	-	2	1	1	1	2	1	1	-	-	-	-
FEMALE--	1	-	-	-	-	2	-	2	2	-	-	-
BLACK---MALE----	-	2	1	1	1	2	1	1	-	-	-	-
FEMALE--	1	-	-	-	-	2	-	2	2	-	-	-
RHODE ISLAND -----	-	1	2	2	2	2	3	1	2	1	-	-
WHITE-----MALE----	-	-	1	-	1	1	-	-	-	-	-	-
FEMALE--	-	1	1	2	1	1	3	1	2	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	1	1	5	2	9	10	8	3	5	2	1	-
WHITE-----MALE----	1	-	1	1	1	3	5	-	-	-	-	-
FEMALE--	-	1	1	1	5	3	1	2	3	1	1	-
ALL OTHER--MALE----	-	-	3	-	1	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	2	3	-	1	2	1	-	-
BLACK---MALE----	-	-	3	-	1	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	2	3	-	1	2	1	-	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT A PG 2213

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
Phlebitis, thrombophlebitis, venous embolism and thrombosis (I80-I82)												
SOUTH DAKOTA -----	5	-	-	-	-	-	-	-	-	-	-	1
WHITE-----MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	2	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	80	-	-	-	-	-	-	-	2	2	3	6
WHITE-----MALE----	22	-	-	-	-	-	-	-	-	-	2	2
FEMALE--	41	-	-	-	-	-	-	-	1	1	1	1
ALL OTHER--MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	14	-	-	-	-	-	-	-	1	1	-	3
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	13	-	-	-	-	-	-	-	1	1	-	3
TEXAS -----	203	2	-	-	-	-	2	1	2	2	9	9
WHITE-----MALE----	53	1	-	-	-	-	-	1	-	1	1	3
FEMALE--	110	-	-	-	-	-	1	-	1	1	5	4
ALL OTHER--MALE----	19	1	-	-	-	-	-	-	-	-	1	1
FEMALE--	21	-	-	-	-	-	1	-	1	-	2	1
BLACK---MALE----	19	1	-	-	-	-	-	-	-	-	1	1
FEMALE--	21	-	-	-	-	-	1	-	1	-	2	1
UTAH -----	21	-	-	-	-	-	-	-	-	2	-	1
WHITE-----MALE----	9	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	11	-	-	-	-	-	-	-	-	-	-	1
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	1	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	4	-	-	-	-	-	-	-	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	67	1	-	-	-	1	1	1	2	4	-	3
WHITE-----MALE----	17	-	-	-	-	-	-	-	-	1	-	2
FEMALE--	31	-	-	-	-	-	-	-	2	-	-	1
ALL OTHER--MALE----	9	-	-	-	-	1	-	-	-	2	-	-
FEMALE--	10	1	-	-	-	-	1	1	-	1	-	-
BLACK---MALE----	9	-	-	-	-	1	-	-	-	2	-	-
FEMALE--	10	1	-	-	-	-	1	1	-	1	-	-

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 2213

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE HTTP://WWW.CDC.GOV/NCHS AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
Phlebitis, thrombophlebitis, venous embolism and thrombosis (I80-I82)												
SOUTH DAKOTA -----	-	-	-	1	-	-	3	-	-	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	3	4	4	5	8	14	10	10	6	2	1	-
WHITE-----MALE----	-	4	-	1	3	5	-	5	-	-	-	-
FEMALE--	2	-	3	4	2	7	9	4	3	2	1	-
ALL OTHER--MALE----	-	-	1	-	2	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	1	2	1	1	3	-	-	-
BLACK---MALE----	-	-	1	-	2	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	1	1	3	-	-	-
TEXAS -----	7	15	15	15	25	26	24	24	22	3	-	-
WHITE-----MALE----	1	4	3	4	9	10	4	8	3	-	-	-
FEMALE--	4	5	9	9	9	12	17	16	15	2	-	-
ALL OTHER--MALE----	2	4	3	-	3	1	1	-	1	1	-	-
FEMALE--	-	2	-	2	4	3	2	-	3	-	-	-
BLACK---MALE----	2	4	3	-	3	1	1	-	1	1	-	-
FEMALE--	-	2	-	2	4	3	2	-	3	-	-	-
UTAH -----	-	5	1	1	1	4	2	2	-	-	2	-
WHITE-----MALE----	-	1	-	1	-	3	1	1	-	-	1	-
FEMALE--	-	4	1	-	1	1	1	1	-	-	1	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	1	-	-	2	-	-	-	-	1	-	-
WHITE-----MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	1	-	-	1	-	-	-	-	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2	5	7	2	7	8	9	3	9	2	-	-
WHITE-----MALE----	-	2	2	1	3	1	1	1	3	-	-	-
FEMALE--	2	2	-	1	2	6	7	1	5	2	-	-
ALL OTHER--MALE----	-	1	3	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	2	-	2	-	-	1	1	-	-	-
BLACK---MALE----	-	1	3	-	-	1	1	-	-	-	-	-
FEMALE--	-	-	2	-	2	-	-	1	1	-	-	-













04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 2216

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

All other and unspecified disorders of circulatory system (I83-I99)

COLORADO -----	-	1	-	2	3	3	1	7	1	2	-	-
WHITE-----MALE----	-	-	-	1	1	1	1	1	-	-	-	-
FEMALE--	-	1	-	1	2	2	-	6	1	2	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
CONNECTICUT -----	-	3	-	-	1	-	1	2	1	3	-	-
WHITE-----MALE----	-	2	-	-	1	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	2	1	3	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
DELAWARE -----	1	-	-	1	-	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	1	-	-	-	-	-	-
DISTRICT OF COLUMBIA ---	-	-	-	-	1	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
FLORIDA -----	4	5	5	4	8	4	10	5	5	4	-	-
WHITE-----MALE----	3	2	2	3	4	3	3	1	2	-	-	-
FEMALE--	1	2	3	1	3	-	6	4	3	3	-	-
ALL OTHER--MALE----	-	-	-	-	1	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	1	-	-
BLACK---MALE----	-	-	-	-	-	1	1	-	-	-	-	-
FEMALE--	-	1	-	-	-	-	-	-	-	1	-	-
GEORGIA -----	1	5	3	5	3	2	4	5	3	1	-	-
WHITE-----MALE----	-	4	2	4	1	1	2	1	-	-	-	-
FEMALE--	-	-	-	1	1	1	1	1	3	-	-	-
ALL OTHER--MALE----	-	1	1	-	-	-	-	1	-	1	-	-
FEMALE--	1	-	-	-	1	-	1	2	-	-	-	-
BLACK---MALE----	-	1	1	-	-	-	-	1	-	1	-	-
FEMALE--	1	-	-	-	1	-	1	2	-	-	-	-







[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other and unspecified disorders of circulatory system (I83-I99)												
KENTUCKY -----	1	1	-	2	3	3	3	4	4	-	-	-
WHITE-----MALE----	1	-	-	1	2	2	1	2	1	-	-	-
FEMALE--	-	-	-	1	1	1	2	2	2	-	-	-
ALL OTHER--MALE----	-	1	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	-	-	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
LOUISIANA -----	1	1	-	2	2	2	5	1	3	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	-	-	-	-
FEMALE--	-	1	-	1	1	3	1	1	-	-	-	-
ALL OTHER--MALE----	1	-	-	-	1	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	1	-	-	-
BLACK---MALE----	1	-	-	-	1	1	-	-	1	-	-	-
FEMALE--	-	-	-	-	-	-	2	-	1	-	-	-
MAINE -----	-	-	-	1	1	2	-	-	3	-	-	-
WHITE-----MALE----	-	-	-	1	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	-	1	2	-	-	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	-	3	1	-	2	1	3	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	1	2	-	-	-	-	-
FEMALE--	-	-	-	-	2	-	1	-	-	-	-	-
ALL OTHER--MALE----	-	3	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	3	1	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MASSACHUSETTS -----	-	1	1	5	1	8	3	3	4	2	1	-
WHITE-----MALE----	-	-	-	3	-	3	-	1	1	-	-	-
FEMALE--	-	1	-	1	1	5	2	2	3	2	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	-	-	-	1	-
FEMALE--	-	-	1	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MICHIGAN -----	4	4	3	4	6	3	3	6	4	-	-	-
WHITE-----MALE----	2	3	1	-	3	1	1	3	2	-	-	-
FEMALE--	2	-	2	1	3	-	1	2	-	-	-	-
ALL OTHER--MALE----	-	1	-	2	-	-	-	1	-	-	-	-
FEMALE--	-	-	-	1	-	2	1	-	2	-	-	-
BLACK---MALE----	-	1	-	2	-	-	-	-	1	-	-	-
FEMALE--	-	-	-	1	-	2	1	-	2	-	-	-













04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 2221

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
All other and unspecified disorders of circulatory system (I83-I99)												
OHIO -----	2	2	5	7	11	2	8	2	5	-	-	-
WHITE-----MALE----	1	-	3	2	6	1	4	1	1	-	-	-
FEMALE--	-	1	1	1	4	1	4	1	4	-	-	-
ALL OTHER--MALE----	-	1	1	2	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	2	-	-	-	-	-	-	-	-
BLACK---MALE----	-	1	1	2	1	-	-	-	-	-	-	-
FEMALE--	1	-	-	2	-	-	-	-	-	-	-	-
OKLAHOMA -----	2	1	-	1	1	2	3	2	3	-	-	-
WHITE-----MALE----	1	-	-	-	-	2	1	1	1	-	-	-
FEMALE--	1	1	-	-	1	-	1	1	1	-	-	-
ALL OTHER--MALE----	-	-	-	1	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	1	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
OREGON -----	2	-	1	3	1	-	1	2	3	-	-	-
WHITE-----MALE----	2	-	1	2	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	1	-	1	2	3	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
PENNSYLVANIA -----	5	2	6	12	9	8	10	7	4	2	-	-
WHITE-----MALE----	2	1	2	5	5	3	4	-	2	-	-	-
FEMALE--	2	1	2	5	4	2	6	6	2	2	-	-
ALL OTHER--MALE----	1	-	1	2	-	3	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
BLACK---MALE----	1	-	1	2	-	2	-	-	-	-	-	-
FEMALE--	-	-	1	-	-	-	-	1	-	-	-	-
RHODE ISLAND -----	1	-	-	-	-	-	1	1	-	-	-	-
WHITE-----MALE----	1	-	-	-	-	-	1	1	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
SOUTH CAROLINA -----	3	2	1	1	6	4	-	1	2	-	-	-
WHITE-----MALE----	2	2	1	-	4	2	-	-	-	-	-	-
FEMALE--	1	-	-	1	-	-	-	1	2	-	-	-
ALL OTHER--MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	2	-	-	-	-	-	-



04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 2222

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

All other and unspecified disorders of circulatory system (I83-I99)

SOUTH DAKOTA -----	-	-	-	-	1	1	-	-	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	1	1	-	-	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
TENNESSEE -----	3	1	1	3	1	3	4	3	1	1	-	-
WHITE-----MALE----	1	1	1	2	-	1	2	2	-	-	-	-
FEMALE--	1	-	-	1	1	1	1	1	1	1	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	1	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	1	1	-	-	-	-	-
TEXAS -----	4	4	3	2	7	7	10	13	6	1	-	-
WHITE-----MALE----	2	2	2	-	4	4	3	4	-	-	-	-
FEMALE--	1	2	1	1	1	2	4	7	5	1	-	-
ALL OTHER--MALE----	-	-	-	1	1	1	3	-	1	-	-	-
FEMALE--	1	-	-	-	1	-	-	2	-	-	-	-
BLACK---MALE----	-	-	-	1	-	1	3	-	1	-	-	-
FEMALE--	1	-	-	-	-	-	-	2	-	-	-	-
UTAH -----	1	1	-	1	-	-	2	2	2	-	-	-
WHITE-----MALE----	-	1	-	-	-	-	1	1	1	-	-	-
FEMALE--	-	-	-	1	-	-	1	1	1	-	-	-
ALL OTHER--MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VERMONT -----	-	-	-	-	-	-	-	1	-	-	-	-
WHITE-----MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	1	-	-	-	-
ALL OTHER--MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
VIRGINIA -----	2	8	3	1	7	3	7	3	2	1	-	-
WHITE-----MALE----	-	2	2	-	2	1	3	1	1	-	-	-
FEMALE--	-	3	1	1	2	1	4	2	1	1	-	-
ALL OTHER--MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	3	-	-	2	1	-	-	-	-	-	-
BLACK---MALE----	1	-	-	-	1	-	-	-	-	-	-	-
FEMALE--	1	3	-	-	2	1	-	-	-	-	-	-







[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
X. Diseases of the respiratory system (J00-J98)												
UNITED STATES -	230,009	696	281	126	166	205	323	355	572	1,037	1,681	2,628
WHITE-----MALE----	98,223	230	91	46	57	68	130	109	192	370	661	1,126
FEMALE--	110,300	156	94	34	51	64	75	114	176	308	551	834
ALL OTHER--MALE----	11,099	177	57	24	33	46	60	70	111	174	239	341
FEMALE--	10,387	133	39	22	25	27	58	62	93	185	230	327
BLACK---MALE-----	8,943	146	48	21	30	41	51	58	103	156	218	312
FEMALE--	8,598	112	31	18	23	21	54	56	86	170	211	301
ALABAMA -----	4,230	10	1	2	1	3	2	10	9	11	38	51
WHITE-----MALE----	1,772	5	1	1	-	3	-	1	1	2	11	19
FEMALE--	1,877	1	-	-	1	-	1	3	1	5	14	17
ALL OTHER--MALE----	299	1	-	-	-	-	-	4	3	1	2	7
FEMALE--	282	3	-	1	-	-	1	2	4	3	11	8
BLACK---MALE-----	298	1	-	-	-	-	-	4	3	1	2	7
FEMALE--	277	3	-	1	-	-	1	2	4	3	11	8
ALASKA -----	226	6	-	-	-	-	-	2	1	2	1	10
WHITE-----MALE----	85	-	-	-	-	-	-	1	-	-	1	4
FEMALE--	80	-	-	-	-	-	-	-	1	1	-	3
ALL OTHER--MALE----	29	5	-	-	-	-	-	-	-	-	-	1
FEMALE--	32	1	-	-	-	-	-	1	-	1	-	2
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	3	-	-	-	-	-	-	1	-	-	-	1
ARIZONA -----	4,425	35	13	-	1	2	3	6	11	28	30	46
WHITE-----MALE----	2,105	17	4	-	1	1	2	2	6	17	15	28
FEMALE--	2,102	8	4	-	-	-	1	2	2	4	9	11
ALL OTHER--MALE----	110	7	2	-	-	-	-	2	2	5	2	3
FEMALE--	108	3	3	-	-	1	-	-	1	2	4	4
BLACK---MALE-----	32	3	-	-	-	-	-	-	1	2	-	-
FEMALE--	31	1	3	-	-	1	-	-	-	-	1	3
ARKANSAS -----	2,625	15	3	1	2	2	11	5	11	8	24	30
WHITE-----MALE----	1,185	8	-	-	-	2	7	2	4	1	11	13
FEMALE--	1,229	4	-	1	-	-	2	2	3	4	7	10
ALL OTHER--MALE----	116	-	3	-	1	-	-	1	2	2	4	4
FEMALE--	95	3	-	-	1	-	2	-	2	1	2	3
BLACK---MALE-----	114	-	3	-	1	-	-	1	2	2	4	4
FEMALE--	88	2	-	-	1	-	2	-	2	1	2	3
CALIFORNIA -----	24,049	45	28	11	9	15	24	19	51	64	172	221
WHITE-----MALE----	9,650	15	18	3	4	6	5	10	21	23	73	93
FEMALE--	11,602	11	7	2	3	4	9	4	14	20	64	71
ALL OTHER--MALE----	1,533	10	1	1	2	3	9	3	11	14	19	26
FEMALE--	1,264	9	2	5	-	2	1	2	5	7	16	31
BLACK---MALE-----	661	4	-	-	1	1	3	1	9	11	13	21
FEMALE--	622	5	1	3	-	1	-	2	3	6	12	25

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 2224

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

X. Diseases of the respiratory system (J00-J98)

UNITED STATES -	4,256	6,651	10,390	17,025	28,010	39,077	42,897	38,757	23,793	9,025	2,049	9
WHITE-----MALE----	1,812	3,036	4,736	8,010	13,564	18,489	19,259	15,504	8,034	2,320	375	4
FEMALE--	1,553	2,629	4,348	7,200	11,961	17,495	20,600	20,674	14,009	5,963	1,410	1
ALL OTHER--MALE----	507	526	765	1,026	1,411	1,771	1,578	1,179	703	237	62	2
FEMALE--	384	460	541	789	1,074	1,322	1,460	1,400	1,047	505	202	2
BLACK---MALE----	441	460	642	860	1,160	1,407	1,223	849	500	170	46	1
FEMALE--	348	401	463	645	886	1,073	1,166	1,103	838	421	170	1
ALABAMA -----	100	160	246	387	551	710	746	617	415	129	31	-
WHITE-----MALE----	38	70	124	183	258	336	323	244	121	24	7	-
FEMALE--	37	55	89	160	216	316	336	292	242	78	13	-
ALL OTHER--MALE----	16	19	22	27	45	36	47	32	26	7	4	-
FEMALE--	9	16	11	17	32	22	40	49	26	20	7	-
BLACK---MALE----	16	19	22	26	45	36	47	32	26	7	4	-
FEMALE--	9	14	10	15	32	22	40	49	26	20	7	-
ALASKA -----	11	6	15	22	29	46	31	26	13	3	2	-
WHITE-----MALE----	5	2	6	6	13	17	12	13	5	-	-	-
FEMALE--	4	3	7	8	7	18	14	6	5	2	1	-
ALL OTHER--MALE----	1	1	1	4	3	6	2	3	2	-	-	-
FEMALE--	1	-	1	4	6	5	3	4	1	1	1	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
ARIZONA -----	76	142	230	367	562	780	844	708	387	132	20	2
WHITE-----MALE----	43	80	111	196	281	367	435	305	153	37	3	1
FEMALE--	28	54	110	156	248	384	384	377	219	85	15	1
ALL OTHER--MALE----	4	2	6	5	18	16	16	8	8	4	-	-
FEMALE--	1	6	3	10	15	13	9	18	7	6	2	-
BLACK---MALE----	2	-	2	2	6	7	3	1	3	-	-	-
FEMALE--	1	2	1	5	4	1	1	5	2	-	-	-
ARKANSAS -----	51	101	145	210	337	424	478	404	252	86	25	-
WHITE-----MALE----	24	59	64	111	155	208	225	171	97	19	4	-
FEMALE--	20	36	74	78	153	190	227	208	132	58	20	-
ALL OTHER--MALE----	5	3	3	11	19	18	19	7	9	5	-	-
FEMALE--	2	3	4	10	10	8	7	18	14	4	1	-
BLACK---MALE----	5	3	3	11	18	17	19	7	9	5	-	-
FEMALE--	2	3	4	10	10	7	6	16	12	4	1	-
CALIFORNIA -----	403	625	999	1,635	2,686	4,143	4,774	4,248	2,640	1,002	234	1
WHITE-----MALE----	167	265	457	672	1,194	1,872	1,986	1,598	853	267	48	-
FEMALE--	151	246	408	748	1,176	1,846	2,299	2,243	1,507	617	152	-
ALL OTHER--MALE----	51	55	84	122	184	251	273	215	134	52	13	-
FEMALE--	34	59	50	93	132	174	216	192	146	66	21	1
BLACK---MALE----	25	38	47	68	92	107	102	63	34	17	4	-
FEMALE--	28	38	29	51	63	83	97	80	54	32	9	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
X. Diseases of the respiratory system (J00-J98)												
COLORADO -----	3,077	3	3	2	1	3	6	3	8	17	28	30
WHITE-----MALE----	1,531	2	2	1	1	2	5	1	5	10	13	21
FEMALE--	1,461	-	-	1	-	1	-	2	3	3	14	7
ALL OTHER--MALE----	46	1	-	-	-	-	-	-	-	2	-	1
FEMALE--	39	-	1	-	-	-	1	-	-	2	1	1
BLACK---MALE----	31	-	-	-	-	-	-	-	-	2	-	-
FEMALE--	21	-	-	-	-	-	1	-	-	1	1	-
CONNECTICUT -----	3,135	5	6	3	3	1	3	3	5	11	18	27
WHITE-----MALE----	1,330	4	1	1	1	-	-	2	-	5	6	9
FEMALE--	1,683	1	3	2	2	-	1	1	5	1	8	12
ALL OTHER--MALE----	53	-	1	-	-	1	-	-	-	-	2	3
FEMALE--	69	-	1	-	-	-	1	-	-	5	2	3
BLACK---MALE----	44	-	1	-	-	1	-	-	-	-	2	3
FEMALE--	65	-	1	-	-	-	1	-	-	5	2	2
DELAWARE -----	642	1	2	1	1	-	2	1	4	5	6	6
WHITE-----MALE----	257	-	1	1	-	-	1	-	-	1	1	-
FEMALE--	308	-	1	-	-	-	-	-	1	1	2	3
ALL OTHER--MALE----	47	1	-	-	-	-	1	-	3	2	1	2
FEMALE--	30	-	-	-	1	-	-	1	-	1	2	1
BLACK---MALE----	47	1	-	-	-	-	1	-	3	2	1	2
FEMALE--	27	-	-	-	1	-	-	1	-	1	2	1
DISTRICT OF COLUMBIA ---	311	1	-	-	-	-	1	1	1	3	1	5
WHITE-----MALE----	35	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	50	-	-	-	-	-	-	-	-	-	-	-
ALL OTHER--MALE----	117	-	-	-	-	-	-	1	-	1	1	2
FEMALE--	109	1	-	-	-	-	1	-	1	2	-	3
BLACK---MALE----	114	-	-	-	-	-	-	-	-	1	1	2
FEMALE--	108	1	-	-	-	-	1	-	1	2	-	3
FLORIDA -----	15,173	47	17	8	6	8	13	15	25	60	106	194
WHITE-----MALE----	6,905	16	7	3	2	3	4	3	5	24	43	79
FEMALE--	7,195	7	3	2	2	1	4	3	9	15	36	70
ALL OTHER--MALE----	589	18	4	3	-	2	3	4	5	11	15	26
FEMALE--	484	6	3	-	2	2	2	5	6	10	12	19
BLACK---MALE----	562	18	4	3	-	2	3	4	5	11	14	26
FEMALE--	459	6	3	-	2	2	2	5	6	9	11	18
GEORGIA -----	6,006	27	9	-	6	8	8	12	26	46	69	94
WHITE-----MALE----	2,326	3	2	-	1	3	3	1	8	13	20	34
FEMALE--	2,668	3	3	-	2	4	-	5	5	15	14	20
ALL OTHER--MALE----	507	16	4	-	3	1	2	3	9	7	13	22
FEMALE--	505	5	-	-	-	-	3	3	4	11	22	18
BLACK---MALE----	496	16	4	-	3	1	2	3	9	7	13	22
FEMALE--	498	5	-	-	-	-	3	3	4	11	22	18

04/04/14

WORK TABLE III. DEATHS FROM 358 SELECTED CAUSES, BY 5-YEAR AGE GROUPS, RACE, AND SEX: U.S. AND EACH STATE, 2001 PLT B PG 2225

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

X. Diseases of the respiratory system (J00-J98)

COLORADO -----	59	86	170	231	400	576	542	480	288	115	26	-
WHITE-----MALE----	33	47	82	122	218	297	259	233	138	32	7	-
FEMALE--	23	35	80	101	167	267	273	240	144	81	19	-
ALL OTHER--MALE----	3	1	6	5	8	7	8	3	1	-	-	-
FEMALE--	-	3	2	3	7	5	2	4	5	2	-	-
BLACK---MALE-----	2	-	4	4	4	6	5	3	1	-	-	-
FEMALE--	-	2	1	2	4	3	-	2	3	1	-	-
CONNECTICUT -----	31	66	89	162	322	483	619	641	419	183	35	-
WHITE-----MALE----	16	43	35	83	152	210	286	271	144	54	7	-
FEMALE--	10	20	44	73	157	252	317	356	269	125	24	-
ALL OTHER--MALE----	4	3	5	2	5	10	10	4	1	1	-	-
FEMALE--	1	-	5	4	8	11	6	10	5	3	4	-
BLACK---MALE-----	4	-	2	2	4	9	10	4	-	1	-	-
FEMALE--	1	-	4	4	8	10	6	10	5	2	4	-
DELAWARE -----	12	13	41	48	83	109	126	102	53	19	7	-
WHITE-----MALE----	3	4	20	28	35	42	53	45	20	2	-	-
FEMALE--	4	6	10	17	39	51	65	55	32	16	5	-
ALL OTHER--MALE----	3	3	7	2	5	9	4	2	1	1	-	-
FEMALE--	2	-	4	1	4	7	4	-	-	-	2	-
BLACK---MALE-----	3	3	7	2	5	9	4	2	1	1	-	-
FEMALE--	2	-	4	1	3	7	3	-	-	-	1	-
DISTRICT OF COLUMBIA ---	10	16	20	23	29	49	56	44	31	13	7	-
WHITE-----MALE----	-	1	1	6	2	7	10	6	2	-	-	-
FEMALE--	-	1	-	1	2	5	7	10	10	10	4	-
ALL OTHER--MALE----	2	11	10	12	13	23	17	14	9	1	-	-
FEMALE--	8	3	9	4	12	14	22	14	10	2	3	-
BLACK---MALE-----	2	11	10	12	13	23	16	14	8	1	-	-
FEMALE--	8	3	9	4	11	14	22	14	10	2	3	-
FLORIDA -----	254	401	664	1,117	1,899	2,650	2,916	2,562	1,547	563	99	2
WHITE-----MALE----	118	198	283	565	932	1,330	1,409	1,072	598	184	25	2
FEMALE--	95	153	294	451	845	1,173	1,365	1,370	874	357	66	-
ALL OTHER--MALE----	25	31	51	60	67	83	71	64	38	6	2	-
FEMALE--	16	19	36	41	55	64	71	56	37	16	6	-
BLACK---MALE-----	25	29	49	57	64	78	66	63	37	2	2	-
FEMALE--	16	19	32	40	51	58	69	53	35	16	6	-
GEORGIA -----	149	226	392	591	797	975	985	829	523	196	36	2
WHITE-----MALE----	52	84	174	248	352	420	406	293	159	43	7	-
FEMALE--	44	79	148	254	338	435	455	419	288	121	16	-
ALL OTHER--MALE----	31	30	45	43	59	69	67	47	25	10	-	1
FEMALE--	22	33	25	46	48	51	57	70	51	22	13	1
BLACK---MALE-----	29	30	44	42	56	68	65	47	24	10	-	1
FEMALE--	22	33	25	45	46	50	56	68	51	22	13	1

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
X. Diseases of the respiratory system (J00-J98)												
HAWAII -----	735	7	1	-	-	-	3	4	1	4	2	11
WHITE-----MALE----	100	-	-	-	-	-	1	-	-	1	-	2
FEMALE--	106	-	-	-	-	-	-	1	-	1	-	1
ALL OTHER--MALE----	290	4	-	-	-	-	-	1	-	1	1	4
FEMALE--	239	3	1	-	-	-	2	2	1	1	1	4
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
IDAHO -----	1,020	2	2	-	1	-	2	2	4	3	4	7
WHITE-----MALE----	521	2	1	-	-	-	-	-	3	1	1	4
FEMALE--	484	-	1	-	1	-	2	1	-	2	3	1
ALL OTHER--MALE----	6	-	-	-	-	-	-	1	-	-	-	-
FEMALE--	9	-	-	-	-	-	-	-	1	-	-	2
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
ILLINOIS -----	9,382	31	17	12	19	13	20	18	32	61	79	118
WHITE-----MALE----	3,872	10	6	6	6	5	6	4	5	16	21	43
FEMALE--	4,393	8	3	1	4	1	1	4	10	15	18	35
ALL OTHER--MALE----	560	5	6	1	7	4	4	5	11	13	24	19
FEMALE--	557	8	2	4	2	3	9	5	6	17	16	21
BLACK---MALE----	516	4	5	1	6	2	4	5	11	12	24	19
FEMALE--	519	7	2	4	2	3	9	5	6	16	16	21
INDIANA -----	5,417	23	8	2	-	5	10	5	14	22	39	56
WHITE-----MALE----	2,420	11	2	-	-	1	7	2	7	10	19	30
FEMALE--	2,732	8	3	1	-	2	1	2	4	6	16	14
ALL OTHER--MALE----	136	2	2	1	-	2	1	-	1	4	1	7
FEMALE--	129	2	1	-	-	-	1	1	2	2	3	5
BLACK---MALE----	134	2	2	1	-	2	1	-	1	4	1	7
FEMALE--	125	2	1	-	-	-	1	1	2	1	3	5
IOWA -----	2,967	5	1	2	2	4	6	4	4	13	11	20
WHITE-----MALE----	1,437	2	-	-	1	1	4	2	3	8	4	8
FEMALE--	1,498	3	1	2	1	2	2	2	1	4	6	11
ALL OTHER--MALE----	15	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	17	-	-	-	-	-	-	-	-	1	1	1
BLACK---MALE----	11	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	16	-	-	-	-	-	-	-	-	1	1	1
KANSAS -----	2,478	8	4	1	2	2	6	1	6	7	13	24
WHITE-----MALE----	1,162	5	1	-	-	1	4	1	3	5	8	7
FEMALE--	1,233	1	1	1	1	1	1	-	3	-	4	14
ALL OTHER--MALE----	42	1	1	-	-	-	1	-	-	-	1	2
FEMALE--	41	1	1	-	1	-	-	-	-	2	-	1
BLACK---MALE----	32	-	1	-	-	-	1	-	-	-	-	2
FEMALE--	34	1	-	-	1	-	-	-	-	2	-	1

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
--	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	----------------	------------------------	-------------------

X. Diseases of the respiratory system (J00-J98)

HAWAII -----	18	17	26	50	65	102	145	137	94	40	8	-
WHITE-----MALE----	2	2	7	14	11	10	22	20	7	1	-	-
FEMALE--	5	2	3	8	8	18	22	13	12	12	-	-
ALL OTHER--MALE----	6	7	13	12	27	46	52	62	40	11	3	-
FEMALE--	5	6	3	16	19	28	49	42	35	16	5	-
BLACK---MALE----	1	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	1	-	-	-	-	-
IDAHO -----	15	36	50	79	104	181	195	169	120	39	5	-
WHITE-----MALE----	9	22	26	43	58	93	109	81	53	14	1	-
FEMALE--	6	13	23	35	44	87	84	88	65	24	4	-
ALL OTHER--MALE----	-	-	-	-	1	-	2	-	1	1	-	-
FEMALE--	-	1	1	1	1	1	-	-	1	-	-	-
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	1	-	-	-	-	-	-	-	-
ILLINOIS -----	189	262	438	650	1,088	1,521	1,654	1,617	1,057	372	114	-
WHITE-----MALE----	71	123	190	290	506	740	746	636	334	89	19	-
FEMALE--	65	92	178	256	441	635	768	876	648	253	81	-
ALL OTHER--MALE----	32	21	33	64	80	81	69	49	23	9	-	-
FEMALE--	21	26	37	40	61	65	71	56	52	21	14	-
BLACK---MALE----	31	19	30	62	74	72	64	44	19	8	-	-
FEMALE--	20	25	36	40	56	59	64	48	49	17	14	-
INDIANA -----	96	145	272	430	725	953	1,023	871	442	230	46	-
WHITE-----MALE----	47	62	126	213	359	463	471	355	146	77	12	-
FEMALE--	42	68	130	195	337	450	506	494	280	140	33	-
ALL OTHER--MALE----	5	10	9	13	13	24	26	7	3	5	-	-
FEMALE--	2	5	7	9	16	16	20	15	13	8	1	-
BLACK---MALE----	5	10	9	12	13	24	25	7	3	5	-	-
FEMALE--	2	5	7	9	16	15	20	13	13	8	1	-
IOWA -----	38	52	114	156	355	464	580	571	354	170	41	-
WHITE-----MALE----	20	26	52	93	202	257	286	265	139	57	7	-
FEMALE--	16	24	60	62	151	202	286	302	213	113	34	-
ALL OTHER--MALE----	1	2	1	1	2	3	3	-	1	-	-	-
FEMALE--	1	-	1	-	-	2	5	4	1	-	-	-
BLACK---MALE----	1	1	1	1	2	2	2	-	-	-	-	-
FEMALE--	1	-	1	-	-	2	4	4	1	-	-	-
KANSAS -----	38	68	104	197	315	398	459	413	261	122	29	-
WHITE-----MALE----	20	37	58	95	169	203	232	175	99	35	4	-
FEMALE--	15	28	38	93	137	185	219	228	154	86	23	-
ALL OTHER--MALE----	1	1	6	6	3	6	6	3	4	-	-	-
FEMALE--	2	2	2	3	6	4	2	7	4	1	2	-
BLACK---MALE----	1	-	5	5	3	5	4	2	3	-	-	-
FEMALE--	2	2	-	3	6	2	2	6	3	1	2	-



[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
X. Diseases of the respiratory system (J00-J98)												
KENTUCKY -----	4,206	7	4	3	2	3	8	8	11	25	30	54
WHITE-----MALE----	1,937	4	1	1	-	1	7	5	2	8	18	24
FEMALE--	2,077	2	3	2	1	2	-	3	8	12	11	23
ALL OTHER--MALE----	101	-	-	-	1	-	-	-	-	3	-	3
FEMALE--	91	1	-	-	-	-	1	-	1	2	1	4
BLACK---MALE----	100	-	-	-	1	-	-	-	-	3	-	3
FEMALE--	89	1	-	-	-	-	1	-	1	2	1	4
LOUISIANA -----	3,435	19	2	1	3	3	12	12	14	18	41	38
WHITE-----MALE----	1,263	3	1	-	3	-	4	3	1	6	9	12
FEMALE--	1,432	1	-	-	-	1	1	2	4	3	13	7
ALL OTHER--MALE----	387	8	1	1	-	2	5	5	4	4	11	8
FEMALE--	353	7	-	-	-	-	2	2	5	5	8	11
BLACK---MALE----	380	8	1	1	-	2	5	5	4	4	11	7
FEMALE--	349	7	-	-	-	-	2	2	5	4	8	11
MAINE -----	1,328	-	1	1	-	-	-	2	3	3	6	9
WHITE-----MALE----	602	-	-	1	-	-	-	1	1	1	6	3
FEMALE--	717	-	1	-	-	-	-	1	2	2	-	5
ALL OTHER--MALE----	4	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	5	-	-	-	-	-	-	-	-	-	-	-
BLACK---MALE----	3	-	-	-	-	-	-	-	-	-	-	1
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	3,691	14	7	3	1	4	7	5	14	23	32	49
WHITE-----MALE----	1,316	1	2	-	-	-	2	2	3	6	8	18
FEMALE--	1,714	3	-	1	-	-	2	1	2	2	4	11
ALL OTHER--MALE----	312	5	4	1	-	2	1	1	5	8	14	12
FEMALE--	349	5	1	1	1	2	2	1	4	7	6	8
BLACK---MALE----	294	5	4	1	-	2	1	1	5	8	14	12
FEMALE--	328	5	1	1	1	2	1	1	4	6	6	8
MASSACHUSETTS -----	6,134	7	4	5	10	4	3	6	14	24	27	50
WHITE-----MALE----	2,539	3	3	2	4	2	-	4	10	8	11	23
FEMALE--	3,412	4	-	3	3	1	1	2	3	12	13	24
ALL OTHER--MALE----	97	-	1	-	-	1	2	-	-	1	1	2
FEMALE--	86	-	-	-	3	-	-	-	1	3	2	1
BLACK---MALE----	73	-	1	-	-	1	2	-	-	1	1	2
FEMALE--	71	-	-	-	3	-	-	-	1	2	2	1
MICHIGAN -----	7,671	27	12	4	8	10	10	10	27	60	76	108
WHITE-----MALE----	3,309	12	2	-	1	1	4	2	12	23	24	39
FEMALE--	3,558	3	5	1	3	4	1	3	9	16	27	28
ALL OTHER--MALE----	424	9	1	1	2	5	2	2	4	14	15	17
FEMALE--	380	3	4	2	2	-	3	3	2	7	10	24
BLACK---MALE----	387	9	1	1	2	5	2	1	3	12	14	17
FEMALE--	353	3	4	1	2	-	3	3	2	7	10	24

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
X. Diseases of the respiratory system (J00-J98)												
KENTUCKY -----	83	140	234	401	533	734	706	656	375	149	40	-
WHITE-----MALE----	31	70	112	195	291	370	352	269	128	42	6	-
FEMALE--	44	64	108	184	218	330	335	361	234	102	30	-
ALL OTHER--MALE----	5	2	7	11	15	16	10	16	7	4	1	-
FEMALE--	3	4	7	11	9	18	9	10	6	1	3	-
BLACK---MALE-----	5	2	7	10	15	16	10	16	7	4	1	-
FEMALE--	3	4	7	11	9	17	9	10	5	1	3	-
LOUISIANA -----	89	123	185	284	439	570	579	490	364	124	25	-
WHITE-----MALE----	24	48	88	115	196	221	235	164	95	33	2	-
FEMALE--	26	43	60	99	165	238	256	250	192	57	14	-
ALL OTHER--MALE----	16	16	26	40	47	66	49	36	25	14	3	-
FEMALE--	23	16	11	30	31	45	39	40	52	20	6	-
BLACK---MALE-----	15	16	25	38	47	66	49	35	25	13	3	-
FEMALE--	23	16	11	30	31	42	39	40	52	20	6	-
MAINE -----	23	44	58	118	169	215	244	239	123	53	17	-
WHITE-----MALE----	11	21	26	59	87	111	114	98	45	14	3	-
FEMALE--	10	22	31	57	82	103	129	141	78	39	14	-
ALL OTHER--MALE----	1	-	-	1	-	1	-	-	-	-	-	-
FEMALE--	1	1	1	1	-	-	1	-	-	-	-	-
BLACK---MALE-----	1	-	-	-	-	1	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	-	-	-	-
MARYLAND -----	61	108	183	233	429	637	723	616	370	146	26	-
WHITE-----MALE----	14	43	67	85	171	233	303	231	99	27	1	-
FEMALE--	17	35	78	98	193	286	336	313	216	98	18	-
ALL OTHER--MALE----	18	11	19	24	32	62	37	29	19	7	1	-
FEMALE--	12	19	19	26	33	56	47	43	36	14	6	-
BLACK---MALE-----	17	11	18	23	29	57	34	25	19	7	1	-
FEMALE--	12	19	19	24	29	52	47	41	29	14	6	-
MASSACHUSETTS -----	72	159	204	345	649	927	1,221	1,188	799	336	80	-
WHITE-----MALE----	33	79	90	163	314	473	550	425	246	81	15	-
FEMALE--	34	74	103	173	311	426	648	732	534	249	62	-
ALL OTHER--MALE----	3	4	8	6	14	19	12	14	7	1	1	-
FEMALE--	2	2	3	3	10	9	11	17	12	5	2	-
BLACK---MALE-----	3	3	7	3	9	17	8	8	5	1	1	-
FEMALE--	2	2	2	3	10	7	10	13	7	4	2	-
MICHIGAN -----	146	234	333	577	1,046	1,311	1,397	1,218	729	270	57	1
WHITE-----MALE----	59	98	141	279	505	622	653	489	263	68	11	1
FEMALE--	46	94	144	234	437	580	641	647	415	181	39	-
ALL OTHER--MALE----	25	20	33	30	63	55	55	38	24	7	2	-
FEMALE--	16	22	15	34	41	54	48	44	27	14	5	-
BLACK---MALE-----	24	18	29	25	56	46	54	36	23	7	2	-
FEMALE--	15	19	15	29	36	50	43	41	27	14	5	-

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	ALL AGES	UNDER 1 YEAR	1-4 YEARS	5-9 YEARS	10-14 YEARS	15-19 YEARS	20-24 YEARS	25-29 YEARS	30-34 YEARS	35-39 YEARS	40-44 YEARS	45-49 YEARS
X. Diseases of the respiratory system (J00-J98)												
MINNESOTA -----	3,451	4	1	-	8	1	3	5	3	9	14	22
WHITE-----MALE----	1,593	1	1	-	5	-	3	1	2	4	6	7
FEMALE--	1,772	2	-	-	2	1	-	3	-	4	6	13
ALL OTHER--MALE----	35	-	-	-	-	-	-	-	-	-	2	1
FEMALE--	51	1	-	-	1	-	-	1	1	1	-	1
BLACK---MALE----	17	-	-	-	-	-	-	-	-	-	1	-
FEMALE--	17	1	-	-	-	-	-	-	-	-	-	1
MISSISSIPPI -----	2,604	14	4	1	4	5	7	7	9	19	18	38
WHITE-----MALE----	1,016	1	-	1	-	-	4	3	4	3	7	13
FEMALE--	1,018	2	-	-	1	2	-	-	-	4	1	11
ALL OTHER--MALE----	286	9	3	-	2	3	3	2	2	2	6	8
FEMALE--	284	2	1	-	1	-	-	2	3	10	4	6
BLACK---MALE----	283	8	3	-	2	3	3	2	2	2	6	8
FEMALE--	279	2	1	-	1	-	-	2	3	10	4	6
MISSOURI -----	5,525	20	5	1	1	6	9	11	11	28	43	71
WHITE-----MALE----	2,390	5	1	1	-	1	3	7	3	14	14	28
FEMALE--	2,768	4	2	-	-	5	6	1	6	8	21	26
ALL OTHER--MALE----	186	5	1	-	1	-	-	2	1	3	5	9
FEMALE--	181	6	1	-	-	-	-	1	1	3	3	8
BLACK---MALE----	178	4	1	-	1	-	-	2	1	3	5	9
FEMALE--	174	6	1	-	-	-	-	1	1	3	3	8
MONTANA -----	952	2	1	-	-	-	1	-	1	1	2	9
WHITE-----MALE----	465	-	-	-	-	-	1	-	-	-	1	3
FEMALE--	446	2	-	-	-	-	-	-	-	1	-	4
ALL OTHER--MALE----	18	-	-	-	-	-	-	-	-	-	1	1
FEMALE--	23	-	1	-	-	-	-	-	1	-	-	1
BLACK---MALE----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	1	-	-	-	-	-	-	-	-	-	-	-
NEBRASKA -----	1,500	4	2	2	2	-	3	3	2	5	7	16
WHITE-----MALE----	700	1	1	1	-	-	2	1	-	2	6	4
FEMALE--	753	2	1	-	1	-	1	1	2	3	1	9
ALL OTHER--MALE----	18	-	-	1	-	-	-	1	-	-	-	1
FEMALE--	29	1	-	-	1	-	-	-	-	-	-	2
BLACK---MALE----	12	-	-	1	-	-	-	1	-	-	-	1
FEMALE--	23	1	-	-	1	-	-	-	-	-	-	2
NEVADA -----	1,737	8	2	1	3	3	3	3	5	7	12	26
WHITE-----MALE----	801	-	-	1	1	-	2	-	1	3	4	16
FEMALE--	846	5	2	-	1	1	-	2	2	3	6	9
ALL OTHER--MALE----	44	1	-	-	1	1	1	-	-	-	1	-
FEMALE--	46	2	-	-	-	1	-	1	2	1	1	1
BLACK---MALE----	28	1	-	-	1	1	1	-	-	-	1	-
FEMALE--	28	2	-	-	-	1	-	1	2	1	1	1

[FOR EXPLANATION OF ASTERISKS PRECEDING CAUSE-OF-DEATH CODES, SEE [HTTP://WWW.CDC.GOV/NCHS](http://www.cdc.gov/nchs) AND REFER TO "TECHNICAL APPENDIX FROM VITAL STATISTICS OF THE UNITED STATES: MORTALITY, 2001"]

CAUSE OF DEATH (BASED ON THE TENTH REVISION, INTERNATIONAL CLASSIFICATION OF DISEASES, 1992), RACE, AND SEX

	50-54 YEARS	55-59 YEARS	60-64 YEARS	65-69 YEARS	70-74 YEARS	75-79 YEARS	80-84 YEARS	85-89 YEARS	90-94 YEARS	95-99 YEARS	100 YEARS & OVER	AGE NOT STATED
X. Diseases of the respiratory system (J00-J98)												
MINNESOTA -----	50	77	116	222	426	561	627	659	422	180	41	-
WHITE-----MALE----	29	43	59	112	229	309	311	269	147	50	5	-
FEMALE--	14	32	50	99	187	238	311	378	271	127	34	-
ALL OTHER--MALE----	3	1	1	4	6	7	2	5	1	1	1	-
FEMALE--	4	1	6	7	4	7	3	7	3	2	1	-
BLACK---MALE-----	-	1	1	2	4	3	1	3	-	-	1	-
FEMALE--	-	-	-	3	3	2	2	1	2	1	1	-
MISSISSIPPI -----	76	90	142	210	325	418	428	421	248	84	36	-
WHITE-----MALE----	24	33	59	104	161	198	174	146	62	18	1	-
FEMALE--	27	34	52	69	111	151	175	200	121	34	23	-
ALL OTHER--MALE----	13	13	17	22	32	39	41	40	18	6	5	-
FEMALE--	12	10	14	15	21	30	38	35	47	26	7	-
BLACK---MALE-----	13	12	17	22	32	39	41	39	18	6	5	-
FEMALE--	12	10	14	14	21	30	37	34	47	26	5	-
MISSOURI -----	84	168	266	400	659	879	1,033	919	618	236	57	-
WHITE-----MALE----	45	94	126	176	315	428	505	356	196	63	9	-
FEMALE--	26	60	112	191	309	396	487	522	384	157	45	-
ALL OTHER--MALE----	10	7	13	16	22	27	18	25	14	7	-	-
FEMALE--	3	7	15	17	13	28	23	16	24	9	3	-
BLACK---MALE-----	9	7	13	15	20	26	18	23	14	7	-	-
FEMALE--	3	7	15	15	12	28	21	16	22	9	3	-
MONTANA -----	16	30	38	64	127	163	190	161	97	35	14	-
WHITE-----MALE----	9	18	20	36	67	75	106	78	37	9	5	-
FEMALE--	5	10	14	25	54	83	77	80	57	25	9	-
ALL OTHER--MALE----	1	2	2	1	2	2	3	2	1	-	-	-
FEMALE--	1	-	2	2	4	3	4	1	2	1	-	-
BLACK---MALE-----	-	-	-	-	-	-	-	-	-	-	-	-
FEMALE--	-	-	-	-	-	-	-	-	1	-	-	-
NEBRASKA -----	11	26	55	106	176	267	276	261	172	87	17	-
WHITE-----MALE----	5	14	26	60	97	121	135	122	72	29	1	-
FEMALE--	5	11	23	42	73	133	138	137	98	56	16	-
ALL OTHER--MALE----	-	-	4	2	2	7	-	-	-	-	-	-
FEMALE--	1	1	2	2	4	6	3	2	2	2	-	-
BLACK---MALE-----	-	-	3	1	1	4	-	-	-	-	-	-
FEMALE--	1	1	2	-	4	3	3	2	2	1	-	-
NEVADA -----	32	70	103	183	279	329	312	204	102	41	9	-
WHITE-----MALE----	13	30	56	82	162	168	128	87	32	15	-	-
FEMALE--	16	31	39	90	101	153	172	114	67	24	8	-
ALL OTHER--MALE----	1	4	4	6	5	6	6	2	3	2	-	-
FEMALE--	2	5	4	5	11	2	6	1	-	-	1	-
BLACK---MALE-----	1	2	3	3	3	5	2	1	1	2	-	-
FEMALE--	1	2	2	3	6	1	2	1	-	-	1	-