

Persons with disabilities experiencing problems accessing this page should contact CDC-INFO at [CDC-INFO@cdc.gov](mailto:CDC-INFO@cdc.gov), 800-232-4636 or the TTY number at (888) 232-6348 and ask for a 508 Accommodation PR#9342. If emailing please type "508 Accommodation PR#9342" without quotes in the subject line of the email.

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	All races	Race and Hispanic origin of mother						
		Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Total of all cities of 100,000 or more								
Number								
Low birthweight	119,847	67,591	42,701	704	8,851	34,425	34,043	41,390
Care beginning in first trimester	1,123,762	792,085	232,754	6,371	92,552	380,795	418,669	222,476
Late or no care	61,085	36,236	20,245	607	3,997	25,420	11,185	19,395
Percent								
Low birthweight	8.5	7.0	13.4	8.0	7.8	6.9	7.1	13.6
Care beginning in first trimester	81.5	83.5	75.1	74.2	83.2	78.0	88.9	75.1
Late or no care	4.4	3.8	6.5	7.1	3.6	5.2	2.4	6.5
Abilene, Texas								
Number								
Low birthweight	161	131	27	-	3	44	88	26
Care beginning in first trimester	1,424	1,297	102	6	19	389	915	98
Late or no care	84	72	12	-	-	31	41	12
Percent								
Low birthweight	8.8	7.9	17.6	*	*	8.0	8.0	17.4
Care beginning in first trimester	78.4	79.3	67.5	*	*	71.5	83.3	66.7
Late or no care	4.6	4.4	*	*	*	5.7	3.7	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	All races	Race and Hispanic origin of mother						
		Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Akron, Ohio								
Number								
Low birthweight	320	165	150	-	5	7	158	149
Care beginning in first trimester	2,694	1,835	802	2	55	55	1,778	796
Late or no care	99	47	50	1	1	-	43	50
Percent								
Low birthweight	10.2	8.0	14.8	*	*	*	8.0	14.8
Care beginning in first trimester	87.3	90.7	80.5	*	85.9	90.2	90.8	80.6
Late or no care	3.2	2.3	5.0	*	*	*	2.2	5.1
Albuquerque, New Mexico								
Number								
Low birthweight	757	678	29	33	17	428	252	27
Care beginning in first trimester	5,879	5,280	144	309	146	3,222	2,101	126
Late or no care	563	475	17	61	10	347	138	13
Percent								
Low birthweight	9.1	9.1	12.9	6.7	*	9.1	9.1	13.7
Care beginning in first trimester	74.5	75.2	68.6	65.6	74.9	71.8	80.8	68.9
Late or no care	7.1	6.8	*	13.0	*	7.7	5.3	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Alexandria city, Virginia								
Number								
Low birthweight	208	115	69	-	24	31	88	66
Care beginning in first trimester	1,953	1,370	422	1	160	288	1,135	368
Late or no care	203	86	97	-	20	61	40	88
Percent								
Low birthweight	7.8	6.8	9.4	*	10.8	5.5	7.0	10.6
Care beginning in first trimester	73.7	80.8	57.4	*	72.7	51.2	89.9	59.2
Late or no care	7.7	5.1	13.2	*	9.1	10.8	3.2	14.1
Amarillo, Texas								
Number								
Low birthweight	281	245	32	2	2	94	151	32
Care beginning in first trimester	2,506	2,309	137	9	51	864	1,454	128
Late or no care	134	112	17	3	2	67	46	17
Percent								
Low birthweight	9.0	8.6	16.8	*	*	7.9	8.9	17.6
Care beginning in first trimester	80.0	80.7	71.7	*	79.7	73.0	86.1	70.3
Late or no care	4.3	3.9	*	*	*	5.7	2.7	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Anaheim, California								
Number								
Low birthweight	390	328	10	2	50	247	83	10
Care beginning in first trimester	5,487	4,699	97	11	680	3,757	964	87
Late or no care	159	137	3	2	17	108	30	3
Percent								
Low birthweight	6.3	6.2	*	*	6.7	5.8	7.6	*
Care beginning in first trimester	88.8	88.5	86.6	*	91.5	88.4	89.1	86.1
Late or no care	2.6	2.6	*	*	*	2.5	2.8	*
Anchorage, coext. with Anchorage city, Alaska								
Number								
Low birthweight	274	174	28	46	26	28	105	16
Care beginning in first trimester	3,406	2,361	200	531	314	307	1,557	121
Late or no care	169	106	10	28	25	20	71	8
Percent								
Low birthweight	6.4	6.1	10.3	6.8	5.3	6.7	5.6	*
Care beginning in first trimester	84.7	88.0	83.3	79.7	72.9	80.4	88.1	84.6
Late or no care	4.2	4.0	*	4.2	5.8	5.2	4.0	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Ann Arbor, Michigan								
Number								
Low birthweight	88	61	13	-	14	7	53	13
Care beginning in first trimester	1,266	932	98	3	233	77	806	90
Late or no care	14	8	3	-	3	2	5	3
Percent								
Low birthweight	6.4	6.1	*	*	*	*	6.3	*
Care beginning in first trimester	93.2	93.8	85.2	*	94.3	82.8	95.2	84.9
Late or no care	*	*	*	*	*	*	*	*
Arlington, Texas								
Number								
Low birthweight	517	332	140	3	42	137	194	140
Care beginning in first trimester	4,717	3,504	831	18	364	1,285	2,225	818
Late or no care	339	268	49	-	22	200	68	49
Percent								
Low birthweight	8.0	6.8	13.1	*	9.2	6.1	7.4	13.3
Care beginning in first trimester	74.2	72.5	78.8	*	80.9	57.8	85.2	78.5
Late or no care	5.3	5.5	4.6	*	4.9	9.0	2.6	4.7

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Arlington, Virginia								
Number								
Low birthweight	184	137	26	-	21	44	93	25
Care beginning in first trimester	2,236	1,809	182	2	243	468	1,345	174
Late or no care	172	123	26	-	23	75	50	25
Percent								
Low birthweight	6.5	6.1	9.8	*	6.8	5.7	6.2	10.0
Care beginning in first trimester	78.8	80.0	69.2	*	78.4	60.8	89.5	69.9
Late or no care	6.1	5.4	9.9	*	7.4	9.7	3.3	10.0
Arvada, Colorado								
Number								
Low birthweight	105	89	5	4	7	27	66	3
Care beginning in first trimester	1,179	1,110	14	6	49	185	927	13
Late or no care	35	28	2	2	3	8	21	1
Percent								
Low birthweight	7.6	6.9	*	*	*	11.0	6.3	*
Care beginning in first trimester	86.4	87.4	*	*	76.6	75.8	89.8	*
Late or no care	2.6	2.2	*	*	*	*	2.0	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	All races	Race and Hispanic origin of mother						
		Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Athens, Georgia								
Number								
Low birthweight	114	42	70	-	2	15	28	69
Care beginning in first trimester	936	582	317	-	37	179	407	314
Late or no care	71	32	36	1	2	14	18	36
Percent								
Low birthweight	9.3	5.8	15.7	*	*	*	5.8	15.6
Care beginning in first trimester	76.7	80.2	70.9	*	80.4	71.0	85.0	70.9
Late or no care	5.8	4.4	8.1	*	*	*	*	8.1
Atlanta, Georgia								
Number								
Low birthweight	961	301	632	3	25	107	177	615
Care beginning in first trimester	7,147	3,566	3,256	22	303	1,233	2,094	3,126
Late or no care	426	144	278	-	4	124	24	272
Percent								
Low birthweight	10.4	7.1	13.5	*	7.5	5.9	8.0	13.6
Care beginning in first trimester	78.5	84.9	71.5	95.7	91.8	68.7	95.8	71.3
Late or no care	4.7	3.4	6.1	*	*	6.9	1.1	6.2

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	All races	Race and Hispanic origin of mother						
		Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Augusta, Georgia								
Number								
Low birthweight	239	60	179	-	-	4	57	177
Care beginning in first trimester	1,640	643	968	3	26	47	603	960
Late or no care	89	10	77	1	1	-	10	77
Percent								
Low birthweight	11.7	8.2	14.0	*	*	*	8.4	14.0
Care beginning in first trimester	80.7	88.6	76.1	*	89.7	85.5	88.9	76.1
Late or no care	4.4	*	6.1	*	*	*	*	6.1
Aurora, Colorado								
Number								
Low birthweight	562	412	121	1	28	186	230	119
Care beginning in first trimester	4,296	3,404	588	22	282	1,431	2,003	568
Late or no care	340	278	53	1	8	216	63	52
Percent								
Low birthweight	9.6	8.8	14.9	*	8.1	8.0	9.5	15.2
Care beginning in first trimester	74.5	74.1	74.0	61.1	83.7	62.6	85.3	73.9
Late or no care	5.9	6.1	6.7	*	*	9.4	2.7	6.8

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Aurora, Illinois								
Number								
Low birthweight	290	232	44	1	13	108	125	44
Care beginning in first trimester	3,190	2,773	218	3	196	1,356	1,423	212
Late or no care	117	84	29	-	4	61	25	27
Percent								
Low birthweight	7.5	6.9	13.5	*	*	6.1	8.0	13.8
Care beginning in first trimester	82.6	83.4	68.1	*	90.7	76.5	91.2	67.9
Late or no care	3.0	2.5	9.1	*	*	3.4	1.6	8.7
Austin, Texas								
Number								
Low birthweight	908	726	131	-	51	433	291	131
Care beginning in first trimester	10,418	8,866	827	24	701	4,476	4,371	807
Late or no care	415	350	51	2	12	296	58	48
Percent								
Low birthweight	7.1	6.6	12.4	*	6.6	7.0	6.2	12.8
Care beginning in first trimester	81.6	81.2	78.3	82.8	91.2	72.1	93.1	78.4
Late or no care	3.2	3.2	4.8	*	*	4.8	1.2	4.7

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	All races	Race and Hispanic origin of mother						
		Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Bakersfield, California								
Number								
Low birthweight	578	464	85	5	24	270	197	83
Care beginning in first trimester	5,828	5,143	429	45	211	2,934	2,240	420
Late or no care	161	139	18	2	2	93	46	18
Percent								
Low birthweight	7.3	6.6	13.7	*	8.8	6.3	7.1	13.7
Care beginning in first trimester	85.6	85.7	83.0	84.9	88.7	83.5	88.7	83.0
Late or no care	2.4	2.3	*	*	*	2.6	1.8	*
Baltimore city, Maryland								
Number								
Low birthweight	1,251	262	971	3	15	22	242	966
Care beginning in first trimester	6,967	2,417	4,320	22	208	198	2,240	4,296
Late or no care	582	110	463	-	9	38	76	460
Percent								
Low birthweight	13.2	9.0	15.4	*	*	6.4	9.3	15.4
Care beginning in first trimester	74.5	84.1	69.7	78.6	84.2	59.1	87.0	69.7
Late or no care	6.2	3.8	7.5	*	*	11.3	3.0	7.5

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	All races	Race and Hispanic origin of mother						
		Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Baton Rouge, Louisiana								
Number								
Low birthweight	603	143	445	1	14	8	135	445
Care beginning in first trimester	3,926	1,720	2,036	7	163	93	1,632	2,032
Late or no care	164	30	132	-	2	7	23	132
Percent								
Low birthweight	12.7	7.7	16.5	*	*	*	7.7	16.5
Care beginning in first trimester	82.8	92.4	75.6	*	92.6	79.5	93.2	75.6
Late or no care	3.5	1.6	4.9	*	*	*	1.3	4.9
Beaumont, Texas								
Number								
Low birthweight	149	44	98	1	6	13	32	98
Care beginning in first trimester	1,461	726	693	2	40	208	517	688
Late or no care	87	26	58	-	3	9	17	58
Percent								
Low birthweight	8.5	5.3	11.2	*	*	*	5.5	11.3
Care beginning in first trimester	83.6	88.0	79.7	*	81.6	84.9	89.3	79.6
Late or no care	5.0	3.2	6.7	*	*	*	*	6.7

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	All races	Race and Hispanic origin of mother						
		Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Berkeley, California								
Number								
Low birthweight	69	42	19	-	8	8	33	19
Care beginning in first trimester	906	657	118	5	126	125	521	114
Late or no care	6	4	1	-	1	-	3	1
Percent								
Low birthweight	7.3	6.1	*	*	*	*	6.1	*
Care beginning in first trimester	95.4	95.6	94.4	*	94.7	92.6	96.7	94.2
Late or no care	*	*	*	*	*	*	*	*
Birmingham, Alabama								
Number								
Low birthweight	542	110	426	1	5	12	98	426
Care beginning in first trimester	3,213	980	2,188	3	42	127	854	2,186
Late or no care	176	49	127	-	-	34	16	126
Percent								
Low birthweight	13.1	9.5	14.5	*	*	*	10.4	14.5
Care beginning in first trimester	77.6	84.4	74.8	*	80.8	57.0	90.7	74.9
Late or no care	4.3	4.2	4.3	*	*	15.2	*	4.3

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	All races	Race and Hispanic origin of mother						
		Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Boise City, Idaho								
Number								
Low birthweight	241	229	2	1	9	26	201	2
Care beginning in first trimester	2,781	2,614	30	25	112	162	2,445	28
Late or no care	68	65	-	1	2	10	54	-
Percent								
Low birthweight	7.4	7.5	*	*	*	11.2	7.1	*
Care beginning in first trimester	87.5	87.5	100.0	86.2	83.6	74.0	88.7	100.0
Late or no care	2.1	2.2	*	*	*	*	2.0	*
Boston, Massachusetts								
Number								
Low birthweight	697	293	351	-	53	128	192	321
Care beginning in first trimester	6,823	3,807	2,457	8	551	1,532	2,781	1,944
Late or no care	229	71	144	-	14	41	42	132
Percent								
Low birthweight	8.9	7.0	11.7	*	8.4	7.3	6.5	13.1
Care beginning in first trimester	89.0	92.8	83.7	*	88.7	89.9	94.4	81.7
Late or no care	3.0	1.7	4.9	*	*	2.4	1.4	5.5

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	All races	Race and Hispanic origin of mother						
		Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Bridgeport, Connecticut								
Number								
Low birthweight	209	111	91	-	7	87	29	84
Care beginning in first trimester	1,739	1,030	630	6	73	737	350	577
Late or no care	71	40	27	-	4	32	8	24
Percent								
Low birthweight	9.3	8.3	11.2	*	*	8.7	7.1	11.3
Care beginning in first trimester	78.4	77.9	78.8	*	82.0	74.6	87.3	78.8
Late or no care	3.2	3.0	3.4	*	*	3.2	*	3.3
Bronx borough, Bronx county, New York								
Number								
Low birthweight	2,151	1,053	1,023	-	75	1,053	121	886
Care beginning in first trimester	17,426	10,065	6,687	7	667	9,405	1,610	5,659
Late or no care	1,156	533	590	-	33	554	70	483
Percent								
Low birthweight	9.5	8.4	11.0	*	9.2	8.6	6.4	11.6
Care beginning in first trimester	80.0	81.2	78.0	*	83.6	79.7	86.5	78.6
Late or no care	5.3	4.3	6.9	*	4.1	4.7	3.8	6.7

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Brooklyn borough, Kings county, New York								
Number								
Low birthweight	3,354	1,368	1,687	1	298	693	778	1,571
Care beginning in first trimester	30,885	17,768	9,952	9	3,156	7,144	11,332	9,190
Late or no care	1,894	672	1,074	-	148	404	314	1,026
Percent								
Low birthweight	8.5	6.4	12.0	*	7.2	7.7	5.8	12.1
Care beginning in first trimester	79.4	83.5	72.8	*	79.8	80.1	85.3	72.4
Late or no care	4.9	3.2	7.9	*	3.7	4.5	2.4	8.1
Brownsville, Texas								
Number								
Low birthweight	350	347	3	-	-	342	5	3
Care beginning in first trimester	2,961	2,947	4	-	10	2,892	57	2
Late or no care	754	752	-	-	2	740	12	-
Percent								
Low birthweight	7.5	7.5	*	*	*	7.5	*	*
Care beginning in first trimester	63.9	63.9	*	*	*	63.7	75.0	*
Late or no care	16.3	16.3	*	*	*	16.3	*	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Buffalo, New York								
Number								
Low birthweight	457	187	267	2	1	50	138	265
Care beginning in first trimester	2,551	1,545	910	24	72	241	1,319	896
Late or no care	528	195	318	1	14	65	131	315
Percent								
Low birthweight	11.1	8.7	14.6	*	*	11.7	8.0	14.7
Care beginning in first trimester	69.4	77.6	58.6	77.4	70.6	67.9	79.7	58.5
Late or no care	14.4	9.8	20.5	*	*	18.3	7.9	20.6
Burbank, California								
Number								
Low birthweight	80	67	1	-	12	24	43	1
Care beginning in first trimester	1,119	934	34	3	148	385	551	33
Late or no care	6	5	-	-	1	2	3	-
Percent								
Low birthweight	6.9	6.9	*	*	*	5.9	7.6	*
Care beginning in first trimester	96.1	96.1	97.1	*	96.1	94.4	97.3	97.1
Late or no care	*	*	*	*	*	*	*	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Cambridge, Massachusetts								
Number								
Low birthweight	76	53	16	1	6	6	48	15
Care beginning in first trimester	941	629	154	3	155	79	560	144
Late or no care	27	13	13	-	1	3	9	13
Percent								
Low birthweight	7.1	7.6	*	*	*	*	7.8	*
Care beginning in first trimester	92.3	94.2	85.6	*	92.3	86.8	95.2	85.7
Late or no care	2.6	*	*	*	*	*	*	*
Cape Coral, Florida								
Number								
Low birthweight	102	96	3	-	3	11	85	3
Care beginning in first trimester	1,118	1,052	42	2	22	143	911	40
Late or no care	12	9	2	-	1	-	9	2
Percent								
Low birthweight	8.2	8.3	*	*	*	*	8.5	*
Care beginning in first trimester	90.4	90.8	82.4	*	84.6	87.7	91.4	81.6
Late or no care	*	*	*	*	*	*	*	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Carrollton, Texas								
Number								
Low birthweight	155	109	19	-	27	56	55	16
Care beginning in first trimester	1,468	1,145	107	2	214	557	593	98
Late or no care	60	46	7	-	7	23	23	7
Percent								
Low birthweight	8.5	7.7	*	*	10.6	7.7	7.9	*
Care beginning in first trimester	84.1	83.8	79.3	*	89.5	80.5	87.5	77.8
Late or no care	3.4	3.4	*	*	*	3.3	3.4	*
Cedar Rapids, Iowa								
Number								
Low birthweight	123	107	9	3	4	2	106	9
Care beginning in first trimester	1,645	1,518	74	9	44	39	1,483	73
Late or no care	29	22	7	-	-	1	21	7
Percent								
Low birthweight	6.8	6.5	*	*	*	*	6.6	*
Care beginning in first trimester	91.6	92.6	75.5	*	91.7	84.8	92.9	75.3
Late or no care	1.6	1.3	*	*	*	*	1.3	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Chandler, Arizona								
Number								
Low birthweight	244	211	11	4	18	83	130	11
Care beginning in first trimester	3,577	3,141	105	64	267	1,006	2,140	99
Late or no care	69	63	1	1	4	41	17	-
Percent								
Low birthweight	6.3	6.2	*	*	*	7.1	5.8	*
Care beginning in first trimester	93.2	92.8	94.6	91.4	97.1	86.1	96.6	96.1
Late or no care	1.8	1.9	*	*	*	3.5	*	*
Charlotte, North Carolina								
Number								
Low birthweight	1,005	480	482	4	39	131	348	482
Care beginning in first trimester	8,940	5,677	2,763	30	470	1,084	4,598	2,750
Late or no care	327	172	140	1	14	117	56	139
Percent								
Low birthweight	9.1	7.0	13.5	*	6.9	6.9	7.0	13.6
Care beginning in first trimester	82.8	84.6	78.8	83.3	85.3	60.5	93.3	78.9
Late or no care	3.0	2.6	4.0	*	*	6.5	1.1	4.0

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Chattanooga, Tennessee								
Number								
Low birthweight	315	130	180	-	5	25	105	180
Care beginning in first trimester	1,977	1,260	671	5	41	121	1,141	670
Late or no care	89	55	32	-	2	33	22	32
Percent								
Low birthweight	12.8	8.6	20.3	*	*	11.1	8.1	20.4
Care beginning in first trimester	80.8	83.4	76.5	*	75.9	53.8	88.6	76.5
Late or no care	3.6	3.6	3.6	*	*	14.7	1.7	3.7
Chesapeake city, Virginia								
Number								
Low birthweight	243	120	117	-	6	5	116	116
Care beginning in first trimester	2,536	1,701	758	4	73	61	1,646	751
Late or no care	56	28	27	-	1	1	26	27
Percent								
Low birthweight	8.5	6.5	12.5	*	*	*	6.5	12.5
Care beginning in first trimester	88.6	92.4	81.2	*	89.0	88.4	92.6	81.0
Late or no care	2.0	1.5	2.9	*	*	*	1.5	2.9

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	All races	Race and Hispanic origin of mother						
		Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Chicago, Illinois								
Number								
Low birthweight	4,842	1,983	2,662	6	191	1,212	789	2,643
Care beginning in first trimester	36,509	22,943	11,983	44	1,539	14,303	8,727	11,883
Late or no care	1,871	648	1,162	3	58	484	170	1,155
Percent								
Low birthweight	10.1	6.9	15.6	*	8.8	6.6	7.5	15.6
Care beginning in first trimester	81.0	85.2	73.7	83.0	83.4	82.3	90.4	73.7
Late or no care	4.2	2.4	7.1	*	3.1	2.8	1.8	7.2
Chula Vista, California								
Number								
Low birthweight	223	161	25	2	35	104	57	25
Care beginning in first trimester	3,605	2,985	171	11	438	2,294	698	160
Late or no care	83	69	4	1	9	53	15	4
Percent								
Low birthweight	5.6	4.9	13.2	*	7.3	4.1	7.6	14.1
Care beginning in first trimester	91.2	91.4	89.5	*	90.9	90.9	93.6	89.4
Late or no care	2.1	2.1	*	*	*	2.1	*	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	All races	Race and Hispanic origin of mother						
		Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Cincinnati, Ohio								
Number								
Low birthweight	646	235	404	-	7	13	222	403
Care beginning in first trimester	4,830	2,484	2,212	7	127	130	2,362	2,201
Late or no care	287	76	206	-	5	17	60	205
Percent								
Low birthweight	11.2	8.5	14.1	*	*	*	8.5	14.1
Care beginning in first trimester	84.9	90.8	78.7	*	92.0	72.2	92.0	78.7
Late or no care	5.0	2.8	7.3	*	*	*	2.3	7.3
Clarksville, Tennessee								
Number								
Low birthweight	179	108	65	1	5	7	101	65
Care beginning in first trimester	1,419	1,069	307	5	38	119	958	302
Late or no care	76	46	30	-	-	11	35	30
Percent								
Low birthweight	9.2	7.7	13.6	*	*	*	8.1	13.9
Care beginning in first trimester	79.3	82.0	71.6	*	79.2	72.1	83.1	72.2
Late or no care	4.2	3.5	7.0	*	*	*	3.0	7.2

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	All races	Race and Hispanic origin of mother						
		Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Clearwater, Florida								
Number								
Low birthweight	130	89	34	1	6	22	67	34
Care beginning in first trimester	1,398	1,146	197	2	53	336	812	194
Late or no care	49	34	9	2	4	15	19	9
Percent								
Low birthweight	7.7	6.5	14.0	*	*	4.8	7.4	14.2
Care beginning in first trimester	83.1	84.0	81.7	*	74.6	73.2	89.4	81.5
Late or no care	2.9	2.5	*	*	*	*	*	*
Cleveland, Ohio								
Number								
Low birthweight	876	286	575	2	13	70	216	572
Care beginning in first trimester	5,903	2,518	3,258	13	114	518	2,008	3,241
Late or no care	444	131	301	2	10	27	104	301
Percent								
Low birthweight	11.4	9.1	13.2	*	*	10.1	8.8	13.2
Care beginning in first trimester	77.8	80.8	75.7	*	76.5	75.6	82.1	75.7
Late or no care	5.8	4.2	7.0	*	*	3.9	4.3	7.0

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	All races	Race and Hispanic origin of mother						
		Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Colorado Springs, Colorado								
Number								
Low birthweight	689	543	83	12	51	136	437	77
Care beginning in first trimester	5,105	4,380	370	44	311	967	3,565	349
Late or no care	354	271	37	6	40	117	190	33
Percent								
Low birthweight	10.3	9.7	15.3	*	11.0	9.3	9.9	15.1
Care beginning in first trimester	76.7	78.3	68.0	73.3	67.3	66.2	81.2	68.2
Late or no care	5.3	4.8	6.8	*	8.7	8.0	4.3	6.4
Columbia, South Carolina								
Number								
Low birthweight	263	59	198	-	6	8	51	198
Care beginning in first trimester	1,838	780	983	3	72	88	696	978
Late or no care	115	25	87	-	3	7	18	86
Percent								
Low birthweight	10.6	6.2	13.8	*	*	*	6.3	13.9
Care beginning in first trimester	75.8	84.1	69.8	*	84.7	61.5	88.3	69.9
Late or no care	4.7	2.7	6.2	*	*	*	*	6.1

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	All races	Race and Hispanic origin of mother						
		Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Columbus, Georgia								
Number								
Low birthweight	282	82	196	-	4	7	77	194
Care beginning in first trimester	1,976	934	992	9	41	86	855	984
Late or no care	156	52	100	-	4	19	37	96
Percent								
Low birthweight	10.4	6.7	14.0	*	*	*	7.1	14.0
Care beginning in first trimester	73.7	76.6	71.2	*	69.5	58.5	78.7	71.5
Late or no care	5.8	4.3	7.2	*	*	*	3.4	7.0
Columbus, Ohio								
Number								
Low birthweight	1,055	513	498	2	42	42	462	486
Care beginning in first trimester	8,719	5,536	2,741	26	416	660	4,881	2,661
Late or no care	671	323	318	2	28	31	289	299
Percent								
Low birthweight	9.8	7.9	13.4	*	8.7	5.1	8.1	13.5
Care beginning in first trimester	84.4	87.6	78.1	83.9	88.7	82.4	88.5	78.5
Late or no care	6.5	5.1	9.1	*	6.0	3.9	5.2	8.8

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	All races	Race and Hispanic origin of mother						
		Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Concord, California								
Number								
Low birthweight	99	77	4	-	18	36	37	4
Care beginning in first trimester	1,388	1,155	57	2	174	456	610	46
Late or no care	62	49	4	1	8	38	11	4
Percent								
Low birthweight	5.8	5.4	*	*	*	5.3	5.6	*
Care beginning in first trimester	82.0	81.2	85.1	*	87.0	68.0	92.3	83.6
Late or no care	3.7	3.4	*	*	*	5.7	*	*
Coral Springs, Florida								
Number								
Low birthweight	113	79	27	-	7	19	59	27
Care beginning in first trimester	1,394	1,070	252	4	68	314	752	245
Late or no care	21	12	9	-	-	8	4	9
Percent								
Low birthweight	7.5	6.9	9.1	*	*	*	7.5	9.4
Care beginning in first trimester	93.4	94.8	86.9	*	97.1	91.5	96.0	86.9
Late or no care	1.4	*	*	*	*	*	*	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Corona, California								
Number								
Low birthweight	193	150	13	1	29	74	77	13
Care beginning in first trimester	2,931	2,531	134	11	255	1,365	1,168	129
Late or no care	52	44	5	-	3	28	15	5
Percent								
Low birthweight	5.9	5.3	*	*	10.5	4.7	6.2	*
Care beginning in first trimester	90.3	90.1	89.9	*	92.4	86.7	94.4	90.2
Late or no care	1.6	1.6	*	*	*	1.8	*	*
Corpus Christi, Texas								
Number								
Low birthweight	378	347	24	1	6	256	93	22
Care beginning in first trimester	3,742	3,538	134	7	63	2,461	1,086	127
Late or no care	127	120	4	-	3	103	17	4
Percent								
Low birthweight	8.6	8.4	14.5	*	*	8.6	7.8	14.1
Care beginning in first trimester	85.3	85.5	80.2	*	87.5	83.0	91.5	80.9
Late or no care	2.9	2.9	*	*	*	3.5	*	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Costa Mesa, California								
Number								
Low birthweight	97	84	1	-	12	45	39	1
Care beginning in first trimester	1,597	1,449	13	2	133	802	635	13
Late or no care	39	36	-	-	3	25	11	-
Percent								
Low birthweight	5.6	5.3	*	*	*	5.0	5.8	*
Care beginning in first trimester	91.8	91.8	*	*	91.1	89.8	94.4	*
Late or no care	2.2	2.3	*	*	*	2.8	*	*
Dallas, Texas								
Number								
Low birthweight	1,978	1,170	756	7	45	838	338	745
Care beginning in first trimester	17,784	13,678	3,542	37	527	9,824	3,872	3,507
Late or no care	1,232	810	396	4	22	643	164	393
Percent								
Low birthweight	8.2	6.5	14.2	*	7.0	6.2	7.4	14.2
Care beginning in first trimester	76.4	78.3	68.8	74.0	84.7	75.6	86.2	68.8
Late or no care	5.3	4.6	7.7	*	3.5	4.9	3.7	7.7

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	All races	Race and Hispanic origin of mother						
		Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Daly City, California								
Number								
Low birthweight	116	37	11	1	67	28	10	8
Care beginning in first trimester	1,174	453	47	-	674	292	167	44
Late or no care	37	17	-	-	20	12	5	-
Percent								
Low birthweight	8.6	6.8	*	*	8.9	7.9	*	*
Care beginning in first trimester	87.2	83.4	90.4	*	89.9	82.5	85.6	89.8
Late or no care	2.7	*	*	*	2.7	*	*	*
Dayton, Ohio								
Number								
Low birthweight	268	127	135	2	4	3	124	135
Care beginning in first trimester	2,229	1,285	906	6	32	74	1,220	896
Late or no care	91	33	57	-	1	4	28	57
Percent								
Low birthweight	10.1	8.7	11.6	*	*	*	9.0	11.7
Care beginning in first trimester	83.8	88.1	78.1	*	88.9	77.1	88.9	78.1
Late or no care	3.4	2.3	4.9	*	*	*	2.0	5.0

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Denver, coext. with Denver city, Colorado								
Number								
Low birthweight	1,072	835	180	14	43	486	357	176
Care beginning in first trimester	7,874	6,835	674	56	309	3,605	3,276	652
Late or no care	777	665	79	13	20	537	131	78
Percent								
Low birthweight	9.3	8.4	17.2	*	9.9	8.1	8.9	17.3
Care beginning in first trimester	70.6	71.0	66.7	56.6	73.2	61.5	85.7	66.3
Late or no care	7.0	6.9	7.8	*	4.7	9.2	3.4	7.9
Des Moines, Iowa								
Number								
Low birthweight	269	206	47	3	13	36	170	47
Care beginning in first trimester	2,978	2,524	297	13	144	382	2,149	294
Late or no care	108	78	24	1	5	26	53	23
Percent								
Low birthweight	7.8	7.2	12.3	*	*	7.3	7.1	12.4
Care beginning in first trimester	86.2	87.6	77.3	*	83.7	77.0	89.7	77.6
Late or no care	3.1	2.7	6.3	*	*	5.2	2.2	6.1

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	All races	Race and Hispanic origin of mother						
		Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Detroit, Michigan								
Number								
Low birthweight	1,896	210	1,649	1	36	76	135	1,645
Care beginning in first trimester	9,476	1,777	7,444	10	245	910	942	7,428
Late or no care	1,141	143	955	1	42	102	71	953
Percent								
Low birthweight	13.5	8.5	14.7	*	8.7	5.5	10.7	14.7
Care beginning in first trimester	70.1	74.7	69.4	*	62.3	68.6	77.7	69.4
Late or no care	8.4	6.0	8.9	*	10.7	7.7	5.9	8.9
District of Columbia								
Number								
Low birthweight	833	136	677	-	20	73	113	627
Care beginning in first trimester	5,268	1,799	3,267	4	198	616	1,637	2,835
Late or no care	454	51	390	-	13	42	36	362
Percent								
Low birthweight	10.9	6.5	12.9	*	7.8	7.6	6.1	13.7
Care beginning in first trimester	76.1	86.4	71.1	*	83.2	69.6	89.6	71.0
Late or no care	6.6	2.5	8.5	*	*	4.7	2.0	9.1

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Downey, California								
Number								
Low birthweight	135	116	13	1	5	104	12	12
Care beginning in first trimester	1,579	1,433	44	2	100	1,239	200	39
Late or no care	23	23	-	-	-	17	6	-
Percent								
Low birthweight	7.6	7.2	*	*	*	7.5	*	*
Care beginning in first trimester	90.3	90.6	84.6	*	88.5	91.1	88.5	83.0
Late or no care	1.3	1.5	*	*	*	*	*	*
Durham, North Carolina								
Number								
Low birthweight	340	129	202	-	9	44	84	202
Care beginning in first trimester	3,194	1,872	1,121	5	196	716	1,160	1,115
Late or no care	55	16	37	-	2	11	5	37
Percent								
Low birthweight	9.6	6.4	15.1	*	*	5.6	6.9	15.2
Care beginning in first trimester	90.6	94.3	84.2	*	96.6	92.4	95.5	84.1
Late or no care	1.6	*	2.8	*	*	*	*	2.8

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
El Monte, California								
Number								
Low birthweight	163	140	2	-	21	133	6	2
Care beginning in first trimester	2,221	1,908	13	3	297	1,864	47	12
Late or no care	41	38	-	-	3	37	1	-
Percent								
Low birthweight	6.6	6.6	*	*	6.5	6.4	*	*
Care beginning in first trimester	90.6	90.2	*	*	92.8	90.4	85.5	*
Late or no care	1.7	1.8	*	*	*	1.8	*	*
El Paso, Texas								
Number								
Low birthweight	1,022	967	37	2	16	876	95	34
Care beginning in first trimester	7,925	7,614	199	27	85	6,825	803	175
Late or no care	1,645	1,630	10	2	3	1,588	42	9
Percent								
Low birthweight	7.9	7.7	14.3	*	*	7.6	9.2	15.0
Care beginning in first trimester	66.9	66.4	80.6	84.4	82.5	64.7	84.8	80.3
Late or no care	13.9	14.2	*	*	*	15.1	4.4	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Elizabeth, New Jersey								
Number								
Low birthweight	173	124	44	-	5	98	31	39
Care beginning in first trimester	1,273	959	288	-	26	777	237	234
Late or no care	274	188	81	-	5	171	30	68
Percent								
Low birthweight	7.8	7.6	8.3	*	*	6.9	9.9	9.0
Care beginning in first trimester	57.6	58.6	54.6	*	57.8	54.7	75.7	54.2
Late or no care	12.4	11.5	15.4	*	*	12.0	9.6	15.7
Escondido, California								
Number								
Low birthweight	159	140	7	4	8	71	57	6
Care beginning in first trimester	2,254	2,081	44	12	117	1,158	833	38
Late or no care	53	49	1	-	3	38	7	1
Percent								
Low birthweight	5.5	5.2	*	*	*	4.4	6.0	*
Care beginning in first trimester	85.3	85.0	86.3	*	88.0	81.0	92.4	86.4
Late or no care	2.0	2.0	*	*	*	2.7	*	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	All races	Race and Hispanic origin of mother						
		Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Eugene, Oregon								
Number								
Low birthweight	112	107	-	2	3	10	97	-
Care beginning in first trimester	1,415	1,312	20	10	73	123	1,188	20
Late or no care	98	89	-	1	8	10	79	-
Percent								
Low birthweight	6.1	6.3	*	*	*	*	6.4	*
Care beginning in first trimester	77.1	77.4	90.9	*	71.6	71.1	78.2	90.9
Late or no care	5.3	5.3	*	*	*	*	5.2	*
Evansville, Indiana								
Number								
Low birthweight	205	163	37	-	5	6	157	37
Care beginning in first trimester	1,946	1,709	198	4	35	53	1,658	197
Late or no care	35	28	7	-	-	3	25	7
Percent								
Low birthweight	9.1	8.4	14.3	*	*	*	8.3	14.5
Care beginning in first trimester	87.3	88.5	78.0	*	94.6	80.3	88.7	78.2
Late or no care	1.6	1.4	*	*	*	*	1.3	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	All races	Race and Hispanic origin of mother						
		Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Fayette, coext. with Lexington-Fayette, Kentucky								
Number								
Low birthweight	335	240	83	1	11	23	218	83
Care beginning in first trimester	3,131	2,558	481	4	88	256	2,310	477
Late or no care	127	97	27	-	3	26	71	27
Percent								
Low birthweight	8.9	7.9	13.3	*	*	6.4	8.1	13.4
Care beginning in first trimester	85.0	86.2	78.9	*	88.0	71.1	88.2	79.0
Late or no care	3.4	3.3	4.4	*	*	7.2	2.7	4.5
Fayetteville, North Carolina								
Number								
Low birthweight	345	122	209	8	6	30	96	205
Care beginning in first trimester	2,753	1,532	1,089	41	91	322	1,243	1,060
Late or no care	60	17	39	1	3	3	13	39
Percent								
Low birthweight	10.9	7.3	15.7	*	*	8.5	7.1	15.8
Care beginning in first trimester	87.5	92.1	81.8	82.0	89.2	91.7	92.0	81.9
Late or no care	1.9	*	2.9	*	*	*	*	3.0

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	All races	Race and Hispanic origin of mother						
		Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Flint, Michigan								
Number								
Low birthweight	305	79	224	-	2	2	76	224
Care beginning in first trimester	1,879	918	941	3	17	36	877	940
Late or no care	108	34	74	-	-	-	34	74
Percent								
Low birthweight	12.3	7.1	16.6	*	*	*	7.2	16.6
Care beginning in first trimester	75.8	82.9	69.9	*	*	83.7	82.9	69.9
Late or no care	4.4	3.1	5.5	*	*	*	3.2	5.5
Fontana, California								
Number								
Low birthweight	277	225	40	1	11	185	40	40
Care beginning in first trimester	3,350	2,951	252	6	141	2,464	498	241
Late or no care	96	87	6	-	3	74	13	6
Percent								
Low birthweight	6.9	6.3	13.4	*	*	6.2	6.7	13.9
Care beginning in first trimester	85.0	84.9	85.7	*	86.5	84.8	85.9	85.5
Late or no care	2.4	2.5	*	*	*	2.5	*	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	All races	Race and Hispanic origin of mother						
		Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Fort Collins, Colorado								
Number								
Low birthweight	158	147	2	2	7	32	116	2
Care beginning in first trimester	1,398	1,312	16	8	62	209	1,110	14
Late or no care	91	82	2	2	5	33	50	2
Percent								
Low birthweight	8.8	8.8	*	*	*	9.7	8.6	*
Care beginning in first trimester	77.9	78.4	*	*	75.6	63.1	82.1	*
Late or no care	5.1	4.9	*	*	*	10.0	3.7	*
Fort Lauderdale, Florida								
Number								
Low birthweight	328	117	205	-	6	38	79	205
Care beginning in first trimester	2,478	1,241	1,195	2	40	422	831	1,182
Late or no care	143	47	93	-	3	26	22	92
Percent								
Low birthweight	10.5	8.2	12.6	*	*	7.3	8.6	12.7
Care beginning in first trimester	80.7	87.9	74.4	*	80.0	81.9	91.2	74.2
Late or no care	4.7	3.3	5.8	*	*	5.0	2.4	5.8

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Fort Wayne, Indiana								
Number								
Low birthweight	379	254	115	-	10	24	230	115
Care beginning in first trimester	3,757	3,182	480	3	92	311	2,873	478
Late or no care	151	85	63	-	3	12	73	63
Percent								
Low birthweight	8.5	7.0	15.6	*	*	6.1	7.1	15.6
Care beginning in first trimester	84.6	88.3	66.0	*	83.6	79.1	89.4	66.1
Late or no care	3.4	2.4	8.7	*	*	*	2.3	8.7
Fort Worth, Texas								
Number								
Low birthweight	971	632	313	3	23	360	272	310
Care beginning in first trimester	8,802	6,865	1,631	20	286	3,548	3,296	1,616
Late or no care	782	597	170	3	12	461	134	169
Percent								
Low birthweight	8.4	6.9	14.8	*	6.8	6.7	7.3	14.8
Care beginning in first trimester	75.9	75.4	76.7	80.0	85.9	66.3	88.3	76.8
Late or no care	6.7	6.6	8.0	*	*	8.6	3.6	8.0

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Fremont, California								
Number								
Low birthweight	224	90	8	-	126	35	53	8
Care beginning in first trimester	2,940	1,212	67	11	1,650	467	726	64
Late or no care	55	33	2	1	19	14	19	2
Percent								
Low birthweight	6.9	6.6	*	*	7.0	6.5	6.6	*
Care beginning in first trimester	91.2	90.0	80.7	*	92.5	87.9	90.9	83.1
Late or no care	1.7	2.5	*	*	*	*	*	*
Fresno, California								
Number								
Low birthweight	700	503	89	10	98	352	153	87
Care beginning in first trimester	8,625	6,928	694	80	923	4,820	2,143	672
Late or no care	197	157	20	3	17	126	32	19
Percent								
Low birthweight	7.1	6.4	10.9	*	8.5	6.4	6.5	11.1
Care beginning in first trimester	87.5	88.8	85.4	81.6	80.5	87.3	91.9	85.5
Late or no care	2.0	2.0	2.5	*	*	2.3	1.4	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	All races	Race and Hispanic origin of mother						
		Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Fullerton, California								
Number								
Low birthweight	104	73	7	1	23	53	22	6
Care beginning in first trimester	1,669	1,336	29	4	300	820	518	27
Late or no care	37	30	-	-	7	15	15	-
Percent								
Low birthweight	5.7	5.0	*	*	7.1	5.8	3.9	*
Care beginning in first trimester	91.0	90.8	82.9	*	92.9	89.9	92.0	81.8
Late or no care	2.0	2.0	*	*	*	*	*	*
Garden Grove, California								
Number								
Low birthweight	174	110	1	1	62	81	27	1
Care beginning in first trimester	2,661	1,648	17	5	991	1,260	386	16
Late or no care	66	51	-	-	15	39	12	-
Percent								
Low birthweight	5.9	6.0	*	*	5.8	5.7	6.3	*
Care beginning in first trimester	90.5	89.5	*	*	93.1	89.2	90.2	*
Late or no care	2.2	2.8	*	*	*	2.8	*	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	All races	Race and Hispanic origin of mother						
		Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Garland, Texas								
Number								
Low birthweight	293	223	48	1	21	139	84	48
Care beginning in first trimester	2,915	2,297	354	6	258	1,331	970	350
Late or no care	176	142	28	-	6	90	52	28
Percent								
Low birthweight	7.7	7.5	9.7	*	6.8	7.7	7.1	9.8
Care beginning in first trimester	78.4	78.4	73.3	*	85.4	75.8	82.6	73.1
Late or no care	4.7	4.8	5.8	*	*	5.1	4.4	5.8
Gary, Indiana								
Number								
Low birthweight	209	30	178	1	-	8	23	178
Care beginning in first trimester	1,158	201	954	1	2	57	146	952
Late or no care	133	12	121	-	-	2	10	121
Percent								
Low birthweight	12.5	11.0	12.8	*	*	*	11.8	12.8
Care beginning in first trimester	69.5	75.0	68.5	*	*	70.4	76.8	68.5
Late or no care	8.0	*	8.7	*	*	*	*	8.7

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Gilbert, Arizona								
Number								
Low birthweight	167	148	5	2	12	33	115	5
Care beginning in first trimester	2,482	2,270	58	26	128	340	1,932	55
Late or no care	36	34	1	-	1	12	18	1
Percent								
Low birthweight	6.3	6.1	*	*	*	8.3	5.7	*
Care beginning in first trimester	94.0	93.8	92.1	100.0	96.2	86.1	95.5	91.7
Late or no care	1.4	1.4	*	*	*	*	*	*
Glendale, Arizona								
Number								
Low birthweight	363	315	24	8	16	141	172	21
Care beginning in first trimester	3,833	3,396	187	76	174	1,422	1,990	155
Late or no care	344	304	27	3	10	199	39	8
Percent								
Low birthweight	7.4	7.2	9.3	*	*	6.7	7.8	10.7
Care beginning in first trimester	78.4	78.4	72.2	80.9	84.5	68.3	91.0	79.1
Late or no care	7.0	7.0	10.4	*	*	9.6	1.8	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	All races	Race and Hispanic origin of mother						
		Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Glendale, California								
Number								
Low birthweight	140	105	2	-	33	39	68	2
Care beginning in first trimester	1,909	1,488	29	1	391	517	977	28
Late or no care	18	17	-	-	1	10	7	-
Percent								
Low birthweight	6.9	6.6	*	*	8.0	6.9	6.7	*
Care beginning in first trimester	94.6	94.3	96.7	*	95.4	91.3	95.9	96.6
Late or no care	*	*	*	*	*	*	*	*
Grand Prairie, Texas								
Number								
Low birthweight	187	128	51	1	7	87	41	51
Care beginning in first trimester	1,949	1,518	326	3	102	988	531	322
Late or no care	109	88	17	1	3	68	20	17
Percent								
Low birthweight	7.4	6.5	12.0	*	*	6.6	6.2	12.1
Care beginning in first trimester	78.4	78.2	77.6	*	86.4	76.1	82.2	77.6
Late or no care	4.4	4.5	*	*	*	5.2	3.1	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Grand Rapids, Michigan								
Number								
Low birthweight	307	180	119	-	8	58	123	117
Care beginning in first trimester	3,052	2,405	568	10	69	649	1,760	555
Late or no care	157	95	57	2	3	46	49	57
Percent								
Low birthweight	8.1	6.2	14.8	*	*	6.8	6.0	14.9
Care beginning in first trimester	81.5	83.9	72.1	*	87.3	76.9	86.7	72.1
Late or no care	4.2	3.3	7.2	*	*	5.5	2.4	7.4
Green Bay, Wisconsin								
Number								
Low birthweight	140	120	2	8	10	25	95	2
Care beginning in first trimester	1,516	1,337	35	80	64	196	1,147	34
Late or no care	88	70	3	5	10	33	37	3
Percent								
Low birthweight	7.2	7.3	*	*	*	7.6	7.2	*
Care beginning in first trimester	78.1	81.5	70.0	66.7	49.2	59.4	87.0	69.4
Late or no care	4.5	4.3	*	*	*	10.0	2.8	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	All races	Race and Hispanic origin of mother						
		Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Greensboro, North Carolina								
Number								
Low birthweight	348	128	198	2	20	26	102	198
Care beginning in first trimester	2,916	1,561	1,188	22	145	344	1,224	1,181
Late or no care	99	48	46	-	5	31	18	45
Percent								
Low birthweight	10.3	7.3	13.8	*	11.4	5.6	7.8	13.8
Care beginning in first trimester	86.0	89.0	82.5	95.7	82.9	74.5	94.0	82.6
Late or no care	2.9	2.7	3.2	*	*	6.7	*	3.1
Hampton city, Virginia								
Number								
Low birthweight	183	48	130	-	5	3	46	129
Care beginning in first trimester	1,481	682	745	3	51	55	647	729
Late or no care	62	14	45	1	2	-	14	45
Percent								
Low birthweight	10.1	6.2	13.4	*	*	*	6.2	13.5
Care beginning in first trimester	81.8	87.8	76.8	*	86.4	90.2	87.7	76.6
Late or no care	3.4	*	4.6	*	*	*	*	4.7

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	All races	Race and Hispanic origin of mother						
		Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Hartford, Connecticut								
Number								
Low birthweight	225	121	98	1	5	101	18	98
Care beginning in first trimester	1,627	925	672	9	21	790	164	641
Late or no care	65	46	19	-	-	40	6	19
Percent								
Low birthweight	10.4	9.4	11.7	*	*	9.1	*	12.3
Care beginning in first trimester	75.3	72.5	80.0	*	63.6	71.8	74.9	80.4
Late or no care	3.0	3.6	*	*	*	3.6	*	*
Hayward, California								
Number								
Low birthweight	216	127	34	1	54	101	23	34
Care beginning in first trimester	2,599	1,693	294	7	605	1,317	396	284
Late or no care	62	47	8	-	7	35	13	7
Percent								
Low birthweight	7.2	6.4	10.2	*	8.0	6.5	5.0	10.7
Care beginning in first trimester	87.6	86.6	89.4	*	89.8	86.5	86.7	89.9
Late or no care	2.1	2.4	*	*	*	2.3	*	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Henderson, Nevada								
Number								
Low birthweight	222	196	8	-	18	26	171	8
Care beginning in first trimester	2,233	1,942	100	15	176	319	1,624	96
Late or no care	60	51	2	1	6	16	36	2
Percent								
Low birthweight	8.6	8.8	*	*	*	6.3	9.4	*
Care beginning in first trimester	89.1	89.1	87.7	*	90.3	81.0	90.9	87.3
Late or no care	2.4	2.3	*	*	*	*	2.0	*
Hialeah, Florida								
Number								
Low birthweight	193	171	20	2	-	174	10	7
Care beginning in first trimester	2,556	2,435	101	6	14	2,319	168	54
Late or no care	26	22	4	-	-	18	4	4
Percent								
Low birthweight	7.0	6.5	17.7	*	*	7.0	*	*
Care beginning in first trimester	92.5	92.8	89.4	*	*	92.7	92.8	85.7
Late or no care	0.9	0.8	*	*	*	*	*	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	All races	Race and Hispanic origin of mother						
		Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Hollywood, Florida								
Number								
Low birthweight	173	102	65	1	5	56	48	62
Care beginning in first trimester	1,837	1,316	444	23	54	662	692	406
Late or no care	77	38	36	1	2	25	17	32
Percent								
Low birthweight	8.0	6.9	11.3	*	*	7.3	6.2	11.8
Care beginning in first trimester	85.8	88.8	77.8	79.3	90.0	86.2	90.6	77.6
Late or no care	3.6	2.6	6.3	*	*	3.3	*	6.1
Honolulu, Hawaii								
Number								
Low birthweight	420	71	22	1	326	33	61	21
Care beginning in first trimester	4,091	963	158	12	2,958	375	851	130
Late or no care	163	17	1	-	145	12	12	1
Percent								
Low birthweight	8.6	6.6	13.2	*	9.0	7.3	6.4	15.3
Care beginning in first trimester	86.8	90.6	95.8	*	85.2	85.6	91.2	96.3
Late or no care	3.5	*	*	*	4.2	*	*	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	All races	Race and Hispanic origin of mother						
		Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Houston, Texas								
Number								
Low birthweight	3,722	2,199	1,317	1	205	1,653	556	1,305
Care beginning in first trimester	34,876	25,397	7,152	25	2,302	18,867	6,578	7,085
Late or no care	1,870	1,396	424	1	49	1,240	162	415
Percent								
Low birthweight	8.2	6.6	13.9	*	7.9	6.4	7.4	13.9
Care beginning in first trimester	78.1	77.3	77.8	80.6	89.4	73.9	89.2	77.9
Late or no care	4.2	4.3	4.6	*	1.9	4.9	2.2	4.6
Huntington Beach, California								
Number								
Low birthweight	147	113	2	2	30	36	76	2
Care beginning in first trimester	2,189	1,870	11	8	300	521	1,345	9
Late or no care	25	24	-	-	1	9	15	-
Percent								
Low birthweight	6.3	5.6	*	*	9.4	6.1	5.4	*
Care beginning in first trimester	93.5	93.4	*	*	94.3	88.9	95.3	*
Late or no care	1.1	1.2	*	*	*	*	*	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	All races	Race and Hispanic origin of mother						
		Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Huntsville, Alabama								
Number								
Low birthweight	216	86	129	-	1	4	83	128
Care beginning in first trimester	1,881	1,112	713	6	50	69	1,047	709
Late or no care	25	15	9	-	1	6	9	9
Percent								
Low birthweight	10.7	7.3	16.5	*	*	*	7.5	16.4
Care beginning in first trimester	92.9	94.2	90.8	*	96.2	87.3	94.7	90.9
Late or no care	1.2	*	*	*	*	*	*	*
Independence, Missouri								
Number								
Low birthweight	121	107	10	-	4	5	103	8
Care beginning in first trimester	1,340	1,218	69	18	35	99	1,132	58
Late or no care	35	29	3	1	2	3	25	3
Percent								
Low birthweight	8.0	7.8	*	*	*	*	8.1	*
Care beginning in first trimester	88.8	89.2	82.1	*	87.5	86.1	89.6	80.6
Late or no care	2.3	2.1	*	*	*	*	2.0	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	All races	Race and Hispanic origin of mother						
		Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Indianapolis, Indiana								
Number								
Low birthweight	1,250	726	498	2	24	83	644	496
Care beginning in first trimester	10,894	7,882	2,736	16	260	1,056	6,830	2,729
Late or no care	688	364	305	3	16	135	230	304
Percent								
Low birthweight	8.8	7.3	12.6	*	7.3	4.7	7.9	12.5
Care beginning in first trimester	77.0	80.0	69.4	*	79.5	61.3	83.9	69.4
Late or no care	4.9	3.7	7.7	*	*	7.8	2.8	7.7
Inglewood, California								
Number								
Low birthweight	194	112	79	-	3	110	4	77
Care beginning in first trimester	2,068	1,466	560	1	41	1,436	40	544
Late or no care	42	28	14	-	-	26	2	14
Percent								
Low birthweight	8.2	6.7	12.4	*	*	6.7	*	12.4
Care beginning in first trimester	90.2	90.7	89.3	*	87.2	90.8	87.0	89.2
Late or no care	1.8	1.7	*	*	*	1.6	*	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Irvine, California								
Number								
Low birthweight	136	77	3	-	56	16	62	3
Care beginning in first trimester	1,979	1,155	24	4	796	175	961	23
Late or no care	13	9	1	-	3	2	7	1
Percent								
Low birthweight	6.6	6.4	*	*	6.8	*	6.2	*
Care beginning in first trimester	96.5	96.3	92.3	*	96.8	92.6	97.0	92.0
Late or no care	*	*	*	*	*	*	*	*
Irving, Texas								
Number								
Low birthweight	303	210	55	-	38	141	70	54
Care beginning in first trimester	3,348	2,508	334	9	497	1,652	860	328
Late or no care	157	120	28	2	7	93	27	28
Percent								
Low birthweight	7.3	6.7	12.6	*	6.9	6.5	7.1	12.5
Care beginning in first trimester	82.6	81.6	77.5	*	92.6	78.9	87.5	77.2
Late or no care	3.9	3.9	6.5	*	*	4.4	2.7	6.6

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	All races	Race and Hispanic origin of mother						
		Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Jackson, Mississippi								
Number								
Low birthweight	506	40	464	-	2	1	39	464
Care beginning in first trimester	2,430	447	1,963	2	18	14	432	1,962
Late or no care	110	4	106	-	-	1	3	106
Percent								
Low birthweight	16.8	8.4	18.5	*	*	*	8.5	18.5
Care beginning in first trimester	81.3	94.3	78.6	*	*	*	94.7	78.6
Late or no care	3.7	*	4.2	*	*	*	*	4.2
Jacksonville, Florida								
Number								
Low birthweight	1,153	519	578	3	53	53	472	573
Care beginning in first trimester	9,687	6,060	3,124	26	477	649	5,437	3,102
Late or no care	316	116	193	-	7	15	101	192
Percent								
Low birthweight	9.8	7.6	13.5	*	9.8	6.9	7.7	13.5
Care beginning in first trimester	86.3	90.5	78.6	83.9	91.2	89.1	90.7	78.6
Late or no care	2.8	1.7	4.9	*	*	*	1.7	4.9

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Jersey City, New Jersey								
Number								
Low birthweight	361	143	157	2	59	88	67	143
Care beginning in first trimester	2,778	1,346	840	5	587	862	578	738
Late or no care	269	120	120	1	28	77	50	111
Percent								
Low birthweight	9.6	7.9	13.0	*	8.1	7.4	9.0	13.4
Care beginning in first trimester	74.6	75.2	69.6	*	81.8	72.9	78.4	69.4
Late or no care	7.2	6.7	9.9	*	3.9	6.5	6.8	10.4
Joliet, Illinois								
Number								
Low birthweight	183	117	66	-	-	48	69	66
Care beginning in first trimester	1,917	1,561	325	5	26	621	941	324
Late or no care	57	34	22	1	-	21	13	22
Percent								
Low birthweight	8.2	6.7	15.3	*	*	6.4	6.8	15.4
Care beginning in first trimester	87.0	89.7	76.5	*	83.9	84.1	93.8	76.4
Late or no care	2.6	2.0	5.2	*	*	2.8	*	5.2

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Kansas City, Kansas								
Number								
Low birthweight	214	111	97	3	3	40	73	97
Care beginning in first trimester	2,072	1,437	575	6	54	615	813	573
Late or no care	106	62	38	3	3	28	34	38
Percent								
Low birthweight	8.3	6.3	13.1	*	*	5.0	7.6	13.2
Care beginning in first trimester	80.3	81.8	77.7	*	75.0	77.7	85.0	77.9
Late or no care	4.1	3.5	5.1	*	*	3.5	3.6	5.2
Kansas City, Missouri								
Number								
Low birthweight	613	302	290	3	18	57	254	282
Care beginning in first trimester	6,335	4,039	2,029	41	226	888	3,225	1,963
Late or no care	182	87	85	5	5	24	65	81
Percent								
Low birthweight	8.3	6.7	11.4	*	*	5.3	7.2	11.5
Care beginning in first trimester	87.9	90.8	82.6	80.4	87.9	84.3	92.5	82.7
Late or no care	2.5	2.0	3.5	*	*	2.3	1.9	3.4

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Knoxville, Tennessee								
Number								
Low birthweight	279	197	77	-	5	10	187	77
Care beginning in first trimester	2,370	1,977	326	11	56	71	1,907	326
Late or no care	114	78	36	-	-	29	49	36
Percent								
Low birthweight	9.6	8.4	16.2	*	*	*	8.5	16.2
Care beginning in first trimester	82.6	85.4	69.4	*	78.9	46.4	88.1	69.7
Late or no care	4.0	3.4	7.7	*	*	19.0	2.3	7.7
Lafayette, Louisiana								
Number								
Low birthweight	158	61	96	-	1	1	60	96
Care beginning in first trimester	1,641	975	631	4	31	39	938	630
Late or no care	37	11	25	-	1	1	10	25
Percent								
Low birthweight	8.8	6.0	13.0	*	*	*	6.1	13.0
Care beginning in first trimester	91.6	96.2	85.4	*	91.2	95.1	96.2	85.4
Late or no care	2.1	*	3.4	*	*	*	*	3.4

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Lakewood, Colorado								
Number								
Low birthweight	155	144	2	1	8	47	97	2
Care beginning in first trimester	1,514	1,422	23	8	61	430	1,000	20
Late or no care	43	40	2	-	1	18	22	2
Percent								
Low birthweight	8.6	8.6	*	*	*	8.4	8.6	*
Care beginning in first trimester	85.6	86.1	71.9	*	84.7	79.0	89.4	69.0
Late or no care	2.4	2.4	*	*	*	*	2.0	*
Lancaster, California								
Number								
Low birthweight	171	105	60	-	6	58	51	53
Care beginning in first trimester	1,861	1,427	351	17	66	731	720	325
Late or no care	47	34	12	-	1	20	15	11
Percent								
Low birthweight	7.8	6.3	13.9	*	*	6.6	6.2	13.3
Care beginning in first trimester	84.7	85.0	81.8	*	94.3	82.6	87.3	81.7
Late or no care	2.1	2.0	*	*	*	2.3	*	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Lansing, Michigan								
Number								
Low birthweight	193	107	76	2	8	13	94	76
Care beginning in first trimester	1,867	1,333	421	19	94	166	1,172	420
Late or no care	110	65	38	4	3	7	58	38
Percent								
Low birthweight	8.3	6.6	13.5	*	*	*	6.6	13.6
Care beginning in first trimester	84.5	86.2	79.7	*	85.5	83.4	86.6	80.0
Late or no care	5.0	4.2	7.2	*	*	*	4.3	7.2
Laredo, Texas								
Number								
Low birthweight	401	395	-	-	6	390	5	-
Care beginning in first trimester	4,168	4,136	3	1	28	4,076	60	3
Late or no care	454	453	1	-	-	451	2	1
Percent								
Low birthweight	7.1	7.0	*	*	*	7.0	*	*
Care beginning in first trimester	73.5	73.4	*	*	93.3	73.2	90.9	*
Late or no care	8.0	8.0	*	*	*	8.1	*	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	All races	Race and Hispanic origin of mother						
		Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Las Vegas, Nevada								
Number								
Low birthweight	1,420	989	270	14	147	481	517	262
Care beginning in first trimester	12,404	9,717	1,339	111	1,237	4,111	5,700	1,261
Late or no care	1,113	889	147	14	63	636	254	146
Percent								
Low birthweight	8.1	7.2	13.1	*	9.3	7.0	7.4	13.5
Care beginning in first trimester	75.6	75.4	71.6	66.5	83.5	65.5	84.6	71.2
Late or no care	6.8	6.9	7.9	*	4.3	10.1	3.8	8.2
Lincoln, Nebraska								
Number								
Low birthweight	287	261	17	3	6	14	246	17
Care beginning in first trimester	3,225	2,892	108	42	183	185	2,684	107
Late or no care	73	64	5	-	4	10	54	5
Percent								
Low birthweight	7.6	7.7	*	*	*	*	7.9	*
Care beginning in first trimester	85.0	85.5	78.3	76.4	83.6	74.9	86.2	78.1
Late or no care	1.9	1.9	*	*	*	*	1.7	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	All races	Race and Hispanic origin of mother						
		Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Little Rock, Arkansas								
Number								
Low birthweight	310	98	204	2	6	16	85	201
Care beginning in first trimester	2,643	1,336	1,207	7	93	170	1,176	1,197
Late or no care	94	27	63	-	4	17	10	63
Percent								
Low birthweight	10.3	6.7	14.2	*	*	*	6.8	14.1
Care beginning in first trimester	88.4	91.6	84.6	*	93.9	76.2	94.5	84.5
Late or no care	3.1	1.9	4.4	*	*	*	*	4.4
Livonia, Michigan								
Number								
Low birthweight	69	63	3	-	3	4	57	3
Care beginning in first trimester	896	840	22	2	32	29	795	18
Late or no care	9	8	1	-	-	-	7	1
Percent								
Low birthweight	7.2	7.1	*	*	*	*	6.8	*
Care beginning in first trimester	94.8	95.3	91.7	*	84.2	96.7	95.3	*
Late or no care	*	*	*	*	*	*	*	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	All races	Race and Hispanic origin of mother						
		Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Long Beach, California								
Number								
Low birthweight	592	384	117	2	89	288	95	114
Care beginning in first trimester	7,246	5,358	960	14	914	3,963	1,409	934
Late or no care	144	104	26	-	14	81	22	26
Percent								
Low birthweight	7.4	6.5	10.7	*	8.3	6.6	6.3	10.7
Care beginning in first trimester	91.0	92.2	88.9	*	86.9	91.6	93.8	88.6
Late or no care	1.8	1.8	2.4	*	*	1.9	1.5	2.5
Los Angeles, California								
Number								
Low birthweight	4,537	3,367	800	10	360	2,673	681	784
Care beginning in first trimester	56,597	47,079	4,944	75	4,499	37,552	9,538	4,759
Late or no care	1,074	824	171	4	75	734	86	165
Percent								
Low birthweight	7.2	6.5	13.6	*	7.4	6.3	6.8	13.9
Care beginning in first trimester	90.8	91.2	86.3	84.3	92.4	90.1	95.7	86.4
Late or no care	1.7	1.6	3.0	*	1.5	1.8	0.9	3.0

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	All races	Race and Hispanic origin of mother						
		Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Louisville, Kentucky								
Number								
Low birthweight	756	427	302	5	22	24	403	302
Care beginning in first trimester	7,556	5,416	1,852	21	267	316	5,127	1,845
Late or no care	234	124	97	1	12	19	106	97
Percent								
Low birthweight	9.0	7.3	13.5	*	7.3	6.3	7.3	13.6
Care beginning in first trimester	89.6	92.1	83.1	87.5	89.0	82.9	92.7	83.1
Late or no care	2.8	2.1	4.4	*	*	*	1.9	4.4
Lowell, Massachusetts								
Number								
Low birthweight	176	98	20	1	57	31	70	18
Care beginning in first trimester	1,304	885	113	1	305	211	699	87
Late or no care	62	30	12	-	20	8	25	9
Percent								
Low birthweight	10.4	9.2	12.7	*	12.1	11.2	8.5	*
Care beginning in first trimester	77.9	84.0	72.4	*	66.2	77.3	85.3	74.4
Late or no care	3.7	2.8	*	*	4.3	*	3.1	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Lubbock, Texas								
Number								
Low birthweight	374	303	63	-	8	152	151	62
Care beginning in first trimester	2,719	2,430	222	6	61	994	1,437	216
Late or no care	176	142	30	1	3	89	56	28
Percent								
Low birthweight	10.8	10.0	18.8	*	*	10.9	9.2	19.1
Care beginning in first trimester	79.0	80.2	66.7	*	88.4	71.2	87.6	67.1
Late or no care	5.1	4.7	9.0	*	*	6.4	3.4	8.7
Madison, Wisconsin								
Number								
Low birthweight	221	151	53	1	16	30	123	51
Care beginning in first trimester	2,687	2,165	247	26	249	283	1,894	242
Late or no care	73	42	26	1	4	11	31	26
Percent								
Low birthweight	7.1	6.2	15.8	*	*	8.0	5.9	15.5
Care beginning in first trimester	86.4	88.5	73.7	81.3	83.8	75.9	90.8	73.6
Late or no care	2.3	1.7	7.8	*	*	*	1.5	7.9

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	All races	Race and Hispanic origin of mother						
		Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Manchester, New Hampshire								
Number								
Low birthweight	113	97	7	1	8	10	88	5
Care beginning in first trimester	1,430	1,297	80	1	52	130	1,172	63
Late or no care	20	15	4	-	1	4	13	2
Percent								
Low birthweight	7.2	6.9	*	*	*	*	7.0	*
Care beginning in first trimester	91.5	92.2	83.3	*	88.1	85.5	92.9	81.8
Late or no care	1.3	*	*	*	*	*	*	*
Manhattan borough, New York county, New York								
Number								
Low birthweight	1,708	1,107	423	5	173	537	632	353
Care beginning in first trimester	16,851	11,941	2,654	13	2,243	4,970	7,438	2,087
Late or no care	814	401	313	-	100	349	95	261
Percent								
Low birthweight	8.2	7.9	11.3	*	5.8	8.2	7.8	12.1
Care beginning in first trimester	83.6	87.1	74.0	*	78.8	77.3	93.6	74.3
Late or no care	4.0	2.9	8.7	*	3.5	5.4	1.2	9.3

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	All races	Race and Hispanic origin of mother						
		Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
McAllen, Texas								
Number								
Low birthweight	171	163	-	-	8	146	14	-
Care beginning in first trimester	2,250	2,202	4	-	44	2,007	176	4
Late or no care	132	131	-	-	1	129	1	-
Percent								
Low birthweight	6.7	6.5	*	*	*	6.3	*	*
Care beginning in first trimester	88.1	88.1	*	*	93.6	87.3	97.8	*
Late or no care	5.2	5.2	*	*	*	5.6	*	*
Memphis, Tennessee								
Number								
Low birthweight	1,304	183	1,103	-	18	42	142	1,102
Care beginning in first trimester	7,334	2,122	5,008	4	200	346	1,781	5,006
Late or no care	1,035	292	730	1	12	207	88	729
Percent								
Low birthweight	12.0	6.1	14.4	*	*	5.0	6.6	14.4
Care beginning in first trimester	69.1	73.9	66.9	*	79.7	44.1	84.9	66.9
Late or no care	9.7	10.2	9.7	*	*	26.4	4.2	9.7

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	All races	Race and Hispanic origin of mother						
		Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Mesa, Arizona								
Number								
Low birthweight	520	461	28	10	21	190	273	27
Care beginning in first trimester	6,843	6,231	191	227	194	2,111	4,128	172
Late or no care	408	371	10	14	13	278	88	10
Percent								
Low birthweight	6.2	6.0	12.1	*	8.9	6.1	6.0	12.7
Care beginning in first trimester	81.6	81.5	83.0	81.1	82.6	68.1	90.6	82.3
Late or no care	4.9	4.9	*	*	*	9.0	1.9	*
Mesquite, Texas								
Number								
Low birthweight	164	110	47	-	7	41	68	47
Care beginning in first trimester	1,626	1,269	292	1	64	546	724	289
Late or no care	54	40	11	-	3	19	21	11
Percent								
Low birthweight	8.2	7.1	12.7	*	*	6.0	7.8	12.8
Care beginning in first trimester	82.5	83.0	79.8	*	84.2	82.6	83.4	79.6
Late or no care	2.7	2.6	*	*	*	*	2.4	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Miami, Florida								
Number								
Low birthweight	1,386	609	753	5	19	525	107	730
Care beginning in first trimester	11,662	7,018	4,455	65	124	6,359	960	4,214
Late or no care	291	96	193	1	1	80	19	190
Percent								
Low birthweight	10.3	7.9	13.6	*	*	7.5	10.2	13.9
Care beginning in first trimester	86.8	91.1	80.7	84.4	87.9	90.8	91.5	80.4
Late or no care	2.2	1.2	3.5	*	*	1.1	*	3.6
Milwaukee, Wisconsin								
Number								
Low birthweight	1,087	353	687	10	37	133	228	680
Care beginning in first trimester	8,552	4,489	3,646	102	315	1,476	3,050	3,620
Late or no care	555	213	310	7	25	125	90	308
Percent								
Low birthweight	9.8	6.4	13.8	*	7.8	6.2	6.6	13.8
Care beginning in first trimester	76.8	80.8	73.2	79.1	66.7	69.1	87.7	73.2
Late or no care	5.0	3.8	6.2	*	5.3	5.9	2.6	6.2

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Minneapolis, Minnesota								
Number								
Low birthweight	483	230	198	19	36	53	179	196
Care beginning in first trimester	4,668	3,202	1,077	115	274	746	2,460	1,065
Late or no care	266	103	110	33	20	61	43	109
Percent								
Low birthweight	7.5	5.8	11.3	*	7.6	4.5	6.3	11.3
Care beginning in first trimester	77.5	84.4	67.7	52.5	66.0	67.0	91.3	67.7
Late or no care	4.4	2.7	6.9	15.1	4.8	5.5	1.6	6.9
Mobile, Alabama								
Number								
Low birthweight	402	124	271	1	6	5	119	271
Care beginning in first trimester	2,542	1,197	1,280	2	63	28	1,164	1,280
Late or no care	69	19	49	-	1	1	18	49
Percent								
Low birthweight	13.4	9.6	16.7	*	*	*	9.4	16.7
Care beginning in first trimester	85.2	92.3	79.2	*	92.6	84.8	92.5	79.2
Late or no care	2.3	*	3.0	*	*	*	*	3.0

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Modesto, California								
Number								
Low birthweight	311	266	14	5	26	149	111	13
Care beginning in first trimester	3,498	3,133	104	30	231	1,709	1,413	94
Late or no care	136	119	4	1	12	79	41	4
Percent								
Low birthweight	7.3	7.0	*	*	9.1	6.8	6.8	*
Care beginning in first trimester	83.6	83.9	78.2	81.1	82.8	80.9	87.4	78.3
Late or no care	3.2	3.2	*	*	*	3.7	2.5	*
Montgomery, Alabama								
Number								
Low birthweight	314	83	227	-	4	6	78	227
Care beginning in first trimester	2,471	1,048	1,368	4	51	61	992	1,367
Late or no care	113	41	71	-	1	26	15	71
Percent								
Low birthweight	10.5	7.0	12.9	*	*	*	7.3	12.9
Care beginning in first trimester	82.5	89.1	77.9	*	91.1	53.5	92.9	78.0
Late or no care	3.8	3.5	4.0	*	*	22.8	*	4.1

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Moreno Valley, California								
Number								
Low birthweight	206	140	52	-	14	96	43	50
Care beginning in first trimester	2,268	1,781	358	3	126	1,293	506	344
Late or no care	72	55	11	2	4	38	17	10
Percent								
Low birthweight	7.8	6.8	12.2	*	*	6.4	7.6	12.2
Care beginning in first trimester	86.1	86.8	85.0	*	83.4	86.1	89.4	84.7
Late or no care	2.7	2.7	*	*	*	2.5	*	*
Naperville, Illinois								
Number								
Low birthweight	131	93	14	-	24	7	86	14
Care beginning in first trimester	1,767	1,412	74	2	279	127	1,286	73
Late or no care	19	14	-	-	5	4	10	-
Percent								
Low birthweight	6.8	6.0	*	*	7.8	*	6.2	*
Care beginning in first trimester	92.7	92.9	90.2	*	92.1	82.5	93.9	92.4
Late or no care	*	*	*	*	*	*	*	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	All races	Race and Hispanic origin of mother						
		Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Nashville-Davidson, Tennessee								
Number								
Low birthweight	830	427	378	3	22	83	352	370
Care beginning in first trimester	7,573	4,998	2,252	17	306	938	4,096	2,221
Late or no care	282	155	116	3	8	86	72	113
Percent								
Low birthweight	9.5	7.5	14.0	*	6.1	6.5	8.0	13.9
Care beginning in first trimester	87.7	89.4	84.3	*	86.4	75.6	93.1	84.4
Late or no care	3.3	2.8	4.3	*	*	6.9	1.6	4.3
New Haven, Connecticut								
Number								
Low birthweight	211	98	109	1	3	58	43	107
Care beginning in first trimester	1,621	915	606	10	90	526	415	582
Late or no care	40	15	24	1	-	11	6	22
Percent								
Low birthweight	10.7	9.0	14.1	*	*	8.8	9.3	14.4
Care beginning in first trimester	84.1	85.8	80.7	*	91.8	81.2	91.8	80.7
Late or no care	2.1	*	3.2	*	*	*	*	3.1

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	All races	Race and Hispanic origin of mother						
		Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
New York city, New York								
Number								
Low birthweight	10,170	4,925	3,962	12	1,271	3,035	2,200	3,607
Care beginning in first trimester	93,441	57,165	24,053	55	12,168	29,740	29,828	21,399
Late or no care	5,946	2,662	2,524	1	759	2,105	746	2,304
Percent								
Low birthweight	8.5	7.1	11.8	*	7.9	7.7	6.5	12.1
Care beginning in first trimester	79.7	82.9	74.2	88.7	77.2	77.2	88.6	73.9
Late or no care	5.1	3.9	7.8	*	4.8	5.5	2.2	8.0
Newark, New Jersey								
Number								
Low birthweight	561	165	393	1	2	142	33	382
Care beginning in first trimester	2,717	1,328	1,342	5	42	1,085	344	1,240
Late or no care	667	193	465	1	8	171	30	456
Percent								
Low birthweight	11.6	7.8	14.9	*	*	7.9	7.1	15.3
Care beginning in first trimester	56.5	63.4	50.9	*	56.8	60.9	74.9	49.9
Late or no care	13.9	9.2	17.7	*	*	9.6	6.5	18.4

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Newport News city, Virginia								
Number								
Low birthweight	336	117	210	1	8	21	96	210
Care beginning in first trimester	2,669	1,383	1,192	8	86	165	1,258	1,151
Late or no care	111	31	78	-	2	11	22	76
Percent								
Low birthweight	10.5	7.5	13.6	*	*	10.1	6.8	14.0
Care beginning in first trimester	83.1	88.8	77.0	*	88.7	79.7	89.7	76.9
Late or no care	3.5	2.0	5.0	*	*	*	1.6	5.1
Norfolk city, Virginia								
Number								
Low birthweight	433	134	283	-	16	14	124	279
Care beginning in first trimester	3,184	1,533	1,513	15	123	203	1,370	1,478
Late or no care	151	37	106	1	7	9	30	103
Percent								
Low birthweight	10.9	7.6	13.9	*	*	*	7.9	14.0
Care beginning in first trimester	80.4	87.5	74.1	*	85.4	86.0	87.7	74.0
Late or no care	3.8	2.1	5.2	*	*	*	1.9	5.2

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
North Las Vegas, Nevada								
Number								
Low birthweight	183	117	54	1	11	74	45	51
Care beginning in first trimester	1,719	1,323	273	27	96	714	615	267
Late or no care	219	172	40	1	6	146	24	38
Percent								
Low birthweight	6.9	5.7	12.1	*	*	5.5	6.3	11.8
Care beginning in first trimester	70.7	70.4	68.3	90.0	78.0	60.0	88.4	68.8
Late or no care	9.0	9.1	10.0	*	*	12.3	3.4	9.8
Norwalk, California								
Number								
Low birthweight	77	64	7	-	6	58	6	7
Care beginning in first trimester	1,531	1,315	65	6	145	1,190	130	63
Late or no care	25	22	1	-	2	19	3	1
Percent								
Low birthweight	4.4	4.3	*	*	*	4.3	*	*
Care beginning in first trimester	90.2	90.0	95.6	*	89.5	90.2	87.8	95.5
Late or no care	1.5	1.5	*	*	*	*	*	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Oakland, California								
Number								
Low birthweight	457	170	228	2	57	99	71	227
Care beginning in first trimester	5,479	3,133	1,470	19	857	1,921	1,205	1,454
Late or no care	146	89	36	1	20	72	16	36
Percent								
Low birthweight	7.4	4.8	13.5	*	6.0	4.4	5.5	13.6
Care beginning in first trimester	89.8	90.3	88.4	*	90.7	87.9	94.3	88.4
Late or no care	2.4	2.6	2.2	*	2.1	3.3	*	2.2
Oceanside, California								
Number								
Low birthweight	201	159	23	-	19	86	73	22
Care beginning in first trimester	2,768	2,390	151	12	215	1,168	1,196	138
Late or no care	137	117	11	1	8	86	29	10
Percent								
Low birthweight	5.7	5.2	10.9	*	*	5.5	5.0	11.2
Care beginning in first trimester	80.5	80.9	75.5	*	80.2	76.7	85.4	74.2
Late or no care	4.0	4.0	*	*	*	5.7	2.1	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Oklahoma City, Oklahoma								
Number								
Low birthweight	710	455	209	30	16	117	343	206
Care beginning in first trimester	6,380	4,706	1,120	257	297	1,356	3,391	1,098
Late or no care	398	264	88	38	8	122	150	85
Percent								
Low birthweight	8.4	7.4	13.6	7.7	*	5.7	8.2	13.7
Care beginning in first trimester	76.4	77.3	73.5	67.6	83.7	67.2	82.1	73.5
Late or no care	4.8	4.3	5.8	10.0	*	6.0	3.6	5.7
Omaha, Nebraska								
Number								
Low birthweight	542	378	133	9	22	76	302	132
Care beginning in first trimester	5,679	4,673	803	48	155	860	3,801	795
Late or no care	240	186	40	5	9	73	116	38
Percent								
Low birthweight	7.8	6.8	11.9	*	11.4	6.2	7.0	12.0
Care beginning in first trimester	82.1	84.2	72.7	65.8	80.3	70.7	87.8	72.9
Late or no care	3.5	3.4	3.6	*	*	6.0	2.7	3.5

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Ontario, California								
Number								
Low birthweight	192	155	21	1	15	140	16	21
Care beginning in first trimester	2,855	2,600	142	5	108	2,181	427	136
Late or no care	60	52	6	-	2	47	6	5
Percent								
Low birthweight	5.8	5.2	12.8	*	*	5.6	*	13.5
Care beginning in first trimester	87.0	87.0	86.6	*	87.1	86.9	87.7	87.2
Late or no care	1.8	1.7	*	*	*	1.9	*	*
Orange, California								
Number								
Low birthweight	110	91	3	-	16	48	44	2
Care beginning in first trimester	1,874	1,627	18	4	225	928	698	17
Late or no care	41	39	2	-	-	30	8	2
Percent								
Low birthweight	5.3	5.0	*	*	*	4.4	5.9	*
Care beginning in first trimester	89.8	89.0	*	*	96.2	85.7	93.9	*
Late or no care	2.0	2.1	*	*	*	2.8	*	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	All races	Race and Hispanic origin of mother						
		Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Orlando, Florida								
Number								
Low birthweight	803	401	368	3	31	178	225	365
Care beginning in first trimester	7,056	4,589	2,147	24	296	1,907	2,688	2,139
Late or no care	188	85	99	-	4	39	46	98
Percent								
Low birthweight	9.9	7.9	13.7	*	9.4	8.2	7.7	13.6
Care beginning in first trimester	87.4	90.7	80.5	92.3	91.9	88.5	92.2	80.6
Late or no care	2.3	1.7	3.7	*	*	1.8	1.6	3.7
Orleans, coext. with New Orleans city, Louisiana								
Number								
Low birthweight	931	96	820	1	14	12	88	814
Care beginning in first trimester	5,507	1,203	4,134	15	155	119	1,100	4,119
Late or no care	369	21	345	-	3	6	18	342
Percent								
Low birthweight	13.5	7.4	15.1	*	*	*	7.5	15.1
Care beginning in first trimester	79.8	92.5	76.4	*	88.6	81.0	93.7	76.4
Late or no care	5.3	1.6	6.4	*	*	*	*	6.3

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Overland Park, Kansas								
Number								
Low birthweight	127	99	5	1	22	12	89	4
Care beginning in first trimester	2,075	1,766	65	25	219	145	1,605	62
Late or no care	27	23	1	-	3	9	14	1
Percent								
Low birthweight	5.8	5.3	*	*	9.7	*	5.3	*
Care beginning in first trimester	94.4	94.6	82.3	96.2	96.5	82.4	95.9	81.6
Late or no care	1.2	1.2	*	*	*	*	*	*
Oxnard, California								
Number								
Low birthweight	254	233	4	1	16	180	27	4
Care beginning in first trimester	3,506	3,245	66	12	183	2,742	334	61
Late or no care	138	136	1	-	1	117	4	1
Percent								
Low birthweight	6.2	6.1	*	*	*	5.6	7.3	*
Care beginning in first trimester	85.7	85.4	93.0	*	88.8	85.3	90.5	93.8
Late or no care	3.4	3.6	*	*	*	3.6	*	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Palmdale, California								
Number								
Low birthweight	179	123	46	3	7	90	38	42
Care beginning in first trimester	1,994	1,614	304	13	63	1,100	544	279
Late or no care	44	33	10	-	1	22	14	7
Percent								
Low birthweight	7.6	6.5	12.4	*	*	6.9	6.3	12.3
Care beginning in first trimester	85.3	85.9	82.4	*	86.3	84.2	89.3	82.3
Late or no care	1.9	1.8	*	*	*	1.7	*	*
Pasadena, California								
Number								
Low birthweight	203	128	44	1	30	81	45	44
Care beginning in first trimester	1,942	1,460	165	4	313	813	639	162
Late or no care	19	15	3	-	1	14	1	3
Percent								
Low birthweight	9.1	7.6	21.2	*	9.1	8.2	6.7	21.7
Care beginning in first trimester	92.6	92.2	87.8	*	97.2	88.8	97.0	87.6
Late or no care	*	*	*	*	*	*	*	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Pasadena, Texas								
Number								
Low birthweight	201	195	4	-	2	145	50	4
Care beginning in first trimester	2,269	2,195	31	7	36	1,660	534	30
Late or no care	112	108	4	-	-	83	25	3
Percent								
Low birthweight	6.9	6.9	*	*	*	6.7	7.6	*
Care beginning in first trimester	78.6	78.4	75.6	*	87.8	77.1	82.8	76.9
Late or no care	3.9	3.9	*	*	*	3.9	3.9	*
Paterson, New Jersey								
Number								
Low birthweight	308	167	129	2	10	169	33	95
Care beginning in first trimester	1,859	1,093	706	3	57	1,136	220	444
Late or no care	274	146	118	1	9	148	33	83
Percent								
Low birthweight	10.3	9.5	11.3	*	*	9.2	10.1	12.9
Care beginning in first trimester	62.1	62.7	61.7	*	58.8	62.2	67.7	60.1
Late or no care	9.2	8.4	10.3	*	*	8.1	10.2	11.2

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Pembroke Pines, Florida								
Number								
Low birthweight	147	94	46	1	6	60	38	42
Care beginning in first trimester	1,816	1,343	362	6	105	731	623	350
Late or no care	28	14	12	-	2	12	2	12
Percent								
Low birthweight	7.7	6.7	11.4	*	*	7.8	5.9	10.7
Care beginning in first trimester	94.6	96.3	89.4	*	92.9	95.7	97.0	89.1
Late or no care	1.5	*	*	*	*	*	*	*
Peoria, Arizona								
Number								
Low birthweight	118	96	7	-	15	27	69	7
Care beginning in first trimester	1,598	1,446	53	20	79	355	1,089	43
Late or no care	54	50	4	-	-	24	18	-
Percent								
Low birthweight	6.4	5.8	*	*	*	5.9	5.8	*
Care beginning in first trimester	87.6	88.0	80.3	66.7	91.9	77.0	92.4	89.6
Late or no care	3.0	3.0	*	*	*	5.2	*	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Peoria, Illinois								
Number								
Low birthweight	187	94	87	-	6	3	91	87
Care beginning in first trimester	1,606	1,038	504	3	61	61	979	502
Late or no care	57	27	29	-	1	6	21	29
Percent								
Low birthweight	10.0	8.2	13.2	*	*	*	8.5	13.2
Care beginning in first trimester	85.9	90.8	76.7	*	92.4	87.1	91.2	76.6
Late or no care	3.0	2.4	4.4	*	*	*	2.0	4.4
Phoenix, Arizona								
Number								
Low birthweight	1,834	1,579	157	49	49	1,091	479	137
Care beginning in first trimester	18,379	16,357	955	568	499	10,179	6,243	813
Late or no care	2,385	2,152	133	63	37	1,786	189	66
Percent								
Low birthweight	7.1	6.8	11.8	6.5	7.9	6.9	6.8	12.9
Care beginning in first trimester	71.7	71.2	72.5	75.8	80.6	64.5	88.7	77.4
Late or no care	9.3	9.4	10.1	8.4	6.0	11.3	2.7	6.3

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Plano, Texas								
Number								
Low birthweight	291	202	29	1	59	47	157	29
Care beginning in first trimester	3,018	2,258	172	11	577	546	1,718	166
Late or no care	242	178	27	1	36	52	126	27
Percent								
Low birthweight	7.8	7.2	11.6	*	9.0	6.3	7.7	11.8
Care beginning in first trimester	82.3	82.1	69.4	*	88.4	75.5	84.5	68.6
Late or no care	6.6	6.5	10.9	*	5.5	7.2	6.2	11.2
Pomona, California								
Number								
Low birthweight	182	159	15	1	7	145	14	14
Care beginning in first trimester	2,731	2,469	137	3	122	2,297	182	130
Late or no care	70	62	5	-	3	56	7	4
Percent								
Low birthweight	5.9	5.7	*	*	*	5.6	*	*
Care beginning in first trimester	88.3	88.7	83.0	*	87.8	89.0	85.0	83.3
Late or no care	2.3	2.2	*	*	*	2.2	*	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Portland, Oregon								
Number								
Low birthweight	563	413	84	9	57	69	342	81
Care beginning in first trimester	7,078	5,758	522	84	714	969	4,771	501
Late or no care	305	229	37	5	34	78	151	36
Percent								
Low birthweight	6.5	5.9	12.4	*	6.3	5.0	6.2	12.4
Care beginning in first trimester	82.2	83.2	77.2	75.7	79.4	70.1	86.3	77.0
Late or no care	3.5	3.3	5.5	*	3.8	5.6	2.7	5.5
Portsmouth city, Virginia								
Number								
Low birthweight	184	65	116	1	2	1	64	116
Care beginning in first trimester	1,231	576	627	2	26	22	561	621
Late or no care	89	27	61	1	-	1	26	61
Percent								
Low birthweight	11.5	9.6	13.1	*	*	*	9.7	13.2
Care beginning in first trimester	77.0	84.8	70.6	*	89.7	73.3	85.0	70.6
Late or no care	5.6	4.0	6.9	*	*	*	3.9	6.9

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Providence, Rhode Island								
Number								
Low birthweight	288	179	77	6	26	126	36	74
Care beginning in first trimester	2,151	1,592	393	47	119	1,057	433	352
Late or no care	36	20	10	2	4	12	8	9
Percent								
Low birthweight	9.7	8.5	13.4	*	12.1	8.5	7.0	14.4
Care beginning in first trimester	87.5	90.1	82.9	79.7	74.4	88.7	91.9	82.2
Late or no care	1.5	1.1	*	*	*	*	*	*
Provo, Utah								
Number								
Low birthweight	149	145	-	-	4	27	117	-
Care beginning in first trimester	2,196	2,098	12	16	70	282	1,815	9
Late or no care	116	100	3	3	10	27	73	3
Percent								
Low birthweight	5.3	5.5	*	*	*	6.4	5.3	*
Care beginning in first trimester	80.1	81.0	*	*	66.0	68.0	83.4	*
Late or no care	4.2	3.9	*	*	*	6.5	3.4	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Pueblo, Colorado								
Number								
Low birthweight	171	161	4	4	2	97	67	3
Care beginning in first trimester	1,226	1,175	19	19	13	683	510	13
Late or no care	78	73	-	4	1	51	25	-
Percent								
Low birthweight	10.8	10.6	*	*	*	10.4	10.9	*
Care beginning in first trimester	77.5	77.4	*	*	*	73.4	83.6	*
Late or no care	4.9	4.8	*	*	*	5.5	4.1	*
Queens borough, Queens county, New York								
Number								
Low birthweight	2,487	1,069	733	5	680	658	429	709
Care beginning in first trimester	22,933	13,036	4,144	18	5,735	7,209	6,078	3,885
Late or no care	1,945	971	512	-	462	767	213	499
Percent								
Low birthweight	8.1	6.3	12.4	*	8.7	6.4	6.1	12.7
Care beginning in first trimester	75.4	77.5	70.8	*	74.2	71.0	87.1	70.3
Late or no care	6.4	5.8	8.8	*	6.0	7.6	3.1	9.0

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Raleigh, North Carolina								
Number								
Low birthweight	453	227	208	1	17	61	169	205
Care beginning in first trimester	4,564	3,109	1,201	11	243	514	2,599	1,193
Late or no care	243	127	104	3	9	97	30	104
Percent								
Low birthweight	7.7	5.8	12.4	*	*	5.3	6.0	12.3
Care beginning in first trimester	78.5	80.4	72.7	*	88.4	46.9	93.8	72.7
Late or no care	4.2	3.3	6.3	*	*	8.8	1.1	6.3
Rancho Cucamonga, California								
Number								
Low birthweight	53	43	7	-	3	27	16	7
Care beginning in first trimester	715	569	59	3	84	274	298	58
Late or no care	17	15	2	-	-	12	4	1
Percent								
Low birthweight	6.5	6.7	*	*	*	8.4	*	*
Care beginning in first trimester	88.1	88.8	81.9	*	87.5	85.6	91.4	84.1
Late or no care	*	*	*	*	*	*	*	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	All races	Race and Hispanic origin of mother						
		Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Reno, Nevada								
Number								
Low birthweight	300	235	23	6	36	95	139	23
Care beginning in first trimester	2,548	2,222	75	48	203	771	1,462	71
Late or no care	96	84	4	4	4	45	37	4
Percent								
Low birthweight	8.9	8.0	23.0	*	13.1	8.2	7.8	24.5
Care beginning in first trimester	79.1	79.1	75.8	73.8	81.5	69.8	85.1	75.5
Late or no care	3.0	3.0	*	*	*	4.1	2.2	*
Richmond city, Virginia								
Number								
Low birthweight	405	97	300	2	6	26	74	297
Care beginning in first trimester	2,478	996	1,447	5	30	176	836	1,430
Late or no care	194	52	141	-	1	36	19	138
Percent								
Low birthweight	13.2	8.5	15.9	*	*	9.7	8.2	16.0
Care beginning in first trimester	80.7	87.7	76.5	*	83.3	65.4	93.3	76.8
Late or no care	6.3	4.6	7.5	*	*	13.4	*	7.4

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Riverside, California								
Number								
Low birthweight	405	342	40	3	20	245	94	39
Care beginning in first trimester	5,500	4,869	325	30	276	3,287	1,607	311
Late or no care	176	149	19	3	5	118	35	17
Percent								
Low birthweight	6.4	6.1	10.1	*	6.2	6.4	5.2	10.3
Care beginning in first trimester	86.8	87.3	82.5	65.2	86.8	85.9	89.8	82.7
Late or no care	2.8	2.7	*	*	*	3.1	2.0	*
Rochester, New York								
Number								
Low birthweight	361	129	224	-	8	56	75	222
Care beginning in first trimester	2,270	1,284	902	2	82	368	922	893
Late or no care	347	143	196	-	8	66	78	195
Percent								
Low birthweight	10.0	7.0	13.6	*	*	9.1	6.1	13.6
Care beginning in first trimester	71.6	77.9	63.8	*	77.4	68.9	82.0	63.8
Late or no care	10.9	8.7	13.9	*	*	12.4	6.9	13.9

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	All races	Race and Hispanic origin of mother						
		Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Rockford, Illinois								
Number								
Low birthweight	273	160	110	1	2	33	128	109
Care beginning in first trimester	2,155	1,697	398	6	54	381	1,318	397
Late or no care	102	61	38	-	3	29	32	38
Percent								
Low birthweight	9.8	7.6	18.1	*	*	6.3	8.2	18.0
Care beginning in first trimester	79.0	82.6	67.2	*	73.0	74.7	85.3	67.3
Late or no care	3.7	3.0	6.4	*	*	5.7	2.1	6.4
Sacramento, California								
Number								
Low birthweight	840	472	194	11	163	229	250	187
Care beginning in first trimester	9,616	6,442	1,443	93	1,638	3,044	3,515	1,368
Late or no care	401	247	69	11	74	123	124	65
Percent								
Low birthweight	6.9	5.9	10.6	*	7.5	5.9	6.0	10.8
Care beginning in first trimester	79.7	81.2	79.0	67.9	75.4	78.3	84.0	79.0
Late or no care	3.3	3.1	3.8	*	3.4	3.2	3.0	3.8

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Salem, Oregon								
Number								
Low birthweight	163	148	4	4	7	55	89	4
Care beginning in first trimester	2,035	1,907	27	33	68	589	1,261	26
Late or no care	196	174	2	6	14	83	87	2
Percent								
Low birthweight	5.7	5.6	*	*	*	5.8	5.5	*
Care beginning in first trimester	71.6	72.0	69.2	61.1	66.0	62.5	77.6	68.4
Late or no care	6.9	6.6	*	*	*	8.8	5.4	*
Salinas, California								
Number								
Low birthweight	213	197	1	-	15	169	29	1
Care beginning in first trimester	2,450	2,281	22	6	141	1,848	440	22
Late or no care	114	108	2	-	4	102	6	2
Percent								
Low birthweight	5.7	5.6	*	*	*	5.6	5.5	*
Care beginning in first trimester	81.2	80.9	78.6	*	87.6	78.8	90.7	78.6
Late or no care	3.8	3.8	*	*	*	4.4	*	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Salt Lake City, Utah								
Number								
Low birthweight	425	368	18	9	30	122	249	16
Care beginning in first trimester	4,264	3,955	65	30	214	838	3,110	60
Late or no care	340	261	15	16	48	127	132	15
Percent								
Low birthweight	7.1	6.8	*	*	8.1	8.3	6.4	*
Care beginning in first trimester	75.0	77.0	56.5	40.0	60.3	60.2	83.2	55.0
Late or no care	6.0	5.1	*	*	13.5	9.1	3.5	*
San Antonio, Texas								
Number								
Low birthweight	2,040	1,812	195	2	31	1,388	425	190
Care beginning in first trimester	19,931	18,373	1,140	33	385	13,567	4,827	1,092
Late or no care	629	575	50	1	3	497	81	47
Percent								
Low birthweight	8.9	8.6	14.4	*	7.5	8.7	8.1	14.7
Care beginning in first trimester	87.1	87.1	84.0	84.6	92.5	85.4	92.2	84.3
Late or no care	2.7	2.7	3.7	*	*	3.1	1.5	3.6

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
San Bernardino, California								
Number								
Low birthweight	359	253	84	-	22	193	64	80
Care beginning in first trimester	3,812	3,031	614	23	144	2,452	601	593
Late or no care	198	166	23	1	8	133	33	21
Percent								
Low birthweight	7.3	6.5	10.4	*	11.5	6.1	8.4	10.3
Care beginning in first trimester	80.6	80.9	79.6	79.3	78.3	80.7	82.1	79.8
Late or no care	4.2	4.4	3.0	*	*	4.4	4.5	2.8
San Buenaventura (Ventura), California								
Number								
Low birthweight	89	81	3	-	5	37	41	3
Care beginning in first trimester	1,323	1,234	19	9	61	491	681	17
Late or no care	32	31	1	-	-	21	9	1
Percent								
Low birthweight	6.2	6.0	*	*	*	6.6	5.7	*
Care beginning in first trimester	92.3	92.0	*	*	96.8	88.0	95.1	*
Late or no care	2.2	2.3	*	*	*	3.8	*	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	All races	Race and Hispanic origin of mother						
		Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
San Diego, California								
Number								
Low birthweight	1,280	870	146	2	262	488	362	139
Care beginning in first trimester	16,820	12,807	1,148	36	2,829	6,860	5,815	1,095
Late or no care	419	306	38	3	72	246	64	35
Percent								
Low birthweight	6.7	6.0	10.6	*	8.2	6.0	5.9	10.5
Care beginning in first trimester	89.1	89.4	85.2	81.8	89.4	85.3	94.5	85.2
Late or no care	2.2	2.1	2.8	*	2.3	3.1	1.0	2.7
San Francisco, coext. with San Fran. city, Califor								
Number								
Low birthweight	628	338	105	1	184	136	205	102
Care beginning in first trimester	7,599	4,506	518	13	2,562	1,483	3,050	500
Late or no care	193	93	45	-	55	61	33	45
Percent								
Low birthweight	7.3	6.7	15.0	*	6.4	7.5	6.2	15.2
Care beginning in first trimester	88.2	89.5	75.6	*	89.0	82.5	93.1	75.8
Late or no care	2.2	1.8	6.6	*	1.9	3.4	1.0	6.8

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	All races	Race and Hispanic origin of mother						
		Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
San Jose, California								
Number								
Low birthweight	1,003	610	50	3	340	391	209	49
Care beginning in first trimester	13,027	8,577	323	26	4,101	5,373	3,095	309
Late or no care	734	432	25	2	275	362	65	22
Percent								
Low birthweight	6.3	5.9	12.0	*	6.7	5.7	6.1	12.5
Care beginning in first trimester	84.2	84.5	80.1	70.3	84.0	80.4	92.1	81.5
Late or no care	4.7	4.3	6.2	*	5.6	5.4	1.9	5.8
Santa Ana, California								
Number								
Low birthweight	480	435	4	-	41	403	31	4
Care beginning in first trimester	7,124	6,618	31	5	470	6,187	427	29
Late or no care	172	162	4	-	6	154	6	4
Percent								
Low birthweight	5.9	5.8	*	*	7.9	5.7	6.8	*
Care beginning in first trimester	87.9	87.7	79.5	*	90.9	87.3	93.0	82.9
Late or no care	2.1	2.1	*	*	*	2.2	*	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	All races	Race and Hispanic origin of mother						
		Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Santa Clara, California								
Number								
Low birthweight	111	43	6	-	62	21	21	5
Care beginning in first trimester	1,575	719	44	4	808	288	406	41
Late or no care	44	23	1	-	20	18	6	1
Percent								
Low birthweight	6.1	5.2	*	*	6.7	6.1	4.7	*
Care beginning in first trimester	90.8	89.8	83.0	*	92.1	84.7	93.5	82.0
Late or no care	2.5	2.9	*	*	2.3	*	*	*
Santa Clarita, California								
Number								
Low birthweight	172	149	7	2	14	56	93	7
Care beginning in first trimester	2,559	2,269	61	4	225	851	1,416	61
Late or no care	28	22	3	-	3	13	9	3
Percent								
Low birthweight	6.2	6.1	*	*	*	5.9	6.2	*
Care beginning in first trimester	93.0	92.9	87.1	*	95.7	89.4	95.0	88.4
Late or no care	1.0	0.9	*	*	*	*	*	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	All races	Race and Hispanic origin of mother						
		Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Santa Rosa, California								
Number								
Low birthweight	154	128	8	5	13	64	67	7
Care beginning in first trimester	2,550	2,292	50	30	178	1,034	1,255	46
Late or no care	53	42	5	2	4	21	20	5
Percent								
Low birthweight	5.4	5.0	*	*	*	5.3	5.0	*
Care beginning in first trimester	89.4	89.6	86.2	73.2	91.3	86.0	93.0	85.2
Late or no care	1.9	1.6	*	*	*	1.7	1.5	*
Savannah, Georgia								
Number								
Low birthweight	280	68	207	1	4	7	61	207
Care beginning in first trimester	1,790	705	1,035	9	41	62	646	1,033
Late or no care	147	42	102	-	3	13	30	101
Percent								
Low birthweight	11.2	7.6	13.5	*	*	*	7.7	13.6
Care beginning in first trimester	73.3	79.8	69.2	*	75.9	57.9	82.5	69.4
Late or no care	6.0	4.8	6.8	*	*	*	3.8	6.8

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	All races	Race and Hispanic origin of mother						
		Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Scottsdale, Arizona								
Number								
Low birthweight	213	186	5	10	12	28	156	5
Care beginning in first trimester	2,404	2,101	35	143	125	263	1,842	34
Late or no care	105	82	5	15	3	50	29	5
Percent								
Low birthweight	7.6	7.7	*	*	*	6.6	7.9	*
Care beginning in first trimester	87.1	88.1	72.9	76.9	87.4	63.1	93.7	73.9
Late or no care	3.8	3.4	*	*	*	12.0	1.5	*
Shreveport, Louisiana								
Number								
Low birthweight	422	97	317	3	5	8	91	315
Care beginning in first trimester	2,507	1,057	1,413	6	31	44	1,017	1,409
Late or no care	145	23	120	-	2	3	20	120
Percent								
Low birthweight	13.6	8.5	16.6	*	*	*	8.3	16.5
Care beginning in first trimester	81.1	92.6	74.0	*	88.6	84.6	92.9	74.0
Late or no care	4.7	2.0	6.3	*	*	*	1.8	6.3

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	All races	Race and Hispanic origin of mother						
		Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Simi Valley, California								
Number								
Low birthweight	104	93	1	-	10	28	64	1
Care beginning in first trimester	1,501	1,329	19	2	151	366	934	17
Late or no care	20	20	-	-	-	10	9	-
Percent								
Low birthweight	6.5	6.5	*	*	*	6.9	6.5	*
Care beginning in first trimester	93.9	93.7	*	*	95.6	90.1	95.3	*
Late or no care	1.3	1.4	*	*	*	*	*	*
Sioux Falls, South Dakota								
Number								
Low birthweight	154	133	5	5	11	14	120	5
Care beginning in first trimester	1,729	1,603	41	49	36	65	1,540	40
Late or no care	63	50	3	8	2	15	35	3
Percent								
Low birthweight	6.9	6.6	*	*	*	*	6.4	*
Care beginning in first trimester	77.6	79.7	56.9	55.1	64.3	50.0	81.7	57.1
Late or no care	2.8	2.5	*	*	*	*	1.9	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	All races	Race and Hispanic origin of mother						
		Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
South Bend, Indiana								
Number								
Low birthweight	201	98	99	2	2	24	73	99
Care beginning in first trimester	1,420	1,085	315	3	17	211	873	314
Late or no care	191	115	71	-	5	38	78	71
Percent								
Low birthweight	9.6	6.5	17.7	*	*	7.2	6.2	17.7
Care beginning in first trimester	70.5	74.5	60.3	*	*	65.5	76.9	60.3
Late or no care	9.5	7.9	13.6	*	*	11.8	6.9	13.6
Springfield, Illinois								
Number								
Low birthweight	200	127	70	1	2	2	125	70
Care beginning in first trimester	1,576	1,257	274	4	41	22	1,239	272
Late or no care	57	28	27	-	2	-	28	27
Percent								
Low birthweight	10.5	8.8	16.9	*	*	*	8.8	17.1
Care beginning in first trimester	84.1	88.1	68.8	*	89.1	81.5	88.2	68.9
Late or no care	3.0	2.0	6.8	*	*	*	2.0	6.8

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Springfield, Massachusetts								
Number								
Low birthweight	230	170	58	-	2	118	54	56
Care beginning in first trimester	1,811	1,350	388	2	71	761	614	363
Late or no care	72	46	20	-	6	28	18	20
Percent								
Low birthweight	9.5	9.6	10.4	*	*	11.2	7.2	10.7
Care beginning in first trimester	80.1	81.2	76.7	*	78.0	77.3	86.6	76.4
Late or no care	3.2	2.8	4.0	*	*	2.8	*	4.2
Springfield, Missouri								
Number								
Low birthweight	172	157	11	1	3	3	154	11
Care beginning in first trimester	1,836	1,715	72	7	42	64	1,654	70
Late or no care	43	38	3	-	2	4	34	3
Percent								
Low birthweight	8.1	8.0	*	*	*	*	8.1	*
Care beginning in first trimester	87.0	87.4	82.8	*	80.8	80.0	87.7	82.4
Late or no care	2.0	1.9	*	*	*	*	1.8	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
St. Louis city, Missouri								
Number								
Low birthweight	602	139	452	-	11	14	127	450
Care beginning in first trimester	4,231	1,682	2,433	5	111	170	1,519	2,429
Late or no care	197	30	165	-	2	2	28	165
Percent								
Low birthweight	11.4	7.3	14.0	*	*	*	7.4	13.9
Care beginning in first trimester	84.5	92.0	79.8	*	88.1	91.9	92.0	79.8
Late or no care	3.9	1.6	5.4	*	*	*	1.7	5.4
St. Paul, Minnesota								
Number								
Low birthweight	375	175	113	6	81	35	135	108
Care beginning in first trimester	3,362	2,235	573	45	509	355	1,839	552
Late or no care	146	45	42	5	54	17	29	41
Percent								
Low birthweight	7.4	5.9	10.8	*	8.1	5.3	6.0	10.6
Care beginning in first trimester	76.9	84.9	69.0	68.2	60.5	69.3	88.7	68.9
Late or no care	3.3	1.7	5.1	*	6.4	*	1.4	5.1

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
St. Petersburg, Florida								
Number								
Low birthweight	296	148	135	-	13	17	131	135
Care beginning in first trimester	2,761	1,820	791	3	147	174	1,653	785
Late or no care	144	70	68	1	5	12	61	65
Percent								
Low birthweight	8.7	7.0	12.3	*	*	*	6.9	12.4
Care beginning in first trimester	81.4	86.1	72.2	*	83.1	76.7	87.2	72.2
Late or no care	4.2	3.3	6.2	*	*	*	3.2	6.0
Stamford, Connecticut								
Number								
Low birthweight	139	97	28	1	13	42	56	27
Care beginning in first trimester	1,689	1,298	212	18	161	437	877	187
Late or no care	35	24	9	-	2	19	6	8
Percent								
Low birthweight	7.3	6.7	10.3	*	*	7.6	6.1	11.4
Care beginning in first trimester	88.8	89.6	78.5	*	96.4	78.9	96.0	79.2
Late or no care	1.8	1.7	*	*	*	*	*	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	All races	Race and Hispanic origin of mother						
		Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Staten Island borough, Richmond county, New York								
Number								
Low birthweight	471	328	97	1	45	94	240	89
Care beginning in first trimester	5,349	4,357	617	8	367	1,012	3,372	579
Late or no care	137	85	35	1	16	31	54	35
Percent								
Low birthweight	7.9	6.8	12.8	*	10.6	7.7	6.7	12.4
Care beginning in first trimester	89.8	91.3	81.6	*	87.4	83.8	93.9	80.9
Late or no care	2.3	1.8	4.6	*	*	2.6	1.5	4.9
Sterling Heights, Michigan								
Number								
Low birthweight	111	99	7	-	5	3	91	7
Care beginning in first trimester	1,339	1,152	56	2	129	25	1,108	53
Late or no care	24	19	3	-	2	1	15	3
Percent								
Low birthweight	6.9	7.2	*	*	*	*	7.0	*
Care beginning in first trimester	91.7	92.1	84.8	*	91.5	75.8	92.8	84.1
Late or no care	1.6	*	*	*	*	*	*	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Stockton, California								
Number								
Low birthweight	445	271	80	3	91	170	106	76
Care beginning in first trimester	4,231	3,015	439	29	748	2,045	1,002	414
Late or no care	468	327	48	7	86	249	81	47
Percent								
Low birthweight	7.3	6.3	12.3	*	8.1	5.6	8.3	12.3
Care beginning in first trimester	70.5	71.5	69.2	69.0	67.4	68.4	79.1	68.4
Late or no care	7.8	7.8	7.6	*	7.8	8.3	6.4	7.8
Sunnyvale, California								
Number								
Low birthweight	172	68	8	-	96	18	43	7
Care beginning in first trimester	2,009	927	37	3	1,042	346	507	29
Late or no care	30	10	3	-	17	5	4	3
Percent								
Low birthweight	7.3	6.2	*	*	7.8	*	7.6	*
Care beginning in first trimester	93.5	92.8	86.0	*	94.5	88.0	96.0	82.9
Late or no care	1.4	*	*	*	*	*	*	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	All races	Race and Hispanic origin of mother						
		Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Syracuse, New York								
Number								
Low birthweight	228	104	116	4	4	26	79	115
Care beginning in first trimester	1,663	981	560	35	87	123	862	558
Late or no care	110	51	53	2	4	8	42	53
Percent								
Low birthweight	10.2	8.3	14.0	*	*	14.9	7.3	14.0
Care beginning in first trimester	74.9	78.9	68.0	74.5	83.7	70.3	80.2	68.1
Late or no care	5.0	4.1	6.4	*	*	*	3.9	6.5
Tallahassee, Florida								
Number								
Low birthweight	210	65	137	1	7	13	52	137
Care beginning in first trimester	2,040	1,082	840	6	112	87	993	839
Late or no care	41	13	27	-	1	2	11	27
Percent								
Low birthweight	9.0	5.6	13.0	*	*	*	4.9	13.0
Care beginning in first trimester	88.5	94.0	81.4	*	96.6	89.7	94.4	81.5
Late or no care	1.8	*	2.6	*	*	*	*	2.6

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	All races	Race and Hispanic origin of mother						
		Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Tampa, Florida								
Number								
Low birthweight	777	410	348	3	16	176	232	344
Care beginning in first trimester	7,049	4,893	1,846	23	287	1,954	2,953	1,824
Late or no care	156	70	82	-	4	33	38	80
Percent								
Low birthweight	9.6	7.5	15.0	*	*	7.8	7.2	15.1
Care beginning in first trimester	88.1	90.9	80.8	100.0	93.8	87.8	92.9	80.9
Late or no care	2.0	1.3	3.6	*	*	1.5	1.2	3.5
Tempe, Arizona								
Number								
Low birthweight	150	116	12	3	19	67	54	9
Care beginning in first trimester	1,624	1,330	92	87	115	559	771	85
Late or no care	127	109	7	8	3	85	20	5
Percent								
Low birthweight	7.3	6.9	*	*	*	8.3	6.2	*
Care beginning in first trimester	79.8	79.4	78.0	77.7	88.5	69.4	89.3	79.4
Late or no care	6.2	6.5	*	*	*	10.5	2.3	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Thousand Oaks, California								
Number								
Low birthweight	135	125	-	-	10	30	94	-
Care beginning in first trimester	1,534	1,371	15	1	147	329	1,026	15
Late or no care	8	7	1	-	-	5	2	1
Percent								
Low birthweight	8.3	8.6	*	*	*	8.1	8.9	*
Care beginning in first trimester	95.2	95.1	*	*	97.4	89.2	97.1	*
Late or no care	*	*	*	*	*	*	*	*
Toledo, Ohio								
Number								
Low birthweight	474	259	203	2	10	31	233	199
Care beginning in first trimester	4,235	3,103	1,051	11	70	331	2,782	1,043
Late or no care	131	70	60	-	1	14	57	59
Percent								
Low birthweight	9.7	7.5	15.1	*	*	7.5	7.7	15.0
Care beginning in first trimester	87.3	90.6	79.0	*	89.7	80.3	91.8	79.1
Late or no care	2.7	2.0	4.5	*	*	*	1.9	4.5

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Topeka, Kansas								
Number								
Low birthweight	177	132	36	7	2	20	113	36
Care beginning in first trimester	1,848	1,538	231	55	24	270	1,256	224
Late or no care	37	26	9	2	-	9	17	8
Percent								
Low birthweight	8.6	7.8	13.5	*	*	6.1	8.3	14.0
Care beginning in first trimester	89.7	90.4	87.2	83.3	82.8	82.6	92.3	87.5
Late or no care	1.8	1.5	*	*	*	*	*	*
Torrance, California								
Number								
Low birthweight	139	86	4	1	48	51	32	4
Care beginning in first trimester	1,936	1,174	74	6	682	594	578	72
Late or no care	27	18	2	-	7	10	7	2
Percent								
Low birthweight	6.6	6.7	*	*	6.6	7.7	5.2	*
Care beginning in first trimester	92.9	92.0	91.4	*	94.7	90.1	94.0	91.1
Late or no care	1.3	*	*	*	*	*	*	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	All races	Race and Hispanic origin of mother						
		Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Tucson, Arizona								
Number								
Low birthweight	924	803	52	40	29	431	377	45
Care beginning in first trimester	8,465	7,505	337	314	309	3,830	3,759	258
Late or no care	1,156	1,040	44	44	28	818	237	33
Percent								
Low birthweight	7.7	7.5	11.1	8.8	7.0	7.1	7.9	12.4
Care beginning in first trimester	71.5	71.3	72.6	69.5	75.7	64.3	80.2	71.9
Late or no care	9.8	9.9	9.5	9.7	6.9	13.7	5.1	9.2
Tulsa, Oklahoma								
Number								
Low birthweight	548	333	169	40	6	63	273	164
Care beginning in first trimester	4,021	3,046	598	271	106	589	2,458	593
Late or no care	496	320	129	40	7	98	222	127
Percent								
Low birthweight	8.3	7.0	13.7	9.0	*	5.1	7.7	13.4
Care beginning in first trimester	66.5	68.9	55.9	64.5	75.7	51.8	74.8	55.9
Late or no care	8.2	7.2	12.1	9.5	*	8.6	6.8	12.0

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	All races	Race and Hispanic origin of mother						
		Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Vallejo, California								
Number								
Low birthweight	131	50	42	-	39	25	26	38
Care beginning in first trimester	1,322	645	277	6	394	352	300	271
Late or no care	104	49	28	2	25	35	15	28
Percent								
Low birthweight	7.2	5.7	10.6	*	7.5	4.8	6.9	9.8
Care beginning in first trimester	74.6	74.5	71.6	*	77.4	68.6	81.7	72.1
Late or no care	5.9	5.7	7.2	*	4.9	6.8	*	7.4
Virginia Beach city, Virginia								
Number								
Low birthweight	487	302	157	-	28	33	274	153
Care beginning in first trimester	5,702	4,098	1,216	22	366	354	3,801	1,172
Late or no care	122	70	46	-	6	12	60	45
Percent								
Low birthweight	7.6	6.7	10.8	*	6.8	7.9	6.6	10.9
Care beginning in first trimester	89.5	91.6	83.6	88.0	88.4	84.9	92.2	83.4
Late or no care	1.9	1.6	3.2	*	*	*	1.5	3.2

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Waco, Texas								
Number								
Low birthweight	192	118	73	-	1	59	61	71
Care beginning in first trimester	1,584	1,262	306	-	16	555	712	300
Late or no care	185	133	48	-	4	70	63	48
Percent								
Low birthweight	7.7	6.2	13.5	*	*	6.3	6.2	13.3
Care beginning in first trimester	64.4	66.6	56.9	*	*	59.6	73.3	56.7
Late or no care	7.5	7.0	8.9	*	*	7.5	6.5	9.1
Warren, Michigan								
Number								
Low birthweight	135	100	14	1	20	2	93	14
Care beginning in first trimester	1,440	1,224	110	4	102	34	1,176	110
Late or no care	49	33	9	1	6	2	30	9
Percent								
Low birthweight	7.8	6.9	*	*	15.2	*	6.8	*
Care beginning in first trimester	88.7	89.8	81.5	*	84.3	89.5	90.0	81.5
Late or no care	3.0	2.4	*	*	*	*	2.3	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Waterbury, Connecticut								
Number								
Low birthweight	173	122	49	1	1	70	54	47
Care beginning in first trimester	1,400	1,062	302	7	29	482	592	289
Late or no care	35	30	4	-	1	16	13	4
Percent								
Low birthweight	10.4	9.6	14.0	*	*	11.6	7.9	14.1
Care beginning in first trimester	85.7	85.4	87.0	*	85.3	82.0	88.2	87.6
Late or no care	2.1	2.4	*	*	*	*	*	*
West Covina, California								
Number								
Low birthweight	107	72	6	-	29	60	13	5
Care beginning in first trimester	1,298	919	51	4	324	791	136	48
Late or no care	22	19	1	-	2	16	3	1
Percent								
Low birthweight	7.4	7.0	*	*	8.1	6.8	*	*
Care beginning in first trimester	89.5	89.5	83.6	*	91.0	89.4	89.5	82.8
Late or no care	1.5	*	*	*	*	*	*	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
West Valley City, Utah								
Number								
Low birthweight	146	127	6	2	11	49	78	6
Care beginning in first trimester	1,613	1,457	18	13	125	473	986	17
Late or no care	150	100	3	6	41	51	48	3
Percent								
Low birthweight	6.4	6.4	*	*	*	6.6	6.2	*
Care beginning in first trimester	73.2	75.4	*	*	57.3	66.7	80.6	*
Late or no care	6.8	5.2	*	*	18.8	7.2	3.9	*
Westminster, Colorado								
Number								
Low birthweight	93	80	1	-	12	27	53	1
Care beginning in first trimester	1,127	1,035	8	4	80	290	745	8
Late or no care	45	42	-	2	1	24	18	-
Percent								
Low birthweight	6.7	6.3	*	*	*	6.7	6.2	*
Care beginning in first trimester	83.0	83.6	*	*	76.9	73.6	88.3	*
Late or no care	3.3	3.4	*	*	*	6.1	*	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Wichita Falls, Texas								
Number								
Low birthweight	118	88	27	1	2	20	68	27
Care beginning in first trimester	1,180	1,001	144	9	26	264	733	143
Late or no care	40	31	9	-	-	10	21	9
Percent								
Low birthweight	8.4	7.5	14.5	*	*	6.2	8.0	14.6
Care beginning in first trimester	84.2	85.3	77.4	*	92.9	81.7	86.3	77.3
Late or no care	2.9	2.6	*	*	*	*	2.5	*
Wichita, Kansas								
Number								
Low birthweight	540	381	120	4	35	75	306	120
Care beginning in first trimester	5,516	4,466	695	72	283	808	3,651	694
Late or no care	153	105	35	6	7	27	78	35
Percent								
Low birthweight	8.3	7.4	13.7	*	10.4	7.0	7.5	13.7
Care beginning in first trimester	86.8	88.1	80.7	81.8	85.0	80.0	90.1	80.7
Late or no care	2.4	2.1	4.1	*	*	2.7	1.9	4.1

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	Race and Hispanic origin of mother							
	All races	Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Winston-Salem, North Carolina								
Number								
Low birthweight	314	150	159	-	5	63	87	159
Care beginning in first trimester	2,868	1,880	939	6	43	768	1,113	936
Late or no care	89	56	32	-	1	45	11	32
Percent								
Low birthweight	9.7	7.1	14.7	*	*	6.7	7.5	14.8
Care beginning in first trimester	88.7	89.5	86.9	*	95.6	81.5	96.0	86.9
Late or no care	2.8	2.7	3.0	*	*	4.8	*	3.0
Worcester, Massachusetts								
Number								
Low birthweight	232	176	37	2	17	65	116	32
Care beginning in first trimester	2,245	1,777	296	7	165	510	1,328	241
Late or no care	55	40	12	-	3	13	28	11
Percent								
Low birthweight	9.0	8.7	10.4	*	*	10.9	7.7	11.0
Care beginning in first trimester	86.8	88.1	82.7	*	81.3	85.7	88.7	82.8
Late or no care	2.1	2.0	*	*	*	*	1.9	*

Table 1-25. Number and Percent of Births of Low Birthweight, Number and Percent of Women Beginning Prenatal Care in First Trimester, and Number and Percent Receiving Late or No Care by Race and Hispanic Origin of Mother for Cities of 100,000 or More: Total of 48 States and the District of Columbia, 2003

(Cities are those with populations of 100,000 or more in 1990. Late prenatal care is defined as care starting in the 3rd trimester. Low birthweight is defined as weight of less than 2,500 grams (5 lb 8 oz). Percents are based on stated data.)

Area, birthweight and prenatal care	All races	Race and Hispanic origin of mother						
		Race				Hispanic Origin (1)		
		White	Black	American Indian (2)	Asian/Pacific Islander	Hispanic	Non-Hispanic white	Non-Hispanic black
Percent								
Yonkers, New York								
Number								
Low birthweight	240	155	68	-	17	73	82	65
Care beginning in first trimester	1,974	1,478	375	3	118	737	755	355
Late or no care	181	105	71	-	5	79	27	69
Percent								
Low birthweight	8.7	7.7	11.2	*	*	6.6	8.9	11.3
Care beginning in first trimester	72.9	75.0	64.5	*	76.6	68.1	83.1	64.2
Late or no care	6.7	5.3	12.2	*	*	7.3	3.0	12.5

- Quantity zero.

\* Figure does not meet standards of reliability or precision; based on fewer than 20 births in the numerator.

(1) Data not shown for non-Hispanic births of other races and births with origin not stated.

(2) Includes Aleuts and Eskimos.

NOTES: Race and Hispanic origin are reported separately on birth certificates. Race categories are consistent with the 1977 Office of Management and Budget standards. See Technical Appendix. Excludes data for Pennsylvania and Washington, which implemented the 2003 Revision to the U.S. Standard Certificate of Live Birth for data year 2003. This change has resulted in a lack of comparability between data based on the 2003 Revision and data based on the 1989 Revision to the U.S. Certificate of Live Birth; see "Technical Notes."